

WorkCentre 6400 Colour Multifunction Printer Full-featured power in a desktop device.



Xerox[®] WorkCentre[™] 6400 Multifunction Printer

Unleash the productivity of your office. We've taken the office-critical features of our large departmental multifunction systems and packed them into this ultraproductive letter-sized printer. It seamlessly integrates print, scan, fax and copy functionality, and adds smart management tools to simplify work for busy offices with high-volume colour requirements.

A Powerhouse Made for Sharing

From its advanced networking to fast operating speeds (up to 32 ppm colour / 37 ppm black and white), the WorkCentre 6400 is tailor-made for large work groups.

- Multitasking. Access walk-up copying, scanning or faxing functions when you need them, even while other jobs are printing. Spend your valuable time working, not waiting for your turn.
- Never wait for a job on hold. Exclusive Print Around feature detects print jobs waiting for additional resources (such as a special paper size) and prints the next print job in the queue.



All-in-one Simplicity

The WorkCentre 6400 gives your business crucial tools in an easy-to-use package.

- Walk-up use is intuitive thanks to the iconbased, 8-inch colour touch screen with help screens. It shares the same simplicity our larger Xerox[®] devices are known for.
- Easy supplies replacement. Toners come pre-loaded and replacement is simple thanks to the easy-access front door, and email alerts notify you when levels are low.
- Automatic two-sided copying, printing and fax receipt reduces office paper use.
- Regulate use and control costs. Set limits to users' access to copy and fax functionality and control access to colour. Generate usage reports for analysis and billing purposes.
- Scan routing made easy. LDAP capability integrates scanning with your network address book.
- Efficient finisher (standard on 6400XF) staples your documents or offset stacks jobs for grab-and-go convenience.
- Annotate, edit and organise scanned image files with Xerox[®] Scan to PC Desktop[®] SE Personal Edition (standard). Convert scanned documents to editable text formats such as Microsoft[®] Word[®] and Excel[®].

Your Processes Simplified

- Turn a shared multifunction printer into your own personal multifunction printer. The
 WorkCentre 6400 is built on
 the powerful Xerox® Extensible
 Interface Platform® (EIP), a weband standards-based technology
 that lets you add applications
 for easy access right from the
 touch screen. For example, Scan
 to PC Desktop software (optional
 Professional version) seamlessly
 integrates with EIP for customised
 scanning menus that match your
 specific workflows.
- Full-functioned scanning includes a wide range of document routing capabilities. Store scans in a public or private folder on the hard drive with Scan to Mailbox. Send files to a pre-assigned "home" destination with Scan to Home. Scan files directly to email addresses or store on a central server with network scanning.
- Automate repetitive job processes by automatically routing scanned documents to predefined folders on your computer or as attachments to emails with convenient scan templates.
- Store frequently printed documents directly on the device for reprinting later.
- Convert paper documents to text-searchable PDFs in one step for easy archiving, organizing and searching.

WorkCentre 6400 Quick Facts

- 32 ppm colour, 37 ppm black and white
- Up to 2400 x 600 dpi
- Standard automatic two-sided colour copy/print
- True Adobe® PostScript® 3™, PCL 5c and PCL 6 support





Convenient walk-up operation. Easy to read and navigate, the large colour touch screen guides you through even the most complex operations.

Choose desktop or floor standing models to locate conveniently close to users.

1

Xerox® Extensible Interface Platform® (EIP) is a software platform inside the WorkCentre 6400 that enables personalised solutions you can access right from the touch screen. These applications can leverage your existing databases and meet your specific business challenges.

2

50-sheet Duplex Automatic Document Feeder scans two-sided documents in sizes up to 8.5 x 14 in.

3

Full 8.5 x 14 in. platen glass allows you to scan legal-size documents with ease.

4

80 GB internal hard drive lets you handle more tasks at the device. Use the Save Job feature to keep frequently used documents available for quick printing on the go.

5

4

6

7

100-sheet multipurpose tray.

6

Standard 500-sheet tray.

Two additional 500-sheet trays (standard on XF configuration).

.

8

Stand includes cabinet for toner and media storage (standard on the XF configuration).

9 Finisher collates and staples sets of up to 30 pages. Available for both desktop and floor standing models. Includes 600-sheet output tray.





Options

- Additional 500-sheet trays
- Finisher for 30-sheet stapling
- Stand with storage cabinet
- Wireless network adaptor
- Foreign device interface



• Embedded Fax, LAN Fax, Internet

Fax and support for Server Fax

WorkCentre 6400X

6400S plus:

Xerox[®] WorkCentre[™] 6400 Configurations

WorkCentre 6400S

- Automatic two-sided copy/print/scan
- 600-sheet input capacity
- Colour Scan to Email, Scan to Network

WorkCentre 6400XF

6400X plus:

- 1,600-sheet total input capacity
- 600-sheet finisher for 30-sheet stapling capability
- Stand with storage cabinet

A print job can be held in the queue until a PIN is entered, releasing it to print.

Security Built-in

• Image data in the device's memory can be automatically "shredded" after every job or on request.

Confidential documents stay confidential with advanced security features:

- A password can be required before incoming faxes can be printed or removed, and a junk fax barrier protects your privacy.
- Authentication helps prevent unauthorised access to the device and support for 802.1X secures it on the network.
- Supports IPSec for both IPv4 and IPv6 for improved security.
- Xerox Secure Access Unified ID System[®] (optional) enables users to log-in at the WorkCentre 6400 with their employee/ student ID badge for secure access to functions that need to be tracked for accounting or regulatory requirements.

Xerox[®] WorkCentre[™] 6400







	a company of the	to the second seco	17 VI
	WorkCentre 6400S	WorkCentre 6400X	WorkCentre 6400XF
	Up to 32 ppm colour / 37 ppm black and white (Letter)		
	Up to 120,000 pages / month*		
Standard	Duplex Automatic Document Feeder: 50 sheets; Custom Sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm; Weight: 12.5 to 28 lb / 50 to 105 gsm Multipurpose Tray 1: 100 sheets; Custom sizes: 3.6 x 5.8 in. to 8.5 x 14 in. / 97 x 147 mm to 216 x 356 mm Tray 2: 500 sheets; Sizes: 8.5 x 11 in. / A4 (210 x 297 mm)		
Optional	Tray 3 and Tray 4: 500 sheets; Sizes: Letter, Legal,	Executive, US Folio, A4, B5 JIS	Standard
	500 sheets, automatic two-sided		
Optional	Finisher: 600-sheet tray, 30-sheet stapling		Standard
	As fast as 16 seconds		
	Up to 2400 x 600 dpi		
	800 MHz / 1 GB plus 80 GB hard drive		
ges	PCL [®] 5c, PCL 6, Adobe [®] PostScript [®] 3 [™] , PDF 1.6, TIFF, JPEG		
	USB 2.0 (for print only), 10/100/1000 Base-TX Ethernet, IPv4 and IPv6		
	Automatic two-sided, Custom page size, N-Up, Banner sheet, Inserts, Covers, Booklet creation, Mirror image, Collation, Watermarks, Scaling, Print Around, Sample set, Secure print, Delayed print, Saved Job		
	600 x 600 dpi		
	Automatic two-sided, Collation, Reduce/Enlarge 25 to 400 %, Lighten/darken, Booklet creation, covers, Inserts, Annotations, Bates Stamping, Transparency separators, Multiple-up, Build Job, Sample copy, Save copy settings		
	Embedded Fax**, LAN Fax, Internet Fax, Network Server Fax enablement		erver Fax enablement
	NA	Up to 600 x 600 dpi (Super Fine) resolution, Junk fax filter, Mailboxes and Polling, Secure Fax, Delayed Send, Speed dials (up to 200), Group dials	
	Scan to Mailbox, Scan to Email, Scan to File, Scan to	Home	
	Up to 600 x 600 dpi, File formats: PDF, Searchable PDF, TIFF, Multi-page TIFF, JPEG; Xerox [®] Scan to PC Desktop [®] SE Personal Edition (includes 1 seat of PaperPort [®] SE, OmniPage [®] SE, Image Retriever)		
	Job-based Accounting, Xerox® Standard Accounting, Network Accounting enablement		
	Disk Overwrite, Job Overwrite, Disk Encryption, 802.1X, Secure Print, Authentication, Secure Fax		
	One-year on-site warranty, Xerox® Total Satisfaction Guarantee		
	Optional	Up to 32 ppm colour / 37 ppm black and white (Lett Up to 120,000 pages / month* Standard Duplex Automatic Document Feeder: 50 sheets; 50 to 105 gsm Multipurpose Tray 1: 100 sheets; Custom sizes: 3.6 Tray 2: 500 sheets; Sizes: 8.5 x 11 in. / A4 (210 x 29 Optional Tray 3 and Tray 4: 500 sheets; Sizes: Letter, Legal, 500 sheets, automatic two-sided Optional Finisher: 600-sheet tray, 30-sheet stapling As fast as 16 seconds Up to 2400 x 600 dpi 800 MHz / 1 GB plus 80 GB hard drive ges PCL® 5c, PCL 6, Adobe® PostScript® 3 ^m , PDF 1.6, TIF USB 2.0 (for print only), 10/100/1000 Base-TX Ether Automatic two-sided, Custom page size, N-Up, Band Sample set, Secure print, Delayed print, Saved Job 600 x 600 dpi Automatic two-sided, Collation, Reduce/Enlarge 25 separators, Multiple-up, Build Job, Sample copy, Sav MA Scan to Mailbox, Scan to Email, Scan to File, Scan to Up to 600 x 600 dpi, File formats: PDF, Searchable F PaperPort® SE, OmniPage® SE, Image Retriever) Job-based Accounting, Xerox® Standard Accounting, Disk Overwrite, Job Overwrite, Disk Encryption, 802.1	Up to 32 ppm colour / 37 ppm black and white (Letter) Up to 120,000 pages / month* Duplex Automatic Document Feeder: 50 sheets; Custom Sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 S0 to 105 gsm Multipurpose Tray 1: 100 sheets; Custom sizes: 3.6 x 5.8 in. to 8.5 x 14 in. / 97 x 147 mm to 216 x 356 Tray 2: 500 sheets; Sizes: 8.5 x 11 in. / A4 (210 x 297 mm) Optional Tray 3 and Tray 4: 500 sheets; Sizes: Letter, Legal, Executive, US Folio, A4, B5 JIS 500 sheets, automatic two-sided 500 sheets, automatic two-sided Optional Finisher: 600-sheet tray, 30-sheet stapling As fast as 16 seconds Up to 2400 x 600 dpi 800 MHz / 1 GB plus 80 GB hard drive ges PCL ⁶ Sc, PCL 6, Adobe® PostScript [®] 3", PDF 1.6, TIFF, JPEG USB 2.0 (for print only), 10/100/1000 Base-TX Ethernet, IPv4 and IPv6 Automatic two-sided, Custom page size, N-Up, Banner sheet, Inserts, Covers, Booklet creation, Mirror imor Sample set, Secure print, Delayed print, Saved Job 600 x 600 dpi 600 x 600 dpi Automatic two-sided, Collation, Reduce/Enlarge 25 to 400 %, Lighten/darken, Booklet creation, covers, Ir separators, Multiple-up, Build Job, Sample copy, Save copy settings NA Embedded Fax**, LAN Fax, Internet Fax, Network S Up to 600 x 600 dpi (Super Fine) resolution, Junk fi Send, Speed dials (up to 200), Group dials Scan to Mailbox, Scan to Email, Scan to File, Scan to Home Up to 600 x 60

* Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis ** Analog phone line required

Device Management

Xerox® CentreWare® Internet Services, CentreWare Web

Print Drivers

Windows® Server 2003/Server 2008/XP/Vista, Mac OS® X version 10.3 and higher, Linux® Turbolinux® 10 Desktop, SUSE™, Red Hat®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver™

Font Support

141 PostScript fonts, 81 PCL fonts

Media Handling

Multipurpose Tray 1: 16 lb. bond to 80 lb. cover / 60 - 210 gsm; Trays 2, 3, 4: 16 - 24 lb. bond / 60 - 90 gsm; Two-sided printing: 16 - 40 lb. bond / 60 - 150 gsm; Media types: Plain paper, transparencies, card/cover, glossy, labels, envelopes

Colour Standards

PANTONE® Colour approved solid-colour simulations, Xerox® Colour Correction

Operating Environment

Operating: 50° to 90° F / 10° to 32° C; Storage: 4° to 104 ° F / -20° to 40 ° C; Relative humidity: 15 to 85%; Storage: 10 to 95%; Noise Level: Sound pressure: Printing: 56.8 dB(A), Standby: 37.3 dB(A); Sound power: Printing: 7.294 B, Standby: 5.106 B

Electrical

Power: 110–127 VAC, 50/60 Hz; Power consumption: Standby: 165 W; Printing: 854 W; Power save: 24 W; 220–240 VAC, 50/60 Hz; Power consumption: Standby: 161 W; Printing: 802 W; Power save: 26 W

Dimensions (WxDxH)

6400S/6400X: 20.8 x 23.1 x 24.7 in. / 530 x 588 x 627 mm; Weight: 130 lbs. / 59 kg; 6400XF: 39.7 x 26.5 x 46 in. / 1008 x 673 x 1169 mm; Weight: 243 lbs. / 110 kg

Package Dimensions (WxDxH):

6400S/6400X: 29.9 x 25.6 x 34.8 in. / 760 x 650 x 883 mm; 6400XF: 44 x 30.3 x 57.4 in. / 1118 x 770 x 1458 mm

Certifications

FCC Part 15, Class A, FCC Part 68, CE Mark applicable to Directives 2006/95/EC, 2004/108/EC and 1999/5/EC, Listed UL 60950-1/CSA 60950-1-03

What Comes In The Box

The WorkCentre 6400 includes Toner Cartridges installed (standard-capacity for CMY and high-capacity for Black).

Supplies and Options

Print cartriages."	
Cyan standard-capacity: 8,000 pages	106R01320
Magenta standard-capacity: 8,000 pages	106R01321
Yellow standard-capacity: 8,000 pages	106R01322
Black high-capacity: 12,000 pages	106R01316
Cyan high-capacity: 16,500 pages	106R01317
Magenta high-capacity: 16,500 pages	106R01318
Yellow high-capacity: 16,500 pages	106R01319
Imaging Units:2	
Cyan Imaging Unit: 30,000 pages	108R00775
Magenta Imaging Unit: 30,000 pages	108R00776
Yellow Imaging Unit: 30,000 pages	108R00777
Black Imaging Unit: 30,000 pages	108R00774
Waste Cartridge: 22,000 pages each (Qty 2)	108R01368
110V Fuser: 150,000 pages	115R00059
Foreign Device Interface	097503872
Stand	097S04552
500-Sheet Feeder	097S03874
Finisher	097S03875
Wireless Network Adapter	097S03740
Xerox [®] Scan to PC Desktop [®]	
- Professional Small Business Edition (5 seats)	097S03910



For more information, call 1-877-362-6567 or visit us at www.xerox.com/office

¹ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode. ² Approximate pages. Declared Yield based on an average job size of 5 pages letter/A4 size. Yield will vary based on job run length, media size and orientation

©2014 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Extensible Interface Platform®, Xerox® Scan to PC Desktop® and WorkCentre are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. Updated 1/14 610P729867K W64BR-012L

