

Decon cabins



Decon Cabin 100



Decon Cabin 200



Decon Cabin 400



Mass Decon System 445

The inflatable decontamination cabin is available in three different versions. All are set up and ready for use within seconds. The mass decontamination system is designed for the simultaneous decontamination of four lines of people (80 persons per hour). It is ready for use in less than 10 minutes.



DECON CABIN 100

Inflatable decontamination cabin consisting of inflatable frame, shower cabin, integrated basin, 9 nozzles and water drainage. The cabin has 1 entrance (green) and 1 exit (red). It is set up and ready for use in seconds with a BA cylinder or a blower.

L x W x H (cm): 200 x 200 x 250

L x W x H packed (cm): 60 x 55 x 45

Material: Airtex 200

Water consumption: 8 l/min

Weight (Kg): 45



DECON CABIN 200

Inflatable decontamination cabin consisting of inflatable frame, shower cabin, integrated basin, 9 nozzles and water drainage. The cabin has 1 entrance (green) and 1 exit (red). It is set up and ready for use in seconds with a BA cylinder or a blower.

L x W x H (cm): 250 x 250 x 270

L x W x H packed (cm): 110 x 75 x 50

Material: Airtex 200

Water consumption: 8 l/min

Weight (Kg): 55



DECON CABIN 400

Inflatable decontamination cabin consisting of inflatable frame, shower cabin and integrated basin. The cabin has 1 or 2 entrances (green) and 1 or 2 exits (red). It is set up and ready for use in seconds with a BA cylinder or a blower.

L x W x H (cm): 450 x 250 x 270

L x W x H packed (cm): 110 x 80 x 65

Material: Airtex 200

Water consumption: 16 l/min

Weight (Kg): 69



MASS DECON SYSTEM 445

The Mass Decon System 445 is designed for the simultaneous decontamination of four lines of people. Since heated air and clean water supply enter the tent in the opposite direction from the decontamination flow, casualties on stretchers can be led through the system in case of serious injury.

Advantages:

- 4 integrated shower systems
- Easily storable and transportable
- Ready for use in less than 10 minutes
- Decontamination of 80 persons per hour
- Separate reception and checking areas
- Separate dressing and undressing areas

Airshelter L x W x H (cm): 840 x 570 x 295
Integrated shower L x W x H (cm): 100 x 95 x 20
Decontamination capacity: 80 persons/hour
Water capacity: 12 l/person

Diesel consumption: 10.1 l/hour
Electricity consumption: 2.0 kW
Capacity, 1 shower area: 2 m x 1.3 m

