

Panasonic®

POWER THE EXPERIENCE™



BATTERY CATALOG 2023/2024

A LEADING GLOBAL BATTERY MANUFACTURER

For over 92 years, Panasonic has been creating powerful, energy efficient, quality battery products. From next generation lithium-ion batteries for electric vehicles to robust battery power for space exploration; from pin type lithium batteries for wearable technology to sustainable solar storage systems, Panasonic is delivering solutions to meet the technology needs of tomorrow.

240
BILLION
DRY BATTERIES
SOLD IN
APPROXIMATELY
130
COUNTRIES¹

OVER
593
MILLION

RECHARGEABLE
BATTERIES
SHIPPED
GLOBALLY²

88TH
BEST
GLOBAL
BRAND³




PANASONIC
HAS BEEN
A MEMBER OF

FOR OVER
20
YEARS


ISO
45001:2018,
ISO
9001:2015
AND
ISO
14001:2015
CERTIFIED

1) As of November 2022. 2) As of August 2022. 3) BGB Archive - Interbrand





PANASONIC ENERGY CORPORATION OF AMERICA

Panasonic Energy Corporation of America (PECA) is nestled in the heart of the Chattahoochee Valley in the historical city of Columbus, Georgia.

The Panasonic headquarters of battery know-how houses Sales and Marketing, Operations, and our Lithium Battery Manufacturing Facility.

Using stringent controls and advanced production techniques, Panasonic factories produce batteries to the highest quality and performance standards.

Since 1931, Panasonic has been the trusted brand of choice for people around the globe. In North America, our extensive product portfolio provides powerful solutions for a wide range of devices, including eneloop, eneloop pro, Platinum Power, Alkaline Plus Power, Industrial Alkaline, Lithium and Super Heavy Duty Power batteries.



eneloop
Ni-MH
batteries
are launched
2005



2004
Started mass
production of
Ford Escape
Hybrid
battery
systems



2008
Evolta certified
by Guinness
World Book of
Records
as world's No.1
longest lasting
alkaline

Started
mass
production of
lithium-ion
batteries
for HEV
2010



2016
Panasonic Energy
Corporation of
America launches
Platinum Power
AA and AAA
batteries with
Evolta technology

Panasonic
celebrates 100
years of innovation,
continually
improving the
quality of life to
customers around
the world.
2018




2019
Panasonic
introduced Lithium
Coin Cell batteries
in child protective
packaging to the
US market

Launched the
CC65 NiMH
professional
eneloop
pro battery
charger
2023





CHARGES AA/AAA BATTERIES
INDIVIDUALLY
 ENSURING A
FULL CHARGE
EVERY TIME



SMART CHARGE
TECHNOLOGY
 MEASURES TEMPS & OTHER CONDITIONS TO
MAXIMIZE CHARGING



OUR CHARGERS ARE
ETL CERTIFIED
 AND MEET PANASONIC
HIGH SAFETY STANDARDS



PANASONIC CC65 CHARGER

| | |
|-----------------------------|---|
| BATTERY CHARGING CAPABILITY | Individual; 1-4 AA and/or AAA batteries |
| LED LIGHTS | LCD screen with remaining charge and other measurable information |
| CHARGING TIME AA (2000mAh) | AA4: 3h • AA2: 1.5h |
| CHARGING TIME AA (2600mAh) | AA4: 4h • AA2: 2h |
| CHARGING TIME AAA (800mAh) | AAA4: 3h • AAA2: 1.5h |
| CHARGING TIME AAA (980mAh) | AAA4: 4h • AAA2: 2h |
| USB PASS THRU CHARGING* | Yes |
| USB CHARGING BOOST** | N/A |
| A/C PLUG TYPE | AC Cord (included) |
| SAFETY TECHNOLOGY | Short Circuit & Input Voltage Detection/Auto Shut Off |
| AUTO SHUT OFF | Yes |
| CHARGING TECHNOLOGY | Smart Charge, Peak Sensing Cut-Off Function, Automatically Stops When Batteries are Fully Charged |
| VOLTAGE | AC 100-240V 50/60Hz |
| SAFETY STANDARDS | ETL Certified |
| MEASUREMENTS | 3.54" x 5.91" x 1.58" |



PANASONIC CC87 CHARGER

| | |
|-----------------------------|---|
| BATTERY CHARGING CAPABILITY | Individual; 1-4 AA and/or AAA batteries |
| LED LIGHTS | 4 LED w/Charge Fuel Gauge |
| CHARGING TIME AA (2000mAh) | AA4: 4.5h • AA2: 2.5h |
| CHARGING TIME AA (2600mAh) | AA4: 6h • AA2: 3h |
| CHARGING TIME AAA (800mAh) | AAA4: 3.5h • AAA2: 2h |
| CHARGING TIME AAA (980mAh) | AAA4: 4h • AAA2: 2h |
| USB PASS THRU CHARGING* | Yes |
| USB CHARGING BOOST** | Yes |
| A/C PLUG TYPE | USB Cord (included) |
| SAFETY TECHNOLOGY | Short Circuit & Input Voltage Detection/Auto Shut Off |
| AUTO SHUT OFF | Yes |
| CHARGING TECHNOLOGY | Smart Charge, Peak Sensing Cut-Off Function, Automatically Stops When Batteries are Fully Charged |
| VOLTAGE | AC 100-240V 50/60Hz |
| SAFETY STANDARDS | ETL Certified |
| MEASUREMENTS | 2.60" x 3.35" x 1.12" |

Panasonic Ni-MH battery chargers are built to the highest technical and performance standards.

From the advanced CC17 charger to the professional CC65 models, all Panasonic NiMH battery chargers efficiently and individually charge any combination of 1 to 4 AA or AAA batteries. Charging each battery independently ensures they will be fully charged, without overcharging.

FOR USE WITH eneloop



4 INDIVIDUAL CHARGE INDICATORS



SMART CHARGE



AUTO VOLTAGE AC 100-240V



PANASONIC CC55 CHARGER

Individual; 1-4 AA and/or AAA batteries



PANASONIC CC75 CHARGER

Individual; 1-4 AA and/or AAA batteries



PANASONIC CC17 CHARGER

Individual; 1-4 AA and/or AAA batteries

| | | |
|---|---|---|
| 4 LED w/Charge Fuel Gauge | 4 LED | 4 LED |
| AA4: 3h • AA2: 1.5h | AA4: 7h | AA4: 7h |
| AA4: 4h • AA2: 2h | AA4: 9h | AA4: 9h |
| AAA4: 2h • AAA2: 1h | AAA4: 6h | AAA4: 6h |
| AAA4: 3h • AAA2: 1.5h | AAA4: 7h | AAA4: 7h |
| No | Yes | No |
| No | No | No |
| Retractable | Retractable | Retractable |
| Short Circuit & Input Voltage Detection/Auto Shut Off | Short Circuit & Input Voltage Detection/Auto Shut Off | Short Circuit & Input Voltage Detection/Auto Shut Off |
| Yes | Yes | Yes |
| Smart Charge, Peak Sensing Cut-Off Function, Automatically Stops When Batteries are Fully Charged | Smart Charge, Peak Sensing Cut-Off Function, Automatically Stops When Batteries are Fully Charged | Smart Charge, Peak Sensing Cut-Off Function, Automatically Stops When Batteries are Fully Charged |
| AC 100-240V 50/60Hz | AC 100-240V 50/60Hz | AC 100-240V 50/60Hz |
| ETL Certified | ETL Certified | ETL Certified |
| 4.79" x 2.65" x 1.13" | 4.72" x 2.69" x 1.10" | 4.13" x 2.56" x 1.13" |

* USB Pass Thru Charging - charger contains separate USB port that allows other devices to be charged (via USB cord) when battery charger is plugged into AC outlet


** USB Charging Boost - charger contains USB port to allow other devices to be charged using battery power

NEW

4-POSITION ADVANCED AA/AAA QUICK CHARGER

With Discharge/Recharge Mode

BQ-CC65



SINGLE BUTTON OPERATION

DISCHARGE REFRESH MODE

RECONDITIONS DORMANT BATTERIES

Completely discharge and recharge AA/AAA eneloop and eneloop pro batteries with the single press of a button. This discharge / recharge process can “condition” batteries back into shape so they can be more efficiently recharged in the future.



FULLY CHARGED IN UP TO 4 HOURS*

Charges each battery independently, allowing individual batteries to be completely recharged. This prevents over/undercharging, unlike some chargers that charge in pairs.



SMART CHARGE TECHNOLOGY

Measures battery and charger temps, and other conditions to maximize cell charging



ALKALINE CELL DETECTION

Automatically stops if a non-rechargeable battery is inserted or if a cell overheats



LCD CHARGE INDICATORS

Measures and displays the remaining charge of each battery on 3" LCD screen



SAFETY TEST CERTIFIED

ETL certified; meets Intertek EP5014117 and Panasonic high charging standards

**Based on 4 eneloop pro AA fully discharged batteries.*



**LIGHTWEIGHT
POWER SOURCE**



**PROTECT POWER
UP TO
10 YEARS**



**MADE AND PACKAGED
IN THE
UNITED
STATES***

*Includes CR123A, CR-P2, 2CR5



**PERFORMS WELL IN
EXTREME
CONDITIONS**
RELIABLE 14°F TO 140°F



LITHIUM

2CR5

2CR-5MPA/1B



CR-P2

CR-P2PA/1B



CR2

CR-2PA/1B • CR-2PA/2B • CR-2PA/6B • CR-2PA/12B



CR123A

CR-123APA/1B • CR-123APA/2B • CR-123PA/6B • CR-123PA/12B





OUR PROPRIETARY MATERIALS
& MANUFACTURING
TECHNOLOGIES DELIVER

LONG BATTERY LIFE



ADVANCED SEALING TECHNOLOGY

SECURE, STABLE BATTERIES WITH
REDUCED CHANCE OF LEAKAGE



MADE IN PANASONIC'S INDONESIAN FACTORY

STATE-OF-THE-ART FACILITY
PRODUCING BILLIONS OF
LITHIUM COIN BATTERIES



SECURE CHILD RESISTANT PACKAGING

MEETS OR EXCEEDS IEC 60086-4 2019
ANSI C18-3M PART 2-2019 AND UL 1642
COMPLIANCE SAFETY STANDARDS



WIDE TEMPERATURE RANGE

RELIABLE 14°F TO 140°F



LITHIUM COIN

2032 SERIES

CR2032PA/1B • CR2032PA/2BL • CR2032PA/4BL • CR2032P/10BW



1632 SERIES

CR1632PA/1BL • CR1632PA/2BL • CR1632PA/4BL



2354 SERIES

CR2354PA/1BL • CR2354PA/2BL • CR2354PA/4BL



2330 SERIES

CR2330PA/2BL • CR2330PA/4BL



CELLS

2025 SERIES

CR2025PA/1BL • CR2025PA/2BL • CR2025PA/4BL • CR2025P/10BW



2016 SERIES

CR2016PA/1BL • CR2016PA/2BL • CR2016PA/4BL • CR2016P/10BW



1620 SERIES

CR1620PA/1BL • CR1620PA/2BL • CR1620PA/4BL



1616 SERIES

CR1616PA/1BL • CR1616PA/2BL • CR1616PA/4BL



2450 SERIES

CR2450PA/1BL • CR2450PA/2BL • CR2450PA/4BL



2012 SERIES


CR2012PA/2BL • CR2012PA/4BL



Proudly made in our Panasonic Indonesia factory. Panasonic batteries are designed to provide long-lasting, reliable power. Panasonic Lithium Coin Cell batteries are the perfect choice for miniaturized energy-hungry appliances including small key FOBs, remote controls, bike computers, kid's toys and multiple other devices.




HIGH CAPACITY RECHARGEABLE BATTERIES DELIVER
PROFESSIONAL POWER
 UP TO **2600mAh¹** (AA) and
 UP TO **980mAh¹** (AAA)



RECHARGE UP TO
**500
 TIMES²**



HOLDS 85% CHARGE
 UP TO
1 YEAR¹



**PRE-CHARGED
 WITH SOLAR POWER**
 eneloop's UNIQUE "CLEAN
 ENERGY LOOP" INITIATIVE³



**LOW TEMPERATURE
 RANGE**
 DELIVERS EXCEPTIONAL
 PERFORMANCE IN EXTREME LOW
 TEMPERATURES, DOWN TO -4°F



ENELOOP PRO

AA + CHARGER

K-KJ17KHC4A • K-KJ75KHC4BA • K-KJ87KHA4BA • K-KJ55KHC4BA



AAA + CHARGER

K-KJ17K3A4BA • K-KJ75K3A4BA • K-KJ87K3A4BA • K-KJ55K3A4BA




HIGH PERFORMANCE C

K-KJ65KHA4BA • K-KJ65K3A4BA



STORAGE CASES

BQ-CASEK6SA • BQ-CASEK2SA



AA

BK-3HCCA4BA • BK-3HCCA8BA • BK-3HCCA12FA • BK-3HCCA16FA



AAA

BK-4HCCA4BA • BK-4HCCA8BA • BK-4HCCA12FA • BK-4HCCA16FA





CHARGER POWER PACK

K-KJ17KHC82A • K-KJ55KHC82A • K-KJ75KHC82A



eneloop pro high-capacity batteries have even more power, delivering up to 2600mAh (AA) and 980mAh (AAA)¹, hold 85% of their power for up to one year¹ and can be recharged up to 500 times². While these batteries may initially cost more than conventional alkaline batteries, in as little as 3 or 4 recharges, they begin paying for themselves.


¹) Based on IEC 61951-2(7.3.2). ²) Battery life based on testing method established by IEC 61951-2(7.5.1.3); 2011, IEC Regulation 2017 150 times. Based on IEC 61951-2:2017(7.5.1.4). Results may vary based on conditions of use. ³) As certified by The Green Energy Certification Center. ⁴) Recommended storage conditions 58° F. Results may vary based on condition of storage and use.

| |  |  |
|--|---|---|
| BATTERY SIZE | AA | AAA |
| CAPACITY | up to 2600mAh ¹ | up to 980mAh ¹ |
| CYCLES / RECHARGES | up to 500 times ² | up to 500 times ² |
| STORAGE LIFE | Holds 85% charge up to one year ¹ | Holds 85% charge up to one year ¹ |
| CHARGED AT THE FACTORY USING SOLAR POWER | Yes | Yes |
| LOW TEMPERATURE RATING | Down to -4°F ⁴ | Down to -4°F ⁴ |
| CHEMISTRY | LSD Ni-MH | LSD Ni-MH |
| RECYCLABLE | Yes | Yes |
| COUNTRY OF ORIGIN | Made in Japan | Made in Japan |



HIGH CAPACITY RECHARGABLE BATTERIES DELIVERS


BALANCED PERFORMANCE
2000mAh¹ (AA) and 800mAh¹ (AAA)



RECHARGE UP TO
2100 TIMES²



HOLDS 70% CHARGE
UP TO
10 YEARS¹



PRE-CHARGED WITH SOLAR POWER
eneloop's UNIQUE "CLEAN ENERGY LOOP" INITIATIVE³



LOW TEMPERATURE RANGE
DELIVERS EXCEPTIONAL PERFORMANCE IN EXTREME LOW TEMPERATURES, DOWN TO -4°F



ENELOOP

AA

BK-3MCCA4BA • BK-3MCCA8BA • BK-3MCCA12FA • BK-3MCCA16FA



AAA

BK-4MCCA4BA • BK-4MCCA8BA • BK-4MCCA12FA • BK-4MCCA16FA



C SPACERS

BQ-BS2E4SA • BQ-BS2E8SA



POWER PACK

K-KJ17MCC82A • K-KJ17MC124A



AA + CHARGER

K-KJ17MCA4BA • K-KJ55MCA4BA • K-KJ87MCA4BA



AA + SPACERS

K-KJS2MCA2BA • K-KJS1MCA2BA



AAA + CHARGER

K-KJ17M3A4BA • K-KJ55M3A4BA • K-KJ87M3A4BA



STORAGE CASES

BQ-CASE6SA • BQ-CASE2SA



D SPACERS

BQ-BS1E4SA • BQ-BS1E8SA



C + D SPACERS

K-KJBS1/2E8A



Billions of disposable batteries enter US landfills every year. eneloop Ni-MH rechargeable batteries can be recharged up to 2100 times² and they are an excellent alternative to conventional alkaline and carbon zinc batteries. The use of just one eneloop battery can potentially keep hundreds of batteries from entering landfills. These eneloop cells maintain 70% of their charge for up to 10 years¹, come pre-charged by solar power (at the factory)³ and are ready to use out of the package. They also feature extreme temperature performance down to -4° F.


¹) Based on IEC 61951-2(7.3.2). ²) Battery life based on testing method established by IEC 61951-2(7.5.1.3); 2011, IEC Regulation 2017 600 times. Based on IEC 61951-2:2017(7.5.1.4). Results may vary based on conditions of use. ³) As certified by The Green Energy Certification Center. ⁴) Recommended storage conditions 68° F. Results may vary based on condition of storage and use.



| BATTERY SIZE | AA | AAA |
|--|--|--|
| CAPACITY | up to 2000mAh ¹ | up to 800mAh ¹ |
| CYCLES / RECHARGES | up to 2100 times ² | up to 2100 times ² |
| STORAGE LIFE | Holds 70% charge up to 10 years ¹ | Holds 70% charge up to 10 years ¹ |
| CHARGED AT THE FACTORY USING SOLAR POWER | Yes | Yes |
| LOW TEMPERATURE RATING | Down to -4°F ⁴ | Down to -4°F ⁴ |
| CHEMISTRY | LSD Ni-MH | LSD Ni-MH |
| RECYCLABLE | Yes | Yes |
| COUNTRY OF ORIGIN | Made in Japan | Made in Japan |



PROTECT POWER
UP TO
10 YEARS³



TRIPLE TOUGH COATING
SECURE, STABLE BATTERIES



ADVANCED EVOLTA TECHNOLOGY LASTS
LASTS 33% LONGER

THAN REGULAR ALKALINE BATTERIES*



EXTREME POWER SOLUTION
FOR HIGH-DRAIN
HOUSEHOLD DEVICES

PLATINUM POW

AA

LR6XE/4B • LR6XE/8B • LR6XE/12BW • LR6XE/16BH • LR6XE/24B • LR6XE/48PC



AAA

LR03XE/4B • LR03XE/8B • LR03XE/12BW • LR03XE/16BH • LR03XE/24B • LR03XE/48PC



C


LR14XP/2B • LR14XP/4B



9V

6LF22XP/1B • 6LF22XP/2B





D

LR20XP/2B • LR20XP/4B



Platinum Power AA and AAA batteries are the latest of Panasonic's advanced battery technology, delivering powerful performance across a wide range of devices. Powered by Evolta technology, they last 33% longer than Alkaline Plus Power².

They feature Panasonic's latest technologies – Advanced Formula, Triple Tough Coating, Anti-Leak protection and a 10 year shelf life³. Designed to deliver more power to meet the increasing demands of today's power hungry devices, our AA and AAA Platinum Power batteries are at the forefront of the alkaline battery industry.

1) AA and AAA only. 2) AA size. Versus our Alkaline Plus Power in IEC Digital Camera test. AAA size. Versus our Alkaline Plus Power in IEC Toy test. 3) Applies to AA and AAA only. When unused and stored properly.



PROTECT POWER
UP TO
10 YEARS¹



PRODUCTION TECHNOLOGY TO
IMPROVE LEVELS OF
**LEAK
PROTECTION**



TRUSTED QUALITY
SINCE 1931



**EVERYDAY POWER
SOLUTION**
FOR HOUSEHOLD DEVICES

ALKALINE PLUS

AA

AM-3PA/2B • AM-3PA/4B • AM-3PA/8B • LR6PA/12BW • LR6PA/16BH • LR6PA/24B • L



AAA

AM-4PA/2B • AM-4PA/4B • AM-4PA/8B • LR03PA/12BW • LR03PA/16BH • LR03PA/24B



C

AM-2PA/2B • AM-2PA/4B



9V

6AM-6PA/1B • 6AM-6PA/2B



S POWER

R6PA/48PC



LR03PA/48PC



D

AM-1PA/2B • AM-1PA/4B



Panasonic Alkaline Plus Power batteries are great for everyday household use. These battery cells are formulated to provide long lasting power for a wide variety of devices, including toys, remote controls and beauty products. Alkaline Plus Power AA and AAA batteries can be stored up to 10 years¹. New electrolyte and alloy components combined with new production techniques provide improved levels of leak protection. This technology is especially important when batteries are subjected to an over discharge during use or long periods of storage.

¹) Applies to AA and AAA only. When unused and stored properly.

SUPER HEAVY DUTY POWER

AA

UM-3NPA/4B • UM-3NPA/8B



AAA

UM-4NPA/4B • UM-4NPA/8B



C

UM-2NPA/2B



D

UM-1NPA/2B



SPECIALTY

PHONE BATTERY

HHR-4DPA/2B • HHR-4DPA/4B • HHR-4DPA/8BA



HEARING AID

PR-10HAP/6C • PR-13HAP/6C • PR-312HAP/6C • PR-675HAP/6C



NECK LIGHTS

BF-AF10B-D/A • BF-AF10B-K/A • BF-AF10B-P/A




Panasonic offers a variety of additional products specifically built to meet your unique power needs. Our Super Heavy Duty Power batteries are an affordable option for use in low drain devices. Panasonic Hearing Aid batteries are designed to provide a steady level of power for a wide variety of hearing devices and our Neck Lights are ideal for active lifestyles without compromised brightness for when you need it most.

DISPLAYS

All of our cardboard displays are pre-filled to minimize the final assembly labor cost for our customers. Additionally, we even design unique, customer specific racks.

Our comprehensive display portfolio includes clip strips, small mod trays, large trays, decorative PDQs, cardboard floor displays and permanent metal racks. We have it all – footprint efficient solutions for compact areas, seasonal sales, secondary locations, and permanent fixtures.

Our merchandisers come in many shapes and sizes, but they are all united by a strong design which communicates the trusted Panasonic brand people can rely on. Driving incremental sales has never been easier.



Merchandisers for other chemistries are also available.

LITHIUM COIN CELLS

| Coin Type | Product Description | Batteries Per Pack | Model Number | Battery Information (Weights in grams / Dimensions in millimeters) | | | | Pack Information (Weights in pounds / Dimensions in inches) | | | | |
|-----------|--|--------------------|--------------|---|--------|------------------|------------|--|--------|-----------|------------|-----------|
| | | | | Lithium Content | Weight | Overall Diameter | (H) Height | Pack UPC | Weight | (W) Width | (H) Height | (D) Depth |
| 2032 | CR2032 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR2032PA/1BL | 0.06 | 2.9 | 20mm | 3.2 mm | 0-73096-70094-9 | 0.021 | 3.375 | 4.25 | 0.188 |
| | CR2032 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2032PA/2BL | 0.06 | 2.9 | 20mm | 3.2 mm | 0-73096-70100-7 | 0.027 | 3.375 | 4.25 | 0.188 |
| | CR2032 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2032PA/4BL | 0.06 | 2.9 | 20mm | 3.2 mm | 0-73096-70103-8 | 0.042 | 3.375 | 4.25 | 0.188 |
| | CR2032 3.0 V Lithium Coin, 10 Battery-Pack | 10 | CR2032P/10BW | 0.06 | 2.9 | 20mm | 3.2 mm | 0-73096-70109-0 | 0.100 | 4.520 | 6.88 | 0.188 |
| 2025 | CR2025 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR2025PA/1BL | 0.05 | 2.3 | 20mm | 2.5mm | 0-73096-70093-2 | 0.020 | 3.375 | 4.25 | 0.188 |
| | CR2025 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2025PA/2BL | 0.05 | 2.3 | 20mm | 2.5mm | 0-73096-70099-4 | 0.026 | 3.375 | 4.25 | 0.188 |
| | CR2025 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2025PA/4BL | 0.05 | 2.3 | 20mm | 2.5mm | 0-73096-70102-1 | 0.037 | 3.375 | 4.25 | 0.188 |
| | CR2025 3.0 V Lithium Coin, 10 Battery-Pack | 10 | CR2025P/10BW | 0.05 | 2.3 | 20mm | 2.5mm | 0-73096-70108-3 | 0.087 | 4.520 | 6.88 | 0.188 |
| 2016 | CR2016 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR2016PA/1BL | 0.03 | 1.6 | 20mm | 1.6mm | 0-73096-70092-5 | 0.018 | 3.375 | 4.25 | 0.188 |
| | CR2016 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2016PA/2BL | 0.03 | 1.6 | 20mm | 1.6mm | 0-73096-70098-7 | 0.023 | 3.375 | 4.25 | 0.188 |
| | CR2016 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2016PA/4BL | 0.03 | 1.6 | 20mm | 1.6mm | 0-73096-70101-4 | 0.032 | 3.375 | 4.25 | 0.188 |
| | CR2016 3.0 V Lithium Coin, 10 Battery-Pack | 10 | CR2016P/10BW | 0.03 | 1.6 | 20mm | 1.6mm | 0-73096-70107-6 | 0.074 | 4.520 | 6.88 | 0.188 |
| 1632 | CR1632 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR1632PA/1BL | 0.04 | 1.9 | 16mm | 3.2mm | 0-73096-70127-4 | 0.018 | 3.375 | 4.25 | 0.188 |
| | CR1632 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR1632PA/2BL | 0.04 | 1.9 | 16mm | 3.2mm | 0-73096-70128-1 | 0.022 | 3.375 | 4.25 | 0.188 |
| | CR1632 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR1632PA/4BL | 0.04 | 1.9 | 16mm | 3.2mm | 0-73096-70129-8 | 0.030 | 3.375 | 4.25 | 0.188 |
| 1620 | CR1620 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR1620PA/1BL | 0.02 | 1.3 | 16mm | 2.0mm | 0-73096-70124-3 | 0.017 | 3.375 | 4.25 | 0.188 |
| | CR1620 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR1620PA/2BL | 0.02 | 1.3 | 16mm | 2.0mm | 0-73096-70125-0 | 0.018 | 3.375 | 4.25 | 0.188 |
| | CR1620 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR1620PA/4BL | 0.02 | 1.3 | 16mm | 2.0mm | 0-73096-70126-7 | 0.026 | 3.375 | 4.25 | 0.188 |
| 1616 | CR1616 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR1616PA/1BL | 0.02 | 1.0 | 16mm | 1.6mm | 0-73096-70121-2 | 0.017 | 3.375 | 4.25 | 0.188 |
| | CR1616 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR1616PA/2BL | 0.02 | 1.0 | 16mm | 1.6mm | 0-73096-70122-9 | 0.020 | 3.375 | 4.25 | 0.188 |
| | CR1616 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR1616PA/4BL | 0.02 | 1.0 | 16mm | 1.6mm | 0-73096-70123-6 | 0.018 | 3.375 | 4.25 | 0.188 |
| 2354 | CR2354 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR2354PA/1BL | 0.17 | 5.7 | 23mm | 5.4mm | 0-73096-70130-4 | 0.027 | 3.375 | 4.25 | 0.226 |
| | CR2354 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2354PA/2BL | 0.17 | 5.7 | 23mm | 5.4mm | 0-73096-70131-1 | 0.039 | 3.375 | 4.25 | 0.226 |
| | CR2354 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2354PA/4BL | 0.17 | 5.7 | 23mm | 5.4mm | 0-73096-70132-8 | 0.064 | 3.375 | 4.25 | 0.226 |
| 2450 | CR2450 3.0 V Lithium Coin, 1 Battery-Pack | 1 | CR2450PA/1BL | 0.18 | 6.2 | 24mm | 5.0mm | 0-73096-70133-5 | 0.028 | 3.375 | 4.25 | 0.226 |
| | CR2450 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2450PA/2BL | 0.18 | 6.2 | 24mm | 5.0mm | 0-73096-70134-2 | 0.042 | 3.375 | 4.25 | 0.226 |
| | CR2450 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2450PA/4BL | 0.18 | 6.2 | 24mm | 5.0mm | 0-73096-70135-9 | 0.069 | 3.375 | 4.25 | 0.226 |
| 2012 | CR2012 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2012PA/2BL | 0.02 | 1.4 | 20mm | 1.2mm | 0-73096-70143-4 | 0.021 | 3.375 | 4.25 | 0.187 |
| | CR2012 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2012PA/4BL | 0.02 | 1.4 | 20mm | 1.2mm | 0-73096-70144-1 | 0.030 | 3.375 | 4.25 | 0.187 |
| 2330 | CR2330 3.0 V Lithium Coin, 2 Battery-Pack | 2 | CR2330PA/2BL | 0.08 | 3.7 | 23mm | 3.0mm | 0-73096-70145-8 | 0.036 | 3.375 | 4.25 | 0.187 |
| | CR2330 3.0 V Lithium Coin, 4 Battery-Pack | 4 | CR2330PA/4BL | 0.08 | 6.2 | 23mm | 3.0mm | 0-73096-70146-5 | 0.062 | 3.375 | 4.25 | 0.187 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|----------------|--------|---------------|--------------|---------------|---|-----------------|--------|---------------|--------------|---------------|--------------|--|-----------------|-----------------|------------------|
| Inner Carton UPC | Pack/ Inner | Weight | (L) Length | (W) Width | (H) Height | Master Carton UPC | Pack/ Master | Weight | (L) Length | (W) Width | (H) Height | (CF) Cube | MC / Pallet | Weight (net) | / Layer (ti) | / Pallet (hi) |
| 300-73096-70094-0 | 12 | 0.287 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70094-4 | 48 | 1.32 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 297 | 45 | 5 |
| 300-73096-70100-8 | 12 | 0.478 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70100-2 | 48 | 2.08 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 468 | 45 | 5 |
| 300-73096-70103-9 | 12 | 0.543 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70103-3 | 48 | 2.34 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 527 | 45 | 5 |
| 300-73096-70109-1 | 12 | 1.270 | 7.0300 | 2.031 | 4.625 | 500-73096-70109-5 | 48 | 5.28 | 8.3125 | 7.1875 | 5.0625 | 0.18 | 125 | 660 | 25 | 5 |
| 300-73096-70093-3 | 12 | 0.271 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70093-7 | 48 | 1.255 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 282 | 45 | 5 |
| 300-73096-70099-5 | 12 | 0.343 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70099-9 | 48 | 1.54 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 347 | 45 | 5 |
| 300-73096-70102-2 | 12 | 0.480 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70102-6 | 48 | 2.09 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 470 | 45 | 5 |
| 300-73096-70108-4 | 12 | 1.107 | 7.0300 | 2.031 | 4.625 | 500-73096-70108-8 | 48 | 4.648 | 8.3125 | 7.1875 | 5.0625 | 0.18 | 125 | 581 | 25 | 5 |
| 300-73096-70092-1 | 12 | 0.255 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70092-0 | 48 | 1.192 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 268 | 45 | 5 |
| 300-73096-70098-8 | 12 | 0.311 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70098-2 | 48 | 1.414 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 318 | 45 | 5 |
| 300-73096-70101-5 | 12 | 0.417 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70101-9 | 48 | 1.836 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 413 | 45 | 5 |
| 300-73096-70107-7 | 12 | 0.948 | 7.0300 | 2.031 | 4.625 | 500-73096-70107-1 | 48 | 4.014 | 8.3125 | 7.1875 | 5.0625 | 0.18 | 125 | 502 | 25 | 5 |
| 300-73096-70127-5 | 12 | 0.254 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70127-9 | 48 | 1.074 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 242 | 45 | 5 |
| 300-73096-70128-2 | 12 | 0.302 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70128-6 | 48 | 1.264 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 284 | 45 | 5 |
| 300-73096-70129-9 | 12 | 0.397 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70129-3 | 48 | 1.645 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 370 | 45 | 5 |
| 300-73096-70124-4 | 12 | 0.017 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70124-8 | 48 | 1.021 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 230 | 45 | 5 |
| 300-73096-70125-1 | 12 | 0.276 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70125-5 | 48 | 1.158 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 261 | 45 | 5 |
| 300-73096-70126-8 | 12 | 0.344 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70126-2 | 48 | 1.433 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 322 | 45 | 5 |
| 300-73096-70121-3 | 12 | 0.239 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70121-7 | 48 | 1.01 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 227 | 45 | 5 |
| 300-73096-70122-0 | 12 | 0.270 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70122-4 | 48 | 1.137 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 256 | 45 | 5 |
| 300-73096-70123-7 | 12 | 0.334 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70123-1 | 48 | 1.391 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 313 | 45 | 5 |
| 300-73096-70130-5 | 7 | 0.25 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70130-9 | 28 | 0.095 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 214 | 45 | 5 |
| 300-73096-70132-9 | 7 | 0.351 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70132-3 | 28 | 1.302 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 293 | 45 | 5 |
| 300-73096-70126-8 | 7 | 0.552 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70126-2 | 28 | 2.005 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 451 | 45 | 5 |
| 300-73096-70133-6 | 7 | 0.259 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70133-0 | 28 | 0.981 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 221 | 45 | 5 |
| 300-73096-70134-3 | 7 | 0.368 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70134-7 | 28 | 1.363 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 307 | 45 | 5 |
| 300-73096-70135-0 | 7 | 0.587 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70135-4 | 28 | 1.391 | 8.1250 | 3.9375 | 4.8125 | 0.09 | 225 | 479 | 45 | 5 |
| 300-73096-70143-5 | 12 | 0.311 | 4.3125 | 1.875 | 3.5625 | 500-73096-70143-9 | 4 | 1.413 | 8.1250 | 4.125 | 4.875 | | 225 | 318 | 45 | 5 |
| 300-73096-70144-2 | 12 | 0.417 | 4.3125 | 1.875 | 3.5625 | 500-73096-70144-6 | 4 | 1.835 | 8.1250 | 3.9375 | 4.8125 | | 225 | 413 | 45 | 5 |
| 300-73096-70145-9 | 7 | 0.35 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70145-3 | 4 | 1.301 | 8.1250 | 3.9375 | 4.8125 | | 225 | 292 | 45 | 5 |
| 300-73096-70146-6 | 7 | 0.551 | 4.3125 | 1.9375 | 3.5625 | 500-73096-70146-0 | 4 | 2.001 | 8.1250 | 3.9375 | 4.8125 | | 225 | 451 | 45 | 5 |

ENELOOP PRO

| | | | | | Pack Information | | | | | | | |
|---------------|--|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| | | | | | Weights in pounds / Dimensions in inches | | | | | | | |
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| AA | Eneloop Pro AA Batteries, 4 Pack | 1.2 | 48 | BK-3HCCA4BA | 0-73096-90205-3 | 4 | 4.250 | 3.375 | 0.600 | 0.005 | 0.260 | 300-73096-90205-4 |
| | Eneloop Pro AA Batteries, 8 Pack | 1.2 | 24 | BK-3HCCA8BA | 0-73096-90206-0 | 8 | 4.250 | 3.375 | 1.200 | 0.010 | 0.530 | 300-73096-90206-1 |
| | Eneloop Pro AA Batteries, 12 Pack | 1.2 | 24 | BK-3HCCA12FA | 0-73096-90297-8 | 12 | 7.625 | 4.250 | 1.2 | 0.023 | 0.793 | 300-73096-90297-9 |
| | Eneloop Pro AA Batteries, 16 Pack | 1.2 | 24 | BK-3HCCA16FA | 0-73096-90298-5 | 16 | 7.625 | 4.250 | 1.2 | 0.023 | 1.057 | 300-73096-90298-6 |
| AAA | Eneloop Pro AAA Batteries, 4 Pack | 1.2 | 48 | BK-4HCCA4BA | 0-73096-90207-7 | 4 | 4.250 | 3.375 | 0.440 | 0.004 | 0.130 | 300-73096-90207-8 |
| | Eneloop Pro AAA Batteries, 8 Pack | 1.2 | 24 | BK-4HCCA8BA | 0-73096-90208-4 | 8 | 4.250 | 3.375 | 0.840 | 0.007 | 0.260 | 300-73096-90208-5 |
| | Eneloop Pro AAA Batteries, 12 Pack | 1.2 | 24 | BK-4HCCA12FA | 0-73096-90299-2 | 12 | 7.625 | 4.250 | 0.44 | 0.008 | 0.382 | 300-73096-90299-3 |
| | Eneloop Pro AAA Batteries, 16 Pack | 1.2 | 24 | BK-4HCCA16FA | 0-73096-90300-5 | 16 | 7.625 | 4.250 | 0.44 | 0.008 | 0.509 | 300-73096-90300-6 |
| AA + Charger | Battery Charger with 4 AA Eneloop Pro Batteries | 1.2 | 16 | K-KJ17KHCA4A | 0-73096-90224-4 | 4 | 8.000 | 4.750 | 1.250 | 0.027 | 0.526 | 300-73096-90224-5 |
| | Battery Charger with USB Charging Port & 4AA Eneloop Pro Batteries | 1.2 | 16 | K-KJ75KHC4BA | 0-73096-90292-3 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.523 | 300-73096-90292-4 |
| | 4 Hour Quick Battery Charger with 4AA Eneloop Pro Batteries | 1.2 | 16 | K-KJ55KHC4BA | 0-73096-90290-9 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.530 | 300-73096-90290-0 |
| | Battery Charger with Portable Charging Technology and 4AA Eneloop Pro Batteries | 1.2 | 16 | K-KJ87KHA4BA | 0-73096-90309-8 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.496 | 300-73096-90309-9 |
| AAA + Charger | Battery Charger with 4 AAA Eneloop Pro Batteries | 1.2 | 16 | K-KJ17K3A4BA | 0-73096-90288-6 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.331 | 300-73096-90288-7 |
| | Battery Charger with USB Charging Port & 4AAA Eneloop Pro Batteries | 1.2 | 16 | K-KJ75K3A4BA | 0-73096-90288-6 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.331 | 300-73096-90288-7 |
| | 4 Hour Quick Battery Charger with 4AAA Eneloop Pro Batteries | 1.2 | 16 | K-KJ55K3A4BA | 0-73096-90289-3 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.393 | 300-73096-90289-4 |
| | Battery Charger with Portable Charging Technology and 4AAA Eneloop Pro Batteries | 1.2 | 16 | K-KJ87K3A4BA | 0-73096-90310-4 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.359 | 300-73096-90310-5 |
| Quick Charger | Eneloop Pro and Eneloop Quick Charger with LCD Indicator Panel and USB Charging Port | 1.2 | 12 | K-KJ65KHA4BA | 0-73096-90321-0 | 4 | 6.000 | 5.313 | 2.00 | 0.037 | 1.075 | N/A |
| | Eneloop Pro and Eneloop Quick Charger with LCD Indicator Panel and USB Charging Port | 1.2 | 12 | K-KJ65K3A4BA | 0-73096-90322-7 | 4 | 6.000 | 5.313 | 2.00 | 0.037 | 0.952 | N/A |
| Power Packs | Eneloop Pro Power Pack, 8AA, 2AAA, with Battery Charger and Plastic Storage Case | 1.2 | 12 | K-KJ17KHC82A | 0-73096-90234-3 | 10 | 8.625 | 8.000 | 1.75 | 0.070 | 1.400 | N/A |
| | Eneloop Pro High Capacity Power Pack, 8AA, 2AAA, with Quick Battery Charger and Plastic Storage Case | 1.2 | 12 | K-KJ55KHC82A | 0-73096-90314-2 | 10 | 8.625 | 8.000 | 1.750 | 0.070 | 1.400 | N/A |
| | Eneloop Pro High Capacity Power Pack, 8AA, 2AAA, with USB Battery Charger and Plastic Storage Case | 1.2 | 12 | K-KJ75KHC82A | 0-73096-90319-7 | 10 | 8.625 | 8.000 | 1.750 | 0.070 | 1.400 | N/A |
| Storage Cases | Eneloop Pro Battery Storage Cases with 4AA or 5AAA Battery Capacity, 6 Pack | 1.2 | 16 | BQ-CASEK6SA | 0-73096-90296-1 | N/A | 2.875 | 2.250 | 1.50 | 0.006 | 0.211 | 300-73096-90296-2 |
| | Eneloop Pro Battery Storage Cases with 4AA or 5AAA Battery Capacity, 2 Pack | 1.2 | 48 | BQ-CASEK2SA | 0-73096-90295-4 | N/A | 2.875 | 2.250 | 1.50 | 0.006 | 0.070 | 300-73096-90295-5 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|----------------|
| Packs per Inner | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers /Pallet |
| 12 | 4.938 | 3.500 | 3.750 | 0.040 | 3.200 | 500-73096-90205-8 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 13.20 | 160 | 2112 | 20 | 8 |
| 6 | 4.938 | 3.500 | 3.750 | 0.040 | 3.200 | 500-73096-90206-5 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 13.20 | 160 | 2112 | 20 | 8 |
| 12 | 7.875 | 5.688 | 7.438 | 0.193 | 9.640 | 500-73096-90297-3 | 2 | 11.750 | 8.125 | 8.000 | 0.442 | 19.53 | 68 | 1328 | 17 | 4 |
| 12 | 7.875 | 5.688 | 7.438 | 0.193 | 12.812 | 500-73096-90298-0 | 2 | 11.750 | 8.125 | 8.000 | 0.442 | 25.87 | 68 | 1759 | 17 | 4 |
| 12 | 4.938 | 3.500 | 3.250 | 0.030 | 1.600 | 500-73096-90207-2 | 4 | 7.500 | 5.250 | 7.000 | 0.160 | 6.00 | 160 | 960 | 45 | 5 |
| 8 | 4.938 | 3.500 | 3.750 | 0.040 | 2.100 | 500-73096-90208-9 | 4 | 11.800 | 5.800 | 4.500 | 0.180 | 6.60 | 196 | 1294 | 45 | 5 |
| 12 | 7.875 | 5.750 | 3.250 | 0.085 | 4.706 | 500-73096-90299-7 | 2 | 11.750 | 8.250 | 3.875 | 0.217 | 9.66 | 64 | 618 | 16 | 4 |
| 12 | 7.875 | 5.750 | 3.250 | 0.085 | 6.234 | 500-73096-90300-0 | 2 | 11.750 | 8.250 | 3.875 | 0.217 | 12.72 | 64 | 814 | 16 | 4 |
| 4 | 8.188 | 4.938 | 4.938 | 0.116 | 2.106 | 500-73096-90224-9 | 4 | 16.875 | 10.500 | 5.875 | 0.602 | 8.92 | 56 | 500 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 2.155 | 500-73096-90292-8 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 8.87 | 56 | 497 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 2.181 | 500-73096-90290-4 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 8.98 | 56 | 503 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 2.045 | 500-73096-90309-3 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 8.43 | 56 | 472 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 1.387 | 500-73096-90288-1 | 4 | 16.750 | 10.438 | 5.563 | 0.563 | 5.80 | 56 | 325 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 1.387 | 500-73096-90288-1 | 4 | 16.750 | 10.438 | 5.563 | 0.563 | 5.80 | 56 | 325 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 1.633 | 500-73096-90289-8 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 6.78 | 56 | 380 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 1.497 | 500-73096-90310-9 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 6.24 | 56 | 349 | 8 | 7 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90321-5 | N/A | 11.813 | 10.563 | 7.313 | 0.528 | 13.20 | 84 | 1109 | 12 | 7 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90322-2 | N/A | 11.813 | 10.563 | 7.313 | 0.528 | 11.72 | 84 | 984 | 12 | 7 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90234-8 | N/A | 20.400 | 9.300 | 8.250 | 0.900 | 17.50 | 36 | 630 | 9 | 4 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90314-7 | N/A | 20.400 | 9.300 | 8.250 | 0.900 | 17.50 | 36 | 630 | 9 | 4 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90319-2 | N/A | 20.400 | 9.300 | 8.250 | 0.900 | 17.50 | 36 | 630 | 9 | 4 |
| 4 | 5.813 | 4.750 | 4.750 | 0.076 | 0.908 | 500-73096-90296-6 | 4 | 11.750 | 9.678 | 5.250 | 0.345 | 3.88 | 128 | 497 | 16 | 8 |
| 12 | 5.813 | 4.750 | 4.750 | 0.076 | 0.908 | 500-73096-90295-9 | 4 | 11.750 | 9.678 | 5.250 | 0.345 | 3.88 | 128 | 497 | 16 | 8 |

ENELOOP

| | | | | | Pack Information | | | | | | | |
|---------------|---|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| | | | | | Weights in pounds / Dimensions in inches | | | | | | | |
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| AA | Eneloop AA Batteries, 4 Pack | 1.2 | 48 | BK-3MCCA4BA | 0-73096-90201-5 | 4 | 4.250 | 3.375 | 0.600 | 0.005 | 0.240 | 300-73096-90201-6 |
| | Eneloop AA Batteries, 8 Pack | 1.2 | 24 | BK-3MCCA8BA | 0-73096-90202-2 | 8 | 4.250 | 3.375 | 1.200 | 0.010 | 0.476 | 300-73096-90202-3 |
| | Eneloop AA Batteries, 12 Pack | 1.2 | 24 | BK-3MCCA12FA | 0-73096-90209-1 | 12 | 4.250 | 7.625 | 0.630 | 0.012 | 0.714 | 300-73096-90273-3 |
| | Eneloop AA Batteries, 16 Pack | 1.2 | 24 | BK-3MCCA16FA | 0-73096-90211-4 | 16 | 4.250 | 7.625 | 1.200 | 0.023 | 0.952 | 300-73096-90275-7 |
| AAA | Eneloop AAA Batteries, 4 Pack | 1.2 | 48 | BK-4MCCA4BA | 0-73096-90203-9 | 4 | 4.250 | 3.375 | 0.440 | 0.004 | 0.120 | 300-73096-90203-0 |
| | Eneloop AAA Batteries, 8 Pack | 1.2 | 24 | BK-4MCCA8BA | 0-73096-90204-6 | 8 | 4.250 | 3.375 | 0.840 | 0.007 | 0.229 | 300-73096-90204-7 |
| | Eneloop AAA Batteries, 12 Pack | 1.2 | 24 | BK-4MCCA12FA | 0-73096-90210-7 | 12 | 4.250 | 7.625 | 0.440 | 0.008 | 0.344 | 300-73096-90274-0 |
| | Eneloop AAA Batteries, 16 Pack | 1.2 | 24 | BK-4MCCA16FA | 0-73096-90256-5 | 16 | 4.250 | 7.625 | 0.440 | 0.008 | 0.458 | 300-73096-90276-4 |
| AA + Charger | Battery Charger Pack with 4 AA Eneloop Batteries | 1.2 | 16 | K-KJ17MCA4BA | 0-73096-90214-5 | 4 | 8.000 | 4.750 | 1.250 | 0.027 | 0.500 | 300-73096-90214-6 |
| | 3 Hour Quick Battery Charger with 4 AA Eneloop Batteries | 1.2 | 16 | K-KJ55MCA4BA | 0-73096-90259-6 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.518 | 300-73096-90259-7 |
| | Battery Charger with Portable Charging Technology and 4AA Eneloop Batteries | 1.2 | 16 | K-KJ87MCA4BA | 0-73096-90305-0 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.496 | 300-73096-90305-1 |
| AAA + Charger | Battery Charger Pack with 4 AAA Eneloop Batteries | 1.2 | 16 | K-KJ17M3A4BA | 0-73096-90240-4 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.346 | 300-73096-90240-5 |
| | 3 Hour Quick Battery Charger with 4 AAA Eneloop Batteries | 1.2 | 16 | K-KJ55M3A4BA | 0-73096-90268-8 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.394 | 300-73096-90268-9 |
| | Battery Charger with Portable Charging Technology and 4AAA Eneloop Batteries | 1.2 | 16 | K-KJ87M3A4BA | 0-73096-90306-7 | 4 | 8.000 | 4.750 | 1.25 | 0.027 | 0.346 | 300-73096-90306-8 |
| AA + Spacers | Eneloop C Size Battery Adapters with Eneloop AA Batteries, 2 Pack | 1.2 | 20 | K-KJS2MCA2BA | 0-73096-90225-1 | 2 | 8.000 | 4.750 | 1.0 | 0.020 | 0.166 | 300-73096-90225-2 |
| | Eneloop D Size Battery Adapters with Eneloop AA Batteries, 2 Pack | 1.2 | 16 | K-KJS1MCA2BA | 0-73096-90226-8 | 2 | 8.000 | 4.750 | 1.375 | 0.030 | 0.177 | 300-73096-90226-9 |
| C Spacers | Eneloop C Size Battery Adapters, 4 Pack | N/A | 22 | BQ-BS2E4SA | 0-73096-90230-5 | N/A | 4.125 | 1.875 | 1.000 | 0.005 | 0.056 | N/A |
| | Eneloop C Size Battery Adapters, 8 Pack | N/A | 18 | BQ-BS2E8SA | 0-73096-90302-9 | N/A | 4.000 | 2.000 | 2.000 | 0.009 | 0.179 | N/A |
| D Spacers | Eneloop D Size Battery Adapters, 4 Pack | N/A | 10 | BQ-BS1E4SA | 0-73096-90231-2 | N/A | 5.375 | 2.313 | 1.339 | 0.010 | 0.204 | N/A |
| | Eneloop D Size Battery Adapters, 8 Pack | N/A | 12 | BQ-BS1E8SA | 0-73096-90303-6 | N/A | 5.354 | 2.677 | 2.402 | 0.020 | 0.415 | N/A |
| C + D Spacers | Eneloop C/D Size Battery Adapters, 8 Pack | N/A | 14 | K-KJBS1/2E8A | 0-73096-90304-3 | N/A | 5.354 | 2.323 | 2.402 | 0.017 | 0.298 | N/A |
| Power Packs | Eneloop Power Pack, 8AA, 2AAA, 2 C Adapters, 2 D Adapters, Battery Charger and Plastic Storage Case | 1.2 | 12 | K-KJ17MCC82A | 0-73096-90228-2 | 10 | 8.625 | 1.750 | 8.000 | 0.070 | 1.513 | N/A |
| | Eneloop Super Power Pack 12AA, 4AAA, 2 C Adapters, 2 D Adapters, Battery Charger and Plastic Storage Case | 1.2 | 12 | K-KJ17MC124A | 0-73096-90229-9 | 16 | 8.625 | 1.750 | 8.000 | 0.070 | 1.808 | N/A |
| Storage Cases | Battery Storage Cases with 4AA or 5AAA Battery Capacity, 2 Pack | N/A | 48 | BQ-CASE2SA | 0-73096-90219-0 | N/A | 2.750 | 2.250 | 1.500 | 0.005 | 0.070 | 300-73096-90219-1 |
| | Battery Storage Cases with 4AA or 5AAA Battery Capacity, 6 Pack | N/A | 16 | BQ-CASE6SA | 0-73096-90220-6 | N/A | 5.500 | 2.250 | 2.125 | 0.015 | 2.110 | 300-73096-90220-7 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Packs per Inner | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| 12 | 4.938 | 3.500 | 3.750 | 0.040 | 2.900 | 500-73096-90201-0 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 11.900 | 160 | 1904 | 20 | 8 |
| 6 | 4.938 | 3.500 | 3.750 | 0.038 | 2.855 | 500-73096-90202-7 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 11.900 | 160 | 1907 | 20 | 8 |
| 12 | 7.875 | 5.750 | 4.125 | 0.110 | 8.690 | 500-73096-90273-7 | 2 | 11.750 | 8.250 | 5.000 | 0.280 | 17.600 | 64 | 1126 | 16 | 4 |
| 12 | 7.875 | 5.688 | 7.438 | 0.190 | 12.800 | 500-73096-90275-1 | 2 | 11.750 | 8.250 | 8.000 | 0.450 | 23.300 | 68 | 1584 | 17 | 4 |
| 12 | 4.938 | 3.500 | 3.250 | 0.030 | 1.400 | 500-73096-90203-4 | 4 | 7.500 | 5.250 | 7.000 | 0.160 | 6.000 | 160 | 960 | 40 | 4 |
| 4 | 4.938 | 3.500 | 3.750 | 0.040 | 1.920 | 500-73096-90204-1 | 4 | 11.800 | 5.800 | 4.500 | 0.180 | 6.000 | 255 | 1350 | 45 | 5 |
| 12 | 7.875 | 5.750 | 3.250 | 0.085 | 4.250 | 500-73096-90274-4 | 2 | 11.875 | 8.375 | 4.000 | 0.230 | 8.700 | 64 | 557 | 16 | 4 |
| 12 | 7.875 | 5.750 | 3.250 | 0.085 | 5.620 | 500-73096-90276-8 | 2 | 11.875 | 8.375 | 4.000 | 0.230 | 11.500 | 64 | 736 | 16 | 4 |
| 4 | 8.188 | 4.938 | 4.938 | 0.116 | 2.063 | 500-73096-90214-0 | 4 | 16.875 | 10.500 | 5.875 | 0.602 | 8.500 | 56 | 476 | 8 | 7 |
| 4 | 8.1875 | 4.9375 | 5.3125 | 0.124 | 2.133 | 500-73096-90259-1 | 4 | 16.875 | 10.500 | 6.375 | 0.654 | 8.782 | 56 | 492 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 2.045 | 500-73096-90305-5 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 8.430 | 56 | 472 | 8 | 7 |
| 4 | 8.1875 | 4.9375 | 4.9375 | 0.116 | 1.45 | 500-73096-90240-9 | 4 | 16.875 | 10.500 | 5.875 | 0.602 | 6.033 | 56 | 338 | 8 | 7 |
| 4 | 8.1875 | 4.9375 | 5.3125 | 0.124 | 1.640 | 500-73096-90268-3 | 4 | 16.875 | 10.500 | 6.375 | 0.654 | 6.808 | 56 | 381 | 8 | 7 |
| 4 | 8.188 | 4.938 | 5.313 | 0.124 | 1.446 | 500-73096-90306-2 | 4 | 16.938 | 10.563 | 5.938 | 0.615 | 6.033 | 56 | 338 | 8 | 7 |
| 4 | 5.750 | 4.500 | 8.000 | 0.120 | 0.728 | 500-73096-90225-6 | 4 | 12.063 | 9.400 | 8.750 | 0.574 | 3.200 | 48 | 152 | 12 | 4 |
| 4 | 5.750 | 4.500 | 8.000 | 0.120 | 0.772 | 500-73096-90226-3 | 4 | 12.063 | 9.400 | 8.750 | 0.574 | 3.337 | 48 | 160 | 12 | 4 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90230-0 | N/A | 8.125 | 7.000 | 5.125 | 0.169 | 1.721 | 120 | 207 | 15 | 8 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90302-4 | N/A | 12.875 | 4.438 | 6.875 | 0.227 | 3.628 | 150 | 544 | 30 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90231-7 | N/A | 8.125 | 7.000 | 5.125 | 0.169 | 2.544 | 120 | 305 | 15 | 8 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90303-1 | N/A | 16.438 | 5.625 | 5.750 | 0.310 | 5.400 | 80 | 432 | 16 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90304-8 | N/A | 16.438 | 5.625 | 5.750 | 0.308 | 4.626 | 75 | 370 | 16 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90228-7 | N/A | 20.375 | 9.250 | 8.250 | 0.900 | 18.659 | 36 | 672 | 9 | 4 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-90229-4 | N/A | 20.375 | 9.250 | 8.250 | 0.900 | 22.200 | 36 | 799 | 9 | 4 |
| 12 | 5.8125 | 4.75 | 4.75 | 0.076 | 0.91 | 500-73096-90219-5 | 4 | 11.750 | 9.678 | 5.250 | 0.350 | 9.000 | 128 | 499 | 16 | 8 |
| 4 | 5.8125 | 4.75 | 4.75 | 0.076 | 0.91 | 500-73096-90220-1 | 4 | 11.750 | 9.678 | 5.250 | 0.350 | 3.900 | 128 | 499 | 16 | 8 |

PLATINUM POWER

| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack Information | | | | | | | Inner Carton UPC |
|------|---------------------------------------|-----------------|----------------------------|--------------|------------------|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| | | | | | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | |
| AA | Platinum Power AA Batteries, 4 Pack | 1.5 | 48 | LR6XE/4B | 0-73096-30836-7 | 4 | 4.250 | 3.375 | 0.600 | 0.005 | 0.210 | 300-73096-30836-8 |
| | Platinum Power AA Batteries, 8 Pack | 1.5 | 24 | LR6XE/8B | 0-73096-30838-1 | 8 | 4.250 | 3.375 | 1.200 | 0.010 | 0.420 | 300-73096-30838-2 |
| | Platinum Power AA Batteries, 12 Pack | 1.5 | 24 | LR6XE/12BW | 0-73096-30955-5 | 12 | 7.63 | 4.25 | 1.20 | 0.02 | 0.66 | 300-73096-30955-6 |
| | Platinum Power AA Batteries, 16 Pack | 1.5 | 24 | LR6XE/16BH | 0-73096-30840-4 | 16 | 4.250 | 7.625 | 1.200 | 0.023 | 0.840 | 300-73096-30840-5 |
| | Platinum Power AA Batteries, 24 Pack | 1.5 | 16 | LR6XE/24B | 0-73096-30841-1 | 24 | 4.250 | 7.625 | 7.200 | 0.023 | 1.260 | 300-73096-30841-2 |
| | Platinum Power AA Batteries, 48 Pack | 1.5 | 4 | LR6XE/48PC | 0-73096-30952-4 | 48 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | N/A |
| AAA | Platinum Power AAA Batteries, 4 Pack | 1.5 | 48 | LR03XE/4B | 0-73096-30829-9 | 4 | 4.250 | 3.375 | 0.440 | 0.004 | 0.110 | 300-73096-30829-0 |
| | Platinum Power AAA Batteries, 8 Pack | 1.5 | 24 | LR03XE/8B | 0-73096-30831-2 | 8 | 4.250 | 3.375 | 0.840 | 0.007 | 0.220 | 300-73096-30831-3 |
| | Platinum Power AAA Batteries, 12 Pack | 1.5 | 24 | LR03XE/12BW | 0-73096-30956-2 | 12 | 7.63 | 4.25 | 0.44 | 0.01 | 0.32 | 300-73096-30956-3 |
| | Platinum Power AAA Batteries, 16 Pack | 1.5 | 24 | LR03XE/16BH | 0-73096-30833-6 | 16 | 4.250 | 7.625 | 0.840 | 0.016 | 0.440 | 300-73096-30833-7 |
| | Platinum Power AAA Batteries, 24 Pack | 1.5 | 16 | LR03XE/24B | 0-73096-30834-3 | 24 | 4.250 | 7.625 | 0.840 | 0.016 | 0.670 | 300-73096-30834-4 |
| | Platinum Power AAA Batteries, 48 Pack | 1.5 | 4 | LR03XE/48PC | 0-73096-30953-1 | 48 | 4.938 | 3.500 | 3.250 | 0.030 | 1.400 | N/A |
| C | Platinum Power C Batteries, 2 Pack | 1.5 | 48 | LR14XP/2B | 0-73096-30842-8 | 12 | 4.250 | 3.375 | 1.100 | 0.009 | 0.290 | 300-73096-30842-9 |
| | Platinum Power C Batteries, 4 Pack | 1.5 | 12 | LR14XP/4B | 0-73096-30843-5 | 4 | 5.000 | 4.000 | 3.000 | 0.035 | 0.590 | N/A |
| D | Platinum Power D Batteries, 2 Pack | 1.5 | 48 | LR20XP/2B | 0-73096-30844-2 | 2 | 4.25 | 3.375 | 1.400 | 0.012 | 0.620 | 300-73096-30844-3 |
| | Platinum Power D Batteries, 4 Pack | 1.5 | 12 | LR20XP/4B | 0-73096-30845-9 | 4 | 5.000 | 4.000 | 3.500 | 0.041 | 1.250 | N/A |
| 9V | Platinum Power 9V Batteries, 1 Pack | 9.0 | 48 | 6LF22XP/1B | 0-73096-30846-6 | 1 | 4.250 | 3.375 | 0.700 | 0.006 | 0.100 | 300-73096-30846-7 |
| | Platinum Power 9V Batteries, 2 Pack | 9.0 | 48 | 6LF22XP/2B | 0-73096-30847-3 | 2 | 4.250 | 3.375 | 0.700 | 0.006 | 0.190 | 300-73096-30847-4 |

ALKALINE PLUS POWER

| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack Information | | | | | | | Inner Carton UPC |
|------|-----------------------------------|-----------------|----------------------------|--------------|------------------|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| | | | | | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | |
| AA | Plus Power AA Batteries, 2 Pack | 1.5 | 48 | AM-3PA/2B | 0-73096-30003-3 | 2 | 4.250 | 3.375 | 0.600 | 0.005 | 0.110 | 300-73096-30003-4 |
| | Plus Power AA Batteries, 4 Pack | 1.5 | 48 | AM-3PA/4B | 0-73096-30007-1 | 2 | 4.250 | 3.375 | 0.600 | 0.005 | 0.210 | 300-73096-30007-2 |
| | Plus Power AA Batteries, 8 Pack | 1.5 | 24 | AM-3PA/8B | 0-73096-30029-3 | 8 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | 500-73096-30029-8 |
| | Plus Power AA Batteries, 12 Pack | 1.5 | 24 | LR6PA/12BW | 0-73096-30531-1 | 12 | 7.63 | 4.25 | 1.20 | 0.02 | 0.65 | 300-73096-30531-2 |
| | Plus Power AA Batteries, 16 Pack | 1.5 | 24 | LR6PA/16BH | 0-73096-30617-2 | 16 | 4.250 | 7.625 | 1.200 | 0.023 | 0.840 | 300-73096-30732-3 |
| | Plus Power AA Batteries, 24 Pack | 1.5 | 16 | LR6PA/24B | 0-73096-30651-6 | 24 | 4.250 | 7.625 | 1.200 | 0.023 | 1.260 | 300-73096-30665-4 |
| | Plus Power AA Batteries, 48 Pack | 1.5 | 4 | LR6PA/48PC | 0-73096-30937-1 | 48 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | N/A |
| AAA | Plus Power AAA Batteries, 2 Pack | 1.5 | 48 | AM-4PA/2B | 0-73096-30004-0 | 2 | 4.250 | 3.375 | 0.440 | 0.004 | 0.060 | 300-73096-30004-1 |
| | Plus Power AAA Batteries, 4 Pack | 1.5 | 48 | AM-4PA/4B | 0-73096-30008-8 | 4 | 4.250 | 3.375 | 0.440 | 0.004 | 0.110 | 300-73096-30008-9 |
| | Plus Power AAA Batteries, 8 Pack | 1.5 | 24 | AM-4PA/8B | 0-73096-30043-9 | 8 | 4.250 | 3.375 | 0.840 | 0.007 | 0.220 | 300-73096-30043-0 |
| | Plus Power AAA Batteries, 12 Pack | 1.5 | 24 | LR03PA/12BW | 0-73096-30439-0 | 12 | 7.63 | 4.25 | 0.44 | 0.01 | 0.32 | 300-73096-30439-1 |
| | Plus Power AAA Batteries, 16 Pack | 1.5 | 24 | LR03PA/16BH | 0-73096-30640-0 | 16 | 4.250 | 7.625 | 0.840 | 0.016 | 0.430 | 300-73096-30733-0 |
| | Plus Power AAA Batteries, 24 Pack | 1.5 | 16 | LR03PA/24B | 0-73096-30666-0 | 24 | 4.250 | 7.625 | 0.840 | 0.016 | 0.670 | 300-73096-30666-1 |
| | Plus Power AAA Batteries, 48 Pack | 1.5 | 4 | LR03PA/48PC | 0-73096-30938-8 | 48 | 4.938 | 3.500 | 3.250 | 0.030 | 1.400 | N/A |
| C | Plus Power C Batteries, 2 Pack | 1.5 | 48 | AM-2PA/2B | 0-73096-30002-6 | 2 | 4.250 | 3.375 | 1.100 | 0.009 | 0.290 | 300-73096-30002-7 |
| | Plus Power C Batteries, 4 Pack | 1.5 | 12 | AM-2PA/4B | 0-73096-30054-5 | 4 | 5.000 | 4.000 | 3.000 | 0.035 | 0.590 | N/A |
| D | Plus Power D Batteries, 2 Pack | 1.5 | 48 | AM-1PA/2B | 0-73096-30001-9 | 2 | 4.250 | 3.375 | 1.400 | 0.012 | 0.620 | 300-73096-30001-0 |
| | Plus Power D Batteries, 4 Pack | 1.5 | 12 | AM-1PA/4B | 0-73096-30053-8 | 4 | 5.000 | 4.000 | 3.500 | 0.041 | 1.250 | N/A |
| 9V | Plus Power 9V Batteries, 1 Pack | 9.0 | 48 | 6AM-6PA/1B | 0-73096-30006-4 | 1 | 4.250 | 3.375 | 0.700 | 0.006 | 0.100 | 300-73096-30006-5 |
| | Plus Power 9V Batteries, 2 Pack | 9.0 | 48 | 6AM-6PA/2B | 0-73096-30013-2 | 2 | 4.250 | 3.375 | 0.700 | 0.060 | 0.190 | 300-73096-30013-3 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Inners or Packs per Master | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| 12 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | 500-73096-30836-2 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 10.900 | 160 | 1744 | 20 | 8 |
| 6 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | 500-73096-30838-6 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 10.900 | 160 | 1744 | 20 | 8 |
| 12 | 7.88 | 5.69 | 7.44 | 0.19 | 7.88 | 500-73096-30955-0 | 2 | 11.75 | 8.13 | 8.00 | 0.44 | 16.00 | 68 | 1088 | 17 | 4 |
| 6 | 8.000 | 5.063 | 7.500 | 0.180 | 10.200 | 500-73096-30840-9 | 4 | 10.750 | 8.250 | 6.375 | 0.330 | 21.200 | 48 | 1018 | 16 | 3 |
| 8 | 7.813 | 5.750 | 5.125 | 0.130 | 10.200 | 500-73096-30841-6 | 2 | 12.000 | 8.625 | 6.125 | 0.370 | 20.700 | 75 | 1553 | 15 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30952-9 | N/A | 10.125 | 7.625 | 4.625 | 0.210 | 10.900 | 160 | 1744 | 20 | 8 |
| 12 | 4.938 | 3.500 | 3.250 | 0.030 | 1.400 | 500-73096-30829-4 | 4 | 10.125 | 7.625 | 4.000 | 0.180 | 5.700 | 198 | 1129 | 22 | 9 |
| 6 | 4.938 | 3.500 | 3.750 | 0.040 | 1.400 | 500-73096-30831-7 | 4 | 11.800 | 5.800 | 4.500 | 0.180 | 5.700 | 196 | 1117 | 28 | 7 |
| 12 | 7.875 | 5.75 | 3.25 | 0.09 | 3.84 | 500-73096-30956-7 | 2 | 11.75 | 8.25 | 3.875 | 0.22 | 7.939 | 64 | 508 | 16 | 4 |
| 12 | 8.000 | 5.438 | 4.125 | 0.100 | 5.500 | 500-73096-30833-1 | 2 | 10.750 | 8.250 | 6.375 | 0.330 | 10.800 | 48 | 518 | 16 | 3 |
| 8 | 8.000 | 5.438 | 4.125 | 0.100 | 5.500 | 500-73096-30834-8 | 2 | 10.750 | 8.750 | 5.000 | 0.270 | 11.200 | 120 | 1344 | 15 | 8 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30953-6 | N/A | 7.500 | 5.250 | 7.000 | 0.160 | 5.600 | 160 | 896 | 40 | 4 |
| 12 | 3.650 | 5.300 | 6.650 | 0.070 | 3.600 | 500-73096-30842-3 | 4 | 10.700 | 8.000 | 7.300 | 0.360 | 14.600 | 100 | 1460 | 20 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30843-0 | N/A | 15.500 | 12.563 | 3.125 | 0.350 | 7.800 | 108 | 842 | 9 | 12 |
| 12 | 3.600 | 6.000 | 8.650 | 0.110 | 7.500 | 500-73096-30844-7 | 4 | 12.500 | 7.875 | 9.500 | 0.540 | 30.400 | 54 | 1642 | 18 | 3 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30845-4 | N/A | 16.250 | 12.500 | 3.375 | 0.400 | 15.700 | 88 | 1382 | 8 | 11 |
| 12 | 5.125 | 3.500 | 4.500 | 0.050 | 12.000 | 500-73096-30846-1 | 4 | 10.500 | 7.500 | 5.125 | 0.230 | 5.100 | 154 | 785 | 22 | 7 |
| 12 | 5.125 | 3.500 | 4.500 | 0.050 | 2.400 | 500-73096-30847-8 | 4 | 10.500 | 7.500 | 5.125 | 0.230 | 10.300 | 154 | 1586 | 22 | 7 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Inners or Packs per Master | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| 12 | 4.938 | 3.500 | 3.750 | 0.040 | 1.300 | 500-73096-30003-8 | 4 | 10.125 | 7.265 | 4.625 | 0.210 | 5.500 | 160 | 880 | 20 | 8 |
| 12 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | 500-73096-30007-6 | 4 | 10.125 | 7.265 | 4.625 | 0.210 | 10.900 | 160 | 1744 | 20 | 8 |
| 6 | 4.938 | 3.500 | 3.750 | 0.040 | 2.600 | 500-73096-30029-8 | 4 | 10.125 | 7.265 | 4.625 | 0.210 | 10.600 | 160 | 1696 | 20 | 8 |
| 12 | 7.88 | 5.69 | 7.44 | 0.19 | 7.75 | 500-73096-30531-6 | 2 | 11.75 | 8.13 | 8.00 | 0.44 | 15.74 | 68 | 1070 | 17 | 4 |
| 12 | 7.875 | 5.688 | 7.430 | 0.190 | 10.200 | 500-73096-30732-7 | 2 | 11.750 | 8.250 | 8.380 | 0.430 | 19.400 | 68 | 1319 | 17 | 4 |
| 8 | 7.813 | 5.750 | 5.125 | 0.130 | 10.200 | 500-73096-30665-8 | 2 | 12.000 | 8.630 | 6.130 | 0.367 | 19.400 | 75 | 1455 | 15 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30937-6 | N/A | 10.125 | 7.265 | 4.625 | 0.210 | 10.600 | 160 | 1744 | 20 | 8 |
| 12 | 4.938 | 3.500 | 3.250 | 0.030 | 0.700 | 500-73096-30004-5 | 4 | 10.125 | 7.625 | 4.000 | 0.180 | 3.200 | 225 | 720 | 45 | 5 |
| 12 | 4.938 | 3.500 | 3.250 | 0.030 | 1.400 | 500-73096-30008-3 | 4 | 10.125 | 7.625 | 4.000 | 0.180 | 5.600 | 225 | 1260 | 45 | 5 |
| 8 | 4.938 | 3.500 | 3.750 | 0.040 | 1.800 | 500-73096-30043-4 | 3 | 11.750 | 5.750 | 4.500 | 0.180 | 5.600 | 225 | 1260 | 45 | 5 |
| 12 | 7.875 | 5.75 | 3.25 | 0.09 | 3.84 | 500-73096-30439-5 | 2 | 11.75 | 8.25 | 3.875 | 0.22 | 7.939 | 64 | 508 | 16 | 4 |
| 12 | 7.870 | 5.075 | 3.250 | 0.085 | 5.310 | 500-73096-30733-4 | 2 | 10.750 | 8.250 | 6.250 | 0.320 | 10.800 | 64 | 691 | 16 | 4 |
| 8 | 8.000 | 5.438 | 4.125 | 0.100 | 5.500 | 500-73096-30666-5 | 2 | 10.750 | 8.750 | 5.000 | 0.272 | 9.900 | 120 | 1188 | 15 | 8 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30938-3 | N/A | 10.125 | 7.625 | 4.000 | 0.180 | 5.600 | 225 | 1260 | 45 | 5 |
| 12 | 3.650 | 5.300 | 6.650 | 0.070 | 3.600 | 500-73096-30002-1 | 4 | 11.000 | 8.000 | 7.250 | 0.370 | 14.600 | 100 | 1460 | 20 | 5 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30054-0 | N/A | 15.500 | 12.563 | 3.125 | 0.350 | 8.100 | 108 | 875 | 9 | 12 |
| 12 | 3.600 | 6.000 | 8.650 | 0.110 | 7.500 | 500-73096-30001-4 | 4 | 12.625 | 7.875 | 9.500 | 0.550 | 30.400 | 54 | 1642 | 18 | 3 |
| N/A | N/A | N/A | N/A | N/A | N/A | 500-73096-30053-3 | N/A | 16.250 | 12.500 | 3.375 | 0.400 | 15.700 | 88 | 1382 | 11 | 8 |
| 12 | 5.125 | 3.500 | 4.500 | 0.050 | 1.200 | 500-73096-30006-9 | 4 | 10.500 | 7.500 | 5.125 | 0.230 | 5.100 | 154 | 785 | 22 | 7 |
| 12 | 5.125 | 3.500 | 4.500 | 0.050 | 2.500 | 500-73096-30013-7 | 4 | 10.500 | 7.500 | 5.125 | 0.230 | 10.300 | 154 | 1586 | 22 | 7 |

LITHIUM

| | | | | | Pack Information | | | | | | | |
|--------|-------------------------------|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| | | | | | Weights in pounds / Dimensions in inches | | | | | | | |
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| 2CR5 | 2CR-5 6V Batteries, 1 pack | 6.0 | 12 | 2CR-5MPA/1B | 0-73096-70037-6 | 1 | 3.375 | 3.813 | 0.720 | 0.005 | 0.095 | N/A |
| CR-P2 | CR-P2 6V Batteries, 1 pack | 6.0 | 12 | CR-P2PA/1B | 0-73096-70036-9 | 1 | 3.780 | 3.390 | 0.820 | 0.006 | 0.090 | N/A |
| CR2 | CR-2 3V Batteries, 1 pack | 3.0 | 12 | CR-2PA/1B | 0-73096-70040-6 | 1 | 3.780 | 3.390 | 0.650 | 0.005 | 0.035 | N/A |
| | CR-2 3V Batteries, 2 pack | 3.0 | 12 | CR-2PA/2B | 0-73096-70042-0 | 2 | 3.375 | 3.813 | 0.650 | 0.005 | 0.055 | N/A |
| CR123A | CR-123A 3V Batteries, 1 pack | 3.0 | 12 | CR-123APA/1B | 0-73096-70038-3 | 1 | 3.375 | 3.8125 | 0.65 | 0.005 | 0.045 | N/A |
| | CR-123A 3V Batteries, 2 pack | 3.0 | 12 | CR-123APA/2B | 0-73096-70039-0 | 2 | 3.375 | 3.8125 | 0.65 | 0.005 | 0.08 | N/A |
| | CR-123A 3V Batteries, 6 pack | 3.0 | 24 | CR-123PA/6B | 0-73096-70077-2 | 6 | 4.250 | 7.625 | 0.750 | 0.014 | 0.220 | 300-73096-70077-3 |
| | CR-123A 3V Batteries, 12 pack | 3.0 | 24 | CR-123PA/12B | 0-73096-70078-9 | 12 | 4.250 | 7.625 | 0.750 | 0.014 | 0.450 | 300-73096-70078-0 |

SUPER HEAVY DUTY POWER

| | | | | | Pack Information | | | | | | | |
|------|--|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| | | | | | Weights in pounds / Dimensions in inches | | | | | | | |
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| AA | Super Heavy Duty Power AA Batteries, 4 Pack | 1.5 | 48 | UM-3NPA/4B | 0-73096-50023-5 | 4 | 4.250 | 3.375 | 0.600 | 0.005 | 0.170 | 300-73096-50023-6 |
| | Super Heavy Duty Power AA Batteries, 8 Pack | 1.5 | 24 | UM-3NPA/8B | 0-73096-50438-7 | 8 | 4.250 | 3.375 | 1.200 | 0.010 | 0.300 | 300-73096-50438-8 |
| AAA | Super Heavy Duty Power AAA Batteries, 4 Pack | 1.5 | 48 | UM-4NPA/4B | 0-73096-50027-3 | 4 | 4.250 | 3.375 | 0.440 | 0.004 | 0.090 | 300-73096-50027-4 |
| | Super Heavy Duty Power AAA Batteries, 8 Pack | 1.5 | 24 | UM-4NPA/8B | 0-73096-50439-4 | 8 | 4.250 | 3.375 | 0.840 | 0.007 | 0.180 | 300-73096-50439-5 |
| C | Super Heavy Duty Power C Batteries, 2 Pack | 1.5 | 48 | UM-2NPA/2B | 0-73096-50020-4 | 2 | 4.250 | 3.375 | 1.100 | 0.009 | 0.210 | 300-73096-50020-5 |
| D | Super Heavy Duty Power D Batteries, 2 Pack | 1.5 | 48 | UM-1NPA/2B | 0-73096-50017-4 | 2 | 4.250 | 3.375 | 1.400 | 0.012 | 0.430 | 300-73096-50017-5 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Inners or Packs per Master | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| N/A | N/A | N/A | N/A | N/A | N/A | 100-73096-70037-7 | N/A | 4.600 | 4.000 | 3.600 | 0.053 | 1.204 | 720 | 918 | 72 | 10 |
| N/A | N/A | N/A | N/A | N/A | N/A | 100-73096-70036-0 | N/A | 5.100 | 4.000 | 3.600 | 0.053 | 1.204 | 720 | 918 | 80 | 9 |
| N/A | N/A | N/A | N/A | N/A | N/A | 300-73096-70040-7 | N/A | 5.313 | 3.860 | 4.450 | 0.053 | 0.518 | 720 | 423 | 80 | 9 |
| N/A | N/A | N/A | N/A | N/A | N/A | 300-73096-70042-1 | N/A | 5.313 | 3.860 | 4.450 | 0.053 | 1.206 | 720 | 632 | 80 | 9 |
| N/A | N/A | N/A | N/A | N/A | N/A | 1-00-73096-70038-4 | N/A | 5.310 | 3.880 | 4.440 | 0.053 | 0.675 | 720 | 486 | 72 | 10 |
| N/A | N/A | N/A | N/A | N/A | N/A | 1-00-73096-70039-1 | N/A | 4.400 | 4.000 | 3.600 | 0.040 | 1.200 | 720 | 864 | 72 | 10 |
| 12 | 7.750 | 6.500 | 4.750 | 0.140 | 2.725 | 500-73096-70077-7 | 2 | 11.875 | 8.125 | 5.500 | 0.310 | 5.700 | 75 | 428 | 15 | 5 |
| 12 | 7.750 | 6.950 | 4.750 | 0.150 | 5.375 | 500-73096-70078-4 | 2 | 11.875 | 8.125 | 5.500 | 0.310 | 11.200 | 75 | 840 | 15 | 5 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|----------------|
| Inners or Packs per Master | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers /Pallet |
| 12 | 4.938 | 3.500 | 3.750 | 0.040 | 2.100 | 500-73096-50023-0 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 8.800 | 160 | 1,408.0 | 20 | 8 |
| 6 | 4.938 | 3.500 | 3.750 | 0.040 | 2.010 | 500-73096-50438-2 | 4 | 10.125 | 7.625 | 4.625 | 0.210 | 8.100 | 160 | 1296 | 20 | 8 |
| 12 | 4.938 | 3.500 | 3.250 | 0.030 | 1.200 | 500-73096-50027-8 | 4 | 10.125 | 7.625 | 4.000 | 0.180 | 5.100 | 198 | 1010 | 22 | 9 |
| 6 | 4.938 | 3.500 | 3.750 | 0.040 | 1.200 | 500-73096-50439-9 | 4 | 11.750 | 5.750 | 4.500 | 0.170 | 4.400 | 196 | 862 | 28 | 7 |
| 12 | 3.650 | 5.300 | 6.650 | 0.070 | 2.600 | 500-73096-50020-9 | 4 | 11.000 | 8.000 | 7.250 | 0.370 | 11.700 | 100 | 1170 | 20 | 5 |
| 12 | 3.600 | 6.000 | 8.650 | 0.110 | 5.200 | 500-73096-50017-9 | 4 | 12.625 | 7.625 | 9.000 | 0.500 | 22.500 | 72 | 1620 | 18 | 4 |

DECT

| | | | | | Pack Information Weights in pounds / Dimensions in inches | | | | | | | |
|------|-----------------------|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| DECT | AAA Batteries, 2 Pack | 1.2 | 48 | HHR-4DPA/2B | 0-73096-40110-5 | 2 | 4.250 | 3.375 | 0.44 | 0.004 | 0.054 | 300-73096-40110-6 |
| | AAA Batteries, 4 Pack | 1.2 | 48 | HHR-4DPA/4B | 0-73096-40112-9 | 4 | 4.250 | 3.375 | 0.44 | 0.004 | 0.107 | 300-73096-40112-0 |
| | AAA Batteries, 8 Pack | 1.2 | 24 | HHR-4DPA/8BA | 0-73096-40114-3 | 8 | 4.250 | 3.375 | 0.84 | 0.007 | 0.215 | 300-73096-40114-4 |

HEARING AID

| | | | | | Pack Information Weights in pounds / Dimensions in inches | | | | | | | |
|-------------|---------------------|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|-------------------|
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| HEARING AID | PR10 Batteries | 1.45 | 50 | PR-10HAP/6C | 0-73096-40300-0 | 6 | 3.701 | 1.89 | 0.201 | 0.001 | 0.007 | 300-73096-40300-1 |
| | PR13 Batteries | 1.45 | 50 | PR-13HAP/6C | 0-73096-40302-4 | 6 | 3.701 | 1.89 | 0.272 | 0.001 | 0.014 | 300-73096-40302-5 |
| | PR312 Batteries | 1.45 | 50 | PR-312HAP/6C | 0-73096-40301-7 | 6 | 3.701 | 1.89 | 0.201 | 0.001 | 0.010 | 300-73096-40301-8 |
| | PR675 Batteries | 1.45 | 50 | PR-675HAP/6C | 0-73096-40303-1 | 6 | 3.701 | 1.89 | 0.272 | 0.001 | 0.027 | 300-73096-40303-2 |

NECKLIGHTS

| | | | | | Pack Information Weights in pounds / Dimensions in inches | | | | | | | |
|-------------|---------------------|-----------------|----------------------------|--------------|--|--------------------|-----------------|----------------|-----------------|--------------|-------------|------------------|
| Type | Product Description | Battery Voltage | Packs Charger Cases Master | Model Number | Pack UPC | Batteries per Pack | Pack (L) Length | Pack (W) Width | Pack (H) Height | Cube (Cu Ft) | Pack Weight | Inner Carton UPC |
| NECK-LIGHTS | Neck Light - Orange | 3.0 | 12 | BF-AF10B-D/A | 0-73096-80101-1 | N/A | 10.00 | 3.600 | 1.260 | 0.030 | 0.200 | N/A |
| | Neck Light - Black | 3.0 | 12 | BF-AF10B-K/A | 0-73096-80097-7 | N/A | 10.00 | 3.600 | 1.260 | 0.030 | 0.200 | N/A |
| | Neck Light - Pink | 3.0 | 12 | BF-AF10B-P/A | 0-73096-80098-4 | N/A | 10.00 | 3.600 | 1.260 | 0.030 | 0.200 | N/A |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Packs per Inner | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| 12 | 4.938 | 3.500 | 3.250 | 0.033 | 0.700 | 500-73096-40110-0 | 4 | 10.125 | 7.625 | 4.000 | 0.179 | 3.080 | 198 | 610 | 22 | 9 |
| 12 | 4.938 | 3.500 | 3.250 | 0.033 | 1.400 | 500-73096-40112-4 | 4 | 10.125 | 7.625 | 4.000 | 0.179 | 5.659 | 198 | 1,121 | 22 | 9 |
| 6 | 4.938 | 3.500 | 3.250 | 0.033 | 2.750 | 500-73096-40114-8 | 4 | 7.500 | 5.250 | 7.000 | 0.160 | 5.659 | 160 | 906 | 40 | 4 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Packs per Inner | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| 5 | 10.63 | 4.331 | 2.441 | 0.065 | 0.925 | 500-73096-40300-5 | 10 | 13.189 | 11.26 | 12.598 | 1.083 | 9.500 | 320 | 304 | 40 | 8 |
| 5 | 10.63 | 4.331 | 3.228 | 0.086 | 1.407 | 500-73096-40302-9 | 10 | 17.323 | 11.26 | 12.598 | 1.422 | 14.320 | 240 | 344 | 40 | 6 |
| 5 | 10.63 | 4.331 | 2.441 | 0.065 | 1.076 | 500-73096-40301-2 | 10 | 13.189 | 11.26 | 12.598 | 1.083 | 11.010 | 320 | 352 | 40 | 8 |
| 5 | 10.63 | 4.331 | 3.228 | 0.086 | 1.948 | 500-73096-40303-6 | 10 | 17.323 | 11.26 | 12.598 | 1.422 | 19.730 | 240 | 474 | 40 | 6 |

| Inner Pack Information Weights in pounds / Dimensions in inches | | | | | | Master Carton Information Weights in pounds / Dimensions in inches | | | | | | | Pallet Information Weights in pounds / Dimensions in inches | | | |
|--|------------------|-----------------|------------------|--------------|--------------|---|-------------------|-------------------|------------------|-------------------|-----------|---------------|--|---------------------|----------------|-----------------|
| Packs per Inner | Inner (L) Length | Inner (W) Width | Inner (H) Height | Cube (Cu Ft) | Inner Weight | Master Carton UPC | Inners per Master | Master (L) Length | Master (W) Width | Master (H) Height | Cube (CF) | Master Weight | MC / Pallet | Pallet Weight (net) | Cartons /Layer | Layers / Pallet |
| N/A | N/A | N/A | N/A | N/A | N/A | 300-73096-80101-5 | 12 | 10.000 | 3.780 | 10.50 | 0.240 | 2.300 | 96 | 242 | 12 | 8 |
| N/A | N/A | N/A | N/A | N/A | N/A | 300-73096-80097-8 | 12 | 10.000 | 3.780 | 10.50 | 0.240 | 2.300 | 96 | 242 | 12 | 8 |
| N/A | N/A | N/A | N/A | N/A | N/A | 300-73096-80098-5 | 12 | 10.000 | 3.780 | 10.50 | 0.240 | 2.300 | 96 | 242 | 12 | 8 |



Find us online.
PanasonicBatteryProducts.com



call2recycle

Panasonic ENERGY

Panasonic Energy Corporation of America
One Panasonic Drive
Columbus, GA 31907
855-562-2300

SUPPORT:
PECACustomerFeedback@us.panasonic.com
SALES:
batterysales.columbusga@us.panasonic.com

Information in this catalog is subject to change without notice.

10/2023