

A photograph of an operating room. Several surgeons in blue scrubs and masks are gathered around a patient on a table. A large monitor in the foreground displays vital signs and waveforms. The scene is brightly lit by overhead surgical lamps.

**PHILIPS**

Patient Monitoring

Supplies catalog

**Delivering clear information  
at the point of care**

[Go to overview >](#)



# Patient monitoring and telemetry supplies



## Anesthesia-Gas

page 4



## Capnography

page 6



## Spirometry CO<sub>2</sub> / Flow

page 16



## Transcutaneous Gas Monitoring

page 18




## Cardiac Output

page 20



## ECG cables and leads

page 22



## IntelliVue MX40 and telemetry supplies

page 48



## EEG Supplies

page 62



## IntelliVue NMT Patient Cable

page 64



## Disposable ECG Electrodes

page 66

# Patient monitoring and telemetry supplies



## Invasive Blood Pressure

page 82



## Noninvasive Blood Pressure

page 84



## Paper

page 112



## Pulse Oximetry

page 114



## Pulse Oximetry Cableless Measurement Supplies

page 128



## IntelliVue Cableless Measurement Supplies

page 130



## Temperature Measurement

page 132



## Accessories

- Batteries
- Cases
- Pouches

page 146



## Patient Monitors

page 150

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Anesthesia-Gas





# Anesthesia-Gas

Product #	Description	Packaging	Use with:*
1 13901A	Reusable Nafion sample tube Length: 8 ft (2.4m)	1 tube	Module: M1026A
2 13902A	Disposable elbow airway adapter > Single patient use	20 adapters	Modules: M1026B, M1013A (G1), M1019A (G5), 866173 (G7)
13904A	Disposable bacteria filter (0.45 micron) for single patient use	20 filters	Module: M1026A
13905A	Disposable hybrid Nafion polyethylene sample tube Nafion length: 6 ft (1.8m) Polyethylene length: 9 ft (2.7m)	1 tube	
3 13907A	Calibration tube assembly	1 assembly	Modules: M1025A, M1025B, M3015A, M3015B
15210-64010	Gas: Cal 1 cylinders for tcpCO <sub>2</sub>	6 cylinders	M3015A, M3015B
15210-64020	Gas: Cal 2 Cylinders for tcpCO <sub>2</sub>		
4 M1612A	Straight airway adapter Single patient use	20 adapters	Modules: M1019A (G5), M1013A (G1), M1026A, M1026B, 866173 (G7)
M1655B	Reusable gas exhaust return line Length: 12 ft (3.6m)	1 line/5 filters	Modules: M1013A (G1), M1019A (G5), M1026B, 66173 (G7) (Note: M1026B not in the US)
M1656B	Disposable gas exhaust return filter (use with M1655B)	20 filters	Modules: M1013A (G1), M1019A (G5), M1026A, M1026B, 66173 (G7) (Note: M1026B not in the US)
5 M1657B	Water trap (use with M1658A)	25 water traps	Modules: M1013A (G1), M1019A (G5), M1026B, M1026A, 66173 (G7) with Opt. A02/A05
M1658A	Gas sample tubing for single patient use (use with M1657B)	20 tubes	
M1659A	Calibration bag (use with M1660A and M1662A)	1 bag	Modules: M1013A (G1), M1019A (G5), M1026B
M1662A	Anesthetic CAL gas Volume of gas = 6 liters (use with M1659A) Shelf life: 1 year	1 cylinder	Monitor Modules: M1013A (G1), M1019A (G5), M1026A, M1026B
989803191081	Philips water trap	12 water traps	866173 (G7)

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Capnography – Microstream<sup>®</sup> EtCO<sub>2</sub>



1



2



3



4



5



6



7



8



9



10



11



12



# Capnography – Microstream® EtCO<sub>2</sub>

## Microstream® EtCO<sub>2</sub> Solution Single Patient Use

Product #	Description	Packaging	Use with:*
1 M1920A	FilterLine Set, Adult/Pedi, Intubated	25 FilterLines®	Microstream® Ext: M3015A, M3015B, MP5: M8105A, M8105AS, VM8: 863066, VM1: 863266 Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
2 M1921A	FilterLine H Set, Adult/Pedi, Intubated		
3 M1923A	FilterLine H Set, Infant/Neonatal, Intubated		
4 989803160241	FilterLine® Set Long, Adult/Pediatric		
5 989803160251	FilterLine H Set Long, Adult/Pediatric		
6 989803160261	FilterLine H Set Long, Infant/Neonatal		
7 989803159571	VitaLine™ H Set, Adult/Pediatric		
8 989803159581	VitaLine™ H Set, Infant/Neonatal		
9 M2520A	Smart CapnoLine® O <sub>2</sub> Pediatric	25 FilterLines®	
10 M2522A	Smart CapnoLine® O <sub>2</sub> Adult/Intermediate		
11 M2524A	Smart CapnoLine® Pediatric		
M2526A	Smart CapnoLine® Adult/Intermediate		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Capnography – Microstream<sup>®</sup> EtCO<sub>2</sub>



13



14



15



16



17



18



19





# Capnography – Microstream® EtCO<sub>2</sub>


## Microstream® EtCO<sub>2</sub> Solution Single Patient Use (continued)

Product #	Description	Reusable/ Single Patient Use	Packaging	Use with:*
13 989803160271	Smart CapnoLine® O <sub>2</sub> Pediatric Long	Single Patient Use	25 FilterLines®	Microstream® Ext: M3015A, M3015B, MP5: M8105A, M8105AS VM8: 863066, VM1: 863266, Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
989803160281	Smart CapnoLine® O <sub>2</sub> Plus Adult Long			
989803160301	Smart CapnoLine® Plus Adult Long			
14 M4680A	CapnoLine® H O <sub>2</sub> Adult			
15 M4681A	CapnoLine® H O <sub>2</sub> Pediatric			
16 M4686A	NIV Adult			
17 M4687A	NIV Pediatric			
18 M4689A	CapnoLine® H Adult			
19 M4691A	CapnoLine® H Infant/Neonatal			
989803177951	Smart CapnoLine® H O <sub>2</sub> Adult			
989803177961	Smart CapnoLine® H O <sub>2</sub> Adult Long			
989803177971	Smart CapnoLine® H O <sub>2</sub> Pediatric			
989803177981	Smart CapnoLine® H O <sub>2</sub> Pediatric Long			
989803178001	CapnoLine® H O <sub>2</sub> Infant/Neonatal			
989803178011	CapnoLine® H Infant/Neonatal Long			
989803178021	Nasal FilterLine® Infant/Neonatal			
989803178031	Smart CapnoLine® Guard			
989803178041	Smart CapnoLine® Guard O <sub>2</sub>			
989803178051	Smart CapnoLine® Guard O <sub>2</sub> Long			
989803179101	Nasal FilterLine® O <sub>2</sub> Adult	25 FilterLines®		
989803179111	Nasal FilterLine® O <sub>2</sub> Adult Long	1 box = 25 straps		
989803179121	Nasal FilterLine® O <sub>2</sub> Pediatric	1 regulator		
989803178071	Hook and Loop Strap			
M2267A	Calibration Regulator	Reusable	1 regulator	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Capnography - LoFlo Sidestream EtCO<sub>2</sub>



# Capnography - LoFlo Sidestream EtCO<sub>2</sub>

## Philips LoFlo Sidestream EtCO<sub>2</sub> Solution Single Patient Use

Product #	Description	Reusable / Single Patient Use	Packaging	Use with:*
1 M2741A	LoFlo Sidestream EtCO <sub>2</sub> Sensor	Reusable	1 sensor	Sidestream Ext. Server: M3014A, MP5: M8105A, MP2: M8102A, Multi-Measurement Module X2: M3002A
2 M2744A	EtCO <sub>2</sub> Nasal Cannula - Adult	Single Patient Use	10 cannula	Sidestream Sensor: M2741A with Sidestream Ext. Server: M3014A, MP5: M8105A, MP2: M8102A, Multi-Measurement Module X2: M3002A
3 M2745A	EtCO <sub>2</sub> Nasal Cannula - Pediatric			
4 M2746A	EtCO <sub>2</sub> Nasal Cannula - Infant			
5 M2750A	EtCO <sub>2</sub> / O <sub>2</sub> Nasal Cannula - Adult			
6 M2751A	EtCO <sub>2</sub> / O <sub>2</sub> Nasal Cannula - Pediatric			
7 989803144471	EtCO <sub>2</sub> / O <sub>2</sub> Nasal Cannula - Infant/ Neonate			
8 M2756A	EtCO <sub>2</sub> Oral-Nasal Cannula - Adult			
9 M2757A	EtCO <sub>2</sub> Oral-Nasal Cannula - Pediatric			
10 M2760A	EtCO <sub>2</sub> / O <sub>2</sub> Oral-Nasal Cannula - Adult			
11 M2761A	EtCO <sub>2</sub> / O <sub>2</sub> Oral-Nasal Cannula - Pediatric			


\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Capnography - LoFlo Sidestream EtCO<sub>2</sub>

## Philips LoFlo Sidestream EtCO<sub>2</sub> Solution Single Patient Use (continued)

Product #	Description	Reusable / Single Patient Use	Packaging	Use with:*
12 989803144531	Airway Adapter Set - ET <=4.0 mm	Single Patient Use	10 sets	Sidestream Sensor: M2741A with Sidestream Ext. Server: M3014A, MP5: M8105A, MP2: M8102A, Multi-Measurement Module X2: M3002A, 860335, 860338
M2768A	Airway Adapter Set - ET >4.0 mm			
13 M2772A	Airway Adapter Set H - ET > 4.0 mm			
14 M2773A	Airway Adapter Set H - ET <=4.0 mm		10 lines	Sidestream Sensor: M2741A with Sidestream Ext. Server: M3014A, MP5: M8105A, MP2: M8102A, Multi-Measurement Module X2: M3002A
15 M2776A	Straight Sample Line, non-humidified			
16 M2777A	Straight Sample Line H, humidified			



# Capnography – LoFlo Sidestream EtCO<sub>2</sub>

## LoFlo Sidestream EtCO<sub>2</sub> Supplies

Product #	Description	Packaging	Use with:*
1 M1612A	Straight airway adapter. Single patient use	20 adapters	Legacy HP/Agilent: M1015A
2 13901A	Reusable Nafion sample tube	1 tube	Legacy HP/Agilent: M1015A, M1016A
3 13902A	Elbow airway adapter. Single patient use	20 adapters	
13904A	Bacteria filter (0.45 micron). Single patient use	20 filters	Legacy HP/Agilent: M1015A
13905A	Hybrid Nafion polyethylene sample tube. Single patient use Nafion length: 6 ft (1.8m) Polyethylene length: 9 ft (2.7m)	1 tube	



\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Capnography - Mainstream Capnostat 5 EtCO<sub>2</sub>



1



2



3

# Capnography – Mainstream Capnostat 5 EtCO<sub>2</sub>

## Philips Mainstream Capnostat 5 EtCO<sub>2</sub> Solution

Product #	Description	Packaging	Use with:*
1 M2501A	Mainstream Capnostat 5 EtCO <sub>2</sub> Sensor	1 sensor	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) M2513A, M2516A, M2533A, M2536A: M2501A Sensor with M3014A Capnography Extension, Monitors: MP5: M8105A, MP2: M8102A, Multi-Measurement Module X2: M3002A
M2513A	Airway Adapter Adult/Pediatric Reusable Use with ET tube > 4mm	1 adapter	
2 M2516A	Airway Adapter Infant Reusable Use with ET tube < 4mm Deadspace < 1cc		
M2533A	Airway Adapter Adult/Pediatric Single patient use Use with ET tube > 4mm	10 adapters	
3 M2536A	Airway Adapter Infant single patient use Use with ET tube < 4mm Deadspace < 1cc		
M2505A	Gas Cylinder Regulator	1 gas regulator	
M2506A	Gas Verification Gas	1 gas cylinder	Mainstream Capnostat 5 EtCO <sub>2</sub> Sensor: M2501A, MP2: M8102A, Multi-Measurement Module X2: M3002A

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Spirometry EtCO<sub>2</sub> / Flow





# Spirometry EtCO<sub>2</sub> / Flow

## IntelliVue Spirometry EtCO<sub>2</sub> Sensors Single Patient Use

Product #	Description	Packaging	Use with:*
1 M2781A	Combined EtCO <sub>2</sub> / Flow Sensor. Adult / Pediatric ET: greater than 5.5 mm	10 sensors	Spirometry Module: M1014A with M2501A Mainstream EtCO <sub>2</sub> Sensor and M3014A Capnography Ext.
2 M2782A	Combined EtCO <sub>2</sub> / Flow Sensor Pediatric ET: 3.5mm to 6 mm		
3 M2783A	Combined EtCO <sub>2</sub> / Flow Sensor Neonatal / Infant ET: 2.5mm to 4 mm		
4 M2785A	Flow Sensor Adult/Pediatric ET: greater than 4 mm		M1014A Spirometry Module
5 M2786A	Flow Sensor Infant/Neonatal ET: less than 4 mm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Transcutaneous gas monitoring



# Transcutaneous gas monitoring

## Invasive Cardiac Output

Product #	Description	Packaging	Use with:*
M1918A CE	Solid state tcpO <sub>2</sub> /tcpCO <sub>2</sub> transducer	Includes: 1 transducer, 1 cap	Module: M1018A
1 M1918B CE	Solid state tcpO <sub>2</sub> /tcpCO <sub>2</sub> transducer	Includes: 1 transducer, 1 cap, 1 calibration ring	
2 989803151951 CE	tcpO <sub>2</sub> /tcpCO <sub>2</sub> membrane kit	10 membranes, 10ml electrolyte, 2 sensor caps, 5 cleaning papers	Transducer: M1918B
3 989803151961 CE	tcpO <sub>2</sub> /tcpCO <sub>2</sub> fixation kit	100 fixation rings, 4 bottles contact fluid @ 20ml	
4 989803160371	Calibration ring	1 ring	Module: M1018A
15209-60010 CE	Accessory kit for tcpO <sub>2</sub> /tcpCO <sub>2</sub> transducer	10ml electrolyte, 12 membranes, 2 transducer caps, 25 cleaning papers, Instructions, O-ring remover	Transducer: M1918A
15209-60020 CE	Fixation kit for tcpO <sub>2</sub> /tcpCO <sub>2</sub> transducers	100 fixation rings, 4 (20ml) bottles contact liquid, instructions	
15210-60010	Cal 1 gas cylinders for calibration (not available in Europe or Japan)	6 cylinders	Module: M1018A Calibration unit: 15210B Transducer: M1918A, M1918B Microstream® extension server: M3015A, M3015B
15210-60020	Cal 2 gas cylinders for calibration (not available in Europe or Japan)		
15210-64010	Gas Cal 1 gas cylinders for calibration (meets international shipping requirements)		
15210-64020	Gas Cal 2 gas cylinders for calibration (meets international shipping requirements)		
M2205A	Calibration tubes used to connect 15210B calibration unit to M1918A or M1918B transducer during calibration	5 tubes	Module: M1018A Calibration unit: 15210B Transducer: M1918A, M1918B

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Cardiac Output



1



2

# Cardiac Output

## Invasive Cardiac Output

Product #	Description	Packaging	Use with:*
1 15244A	Remote Startup Switch and Cable	1 cable	Module: M1012A Opt. C12, Hemodynamic Measurement Server: M3012A, Capnography Extension: M3014A
23001A	Reusable Injectate Temp Probe to measure cardiac output For use with Baxter CO-Set™ kit only Length: 7'9 ft (2.4m)	1 probe	Module: M1012A, Hemodynamic Measurement Server: M3012A, Capnography Extension: M3014A, 860335, 860338
23001B	Reusable Injectate Temp Probe to measure cardiac output For use with Baxter CO-Set™ kit only Length: 1'9 ft (0.5m)		
23002A	Ice bath temperature probe		
M1642A	Cardiac Output Cable	1 cable	Efficia CM12 (863303), CM120 (863302), CM150 (863304) Module: M1012A, Hemodynamic Measurement Server: M3012A
2 M1643A	Cardiac Output Cable for use with pulse contour analysis and transpulmonary thermodilution Length: 15.75 ft (4.8m)		
M1646A	PICCO temperature probe to measure cardiac output (not available in N. America)	1 probe	Module: M1012A

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



1 A



1 B



2



3

# ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

## Trunk cables

# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:* (Also for use with Efficia CM monitors)	
1 A	M1669A CE	ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included	Reusable	2,7 m (9.9ft)	1 cable	Modules: M1001B, M1002B, Multi-Measurement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863063, 863064, 863065, 863066, 863068, 863077, 863085, 863086, 863087, 863088, 863317; Efficia Monitors 863300, 863301, 863302, 863303, 863304, 863320, 863321, 863322; Defibrillators M3534A, M3535A, M3536A (Heart Start MRx), M4735A (HeartStart XL), 861290 HeartStartXL+, DFM 100, Efficia CM12 (863303), CM120 (863302), CM150 (863304)	
	3	989803170171 OR (Orange) CE			OR ECG Trunk Cable, 12-pin connector. AAMI and IEC labels included. For use in operating room	1 cable	Multi-Measurement Modules: M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863064, 863065, 863066, 863068, 863317 Efficia Monitors 863300, 863301, 863302, 863303, 863304 Defibrillator: DFM 100, Efficia CM12 (863303), CM120 (863302), CM150 (863304)
2	M1668A CE	ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included			5	1 cable	Modules: M1001B, M1002B, Multi-Measurement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863064, 863065, 863066, 863068, 863086, 863087, 863088, 863317; Efficia Monitors 863300, 863301, 863302, 863303, 863304, 863320, 863321, 863322; Defibrillators: M3534A, M3535A, M3536A (Heart Start MRx), M4735A (HeartStart XL), 861290 HeartStartXL+, DFM 100, Xper Flex Cardio: 860338, 850335, Efficia CM12 (863303), CM120 (863302), CM150 (863304)
	989803170181 OR CE	OR ECG Trunk Cable, 12-pin connector. AAMI and IEC labels included. For use in operating room				1 cable	Multi-Measurement Modules: M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863065, 863066, 863068, 863317 Efficia Monitors 863300, 863301, 863302, 863303, 863304, 863320, 863321, 863322 Defibrillator: DFM 100, Efficia CM12 (863303), CM120 (863302), CM150 (863304)
3	M1667A CE	ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included			6	1 cable	Multi Measurement Server: M3000A, M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18, MP2: M8102A Opt C12, MP5: M8105A Opt C12, Defibrillator HeartStartXL+ 861290

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family





# ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

## Trunk cables (continued)

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:* (Also for use with Efficia CM monitors)
4	10 (5+5)	M1663A CE	ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included	Reusable	2m (6.5ft)	1 cable	Multi-Measurement Modules: M3000A, M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18; Patient Monitors: MP5: M8105A Opt C12, MP2: M8102A Opt C12, ECG Modules: M1001B, M1002B, Efficia Monitors: 863302, 862202, 863304, 863321, 863322 Defibrillators: M3535A (HeartStart MRx), M4735 (HeartStart XL), Defibrillator Heart Start XL+ 861290, Efficia CM12 (863303), CM120 (863302), CM150 (863304)
		M1949A CE	ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included		2,7 m (9.9ft)	1 cable	Multi-Measurement Modules: M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18; Patient Monitors: MP5: M8105A Opt C12, MP2: M8102A Opt C12, ECG, Efficia Monitors: 863302, 863303, 863304, 863321, 863322 Defibrillators: M3535A, M3536A (HeartStart MRx), M4735A (HeartStart XL), Defibrillator Heart Start XL+ 861290 XPer Flex Cardio 860335, 860338, Efficia CM12 (863303), CM120 (863302), CM150 (863304)
5	10 (6+4)	M1665A CE	ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included				1 cable

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

Trunk cable adapter for non Philips monitors (connects non Philips trunk cables to IntelliVue Lead sets)

# of Leads	Product #	Description	Reusable/ Single patient use	Packaging	Use with:*
5 (can also be used for 3 lead ECG)	989803174501 CE	ECG Trunk Cable Adapter- GE, AAMI/IEC	Reusable	1 adapter	Connects to GE 5-lead monitoring trunk cables with MultiLink-style connectors (such as product numbers 41-2931-XXX, 411910-0011)
	989803174511 CE	ECG Trunk Cable Adapter - Spacelabs, AAMI/IEC			Connects to Spacelabs 5-lead monitoring trunk cables with TruLink-style connectors (such as Spacelabs 700-0008-06 shielded trunk)
	989803174521 CE	ECG Trunk Cable Adapter - Datascope AAMI			Connects to Datascope 5-lead monitoring AAMI trunk cables with DIN-style connector (0012-00-0620-02)
	989803174531 CE	ECG Trunk Cable Adapter - Mindray, AAMI/IEC			Connects to Mindray 5-lead monitoring trunk cables (such as 0012-00-1255-02)
	989803177881 CE	ECG Trunk Cable Adapter - Datascope IEC			Connects to Datascope 5-lead monitoring IEC trunk cables with DIN-style connector
	989803182171 CE	ECG Trunk Cable Adapter - Draeger/Fukuda Denshi, AAMI/IEC			Connect Philips 3- and 5-lead leadsets to Draeger monitoring trunk cables (such as 3368391, 5950196, 5191221)
	989803182181 CE	ECG Trunk Cable Adapter - Nihon Kohden, AAMI /IEC			Connect any Philips 3- and 5-lead leadsets to Nihon Kohden monitoring trunk cables (such as JC-906P)

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



# ECG Cables and Leads – Bedside ECG IntelliVue Cable Family


## Lead Sets AAMI Color Coding

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:* (Also for use with Efficia CM monitors)
1	3	M1671A	ICU, grabber	Reusable	1m (3.3ft)	1 each	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
		M1673A	ICU, snap				
2		M1675A	OR, grabber				
		M1622A	Miniclip, grabber, unshielded	45cm (18")			
3		M1624A	Miniclip, grabber, unshielded				
	989803173121	ICU grabber	Single Patient Use		20 each		
	4 chest	M1532A	ICU, grabber	Reusable	1m (3.3ft)	1 each	6+4 trunk cable M1665A
		M1537A	ICU, snap				
		989803192241	ICU, DIN to Tab				
		M1557A	OR, grabber				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



4



5



6



7



8

# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

## Lead Sets AAMI Color Coding (continued)

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:* (Also for use with Efficia CM monitors)
4	5 limb	M1968A	ICU, grabber	Reusable	Limb 1m (3.3ft) chest 1,6m (5.3 ft)	1 each	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
		M1644A	ICU, snap				
		989803192181	ICU, DIN to Tab				
5		M1973A	OR, grabber				
6	5 limb	M1647A	Miniclip grabber, unshielded	Single patient use	Limb 70 cm (28") chest 1,3m (2.3ft)	20 each	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
7		989803173131	ICU, grabber				
8	5 chest	M1976A	ICU, grabber	Reusable	1m (3.3ft)	1 each	Efficia CM12 (863303), CM120 (863302), CM150 (863304)  5+5 Trunk cable M1949A, M1663A
		M1602A	ICU, snap Reusable Length: 1m (3.3ft)				
		989803192201	ICU, DIN to Tab				
		M1979A	OR, grabber				Efficia CM12 (863303), CM120 (863302), CM150 (863304)


\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



9



10



# ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

## Lead Sets AAMI Color Coding (continued)

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
							(Also for use with Efficia CM monitors)
	5 chest	989803192141	ICU, grabber	Single patient use	1m (3.3ft)	20 each	5+5 Trunk cable M1949A, M1663A
9	6	M1680A	ICU, grabber	Reusable	Limb 1m (3.3ft) chest 1,6m (5.3 ft)	1 each	6 lead Trunk cable M1667A or 6+4 Trunk cable M1665A
		M1682A	ICU, snap				
		989803192221	ICU, DIN to Tab				
10		M1684A	OR, grabber				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

## Lead Sets IEC Color Coding

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:* (Also for use with Efficia CM monitors)
1	3	M1672A CE	ICU, grabber	Reusable	1m (3.3ft)	1 each	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
		M1674A CE	ICU, snap				
2		M1678A CE	OR, grabber				
3		M1626A CE	Miniclip, grabber, unshielded		70cm (28")		
		989803174201 CE	ICU, grabber	Single patient use	20 each		
4	4 chest	M1533A CE	ICU, grabber	Reusable	1m (3.3ft)	1 each	6+4 trunk cable M1665A
		M1538A CE	ICU, snap				
		989803192251 CE	ICU, DIN to Tab				
5		M1558A CE	OR, grabber				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

6



7



8



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

## Lead Sets IEC Color Coding (continued)

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:* (Also for use with Efficia CM monitors)
6	5 limb	M1971A CE	ICU, grabber	Reusable	Limb 1m (3.3ft) chest 1,6m (5.3 ft)	1 each	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
		M1645A CE	ICU, snap				
		989803192191 CE	ICU, DIN to Tab				5 lead Trunk cable M1668A, OR trunk cable 989803170181 or 5+5 trunk cable M1949A, M1663A
		M1974A CE	OR, grabber				
		7	M1648A CE	Miniclip grabber, unshielded	Single patient use	Limb 70 cm (28in) chest 1,3m (2.3ft)	20 each
	989803174211 CE	ICU, grabber	5 lead Trunk cable M1668A, OR trunk cable 989803170181 or 5+5 trunk cable M1949A, M1663A				
8	5 chest	M1978A CE	ICU, grabber	Reusable	1 m (3.3ft)	1 each	5+5 Trunk cable M1949A, M1663A
		M1604A CE	ICU, snap				
		989803192211 CE	ICU, DIN to Tab				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



9



10



11

# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

## Lead Sets IEC Color Coding (continued)

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
							(Also for use with Efficia CM monitors)
9	5 chest	M1984A CE	OR, grabber	Reusable	1m (3.3ft)	1 each	Efficia CM12 (863303), CM120 (863302), CM150 (863304)
		989803192151 CE	ICU, grabber	Single patient use		20 each	
10	6	M1681A CE	ICU, grabber	Reusable	Limb 1m (3.3ft) chest 1,6m (5.3 ft)	1 each	6 lead Trunk cable M1667A or 6+4 Trunk cable M1665A
		M1683A CE	ICU, snap				
11		989803192231 CE	ICU, DIN to Tab				
		M1685A CE	OR, grabber				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## ECG Cables and Leads - Bedside ECG IntelliVue Cable Family





# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family


## Radiolucent ECG Lead Sets - AAMI/IEC Color Coding

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1	5	M1649A CE	5 unshielded radiolucent grabber leads with Safety DIN connectors, AAMI/IEC color markers included	Reusable	91cm (36")	5 individual leads	5 lead trunk cable M1668A, OR trunk cable 989803170181 or 5+5 trunk cable M1949A, M1663A

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



1



2



3



4




5



6



7



8



# ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

## IntelliVue Cable family - Leads Accessories

Product #	Description	Packaging	Use with:*
989803193821	DIN to Tab Adapters	10 adapters	All DIN to Tab lead sets
1 989803148841 C€	IntelliVue Cable Management Kit	5 organizers	All cables
2 989803148861 C€	IntelliVue Trunk Cable Covers (5 leads)	10 covers	M1663A or M1949 5+5 trunk cables
3 M1636A	Organizer for unshielded 3-lead sets	10 organizers	All unshielded 3 lead set
4 M1638A	Organizer for unshielded 5-lead sets		All unshielded 5 lead sets
M1503A	Organizer for shielded 3-lead sets		All shielded 3-lead sets
5 M1664A	Organizer for shielded 4-lead sets		All shielded 4-lead sets
M1504A	Organizer for shielded 5-lead sets		All shielded 5-lead sets
6 M1679A	Organizer for shielded 6-lead sets		All shielded 6-lead sets
7 M1509A	Bedsheet clip for trunk cables	3 clips	All trunk cables
8 M2281A	Patient cable organizer (hook)	8 hooks	All cables

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Sure Signs one piece trunk/leadset cable



1



2



3



4



5

# Sure Signs one piece trunk/leadset cable

## One Piece Trunk/Leadset cables AAMI and IEC Color Coding

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1	3	989803143171	Grabber IEC CE	Reusable	2,5m (8.2ft)	1 cable	SureSigns monitors 863063 86064,86065, 863066, 86068, 863077, 863085, 863086, 863087, 863088, 863300, 863301, 863302, 863303, 863304, 863317, 863320, 863321, 863322, Measurement Server M3001A M3001AL, MP2 M8102A, MP5 M8105A, X2 M3002A, Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
2		989803143181	Grabber AAMI				
3	5	989803143191	Grabber, IEC CE				
	6	989803143201	Grabber, AAMI				

# ECG Cables and Leads- Hemodynamic Monitoring


## Leads for Hemodynamic Monitoring

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
4	4	989803174231	Grabber AAMI for 16 Lead Hemo CE	Reusable	1,6m (3.3ft)	1 each	Xper Flex Cardio physiomonitring system FC2010 and FC2020. Use with M1949A 5+5 ECG trunk cable
5		989803174241	Grabber IEC for 16 Lead Hemo CE				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Efficia ECG Cables





# Efficia ECG Cables

## One Piece Sets

	Product #	Description	IEC Part number	Length	Use with:*
1	989803160731	3-Lead grabber	989803160741	2.5 m	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
2	989803160751	3-Lead snap	989803160761		
3	989803160771	5-Lead grabber	989803160781		
4	989803160791	5-Lead snap	989803160801		

## 3-Lead Sets

	Product #	Description	IEC Part number	Use with:*
5	989803160651	Grabber	989803160661	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
6	989803160671	Snap	989803160681	


## 5-Lead Sets

	Product #	Description	IEC Part number	Use with:*
	989803160691	Grabber	989803160701	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
	989803160711	Snap	989803160721	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue MX40 Wearable Patient Monitoring Supplies - Patient Cables





# IntelliVue MX40 Wearable Patient Monitoring Supplies - Patient Cables

## Patient Cables AAMI color coding

	# of Leads	Product #	Parameter	Lead Termination	Reusable/ Single patient use	Length	Packaging	Use with:*
1	3	989803171801	ECG	Grabbers	Reusable	85cm (34")	1 each	MX40 1.4 GHz - SH Patient Worn Monitor 865350 (US only), MX40 2.4 GHz - SH Patient Worn Monitor 865351
2		989803171811	ECG+ SpO <sub>2</sub>					
3	5	989803171821	ECG	Snaps				
4		989803171831	ECG	Grabbers				
5		989803171841	ECG+ SpO <sub>2</sub>	Snaps				
6		989803171851	ECG+ SpO <sub>2</sub>	Grabbers				
7		989803172031	ECG					
8		989803172051	ECG+ SpO <sub>2</sub>					
9	6	989803171861	ECG				Reusable	
10		989803171871	ECG+ SpO <sub>2</sub>	20 each				
							1 each	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue MX40 Wearable Patient Monitoring Supplies - Patient Cables



# IntelliVue MX40 Wearable Patient Monitoring Supplies - Patient Cables

## Patient Cables IEC Color coded

	# of Leads	Product #	Parameter	Lead Termination	Reusable/ Single patient use	Length	Packaging	Use with:*		
1	3	989803171901	ECG	Grabbers	Reusable	85cm (34")	1 each	MX40 1.4 GHz - SH Patient Worn Monitor 865350 (US only), MX40 2.4 GHz - SH Patient Worn Monitor 865351		
2		CE	989803171911						ECG+ SpO <sub>2</sub>	CE
3	5	989803171931	ECG		Single patient use		20 each			
4		CE	989803171951						ECG+ SpO <sub>2</sub>	CE
		989803172131	ECG						CE	
		989803172151	ECG+ SpO <sub>2</sub>		CE					
5	6	989803171961	ECG		Reusable		1 each			
6		989803171971	ECG+ SpO <sub>2</sub>	CE						

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue MX40 Wearable Patient Monitoring Supplies - Patient Cables



1

# IntelliVue MX40 Wearable Patient Monitoring Supplies - Patient Cables



## Miscellaneous MX40 Cable/Supplies

Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
989803172221 CE	Patient Monitor ECG Trunk Cable AAMI/IEC	Reusable	2,7m (9 ft)	1 each	MX40 1.4 GHz - SH Patient Worn Monitor 865350 (US only), MX40 2.4 GHz - SH Patient Worn Monitor 865351
1 989803172241 CE	Extender cable		1m (3.2 ft)		
989803172211 CE	IntelliVue Adapter Cable Bedside/Tele ECG+SpO <sub>2</sub>		30cm (1 ft)		
989803176491	Protective Cap for reusable Leads			10 caps	All MX40 reusable leads
989803176501	Protective Cap for adapter cable 989803172211				SpO <sub>2</sub> socket of adapter cable 989803172211

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue Telemetry ECG Cables and Leads - Patient Cables





# IntelliVue Telemetry ECG Cables and Leads - Patient Cables


## IntelliVue Telemetry Leadsets AAMI

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1	3	989803151971	Grabber and shower shield	Reusable	85cm (34")	1 each	Telemetry 862231 None U.S. TRx4851A 2.4 Ghz IntelliVue Tele TRX, 862439: U.S. only TRx4841A 1.4. Ghz IntelliVue Tele TRX
2		989803151991	Snap and shower shield				
3		989803173141	Grabber and shower shield	Single patient use		20 each	
4	5	989803152051	Grabber and shower shield	Reusable		1 each	
5		989803152071	Snap and shower shield			20 each	
6		989803173151	Grabber and shower shield	Single patient use			
7	6	989803152131	Grabber and shower shield	Reusable	1 each		
8		989803152151	Snap and shower shield				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue Telemetry ECG Cables and Leads - Patient Cables





# IntelliVue Telemetry ECG Cables and Leads - Patient Cables

## IntelliVue Telemetry Leadsets IEC

	# of Leads	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1	3	989803151981	Grabber and shower shield CE	Reusable	85cm (34")	1 each	Telemetry 862231 None U.S. TRx4851A 2.4 Ghz IntelliVue Tele TRX, 862439: U.S. only TRx4841A 1.4. Ghz IntelliVue Tele TRX
2		989803152001	Snap and shower shield CE				
3	5	989803152061	Grabber and shower shield CE				
4		989803152081	Snap and shower shield CE				
5	6	989803152141	Grabber and shower shield CE				
6		989803152161	Snap and shower shield CE				

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue Telemetry ECG Cables and Leads - Patient Cables



# IntelliVue Telemetry ECG Cables and Leads - Patient Cables

## IntelliVue Telemetry Shields and Alignment Guides

Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1 989803143481 C€	Tether cable connects PWD to TeleMon tether cable or MP5 tether cable	Reusable	51 cm (20")	1 cable	862231 TRX4851A 2.4 GHz IntelliVue Tele TRX, 862439 1.4 GHZ IntelliVue Tele TRX, M8105A IntelliVue MP5
2 989803143491 C€	TeleMon tether cable connects the M2636C to the PWD tether cable		2 m (79")		862231 TRX4851A 2.4 GHz IntelliVue Tele TRX, 862439 1.4 GHZ IntelliVue Tele TRX
3 989803146911 C€	MP5 tether cable connects the MP5 to the PWD tether cable		862231 TRX4851A 2.4 GHz IntelliVue Tele TRX, 862439 1.4 GHZ IntelliVue Tele TRX, M8105A IntelliVue MP5		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue Telemetry ECG Cables and Leads - Patient Cables



# IntelliVue Telemetry ECG Cables and Leads - Patient Cables

## IntelliVue Telemetry Shields and Alignment Guides

Product #	Description	Packaging	Use with:*
1 989803153031	3 lead detachable shield replacements	10 shields	All IntelliVue Telemetry lead sets
2 989803153041	5 lead detachable shield replacements		
3 989803153051	6 lead detachable shield replacements		
989803140401	Single ECG alignment guide protective insert, untethered		IntelliVue Telemetry: 862231:TRx4851A Transceiver; 862439: TRx4841A Transceiver; 862108: M2601B Transmitter
989803140411	Single ECG alignment guide protective insert, tethered		
989803140421	Double ECG alignment guide protective insert, untethered		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.




# EEG Supplies (Electroencephalogram)



1



2



3



4



5



6



7



8



# EEG Supplies (Electroencephalogram)

## EEG Supplies (Electroencephalogram)

	Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1	M2268A CE	5 lead trunk cable	Reusable	2,7m (8.8ft)	1 cable	M1027A EEG Module
2	989803180541 CE	4 channel trunk cable			1 cable	
3	M1931A CE	5 lead EEG adult cup electrode set		80cm (31.5")	5 leads	
4	M1932A CE	5 lead EEG pediatric cup electrode set			5 leads	
5	M1934A CE	5 lead EEG miniclip lead set			5 leads	
6	989803180561 CE	9 lead EEG adult cup electrode set			9 leads	
	989803180531 CE	9 lead EEG miniclip lead set			9 leads	
7	989803180521 CE	9 lead EEG infant and pediatric cup electrode set		9 leads		
	M1937A CE	EEG conductive paste		1 tube	Cup electrodes	
8	M1935A CE	EEG Snap electrodes		100 each	Miniclip EEG lead sets	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue NMT (Neuro Muscular Transmission) Patient Cable



1



# IntelliVue NMT (Neuro Muscular Transmission) Patient Cable

## IntelliVue NMT (Neuro Muscular Transmission) Patient Cable

Product #	Description	Reusable/ Single patient use	Length	Packaging	Use with:*
1 989803174581 C€	Patient cable with 12 pin instrument connector	Reusable	3m (9.8ft)	1 each	IntelliVue Neuro muscular Transmission Module 865383

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Disposable ECG Electrodes





# Disposable ECG Electrodes

## Disposable Adult ECG Monitoring Electrodes

Product #	Description	Packaging	Use with:*
1 989803148801	Small Adult, foam, solid gel snap ECG electrode, shelf life: 6 months Size: 1.6" x 1.26" (40mm x 32mm)	30/pack 1500/case	Adult ECG monitoring Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
2 989803148821	Small Adult, radiolucent foam, solid gel ECG electrode, shelf life: 6 months Size: 1.4" x 1.6" (35mm x 40mm)	30/pack 600/case	
3 40489E	Adult paper tape ECG electrode, shelf life: 6 months Recommended for diaphoretic patients Dimensions: 2 3/8" (59mm) diameter	30/pack 300/case	Adult ECG Monitoring
40493D	Adult foam, wet gel ECG electrode Dimensions: 2 1/8" (54mm) diameter Shelf life: 6 months	30/pack 60 packs/case	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Adult ECG Monitoring: M2735A, M2738A, M2720A; Cableless Toco+ MP Transducer: 866075; Cableless ECG/IUP Transducer 866077 to Use with column for 40493D and 40493E
4 40493E	Adult foam, wet gel ECG electrode Dimensions: 2 1/8" (54mm) diameter Shelf life: 6 months		
M4612A	Adult foam, solid gel ECG electrode Teardrop shape, 2" (50mm) diameter Shelf life: 6 months		
5 M4613A	Adult foam, solid gel ECG electrode Teardrop shape, 2" (50mm) diameter Shelf life: 6 months	100 per bag	Adult ECG Monitoring
M2202A	Adult radiotranslucent foam electrode Shelf life: 6 months		
6 M4606A	Skin prep paper		Use to prep skin for electrodes

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Disposable ECG Electrodes

1



2



# Disposable ECG Electrodes

## Disposable Adult Metallic ECG Lead Wire Electrodes - AAMI Color Coding

Product #	Description	Packaging	Use with:*
1 989803156201	Preattached metallic 3-leadwire (36") electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened	1 set/pack 100 sets/box	Adult ECG monitoring
2 989803156241	Preattached metallic 5-leadwire (36") electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened	1 set/pack 60 sets/box	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.





# Disposable ECG Electrodes

## Disposable Adult Radiolucent ECG Lead Wire Electrode - IEC Color Coding

Product #	Description	Packaging	Use with:*
989803156231	Preattached radiolucent 3-leadwire (1m) electrode set, non-shielded, solid gel Dimensions: 30mm x 45mm Shelf life: 24 months, unopened	1 set/pack 100 sets/box	Adult ECG monitoring
989803156271	Preattached radiolucent 5-leadwire (1m) electrode set, non-shielded, solid gel Dimensions: 30mm x 45mm Shelf life: 24 months, unopened	1 set/pack 60 sets/box	

## Disposable Adult Radiolucent ECG Lead Wire Electrode - AAMI Color Coding

Product #	Description	Packaging	Use with:*
989803156221	Preattached radiolucent 3-leadwire (36in) electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened	1 set/pack 100 sets/box	Adult ECG monitoring
989803156261	Preattached radiolucent 5-leadwire (36in) electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened	1 set/pack 60 sets/box	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Disposable ECG Electrodes



1



2



# Disposable ECG Electrodes


## Disposable Pediatric ECG Monitoring Electrodes

Product #	Description	Packaging	Use with:*
1 13951C	Disposable, repositionable solid gel electrode, snap Dimensions: 7/8" x 1 1/4" (22mm x 33mm) 3 electrodes mounted on plastic card Shelf life: 6 months	3/pack 100 packs/case	Pediatric/neonatal monitors
2 13955C	Disposable, repositionable solid gel electrode, snap Dimensions: 7/8" x 7/8" (22mm x 22mm) 3 electrodes mounted on plastic card Shelf life: 6 months		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Disposable ECG Electrodes



# Disposable ECG Electrodes

## Disposable Infant/Pediatric Metallic Lead Wire Electrodes: AAMI Color Coding

Product #	Description	Packaging	Use with:*
1 13952A	Pre-attached metallic 46 cm (18") leadwire electrode, nonshielded, AAMI solid gel. Dimension: 22mm x 33mm (7/8" x 1 1/4"); socket size 1.5mm. Shelf life: 6 months.	3 electrodes/pack; 300/case	IntelliVue MP2 - M8102A, IntelliVue MP5 -M8105A, MMS - M3000A, M3001A, M3002A, M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric), 863063, 863064, 863065, 863066, 863068, 863077
13953A	Pre-attached metallic 45cm (18") leadwire electrode, nonshielded, AAMI solid gel. Dimension: 22mm x 22mm (7/8" x 7/8"); socket size 1.5mm; Shelf life: 6 months	3 electrodes/pack; 300/case	
2 989803183101	NeoLead, metallic, pre-attached leadwire (24") pediatric/neonatal ECG electrodes. Hydrogel/Hydrocolloid adhesive. AAMI, Standard DIN connector. 1" round.	3 electrodes/pack 50 packs/box	ECG modules: M1001B, M1002B; Multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors: M8105A, M8102A, 863064, 863065, 863066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181
3 989803183081	Mini NeoLead, metallic pre-attached leadwire (24") pediatric/neonatal ECG electrodes. Hydrogel/Hydrocolloid adhesive. AAMI, Standard DIN connector, 3/4" round		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Disposable ECG Electrodes





# Disposable ECG Electrodes

## Disposable Infant/Pediatric Radiolucent Lead Wire Electrodes: AAMI Color Coding

Product #	Description	Packaging	Use with:*
1 13952B	Preattached radiolucent (18") 3-leadwire electrode, non-shielded, solid gel Dimension: 7/8" x 1-1/4" (socket size: 1.5mm) Shelf life: 6 months	3 electrodes/pack 300/case	MP2 - M8102A, MP5 -M8105A, MMS - M3000A, M3001A, M3002A, ECG modules -M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric) 863063, 863064, 863065, 863066, 863068, 863077; Requires ECG trunk cable: M1668A or 989803170181
13953B	Preattached radiolucent (18") 3-leadwire electrode, non-shielded, solid gel Dimension: 7/8" x 7/8" (socket size: 1.5mm) Shelf life: 6 months		
2 989803183121	NeoLead, radiolucent pre-attached leadwire (24") pediatric/neonatal ECG electrodes. AAMI; Standard DIN connector 1" round.	3 electrodes per pouch 50 per box	ECG modules: M1001B, M1002B; multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors MP5 -M8105A, MP2-M8102A, 863064, 863065, 833066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181
3 989803183141	Micro NeoLead, radiolucent pre-attached leadwire (24") pediatric/neonatal ECG electrodes. AAMI, standard DIN connector 1" x 3/8".		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Disposable ECG Electrodes




# Disposable ECG Electrodes

## Disposable Infant/Pediatric Metallic Lead Wire Electrodes: IEC Color Coding

Product #	Description	Packaging	Use with:*
1 13952D	Preattached metallic (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 33mm, (socket size: 1.5mm) Shelf life: 6 months	3 electrodes /pack; 300/case	MP2 - M8102A, MP5 -M8105A, MMS - M3000A, M3001A, M3002A, ECG modules -M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric) 863063, 863064, 863065, 863066, 863068, 863077; Requires ECG trunk cable: M1668A or 989803170181
13953D	Preattached metallic (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 22mm, (socket size: 1.5mm) Shelf life: 6 months		
2 989803183111	NeoLead, metallic pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC; standard DIN connector, 25 mm round	3 electrodes /pack; 50 per box	ECG modules: M1001B, M1002B; multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors MP5 -M8105A, MP2-M8102A, 863064, 863065, 833066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181
3 989803183091	Mini NeoLead, metallic pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC; standard DIN connector. 19 mm round		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Disposable ECG Electrodes





# Disposable ECG Electrodes

## Disposable Infant/Pediatric Radiolucent Lead Wire Electrodes: IEC Color Coding

Product #	Description	Packaging	Use with:*
1 13952E	Preattached radiolucent (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 33mm, (socket size: 1.5mm), Shelf life: 6 months	3 electrodes/pack; 300/case	MP2 - M8102A, MP5 -M8105A, MMS - M3000A, M3001A, M3002A, ECG modules -M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric)- 863063, 863064, 863065, 863066, 863068, 863077; Requires ECG trunk cable: M1668A or 989803170181
13953E	Preattached radiolucent (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 22mm, (socket size: 1.5mm) Shelf life: 6 months		
2 989803183131	NeoLead, radiolucent pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC, standard DIN connector, 25 mm round	3/pack 50 packs/box	ECG modules: M1001B, M1002B; multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors MP5 -M8105A, MP2-M8102A, 863064, 863065, 833066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181
3 989803183151	Micro NeoLead, radiolucent pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC, standard DIN connector, 25mm x 9.5 mm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Invasive Blood Pressure



# Invasive Blood Pressure

## Reusable Invasive Blood Pressure Solution

Product #	Description	Packaging	Use with:*
1 CPJ840J6	Reusable Pressure Transducer Used to measure arterial and venous blood pressure Includes one transducer holder Cable length: 3m	1 transducer	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) M8102A, M8105A, M1006A, M1006B, M3000A, M3001A, M3002A, M1312A, M3014A, M3016A, 863065, 863066, 863068, M3015A, M3015B
CPJ84022	Single use sterile domes	50 domes	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) CPJ840J5, CPJ840J6, M8102A, M1006A, M1006B, M3000A, M3001A, M3002A, M3012A, M3014A, M3016A, 863065, 863066, 863068, M8105A, M3015A, M3015B
CPJ84026	Monitoring Line Set	10 sets per bag	863065, 863066, 863068, 863087, 863088, M3536M, M3002A, M8102A, M3535A, M8105AT, M8105A, M3536A, M3015A, M3015B
CPJ84046	Transducer holder	4 holders	M3002A, M3015A, M3015B, M3535A, M3536A, M3536M, M3536M1, M3536M2, M3536M3, M3536M4, M3536M5, M8102A, M8105A, M8105AT
CPJ84447	IV pole mount	1 mount	CPJ840J5 or CPJ840J6 transducers with instruments: M8102A, M8105A, M1006A, M1006B, M3000A, M3001A, M3002A, M1312A, M3014A, M3016A, 863065, 863066, 863068, M3015A, M3015B

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Reusable NBP Cuffs



# Noninvasive Blood Pressure – Reusable NBP Cuffs

## Multi Patient Comfort Care Cuffs – Single Hose

Product #	Description	Packaging	Use with:*
M1571A	Comfort Care Cuff, Infant Bladder width: 2.2" (5.5cm); Bladder length: 5.9" (15cm) Limb circumference: 10cm to 15cm	1 cuff	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) 78352A, 78352C, 78354A, 78354C, M1008A, M1008B, M1176A, M1350B, M1350C, 860335, 860338, 861290, 861493, 861494, 861495, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863275, 863276, 863277, 863278, 863279, 863283, M2702A, M2703A, M2704A, M2705A, M3001A, M3002A, M3535A, M3536A, M3536M, M3536M1, M3536M2, M3536M3, M3536M4, M3536M5, M3536M6, M3536M7, M3536M8, M3536M9, M3536MC, M8102A, M8105A, M8105AS, M8105AT
M1572A	Comfort Care Cuff, Pediatric Bladder width: 3.1" (8cm); Bladder length: 8.5"(21.5cm) Limb circumference: 14cm to 21.5cm		
M1573A	Comfort Care Cuff, Small Adult Bladder width: 4.1" (10.5cm); Bladder length: 9.4" (24cm) Limb circumference: 20.5cm to 28cm		
M1573XL	Comfort Care Cuff, Small Adult XL Bladder width: 4.1" (10.5cm); Bladder length: 9.4" (24cm) Limb circumference: 20.5cm to 28cm		
M1574A	Comfort Care Cuff, Adult Bladder width: 5.1" (13cm); Bladder length: 11" (28cm) Limb circumference: 27cm to 35cm		
M1574XL	Comfort Care Cuff, Adult XL Bladder width: 5.1" (13cm); Bladder length: 11" (28cm) Limb circumference: 27cm to 35cm	1 cuff	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) 78352A, 78352C, 78354A, 78354C, M1008A, M1008B, M1176A, M1350B, M1350C, 860335, 860338, 861290, 861493, 861494, 861495, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863275, 863276, 863277, 863278, 863279, 863283, M2702A, M2703A, M2704A, M2705A, M3001A, M3002A, M3535A, M3536A, M3536M, M3536M1, M3536M2, M3536M3, M3536M4, M3536M5, M3536M6, M3536M7, M3536M8, M3536M9, M3536MC, M8102A, M8105A, M8105AS, M8105AT
M1575A	Comfort Care Cuff, Large Adult Bladder width: 6.3" (16cm); Bladder length: 13.8" (35cm) Limb circumference: 34cm to 43cm		
M1575XL	Comfort Care Cuff, Large Adult XL Bladder width: 6.3" (16 cm); Bladder length: 13.8" (35 cm) Limb circumference: 34cm to 43cm		
M1576A	Comfort Care Cuff, Large Adult XL Bladder width: 7.9" (20 cm); Bladder length: 16.9" (43 cm) Limb circumference: 42cm to 54cm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Reusable NBP Cuffs





# Noninvasive Blood Pressure - Reusable NBP Cuffs

## Multi Patient Easy Care Cuffs - Single Hose

Product #	Description	Packaging	Use with:*
M4552B / M4552B5	Infant, orange Bladder width 2.2" (5.5cm) Bladder length: 5.9" (15cm) Limb circumference: 10-15cm	1 cuff / 5 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478
M4553B / M4553B5	Pediatric, green Bladder width 3.1" (8cm) Bladder length: 8.5" (21.5cm) Limb circumference: 14-21.5cm		
M4554B / M4554B5	Small Adult, light blue. Bladder width: 4.2" (10.6cm) Bladder length 9.4" (24cm). Limb circumference: 20.5cm to 28.5cm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Reusable NBP Cuffs







# Noninvasive Blood Pressure – Reusable NBP Cuffs

## Multi Patient Easy Care Cuffs – Single Hose (continued)

Product #	Description	Packaging	Use with:*
M4555B / M4555B5	Adult, navy blue Bladder width: 5.3" (13.5cm) Bladder length 11.8" (30cm) Limb circumference: 27.5cm to 36cm	1 cuff / 5 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
M4556B / M4556B5	Adult Extra-Long, navy blue Bladder width: 5.3" (13.5cm) Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4557B / M4557B5	Large Adult, burgundy Bladder width: 6.7" (17cm) Bladder length: 15" (38cm). Limb circumference: 35cm to 45cm		
M4558B / M4558B5	Large Adult Extra-Long, burgundy Bladder width: 6.7" (17cm) Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4559B / M4559B5	Thigh, grey Bladder width: 8.3" (21cm) Bladder length: 18.9" (48cm) Limb circumference: 44cm to 56cm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure - Reusable NBP Cuffs





# Noninvasive Blood Pressure – Reusable NBP Cuffs

## Multi Patient Easy Care Cuffs – Double Hose

Product #	Description	Packaging	Use with:*
M4562B	Infant, orange Bladder width 2.2" (5.5cm) Bladder length: 5.9" (15cm) Limb circumference: 10cm to 15cm	1 cuff	For use with double hose monitors, including Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
M4563B	Pediatric, green Bladder width 3.1" (8cm) Bladder length: 8.5" (21.5cm) Limb circumference: 14cm to 21.5cm		
M4564B	Small Adult, light blue Bladder width: 4.2" (10.6cm) Bladder length 9.4" (24cm) Limb circumference: 20.5cm to 28.5cm		
M4565B	Adult, navy blue Bladder width: 5.3" (13.5cm) Bladder length 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4566B	Adult Extra-Long, navy blue Bladder width: 5.3" (13.5cm) Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4567B	Large Adult, burgundy Bladder width: 6.7" (17cm) Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4568B	Large Adult Extra-Long, burgundy Bladder width: 6.7" (17cm) Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4569B	Thigh, grey. Bladder width: 8.3" (21cm) Bladder length: 18.9" (48cm) Limb circumference: 44cm to 56cm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Reusable NBP Cuff Kits



1



2

# Noninvasive Blood Pressure – Reusable NBP Cuff Kits

## Multi Patient NBP Cuff Kits – Single Hose

Product #	Description	Packaging	Use with:*
1 864288	Easy Care Adult Kit – 4 sizes Small Adult, Adult, Large Adult, Thigh	consists of 4 cuffs: M4554B, M4555B, M4557B, M4559B	Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
864289	Easy Care Pediatric Kit – 4 sizes Infant, Pediatric, Small Adult, Adult	consists of 4 cuffs: M4552B, M4553B, M4554B, M4555B	
864290	Easy Care Assortment Kit – 6 sizes Infant, Pediatric, Small Adult, Adult, Large Adult, Thigh	consists of 6 cuffs: M4552B, M4553B, M4554B, M4555B, M4557B, M4559B	
864291	Easy Care Adult Long Kit – 6 sizes Small Adult, Adult, Adult Long, Large Adult, Large Adult Long, Thigh	consists of 6 cuffs: M4554B, M4555B, M4556B, M4557B, M4558B, M4559B	
2 M1577A	Comfort Care Pediatric Kit – 4 sizes Adult, Infant, Pediatric, Small Adult	consists of 4 cuffs: M1571A, M1572A, M1573A, M1574A	
M1578A	Comfort Care Adult Kit – 4 sizes Small Adult, Adult, Large Adult, Thigh	consists of 4 cuffs: M1573A, M1574A, M1575A, M1576A	
M1579A	Comfort Care Assortment Kit – 6 sizes Infant, Pediatric, Small Adult, Adult, Large Adult, Thigh	consists of 6 cuffs: M1571A, M1572A, M1573A, M1574A, M1575A, M1576A	
M1579XL	Comfort Care Adult Long Kit-3 sizes Small Adult XL, Adult XL, Large Adult XL	consists of 3 cuffs: M1573XL, M1574XL, M1575XL	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Disposable NBP Cuffs





# Noninvasive Blood Pressure - Disposable NBP Cuffs

## Multi Patient Disposable Cuffs - Multi Care

Product #	Description	Packaging	Use with:*
989803183311	Infant (orange) Bladder width = 2.2" (5.5cm) Bladder length = 6.1" (15.4cm) Limb circumference: 10cm to 15cm	10 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478
989803183321	Pediatric (green) Bladder width = 3.1" (8cm) Bladder length = 8.5" (21.5cm) Limb circumference: 14cm to 21.5cm		
989803183331	Small Adult (light blue) Bladder width: 4.1" (10.5cm) Bladder length: 9.4" (24cm) Limb circumference: 20.5cm to 28cm		
989803183341	Adult (navy blue) Bladder width: 5.1" (13cm) Bladder length: 11" (28cm) Limb circumference: 27cm to 35cm		
989803183351	Adult XL (navy blue with edge striping) Bladder width: 5.1" (13cm) Bladder length: 11" (28cm) Limb circumference: 27cm to 35cm		
989803183361	Bladder width: 6.3" (16cm) Bladder length: 13.8" (35cm) Limb circumference: 34cm to 43cm		
989803183371	Thigh (grey) Bladder width: 7.9" (20cm) Bladder length: 16.9" (43cm) Limb circumference: 42cm to 54cm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Noninvasive Blood Pressure – Disposable NBP Cuffs (single-patient use)







# Noninvasive Blood Pressure – Disposable NBP Cuffs (single-patient use)

## Single patient soft neonatal/infant cuffs - single hose

Product #	Description	Packaging	Use with:*
① M1866S CE	Neonatal, soft, Single-patient cuff, size #1, single hose	40 cuffs per box	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) NBP modules: M1008B; Multi-measurement server: M3000A, M3001A, M3002A; Patient monitor: M8105A, M8102A, 863055, 863056, 863057, 863058, 863059, 863060, 863061, 863063, 863064, 863066, 863068, 863069, 836070, 836071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 836086, 863087, 863088, M8105AS, 863275, 863276, 863278
① M1868S CE	Neonatal soft Single-patient cuff, size #2, single hose		
① M1870S CE	Neonatal soft Single-patient cuff, size #3, single hose		
① M1872S CE	Neonatal soft Single-patient cuff, size #4, single hose		
① M1873S CE	Infant, soft, Single-patient cuff, size #5, single hose		
① 989803167551 CE	Neonatal, soft, Single-patient, cuffs, single hose consists of: 5 x M1866S, 10 x M1868S, 20 x M1870S, 10 x M1872S & 5 x M1873S)	50 cuffs per box	NBP modules: M1008B; Multi-measurement server: M3000A, M3001A, M3002A; Patient monitor: M8105A, M8102A, 863055, 863056, 863057, 863058, 863059, 863060, 863061, 863063, 863064, 863066, 863068, 863069, 836070, 836071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 836086, 863087, 863088, M8105AS

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Noninvasive Blood Pressure - Disposable NBP Cuffs (single patient use)





# Noninvasive Blood Pressure – Disposable NBP Cuffs (single patient use)

## Single-patient, vinyl, neonatal/infant cuffs

Product #	Description	Packaging	Use with:*
M1866B CE	Neonatal Single-patient cuff, size 1 Circumference: 3.1cm to 5.7cm (1.2" to 2.2"), 1 hose. New connector configuration, replaces the M1866A.	40 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) NBP module: M1008B; Multi-Measurement servers: M3000A, M3001A, M3002A; Patient monitors M8105A, M8102A, 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082; Legacy HP monitors: 78352A, 78352C, 78834C, M8105AS, 863275, 863276, 863278
M1868B CE	Neonatal Single-patient cuff, size 2 Circumference: 4.3cm to 8.0cm (1.7" to 3.1"), 1 hose. New connector configuration, replaces the M1868A.		
M1870B CE	Neonatal Single-patient cuff, size 3 Circumference: 5.8cm to 10.9cm (2.3" to 4.3"), 1 hose. New connector configuration, replaces the M1870A.		
M1872B CE	Neonatal Single-patient cuff, size 4 Circumference: 7.1cm to 13.1 cm (2.8" to 5.2"), 1 hose. New connector configuration, replaces the M1872A.		
M1873B CE	Infant, single patient cuff, size 5 Circumference: 10.0cm to 15.0cm, (3.9" to 5.9"), 1 hose New connector configuration.		
989803167541 CE	Neonatal Single-patient NBP kit contains 50 cuffs. Incorporates new connector configuration and replaces M1820-60020.	5x M1866B size 1, 10x M1868B size 2, 20x M1870B size 3, 10x M1872B size 4, 5x M1873B size 5	NBP module: M1008B; Multi-measurement servers: M3000A, M3001A, M3002A, Patient monitors: M8105A, M8102A, 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, Legacy HP Monitors; 78352A, 78352C, 78834C, M8105AS

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure - Disposable NBP Cuffs (single patient use)





# Noninvasive Blood Pressure - Disposable NBP Cuffs (single patient use)

## Single Care Disposable Cuffs

Product #	Description	Packaging	Use with:*
989803182281	Pediatric (green) Bladder width 3.1" (8cm) Bladder length: 8.5" (21.5cm) Limb circumference: 14-21.5cm	20 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478
989803182291	Small Adult (light blue) Bladder width: 4.2" (10.6cm) Bladder length 9.4" (24cm) Limb circumference: 20.5cm to 28.5cm		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
989803182301	Adult (navy blue) Bladder width: 5.3" (13.5cm) Bladder length 11.8" (30cm). Limb circumference: 27.5cm to 36cm		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
989803182311	Adult XL (navy blue with edge striping) Bladder width: 5.3" (13.5cm) Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
989803182321	Large Adult (burgundy) Bladder width: 6.7" (17cm) Bladder length 15" (38cm) Limb circumference: 35cm to 45cm		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Disposable NBP Cuffs (single patient use)



# Noninvasive Blood Pressure – Disposable NBP Cuffs (single patient use)

## Gentle Care Disposable Cuffs – Double Hose

Product #	Description	Packaging	Use with:*
M4582B	Infant (orange) Bladder width 2.2" (5.5cm), Bladder length: 5.9" (15cm) Limb circumference: 10cm to 15cm	10 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
M4583B	Pediatric (green) Bladder width 3.1" (8cm), Bladder length: 8.5" (21.5cm) Limb circumference: 14cm to 21.5cm		
M4584B	Small Adult (light blue) Bladder width: 4.2" (10.6cm), Bladder length: 9.4" (24cm) Limb circumference: 20.5cm to 28.5cm		
M4585B	Adult (navy blue) Bladder width: 5.3" (13.5cm), Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4586B	Adult Extra-Long (navy blue) Bladder width: 5.3" (13.5cm), Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4587B	Large Adult (burgundy) Bladder width: 6.7" (17cm), Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4588B	Large Adult Extra-Long (burgundy) Bladder width: 6.7" (17cm), Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4589B	Thigh (grey) Bladder width: 8.3" (21cm), Bladder length: 18.9" (48cm) Limb circumference: 44cm to 56cm		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – Disposable NBP Cuffs (single patient use)

## Gentle Care Disposable Cuffs – Single Hose

Product #	Description	Packaging	Use with:*
M4572B	Infant (orange) Bladder width 2.2" (5.5cm), Bladder length: 5.9" (15cm) Limb circumference: 10cm to 15cm	10 cuffs	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Xper Flex Cardio Physiomonitring System: 860335, 860338
M4573B	Pediatric (green) Bladder width 3.1" (8cm), Bladder length: 8.5" (21.5cm) Limb circumference: 14cm to 21.5cm		
M4574B	Small Adult (light blue) Bladder width: 4.2" (10.6cm), Bladder length: 9.4" (24cm) Limb circumference: 20.5cm to 28.5cm		
M4575B	Adult (navy blue) Bladder width: 5.3" (13.5cm), Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4576B	Adult Extra-Long (navy blue) Bladder width: 5.3" (13.5cm), Bladder length: 11.8" (30cm) Limb circumference: 27.5cm to 36cm		
M4577B	Large Adult (burgundy) Bladder width: 6.7" (17cm), Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4578B	Large Adult Extra-Long (burgundy) Bladder width: 6.7" (17cm), Bladder length: 15" (38cm) Limb circumference: 35cm to 45cm		
M4579B	Thigh (grey) Bladder width: 8.3" (21cm), Bladder length: 18.9" (48cm) Limb circumference: 44cm to 56cm		



# Noninvasive Blood Pressure – NBP Accessories and Hoses

## Reusable Value Care Cuffs

Product #	Description	Limb Circumference	Bladder width	Use with:*
989803160861	Large adult	34 cm to 43 cm	16 cm	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302),
989803160851	Adult extra-long	27 cm to 35 cm	13 cm	
989803160841	Adult	27 cm to 35 cm	13 cm	
989803160831	Small adult	20 cm to 28 cm	10.5 cm	
989803160821	Pediatric	14 cm to 21 cm	8 cm	
989803160811	Infant	10 cm to 15 cm	5.5 cm	

## NBP Cuff Caps

Product #	Description	Packaging	Use with:*
1 989803151601	Cuff caps for single hose cuffs	10 caps	n/a
2 989803151611	Cuff caps for double hose cuffs	20 caps	



1

2

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Noninvasive Blood Pressure - NBP Accessories and Hoses





# Noninvasive Blood Pressure – NBP Accessories and Hoses

## Blood Pressure Air Hoses

Product #	Description	Packaging	Use with:*
1 989803136931	Adult/Pediatric NBP air hose Length: 11.71ft (3.57m)	1 air hose	VS1 monitors: 863055, 863056, 863057, 863058, 863059, 863060, 863061
M1598B	Adult NBP air hose Length: 4.92ft (1.5m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
2 M1599B	Adult NBP air hose length: 10ft (3.0m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Module: M1008B, Multi-Measurement Modules: M3000A, M3001A, M3002A; IntelliVue Monitors: MP2: M8102A, MP5: M8105A, M8105AS, M8105AT, 866044, 866045, 866046; SureSigns Monitors: 863055, 853056, 863057, 863058, 863059, 863060, 863061, 863062, 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863079, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863275, 863276, 863277, 863278, 863279, 863283, 863285, 863286, 863287, 863288, 863289, 862474, 862478; Xper Flex Cardio Physiomonitors: 860335, 860338; Fetal Monitors: M2702A, M2703A, M2704A, M2705A, M1351A, M1353A, M1350B, M1350C
3 M3918A	Adult/Pediatric air hose Length: 10ft (3.0m)		A1: M3921A, M3922A, M3923A, M3924A, A3: M3926A, M3927A, M3928A, M3929A; ICG: 862146; C1 Monitors: 863051, 863052, 863053, 863054
M1596C	Neonatal NBP air hose Length: 4,92ft (1.5m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) M1008B, 863063, 863069, 863275, 863073, M8102A, M8105A, M3001A, M3000A, M3002A
M1597C	Neonatal NBP air hose Length: 10ft (3.0m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) M1008B, 863063, 863069, 863275, 863073, M8102A, M8105A, M3001A, M3000A, M3002A

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure - NBP Accessories and Hoses



1



2

# Noninvasive Blood Pressure – NBP Accessories and Hoses

## Bulb and Valve Kit for Manual Sphygmomanometer

Product #	Description	Packaging	Use with:*
1 M4580A	Bulb and Valve Kit Manual Sphygmomanometer Replacement coil tubing (M4581A) is available for this product	1 bulb and valve	2-hose reusable cuff models M456xB and soft single patient disposable models M458xB only.
2 M4581A	Coiled Tubing Bulb and Valve Kit, Replacement, length: 8"	1 tubing	M4580A Bulb and Valve Kit

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Noninvasive Blood Pressure – NBP Accessories and Hoses\*\*



1



2



3



4



5



6



7



8



9



10



11



12



# Noninvasive Blood Pressure – NBP Accessories and Hoses\*\*

## NBP Cuff Adapters

Product #	Description	Packaging	Use with:*
1 M4550A	1 Hose adapter (Welch-Allyn) Threaded female style connector	1 adapter	Philips 1-hose reusable and disposable cuffs excluding 40401x series
2 M4551A	2 Hose Y-adapter (Welch-Allyn) Y style cuff adapter		Philips 2-hose reusable and disposable cuffs
3 M4560A	1 Hose adapter Female quick-connect style connector		Philips 1-hose reusable and disposable cuffs excluding 40401x series
4 M4561A	2 Hose Y-adapter Female quick-connect style connector		Philips 2-hose reusable and disposable cuffs
5 M4570A	1 Hose adapter (Draeger) Luer-lock style cuff adapter		Philips 1-hose reusable and disposable cuffs excluding 40401x series
6 M4571A	2 Hose Y-Adapter (Draeger) Y Style		Philips 2-hose reusable and disposable cuffs
M4590A	1 Hose Adapter (Colin, Datascope-Passport, Spacelabs, Welch-Allyn, Mindray) Locking luer style connection		Philips 1-hose reusable and disposable cuffs excluding 40401x series
7 M4591A	1 Hose Adapter (Welch-Allyn Protocol) Male quick-connect style connector		Philips 2-hose reusable and disposable cuffs
8 M4592A	2 Hose Adapter (GE/Marquette) Male quick connect style connector		
9 M4593A	2 Hose Adapter (Datex/Ohmeda) One male and one female quick-connect style connector		
10 M4594A	Y Adapter (Spacelabs, Siemens, Mindray) Bayonet style connector		
11 M4595A	Y Adapter (Colin, Datascope-Passport, Spacelabs, Welch-Allyn, Mindray) Locking luer style connector		
12 M4596A	Y Adapter (Welch-Allyn Protocol) Male quick-connect style connector		

\*\*These products not available in all geographies.

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Paper





# Paper

## Recording Paper

Product #	Description	Packaging	Use with:*
① 40477A	Thermal array recorder paper, 50mm x 30.5m (2in x 100 ft)	10 rolls	M1116A/M1116B Recorder, M3176B Recorder Module: MP 20 Junior, MP20, MP30, MP40, MP50, MP60, MP70, MP90, M3001A
40477B	Thermal array recorder paper, 50mm x 30.5m (2in x 100ft)	80 rolls	
M4816A	Thermal array recorder paper, 50mm x 30.5m (2in x 100ft)	10 rolls	M3925A Recorder for A1/C1 Compact Patient Monitors; M3176C USB 2-Channel Recorder; A3/C3 Recorder; M1116C Thermal Array Recorder Module
M4817A	Thermal array recorder paper, 50mm x 30.5m (2in x 100ft)	80 rolls	
PSE11268	Seiko recorder paper, 4-channel, 11.2cm x 30.5m (4.4in x 100ft)	24 rolls	M3160A Recorder
40469A	Multi-channel thermal array recorder, z-fold, 1.2cm x 1.5cm (total length = 45m)	1 case = 20 packs (300 sheets per pack)	M1117A Recorder
M1885A	Thermal array recorder paper, A4 size Multi-channel chemical/thermal, z-fold, numbered, A4 size	1 case = 6 packs (500 sheets per pack)	
② 989803138131	ICG Paper, 6.35cm x 6m (2.5in x 19.7ft)	20 rolls	862146 ICG integrated recorder
③ 989803136891	Thermal array recorder paper, 5.8cm x 30.5m (2.3in x 100ft)	5 rolls	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) VS1, VS3, VM4, VM6, VM8 integrated recorder

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Pulse Oximetry



# Pulse Oximetry

## Philips Reusable SpO<sub>2</sub> Sensors

Product #	Description	Packaging	Use with:*	
1 M1191B	Adult Finger Glove Sensor Length = 2m Patient size: >110 lb (>50kg) 8-pin connector	1 sensor	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2600B telemetry system, M2601B transmitter, TRx4841A, TRx4851A transceivers; MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 863276, 863278	
M1191BL	Adult Finger Glove Sensor Length = 3m Patient size: >110 lb (>50kg) 8-pin connector			
M1191T	Adult Finger Glove Sensor Length = 0.45m Patient size: >110 lb (>50kg) 9-pin (D-sub) connector			
2 M1192A	Pediatric/Small-Adult Finger Glove Sensor Length = 1.5m Patient size: 33-110 lb (15-50kg) 8-pin connector		1 sensor	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2600B telemetry system, M2601B transmitter, TRx4841A, TRx4851A transceivers; MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863051, 863052, 863053, 863054, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; M3921A, M3922A, M3923A, M3924A, M3926A, M3927A, M3928A, M3929A; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 863276, 863278
M1192T	Pediatric/Small-Adult Finger Glove Sensor Length = 0.45m Patient size: 33-110 lb (15-50kg) 9-pin (D-sub) connector			
3 M1193A	Reusable Neonatal Foot Wrap Sensor Length = 1.5m Patient size: 2.2 lbs. to 8.8 lbs. (1-4kg) 8-pin connector			
M1193T	Reusable Neonatal Wrap Sensor Length = 0.90m Patient size: 2.2 lbs. to 8.8 lbs. (1-4kg) 9-pin (D-sub) connector			

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Pulse Oximetry



# Pulse Oximetry

## Philips Reusable SpO<sub>2</sub> Sensors (continued)

Product #	Description	Packaging	Use with:*
4 M1194A	Pediatric/Adult Ear Clip Sensor Length: 1.5m Patient size: >88 lb (>40kg) 8-pin connector	1 sensor	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2600B telemetry system, M2601B transmitter, TRx4841A, TRx4851A transceivers; MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 863276, 863278
5 M1195A	Reusable Infant Finger Glove Sensor Length: 1.5m Patient size: 8.8 lbs. to 33 lbs. (4-15kg) 8-pin connector		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 863276, 863278
6 M1196A	Pediatric/Adult Finger Clip Sensor Length: 3m Patient size: >88 lb (>40kg) 8-pin connector		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2600B telemetry system, M2601B transmitter, TRx4841A, TRx4851A transceivers; MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 860335, 860338, 863276, 863278, 863283
M1196S	Reusable Clip Adult SpO <sub>2</sub> Sensor Length: 2m Patient size:>88 lb (>40kg)8-pin connector		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2600B telemetry system, M2601B transmitter, TRx4841A, TRx4851A transceivers; MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 863276, 863278

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Pulse Oximetry



7



8

# Pulse Oximetry

## Philips Reusable SpO<sub>2</sub> Sensors (continued)

Product #	Description	Packaging	Use with:*
7 M1196T	Pediatric/Adult Finger Clip Sensor Length: 90cm Patient size: >88 lb (>40kg) 9-pin (D-sub) connector	1 sensor	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2600B telemetry system, M2601B transmitter, TRx4841A, TRx4851A transceivers; MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863051, 863052, 863053, 863054, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; M3921A, M3922A, M3923A, M3924A, M3926A, M3927A, M3928A, M3929A; Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 863276, 863278
8 M1627A	Wristband Velcro straps for M1191A/B SpO <sub>2</sub> sensors		M1191BL, M1192A, M119B, M1191T, M1192T

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Pulse Oximetry



1



2



3



4



# Pulse Oximetry

## SpO<sub>2</sub> Single Patient Use sensors

Product #	Description	Packaging	Use with:*
1 M1131A	Adult/pediatric finger clip single-patient sensor Length = 45cm Patient size: >44 lb. (>20kg) 9-pin D sub connector	20 sensors	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Telemetry: M2601A transmitter, MP5: M8105AT. Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; M3921A, M3922A, M3923A, M3924A, M3926A, M3927A, M3928A, M3929A, Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A with SpO <sub>2</sub> Option A01, M8105AS, 860335, 860338, 863276, 863278
2 M1132A	Infant single-patient wrap sensor Length = 0.90m. Infant finger Patient size: 6.6 lbs – 22 lbs (3-10kg) 9-pin D sub connector		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266; M3921A, M3922A, M3923A, M3924A, M3926A, M3927A, M3928A, M3929A, Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A Telemetry: M8105AT with SpO <sub>2</sub> Opt. A01, M8105AS, 860335, 860338, 863276, 863278
3 M1133A	Neonatal/infant/adult single-patient wrap sensor Length = 90cm Patient sizes: Adult (finger) >88 lbs (>40kg) Neonate: (foot/hand) <6.6 lbs (<3kg) Infant: (big toe/thumb) 22lbs to 44lbs (10-20kg) 9-pin D sub connector		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) add the following to the Use with for M1134A: Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863264, 863265, 863266; M3921A, M3922A, M3923A, M3924A, M3926A, M3927A, M3928A, M3929A, Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A Telemetry: M8105AT with SpO <sub>2</sub> Opt. A01, M8105AS, 860335, 860338, 863276, 863278
4 M1134A	Adhesive-free Neonatal/Infant/Adult Single-patient Wrap Sensor Length = 90cm Patient sizes: Adult: >88 lb (>40kg) Neonate: < 6.6 lbs (<3kg) Infant: 22-44 lbs (10-20kg) 9-pin D sub connector		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) add the following to the Use with for M1134A: Monitors: C3: 862474, 862478; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863264, 863265, 863266; M3921A, M3922A, M3923A, M3924A, M3926A, M3927A, M3928A, M3929A, Multi-Measurement Modules: M3000A, M3001A, M3002A; SpO <sub>2</sub> Modules: M1020A, M1020B; MP2: M8102A, MP5: M8105A Telemetry: M8105AT with SpO <sub>2</sub> Opt. A01, M8105AS, 863276, 863278

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Pulse Oximetry



1



2



3



4



5

# Pulse Oximetry

## SpO<sub>2</sub> Adapter Cables for Philips Sensors

Product #	Description	Packaging	Use with:*
1 M1900B	SpO <sub>2</sub> Adapter Cable (12-pin) Adapts 9-pin sensors for 12-pin sockets Length: 9.8 ft (3m)	1 cable	SpO <sub>2</sub> Module: Legacy HP/Agilent Monitors: 78352C, 78354C, 78834C, Defibrillators: M1722A, M1722B, M1723A, M1723B, M2475B, SpO <sub>2</sub> Module: M1020A, Fetal Monitors: M1350B, M1350C
2 M1940A	SpO <sub>2</sub> Adapter Cable (12-pin) Adapts 8-pin sensors for 12-pin sockets Length: 6.6 ft (2m)		SpO <sub>2</sub> Modules: M1191A, M1192A, M1193A, M1194A, M1195A, and M1196A SpO <sub>2</sub> sensors. And Philips instruments: 78352A, 78352C, 78354A, 78354C, 78833A, 78833C, Defibrillators, M1020A, M1722A, M1722B, M1723A, M1723B, M2475B, Monitor Modules, Monitors (General), Monitors (Neonatal/Fetal), M1350B, M1350C
3 M1941A	SpO <sub>2</sub> Extension Cable (8-pin) Adds additional length between 8-pin sensors and 8-pin sockets Length: 6.6 ft (2m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
4 M1943A	SpO <sub>2</sub> Adapter Cable (8-pin) Adapts 9-pin sensors for 8-pin sockets Length: 3.3 ft (1m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) SpO <sub>2</sub> Modules: M1020B, Multi-Measurement Modules: M3000A, M3001A, M3002A; MP2: M8102A; MP5: M8105A, M8105AT with SpO <sub>2</sub> Opt. A01; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, M8105AS, 860335, 860338, 863276, 863278
M1943AL	SpO <sub>2</sub> Adapter Cable (8-pin) Adapts 9-pin sensors for 8-pin sockets Length: 9.8 ft (3m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) SpO <sub>2</sub> Modules: M1020B, Multi-Measurement Modules: M3000A, M3001A, M3002A; MP2: M8102A; MP5: M8105A, M8105AT with SpO <sub>2</sub> Opt. A01; SureSigns: 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, M8105AS, 863276, 863278; HeartStart XL+: 861290
5 M1943NL	OxiMax® SpO <sub>2</sub> Adapter Cable (8-pin) Adapts 9-pin sensors to 8-pin sockets Length: 9.8 ft (3m) Use only with IntelliVue A02 and A04 sockets		M1020B A02, MP 20 Junior, MP20, MP30, MP40, MP50, MP60, MP70, MP90 A02, M3002A, M8102A, M8105AS, M1020B, M1020B A04, M3001A A04, M3001A, M8105A, M8105AT, M8102A SP4, M8105AS SP4, M8105AT SP4, M8105A SP4

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Pulse Oximetry



1



2



3



4



5



6



# Pulse Oximetry


## Masimo® LNCS® SpO<sub>2</sub> Adapter Cable

Product #	Description	Packaging	Use with:*
1 989803148221	Masimo SET LNCS adapter cable Adapts LNCS sensors to Philips monitors Length: 10ft (3m)	1 cable	SpO2 Module: M1020A, M1020B; Multi-Measurement Modules: M3000A, M3001A, M3002A; MP2: M8102A; MP5: M8105A with SpO2 Opt. A01; SpO2 SET® Module: M1020B Opt. A03; Multi-Measurement SET® Module: M3001A Opt. A03, M3002A Opt. A03, M8105AS, 863276, 863278
989803182411	rainbowSET 4' cable for rainbow; angle	1 cable	M3001AL, M3002A, M8102A, M8105A, M8105AS - opt A05/SP5
2 989803182421	rainbowSET 4' cable for rainbow; strait	1 cable	863283, 863300, 863301, 863302, 863303, 863304, 863320, 863321, 863322 (check option configuration)
3 989803182431	rainbowSET 10' cable for ALL RB measures	1 cable	
4 989803186471	rainbowSET 12' cable for rainbow; strait	1 cable	M3001AL, M3002A, M8102A, M8105A, M8105AS - opt A05/SP5
5 989803186501	rainbowSET 10' cable for LNCS	1 cable	
6 989803186531	rainbowSET 4' cable for LNCS; straight	1 cable	M3001AL, M3002A, M8102A, M8105A, M8105AS - opt A05 863283, 863300, 863301, 863302, 863303, 863304, 863322 (check option configuration)

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Pulse Oximetry





# Pulse Oximetry

## Disposable adhesive SpO<sub>2</sub> sensors for FAST or OxiMax (single-patient use)

Product #	Description	Packaging	Use with:*
1 M1901B	Neonatal disposable sensor (single-patient use), sterile Patient size: <7 lbs. or >88 lbs (<3kg or >40kg) 9-pin connector Shelf life: 1 year (not available in N. America or Japan)	24 sensors and tapes	862108, 862231, 862439, 863051, 863052, 863053, 863054, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, 863276, 863277, 863278, 863279, 863283, 865350 (US only), 865351, M1020B, M2703A, M2705A, M2705A, M3001A, M3002A, M8102A, M8105A, M8105AT, M8105AS
2 M1902B	Infant disposable sensor (single-patient use), sterile Patient size: 7-44 lbs (3-20kg) 9-pin connector Shelf life: 1 year (not available in N. America or Japan)		861290, 862108, 862231, 862439, 863051, 863052, 863053, 863054, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, 863276, 863277, 863278, 863279, 863283, 865350 (US only), M1020B, M3001A, M3002A, M8102A, M8105A, M8105AT, M8105AS
3 M1903B	Pediatric disposable sensor (single-patient use), sterile Patient size: 22-110 lbs. (10-50kg) 9-pin connector Shelf life: 1 year (not available in N. America or Japan)		861290, 861493, 861494, 861495, 862108, 862231, 862439, 863051, 863052, 863053, 863054, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, 863276, 863277, 863278, 863279, 863283, 865350 (US only), 865351, M1020B, M1350B, M2703A, M2704A, M2705A, M3001A, M3002A, M3535A, M3536A, M3536M, M3536M1, M3536M2, M3536M3, M3536M4, M3536M5, M3536M6, M3536MC, M4735A, M8102A, M8105A, M8105AT, M8105AS
4 M1904B	Adult disposable sensor (single-patient use), sterile Patient size: >66 lbs (>30kg) 9-pin connector Shelf life: 1 year (not available in N. America or Japan)		861290, 861493, 861494, 861495, 862108, 862231, 862439, 862474, 862478, 863051, 863052, 863053, 863054, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, 863276, 863277, 863278, 863279, 863283, 865350 (US only), 864351, M1020B, M1350B, M2703A, M2704A, M2705A, M3001A, M3002A, M3535A, M3536A, M3536M, M3536M1, M3536M2, M3536M3, M3536M4, M3536M5, M3536M6, M3536MC, M4735A, M8102A, M8105A, M8105AT, M8105AS

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Pulse Oximetry - Cableless Measurement Supplies







# Pulse Oximetry - Cableless Measurement Supplies

## Mobile CL SpO<sub>2</sub> Sensors & Accessories

Product #	Description	Packaging	Use with:*
989803165921	Mobile CL 20 single patient SpO <sub>2</sub> sensors	20 sensors	IntelliVue CL SpO <sub>2</sub> Pod, 865215
1 989803165941	Mobile CL 20 SpO <sub>2</sub> sensors + cradles (includes wristbands)	20 sensor kits	
2 989803165951	Mobile CL 20 SpO <sub>2</sub> cradles (includes wristbands)	20 cradle kits	
3 989803165961	Mobile CL 50 SpO <sub>2</sub> wristbands	50 wristbands	
989803168861	Mobile CL SpO <sub>2</sub> Battery Kit Kit includes replacement battery for Intellivue CL SpO <sub>2</sub> Pod and required accessories	1 battery kit	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# IntelliVue Cableless Measurement Supplies

## Mobile CL Noninvasive Blood Pressure Cuffs

Product #	Description	Packaging	Use with:*
1 989803163171	Mobile CL Reusable Small Adult Cuff Light mocha with Light blue tube Cuff width: 10.5 cm (4.1") Bladder length: 18.5 cm (7.3") Limb circumference: 21.0 - 27.0 cm	1 cuff	IntelliVue CL NBP Pod 865216
989803163191	Mobile CL Reusable Adult Cuff Light mocha with Navy blue tube Cuff width: 13.0 cm (5.1") Bladder length: 26.0 cm (10.2") Limb circumference: 26.0 - 34.5 cm		
989803163211	Mobile CL Reusable Large Adult Cuff Light mocha with Burgundy tube Cuff width: 16.0 cm (6.3") Bladder length: 36.5 cm (14.4") Limb circumference: 33.5 - 45.0 cm		
2 989803163181	Mobile CL Disposable Small Adult Cuff Light Blue Cuff width: 10.5 cm (4.1") Bladder length: 18.5 cm (7.3") Limb circumference: 21.0 - 27.0 cm	20 cuffs	
989803163201	Mobile CL Disposable Adult Cuff Navy Blue Cuff width: 13.0 cm (5.1") Bladder length: 26.0 cm (10.2") Limb circumference: 26.0 - 34.5 cm		
989803163221	Mobile CL Disposable Large Adult Cuff Burgundy Cuff width: 16.0 cm (6.3") Bladder length: 36.5 cm (14.4") Limb circumference: 33.5 - 45.0 cm		





# IntelliVue Cableless Measurement Supplies

## Mobile CL Noninvasive Blood Pressure Accessories

Product #	Description	Packaging	Use with:*
3 989803187431	Mobile CL Adult Bayonet Air Hose 1m	1	IntelliVue CL NBP Pod 865216
989803163251	Mobile CL NBP Cradle Kit	20 cradles	
989803163131	Mobile CL Extension Air Hose 1M Length: 3.3" (1.0m)	1	
989803163261	Mobile CL NBP Battery Kit. Kit includes battery and a tool to disassemble NBP module.	1 battery	

## Mobile CL Transmitter Accessories

Product #	Description	Packaging	Use with:*
989803168881	Mobile CL 20 Transmitter Cradles	20 single patient cradles	IntelliVue CL Transmitter 865221
989803168871	Mobile CL Transmitter Battery Kit	1 battery kit	

## Mobile CL Respiration Pod Attachment

Product #	Description	Packaging	Use with:*
4 989803179541	Mobile CL Respiration Pod Attachment	50 attachments/box	865218

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Temperature Measurement



# Temperature Measurement


## Temperature Probes

Product #	Description	Packaging	Use with:*
1 21091A	Disposable sterile skin surface temperature probe Length: 30" (76cm) Shelf life: at least 12 months	1 box = 20 probes	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A Multi-Measurement Modules: M3000A, M3001A, M3002A SureSigns: 863064, 863065, 863066, 863068, 863087, 863088, M3015A, M3015B MP2 Monitor: M8102A, MP5 Monitor: M8105A
2 M1837A	Esophageal/Rectal Temperature Probe, 9 FR Single-patient use Length: 36" (91cm), sterilized, continuous monitoring Shelf life: at least 12 months		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A, SureSigns: 863064, 863065, 863066, 863068, 863086, 863087, 863088; MP2 Monitor: M8102A, MP5 Monitor: M8105A; Multi-Measurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B
3 21090A	Esophageal/Rectal Temperature Probe, 12FR Single-patient use Length: 36" (91cm) sterilized, continuous monitoring Shelf life: at least 12 months		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A; MP2 Monitor: M8102A, MP5 Monitor: M8105A; Multi-Measurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Temperature Measurement



1



2

# Temperature Measurement


## Disposable Esophageal/Stethoscope Temperature Probes (meets ISO 80601-2-56:2009 Standards)

Product #	Description	Packaging	Use with:*
1 21093A	Esophageal/Stethoscope Temperature Probe, 12 FR Length: 20" (51cm) sterilized, continuous monitoring Shelf life: at least 12 months	20 probes	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A, SureSigns: 863064, 863065, 863066, 863068, 863086, 863087, 863088; MP2 Monitor: M8102A, MP5 Monitor: M8105A; MultiMeasurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B
2 21094A	Esophageal/Stethoscope Temperature Probe, 18FR Length: 20" (51cm) sterilized, continuous monitoring Shelf life: at least 12 months		
21095A	Esophageal/Stethoscope Temperature Probe, 24 FR Length: 20" (51cm) sterilized, continuous monitoring Shelf life: at least 12 months		


\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Temperature Measurement



1



2



3



# Temperature Measurement

## Disposable Foley Catheter Temperature Probes *(meets ISO 80601-2-56:2009 Standards)*

Product #	Description	Packaging	Use with:*
1 M2255A	Foley Catheter Temperature Probe, 14FR Length: 17" (43cm) sterilized, continuous monitoring Shelf life: at least 12 months	10 probes	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A; MP2 Monitor: M8102A, MP5 Monitor: M8105A; Multi-Measurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B
2 21096A	Foley Catheter Temperature Probe, 16FR Length: 17" (43cm) sterilized, continuous monitoring Shelf life: at least 12 months		
3 21097A	Foley Catheter Temperature Probe, 18FR Length: 17" (43cm) sterilized, continuous monitoring Shelf life: at least 12 months		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Temperature Measurement



# Temperature Measurement

## Reusable Extension Adapter Cables for Disposable Temperature Probes *(meets ISO 80601-2-56:2009 Standards)*

Product #	Description	Packaging	Use with:*
1 21082A	Adapter cable: Connects disposable temperature probes to Philips (or HP or Agilent) monitors Accepts 1/8" mini phone plug. (2-pin connector) Length: 10ft (3m)	1 cable	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A, SureSigns: 863064, 863065, 863066, 863068, 863086, 863087, 863088; MP2 Monitor: M8102A, MP5 Monitor: M8105A; MultiMeasurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B
21082B	Adapter cable: Connects disposable temperature probes to Philips (or HP or Agilent) monitors Accepts 1/8" mini phone plug. (2-pin connector) Length: 5ft (1.5m)		
2 989803162591	Adapter cable: Connects disposable temperature probes to Series 400 monitors Length: 10ft (3m)		Series 400 Temperature Monitors with 1/4" phone plug
989803162601	Adapter cable: Connects disposable temperature probes to Series 400 monitors Length 5ft (1.5m)		

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Temperature Measurement



# Temperature Measurement

## Reusable Autoclavable Temperature Probes for Continuous Monitoring *(meets ISO 80601-2-56:2009 Standard)*

Product #	Description	Packaging	Use with:*
1 21075A	Esophageal/Rectal Temperature Probe (autoclavable), 12FR, 2-prong plug, reusable, continuous monitoring Length: 10ft (3m)	1 probe	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A, C3: 862474, 862478, SureSigns: 863064, 863065, 863066, 863068, 863086, 863087, 863088; MP2 Monitor: M8102A, MP5 Monitor: M8105A; Multi-Measurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B
2 21076A	Esophageal/Rectal Temperature Probe (autoclavable), 10FR, 2-prong plug, reusable, continuous monitoring Length: 10ft (3m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A, MP2 Monitor: M8102A, MP5 Monitor: M8105A; Multi-Measurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B
3 21078A	Skin Surface Temperature Probe (autoclavable) 0.37" (9.5mm) diameter 2-prong plug, reusable tape-on, continuous monitoring Length: 10ft (3m)		Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Temperature Module: M1029A, SureSigns: 863064, 863065, 863066, 863068, 863086, 863087, 863088; MP2 Monitor: M8102A, MP5 Monitor: M8105A; MultiMeasurement Modules: M3000A, M3001A, M3002A, M3015A, M3015B, 860335, 860338
4 989803162621	Esophageal/Rectal Temperature Probe (autoclavable), 12FR, 1/4" phone plug, reusable, continuous monitoring Length: 10ft (3m)		Series 400 Temperature Monitors with 1/4" phone plug

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

# Temperature Measurement



# Temperature Measurement

## Reusable Temperature Probes & Disposable Covers for SureSigns VS1/VS3/VS4 Monitors

Product #	Description	Packaging	Use with:*
1 989803162631	Esophageal/Rectal Temperature Probe (autoclavable), 10FR, 1/4" phone plug, reusable, continuous monitoring Length: 10ft (3m)	1 probe	Series 400 Temperature Monitors with 1/4-inch phone plug.
2 989803162641	Skin Surface Temperature Probe (autoclavable) 0.37" (9.5mm) diameter 1/4in phone plug, reusable tape-on, continuous monitoring Length: 10ft (3m)		
3 989803163281	Adapter cable required to connect reusable temp probes with 1/4" phone plug to legacy HP/Agilent and Philip 2-pin input connectors Length: 10ft (3m)	1 cable	Temperature probes 989803162621, 989803162631, 989803162641
4 989803163271	Adapter cable required to connect reusable temp probes with 2-pin connector to Series 400 temperature monitors with 1/4" phone plug input connector Length: 10ft (3m)		Temperature probes 21075A, 21076A, 21078A
989803179611	Genius 2 Probe Cover (CE marked), disposable, non-sterile, 2 yr min shelf life, size: 17" x 12" x 5.5"	2112 probe covers per case	VS3 (863071 #T02 & 863072 #T02)
989803179381	Genius 2 Probe Cover (not-CE marked), disposable, non-sterile, 2 yr min shelf life, size: 17" x 12" x 5.5"		VS4 (863283 #T02); 866149

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Temperature Measurement





# Temperature Measurement

## Reusable temperature probes & covers for SureSigns VM4/VS2/VS3/VS4 and IntelliVue MP5 monitors

Product #	Description	Packaging	Use with:*
1 989803143381	Reusable Oral Temp Probe & Well Kit predictive temp monitoring	1 probe	SureSigns VS3: 863070, 863073, 863074, VM4: 863063, VM6: 863064, 863065, VM8: 863066, IntelliVue MP5: M8105A, M8105AT, M8105AS, VS2: 863081, 863082, 863276, 863278
2 989803143391	Reusable Rectal Temp Probe & Well Kit predictive temp monitoring		SureSigns VS3: 863070, 863073, 863074, VM4: 863063, VM6: 863064, 863065, VM8: 863066, IntelliVue MP5: M8105A, M8105AT, M8105AS, VS2: 863081, 863082
M4823A	Temperature Probe Covers	1,000 covers	989803143381, 989803143391 temperature probes, 863276, 863278
989803180831	Genius 2 tympanic temperature probe, reusable, non-sterile	1 probe	VS3 (863071 #T02 & 863072 #T02) VS4 (863283 #T02); 866149

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Accessories (Batteries, Cases, Pouches)



# Accessories (Batteries, Cases, Pouches)

## Batteries, battery kits

Product #	Description	Packaging	Use with:*
1 989803194541	Lithium Ion battery Minimum shelf life: 6 months	1 battery	860306, 860310, 860315, 860332, 860352, 860353, 860354, 860355, 863063, 863064, 863065, 863066, 863067, 863068, 863069, 863070, 863071, 863072, 863073, 863074, 863077, 863079, 863080, 863081, 863082, 863083, 863300, 863301, 863302, 863303, 863304, 863317, 863320, 863321, 863322
2 M4605A	Rechargeable Lithium Ion Battery, 10.8 volts, Minimum shelf life: 6 months		IntelliVue MP20, MP30, MP40, MP50, MP5, MP5T, M2702A, M2703A, 865297, M8105AS, 866060, 866062, 866064, 866066
3 M4607A	Rechargeable Lithium Ion Battery, 10.8 volts, Minimum shelf life: 4 months		IntelliVue MP2: M8102A, Multi-Measurement Module X2: M3002A
M4607-60001	Battery Charger Adapter	1 adapter	IntelliVue Multi-Measurement Module X2: M3002A, MP2: M8102A
989803168861	Mobile CL SpO <sub>2</sub> Battery Kit Kit includes replacement battery for Intellivue CL SpO <sub>2</sub> Pod and required accessories	1 battery kit	IntelliVue CL SpO2 Pod 865215
989803163261	Mobile CL NBP Battery Kit Kit includes battery and a tool to disassemble NBP module	1 battery	IntelliVue CL NBP Pod 865216
989803168871	Mobile CL Transmitter Battery Kit	1 battery kit	IntelliVue CL Transmitter 865221
989803174131	MX40 Lithium-ion battery pkg 3, 3.7 volts Rechargeable Shelf life: 3 months	3 batteries	MX40
989803176201	MX40 Lithium ion battery pkg 1, 3.7 volts Rechargeable Shelf life: 2 months	1 battery	
4 989803174891	MX40 Battery Adapter pkg 3 AA disposable	3 batteries	
989803174881	VM lithium Ion battery	1 battery	VSi & VS2+ monitors: 863275, 863276, 863277, 863278, 863279
40455A	Zinc air battery, 8.4 volts Shelf life: 6 months	12 batteries	78100A, M1400A, M2600A
ULBU9VLJ	Lithium battery, 9 volts Shelf life: 10 months	10 batteries	M2600A, M2601A

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



## Accessories (Batteries, Cases, Pouches)



1



2



3



4



5



6



# Accessories (Batteries, Cases, Pouches)

## Patient Monitoring Cases, Bags, Pads

Product #	Description	Packaging	Use with:*
1 989803153441	MP2/X2 Carrying strap	1 strap	M8102A MP2, M3002A Multi-Measurement X2
2 989803157171	X2/MP2 Anti-slip pad	5 pads	
989803163381	Display filter for MP2/X2 when Night Vision Goggles (NVG) are in use	1 filter	M3002A, M8102A
M3919A	Canvas tote bag	1 bag	A3 Monitor: M3923A, M3924A, M3925A, M3926A, M3927A, M3928A, M3929A
M3920A	Snap-on accessory bag for the A3 canvas tote bag		M3919A Bag
989803189981	Lithium ion battery	3-cell battery pack	Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304)
989803194541	Lithium ion battery	9-cell battery pack	

## Telemetry Pouches and Protective Covers

Product #	Description	Packaging	Use with:*
9300-0768-050	Disposable water and chemical resistant telemetry pouch with snaps	1 box of 50 pouches	78100A, M1400A, M2600A, 865216
9300-0768-200	Disposable water and chemical resistant telemetry pouch with snaps	4 boxes of 50 pouches	
3 989803137831	Transceiver pouch shoulder strap and viewing window	1 box of 50 pouches	IntelliVue Telemetry, 865216
989803140371	Transceiver pouch shoulder strap and viewing window	4 boxes of 50 pouches	862231 (TRx4851A), 865216
4 989803140431	TeleMon service port protective cover for TRx (ECG only)	10 covers	862439 (TRx4841A)
5 989803140451	TeleMon service port protective cover for TRx+ (ECG and SpO <sub>2</sub> )		862108 (M2601B)
6 989803140441	SpO <sub>2</sub> connector protective cover		
989803174141	Carry Pouch Waterproof	1 box = 50 pouches	IntelliVue MX40, IntelliVue Cableless NBP Measurement
989803174151	Carry Pouch Waterproof	1 box = 200 pouches	

\* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



# Patient Monitors



# Patient Monitors

Our patient monitoring portfolio spans care environments, patient acuity levels, and clinical requirements. The range of IntelliVue, SureSigns, and Efficia patient monitors support flexible care, with portable, compact, and specialized versions at a price that fits your budget.

## IntelliVue Monitors

Description	Product #
1 IntelliVue MX40 Wearable Patient Monitor	865350 (US only) – 1.4 GHZ SMART HOPPING 865351 – 2.4 GHZ SMART HOPPING 865352 – 802.11 A/B/G
2 IntelliVue MX800 Bedside Patient Monitor	865240
3 IntelliVue MX700 Bedside Patient monitor	865241
4 IntelliVue MX450 Portable/bedside Patient Monitor	866062
5 IntelliVue MX550 Portable/bedside Patient Monitor	866066
6 IntelliVue MX400 Portable/bedside monitor	866060
7 IntelliVue MX500 Portable/bedside monitor	866064
8 IntelliVue MP2 Portable Patient Monitor	865040
9 IntelliVue MMS X2 Measurement Module and Patient Monitor	865039
10 IntelliVue MP5 Portable Patient Monitor	865024 (M8105A)
11 IntelliVue MP5SC Spot Check Patient Monitor	865322 (M8105AS)

# Patient Monitors



1



2



3



4



5



6



7



8



9



10





# Patient Monitors

Our patient monitoring portfolio spans care environments, patient acuity levels, and clinical requirements. The range of IntelliVue, SureSigns, and Efficia patient monitors support flexible care, with portable, compact, and specialized versions at a price that fits your budget.

## SureSigns Monitors

	Description	Product #
1	SureSigns VS4 Vital Signs Monitor	863283
2	SureSigns VS3 Vital Signs Monitor	863069
3	SureSigns VS2+ Vital Signs Monitor	863278
4	SureSigns VSi Vital Signs Monitor	863275
5	SureSigns VM1 Vital Signs Monitor	863264
6	Efficia CM100 patient monitor	863300
7	Efficia CM120 patient monitor	863302
8	Efficia CM150 patient monitor	863304
9	Efficia CM10 patient monitor	863301
10	Efficia CM12 patient monitor	863303

