

SAP PowerConnect Java Installation Instructions

Introduction

This document details the installation instructions for the SAP PowerConnect Java monitoring agent.

Prerequisites

SAP PowerConnect Java has the following requirements:

- SAP NetWeaver 7.3 and above
- 100 MB free disk space
- Administrator access to the SAP NetWeaver system

Installation

The installation has the following high level steps:

1. Installation of the software
 - a. Sap PowerConnect Java monitoring agent
 - b. Sap PowerConnect configuration GUI
2. Configuration of Splunk
3. Initialization of database table to store configuration
4. Granting JMX security permissions
5. Configuration of Sap PowerConnect Agent

Installing the Sap PowerConnect Java monitoring agent

To install the Sap PowerConnect Java monitoring agent perform the following steps:


1. Acquire the PowerConnect agent from file from sap-powerconnect-java-X.X.sca BNW Consulting
2. Deploy the .SCA using SAP Software Update Manager (SUM) and ensure its listening on port 1129

```


C:\temp\SUM>STARTUP.BAT configurehostagent P75
**** The SID: P75 is detected from <SID>ADM user. ****
**** Configuring SUM Java ... ****
**** Base Dir: C:\temp\SUM ****
**** SID: P75 ****
**** Modified Base Dir: C:\temp\SUM ****
**** Registering sunjava operation in SAP Host Agent... ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\operations.d\sunjava.conf ****
**** Additional arguments: "configurehostagent" "P75" ****
**** Registering sunjava description in SAP Host Agent... ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\descriptors.d\sunjava.lmsdesc ****
**** Configuring SUM Observer ... ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\operations.d\sumobserver.conf ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\descriptors.d\sumobserver.lmsdesc ****
**** Configuring SUM abap: cmd.exe /c C:\temp\SUM\abap\SUMSTART.BAT configurehostagent RESTORISHA=no ****
**** Base Dir: C:\temp\SUM\abap ****
**** SID: P75 ****
**** Username: saponazure\%SID#\required#tolowerJadm ****
**** Modified Base Dir: C:\temp\SUM\abap ****
**** Registering SUM in SAP Host Agent... ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\operations.d\sumabap.conf ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\descriptors.d\sumabap.lmsdesc ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\operations.d\duallabap.conf ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\descriptors.d\duallabap.lmsdesc ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\operations.d\migtool.conf ****
**** Creation of file C:\Program Files\SAP\hostctrl\exe\descriptors.d\migtool.lmsdesc ****
**** SUM ABAP: https://M12S12PI750:1129/lms1/sunabap/P75/doc/s/luigi ****
**** SUM benchmark tool: https://M12S12PI750:1129/lms1/migtool/P75/doc/s/luigi ****
**** SUM Java: https://M12S12PI750:1129/lms1/sunjava/P75/index.html ****
**** SUM Dual stack: https://M12S12PI750:1129/lms1/sunjava/P75/dual.html ****
**** SUM Observer: https://M12S12PI750:1129/lms1/sumobserver/P75/monitor/index.html ****
**** Restarting SAP Host Agent ****
**** Restarting ... ****
**** SAP Host Agent has been restarted ****
**** SAP Host Agent configured, start the UI from the browser now ****
**** You are using SAP Host Agent version: ****
**** Hostagent release: 7.21 ****
**** Hostagent patch number: 29 ****
**** Please check the central SUM note whether this SAP Host Agent version is sufficient for SUM operation ****
C:\temp\SUM>netstat -ano|findstr 1129
TCP        0.0.0.0:1129          0.0.0.0:0             LISTENING      2940
C:\temp\SUM>


```

Open a browser and connect to the Java SUM control page
<https://<host>:1129/lms1/sumjava/P75/index.html>




Enter <sid>adm credentials






Point SUM to the directory containing the PowerConnect for Java code



Enter J2EE administrator credentials



Software Update Manager

PROCESS EXECUTION

1 Extraction 2 Configuration 3 Checks 4 Preprocessing 5 Execution 6 Postprocessing

65% Process is in dialog state

Current step: Select components

Select Components

Path to manually prepared directory: C:\temp\powerconnect_java
 For more information, go to the TargetVersionReport.html
 If you change the content of the manually prepared directory after the initial scanning, you have to rescan the directory again by selecting Rescan.
 The following components have applicable updates in the manually prepared directory. Select the version that you want to apply for each component.

Key	Vendor/Name	Type	Current Version	Target Version
1	demo.sap.com/MyCompo	SC		1.0.0.0

Type key: SC = Software Component, DC = Development Component, SAR = SAP Archive, JAR = Java Archive

Continue
 Rescan

Back Next Cancel

TASK LIST LOGS BREAKPOINTS

Software Update Manager

PROCESS EXECUTION

1 Extraction 2 Configuration 3 Checks 4 Preprocessing 5 Execution 6 Postprocessing

85% Process is in dialog state

Current step: Show System Parameters

System Parameters

System Parameters

SAP System ID P75
 Dual Stack System false
 ABAP Kernel Unicode false

Database Parameters

Database SID P75
 Database Host W12S12PI750

Application Instance Parameters

Instance Number 00
 Instance Host W12S12PI750
 Operating System NT / AMD64, Version AMD64 6.3
 Kernel 64 bit, Unicode

SCS Instance Parameters

Instance Number 01
 Instance Host W12S12PI750

Back Next Cancel

TASK LIST LOGS BREAKPOINTS

Software Update Manager

PROCESS EXECUTION

1 Extraction 2 Configuration 3 Checks 4 **Preprocessing** 5 Execution 6 Postprocessing

86% Process is in dialog state

Current step: Begin update

Begin Update

When you choose **Next**, the update process will begin. New versions of selected software components will be deployed. AS Java will not be restarted during the update. Be aware that the update process cannot be reverted. Make sure that you have created all required backups for restoring previous software component versions:

- Back up the directory `EC:usr sapP75SYSglobalsecurity`.
- Back up your database as described in your database manual.
- Back up the directory `ec:usr sapP75`, including the `SUM` directory if the `SUM` directory is not part of the directory `ec:usr sapP75`, make a separate backup of the complete directory including the `soft` subdirectory. **Be aware that you need these backups to be able to reset your SAP-system to its current state. You might encounter a severe problem during the downtime and without the required backups, the system cannot be restored.**
- If you have a remote SCS instance running in a clustered or high availability environment, you have to install the `vc:redist,*` packages on both cluster nodes.

Review the changes that will be applied to the system by checking the [ProcessOverview.html](#) report.

Back Next Cancel

Software Update Manager

PROCESS EXECUTION

1 Extraction 2 Configuration 3 Checks 4 Preprocessing 5 Execution 6 **Postprocessing**

38% Process is in dialog state

Current step: Update Complete

Update Complete

The update of selected software components has finished.

Back Next Cancel

Software Update Manager

PROCESS EXECUTION

1 Welcome 2 Specify Credentials 3 Select Target 4 Confirm Target 5 **Summary**

37% Process is in idling state

Current step: Summary and Evaluation of the Update Process

Summary of the Update Process

Summary
 The process has finished successfully. For more information, see the [ProcessOverview.html](#) report.

System ID: P75
 Process Runtime: 00 h 10 min
 System Update: 00 h 00 min

Reuse this SUM directory for future maintenance activities and backup the current execution artifacts to the C:\temp\SUM\sd\archive\execution_2017_08_17_00_13_51 directory.

Once you exit SUM you can later start it the same way as described in chapter "Starting the Software Update Manager" of the SUM guide.

Back Next Cancel

TASKLIST LOGS BREAKPOINTS

Software Update Manager

PROCESS EXECUTION

Feedback to SAP

Evaluation Form

SAP SE's aim is to provide fast and efficient procedures. To evaluate the procedure you just carried out, we need information generated by the tool during process execution and your experience with the tool itself. The below form contains a simple questionnaire and XML data generated during the procedure. The XML data comprises only technical information and statistics about the executed steps as well as the product and system context in which the steps have been carried out. There is no business, personal or other sensitive data included. The questionnaire and the XML data are solely used for improving performance, quality, and behavior of the procedure. Thus, they will not be used for any marketing or sales purposes.

Once your feedback has been analyzed and followed up, your email address (if you decide to provide it to us) will be deleted. If you have specific questions or problems, please report an incident at SAP Service Marketplace.

After having accepted the legal statement below, you will be able to send the questionnaire and the XML data to SAP.

I accept the following:

1. In order for SAP SE to utilize the feedback provided in the questionnaire, I grant to SAP SE a non-exclusive, perpetual, irrevocable, worldwide, royalty-free license, with the right to sublicense to SAP SE's affiliates, licensees and customers, to use, publish, and disclose such feedback in any manner SAP SE chooses and to display, perform, copy, make, have made, use, sell, and otherwise dispose of SAP SE's and its affiliates' or sublicensee's products or services embodying my feedback in any manner and via any media SAP SE chooses, without reference to the source. SAP SE shall be entitled to use my feedback for any purpose without restriction or remuneration of any kind.

2. I agree that SAP SE may use my email address to contact me regarding the information I provided in the questionnaire. SAP SE (i) will process the email address in Germany and/or Bulgaria and/or India, (ii) only as long as it is required to evaluate the information that I provided in the questionnaire and (iii) will not use my email address for any other purpose. In case you want to have your email address corrected or deleted, please contact im_analytics@sap.com.

3. I agree not to enter into any free fields of the questionnaire any information which could be a trade secret, personal data (other than my email address), proprietary or otherwise confidential for me, my employer or any third party.

This send button submits the evaluation of your maintenance process and the form below to SAP SE. Please send this to SAP SE even if you do not fill in the form below.

What kind of system did you run the process on? Development system Quality system Production system

Did you run the process on the actual system or a copy of it (i. e. test process)? Actual system Test on copy of the system

How many times did you contact SAP SE for help with your process (customer calls or incidents)?


Close

3. Once deployed the application should be visible in the SAP Netweaver console:

<http://<host>:5###00/nwa>




Search for bbramley



Name	Vendor	Status
ea	com.bbramley	Stopped

Instance Number	Host	Status
00	w12s12pi750	Stopped

And start the service



Name	Vendor	Status
ea	com.bbramley	Started

Instance Number	Host	Status
00	w12s12pi750	Started

Configuration of Splunk

The SAP PowerConnect monitoring agent sends its metrics and events to Splunk using the Splunk HTTP Event Collector.

To configure the Splunk HTTP Event Collector (HEC) follow the documentation on the Splunk website here:


<http://docs.splunk.com/Documentation/SplunkCloud/6.6.0/Data/UsetheHTTPEventCollector>

This should result in creating a HEC token for the SAP PowerConnect monitoring agent to use in the next section.

Granting JMX security permissions to the Sap PowerConnect Agent (NetWeaver 7.5)

If you are using NetWeaver 7.5 the Guest user account needs to have read permissions to JMX in order to consume metrics from SAP specific JMX beans.


To do this use the User Management section in the SAP Netweaver UI:



The screenshot shows the SAP NetWeaver Application Server Java User Management section. It features a sidebar with various navigation options, each with an icon and a brief description:

- SAP Library**: SAP Library contains the complete documentation for SAP NetWeaver Application Server Java. You can access it by choosing *SAP NetWeaver*.
- SAP NetWeaver Administrator**: A powerful administration, configuration and monitoring tool, which bundles key administrative tasks to keep your SAP NetWeaver system landscape running. SAP NetWeaver Administrator can be used in Administrator.
- System Information**: System information provides administrators with an overview of the system configuration and its state. It shows all of the system's instances and processes, their current state and important parameters (s the versions of the components installed).
- Web Services Navigator**: Web Services Navigator is a tool that gives you a short overview of a specific Web service based on its WSDL, and enables you to test your Web service by creating and sending a client request to the res
- User Management**: The user management administration console provides administrators with the functions they need to manage users, groups, roles, and user-related data in the User Management Engine (UME). Users w profile. [Java method from Oracle - Google Search](#)
- Web Dynpro**: Web Dynpro is a User Interface technology available within the SAP NetWeaver Developer Studio. Various Web Dynpro tools provide administrators and application developers with performance measure runtime is already deployed.
- SAP Management Console**: The SAP Management Console (applet version) offers administrative system access.
- Services Registry**: The Services Registry is a UDDI based registry that contains definitions of enterprise services and references to their metadata.
- Information about Usage Types**: This page lists the installed usage types on this server (requires administrator authentication)
- Application Server Java Troubleshooting Guide**: The Troubleshooting Guide provides interactive step-by-step solutions to user problems.
- EJB Explorer**: This tool allows testing, exploring and execution of the business components (Enterprise JavaBeans) deployed on the AS Java.


In the Search Criteria dropdown choose Role then enter Guest and click Go:




The screenshot shows the SAP NetWeaver User Management Search interface. It includes a search bar with the following elements:

- Welcome Administrator**: Greeting text at the top left.
- Navigation tabs**: Identity Management, Import, Configuration, Consistency Check.
- Search Criteria**: A dropdown menu set to "Role", "All Data Sources", and a text input field containing "Guest". A "Go" button is next to the input field.
- Buttons**: Create Role, Delete, Export.
- Table**: A table with columns for Principal Type, Name, and Description. The table is currently empty, showing a message: "Enter a search parameter and choose Go".

Click on the Guest user in the table and click on the Assigned Actions tab:



Click Modify and in the Get text box enter "JmxManageAll" then click Go.



Select the JmxManageAll action at the top of the table and click Add, then Save.

Configuration of Sap PowerConnect Agent

The final step is to use the Sap PowerConnect UI to configure the agent.

The URL to view the UI is:

<host>:<port>/webdynpro/resources/com.bbramley/spcj_wd/SapPowerConnectJava

The UI should look like this:

SAP PowerConnect Java Edition

General Splunk JMX PI Monitoring Admin

Configuration Update Interval (seconds):

JMX Monitoring Enabled:

JMX Monitoring Interval (seconds):

PI Monitoring Enabled:

Remote Debug Enabled (advanced use only):

General Tab

The configuration under the General tab can normally be left as default options.

Splunk Tab


Click the Splunk tab and configure the Splunk HEC details:

Configuration Key	Description
Splunk HEC Key	The token that you generated when configuring Splunk
Splunk HEC URL	The host and port of where the Splunk HEC is listening e.g. http://localhost:8088
Splunk Index	The name of the index where you would like to store the SAP PowerConnect monitoring data
Splunk Sourcetype	The name you would like give to identify the SAP PowerConnect monitoring events (should usually be left as default)

Click the Save button.

Click the JMX tab to pick the events you would like to collect from the SAP Netweaver system. By default the java.lang domain beans are collected.

Once configured events should start to appear in the JVM tab of the SAP PowerConnect for Splunk app:



JMX Tab

To enable monitoring of a specific JMX object simply search for the object and once you have it in the top table, click on the down triangle to move it to the list of monitored jmx objects and click save.

SAP PowerConnect Java Edition

General Splunk **JMX** PI Monitoring Admin

Available JMX Beans

Bean Name
com.sap.default:SAP_ITSAMJ2eeApplicationConfiguration.ApplicationVendor=sap.com,SAP_ITSAMJ2eeApplicationConfiguration.InstanceID=sc-bi_ludi,SAP_ITSAMJ2eeCluster.CreationClassName=SAP_ITSAMJ2eeCluster,S...
com.sap.default:SAP_J2EECluster=P74,SAP_J2EEClusterNode=4865450,J2eeType=SAP_MonitorPerNode,name=/Services/Web Container"
com.sap.default:SAP_ITSAMJ2eeApplicationComponent.Name=tc-bpem-content~so,SAP_ITSAMJ2eeApplicationComponent.SoftWareType=J2EE,SAP_ITSAMJ2eeApplicationComponent.Vendor=sap.com,cimclass=SAP_ITS...
com.sap.default:EJBModule=sap.com~tc~archtech~sbook_int_ejb.jar,J2EEApplication=sap.com~tc~archtech~sbook_wd,J2EEServer=P74,SAP_ITSAMJ2eeApplication.CreationClassName=SAP_ITSAMJ2eeApplication,SAP_ITSAMJ2eeApplicati...
com.sap.default:SAP_J2EECluster=P74,J2eeType=SAP_J2EECommandsGroup,name=webcontainer_applications_by_alias
com.sap.default:SAP_J2EECluster=P74,SAP_J2EEClusterNode=4865450,J2eeType=SAP_MonitorPerNode,name=/Services/Connector Service/Applications/sap.com/com.sap.aill.af.app/Unknown/RegisterTestTopicFactory/M...
com.sap.default:EJBModule=sap.com~tc~bpem~tm~ejb.jar,J2EEApplication=sap.com~tc~bpem~tm~ear,J2EEServer=P74,SAP_ITSAMJ2eeApplication.CreationClassName=SAP_ITSAMJ2eeApplication,SAP_ITSAMJ2eeApplicati...
com.sap.default:SAP_ITSAMJ2eeApplicationConfiguration.ApplicationVendor=sap.com,SAP_ITSAMJ2eeApplicationConfiguration.InstanceID=com.sap.ip.bi.base.application,SAP_ITSAMJ2eeCluster.CreationClassName=SAP...
com.sap.default:EJBModule=sap.com~tc~slm~business.jar,J2EEApplication=sap.com~tc~slm~slmapp,J2EEServer=P74,SAP_ITSAMJ2eeApplication.CreationClassName=SAP_ITSAMJ2eeApplication,SAP_ITSAMJ2eeApplicati...
com.sap.default:J2EEServer=P74,SAP_ITSAMJ2eeApplication.CreationClassName=SAP_ITSAMJ2eeApplication,SAP_ITSAMJ2eeApplication.Name=sap.com/core/dev,SAP_ITSAMJ2eeCluster.CreationClassName=SAP_ITSAMJ2eeCluster,SAP_ITSAMJ2eeClusterNode=4865450,J2eeType=SAP_MonitorPerNode,name=/Services/DevelopmentServer/Sessions/Statistics/JSer Sessions"

Enabled JMX Beans

Bean Name
java.lang:type=OperatingSystem
java.lang:type=Threading
java.lang:type=Memory
java.lang:type=ClassLoading
java.lang:type=Runtime
com.sap.default:SAP_J2EECluster=P74,SAP_J2EEClusterNode=4865450,J2eeType=SAP_MonitorPerNode,name=/Kernel/Session Manager/LoggedInUsersTable"
com.sap.default:SAP_J2EECluster=P74,SAP_J2EEClusterNode=4865450,J2eeType=SAP_MonitorPerNode,name=/Kernel/Session Manager/LoggedIn Users Count"
com.sap.default:SAP_J2EECluster=P74,SAP_J2EEClusterNode=4865450,J2eeType=SAP_MonitorPerNode,name=/Services/DevelopmentServer/Sessions/Statistics/JSer Sessions"

Save

PI Monitoring Tab

To monitor a specific PI channel in the PI monitoring tab you can enter the following information

direction - "OUTBOUND,"INBOUND" or leave as NOT_CONFIGURED to monitor both directions

onlyFaultyMessages - <leave cleared>

receiverName – Enter the receiver name, or leave NOT_CONFIGURED to monitor all receivers

receiverParty - Enter the receiver party name, or leave NOT_CONFIGURED to monitor all receivers

senderName - Enter the sender name, or leave NOT_CONFIGURED to monitor all senders


senderParty - Enter the sender party name, or leave NOT_CONFIGURED to monitor all senders

status – Can be one of the following values “success”, “toBeDelivered”, “waiting”, “holding”, “delivering”, “systemError”, “canceled”, or leave NOT_CONFIGURED to monitor all statuses

messageType - Enter the message type name, or leave NOT_CONFIGURED to monitor all senders

Admin Tab

This tab shows the license key, license validity, amount of data sent to Splunk today



The screenshot displays the 'Admin' tab for 'SAP PowerConnect Java Edition'. It features a navigation bar with tabs for 'General', 'Splunk', 'JMX', 'PI Monitoring', and 'Admin'. The 'Admin' tab is active, showing the following license details:

License Key:	0000-0000-0000-0000
License Expiry:	October 14, 2017
License Usage:	1 MB

A 'Save' button is located below the license information.