

# Conservación Colombiana

Número 8 • Mayo 2009

©2009 Fundación ProAves • Bogotá • Colombia • ISSN 1900-1592

## Checklist to the birds of Colombia 2009

*Listado de Aves de Colombia 2009*

Paul Salaman, Thomas Donegan & David Caro

## Conservación Colombiana

Journal for the diffusion of biodiversity conservation activities en Colombia.

*Revista de difusión de acciones de conservación de la biodiversidad en Colombia.*

ISSN 1900–1592. Non-profit entity no. S0022872 – Commercial Chamber of Bogotá

*ISSN 1900–1592. Entidad sin ánimo de lucro S0022872 – Cámara de Comercio de Bogotá.*

### Conservación Colombiana

Es una revista científica publicada por la Fundación ProAves, institución que tiene como misión «proteger las aves silvestres y sus hábitat en Colombia a través de la investigación, acciones de conservación puntuales y el acercamiento a la comunidad. El propósito de la revista es divulgar las acciones de conservación que se llevan a cabo en Colombia, para avanzar en su conocimiento y en las técnicas correspondientes. El formato y tipo de los manuscritos que se publican es variado, incluyendo reportes de las actividades de conservación desarrolladas, resultados de las investigaciones y el monitoreo de especies amenazadas, proyectos de grado de estudiantes universitarios, inventarios y conteos poblacionales, planes de acción o estrategias desarrolladas para especies particulares, sitios o regiones y avances en la expansión de la red de áreas protegidas en Colombia. Conservación Colombiana está dirigida a un público amplio, incluyendo científicos, conservacionistas y personas en general interesadas en la conservación de las especies amenazadas de Colombia y sus hábitats.

### Fundación ProAves

Dirección: Carrera 20 No. 36–61, La Soledad, Bogotá

Teléfonos: +57-1-2455134 / 57-1-3403239; Fax: +57-1-340 3285

[www.proaves.org](http://www.proaves.org)

### Sugerencia de Citación / Suggested citation

Salaman, P., Donegan, T. & Caro, D. 2009. Listado de Aves de Colombia 2009. *Conservación Colombiana* 8: 1-89.

### Fotografía portada / Cover photograph

*Hypopyrrhus pyrohypogaster* Red-bellied Grackle at Reserva Natural de las Aves Arrierito Antioqueña by Murray Cooper.

### Permisos y derechos de autor

Toda reproducción parcial o total de esta obra está prohibida sin el permiso escrito de los autores y de la Fundación ProAves. Conservación Colombiana está cobijada por la ley colombiana de derechos de autor, Ley 23 de 1982, Ley 44 de 1993 y Decisión 351 de la Comisión del Acuerdo de Cartagena de 1993.

**Conservación Colombiana** es publicada gracias al apoyo de nuestros donantes: ABC, NMBCA-USFWS, Loro Parque Fundación, World Land Trust-US y Conservation International



**Agradecimientos:** Agradecemos a los ornitólogos y observadores de aves quienes nos han hecho disponible registros, comentarios y correcciones al listado durante el año pasado, especialmente: Robert Giles, Luis Eduardo Urueña, Cristián Olaciregui, Steven Hilty, Robert Ridgely, Alejandro Mejía Tobón, Steve Russell, Samuel Hansson, Trevor Ellery, Ben Freeman, Miguel Moreno-Palacios, Alonso Quevedo y otros investigadores de la Fundación ProAves.

---

## Ayuda para utilizar el listado

En esta sección se explica la forma como está dispuesta la información en este Listado. En la Tabla 1 aparece una ilustración directa y rápida, con una sinopsis de los códigos empleados. En la descripción de la introducción se encuentra el mapa de Colombia que muestra las eco-regiones naturales en que se divide el país.

**Familia:** El título de forma horizontal el nombre de la familia en mayúsculas con fondo de color verde, seguido del número (entre paréntesis) de especies registradas para esa familia en Colombia y de los nombres comunes de la familia en español e inglés. Las familias están en orden para permitir una ubicación rápida, especialmente a quienes no están familiarizados con el orden lineal adoptado por SACC. En total para esta publicación se cuenta con 90 Familias.

**Casilla de chequeo inicial:** Para que el usuario escriba sus registros personales.

**Nombre común en español e inglés:** Los nombres en inglés en su mayor medida corresponden a los del SACC, con algunos cambios que se ajustan a los nombres normalizados actuales (ver Introducción). Los nombres en español están presentes. Esto se debe a que no existen nombres normalizados de nuestras aves en español, y estos varían de país en país y de una región a otra. La Asociación Colombiana de Ornitología (ACO) está actualmente compilando una revisión de nombres comunes de aves en español. Hemos decidido usar nombres de no más de dos palabras, aunque estos pueden ser compuestos, minimizando las preposiciones y los artículos, ej.: Lora-festiva, Picoagudo, Tiranuelo-Pantanero, Búho Acanelado, Bienparado Grande. Para el primer nombre (el nombre general del ave) preferimos los nombres de más amplio uso en el mundo castellano, pero cuando se trata de especies de distribución restringida hemos preferido el nombre local; ej. Paujil. Para el segundo nombre (generalmente un nombre descriptivo) escogimos aquellos epítetos que sean descriptivos y de amplio uso.

**Nombre de la especie (nombre científico):** Dividido por el género y la especie, corresponde en general a la taxonomía del SACC (como es modificado y descrito en parágrafos anteriores).

**Subespecie:** Se listan en orden alfabético con una indicación entre paréntesis de su distribución, para lo cual se relacionan los símbolos de distribución geográfica (Tabla 1): se usan las abreviaturas de los puntos cardinales (W, N, S, y E) y se emplea el carácter “C” para indicar el centro del país, ej.: CE, SE. Adicionalmente, Ac Aw y Ae se refiere a las diferentes cordilleras de los Andes, (occidental, central y oriental, respectivamente). Los códigos usados siguen a Dickinson (2003) y a Rodner *et al.* (2000). Pero hay que anotar que los límites precisos del área de cada subespecie no son bien conocidos y a menudo no tienen información. Esta investigación es muy general, y básicamente es una guía para el potencial de subespecies diferentes que hay en el país. Cuando la ocurrencia de una subespecie en Colombia no está confirmada plenamente se indica con un símbolo de interrogante.

**Distribución geográfica:** están incluidas cinco columnas dispuestas verticalmente, que corresponden a las ecoregiones en que se divide el país:

- Valles interandinos y Caribe.
- Pacífica, incluye el Chocó biogeográfico y la serranía del Darién.
- Andes, incluye las tres cordilleras, el macizo de los pastos, la Serranía de Perijá y la Sierra Nevada de Santa Marta.
- Amazonia, incluye la selva amazónica incluyendo los departamentos de Guainía, Guaviare, Vaupés, Putumayo y Amazonas.
- Orinoquía, incluye los departamentos de Arauca, Casanare, Meta y Vichada.

**Cobertura:** Referido al ambiente utilizado por la especie, Bosque húmedo, Bosque Seco, Acuático y Sabana.

**Estado:** En la columna se indica la categoría de amenaza según la Unión Mundial para la Naturaleza IUCN 2008 (las especies amenazadas están escritas en color rojo), al igual la condición de migratorio boreal, migratorio austral, introducida, Casi-Endémica, observaciones, transeúnte, vagabunda y Accidental.

**Casillas de chequeo final:** Para que el usuario escriba sus registros de hasta 8 sitios de observación.

## User's guide to the checklist

**Especie endémica:** Las especies presentes únicamente en Colombia se diferencian en el texto con un amarillo claro en toda la fila de ubicación. Las especies Casi-endémicas comparten su condición de endémicas con países vecinos a Colombia y están representadas con la abreviatura "C-end" en la columna de Estado.

**Reservas ProAves:** En una columna independiente donde se relacionan códigos correspondientes a Reservas Naturales de las Aves (RNA) establecidas por la Fundación ProAves en varias zonas estratégicas de biodiversidad en el territorio nacional (Figura 2). Los listados incluyen especies registradas dentro de las reservas y en sus alrededores.

- 1- Reserva Natural de las Aves El Pangan (Municipio de Barbaçoas, Dep. Nariño).
- 2- Reserva Natural de las Aves Mirabilis – Swarovski (Municipio del Tambo, Dep. Cauca).
- 3- Reserva Natural de las Aves Loro Coroniazul y El Mirador (Municipio de Genova, Dep. Quindío).
- 4- Reserva Natural de las Aves Loro Orejiamarillo (Municipio Jardín, Dep. Antioquia).
- 5- Reserva Natural de las Aves el Paujil (Municipio de Puerto Boyacá, Dep. Boyacá).
- 6- Reserva Natural de las Aves Reinita Cielo Azul (Municipio San Vicente de Chucurí, Dep. Santander).
- 7- Reserva Natural de las Aves El Colibrí del Sol (Municipio de Urao, Dep. Antioquia).
- 8- Reserva Natural de las Aves El Dorado (Santa Marta, Dep. Magdalena).
- 9- Reserva Natural de las Aves Hormiguero de Torcoroma (Municipio de Ocaña, Dep. Norte de Santander).
- 10- Reserva Natural de las Aves Chincherry (Isla de San Andrés).
- 11- Reserva Natural de las Aves Arrierito Antioqueño (Municipio de Anorí, Dep. Antioquia).
- 12- Reserva Natural de las Aves Pauxi pauxi (Municipio de San Vicente de Chucurí, Dep. Santander)
- 13- Reserva Natural de los Anfibios Ranita Dorada (Municipio de Falan, Dep. Tolima)
- 14- Reserva Natural de las Aves Halcón Colorado (Municipio de Villavicencio, Dep. Meta)
- 15- Reserva Natural de las Aves Cucarachero de Chicamocha (Municipio de Zapatoca, Dep. Santander)

This section explains how information is prepared and presented. Table 1 (below) provides a quick reference to codes used. A map of Colombia's basic biogeographical regions is shown in the Introduction.

**Family name:** is highlighted with a green background, followed by the number (in brackets) of species recorded for that family in Colombia and the common names of the family in Spanish and English. Family linear order follows SACC.

**Check box in first column:** for user's personal reference.

**English and Spanish common name:** English names correspond almost entirely to those adopted by SACC, with some changes to conform with current standards (see Introduction). There are no standardized Spanish common names, with many variations from country to country and from one region to another. The Colombian Ornithological Association (ACO) is currently compiling a review of Spanish common names. We decided not to use names of more than two words. For the first general name we chose the most widely used names, but for species with restricted distributions we adopted for local names; e.g. Paujil. For the second name (usually a descriptive name) we chose those that are descriptive epithets that were widely used.

**Scientific name:** divided by genus and species, corresponds to the taxonomy of the SACC.

**Subspecies:** are listed in alphabetical order with a basic guide to their distribution in parentheses, with abbreviations using the cardinal points (W, N, S, and E) and the character "C" to indicate the center of the country. Additionally, Ac Aw Ae refers to the various Andean Cordilleras (west, central and east, respectively). The distributions of subspecies largely follow Dickinson (2003) and Rodner *et al.* (2000). Please note that the precise distribution of each subspecies is often not well known. This information is general and merely a guide to the potential that there are many subspecies in Colombia. When the occurrence of a subspecies in Colombia is not confirmed a question mark is used.

**Geographic distribution:** five columns correspond to the major biographic regions of Colombia:

- Inter-Andean valleys and Caribbean region.
- Pacific, the Chocó and Serranía del Darién.
- Andes, including the three Cordilleras, Serranía de Perijá and the Sierra Nevada de Santa Marta.

- Amazon, including the Amazon forests of Guainia, Guaviare, Vaupés, Putumayo and Amazonas Departments.
- Orinoquía, including the Departments of Arauca, Casanare, Meta and Vichada.

**Habitat type:** refers to broad habitat types primarily used by the species: humid forest, dry forest, aquatic/marine and/or grasslands/open country.

**Status:** The column indicates the level of threat as defined by BirdLife International and the World Conservation Union IUCN in 2008 (threatened species names are highlighted in red). Notes on whether species are boreal or austral migrants, accidental, transient, introduced, endemic, near-endemic, only known from unconfirmed observations or only known from San Andrés and Providencia or from "Bogotá" specimens.

**Endemic species:** the entire row is highlighted in yellow. Near-endemic species that are primarily restricted to Colombia, although found in neighboring countries are represented with the abbreviation "C-end" in the "Status" column.

**Empty columns:** records for up to 8 sites or days.

**ProAves Bird Reserves:** a separate column highlights codes for Fundación ProAves Bird Reserves located in several strategic areas for biodiversity (Figure 2). The list includes species recorded in the following reserves and their environs:

- 1- El Pangan Bird Reserve (Municipal of Barbacoas, Dep. Nariño).
- 2- Mirabilis – Swarovski Bird Reserve (Municipal of Tambo, Dep. Cauca).
- 3- Loro Coroniazul Bird Reserve (Municipal of Genova, Dep. Quindío).
- 4- Loro Orejiamarillo Bird Reserve (Municipal of Jardín, Dep. Antioquia).
- 5- El Paujil Bird Reserve (Municipal of Puerto Boyacá, Dep. Boyacá).
- 6- Reinita Cielo Azul Bird Reserve (Municipal of San Vicente de Chucurí, Dep. Santander).
- 7- El Colibrí del Sol Bird Reserve (Municipal of Urrao, Dep. Antioquia).
- 8- El Dorado Bird Reserve (Municipal of Santa Marta, Dep. Magdalena).
- 9- Hormiguero de Torcoroma Bird Reserve (Municipal of Ocaña, Dep. Norte de Santander).
- 10- Chincherry Bird Reserve (San Andrés Island)
- 11- Arrierito Antioqueño Bird Reserve (Municipal of Anorí, Dep. Antioquia).
- 12- Pauxi pauxi Bird Reserve (Municipal of San Vicente de Chucurí, Dep. Santander)
- 13- Ranita Dorada Reserve (Municipal of Falan, Dep. Tolima)
- 14- Halcón Colorado Bird Reserve (Municipio de Villavicencio, Dep. Meta)
- 15- Cucarachero de Chicamocha Bird Reserve (Municipio de Zapatoca, Dep. Santander)



Habia Ceniza / Sooty Ant-Tanager *Habia gutturalis* at Reserva Natural de las Aves El Paujil by Murray Cooper.

**Table 1.** Codes for distribution by biogeographical regions  
*Códigos de distribución por región biogeográfica*

<b>Convención</b>	<b>Ecoregión</b>	<b>Ecoregion</b>
	<b>Valles interandinos / Caribe</b>	<b>Inter-andean Valleys / Caribbean</b>
Ε	Todos los sitios	All sites
T	Tierras bajas (tropical)	Tropical zone
M	Valle del río Magdalena	River Magdalena valley
ς	Valle del Cauca	River Cauca valley
Γ	Península de la Guajira	Guajira peninsula
O	Pelágico y costero	Pelagic and coastal
I	Insulares, San Andrés y Providencia	Islands, San Andrés & Providencia
	<b>Amazonia</b>	<b>Amazonian</b>
Ε	Todos los sitios	All sites
Z	Amazonia	Amazonian
Σ	Amazonia Subtropical	Subtropical Amazonian
	<b>Andes</b>	<b>Andean</b>
Ε	Todos los sitios	All sites
E	Cordillera Oriental	Eastern Cordillera
X	Cordillera Central	Central Cordillera
Ω	Cordillera Occidental	Western Cordillera
N	Macizo colombiano o Nudo de los pastos	Southern massif
Π	Serranía de Perijá	Serranía de Perijá
ΣM	Sierra Nevada de Santa Marta	Sierra Nevada de Santa Marta
	<b>Vertiente Pacífica</b>	<b>Pacific Flank</b>
T	Tierras bajas	Low lands
Σ	Chocó subtropical	Subtropical Chocó
Δ	Serranía Darién	Serrania del Darién
I	Islas Gorgona y Malpelo	Islas Gorgona y Malpelo
O	Pelágico y costero	Pelagic and coastal
	<b>Orinoquia</b>	<b>Orinoquia</b>
O	Orinoquia	Orinoquia


Note: subspecies codes use a different abbreviation scheme, following Dickinson (2003) and Rodner *et al.* (2000).

*Nota: los códigos para subespecies utilizan una sistema diferente de convenciones, según los listados de Dickinson (2003) y Rodner et al. (2000).*

**Table 2.** Codes for checklist and ProAves reserves *Códigos por el listado de aves y reservas de ProAves.*

<b>Código</b>	<b>Hábitat</b>	<b>Habitat</b>	<b>N° Sp</b>
<b>B</b>	Bosque húmedo	Humid forest	1432
<b>A</b>	Acuática	Aquatic	269
<b>D</b>	Bosque seco	Dry forest	203
<b>S</b>	Sabana	Savanna	139
<b>T</b>	En todas las coberturas	Widespread	13
<b>Reserva Natural de las Aves de ProAves</b>		<b>Department / Departamento</b>	<b>1,130</b>
<b>1</b>	Reserva El Pangan	Nariño	360
<b>2</b>	Reserva Mirabilis Swarovski	Cauca	272
<b>3</b>	Reservas El Mirador y Loro coroniazul	Quindío	224
<b>4</b>	Reserva Loro Orejiamarillo	Antioquia	239
<b>5</b>	Reserva El Paujil	Boyacá	338
<b>6</b>	Reserva Reinita Cielo Azul	Santander	334
<b>7</b>	Reserva El Colibrí del Sol	Antioquia	176
<b>8</b>	Reserva El Dorado	Magdalena	332
<b>9</b>	Reserva El Hormiguero de Torcoroma	Norte de Santander	96
<b>10</b>	Reserva Chincherry	Archipiélago de San Andres	138
<b>11</b>	Reserva Arrierito Antioqueño	Antioquia	282
<b>12</b>	Reserva Pauxi pauxi	Santander	275
<b>13</b>	Reserva Ranita Dorada	Tolima	321
<b>14</b>	Reserva Halcón Colorado	Meta	240
<b>15</b>	Reserva Cucarachero de Chicamocha	Santander	156
<b>Rango de Altitud</b>		<b>Elevation Range</b>	
<b>0-1</b>	0 a 1000 metros	0 to 1000 meters	
<b>1-2</b>	1000 a 2000 metros	1000 to 2000 meters	
<b>2&gt;</b>	más de 2000 metros	+ 2000 meters	
<b>O</b>	Distribución Pelagica (Mar Abierto)	Pelagic Distribution (Open Sea)	
<b>Estado</b>		<b>Status</b>	
<b>EX</b>	Extinto	Extinct	1
<b>CR</b>	Críticamente amenazado	Critically Endangered	13
<b>EN</b>	En peligro	Endangered	31
<b>VU</b>	Vulnerable	Vulnerable	52
<b>NT</b>	Cercano a amenaza	Near Threatened	60
<b>DD</b>	Datos Deficientes	Data Deficient	6
<b>Mb</b>	Migratorio boreal	Boreal migrant	176
<b>Ma</b>	Migratorio austral	Austral migrant	33
<b>Acc</b>	Accidental / Vagabundo	Accidental / Vagrant	49
<b>Tra</b>	Transeúnte	Transient	7
<b>Totales</b>		<b>Status</b>	
	Especies confirmadas por fotografía, espécimen o grabación	Species confirmed by photo, specimen or sound recording	1793
<b>Bog</b>	Especies conocidas de pieles de 'Bogotá'	Species known from 'Bogotá' specimens	5
<b>Obs</b>	Especies conocidas de observaciones	Species known only from observations	43
<b>Obs*</b>	Especies observadas en Colombia pero con registros confirmados únicamente en San Andrés o Providencia	Species observed in Colombia but confirmed records only in San Andrés or Providencia	5
<b>SA</b>	Especies conocidas únicamente de San Andrés y Providencia	Species known only from San Andrés and Providencia	17
<b>Int</b>	Especies introducidas	Introduced species	4
<b>Int?</b>	Especies introducidas posiblemente no establecidas	Introduced species possibly not established	4
<b>TOTAL Especies de Aves en Colombia</b>		<b>TOTAL Bird Species in Colombia</b>	<b>-1871-</b>

**Figure 2.** Regional codes and location of ProAves Bird reserves /  
*Códigos de regiones y ubicación de Reservas Naturales de las Aves en Colombia.*





Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<b>TINAMIDAE: (17) Tinamúes – Tinamous</b>																				
<input type="checkbox"/>	Tinamú Leonado Tawny-breasted Tinamou	<i>Nothocercus julius</i>				X,E,Π, Ω			B	2,4,7		0-1								
<input type="checkbox"/>	Tinamú Montañero Highland Tinamou	<i>Nothocercus bonapartei</i>	<i>bonapartei</i> (C, NE) <i>discrepans</i> (CE) <i>intercedens</i> (Aw)			E,N,Π, Ω			B	6,11		1-2								
<input type="checkbox"/>	Tinamú Gris Gray Tinamou	<i>Tinamus tao</i>	<i>kleii</i> (SW) <i>larensis</i> (CE)	Σ		E,Π,Ω			B	8		0-1								
<input type="checkbox"/>	Tinamú Negro Black Tinamou	<i>Tinamus osgoodi</i>	<i>herskovitzi</i>			X,E			B	11	VU	1-2								
<input type="checkbox"/>	Tinamú Grande Great Tinamou	<i>Tinamus major</i>	<i>latifrons</i> (SW) <i>peruvianus</i> (SE) <i>saturatus</i> (NW) <i>zuliensis</i> (NE)	T	T		Z		B	1,5,14		0-1								
<input type="checkbox"/>	Tinamú Gorgiblanco White-throated Tinamou	<i>Tinamus guttatus</i>					Z		B			0-1								
<input type="checkbox"/>	Tinamú Cenizo Cinereous Tinamou	<i>Crypturellus cinereus</i>					Ξ	O	B			0-1								
<input type="checkbox"/>	Tinamú de Berlepsch Berlepsch's Tinamou	<i>Crypturellus berlepschi</i>		T					B	1	C-end	0-1								
<input type="checkbox"/>	Tinamú Chico Little Tinamou	<i>Crypturellus soui</i>	<i>caquetae</i> (SE) <i>caucae</i> (NC) <i>harterti</i> (W) <i>mustelinus</i> (Ae,p) <i>soui</i> (E)	Ξ	T	X	Ξ	O	B	1,5,6,8,9, 11,12,13, 14		0-1								
<input type="checkbox"/>	Tinamú Pardo Brown Tinamou	<i>Crypturellus obsoletus</i>	<i>castaneus</i> (EC) <i>knoxi</i> (NE)			E			B			1-2								
<input type="checkbox"/>	Tinamú Ondulado Undulated Tinamou	<i>Crypturellus undulatus</i>	<i>yapura</i>				Z		B			0-1								
<input type="checkbox"/>	Tinamú Patigrís Gray-legged Tinamou	<i>Crypturellus duidae</i>						O	B			0-1								
<input type="checkbox"/>	Tinamú Patirrojo Red-legged Tinamou	<i>Crypturellus erythropus</i>	<i>cursitans</i> (E) <i>columbianus</i> (N) <i>erythropus</i> (Ae) <i>idoneus</i> (Ae, ISM) <i>saltuarius</i> (N)	T					D	12	C-end	0-1								
<input type="checkbox"/>	Tinamú del Chocó Choco Tinamou	<i>Crypturellus kerriae</i>		T					B		VU C-end	0-1								
<input type="checkbox"/>	Tinamú Variegado Variegated Tinamou	<i>Crypturellus variegatus</i>					Ξ	O	B			0-1								
<input type="checkbox"/>	Tinamú Ferruginoso Rusty Tinamou	<i>Crypturellus brevirostris</i>					Z		B		Obs	0-1								
<input type="checkbox"/>	Tinamú Barrado Barred Tinamou	<i>Crypturellus casiquiare</i>						O	B			0-1								
<b>ANHIMIDAE: (2) Chajás – Screamers</b>																				
<input type="checkbox"/>	Aruco Horned Screamer	<i>Anhima cornuta</i>		M,ξ			Ξ	O	A,S			0-1								
<input type="checkbox"/>	Chavarrí Northern Screamer	<i>Chauna chavaria</i>		T					A,S	5	NT C-end	0-1								
<b>ANATIDAE: (25) Patos, Gansos - Ducks, Geese</b>																				
<input type="checkbox"/>	Iguasa María Fulvous Whistling-Duck	<i>Dendrocygna bicolor</i>		T,ξ		E		O	A	5		0-2								
<input type="checkbox"/>	Iguasa Careta White-faced Whistling-Duck	<i>Dendrocygna viduata</i>		M,T		X, E	Ξ	O	A			0-2								
<input type="checkbox"/>	Pisingo Black-bellied Whistling-Duck	<i>Dendrocygna autumnalis</i>	<i>discolor</i>	M,T, ξ	T	X, E	Ξ	O	A	5,14		0-2								
<input type="checkbox"/>	Pato Carretero Orinoco Goose	<i>Neochen jubata</i>					Ξ	O	A		NT	0-1								
<input type="checkbox"/>	Pato Real Muscovy Duck	<i>Cairina moschata</i>		T,ξ	Δ,Σ	E	Ξ	O	A			0-1								
<input type="checkbox"/>	Pato Crestudo Comb Duck	<i>Sarkidiornis melanotos</i>	<i>sylicola</i>	Γ,ξ		E,N			A			0-2>								
<input type="checkbox"/>	Pato Brasileño Brazilian Teal	<i>Amazonetta brasiliensis</i>	<i>brasiliensis</i>					O	A			0-1								
<input type="checkbox"/>	Pato de Torrentes Torrent Duck	<i>Merganetta armata</i>	<i>colombiana</i>			X,E, N, Ω			A	1		0-2>								
<input type="checkbox"/>	Pato Americano American Wigeon	<i>Anas americana</i>		M,T, ξ		E			A		Mb	0-1								
<input type="checkbox"/>	Pato Real Mallard	<i>Anas platyrhynchos</i> <sup>2</sup>	<i>domesticus</i>			X,E			A		Int	2>								

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt										
<input type="checkbox"/> Pato Friso Gadwall	<i>Anas strepera</i> <sup>3</sup>	<i>strepera</i>	I					A	10	acc SA Mb	0-2>										
<input type="checkbox"/> Pato Aliverde Green-winged Teal	<i>Anas crecca</i>	<i>carolinensis</i>	ε		E			A	10	acc Mb	2>										
<input type="checkbox"/> Cerceta barcina Andean Teal	<i>Anas andium</i>				X,E,N			A			2>										
<input type="checkbox"/> Pato Rabo-de-gallo Northern Pintail	<i>Anas acuta</i>	<i>acuta</i>	M,ς		E,Ω			A		Mb	0-2										
<input type="checkbox"/> Pato Piquidorado Yellow-billed Pintail	<i>Anas georgica</i>	<i>niceforoi</i> (C) <b>CR</b> <i>spinicauda</i> (S)	ς		E,N			A			1-2>										
<input type="checkbox"/> Pato Cariblanco White-cheeked Pintail	<i>Anas bahamensis</i>	<i>bahamensis</i>	M					A			0-1										
<input type="checkbox"/> Barraquete Aliazul Blue-winged Teal	<i>Anas discors</i>		Ξ	T,I	X,E,N,Ω		O	A	10	Mb	0-2>										
<input type="checkbox"/> Pato Colorado Cinnamon Teal	<i>Anas cyanoptera</i>	<i>borreroi</i> (Ae) <i>septentrionalium</i> (N) mig. <i>tropica</i> (NW)	M,T,ς	T	E,N			A	10	[Mb acc]	0-2>										
<input type="checkbox"/> Pato Cucharo Northern Shoveler	<i>Anas clypeata</i>		M,T,ς		E			A		Mb	0-2>										
<input type="checkbox"/> Pato Negro Southern Pochard	<i>Netta erythrophthalma</i>	<i>erythrophthalma</i>	O		E	Z		A			0-2										
<input type="checkbox"/> Pato Collarejo Ring-necked Duck	<i>Aythya collaris</i>		ς		E			A		Mb	0-2										
<input type="checkbox"/> Pato Canadiense Lesser Scaup	<i>Aythya affinis</i>		M,ς		E			A	10	Mb	0-2>										
<input type="checkbox"/> Pato Enmascarado Masked Duck	<i>Nomonyx dominicus</i>		M,T,ς	Δ,Σ	X,E	Ξ	O	A			0-2>										
<input type="checkbox"/> Pato Rufo Ruddy Duck	<i>Oxyura jamaicensis</i> <sup>4</sup>	<i>andina</i> (Ac,e) <i>jamaicensis</i> (i)	I		X,E,N			A	10		1-2>										
<input type="checkbox"/> Ganso Común Greylag Goose	<i>Anser anser</i> <sup>5</sup>				E			A		Int?	2>										
<b>CRACIDAE: (24) Guacharacas, Pavas, Paujiles – Chachalacas, Guans, Curassows</b>																					
<input type="checkbox"/> Pava Maraquera Sickle-winged Guan	<i>Chamaepetes goudotii</i>	<i>jagani</i> (An, vert. W) <i>goudotii</i> (Ac,w) <i>sanctaemarthae</i> (Asm) <i>tschudii</i> (An, vert. E) <i>ssp. nov.?</i> (Ae: Caquetá)			Ξ			B	1,2,3,4,6,7,8,11,13		1-2>										
<input type="checkbox"/> Pava Canosa Band-tailed Guan	<i>Penelope argyrotis</i>	<i>albicauda</i> (Ap) <i>argyrotis</i> (NE) <i>colombiana</i> (Asm)			E,Π,Σ M			B	7,6,8,9		1-2>										
<input type="checkbox"/> Pava del Baudó Baudo Guan	<i>Penelope ortonii</i>			T				B	1,2	EN C-end	0-1										
<input type="checkbox"/> Pava Andina Andean Guan	<i>Penelope montagnii</i>	<i>atrogularis</i> (SW) <i>brookii</i> (SE) <i>montagnii</i> (NC)			X,E,Π, N			B	3,6,11		2>										
<input type="checkbox"/> Pava Llanera Spix's Guan	<i>Penelope jacquacu</i>	<i>jacquacu</i>				Ξ	O	B			0-1										
<input type="checkbox"/> Pava Moñuda Crested Guan	<i>Penelope purpurascens</i>	<i>aequatorialis</i> (NW) <i>brunnescens</i> (N)	T	T			O	B	1,5,8,9		0-1										
<input type="checkbox"/> Pava Caucana Cauca Guan	<i>Penelope perspicax</i>		ς		X,Ω			B		EN	1-2>										
<input type="checkbox"/> Pava Rajadora Blue-throated Piping-Guan	<i>Pipile cumanensis</i>	<i>cumanensis</i>				Ξ	O	B			0-1										
<input type="checkbox"/> Pava Negra Wattled Guan	<i>Aburria aburri</i>				Ξ			B	2,5,6,11,12	NT	1-2>										
<input type="checkbox"/> Guacharaca del Chocó Gray-headed Chachalaca	<i>Ortalis cinereiceps</i>			Δ				B			0-1										
<input type="checkbox"/> Guacharaca Caribeña Chestnut-winged Chachalaca	<i>Ortalis garrula</i>		T					D			0-1										
<input type="checkbox"/> Guacharaca Guajira Rufous-vented Chachalaca	<i>Ortalis ruficauda</i>	<i>lamprophonia</i> (Ap) <i>ruficauda</i> (Ae) <i>ruficrissa</i> (NE)	Γ		E,Π			D			0-1										
<input type="checkbox"/> Guacharaca Cabecirrufa Rufous-headed Chachalaca	<i>Ortalis erythroptera</i> <sup>6</sup>			Σ				B		VU	0-1										
<input type="checkbox"/> Guacharaca Variable Speckled Chachalaca	<i>Ortalis guttata</i>	<i>guttata</i> <i>columbiana</i>	M,ς		X	Ξ	O	B	5,9,11,12,13,14,15		0-1										
<input type="checkbox"/> Paujil Nocturno Nocturnal Curassow	<i>Nothocrax urumutum</i>						Z	B			0-1										
<input type="checkbox"/> Paujil del Chocó Great Curassow	<i>Crax rubra</i>	<i>rubra</i>		Δ,T				B		VU	0-1										

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Paujil Piquiazul Blue-billed Curassow	<i>Crax alberti</i>		M,T					B	5	CR	0-1									
<input type="checkbox"/>	Paujil Moquiamarillo Yellow-knobbed Curassow	<i>Crax daubentoni</i>				E,Π			B		NT	0-2									
<input type="checkbox"/>	Paujil Negro Black Curassow	<i>Crax alector</i>	<i>erythrognatha</i>				E	O	B			0-1									
<input type="checkbox"/>	Paujil Moquirrojo Wattled Curassow	<i>Crax globulosa</i>					Z		B		VU	0-1									
<input type="checkbox"/>	Paujil Culicastaño Crestless Curassow	<i>Mitu tomentosum</i>						O	B			0-1									
<input type="checkbox"/>	Paujil Culiblanco Salvin's Curassow	<i>Mitu salvini</i>					Z		B			0-1									
<input type="checkbox"/>	Paujil Pico-de-hacha Razor-billed Curassow	<i>Mitu tuberosum</i>					Z		B			0-1									
<input type="checkbox"/>	Paujil Copete-de-piedra Helmeted Curassow	<i>Pauxi pauxi</i>	<i>gilliardi</i> (Ap) <i>pauxi</i> (Ae)			E,Π			B	12	EN	1-2									
<b>ODONTHOPHORIDAE: (9) Perdices - Wood-quails, Bobwhites</b>																					
<input type="checkbox"/>	Perdiz Chilindra Crested Bobwhite	<i>Colinus cristatus</i>	<i>badius</i> (Aw) <i>bogotensis</i> (Ae) <i>cristatus</i> (NE) <i>decoratus</i> (N) <i>leucotis</i> (C) <i>littoralis</i> (Asm) <i>parvicristatus</i> (CE)	E		E	E	O	S	5,8,13,14,15		0-2									
<input type="checkbox"/>	Perdiz Corcovada Marbled Wood-Quail	<i>Odontophorus gujanensis</i>	<i>buckley</i> (E) <i>marmoratus</i> (N)	T	A			E	O	B	5,12		0-1								
<input type="checkbox"/>	Perdiz Carinegra Black-fronted Wood-Quail	<i>Odontophorus atrifrons</i>	<i>atrifrons</i> (Asm) <i>navai</i> (Ap) <i>variegatus</i> (Ae)			E,Π,Σ M				B	8,9	VU C-end	1-2>								
<input type="checkbox"/>	Perdiz Collareja Rufous-fronted Wood-Quail	<i>Odontophorus erythrops</i>	<i>parambae</i>	M	T					B	1,2		0-1								
<input type="checkbox"/>	Perdiz Colorada Chestnut Wood-Quail	<i>Odontophorus hyperythrus</i>				X,E,Ω				B	2,3,4,11,13	NT	1-2>								
<input type="checkbox"/>	Perdiz de Nariño Dark-backed Wood-Quail	<i>Odontophorus melanonotus</i>				N				B	1	VU C-end	1-2								
<input type="checkbox"/>	Perdiz Katia Tacarauna Wood-Quail	<i>Odontophorus dileucos</i>			Δ					B		VU	1-2								
<input type="checkbox"/>	Perdiz Santandereana Gorgeted Wood-Quail	<i>Odontophorus strophium</i>				E				B	6	EN	1-2								
<input type="checkbox"/>	Perdiz Selvática Tawny-faced Quail	<i>Rhynchortyx cinctus</i>	<i>australis</i> (Pacífica) <i>cinctus</i> (Darién)	T	A					B	1		0-1								
<b>PODICIPEDIDAE: (4) Zambullidores – Grebes</b>																					
<input type="checkbox"/>	Zambullidor Chico Least Grebe	<i>Tachybaptus dominicus</i>	<i>speciosus</i>	T,ç		Ω,X,E	E	O	A			0-2>									
<input type="checkbox"/>	Zambullidor Piquigrueso Pied-billed Grebe	<i>Podilymbus podiceps</i>	<i>antarcticus</i>	T	T	X,E,Π, Ω				A		0-2>									
<input type="checkbox"/>	Zambullidor Bogotano Colombian Grebe	<i>Podiceps andinus</i>				E				A		EX	0-2>								
<input type="checkbox"/>	Zambullidor Plateado Silvery Grebe	<i>Podiceps occipitalis</i>	<i>juninensis</i>			X,N				A		0-2>									
<b>PHOENICOPTERIDAE: (1) Flamencos – Flamingos</b>																					
<input type="checkbox"/>	Flamenco Americano American Flamingo	<i>Phoenicopterus ruber</i>	<i>ruber</i>	Γ						A		0-1									
<b>SPHENISCIDAE: (3) Pingüinos - Penguins</b>																					
<input type="checkbox"/>	Pingüino de Humboldt Humboldt Penguin	<i>Spheniscus humboldti</i>			O					A		VU acc	O								
<input type="checkbox"/>	Pingüino de Galápagos Galapagos Penguin	<i>Spheniscus mendiculus</i>			O					A		acc	O								
<input type="checkbox"/>	Pingüino de Magallanes Magellanic Penguin	<i>Spheniscus magellanicus</i>			O					A		acc	O								
<b>DIOMEDEIDAE: (2) Albatros – Albatrosses</b>																					
<input type="checkbox"/>	Albatros de Galápagos Waved Albatross	<i>Phoebastria irrorata</i>			O					A		CR acc	O								
<input type="checkbox"/>	Albatros ceja negra Black-browed Albatross	<i>Thalassarche melanophrys</i>			O					A		acc	O								
<b>PROCELLARIIDAE: (11) Pardelas, Petreles – Shearwaters, Petrels</b>																					
<input type="checkbox"/>	Damero del Cabo Cape Petrel	<i>Daption capense</i>	<i>capense</i>		O					A		acc	O								

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Petrel Antillano Black-capped Petrel	<i>Pterodroma hasitata</i>	<i>hasitata</i>	o					A		EN acc	O								
<input type="checkbox"/> Petrel Ecuatoriano Galapagos Petrel	<i>Pterodroma phaeopygia</i>	<i>phaeopygia</i>		o,1				A		CR acc	O								
<input type="checkbox"/> Pardela de Parkinson Parkinson's Petrel	<i>Procellaria parkinsoni</i> <sup>7a</sup>			o				A		VU acc	O								
<input type="checkbox"/> Pardela de Westland Westland Petrel	<i>Procellaria westlandica</i>			1				A		acc	O								
<input type="checkbox"/> Pardela Patirrosada Pink-footed Shearwater	<i>Puffinus creatopus</i>			o				A		VU acc Obs	O								
<input type="checkbox"/> Pardela Colicuña Wedge-tailed Shearwater	<i>Puffinus pacificus</i>			o				A		acc	O								
<input type="checkbox"/> Pardela Oscura Sooty Shearwater	<i>Puffinus griseus</i>			o				A	10	acc	O								
<input type="checkbox"/> Pardela de la Christmas Christmas Shearwater	<i>Puffinus nativitatis</i> <sup>7</sup>			o				A		acc Obs	O								
<input type="checkbox"/> Pardela de Audubon Audubon's Shearwater	<i>Puffinus lherminieri</i>			o	o,1			A	10	acc	O								
<input type="checkbox"/> Pardela de los Galapagos Galapagos Shearwater	<i>Puffinus subalaris</i>			o	o			A		acc	O								
<b>HYDROBATIDAE: (9) Paños - Storm-Petrels</b>																			
<input type="checkbox"/> Paño Ventri blanco White-bellied Storm-Petrel	<i>Fregata grallaria</i> <sup>8</sup>			o				A		acc Obs	O								
<input type="checkbox"/> Paño de Elliot Elliot's Storm-Petrel	<i>Oceanites gracilis</i>	<i>galapagoensis</i> ? <i>gracilis</i>		o				A		DD	O								
<input type="checkbox"/> Paño Enano Least Storm-Petrel	<i>Oceanodroma microsoma</i>			o				A		acc	O								
<input type="checkbox"/> Paño de Galápagos Wedge-rumped Storm-Petrel	<i>Oceanodroma tethys</i>	<i>tethys</i>		o,1				A		acc	O								
<input type="checkbox"/> Paño de Madeira Band-rumped Storm-Petrel	<i>Oceanodroma castro</i>			o				A		acc Obs	O								
<input type="checkbox"/> Paño Boreal, Leach's Storm-Petrel	<i>Oceanodroma leucorhoa</i> <sup>8a</sup>	<i>chapmani</i>		o				A		acc	O								
<input type="checkbox"/> Paño de Markham Markham's Storm-Petrel	<i>Oceanodroma markhami</i>			o,1				A		DD acc Obs	O								
<input type="checkbox"/> Paño de Hornby Ringed Storm-Petrel	<i>Oceanodroma hornbyi</i>			o				A		DD acc	O								
<input type="checkbox"/> Paño Oscuro Black Storm-Petrel	<i>Oceanodroma melania</i>			o				A		acc	O								
<b>PHAETHONTIDAE: (2) Rabijuncos – Tropicbirds</b>																			
<input type="checkbox"/> Rabijunco Dorsibarrado Red-billed Tropicbird	<i>Phaethon aethereus</i>	<i>mesonauta</i> (Pac. y Caribe) <i>aethereus</i> (Caribe)	o	o,1				A			O								
<input type="checkbox"/> Rabijunco Piquigualdo White-tailed Tropicbird	<i>Phaethon lepturus</i>	<i>catesbyi</i>		o				A		Obs	O								
<b>PELECANIDAE: (2) Pelicanos – Pelicans</b>																			
<input type="checkbox"/> Pelicano Pardo Brown Pelican	<i>Pelecanus occidentalis</i>	<i>murphyi</i> (Pacífica) <i>occidentalis</i> (Caribe) <i>urinator</i> (Pacífica) (acc)	o	o				A	10		O								
<input type="checkbox"/> Pelicano Blanco Americano American White Pelican	<i>Pelecanus erythrorhynchus</i> <sup>9</sup>		1	o				A		acc Obs*	O								
<b>SULIDAE: (6) Piqueros – Boobies</b>																			
<input type="checkbox"/> Piquero Patiazul Blue-footed Booby	<i>Sula nebouxii</i>	<i>nebouxii</i>		o				A	10		O								
<input type="checkbox"/> Piquero Peruano Peruvian Booby	<i>Sula variegata</i>			o				A		acc	O								
<input type="checkbox"/> Piquero Enmascarado Masked Booby	<i>Sula dactylatra</i>	<i>dactylatra</i>		o	1			A	10		O								
<input type="checkbox"/> Piquero de Nazca Nazca Booby	<i>Sula granti</i>			o				A			O								
<input type="checkbox"/> Piquero Patirrojo Red-footed Booby	<i>Sula sula</i>	<i>sula</i> (Caribe) <i>websteri</i> (Pacífica)	o	o,1				A	10	acc Obs*	O								
<input type="checkbox"/> Piquero Pardo Brown Booby	<i>Sula leucogaster</i>	<i>etesiacca</i> (Pacífica) <i>leucogaster</i> (Caribe)		o	1			A	10		O								
<b>PHALACROCORACIDAE: (3) Cormoranes – Cormorants</b>																			
<input type="checkbox"/> Cormorán Neotropical Neotropical Cormorant	<i>Phalacrocorax brasilianus</i>	<i>brasilianus</i>	T	T	X, E	≡	o	A			0-2>								
<input type="checkbox"/> Guanay Guanay Cormorant	<i>Phalacrocorax bougainvillii</i>			o				A		NT acc	O								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Cormorán Orejudo Double-crested Cormorant	<i>Phalacrocorax auritus</i> <sup>10</sup>		I					A	10	acc SA	O								
<b>ANHINGIDAE: (1) Patos-aguja – Darters</b>																				
<input type="checkbox"/>	Pato-aguja Americano Anhinga	<i>Anhinga anhinga</i>	<i>anhinga</i>	T	T	X	Ξ	O	A			0-1								
<b>FREGATIDAE: (2) Fragatas – Frigatebirds</b>																				
<input type="checkbox"/>	Fragata Magnífica Magnificent Frigatebird	<i>Fregata magnificens</i>		O	O,I				A	10		O								
<input type="checkbox"/>	Fragata Alibandeada Great Frigatebird	<i>Fregata minor</i>	<i>ridgwayi</i>		O,I				A		acc	O								
<b>ARDEIDAE: (23) Garzas y afines - Herons, Egrets, Bittern</b>																				
<input type="checkbox"/>	Vaco Colorado Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>	<i>lineatum</i>	Γ,T,ϕ	Δ		Ξ	O	A	5		0-1								
<input type="checkbox"/>	Vaco Cabecinegro Fasciated Tiger-Heron	<i>Tigrisoma fasciatum</i>	<i>salmoni</i>	M,T, ϕ	Σ	E,ΣM			A	1		0-2								
<input type="checkbox"/>	Vaco Mejicano Bare-throated Tiger-Heron	<i>Tigrisoma mexicanum</i>			Δ				A			0-1								
<input type="checkbox"/>	Garza Agami Agami Heron	<i>Agamia agami</i>		T	Δ	E	Ξ	O	A			0-1								
<input type="checkbox"/>	Garza Cucharón Boat-billed Heron	<i>Cochlearius cochlearius</i>	<i>cochlearius</i>	T	T	E	Ξ	O	A	5		0-2								
<input type="checkbox"/>	Garza Zigzag Zigzag Heron	<i>Zebriulus undulatus</i>					Ξ	O	A			0-1								
<input type="checkbox"/>	Avetoro Pinnated Bittern	<i>Botaurus pinnatus</i>	<i>pinnatus</i>	ϕ		E		O	A			0-1								
<input type="checkbox"/>	Avetorillo Bicolor Least Bittern	<i>Ixobrychus exilis</i>	<i>bogotensis</i> (C) <i>erythromelas</i> (N, E)	T,ϕ		X,E,Σ M			A			0-2>								
<input type="checkbox"/>	Avetorillo Estriado Stripe-backed Bittern	<i>Ixobrychus involucris</i>		T				O	A			0-1								
<input type="checkbox"/>	Guaco Común Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	<i>hoactli</i>	Γ,T,ϕ		X,E	Ξ	O	A	5,10,14		0-2								
<input type="checkbox"/>	Guaco Manglero Yellow-crowned Night-Heron	<i>Nyctanassa violacea</i>	<i>caligenis</i> (W) <i>cayennensis</i> (N)	Γ,T,ϕ	T	X		O	A	5,10		0-2								
<input type="checkbox"/>	Garcita Verde Green Heron	<i>Butorides virescens</i>		T	Δ,I	E			A	10	Mb	0-2								
<input type="checkbox"/>	Garcita Rayada Striated Heron	<i>Butorides striata</i>	<i>striata</i>	T	T	X,E	Ξ	O	A	1,5,10,13, 14		0-2								
<input type="checkbox"/>	Garcita Bueyera Cattle Egret	<i>Bubulcus ibis</i>	<i>ibis</i>	T	T,I	Ξ	Ξ	O	A	1,3,4,5,10, 12,13,14		0-2								
<input type="checkbox"/>	Garzón Azulado Great Blue Heron	<i>Ardea herodias</i>	<i>herodias</i>	M,T	I				A	10	Mb	0-1								
<input type="checkbox"/>	Garzón Azul Cocoi Heron	<i>Ardea cocoi</i>		T	T		Ξ	O	A	5		0-1								
<input type="checkbox"/>	Garza Real Great Egret	<i>Ardea alba</i>	<i>egretta</i>	Ξ	Ξ,I	Ξ	Ξ	O	A	5,9,10, 13,14		0-2								
<input type="checkbox"/>	Garza Silbadora Whistling Heron	<i>Syrigma sibilatrix</i>	<i>fostersmithi</i>					O	A	,14		0-1								
<input type="checkbox"/>	Garza Crestada Capped Heron	<i>Ptilerodius pileatus</i>		M,T	Δ		Ξ	O	A	5,13		0-1								
<input type="checkbox"/>	Garza Tricolor Tricolored Heron	<i>Egretta tricolor</i>	<i>ruficollis</i> (res.y mig.bor) <i>tricolor</i> ? (S)	O	O				A	10	[Mb]	0-1								
<input type="checkbox"/>	Garza Rojiza Reddish Egret	<i>Egretta rufescens</i>	<i>rufescens</i>	Γ					A		NT	0-1								
<input type="checkbox"/>	Garza Patiamarilla Snowy Egret	<i>Egretta thula</i>	<i>thula</i>	Ξ	Ξ,I	Ξ	Ξ	O	A	5,10,13,14		0-2								
<input type="checkbox"/>	Garza Azul Little Blue Heron	<i>Egretta caerulea</i>		Ξ	Ξ	Ξ	Ξ	O	A	10	[Mb]	0-2								
<b>THRESKIORNITHIDAE: (8) Ibis, Espátulas – Ibises, Spoonbills</b>																				
<input type="checkbox"/>	Ibis Blanco White Ibis	<i>Eudocimus albus</i>		O				O	A			0-1								
<input type="checkbox"/>	Corocora Scarlet Ibis	<i>Eudocimus ruber</i>	<i>ruber</i>	O,ϕ				O	A			0-1								
<input type="checkbox"/>	Ibis Pico-de-hoz Glossy Ibis	<i>Plegadis falcinellus</i>		O					A	10	acc	0-1								
<input type="checkbox"/>	Tarotaro Sharp-tailed Ibis	<i>Cercibis oxycerca</i>						O	A,S			0-1								
<input type="checkbox"/>	Ibis Verde Green Ibis	<i>Mesembrinibis cayennensis</i>		M,T	Δ		Ξ	O	A,S			0-1								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Coquito Bare-faced Ibis	<i>Phimosus infuscatus</i>	<i>berlepschi</i>	T,ç			≡	o	A,S	5		0-1									
<input type="checkbox"/>	Bandurria Aliblanca Buff-necked Ibis	<i>Theristicus caudatus</i>	<i>caudatus</i>	M,T,ç				o	A,S			0-1									
<input type="checkbox"/>	Espátula Rosada Roseate Spoonbill	<i>Platalea ajaja</i>		T	o			o	A			0-1									
<b>CICONIIDAE: (3) Cigüeñas – Storks</b>																					
<input type="checkbox"/>	Cigüeña Llanera Maguari Stork	<i>Ciconia maguari</i>						o	A,S			0-1									
<input type="checkbox"/>	Jabirú Jabiru	<i>Jabiru mycteria</i>		T			≡	o	A,S			0-1									
<input type="checkbox"/>	Cabeza-de-hueso Wood Stork	<i>Mycteria americana</i>		M,T,ç		E	≡	o	A			0-1									
<b>CATHARTIDAE: (6) Gallinazos, Cóndores – American Vultures</b>																					
<input type="checkbox"/>	Guala Cabecirroja Turkey Vulture	<i>Cathartes aura</i>	<i>ruficollis</i> (resid.) <i>septentrionalis</i> (migrat.) <i>aura</i> (migrat.)	≡	≡	≡	≡	o	U	1,3,4,5,6,7, 8,9,11,12, 13,14,15	[Mb]	0-2>									
<input type="checkbox"/>	Guala Sabanera Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	<i>burrovianus</i> (N, C) <i>urubitinga</i> (E)	M,T,ç	T			o	S	,14		0-1									
<input type="checkbox"/>	Guala Amazónica Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>						Z	B			0-1									
<input type="checkbox"/>	Gallinazo Negro (American) Black Vulture	<i>Coragyps atratus</i>	<i>brasiliensis</i> (N, E) <i>foetens</i> (W)	≡	≡	≡	≡	o	U	1,3,4,5,6,7, 8,9,11,12, 13,14		0-2>									
<input type="checkbox"/>	Rey de los Gallinazos King Vulture	<i>Sarcoramphus papa</i>		M,T,ç	A		≡	o	B, D	5,8,11,12		0-1									
<input type="checkbox"/>	<b>Cóndor Andino</b> <b>Andean Condor</b>	<i>Vultur gryphus</i>				X,E,N, ΣM			S	8	NT	1-2>									
<b>PANDIONIDAE: (1) Águila Pescadora – Osprey</b>																					
<input type="checkbox"/>	Águila Pescadora Osprey	<i>Pandion haliaetus</i>	<i>carolinensis</i>	≡	≡	≡	≡	o	A	5,8,10,13, 14	Mb	0-2>									
<b>ACCIPITRIDAE: (50) Gavilanes, Águilas, Aguillillas – Hawks, Eagles, Kites</b>																					
<input type="checkbox"/>	Gavilán Maromero White-tailed Kite	<i>Elanus leucurus</i>	<i>leucurus</i>	M,T,ç		X,E		o	S	5,13,14		0-2									
<input type="checkbox"/>	Gavilancito Perlado Pearl Kite	<i>Gampsonyx swainsonii</i>	<i>leonae</i> (N) <i>magnus</i> (W)	≡		X,E	≡	o	D,S	6,12,13, 15		0-2									
<input type="checkbox"/>	Caracolero Piquiganchudo Hook-billed Kite	<i>Chondrohierax uncinatus</i>	<i>uncinatus</i>	Γ,T,ç		X,E,N	≡	o	B, D	6,13,15		0-2>									
<input type="checkbox"/>	Aguillilla Cabecigrís Gray-headed Kite	<i>Leptodon cayanensis</i>	<i>cayanensis</i>	T	T		Z		B	1,6		0-1									
<input type="checkbox"/>	Aguillilla Tijereta Swallow-tailed Kite	<i>Elanoides forficatus</i>	<i>forficatus</i> (migrat.) <i>yetapa</i> (resid.)	T,ç	T	X,E,N	Z		B	1,2,5,6,11, 13	[Mb]	0-2>									
<input type="checkbox"/>	Caracolero Común Snail Kite	<i>Rostrhamus sociabilis</i>	<i>sociabilis</i>	≡	A	E	≡	o	A			0-1									
<input type="checkbox"/>	Caracolero Negro Slender-billed Kite	<i>Helicolestes hamatus</i>		M	A		≡	o	A			0-1									
<input type="checkbox"/>	Gavilán Lagartero Double-toothed Kite	<i>Harpagus bidentatus</i>	<i>bidentatus</i> (C, E) <i>fasciatus</i> (W)	M,T	T		≡	o	B	1,6,8		0-1									
<input type="checkbox"/>	Aguillilla del Misisipi Mississippi Kite	<i>Ictinia mississippiensis</i>		T		E			T			tra - Mb	0-2>								
<input type="checkbox"/>	Aguillilla Plomiza Plumbeous Kite	<i>Ictinia plumbea</i>		M,T,ç	T		≡	o	B	1,2,5,8,9		0-2>									
<input type="checkbox"/>	Aguilucho Pálido Northern Harrier	<i>Circus cyaneus</i>	<i>hudsonius</i>	Γ,T,ç	T	E			A,S	10	Mb	0-2>									
<input type="checkbox"/>	Aguilucho Cenizo Cinereous Harrier	<i>Circus cinereus</i>				E,N			A,S		Mb	1-2>									
<input type="checkbox"/>	Aguilucho Negro Long-winged Harrier	<i>Circus buffoni</i>		ç				o	A,S			0-1									
<input type="checkbox"/>	Azor Selvático Gray-bellied Hawk	<i>Accipiter poliogaster</i>		T			≡	o	B			0-1									
<input type="checkbox"/>	Azor Diminuto Tiny Hawk	<i>Accipiter superciliosus</i>	<i>fontanieri</i> (W) <i>superciliosus</i> (E)	T	T	ΣM	≡	o	B	1		0-2									
<input type="checkbox"/>	Azor Collarejo Semicollared Hawk	<i>Accipiter collaris</i>				X,E,I, ΣM,Ω			B	2,8,11	NT	0-2									
<input type="checkbox"/>	Azor Cordillerano Sharp shinned Hawk	<i>Accipiter striatus</i>				E			B	2,3,6,7,8, 11,12,13, 15		1-2>									
<input type="checkbox"/>	Azor de Cooper Cooper's Hawk	<i>Accipiter cooperii</i>				E,ΣM			B		acc Mb	2>									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Azor Bicolor Bicolored Hawk	<i>Accipiter bicolor</i>	<i>bicolor</i>	M,T, S	A	E	≡	O	B, D	1,8		0-2									
<input type="checkbox"/>	Aguililla Zanca Crane Hawk	<i>Geranospiza caerulescens</i>	<i>balzarensis</i> (W) <i>caerulescens</i> (E)	≡	T		≡	O	B, D	5,13		0-1									
<input type="checkbox"/>	Gavilán Pizarra Plumbeous Hawk	<i>Leucopternis plumbeus</i>			A,T				B	1	NT	0-1									
<input type="checkbox"/>	Gavilán Patirrojo Slate-colored Hawk	<i>Leucopternis schistaceus</i>					≡	O	B			0-1									
<input type="checkbox"/>	Gavilán Príncipe Barred Hawk	<i>Leucopternis princeps</i>			A,T				B	1,2,6,11,12		0-1									
<input type="checkbox"/>	Gavilán Carinegro Black-faced Hawk	<i>Leucopternis melanops</i>					Z		B			0-1									
<input type="checkbox"/>	Gavilán Gris Semiplumbeous Hawk	<i>Leucopternis semiplumbeus</i>			A,T				B	1		0-1									
<input type="checkbox"/>	Gavilán Blanco White Hawk	<i>Leucopternis albicollis</i>	<i>albicollis</i> (E) <i>costaricensis</i> (W) <i>williaminae</i> (NW)	T	A,T		≡	O	B	5,11		0-1									
<input type="checkbox"/>	Cangrejero Negro Common Black-Hawk	<i>Buteogallus anthracinus</i>	<i>anthracinus</i> (N) <i>subtilis</i> (SW)	O	o			O	B,A			0-1									
<input type="checkbox"/>	Cangrejero Grande Great Black-Hawk	<i>Buteogallus urubitinga</i>	<i>urubitinga</i>	M,T	A		≡	O	B,A	13		0-1									
<input type="checkbox"/>	Gavilán Sabanero Savanna Hawk	<i>Buteogallus meridionalis</i>		M,T, S				O	S	5,11,13		0-1									
<input type="checkbox"/>	Águila Solitaria Solitary Eagle	<i>Harpohaliaetus solitarius</i>	<i>solitarius</i>			E,EM,Ω			B	2,8	NT	1-2>									
<input type="checkbox"/>	Gavilán Cienaguero Black-collared Hawk	<i>Busarellus nigricollis</i>	<i>nigricollis</i>	Γ,T	A		≡	O	A			0-1									
<input type="checkbox"/>	Águila Paramuna Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>	<i>australis</i>			Ω,X,E, N			B	3,7,15		1-2>									
<input type="checkbox"/>	Gavilán Rabiblanco Harris's Hawk	<i>Parabuteo unicinctus</i>	<i>harrisi</i> (CW) <i>unicinctus</i> (NE)	Γ,T,ς					D,S			0-1									
<input type="checkbox"/>	Gavilán Caminero Roadside Hawk	<i>Buteo magnirostris</i>	<i>magnirostris</i>	M,T, ς	T	X,E,N, Ω	≡	O	B, D	1,3,4,5,6,7, 8,9,11,12, 13,14,15		0-2>									
<input type="checkbox"/>	Gavilán Aliancho Broad-winged Hawk	<i>Buteo platypterus</i>	<i>platypterus</i>	T	T	≡			B	1,4,5,7,8, 11	Mb	0-2									
<input type="checkbox"/>	Gavilán Negro White-rumped Hawk	<i>Buteo leucorrhous</i>				≡			B	1,8		1-2>									
<input type="checkbox"/>	Gavilán Saraviado Gray Hawk	<i>Buteo nitidus</i>	<i>costaricensis</i> (W, C) <i>nitidus</i> (E)	M,T	A		Z		B	4,6,8,13, 14		0-1									
<input type="checkbox"/>	Gavilán Rabicorto Short-tailed Hawk	<i>Buteo brachyurus</i>	<i>brachyurus</i>	M		≡	Z		B	5,7,8,11, 14		0-2									
<input type="checkbox"/>	Gavilán Gorgiblanco White-throated Hawk	<i>Buteo albigula</i>				X,Ω			B			2>									
<input type="checkbox"/>	Gavilán de Swainson Swainson's Hawk	<i>Buteo swainsoni</i>		M,ς		X,E,Ω	≡			5	tra Mb	0-2									
<input type="checkbox"/>	Gavilán Coliblanco White-tailed Hawk	<i>Buteo albicaudatus</i>	<i>colonus</i> (E) <i>hypospodius</i> (N)	≡		X,E		O	S	4,5,7,11, 15		0-2>									
<input type="checkbox"/>	Gavilán Variable Variable Hawk	<i>Buteo polyosoma</i>	<i>polyosoma</i> <i>poecilochrous</i>			X,N,Ω			B	7		1-2>									
<input type="checkbox"/>	Gavilán Gallinazo Zone-tailed Hawk	<i>Buteo albonotatus</i>		M,T			Z		B, D			0-1									
<input type="checkbox"/>	Gavilán Colirrojo Red-tailed Hawk	<i>Buteo jamaicensis</i> <sup>11</sup>	<i>calurus</i> ?			X			T		acc Mb	1-2									
<input type="checkbox"/>	Águila Moñuda Crested Eagle	<i>Morphnus guianensis</i>			A,T	Π	Z		B		NT	0-1									
<input type="checkbox"/>	Águila Arpia Harpy Eagle	<i>Harpia harpyja</i>		M	A		Z		B		NT	0-1									
<input type="checkbox"/>	Águila Enmascarada Black-and-white Hawk-Eagle	<i>Spizaetus melanoleucus</i>		Γ	T	Π	Z		B	6		0-1									
<input type="checkbox"/>	Águila Iguanera Black Hawk-Eagle	<i>Spizaetus tyrannus</i>	<i>serus</i>	Γ,T	A		Z		B	5,6,9,11, 12		0-1									
<input type="checkbox"/>	Águila Coronada Ornate Hawk-Eagle	<i>Spizaetus ornatus</i>	<i>ornatus</i> (E) <i>vicarius</i> (W)	T	A,T		Z		B	1,11		0-2									
<input type="checkbox"/>	Águila Crestada Black-and-chestnut Eagle	<i>Spizaetus isidori</i>				≡			B	1,2,7,8	NT	1-2>									
<b>FALCONIDAE: (18) Halcones, Caracaras - Falcons, Caracaras</b>																					
<input type="checkbox"/>	Halcón Reidor Laughing Falcon	<i>Herpotheres cachinnans</i>	<i>cachinnans</i>	M,T, ς	T		≡	O	B, D	1,5,8,11, 12,13,14		0-1									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Halcón-montés Pajarero Barred Forest-Falcon	<i>Micrastur ruficollis</i>	<i>interstes</i> (W) <i>zonothorax</i> (E)		M,A T	X,E,II, ΣM			B	1,6,8,11,12		0-2>							
<input type="checkbox"/>	Halcón-montés de Munchique Plumbeous Forest-Falcon	<i>Micrastur plumbeus</i>			Σ				B	1	VU C-end	0-1							
<input type="checkbox"/>	Halcón-montés Ojiblanco Lined Forest-Falcon	<i>Micrastur gilvicollis</i>					Z		B			0-1							
<input type="checkbox"/>	Halcón-montés Pechiblanco Slaty-backed Forest-Falcon	<i>Micrastur mirandollei</i>			Δ,T		Z		B			0-1							
<input type="checkbox"/>	Halcón-montés Collarejo Collared Forest-Falcon	<i>Micrastur semitorquatus</i>	<i>naso</i> (N, W) <i>semitorquatus</i> (E)	T	T		Z		B	5,8		0-1							
<input type="checkbox"/>	Halcón-montés de Buckley Buckley's Forest-Falcon	<i>Micrastur buckleyi</i>					Z		B		Obs	0-1							
<input type="checkbox"/>	Caracara Moñudo Crested Caracara	<i>Caracara cheriway</i>	<i>cheriway</i>	M,T, Σ		X,E,N		o	B, D	3,4,5,7,8, 12,13,14		0-2>							
<input type="checkbox"/>	Cacao Avispero Red-throated Caracara	<i>Ibycter americanus</i>		M,T	Δ,T		Σ	o	B	5,11,12		0-1							
<input type="checkbox"/>	Caracara Paramuno Carunculated Caracara	<i>Phalcooenus carunculatus</i>				N			S		C-end	2>							
<input type="checkbox"/>	Cacao Negro Black Caracara	<i>Daptrius ater</i>					Σ	o	B			0-1							
<input type="checkbox"/>	Pigua Yellow-headed Caracara	<i>Milvago chimachima</i>	<i>cordatus</i>	M,T, Σ		X,E		o	B, D	5,8,11,13, 14,15		0-2							
<input type="checkbox"/>	Cernicalo Americano American Kestrel	<i>Falco sparverius</i>	<i>caucae</i> (W) <i>ochraceus</i> (E)	Σ	Σ	Σ	Σ	o	S	3,5,6,7,8, 10,11,12, 13,14,15		0-2>							
<input type="checkbox"/>	Esmerejón Merlin	<i>Falco columbarius</i>	<i>suckleyi</i> (N) <i>columbarius</i> (W)	Σ	Σ	Σ			T	8,10	Mb	0-2>							
<input type="checkbox"/>	Halcón Murcielaguero Bat Falcon	<i>Falco rufigularis</i>	<i>petoensis</i> (W) <i>rufigularis</i> (E)	Σ	Σ	X	Σ	o	B, D	1,6,8,11, 14,15		0-1							
<input type="checkbox"/>	Halcón Colorado Orange-breasted Falcon	<i>Falco deiroleucus</i>				X,E,II, Ω	Z		B	,14		0-2>							
<input type="checkbox"/>	Halcón Plomizo Aplomado Falcon	<i>Falco femoralis</i>	<i>femoralis</i> (N, E) <i>pichincae</i> (SW)	M,T, Σ				o	B	5,6,13		0-2							
<input type="checkbox"/>	Halcón Peregrino Peregrine Falcon	<i>Falco peregrinus</i>	<i>cassini</i> (resid. An) <i>tundrius, anatum, pealei</i> (mig. boreal)	Σ	I	Σ			T	6,10	[Mb Ma]	0-2>							
<b>ARAMIDAE: (1) Carrao – Limpkin</b>																			
<input type="checkbox"/>	Carrao Limpkin	<i>Aramus guarauna</i>	<i>guarauna</i>	T	O		Σ	o	A	5		0-1							
<b>PSOPHIIDAE: (2) Tentes – Trumpeters</b>																			
<input type="checkbox"/>	Tente Aligris Gray-winged Trumpeter	<i>Psophia crepitans</i>	<i>crepitans</i> (Orinoquia) <i>napensis</i> (Amazonia)					Σ	o	B		0-1							
<input type="checkbox"/>	Tente Alipalido Pale-winged Trumpeter	<i>Psophia leucoptera</i> <sup>12</sup>						Σ	o	B	Obs Int?	0-1							
<b>RALLIDAE: (30) Polluelas, Rascones, Fochas - Rails, Gallinules, Coots</b>																			
<input type="checkbox"/>	Polluela Moteada Speckled Rail	<i>Coturnicops notatus</i>					Z		S			0-1							
<input type="checkbox"/>	Polluela Ocelada Ocellated Crane	<i>Micropygia schomburgkii</i>	<i>schomburgkii</i>				Σ	o	S			0-1							
<input type="checkbox"/>	Rascón Manglero Clapper Rail	<i>Rallus longirostris</i>	<i>cypereti</i> (SW) <i>phelpsi</i> (NE)	Γ	T				A			0-1							
<input type="checkbox"/>	Rascón de Nariño Virginia Rail	<i>Rallus limicola</i>	<i>aequatorialis</i>			N			A			2>							
<input type="checkbox"/>	Rascón Bogotano Bogotá Rail	<i>Rallus semiplumbeus</i>				E			A			EN	2>						
<input type="checkbox"/>	Chilacoa Parda Brown Wood-Rail	<i>Aramides wolfi</i>			O				B,A	1	VU	0-1							
<input type="checkbox"/>	Chilacoa Colinegra Gray-necked Wood-Rail	<i>Aramides cajanea</i>	<i>cajanea</i>	M,T, Σ	Δ,T	X	Σ	o	B,A	5,13		0-2							
<input type="checkbox"/>	Chilacoa Costera Rufous-necked Wood-Rail	<i>Aramides axillaris</i>		O	O	ΣM			A			0-1							
<input type="checkbox"/>	Polluela Rufa Uniform Crane	<i>Amaurolimnas concolor</i>	<i>guatemalensis</i>		O				B			0-1							
<input type="checkbox"/>	Polluela Colorada Chestnut-headed Crane	<i>Anurolimnas castaneiceps</i>	<i>coccineiceps</i>				Z		B	14		0-1							
<input type="checkbox"/>	Polluela Cabecirrufa Russet-crowned Crane	<i>Anurolimnas viridis</i>	<i>brunnescens</i> (C, E) <i>viridis</i> ? (SE)	M				o	A	5,6,11,12		0-1							
<input type="checkbox"/>	Polluela Barrada Black-banded Crane	<i>Anurolimnas fasciatus</i>					Z		A			0-1							



Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Polluela Pechiblanca Rufous-sided Crake	<i>Laterallus melanophaius</i>	<i>oenops</i>				Z		A,S			0-1									
<input type="checkbox"/>	Polluela Gorgiblanca White-throated Crake	<i>Laterallus albigularis</i>	<i>albigularis</i> (N, W) <i>cerdaleus</i> (E)	M,T	T	X			A,S	1,5,11		0-2									
<input type="checkbox"/>	Polluela Bicolor Gray-breasted Crake	<i>Laterallus exilis</i>		T	O	E	Z		A			0-1									
<input type="checkbox"/>	Polluela Negra Black Rail	<i>Laterallus jamaicensis</i>	<i>jamaicensis</i>			E			A			0-2>									
<input type="checkbox"/>	Polluela de Antifaz Yellow-breasted Crake	<i>Porzana flaviventer</i>	<i>bangsi</i> (N) <i>flaviventer</i> (C)	T,ç				O	A			0-1									
<input type="checkbox"/>	Polluela Cienaguera Ash-throated Crake	<i>Porzana albicollis</i>	<i>olivacea</i>	T,ç				O	A			0-1									
<input type="checkbox"/>	Polluela Norteña Sora	<i>Porzana carolina</i>		M,T, ç		X,E,N			A	10	Mb	0-2>									
<input type="checkbox"/>	Polluela Pizarra Colombian Crake	<i>Neocrex colombiana</i>	<i>colombianus</i> (N, W) <i>ripleyi</i> (NW)	T	ç				A,S		DD C-end	0-2									
<input type="checkbox"/>	Polluela Piquirroja Paint-billed Crake	<i>Neocrex erythrops</i>	<i>olivascens</i>			E	Z		A,S			0-2>									
<input type="checkbox"/>	Rascón Overo Spotted Rail	<i>Pardirallus maculatus</i>	<i>maculatus</i>	M,ç			Z		A			0-1									
<input type="checkbox"/>	Rascón Negruzco Blackish Rail	<i>Pardirallus nigricans</i>	<i>caucae</i>	ç	T	X			A	11		0-2									
<input type="checkbox"/>	Polla Gris Common Moorhen / Gallinule	<i>Gallinula chloropus</i>	<i>pauillus</i>	M,T, ç		X,E			A	10	[Mb]	0-2>									
<input type="checkbox"/>	Polla Sabanera Spot-flanked Gallinule	<i>Gallinula melanops</i>	<i>bogotensis</i>			E			A			2>									
<input type="checkbox"/>	Polla Azul Purple Gallinule	<i>Porphyrio martinica</i>		M,T, ç	T	X,E	ç	O	A	5,10,13		0-2>									
<input type="checkbox"/>	Polla Llanera Azure Gallinule	<i>Porphyrio flavirostris</i>					ç	O	A		[Ma]	0-1									
<input type="checkbox"/>	Focha Caribeña Caribbean Coot	<i>Fulica caribaea</i>		O					A	10	SA (Obs)	0-1									
<input type="checkbox"/>	Focha Americana American Coot	<i>Fulica americana</i>	<i>columbiana</i>	ç		X,E,N			A	10	[Mb]	1-2>									
<input type="checkbox"/>	Focha Andina Slate-colored Coot	<i>Fulica ardesiaca</i>	<i>atrura</i>			N			A			2>									
<b>HELIORNITHIDAE: (1) Colimbo-selváticos – Finfoots</b>																					
<input type="checkbox"/>	Colimbo-selvático Americano Sungrebe	<i>Heliornis fulica</i>		ç	T			ç	O	A		0-1									
<b>EURYPYGIDAE: (1) Garza del Sol – Sunbittern</b>																					
<input type="checkbox"/>	Garza del Sol Sunbittern	<i>Eurypyga helias</i>	<i>helias</i> (E) <i>major</i> (W)	T	T			ç	O	A	5		0-1								
<b>CHARADRIIDAE: (10) Pellares, Chorlos – Lapwings, Plovers</b>																					
<input type="checkbox"/>	Pellar Playero Pied Lapwing	<i>Vanellus cayanus</i>						ç	O	A		0-1									
<input type="checkbox"/>	Pellar Teru-teru Southern Lapwing	<i>Vanellus chilensis</i>	<i>cayennensis</i>			ç	ç	ç	O	A,S	4,5,7,11,13 ,14	0-2>									
<input type="checkbox"/>	Pellar Andino Andean Lapwing	<i>Vanellus resplendens</i>				X,E,N			A,S			2>									
<input type="checkbox"/>	Chorlito Dorado Americano American Golden-Plover	<i>Pluvialis dominica</i>			T		Z		A,S			tra Mb	0-2>								
<input type="checkbox"/>	Chorlito Gris Black-bellied Plover	<i>Pluvialis squatarola</i>		O	O	X,E			A	10		Mb	0-2>								
<input type="checkbox"/>	Chorlito Semipalmado Semipalmated Plover	<i>Charadrius semipalmatus</i>		O	O,I				A	10		Mb	0-1								
<input type="checkbox"/>	Chorlito Piquirruco Wilson's Plover	<i>Charadrius wilsonia</i>	<i>beldingi</i> (Pacífica) <i>cinnamominus</i> (Caribe) <i>wilsonius</i> (mig. boreal)	O	O				A	10		[Mb]	0-1								
<input type="checkbox"/>	Chorlito Culirrojo Killdeer	<i>Charadrius vociferus</i>	<i>vociferus</i>	T		E		O	A	10		Mb	0-2>								
<input type="checkbox"/>	Chorlito Patinegro Snowy Plover	<i>Charadrius alexandrinus</i>	<i>nivosus</i> <i>occidentalis</i> (?)	O					A			Mb Obs	0-1								
<input type="checkbox"/>	Chorlito Collarejo Collared Plover	<i>Charadrius collaris</i>		T				ç	O	A	5		0-1								
<b>HAEMATOPODIDAE: (1) Ostreros – Oystercatchers</b>																					
<input type="checkbox"/>	Ostrero-pío Americano American Oystercatcher	<i>Haematopus palliatus</i>	<i>palliatus</i>	O	O,I				A			O									

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<b>RECURVIROSTRIDAE: (1) Cigüeñuelas – Stilts</b>																			
<input type="checkbox"/>	Cigüeñuela Americana Black-necked Stilt	<i>Himantopus mexicanus mexicanus</i>			E			O	A	10		0-2>							
<b>BURHINIDAE: (1) Alcaravanes - Thick-knees</b>																			
<input type="checkbox"/>	Alcaraván Venezolano Double-striped Thick-knee	<i>Burhinus bistriatus pediacus</i>		F,M,T				O	S			0-1							
<b>SCOLOPACIDAE: (37) Andarrios, Becasinas – Sandpipers, Snipes</b>																			
<input type="checkbox"/>	Becasina Común Wilson's Snipe	<i>Gallinago delicata delicata</i>						O	A	10		Mb	0-2>						
<input type="checkbox"/>	Becasina Suramericana South American Snipe	<i>Gallinago paraguaiae paraguaiae</i>						O	A,S			0-1							
<input type="checkbox"/>	Becasina Paramuna Noble Snipe	<i>Gallinago nobilis</i>							A	3,7		2>							
<input type="checkbox"/>	Becasina Gigante Giant Snipe	<i>Gallinago undulata undulata</i>						O	A,S			0-2							
<input type="checkbox"/>	Becasina Andina Andean Snipe	<i>Gallinago jamesoni</i>							A			2>							
<input type="checkbox"/>	<b>Becasina Imperial</b> <b>Imperial Snipe</b>	<i>Gallinago imperialis</i>				E?			A		Bog NT	2>							
<input type="checkbox"/>	Becasa Piquicorta Short-billed Dowitcher	<i>Limnodromus griseus</i>		O	O				A	10		Mb	0-1						
<input type="checkbox"/>	Becasa Piquilarga Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>		O					A	10		Mb	O						
<input type="checkbox"/>	Aguja Parda Hudsonian Godwit	<i>Limosa haemastica</i>		O					A			Mb	0-1						
<input type="checkbox"/>	Aguja Moteada Marbled Godwit	<i>Limosa fedoa fedoa</i>		O					A			Mb Obs	O						
<input type="checkbox"/>	Zarapito Trinador Whimbrel	<i>Numenius phaeopus hudsonicus</i>		O	O,I	E	Θ		A	10		Mb	0-1						
<input type="checkbox"/>	<b>Zarapito Americano</b> <b>Long-billed Curlew</b>	<i>Numenius americanus</i> <sup>13</sup>		T					A			0-1							
<input type="checkbox"/>	Correlimos Sabanero Upland Sandpiper	<i>Bartramia longicauda</i>		T		E		O	S			Mb	0-2>						
<input type="checkbox"/>	Andarrios Manchado Spotted Sandpiper	<i>Actitis macularius</i>						O	A	1,5,10,12		Mb	0-2>						
<input type="checkbox"/>	Patiamarillo Grande Greater Yellowlegs	<i>Tringa melanoleuca</i>						O	A	10		Mb	0-2>						
<input type="checkbox"/>	Patiamarillo Chico Lesser Yellowlegs	<i>Tringa flavipes</i>						O	A	5,10,13		Mb	0-2>						
<input type="checkbox"/>	Andarrios Solitario Solitary Sandpiper	<i>Tringa solitaria cinnamomea solitaria</i>						O	A	5,10,13,15		Mb	0-2>						
<input type="checkbox"/>	Playero Aliblanco Willet	<i>Tringa semipalmata inornata</i> (Pacífica) <i>semipalmata</i>		O	O				A			Mb	0-1						
<input type="checkbox"/>	Playero Errante Wandering Tattler	<i>Tringa incana</i>			O,I				A			Mb	0-1						
<input type="checkbox"/>	Vuelvepiedras Rojizo Ruddy Turnstone	<i>Arenaria interpres morinella</i>		O	O,I				A	10		Mb	0-1						
<input type="checkbox"/>	Chorlo de Rompientes Surfbird	<i>Aphriza virgata</i>			O				A			Mb	0-1						
<input type="checkbox"/>	Playero Rojizo Red Knot	<i>Calidris canutus roselaari rufus</i> (S) mig. boreal		O	O				A			Mb	0-1						
<input type="checkbox"/>	Playero Blanco Sanderling	<i>Calidris alba</i>		O	O,I				A	10		Mb	0-1						
<input type="checkbox"/>	Playero Semipalmado Semipalmated Sandpiper	<i>Calidris pusilla</i>		O	O				A	10		Mb	0-1						
<input type="checkbox"/>	Playero Occidental Western Sandpiper	<i>Calidris mauri</i>		O	O				A	10		Mb	0-1						
<input type="checkbox"/>	Playero Diminuto Least Sandpiper	<i>Calidris minutilla</i>						O	A	10		Mb	0-2>						
<input type="checkbox"/>	Playero Culiblanco White-rumped Sandpiper	<i>Calidris fuscicollis</i>						O	A			Mb	0-2>						
<input type="checkbox"/>	Playero Patinegro Baird's Sandpiper	<i>Calidris bairdii</i>						O	A			Mb	0-2>						
<input type="checkbox"/>	Playero Pectoral Pectoral Sandpiper	<i>Calidris melanotos</i>						O	A			tra Mb	0-2>						
<input type="checkbox"/>	Playero Buchinegro Dunlin	<i>Calidris alpina pacifica</i>		O					A			Mb Obs	0-1						

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Playero Patilargo Stilt Sandpiper	<i>Calidris himantopus</i>		o,1	o				A		Mb	0-1							
<input type="checkbox"/>	Playero Canelo Buff-breasted Sandpiper	<i>Tryngites subruficollis</i>		≡		≡	≡	o	A		Mb NT	0-2>							
<input type="checkbox"/>	Combatiente Ruff	<i>Philomachus pugnax</i>				E			A		"Bog" Mb	0-2>							
<input type="checkbox"/>	Falaropo Tricolor Wilson's Phalarope	<i>Phalaropus tricolor</i>		o,1		X,E			A	10	Mb	O							
<input type="checkbox"/>	Falaropo Cuellirrojo Red-necked Phalarope	<i>Phalaropus lobatus</i>			o				A		Mb	O							
<input type="checkbox"/>	Falaropo Colorado Red Phalarope	<i>Phalaropus fulicarius</i>			o			o	A		Mb	O							
<b>JACANIDAE: (1) Gallitos-de-ciénaga – Jacanas</b>																			
<input type="checkbox"/>	Gallito-de-ciénaga Suramericano Wattled Jacana	<i>Jacana jacana</i>	<i>hypomelaena</i> (N, C) <i>jacana</i> (SE) <i>melanopygia</i> (W)	≡		X,E	≡	o	A	5,13		0-2							
<b>STERCORARIIDAE: (5) Págalos - Skuas, Jaegers</b>																			
<input type="checkbox"/>	Págalo Grande Great Skua	<i>Stercorarius skua</i>		o					A		acc Mb Obs	O							
<input type="checkbox"/>	Págalo del Polo Sur South Polar Skua	<i>Stercorarius maccormicki</i> <sup>13a</sup>		o					A		acc Obs	O							
<input type="checkbox"/>	Págalo Pomarino Pomarine Jaeger / Skua	<i>Stercorarius pomarinus</i> <sup>14</sup>		o					A		Mb	O							
<input type="checkbox"/>	Págalo Parásito Parasitic Jaeger / Arctic Skua	<i>Stercorarius parasiticus</i>		o	o				A	10	tra Mb	O							
<input type="checkbox"/>	Págalo Colilargo Long-tailed Jaeger / Skua	<i>Stercorarius longicaudus</i> <sup>15</sup> <i>pallascens</i>		o					A		Mb	O							
<b>LARIDAE: (32) Gaviotas, Gaviotines - Gulls, Terns</b>																			
<input type="checkbox"/>	Gaviota Rabihorcada Swallow-tailed Gull	<i>Creagrus furcatus</i>			o,1				A			O							
<input type="checkbox"/>	Gaviota de Sabine Sabine's Gull	<i>Xema sabini</i> <i>sabini</i>			o				A		Mb	O							
<input type="checkbox"/>	Gaviota Capucho gris Gray-hooded Gull	<i>Chroicocephalus cirrocephalus</i> <sup>16a</sup>		o					A		acc	O							
<input type="checkbox"/>	Gaviota Andina Andean Gull	<i>Chroicocephalus serranus</i>				N			A		Mb	O							
<input type="checkbox"/>	Gaviota Enana Little Gull	<i>Hydrocoloeus minutus</i>			o				A		Mb Obs	0-2>							
<input type="checkbox"/>	Gaviota Gris Gray Gull	<i>Leucophaeus modestus</i>			o				A		Ma	O							
<input type="checkbox"/>	Gaviota Reidora Laughing Gull	<i>Leucophaeus atricilla</i> <i>atricillus</i> (Caribe ?) <i>megalopterus</i>		o	o,1	X,E			A	10	Mb	O							
<input type="checkbox"/>	Gaviota de Franklin Franklin's Gull	<i>Leucophaeus pipixcan</i>			o,1				A		Mb	0-2>							
<input type="checkbox"/>	Gaviota Sureña Belcher's Gull	<i>Larus belcheri</i>			o				A		Ma	O							
<input type="checkbox"/>	Gaviota de Delaware Ring-billed Gull	<i>Larus delawarensis</i>			o				A		Mb	0-2>							
<input type="checkbox"/>	Gaviota Sombria Lesser black-backed Gull	<i>Larus fuscus</i> <sup>16</sup>			o				A		acc Ma	O							
<input type="checkbox"/>	Gavión Great Black-backed Gull	<i>Larus marinus</i>			o				A		acc Ma Obs	O							
<input type="checkbox"/>	Gaviota Argénteo Herring Gull	<i>Larus argentatus</i> <i>smithsonianus</i>			o				A	10	Mb	O							
<input type="checkbox"/>	Tiñosa Parda Brown Noddy	<i>Anous stolidus</i> <i>galapagoensis</i> (Pac. acc) <i>ridgwayi</i> (Pac. vag) <i>stolidus</i> (Caribe Sn Andr.)		o,1	o,1				A	10		O							
<input type="checkbox"/>	Tiñosa Negra Black Noddy	<i>Anous minutus</i> <i>americanus</i>		o	o,1				A		Acc	O							
<input type="checkbox"/>	Gaviotín Niveo White Tern	<i>Gygis alba</i> <i>alba</i>			o,1				A		Obs	O							
<input type="checkbox"/>	Gaviotín Oscuro Sooty Tern	<i>Onychoprion fuscatus</i> <i>crissalis</i> (Pacifica) <i>fuscata</i> (Caribe)		o	o,1				A	10		O							
<input type="checkbox"/>	Gaviotín Embridado Bridled Tern	<i>Onychoprion anaethetus</i> <i>nelsoni</i> (Pacifica) <i>recognita</i> (Caribe vag.)		o	o				A			O							
<input type="checkbox"/>	Gaviotín Enano Least Tern	<i>Sternula antillarum</i> <i>antillarum</i> <i>athalassos</i>		o					A	10	Mb	O							
<input type="checkbox"/>	Gaviotín Fluvial Yellow-billed Tern	<i>Sternula superciliaris</i>		M,T, S			≡	o	A			O							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Gaviotín Picudo Large-billed Tern	<i>Phaetusa simplex</i>	<i>simplex</i>	T			≡	o	A			0-1									
<input type="checkbox"/>	Gaviotín Blanco Gull-billed Tern	<i>Gelochelidon nilotica</i>	<i>aranea</i> (Caribe) <i>vanrossemi</i> (Pacífica)	o	o				A		Mb	0-2>									
<input type="checkbox"/>	Gaviotín Piquirrojo Caspian Tern	<i>Hydroprogne caspia</i>		o					A	10	Mb	O									
<input type="checkbox"/>	Gaviotín Inca Inca Tern	<i>Larosterna inca</i>			o				A		Obs NT	O									
<input type="checkbox"/>	Gaviotín Negro Black Tern	<i>Chlidonias niger</i>	<i>surinamensis</i>	o	o				A		Mb	O									
<input type="checkbox"/>	Gaviotín Común Common Tern	<i>Sterna hirundo</i>	<i>hirundo</i>	o	o				A	10	Mb	O									
<input type="checkbox"/>	Gaviotín Rosado Roseate Tern	<i>Sterna dougallii</i>	<i>dougallii</i>	o	o				A		Mb Obs	O									
<input type="checkbox"/>	Gaviotín Ártico Arctic Tern	<i>Sterna paradisaea</i>			o				A		Mb	O									
<input type="checkbox"/>	Gaviotín sudamericano South American Tern	<i>Sterna hirundinacea</i> <sup>17</sup>		o	o				A		acc Obs	O									
<input type="checkbox"/>	Gaviotín Elegante Elegant Tern	<i>Thalasseus elegans</i>			o				A		Mb Obs NT	O									
<input type="checkbox"/>	Gaviotín Patinegro Sandwich Tern	<i>Thalasseus sandvicensis</i>	<i>acutiflavus</i> <i>eurygnatha</i>	o	o				A	10	Mb	O									
<input type="checkbox"/>	Gaviotín Real Royal Tern	<i>Thalasseus maximus</i>	<i>maxima</i>	o	o				A	10	Mb	O									
<b>RYNCHOPIDAE: (1) Pícotijeras – Skimmers</b>																					
<input type="checkbox"/>	Pícotijera Americano Black Skimmer	<i>Rynchops niger</i>	<i>cinerascens</i>	T	T		≡	o	A			0-1									
<b>COLUMBIDAE: (38) Palomas, Torcazas – Pigeons, Doves</b>																					
<input type="checkbox"/>	Tortolita Pechiescamada Common Ground-Dove	<i>Columbina passerina</i>	<i>albivitta</i> (N) <i>griseola</i> ? (E) <i>nana</i> (W) <i>parvula</i> (C) <i>quitensis</i> ? (S)	T		E		o	D,S	5,9,10,13, 14,15		0-2>									
<input type="checkbox"/>	Tortolita Diminuta Plain-breasted Ground-Dove	<i>Columbina minuta</i>	<i>elaeodes</i> (WC) <i>minuta</i> (SE)	T			≡	o	D,S	8,15		0-1									
<input type="checkbox"/>	Tortolita Rojiza Ruddy Ground-Dove	<i>Columbina talpacoti</i>	<i>cauae</i> (W) <i>rufipennis</i> (C) <i>talpacoti</i> ? (E)	T	A	≡	≡	o	S	3,4,5,6,8, 11,13, 14,15		0-2									
<input type="checkbox"/>	Tortolita Ecuatoriana Ecuadorian Ground-Dove	<i>Columbina buckleyi</i>			T				B			0-1									
<input type="checkbox"/>	Tortolita Escamada Scaled Dove	<i>Columbina squammata</i>	<i>ridgwayi</i>	Γ,T				o	D			0-1									
<input type="checkbox"/>	Tortolita Alinegra Picui Ground-Dove	<i>Columbina picui</i>	<i>picui</i> ?					Z	S			0-1									
<input type="checkbox"/>	Tortolita Peruana Croaking Ground-Dove	<i>Columbina cruziana</i>			T				B			0-1									
<input type="checkbox"/>	Tortolita Azul Blue Ground-Dove	<i>Claravis pretiosa</i>		≡	≡		≡	o	T	5,13		0-1									
<input type="checkbox"/>	Tortolita Chusquera Maroon-chested Ground-Dove	<i>Claravis mondetoura</i>	<i>mondetoura</i>			X,E,Ω			B	8		2>									
<input type="checkbox"/>	Tortolita Paramuna Black-winged Ground-Dove	<i>Metriopelia melanoptera</i>	<i>saturator</i>			N			S			1-2>									
<input type="checkbox"/>	Paloma Doméstica Rock Pigeon	<i>Columba livia</i>		≡	≡	≡	≡	o	S	4,10, 13,14	int	0-2>									
<input type="checkbox"/>	Tortola de Collar Africano African Collared Dove	<i>Streptopelia roseogrisea</i> <sup>18</sup>	(=risoria)			E			S		int?	1-2>									
<input type="checkbox"/>	Paloma Coroniblanca White-crowned Pigeon	<i>Patagioenas leucocephala</i>		I					D	10	[Mb] NT*	0-1									
<input type="checkbox"/>	Paloma Escamada Scaled Pigeon	<i>Patagioenas speciosa</i>		T	T		≡	o	B	5,8,11		0-1									
<input type="checkbox"/>	Paloma Cardonera Bare-eyed Pigeon	<i>Patagioenas corensis</i>		Γ					D			0-1									
<input type="checkbox"/>	Paloma Collareja Band-tailed Pigeon	<i>Patagioenas fasciata</i>	<i>albilinea</i>			≡			B	1,2,3,4,6,7, 8,11,13,14, 15		2>									
<input type="checkbox"/>	Paloma Morada Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	<i>andersoni</i> (SE) <i>pallidicrissa</i> (N, C, W)	M,T, s	T		≡	o	B, D	1,2,5,9, 11,12,13, 14		0-2									
<input type="checkbox"/>	Paloma Plomiza Plumbeous Pigeon	<i>Patagioenas plumbea</i>	<i>chapmani</i> (C, W) <i>delicata</i> (E)	T	T	Ω	Z		B	1,4,5,6,12		0-2									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Paloma Colorada Ruddy Pigeon	<i>Patagioenas subvinacea</i>	<i>berlepschi</i> (W) <i>bogotensis</i> (C) <i>purpureotincta</i> (SE) <i>ruberrima</i> (N: Alto Sinú) <i>zuliae</i> (NE)	≡	≡	≡	≡	o	B	1,2,3,5,8 11,13,14		0-2>									
<input type="checkbox"/>	Paloma Piquicorta Short-billed Pigeon	<i>Patagioenas nigrirostris</i>			Δ				B			0-1									
<input type="checkbox"/>	Paloma Alirrufa Dusky Pigeon	<i>Patagioenas goodsoni</i>			T				B	1	C-end	0-1									
<input type="checkbox"/>	Torcaza Aliblanca White-winged Dove	<i>Zenaida asiatica</i>	<i>asiatica</i>	Γ					S	10	SA Mb *	0-1									
<input type="checkbox"/>	Torcaza Nagüiblanca Eared Dove	<i>Zenaida auriculata</i>	<i>antioquiae</i> (Ac) <i>caucaae</i> (CW) <i>hypoleuca</i> ? (W) <i>rubripes</i> (C) <i>ruficauda</i> (Ae)	≡		≡	o		S	3,5,11,13, 14,15		0-2>									
<input type="checkbox"/>	Torcaza Plañidera Mourning Dove	<i>Zenaida macroura</i>	<i>marginella</i> ?	ς					D		acc Mb	0-1									
<input type="checkbox"/>	Tórtola Colipinta White-tipped Dove	<i>Leptotila verreauxi</i>	<i>decolor</i> (W) <i>hernandezii</i> (SW) <i>verreauxi</i> (N)	≡		≡			B	1,3,5,6,8,9, 12,13,15		0-2>									
<input type="checkbox"/>	Tórtola Pálida Pallid Dove	<i>Leptotila pallida</i>			T				B		C-end	0-1									
<input type="checkbox"/>	Tórtola Cabeciazul Gray-headed Dove	<i>Leptotila plumbeiceps</i>	<i>plumbeiceps</i>	ς		X,Ω			B, D	3,14		1-2>									
<input type="checkbox"/>	Tórtola Frentiblanca Gray-fronted Dove	<i>Leptotila rufaxilla</i>	<i>dubusi</i> (SE) <i>pallidipectus</i> (E)				≡	o	B	,14		0-1									
<input type="checkbox"/>	Tórtola Caribeña Caribbean Dove	<i>Leptotila jamaicensis</i>	<i>neoxena</i>	I					D	10	SA	0-1									
<input type="checkbox"/>	Tórtola Ojirroja Gray-chested Dove	<i>Leptotila cassini</i>	<i>cassini</i>	M	Δ				B	5,14		0-1									
<input type="checkbox"/>	Tórtola Tolimense Tolima Dove	<i>Leptotila conoveri</i>				X			B	13	EN	2>									
<input type="checkbox"/>	Paloma-perdiz Cabecianela Russet-crowned Quail-Dove	<i>Geotrygon goldmani</i>	<i>goldmani</i>		Δ				B		NT	0-1									
<input type="checkbox"/>	Paloma-perdiz Zafirina Sapphire Quail-Dove	<i>Geotrygon saphirina</i>					Z		B	1,12		0-1									
<input type="checkbox"/>	Paloma-perdiz Cariblanca Olive-backed Quail-Dove	<i>Geotrygon veraguensis</i>			T				B			0-1									
<input type="checkbox"/>	Paloma-perdiz Lineada Lined Quail-Dove	<i>Geotrygon linearis</i>	<i>infusca</i> (Ac,e) <i>linearis</i> (As,p)			≡			B	6,8,11,12, 13		0-2>									
<input type="checkbox"/>	Paloma-perdiz Bigotuda White-throated Quail-Dove	<i>Geotrygon frenata</i>	<i>bourcierii</i> (W) <i>erythropareia</i> ? (SE)			X,N,Ω,E			B	1,2,3		1-2>									
<input type="checkbox"/>	Paloma-perdiz Violácea Violaceous Quail-Dove	<i>Geotrygon violacea</i>	<i>albiventer</i>	T		Π,ΣM	Z		B			0-2									
<input type="checkbox"/>	Paloma-perdiz Rojiza Ruddy Quail-Dove	<i>Geotrygon montana</i>	<i>montana</i>	T	T		≡	o	B	2,5,6,8,12		0-2>									
<b>PSITTACIDAE: (53) Guacamayas, Pericos, Loras - Macaws, Parakeets, Parrots</b>																					
<input type="checkbox"/>	Guacamaya Azuliamarilla Blue-and-yellow Macaw	<i>Ara ararauna</i>		T	Δ		Z		B	5		0-1									
<input type="checkbox"/>	Guacamaya Verde Military Macaw	<i>Ara militaris</i>	<i>militaris</i>	M,T, ς	T		Z		D	8	VU	0-2									
<input type="checkbox"/>	Guacamaya Verdelimón Great Green Macaw	<i>Ara ambiguus</i>	<i>ambiguus</i>		Δ				B		EN	0-1									
<input type="checkbox"/>	Guacamaya Macao Scarlet Macaw	<i>Ara macao</i>	<i>macao</i>	T			≡	o	B			0-1									
<input type="checkbox"/>	Guacamaya Rojiverde Red-and-green Macaw	<i>Ara chloropterus</i>		T	Δ		≡	o	B			0-1									
<input type="checkbox"/>	Guacamaya Cariseca Chestnut-fronted Macaw	<i>Ara severus</i>		M,T, ς	Δ	X,E	≡	o	B	5		0-2									
<input type="checkbox"/>	Guacamaya Buchirroja Red-bellied Macaw	<i>Orthopsittaca manilata</i>					≡	o	B			0-1									
<input type="checkbox"/>	Loro Orejiamarillo Yellow-eared Parrot	<i>Ognorhynchus icterotis</i>				X,E,N			B	4	CR	2>									
<input type="checkbox"/>	Perico Paramuno Golden-plumed Parakeet	<i>Leptosittaca branickii</i>				X,N,Ω			B	3	VU	2>									
<input type="checkbox"/>	Perico Frentiazul Blue-crowned Parakeet	<i>Aratinga acuticaudata</i>	<i>koenigi</i>	Γ				o	D	,14		0-1									
<input type="checkbox"/>	Perico Frentirrojo Scarlet-fronted Parakeet	<i>Aratinga wagleri</i>	<i>transilis</i> (E) <i>wagleri</i> (W, N)	ς		≡			B	2,4,8,13		0-2>									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Perico Ojiblanco White-eyed Parakeet	<i>Aratinga leucophthalma</i>	<i>callogeny</i> (SE) <i>nicefori</i> (E)				z		B			0-1								
<input type="checkbox"/>	Perico Canoso Dusky-headed Parakeet	<i>Aratinga weddellii</i>					z		B	.14		0-1								
<input type="checkbox"/>	Perico Carisucio Brown-throated Parakeet	<i>Aratinga pertinax</i>	<i>aeruginosa</i> (N) <i>griseipecta</i> (NE) <i>lehmanni</i> (E)	Γ,T				o	D	8,14		0-1								
<input type="checkbox"/>	Periquito Pintado Painted Parakeet	<i>Pyrrhura picta</i>	<i>caeruleiceps</i> (NE) <i>subandina</i> (NW)	T					B	9		0-1								
<input type="checkbox"/>	Periquito de Santa Marta Santa Marta Parakeet	<i>Pyrrhura viridicata</i>				EM			B	8	EN	2>								
<input type="checkbox"/>	Periquito Colirrojo Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>					z		B	1		0-1								
<input type="checkbox"/>	Periquito Aliamarillo Brown-breasted Parakeet	<i>Pyrrhura calliptera</i>				E			B		VU	1-2>								
<input type="checkbox"/>	Periquito Coliverde Green-rumped Parrotlet	<i>Forpus passerinus</i>	<i>cyanophanes</i> (N) <i>viridissimis</i> (NE)	T,Γ					D			0-1								
<input type="checkbox"/>	Periquito Azulejo Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>	<i>crassirostris</i> (SE) <i>spengeli</i> (N)	T			ε	o	B, D	8		0-1								
<input type="checkbox"/>	Periquito de Anteojos Spectacled Parrotlet	<i>Forpus conspicillatus</i>	<i>cauae</i> (SW) <i>conspicillatus</i> (NC) <i>metae</i> (C)	M,T, ς		X,E		o	B	3,4,5,6, 12,13,14, 15		0-2>								
<input type="checkbox"/>	Periquito Piquinegro Dusky-billed Parrotlet	<i>Forpus sclateri</i>	<i>eidus</i> (E) <i>sclateri</i> (SE)				z		B			0-1								
<input type="checkbox"/>	Periquito Aliblanco Canary-winged Parakeet	<i>Brotogeris versicolurus</i>					z		B			0-1								
<input type="checkbox"/>	Periquito Bronceado Orange-chinned Parakeet	<i>Brotogeris jugularis</i>	<i>exsul</i> (CE) <i>jugularis</i> (N, NW)	M,T	T				B, D	3,5,8,12, 13		0-1								
<input type="checkbox"/>	Periquito Aliazul Cobalt-winged Parakeet	<i>Brotogeris cyanopectera</i>	<i>cyanopectera</i>					o	B	14		0-1								
<input type="checkbox"/>	Periquito Cabeciamarillo Tui Parakeet	<i>Brotogeris sanctithomae</i>	<i>sanctithomae</i>				z		B			0-1								
<input type="checkbox"/>	Periquito Barrado Barred Parakeet	<i>Bolborhynchus lineola</i>	<i>tigrinus</i>			ε			B	1,2,4,7,8		1-2>								
<input type="checkbox"/>	Periquito Frentirrufo Rufous-fronted Parakeet	<i>Bolborhynchus ferrugineifrons</i>				X			B	3	VU	2>								
<input type="checkbox"/>	Periquito Sietecolores Lilac-tailed Parrotlet	<i>Touit batavicus</i>		T			ϕ	o	D			0-2								
<input type="checkbox"/>	Periquito Frentinegro Scarlet-shouldered Parrotlet	<i>Touit huetii</i>					ϕ	o	B			0-1								
<input type="checkbox"/>	Periquito Alirrojo Blue-fronted Parrotlet	<i>Touit dilectissimus</i>		T,M	T	X			B	1,11		P								
<input type="checkbox"/>	Periquito Zafiro Sapphire-rumped Parrotlet	<i>Touit purpuratus</i>	<i>purpurata</i> ? (E) <i>viridiceps</i> (SE)				z		B			0-1								
<input type="checkbox"/>	Periquito Alipunteado Spot-winged Parrotlet	<i>Touit stictopterus</i>				X,E			B		VU	0-2								
<input type="checkbox"/>	Cotorra Pechiblanca Black-headed Parrot	<i>Pionites melanocephalus</i>	<i>melanocephala</i> (SE) <i>pallida</i> (S)				ε	o	B			0-1								
<input type="checkbox"/>	Lora Gavilana Red-fan Parrot	<i>Deroptyus accipitrinus</i>	<i>accipitrinus</i>				ε	o	B			0-1								
<input type="checkbox"/>	Cotorra Cabeciparda Brown-hooded Parrot	<i>Pyrrilia haematotis</i>	<i>coccinillararis</i>		Δ				B			0-1								
<input type="checkbox"/>	Cotorra Carirrosada Rose-faced Parrot	<i>Pyrrilia pulchra</i>			T				B	1	C-end	0-2								
<input type="checkbox"/>	Cotorra Cariamarilla Saffron-headed Parrot	<i>Pyrrilia pyrrilia</i>		M,T	T				B	5,12	C-end NT	0-1								
<input type="checkbox"/>	Cotorra Cabecinegra Orange-cheeked Parrot	<i>Pyrrilia barrabandi</i>	<i>aurantiigena</i> (E) <i>barrabandi</i> (SE)				ε	o	B			0-1								
<input type="checkbox"/>	Cotorra Montañera Rusty-faced Parrot	<i>Hapalopsittaca amazonina</i>	<i>amazonina</i> (Ae) <i>velezi</i> (Ac, e) <i>subsp</i> (Aw)			Ω,X,E			B	7	VU	2>								
<input type="checkbox"/>	Cotorra Aliazul Indigo-winged Parrot	<i>Hapalopsittaca fuertesi</i>				X			B	3	CR	2>								
<input type="checkbox"/>	Cotorra Colicorta Short-tailed Parrot	<i>Graydidascalus brachyurus</i>					z		B			0-1								
<input type="checkbox"/>	Cotorra Cabeciazul Blue-headed Parrot	<i>Pionus menstruus</i>	<i>menstruus</i> (E) <i>rubrigularis</i> (W)	ε	ε		ε		B	1,4,5,8,12		0-1								
<input type="checkbox"/>	Cotorra Piquiroja Red-billed Parrot	<i>Pionus sordidus</i>	<i>corallinus</i> (Ae) <i>mindoensis</i> ? (SW) <i>ponsi</i> (Ap) <i>saturatus</i> (Asm)			E,Π,Σ M			B	8		0-2								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Cotorra Gorriblanca Speckle-faced Parrot	<i>Pionus tumultuosus</i>				E,N			B	1,3,4,7,13		1-2>									
<input type="checkbox"/>	Cotorra Oscura Bronze-winged Parrot	<i>Pionus chalcopterus</i>	<i>chalcopterus</i> (A) <i>cyanescens</i> (SW)			X,E,N, Ω			B	1,3		0-2									
<input type="checkbox"/>	Cotorra de Perijá Dusky Parrot	<i>Pionus fuscus</i>				Π			B			1-2									
<input type="checkbox"/>	Lora Frentirroja Red-lored Parrot	<i>Amazona autumnalis</i>	<i>salvini</i>	T	T				B	5		0-1									
<input type="checkbox"/>	Lora Festiva Festive Parrot	<i>Amazona festiva</i>	<i>bodini</i> (E) <i>festiva</i> (SE)					≡	o	B		0-1									
<input type="checkbox"/>	Lora Cabeciamarilla Yellow-crowned Parrot	<i>Amazona ochrocephala</i>	<i>nattereri</i> (S) <i>ochrocephala</i> (E) <i>panamensis</i> (NW)	T				≡	o	B	5, 8?, 15	0-1									
<input type="checkbox"/>	Lora Amazónica Orange-winged Parrot	<i>Amazona amazonica</i>	<i>amazonica</i>	T				≡	o	B	5,12	0-1									
<input type="checkbox"/>	Lora Andina Scaly-naped Parrot	<i>Amazona mercenaria</i>	<i>canipalliata</i>					≡		B	3,6,7,8	1-2>									
<input type="checkbox"/>	Lora Real Mealy Parrot	<i>Amazona farinosa</i>	<i>farinosa</i>	T	T			≡	o	B	1,5	0-1									
<b>OPISTHOCOMIDAE: (1) Chenchena – Hoatzin</b>																					
<input type="checkbox"/>	Chenchena Hoatzin	<i>Opisthocomus hoazin</i>						≡	o	A		0-1									
<b>CUCULIDAE: (21) Cucos – Cuckoos</b>																					
<input type="checkbox"/>	Cuco-ardilla Chico Little Cuckoo	<i>Coccyua minuta</i>	<i>gracilis</i> (W) <i>minuta</i> (E) <i>panamensis</i> (N)	T		X,E		≡	o	B,S	5	0-2									
<input type="checkbox"/>	Cuco Enano Dwarf Cuckoo	<i>Coccyua pumila</i>		M,T, S	T	X,E			o	B, D	5	0-2>									
<input type="checkbox"/>	Cuco Cenizo Ash-colored Cuckoo	<i>Coccyua cinerea</i>							Z	B		Ma Obs	0-1								
<input type="checkbox"/>	Cuco-ardilla Común Squirrel Cuckoo	<i>Piaya cayana</i>	<i>mehleri</i> (NE) <i>mesura</i> (E) <i>nigricrissa</i> (W) <i>thermophila</i> (NW)					≡	≡	o	B, D	1,2,3,4,5,6, 7,8,9,11, 12,13,14, 15	0-2>								
<input type="checkbox"/>	Cuco-ardilla Buchinegro Black-bellied Cuckoo	<i>Piaya melanogaster</i>							Z	B			0-1								
<input type="checkbox"/>	Cuco Piquioscuro Dark-billed Cuckoo	<i>Coccyzus melacoryphus</i>						≡		o	B	8,12,13,14	[Ma]	0-2>							
<input type="checkbox"/>	Cuco Americano Yellow-billed Cuckoo	<i>Coccyzus americanus</i>						≡	≡	Z	B, D	2,5,6,8,10, 13,14,15	Mb	0-2>							
<input type="checkbox"/>	Cuco Buchiblanco Pearly-breasted Cuckoo	<i>Coccyzus euleri</i>	(residente y mig.austral ?)	T						o	B, D		[Ma?]	0-1							
<input type="checkbox"/>	Cuco Manglero Mangrove Cuckoo	<i>Coccyzus minor</i>	<i>minor</i> (N) <i>abbotti</i> (San Andrés)			I,O				A	10		0-1								
<input type="checkbox"/>	Cuco Piquinegro Black-billed Cuckoo	<i>Coccyzus erythrophthalmus</i>			T					B			Mb	0-2							
<input type="checkbox"/>	Cuco Canelo Gray-capped Cuckoo	<i>Coccyzus lansbergi</i>						≡	≡		B, D			0-1							
<input type="checkbox"/>	Garrapatero Grande Greater Ani	<i>Crotophaga major</i>		T	T			E	≡	o	B	5,13,14		0-2							
<input type="checkbox"/>	Garrapatero Piquiliso Smooth-billed Ani	<i>Crotophaga ani</i>						≡	≡	o	B, D	1,3,4,5,6,8, 9,10,11,12, 13,14,15		0-2>							
<input type="checkbox"/>	Garrapatero Piquiestriado Groove-billed Ani	<i>Crotophaga sulcirostris</i>		T	T					o	D,S	8,13,15		0-1							
<input type="checkbox"/>	Cuco Sin-fin Striped Cuckoo	<i>Tapera naevia</i>	<i>naevia</i>					≡		o	B	1,3,4,5,6,8, 9, 11,13, 15		0-2							
<input type="checkbox"/>	Cuco Faisán Pheasant Cuckoo	<i>Dromococcyx phasianellus</i>			T, M				≡	o	B			0-1							
<input type="checkbox"/>	Cuco Pavonino Pavonine Cuckoo	<i>Dromococcyx pavoninus</i>	<i>pavoninus</i> (SE) <i>perjanus</i> ? (Ac, Ae, Ap)			X,E				B	6,11		0-2								
<input type="checkbox"/>	Cuco-terrestre Collarejo Rufous-vented Ground-Cuckoo	<i>Neomorphus geoffroyi</i>	<i>aequatorialis</i> (SE) <i>salvini</i> (NW)	T	T				Z	B				0-1							
<input type="checkbox"/>	Cuco-terrestre Escamado Banded Ground-Cuckoo	<i>Neomorphus radiolosus</i>			T					B	1	EN C-end	0-1								
<input type="checkbox"/>	Cuco-terrestre Alirrufo Rufous-winged Ground-Cuckoo	<i>Neomorphus rufipennis</i>							Z	B			Obs	0-1							
<input type="checkbox"/>	Cuco-terrestre Piquirrojo Red-billed Ground-Cuckoo	<i>Neomorphus pucheranii</i>							Z	B			Obs	0-1							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<b>TYTONIDAE: (1) Lechuzas - Barn Owls</b>																			
<input type="checkbox"/>	Lechuza Común Barn Owl	<i>Tyto alba</i>	<i>contempta</i> (N, E) <i>guatemalae</i> ? (NW) <i>subandeanae</i> (S)	T		X,E	≡	O	B, D	7,10,13,14		0-2>							
<b>STRIGIDAE: (26) Búhos - Typical Owls</b>																			
<input type="checkbox"/>	Currucutú Tropical Screech-Owl	<i>Megascops choliba</i>	<i>crucigerus</i> (SE) <i>luctisomus</i> (NW) <i>margaritae</i> (N)	≡		≡	≡	O	B	4,5,6,8,11, 12,13,14		0-2>							
<input type="checkbox"/>	Autillo Manchado Bare-shanked Screech-Owl	<i>Megascops clarkii</i>			Δ				B			0-2							
<input type="checkbox"/>	Autillo Colombiano Colombian Screech-Owl	<i>Megascops colombianus</i>			Σ				B	1, 11	NT C-end	1-2							
<input type="checkbox"/>	Autillo Grande Rufescent Screech-Owl	<i>Megascops ingens</i>	<i>ingens</i> (SW) <i>venezuelanus</i> (NE)			X,E,Π, N			B	6		1-2							
<input type="checkbox"/>	Autillo Canela Cinnamon Screech-Owl	<i>Megascops petersoni</i>				X,E,N			B			1-2>							
<input type="checkbox"/>	Autillo Selvático Tawny-bellied Screech-Owl	<i>Megascops watsonii</i>					≡, Z	O	B			0-1							
<input type="checkbox"/>	Autillo Vermiculado Vermiculated Screech-Owl	<i>Megascops guatemalae</i>	<i>centralis</i>		Δ				B	5		0-1							
<input type="checkbox"/>	Autillo de Santa Marta Santa Marta Screech-Owl	<i>Megascops sp</i> <sup>44a</sup>				ΣM			B	8	[CR]	1-2>							
<input type="checkbox"/>	Autillo Gorgiblanco White-throated Screech-Owl	<i>Megascops albugularis</i>	<i>aequatorialis</i> (An) <i>albogularis</i> (An,e) <i>macabrum</i> (Aw,c)			X,E,N,Ω	Z		B	6,7		1-2>							
<input type="checkbox"/>	Búho Crestado Crested Owl	<i>Lophotrix cristata</i>	<i>crystata</i> (SW) <i>stricklandi</i> (W) <i>wedeli</i> (N)	T	T		Z		B	1,5		0-1							
<input type="checkbox"/>	Búho de Anteojos Spectacled Owl	<i>Pulsatrix perspicillata</i>	<i>chapmani</i> (W, N) <i>perspicillata</i> (E)	M,T, S	Δ			O	B	5		0-1							
<input type="checkbox"/>	Búho Barrado Band-bellied Owl	<i>Pulsatrix melanota</i>	<i>melanota</i>			E			B			0-1							
<input type="checkbox"/>	Búho Real Great Horned Owl	<i>Bubo virginianus</i>	<i>nacurutu</i> (E) <i>nigrescens</i> (N, C)	T		X,E,N		O	D	8,12		0-2							
<input type="checkbox"/>	Búho Moteado Mottled Owl	<i>Ciccaba virgata</i>	<i>virgata</i>	T	T	Π,ΣM	Z		B	1,5,8,11,12, .13,14		0-2							
<input type="checkbox"/>	Búho Carinegro Black-and-white Owl	<i>Ciccaba nigrolineata</i>		T	T	ΣM,E			B	5,8		0-2							
<input type="checkbox"/>	Búho Negro Black-banded Owl	<i>Ciccaba huhula</i>	<i>huhula</i>				Z	O	B	.14		0-1							
<input type="checkbox"/>	Búho Ocelado Rufous-banded Owl	<i>Ciccaba albitarsis</i>				X,E,N,Π, Ω			B	6,7		1-2>							
<input type="checkbox"/>	Buhito Nubícola Cloud-forest Pygmy-Owl	<i>Glaucidium nubicola</i>			Σ				B	1	VU	1-2>							
<input type="checkbox"/>	Buhito Andino Andean Pygmy-Owl	<i>Glaucidium jardiinii</i>				X,E,Π, Ω			B	2,7		2>							
<input type="checkbox"/>	Buhito Cabecigrís Central American Pygmy-Owl	<i>Glaucidium griseiceps</i>	<i>griseiceps</i>		M,A				B	1,5,12		0-1							
<input type="checkbox"/>	Buhito Ferrugíneo Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	<i>medianum</i> (N) <i>ucayalae</i> (SE)	T			≡	O	B, D	8,14		0-1							
<input type="checkbox"/>	Mochuelo Conejo Burrowing Owl	<i>Athene cunicularia</i>	<i>carrikeri</i> (E) <i>tolimae</i> (C)		Γ,M			O	D,S			0-1							
<input type="checkbox"/>	Búho Acanelado Buff-fronted Owl	<i>Aegolius harrisi</i> <sup>17</sup>	<i>harrisi</i>			Ω,X,E			B	1		1-2>							
<input type="checkbox"/>	Búho Rayado Striped Owl	<i>Pseudoscops clamator</i>	<i>clamator</i> (N, C, E) <i>forbesi</i> (NW)	M,T		X,E			B	13,14		0-2							
<input type="checkbox"/>	Búho Orejudo Stygian Owl	<i>Asio stygius</i>	<i>robustus</i>	M,ç		X,E,N, Ω			B	6		1-2>							
<input type="checkbox"/>	Búho Campestre Short-eared Owl	<i>Asio flammeus</i>	<i>bogotensis</i>			X,E,N		O	B	11		0-2							
<b>STEATORNITHIDAE: (1) Guácharo – Oilbird</b>																			
<input type="checkbox"/>	Guácharo Oilbird	<i>Steatornis caripensis</i>		M		≡	Z		B	1,8,15		0-2>							
<b>NYCTIBIIDAE: (5) Biemparados – Potoos</b>																			
<input type="checkbox"/>	Biemparado Grande Great Potoo	<i>Nyctibius grandis</i>	<i>grandis</i>	M,T	Δ	ΣM	≡	O	B	12,14		0-1							
<input type="checkbox"/>	Biemparado Rabilargo Long-tailed Potoo	<i>Nyctibius aethereus</i>	<i>chocoensis</i> (W) <i>longicaudatus</i> (E)		T		Z		B			0-1							
<input type="checkbox"/>	Biemparado Común Common Potoo	<i>Nyctibius griseus</i>	<i>griseus</i> (E) <i>panamensis</i> (W)	≡	≡	X	≡	O	B	1,2,3,5,11, 7,12,13,14		0-2							



Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Biemporado Andino Andean Potoo	<i>Nyctibius maculosus</i>					z		B			0-1							
<input type="checkbox"/>	Biemporado Rufo Rufous Potoo	<i>Nyctibius bracteatus</i>					z		B		Bog	0-1							
<b>CAPRIMULGIDAE: (22) Chotacabras, Guardacaminos - Nighthawks, Nightjars</b>																			
<input type="checkbox"/>	Chotacabras Rabicorto Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>	<i>nattereri</i> (C) <i>noctivagus</i> (W) <i>semitorquatus</i> (NE)	T			z		B			0-1							
<input type="checkbox"/>	Chotacabras Buchirrufo Rufous-bellied Nighthawk	<i>Lurocalis rufiventris</i>				Ω,X,E, N			S	6,7		1-2>							
<input type="checkbox"/>	Chotacabras Enano Least Nighthawk	<i>Chordeiles pusillus</i>	<i>esmeraldae</i> (SE) <i>septentrionalis</i> (E)				≡	o	S			0-1							
<input type="checkbox"/>	Chotacabras Pechiblanco Sand-colored Nighthawk	<i>Chordeiles rupestris</i>	<i>rupestris</i> (SE) <i>xyostictus</i> (CE)				≡	o	A			0-1							
<input type="checkbox"/>	Chotacabras Chico Lesser Nighthawk	<i>Chordeiles acutipennis</i>	<i>acutipennis</i> (N, E) <i>aequatorialis</i> (W) <i>crissalis</i> (SW) <i>texensis</i> (W) mig.boreal	M,T	T			o	B, D	5,8,10,13, 14	[Mb]	0-1							
<input type="checkbox"/>	Chotacabras Norteño Common Nighthawk	<i>Chordeiles minor</i>	<i>aserriensis</i> <i>henryi</i> <i>hesperis</i> <i>howelli</i> <i>minor</i> <i>sennetti</i>	≡	≡	≡	≡	o	S	8,10,14	Mb	0-1							
<input type="checkbox"/>	Chotacabras Antillano Antillean Nighthawk	<i>Chordeiles gundlachi</i>	<i>gundlachii</i> <i>vicinus</i> (mig)	I					D	10	Mb	0-1							
<input type="checkbox"/>	Chotacabras Coliblanco Band-tailed Nighthawk	<i>Nyctiprogne leucopyga</i>	<i>exigua</i> (E) <i>pallida</i> (NE)				≡	o	A,S			0-1							
<input type="checkbox"/>	Chotacabras Collarejo Nacunda Nighthawk	<i>Podager nacunda</i>	<i>minor</i>	F, M ,T			≡	o	B	8		0-1							
<input type="checkbox"/>	Bujío Common Pauraque	<i>Nyctidromus albicollis</i>	<i>albicollis</i> ? (E) <i>gilvus</i> (N)	≡	≡	≡	≡	o	B	1,5,8,9, 11,12,13, 14,15		0-2							
<input type="checkbox"/>	Guardacaminos Ocelado Ocellated Poorwill	<i>Nyctiphrynus ocellatus</i>	<i>ocellatus</i>				z		B	1		0-1							
<input type="checkbox"/>	Guardacaminos del Chocó Choco Poorwill	<i>Nyctiphrynus rosenbergi</i>		T					B	1	NT C-end	0-1							
<input type="checkbox"/>	Guardacaminos de Carolina Chuck-will's-widow	<i>Caprimulgus carolinensis</i>		I		X,E,Ω			T	10	Mb	1-2>							
<input type="checkbox"/>	Guardacaminos Colorado Rufous Nightjar	<i>Caprimulgus rufus</i>	<i>rufus</i> ? (E) <i>rutilus</i> (S) <i>minimus</i>	T	Δ		ϕ	o	B		[Ma]	0-1							
<input type="checkbox"/>	Guardacaminos Andino Band-winged Nightjar	<i>Caprimulgus longirostris</i>	<i>ruficervix</i>			≡			B, S	2,4,6,7,8, 11,13,15		1-2>							
<input type="checkbox"/>	Guardacaminos Rastrojero White-tailed Nightjar	<i>Caprimulgus cayemensis</i>	<i>albicauda</i> (NW) <i>apertus</i> (W) <i>cayemensis</i> (C) <i>insularis</i> (NE)	≡		E	ϕ	o	B,S			0-2							
<input type="checkbox"/>	Guardacaminos Rabimanchado Spot-tailed Nightjar	<i>Caprimulgus maculicaudus</i>		T	Δ		ϕ	o	S	,14		0-1							
<input type="checkbox"/>	Guardacaminos de Todd Todd's Nightjar	<i>Caprimulgus heterurus</i>		Γ		E			D,S			0-1							
<input type="checkbox"/>	Guardacaminos Negruzco Blackish Nightjar	<i>Caprimulgus nigrescens</i>					≡	o	B			0-1							
<input type="checkbox"/>	Guardacaminos Rabilargo Ladder-tailed Nightjar	<i>Hydropsalis climacocerca</i>	<i>climacocerca</i>					o	B,A			0-1							
<input type="checkbox"/>	Guardacaminos Golondrina Swallow-tailed Nightjar	<i>Uropsalis segmentata</i>	<i>segmentata</i>			≡			B	2,4,7		2>							
<input type="checkbox"/>	Guardacaminos Lira Lyre-tailed Nightjar	<i>Uropsalis lyra</i>	<i>lyra</i>			≡			B	1,6,11		1-2>							
<b>APODIDAE: (17) Vencejos – Swifts</b>																			
<input type="checkbox"/>	Vencejo Cuatro-ojos Spot-fronted Swift	<i>Cypseloides cherriei</i>				X,E			B		DD	1-2							
<input type="checkbox"/>	Vencejo Barbiblanco White-chinned Swift	<i>Cypseloides cryptus</i>				Ω			B			0-1							
<input type="checkbox"/>	Vencejo Negro Black Swift	<i>Cypseloides niger</i>	<i>borealis</i> (mig bor.) <i>costaricensis</i> ? (NW)			E,Ω			B	2	Mb	0-1							
<input type="checkbox"/>	Vencejo Pechiblanco White-chested Swift	<i>Cypseloides lemosi</i>				Ω	≡	o	S		C-end	1-2							
<input type="checkbox"/>	Vencejo Cuellirrojo Chestnut-collared Swift	<i>Streptoprocne rutila</i>	<i>brunnitorques</i>			X,E, N, Ω			B	1,2,4,5,7,8 11,13,14		1-2>							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Vencejo Collarejo White-collared Swift	<i>Streptoprocne zonaris</i>	<i>altissima (montano)</i> <i>subtropicalis (premont.)</i>			≡		o	B	1,2,3,4,5,6, 7,8,9,11,13 .14,15		0-2>									
<input type="checkbox"/>	Vencejo Culiblanco Band-rumped Swift	<i>Chaetura spinicaudus</i>	<i>aetherodroma (W)</i> <i>fumosa (NW)</i> <i>spinicauda ? (E)</i>	≡	≡				B	1,2,5,6		0-1									
<input type="checkbox"/>	Vencejo Cenizo Gray-rumped Swift	<i>Chaetura cinereiventris</i>	<i>occidentalis (W)</i> <i>schistacea (E)</i> <i>sclateri (S)</i>	≡	≡	≡	≡	o	B	11,14		0-2>									
<input type="checkbox"/>	Vencejo de Chimenea Chimney Swift	<i>Chaetura pelagica</i>				≡			B	10	tra Mb	0-1									
<input type="checkbox"/>	Vencejo de Chapman Chapman's Swift	<i>Chaetura chapmani</i>		T, G	T				B			0-2									
<input type="checkbox"/>	Vencejo Amazónico Amazonian Swift	<i>Chaetura viridipennis</i>					z		B		Ma	0-1									
<input type="checkbox"/>	Vencejo Sureño Sick's Swift	<i>Chaetura meridionalis</i>		T			z		B	14	Ma	0-1									
<input type="checkbox"/>	Vencejo Rabicorto Short-tailed Swift	<i>Chaetura brachyura</i>	<i>brachyura</i>	M, T	T			o	B	5,6,14		0-1									
<input type="checkbox"/>	Vencejo Pierniblanco White-tipped Swift	<i>Aeronautes montivagus</i> <sup>19</sup>	<i>montivagus</i>			E, II, N, Ω			B	6,12,13,15		0-2>									
<input type="checkbox"/>	Vencejo Enano Pygmy Swift	<i>Tachornis furcata</i>	<i>furcata (NE)</i> <i>nigrodorsalis ? (E)</i>			E, II			B		C-end	0-1									
<input type="checkbox"/>	Vencejo Palmero Fork-tailed Palm-Swift	<i>Tachornis squamata</i>	<i>semota</i>					o	B	14		0-1									
<input type="checkbox"/>	Vencejo Rabihorcado Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>	<i>cayennensis</i>	M	T	X, Ω		o	B	1,5,6,8		0-2>									
<b>TROCHILIDAE: (162) Colibríes – Hummingbirds</b>																					
<input type="checkbox"/>	Topacio Fúlgido Fiery Topaz	<i>Topaza pyra</i>					z		B			0-1									
<input type="checkbox"/>	Colibrí Nuquiblanco White-necked Jacobin	<i>Florisuga mellivora</i>	<i>mellivora</i>	M, T, S	T		z		B	1,5,6,8,9, 12,13		0-2									
<input type="checkbox"/>	Pico-de-hoz Coliverde White-tipped Sicklebill	<i>Eutoxeres aquila</i>	<i>aquila (E)</i> <i>heterura (SW)</i> <i>munda (W)</i> <i>salvini (NW)</i>	M	T	E	z		B	1,2,5,6,11, 12,13		0-2									
<input type="checkbox"/>	Pico-de-hoz Colicanelo Buff-tailed Sicklebill	<i>Eutoxeres condamini</i>	<i>condamini</i>				z		B			0-1									
<input type="checkbox"/>	Ermitaño Bronceado Bronzy Hermit	<i>Glaucis aeneus</i>			T				B			0-1									
<input type="checkbox"/>	Ermitaño Canelo Rufous-breasted Hermit	<i>Glaucis hirsutus</i>	<i>hirsuta</i>	M, T, S			z		B	5,6,8,11,12 .13		0-1									
<input type="checkbox"/>	Ermitaño Barbudo Band-tailed Barbthroat	<i>Threnetes ruckeri</i>	<i>ruckeri</i>	T	T				B	1,5,11,12		0-1									
<input type="checkbox"/>	Ermitaño Coliblanco Pale-tailed Barbthroat	<i>Threnetes leucurus</i>	<i>cervinicauda</i>				z		B	14		0-1									
<input type="checkbox"/>	Ermitaño Orinocense Streak-throated Hermit	<i>Phaethornis rupuruii</i>	<i>rupuruii</i>					o	B			0-1									
<input type="checkbox"/>	Ermitaño Gorginegro Black-throated Hermit	<i>Phaethornis atrimentalis</i>	<i>atrimentalis</i>					≡	o	B	1	0-1									
<input type="checkbox"/>	Ermitaño Gorgirrayado Stripe-throated Hermit	<i>Phaethornis striigularis</i>	<i>saturatus (NW)</i> <i>striigularis (N, C)</i> <i>subrufescens (W)</i>	T	T				B	1,5,6,8,11, 12,13		0-1									
<input type="checkbox"/>	Ermitaño Gorgigrís Gray-chinned Hermit	<i>Phaethornis griseogularis</i>	<i>griseogularis</i>			Ω, E, N			B	8,14		0-2									
<input type="checkbox"/>	Ermitaño Rojizo Reddish Hermit	<i>Phaethornis ruber</i>	<i>nigricinctus</i>				z		B			0-1									
<input type="checkbox"/>	Ermitaño Gris Sooty-capped Hermit	<i>Phaethornis augusti</i>	<i>augusti (E)</i> <i>curiosus (Asm)</i>			E, II, Σ M			B	8		0-2									
<input type="checkbox"/>	Ermitaño Carinegro Pale-bellied Hermit	<i>Phaethornis anthophilus</i>	<i>anthophilus (N)</i> <i>fuscicapillus (E)</i>	T					B	5,6,8,12,13		0-1									
<input type="checkbox"/>	Ermitaño Barbiblanco White-bearded Hermit	<i>Phaethornis hispidus</i>						≡	o	B	14	0-1									
<input type="checkbox"/>	Ermitaño del Pacífico White-whiskered Hermit	<i>Phaethornis yaruqui</i>			T				B	1,2	C-end	0-1									
<input type="checkbox"/>	Ermitaño Verde Green Hermit	<i>Phaethornis guy</i>	<i>apicalis (Ae)</i> <i>coruscus (NW)</i> <i>emiliae (N, C)</i>			X, E, Ω			B	3,4,6,9,11, 12,13		1-2									
<input type="checkbox"/>	Ermitaño Leonado Tawny-bellied Hermit	<i>Phaethornis syrmatorphorus</i>	<i>columbianus (Ae)</i> <i>syrmatorphorus (Aw, c, e)</i>			Ω, X, E,			B	1,2,4,11, 12,13		2>									
<input type="checkbox"/>	Ermitaño Piquirrecto Straight-billed Hermit	<i>Phaethornis bourcierii</i>	<i>bourcierii (SE)</i> <i>whitelyi (SE)</i>				z		B			0-1									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Ermitaño Colilargo Long-billed Hermit	<i>Phaethornis longirostris</i>	<i>cephalus</i> (NW) <i>sussurus</i> (Asm)	T	Δ				B	5,8,12		0-2							
<input type="checkbox"/>	Ermitaño Piquigrande Great-billed Hermit	<i>Phaethornis malaris</i>	<i>insolitus</i> (E) <i>moorei</i> (SE)				≡	o	B			0-1							
<input type="checkbox"/>	Pico-de-lanza Frentiverde Green-fronted Lancebill	<i>Doryfera ludovicae</i>	<i>ludovicae</i> (W) <i>rectirostris</i> (SW)			X,E,Ω			B	1,2,3,4,6,7 11,12		1-2>							
<input type="checkbox"/>	Pico-de-lanza Frentiazul Blue-fronted Lancebill	<i>Doryfera johannae</i>	<i>johannae</i>			E			B	14		0-2							
<input type="checkbox"/>	Colibrí Piquicuña Wedge-billed Hummingbird	<i>Schistes geoffroyi</i>	<i>albogularis</i> (An,w,c) <i>geoffroyi</i> (Ae)			X,E,N, Ω			B	1,2,6,9,13		0-2							
<input type="checkbox"/>	Colibrí Pardo Brown Violetear	<i>Colibri delphinae</i>				≡			B	2,6,8,12		1-2							
<input type="checkbox"/>	Colibrí Verdemar Green Violetear	<i>Colibri thalassinus</i>	<i>cyaneus</i>			≡			B	2,3,4,6,7,8, 12,13		1-2>							
<input type="checkbox"/>	Colibrí Chillón Sparkling Violetear	<i>Colibri coruscans</i>	<i>coruscans</i>			≡			B	2,3,4,6,7,8, 12,13,15		1-2>							
<input type="checkbox"/>	Colibrí Piquidentado Tooth-billed Hummingbird	<i>Androdon aequatorialis</i>			T				B	1	C-end	0-1							
<input type="checkbox"/>	Hada Coliblanca Purple-crowned Fairy	<i>Heliathryx barroti</i>		M,T	T				B	1,5,12		0-1							
<input type="checkbox"/>	Hada Oriental Black-eared Fairy	<i>Heliathryx auritus</i>	<i>aurita</i>				Z		B			0-1							
<input type="checkbox"/>	Colibrí Llanero White-tailed Goldenthrout	<i>Polytmus guainumbi</i>	<i>andinus</i>					o	S			0-1							
<input type="checkbox"/>	Colibrí Coliverde Green-tailed Goldenthrout	<i>Polytmus theresiae</i>	<i>leucorrhous</i>				≡	o	S			0-1							
<input type="checkbox"/>	Colibrí Rubitopacio Ruby-topaz Hummingbird	<i>Chrysolampis mosquitus</i>		M,T, S		X,E		o	B, D	5,8,9,15		0-2							
<input type="checkbox"/>	Mango Pechiverde Green-breasted Mango	<i>Anthracothorax prevostii</i>	<i>viridicordatus</i> (NE) <i>hendersonii</i> (San Andrés) <i>iridescens</i> (V de Cauca)	F, G, I					D	10		0-1							
<input type="checkbox"/>	Mango Pechinegro Black-throated Mango	<i>Anthracothorax nigricollis</i>		T		X		o	B	3,5,6,8,12, 13,14,15		0-2							
<input type="checkbox"/>	Ángel Gorginaranja Orange-throated Sunangel	<i>Heliangelus mavors</i>				E			B			2>							
<input type="checkbox"/>	Ángel Gorgiamatista Amethyst-throated Sunangel	<i>Heliangelus amethysticollis</i>	<i>clarisse</i> (Ae) <i>strophianus</i> (SW)			E, Σ			B	6,15		2>							
<input type="checkbox"/>	Ángel Nariñense Gorgeted Sunangel	<i>Heliangelus strophianus</i>				N			B			1-2>							
<input type="checkbox"/>	Ángel Gorgiturmalina Tourmaline Sunangel	<i>Heliangelus exortis</i>				X,E,N, Ω			B	2,3,4,7,13		1-2>							
<input type="checkbox"/>	Ángel de Bogotá Bogota Sunangel	<i>Heliangelus zusii</i>				E?			B?		Bog DD	2>?							
<input type="checkbox"/>	Cola-de-lira Guamero Wire-crested Thorntail	<i>Discosura popelairii</i>				E			B	14		0-2							
<input type="checkbox"/>	Cola-de-lira Tronador Black-bellied Thorntail	<i>Discosura langsdorffi</i>	<i>melanostemon</i>				Z		B			0-1							
<input type="checkbox"/>	Cola-de-lira Verde Green Thorntail	<i>Discosura conversii</i>			T				B	1		0-1							
<input type="checkbox"/>	Cola-de-lira Raqueta Racket-tailed Coquette	<i>Discosura longicaudus</i>					Σ		B			0-1							
<input type="checkbox"/>	Coqueta Crestada Rufous-crested Coquette	<i>Lophornis delattrei</i>	<i>lessoni</i>			X,E			B	5,6,12		0-2							
<input type="checkbox"/>	Coqueta Coronada Spangled Coquette	<i>Lophornis stictolophus</i>				E			B			0-2							
<input type="checkbox"/>	Coqueta Festiva Festive Coquette	<i>Lophornis chalybeus</i>	<i>verreauxii</i>				Z		B			0-1							
<input type="checkbox"/>	Colibrí Ecuatoriano Ecuadorian Piedtail	<i>Phlogophilus hemileucurus</i>				E			B		NT	0-2							
<input type="checkbox"/>	Colibrí Pechipunteado Speckled Hummingbird	<i>Adelomyia melanogenys</i>	<i>cervina</i> (Aw,c) <i>connectens</i> (An) <i>melanogenys</i> (Ae)			X,E,N, Ω			B	2,3,4,6,7,1 3		1-2>							
<input type="checkbox"/>	Colibrí Cabecicastaño Blossomcrown	<i>Anthocephala floriceps</i>	<i>berlepschi</i> (Ac) <i>floriceps</i> (Asm)			X,ΣM			B	8,13	VU	1-2							
<input type="checkbox"/>	Cometa Verdiazul Long-tailed Sylph	<i>Aglaiocercus kingi</i>	<i>caudatus</i> (NE) <i>emmae</i> (Aw,c) <i>kingi</i> (Ae) <i>mocoa</i> (An,c,e)			X,E,Ω			B	2,3,4,6,7, 13		1-2>							
<input type="checkbox"/>	Cometa Colivioleta Violet-tailed Sylph	<i>Aglaiocercus coelestis</i>	<i>coelestis</i>		Σ	Ω			B	1,2	C-end	0-2							

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/> Colibri del Chimborazo Ecuadorian Hillstar	<i>Oreotrochilus chimborazo</i>	<i>jamesoni</i>			N			B			2>									
<input type="checkbox"/> Piquilezna Montañero Mountain Avocetbill	<i>Opisthoprora euryptera</i>				X,N			B	3,4		2>									
<input type="checkbox"/> Cometa Colinegro Black-tailed Trainbearer	<i>Lesbia victoriae</i>	<i>victoriae</i>			E,N			B			2>									
<input type="checkbox"/> Cometa Coliverde Green-tailed Trainbearer	<i>Lesbia nuna</i>	<i>eucharis</i> ? (S) <i>gouldii</i> (NE-CS)			E,N			B			2>									
<input type="checkbox"/> Picoespina Dorsinegro Black-backed Thornbill	<i>Ramphomicron dorsale</i>				ΣM			B	8	End	2>									
<input type="checkbox"/> Picoespina Dorsimorado Purple-backed Thornbill	<i>Ramphomicron microrhynchum</i>	<i>microrhynchum</i>			X,E,N,Ω			B	1,2,3,4,7		1-2>									
<input type="checkbox"/> Pico Espina de Frente Roja Rufous-capped Thornbill	<i>Chalcostigma ruficeps</i>							B			2>									
<input type="checkbox"/> Pico Espina Violeta Blue-mantled Thornbill	<i>Chalcostigma stanleyi</i> <sup>20</sup>			Σ	N			B		Bog	1-2>									
<input type="checkbox"/> Picoespina Bronceado Bronze-tailed Thornbill	<i>Chalcostigma heteropogon</i>				E			B		C-end	2>									
<input type="checkbox"/> Picoespina Arcoiris Rainbow-bearded Thornbill	<i>Chalcostigma herrani</i>	<i>herrani</i> (An, W) <i>tolimae</i> (Ac)			X,N,Ω			B	3		2>									
<input type="checkbox"/> Barbudito Paramuno Bearded Helmetcrest	<i>Oxygogon guerinii</i>	<i>cyanolaemus</i> (Asm) <i>guerinii</i> (Ae) <i>stubelii</i> (Ac)			X,E,ΣM			B		C-end	2>									
<input type="checkbox"/> Metalura de Perijá Perijá Metaltail	<i>Metallura iracunda</i>				Π			B		C-end EN	2>									
<input type="checkbox"/> Metalura Colirroja Tyrian Metaltail	<i>Metallura tyrianthina</i>	<i>quitensis</i> ? (SW) <i>tyrianthina</i> (NW) <i>districta</i> (Asm)			Ξ			B	1,2,3,4,7,8		2>									
<input type="checkbox"/> Metalura Verde Viridian Metaltail	<i>Metallura williami</i>	<i>primolina</i> (An) <i>recisa</i> (Aw) <i>williami</i> (Ac)			X,N,Ω			B	3,7		2>									
<input type="checkbox"/> Calzoncitos Verdoso Greenish Puffleg	<i>Haplophaedia aureliae</i>	<i>aureliae</i> (Ac,e) <i>bernali</i> (Ae) <i>caucensis</i> (Aw,e) <i>russata</i> (An)			X,E,N,Ω			B	2,3,4,11,13		1-2>									
<input type="checkbox"/> Calzoncitos del Pacífico Hoary Puffleg	<i>Haplophaedia lugens</i>			Σ				B	1	C-end NT	1-2									
<input type="checkbox"/> Zamarrito del Pinche Gorgeted Puffleg	<i>Eriocnemis isabellae</i> <sup>45</sup>				Ω			B		End CR	2>									
<input type="checkbox"/> Calzoncitos Reluciente Glowing Puffleg	<i>Eriocnemis vestita</i>	<i>paramillo</i> (NW) <i>smaragdinipectus</i> (SW) <i>vestita</i> (E)			X,E,Ω				3,4,7		2>									
<input type="checkbox"/> Calzoncitos Piernoscuro Black-thighed Puffleg	<i>Eriocnemis derbyi</i>	<i>derbyi</i> (An) <i>longirostris</i> (Ac)			X,N			B	3	NT C-end	2>									
<input type="checkbox"/> Calzoncitos Gorgiturquesa Turquoise-throated Puffleg	<i>Eriocnemis godini</i>				N			B		CR	2>									
<input type="checkbox"/> Calzoncitos Cobrizo Coppery-bellied Puffleg	<i>Eriocnemis cupreiventris</i>				E			B		NT C-end	2>									
<input type="checkbox"/> Calzoncitos Colilargo Sapphire-vented Puffleg	<i>Eriocnemis luciani</i>	<i>luciani</i>			N			S			2>									
<input type="checkbox"/> Calzoncitos Áureo Golden-breasted Puffleg	<i>Eriocnemis mosquera</i>				X,N,Ω			B	3,7	C-end	1-2>									
<input type="checkbox"/> Calzoncitos de Munchique Colorful Puffleg	<i>Eriocnemis mirabilis</i>				Ω			B	2	CR	2>									
<input type="checkbox"/> Calzoncitos Diminuto Emerald-bellied Puffleg	<i>Eriocnemis alinae</i>	<i>alinae</i>			X,E,N			B			2>									
<input type="checkbox"/> Colibrí Paramuno Shining Sunbeam	<i>Aglaeactis cupripennis</i>	<i>cupripennis</i>			X,E,Ω			B	3		2>									
<input type="checkbox"/> Inca Bronceado Bronzy Inca	<i>Coeligena coeligena</i>	<i>columbiana</i> (Ac,e) <i>ferruginea</i> (Aw,c) <i>obscura</i> (An) <i>zuliana</i> (Ap)			X,E,N,Π,Ω			B	2,3,4,11,13		1-2>									
<input type="checkbox"/> Inca Pardo Brown Inca	<i>Coeligena wilsoni</i>			Σ	Ω			B	1,2	C-end	0-2									
<input type="checkbox"/> Inca Negro Black Inca	<i>Coeligena prunellei</i>				X,E			B	6	VU	1-2>									
<input type="checkbox"/> Inca Collarejo Collared Inca	<i>Coeligena torquata</i>	<i>conradii</i> (Ae) <i>torquata</i> (Ac,w,n)			X,E,N,Ω			B	2,3,4,6,7,13		1-2>									
<input type="checkbox"/> Inca Coliblanco White-tailed Starfrontlet	<i>Coeligena phalerata</i>				ΣM			B	8		1-2>									
<input type="checkbox"/> Inca Oscuro Dusky Starfrontlet	<i>Coeligena orina</i>				Ω			B	4,7	CR	2>									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Inca Buchidorado Golden-bellied Starfrontlet	<i>Coeligena bonapartei</i>	<i>bonapartei</i> (Ae) <i>consita</i> (Ap)			E,Π			B		C-end	2>								
<input type="checkbox"/>	Inca Buchirrosado Blue-throated Starfrontlet	<i>Coeligena helianthea</i>	<i>helianthea</i>			E,Π			B		C-end	2>								
<input type="checkbox"/>	Inca Galoneado Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>				X,N			B	3		2>								
<input type="checkbox"/>	Colibrí Aterciopelado Mountain Velvetbreast	<i>Lafresnaya lafresnayi</i>	<i>lafresnayi</i> (Ac,e) <i>liriope</i> (Asm) <i>saiil</i> (Aw)			Ξ			B	3,4,7,8,13		1-2>								
<input type="checkbox"/>	Colibrí Picoespada Sword-billed Hummingbird	<i>Ensifera ensifera</i>				X,E,N, Ω			B	2,3,4,7		1-2>								
<input type="checkbox"/>	Alizafiro Grande Great Sapphirerwing	<i>Pterophanes cyanopterus</i>	<i>caeruleus</i> (Ac,w,n) <i>cyanopterus</i> (Ae)			X,E,N, Ω			B			2>								
<input type="checkbox"/>	Colibrí Chupasavia Buff-tailed Coronet	<i>Boissonneaua flavescens</i>	<i>flavescens</i> (A) <i>tinochlora</i> (SW)			X,E,Ω			B	2,3,4,6,7		1-2>								
<input type="checkbox"/>	Colibrí Pechicastaño Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>				N			B			1-2>								
<input type="checkbox"/>	Colibrí Sietecolores Velvet-purple Coronet	<i>Boissonneaua jardini</i>		Σ		Ω			B	1,2	C-end	0-2								
<input type="checkbox"/>	Cola-de-raqueta Pierniblanco Booted Racket-tail	<i>Ocreatus underwoodii</i>	<i>discifer</i> (NE) <i>incommodus</i> (W, C) <i>underwoodii</i> (E) <i>ambiguus</i> (E) <i>peruanus</i> (S)			Ξ			B	1,2,3,4,6, 11,13		1-2>								
<input type="checkbox"/>	Colibrí Nagüiblanco White-tailed Hillstar	<i>Urochroa bougueri</i>	<i>bougueri</i> (W) <i>leucura</i> (E)	Σ			Σ		B	1,2		1-2>								
<input type="checkbox"/>	Colibrí de Gargantilla Purple-bibbed Whitetip	<i>Urosticte benjamini</i>	<i>benjamini</i> (SW) <i>rostrata</i> (W)	Σ					B	1,2		0-2								
<input type="checkbox"/>	Colibrí Culirrufo Rufous-vented Whitetip	<i>Urosticte ruficrissa</i>				X,E,N			B			1-2								
<input type="checkbox"/>	Colibrí Grande de Cola Oliva Violet-chested Hummingbird	<i>Sternoclyta cyanopectus</i> <sup>23</sup>							B			1-2								
<input type="checkbox"/>	Diamante de Napo Pink-throated Brilliant	<i>Heliodoxa gularis</i>				E			B		NT	P								
<input type="checkbox"/>	Diamante Barbinegro Black-throated Brilliant	<i>Heliodoxa schreibersii</i>	<i>schreibersii</i>				Z		B			0-1								
<input type="checkbox"/>	Diamante Pechicastaño Gould's Jewelfront	<i>Heliodoxa aurescens</i>					Z		B			0-1								
<input type="checkbox"/>	Diamante Pechigamuza Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>	<i>aequatorialis</i> (Aw) <i>cervinigularis</i> ? (An) <i>rubinoides</i> (Ae, c,e)			X,E,Ω			B			2>								
<input type="checkbox"/>	Diamante Frentiverde Green-crowned Brilliant	<i>Heliodoxa jacula</i>	<i>jacula</i> (A) <i>jamesoni</i> (SW)			X,E,Ω			B	1,2,6,11,12		0-2								
<input type="checkbox"/>	Diamante Emperador Empress Brilliant	<i>Heliodoxa imperatrix</i>		Σ					B	1,2	C-end	0-2								
<input type="checkbox"/>	Diamante Coronado Violet-fronted Brilliant	<i>Heliodoxa leadbeateri</i>	<i>leadbeateri</i> (C) <i>parvula</i> (Ac, e, p) <i>sagita</i> (S)			X,E,Π			B	13		0-2								
<input type="checkbox"/>	Colibrí Gigante Giant Hummingbird	<i>Patagona gigas</i>	<i>peruwiana</i>			N			D			2>								
<input type="checkbox"/>	Picudo Gorgiestrella Long-billed Starthroat	<i>Helimaster longirostris</i>	<i>longirostris</i> (N) <i>stuartae</i> (S)	M,T, S	T		Ξ	O	B	5,8,14		0-1								
<input type="checkbox"/>	Picudo Buchiazul Blue-tufted Starthroat	<i>Helimaster furcifer</i>					Z		B			0-1								
<input type="checkbox"/>	Rumbito Buchiblanco White-bellied Woodstar	<i>Chaetocercus mulsant</i>				Ω,X,E			B	4,7,11,13, 15		1-2>								
<input type="checkbox"/>	Rumbito Chico Little Woodstar	<i>Chaetocercus bombus</i>		Σ					D	1	VU	0-2								
<input type="checkbox"/>	Rumbito Diminuto Gorgeted Woodstar	<i>Chaetocercus heliodor</i>	<i>heliodor</i>			X,E,N, Ω			B			0-2>								
<input type="checkbox"/>	Rumbito de Santa Marta Santa Marta Woodstar	<i>Chaetocercus astreans</i>				ΣM			B	8		1-2>								
<input type="checkbox"/>	Rumbito Colirrufo Rufous-shafted Woodstar	<i>Chaetocercus jourdanii</i>	<i>andinus</i>			E,Π			B	9		1-2>								
<input type="checkbox"/>	Rumbito Amatista Amethyst Woodstar	<i>Calliphlox amethystina</i>					Ξ	O	B			0-1								
<input type="checkbox"/>	Rumbito Pechiblanco Purple-throated Woodstar	<i>Calliphlox mitchellii</i>		Σ		X,Ω			B	1,2,4	C-end	0-2								
<input type="checkbox"/>	Esmeralda Occidental Western Emerald	<i>Chlorostilbon melanorhynchus</i>	<i>melanorhynchus</i> (SW) <i>pumilus</i> (W)	T					B	4,11		0-2								



Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Amazilia Colimorada Green-bellied Hummingbird	<i>Amazilia viridigaster</i>	<i>viridigaster</i>			E			B			0-2								
<input type="checkbox"/> Zafiro Colidorado Golden-tailed Sapphire	<i>Chrysuronia oenone</i>	<i>longirostris</i> (E, C) <i>oenone</i> (SE)			E	E	O	B	14		0-2								
<input type="checkbox"/> Colibrí del Pirrè Pirre Hummingbird	<i>Goethalsia bella</i>			A				B		NT	0-2								
<input type="checkbox"/> Colibrí de Goldman Violet-capped Hummingbird	<i>Goldmania violiceps</i>			A				B			0-2								
<input type="checkbox"/> Colibrí Zafirino Sapphire-throated Hummingbird	<i>Lepidopyga coeruleogularis</i>	<i>coelina</i> (N) <i>confinis</i> (NW)	T	A				B			0-1								
<input type="checkbox"/> Colibrí Manglero Sapphire-bellied Hummingbird	<i>Lepidopyga lilliae</i>		Γ					D		CR	0-1								
<input type="checkbox"/> Colibrí de Goudot Shining-green Hummingbird	<i>Lepidopyga goudoti</i>	<i>goudoti</i> (C) <i>luminosa</i> (N) <i>zuliae</i> (NW)	M,T					D	5,6,8		0-2								
<input type="checkbox"/> Colibrí Pechiverde Violet-bellied Hummingbird	<i>Damophila julie</i>	<i>felicianae</i> (SW) <i>julie</i> (N, NW)	M,T	T				B	5,6,12,13		0-2								
<input type="checkbox"/> Zafiro Gorgiazul Blue-throated Goldentail	<i>Hylocharis eliciae</i>	<i>earina</i> (NW)	I	A				B			0-1								
<input type="checkbox"/> Zafiro Barbirrufo Rufous-throated Sapphire	<i>Hylocharis sapphirina</i>					E	O	B			0-1								
<input type="checkbox"/> Zafiro Gorgiblanco White-chinned Sapphire	<i>Hylocharis cyanus</i>	<i>rostrata</i> (SE) <i>viridiventris</i> (NE)	T			Z		B, D	8		0-1								
<input type="checkbox"/> Zafiro de Humboldt Humboldt's Sapphire	<i>Hylocharis humboldtii</i>			T				B			0-1								
<input type="checkbox"/> Zafiro Cabeciazul Blue-headed Sapphire	<i>Hylocharis grayi</i>		ς		Ω			D			0-2								
<input type="checkbox"/> Colibrí Gorgirrubí Ruby-throated Hummingbird	<i>Archilochus colubris</i>		I					T	10	Acc SA	0-1								
<b>TROGONIDAE: (16) Trogones, Quetzales - Trogons, Quetzals</b>																			
<input type="checkbox"/> Quetzal Amazónico Pavonine Quetzal	<i>Pharomachrus pavoninus</i>	<i>pavoninus</i>				Z		B			0-1								
<input type="checkbox"/> Quetzal Colinegro Golden-headed Quetzal	<i>Pharomachrus auriceps</i>	<i>auriceps</i> (SW) <i>hargitti</i> (NE)			X,E,N, Π,Ω			B	1,2,4,6,7, 11		1-2>								
<input type="checkbox"/> Quetzal Dorado White-tipped Quetzal	<i>Pharomachrus fulgidus</i>	<i>festatus</i>			ΣM			B	8	C-end	1-2>								
<input type="checkbox"/> Quetzal Crestado Crested Quetzal	<i>Pharomachrus antisianus</i>				X,E,N, Π,Ω			B	6		1-2>								
<input type="checkbox"/> Trogón Piquirrojo Slaty-tailed Trogon	<i>Trogon massena</i>	<i>australis</i> (W) <i>hoffmanni</i> (NW)		T				B	1		0-1								
<input type="checkbox"/> Trogón Ojiblanco Blue-tailed Trogon	<i>Trogon comptus</i>			T	Ω,X			B	1,14	C-end	1-2>								
<input type="checkbox"/> Trogón Colinegro Black-tailed Trogon	<i>Trogon melanurus</i>	<i>eumorphus</i> (SE) <i>melanurus</i> (E)				E	O	B			0-2								
<input type="checkbox"/> Trogón del Ecuador Ecuadorian Trogon	<i>Trogon mesurus</i>	<i>macroura</i> (N)	M,T	A				B	5,12		0-2								
<input type="checkbox"/> Trogón Coliblanco Green-backed Trogon	<i>Trogon viridis</i>	<i>viridis</i> (E)				E	O	B	14		0-1								
<input type="checkbox"/> Trogón Coliblanco White-tailed Trogon	<i>Trogon chionurus</i>	<i>chionurus</i> (W, C)	M,T,G	T				B	1,5,12		0-1								
<input type="checkbox"/> Trogón Violáceo Violaceous Trogon	<i>Trogon violaceus</i>	<i>crissalis</i> (S) <i>ramonianus</i> (SE)				O	O	B, D	14		0-1								
<input type="checkbox"/> Trogón de Liguero Gartered Trogon	<i>Trogon caligatus</i>	<i>caligatus</i> (N) <i>concinus</i> (W)	M,T					B-D	5,8,12		0-1								
<input type="checkbox"/> Trogón Amazónico Blue-crowned Trogon	<i>Trogon curucui</i>	<i>peruvianus</i>				Z		B			0-1								
<input type="checkbox"/> Trogón Esmeralda Black-throated Trogon	<i>Trogon rufus</i>	<i>amazonicus</i> (?) <i>cupreicauda</i> (W) <i>sulphureus</i> (S) <i>tenellus</i> (NW)	M,T	T		Z		B	1,5,11,12		0-1								
<input type="checkbox"/> Trogón Collarejo Collared Trogon	<i>Trogon collaris</i>	<i>castaneus</i> (SE) <i>collaris</i> (E) <i>exoptatus</i> (N) <i>subtropicalis</i> (C) <i>virginalis</i> (W)				E	Z	B	1,2,5,6,11, 12		0-2>								
<input type="checkbox"/> Trogón Enmascarado Masked Trogon	<i>Trogon personatus</i>	<i>assimilis</i> (W) <i>personatus</i> (C, E) <i>sanctaemartae</i> (Asm) <i>temperatus</i> (S)				E		B	1,2,3,4,6,7, 8,11,12,13		1-2>								

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<b>ALCEDINIDAE: (6) Martines-pescadores – Kingfishers</b>																			
<input type="checkbox"/>	Martín-pescador Grande Ringed Kingfisher	<i>Megaceryle torquata</i>	<i>torquata</i>	≡	≡	≡	≡	o	A	1,5,13,14		0-2>							
<input type="checkbox"/>	Martín-pescador Norteño Belted Kingfisher	<i>Megaceryle alcyon</i>	<i>alcyon</i>	o					A	10	Mb	0-1							
<input type="checkbox"/>	Martín-pescador Matraquero Amazon Kingfisher	<i>Chloroceryle amazona</i>	<i>amazona</i>	≡	≡			o	A	5,8,13,14		0-2							
<input type="checkbox"/>	Martín-pescador Chico Green Kingfisher	<i>Chloroceryle americana</i>	<i>americana</i> (E) <i>cabanisii</i> (W) <i>septentrionalis</i> (C)	≡	≡	≡	≡	o	A	1,5,13,15		0-2>							
<input type="checkbox"/>	Martín-pescador Selvático Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	<i>chocoensis</i> (W) <i>inda</i> (E)	T				o	A	1		0-1							
<input type="checkbox"/>	Martín-pescador Enano American Pygmy Kingfisher	<i>Chloroceryle aenea</i>	<i>aenea</i>	≡	≡			o	A	1,5		0-1							
<b>MOMOTIDAE: (4) Barranqueros – Motmots</b>																			
<input type="checkbox"/>	Barranquero Colimochó Tody Motmot	<i>Hylomanes momotula</i>	<i>obscurus</i>	T	A				B			0-1							
<input type="checkbox"/>	Barranquero Piquigruoso Broad-billed Motmot	<i>Electron platyrhynchum</i>	<i>colombianum</i> (Alto Sinú) <i>minor</i> (C) <i>platyrhynchum</i> (W) <i>pyrrholaemum</i> (E)	T	T			Z	B	1,5,12		0-1							
<input type="checkbox"/>	Barranquero Pechicastaño Rufous Motmot	<i>Baryphthengus martii</i>		T	T			Z	B	1,5,12		0-1							
<input type="checkbox"/>	Barranquero Coronado Blue-crowned Motmot	<i>Momotus momota</i>	<i>argenticinctus</i> ? (SW) <i>conexus</i> (N, C) <i>microstephanus</i> (E) or in. <i>momota</i> (SE) <i>olivaresi</i> (Cm) <i>osgoodi</i> (E) N de S. <i>reconditus</i> (NW) <i>spatha</i> (NE: Macuira) <i>subsp.</i> (Cm, alto Magd.) <i>subrufescens</i> (lit. N)	T	A			o	B, D	2,4,5,7,8, 11,,13,14, 15		0-1							
<b>GALBULIDAE: (14) Jacamars – Jacamars</b>																			
<input type="checkbox"/>	Jacamar Orejiblanco White-eared Jacamar	<i>Galbalcyrrhynchus leucotis</i>	<i>leucotis</i>					Z	B			0-1							
<input type="checkbox"/>	Jacamar Lúgubre Brown Jacamar	<i>Brachygalba lugubris</i>	<i>caquetae</i> (CE) <i>fulviventris</i> (E)					≡	B			0-1							
<input type="checkbox"/>	Jacamar Cabeciblanco Pale-headed Jacamar	<i>Brachygalba goeringi</i>						o	B			0-1							
<input type="checkbox"/>	Jacamar de Salmon Dusky-backed Jacamar	<i>Brachygalba salmoni</i>	<i>carmenensis</i> (Sn Jacinto) <i>salmonii</i> (NW)	T	A				B			C-end	0-1						
<input type="checkbox"/>	Jacamar Piquidorado Yellow-billed Jacamar	<i>Galbula albirostris</i>	<i>albirostris</i> (SE) <i>chalcocephala</i> (SE)					Z	B			0-1							
<input type="checkbox"/>	Jacamar Colirrufo Rufous-tailed Jacamar	<i>Galbula ruficauda</i>	<i>brevirostris</i> (CE) <i>melanogenia</i> (W) <i>pallens</i> (NE) <i>ruficauda</i> (NW, C, E)	M, T	T			o	B, D	5,8,13		0-1							
<input type="checkbox"/>	Jacamar Coliverde Green-tailed Jacamar	<i>Galbula galbula</i>						o	B			0-1							
<input type="checkbox"/>	Jacamar Barbiblanco White-chinned Jacamar	<i>Galbula tombacea</i>	<i>tombacea</i>					Z	B	14		0-1							
<input type="checkbox"/>	Jacamar Frentiazuloso Bluish-fronted Jacamar	<i>Galbula cyanescens</i>						Z	B			0-1							
<input type="checkbox"/>	Jacamar Cobrizo Coppery-chested Jacamar	<i>Galbula pastazae</i>						Σ	B			VU	0-2						
<input type="checkbox"/>	Jacamar Paraíso Purplish Jacamar	<i>Galbula chalconothorax</i>						Z	B			0-1							
<input type="checkbox"/>	Jacamar Bronceado Bronzy Jacamar	<i>Galbula leucogastra</i>	<i>leucogastra</i>					≡	o	B		0-1							
<input type="checkbox"/>	Jacamar Negro Paradise Jacamar	<i>Galbula dea</i>	<i>brunneiceps</i>					≡	o	B		0-1							
<input type="checkbox"/>	Gran Jacamar Great Jacamar	<i>Jacamerops aureus</i>	<i>aurea</i> (E) <i>penardi</i> (W)	T	A			≡	o	B	5	0-1							
<b>BUCCONIDAE: (24) Bobos – Puffbirds</b>																			
<input type="checkbox"/>	Bobo de collar White-necked Puffbird	<i>Notharchus hyperrhynchus</i>	(N, NE)	T	T			≡	o	B		0-1							
<input type="checkbox"/>	Bobo Pechinegro Black-breasted Puffbird	<i>Notharchus pectoralis</i>		M, T	T				B	5,11,12		0-1							
<input type="checkbox"/>	Bobo Pechirrufo Brown-banded Puffbird	<i>Notharchus ordii</i>						o	B			0-1							



Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Bobo Coronado Pied Puffbird	<i>Notharchus tectus</i>	<i>picatus</i> (SE) <i>subtectus</i> (W)	T			Z		B	5		0-1							
<input type="checkbox"/>	Bobo Corbatín Chestnut-capped Puffbird	<i>Bucco macrodactylus</i>	<i>macrodactylus</i>				≡	O	B			0-1							
<input type="checkbox"/>	Bobo Moteado Spotted Puffbird	<i>Bucco tamatia</i>	<i>pulmentum</i> (SE) <i>tamatia</i> (E)				≡	O	B			0-1							
<input type="checkbox"/>	Bobo de Noanamá Sooty-capped Puffbird	<i>Bucco noanamae</i>			Δ				B		NT	0-1							
<input type="checkbox"/>	Bobo Collarejo Collared Puffbird	<i>Bucco capensis</i>	<i>dugandi</i>				≡	O	B			0-1							
<input type="checkbox"/>	Bobo Barrado Barred Puffbird	<i>Nystalus radiatus</i>		M,T	T				B	5,12		0-1							
<input type="checkbox"/>	Bobo Punteado Russet-throated Puffbird	<i>Hypnelus ruficollis</i>	<i>bicinctus</i> (EC) <i>coloratus</i> (NE -NdeS) <i>decolor</i> (NE -Guajira) <i>ruficollis</i> (N)	T				O	D	5,8		0-1							
<input type="checkbox"/>	Bigotudo Pechiblanco White-chested Puffbird	<i>Malacoptila fusca</i>	<i>fusca</i>				Z		B	14		0-1							
<input type="checkbox"/>	Bigotudo Dormilón White-whiskered Puffbird	<i>Malacoptila panamensis</i>	<i>chocoana</i> (W) <i>magdalenae</i> (C) <i>panamensis</i> (NW) <i>poliopsis</i> (SW)	T	T				B	1,2,5,12		0-1							
<input type="checkbox"/>	Bigotudo Rayado Black-streaked Puffbird	<i>Malacoptila fulvogularis</i>	<i>huilae</i> (CS) <i>substriata</i> (CE)			E			B	14		0-2							
<input type="checkbox"/>	Bigotudo Canoso Moustached Puffbird	<i>Malacoptila mystacalis</i>	<i>mystacalis</i> (Ac,e,sm) <i>pacifica</i> (W)			≡			B	2,6,8,9,11, 13,15		0-2							
<input type="checkbox"/>	Bigotudo Lanceolado Lanceolated Monklet	<i>Micromonacha lanceolata</i>	<i>lanceolata</i>	T		X,Ω	Z		B	1,11		0-2>							
<input type="checkbox"/>	Monjita Chica Rusty-breasted Nunlet	<i>Nonnula rubecula</i>	<i>cineracea</i> ? (SE) <i>duidae</i> ? (E)				≡	O	B			0-1							
<input type="checkbox"/>	Monjita Parda Brown Nunlet	<i>Nonnula brunnea</i>					Z		B	14		0-1							
<input type="checkbox"/>	Monjita Canela Gray-cheeked Nunlet	<i>Nonnula frontalis</i>	<i>frontalis</i> (N) <i>pallidescens</i> (NE) <i>stulta</i> (W)	T	Δ				B			0-1							
<input type="checkbox"/>	Monjita Cariblanca White-faced Nunbird	<i>Hapaloptila castanea</i>			T	Ω			B	2		0-2>							
<input type="checkbox"/>	Monja Negra Black Nunbird	<i>Monasa atra</i>							B			0-1							
<input type="checkbox"/>	Monjita Piquirroja Black-fronted Nunbird	<i>Monasa nigrifrons</i>	<i>nigrifrons</i>				Z		B			0-1							
<input type="checkbox"/>	Monjita Cantora White-fronted Nunbird	<i>Monasa morphoeus</i>	<i>fidelis</i> (NW: Turbo) <i>pallidescens</i> (NW) <i>peruana</i> (SE) <i>sclateri</i> (N)	M,T	T		≡	O	B	5,12		0-1							
<input type="checkbox"/>	Monjita Piquiamarilla Yellow-billed Nunbird	<i>Monasa flavirostris</i>					Z		B	14		0-2							
<input type="checkbox"/>	Monjita Culiblanca Swallow-winged Puffbird	<i>Chelidoptera tenebrosa</i>	<i>tenebrosa</i>				≡	O	B			0-1							
<b>CAPITONIDAE: (8) Toritos – Barbets</b>																			
<input type="checkbox"/>	Torito Coronado Scarlet-crowned Barbet	<i>Capito aurovirens</i>					Z		B			0-1							
<input type="checkbox"/>	Torito Cabeciblanco Spot-crowned Barbet	<i>Capito maculicoronatus</i>	<i>pirrensis</i> (NW -Darién) <i>rubrilateralis</i> (W -Pacif.)	T	T				B			0-1							
<input type="checkbox"/>	Torito Frentirrojo Orange-fronted Barbet	<i>Capito squamatus</i>			Σ				B	1	NT	0-2							
<input type="checkbox"/>	Torito Dorsiblanco White-mantled Barbet	<i>Capito hypoleucus</i>	<i>carrikeri</i> (C: Antioquia) <i>extinctus</i> (C: Caldas) <i>hypoleucus</i> (C: Cund.)	M,T		X			B	5,6,11,12, 13	EN	0-2							
<input type="checkbox"/>	Torito Multicolor Five-colored Barbet	<i>Capito quinticolor</i>			T				B		C-end VU	0-1							
<input type="checkbox"/>	Torito Filigrana Gilded Barbet	<i>Capito auratus</i>	<i>macintyreii</i> (S:Caqu.,Nariño) <i>nitidior</i> (SE) <i>punctatus</i> (CE) <i>transilens</i> (E)				Z		B	14		0-1							
<input type="checkbox"/>	Torito Limón Lemon-throated Barbet	<i>Eubucco richardsoni</i>	<i>richardsoni</i>				Z		B	14		0-1							
<input type="checkbox"/>	Torito Cabecirrojo Red-headed Barbet	<i>Eubucco bourcierii</i>	<i>aequatorialis</i> (SW) <i>bourcierii</i> (Ac,e) <i>occidentalis</i> (Aw) <i>orientalis</i> (S)			X,E,N, Ω			B	1,2,3,6,11		1-2>							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<b>SEMORNITHIDAE: (1) Compás Toucan Barbet</b>																			
<input type="checkbox"/>	Compás Toucan Barbet	<i>Sennormis ramphastinus</i>	<i>caucaae</i> (Aw) <i>ramphastinus</i> (An)		Σ	Ω			B	1,2	C-end NT	1-2>							
<b>RAMPHASTIDAE: (22) Tucanes, Pichís – Toucans, Aracarís</b>																			
<input type="checkbox"/>	Tucán Guarumero Black-mandibled Toucan	<i>Ramphastos ambiguus</i>	<i>ambiguus</i> (Ae)			E			B	5,14		2>							
<input type="checkbox"/>	Tucán mandíbula negra Chestnut-mandibled Toucan	<i>Ramphastos swainsonii</i>	<i>abbreviatus</i> (Magd. Vall.) <i>swainsonii</i>	≡					B	1,5,6,11,12		0-1							
<input type="checkbox"/>	Tucán Silbador White-throated Toucan	<i>Ramphastos tucanus</i>						o	B			0-1							
<input type="checkbox"/>	Tucán Caribbeño Keel-billed Toucan	<i>Ramphastos sulfuratus</i>	<i>brevicarinatus</i>	T	Δ				B, D	8		0-1							
<input type="checkbox"/>	Tucán del Pacífico Choco Toucan	<i>Ramphastos brevis</i>			T				B	1	C-end	0-1							
<input type="checkbox"/>	Tucán Pechiblanco Channel-billed Toucan	<i>Ramphastos vitellinus</i>	<i>citroelaemus culminatus</i>	M,T				o	B	5,11,12		0-1							
<input type="checkbox"/>	Tucancito Esmeralda Emerald Toucanet	<i>Aulacorhynchus prasinus</i>	<i>albivitta</i> (Ac,e), <i>cognatus</i> (Darién), <i>griseigularis</i> (C, W), <i>lautus</i> (Asm), <i>phaeolaemus</i> (S)		Δ	≡			B	2,3,4,6,7,8,9,13		1-2>							
<input type="checkbox"/>	Tucancito Verde Groove-billed Toucanet	<i>Aulacorhynchus sulcatus</i>		T					B	8		1-2							
<input type="checkbox"/>	Tucancito Colicastaño Chestnut-tipped Toucanet	<i>Aulacorhynchus derbianus</i>	<i>derbianus</i>			N	Z		B			0-2							
<input type="checkbox"/>	Tucancito Culirrojo Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>	<i>haematopygus</i> (A) <i>sexnotatus</i> (An)			X,E,N, Π,Ω			B	1,2,3,4,6,11,12,13		1-2							
<input type="checkbox"/>	Terlaque Andino Gray-breasted Mountain-Toucan	<i>Andigena hypoglauca</i>	<i>hypoglauca</i>			X,N			B	3	NT	2>							
<input type="checkbox"/>	Terlaque de Nariño Plate-billed Mountain-Toucan	<i>Andigena laminirostris</i>			Σ	N			B		NT	0-2>							
<input type="checkbox"/>	Terlaque Pechiazul Black-billed Mountain-Toucan	<i>Andigena nigrirostris</i>	<i>nigrirostris</i> (Ae) <i>occidentalis</i> (Aw) <i>spilorrhynchus</i> (Ac)			X,E,N, Ω			B	2,3,4,7		1-2>							
<input type="checkbox"/>	Pichilingo Negro Yellow-eared Toucanet	<i>Selenidera spectabilis</i>		T	Δ				B			0-2							
<input type="checkbox"/>	Pichilingo Aserrador Golden-collared Toucanet	<i>Selenidera reinwardtii</i>	<i>reinwardtii</i>				Z		B			0-1							
<input type="checkbox"/>	Pichilingo Dentado Tawny-tufted Toucanet	<i>Selenidera nattereri</i>					Z		B			0-1							
<input type="checkbox"/>	Pichí Pechiamarillo Lettered Araçari	<i>Pteroglossus inscriptus</i>	<i>humboldtii</i>				Z		B	14		0-1							
<input type="checkbox"/>	Arasari Cuellinegro Black-necked Araçari	<i>Pteroglossus aracari</i>				≡	o		B			0-1							
<input type="checkbox"/>	Pichí Bandirrojo Chestnut-eared Araçari	<i>Pteroglossus castanotis</i>	<i>castanotis</i>				Z		B	14		0-1							
<input type="checkbox"/>	Pichí Bibandeado Many-banded Araçari	<i>Pteroglossus pluricinctus</i>				≡	o		B	14		0-1							
<input type="checkbox"/>	Pichí Pico-de-marfil Ivory-billed Araçari	<i>Pteroglossus azara</i>	<i>flavirostris</i>			≡	o		B			0-1							
<input type="checkbox"/>	Pichí Bandeado Collared Araçari	<i>Pteroglossus torquatus</i>	<i>nuchalis</i> (N) <i>torquatus</i> (NW) <i>sanguineus</i>	M,T		X			B	1,2,5,8,12		0-2							
<b>PICIDAE: (42) Carpinteros, Carpinteritos – Woodpeckers, Piculets</b>																			
<input type="checkbox"/>	Carpinterito Frentidorado Bar-breasted Piculet	<i>Picumnus aurifrons</i>	<i>aurifrons</i> (S) <i>flavifrons</i> (SE)				Z		B		Obs	0-1							
<input type="checkbox"/>	Carpinterito del Orinoco Orinoco Piculet	<i>Picumnus pumilus</i>						o	B,S		C-end	0-1							
<input type="checkbox"/>	Carpinterito Barrado Lafresnaye's Piculet	<i>Picumnus lafresnayi</i>				≡	o		B	14		0-1							
<input type="checkbox"/>	Carpinterito Capirotado Golden-spangled Piculet	<i>Picumnus exilis</i>	<i>undulatus</i>				Z		D		Obs	0-1							
<input type="checkbox"/>	Carpinterito Escamado Scaled Piculet	<i>Picumnus squamulatus</i>	<i>rohli</i> (NE) <i>squamulatus</i> (E)	T		E		o	B, D	8		0-2							
<input type="checkbox"/>	Carpinterito Pechirrufo Rufous-breasted Piculet	<i>Picumnus rufiventris</i>	<i>rufiventris</i>				Z		B			0-1							
<input type="checkbox"/>	Carpinterito Pechiblanco Plain-breasted Piculet	<i>Picumnus castelnaui</i>					Z		B			0-1							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Carpinterito Oliváceo Olivaceous Piculet	<i>Picumnus olivaceus</i>	<i>antioquiensis</i> (NW, Antioq) <i>eisenmanni</i> (Ap) <i>harteti</i> (SW); <i>malleolus</i> (N); <i>olivaceus</i> (C) <i>panamensis</i> (NW, Darién) <i>tachirensis</i> (E)	M, T, S		X			B	4,5,9,11,13,15		0-2								
<input type="checkbox"/>	Carpinterito Punteado Grayish Piculet	<i>Picumnus granadensis</i>	<i>antioquiensis</i> (WS) <i>granadensis</i> (WC)	S		X			B, D	3		0-2								
<input type="checkbox"/>	Carpinterito Castaño Chestnut Piculet	<i>Picumnus cinnamomeus</i>	<i>cinnamomeus</i> (N) <i>perijanus</i> (NE) <i>persaturatus</i> (N) Sn Jerón	F, M, T					D	12	C-end	0-1								
<input type="checkbox"/>	Carpintero de Robledales Acorn Woodpecker	<i>Melanerpes formicivorus</i>	<i>flavigula</i>			X, E, Ω			B	3,4,7,11		1-2>								
<input type="checkbox"/>	Carpintero Cejón Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	<i>cruentatus</i>				≡	O	B	14		0-1								
<input type="checkbox"/>	Carpintero Bonito Beautiful Woodpecker	<i>Melanerpes pulcher</i>		M					B	5,6,12		0-1								
<input type="checkbox"/>	Carpintero de Antifaz Black-cheeked Woodpecker	<i>Melanerpes pucherani</i>	<i>pucherani</i>	T	T				B			0-1								
<input type="checkbox"/>	Carpintero Habado Red-crowned Woodpecker	<i>Melanerpes rubricapillus</i>	<i>paraguanae</i> (E) <i>rubricapillus</i> (W)	≡		X			B, D	4,5,6,8,12,13,15		0-2								
<input type="checkbox"/>	Carpintero Chupasavia Yellow-bellied Sapsucker	<i>Sphyrapicus varius</i>		I, S, M					B	10	Mb SA	0-1								
<input type="checkbox"/>	Carpintero Pardo Smoky-brown Woodpecker	<i>Picoides fumigatus</i>	<i>reichenbachi</i>			≡			B	1,2,3,6,8,9,11,12,13		1-2>								
<input type="checkbox"/>	Carpintero Culirrojo Red-rumped Woodpecker	<i>Veniliornis kirkii</i>	<i>ceciliae</i> (W) <i>continentalis</i> (NE)	T	T	X, E			B	5,8,9,12,13,15		0-2								
<input type="checkbox"/>	Carpintero Ribereño Little Woodpecker	<i>Veniliornis passerinus</i>	<i>agilis</i> (SE) <i>fidelis</i> (C, E)				≡	O	B	14		0-1								
<input type="checkbox"/>	Carpintero Escarlata Scarlet-backed Woodpecker	<i>Veniliornis callonotus</i>		S					D			0-1								
<input type="checkbox"/>	Carpintero Buchiamarillo Yellow-vented Woodpecker	<i>Veniliornis dignus</i>	<i>abdominalis</i> (Ae: Tamá) <i>dignus</i> (Ax)			X, E, N, Ω			B	1,2,4,7		1-2>								
<input type="checkbox"/>	Carpintero Paramuno Bar-bellied Woodpecker	<i>Veniliornis nigriceps</i>	<i>equifasciatus</i>			X, N			B			2>								
<input type="checkbox"/>	Carpintero Embridado Red-stained Woodpecker	<i>Veniliornis affinis</i>	<i>hilaris</i> (SE) <i>orenocensis</i> (E)				≡	O	B			0-1								
<input type="checkbox"/>	Carpintero del Chocó Choco Woodpecker	<i>Veniliornis chocoensis</i>			T				B	1	NT C-end	0-1								
<input type="checkbox"/>	Carpintero Bigotudo White-throated Woodpecker	<i>Piculus leucolaemus</i> <sup>24</sup>		T	Δ		Z		B			0-2								
<input type="checkbox"/>	Carpintero de Litá Lita Woodpecker	<i>Piculus litae</i>			T				B	1,12		0-1								
<input type="checkbox"/>	Carpintero Cariamarillo Yellow-throated Woodpecker	<i>Piculus flavigula</i>	<i>flavigula</i> (E) <i>magnus</i> (SE)				≡	O	B			0-1								
<input type="checkbox"/>	Carpintero Dorado Golden-green Woodpecker	<i>Piculus chrysochloros</i>	<i>aurosus</i> (N) <i>capistratus</i> (C) <i>xanthochlorus</i> (NE)	T			≡	O	B			0-1								
<input type="checkbox"/>	Carpintero Cariblanco Golden-olive Woodpecker	<i>Colaptes rubiginosus</i>	<i>alleni</i> (Asm) <i>buenavistae</i> (C, E) <i>gularis</i> (C) <i>meridensis</i> (Ap) <i>michaelis</i> (S) <i>nuchalis</i> (S) <i>pacificus</i> (SW) <i>palmitae</i> (NE) <i>rubripileus</i> (SW)			≡			B	1,2,3,4,6,7,8,11,12		1-2>								
<input type="checkbox"/>	Carpintero Carmesí Crimson-mantled Woodpecker	<i>Colaptes rivolii</i>	<i>brevirostris</i> (SW) <i>quindiuna</i> (NC) <i>rivolii</i> (EC) <i>zuliensis</i> (Ap)			X, E, N, Ω			B	2,3,4,6,7,13		2>								
<input type="checkbox"/>	Carpintero Pechipunteado Spot-breasted Woodpecker	<i>Colaptes punctigula</i>	<i>speciosus</i> (SE) <i>striatigularis</i> (WC) <i>ujhelyii</i> (N)	≡	≡	X	≡	O	B	5,6,12,13,14,15		0-2								
<input type="checkbox"/>	Carpintero Canelo Cinnamon Woodpecker	<i>Celeus loricatus</i>	<i>innotatus</i> (N) <i>loricatus</i> (W) <i>mentalis</i> (NW)	M, T	T				B	1,5		0-2								
<input type="checkbox"/>	Carpintero Culiamarillo Scale-breasted Woodpecker	<i>Celeus grammicus</i>	<i>grammicus</i> (SE) <i>verreauxi</i> (E)				≡	O	B			0-1								
<input type="checkbox"/>	Carpintero Martillo Chestnut Woodpecker	<i>Celeus elegans</i>	<i>citreopygius</i> (E) <i>jumana</i> (SE)				≡	O	B			0-1								
<input type="checkbox"/>	Carpintero Amarillo Cream-colored Woodpecker	<i>Celeus flavus</i>	<i>flavus</i> (E) <i>peruvianus</i> (SE)				≡	O	B			0-1								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Carpintero Pechinegro Ringed Woodpecker	<i>Celeus torquatus</i>	<i>occidentalis</i>				≡	o	B			0-1							
<input type="checkbox"/>	Carpintero Real Lineated Woodpecker	<i>Dryocopus lineatus</i>	<i>lineatus</i> (W) <i>nuperus</i> (N)	≡	≡	≡	≡	o	B	2,3,4,5,6,8, 12,13,14		0-2							
<input type="checkbox"/>	Carpintero Gigante Powerful Woodpecker	<i>Campephilus pollens</i>	<i>pollens</i>			X,E,N, Ω			B	1,2,3,4,6,7, 11,13		1-2>							
<input type="checkbox"/>	Carpintero Selvático Crimson-bellied Woodpecker	<i>Campephilus haematogaster</i>	<i>haematogaster</i> (E) <i>splendens</i> (W)	T	T	E			B	1,11,14		0-2							
<input type="checkbox"/>	Carpintero Cuellirrojo Red-necked Woodpecker	<i>Campephilus rubricollis</i>	<i>rubricollis</i>				≡	o	B			0-1							
<input type="checkbox"/>	Carpintero Marcial Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	<i>malherbii</i> (N, W) <i>melanoleucos</i> (E)	≡	≡	≡	≡	o	B	5,6,8,12,14		0-2							
<input type="checkbox"/>	Carpintero de Guayaquil Guayaquil Woodpecker	<i>Campephilus gayaquilensis</i>			T				B, D		NT	0-1							
<b>EURYLAIMIDAE: (1) Sapayoa</b>																			
<input type="checkbox"/>	Saltarín Piquigrueso Broad-billed Sapayoa	<i>Sapayoa aenigma</i>		T	T				B	1		0-1							
<b>FURNARIIDAE: (110) Horneros, Chamiceros, Trepatroncos etc. - Ovenbirds, Spinetails, Woodcreepers</b>																			
<input type="checkbox"/>	Raspahojas Picudo Tawny-throated Leafosser	<i>Sclerurus mexicanus</i>	<i>andinus</i> (N) <i>obscurior</i> (Aw) <i>peruvianus</i> (E)	T	T	E,Π	Z		B	1,2,5,11,12		0-2							
<input type="checkbox"/>	Raspahojas Piquicorto Short-billed Leafosser	<i>Sclerurus rufigularis</i>					≡	o	B			0-1							
<input type="checkbox"/>	Raspahojas Medialuna Scaly-throated Leafosser	<i>Sclerurus guatemalensis</i>	<i>guatemalensis</i> (NW) <i>salvini</i> (W)	T	Δ				B			0-1							
<input type="checkbox"/>	Raspahojas Colinegro Black-tailed Leafosser	<i>Sclerurus caudacutus</i>	<i>brunneus</i>				≡	o	B	.14		0-1							
<input type="checkbox"/>	Raspahojas Collarejo Gray-throated Leafosser	<i>Sclerurus albigularis</i>	<i>albigularis</i> (E), <i>kunanensis</i> (Ap), <i>propinquus</i> (Asm)			E,Π,Σ M			B	8,14		1-2							
<input type="checkbox"/>	Cinclodes Cavador Stout-billed Cinclodes	<i>Cinclodes excelsior</i>	<i>columbiana</i> ( C ) <i>excelsior</i> (S)			X,N			S			2>							
<input type="checkbox"/>	Cinclodes Colirrufo Bar-winged Cinclodes	<i>Cinclodes fuscus</i>	<i>oreobates</i> (Ax) <i>paramo</i> (An)			X,E,N, ΣM			S			2>							
<input type="checkbox"/>	Hornero Patiamarillo Pale-legged Hornero	<i>Furnarius leucopus</i>	<i>endoecus</i> (NE) <i>longirostris</i> (N)	T			Z		B, D	5		0-1							
<input type="checkbox"/>	Hornero Piquiclaro Pale-billed Hornero	<i>Furnarius torridus</i>					Z		B			0-1							
<input type="checkbox"/>	Hornero Chico Lesser Hornero	<i>Furnarius minor</i>					Z		B			0-1							
<input type="checkbox"/>	Coludito Paramuno Andean Tit-Spinetail	<i>Leptasthenura andicola</i>	<i>andicola</i> (Ac) <i>exterior</i> (Ae) <i>extima</i> (Asm)			X,E,N, ΣM			S			2>							
<input type="checkbox"/>	Chamicero de Perijá Perija Thistletail	<i>Schizoeaca perijana</i>				Π			B		EN C-end	2>							
<input type="checkbox"/>	Chamicero Andino White-chinned Thistletail	<i>Schizoeaca fuliginosa</i>	<i>fuliginosa</i> (Ae) <i>fumigata</i> (S) subsp. (Ae: Yariquíes) subsp. (Ae: Tamá)			X,E,N			B			2>							
<input type="checkbox"/>	Chamicero Cundiboyacense Silvery-throated Spinetail	<i>Synallaxis subpudica</i>				E			B	15		1-2>							
<input type="checkbox"/>	Chamicero Pisuís Azara's Spinetail	<i>Synallaxis azarae</i>	<i>elegantior</i> (Ae) <i>media</i> (An,w,c)			X,E,N, Ω			B	2,3,4,6,7, 11,13,15		1-2>							
<input type="checkbox"/>	Chamicero Pálido Pale-breasted Spinetail	<i>Synallaxis albescens</i>	<i>hypoleuca</i> (NW) <i>insignis</i> (E) <i>littoralis</i> (N) <i>nesiotis</i> (Asm) <i>occipitalis</i> (N) <i>perpallida</i> (NE)	T		X,E,Ω	≡	o	B	4,5,6,8,11, 13,15		0-2							
<input type="checkbox"/>	Chamicero Amazónico Dark-breasted Spinetail	<i>Synallaxis albigularis</i>					Z		B			0-1							
<input type="checkbox"/>	Chamicero Colorado Ruddy Spinetail	<i>Synallaxis rutilans</i>	<i>caquetensis</i> (SE) <i>dissors</i> (E)				≡	o	B			0-1							
<input type="checkbox"/>	Chamicero Gorgicastaño Chestnut-throated Spinetail	<i>Synallaxis cherriei</i>	<i>napoensis</i>				Z		B		NT	0-1							
<input type="checkbox"/>	Chamicero de Antifaz Rufous Spinetail	<i>Synallaxis unirufa</i>	<i>meridana</i> (E) <i>muñoztebari</i> (Ap) <i>unirufa</i> (S)			X,E,N, Π,Ω			B	2,4,6		2>							
<input type="checkbox"/>	Chamicero Serrano Rusty-headed Spinetail	<i>Synallaxis fusciorufa</i>				ΣM			B	8	VU	1-2>							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Chamicero Pizarra Slaty Spinetail	<i>Synallaxis brachyura</i>	<i>brachyura</i> (Aw) <i>caucaea</i> (C) <i>chapmani</i> (W)	M,T, S	T	X,E,Ω			B	1,2,3,6,11, 12,13		0-2								
<input type="checkbox"/>	Chamicero Buchiblanco White-bellied Spinetail	<i>Synallaxis propinqua</i>					Z		B			0-1								
<input type="checkbox"/>	Chamicero Selvático Dusky Spinetail	<i>Synallaxis moesta</i>	<i>brunneicaudalis</i> (S, SE) <i>moesta</i> (CE) <i>obscura</i> (CS)				Z		B			0-1								
<input type="checkbox"/>	Chamicero Pardusco Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>	<i>columbianus</i>					O	B	,14		0-1								
<input type="checkbox"/>	Chamicero Bigotudo White-whiskered Spinetail	<i>Synallaxis candei</i>	<i>atrigularis</i> (N) <i>candei</i> (N) <i>venezuelensis</i> (NE)	Γ,T					D	12	C-end	0-1								
<input type="checkbox"/>	Chamicero Listado Stripe-breasted Spinetail	<i>Synallaxis cinnamomea</i>	<i>aveledoi</i> (NE) <i>cinnamomea</i> (C)			E			B, D	9		1-2								
<input type="checkbox"/>	Chamicero Cejiblanco White-browed Spinetail	<i>Hellmayrea gularis</i>	<i>brunneidorsalis</i> (Ap) <i>cinereiventris</i> (NE) <i>gularis</i> (Aw,c,e)			X,E,N, Π,Ω			B	2,3,4,7		2>								
<input type="checkbox"/>	Chamicero Ribereño Rusty-backed Spinetail	<i>Cranioleuca vulpina</i>	<i>alopezias</i>				Ξ	O	B			0-1								
<input type="checkbox"/>	Chamicero Copetón Crested Spinetail	<i>Cranioleuca subcristata</i>						O	B			0-2								
<input type="checkbox"/>	Chamicero Rubicundo Red-faced Spinetail	<i>Cranioleuca erythrops</i>	<i>griseigularis</i>			X,E,N, Ω			B	1,2,11		1-2								
<input type="checkbox"/>	Chamicero Coronado Streak-capped Spinetail	<i>Cranioleuca hellmayri</i>				ΣM			B	8	C-end	1-2>								
<input type="checkbox"/>	Chamicero Capirotado Ash-browed Spinetail	<i>Cranioleuca curtata</i>	<i>cisandina</i> (S) <i>curtata</i> (Ae)			E,N			B	6		1-2>								
<input type="checkbox"/>	Chamicero Punteado Speckled Spinetail	<i>Cranioleuca gutturata</i>					Ξ	O	B			0-1								
<input type="checkbox"/>	Chamicero Barbiamarillo Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>	<i>fuscifrons</i>	T				O	B,A	13		0-1								
<input type="checkbox"/>	Chamicero Pechiblanco Red-and-white Spinetail	<i>Certhiaxis mustelinus</i>					Z		B,A			0-1								
<input type="checkbox"/>	Canastero Rayado Streak-backed Canastero	<i>Asthenes wyatti</i>	<i>perjanus</i> (Ap) <i>sanctaemartae</i> (Asm) <i>wyatti</i> (C)			E,Π,Σ M			S			2>								
<input type="checkbox"/>	Canastero Flamulado Many-striped Canastero	<i>Asthenes flammulata</i>	<i>flammulata</i> (S) <i>multostriata</i> (Ae,s) <i>quindiana</i> (Ac)			X,E,N			S			2>								
<input type="checkbox"/>	Castillero Llanero Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>	<i>castilloi</i>					O	S	14		0-1								
<input type="checkbox"/>	Musguero de Anteojos Spectacled Prickletail	<i>Siptornis striaticollis</i>				X,E,N			B			1-2>								
<input type="checkbox"/>	Moñudo Naranja Orange-fronted Plushcrown	<i>Metopothrix aurantiaca</i>					Z		B			0-1								
<input type="checkbox"/>	Trapecista Gris Double-banded Graytail	<i>Xenerpestes minlosi</i>		M,T	T				B		C-end	0-1								
<input type="checkbox"/>	Corretroncos Alirrufo Rusty-winged Barbtail	<i>Premnornis guttuligera</i>				X,E,N, Ω			B	1,2,4,6		1-2>								
<input type="checkbox"/>	Corretroncos Barranquero Spotted Barbtail	<i>Premnoplex brunnescens</i>	<i>albescens</i> (NW: Darién) <i>brunnescens</i> (W,C) <i>coloratus</i> (Asm)	Δ		X,E,N, Ω,ΣM			B	1,2,4,6,7,8, 11,13		1-2>								
<input type="checkbox"/>	Corretroncos Barbiblanco Fulvous-dotted Treerunner	<i>Margarornis stellatus</i>				X,N,Ω			B	1,2	NT C-end	0-2>								
<input type="checkbox"/>	Corretroncos Perlado Pearled Treerunner	<i>Margarornis squamiger</i>	<i>perlatus</i>			X,E,N, Π,Ω			B	2,3,4,6,7, 13		1-2>								
<input type="checkbox"/>	Corretroncos Barbablanca Buffy Tuffedcheek	<i>Pseudocolaptes lawrencii</i>		T					B	1		1-2>								
<input type="checkbox"/>	Corretroncos Cuelliblanco Streaked Tuffedcheek	<i>Pseudocolaptes boissonneautii</i>	<i>boissonneautii</i> (C) <i>orientalis</i> ? (S)			X,E,N, Π,Ω			B	1,2,3,4,6,7, 13		1-2>								
<input type="checkbox"/>	Corretroncos Palmero Point-tailed Palmcreeper	<i>Berlepschia rikeri</i>					Z		B		Obs	0-1								
<input type="checkbox"/>	Hojarasquero del Pacífico Scaly-throated Foliage-gleaner	<i>Anabacerthia variegaticeps</i>	<i>temporalis</i>	Σ		Ω			B	1,2		0-2								
<input type="checkbox"/>	Hojarasquero Montañero Montane Foliage-gleaner	<i>Anabacerthia striaticollis</i>	<i>anxia</i> (Asm) <i>perijana</i> (Ap) <i>striaticollis</i> (Aw,c,e)			Ξ			B	1,2,6,8,13		1-2>								
<input type="checkbox"/>	Hojarasquero Listado Lineated Foliage-gleaner	<i>Syndactyla subalaris</i>	<i>striolata</i> (Ae) <i>subalaris</i> (Aw,c) <i>tacarcunae</i> (NW)			X,E,N, Ω			B	2,4,6,11, 13		1-2>								
<input type="checkbox"/>	Pico-de-gancho Alicastaño Chestnut-winged Hookbill	<i>Ancistrops strigilatus</i>	<i>strigilatus</i>				Z		B			0-1								

<b>Nombre Común en Español y Inglés</b> Spanish and English name	<b>Nombre de la especie (Latín)</b> Scientific name	<b>Subespecie</b> Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado	Alt								
<input type="checkbox"/> Hojarasquero Amazónico Striped Woodhaunter	<i>Hylocistes subulatus</i>	<i>subulatus</i>				Z		B	1,2,6,11		0-1								
<input type="checkbox"/> Hojarasquero Colirrufo Rufous-tailed Foliage-gleaner	<i>Philydor ruficaudatum</i>					Z		B			0-1								
<input type="checkbox"/> Hojarasquero Alinegro Slaty-winged Foliage-gleaner	<i>Philydor fuscipenne</i>	<i>erythronotus</i>	M,T	Δ				B	2,6,11,12		0-1								
<input type="checkbox"/> Hojarasquero Anteado Rufous-rumped Foliage-gleaner	<i>Philydor erythrocerum</i>	<i>subfulvus</i>				Z		B			0-1								
<input type="checkbox"/> Hojarasquero Alirrojo Chestnut-winged Foliage-gleaner	<i>Philydor erythropterum</i>	<i>erythropterum</i>				Z		B			0-1								
<input type="checkbox"/> Hojarasquero Ocráceo Buff-fronted Foliage-gleaner	<i>Philydor rufum</i>	<i>panerythrus</i> (N) <i>riveti</i> (X)			X,E,N, Ω			B	1,11,12		1-2								
<input type="checkbox"/> Hojarasquero Colorado Cinnamon-rumped Foliage-gleaner	<i>Philydor pyrrhodes</i>					Ξ	o	B			0-1								
<input type="checkbox"/> Hojarasquero Cejón Dusky-cheeked Foliage-gleaner	<i>Anabazenops dorsalis</i>					Z		B			0-1								
<input type="checkbox"/> Hojarasquero Buchioscuro Uniform Treehunter	<i>Thripadectes ignobilis</i>			Σ	Ω			B	1,2	C-end	0-2>								
<input type="checkbox"/> Hojarasquero Negruzco Black-billed Treehunter	<i>Thripadectes melanorhynchus</i>	<i>striaticiceps</i>			E			B	14		1-2								
<input type="checkbox"/> Hojarasquero Mediano Striped Treehunter	<i>Thripadectes holostictus</i>	<i>holostictus</i> (Ax) <i>striatidorsus</i> (SW)			X,E,N, Ω			B	2,3,4,6,7		1-2>								
<input type="checkbox"/> Hojarasquero Difuso Streak-capped Treehunter	<i>Thripadectes virgaticeps</i>	<i>magdalenae</i> (C) <i>sclateri</i> (Aw) <i>sumaco</i> ? (S) <i>virgaticeps</i> (SW)			E,X,N, Ω			B	1,6,7,11,13		1-2>								
<input type="checkbox"/> Hojarasquero Grande Flammulated Treehunter	<i>Thripadectes flammulatus</i>	<i>flammulatus</i>			Ξ			B	2,4,7,8		1-2>								
<input type="checkbox"/> Hojarasquero Oliváceo Buff-throated Foliage-gleaner	<i>Automolus ochrolaemus</i>	<i>pallidigularis</i> (W) <i>turdinus</i> (E)	M,T	T		Z		B	1,5,11,12		0-1								
<input type="checkbox"/> Hojarasquero Gorgiblanco Olive-backed Foliage-gleaner	<i>Automolus infuscatus</i>	<i>badius</i> (E) <i>infuscatus</i> (SE)					o	B			0-1								
<input type="checkbox"/> Hojarasquero Rojizo Brown-rumped Foliage-gleaner	<i>Automolus melanopezus</i>					Z		B			0-1								
<input type="checkbox"/> Hojarasquero Canela Ruddy Foliage-gleaner	<i>Automolus rubiginosus</i>	<i>caquetae</i> (SE) <i>cinnamomeigula</i> (Ae) <i>nigricauda</i> (W) <i>sasaimae</i> (C) <i>saturatus</i> (NW)	M,T	T	E	Ξ	o	B	1,2,5,12		0-2								
<input type="checkbox"/> Hojarasquero de Santa Marta Santa Marta Foliage-gleaner	<i>Automolus rufipectus</i>	<i>rufipectus</i> (Asm)	ΣM					B	8	End	1-2								
<input type="checkbox"/> Hojarasquero Ojirrojo Chestnut-crowned Foliage-gleaner	<i>Automolus rufipileatus</i>	<i>consobrinus</i>				Ξ	o	B			0-1								
<input type="checkbox"/> Saltarocas Punteado Sharp-tailed Streamcreeper	<i>Lochmias nematura</i>	<i>sororia</i> (Ac,e) <i>subsp.</i> (Aw)		Δ	X,E,Ω			B			1-2								
<input type="checkbox"/> Xenops Escamado Rufous-tailed Xenops	<i>Xenops milleri</i>					Ξ	o	B			0-1								
<input type="checkbox"/> Xenops Picofino Slender-billed Xenops	<i>Xenops tenuirostris</i>	<i>acutirostris</i>				Ξ	o	B			0-1								
<input type="checkbox"/> Xenops Pardusco Plain Xenops	<i>Xenops minutus</i>	<i>littoralis</i> (W) <i>neglectus</i> (NE) <i>remoratus</i> (E) Vaupés <i>ruficaudus</i> (E) Orinoco	Ξ	Ξ		Ξ	o	B	4,5,6,8,11, 12,13		0-1								
<input type="checkbox"/> Xenops Estriado Streaked Xenops	<i>Xenops rutilans</i>	<i>heterurus</i> (E) <i>perijanus</i> (Ap) <i>phelpsi</i> (Asm)			Ξ			B	1,2,4,6,8, 11,13		1-2>								
<input type="checkbox"/> Trepatroncos Cordillerano Tyrannine Woodcreeper	<i>Dendrocincla tyrannina</i>	<i>hellmayri</i> (Ae: Táchira) <i>tyrannina</i> (Ax)			X,E,N, Ω			B	2,3,4,6,7		2>								
<input type="checkbox"/> Trepatroncos Pardo Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>	<i>lafresnayeii</i> (N, E) <i>phaeochroa</i> (E) <i>ridgwayi</i> (W)	Ξ	Ξ	E	Ξ	o	B	1,2,5,6,8, 11,12,13		0-2								
<input type="checkbox"/> Trepatroncos Barbiblanco White-chinned Woodcreeper	<i>Dendrocincla merula</i>	<i>bartletti</i>				Ξ	o	B			0-1								
<input type="checkbox"/> Trepatroncos Colorado Ruddy Woodcreeper	<i>Dendrocincla homochroa</i>	<i>ruficeps</i>	Γ	Δ			o	B	8		0-1								
<input type="checkbox"/> Trepatroncos Rabilargo Long-tailed Woodcreeper	<i>Deconychura longicauda</i>	<i>connectens</i> (SE) <i>longicauda</i> (E) <i>minor</i> (N); <i>typica</i> (NW)		T		Ξ	o	B	1		0-1								
<input type="checkbox"/> Trepatroncos del Putumayo Spot-throated Woodcreeper	<i>Deconychura stictolaema</i>	<i>secunda</i>				Ξ	o	B			0-1								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Trepatroncos Oliváceo Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	<i>amazonus</i> (SE) <i>enochrus</i> (N) <i>perijanus</i> ? (NE) <i>tachirensis</i> (NC, NE)	T			≡	o	B	5,6,11,12		0-1								
<input type="checkbox"/>	Trepatroncos Pico-de-cuña Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	<i>castelnaudii</i> (SE) <i>integratus</i> (NE) <i>pallidulus</i> (NW: Pirré) <i>rufigularis</i> (E) <i>sublestus</i> (C) <i>subrufescens</i> (W)	T	T		≡	o	B	1,2,5,6,11,12		0-2								
<input type="checkbox"/>	Trepatroncos Picudo Long-billed Woodcreeper	<i>Nasica longirostris</i>	<i>longirostris</i>				≡	o	B			0-1								
<input type="checkbox"/>	Trepatroncos Piquidorado Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>	<i>devillei</i>				Z		B			0-1								
<input type="checkbox"/>	Trepatronco Pico de Barba Bar-bellied Woodcreeper	<i>Hylexetastes stresemanni</i>					≡		B			0-1								
<input type="checkbox"/>	Trepatroncos Gigante Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>	<i>orenocensis</i> (E) <i>promeropirhynchus</i> (Ac,e) <i>macarenae</i> (S.Macarena) <i>rostratus</i> (N) <i>sanctamartae</i> (NE) <i>virgatus</i> (C)	T		X,E	≡	o	B	3,4,5,6,8,11,14		0-2>								
<input type="checkbox"/>	Trepatroncos del Magdalena Northern Barred-Woodcreeper	<i>Dendrocolaptes sanctithomae</i>	<i>puncticeps</i> (Ap) <i>sanctithomae</i> (N, W)	T	T	Π			B	1,5,8,12		0-2								
<input type="checkbox"/>	Trepatroncos Barrado Amazonian Barred-Woodcreeper	<i>Dendrocolaptes certhia</i>	<i>certhia</i> (E) <i>radiolatus</i> (SE)				≡	o	B			0-1								
<input type="checkbox"/>	Trepatroncos Rayado Black-banded Woodcreeper	<i>Dendrocolaptes picumnus</i>	<i>multistrigatus</i> (NE, Ap) <i>seilerni</i> (N) <i>validus</i> (SE)				≡		B	1,7,8,13		1-2>								
<input type="checkbox"/>	Trepatroncos Pico-de-lanza Straight-billed Woodcreeper	<i>Dendroplex picus</i>	<i>borreroi</i> (C,E) <i>dugandi</i> (N) <i>extimus</i> (NW) <i>picrostris</i> (NE) <i>picus</i> (SE) <i>saturator</i> (E)	M,T, ς			≡	o	B, D	5,8,15		0-2								
<input type="checkbox"/>	Trepatroncos de Zimmer Zimmer's Woodcreeper	<i>Dendroplex kienerii</i> <sup>25</sup>					≡	o	B			0-1								
<input type="checkbox"/>	Trepatroncos Listado Striped Woodcreeper	<i>Xiphorhynchus obsoletus</i>	<i>notatus</i> (E) <i>palliatu</i> (SE)				≡	o	B			0-1								
<input type="checkbox"/>	Trepatroncos Ocelado Ocellated Woodcreeper	<i>Xiphorhynchus ocellatus</i>	<i>napensis</i> (S) <i>ocellatus</i> (SE) <i>chunchotambo</i> ?				Z		B			0-1								
<input type="checkbox"/>	Trepatroncos Elegante Elegant Woodcreeper	<i>Xiphorhynchus elegans</i>	<i>ornatus</i>				Z		B			0-1								
<input type="checkbox"/>	Trepatroncos de Spix Spix's Woodcreeper	<i>Xiphorhynchus spixii</i>	<i>buenavistae</i>				Z		B			0-1								
<input type="checkbox"/>	Trepatroncos Cacao Cocoa Woodcreeper	<i>Xiphorhynchus susurrans</i>	<i>nanus</i>	M,T					B	4,5,8,9,13		0-1								
<input type="checkbox"/>	Trepatroncos Silbador Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>	<i>demonstratus</i> (NE) <i>guttatoides</i> (SE) <i>polystictus</i> (E) <i>rosenbergi</i> (W)		T		≡	o	B	6,12		0-1								
<input type="checkbox"/>	Trepatroncos Lacrimoso Black-striped Woodcreeper	<i>Xiphorhynchus lachrymosus</i>	<i>alarum</i> (N) <i>lachrymosus</i> (W)	T					B	5,11,12		0-1								
<input type="checkbox"/>	Trepatroncos Manchado Spotted Woodcreeper	<i>Xiphorhynchus erythrogygius</i>	<i>aequatorialis</i> (W) <i>insolitus</i> (NW)		T	X,Ω			B	1,2		0-2								
<input type="checkbox"/>	Trepatroncos Perlado Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>	<i>triangularis</i>			X,E,N, Ω			B	2,4,6,7,11		1-2>								
<input type="checkbox"/>	Trepatroncos Campestre Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>	<i>esmeraldae</i> (SW) <i>lineiceps</i> (NE) <i>littoralis</i> (N)	M,T, ς	T		Σ		B	4,5,6,8,11,12,13		0-1								
<input type="checkbox"/>	Trepatroncos Montañero Montane Woodcreeper	<i>Lepidocolaptes lacrymiger</i>	<i>aequatorialis</i> (SW) <i>frigidus</i> (S) <i>lacrymiger</i> (E) <i>sanctamartae</i> (N) <i>sneidermi</i> (C)				≡		B	1,2,3,4,6,7,8,11,13,15		1-2>								
<input type="checkbox"/>	Trepatroncos Amazónico Lineated Woodcreeper	<i>Lepidocolaptes albolineatus</i>	<i>duidae</i>				Z		B		Obs	0-1								
<input type="checkbox"/>	Guadañero Cariblanco Greater Scythebill	<i>Campylorhamphus pucherani</i>				X,E,Ω			B	2,13	NT	1-2>								
<input type="checkbox"/>	Guadañero Rojizo Red-billed Scythebill	<i>Campylorhamphus trochilrostris</i>	<i>brevipennis</i> (W) <i>thoracicus</i> (SW) <i>venezuelensis</i> (N)	T	T			o	B, D	12,15		0-1								
<input type="checkbox"/>	Guadañero Punteado Curve-billed Scythebill	<i>Campylorhamphus procurvoides</i>	<i>sanus</i>				≡	o	B	14		0-1								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Guadañero Estriado Brown-billed Scythebill	<i>Campylorhamphus pusillus</i>	<i>guapiensis</i> (SW) <i>pusillus</i> (C,E) <i>tachirensis</i> (NE)			X,E,N, II,Ω			B	1,2,6,7,11, 12		1-2>							
<b>THAMNOPHILIDAE: (108) Hormigueros arbóreos - Typical antbirds</b>																			
<input type="checkbox"/>	Batará Capiroto Fasciated Antshrike	<i>Cymbilaimus lineatus</i>	<i>fasciatus</i> (W) <i>intermedius</i> (N, E)	M,T	T			Ξ	O	B			0-1						
<input type="checkbox"/>	Batará Ondulado Undulated Antshrike	<i>Frederickena unduligera</i>	<i>fulva</i> Caquetá <i>unduligera</i> (S)					Z		B			0-1						
<input type="checkbox"/>	Batará Grande Great Antshrike	<i>Taraba major</i>	<i>granadensis</i> (NE) <i>melanurus</i> (SE) <i>obscurus</i> (W) <i>semifasciata</i> (E) <i>transandeanus</i> (SW)	M,T	T				O	B	1,5,12		0-1						
<input type="checkbox"/>	Batará Copetón Black-crested Antshrike	<i>Sakesphorus canadensis</i>	<i>loretoyacuensis</i> (S) <i>phainoleucus</i> (NE) <i>pulchellus</i> (N)	T	Δ				O	D	5,12,14		0-1						
<input type="checkbox"/>	Batará Barrado Barred Antshrike	<i>Thamnophilus doliatus</i>	<i>albicans</i> (C) <i>fraterculus</i> (E) <i>nigrescens</i> (NE) <i>nigricristatus</i> (N)	M,T				Ξ	O	D	5,8,12,13, 14		0-2						
<input type="checkbox"/>	Batará Carcajada Bar-crested Antshrike	<i>Thamnophilus multistriatus</i>	<i>brachyurus</i> (C) <i>multistriatus</i> (A,c,e) <i>oecotonophilus</i> (NE) <i>selvae</i> (W)	M,ξ		X,E,N, Ω				B, D	3,6,11,12, 13,15	C-end	0-2						
<input type="checkbox"/>	Batará Crestinegro Lined Antshrike	<i>Thamnophilus tenuipunctatus</i>	<i>tenuipunctatus</i> (E) N de S <i>tenuifasciatus</i> (SE)					Σ		B	14		0-1						
<input type="checkbox"/>	Batará Occidental Western Slaty-Antshrike	<i>Thamnophilus atrinucha</i>	<i>atrinucha</i> (W) <i>gorgonae</i> (Pi) <i>subcinereus</i> (N)	M,T	I,T					B	5,12		0-1						
<input type="checkbox"/>	Batará Pizarra Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>	<i>capitalis</i>					Z		B			0-1						
<input type="checkbox"/>	Batará Ratón Mouse-colored Antshrike	<i>Thamnophilus murinus</i>	<i>canipennis</i> (E) <i>murinus</i> (SE)					Ξ	O	B			0-1						
<input type="checkbox"/>	Batará Negro Black Antshrike	<i>Thamnophilus nigriceps</i>	<i>magdalenae</i> (C, N) <i>nigriceps</i> (NE)	M,T	Δ					B	5		0-1						
<input type="checkbox"/>	Batará Lustroso Castelnu's Antshrike	<i>Thamnophilus cryptoleucus</i>						Z		B			0-1						
<input type="checkbox"/>	Batará Ceniciento Blackish-gray Antshrike	<i>Thamnophilus nigrocinereus</i>	<i>cinereoniger</i>						O	B	14		0-1						
<input type="checkbox"/>	Batará Plomizo Northern Slaty -Antshrike	<i>Thamnophilus punctatus</i>	<i>interpositus</i>						O	B	1,8,13		0-1						
<input type="checkbox"/>	Batará Unicolor Uniform Antshrike	<i>Thamnophilus unicolor</i>	<i>grandior</i>			X,E,N, Ω				B	1,2,6,11		1-2>						
<input type="checkbox"/>	Batará Gris White-shouldered Antshrike	<i>Thamnophilus aethiops</i>	<i>aethiops</i> (S) <i>polionotus</i> (E) <i>wetmorei</i> (C,E)					Ξ	O	B			0-1						
<input type="checkbox"/>	Batará Encapuchado Black-backed Antshrike	<i>Thamnophilus melanonotus</i>		Γ,T						D	8		0-1						
<input type="checkbox"/>	Batará Amazónico Amazonian Antshrike	<i>Thamnophilus amazonicus</i>	<i>amazonicus</i> (SE) <i>cinereiceps</i> (E)					Ξ	O	B			0-1						
<input type="checkbox"/>	Hormiguero Perlado Pearly Antshrike	<i>Megascictus margaritatus</i>						Z		B			0-1						
<input type="checkbox"/>	Hormiguero Cuchillo Black Bushbird	<i>Neotantes niger</i>						Z		B			0-1						
<input type="checkbox"/>	Hormiguero Piquicurvo Recurve-billed Bushbird	<i>Clytoctantes alixii</i>		M,T						B	6,9	EN C-end	0-1						
<input type="checkbox"/>	Hormiguero Bermejo Russet Antshrike	<i>Thamnistes anabatinus</i>	<i>aequatorialis</i> (SE) <i>intermedius</i> (W)	T	T			Σ		B	1		0-2						
<input type="checkbox"/>	Hormiguero Tizado Plain Antvireo	<i>Dysithamnus mentalis</i>	<i>extremus</i> (CW) <i>napensis</i> (S) <i>semicinereus</i> (NE) <i>suffusus</i> (bajo Cauca)	Ξ	Δ	Ξ				B	2,4,6,9,11, 12,13,15		0-2						
<input type="checkbox"/>	Hormiguero Coronipunteado Spot-crowned Antvireo	<i>Dysithamnus puncticeps</i>	<i>flemmingi</i> (SW) <i>intensus</i> (WC) <i>puncticeps</i> (N)		Σ,T	X,Ω				B	1		0-1						
<input type="checkbox"/>	Hormiguero Occidental Bicolored Antvireo	<i>Dysithamnus occidentalis</i>	<i>occidentalis</i> (W) <i>punctictus</i> (E)		Σ	N	Σ			B	2	VU C-end	0-2						
<input type="checkbox"/>	Hormiguero Cabecipunteado White-streaked Antvireo	<i>Dysithamnus leucostictus</i>	<i>leucostictus</i>					Σ		B	14		0-2						
<input type="checkbox"/>	Hormiguero Grisazul Dusky-throated Antshrike	<i>Thamnomanes ardesiacus</i>	<i>ardesiacus</i>					Z		B			0-1						
<input type="checkbox"/>	Hormiguero Cenizo Cinereous Antshrike	<i>Thamnomanes caesius</i>	<i>glaucus</i>					Ξ	O	B	14		0-1						



Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Hormiguero de Tacarcuna Spiny-faced Antshrike	<i>Xenornis setifrons</i>			A				B		VU C-end	0-1							
<input type="checkbox"/>	Hormiguero Alipunteado Spot-winged Antshrike	<i>Pygiptila stellaris</i>	<i>maculipennis</i> (E) <i>occipitalis</i> (SE)				≡	O	B			0-1							
<input type="checkbox"/>	Hormiguero Barbiescamado Checker-throated Antwren	<i>Epinecrophylla fulviventris</i>	<i>fulviventris</i> (W) <i>salmoni</i> (C)	M,T	T				B	1,5,11,12		0-1							
<input type="checkbox"/>	Hormiguero Lomicastaño Stipple-throated Antwren	<i>Epinecrophylla haematonota</i>	<i>pyrrhonota</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Ecuatoriano Foothill Antwren	<i>Epinecrophylla spodionota</i> <sup>26</sup>	<i>spodionota</i>				Σ		B			0-2							
<input type="checkbox"/>	Hormiguero Barbado Ornate Antwren	<i>Epinecrophylla ornata</i>	<i>ornata</i> (E) <i>saturata</i> (SE)				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Colirrufo Rufous-tailed Antwren	<i>Epinecrophylla erythrura</i>	<i>erythrura</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Pigmeo Pygmy Antwren	<i>Myrmotherula brachyura</i>	<i>obscura</i>				Z		B	14		0-1							
<input type="checkbox"/>	Hormiguero de Griscom Moustached Antwren	<i>Myrmotherula ignota</i>		T	T				B			0-1							
<input type="checkbox"/>	Hormiguero Barbiamarillo Yellow-throated Antwren	<i>Myrmotherula ambigua</i>					Z		B			0-1							
<input type="checkbox"/>	Hormiguero Rayado Guianan Streaked-Antwren	<i>Myrmotherula surinamensis</i>			T				B		Obs	0-1							
<input type="checkbox"/>	Hormiguero Estriado Amazonian Streaked -Antwren	<i>Myrmotherula multistriata</i>					≡	O	B			0-1							
<input type="checkbox"/>	Hormiguero del Pacífico Pacific Antwren	<i>Myrmotherula pacifica</i>		M,T	T				B	1,6		0-1							
<input type="checkbox"/>	Hormiguero de Cherrie Cherrie's Antwren	<i>Myrmotherula cherriei</i>					≡	O	B,S			0-1							
<input type="checkbox"/>	Hormiguero Pechirrayado Stripe-chested Antwren	<i>Myrmotherula longicauda</i>	<i>söderströmi</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Culpinto Plain-throated Antwren	<i>Myrmotherula huxwelli</i>	<i>suffusa</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Flanquiblanco White-flanked Antwren	<i>Myrmotherula axillaris</i>	<i>albigula</i> (W) <i>melaena</i> (N, E)	T	T		≡	O	B	5,12		0-1							
<input type="checkbox"/>	Hormiguero Pizarroso Slaty Antwren	<i>Myrmotherula schisticolor</i>	<i>interior</i> (Ae) <i>sanctaemartae</i> (NE) <i>schisticolor</i> (W)				≡		B	1,2,6,8,11,13		1-2							
<input type="checkbox"/>	Hormiguero del Churuyaco Rio Suno Antwren	<i>Myrmotherula sunensis</i>	<i>sunensis</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Alilargo Long-winged Antwren	<i>Myrmotherula longipennis</i>	<i>longipennis</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero Cerrero Plain-winged Antwren	<i>Myrmotherula behni</i>	<i>behni</i> (Macarena) <i>yavii</i> (E)				Σ		B			1-2							
<input type="checkbox"/>	Hormiguero Murino Gray Antwren	<i>Myrmotherula menetriesii</i>	<i>pallida</i>				Z		B	14		0-1							
<input type="checkbox"/>	Hormiguero Ribereño Leaden Antwren	<i>Myrmotherula assimilis</i> <sup>61</sup>					Z		B			0-1							
<input type="checkbox"/>	Hormiguero Bandedo Banded Antbird	<i>Dichrozona cincta</i>	<i>cincta</i>				Z		B			0-1							
<input type="checkbox"/>	Hormiguero de Dugand Dugand's Antwren	<i>Herpsilochmus dugandi</i>					Σ		B			0-1							
<input type="checkbox"/>	Hormiguero Dorsipunteado Spot-backed Antwren	<i>Herpsilochmus dorsimaculatus</i>					Z		B			0-1							
<input type="checkbox"/>	Hormiguero Pechiamarillo Yellow-breasted Antwren	<i>Herpsilochmus axillaris</i>	<i>aequatorialis</i> (E) <i>senex</i> (W)		Σ		Σ		B			1-2							
<input type="checkbox"/>	Hormiguero Alirrufo Rufous-winged Antwren	<i>Herpsilochmus rufimarginatus</i>	<i>exiguus</i> (N) <i>frater</i> (E)	T	A	Π	Σ		B,S	11		0-2							
<input type="checkbox"/>	Hormiguero Abanico Dot-winged Antwren	<i>Microrhopias quixensis</i>	<i>boucardi</i> (W) <i>consobrina</i> (NW) <i>quixensis</i> (SE)	M,T	T		Z		B	1,5,12		0-1							
<input type="checkbox"/>	Hormiguero Pechinegro White-fringed Antwren	<i>Formicivora grisea</i>	<i>fumosa</i> (E) <i>hondae</i> (C) <i>intermedia</i> (N, NE) <i>rufiventris</i> (SE)	M,T			≡	O	D,S	5,8,12,13,15		0-1							
<input type="checkbox"/>	Hormiguero Estriado Striated Antbird	<i>Drymophila devillei</i>					Z		B			0-1							
<input type="checkbox"/>	Hormiguero Rabilargo Long-tailed Antbird	<i>Drymophila caudata</i>	<i>caudata</i> (Ax) <i>hellmayri</i> (N)				≡		B, D	1,2,3,7,8,9		1-2>							
<input type="checkbox"/>	Hormiguero Cantarín Imeri Warbling-Antbird	<i>Hypocnemis flavescens</i> <sup>59</sup>					Z		B			0-1							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Hormiguero Peruano Peruvian Warbling-Antbird	<i>Hypocnemis peruviana</i> <sup>59</sup>	<i>saturatus</i> (S)				z		B			0-1							
<input type="checkbox"/>	Hormiguero Cejiamarillo Yellow-browed Antbird	<i>Hypocnemis hypoxantha</i>	<i>hypoxanthus</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguerito Culirrufo Rufous-rumped Antwren	<i>Terenura callinota</i>	<i>callinota</i> (Ax) <i>venezuelana</i> (Ap)		Σ	E,X,N, Ω	Σ		B	1,2,6,11		1-2>							
<input type="checkbox"/>	Hormiguerito Hombricastaño Chestnut-shouldered Antwren	<i>Terenura humeralis</i>					z		B			0-1							
<input type="checkbox"/>	Hormiguerito Lomirrojo Ash-winged Antwren	<i>Terenura spodioptila</i>	<i>signata</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguero Nagüiblanco Gray Antbird	<i>Cercomacra cinerascens</i>	<i>cinerascens</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguero Negruzco Dusky Antbird	<i>Cercomacra tyrannina</i>	<i>rufiventris</i> (W) <i>tyrannina</i> (N, C) <i>vicina</i> (E)	T	T		Σ		B	12,13,14		0-1							
<input type="checkbox"/>	Hormiguero de Parker Parker's Antbird	<i>Cercomacra parkeri</i>				X,E,Ω			B	4,6,11,13		0-2							
<input type="checkbox"/>	Hormiguero Ceniciento Blackish Antbird	<i>Cercomacra nigrescens</i>	<i>aequatorialis</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguero Cascabel Black Antbird	<i>Cercomacra serva</i>	<i>serva</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguero Yeguá Jet Antbird	<i>Cercomacra nigricans</i>	<i>atratus</i> (W) <i>nigricans</i> (N,C)	M,T, S	T				B	5		0-1							
<input type="checkbox"/>	Hormiguero Ojirrojo White-backed Fire-eye	<i>Pyriglena leuconota</i>	<i>castanoptera</i> (E) <i>pacifica</i> ? (SW)	M	T	E,N			B	1		0-2>							
<input type="checkbox"/>	Hormiguero Cejiblanco White-browed Antbird	<i>Myrmoborus leucophrys</i>	<i>erythrophrys</i>				Σ	o	B	14		0-1							
<input type="checkbox"/>	Hormiguero Pechicenido Ash-breasted Antbird	<i>Myrmoborus lugubris</i>	<i>berlepschi</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguero Carinegro Black-faced Antbird	<i>Myrmoborus myotherinus</i>	<i>elegans</i> (SE) <i>napensis</i> (S)				z		B			0-1							
<input type="checkbox"/>	Hormiguero Barbinegro Black-chinned Antbird	<i>Hypocnemoides melanopogon</i>	<i>occidentalis</i>				Σ	o	B	14		0-1							
<input type="checkbox"/>	Hormiguero Blanquinegro Black-and-white Antbird	<i>Myrmochanes hemileucus</i>					z		B			0-1							
<input type="checkbox"/>	Hormiguero Calvo Bare-crowned Antbird	<i>Gymnocichla nudiceps</i>	<i>nudiceps</i> (NW) <i>sanctaemartae</i> (N)	M,T	T				B	5		0-1							
<input type="checkbox"/>	Hormiguero Plateado Silvered Antbird	<i>Sclateria naevia</i>	<i>argentata</i> (SE) <i>diaphora</i> ? (E)				Σ	o	B			0-1							
<input type="checkbox"/>	Hormiguero Amazónico Black-headed Antbird	<i>Percnostola rufifrons</i>	<i>minor</i>				z		B			0-1							
<input type="checkbox"/>	Hormiguero Ribereño Slate-colored Antbird	<i>Schistocichla schistacea</i>					z		B			0-1							
<input type="checkbox"/>	Hormiguero Aligoteado Spot-winged Antbird	<i>Schistocichla leucostigma</i>	<i>infuscata</i> (E) <i>subplumbea</i> (SE)				Σ	o	B			0-1							
<input type="checkbox"/>	Hormiguero Pechiblanco White-bellied Antbird	<i>Myrmeciza longipes</i>	<i>boucardi</i> (C) <i>griseipectus</i> (SE) <i>longipes</i> (E) <i>panamensis</i> (N)	F, M, T				o	B, D	13		0-1							
<input type="checkbox"/>	Hormiguero Dorsicastaño Chestnut-backed Antbird	<i>Myrmeciza exsul</i>	<i>cassini</i> (N) <i>maculifer</i> (W) <i>niglarus</i> (NW) Darién	M,T	T				B	5		0-1							
<input type="checkbox"/>	Hormiguero Alimanchado Dull-mantled Antbird	<i>Myrmeciza laemosticta</i>	<i>bolivari</i> (NW) <i>nigricauda</i> (W) <i>palliata</i> (N,C)	M,T	T				B	5,12,13		0-1							
<input type="checkbox"/>	Hormiguero de Esmeraldas Esmeraldas Antbird	<i>Myrmeciza nigricauda</i>			T				B	1		0-1							
<input type="checkbox"/>	Hormiguero Colimocho Stub-tailed Antbird	<i>Myrmeciza berlepschi</i>			T				B	1		0-1							
<input type="checkbox"/>	Hormiguero Carimoteado Gray-bellied Antbird	<i>Myrmeciza pelzelni</i>					z		B			0-1							
<input type="checkbox"/>	Hormiguero Colicastaño Norteño Zimmer's Antbird	<i>Myrmeciza castanea</i>							B			0-1							
<input type="checkbox"/>	Hormiguero Gorginegro Black-throated Antbird	<i>Myrmeciza atrothorax</i>	<i>atrothorax</i> (SE) <i>metae</i> (E) <i>tenebrosa</i> (S)					o	B,S	14		0-1							
<input type="checkbox"/>	Hormiguero Hombriblanco White-shouldered Antbird	<i>Myrmeciza melanoceps</i>					z		B	1		0-1							
<input type="checkbox"/>	Hormiguero Plúmbeo Plumbeous Antbird	<i>Myrmeciza hyperythra</i>					z		B			0-1							
<input type="checkbox"/>	Hormiguero Ciazul Sooty Antbird	<i>Myrmeciza fortis</i>	<i>fortis</i>				z		B			0-1							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Hormiguero Inmaculado Immaculate Antbird	<i>Myrmeciza immaculata</i>	<i>macrorhyncha</i> (W) <i>brunnea</i> (Ap) <i>immaculata</i> (C, CE)	M, S	T	Π	Σ		B	1,6,12		0-2									
<input type="checkbox"/>	Hormiguero del Yapacana Yapacana Antbird	<i>Myrmeciza disjuncta</i>						O	B			0-1									
<input type="checkbox"/>	Gallito Selvático Wing-banded Antbird	<i>Myrmornis torquata</i>	<i>stictoptera</i> (N) <i>torquata</i> (SE)	M, T	Δ		Σ		B			0-1									
<input type="checkbox"/>	Hormiguero Empenachado White-plumed Antbird	<i>Pithys albifrons</i>	<i>brevibarba</i> (E) <i>peruviana</i> (S)				E	O	B			0-1									
<input type="checkbox"/>	Hormiguero Bicolor Bicolored Antbird	<i>Gymnophrys leucaspis</i>	<i>aequatorialis</i> (SW) <i>bicolor</i> (NW) <i>castanea</i> (SE) <i>daguae</i> (W) <i>leucaspis</i> (E) <i>lateralis</i> (Vaupés) <i>ruficeps</i> (C)	T	T		Z		B	11, 5, 12		0-1									
<input type="checkbox"/>	Hormiguero Colorado Chestnut-crested Antbird	<i>Rhegmatorhina cristata</i>					Z		B		C-end	0-1									
<input type="checkbox"/>	Hormiguero Crestado Hairy-crested Antbird	<i>Rhegmatorhina melanosticta</i>					Z		B			0-1									
<input type="checkbox"/>	Hormiguero Collarejo Spotted Antbird	<i>Hylophylax naevioides</i>	<i>naevioides</i> (W) <i>subsimilis</i> (N)	T	T				B	12		0-1									
<input type="checkbox"/>	Hormiguero de Gargantilla Spot-backed Antbird	<i>Hylophylax naevius</i>	<i>consobrina</i> ? (E) <i>theresae</i> (SE)				Z		B			0-1									
<input type="checkbox"/>	Hormiguero Dorsipunteado Dot-backed Antbird	<i>Hylophylax punctulatus</i>	<i>punctulata</i> (E) <i>subochracea</i> (SE)				Σ		B			0-1									
<input type="checkbox"/>	Hormiguero Escamado Scale-backed Antbird	<i>Willisornis poecilinotus</i>	<i>duidae</i> (E) <i>lepidonota</i> (SE)				Z		B			0-1									
<input type="checkbox"/>	Hormiguero Caripelado Black-spotted Bare-eye	<i>Phlegopsis nigromaculata</i>	<i>nigromaculatus</i>				Z		B			0-1									
<input type="checkbox"/>	Hormiguero Pavo Reddish-winged Bare-eye	<i>Phlegopsis erythroptera</i>	<i>erythropterus</i>				Z		B			0-1									
<input type="checkbox"/>	Hormiguero Ocelado Ocellated Antbird	<i>Phaenostictus mcleannani</i>	<i>chocoanus</i> (W) <i>pacificus</i> (SW)		T				B	1		0-1									
<b>FORMICARIIDAE: (8) Hormigueros Terrestres – Anthruses</b>																					
<input type="checkbox"/>	Gallito Cuellirrojo Rufous-capped Anthrush	<i>Formicarius colma</i>	<i>colma</i>				Z		B			0-1									
<input type="checkbox"/>	Gallito Carinegro Black-faced Anthrush	<i>Formicarius analis</i>	<i>connectens</i> (E) <i>griseoventris</i> (NE) <i>panamensis</i> (NW) <i>saturatus</i> (C) <i>virescens</i> (Asm)	M, T	Δ	ΣM	Z		B	5, 11, 12		0-1									
<input type="checkbox"/>	Gallito Cabecinegro Black-headed Anthrush	<i>Formicarius nigricapillus</i>	<i>destructus</i>		T				B	1		0-2									
<input type="checkbox"/>	Gallito Pechirrufo Rufous-breasted Anthrush	<i>Formicarius rufipectus</i>	<i>carrikeri</i> (Aw,c) <i>lasallei</i> (NE) <i>thoracicus</i> ? (S)		Σ	X, N, Ω			B	1, 11		1-2>									
<input type="checkbox"/>	Tovaca Campanera Short-tailed Anthrush	<i>Chamaeza campanisona</i>	<i>columbiana</i>				Σ		B	14		0-2									
<input type="checkbox"/>	Tovaca Estriada Striated Anthrush	<i>Chamaeza nobilis</i>	<i>rubida</i>				Z		B			0-1									
<input type="checkbox"/>	Tovaca mirla Schwartz's Anthrush	<i>Chamaeza turdina</i> <sup>107</sup>					Ω, X, E		B	6		1-2>									
<input type="checkbox"/>	Tovaca Barrada Barred Anthrush	<i>Chamaeza mollissima</i>					X, Ω		B	2, 7		1-2>									
<b>GRALLARIIDAE (27): Tororoi, Antpittas</b>																					
<input type="checkbox"/>	Tororoi Ondulado Undulated Antpitta	<i>Grallaria squamigera</i>	<i>squamigera</i>				X, E, Ω		B	4		2>									
<input type="checkbox"/>	Tororoi Gigante Giant Antpitta	<i>Grallaria gigantea</i>	<i>hylodroma</i> (SW) <i>lehmanni</i> (Ac)				X, Π		B		VU C-end	2>									
<input type="checkbox"/>	Tororoi Bigotudo Moustached Antpitta	<i>Grallaria alleni</i>	<i>alleni</i> (Ac) <i>andaquiensis</i> (Ae)				Ω, X, E		B	7	VU C-end	2>									
<input type="checkbox"/>	Tororoi Dorsiescamado Scaled Antpitta	<i>Grallaria guatemalensis</i>	<i>carmelita</i> (NE) <i>chocoensis</i> (NW) <i>regulus</i> ? (S)	M, S	Δ, T	Π, ΣM	Σ		B			0-2									
<input type="checkbox"/>	Tororoi Torero Plain-backed Antpitta	<i>Grallaria haplota</i>	<i>parabae</i> (W) <i>pariae</i> ? (NE)		Σ				B	1		1-2									
<input type="checkbox"/>	Tororoi Estriado Ochre-striped Antpitta	<i>Grallaria dignissima</i>					Σ		B			0-1									
<input type="checkbox"/>	Tororoi Comprapán Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>	<i>perijana</i> (Ap) <i>ruficapilla</i> (Ax)				X, E, N, Π Ω		B	2, 3, 4, 6, 7, 9, 13, 15		1-2>									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Tororoi de Santa Marta Santa Marta Antpitta	<i>Grallaria bangsi</i>				ΣM			B	8	VU	1-2>							
<input type="checkbox"/>	Tororoi de Cundinamarca Cundinamarca Antpitta	<i>Grallaria kaestneri</i>				E			B		VU	1-2							
<input type="checkbox"/>	Tororoi Rufocenizo Bicolored Antpitta	<i>Grallaria rufocinerea</i>	<i>romeroana</i> (Ac) <i>rufocinerea</i> (An)			X,N			B	3	VU C-end	2>							
<input type="checkbox"/>	Tororoi Chusquero Chestnut-naped Antpitta	<i>Grallaria nuchalis</i>	<i>nuchalis</i> ? (E) <i>obsoleta</i> ? (S) <i>ruficeps</i> (Aw,c,e)			Ω,X,E			B	3,4,7		2>							
<input type="checkbox"/>	Tororoi Rufoamarillo Yellow-breasted Antpitta	<i>Grallaria flavotincta</i>				N,Ω			B	1,2	C-end	1-2							
<input type="checkbox"/>	Tororoi Pechiblanco White-bellied Antpitta	<i>Grallaria hypoleuca</i>	<i>castanea</i> (Ac) <i>hypoleuca</i> (Ae)			X,E			B	6,11		1-2							
<input type="checkbox"/>	Tororoi Flautista Rufous Antpitta	<i>Grallaria rufula</i>	<i>rufula</i> <i>saltuensis</i> -(Ae)			X,E,N, Ω			B	2,3,4,7,8		2>							
<input type="checkbox"/>	Tororoi Leonado Tawny Antpitta	<i>Grallaria quitensis</i>	<i>alticola</i> (Ae) <i>quitensis</i> (Ac)			X,E,N			B,S	3		2>							
<input type="checkbox"/>	Tororoi de Miller Brown-banded Antpitta	<i>Grallaria milleri</i>	<i>milleri</i> (Ac) <i>gilesi</i> (Ac) <sup>46a</sup>			X			B	3,13	EN	2>							
<input type="checkbox"/>	Tororoi Antpitta	<i>Grallaria sp.</i> <sup>46</sup>				Ω			B			2>							
<input type="checkbox"/>	Tororoi de Anteojos Streak-chested Antpitta	<i>Hylopezus perspicillatus</i>	<i>pallidior</i> (C) <i>periphthalmicus</i> (W) <i>perspicillatus</i> (NW)	T	T				B	5,12		0-1							
<input type="checkbox"/>	Tororoi Carimanchado Spotted Antpitta	<i>Hylopezus macularius</i>	<i>diversus</i>				Z		B			0-1							
<input type="checkbox"/>	Tororoi Buchifulvo Thicket Antpitta	<i>Hylopezus dives</i>	<i>barbacoae</i>		T				B	1		0-1							
<input type="checkbox"/>	Tororoi Buchicanelo White-lored Antpitta	<i>Hylopezus fulviventris</i>	<i>caquetae</i>				Σ		B			0-1							
<input type="checkbox"/>	Tororoi Campanero Thrush-like Antpitta	<i>Myrmothera campanisona</i>	<i>dissors</i> (SE) <i>modesta</i> (CE) <i>signata</i> (S)				Z		B			0-1							
<input type="checkbox"/>	Tororoi Piquigualdo Ochre-breasted Antpitta	<i>Grallaricula flavirostris</i>	<i>flavirostris</i> (Ae) <i>mindoensis</i> (W) <i>ochraceiventris</i> (Aw)		Σ	X,E,Ω	Σ		B	1,2,6,11,14		0-2							
<input type="checkbox"/>	Tororoi Cabecirrufo Hooded Antpitta	<i>Grallaricula cucullata</i>	<i>cucullata</i> (Ac,e,w) <i>venezuelana</i> ? (NE)			X,E,Ω			B		VU C-end	1-2>							
<input type="checkbox"/>	Tororoi Ferruginoso Rusty-breasted Antpitta	<i>Grallaricula ferruginepectus</i>	<i>ferruginepectus</i> (Asm) <i>rara</i> (Ae)			E,Π, ΣM			B	8		0-2							
<input type="checkbox"/>	Tororoi Enano Slate-crowned Antpitta	<i>Grallaricula nana</i>	<i>nana</i> (An, w, e) <i>occidentalis</i> (Ac) <i>hallsi</i> (Ae: Yariguies) <sup>47</sup> <i>nanitaea</i> (Ae: Tamá) <sup>48</sup>			X,E,Ω			B	2,3,4,7,13		1-2>							
<input type="checkbox"/>	Tororoi Medialuna Crescent-faced Antpitta	<i>Grallaricula lineifrons</i>				E,N,X			B		NT C-end	2>							
<b>CONOPOPHAGIDAE: (4) Zumbadores, Hormigueros Pittasoma – Gnateaters and Pittasoma Antpittas<sup>94</sup></b>																			
<input type="checkbox"/>	Zumbador Pechirrufo Chestnut-belted Gnateater	<i>Conopophaga aurita</i>	<i>inexpectata</i>				Z		B			0-1							
<input type="checkbox"/>	Zumbador Pechigrís Chestnut-crowned Gnateater	<i>Conopophaga castaneiceps</i>	<i>castaneiceps</i> (Ac,e) <i>chocoensis</i> (W)		T	X,E,Ω			B	6,11,14		1-2							
<input type="checkbox"/>	Tororoi Pechiescamado Black-crowned Gnatpitta	<i>Pittasoma michleri</i>	<i>michleri</i>			Δ			B			0-1							
<input type="checkbox"/>	Tororoi Cejinegro Rufous-crowned Gnatpitta	<i>Pittasoma rufopileatum</i>	<i>harterti</i> (SW) <i>rosenbergi</i> (W) <i>rufopileatum</i> ? (SW)		T				B	1	NT C-end	0-1							
<b>RHINOCRYPTIDAE: (18) Tapaculos – Tapaculos</b>																			
<input type="checkbox"/>	Tapaculo Collarejo Rusty-belted Tapaculo	<i>Liosceles thoracicus</i>	<i>dugandi</i> (SE) <i>erithacus</i> ? (S)				Z		B			0-1							
<input type="checkbox"/>	Tapaculo Cenizo Ash-colored Tapaculo	<i>Myornis senilis</i>				Ω,X,E			B	3,7		2>							
<input type="checkbox"/>	Tapaculo Negruzco Blackish Tapaculo	<i>Scytalopus latrans</i>	<i>latrans</i> (Aw) <i>subsp.</i> (Ac) <i>subsp.</i> <sup>54</sup> (Ae)			X,E,N, Ω			B	2,3,4,6,7, 13		1-2>							
<input type="checkbox"/>	Tapaculo Buchirrufo Santa Marta Tapaculo	<i>Scytalopus sanctaemartae</i>				ΣM			B	8		1-2>							
<input type="checkbox"/>	Tapaculo Ecuatorial Long-tailed Tapaculo	<i>Scytalopus micropterus</i>		M		E	Σ		B			1-2>							
<input type="checkbox"/>	Tapaculo Cabeziblanco White-crowned Tapaculo	<i>Scytalopus atratus</i>	<i>atratus</i> (E) <i>confusus</i> (W, C)			X,E,Π, Ω	Σ		B	2,6,11,12		1-2>							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Tapaculo Cejiblanco Pale-throated Tapaculo	<i>Scytalopus panamensis</i>			A				B		VU C-end	1-2							
<input type="checkbox"/>	Tapaculo del Chocó Choco Tapaculo	<i>Scytalopus chocoensis</i>			T				B	1	C-end	0-1							
<input type="checkbox"/>	Tapaculo del Bajo Magdalena Upper Magdalena Tapaculo	<i>Scytalopus rodriguezi</i> <sup>49</sup>	<i>rodriguezi</i> (Huila) <i>subsp.</i> <sup>53</sup> (Yariguies)			X, E			B	6	EN	1-2							
<input type="checkbox"/>	Tapaculo de Stiles Stiles's Tapaculo	<i>Scytalopus stilesi</i> <sup>50</sup>				X			B	11		1-2>							
<input type="checkbox"/>	Tapaculo Tapaculo (Alto de Pisones)	<i>Scytalopus sp.</i> <sup>27a</sup>				Ω			B		End	1-2>							
<input type="checkbox"/>	Tapaculo de Nariño Nariño Tapaculo	<i>Scytalopus viciniior</i>	<i>viciniior</i> (Aw)			Ω			B	1,2	C-end	1-2>							
<input type="checkbox"/>	Tapaculo Ratón Brown-rumped Tapaculo	<i>Scytalopus latebricola</i>	<i>latebricola</i>			ΣM			B	8		1-2>							
<input type="checkbox"/>	Tapaculo Tapaculo (Perijá)	<i>Scytalopus sp.</i> <sup>27</sup>	<i>sp.</i> (Ap)			Π			B			1-2>							
<input type="checkbox"/>	Tapaculo de Spillmann Spillmann's Tapaculo	<i>Scytalopus spillmanni</i>	<i>subsp.</i> (Aw) <i>spillmanni</i> (S, Ac?) <i>subsp.</i> (Ae) <sup>51</sup>			N,X, E, Ω			B	4		1-2>							
<input type="checkbox"/>	Tapaculo Andino Matorral Tapaculo	<i>Scytalopus griseicollis</i>	<i>griseicollis</i> (Ae) <i>gilesi</i> (Ae: Yariguies) <sup>52</sup> <i>subsp.</i> (Ae: Tamá)			E			B	6		2>							
<input type="checkbox"/>	Tapaculo Paramuno Paramo Tapaculo	<i>Scytalopus canus</i>	<i>opacus</i> (Ac,n) <i>canus</i> (Aw)			X,Ω			B	3,4,7		2>							
<input type="checkbox"/>	Tapaculo Ocelado Ocellated Tapaculo	<i>Acropternis orthonyx</i>	<i>infuscata</i>			X,E,Ω			B	3,4,7		2>							
<b>TYRANNIDAE: (203) Atrapamoscas – Flycatchers</b>																			
<input type="checkbox"/>	Tiranuelo Cejiblanco Rough-legged Tyrannulet	<i>Phyllomyias burneisteri</i>	<i>leucogonyx</i> (E) <i>wetmorei</i> (Ap)			E,Π	Σ		B			0-2							
<input type="checkbox"/>	Tiranuelo Cabecigrís Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>	<i>cauca</i> (CW) <i>cristatus</i> (N) <i>griseiceps</i> (SW)	M,T, S	T				B, D	5,8,12		0-1							
<input type="checkbox"/>	Tiranuelo Cabecinegro Black-capped Tyrannulet	<i>Phyllomyias nigrocapillus</i>	<i>aureus</i> (NE) <i>flavimentum</i> (N) <i>nigrocapillus</i> (Asm)			Ξ			B	2,4,7,8,13		1-2>							
<input type="checkbox"/>	Tiranuelo Cenizo Ashy-headed Tyrannulet	<i>Phyllomyias cinereiceps</i>				X,E, N, Ω			B	3,4		1-2>							
<input type="checkbox"/>	Tiranuelo Culirrufo Tawny-rumped Tyrannulet	<i>Phyllomyias uropygialis</i>				E,N,Ω			B	1,4		1-2>							
<input type="checkbox"/>	Tiranuelo Plomizo Plumbeous-crowned Tyrannulet	<i>Phyllomyias plumbeiceps</i>				X,E,Ω			B, D	2,13		1-2							
<input type="checkbox"/>	Tiranuelo Coronado Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	<i>elatus</i> (E) <i>panamensis</i> (W, N)	M,T, S	T			Ξ	O	B	5,13	0-1							
<input type="checkbox"/>	Elenia Selvática Forest Elaenia	<i>Myiopagis gaimardii</i>	<i>bogotensis</i> (NE) <i>gaimardii</i> (CE) Macarena <i>guianensis</i> (E) <i>macilvainii</i> (N)		T				O	B	5,8	0-1							
<input type="checkbox"/>	Elenia Gris Gray Elaenia	<i>Myiopagis caniceps</i>	<i>cinerea</i> (E) <i>parambae</i> (W)		T			Z		B		0-1							
<input type="checkbox"/>	Elenia Verdosa Greenish Elaenia	<i>Myiopagis viridicata</i>	<i>accola</i> (W) <i>implacens</i> (SW) <i>pallens</i> (N, C) <i>zuliae</i> (Ap)	M,T, S	T				O	B	13	0-2							
<input type="checkbox"/>	Elenia Copetona Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	<i>flavogaster</i> (X) <i>semipagana</i> (SW)	Ξ	Ξ	Ξ	Ξ		T	1,2,3,4,5,8, 11,12,13, 15		0-2							
<input type="checkbox"/>	Elenia Caribeña Caribbean Elaenia	<i>Elaenia martinica</i>	<i>riisii</i>	I					D	10		0-1							
<input type="checkbox"/>	Elenia Austral Large Elaenia	<i>Elaenia spectabilis</i>						Z	B		Ma	0-1							
<input type="checkbox"/>	Elenia Buchiblanca White-crested Elaenia	<i>Elaenia albiceps</i>	<i>griseogularis</i>					Σ	B	3	[Ma?]	1-2>							
<input type="checkbox"/>	Elenia Piquicorta Small-billed Elaenia	<i>Elaenia parvirostris</i>						Ξ	O	B	4	Ma	0-2						
<input type="checkbox"/>	Elenia Gris Slaty Elaenia	<i>Elaenia strepera</i>						Z	B, D		Ma	0-1							
<input type="checkbox"/>	Elenia Gigante Mottle-backed Elaenia	<i>Elaenia gigas</i>						Z	B			0-1							
<input type="checkbox"/>	Elenia Mirla Brownish Elaenia	<i>Elaenia pelzelni</i>							O	B		Obs	0-1						

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Elenia Crestada Plain-crested Elaenia	<i>Elaenia cristata</i>					Z		B			0-1							
<input type="checkbox"/>	Elenia Chica Lesser Elaenia	<i>Elaenia chiriquensis</i>	<i>albivertex</i> (X) <i>brachyptera</i> (SW)			≡	≡	O	B	1,3,6,8,12,15		0-2							
<input type="checkbox"/>	Elenia Crestirrufa Rufous-crowned Elaenia	<i>Elaenia ruficeps</i>					Z		D,S			0-1							
<input type="checkbox"/>	Elenia Montañera Mountain Elaenia	<i>Elaenia frantzii</i>	<i>browni</i> (Asm) <i>pubica</i> (Ac,e)			≡			B	2,4,8,11,13,15		1-2>							
<input type="checkbox"/>	Elenia Serrana Sierran Elaenia	<i>Elaenia pallatangae</i>	<i>pallatangae</i>			X,N,Ω			B	4,8		1-2>							
<input type="checkbox"/>	Tiranuelo Cejón Brown-capped Tyrannulet	<i>Ornithion brunneicapillus</i>	<i>brunneicapillum</i> (W-C) <i>dilutum</i> (NE)	M,T	T				B	5,12		0-1							
<input type="checkbox"/>	Tiranuelo Alipunteado White-lored Tyrannulet	<i>Ornithion inerne</i>					Z		B			0-1							
<input type="checkbox"/>	Tiranuelo Silbador Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>	<i>bogotensis</i> (E) <i>cauae</i> (W) <i>olivaceum</i> (SE) <i>pusillum</i> (N)	≡	Δ		≡	O	B, D	1,5,6,13,14,15		0-2							
<input type="checkbox"/>	Tiranuelo Coliblanco White-tailed Tyrannulet	<i>Mecocerculus poecilocercus</i>				X,E,N,Ω			B	4,6,7		1-2>							
<input type="checkbox"/>	Tiranuelo Colilargo White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>	<i>albicaudatus</i> ? (NE) <i>stictopterus</i> (Ax)			X,E,N,Ω			B	7		1-2>							
<input type="checkbox"/>	Tiranuelo Gorgiblanco White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>	<i>gularis</i> (Ap) <i>montensis</i> (Asm) <i>notatus</i> (Aw,c) <i>parui</i> ? (NE) <i>rufomarginatus</i> (SW) <i>setophagoides</i> (Ae)			≡			B	3,4,7,8,13,15		1-2>							
<input type="checkbox"/>	Tiranuelo Azufrado Sulphur-bellied Tyrannulet	<i>Mecocerculus minor</i>				E,N			B			1-2>							
<input type="checkbox"/>	Cachudito Paramuno Tufted Tit-Tyrant	<i>Anairetes parulus</i>	<i>aequatorialis</i>			X,N			B			2>							
<input type="checkbox"/>	Cachudito Rabilargo Agile Tit-Tyrant	<i>Anairetes agilis</i>				X,E,N			B		C-end	2>							
<input type="checkbox"/>	Tiranuelo Salta-arroyo Torrent Tyrannulet	<i>Serpophaga cinerea</i>	<i>cinerea</i>			≡			B	1,2,7,11,13,15		1-2>							
<input type="checkbox"/>	Tiranuelo Ribereño River Tyrannulet	<i>Serpophaga hypoleuca</i>	<i>hypoleuca</i> (SE) <i>venezuelana</i> (CE)				≡	O	B,S			0-1							
<input type="checkbox"/>	Tiranuelo Murino Mouse-colored Tyrannulet	<i>Phaeomyias murina</i>	<i>incomta</i>	≡	T		≡	O	B, D	5,8		0-2							
<input type="checkbox"/>	Tiranuelo Amarillo Yellow Tyrannulet	<i>Capsiempis flaveola</i>	<i>cerula</i> (E) <i>flaveola</i> (SW) <i>leucophrys</i> (CN)	M,T, ς			≡	O	B	5,8		0-1							
<input type="checkbox"/>	Tachuri Barbado Bearded Tachuri	<i>Polystictus pectoralis</i>	<i>bogotensis</i> (Ae) <i>brevipennis</i> (E) <i>ssp. nov.?</i> (Cv)			Σ	E	O	S		NT	0-2>							
<input type="checkbox"/>	Doradito Lagunero Subtropical Doradito	<i>Pseudocolopteryx acutipennis</i>				X			A,S			1-2							
<input type="checkbox"/>	Tiranuelo Broncioliva Bronze-olive Pygmy-Tyrant	<i>Pseudotriccus pelzelni</i>	<i>annectens</i> (SW) <i>berlepschi</i> (NW) <i>pelzelni</i> (E)		Δ,Σ		Σ		B	1,2		0-2>							
<input type="checkbox"/>	Tiranuelo Encapuchado Rufous-headed Pygmy-Tyrant	<i>Pseudotriccus ruficeps</i>				X,E,N,Ω			B	1,2,4,7		1-2>							
<input type="checkbox"/>	Atrapamoscas Collarejo Ringed Antpipit	<i>Corythopis torquatus</i>	<i>sarayuensis</i>				Z		B			0-1							
<input type="checkbox"/>	Tiranuelo Pico-de-tuna Tawny-crowned Pygmy-Tyrant	<i>Euscarthmus meloryphus</i>	<i>meloryphus</i> (N) <i>parulus</i> (NE-C)	Γ,M					D	5,8,13,15		0-2							
<input type="checkbox"/>	Tiranuelo Coludo Lesser Wagtail-Tyrant	<i>Stigmatura napensis</i>	<i>napensis</i>				Z		B		Obs	0-1							
<input type="checkbox"/>	Tiranuelo de Anteojos Paltry Tyrannulet	<i>Zimmerius vilissimus</i>	<i>parvus</i> (d)		Δ	E,Π,ΣM			B			0-2>							
<input type="checkbox"/>	Tiranuelo Venezolano Venezuelan Tyrannulet	<i>Zimmerius improbus</i>	<i>improbus</i> (N) <i>petersi</i> (Asm,p) <i>tamae</i> (Ae,s)			E,Π,ΣM			B	8		0-2>							
<input type="checkbox"/>	Tiranuelo Amazónico Slender-footed Tyrannulet	<i>Zimmerius gracilipes</i>	<i>gracilipes</i>				Z		B			0-1							
<input type="checkbox"/>	Tiranuelo Cejiamarillo Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>	<i>albigularis</i> (SW) <i>chrysops</i> (Ac,e) <i>minimus</i> (Asm)			≡			B	1,2,3,4,5,6,7,8,9,11,12,13,15		0-2>							
<input type="checkbox"/>	Atrapamoscas Variegado Variegated Bristle-Tyrant	<i>Phylloscartes poecilotis</i>	<i>pifanoi</i> (Ap) <i>poecilotis</i> (Ax)			X,E,Π,Ω			B	3,6,13		1-2>							
<input type="checkbox"/>	Atrapamoscas Marmóreo Marble-faced Bristle-Tyrant	<i>Phylloscartes ophthalmicus</i>	<i>ophthalmicus</i>			X,N,Ω			B	2,11,13		1-2>							

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Tiranuelo Antioqueño Antioquia Bristle-Tyrant	<i>Phylloscartes lanyoni</i>		M		X			B	5	EN	0-1								
<input type="checkbox"/> Atrapamoscas de Anteojos Spectacled Bristle-Tyrant	<i>Phylloscartes orbitalis</i>					Σ		B			0-2								
<input type="checkbox"/> Tiranuelo Ecuatoriano Ecuadorian Tyrannulet	<i>Phylloscartes gualaquiza</i>					Σ		B			0-2								
<input type="checkbox"/> Tiranuelo de Visera Rufous-browed Tyrannulet	<i>Phylloscartes superciliaris</i>	<i>griseocapillus</i> ? (Ap) <i>palloris</i> (NW)		Δ	X,E			B	6,11		1-2								
<input type="checkbox"/> Atrapamoscas Estriado Streak-necked Flycatcher	<i>Mionectes striaticollis</i>	<i>columbianus</i> (E-C) <i>selvae</i> (W) <i>viridiceps</i> (SW)			X,E,N, Ω			B	1,2,3,4,6,7, 9,11,13		1-2>								
<input type="checkbox"/> Atrapamoscas Oliváceo Olive-striped Flycatcher	<i>Mionectes olivaceus</i>	<i>galbinus</i> (Asm) <i>hederaceus</i> (W) <i>meridae</i> (NE) <i>pallidus</i> (Ae)	M,T, ς	T	Ω,X,E,Σ M	Σ		B	1,2,6,8,11, 12,14		0-2								
<input type="checkbox"/> Atrapamoscas Ocráceo Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	<i>chloronotus</i> (E) <i>pacificus</i> (SW) <i>parvus</i> (N)	M,T, ς	T		≡	o	B	1,3,5,6,8, 11,12,13, 14		0-2								
<input type="checkbox"/> Atrapamoscas Orejinegro Slaty-capped Flycatcher	<i>Leptopogon amaurocephalus</i>	<i>diversus</i> (NC-NE) <i>faustus</i> (NW) <i>peruvianus</i> (SE)		T		Σ		B	4,8,9,13,14		0-2								
<input type="checkbox"/> Atrapamoscas Sepia Sepia-capped Flycatcher	<i>Leptopogon superciliaris</i>	<i>poliocephalus</i> (C-CE) <i>superciliaris</i> (SE) <i>transandinus</i> (W)		M,T		≡		B	1,2,5,6,8,9, 12,15		0-1								
<input type="checkbox"/> Atrapamoscas Pechirrufo Rufous-breasted Flycatcher	<i>Leptopogon rufipectus</i>				Ω,X,E,N			B	4,6,7,13	C-end	1-2>								
<input type="checkbox"/> Atrapamoscas Rastrojero Northern Scrub-Flycatcher	<i>Sublegatus arenarum</i>	<i>atrirostris</i> (N) <i>orinocensis</i> (E)	Γ,T				o	D	8		0-1								
<input type="checkbox"/> Atrapamoscas Llanero Amazonian Scrub-Flycatcher	<i>Sublegatus obscurior</i>						Z	B,S			0-1								
<input type="checkbox"/> Atrapamoscas Gorgigrís Southern Scrub-Flycatcher	<i>Sublegatus modestus</i>							B		Ma	0-1								
<input type="checkbox"/> Tiranuelo Diminuto Slender-billed Tyrannulet	<i>Inezia tenuirostris</i>		Γ					D	8	C-end	0-1								
<input type="checkbox"/> Tiranuelo Pantanero Amazonian Tyrannulet	<i>Inezia subflava</i>	<i>obscura</i>				≡	o	B,S			0-1								
<input type="checkbox"/> Tiranuelo Colipinto Pale-tipped Tyrannulet	<i>Inezia caudata</i>			T				B, D			0-1								
<input type="checkbox"/> Atrapamoscas Ornado Ornate Flycatcher	<i>Myiorticcus ornatus</i>	<i>ornatus</i> (Ac,e) <i>phoenicurus</i> (Ae) Caquetá <i>stellatus</i> (W)			Σ	X,E	Σ	B	1,2,4,6,11, 12		0-2								
<input type="checkbox"/> Tiranuelo Capirotado Black-capped Pygmy-Tyrant	<i>Myiornis atricapillus</i>			T				B	1,5		0-1								
<input type="checkbox"/> Tiranuelo Colimocho Short-tailed Pygmy-Tyrant	<i>Myiornis ecaudatus</i>	<i>miserabilis</i>					Z	B	1,14		0-1								
<input type="checkbox"/> Piquitorcido Cinéreo Northern Bentbill	<i>Oncostoma cinereigulare</i>				Δ			B			0-1								
<input type="checkbox"/> Piquitorcido Oliváceo Southern Bentbill	<i>Oncostoma olivaceum</i>			M,T	T			B	5, 12		0-1								
<input type="checkbox"/> Tiranuelo Crestibarrado Scale-crested Pygmy-Tyrant	<i>Lophotriccus pileatus</i>	<i>pileatus</i> (S) <i>santalucia</i> (NE) <i>squamaecrista</i> (Ac,e)			X,E,N,Π Ω			B	1,3,6,11,12, 13		0-2>								
<input type="checkbox"/> Tiranuelo Alibarrado Double-banded Pygmy-Tyrant	<i>Lophotriccus vitiosus</i>	<i>affinis</i> (E) Caquetá <i>guianensis</i> (SE) Vaupés					Z	B			0-1								
<input type="checkbox"/> Tiranuelo Empenachado Helmeted Pygmy-Tyrant	<i>Lophotriccus galeatus</i>						≡	o	B,S		0-1								
<input type="checkbox"/> Tiranuelo Ojiamarillo Pale-eyed Pygmy-Tyrant	<i>Atalotriccus pilaris</i>	<i>griseiceps</i> (E) <i>pilaris</i> (N-C)	Γ, M, T				o	B, D	6,8,13		0-2								
<input type="checkbox"/> Picochato Ojiblanco White-eyed Tody-Tyrant	<i>Hemitriccus zosterops</i>	<i>zosterops</i>					Z	B			0-1								
<input type="checkbox"/> Picochato Amazónico Johannes' Tody-Tyrant	<i>Hemitriccus iohannis</i>						Z	B			0-1								
<input type="checkbox"/> Picochato Rayado Stripe-necked Tody-Tyrant	<i>Hemitriccus striaticollis</i>						Z	B			0-1								
<input type="checkbox"/> Picochato Perlado Pearly-vented Tody-Tyrant	<i>Hemitriccus margaritaceiventer</i>	<i>chiribiquetensis</i> (E) <i>impiger</i> (NE) <i>septentrionalis</i> (S)	Γ, M				Z	D	13,15		0-1								
<input type="checkbox"/> Picochato Carinegro Black-throated Tody-Tyrant	<i>Hemitriccus granadensis</i>	<i>andinus</i> (Ae) <i>granadensis</i> (X) <i>lehmani</i> (Asm)				≡		B	2,3,4,6,7,8, 13		1-2>								
<input type="checkbox"/> Tiranuelo Coronado Rufous-crowned Tody-Flycatcher	<i>Poecilotriccus ruficeps</i>	<i>melanomystax</i> (Ac) <i>ruficeps</i> (Ae) <i>rufigenis</i> (Aw)			X,E,N, Ω			B	3,4,6,7,13		1-2>								

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Tiranuelo Blanquinegro Black-and-white Tody-Flycatcher	<i>Poecilatriccus capitalis</i>					Z		B			0-1								
<input type="checkbox"/> Espatulilla Rubicunda Rusty-fronted Tody-Flycatcher	<i>Poecilatriccus latirostris</i>	<i>caniceps</i> (SE) <i>mituensis</i> (S)				Z		B			0-1								
<input type="checkbox"/> Espatulilla Rastrojera Slate-headed Tody-Flycatcher	<i>Poecilatriccus sylvia</i>	<i>griseolus</i> (SE) <i>superciliare</i> (N)	M,T, S		X		O	B	5,6,8,12,13		0-1								
<input type="checkbox"/> Espatulilla Alidorada Golden-winged Tody-Flycatcher	<i>Poecilatriccus calopterus</i>	<i>calopterus</i>				Z		B			0-1								
<input type="checkbox"/> Espatulilla Manchada Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>	<i>signatum</i>				Z		B			0-1								
<input type="checkbox"/> Espatulilla Común Common Tody-Flycatcher	<i>Todirostrum cinereum</i>	<i>cinereum</i> (N-E) <i>sclateri</i> (SW)	≡	≡	≡		O	B	1,2,3,4,5,6, 8,11,12,13, 14,15		0-2								
<input type="checkbox"/> Espatulilla Cabecinegra Black-headed Tody-Flycatcher	<i>Todirostrum nigriceps</i>		M,T	A,T		Σ		B	1,5,12		0-1								
<input type="checkbox"/> Espatulilla Pintada Painted Tody-Flycatcher	<i>Todirostrum pictum</i>					Z		B			0-1								
<input type="checkbox"/> Espatulilla Collareja Yellow-browed Tody-Flycatcher	<i>Todirostrum chrysocrotaphum</i>	<i>guttatum</i>				Z		B			0-1								
<input type="checkbox"/> Atrapamoscas Zumbador Brownish Twistwing	<i>Cnipodectes subbrunneus</i>	<i>minor</i> (SE) <i>panamensis</i> (NW) <i>subbrunneus</i> (W)	M,T	T		Z		B	12		0-1								
<input type="checkbox"/> Picoplano Oliváceo Olivaceous Flatbill	<i>Rhynchocyclus olivaceus</i>	<i>aequinoctialis</i> (SE) <i>bardus</i> (NW) <i>flavus</i> (NE-E) <i>mirus</i> (W) <i>tamborensis</i> (C) Santander		T	T		O	B	5,11		0-1								
<input type="checkbox"/> Picoplano de Anteojos Eye-ringed Flatbill	<i>Rhynchocyclus brevirostris</i>	<i>hellmayri</i>		A,T				B	1		0-2								
<input type="checkbox"/> Picoplano Chocoano Pacific Flatbill	<i>Rhynchocyclus pacificus</i>			A,Σ				B	1		0-1								
<input type="checkbox"/> Picoplano Pectoral Fulvous-breasted Flatbill	<i>Rhynchocyclus fulvipectus</i>				X,E,Ω			B	1,2,11		0-2								
<input type="checkbox"/> Picoplano Azufrado Yellow-olive Flycatcher	<i>Tolmomyias sulphurescens</i>	<i>asemus</i> (W) <i>cherriei</i> (E?) <i>confusus</i> (Ae) <i>duidae</i> (E?) <i>exortivus</i> (NE) <i>flavoolivaceus</i> (NW)	T	T			≡	O	B	5,6,8,12, 13,15	0-2								
<input type="checkbox"/> Picoplano Ojiamarillo Orange-eyed Flycatcher	<i>Tolmomyias traylori</i>					Z		B			0-1								
<input type="checkbox"/> Picoplano Aliamarillo Yellow-margined Flycatcher	<i>Tolmomyias assimilis</i>	<i>flavotectus</i> (W) <i>neglectus</i> (E) <i>obscuriceps</i> (SE)		A,T			≡	O	B	1,5,6	0-1								
<input type="checkbox"/> Picoplano Diminuto Gray-crowned Flycatcher	<i>Tolmomyias poliocephalus</i>	<i>poliocephalus</i>				Z		B			0-1								
<input type="checkbox"/> Picoplano Pechiamarillo Yellow-breasted Flycatcher	<i>Tolmomyias flaviventris</i>	<i>aurantus</i> (N) <i>collingwoodi</i> (E) <i>dissors</i> (E?) <i>viridiceps</i> (SE)		Γ,T			≡	O	B	8	0-1								
<input type="checkbox"/> Pico-de-pala Rufo Cinnamon-crested Spadebill	<i>Platyrinchus saturatus</i>					Z		B			0-1								
<input type="checkbox"/> Pico-de-pala Crestiamarillo White-throated Spadebill	<i>Platyrinchus mystaceus</i>	<i>albogularis</i> (W) <i>neglectus</i> (N, E)		Σ	≡	Σ		B	1,2,6,8, 11,12		0-2								
<input type="checkbox"/> Pico-de-pala Coronado Golden-crowned Spadebill	<i>Platyrinchus coronatus</i>	<i>coronatus</i> (SE) <i>superciliaris</i> (W)	T	T		Z		B	1,12		0-1								
<input type="checkbox"/> Pico-de-pala Gorgiamarillo Yellow-throated Spadebill	<i>Platyrinchus flavigularis</i>				E,Π			B	6		1-2>								
<input type="checkbox"/> Pico-de-pala Canelo White-crested Spadebill	<i>Platyrinchus platyrhynchos</i>					Z		B			0-1								
<input type="checkbox"/> Atrapamoscas-real Amazónico Royal Flycatcher	<i>Onychorhynchus coronatus</i>	<i>castelnaui</i> (SE) <i>fraterculus</i> (NE) <i>mexicanus</i> (NW)	≡			Z		B	5,8		0-2								
<input type="checkbox"/> Atrapamoscas Amarillento Flavescent Flycatcher	<i>Myiophobus flavicans</i>	<i>flavicans</i> (X) <i>perijamus</i> (Ap)			X,E,N,Π, Ω			B	1,2,4,6,7, 13,15		1-2>								
<input type="checkbox"/> Atrapamoscas Coronirrufo Orange-crested Flycatcher	<i>Myiophobus phoenicomitra</i> <sup>28</sup>	<i>lita</i> (Aw,c) <i>phoenicomitra</i> (Ae)		Σ		Σ		B	1		0-1								
<input type="checkbox"/> Atrapamoscas de Roraima Roraiman Flycatcher	<i>Myiophobus roraimae</i>					Z		B			0-1								
<input type="checkbox"/> Atrapamoscas Elegante Handsome Flycatcher	<i>Myiophobus pulcher</i>	<i>bellus</i> (Ac,e) <i>pulcher</i> (SW)			X,E,N, Ω			B	1,2,4		1-2>								
<input type="checkbox"/> Atrapamoscas Pechirrayado Bran-colored Flycatcher	<i>Myiophobus fasciatus</i>	<i>crypterythrus</i> (SW) <i>fasciatus</i> (Aw,c,e)			≡			B	1,3,8,12, 13,15		1-2>								



Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Atrapamoscas Leonado Tawny-breasted Flycatcher	<i>Myiobius villosus</i>	<i>clarus</i> (S) <i>schaeferi</i> (E) <i>villosus</i> (W)		Δ,Σ	Ω,X	Σ		B	1,2		0-2							
<input type="checkbox"/>	Atrapamoscas Bigotudo Sulphur-rumped Flycatcher	<i>Myiobius barbatus</i>					Z		B	1		0-1							
<input type="checkbox"/>	Atrapamoscas Colinegro Black-tailed Flycatcher	<i>Myiobius atricaudus</i>	<i>adjacens</i> (S) <i>atricaudus</i> (W)	T	T		Σ		B	1,2,5,11,12		0-2							
<input type="checkbox"/>	Atrapamoscas Colirrufo Ruddy-tailed Flycatcher	<i>Terenotriccus erythrurus</i>	<i>fulvularis</i> (N-W) <i>signatus</i> (E) <i>venezuelensis</i> (extrem. E)	T	T		Z		B	1,5,11,12		0-1							
<input type="checkbox"/>	Atrapamoscas-saltarín Canelo Cinnamon Manakin-Tyrant	<i>Neopipo cinnamomea</i>	<i>cinnamomea</i>				Z		B			0-1							
<input type="checkbox"/>	Atrapamoscas Canelo Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>	<i>assimilis</i> (Asm) <i>pyrrhoptera</i> (Aw,c,e)			≡			B	2,3,4,6,7,8,11,13		1-2>							
<input type="checkbox"/>	Atrapamoscas Risquero Cliff Flycatcher	<i>Hirundinea ferruginea</i>	<i>ferruginea</i> (Ap) <i>sclateri</i> (E)			E,II	Z		B	8		0-2							
<input type="checkbox"/>	Atrapamoscas de Euler Euler's Flycatcher	<i>Lathrotriccus eulerei</i>	<i>bolivianus</i> (N) mig.austral <i>flaviventris</i> (E) <i>lawrencei</i> (NE)	≡			Σ		B	8	[Ma]	0-1							
<input type="checkbox"/>	Atrapamoscas Piquinegro Black-billed Flycatcher	<i>Aphanotriccus audax</i>		T	A				B	5,8	NT C-end	0-1							
<input type="checkbox"/>	Atrapamoscas Pardusco Fuscous Flycatcher	<i>Cnemotriccus fuscatus</i>	<i>cabanisi</i>	M,T			≡		B, D	4,8		0-1							
<input type="checkbox"/>	Atrapamoscas Buchiamarillo Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>						o	S		acc Mb SA	0-1							
<input type="checkbox"/>	Atrapamoscas Verdoso Acadian Flycatcher	<i>Empidonax virescens</i>		≡	≡	≡	≡	o	B	1,5,6,10,11,12		Mb	0-2>						
<input type="checkbox"/>	Atrapamoscas Saucero Willow Flycatcher	<i>Empidonax traillii</i>	<i>traillii</i> , <i>brewsteri</i> (mig.boreal)	≡	≡	≡	≡	o	B	6,8,10,13		Mb	0-2>						
<input type="checkbox"/>	Atrapamoscas mínimo Least Flycatcher	<i>Empidonax minimus</i> <sup>29</sup>		I					B	10		Mb SA	0-1						
<input type="checkbox"/>	Atrapamoscas Alisero Alder Flycatcher	<i>Empidonax alnorum</i>		≡	≡	≡	≡	o	B	10		Mb	0-1						
<input type="checkbox"/>	Pibí Boreal Olive-sided Flycatcher	<i>Contopus cooperi</i>				≡			B	1,6,8,11,12	VU Mb	1-2>							
<input type="checkbox"/>	Pibí Oscuro Smoke-colored Pewee	<i>Contopus fumigatus</i>	<i>ardosiacus</i> (Ax) <i>zarumae</i> (SW)			≡			B	1,4,6,7,8,11,13,15		0-2>							
<input type="checkbox"/>	Pibí Occidental Western Wood-Pewee	<i>Contopus sordidulus</i>	<i>griscomi</i> , <i>peninsulae</i> , <i>veliei</i> ? (N) mig.boreal <i>sordidulus</i> (mig.boreal)	≡	≡	≡	≡	o	B	1,6,8		Mb	0-2						
<input type="checkbox"/>	Pibí Oriental Eastern Wood-Pewee	<i>Contopus virens</i>		≡	≡	≡	≡	o	B	6,8,10,12,14		Mb	0-2						
<input type="checkbox"/>	Pibí Tropical Tropical Pewee	<i>Contopus cinereus</i>	<i>bogotensis</i> (N-E) <i>punensis</i> ? (SW)	M,T	T	X,ΣM			B	4,5,6,8,12,15		0-2							
<input type="checkbox"/>	Atrapamoscas Moñudo Tufted Flycatcher	<i>Mitrephanes phaeocercus</i>	<i>berlepschi</i> (W) <i>eminulus</i> (Chocó)		Σ				B			0-2							
<input type="checkbox"/>	Atrapamoscas Cuidapuentes Black Phoebe	<i>Sayornis nigricans</i>	<i>angustirostris</i>			≡			B,A	1,2,3,6,7,8,11,12,13,14,15		0-2>							
<input type="checkbox"/>	Titiribí Pechirrojo Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>	<i>piurae</i> (C-W) <i>rubinus</i> (mig.austral: SE) <i>saturatus</i> (NE)	≡	T	X,E,N	≡	o	D	6,13,15		0-2							
<input type="checkbox"/>	Atrapamoscas Renegrado Amazonian Black-Tyrant	<i>Knipolegus poecilocercus</i>					≡	o	B			0-1							
<input type="checkbox"/>	Atrapamoscas Ojirrojo Rufous-tailed Tyrant	<i>Knipolegus poecilurus</i>	<i>poecilurus</i> <i>salvini</i> (E) <i>venezuelanus</i> (NE?)			≡			B			1-2>							
<input type="checkbox"/>	Atrapamoscas Playero Riverside Tyrant	<i>Knipolegus orenocensis</i>	<i>orenocensis</i> (Meta) <i>sclateri</i> (SE)				≡	o	A			0-1							
<input type="checkbox"/>	Pitajo Ribereño Drab Water-Tyrant	<i>Ochthornis littoralis</i>					Z		B,A			0-1							
<input type="checkbox"/>	Atrapamoscas Cejiamarillo Yellow-browed Tyrant	<i>Satrapa icterophrys</i>						o	B			Ma	0-2						
<input type="checkbox"/>	Dormilona Fluvial Little Ground-Tyrant	<i>Muscisaxicola fluviatilis</i>					Z		B			0-1							
<input type="checkbox"/>	Dormilona Chica Spot-billed Ground-Tyrant	<i>Muscisaxicola maculirostris</i>	<i>niceforoi</i> (Ae)			E,N,ΣM			S			2>							
<input type="checkbox"/>	Dormilona Cejiblanca White-browed Ground-Tyrant	<i>Muscisaxicola albilora</i>		I					D			Ma	0-1						
<input type="checkbox"/>	Dormilona Cenicienta Plain-capped Ground-Tyrant	<i>Muscisaxicola alpinus</i>	<i>alpina</i> (An) <i>columbiana</i> (Ac) <i>quesadae</i> (Ac)			X,E,N			S			2>							

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Atrapamoscas Coliblanco Black-billed Shrike-Tyrant	<i>Agriornis montanus</i>	<i>solitaria</i>			N			B			2>								
<input type="checkbox"/> Atrapamoscas Chiflaperro Streak-throated Bush-Tyrant	<i>Myiotheretes striaticollis</i>	<i>striaticollis</i>			≡			B	2,3,4,8		1-2>								
<input type="checkbox"/> Atrapamoscas de Santa Marta Santa Marta Bush-Tyrant	<i>Myiotheretes pernix</i>				ΣM			B	8	EN	2>								
<input type="checkbox"/> Atrapamoscas Tizado Smoky Bush-Tyrant	<i>Myiotheretes fumigatus</i>	<i>fumigatus</i> <i>lugubris</i> ? (NE) <i>olivaceus</i> (Ap)			X,E,N,Π, Ω			B	3,4,7		2>								
<input type="checkbox"/> Atrapamoscas Culirrojo Red-rumped Bush-Tyrant	<i>Cnemarchus erythropygius</i>	<i>erythropygius</i> (S) <i>orimonus</i> (N)			E,N,ΣM			B			2>								
<input type="checkbox"/> Viudita Blanquinegra Pied Water-Tyrant	<i>Fluvicola pica</i>	<i>pica</i>		M,T, ς			o	A	5,13		0-1								
<input type="checkbox"/> Monjita Pantanera White-headed Marsh-Tyrant	<i>Arundinicola leucocephala</i>			M,T	Δ		o	A	5		0-1								
<input type="checkbox"/> Pitajo Coronado Crowned Chat-Tyrant	<i>Ochthoeca frontalis</i>	<i>albidadema</i> (Ae) <i>frontalis</i> (Ac) <i>orientalis</i> ? (An)			X,E,N, Ω			B	3,4,7		2>								
<input type="checkbox"/> Pitajo de Diadema Yellow-bellied Chat-Tyrant	<i>Ochthoeca diadema</i>	<i>diadema</i> (Ae) <i>gratiosa</i> (Ac,w) <i>jesupi</i> (Asm) <i>rubellula</i> (Ap)			≡			B	2,3,4,7,8		1-2>								
<input type="checkbox"/> Pitajo Torrentero Slaty-backed Chat-Tyrant	<i>Ochthoeca cinnamomeiventris</i>	<i>cinnamomeiventris</i>			X,E,N, Ω			B	1,2,4,6,7, 13		1-2>								
<input type="checkbox"/> Pitajo Pechirrufo Rufous-breasted Chat-Tyrant	<i>Ochthoeca rufipectoralis</i>	<i>obfusca</i> (Aw,c) <i>poliogastra</i> (Asm) <i>rubicundula</i> (Ap) <i>rufopectus</i> (Ae)			≡			B	3,4,7		2>								
<input type="checkbox"/> Pitajo Ahumado Brown-backed Chat-Tyrant	<i>Ochthoeca fumicolor</i>	<i>brunneifrons</i> (An) <i>ferruginea</i> (Aw,c) <i>fumicolor</i> (Ae)			X,E,N, Ω			B	3,7		2>								
<input type="checkbox"/> Atrapamoscas Rabijunco Long-tailed Tyrant	<i>Colonia colonus</i>	<i>fuscicapillus</i> (CE) <i>leuconotus</i> (W) <i>poecilonotus</i> (E)		M,T	T		Z	B	1,2,5,6,12		0-2								
<input type="checkbox"/> Tiranuelo Colicorto Short-tailed Field-Tyrant	<i>Muscigralla brevicauda</i>			I				D			0-1								
<input type="checkbox"/> Siriri Bueyero Cattle Tyrant	<i>Machetornis rixosa</i>	<i>flavigularis</i> (N) <i>obscuradorsalis</i> (E)		T		X,E	o	B, D	4,5,6,8,13, 14,15		0-2								
<input type="checkbox"/> Atrapamoscas Pirata Piratic Flycatcher	<i>Legatus leucophaeus</i>	<i>leucophaeus</i>		M,T	T		≡ o	B	1,5,6,8,11, 12,13,14, 15		0-1								
<input type="checkbox"/> Suela Crestinegra Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	<i>hellmayri</i> (W-C) <i>rufipennis</i> (E)		M,T	T	X	≡ o	B	1,2,3,5,6,8, 11,12,13, 14,15		0-2								
<input type="checkbox"/> Suela Social Social Flycatcher	<i>Myiozetetes similis</i>	<i>columbianus</i> (N) <i>grandis</i> (SW?) <i>similis</i> (E)		M,T			Z	B, D	5,6,8,12,13, 14		0-1								
<input type="checkbox"/> Suela Cabecigrís Gray-capped Flycatcher	<i>Myiozetetes granadensis</i>	<i>obscurior</i> (E) <i>occidentalis</i> (W)		T	T		Z	B			0-1								
<input type="checkbox"/> Siriri Pechirrayado Dusky-chested Flycatcher	<i>Myiozetetes luteiventris</i>						Z	B			0-1								
<input type="checkbox"/> Suela Simple White-bearded Flycatcher	<i>Phelpsia inornata</i>						Z	B			0-1								
<input type="checkbox"/> Bichofué Great Kiskadee	<i>Pitangus sulphuratus</i>	<i>caucensis</i> (W-S) <i>rufipennis</i> (N) <i>sulphuratus</i> (SE) <i>trinitatis</i> (Meta)		≡		X	≡ o	B, D	3,4,5,6,8, 11,12,13, 14,15		0-2								
<input type="checkbox"/> Bichofué Chico Lesser Kiskadee	<i>Pitangus lictor</i>	<i>lictor</i> (E) <i>panamensis</i> (N)		M,T			≡ o	B,A	5,8,11,14		0-1								
<input type="checkbox"/> Suela Aureolada White-ringed Flycatcher	<i>Conopias albobittatus</i>	<i>albobittatus</i> (W)			T			B	1		0-1								
<input type="checkbox"/> Suela Gargantiamarilla Yellow-throated Flycatcher	<i>Conopias parvus</i>	<i>parvus</i> (E)					Z	B	14		0-1								
<input type="checkbox"/> Suela Cejiamarilla Lemon-browed Flycatcher	<i>Conopias cinchoneti</i>	<i>cinchoneti</i> (E) <i>icterophrys</i> (Ap)				X,E,Ω		B	2,14		0-2								
<input type="checkbox"/> Atrapamoscas Sulfurado Sulphur-bellied Flycatcher	<i>Myiodynastes luteiventris</i>	<i>luteiventris</i>				X	Z	B		Mb	0-1								
<input type="checkbox"/> Atrapamoscas Lagartero Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>	<i>cinerascens</i> (Asm) <i>minor</i> (Ax)					≡	B	1,2,3,4,6,7, 8,9,11,12, 13		1-2>								
<input type="checkbox"/> Siriri Rayado Streaked Flycatcher	<i>Myiodynastes maculatus</i>	<i>chapmani</i> (W) <i>difficilis</i> (NW) <i>insolens</i> (mig.boreal) <i>nobilis</i> (NE-C) <i>solitarius</i> (mig.austral)		≡	T	X	Z	B, D	3,4,5,6,8, 11,12,13, 15	[Ma]	0-2								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Bichofué Picudo Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	<i>chrysogaster</i> (SW?) <i>mexicanus</i> (NW) <i>pitangua</i> (C-E)	≡	Δ		≡	o	B, D	5,8,13,14		0-2							
<input type="checkbox"/>	Siriri Colimocho Sulphury Flycatcher	<i>Tyrannopsis sulphurea</i>					≡	o	S	14		0-1							
<input type="checkbox"/>	Atrapamoscas Veteado Variegated Flycatcher	<i>Empidonomus varius</i>	<i>rufinus</i> ? <i>varius</i> (mig.austral)				≡	o	B		Ma	0-1							
<input type="checkbox"/>	Atrapamoscas Coronadorado Crowned Slaty-Flycatcher	<i>Empidonomus aurantioatrocristatus</i>	<i>pallidiventris</i>				Z		B		Ma	0-1							
<input type="checkbox"/>	Siriri Sureño Snowy-throated Kingbird	<i>Tyrannus niveigularis</i>			Σ				D		Ma	0-1							
<input type="checkbox"/>	Siriri Brasileño White-throated Kingbird	<i>Tyrannus albogularis</i>					Z		B		Obs	0-1							
<input type="checkbox"/>	Siriri Común Tropical Kingbird	<i>Tyrannus melancholicus</i>	<i>melancholicus</i> (W,S,E) <i>satrapa</i> (N)	≡	≡	≡	≡	o	B, D	1,3,4,5,6,7, 8,9,11,12, 13,14,15		0-2>							
<input type="checkbox"/>	Tijereta Rosada Scissor-tailed Flycatcher	<i>Tyrannus forficatus</i>		T					B		Mb Obs	0-1							
<input type="checkbox"/>	Siriri Tijeretón Fork-tailed Flycatcher	<i>Tyrannus savana</i>	<i>monachus</i> (N-C) <i>sanctamartae</i> (NE) <i>savana</i> (E) mig.austral	≡	≡	X	≡	o	S	4,5,8,11,13 ,14	[Ma]	0-2>							
<input type="checkbox"/>	Siriri Norteño Eastern Kingbird	<i>Tyrannus tyrannus</i>		≡	≡	≡	≡	o	S	5,10,13	Mb	0-1							
<input type="checkbox"/>	Siriri Gris Gray Kingbird	<i>Tyrannus dominicensis</i>	<i>dominicensis</i>	F, M, T		E	Σ		D	10,11	Mb	0-1							
<input type="checkbox"/>	Plañidera Rufa Rufous Mourner	<i>Rhytipterna holerythra</i>	<i>holerythra</i> (N-C) <i>rosenbergi</i> (W)	M, T	T				B	1,5,12		0-1							
<input type="checkbox"/>	Plañidera Grisácea Grayish Mourner	<i>Rhytipterna simplex</i>	<i>frederici</i>				Z		B			0-1							
<input type="checkbox"/>	Plañidera Sabanera Pale-bellied Mourner	<i>Rhytipterna immunda</i>					Z		B			0-1							
<input type="checkbox"/>	Atrapamoscas Silbador Sirystes	<i>Sirystes sibilator</i>	<i>alboinereus</i> (E) <i>albogriseus</i> (Chocó)		Δ, T		≡	o	B			0-1							
<input type="checkbox"/>	Atrapamoscas Cabecinegro Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	<i>brunneiceps</i> (W) <i>nigriceps</i> (SW) <i>pallidus</i> (N) <i>tuberculifer</i> (E)	≡	≡		≡	o	B, D	3,5,6,8,9, 11,12,14		0-2							
<input type="checkbox"/>	Atrapamoscas de Swainson Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	<i>pelzelni</i> <i>ferocior</i> <i>swainsoni</i>				≡	o	B		Ma	0-1							
<input type="checkbox"/>	Atrapamoscas Venezolano Venezuelan Flycatcher	<i>Myiarchus venezuelensis</i>		Γ, T					D	8		0-1							
<input type="checkbox"/>	Atrapamoscas Panameño Panama Flycatcher	<i>Myiarchus panamensis</i>		M, T	T				B, D	5		0-1							
<input type="checkbox"/>	Atrapamoscas Garrochero Short-crested Flycatcher	<i>Myiarchus ferox</i>	<i>brunnescens</i> (E) <i>ferox</i> (SE)				≡	o	B	14		0-1							
<input type="checkbox"/>	Atrapamoscas Apical Apical Flycatcher	<i>Myiarchus apicalis</i>		M, ζ		X			D	13,15		0-2>							
<input type="checkbox"/>	Atrapamoscas Montañero Pale-edged Flycatcher	<i>Myiarchus cephalotes</i>	<i>caucae</i>			X, E, N, Ω			B	2,3,4,6,7, 9,11,13		1-2>							
<input type="checkbox"/>	Atrapamoscas Copetón Great Crested Flycatcher	<i>Myiarchus crinitus</i>		T	T	X			B	5,8,10	Mb	0-2							
<input type="checkbox"/>	Atrapamoscas Crestipardo Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>	<i>tyrannulus</i>	Γ, T				o	D	5,8,15		0-1							
<input type="checkbox"/>	Picoplano Cabezón Large-headed Flatbill	<i>Ramphotrigo megalcephalum</i>	<i>pectoralis</i> (SE) <i>venezuelensis</i> ? (N)				Z		B			0-1							
<input type="checkbox"/>	Picoplano Colirrufo Rufous-tailed Flatbill	<i>Ramphotrigo ruficauda</i>					Z		B			0-1							
<input type="checkbox"/>	Picoplano Alibarrado Dusky-tailed Flatbill	<i>Ramphotrigo fuscicauda</i>					Z		B			0-1							
<input type="checkbox"/>	Atila Acanelado Cinnamon Attila	<i>Attila cinnamomeus</i>					Z		B			0-1							
<input type="checkbox"/>	Atila Ocráceo Ochraceous Attila	<i>Attila torridus</i>			T				B	1	VU	0-1							
<input type="checkbox"/>	Atila Cabecigrís Citron-bellied Attila	<i>Attila citriniventris</i>					Z		B			0-1							
<input type="checkbox"/>	Atila Amazónico Dull-capped Attila	<i>Attila bolivianus</i>	<i>nattereri</i>				Z		B			0-1							

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Atila Culiamarillo Bright-rumped Attila	<i>Attila spadiceus</i>	<i>caniceps</i> (N) <i>parambae</i> (W) <i>parvirostris</i> (NE) <i>sclateri</i> (NW) <i>spadiceus</i> (S)	M,T	T		Z		B	1,5,8,11, 12,14		0-2								
<b>OXYRUNCIDAE: (1) Picoagudo – Sharpbill</b>																			
<input type="checkbox"/> Picoagudo Sharpbill	<i>Oxyruncus cristatus</i> <sup>30</sup>	<i>subsp?</i> (Ac)	M		X			B			0-2								
<b>COTINGIDAE: (33) Cotingas, Fruteros – Cotingas</b>																			
<input type="checkbox"/> Frutero Verdinegro Green-and-black Fruiteater	<i>Pipreola riefferii</i>	<i>confusa</i> (An?) <i>occidentalis</i> (WC) <i>riefferii</i> (Ae)			X,E,N, Ω			B	1,2,3,4,6, 7,13		1-2>								
<input type="checkbox"/> Frutero Barrado Barred Fruiteater	<i>Pipreola arcuata</i>				X,E,Π, Ω			B	2,3,4		1-2>								
<input type="checkbox"/> Frutero Pechidorado Golden-breasted Fruiteater	<i>Pipreola aureopectus</i>	<i>aureopectus</i> (Ax) <i>decorus</i> (Asm)			≡			B	2,8,9,11		1-2								
<input type="checkbox"/> Frutero Pechirrojo Orange-breasted Fruiteater	<i>Pipreola jucunda</i>			Σ				B	1	C-end	1-2								
<input type="checkbox"/> Frutero Pechinegro Black-chested Fruiteater	<i>Pipreola lubomirskii</i>				X,E,N			B			1-2>								
<input type="checkbox"/> Frutero Pigmeo Fiery-throated Fruiteater	<i>Pipreola chlorolepidota</i>					Σ		B		NT Obs	0-2								
<input type="checkbox"/> Frutero Escamado Scaled Fruiteater	<i>Ampelioides tschudii</i>			Σ	E,Π	Σ		B	1,9		0-2								
<input type="checkbox"/> Cotinga Buchicastaña Chestnut-bellied Cotinga	<i>Doliomis remseni</i>				X			B	3	VU	1-2								
<input type="checkbox"/> Cotinga Crestada Red-crested Cotinga	<i>Ampelion rubrocristatus</i>				≡			B	3,4,7,8		2>								
<input type="checkbox"/> Cotinga Alirrufa Chestnut-crested Cotinga	<i>Ampelion rufaxilla</i>	<i>antioquiae</i>			X,Ω			B	4,7		2>								
<input type="checkbox"/> Cotinga Roja Black-necked Red-Cotinga	<i>Phoenicircus nigricollis</i>					Z		B			0-1								
<input type="checkbox"/> Gallito-de-roca Guyanés Guianan Cock-of-the-rock	<i>Rupicola rupicola</i>					≡	O	B			0-1								
<input type="checkbox"/> Gallito-de-roca Andino Andean Cock-of-the-rock	<i>Rupicola peruvianus</i>	<i>aequatorialis</i> (Ac,e) <i>sanguinolenta</i> (Aw)			X,E,N, Ω			B	1,2,6,14		0-2								
<input type="checkbox"/> Guardabosque Coligris Gray-tailed Piha	<i>Snowornis subalaris</i>					Σ		B			0-1								
<input type="checkbox"/> Guardabosque Oliva Olivaceous Piha	<i>Snowornis cryptolophus</i>	<i>cryptolophus</i> (CS) <i>mindoensis</i> (SW)		Σ	X,E,Ω			B	1,2		1-2>								
<input type="checkbox"/> Cuaba Purple-throated Fruitcrow	<i>Querula purpurata</i>		M,T	T		Z		B	5,12		0-1								
<input type="checkbox"/> Toropisco Montañero Red-ruffed Fruitcrow	<i>Pyroderus scutatus</i>	<i>granadensis</i> (C, E) <i>occidentalis</i> (W)			X,E,N, Π,Ω			B	11		1-2>								
<input type="checkbox"/> Toropisco Amazónico Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>					Z		B			0-1								
<input type="checkbox"/> Toropisco del Pacífico Long-wattled Umbrellabird	<i>Cephalopterus penduliger</i>			T				B	1,2	VU C-end	0-2								
<input type="checkbox"/> Pájaro Capuchino Capuchinbird	<i>Perissocephalus tricolor</i>						O	B			0-1								
<input type="checkbox"/> Cotinga Azul Blue Cotinga	<i>Cotinga nattererii</i>		T	T				B	5,12		0-1								
<input type="checkbox"/> Cotinga Turquesa Plum-throated Cotinga	<i>Cotinga maynana</i>					Z		B			0-1								
<input type="checkbox"/> Cotinga Pechimorada Purple-breasted Cotinga	<i>Cotinga cotinga</i>					Z		B			0-1								
<input type="checkbox"/> Cotinga Real Spangled Cotinga	<i>Cotinga cayana</i>					≡	O	B			0-1								
<input type="checkbox"/> Guardabosque Antioqueño Chestnut-capped Piha	<i>Lipaugus weberi</i> <sup>55</sup>				X			B	11	EN	1-2								
<input type="checkbox"/> Guardabosque Cenizo Dusky Piha	<i>Lipaugus fuscocinereus</i>				X,E,Ω			B	4,6,7,11		2>								
<input type="checkbox"/> Guardabosque Rufo Rufous Piha	<i>Lipaugus unirufus</i>	<i>castaneotinctus</i> (SW) <i>unirufus</i> (N-C)	M,T	T				B	1		0-1								
<input type="checkbox"/> Guardabosque Chillón Screaming Piha	<i>Lipaugus vociferans</i>					Z		B			0-1								
<input type="checkbox"/> Campanero Barbado Bearded Bellbird	<i>Procnias averano</i>	<i>camobarba</i>			Π			B			0-1								
<input type="checkbox"/> Cotinga Degollada Purple-throated Cotinga	<i>Porphyrolaema porphyrolaema</i>					Z		B	14		0-1								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Cotinga Blanca Black-tipped Cotinga	<i>Carpodectes hopkei</i>			T					B	1	C-end	0-1						
<input type="checkbox"/>	Cotinga Pompadour Pompadour Cotinga	<i>Xipholena punicea</i>					≡	o		B			0-1						
<input type="checkbox"/>	Frutero Vulturino Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>					Z			B			0-1						
<b>PIPRIDAE: (20) Saltarines – Manakins</b>																			
<input type="checkbox"/>	Saltarín Mosquitero Saffron-crested Tyrant-Manakin	<i>Neopelma chrysocephalum</i>					Z			B			0-1						
<input type="checkbox"/>	Saltarín Enano Dwarf Tyrant-Manakin	<i>Tyrannutes stolzmanni</i>					Z			B			0-1						
<input type="checkbox"/>	Saltarín Moñudo Golden-winged Manakin	<i>Masius chrysopterus</i>	<i>bellus</i> (Ac) <i>chrysopterus</i> (C-E) <i>coronulatus</i> (SW) <i>pax</i> (SE) <i>subsp.</i> (Ae)		Σ	X,E,N, Ω	Σ			B	1,2,6,11,13		1-2						
<input type="checkbox"/>	Saltarín Occidental White-ruffed Manakin	<i>Corapipo altera</i>			T					B			0-1						
<input type="checkbox"/>	Saltarín Gorgiblanco White-bibbed Manakin	<i>Corapipo leucorroha</i>		M,T		E,Π				B	5,6,9,12,14		0-2						
<input type="checkbox"/>	Saltarín Relámpago Club-winged Manakin	<i>Machaeropterus deliciosus</i>			Σ					B	1,2	C-end	0-2						
<input type="checkbox"/>	Saltarín Rayado Striped Manakin	<i>Machaeropterus regulus</i>	<i>antioquiae</i> (C-W) <i>striolatus</i> (E)	M,T	Σ	X,Ω	Z			B	5,11, 12,13		0-2						
<input type="checkbox"/>	Saltarín Coronado Blue-crowned Manakin	<i>Lepidothrix coronata</i>	<i>caquetae</i> (SE) <i>carbonata</i> (C-SE) <i>coronata</i> ? (S) <i>minuscule</i> (W-NC)	M,T	T		Z			B	5,11, 13		0-1						
<input type="checkbox"/>	Saltarín Rabi azul Blue-rumped Manakin	<i>Lepidothrix isidorei</i>	<i>isidorei</i>				Σ			B	,14		0-2						
<input type="checkbox"/>	Saltarín Barbiblanco White-bearded Manakin	<i>Manacus manacus</i>	<i>abditivus</i> (CN) <i>bangsi</i> (SW) <i>flaveolus</i> (CE) <i>interior</i> (E) <i>manacus</i> ? (NE) <i>milleri</i> (N) <i>viridiventris</i> (W)	M,T	T		≡	o		B	1,2,5,6,8, 12,13,14		0-1						
<input type="checkbox"/>	Saltarín Coludo Lance-tailed Manakin	<i>Chiroxiphia lanceolata</i>		Γ,T						D			0-1						
<input type="checkbox"/>	Saltarín Dorsiazul Blue-backed Manakin	<i>Chiroxiphia pareola</i>	<i>napensis</i>				Z			B			0-1						
<input type="checkbox"/>	Saltarín Verde Green Manakin	<i>Xenopipo holochlora</i>	<i>holochlora</i> (E) <i>litae</i> (W) <i>suffusa</i> (NW)		T		Z			B	1,5,11,14		0-1						
<input type="checkbox"/>	Saltarín Dorado Yellow-headed Manakin	<i>Xenopipo flavicapilla</i>				X,Ω				B	2,13	NT C-end	1-2>						
<input type="checkbox"/>	Saltarín Negro Black Manakin	<i>Xenopipo atronitens</i>					≡	o		B,S			0-1						
<input type="checkbox"/>	Saltarín Collarejo Yellow-crowned Manakin	<i>Heterocercus flavivertex</i>					≡	o		B			0-1						
<input type="checkbox"/>	Saltarín Cabeciblanco White-crowned Manakin	<i>Pipra pipra</i>	<i>bolivari</i> (NW) <i>coracina</i> (Ae) <i>minima</i> (Aw) <i>pipra</i> (E) <i>unica</i> (C)	T	Σ		≡	o		B	1,11, 13		0-2						
<input type="checkbox"/>	Saltarín Cola-de-alambre Wire-tailed Manakin	<i>Pipra filicauda</i>	<i>filicauda</i> (SE) <i>subpallida</i> (Ae)				≡	o		B			0-1						
<input type="checkbox"/>	Saltarín Cabecirrojo Red-capped Manakin	<i>Pipra mentalis</i>	<i>minor</i> (W)		T					B			0-1						
<input type="checkbox"/>	Saltarín Cabecidorado Golden-headed Manakin	<i>Pipra erythrocephala</i>	<i>berlepschi</i> (SE) <i>erythrocephala</i> (N, E) <i>flammeiceps</i> (C)	T	Δ		≡	o		B	5,8,11,12,1 3,14		0-1						
<b>TITYRIDAE: (19) Titiras, Cabezones etc. – Tityras, Becards, etc.</b>																			
<input type="checkbox"/>	Titira Capirotada Black-crowned Tityra	<i>Tityra inquisitor</i>	<i>albitorques</i> (N-W) <i>buckleyi</i> (SE) <i>erythrogenys</i> (E)	T	T		≡	o		B	5,8 13		0-1						
<input type="checkbox"/>	Titira Colinegra Black-tailed Tityra	<i>Tityra cayana</i>	<i>candida</i> (SE) <i>cayana</i> (E:Orinoco)				≡	o		B	14		0-1						
<input type="checkbox"/>	Titira Enmascarada Masked Tityra	<i>Tityra semifasciata</i>	<i>columbiana</i> (N) <i>fortis</i> (SE) <i>nigriceps</i> (SW)	M,T	T		Σ			B	1,2,5,8, 12,14		0-2						
<input type="checkbox"/>	Saltarín Grande Varzea Schiffornis	<i>Schiffornis major</i>	<i>duidae</i> ? (E) <i>major</i> (SE)				Z			B			0-1						

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Saltarín Mirlo Thrush-like Schiffornis	<i>Schiffornis turdina</i>	<i>acrophites</i> (NW) <i>aenea</i> ? (S) <i>amazona</i> (SE) <i>panamensis</i> (NW) <i>rosenbergi</i> (C, W) <i>stenorhynchus</i> (C)	M,T	Δ,T		Z		B	1,5,8,12		0-1									
<input type="checkbox"/>	Plañidera Manchada Speckled Mourner	<i>Laniocera rufescens</i>	<i>griseigula</i> (N) <i>rufescens</i> (Chocó) <i>tertia</i> (SW)	M,T	T				B	11,12		0-1									
<input type="checkbox"/>	Plañidera Ceniza Cinereous Mourner	<i>Laniocera hypopyrra</i>					Z		B			0-1									
<input type="checkbox"/>	Cotinga Diminuta White-browed Purpleuft	<i>Iodopleura isabellae</i>					Ξ	O	B			0-1									
<input type="checkbox"/>	Cotinga Amarilla Shrike-like Cotinga	<i>Laniusoma elegans</i>	<i>buckleyi</i> (SE) <i>venezuelensis</i> (E)				Σ		B			0-1									
<input type="checkbox"/>	Cabezón Barrado Barred Becard	<i>Pachyramphus versicolor</i>	<i>versicolor</i>			X,E,Ω			B	2,3,4,7,8,11,13		1-2>									
<input type="checkbox"/>	Cabezón Cinéreo Cinereous Becard	<i>Pachyramphus rufus</i>	<i>rufus</i>	M,T, ς			Z		B	5,8,13,15		0-2									
<input type="checkbox"/>	Cabezón Canelo Cinnamon Becard	<i>Pachyramphus cinnamomeus</i>	<i>badius</i> ? (NE) <i>magdalenae</i> (N) <i>cinnamomeus</i> (W-NW)	M,T, ς	T		Σ		B	1,2,5,6,8,12,13,14		0-1									
<input type="checkbox"/>	Cabezón Castaño Chestnut-crowned Becard	<i>Pachyramphus castaneus</i>	<i>saturatus</i>				Z		B			0-1									
<input type="checkbox"/>	Cabezón Aliblanco White-winged Becard	<i>Pachyramphus polychopterus</i>	<i>cinereiventris</i> (N) <i>dorsalis</i> (C-SW) <i>nigriventris</i> (CE) <i>similis</i> (NW) <i>tenebrosus</i> (SE) <i>tristis</i> (NE)	Ξ	Ξ	Ξ	Ξ	O	B	1,2,4,5,6,11,12,14		0-2>									
<input type="checkbox"/>	Cabezón Blanquinegro Black-and-white Becard	<i>Pachyramphus albogriseus</i>	<i>albogriseus</i> (E) <i>guayaquilensis</i> (SW) <i>ornatus</i> (N) <i>salvini</i> (S)		Σ	ΣM	Σ		B	1,8,9,11,15		0-2>									
<input type="checkbox"/>	Cabezón Capirotado Black-capped Becard	<i>Pachyramphus marginatus</i>	<i>nanus</i>				Z		B			0-1									
<input type="checkbox"/>	Cabezón Carbonero One-colored Becard	<i>Pachyramphus homochrous</i>	<i>canescens</i> (NE) <i>homochrous</i> (W) <i>quimarinus</i> (NW)	T	T				B, D			0-1									
<input type="checkbox"/>	Cabezón de Gorguera Pink-throated Becard	<i>Pachyramphus minor</i>					Z		B			0-1									
<input type="checkbox"/>	Saltarín Oliva Wing-barred Manakin	<i>Piprites chloris</i>	<i>antioquiae</i> (Ac) <i>chlorion</i> (E) <i>perijanus</i> (Ap) <i>tschudii</i> (SE)	M,T		X,Π	Z		B	6,11		0-2									
<b>VIREONIDAE: (23) Verderones - Vireos, Peppershrikes, Shrike-Vireos</b>																					
<input type="checkbox"/>	Verderón Cejirrufo Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>	<i>canticus</i> (N-E) <i>gujanensis</i> (SE) <i>parvus</i> (CE)	M,T	Σ		Ξ	O	D	1,6,8,12,13,14,15		0-2									
<input type="checkbox"/>	Verderón Piquinegro Black-billed Peppershrike	<i>Cyclarhis nigrirostris</i>	<i>atirostris</i> (SW) <i>nigrirostris</i> (Ax)			X,E,N, Ω			B	1,2,4,6,7,11,13		1-2>									
<input type="checkbox"/>	Verderón Cejiamarillo Yellow-browed Shrike-Vireo	<i>Vireolanius eximius</i>	<i>eximius</i> (N, C) <i>mutabilis</i> (NW)	M,T	Δ,T				B	5,6,12		C-end	0-1								
<input type="checkbox"/>	Verderón Real Slaty-capped Shrike-Vireo	<i>Vireolanius leucotis</i>	<i>leucotis</i> (S) <i>miketiae</i> (SW)		Σ		Σ		B	1		0-2									
<input type="checkbox"/>	Verderón White-eyed Vireo	<i>Vireo griseus</i> <sup>31</sup>		I					B	10	Mb SA	0-1									
<input type="checkbox"/>	Verderón Piquigrueso Thick-billed Vireo	<i>Vireo crassirostris</i>	<i>approximans</i>	I					D		SA	0-1									
<input type="checkbox"/>	Verderón de San Andrés San Andres Vireo	<i>Vireo caribaeus</i>	<i>approximans</i>	I					D	10	VU SA	0-1									
<input type="checkbox"/>	Verderón Cariamarillo Yellow-throated Vireo	<i>Vireo flavifrons</i>		Ξ	Ξ	Ξ	Ξ	O	B	5,6,10, 12	Mb	0-2>									
<input type="checkbox"/>	Verderón del Chocó Choco Vireo	<i>Vireo masteri</i>			Σ				B	1	EN C-end	0-2									
<input type="checkbox"/>	Verderón Montañero Brown-capped Vireo	<i>Vireo leucophrys</i>	<i>disjunctus</i> (Aw,c) Antioq. <i>dissors</i> (CS; Aw,c) <i>josephae</i> (SW) <i>leucophrys</i> (Ae) <i>mirandae</i> (Asm,p)				Ξ		B	2,3,4,6,7,8,11,12,13,15		1-2>									
<input type="checkbox"/>	Verderón de Philadelphia Philadelphia Vireo	<i>Vireo philadelphicus</i>		I	Δ,T	E			B	10,13	Mb	0-2>									

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Verderón Ojirrojo Red-eyed Vireo	<i>Vireo olivaceus</i>	<i>chivi y diversus</i> (mig.austr.) <i>forreri, insulanus y olivaceus</i> (mig.boreal) <i>caucae</i> (W) <i>vididior</i> (NE)	≡	≡	≡	≡	o	B, D	1,2,3,5,6,8 9,10,11,12 13,14,15	[Mb Ma]	0-1							
<input type="checkbox"/>	Verderón Verdiamarillo Yellow-green Vireo	<i>Vireo flavoviridis</i>		I					D	8,10	Mb	0-1							
<input type="checkbox"/>	Verderón Canoro Black-whiskered Vireo	<i>Vireo altiloquus</i>	<i>altiloquus, barbatulus</i>	≡	≡		≡	o	B	10	[Mb]	0-1							
<input type="checkbox"/>	Verderón Pechiamarillo Lemon-chested Greenlet	<i>Hylophilus thoracicus</i>	<i>aemulus</i>					Z	B			0-1							
<input type="checkbox"/>	Verderón Pechigrís Gray-chested Greenlet	<i>Hylophilus semicinereus</i>	<i>viridiceps</i>					Z	B	,14		0-1							
<input type="checkbox"/>	Verderón Amazónico Brown-headed Greenlet	<i>Hylophilus brunneiceps</i>	<i>brunneiceps</i>					Z	B			0-1							
<input type="checkbox"/>	Verderón Castaño Rufous-naped Greenlet	<i>Hylophilus semibrunneus</i>				X,E,Π, Ω			B	5,6,11, 12,13		0-2							
<input type="checkbox"/>	Verderón Luisucho Golden-fronted Greenlet	<i>Hylophilus aurantiifrons</i>	<i>aurantiifrons</i> (N) <i>saturatus</i> (E)	T			Σ		D	8		0-1							
<input type="checkbox"/>	Verderón Pardusco Dusky-capped Greenlet	<i>Hylophilus hypoxanthus</i>	<i>fuscicapillus</i> (S) <i>hypoxanthus</i> (SE)					Z	B			0-1							
<input type="checkbox"/>	Verderón Rastrojero Scrub Greenlet	<i>Hylophilus flavipes</i>	<i>flavipes</i> (N,C) <i>galbanus</i> (NE) Guaj. <i>melleus</i> (NE) M	Γ, M .T				o	B, D	5,6,8,13,14 ,15		0-1							
<input type="checkbox"/>	Verderón Leonado Tawny-crowned Greenlet	<i>Hylophilus ochraceiceps</i>	<i>bulunensis</i> (W) <i>ferrugineifrons</i> (SE)		T			Z	B			0-1							
<input type="checkbox"/>	Verderón Chico Lesser Greenlet	<i>Hylophilus decurtatus</i>	<i>darienensis</i> (W) <i>minor</i> (SW)	T	T				B			0-1							
<b>CORVIDAE: (7) Urracas – Jays</b>																			
<input type="checkbox"/>	Urraca de Collar Black-collared Jay	<i>Cyanolyca armillata</i>	<i>armillata</i> (Ac) <i>quindiuna</i> (Ac, n,w)			Ω,X,E, N,Ω			B	3,4,7		1-2>							
<input type="checkbox"/>	Urraca Turquesa Turquoise Jay	<i>Cyanolyca turcosa</i>				N			B			2>							
<input type="checkbox"/>	Urraca del Chocó Beautiful Jay	<i>Cyanolyca pulchra</i>	<i>pulchra</i>		Σ				B	1,2	NT C-end	1-2							
<input type="checkbox"/>	Carriquí Violáceo Violaceous Jay	<i>Cyanocorax violaceus</i>	<i>violaceus</i>				≡	o	B	,14		0-1							
<input type="checkbox"/>	Carriquí Pechiblanco Black-chested Jay	<i>Cyanocorax affinis</i>	<i>affinis</i>	≡	T	X			B, D	5,8,11,12,1 3		0-2							
<input type="checkbox"/>	Carriquí Pechinegro Azure-naped Jay	<i>Cyanocorax heilprini</i>						Z	B			0-1							
<input type="checkbox"/>	Carriquí Verdiamarillo Green Jay	<i>Cyanocorax yncas</i>	<i>cyanodorsalis</i> (Ac,e) <i>galeatus</i> (W) <i>yncas</i> (SW)			X,E,N, Π,Ω			B	3,4,6,7,11, 13,15		1-2>							
<b>ALAUDIDAE: (1) Alondras – Larks</b>																			
<input type="checkbox"/>	Alondra Cornuda Horned Lark	<i>Eremophila alpestris</i>	<i>peregrina</i>			E			S			2>							
<b>HIRUNDINIDAE: (21) Golondrinas - Swallows, Martins</b>																			
<input type="checkbox"/>	Golondrina Blanquiazul Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	<i>cyanoleuca</i> (resid.) <i>patagonica</i> (mig.austral)			≡			S	1,2,3,4,6,7, 8,9,11,13,1 4, 15	[Ma]	0-2>							
<input type="checkbox"/>	Golondrina Collareja Black-collared Swallow	<i>Pygochelidon melanoleuca</i>						≡	o	B,A		0-1							
<input type="checkbox"/>	Golondrina Rufa Tawny-headed Swallow	<i>Alopocheilidon fucata</i>				E			S	,14		0-1							
<input type="checkbox"/>	Golondrina Plomiza Brown-bellied Swallow	<i>Orochelidon murina</i>	<i>murina</i> (Ax) <i>meridensis</i> ? (NE)			≡			S	2,3		2>							
<input type="checkbox"/>	Golondrina Paramuna Pale-footed Swallow	<i>Orochelidon flavipes</i>				Ω,X,N			B	7		2>							
<input type="checkbox"/>	Golondrina Pectoral White-banded Swallow	<i>Atticora fasciata</i>						≡	o	A		0-1							
<input type="checkbox"/>	Golondrina Selvática White-thighed Swallow	<i>Atticora tibialis</i>	<i>minima</i> (W-C) <i>griseiventris</i> (S)	T	≡			Z	B	1,11		0-1							
<input type="checkbox"/>	Golondrina Norteña Northern Rough-winged Swallow	<i>Stelgidopteryx serripennis</i> <sup>35</sup>	<i>fulvipennis</i>	ϕ,I					T	10	Mb Obs	0-1							
<input type="checkbox"/>	Golondrina Barranquera Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	<i>aequalis</i> (N) <i>ruficollis</i> (SE) <i>uropygialis</i> (W-C) <i>serripennis</i> (N)	≡	≡	≡	≡	o	B,S	1,2,3,4,5,6, 8,9,11,12,1 3, 14,15		0-2							
<input type="checkbox"/>	Golondrina Sabanera Brown-chested Martin	<i>Progne tapera</i>	<i>fusca</i> (N-E) mig.austral <i>tapera</i> (N-E) resid.	≡		E	≡	o	A,S	8,9,12, 15	[Ma]	0-2>							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Golondrina Púrpura Purple Martin	<i>Progne subis</i>	<i>arboricola</i> (mig.boreal) <i>hesperia</i> (mig.boreal) <i>subis</i> (mig.boreal)	≡	≡	≡	≡		S	10	Mb	2>							
<input type="checkbox"/>	Golondrina de Campanario Gray-breasted Martin	<i>Progne chalybea</i>	<i>chalybea</i> (resid.) <i>macrorhamphus</i> (mig.aust.)	≡	≡		Z		B,S	5,13, 14,15	[Ma]	0-2							
<input type="checkbox"/>	Golondrina Sureña Southern Martin	<i>Progne elegans</i>		≡	≡	≡	≡		A		Ma Obs	0-2							
<input type="checkbox"/>	Golondrina Bicolor Tree Swallow	<i>Tachycineta bicolor</i>		≡		≡			A		Mb	0-2>							
<input type="checkbox"/>	Golondrina Aliblanca White-winged Swallow	<i>Tachycineta albiventer</i>		≡			≡	O	A,S	5,8,14		0-1							
<input type="checkbox"/>	Golondrina Manglera Mangrove Swallow	<i>Tachycineta albilinea</i>		≡					A		Obs	0-1							
<input type="checkbox"/>	Golondrina Verdívioleta Violet-green Swallow	<i>Tachycineta thalassina</i>				ΣM			A,B		acc Mb Obs	0-1							
<input type="checkbox"/>	Golondrina de bahamas Bahama Swallow	<i>Tachycineta cyaneoviridis</i> <sup>32</sup>		Γ					B,S, A		EN Obs	0-1							
<input type="checkbox"/>	Golondrina Ribereña Sand Martin / Bank Swallow	<i>Riparia riparia</i>	<i>riparia</i> (mig.boreal)	≡	≡	≡	≡	O	T	1,5,10, 13	Mb	0-2>							
<input type="checkbox"/>	Golondrina Tijereta Barn Swallow	<i>Hirundo rustica</i>	<i>erythrogaster</i> (mig.boreal)	≡	≡	≡	≡	O	B,S	1,8,10, 13,14,15	Mb	0-2>							
<input type="checkbox"/>	Golondrina Alfarera Cliff Swallow	<i>Petrochelidon pyrrhonota</i>	<i>hypopolia</i> , <i>pyrrhonota</i> , <i>melanogaster</i> , <i>tachina</i> (mig.boreal)	≡	≡	≡	≡	O	T	10,14	Mb	0-2>							
<b>TROGLODYTIDAE: (32) Cucaracheros – Wrens</b>																			
<input type="checkbox"/>	Cucarachero Ruiseñor Scaly-breasted Wren	<i>Microcerculus marginatus</i>	<i>antioquiensis</i> (NW) <i>corrasus</i> (Asm) <i>marginatus</i> (SE) <i>squamulatus</i> (NE) <i>taeniatus</i> (W)	≡	≡		Z		B	1,5,8,11,12 ,13,14		0-1							
<input type="checkbox"/>	Cucarachero Gris Gray-mantled Wren	<i>Odontorchilus branickii</i>	<i>branickii</i> (CS) <i>minor</i> (S, W)		Σ	X,E	Σ		B			0-2							
<input type="checkbox"/>	Cucarachero Común House Wren	<i>Troglodytes aedon</i>	<i>albicans</i> (S-SE) <i>atopus</i> (N) <i>columbae</i> (Ae) <i>striatulus</i> (Aw,c)	≡	≡	≡	≡	O	U	3,4,5,6,8,9, 11,12,13,14, 15		0-2>							
<input type="checkbox"/>	Cucarachero Montaraz Mountain Wren	<i>Troglodytes solstitialis</i>	<i>solitarius</i> (Ax) <i>solstitialis</i> (SW)			X,E,N, Π,Ω			B	3,4,7		1-2>							
<input type="checkbox"/>	Cucarachero de Santa Marta Santa Marta Wren	<i>Troglodytes monticola</i>	<i>solitarius</i> (Ax) <i>solstitialis</i> (SW)			ΣM			B		<b>VU</b>	1-2							
<input type="checkbox"/>	Cucarachero Paramuno Sedge Wren	<i>Cistothorus platensis</i>	<i>aequatorialis</i> (SW) <i>allicola</i> (Asm) <i>tamae</i> (CE) <i>tolimae</i> (C)			≡	Θ		B	3,7,12		1-2>							
<input type="checkbox"/>	Cucarachero de Apolinar Apolinar's Wren	<i>Cistothorus apolinari</i>	<i>apolinari</i> (Ae) <i>hernandezii</i> (Ae) <sup>56</sup>			E			A		<b>EN</b>	2>							
<input type="checkbox"/>	Cucarachero Cabeciblanco White-headed Wren	<i>Campylorhynchus albobrunneus</i>	<i>aenigmaticus</i> (SW) <i>harterti</i> (W)		T				B	1		0-1							
<input type="checkbox"/>	Cucarachero Matraquero Band-backed Wren	<i>Campylorhynchus zonatus</i>	<i>brevirostris</i> (N) <i>curvirostris</i> (Asm) <i>imparilis</i> (N-NW)	≡		ΣM			B, D	5,6,12, 13		0-2							
<input type="checkbox"/>	Cucarachero Blanquinegro Stripe-backed Wren	<i>Campylorhynchus nuchalis</i>	<i>nuchalis</i> (NE) <i>pardus</i> (N, C)	T				O	D			0-1							
<input type="checkbox"/>	Cucarachero Chupahuevos Bicolored Wren	<i>Campylorhynchus griseus</i>	<i>albicilius</i> (N) <i>bicolor</i> (C) <i>minor</i> (CE) <i>pallidus</i> (SE) <i>zimmeri</i> (CS) Alto Magd.	≡				O	B, D	6,8,9,12,13 ,15		0-2							
<input type="checkbox"/>	Cucarachero Mirlo Thrush-like Wren	<i>Campylorhynchus turdinus</i>	<i>hypostictus</i>				Z		B	,14		0-1							
<input type="checkbox"/>	Cucarachero Cabecinegro Sooty-headed Wren	<i>Pheugopedius spadix</i>				X,E,N, Ω			B	2,5,11,12	C-end	0-2							
<input type="checkbox"/>	Cucarachero Buchinegro Black-bellied Wren	<i>Pheugopedius fasciatoventris</i>	<i>albigularis</i> (W) <i>fasciatoventris</i> (N)	≡	T				B	5,11,12, 13		0-1							
<input type="checkbox"/>	Cucarachero Cejón Plain-tailed Wren	<i>Pheugopedius euophrys</i>	<i>euophrys</i> (Vertiente W) <i>longipes</i> (Vertiente E)			N			B			2>							
<input type="checkbox"/>	Cucarachero Bigotudo Whiskered Wren	<i>Pheugopedius mystacalis</i>	<i>amaurogaster</i> (NE-E: Ae) <i>consobrinus</i> ? (NE) <i>macrurus</i> (Ac,e) <i>saltuensis</i> (Aw) <i>yananchae</i> (An)			X,E,N, Π,Ω			B	4,5,9, 13,15		1-2>							
<input type="checkbox"/>	Cucarachero Amazónico Coraya Wren	<i>Pheugopedius coraya</i>	<i>caurensis</i> (E) <i>grieseipectus</i> (S)				Z		B			0-1							



Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Cucarachero Pechirrufo Rufous-breasted Wren	<i>Pheugopedius rutilus</i>	<i>intensus</i> (NE?) <i>interior</i> (N: Ae) <i>laetus</i> (Ap)	Γ		E,Π			D	8,14		0-2							
<input type="checkbox"/>	Cucarachero Buchipecoso Speckle-breasted Wren	<i>Pheugopedius sclateri</i>	<i>columbianus</i> (Ac) <i>hypospodius</i> (Ae)			X,E			B			1-2							
<input type="checkbox"/>	Cucarachero Ribereño Bay Wren	<i>Pheugopedius nigricapillus</i>	<i>connectens</i> (SW) <i>schottii</i> (NW)	T	T				B	1,2,11, 13		0-2							
<input type="checkbox"/>	Cucarachero del Chocó Stripe-throated Wren	<i>Pheugopedius leucopogon</i>	<i>grisescens</i> (NW) <i>leucopogon</i> (W)	T	T				B	1,5,12		0-1							
<input type="checkbox"/>	Cucarachero Cantor Rufous-and-white Wren	<i>Pheugopedius rufalbus</i>	<i>cumanensis</i> (N) <i>minlosi</i> (E)	T				o	B,D	6,8,12,14		0-2							
<input type="checkbox"/>	Cucarachero de Nicéforo Nicéforo's Wren	<i>Pheugopedius nicefori</i>				E			B	15	CR	0-1							
<input type="checkbox"/>	Cucarachero Anteadado Buff-breasted Wren	<i>Pheugopedius leucotis</i>	<i>bogotensis</i> (E) <i>collinus</i> (NE) Macuira <i>galbraithii</i> (NW) <i>leucotis</i> (NC) <i>peruanus</i> (SE) <i>venezuelanus</i> (NE) <i>zuliensis</i> (N Santander)	Ξ	Δ			Ξ	o	B, D	13,14	0-1							
<input type="checkbox"/>	Cucarachero Rufo Rufous Wren	<i>Cinnycerthia unirufa</i>	<i>chakei</i> (Ap) <i>unibrunnea</i> (Aw) <i>unirufa</i> (CN)			X,E,N, Π,Ω			B	1,3,4		2>							
<input type="checkbox"/>	Cucarachero Sepia Sharpe's Wren	<i>Cinnycerthia olivascens</i>	<i>bogotensis</i> (Ae) <i>olivascens</i> (Aw,c) <i>subsp.</i> (Ae: n) <i>subsp.</i> (Ae: Yariquíes) <sup>54</sup>			X,E, N, Ω			B	1,2,4,7		1-2>							
<input type="checkbox"/>	Cucarachero Pechiblanco White-breasted Wood-Wren	<i>Henicorhina leucosticta</i>	<i>albilateralis</i> (C) <i>dariensis</i> (NW) <i>eucharis</i> (W: Dagua) <i>hauxwelli</i> (E) <i>inornata</i> (W)	M,T, ς	T	X	Z		B	1,2,4,5, 12,13,14		0-2							
<input type="checkbox"/>	Cucarachero Pechigrís Gray-breasted Wood-Wren	<i>Henicorhina leucophrys</i>	<i>anachoreta</i> (Asm: mont.) <i>bangsi</i> (Asm: premont.) <i>brunneiceps</i> (W) <i>leucophrys</i> (Aw,c,e) <i>tamae</i> (NE) <i>subsp.</i> (Putumayo) <i>subsp.</i> (Darién)				Ξ		B	1,2,3,4,6,7, 8,9,11,13,15		1-2>							
<input type="checkbox"/>	Cucarachero de Munchique Munchique Wood-Wren	<i>Henicorhina negreti</i> <sup>57</sup>				Ω			B	2	CR	2>							
<input type="checkbox"/>	Cucarachero Flautista Chestnut-breasted Wren	<i>Cyphorhinus thoracicus</i>	<i>dichrous</i>			X,Ω			B	2,11,13		1-2>							
<input type="checkbox"/>	Cucarachero Gaitero Song Wren	<i>Cyphorhinus phaeocephalus</i>	<i>chocoanus</i> (Chocó) <i>lawrencii</i> (NW) <i>phaeocephalus</i> (W) <i>propinquus</i> (N)	T	Σ				B	11,12		0-1							
<input type="checkbox"/>	Cucarachero Musical Musician Wren	<i>Cyphorhinus arada</i>	<i>salvini</i> (S) <i>transfluvialis</i> (SE)				Z		B			0-1							
<b>POLIOPTILIDAE: (6) Currucas – Gnatcatchers, Gnatwrens</b>																			
<input type="checkbox"/>	Curruca Collareja Collared Gnatwren	<i>Microbates collaris</i>	<i>collaris</i>				Z		B	,14		0-1							
<input type="checkbox"/>	Curruca Rubicunda Half-collared Gnatwren	<i>Microbates cinereiventris</i>	<i>albapiculus</i> (N: alto Sinú) <i>cinereiventris</i> (W) <i>magdalenae</i> (N) <i>peruvianus</i> (S) <i>semitorquatus</i> (NW) <i>unicus</i> (C)	T	T		Σ		B	1,5,11, 12		0-1							
<input type="checkbox"/>	Curruca Picuda Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>	<i>duidae</i> (SW) <i>griseodorsalis</i> (WC) <i>pallidus</i> (NE) <i>rufiventris</i> (N) <i>sanctaemarthae</i> (N) <i>trinitatis</i> (E)	Ξ			Z		B	5,8,12, 13		0-2							
<input type="checkbox"/>	Curruca Tropical Tropical Gnatcatcher	<i>Polioptila plumbea</i>	<i>anteocularis</i> (CS) <i>bilineata</i> (N, W) <i>daguae</i> (SW) <i>innotata</i> (E) <i>plumbiceps</i> (NE)	Ξ	T	X	Ξ	o	B, D	1,8,13		0-2							
<input type="checkbox"/>	Curruca Guayanesa Guianan Gnatcatcher	<i>Polioptila guianensis</i>	<i>facilis</i>				Z		B			0-1							
<input type="checkbox"/>	Curruca Pizarra Slate-throated Gnatcatcher	<i>Polioptila schistaceigula</i>		T	T		Σ		B	1,5		0-1							

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<b>DONACOBIIIDAE: (1) Donacobius</b>																			
<input type="checkbox"/>	Cucarachero de Laguna Black-capped Donacobius	<i>Donacobius atricapilla</i>	<i>atricapillus</i> (E) <i>brachypterus</i> (N) <i>nigrodorsalis</i> (SE)	≡	Δ			≡	o	A	5,12		0-2						
<b>CINCLIDAE: (1) Mirlos-acuáticos - Dippers</b>																			
<input type="checkbox"/>	Mirlo-acuático Suramericano White-capped Dipper	<i>Cinclus leucocephalus</i>	<i>leuconotus</i> (Ax) <i>rivularis</i> (Asm)			≡				A	1,2,3,7,11		0-2>						
<b>BOMBYCILLIDAE: (1) Ampelis – Waxwings</b>																			
<input type="checkbox"/>	Ampelis Americano Cedar Waxwing	<i>Bombycilla cedrorum</i>			Δ,T					B	8		acc Mb	0-2					
<b>TURDIDAE: (28) Mirlas, Zorzales - Thrushes, Solitaires</b>																			
<input type="checkbox"/>	Solitario Enmascarado Varied Solitaire	<i>Myadestes coloratus</i>			Δ					B			0-2						
<input type="checkbox"/>	Solitario Andino Andean Solitaire	<i>Myadestes ralloides</i>	<i>candelae</i> (CS) <i>plumbeiceps</i> (Aw,c) <i>venezuelensis</i> (Ae)			X,E,N, Π,Ω				B	1,2,3,4,6,7, 11,13		1-2>						
<input type="checkbox"/>	Zorzal Piquianaranjado Orange-billed Nightingale-Thrush	<i>Catharus aurantiirostris</i>	<i>aurantiirostris</i> (E) <i>barbarittoi</i> (Ap) <i>inornatus</i> (Ae) <i>insignis</i> (CS) <i>phaeopleurus</i> (Ac) <i>sierrae</i> (N, NE)			≡				B	2,4,6,8,9,1 5		0-2						
<input type="checkbox"/>	Zorzal Oscuro Slaty-backed Nightingale-Thrush	<i>Catharus fuscater</i>	<i>fuscater</i> (Ae) <i>opertaneus</i> (Aw) <i>sanctaemartae</i> (Asm)			E,Π,Σ M,Ω				B	8		0-2						
<input type="checkbox"/>	Zorzal Pechiamarillo Spotted Nightingale-Thrush	<i>Catharus dryas</i>	<i>dryas</i> ? (SW) <i>ecuadoreanus</i> (S) <i>maculatus</i> (CE)					Σ		B	,14		0-2						
<input type="checkbox"/>	Zorzal Rojizo Veery	<i>Catharus fuscescens</i>	<i>fuliginosa</i> , <i>fuscescens</i> , <i>salicicola</i> , <i>subpallidus</i>	≡	≡	≡	≡	o		B	8,10		Mb	0-2					
<input type="checkbox"/>	Zorzal Carigris Gray-cheeked Thrush	<i>Catharus minimus</i>	<i>bicknelli</i> <i>minimus</i>	≡	≡	≡	≡	o		B, D	5,6,8,10,12 ,13		Mb	0-2>					
<input type="checkbox"/>	Zorzal Buchipecoso Swainson's Thrush	<i>Catharus ustulatus</i>	<i>swainsoni</i>	≡	≡	≡	≡	o		B, D	1,2,3,4,5,6,8, 9,10, 11,12,13,14, 15		Mb	0-2>					
<input type="checkbox"/>	Zorzal de bosque Wood Thrush	<i>Hylocichla mustelina</i>		≡						B	6		Mb	0-2					
<input type="checkbox"/>	Solitario Negro Black Solitaire	<i>Entomodestes coracinus</i>			Σ					B	1,2		C-end	0-2					
<input type="checkbox"/>	Solitario Ocráceo Rufous-brown Solitaire	<i>Cichlopsis leucogenys</i>	<i>chubbi</i>		Σ					B	1		0-1						
<input type="checkbox"/>	Mirra Ojiblanca Pale-eyed Thrush	<i>Turdus leucops</i>				E,X,Ω	Σ			B	1,2,4,6, 11,12		1-2>						
<input type="checkbox"/>	Mirra Negra Yellow-legged Thrush	<i>Turdus flavipes</i>	<i>venezuelensis</i>			Π,ΣM				B	6,8,9,12		0-2						
<input type="checkbox"/>	Mirra Buchiblanca Pale-breasted Thrush	<i>Turdus leucomelas</i>	<i>albiventer</i> (X) <i>cantor</i> (Guajira)		Γ,M ,T			o		B, D	5,8,9, 12,13,14,1 5		0-2						
<input type="checkbox"/>	Mirra Cacao Cocoa Thrush	<i>Turdus fumigatus</i>	<i>aquilonalis</i> (N) N de S. <i>orinocensis</i> (S) Macarena			E				B			0-2						
<input type="checkbox"/>	Mirra de Hauxwell Hauxwell's Thrush	<i>Turdus hauxwelli</i>						≡	o	B			0-1						
<input type="checkbox"/>	Mirra Selvática Pale-vented Thrush	<i>Turdus obsoletus</i>	<i>colombianus</i> (SW) <i>obsoletus</i> (NW) <i>parambanus</i> (WC)		M,ς Δ,T	E,X				B	1,5,6,11,12		0-2						
<input type="checkbox"/>	Mirra Parda Clay-colored Thrush	<i>Turdus grayi</i>	<i>casius</i> (NW) <i>incomptus</i> (N)		Γ,T	X				B, D			0-2						
<input type="checkbox"/>	Mirra Caripelada Spectacled Thrush	<i>Turdus nudigenis</i>	<i>nudigenis</i>					o		B	,14		0-2						
<input type="checkbox"/>	Mirra Ecuatoriana Ecuadorian Thrush	<i>Turdus maculirostris</i>	<i>maculirostris</i>		T					B	1		0-2						
<input type="checkbox"/>	Mirra Amazónica Lawrence's Thrush	<i>Turdus lawrencii</i>						Z		B			0-1						
<input type="checkbox"/>	Mayo Embarrador Black-billed Thrush	<i>Turdus ignobilis</i>	<i>debilis</i> (CE) <i>goodfellowi</i> (W) <i>ignobilis</i> (Ac,e)	≡	≡	≡	≡	o		B	2,3,4,6, 11,12,14, 15		0-2						
<input type="checkbox"/>	Mirra Colorada Chestnut-bellied Thrush	<i>Turdus fulviventris</i>				E,N,Π	Σ			B	9		1-2>						
<input type="checkbox"/>	Mirra Cabecinegra Black-hooded Thrush	<i>Turdus olivater</i>	<i>caucae</i> (Ac) <i>olivater</i> (NE) <i>sanctaemartae</i> (Asm)			X,E,Π, ΣM				B	8,9		1-2>						

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Mirla Patinaranja Great Thrush	<i>Turdus fuscater</i>	<i>cacozelus</i> (N) <i>clarus</i> (Ap); <i>gigas</i> (Ae); <i>quindio</i> (Aw,c)			≡			B	2,3,4,6,7,8, 11,13,15		1-2>								
<input type="checkbox"/> Mirla Serrana Glossy-black Thrush	<i>Turdus serranus</i>	<i>atrosericeus</i> (NE) <i>fuscobrunneus</i> (Ax)			X,E,Π, Ω			B	2,4,6,7,8,9, 11		1-2>								
<input type="checkbox"/> Mirla del Pacífico White-throated Thrush	<i>Turdus assimilis</i>	<i>daguae</i>		T				B			0-1								
<input type="checkbox"/> Mirla Collareja White-necked Thrush	<i>Turdus albicollis</i>	<i>phaeopygoides</i> (NE) <i>phaeopygus</i> (E)	Γ			≡	o	B	8		0-2								
<b>MIMIDAE: (3) Sinsontes – Mockingbirds, Thrashers</b>																			
<input type="checkbox"/> Pájaro Gato Gray Catbird	<i>Dumetella carolinensis</i>		≡					B, D	10	Mb	0-1								
<input type="checkbox"/> Sinsonte Común Tropical Mockingbird	<i>Mimus gilvus</i>	<i>melanopterus</i> (NE-E) <i>tolimensis</i> (W-C)	≡		≡		o	D	5,6,7,9, 11,12,13,14, 4,15		0-2>								
<input type="checkbox"/> Sinsonte de San Andrés San Andres Mockingbird	<i>Mimus magnirostris</i>		I					D	10	SA	0-1								
<b>MOTACILLIDAE: (3) Bisbitas – Pipits, Wagtails</b>																			
<input type="checkbox"/> Bisbita Sabanera Yellowish Pipit	<i>Anthus lutescens</i>	<i>lutescens</i>					o	S			0-1								
<input type="checkbox"/> Bisbita Paramuna Paramo Pipit	<i>Anthus bogotensis</i>	<i>bogotensis</i>			X,E,N			S			2>								
<input type="checkbox"/> Bisbita Alpina American Pipit	<i>Anthus rubescens</i> <sup>33</sup>		I					S	10	SA	0-1								
<b>THRAUPIDAE: (141) Tangarás – Tanagers</b>																			
<input type="checkbox"/> Cardenal Pantanero Red-capped Cardinal	<i>Paroaria gularis</i>	<i>gularis</i> (SE) <i>nigrogenis</i> (E)					o	B	14		0-1								
<input type="checkbox"/> Pizarrita Sabanera Black-faced Tanager	<i>Schistochlamys melanopis</i>	<i>aterrima</i>	≡			≡	o	S	5,11, 12,14		0-2								
<input type="checkbox"/> Tangará Urraca Magpie Tanager	<i>Cissopis leverianus</i>	<i>leveriana</i>				≡	o	B	6,14		0-1								
<input type="checkbox"/> Frutero Blanco y Negro Black-and-white Tanager	<i>Conothraupis speculigera</i> <sup>42a</sup>					≡		B		NT	0-1								
<input type="checkbox"/> Pollo-de-monte White-capped Tanager	<i>Sericossypha albocristata</i>				X,E	Σ		B	3,4,7,13		1-2>								
<input type="checkbox"/> Trinadora Pechiblanca Hooded Tanager	<i>Nemosia pileata</i>	<i>hypoleuca</i>	T			Z		B			0-1								
<input type="checkbox"/> Buscaquiches Rufo Rufous-crested Tanager	<i>Creurgops verticalis</i>				X,N,Ω			B	2,4,13		1-2>								
<input type="checkbox"/> Hemispingus Cabecinegro Black-capped Hemispingus	<i>Hemispingus atropileus</i>	<i>atropileus</i>			X,E,N, Ω			B	2,3,4, 6,7		2>								
<input type="checkbox"/> Hemispingus Cejiblanco Superciliaried Hemispingus	<i>Hemispingus superciliaris</i>	<i>chrysophrys</i> ? (NE) <i>nigrifrons</i> (CS) <i>superciliaris</i> (CE)			X,E,N			B	3,4		2>								
<input type="checkbox"/> Hemispingus Verdoso Oleaginous Hemispingus	<i>Hemispingus frontalis</i>	<i>flavidorsalis</i> (Ap) <i>frontalis</i> (Ax) <i>ignobilis</i> (NE)			X,E,N, Π,Ω			B	3,4,6,11,13, ,15		1-2>								
<input type="checkbox"/> Hemispingus de Antifaz Black-eared Hemispingus	<i>Hemispingus melanotis</i>	<i>melanotis</i> (Ax) <i>ochraceus</i> (An,w)			X,E,N, Ω			B	4		1-2>								
<input type="checkbox"/> Hemispingus Tizado Black-headed Hemispingus	<i>Hemispingus verticalis</i>				X,E,N			B	3,7		2>								
<input type="checkbox"/> Montero Piquirrojo Gray-hooded Bush-Tanager	<i>Cnemoscopus rubrirostris</i>	<i>rubrirostris</i>			X,E,N, Ω			B	2,4,7		2>								
<input type="checkbox"/> Zarcerito Encapuchado Fulvous-headed Tanager	<i>Thlypopsis fulviceps</i>	<i>fulviceps</i> (NE) Vert. E <i>intensa</i> (NE) Vert. W <i>obscuriceps</i> (Ap)			E,Π			B	9		1-2>								
<input type="checkbox"/> Zarcerito Pechirrufo Rufous-chested Tanager	<i>Thlypopsis ornata</i>	<i>ornata</i>			X,N			B			2>								
<input type="checkbox"/> Zarcerito Cabeciamarillo Orange-headed Tanager	<i>Thlypopsis sordida</i>	<i>chrysopsis</i>				Z		B			0-1								
<input type="checkbox"/> Güicha Hormiguera Gray-headed Tanager	<i>Eucometis penicillata</i>	<i>crystata</i> (N, NW) <i>penicillata</i> (E)	≡	Δ		Z		B	5,6,8,12,13		0-2								
<input type="checkbox"/> Parlotero Crestado Flame-crested Tanager	<i>Tachyphonus cristatus</i>	<i>cristatellus</i> (SE) <i>fallax</i> (S) <i>orinocensis</i> (E)				Z		B	14		0-1								
<input type="checkbox"/> Parlotero Culiamarillo Fulvous-crested Tanager	<i>Tachyphonus surinamus</i>	<i>brevipes</i>				Z		B			0-1								
<input type="checkbox"/> Parlotero Aliblanco White-shouldered Tanager	<i>Tachyphonus luctuosus</i>	<i>luctuosus</i> (SE) <i>panamensis</i> (N-W)	≡	T		≡	o	B	5,6,8,12,13		0-2								
<input type="checkbox"/> Parlotero Crestado Tawny-crested Tanager	<i>Tachyphonus delatrii</i>	<i>delatrii</i>	T	T				B	1,2,5		0-2								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Parlotero Malcasado White-lined Tanager	<i>Tachyphonus rufus</i>		M,T, S		≡			B	1,2,3,4,5,6, 8,11,12, 13,14,15		0-2>								
<input type="checkbox"/>	Parlotero Hombriorrojo Red-shouldered Tanager	<i>Tachyphonus phoenicius</i>					≡	O	S			0-1								
<input type="checkbox"/>	Lanio Dentado Fulvous Shrike-Tanager	<i>Lanio fulvus</i>	<i>peruvianus</i>				Z		B			0-1								
<input type="checkbox"/>	Toche Carmesí Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>					Z		B			0-1								
<input type="checkbox"/>	Toche Pico-de-plata Crimson-backed Tanager	<i>Ramphocelus dimidiatus</i>	<i>dimidiatus</i> (N) <i>mochinus</i> (NW)	≡	Σ	X			B	3,5,6,8,11, 12,13,15		0-2								
<input type="checkbox"/>	Toche Negro Silver-beaked Tanager	<i>Ramphocelus carbo</i>	<i>carbo</i> (SE) <i>unicolor</i> (E) <i>venezuelensis</i> (E)				≡	O	B	14		0-1								
<input type="checkbox"/>	Toche Enjalmado Flame-rumped Tanager	<i>Ramphocelus flammigerus</i>	<i>flammigerus</i> <i>icteronotus</i>	M,T	T	X,Ω			B	1,2,3,5, 11,12,13	C- end	0-2								
<input type="checkbox"/>	Azulejo Común Blue-gray Tanager	<i>Thraupis episcopus</i>	<i>canus</i> (N) <i>coelestis</i> (S) <i>leucopterus</i> (C) <i>medianus</i> (SE) <i>nesophilus</i> (E) <i>quaesitus</i> (SW)	≡	≡	≡	≡	O	B,D	1,3,4,5,6,8, 9,11, 12,13,14,15		0-2								
<input type="checkbox"/>	Azulejo Glauco Glaucous Tanager	<i>Thraupis glaucocolpa</i>		Γ					D			0-1								
<input type="checkbox"/>	Azulejo Palmero Palm Tanager	<i>Thraupis palmarum</i>	<i>atripennis</i> (N) <i>melanopterus</i> (E) <i>violilavatus</i> (SW)	≡	≡	≡	≡	O	B, D	1,2,3,4,5,6, 8,9,11,12,13,14,15		0-2								
<input type="checkbox"/>	Azulejo Montañero Blue-capped Tanager	<i>Thraupis cyanocephala</i>	<i>auricrissus</i> (NC) <i>cyanocephalus</i> ? (SW) <i>hypophaeus</i> ? (NE) <i>margaritae</i> (N)			≡			B	2,3,4,7,8,9, 13,15		1-2>								
<input type="checkbox"/>	Toche Escarlata Vermilion Tanager	<i>Calochaetes coccineus</i>					Σ		B			0-1								
<input type="checkbox"/>	Tangará Aurinegra Black-and-gold Tanager	<i>Bangsia melanochlamys</i>				X,Ω			B	11	VU	1-2>								
<input type="checkbox"/>	Tangará Pechidorada Golden-chested Tanager	<i>Bangsia rothschildi</i>			Σ				B	1	C-end	0-1								
<input type="checkbox"/>	Tangará Cariazul Moss-backed Tanager	<i>Bangsia edwardsi</i>			Σ				B	1	C-end	0-2								
<input type="checkbox"/>	Tangará de Tatamá Gold-ringed Tanager	<i>Bangsia aureocincta</i>				Ω			B		EN	1-2								
<input type="checkbox"/>	Azulejo Real Hooded Mountain-Tanager	<i>Buthraupis montana</i>	<i>cucullata</i> (W) <i>gigas</i> (NC)			X,E,N, Π,Ω			B	2,3,4,6,7		1-2>								
<input type="checkbox"/>	Azulejo Pechinegro Black-chested Mountain-Tanager	<i>Buthraupis eximia</i>	<i>chloronota</i> (S) <i>eximia</i> (NC) <i>zimmeri</i> (WC)			X,E,N, Ω			B	3,7		2>								
<input type="checkbox"/>	Azulejo de Wetmore Masked Mountain-Tanager	<i>Buthraupis wetmorei</i>				X,N			B		VU	2>								
<input type="checkbox"/>	Tangará Serrana Santa Marta Mountain-Tanager	<i>Anisognathus melanogenys</i>				ΣM			B	8		1-2>								
<input type="checkbox"/>	Tangará Lacrimosa Lachrymose Mountain-Tanager	<i>Anisognathus lacrymosus</i>	<i>intensus</i> (Aw) <i>olivaceiceps</i> (Ac) <i>pallidorsalis</i> (Ap) <i>palpebrosus</i> (SW) <i>tamae</i> (Ae: Tamá) <i>subsp.</i> (Ae: Yariguies) <sup>58</sup>			X,E,N, Π,Ω			B	2,3,4,7		2>								
<input type="checkbox"/>	Tangará Escarlata Scarlet-bellied Mountain-Tanager	<i>Anisognathus igniventris</i>	<i>erythrotus</i> (S) <i>lunulatus</i> (NC)			X,E,N			B	3,15		2>								
<input type="checkbox"/>	Tangará Primavera Blue-winged Mountain-Tanager	<i>Anisognathus somptuosus</i>	<i>antioquiae</i> (Aw,c) <i>baezae</i> (S) <i>cyanopterus</i> (CW) <i>victorini</i> (C)			X,E,N, Ω			B	1,2,3,4,6,7, 11,13		1-2>								
<input type="checkbox"/>	Tangará del Pacífico Black-chinned Mountain-Tanager	<i>Anisognathus notabilis</i>			Σ				B	1	C-end	1-2>								
<input type="checkbox"/>	Cloromis Patirrojo Grass-green Tanager	<i>Chlorornis riefferii</i>	<i>riefferii</i>			X,E,N, Ω			B	2,3,4,7,13		1-2>								
<input type="checkbox"/>	Tangará Diadema Buff-breasted Mountain-Tanager	<i>Dubusia taeniata</i>	<i>carrikeri</i> (Asm) <i>taeniata</i> (Ax)			≡			B	2,3,4,7,8		2>								
<input type="checkbox"/>	Musguero Gargantilla Purplish-mantled Tanager	<i>Iridosornis porphyrocephalus</i>				X,N,Ω			B	1,2,11	NT C-end	1-2>								
<input type="checkbox"/>	Musguero Gorgiamarillo Yellow-throated Tanager	<i>Iridosornis analis</i>				Σ			B			0-2								

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Musguero Paramuno Golden-crowned Tanager	<i>Iridosornis rufivertex</i>	<i>caeruleoventris</i> (N) <i>ignicapillus</i> (SW) <i>rufivertex</i> (C)			X,E,N, Ω			B	2,3,4,7		2>								
<input type="checkbox"/> Viuva de Antifaz Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>	<i>venezuelensis</i>			X,E,N, Ω			B	2,3,4,7,13, 15		1-2>								
<input type="checkbox"/> Tangará Esmeralda Glistening-green Tanager	<i>Chlorochrysa phoenicotis</i>			Σ	X			B	1,2	C-end	0-2>								
<input type="checkbox"/> Tangará Orejinaranja Orange-eared Tanager	<i>Chlorochrysa calliparaea</i>	<i>bourcieri</i>			E,N	Σ		B			1-2								
<input type="checkbox"/> Tangará Multicolor Multicolored Tanager	<i>Chlorochrysa nitidissima</i>				X,Ω			B	2,11	VU	1-2>								
<input type="checkbox"/> Tangará Nuquidorada Golden-naped Tanager	<i>Tangara ruficervix</i>	<i>ruficervix</i> (N) <i>taylori</i> (SE)			X,E,N, Ω			B	1,2,6		1-2>								
<input type="checkbox"/> Tangará Encapuchada Black-headed Tanager	<i>Tangara cyanoptera</i>	<i>cyanoptera</i>			E,II, Σ M			B	8,9		0-2								
<input type="checkbox"/> Tangará Capirotada Black-capped Tanager	<i>Tangara heinei</i>				≡			B	1,2,4,6,7,8, 9,11, 13,15		0-2>								
<input type="checkbox"/> Tangará Platinada Gray-and-gold Tanager	<i>Tangara palmeri</i>			Σ				B	1	C-end	0-1								
<input type="checkbox"/> Tangará Triguera Burnished-buff Tanager	<i>Tangara cayana</i>	<i>cayana</i> (E) <i>fulvescens</i> (CE)					o	B, D	.14		0-2								
<input type="checkbox"/> Tangará Rastrojera Scrub Tanager	<i>Tangara vitriolina</i>				X,E,N, Ω			B, D	2,3,4,5,6, 11,12,13,1 5	C-end	0-2>								
<input type="checkbox"/> Tangará Enmascarada Masked Tanager	<i>Tangara nigrocincta</i>						Z	B	.14		0-2								
<input type="checkbox"/> Tangará Collareja Golden-hooded Tanager	<i>Tangara larvata</i>	<i>fanny</i>	M,T	T				B	1,5,13		0-2								
<input type="checkbox"/> Tangará Real Blue-necked Tanager	<i>Tangara cyanicollis</i>	<i>caeruleocephala</i> (E) <i>cyanopygia</i> (SW) <i>granadensis</i> (C) <i>hannahiae</i> (NE)			X,E,N, Ω			B	2,3,5,6,11, 12,13,14,1 5		0-2								
<input type="checkbox"/> Tangará Manchada Dotted Tanager	<i>Tangara varia</i>						Z	B			0-1								
<input type="checkbox"/> Tangará Barbirrufa Rufous-throated Tanager	<i>Tangara rufigula</i>			Σ				B	1,2	C-end	0-2								
<input type="checkbox"/> Tangará Pecosá Speckled Tanager	<i>Tangara guttata</i>	<i>bogotensis</i> (E) <i>tolimae</i> (C)			X,E	Σ		B	5,6,9,11, 12,14,15		1-2								
<input type="checkbox"/> Tangará Buchiamarilla Yellow-bellied Tanager	<i>Tangara xanthogastra</i>	<i>xanthogastra</i>					Z	B			0-1								
<input type="checkbox"/> Tangará Negriazul Blue-and-black Tanager	<i>Tangara vassorii</i>	<i>vassorii</i>			X,E,N, Ω			B	1,2,3,4,7		2>								
<input type="checkbox"/> Tangará Berilina Beryl-spangled Tanager	<i>Tangara nigroviridis</i>	<i>cyanescens</i> (N-W) <i>lozanoana</i> (NE) <i>nigroviridis</i> (E)			≡			B	1,2,3,4,6, 7,9,11,13		1-2>								
<input type="checkbox"/> Tangará Nuquiverde Green-naped Tanager	<i>Tangara fucosa</i>			A				B		NT Obs	1-2								
<input type="checkbox"/> Tangará Verdiplata Metallic-green Tanager	<i>Tangara labradorides</i>	<i>labradorides</i>			X,E,N, Ω			B	2,4,6,7,13		1-2>								
<input type="checkbox"/> Tangará Cejona Blue-browed Tanager	<i>Tangara cyanotis</i>	<i>lutleyi</i>			E,N	Σ		B			1-2>								
<input type="checkbox"/> Tangará Cenicienta Plain-colored Tanager	<i>Tangara inornata</i>	<i>inornata</i> (N) <i>languens</i> (NW)	M,T	T				B	5,6,13		0-1								
<input type="checkbox"/> Tangará Turquesa Turquoise Tanager	<i>Tangara mexicana</i>	<i>boliviana</i> (SE) <i>media</i> (E)					Z	B	14		0-1								
<input type="checkbox"/> Tangará Sietecolores Paradise Tanager	<i>Tangara chilensis</i>	<i>chilensis</i> (SE) <i>coelicolor</i> (E)					Z	B	14		0-1								
<input type="checkbox"/> Tangará Culiopalina Opal-rumped Tanager	<i>Tangara velia</i>	<i>iridina</i>					Z	B	14		0-1								
<input type="checkbox"/> Tangará Cejiopalina Opal-crowned Tanager	<i>Tangara callophrys</i>						Z	B			0-1								
<input type="checkbox"/> Tangará Alirrufa Rufous-winged Tanager	<i>Tangara lavinia</i>	<i>lavinia</i>		T				B			0-1								
<input type="checkbox"/> Tangará Cabecirrufa Bay-headed Tanager	<i>Tangara gyrola</i>	<i>catharinae</i> (E) <i>deleticia</i> (CW) <i>nupera</i> (SW) <i>parva</i> (SE) <i>toddi</i> (N) <i>viridissima</i> ? (NE)			≡		Z	B	1,2,3,4,5,6, 7,8,11,12, 13		0-2								
<input type="checkbox"/> Tangará Pechirrufa Golden-eared Tanager	<i>Tangara chrysotis</i>				E,N	Σ		B			1-2>								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Tangará Coronada Saffron-crowned Tanager	<i>Tangara xanθοcephala</i>	<i>venusta</i>			X,E,N, II,Ω			B	1,2,3,4,6,7, 13		1-2>							
<input type="checkbox"/>	Tangará Rubicunda Flame-faced Tanager	<i>Tangara parzudakii</i>	<i>lunigera</i> (SW) <i>parzudakii</i> (E)		Σ	X,E, N, Ω			B	1,2,6		0-2>							
<input type="checkbox"/>	Tangará Carinegra Green-and-gold Tanager	<i>Tangara schrankii</i>	<i>anchicayae</i> (W) <i>schrankii</i> (SE)		T		Z		B			0-1							
<input type="checkbox"/>	Tangará Bigotuda Blue-whiskered Tanager	<i>Tangara johannae</i>			T				B	1	NT C-end	0-1							
<input type="checkbox"/>	Tangará Dorada Golden Tanager	<i>Tangara arthus</i>	<i>aurulenta</i> (C) <i>goodsoni</i> ? (SW) <i>occidentalis</i> (W) <i>palmitae</i> (C) <i>sclateri</i> (E)			X,E, N, Ω			B	1,2,4,6,7,9, 11,12,13		0-2>							
<input type="checkbox"/>	Tangará Esmeralda Emerald Tanager	<i>Tangara florida</i>	<i>auriceps</i>		Σ				B	1		0-1							
<input type="checkbox"/>	Tangará Amarilla Silver-throated Tanager	<i>Tangara icterocephala</i>	<i>icterocephala</i>		Σ	X			B	1,2,11		0-2							
<input type="checkbox"/>	Azulejo Golondrina Swallow Tanager	<i>Tersina viridis</i>	<i>griseescens</i> (N) Sta Marta <i>occidentalis</i> (W-E)	M,T	T		Ξ		B	1,5,8,11, 13,14		0-2							
<input type="checkbox"/>	Dacnis Pechiblanca White-bellied Dacnis	<i>Dacnis albiventris</i>					Z		B			0-1							
<input type="checkbox"/>	Dacnis Carinegra Black-faced Dacnis	<i>Dacnis lineata</i>	<i>lineata</i> <i>egregia</i>	M,T			Z		B	5,6,12,13, 14		0-1							
<input type="checkbox"/>	Dacnis Pechiamarilla Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>					Z		B	14		0-1							
<input type="checkbox"/>	Dacnis Turquesa Turquoise Dacnis	<i>Dacnis hartlaubi</i>				X,E,Ω			B	5,6,12	VU	0-2>							
<input type="checkbox"/>	Dacnis Negriazul Scarlet-thighed Dacnis	<i>Dacnis venusta</i>	<i>fuliginata</i>	T	T				B			0-1							
<input type="checkbox"/>	Dacnis Azul Blue Dacnis	<i>Dacnis cayana</i>	<i>baudoana</i> (W) <i>cayana</i> (E) <i>coerebicolor</i> (C) <i>glaucogularis</i> (S) <i>napaea</i> (N) <i>ultramarina</i> (NW)		Ξ	Ξ		O	B	1,5,13,14		0-1							
<input type="checkbox"/>	Dacnis Aguamarina Viridian Dacnis	<i>Dacnis viguieri</i>			A				B		NT C-end	0-1							
<input type="checkbox"/>	Dacnis Pechirroja Scarlet-breasted Dacnis	<i>Dacnis berlepschi</i>			T				B	1	VU C-end	0-1							
<input type="checkbox"/>	Mielero Pico-de-tuna Short-billed Honeycreeper	<i>Cyanerpes nitidus</i>	<i>caquetae</i> (Ae) <i>nitidus</i> (E)				Z		B			0-1							
<input type="checkbox"/>	Mielero Patiamarillo Shining Honeycreeper	<i>Cyanerpes lucidus</i>	<i>isthmicus</i>		A				B			0-1							
<input type="checkbox"/>	Mielero Cerúleo Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	<i>caeruleus</i> <i>chocoanus</i> (W) <i>microhynchus</i> (E)		Ξ	Ξ	Z		B	1,5,6,8,11, 12		0-2							
<input type="checkbox"/>	Mielero Patirrojo Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>	<i>carneipes</i> (NW) <i>dispar</i> (E) <i>eximius</i> (N) <i>gemmeus</i> (NE) <i>gigas</i> (Gorgona) <i>pacificus</i> (W)		F, M, T	T	Z		B	5		0-1							
<input type="checkbox"/>	Mielero Verde Green Honeycreeper	<i>Chlorophanes spiza</i>	<i>arguta</i> (NW: Darién) <i>caerulescens</i> (SE) <i>exul</i> (SW) <i>spiza</i> (E) <i>subtropicalis</i> (N)	M,T, S		Ξ	Z		B	1,3,5,6,12, 13		0-2							
<input type="checkbox"/>	Mielero Opalino Golden-collared Honeycreeper	<i>Iridophanes pulcherrimus</i>	<i>aureinucha</i> (SW) <i>pulcherrima</i> (E)		Σ		Σ		B	1,4		1-2							
<input type="checkbox"/>	Chambergo Cejirrojo Scarlet-browed Tanager	<i>Heterospingus xanthopygius</i>	<i>berlozi</i> (W) <i>xanthopygius</i> (N) <i>rubrifrons</i>	M,T	T,A				B	1,5	C-end	0-1							
<input type="checkbox"/>	Pintasilgo Güira Guira Tanager	<i>Hemithraupis guira</i>	<i>guirina</i> (W-C) <i>huambina</i> (SE) <i>nigrigula</i> (NC)	M,T, S		X,Ω	Σ		B,D	1,3,4,6,11, 12,13		0-2							
<input type="checkbox"/>	Pintasilgo Culiamarillo Yellow-backed Tanager	<i>Hemithraupis flavicollis</i>	<i>albigularis</i> (C) <i>aurigularis</i> (SE) <i>ornata</i> (NW) <i>peruana</i> (SC)		T	A	Σ		B	5,13		0-1							
<input type="checkbox"/>	Chococito Escarlata Scarlet-and-white Tanager	<i>Chrysothlypis salmomi</i>			T	T			B	1,11,12	C-end	0-1							
<input type="checkbox"/>	Conirrosto Pizarra Chestnut-vented Conebill	<i>Conirostrum speciosum</i>	<i>amazonum</i>				Ξ	O	B			0-1							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Conirrosto Orejiblanco White-eared Conebill	<i>Conirostrum leucogenys</i>	<i>leucogenys</i> (N) <i>panamense</i> (NW)	M,T					D	5		0-1							
<input type="checkbox"/>	Conirrosto Manglero Bicolored Conebill	<i>Conirostrum bicolor</i>	<i>bicolor</i> (N) <i>minor</i> (E)	F,T			Z		B,A			0-1							
<input type="checkbox"/>	Conirrosto Cenizo Cinereous Conebill	<i>Conirostrum cinereum</i>	<i>fraseri</i>			X,N			B			2>							
<input type="checkbox"/>	Conirrosto Encapuchado Blue-backed Conebill	<i>Conirostrum sitticolor</i>	<i>sitticolor</i> (Ax) <i>pallidus</i> (Ap)			X,E,N, Ω			B	3,4,7		2>							
<input type="checkbox"/>	Conirrosto Capiroitado Capped Conebill	<i>Conirostrum albifrons</i>	<i>albifrons</i> (E) <i>atrocyaneum</i> (SW) <i>centralandium</i> (C)			X,E,N, Ω			B	1,2,3,4,7		1-2>							
<input type="checkbox"/>	Conirrosto Rufo Rufous-browed Conebill	<i>Conirostrum rufum</i>				E,ΣM			B			2>							
<input type="checkbox"/>	<b>Conirrosto Gigante</b> <b>Giant Conebill</b>	<i>Oreomanes fraseri</i>				N			B		<b>NT</b>	2>							
<input type="checkbox"/>	Picaflor Canela Rusty Flowerpiercer	<i>Diglossa sittoides</i>	<i>coelestis</i> (Ap) <i>decorata</i> ? (S) <i>dorbignyi</i> (C) <i>hyperythra</i> (NE)			≡			B	2,8,11,13		1-2>							
<input type="checkbox"/>	<b>Picaflor Pechirrufo</b> <b>Chestnut-bellied Flowerpiercer</b>	<i>Diglossa gloriosissima</i>	<i>boyley</i> (Antioquia) <i>gloriosissima</i> (Cauca)			Ω			B	2,7	<b>EN</b>	2>							
<input type="checkbox"/>	Picaflor Lustroso Glossy Flowerpiercer	<i>Diglossa lafresnayii</i>				X,E,N, Ω			B	3		2>							
<input type="checkbox"/>	Picaflor Negro Black Flowerpiercer	<i>Diglossa humeralis</i>	<i>aterrima</i> (S) <i>humeralis</i> (Ae) <i>nocticolor</i> (Asm,p)			≡			B	3,4,6,8		2>							
<input type="checkbox"/>	Picaflor Rabiazul Black-throated Flowerpiercer	<i>Diglossa brunneiventris</i>	<i>vuilleumieri</i>			X,Ω			B	4,7		2>							
<input type="checkbox"/>	Picaflor Flanquiblanco White-sided Flowerpiercer	<i>Diglossa albilatera</i>	<i>albilatera</i>			≡			B	2,3,4,6,7,8, 15		1-2>							
<input type="checkbox"/>	Picaflor del Chocó Indigo Flowerpiercer	<i>Diglossa indigotica</i>			Σ				B	1,4,11		C-end	0-2>						
<input type="checkbox"/>	Picaflor Ojamarillo Deep-blue Flowerpiercer	<i>Diglossa glauca</i>	<i>tyrianthina</i>			N	Σ		B			1-2>							
<input type="checkbox"/>	Picaflor Azul Bluish Flowerpiercer	<i>Diglossa caerulescens</i>	<i>ginesi</i> ? (NE) <i>saturata</i> (Ax)			X,E,N, Π,Ω			B	2,4,6,7		1-2>							
<input type="checkbox"/>	Picaflor de Antifaz Masked Flowerpiercer	<i>Diglossa cyanea</i>	<i>cyanea</i> (Ax) <i>obscura</i> ? (NE)			X,E,N, Ω			B	2,3,4,6,7, 13,15		1-2>							
<input type="checkbox"/>	Gorrión Afelpado Plushcap	<i>Catamblyrhynchus diadema</i>	<i>diadema</i>			≡			B	2,3,4,7,8		1-2>							
<input type="checkbox"/>	Montero Paramuno Black-backed Bush-Tanager	<i>Urothraupis stolzmanni</i>				X,N			B			C-end	2>						
<input type="checkbox"/>	Maraquera Carisucia Dusky-faced Tanager	<i>Mitrospingus cassinii</i>	<i>cassinii</i>	T	T				B	1		0-1							
<input type="checkbox"/>	Rosita Canora Rosy Thrush-Tanager	<i>Rhodinocichla rosea</i>	<i>beebei</i> (NE) <i>harterti</i> (C)			E,Π,Σ M			B	8,13		0-2							
<input type="checkbox"/>	Mielero Común Bananaquit	<i>Coereba flaveola</i>	<i>cauae</i> (W) <i>columbiana</i> (SW) <i>gorgonae</i> (Gorgona) <i>intermedia</i> (SW) <i>luteola</i> (N) <i>minima</i> (E) <i>obscura</i> (NE)	≡	≡	Ω,X,E	≡	o	B, D	1,2,3,5,6,8 9,10,11,12 13,14,15		0-2							
<input type="checkbox"/>	Semillero Cariamarrillo Yellow-faced Grassquit	<i>Tiaris olivaceus</i>	<i>pusillus</i>			X,E,N, Ω			B	1,3,4,6, 11,12,13		0-2>							
<input type="checkbox"/>	Semillero Pardo Dull-colored Grassquit	<i>Tiaris obscurus</i>	<i>haplochroma</i> (NE) <i>obscurus</i> (C) <i>pauper</i> (SW)			≡			B, D	1,2,3,5,6,8, 9,12		0-2							
<input type="checkbox"/>	Semillero Tizado Sooty Grassquit	<i>Tiaris fuliginosus</i>		ΣM, M		E			D	12		0-1							
<input type="checkbox"/>	Semillero Pechinegro Black-faced Grassquit	<i>Tiaris bicolor</i>	<i>huilae</i> (C) <i>omissa</i> (NE)	F,M, I					D	5,6,8,10,12 15		0-2							
<input type="checkbox"/>	Picogordo Pizarra Slate-colored Grosbeak	<i>Saltator grossus</i>	<i>grossus</i> (E) <i>saturatus</i> (W)	M,T	≡		Z		B	1,5,12		0-1							
<input type="checkbox"/>	Saltador Ajicero Buff-throated Saltator	<i>Saltator maximus</i>	<i>iungens</i> (NW) <i>maximus</i> (X)	≡	≡	X	≡	o	B	1,5,6,8,9, 11,12,13, 14		0-2							
<input type="checkbox"/>	Saltador Alinegro Black-winged Saltator	<i>Saltator atripennis</i>	<i>atripennis</i> (W) <i>caniceps</i> (Ae)			X,E,N, Ω			B	1,2,3,4,6, 11		0-2>							
<input type="checkbox"/>	Saltador Papayero Grayish Saltator	<i>Saltator coerulescens</i>	<i>azarae</i> (E) <i>brewsteri</i> (NE) <i>plumbeus</i> (N)	≡		X	≡	o	B, D	5,6,8,9,13, 14,15		0-2							

Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Saltador Pío-judío Streaked Saltator	<i>Saltator striatipectus</i>	<i>flavidicollis</i> (Patia) <i>perstriatus</i> (NE) <i>striatipectus</i> (W)	≡		≡			B, D	3,4,5,6,8,9, 11,12,13, 15		0-2								
<input type="checkbox"/> Saltador Cejiblanco Orinocan Saltator	<i>Saltator orenocensis</i>	<i>rufescens</i>	Γ				o	D			0-1								
<input type="checkbox"/> Saltador Chusquero Masked Saltator	<i>Saltator cinctus</i>				x			B	3	NT	1-2>								
<input type="checkbox"/> Picogordo Verdiamarillo Yellow-shouldered Grosbeak	<i>Parkerthraustes humeralis</i>					Σ		B			0-1								
<b>EMBERIZIDAE: (66) Gorriones y copetones emberizidos – Emberizid finches and sparrows</b>																			
<input type="checkbox"/> Gorrión Copetón Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	<i>bonnetiana</i> (Chiribiquete) <i>costaricensis</i> <i>roraimae</i> (SE)			≡	z		S	2,3,4,6,7,8, 9,11,12,13, 14,15		0-2>								
<input type="checkbox"/> Sabanero Grillo Grasshopper Sparrow	<i>Ammodramus savannarum</i>	<i>caucae</i>	ς					S			0-1								
<input type="checkbox"/> Sabanero Rayado Grassland Sparrow	<i>Ammodramus humeralis</i>	<i>colombianus</i> (Cv) <i>humeralis</i> (E) <i>pallidulus</i> (NE g)	Γ, M, ς				o	S	13		0-1								
<input type="checkbox"/> Sabanero Zumbador Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>	<i>apurensis</i> (CNE) <i>aurifrons</i> (S) <i>cherrie</i> (E) <i>tenebrosus</i> (SE)				z		S	14		0-1								
<input type="checkbox"/> Gorrión sabanero Savannah Sparrow	<i>Passerculus sandwichensis</i> <sup>34</sup>		I					B,S	10	acc SA (Obs)	0-2>								
<input type="checkbox"/> Gorrión Paramuno Plumbeous Sierra-Finch	<i>Phrygilus unicolor</i>	<i>nivarius</i> (Asm) <i>geospizopsis</i> (Ax)			X,E,N, ΣM			S			2>								
<input type="checkbox"/> Gorrión Pizarra Slaty Finch	<i>Haplospiza rustica</i>	<i>rustica</i>			x			B	2,3,4,7,8, 11,13		1-2>								
<input type="checkbox"/> Canario Coliblanco Stripe-tailed Yellow-Finch	<i>Sicalis citrina</i>	<i>browni</i>			X,E, ΣM			S	8		0-2>								
<input type="checkbox"/> Canario Ribereño Orange-fronted Yellow-Finch	<i>Sicalis columbiana</i>	<i>columbiana</i>						S	14		0-1								
<input type="checkbox"/> Canario Coronado Saffron Finch	<i>Sicalis flaveola</i>	<i>flaveola</i>	≡	T	x		o	S	5,6,12,13, 14,15		0-2								
<input type="checkbox"/> Canario Sabanero Grassland Yellow-Finch	<i>Sicalis luteola</i>	<i>bogotensis</i> (Ae) <i>luteola</i> (Aw)	M,T, ς		E,N		o	S	,14		0-2>								
<input type="checkbox"/> Sabanero Coludo Wedge-tailed Grass-Finch	<i>Emberizoides herbicola</i>	<i>apurensis</i> (E) <i>sphenurus</i> (N)	M,T, ς		X,ΣM		o	S	6,11,14		0-2								
<input type="checkbox"/> Espiguero Saltarín Blue-black Grassquit	<i>Volatinia jacarina</i>	<i>splendens</i>	≡	≡	≡	≡	o	S	1,3,5,6,8, 10,11,12, 13,14,15		0-2								
<input type="checkbox"/> Espiguero Pizarra Slate-colored Seed-eater	<i>Sporophila schistacea</i>	<i>incerta</i> (SW) <i>longipennis</i> (W) <i>schistacea</i> (N)	M,T, ς		x	z		B,S	1,5,6,11,13		0-2								
<input type="checkbox"/> Espiguero Plomizo Plumbeous Seed-eater	<i>Sporophila plumbea</i>	<i>colombiana</i> (NC) <i>whiteleyana</i> (E)	T				o	S			0-2								
<input type="checkbox"/> Espiguero Variable Variable Seed-eater	<i>Sporophila corvina</i>	<i>ophthalmica</i> (SW) <i>hicksii</i> (NW)			≡			B	1		0-1								
<input type="checkbox"/> Espiguero Gris Gray Seed-eater	<i>Sporophila intermedia</i>	<i>agustini</i> (Aw, Cm) <i>bogotensis</i> (Cauca) <i>intermedia</i> (C-E)	≡				o	B,S	3,6,12,13, 14		0-2>								
<input type="checkbox"/> Espiguero de Caquetá Caqueta Seed-eater	<i>Sporophila murallae</i>	<i>murallae</i> (E)				z		B			0-1								
<input type="checkbox"/> Espiguero de Lesson Lesson's Seed-eater	<i>Sporophila bouvronides</i>	(mig. intratropical)	T			≡	o	B			0-1								
<input type="checkbox"/> Espiguero Bigotudo Lined Seed-eater	<i>Sporophila lineola</i>					≡	o	B,S		Ma	0-1								
<input type="checkbox"/> Espiguero Negriblanco Black-and-white Seed-eater	<i>Sporophila luctuosa</i>				≡	Σ		B,S	6		1-2>								
<input type="checkbox"/> Espiguero Capuchino Yellow-bellied Seed-eater	<i>Sporophila nigricollis</i>	<i>nigricollis</i> (X) <i>vidua</i> (SW)	≡	≡	≡	≡	o	B,S	1,2,3,4,5,6, 8,9,11,12, 13,14,15		0-2>								
<input type="checkbox"/> Espiguero Collarejo Double-collared Seed-eater	<i>Sporophila caerulescens</i>	<i>yungae</i>				z		B,S		Ma	0-1								
<input type="checkbox"/> Espiguero Ladrillo Ruddy-breasted Seed-eater	<i>Sporophila minuta</i>	<i>minuta</i>	≡		≡	≡	o	B,S	5,6,8,11, 13,14,15		0-2								
<input type="checkbox"/> Espiguero Buchicastaño Chestnut-bellied Seed-eater	<i>Sporophila castaneiventris</i>					z		S			0-1								
<input type="checkbox"/> Espiguero Pechiblanco Chestnut-throated Seed-eater	<i>Sporophila telasco</i>	<i>telasco</i> <i>insulata</i> (Tumaco)				o		B			0-1								
<input type="checkbox"/> Arrocero Piquigrueso Thick-billed Seed-Finch	<i>Oryzoborus furereus</i>	<i>aethiops</i> (SW) <i>ochrogyne</i> (Asm)	T	T	ΣM			B,S	14		0-1								



Nombre Común en Español y Inglés Spanish and English name	Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/> Arrocero Buchicastaño Chestnut-bellied Seed-Finch	<i>Oryzoborus angolensis</i>	<i>angolensis</i> (E) <i>theobromae</i> (C)	M,T		X,E	≡	o	B,S	1,5,6,8, 12,13		0-2								
<input type="checkbox"/> Arrocero Renegrido Large-billed Seed-Finch	<i>Oryzoborus crassirostris</i>	<i>crassirostris</i> (E) <i>occidentalis</i> (W)	M,T			≡	o	B,S	5,8,13		0-2								
<input type="checkbox"/> Arrocero Picudo Great-billed Seed-Finch	<i>Oryzoborus maximiliani</i>	<i>magnirostris</i>		Σ		Σ		B	1	NT	0-2								
<input type="checkbox"/> Semillero Pechiblanco White-naped Seedeater	<i>Dolospingus fringilloides</i>					Z		B			0-1								
<input type="checkbox"/> Semillero Coliblanco Band-tailed Seedeater	<i>Catamenia analis</i>	<i>alpica</i> (Asm) <i>schistaceifrons</i> (C) <i>soederstromi</i> (S)			X,E,N, ΣM			S			2>								
<input type="checkbox"/> Semillero Andino Plain-colored Seedeater	<i>Catamenia inornata</i>	<i>minor</i> (Ax) <i>mucuchiesi</i> ? (NE)			X,E,N			S	3		2>								
<input type="checkbox"/> Semillero de Páramo Paramo Seedeater	<i>Catamenia homochroa</i>	<i>homochroa</i> <i>oreophila</i> (sm)			X,E,N,Π Ω, ΣM			B	3,4,7,8		2>								
<input type="checkbox"/> Pinzón de Tocuyo Tocuyo Sparrow	<i>Arremonops tocuyensis</i>		Γ					D		C-end	0-1								
<input type="checkbox"/> Pinzón Conirrosto Black-striped Sparrow	<i>Arremonops conirostris</i>	<i>conirostris</i> (N-E) <i>inexpectatus</i> (CW) <i>striaticeps</i> (W) <i>umbrinus</i> (NC)	≡	Δ,T	X		o	B, D	5,8,11,12, 13		0-2								
<input type="checkbox"/> Pinzón Pectoral Pectoral Sparrow	<i>Arremon taciturnus</i>	<i>axillaris</i> ? (NE) <i>taciturnus</i> (E)				≡	o	B	14		0-1								
<input type="checkbox"/> Pinzón Piquidorado Orange-billed Sparrow	<i>Arremon aurantirostris</i>	<i>erythrorhynchus</i> (N) <i>occidentalis</i> (W) <i>spectabilis</i> (SE) <i>strictocollaris</i> (NW)	M,T	T		Σ		B	1,2,5,6,11, 12,13		0-2								
<input type="checkbox"/> Pinzón Alidorado Golden-winged Sparrow	<i>Arremon schlegeli</i>	<i>cenidorsum</i> (C) <i>fratruelis</i> (NE) Macuire <i>schlegeli</i> (N)	Γ		E			B,D	8,15		0-2								
<input type="checkbox"/> Gorrión-montés Collarejo Chestnut-capped Brush-Finch	<i>Arremon brunneinucha</i>	<i>alliornatus</i> ? (NE) <i>frontalis</i> (Ax)	Δ,Σ	X,E,N,Π Ω				B	1,2,3,4,7,9, 11,12,13		0-2>								
<input type="checkbox"/> Gorrión-montés Listado Stripe-headed Brush-Finch	<i>Arremon torquatus</i>	<i>assimilis</i> (An,c,e) <i>basilicus</i> (N) <i>perjanus</i> (Ae: vert. E) <i>atricapillus</i> (Ac,e)		Δ	≡			B	3,4,6,7,8, 11,12		1-2>								
<input type="checkbox"/> Pinzón Oliva Olive Finch	<i>Arremon castaneiceps</i>			Σ		Σ		B	1,2		0-2								
<input type="checkbox"/> Pinzón Tiznado Sooty-faced Finch	<i>Arremon crassirostris</i>			Δ				B		Obs	1-2								
<input type="checkbox"/> Gorrión Tangarino Tanager-Finch	<i>Oreothraupis arremonops</i>			Σ				B	1,2,4	VU C-end	1-2								
<input type="checkbox"/> Gorrión-montés Bigotudo Moustached Brush-Finch	<i>Atlapetes albofrenatus</i>	<i>albofrenatus</i> (Ae)			E			B, D	6,9	C-end	1-2>								
<input type="checkbox"/> Gorrión-montés de Perijá Perijá Brush-Finch	<i>Atlapetes nigrifrons</i>				Π			B			1-2>								
<input type="checkbox"/> Gorrión-montés Ocráceo Ochre-breasted Brush-Finch	<i>Atlapetes semirufus</i>	<i>majusculus</i> (Ae norte) <i>semirufus</i> (Ae sur) <i>zimmeri</i> (NE)			E			B			1-2>								
<input type="checkbox"/> Gorrión-montés Gorgiamarillo White-naped Brush-Finch	<i>Atlapetes albinucha</i>	<i>gutturalis</i>			X,E,Ω			B	2,3,4,6,11, 12,13		1-2>								
<input type="checkbox"/> Gorrión-montés de Santa Marta Santa Marta Brush-Finch	<i>Atlapetes melanocephalus</i>				ΣM			B	8		1-2>								
<input type="checkbox"/> Gorrión-montés Cabeciblanco Pale-naped Brush-Finch	<i>Atlapetes pallidinucha</i>	<i>pallidinucha</i> (Ae) <i>papallactae</i> (Ac)			X,E,N			B	3		2>								
<input type="checkbox"/> Gorrión-montés de Anteojos Yellow-headed Brush-Finch	<i>Atlapetes flaviceps</i>				X			B	13	EN	1-2								
<input type="checkbox"/> Gorrión-montés Oliváceo Dusky-headed Brush-Finch	<i>Atlapetes fuscoolivaceus</i>				X			B		NT	1-2>								
<input type="checkbox"/> Gorrión-montés Tricolor Tricolored Brush-Finch	<i>Atlapetes tricolor</i>	<i>crassus</i> (Aw: S) <i>subsp.</i> (Aw: N)		Σ				B	1,2		0-2								
<input type="checkbox"/> Gorrión-montés Pardusco White-rimmed Brush-Finch	<i>Atlapetes leucopis</i>				X,N	Σ		B		C-end	2>								
<input type="checkbox"/> Gorrión-montés Cabecirrufo Yellow-breasted Brush-Finch	<i>Atlapetes latinuchus</i>	<i>caucae</i> (Aw,c: S) <i>elaeoprurus</i> (Aw,c: N) <i>spodionotus</i> (A: Nariño) <i>yariquierum</i> (Ae) <sup>59</sup>			X,E,N,Π Ω			B	2,3,6		1-2>								
<input type="checkbox"/> Gorrión-montés Paisa Antioquia Brush-Finch	<i>Atlapetes blancae</i> <sup>60</sup>	<i>blancae</i> (Ac)			X			B		CR End	2>								
<input type="checkbox"/> Gorrión-montés Pizarra Slaty Brush-Finch	<i>Atlapetes schistaceus</i>	<i>fumidus</i> (Ap) <i>schistaceus</i> (Ax) <i>tamae</i> (CE)			X,E,N, Ω			B	2,3,4,7,13		2>								
<input type="checkbox"/> Cardonero Coronirrojo Pileated Finch	<i>Coryphospingus pileatus</i>	<i>rostratus</i> (C) Huila <i>brevicaudus</i> (NE) Guajira	Γ,M					D	13		0-1								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Pinzón Carmesí Crimson-breasted Finch	<i>Rhodospingus cruentus</i>			I					B		0-1							
<input type="checkbox"/>	Montero Ojiblanco Common Bush-Tanager	<i>Chlorospingus ophthalmicus</i>	<i>eminens</i> (NE) <i>exitelus</i> (Aw,c) <i>flavopectus</i> (Ae) <i>hiaticolus</i> (NE) <i>jacqueti</i> (NE) <i>macarenae</i> (Mac) <i>nigriceps</i> (Ac, aM.) <i>ponsi</i> (Ap) <i>trudis</i> (W)			X,E,N, Ω				B	3,6,13	0-2							
<input type="checkbox"/>	Montero de Tacarcuna Tacarcuna Bush-Tanager	<i>Chlorospingus tacarcunae</i>			Δ					B		1-2							
<input type="checkbox"/>	Montero Grisáceo Dusky Bush-Tanager	<i>Chlorospingus semifuscus</i>	<i>livingstoni</i> (W) <i>semifuscus</i> (SW)		Σ					B	1,2	C-end	1-2>						
<input type="checkbox"/>	Montero Bigotudo Short-billed Bush-Tanager	<i>Chlorospingus parvirostris</i>	<i>huallagae</i>				Σ			B		1-2>							
<input type="checkbox"/>	Montero Gorgiamarillo Yellow-throated Bush-Tanager	<i>Chlorospingus flavigularis</i>	<i>flavigularis</i> (C) <i>marginatus</i> (SW)		Σ	X	Σ			B	1,2,11	0-2							
<input type="checkbox"/>	Montero Verdiamarillo Yellow-green Bush-Tanager	<i>Chlorospingus flavovirens</i>			Σ					B	1	VU C-end	1-2						
<input type="checkbox"/>	Montero Pectoral Ashy-throated Bush-Tanager	<i>Chlorospingus canigularis</i>	<i>canigularis</i> (C) <i>conspicillatus</i> (W) <i>signatus</i> (S?)			X,E,Ω				B	1,6,13	1-2>							
<b>CARDINALIDAE: (24) (Cardinales, picogordos, etc. – Cardinals, grosbeaks etc.)</b>																			
<input type="checkbox"/>	Piranga Bermeja Hepatic Tanager	<i>Piranga flava</i>	<i>desidiosa</i> (W) <i>faceta</i> (Ae, sm) <i>lutea</i> (SW) <i>toddi</i> (C)			≡				B	1,3,6,8,12, 13,15	0-2>							
<input type="checkbox"/>	Piranga Abejera Summer Tanager	<i>Piranga rubra</i>	<i>rubra</i>		≡	≡	≡	≡	O	B	1,2,4,5,6,8, 10,11,12, 13,15	Mb	0-2						
<input type="checkbox"/>	Piranga Alinegra Scarlet Tanager	<i>Piranga olivacea</i>			≡	≡	≡			B	5,6,8,10,12, 13,14,15	Mb	0-2>						
<input type="checkbox"/>	Piranga Cabecirroja Red-hooded Tanager	<i>Piranga rubriceps</i>				X,E,N, Ω				B	1,2,3,7	1-2>							
<input type="checkbox"/>	Piranga Aliblanca White-winged Tanager	<i>Piranga leucoptera</i>	<i>ardens</i> (An) <i>venezuelae</i> (Ax)			X,E,N, Π,Ω				B	1,6,9,11,13	0-2>							
<input type="checkbox"/>	Habia Coronada Red-crowned Ant-Tanager	<i>Habia rubica</i>	<i>coccinea</i> (NC) <i>perijana</i> (Ap) <i>rhodinolaema</i> (SE)			E,Π	Z			B		0-1							
<input type="checkbox"/>	Habia Gorgirroja Red-throated Ant-Tanager	<i>Habia fuscicauda</i>	<i>erythrolaema</i>	T	Δ					B		0-1							
<input type="checkbox"/>	Habia Ceniza Sooty Ant-Tanager	<i>Habia gutturalis</i>	<i>erythrolaema</i> (N) <i>gutturalis</i> (C)	M,T						B	5,11,12,13	NT End	0-2						
<input type="checkbox"/>	Habia Copetona Crested Ant-Tanager	<i>Habia cristata</i>			Σ					B	2,13	End	0-2						
<input type="checkbox"/>	Guayabero Aceituna Carmioli's Tanager	<i>Chlorothraupis carmioli</i>	<i>lutescens</i> <i>frenata</i>		Δ,Σ		Σ			B		0-1							
<input type="checkbox"/>	Guayabero Oliváceo Lemon-spectacled Tanager	<i>Chlorothraupis olivacea</i>		T	T					B	7	C-end	0-2						
<input type="checkbox"/>	Guayabero Ocre Ochre-breasted Tanager	<i>Chlorothraupis stolzmanni</i>	<i>dugandi</i>		Σ					B	1	C-end	0-2						
<input type="checkbox"/>	Picogordo Amarillo Golden-bellied Grosbeak	<i>Pheucticus chrysogaster</i>	<i>chrysopeplus</i> (SW) <i>laubmanni</i> (N)			N,Π,Σ M				B	8	1-2>							
<input type="checkbox"/>	Picogordo Pechinegro Black-backed Grosbeak	<i>Pheucticus aureoventris</i>	<i>chrysalis</i> (SW) <i>uropygialis</i> (W)			X,E,N				B	,15	0-2>							
<input type="checkbox"/>	Picogordo Degollado Rose-breasted Grosbeak	<i>Pheucticus ludovicianus</i>			≡	≡	≡	≡	O	B,D	4,6,8,10, 12,13,15	Mb	0-2>						
<input type="checkbox"/>	Candelita Pechirroja Rose-breasted Chat	<i>Granatellus pelzelni</i>	<i>pelzelni</i>				Z			B		0-1							
<input type="checkbox"/>	Cardenal Guajiro Vermilion Cardinal	<i>Cardinalis phoeniceus</i>			Γ					D		0-1							
<input type="checkbox"/>	Picogordo de Antifaz Yellow-green Grosbeak	<i>Caryothraustes canadensis</i>	<i>canadensis</i>				Z			B		0-1							
<input type="checkbox"/>	Semillero Azul Blue Seedeater	<i>Amaurospiza concolor</i>	<i>aequatorialis</i>		T					B		0-2							
<input type="checkbox"/>	Azulón Silvícola Blue-black Grosbeak	<i>Cyanocopsa cyanoides</i>	<i>cyanoides</i> (N) <i>rothschildii</i> (E)		≡	≡	Z			B	1,5,8,11,12, 13	0-2							
<input type="checkbox"/>	Azulón Ultramarino Ultramarine Grosbeak	<i>Cyanocopsa brissonii</i>	<i>caucaea</i>		ς	T				D		0-2							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Azulón Norteño Blue Grosbeak	<i>Passerina caerulea</i>			T	Π			B	10	Mb	0-2							
<input type="checkbox"/>	Azulillo Norteño Indigo Bunting	<i>Passerina cyanea</i>		≡					B	8,10	Mb	0-2							
<input type="checkbox"/>	Arrocero Norteño Dickcissel	<i>Spiza americana</i>		≡				O	D	10	Mb	0-2							
<b>PARULIDAE: (56) Reinitas - Wood Warblers</b>																			
<input type="checkbox"/>	Reinita Alidorada Golden-winged Warbler	<i>Vermivora chrysoptera</i>		≡	≡	≡	≡	O	B	6,8,9,10,11,12,15	Mb NT	1-2>							
<input type="checkbox"/>	Reinita Aliazul Blue-winged Warbler	<i>Vermivora pinus</i>				ΣM			B		acc Mb	0-2							
<input type="checkbox"/>	Reinita Verderona Tennessee Warbler	<i>Vermivora peregrina</i>		≡	≡	≡	≡	O	B	2,4,5,6,8,10,11,12,13,15	Mb	0-2>							
<input type="checkbox"/>	Reinita de Nashville Nashville Warbler	<i>Vermivora ruficapilla</i> <sup>36</sup>		I					B	10	Mb SA	0-2>							
<input type="checkbox"/>	Reinita Norteña Northern Parula	<i>Parula americana</i>		I					D	10	Mb	0-1							
<input type="checkbox"/>	Reinita Tropical Tropical Parula	<i>Parula pitiayumi</i>	<i>alarum</i> (S) <i>elegans</i> (Ax) <i>nana</i> (NW) <i>pacifica</i> (SW)	T	O	≡			B, D	1,2,3,5,6,8,11,12,13,15		0-2>							
<input type="checkbox"/>	Reinita de Pensilvania Chestnut-sided Warbler	<i>Dendroica pensylvanica</i>		≡		X			D	10	Mb	0-2							
<input type="checkbox"/>	Reinita Dorada Yellow Warbler	<i>Dendroica petechia</i>	<i>aestiva</i> (Mb), <i>ammicola</i> , <i>morcomi</i> , <i>sonorana</i> <i>chrysendeta</i> (NE) <i>erithachorides</i> <i>jubaris</i> (W) <i>peruviana</i> (SW)	≡	≡	≡	≡	O	B, D	5,8,9,10,12,13,14,15		0-2>							
<input type="checkbox"/>	Reinita Rayada Blackpoll Warbler	<i>Dendroica striata</i>		≡	≡	≡	≡	O	B, D	5,8,10,13,14,15	Mb	0-2>							
<input type="checkbox"/>	Reinita Castaña Bay-breasted Warbler	<i>Dendroica castanea</i>		≡	≡	X	Z		B, D	5,6,8,10,11,12,13	Mb	0-2							
<input type="checkbox"/>	Reinita Gorginaranja Blackburnian Warbler	<i>Dendroica fusca</i>		≡	≡	≡	≡	O	B	1,2,3,4,6,7,8,9,10,11,12,13,14,15	Mb	0-2>							
<input type="checkbox"/>	Reinita Magnolia Magnolia Warbler	<i>Dendroica magnolia</i>		T,I		ΣM			D	10	Mb	0-2							
<input type="checkbox"/>	Reinita Cerúlea Cerulean Warbler	<i>Dendroica cerulea</i>		≡	≡	≡			B	4,5,6,9,10,11,12,13	Mb VU	0-2							
<input type="checkbox"/>	Reinita Atigrada Cape May Warbler	<i>Dendroica tigrina</i>		T,I	I	ΣM			D	4,10	Mb Obs*	0-1							
<input type="checkbox"/>	Reinita Negriazul Black-throated Blue Warbler	<i>Dendroica caerulescens</i>	<i>caerulescens</i>	Γ		ΣM			D	6,10	Mb	0-2							
<input type="checkbox"/>	Reinita Culiamarilla Yellow-rumped Warbler	<i>Dendroica coronata</i>	<i>coronata</i>	T,I		ΣM			D	10	Mb	0-2							
<input type="checkbox"/>	Reinita Verdinegra Black-throated Green Warbler	<i>Dendroica virens</i>	<i>virens</i>	I		E,ΣM			B	8,10	Mb	0-2>							
<input type="checkbox"/>	Reinita de Townsend Townsend's Warbler	<i>Dendroica townsendi</i>		Γ					B		acc Mb	0-1							
<input type="checkbox"/>	Reinita Gorgiamarilla Yellow-throated Warbler	<i>Dendroica dominica</i>	<i>albilora</i>	T		ΣM			D	8,10	Mb	0-1							
<input type="checkbox"/>	Reinita Galana Prairie Warbler	<i>Dendroica discolor</i>		T					D	10	Mb	0-1							
<input type="checkbox"/>	Reinita Palmera Palm Warbler	<i>Dendroica palmarum</i>		I	Δ				B,D	10	Mb	0-1							
<input type="checkbox"/>	Reinita del Pino Pine Warbler	<i>Dendroica pinus</i> <sup>37</sup>				ΣM			B,D		Mb Obs*	0-2							
<input type="checkbox"/>	Candelita Norteña American Redstart	<i>Setophaga ruticilla</i>	<i>ruticilla</i> , <i>tricolora</i>	≡	≡	≡	Z		B,D	6,8,10,11,12,13,14	Mb	0-2>							
<input type="checkbox"/>	Cebrita Trepadora Black-and-white Warbler	<i>Mniotilta varia</i>		≡	≡	≡	≡	O	B	1,2,4,5,6,8,9,10,11,12,13,14	Mb	0-2>							
<input type="checkbox"/>	Reinita Cabecidorada Prothonotary Warbler	<i>Protonotaria citrea</i>		≡	I	X,ΣM	Z		B,D	6,10,15	Mb	0-2							
<input type="checkbox"/>	Reinita Gusanera Worm-eating Warbler	<i>Helmitheros vermivorum</i> <sup>38</sup>		≡					B	10	Mb Obs*	0-2							
<input type="checkbox"/>	Reinita de Swainson Swainson's Warbler	<i>Limnothlypis swainsonii</i> <sup>39</sup>		I					B,D	10	Mb SA	0-1							
<input type="checkbox"/>	Reinita Hornera Ovenbird	<i>Seiurus aurocapilla</i>	<i>aurocapillus</i>			ΣM			D	5,6,10	Mb	0-2							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt							
<input type="checkbox"/>	Reinita Acuática Northern Waterthrush	<i>Seiurus noveboracensis</i>				X,E			B, D	5,8,10,12,13,15	Mb	0-2							
<input type="checkbox"/>	Reinita de Luisiana Louisiana Waterthrush	<i>Seiurus motacilla</i>			Σ	ΣM	Z		D	8,9	Mb	0-2							
<input type="checkbox"/>	Reinita de Anteojos Kentucky Warbler	<i>Oporornis formosus</i>				ΣM			B,D	8,10	Mb	0-1							
<input type="checkbox"/>	Reinita Pechigrís Connecticut Warbler	<i>Oporornis agilis</i>				X,ΣM	Z		B	3,6,8	Mb	0-1							
<input type="checkbox"/>	Reinita Enlutada Mourning Warbler	<i>Oporornis philadelphia</i>		Σ	Σ	Σ	Σ	O	B	2,3,4,5,6,8,9,10,12,13,15	Mb	0-2>							
<input type="checkbox"/>	Reinita de Antifaz Common Yellowthroat	<i>Geothlypis trichas trichas</i>		Σ	T	ΣM			B	10	Mb	0-2>							
<input type="checkbox"/>	Reinita Carinegra Olive-crowned Yellowthroat	<i>Geothlypis semiflava bairdi</i>		ς	Σ				B	1		0-2							
<input type="checkbox"/>	Reinita Enmascarada Masked Yellowthroat	<i>Geothlypis aequinoctialis aequinoctialis</i>		M,T		X	ϕ		U			0-2							
<input type="checkbox"/>	Reinita Encapuchada Hooded Warbler	<i>Wilsonia citrina</i>		T		ΣM			D	10	Mb	0-1							
<input type="checkbox"/>	Reinita Gorrinegra Wilson's Warbler	<i>Wilsonia pusilla</i>			Δ				B	4,10	Mb	0-1							
<input type="checkbox"/>	Reinita de Canadá Canada Warbler	<i>Wilsonia canadensis</i>		Σ	Σ	Σ	Σ	O	B	2,3,4,5,6,8,9,10,11,12,13	Mb	0-2>							
<input type="checkbox"/>	Abanico Pechinegro Slate-throated Whitestart	<i>Myioborus miniatus ballux</i> (Ax) <i>sanctaemartae</i> (Asm) <i>verticalis</i> ? (SE)				Σ			B	1,2,3,4,6,7,8,9,11,13		0-2>							
<input type="checkbox"/>	Abanico Cariblanco Golden-fronted Whitestart	<i>Myioborus ornatus chrysopt</i> (Aw,c) <i>ornatus</i> (C)				X,E,Ω			B	2,3,4,6,7,13	C-end	1-2>							
<input type="checkbox"/>	Abanico Sureño Spectacled Whitestart	<i>Myioborus melanocephalus ruficoronatus</i>				N			B			2>							
<input type="checkbox"/>	Abanico Colombiano Yellow-crowned Whitestart	<i>Myioborus flavivertex</i>				ΣM			B	2,8		1-2>							
<input type="checkbox"/>	Arañero Oliváceo Golden-bellied Warbler	<i>Basileuterus chrysogaster chlorophrys</i>			Σ				B	1		0-1							
<input type="checkbox"/>	Arañero Cetrino Citrine Warbler	<i>Basileuterus luteoviridis luteoviridis</i> (E) <i>quindianus</i> (Ac) <i>richardsoni</i> (Aw)				X,E,N,Ω			B	3,4,6,7		1-2>							
<input type="checkbox"/>	Arañero Cabecinegro Black-crested Warbler	<i>Basileuterus nigrocristatus</i>				X,E,N,Π,Ω			B	3,4,6,7		1-2>							
<input type="checkbox"/>	Arañero Pechigrís Gray-throated Warbler	<i>Basileuterus cinereicollis cinereicollis</i> (Ae) <i>pallidulus</i> (NE)				E,Π			B	6,9	NT C-end	0-2							
<input type="checkbox"/>	Arañero Embridado White-lored Warbler	<i>Basileuterus conspicillatus</i>				ΣM			B	8,15	NT	0-2>							
<input type="checkbox"/>	Arañero Coronado Russet-crowned Warbler	<i>Basileuterus coronatus elatus</i> (An) <i>regulus</i> (C)				X,E,N,Ω			B	1,2,3,4,6,7,13		1-2>							
<input type="checkbox"/>	Arañero Cejiblanco Golden-crowned Warbler	<i>Basileuterus culicivorus austerus</i> (C) <i>cabanisi</i> (NE) <i>indignus</i> (Asm, Ae) <i>oculatus</i> (W-NC) <i>olivascens</i> (E)		ς		X,E,Π,ΣM	Σ		B	2,3,4,6,8,9,14,15		0-2							
<input type="checkbox"/>	Arañero Cabecirrufo Rufous-capped Warbler	<i>Basileuterus rufifrons mesochrysus</i>		M,T					B	8,12,13,15		0-2							
<input type="checkbox"/>	Arañero del Pirré Pirre Warbler	<i>Basileuterus ignotus</i>			Δ				B		VU	1-2							
<input type="checkbox"/>	Arañero Cabecirrayado Three-striped Warbler	<i>Basileuterus tristriatus auricularis</i> (Ac,e) <i>daedalus</i> (W) <i>meridanus</i> ? (NE) <i>tacarcunae</i> (NW)		Γ	Δ	X,E,N,Π,Ω			B	1,2,3,4,7,11,15		0-2>							
<input type="checkbox"/>	Arañero de Santa Marta Santa Marta Warbler	<i>Basileuterus basilicus</i>				ΣM			B	8	VU	2>							
<input type="checkbox"/>	Arañero Amarillo Flavescent Warbler	<i>Basileuterus flaveolus</i>		ς		E			D			0-1							
<input type="checkbox"/>	Arañero Ribereño Buff-rumped Warbler	<i>Phaeothlypis fulvicauda fulvicauda</i> (E) <i>motacilla</i> (CS) <i>semicervina</i> (N, W)		M,T	T		Z		B,A	1,2,5,6,11,13,15		0-2							
<b>ICTERIDAE: (41) Oropéndolas, Arrendajos, Turpiales - Oropendolas, Orioles, Blackbirds</b>																			
<input type="checkbox"/>	Oropéndola Variable Russet-backed Oropendola	<i>Psarocolius angustifrons angustifrons</i> (SE) <i>atrocastaneus</i> (SW?) <i>neglectus</i> (Ae) Vert.Este <i>salmoni</i> (Aw,c) <i>sincipitalis</i> (Ac,e)				X,E,N,Π,Ω	Z		B	2,4,6,7,11,12		0-2							

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt								
<input type="checkbox"/>	Oropéndola Verde Green Oropendola	<i>Psarocolius viridis</i>					≡	o	B	2,14		0-1								
<input type="checkbox"/>	Oropéndola Cabecicastaña Chestnut-headed Oropendola	<i>Psarocolius wagleri</i>	<i>ridgwayi</i>	T	T				B	5,6,12		0-1								
<input type="checkbox"/>	Oropéndola Crestada Crested Oropendola	<i>Psarocolius decumanus</i>	<i>decumanus</i> (E) <i>melanterus</i> (C, N, NW)		Δ,T		≡	o	B,D	5,8,9,11,12,14		0-2>								
<input type="checkbox"/>	Oropéndola Negra Black Oropendola	<i>Psarocolius guatimozinus</i>		T	Δ				B		C-end	0-1								
<input type="checkbox"/>	<b>Oropéndola del Chocó</b> <b>Baudo Oropendola</b>	<i>Psarocolius cassini</i>			Δ				B		<b>EN</b>	0-1								
<input type="checkbox"/>	Oropéndola Oliva Olive Oropendola	<i>Psarocolius bifasciatus</i>					z		B	14		0-1								
<input type="checkbox"/>	Oropéndola Cascuda Casqued Oropendola	<i>Clypicerter oseryi</i> <sup>40</sup>					z		B			0-1								
<input type="checkbox"/>	Oropéndola Amazónica Band-tailed Oropendola	<i>Ocyalus latirostris</i>					z		B			0-1								
<input type="checkbox"/>	Arrendajo Montañero Mountain Cacique	<i>Cacicus chrysonotus</i>	<i>leucoramphus chrysonotus</i>			X,E,N, Ω			B	2,3,4,6,7,11,15		1-2>								
<input type="checkbox"/>	Arrendajo Ecuatoriano Ecuadorian Cacique	<i>Cacicus sclateri</i> <sup>41</sup>					z		B			0-1								
<input type="checkbox"/>	Arrendajo Culiamarillo Yellow-rumped Cacique	<i>Cacicus cela</i>	<i>cela</i> (E), <i>flavirissum</i> (SW?), <i>vitellinus</i> (N)	≡	Δ		≡	o	B, D	14		0-1								
<input type="checkbox"/>	Arrendajo Solitario Solitary Black Cacique	<i>Cacicus solitarius</i>					z		B			0-1								
<input type="checkbox"/>	Arrendajo Enjalmado Red-rumped Cacique	<i>Cacicus haemorrhous</i>	<i>haemorrhous</i>				z		B	14		0-1								
<input type="checkbox"/>	Arrendajo Culirrojo Scarlet-rumped Cacique	<i>Cacicus uropygialis</i>	<i>uropygialis</i>			X,E,N			B	1,6		0-2								
<input type="checkbox"/>	Arrendajo Negro Yellow-billed Cacique	<i>Amblycercus holosericeus</i>	<i>australis</i> (C) <i>flavirostris</i> (W) <i>holosericeus</i> (N)		Δ,Σ	≡			B	1,3,8		0-2>								
<input type="checkbox"/>	Turpial Guajiro Troupial	<i>Icterus icterus</i>	<i>icterus</i> (E) Arauca <i>metae</i> (E) Vichada <i>ridgwayi</i> (NE)	Γ				o	D	15		0-1								
<input type="checkbox"/>	Turpial Matico Orange-backed Troupial	<i>Icterus croconotus</i>	<i>croconotus</i> (SE)				z		B			0-1								
<input type="checkbox"/>	Turpial Jamaquino Jamaican Oriole	<i>Icterus leucopteryx</i>		I					D	10	SA	0-1								
<input type="checkbox"/>	Turpial Coliamarillo Yellow-tailed Oriole	<i>Icterus mesomelas</i>	<i>carrikeri</i> (N, W) <i>taczanowskii</i> ? (SW)	≡	T				B	6,12		0-2								
<input type="checkbox"/>	Turpial Negro Epaulet Oriole	<i>Icterus cayanensis</i>	<i>chrysocephalus</i>				z		B	14		0-1								
<input type="checkbox"/>	Turpial Hortelano Orchard Oriole	<i>Icterus spurius</i>		≡	≡	≡	≡	o	B, D	8	Mb	0-2								
<input type="checkbox"/>	Turpial Cabecirrojo Orange-crowned Oriole	<i>Icterus auricapillus</i>		≡			Σ		B,D	5,6,8,12,13		0-1								
<input type="checkbox"/>	Turpial Montañero Yellow-backed Oriole	<i>Icterus chrysater</i>	<i>giraudii</i> (N) <i>hondae</i> (W-C)	≡	≡	≡			B	3,4,6,8,13,15		0-2								
<input type="checkbox"/>	Oriol de Baltimore Baltimore Oriole	<i>Icterus galbula</i>		≡		≡			B, D	6,8,10	Mb	0-2								
<input type="checkbox"/>	Turpial Amarillo Yellow Oriole	<i>Icterus nigrogularis</i>	<i>nigrogularis</i>	≡				o	B, D	5,6,8,13,15		0-2								
<input type="checkbox"/>	Arrendajo Peruano Scrub Blackbird	<i>Dives warszewiczi</i> <sup>42</sup>			Σ				B	1	Obs	0-1								
<input type="checkbox"/>	<b>Tordo Montañero</b> <b>Mountain Grackle</b>	<i>Macroagelaius subalaris</i>				E			B	6	<b>EN</b>	1-2>								
<input type="checkbox"/>	Turpial Lagunero Oriole Blackbird	<i>Gymnomystax mexicanus</i>					≡	o	B,S	14		0-1								
<input type="checkbox"/>	<b>Cacique Candela</b> <b>Red-bellied Grackle</b>	<i>Hypopyrrhus pyrohypogaster</i>				X,E,N, Ω			B	11	<b>EN</b>	1-2>								
<input type="checkbox"/>	Tordo Amazónico Velvet-fronted Grackle	<i>Lamprosar tanagrinus</i>	<i>tanagrinus</i>				≡	o	B			0-1								
<input type="checkbox"/>	Monjita Cabeciamarilla Yellow-hooded Blackbird	<i>Chrysomus icterocephalus</i>	<i>bogotensis</i> (Ae) <i>icterocephalus</i> (N, C, E)	≡		X,E	≡	o	A	13		0-2>								
<input type="checkbox"/>	Chamón Gigante Giant Cowbird	<i>Molothrus oryzivorus</i>	<i>oryzivora</i>	≡	≡	≡	≡	o	T	2,4,5,8,11		0-2								
<input type="checkbox"/>	Chamón Caribeño Bronzed Cowbird	<i>Molothrus aeneus</i>	<i>armenti</i>	o					D			0-1								
<input type="checkbox"/>	Chamón Común Shiny Cowbird	<i>Molothrus bonariensis</i>	<i>aequatorialis</i> (SW) <i>cabanisii</i> (X) <i>venezuelensis</i> (E)	≡	≡	≡	≡	o	T	3,4,5,6,8,11,13,15		0-2								

Nombre Común en Español y Inglés Spanish and English name		Nombre de la especie (Latín) Scientific name	Subespecie Subspecies name	Vall.-Car.	Pacífico	Andes	Amazo.	Orinoco	Cobertura	Reservas ProAves	Estado Status	Alt									
<input type="checkbox"/>	Tordo Llanero Carib Grackle	<i>Quiscalus lugubris</i>	<i>lugubris</i>					o	S			0-1									
<input type="checkbox"/>	Mariamulata Great-tailed Grackle	<i>Quiscalus mexicanus</i>	<i>peruvianus</i>	o	o				A	10,14		0-1									
<input type="checkbox"/>	Soldadito Red-breasted Blackbird	<i>Sturnella militaris</i>	<i>militaris</i>	≡	T	X	≡	o	S	5,13,14,15		0-2									
<input type="checkbox"/>	Turpial belicoso Peruvian Meadowlark	<i>Sturnella bellicosa</i>		T	T,Σ				S			0-1									
<input type="checkbox"/>	Chirlobirlo Eastern Meadowlark	<i>Sturnella magna</i>	<i>meridionalis</i> (C) <i>paralios</i> (N) <i>praticola</i> (E)	M,T		E		o	S	6,12,14,15		0-2>									
<input type="checkbox"/>	Tordo Arrocero Bobolink	<i>Dolichonyx oryzivorus</i>		≡	≡	≡	≡	o	S		tra Mb	0-2>									
<b>FRINGILLIDAE: (23) Semilleros – Finches</b>																					
<input type="checkbox"/>	Jilguero Andino Andean Siskin	<i>Carduelis spinescens</i>	<i>capitaneus</i> (Asm) <i>nigricauda</i> (Ac,w) <i>spinescens</i> (Ac,s)			≡			S	3,4,8		1-2>									
<input type="checkbox"/>	Jilguero Rojo Red Siskin	<i>Carduelis cucullata</i>				E			D,S		EN	0-2									
<input type="checkbox"/>	Jilguero Encapuchado Hooded Siskin	<i>Carduelis magellanica</i>	<i>capitalis</i>			X,N			B			2>									
<input type="checkbox"/>	Jilguero oliváceo Olivaceous Siskin	<i>Carduelis olivacea</i>							B			2>									
<input type="checkbox"/>	Jilguero Pechinegro Yellow-bellied Siskin	<i>Carduelis xanthogastra</i>	<i>xanthogastra</i>			X,E,N, Ω			B,S	3,4,6,7,9, 11		1-2>									
<input type="checkbox"/>	Jilguero Aliblanco Lesser Goldfinch	<i>Carduelis psaltria</i>	<i>columbiana</i>			≡			B,S	3,4,5,6,7,8, 11,13,14, 15		0-2>									
<input type="checkbox"/>	Eufonia Plumiza Plumbeous Euphonia	<i>Euphonia plumbea</i>						Z	B			0-1									
<input type="checkbox"/>	Eufonia Gorgipúrpura Purple-throated Euphonia	<i>Euphonia chlorotica</i>	<i>cyanophora</i>					≡	o	B	14	0-1									
<input type="checkbox"/>	Eufonia de Trinidad Trinidad Euphonia	<i>Euphonia trinitatis</i>		T					D	6,8		0-1									
<input type="checkbox"/>	Eufonia Frentinegra Velvet-fronted Euphonia	<i>Euphonia concinna</i>		M					D	13	End	0-2									
<input type="checkbox"/>	Eufonia Coronaranja Orange-crowned Euphonia	<i>Euphonia saturata</i>		ς	Σ	N,Ω			B,D	1		0-2									
<input type="checkbox"/>	Eufonia Gorgiamarilla Thick-billed Euphonia	<i>Euphonia lanirostris</i>	<i>crassirostris</i> (C) <i>hypoxantha</i> ? (SW) <i>melanura</i> (SE)	≡		X	Z		B, D	5,6,8,11,12, 13,14,15		0-2									
<input type="checkbox"/>	Eufonia Cabeciazul Golden-rumped Euphonia	<i>Euphonia cyanocephala</i>	<i>intermedia</i> (NE) <i>pelzelni</i> (C,W)			X,E,Ω			B	2,3,6,11,13		0-2>									
<input type="checkbox"/>	Eufonia Fulva Fulvous-vented Euphonia	<i>Euphonia fulvicrissa</i>	<i>fulvicrissa</i> (NW) <i>omissa</i> (C) <i>purpurascens</i> (SW)	T	T				B	5		0-1									
<input type="checkbox"/>	Eufonia Verdidorada Golden-bellied Euphonia	<i>Euphonia chrysopasta</i>	<i>chrysopasta</i> (S) <i>nitida</i> (SE)					Z	B	14		0-1									
<input type="checkbox"/>	Eufonia Bronceada Bronze-green Euphonia	<i>Euphonia mesochrysa</i>	<i>mesochrysa</i>			X	Σ		B	14		0-2>									
<input type="checkbox"/>	Eufonia Culiblanca White-vented Euphonia	<i>Euphonia minuta</i>	<i>humilis</i> (W) <i>minuta</i> (E)	T	Δ,T			Z	B	1,14		0-1									
<input type="checkbox"/>	Eufonia Cabecirrufa Tawny-capped Euphonia	<i>Euphonia annae</i>	<i>rufivertex</i>		Δ				B			0-1									
<input type="checkbox"/>	Eufonia Buchinaranja Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	<i>badissima</i> (NW) <i>brevirostris</i> (E) <i>chocoensis</i> (W) <i>dilutior</i> (SE) <i>exul</i> (NE) <i>quitensis</i> ? (SW)	≡		X,E,Π, Ω	Z		B	1,2,6,9,11, 12,14		0-2>									
<input type="checkbox"/>	Eufonia Buchirrufa Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>						≡	o	B		0-1									
<input type="checkbox"/>	Clorofonia Verdiazul Blue-naped Chlorophonia	<i>Chlorophonia cyanea</i>	<i>intensa</i> (Aw) <i>longipennis</i> (CS) <i>psittacina</i> (Asm)			≡			B	4,6,8,9		0-2									
<input type="checkbox"/>	Clorofonia Ferruginosa Chestnut-breasted Chlorophonia	<i>Chlorophonia pyrrhophrys</i>				X,E,N, Π,Ω			B	2,4,7,9,11		1-2>									
<input type="checkbox"/>	Clorofonia Collareja Yellow-collared Chlorophonia	<i>Chlorophonia flavirostris</i>			Σ				B	1,2	C-end	0-2									
<b>ESTRILIDIDAE: (2) Gorriones del viejo mundo - Old world finches</b>																					
<input type="checkbox"/>	Munia Tricolor Tricolored Munia	<i>Lonchura malacca</i> <sup>43</sup>							B,D		Int										



# End notes ~ Notas

## Additions to checklist since 2001 - Adiciones del listado desde el 2001:

- 1- Not used.
- 2- Mallard *Anas platyrhynchos* (Salaman *et al.* 2008)
- 3- Gadwall *Anas strepera* (Salaman *et al.* 2008)
- 4- Ruddy Duck *Oxyura jamaicensis jamaicensis* (Salaman *et al.* 2008)
- 5- Greylag Goose *Anser anser* (Salaman *et al.* 2008)
- 6- Rufous-headed Chachalaca *Ortalis erythroptera* (Strewe 2001)
- 7- Christmas Shearwater *Puffinus nativitatis* (Spear & Ainley 1999)
- 7a- Parkinson's Petrel *Procellaria parkinsoni* (Estela *et al.* 2007).
- 8- White-bellied Storm-Petrel *Fregata grallaria* (Spear & Ainley 1999)
- 8a- Leach's Storm-Petrel *Oceanodroma leucorhoa chapmani* (Donegan *et al.* in press)
- 9- American White Pelican *Pelecanus erythrorhynchus* (Estela *et al.* 2005).
- 10- Double-crested Cormorant *Phalacrocorax auritus* (Salaman *et al.* 2008)
- 11- Red-tailed Hawk *Buteo jamaicensis* (Castaño & Colorado 2002; Strewe 2001)
- 12- Pale-winged Trumpeter *Psophia leucoptera* (van Leeuwen & Hoogeland 2004)
- 13- Long-billed Curlew *Numenius americanus* (de Bruin 2006)
- 13a- South Polar Skua *Stercorarius maccormicki* (Estela 2004)
- 14- Pomarine Skua *Stercorarius pomarinus* (Estela *et al.* 2004, Salaman *et al.* 2008)
- 15- Long-tailed Skua *Stercorarius longicaudus* (Estela *et al.* 2004, Salaman *et al.* 2008)
- 16- Lesser Black-backed Gull *Larus fuscus* (Salaman *et al.* 2008)
- 16a- Grey-hooded Gull *Chroicocephalus cirrocephalus* (Strewe *et al.* 2008)
- 17- South American Tern *Sterna hirundinacea* (Spear & Ainley 1999)
- 18- African Collared-Dove *Streptopelia roseogrisea* (Donegan & Huertas 2002b; Donegan *et al.* 2003)
- 19- White-tipped Swift *Aeronautes montivagus* (Donegan *et al.* 2007)
- 20- Blue-mantled Thornbill *Chalcostigma stanleyi* (Salaman *et al.* 2008)
- 21- Many-spotted Hummingbird *Taphrosipilus hypostictus* (Cordoba & Echeverry 2006)
- 22- Snowy-bellied Hummingbird *Amazilia edward* (Colorado & Pulgarín 2003)
- 23- Violet-chested Hummingbird *Sternoclyta cyanopectus* (Cordoba & Echeverry 2006)
- 24- White-throated Woodpecker *Piculus leucolaemus* (Salaman *et al.* 2002b)
- 25- Zimmer's Woodcreeper *Dendroplex kienerii* (Barnett & Kirwan 2002; Stiles 2005)
- 26- Foothill Antwren *Epinecrophylia spodiota* (Salaman *et al.* 2002b)
- 28- Orange-crested Flycatcher *Myiophobus p. phoenicomitra* (Salaman *et al.* 2002b)
- 29- Least Flycatcher *Empidonax minimus* (Salaman *et al.* 2008)
- 30- Sharpbill *Oxyruncus cristatus* (Salaman *et al.* 2002a)
- 31- White-eyed Vireo *Vireo griseus* (Salaman *et al.* 2008)
- 32- Bahama Swallow *Tachycineta cyaneoviridis* (Strewe 2006).
- 33- American Pipit *Anthus rubescens* (Salaman *et al.* 2008)
- 34- Savannah Sparrow *Passerculus sandwichensis* (Salaman *et al.* 2008)
- 35- Northern Rough-winged Swallow *Stelgidopteryx serripennis* (Downing 2005)
- 36- Nashville Warbler *Vermivora ruficapilla* (Salaman *et al.* 2008)
- 37- Pine Warbler *Dendroica pinus* (Strewe & Navarro 2004)
- 38- Worm-eating Warbler *Helmitheros vermivorum* (Donegan & Huertas 2002a)
- 39- Swainson's Warbler *Limnithlypis swainsonii* (Salaman *et al.* 2008)
- 40- Casqued Oropendola *Clypicterus oseryi* (Cuao 2007)
- 41- Ecuadorian Cacique *Cacicus sclateri* (Botero 2001)
- 42- Scrub Blackbird *Dives warszewiczii* (Salaman *et al.* 2008)
- 42a- Black-and-white Tanager *Conothraupis speculigera* (Bates & Verhelst in prep)
- 43- Black-headed Munia *Lonchura malacca* (Carantón *et al.* 2008)
- 44- Java Sparrow *Lonchura oryzobora* (Carantón *et al.* 2008)

## New taxa for science or undescribed - Nuevas aves para la ciencia o sin escribir

- 44a- Santa Marta Screech-Owl *Megascops sp.* (Krabbe *et al.* MS)
- 45- Gorgeted Puffleg *Eriocnemis isabellae* (Cortés *et al.* 2007)
- 46- Antpitta *Grallaria sp.* (foto: Fundación ProAves 2008)
- 46a- Brown-banded Antpitta *Grallaria milleri gilesi* (Salaman *et al.* 2009)
- 47- Slate-crowned Antpitta *Grallaricula nana hallsi* (Yariguies) (Donegan 2008)
- 48- Slate-crowned Antpitta *Grallaricula nana nanitaea* (Tamá) (Donegan 2008)
- 49- Upper Magdalena Tapaculo *Scytalopus rodriguezi* (Krabbe *et al.* 2005)
- 50- Stiles' Tapaculo *Scytalopus stilesi* (Cuervo *et al.* 2005)
- 51- Spillmann's Tapaculo *Scytalopus spillmanni subsp.* (East Andes) (Donegan & Avendaño 2008)
- 52- Matorral Tapaculo *Scytalopus griseicollis gilesi* (Yariguies) (Donegan & Avendaño 2008)
- 53- Upper Magdalena Tapaculo *Scytalopus rodriguezi subsp.* (East Andes) (Avendaño *et al.* MS)
- 54- Blackish Tapaculo *Scytalopus latrans subsp.* (C Andes; E Andes) (Krabbe & Nilsson 2004; Donegan & Avendaño 2008)
- 27- Tapaculo *Scytalopus sp.* (Perijá) (Donegan & Avendaño 2008)
- 27a- Tapaculo *Scytalopus sp.* (Alto Pisones) (Cuervo *et al.* 2003, 2005)
- 55- Chestnut-capped Piha *Lipaugus weberi* (Cuervo *et al.* 2001)
- 56- Apolinar's Wren *Cistothorus apolinari hernandezii* (Stiles & Caycedo 2002)
- 57- Munchique Wood-Wren *Henicorhina negreti* (Salaman *et al.* 2003)
- 58- Lachrymose Mountain-Tanager *Anisognathus lacrymosus subsp.* (Yariguies) (Donegan & Avendaño MS)
- 59- Yellow-breasted Brush-Finch *Atlapetes latinuchus yariguierum* (Donegan & Huertas 2006)
- 60- Antioquia Brush-Finch *Atlapetes blancae* (Donegan 2007)

## Invalid taxa so designated since 2001 - Taxa considerada como invalida desde 2001

- Tumaco Seedeater *Sporophila insulata* (Stiles 2004)  
Yellow-breasted Brush-Finch *Atlapetes latinuchus simplex* (Donegan & Huertas 2006)

## 'Confirmed' species - Epecies confirmadas

- Proyecto Biomap y otros autores incluyen datos sobre los siguientes especímenes, considerados anteriormente por algunos autores como conocidos en Colombia únicamente de observaciones (e.g. Hilty & Brown 1986):  
Surfbird *Aphriza virgata* (Universidad del Valle 6071, L.G. Naranjo, Punto Soldado, Buenaventura, 1990)  
Ring-billed Gull *Larus delawarensis* (ICN 14953 C.E. Stiefken, Laguna de Tota, Boyacá, 1964)  
Herring Gull *Larus argentatus smithsonianus* (Ruíz-Guerra *et al.* 2007)  
Brown-banded Puffbird *Notharchus ordii* (ICN 31815, sin colector, (J. Newman y colegas?), Serranía de Taraira, La Libertad, Tarairá, Vaupés, 1993);  
River Tyrannulet *Serpophaga hypoleuca* (ICN 31613 and 31614, T. McNish, 50 km ESE Arauca, Caño Agua de Limón, Arauquita, Arauca, 1993)  
Southern Martin *Progne elegans* (ICN 30725, L. Pérez, Santa Marta, Magdalena)  
White-naped Seedeater *Dolospingus fringilloides* (foto: Newman 2000; ICN 30055, K. von Sneider, Matavení, Santa Rita, Vichada, 1982; ICN 31239, F.G. Stiles, 110 km WSW Miraflores, Sierra de Chiribiquete, Guaviare, 1992)  
Yellow-throated Warbler *Dendroica dominica* (AMNH 4266 "Bogotá")  
Hooded Warbler *Wilsonia cirina* (foto: Ocampo 2005)  
Plumbeous Euphonia *Euphonia plumbea* (ICN 31981 amd 32876, T. Walschburger at Río Mesay and Serranía Chiribiquete, Estación Puerto Abeja, Solano, Caquetá, 1993-4; ICN 33032 and 33075, A. Rodríguez, 10 km SW of La Ceiba, Sabanas del Caño, La Ceiba, Inírida, Guainía, 1998).  
Pale-billed Hornero *Furnarius torridus* (Remsen 2008)  
Leaden Antwren *Myrmotherula assimilis* (Remsen 2008)



# Bibliography ~ Bibliografía

This bibliography includes references cited herein and also other useful references relating to the taxonomy and distribution of birds in Colombia published since 1986.

La bibliografía citada incluye referencias citados en este listado y además referencias que refieren a la taxonomía y distribución de las aves de Colombia después de 1986.

- Agne, C. E. & J. F. Pacheco (2007) A homonymy in *Thamnophilidae*: a new name for *Dichropogon* Chubb. *Rev. Bras. Orn.* 15(3):484-485.
- Aleixo, A. 2002. Molecular systematics and the role of the "várzea"- "terra-firme" ecotone in the diversification of *Xiphorhynchus* Woodcreepers (Aves: Dendrocolaptidae). *Auk* 119: 621-640.
- Aleixo, A., S. M. S. Gregory & J. Penhallurick. 2007. Fixation of the type species and revalidation of the genus *Dendroplex* Swainson, 1827 (Dendrocolaptidae). *Bull. Brit. Orn. Club* 127: 242-246.
- Aleixo, A. & Pacheco, J. F. 2006. A family name for the monotypic oscine passerine genus *Donacobius*. *Revista Brasileira de Ornitologia* 14: 172-173
- American Ornithologists' Union. 2006. The A.O.U. Check-list of North American Birds, Seventh Edition. AOU, McLean, VA, USA, 2006.
- Álvarez-López, H. & G.H. Kattan. 1995. Notes on the conservation status of resident diurnal raptors of the middle Cauca Valley, Colombia. *Bird Conserv. Int.* 5: 341-348.
- Álvarez, M. 2000. Aves de la Isla de Malpelo. En: *Biota Colombiana* 1(2): 203-207.
- Andrade, G.I. 1985. Estudio de aves en el Parque Nacional Serranía de la Macuira, Departamento de la Guajira. *Rupicola* 5(3-4): 1-3.
- Andrade, G.I. y C. Mejía. 1988. Cambios estacionales en la distribución de la avifauna terrestre en el Parque Nacional Natural Macuira, Guajira, Colombia. *Trianea*. 1: 145-169.
- AOU. 1998. Checklist of North American Birds. 7<sup>th</sup> ed. Washington, D.C.
- Arango-Vélez, N. & G.H. Kattan. 1997. Effects of forest fragmentation on experimental nest predation in Andean cloud forest. *Biol. Conserv.* 81(1-2): 137-143.
- Altman, A. & B. Swift. 1993. Checklist of the birds of South America. 3<sup>rd</sup> ed. Privately published.
- Asociación Bogotana de Ornitología. 2000. Aves de la Sabana de Bogotá, guía de campo. ABO, CAR, Bogotá.
- Ayala-R, A.V. 1986. Aspects of the relationship between *Thalurania furcata colombica* (Aves, Trochilidae) and the flowers from which it sucks in a subandean forest. *Caldasia* 14(68-70): 549-562.
- Ayerbe-Quiñones, F., López-Ordóñez, J. P., González-Rojas, M.F., Estela, F.A., Ramírez-Burbano, M.B., Sandoval-Sierra, J.V. y Gómez-Bernal, L.G. 2008. Aves del departamento del Cauca - Colombia. *Biota Colombiana* 9 (1) 77 - 132.
- Barnett, J.M. & G.M. Kirwan. 2002. Neotropical Notebook: Colombia. *Cotinga* 17: 85.
- BirdLife International. 2004. Threatened birds of the world 2004. CD-ROM. BirdLife International, Cambridge, UK.
- Botero, C.A. 2001. First specimen of the Ecuadorian Cacique from Colombia with notes on its nesting behaviour. *Wilson Bulletin* 113: 327-328.
- Banks, R.C. & C.J. Dove. 1992. The generic name for Crested Caracara (Aves: Falconidae). *Proc. Biol. Soc. Washington* 105(3): 420-425.
- Bates, J. M., S. J. Hackett, & J. M. Goerck. 1999. High levels of mitochondrial DNA differentiation in two lineages of antbirds (*Drymophila* and *Hypocnemis*). *Auk* 116: 1093-1106.
- Beltrán-S, J.W. & L.G. Naranjo-H. 1988. Additions to the avifauna of Gorgona Island (Colombia). *Lozania* 56: 1-7.
- BirdLife International. 2000. Threatened birds of the World. Lynx Edicions & BirdLife International. Barcelona & Cambridge.
- Bleiwiss-R. 1986. Systematics and geographic variation in the Golden-breasted Puffleg *Eriocnemis mosquera* (Aves, Trochilidae). *Amer. Mus. Novit.* 2913: 1-8.
- Browning, M.R. 1989. The correct name for the Olivaceous Cormorant, "Maiague" of Piso (1658). *Wilson Bull.* 101-106.
- Brumfield, R.T. & J.V. Remsen Jr. 1996. Geographic variation and species limits in *Cinnycerthia* wrens of the Andes. *Wilson Bull.* 108(2): 205-227.
- Brumfield, R. T., & S.V. Edwards. 2007. Evolution into and out of the Andes: a Bayesian analysis of historical diversification in *Thamnophilus* antshrikes. *Evolution* 61:346-367.
- Brumfield, R. T., J.G. Tello, Z.A. Cheviron, M.D. Carling, N. Crochet, & K.V. Rosenberg (2007) Phylogenetic conservatism and antiquity of a tropical specialization: army-ant-following in the typical antbirds (Thamnophilidae). *Molecular Phylogenetics and Evolution* 45:1-13.
- Burns, K. J., & K. Naoki. 2004. Molecular phylogenetics and biogeography of Neotropical tanagers in the genus *Tangara*. *Molecular Phylogenetics and Evolution* 32: 838-854.
- Cabot, J. & T. deVries. 2003. *Buteo polyosoma* and *Buteo poecilochrous* are two distinct species. *Bull. Brit. Orn. Cl.* 123: 190-207.
- Cadena, C. D., J. Klicka & R.E. Ricklefs. 2007. Evolutionary differentiation in the Neotropical montane region: molecular phylogenetics and phylogeography of *Buarremon* brush-finches (Aves, Emberizidae). *Molecular Phylogenetics and Evolution* 2007
- Carantón-Ayala, D., Certuche-Cubillos, K., Díaz-Jaramillo, C., Parra-Hernández, R.M., Sanabria-Mejía, J. & Moreno-Palacios, M. 2008. Aspectos biológicos de una nueva población del Capuchino de Cabeza Negra (*Lonchura malacca*, Estrildidae) en el alto valle del Magdalena, Tolima. *Boletín Sociedad Antioqueña de Ornitología* 18(2): 54-63.
- Castaña-R., A. M., & G.J. Colorado-Z, 2002. First records of Red-tailed Hawk *Buteo jamaicensis* in Colombia. *Cotinga* 18: 102.
- Chesser, R. T. 2004. Molecular systematics of New World suboscine birds. *Molecular Phylogenetics and Evolution* 32: 11-24.
- Clark, W. S. 2007. Taxonomic status and distribution of Mangrove Black Hawk *Buteogallus (anthracinus) subtilis*. *Bulletin of the British Ornithologists' Club* 127:110-117.
- Colorado-Z., G.J. & P.C. Pulgarín-R., 2003. Snowy-bellied Hummingbird *Saucerottia edward*, new to Colombia and South America. *Cotinga* 20: 99-101.
- Cordoba-C., S. & M.A. Echeverry-G. 2006. Two new hummingbirds for Colombia, Many-spotted hummingbird *Taphrospilus hypostictus* and Violet-chested hummingbird *Sternoclyta cyanopectus*. *Bull BOC* 126(3): 194-195.
- Cortes-D.,L. F. Ortega, L. Mazariegos-H. & A.-A. Weller. 2007. A new species of *Eriocnemis* (Trochilidae) from southwest Colombia. *Ornitologia Neotropical* 18:161-170.
- Cuao-C., E.A. 2007. El primer registro para Colombia de la Oropéndola de Casco, *Clypicerus oseryi* (Icteridae). *Ornitología Colombiana* 5 : 78-80.
- Cuervo A.M., P.G.W. Salaman, T.M. Donegan & J.M. Ochoa. 2001. A new species of piha (Cotingidae: Lipaugus) from the Cordillera Central of Colombia. *Ibis* 143(3): 353-368.
- Cuervo, A.M., F.G. Stiles, C.D. Cadena, J.L. Toro & G.A. Londoño. 2003. New and noteworthy records from the northern sector of the Western Andes of Colombia. *Bull Brit. Orn. Club* 123(1): 7-24.
- Cuervo, A.M., C.D. Cadena, N. Krabbe & L.M. Renjifo. 2005. *Scytalopus stilesi*, a new species of tapaculo (Rhinocryptidae) from the Cordillera Central of Colombia. *Auk* 122(2): 445-463.

- Canevari, P., G. Castro, M. Sallaberry y L.G. Naranjo. 2001. Guía de los Chorlos y Playeros de la Región Neotropical. ABC, WWF-US, Humedales para las Américas-Manomet y Asociación Calidris. Cali, Colombia.
- Capparella, A.P., G.H. Rosenberg & S.W. Cardiff. 1997. A new subspecies of *Percnostola rufifrons* (Formicariidae) from northeastern Amazonia of Peru, with a revision of the *rufifrons* complex. pp. 165-170, in J.V. Remsen Jr., ed. (*op. cit.*).
- Castaño, A.M. y G.J. Colorado. 1999. Monitoreo de aves rapaces migratorias. Otoño de 1999. *El Cucarachero* N° 54.
- Cavelier, J., C. Ortega & C. Santos. 1994. Estudios ecológicos en la isla de San Andrés, utilización de los recursos terrestres de la isla. Informe final de la orden de Consultoría N° 12592 modalidad decreto 591 de 1991 del Min. de Agric., Inst. Nal. de Rec. Nat. Renov. y del Ambiente (Inderena).
- Chantler, P. & G. Driessens. 1995. Swifts. Pica Press. Sussex, UK.
- Chesser, R. T. 2004. Molecular systematics of New World suboscine birds. *Molecular Phylogenetics and Evolution* 32: 11-24.
- Clark, W.S. & R.C. Banks. 1992. The taxonomic status of the White-tailed Kite. *Wilson Bull.* 104: 571-579.
- Cleere, N. & D. Nurney. 1998. Nightjars. Pica Press. Sussex, UK.
- Clement, P., A. Harris & J. Davis. 1993. Finches & Sparrows: An Identification Guide. Christopher Helm, London.
- Clements, J.F. 1991. Birds of the World: A Checklist. 4<sup>th</sup> ed. Ibis Publishing. Vista, California.
- Collar, N.J. & D.C. Wege. 1995. The distribution and conservation status of the Bearded Tachuri *Polystictus pectoralis*. *Bird Conserv. Int.* 5(2-3): 367-390.
- Collar, N.J., D.C. Wege & A.J. Long. 1997. Patterns and causes of endangerment in the New World avifauna. *Ornit. Monographs* 48: 237-260.
- Collar, N.J., L.P. Gonzaga, N. Krabbe, A. Madroño-Nieto, L.G. Naranjo, T.A. Parker III & D.C. Wege. 1992. Threatened Birds of the Americas. The ICBP/IUCN Red Data Book. 3<sup>rd</sup> edition, Part 2. International Council for Bird Preservation, Cambridge, UK.
- Collar, N.J., M.J. Crosby & A.J. Stattersfield. 1994. Birds to Watch 2: The World List of Threatened Birds. Cambridge, U.K. *BirdLife International Conserv. Series* 4.
- Cotton, P.A. 1993. The hummingbird-plant community of a lowland Amazonia rainforest. D.Phil. thesis. Univ. of Oxford.
- Crowe, T.M., Bowie, R.C.K., Bloomer, P., Mandiwana, T., Hedderson, T., Randi, E., Pereira, S.L., & Wakeling, J. (2006). Phylogenetics and biogeography of, and character evolution in gamebirds (Aves: Galliformes): effects of character exclusion, partitioning and missing data. *Cladistics* 22: 495-532.
- Cuadros, T. 1988. Ecological aspects of the bird community in a native forest in the Central Andes in Antioquia, Colombia. *Hornero* 13(1): 8-20.
- Cuadros, T. 1991. Registro visual del Cuco Terrestre Piquirrojo (*Neomorphus pucheranni*) en Colombia. *Bol. SAO* 2: 26-27.
- Cuadros, T. 1993. Distribución ecológica de la avifauna de Araracuara (Amazonas). *Rev. ICNE* 4(2): 15-30.
- Cuadros, T. y W.H. Weber. 2000. En busca de la "i" perdida. *Bol SAO* 11(20-21): 78-84.
- Cuervo, A.C., P.G.W. Salaman, T.M. Donegan & J.M. Ochoa (2001). A new species of piha (Cotingidae: *Lipaugus*) from the Cordillera Central of Colombia. *Ibis* 143(3): 353-368.
- Cuervo, A. M., Stiles F. G., Cadena, C. D., Toro, J. L. & Londoño, G. A. 2003. New and noteworthy records from the northern sector of the Western Andes of Colombia. *Bulletin of the British Ornithologists' Club* 123: 7-24
- Cuervo, A.M., C.D. Cadena, N. Krabbe & L.M. Renjifo. 2005. *Scytalopus stilesi*, a new species of tapaculo (Rhinocryptidae) from the Cordillera Central of Colombia. *Auk* 122(2): 445-463.
- Cuervo, A.M., Pulgarín, P. & Calderón, D. 2008. New distribution bird data from the Cordillera Central of the Colombian Andes, with implications for the biogeography of northwestern South America. *Condor* 110(3): 526-537
- Curson, J., D. Quinn & D. Beadle. 1994. Warblers of the Americas. Houghton Mifflin Co. Boston, USA.
- Da Costa, J. M., & J. Klicka. 2008. The Great American Interchange in birds: a phylogenetic perspective with the genus *Trogon*. *Molecular Ecology* 17: 1328-1343.
- de Bruin, A. 2006. Long-billed Curlew at Riohacha, Colombia in March 2006. *Dutch Birding* 28(5): 301-302.
- del Hoyo, J., A. Elliott & J. Sargatal. eds. 1992-2001. Handbook of the Birds of the World. Vols 1-6. Lynx Edicions, Barcelona, Spain.
- Dick, J.A. 1991. Grey-tailed Piha in Colombia. *Bull. Brit. Orn. Club* 111: 172.
- Dickinson, E. C. (ed.). 2003. *The Howard and Moore complete checklist of the birds of the World*. 3rd Edition. Christopher Helm, London, 1040 pp.
- Donegan, T.M. 2007. A new species of brush finch (Emberizidae: *Atlapetes*) from the northern Central Andes of Colombia. *Bull Brit. Orn. Club* 127(4): 255-268
- Donegan, T.M. 2008. Geographical variation in Slate-crowned Antpitta *Grallaricula nana*, with descriptions of two subspecies, from Colombia and Venezuela. *Bulletin of the British Ornithologists' Club* 128(3): 150-178.
- Donegan T.M. & J.E. Avendaño-C. 2008. Notes on Tapaculos (Passeriformes: Rhinocryptidae) of the Eastern Cordillera of Colombia and Venezuelan Andes, with a new subspecies of *Scytalopus griseicollis* from Colombia. *Ornitología Colombiana* 6: 24-65.
- Donegan, T.M. & L.M. Dávalos. 1999. Ornithological observations from Reserva Natural Tambito, Cauca, south-west Colombia. *Cotinga* 12 : 48 - 55
- Donegan T.M. & B.C. Huertas. 2002a. First mainland record of Worm-eating Warbler *Helmitheros vermivorus* for Colombia. *Cotinga* 17 (2002): 77-78
- Donegan T.M. & B.C. Huertas. 2002b. Registro de una pareja de la Tórtola de Collar *Streptopelia risoria* en el departamento de Norte de Santander, Colombia. *Bol. Sociedad Antioqueña de Ornitología* Vol. VIII (Nos. 24-25): 73-76.
- Donegan T.M, B.C. Huertas, E.R. Briceno-L, J.J. Arias-B. & C.E. González-O. 2003. Search for the Magdalena Tinamou: Project Report. *Colombian EBA Project Report Series* 4, 49 pp.
- Donegan, T.M. & B.C. Huertas. 2006. A new brush-finch in the *Atlapetes latinuchus* complex from the Yariquíes Mountains and adjacent Eastern Andes of Colombia. *Bull. Brit. Orn. Club* 126(2): 94-116.
- Donegan, T.M., J.E. Avendaño-C., E.R. Briceno & B.C. Huertas. 2007. Bird range extensions and taxonomic notes from Serranía de los Yariquíes, Colombia's new National Park. *Bull. Brit. Orn. Club*. 127:172-212.
- Donegan, T.M., Salaman, P. & Caro, D. 2009. Revision of the status of various bird species occurring or reported in Colombia. *Conservación Colombiana* 8: 76-82.
- Downing, C. 2005. New distributional information for some Colombian birds, with a new species for South America. *Cotinga* 24: 13-15.
- Echeverri, H. 1986. Avifauna Parcial del Parque Nacional Natural "Las Orquídeas". Inderena. Medellín, Colombia.
- Ellery, T., Hahn, D., Foulks, G, Olaciregui, C. & Donegan, T. 2009. First confirmed locality of Yellow-throated Warbler *Dendroica dominica* for Colombia. *Conservación Colombiana* 8: 82-83
- Escheverry-G., M.A. & Córdoba-C., S. 2007. New distributional and other bird records from the Tatamá massif, West Andes, Colombia. *Bull. Brit. Orn. Club* 127: 213-214.
- Elwonger, M. & T. Mark. eds. 1995. Avian Adventures visits Santa Marta, Colombia, May 4-10 1995. Unpublished birding trip report.
- Escalante, P. & A.T. Peterson. 1992. Geographic variation and species limits in Middle American wood-nymphs (*Thalurania*). *Wilson Bull.* 104(2): 205-219.

- Estela, F.A. 2004. Observaciones del págallo del polo sur (*Catharacta maccormicki*) en el caribe colombiano. *Ornitología Colombiana* 2: 50-52.
- Estela, F. A., L. G. Naranjo & R. Franke-Ante. 2004. Registros de Págalos (Aves: Stercorariidae) en las costas de Colombia. *Boletín de Investigaciones Marinas y Costeras* 33: 243-248.
- Estela, F.A., J.D. Silva, & L.F. Castillo. 2005. El pelicano blanco americano (*Pelecanus erythrorhynchus*) en Colombia, con comentarios sobre los efectos de los huracanes en el Caribe. *Caldasia* 27 (2), 271-275.
- Estela, F.A., C. Garcia, R. Johnston-Gonzalez, G. Soler. & S. Bessudo. 2007. Confirmation of Parkinson's Petrel *Procellaria parkinsoni* in the Colombian Pacific. *Cotinga* 28: 60-61.
- Estela, F.A. 2006. Aves de Isla Fuerte y Tortuguilla, dos islas de la plataforma continental del Caribe Colombiano. *Bol. Investigaciones Marinas y Costeras-INVEMAR* 3: 267-272.
- Farquhar, C.C. 1998. *Buteo polysoma* and *B. poecilochrous*, the "red-backed buzzards" of South America, are conspecific. *Condor* 100: 27-43.
- Fitzpatrick, J.W. & J.P. O'Neill. 1986. *Otus petersoni*, a new species of screech-owl from the eastern Andes, with systematic notes on *O. Columbianus* and *O. ingens*. *Wilson Bull.* 98(1): 1-14.
- Fitzpatrick, J.W. & D.E. Willard. 1982. Twenty-one bird species new or little known from the Republic of Colombia. *Bull. Brit. Orn. Club* 102:153-158.
- Fjeldså, J. 1993. The decline and probable extinction of the Colombia Grebe *Podiceps andinus*. *Bird Conserv. Int.* 3(3): 221-234.
- Fjeldså, J. & N. Krabbe. 1990. Birds of the high Andes. Copenhagen: Univ. of Copenhagen Zoological Museum.
- Franke, R. & L.G. Naranjo. 1994. Primer registro del Pingüino de Magallanes en costas colombianas. *Trianea* 5: 401-406.
- Franke-Ante R., & Falk-Fernández, P. 2001. Aves Marinas y Playeras. In: L. M. Barrios, M. López-Victoria (eds.) Gorgona marina: Contribución al conocimiento de una isla única, *INVEMAR, Serie Publicaciones Especiales* 7: 149-160.
- Garcés, D.M. y S. De la Zerda. 1994. Gran libro de los Parque Nacionales de Colombia. Intermedio Editores. Círculo de lectores.
- García-Moreno, J. & J. Fjeldså. 1999. Re-evaluation of species limits in the genus *Atlapetes* based on mtDNA sequence data. *Ibis* 141: 199-207.
- García-Moreno, J., P. Arctander & J. Fjeldså. 1999. Strong diversification at the treeline among *Metallura* hummingbirds. *Auk* 116(3): 702-711.
- Gochfeld, M., S. Keith & P. Donahue. 1980. Records of rare or previously unrecorded birds from Colombia. *Bull. Brit. Orn. Club* 100: 196-201.
- Graves, G.R. 1986a. Geographic variation in the White-mantled Barbet (*Capito hypoleucus*) of Colombia. (Aves: Capitonidae). *Proc. Biol. Soc. Washington* 99 (1): 61-64.
- Graves, G.R. 1986b. Systematics of the Gorgeted Woodstars (Aves: Trochilidae: *Acestrura*). *Proc. Biol. Soc. Washington* 99(2): 218-224.
- Graves, G.R. 1988. *Phylloscartes lanyoni*, new species of bristle-tyrant (Tyrannidae) from the lower Cauca Valley of Colombia. *Wilson Bull.* 100(4): 529-534.
- Graves, G.R. 1990. A new subspecies of *Diglossa gloriosissima* (Aves: Thraupinae) from the western Andes of Colombia. *Proc. Biol. Soc. Washington* 103(4): 962-965.
- Graves, G.R. 1990. Systematics of the "Green-throated Sunangels" (Aves: Trochilidae): Valid taxa or hybrids? *Proc. Biol. Soc. Washington* 103(1): 6-25.
- Graves, G.R. 1992. Diagnosis of a hybrid antbird (*Phlegopsis nigromaculata* x *Phlegopsis erythroptera*) and the rarity of hybridization among suboscines. *Proc. Biol. Soc. Washington*. 105:834-840.
- Graves, G.R. 1993. Relic of a lost world: A new species of sunangel (Trochilidae: *Heliangelus*) from "Bogota". *Auk* 110(1): 1-8.
- Graves, G.R. 1996. Diagnoses of hybrid hummingbirds (Aves: Trochilidae). 2. Hybrid origin of *Eriocnemis soderstromi* Butler. *Proc. Biol. Soc. Washington* 109(4): 764-769.
- Graves, G.R. 1997a. Colorimetric and morphometric gradients in Colombia populations of Dusky Antbird (*Cercomacra tyrannina*), with a description of a new species *Cercomacra parkeri*. pp. 21-36 in J.V. Remsen Jr., ed. (*op. cit.*).
- Graves, G.R. 1997b. Diagnosis of hybrid hummingbirds (Aves: Trochilidae): 3. Parentage of *Lesbia ortoni* Lawrence. *Proc. Biol. Soc. Washington* 110(2): 314-319.
- Graves, G.R. & J.A. Giraldo-O. 1987. Populations status of the Rufous-fronted Parakeet (*Bolborhynchus ferrugineifrons*), a Colombian endemic. *Le Gerfaut* 77: 89-92.
- Graves, G.R. & D. Uribe-R. 1989. A new allopatric taxon in the *Hapalopsittaca amazonina* (Psittacidae) superspecies from Colombia. *Wilson Bull.* 101(3): 369-376.
- Graves, G.R. & M.B. Robbins. 1987. A new subspecies of *Siptornis striaticollis* (Aves: Furnariidae) from the eastern slope of the Andes (South America). *Proc. Biol. Soc. Washington* 100(1): 121-124.
- Graves, G.R. & R.L. Zusi. 1990. An intergeneric hybrid hummingbird (*Heliodoxa leadbeateri* x *Heliangelus amethysticollis*) from northern Colombia. *Condor* 92(3): 754-760.
- Haffer, J. 1974. Avian Speciation in Tropical South America. *Publ. Nuttall Ornith. Club* 14: 1-390.
- Haffer, J. 1986. On the avifauna of the upper Patia Valley, southwestern Colombia. *Caldasia* 15(71-75): 533-554.
- Haffer, J. 1990. Avian species richness in tropical South America. *Stud. Neotrop. Fauna Environm.* 25(3): 157-183.
- Haffer, J. 1997. Contact zones between birds of the southern Amazonia. pp 281-305 in J.V. Remsen Jr., ed. (*op. cit.*).
- Hernández, J., R. Ortiz, T. Walschburger y A. Hurtado. 1991. Estado de la biodiversidad en Colombia.
- Hilty, S.L. & W.L. Brown. 1986. A Guide to the Birds of Colombia. Princeton Univ. Press. Princeton, New Jersey.
- Hilty, S.L. 2003. *Birds of Venezuela*. Princeton Univ. Press.
- Hinkelmann, V.C. 1988. Der Nationalpark Tayrona in Kolumbien. *Tropische Vögel*. 9: 7-14.
- Hinkelmann, V.C. 1996. Systematics and geographic variation in Long-tailed Hermit hummingbirds, the *Phaetornis superliciosus-malaris-longirostris* species group (Trochilidae), with notes on their biogeography. *Ornit. Neotropical* 7: 119-148.
- Hinkelmann, V.C. & K.L. Schuchmann. 1997. Phylogeny of the hermit hummingbirds (Trochilidae: Phaethornithinae). *Stud. Neotrop. Fauna Environm.* 32: 142-163.
- Howell, S.N.G. & M. Robbins. 1995. Species limits of the Least Pigmy-Owl (*Glaucidium minitissimum*) complex. *Wilson Bull.* 107: 7-25.
- Houston, D. C. 1994. Family Cathartidae (New World vultures). Pp. 24-41 in "Handbook of the Birds of the World, Vol. 2. New World vultures to guineafowl." (J. del Hoyo *et al.*, eds.). Lynx Edicions, Barcelona.
- INDERENA. 1989. Guía del sistema de Parques Nacionales de Colombia. Movilización verde.
- Isler M.L., P.R. Isler & B.M. Whitey. 1997. Biogeography and systematics of the *Thamnophilus punctatus* (Thamnophilidae) complex. pp 355-381 in J. V. Remsen Jr., ed. (*op. cit.*).
- Isler M.L., P.R. Isler & B.M. Whitey. 1999. Species limits in Antbirds. The *Myrmotherula surinamensis* complex. *Wilson Bull.* 116: 83-96.
- Isler M. L., D. Rodriguez- L., P. R. Isler, S. J. Hakett, K. V. Rosenberg & R. T. Brumfield. 2006. *Epinecrophylla*, a new genus of antwrens (Aves, Passeriformes, Thamnophilidae). *Proc. Biol. Soc. Washington* 119 (4): 522 – 527.
- Isler, M.L., P.R. Isler & B.M. Whitney. 2007a. Species limits in Antbirds (Thamnophilidae): the Warbling Antbird (*Hypocnemis cantator*) complex. *Auk* 124 (1): 11-28.

- Isler M.L., P.R. Isler & B.M. Whitney. 2007b. Species limits in the “*Schistocichla*” complex of *Percnostola* antbirds (Passeriformes: Thamnophilidae). *Wilson Journal of Ornithology* 119 (1): 53-70.
- Isler, M.L., P.R. Isler & B.M. Whitney. 2008. Species limits in antbirds (Aves: Passeriformes: Thamnophilidae): an evaluation of Plumbeous Antvireo *Dysitahmus plumbeus* based on vocalizations. *Zootaxa* 1726: 60-68.
- Jonsson, K. A., & J. Fjeldså. 2006. A phylogenetic supertree of oscine passerine birds (Aves: Passeri). *Zoologica Scripta* 35: 149-186.
- Janni, O. 1986. Colombia: Tayrona N.P. and Santa Marta Area, June 10-18, 1996. Unpublished birding trip report. 6 pp.
- Johnels, S.A & T. Cuadros. 1986. Species composition and abundance of bird fauna in a disturbed forest in the Central Andes of Colombia. *Hornero* 12(4): 235-241.
- Johnson N.K. & R.M. Zink. 1985. Genetic evidence for relationship in the Avian family Vireonidae. *Condor* 90: 421-435.
- Johnson, N.K., R.M. Zink & J.A. Maarten. 1988. Genetic evidence for relationships among the Red-eyed, Yellow green, and Chivi Vireos. *Wilson Bull.* 97: 421-435.
- Joseph, L. 2000. Beginning an end to 63 years of uncertainty: The Neotropical parakeets known as *Pyrrhura picta* and *P. leucotis* comprise more than two species. *Proceedings of the Academy of Natural Sciences of Philadelphia* 150:279-292.
- Joseph, L. 2002. Geographical variation, taxonomy and distribution of some Amazonian *Pyrrhura* parakeets. *Ornitología Neotropical* 13:337-363.
- Joseph, L. and D. Stockwell. 2002. Climatic modeling of the distribution of some *Pyrrhura* parakeets of northwestern South America with notes on their systematics and special reference to *Pyrrhura caeruleiceps*. *Ornitología Neotropical* 13: 1-8.
- Juniper, A.T. & M. Parr. 1998. Parrots. Pica Press. Sussex, UK.
- Kattan, G.H. 1992. Rarity and vulnerability: The birds of the Cordillera Central of Colombia. *Conserv. Biol.* 6(1): 64-70.
- Kattan, G.H. & J.W. Beltrán. 1997. Rediscovery and status of the Brown-banded Antpitta *Grallaria milleri* in the Central Andes of Colombia. *Bird Conserv. Int.* 7: 367-371.
- Klicka, J., K. Burns, & G.M. Spellman. 2007. Defining a monophyletic Cardinalini: A molecular perspective. *Molecular Phylogenetics and Evolution* 45: 1014-1032.
- Krabbe, N. 2008. Vocal evidence for restitution of species rank to a Santa Marta endemic: *Automolus rufipectus* Bangs (Furnariidae), with comments on its generic affinities. *Bulletin of the British Ornithologists' Club* 128: 219-227.
- Krabbe, N. & J. Nilsson. 2004. Birds of Ecuador: sounds and photographs. DVD ROM. Bird Songs International, Netherlands.
- Krabbe, N. & T.S. Schulenberg. 1997. Species limits and natural history of *Scytalopus tapaculos* (Rhinocryptidae), with descriptions of the Ecuadorian taxa, including three new species. pp. 47-88 in J. V. Remsen Jr., ed. (*op. cit.*).
- Krabbe, N. & T.S. Schulenberg. 2003a. Family Formicariidae (ground antbirds). Pp. 748-787 in del Hoyo, J., Elliott, A. & Christie D. A. (eds.) Handbook of the birds of the world, vol. 8. Lynx Edicions, Barcelona.
- Krabbe, N. & T.S. Schulenberg. 2003b. Family Rhinocryptidae (tapaculos). Pp. 682-731 in del Hoyo, J., Elliott, A. & Christie D. A. (eds.) Handbook of the birds of the world, vol. 8. Lynx Edicions, Barcelona.
- Krabbe, N., M.L. Isler, P.R. Isler, B.M. Whitney, J.A. Álvarez & P.J. Greenfield. 1999. A new species in the *Myrmotherula haematonota* superspecies (Aves: Thamnophilidae) from the western Amazonian lowlands of Ecuador and Peru. *Wilson Bull.* 111: 157-165.
- Krabbe, N., P. Salaman, A. Cortés, A. Quevedo, L. A. Ortega and C. D. Cadena. 2005. A new species of *Scytalopus tapaculo* from the upper Magdalena Valley, Colombia. *Bulletin of the British Ornithologists Club* 125: 93-108.
- Krabbe, N., Flórez, P., Suárez, G., Castaño, J., Arango, J.D. & Duque, A. 2006. The birds of Páramo Frontino, West Andes of Colombia. *Ornitología Colombiana* 4: 39-50
- König, C., F. Weick & J.H. Becking. 1999. Owls: A Guide to the Owls of the World. Pica Press. Sussex, U.K.
- Lanyon, W.E. 1986. A phylogeny of the thirty-two genera in the *Empidonax* assemblage of Tyrant Flycatchers. *Amer. Mus. Novit.* 2914: 1-64.
- Laverde R., O., F.G. Stiles & C. Múnera R. 2005. New records and updated inventory of the avifauna of the Serranía de las Quinchas, an important bird area (IBA) in Colombia. *Caldasia* 27: 247-265.
- Lehmann, V.C., J.R. Silliman & E. Eisenmann. 1977. Rediscovery of the Crescent-faced Antpitta in Colombia. *Condor* 79:397-388.
- Livezey, B.C. 1995. Phylogeny and comparative ecology of Stiff-tailed Ducks (Anatidae: Oxyurini). *Wilson Bull.* 107: 214-234.
- Lovette, I. J., & E. Bermingham. 2002. What is a wood-warbler? Molecular characterization of a monophyletic Parulidae. *Auk* 119: 695-714.
- Marantz, C., Aleixo, A., Bevier, L. R. & Patten, M. A. 2003. Family Dendrocolaptidae (Woodcreepers). Pp. 358-447 in J. del Hoyo, A. Elliott & Christie, D., (eds.) Handbook of the Birds of the World, Vol. 8, Broadbills to Tapaculos. Lynx Edicions, Barcelona, Spain.
- Moore, W.S., A.C. Weibel & A. Agius. 2006. Mitochondrial DNA phylogeny of the woodpecker genus *Veniliornis* (Picidae, Picinae) and related genera implies convergent evolution of plumage patterns. *Biological Journal of the Linnean Society* 87: 611-624.
- Mack, A.L. & C.D. Fisher. 1988. Notes on birds from the llanos of Meta, Colombia. *Le Gerfaut* 78(4): 397-408.
- Marantz, C.A. 1997. Geographical variation of plumage patterns in the woodcreeper genus *Dendrocolaptes*. pp. 399-429 in J. V. Remsen Jr., ed. (*op. cit.*).
- Marantz, C.A. & J.V. Remsen Jr. 1991. Seasonal distribution of the Slaty Elaenia, a little-known austral migrant of South America. *J. Field Ornith.* 62(2): 162-172.
- Marin, M. 1997. Species limits and distribution of some New World Spinetail swifts (*Chaetura spp.*). pp. 431-444 in J. V. Remsen Jr., ed. (*op. cit.*).
- Mazarriegos, L.A. & P.G.W. Salaman. 1999. Rediscovery of the Colourful Puffleg *Eriocnemis mirabilis*. *Cotinga* 11 34-38.
- McNish 2003. Lista de chequeo de la fauna terrestre del archipiélago de San Andres, Providencia y Santa Catalina, Colombia. M&B Producciones y Servicios Limitada. Bogotá, Colombia.
- Miller, M.J., Bermingham, E., Klicka, J., Escalante, P., Raposo do Amaral, F., Wier, J.T. & Winker, K. 2008. Out of Amazonia again and again: episodic crossing of the Andes promotes diversification in a lowland forest flycatcher. *Proc. R. Soc. B.* 275: 1133-1142.
- Meyer de Schauensee, R. 1964. The birds of Colombia and adjacent areas of South and Central America. Livingston Publ. Co., Pennsylvania.
- Moore, W.S., A.C. Weibel & A. Agius 2006. Mitochondrial DNA phylogeny of the woodpecker genus *Veniliornis* (Picidae, Picinae) and related genera implies convergent evolution of plumage patterns *Biological Journal of the Linnean Society* 87: 611-624.
- Morales, J.E. 1988. Confirmación de la presencia de *Spheniscus humboldtii* Meyen (Aves: Spheniscidae) para Colombia. *Caldasia* 16: 209-214.
- Morales Rozo, A., Arzuza Buelvas, D.E., Verhelst, J.C., Bohórquez, C., Cleere, N., Salaman, P., de la Zerda, S. & Rosselli, L. 2007. Las colecciones ornitológicas en Colombia: una fuente importante de información sobre la biodiversidad de nuestro país. *Códice* 14: 4-11.
- Moreno, J.G, R.M. de Alaya & L. Naranjo 1999. Expansión del rango de la paloma coroniblanca *Columba leucopcephala* al territorio continental de Colombia. *Caldasia* 21(1): 112-113.
- Morton, L.I. 2007. Species limits in antbirds (thamnophilidae): the warbling antbird (*hypocnemis cantator*) complex. *The Auk*. 124(1):11-28, 2007.
- Moyle, R.G. 2005. Phylogeny and biogeographical history of the Trogoniformes, a pantropical bird order. *Biological Journal Linnean Society* 84: 725-738.

- Naranjo, L.G. 1986. Apuntes sobre la avifauna. pp 165-190 in H. von Praal y M. Alberico, eds. *Isla de Gorgona*. Cali, Colombia: Universidad del Vallé.
- Naranjo, L.G. & R. Franke. 1995. Registros inusuales de gaviotas para el occidente Colombiano. *Bol SAO* 6(11): 13-15.
- Negret, A.J. 1994. Lista de aves registradas en el Parque Nacional Munchique, Cauca. *Novedades Colombianas* 6: 69-83.
- Negret, A.J. 1995. The black swift (*Cypseloides niger*): A new addition to the Colombian avifauna. *Caldasia* 18(86): 145-146.
- Newman, J. 1993. Birds. pp 61-91 in *Amazon 1992 – final report*. Unpublished expedition report from Royal Holloway and New Bedford College.
- Newman, J. 2000. White-naped Seedeater *Dolospingus fringilloides*. *Cotinga* 14: 111-112.
- Newman, J. 2008. Sight records of five species new to Colombia from Serranía de Naquen, dpto. Guainía. *Cotinga* 29: 160-161.
- Nyári, Á. S. 2007. Phylogeographic patterns, molecular and vocal differentiation, and species limits in *Schiffornis turdina* (Aves). *Molecular Phylogenetics and Evolution* 44: 154-164.
- Nylander, J. A. A., Olsson, U., Alström, P. & Sanmartín, I. 2008. Accounting for phylogenetic uncertainty in biogeography: a Bayesian approach to dispersal-vicariance analysis of the thrushes (Aves: Turdus). *Systematic Biology* 57: 257-268.
- Ocampo, S. 2005. La Reinta Gorrinegra *Wilsonia pusilla* (Parulidae), nuevo registro para los Andes Colombianos. *Ornitología Colombiana* 3: 74-75.
- Ohlson, J., Fjeldså, J. & Ericson, P.G.P. 2008. Tyrant flycatchers coming out in the open: phylogeny and ecological radiation of Tyrannidae (Aves, Passeriformes). *Zoologica Scripta* 1-21.
- Ohlson, J.I., R. O. Prum, & P.G.P. Ericson. 2007. A molecular phylogeny of the cotingas (Aves: Cotingidae). *Molecular Phylogenetics and Evolution* 42:25-37.
- Oniki, Y. & E.O. Willis. 1992. Morphometrics, molt, cloacal temperatures and ectoparasites in Colombian birds. *Caldasia* 16(79): 519-524.
- Orejuela-Gartner, J.E. 1987. La Reserva Natural La Planada y la Biogeografía Andina. *Humboldtia* 1(1): 117-148.
- Ortiz-von Halle, B. 1990. Additions to the avifauna of Colombia: New species for Gorgona Island (Pacific Ocean). *Caldasia* 16(77): 209-214.
- Parkes K.C. 1978. A guide to forming and capitalizing compound names of birds in English. *Auk* 95: 324-326.
- Parker III, T.A., D.F. Stotz & J.W. Fitzpatrick. 1996. Ecological and distributional databases. pp. 113-436 in D.F. Stotz, J.W. Fitzpatrick, T.A. Parker III & D.K. Moskovits, eds. *Neotropical Birds: Ecology and Conservation*. Chicago Univ. Press, Chicago, USA.
- Paynter Jr., R.A. 1997. *Ornithological Gazetteer of Colombia*. 2<sup>nd</sup> edition. Museum of Comparative Zoology, Cambridge, USA.
- Pearman, M. 1993. Some range extensions and five species new to Colombia. *Bull. Brit. Orn. Club* 113: 66-75.
- Pitman, R.L. & J.R. Jehl. 1998. Geographic variation and reassessment of species limits in the "Masked Boobies" of the eastern Pacific Ocean. *Wilson Bull.* 110:155-170.
- Pitman, R.L., L.B. Spear & M.P. Force. 1995. The Marine Birds of Malpelo Island, Colombia. *Colonial Waterbirds* 18(1): 113-119.
- Prum, R.O. 1992. Syringeal morphology, phylogeny and evolution of the Neotropical Manakins (Aves: Pipridae). *Amer. Mus. Novit.* 3043: 1-65.
- Remsen, J.V., C.D. Cadena, A. Jaramillo, M. Nores, J.F. Pacheco, M.B. Robbins, T.S. Schulenberg, F.G. Stiles, D.F. Stotz & K.J. Zimmer 2008. A classification of the bird species of South America (version 14 April 2008). American Ornithologists' Union, McLean, VA, USA.
- Ridgely, R.S. & G. Tudor. 1994. *The Birds of South America*. Volume 2: The Sub-oscine Passerines. Univ. of Texas Press, Austin, USA.
- Rodner, C., M. Lentino & R. Restall. 2000. Checklist of the birds of northern South America. Pica Press. Sussex, UK.
- Rangel, J.O., ed. 1995. *Colombia: diversidad biótica*. Editorial Guadalupe.
- Rego, P.S., J. Araripe, M.L.V. Marceliano, I. Sampaio & H. Schneider. 2007. Phylogenetic analyses of the genera *Pipra*, *Lepidothrix* and *Dixiphia* (Pipridae, Passeriformes) using partial cytochrome b and 16S mtDNA genes. *Zoologica Scripta* 2007: 1-11.
- Remsen Jr., J.V. 1978. Birding the Amazon at Leticia. *Birding* 10.
- Remsen, J. V., Cadena, C.D., Jaramillo, A., Nores, M., Pacheco, J.F., Robbins, M.B., Schulenberg, T.S., Stiles, F.G., Stotz, D.F. & Zimmer, K. J. 2008. *A classification of the bird species of South America (version 4 March 2008)*. American Ornithologists' Union. URL: <http://www.museum.lsu.edu/~Remsen/SACCBaseline.html>
- Remsen Jr., J.V., ed. 1997. *Studies in Neotropical Ornithology Honoring Ted Parker*. *Ornit. Monographs* No. 48. A.O.U., Lawrence, USA.
- Remsen Jr., J.V. & S.W. Cardiff. 1990. Patterns of elevational and latitudinal distribution, including a "niche switch", in some guans (Cracidae) of the Andes Mountains. *Condor* 92(4): 970-981.
- Remsen Jr., J.V. & G.R. Graves. 1995. Distribution patterns and zoogeography of Atlapetes brush-finches (Emberizinae) of the Andes. *Auk* 112(1): 210-224.
- Remsen, J.V. Jr. 2008. First specimens for Colombia of *Furnarius torridus* (Furnariidae) and *Myrmotherula assimilis* (Thamnophilidae). *Ornitología Colombiana* 6: 89-91.
- Renjifo, L.M. 1991. Discovery of the Masked Saltator in Colombia, with notes on its ecology and behaviour. *Wilson Bull.* 103: 685-690.
- Renjifo, L.M. 1994. First records of the Bay-vented Cotinga *Doliornis sclateri* in Colombia. *Bull. Brit. Orn. Club* 114(2): 101-103.
- Restall, R., C. Rodner & M. Lentino. 2006. *Birds of Northern South America: an identification guide*. Helm Field Guides.
- Restrepo, C. & M.L. Mondragón. 1998. Cooperative breeding in the frugivorous Toucan Barbet (*Semnormis ramphastinus*). *Auk* 115(1): 4-15.
- Ribas, C. C., L. Joseph, & C.R. Miyaki. 2006. Molecular systematics and patterns of diversification in *Pyrrhura* (Psittacidae) with special reference to the picta-leucotis complex. *Auk* 123: 660-680.
- Ridgely, R.S., P.J. Greenfield & M. Guerrero-G. 1998. Una Lista Anotada de las Aves del Ecuador Continental. CECIA. Quito, Ecuador.
- Ridgely, R.S. & G. Tudor. 1989. *The Birds of South America*. Volume 1: The Oscine Passerines. Univ. of Texas Press, Austin, USA.
- Ridgely, R.S. & G. Tudor. 1994. *The Birds of South America*. Volume 2: The Sub-oscine Passerines. Univ. of Texas Press, Austin, USA.
- Robbins, M.B. & F.G. Stiles. 1999. A new species of Pigmy-owl (Strigidae: *Glaucidium*) from the Pacific slope of the northern Andes. *Auk* 116(2): 305-315.
- Robbins, M.B., G.H. Rosenberg & F.S. Molina. 1994. A new species of cotinga (Cotingidae: *Doliornis*) from the Ecuadorian Andes, with comments on plumage sequences in *Doliornis* and *Ampelion*. *Auk* 111(1): 1-7.
- Robbins, M.B., N. Krabbe, G.H. Rosenberg, R.S. Ridgely & F.S. Molina. 1994. Notes on the natural history of the Crescent-faced Antpitta. *Wilson Bull.* 106(1): 169-173.
- Robbins, M.B. & R.S. Ridgely. 1992. Taxonomy and natural history of *Nyctiphrynus rosenbergi* (Caprimulgidae). *Condor* 94(4): 984-987.
- Rodner, C., M. Lentino & R. Restall. 2000. Checklist of the birds of northern South America. Pica Press. Sussex, UK.
- Rojas, R., W. Piragua, F.G. Stiles y T. McNish. 1997. Primeros registros para Colombia de cuatro taxones de la familia Tyrannidae (Aves: Passeriformes). *Caldasia* 19: 523-525.
- Rosenberg, K.V. & D.A. Wiedenfeld. 1993. *Directory of Neotropical Ornithology*. 2<sup>nd</sup> ed. A.O.U.
- Ruiz-Guerra, C., Johnston-González, R., Cifuentes-Sarmiento, Y., Estela, F. A., Castillo, L. F., Hernández, C. E. & Naranjo, L. G. Noteworthy bird records from the southern Chocó of Colombia. *Bulletin of the British Ornithologists' Club* 187: 283-293

- Salaman, P.G.W., ed. 1994. Surveys and conservation of biodiversity in the Chocó, south-west Colombia. *BirdLife International Study Report* 61. Cambridge, U.K.
- Salaman, P.G.W. 1995. The rediscovery of Tumaco Seedeater *Sporophila insulata*. *Cotinga* 4: 33-35.
- Salaman, P.G.W. & F.G. Stiles. 1996. A distinctive new species of vireo (Passeriformes: Vireonidae) from the Western Andes of Colombia. *Ibis* 138: 610-619.
- Salaman, P.G.W. & L. Mazariegos Jr. 1998. Hummingbirds of Nariño, Colombia. *Cotinga* 10: 30-36.
- Salaman P., T. Cuadros, J.G. Jaramillo y W.H. Weber. 2001. Lista de Chequeo de las Aves de Colombia. Sociedad Antioqueña de Ornitología, Medellín, Colombia.
- Salaman P.G.W., Donegan T.M. & Cuervo A.M. 2002a. New distributional bird records from Serranía de San Lucas and adjacent Central Cordillera of Colombia. *Bull. Brit. Orn. Club* 122(4): 285-304.
- Salaman, P.G.W., Stiles, F.G., Bohórquez, C.I., Álvarez, M., Umaña, A.M., Donegan, T.M. & Cuervo, A.M. 2002b. New and noteworthy records from the east slope of the Andes of Colombia. *Caldasia* 24: 157-189.
- Salaman, P., P. Coopmans, T.M. Donegan, M. Mulligan, A. Cortés, S.L. Hilty & L.A. Ortega. 2003. A new species of Wood-Wren (Troglodytidae: Henicorhina) from the western Andes of Colombia. *Ornitología Colombiana* 1: 4-21.
- Salaman, P., Donegan, T., & Caro, D. 2007. Listado de Avifauna Colombiana. *Conservación Colombiana* 2 Suplemento. Fundación ProAves, Bogotá, Colombia.
- Salaman, P., Bayly, N., Burrige, R., Grantham, M., Gurney, M., Quevedo, A., Urueña, L.E., & Donegan, T. 2008. Sixteen bird species new for Colombia. *Conservación Colombiana* 5: 80-85
- Salaman, P., Donegan, T.M. & Prýs-Jones, R. 2009. A new subspecies of Brown-banded Antpitta (Grallariidae: *Grallaria milleri*) from Antioquia, Colombia. *Bulletin of the British Ornithologists' Club* 129(1): 5-17.
- Schuchmann, K.L. 1987. First record of the Grey-chinned Hermit (*Phaethornis griseogularis*) west of the Colombian Andes, with notes on the displays of the species. *Wilson Bull.* 99: 122-124.
- Schuchmann, K.L. 1992. Ornithologische Grundlagenforschung in Kolumbien. *Tropische Vögel*. 13:61-62.
- Schuchmann, K.L. 1995. Lek behaviour of Green Hermit Hummingbirds (*Phaethornis guyi*) in southwestern Colombia. *J. fuer Ornith.* 136(2): 213-217.
- Schulenberg, T.S. & Parker III, T.A. 1997. A new species of tyrant flycatcher (Tyrannidae: *Tolmomyias*) from the western Amazon basin. pp. 723-731 in J.V. Remsen Jr., ed. (*op. cit.*).
- Seutin, G., J. Brawn, R. E. Ricklefs & E. Bermingham. 1993. Genetic divergence among populations of a tropical passerine, the Streaked Saltator (*Saltator albicollis*). *Auk* 104: 97-108.
- Sheldon, F. H., L. A. Whittingham, R. G. Moyle, B. Slikas & D. W. Winkler. 2005. Phylogeny of swallows (Aves: Hirundinidae) estimated from nuclear and mitochondrial DNA sequencing. *Mol. Phylog. Evol.* 35:254-270.
- Sibley, C.G. & B.L. Monroe Jr. 1990. Distribution and taxonomy of the Birds of the World. Yale Univ. Press. New Haven & London.
- Smith, J., ed. 1994. University of Bristol expedition to Utria Sound, Colombia, 1991/92. Final report. University of Bristol Utria Sound Expedition. Bristol
- Snow, D.W. 1985. Systematics of the *Turdus famigatus/hauxwelli* group of thrushes. *Bull. Brit. Orn. Club* 105: 30-37.
- Spear, L. B., & D. G. Ainley. 1999. Seabirds of the Panama Bight. *Waterbirds* 22: 175-198.
- Stattersfield, A.J., M.J. Crosby, A.J. Long & D.C. Wege. 1998. Endemic Bird Areas of the World: Priorities for biodiversity conservation. *BirdLife International Conserv. Series* 7. Cambridge, U.K.
- Stiles, F.G. 1990. A new species of Antpitta (Formicariidae: *Grallaria*) from the Eastern Andes of Colombia. *Wilson Bull.* 104 (3):389-399.
- Stiles, F.G. 1992. Un Encuentro con el Mosquerito Antioqueño. *Bol. SAO* 1(2):12-13.
- Stiles, F.G. 1995a. Behavioral, ecological and morphological correlates of foraging for arthropods by the hummingbirds of a tropical wet forest. *Condor* 97(4): 853-878.
- Stiles, F.G. 1995b. Distribution and variation of the Pale-bellied Hermit (*Phaethornis anthophilus*) in Colombia. *Caldasia* 18(86): 119-129.
- Stiles, F.G. 1995c. Two new subspecies of birds from the mountainous area of the Sierra de Chiribiquete, Caquetá Department, Colombia. *Lozania* N° 66: 1-16.
- Stiles, F.G. 1996. A new species of Emerald hummingbird (Trochilidae, *Chlorostilbon*) from the Sierra de Chiribiquete, Southeastern Colombia, with a review of the *C. mellisugus* complex. *Wilson Bull.* 108(1): 1-27.
- Stiles, F.G. 1997. When black plus white equals gray: the nature of variation in the variable seedeater complex (Emberizinae: *Sporophila*). *Ornit. Neotrop.* 7: 75-107.
- Stiles, F.G. 2004. The Tumaco Seedeater (*Sporophila insulata*; Emberizidae): a species that never was? *Ornitología Neotropical* 15: 17-30.
- Stiles, F.G. 2005. El trepotroncos de Zimmer *Xiphorhynchus kienerii* (Dendrocolaptidae) en la amazonia colombiana. *Ornitología Colombiana* 3: 104-106.
- Stiles, F.G. & Caycedo P. 2002. A new subspecies of Apolinar's Wren (*Cistothorus apolinari*, Aves Troglodytidae), an endangered Colombian endemic. *Caldasia* 24(1): 191-199.
- Stiles, F.G. & H. Álvarez-López, 1995. The situation of a species of antpitta (*Grallaria haplonota*, Formicariidae) in Colombia. *Caldasia* 17(82-85): 607-610.
- Stiles, F.G. & A.J. Negret. 1994. The nonbreeding distribution of the Black Swift: A clue from Colombia and unsolved problems. *Condor* 96(4): 1091-1094.
- Stiles, F.G., J.L. Tellería & M. Díaz. 1995. Observations of the composition, ecology, and zoogeography of the avifauna of the Sierra de Chiribiquete, Caquetá, Colombia. *Caldasia* 17(82-85): 481-500.
- Stiles, F. G., L. Rosselli & C.I. Bohórquez. 1999. New and noteworthy records of birds from the middle Magdalena valley of Colombia. *Bull. Brit. Orn. Cl.* 119: 113-128.
- Storer, R.W. 1989. Geographic variation in the Yellow-rumped Tanager (Aves: Thraupinae). *Proc. Biol. Soc. Washington* 102(3): 553-554.
- Stotz, D.F. 1990. First specimens of *Drymophila devillei* from Colombia. *Bull. Brit. Orn. Club* 110: 37.
- Stotz, D.F., J.W. Fitzpatrick, T.A. Parker III & D.K. Moskovits. 1996. Neotropical Birds: Ecology and Conservation. Chicago Univ. Press. Chicago, USA.
- Strewe, R. 2000. New distributional sightings of 28 species of birds from Dpto. Nariño, SW Colombia. *Bull. Brit. Orn. Club* 120: 189-195.
- Strewe, R. 2001. Segundo registro de *Buteo jamaicensis* para Colombia. *Boletín SAO* 12: 80-81.
- Strewe, R. 2001. First record of Rufous-headed Chachalaca for Colombia. *Cotinga* 15: 63.
- Strewe, R. 2006. Primer registro de la Golondrina de Bahamas *Tachycineta cyaneoviridis* para Suramérica. *Boletín SAO* 16: 54-58.
- Strewe, R. & Navarro, C. 2004. New and noteworthy records of birds from the Sierra Nevada de Santa Marta region, north-eastern Colombia. *Bull. Brit. Orn. Club* 124(1): 38-51.
- Strewe, R., Navarro, C. & Beltrán, J. 2008. Primer registro de la gaviota cabecigrís (Chroicocephalus cirrocephalus) para la región Caribe y Colombia. *Ornitología Colombiana* 7: 75-77.
- Taylor, B. 1998. Rails. Pica Press. Sussex, UK.
- Tello, J.G., & J.M. Bates. 2007. Molecular phylogenetics of the tody-tyrant and flatbill assemblage of tyrant flycatchers (Tyrannidae). *Auk* 124: 134-154.

- Thiollay, J.M. 1991. Altitudinal distribution and conservation of raptors in southwestern Colombia. *J. Raptor Res.* 25(1): 1-8.
- Thiollay, J.M. 1996. Distributional patterns of raptors along altitudinal gradients in the northern Andes and effects of forest fragmentation. *J. Trop. Ecol.* 12(4): 535-560.
- Traylor Jr., M.A. 1988. Geographic variation and evolution in South American *Cistothorus platensis* (Aves: Troglodytidae). *Fieldiana Zool.* 48: 1-35.
- Troncoso, P.F., P.A.J. van der Wolf & J.A. Ahumada. 1995. The Lilac-tailed Parrotlet (*Touit batavica*), a new record for Colombia. *Caldasia* 18(86): 147-148.
- Turner, A. & C. Rose. 1989. A handbook to the Swallows and Martins of the World. Christopher Helm, London.
- van Leeuwen, M. & Hoogeland, C. 2004. The first Pale-winged Trumpeter *Psophia leucoptera* in Colombia. *Cotinga* 21: 76-77.
- van der Hammen, T & P. Ruiz. 1984. Studies on Tropical Andean Ecosystems. Volume 2. La Sierra Nevada de Santa Marta, Transecto Buritaca-La Cumbre. J. Cramer. Berlin, Stuttgart.
- van der Hammen, T. 1992. Historia, Ecología y vegetación. Fondo FEN y Corporación Colombiana para la Amazonía, Aracuaara.
- Vielliard, J.M.E. 1989. Uma nova espécie de *Glaucidium* (Aves: Strigidae) da Amazônia. *Rev. Bras. Biol.* 6(4): 685-693.
- Voelker, G., S. Rohwer, R.C.K. Bowie & D.C. Outlaw. 2007. Molecular systematics of a speciose, cosmopolitan songbird genus: defining the limits of, and relationships among, the *Turdus* thrushes. *Molecular Phylogenetics and Evolution* 42: 422-434.
- Wege, D.C. 1996. Threatened birds of the Darien highlands, Panama: A reassessment. *Bird Conserv. Int.* 6(2): 175-179.
- Wege, D.C. & A.J. Long. 1995. Key Areas for Threatened Birds in the Neotropics. *BirdLife International Conserv. Series* No. 5. BirdLife International. Cambridge, UK.
- Whitney, B.M. 1992. Observations on the systematics, behaviour and vocalizations of “*Thamnomanes*” *occidentalis* (Formicariidae). *Auk* 109: 302-308.
- Willis, D. 1990. Colombia, July-September 1989. Unpublished birding trip report.
- Willis, E.O. 1992. Three *Chamaeza* antthrushes in eastern Brazil (Formicariidae). *Condor* 94: 110-116.
- Willis, E.O. 1992. Zoogeographical origins of eastern Brazilian birds. *Orn. Neotrop.* 3(1): 1-15.
- Winkler, H., D.A. Christie & D. Nurney. 1995. Woodpeckers. Houghton Mifflin. New York, USA.
- Zimmer, K.J. 1997. Species limits in *Cranioleuca vulpina*. pp. 849-864 in J.V. Remsen Jr., ed. (*op cit.*)

# Revision of the status of various bird species occurring or reported in Colombia

Thomas Donegan, Paul Salaman, David Caro

## Abstract

The following species are added to Colombia's bird checklist: Parkinson's Petrel *Procellaria parkinsoni*; Leach's Storm-Petrel *Oceanodroma leucorhoa*; Grey-headed Gull *Chroicocephalus cirrocephalus*; Tapaculo *Scytalopus* sp. (Alto de Pisones bird); and Black-and-white Tanager *Conothraupis speculigera*. The following species are removed: Curlew Sandpiper *Calidris ferruginea*, Scaly-naped Pigeon *Patagioenas squamosa*; Amazonian Pygmy-Owl *Glaucidium hardyi*; Long-tailed Hermit *Phaethornis superciliosus*; Spot-tailed Antwren *Herpsilochmus sticturus*; Caribbean Martin *Progne dominicensis*; Peruvian Martin *Progne murphyi*; and Pale-legged Warbler *Basileuterus signatus*. Splits of Andean Teal *Anas andium*, three Trogon species, Ecuadorian Thrush *Turdus maculirostris* and Santa Marta Foliage-gleaner *Automolus rufipectus* are recognised. Three new subspecies for science, *Grallaria milleri gilesi*, *Grallaricula nana hallsi* and *Grallaricula nana nanitaea*, are recognised. Various species change category within the list, following a review of record documentation. Following these changes, the Colombian checklist stands at 1872 species, of which 1793 have 'confirmed' records.

## Resumen

Las siguientes especies se añaden al listado de aves de Colombia: *Procellaria parkinsoni*; *Oceanodroma leucorhoa*; *Chroicocephalus cirrocephalus*; *Scytalopus* sp. (Alto de Pisones) y *Conothraupis speculigera*. Las siguientes especies se eliminan: *Calidris ferruginea*, *Patagioenas squamosa*; *Glaucidium hardyi*; *Phaethornis superciliosus*; *Herpsilochmus sticturus*; *Progne dominicensis*; *Progne murphyi* y *Basileuterus signatus*. Separaciones taxonómicas de *Anas andium*, tres especies del género *Trogon*, *Turdus maculirostris* y *Automolus rufipectus* fueron reconocidas. Se reconocen tres subspecies nuevas para la ciencia, *Grallaria milleri gilesi*, *Grallaricula nana hallsi* y *Grallaricula nana nanitaea*. Varias especies cambiaron de categoría dentro de la lista, tras una revisión de registros recientes y bibliográficos. A raíz de estos cambios, Colombia alberga 1.872 especies de aves, de las cuales 1.793 se encuentran "confirmadas".

## Introduction

In connection with the 2008 checklist (Salaman et al. 2008a), reports of seventeen bird species poorly documented or new to Colombia were published (Salaman et al. 2008b). In this paper, the status of various bird species occurring or reported in Colombia is re-evaluated in order to enrich the 2009 version of the checklist (Salaman et al. 2009a).

This paper is split into various sections: (i) species added; (ii) subspecies added; (iii) splits; (iv) species removed; (v) subspecies removed; (vi) changes of category; (vii) linear order,

## Species added

### **Parkinson's Petrel *Procellaria parkinsoni***

Photographic record by Estela et al. (2007).

### **Leach's Storm-Petrel *Oceanodroma leucorhoa chapmani***

Mid-1900s specimen record 150 nautical miles west of Buenaventura (www.biomap.net; Donegan et al. in press). A further specimen at IAVH labelled as of *O. leucorhoa* is also reported (Morales Roso et al. 2007) but requires verification.

### **Grey-hooded Gull *Chroicocephalus cirrocephalus***

Photographic record by Strewe et al. (2008).

### **Tapaculo *Scytalopus* sp.**

This refers to the "Alto de Pisones" bird occurring in the Western Cordillera and discussed in Cuervo et al. (2003, 2005).

### **Antpitta *Grallaria* sp.**

Fundación ProAves staff are describing a new species of *Grallaria* for science from the Colibrí del Sol Bird Reserve, beside Páramo del Sol, Western Cordillera of Antioquia (Alonso Quevedo and Carlos Andres Paez in litt. 2009) (mentioned in Salaman et al. 2009a).

### **Black-and-white Tanager *Conothraupis speculigera***

A mid-1900s specimen record exists from Putumayo (www.biomap.net; Bates & Verhelst in prep).

## Subspecies added

We recognise the following three newly described subspecies, all in the family Grallariidae:

**Brown-banded Antpitta *Grallaria milleri gilesi*** (Salaman et al. 2009b).

**Slate-crowned Antpitta *Grallaricula nana hallsi*** (Donegan 2008)

**Slate-crowned Antpitta *Grallaricula nana nanitaea*** (Donegan 2008)

Recently discovered but undescribed subspecies of Rusty-faced Parrot *Hapalopsittaca amazonina* (Donegan et al. in prep) and White-chinned Thistletail *Schizoeaca fuliginosa* (2 subspecies) (Avenidaño et al. in prep) are also included as "subsp." but were previously not listed.

## Splits

We have included the following splits proposed by Da Costa & Kicka (2008) and Remsen et al. (2009: Proposals 378-380):



**Gartered Trogon** *Trogon caligatus* from Violaceous Trogon *T. violaceus*

**White-tailed Trogon** *T. chionurus* from Green-backed Trogon *T. viridis*

**Ecuadorian Trogon** *T. mesurus* from Black-tailed Trogon *T. melanurus*.

**Andean Teal** *Anas andium* from Yellow-billed Teal *Anas flavirostris* (extralimital)

We also elevate **Ecuadorian Thrush** *Turdus maculirostris* to species rank (Voelker et al. 2007, Nylander et al. 2008, Remsen et al. 2009). There is a Colombian specimen of this species (F.G. Stiles comment in Remsen et al. 2009).

Finally, we recognise the split of **Santa Marta Foliage-gleaner** *Automolus rufipectus* (Krabbe 2008). The English name provided is more informative than the other mooted English name "Rufous-chested Automolus", given that many foliage-gleaners are rufous-chested and "Automolus" is not a word in the English language.

### Species removed

#### **Curlew Sandpiper** *Calidris ferruginea*

Published in Altman and Swift (1993) and subsequently Salaman et al. (2001, 2007, 2008), but we are not aware of any confirmed or published records in Colombia. The species has been removed from the list pending documentation.

#### **Scaly-naped Pigeon** *Patagioenas squamosa*

Not listed for Colombia by Salaman et al. (2001) or Rodner et al. (2000) but included by Salaman et al. (2007, 2008a) on the basis of a communication to P. Salaman (now not located) that this species occurred in northern Colombia. The record could be due to confusion with Scaled Dove *Columbina squammata*, a species which has recently expanded its range to the Caribbean (Estela et al. 2005). It is found in Caribbean islands off Venezuela (Restall et al. 2007) and could potentially occur in San Andrés or on the Caribbean coast (e.g. PNN Los Rosarios or La Guajirá). Documentation of records is necessary.

#### **Amazonian Pygmy-Owl** *Glaucidium hardyi*

The species was included for Colombia by Salaman et al. (2001, 2007, 2008a) in the first case citing Vielliard (1989) but Vielliard does not report the species in Colombia and neither do Hilty & Brown (1986), Robbins & Howell (1995) or Restall et al. (2007). The only record of "*G. hardyi*" on Biomap (Los Angeles museum no. 58183: San Alberto, Cesar) is a doubtless mislabelled Central American Pygmy-Owl *G. griseiceps*, in light of recently discovered populations of this species in the Magdalena valley (Donegan et al. 2007). Avibase lists the species as rare or accidental for Colombia but the origin of records is not known and may be Salaman et al. (2001). *G. hardyi* doubtless occurs in humid habitats in eastern Colombia. Records of *G. brasilianum* from the Amazon region require revision to see if some may refer to *G. hardyi*. However, no published records exist to our knowledge.

### **Conservacion Colombiana – Número 8 – Mayo 2009**

#### **Long-tailed Hermit** *Phaethornis superciliosus*

This species was split by Hinkelmann (1996), a treatment which is widely accepted (e.g. Remsen et al. 2009). Long-tailed Hermit was included in error by Salaman et al. (2007, 2008a) due to records based on old taxonomy in Hilty & Brown (1986) of Great-billed Hermit *P. malaris*.

#### **Spot-tailed Antwren** *Herpsilochmus sticturus*

This species was split by Ridgely & Tudor (1994), a treatment which is widely accepted (e.g. Remsen et al. 2009). Spot-tailed Antwren was included in error by Salaman et al. (2007, 2008a) due to records based on old taxonomy in Hilty & Brown (1986) of populations referable to Dugand's Antwren *H. dugandi*.

#### **Merida Tapaculo** *Scytalopus meridanus*

Following Donegan & Avendaño-C. (2008), Merida Tapaculo *Scytalopus meridanus* is changed to "Tapaculo *Scytaopus sp.*". This refers to the undescribed species that resembles *S. griseicollis* and *S. meridanus* which is present in the Perijá mountains.

#### **Caribbean Martin** *Progne dominicensis*

This species was listed by Rodner et al. (2000) and Salaman et al. (2001) as "possible" for Colombia and by Salaman et al. (2007, 2008a) based on a record at Ciénaga de Baño, Santa Cruz de Lorica, Córdoba (DATAves). Avibase also lists the species as rare or accidental for Colombia presumably on the basis of this record. Alejandro Mejía Tobón, the person to whom the record is attributed in the DATAves database, has confirmed that he has not recorded the species in Colombia. The record appears to be erroneous. This species is not reported for San Andrés by McNish (2003) either.

#### **Peruvian Martin** *Progne murphyi*

Included previous based upon a flock of Southern Martin "*P. modesta*" observed at Leticia (Hilty & Brown 1986). As noted by Ridgely & Greenfield (2001), Southern Martin *P. elegans* is regularly observed in nearby Iquitos, Perú (e.g. Oren 1980) and doubtless is the species involved. *P. murphyi* is known only from the western coast of Perú, very distant from Colombia (Schulenberg et al. 2007).

#### **Pale-legged Warbler** *Basileuterus signatus*

We consider the specimen record of this species in Colombia to be implausible. Doubts were recently cast over its identification (Restall et al. 2007). The taxonomy of Citrine Warbler *B. luteoviridis* in Colombia requires revision in light of the Western Andes "subspecies" *richardsoni* being distinct in both its morphology and voice (Krabbe et al. 2006) and the "*B. signatus*" specimen.

### Subspecies removed

#### **Rusty-faced Parrot** *Hapalopsittaca amazonina theresae*

An inspection of specimens by TMD reveals this subspecies to be restricted to the Mérida range of the Andes in Venezuela.

Specimens from Norte de Santander are closest in plumage to the nominate subspecies, known from further South in the Cordillera Oriental.

#### **Sharpbill *Oxyruncus cristatus* subspecies.**

Salaman et al. (2002) first recorded and confirmed this species in Colombia (*contra* that implied by Cuervo et al. 2008), suggesting that the population occurring in the north of the Central Andes may be related to "*O. c. tacarcunae*" of the Tacarcuna and Darién mountains on the Colombia-Panama border. Reference to this subspecies name was followed by Salaman et al. (2001, 2007, 2008a) and Restall et al. (2006) but the name is a *nomen nudum* (G. M. Kirwan in litt. 2008). Usage of the name "*tacarcunae*" probably follows mis-labelled specimens that are of the race *O. c. brooksi*. *O. c. phelpsi* was also included in the checklist with denotation of a "?" showing that it may occur in Amazonian Colombia, but this subspecies has not been recorded in Colombia. The population in the Central Andes is not considered to refer to *O. c. brooksi* or other described subspecies (Salaman et al. 2002, Cuervo et al. 2008). As a result, the previously included subspecies names are deleted and replaced with the single notation "subsp.". An undescribed taxon appears most likely to be involved.

#### **Changes of Category**

##### **Humboldt Penguin *Spheniscus humboldti***

Formerly listed as hypothetical ("Obs"), but there is a specimen record (Morales 1988, Ruiz-Guerra et al. 2008).

##### **Magellanic Penguin *Spheniscus magellanicus***

Formerly listed as hypothetical ("Obs"), but there is a specimen record (Franke-Ante & Falk-Fernández 2001, Ruiz-Guerra et al. 2008).

##### **Pale-winged Trumpeter *Psophia leucoptera***

Included by Salaman et al. (2007, 2008a) based on a published photographic record (Van Leeuwen & Hoogeland 2004). The published photographic record is barely recognisable as of this species or even as being a bird, although the pale / dark shapes visible are broadly reminiscent of a *Psophia* species. Until another photograph is published, we consider this record acceptable only as a sight record and hence denote the species as 'Obs'. Furthermore, it may relate to an escaped individual, as the species is replaced by Grey-winged Trumpeter *P. crepitans* north of the Amazon river (Schulenberg et al. 2007) including in Colombia. In Peru, there are cases of human-assisted *Psophia* being transported across the Amazon river (S. Hilty in litt. 2009) but breeding populations are not known to be established. The category of this species has been changed to "Int?" (introduced, not known to be established) pending further information.

##### **Ruff *Philomachus pugnax***

Known only from a "Bogota" specimen (Hilty & Brown 1986). It's status has been changed to "Bog".

##### **South Polar Skua *Stercorarius maccormicki***

Not included for Colombia by Salaman et al. (2001), Rodner et al. (2000) or Restall et al. (2007) but listed as accidental by Salaman et al. (2007, 2008a) based on sight records by Estela (2004). The category is changed to "Obs".

##### **Long-tailed Skua *Stercorarius longicaudatus***

There are various previous sight and specimen records (Estela et al. 2004) meaning that this species should not be categorised as "Obs", as in the previous version of the checklist.

##### **Arctic Skua *Stercorarius parasiticus***

Estela et al. (2004) discussed the status of this species in Colombia, reporting a single specimen record and various observations. It is no longer treated as "Obs".

##### **Herring Gull *Larus argentatus smithsonianus***

A specimen taken of a moribund individual in Chocó in 2004 (Ruiz-Guerra et al. 2007) means that this species is no longer known just from sight records (cf. Naranjo & Franke-Ante 1995). We follow the AOU (e.g. Remsen et al. 2009) in not splitting this taxon from *L. argentatus* of Europe (cf. BOU treatment) given that mtDNA differences are too low to be determinative and the subspecies involved are essentially indistinguishable in adult plumage.

##### **Caribbean Coot *Fulica caribaea***

Included by Salaman et al. (2001, 2007, 2008a) based on records in San Andrés (e.g. McNish 2003, DATAves), where it is considered an uncommon migrant (Raffaele 1998) but not known from other Colombian records. There are however records on coastal islands and the mainland of Venezuela (Taylor & Van Perlo 1998) and in the Guajirá peninsula on the Venezuelan side close to the Colombian border at the north of the Edo Zulia (J. G. León in litt. 2009). The species doubtless occurs in coastal lakes in Guajirá of mainland Colombia. However, there are no known published photographs or specimens, even from San Andrés. The status in the 2008 checklist has been changed to "SA (Obs)" (known only from sight records on San Andrés or Providencia).

##### **Rufous Potoo *Nyctibius bractaetus***

A Bogotá specimen exists (Hilty & Brown 1986) and the species is considered present or likely in southern Colombia by Hilty & Brown (1986), Restall et al. (2000), Erize et al. (2007) and Salaman et al. (2001, 2007, 2008a). We are unaware of any published records of known locality, so the status is changed to "Bog".

##### **Ruby-throated Hummingbird *Archilocus colubris***

This species is a likely overshooting migrant in the mainland of Colombia. There are records of this species in San Andrés, including a published photograph presumably taken in San Andrés (McNish 2003). Salaman et al. (2008a) further listed various specimens apparently collected in Colombia based on data collected by Project BioMap. However, verification of the specimens has revealed these data all to be in error. Museum of

Vertebrate Zoology, University of California, Berkeley no. 138894 is a mislabelled specimen (Carla Cicero & Beth Wommack in litt. 2008). Darwin Museum (Moscow) no. 3.350 is of *A. colubris* but there is no locality data associated with the specimen (Sergei V. Drovetski & Igor Fadeev in litt. 2009). Musée National d'Histoire Naturelle de Luxembourg no. ac1 is of another species (not *A. colubris*) and was collected in Mexico (J. M. Guinet in litt. 2009). Searches at each of these museums found no other *A. colubris* collected in Colombia. Despite various queries, we have been unable to verify a specimen at Instituto Vallecaucano de Investigaciones (no. 03310) supposedly collected at Piendamó, Cauca by F.C. Lehmann but do not accept this record without verification. The status of *A. colubris* in Colombia is therefore changed to "SA" (meaning that there are confirmed records in San Andrés or Providencia only).

#### **White-winged Dove *Zenaida asiatica***

There are sight records on the Caribbean coast (Hilty & Brown 1986) with documented records only for San Andrés and Providencia, where the species is common (multiple specimens: BioMap; published photograph: McNish 2003; various DATAves records).

Records on the Colombian mainland (Hilty & Brown 1986, Restall et al. 2007) relate to reported observations by Steve Russell at various localities in Magdalena department (Merachón, Maicao, Guira, Isla Salamanca and Uribe) on 17 August 1969, 21 October 1971, 30 October 1971, 8 December 1971, 11 December 1971, 4 March 1972, 5 March 1972, 3 May 1972 and 4 May 1972. Steve Russell's field notes (in litt. 2009) described some of the birds involved as follows: "Wings distal to white band are definitely blacker than in Arizona birds; bill is much whiter". *Z. asiatica* shares its plumage pattern with Bare-eyed Pigeon *Patagoeinas corensis* which is found in the region and has more extensive black wing markings and a whiter bill than *Z. asiatica*. Given the lack of a field guide at the time the observations were made, we and Steve Russell now consider these observations to refer to *P. corensis*. The status of *Z. asiatica* has been changed to "SA" (meaning that there are confirmed records in San Andrés or Providencia only).

#### **Bar-breasted Piculet *Picumnus aurifrons***

Sight records apparently exist from Resguardo Indígena - Buenavista, Puerto Asís (DATAves, no data on the observer) and various sight records at PNN Amacayacu (Kelsey et al. unpublished, Hilty & Brown 1986). For example, Paul Salaman observed a very approachable individual at the village of Mocawa (adjacent to the PNN Amacayacu visitor centre: 03°49'17.63"S, 70°15'19.87"W) around shrubs in 2004. No other plain green backed, barred underpart piculets are present in the region. However, no published photographs or specimens exist to our knowledge. Also, the subspecies involved require verification. Until photographic records become available, the status of this species is changed to "Obs" (known only from sight records).

#### **Scissor-tailed Flycatcher *Tyrannus forficatus***

This species was listed as Salaman et al. (2001) as "possible" for Colombia. Restall et al. (2007) report possible sight records in NW coast of Colombia (and also for Venezuela) but no details were provided, leading to its inclusion by Salaman et al. (2007, 2008a) (listing San Andrés). No records exist from San Andrés of which we are aware (McNish 2003, Raffaele et al. 1998). We understand that a specimen may have been collected recently in Colombia but details have not yet been published and are not available to us. Outside of the country, a sight record was apparently reported from Ecuador (Ridgely et al. 1998) but the species was not mentioned in the recent field guide for the country (Ridgely & Greenfield 2001). Scissor-tailed Flycatcher is a plausible overshooting vagrant. As we have been unable to verify the source of any records in Colombia, there is a case for removing this species from Colombia's list altogether. However, given that records are widely reported (even if details are unpublished), it seems more appropriate to change the status of this species in Colombia provisionally from "SA" to "Obs" rather than to remove it from the checklist altogether. The status of this species remains under review and will be revised if and when details of any records become available.

#### **Southern Martin *Progne elegans***

As noted above (Peruvian Martin discussion), this species should be regarded as known from sight records only in Colombia (Obs). Further recent observations were made by Samuel Hansson, Markus Lagerqvist, Torsten Persson, Juha Autio, Jonas Rosquist, Niklas Lindberg and Jan-Åke Engfors on a Heliangelus tour on 28 August 2007 at Leticia, Amazonas (S. Hansson in litt. 2009). Doubtless, other observations of this species in the Leticia area exist given that it is reported at times in such large numbers south of the Amazon in Peru (Oren 1980). However, we are not aware of any photographs or specimens to date.

#### **Mangrove Swallow *Tachycineta albilinea***

An old sight record exists from northern Colombia (Gochfeld et al. 1980). DATAves reports this species at Coveñas, Tolú Viejo (Daniel Piedrahita Thiriez) but we have not been able to verify this record. Rodner et al. (2000), Restall et al. (2007) and Salaman et al. (2001, 2007, 2008a) mention this species as occurring in Colombia. The status noted in the 2008 checklist was incorrect and has been changed to "Obs" (known only from sight records). The status of this species in northern South America requires revision in light of possible confusion with Chilean Swallow *Tachycineta meyeni*.

#### **Yellow-throated Warbler *Dendroica dominica***

Yellow-throated Warbler is added to the main list following a recent photographic record published together with this paper (Ellery et al. 2009).

#### **Tricolored Munia *Lonchura malacca***

Status has been changed from "Int?" to "Int" following the long overdue publication of a photographic record of this species in Colombia (Carantón et al. 2008) and reports of specimens from

Cauca (Ayerbe-Quiñones et al. 2008). It is now relatively widespread in the Cauca and Magdalena valleys.

### Linear Order, Distributions and English names

We also made the following minor changes, which are either under consideration or have been accepted by Remsen et al. (2009) (Proposal numbers below):

Recognition of Tricolored Munia as the English common name for *Lonchura malacca* (368).

Change linear sequence of species in *Pteroglossus* (381)

Change linear sequence of genera in the Cotingidae (382)

Change linear sequence of “kite” genera in Accipitridae (384)

Change linear sequence of genera in Psittacidae (386).

Change English name of *Pittasoma* to "Gnatpitta" (395).

*Chlorospingus* species are moved to the Emberizidae following Kicka et al. (2007). *Mitrospingus* is provisionally moved to the Thraupidae, where traditionally placed, despite a recent molecular study which found the genus to be sister, among sampled taxa, to a group including the Parulidae, Icteridae and Emberizidae (Klicka et al. 2007). It appears likely that a new family may need erecting for this genus in due course but no available family-level name exists to our knowledge. We recognise that the treatment of this genus will require to be changed. Linear re-arrangements of Cardinalidae, *Saltator* and *Parkerthraustes* have been made to follow more closely the linear order of Remsen et al. (2009).

Range extensions reported by Cuervo et al. (2008) are included in the distributional data. Various changes to ProAves reserve lists have also been made to reflect the latest available data.

The following species are now newly classified as endemics: Gorgeted Puffleg *Eriocnemis isabellae*; Black-backed Thornbill *Ramphomicron dorsale*; Indigo-capped Hummingbird *Amazilia cyanifrons*; *Grallaria sp.*; *Scytalopus sp.* (Alto de Pisones); Santa Marta Foliage-gleaner *Automolus rufipectus*; and Antioquia Brush-Finch *Atlapetes blancae*.

### Threat Categories

Updates to the threat status of the following a review process by BirdLife International that concluded in May 2009. The authors and ProAves provided considerable input into this process for Colombian birds. The changes are:

Great Curassow *Crax rubra* (NT to VU)

Reddish Egret *Egretta rufescens* (LC to NT)

Banded Ground-cuckoo *Neomorphus radiolosus* (VU to EN)

Gorgeted Puffleg *Eriocnemis isabellae* (newly described and CR)

Chestnut-bellied Hummingbird *Amazilia castaneiventris* (CR to EN)

Five-colored Barbet *Capito quinticolor* (NT to VU)

Bahama Swallow *Tachycineta cyaneoviridis* (VU to EN)

Antioquia Brush-Finch *Atlapetes blancae* (newly described and CR).

### Total Number of Species

The checklist now includes the following total numbers of bird species shown in the table below:

	Status	2008	Change	2009
	Species confirmed by photo, specimen or sound recording on mainland	1794	-1	1793
<b>Bog</b>	Species known from 'Bogotá' specimens	3	+2	5
<b>Obs</b>	Species known only from observations	43	-	43
<b>Obs*</b>	Species observed in Colombia but with confirmed records only in San Andrés or Providencia	6	-1	5
<b>SA</b>	Species known only from San Andrés and Providencia (including species known from observations only)	17	-	17
<b>Int</b>	Introduced species	3	+1	4
<b>int?</b>	Introduced species possibly not established	4	-	4
	<b>TOTAL Bird Species in Colombia</b>	<b>-1870-</b>	<b>+1</b>	<b>1871</b>

### **Acknowledgements**

We acknowledge Steven Hilty, who provided us with a list of "dubious species" which encouraged us to investigate various matters discussed in this paper and provided various helpful comments on the paper. Steve Russell kindly provided details on his notes of *Z. asiatica*. Special thanks to Alejandro Mejía Tobón for comments on the *Progne dominicensis* record. Many thanks to Sergei V. Drovetski, Igor Fadeev, Jean-Michel Guinet, Carla Cicero and Beth Wommack for details of

specimens. Samuel Hansson gave details of records of *Progne elegans*.

### **References**

Ayerbe-Quiñones, F., López-Ordóñez, J. P., González-Rojas, M.F., Estela, F.A., Ramírez-Burbano, M.B., Sandoval-Sierra, J.V. y Gómez-Bernal, L.G. 2008. Aves del departamento del Cauca - Colombia. *Biota Colombiana* 9 (1) 77 - 132.

- Carantón, D., Certuche-Cubillos, K., Díaz-Jaramillo, C., Parra-Hernández, R.M., Sanabria-Mejía, J. & Moreno-Palacios, M. 2008. Aspectos biológicos de una nueva población del Capuchino de Cabeza Negra (*Lonchura malacca*, Estrildidae) en el alto valle del Magdalena, Tolima. *Boletín Sociedad Antioqueña de Ornitología* 18(2): 54-63.
- Cuervo, A. M., Stiles F. G., Cadena, C. D., Toro, J. L. & Londoño, G. A. 2003. New and noteworthy records from the northern sector of the Western Andes of Colombia. *Bulletin of the British Ornithologists' Club* 123: 7-24
- Cuervo, A.M., C.D. Cadena, N. Krabbe & L.M. Renjifo. 2005. *Scytalopus stilesi*, a new species of tapaculo (Rhinocryptidae) from the Cordillera Central of Colombia. *Auk* 122(2): 445-463.
- Cuervo, A.M., Pulgarín, P. & Calderón, D. 2008. New distribution bird data from the Cordillera Central of the Colombian Andes, with implications for the biogeography of northwestern South America. *Condor* 110(3): 526-537
- Da Costa, J. M., & Klicka, J. 2008. The great American interchange in birds: a phylogenetic perspective with the genus *Trogon*. *Molecular Ecology* 17: 1328-1343.
- Donegan, T.M. 2008. Geographical variation in Slate-crowned Antpitta *Grallaria nana*, with descriptions of two subspecies, from Colombia and Venezuela. *Bulletin of the British Ornithologists' Club* 128(3): 150-178.
- Donegan T.M., Avendaño J.E., Briceño E.R. & Huertas B.C. 2007. Bird range extensions with taxonomic and ecological notes from Serranía de los Yariguíes, Colombia's new National Park. *Bulletin of the British Ornithologists' Club* 127(3): 172-213.
- Donegan, T.M., Salaman, P. & Dean, J. In press. Overlooked first record of Leach's Storm-Petrel *Oceanodroma leucorhoa* for Colombia. *Bulletin of the British Ornithologists' Club* 129.
- Ellery, T., Hahn, D., Foulks, G., Olaciregui, C. & Donegan, T. 2009. First confirmed locality of Yellow-throated Warbler *Dendroica dominica* for Colombia. *Conservación Colombiana* 8: 82-83
- Estela, F.A. 2004. Observaciones del págallo del polo sur (*Catharacta maccormicki*) en el caribe colombiano. *Ornitología Colombiana* 2: 50-52.
- Estela, F.A., Naranjo, L.G. y Franke-Ante, R.. 2004. Registros de Págalos (Aves: Stercorariidae) en las costas de Colombia. *Boletín de Investigaciones Marinas y Costeras* 33: 245-250
- Estela, F.A., Jaramillo, J.G. & Mejía-Tobón, A. 2005. Ampliación de distribución de la tortolita escamada (*Columbina squammata*) en el caribe colombiano. *Bol SAO* 15: 105-111.
- Estela, F.A., Garcia, C., Johnston-González, R, Soler, G. & Bessudo, S. 2007. Confirmation of Parkinson's Petrel *Procellaria parkinsoni* in the Colombian Pacific. *Cotinga* 28: 60-61.
- Franke-Ante R., & Falk-Fernández, P. 2001. Aves Marinas y Playeras. In: L. M. Barrios, M. López-Victoria (eds.) *Gorgona marina: Contribución al conocimiento de una isla única*, INVEMAR, Serie Publicaciones Especiales 7: 149-160.
- Gochfeld, M., S. Keith & P. Donahue. 1980. Records of rare or previously unrecorded birds from Colombia. *Bulletin of the British Ornithologists' Club* 100: 196-201.
- Hilty, S.L. & Brown, W.L. 1986. *A Guide to the Birds of Colombia*. Princeton Univ. Press. Princeton, New Jersey.
- Hilty, S. L. 2003. *Birds of Venezuela*. Princeton Univ. Press.
- Hinkelmann, V.C. 1996. Systematics and geographic variation in Long-tailed Hermit hummingbirds, the *Phaetornis superciliosus-malaris-longirostris* species group (Trochilidae), with notes on their biogeography. *Ornitología Neotropical* 7: 119-148.
- Kelsey, M., Cotton, P., Tye, A. & Tye, H. Unpublished. *The Birds of Amacayacu National Park, Colombia: An Annotated Checklist*.
- Klicka, J., Burns, K., & Spellman. G.M. 2007. Defining a monophyletic Cardinalini: A molecular perspective. *Molecular Phylogenetics and Evolution* 45: 1014-1032.
- Krabbe, N., Flórez, P., Suárez, G., Castaño, J., Arango, J. D. & Duque, A. 2006. The birds of Páramo Frontino, West Andes of Colombia. *Ornitología Colombiana* 4: 39-50.
- Krabbe, N. 2008. Vocal evidence for restitution of species rank to a Santa Marta endemic: *Automolus rufipectus* Bangs (Furnariidae), with comments on its generic affinities. *Bulletin of the British Ornithologists' Club* 128: 219-227.
- McNish T. 2003. *Lista de chequeo de la fauna terrestre del archipiélago de San Andres, Providencia y Santa Catalina, Colombia*. M&B Producciones y Servicios Limitada. Bogotá, Colombia.
- Morales, J.E. 1988. Confirmación de la presencia de *Spheniscus humboldtii* Meyen (Aves: Spheniscidae) para Colombia. *Caldasia* 16: 209-214.
- Morales Roza, A., Arzuza Buelvas, D.E., Verhelst, J.C., Bohórquez, C., Cleere, N., Salaman, P., de la Zerda, S. & Rosselli, L. 2007. Las colecciones ornitológicas en Colombia: una fuente importante de información sobre la biodiversidad de nuestro país. *Códice* 14: 4-11.
- Naranjo, L. G. & Franke-Ante, R. 1995. Registros inusuales de gaviotas para el occidente colombiano. *Boletín SAO* 6(11): 13-15.
- Nylander, J. A. A., Olsson, U., Alström, P. & Sanmartín, I. 2008. Accounting for phylogenetic uncertainty in biogeography: a Bayesian approach to dispersal-vicariance analysis of the thrushes (Aves: Turdus). *Systematic Biology* 57: 257-268.
- Oren, D.C. 1980. Enormous concentration of Martins (Progne spp.) in Iquitos, Peru. *Condor* 82(3): 344-345.
- Rafaele, H., Wiley, J., Garrido, O., Keith, A. & Raffaele, J. 1998. *Birds of the West Indies*. 511 pp. Christopher Helm, London.
- Restall, R., Rodner, C. & Lentino, M. 2006. *Birds of northern South America*. Christopher Helm, London.
- Ridgely, R.S., Greenfield, P.J. & Guerrero, M. 1998. *Una lista anotada de las aves de Ecuador Continental*. Fund. Ornitológica del Ecuador, CECIA, Ecuador.
- Ridgely, R. S. & Greenfield, P. J. 2001. *The birds of Ecuador*. Cornell Univ. Press, Ithaca, NY.
- Robbins, M.B. & Howell, S. N. G. 1995. A new species of Pygmy-Owl (Strigidae: *Glaucidium*) from the Eastern Andes. *Wilson Bulletin* 107(1): 1-6.
- Rodner, C., M. Lentino & R. Restall. 2000. *Checklist of the birds of northern South America*. Pica Press. Sussex, UK.
- Ruiz-Guerra, C., Johnston-González, R., Cifuentes-Sarmiento, Y., Estela, F. A., Castillo, L. F., Hernández, C. E. & Naranjo, L. G. Noteworthy bird records from the southern Chocó of

- Colombia *Bulletin of the British Ornithologists' Club* 187: 283-293
- Salaman P., T. Cuadros, J.G. Jaramillo y W.H. Weber. 2001. *Lista de Chequeo de las Aves de Colombia*. Sociedad Antioqueña de Ornitología, Medellín, Colombia.
- Salaman PGW, Donegan TM & Cuervo AM. 2002. New distributional bird records from Serranía de San Lucas and adjacent Central Cordillera of Colombia. *Bulletin of the British Ornithologists' Club* 122(4): 285-304.
- Salaman, P., Donegan, T, & Caro, D. 2007. Listado de Avifauna Colombiana. *Conservación Colombiana* 2 Suplemento. Fundación ProAves, Bogotá, Colombia.
- Salaman, P., Donegan, T, & Caro, D. 2008a. Listado de Aves de Colombia 2008. *Conservación Colombiana* 4. Fundación ProAves, Bogotá, Colombia.
- Salaman, P., Bayly, N., BurrIDGE, R., Grantham, M., Gurney, M., Quevedo, A., Urueña, L.E. & Donegan, T. 2008b. Sixteen bird species new for Colombia. *Conservación Colombiana* 5: 80-85.
- Salaman, P., Donegan, T.M. & Prýs-Jones, R. 2009a. A new subspecies of Brown-banded Antpitta (Grallariidae: *Grallaria milleri*) from Antioquia, Colombia. *Bulletin of the British Ornithologists' Club* 129(1): 5-17.
- Salaman, P., Donegan, T, & Caro, D. 2009b. Listado de Aves de Colombia 2009. *Conservación Colombiana* 8: 1-89. Fundación ProAves, Bogotá, Colombia.
- Schulenberg, T.S., Stotz, D.F., Lane, D.F., O'Neill, J.P., & Parker, T. A. III. 2007. *Birds of Peru*. Princeton University Press, Princeton, New Jersey.
- Stiles, F. G. 1998. Especies de aves endémicas y casi endémicas de Colombia. pp: 378-385 y 428-432, en: Chaves, M. E. y N. Arango. (eds). *Informe Nacional sobre el estado de la biodiversidad 1998-Colombia*. Instituto Alexander von Humboldt, PNUMA, Ministerio del Medio Ambiente, Santa fé de Bogotá.
- Strewe, R. & Navarro, C. 2004. New and noteworthy records of birds from the Sierra Nevada de Santa Marta region, north-eastern Colombia. *Bulletin of the British Ornithologists' Club* 124(1): 38-51.
- Strewe, R., Navarro, C. & Beltrán, J. 2008. Primer registro de la gaviota cabecigrís (*Chroicocephalus cirrocephalus*) para la región caribe y Colombia. *Ornitología Colombiana* 7: 75-77.
- Taylor, B. & Van Perlo, B. 1998. *Rails: a guide to the rails, crakes, gallinules and coots of the world*. Pica Press, Sussex.
- Van Leeuwen, M. & Hoogeland, C. 2004. The first Pale-winged Trumpeter *Psophia leucoptera* in Colombia. *Cotinga* 21: 76-77.
- Vielliard, J.M.E. 1989. Uma nova espécie de Glaucidium (Aves: Strigidae) da Amazônia. *Rev. Bras. Biol.* 6(4): 685-693.
- Voelker, G., Rohwer, S., Bowie, R.C.K. & Outlaw, D.C. 2007. Molecular systematics of a speciose, cosmopolitan songbird genus: defining the limits of, and relationships among, the *Turdus* thrushes. *Molecular Phylogenetics and Evolution* 42: 422-434.

# First confirmed locality of Yellow-throated Warbler *Dendroica dominica* for Colombia

Trevor Ellery, Deb Hahn, Guy Foulks, Christian  
Olaciregui & Thomas Donegan

## Abstract

Records of *Dendroica dominica* are presented from Reserva Natural de las Aves El Dorado, Santa Marta, Colombia.

## Resumen

Se presentan registros de *Dendroica dominica* de la Reserva Natural de las Aves El Dorado, Santa Marta, Colombia.

Yellow-throated Warbler is known previously on the South American mainland to our knowledge only from a series of sight records (Hilty & Brown 1986, Strewé & Navarro 2004) and a "Bogotá" specimen (Salaman et al. 2008). There are various records in San Andrés island (McNish 2003). The species was listed as "SA Obs\*" in the last edition of the Colombian checklist (Salaman et al. 2008), indicating that there are only sight records from the mainland.

On 4 November 2007 Trevor Ellery observed an adult Yellow-throated Warbler *Dendroica dominica* at Reserva Natural de Aves El Dorado, San Lorenzo ridge, Sierra Nevada de Santa Marta, Magdalena, Colombia at the border between a Mexican Pine *Pinus patula* plantation and native forest in a mixed species flock including Black-throated Green-Warbler *Dendroica virens*. The locality is on the main road that runs through the reserve, c. 3 km by road above the reserve centre (11.06°41.23'N 74.03° 33.45'W, 2,210 m). Unaware of the previous observation, Thomas Donegan observed the same species, and presumably the same individual, at the very same spot at c. 14:00 hrs on 3 January 2009 in a flock together with Slate-throated Whitestart *Myioborus miniatus* and Blackburnian Warbler *D. fusca*.



Figure 1: *Dendroica dominica* at Reserva Natural El Dorado, 20 February 2009 (Deb Hahn).

Two observations of this Neotropical vagrant sparked what may be one of the first examples of a "twitch" in Colombia. Various bird tour groups, which frequently visit the reserve, made a special effort to observe the species. On 20 February 2009, a photograph (Figure 1) and video (available at <http://www.youtube.com/watch?v=M04ZKj5HKXs>) were taken by Deb Hahn and Guy Foulks respectively on a tour guided by Trevor Ellery.

## References

- Hilty, S.L. & Brown, W.L. 1986. *A Guide to the Birds of Colombia*. Princeton Univ. Press. Princeton, New Jersey.
- McNish T. 2003. *Lista de chequeo de la fauna terrestre del archipiélago de San Andrés, Providencia y Santa Catalina, Colombia*. M&B Producciones y Servicios Limitada. Bogotá, Colombia.
- Salaman, P., Donegan, T., & Caro, D. 2008. Listado de Aves de Colombia 2008. *Conservación Colombiana* 4. Fundación ProAves, Bogotá, Colombia.
- Strewé, R. & Navarro, C. 2004. New and noteworthy records of birds from the Sierra Nevada de Santa Marta region, north-eastern Colombia. *Bulletin of the British Ornithologists' Club* 124(1): 38-51.

## Families index – *Índice por familias*

Accipitridae	14	Eurypygidae	17	Pipridae	53
Alaudidae	55	Falconidae	15	Podicipedidae	11
Alcedinidae	32	Formicariidae	43	Polioptilidae	57
Anatidae	9	Fregatidae	13	Procellariidae	11
Anhimidae	9	Fringillidae	70	Psittacidae	21
Anhingidae	13	Furnariidae	36	Psophiidae	16
Apodidae	25	Galbulidae	32	Rallidae	16
Aramidae	16	Grallariidae	43	Ramphastidae	34
Ardeidae	13	Haematopodidae	17	Recurvirostridae	18
Bombycillidae	58	Heliornithidae	17	Rhinocryptidae	44
Bucconidae	32	Hirundinidae	55	Rynchopidae	20
Burhinidae	18	Hydrobatidae	12	Scolopacidae	18
Capitonidae	33	Icteridae	68	Semnornithidae	34
Caprimulgidae	25	Jacanidae	19	Spheniscidae	11
Cardinalidae	66	Laridae	19	Steatornithidae	24
Cathartidae	14	Mimidae	59	Stercorariidae	19
Charadriidae	17	Momotidae	32	Strigidae	24
Ciconiidae	14	Motacillidae	59	Sulidae	12
Cinclidae	58	Nyctibiidae	24	Thamnophilidae	40
Columbidae	20	Odonthophoridae	11	Thraupidae	59
Conopophagidae	44	Opisthocomidae	23	Threskiornithidae	13
Corvidae	55	Oxyruncidae	52	Tinamidae	9
Cotingidae	52	Pandionidae	14	Tityridae	53
Cracidae	10	Parulidae	67	Trochilidae	26
Cuculidae	23	Passeridae	71	Troglodytidae	56
Diomedeidae	11	Pelecanidae	12	Trogonidae	31
Donacobiidae	58	Phaethontidae	12	Turdidae	58
Emberizidae	64	Phalacrocoracidae	12	Tyrannidae	45
Estrilididae	70	Phoenicopteridae	11	Tytonidae	24
Eurylaimidae	36	Picidae	34	Vireonidae	54



