Annual Collection



BUTTER Argyranthemum frutescens Argyranthemum frutescens Argyranthemum frutescens

Marguerite Daisies are some of the most well-known and loved flowers among gardeners, and we've improved our line to include some of the most heat tolerant cultivars with clearer, brighter flowers that don't require deadheading. All three in the series are well-matched for timing and size, taking the guesswork out of the equation for growers, retailers and landscapers.

AWARD WINNERS - BUTTERFLY Argyranthemum

100 Awards including: Perfect Score, Jardin Daniel A. Seguin; Top Performer, University of Guelph; Excellent Rating, University Laval; Perfect Score, Oregon State University

Growing Tips for BUTTERFLY

- Requires high light in production.
- 200 ppm fertilizer for optimal growth.
- Low light, tight spacing, and wet foliage will lead to disease.
- Transplant Argyranthemum liners first, then water in quickly after transplant.
- In growing group AB (see page 133).*

Notes: No pinch needed for 4-5" pots planted after mid-March. When planted prior to mid-March a pinch will be beneficial. Single plants in 6" and gallons as well as all 8" spray or a 1-3 ppm Bonzi® drench will help control growth. Winter flowering occurs



ANNUAL VIGOR KEY - 1 to 4, with 1 representing the slower, smaller growers and 4 representing the quickest, largest growers. For combinations, choose varieties with the same vigor rating to ensure success.

ANGELFACE® Angelonia angustifolia



Angelface Angelonia is a classic thriller for containers and adds verticality to garden beds. Growers and gardeners alike appreciate that their showy flower spikes don't require deadheading for continuous bloom. This is a sun, heat and humidity-loving plant that is stunning when offered in 1-gallon or larger containers on retail endcaps from early summer to fall.

Angelface Super varieties were bred to be bigger, bolder accent plants for planting en masse in landscapes. They mature to over three feet tall and become covered in flowers from top to bottom. Deer tend to pass them by because of their fragrant foliage.

AWARD WINNERS - ANGELFACE® Angelonia

213 Awards including: Superior Rating, Disney; Top Performer, Ohio State; Excellent Rating, Boerner Botanical Garden, Milwaukee, Wisconsin; Best of the Best, University of Georgia; Best Varieties, Penn State; Top Pick, Cornell University

Growing Tips for ANGELFACE®

- Requires high light in production.
- 150-200 ppm fertilizer for optimal growth.
- Warm and slightly dry conditions after transplanting speeds root-in and growth.
- Remember all Angelonia prefer warm production temperatures and it may be best to bring shipments in mid-spring.
- Scout regularly for aphids which can be problematic.
- In growing group CB (see page 133).

Notes: Pinch 6" or larger containers at transplant for large plugs, 2 weeks after transplant for smaller containers. Florel® causes tip burn and distorted growth. Sumagic® is effective (2-5 ppm), but other growth regulators can delay flowering.




ANGELFACE® Super Blue

Angelonia 'ANSUBLU021' USPPAF Canpbraf

76-102cm (30-40")

ANGELFACE® Super White Angelonia 'Ansuwhi' USPP29490 Can5768

76-102cm (30-40")



ANGELFACE® Cascade

Angelonia






ANGELFACE® Cascade Pink Angelonia 'ANCASPI' USPPAF CanPBRAF 20-36cm (8-14")



We're bringing the same heat and humidity tolerance of standard upright angelonias to a line of cascading types that are perfect for hanging baskets. These plants have outward and downward spreading stems, making them ideal fillers and spillers in container recipes. Pair them with other medium vigor, sun loving annuals.



ANGELFACE® Cascade White Angelonia 'ANCASWHI' USPPAF CanPBRA

20-36cm (8-14")

ARTIST Blue Ageratum













This bountiful bloomer attracts pollinators all season with its brilliant blue blossoms that do not require deadheading. Its habit is sturdy, compact, and very well-branched. It has exhibited outstanding heat tolerance, blooming through the summer even in hot climates.

Growing Tips for ARTIST®

- Requires high light in production.
- Requires early growth regulator.
- 200 ppm fertilizer for optimal growth.
- In growing group BB (see page 133).

Notes: Pinching is not recommended. A light Sumagic® spray (2-5 ppm) or B-9 (2500-5000) has been shown to be effective on Ageratum. Growth can also be controlled using holding temperature. Winter flowering occurs in Sunbelt states.

AWARD WINNER - ARTIST® Ageratum

45 Awards including: Excellent Rating, Disney; Best of the Best, University of Georgia; Best of Species, Penn State; Top Pick, Dallas Arboretum; Top Performer, Kansas State University



SIOWSTORM® Sutera cordata (Bacopa) On Indiana Suter


Our Sutera varieties show what happens when you start with the best genetics, then continually improve them. In hanging baskets and containers, Sutera's glimmering, star-shaped flowers add beauty and texture, but its delicate looks are backed by durability and vigor.

AWARD WINNER - SNOWSTORM® Sutera (Bacopa)

50 Awards including: Outstanding Rating, Disney Trial; Best of the Best, University of Georgia; Early Season Top Performer, Cornell, Long Island; Top Performer, University of Minnesota-Morris; Top Performer-Containers, Biltmore

Growing Tips for SNOWSTORM®

- High light in production is essential in early season. Light shade is required for summer production.
- 150-200 ppm fertilizer for optimal growth.
- You must keep Giant Snowflake under control, especially under dark weather conditions. It should be treated with 500-750 ppm of B-9.
- Treat with preventative broad spectrum fungicidal drench one week after transplant.



CAMPFIRE® Flame **Bidens**





Growers will find this bidens easier to produce due to its increased resistance to powdery mildew, densely mounded. compact habit, and low to no seed set. Fiery orange flowers with a subtle yellow eye are produced on shorter, tighter plants that won't split open. It's the perfect short, tight size for edging landscape borders and smaller monoculture containers.

Growing Tips for Bidens

- Requires high light in production.
- 150-200 ppm fertilizer for optimal growth.
- Good air circulation, control of humidity and good sanitation practices are critical.
- In growing group AB (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. B-9 (2500 ppm) and Sumagic® (5 ppm) should be effective on Goldilocks Rocks and Campfire Flame.

Top Performer, Michigan State University; Best of the Best-Bidens,

GOLDILOCKS ROCKS®

Bidens ferulifolia







Growers will find this bidens is versatile in recipes as its compact size and restrained vigor helps it mix easily with other medium vigor varieties in hanging baskets and upright containers. The large, sunfast, true yellow flowers of this drought tolerant plant continue to bloom easily through the heat.

AWARD WINNER - GOLDILOCKS ROCKS® Bidens

12 Awards including: Top Performer-Best Bidens, Penn State: Best of Breed. JC Raulston Arboretum; Top Performer, Michigan State University



CAMPFIRE® Flame Bidens 'INBIDCAMEM' USPPAF CanPBRAF

$\overline{\mathrm{ENDLESS}}^{\scriptscriptstyle{\mathrm{M}}}$ Browallia

LANDSCAPE 30-41cm (12-16") Vigor: 2

Expanding the list of options for shade, Endless™ Browallia is a simple vet elegant, heat loving plant that requires little more than moisture to thrive in partial to full shade. Brilliant violet purple or white blooms dot the emerald green foliage all season without deadheading. Striking in monoculture containers and Grande™ containers, Endless is equally stunning mixed with other medium vigor varieties in shade loving hanging baskets.

Growing Tips for ENDLESS™

- Browallia is a semi-tropical plant and prefers warmer production temps similar to Angelface® Angelonia. Avoid ordering too early if you do not have the ability to grow warm.
- Provide shade to bright filtered light in production.
- 75-100ppm fertilizer for optimum growth.
- Browallia requires a higher pH than Superbells[®]. If the pH is too low, yellowing foliage is the first sign. Monitor pH levels regularly.
- Good water management practices are critical to healthy plant growth.
- Good air circulation, control of humidity, and good sanitation practices are critical.
- In growing group CC (see page 133).

Notes: Pinch at 1-2 weeks after transplant. Treat with a preventative broad spectrum fungicidal drench at 1-2 weeks after transplant. Good sanitation practices include keeping greenhouses clean at all times, eliminating weeds and debris, disinfecting equipment and greenhouses as often as possible, and keeping hose ends off the floor.

AWARD WINNER - ENDLESS™ Browallia

25 Awards including: Top Performer, Penn State; Best Varieties, Colorado State University; Top Performer, Ohio State University Extension; Excellent Cool Season, Disney

SUREFIRE Begonia benariensis







1ANDSCAPE 30-61cm (12-24") Vigor: 4

These durable, colorful begonias are incredibly versatile in sun and shade, acting as a thriller in large containers or providing masses of bold color in landscapes. Compared to Double Delight™, their habit is more upright; Double Up™ varieties are shorter and more mounded with smaller leaves. A reliable alternative to impatiens in areas where downy mildew is an issue.

AWARD WINNERS - SUREFIRE® Begonia

82 Awards including: Leader of the Pack, NC State; Best of the Best, University of Georgia; People's Pick, Oregon State; Top Performer In-Ground & Containers, Kansas State University







DOUBLE DELIGHT Begonia € ○ 1 20-36cm (8-14") Vigor: 2



Growing Tips for SUREFIRE®

- 150-200 ppm fertilizer for optimal growth.
- Flower drop should be expected. Time properly to decrease messiness.
- Pinching should not be necessary except to shape.
- Requires good drainage and air circulation.
- In growing group BB (see page 133).

Notes: Treat with preventative broad-spectrum fungicidal drench one week after transplant. Scout crops regularly for disease development. Good air circulation, control of humidity, and sanitation practices are critical.

Not just another tuberous begonia! Growers will appreciate the increased vigor, better branched habit and higher flower count of Double Delight begonias. Trials have also shown greater tolerance of Xanthomonas than other similar series. These elegant cascading begonias bear large, abundant blossoms that exude a sweet citrus-like fragrance. Increased sun tolerance makes them versatile for use in containers, hanging baskets, window boxes and monoculture containers. They perform well in full sun in the Northeast; southern growers will need to provide some afternoon shade.

DOUBLE DELIGHT™ Blush Rose Begonia "KERBESPIROS" USPP29297 CanPBRAF

Large, fully double blossoms in shades of soft pink contrast beautifully with the dark green, cascading foliage. Consumers will love their sweet fragrance. New this year.

DOUBLE DELIGHT™ Primrose *Begonia* *** USPPAF CanPBRAF

Large, elegantly formed blossoms in shades of soft yellow contrast beautifully with the bright green, cascading foliage. They exude a notable, citrus-like fragrance. New this year.

Growing Tips for DOUBLE DELIGHT™ Begonia

- Prefers medium light conditions
- Warm, slightly dry conditions will speed rooting in
- Feed with 100-150 ppm N
- Tuberous begonias require long days for best growth and flowering. Grow under 14hr days if planted before April 1 and at least 12hr days for later plantings.
- Flower drop should be expected. Time properly to decrease messiness.

 In growing group BB (see page 133). Notes: Treat with a preventative broad spectrum fungicidal drench at 1-2 weeks after transplant. To control stretch or hold a crop, 150 to 200 ppm Cycocel® may be used for growth regulation. Do not pinch. NEW DOUBLE DELIGHT™ Blush Rose Begonia 'KERBESPIROS' USPP29297 CanPBRAF DOUBLE DELIGHT™ Primrose Begonia *** USPPAF CanPBRAF



$\begin{picture}(20,0) \put(0,0){\line(1,0){100}} \put(0,0){\line(1,0){10$

IANDSCAPE 20-46cm (8-18") Vigor: 2

Begonias are perhaps more popular with consumers than ever before, and these double-flowered bedding types are sure to be a big hit!

Produced vegetatively to ensure excellent vigor, uniformity and durability, Double Up™ wax begonias are an outstanding 4" crop; they bloom early and are easy to hold at retail. Since they are daylength neutral, they can be produced any time of year. The flowers are self-cleaning, avoiding botrytis issues, and they bloom prolifically in sun and shade.

DOUBLE UP™ Pink Begonia semperflorens

Forms a dense, rounded, upright mound of bright green foliage peppered with loads of double pink flowers all season. New this year.

DOUBLE UP $^{\mathrm{M}}$ Red $Begonia\ semperflorens$ 'LEGDBLRED' USPPAF CanpBRAF Forms a dense, rounded, upright mound of dark foliage peppered with loads of double red flowers all season. New this year.

Growing Tips for DOUBLE UP™ Begonia

- Prefers medium light conditions
- Warm, slightly dry conditions will speed rooting in
- Feed with 100-150 ppm N
- Flower drop should be expected.
 Time properly to decrease messiness.
- In growing group BB (see page 133).

Notes:

Treat with a preventative broad spectrum fungicidal drench at 1-2 weeks after transplant. To control stretch or hold a crop, 150 to 200 ppm Cycocel® may be used for growth regulation. Do not pinch.



LADY GODINA® Calendula LANDSCAPE \$\infty\$ 0 \(\frac{1}{2}5-41cm (10-16") \text{ Vigor: 2} \(\frac{1}{2} \)









Broaden your spring and fall lineup of cold tolerant annuals with Lady Godiva Calendula. Our double-flowered cultivars have greatly reduced seed set as well as increased heat and drought tolerance, so the flowers keep right on coming all season. Good disease resistance makes them easier to produce, too. Try combining them with other medium vigor varieties in upright containers and landscapes.


AWARD WINNERS - LADY GODIVA®

34 Awards including: Top Performer, University of Guelph; Leader of the Pack, NC State; Top Performer, Cornell University; Outstanding Rating, Colorado State University

Growing Tips for LADY GODIVA®

- High light in production is essential.
- Good water management practices are critical. Avoid overhead watering late in the day and grow slightly dry.
- 150-200 ppm fertilizer for optimal growth.
- Using fertilizer high in ammonia can cause excessive vegetative growth and lack of flowers.
- In growing group AB. (see page 133).

Notes: Pinch at 1-2 weeks after transplant if needed. A routine fungicidal spray program is encouraged. Growth can be controlled using lower temperatures.



HEART TO HEART Caladium



As bold foliage plants continue to trend strongly, now is the time to expand your offerings of versatile tropicals like our new Heart ™ caladiums. With varieties that can withstand every setting – from full sun to full shade in blazing heat – these bold foliage thrillers bring a tropical vibe to upright container recipes, hanging baskets and in-ground plantings. Growers will appreciate that all caladium bulbs we offer come de-eyed and painted, making it easy to grow predictably strong crops every time.

Sobkowich only

36

AWARD WINNERS - HEART TO HEART™ Caladium

18 Awards including: Perfect Score All Season, Disney; Perfect Score All Season, Ohio State University; Best of Genus, Penn State

'Blushing Bride'

Caladium hortulanum USPP22213

Growing Tips for HEART TO HEART™ Caladium

- For ease of planting, the top of the bulb has been identified with white paint. Plant this side up!
- For sprouting tubers, the soil temperature must be kept at 70-78°F and grown with high 85-90% humidity
- Tubers typically sprout within 14-21 days except Snow Drift (7 days) and Flatter Me (28 days)
- Growing and finishing temperatures must be above 70°F.
 Avoid chilling temps of 60°F and below.

Notes: Best grown in large Royale™ containers. Crops forced in January-February

- Apply liquid feed at 75-100ppm N or use a 90-day controlled release fertilizer
- Prefers moderate light levels
- In growing group DD (see page 133).

may take 8-10 weeks to finish, while May plantings can be as quick as 4-6 weeks. Treat with a broad spectrum fungicidal drench at transplant. Apply 2500ppm B-9 and 15ppm Bonzi® weekly; sprench beginning 3-4 weeks before shipping. HEART TO HEART" HEART TO HEART 'Raspberry Moon' Caladium hortulanum USPP20069 'Lemon Blush' Caladium hortulanum USPP25450 HEART TO HEART" HEART TO HEART" HEART TO HEART™

'Mesmerized'

Caladium hortulanum USPP29545

'White Wonder'

Caladium hortulanum USPP21044

Sun or Shade Caladiums



HEART TO HEART™
'Blushing Bride'
Caladium hortulanum USPP22213



HEART TO HEART™
'Bottle Rocket'
Caladium hortulanum USPP30651



HEART TO HEART™
'Chinook'
Caladium hortulanum USPP27094



NEW

HEART TO HEART™ FAST FLASH™ Caladium hortulanum 'RFL 2317-114' USPP27964



HEART TO HEART™ 'Flatter Me' Caladium hortulanum USPP27946



HEART TO HEART™
'Heart and Soul'
Caladium hortulanum USPPAF



HEART TO HEART™
'Heart's Delight'
Caladium hortulanum USPP23992



HEART TO HEART™
'Mesmerized'
Caladium hortulanum USPP29545



HEART TO HEART™ 'Radiance' Caladium hortulanum USPP27095



HEART TO HEART™ 'Scarlet Flame' Caladium hortulanum USPP25419



HEART TO HEART™ 'Tickle Me Pink' Caladium hortulanum USPPAF



HEART TO HEART™
'White Wonder'
Caladium hortulanum USPP21044



HEART TO HEART™ 'Caribbean Coral' Caladium hortulanum USPP29546



HEART TO HEART™
'Dawn to Dusk'
Caladium hortulanum USPP23991



HEART TO HEART™ 'Lemon Blush' Caladium hortulanum USPP25450



HEART TO HEART™
'Raspberry Moon'
Caladium hortulanum USPP20069



HEART TO HEART™
'Rose Glow'
Caladium hortulanum USPP20070



HEART TO HEART™
'Snow Drift'
Caladium hortulanum USPP27072



HEART TO HEART™ 'Splash of Wine' Caladium hortulanum USPPAF



HEART TO HEART™ VA VA VIOLET™ *Caladium* hortulanum 'PSY LAV 2322-5668' USPP28000



SUPERBELLS Calibrachoa • 15-30cm (6-12") Vigor: 2





TableTop™: 10-20cm (4-8") Vigor: 1

Often imitated. Never equaled.

With so many Calibrachoas on the market, how do you choose the best? At Proven Winners, we trial and select for varieties that perform all summer and deep into the fall months, long past when they leave the grower's bench. We want both growers and gardeners to be successful so they keep coming back for more.

Superbells are available in a broad array of superb colors and patterns with larger blooms that keep on coming all season due in part to greater thielaviopsis resistance. Some are compact and mounding while others cascade over the edges of hanging baskets and upright containers, creating an endless array of combination opportunities.

Growing Tips for SUPERBELLS®

- Treat with preventive broad spectrum fungicidal drench one week after transplant.
- It is strongly suggested that growers use caution when using Medallion® or any other fungicide with the active ingredient fludioxonil due to potential leaf spotting on calibrachoas.
- Requires high light in production.
- 150-200 ppm fertilizer for optimal growth.
- Keep pH between 5.5 and 5.8.
- Yellow tips are often an indicator of high pH.
- Blue has a tendency to stretch under low light conditions.
- Use PGRs with caution on all Calibrachoa.
- Cold is a good natural growth regulator.
- More vigorous varieties like Lemon Slice and Pomegranate Punch may need additional early pinch or PGR treatment in low light environments.
- TableTop[™] varieties require less water and PGRs than standard Superbells.
- In growing group AA (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. 5-10 ppm Sumagic®

or a B-9/Cycocel (2500/750) tank mix is effective. Use 500 ppm Florel® on baskets and larger containers to promote branching. Calibrachoa are sensitive to pythium, phytopthera, and thielaviopsis, but Superbells have higher levels of tolerance to these diseases. Proper pH and good sanitation practices help alleviate problems. Increased air circulation, proper water management, and good soil porosity are also critical. Scout regularly for aphids and thrips, especially in baskets.

Reduce pH in Hanging Baskets

Generally in cold, cloudy weather you want a Cal-Mag blend of fertilizer with high nitrate nitrogen, as this grows a better plant in winter conditions. Use a high ammonium nitrogen fertilizer to slowly lower media pH, but there is a catch. Under winter's low light and temperature conditions, high ammonium fertilizers can cause ammonium toxicity and cause the crop to grow too fast (meaning more PGRs will be required). Quick changes in pH usually cause additional problems. Other ways to reduce pH are to add more acid to your fertilizer injector and increase the overall acidity, but use care as you can also cause precipitation of some of the fertilizer elements if not handled properly.

AWARD WINNERS - SUPERBELLS® Calibrachoa

800 Awards including: Excellent Rating, Disney; Superior Rating, Penn State; Best of the Best, University of Georgia; Best Calibrachoa, Colorado State; Leader of the Pack, North Carolina State; Consumer Favorites, Cornell-Long Island; Top Performer, The Oregon Gardener



SUPERBELLS® Coral Sun

Calibrachoa '**' USPPAF CanPBRAF

This tropical coral and sunny yellow bicolor is easy to mix with other sun-loving plants in recipes. A beautifully mounded habit blanketed in color makes it irresistible at retail. New this year.

Superbells® Classic



SUPERBELLS® Blue Calibrachoa 'USCALI151' USPP14874 Can1931



SUPERBELLS® Cherry Red
Calibrachoa 'USCAL23101' USPP27010 Can5318



SUPERBELLS® Coralina Calibrachoa "INCALMIABE" USPP28036 Can5556



SUPERBELLS® Coral Sun Calibrachoa *** USPPAF Canpbraf



SUPERBELLS® DREAMSICLE® Calibrachoa "INCALDRSIM" USPPAF Canpbraf



SUPERBELLS® HOLY COW!™

Calibrachoa BBCALB5303' USPP30B40 CanPBRAF
US Utility US9313959



SUPERBELLS® HOLY MOLY!®

Calibrachoa "USCALCHSTM" USPPAF Canpbraf
US Utility US9313959



SUPERBELLS® HOLY SMOKES!® Calibrachoa "BBCAL85805" USPP30838 Canpbraf US Utility US9313959



SUPERBELLS® HONEYBERRY™
Calibrachoa 'BBCAL91303' USPAF CanPBRAF



SUPERBELLS® LEMON SLICE® Calibrachoa 'USCAL5302M' USPP24353 Can4917



SUPERBELLS® Miss Lilac Calibrachoa "USCAL87502" USPP23230 Can4593



SUPERBELLS® OVER EASY™ Calibrachoa KLECA16314' USPP29741



SUPERBELLS® Pink Calibrachoa 'USCALI11' USPP14968 Can1927



SUPERBELLS® Plum Calibrachoa BBCAL76001 USPP29872 Can6054



SUPERBELLS® Red Calibrachoa 'INCALIMRED' USPP29075 Can5772



SUPERBELLS® Tropical Sunrise Calibrachoa "INCALTRSUN" USPP29029 CanPBRAF



SUPERBELLS® White Calibrachoa 'Balcal14141' USPP30200



SUPERBELLS® Yellow Calibrachoa 'Balcal1004' USPP29528



SUPERBELLS® YELLOW CHIFFON™ Calibrachoa 'USCALI4021' USPP19480 Can3631

$\textbf{Superbells}^{\texttt{m}}\,\textbf{TableTop}^{\texttt{m}}$



SUPERBELLS® TableTop™ Blue Calibrachoa "INCALCOBLU" USPPAF CanPBRAF



SUPERBELLS® TableTop™ Red *Calibrachoa* "BBCAL83901" USPPAF CanPBRAF



 $SUPERBELLS^{\circledR} \ Table Top^{\textmd{\tiny M}} \ White \\ \textit{Calibrachoa}^{\textmd{\tiny (INCALCOWHI'USPPAF CanPBRAF}}$



SUPERBELLS Calibrachoa On [15-30cm (6-12") Vigor: 2









Superbells® Punch



SUPERBELLS® BLACKCURRANT PUNCH™ SUPERBELLS® BLUE MOON PUNCH™ Calibrachoa 'BBCAL81801' USPP30839 CanPBRAF



Calibrachoa



SUPERBELLS® GRAPE PUNCH™ Calibrachoa 'JGCAL09404' USPP29760 Can5784



SUPERBELLS® POMEGRANATE PUNCH™ Calibrachoa 'USCAL08501' USPP24503 Can4915



SUPERBELLS® STRAWBERRY PUNCH™ Calibrachoa "USCAL58205" USPP22941 Can4590



SUPERBELLS® TANGERINE PUNCH™ Calibrachoa 'BBCAL82201' USPP30785 CanPBRAF



SUPERBELLS® WATERMELON PUNCH $^{\text{\tiny{M}}}$ Calibrachoa BBCAL82402 USPPAF CanPBRAF



SUPERBELLS® CARDINAL STAR™ Calibrachoa 'USCAL69404' USPP29667 Can6055 US Utility US9313959



SUPERBELLS® Cherry Star Calibrachoa 'USCAL91001' USPP23232 Can4594 US Utility US9313959



SUPERBELLS® EVENING STAR™ Calibrachoa BBCAL87705' USPP30837 CanPBRAF
US Utility US9313959



SUPERBELLS® HOLLYWOOD STAR" Calibrachoa 'BBCAL26702' USPP29072 Can5783 US Utility US9313959



SUPERBELLS® MORNING STAR™ Calibrachoa 'BBCAL27801' USPP29030 Can5782 US Utility US9313959



SUPERBELLS® RISING STAR™ Calibrachoa 'KLECA16006' CanPBRAF US Utility US9313959

Superbells® Double



SUPERBELLS® Double Amber Calibrachoa 'KLECA20428' CanpBRAF US Utility US7786342



SUPERBELLS® Double Blue Calibrachoa "INCALDOBLU" USPPAF CanPBRAF US Utility US7786342



SUPERBELLS® Double Chiffon Calibrachoa 'USCAL51505' USPP30803 CanPBRAF US Utility US7786342



SUPERBELLS® Double Orange Calibrachoa 'KLECA20459' CanPBRAF US Utility US7786342



SUPERBELLS® Double Orchid Calibrachoa 'KLECA14275' USPPAF CanPBRAF US Utility US7786342



SUPERBELLS® Double Ruby Calibrachoa "USCAL83901" Can4591 US Utility US7786342 Calibrachoa "USCAL81302" USPP30804 CanPBRAF US Utility US7786342



SUPERBELLS® Doublette LOVE SWEPT™

Superbells Photoperiod Response

An independent trial conducted in a controlled environment revealed the following timing for Superbells *Calibrachoa*. It is applicable for growers worldwide.

Less than 12 hours (Day Neutral Response)

Superbells® Evening Star™

Superbells® Coral Sun

Superbells® Double Orchid

Flowers best over 12 hours (Faculative Long-day Response)

Superbells® Hollywood Star™

Superbells® Holy Smokes!®

Superbells® Honeyberry™

Superbells® Yellow

Superbells[®] TableTop[™] Blue

Superbells® Cherry Star

Superbells® Morning Star™

Superbells® Rising Star™

Superbells® Cardinal Star™

Superbells® Coralina

Superbells® Lemon Slice®

Superbells® Doublette Love Swept™

Superbells® Holy Cow!™

Superbells® Holy Moly!®

Superbells® Double Amber

Superbells® Double Blue

Superbells® Blue Moon Punch™

Superbells® Pomegranate Punch™

Superbells® Blackcurrant Punch™

Superbells® Tropical Sunrise

Superbells® Red

Superbells® Tangerine Punch™

Superbells® Dreamsicle®

Superbells® Grape Punch™

Superbells® TableTop™ Red

Superbells® Double Ruby

Superbells® Double Orange

Superbells® Miss Lilac

Superbells® Yellow Chiffon™

Superbells® Cherry Red

Superbells® Plum

Superbells® White

Superbells® Double Chiffon

Superbells® TableTop™ White

Superbells® Pink

Superbells® Blue

Superbells® Over Easy™

Needs more than 13 hours (Obligate Long-day Response)

Superbells® Strawberry Punch™

Superbells® Watermelon Punch™

Ever wonder what the top-selling Superbells are?

Here's the entire list in order by Canadian propagator liner sales.

Superbells® Lemon Slice®

Superbells® Grape Punch™

Superbells® Yellow

Superbells® White

Superbells® Pomegranate Punch™

Superbells® Red

Superbells® Dreamsicle®

Superbells® Evening Star™

Superbells® Tropical Sunrise

Superbells® Watermelon Punch™

Superbells® Yellow Chiffon™

Superbells® Blue Moon Punch™

Superbells[®] Blackcurrant Punch™

Superbells® Doublette Love Swept™

Superbells® Holy Moly!®

Superbells® Holv Smokes!®

Superbells® Tangerine Punch™

Superbells® Double Ruby

Superbells® Pink

Superbells® Double Orange

Superbells® Coralina

Superbells® Holy Cow!™

Superbells® Honeyberry™

Superbells® Cherry Star

Superbells® Blue

Superbells® Cherry Red

Superbells® Double Amber

Superbells® Plum

Superbells® Over Easy™

Superbells® Double Chiffon

Superbells® Strawberry Punch™

Superbells® Cardinal Star™

Superbells® Double Blue

Superbells® Double Orchid

 $Superbells^{\circledR} \ Table Top^{\'\'\'} \ Red$

Superbells® Hollywood Star™

Superbells® Rising Star™

Superbells® TableTop™ White

Superbells® Miss Lilac

Superbells® TableTop™ Blue

Contact your propagator to discuss options using "programmed liners" to shorten flowering times.

TOUCHN® Canna x generalis LANDSCAPE OF TO6-122cm (30-48") Vigor: 4



These cannas are fast, vigorous, highly disease resistant and as easy to grow as petunias in greenhouse production. Recommend them as bold-foliage, flowering thrillers for large containers or for mass plantings in landscapes. Sell early in 4.25 Grande™ containers and in 1.0 Royale™ or larger containers through summer.

AWARD WINNERS - TOUCAN® Canna

236 Awards including: Top Performer, Longwood Gardens; Excellent Rating, University Laval; Excellent Warm Season, Disney; Top Performer, University of Guelph; Perfect Score All Season, Ohio State

Growing Tips for TOUCAN®

- Warmth and moisture are essential to growing high quality Cannas. Temperatures should not drop below 60-65° F; chilling injury may delay the crop.
- Do not use irrigation frequency to control plant size. Crop can be run slightly dry but drying to wilt stage will cause leaf burn and drop. Good water management practices are critical to healthy growth.
- To maximize growth, use a fertilizer with a complete micronutrient mix; these Cannas grow fast and use a lot of food. 200-300ppm is the optimum rate.
- Watch for spider mites, especially if plants are not actively growing.
- Plants will normally flower in 7-10 weeks at optimal temperatures.
- In growing group DE (see page 133).



FLAMBÉ* Yellow

Chrysocephalum apiculatum







The unique blooms of this plant are truly enchanting, with small sprays of tiny spherical flower heads that appear in clusters in the spring and summer. An exceptionally adaptable plant, this sun lover has a spreading habit and is drought tolerant and easy to grow.

Growing Tips for FLAMBÉ®

- Requires high light in production.
- 150-200 ppm fertilizer for optimal growth.
- Pinch once, two weeks after liner planting. May be cut back if desired.
- B-9 at 2500 ppm can help to control stretch under low light.
- In growing group BC (see page 133).

Notes: Watch for aphids, leaf miners, and white flies. Can be susceptible to crown and stem rots if grown in cool, damp conditions. Maintain good air movement.

AWARD WINNER - FLAMBÉ® Chrysocephalum

30 Awards including: Excellent Rating, Massachusetts Horticultural Society; Excellent Rating, Boerner Botanical Garden, Milwaukee, Wisconsin; Best of Breed, North Carolina State

Señorita cleome





Growers and gardeners have grown to love the Proven Winners line of thornless, seedless, odorless, non-sticky cleomes. They exhibit excellent heat, humidity and drought tolerance, bloom spring through fall and have minimal oedema issues. Grow in Royale[™] containers for best display.

Growing Tips for Cleome

- 200-300 ppm fertilizer for optimal growth.
- Take care not to overwater.
- Pinch once, two weeks after liner planting. A second pinch may be necessary for large containers.
- PGRs should not be necessary.
- These varieties should NOT have oedema problems.
- In growing group BB (see page 133).

Notes: Treat with preventative broad spectrum fungicidal drench one week after transplant. Scout crops regularly (at least once a week) for disease development. Good air circulation, control of humidity, and good sanitation practices are critical. Good water management practices are critical to healthy plant growth.

AWARD WINNER - SEÑORITA Cleome

[‡]61-122cm (24-48")

240 Awards including: Outstanding Rating, Disney Trials; Top Performer, Colorado State University; Top Performer, Michigan State University; Top Performer, Texas A&M; Top Performer, Oregon State University; Leader of the Pack,



61-122cm (24-48")



COLORBLAZE Solenostemon (Coleus)







With vibrant color and season-long performance, the ColorBlaze collection of coleus is a must-have for your spring lineup. These foliage plants are bold, versatile, easy to grow, and extremely popular with gardeners. All are late-flowering varieties that hold their form throughout the season. They are tolerant of varying light conditions and are among the fastest-selling plants in any program.

COLORBLAZE® Royale PINEAPPLE BRANDY™

Solenostemon scutellarioides (Coleus)

For polished container presentation, choose this tightly branched, compact selection with radiant golden yellow leaves and a razor thin, red edge. Matches Apple Brandy® in habit. Shows good resistance to downy mildew. New this year.

AWARD WINNER - COLORBLAZE® Solenostemon

642 Awards including: Top Performer, Ohio State; Leader of the Pack, North Carolina State; Top Performer, Kansas State; Top Performer, Oregon State University; Top Performer Sun and Shade, Texas A&M

Growing Tips for COLORBLAZE®

- Establish in a warm environment. Plants subject to chilling may be stunted.
- 150-200 ppm fertilizer for optimal growth.
- One to two pinches can be used to increase branching and for shaping. For small container sizes, this may not be necessary; larger containers will probably require pinching. Florel® can increase branching and reduce flowering. Cycocel/B-9 tank mix or Sumagic® spray at 3-5 ppm will help control growth if needed.
- In growing group BC (see page 133).







COLORBLAZE ROYale Solenostemon (Coleus) ANDSCAPE SOLENOSTEMON (Coleus)











COLORBLAZE® Drop Solenostemon (Coleus) LANDSCAPE SOLONO SO













'Coffee Cups' and HEART OF THE JUNGLE Colocasia esculenta

LANDSCAPE 91-152cm (36-60") Vigor: 3

As tropicals continue to trend upward, there's never been a better time to expand your offering of tropical container plants. Our Colocasias make dynamic thrillers in large container recipes, similar to how Heart to Heart™ Caladiums bring a tropical vibe to small and medium sized container combinations. They are equally spectacular in the landscape where they appreciate some protection from high winds.

'Coffee Cups' Colocasia esculenta

Capitalize on the tropical trend by adding this distinctive *Colocasia* with dramatically cupped, olive green foliage and mocha accents.

HEART OF THE JUNGLE® Colocasia esculenta
Earn instant tropical appeal by adding this huge

Growing Tips for Colocasia

- Prefers medium to high light conditions
- Feed with 150-200ppm N
- Warm temperatures are needed in production and for garden performance
- Chlorotic tips can be an indicator of chill damage
- In growing group BC (see page 133).

Notes: Scout regularly for spider mites, especially if greenhouses are very cool and air circulation is limited. Consider a preventative Kontos® drench application 2 weeks after transplant or start a biological control program. Careful reduction of production temperatures is a good natural growth regulator. Sprench or drench application of +-1 ppm Sumagic® can also be to used to control stretch; may need more than one application under low light or crowded conditions.



FAIRY DUST® Pink

Cuphea ramosissima



² 0 0 26-41cm (10-16") Vigor: 3

Meet your new go-to plant for heat and drought tolerant combinations. Appearing like a pink-flowered Diamond Frost®, this cuphea forms an airy cloud of delicate blooms on densely branched panicles all season. You'll only need to try this unique plant once before you'll want to grow it every year.

Growing Tips for FAIRY DUST®

- Requires high light in production.
- Avoid overwatering, especially early in the crop cycle.
- Plants can be run a little dry but not to the point of wilt, which causes leaf burn.
- 150-200 ppm fertilizer for optimal growth.
- In growing group BC. (see page 133).

Notes: Pinch at 1-2 weeks after transplant if needed.

AWARD WINNER - FAIRY DUST® Pink Cuphea

21 Awards including: Best in Trial, Massachusetts Horticultural Society; Best of Breed, NC State; Top Performer, Penn State; Excellent Warm Season, Disney

VERMILLIONAIRE®

Cuphea





LANDSCAPE 46-71cm (18-28") Vigor: 3



Vermillionaire is an absolute hummingbird magnet. It's extremely heat and humidity tolerant and is very low maintenance. Though it's drought tolerant, it can also tolerate higher moisture levels. Vermillionaire features a well-branched, mounding growth habit and produces deep-orange tubular flowers that cover the plant from spring through first frost. Although Vermillionaire is a cuphea, it's not prone to oedema.

Growing Tips for VERMILLIONAIRE®

- 150-200 ppm N
- Drying out plant to wilt will cause leaf burn and leaf drop. Can be run a little dry but not to wilt.
- Watch for thrips, whiteflies and aphids.
- Treat with preventative broad spectrum fungicidal drench one week after transplant.
- In growing group CC (see page 133).

AWARD WINNER - VERMILLIONAIRE® Cuphea

63 Awards including: Top Performer, Costa Farms; Top Performer, Biltmore; Top Performer and Consumer Top 3, Colorado State University; Top Performer,



DIAMOND Euphorbia



Among the most versatile annuals in our lineup, Diamond Euphorbias offer a range of habits for every use, from hanging baskets to edging borders or competing with the most vigorous varieties in recipes. They are exceptionally heat and drought tolerant, providing a refined texture for elegant combinations in sun and shade.

DIAMOND FROST® Euphorbia 'Inneuphdia' USPP17567 Can2830

Diamond Frost is like your friend who gets along with everyone she meets – it combines easily with many kinds of plants, weaving its wiry stems in and out, poking its single, airy white flowers throughout the combination. Often imitated but never equaled!

DIAMOND MOUNTAIN® Euphorbia '**' USPPAF Canpbraf

This super-sized Euphorbia makes magnificent hanging baskets and extra-large upright containers when combined with our most vigorous plants like Supertunia Vista® petunias. It's also spectacular in the landscape, growing similar in size to a spirea shrub.

DIAMOND SNOW® Euphorbia 'INCHADIACL' USPPAF CanPBRAF

Double, bright white flowers are produced on vigorous, densely branched plants. Its habit is just airy enough to allow its medium vigor companions to weave between its stems to form stunning container recipes.

Growing Tips for DIAMOND Euphorbia

- High light is required in production.
- 150-200 ppm fertilizer for optimal growth.
- Preventive fungicides are recommended 1 week after transplant.
- Warm and slightly dry conditions after transplanting speeds root-in and growth.
- Can have an adverse reaction to shipping in a box, but even plants that look bad will rebound in a short time.
- Severe dry down can cause foliage to drop; however, the plant will recover.
- Benefits from a light shearing 2-3 weeks after transplanting.
- In growing group BB (see page 133).

Notes: No pinch necessary, but plants can be pinched to shape. Winter flowering occurs in Sunbelt states. Very sensitive to Florel®.

AWARD WINNERS -

DIAMOND FROST® Euphorbia

177 Awards including: Rising Star, Dallas Arboretum; Best of the Best, University of Georgia; Superior Rating, Colorado State; Top Performer, Ohio State

DIAMOND MOUNTAIN® Euphorbia

38 Awards including: Top Performer, University of Guelph; Perfect Score, Oregon State University; Top Performer, Jardin Daniel A Seguin; Top 10, North Carolina State University

DIAMOND SNOW® Euphorbia

28 Awards including: Perfect Score All Season, University of Minnesota;



^{*}61-91cm (24-36") Vigor: 4



MYSTIC Illusion Dahlia





1ANDSCAPE 46-91cm (18-36") Vigor: 3



An absolute rock star in the landscape, clear lemon vellow, single blooms really pop against the dark foliage. The plants are resistant to powdery mildew, making them easier for growers to manage with fewer inputs. Mystic Illusion is suitable for 4.25" Grande™ and 1.0 Royale[™] containers as well as combinations.

Growing Tips for MYSTIC ILLUSION

- Requires high light in production.
- 150-200ppm fertilizer for optimum growth.
- Plants are rarely affected by powdery mildew outdoors.
- Most Dahlias are long day plants. Provide long days or night interruption lighting to induce blooming if finishing before the first of April.
- Good water management practices are critical to healthy plant growth.
- Good air circulation, control of humidity, and good sanitation practices are critical.
- In growing group BB (see page 133).

Notes: Do a soft pinch at 1-2 weeks after transplant if needed. Plants can be pinched to shape. Shearing growth tips encourages fuller growth. Hard pinches can stall growth. Treat with a preventative broad spectrum fungicidal drench at 1-2 weeks after transplant. Scout crops regularly (at least once a week) for disease development.

$\mathbf{HIGH} \; \mathsf{NOON}^{^{\mathsf{m}}} \; \mathit{Euryops pectinatus}$



7 (10-14") Vigor: 2



Growers in warm climates know *Eurvops* as an easy to grow. heat loving plant. Much like we've done with *Evolvulus* with the introduction of Blue My Mind®, we've now refined Euryops by giving it large flowers and a denser, compact habit with long flower stems that help it mix easily in baskets and upright recipes. We've also made it easier to get into flower in cooler climates. Grower trials have shown that its semi-succulent, thick leaves handle dry down better than other Euryops. It mixes beautifully with other heat loving plants like Luscious® Lantana and Angelface® Cascade Angelonia. New this year.

Growing Tips for HIGH NOON™

- Prefers high light conditions
- Feed with 150-200 ppm N
- Easier for Northern growers to get into flower compared to typical Euryops
- In growing group AB (see page 133).

Notes: Treat with preventative broad spectrum fungicidal drench at transplant. Good air circulation, water management, control of humidity, and sanitation practices are critical. Scout regularly for aphids and thrips, which can be problematic. Be sure to check hanging baskets that are hanging high.



BLUE MY MIND® Evolvulus

15-30cm (6-12") Vigor: 2

Stunning true sky blue flowers are the signature of this popular annual. Drought, heat and humidity tolerance helps it thrive on neglect in containers and landscapes. This cultivar is better branched with larger flowers compared to 'Blue Daze'. Northern growers should use caution to not bring it in too early as it must be protected from even a light frost. Best in 4.25 Grande™ and 1.0 Royale™ containers.

Growing Tips for BLUE MY MIND®

- This is a HOT season crop. When night temperatures are below 65° F (18° C), the plant's growth drops off. Low light levels severely weaken the growth, so plan to order when you can meet or exceed these conditions.
- Reduce your fertility to 50-75 ppm to avoid high EC levels. This is a tough, durable, drought-tolerant plant that requires heat.
- Needs to be protected from even a light frost.
- While the plants can withstand drought conditions, growth and flowering are better with consistent moisture.
- In growing group CC (see page 133).

Notes: Pinch twice; once two weeks after liner planting and then 5 weeks later. PGRs are not necessary.

AWARD WINNER - BLUE MY MIND® Evolvulus

65 Awards including: Top Performer, Texas A & M; Best of Show, University of Wisconsin; Top Performer, Massachusetts Horticulture Society at Elm Banks; Top Performer In-Ground and Containers, Kansas State University

TRUFFULA™ Pink

Gomphrena pulchella







This vegetative Gomphrena has a tidier appearance than most, retaining its bushy shape without splitting when in full bloom. It thrives in heat and humidity and is drought tolerant once rooted in. Pollinators flock to its hot pink, cotton ball-shaped blooms from spring into fall. Makes an excellent cut and dried flower. Pair it with other high vigor varieties or grow it as a specimen in large containers and landscapes.

Growing Tips for TRUFFULA™ Pink

- High light and good air circulation are essential to producing a quality crop.
- Long days are required for peak blooming.
- 150-200ppm fertilizer for optimal growth.
- Grow in 4.25 Grande[™] and 1.0 Royale[™] containers. monocultures or in combination with other high vigor varieties.
- In growing group BC (see page 133).

Notes: Pinch 1–2 weeks after transplant. A second pinch may be needed when growing plants in larger containers. Paclobutrazol applied at 1-3 ppm as a drench can help shape or hold the crop, but go slowly and learn how the crop performs in your greenhouse.

AWARD WINNER - TRUFFULA™ Pink Gomphrena

46 Awards including: Top Performer, University of Guelph; Top Performer, Jardin Daniel A Seguin; Best of the Best, University of Georgia; Perfect Score, Mississippi State University









We've been incredibly impressed with these vegetatively produced Gaillardia in our trials, especially their strong resistance to white smut (Entyloma polysporum). This trait, along with their uniform habit, great vigor and earliness to bloom makes them easy for growers to produce. They are a favorite of pollinators, have native Texan roots, are long blooming, and are heat tolerant. They are beautiful in mass plantings in landscapes and in monoculture containers.

HEAT IT UP® Scarlet Gaillardia 'G15272' USPPAF CanPBRAF Spicy orange-red flowers with slight yellow tips are produced for months on vigorous, uniform plants.

HEAT IT UP® Yellow Gaillardia 'G15270' USPPAF CanPBRAF Bouquets of solid sunshine yellow flowers appear for


Growing Tips for HEAT IT UP®

- Requires high light in production.
- Long days will speed and enhance flower development.
- Vernalization: Cold beneficial
- Feed with 150-200ppm N.
- Good air circulation and water drainage is important. Use a moisture retentive soil that drains well. Plants can tolerate low water once established in the landscape.
- In growing group AB (see page 133).

Notes: Pinch liners 1-2 weeks after transplant. A second pinch may be needed for larger containers. Grow in 4.25 Grande™ and 1.0 Royale™ containers.



STRATOSPHERE® and KARALEE® Gaura lindheimeri





Annual GRACEFUL GRASSES®

Our Graceful Grasses® Collection is popular with consumers because these plants are easy to grow and add height, texture, and color to the landscape and containers. Industry experts are fans as well, with the ten plants in the collection continuing to pick up awards for performance and beauty.

Cultural Information for GRACEFUL GRASSES®

For cultural information on each of the Graceful Grasses, go to www.provenwinners.com, click on Professionals, then under the Growers section click Cultural Information. There, you can search for specific culture information on Graceful Grasses.

1.0 Quart and 4.25 Grande™ Specialty Containers for Graceful Grasses®


Gardeners are looking for our Graceful Grasses Collection, and our optional specialty containers make it easy for customers to find them. Plus, when you use these specialty containers, you have the option of charging a different price for Graceful Grasses than for annuals. The unique UPC code on these containers is also beneficial for scanning purposes. Both sizes are available as a special order with a 25,000 minimum.



Graceful Grasses®
1.0 Quart container







IMPROVED

HIPPO® Hypoestes phyllostachya ANDSCAPE 41-56cm (16-22") Vigor: 2





Hypoestes got a makeover! This series of super-sized, vegetative varieties does what Snow Princess did to seed alyssum. They're big, bushy, and won't bolt into flower soon after planting since they were selected against flowering and seed set. Use them like you would a coleus, providing season-long color in combination containers and landscapes in part sun or shade. This is one versatile plant you can easily recommend to every gardener.

HIPPO® Red Improved Hyposestes phyllostachya '**' USPPAF CanPBRAF We've improved upon this super-sized, vegetative variety by giving it brighter red color that absolutely glows in the shade. It was selected against flowering to prevent bolting.

- will cause leaf burn and drop.
- can stress plants and damage the foliage.

Notes: Pinch at 1-2 weeks after transplant if needed. Treat with preventative broad spectrum fungicidal drench 1-2 weeks after transplant, B-Nine may be used at 1500-2500ppm two weeks after transplant. Bonzi is also effective. Check manufacturer labels for approved rates and usage recommendations.

AWARD WINNER - HIPPO® Hypoestes

119 Awards including: Top Performer, University of Guelph; Excellent Rating, University Laval; Perfect Score All Season, Michigan State University; Consumer Favorite, Ohio State: Best of Breed, NC State



phyllostachya '**' USPPAF CanPBRAF

Rockapulco varieties feature unbeatable performance, plus the biggest, brightest, and most abundant flowers you'll find in double impatiens. Rockapulco varieties have excellent branching, uniformity, and a full range of color options, making them an ideal choice for premium containers.

AWARD WINNER - ROCKAPULCO® Impatiens

82 Awards including: Leader of the Pack, North Carolina State; Prairie Star, Kansas State; Top Performer, Smithsonian

Growing Tips for ROCKAPULCO®

- 100-150 ppm fertilizer for optimal growth.
- Requires moderate light intensity for optimal growth. Reduce light intensity when temperatures are high to prevent flower and leaf burning as well as bud drop.
- Apply Bonzi® (3-10 ppm) once or twice to control growth. Higher rates may be necessary in Southern production areas.
- Moderate drying of media will enhance flowering and control stretch. Too much drying can cause leaf scorch under high light.
- Leach periodically to keep salt levels in container low.



BETH'S BLUE and PATTI'S PINK sotoma axillaris

LANDSCAPE 25-36cm (10-14") Vigor: 2

BETH'S BLUE® Isotoma axillaris

This outstanding heat tolerant annual has long been popular for its unique star-shaped, blue lavender flowers and its interesting texture for containers and landscapes. Once vernalized, it puts on an airy show of blooms all season until frost.

PATTI'S PINK™ *Isotoma axillaris* "ISOPAPI" USPPAF CanPBRAF
If you like the look of Beth's Blue®, you'll love Patti's Pink.
Slightly larger, star-shaped, pink flowers are borne atop a dense mound of finely textured, green foliage all season. Unlike Beth's Blue, it does not require vernalization to bloom.

Growing Tips for BETH'S BLUE® and PATTI'S PINK™

 Flowers heaviest when grown cool (45-55°F). Growing cooler will bulk up the plants and increase flower formation, however it will also increase production time.

- Great for growing in cold greenhouses where blooming begins to peak when temperatures warm up.
- Display and sell in cool greenhouse areas or grow outside if possible. A great companion to other cool season crops.
- 150-200 ppm fertilizer for optimum growth.
- In growing group AB (see page 133).

Notes: Pinching is not necessary. Treat with a preventative broad spectrum fungicidal drench at 1-2 weeks after transplant. Scout crops regularly (at least once a week) for disease development. Water early in the day so foliage is dry by nightfall to decrease likelihood of disease.

AWARD WINNER - BETH'S BLUE® Isotoma

18 Awards including: Best Performer, Dallas Arboretum; Best of Breed, JC Raulston Arboretum

AWARD WINNER - PATTI'S PINK™ Isotoma

9 Awards including: Perfect Score All Season, Disney; People's Choice, University of Georgia; Top Performer, Michigan State University





LUSCIOUS® Lantana camara









One of the most reliable recommendations you can make for customers looking for sun, heat and drought tolerant flowers that attract pollinators. Fragrant Luscious Lantana are rock stars in the landscape and add season-long color to window boxes, patio pots and hanging baskets.

Choose Luscious Royale varieties for their smaller size that fits easily into any container as a monoculture or paired with other medium vigor varieties. Choose standard Luscious varieties for full-sized, mega flower power. All our Lantanas set little to no seed and are daylength neutral.

LUSCIOUS® Royale RED ZONE™ *Lantana camara* *** USPPAF CanPBRAF Certified sterile by the University of Florida, this non-invasive lantana is ideal for growers and gardeners in warm climates but also performs well across the nation. Large clusters of fragrant blossoms emerge red and orange bicolor, then transition to pure glowing red on compact, upright plants. New this year.

Growing Tips for LUSCIOUS®

- 200 ppm fertilizer for optimal growth.
- High light in production is essential.
- Warm and slightly dry conditions after transplanting speeds root in and growth.
- Use caution with Florel®, as it can cause leaf drop and leaf curl.
- For best results, northern growers may want to order first shipments in mid-spring when temperatures and light levels rise. Cold and wet conditions can double crop time.
- In growing group CB (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. PGRs should not be needed. Winter flowering occurs in Sunbelt states. Luscious Marmalade and Luscious Bananarama may require a second pinch for shaping.

Luscious Grape is a true trailing variety. This may require an additional pinch to fill out 4-5" containers. Crop time will be about 2 weeks longer than others in the series and can be shortened by increasing the number of liners per container.

AWARD WINNER - LUSCIOUS® Lantana

375 Awards including: Top Performer, Michigan State; Leader of the Pack, North Carolina State; Top Pick, Missouri Botanic Garden; Outstanding Rating, Disney Trials; Top Performer, University of Delaware; Best Overall Impression, Oregon State University

Luscious Comparison Chart

Variety Name	Vigor	Habit	Height	In Combos
Bananarama™	3	Mounding	51-76cm (20-30")	Yes, with vigorous companions
Berry Blend™	3	Upright	51-76cm (20-30")	Yes, with vigorous companions
Citrus Blend™	3	Upright	51-76cm (20-30")	Yes, with vigorous companions
Goldengate™	3	Upright	51-76 cm (20-30")	Yes, with vigorous companions
Grape	2	Trailing	25-36 cm (10-14")	Yes, with any
Marmalade	3	Mounding	51-76cm (20-30")	Yes, with vigorous companions
Pinkberry Blend™	3	Mounding	51-76cm (20-30")	Yes, with vigorous companions
Royale Cosmo	2	Upright Globe	30-66 cm (12-26")	Due to habit, mix with trailing plants
Royale Piña Colada	2	Upright Globe	30-66 cm (12-26")	Due to habit, mix with trailing plants
Royale Red Zone	2	Upright Globe	30-66 cm (12-26")	Due to habit, mix with trailing plants









LAGUNA® Lobelia erinus ANDSCAPE O [15-30cm (6-12") Vigor: 2









Bred to take the summer heat better than typical lobelias, these varieties are compact yet full, semi-upright plants covered in true blue, violet or white, self-cleaning blossoms. They are ideal low maintenance plants for hanging baskets, window boxes, combination containers, and landscapes.

AWARD WINNER - LAGUNA® Lobelia


18 Awards including: Best of the Best, University of Georgia; Best of Species, Penn State; Leader of the Pack, North Carolina State; Top Performer, Calgary Zoo and Botanic Garden; Gold Medal, University of Illinois Master Gardeners; Top Performer, Longwood Gardens; Consumer Choice, University of Florida -Fort Lauderdale

Growing Tips for LAGUNA®

- Preventive fungicides are recommended one week after transplanting.
- Grow cool with good air circulation once established.
- Requires high light in production and higher light and longer days to flower early.
- Needs 150-200 ppm fertilizer for optimal growth.
- In growing group BB (see page 133).

Notes:

For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. 5-10 ppm Sumagic® spray is effective, if needed.





PRINCESS and KNIGHT Lobularia







Our collection of vegetative, heat tolerant Lobularia is exceptional in terms of habit, blooms, fragrance, and vigor choices. The Princess varieties are big, showy bloomers that are well-matched with other vigorous growers, while the Knights are more restrained and pair well with medium-vigor plants. All form trailing mounds of fragrant blooms from spring through fall without deadheading.

MOONLIGHT KNIGHT™ Lobularia '**' USPPAF CanPBRAF

A welcome color expansion for our vegetative Lobularia line. Soft vellow blossoms completely blanket the well-branched plants all season, powering through the heat of summer. Like Superbells® Yellow Chiffon™, it blends beautifully with other pastels and its color is highly attractive to pollinators. New this year.

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets.

Blushing Princess: Color is enhanced with brighter light and cooler temperatures. Growers in low light or warm houses can expect some fading of color intensity, but plants darken quickly once outside.

If you are used to growing Snow Princess and needing PGRs to control growth, reduce your PGR level for Blushing Princess, and grow your first crops of Dark Knight and White Knight with minimal PGRs.

AWARD WINNERS - Princess and Knight Lobularia

270 Awards including: Superior Rating, Colorado State; Excellent Rating, Boerner Botanical Garden, Milwaukee, Wisconsin; Plant of the Month, Dallas Arboretum; Outstanding Rating, Disney Trials; Top Performer, Cornell University; Excellent Performer, University Laval; Top Performer; University of Florida - Fort Lauderdale; Top Performer, Kansas State University; Top Performer, Devonian Botanic Garden; Top Performer, Cornell University

Growing Tips for PRINCESS AND KNIGHT

- Requires high light in production.
- Take care not to hang above plants that are sensitive to petal drop since Lobularia tends to shed.
- Grow cool for best results, but growing too cold can cause purpling of the foliage.
- Very fast and vigorous grower.
- Needs 130-150 ppm fertilizer for optimal growth.
- In growing group AC (see page 133).



Lobularia Comparison Chart

Variety name	Vigor	Color	Foliage	In Combos
Snow Princess®	4	White	Dark green	Only with the most vigorous companion plants
Blushing Princess®	4	White-lavender	Medium green	With vigorous companion plants
White Knight®	3	White	Medium green	With half the vigor of Snow Princess, it is a better companion for less vigorous plants
Dark Knight™	3	Purple	Medium green	Vigor between White Knight® and Blushing Princess®, it is a better companion for less vigorous plants
Moonlight Knight™	3	Soft yellow	Medium green	With half the vigor of Snow Princess, it is a better companion for less vigorous plants

SNOW PRINCESS®
Lobularia 'INLBUSNOPR' USPP21594 Can4189

25-41cm (10-16")



BLUSHING PRINCESS®
Lobularia 'INLBUBLUPR' USPP24516 Can4779

25-41cm (10-16")

[[OL]]]][[ST] * Mecardonia





LANDSCAPE 5-13cm (2-5") Vigor: 2

This true yellow mecardonia flowers 6 weeks earlier than others. GoldDust's blooms are significantly smaller but far more plentiful than other mecardonia. This beauty loves the heat.

Growing Tips for GOLDDUST®

- Requires high light in production.
- 150-200 ppm fertilizer for optimal growth.
- Proper water management is critical.
- In growing group CB (see page 133).

Notes: No pinch necessary. For hanging baskets and containers larger than 6", trim around container edge just prior to hanging.

AWARD WINNER - GOLDDUST® Mecardonia

58 Awards including: Excellent Rating, Disney Trials; Top Performer, University of Wisconsin; Gardener's Choice, University of Florida; Top Performer, The Oregon Garden; Top Performer, Cornell University



GOLDDUST® Mecardonia 'USmeca8205' USPP22871 Can4383

SUNSATIA® Nemesia © 15-25cm (6-10") Vigor: 2

This is the collection that epitomizes the art and science of plant breeding. Very showy and dramatic in borders, hanging baskets, and containers. All varieties have a full, attractive habit and are ideal for early spring. Sunsatia are exceptionally cold tolerant and incredibly colorful.

AWARD WINNER - SUNSATIA® Nemesia

15 Awards including: Excellent Rating, Disney Trials; Consumer Top Choice, Cornell-Long Island

Growing Tips for SUNSATIA®

- Grow these plants on the dry side.
- Preventive fungicides are recommended 1 week after transplant.
- High light is required in production.
- Air circulation, proper water management, and good soil porosity are critical.
- Use well-drained media only.
- Requires 150-200 ppm fertilizer for optimal growth.
- In growing group AA (see page 133).



Bluebird Nemesia fruticans





🧃 🔘 🐧 - 25-30cm (10-12") Vigor: 2

An essential annual for spring color bowls, window boxes and landscapes, this cold tolerant annual knows how to start the season off right. Its rich blue, clove-scented blossoms do not require deadheading for continuous bloom. Bluebird's habit is sturdy, compact and well-branched. It has exhibited excellent heat tolerance, blooming well into the summer months.

Growing Tips for Bluebird

- Preventive fungicides are recommended one week after
- Florel® at 500 ppm is effective at increasing branching.
- Sumagic® at 5 ppm and cold temperatures are effective at controlling growth.
- Requires 150-200 ppm fertilizer for optimal growth.
- In growing group AA (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets.

AWARD WINNERS - Bluebird Nemesia

5 Awards including: Top Performer, Michigan State; Best of Breed for Winter, North Carolina State, JC Raulston Arboretum; Superior Rating, Penn State; Top Performer, Ohio State; Best of the Best, University of Georgia

AROMANCE® Pink

Nemesia fruticans





○ ① [†]25-46cm (10-18") Vigor: 2

We have been incredibly impressed with Aromance Pink in our trials as it has proven to be the most heat tolerant Nemesia we've seen. It performs beautifully throughout the summer and even handles heavy summer rains with ease. Its large, bright pink flowers are intensely fragrant and are especially showy in container recipes.

Growing Tips for AROMANCE®

- Provide high light levels in production.
- Feed with 150-200ppm N.
- Good water management practices are critical to healthy plant growth.
- A 500pm application of Florel is effective at increasing branching. It can also be used to schedule flowering; flowers will appear 4 weeks after application.
- In growing group AA (see page 133).

Notes: Removing buds and flowers at transplant isn't necessary but can be beneficial. Treat with a preventative broad spectrum fungicidal drench 1-2 weeks after transplant. Pinch liners 1-2 weeks after transplant if needed. A 5ppm application of Sumagic® and cold temperatures can be used to control growth.

AWARD WINNER - AROMANCE® Pink Nemesia

20 Awards including: Perfect Score All Season, Oregon State University: Best Nemesia, Penn State; Leader of the Pack, JC Raulston Arboretum



AROMANCE® Pink Nemesia fruticans 'INNEMAROPI' USPPAF Canpbraf



INFINITY® New Guinea Impatiens



25-36cm (10-14") Vigor: 1

Highly recommended alternatives to *I. walleriana*, New Guinea Impatiens have a similar look but with larger, more brilliantly colored blooms that appear from spring through summer without deadheading. All are incredibly versatile, thriving in monoculture and combination containers as well as in landscapes. They are ideal for 4.25 Grande[™] and 1.0 Royale[™] container production.

INFINITY® Blushing Crimson Improved Impatiens hawkerii '**' USPPAF CanPBRAF

Improved with its greater vigor and flower coverage, this variety features huge, red and pink bicolor flowers. Improved this year.

INFINITY® Light Purple Improved Impatiens hawkerii '**' USPPAF Canpbraf

An all-encompassing improvement over its predecessor, featuring huge, vibrant purple flowers that cover the plant. Improved this year.

INFINITY® Orange Improved Impatiens hawkerii *** USPPAF Canpbraf

An easy Grande crop for growers to produce for their shade assortment. Huge, fiery orange flowers cover this more vigorous. compact selection. Improved this year.

Growing Tips for INFINITY®

- Preventive fungicides are recommended one week after transplant.
- Sensitive to high-soluble salts; use 100-150 ppm fertilizer.
- Light shade is optimal for best growth.
- Aggressive scouting and treatment program for thrips are recommended for INSV control. Do not use Medallion® due to severe PGR effect on NGIs.
- Be sure not to overwater while plants are still rooting to the container edge.
- Growing at too cool of a temperature can cause purpling of the foliage and the stunting of growth.
- Yellow foliage is caused by drying the plant down past wilt stage.
- In growing group CC (see page 133).

Notes: No pinching recommended. These varieties are bred to branch well without pinching, which would only delay flowering and result in a less-balanced plant habit. No growth regulators recommended or needed. Winter flowering occurs in Sunbelt states.

AWARD WINNERS -

INFINITY® New Guinea Impatiens

55 Awards including: Excellent Rating, Disney Trials; One of the Best, Penn State; Top Performer, University of Illinois; Top Performer, Colorado State University





INFINITY® Blushing Crimson Improved Impatiens hawkerii



INFINITY® Blushing Lilac Impatiens hawkerii "Visinfblla' USPP16147



INFINITY® Cherry Red Impatiens hawkerii "Visinfchrimp" USPP20965



INFINITY® Dark Pink Impatiens hawkerii Visinfdkp' USPP16472



INFINITY® Lavender Impatiens hawkerii *** USPPAF CanPBRAF



INFINITY® Light Purple Improved Impatiens hawkerii



INFINITY® Orange Improved
Impatiens hawkerii "**" USPPAF CanPBRAF



INFINITY® Orange Frost Impatiens hawkerii "Visinforfr' USPP16207 Can2288



INFINITY® Pink Impatiens hawkerii 'Visinpink' USPP16419



INFINITY® Pink Frost Impatiens hawkerii 'Visinfpifr' USPP16262



INFINITY® Red Impatiens hawkerii 'Vinfsalbis' USPP23277



INFINITY® Salmon Impatiens hawkerii 'Visinfsalimp' USPP20971



INFINITY® White Impatiens hawkerii 'Visinfwhiimp' USPP20984





$\text{BRIGHT LIGHTS}^{\circ}_{\textit{Osteospermum}}$



20-30cm (8-12") Vigor: 2

Selected for their nestled branching and fuller, uniform habit that doesn't open up, these are some of the easiest Osteospermum to produce. Dual cold and heat tolerance results in a long sales window from spring into fall and through the winter in sunbelt states.

BRIGHT LIGHTS® Red Osteospermum ecklonis '**' USPPAF CanPBRAF Representing an advancement in heat tolerant Osteospermum breeding, this selection bears brick red blossoms on full, uniform plants. New this year.

AWARD WINNER - BRIGHT LIGHTS® Osteospermum

69 Awards including: Top Performer, Jardin Daniel A. Seguin; Top Performer, Penn State; Top Performer, University of Guelph; Top Performer, University Laval; Visitor's Choice, Missouri Botanic Garden

Growing Tips for BRIGHT LIGHTS®

- Treat with a preventative broad spectrum fungicidal drench 1-2 weeks after transplant.
- Good air circulation, control of humidity, and good sanitation are critical to crop success.
- Cooler temperatures and high light in production are essential for spring bud set and branching.
- Use 150-200 ppm fertilizer.
- In growing group AB (see page 133).

Notes: Removing the buds and flowers at transplant isn't necessary but can be beneficial.





Geraniums are a consumer favorite, offering bold beauty and strong garden performance. The Boldly series includes interspecific varieties that are a cross between zonal and ivy geraniums. They exhibit more zonal than ivy traits, with a mounded habit and exceptional heat tolerance.

AWARD WINNER - BOLDLY® Pelargonium

84 Awards including: Top Performer, Kansas State; Plant of Merit, University of Georgia; Leader of the Pack, North Carolina State; Top Performer, University of Minnesota

Growing Tips for BOLDLY®

- 200-250 ppm fertilizer for optimal growth.
- Requires high light in production.
- Pinching should not be necessary. Apply Cycocel at 750 to 1,000 ppm as needed.
- Apply 350 ppm of Florel® once or twice. First application should be applied 10 to 14 days after transplant. Repeat 5 to 8 days later, if desired. Applications should be stopped 6 to 7 weeks before desired sell date.
- Geraniums are sensitive to iron and magnesium toxicity; soil pH maintained above 6.0 will limit problems.
- In growing group BC (see page 133).

Notes: Treat with preventative broad-spectrum fungicidal drench one week after transplant. Scout crops regularly for disease development. Good air circulation, control of humidity, and good sanitation practices are critical. BOLDLY® Lavender Rose Pelargonium 'PE0Z0002' USPP23404 Can4632 Top 50 BOLDLY® Hot Pink Pelargonium 'PE0Z0001' USPP24735 Can4631 BOLDLY® Dark Red Pelargonium 'Amri Trared' USPP20245 Can3728

SUNSTAR® Pentas lanceolata LANDSCAPE O . 46-56cm (18-22") Vigor: 2 > 64-56cm (18-22") Vigor: 2









Sunstar® represents a breakthrough new line of genetics for Pentas that have retained their heat tolerance for Southern growers but are also now easier to produce in the North, even without supplemental lighting. Extra-large flower clusters nearly the size of hydrangea blossoms top the well-branched plants which fill 4.25 Grande™ containers fully.

Sunstar Pentas have excellent summer durability, powering through high heat and humidity, and make ideal bedding plants in the South. Since they are produced vegetatively, their flowering performance far exceeds that of seed Pentas. Now available in four colors.

AWARD WINNER - SUNSTAR® Pentas

87 Awards including: Perfect Score All Season, University of Tennessee; Top 10 for Summer, JC Raulston Arboretum; Top Performer, University of Minnesota

Growing Tips for SUNSTAR®

- Requires high light in production.
- Feed with 100-150ppm N. Calcium and nitrate-based fertilizers help maintain a pH above 6.2. Avoid ammoniabased and acidifying fertilizers in production.
- Peak blooming occurs under long days.
- Good air circulation, control of humidity, good water management practices and proper sanitation are critical to producing healthy plants.
- In growing group CB (see page 133).

Notes: Treat with a preventative broad spectrum fungicidal drench 1-2 weeks after transplant. PGR sprays can be used to control height. Use 2500-5000ppm B-Nine®, 750-1000ppm Cycocel® or 5-10ppm Bonzi®. Scout crop at least once per week for disease development.





SUPERTUNIA® Petunia









all Vigor: 3 except Giant Pink and Supertunia® Vistas: Vigor: 4

The Best Petunia, Period. For incredible color and season-long performance, choose Supertunia. Whether you're using them to create extraordinary hanging baskets, upright combos or in landscapes, you can expect an exceptional show of color from planting until frost. Supertunias are self-cleaning – no deadheading necessary – and grow with remarkable vigor, petal substance and disease resistance. You won't find a more outstanding petunia.

SUPERTUNIA® ROYAL VELVET® Improved Petunia *** USPPAF CanPBRAF As one of the longest standing plants in our lineup, this petunia as certainly earned its stripes. Now we've improved it by enhancing its spring habit and presentation in containers while ensuring seasonlong garden performance. Its saturated royal purple color is truly eye-catching, and you will love how stable and colorfast this improved version remains under high light conditions. The very best purple petunia in its class. Improved this year.

AWARD WINNERS - SUPERTUNIA®

1646 Awards including: Top Performer, Missouri Botanical Garden; Exceptional Performer, University of Florida; Excellent Rating, Boerner Botanical Garden, Milwaukee, Wisconsin; Outstanding Rating, Disney Trials; Plant of the Year, Metrolina; Best New Variety, Colorado State University; Top Performer, Oregon State University

Growing Tips for SUPERTUNIA®

- Requires high light in production.
- 250+ ppm fertilizer. Watch pH and EC levels.
- All "veined" petunias are more sensitive to cold. Keep above 50° F (10° C).
- Day-length neutral varieties need less PGRs. Cold temperatures also control growth.
- Yellow growth tips often indicate an iron shortage in response to too high pH.
- Black Cherry has above average vigor and flowers early. Grow as bright as possible, space plants well, provide good air movement and avoid high humidity. Grow cool with 65-68°F days and 55-60°F nights. Regular applications of PGRs will help to keep plants more compact and will hold them longer.
- In growing group AA (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. 10-15 ppm Sumagic® spray or 1-3 ppm Bonzi® drench are effective at controlling growth. Apply as needed. Supertunia Trailing may require higher rates of PGRs.



Supertunia®



SUPERTUNIA® BERMUDA BEACH® Petunia "Kerversalm" USPP19329



SUPERTUNIA® BLACK CHERRY® Petunia "USTUN3003" USPP27312 Can5279 Utility Patent 7642436B2



SUPERTUNIA® Blue Skies
Petunia "KL1117mut1" USPP30947 CanPBRAF



SUPERTUNIA® BORDEAUX^{IM}
Petunia 'Lanbor' USPP16144 Can2532



SUPERTUNIA® Giant Pink
Petunia "USTUN153" USPP14856 Can1934



SUPERTUNIA® HONEY™
Petunia DCAS303' USPP26888
Utility Patent 7642436B2



SUPERTUNIA® LATTE™

Petunia 'Kerlatte' USPP28069 Can5508



SUPERTUNIA® LIMONCELLO® Petunia 'Pactoyel' USPP23282



SUPERTUNIA® LOVIE DOVIE™
Petunia 'BBTUN91601' USPP29663 Can6056



SUPERTUNIA® PICASSO IN PURPLE® Petunia 'DCASPITAYA' USPP27999 Canpbraf



SUPERTUNIA® PRISCILLA®

Petunia "Kerprilcomp" USPP19327 CanPBRAF



SUPERTUNIA® RASPBERRY RUSH™ Petunia 'BBTUN91601M2' USPPAF CanPBRAF



SUPERTUNIA® Really Red Petunia 'Sunremi' USPP16803 Can2838



SUPERTUNIA® ROYAL MAGENTA® Petunia "INPETROYMA" USPP29811 Can6045



SUPERTUNIA® ROYAL VELVET® Improved Petunia *** USPPAF CANPBRAF



SUPERTUNIA® Sharon
Petunia 'BBTUN22503' USPPAF CanPBRAF



SUPERTUNIA® White Petunia 'KL 1117' USPP25485 Can4778

Supertunia Vista®



SUPERTUNIA VISTA® BUBBLEGUM® Petunia "USTINI6001" USPP17730 Can2871



SUPERTUNIA VISTA® Fuchsia Petunia 'BHTUN65301' USPP28457 Can5785



SUPERTUNIA VISTA® Paradise Petunia 'BBTUN98901' USPP30965 CanPBRAF



SUPERTUNIA VISTA® Silverberry Petunia "USTUNI60-01" USPP20903 Can3866



SUPERTUNIA VISTA® SNOWDRIFT™ Petunia "BBTUN04401" USPPAF CanPBRAF

Supertunia® Trailing (formerly Supertunia® Mini)



SUPERTUNIA® Trailing Blue Petunia 'Kerminiblue' USPP21043 Can3867



SUPERTUNIA® Trailing Blue Veined Petunia 'Conblue' USPP13543 Can1605



SUPERTUNIA® Trailing Rose Veined Petunia 'USTUN53402' USPP27390 Can5280



SUPERTUNIA® Trailing Silver Petunia 'Petwibly' USPP17247 Can2594



SUPERTUNIA® Trailing Strawberry Pink Veined Petunia 'Constraw' USPP13539 Can1609

Supertunia® Mini Vista™ (formerly part of Supertunia® Charm)



SUPERTUNIA® MINI VISTA™ Hot Pink SUPERTUNIA® MINI VISTA™ Indigo Petunia 'USTUN2401M' USPP29664 Can6057



Petunia 'BBTUN93201' USPPAF CanPBRAF



SUPERTUNIA® MINI VISTA™ Morning Glory Petunia 'USTUN61801' USPP27391 Can5281



SUPERTUNIA® MINI VISTA™ Pink Star Petunia "USTUNJ2401" USPP28028 Can5517 SUPERTUNIA® MINI VISTA™ Sangria Petunia "USTUNJ3401" USPP28028 Can5517 Petunia "USTUNJ3403" USPP2884 Can4352







SUPERTUNIA® MINI VISTA® Violet Star SUPERTUNIA® MINI VISTA® White Petunia USTUNJ1901 USPP28051 Can5516 Petunia USTUN87002' USPP30833 CanPBRAF

Supertunia® Charm



SUPERTUNIA® Daybreak Charm Petunia 'USTUN69002' USPP27727 Can5514



SUPERTUNIA® Mulberry Charm Petunia '**' USPPAF CanPBRAF

SUPERTUNIA Trailing Petunia Petunia 10-20cm (4-8") Y Vigor: 3







Supertunia Trailing petunias are the highlight of combination containers and hanging baskets. As the series name implies, these are strongly trailing plants that can reach an amazing six feet in length by season's end. They have smaller but extremely plentiful blooms and are later to flower, lasting well into fall. We recommend them for mid-May production.



SUPERTUNIA® MINI VISTA Petunia ANDSCAPE O 15-30cm (6-12") Y W Vigor: 3





SUPERTUNIA® MINI VISTA™ White Petunia 'USTUN87002' USPPAF CanPBRA

For reliable, durable color in landscapes and containers, choose Supertunia Mini Vista (formerly part of the Supertunia Charm series). More compact and smaller flowered than standard Supertunia Vista petunias, they grow vigorously and bloom early, forming a dense blanket of color in landscapes. Their tightly branched, ball-shaped habit is picture perfect in 4.25 Grande containers.



SUPERTUNIA® MINI VISTA™ Indigo Petunia 'BBTUN93201' USPPAF CanPBRAF

SUPERTUNIA VISTA Petunia ANDSCAPE O O 30-61cm (12-24") Y W Vigor: 4





The best petunia for landscapes. Hands down.

Supertunia Vista varieties deliver an outstanding performance over the entire season, lasting an extra month in southern states and well into fall in moderate climates. They are bred to flower earlier, grow taller and wider, and grow more vigorously than other Supertunia. Vista Bubblegum has become a legend in its own time, and the other Vistas are well-matched too.









SUPERTUNIA® Trailing Blue Veined Petunia and SUPERTUNIA® Trailing Rose Veined Petunia with DIAMOND FROST® Euphorbia

	Timing	Habit	Recommended Use	Sun-Shade Tolerance
Supertunia Vista®	All Season	Mounded Trailing Height: 30-61cm (12-24") Trailing: 91cm (36")	4.50 Classic™, 4.25 Grande™, and 1.0 GL Royale™, Hanging baskets, upright containers, best Supertunia® for landscape	Full sun Early to flower
Supertunia®	Early Season – Summer	Mounded Trailing Height: 15-30cm (6-12") Trailing: 76cm (30")	4.50 Classic™, 4.25 Grande™, and 1.0 GL Royale™, Hanging baskets, upright containers, landscape	More shade tolerant than others – easier under short days in small containers
Supertunia® Trailing	Mid Season – Summer	Trailing Height: 10-20cm (4-8") Trailing: 91cm (36")	4.50 Classic™, 4.25 Grande™, and 1.0 GL Royale™ Hanging baskets, upright containers, landscape	Best under long days as late crop, Full sun
Supertunia® Giant Pink	Mid Season	Mounded Trailing Height: 15-30cm (6-12") Trailing: 91cm (36")	4.50 Classic™, 4.25 Grande™, and 1.0 GL Royale™ from Supernova, hanging baskets, upright containers with other vigorous varieties, landscape	Best under long days as late crop, Full sun
Supertunia® Charm	Mid Season	Mounded Trailing Height: 15-30cm (6-12") Trailing: 61cm (24")	4.50 Classic™, 4.25 Grande™, and 1.0 GL Royale™ Hanging baskets, upright containers and mixed containers with other vigorous varieties	Best under long days Full sun
Supertunia® Mini Vista™	Mid Season	Mounded Trailing Height: 15-30cm (6-12") Trailing: 61cm (24")	4.50 Classic™, 4.25 Grande™, and 1.0 GL Royale™ Hanging baskets, upright containers and mixed containers with other vigorous varieties, landscape	Best under long days Full sun

Supertunia Photoperiod Response

An independent trial conducted in a controlled environment revealed the following timing for Supertunia *Petunia*. It is applicable for growers worldwide.

Less than 12 hours (Day Neutral Response)

Supertunia® Mulberry Charm

Flowers best over 12 hours (Facultative Long-day Response)

Supertunia Vista® Fuchsia

Supertunia Vista® Bubblegum®

Supertunia Vista® Snowdrift™

Supertunia® Trailing Strawberry Pink Veined

Supertunia® Blue Skies

Supertunia® White

Supertunia® Bermuda Beach®

Supertunia® Daybreak Charm

Supertunia® Really Red

Supertunia® Royal Magenta®

Supertunia® Sharon

Supertunia Vista® Silverberry

Supertunia® Mini Vista™ Sangria

Supertunia® Limoncello®

Supertunia® Lovie Dovie™

Supertunia® Royal Velvet® Improved

Supertunia® Mini Vista™ Hot Pink

Supertunia[®] Mini Vista[™] Morning Glory

Supertunia® Mini Vista™ Pink Star

Supertunia® Mini Vista™ White

Supertunia Vista® Paradise

Supertunia® Trailing Blue Veined

Supertunia® Trailing Rose Veined

Supertunia® Trailing Silver

Supertunia® Giant Pink

Supertunia® Honey™

Supertunia® Mini Vista™ Indigo

Supertunia® Latte™

Supertunia® Picasso in Purple®

Supertunia® Raspberry Rush™

Supertunia® Black Cherry®

Supertunia® Mini Vista™ Violet Star

Supertunia® Bordeaux™

Needs more than 13 hours (Obligate Long-day Response)

Supertunia® Priscilla®

Supertunia® Trailing Blue

Top-selling Supertunia

Supertunia continue to be our most popular line of plants – here's how they rank in terms of liners sold in Canada.

Supertunia Vista® Bubblegum®

Supertunia® Bordeaux™

Supertunia® Royal Velvet® Improved

Supertunia Vista® Fuchsia

Supertunia Vista® Silverberry

Supertunia® White

Supertunia® Royal Magenta®

Supertunia® Raspberry Rush™

Supertunia® Black Cherry®

Supertunia® Really Red

Supertunia Vista® Paradise

Supertunia® Bermuda Beach®

Supertunia® Limoncello®

Supertunia Vista® Snowdrift™

Supertunia® Latte™

Supertunia® Trailing Blue Veined

Supertunia® Mini Vista™ Hot Pink

Supertunia® Honey™

Supertunia® Lovie Dovie™

Supertunia® Mini Vista™ Violet Star

Supertunia® Trailing Blue

Supertunia® Mini Vista™ White

Supertunia® Mini Vista™ Indigo

Supertunia® Blue Skies

Supertunia® Trailing Rose Veined

Supertunia® Giant Pink

Supertunia® Trailing Strawberry Pink Veined

Supertunia® Priscilla®

Supertunia® Mini Vista™ Pink Star

Supertunia® Picasso in Purple®

Supertunia® Daybreak Charm

Supertunia® Mini Vista™ Sangria

Supertunia® Trailing Silver

Supertunia® Sharon

Supertunia® Mulberry Charm

Supertunia® Mini Vista™ Morning Glory

MOJAWE Portulaca umbraticola LANDSCAPE O [10-20cm (4-8") W Vigor: 2







Capitalize on the succulent trend by offering these colorful flowering cultivars that bloom all summer without deadheading. Large, vivid blossoms that attract pollinators are held above the foliage on trailing stems. Use them in hanging baskets, upright containers and landscapes where they make a drought tolerant groundcover.

Growing Tips for MOJAVE®

- Grow on the dry side to help naturally control growth.
- 100-150 ppm fertilizer for optimum growth.
- Red leaf margins can indicate over-fertilization or extremely

AWARD WINNER - MOJAVE® Portulação

156 Awards including: Top Performer, Dallas Arboretum; Top Performer, Penn State; People's Pick, Texas A&M; Top Performer, Michigan State University; Top Performer, Missouri Botanic Garden











Heat, drought, and humidity tolerance, sweet fragrance, and rich colors have earned this series a stack of awards – and a special place in the hearts of gardeners everywhere. Intensia grow from early spring through autumn and are wonderful mid-height plants for your premium hanging baskets and containers.

Have You Had Trouble Growing Intensia?

Intensia prefers being dry, and normal greenhouse procedure is to never let the plant dry out. So a good rule of thumb with this plant is that when you think it's ready to be watered, wait a day.

Growing Tips for INTENSIA®

- Requires heat and high light for optimal growth.
- Order for mid-spring production.
- Proper air movement, water management, and good soil porosity are critical.
- Water lightly at planting. Grow warm until roots are established and then grow cool.
- 200-300 ppm fertilizer. When actively growing, increased fertilizer applications may be necessary.
- Can be finished for prime spring season in mixed containers. Mono baskets and small containers can be produced from mid-spring on, if grown properly.
- A preventative fungicidal drench should be done one week after transplant.
- In growing group AB (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets.

MACHU™ Morado

Ruellia simplex



LANDSCAPE 46-81cm (18-32") Vigor: 3



Mexican petunias are classic landscape plants in warm climates but have a reputation for spreading where they aren't wanted. We've eliminated those worries with Machu™ Morado, a sterile, non-running selection. This denser, more compact selection won't flop, split open or seed itself around the garden. Its bright periwinkle purple flowers are larger than standard Ruellia. Thrives in heat, humidity and drought conditions. New this year. Sobkowich only

Growing Tips for MACHU™ Morado

- Prefers high light conditions
- Feed with 150–200 ppm N
- This is a warm weather plant. Warm temperatures are needed for production and garden performance.
- Avoid chilling the plant with air or water temperatures below 45°F
- In growing group CB (see page 133).

Notes: Scout this crop regularly and treat with preventative broad spectrum fungicidal drench two weeks after transplant. Pinch two weeks after transplant and a second time if building a specimen plant. Lower temperatures (down to 50°F) will slow plant growth and act as a natural growth regulator.





SUNBINI * Improved Sanvitalia procumbens





15-30cm (6-12") Vigor: 2

This heat and drought tolerant annual has a similar application as Blue My Mind® Evolvulus in monoculture containers and low maintenance landscape plantings. It blooms freely without the need for deadheading or shaping the whole the season. This improved cultivar features 30% larger, golden vellow blossoms which are produced prolifically and are attractive to pollinating bees.

Growing Tips for SUNBINI®

- High light is essential.
- 150 ppm fertilizer for optimal growth.
- Production time decreases when light and temperatures are optimal.
- Grow lean, warm, and dry for best results.
- Do not use any fungicides containing Azole, such as Banrot® and Truban®, as they will stunt the plants.
- In growing group BB (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. No PGRs needed. Plants are sensitive to Sumagic® but 2500 ppm B-9 is effective if needed.

AWARD WINNER - SUNBINI® Sanvitalia

6 Awards including: Top Performer, Michigan State; Top Performer, Penn State; Best Varieties, Colorado State University



SUNBINI® Improved Sanvitalia procumbens '**' USPPAF Canpbraf

UNPLUGGED® SO BLUE™ Salvia







IANDSCAPE 36-61cm (14-24") Vigor: 2





Similar to Playin' the Blues® but about half its size, this more compact salvia is easy to pair with other medium vigor annuals in container recipes and landscapes. True blue flowers are produced prolifically without deadheading on well-proportioned, heat and humidity tolerant plants from spring into fall.

Growing Tips for UNPLUGGED®

- Requires high light in production.
- Feed with 150-200ppm N. Using fertilizer high in ammonia can cause excessive vegetative growth and fewer flowers.
- Good water management practices are critical to healthy growth. Avoid overhead watering late in the day.
- Avoid saturated containers; grow slightly on the dry side.
- In growing group AB (see page 133).

Notes: A routine preventative fungicidal spray program is encouraged. This variety's compact early habit makes it perfect for smaller container production. Growth can be controlled using lower temperatures.

AWARD WINNER - UNPLUGGED® SO BLUE™ Salvia

31 Awards including: Perfect Score All Season, Iowa State; Perfect Score All Season, Disney; Top Performer-Pollinators, Ohio State University



UNPLUGGED® SO BLUE™ Salvia farinacea 'G14251' USPPAF CanPBRAF













Gardeners are looking for plants to draw in pollinators and salvias work like a charm. Hummingbirds are highly attracted to the extralarge flowers of Rockin' Deep Purple and Fuchsia, while butterflies and bees enjoy Rockin' Playin' the Blues. Each member of this series is unique, but all share a refined habit and strong heat tolerance. They are spectacular in the landscape and make impressive thrillers in large containers.

Growing Tips for ROCKIN'®

- Requires high light in production.
- Good air circulation and water drainage are important. Use a well-drained soil mix.
- A routine preventative broad spectrum fungicidal spray program is encouraged.

Notes for ROCKIN'® PLAYIN' THE BLUES®:

Apply growth regulators as needed for height control.

Notes for ROCKIN'® Deep Purple and Fuchsia:

Compact early habit is great for container production. Pinch at 1-2 weeks after transplant if needed. Growth can be controlled using lower temperatures.

AWARD WINNERS - ROCKIN'® Salvia



61-91cm (24-36")





WHIRLWIND® Scaevola aemula LANDSCAPE © 720-36cm (8-14") Vigor: 3

For low maintenance color and season-long performance in the toughest conditions, choose Whirlwind. Their fan-shaped flowers may appear delicate, but these plants have their roots in rugged Western Australia bush country, so they thrive in heat, humidity and drought conditions. All three cultivars are well-branched and fill out containers fully. Their landscape performance is simply stellar.

WHIRLWIND® STARLIGHT™ Scaevola aemula 'DSCAWINDST' USPPAF CanPBRAF This novel bicolor fan flower features blue and white striped flowers on densely branched plants with short internodes for a concentrated show of color. New this year.

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. Sumagic® at 2-5 ppm has been effective at controlling growth.

Growing Tips for Scaevola

- Requires high light in production.
- 150-200 ppm fertilizer.

AWARD WINNERS

WHIRLWIND® Scaevola

84 Awards including: Excellent Rating, Disney Trials; Best of the Best, University of Georgia; Top Performer, Michigan State



Scaevola aemula 'DSCAVPIBLS' USPPAF CanPBRAF

A-PIII * Thunbergia alata ** Thunbergia alata

Easier to handle than most rambunctious Thunbergias, these more restrained selections have an increased shelf life and sales window for growers and retailers. They are easy to recommend to customers looking to create a guick screen on patio trellises and chain link fences, and are excellent climbing components for combinations paired with other vigorous varieties. Requires a trellis in Royale™ containers.

Lemon A-PEEL® Thunbergia alata 'Lemon Star' USPP14371 Clear lemon yellow flowers with a black eye dot the bright green foliage all season.

Orange A-PEEL®

Thunbergia alata 'Orange Wonder' USPP14767 Vibrant orange flowers with a black eye dot the bright green foliage all season.

Tangerine Slice A-PEEL®

Thunbergia alata 'DL1501' USPPAF Canpbraf Orange and yellow bicolor flowers with a black eye dot the bright green foliage all season.

Growing Tips for A-PEEL®

- Prefers warmer production temperatures; avoid chilling.
- These plants are vigorous: monitor containers regularly to keep twining stems at bay.
- Do not use irrigation frequency to control plant size. Drving to the point of wilt will cause leaf burn and drop. Can be run a little dry but not to the point of wilt.
- Scout for spider mites and whiteflies, especially when held for long periods before sale.
- It is suggested that a 12-18" high trellis that attaches to the edge of the Royale (1 GL) container be used to provide climbing support and added value.
- 200-250 ppm fertilizer for optimal growth
- In growing group CB. (see page 133).

Notes: Treat with a preventative broad spectrum fungicidal drench 1-2 weeks after transplant. Pinch 7-10 days after transplant. An additional 1-2 pinches may be needed for larger pot sizes. B-Nine may be used at 1500-2500ppm two weeks after transplant. Bonzi is also effective. Check manufacturer label for approved rates and usage recommendations.

AWARD WINNER - A-PEEL® Thunbergia

80 Awards including: Top Performer, University of Minnesota; Top Performer, University of Guelph; Best of Breed, NC State; Perfect Score All Season, Michigan State University



Lemon A-PEEL® Thunbergia alata 'Lemon Star' USPP14371

Orange A-PEEL® Thunbergia alata 'Orange Wonder' USPP14767

Tangerine Slice A-PEEL® Thunbergia alata 'DL1501' USPP30215 Can6078





Catalina Torenia will make a colorful addition to your shade collection, as they thrive and bloom in any amount of sunlight. They make great fillers in combination containers and work well in landscapes too. An extra helping of heat tolerance and oversized blossoms add to their appeal.

AWARD WINNER - CATALINA® Torenia

73 Awards including: Top Pick, Dallas Arboretum; Best Old Variety, University of Tennessee; Top Performer, University of Wisconsin; Top Performer In-Ground and Containers, Kansas State University

Growing Tips for CATALINA®

- Prefers warmer production temperatures; cold, wet conditions can slow growth.
- Light shade is best for optimal growth.
- 200 ppm fertilizer.
- Application of Florel® delays flowering 8-10 weeks.
- Catalinas are best for 4" production.
- In growing group CB (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. Should



SUMMER WAVE Torenia LANDSCAPE O CO- ZO-25cm (8-10") Vigor: 3



Synonyms for Summer Wave varieties include fast, easy, and versatile. Great as groundcovers, fantastic in window boxes and hanging baskets, and the ideal choice as spillers in containers, their deep, dark flower colors look amazing against a background of silver or lime green foliage plants.


Growing Tips for SUMMER WAVE®

• Prefers warmer production temperatures; cold,

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. 10-15 Sumagic® spray is effective on Summer Wave.

AWARD WINNER - SUMMER WAVE® Torenia

22 Awards including: Exceptional Performer, University of Florida; Best of Species, Penn State; Top Performer, Missouri Botanic Garden



SUMMER WAVE® Large Violet Torenia 'Sunrenilamu' USPP15684 Can2471









Screened and selected for their robust vigor, large flower clusters and exceptional resistance to powdery mildew, you won't find better verbenas than Superbena. They present beautifully in 4.25 Grande™ containers, are essential components of dynamic container recipes, and make a colorful groundcover.

AWARD WINNER - SUPERBENA® Verbena

442 Awards including: Superior Rating, Penn State; Exceptional Performer, University of Florida; Superior Rating, Disney Trials; Top Performer, Colorado State University

Growing Tips for SUPERBENA®

- High light in production is essential.
- 150-200 ppm fertilizer.
- Preventive fungicides recommended one week after transplant.
- Low pH and severe dry down can cause iron toxicity if supplemental iron has been applied.
- The easiest Superbena to grow in smaller containers are the more compact Superbena Royale varieties.
- In growing group BB (see page 133).

Notes: For all sizes of containers, pinch the liner 1-2 weeks after transplant; for containers larger than 6" and for hanging baskets, trim around the edge of the container as needed prior to spacing or hanging of the baskets. Growth can be controlled using lower temperatures. Although Superbena is more resistant than most, powdery mildew can be a problem in poor growing environments. A routine preventative spray program is encouraged. Top 50 SUPERBENA® Red Verbena 'RIKAV44101' USPP30962 CanPBRAF SUPERBENA® Stormburst Verbena 'RIKA18302M' USPP29640 CanPBRAF SUPERBENA SPARKLING® Amethyst Verbena 'DVERBINPR' USPPAF CanPBRAF SUPERBENA SPARKLING® Rosé Verbena 'RIKAV52102' USPPAF CanPBRAF

Superbena®



SUPERBENA® Coral Red Verbena 'AKIV98-01' USPP21639 Can4146



SUPERBENA® Dark Blue Verbena 'USBENALB' USPP14853 Can1826



SUPERBENA® Large Lilac Blue Verbena 'USBENAL11' USPP14854 Can1827



SUPERBENA® Peachy Keen Verbena 'RIKAV36504' USPP29063 Can5786



SUPERBENA® Pink Shades Verbena "USBENAL20" USPP14876 Can1829



SUPERBENA® Raspberry Verbena 'RIKAV45801' USPP30899 CanPBRAF



SUPERBENA® Red Verbena 'RIKAV44101' USPP30962 CanPBRAF



SUPERBENA® Scarlet Star Verbena 'RIKAV44501' USPP30898 CanPBRAF



SUPERBENA® Stormburst Verbena 'RIKA18302M' USPP29640 CanPBRAF



SUPERBENA® Violet Ice Verbena 'RIKAV18302' USPP25396 Can4786



SUPERBENA® WHITEOUT™ Verbena 'RIKA1832M3' USPP30897 CanPBRAF

Superbena Royale®



SUPERBENA ROYALE® Chambray Verbena 'AKIV571-1' USPP23051 Can4384



SUPERBENA ROYALE® Cherryburst Verbena 'AKIV28902M1' USPP27388



SUPERBENA ROYALE® Iced Cherry Verbena 'INVEBROICH' USPP23218 Can4587



SUPERBENA ROYALE® Plum Wine Verbena 'RIKAV14704' USPP25395 Can4785

$\textbf{Superbena Sparkling}^{\texttt{@}}$



SUPERBENA ROYALE® Romance Verbena 'RIKAV38602' USPP29013 Can5787



SUPERBENA SPARKLING® Amethyst Verbena 'DVERBINPR' USPPAF Canpbraf



SUPERBENA SPARKLING® Rosé Verbena 'RIKAV52102' USPPAF Canpbraf

SUPERBENA ROYALE Verbena LANDSCAPE OCT 15-30cm (6-12") W Vigor: 3



The upright compact habit of the Royale series makes it great for Grande™ container production, but it still becomes a vigorous, spreading plant for the consumer. Superb shelf life, yet strong garden performance, make Royale varieties stand out.



SUPERBENA ROYALE® Chambray Verbena

Superbena Photoperiod Response

An independent trial conducted in a controlled environment revealed the following timing for Superbena Verbena. It is applicable for growers worldwide.

Less than 12 hours (Day Neutral Response)

Superbena Royale® Plum Wine

Superbena Sparkling® Amethyst

Superbena Sparkling® Rosé

Flowers best over 12 hours (Facultative Long-day Response)

Superbena® Peachy Keen

Superbena Royale® Romance

Superbena® Red

Superbena® Scarlet Star

Superbena® Pink Shades

Needs more than 13 hours (Obligate Long-day Response)

Superbena® Whiteout™

Superbena® Raspberry

Superbena® Large Lilac Blue

Superbena Royale® Iced Cherry

Superbena® Coral Red

Superbena® Violet Ice

Superbena® Stormburst

Superbena Royale® Cherryburst

Superbena® Dark Blue

Superbena Royale® Chambray

Top-Selling Superbena

Here's how they rank in terms of liners sold in Canada.

Superbena® Red

Superbena® Whiteout™

Superbena® Peachy Keen

Superbena® Dark Blue

Superbena Sparkling® Amethyst

Superbena Royale® Plum Wine

Superbena Royale® Chambray

Superbena Sparkling® Rosé

Superbena Royale® Iced Cherry

Superbena® Stormburst

Superbena Royale® Romance

Superbena® Coral Red

Superbena® Raspberry

Superbena Royale® Cherryburst

Superbena® Pink Shades

Superbena® Violet Ice

Superbena® Large Lilac Blue

Superbena® Scarlet Star

METEOR SHOWER®

Verbena bonariensis











An updated look for the species. Meteor Shower® has a more compact, dense and vigorous growth habit which equates to more manageable and attractive plants as a flowering thriller in finished containers and massed in the landscape. And since the plants set little seed, it won't spread around the garden like most Verbenas of this type.

Growing Tips for METEOR SHOWER®

- High light levels are required in production.
- 150-200 ppm fertilizer for optimum growth.
- Good air circulation, water management practices, control of humidity, and good sanitation practices are critical.
- This plant sets little viable seed.
- In growing group BB (see page 133).

Notes: Pinch at 1-2 weeks after transplant if needed. To hold a crop for later delivery, an additional pinch or trim can be applied. Treat with a preventative broad spectrum fungicidal drench at 1-2 weeks after transplant. Scout crops regularly (at least once a week) for disease development.



Recommended replacements for dropped annual varieties for 2021

DROPPED VARIETY

RECOMMENDED REPLACEMENT

PEQUEÑA ROSALITA® Cleome	SEÑORITA ROSALITA® <i>Cleome</i>		
HIPPO® Red <i>Hypoestes</i>	HIPPO® Red Improved Hypoestes		
INFINITY® Blushing Crimson Impatiens hawkerii	INFINITY® Blushing Crimson Improved Impatiens hawkerii		
INFINITY® Light Purple Impatiens hawkerii	INFINITY® Light Purple Improved Impatiens hawkerii		
INFINITY® Orange Impatiens hawkerii	INFINITY® Orange Improved Impatiens hawkerii		
LUSCIOUS® Lemonade Lantana camara	LUSCIOUS® GOLDENGATE™ Lantana camara		
LAGUNA® Sky Blue <i>Lobelia erinus</i>	LAGUNA® Sky Blue Improved Lobelia erinus		
Lemon Symphony Osteospermum	BRIGHT LIGHTS™ Yellow <i>Osteospermum</i>		
Orange Symphony Osteospermum	BRIGHT LIGHTS™ Red <i>Osteospermum</i>		
BOLDLY® Burgundy <i>Pelargonium</i>	BOLDLY® Dark Red <i>Pelargonium</i>		
TIMELESS™ Fire <i>Pelargonium</i>	BOLDLY® Dark Red <i>Pelargonium</i>		
TIMELESS™ Lavender <i>Pelargonium</i>	BOLDLY® Lavender Rose Pelargonium		
TIMELESS™ Orange <i>Pelargonium</i>	BOLDLY® Dark Red <i>Pelargonium</i>		
TIMELESS™ Pink <i>Pelargonium</i>	BOLDLY® Hot Pink <i>Pelargonium</i>		
SUPERTUNIA® ROYAL VELVET® Petunia	SUPERTUNIA® ROYAL VELVET® Improved Petunia		
SUPERTUNIA® Trailing Bright Pink <i>Petunia</i>	SUPERTUNIA® Trailing Strawberry Pink Veined Petunia		
SUPERTUNIA® Trailing Purple Petunia	SUPERTUNIA® ROYAL MAGENTA® Petunia		
SUNBINI® Sanvitalia procumbens	SUNBINI® Improved Sanvitalia procumbens		
SUNBINI® Sanvitalia procumbens	SUNBINI® Improved Sanvitalia procumbens		