

INSTALLATION

FOR A HOUSE FULL OF SOUND

Whether inside or outside, in the wall or in the ceiling – it has to sound good, everywhere. When the house is equipped with loudspeakers, there are many ways to combine music enjoyment and modern design in a stylish and sonorous flexible way.



INWALL AND INCEILING WHICH SERIES SUITS YOU?



909 SERIES

Premium series,
Metal grille frameless,
Membrane material: ceramic,
Pivoting ceramic tweeter system



805 SERIES

Mid-range series,
Metal grille with discreet white frame,
Cone material: aluminium,
Pivoting aluminium tweeter system



403 SERIES

Entry-level series,
Baffle with enclosing white rim,
Cone material: polypropylene,
Pivoting soft dome tweeter



855 SERIES

100 volt / 70 volt loudspeaker,
Metal grille with discreet white frame,
Cone material: aluminium,
Pivoting aluminium tweeter system



909 SERIES

The premium models of the 909 series are, like all our in-wall speakers, 2-way systems and round off the range of our in-wall and in-ceiling speakers at the top. Reference technology, membrane material made of **high-quality ceramics** and an **elegant, frameless front grille** are the features of our Premium series.

- Pivoting ceramic Tweeter
- Ceramic mid / bass system
- Tweeter level adjustment for optimised room acoustics
- Metal grille individually paintable
- Frameless metal grille with magnetic fixing
- Easy ceiling mounting thanks to Easy-Lock technology
- Gold-plated Easy-Link terminals for stable connection of speaker cables
- Mounting templates included for easy installation
- InCeiling 969 Outdoor: splash-proof and suitable for humid rooms
- Optional accessories: Mounting frame for solid walls (ER 8, ER 6, ER 4, ER 4 LCR)



InWall 989	
W x H x D	27 x 37 x 11 cm
Installation cutout	24 x 35 cm
Installation depth	10 cm
Optional accessories	ER 8
Colour	○



InWall 949	
W x H x D	18 x 26 x 8 cm
Installation cutout	16 x 24 cm
Installation depth	8 cm
Optional accessories	ER 4
Colour	○



InWall 949 LCR	
W x H x D	39 x 18 x 8 cm
Installation cutout	37 x 16 cm
Installation depth	7 cm
Optional accessories	ER 4 LCR
Colour	○



InCeiling 989	
Diameter (Ø)	28 cm
Installation cutout	25 cm
Installation depth	10 cm
Colour	○



InCeiling 969	
Diameter (Ø)	24 cm
Installation cutout	21 cm
Installation depth	9 cm
Colour	○



InCeiling 969 Outdoor	
Diameter (Ø)	24 cm
Installation cutout	21 cm
Installation depth	9 cm
Colour	○



InCeiling 949	
Diameter (Ø)	18 cm
Installation cutout	16 cm
Installation depth	7 cm
Colour	○



InCeiling 949-16	
Diameter (Ø)	18 cm
Installation cutout	16 cm
Installation depth	8 cm
Colour	○



805 SERIES

Our 805 Series InWall and InCeiling speakers feature a metal grille with a discreet frame that is **invisibly held in place by magnets**. In addition, an **aluminium tweeter system** that can be adjusted in dispersion angle and reproduction level, and a **woofer system with aluminium cone** and **powerful magnetic drive**.

- Pivoting aluminium tweeter
- Aluminium mid / bass system
- Tweeter level adjustment for optimised room acoustics
- Metal grille individually paintable
- Discreetly framed metal grille with magnetic fixing
- Easy ceiling mounting thanks to Easy-Lock technology
- Gold-plated Easy-Link terminals for stable connection of speaker cables
- Mounting templates included for easy installation
- InCeiling 865 DT: with dual tweeter system for stereo reproduction
- Optional accessories: Mounting frame for solid walls (ER 8, ER 6, ER 4, ER 4 LCR)



InWall 885	
W x H x D	28 x 38 x 11 cm
Installation cutout	24 x 35 cm
Installation depth	10 cm
Optional accessories	ER 8
Colour	○



InWall 865	
W x H x D	24 x 33 x 10 cm
Installation cutout	24 x 35 cm
Installation depth	9 cm
Optional accessories	ER 6
Colour	○



InWall 845	
W x H x D	19 x 27 x 8 cm
Installation cutout	16 x 24 cm
Installation depth	7 cm
Optional accessories	ER 4
Colour	○



InWall 845 LCR	
W x H x D	40 x 19 x 8 cm
Installation cutout	37 x 16 cm
Installation depth	7 cm
Optional accessories	ER 4 LCR
Colour	○



InCeiling 885	
Diameter (Ø)	29 cm
Installation cutout	25 cm
Installation depth	10 cm
Colour	○



InCeiling 865 DT	
Diameter (Ø)	25 cm
Installation cutout	21 cm
Installation depth	9 cm
Colour	○



InCeiling 865	
Diameter (Ø)	25 cm
Installation cutout	21 cm
Installation depth	9 cm
Colour	○



InCeiling 845	
Diameter (Ø)	19 cm
Installation cutout	16 cm
Installation depth	8 cm
Colour	○



403 SERIES

The models of the 403 series are for sound purists and represent the **entry into the world of Canton built-in speakers**. Solid chassis technology made of **polypropylene with pivoting fabric tweeter systems** allow the sound to be adapted to the chosen installation location. The long-stroke polypropylene woofer systems guarantee **high level stability** for any application.

- Pivoting soft dome tweeter system
- Polypropylen mid / bass system
- Tweeter level adjustment for optimised room acoustics
- Metal grille individually paintable
- Pluggable metal grille with discreet Canton logo
- Baffle with enclosing white rim
- Easy-Link terminals for stable connection of speaker cables
- Easy ceiling mounting thanks to Easy-Lock technology
- Mounting templates included for easy installation
- Optional accessories: Mounting frame for solid walls (ER 4, ER 4 LCR)



InWall 443	
W x H x D	19 x 27 x 8 cm
Installation cutout	16 x 24 cm
Installation depth	7 cm
Optional accessories	ER 4
Colour	○



InWall 443 LCR	
W x H x D	40 x 19 x 8 cm
Installation cutout	37 x 16 cm
Installation depth	7 cm
Optional accessories	ER 4 LCR
Colour	○



InCeiling 463	
Diameter (Ø)	24 cm
Installation cutout	21 cm
Installation depth	9 cm
Colour	○



InCeiling 443	
Diameter (Ø)	20 cm
Installation cutout	17 cm
Installation depth	8 cm
Colour	○



855 SERIES

The models of the 855 series are In-Ceiling loudspeakers with **100 volt / 70 volt technology**. The built-in speakers with **high-quality ceramic as chassis material** are available in three versions: without fire basket as well as 2 versions with integrated rear fire basket. Underneath the magnetically held metal grille, there is a switch for adjustment to the amplifier. Power gradations can be set by hand – **100 W, 50 W and 25 W in 100 volt operation** as well as the switch position **8 Ohm for private use**.

- Ceramic tweeter-system
- Ceramic mid / bass system
- Discreetly framed metal grille with magnetic fixing
- Metal grille individually paintable
- Easy ceiling mounting thanks to Easy-Lock technology
- Switchable power gradations
- Phoenix plug for connecting to other loudspeakers
- InCeiling 855 T: Without fire basket
- InCeiling 855 T-BC 7: With discreet fire basket
- InCeiling 855 T-BC 15: With large fire basket



InCeiling 855 T	
Diameter (Ø)	29 cm
Installation cutout	27 cm
Installation depth	9 cm
Colour	○



InCeiling 855 T-BC 7	
Diameter (Ø)	29 cm
Installation cutout	27 cm
Installation depth	12 cm
Colour	○



InCeiling 855 T-BC 15	
Diameter (Ø)	29 cm
Installation cutout	27 cm
Installation depth	23 cm
Colour	○



ATELIER

With their **flat design** of less than 10 centimetres in depth, the models of the Atelier series **can be hung on the wall like a picture** and are **fully-fledged hifi speakers**. Installation is particularly easy thanks to the wall bracket integrated in the housing. If you prefer an even flatter and more discreet design, **you can integrate the speakers into the wall** using the installation kit supplied. The speakers then stand out from the wall by **only two centimetres** and only the classic fabric cover with the **satin-finish lacquered frame** remains visible.

- Aluminium chassis in the bass and midrange
- Aluminium-manganese tweeter system
- Flat cabinet design
- Integrated wall bracket for OnWall installation
- Mounting kit for InWall installation
- Installation depth: < 10 cm
- Decorative front, removable
- Sound-neutral fabric cover, removable



Atelier 1100	
W x H x D	33 x 115 x 10 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 1150 Center	
W x H x D	115 x 33 x 10 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 900	
W x H x D	25 x 95 x 9 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 950 Center	
W x H x D	95 x 25 x 9 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 700	
W x H x D	26 x 75 x 10 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 750 Center	
W x H x D	75 x 26 x 10 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 500 Center	
W x H x D	22 x 57 x 9 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 550 Center	
W x H x D	57 x 22 x 9 cm
Colour	<input type="radio"/> <input checked="" type="radio"/>



Atelier 300	
W x H x D	33 x 33 x 9 cm
Colour	<input type="radio"/>



SPECIAL SPEAKERS

Whether AM 5, Plus or Pro series: our compact special loudspeakers have **many areas of application**. They are ideal for use as **monitor, stereo or effect speakers** and can be easily mounted on a wall. **Technically mature speaker chassis** and skilful sound tuning guarantee **long-lasting listening pleasure** with the best Canton sound.

- Aluminium tweeter system
- Chassis with aluminium cone
- Robust metal grille as front cover
- Space-saving alternative in hifi quality
- Plus Series: matching Cantomount U wall bracket
- AM 5: professional studio monitor
- Pro Series: moisture-resistant, corrosion-free aluminium grille
- Pro Series: ideal for outdoor use
- Pro Series: with swivelling universal bracket



Plus XL.3	
W × H × D	15 × 24 × 16 cm
Optional accessories	Cantomount U
Colour	<input type="radio"/> <input checked="" type="radio"/>



Plus X.3	
W × H × D	12 × 20 × 13 cm
Optional accessories	Cantomount U
Colour	<input type="radio"/> <input checked="" type="radio"/>



Plus MX.3	
W × H × D	9 × 12 × 10 cm
Optional accessories	Cantomount U
Colour	<input type="radio"/> <input checked="" type="radio"/>



AM 5 - Aktivmonitor	
W × H × D	14 × 24 × 16 cm
Optional accessories	Cantomount U
Colour	<input type="radio"/> <input checked="" type="radio"/>



Pro X.3	
W × H × D	12 × 20 × 13 cm
Optional accessories	Cantomount U
Colour	<input type="radio"/> <input checked="" type="radio"/>



Pro XL.3	
W × H × D	15 × 24 × 16 cm
Optional accessories	Cantomount U
Colour	<input type="radio"/> <input checked="" type="radio"/>



ACCESSORIES

A **wide selection** of speaker stands sensibly rounds off the Canton range. Here you will find a suitable solution **for all compact speakers** and for the satellites of our Movie systems for free positioning in the home. For almost **all small speakers** that do not come with a wall mount, the **matching Cantomount U wall mount** is the right choice.

Speaker stands

- Hidden cable routing
- Height adjustable spikes
- Mounting plate with fixing holes

Cantomount U

- Stable wall bracket for universal use of small loudspeakers
- Swivel-mounted
- Mounting material included



LS 860

W x H x D 30 x 61 x 40 cm

Suitable for: Reference 9 K
Smart Vento 3 S2
Vento 30
Vento 20
Townus 30
Townus 20

Colour



LS 660

W x H x D 26 x 61 x 34 cm

Suitable for: Smart GLE 3 S2
Townus 30
Townus 20
GLE 20
GLE 30
Ergo 620

Colour



LS 250.2

W x H x D 9 x 12 x 10 cm

Suitable for: Movie 2005.3
Movie 2050.3
CD 220.3
CD 250.3

Colour



LS 90.3

W x H x D 26 x 93 x 26 cm

Suitable for: Movie 95
Movie 135
Movie 165

Colour



LS 3

W x H x D 25 x 86 x 25 cm

Suitable for: Smart Soundbox 3

Colour



Cantomount U

W x H x D 18 x 38 x 40 cm

Suitable for: Smart Soundbox 3
AM 5
Plus X.3
Plus XL.3
Pro X.3
Pro XL.3

Colour



ER 8*

W x H x D 10 x 36 x 28 cm

Suitable for: InWall 989
InWall 885

Colour

* You can find more mounting frame models on our website.