

## TSXV:RDS

# CREATING VALUE IN A WORLD RENOWNED GOLD MINING CAMP

GOLD RUNS IN OUR VEINS



### CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION

Except for historical information certain statements included in this presentation are forward-looking statements within the meaning of Canadian securities laws. Such statements may include words such as "Anticipates", "schedule", "projects", "plans", "targets", "programs", "continues", "estimates", "could", "should", "would" or "will". Forward-looking statements made in this presentation involve significant risks and uncertainties. These risks and uncertainties include the inherent risks involved in the exploration and development of mineral properties. the uncertainties involved in interpreting drilling results and other geological data. fluctuating metal prices. the possibility of project cost overruns or unanticipated costs and expenses. uncertainties relating to the availability and costs of financing needed in the future. and other factors. The Corporation disclaims any intention or obligation to update forward-looking statements if circumstances or management's estimates or opinions should change. The reader is cautioned not to place undue reliance on forward-looking statements.

All references to currency made in this presentation are in Canadian dollars unless otherwise stated.

Nicolas Guivarch, M. Sc., P.Geo., acts as a Qualified Person as defined in National Instrument 43-101 and has reviewed and approved the technical information in this presentation.





HISTORICAL PRODUCTION OF 587,121 OZ FROM 1926 - 1957 (1.2 M TONNES AT 15.25 AU G/T)<sup>1</sup>



## Why Radisson?



### O'Brien is one of the highest-grade undeveloped gold projects in Canada/USA

• Indicated grade of 9.48 g/t is among the highest of undeveloped gold projects not owned by a producer.

#### Excellent location in one of the best mining camps in the world

• Bousquet-Cadillac Mining Camp - prolific gold camp in the Abitibi (Quebec) which has produced ~25 Moz in 100 years.

- High profile neighbors including Agnico-Eagle (LaRonde, LZ5 and Lapa), IAMGOLD (Westwood), Wesdome (Kiena) and Eldorado (Lamaque)
- Access to power, infrastructure, spare milling capacity, skilled labour and support services.

### Exploration upside next to the old O'Brien Mine, historically the richest gold mine in Quebec

• Claims cover more than a 5 km strike length, including over 2.5 km to the east and west of the past producing O'Brien Mine, historically the highest-grade gold mine in Quebec

- Similar geology & structural setting as the old O'Brien mine on the property
- Majority of current resources within a 1 km strike (vs over 5x available strike) and within a vertical depth of 500 m (mines in the camp typically extend to well over 1 km).
- Robust litho-structural model and more than 75 years of historical production and exploration data to guide exploration efforts

#### **Experienced team and strong balance sheet**

• Team with the right combination of capital markets and technical experience.

• Cash position of \$11.0 M<sup>1</sup>. Funded to complete >130,000 m of drilling through 2021 (including 60,000 m in 2019-20 and an additional 70,000 m in 2021)

### Strong institutional and insider ownership

More than 11% insider ownership and 35% institutional ownership

• 2.5% owned by Rob McEwen (Founder of Goldcorp); 3.2% owned by Marshall Precious Metals (managed by David Garofalo, former CEO of Goldcorp, former CEO of Hudbay)

## **Company Overview**




### The O'Brien Gold Project

- High-grade, underground gold project in the Cadillac-Bousquet Mining Camp (Abitibi, Quebec)
- 5,800 ha land package including 5.2 km strike along the Cadillac Break
- Includes >2.5 km strike to the east and west of the past producing O'Brien Mine (historical production of 587 koz @ 15.25 g/t)
- MRE July 2019: 289 koz @ 9.48 g/t (Indicated), 145 koz @ 7.31 g/t (Inferred)
- New litho-structural model (Feb 2019)
- 130,000 m drill program underway (70,000 m planned in 2021)

Share Price (C\$) <sup>3</sup>	\$0.19
52 Week Range (C\$)	\$0.18 - \$0.37
Market Capitalization (C\$ M) <sup>3</sup>	\$50.7
Shares Outstanding, Basic (\$ M) <sup>1</sup>	274.3
Options Outstanding (\$ M) <sup>1</sup>	14.9
Warrants Outstanding (\$ M) <sup>1</sup>	16.4
Shares Outstanding, FD ( $\$$ M) <sup>1</sup>	305.6
Cash position (C\$ M) <sup>4</sup>	\$11.0

## Ownership Breakdown<sup>2</sup>



#### **Top holders**

# Top Holders	Shares	%
1 1832 AM	25.8	9.4%
2 OCIM PM	16.2	5.9%
3 Michael Gentile (Strategic Advisor)	16.3	5.9%
4 Renforth Resources	12.0	4.4%
5 Jean Dion (Director)	9.3	3.4%
6 Marshall Precious Metals	8.2	3.0%
7 US Global	7.0	2.6%
8 Mario Bouchard (President & CEO)	7.2	2.6%
9 Rob McEwen	6.4	2.3%
10 Caisse de dépôt	6.1	2.2%
11 SIDEX	4.9	1.8%
12 Denis Lachance (Chairman)	4.2	1.5%

TSXV:RDS 1. Estimated as at December 31, 2021; 2. "Private investors" comprise 27 investors; 3. Closing price on December 15, 2021; 4. Estimated as at December 31, 2021.

## **Experienced Leadership**




### **BOARD OF DIRECTORS**

### **MANAGEMENT TEAM**

<b>DENIS LACHANCE Eng.</b> Chairman of the board	35+ years mining experience   Sr positions with Koniambo Nickel, Xstrata (Raglan), Noranda, TVX (Casa Berardi), Agnico Eagle (Goldex).	RAHUL PAUL President and CEO	15 years capital markets /mining industry experience   Previously Director & Precious Metals Analyst at Canaccord Genuity
MARIO BOUCHARD Director, Advisor	25+ years in the Brokerage industry   CIM Rouyn-Noranda branch director for 26 years   President of Admirio Industriel inc.	HUBERT PARENT-BOUCHARD Chief Financial Officer	12 years accounting/finance/mining experience   Treasurer & Director, CIM Rouyn-Noranda branch
<b>RÉJEAN GOURDE, Eng.</b> Director	40+ years mining industry experience   President & CEO of Reunion Gold   Senior positions with Falconbridge and Cambior	SYLVAIN DOIRE	25 years of experience, 10 years at the Ministry of
DENIS BOIS Director	40+ years of mining experience   URSTM Director (1989 to 2017)   Director, Board of Fonds de solidarité FTQ A-T	Environment and Sustainable Development Manager	Environment, Quebec   Former Environment Coordinator for Agnico Eagle (Meadowbank and Méliadine), Falco Resources
MICHAEL GENTILE, CFA Director, Strategic Advisor	15 years capital markets experience   PM with Formula Growth   Founder of the successful FG Alpha Fund   20+ years as an active/successful mining investor	NICOLAS GUIVARCH, M.Sc., P.Geo Manager – Exploration and technical services	10 years of mining/exploration experience   Integral part of the exploration team since August 2019
PIERRE BEAUDOIN	30+ years of mining experience   COO of SilverCrest Metals		ADVISORS
Director	Inc.   Sr. VP of Capital Projects (2010-2013) & COO (2013- 2017) of Detour Gold	KENNETH WILLIAMSON, M.Sc. P.Geo	20 years of mining/exploration experience   Formerly with Premier Gold, Rubicon Minerals, Goldcorp  Developed the
JEFF SWINOGA, CPA, MBA	25+ years of mining industry experience   President, CEO & Director of Exploits Discovery Corp.   Previously National	Senior Advisor, Geology	current litho-structural model and the ensuing NI 43-101 mineral resource estimate in 2019 at O'Brien
Director	Mining and Metals Co-Leader at Ernst & Young Canada   Director, PDAC	DONALD TRUDEL, P. Geo Advisor, Exploration and Geology	More than 30 years of mining / exploration experience   Formerly with lamGold, Semafo, Richmont Goldcorp   Joined Radisson in February 2021

## **Building on momentum**





## 2019 - 2020 Scorecard




				% Change (Y	ear-over-year)
	YE2018	YE2019	YE2020	YE2018 to 2019	YE2019 to 2020
Market Data					
Share Price (C\$M)	\$0.10	\$0.22	\$0.34	120%	55%
Shares Outstanding (M)	137.0	189.6	244.4	38%	29%
Market Capitalization (C\$M)	\$13.7	\$41.7	\$83.1	204%	99%
Average daily trading liquidity, 000 Shares	56.2	117.1	220.6	109%	88%
Average daily trading liquidity, C\$000	\$6.0	\$19.5	\$58.2	224%	198%
Balance Sheet					
Capital raised, YTD (C\$M)	\$1.9	\$11.0	\$15.7	477%	42%
Working capital (Incl. Investments), Year-End (C\$M)	\$1.3	\$8.7	\$15.2	581%	75%
Institutional ownership (%)	20.0%	30.6%	34.7%		

Share Price Performance, 2	2018 - 2020 (RDS:TSXV)	
	2019	2020
% Change - Absolute	120%	55%
% Change - Relative to Gold Price	107%	32%
% Change - Relative to GDXJ	87%	29%

## Established mining camp in a world renowned gold belt






## Cadillac Mining Camp Geological Map



### O'Brien Project – Land position expanded 9x following New Alger acquisition



TSXY:RDS 1. See press-release dated August 10, 2020 for details and related disclosures

# New Alger Acquisition & Partnership with Renforth Resources<sup>1</sup>



### **Transaction Terms**

- Acquisition of a 100% interest in New Alger for 12 M RDS shares, C\$0.5 M cash and C\$1.5 M contingent payment.
- Strategic investment of C\$1.8 M by Radisson for a 9.6% stake (24 M shares) in RFR

## **Benefits to Radisson**

- Adds scale and enhances resource upside to increase the O'Brien project's investment appeal.
  - Nine-fold increase in claims to 5,839 ha (from 637 ha)
  - Expands prospective strike along Cadillac break to include over 2.5 km to the east and west of the historic O'Brien Mine (main shaft).
  - Upside from Discovery veins, 250 m south of the Cadillac Break that have been traced along strike by sampling/drilling for 500 m, to a depth of 120 m. Mineralization remains open along strike and at depth.
- Radisson will hold a 9.6% equity interest in Renforth for exposure to other assets in portfolio
  - $\circ~$  Company will be well capitalized post transaction to undertake significant work programs at other key assets
- Radisson's cash position is sufficient to both complete the transaction and expand drill program to include newly acquired claims.
- Attractive price paid for New Alger considering the extent of historical work completed.

## **Benefits to Renforth**

- Continued exposure to the combined O'Brien and New Alger properties through 5.7% equity interest in Radisson.
- Estimated transaction value (including contingent payments) of C\$9.5 M<sup>2</sup> is significant to Renforth
- Transformational deal for Renforth through a major capital infusion at a significant premium
  - $\circ~$  Renforth's cash position proforma deal increases almost five-fold to \$4.7 M  $\,$
  - $\circ~$  This does not include \$1.8 M in potential future proceeds from in-the-money warrants and options
- Renforth will be well capitalized to fund significant work programs at its other key assets including Parbec
- Spotlight should help increase capital markets exposure, which will enable Renforth to build on the positive momentum.



### Significant increase in O'Brien mineral resource estimate (July 2019)<sup>1</sup> driven by new litho-structural interpretation

		Ind	dicated resourc	es	In	ferred resource	es
	Cut-off (g/t Au)	Tonnage (t)	Grade (g/t Au)	Ounces (oz)	Tonnage (t)	Grade (g/t Au)	Ounces (oz)
July 2019 <sup>1</sup>	5.00	950	9.48	289	617	7.31	145
March 2018 <sup>2</sup>	5.00	625	8.30	167	416	7.21	96
Variance		↑52%	<b>↑14%</b>	<mark>↑</mark> 74%	<mark>↑</mark> 48%	<b>↑1%</b>	↑52%


### O'Brien Project Mineral Resource Estimate (July 2019) Sensitivity to Cut-off

	lr	ndicated resource	S		nferred resources	\$
Cut-off (g/t Au)	Tonnage (kt)	Grade (g/t Au)	Ounces (koz)	Tonnage (kt)	Grade (g/t Au)	Ounces (koz)
7.00	545	12.16	213	244	9.69	76
6.00	712	10.82	248	375	8.54	103
5.00	950	9.48	289	617	7.31	145
4.00	1,350	7.99	347	975	6.27	197
3.50	1,600	7.32	377	1,208	5.78	225
3.00	1,906	6.67	409	1,500	5.29	255

1. NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

2. NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, InnovExplo, March 20, 2018

# O'Brien: Among the highest-grade undeveloped gold projects (Canada/USA) not owned by a producer






# Preliminary metallurgical test work: Potential upside to grade?




- 11.13 g/t Au average grade obtained<sup>1,2</sup>
  - 53.3% above sample grade
- 59.2% recovery by gravity concentration<sup>2</sup>
- Total recovery of up to 94%<sup>2</sup>



- 1. Sample tested totalled 61 kg and graded 7.26 g/t Au. It consisted of composite core lengths from the main structures of 36E area.
- 2. See press release of August 26, 2014

# Well funded for the largest drill campaign in the history of the company (~130,000 m)






TSXV:RDS

15


# O'Brien Project: Gold Metal Factor (Grade \* True Width) Radisson



TSXV:RDS

# O'Brien Project: Gold Metal Factor (Grade \* True Width) Radisson

**October 2021** 




TSXV:RDS

MINING RESOURCES


## Exploration: ~130,000 m drill program underway





## Trend 0, 1: 60,500 m of drilling planned






	Minera	alized Tren	ds 0, 1	
	Allocated drilling (m)	Drilled - Results published (m)	Drilled - Results pending (m)	To be drilled (m)
Trend 0	20,000	6,500	10,500	3,000
Trend 1	40,500	27,700	2,300	10,500
Total	60,500	34,200	12,800	13,500

Trend 0 (Previously referred to as "Gap" Zone): Planned drilling to a depth of 800 m

- Current resources mostly within 400 m from surface
- Drilling to date has traced mineralization down to 800 m vertical depth
- □ Trend 1: Planned drilling to a depth of 1,100 m
  - Current resources mostly within 600 m from surface
  - Drilling to date has traced mineralization down to 950 m vertical depth

## Trend 2, 3 & Eastern exploration: 64,000 m of drilling planned






### Mineralized Trends 2, 3 & Eastern exploration

	Allocated drilling (m)	Drilled - Results published (m)	Drilled - Results pending (m)	To be drilled (m)
Trend 2	29,000	25,000	500	3,500
Trend 3	21,500	8,300	3,200	10,000
Kewagama & Eastern Exploration	13,500	7,950	3,050	2,500
Total	64,000	41,250	6,750	16,000

- □ Trend 2: Planned drilling to a depth of 900 m
  - Current resources mostly within 400 m from surface
  - Drilling to date has traced mineralization down to 800 m vertical depth
- Trend 3: Planned drilling to a depth of 550 m
  - Current resources mostly within 350 m from surface
  - Drilling to date has traced mineralization down to 550 m vertical depth
- □ Kewagama & Eastern exploration
  - Current resources at Kewagama / Kewagama East mostly within 350 m from surface; No meaningful resources defined further to the east
  - Exploration drilling planned to confirm additional mineralized trends to the east of Trend 3

## O'Brien West: 5,700 m of drilling planned




### O'Brien West

tecisson

- 5,700 m of exploration drilling has been completed to the west of the O'Brien Mine; Results pending
  - No currently defined NI 43-101 resources in the area
  - Drilling conducted to a depth of 750 m


## >5.2km of Strike Length - Blue Sky





## Douay Project: Radisson's claims relative to Agnico-Eagle – Maple Gold JV<sup>1</sup>








## **Contact Information**

Investor relations +1.819.763.9969 ir@radissonmining.com

Radisson Mining Resources Inc. 700 Dallaire Ave, 2nd Floor Rouyn-Noranda, Qc J9X 4V9 www.radissonmining.com



## **Appendix: 2019 Lithostructural Model**




TSXV:RDS Source: NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

tacisson

MINING RESOURCES

# Appendix: 2019 Litho-structural Model – Validated by data from the old O'Brien Mine






Source: NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

## **O'Brien Mine: 3D Isometric view**

- Mined 587 koz @ 15.25 g/t (1926 - 1957)
- Mined to a depth of ~1,100 m
- ~90% of production came from only 3 veins






Level plans based on old production data show a strong compatibility between the new model and the geometry of structures previously mined at the O'Brien mine.

# Appendix: 2019 litho-structural model - Plan view at different elevations





New model provides an opportunity to better target high-grade zones

- ~63 veins have been modeled, the majority of which have yet to be fully drill tested
- Data suggests very good continuity of mineralization to depth, but there has been limited drilling below 550 m
- Opportunity to better target high-grade zones due to improved structural understanding

## Au Grade distribution – Select drill holes



Grade							
(gpt Au)	>=15.0	12.5 - 15.0	10.0 - 12.5	7.5 - 10	5.0 - 7.5	3.0 - 5.0	1.0 - 3.0

#### OB-17-025W1


	3.17 gpt	/ 1.70 m		 1	12.98 gp	pt / 2.0	) m					28.	61 gpt / 3.0	00 m							4.15	5 gpt / 3.	.00 m					ļ	3.21 gpt /	/ 2.60 m
Grade (gpt Au)	2.64	3.92	0.52	0.04	37.6 <mark>4</mark> .	.88 0.1	52 0.1	12 (	0.10	0.24	0.62	12.60	71.65	1.57	0.47	·	0.28	0.38	1.63	0.74	7.16		1.13	0.85	0.08	0.05	5	0.40	1.23	5.92
Core length (m) 00	407.00	407.70	409.00	414.00	414.60	415.20	416.00	417.00	418.00	419.00	420.00	421.00	422.00	00 5 6 4	10.00	424.00	425.20	426.00	427.00	496 E.O.		438.00	439.50	441.00		442.50	444.00	445.50	00 <i>L V V</i>	444.00

#### OB-18-084

[	2.0	1 gpt / 3.00	) m								43.9	1 gpt /	2.20 m	
Grade (gpt Au)	4.17	0.19	1.66	0.59	0.91	0.62	0.29	1.04	0.76	0.09	0.4 1	190	1.17	0.70
00. 66 ε	400.00	401.00	402.00	403.00	404.00	405.00	406.00	407.00	408.00	409.00	409.50	410.00	411.20	412.00

#### OB-18-085

										İ	<b></b>			3.89	gpt / 9.0	00 m – –																
	7.8	3 gpt / 2.20	) m										4.3	5 gpt / 7.0	10 m									14.6	6 gpt / 2.	.75 m				23.4	2 gpt / 2	.40 m
Grade (gpt Au)	17.5	5 1.1	D	0.02	0.15	1.28	0.51	0.84	2.40	0.23	11.85	3.25	1.32	4.63	0.63	4.35	3.16	2.00	2.50	0.04	0.18	0.29	0.40	39.60	1.79	1.27	0.01	(	0.04	3.37	72.10	3.39
Core length (m)	388.80	389.70	391.00	392.00	392.70	393.40	394.00	395.00	396.00	 411.00	412.15	413.00	414.00	415.00	416.00	417.00	418.00	418.95	420.00	421.00	421.50	422.50	423.55	424.50	425.30	426.30	427.30		439.70	440.40	441.10	442.10



	OB-2	20-12	7																												
	<b></b>	4.26 gpt			· 				 	7.12 gpt				;	3.07 gpt	/ 32.20	m	6.52 gpt	/ 2.30 m								5.67 gp		 1		>
Grade (gpt Au)	3.12	3.51	4.98	5.41	2.99	0.26	0.90	0.09	0.70	6.25	7.93	0.35	0.02	1.53	2.31	1.16	0.16	6.33	6.72	0.06	0.09	0.04	0.04	2.02	3.62	4.35	1.45	7.21	10.85	0.05	.0.90
00: 89 Core length (m) 9	469.00	470.00	471.00	472.00	473.00	474.00	474.70		476.90	478.20	479.60		481.00	483.00	484.00	485.00	486.30	487.50	488.60	489.80	490.80	491.80	493.00	494.00	495.00	496.00	497.00	498.00	108 9 <u>0</u>	499.40	500.20

## Au Grade distribution – Select drill holes (contd...)

Grade							
(gpt Au)	>=15.0	12.5 - 15.0	10.0 - 12.5	7.5 - 10	5.0 - 7.5	3.0 - 5.0	1.0 - 3.0

		OB	-20	-1	35																						
		6.75 gp	t / 1.50	) m		_					18.	15 gpt /	4.40 m												2.71 gpt /	2.00 r	1
Grade (gpt Au)		11.8 3	.81 4.	65	0.03	_			0.18	44.80	0.63	1.1	0 <mark>3</mark>	9.50	5.44	0.24	0.02	2 1	L.07	0.01		0.01	0.5	56	0.05	8.9	1
Core length (m)	201.60	202.10	202.60	203.10	204.00				237.10	237.90		239.00	240.00	241.00	241.50	242.50		243.50	244.50		245.00	246.70		248.00		249.40	250.00
	(	OB-2	20-1	156	j																						
	4	<b></b>										6	.89 gpt	/ 21.2	20 m			- 11.32									
		4.81 gp	t / 2.00	m									38.11 gp	t / 2.10 n	n									20.39 g	pt / 2.30 m		
Grade (gpt Au)		5.97	3.64	4	0.38	1.69	0.05	0.01	0.0	02 0	.02 0.02	0.71	10.85	68.10		0.09	0.01	0.58	2.46	0.2	20	0.27	2.65	1.72	32.40		
	778.00	00.677		780.00	781.00	78.2 00		783.00	784.00	785.00	786.00 786.50	787.40	788.50		789.50	790.80	791.60	792.80		794.00	795.00	796.00	796.90	797.80	799.20		
		OB-2	<b>20-</b> 2	168	8																						
	+														5.51	gpt / 23.	.00 m -										. – –


	1										01												1
									<b></b>		14	.90 gpt / 8	8.00 m -										
	1.94 gp	ot / 2.00 m							22.24 gpt	/ 2.30 m					33.94 gpt	/ 2.00 m					0.77 gpt /	4.00 m	
Grade (gpt Au)	3.37	0.99	0.01	0.00	0.01	0.07	0.04	0.15	39.00	0.46	0.01	0.01	0.06	0.11	0.38	67.50	0.22	0.04	0.02	1.26	0.02	0.03	1.65
8	8. 8.	8.	0.	06.	.70	.80	06.	00.	.30	.30	.30	.30	.30	00.	00.	00.	00.	00.	00.	.10	8	8.	00
Core length (m)	583	585	586	586	587	588	589	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606

#### OB-20-170


										¢		5.	27 gpt /	7.40 m			*						<b>←2</b>	.93 gpt	/ 3.80 r	n		+			5.7	73 gpt / 9	9.20 m			>
[	2.5	56 gpt / 3.0	00 m								6.	82 gpt / 4.	.80 m										4.02 gp	t / 2.00 m				13.45 g	pt / 1.90 n	n					12.15 gpt	/ 2.00 m
Grade (gpt Au)	3.95	2.44	1.28	0.81	0.18	1.85	0.03	0.01	0.02	7.99	3.75	2.94	12.50	7.15	1.92	2.85	0.03	0.03	0.02	0.02	0.04	0.03	1.90	6.15	0.72	2.95		0.28	25.30	0.18	0.27	0.44	0.67	1.16	1.09	23.20
4.00	5.00	6.00	7.00	06.73	8.70	09.63	09.06	61.60	52.60	53.40	64.40	55.40	6.40	57.40	60.60	00 0	8.0	1.00	2.00	00	8		-2 00	8.00	00.6	08.6	ç	00.4	W S	2 CO 4	7 00	8.00	ç	9.3 0.3	13	12.3
Core length (m) 🛱	5	8 8	55	55	55	55	26	26	26	28	26	56	56	56	20		5	23	5	6	n D		2 2	22	57	57	3	8 5	9	1 6	1 65	20	2	3 8	, 6	9



## Au Grade distribution – Select drill holes (contd...)







Radisson

MINING RESOURCES

## Radisson Mining Resources: Consolidated NI-43-101 Mineral Resource Estimates




	Tonnage (t)	Grade (g/t Au)	Ounces (oz)
O'BRIEN PROJECT <sup>1</sup>			
Indicated resources	949,700	9.48	289,400
Inferred resources	617,400	7.31	145,000
NEW ALGER PROJECT <sup>2</sup>			
Pit constrained			
Indicated resources	1,016,000	1.88	61,500
Inferred resources	2,322,000	1.65	123,300
Out-of-Pit			
Indicated resources	19,000	1.81	1,100
Inferred resources	904,000	2.23	64,700
TOTAL COMBINED: O'BRIEN & NEW ALGER <sup>3</sup>			
Indicated resources	1,984,700		352,000
Inferred resources	3,843,400		333,000

1. 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

2. Updated mineral resource estimate and technical report on the New Alger Gold property, Abitibi-Témiscamingue region, Northwestern Québec, Canada, NI 43-101 & 43-101F1 technical report P&E Mining Consultants Inc, May 1, 2020 TSXV:RDS 3. Numbers may not add up due to rounding

## O'Brien drill core with visible gold showings





TSXV:RDS

