

TSXV:RDS

CREATING VALUE IN A WORLD RENOWNED GOLD MINING CAMP

GOLD RUNS IN OUR VEINS



CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION

Except for historical information certain statements included in this presentation are forward-looking statements within the meaning of Canadian securities laws. Such statements may include words such as "Anticipates", "schedule", "projects", "plans", "targets", "programs", "continues", "estimates", "could", "should", "would" or "will". Forward-looking statements made in this presentation involve significant risks and uncertainties. These risks and uncertainties include the inherent risks involved in the exploration and development of mineral properties. the uncertainties involved in interpreting drilling results and other geological data. fluctuating metal prices. the possibility of project cost overruns or unanticipated costs and expenses. uncertainties relating to the availability and costs of financing needed in the future. and other factors. The Corporation disclaims any intention or obligation to update forward-looking statements if circumstances or management's estimates or opinions should change. The reader is cautioned not to place undue reliance on forward-looking statements.

All references to currency made in this presentation are in Canadian dollars unless otherwise stated.

Kenneth Williamson, M. Sc., P.Geo., Senior Advisor, Geology acts as a Qualified Person as defined in National Instrument 43-101 and has reviewed and approved the technical information in this presentation.







Why Radisson?



O'Brien is one of the highest-grade undeveloped gold projects in Canada/USA

• Indicated grade of 9.48 g/t is among the highest of undeveloped gold projects not owned by a producer.

Excellent location in one of the best mining camps in the world

• Bousquet-Cadillac Mining Camp - prolific gold camp in the Abitibi (Quebec) which has produced ~25 Moz in 100 years.

- High profile neighbors including Agnico-Eagle (LaRonde, LZ5 and Lapa), IAMGOLD (Westwood), Wesdome (Kiena) and Eldorado (Lamaque)
- Access to power, infrastructure, spare milling capacity, skilled labour and support services.

Exploration upside next to the old O'Brien Mine, historically the richest gold mine in Quebec

• Claims cover more than a 5 km strike length, including over 2.5 km to the east and west of the past producing O'Brien Mine, historically the highest-grade gold mine in Quebec

- Similar geology & structural setting as the old O'Brien mine on the property
- Majority of current resources within a 1 km strike (vs over 5x available strike) and within a vertical depth of 500 m (mines in the camp typically extend to well over 1 km).
- Robust litho-structural model and more than 75 years of historical production and exploration data to guide exploration efforts

Experienced team and strong balance sheet

- Team with the right combination of capital markets and technical experience.
- Cash position of \$6.0 M¹. Funded to complete >130,000 m of drilling (drilling commenced in late 2019)

Strong institutional and insider ownership

- More than 11% insider ownership and 35% institutional ownership
- 3% owned by Marshall Precious Metals (managed by David Garofalo, former CEO of Goldcorp, former CEO of Hudbay)

Company Overview




The O'Brien Gold Project

- High-grade, underground gold project in the Cadillac-Bousquet Mining Camp (Abitibi, Quebec)
- 5,800 ha land package including 5.2 km strike along the Cadillac Break
- Includes >2.5 km strike to the east and west of the past producing O'Brien Mine (historical production of 587 koz @ 15.25 g/t)
- MRE July 2019: 289 koz @ 9.48 g/t (Indicated), 145 koz @ 7.31 g/t (Inferred)
- New litho-structural model (Feb 2019)
- 130,000 m drill program underway (4,600 m remaining)

Share Price (C\$) ³	\$0.13
52 Week Range (C\$)	\$0.13 - \$0.30
Market Capitalization (C\$ M) ³	\$35.9
Shares Outstanding, Basic (\$ M) ¹	275.9
Options Outstanding (\$ M) ¹	13.3
Warrants Outstanding ($\$$ M) ¹	0.8
Shares Outstanding, FD (\$ M) ¹	290.1
Cash position (C\$ M) ¹	\$6.0

TSXV:RDS 1. Estimated as at May 12, 2022; 2. "Private investors" comprise 27 investors; 3. Closing price on May 24, 2022;

Ownership Breakdown²



Top holders

#	Top Holders	Shares	%
1	1832 AM	25.8	9.4%
2	Michael Gentile (Director & Strategic Advisor)	17.1	6.2%
3	OCIM PM	16.2	5.9%
4	Renforth Resources	12.0	4.4%
5	RBC AM	10.3	3.7%
6	Jean Dion	9.9	3.6%
7	Marshall Precious Metals	8.2	3.0%
8	Mario Bouchard (Director)	7.3	2.6%
9	US Global	7.0	2.5%
10	Rob McEwen	6.4	2.3%
11	Caisse de dépôt	6.1	2.2%
12	SIDEX	4.9	1.8%
13	Denis Lachance (Chairman)	4.4	1.6%

Experienced Leadership




BOARD OF DIRECTORS

MANAGEMENT TEAM

DENIS LACHANCE Eng. Chairman of the board	35+ years mining experience Sr positions with Koniambo Nickel, Xstrata (Raglan), Noranda, TVX (Casa Berardi), Agnico Eagle (Goldex).	RAHUL PAUL President and CEO	15 years capital markets /mining industry experience Previously Director & Precious Metals Analyst at Canaccord Genuity
MARIO BOUCHARD Director, Advisor	25+ years in the Brokerage industry CIM Rouyn-Noranda branch director for 26 years President of Admirio Industriel inc.	HUBERT PARENT-BOUCHARD Chief Financial Officer	12 years accounting/finance/mining experience Treasurer & Director, CIM Rouyn-Noranda branch
RÉJEAN GOURDE, Eng. Director	40+ years mining industry experience President & CEO of Reunion Gold Senior positions with Falconbridge and Cambior	SYLVAIN DOIRE	25 years of experience, 10 years at the Ministry of Environment, Quebec Former Environment Coordinator
DENIS BOIS Director	40+ years of mining experience URSTM Director (1989 to 2017) Director, Board of Fonds de solidarité FTQ A-T	Environment and Sustainable Development Manager NICOLAS GUIVARCH, M.Sc., P.Geo	for Agnico Eagle (Meadowbank and Méliadine), Falco Resources
MICHAEL GENTILE, CFA Director, Strategic Advisor	15 years capital markets experience PM with Formula Growth Founder of the successful FG Alpha Fund 20+ years as an active/successful mining investor	Manager – Exploration and technical services	10 years of mining/exploration experience Integral part of the exploration team since August 2019
PIERRE BEAUDOIN	30+ years of mining experience COO of SilverCrest Metals		ADVISORS
Director	Inc. Sr. VP of Capital Projects (2010-2013) & COO (2013- 2017) of Detour Gold	KENNETH WILLIAMSON, M.Sc. P.Geo	20 years of mining/exploration experience Formerly with Premier Gold, Rubicon Minerals, Goldcorp Developed the
JEFF SWINOGA, CPA, MBA Director	25+ years of mining industry experience President, CEO & Director of Exploits Discovery Corp. Previously National Mining and Metals Co-Leader at Ernst & Young Canada Director, PDAC	Senior Advisor, Geology	current litho-structural model and the ensuing NI 43-101 mineral resource estimate in 2019 at O'Brien


Building on momentum





Established mining camp in a world renowned gold belt






TSXV:RDS

8

Cadillac Mining Camp Geological Map



O'Brien Project – Land position expanded 9x following New Alger acquisition



TSXY:RDS 1. See press-release dated August 10, 2020 for details and related disclosures



Significant increase in O'Brien mineral resource estimate (July 2019)¹ driven by new litho-structural interpretation

		Inc	dicated resourc	es	In	ferred resource	es		
	Cut-off (g/t Au)	Tonnage (t)	Grade (g/t Au)	Ounces (oz)	Tonnage (t)	Grade (g/t Au)	Ounces (oz)		
July 2019 ¹	5.00	950	9.48	289	617	7.31	145		
March 2018 ²	5.00	625	8.30	167	416	7.21	96		
Variance		↑52%	↑14%	↑74%	<mark>↑</mark> 48%	↑1%	152%		

O'Brien Project Mineral Resource Estimate (July 2019) Sensitivity to Cut-off

	lı	ndicated resource	S		nferred resources	3
Cut-off (g/t Au)	Tonnage (kt)	Grade (g/t Au)	Ounces (koz)	Tonnage (kt)	Grade (g/t Au)	Ounces (koz)
7.00	545	12.16	213	244	9.69	76
6.00	712	10.82	248	375	8.54	103
5.00	950	9.48	289	617	7.31	145
4.00	1,350	7.99	347	975	6.27	197
3.50	1,600	7.32	377	1,208	5.78	225
3.00	1,906	6.67	409	1,500	5.29	255


1. NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

2. NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, InnovExplo, March 20, 2018

Preliminary metallurgical test work: Potential upside to grade?




- 11.13 g/t Au average grade obtained^{1,2}
 - 53.3% above sample grade
- 59.2% recovery by gravity concentration²
- Total recovery of up to 94%²



- 1. Sample tested totalled 61 kg and graded 7.26 g/t Au. It consisted of composite core lengths from the main structures of 36E area.
- 2. See press release of August 26, 2014


O'Brien drill core with visible gold showings





Exploration: ~130,000 m drill program underway








Summary of results public	ished to date fro	om ongoing e	exploration	program (a	s of Marc	h 31, 202	22)		
	Published	# h	oles publish	ed	Num	ber of pub	lished int	ercepts gr	ading,
Sector / Trend	results (m)	esults (m) # holes published		% holes with VG	>5 g/t Au	>10 g/t Au	>15 g/t Au	>20 g/t Au	>25 g/t Au
O'Brien West	5,736	11	1	9%	3	1	1	1	1
Trend #0	18,005	36	20	56%	17	8	4	4	4
Trend #1	28,102	48	27	56%	49	20	11	8	7
Trend #2	28,203	51	25	49%	40	15	9	5	4
Trend #3	10,166	26	11	42%	17	9	5	3	1
Trend #4	6,364	15	6	40%	6	2	1	1	1
Kewagama East & Other	4,311	14	3	21%	4	2	1	1	1
Total	100,887	201	93	46%	136	57	32	23	19


O'Brien Project: Gold Metal Factor (Grade * True Width) Radisson



TSXV:RDS

O'Brien Project: Gold Metal Factor (Grade * True Width) Radisson

October 2021




TSXV:RDS


MINING RESOURCES

Well funded for the largest drill campaign in the history of the company (~130,000 m)





Trend 0, 1: 61,100 m of drilling planned



RACISSON MINING RESOURCES


—[Minera	alized Iren	ds 0, 1	
		Allocated drilling (m)	Drilled - Results published (m)	Drilled - Results pending (m)	To be drilled (m)
Trend	0 t	18,200	18,000	200	0
Trend	11	42,900	28,100	11,800	3,000
Total		61,100	46,100	12,000	3,000

- Trend 0 (Gap between old O'Brien Mine and current resources in trend #1):
 Drilling completed to a depth of 800 m
 - 36 holes published to date including 17 intercepts > 5 g/t Au and 8 intercepts >10 g/t Au
 - Current resources mostly within 240 m from surface
 - Drilling to date has traced mineralization down to 620 m vertical depth
 - Results pending from directional drill program to test depth extent down to 800 m
- Trend 1: Planned drilling to a depth of 1,100 m
 - 48 holes published to date including 49 intercepts >5 g/t Au and 20 intercepts >10 g/t Au
 - Current resources mostly within 600 m from surface
 - Drilling to date has traced mineralization down to 950 m vertical depth
 - Directional drill program underway to test depth potential down to 1,100 m

18

Trend 2: 34,500 m of drilling planned





	Mi	neralized	Trend 2			_
		Allocated drilling (m)	Drilled - Results published (m)	Drilled - Results pending (m)	To be drilled (m)	
Trend	d 2	34,500	28,200	4,700	1,600	İ


□ Trend 2: Planned drilling to a depth of 900 m

٠

- 51 holes published to date including 40 intercepts > 5 g/t Au and 15 intercepts >10 g/t Au
- Current resources mostly within 400 m from surface
- Drilling to date has traced mineralization down to 800 m vertical depth
- Directional drill program underway targeting depth extension of mineralization down to 900 m

Trend 3, 4 & Eastern exploration: 28,900 m of drilling planned






Mineralized Trends 3, 4 & Eastern exploration

	Allocated drilling (m)	Drilled - Results published (m)	Drilled - Results pending (m)	To be drilled (m)
Trend 3	16,200	10,200	6,000	0
Trend 4 (Kewagama)	8,500	6,400	2,100	0
Kewagama East & Other	4,300	4,300	0	0
Total	29,000	20,900	8,100	0

- Trend 3: Planned drilling to a depth of 550 m
 - +26 holes published to date including 17 intercepts > 5 g/t Au and 9 intercepts >10 g/t Au
 - Current resources mostly within 240 m from surface
 - Drilling to date has traced mineralization down to 500 m vertical depth
- Trend 4: Drilling has traced mineralization down to 330 m
- □ East of trend 4: Approx 750 m of strike largely untested; future drilling to test for additional mineralized trends to the east of trend 4


O'Brien West: 5,700 m of drilling planned



tecisson

MINING RESOURCES

>5.2km of Strike Length - Blue Sky




acisson

MINING RESOURCES

Douay Project: Radisson's claims relative to Agnico-Eagle – Maple Gold JV¹








Contact Information

Investor relations +1.819.763.9969 ir@radissonmining.com

Radisson Mining Resources Inc. 700 Dallaire Ave, 2nd Floor Rouyn-Noranda, Qc J9X 4V9 www.radissonmining.com



Appendix: 2019 Lithostructural Model




TSXV:RDS Source: NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019



Appendix: 2019 Litho-structural Model – Validated by data from the old O'Brien Mine






Source: NI 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

O'Brien Mine: 3D Isometric view

- Mined 587 koz @ 15.25 g/t (1926 - 1957)
- Mined to a depth of ~1,100 m
- ~90% of production came from only 3 veins






Level plans based on old production data show a strong compatibility between the new model and the geometry of structures previously mined at the O'Brien mine.

Appendix: 2019 litho-structural model - Plan view at different elevations





New model provides an opportunity to better target highgrade zones

- ~63 veins have been modeled, the majority of which have yet to be fully drill tested
- Data suggests very good continuity of mineralization to depth, but there has been limited drilling below 550 m
- Opportunity to better target high-grade zones due to improved structural understanding

Au Grade distribution – Select drill holes



Grade							
(gpt Au)	>=15.0	12.5 - 15.0	10.0 - 12.5	7.5 - 10	5.0 - 7.5	3.0 - 5.0	1.0 - 3.0

OB-17-025W1


	3.17 gpt	/ 1.70 m		 1	12.98 gr	pt / 2.0) m					28.	61 gpt / 3.0	00 m							4.15	5 gpt / 3.	.00 m					ļ	3.21 gpt /	/ 2.60 m
Grade (gpt Au)	2.64	3.92	0.52	0.04	37.6 <mark>4.</mark>	.88 0.1	52 0.1	12 (0.10	0.24	0.62	12.60	71.65	1.57	0.47	·	0.28	0.38	1.63	0.74	7.16		1.13	0.85	0.08	0.05	5	0.40	1.23	5.92
Core length (m) 00	407.00	407.70	409.00	414.00	414.60	415.20	416.00	417.00	418.00	419.00	420.00	421.00	422.00	00 5 6 4	10.00	424.00	425.20	426.00	427.00	496 E.O.		438.00	439.50	441.00		442.50	444.00	445.50	00 <i>L V V</i>	444.00

OB-18-084

Γ	2.01	1 gpt / 3.00) m	I							43.9	1 gpt /	/ 2.20 m		_	[118.9	93 gpt /	4.00 m						2.01	1 gpt / 2	2.60 m
Grade (gpt Au)	4.17	0.19	1.66	0.59	0.91	0.62	0.29	1.04	0.76	0.09	0.4 1	190	1.17	0.70	_	0.33	4.13	455.0	167.5	1.46	4.40	0.28	0.65		0.00	0.51	4.53	1.99
OO 66 Core length (m) က	400.00	401.00	402.00	403.00	404.00	405.00	406.00	407.00	408.00	409.00	409.50	410.00	411.20	412.00	425.00	426.00	426.85	427.60	428.35	429.00	430.00	431.00	431.75	452.00	453.00	Uu * .	454.60	ļ

OB-18-085

										İ				3.89	gpt / 9.0	00 m – –															
	7.8	3 gpt / 2.20	m										4.3	5 gpt / 7.0	10 m									14.6	6 gpt / 2.	.75 m			23.	.42 gpt / 2	2.40 m
Grade (gpt Au)	17.5	5 1.1	C	0.02	0.15	1.28	0.51	0.84	2.40	0.23	11.85	3.25	1.32	4.63	0.63	4.35	3.16	2.00	2.50	0.04	0.18	0.29	0.40	39.60	1.79	1.27	0.01	 0.04	3.37	72.10	3.39
Core length (m)	388.80	389.70	391.00	392.00	392.70	393.40	394.00	395.00	396.00	 411.00	412.15	413.00	414.00	415.00	416.00	417.00	418.00	418.95	420.00	421.00	421.50	422.50	423.55	424.50	425.30	426.30	427.30	439.70	440.40	441.10	442.10



	OB-2	20-12	7																												
		4.26 gpt								7.12 gpt					3.07 gpt	/ 32.20	m	6.52 gpt	/ 2.30 m								5.67 gp	ot / 6.20 m			>
Grade (gpt Au)	3.12	3.51	4.98	5.41	2.99	0.26	0.90	0.09	0.70	6.25	7.93	0.35	0.02	1.53	2.31	1.16	0.16	6.33	6.72	0.06	0.09	0.04	0.04	2.02	3.62	4.35	1.45	7.21	10.85	0.05 1	0.90
00 89 Core length (m) 9	469.00	470.00	471.00	472.00	473.00	474.00	474.70		476.90	478.20	479.60		481.00	483.00	484.00	485.00	486.30	487.50	488.60	489.80	490.80	491.80	493.00	494.00	495.00	496.00	497.00	498.00	498.90	499.40	500.20

Au Grade distribution – Select drill holes (contd...)

Grade							
(gpt Au)	>=15.0	12.5 - 15.0	10.0 - 12.5	7.5 - 10	5.0 - 7.5	3.0 - 5.0	1.0 - 3.0

		OB	-20	-13	35																						
	ļ	6.75 gp	t / 1.50) m		_					18.	.15 gpt /	4.40 m												2.71 gpt /	2.00	n
Grade (gpt Au)		11.8 3.	.81 4.6	65	0.03	-			0.18	44.80	0.63	1.1	.0 3	9.50	5.44	0.24	0.0	2	1.07	0.01		0.01	0.	56	0.05	8.)1
Core length (m)	201.60	202.10	202.60	203.10	204.00				237.10	237.90		239.00	240.00	241.00	241.50	24.2 ED		243.50	244.50		245.50	246 70		248.00		249.40	250.00
	(OB-2	20-1	.56																							
	4											6	.89 gpt	: / 21.	20 m	I		11.3			 n				*	•	
		4.81 gp	t / 2.00	m			_						38.11 gp	t / 2.10 ı	m									20.39 g	gpt / 2.30 m		
Grade (gpt Au)		5.97	3.64	1	0.38	1.69	0.05	0.01	0.0	02 0	.02 0.02	0.71	10.85	68.10)	0.09	0.01	0.58	2.46	0	.20	0.27	2.65	1.72	32.40		
	778.00	00.677		780.00	781.00	782.00		/83.00	784.00	785.00	786.00	787.40	788.50		789.50	790.80	791.60	79.7 80	192.80	794.00	795.00	796.00	796.90	797.80	06.997		
	(OB-2	20-2	168	3																						
	+														5.51	gpt / 23	.00 m										

	1										01												1
									+		14	.90 gpt / 8	3.00 m -										
	1.94 gp	ot / 2.00 m							22.24 gpt	/ 2.30 m					33.94 gpt	/ 2.00 m					0.77 gpt /	4.00 m	
Grade (gpt Au)	3.37	0.99	0.01	0.00	0.01	0.07	0.04	0.15	39.00	0.46	0.01	0.01	0.06	0.11	0.38	67.50	0.22	0.04	0.02	1.26	0.02	0.03	1.65
0		00.	00.	06.	.70	.80	06.	00	.30	.30	30	.30	.30	00.	00.	00.	00.	00	00.	10	8	0.	0.
Core length (m)		585	586	586	587	588	589	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606

OB-20-170

										¢		5	.27 gpt	/ 7.40 m	1								←2	.93 gpt	/ 3.80 r	n+		+			5.7	3 gpt / 9	.20 m			>
	2.5	6 gpt / 3.0	0 m								6.	82 gpt / 4	1.80 m				•						4.02 gp	t / 2.00 m				13.45 g	ot / 1.90 m	h					12.15 gpt	/ 2.00 m
Grade (gpt Au)	3.95	2.44	1.28	0.81	0.18	1.85	0.03	0.01	0.02	7.99	3.75	2.94	12.50	7.15	1.92	2.85	0.03	0.03	0.02	0.02	0.04	0.03	1.90	6.15	0.72	2.95		0.28	25.30	0.18	0.27	0.44	0.67	1.16	1.09	23.20
Core length (m)	55.00	56.00	57.00	57.90	58.70	69.60	60.60	61.60	62.60	63.40	64.40	65.40	66.40	67.40	68.60	00.07	71.00	72.00	73.00	74.00	75.00	76.00	77 00	78.00	00.62	79.80	10	94.00	95.00	96.00	00.79	98.00	5.99	00.3	01.3	02.3



Au Grade distribution – Select drill holes (contd...)

 Grade
 Grad
 Grade
 Grade
 <thG

OB-20-174W1B


					24.22	gpt / 3.0	0 m	1													
Grade (gpt Au)	1.02	1.70	0.03	0.79	34.10	26.20	12.35	1.22	0.11	0.36	1.30	0.41	0.42	1.18	1.35	0.24	0.32	2.82	0.28	0.51	1.18
Core length (m)	00.666	1,000.00	1,000.70	1,017.00	1,018.00	1,019.00	1,020.00	1,021.00	1,022.00	1,025.00	1,026.00	1,027.00	1,028.00	1,029.00	1,030.00	1,031.10	 1,041.00	1,042.20	1,043.00	1,044.00	1,045.00


3.0 - 5.0

1.0 - 3.0


OB-20-181

	13.74 gpt	/ 1.70 m							19.6	3 gpt / 3.40 r	n								
Grade (gpt Au)	0.44	28.70	0.01	0.02	1.88	0.02	0.52	1.68	22.40	18.25	18.35	0.54	0.72	1.74	0.16	0.72	0.16	1.61	1.03
Core length (m)	851.40	852.20	853.40	859.90	861.00	862.00	09	893.60	894.70	895.90	897.00	897.90	901.80	902.80	903.80	904.80	905.60	906.70	907.70





<u>OB-21-207</u>



TCY	/-D	20
10A	v.i.v	00

	0.08	0.41	1.01	
ot of	276.40	281.70	282.60	

1.11

91.20

2.25

908.70



Radisson Mining Resources: Consolidated NI-43-101 Mineral Resource Estimates



	Tonnage (t)	Grade (g/t Au)	Ounces (oz)
O'BRIEN PROJECT ¹			
Indicated resources	949,700	9.48	289,400
Inferred resources	617,400	7.31	145,000
NEW ALGER PROJECT ²			
Pit constrained			
Indicated resources	1,016,000	1.88	61,500
Inferred resources	2,322,000	1.65	123,300
Out-of-Pit			
Indicated resources	19,000	1.81	1,100
Inferred resources	904,000	2.23	64,700
TOTAL COMBINED: O'BRIEN & NEW ALGER ³			
Indicated resources	1,984,700		352,000
Inferred resources	3,843,400		333,000

1. 43-101 Technical report for the O'Brien project, Abitibi, Québec, 3D Geo-solution, July 15, 2019

2. Updated mineral resource estimate and technical report on the New Alger Gold property, Abitibi-Témiscamingue region, Northwestern Québec, Canada, NI 43-101 & 43-101F1 technical report P&E Mining Consultants Inc, May 1, 2020 TSXV:RDS 3. Numbers may not add up due to rounding

