

INJECTABLE MEDICATIONS

Item # 10151 - 50 ml

Cefquiron

in cattle and pigs for the treatment of bacterial diseases of the respiratory tract caused by Mannheimia haemolytica, Pasteurella multocida, Haemophilus parasuis, Actinobacillus pleuropneumoniae. For the treatment of diseases caused by Streptococcus sp. Staphylococcus sp., Escherichia coli, Pseudomonas sp., Klebsiella sp., Corynebacterium sp., Proteus sp., Fusobacterium sp., Bacteroides sp.

COMPOSITION

Every ml contains:

30 mg cefquinome sulfate (equivalent to 25 mg cefquinome basis). Excipients c.s.p. 1 ml



DOSAGE AND ROUTE OF ADMINISTRATION

Provide intramuscularly for 3-5 days

Cattle: 1 ml / 25 kg body weight (1 mg / kg)

Pigs: 1-2 ml / 25 kg bodyweight (1-2 mg / kg)

Item # 31637 - 50 ml

Oxytocin

To stimulate uterine contractions during parturition, early puerperium and oestrus. To promote milk let-down and for removal of residual milk.



COMPOSITION:

Oxytocin 10 I.U.- Phenol- Citric acid monohydrate (E330)- Sodium chloride- Water for injection up to 1 ml.

DOSAGE:

Mares - 50 I.U. or 5ml/500kg body weight.

Goats- 10 I.U. or 1ml/50kg body weight.

Sows- 10-20 I.U. or 1-2ml/200kg body weight.

Cows, Heifers- 20 I.U. or 2ml/500kg body weight.

Bitches, Queens- 0.1ml/kg body weight

Item # 36180 - 50 ml

Electrolitico

Used for the treatment and prevention of dehydration, electric energetic imbalance and deficiency caused by diarrhea of any origin. Treatment of viral, bacterial or nutritional diarrhea in calves, lambs and piglets.

COMPOSITION:

For every 100ml

Sodium Chloride 380.00 mg

Sodium Citrate 98.00 mg

Potassium Citrate 216.00 mg

Dextrose Monohydrate 2.5 g

Water c.s.p. 100 ml

DOSAGE:

Small animals

500 ml to 750 ml / day

Large animals

1000 ml to 2000 ml / day

Item # 35217 - 50ml
35218 - 10ml

Flunyland

Is indicated in the treatment of inflammation, pain and fever associated with musculoskeletal disorders in cattle, horses and pigs and for the relief of visceral pain associated with colic. Recommended in all types of conditions that present with pain and swelling and feverish in the joints, musculoskeletal, arthritis, tendinitis, muscle contusions and myositis, colic or lameness fault or musculoskeletal injury.

COMPOSITION:

Every ml contains:
Flunixin Meglumine 50mg
Excipient 1ml



DOSAGE:

Cattle: 2ml/45kg of body weight intravenously or intramuscularly for 2-3 days.

Horses: 1ml/24kg of body weight intravenously or intramuscularly for 3-5 days.

Pigs: 2ml/45kg of body weight intramuscularly for 2-3 days.

Item # 10677 - 50 ml
Ketobest

Analgesic and anti-inflammatory treatment of processes that occur with inflammation and pain of non-infectious origin, osteoarticular and musculoskeletal. Antipyretic in infectious processes.




COMPOSITION:

Every ml contains:
Ketoprofen 100mg
Excipient 1ml

DOSAGE:

Horses: 1ml / 45kg of body weight intravenously for 3-5 days

Cattle and Pigs: 1ml / 33kg of body weight intravenous intramuscular for 3-5 days



Item# 35043-5 liters
35042-250ml
35041-2.5liters
35040-1 liter
Agri-Mectin Pour-On

For the treatment and control of Gastrointestinal roundworms (including inhabited Ostertagi) lungworms, grubs, horn flies, sucking and biting lice, and carcoptic mange mites in cattle.

DOSAGE:

1ml per 22lb body weight.

ACTIVE INGREDIENT

(ivermectin)

Item # 31253 - 10ml
31256 - 20ml
31258 - 50ml

Dexametasona:

Is indicated as anti-inflammatory therapy and as a stabilizer of lysosomal membranes as an adjunct in poisoning, allergies, rashes and itching.



COMPOSITION:
Every ml contains
Dexamethasone 2mg
Excipient 1ml

DOSAGE:

Intramuscularly or intravenously for 3-5 days
Cows and Horses : 2.5 to 10ml
(2-5mg / 100kg)
Pigs, Ponies and Calves: 1.25 to 2.5ml
(3-5mg / 100kg)
Minor species: 0.125 to 0.5ml
(1-2 mg / 10kg)

Item # 31650 - 100 ml
Oxytet LA-20%

Is a sterile injection for subcutaneous or intramuscular use with cattle, calves, pigs, sheep and goats. It has a broad spectrum activity against a range of Gram (+) and Gram (-) bacteria. In addition, it is of particular use as E coli, Staphylococcus, Streptococcus, Haemophilus, Bordetella, Pasteurella, Campylobacter, Salmonella, Mycoplasma, Rickettsia and Chlamydia spp.



COMPOSITION

Oxytetracycline base 200mg/ml

DOSAGE

1ml per 10 kg bodyweight
Cattle: 20 ml Pigs: 10 ml
Calves: 5 ml

Item # 10675 - 0.5%, 10ml
10676 - 2%, 50ml

Meloxic

In horses, cattle and pigs as analgesic, antiinflammatory and antipyretic in: disorders, skeletal muscles, acute and chronics.



COMPOSITION:

Every ml contains
Meloxicam 20mg
Excipient 1ml

DOSAGE:

Horses: Intravenous injection 0.6 mg for every kg of body weight.
Cattle: Subcutaneous or intravenous injection 0.5mg for every kg of body weight.
Pigs: Intramuscular injection 0.4mg for every kg of body weight.

- Item # 31391 - 100ml
- 31392 - 250ml
- 31393 - 500ml
- 31401 - 20ml

Fosfoland A+B12

Used on cattle, horses, pigs, sheep and dogs for the treatment of organic disorders (acute or chronic deficiencies) caused by deficiencies of phosphorus.Vitamin A and Vitamin B12, adjuvant in the treatment of diseases of diverse etiology.



COMPOSITION:

Every 100ml contains
 Phosphorylcholine (2 - aminophosphoric acid ethanol) 8.0g
 (Assimilable phosphorus guaranteed P:1.756mg)
 Vitamin A Miscible 1,500.0 U.I.
 Cyanocobalamin (Vit. B12) 5.0 ug
 Excipients 100 ml

DOSAGE:

Adult cattle and horses - 10ml
 Calves and foals - 5ml
 Adult pigs and sheep - 2-3ml/20kg body weight
 Piglets and lambs - 0.5-1ml/5kg body weight

**Item # 31585 - 50 ml
 Diurivet**

In cattle, horses, dogs and cats for the treatment of edema of the mammary glands, prepuce, scrotum , limbs and body cavities.



COMPOSITION:

Every ml contains
 Furosemide 50 mg
 Excipient 1 ml

DOSAGE:

Intramuscularly or intravenously apply every 8 to 12 hours as follows:
 Cattle and Horses: 1ml/20kg of body weight. (2.5mg/kg)
 Dogs and Cats: 0.10ml/2kg of body weight.

**Item # 31204 - 500ml, inj.
 31205 - 250ml, inj.
 31206 - 100ml, inj.**

Compleland B12

For the treatment of organic disorders caused by acute or chronic deficiencies of one or more factors of vitamin group B presented in cattle, horses , pigs, sheep and dogs.

COMPOSITION:

Thiamine Hydrochloride (B1) 1.000 mg
 Riboflavin 5 Sodium Phosphate (B2) 500 mg
 Pyridoxine Hydrochloride (B6) 500 mg
 Cyanocobalamin (B12) 6.000 ug
 Nicotinamide 10.000 mg
 D -Panthenol 1.000 mg
 Choline Chloride 5.000 mg
 Excipient 100 ml

DOSAGE:

Cattle and Horses - 5-8ml
 Calves, Foals, Pigs, Sheep and Dogs - 2-4ml



- Item # 31192 - 50ml
- 31194 - 250ml
- 31195 - 100ml
- 31197 - 10ml

Complejo B

Is indicated in the treatment and prevention of clinical and subclinical deficiencies of vitamin B complex.



COMPOSITION:

Every ml contains

Vitamin B1	10 mg	Vitamin B12	50 ug
Vitamin B2	2 mg	D -Panthenol	2,6 mg
Vitamin B6	2 mg	Nicotinamide	50 mg

DOSAGE:

Cattle and Horses -	10 ml
Calves and Foals -	3-5 ml
Sheep, Goats and Pigs -	3-6 ml
Dogs -	2-4 ml

- Item # 31396 - 500 ml
- 31397 - 250 ml
- 31398 - 100 ml

Dynaphos

For the treatment of puerperal paresis (milk fever or hypocalcemia), tetany (eclampsia in female dogs), cow drop syndrome (hypophosphatemia), pre and post- partum paraplegia, acetonemia, atony of the pre - stomachs and the uterus, hypomagnesemia or grass tetany. Adjuvant to infectious diseases (anaplasmosis - piroplasmosis).



COMPOSITION:

Every 100 ml contains	
Calcium Borogluconate	25 g
Magnesium Borogluconate	6 g
Dextrose Monohydrate	10 g
Elemental Phosphorus	0.5 g
Vitamin B-12	3.2 mg

DOSAGE:

Cattle -	500 ml
Horses -	200-250 ml
Sheep and Goats -	50-125 ml
Piglets, calves and Foals -	5-10 ml
Dogs -	10-50 ml
Cats -	5-15 ml

- Item # 31690 - 500ml
- 31691 - 100ml

Polivit B12 + ADE

Is indicated in the prevention and treatment of vitamin A deficiency in all species.

DOSAGE:

Cattle and Horses -	5-10 ml
Pigs -	5-8 ml
Piglets -	1-3 ml
Sheep and Goats -	3-5 ml
Cats and Dogs -	1-3 ml



FORMULA:

Every ml contains

Vitamin A	10,000 U.I.
Vitamin D	1,000 U.I.
Vitamin E	1 U.I.
Vitamin B1	100 mg
Vitamin B2	2 mg
Vitamin B3	100 mg
Vitamin B5	5 mg
Vitamin B6	5 mg
Vitamin B12	200 mcg
Vitamin H	50 mcg
Excipient c.b.p.	1 ml



- Item # 31131 - 50ml
- 31132 - 20ml
- 31133 - 250ml 2/pack
- 31134 - 500ml 2/pack

Vitavet AA

In cattle, horses , sheep, goats , pigs, dogs and cats as an adjunct in the treatment of deficiencies of the elements present in the composition. Adjunct in the treatment of infectious and parasitic diseases.

COMPOSITION:

Every 100 ml contains

Vitamin A Miscible	5.000.000 U.I.
Vitamin D3 Miscible	750.000 U.I.
Vitamin E Miscible	5.000 U.I.
Nicotinamide	5.000 mg
Thiamine HCl	2.000 mg
Riboflavin 5 Sodium Phosphate	500 mg
Pyridoxine HCl	500 mg
Cyanocobalamin	10 mg
D -Panthenol	500 mg
Glycine HCl	420 mg
Valine HCl	200 mg
DL Methionine	210 mg
Isoleucine HCl	10 mg
Leucine	210 mg
Phenylalanine	20 mg
Histidine	210 mg
Lysine HCl	1.000 mg
Arginine	200 mg
Tryptophan	210 mg
Threonine	8 mg
Excipient	100 ml

DOSAGE:

Cattle and Horses -	10-20ml
Calves, Foals and Sheep -	5-10ml
Goats and Pigs -	5-10ml
Cats and Dogs -	1-5ml



- Item # 31381 - 500 ml
- 31382 - 250 ml
- 31386 - 100 ml
- 31402 - 20 ml

Fosfobest Selenio

In cattle, horses , pigs, sheep , goats and dogs as a regulator of general metabolism and for the treatment of organic disorders, especially the reproduction related to Phosphorus, Zinc, Iodine and Selenium deficiency. Adjunct in the treatment of diseases of diverse etiology and convalescence thereof.

COMPOSITION:

Phosphorylcolamine	100 mg
(Phosphorus: 22 mg)	
Zinc sulfate	9 mg
(Zinc : 3.64 mg)	
Potassium iodide	20 mg
(Iodine: 15 mg)	
Sodium selenite	0.35 mg
(Selenium 0.16 mg)	
Excipients	1 ml

DOSAGE:

Cattle and Horses -	10 to 20 ml
Calves and Foals -	5 to 10 ml
Sheep and Goats -	2 to 5 ml
Pigs -	5 ml
Piglets -	2 to 5 ml
Dogs -	0.5 to 3

Administered deeply intramuscularly or intravenously daily for 3 to 5 days or more, according to criteria of the veterinarian.

Item # 31571 - 500 ml

31573 - 250 ml

Crecebest

In cattle, sheep, goats and pigs in the treatment of deficiencies of vitamins, electrolytes, minerals and amino acids present in the formula and as an adjunct in the treatment of infectious and parasitic diseases.



DOSAGE:

Cattle and Horses -	10-20 ml
Calves and Foals -	5-10 ml
Sheep and Goats -	2-5 ml
Pigs -	5 ml
Piglets -	2-5 ml
Dogs -	0.5-3 ml

COMPOSITION:

Every ml contains	
Magnesium Chloride	210 mg
Sodium Chloride	42 mg
Zinc Chloride	10 mg
DL- Methionine	210 mg
Glycine	420 mg
Calcium Hypophosphite	1500 mg
L -Arginine	350 mg
L - Phenylalanine	280 mg
L - Isoleucine	250 mg
L - Histidine	210 mg
L - Leucine	210 mg
L - Lysine	1000 mg
L -Tryptophan	210 mg
L - Valine	250 mg
Monosodium Glutamate	490 mg
Copper Sulfate	2 mg
Vitamin B12	5000 ug
Vitamin D2	200000 ug
Vitamin E	900 ug
Thiamine HCl	600 mg
Potassium Iodide	15 mg
Excipients	100 ml

Item # 31150 - 100 ml

Calciprotein Fuerte

Is indicated in cases of hypocalcemia, tetany and paresis of pregnancy. Calcium metabolism disorders such as rickets and osteomalacia. Useful in some allergies, poisoning, impaired blood clotting and nerve conduction when there is weakness in muscle tone.

FORMULA:

Every 100 ml contains	
Calcium Gluconate	50 g
Dextrogira Glucose	6.25 g
Magnesium Hypophosphite	3.0 g
Vitamin B1 (Thiamine)	20 mg
Vitamin B3 (Panthenol)	8 mg
Vitamin B6 (pyridoxine)	20 mg
Vitamin B2 (Riboflavin)	8 mg
Vitamin B5 (Nicotinamide)	0.1 mg
Amino Acids	18.84 mg
Boric Acid	8.33 g
Excipients c.b.p.	100 ml



DOSAGE:

Cattle and Horse	90-125ml/500kg body weight
Calves, Foals, Pigs	
Sheep and Goats	20-30ml/50-100kg body weight
Piglets and Dogs	2-3ml

**Item #31464 - 500 ml
Vermectin Atom**

For the treatment and control of gastrointestinal nematode, parasite of the lungs, ticks, mange mites, lice and myiasis.



COMPOSITION

Every ml contains
Ivermectin 31,5 mg
Excipients 1 ml

DOSAGE

Applied subcutaneously
1ml/50kg body weight



**Item # 31090 - 500 ml
Baymec Prolong**

For the treatment and control of internal, gastrointestinal and pulmonary parasites in all stages, ectoparasites such as lice, myiasis and tick control.

COMPOSITION

Every 100 ml contains
Ivermectin 1 g
Excipients c.s.p. 100 ml

DOSAGE

1ml per 50kg body weight

**Item # 31655 - 100 ml
Gan-Oxi L.A.**

In cattle, pigs, sheep, goats and poultry to treat diseases caused by : Anaplasma sp., Streptococcus sp., Clostridium sp., Pasteurella spp., Haemophilus sp., Escherichia coli, Leptospira sp., Listeria sp. and Campylobacter sp.

COMPOSITION

Every ml contains
Oxytetracycline 200 mg
Excipients 1 ml

DOSAGE

1ml per 10kg bodyweight (20mg/kg)



Item # 31160 - 250 ml
Calciprotein Vitaminado

To prevent and cure deficiencies of calcium, phosphorus and magnesium, metabolic irregularities in general, rickets, milk fever and hypocalcemia.



FORMULA:

Every 250 ml contains

Gluconate Calcium	60 g
Boric Acid	12 g
Dextrogira Glucose	15 g
Magnesium Hypophosphite	3.65 g
Sodium Chloride	0.60 g
Amino Acids	25 g
Vitamin B1 (Thiamine)	50 mg
Vitamin B2 (Riboflavin)	20 mg
Vitamin B5 (Panthenol)	20 mg
Vitamin B3 (Nicotinamide)	250 mg
Vitamin B6 (Pyridoxine)	50 mg
Excipients	250 ml

DOSAGE:

Cattle and Horses -	200-250 ml
Pigs -	50-150 ml
Piglets -	5 ml
Sheep and Goats -	15-30 ml
Dogs -	5-10 ml

Item # 31580 - 100 ml
Multivit

A clear sterile aqueous solution indicated in the prevention and treatment of vitamin deficiencies in animals, particularly during periods of illness, convalescence, stress and general unthriftiness.



COMPOSITION

Every ml contains

Vitamin A	15,000 IU
Vitamin D3	1,000 IU
Vitamin E	20 mg
Vitamin B1	10 mg
Vitamin B2	5 mg
Vitamin B6	3 mg
Nicotinamide	35 mg
Pantothenol	25 mg
Vitamin B12	50 mcg

DOSAGE

By intramuscular or subcutaneous injection
Horses and cattle: 5 to 30 ml
Calves, foals and sheep: 5 to 10 ml
Pigs and goats: 2 to 5 ml
Piglets up to 10 kg: 0.5 to 2 ml

Item # 31440 - 500 ml
 31441 - 100 ml
 31442 - 50 ml

Ivermectin 10

For the treatment and control of ecto and endo parasites in cattle, sheep and pigs.



COMPOSITION

Ivermectin EP2000 10mg/ml
 (1.0%w/v)

DOSAGE

Cattle - 1ml per 50 kg body weight
 Pigs - 1ml per 33 kg body weight
 Sheep - 0.50ml per 25kg body weight

Item # 31467 - 500 ml
Iverbest A.P. 3.15% ORO

In cattle is indicated for the control and treatment of prolonged harmful species of gastrointestinal nematodes, lung parasites, scabies mites, ticks and myiasis.



COMPOSITION

Every ml contains
 Ivermectin 31.50 mg
 Excipients c.s.p. 1.0 ml

DOSAGE

Subcutaneously only, beneath the skin
 1ml per 50kg body weight (630ug/kg)

Item # 31475 - 10 ml
 31476 - 50 ml
 31477 - 100 ml
 31478 - 250 ml

Ivermectina

Provides a prolonged and sustained action to maintain optimum levels of antiparasitic effectiveness. Indicated in the control and treatment of gastrointestinal parasites, lung and other internal organs, is also used in parasitic skin and subcutaneous tissue in different species and in all sensitive to ivermectin parasitic forms.



COMPOSITION

Every ml contains
 Ivermectin 10 mg
 Excipient 1 ml

DOSAGE

Cattle, Sheep
 and Goats - 1ml per 50kg
 (0.20mg/kg)
 body weight
 Pigs - 1.5ml/50kg
 (0.30mg/kg)
 body weight

Item # 31410 - 50 ml

Bakal B12

In pigs for the control and treatment of anemia caused by iron deficiency and Vitamin B12.



COMPOSITION

Every ml contains

Elemental Iron (Dextran)	200 mg
Vitamin B12	200 mcg
Excipients c.s.p.	1 ml

DOSAGE

Intramuscularly
1ml per piglet at birth or within
the first 3 days after birth.

Item # 31469 - 500 ml

31471 - 50 ml

Iverbest

Is indicated in cattle and pigs for the treatment and control of harmful species of gastrointestinal and lung parasites, lice, mange mites and ticks.



COMPOSITION

Every ml contains	
Ivermectin	10,0 mg
Excipients c.s.p.	1,0 ml

DOSAGE

Administered subcutaneously under the skin.
1ml per 50kg body weight (200ug/kg)

Item # 31468 - 500 ml

Iverbest L.A.

Is indicated in cattle and pigs for the treatment and control of harmful species of gastrointestinal nematodes, lungworms, lice, mange mites and ticks. Has long action against Ostertagia sp., Haemonchus sp., Trichostrongylus sp. and oesophagostomum sp.. It is also effective against the following parasites : lung parasites, ectoparasites, scabies mites, gastrointestinal parasites and parasites of the kidney



COMPOSITION

Every ml contains	
Ivermectin	10,0 mg
Excipients c.s.p.	1,0 ml

DOSAGE

Subcutaneously, beneath the skin
1ml per 50kg body weight
(200ug/kg)

Item # 31694 - 500 ml

31692 - 100 ml

Vermivet Polivitaminado

in the treatment of gastrointestinal parasites, pulmonary and as an adjunct in the resulting vitamin deficiency.

FORMULA:

Every 5 ml contains

Levamisole Hydrochloride	600 mg
Vitamin A	500 000 mg
Vitamin D2	75 000 mg
Vitamin E	50 U.I.
Vitamin B1	25 mg
Vitamin B2	10 mg
Vitamin B3	50 mg
Vitamin B5	10 mg
Vitamin B6	25 mg
Vitamin B12	800 mcg
Excipient	5 ml



DOSAGE:

Cattle - 1ml/15-20kg body weight
 Sheep and Goats - 1ml/20kg body weight
 Pigs - 1ml/30kg body weight

Item # 31581 - 100 ml

Nutec Multivit

Is a blend of vitamins and amino acids for strategic use in lambs, sheep, goats, calves, cattle horses and foals during vitamin and or amino acid deficiency or periods of increased physiological requirements for vitamins and amino acids such as during recovery from disease.



COMPOSITION

Every ml contains	
Vitamin A	15,000 IU
Vitamin D3	1,000 IU
Vitamin E	10 mg
Nicotinic Acid	35 mg
Pantothenic Acid	25 mg
Vitamin B1	10 mg
Vitamin B2	5 mg
Vitamin B6	3 mg
Vitamin B12	50 ug

DOSAGE

For subcutaneous or intramuscular administration.
 Cattle and horses: 10-15 ml
 Calves, foals, goats and sheep: 5-10 ml
 Lambs: 5-8 ml

Item # 31532 - 25 ml

31533 - 50 ml

Koagusan Vitamina K

Hemostatic Parenteral and typical use, indicated to prevent or counteract local or general bleeding.



FORMULA

Vitamin K3	2 gr
Vitamin P	1 gr
Excipient c.b.p.	100 ml

DOSAGE

Cattle and horses: 25-50 ml
 Sheep, goats and small species: 1-5 ml

- Item # 31364 - 20 ml
- 31369 - 50 ml
- 31374 - 100 ml
- 31379 - 10 ml

Ferrofar+B12

Is indicated for the prevention of piglet anemia and in the treatment of anemia caused by iron deficiency or significant blood loss (heavy bleeding) and any anemic condition.



DOSAGE

Piglets: Apply on neck 2 ml on the third day after birth and repeat it at 7 and 21 days, at the discretion of the veterinarian.

Adult Pig: 10 ml

Cattle and horses: 1-2ml per 50 kg body weight

Sheep and goats: 2-3ml

Cats and Dogs: 0.5-1ml

COMPOSITION

Every ml contains

Iron Dextran	100 mg
Cobalt Chloride	4 mcg
Vitamin B12	20 mcg
Excipient c.s.	

**Item # 31970 - 50 ml
Univit B12**

Is a reconstituting, toning, antianemic, effective in the treatment of diseases that affect domestic animals. In addition, it is used in cases of malabsorption of B12 like ileostomy, gastrectomy, or deficiency and malabsorption syndrome.



DOSAGE

Cattle and horses: 5 to 10 ml once a week

Calves and foals: 2 to 4 ml once a week

Pigs: 2 to 5 ml once a week

Dogs and cats: 0.5 to 1 mL once a week

Roosters: 0.5 ml before and after being subjected to physical efforts

Treatment may continue from 1 to 3 months, depending on the criteria of the veterinary.

FORMULA

Each ml contains:

Vitamin B 12	
(Cyanocobalamin).....	1000.00 mcg
Excipients c.s.p.	

**Item # 31968 - 25 ml
31972 - 30ml
Vitamina B15**

Improving the utilization of oxygen by stimulating cellular respiration, thus promoting the elimination of toxins

FORMULA

Every ml contains

Vitamin B15	
(pangamic acid)	50 mg
Excipient c.b.p.	1 ml

DOSAGE

Horses: 2 to 5 ml

Dogs: 0.2 to 1 ml

Combat birds 0.1 to 0.2 ml



Item # 31377 - 20 ml
31378 - 50 ml

Hierro Dextrano

Is indicated for the prevention of anemia of the piglet and in the treatment of anemia caused by iron deficiency or significant blood loss (profuse bleeding and any other anemia disease).

COMPOSITION

Every ml contains
 Iron Dextran 100 mg
 Excipient c.s.p. 1 ml



DOSAGE

Piglets: Apply on neck 2ml on the second day after birth.
 Adult Pigs: 1ml per 10kg body weight
 Cows and horses: 2ml per 50kg body weight.
 Sheep and goats: 2-3 ml
 Cats and dogs: 0.5- 1 ml

Item # 31971 - 20 ml
Vitamina B1

Used on cattle, horses, sheep, goats, pigs, dogs and cats in cases of thiamine deficiency manifested by growth retardation, anorexia, nervous system disorders, tachyarrhythmias, bradyarrhythmias, and in cases of poisoning by ethylene Glycon.



FORMULA

Every ml contains
 Vitamin B1 (Thiamine) 100 mg
 Excipient c.b.p. 1 ml

DOSAGE

Intramuscular or Subcutaneous
 Cattle - 5 to 10 mg/kg
 Horses - 0.5 to 5 mg/kg
 Sheep and pigs - 10 mg/kg
 Cats and dogs - 1 to 2 mg/kg

Item # 31770 - 100 ml
Toco-Selenio

Muscular dystrophy, exudative diatheses, growth deficiencies, fertility improver, dietetic hepatitis (piglets), steatosis (poultry), encephalomalacia (poultry), perosis (turkeys). Improvement of piglets tolerance to iron preparation (applied to sows). MMA syndrome and treatment of cattle shipment stress, equine myositis.

COMPOSITION

Vitamin E 80 mg
 Sodium pangomate (Vitamin B15) 1 mg
 Selenium (sodium selenite) 0,6 mg
 Antioxidant, preserving agents and special water-soluble vehicle q.s. 1 ml

DOSAGE

Intramuscular, subcutaneous or oral route
 Cattle and horses - 10-20 ml
 Calves and colts - 6-9 ml
 Sheep - 3 ml
 Lambs - 2-3 ml
 Piglets (less than 25kg) - 1,5 ml
 Pigs (25-50kg) - 2 ml
 Pigs (50 kg) - 3-6 ml
 Sows - 4 ml
 Poultry (in drinking water) - 1 ml



Item # 31800 - 25 ml

Ubricina

Basic therapy of infections caused by gram (+) and/or gram (-) sensitive to antibiotics of the formula with potent anti-inflammatory activity.



FORMULA

Every ml contains

Procaine penicillin G	100,000 UI
Penicillin G benzathine	100,000 UI
Dihydro-streptomycin sulphate	120 mg
Dexamethasone sodium phosphate	0.2 mg
Vehicle c.b.p.	1 ml

DOSAGE

Cattle, horses, sheep
goats and pigs: 1.5ml per 25kg
bodyweight every 24 hours
for 3 to 5 days

Item # 31963 - 10 ml

31965 - 50 ml

31966 - 100 ml

Vitamina B12

Is indicated for therapy specific for B12 vitamin deficiency.



COMPOSITION

Every ml contains

Cyanocobalamin	1000 ug
Excipient c.s.p.	1 ml

DOSAGE

Intramuscular or Intravenous
Cattle and horses 2 to 5 ml
Calves and foals 1 to 3 ml
Pigs 0.5 to 3 ml
Cats and dogs 0.5 to 2 ml

Item # 31330 - 100 ml

Endovet Ces Injectable

Antiparasitic injection for the treatment of infections caused by nematodes, cestodes and ectoparasites, such as ticks, scabies mites producers and blood sucking lice on dogs, cats, sheep and goats.



FORMULA

Every ml contains

Ivermectin	2 mg
Praziquantel	60 ml
Vehicle c.b.p.	1 ml

DOSAGE

1 ml per 10 kg body weight

Item # 32080 - 100 ml

Yatren Casein Fuerte

It can be used to accelerate uterine involution, ovarian cysts treatment, improves the immune response to vaccinations especially in birds and pigs and helps in milk production.



DOSAGE

Adult cattle and horses -	10 - 40 ml
Middleweight cattle and horses -	10 - 20 ml
Sheep, goats and pigs -	5 - 10 ml
Lambs, dogs and cats -	0.5 - 5 ml
Birds -	0.2 - 0.5 ml

FORMULA

Yatren acid	23,4 mg
Casein free of Protoalbumina	50 mg
Vehicle c.b.p.	1 ml

Item # 31737 - 50 ml

Hemaplus Zelta

In cattle and sheep for the treatment of anaplasmosis caused by: Babesia bovis, Babesia bigemina and Babesia divergens. Trypanosomiasis caused by Trypanosoma vivax. In horses for treatment of babesiosis caused by Trypanosoma evansi. In dogs for the treatment of Bebesia canis.



COMPOSITION

Every ml contains

Diminazene Diaceturate	35 mg
Antipyrine	180 mg
Oxytetracycline	70 mg
Excipients c.s.p.	1 ml

DOSAGE

Intramuscular
1 ml per 10 kg body weight

Item # 31030 - 100 ml

Ancocillin LA

Is a sterile white aqueous suspension for the treatment of gastro-intestinal, respiratory and urogenital infections, mastitis and arthritis caused by penicillin sensitive organisms.



COMPOSITION

Penicillin G Benzathine	150,000 IU/ml
Penicillin G Procaine	150,000 IU/ml
Excipients ad	1 ml

DOSAGE

Shake well before use.
For intramuscular injection only.

Horses, cattle and adult pigs: 1ml/20kg bodyweight
Growing pigs, calves sheep and goats: 1ml/10kg bodyweight
Dogs and cats: 0.5mm/5kg bodyweight

Item # 31020 - 100 ml

Amoxicillin LA

Is a sterile white injectable suspension with a long acting formula. It is bactericidal in action for the treatment of localised infections, infections of the digestive, respiratory and urogenital tracts and may also protect from secondary bacterial invasion.



COMPOSITION

Amoxicillin base 150mg/ml (as Trihydrate)

DOSAGE

Administer by intramuscular or subcutaneous injection.
15mg per kg bodyweight

Item # 31682

Penstrep 20/20 - 100 ml

Is a sterile white aqueous suspension indicated in the treatment of mixed bacterial infections caused by, or associated with organisms sensitive to penicillin/streptomycin therapy.



COMPOSITION

Ever ml contains

Penicillin G Procaine 200 000 iu
Dihydrostreptomycin Sulphate 200 mg

DOSAGE

1ml per 20 kg body weight
Administer daily for 3 consecutive days.
Maximum dose per injection site:
Horses, cattle and camels: 20 ml
Pigs: 10 ml
Calves, sheep, goats, dogs and cats: 5 ml

Item # 10117 - 1000 ml

10115 - 250 ml

Baycox 5%

For use in cattle, sheep, goats, pigs, dogs and cats. It is indicated for the treatment and control of infections caused by coccidia, protozoa and mammalian theileria annulata.

FORMULA

Every ml contains
Toltrazuril 50 mg
Vehicle c.b.p. 1 ml



DOSAGE

Pigs - 20mg/kg (1ml per 2,5 kilos)
Cattle - 15mg/kg (3ml per 10 kilos)
Sheep and goats - 20mg/kg (1ml per 2,5 kilos)
Dogs - 20mg/kg (1ml per 2,5 kilos)
Cats - 10mg/kg (1ml per 5 kilos)

Item # 35401 - 2.0

35402 - 4.0

35403 - 6.0

Tri-Crystabest

Broad spectrum antibiotic-inflammatory that combines the bactericidal action of penicillin and streptomycin on Gram-positive and Gram-negative, with the anti-inflammatory action of triamcinolone acetonide; indicated in cattle, horses, pigs, sheep, goats and dogs for the treatment of infectious diseases where inflammatory processes are involved of the respiratory tract such as pneumonia, bronchitis, sepsis states caused by susceptible germs, injuries, infectious arthritis, inflammation of the reproductive tract, urinary tract and foot rot caused by *Pasteurella* sp., *Escherichia coli*, *Campylobacter* sp., *Fusobacterium necrophorum*, *Leptospira* sp., *Haemophilus* sp., *Staphylococcus* sp., *Neumococcus* sp., *Corynebacterium* sp., *Erysipelothrix* sp. and *Streptococcus* sp..



COMPOSITION

Every ml contains	
Procaine penicillin G.	150.000 U.I.
Sodium penicillin G.	50.000 U.I.
Streptomycin sulfate	250,0 mg
Triamcinolone acetonide	0,5 mg
Excipients c.s.p.	1,0 ml

DOSAGE

Administered Intramuscularly only

Cattle and horses: 5-10ml per 100kg bodyweight

Sheep, goats, pigs

and dogs: 1-2ml per 20kgbodyweight

Item # 31675 - 100 ml

Penstrep 20/20 LA

Prevention and treatment of infections caused by penicillin G and/or DHS susceptible microorganisms such as respiratory tract infections (shipping fever, bronchopneumonias, upper respiratory tract infections), uro-genital tract infections (e.g. pyelonephritis by *Corynebacterium renale*, endometritis), infections of the skin and wounds, streptococci infections in horses (strangles, *Str. zooepidemicus* infections in foals), erysipelas in pigs, panaritium, necrobacillosis in calves and piglets, anaerobe infections (clostridial infections, tetanus, anthrax), polyarthritis (navel ill), mastitis, septicemias, bacterial infections secondary to viral ones.



COMPOSITION

Penicillin G procaine	120.000 I.U.
Penicillin G benzathine	80.000 I.U.
Dihydrostreptomycine	200 mg base
Excipient up to	1 ml.

DOSAGE

Shake before use. By intramuscular or subcutaneous administration.

Cattle: 5-10ml per 100kg body weight

Horse, pigs, goats

and sheep: 5ml per 50kg body weight

Dogs and cats: 0.5ml per 5kg body weight

Item # 31351 - 1g
Cefanext

It has activity against Haemophilus somnus, Pasteurella multocida, Pasteurella haemolytica, associated with the respiratory complex of cattle and Fusobacterium necrophorum against microorganisms causing interdigital necrobacillosis (pododermatitis or bad hooves). In horses against Streptococcus zooepidemicus and microorganism associated with respiratory problems. In pigs, multocida Pasteurella, Actinobacillus pleuropneumoniae and Streptococcus suis type 2.



COMPOSITION

Every ml contains
 Cefiofur sodium 50 mg
 Excipients c.s.p. 1 ml

DOSAGE

Administered Intramuscularly
 Cattle: 2ml/50-100kg bodyweight (1,1-2,2mg/kg)
 Horses: 4ml/50-100kg bodyweight (2-4mg/kg)
 Pigs: 1ml/10-17kg bodyweight (3-5mg/kg)

Item # 31320 - 100 ml
Emicina Liquida

Broad spectrum antibiotic useful in the treatment of diseases and infections caused by germs sensitive to the action of the oxytetracycline. The efficacy of oxytetracycline for this leading product allows treatment of the most common diseases in all species with a flexible regime of application which ensures optimal performance of the animals.



FORMULA

Every ml contains
 Oxytetracycline Hcl 50 mg
 Vehicle c.b.p. 1 ml

DOSAGE

1ml per 10kg bodyweight

Item # 31310 - 100 ml
Emicina LA

Broad-spectrum antibiotic and long action for the prevention and treatment of diseases of cattle, pigs, sheep and goats caused by germs sensitive to the action of this antibiotic.



COMPOSITION

Every ml contains
 Oxytetracycline Hcl 200 mg
 Vehicle c.b.p. 1 ml

DOSAGE

1ml per 10kg bodyweight

Item # 31370 - 100 ml

Excenel

It is indicated for the treatment and control of respiratory diseases of pigs. It is also indicated for the treatment of the following bacterial diseases in cattle; respiratory diseases, acute interdigital necrobacillosis and acute metritis.



DOSAGE

Pigs: 1ml per 10kg bodyweight
(3-5mg/kg) administered
intramuscularly
Cattle: 1-2ml per 45kg bodyweight
(1.1-2.2mg/kg) administered
intramuscularly & subcutaneously

FORMULA

Every ml contains
Ceftiofur hydrochloride equivalent
to 50 mg of Ceftiofur
c.b.p/c.s.p. 1ml



Item # 31161 - 100 ml

Butazol

It is a nonsteroidal anti-inflammatory with analgesic and antipyretic effect which inhibits prostaglandin synthesis participating as chemical mediators of pain and inflammation. Plays an important role in inhibition of cyclooxygenase which participates in the development of inflammatory, painful and feverish reaction. Is effective to relieve pain, reduce swelling and tenderness, and increase mobility in patients with rheumatic disorders. Can be used in pregnant animals. Indicated in cattle for the treatment of mastitis. In horses, pigs and cattle used in the treatment of traumatic arthritis, acute pulmonary infections, musculoskeletal disorders, sprains, tendinitis and traumas.

COMPOSITION

Every ml contains
Phenylbutazone 200 mg
Sodium salicylate 13 mg
Vehicle, q.s. 1 ml

DOSAGE

1ml per 50kg bodyweight

Item # 35291 Pentriland R.L.A.

Is indicated for the parenteral treatment of infectious diseases of cattle, horses, pigs, sheep and dogs, caused by germs sensitive to penicillin G.

COMPOSITION

Each ml of reconstituted product contains
Penicillin G benzathine 125.000 U.I.
Procaine penicillin G 93.750 U.I.
Penicillin G sodium 93.750 U.I.
Excipients 1 ml

DOSAGE

1 to 2ml per 15kg bodyweight





Item # 31141 - 100 ml

Buta-Fenil

Analgesic, antipyretic and anti-inflammatory drug of great potency, indicated in the treatment of rheumatic processes, arthritis and musculoskeletal affections.

COMPOSITION

Each ml contains	
Phenylbutazone	200 mg
Sodium salicylate	50 mg
Vehicle, q.s.	1 ml

DOSAGE

Cattle:	20-30ml/day
Horses:	5-10ml/450kg bodyweight
Goats, sheep and pigs:	10ml every 24 hours
Cats and dogs:	0.11ml/kg bodyweight

Item # 31213 - 50 ml

Sulfagan

In cattle, pigs, sheep, goats, horses and dogs to treat infections caused by: Escherichia coli, Haemophilus sp., Fusobacterium sp., Pasteurella sp., Actinobacillus sp., Actinomyces sp., Aerobacter sp., Corynebacterium sp., Campylobacter sp., Streptococcus sp., Proteus sp., Klebsiella sp., and Bordetella sp..



COMPOSITION

Every 100ml contains	
Sulfadiazine	40 g
Trimethoprim	8 g
Excipients c.s.p.	100 ml

DOSAGE

Intramuscularly
1ml per 16-30kg bodyweight
(16-30mg/kg)

Item # 31683 - 100 ml

Pecsulprim

It is a bactericidal chemotherapeutic whose action corresponds to broad spectrum antibiotics. By its action against Gram-positive and Gram-negative bacteria, it is indicated for respiratory, renal and digestive tract infections.



FORMULA

Every ml contains	
Sulfamethoxazole	200 mg
Trimethoprim	40 mg
Lidocaine	5 mg
Vehicle c.b.p.	1 ml

DOSAGE


Cattle, horses, sheep, goats and pigs: 1ml per 15kg bodyweight
For birds: Add 100 ml of reconstituted product in 1400 ml of sterile saline and apply 1 ml per kg body weight

Item # 46092 - 1 ml

Tetanus Toxoid

For use as an aid in the prevention of tetanus.

PRESERVATIVE
Thimerosal



DOSAGE


Inject subcutaneously or intramuscularly as follows:
Horses and cattle: 2 doses of 1 ml
Sheep, goats and pig: 2 doses of 0.5 ml
Interval between doses should be approximately 30 days.

Item # 46080 - 5 ml

Tetanus Antitoxin

For use as an aid in the prevention and treatment of tetanus in animals.

PRESERVATIVES
Phenol and thimerosal



DOSAGE
5ml dose

Item # 46115 - 1 ml

Vanguard Plus 5 L4 CV

For the vaccination of healthy dogs 6 weeks of age and older as an aid in the prevention of diseases caused by Distemper virus, CAV-1, CAV-2, Parainfluenza, Parvovirus, Coronavirus, Canine, Leptospira canicola, L. grippotyphosa, L. icterohaemorrhagiae and L. pomona.



FORMULA

Each dose contains a minimum of:
103.5 TCID50 of Canine Distemper virus,
103.4 TCID50 Canine Adenovirus Type 2,
105.5 TCID50 of Canine Parainfluenza virus,
CPV107.2 TCID50 of Canine Parvovirus,
1.49 relative units of power canine coronavirus
600 nephelometric units (UN) of Leptospira canicola
600 UN of L. icterohaemorrhagiae,
600 UN of L. grippotyphosa
600 UN of L. pomona .

DOSAGE

1ml subcutaneously or intramuscularly.
Dogs should receive 3 doses at intervals of 3 weeks.

**Item # 46111 - 1 ml
Vanguard Plus 5/L**

For the vaccination of healthy dogs as an aid in the prevention of distemper, hepatitis, respiratory disease, parainfluenza, parvovirus and canine leptospires.



FORMULA

Each dose contains:

Lyophilized Fraction: modified live virus of:

Canine distemper strain N-QOL

Canine Adenovirus Type 2 strain Manhattan

Canine Parainfluenza strain NL-CPI-5

Canine Parvovirus strain NL-35-D

Liquid Fraction: Leptospira Bacterin:

L. canicola strain C -51

L. icterohaemorrhagiae strain NADL (11403)

Contains gentamicin as a preservative

DOSAGE

1ml subcutaneously or intramuscularly.

Dogs should receive 3 doses at intervals of 3 weeks.

Fort Dodge Vaccine

For subcutaneous vaccination of healthy dogs 6 weeks of age or older as an aid in the prevention of disease caused by canine distemper, infectious canine hepatitis, canine adenovirus type 2, canine coronavirus, canine parainfluenza and canine parvovirus.



Preservatives

Gentamicin and thimerosal

DOSAGE

1 ml dose

Defensor 1

for the vaccination of healthy dogs and cats as an aid in preventing rabies



FORMULA

Rabies virus strain PV- Paris (Pasteur),

replicated in a stable cell line, inactivated

chemically and added with an adjuvant.

Contains gentamicin as a preservative.

DOSAGE

Healthy dogs and cats should

receive a single dose of 1 ml at 3 months of age or older.

Item # 31139 - 250 ml
31140 - 100 ml

Baytril Max

For the treatment of the following diseases: respiratory, gastrointestinal, genitourinary, septicemic infections, skin and mammary gland in cattle and pigs.



FORMULA

Every ml contains
Enrofloxacin 100 mg
Excipient c.b.p. 1 ml

DOSAGE

Long action therapy:
3ml per 40kg bodyweight (7,5mg/kg)
(single dose and if necessary repeat within 72 hours)
Multiple dose therapy:
1ml per 40kg bodyweight for 3 to 5 days.

Item # 31210 - 100 ml Cotrim 240

Species of animals: horses, cattle, sheep, goats, pigs, dogs, cats. Infections of the respiratory, gastro-intestinal and urogenital tract, infections of skin, soft tissues and wounds, septicaemia.



COMPOSITION

Sulfamethoxazole 200 mg
Trimethoprim 40 mg

DOSAGE

By deep intramuscular, subcutaneous or slow intravenous injection.
24mg/kg bodyweight or 1ml/10kg bodyweight

Item # 31400 - 100 ml Gentamicin

A sterile solution for use against severe bacterial infections, and infections caused by organisms resistant to other antibiotics. Gentamicin is a broad spectrum antibiotic of high efficacy against a wide range of gram(+) and gram(-) bacteria, including urinary tract and respiratory infections, gastro-intestinal, skin and tissue, and uterus infections.



COMPOSITION

Gentamicin (base) 100mg/ml

DOSAGE

Cattle, horses
and sheep: 2mg/kg bodyweight twice per day
(2ml/100kg bodyweight)
Pigs: 2mg/kg bodyweight twice per day
(1ml/50kg bodyweight)

Item # 46027 - 250 ml
46028 - 50 ml

Bar-Vac 7 (Anchor)

Ideal in preventing blackleg, malignant edema, infectious necrotic hepatitis, pulpy kidney disease, blackleg, enterotoxemia and other diseases caused by clostridia included in the formula; in healthy cattle and sheep.

FORMULA

- Clostridium chauvoei
- Clostridium septicum
- Clostridium novyi
- Clostridium sordellii
- Clostridium perfringens types C and D
- Retigen adsorbed as adjuvant
- Clostridium perfringens types C and D, confer protection against type B.



DOSAGE

- Cattle: 5 ml per animal
- Sheep: 2.5 ml per animal

Item # 31174 - 100 ml

Cali-Dex

Prevention and treatment of iron deficiency anemia in piglets.



COMPOSITION

- | | |
|-----------------------------|--------|
| Iron (dextran iron complex) | 20 g |
| Phenol | 0.5 g |
| Aqueous vehicle q.s. | 100 ml |

ADMINISTRATION ROUTE

Deep intramuscular injection. Disinfect previously the injection area.

Item # 31526 - 10 ml

Atropina Sulfato 2%

It is an inhibitor of acetylcholine and an antimuscarinic. For these properties, its main indication in veterinary medicine is as antispasmodic and antidote in case of poisoning by organophosphorus compounds, such as agricultural insecticides.



DOSE

0.1 ml per 200 kg

COMPOSITION

- | | |
|------------------|--------|
| Atropine Sulfate | 2 g |
| Excipients q.s. | 100 ml |

Item # 31461 - 50 ml

Vermectin

Broad-spectrum antiparasitic indicated in the control of external parasites such as ticks, mites, and nuches and internal as pulmonary and gastrointestinal parasites. It has a high margin of safety. Effective in controlling larvae Dermatobia hominis (nuche). Effective control of scabies in pigs. Quick action of endectocide effect.

COMPOSITION

Ivermectin 1%

DOSE

Bovine 1 ml / 50 kg bodyweight.

Swine 1 ml / 33 kg body weight



Item # 31193 - 100 ml

Vicon - 500

Water-based emulsion with a high concentration of vitamins A-D3-E, of fast absorption and maximum utilization. Treatment and prevention of clinical and subclinical deficiencies of vitamins A, D3 and E.

DOSE

CATTLE: INTRAMUSCULAR AND SUBCUTANEOUS

Calves and heifers 1-3 ml

Cows 4-5 ml

Bulls 5-6 ml

Steers 4-5 ml

PIGS: INTRAMUSCULAR

Piglets 0.5-1 ml

Adults 2-3 ml

HORSES: DEEP INTRAMUSCULAR

Foals 1-2 ml

Breeding 3 ml

DOGS AND CATS:

Intramuscular 0.2-0.5 ml

SHEEP AND GOATS

Intramuscular and subcutaneous 1-2 ml



COMPOSITION

Vitamin A 500.000 U.I.

Vitamin D3 75.000 U.I.

Vitamin E 50 U.I.

Excipients q.s. 1 ml



Item # 31583 - 4 g

31584 - 1 g

Ceftiovet

Broad spectrum antibiotic indicated in the treatment of respiratory disease, footrot, metritis and kidney infections.

DOSAGE AND ADMINISTRATION

Add the diluent to the sterile powder for reconstitution, shake vigorously and administered via deep intramuscular.

Cattel: 1-2 mg/kg bodyweight

Horses: 2-4 mg/kg bodyweight

Pigs: 3-5 mg/kg bodyweight

Dogs: 2 mg/kg bodyweight

All treatment must be made for 3-5 days or according to the veterinarian criteria.

COMPOSITION

After reconstitution each ml contains

Ceftiofur sodium 50 mg

Excipients q.s. 1 ml



Item # 31587 - 50 ml

Colivet

Is an analgesic and antipyretic indicated in cattle, horses, sheep, pigs and dogs. Controls the pain caused by: colic, surgery, arthritis and myositis.

COMPOSITION

Each ml contains

Dipirone 500 mg

Excipients q.s. 1 ml

DOSE

Administered intramuscularly or intravenously

Cattle and horses 20-60 ml

Foals and calves 5-15 ml

Sheep 2-8 ml

Swine 10-30 ml

Dogs 1-5 ml

Item # 31885 - 20 ml

Verrulab

Indicated for the treatment of papillomatosis (warts) in cattle, horses, sheep, goats and dogs.

COMPOSITION

Chlorobutanol 25 g

Excipients q.s. 100 ml

DOSAGE

Cattle and Horses: 1 ml per 20 kg

Sheep, goats and dogs: 1 ml per 10 kg



Item # 31621 - 100 ml

31622 - 500 ml

Iverfull Macrovit ADE

Broad-spectrum antiparasitic endectocide to control major internal and external parasites (scabies and lice), supplemented with vitamins A, D3 and E. Its formula gives a long deworming action and an adequate supply of vitamins in one application.

DOSE

Cattle and sheep: 0.7 ml/50 kg

Swine: 1 ml/50 kg

FORMULA

Every ml contains

Ivermectin	15 mg
Vitamin A	40,000 U.I.
Vitamin D3	80,000 U.I.
Vitamin E	55 U.I.



Item # 31720 -100 ml

Roborante Calier

Indications - rearing diseases and deficiencies in all the animals with metabolic disorders; vital weakness in the newborn; horse lumbago; chronic indigestion; atrophy and productivity reduction. After infectious diseases; secondary anaemia; supplement for sterility therapy, as well as calcium therapy in tetany, paresis, paralysis, overload and exhaustion, e.g. after a strenuous parturition, excitability symptoms.

COMPOSITION

100 ml contains

Calcium Phosphorylcholine chloride	5 g
Casein-peptides	5 g
Vitamin B12	5 mg

DOSAGE AND ADMINISTRATION

Cattle	10 - 25 ml, i.v. or s.c.
Calves and colts	5 - 15 ml, i.m. or s.c.
Sheep and goats	3 - 5 ml, i.m. or s.c.
Lambs	2 - 3 ml, i.m. or s.c.
Pigs	5 - 10 ml, s.c.
Piglets	1 - 3 ml, s.c.
Dogs	0.5 - 5 ml, i.m. or s.c.
Cats and furbearers	0.5 - 2.5 ml, i.m. or s.c.



Item # 10910 - 24 cartridge

Bago-Pell

Non Hormonal anabolic for cattle and sheep, to increase average daily gain of the channel and improve feed conversion.

FORMULA

Each cartridge contains
Zeranol 12 mg
Excipients q.s. 40 mg

DOSAGE AND ADMINISTRATION

Subcutaneously behind the ear
Cattle - 3 cartridge (36mg) per animal
Sheep - 1 cartridge (12mg) per animal



Item # 31627 - 50 ml

Las K Vit

Treatment and control of bleeding from traumatic, infectious, parasitic origin or caused by poisoning.

DOSE

Cattle and horses: 3 to 5 ml
Goats, sheep and swine: 1 to 3 ml
Dogs and cats: 0.5 to 1 ml
The treatment can be repeated every 2, 6, 12 & 24 hours, according to the seriousness of the case treated.

FORMULA

Each ml contains
Vitamin K3 10 mg

ORAL MEDICATIONS

Item # 36344 - 240 ml
 36343 - 120 ml
Kaovet-NF

Intestinal infections: viral and bacterial enteritis, gastroenteritis, acute or chronic diarrhea of different origin, infectious diarrhea by salmonellosis, colibacteria, dysentery in cattle and pigs, polymicrobial diarrhea. Atropine sulfate acts as an antispasmodic. Kaolin and pectin have absorbent and astringent action.



FORMULA

Every 100 ml contains

Trimethoprim	0.800 g	Kaolin	10.000 g
Sulfamethoxazole	4.000 g	Pectin	0.700 g
Neomycin sulfate	0.700 g	Vehicle c.s.p.	100 ml
Atropine sulfate	0.010 g		

DOSAGE

Calves:	25-40 ml
Pigs:	5-15 ml
Dogs:	5-15 ml
Cats:	2-5 ml

Item # 10740 - 2.5 oz One Day Response

An exclusive formula of psyllium, electrolytes and energy sources in a powdered form. It is an ideal oral rehydrant for young calves. When mixed with water and administered, One Day Response provides fluids, fiber and synergistic nutrients essential for maintaining normal activity. The formula is readily accepted by calves when fed from a bottle or bucket. Contains no artificial colors or flavorings.



GUARANTEED ANALYSIS

Salt (NaCl), minimum	4.5 %
Salt (NaCl), maximum	5.5 %
Sodium, minimum	4.0 %
Sodium, maximum	5.0 %
Potassium, minimum	1.0 %
Magnesium, minimum	0.2 %

DOSAGE

- Mix 1 packet (2.50z) with 2 quarts of warm water.
- Administer the mixture orally to the calf every 12 hours.
- Resume regular diet within 48 hours (or less if calf responds favorably after 1 or 2 feedings).

Item # 10540 - 250 ml
 10541 - 100 ml

Kaobiotic

For the treatment of diarrhea and bacterial enteritis in calves, lambs, foals, pigs, dogs and cats.



DOSAGE

Administered orally

- Calves and foals: 60-120ml per day
- Lambs and piglets: 8-30ml per day
- Dogs: one teaspoon to 30ml per day
- Cats: 1/2 teaspoon to two teaspoon per day.

FORMULA

Every 100ml contains	
Neomycin sulfate	220 mg
Sulfaguanidine	6.617 g
Sulfadiazine	0.400 g
Sulphamerazine	0.400 g
Sulfathiazole	0.400 g
Pectin	0.400 g
Kaolin	19.760 g
Vehicle c.b.p.	100 ml

Item # 31588 - 120 ml

Flativet

Defoamer for treating Bloat in cattle and sheep. Antiflatulent in horses and dogs.



COMPOSITION

Every 100ml contains
Dimethyl polysiloxane 30 g
Excipients c.s.p. 100 ml

DOSAGE

Cattle and horses: 40ml/100kg bodyweight
Sheep: 20ml/50kg bodyweight
Dogs: 5-10ml undiluted

Item # 42340 - 1000 ml

Menorox LC-10%

Medicated liquid recommended for use in poultry, swine, calves, goats and sheep for the control of gastrointestinal, respiratory and urinary tract infections caused by norfloxacin sensitive micro-organisms like Campylobacter, E.coli, Haemophilus, Mycoplasma, Pasteurella and Salmonella.



COMPOSITION

10% w/v norfloxacin

DOSAGE

Administered orally
12-25mg/kg bodyweight daily for 3-5 days

Item # 31641 - 1000 ml

Pultrisol

It is indicated in the prevention and treatment of diseases of poultry and pigs caused by germs sensitive to the components of the formula or their combination. It is also indicated for chicks and pullets from one day old, reducing the mortality rate in the first week.

DOSAGE

Oral use , to dissolve in drinking water.

Poultry: Administer 100ml per 200 liters of water for 3 consecutive days.

Pigs: Administer 100ml for each 200 liters of drinking water for 4 consecutive days.



COMPOSITION

Every 200ml contains
Sulphamerazine sodium 12.5 g
Sulfamethazine sodium 12.5 g
Trimethoprim 5.0 g
Vehicle c.s.p. 200 ml

Item # 42430 - 1000ml, 16 oz, 8oz,

Panhelmin

Is a broad spectrum anthelmintic recommended for use in poultry for the control of economically important roundworms and tapeworms.

COMPOSITION

5% w/v levamisole hydrochloride
3% w/v praziquantel

DOSAGE

Administered orally
4.75 oz per drum
2.5 ml per gal.



Item # 42455 - 1 liter**Promotor "L"**

In general: In the imbalances and nutritional deficiencies. During periods of stress. In molting poultry. In the states of impoverishment and nursing animals. In periods of gestation. In infancy. To improve performance and the rate of conversion of the animals. In fatty liver syndrome.

DOSAGE

-Poultry: 1ml per liter of drinking water for 5 days.

-Rabbits: 2ml per liter of drinking water for 7 days.

-Calves, lambs, goats, piglets and foals: 2ml per 10kg bodyweight.

**COMPOSITION**

Vitamin A		10.000.000 U.I.
Vitamin D3		2.000.000 U.I.
Menadione sodium bisulfite (Vit. K3)		0.5 g
Nicotinamide		16.25 g
D-Panthenol		7.5 g
Thiamine hydrochloride (Vit. B1)		1.75 g
Riboflavin sodium phosphate (Vit.B2)		2.5 g
Pyridoxine (Vit.B6)		1.125 g
Vitamin B12		1.25 mg
Sodium pangamate (Vit. B15)		0.5 mg
Biotin	1.000 mcg	Leucine 12.5 g
Inositol	2,5 g	Lysine 9.5 g
Alanine	11.5 g	Methionine 2.2 g
Arginine	6.1 g	Proline 9.5 g
Aspartic acid	9.5 g	Serine 7 g
Cystine	2.1 g	Threonine 5 g
Phenylalanine	5.5 g	Tryptophan 2 g
Glutamic Acid	21.5 g	Tyrosine 5.3 g
Glycine	9.6 g	Valine 6.2 g
Histidine	4.7 g	Isoleucine 6 g
Vehiclec.s.p.	1000 ml	

Item # 31202 - 100 ml**31203 - 1 liter****Compleland B12 Oral**

Treatment of diseases and disorders caused by organic acute or chronic deficiencies of one or more factors of vitamin group B, including B12 that occur in dogs, cats, horses, sheep, goats, cattle and treatment of conditions of stress in poultry. Is indicated to combat any deficiencies of vitamin B. Helps in the treatment and convalescence of infectious , parasitic and viral diseases of diverse etiology.

COMPOSITION

Pantothenic acid	200 mg
Biotin	45 mg
Thiamine hydrochloride (B1)	150 mg
Riboflavin (B2)	72 mg
Pyridoxine hydrochloride (B6)	72 mg
Cyanocobalamin (B12)	320 ug
Niacinamide	2200 mg
Calcium glycerophosphate	1000 mg
Manganese glycerophosphate	100 mg
Potassium glycerophosphate 75%	100 mg
Sodium glycerophosphate	1800 mg
Citric acid anhydrous	85 mg
Lactic acid 85%	2000 mg
Excipients c.s.p.	100 ml

**DOSAGE**

Administered orally

-Poultry: Dilute 1 liter of Compleland B12 Oral into 400 liters of drinking water.

-Cattle and horses: 15 to 20 ml per 100kg bodyweight.

Pigs, sheep and goats: 5 ml per 20kg bodyweight.

Dogs: 5 to 10 ml daily

Cats: 2 to 5 ml daily

Item # 42010 - 1000 ml

Aminovit

A liquid vitamin, amino acid and trace element preparation for administration via the drinking water, during periods of peak production, after movement or transportation of birds, vaccination and recovery from infection. Also of particular application in starting day old poultry.



DOSAGE

Add 1ml per 5 liters drinking water for 5-7 consecutive days.

COMPOSITION

Each liter contains

Vitamin A	12,000,000 iu	D-Panthenol	4,000 mg
Vitamin D3	3,000,000 iu	Glutamic Acid	1,000 mg
Vitamin E	3,250 iu	Phenylalanine	200 mg
Vitamin K	1,000 mg	Hestidine	80 mg
Vitamin B1	2,000 mg	Aspartic Acid	500 mg
Vitamin B6	1,250 mg	Alanine	1,000 mg
Vitamin C	3,500 mg	Valine	260 mg
Folic Acid	250 mg	Isoleucine	100 mg
Lysine	440 mg	Tyrosine	50 mg
Arginine	480 mg	Tryptophane	20 mg
Threonine	80 mg	Calcium	60 mg
Glycine	2,600 mg	Sodium	60 mg
Cystine	10 mg	Iron	250 mcg
Methionine	80 mg	Copper	33 mcg
Leucine	300 mg	Potassium	830 mcg
Serine	100 mg	Zinc	100 mcg
Proline	1,700 mg		

Item # 31124 - 300 ml

31125 - 500 ml

Tricalvit

Is indicated for the treatment of deficiencies of calcium and phosphorus, and also as an adjunct in deficiencies of vitamin A, D3 and rickets.

DOSAGE

Can be administered directly orally or mixed with food .

Cattle and horses: 75 ml per 45kg daily.

Pigs: 60 ml per 30kg daily.

Adult dogs: 10 ml per 9 kilos bodyweight daily.

Puppies: 5 ml per 4 kilos bodyweight daily.

Cats: 2.5-5 ml daily.



COMPOSITION

Every 100ml contains

Tricalcium phosphate	32.400 mg
(Calcium ion contribution:	12.500 mg)
(Phosphorus ion contribution:	6.460 mg)
Vitamin D3	10.000 U.I.
Vitamin A palmitate	51.000 U.I.
Excipients c.s.p.	100 ml

Item # 31893 - 100 ml
 31894 - 500 ml
 31896 - 20 ml

Vetercur O-R

Broad spectrum anthelmintic action against immature and mature stages of gastrointestinal and pulmonary parasites of cattle, sheep and horses.



COMPOSITION

Every ml contains
 Fenbendazole 100 mg
 Excipients c.s.p. 1 ml

DOSAGE

Administered orally
 Cattle: 10ml/200kg bodyweight (5mg/kg)
 Sheep: 3ml/50kg bodyweight (6mg/kg)
 Horses: 7,5ml/100kg bodyweight (7,5mg/kg)



**Item # 10030 - 1 liter
 Anazole 100**

An oral drench for the control of roundworms, tapeworms, lungworms and adult liver fluke in cattle and camels.

DOSAGE

-Round, tape & lungworm dose:
 7.5ml/100kg (7.5mg/kg) bodyweight
 -Adult liver fluke:
 10ml/100kg (10mg/kg) bodyweight

COMPOSITION

Albendazole 100 mg/ml

Item # 10144 - 20 ml
 10149 - 1000 ml

Alcobest 25%

Antiparasitic oral and intraruminal broad spectrum indicated in cattle and sheep for the treatment and control of gastrointestinal, liver and lung parasites.



COMPOSITION

Every 100 ml contains
 Albendazole micronized 25,0 g
 Excipients c.s.p. 100 ml

DOSAGE

1 ml per 50 kg bodyweight (5mg/kg)



Item # 10691

PROPYLENE GLYCOL (U.S.P)

For use as an acid in the prevention and treatment of Ketosis (Acetonemia) in dairy cattle. For animal use only.

DIRECTIONS: As an aid the prevention of ketosis in the dairy cattle feed at the rate of 0.25lb per head per day at calving and continue for 6 weeks. Mix with feed or use as drench.

CONTENT

Propylene.....100%

**Item # 42191 - 10 ml
42193 - 1 liter**

Enrofland

Broilers, replacement pullets and turkeys, for the control and treatment of infectious diseases caused by: Mycoplasma sp., Escherichia coli, Pasteurella sp., Streptococcus sp., Staphylococcus sp., Haemophilus gallinarum, Haemophilus sp.



COMPOSITION

Enrofloxacin	200 mg
Excipients c.s.p.	1.0 ml

DOSAGE

- Administered orally in drinking water.
- 100ml in 400 liters of water (0.25ml per liter of water).
- Must be prepared and administered daily for 3 days

**Item # 42190 - 1 liter, 16oz, 8oz
Enrotrim**

Has effective action against infectious processes of the digestive tract and the respiratory tract of poultry. Double locking action of bacterial metabolism. Acts selectively against bacteria Gram positive, Gram negative and mycoplasmas. In addition, it has fast and long affection bactericidal action.



FORMULA

Each 100 ml contains

Enrofloxacin	10 g
Trimethoprim	2 g
Vehicle c.b.p.	100 ml

DOSAGE

- Administered orally in drinking water for 3-5 days. 0.5ml per liter of water.

COMPOSITION

Oxytetracycline HCl	60 g
Vitamin A	5,000,000 IU
Vitamin D3	1,750,000 IU
Vitamin E	3,500 mg
Vitamin K	2,800 mg
Vitamin B1	500 mg
Vitamin B2	3,000 mg
Vitamin B6	300 mg
Vitamin B12	2,500 mcg
Vitamin C	12,000 mg
Nicotinamide	15,000 mg
Calcium Pantothenate	3,000 mg
Folic Acid	100 mg
Choline L-bitartrate	12,000 mg

Item # 42420 - 150 g

OTC Plus

Is indicated for the treatment and control of a wide range of antibacterial infections including the treatment of Coliform septicaemia, fowl cholera, fowl typhoid and control of secondary infections associated with chronic respiratory disease in poultry.



DOSAGE

Prevention: 50 g OTC Plus per 45 liters of drinking water for 7 days
Treatment: 200 g OTC Plus per 45 liters of drinking water for 7 days

Item # 42560 - 150 g

Tetra 20

Is recommended for use in poultry, swine, calves, goats and sheep for the control of gastrointestinal and respiratory infections caused by oxytetracycline sensitive gram positive and negative micro-organisms like Bordetella, Campylobacter, Chlamydia, E.coli, Haemophilus, Mycoplasma, Pasteurella, Rickettsia, Salmonella, Staphylococcus and Streptococcus.



COMPOSITION

20% w/w oxytetracycline hydrochloride.

DOSAGE

Administered orally
-Poultry and swine: 10-30mg/kg bodyweight daily for 5-7 days.
-Calves goats and sheep: 10-20mg/kg bodyweight twice daily for 3-5 days.

Item # 31721 - 1 tablet

Enrox

Broad spectrum bactericide indicated for the treatment and control of respiratory, digestive, genitourinary, and cutaneous diseases of infectious origin in poultry, dogs and cats caused by germs sensitive to enrofloxacin such as: Mycoplasma sp., Pasteurella sp., Campylobacter sp., Escherichia coli, Haemophilus sp., Klebsiella sp., Pseudomonas aeruginosa, Bordetella bronchiseptica, Staphylococcus aureus, Streptococcus sp., Erysipelothrix sp., Corynebacterium pyogenes, Proteus sp., Erysipelothrix rhusiopathiae.



COMPOSITION

Each tablet contains
Enrofloxacin 25 mg
Excipients 1 Tab.

DOSAGE

Poultry: 1 tablet per 2.5 kg bodyweight
Dogs and cats: 1 tablet per 5 kg bodyweight

Item # 42240 - 150 g
42230 - 1 lb.

Formula 1

Is recommended for strategic use in poultry during periods of reduced intake or increased physiological requirement for vitamins, trace elements or amino acids. It is of particular use during and after management, disease or environmentally related stress to help maintain performance and aid recovery and for conditions which disturb the gastrointestinal micro flora.



DOSAGE

For oral administration.
1g per 2 liters of drinking water
for 5-6 consecutive days.

COMPOSITION

Vitamin A	10,000 IU	Vitamin B6	2.5 mg
Vitamin D3	2,000 IU	Vitamin B12	11.5 ug
Vitamin E	10 mg	Sodium Chloride	50 mg
Vitamin K	4.5 mg	Sodium Sulphate	210 mg
Nicotinic Acid	17 mg	Potassium Chloride	90 mg
Pantothenic Acid	5.5 mg	Zinc Sulphate	12 mg
Folic Acid	0.2 mg	Manganese Sulphate	12 mg
Biotin	10 ug	Magnesium Sulphate	12 mg
Vitamin B1	2 mg	Lysine HCL	15 mg
Vitamin B2	4.5 mg	Methionine DL	10 mg

**Item# 10693
Mineral Oil Light**



Mineral oil is a gentle and effective intestinal lubricant. Mineral oil aids in normal intestinal evacuation and is not absorbed, is non-fattening, and will not increase body temperature

Feeding Directions:
one (1) pint for each day 120lbs of body weight.

For animal use only

Ingredients
mineral oil

Item # 31633 - 25 g

31634 - 100 g

Oxitetraciclina Con Vitaminas

POULTRY: recommended for the prevention and treatment of problems of infectious origin susceptible to formula.

BEEES: recommended for the prevention and treatment of American foulbrood, as well as any other bacterial infection, whose bodies are sensitive to the formula.



COMPOSITION

Every kilogram contains

Oxytetracycline HCl	55 g
Vitamin A	2.250.000 UI
Vitamin D3	400.000 UI
Vitamin E	700 UI
Vitamin B12	6.600 mcg
Niacin	13.200 mg
Calcium pantothenate	5.000 mg
Riboflavin	2.850 mg
Vehicle c.s.	

DOSAGE

Poultry:

PREVENTIVE: 100g per 100 liters of drinking water for 3 to 5 days.

HEALING: 200g per 100 liters of drinking water for 5 days

Bees:

LIQUID TREATMENT: 20g per liter of water

DRY TREATMENT: mix 100g for each 400-500g of refined sugar or cornstarch powder.



FORMULA

Every 100 g contains

Cyproheptadine	0.500 g
Nicotinamide	12.500 g
Calcium pantothenate	6.700 g
Vitamin A	5000.00 UI
Vitamin B-1	0.750 g
Vitamin B-2	2.000 g
Vitamin B-6	1.750 g
Vitamin B -12	0.005 g
Vitamin C	25.000 g
Vitamin D-3	500,000 UI
Vitamin E	5.000 g
Vitamin K	2.000 g
Ca gluconate	2.470 g
Chloride K	2.000 g
Excipient c.b.p.	100 g

Item # 42135 - 50 g

Collvit-C

Recommended in all species for the treatment of vitamin A deficiency, metabolic reinforcements to the reception of the chicken, piglets and fattening calves, convalescence and in all cases requiring stimulation of appetite. Aid in the treatment of allergies and hyperimmune processes.

DOSAGE

Orally, in feed and/or drinking water

- Calves: 50g/500-1000 liters of water.

- Milking cows: 50g/1000 liters of water.

- Broilers: 1g/20 liters of water the first 3 days and 3 days after vaccination.

- Layers: 1g/10 liters of water day of beak trimming and 3 days after.

- Pigs: 1g/20 liters of water.

- Horses, dogs, cats and wildlife animals: 1g/5 liters of water or 1g/2kg of food.

Item # 42365 - 100 g
Mucolit

Recommended for secretolisis and expectoration of mucus pathological and to prevent the formation of mucocaseosos plugs that cause respiratory distress, cough, dyspnea and in some cases death by asphyxiation.



FORMULA

Every 100 g contains
 Bromhexine hydrochloride 10 g
 Excipient c.b.p. 100 g

DOSAGE

1g per 10 liters of drinking water for 5-7 days

Item # 10770 - 12.5 g
Panacur 4%

Dewormer highly effective against larvae, adults and eggs of worms (nematodes) gastrointestinal, pulmonary and kidney of pigs, also against Ascaridia, Heterakis, Capillaria and Syngamus trachea in birds. Free depressing effect on production.



FORMULA

1g contains
 Fenbendazole (carbamate of methyl-5-(phenyl -thio)-2-benzimidazole) 40 mg
 Excipient c.b.p. 1.0 g

DOSAGE

-One sachet for every 4 pigs weighing 25kg or 100kg pig.
 -In case of Trichuris suis, Metastrongylus spp and Stephanurus dentatus (kidney worm) infestation, should be given a sachet for 20kg of weight.
 -For hens infected with round intestinal parasites and Syngamus trachea, mix 2 sachets in the food 100 hens consume in a day for 4 consecutive days.

Item# 42421
Backyard chicken Health Pack



Health Flock Tabs

- * Targets harmful pathogens
- * Contains beneficial bacteria
- * All natural formula
- * One bottle traets 90 gallons of water

Oxy E-100

- * Sanitizes drinking water
- * Safe and easy to use
- * Reduces exposure to pathogens
- * one bottle treats 90 gallons of water

ZYFEND A

- * Use natural with no synthetic chemicals
- * helps off set worm-related issues
- * One bottle treats 90 gallons of water

Item # 10379 - 10 g

Vitapio

It is a vitamin - mineral agent for the treatment of conditions of stress (tension) in broilers, laying hens , turkeys and ducks. Other indications at the discretion of the physician veterinarian.

DOSAGE

1g per 10 liters of drinking water during 3 to 5 days.



COMPOSITION

Every 100g contains

Vitamin A	8.000.000 U.I
Vitamin D3	1.000.000 U.I
Vitamin E	5.000 U.I
Vitamin K3	3.000 mg
Riboflavin -5-phosphate	2.500 mg
Pyridoxine Hydrochloride	1.600 mg
Vitamin B12	6 mg
Thiamine Hydrochloride	600 mg
Nicotinamide	7.500 mg
Calcium pantothenate	6.000 mg
Folic acid	500 mg
Biotin	40 mg
Vitamin C	20.000 mg
Sodium chloride	10.000 mg
Potassium chloride	6.250 mg
Magnesium sulphate	6.250 mg
Excipients c.s.p.	100 g

Item # 10378 - 25 g

Coccigan

Is a therapeutic agent used in poultry for the control and treatment of coccidiosis caused by: Eimeria tenella , Eimeria necatrix , Eimeria acervulina and Eimeria brunetti. In cattle and sheep for the treatment and control of coccidiosis caused by E. bovis and E. zuernii.

COMPOSITION

Every 100g contains

Amprolium 20 g

Excipients

c.s.p. 100 g



DOSAGE

Cattle and Sheep

Administered orally dissolved in water for 5 days: 1g per 20kg (10mg/kg) bodyweight.

Poultry

Administer 1g per liter of water for 7 consecutive days.

Item # 10889 - 20 g

Streptoland

Calves, foals, pigs, sheep and dogs. Treatment of diarrhea and enteritis infectious type caused by: Salmonella sp., Shigella sp., Klebsiella sp., Escherichia coli, Campylobacter coli.



COMPOSITION

Every 10g contains

Streptomycin	380 mg
Kaolin	7.500 mg
Pectin	674 mg
Aluminum hydroxide gel	1.050 mg
Excipients c.s.p.	10 g

DOSAGE

- 10 to 15 mg per kg bodyweight.

- A 20g sachet for animals weighing 50-80kg.

Item # 39699 - 5 kg

Chick Boost

Complementary feed for broiler chicks, layer chicks, turkey poults and duckling.



ANALYTICAL CONTENTS

Crude protein	24,5 %
Fat	3.00 %
Crude fiber	2.50 %
Ash	4.50 %
Lysine	1.12 %
Methionin	0.42 %
Sodium	0.15 %

DOSAGE

- For a transport process:
1-2g/hatchling poultry
- At the arrival in the grow out facility:
5g/hatchling poultry
- For an optimum rehydration: for a bag of 25kg, add 500ml (i.e 10%) directly in the bag and mix by hand

Item # 42595 - 1 litter, 16 oz , 8 oz

Sulcoll-3

Chemoteherapeutic for the control and treatment of bacterial infectious processes such as: Colibacillosis, infectious coryza, Streptococcosis, Salmonellosis and other bacterial infections, pneumonia etc. So as an aid in the treatment of avian coccidiosis and supportive therapy in controlling secondary processes viral agents.



FORMULA

Every 1000 ml contains	
Sodium sulfadiazine	66 g
Sodium sulfamethazine	66 g
Sodium sulfathiazole	66 g
Trimethoprim	40 g
Vehicle cbp	1000 ml

DOSAGE

- Administered orally in drinking water
- Poultry and Pigs:
- Preventive: 0.5 Lt./1000 Lt. of water
 - Healing: 1lt./1000 Lt. of water
- in both cases for 3 to 5 days.

Item # 42660 - 1 gallon
- 1 liter
- 16 oz
- 8 oz

Wazine

Wormer for use in drinking water for the removal of large roundworms from turkey, chickens and large roundworms and nodular worms from swine.



DOSAGE

1 gallon treats up to (128) 200 lb pigs, 6,400 turkeys over 12 weeks of age or 12,800 chickens over 6 weeks of age.

ACTIVE INGREDIENTS

Piperazine 34%

Item # 42130 - 1 gallon
42131 - 16 oz
- 8 oz

Corid Solution

An aid in the treatment and prevention of coccidiosis caused by *Eimeria bovis* and *E. zurnii* in calves. For a satisfactory diagnosis a microscopic examination of the feces should be done before treatment. When treating outbreaks, drug should be administered promptly after diagnosis



ACTIVE INGREDIENTS

Amprolium 9.6%

DOSAGE

5-Day Treatment Protocol

Daily dosage: 10 mg/kg
(10 mg per 2.2 lb
body weight)

21-Day Prevention Protocol

Daily dosage: 5 mg/kg
(5 mg per 2.2 lb
body weight)

- Item # 36081 - 3pk, 4ml
- 36091 - 3pk, 1ml
- 36093 - 3pk, .4ml
- 36095 - 6pk, 2.5ml
- 36097 - 6pk, 4ml
- 36098 - 3pk, 2.5ml

Advantage Multi

Advantage Multi for Dogs is a once a month topical solution used to prevention heartworm disease, kills adult fleas, treats flea infestation and controls intestinal parasites including hookworm, roundworm and whipworm. Use Advantage Multi in dogs and puppies 7 weeks of age or older and weighing 3 lbs or more.



DOSAGE

- under 9 lbs 1 tube Advantage Multi .4 ml
- 9 - 20 lbs 1 tube Advantage Multi 1 ml
- 21 - 55 lbs 1 tube Advantage Multi 2.5 ml
- 56 - 88 lbs 1 tube Advantage Multi 4 ml

COMPOSITION

Each ml contains

Imidacloprid	100 mg
Moxidectin	25 mg
Benzyl alcohol	0.1 %

of butylated hydroxytoluene (E 321: as an antioxidant).



**Item # 36326 - 3pk. 0.50 ml
Barricade for cats**

Contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.

ACTIVE INGREDIENT

Fipronil	9.7%
Other Ingredients	90.3%
Total	100%

DOSAGE

0.50 ml dose

- Item # 36089 - 4pk. 0.4 ml
- 36090 - 4pk. 1.0 ml
- 36092 - 4pk. 2.5 ml
- 36094 - 4pk. 4.0 ml

Advantage Drops for dogs

Flea prevention and flea biting lice (Tricodectes canis) treatment for dogs. Fleas on dogs are killed within one day following treatment. One treatment prevents further flea infestation for four weeks. The product can be used as part of a treatment strategy for the control of Flea Allergy Dermatitis (FAD) where this has been previously diagnosed by a veterinary surgeon.



COMPOSITION

Each ml contains

Imidacloprid	100 mg
Butylhydroxytoluene	1.0 mg

DOSAGE

under 10lbs.	1 tube Advantage drop 0.4 ml
10-20lbs.	1 tube Advantage drop 1.0 ml
21-55lbs.	1 tube Advantage drop 2.5 ml
over 55lbs.	1 tube Advantage drop 4.0 ml

- Item # 36280 - 3pk. 1.07 ml
- 36281 - 3pk. 2.14 ml
- 36282 - 3pk. 4.28 ml
- 36284 - 3pk. 6.42 ml

Certifect

For dogs, rapidly starts killing ticks within 6 hours providing a convenient, effective treatment for all stages of ticks. Certifect kills fleas, flea eggs, flea larvae, prevents the development of all stages of fleas, and kills chewing lice, and all stages of ticks ONLY for dogs and puppies 8 weeks or older.



ACTIVE INGREDIENTS

Side A		Side B	
Fipronil	9.8%	Amitraz	22.1%
(S)-methoprene	8.8%	Other Ingredients	77.9%
Other Ingredients	81.4%	Total	100%
Total	100 %		

DOSAGE

5-22lbs.	1 tube Certifect 1.07 ml
23-44lbs.	1 tube Certifect 2.14 ml
45-88lbs.	1 tube Certifect 4.28 ml
89-132lbs.	1 tube Certifect 6.42 ml



Item# 37657
Granicks original Bitter Apple Spray For Dogs

Grannick's original spray formula is designed to discourage fur biting, hair chewing and licking of hot spots. Invented by a pharmacist in 1960, Bitter Apple spray leaves an unpleasant yet harmless taste on your dog's fur to discourage licking, chewing and biting. Keeps dogs from licking wounds and hot-spots, so they have a chance to heal properly.

Ingredients: Water, isopropanol 20%, bitter principles, and extractives.



Item# 36360
36361
Sentry Cap Guard Flea Tablets Dog & Cat

Treat Flea Infestations With One Easy Tablet
Contains Nitenpyram, Veterinarian Recommended
Fast acting, starts working in 30 minutes
Kills Adult Fleas On Your Pet
Easy-To-Dose Tablet Format, No Mess, Can't Rub Or Wash Off

- Item # 36283 - 3pk. 0.67 ml
- 36285 - 3pk. 1.34 ml
- 36286 - 3pk. 2.68 ml
- 36288 - 3pk. 4.02 ml

Frontline Plus for dogs

Provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs and puppies 8 weeks or older.



ACTIVE INGREDIENTS

Fipronil	9.8%
(S)-methoprene	8.8%
Inert Ingredients	81.4%
Total	100%

DOSAGE

- upto 22lbs. 1 tube Frontline 0.67 ml
- 23-44lbs. 1 tube Frontline 1.34 ml
- 45-88lbs. 1 tube Frontline 2.68 ml
- 89-132lbs. 1 tube Frontline 4.02 ml

Item # 36294 - 3pk. of 0.50 ml

Frontline Plus for cats

Provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, and chewing lice for use ONLY on cats and kittens 8 weeks or older.



ACTIVE INGREDIENTS

Fipronil	9.8%
(S)-methoprene	11.8%
Inert Ingredients	78.4%
Total	100%

DOSAGE

0.50 ml dose

- Item # 36322 - 3pk. 0.67 ml
- 36323 - 3pk. 1.34 ml
- 36324 - 3pk. 2.68 ml
- 36325 - 3pk. 4.02 ml

Barricade for dogs

Contains the active ingredient fipronil that effectively targets fleas, ticks, and chewing lice. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity.



ACTIVE INGREDIENT

Fipronil	9.7%
Other Ingredients	90.3%
Total	100%

DOSAGE

- upto 22lbs. 1 tube Barricade 0.67 ml
- 23-44lbs. 1 tube Barricade 1.34 ml
- 45-88lbs. 1 tube Barricade 2.68 ml
- 89-132lbs. 1 tube Barricade 4.02 ml

Item # 36087 - 4pk. 1 ml
 36088 - 4pk. 1ml
Advantage Drops for cats

Flea prevention and treatment for cats and dogs less than 4 kg, treatment of fleas on pet rabbits and treatment of biting lice (Tricodectes canis) on dogs.



COMPOSITION
 Imidacloprid 40 mg

DOSAGE
 0.4 ml dose

Item # 36255 - 6 chewables 57 mg
 36256 - 6 chewables 114 mg
 36257 - 6 chewables 227 mg

Heartgard Plus

For use in dogs to prevent canine heartworm disease by eliminating the tissue stage of heartworm larvae (Dirofilaria immitis) for a month (30 days) after infection and for the treatment and control of ascarids (Toxocara canis, Toxascaris leonina) and hookworms (Ancylostoma caninum, Uncinaria stenocephala, Ancylostoma braziliense).



ACTIVE INGREDIENTS
 (ivermectin/pyrantel)

DOSAGE
 upto 25lbs. 1 chewable 57 mg
 26-50lbs. 1 chewable 114 mg
 51-100lbs. 1 chewable 227 mg

Item # 36260 - 6 tablets 140 mg
 36261 - 6 tablets 270 mg
 36262 - 6 tablets 560 mg
 36263 - 6 tablets 810 mg
 36264 - 6 tablets 1620 mg
 36265 - 6 tablets 90 mg

Comfortis

Dogs and cats: treatment and prevention of flea infestations (Ctenocephalides felis). The preventive effect against re-infestations is a result of the activity against adult fleas and the reduction in their production of flea eggs. This activity persists for up to 4 weeks after a single administration of the product. The veterinary medicinal product can be used as part of a treatment strategy for the control of Flea Allergy Dermatitis (FAD).



ACTIVE INGREDIENT
 Spinosad

DOSAGE
 upto 5lbs. 1 tablet Comfortis 90 mg
 5-10lbs. 1 tablet Comfortis 140 mg
 10-20lbs. 1 tablet Comfortis 270 mg
 20-40lbs. 1 tablet Comfortis 560 mg
 40-60lbs. 1 tablet Comfortis 810 mg
 60-120lbs. 1 tablet Comfortis 1620 mg

Item # 36258 - 6 tablets 11.4 mg
36259 - 6 tablets 57.0 mg

Capstar

Kills adult fleas and are indicated for the treatment of flea infestations on dogs, puppies, cats and kittens 2 pounds of body weight or greater and 4 weeks of age and older.



ACTIVE INGREDIENT
(nitenpyram)

DOSAGE

2-25lbs. 1 tablet Capstar 11.4 mg
25lbs. and up 1 tablet Capstar 57.0 mg

Item # 10373 - 20 ml
Equibest

For the control and treatment of gastrointestinal parasitism in equids (horses, foals, mares, donkeys and mules) caused by: Strongylus vulgaris, Strongylus equinus, Parascaris sp, Oxyuris equi, Trichonema sp, Triodontophorus sp.



COMPOSITION

Every 100 ml contains
Pyrantel pamoate 35,0 g
Excipients c.s.p. 100 ml

DOSAGE

20ml syringe for an animal weighing between 300 and 400 kg.
5ml for 75 to 100 kg body weight

Item# 10529 - 12 g
Pramectina Paste

Specially formulated to control internal and external parasites in horses. Ivermectin + Praziquantel combination results in more effective anthelmintic.



FORMULA

Ivermectin 10 mg
Praziquantel 50 mg
Excipients c.s.p. 1 g

Item# 10881

Quest Gel - 11.3 g

2% Moxidectin, in a clear gel formula that controls worms including hairworms, stomach worms, bots and encysted small strongyles.



COMPOSITION

20 mg moxidectin/ml (2.0% w/v)

DOSAGE

12g syringe treats a 600kg horse
1cc per 50kg body weight

DOSAGE

11.3g syringe treats a 1150 lb horse
04.mg per kg body weight

Item# 10528 - 6.08 g
Jeffers Ivermectrin Paste

Removes worms and bots with a single dose, including: large and small strongyles, hairworms, threadworms, stomach worms, lungworms, and roundworms.



ACTIVE INGREDIENT
 Ivermectin 1.87 %

DOSAGE

A 6.08g syringe treats a 1250 lb horse.
 91mcg per lb (200mcg/kg body weight)

Item# 11170 - 7.35 g
Zimecterin Gold Paste

Broad-spectrum dewormer paste proven to treat and control 47 species and stages of equine parasites including tapeworms.



ACTIVE INGREDIENTS
 Ivermectin 1.55 %
 Praziquantel 7.75 %

DOSAGE

A 7.35g syringe treats a 1250 lb horse.
 91mcg per lb (200mcg/kg body weight)

Item# 10395 - 23.6 g
Exodus Paste

Removes internal parasites in all types of horses and ponies: large strongyles (bloodworms), small strongyles, pinworms and roundworms.



ACTIVE INGREDIENT
 Pyrantel pamoate 43.9 %

DOSAGE

A 23.6 g syringe treats a 901 to 1200 lbs horse.
 3 mg per pound of body weight.

Item# 10375 - 6.42 g
Equimax Paste

For the treatment and control of roundworms, tapeworms, redworms, pinworms, threadworms, hairworms, lungworms and bots in horses with a single dose.



ACTIVE INGREDIENTS
 Ivermectin 1.87 %
 Praziquantel 14.03 %

DOSAGE

A 6.42 g syringe treats a 1320-lb horse
 91 mcg per lb (200 mcg/kg body weight)

Item# 10371 - 160 ml
10369 - 20 ml

Equisan

Effective against: Redworms, Pinworms, Roundworms, Intestinal Threadworms, Tapeworms.



COMPOSITION

Each 100 ml contains
 Pyrantel pamoate 30 g
 Excipients c.s.p. 100 ml

DOSAGE

5 ml per 80 kg body weight

**Item# 10532 - 20 g
Ovicid Paste**

Paste for the treatment and control of roundworms, hairworms, tapeworms, redworms, pinworms, threadworms, lungworms, and bots in horses.



COMPOSITION

Every 100 g contains	
Ivermectin	0,6 g
Praziquantel	7,5 g
Fenbendazole	22,5 g
Excipients c.s.p.	100,0 g

DOSAGE

200 mcg dose
1 g per 30 kg body weight

**Item# 10137 - 6.08 g
Bimectin Paste**

Removes worms and bots with a single dose. Contents will treat up to 1250 lb body weight. Apple flavored.



ACTIVE INGREDIENT

Ivermectin 1.87 %

DOSAGE

A 6.08g syringe treats a 1250 lb horse.
91mcg per lb (200mcg/kg body weight)

Item# 10374

Equifast Gel - 6.42 g

Effective against: Redworms, Pinworms, Roundworms, Stomach Hair Worms, Large-mouthed Stomach Worms, Neck and Intestinal Threadworms, Bots.



COMPOSITION

Every 100 g contains	
Ivermectin	1.87 g
Excipients csp	100 g

DOSAGE

A 6.42g syringe treats a 600 kg horse
200ug per kg body weight.

**Item # 31209 - 500 ml
Compleland Muscle**

Food supplement used orally based on gamma oryzanol and amino acids supplementing the diet; to be supplied to the horses at any stage of their life.

COMPOSITION:

Every 100ml contains	
Gamma Oryzanol	10.00%
Leucine	4.17%
Isoleucine	2.08%
Valine	2.08%
Arginine	0.63%
Lysine Hydrochloride	0.63%
Glycine	0.63%
Excipients c.s.p.	100.00%

DOSAGE

30ml for 20 to 30 days.
It can be supplied mixed with food or directly in the mouth portion of the animal.



Item # 10985 - 4 lbs

Stress-Dex

Is a balanced electrolyte powder for horses and dogs, to be used as a supplemental source of calcium, phosphorus, salt and potassium.



GUARANTEED ANALYSIS

Calcium	Min.	1.0 %
	Max.	1.4 %
Phosphorus	Min.	0.8 %
Sodium Chloride (Salt)	Min.	6.0 %
	Max.	6.7 %
Potassium	Min.	3.0 %
Dextrose	Min.	73 %

DOSAGE

Horses: 1-2 ounces per day, in one dose or divided into 2 doses. Mix with feed or water.

Dogs (50 lbs and over): 1-2 teaspoons per day, in one dose or divided into 2 doses. Mix with feed or water.

Item # 10131 - 5 lbs

Horse Sho Hoof

Is a leading hoof supplement that helps maintain overall hoof condition. Its formula includes key nutrients like Biotin, Methionine and Chelated Zinc to support hoof growth and help horses develop strong healthy hooves. Furthermore, Sho-Hoof contains anti-oxidants to support a healthy immune system and contains yeast culture to promote optimal digestion of other feed products in horses' diet.



DOSAGE

2 ounces per head per day in addition to the horse's normal daily ration.

GUARANTEED ANALYSIS

	Sho-Hoof concentrate	Sho-Hoof per 2 oz serving
Crude Protein (min)	20.00 %	11.3 g
Methionine (min)	15.00 %	8.5 g
Crude Fat (min)	2.50 %	1.4 g
Crude Fiber (max)	15.00 %	8.5 g
Calcium (min)	1.50 %	0.9 g
Calcium (max)	2.00 %	1.1 g
Phosphorus (min)	0.30 %	0.2 g
Magnesium (min)	0.20 %	0.1 g
Potassium (min)	1.00 %	0.6 g
Iron (min)	1,500 ppm	85 mg
Copper (min)	700 ppm	40 mg
Manganese (min)	2,100 ppm	119 mg
Zinc (min)	3,300 ppm	187 mg
Selenium (min)	16 ppm	0.9 mg
Cobalt (min)	20 ppm	1.1 mg
Iodine (min)	25 ppm	1.4 mg
Vitamin A (min)	32,000 IU/lb	4,000 IU
Vitamin D3 (min)	3,000 IU/lb	375 IU
Vitamin E (min)	800 IU/lb	100 IU
Biotin (min)	160 mg/lb	20 mg
Ascorbic Acid (min)	20 mg/lb	2.5 mg
Niacin (min)	700 mg/lb	88 mg
Choline (min)	600 mg/lb	75 mg
Pyridoxine (min)	180 mg/lb	23 mg

Item # 10530 - 3.75 lbs
Joint Combo Hoof & Coat

Is a convenient 3 in 1 product for complete joint, hoof and coat care. Supports normal joint function and collagen synthesis. Also known to work synergistically for improved skin condition and a lustrous show ring coat. In addition, Joint Combo Hoof & Coat provides excellent hoof conditioning.

ACTIVE INGREDIENTS

Per 2 oz

Glucosamine HCl (shellfish)	1800 mg
Linoleic acid (omega-6 fatty acid)	936 mg
Methylsulfonylmethane (MSM)	750 mg
Alpha-linolenic (Omega-3 fatty acid)	638 mg
Chondroitin Sulfate (shark)	600 mg
Lysine	124.5 mg
Ascorbic Acid	104 mg
Zinc	100 mg
Methionine	73.5 mg
Pyridoxine Hydrochloride	20 mg
Biotin	16 mg
Manganese (manganese/methionine complex)	16 mg



DIRECTIONS FOR USE

Give 3 ounce per day for initial loading dose (3-4 weeks).
 For maintenance, give 2 ounce per day (based on an 1100 lb adult horse).



GUARANTEED ANALYSIS

Crude Protein (min)	14.0 %
Crude Fat (min)	40.0 %
Omega 3 Fatty Acids (min)	3.0 %
Crude Fiber (max)	7.0 %
Calcium (min)	0.8 %
Calcium (max)	1.2 %
Phosphorus (min)	0.5 %

Item # 11152 - 8 lbs

Weight Builder

- For all classes of horses
- Provides extra calories for healthy body condition and fuel for performance.
- Maintains and enhances body weight
- Visible improves skin and coat condition
- Easily metabolized - no digestive tract upset.

FEEDING INSTRUCTIONS

- To enhance skin and coat condition, feed 2 oz daily with regular grain ration.
- For added calories, feed 4 oz daily with regular grain ration.



**Item # 11120 - 3 lbs.
11121 - 7 lbs.**

Vita Plus

-Meets The Demands Of Equine Athletes, Show Horses, Breeding Stock and Both Young and Growing Horses
-Contains Virtually Every Beneficial Nutritional Ingredient An Equine Supplement Can Provide To Improve A Horse's Condition and Performance
-Contains Polyunsaturated For Skin and Hair Condition
-Healthy Balance Of Vitamins and Minerals

DOSAGE

Adult Horses: 2 ounces per day
Foals, Weanlings & Ponies: 1 ounce per day
Broodmares: 4 ounces per day

GUARANTEED ANALYSIS

	Per Ounce	Per Pound
Crude Protein, min	10.00 %	10.00 %
Lysine	0.50 %	0.50 %
Methionine	0.20 %	0.20 %
Crude Fat, min	8.00 %	8.00 %
Crude Fiber, max	12.00 %	12.00 %
Calcium, min	638 mg	2.25 %
Calcium, max	780 mg	2.75 %
Phosphorous, min	425 mg	1.50 %
Salt, min	567 mg	2.00 %
Salt, max	709 mg	2.50 %
Potassium, min	241 mg	0.850 %
Magnesium, min	12.5 mg	0.044 %
Iodine, min	1 mg	35 ppm
Zinc, min	20 mg	705 ppm
Iron, min	100 mg	3,527 ppm
Cobalt, min	0.05 mg	18 ppm
Copper, min	4.0 mg	141 ppm
Manganese, min	10 mg	300 ppm
Selenium, min	10 mcg	0.4 ppm
Vitamin A, min	25,000 I.U.	400,000 I.U.
Vitamin D3, min	2,500 I.U.	40,000 I.U.
Vitamin E, min	25 I.U.	400 I.U.
Vitamin B12, min	200 mcg	3,200 mcg
Riboflavin, min	25 mg	400 mg
D-Pantothenic Acid, min	62.5 mg	1,000 mg
Thiamine, min	12.5 mg	200 mg
Niacin, min	125 mg	2,000 mg
Vitamin B6, min	5 mg	80 mg
Choline, min	106 mg	1,186 mg

**Item # 11125 - 2.5 lbs
Vita-Min E & Selenium**

- For all classes of horses.
- Helps correct nutrient deficiencies.
- Contains balanced levels of vitamin E and Selenium.
- Provides 625 I.U. of Vitamin E and 1 mg of Selenium per 1/2 oz.
- Helps keep horse in peak condition



GUARANTEED ANALYSIS

Crude Protein (min)	10.0 %
Crude Fat (min)	3.5 %
Crude Fiber (max)	15.0 %
Calcium (min)	8.5 %
Calcium (max)	9.5 %
Selenium (min)	65 ppm
Vitamin E (min)	20,000 I.U./lb.

FEEDING DIRECTIONS

To dress daily grain ration with 1/4 to 1/2 ounce. This product can be mixed into a complete feed at the rate of 2.6 lbs per ton.

**Item # 10620 - 3 lbs
10621 - 7 lbs**

Mare Plus

Vitamin and Mineral Supplement is rich in vitamins A, D-3 and E, as well as calcium, phosphorus and iodine. It helps build and condition mares to meet the demands of pregnancy and keeps mares in peak condition during gestation, foaling and lactation.



FEEDING DIRECTIONS

Feed one ounce of Mare Plus supplement twice daily with regular ration - ounce in the morning and again in the evening.

GUARANTEED ANALYSIS

	Per Pound	Per Ounce
Crude Protein, min	6.0 %	6.0 %
Crude Fat, min	3.5 %	3.5 %
Crude Fiber, max	6.0 %	6.0 %
Calcium, min	5.80 %	5.80 %
Calcium, max	6.80 %	6.80 %
Phosphorus, min	5.00 %	5.00 %
Salt, min	1.00 %	1.00 %
Salt, max	1.50 %	1.50 %
Potassium, min	1.88 %	1.88 %
Magnesium, min	0.39 %	0.39 %
Cobalt, min	300 ppm	8.5 mg
Copper, min	250 ppm	7.0 mg
Iodine, min	160 ppm	4.5 mg
Iron, min	4000 ppm	113.4 mg
Manganes, min	2200 ppm	62.3 mg
Selenium, min	0.4 ppm	0.01 mg
Zinc, min	2000 ppm	56.7 mg
Vitamin A, min	800,000 IU	49,955 IU
Vitamin D3, min	80,000 IU	4,995 IU
Vitamin E, min	960 IU	69.9 IU
Vitamin B12, min	3.24 mg	0.20 mg
Riboflavin, min	800 mg	49.9 mg
D-Pantothenic Acid, min	1000 mg	62.4 mg
Thiamine, min	700 mg	43.7 mg
Niacin, min	2000 mg	124.8 mg
Vitamin B6, min	165 mg	10.3 mg
Folic Acid, min	144 mg	8.9 mg
Choline, min	8700 mg	543.2 mg
P-Amino Benzoic Acid, min	800 mg	49.9 mg
Carotene, min	3.4 mg	0.21 mg

Item # 10470 - 3 lbs
 10471 - 7 lbs

Grow Colt

- A special supplement just for growing foals
- Supplies 27 vitamin and mineral nutrients needed for proper growth and development
- Includes calcium and phosphorus for proper bone development and energy delivery
- Also contains biotin



FEEDING DIRECTIONS

To aid in maximum growth and development, add 2 ounces of Grow Colt supplement to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

GUARANTEED ANALYSIS

	Per Pound	Per Ounce
Crude Protein, min	5.00 %	5.00 %
Crude Fat, min	4.50 %	4.50 %
Crude Fiber, max	7.00 %	7.00 %
Calcium, min	7.00 %	7.00 %
Calcium, max	8.05 %	8.05 %
Phosphorus, min	5.28 %	5.28 %
Salt, min	1.65 %	1.65 %
Salt, max	2.15 %	2.15 %
Potassium, min	1.25 %	1.25 %
Magnesium, min	0.40 %	0.40 %
Manganese, min	1100 ppm	31 mg
Iron, min	1800 ppm	51 mg
Copper, min	22 ppm	0.62 mg
Zinc, min	11 ppm	0.31 mg
Iodine, min	160 ppm	4.5 mg
Cobalt, min	11 ppm	0.31 mg
Flouride, min	375 ppm	10.6 mg
Selenium, min	0.4 ppm	0.01 mg
Vitamin A, min	480,000 I.U.	29,970 I.U.
Vitamin D3, min	100,000 I.U.	6,244 I.U.
Vitamin E, min	320 I.U.	19.9 I.U.
Vitamin B12, min	3.2 mg	0.19 mg
Menadione, min	50 mg	3.1 mg
Riboflavin, min	400 mg	24.9 mg
D-Pantothenic Acid, min	360 mg	22.4 mg
Thiamine, min	108 mg	6.7 mg
Niacin, min	2400 mg	149 mg
Vitamin B6, min	50 mg	3.1 mg
Folic Acid, min	10 mg	0.62 mg
Choline, min	3600 mg	224 mg
Biotin, min	.001 mg	0.62 mcg
P-Amino Benzoic Acid, min	90 mg	5.6 mg
Ascorbic Acid, min	10 mg	0.62 mg

Item # 10705 - 8 lbs

10706 - 4 lbs

More Muscle Absorbine Maximize

Complete formula supports muscle development and contains GanedenBC probiotic to support bioavailability of muscle building ingredients.

Complete Conditioning:

- Lysi-Crea Complex, a proprietary blend of Lysine and Creatine support muscle development.
- Prebiotics and GanedenBC probiotic help restore the balance in the total digestive tract.
- Antioxidant properties of Gamma Oryzanol support a healthy immune system.
- Omega 3 fatty acids help maintain calmness.

ACTIVE INGREDIENTS per 2 oz (57 g) measure:

Omega 3-6-9 (from flaxseed)	7,000 mg
Creatine	2,800 mg
Lysine	1,900 mg
Methionine	600 mg
Gamma Oryzanol	500 mg
GanedenBC Bacillus coagulans GBI-30, 6086	1 billion CFU



DIRECTIONS FOR USE:

Administer one scoop daily for an adult horse weighing 1,100 pounds (500 kg).

Adjust the amount according to your horse's actual weight.

Item # 36393 - 2 lbs.

Brewers Yeast

For use as an oral nutritional supplement. Is a rich source of B-complex vitamins, protein, amino acid and minerals.



GUARANTEED ANALYSIS

Per tablespoon	
Crude Protein (min)	35 %
Crude Fat (min)	5 %
Crude Fiber (max)	10 %
Ash (max)	5 %

FEEDING DIRECTIONS

Top-dressed or mixed with feed.

Horses: 1 to 4 tablespoons per day

Ponies: 1 to 2 tablespoons per day

Dogs: 1 tablespoons per day.

Item # 10920 - 1 qt
 10930 - 1 gal

Red Cell

Is a palatable yucca flavored vitamin-iron-mineral feed supplement for horses formulated to provide supplemental vitamins and minerals that may be lacking or are in insufficient quantities in a horse's regular feed.

FEEDING DIRECTIONS

- Feed Red Cell supplement by mixing into daily feed ration or orally with a dose syringe.
- Horses in training: feed 2 fluid ounces daily.
- Horses not in training: feed 1 fluid ounce daily.



GUARANTEED ANALYSIS

	Each Lb. Contains	Each Fluid Ounce Contains
Magnesium, min	0.06 %	20 mg
Potassium, min	0.31 %	100 mg
Sulfur, min	0.78 %	250 mg
Copper, min	1,100 ppm	36 mg
Selenium, min	20 ppm	0.65 mg
Zinc, min	340 ppm	11 mg
Iron, min	9,400 ppm	300 mg
Cobalt, min	60 ppm	2 mg
Manganese, min	1,200 ppm	39 mg
Iodine, min	8 ppm	0.25 mg
Vitamin A, min	356,923 I.U.	25,000 I.U.
Vitamin D-3, min	49,969 I.U.	3,500 I.U.
Vitamin E, min	500 I.U.	35 I.U.
Vitamin B-12, min	1,680 mcg	120 mcg
Thiamine, min	428 mg	30 mg
Riboflavin, min	356 mg	25 mg
Vitamin B-6, min	114 mg	8 mg
Menadione, min	35 mg	2.5 mg
Folic Acid, min	100 mg	7 mg
Biotin, min	0.285 mg	0.02 mg
Choline, min	2,855 mg	200 mg
D-Pantothenic Acid, min	685 mg	48 mg

**Item # 10931- 4 lbs
Red Cell Pellets**

Is a palatable yucca flavored vitamin-iron-mineral feed supplement for horses formulated to provide supplemental vitamins and minerals that may be lacking or are in insufficient quantities in a horse's regular feed.

FEEDING DIRECTIONS

- Horses in training: Feed 1 oz of Red Cell Pellets supplement daily by mixing into daily feed ration.
- Horses not in trainin: Feed 1/2 oz of Red Cell Pellets supplement daily by mixing into daily feed ration.



GUARANTEED ANALYSIS

	Per Lb.	Per Serving (1/2 ounce)
Crude Protein, min	15 %	15 %
Crude Fat, min	8 %	8 %
Crude Fiber, max	12 %	12 %
Moisture, max	10 %	10 %
Ash, max	15 %	15 %
Calcium, min	1.35 %	382 mg
Calcium, max	1.65 %	467 mg
Potassium, min	0.705 %	100 mg
Magnesium, min	0.141 %	20 mg
Sulfur, min	1.763 %	250 mg
Iron, min	2.16 %	300 mg
Zinc, min	7,760 ppm	110 mg
Manganese, min	2,751 ppm	39 mg
Copper, min	2,540 ppm	36 mg
Cobalt, min	141 ppm	2 mg
Selenium, min	45.9 ppm	0.65 mg
Iodine, min	17.6 ppm	0.25 mg
Vitamin A, min	224,197 IU	7,000 IU
Vitamin D3, min	112,098 IU	3,500 IU
Vitamin E, min	1,121 IU	35 IU
Vitamin B12, min	3,843 mcg	120 mcg
Menadione, min	80.1 mg	2.5 mg
Riboflavin, min	800.7 mg	25 mg
D-Pantothenic Acid, min	1,537 mg	48 mg
Thiamine, min	961 mg	30 mg
Vitamin B6, min	256.2 mg	8 mg
Folic Acid, min	129.7 mg	4 mg
Choline, min	6,406 mg	200 mg
Biotin, min	0.64 mg	0.020 mg

Item # 10330 - 5 lbs

Electro Dex

- Replaces lost electrolytes in horses under stress from summer heat, training and performance.
- Helps replace fluid lost through sweat.
- Helps support normal mineral balance.



GUARANTEED ANALYSIS

Calcium (min)	0.25 %
Clacium (max)	0.75 %
Salt (min)	68.00 %
Salt (max)	73.00 %
Potassium (min)	11.00 %
Magnesium (min)	0.40 %

FEEDING DIRECTIONS

Electro Dex electrolytes may be given in the horse's feed or drinking water at the rate of 2 ounces per 10 gallons of fresh water, or 2 ounces in the hore's daily feed ration in place of regular salt.

Item # 11141 - 30 cc

JC's X-Tie Up

For Equine use only. Guaranteed to stop "Tying-Up Syndrome" for 1 month. This all natural product aids in locomotion. Use before a race or event for excellent performance.



GUARANTEED ANALYSIS

Thiamine, min	2100 mg/lb
Vitamin B12, min	1.4 mg/lb
Niacinamide, min	21.500 mg/lb
Riboflavin, min	850 mg/lb
D-Pantothenic Acid, min	1100 mg/lb
Vitamin B6, min	1400 mg/lb

DIRECTIONS

Administer to back of horse's throat. Squirt 1/3 (10cc) contents 1st day, 1/3 (10cc) 2nd day, skip 3rd day, remaining contents 4th day.

Item # 11143 - 2 oz

Stretch Run Paste

Is a pre-race, pre-event natural health product, to help maintain healthy metabolic energy functions in the horse. For performance horses engaged in racing or other strenuous activity.



ACTIVE INGREDIENTS

A syringe (2 fl. oz.) contains
Vibose blend..... 14 g
Cherry flavor, citric acid, glycerine, potassium sorbate, water, xanthan gum.

DIRECTIONS FOR USE

Give the full contents of the syringe (2 oz), by mouth, approximately 2 hours before a stressful event.

Item # 11140 - 15 ml

Vitamin B12 Gel

Is a highly concentrated Vitamin B 12 supplement for horses. Vitamin B12 aids in reproduction, proper nervous system function and production of red blood cells. Assists stamina and helps fight fatigue. Vitamin B 12 helps stimulant the appetite and aids horses under stress.



GUARANTEED ANALYSIS

Per 15 ml tube:
Vitamin B12 minimum 10,000 mcg

DIRECTIONS FOR USE

Foals: Half tube (7.5ml) orally on back of tongue, for nutrient supplementation of Vitamin B12
Horses: One tube (15ml) orally on back of tongue, for nutrient supplementation of Vitamin B12.



ACTIVE INGREDIENTS

Per 10 cc measure:

Yucca Schidigera Extract	954 mg
Devil's Claw Extract	726 mg
Vitamin B-12	10 mcg

DIRECTIONS FOR USE

Administer 10cc of paste daily into the horse's mouth on the back of the tongue.

Item # 11144 - 30 g

Bute - Less Paste

- For use in horses only.
- Helps ease aches and discomfort associated with normal daily exercise and activity, training or competition.



Item # 10933 - 32.5 ml

Vision, Focus and Calming Paste

- Heeps keep horses composed and focused in stressful situations.
- Won't cause drowsiness or affect performance
- Unique combinatin of seven active ingredients
- Excellent for heavy training, performance activities, competition, racing and trailering.

ACTIVE INGREDIENTS

Per 32.5 ml syringe	
L-Tryptophan	2500 mg
Thiamine	1000 mg
Inositol	1000 mg
Riboflavin	500 mg
Magnesium	400 mg
Vitamin B6	400 mg
Valerian root extract	36 mg

DIRECTIONS FOR USE

Administer contents of syringe (32.5 ml) directly into horse's mouth and when possible to the back of the tongue.

For Performance Horses: 1 full syringe 2 hours before competition or as regulations will allow.

For Race Horses: 1 full syringe 2 hours before competition or as race track officials allow.

For Transporting Horses: 1 full syringe 2 hours before loading and 1 full syringe every 8 hours if transporting is prolonged.

Item # 11142 - 15 oz
Ultra Fire Vitamin Mineral

-Ultra Fire concentrated Multi Vitamin with B-complex, vitamins A, C, E, K, electrolytes and trace minerals.
 -Is a very complete multi-vitamin and mineral supplement which promotes healthy energy and stamina without making your horse nervous.



DIRECTIONS FOR USE

Give one scoop (1/2 volume ounce) once per day.

ACTIVE INGREDIENTS

Per scoop (1/2 volume ounce)

Sodium Chloride	5170 mg	Magnesium Sulfate	220 mg
Potassium Chloride	3270 mg	Hesperidin Complex	190 mg
Calcium Carbonate	2100 mg	Riboflavin	160 mg
Ascorbic Acid	610 mg	Thiamine Mononitrate	160 mg
Lemon Bioflavonoids	390 mg	Calcium Lactate	120 mg
Niacinamide	340 mg	Pyridoxine HCl	40 mg
Calcium Pantothenate	340 mg	Folic Acid	10 mg

Item # 10697 - 2 lbs.
10698 - 4 lbs.
10699 - 10 lbs.

Vita Flex

-Is ultra pure methylsulfonylmethane.
 -Recommended for the support of healthy joints.



ACTIVE INGREDIENTS

Per scoop (1/3 ounce)

Methylsulfonylmethane (MSM) 99.8% pure 9,430 mg

DIRECTIONS FOR USE

Horses: Give 1/3 ounce twice daily for the first 7 days. Give 1/3 ounce thereafter for daily maintenance, or as directed by veterinarian.

Dogs and Cats: Give recommended level twice daily for the first 7 days, reduce to once daily for maintenance. Give dry or dissolve in lukewarm water first.

1/4 teaspoon = 1 gram MSM

Up to 45 lbs. bodyweight	1/4 rounded tsp
45 to 90 lbs. bodyweight	1/2 rounded tsp
Above 90 lbs. bodyweight	3/4 rounded tsp

Item # 10693 - 1 gallon
 - 32 oz.
 - 16 oz.
 - 8 oz.

Mineral Oil

A mild laxative for the lubrication of the intestinal tract.



DOSAGE

Horse	1 pt.
Cattle	1 pt.
Sheep	5 oz.
Hogs	1 pt.
Dogs	
Toy breeds	1 oz.
Puppies	1 oz.
Adult Dogs	2 oz.
According to size	

**Item # 10469 - 5 lbs
Natural Psyllium Pellets**

- For use in horses only.
- Recommended to support removal of sand from the ventral colon.
- May help reduce the possibility of digestive colic in horses

ACTIVE INGREDIENTS

Per 5 oz

Psyllium Husk

102,250 mg



DIRECTIONS FOR USE

- For average size (1,000 lb.) adult horse - give 5oz to 7.5oz of Natural Psyllium Pellets for one full week out of every month. Give less to ponies, yearlings and foals; more to larger horses and draft breeds.
- Fresh water should be available at all times.



Item # 10010 - 5 lbs.

Accel Life Time

helps make sure your horse gets balanced nutrition as well as antioxidants and immune system support. This supplement features essential vitamins, minerals, amino acids, and probiotics.

FEEDING INSTRUCTIONS

Training, performance, or during breeding, gestation, lactation or stress: 2 ounces daily.

Mature horses, idle to moderate activity: 1 to 2 ounces daily.

Weanlings, yearlings: start at 1/2 ounce daily; gradually increase according to body weight.

GUARANTEED ANALYSIS

	Minimum	Per Pound		Minimum	Per Pound
Leucine	1.89 %	8,554 mg	Sulfur	6,893 ppm	3,127 mg
Glutamine	1.66 %	7,508 mg	Iron	5,688 ppm	2,580 mg
Lysine	1.35 %	6,125 mg	Zinc	1,323 ppm	600 mg
Valine	1.30 %	5,919 mg	Manganese	1,102 ppm	500 mg
Threonine	1.24 %	5,627 mg	Copper	441 ppm	200 mg
Isoleucine	1.24 %	5,616 mg	Cobalt	22 ppm	10 mg
Glycine	0.86 %	3,922 mg	Iodine	22 ppm	10 mg
Phenylalanine	0.85 %	3,853 mg	Selenium	18 ppm	8 mg
Arginine	0.76 %	3,432 mg	Vitamin A	100,000 IU	
Tyrosine	0.70 %	3,181 mg	Vitamin D3	20,000 IU	
Proline	0.53 %	2,401 mg	Vitamin E	8,000 IU	
Alanine	0.47 %	2,134 mg	Vitamin B12		3 mg
Serine	0.45 %	2,020 mg	Menadione		4 mg
Tryptophan	0.43 %	1,962 mg	Riboflavin		100 mg
Cystine	0.41 %	1,873 mg	d-Pantothenic acid		200 mg
Histidine	0.36 %	1,646 mg	Thiamine		224 mg
Calcium-min	4.01 %	18,182 mg	Niacin		500 mg
Calcium-max	4.81 %	21,819 mg	Vitamin B6		243 mg
Phosphorus	3.03 %	13,730 mg	Folic Acid		80 mg
Magnesium	2.05 %	9,278 mg	Choline		2,866 mg
Potassium	1.51 %	6,831 mg	d-Biotin		8 mg
			Ascorbic Acid		4,000 mg

**Item # 10050 - 240 gr.
Aspirin Bolus**

To be used orally as an aid in reducing fever and in relief of minor muscular aches and joint pains in cattle and horses.



ACTIVE INGREDIENTS

Each Bolus contains:
Acetylsalicylic Acid 240 grains (15.6g)

DOSAGE AND ADMINISTRATION

Administer orally
Mature horses and cattle: 2 to 4 boluses.
Foals and calves: 1 to 2 boluses. Allow animal to drink water after administration

**Item # 10477 - 1 lb.
Cough Free Powder**

Recommended to support the respiratory system. Attacks the causes of coughs and congestion and helps horses fight off colds, allergies, and heave-related symptoms.



ACTIVE INGREDIENTS

Per 1/2 oz.
Ginger Root 3970 mg
Elecampane Root 3544 mg
Kelp Powder 1488 mg
Fenugreek Seed 1418 mg
Iron 992 mg
Sulphur 992 mg
Gentian Root 496 mg

DIRECTIONS FOR USE

Give 1 oz per day for the first five days. If symptoms persist, give 1/2 oz per day until symptoms cease. For a horse who is not consuming well, mix 1 oz in a little warm water and dose syringe into horse's throat.

**Item # 10476 - 3.75 lbs.
Quit Wood Chewing**

Guaranteed to stop your horse from chewing on wood. Highly palatable feed supplement provides essential vitamins, minerals and fatty acids to satisfy a horse's nutritional requirements and eliminate the urge to chew wood

GUARANTEED ANALYSIS

	Per Pound	Per 2 Ounces
Crude Protein (min)	12.00 %	12.00 %
Crude Fat (min)	6.00 %	6.00 %
Crude Fiber (max)	14.50 %	14.50 %
Moisture (max)	10.00 %	10.00 %
Ash (max)	16.50 %	16.50 %
Calcium (min)	2.00 %	1100 mg
Calcium (max)	2.50 %	1400 mg
Phosphorus (min)	1.50 %	850 mg
Zince (min)	90 ppm	110 ppm



FEEDING DIRECTIONS

Feed 2 ounces per day.

Item # 36346 - 5 ml

Canisan Puppy

Is an anthelmintic for oral use against nematodes of puppies, with a nice raspberry flavor. It is indicated for the control of the most common gastrointestinal parasites of the dog, such as *Toxocara canis*, *Toxascaris leonina*, *Ancylostoma caninum* and *Uncinaria stenocephala*.



COMPOSITION

Every ml contains
Pyrantel pamoate.....80
mg
(Equivalent to 28 mg of base)
Excipients c.s.p.....1 ml

DOSAGE AND ADMINISTRATION

Administered orally in puppies older than 10 days at a dose of 14.5 mg of pyrantel pamoate / kg bodyweight.
Dogs up to 5 kg..... 1 ml
Dogs over 5 kg..... 1 ml per 5 kg
Repeat dose at 15 or 21 days, or at the discretion of the veterinarian.

Item # 36347 - 5 ml

36348 - 10 ml

Canisan F

Is an anthelmintic for oral use against nematodes and tapeworms of dogs and cats with a pleasant taste of honey. It is indicated for the control of the most common gastrointestinal parasites of dogs and cats, such as nematodes. *Toxocara canis*, *Toxascaris leonina*, *Ancylostoma caninum*, *Trichuris vulpis*, *Oxyuris spp*, and *Uncinaria stenocephala* and tapeworm *Dipylidium caninum*, *Taenia taeniformis*, *Taenia pisiformis*, *Echinococcus granulosus*, *Echinococcus multilocularis* and protozoa such as *Giardia spp*.



COMPOSITION

Every ml contains
Albendazole 150 mg
Praziquantel 50 mg
Excipients 1 ml

DOSAGE

Administered orally, 1ml per 5kg bodyweight (equivalent to 30 mg of albendazole and 10mg of praziquantel per kg body weight)

Item # 36222 - 40 tablets

Cenit Tablets

Broad-spectrum antiparasitic for control and treatment of flat and round common parasites in dogs and cats. Is effective against *Ancylostoma caninum*, *Toxocara canis*, *Toxascaris leonina*, *Trichuris vulpis*, *Uncinaria stenocephala*, *Dipylidium canine*, taenias sp, sp Oxiuris.

FORMULA

Each tablet contains

Febantel	150 mg
Pyrantel Pomoato (equivalent to 50 mg of pyrantel base)	144 mg
Praziquantel	50 mg
Excipients c.s.	



DOSAGE

1 tablet / 10kg p.v. in single dose. In severe infestations tapeworm repeat at 8 days.

Item # 36188 - 100 tablets

Endovet Ces Tablets

Dewormer whose spectrum includes major gastrointestinal and pulmonary nematodes, both in their larval and adult stages , as well as the cestodes. Also allows the control of sucking lice, fleas and mites that cause scabies in dogs and cats.

DOSAGE

1 tablet per 10 kg bodyweight. Single dose

FORMULA

Each tablet contains

Ivermectin	2 mg
Praziquantel	50 mg
Excipient	1 tablet



Item # 36221 - 4 tablets

Pramectina

Control and treatment of gastrointestinal and lung parasites in dogs and cats.



FORMULA

Each tablet contains

Ivermectin	2 mg
Praziquantel	50 mg
Excipients c.s.p.	

DOSAGE

1 tablet per 10 kg bodyweight. Single dose

Item # 36299 - 40 tablets

Teni-Best Tablets

For the control and treatment of major parasitic forms affecting the canine species, such as nematodes and cestodes, being very active against *Toxocora canis*, *Ancylostoma caninum*, *Uncynaria sp*, *Trichuris vulpis*, *Dipylidium caninum* and *Taenia sp*.



COMPOSITION

Each tablet contains

Albendazole	150.0 mg
Praziquantel	12.5 mg

DOSAGE AND ADMINISTRATION

1 tablet per 5 kg of body weight, preferably in the morning before receiving food.

Item # 36298 - 100 ml

Tenibest Oral Suspencion

In dogs for the control and treatment of gastrointestinal parasitism produced by: *Toxocara sp.*, *Ancylostoma caninum*, *Trichuris vulpis*, *Taenia sp.*, *Uncinaria sp.*, *Dipylidium caninum*.



COMPOSITION

Every ml contains

Albendazole	150.0 mg
Praziquantel	12.5 mg
Excipients c.s.p.	1 ml

DOSAGE AND ADMINISTRATION

1 ml per 5 kg of body weight, preferably in the morning before receiving food.

Item # 36104 - 100 ml

Hemavet B12 Oral

In poultry, cattle, horses, pigs, sheep, goats, dogs and cats to treat deficiencies of vitamins present in the composition. Adjunct in the treatment of infectious and parasitic diseases.



ADMINISTRATION AND DOSAGE

Directly orally or in drinking water

Dogs: 5 to 10 ml daily according size

Cats: 2 to 5 ml daily according to size

Cattle and Horses: 20ml per 100kg bodyweight

Pigs, sheep and goats: 5 ml per 20kg bodyweight

Birds: 2.5 ml daily per liter of water, in practice 50 drops per liter of water. Supply for 3-5 days or according to criteria of the veterinarian.

COMPOSITION

Every 100 ml contains

Thiamine HCl	150 mg
Riboflavin 5 Sodium phosphate	72 mg
Pyridoxine HCl	72 mg
Cyanocobalamin (B12)	324 mcg
Niacinamide	2,200 mg
D - Panthenol	200 mg
Biotin	505 mcg
Excipients	100 ml

Item # 36136 - 30 Tablets
Amigo Frasco

Is a vitamin and mineral supplement for dogs of all ages. Is used for the proper development and maintenance of the animal body, the result is a properly balanced diet.



COMPOSITION

Each tablet contains	
Vitamin A Acetate	1.000 U.I.
Vitamin D3	75 U.I.
Vitamin E Acetate	20 U.I.
Thiamine Hydrochloride	1.000 mcg
Riboflavin 5 sodium phosphate	1.000 mcg
Pyridoxine hydrochloride (B6)	400 mcg
Cyanocobalamin (B12)	1 mcg
Niacinamide	10.000 mcg
Calcium pantothenate	1.000 mcg
Methionine	20 mcg
Lysine hydrochloride	10 mcg
Dicalcium phosphate	390 mcg
Potassium biphosphate	60 mg
Magnesium oxide	10 mg
Manganese sulfate	0.7 mg
Copper sulphate	0.3 mg
Zinc sulfate	0.3 mg
Cobalt carbonate	0.5 mg
Potassium iodide	0.05 mg
Ferrous sulfate	3 mg
Dibasic Sodium	60 mg
Excipients c.s.p.	1 Tablet

DOSAGE AND ADMINISTRATION

Orally and daily to dogs in the following doses.

Puppies: 1 tablet per 5 kilos bodyweight

Adult dogs: 1 tablet per 10 kilos bodyweight. Double dose to pregnant females or with offspring and sick or convalescing dogs.

Item # 36382 - 60 Tablets
Hip, Joint & Muscle Chews

Recommended to support healthy immune function, cartilage health, and joint flexibility.

COMPOSITION

Each tablet contains	
Glucosamine HCl (Shellfish Source)	500 mg
MSM (Methylsulfonylmethane)	100 mg
Bromelain	100 mg
Sodium Hyaluronate (HA)	10 mg
Zinc (Oxide)	1.5 mg
Manganese (Gluconate)	0.375 mg
Vitamin D3 (Vitamin D)	150 IU



DIRECTIONS FOR USE

Can be given during or after mealtime. Give one chewable tablet daily for dogs weighing less than 50 lbs and two chewable tablets daily for dogs weighing 50 lbs or more.

Item # 36386 - 12 oz

Connectin Granular



Connectin is complete support for dogs currently suffering from joint pain due to overuse, age, injury or genetics and powerful joint protection for dogs at high risk for joint problems, including growing giant breeds, small breeds prone to luxating patellas, overweight dogs or active dogs of any size or age.

SUGGESTED DAILY USE

Scoop enclosed: 1 scoop = 3.6 teaspoons or 8.5 grams

Weight	Initial (2 to 4 months)	Maintenance
Under 20 pounds	1/2 scoop	1/4 scoop
20 - 40 pounds	1 scoop	1/2 scoop
40 - 60 pounds	1 1/2 scoops	3/4 scoop
60 - 80 pounds	2 scoops	1 scoop
80 - 100 pounds	2 1/2 scoops	1 1/4 scoops
Over 100 pounds	3 scoops	1 1/2 scoops

COMPOSITION

Every 8.5 g contains

Mucopolysaccharides

(porcine source of chondroitin

sulfate and hyaluronic acid) 1200 mg

Yucca Root 1200 mg

Glucosamine HCl 99%+(shellfish) 625 mg

Alfalfa 500 mg

Nettle Leaf 300 mg

Devil's Claw 100 mg

Celery Seed 50 mg

Black Cohosh Root 50 mg

Ginger root 50 mg

Turmeric root 50 mg

Cayenne Pepper 5 mg



Item # 36387 - 50 tablets
Connectin Chewable Tablet

Feature Glucosamine HCl along with Mucopolysaccharides and 9 herbs that work together to heal and maintain your dogs joints. It can assist in rebuilding cartilage, lubricating joints, reducing friction, reducing inflammation, and healing.

SUGGESTED DAILY USE

Weight	Initial (2 to 4 months)	Maintenance
Under 20 lbs	1/2 chew tab	1/4 chew tab
20 - 40 lbs	1 chew tab	1/2 chew tab
40 - 60 lbs	2 chew tabs	1 chew tab
60 - 80 lbs	3 chew tabs	1 1/2 chew tabs
80 - 100 lbs	4 chew tabs	2 chew tabs
100 + lbs	5 chew tabs	2 1/2 chew tabs

GUARANTEED ANALYSIS

Per tablet

Glucosamine HCl 99%+ (shellfish).....500 mg
 Mucopolysaccharides
 (porcine source of chondroitin
 sulfate & hyaluronic acid).....250 mg
 Yucca Root.....135 mg
 Nettle Leaf.....100 mg
 Alfalfa Extract 50%.....85 mg

Devils Claw Extract 2.5%.....55 mg
 Celery Seed.....25 mg
 Black Cohosh Root.....25 mg
 Ginger Root Extract 5%.....12 mg
 Tumeric Extract 95%.....2.5 mg
 Cayenne Pepper.....2.5 mg

Item # 10475 - 3.75 lbs.

Equitrol

Highly palatable feed additive to prevent the development of stable flies and house flies in the manure of treated horses.

ACTIVE INGREDIENTS

Diflubenzuron (Dimilin)	0.24 %
(CAS# 35367-38-5)	
Other Ingredients	<u>99.76 %</u>
Total	100 %



DOSAGE

300-500 lb: Feed 2/5 oz per horse per day
 500-700 lb: Feed 3/5 oz per horse per day
 700-900 lb: Feed 4/5 oz per horse per day
 900-1100 lb: Feed 1 oz per horse per day
 1100-1300 lb: Feed 1 1/5 oz per horse per day

Item # 36140 - 32 oz

Canine Red Cell

Is a feed supplement for dogs for use as a supplemental source of vitamins and minerals.

FEEDING DIRECTIONS

Mix with the animal's regular food or feed directly. Shake well before using.
Dogs & Puppies: 1 teaspoon for each 10 lbs of body weight
Kennel Feeding: Mix 4 ounces of Canine Red Cell supplement for each 10 lbs. of food. Double amounts may be fed to animals during gestation and lactation.



GUARANTEED ANALYSIS PER POUND

Potassium (min)	0.017%	d-Pantothenic acid (min)	22 mg
Iron (min)	2400 ppm	Thiamine (min).	63 mg
Copper (min)	73 ppm	Niacin (min)	435 mg
Cobalt (min)	35 ppm	Pyridoxine (min)	7 mg
Zinc (min)	1600 ppm	Folic Acid (min)	3.5 mg
Manganese (min)	120 ppm	Choline (min)	370 mg
Selenium (min).	1.5 ppm	Vitamin A (min)	145,000 I.U.
Vitamin B12 (min)	1.45 mg	Vitamin D (min)	21,000 I.U.
Menadione (min)	0.15 mg	Vitamin E (min)	675 I.U.
Riboflavin (min)	38 mg		

Item # 36349 - 12 tablets

Canisan Tablets

Is a broad spectrum anthelmintic. Combats the following types of gastrointestinal parasites:

CESTODES: Dipylidium caninum, Taenia pisiformis, Taenia taeniaeformis, Echinococcus granulosus and Echinococcus multilocularis.

NEMATODES: Ancylostoma sp., Toxascaris leonina, Trichuris sp. and Dirofilaria immitis.

PROTOZOA: Giardia lamblia.

COMPOSITION

Each tablet contains	
Praziquantel	75 mg
Fenbendazole	750 mg
Pyrantel pamoate	75 mg
Ivermectin	0.09 mg
Excipients c.s.p.	1 Tablet

DOSAGE

Dogs and cats: Give 1 tablet per 15 kg bodyweight.





Item # 36292 - 6 oz

Just Born Milk Replacer for Kittens

Balanced nutrition to start kittens off right. Highly digestible formula. Balanced formula of protein fats carbohydrates minerals and amino acids essential for healthy growth.

GUARANTEED ANALYSIS

Crude Protein, min	33.5 %
Crude Fat, min	18.0 %
Crude Fiber, max	0.2 %
Moisture, max	5.0 %
Ash, max	8.0 %

DIRECTIONS

Mix 1 scoop powder into 1 scoop water. Use tap or bottled water. Stir until smooth.

Kittens should be fed at least 1/2 ounce of prepared liquid Just Born Milk Replacer for every 2 ounces of bodyweight daily.

For use within a 24 hour period.



Item #36290 - 12 oz

Just Born Powder Milk Puppy

- DHA supports brain and eye development
- Nutritious milk replacer starts puppies off right
- Highly digestible formula
- Highly digestible milk replacer

GUARANTEED ANALYSIS

Crude Protein (min.):	29.0%
Crude Fat (min.):	28.0%
Crude Fiber (max.):	0.2%
Moisture (max.):	5.0%
Ash (max.):	8.0%
Docosahexaenoic Acid (DHA)* (min.):	0.034%

*Not recognized as an essential nutrient by the AAFCO Dog Food Nutrient Profile.

FEEDING DIRECTIONS

Weigh the puppy. Prepare enough Bio Spot Active Care™ Just Born® milk replacer, with the enclosed measuring scoop, for use within a 24 hour period. Puppies should be fed at least 1/2 ounce of prepared liquid Bio Spot Active Care™ Just Born® milk replacer for every 2 ounces of body weight, daily. Puppies should be allowed to consume as much formula as they want. For puppies 1-10 days old, mix 1 scoop powder into 2 scoops water. For puppies older than 10 days, mix 2 scoops powder into 3 scoops water. Use tap or bottled water. Stir until smooth. Pour liquid into an appropriate sized, clean nursing bottle or feeding syringe. Heat liquid by placing bottle or feeding syringe in a pan of tepid water. Test temperature on your wrist. It should feel slightly warm. Do not microwave. Store Bio Spot Active Care™ Just Born® milk replacer in the refrigerator. Refrigerate unused reconstituted liquid up to 24 hours. After feeding, hold the puppy's head on your shoulder and rub his back gently until he burps.

Item # 36388 - 1 lb
36389 - 500 tabs

Brewer's Yeast Garlic Flavored Powder

Supplies essential vitamins to dogs and cats. Contains an excellent source of B-complex vitamins, garlic proteins and other antioxidants to support normal growth, muscle development, joint health, nerve function, ocular health and hair growth. Garlic is an excellent natural source of B-complex vitamins and fortified with B-1, B-2, niacin and vitamin C (antioxidant).



RECOMMENDED USAGE

This product is intended for intermittent or supplemental feeding only.

Powder: Up to 10 lbs: ½ tsp daily
11-20 lbs: 1 tsp
21-30 lbs: 1 ½ tsp
31+ lbs: 1 tsp per 25 lbs

Tablets: 2 tablets for each 10 lbs bodyweight daily.
During stress, convalescing, pregnancy or in summer months, double the daily amount.

GUARANTEED ANALYSIS

Per teaspoon (2.8 g)

Per 500 mg tablet

	Min.		
Thiamine (B-1)	0.155 mg	Thiamin (B1)	0.100 mg
Riboflavin (B-2)	0.280 mg	Riboflavin (B2)	0.150 mg
Niacin (B-3)	0.800 mg	Niacin (B3)	0.500 mg
*Ascorbic Acid (Vitamin C)	0.155 mg	*Ascorbic Acid (Vitamin C)	0.100 mg

Item # 36370 - 50 tabs

Pet-Tabs For Cats

A highly palatable Vitamin - Mineral Supplement.

GUARANTEED ANALYSIS

Per Tablet

Crude Protein (minimum)	19.0 %
Crude Fat (minimum)	4.0 %
Crude Fiber (miximum)	2.0 %
Moisture (maximum)	9.0 %
Manganese	0.2 mg
Zinc	0.3 mg
Iodine	0.1 mg

DIRECTIONS FOR USE

Administer by hand just prior to feeding, or crumble and mix with food.

Mature cats: 1 tablet daily

Kittens: 1/4 tablet daily





Item # 36353 - 60 tabs

Pet Vites

Provides the essential vitamins and minerals dogs and cats often miss with the taste they love!

DIRECTIONS FOR USE

Pet Vites are made with a special taste appeal to dogs and cats. Administer by hand just prior to feeding or crumble and mix with food. Warm tablet in hand prior to feeding to bring out full flavor. Dogs under 10 pounds - 1/2 tablet daily. Dogs over 10 pounds - 1 tablet daily. Puppies under 10 pounds - 1 tablet daily. Puppies over 10 pounds - 2 tablets daily. For sick, convalescing, pregnant, or nursing dogs - 2 tablets daily. Cats - 1/2 tablet daily, depending on size and condition.

GUARANTEED ANALYSIS

Tablet Weight 2.5 g

(All values are minimum quantities unless otherwise stated)

Crude Protein (minimum)	7.2 %	Magnesium	0.04 %
Crude Fat (minimum)	4.9 %	Iron	2.25 mg
Linoleic Acid	30.0 mg.	Manganese	0.06 mg
Crude Fiber (maximum)	14.4 %	Zinc	1.5 mg
Moisture (maximum)	9.3 %	Iodine	0.05 mg
Calcium		Cobalt	0.003 mg
minimum	6.0 %	Vitamin A	1000 IU
maximum	7.2 %	Vitamin D3	100 IU
Phosphorus	5.5 %	Vitamin E	2 IU
Potassium	0.2 %	Thiamine (B1)	0.089 mg
Sodium		Riboflavin (B2)	1.0 mg
minimum	0.15 %	Niacinamide (B3)	10.0 mg
maximum	0.22 %	Pyridoxine (B6)	0.08 mg
Chloride	0.4 %	Vitamin B12	0.2 mcg

Item # 36331 - 12 oz

36332 - 28 oz

Esbilac Puppy Milk Replacer

Food supplement for puppies newborn to 6 weeks of age. Is a good source of prebiotics and probiotics.

GUARANTEED ANALYSIS

Crude Protein, min	33.0 %
Crude Fat, min	40.0 %
Crude Fiber, max	0.0 %
Moisture, max	5.0 %



DIRECTIONS

Gently stir or shake 1 part powdered Esbilac into 2 parts warm water. Feed puppies 2 tablespoons (30ml) of liquid Esbilac per 4 ounces (115g) bodyweight daily. Young and/or weak puppies should be fed every 3 to 4 hours. Older puppies can do well being fed every 8 hours. Weigh the puppies 3 times per week to assure adequate feeding.



Item # 36380 - 60 tabs
36381 - 180 tabs

Pet-Tabs Plus

Is a vitamin-mineral supplement that promotes nutritional balance for senior and convalescing pets, as well as sporting and working dogs.

DIRECTIONS

Dogs under 20 lbs - 1/2 tablet daily
 Dogs over 20 lbs - 1 tablet daily



GUARANTEED ANALYSIS

Per 3.2 g tablet

(All values are minimum quantities unless otherwise stated)

Calcium		Zinc	1.4 mg
(minimum)	2.5 %	Vitamin A	1,500 IU
(maximum)	3.5 %	Vitamin D3	150 IU
Phosphorus	2.5 %	Vitamin E	15 IU
Potassium	0.4 %	Thiamine	0.24 mg
Salt		Riboflavin	0.65 mg
(minimum)	1.1 %	Pantothenic Aced	0.68 mg
(maximum)	1.6 %	Niacin	3.4 mg
Chloride	0.7 %	Vitamin B6	0.24 mg
Magnesium	0.15 %	Folic Acid	0.05 mg
Iron	3.0 mg	Vitamin B12	7.0 mcg
Copper	0.1 mg	Choline	40.0 mg
Manganese	0.25 mg		

Item # 36398 - 120 g

Pets Prefer Probiotic

To help maintain healthy appetite and digestion in dogs.

GUARANTEED ANALYSIS

Per chew (2g)

Crude Protein, min	14.00 %
Crude Fat, min	12.00 %
Crude Fiber, max	3.00 %
Moisture, max	14.00 %
Inulin*, min	40 mg

DIRECTIONS

Puppies/Small Dogs (<15 lbs): 1/2 - 1 chew

Medium Dogs (15 - 50 lbs): 1 - 2 chews

Large Dogs (51 - 100 lbs): 2 - 3 chews

Giant Dogs (>100 lbs): 3 - 4 chews

Portions can be divided between morning and evening.



Item # 36351 - 60 tabs
 36350 - 180 tabs
 36345 - 365 tabs

Pet-Tabs Original Formula

Provides a dietary source of vitamins and minerals for better health and more energy. PET-TABS also provides a high quality source of protein.



DIRECTIONS

Puppies and dogs under 10 lbs - 1/2 tablet daily
 Dogs over 10 lbs - 1 tablet daily

GUARANTEED ANALYSIS

Per 3.1 g tablet

(All values are minimum quantities unless otherwise stated)

Calcium (minimum)	2.5 %	Copper	0.1 mg
Calcium (maximum)	3.5 %	Manganese	0.25 mg
Phosphorus	2.5 %	Zinc	1.4 mg
Potassium	0.4 %	Vitamin A	1,000 IU
Salt (minimum)	0.1 %	Vitamin D3	100 IU
Salt (maximum)	0.6 %	Vitamin E	2 IU
Chloride	0.1 %	Thiamine	0.81 mg
Magnesium	0.15 %	Riboflavin	1.0 mg
Iron	3.0 mg	Niacin	10.0 mg
		Vitamin B6	0.1 mg
		Vitamin B12	0.5 mcg



Item # 36400 - 120 g
Pets Prefer Calming

Recommended to help support balanced behavior, suggested during stressful events and promotes normal emotional balance.

ACTIVE INGREDIENTS

Per chew (2g)	
Lecithin	150 mg
Valerian Root	50 mg
Ginger	50 mg
Thiamine (Vitamin B1)	35 mg

DIRECTIONS

Puppies/Small Dogs: 1/2 chew
 Medium Dogs (15 - 50 lbs): 1 chew
 Large Dogs (51 - 100 lbs): 1 1/2 chews
 Giant Dogs (>100 lbs): 2 chews

Suggested for use either as needed for immediate support or on an routine basis for on-going support. Rates can be doubled for higher lever of stress.

Item # 36394 - 120 g

Pets Prefer Breath

Recommended to help support healthy teeth and gums, helps maintain oral health and helps keep teeth clean and breath fresh.



ACTIVE INGREDIENTS

Per chew (2g)	
Spirulina	100 mg
Parsley	50 mg
Sodium Bicarbonate	12 mg
Yucca Root Extract	10 mg
Riboflavin (Vitamin B2)	9 mg
Peppermint Oil	3 mg
Clove Oil	2.5 mg
Neem Extract	0.5 mg

DIRECTIONS

Puppies/Small Dogs (< 15 lbs): 1/2 chew
Medium Dogs (15 - 50 lbs): 1 chew
Large Dogs (51 - 100 lbs): 1 1/2 chews
Giant Dogs (> 100 lbs): 2 chews
Portions can be divided between morning and evening.

Item # 36396 - 120 g

Pets Prefer Senior

Recommended to help support healthy bones, joints and overall vitality in all senior dogs.

ACTIVE INGREDIENTS

Per chew (2g)	
Calcium (as Dicalcium Phosphate)	125 mg
Glucosamine HCl (Shellfish)	100 mg
Phosphorus (as Dicalcium Phosphate)	90 mg
Chondroitin Sulfate (Porcine)	50 mg
Ginseng	50 mg
Perna Canaliculus	25 mg
Methylsulfonylmethane (MSM)	25 mg
Ascorbic Acid (Vitamin C)	10 mg
Manganese (as Manganese Proteinates)	2 mg
dl-Alpha Tocopherol (Vitamin E)	5 IU

DIRECTIONS

Small Dogs (< 15 lbs): 1/2 chew
Medium Dogs (15 - 50 lbs): 1 chew
Large Dogs (51 - 100 lbs): 1 1/2 chews
Giant Dogs (>100 lbs): 2 chews
May be doubled during initial six weeks.
Portions can be divided between morning and evening.



Item # 10672 - 30 ml

10673 - 10 ml

Meloxic Suspension

It is an anti-inflammatory, analgesic and antipyretic. In dogs as analgesic, antipyretic and anti-inflammatory musculoskeletal disorders acute and chronic. Reducing inflammation and pre and post operative pain following orthopedic and soft tissue surgery. In cats for treatment of post-operative pain after ovariohysterectomy and soft tissue surgery.



COMPOSITION

Every 100 ml contains

MELOXICAM 150 mg

Excipients c.s.p. 100 ml

DOSAGE

DOGS

During the first day make a single administration of 0.2 mg / kg, in practice 2 drops per 1 kg bodyweight (1 ml per 7.5 kg bodyweight); for further treatment, the following days a dose of 0.1 mg / kg in practice 1 drop per 1 kg bodyweight (0.5 ml per 7.5 kg bodyweight), every 24 hours for 5-7 days.

CATS

Administration of 0.3 mg / kg, in practice 3 drops per 1 kg bodyweight (1 ml per 5 kg bodyweight) on the first day, continue with 0.1 mg / kg, in practice 1 drop per 1 kg bodyweight every 24 hours for 5-7 days.

Item # 10674 - 2 mg

Meloxic Tablets

In Dogs as analgesic and anti-inflammatory in: Musculoskeletal disorders acute and chronic, Reduction of pre and post operative pain following orthopedic and soft tissue surgery or ovariohysterectomy.

COMPOSITION

Each tablet contains:

Meloxicam 2 mg

Excipients c.s.p. 1 tablet



DOSAGE

On the first day of treatment, administer a single dose of 0.2 mg / kg body weight (1 tablet per 10 kg). On the second day, administer a dose of 0.1 mg / kg (1 tablet per 20 kg) every 24 hours for 5-7 days.

Item # 36226 - 50 tabs

Endopar Plus

For the treatment of gastrointestinal parasitic infections more common in dogs and cats caused by parasites, especially: roundworms and tapeworms. Used as taenicide.

FORMULA

Each Tablet Contains

- Praziquantel75 mg
- Mebendazole.....300 mg
- Pyrantel pamoate.....300 mg
- Excipients.....1 tablet



Dosage

Dogs: It is recommended 1 tablet per 15 kg body weight in a single dose, if the dog weighs less than 15 kg split the tablet depending on weight.

Cats under three pounds - 1/4 tablet

cats over 3 pounds - 1/2 tablet in a single dose.

To prevent possible reinfestation, repeat treatment 21 days after.

Item # 36355 - 60 tabs

Bully Max Canine Supplement

Veterinarian formulated to provide essential vitamins, minerals, amino acids and fatty acids important in maintaining overall health.



Guaranteed Analysis per 3 Gram Tablet Min.

- Linoleic Acid (Omega 6)(30 mg) 1 %
- Calcium3.3 %
- Phosphorus2.56 %
- Potassium0.0005 %
- Iron1 mg
- Copper0.050 mg
- Manganese0.060 mg
- Zinc1.5 mg
- Iodine0.052 mg
- Vitamin A450 I.U.
- Vitamin D3100 I.U.
- Vitamin E2 I.U.
- Thiamine (Vitamin B1)0.819 mg
- Riboflavin (Vitamin B2)1 mg
- Niacin10 mg
- Pyridoxine (Vitamin B6)0.082 mg
- Vitamin B120.0002 mg
- *Cobalt0.014 mg

RECOMMENDED USAGE

Dogs under 10 lbs - 1/2 tablet daily

Dogs over 10 lbs - 1 to 2 tablets daily

For sick, convalescing, pregnant or nursing
dogs under 10 lbs - 1 tablet daily
dogs over 10 lbs - 2 tablets daily

Item # 42013 - 1000 ml

Anflox Gold

Is a broad spectrum antimicrobial, bactericidal in action and effective against a wide range of Gram-positive and Gram-negative bacteria as well as mycoplasmas. For use in poultry and crustaceans. Turkeys, broilers, broiler breeders and replacement chickens: Anflox Gold is indicated for diseases of the respiratory and alimentary tract that are of bacterial or mycoplasmal origin, e.g. pasteurellosis, mycoplasmosis, coli-bacillosis, coli-septicaemia and salmonellosis.

Crustaceans: Anflox Gold is indicated for the treatment of infections caused by vibrio, i.e. *V. Parahaemolyticus*, *V. Alginolyticus*, *V. Anguillarum*, *V. Harveyi*, also *Pseudomonas* spp., *Aeromonas* spp. and mycoplasmas.

COMPOSITION

Each liter contains

Norfloxacin 200 mg/ml (20% w/v)



DOSAGE AND ADMINISTRATION

POULTRY:

Administered via drinking water. Medicated water should be made up immediately prior to provision. Medicated water should be supplied continuously throughout the treatment period and no other water should be made available. The dosage rate is 12 mg Norfloxacin per kilo bodyweight, for 3-5 days; under normal circumstances this equates to a dose of 25 ml Anflox Gold per 100 litres of drinking water.

CRUSTACEANS:

Administer via the feed. The dosage rate is 12 mg Norfloxacin per kilo biomass; this equates to 1-1.5 litres of Anflox Gold per 1000 kilos of feed.

Item # 42361 - 1 liter

Mucolit Liquid

It is indicated by its mucolytic, secretolytic action and expectorant as an effective adjunct in the prophylaxis and treatment of chronic or acute respiratory diseases enrolled with bronchial viscous mucus in all animal species.

Mucolit liquid is useful in the treatment of intense post-vaccination reactions in birds.

Mucolit liquid can be used in uterine infeccioines where purulent mucus also presents a problem, as in metritis, endometritis and retained placenta.

Mucolit liquid should be used in conjunction with antibiotic indicated.

DOSAGE AND ADMINISTRATION

Oral, dissolved in drinking water during treatment of 5-7 consecutive days.

Adult cattle	0.5 - 1.0 ml.
Calves	0.3 - 0.7 ml.
Horses	1.0 - 1.5 ml.
Pigs	0.2 - 0.5 ml.
Piglets	0.1 - .25 ml.
Birds	100 ml in 1000 liters of water

FORMULA:

Every 100 ml contains:	
Hydrochloride Bromhexine	10 g
Vehicle c.b.p.	100 ml



- Item # 31632 - 40 ml
- 31638 - 100 ml
- 31639 - 1000 ml

Farvital 18

It is a concentrated nutritional supplement containing essential, semi-essential and non essential vitamins and amino acids, it also contains electrolytes.

DOSAGE AND ADMINISTRATION

It can be diluted in water, milk, food or administered directly on the animal's mouth.

Cocks and pet birds: 2 drops per 50 ml of water

Laying birds and broilers: 1 ml per liter of water

Cows and horses: 6 ml per 10 kg bodyweight

Dogs and Cats: 2.5 - 7.5 ml twice daily.

COMPOSITION

Each ml 100 ml contains

Crude protein	Min.	12.00000 %
Calcium	Min.	0.00723 %
Magnesium	Min.	0.00296 %
Potassium	Min.	0.01049 %
Vitamin A	Min.	1 000 000.00 UI
Vitamin D3	Min.	200 000.00 UI
Vitamin K	Min.	50.00 mg
Thiamine (B1)	Min.	180.00 mg
Riboflavin (B2)	Min.	260.00 mg
Pyridoxine (B6)	Min.	120.00 mg
Cyanocobalamin	Min.	130.00 mcg
Biotin	Min.	100.00 mcg
Nicotinamide	Min.	1 665.00 mg
Pantothenic acid	Min.	705.00 mg
Vehicle q.s.		100.00 ml



TOPICAL MEDICATIONS

Item # 31803 - 10 ml

Ubricina

Is indicated for the prevention, treatment and control of subclinical mastitis, clinics, chronic and/or acute caused by gram (+) and/or gram (-) sensitive to antibiotics of the formula. with potent anti-inflammatory activity.



FORMULA

Every 10ml contains	
Spiramycin adipate	1,000,000 UI
Neomycin sulfate	200 mg
Dexamethasone	0.250 mg
Vehicle c.b.p.	10 ml

DOSAGE

Cattle, 10ml in each affected quarter of the mammary gland.
Goats, 5ml in each affected quarter of the mammary gland.



Item # 10168 - 5 g

Flu-mastin Secado

Treatment and control of cattle mastitis during the dry period caused by: Streptococcus sp., Staphylococcus sp., Escherichia coli, Corynebacterium sp., Proteus sp., Klebsiella sp. and Mycoplasma sp.

COMPOSITION

Each 5g syringe contains	
Spiramycin basis	375 mg
Neomycin based	154 mg
Excipients c.s.p.	5.0 g

DOSAGE

Intramammary use. Milk thoroughly each teat and apply an entire syringe to each teat. Perform gentle massage throughout the udder to facilitate the dissemination of Flu-mastin secado.

Item # 10556 - 10 ml

Flu-mastin Lactancia

In lactating cows for the control and treatment of mastitis caused by: Streptococcus sp., Staphylococcus sp., Escherichia coli, Corynebacterium sp., Proteus sp.

COMPOSITION

Each 10ml syringe contains	
Spiramycin basis	200 mg
Neomycin based	200 mg
Flumethasone	0.250 mg
Excipients c.s.p.	10 ml

DOSAGE

Apply an entire syringe to the affected teat after thoroughly milking it. Do massage throughout the udder to facilitate dissemination of Flu-mastin lactancia. Treatment may be repeated at 12, 24 and 48 hours; or according to criteria of Veterinarian



Item # 10681 - 150 g
10683 - 120 g

Mata Vampiro

To combat bat bites of large animal species.



FORMULA

O, O-Dimethyl O, p-nitrofosforotioato 4.5 g
Petrolatum 120 ml
Dye c.b.

INDICATIONS

Apply on the affected area as often as necessary.



**Item # 10101 - 220 g
Nexa-Best Unguento**

Is an external parasite for cattle, sheep, pigs, horses and cats.



COMPOSITION:

Every 100g contains:
Dichlorvos (P.D.V.P.) 1g
Excipient c.s.p. 100g

Item# 37658

Havahart 6400 snake shield Repellet 4lb



Long lasting formula
Effective immediately
Safe for people, pets, and plants
Natural formula

Active ingredients - sulfur, cedar oil, cinnamon oil, and clove oil

**Item # 10100 - 10 oz
BAG BALM**

Used on cattle, horses and other domestic animals. Helps soothe bruised, sore or injured teats and also help keep the teat canal open for easier milking. In addition, this protective ointment helps to keep superficial tissue moist and soft.



ACTIVE INGREDIENTS:

- 8-hydroxyquinoline
- sulfate 0.3%
- (antiseptic) in a petroleum jelly USP
- lanolin

**Item # 10411 - 16oz
10410 - 8oz**

FROTASOM

Repulsive rub ointment indicated for inflamed areas, sore muscles, joints (rheumatism). Magnificent activator of circulation in congested tissues (Matitis).



FORMULA:

Citronella	4.0%
Nonylphenol	4.0%
Methyl salicylate	5.0%
Camphor	2.0%
Dye	0.5%
Excipients	100%

**Item # 10280 - 4 oz
Dehorning Paste**

Prevents horn growth in calves, sheep and goats.




ACTIVE INGREDIENTS:

Calcium Hydroxide	37.8%
Sodium Hydroxide	24.9%

**Item # 11150 - 4 oz
Wart Ointment**

For use in the removal of external warts from cattle, horses, goats and dogs.



ACTIVE INGREDIENTS:

Salicylic Acid	18% w/w
----------------	---------

OTHER INGREDIENTS

Hydrogent Caster Oil, Lanolin, Glycerin and Petrolatum.



Item # 10414 - 60 g

Ankofen Pomada

For cattle, horses, sheep, goats, pigs, dogs and cats as analgesic, antiinflammatory and antiphlogistic typical use. Useful in musculoskeletal, tendon and muscle inflammation processes that occur with non-infectious character. Adjunct in the treatment of mastitis and udder edema in pre or post-partum.

COMPOSITION:

Every 100g contains

Ketoprofen	3.0g
Menthol	1.0g
Camphor	5.0g
Guaiacol	3.0g
Methyl Salicylate	10.0g
Turpentine	3.0g
Excipients c.s.p.	100g



Item # 10880 - 3 oz

Proudsoff

For control and removal of proud flesh from horses, cattle, sheep and goats.

ACTIVE INGREDIENTS:

Cupric Sulfate	45%
Inert Ingredients	55%

Item # 10954 - 100 g

Mamiland Pomada

Antiseptic , antiphlogistic , anesthetic and healing ointment in cattle, horses , pigs, sheep , goats and dogs.



COMPOSITION:

Every 100g contains

Benzocaine	5.0g
Turpentine Essence	8.0g
Phenol	2.0g
Allantoin	2.0g
Zinc Oxide	10.0g
Camphor	2.5g
Menthol	1.5g
Eucalyptus Essence	1.5g
Paraffin	3.0g
Excipients	100g



Item # 10562 - 7.5 lbs

10563 - 25 lbs

Icetight 24-Hour Poultice

- For complete leg care.
- For use on horse's knees, tendons and ankles
- Will not blister or irritate the skin
- Contains natural clays, glycerine, aloe vera and minerals
- Washes off easily with hosing - no rubbing or hand washing necessary

ACTIVE INGREDIENTS

Kaolin	50 %
Boric Acid	2 %

DIRECTIONS FOR USE

- Clean thoroughly area to be treated.
- Apply up to 1/4 inch thick over the area to be treated.
- Wrap the preparation with plastic or moist paper. Cover with cotton bandage.

Item # 10478 - 32 oz

No Chew

- Protects wood and non-metal surfaces.
- Controls Cribbing and chewing
- Clear, non-staining
- Long lasting protection



DIRECTIONS FOR USE

- On wooden structures, painted or unpainted, spray until surface is uniformly wet. This will usually provide long lasting results.
- On plastic and other non-metallic surfaces, such as feed troughs, etc. spray once every three days for best results.
- Do not apply to metal surfaces.

Item # 28032 - 16 oz

Shampoo Super Whitening

Was developed to bring out the maximum whiteness in a horse's socks, face and spots. The gentle biodegradable formula will give you the whitest white you've ever seen, leaving the coat soft, smooth and sleek. Excellent for use as a highlighter on darker coats and as a general stain remover, too.



DIRECTIONS FOR USE

Thoroughly wet the coat, mane and tail. Apply liberally to the entire area, work out to ends of hair, and scrub to a lather. Let lathered ingredients work alone for no more than five minutes. Rinse thoroughly and let coat, mane and tail dry naturally.

**Item # 10479 - 12.5 oz
Chew Stop Aerosol**

Is formulated for application to wood fences and other surfaces to break of horses of the wood-chewing habit. Used to protect fences, corrals, stalls, mangers, gates, posts and trees: also to keep horses from biting and chewing blankets and bandages.

ACTIVE INGREDIENTS

Aromatic Hydrocarbons and Cinnamaldehyde.



DIRECTIONS

Spray generously to all surfaces from a distance of 4 to 6 inches. One 12.5oz can will cover approximately 35 sq. ft. of unpainted surfaces and 53 sq. ft. of painted surfaces.

**Item # 35237 - 32 oz
35238 - 1 gallon**

Bronco Gold Fly Spray

-Kills and repels: Stable flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitoes and gnats.
-Provides a protective hair coating against flies while imparting a high sheen to the hair when brushed out.

ACTIVE INGREDIENTS

Pyrethrins	0.1 %
Piperonyl Butoxide Technical	1.0 %
Butoxypolypropylene Glycol	7.5 %
Other Ingredients	<u>91.4 %</u>
Total	100 %



DIRECTIONS FOR USE

-Apply by either soft cloth or fine mist spray.
-1-2 ounces per head per day gives adequate protection.

**Item # 35232 - 32 oz
35233 - 1 gallon**

Endure Fly Spray

For use on horses and ponies. Ready to use insecticide/repellent/sunscreen formula provides repellency, quick knock-down and long lasting protection from flies, gnats and mosquitoes. Unique formulation stays active and keeps working even in wet conditions and when the horse sweats. The special sunscreensing agent in this product protects against both forms of the sun's harmful ultra-violet rays.



ACTIVE INGREDIENTS

Cypermethrin	0.15 %
Pyrethrins	0.20 %
Piperonyl Butoxide, Technical	1.60 %
Butoxypolypropylene Glycol	5.00 %
Other Ingredients	<u>93.05 %</u>
Total	100 %

DIRECTIONS FOR USE

Thoroughly brush the horse's coat prior to application to remove loose dirt and debris. Apply either as a spray or as a wipe. Application should be liberal for best results. Reapply every 5 to 7 days under normal conditions for initial applications. As protection builds, reapply every 10 to 14 days as needed.

**Item # 26510 - 32 oz
Laser Sheen**

Has a unique non-oily formula which was developed to put the finest gloss possible on horses' coats. Laser Sheen ready-to-use detangles manes and tails quickly and keeps them tangle free. In addition, it produces a lustrous, healthy coat that shines like a winner. Silicone formula repels dust and dirt and prevents stains from grass, urine, manure and latigo. After one treatment of Laser Sheen, your horse stays clean and shiny for up to a full week!



DIRECTIONS FOR USE

- Shake well before each use
- Spray fine mist over entire horse until coat, mane and tail are damp.
- Hand stroke in direction of hair.
- Allow to dry before additional brushing, toweling or hand rubbing.

**Item # 35248 - 32 oz
Ambush Insecticide & Repellent**

- For use on horses and dogs
- Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks, fleas, chiggers and lice.

ACTIVE INGREDIENTS

Pyrethrins	0.05 %
Piperonyl Butoxide, Technical	0.50 %
Permethrin	0.10 %
Other Ingredients	<u>99.35 %</u>
Total	100 %



DIRECTIONS FOR USE

- Thoroughly brush horse or dog to remove excess dirt and dust.
- May be applied with a trigger spray applicator, or as a wipe.
- While spraying, fluff the hair so that the spray will penetrate to the skin.
- Make sure the animal's entire body is covered including the legs.

**Item # 27390 - 32 oz
Repel-35**

Use only on horses and dogs. Residual action protects horses from horn flies, face flies, horse flies, mosquitoes and gnats. Kills lice and louse eggs, ticks and fleas (adults and larvae) on dogs.

ACTIVE INGREDIENTS

Permethrin	0.50 %
Inert Ingredients	<u>99.50 %</u>
	100 %

DIRECTIONS FOR USE


On horses: Brush animal thoroughly before applying. Apply at a rate of 2 fl. oz. per adult animal, sufficient to wet the hair thoroughly. Repeat every four weeks if required, as prescribed by veterinarian.

On dogs: Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered. While spraying, fluff the hair so that the spray will penetrate to the skin. Repeat every 35 days if needed.



Item # 36470 - 16 oz
Shampoo Citronella Jeffers

Is a non-toxic, all-natural concentrate which leaves coat manageable, deodorized and adds a healthy shine. It's also designed to be non-irritating and pH balanced and will not strip horse's coat of its natural oils.



DIRECTIONS

Dilute 1 part concentrate with 16 parts water (1 cup per gallon of water). Work shampoo into coat, building a rich lather then rinse thoroughly. Can be applied undiluted.

Item # 36488 - 32 oz
36489 - 1 gallon
Shampoo Citronella

For horses, foals and dogs.

Deep cleans without drying the skin. Removes dirt, grease and excess oil from the hair and skin. Leaves the coat shiny and silky with the fresh scent of citronella. Excellent for use in fly and mosquito infested areas. Concentrated for lasting use. Gentle enough for every day.



DIRECTIONS FOR USE

Apply shampoo directly with a sponge or pour into a bucket and dilute with water for heavy sudsing action. Massage into coat, then rinse thoroughly with water. Remove any excess water with a scraper and towel dry.

Item # 28030 - 16 oz
28031 - 1 gallon
Shampoo Jeffers Iodine

Medicated Iodine shampoo is formulated for prophylactic and therapeutic control of fungus infections, pyogenic infections, specific and non-specific skin disorders, girth itch, fungus, muck itch, and sweet itch.

DIRECTIONS

Wet entire coat thoroughly. Apply Jeffers' Medicated Iodine Shampoo to several areas and scrub, building up a good lather. Pay special attention to severely affected areas. Allow lather to remain in contact with skin for at least 5 minutes then rinse completely.

COMPOSITION

10 % PVP Iodine concentrate by weight yields
(Titratable Iodine 1.5 % minimum)



**Item # 28025 - 32 oz
Shampoo Fiebing's Horse**

A refreshingly scented shampoo that highlights the coat, mane, and tail with a long lasting, glistening sheen. Removes dirt and perspiration quickly and easily.



DIRECTIONS

Squirt a small amount of Fiebing's Shampoo Concentrate into a pail. Spray water into the pail to make desired suds. Work up a full rich lather on horse. Then rinse.

**Item # 28020 - 32 oz
Shampoo Fiebing's Horse Salon**

Fiebing's concentrated Horse Salon Shampoo & Conditioner's rich formulation cleanses hair thoroughly yet gently, drenching the hair with luxurious lather, leaving hair feeling soft and manageable. Horse Salon delicately removes residual buildup of flysprays, detanglers, environmental pollutants, and hard water minerals creating refreshingly clean looking hair while providing a perfect environment for regrowth building body and strengthening thinning, fragile hair. Horse Salon's gentle, aloe based formula also conditions both hair and skin, while protecting it from damage caused by combing, drying, and braiding.

DIRECTIONS

Wet the horse's hair. Squeeze the desired amount of Horse Salon Shampoo & Conditioner into a pail. Add water to the pail to produce desired suds. Using a sponge, work up a full lather on your horse. In areas that are very dirty, stained, or where hair has been damaged, massage the lathered area for a few moments and allow lather to sit for 60 seconds. Rinse thoroughly and repeat as necessary.



**Item # 10439 - 32 oz
Corona Detangler & Shine**

Quickly loosens tangles and softens hair. Leaves mane & tail soft, smooth and shiny. Helps repel dust and stains. It also provides SPF protection; helps prevent sun-bleaching.

DIRECTIONS

Shake well before use. Spray corona detangler & shine on one section of hair at a time and brush in the direction of hair growth. For severely matted manes and tails, apply to one area first and then work through tangles with fingers. Allow the hair to dry for additional grooming.



**Item # 28029 - 32 oz
Shampoo Corona Concentrate**

Cleans, conditions and leaves coat soft and lustrous. High sudsing action provides a deep clean that is tough enough for the dirtiest of horses yet is gentle enough to use daily. The special lanolin protein-enriched formula helps to strengthen the mane and tail and is pH-balanced so it's gentle on your horse's skin. Leaves no dulling residue.

DIRECTIONS

For use on horses and other animals. Add to 2 gallons as follows:
 -1/4 oz. for regular and frequent light washing
 -1/2 oz. for normal dust, dirt and sweat
 -1 oz for difficult urine, manure or mud strains
 Wet animal thoroughly. Apply with saturated sponge, working up rich lather over entire body. Rinse thoroughly with clean water. Remove excess water with squeegee, scraper or toweling.



**Item # 28033 - 32 oz
28028 - 1 gallon**

Professional Equine & Squire Shampoo

A shampoo designed especially for the professional equine groomer. Squire uses only the finest ingredients that rinse easily, leaving natural, healthy-looking shine.

INGREDIENTS

Water, Sodium Lauryl Sulfate, Sodium Laureth Sulfate, Cocamide DEA, Cocamidopropyl Betaine, Sodium Chloride, Apple fragrance, Formaldehyde.

DIRECTIONS

Mix 1/4 cup (63ml) of Squire Professional Equine Shampoo with one gallon of water in bucket. Amount needed may vary with water hardness. Agitate the contents until there is foaming or bubbling, indicating a satisfactory mixture. Prerinse horse to remove excess dirt. Apply mixture to coat and work into a lather with sponge. Rinse horse thoroughly. Remove excess water and allow to dry.



**Item # 28037 - 1 liter
28039 - 1 gallon**

Pulex Shampoo

Effective in the treatment of ectoparasites such as lice and mites. Softens the hair of the animal. For general hygiene of animals.



FORMULA

Every 1000 ml contains	
Deltamethrin	0.13 g
Lanolin	2.50 g
Vehicle, color and odor c.s.p.	1000 ml

DIRECTIONS

Wet thoroughly the animals' hair and apply the amount needed until it forms enough foam. Wash thoroughly with plenty of water to remove shampoo residues after three to ten minutes.



**Item # 28011- 1 gallon
Shampoo & Conditioner 2 in 1**

Cleans deeply to remove dirt and debris. Its deep conditioner and coconut oil ingredients restore moisture and add shine to the hair. Biodegradable, phosphate-free formula won't harm the environment or marine life. In addition, it is properly pH-balanced to rinse easily and thoroughly, leaving no residue behind. Gentle enough for daily use

DIRECTIONS FOR USE

Wet the horse's coat thoroughly with water. Apply a sufficient amount of 2 in 1 Shampoo & Conditioner with a sponge and massage into a rich lather over the horse's entire body. Let lather stand for a couple of minutes. Rinse thoroughly until water runs clear. Remove excess water and dry horse as desired.

**Item # 10400 - 32 oz
Farrier's-Hoof**

Is designed to maintain normal hoof conditions in horses. Spraying on a regular basis will help maintain healthy hooves during damp weather or whenever conditions are optimal for hoof damage including bacterial and fungal infections. Can be used as a supportive therapy for White Line Disease, Thrush, Seedy Toe, and related hoof conditions.

INGREDIENTS

Ionized Copper (Cu)	0.134 %
Ionized Zinc (Zn)	0.700 %
Nonionized Surfactant	1.400 %
Inert Material	97.770 %

DIRECTIONS

Shake well before using. Spray the hoofs liberally to help prevent infections. Clean the infected hoof and spray to saturation two to three times a day. Also spray the other hoofs to prevent cross contamination. After spraying, contain the horse in a clean, dry area and wrap the hoof if necessary. Continue use until the infection subsides.



**Item # 10480 - 16 oz
Hoof and Heel**

Penetrates deep into the hoof to attack hoof rot, frouls and foot scald in cattle, sheep and goats.

ACTIVE INGREDIENTS

11.2% (w/v) Zinc Sulfate equivalent to 20% as the Zinc Sulfate Heptahydrate, 2% (w/v) Sodium Lauryl Sulfate in a cleansing penetrating aqueous base.



DIRECTIONS

Clean and trim, when necessary, affected hoofs. Slowly squirt Dr. Naylor Hoof and Heel on lesion, covering and saturating it and surrounding area thoroughly while holding hoof inverted - Permit it to penetrate before releasing animal. Treat twice daily until healing results. Retain animal in a clean, dry area while it is undergoing treatment.



Item # 11055 - 2 oz

Thrush Buster

A thrush treatment so powerful that it lasts up to 8 days without reapplication...even in the wettest, muddiest terrain. A single application relieves the agonizing, crippling effects of thrush, also creates an antiseptic barrier between healthy tissue and thrush to prevent reinfection.

ACTIVE INGREDIENTS

P.V.P. Iodine Complex - 2.0%

Gentian Violet, Denatured Alcohol

DIRECTIONS

For thrush: Apply only once to all infected areas. For prevention of thrush: Use once a week in wet environments. Once every two weeks in dry environments.

Item # 10435 - 16 oz

10436 - 32 oz

Corona Fung-A-Way

Is an outstanding fungicide that aids in the control of fungal infections like ringworm, girth itch, and summer itch. It contains Allontion which helps protect and soothe irritated skin. Plus, it's non-staining. For use on horses, dogs and cats.



ACTIVE INGREDIENT

Benzalkonium Chloride 0.15 %

DIRECTIONS

Soak affected area liberally with topical fungicide solution. Leave treated area uncovered. Apply daily until hair begins to grow. Rinse treated areas with clear water before reapplying.

Item # 26306 - 2 tubes, 1 oz each

Hoof Crack Filler

Has excellent adhesive qualities. It is impervious to water, urine and other contaminants. When cured, SBS Crack Filler becomes part of the hoof wall so that it can be rasped and trimmed like natural horn. It is an easy to use two-part system. Kit includes a convenient dispensing tube that allows you to use what you need with no waste, mixing sticks and reinforced mesh. Approximately 3 to 4 repairs per kit.

DIRECTIONS

Clean hoof wall with Acetone, Ketone, or SBS Hoof Cleaner. Hoof wall must be thoroughly clean and dry. Create desired undercuts in void. Mix equal portions of each tube with mixing stick for 30 seconds. Work crack filler in void and overfill. Use reinforcing mesh for larger cracks. Once cured (approximately 15 minutes), rasp to desired finish. Crack filler is cured when you cannot dent it with your fingernail.



Item # 10958 - 4 lbs.
Forshner's Hoof Pack

Is an emollient hoof packing that can be used as an aid in preventing drying of the horny tissues, in case of contracted heels and hardening frog; and as an aid in keeping them moist and pliable.

INGREDIENTS

Pine Tar	8.50% w/w
Petrolatum	27.40% w/w
Paraffin	8.96% w/w

DIRECTIONS FOR USE

Make sure hoof is thoroughly clean and dry. Pack in around frog. Spread layer over sole and cover with paper. Apply two or three times a week.



Item # 10830 - 32 oz
Pine Tar

A natural, antiseptic, germicidal treatment for use on hooves. Pine Tar's natural antiseptic properties help combat fungicidal & bacterial infections in the frog.

INGREDIENTS

Pine Tar	90 %
Resin	10 %



Item # 10490 - 25 oz
Hooflex

Used to help restore and support flexibility, healthy hooves. Conditioner works in wet or dry conditions because it maintains a breathable moisture balance. Antibacterial and antifungal to help prevent infection.

ACTIVE INGREDIENTS

Neatsfoot Oil (Bubulum Oil)	23 %
Lanolin	13 %
Chloroxylenol	1.5 %



DIRECTIONS

To maintain healthy hooves: Clean hoof then apply small amount to hoof wall and coronet using a brush or cloth. Repeat weekly. For added protection, apply to hoof sole and frog to restore and protect breathable moisture balance.

For cracked or chipped hooves: Apply two or more times a week to hoof wall and sole until crack or chip grows out.

Item # 10281 - 950 ml
Loción Para Cascos Y Pezuñas

Antiseptic solution for hoof structures, hardens the stratum corneum and prevents necrosis by eliminating pathogenic germs causing pododermatitis. Is indicated as hardener of hooves and claws when these are soft and there is a risk of infection and severe lameness.

COMPOSITION

Every 1000 ml contains

Copper sulphate	0.23 %
Trinitrophenol	0.23 %
Formaldehyde	6.32 %
Acetic acid	6.60 %



DOSAGE AND ADMINISTRATION

Wash with plenty water and soap the affected hoof or claw. Dry thoroughly with a clean towel and apply Loción Para Cascos Y Pezuñas in sufficient quantity in the entire area. Repeat daily until recovery of the animal.

Item # 10959 - 32 oz
Rain Maker

Hoof dressing that leaves hooves stronger and more pliable. Formula has special natural ingredients that are combined to give a unique triple action power. Includes attraction of moisture to the hoof, absorption of moisture and retention of the moisture once it has been absorbed. Penetrates deep to improve texture and elasticity. Enhances color and sheen, leaving your horse with a flawless finish.

ACTIVE INGREDIENTS

Neatsfoot Oil	55.0 %
White Petrolatum	30.0 %
Glycerine	0.5 %



DIRECTIONS

Before applying Rain Maker Hoof Moisturizer and Conditioner, be sure the sole and wall of the hoof are clean and dry. Pick out the soles and clefts of the frog to remove any foreign matter. Using the handy brush provided, work Rain Maker into the frog, the sole and over the bulbs of the heel. Next, apply to the hoof wall to aid in restoration of the periople (protective coating of the horn), retard moisture loss and give the hoof a natural sheen. Using the applicator brush, also massage Rain Maker into the coronary band to approximately one inch above the hoof wall. Repeat treatment as needed. Most hoofs respond favorably to an application once or twice a week.

Item # 10957 - 32 oz

Shur Hoof Dressing

Is a topical hoof dressing for hard, dry and brittle hooves. Contains fish oil, pine tar and other oils that penetrate deep into the hoof wall to help restore moisture and maintain pliability for stronger, more flexible hooves. Enhances color, sheen and texture of hooves.



ACTIVE INGREDIENTS

Fish oil	50 %
Pine Tar	40 %

DIRECTIONS

Wash the horse's hoof thoroughly. Apply Shur Hoof with a brush and work well into the edge of the hair and frog. Use two or three times weekly. May be used more often if necessary.

Item # 28060 - 32 oz

Show Sheen

Is uniquely formulated to provide any horse owner with an unsurpassed multipurpose grooming aid. It coats each hair shaft to keep manes and tails tangle-free while its conditioning action reduces static fly-aways. It also repels dust, dirt, and stains, protecting your grooming job and keeping your horse cleaner longer.

DIRECTIONS

For best results, shampoo and rinse animal thoroughly. Remove excess water with sweat scraper. Apply Show Sheen to coat and stroke hair flat with palm of hand or fine brush. Apply to mane and tail, then comb through. No washing off, nourishes for days. For weekly touch-ups, brush animal thoroughly. Apply Show Sheen to the coat, mane and tail while dry. Then hand stroke or brush in direction of hair. To easily remove burrs and tangles, allow mane and tail to dry before combing.



Item # 24022 - 32 oz

Best Yet Neck Sweat Gel

Effective sweating and reducing action. Convenient and easy-to-apply gel beautifies the neck line.



INGREDIENTS

Propylene Glycol, Carbopol 940, Ethomeen C25, Eucalyptus Oil, Sassafras Oil, Tea Tree Oil, Lemon Yellow Color (5490).

DIRECTIONS

Apply to clean, dry area of neck and throat latch that you want to sweat. Cover with plastic wrap, towels and/or blankets, fasten comfortably or use a Neoprene Sweat. Repeat as needed to create the desired neck.

**Item # 10450 - 16 oz
Fura - Zone Ointment**

For the prevention or treatment of surface bacterial infections of wounds, burns, and cutaneous ulcers.

CONTENTS

0.2% Nitrofurazone, in a water soluble base of polyethylene glycols.

ADMINISTRATION

Apply directly on the lesion with a spatula or first place on a piece of gauze. Application of a bandage is optional. This preparation should be in contact with the lesion for at least 24 hours. The dressing may be changed several times daily or left on the lesion for a longer period.



**Item # 10310 - 14 oz
Drawing Salve**

Apply as a drawing salve to promote maturation of minor skin and hoof abscesses. Apply as an ointment to nourish weak and brittle hooves and nails of horses and dogs. Can also be used as a skin antiseptic to promote healing of minor skin abrasions an inflammation and as an agent for soothing and softening areas of skin irritation.

DIRECTIONS

Apply to affected area once or twice a day. A loose bandage may be applied. Avoid prolonged exposure to excessive heat.



ACTIVE INGREDIENTS
Ichthammol, 20%

**Item# 10132
Easyhoof Packing**



Botanical oil and clay-based hoof packing. It is easy to apply and remove. As an aid in the temporary relief of minor hoof soreness such as stinging feet, stone bruising and heat due to overexertion. Promotes healthy frog and sole tissues.

Item # 10273 - 16 oz

10274 - 32 oz

Banixx Wound & Hoof Spray

Easy-to-use, steroid-free, antibacterial, antifungal wound spray is ideal for wounds, infections, abrasions, fungus, rain rot, scratches, ringworm, mudfever, thrush, white line disease and more.



ACTIVE INGREDIENTS

2.5% Hydronium Solution

DIRECTIONS

For wounds, fungus, skin infections, rain rot & Scratches: Thoroughly clean wound with plain water and allow to dry completely. Apply Banixx solution liberally to affected area. Repeat 1-2 times daily, for 8-10 days or as needed. For thrush, hoof abscesses and white line: Thoroughly clean and dry foot prior to use. Insert 3 or more gauze pads into a medication boot or an equivalent. Apply boot to infected foot. Add 3-4 ounces of Banixx solution to thoroughly soak the pads. Repeat daily for 4-5 days.



Item # 10272 - 8 oz

Banixx Pet Care

Is an anti-bacterial and anti-fungal spray for quick and effective recovery from infections. Provides prompt relief from skin conditions and infections, including hot spots, wounds, ear infections, skin fungus, insect bites, and other skin conditions related to bacteria and fungus. Soothes and treats your pet to end the scratching caused by skin conditions and ear infections.

ACTIVE INGREDIENTS

2.5% Hydronium Solution

DIRECTIONS

Clean wound with plain water. Apply Banixx liberally 2-3 times daily to affected area, 6-8 days or as needed.

Item # 10276 - 8 oz

Vetericyn Hot Spot Spray

Vetericyn wound and skin care is intended for the OTC management of skin abrasions, lacerations, minor irritations. Safe for use on all animal species.

ACTIVE INGREDIENTS

Hypochlorous Acid (HOCl) 0.004 %

DIRECTIONS FOR USE

Move excess hair from wound area. Clip if necessary. Adjust spray nozzle, Saturate the affected area. If dressing is required, saturate dressing with Vetericyn at each dressing change. Repeat 3-4 times per day until wound is healed. No rinsing necessary. Faster healing is achieved when wounds are cleaned and maintained moist. Safe for use around mouth, nose, ears and eyes.





Item # 10271 - 1 gallon
 - 16 oz
 - 8 oz

Isopropyl Alcohol 70%

For external use only as an antiseptic, disinfectant, and rubefacient.

INGREDIENTS

Isopropyl Alcohol	70% v/v
Water	q.s.

DIRECTIONS FOR USE

Use full strength as topical antiseptic or for disinfection of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

Item # 18070 - 16 oz
Iodine Wound Spray

A topical antiseptic for use on horses, cattle, swine and sheep prior to surgical procedures such as castrating and docking, for application to the navel of newborn animals; and for aid in the treatment of minor cuts, bruises and abrasions.

ACTIVE INGREDIENTS

Alpha (p-Nonylphenyl) Omega-Hydroxypoly
 (Oxyethylene) Iodine Complex
 (providing 1% Titratable Iodine).....5 %

DIRECTIONS

Hold container approximately 4 to 6 inches from the area to be treated. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, when necessary until abraded area is healed.



Item # 18075 - 16 oz
18076 - 1 gallon

Gentle Iodine 1%

In cattle, horses, and swine as a topical antiseptic for use prior to surgical procedures such as castrating and docking; for ringworm and foot rot; for application to the navel of newborn animals, and for minor cuts, teat sores, bruises and abrasions.

ACTIVE INGREDIENTS

1% Titratable Iodine



DIRECTIONS

Hold container approximately 4 to 6 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily if necessary, until the area is healed.

**Item # 18085 - 1 qt.
Iodine-Povidone 10%**

For horses, cattle, dogs and cats. A topical antiseptic to aid in the prevention of infection. Film-forming, virtually non-irritating and non-staining to skin, hair and natural fabrics.

ACTIVE INGREDIENT:

Povidone-Iodine 10%]
(titratable iodine 1.0%)

DIRECTIONS FOR USE:

Apply full strength as often as needed. Wet area thoroughly to ensure complete coverage and penetration but avoid "pooling." May be covered with bandage if necessary.



**Item # 10102 - 354 ml
Nexabest Spray**

For treatment and control of myiasis caused by *Cochliomyia hominivorax* in cattle, horses, sheep, dogs and pigs.



GUARANTEED ANALYSIS

Every 100 g contains
Chlorpyrifos 5.00 g
Gentian violet 0.43 g
Excipients q.s. 100.00 g

**Item # 36430 - 200 ml
Bye Bye Fleas Pro**

For the treatment & prevention of flea infestation on dogs, cats and livestock.



ACTIVE INGREDIENTS:

Methylisothiazolinone.

OTHER INGREDIENTS:

Fragrance, PPG-26, water SD Alcohol, magnesium chloride.

DIRECTIONS:

Apply on entire animal's body. Leave on for a minute then rinse thoroughly. Re-apply one week later if needed. It's safe to use on different animals. Eg: house pets, dogs, pups, cats, livestock, etc.

Item # 11149 - 5 lbs

EZ-Willow Poultice

Is botanical and clay based for maximum comfort on your horses' legs. Use it on your horse for healthy ankles, knees, hocks, stifles, suspensories, shins, tendons and more. Aids in temporary relief of minor stiffness and soreness due to overexertion



INGREDIENTS

Methylsulfonylmethane, Methyl Salicylate, White willow, Arnica Montana, Turmeric root powder, Magnesium sulfate, Lemon balm oil, Water, Aluminum sillicate, Montmorillonites, Glycerol, Boric Acid, Purified water.

DIRECTIONS

Cleanse affected area thoroughly. Apply EZ-Willow Poultice liberally (1/8"-1/4" thick). Cover with a layer of paper first, and then cover with a quilted wrap. Finally, cover with a standing bandage. Remove bandages and poultice after 24 hours, rinse with cold water, and repeat as needed.

Item # 10300 - 4 oz gel

10290 - 16 oz gel

10285 - liquid

DMSO

Is a topical analgesic, reduces and cuts pain by blocking peripheral nerve. It also treats burns, sprains and cuts. Reduces inflammation because it's an antioxidant, stabilises membranes and is also a scavenger. Treats scleroderma and lowers intracranial pressure very fast and more effectively than other drugs. Furthermore, it seems that it can destroy the resistance developed by certain bacteria and can also prevent paralysis by keeping away the blood from reaching muscle that usually leads to the death of muscle tissue.



ACTIVE INGREDIENTS

Dimethyl Sulfoxide.....90%

**Item # 10585 - 16 oz
Liniment Thermaflex**

Is acetone free and aids in pain relief, helps reduce swelling and stimulates circulation. For the temporary relief of muscular soreness, stiffness or swelling caused by cold , exercise or overwork.

ACTIVE INGREDIENTS

menthol 4.0%; methylsulfonylmethane (MSM); plant extracts of calendula and rosemary; oil of cajuput (melaleuca leucadendron), other ingredients include: alcohol, benzyl nicotinate.



DIRECTIONS FOR USE

Apply liniment sufficiently to cover affected area and gently massage liniment into the application area. Do not wrap if applied vigorously. The natural extracts and oils in this product do not require wrapping and will increase the circulation to the application area.

**Item # 10595 - 12 oz
Vetrolin Liniment Gel**

Provides a cool flash followed by soothing warmth to reduce swelling and aid in pain relief. It contains a counter irritant for temporary relief of muscle soreness, stiffness or swelling caused by exposure, overwork or exertion.

ACTIVE INGREDIENTS

menthol 4.0%, methylsulfonylmethane (MSM) 0.4% and Hyaluronic Aced (Sodium Salt) 10mg/fl. oz.

DIRECTIONS

Apply liniment sufficiently to cover affected area and gently massage liniment into the application area. Do not wrap if applied vigorously. The natural extracts and oils in this product do not require wrapping and will increase the circulation to the application area.



**Item # 10581 - 12 oz
10582 - 3 oz
Veterinary Liniment Gel**

Is a topical analgesic that provides relief of temporary muscular soreness and stiffness in horses. The special formula contains an antiseptic to help prevent infections and botanical extracts to speed the natural healing process.

ACTIVE INGREDIENTS
Natural Menthol 4%

DIRECTIONS FOR USE

Rub Gel in thoroughly three or more times a day. To speed effectiveness, apply gel with the lay of the hair and lightly wrap.



Item # 10580 - 32 oz
10590 - 16 oz

Absorbine Veterinary Liniment

Has been trusted for generations to provide herbal healing and fast relief for sore muscles, stiff joints and tendinitis in horses. It is a soothing blend of natural herbs and oils that can be used for a variety of other purposes - to prevent hoof fungal infections, as an effective antiseptic for minor cuts or as a refreshing body wash.

ACTIVE INGREDIENTS

Menthol	1.27 %
Cloroxylenol	0.50 %
Iodine	0.02 %

DIRECTIONS FOR USE

Apply absorbine veterinary liniment to sore areas and rub. May be applied two or more times a day.



Item # 27995 - 4 oz

Aloe Heal Ointment

Is an excellent first aid cream especially formulated for use on minor cuts and abrasions, skin irritations, proud flesh and cracked heels.

ACTIVE INGREDIENTS

Aloe vera concentrate	.40 %
Allantoin	.09 %

DIRECTIONS FOR USE

Cleanse all wounds or intended areas of application thoroughly with a mild soap and water. If necessary, clip or shave hair from around the wound area. Cover the affected and surrounding areas with Aloe Heal cream and bandage lightly if possible with several layers of gauze. Apply several times daily for best results.



Item # 10230 - 8 oz liquid
10270 - 16 oz liquid
10240 - 4 oz spray

Cut - Heal Liquid & Spray

All-Natural treatment for wound care. Creates a protective barrier, cleans the wound, aids rapid healing and minimizes proud flesh and scarring. Discourages licking of wounds and biting by flies. Useful on all species of animals for major and minor wounds, de-horning cuts, burns and hot spots.

DIRECTIONS

Apply directly 1 or 2 times daily.

INGREDIENTS

Crude Fish Oil, Raw Linseed Oil, Tea Tree Oil and Balsam of Fir



Item # 10250 - 16 oz ointment

10260 - 8 oz ointment

10220 - 4 oz powder

Cut - Heal Ointment & Powder

Is a proven treatment of minor cuts, irritations and abrasions. It aids in the prevention of proud flesh and excessive scarring. Forms a protective barrier while supporting and promoting a natural healing process.



INGREDIENTS

Crude Fish Oil, Raw Linseed Oil, Tea Tree Oil, Balsam of Fir, Fumed Silica and Propylene Glycol.

DIRECTIONS

Apply directly 1 or 2 times daily.

Item # 10583 - 4 oz

10584 - 7 oz

Liquid Freeze

A topical analgesic that aids in relieving the pain and swelling of joints, muscles, arthritis, tension headaches and sunburn. Contains Paraguay Tea (a herbal extract from South America) which acts as a mild stimulant and has a natural, astringent action that enhances the cooling agents. Effective for pre-workout rubs and post-workout wraps.

ACTIVE INGREDIENTS

Menthol	3.5 %
Camphor	0.2 %

DIRECTIONS FOR USE

Apply on areas where pain and swelling exists, three or more times a day.



Item # 11065 - 4 oz

Tri Care Wound Ointment

Aids in wound care three ways: wound cleansing, treating wound infection, aiding in wound pain relief - ointment provides an insect, water & germ barrier – great for Hot Spots, Ringworm - has powerful combination of ingredients such as Benzocaine for pain, Menthol to cool irritations, Tea Tree Oil to kill bacteria and fungus and Emu Oil to treat burns, rashes, etc.



ACTIVE INGREDIENTS

Benzocaine	1.5 %
Salicylic Acid	1.6 %

DIRECTIONS FOR USE

Apply directly to the wound. Repeat 1 to 3 times daily as necessary.

Item # 11160 - 4 oz

Wonder Dust

Is a dressing powder and blood coagulant for use on certain types of wounds, cuts and abrasions. Specially formulated for use on horses and valuable show stock. A caustic and drying agent for slow-healing lesions and excessive granulated tissue (proud flesh). Also for use on other livestock as a blood-stop powder after castrating, docking or dehorning. Plus it contains a deodorant to remove objectionable odors from foul or infected wounds.



MEDICINAL INGREDIENTS

Iodoform	2.0 %
Potassium Alum	5.0 %
Flowers of Sulfur	2.0 %
Tannic Acid	2.0 %
Activated Charcoal	5.0 %
Copper Sulfate	13.0 %
Hydrated Lime	71.0 %

DIRECTIONS

Hold nozzle 2 to 4 inches from wound. Squeeze container firmly, puffing powder freely over the entire surface of the wound. Use Wonder Dust product with or without bandages. Repeat application as often as necessary. Do not use on wounds intended to be sutured.

Item # 10219 - 16 oz

Blood Stop Powder

For use on horses, cattle, sheep, cats and dogs as an aid in control of capillary bleeding after dehorning and in minor cuts and wounds.

INGREDIENTS

Ferrous Sulfate, Tannic Acid, Chloroxylenol, Diphenylamine Intermediate, Sodium Carboxymethylcellulose, Cornstarch.



DIRECTIONS FOR USE

Apply Blood Stop Powder freely to bleeding wound area. Bandage in place if necessary. Do not apply or use in deep or puncture wounds or in body cavities.



Item # 10682 - 120 ml
 10684 - 60 ml
 10685 - 30 ml
 10688 - 240 ml

Areumicyna

For treatment of skin lesions, sutures, surgical problems on hoofs and especially in cases of vesicular stomatitis or " toad ", castration and dehorning. Use in all species of domestic animals.

FORMULA

Every ml contains
 Gentian violet 1.00 g
 Neomycin sulfate 0.50 g
 Excipient c.s.p. 100 ml

DOSAGE

Close the applicator at a safe distance from the area to be treated. Let it run until it is dyed, preferably continue the treatment until healing takes place.



**Item # 11155 - 5 oz
 Wound-Kote Aero**

A quick-penetrating antiseptic dressing and gall lotion. Effective against bacterial infections most common in skin lesions of domestic animals, including horses, cattle and dogs. Contains 500 applications. Spray on surface wounds, minor cuts, skin abrasions, harness galls, saddle sores. Controls secondary infections.

ACTIVE INGREDIENTS

Isopropyl Alcohol 48 %
 Acriflavin .04 %

DIRECTIONS

Shake well before use. Spray from a distance of 2 to 4 inches. The slightest amount of spray you can quickly release over the area to be treated will provide adequate dosage. Application may be repeated daily or more often until healing takes place. Whenever possible, clean and dry affected area to be treated before applying.

**Item # 10890 - 5 oz
 Scarlex**

Is a soothing, slow-drying antiseptic dressing for minor skin lesions, surface wounds, cuts, and burns. Indicated also for superficial dermatitis.

ACTIVE INGREDIENTS

Methyl Salicylate .45 %
 P-Chloro-M-Xylenol .45 %
 Benzyl Alcohol 2.80 %

DIRECTIONS

Shake well before use. Spray from a distance 2 to 4 inches. A one second application over the area to be treated provides an adequate dosage. Application should be repeated daily until healing takes place. When possible, affected areas should be clean and dry prior to application.





Item # 11040 - 250 ml
11041 - 400 ml

Topazone

It is effective for the prevention and treatment of infections that can occur when performing the following procedures: Dehorning and marking of livestock, cutting of navel and tails, castration, surgery and general injuries. In addition to prevention and control of cutaneous infections, serves as an adjunct to a better and more rapid healing of the lesion. TOPAZONE is the treatment of choice to solve, prevent and reduce the incidence of infectious bovine keratoconjunctivitis or pink eye caused by MORAXELLA BOVIS. It is also effective in any nonspecific eye infection present in cattle, dogs, cats and horses.

FORMULA

Every 100 g contains
 Florfenicol 0.6 g
 Dispersing inert and propellants agents 100 g

DOSAGE AND ADMINISTRATION

Shake well before use, apply at a distance of 15-30 cm from the affected area until completely covered, we recommend one to two applications per day, repeating the treatment until complete recovery.

Item # 10709 - 300 ml
Negasunt


Is indicated as an insecticide/miticide with larvicidal action on scabs and cutaneous. It also has a quick healing effect.

COMPOSITION

Thiophosphate of 0,0-Diethyl-0-(3-chloro-4- methyl-7-coumarinyl) (equivalent to 2.840 g/l)	0.454 %
2-Isopropoxyphenyl-N-methyl carbamate (equivalent to 1.896 g/l)	0.303 %
Solvents, dye, propellant and flattering of scarring. No more than	99.243 %

METHOD OF APPLICATION

Cover the wound with aerosol. Not required to be applied every day, a single application is sufficient to achieve definitive cure.



Item # 36051 - 16 oz
36059 - 32 oz

Adams Flea & Tick Spray

Provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. Kills adult fleas, flea eggs, flea larvae and ticks.

ACTIVE INGREDIENTS

Etofenprox (CAS #80844-07-1).....0.25 %
(S)-Methoprene (CAS #65733-16-6).....0.10 %
Peperonyl Butoxide (CAS #51-03-6).....0.75 %
Other Ingredients.....98.90 %
Total.....100.00 %
(butylcarbity) (6-Propylpiperonyl) ether
and related compounds



Item # 36057 - 16 oz
36058 - 32 oz

Adams Plus Flea & Tick Spray

Is a concentrated flea and tick spray that kills fleas, ticks, deer ticks, flea eggs and flea larvae on contact, providing your dog or cat with instant relief. This simple, effective formula breaks the flea life cycle for up to 2 months and repels mosquitoes to keep your pet safe and comfortable.

ACTIVE INGREDIENTS

Etofenprox (CAS #80844-07-1)..... 0.50%
(S)-Methoprene (CAS #65733-16-6)..... 0.27%
Piperonyl Butoxide (CAS #51-03-6)..... 1.75%
Other Ingredients..... 97.48%
Total.....100.00%
(butylcarbity) (6-Propylpiperonyl) ether
and related compounds



Item # 36040 - 12 oz
Adams Flea & Tick Shampoo

Quick kill of fleas, lice and ticks on dogs, cats, puppies and kittens. Repels gnats, mosquitoes and flies. Cleans, conditions and deodorizes.

DIRECTIONS FOR USE

Wet the animal thoroughly with warm water. Apply 1-2 tablespoons (15-30 milliliters) of shampoo to various parts of the hair coat. Rub to produce abundant lather. Add more water if necessary to produce more lathering. Let lather remain in hair coat for five minutes. Rinse hair coat with clean water. Repeat every 7 to 14 days.

ACTIVE INGREDIENTS

Pyrethrins.....0.075%
Piperonyl butoxide.....0.750%
Pyriprosyfen.....0.086%
Other Ingredients.....99.089%
Total.....100.000%
(butyl carbity) (6-propylpiperonyl) ether
and related compounds

Item # 36080 - 32 oz
Adams Plus Yard Spray

Adams Plus Flea & Tick Yard Spray is an easy to use yard spray that kills fleas in your yard. This treatment easily attaches to the end of your hose and allows you to spray your entire yard killing and repelling fleas, ticks, mosquitos, ants and crickets. It also kills adult fleas, eggs, larvae, ticks, cockroaches, ants, spiders, mosquitoes, and silverfish. Adams Plus Flea & Tick Yard Spray provides up to 4 weeks of pest control in your yard thus making outside playtime more enjoyable for you, your family and your pets.



ACTIVE INGREDIENT

Permethrin 2.5%, Other Ingredients 97.5%.

DIRECTIONS

To kill fleas and ticks harboring in residential lawns and backyards, use this concentrate in a hose-end sprayer. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary. Kills on contact the ixodes dammini tick (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product. Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding areas should also be treated with a registered flea and tick control product in conjunction with this application.

Item # 36045 - 12 oz
Adams Plus Flea & Tick Shampoo with Precor

Is a concentrated lathering shampoo enriched with oatmeal, coconut extract, lanolin, and aloe. Leaves the coat soft, shining, and manageable. The shampoo removes loose dandruff, dirt and scales. PRECOR Insect growth regulator provides 28 days of control of pre-adult fleas before the become biting adults.



ACTIVE INGREDIENTS

- (S)-Methoprene (CAS #65733-16-6).....0.10%
- Pyrethrins (CAS #8003=34-7).....0.15%
- Piperonyl Butoxide* (CAS #51-03-6).....1.88%
- Other Ingredients.....97.87%
- TOTAL.....100.00%

*(butylcarbityl) (6-propylpiperonyl) ether and related compounds

** (S)-methoprene

DIRECTIONS

May be used full strength or diluted with 2 parts water. Thoroughly wet pet with warm water. Do not apply shampoo around eyes. Total amount of shampoo to be applied is 1 1/3 tablespoons for each 5 lbs of pet's weight. Estimate total amount of shampoo needed for your pet, then apply shampoo along the back of the pet. Work well into coat starting at the head and working back. Spread lather to include head, neck, legs and feet. Continue to work lather in over the whole pet for 3 to 5 minutes (this is an important part of the grooming procedure). After lather has been worked in over the entire pet, rinse pet thoroughly with warm water. For extremely dirty or scaly animals, the above procedure may be repeated. Repeat every 7 to 10 days, if necessary, for adult flea relief. Flea egg hatch inhibition will last for 28 days.



**Item # 36072 - 4 oz
Adams Pyrethrin Dip**

Helps you keep your pet safe from all blood-sucking and itch-causing insects. The dip helps you to keep your pet safe from ticks, lice, gnats, mosquitoes and flies for 7 days.

ACTIVE INGREDIENTS

Pyrethrins.....	0.97%
Piperonyl Butoxide, technical.....	3.74%
N-Octyl Bicycloheptene Dicarboximide....	5.70%
Di-N-Propyl isocinchomeronate.....	1.94%
Other Ingredients.....	<u>87.65%</u>
Total.....	100.00%

Equivalent to 2.99% of butylcarbityl (6-propylpiperonyl) ether and 0.748% of related compounds
Contains petroleum distillate.

DIRECTIONS FOR USE

Shake well before each use. Thoroughly mix 1/2 oz (1 tablespoon) of this product with 1 gallon of warm water. Dip should be applied to dry or damp (not wet) coat. Sponge or dip animal with diluted product making sure all areas are soaked to the skin. Let dip dry on animal. Do not rinse off. Repeat treatment every 7 days if necessary.



**Item # 36046 - 12 oz
Bio Spot Flea & Tick Shampoo Dog**

Is a concentrated lathering shampoo enriched with oatmeal, coconut extract, lanolin, and aloe. Formulated for dogs and puppies to leave the coat soft, shining, and manageable. Bio Spot Active Care Flea & Tick Dog Shampoo removes loose dandruff, dirt, and scales. An insect growth regulator provides 28 days of control of pre-adult fleas before they become biting adults.

ACTIVE INGREDIENTS

(S)-Methoprene (CAS #65733-16-6).....	0.10%
Pyrethrins (CAS #8003-34-7).....	0.15%
Piperonyl Butoxide (CAS #51-03-6).....	1.88%
Other Ingredients.....	<u>97.87%</u>
Total.....	100.00%

(butylcarbityl) (6-propylpiperonyl) ether and related components.

DIRECTIONS FOR USE

Use at full strength or diluted with 2 parts water. Thoroughly wet your pet with warm water. Do not apply shampoo around eyes. The total amount of shampoo to be applied is 1 1/3 tablespoons for each 5 lbs. of pet's weight. Estimate the total amount of shampoo needed for your pet, then apply shampoo along the back of the pet. Work well into coat starting at the head and working back. Spread lather to include head, neck, legs and feet. Continue to work lather in over the whole pet for 3 to 5 minutes (this is an important part of the grooming procedure). After lather has been worked in over the pet, rinse pet thoroughly with warm water. For extremely dirty or scaly animals, the above procedure may be repeated. Repeat every 7 to 10 days, if necessary, for adult flea relief. Flea egg hatch inhibition will last for 28 days.

Item # 36503 - 12 oz

Shampoo Sulfodene Medicated

Fast, temporary relief of itching, flaking and scaling skin. Deep-cleans, deodorizes and leaves coat lustrous.



ACTIVE INGREDIENTS

Coal Tar, Sulfur, Triclosan

DIRECTIONS

Shake well. Moisten coat and apply shampoo, rubbing in to create a rich lather. Rinse thoroughly, dry and brush coat.

Item # 28034 - 200 ml

Shampoo Linvet

Control and prevention of ectoparasites: fleas and lice. Cleans, deodorizes and beautifies the coat of the animal.



FORMULA

Cypermethrin 3-(2,2-Dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate of a-cyano-3-phenoxybenzyl, 0.2 g pine essence, vehicle c.s.p. 100 ml

DIRECTIONS

Thoroughly wet the animal's hair, apply shampoo and rub to form good lather. Leave on for 10 minutes, rinse several times with clean water and dry. It can be used weekly.

Item # 10455 - 440 ml

Galmedic Spray

Curative and preventive treatment of myiasis (maggots) and infections of navel of the newborn, also in castration wounds, tail docking, dehorning, marking and all types of skin wounds or surgical wounds. Also in localized infestations of ura (boron), scabies and foot lesions.

COMPOSITION

Every 100 ml contains

Cypermethrin	0,55 g
Dichlorvos (DDVP)	3 g
Excipients c.s.p.	100 ml

DIRECTIONS

Apply the product completely covering the lesions and surrounding areas, keeping the valve 15 cm away.



Item # 36506 - 120 ml
36507 - 250 ml

Shampoo Pompas

Is an insecticide , antiseptic and deodorant perfect for ultimate control of fleas, lice and ticks on dogs and cats.



COMPOSITION

Every 100 ml contains
Permethrin.....0.15 g
Piperonyl butoxide.....0.20 g
Irgasan DP 300.....1.50 g
Excipients c.s.p.....100 ml

DIRECTIONS

Wet animal and apply sufficient quantity, opening the fur and then rub in a circular motion until a good lather forms to penetrate deeply. Wait 5 minutes to rinse with clean water; dry and brush against the hair.

Item # 36047 - 12 oz

Bio Spot Flea and Tick Shampoo Cat

For cats & kittens is a concentrated lathering shampoo enriched with oatmeal, lanolin, and aloe. Leaves the coat soft, shining, and manageable. The shampoo removes loose dandruff, dirt, and scales. PRECOR Insect Growth Regulator provides 28 days of control of pre-adult fleas before they become biting adults.



ACTIVE INGREDIENTS

(S)-Methoprene (CAS #65733-16-6).....0.10%
Pyrethrins (CAS #8003-34-7).....0.15%
Piperonyl Butoxide (CAS #51-03-6).....1.88%
Other Ingredients.....97.87%
Total.....100.00%
(butylcarbityl) (6-propylpiperonyl) ether and related components.

DIRECTIONS FOR USE

May be used full strength or diluted with 2 parts water. Thoroughly wet animal with warm water. Do not apply shampoo around eyes. Apply shampoo on head and ears, then lather; repeat procedure with neck, chest, middle and hindquarters, finishing legs last. Continue to work lather in for 3 to 5 minutes (this is an important part of the grooming procedure), then rinse animal thoroughly. For extremely dirty or scaly animals, the above procedure may be repeated. Repeat every 7 to 10 days, if necessary, for adult flea relief. Flea egg hatch inhibition will last for 28 days. Do not use on kittens under 12 weeks old.

Item # 28036 - 240 ml
28040 - 1 liter

Pulex Shampoo

Effective in the treatment of ectoparasites such as fleas and mites.
Softens the hair of the animal. For general hygiene of canines.

FORMULA

Every 1000 ml contains	
Deltamethrin	0.13 g
Lanolin	2.50 g
Vehicle, color and odor	1000 ml



DIRECTIONS

Thoroughly wet the animal hair and apply the amount needed until it forms enough foam. Thoroughly wash the shampoo after three to ten minutes.

Item # 36143 - 22 oz

Boundary Spray

In and around the home helps keep pets away from areas they don't belong, like garbage cans, furniture, rugs, plants and other areas.



ACTIVE INGREDIENTS

Methyl nonyl ketone.....	1.9%
Related compounds.....	0.1%
Other Ingredients.....	98.0%

DIRECTIONS

Spray the object lightly with this product until slightly moistened. Repeat daily, or as necessary until undesirable habit is broken.

Item # 36065 - 16 oz

Adams Flea & Tick Carpet Spray

Kills fleas and ticks and breaks the flea life cycle. It leaves no lingering odor, no stains, no sticky mess. Covers 1000 square feet and one treatment protects for 7 months.

ACTIVE INGREDIENTS

(S)-Methoprene (CAS #65733-16-6).....	0.045%
Etofenprox (CAS #80844-07-1).....	0.500%
Prallethrin (CAS #23031-36-9).....	0.300%
N-octyl Bicycloheptene Dicarboximide (CAS #113-48-4).....	0.500%
Other Ingredients.....	98.655%
Total.....	100.00%

DIRECTIONS FOR USE

Spray Adams Flea & Tick Carpet Spray from 2 feet to 3 feet away from surface being treated. Apply with a smooth back-and-forth motion to carpets, drapes, rugs and upholstered furniture. A fine mist spray that is evenly applied will do the job properly. Do not spray wood furniture, floors, or trim as water spotting may occur. Apply directly to exposed insects - roaches, ants, spiders, crickets, waterbugs, silverfish, sowbugs and carpet beetles.





Item # 36464 - 100 ml
36466 - 350 ml

Bolfo Shampoo

It is suitable for cleaning and protection of dogs and cats that are affected by fleas and lice infestations. Bolfo shampoo gives a special shine and smoothness to the coat as well as a pleasant smell.

ACTIVE INGREDIENTS

Propoxur: 2-(Methylethoxy)
phenyl methyl carbomate.....0.1%
(Equivalent to 1g of i.a./L)
Inert Ingredients
Diluents, surface active substances,
foaming, emollients and dispersants.....99.9%
Total 100.0%

DIRECTIONS FOR USE

Thoroughly wet the animal, apply Bolfo shampoo until plentiful lather is obtained, rinse and repeat the operation leaving the foam to act for a few minutes. Then rinse and dry the animal again.

Item # 36390 - 100 g
Bolfo Powder

It is excellent for the prevention and control of pests such as fleas, lice and other ectoparasites of dogs, cats, poultry and other domestic animals except for ornamental birds.

DIRECTIONS

In dogs, sprinkle the product Frictional distributing it throughout the body. In poultry pay special attention to the area of the cloaca, under the wings and nests.

ACTIVE INGREDIENTS

Propoxur: 2-(Methylethoxy)
phenyl methyl carbomate.....0.1%
(Equivalent to 10g of i.a./KG)
Inert Ingredients
Vehicle.....99.9%
Total 100.0%



Item # 36048 - 12 oz
Bio Guard Shampoo

Water-based formula lathers up quickly, rinses out easily, yet won't wash out the protection of your pet's flea and tick control. Non-irritating, pH-balanced formula cleans and conditions the coat and leaves a fresh, clean scent. Sage for dogs, cats, kittens and puppies of all ages.



DIRECTIONS

Wet pet thoroughly with warm water. Work shampoo well into coat. Rinse pet thoroughly and towel dry.

Item # 36487 - 16 oz

Simply Pure Shampoo

Whitens and intensifies natural coat color. Whitens effortlessly removing dulling dirt and grime, optical brighteners are at work whitening white coats, reviving yellowed coats and intensifying the natural color of all coats.

DIRECTIONS

Using warm water, wet coat thoroughly and work into a rich lather. Massage well into coat and skin. Avoid contact with pet's eyes. Rinse well. Repeat as necessary.

INGREDIENTS

Aqua (Reverse Osmosis Purified Water), naturally derived cleaners (Sodium Laureth Sulfate, Sodium Lauryl Sulfate, Cocamidopropyl Betaine, Cocomide DEA), Propylene Glycol, Guar Hydroxypropyltrimonium Chloride, Polyquaternium 47, Optical Brighteners, Olive Oil, Macadamia Oil, Jojoba Oil, Aloe Vera, Panthenol, Vitamin E, pH Adjuster, Thickening Agent, Fragrance, Cosmetic Grade Preservative



Item # 36132 - 100 g

Pompas Polvo

It is ideal for keeping pets skin and hair clean and has a prolonged ectoparasite effect after each bath.

COMPOSITION

Every 100 g contains	
Permethrin	1 %
Piperonyl Butoxide	1.5 %
Irgasan DP300	0.5 %
Excipients c.s.p.	100 g

DIRECTIONS FOR USE

Is applied by dusting directly on skin and dry coat, opening it and then rubbing it to penetrate deeply. The animal can be brushed after applying the product. It should be applied when there is presence of ectoparasites or when required to sanitize the pet.

Item # 26289 - 8.5 oz

Frontline Spray

Provides fast-acting, long-acting waterproof treatment and control of fleas, ticks and chewing lice for adult dogs and cats and for puppies and kittens 8 weeks of age or older.

ACTIVE INGREDIENT

Fipronil	0.29 %
----------	--------

DIRECTIONS FOR USE

Apply spray all over your pet's body, except the face, until coat is lightly damp. For the head and face, apply FRONTLINE SPRAY on a gloved hand and rub it in gently around your pet's head (avoiding contact with the eyes). Ruffle your pet's coat while applying spray. Wait 24 hours before bathing or letting your pet get wet after application. Spray approximately 1 to 2 pumps/pound of body weight. Reapply FRONTLINE SPRAY after 30 days.



Item # 36494 - 16 oz

Calm Coat Oatmeal Shampoo

Provides relief for itchy, scaly and sensitive skin. Formulated with colloidal oatmeal, aloe, hydrolyzed oat proteins and emollients to restore natural moisture to the skin.

INGREDIENTS

Concentrated surfactant blend (which is detergent and soap-free), aloe vera, vitamins A,D,E, EGDS, EDTA (sequestrant), glycerin, glyceryl stearate, wheat germ glycerides, hydrolyzed oat proteins, blend of botanical extracts, coconut oil, almond oil, proprietary blend of coat and skin conditioners and moisturizers, deionized water.

DIRECTIONS

Wet coat thoroughly with warm water. Apply enough shampoo to make a rich lather. Work shampoo from head to hindquarters. Let stand for approximately 5-10 minutes then rinse thoroughly. For best results repeat process.



Item # 36469 -16 oz

Flea Bite Shampoo

Combines ingredients which combat skin discomfort caused by fleas. Flea-Bite Shampoo also offers the benefits of a high quality moisturizing shampoo that is very gentle to your pet. This revolutionary formula utilizes mucopolysaccharides and Na-PCA, ingredients that restore moisture, balance and strength to the coat.

DIRECTIONS

Shake well before using. Gently rub shampoo onto wet pet and work up lather. Leave on for up to 5 minutes. Rinse thoroughly. Follow with Flea-Bite Spray. Shampoo may be used as often as needed.

INGREDIENTS

Deionized Water, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Cocamide DEA, D-Limonene, Polysorbate 20, Polysorbate 80, Allantoin, Aloe Vera Barbadosensis, Sodium PCA, Polyquaternium 10, Trichlocarban, Clove Extract, Lavender Extract, Thyme Extract, Glycosaminoglycans, Methylparaben, Tetrasodium EDTA, DMDM Hydantoin, Citric Acid, Salt, FD&C Blue #1, FD&C Yellow #5.



Item # 36468 - 16 oz

Flea Bite Spray

Offers continued relief of discomfort caused by flea bites. Very gentle to your pet. Our formula is infused with aloe vera to relieve irritation, and multiple extracts which add moisture for long lasting protection.

DIRECTIONS

Spray pets entire coat daily before going outside. Spray does not need to be rubbed in. Do not rinse off. Use as often as necessary for continued protection.

INGREDIENTS

Deionized Water, Sodium PCA, Polysorbate 20, Polysorbate 80, Cetrimonium Chloride, D-Limonene, Trichlocarban, Glycosaminoglycans, Aloe Vera Barbadensis, Clove Extract, Lavender Extract, Thyme Extract, Citric Acid, Tetrasodium EDTA, Methylparaben, DMDM Hydantoin, Defoamer, FD&C Yellow #5, FD&C Blue #1.



Item # 36473 - 16 oz

Micro Tek Pet Shampoo

For dogs and cats is fast and effective at relieving irritated skin, eliminating odor and soothing itchy skin. Using a patent pending formula developed from NASA research on the decontamination of astronauts, Micro-Tek Pet Shampoo soothes skin on contact! The formula is safe for use on puppies and kittens, contains no soap or harsh detergents and will not burn or hurt open wounds. It is non-toxic and environmentally friendly.



DIRECTIONS

Apply Micro-Tek Shampoo and leave on for 3-5 minutes. Rinse thoroughly. Then spray problem area with Micro-Tek Spray 2-3 times daily. Repeat shampooing weekly.

INGREDIENTS

Deionized Water, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Cocamide DEA, Polysorbate 20, Polysorbate 80, Sodium Chloride, Sodium PCA, Triclocarban, Glycosaminoglycans, Aloe Vera Barbadensis, Clove Extract, Lavender Extract, Thyme Extract, Allantoin, Citric Acid, Polyquaternium 10, Tetrasodium EDTA, DMDM Hydantoin, Methylparaben, Fragrance.

Item # 36474 - 16 oz

Micro Tek Pet Spray

is a fast acting anti itch spray for dogs and cats. Spraying Micro-Tek on your pet will grant instant itch relief as well as continuous leave on protection for over 24 hours. Using Micro-Tek Pet Spray will promote healthy skin and coat on your dog and cat by soothing irritated, red or crusty skin. This formula is non-steroidal and alcohol free. Micro-Tek Spray won't burn or hurt open wounds.



INGREDIENTS

Deionized Water, Sodium PCA, Cetrimonium Chloride, Glycosaminoglycans, Triclocarban, Allantoin, Aloe Vera Barbadensis, Clove Extract, Lavender Extract, thyme Extract, Citric Acid, Polysorbate 20, Polysorbate 80, Tetrasodium EDTA, DMDM Hydantoin, Methylparaben, Defoamer, Fragrance.

DIRECTIONS

After bathing with Micro-Tek Shampoo, push hair away from affected areas, where your pet is biting, itching, licking or scratching and spray directly onto the skin. Let hair fall naturally back into place and mist entire coat with light spray. Continue spraying affected areas 2-3 times per day or as often as needed. Do not rinse spray off. Micro-Tek Spray will be more effective if pet has been bathed with Micro-Tek Shampoo prior to initial spraying. Continue spraying until pet no longer bites, licks or scratches affected area, then use Premier Spray to moisturize coat properly.

Item # 36505 - 17 oz

Pet Shampoo Allergy Itch Relief

Will provide relief from itchy, scaly, sensitive skin. This shampoo is made for pets who are suffering from specific allergies. Flea bite allergy, grass allergies and food allergies can cause skin problems. This special blend will help relieve these issues. Can be used as often as necessary and will not strip the coat.



INGREDIENTS

Deionized water, surfactant blend (coconut shampoo base), almond oil, hydrolyzed oat proteins, Vitamins A, D, and E, glycerin, (soothes the skin), glyceryl stearate (emulsifies, makes foam, conditions), wheat germ glycerides, blend of cherry botanical extracts, EGDA (conditioner), EDTA (aids ingredients in blending), proprietary blend of coat and skin conditioners and moisturizers, DMDH hydantoin (preservative).

DIRECTIONS

Wet pet thoroughly with warm water. Apply enough Kenic Oatmeal Pet Shampoo to make a rich lather. Work shampoo from head to hindquarters. Let stand for approximately 5-10 minutes, then rinse thoroughly. For best results, repeat process. For optimum results use Oatmeal Conditioning Spray between baths to promote and maintain healthy skin.

Item # 36465 - 12 oz

Protein Lanolin Shampoo

Is a baby-mild coconut oil base shampoo that conditions as it cleans. It is non-irritating and will not strip natural oils from skin and coat. Protein-Lanolin highlights all colours and makes white sparkle. It contains lanolin to prevent dryness. The absorbable protein builds body and makes the coat shine. Coat dries smooth, manageable and tangle-free. Essential for damaged, overworked hair. Helps control body odors, is pH balanced and rinses out completely. Leaves the coat smelling fresh and clean. Safe for puppies and kittens.

INGREDIENTS

Purified Water, Cleansers derived from regrowable and 100% biodegradable source of Coconut Oil, Disodium Cocoamphodiacetate, Cocamide DIPA, Cholet-24, Ceteth-24, Hydrolyzed Soy Protein, Polysorbate 20, Lavendar Fragrance, Phenoxyethanol, MIT.



DIRECTIONS

Use as is or dilute 1 part with 4 parts water. Wet hair thoroughly with warm water. Apply shampoo and work well through the coat. Rinse. Short Hair Breeds: Dry and brush the coat with soft brush or wipe with soft cloth to bring out luster. Long Hair Breeds: Dry, then just brush or comb.



Item # 36480 - 12 oz

Natural Oatmeal Shampoo

is made with Colloidal Oatmeal USP...a long recognized, natural anti-itch ingredient. This shampoo works as a natural cleanser and cleans the skin without harsh irritating chemicals. Leaves coat clean, smooth and manageable. Contains unique conditioners to moisturize and soothe the skin on dogs and cats.

INGREDIENTS

2% (RAW) Colloidal Oatmeal USP, Purified water, cleaners derived from regrowable and 100% biodegradable sources of Corn, Coconut and Palm Kernel Oils, Organic Amphoteric, Decyl Glucoside, Disodium Cocoamphodiacetate, Sodium Laureth Sulfate, Lauramidopropyl Betaine, Bishydroxyethyl Dihydroxypropyl Stearammonium Chloride, Cocomide DIPA, Vegetable Glycerine, Aloe Vera, Citric Acid, Rainfall Fragrance, Phenoxyethanol, MIT

DIRECTIONS

SHAKE WELL BEFORE EACH USE. Wet the coat with warm water. Apply shampoo and work well through the coat. Work in additional water to obtain maximum benefits. Massage well into the hair and allow lather to stand for 5 minutes. Rinse. Repeat application and rinse thoroughly. For added anti-itch benefits, use in combination with Bio-Groom's natural Oatmeal Creme Rinse after shampooing.

Bio Spot Defense For Dogs

For use only on dogs 6 months of age or older. Provides fast acting and long lasting flea, tick and mosquito protection for up to one month. The etofenprox and (S)-methoprene formula starts killing fleas and ticks within 15 minutes. It kills and repels mosquitoes for up to four weeks and prevents flea development for more than two months. Ideal for indoor and outdoor dogs, has a fresh clean scent and is water resistant to continue killing fleas and ticks in humid and wet conditions.

ACTIVE INGREDIENTS

Etofenprox.....	50.0%
(S)-Methoprene.....	0.23%
Piperonyl Butoxide.....	9.10%
Dicarboximide (MGK 264).....	0.91%
Pyriproxyfen(Nylar).....	0.45
Other Ingredients.....	61.4%
Total.....	100.0%

DIRECTIONS

Apply once every 30 days unless a retreatment is necessary. Do not make the retreatment sooner than 8 days after the initial treatment. Apply directly to the dog's skin, not to the hair. Use applicator device tip to push aside dog's hair to allow direct application to the skin. Do not get this product in dog's eyes or mouth.

Item #	Description
36411	5-14 lbs. 1 month supply
36412	15-30 lbs. 1 month supply
36413	31-60 lbs. 1 month supply
36414	51-150 lbs. 1 month supply
36415	15-30 lbs. 3 month supply
36308	13-31 lbs. 3 month supply
36311	56-80 lbs. 3 month supply
36418	61-150 lbs. 3 month supply
36420	15-30 lbs. 6 month supply
36314	13-31 lbs. 6 month supply



Item # 36319 - 0.102 oz, cats under 5 lbs.

36318 - 0.183 oz, cats over 5 lbs.

Bio-Spot Defence For Cats

For Cats provides relief from flea infestations for up to 30 days by killing flea eggs and adult fleas on your cat or kitten. Its Smart Shield Applicator is specially designed for easier and more precise applications and its formula contains a natural coat conditioner. Formulated to kill fleas, flea eggs, flea larvae, deer ticks and mosquitoes on cats.

ACTIVE INGREDIENTS

(S)-Methoprene (CAS # 65733-16-6).....	3.6%
Etofenprox (CAS # 80844-07-1).....	40.0%
Other Ingredients.....	56.4%
Total.....	100.0%

DIRECTIONS

Apply once every month. Do not get this product in your cat's eyes or mouth. Apply directly to cat's skin, not to the hair. Use applicator device tip to push aside cat's hair to allow direct application to the skin.



Item # 36510 - 100 g

Soap Asuntol

The Asuntol soap is indicated for the treatment, cleaning and protection of dogs against fleas, ticks, lice, flies and other pests. Its ectoparasitocidal effect manifests rapidly, and essential oils contained in its formulation give shine and pleasant smell to the fur of animals.



FORMULA

1% coumaphos , essential oils and perfume.

DIRECTIONS

For best effect we recommend soaping animals and leave the soap for a few minutes, rinse thoroughly and repeat.

Item # 36514 - 100 g

Lassy Soap

Aid in the treatment of skin diseases; fungal, bacterial, scabies, dermatitis, eczema, seborrhea control and its effects: oily skin, itching and hair fall. Cleaning and good conservation of dog's hair and other pets.



FORMULA

Every 100g contains

Sulfur	5g
Zinc undecylenate	3g
Saponified fats c.b.p.	100g

DIRECTIONS

Wet the animal's hair and apply soap rubbing gently until a rich lather forms, keep hair shampooed for a few minutes and rinse thoroughly with warm water. If necessary repeat application , dry the animal's hair and brush to achieve desired silkiness and shine. 2-3 times a week as initial therapy for 4 weeks, then once a month to prevent relapse.

Item # 36134 - 75 g

Jabon Pompas

Insecticide, deodorant and antiseptic, ideal for a thorough deep cleaning and completes an insecticidal action in dogs and cats, for the control of ticks, fleas and lice.

COMPOSITION

Permethrin	1.00 %
Irgasan DP 300	0.50 %
Piperonyl Butoxide	1.50 %



DIRECTIONS

Lather and rub doing massage to obtain a rich lather. Leave the foam for 5 minutes. Rinse and repeat. Dry and brush the fur. Repeat once a month or as directed by a veterinarian doctor.

Item # 36160 - 2 1oz bottles

Ear Mite Treatment R-7

Ear Care Kits contain Ear mite treatment plus Ear cleaner. Use both regularly to clean ears, reduce ear odor and control ear mites & ticks.

ACTIVE INGREDIENTS

Pyrethrins (CAS No. 8003-34-7).....	0.15%
*Piperonyl Butoxide (CAS No. 51-03-6)...	1.50%
Other Ingredients.....	98.35%
Total.....	100.00%

*(butylcarbityl) (6 - propyl - piperonyl) ether and related compounds



DIRECTIONS

Shake well before using. Do not use on puppies or kittens under 12 weeks of age. To kill spinose ear ticks and ear mites: Apply 10 drops to each ear making sure it penetrates the wax down to surrounding tissues. Repeat treatment once or twice at 2-3 day intervals.

Item# 10278

Vetericyn+the traveler pop kit 8/3oz 95207



Direction for use: Move excess hair from wound area. Clip if necessary adjust spray nozzle. Satuarte the affected area. If dressing is required, saturated dressing with vetericyn at each dressing change. Repeat 3-4 times per day until wound is healed. No rinsing necessary. Faster healing is achieved when wounds are cleaned and maintained moist. Safe for use around mouth, nose ears and eyes.

Active Ingredients

Hypochlorous acid(HOCl) (0.0120%) **inactive:** Electrolyzed water (H2O), sodium chloride (NaCl), Phosphates sodium Hypochlorite (NaCl)

Item # 36240 - 3/.05oz - 33 lbs and under
 36230 - 3/.10oz - 33lbs to 66 lbs
 36220 - 2/.20oz - 66 lbs and over

Freedom 45 Spot - On For Dogs

Kills fleas, ticks, mosquitoes, lice and mites on dogs. Freedom Spot-On contains 45% Permethrin in order to kill, repel and prevents re-infestation. For use on dogs and puppies 12 weeks of age and older.



ACTIVE INGREDIENTS

Permethrin (CAS#52645-53-1).....45%
 Other Ingredients.....55%
 Total 100%
 Cis/trans ratio: max 55% (+/-) cis and
 min 45% (+/-) trans

DOSAGE

Apply 3 cc of Freedom 45 Spot-ON For Dogs to the skin of the dog's back between the shoulder blades and 3 cc to the skin directly in front of the base of the dog's tail.

Item# 10277

vetericyn Foam Care Pet MD Shampoo 16oz



Vetericyn FoamCare™ Medicated Shampoo is specially formulated to alleviate and manage skin ailments. This medicated shampoo aids in relieving itchy, dry, scaling, and irritated skin as well as treating psoriasis and seborrheic dermatitis. With its innovative foaming spray applicator, FoamCare is applied evenly with less mess—simply from the squeeze of a trigger. Vetericyn FoamCare supports optimal skin & coat health and is non-irritating, pH optimized, and retains the essential oils in your pet's skin. It's the new easy on, easy off shampoo that makes bathing pets more fun with less stress!

Item # 36011 - .69oz - small dogs

36010 - 1.2oz - large dogs

Adams Plus Flea & Tick Dog Collar

Kills fleas and ticks, including ticks that may carry Rocky Mountain Spotted Fever, Lyme Disease and Ehrlichiosis up to 5 months. Kills flea eggs and flea larvae for up to 5 months. The effectiveness will not be impaired if your dog goes swimming or is out in the rain. Fast acting, with a fresh powder scent.



ACTIVE INGREDIENTS

Propoxur (CAS # 114-26-1).....	10.0%
(S)-Methoprene (CAS # 65733-16-6).....	2.1%
Other Ingredients.....	<u>87.9%</u>
Total	100.0%

DIRECTIONS

Collar must be worn loosely. Leave 2 or 3 inches for extra adjustment. cut off and dispose of excess length. Replace in 5 months or sooner if needed.

Item # 36009 - .37 oz

Adams Plus Flea & Tick Cat Collar

Kills fleas, ticks, and flea eggs over your cat's entire body. BreakAway design helps keep your cat safe should she get caught on something while she explores her world. Protects your cat against fleas for up to 8 months. For cats 12 weeks and older.



ACTIVE INGREDIENTS

Propoxur (CAS # 114-26-1).....	10.0%
(S)-Methoprene (CAS # 65733-16-6).....	2.1%
Other Ingredients.....	<u>87.9%</u>
Total	100.0%

DIRECTIONS

Collar should fit snugly enough to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated about the neck. Leave 1-2 extra inches on the length of the collar for adjustment, cut off excess, and dispose of in trash. For fleas: replace collar in 8 months or sooner if needed. For ticks: replace collar in 6 months or sooner if needed.



Item# 36281
CERTIFICATE FOR DOGS
 Rapidly starts killing ticks with in 6hours

kills fleas, flea, eggs, & chewing lice
 Prevents ticks from attaching, and detaches tick when applied to infested dog.

kills adult fleas, flea eggs & flea larvae.
 long lasting & water proof
 For one month against ticks.

FOR ONLY DOGS 8 WEEKS OLD OR OLDER AND 23 TO 44LBS

Kill ticks that may transmit tick-borne diseases including lyme disease, Anaplasmosis, Ehrlichiosis, babesiosis and rock mountain spotted fever. **DO NOT USE ON CATS**



SIDE A

ACTIVE INGREDIENTS

Fipronil.....9.8%
 (s)-methoprene.....8.8%
 other ingredients...81.14%
 total.....100.0%

SIDE B

ACTIVE INGREDIENTS

Amitraz.....22.1%
 other ingredients..77.9%
 total.....100.0%



PULVILINE
Item# 36275 - 1.4ml
Item#36276 -2.1ml

control fleas, lice and ticks in dogs and cats.

COMPOSITION

Each ml contains
 Fipronil.....100mg

**Item # 36540 - 2 oz
Vetrx Rabbit Med.**

For effective relief of respiratory infections, colds, wheezing, snuffles, pneumonia, ear mites and ear canker in all standard breeds of rabbits, raised commercially, as a hobby or for showing.

INGREDIENTS

Made with 3.3% (V-V)
Alcohol U.S.P.
Canada Balsam,
Camphor, Oil
Origanum, Oil
Rosemary blended in
a corn oil base.



DOSAGE

Snuffles/Pneumonia - 2 warm drops in each nostril and to any scabbed area 2-3 times daily until symptoms disappear; Ear Mites/Ear Canker - Apply warm with Q-Tip to scabby area; repeat after 24 hrs and again after 36 hrs. Three days later, add 2 drops to each ear. Safe and easy to apply.

**Item # 42253 - 50 ml
Funhit Locion Dermica**

Topical treatment of dermal conditions caused by fungi and Gram positive and Gram negative bacteria in dogs, cats, cattle and horses.

COMPOSITION

Every ml contains	
Clotrimazole	10 mg
Neomycin sulfate	5 mg
Dexamethasone sodium phosphate	0.5 mg
Exipientes c.s.p.	1 ml



DOSAGE

For topical use only. Apply Funhit to the affected area two to three times a day until full healing or at the discretion of the veterinarian.



**Item # 42252 - 50 g
Funhit Emulgel**

Topical treatment of dermal conditions caused by fungi and Gram positive and Gram negative bacteria in dogs, cats, cattle, horses, goats and pigs.

COMPOSITION

Every g contains	
Clotrimazole	10 mg
Neomycin sulfate	5 mg
Dexamethasone sodium phosphate	0.5 mg
Exipientes c.s.p.	1 g

DIRECTIONS

Apply on the affected area of skin, evenly distributing to ensure optimal absorption, two or three times a day until obtaining full control of the affection or according to criteria of veterinarian.

**Item # 10956 - 40 g
Saniderm Cream**

Antifungal, antiinflammatory, antipruritic, healing and antibacterial treatment of skin diseases caused by: Escherichia coli, Klebsiella sp, Proteus sp, Pseudomona aeruginosa, Shigella sp, Streptococcus sp, and Staphylococcus sp.



COMPOSITION

Every 100 g contains

Clotrimazole	1.00 g
Betamethasone	0.10 g
Zinc oxide	0.05 g
Excipients	100.00 g

DIRECTIONS

Apply to the affected area of the skin, distributing it evenly, 2 times a day until improvement.

**Item # 36363 - 50 g
Crema Cicatrizante**

Is indicated for the prevention of single or mixed infections in the case of skin lesions such as: wounds, sores, burns, allergic dermatitis or by scabies, excoriation, knocks. In the treatment of skin lesions presenting infections caused by fungi or bacteria such as: pustular dermatitis, eczema, podo-dermatitis and dehorning infections in the case of larger species.



FORMULA

Clotrimazole USP	1,00 g
Gentamicin sulfate	0.10 g
Hydrocortisone Acetate	0.75 g
Zinc Oxide	8.00 g
Excipient fat soluble	100.00 g

DOSAGE AND ADMINISTRATION

Thoroughly clean the wound with isotonic saline solution or boiled water, then apply to the wound and its surroundings two or three times a day. Continue treatment for 5-7 days or as recommended by the veterinarian.

**Item # 36070 - 0.5 oz
Adams Ear Mite Treatment**

Offers relief for dogs and cats suffering from ear mites.

ACTIVE INGREDIENTS

Pyrethrins	0.05 %
Piperonyl Butoxide, Technical	0.05 %
Other Ingredients	<u>99.45 %</u>
Total	100.00 %

DIRECTIONS

Clean ears to remove built-up wax and dirt. Fill ear canal with labeled number of drops in each ear. Massage base of ear to insure insecticidal action penetrates ear wax. Gently dry ear with a cotton ball, soft cloth, or cotton swab. Apply daily for 7 to 10 days. Repeat treatment in two weeks if necessary.





Item # 36158 - 1 oz
Bio-Groom Ear Mite Treatment

Kills ear mites and ear ticks and aids in ear wax removal.

ACTIVE INGREDIENTS

Pyrethrins	0.15 %
Piperonyl butoxide, technical	1.50 %
Inert Ingredients	<u>98.35 %</u>
	100.00 %

DIRECTIONS

Apply to drops to each ear. Massage base of ear a few minutes to assist penetration of the ear wax by the solution. Allow pet to shake its head. Wipe excess solution from the ear with cotton. Repeat every 2 days until condition has cleared-up or as directed by your veterinarian.

Item # 36165 - 6 oz
Ear Mite Killer

For use on dogs, puppies, cats, kittens, horses and foals. Kills and repels ear mites, flies, gnats, mosquitoes, fleas, ticks, lice, and mange mites on exposed surfaces for 3 to 5 days.



ACTIVE INGREDIENTS

Pyrethrins (CAS No. 8003-34-7)	0.15 %
Piperonyl Butoxide, Technical (CAS No. 51-03-6)	1.00 %
N-Octyl bicycloheptene dicarboximide (CAS No. 113-48-4)	0.50 %
Di-n-propyl isocinchomeronate (CAS No. 136-45-8)	1.00 %
Oter Ingredients	<u>97.35 %</u>
Total	100.00 %

DIRECTIONS

Before application remove dirt or debris by brushing or washing with a mild shampoo. Allow to completely dry. Apply a light film to affected areas daily, massaging into the skin for 2 to 3 days, then apply every 3 to 5 days as needed. Do not apply over cuts, wounds or irritated skin. Do not apply near the eyes and mouth. Apply sparingly around ears.

Item # 36493 - 4 oz
Calm Eyes Eye Care

Is formulated to sooth itching, irritated, runny eyes in horses and ponies. Small animals: Used to relieve crusty, weepy and irritated eyes. Effectively removes sit-in tear stains and restores luster to coat.



DIRECTIONS

Shake well before using. Apply liberally to a clean clothor cotton square and bathe entire external eye area regularly twice per day. Do not pour directly in eye. Heavily stained areas may require daily treatment.

ACTIVE INGREDIENTS

Filtered eyebright extract 2.1%



Item # 36310 - 10 ml

Ojux - V

For the treatment of ear and eye diseases in dogs and cats such as external and middle ear otitis, blepharitis, keratoconjunctivitis caused by bacteria sensitive to gentamicin as Pseudomonas sp, Proteus sp, Escherichia coli, Klebsiella sp, Shigella sp, Staphylococcus sp, Streptococcus sp. Other indications at the discretion of the veterinarian.

COMPOSITION

Every ml contains	
Gentamicin (sulfate)	3,0 mg
Betamethasone Sodium Phosphate	1,3 mg
Lidocaine HCl	5,0 mg
Excipients c.s.p.	1,0 ml

DOSAGE AND ADMINISTRATION

In the affected eye, apply 1 or 2 drops two to three times a day until the disappearance of symptoms or at veterinarian criterion. In otitis and after cleaning the pavilion of the ear apply 4 to 5 drops in the affected ear, two to three times a day until the disappearance of symptoms or at the discretion of the veterinarian.

Item # 36173 - 1 oz

Zymox Topical Cream HC 0.5%

Provides a powerful natural bio-active enzyme formula to aid in the treatment of skin infections, with the addition of 0.5% hydrocortisone to provide relief from itch and inflammation associated with skin infections, May safely be used on cats, dogs and small furry friends. Safe for all ages. Will not harm pets if accidentally ingested.

ACTIVE INGREDIENT

Hydrocortisone 0.5%



DIRECTIONS

Lightly rinse affected area with sterile water to remove dirt and debris. Apply once daily or as needed for one to two weeks. Apply until area is completely healed. May be lightly covered with sterile bandage.

Item # 36172 - 4 oz

Zymox Ear Cleanser

Gently Cleans and Protects Dirty Ears. Provides an effective, non-toxic way to manage dirty ears. The addition of Lacoperoxidase, Lactoferrin, and Lysozyme, which have natural bio-active properties, make Zymox Ear Cleanser perfect for long term cleaning of non-infected dirty ears.

INGREDIENTS

Benzyl alcohol, fragrance, glucose oxidase, glycerin, lactoferrin, lactoperoxidase, lysozyme, propylene glycol, purified water, sodium lauryl sarcosinate, zinc gluconate.

DIRECTIONS

Flush ear canal liberally. Massage at base of ear. Clean excess with cotton ball. For maintenance use 1 to 2 times weekly.





Item # 36178 - 12 oz
Zymox Conditioning Rinse

Provides a powerful protective barrier against minor skin inflammations and surface irritations. Also, provides topical itch relief for your pet. Safe and gentle enough to be used on all ages and sizes of pets, and exotics too.

INGREDIENTS

Water, Cetrimonium Chloride, Cyclomethicone, Vita-Protein Complex, Biotin, Lysozyme, Lactoferrin, Lactoperoxidase, Zinc, Gluconate, Vitamin D3, Potassium Iodide, Natural Fragrance.

DIRECTIONS

Recommended for use after Zymox Shampoo. Zymox Conditioning Rinse may be applied directly to wet fur or diluted at a ratio of 3 oz. Rinse to 1 gallon water. Completely cover animal with Zymox Conditioning Rinse. Leave on to dry or rinse lightly. May be applied full strength as a lotion and left on to dry on severe problem areas.

Item # 36171 - 1.25 oz
Zymox Ear Solution

Contains three natural bio-active enzymes that when combined, form a powerful antimicrobial defense system. Safe for all ages of cats and dogs. Recommended for most ear infections.

ACTIVE INGREDIENT

Hydrocortisone 0.5%



DIRECTIONS

Apply liberally to un-cleaned ear, filling the ear canal. Gently massage and work into infected area. Wipe to remove excess. Use once a day for 7 days, 14 days for chronic infections. Safe for extended use on persistent cases. Recommended usage, one bottle per ear per week.

Item # 36174 - 2 oz
Zymox Topical Spray HC 0.5%

Recommended for use on topical infections, wounds and cuts.

ACTIVE INGREDIENT

Hydrocortisone 0.5%



DIRECTIONS

Shake before use. Rinse lightly with sterile water. Hold bottle 4-6" away from affected area and apply until thoroughly covered. Apply twice daily for one to two weeks. May be lightly covered with sterile bandage.

Item # 36177 - 12 oz

Zymox Enzymatic Shampoo

Contains natural enzymes that work with your pet's body and plant extracts for gentle cleansing and protection of itchy, inflamed skin. The addition of vitamin D3 reduces inflammation and provides relief from itching. Helps to increase free fatty acid levels in skin, helps hydrate skin as well as stimulate micro-circulation in the skin. Does not contain harsh detergents, steroids, or petroleum by-products. Great for dogs, cats, kittens, puppies and small mammals.

INGREDIENTS

Water, Decyl Glucoside, Lauryl Glucoside, Cocamidopropyl Betaine, Vitamin A, Vitamin B5, Vitamin E, Vitamin D3, Lysozyme, Lactoferrin, Lactoperoxidase, Zinc Gluconate, Potassium Iodide, and Natural Fragrance.



DIRECTIONS

Wet animal thoroughly with water. Apply Zymox Shampoo directly or diluted at a ratio of 3 oz shampoo to one gallon water. Wash entire animal, concentrating on problem areas. Leave lather on for 3 to 5 minutes then rinse. Repeat if needed. Follow with Zymox conditioning Rinse for extra protection.

Item # 36467 - 240 ml

Endovet Shampoo

Acaricide and insecticide shampoo for dogs and cats.

COMPOSITION

Active Ingredient:

Deltamethrin (S) -alpha-cyano-3-phenoxybenzyl (IR, 3R) -3- (2,2-dibromovinyl) - dimethyl cyclopropane carboxylate 0.30%
Equivalent to 3g/kg

Inert Ingredients:

Foam stabilizer, detergent, pH adjuster, scavenger, preservative and water 99.70%



ADMINISTRATION

Wet the animals hair and apply the shampoo with special attention to armpits, neck and back from neck to tail rubbing gently until a rich lather is obtained. Keep the hair with the foam for several minutes and rinse thoroughly with warm water preferably. Avoid the animal to ingest the product and the foam generated by the product when applied. If necessary repeat the application, dry the animal's hair and brush until obtaining the desired brightness.

Item # 36137 - 19 g

Uterin

In cattle for the treatment of subacute and chronic endometritis.

COMPOSITION

Each syringe contains 642 mg of benzathine cephalosporin.



DOSAGE AND ADMINISTRATION

Through the cervix, deposit the contents of the syringe in the uterus. If necessary, repeat the application 1 to 2 weeks after, at the discretion of the veterinarian.

Item # 36327 - 10 ml

Tolpet

For the treatment of ear and eye diseases in dogs and cats, as external otitis and middle ear, blepharitis, keratoconjunctivitis caused by bacteria sensitive to tobramycin.

FORMULA

Every ml contains
Dexamethasone (as sodium)
phosphate dexamethasone.....1 mg
Tobramycin.....3 mg



DOSAGE

In the affected eye, instill one or two drops two or three times a day until the symptoms disappear.

Otitis and after cleaning the pinna, apply four or five drops in the affected ear, two or three times a day until the disappearance of symptoms.

Item # 36112 - M 10 -15 kg

36114 - L 25 - 40 kg

Pulgakill Pour On

Residual repellent of double action that removes ticks and fleas on dogs of any breed, with residual of at least 30 days.



COMPOSITION

Permethrin 2.2 dimethyl-3 (2.2 dichlorovinyl) cyclopropyl-1 carboxylate phenoxybenzyl -3: 24 g
Imidacloprid: 1 (2-chloro-5-pyridylmethyl) -2- (nitroimino) imidazolidine 6 g; excipients q.s.p.
100 ml

Item # 36044

Adams Indoor Fogger

Kills today's fleas and prevents tomorrow's fleas from growing up to bite. It effectively breaks the flea life cycle and inhibits flea re-infestation for up to 7 months. Kills adult fleas, hatching flea eggs, flea larvae, ticks, cockroaches, ants, spiders, mosquitoes, silverfish, ear wigs, flies, hornets, wasps. Non-staining, easy to apply. Leaves no lingering odor. For use in family rooms, great rooms, garages and kennels.



ACTIVE INGREDIENTS


(S)-Methoprene (CAS #65733-16-6)	0.09%
Etofenprox (CAS #80844-07-1)	0.50%
Tetramethrin (CAS #7696-12-0)	0.40%
N-Octyl Bicycloheptene Dicarboximide (CAS #113-48-4)	0.50%
Other Ingredients	98.51%.

DIRECTIONS

Shake well before using. Before activating, tilt sprayer away from face (fogger sprays up). Press down firmly on edge of actuator tab until it locks into place. Vacate the treated house, individual apartment unit, or other structure immediately. Keep treated area closed and do not re-enter for at least two hours. One fogger treats 3,000 cubic feet of area (a room 25' X 15' with an 8' ceiling)

**Item # 34090 - LG
Cuttlebone Calcium**

For all birds, helps keep a bird's beak trim and healthy. Cuttlebones are a natural source of essential minerals necessary for optimum bird health.



GUARANTEED ANALYSIS

Calcium (Max)	36.00 %
(Min)	31.00 %
Phosphorus (Min)	0.04 %

DIRECTIONS

- Place metal clip on flat surface and bend last 1/4" on all four ends slightly more than 90°.
- Wrap clip around cuttle bone with soft side up.
- Securely wrap with clip and pierce cuttle bone with the four ends, making sure the four ends are buried in the soft area.
- Bend tabs together on back to secure to cage.

Item # 36392 - 12 oz

36391 - 3 lb

Diatomaceous Earth Powder

Diatomaceous Earth (D/Earth) is an all-natural, effective pesticide that is made with the fossilized remains of microscopic shells, which are crushed into a fine powder. D/Earth is a short and long-term solution to parasite and pest problems. It kills external parasites and pests, such as ticks, fleas, lice, bed bugs and any pest with an exoskeleton. This product scratches an insect's waxy outer shell and absorbs the body fluids from the parasite, eventually killing the parasite by dehydration. Because the pest is killed through physical action and not chemical action, the pest cannot become immune to D/Earth.

INGREDIENTS

100% Diatomaceous Earth




INSTRUCTIONS

On animals: Use as a dusting during parasite season by sprinkling or rubbing into the coat of the animal.

Kennels: Sprinkle around kennel or bedding areas where there is a high concentration of parasites.

Oral use: 1-2 Tbsp per 50 lbs as needed as nutritional supplement for animals with skin & coat needs during the parasite season.



Item # 36374 - 5 lb

36375 - 10 lb

36376 - 25 lb

36377 - 50 lb

Diatomaceous Earth Food Grade

Diatomaceous earth is an amazing product because it can be used 100 different ways, and we want to help you discover its potential. That's why we have developed the largest DE learning center to provide you with all the how-to articles and videos you'll need to start using DE effectively. To learn more visit, DiatomaceousEarth.com

DOSAGE

Take 1 tsp twice daily

INGREDIENTS

Diatomaceous Earth..... 100%

DISINFECTANTS



Item # 18060 - 5 liters
18065 - 1000 ml

Intercept

Is a broad spectrum terminal disinfectant containing Glutaraldehyde and quarternary ammonium compounds for use in farm building, equipment, hatcheries, poultry houses, piggeries, kennels (Canine parvovirus) surgeries etc. It kills viruses, bacteria, mycoplasma, fungi and other disease causing organisms. Intercept is effective even in the presence of organic matter, it has a residual activity of 7 days.

COMPOSITION

Glutaraldehyde	15 %
Benzalkonium chloride solution	10 %
Excipients to	100 %

DOSAGE

- Routine disinfection: 25 ml/ 10 ltrs of water at a rate of 300 ml per square metre of surface area.
- For use in foot dips/ wheel baths: 100 ml/ 10 ltrs of water to be replaced every two weeks.
- Aerial/ fogging disinfection: 100 ml/ 15 ltrs of water. Apply this diluted solution at a rate of 1 litre per 100 cubic metres.
- Dosage of drinking water: 10 ml/ 30 ltrs of water. Treat water twice a week or continuously if necessary.



Item # 18010 - 20 liters
18000 - 5 liters
16 oz

Actiyodo

It is bactericidal, virucidal and fungicidal spectrum, recommended for disinfection of drinking water and equipment in general. Can be used in the form of spraying or dipping equipment, plant or animal.

FORMULA

Every 100 ml contains	
Nonilfenoxipoliefoxietanol - iodine complex (5% titratable iodine)	30 g
Orthophosphoric acid	15 ml
Vehicle c.b.p.	100 ml

DOSAGE

- WATER PURIFICATION - 1 liter per 4,000 liters of water.
- BUILDINGS AND VEHICLES - 1 liter per 2,000 liters of water.
- EQUIPMENT DISINFECTION - 1 liter per 1,000 liters of water.

Item # 18170 - 1 gallon
18171 - 16 oz

Chlorhexidine

An antiseptic and antimicrobial disinfectant which provides fast acting activity against a wide range of micro-organisms, especially against those commonly present on the skin.



ACTIVE INGREDIENTS

Chlorhexidine Gluconate	2.0%
-------------------------	------

DOSAGE

One ounce (2 tablespoons) per gallon of water.



Item # 18014 - 5 gallons
18013 - 1 gallon
Yodo 5%

Water disinfection, disinfection of farms and disinfecting equipment, in general feeders.

FORMULA

Every 100 ml contains	
Available Iodine	25 g
Phosphoric acid to	1.25 g
Vehicle c.b.p.	100 ml

DOSAGE

- Water disinfection: 1liter per 4,000 liters of water.
- Farm disinfection: 1liter per 600 liters of water.
- Equipment disinfection: 1liter per 1,000 liters of water.

Item # 18045 - 1 lt
18046 - 5 lt

Creolina

Is a powerful sanitizer effective in the control of all kinds of pathogenic microorganisms and insect larvae found in trash cans, stables, pens, etc.

INGREDIENTS

Water, crilico acid, oleic acid, methanol and monoethanolamine

INSTRUCTIONS

Being a concentrated product, it can be diluted in 100 parts of water max, leave product act for 5 minutes and rinse with abundant water.



Item # 18066 - 1 gallon
Formalin 10%

For use as tissue fixative for pathologic specimens or as a preservative.

ACTIVE INGREDIENT:

Formaldehde.....	10%
Other ingredient:	
Methanol 1.9 to 4.0%	90%

PESTICIDES



COMPOSITION

Each 100 ml contains :

Amitraz	12.5 g
Vehicle c.b.p.	100 ml

Item # 35370 - 1000 ml
35371 - 200 ml

Taktic

Insecticide and/or acaricide for external use suspension for bathing by dipping and spraying.

DOSAGE

CATTLE:

Dipping baths - 1.6 liters of TAKTIC and 6 kg of conservative simultaneously for every 1000 liters of water.

Spraying baths - 20 ml per 10 liters of water.

PIGS:

Spray against scabies and lice - 40 ml per 10 liters of water.

SPRAYING ON INSTALLATIONS - 80 ml per 10 liters of water.

Item # 35130 - 1000 ml
35150 - 100 ml

Butox

For bathing by dipping or spraying on cattle, horses, sheep, poultry and pigs. Mainly controls the genre of ticks *Boophilus* spp. and *Amblyomma* spp. and scabies mites *Sarcoptes* spp., *Psoroptes communis* and *Chorioptes bovis*.



COMPOSITION

Each liter contains:

Deltamethrin	25 g
Vehicle c.b.p.	1 liter

DOSAGE

Dipping baths:

1 liter per 1000 liters of water

Spraying baths:

1 liter per 1000 liters of water



Item # 35000 - 1000 ml
35001 - 100 ml
35003 - 20 ml

Asuntol Liquido

Is an organophosphorus insecticide and acaricide and therefore an inhibitor of cholinesterase. Its use is authorized for cattle, sheep, goats, horses, poultry and canidae.

COMPOSITION

Coumaphos	20 g
Emulsifier and liquid carrier q.s.	100 ml

DOSAGE

1 liter per 4 liters of water

**Item # 35245 - 1 liter
Garra Ban MO 29**

Is an emulsifiable concentrate, a mixture of a pyrethroid and an organophosphate acting on ticks in cattle of one or more hosts and hematophagous flies.



FORMULA

ACTIVE INGREDIENTS :

Chlorpyrifos: (0,0-diethyl-0-(3,2,6-trichloro pyridinyl phosphorothioate)
(Equivalent to 240 g of I.A./L) not less than 24%
PERMETRINA: (3-phenoxypheny)-methyl (+) cistrans -3-(2,2 dicloroethenyl) -2,2- dimethylcyclopropanecarboxylate
(Equivalent to 50 g I.A./L) not less than 5 %
INERT INGREDIENTS
Solvent and Emulsifiers no more than 71 %
TOTAL 100 %

DOSAGE

Immersion and spray bath
1 liter per 1000 liters of water



**Item # 35019 - 20 ml
35021 - 1000 ml
35022 - 120 ml**

Singap

It is an external parasite of the formamidines group, its action is based on interaction with octopaminergic parasites systems, producing its stimulation. Controls ticks on Cattle: Boophilus microplus and Amblyomma cajennense; and in canines: Rhipicephalus sanguineus.

COMPOSITION

Each 100 ml contains
1,5- di (2,4-dimethylphenyl) -3methyl
1,3,5-trazapenta 1.4 diene
Amitraz 20.8 g
Excipients 100 ml

DOSAGE

Cattle: 1 ml per liter of water
Canines: 2,5 ml per 2 liters of water

- Item # 35621 - 20 ml
- 35622 - 1000 ml
- 35623 - 100 ml

Tino

Is an emulsifiable concentrate with insecticidal and tick action, for bath by spraying or immersion, indicated in the control of ectoparasites, including the ones that have generated resistance to conventional pyrethroids.



COMPOSITION

Every 100 ml contains	
Cypermethrin	15 g
Piperonyl butoxide	15 g
Excipients c.s.p.	100 ml

DOSAGE

1 ml per liter of water

- Item # 35059 - 15 ml
- 35060 - 100 ml
- 35070 - 1000 ml

Bayticol Liquid

Tick infestations sensitive to pyrethroid of one or more guests in domestic animals such as: cattle sheep and goats.



COMPOSITION

Flumethrin	3 %
Inert ingredients	
Excipients , solvents and emulsifiers	<u>97 %</u>
Total	100 %

DOSAGE

1 liter per 1000 liters of water



**Item # 35050 - 1000 ml
Bayticol Pour-On Plus**

It is indicated for the treatment, control and elimination of all ticks and flies sensitive to pyrethroid affecting the cattle. Tick infestations of one or more hosts and flies in domestic animals such as: cattle sheep and goats.

FORMULA

Flumethrin	0.5 %
Cyfluthrin	0.5 %
Inert Ingredients	
Solvents, aromatic and Excipients	<u>99.0 %</u>
Total	100 %

DOSAGE

10 ml per 100 kg bodyweight

**Item # 35270 - 15 g
Neguvon Polvo**

Is an organophosphate, which kills insects and parasites by ingestion and contact by penetrating through the cuticle thereof.



COMPOSITION

Trichlorfon	90 %
Inert Ingredients	
Vehicle	<u>10 %</u>
Total	100 %

DOSAGE

5 g per 100 kg bodyweight

**Item # 35020 - 15 g
Asuntol Powder**

For the control of flies, ticks, lice, fleas and mites in cattle.



COMPOSITION

Coumaphos	50 %
Inert Ingredients	
Emulsifiers	<u>50 %</u>
Total	100 %

DOSAGE

15 g for 20 liters of water.



- Item # 31651 - 1000 ml
- 31656 - 120 ml
- 35624 - 20 ml

Mosgabano

Emulsifiable concentrate based on Cypermethrin, with action against mosquitos and ticks in cattle.

DOSAGE AND ADMINISTRATION

Dilution : 1:1000. Mix 20 ml of Mosgabano in 20 liters of water. Apply a liter of preparation per 100 kg

COMPOSITION

Each 100 ml contains	
Cypermethrin	15 g



- Item# 36376 25LB
- 36377 50LB

DIATOMACEOUS EARTH

It has been reported to be the most effective solution when fighting pests like fleas, ants and bed bugs.

Dosage: Take 1tsp twice daily

Item # 36253 - 3 pk. 10 ml

Equi-Spot

Kills & repels house flies, stable flies, face flies, horn flies, eye gnats, and ticks on horses. Aids in the control of mosquitoes, horse flies, deer flies and black flies on horses

ACTIVE INGREDIENT

Permethrin	45.0 %
Other Ingredients	55.0 %
Total	100 %



DIRECTIONS FOR USE

Apply one tube (10.0 ml) of product solution as follows:

- 5 ml along the back line starting at the poll (top of head behind the ears), along the base of the mane, down the dorsal midline to the dock (base of the tail)
- 1 ml to the top of the forehead under the forelock
- 1 ml, as a stripe, to the back of each foreleg, from the ankle up to the knee (2 ml total)
- 1 ml, as a stripe, to the back of each hindleg, from the ankle up to the hock (2 ml total)
- Do not allow the product to contact horse's eyes or mucous membranes.
- Wrap tube and put in trash.
- Do not reapply for 14 days (2 weeks).



Item # 27610 - 2 oz

Roll-On Fly Repellent

Repels house flies, stable flies, face flies, and horn flies from sensitive areas of the face and head and also areas around wounds.

ACTIVE INGREDIENTS

Pyrethrins.....	0.40 %
Piperonyl Butoxide	
Technical.....	1.00 %
Di-n-propyl isocinchomerate.....	1.00 %
N-octyl bicycloheptene dicarboximide.....	0.40 %
Other Ingredients.....	<u>97.20 %</u>
Total.....	100 %

DIRECTIONS FOR USE

Roll gently around eyes and over the face.



Item # 35261
CPF 5DP Ant Agromil

Is an organophosphate insecticide that kills by contact, ingestion and inhalation. This product is an acetyl cholinesterase inhibitor that disrupts the normal functions of the nervous system, eventually causing death of the insect. It also has some translaminar activity, making it a good product for the control of leafminers.

ACTIVE INGREDIENTS

0,0- Diethyl-0-(3,5,6-trichloro-2-pyridyl)
 Phosphorothioate 5.0%

Inert Ingredients 95.0 %
 Total 100 %
 Contains: 50 grams/kg. Active ingredient

DOSAGE

Corn and Sorghum: 3.8 - 9.6 kg/ha
 (2.7 - 6.7 kg/mz)
 Soy bean: 6.2 - 16.8 kg/ha
 (4.3 - 11.8 kg/mz)
 Pepper and Tomato: 14.4 - 19.2 kg/ha
 (10.1 - 13.4 kg/mz)
 Rice: 14.4 - 19.2 kg/ha
 (10.0 - 13.4 kg/mz)

Item # 35260 - 500 grams
Mirex-S

This product is an insecticide/ant-killer organofluorine that acts slowly by ingestion thus ensuring its effectiveness.



CHEMICAL COMPOSITION P/P
 Active Ingredient: N-ethylperfluoro-
 octane-1-sulfonamide 0.3 %
 Inert Ingredients: 99.3 %
 Total 100 %
 Contains: 3 grams/kg. Active ingredient

DOSAGE

Cutting ants of gender Atta: 8-10 grams/square
 meter of loose soil of anthill
 Cutting ants of gender Acromyrmex:
 30-50 grams per anthill according to their size.

Item # 35327 - 4 packs
Bat Magic

Made from natural, essential oils! Effectively repels bats from attics, wall voids, chimneys and other confined spaces. Packaged in convenient "place packs" that can be tossed or tacked wherever needed. Eliminates the annoying odors, squeaking, rustling, scratching and the risks of rabies and histoplasmosis that come with bats in your residence.



ACTIVE INGREDIENTS

Peppermint oil 2 %
 Spearmint oil 2 %
 Inert Ingredients 96 %
 Total 100 %

DOSAGE

Each pack treats a 10' x 15' area and is proven to last over 30 days

**Item # 26644 - 4 pouches
Fresh Cab Rodent**

Is a safe and effective way to rid your home and property of rodents. Made exclusively of botanical fibers and oils, Fresh Cab is safe around children, pets and livestock, and contains absolutely no poisons or toxic materials."



ACTIVE INGREDIENTS

Balsam Fir Oil, a botanical pesticide	2 %
Inert Ingredients	
Fragrance Oil, Plant Fibers	98 %
Total	100 %

DOSAGE

Place one scent pouch per 8 square feet. Length of effectiveness depends on air exchange rates and temperature conditions.

**Item # 35323 - 43 gr.
35324 - 4 oz
35326 - 4 lb.**

Ramik Rat Control Pellets

For control of commensal rats and mice indoors and outdoors.



ACTIVE INGREDIENT

Diphacinone (2-Diphenylacetyl-1,3-Indandione)	0.005 %
Other Ingredients	99.995 %
Total	100 %

APPLICATION DIRECTIONS

NORWAY RATS AND ROOF RATS: 4-16 ounces of bait per placement, space placements at intervals of 15 to 30 feet. HOUSE MICE: 1/4 to 1/2 ounces of bait per placement, space placement at 8 to 12 foot intervals.

**Item # 35400 - 1.68 oz
Tomcat Liquid**

For control of Norway rats, roof rats and house mice only inside of industrial, commercial, agricultural, and public buildings, and similar man-made structures.



ACTIVE INGREDIENT

Sodium Salt of Diphacinone (CAS #42721-99-3)	0.106 %
Other Ingredients	99.894 %
Total	100 %

MIXING DIRECTIONS

One pouch (1.68oz) in 1 quart (32 fluid ounces) of water.

APPLICATION DIRECTIONS

Rats: 1 pint (16 fluid ounces) in dispensers at intervals of 15 to 30 feet.

Mice: 1/2 pint (8 fluid ounces) in dispensers at intervals of 8 to 12 feet.

Item# 35426
Tomcat Glue Traps



Large, pesticide-free glue traps effectively capture mice and insects
Eugenol enhances stickiness for maximum holding power
Use as a flat trap or fold into a covered trap
Non-toxic formula
Ready to use

Item# 34425
Tomcat Heavy Duty mouse trap



Powerful, aggressive design. Patented interlocking teeth make escapes virtually impossible. Removeable bait cup allows trap to be baited without being set. Easy, no-touch disposal of mice. Reusable. Black plastic.

Item# 35411
Tomcat Mouse wood trap



The TOMCAT Wood Mouse Trap combines reliability, enhanced features and good value into a familiar, time-tested design. Our design incorporates solid wood construction, a stronger, more reliable dual spring mechanism and an easy-to-use trigger.

Item# 35409
Tomcat mouse snap trap



Tomcat Mouse Snap Traps combines safety and effectiveness into a simple, easy to use product. Place it in a variety of locations to control the occasional mouse intruder. It sets in one easy step and its unique "no touch" disposal makes clean-ups a breeze.

Combination of aggressive capture and hold with safer, user friendly features
Plastic easy-clean trap
Easy single hand release mechanism
Quick and easy disposal as hand never touches mouse

Areas of Use: In and around domestic, commercial and public buildings

**Item # 35405 - 2 pk.
Tomcat Glue Board**

Works without poison or chemical apparatus. When a rodent runs onto Tomcat Glue Board, it will get stuck. Simply dispose of the entire glue board.

DIRECTIONS

Rats: Place Tomcat Glue Boards at 10-15 foot intervals

Mice: Place Tomcat Glue Boards at 2-8 foot intervals.



**Item # 35415
Rat Trap Catchmaster**

With new easier to use Expanded Trigger makes setting and catching a Snap New design features the easy to set and lock cheese shaped trigger.



**Item # 35239
Fly Trap Milk Jug**

Convenient, economical way to catch over 35,000 flies per gallon! Snaps to the top of an ordinary milk jug. Easy to use, just add attractant, water and pop on the top. Includes 2 traps and 2 attractants.



**Item # 35225
Giant FlyRelief**

Disposable Fly trap includes a patented, scientifically developed attractant. It contains no harmful insecticides making it an ideal alternative. Once flies are in the trap, they drown and add to the attractant. Use in yard, kennel, stable, barn, around horses, pets, cattle, sheep, goats, poultry, hogs, garbage containers and any other area where flies are a problem.



**Item # 35234
Fly Bait Station**

- Easy to use and will be sure to solve your fly dilemma.
- For use with fly control scatter baits.
- Eliminates unsightly ground debris from scatter baits.
- Reduces potential exposure to children, pets and livestock.
- For use in barns, stables, kennels, feedlots, warehouses, broiler houses and dumpsters.



Item # 35222
35223 - Jr.

Fly Stik

May be used with confidence around children, pets or food because there are no insecticides and therefore, no exposure to insecticides vapors. Fly-Glo paper is proven to attract flies. Once flies or other small flying insects contact the amazingly sticky surface, they are trapped - once they land, they can never leave!



Item # 35221
Fly Catcher Giant Ribbons/Glue Giant Fly Trap For use in barns, waste rooms, animal farms and other high infestation areas Professional strength Non-toxic Disposable Ready to use 30' roll (9m) 25 square ft (2-1/4 square m)



Item # 35231
Mr. Sticky Fly Ribbon

Simply hang wherever there are too many pesky flies, and problem solved! Flies can't resist the Mr. Sticky non-polluting, non-toxic formula, and in no time you'll be fly-free.



Item # 35230
Fly Catcher

-Solution to pesty flies
-Lure-fly produces a single, super-sticky fly paper
-Once the flies land, they are stuck fast and can not escape
-No insecticides and no poisons. -Ingredients are sticky glue and paper



Item # 35160 - 16 oz
Catchmaster Boric Acid

Kills cockroaches, ants, waterbugs, palmetto bugs and silverfish. This product is for both residential and commercial use.



ACTIVE INGREDIENT

Boric Acid	99.0 %
Inert Ingredients	1.0 %

Item # 35310 - 15 gr.
35311 - 50 gr.

Quick Bayt

Is a chloronicotinic fly killer that blocks postsynaptic receptors of insects causing their death, even those "resistant" to traditional insecticides. This mechanism of action is highly effective against insects and safe for domestic animals and humans.



ACTIVE INGREDIENT

imidacloprid: 1- (6 - chloro -3- pyridin -3-ylmethyl) -N- Nitroimidazolidin -2- ylideneamine	
Not Less Than	0.50 g
(Equivalent to 5 g of a.i. / kg)	
Inert Ingredients	
attractants, bittering , adjuvant	
Not More Than	99.50 g
Total	100 g

DOSAGE

Painted: With brush, forming a paste by mixing 100 g of Quick Bayt in 80 ml of water to treat 45 to 50 square meter. Let the mixture rest for 1 or 2 hours and apply.
Spraying: Mix 200 g of Quick Bayt in 2,000 ml of water.

Item # 35235 - 1 gal.

Flyspray 44

Has been especially developed for use on horses. It provides a protective hair coating against flies while imparting a high sheen to the hair when brushed out. 1-2 ounces per head per day gives adequate protection. Apply with either soft cloth or fine mist spray. Remove or cover exposed foods before spraying. Do not apply to dairy animals.



ACTIVE INGREDIENTS

Pyrethrins	0.1%
Piperonyl Butoxide	1.0%
Butoxypolypropylene Glycol	15.0%
Oil of Citronella	1.0%
Contains Petroleum Distillate	

USE TO WIPE ON: First, brush animal to remove excess dirt and dust. Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth.

Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin.

After application, brush out thoroughly to bring out bright sheen on the coat. Repeat daily or as required.

USE AS A SPRAY: Fiebing's FlySpray 44 may be applied as a fine mist spray to stable area and over the around stabled horses for fast paralysis and kill of flies. Do not wet horse's skin or exceed two ounces per application.



Item # 35026 - 100 ml

Item # 35027- 20ml

Citraz

It is indicated in the control of ticks.

COMPOSITION

Every 100 ml contains	
Amitraz	20.8 g
Citronella oil	1 g

DOSE

Prepare a mixture of Citraz with water using a solution of 1:1000. Mix the required amount of Citraz with equal or double quantity of water, shake well and add this dilution to the total amount of water and shake until evenly homogenize.

Item # 35066 - 100 ml

MORTEL 20 SC

Is an insecticide. Toxic by contact and ingestion. Exhibits neurotoxic activity by blocking the GABA-regulated chloride channels of neurons.



CHEMICAL COMPOSITION

Fipronil	20%w/v
Inert Ingredients	80%w/v

HOW TO PREPARE THE MIXTURE

Add the recommended dose of MORTEL 20SC in a bucket with 6 liters of water. After mixing well with clean rod, pore this mixture in the application equipment tank. Prepare total volume of the mixture for spray with water and stir well. Adequate volume of the mixture for aerial application is 6 to 10 gallons per hectare. Ensure disposal of all equipments used for dose measuring and preparation of mixture.

Item # 35293 - 64oz

35294 - 16oz

Permethrin CDS Pour-On

Concentrated insecticide for beef, lactating dairy cattle, sheep and horses.

Can be applied topically to livestock and their premises.

Controls lice, horn and face flies, and aids in the control of ticks on beef and lactating dairy cattle.

Controls lice, horn, stable, deer and face flies, eye gnats and ticks on horses.

Controls sheep keds, lice and biting midges on sheep.



ACTIVE INGREDIENTS

Permethrin (CAS No. 52645-53-1).....7.4%

Piperonyl Butoxide Technical (CAS No. 51-03-6).....7.4%

OTHER INGREDIENTS.....85.2%

Contains Petroleum Distillates

DOSAGE

For moderate fly control apply 1.5 ml per 100 lb bodyweight of animal up to a maximum of 15 ml per animal.

For lice and severe horn fly control apply 2.0 ml per 100 lb bodyweight of animal, up to a maximum of 20 ml per animal.

Repeat treatment as needed, but not more than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Dog Food

Item # 39225 - 35 lbs

Exclusive Lamb & Rice Adult

GUARANTEED ANALYSIS:

Crude Protein, min	22.00 %
Crude Fat,	12.00 %
Crude Fiber,	3.00 %
Moisture, max	10.00 %
Calcium, min	1.30 %
Phosphorus, min	1.00 %
Zinc, min	200 mg/kg
Selenium, min	0.30 %
Vitamin E, min	150 IU/kg
Omega-6 Fatty Acids, min	2.20 %
L-Carnitine, min	30 mg/kg
Omega-3 Fatty Acids, min	0.3 %
Docosahexaenoic Acid (DHA), min	0.025 %
Glucosamine Hydrochloride, min	300 mg/kg
Chondroitin Sulfate, min	100 mg/kg



INGREDIENTS:

Lamb, lamb meal, brewers rice, whole grain brown rice, cracked pearled barley, oatmeal, dried egg product, dried beet pulp, chicken fat preserved with mixed tocopherols (a form of vitamin E), natural flavor, flaxseed, fish meal*, potassium chloride, salmon oil (a source of DHA), salt, choline chloride, dried chicory root, glucosamine hydrochloride, yucca schidigera extract, dried Enterococcus faecium fermentation product, dried Lactobacillus acidophilus fermentation product, dried Lactobacillus casei fermentation product, dried Lactobacillus plantarum fermentation product, dried Trichoderma longibrachiatum fermentation extract, vitamin E supplement, iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, thiamine mononitrate, manganese proteinate, manganous oxide, chondroitin sulfate, ascorbic acid, vitamin A supplement, biotin, calcium pantothenate, manganese sulfate, sodium selenite, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, riboflavin, vitamin D supplement, folic acid.

FEEDING DIRECTIONS

ADULT DOG WEIGHT

IN POUNDS

10 lbs or less

10 to 20

20 to 30

30 to 40

40 to 60

60 to 80

80 to 100

Over 100 lbs

AMOUNT TO FEED

IN CUPS PER DAY

1/2 to 1

1 to 1-1/2

1-1/2 to 2

2 to 2-1/3

2-1/3 to 3

3 to 3-3/4

3-3/4 to 4-1/3

4-1/3 + 1/3 cup for each
additional 10 lbs over 100 lbs

Item # 39227 - 35 lbs
Exclusive Chicken & Rice Adult



GUARANTEED ANALYSIS

Crude Protein, min	26.00 %
Crude Fat,	15.00 %
Crude Fiber,	3.00 %
Moisture, max	10.00 %
Ash, max	6.00 %
Calcium, min	1.0 %
Phosphorus, min	0.80 %
Zinc, min	200 mg/kg
Selenium, min	0.3 mg/kg
Vitamin E, min	300 IU/kg
Omega-6 Fatty Acids, min	2.50 %
Omega-3 Fatty Acids, min	0.40 %
Docosahexaenoic Acid (DHA), min	0.025 %
Glucosamine Hydrochloride, min	300 mg/kg
Chondroitin Sulfate, min	100 mg/kg

INGREDIENTS:

Chicken, chicken meal (natural source of glucosamine and chondroitin), brewers rice, oatmeal, whole grain brown rice, chicken fat (preserved with mixed tocopherols, a source of vitamin E), corn gluten meal, beet pulp, natural chicken flavor, egg product, flaxseed, fish meal, potassium chloride, salt, salmon oil (a source of DHA), choline chloride, dried chicory root, glucosamine hydrochloride, yucca schidigera extract, dried Enterococcus faecium fermentation product, dried Lactobacillus acidophilus fermentation product, dried Lactobacillus casei fermentation product, dried Lactobacillus plantarum fermentation product, dried Trichoderma longibrachiatum fermentation extract, vitamin E supplement, iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, thiamine mononitrate (vitamin B1), manganese proteinate, manganous oxide, chondroitin sulfate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, manganese sulfate, sodium selenite, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, riboflavin (vitamin B2), vitamin D3 supplement, folic acid.

FEEDING DIRECTIONS

ADULT DOG WEIGHT IN POUNDS	AMOUNT TO FEED IN CUPS PER DAY
10 lbs or less	1/2 to 1
10 to 20	1 to 1-1/2
20 to 30	1-1/2 to 2
30 to 40	2 to 2-1/2
40 to 60	2-1/2 to 3-1/4
60 to 80	3-3/4 to 4
80 to 100	4 to 4-2/3

**Item # 39151 - 50 lbs
Canine Advantage Formula**



INGREDIENTS:

Meat and bone meal, brewers rice, ground wheat, ground yellow corn, corn gluten meal, animal fat (preserved with BHA and citric acid), chicken by-product meal, dried beet pulp, natural poultry flavor, sunflower oil, potassium chloride, salt, brewers dried yeast, monocalcium phosphate, choline chloride, zinc sulfate, ferrous sulfate, vitamin E supplement, zinc oxide, manganous oxide, copper sulfate, vitamin B12 supplement, niacin, biotin, vitamin A supplement, calcium pantothenate, thiamine mononitrate (source of vitamin B1), calcium iodate, sodium selenite, pyridoxine hydrochloride (source of vitamin B6), L-lysine, menadione sodium bisulfite complex (source of vitamin K activity), riboflavin supplement (source of vitamin B2), vitamin D3 supplement, cobalt carbonate, folic acid.

GUARANTEED ANALYSIS:

Crude Protein, minimum	23.0 %	Calcium (Ca), minimum	1.2 %
Crude Fat, minimum	16.0 %	Phosphorus (P), minimum	0.9 %
Crude Fiber, maximum	4.0 %	Vitamin A, minimum	10,000 IU/kg
Moisture, maximum	12.0 %	Vitamin E, minimum	80 IU/kg
Linoleic acid, minimum	1.5 %	Zinc, minimum	125 mg/kg

DAILY FEEDING FOR ADULT DOGS

Up to 15 lbs: 1/2 to 1-1/2 cups
 16 to 25 lbs: 1-1/2 to 1-3/4 cups
 26 to 50 lbs: 1-3/4 to 2-1/2 cups
 51 to 75 lbs: 2-1/2 to 3 cups
 75 lbs plus: 3 to 3-3/4 cups (1/3 cup per 10 lbs of bodyweight over 100 lbs)

**Item # 39091 - 50 lbs
Bites n' Bones**



INGREDIENTS:

Ground yellow corn, ground wheat, chicken by-product meal, meat and bone meal, wheat mill run, animal fat (preserved with BHA and citric acid), corn gluten meal, natural poultry flavor, salt, sunflower oil, potassium chloride, choline chloride, zinc sulfate, calcium carbonate, artificial color (yellow #5, red #40, blue #2), ferrous sulfate, vitamin E supplement, zinc oxide, L-lysine hydrochloride, manganese sulfate, copper sulfate, vitamin B12 supplement, niacin, biotin, vitamin A supplement, calcium pantothenate, thiamine mononitrate (source of vitamin B1), calcium iodate, sodium selenite, pyridoxine hydrochloride (source of vitamin B6), menadione sodium bisulfite complex (source of vitamin K activity), riboflavin supplement (source of vitamin B2), vitamin D3 supplement, cobalt carbonate, folic acid.

GUARANTEED ANALYSIS:

Crude Protein, minimum	21.0 %	Linoleic acid, minimum	1.5 %
Crude Fat, minimum	8.0 %	Vitamin A, minimum	10,000 IU/kg
Crude Fiber, maximum	4.0 %	Vitamin E, minimum	75 IU/kg
Moisture, maximum	12.0 %	Zinc, minimum	150 mg/kg

DAILY FEEDING FOR ADULT DOGS

Up to 12 lbs: 1/2 to 1-1/2 cups
 13 to 25 lbs: 1-1/2 to 3 cups
 26 to 50 lbs: 4-1/2 cups
 51 to 100 lbs: 4-1/2 to 6-3/4 cups
 100 lbs plus 6-3/4 cups plus (1/2 cup per 10 lbs of body weight over 100 lbs)

**Item # 39171 - 40 lbs
Country Acres 18%**



INGREDIENTS

Wheat middlings, ground yellow corn, soybean meal, meat and bone meal, animal fat (preserved with BHA and citric acid), animal digest (containing chicken by-products and beef), salt, calcium carbonate, ferrous sulfate, zinc oxide, vitamin E supplement, niacin, copper sulfate, manganous oxide, vitamin A supplement, calcium pantothenate, biotin, vitamin B12 supplement, pyridoxine hydrochloride, thiamine mononitrate, menadione sodium bisulfite complex, calcium iodate, vitamin D3 supplement, riboflavin supplement, cobalt carbonate, folic acid, sodium selenite.

GUARANTEED ANALYSIS

Crude Protein, not less than	18.0 %
Crude Fat, not less than	6.0 %
Crude Fiber, not more than	6.0 %
Moisture, not more than	12.0 %

DAILY FEEDING FOR ADULT DOGS

SIZE OF DOG	WEIGHT OF DOG	AMOUNT OF FEED
Toy Breeds	up to 15 pounds	1 - 2 cups
Small	16 - 25 pounds	2 - 4 cups
Medium	26 - 45 pounds	4 - 6 cups
Large	46 - 90 pounds	6 - 8 cups
Extra Large	91 + pounds	1 cup per 10 lbs. of body weight

**Item # 39142 - 40 lbs
Canine Select**



INGREDIENTS:

Ground yellow corn, meat and bone meal, soybean meal, wheat middlings, chicken fat preserved with mixed tocopherols (form of vitamin E), chicken by-product meal, natural chicken flavor, brewers rice, salt, potassium chloride, choline chloride, zinc sulfate, ferrous sulfate, vitamin E supplement, zinc oxide, manganous oxide, copper sulfate, vitamin B12 supplement, niacin, biotin, vitamin A acetate, calcium pantothenate, thiamine mononitrate (source of vitamin B1), calcium iodate, sodium selenite, pyridoxine hydrochloride (source of vitamin B6), menadione sodium bisulfite complex (source of vitamin K activity), riboflavin supplement (source of vitamin B2), vitamin D3 supplement, cobalt carbonate, folic acid.

DAILY FEEDING FOR ADULT DOGS

3 to 15 lbs:	1/2 to 1-3/4 cups
15 to 25 lbs:	1-3/4 to 2-1/2 cups
25 to 50 lbs:	2-1/2 to 4 cups
50 to 75 lbs:	4 to 5 cups
75 to 100 lbs:	5 to 6 cups

GUARANTEED ANALYSIS:

Crude Protein, min	21.00 %	Crude Fat, minimum	9.00 %
Crude Fiber, max	4.50 %	Moisture, max	12.00 %
Calcium (Ca), min	1.00 %	Phosphorous (P), min	.80 %

**Item # 39272 - 50 lbs
Hi-Protein Formula**



INGREDIENTS:

Meat and bone meal, ground wheat, ground yellow corn, corn gluten meal, chicken fat preserved with mixed tocopherols (form of vitamin E), soybean meal, brewers rice, dried beet pulp, natural chicken flavor, salt, potassium chloride, brewers dried yeast, choline chloride, zinc sulfate, vitamin E supplement, ferrous sulfate, zinc oxide, niacin, copper sulfate, vitamin A supplement, biotin, manganous oxide, calcium pantothenate, thiamine mononitrate (source of vitamin B1), vitamin B12 supplement, pyridoxine hydrochloride (source of vitamin B6), menadione sodium bisulfite complex (source of vitamin K activity), riboflavin supplement (source of vitamin B2), sodium selenite, calcium iodate, folic acid, vitamin D3 supplement, cobalt carbonate.

DAILY FEEDING FOR ADULT DOGS

3 to 15 lbs: 1/2 to 1-1/4 cups
 15 to 25 lbs: 1-1/4 to 1-3/4 cups
 25 to 50 lbs: 1-3/4 to 3 cups
 50 to 75 lbs: 3 to 4 cups
 75 to 100 lbs: 4 to 4-3/4 cups

GUARANTEED ANALYSIS:

Crude Protein, min	27.00 %	Crude Fat, minimum	12.00 %
Crude Fiber, max	4.00 %	Moisture, max	12.00 %
Calcium (Ca), min	1.00 %	Phosphorous (P), min	.80 %
Zinc (Zn), min	125 ppm	Vitamin A, min	10,000 IU/kg
Vitamin E, min	80 IU/kg	Omega 6 Fatty Acids, min	1.50 %

**Item # 39181 - 40 lbs
Country Acres 21 %**



INGREDIENTS

Ground yellow corn, soybean meal, meat and bone meal, wheat middlings, animal fat (preserved with BHA and citric acid), animal digest (containing chicken by-products and beef), salt, choline chloride, ferrous sulfate, zinc oxide, vitamin E supplement, niacin, copper sulfate, manganous oxide, vitamin A supplement, calcium pantothenate, biotin, vitamin B12 supplement, pyridoxine hydrochloride, thiamine mononitrate, menadione sodium bisulfite complex, calcium iodate, vitamin D3 supplement, riboflavin supplement, cobalt carbonate, folic acid, sodium selenite.

DAILY FEEDING FOR ADULT DOGS

SIZE OF DOG	WEIGHT OF DOG	AMOUNT OF FEED
Toy Breeds	up to 15 pounds	1/2 - 1 3/4 cups
Small	16 - 25 pounds	1 3/4 - 2 3/4 cups
Medium	26 - 45 pounds	2 3/4 - 4 3/4 cups
Large	46 - 90 pounds	4 3/4 - 7 3/4 cups
Extra Large	91 + pounds	1 cup per 10 lbs. of body weight

GUARANTEED ANALYSIS

Crude Protein, not less than	21.0%
Crude Fat, not less than	8.0 %
Crude Fiber, not more than	4.5 %
Moisture, not more than	12.0 %

Item # 39412 - 40 lbs

Puppy Formula

INGREDIENTS:

Chicken by-product meal, ground yellow corn, ground wheat, brewers rice, chicken fat preserved with mixed tocopherols (form of vitamin E), ground flaxseed, natural chicken flavor, dried beet pulp, monocalcium phosphate, salt, potassium chloride, fish meal, brewers dried yeast, choline chloride, zinc proteinate, copper proteinate, manganese proteinate, zinc sulfate, vitamin E supplement, ferrous sulfate, zinc oxide, niacin, copper sulfate, vitamin A supplement, biotin, manganous oxide, calcium pantothenate, thiamine mononitrate (source of vitamin B1), vitamin B12 supplement, pyridoxine hydrochloride (source of vitamin B6), menadione sodium bisulfite complex (source of vitamin K activity), riboflavin supplement (source of vitamin B2), sodium selenite, calcium iodate, folic acid, vitamin D3 supplement, cobalt carbonate.

DAILY FEEDING FOR PUPPIES

Weight at Maturity (lbs)	Weaning to 3 months	4-5 months	6-8 months	9-12 months	Over 12 months
3 - 5	1/4 to 3/4	1/2 to 1	3/4 to 1-1/4	1/2 to 1-1/4	1/2 to 1
5 - 10	1/2 to 1	3/4 to 1-1/2	1 to 2	1 to 1-3/4	3/4 to 1-1/2
10 - 20	3/4 to 1-1/2	1 to 2	1-1/2 to 2-1/2	1-1/4 to 2-1/4	1 to 2
20 - 40	1-1/4 to 2-3/4	2 to 3-3/4	2-1/2 to 4-1/2	2-1/4 to 4	2 to 3-1/2
40 - 60	2 to 3-1/2	2-1/2 to 4	3-1/2 to 5-1/4	3-1/4 to 5	2-1/2 to 4-1/2
60 - 80	--	4 to 5-1/4	4-1/4 to 5-3/4	4 to 5-1/2	3-1/2 to 5
80 - 100	--	--	5 to 6-1/4	4-3/4 to 6	4 to 6
100 - 120	--	--	5-1/2 to 6-1/2	5-1/4 to 6-1/4	4-1/2 to 7

GUARANTEED ANALYSIS

Crude Protein, min	27.00 %	Crude Fat, minimum	16.00 %
Crude Fiber, max	3.00 %	Moisture, max	10.00 %
Calcium (Ca), min	1.20 %	Phosphorous (P), min	1.00 %
Zinc (Zn), min	125 ppm	Vitamin A, min	10,000 IU/kg
Vitamin E, min	80 IU/kg	Omega 6 Fatty Acids, min	3.30 %
Omega 3 Fatty Acids, min	0.50 %		



Item # 39191 - 50 lbs Country Acres 27 %

INGREDIENTS

Ground yellow corn, soybean meal, meat and bone meal, corn gluten meal, wheat middlings, animal fat (preserved with BHA and citric acid), ground wheat, animal digest (containing chicken by-products and beef), salt, calcium carbonate, choline chloride, dicalcium phosphate, ferrous sulfate, zinc oxide, vitamin E supplement, niacin, copper sulfate, manganous oxide, vitamin A supplement, calcium pantothenate, biotin, vitamin B12 supplement, pyridoxine hydrochloride, thiamine mononitrate, menadione sodium bisulfite complex, calcium iodate, vitamin D3 supplement, riboflavin supplement, cobalt carbonate, folic acid, sodium selenite.

GUARANTEED ANALYSIS

Crude Protein, not less than	27.0 %
Crude Fat, not less than	10.0 %
Crude Fiber, not more than	4.0 %
Moisture, not more than	12.0 %

DAILY FEEDING FOR ADULT DOGS

Size of Dog	Weight of Dog	Amount of Feed
Toy Breeds	up to 15 pounds	1/2 - 1 3/4 cups
Small	16 - 25 pounds	1 3/4 - 2 3/4 cups
Medium	26 - 45 pounds	2 3/4 - 4 3/4 cups
Large	46 - 90 pounds	4 3/4 - 7 3/4 cups
Extra Large	91 + pounds	7 3/4 cups plus 3/4 cup for each 10 lbs. of body weight over 90 lbs.





Canidae, All Life Stages	
ITEM NUMBER	BAG SIZE
82012	44 lbs. (19.9kg)
82030	30 lbs. (13.6kg)
82015	15 lbs. (6.8kg)
82035	5 lbs. (2.27kg)

GUARANTEED ANALYSIS:

Crude Protein (min.)	24.00 %
Crude Fat (min.)	14.50 %
Crude Fib (max.)	4.00 %
Moisture (max.)	10.00 %
Linoleic Acid (Omega 6) (min.)	3.70 %
Vitamin E (min.)	200.00 IU/kg
Alpha Linolenic Acid (Omega 3) (min.)	0.50 %
Ascorbic Acid (Vitamin C) (min.)	50.00 mg/kg
Lactobacillus Acidophilus (min.)	100 million CFU/lb.
Cellulase (a) (min.)	100 CMCU/kg

FEEDING GUIDE

DOG WEIGHT	PUPPIES (to 6 months old)	ADULT (with exercise)	LITE/SENIOR
2 - 10 lbs.	1/2 to 1-1/2 cups	1/2 to 3/4 cup	1/4 to 1/2 cup
10 - 25 lbs.	1-1/2 to 2 cups	3/4 to 1 cup	1/2 to 3/4 cup
25 - 50 lbs.	2 to 4 cups	1 to 2 cups	1/2 to 1 cup
50 -75 lbs.	4 to 5 cups	2 to 3 cups	1 to 1-1/2 cups
75 - 100 lbs.	5 to 6 cups	3 to 4 cups	1-1/2 to 3 cups
100 - 125 lbs.		4 to 4-3/4 cups	2-1/2 to 3 cups
125 - 150 lbs.		4-3/4 to 5-1/2 cups	3 to 3-1/3 cups

INGREDIENTS:

Chicken meal, turkey meal, lamb meal, brown rice, white rice, rice bran, peas, potatoes, oatmeal, cracked pearled barley, chicken fat (preserved with mixed tocopherols), millet, tomato pomace, natural flavor, flaxseed meal, ocean fish meal, choline chloride, suncured alfalfa meal, inulin (from chicory root), lecithin, sage extract, cranberries, beta-carotene, rosemary extract, sunflower oil, yucca schidigera extract, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, Vitamins (vitamin E supplement, thiamine mononitrate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, riboflavin, vitamin D3 supplement, folic acid), minerals (iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, manganese proteinate, manganous oxide, manganese sulfate, sodium selenite), papaya, pineapple.



Canidae, Chicken Meal & Rice	
ITEM NUMBER	BAG SIZE
82010	30lbs. (13.6kg)
82009	15lbs. (6.8kg)
82008	5lbs. (2.27kg)

GUARANTEED ANALYSIS:

Crude Protein (min.)	26.00 %
Crude Fat (min.)	15.50 %
Crude Fiber (max.)	4.00 %
Moisture (max.)	10.00 %
Linoleic Acid (Omega 6) (min.)	3.70 %
Vitamin E (min.)	200.00 IU/kg
Alpha Linolenic Acid (Omega 3) (min.)	0.50 %
Ascorbic Acid (Vitamin C) (min.)	50.00 mg/kg
Lactobacillus Acidophilus (min.)	100 million CFU/lb.
Cellulase** (a) (min.)	100 CMCU/kg

FEEDING GUIDE

DOG WEIGHT	PUPPIES (to 6 months old)	ADULT (with exercise)	LITE/SENIOR
2 - 10 lbs.	1/2 to 1-1/2 cups	1/2 to 3/4 cup	1/4 to 1/2 cup
10 - 25 lbs.	1-1/2 to 2 cups	3/4 to 1 cup	1/2 to 3/4 cup
25 - 50 lbs.	2 to 4 cups	1 to 2 cups	1/2 to 1 cup
50 -75 lbs.	4 to 5 cups	2 to 3 cups	1 to 1-1/2 cups
75 - 100 lbs.	5 to 6 cups	3 to 4 cups	1-1/2 to 3 cups
100 - 125 lbs.		4 to 4-3/4 cups	2-1/2 to 3 cups
125 - 150 lbs.		4-3/4 to 5-1/2 cups	3 to 3-1/3 cups

INGREDIENTS:

Chicken meal, brown rice, white rice, rice bran, cracked pearled barley, peas, chicken fat (preserved with mixed tocopherols), millet, tomato pomace, natural flavor, flaxseed meal, potassium chloride, choline chloride, suncured alfalfa meal, inulin (from chicory root), lecithin, sage extract, cranberries, beta-carotene, rosemary extract, sunflower oil, yucca schidigera extract, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, vitamins (vitamin E supplement, thiamine mononitrate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, riboflavin, vitamin D3 supplement, folic acid), minerals (iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, manganese proteinate, manganous oxide, manganese sulfate, sodium selenite), papaya, pineapple.



Canidae, Lamb Meal & Rice	
ITEM NUMBER	BAG SIZE
82039	30lbs. (13.6kg)
82038	15lbs. (6.8kg)
82037	5lbs. (2.27kg)

GUARANTEED ANALYSIS:

Crude Protein (min.)	21.00%
Crude Fat (min.)	12.50 %
Crude Fiber (max.)	4.00 %
Moisture (max.)	10.00 %
Linoleic Acid (Omega 6) (min.)	3.55 %
Vitamin E (min.)	200.00 IU/kg
Alpha Linolenic Acid (Omega 3) (min.)	0.50 %
Ascorbic Acid (Vitamin C) (min.)	50.00 mg/kg
Lactobacillus Acidophilus (min.)	100 million CFU/lb.
Cellulase (a) (min.)	100 CMCU/kg

FEEDING GUIDE

DOG WEIGHT	PUPPIES (to 6 months old)	ADULT (with exercise)	LITE/SENIOR
2 - 10 lbs.	1/2 to 1-1/2 cups	1/2 to 3/4 cup	1/4 to 1/2 cup
10 - 25 lbs.	1-1/2 to 2 cups	3/4 to 1 cup	1/2 to 3/4 cup
25 - 50 lbs.	2 to 4 cups	1 to 2 cups	1/2 to 1 cup
50 -75 lbs.	4 to 5 cups	2 to 3 cups	1 to 1-1/2 cups
75 - 100 lbs.	5 to 6 cups	3 to 4 cups	1-1/2 to 3 cups
100 - 125 lbs.		4 to 4-3/4 cups	2-1/2 to 3 cups
125 - 150 lbs.		4-3/4 to 5-1/2 cups	3 to 3-1/3 cups

INGREDIENTS:

Lamb meal, brown rice, cracked pearled barley, rice bran, peas, millet, canola oil, lamb, tomato pomace, natural flavor, flaxseed meal, potassium chloride, choline chloride, uncured alfalfa meal, inulin (from chicory root), lecithin, sage extract, cranberries, beta-carotene, rosemary extract, sunflower oil, yucca schidigera extract, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, vitamins (vitamin E supplement, thiamine mononitrate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, riboflavin, vitamin D3 supplement, folic acid), minerals (iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, manganese proteinate, manganous oxide, manganese sulfate, sodium selenite), papaya, pineapple.

**Item # 82070 - 12 lbs
Canidae Pure Sky**



GUARANTEED ANALYSIS

Crude Protein (min.)	32.00 %
Crude Fat (min.)	16.00 %
Crude Fiber (max.)	4.00 %
Moisture (max.)	10.00 %
Linoleic Acid (Omega 6) (min.)	3.50 %
Vitamin E (min.)	50.00 IU/kg
Alpha Linolenic Acid (Omega 3)** (min.)	0.35 %
Lactobacillus acidophilus** (min.)	100 million CFU/lb
Cellulase**(a) (min.)	100 CMCU/kg

FEEDING GUIDE

Dog Weight	Adult (with exercise)	Adult (reduced activity)
2 - 10 lbs. .9 - 4.5 kg	1/2 - 3/4 cup 64 - 96 grams	1/4 - 1/2 cup 32 - 64 grams
10 - 25 lbs. 4.5 - 11.3 kg	3/4 - 1 cup 96 - 128 grams	1/2 - 3/4 cup 64 - 96 grams
25 - 50 lbs. 11.3 - 22.7 kg	1 - 2 cups 128 - 256 grams	3/4 - 1 cup 96 - 128 grams
50 - 75 lbs. 22.7 - 34.1 kg	2 - 3 cups 256 - 384 grams	1 - 1 1/2 cups 128 - 192 grams
75 - 100 lbs. 34.1 - 45.4 kg	3 - 4 cups 384 - 512 grams	1 1/2 - 2 1/2 cups 192 - 320 grams
100 - 125 lbs. 45.4 - 58.7 kg	4 - 4 3/4 cups 512 - 608 grams	2 1/2 - 3 cups 320 - 384 grams
125 - 150 lbs. 58.7 - 68 kg	4 3/4 - 5 1/2 cups 608 - 704 grams	3 - 3 1/2 cups 384 - 488 grams

INGREDIENTS

Duck, duck meal, turkey meal, sweet potatoes, peas, chicken fat, potatoes, suncured alfalfa, natural flavor, minerals (iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, manganese proteinate, manganous oxide, manganese sulfate, sodium selenite), vitamins (vitamin E supplement, thiamine mononitrate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, pyridoxine hydrochloride, vitamin B12 supplement, riboflavin, vitamin D3 supplement, folic acid), choline chloride, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, mixed tocopherols (a natural source of vitamin E)

**Item # 82068 - 30 lbs.
Canidae Platinum Formula**



GUARANTEED ANALYSIS

Crude Protein (min.)	20.00 %
Crude Fat (min.)	8.50 %
Crude Fiber	4.00 %
Moisture	10.00 %
Linoleic Acid (Omega 6) (min.)	2.60 %
Vitamin E (min.)	200.00 IU/kg
Alpha Linolenic Acid (Omega 3)** (min.)	0.50 %
Glucosamine HCL ** (min.)	750.00 mg/kg
Chondroitin Sulfate** (min.)	250.00 mg/kg
Ascorbic Acid (Vitamin C)** (min.)	50.00 mg/kg
Lactobacillus Acidophilus** (min.)	100 million CFU/lb.
Cellulase** (a)	100 CMCU/kg

FEEDING GUIDE

Dog Weight	Weight Loss	Weight Maintenance
Up to 15 lbs. 0 - 6.8 kg	1/4 - 3/4 cup 33 - 75 grams	1/2 - 1 cup 29 - 99 grams
15 - 25 lbs 6.8 - 11.3 kg	3/4 - 1 1/3 cup 75 - 132 grams	1 - 1 1/2 cups 99 - 149 grams
25 -50 lbs. 11.3 - 22.7 kg	1 1/3 - 2 cups 132 - 199 grams	1 1/2 - 2 1/2 cups 149 - 248 grams
50 - 75 lbs. 22.7 - 34.1 kg	2 - 3 cups 199 - 299 grams	2 1/2 - 3 1/2 cups 248 - 348 grams
75 - 100 lbs. 34.1 - 45.4 kg	3 - 4 cups 299 - 399 grams	3 1/2 - 4 1/2 cups 348 - 448 grams

INGREDIENTS

Chicken meal, brown rice, white rice, rice bran, peas, potatoes, oatmeal, cracked pearled barley, millet, turkey meal, lamb meal, chicken fat (preserved with mixed tocopherols), tomato pomace, natural flavor, flaxseed meal, ocean fish meal, choline chloride, glucosamine hydrochloride, chondroitin sulfate, psyllium seed husks, suncured alfalfa meal, inulin (from chicory root), lecithin, sage extract, cranberries, beta-carotene, rosemary extract, sunflower oil, yucca schidigera extract, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, vitamins (vitamin E supplement, thiamine mononitrate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, riboflavin, vitamin D3 supplement, folic acid), minerals (iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, manganese proteinate, manganous oxide, manganese sulfate, sodium selenite), papaya, pineapple.

**Item # 82001 - 24 lbs.
Canidae Pure Sea**



GUARANTEED ANALYSIS

Crude Protein (min.)	32.00 %
Crude Fat (min.)	18.00 %
Crude Fiber (max.)	4.00 %
Moisture (max.)	10.00 %
Linoleic Acid (Omega 6) (min.)	3.70 %
Vitamin E (min.)	50.00 IU/kg
Alpha Linolenic Acid (Omega 3)** (min.)	1.00 %
Lactobacillus acidophilus** (min.)	100 million CFU/lb.
Cellulase** (a) (min.)	100 CMCU/kg

FEEDING GUIDE

Dog Weight	Adult (with exercise)	Adult (reduced activity)
2 - 10 lbs. .9 - 4.5 kg	1/2 - 3/4 cup 64 - 96 grams	1/4 - 1/2 cup 32 - 64 grams
10 - 25 lbs. 4.5 - 11.3 kg	3/4 - 1 cup 96 - 128 grams	1/2 - 3/4 cup 64 - 96 grams
25 - 50 lbs. 11.3 - 22.7 kg	1 - 2 cups 128 - 256 grams	3/4 - 1 cup 96 - 128 grams
50 - 75 lbs. 22.7 - 34.1 kg	2 - 3 cups 256 - 384 grams	1 - 1 1/2 cups 128 - 192 grams
75 - 100 lbs. 34.1 - 45.4 kg	3 - 4 cups 384 - 512 grams	1 1/2 - 2 1/2 cups 192 - 320 grams
100 - 125 lbs. 45.4 - 58.7 kg	4 - 4 3/4 cups 512 - 608 grams	2 1/2 - 3 cups 320 - 384 grams
125 - 150 lbs. 58.7 - 68 kg	4 3/4 - 5 1/2 cups 608 - 704 grams	3 - 3 1/2 cups 384 - 488 grams

INGREDIENTS

Salmon, salmon meal, menhaden fish meal, sweet potatoes, peas, canola oil, suncured alfalfa, potatoes, natural flavor, minerals (iron proteinate, zinc proteinate, copper proteinate, ferrous sulfate, zinc sulfate, copper sulfate, potassium iodide, manganese proteinate, manganous oxide, manganese sulfate, sodium selenite), vitamins (vitamin E supplement, thiamine mononitrate, ascorbic acid, vitamin A supplement, biotin, niacin, calcium pantothenate, pyridoxine hydrochloride, vitamin B12 supplement, riboflavin, vitamin D3 supplement, folic acid), choline chloride, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, mixed tocopherols (a natural source of vitamin E)

Item # 82080 - 13oz
Canidae, Chicken & Rice Formula

INGREDIENTS

Chicken, Chicken Broth, Chicken Liver, Brown Rice, Pearled Barley, Eggs, Guar Gum, Sunflower Oil (Source of Omega-6 Fatty Acids), Dicalcium Phosphate, Potassium Chloride, Flaxseed Oil (Source of Omega-3 Fatty Acids), Choline Chloride, Carrageenan, Salt, Kelp, Rosemary Extract, Cranberries, Lecithin, Yucca Schidigera Extract, Cassia Gum, Vitamins (Ascorbic Acid (Source of Vitamin C), Vitamin E Supplement, Vitamin B12 Supplement, Vitamin A Supplement, d-Calcium Pantothenate, Vitamin D3 Supplement, Niacin, Riboflavin Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Thiamine Mononitrate), Minerals (Zinc Amino Acid Chelate, Iron Amino Acid Chelate, Manganese Amino Acid Chelate, Copper Amino Acid Chelate, Sodium Selenite, Calcium Iodate).



GUARANTEED ANALYSIS

Crude Protein (min.)	9.00%
Crude Fat (min.)	6.50%
Crude Fiber (max.)	1.50%
Moisture (max.)	78.00%
Linoleic Acid (Omega 6) (min.)	1.00%
Vitamin E (min.)	50.00 IU/kg
Alpha Linolenic Acid (Omega 3)* (min.)	0.20%

DAILY FEEDING GUIDELINES

If fed solely, feed one 13 oz can a day for every 20 lbs. of body weight, or one 5.5 oz can for every 10 pound of body weight. Puppies may need up to twice the amount for the same body weight and nursing mothers up to three times. Fresh water should be available at all times.

To achieve a balanced diet and maintain firm stools, CANIDAE® recommends a feed ration of 25% canned to 75% dry dog food by weight.

Item # 82084 - 14oz
Canidae, Bakery Snacks Lamb, Wild Rice



GUARANTEED ANALYSIS

Crude Protein	(min.)	17.00%
Crude Fat	(min.)	4.00%
Crude Fiber	(max.)	5.00%
Moisture	(max.)	11.00%

INGREDIENTS

Brown Rice, Pea Flour, Lamb, Wild Rice, Sweet Potato, Chicken Fat (Preserved with Mixed Tocopherols and Citric Acid), Natural Flavor

DAILY FEEDING GUIDELINES

Treat your dog to these healthy oven-baked biscuits anytime. We recommend CANIDAE® dry and wet dog foods for a healthy, nutritious diet you and your dogs will love. Treats should be offered only as a supplement to a complete and balanced diet.

Item # 82082 - 13oz
Canidae, Lamb & Rice Formula

INGREDIENTS

Lamb, Lamb Broth, Lamb Liver, Ocean Whitefish, Brown Rice, Guar Gum, Sunflower Oil (Source of Omega-6 Fatty Acids), Eggs, Dicalcium Phosphate, Potassium Chloride, Flaxseed Oil (Source of Omega-3 Fatty Acids), Choline Chloride, Carrageenan, Salt, Kelp, Cranberries, Rosemary Extract, Yucca Schidigera Extract, Lecithin, Cassia Gum, Vitamins (Ascorbic Acid (Source of Vitamin C), Vitamin E Supplement, Vitamin B12 Supplement, Vitamin A Supplement, d-Calcium Pantothenate, Vitamin D3 Supplement, Niacin, Riboflavin Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Thiamine Mononitrate), Minerals (Zinc Amino Acid Chelate, Iron Amino Acid Chelate, Manganese Amino Acid Chelate, Copper Amino Acid Chelate, Sodium Selenite, Calcium Iodate).

GUARANTEED ANALYSIS

Crude Protein (min.)	9.00%
Crude Fat (min.)	6.00%
Crude Fiber (max.)	1.50%
Moisture (max.)	78.00%
Linoleic Acid (Omega 6) (min.)	1.00%
Vitamin E (min.)	50.00 IU/kg
Alpha Linolenic Acid (Omega 3)* (min.)	0.20%



DAILY FEEDING GUIDELINES

If fed solely, feed one 13 oz can a day for every 20 lbs. of body weight, or one 55 oz can for every 10 pounds of body weight. Puppies may need up to twice the amount for the same body weight and nursing mothers up to three times. Fresh water should be available at all times.

To achieve a balanced diet and maintain firm stools, CANIDAE® recommends a feed ration of 25% canned to 75% dry dog food by weight.

Item # 82086 - 14oz
Canidae, Bakery Snacks Turkey, Quinoa - 82086



GUARANTEED ANALYSIS

Crude Protein	(min.)	15.00%
Crude Fat	(min.)	3.00%
Crude Fiber	(max.)	5.00%
Moisture	(max.)	11.00%

INGREDIENTS

Brown Rice, Pea Flour, Turkey, Quinoa, Butternut Squash, Chicken Fat (Preserved with Mixed Tocopherols and Citric Acid), Natural Flavor

DAILY FEEDING GUIDELINES

Treat your dog to these healthy oven-baked biscuits anytime. We recommend CANIDAE® dry and wet dog foods for a healthy, nutritious diet you and your dogs will love. Treats should be offered only as a supplement to a complete and balanced diet.

Item # 82078 - 13oz

Canidae, Chicken Lamb & Fish Formula



GUARANTEED ANALYSIS

Crude Protein (min.)	9.00%
Crude Fat (min.)	6.00%
Crude Fiber (max.)	1.50%
Moisture (max.)	78.00%
Linoleic Acid (Omega 6) (min.)	1.00%
Vitamin E (min.)	50.00 IU/kg
Alpha Linolenic Acid (Omega 3)* (min.)	0.20%

*Not recognized as an essential nutrient by the AAFCO Dog Food Nutrient Profiles.

INGREDIENTS

Chicken, Chicken Broth, Lamb, Chicken Liver, Ocean Whitefish, Brown Rice, Eggs, Guar Gum, Sunflower Oil (Source of Omega-6 Fatty Acids), Suncured Alfalfa Meal, Dicalcium Phosphate, Potassium Chloride, Flaxseed Oil (Source of Omega-3 Fatty Acids), Choline Chloride, Carrageenan, Salt, Kelp, Rosemary Extract, Cranberries, Lecithin, Yucca Schidigera Extract, Cassia Gum, Vitamins (Ascorbic Acid (Source of Vitamin C), Vitamin E Supplement, Vitamin B12 Supplement, Vitamin A Supplement, d-Calcium Pantothenate, Vitamin D3 Supplement, Niacin, Riboflavin Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Thiamine Mononitrate), Minerals (Zinc Amino Acid Chelate, Iron Amino Acid Chelate, Manganese Amino Acid Chelate, Copper Amino Acid Chelate, Sodium Selenite, Calcium Iodate).

DAILING FEEDING GUIDELINES

If fed solely, feed one 13 oz can a day for every 20 lbs. of body weight, or one 5.5 oz can a day for every 10 pounds of body weight. . Puppies may need up to twice the amount for the same body weight and nursing mothers up to three times. Fresh water should be available at all times.

To achieve a balanced diet and maintain firm stools, CANIDAE® recommends a feed ratio of 25% canned to 75% dry dog food by weight.



Pedigree Adult	
ITEM NUMBER	BAG SIZE
80041	3.5 lbs.
80030	7 lbs.
80022	17 lbs.
80001	36 lbs.
80000	52 lbs.

FEEDING INSTRUCTIONS

WEIGHT OF ADULT DOG

Up to 10 lbs.
 10 to 25 lbs.
 25 to 50 lbs.
 50 to 75 lbs.
 75 to 150 lbs.

CUPS PER DAY

1/4 to 1
 1 to 2
 2 to 3 1/2
 3 1/2 to 4 1/2
 4 1/2 to 8

GUARANTEED ANALYSIS

Crude Protein	Min	21.0%
Crude Fat	Min	10.0%
Crude Fiber	Max	4.0%
Moisture	Max	12.0%
Linoleic Acid (omega 6 Fatty Acid)	Min	3.0%
Copper	Min	10 Mg/kg
Zinc	Min	200 Mg/kg
Vitamin E	Min	300 Iu/kg
Ascorbic Acid (Vit. C*)	Min	70 Mg/kg

INGREDIENTS

GROUND WHOLE CORN, MEAT AND BONE MEAL, CORN GLUTEN MEAL, ANIMAL FAT (PRESERVED WITH BHA/CITRIC ACID), SOYBEAN MEAL, GROUND WHOLE WHEAT, BREWERS RICE, DRIED PLAIN BEET PULP, NATURAL FLAVOR, SALT, VEGETABLE OIL ([SOURCE OF LINOLEIC ACID] PRESERVED WITH BHA/BHT), POTASSIUM CHLORIDE, VITAMINS (CHOLINE CHLORIDE, A-TOCOPHEROL ACETATE [SOURCE OF VITAMIN E], NIACIN, BIOTIN, D-CALCIUM PANTOTHENATE, RIBOFLAVIN SUPPLEMENT [VITAMIN B2], PYRIDOXINE HYDROCHLORIDE, VITAMIN A SUPPLEMENT, VITAMIN B12 SUPPLEMENT, THIAMINE MONONITRATE [VITAMIN B1], VITAMIN D3 SUPPLEMENT) MINERALS (ZINC SULFATE, ZINC PROTEINATE, COPPER SULFATE, POTASSIUM IODIDE, COPPER PROTEINATE, MANGANESE PROTEINATE), ADDED FD&C COLORS (RED 40, YELLOW 5, BLUE 2).

Pedigree Large Breed	
ITEM NUMBER	BAG SIZE
80021	17 lbs.
80003	36 lbs.
80002	30 lbs.



FEEDING INSTRUCTIONS

WEIGHT OF DOG

55 to 75 lbs.

75 to 95 lbs.

95 to 120 lbs.

120 to 140 lbs.

140 to 165 lbs.

165 to 190 lbs.

Over 190 lbs.

CUPS PER DAY

4 to 5

5 to 6

6 to 7

7 to 8

8 to 9

9 to 10

10 cups + 1/3 cup for every 10 lbs >190 lbs

GUARANTEED ANALYSIS

Crude Protein	Min	22.0%
Crude Fat	Min	10.0%
Crude Fiber	Max	4.0%
Moisture	Max	12.0%
Linoleic Acid (omega-6 Fatty Acid)	Min	2.5%
Calcium	Min	1.0%
Phosphorus	Min	0.8%
Zinc	Min	200 Mg/kg
Vitamin E	Min	200 Iu/kg
Niacin	Min	200 Mg/kg
Pyridoxine	Min	30 Mg/kg
Glucosamine*	Min	350 Mg/kg
Chondroitin Sulfate*	Min	275 Mg/kg

INGREDIENTS

Ground Whole Grain Corn, Poultry By-Product Meal (Source Of Glucosamine And Chondroitin Sulfate), Corn Gluten Meal, Animal Fat (Source Of Omega 6 Fatty Acids [Preserved With Bha & Citric Acid]), Meat And Bone Meal (Source Of Calcium), Soybean Meal, Ground Whole Grain Wheat, Chicken By-Product Meal, Brewers Rice, Dried Plain Beet Pulp, Natural Flavor, Salt, Calcium Carbonate, Potassium Chloride, Monocalcium Phosphate, Dried Peas, Vitamins (Choline Chloride, Vitamin E Supplement, Niacin [Vitamin B3], Biotin, D-Calcium Pantothenate [Source Of Vitamin B5], Riboflavin Supplement [Vitamin B2], Pyridoxine Hydrochloride [Vitamin B6], Vitamin A Supplement, Vitamin B12 Supplement, Thiamine Mononitrate [Vitamin B1], Vitamin D3 Supplement), Minerals (Zinc Sulfate, Copper Sulfate, Potassium Iodide), Dried Carrots, Added Color (Red 40, Yellow 5, Blue 2), Bha & Citric Acid (A Preservative).



Pedigree Longevity	
ITEM NUMBER	BAG SIZE
80005	15 lbs.
80004	3.5 lbs.

FEEDING INSTRUCTIONS

WEIGHT OF DOG

Up to 10 lbs.

10 to 25 lbs.

25 to 50 lbs.

50 to 75 lbs.

75 to 150 lbs.

CUPS PER DAY

1/2 to 1

1 to 2

2 to 3 1/3

3 1/3 to 4 1/2

4 1/2 to 7 2/3

GUARANTEED ANALYSIS

Crude Protein	Min	23.0%
Crude Fat	Min	11.0%
Crude Fiber	Max	4.0%
Moisture	Max	12.0%
Linoleic Acid (omega-6 Fatty Acid)	Min	2.5%
Calcium	Min	1.0%
Phosphorus	Min	0.8%
Vitamin E	Min	200 Iu/kg
Niacin	Min	200 Mg/kg
Pyridoxine	Min	30 Mg/kg
Docosahexaenoic Acid* (DHA)	Min	0.05%
Omega 3 Fatty Acid*	Min	0.30%
Glucosamine*	Min	400 Mg/kg
Chondroitin*	Min	300 Mg/kg

INGREDIENTS

Ground Whole Grain Corn, Poultry By- Product Meal (Source Of Glucosamine And Chondroitin Sulfate), Brewers Rice, Corn Gluten Meal, Ground Whole Grain Wheat, Animal Fat (Source Of Omega 6 Fatty Acids [Preserved With Bha And Citric Acid]), Soybean Meal, Chicken, Dried Plain Beet Pulp, Natural Flavor, Salt, Fish Oil (Preserved With Mixed Tocopherols), Meat And Bone Meal (Source Of Calcium), Potassium Chloride, Calcium Carbonate, Monocalcium Phosphate, Dried Peas, Vitamins (Choline Chloride, Vitamin E Supplement, Niacin [Vitamin B3], Biotin, D-Calcium Pantothenate [Source Of Vitamin B5], Riboflavin Supplement [Vitamin B2], Pyridoxine Hydrochloride [Vitamin B6], Vitamin A Supplement, Vitamin B12 Supplement, Thiamine Mononitrate [Vitamin B1], Vitamin D3 Supplement), Minerals (Zinc Sulfate, Copper Sulfate, Potassium Iodide), Added Color (Yellow 6, Blue 2), Dried Carrots, Added Color (Yellow 6, Blue 2), Bha & Citric Acid (A Preservative).

Pedigree Healthy Joints	
ITEM NUMBER	BAG SIZE
80048	3.5 lbs.
80006	15 lbs.



FEEDING INSTRUCTIONS

WEIGHT OF DOG

Up to 10 lbs.
 10 to 25 lbs.
 25 to 50 lbs.
 50 to 75 lbs.
 75 to 150 lbs.

CUPS PER DAY

1/2 to 1
 1 to 2 1/4
 2 1/4 to 3 2/3
 3 2/3 to 5
 5 to 8 1/3

GUARANTEED ANALYSIS

Crude Protein	Min	21.0%
Crude Fat	Min	10.0%
Crude Fiber	Max	4.0%
Moisture	Max	12.0%
Linoleic Acid (Omega 6 Fatty Acids)	Min	2.5%
Calcium	Min	1.0%
Phosphorus	Min	0.8%
Zinc	Min	200 Mg/kg
Vitamin E	Min	200 Iu/kg
Niacin	Min	200 Mg/kg
Pyridoxine	Min	30 Mg/kg
Glucosamine*	Min	500 Mg/kg
Chondroitin Sulfate*	Min	375 Mg/kg

INGREDIENTS

Ground Whole Grain Corn, Poultry By- Product Meal (Source Of Glucosamine And Chondroitin Sulfate), Ground Whole Grain Wheat, Corn Gluten Meal, Animal Fat (Source Of Omega 6 Fatty Acids [Preserved With Bha And Citric Acid]), Dried Plain Beet Pulp, Soybean Meal, Natural Flavor, Chicken By- Product Meal, Meat And Bone Meal (Source Of Calcium), Brewers Dried Yeast, Salt, Calcium Carbonate, Monocalcium Phosphate, Brewers Rice, Potassium Chloride, Dried Peas, Vitamins (Choline Chloride, Vitamin E Supplement, Niacin [Vitamin B3], Biotin, D-Calcium Pantothenate [Source Of Vitamin B5], Riboflavin Supplement [Vitamin B2], Pyridoxine Hydrochloride [Vitamin B6], Vitamin A Supplement, Vitamin B12 Supplement, Thiamine Mononitrate [Vitamin B1], Vitamin D3 Supplement), Minerals (Zinc Sulfate, Copper Sulfate, Potassium Iodide), Dried Carrots, Added Color (Yellow 6, Yellow 5, Blue 2), Bha & Citric Acid (A Preservative).



Pedigree Active	
ITEM NUMBER	BAG SIZE
80042	15 lbs.

FEEDING INSTRUCTIONS

WEIGHT OF ADULT DOG

Up to 10 lbs.
 10 to 25 lbs.
 25 to 50 lbs.
 50 to 75 lbs.
 75 to 150 lbs.

CUPS PER DAY+

1/3 to 1 1/4
 1 1/4 to 2 1/3
 2 1/3 to 4
 4 to 5 1/3
 5 1/3 to 9

GUARANTEED ANALYSIS

Crude Protein	Min	26.0%
Crude Fat	Min	12.0%
Crude Fiber	Max	4.0%
Moisture	Max	12.0%
Linoleic Acid (omega-6 Fatty Acids)	Min	2.5%
Calcium	Min	1.0%
Phosphorus	Min	0.8%
Copper	Min	10 mg/kg
Zinc	Min	200 mg/kg
Vitamin E	Min	200 IU/kg
Niacin	Min	200 mg/kg
Pyridoxine	Min	30 mg/kg

INGREDIENTS

GROUND WHOLE GRAIN CORN, POULTRY BY-PRODUCT MEAL, CORN GLUTEN MEAL, MEAT AND BONE MEAL (SOURCE OF CALCIUM), ANIMAL FAT (SOURCE OF OMEGA 6 FATTY ACIDS [PRESERVED WITH BHA AND CITRIC ACID]), CHICKEN, BREWERS RICE, GROUND WHOLE GRAIN WHEAT, DRIED PEAS, DRIED PLAIN BEET PULP, NATURAL FLAVOR, SALT, POTASSIUM CHLORIDE, DRIED CARROTS, VITAMINS (CHOLINE CHLORIDE, VITAMIN E SUPPLEMENT, NIACIN [VITAMIN B3], BIOTIN, d-CALCIUM PANTOTHENATE [SOURCE OF VITAMIN B5], RIBOFLAVIN SUPPLEMENT [VITAMIN B2], PYRIDOXINE HYDROCHLORIDE [VITAMIN B6], VITAMIN A SUPPLEMENT, VITAMIN B12 SUPPLEMENT, THIAMINE MONONITRATE [VITAMIN B1], VITAMIN D3 SUPPLEMENT), MINERALS (ZINC SULFATE, COPPER SULFATE, POTASSIUM IODIDE), MONOCALCIUM PHOSPHATE, CALCIUM CARBONATE, ADDED COLOR (RED 40, YELLOW 5, BLUE 2), BHA & CITRIC ACID (A PRESERVATIVE).

Pedigree Small Dog	
ITEM NUMBER	BAG SIZE
80046	15.9 lbs.
80045	3.5 lbs.



FEEDING INSTRUCTIONS

WEIGHT OF DOG

Up to 5 lbs
 5 to 10 lbs
 10 to 15 lbs
 15 to 20 lbs
 20 to 25 lbs
 25 lbs+

CUPS PER DAY

Up to 3/4
 3/4 to 1 1/2
 1 1/2 to 2
 2 to 2 1/3
 2 1/3 to 2 3/4
 2 3/4 cups + 1/3 cup
 for every 5 lbs of
 body weight >25 lbs

GUARANTEED ANALYSIS

Crude Protein	Min	21.0%
Crude Fat	Min	9.0%
Crude Fiber	Max	4.0%
Moisture	Max	12.0%
Linoleic Acid (omega-6 Fatty Acids)	Min	2.5%
Calcium	Min	1.0%
Phosphorus	Min	0.8%
Zinc	Min	200 Mg/kg
Vitamin E	Min	200 IU/kg
Niacin	Min	200 Mg/kg
Pyridoxine	Min	30 Mg/kg
Glucosamine*	Min	350 Mg/kg
Chondroitin Sulfate*	Min	275 Mg/kg

INGREDIENTS

Ground Whole Grain Corn, Poultry By- Product Meal (Source Of Glucosamine & Chondroitin Sulfate), Brewers Rice, Corn Gluten Meal, Soybean Meal, Animal Fat (Source Of Omega 6 Fatty Acids [Preserved With Bha / Citric Acid]), Meat And Bone Meal (Source Of Calcium), Ground Whole Grain Wheat, Chicken By- Product Meal, Natural Flavor, Salt, Potassium Chloride, Calcium Carbonate, Monocalcium Phosphate, Dried Peas, Vitamins (Choline Chloride, Vitamin E Supplement, Niacin [Vitamin B3], Biotin, D-Calcium Pantothenate [Source Of Vitamin B5], Riboflavin Supplement [Vitamin B2], Pyridoxine Hydrochloride [Vitamin B6], Vitamin A Supplement, Vitamin B12 Supplement, Thiamine Mononitrate [Vitamin B1], Vitamin D3 Supplement), Minerals (Zinc Sulfate, Copper Sulfate, Potassium Iodide), Dried Carrots, Added Color (Red 40, Yellow 5, Blue 2), Bha & Citric Acid (A Preservative).

Pedigree Puppy	
ITEM NUMBER	BAG SIZE
80080	3.5 lbs.
80070	7 lbs.
80060	16.3 lbs.



GUARANTEED ANALYSIS

Crude Protein	Min.	27.0%
Crude Fat	Min.	11.0%
Crude Fiber	Max.	3.0%
Moisture	Max.	12.0%
Linoleic Acid (omega-6 Fatty Acid)	Min.	2.5%
Calcium	Min.	1.1%
Phosphorus	Min.	0.9%
Copper	Min.	10 mg/kg
Zinc	Min.	200 mg/kg
Vitamin E	Min.	350 IU/kg
Dha	Min.	0.05%*
Lutein	Min.	5 mg/kg
Ascorbic Acid (Vitamin C)	Min.	100 mg/kg

FEDDING INSTRUCTIONS

Weight of	Cups Per Day				
Puppy	< 3 Months	3–6 Months	6–9 Months	9–12 Months	12–18 Months
Up to 5 lbs.	Up to 1 2/3	3/4 to 1 1/3	2/3 to 1 1/4	Transition to PEDIGREE®	
5 to 10 lbs.	1 1/3 to 2 2/3	1 1/4 to 2 1/3	1 to 2	Adult Complete Nutrition	
10 to 20 lbs.	2 1/3 to 4 1/2	2 to 4	1 2/3 to 3 1/3	1 1/4 to 2 3/4	Transition to PEDIGREE®
20 to 30 lbs.	4 to 6 1/4	1/3 to 5 1/3	2 3/4 to 4 1/2	2 1/4 to 3 3/4	Adult Complete Nutrition
30 to 40 lbs.	5 1/3 to 7 2/3	4 1/2 to 6 2/3	3 3/4 to 5 2/3	3 to 4 2/3	
40 to 60 lbs.		5 2/3 to 9	4 2/3 to 7 2/3	4 to 6 1/3	3 1/3 to 5 1/3
60 to 80 lbs.		7 2/3 to 11 1/4	6 1/3 to 9 1/2	5 to 7 3/4	4 1/2 to 6 2/3
80 to 100 lbs.		9 1/2 to 13 1/4	7 3/4 to 11 1/4	7 to 9 1/4	5 2/3 to 8
100 to 120 lbs.			9 1/4 to 12 3/4	8 to 10 2/3	6 2/3 to 9

INGREDIENTS

GROUND WHOLE GRAIN CORN, POULTRY BY-PRODUCT MEAL, BREWERS RICE, CORN GLUTEN MEAL (SOURCE OF LUTEIN), ANIMAL FAT (SOURCE OF OMEGA 6 FATTY ACIDS [PRESERVED WITH BHA/CITRIC ACID]), GROUND WHOLE GRAIN WHEAT, SOYBEAN MEAL, NATURAL FLAVOR (SOURCE OF MEATIER FLAVOR), CHICKEN BY-PRODUCT MEAL, BREWERS DRIED YEAST, SALT, CALCIUM CARBONATE, FISH OIL ([SOURCE OF DHA] PRESERVED WITH MIXED TOCOPHEROLS), POTASSIUM CHLORIDE, MONOCALCIUM PHOSPHATE, TAURINE, DRIED PEAS, VITAMIN E SUPPLEMENT, L-ASCORBYL-2-POLYPHOSPHATE (SOURCE OF VITAMIN C), CHOLINE CHLORIDE, ZINC SULFATE, MARIGOLD EXTRACT, DRIED CARROTS, BHA & CITRIC ACID (A PRESERVATIVE), YELLOW 5, BLUE 2, YELLOW 6, COPPER SULFATE, RED 40, POTASSIUM IODIDE, d-CALCIUM PANTOTHENATE, VITAMIN A SUPPLEMENT, THIAMINE MONONITRATE (VITAMIN B1), BIOTIN, RIBOFLAVIN SUPPLEMENT (VITAMIN B2), VITAMIN D3 SUPPLEMENT, VITAMIN B12 SUPPLEMENT, FOLIC ACID.

**Item # 83125 - 44 lbs
Rufo**



INGREDIENTS

Ground yellow corn, poultry by-product meal, poultry fat source, wheat bran, salt, calcium, aminoacids, methionine, lysine, choline chloride, calcium carbonate, vitamin A, vitamin D, vitamin E, vitamin K, thiamine, riboflavin, niacin, D-pantothenic acid, pyridoxine, folic acid, vitamin B12, biotin, manganese oxide, zinc oxide, iron carbonate, copper oxide, sodium selenite, calcium iodate, cobalt carbonate, antioxidant and cassava flour.

DAILY DIET RECOMMENDATION

Size	Pounds	Cups
Miniature	3 - 12	1/2 - 1 1/2
Small	12 - 20	1 - 1 3/4
Medium	20 - 50	1 3/4 - 4 1/4
Large	50 - 100	4 - 7
Extralarge	100 + lbs	6 plus 1 cup for each 10 lbs. of body weight over 100 lbs.

GUARANTEED ANALYSIS

Moisture (max)	10.00 %	Vitamin K3	1 mg/kg
Crude Protein (min)	18.00 %	Vitamin B1	2,5 mg/kg
Fat (min)	9.00 %	Vitamin B2	2 mg/kg
Crude Fiber (max)	5.00 %	Biotin	0.3 mg/kg
Digestible Energy (min)	3,100 Kcal/kg	Vitamin B6	1 mg/kg
Metabolizable Energy (min)	3,000 Kcal/kg	Vitamin B12	0.025 mg/kg
Calcium (min)	1.50 %	Niacin	20 mg/kg
Calcium (max)	3.00 %	Folic Acid	0.5 mg/kg
Phosphorus (min)	0.70 %	Pantothenic Acid	10 mg/kg
Phosphorus (max)	0.90 %	Manganese Oxide	37 mg/kg
Ash (min)	5.00 %	Iron (Fe C03)	65 mg/kg
Ash (max)	7.00 %	Zinc	100 mg/kg
Salt (min)	0.30 %	Copper (CuS04)	11 mg/kg
Salt (max)	0.50 %	Iodine (I)	2 mg/kg
Vitamin A	8,000 UI/Kg	Selenium (Na2 Se03)	0.15 mg/kg
Vitamin D3	1,000 UI/Kg	Cobalt (Co C03)	0.3 mg/kg
Vitamin E	55 UI/Kg		

Item # 83161 - 5 lbs
 83166 - 50 lbs
 Alican Cachorro



INGREDIENTS

Ground yellow corn, ground rice, soybean meal, stabilized animal fat, corn gluten meal, dicalcium phosphate, calcium carbonate, salt, meat, meal, poultry by-product meal, wheat middlings, vegetable source fiber, egg powder, milk product, Vitamin A, Vitamin D3, Vitamin K, Vitamin B1, Vitamin B2, Vitamin B6, niacin, panthotenic acid, folic acid, Vitamin B12, biotine, manganese oxide, zinc oxide, iron carbonate, copper oxide, sodium selenite, calcium iodate, magnesium oxide.

GUARANTEED ANALYSIS

Moisture (max)	9.0 %	Calcium (min)	2.0 %
Crude Protein (min)	28.0 %	Calcium (max)	3.0 %
Fat (min)	14.0 %	Phosphorus (max)	
Crude Fiber (max)	4.0 %	Phosphorus (min)	1.0 %
Crude Fiber (min)		Salt (max)	0.6 %
Digestible Energy (min)	3,600 Kcal/Kg	Salt (min)	0.4 %
Metabolizable Energy (min)			

DAILY FEEDING RECOMMENDATIONS

Size	1-1/2 to 3 months	3 to 5 months	5 to 7 months	7 months to 1 year
Miniature	1/4 to 1/2 cup	1/2 to 1 cup	1 to 1-1/4 cups	1 to 1-1/4 cups
Small	1/3 to 1 cup	1 to 1-2/3 cups	1-2/3 to 2 cups	1-2/3 to 2 cups
Medium	1-1/4 to 3-2/3 cups	2-1/4 to 4-1/3 cups	3 to 4-1/2 cups	3 to 4-1/4 cups
Large	1-3/4 to 4-1/4 cups	3-1/4 to 5-1/3 cups	4-1/2 to 6-1/3 cups	4-1/4 to 6-1/3 cups
Extra Large	4-1/4 to 5-1/4 cups	5-1/3 to 7 cups	6-1/3 to 8-3/4 cups	6-1/3 to 10 cups

Item # 83167 - 50 lbs
 83165 - 25 lbs
 83162 - 10 lbs
 83160 - 5 lbs

Alican Adulto



INGREDIENTS

Ground yellow corn, ground rice, soybean meal, stabilized animal fat, corn gluten meal, dicalcium phosphate, calcium carbonate, salt, meat meal, poultry by-product meal, wheat middlings, vegetable source fiber, egg powder, Vitamin A, Vitamin D3, Vitamin K, Vitamin B1, Vitamin B2, Vitamin B6, niacin, panthotenic acid, folic acid, Vitamin B12, biotine, manganese oxide, zinc oxide, iron carbonate, copper oxide, sodium selenite, calcium iodate, magnesium oxide.

DAILY FEEDING RECOMMENDATIONS

Size	Pounds	Cups
Miniature	3 - 12	1/3 - 1 1/3
Small	12 - 20	1
Medium	20 - 50	1 1/2 - 4
Large	50 - 100	3 1/4 - 6 1/2
Extra Large	100 + lbs.	5 1/2 plus 1 cup for each 10 lbs. of body weight over 100 lbs.

GUARANTEED ANALYSIS

Moisture (max)	10.0 %	Calcium (min)	1.5 %
Crude Protein (min)	23.0 %	Calcium (max)	2.0 %
Fat (min)	9.0 %	Phosphorus (max)	0.9 %
Crude Fiber (max)	5.0 %	Phosphorus (min)	0.7 %
Crude Fiber (min)	2.0 %	Salt (max)	0.6 %
Digestible Energy (min)	3,400 Kcal/Kg	Salt (min)	0.4 %
Metabolizable Energy (min)	3,200 Kcal/Kg		

Item # 83105 - 4.4 lbs.
 83106 - 8.8 lbs.
Rambocan Cachorro



INGREDIENTS

Ground Yellow corn, poultry by-product meal, ground rise, soybean meal, destiled dried grains, stabilized fat, corn gluten meal, salt, milk products, choline chloride, yucca by-product, antioxidants and pigments.

DAILY FEEDING RECOMMENDATIONS

Size	1-1/2 to 3 months	3 to 5 months	5 to 7 months	7 months to 1 year
Miniature	1/4 to 1/2 cup	1/2 to 1 cup	1 to 1-1/4 cup	1 to 1-1/4 cup
Small	1/3 to 1 cup	1 to 1-2/3 cup	1-2/3 to 2 cups	1-2/3 to 2 cups
Medium	1-1/4 to 3-2/3 cups	2-1/4 to 4-1/3 cups	3 to 4-1/2 cups	3 to 4-1/4 cups
Large	1-3/4 to 4-1/4 cups	3-1/4 to 5-1/3 cups	4-1/2 to 6-1/3 cups	4-1/4 to 6-1/3 cups
Extra Large	4-1/4 to 5-1/4 cups	5-1/3 to 7 cups	6-1/3 to 8-3/4 cups	6-1/3 to 10 cups

Add 1 cup for each 10 lbs. bodyweight over 100 lbs.

GUARANTEED ANALYSIS

Moisture (max)	12.0 %	Biotin	0.3 mg/kg
Crude Protein (min)	26.0 %	Vitamin B6 (pyridoxine)	1215 mg/kg
Fat (min)	10.0 %	Vitamin B12	0.025 mg/kg
Crude Fiber (max)	3.5 %	Vitamin B3 (niacin)	20 mg/kg
Digestible Energy (min)	3,150 Kcal/Kg	Folic Acid	0.5 mg/kg
Calcium (min)	1.5 %	Pantothenic Acid	10 mg/kg
Calcium (max)	2.0 %	Manganese Oxid (Mn0)	0.037 mg/kg
Phosphorus (min)	0.65 %	Iron (Fe C03)	0.065 mg/kg
Ash (min)	9.0 %	Zinc (Zn)	0.1 mg/kg
Salt (max)	0.8 %	Copper (CuS04)	0.011 mg/kg
Salt (min)	0.4 %	Iodine (I)	2000 mg/kg
Vitamin A	8000 UI/Kg	Selenium (Na2 Se03)	150 mg/kg
Vitamin D3	1000 UI/Kg	Cobalt (Co C03)	300 mg/kg
Vitamin E	55 UI/Kg		
Vitamin B1	2.5 mg/kg		
Vitamin B2	2 mg/kg		

Item # 83101 - 22 lbs
83100 - 44 lbs
Rambocan Adulto



INGREDIENTS

Ground yellow corn, poultry by-product meal, soy bean meal, destiled drier grains, ground wheat, stabilized fat, calcium carbonate, salt, dicalcium phosphate, choline chloride, vitamins, minerals, yucca by-product, antioxidants and pigments.

DAILY FEEDING RECOMMENDATIONS

Size	Pounds	Cups
Miniature	3 - 12	1/2 - 1 1/2
Small	12 - 20	1 - 1 3/4
Medium	20 - 50	1 3/4 - 4 1/4
Large	50 - 100	4 - 7
Extra Large	100 lbs +	6 cups plus 1 cup for each 10 lbs body weight over 100 lbs.

GUARANTEED ANALYSIS

Moisture (max)	12.0 %	Biotin	0.3 mg/kg
Crude Protein (min)	20.0 %	Vitamin B6 (pyridoxine)	1215 mg/kg
Fat (min)	9.0 %	Vitamin B12	0.025 mg.kg
Crude Fiber (max)	5.0 %	Vitamin B3 (niacin)	20 mg/kg
Digestible Energy (min)	3,200 Kcal/kg	Folic Acid	0.5 mg/kg
Calcium (min)	2.0 %	Pantothenic Acid	10 mg/kg
Calcium (max)	2.5 %	Manganese Oxid (Mn0)	0.037 mg/kg
Phosphorus (min)	1.0 %	Iron (FeC03)	0.065 mg/kg
Ash (min)	7.0 %	Zinc (Zn)	0.1 mg/kg
Salt (max)	0.6 %	Copper (CuS04)	0.011 mg/kg
Salt (min)	0.4 %	Iodine (I)	2000 mg/kg
Vitamin A	8000 UI/kg	Selenium (Na2 Se03)	150 mg/kg
Vitamin D3	1000 UI/kg	Cobalt (Co C03)	300 mg/kg
Vitamin E	55 UI/kg		
Vitamin B1	2.5 mg/kg		
Vitamin B2	2 mg/kg		

Cat Food



Item # 39131 - 10 lbs
 39132 - 20 lbs
 Cat Formula

RECOMMENDED DAILY FEEDING

6 to 10 lbs: 1/4 to 2/3 cups
 10 to 15 lbs: 2/3 to 1-1/3 cups
 15 + lbs: 1-1/3 plus 1/3 cup for each additional 4 lbs body weight.

GUARANTEED ANALYSIS:

Crude Protein, min	32.00 %
Crude Fat, minimum	15.00 %
Crude Fiber, max	3.00 %
Moisture, max	10.00 %
Calcium (Ca), min	1.00 %
Phosphorous (P), min	.80 %
Zinc (Zn), min	125 ppm
Vitamin A, min	15,000 IU/kg
Vitamin E, min	100 IU/kg
Taurine, min	.13 %*
Omega 6 Fatty Acids, min	2.40 %*
Omega 3 Fatty Acids, min	.40 *

INGREDIENTS:

Chicken by-product meal, ground yellow corn, ground wheat, corn gluten meal, chicken fat preserved with mixed tocopherols (form of vitamin E), brewers rice, ground flaxseed, dried beet pulp, natural chicken flavor, potassium chloride, fish meal, calcium carbonate, salt, brewers dried yeast, choline chloride, taurine, zinc proteinate, copper proteinate, manganese proteinate, vitamin E supplement, ferrous sulfate, zinc sulfate, zinc oxide, copper sulfate, niacin, vitamin A supplement, calcium pantothenate, manganous oxide, thiamine mononitrate (source of vitamin B1), riboflavin supplement (source of vitamin B2), pyridoxine hydrochloride (source of vitamin B6), biotin, vitamin B12 supplement, menadione sodium bisulfite complex (source of vitamin K activity), sodium selenite, folic acid, calcium iodate, vitamin D3 supplement, cobalt carbonate.

Item # 39230 - 20 lbs
 Feline Medley Formula



RECOMMENDED DAILY FEEDING

up to 10 lbs: 1/8 to 1 cup
 10 to 15 + lbs: 1 to 1-1/2

GUARANTEED ANALYSIS:

Crude Protein, minimum	31.0 %
Crude Fat, minimum	8.0 %
Crude Fiber, maximum	4.0 %
Moisture, maximum	12.0 %
Calcium (Ca), minimum	1.0 %
Phosphorus (P), minimum	0.8 %
Linoleic Acid, minimum	1.0 %
Taurine, minimum	0.1 %
Vitamin A, minimum	10,000 IU/kg
Vitamin E, minimum	75 IU/kg
Zinc, minimum	150 mg/kg

INGREDIENTS:

Ground yellow corn, chicken by-product meal, corn gluten meal, soybean meal, animal fat (preserved with BHA and citric acid), sodium bisulfite (a preservative), calcium carbonate, animal digest (source of shrimp, tuna, turkey and fish flavors), fish meal, dried egg product, dried whey, dried brewers yeast, salt, dextrose, monocalcium phosphate, choline chloride, potassium chloride, artificial color (red #40, yellow #5, yellow #6, blue #1), taurine, ferrous sulfate, zinc sulfate, vitamin E supplement, zinc oxide, niacin, copper sulfate, manganous oxide, calcium pantothenate, vitamin A supplement, biotin, thiamine mononitrate (source of vitamin B1), riboflavin supplement (source of vitamin B2), pyridoxine hydrochloride (source of vitamin B6), vitamin D3 supplement, calcium iodate, vitamin B12 supplement, folic acid, cobalt carbonate, menadione sodium bisulfite complex (source of vitamin K activity), sodium selenite.



**Item # 81594 - 3.15 lbs
Friskies Indoor Delights**

RECOMMENDED DAILY FEEDING

5 - 9 lbs: 1/2 to 3/4 cup
10 - 14: 3/4 to 1 cup

GUARANTEED ANALYSIS

Crude Protein (min)	30.0 %
Crude Fat (min)	9.0 %
Crude Fiber (max)	5.0 %
Moisture (max)	12.0 %
Linoleic Acid (min)	1.5 %
Arachidonic Acid (min)	0.03 %
Calcium (Ca) (min)	1.0 %
Phosphorus (P) (min)	0.8 %
Zinc (Zn) (min)	125 mg/kg
Selenium (Se) (min)	0.3 mg/kg
Vitamin A (min)	10,000 UI/kg
Vitamin E (min)	100 IU/kg
Taurine (min)	0.12 %

INGREDIENTS:

Ground yellow corn, corn gluten meal, chicken by-product meal, meat and bone meal, soybean meal, beef tallow preserved with mixed-tocopherols (form of Vitamin E), turkey by-product meal, powdered cellulose, animal liver flavor, soybean hulls, malt extract, phosphoric acid, calcium carbonate, salt, choline chloride, potassium chloride, dried cheese powder, parsley flakes, added color, taurine, zinc sulfate, Vitamin E supplement, ferrous sulfate, Yellow 6, manganese sulfate, niacin, Yellow 5, Red 40, Vitamin A supplement, calcium pantothenate, thiamine mononitrate, Blue 2, copper sulfate, riboflavin supplement, Vitamin B-12 supplement, pyridoxine hydrochloride, folic acid, Vitamin D-3 supplement, calcium iodate, biotin, menadione sodium bisulfite complex (source of Vitamin K activity), sodium selenite.

**Item # 80023 - 3 lbs.
Whiskas, Indoor Cat**



DAILY FEEDING GUIDE

Weight of Adult Cat	Cups per Day for Adult cats
4 to 7 lb	up to 1/2 cup
7 to 11 lb	1/2 to 3/4 cup
11 to 14 lb	3/4 to 1 cup
14 to 18 lb	1 to 1 1/4 cup

INGREDIENTS

POULTRY BY-PRODUCT MEAL, GROUND YELLOW CORN, GROUND WHEAT, SOYBEAN MEAL, CORN GLUTEN MEAL, DRIED PLAIN BEET PULP, NATURAL CHICKEN FLAVOR, ANIMAL FAT (PRESERVED WITH BHA AND CITRIC ACID), POWDERED CELLULOSE, CALCIUM CARBONATE, SALT, TAURINE, DL-METHIONINE, POTASSIUM CHLORIDE, VITAMINS (CHOLINE CHLORIDE, VITAMIN E SUPPLEMENT, NIACIN, VITAMIN A SUPPLEMENT, THIAMINE MONONITRATE [VITAMIN B1], RIBOFLAVIN SUPPLEMENT [VITAMIN B2], D-CALCIUM PANTOTHENATE, PYRIDOXINE HYDROCHLORIDE [VITAMIN B6], BIOTIN, VITAMIN D3 SUPPLEMENT, VITAMIN B12 SUPPLEMENT, FOLIC ACID), MINERALS (ZINC SULFATE, COPPER SULFATE, MANGANESE SULFATE, POTASSIUM IODIDE), YUCCA SCHIDIGERA EXTRACT.

GUARANTEED ANALYSIS

Crude Protein	Min.	31.5%	Magnesium	Min.	0.1%
Crude Fat	Min.	9.5%	Zinc	Min.	150 mg/kg
Crude Fat	Max.	11.5%	Vitamin A	Min.	11,000 IU/kg
Crude Fiber	Max.	6.0%	Vitamin E	Min.	150 IU/kg
Moisture	Max.	12.0%	Taurine	Min.	0.1%
Linoleic Acid	Min.	1.4%			

Item # 80320 - 3 lbs.
 80310 - 6 lbs.
 80300 - 15 lbs.
Whiskas, Meaty Selections



GUARANTEED ANALYSIS

Crude Protein	Min.	35.0%
Crude Fat	Min.	13.0%
Crude Fiber	Max.	4.0%
Moisture	Max.	12.0%
Linoleic Acid	Min.	1.4%
Calcium	Min.	1.0%
Phosphorus	Min.	0.8%
Zinc	Min.	150 mg/kg
Vitamin A	Min.	11,000 IU/kg
Vitamin E	Min.	150 IU/kg
Taurine	Min.	0.1%
Glucosamine*	Min.	400 mg/kg
Chondroitin Sulfate*	Min.	300 mg/kg

DAILY FEEDING GUIDE

Weight of Adult Cat	Cups per Day for Adult cats
4 to 7 lb	up to 1/2 cup
7 to 11 lb	1/2 to 3/4 cup
11 to 14 lb	3/4 to 1 cup
14 to 18 lb	1 to 1 1/4 cup

INGREDIENTS

POULTRY BY-PRODUCT MEAL (SOURCE OF GLUCOSAMINE & CHONDROITIN SULFATE), GROUND YELLOW CORN, GROUND WHEAT, CORN GLUTEN MEAL, SOYBEAN MEAL, ANIMAL FAT (PRESERVED WITH BHA AND CITRIC ACID), NATURAL MEATY, CHICKEN, & TURKEY FLAVORS, SALT, POTASSIUM CHLORIDE, TAURINE, DL-METHIONINE, VITAMINS (CHOLINE CHLORIDE, VITAMIN E SUPPLEMENT, NIACIN, VITAMIN A SUPPLEMENT, THIAMINE MONONITRATE [VITAMIN B1], RIBOFLAVIN SUPPLEMENT [VITAMIN B2], D-CALCIUM PANTOTHENATE, PYRIDOXINE HYDROCHLORIDE [VITAMIN B6], BIOTIN, VITAMIN D3 SUPPLEMENT, VITAMIN B12 SUPPLEMENT, FOLIC ACID), MINERALS (ZINC SULFATE, COPPER SULFATE, MANGANESE SULFATE, POTASSIUM IODIDE), YUCCA SCHIDIGERA EXTRACT.

Item # 82074 - 4lbs
 82072 - 15lbs
 82066 - 8 lbs
Canidae All Life Stages



FEEDING GUIDE

Cat Weight	Cups/Day
3 - 5 lbs. 1.4 - 2.3 kg	1/6 - 1/4 cup 16 - 25 grams
5 - 10 lbs. 2.3 - 4.5 kg	1/4 - 1/2 cup 25 - 49 grams
10 - 15 lbs. 4.5 - 6.8 kg	1/2 - 3/4 cup 49 - 74 grams
15 - 20 lbs. 6.8 - 9.1 kg	3/4 - 1 cup 74 - 99 grams

GUARANTEED ANALYSIS

Crude Protein (min.)	32.00 %
Crude Fat (min.)	20.00 %
Crude Fiber (max.)	2.50 %
Moisture (max.)	9.00 %
Linoleic Acid (Omega 6) (min.)	3.75 %
Vitamin E (min.)	200.00 IU/kg
Taurine (min.)	0.15 %
Alpha Linolenic Acid (Omega 3)** (min.)	0.75 %
Ascorbic Acid (Vitamin C)** (min.)	50.00 mg/kg
Lactobacillus Acidophilus** (min.)	100 million CFU/lb.
Cellulase** (a) (min.)	100 CMCU/kg

INGREDIENTS

Chicken meal, brown rice, cracked pearled barley, peas, millet, chicken fat (preserved with mixed tocopherols), turkey meal, potato protein, lamb meal, egg product, natural flavor, flaxseed, ocean fish meal, potassium chloride, choline chloride, DL-methionine, taurine, suncured alfalfa meal, inulin (from chicory root), lecithin, sage extract, cranberries, beta-carotene, rosemary extract, sunflower oil, yucca schidigera extract, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, minerals (zinc proteinate, manganese proteinate, copper proteinate, zinc sulfate, manganese sulfate, copper sulfate, potassium iodide, manganous oxide, sodium selenite), vitamins (vitamin E supplement, niacin, thiamine mononitrate, vitamin A supplement, biotin, calcium pantothenate, riboflavin, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, vitamin D3 supplement, folic acid), papaya, pineapple.

**Item # 82064 - 8 lbs.
Canidae Pure Sea**



FEEDING GUIDE

Cat Weight	Cups/Day
3 -5 lbs. 1.4 - 2.3 kg	1/6 - 1/4 cup 21 - 32 grams
5 - 10 lbs. 2.3 - 4.5 kg	1/4 - 1/2 cup 32 - 64 grams
10 - 15 lbs. 4.5 - 6.8 kg	1/2 - 3/4 cup 64 - 96 grams
15 - 20 lbs. 6.8 - 9.1 kg	3/4 - 1 cup 96 - 128 grams

GUARANTEED ANALYSIS

Crude Protein (min.)	32.00 %
Crude Fat (min.)	17.00 %
Crude Fiber (max.)	3.00 %
Moisture (max.)	9.00 %
Linoleic Acid (Omega 6) (min.)	2.80 %
Vitamin E (min.)	50.00 IU/kg
Taurine (min.)	0.15 %
Alpha Linolenic Acid (Omega 3)** (min.)	1.00 %
Lactobacillus Acidophilus** (min.)	100 million CFU/lb.
Cellulase** (a) (min.)	100 CMCU/kg

INGREDIENTS

Salmon, salmon meal, menhaden fish meal, potatoes, peas, canola oil, sweet potatoes, natural flavor, minerals (zinc proteinate, manganese proteinate, copper proteinate, zinc sulfate, manganese sulfate, copper sulfate, potassium iodide, manganous oxide, sodium selenite), vitamins (vitamin E supplement, niacin, thiamine mononitrate, vitamin A supplement, biotin, calcium pantothenate, riboflavin, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, vitamin D3 supplement, folic acid), choline chloride, DL-methionine, taurine, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, mixed tocopherols (a source of vitamin E)

**Item # 82062 - 8 lbs.
Canidae Pure Elements**



FEEDING GUIDE

Cat Weight	Cups/Day
3 - 5 lbs. 1.4 - 2.3 kg	1/6 - 1/4 cup 21 - 32 grams
5 - 10 lbs. 2.3 - 4.5 kg	1/4 - 1/2 cup 32 - 64 grams
10 - 15 lbs. 4.5 - 6.8 kg	1/2 - 3/4 cup 64 - 96 grams
15 - 20 lbs. 6.8 - 9.1 kg	3/4 - 1 cup 96 - 128 grams

GUARANTEED ANALYSIS

Crude Protein (min.)	35.00 %
Crude Fat (min.)	18.00 %
Crude Fiber (max.)	3.00 %
Moisture (max.)	9.00 %
Linoleic Acid (Omega 6) (min.)	3.75 %
Vitamin E (min.)	50.00 IU/kg
Taurine (min.)	0.15 %
Alpha Linolenic Acid (Omega 3)** (min.)	0.25 %
Ascorbic Acid (Vitamin C)** (min.)	50.00 mg/kg
Lactobacillus Acidophilus** (min.)	100 million CFU/lb.
Cellulase** (a) (min.)	100 CMCU/kg

INGREDIENTS

Chicken, chicken meal, turkey meal, potatoes, peas, chicken fat, lamb meal, natural flavor, menhaden fish meal, minerals (zinc proteinate, manganese proteinate, copper proteinate, zinc sulfate, manganese sulfate, copper sulfate, potassium iodide, manganous oxide, sodium selenite), vitamins (vitamin E supplement, niacin, thiamine mononitrate, vitamin A supplement, biotin, calcium pantothenate, riboflavin, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, vitamin D3 supplement, folic acid), choline chloride, DL-methionine, taurine, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, mixed tocopherols (a source of vitamin E)

Item # 82077 - 4lbs
 82076 - 8lbs
 82060 - 15 lbs.
Canidae Indoor Formula



FEEDING GUIDE

Cat Weight	Cups/Day
3 - 5 lbs. 1.4 - 2.3 kg	1/3 - 1/2 cup 33 - 50 grams
5 - 10 lbs. 2.3 - 4.5 kg	1/2 - 2/3 cup 50 - 65 grams
10 - 15 lbs. 4.5 - 6.8 kg	2/3 - 1 cup 65 - 99 grams
15 - 20 lbs. 6.8 - 9.1 kg	1 - 1 1/4 cups 99 - 124 grams

GUARANTEED ANALYSIS

Crude Protein (min.)	30.50 %
Crude Fat (min.)	14.50 %
Crude Fiber (max.)	4.00 %
Moisture (max.)	9.00 %
Linoleic Acid (Omega 6) (min.)	3.50 %
Vitamin E (min.)	200.00 IU/kg
Taurine (min.)	0.15 %
Alpha Linolenic Acid (Omega 3)** (min.)	0.70 %
Ascorbic Acid (Vitamin C)** (min.)	50.00 mg/kg
Lactobacillus Acidophilus** (min.)	100 million CFU/lb.
Cellulase**(a) (min.)	100 CMCU/kg

INGREDIENTS

Chicken meal, brown rice, white rice, cracked pearled barley, peas, millet, chicken fat (preserved with mixed tocopherols), turkey meal, lamb meal, egg product, natural flavor, flaxseed, ocean fish meal, potassium chloride, choline chloride, DL-methionine, taurine, suncured alfalfa meal, inulin (from chicory root), lecithin, sage extract, cranberries, beta-carotene, rosemary extract, sunflower oil, yucca schidigera extract, dried enterococcus faecium fermentation product, dried lactobacillus acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, dried trichoderma longibrachiatum fermentation extract, minerals (zinc proteinate, manganese proteinate, copper proteinate, zinc sulfate, manganese sulfate, copper sulfate, potassium iodide, manganous oxide, sodium selenite), vitamins (vitamin E supplement, niacin, thiamine mononitrate, vitamin A supplement, biotin, calcium pantothenate, riboflavin, pyridoxine hydrochloride (vitamin B6), vitamin B12 supplement, vitamin D3 supplement, folic acid), papaya, pineapple.

Cat Litter

- Super absorbent & optimum odor control.
- Satisfies cat's instincts.
- Natural colour and earthen aroma guarantee pets acceptance. Processed and dried under the sunlight at atmospheric conditions without artificial superheating.
- Dust free and optimum granulometry.
- Very economical, easy to carry, use and dispose off.

DIRECTIONS FOR USE

- Pour the required quantity in the litter box. Gradually replace the existing product by introducing PURA.
- Place the litter box in a private or semi-private place. Allow cat to get accustomed to PURA.
- Dispose off only the soiled clumps, continue to use remaining and clean the tray periodically.

Item # 37490 - 5 kg
37492 - 10 kg
Pura Clumping Moonlight Ultra



Item # 37491 - 5 kg
Pura Clumping Moonlight Ultra
Baby Powder




Litter Scoop
37494
38518 - Large



Item # 37493 - 5 kg
Pura Attapulgitte Non - Clumping

BIRD FOOD & TREATS

Item # 34270 - 25 lbs
Mazuri Parrot Maintenance



GUARANTEED ANALYSIS

Crude Protein (min)	15.00 %
Crude Fat (min)	7.00 %
Crude Fiber (max)	6.00 %
Moisture (max)	11.85 %
Ash (max)	7.00 %

INGREDIENTS

Ground corn, wheat middlings, dehulled soybean meal, corn gluten meal, soybean oil, dicalcium phosphate, calcium carbonate, wheat germ, brewers dried yeast, calcium propionate (A preservative), dried egg product, salt, DL-Methionine, L-Lysine, L-Ascorbyl-2-polyphosphate, choline chloride, biotin, pyridoxine hydrochloride, sodium selenite, beta carotene, natural vitamin E, menadione sodium bisulfite complex, vitamin D3 supplement, folic acid, vitamin A supplement, canthaxanthin, manganous oxide, riboflavin supplement, marigold extract, zinc oxide, calcium pantothenate, thiamine mononitrate, niacin supplement, vitamin B12 supplement, copper sulfate, zinc sulfate, natural mixed tocopherols (a preservative), citric acid, ascorbic acid, rosemary extract, lecithin, cobalt carbonate, calcium iodate.

DIRECTIONS

To switch birds from seeds (or any diet they are currently being fed) to Mazuri Parrot Maintenance, do a gradual change over starting with seed (or current diet) and 10% Mazuri Parrot Maintenance. On each succeeding day reduce the amount of seeds by 10% while increasing the amount of Mazuri Parrot Maintenance by 10%. On the 10th day the diet should consist only of Mazuri Parrot Maintenance Diet. Monitor the bird's weight and behavior carefully during the conversion period. Be especially attentive during the 10th to 12th day. If the bird is losing weight, or if the bird is not consuming the product, offer the birds a mix of 50% seed and 50% Mazuri Parrot Maintenance and restart the conversion process from this point. If the bird is not eating, the excreta will become dark green and the volume will decrease. If the bird is consuming the Mazuri Parrot Maintenance, the excreta will be a brown-green color. This diet should be fed to non-breeding birds. Feed this diet to young birds after they have had their first molt and until they reach breeding age. This diet should also be fed to young birds which are not kept for breeding purposes. Any time a bird is not breeding or raising young for periods of over 1 month they should be fed Mazuri Parrot Maintenance.

Item # 34279 - 25 lbs
34275 - 50 lbs
Parrot Blend Colorful Companion

FEEDING DIRECTIONS

Offer fresh feed to birds free-choice. To help avoid disease, discard any feed which has become soiled or wet. Offer fresh, clean water at all times. Clean cages to help prevent parasites and disease.

GUARANTEED ANALYSIS

Protein, min	15.00 %
Crude Fat, min	17.00 %
Crude Fiber, max	17.00 %
Moisture, max	12.00 %



INGREDIENTS

Gray stripe sunflower, safflower, corn peanuts in shell, oats, oat groats, dundy peppers, kibble corn, wheat, grain products, plant protein products, processed grain by-products, monocalcium phosphate, dicalcium phosphate, calcium carbonate, soybean oil, salt, magnesium sulfate, potassium sulfate, DL-methionine, choline chloride, tagetes extract, L-lysine, thiamine, riboflavin supplement, vitamin E supplement, calcium pantothenate, vitamin B12 supplement, niacin supplement, biotin, vitamin A supplement, folic acid, menadione dimethylpyrimidinol bisulfate, pyridoxine hydrochloride, vitamin D3 supplement, manganous oxide, zinc oxide, copper sulfate, calcium iodate, sodium selenite, ground corn, ground whole wheat, ground oat groats, dehulled soybean meal, dried molasses, dried whole egg, dried brewers yeast, wheat bran, menadione sodium bisulfite (source of vitamin K), ascorbic acid (vitamin C), thiamine mononitrate, niacinamide, sodium chloride, natural flavors, ferrous carbonate, copper oxide, magnesium chloride, cobalt carbonate, wheat middlings, corn gluten meal, animal fat (stabilized with BHT), ferrous sulfate, D-calcium pantothenate, mineral oil, ethylenediamine dihydroiodide, bisulfite complex and D-activated animal sterol (source of vitamin D), red #3, red #40, blue #1, purple, blue, yellow #5, yellow #6, green and anise oil.

**Item # 34282 - 25 lbs
Parakeet Blend Colorful Companion**



FEEDING DIRECTIONS

Offer fresh feed to birds free choice. To help avoid disease, discard any feed which has become soiled or wet. Offer fresh, clean water at all times. Clean cages to help prevent parasites and disease.

GUARANTEED ANALYSIS

Crude Protein, not less than	13.00 %
Crude Fat, not less than	4.00 %
Crude Fiber, not more than	5.00 %
Moisture, not more than	12.00 %
Ash, max	9.00 %

INGREDIENTS

White proso millet, canary grass seed, oat groats, red proso millet, corn, wheat, corn gluten meal, potato protein, soya oil, calcium carbonate, dicalcium phosphate, L-lysine, choline chloride, DL methionine, magnesium oxide, betaine anhydrous, vitamin E supplement, ascorbic acid (Vitamin C), manganous oxide, niacinamide, yucca schidigera extract, copper sulfate, zinc oxide, calcium pantothenate, sodium selenite, vitamin B12 supplement, rosemary extract, mixed tocopherols, vitamin A acetate, calcium iodate, riboflavin, biotin, pyridoxine hydrochloride, thiamine mononitrate, cobalt sulfate, folic acid, vitamin D3 supplement, dehulled soybean meal, wheat middlings, ground red milo, corn gluten feed, fish meal (menhaden), soybean oil, cane molasses, salt monocalcium phosphate, menadione sodium bisulfite complex (source of vitamin K), Vitamin A acetate, DL-alpha tocophery acetate (source of vitamin E), niacin, natural and artificial flavors and colors.

**Item # 34271 - 3.5 lbs
Colorful Companions Special Parrot Blend**



FEEDING DIRECTIONS

Offer fresh feed to birds free-choice. To help avoid diseases, discard any feed which has become soiled or wet. Offer fresh, clean water at all times. Clean cages to help prevent parasites and disease.

GUARANTEED ANALYSIS

Crude Protein, min	12.00 %
Crude Fat, min	14.50 %
Crude Fiber, max	12.00 %
Moisture, max	12.00 %

INGREDIENTS

Gray stripe sunflower, safflower, flaked corn, oat groats, bananas, raisins, wheat, split peas, pumpkin seed, pineapple, dundi-cut peppers, whale oats, shelled almonds, corn, wheat, oat groats, corn gluten meal, potato protein, soya oil, calcium carbonate, dicalcium phosphate, L-lysine, choline chloride, natural and artificial flavors, DL methionine, magnesium oxide, betaine anhydrous, vitamin E supplement, ascorbic acid (vitamin C), manganous oxide, niacinamide, yucca schidigera extract, copper sulfate, zinc oxide, calcium pantothenate, sodium selenite, vitamin B12 supplement, rosemary extract, mixed tocopherols artificial colors, vitamin A acetate, calcium iodate, riboflavin, biotin, pyridoxine hydrochloride, thiamine mononitrate, cobalt sulfate, folic acid, vitamin D3 supplement, natural and artificial colors.

Item # 34273 - 25 lbs
Finch Blend Colorful Companion

FEEDING DIRECTIONS

Offer fresh feed to birds free choice. To help avoid disease, discard any feed which has become soiled or wet. Offer fresh, clean water at all times. Clean cages to help prevent parasites and disease.

GUARANTEED ANALYSIS

	Wet	Dry
Moist / Dry Matter, %	10.80	89.20
Protein, %	14.85	16.64
Crude Fiber, %	10.27	11.51
Crude Fat, %	4.50	5.04
Nitrogen, %	2.38	2.66



INGREDIENTS

White proso millet, german millet, canary grass seed, oat groat, red siberian millet, flax, niger, ground corn, ground whole wheat, ground oat groats, dehulled soybean meal, dried molasses, dried whole egg, dried brewer's yeast, soybean oil, wheat bran, L-lysine supplement, DL-methionine supplement, dicalcium phosphate, calcium carbonate, choline chloride, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, menadione sodium bisulfite (source of vitamin K), ascorbic acid (vitamin C), thiamine mononitrate, niacinamide, calcium pantothenate, riboflavin, ethoxyquin (as a preservative), natural flavors, ferrous carbonate, copper oxide, zinc oxide, middlings, corn gluten meal, animal fat (stabilized with BHT), ferrous sulfate, mineral oil, niacin supplement, ethylenediamine dihydroiodide, bullfighter complex, D-activated animal sterol (source of vitamin D3), fish meal, kelp meal, dried whey, freeze dried viable concentrate of lactobacillus acidophilus, freeze dried viable lactobacillus plantarum, freeze dried viable lactobacillus bulgaricus, freeze dried viable lactobacillus lactis, dried viable saccharomyces cerevisiae yeast, dried viable kluveromyces fragillis yeast, dried streptococcus cremoris fermentation product, dried streptococcus diacetylactis fermentation product, bacillus subtilis fermentation product, aspergillus oryzae fermentation product, aspergillus niger fermentation product, dried milk protein, dried colostrum milk product, lecithin, wheat germ oil, soybean oil yeast culture, salt, calcium proteinate, magnesium proteinate, iron proteinate, manganese proteinate, manganese proteinate, copper proteinate, zinc proteinate, cobalt proteinate, magnesium oxide, potassium chloride, copper sulfate, iron oxide, manganese sulfate, calcium iodate, mint green, FDC red #3 and 40, blue #1 and anise oil.

**Item # 34272 - 25 lbs
Canary Blend Colorful Companion**



FEEDING DIRECTIONS

Offer fresh feed to birds free choice. To help avoid disease, discard any feed which has become soiled or wet. Offer fresh, clean water at all times. Clean cages to help prevent parasites and disease.

GUARANTEED ANALYSIS

	Wet	Dry
Moist / Dry Matter, %	9.80	90.20
Protein, %	18.95	21.01
Crude Fiber, %	11.48	12.75
Crude Fat, %	9.10	10.09
Nitrogen, %	3.03	3.36

INGREDIENTS

Canary grass seed, rape seed, niger seed, steel cut oat groats, fish meal, corn gluten meal, soybean meal, dried eggs, kelp meal, dried whey, freeze dried viable concentrate of lactobacillus acidophilus, freeze dried viable lactobacillus plantarum, freeze dried viable lactobacillus bulgaricus, freeze dried viable lactobacillus lactis, dried viable saccharomyces cerevisiae yeast, dried viable kluyveromyces fragilis yeast, dried streptococcus cremoris fermentation product, dried streptococcus diacetylactis fermentation product, bacillus subtilis fermentation product, aspergillus oryzae fermentation product, aspergillus niger fermentation product, dried milk protein, dried colostrum milk product, lecithin, wheat germ oil, soybean oil, yeast culture, dried brewer's yeast, DL-methionine, L-lysine, calcium carbonate, dicalcium phosphate, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, vitamin B12 supplement, cellulose coated ascorbic acid (vitamin C), choline chloride, calcium pantothenate, niacin supplement, thiamine mononitrate, riboflavin supplement, pyridoxine hydrochloride, folic acid, biotin supplement, menadione sodium bisulfite complex (source of vitamin K activity), calcium proteinate, magnesium proteinate, iron proteinate, manganese proteinate, copper proteinate, zinc proteinate, cobalt proteinate, magnesium oxide, potassium chloride, copper sulfate, ferrous sulfate, ferrous carbonate, iron oxide, manganese sulfate, zinc oxide, cobalt carbonate, sodium selenite, calcium iodate, ground corn, ground whole wheat, ground oat groats, dehulled dried molasses, dried whole egg, wheat bran, ascorbic acid (vitamin C), niacinamide, calcium iodate, biotin, sodium chloride, ethoxyquin (as a preservative), natural flavors, ferrous carbonate, copper oxide, zinc oxide, manganese oxide, magnesium chloride, cobalt carbonate, sodium selenite, mint green, FDC red #3 and 40, blue #1 and anise oil


Item # 34269 - 3 lbs
Colorful Companions Canary Caribbean Blend

FEEDING INSTRUCTIONS

Offer fresh feed to birds free-choice. To help avoid disease, discard any feed which has become soiled or wet. Offer fresh, clean water at all times. Clean cages to help prevent parasites and disease.

GUARANTEED ANALYSIS

Crude Protein, min	14.00 %
Crude Fat, min	9.00 %
Crude Fiber, max	8.00 %
Moisture, max	12.00 %



INGREDIENTS

Canary grass seed, rape, steel cut oat groats, thistle, fine sunflower chips, flax, corn, wheat, oat groats, corn gluten meal, potato protein, soya oil, calcium carbonate, dicalcium phosphate, L-lysine, choline chloride, natural and artificial flavors, DL methionine, magnesium oxide, betaine anhydrous, vitamin E supplement, ascorbic acid (vitamin C), manganous oxide, niacinamide, yucca schidigera extract, copper sulfate, zinc oxide, calcium pantothenate, sodium selenite, vitamin B12 supplement, rosemary extract, mixed tocopherols, artificial colors, vitamin A acetate, calcium iodate, riboflavin, biotin, pyridoxine hydrochloride, thiamine mononitrate, cobalt sulfate, folic acid, vitamin D3 supplement, plant protein products, grain products, processed grain by-products, molasses products, animal protein products, monocalcium phosphate, dicalcium phosphate, calcium carbonate, salt, animal fat preserved with ethoxyquin, lignin sulfonate, choline chloride, pyridoxine hydrochloride, thiamine, niacin supplement, menadione dimethylpyrimidinol bisulfite, vitamin A supplement, natural and artificial flavors and colors.

Item # 34321 - 5 lbs
 34320 - 2 lbs
 34319 - 1 lb

Encore Premium Cockatiel Food

A premium, vitamin-fortified food that is formulated to provide the proper nutrition your pet requires. We've blended the highest quality select seeds and grains together and topped it off with our colorful, vitamin-packed food shapes that make feeding time exciting, tasty, healthy and fun.



GUARANTEED ANALYSIS

Crude Protein (min)	13.0%
Crude Fat (min)	7.0%
Crude Fiber (max)	10.0%
Moisture (max)	12.0%
Vitamin A (min)	2,000 IU/lb.
Total Microorganisms (min)	7,500,000 CFU/lb.

(B. subtilis, A. oryzae, L. acidophilus, L. casei, B. thermophilum, E. faecium, Aspergillus niger "in descending amounts") Contains a source of viable, naturally occurring microorganisms.

INGREDIENTS

White Proso Millet, Canary Seed, Safflower Seeds, Stripe Sunflower Seed, Red Millet, Wheat Middlings, Wheat Flour, Ground Corn, Ground Oats, Corn Gluten Meal, Dehulled Soybean Meal, Soybean Oil, Dicalcium Phosphate, Brewer's Dried Yeast, Calcium Carbonate, Algae Meal, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate, Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Proteinates, Iron Proteinates, DL-Methionine, Zinc Proteinates, Sodium Selenite, Dried Bacillus subtilis Fermentation Product, Dried Aspergillus oryzae Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Aspergillus niger Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca schidigera Extract, Rosemary, Carotene, Natural and Artificial Orange Flavor, Color Added (Titanium Dioxide, Red #40, Blue #1, Yellow #5, and Yellow #6).

Item # 34318 - 1 lb
34317 - 2 lbs

Encore Premium Parakeet Food

A premium, vitamin-fortified food that is formulated to provide the proper nutrition your pet requires. We've blended the highest quality select seeds and grains together and topped it off with our colorful, vitamin-packed food shapes that make feeding time exciting, tasty, healthy and fun.



GUARANTEED ANALYSIS

Crude Protein (min)	12.0%
Crude Fat (min)	4.0%
Crude Fiber (max)	8.0%
Moisture (max)	12.0%
Calcium (min)	0.10%
Calcium (max)	0.60%
Phosphorus (min)	0.30%
Vitamin A (min)	4,000 IU/kg
Docohexaenoic Acid (DHA) (min)	0.03%
Pediococcus acidilactici (min)	7,500,000 CFU/lb.

Contains a source of viable, naturally occurring microorganisms.

INGREDIENTS

White Proso Millet, Canary Seed, Red Millet, Oat Groats, Wheat Middlings, Wheat Flour, Ground Corn, Ground Oats, Corn Gluten Meal, Dehulled Soybean Meal, Soybean Oil (preserved with Mixed Tocopherols), Dicalcium Phosphate, Brewers Dried Yeast, Calcium Carbonate, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate (Source of Vitamin C), Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Proteinates, Iron Proteinates, DL-Methionine, Zinc Proteinates, Sodium Selenite, Dried Pediococcus acidilacticii Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca Schidigera Extract, Rosemary Extract, Beta-Carotene, Natural and Artificial Orange Flavor, Color Added (Titanium Dioxide, Red 40, Blue 1, Yellow 5 and Yellow 6).

Item # 34316 - 1 lb

Encore Premium Canary & Finch Food

Unique, vitamin-fortified, premium food to satisfy your canary's hunger cravings. Encore® Premium is an advanced, nutritionally enhanced daily diet blended with the natural wholesome seeds and grains that canaries & finches love to eat: millet (a comfort food), canary seeds, oat groats, rape seeds, and thistle seeds! Brown's® also adds our ergonomically shaped, twice-baked, colorful ZOO-Vital® Biscuits. All the fun shapes, sizes, and textures make this a stimulating diet that canaries & finches love!



GUARANTEED ANALYSIS

Crude Protein (min)	16.0%
Crude Fat (min)	13.0%
Crude Fiber (max)	11.0%
Moisture (max)	12.0%
Vitamin A (min)	5,000 IU/kg
Total Microorganisms (min)	7,500,000 CFU/lb.
(B. subtilis, A. oryzae, L. acidophilus, L. casei, B. thermophilum, E. faecium, Aspergillus niger "in descending amounts") Contains a source of viable naturally occurring microorganisms.	

INGREDIENTS

Canary Seed, Red Millet, Rapeseed, Oat Groats, Flaxseed, Yellow Millet, Nyjer (Thistle) Seed (Bot. Guizothia Abyssinica), Sesame Seed, Wheat Flour, Ground Corn, Ground Oats, Corn Gluten Meal, Dehulled Soybean Meal, Soy Oil, Dicalcium Phosphate, Brewers Dried Yeast, Calcium Carbonate, Algae Meal, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate, Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Proteinate, Iron Proteinate, DL-Methionine, Zinc Proteinate, Sodium Selenite, Dried Bacillus subtilis Fermentation Product, Dried Aspergillus oryzae Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Aspergillus niger Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca schidigera Extract, Rosemary, Carotene, Natural and Artificial Orange Flavor, Color Added (Titanium Dioxide, Red 40, Blue 1, Yellow 5 and Yellow 6).

Item # 34322 - 4 lbs

Encore Premium Parrot Food

A premium, vitamin-fortified food that is formulated to provide the proper nutrition your pet requires. We've blended the highest quality select seeds and grains together and topped it off with our colorful, vitamin-packed food shapes that make feeding time exciting, tasty, healthy and fun.



GUARANTEED ANALYSIS

Crude Protein (min)	15.0%
Crude Fat (min)	18.0%
Crude Fiber (max)	20.0%
Moisture (max)	12.0%
Vitamin A (min)	5,000 IU/kg
Omega Fatty Acids (min)	0.15%
Total Microorganisms (min)	10,000,000 CFU/lb.
(B. subtilis, A. oryzae, L. acidophilus, L. casei, B. thermophilum, E. faecium, Aspergillus niger "in descending amounts") Contains a source of viable, naturally occurring microorganisms.	

INGREDIENTS

Stripe Sunflower Seeds, Safflower Seeds, Corn, Peanuts, Dried Peppers, Wheat Middlings, Oat Groats, Wheat Flour, Ground Corn, Ground Oats, Corn Gluten Meal, Dehulled Soybean Meal, Soy Oil, Dicalcium Phosphate, Brewer's Dried Yeast, Calcium Carbonate, Algae Meal, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate, Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Protein, Iron Protein, DL-Methionine, Zinc Protein, Sodium Selenite, Dried Bacillus subtilis Fermentation Product, Dried Aspergillus oryzae Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Aspergillus niger Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca schidigera Extract, Rosemary, Carotene, Natural and Artificial Orange Flavor, Color Added (Titanium Dioxide, Red #40, Blue #1, Yellow #5, and Yellow #6).

Item # 34323 - 4 lbs

Encore Gourmet Parrot Food

Is a premium gourmet food and treat all-in-one, fortified with vitamins and minerals. This enticing diet is jam-packed with a medley of specialized delicacies your parrot will find simply irresistible. The fun shapes and textures of our ingredients help relieve cage boredom and stimulate the natural foraging instinct. Encore® Gourmet Foraging Feast® is formulated to make mealtime fun and a source of activity. It's a hearty, healthy diet that will enhance your parrot's well-being.



GUARANTEED ANALYSIS

Crude Protein (min)	13.5%
Crude Fat (min)	16.0%
Crude Fiber (max)	10.0%
Moisture (max)	12.0%
Vitamin A (min)	4,000 IU/kg
Total Microorganisms (min)	7,500,000 CFU/lb.

(B. subtilis, A. oryzae, L. acidophilus, L. casei, B. thermophilum, E. faecium, Aspergillus niger “in descending amounts”) Contains a source of viable, naturally occurring microorganisms.

INGREDIENTS

Stripe Sunflower Seeds, Safflower Seeds, Oat Groats, Wheat, White Milo, Peanuts, Dried Papaya, Dried Pineapple, Dried Banana, Flaked Corn, Flaked Peas, Raisins, Pumpkin Seeds, Almonds, Dried Peppers, Wheat Flour, Ground Corn, Ground Oats, Corn Gluten Meal, Dehulled Soybean Meal, Soy Oil, Dicalcium Phosphate, Brewer’s Dried Yeast, Calcium Carbonate, Algae Meal, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate, Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Proteinat, Iron Proteinat, DL-Methionine, Zinc Proteinat, Sodium Selenite, Dried Bacillus subtilis Fermentation Product, Dried Aspergillus oryzae Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Aspergillus niger Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca schidigera Extract, Rosemary, Carotene, Natural and Artificial Orange Flavor, Color Added (Titanium Dioxide, Red #40, Blue #1, Yellow #5, Yellow #6), Sulfur Dioxide (a preservative).

Item # 34331

Extreme Calcium Millet Spray Strawberry


Birds love to eat millet spray and need added calcium for their overall health. To make it extra tasty, we blended in pure strawberry that birds will find simply irresistible. Our nutritious and healthy treat stimulates the natural foraging instincts and helps relieve cage boredom.

GUARANTEED ANALYSIS

Crude Protein (min)	4.0%
Crude Fat (min)	1.5%
Crude Fiber (max)	10.0%
Moisture (max)	12.0%
Calcium (min)	15.0%
Calcium (max)	20%

INGREDIENTS

Millet Spray, Calcium Carbonate, Strawberry Juice Powder, Maltodextrin, Gelatin, Honey, Color Added (Red 40).



Item # 34330

Extreme Calcium Millet Spray Blueberry

An excellent daily treat for domestic pet birds, Brown's® Spray Millet is grown and harvested in the USA. Birds love spray millet because it's rich in carbohydrates and protein. Brown's drizzles each spray in rich, tasty, energy-boosting honey and then coats it with highly digestible blueberry flavored calcium from natural ground cuttlebone for even greater nutrition. Your birds will find this healthy highly palatable healthy treat and supplement simply irresistible!



GUARANTEED ANALYSIS

Crude Protein (min)	7.75%
Crude Fat (min)	3.0%
Crude Fiber (max)	12.0%
Moisture (max)	12.0%
Calcium (min)	5.0%
Calcium (max)	6.0%

INGREDIENTS

Millet Spray, Calcium Carbonate, Dried Blueberry Powder, Gelatin, Honey, Color Added (Red 40 & Blue 1).

Item # 34332

Extreme Honey & Calcium Millet Spray

An excellent daily treat for domestic pet birds, Brown's® Spray Millet is grown and harvested in the USA. Birds love spray millet because it's rich in carbohydrates and protein. Brown's drizzles each spray in rich, tasty, energy-boosting honey and then coats it with highly digestible calcium from natural ground cuttlebone for even greater nutrition. Your birds will find this healthy, highly palatable treat and supplement simply irresistible!

GUARANTEED ANALYSIS

Crude Protein (min)	4.0%
Crude Fat (min)	1.5%
Crude Fiber (max)	4.0%
Moisture (max)	10.0%
Calcium (min)	15.0%
Calcium (max)	20.0%

INGREDIENTS

Sun-Cured Millet Sprays, Calcium Carbonate (Ground Cuttlebone), Honey and FD&C Red#2 and Yellow #5.



Item # 34329

34333 - 8 oz

Extreme Natural Millet Spray

It's an excellent daily treat for domestic pet birds. Birds love Spray Millet because it's an excellent source of energy, providing needed calories. Spray Millet helps stimulate the natural foraging instinct and helps relieve cage boredom. Your birds will find Spray Millet simply irresistible!

GUARANTEED ANALYSIS

Crude Protein (min)	8.0%
Crude Fat (min)	2.0%
Crude Fiber (max)	20.0%
Moisture (max)	12.0%

INGREDIENTS

Millet Sprays



Item # 34328 - 2.75 oz

Extreme Trail Mix Treat Bar Pet Bird

Are so irresistibly tempting your pet bird will surely want more... Our nutritious treat bars are jam packed with delicious wholesome fruits, nuts, seeds, grains and veggies birds of all sizes will love to eat! Plus these treat bars stimulate the natural foraging instinct and help to relieve cage boredom.



GUARANTEED ANALYSIS

Crude Protein (min.)	11.75%
Crude Fat (min.)	17.75%
Crude Fiber (max.)	10.0%
Crude Moisture (max.)	15.0%

INGREDIENTS

Raisins, Peanuts, Safflower Seed, Dried Carrots, Dried Pineapple, Dried Papaya, Dried Sweet Potato, Lentils, Sunflower seeds, Millet, Canary Seed, Dried Banana, Pumpkin Seed, Potato Flour, Honey, Guar Gum, Colors (Red 40, Yellow 5 and Orange 6) and Sulfur Dioxide.

Item # 34325 - 3 oz

Extreme Yogurt Coated Fruit Bites

Are made with a medley of chunky, natural, dried fruit pieces. We start with hand-selected fruits like luscious apricots, bananas, sweet red strawberries and scrumptious coconut. We then dip them into a creamy thick yogurt for a thick, rich coating in a variety of colors.



GUARANTEED ANALYSIS

Crude Protein (min)	3.0%
Crude Fat (min)	18.0%
Crude Fiber (max)	2.0%
Moisture (max)	15.0%


INGREDIENTS

Apricots, Bananas, Strawberries, Coconuts, Yogurt, Canola Oil, Non-Fat Dried Milk Powder, Soy Lecithin (Stabilizer), Sucrose, Monoglycerides (Emulsifying Agent), Dextrin, Yeast Culture (Saccharomyces cerevisiae, Lactobacillus acidophilus, Bacillus subtilis), Confectioners' Glaze, Sulfur Dioxide and Artificial Colors Added.

Item # 34324 - 3.5 oz

Extreme Candy Covered Millet Treats

Are enrobed in a sweet & colorful outer shell that's stimulating and fun to eat. They're a great-tasting, training treat, snack or reward that pet birds will find simply irresistible!



GUARANTEED ANALYSIS

Crude Protein (min)	2.0%
Crude Fat (min)	0.8%
Crude Fiber (max)	6.0%
Moisture (max)	12.0%

INGREDIENTS

Pearled Millet, Sugar, Corn Starch, Corn Syrup, Dextrin, Gum Acacia, Confectioner's Glaze (Carnauba Wax, Beeswax, Shellac), Carnauba Wax, Titanium Dioxide (Color), Red #40, Yellow #5, Yellow #6, Blue #1 and Blue #2.



Item # 34327 - 6 oz

Extreme Trail Mix Parrot Treat

Jam-packed with everything under the sun... chunky-chewy-crunchy fruits, nuts and veggies, plus spicy peppers your bird will love. Your pet will find our treats enticing, irresistible, nutritious and fun to eat! What a great way to reward your pet during training or just because you love them.

GUARANTEED ANALYSIS

Crude Protein (min)	16.0%
Crude Fat (min)	25.0%
Crude Fiber (max)	7.0%
Moisture (max)	12.0%

INGREDIENTS

Almonds, Peanuts, Dried Pineapple, Dried Red Peppers, Dried Sweet Potato, Pumpkin Seeds, Dried Green Peas, Dried Banana, Semolina (Wheat) Pasta Product and Sulfur Dioxide (a preservative).

Item # 34326 - 4 oz

Extreme Trail Mix Small Bird Treat

Is jam-packed with everything under the sun... chunky-chewy-crunchy fruits, nuts and veggies, plus spicy peppers your bird will love. Your pet will find our treats enticing, irresistible, nutritious and fun to eat! What a great way to reward your pet during training or just because you love them.

GUARANTEED ANALYSIS

Crude Protein (min)	12.0%
Crude Fat (min)	18.0%
Crude Fiber (max)	15.0%
Moisture (max)	13.0%



INGREDIENTS

Safflower Seeds, Canary Seeds, Yellow Millet, Red Millet, Nyjer (Thistle) Seeds (Bot. Guizotia Abyssinica), Oat Groats, Sunflower Hearts (Hulled Sunflower Seeds), Dried Papaya, Dried Pineapple, Peanuts, Dried Red Peppers, Dried Carrots, Dried Lentils, Cantaloupe Seeds, Dried Apple, Dried Coconut, Parsley, Colors Added (Blue 1, Red 40) and Sulfur Dioxide (a preservative).

SMALL ANIMAL FOOD & TREATS

Item # 34337 - 5 lbs

34336 - 2 lbs

Encore Premium Guinea Pig Food

Unique vitamin-fortified, premium food to satisfy the hunger cravings of your guinea pig. Encore is a nutritionally enhanced daily diet with rich and field-fresh alfalfa hay. We use only natural preservatives, plus we've added extra Vitamin C. Our ZOO-Vital® biscuits are colorful, vitamin-packed food shaped that make feeding time exciting, tasty, healthy and fun.



GUARANTEED ANALYSIS

Crude Protein (min)	19.5%
Crude Fat (min)	2.3%
Crude Fiber (max)	14.0%
Moisture (max)	14.0%
Ascorbic Acid (Source of Vitamin C)	220mg/kg
Total Microorganisms (min)	7,500,000 CFU/lb.
(B. subtilis, A. oryzae, L. acidophilus, L. casei, B. thermophilum, E. faecium, Aspergillus niger "in descending amounts") Contains a source of viable, naturally occurring microorganisms.	

INGREDIENTS

Dehydrated Alfalfa Meal, Wheat, Wheat Middlings, Wheat Flour, Ground Corn, Ground Oats, Ground Barley, Corn Gluten Meal, Dehulled Soybean Meal, Soy Oil, Dicalcium Phosphate, Brewer's Dried Yeast, Cane Molasses, Calcium Carbonate, Algae Meal, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate, Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Proteinat, Iron Proteinat, DL-Methionine, Zinc Proteinat, Sodium Selenite, Dried Bacillus subtilis Fermentation Product, Dried Aspergillus oryzae Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Aspergillus niger Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca schidigera Extract, Rosemary, Carotene, Artificial Banana Flavor, and Color Added (Titanium Dioxide, Red #40, Blue #1, Yellow #5, and Yellow #6).

Item # 34335 - 2 lbs

34334 - 1 lb

Encore Premium Hamster & Gerbil Food

Is a premium, vitamin-fortified food that is formulated to provide the proper nutrition your pet requires. We've blended the highest quality select seeds and grains together and topped it off with our Zoo-Vital Biscuits. These new generation, colorful, vitamin-packed biscuits make feeding time exciting, tasty, healthy and fun. Our Zoo-Vital pellets also provide beneficial bacteria to aid in digestion.



GUARANTEED ANALYSIS

Crude Protein (min)	12.5%
Crude Fat (min)	4.5%
Crude Fiber (max)	11.0%
Moisture (max)	12.0%
Vitamin A (min)	2,500 IU/lb.
Total Microorganisms (min)	10,000,000 CFU/lb.

(*B. subtilis*, *A. oryzae*, *L. acidophilus*, *L. casei*, *B. thermophilum*, *E. faecium*, *Aspergillus niger* "in descending amounts") Contains a source of viable, naturally occurring microorganisms.

INGREDIENTS

Dehydrated Alfalfa Meal, Oat Groats, White Proso Millet, Milo, Corn, Stripe Sunflower Seeds, Wheat, Corn Flour, Wheat Flour, Vegetable Oil, Ground Corn, Ground Oats, Corn Gluten Meal, Dehulled Soybean Meal, Soy Oil, Dicalcium Phosphate, Brewers Dried Yeast, Calcium Carbonate, Algae Meal, Fructooligosaccharide, L-Lysine, Salt, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate, Thiamine Mononitrate, Menadione Sodium Bisulfite Complex, Vitamin B12 Supplement, Choline Chloride, Manganese Proteinates, Iron Proteinates, DL-Methionine, Zinc Proteinates, Sodium Selenite, Dried *Bacillus subtilis* Fermentation Product, Dried *Aspergillus oryzae* Fermentation Product, Dried *Lactobacillus acidophilus* Fermentation Product, Dried *Lactobacillus casei* Fermentation Product, Dried *Bifidobacterium thermophilum* Fermentation Product, Dried *Enterococcus faecium* Fermentation Product, Dried *Aspergillus niger* Fermentation Product, Biotin, Folic Acid, Lecithin, Mixed Tocopherols (a preservative), Yucca Schidigera Extract, Rosemary, Carotene, Artificial Banana Flavor, Color Added (Titanium Dioxide, Red #40, Blue #1, Yellow #5, and Yellow #6).

Item # 34341 - 4 oz

Extreme Trail Mix Hamster Treat

Is a great snack, treat or reward for hamsters, gerbils, mice and rats. We blended a medley of irresistible natural ingredients that add variety to your pets' diet. What a great way to reward your pet just because you love them! It's a healthy treat too! We added some very special ingredients such as cranberries, carrots and sweet potatoes rich in nutrients for your pets' overall well being.



GUARANTEED ANALYSIS

Crude Protein (min)	12.0%
Crude Fat (min)	15.0%
Crude Fiber (max)	12.0%
Moisture (max)	12.0%

INGREDIENTS

Peanuts, Stripe Sunflower Seeds, Green Peas, Raisins, Pumpkin Seeds, Wheat Flour, Watermelon Seeds, Dates, Carrots, Sweet Potatoes, Wheat, Cranberries, Maize Flour, Puffed Rice and Rice.



Item # 34342 - 2.75 oz

Extreme Trail Mix Treat Bar Small Animal

Are so irresistibly tempting your small animal will surely want more... Our nutritious treat bars are jam packed with delicious wholesome fruits, veggies, seeds, and grains small animals of all sizes will love to eat! Plus these treat bars stimulate the natural foraging instinct and help to relieve cage boredom.

GUARANTEED ANALYSIS

Crude Protein (min.)	11.0%
Crude Fat (min.)	8.5%
Crude Fiber (max.)	10.0%
Crude Moisture (max.)	15.0%

INGREDIENTS

Raisins, Dried Carrots, Dried Pineapple, Dried Papaya, Pumpkin Seeds, Corn, Dried Banana, Dried Sweet Potato, Dried Lentils, Dried Peas, Oat Groats, Squash Seeds, Potato Flour, Honey, Guar Gum, Colors Added (Red 40, Yellow 5, Orange 6) and Sulfur Dioxide (a preservative).

Item # 34343 - 3.5 oz

Extreme Sweet Potato Sticks

For small animals are nutritious, wholesome, natural treats rich in antioxidants. Sweet potatoes are packed full of vitamins & minerals including Vitamin C. They're a fun and interactive treat for small animals of all varieties.



GUARANTEED ANALYSIS

Crude Protein (min)	1.5%
Crude Fat (min)	0.1%
Crude Fiber (max)	5.0%
Moisture (max)	20.0%

INGREDIENTS

Dried Sweet Potato



Item # 34338 - 2 oz

Extreme Baked Pretzel Treats


A fun and interactive treat for rabbits, guinea pigs, chinchillas, hamsters, gerbils, rats, mice & other small animals. Baked Pretzel Sticks are easy for small animals to grasp and carry, making feeding time fun & exciting. Great chewing treat for optimum tooth health.

GUARANTEED ANALYSIS

Crude Protein (min)	10.0%
Crude Fat (min)	5.0%
Crude Fiber (max)	3.0%
Moisture (max)	12.0%

INGREDIENTS

Corn Flour, Corn Starch, Full Fatted Soy Flour, Tapioca Starch, Glucose Syrup, Palm Oil, Calcium Carbonate, Xanthan Gum, Baking Powder, Brewers Dried Yeast, Natural Berry Flavors, Colors Added (Red 40, Yellow 5, Yellow 6, Blue 1).



Item # 34340 - 3 oz

Extreme Tropical Treasures

Are real pineapple and papaya that have been diced into “just-the-right-size” bites. They’re soft, chewy, cubed snack treats bursting with fruit flavors. Small animals such as hamsters, guinea pigs, rabbits & chinchillas will find them simply irresistible. You can feed Tropical Treasures™ as snacks, training rewards, or mix them into your pet’s daily diet for a very special meal.

GUARANTEED ANALYSIS

Crude Protein (min)	0.1%
Crude Fat (min)	0.0%
Crude Fiber (max)	15.0%
Moisture (max)	12.0%

INGREDIENTS

Dried Papaya, Dried Pineapple, Sugar, Red #40, Yellow #5, Orange #6 and Green #5.


Item # 34339 - 2 oz

Extreme Hoops Treats

Are nutritious, fun-to-eat, crispy & puffy foraging snacks with natural berry flavors in each crunchy bite. The unique, round shapes have a porous texture and a great taste that satisfies your small animal's natural gnawing instinct.

GUARANTEED ANALYSIS

Crude Protein (min)	14.0%
Crude Fat (min)	2.0%
Crude Fiber (max)	8.0%
Moisture (max)	10.0%
Vitamin A (min)	1,200 IU/kg
Pediococcus acidilacticii (min)	7,500,000 CFU/lb
Contains a source of viable naturally occurring microorganisms.	



INGREDIENTS

Corn Flour, Wheat, Oats, Dehulled Soybean Meal, Corn Gluten Meal, Soybean Oil, Oat Hulls, Dicalcium Phosphate, Calcium Carbonate, Honey, Flax Seed Meal, Fructooligosaccharides, L-Lysine, Choline Chloride, DL-Methionine, Ferrous Sulfate, Biotin, Zinc Sulfate, L-Ascorbyl-Polyphosphate (a preservative), Manganese Sulfate, Yucca Schidigera Extract, Vitamin E Supplement, Niacinamide, Calcium Pantothenate, Sodium Selenite, Calcium Iodate, Folic Acid, Vitamin A Acetate, Riboflavin, Pyridoxine Hydrochloride, Thiamine Mononitrate, Vitamin D3 Supplement, Cobalt Sulfate, Inositol, Rosemary, Carotene, Lactobacillus Acidophilus Fermentation Product Dehydrated, Enterococcus Faecium Fermentation Product Dehydrated, Dried Bacillus Subtilis Fermentation Extract, Saccharomyces Cerevisiae Fermentation Product Dehydrated, (Color Added) Titanium Dioxide, Red #40, Blue #1, Yellow #5 & #6 and Artificial Flavors.

Item # 34344 - 10 oz

Timothy Hay Cubes


For rabbits, guinea pigs & chinchillas. Open the bag and smell the sweet aroma of Brown's® timothy hay! The cubes are a natural, daily nutritional supplement made from filler-free, western-cut timothy hay. Timothy hay is required in the daily dietary needs of small herbivores. The highly digestible fiber with low protein and calcium help to maintain a proper gastrointestinal balance. Timothy Hay also aids in reducing the occurrence of hairballs.

GUARANTEED ANALYSIS

Crude Protein (min)	7.0%
Crude Fat (min)	1.0%
Crude Fiber (max)	33.0%
Moisture (max)	15.0%

INGREDIENTS

Sun-Cured Timothy Hay.



Item # 34345 - 30 oz

Timothy Hay Bale

Divides Into Easy-To-Feed Layers. Less Mess & Waste than Standard Hay Bales. A Better Choice of Fiber than Alfalfa Hay. Double Compressed Bales Stay Fresh Longer

GUARANTEED ANALYSIS

Crude Protein (min)	7.0%
Crude Fat (min)	1.0%
Crude Fiber (max)	33.0%
Moisture (max)	12.0%

INGREDIENTS

Timothy Grass Hay

Pet Supplies

Single Layer



Dog Collars Single Layer	
Item Number	Size
37655	1" x 18"
37660	1" x 20"
37670	1" x 22"
37680	1" x 24"
37690	1" x 26"
37695	1" x 28"
37700	1" x 30"
37800	3/4" x 10"
37810	3/4" x 12"
37820	3/4" x 14"
37830	3/4" x 16"
37790	3/4" x 18"
37911	5/8" x 8"
37910	5/8" x 10"
37880	5/8" x 12"
37920	5/8" x 14"
37890	5/8" x 16"

Double Layer



Dog Collars Double Layer	
37710	1" x 18"
37720	1" x 20"
37730	1" x 22"
37740	1" x 24"
37750	1" x 26"
37760	1" x 28"
37770	1" x 30"
37780	2" x 28"
37835	3/4" x 14"
37837	3/4" x 16"
37840	3/4" x 18"
37850	3/4" x 20"
37855	3/4" x 24"
37860	3/4" x 26"
37870	3/4" x 28"

Single Layer



Double Layer



Leather Dog Collars Single Layer

Item Number	Size
37930	1" x 16"
37940	1" x 18"
37950	1" x 20"
37970	1" x 23"
37980	1" x 24"

Leather Dog Collars Double Layer

37929	3/4" x 16"
37991	1" x 16"
37992	1" x 18"
37993	1" x 20"
37994	1" x 22"
37995	1" x 24"
37990	1" x 25"
38081	1-1/4" x 24"
38082	1-1/4" x 26"
38083	1-1/4" x 28"
38084	1-1/4" x 30"
38010	1-1/2" x 30"

Dog Collar Bully W/Cone Studs

- 19" - 38130
- 21" - 38131
- 23" - 38132



Dog Collar Spiked, Studed, Jeweled

- 27" - 38114
- 23" - 38113



Cat Collars

37455 - 3/8" x 8-12" Aspenpet



- 37450 - W/bell 3/8" x 10"
- 37460 - W/bell 3/8" x 14"



37465 - Majestic



Dog Collars W/Spikes Single Ply	
Item Number	Size
38091	5/8" x 7-9"
38092	3/4" x 11"
38093	3/4" x 13"
38094	3/4" x 15"
Dog Collars W/Spikes Double Ply	
38095	1" x 17"
38096	1" x 19"
38097	1" x 21"
38098	1" x 23"
38099	1" x 25"
38100	2" x 21"
38101	2" x 23"
38102	2" x 25"
38103	2" x 27"
38090	Weaver

Single Ply



1" Double Ply



2" Double Ply



Dog Leads

Item Number	Size
38250	3/4" x 3'
38360	3/4" x 4'
38370	3/4" x 6'
38292	3/4" x 20"
38295	3/4" x 6' DBL
38260	5/8" x 3'
38270	5/8" x 4'
38280	5/8" x 6'
38330	1" x 3'
38340	1" x 4'
38350	1" x 6'
38293	1" x 10"
38296	1" x 6' DBL
38275	MD
38331	Wool
38332	Wool



Dog Harness	
Item Number	Size
38203	3/4" x 20" - 28"
38205	1" x 28" - 36"
38220	Small
38210	Medium
38240	Large
38230	X-Large
38198	Adjustable 3/8" x 8-14"
38199	Adjustable 5/8" x 14-20"
38822	4-in-1 Large
38821	4-in-1 X-Large
38819	4-in-1 Medium
38818	4-in-1 Small



Dog Muzzle
 37640 - Small
 37630 - Medium
 37620 - Large
 37619 - X-Large



54" Earth Anchor
 22303 - w/4" helix
 3/4" Rod HG



Dog Tieout
 37605 - Cable 15'
 37606 - Cable 20'
 37608 - Stake Spiral 16"

Pro Guard No Sit Haunch Holder
 Giant 38326



No Sit Body Grooming Noose
 38545 - Regular
 38546 - Large



Dog Leash w/chain
 38385



Web Lead
 38383 - 15'



Choke Chains	
Item Number	Size
37631	2.0mm x 12"
37632	2.0mm x 14"
37633	2.5mm x 16"
37634	2.5mm x 18"
37635	2.5mm x 20"
37636	2.5mm x 22"
37579	3.5mm x 18"
37585	3.5mm x 20"
37584	3.5mm x 22"
37583	3.5mm x 24"
37582	3.9mm x 24"
37581	3.9mm x 26"
37580	3.9mm x 28"
37586	3.9mm x 30"

Dog Leash Retractable Flexi
38387 - Small
38388 - Medium
38389 - Large



Laser Spotbrites W/safe Tag Heart
37115



Dog Catcher Frisbee
37650



EZ Grip Retractable Leash
38396 - up to 44 lbs
38395 - up to 110 lbs

Kong Flyer Disc
38490



Brush Slicker Red Lrg w/soft pins
37435



Pro-Training Clicker
38505



Slicker Brush Self Cleaning
37437 - Small
37438 - Medium
37439 - Large



Pet Nail File Black Heat Treated
38559



Brush Flea Comb
37425 - Single Row
37427 - Double Row



Nylabone	
Item Number	Size
37099	Petite Size
37100	Regular Size
37105	Wolf Size
37106	Flexible Wolf
37107	Giant
37108	Souper

**Nylabone, Dental Chew
37070**



**Plush Play Toy
37622 - PK 228
37599 - PK 404**



**Dogzilla Soft Chew Teething
37401**

**Fuzzy Mouse
38530**



**Doggy Canvas Toy
37625**



**Ball Basketball 6"
37025**

**Dog & Puppy Squatter Toys
37402**



**Pawbreakers Catnip Ball
38438**



**Ball Soccer
37032**



**Cat Toy Petking PK 304
37594**



**Cat Play Mice
37575**



**Kitty Play Toys
37593**



Tuff Balls
 37010 - Large
 37020 - Small



Rope Bone Multi Colour 6"
 37112

ASPCA Bungee Toy
 37009



Catnip Spring Toy PK 305
 37596



Pet Door
 38434 - Small
 38436 - Medium
 38437 - Large

Squeak Toy Hamburger
 37623



Lounger Bed
 38543 - X-Small 19 x 15
 38544 - Small 22 x 20
 38547 - Medium 26 x 24
 38548 - Large 32 x 28
 38549 - X-Large 38 x 32



Giggling Treat Ball
 37035 - 4 1/2"
 37036 - 4"
 37037 - 3"



Pet Bed Fleece
 38536 - Giant 47"
 38537 - Large 35"
 38538 - Medium 29"
 38539 - X-Large 41"



Tire Biter
 38750 - Small 6"
 38740 - Medium 8"



Crate Pad Sherpa Top
 38551 - X-Small 15 x 20, 38552 - Small 19 x 24
 38553 - Medium 21 x 30, 38554 - Large 23 x 36
 38556 - X-Large 28 x 42, 38557 - XX-Large 30 x 48





Dog Crate Replacement Pan

- 38407 - 19 x 12, 38408 - 24 x 18
- 38409 - 30 x 19, 38431 - 36 x 23
- 38432 - 42 x 28, 38433 - 48 x 30

**The pet down bed 32x40
38524**



**Pet Bag - 38411
38412**



Vari Kennel

- 38459 - Up to 10lbs, 19x12.5x10h
- 38484 - Portable, SM, 21x16x15h
- 38483 - MD, 25-30lbs, 28x20.5x21.5h
- 38482 - INT, 30-50lbs, 32x22.5x24h
- 38481 - LG, 50-70lbs, 36x25x27h
- 38480 - XLG, 70-90lbs, 40x27x30h
- 38453 - Giant, 90-125lbs, 42wx26h



**Pet Kennel
38425 - small, 38426 - large**



**Kennel Classic
38533 - 200 series
38534 - 600 series**



**Dirty Dog Doormat
38529 - Medium
38528 - Large 35x26**



**Kennel Premium
38531 - 200 series
38535 - 400 series
38532 - 600 series**



**Scratching Post
37006 - 20"h x 12.5"w**

Dog Bowl	
Item Number	Description
37500	Reg. Weight 8oz
37502	Reg. Weight 24oz
37503	Reg. Weight 32oz
37522	Reg. Weight 54oz
37510	Printed Red 32oz
37511	Black With Bone
37512	Printed Steel 32oz
37518	Side Embossed 8oz
37520	Side Embossed 32oz
37521	Side Embossed 64oz
37537	Side Embossed 81oz
37523	Cocker 12oz
37524	Cocker 32oz
37525	Cocker 56oz
37538	Black/Pink Silver Bone 32oz
37539	Pink With Bone 32oz
37540	Metalic 8oz
37541	Metalic 16oz
37542	Metalic 24oz
37543	Metalic 32oz
37544	Metalic 54oz
37545	Metalic 81oz
37546	Rib Embossed 16oz
37547	Rib Embossed 24oz
37535	Rib Embossed 32oz
37417	Top Embossed 3qt.
37418	Top Embossed 5qt.





Bowl SS

- 37230 - 2qt.
- 37250 - 1pt.
- 37260 - 1qt.
- 37270 - 10qt.



Heavy Dish Plain

- 37513 - 3/4pt.
- 37514 - 1qt.
- 37515 - 2qt.
- 37516 - 3qt.
- 37517 - 4qt.

Heavy Cocker Dish W/Fish

- 37548 - 12oz
- 37549 - 32oz
- 37551 - 56oz



Bowl Crock

- 37324 - SM 4oz
- 37322 - 2 cup
- 37320 - 10 cup
- 37323 - Med 8oz
- 37321 - 4 cup



Bowl SS No Skid

- 37280 - 1pt.
- 37290 - 3qt.
- 37300 - 1qt.
- 37310 - 2qt.



Heavy Dish Anti Skid

- 37529 - 1/2pt.
- 37531 - 1qt.
- 37532 - 2qt.
- 37533 - 3qt.
- 37534 - 5qt.
- 37530 - 1pt.



Chow Tower Deluxe

- 38493 - Small 3lb.
- 38491 - Medium 8lb.
- 38494 - Large 16lb.



Water Tower Deluxe

- 38492 - Small 3qt.
- 38489 - Medium 8qt.
- 38479 - Large 16qt.

Bowl Double Diner SS

- 37360 - low 2qt.
- 37370 - tall 2qt.
- 37380 - 1qt.
- 37390 - 1pt.




Ever Full Bowl
29131 - 5qt

Bowl Antproof Diner

37412



Bottle Brush 18x4x1.5
38714



Mineral & Salt Spool w/hanger
38710

Rabbit Water Bottles

Clear

- 38625 - 32oz
- 38472 - 16oz
- 38471 - 8oz

- 38620 - 32oz
- 38621 - 16 oz



Flip-Top Easy Fill
38630 - 32oz



Weather-Tuff
38633 - 8oz
38631 - 16oz
38632 - 32oz

Nursing Kit Pet-Ag

- 36333 - 2oz
- 36334 - 4oz



Salt Spool Hanger
38712



Just Born Hand Feeding Kit
38475 - 2oz



Salt Spool
38711

Rabbit Feeder Solid

38655 - 3"
38660 - 5"
38665 - 7"



Wire Cage Clips

38469 - 1lb.



Wire Clip Pliers
38467

Rabbit Feeder Sifter

38635 - 3"
38640 - 5"
38650 - 7"



Earth Friendly Fountain
38456



Pet Food Dispenser
38591

Feeder Pet Chow Hound

38450 - 12lbs.
38440 - 25lbs.
38445 - 50lbs.



Frame Kit

38468 - 24"
38465 - 30"




Rabbit Hutch



Dropping Pan

38500 - 24"x24"
38602 - 30"x30"
38504 - 30"x36"




Urine Guard

35419 - 24"
35422 - 30"



Kit

38477 - 24"x24"x16"
38443 - 30"x30"x16"
38466 - 30"x36"x16"



**Parrot Cage Round
34096**



**Parakeet Cage
34051 - Medium
34052 - Medium Wide**



**HummZinger Mini
34123**



**Item# 37179
FC Beef Pizzle 10" twisted each**



**Stainless Parrot Feeder
34031 - Small
34032 - Large**



**Item# 37171
FC Beef Ear each**

Parakeet Tube
 34250 - Large
 34260 - Small
 34262 - Oval
 34261 - Round Corners



Hamster Ball
 39298



Window Feeder 3
 34135



Critter Trail Pink One Level
 38611

Humming Bird Drinker
 34092 - small
 34087



Hamster Motorcycle
 39299



Hamster Cage Critter Trail
 38461

Super Round Feeder
 34192



Feeder Half Round
 34170 - Small
 34175 - Medium
 34180 - Large



Item# 37029
 Cat toys rainbow balls

Parakeet Feeder Half Round Deep
34243



Parakeet Feeder Corner Mimi
34242



Feeder Jar + Base
34160



Feeder 3 Holes
34140

Feeder 2 Holes
34193



Parakeet Nest W/Straw
34086

Parakeet Drinker
34089



Parakeet Feeder Jigae
34241

Rubber Bowl
37210 - 2qt.
37220 - 4qt.



Piglet Feeder
20430



Parakeet Feeder Double
34239 - Medium
34234 - Large

Bird Toy

- 39697 - Swings
- 39696 - Entertainment Pack 2
- 39695 - Entertainment Pack 1
- 39694 - Bath Tub w/Mirror
- 39693 - House Nest
- 34107 - Millet Feeder Rods
- 34105 - Heaf Bath Tube
- 34104 - Birdie Apple Feeder
- 34103 - Parakeet Hanger
- 34084 - Parakeet Nest House
- 34036 - Heart w/Ring
- 34035 - Ladder Rack
- 34033 - Heather w/Bell
- 34029 - Rings & Balls
- 34028 - Moon
- 34027 - Ring w/Wood
- 34026 - Small Banana
- 34025 - Banana
- 34022 - Star
- 34021 - Fan



Bone Natural Knotted Rawhide

- 37178 - 2.5"
- 37177 - 3.5"
- 37176 - 4.5"
- 37175 - 8.5"
- 37169 - 10.5"



Bone Pressed Rawhide

- 37160 - 6"
- 37150 - 4"
- 37120 - 10"



Wag-N-Tails Smoked Pork Stuffies

37167



Twist Stick Cheese/Bacon

37081



Twist Stick Chicken

37082




BEEFEATERS Peanut Butter Cuisine

37166



Sweet Tater Jerky

37168



Pet Life Multi-Flavor Biscuit

- 39255 - 2.2 lbs.
- 39254 - 14.5oz
- 39253 - 4 lbs.
- 39252 - 6 lbs.



**Pet Flex
25207 - 2"**



**Beggin' Littles Bacon
81733**



- Dog Treats Greenies**
- 39267 - Large Over-100lbs.
 - 39266 - Large 50-100lbs.
 - 39264 - Regular 25-50lbs.
 - 39263 - Petite 15-25lbs.
 - 39262 - Teenie 5-15lbs.

**Patriot Pet & Garden Electric
Fence Kit - 15372**



**Bark Control Big Dog
43819**



**In-Ground Stubborn Pet Fence
43817**



**Dog Training Collar Replacement
Battery - 43813**



**Remote Dog Training Collar
43814**



- Pet Nail Trimmer**
- 38560 - Regular
 - 38561 - Large
 - 38457 - PVC Handle

Pet Pill Popper - 38555



**Thermometer Digital 9 Seconds
48381**




- Pet Carrier**
- 34019 - Large
 - 34018 - Small
 - 34017 - Mini



Aspen Bedding - 34346

Ideal For Nesting, Highly Absorbent, Biodegradable, odorless & dust free.



Corn Cob Bedding - 34349

So Clean, So Comfy, non-toxic & biodegradable, odorless & dust-free, highly absorbent, free of aromatic oils, easy clean-up.



Soft Pine Bedding - 34347

So clean, so comfy, virtually dust-free, ideal for nesting & tunneling, highly absorbent, biodegradable

Snuggle Bed Pocket Pet Comforter

- 38829 - Zebra
- 38828 - Tan
- 38827 - Leopard
- 38826 - Gray
- 38823 - Giraffe



Plush Ultra-Sorb Bedding - 34348

Non-toxic, colorfast, free of aromatic oils, maximum odor control & absorption, gentle & non-irritating.



Snuggle Balmket

- 38825 - Blue
- 38824 - Pink
- 38830 - Brown
- 38831 - Black Bones





Comfort Puppy
38810 - Small
38811 - Medium



Comfort Kitten - 38809

Latex Toy
38814 - Small
38813 - Large



Snuggle Puppie


- 38808 - Tan Tiger
- 38807 - Black Lab
- 38806 - Creme Doodle
- 38805 - Golden
- 38804 - Chocolate Lab
- 38803 - Brown & White
- 38802 - Brown Mutt
- 38801 - Blue
- 38800 - Pink



Heartbeat Sound Puppy
38812



Pet Nurser Four Paws
36338 - 2 oz.



Pupcicle Frozen Teething Aid
38815 - Blue
38816 - Purple
38817 - Red



Brush Two Sided
37419

Leather Supplies



Item # 26546 - 1 qt.
26545 - 4oz

Leather Dye

Used to dye leather shoes, boots, belts, handbags, saddles, harness, athletic equipment, etc.



DIRECTIONS

Clean leather, thoroughly with Fiebing's Deglazer to remove all old polish and finish. While damp from cleaning, apply dye evenly with dauber. A second coat of dye may be applied if required. After dyeing, remove excess surface dye by rubbing briskly with a soft cloth. For high gloss, polish with Kelly's Professional Grade Shoe Polish.

Item # 26217 - 32oz
HI-LITER

DIRECTIONS

For vegetable tanned leather only. Apply HI-LITER with a damp sponge. Rub well into cuts of tooled impressions. If desired, remove excess with damp sponge. Seal with Resolene.



Item # 36620 - 16oz

Leather New Liquid Saddle Soap

- Cleans, softens and preserves color and texture of leather in one step.
- Removes embedded dirt and grime, and dries to a long-lasting shine.
- Won't dull, stain or leave a greasy residue.
- Use after every ride.



DIRECTIONS FOR USE

First remove all dust and dirt from the leather with a soft brush or vacuum. Then spray Leather New® Easy-Polishing Glycerine Saddle Soap directly onto the leather. NOTE: Do not allow Leather New® saddle soap to run. Use a soft, dry cloth to rub the liquid well into the leather. Be sure to use a cloth with enough nap to reach down into stitches and carving. Rub thoroughly until foam disappears. Then polish with a clean, dry cloth. Also use Leather New® saddle soap on wet leather to prevent stiffening. Use it on stiff leather to soften it and prevent cracking.



Item # 26640 - 7oz

Leather New Foam Cleaner & Polish

Is an easy-to-use foam cleans, conditions and shines in a single application. Won't drip or run. It cleans softens and preserves leather, leaving a long-lasting, high-gloss shine. Won't dull, stain or leave a greasy residue. Contains no ozone-depleting fluorocarbons.

DIRECTIONS

Remove dust and dirt from leather with soft brush or vacuum . Apply directly onto leather. Rub foam into leather with soft, dry cloth with enough nap to reach down into stitches and carving. Rub thoroughly until foam disappears. Polish with a clean, dry cloth. Also use on wet leather to prevent stiffening, and on stiff leather to soften and prevent cracking.

Item # 26630 - 16oz

Leather New Deep Conditioner

For deep conditioning and preserving old and new leather. A rich blend of high-quality oils formulated to deep-condition, soften and restore old, dry, hard leather to original flexibility and natural look.



DIRECTIONS

First apply to small test area. Apply to clean leather. Allow to dry thoroughly. Leather will absorb what it needs to restore suppleness. Rub briskly with a clean, dry cloth to buff or remove excess. Drying time and number of applications will vary depending on thickness and dryness of leather. Leather New Deep Conditioner & Restore will not rub off on clothing.



Item # 26648 - 10.5oz

Water & Stain Aerosol

Formulated to give invisible water protection by repelling water while retaining the natural feel of your leather.

DIRECTIONS

Surface to be treated must be clean and dry. Before use on suede, brush thoroughly. Test first on an inconspicuous area. Hold can upright with spray nozzle about 6"-8" from surface and spray evenly over the entire area. Excessive wetting may darken some light colors. When treating shoes or boots, completely spray seams and soles. Allow article to dry thoroughly. Repeat as needed, especially after dry cleaning.



Item # 26645 - 10.6oz

Leather Sheen

Use to instantly shine all smooth leather articles including saddles, tack, shoes, boots, smooth leather handbags and belts.

DIRECTIONS

Clean leather thoroughly with Fiebing's Saddle Soap. Shake can well before each use. When dry, hold can about 8-12 inches from the surface of the article and spray lightly. Leather Sheen may be buffed. When the first coat is thoroughly dry, buff with soft cloth or horsehair brush. Repeat as often as necessary for high shine. Not for use on suede or napped leather.

Item # 26646 - 15oz

Aussie Leather Conditioner

Beautifies, conditions, strengthens and waterproofs smooth leather in one quick step. Specifically designed to help leather withstand bitter cold and extremely hot climates. May darken some light colored leather. Contains natural Beeswax. Perfect for use on saddles, tack, boots, gun cases and handbags.



DIRECTIONS

For best results, clean leather article thoroughly with Fiebing's Saddle Soap. Then apply a light coat of Aussie Leather Conditioner with a clean cloth. Allow product to penetrate. Buff off excess if desired. A second coat may be necessary on very dry leather.

Item # 26851 - 6oz

Mink Oil Paste

Waterproof's, preserves and conditions articles made of smooth leather and vinyl.



DIRECTIONS

Apply the Mink Oil Paste freely and work well into the leather, particularly around seams and stitching. Allow a few minutes for absorption and then wipe off excess. May darken certain leathers.

Item # 26850 - 8oz

Mink Oil Liquid

Softens, preserves and waterproofs shoes, boots and all smooth leather articles.



ACTIVE INGREDIENTS

Mink oil, silicone, lanolin and pure neatsfoot oil.

DIRECTIONS

Apply mink oil freely and work into leather.

**Item # 26649 - 8oz
4 Way Leather Conditioner**

Preserves, strengthens, beautifies and cleans leather articles and restores natural oils.



DIRECTIONS

Shake well, use a clean cloth or sponge, spread a thin coat of 4 way care on the leather. Allow 4 Way Care to penetrate thoroughly, then rub briskly with a soft, dry cloth to clean and polish. A second application may be applied if desired. Do not use on suede leather. May darken light colored leathers.

**Item # 27900 - 3.5oz
27905 - 12oz**

Saddle Soap Fiebings

Cleans leather and lubricates the fibres to prevent brittleness...maintaining suppleness and strength.



DIRECTIONS

Dampen cloth or sponge. Rub lightly over soap to produce lather. Then apply to leather surface. When dry, polish with soft cloth for light lustre. Keep out of reach of children. Not for suede or rough-out leathers.

**Item # 26548 - 4oz
Leather Dye Professional Oil**



DIRECTIONS

Clean leather thoroughly with Fiebing's No. 12 Deglazer to remove all old polish and finish. While damp from cleaning, apply dye evenly with dauber. A second coat of dye may be applied if required. After dyeing, remove excess surface dye by rubbing briskly with soft cloth. For high gloss, spray with Fiebing's Resolene.

**Item # 26647 - 4oz
Fresh Feet**

Eliminates offensive footwear odors.

DIRECTIONS

Spray liberally inside of footwear. Direct contact with odor source is essential. Let dry, wear without worry. Spot test hidden area for color fastness.





Item # 26543 - 40z

Leather Edge Dye Finish

Puts a quick and easy professional finish on the edges of belts, saddles and other leather goods.

DIRECTIONS

Shake well, Invert bottle and apply evenly to edge of article. Dries in minutes. No buffing necessary. Keep from freezing.

Item # 26853 - 5.5oz

Boot Slip-On Spray

Makes it easy to put on and remove boots.



DIRECTIONS

For proper spraying can should be near room temperature (about 72°f/22°C). Boot surface to be treated should be dry and reasonably clean. Hold can upright, press firmly on spray button, and apply product on inside surface of boots. Allow treated boots to dry thoroughly before putting them on.

- Item # 27021 - 1qt. Dark
- 27020 - 1gl. Dark
- 27016 - 8oz. Light
- 27014 - 1qt. Light
- 27015 - 1gl. Light
- 27017 - 5gl. Light



Neatslene Harness Oil

Ideal for oiling harnesses and other tack items. Offers just the right combination of pure neatsfoot oil and other specially tempered oils. It not only softens, preserves and renews the life of old harnesses, but it also strengthens and waterproofs and helps prevent damage from rodents.

Item # 27000 - 1qt.

27010 - 1gl.

Pure Neatsfoot Oil

Is a preservative and softener for dressing all leather products.



Tubular Rivets

- 27578 - 4/16" SB
- 27580 - 5/16" SB
- 27586 - 6/16" SB
- 27590 - 7/16" SB
- 27600 - 8/16" SB



Tubular Rivets

- 27573 - 5/16" SS
- 27585 - 6/16" SS



Jiffy Rivets
 27550 - 1/4"
 27560 - 5/16"
 27570 - 7/16"



Copper Rivets & Burrs
 27540 - 3/8", 1lb.
 27537 - 1/2", 1lb.
 27535 - 5/8", 1lb.
 27534 - 3/4", 1lb.
 27533 - 7/8", 1lb.
 27532 - 1", 1lb.



Rivets Back Spike
 27575 - 1/2" NB
 27577 - 1" NB



Screw Chicago Floral SB
 27940 - 1/4"
 27965 - 3/8"



Snap Durable ND
 28161



Screw Chicago Floral NB
 27966 - 1/4"
 27967 - 3/8"

Brass Escutcheon Pins 1"
 25543 - 1 lb.



Grommets SB Plain
 25887 - 3/16"
 25885 - 1/2"
 25880 - 1/4"



Grommets NB Plain
 35884 - 3/16"

Snap Durable SB
 28162



Saddle Screw SS
 27971 - 1/2", #8
 27972 - 3/4", #8
 27973 - 1", #10
 27974 - 1-1/4", #10
 27975 - 1-1/2", #10



Spots SB
 28558 - 1/4"
 28559 - 5/16"
 28560 - 3/8"
 28561 - 3/16"
 28562 - 1/2"
 28564 - 5/8"



Spots SS

- 28530 - 1/2"
- 28540 - 3/8"
- 28550 - 5/16"
- 28552 - 5/8"
- 28555 - 3/16"
- 28557 - 1/8"



Concho Texas Star W/Gold

- 25295 - 1"
- 25294 - 1-1/2"



Conch SB

- 25270 - 1"
- 25260 - 1-1/4"



Concho Texas Star W/Silver

- 25293 - 1"
- 25292 - 1-1/2"



Slide

- 28098 - 1-1/2" SS
- 28097 - 1" SS
- 28096 - 1-1/2" NP
- 28095 - 2" NP



**Draw Gauge
27928**



**Awl Thread
19030, 19040**



**Triglides Plastic
29095 - 1"**



**Awl Sewing Lockstitch
19020**



**Boot Scrubber
26854**



**Cleaner Kit Suede
25170**



Stamp Alphabet Set

- 28740 - 1/4"
- 28749 - 3/4"
- 28750 - 3/8"



- Conch CB**
- 25280 - 1"
- 25290 - 1-1/4"
- 25291 - 1-1/2"



Stamp Set Numbers
28755 - 1/2"



- #133 Edger**
- 27929 - #1, 1/16"
- 27930 - #3, 1/8"



German Made Rev. Punch
27270



Rivet Setter W/Rivets
27520



- Edger**
- 27931 - 3/64"
- 27932 - 1/32"



Swivel Knife Blade
27925 - 1/4"



Leather Strap

- 26661 - 3/4"
- 26662 - 1"
- 26663 - 1-1/4"
- 26664 - 1-1/2"
- 26665 - 1-3/4"
- 26666 - 2"
- 26667 - 2-1/2"
- 26668 - 3"
- 26669 - 5"



- Leather**
- 26600 - Cow
- 26602 - Thin
- 26655 - Thin Dyed
- 26659 - Cow Dyed

- Belt Punch**
- 27250 - 3/8"
- 27251 - 1/8"
- 27252 - 3/16"
- 27253 - 1/4"
- 27254 - 1/2"
- 27260 - 5/16"



Knife 5/8" x 5/8"
26315

Horse Equipment



Front

Hind

Horse Shoe

Item Number	Description
20861	Lucky 7
28041	Aluminum
28042	Clipped Front 00
28043	Clipped 0
28044	Clipped Front 1
28045	Clipped Back 00
28046	Clipped Back 0
28047	Clipped Back 1
28051	000PL
28052	000H
28053	00PL
28054	00TH
28055	0PL
28056	0TH
28057	1PL
28058	1TH
28062	Eventer Clipped Front Size 0
28063	Eventer Clipped Hind Size 0
28064	Eventer Clipped Front Size 1
28065	Eventer Clipped Hind Size 1
28066	Eventer Clipped Front Size 2
28067	Eventer Clipped Hind Size 2
27336	Steel Mix
25202	Powerflex

Sweat Scrapers

28980 - Aluminum



28986 - Plastic



28985 - Deluxe



Race Plates

27289 - QH Front #3
 27291 - JC Front #3
 27292 - QH Block Hind #3
 27293 - QH Hinds #3
 27295 - QH Front #4
 27296 - QH Front #5
 27297 - QH Front #6
 27298 - QH Hinds #4
 27299 - QH Hinds #5
 27300 - QH Hinds #6
 27301 - JC Front #4
 27302 - JC Front #5
 27303 - JC Front #6
 27304 - QH Block Hind #4
 27305 - QH Block Hind #5
 27306 -QH Block Hind #6
 27307 - QH Front #7
 27308 - QH Block Hind #7
 27309 - QH Hind #7



27310 - R Front #3
 27311 - R Front #4
 27312 - R Front #5
 27313 - R Front #6
 27314 - R Front #7
 27315 - P Hind #3
 27316 - P Hind #4
 27317 - P Hind #5
 27321 - P Hind #6
 27322 - P Hind #7
 27323 - Front Queens Plate XT #3
 27324 - Front Queens Plate XT #4
 27326 - Front Queens Plate XT #5
 27327 - Front Queens Plate XT #6
 27328 - Hind Block Aluminum #3
 27329 - Hind Block Aluminum #4
 27331 - Hind Block Aluminum #5
 27332 - Hind Block Aluminum #6




**Blade Shedding
24707**

**Mane & Tail Thinning Rake
26855**



**Scraper Shredder SS Double
24709**



**Item# 24712
24711**

Comb Curry Jumbo Spiral 31-J

Co-Flex Leg Wrap

25189 - Light Blue
 25190 - Red
 25191 - Green
 25192 - Yellow
 25193 - White
 25194 - Orange
 25195 - Blue
 25196 - Teal
 25197 - Lime Green
 25198 - Pink
 25199 - Purple
 25200 - Black
 25201 - Natural



Powerflex

25203 - Zebra Print
 25204 - Camouflage
 25205 - Absorbent Dress Black
 25206 - No-Chew



Horse Shoe Nails

- 26900 - Capewell, #5 - box/250
- 26905 - March, #6 - box/100
- 26908 - March, #5 - box/250
- 26909 - Deacero, #5 - box/250
- 29610 - March, #5 - box/100
- 26911 - Deacero, #6 - box/250
- 26918 - Mustad, #4 - box/100
- 26920 - Mustad, #5 - box/250
- 26921 - Mustad, #3.5 - box/250
- 26925 - Mustad, #5 - box/100
- 26927 - Mustad, #6 - box/100
- 26932 - Australian Race, #4.5 - box/250
- 26935 - Diamon City, #4.5 - box/100
- 26936 - Regular, #5 - box/100
- 26937 - City, #6 - box/100
- 26939 - Australia, #6 - 1 nail
- 26941 - Diamond City, #5 - box/100
- 26942 - Diamond City, #5 - box/250
- 26943 - Diamond Race, #4.5 - box/100
- 26944 - Diamond Slim, #5 - box/100
- 26945 - Diamond Slim, #5 - box/250
- 26946 - Diamond Combo, #5 - box/250
- 26947 - Diamond Reg Head, #5 - box/100
- 26901 - Delta Nails box 250



Horse Combs

**Plastic Mane
25230**



**Plastic Mane & Tail
25220**




**Aluminum Mane
25250**



**Aluminum Mane & Tail
25240**



Hoof Pick



Oster
26303

5 O Clock
26308

Lucky Star
26302

NP
26300

Buds
26307

NP Handle
26301

Hoof Knives



26250 - Oval 7"



26240 - Double Edge



26220 - Right Handed



26221 - Left Handed

Hammer

- 26100 - Drive w/wood handle
- 26115 - 10oz Driving Farrier
- 26116 - 14oz Driving Farrier
- 26130 - Farriers Driving



Hoof Nipper



- 26280 - 10" #278
- 26285 - 15" Taiwan
- 26290 - 14" #104P
- 26291 - Mustad
- 27050 - 12" Farrier
- 27051 - 15" Farrier


Nail Puller Mustad
20140



Hoof Tester
26275



Hoof Trimmer 20"
26292



Nail Clincher
26860 - 14"
26861 - Nordic Forge



Rasp Bellota
27335



Rasp Tanged

27334 - Nicholson
27320 - 14"



Shoe Puller & Spreader

26295 - Diamond
26293 - Nordic Forge 106P



Extra Blades for Stitch Groover
26316



Item# 25239

Hoof Wrap irregular Bovine 4" 100s 1408



Item# 24701

Brush Grip Fit White 50



Punch Concha

27235 - 1-1/2"



Item# 30520

30521

Scoop Western Alum



Item# 30523

30522

scoop western Alum



Item# 24703

Brush Grip Fit Blue Ribbon 95



Item# 24702

Brush Grip Fit Stiff Straw 35



Item# 24011

Standing Bandages

Black Master Rasp
27318



Pritchel
27220 - 10" 27221 - 12"



Nicholson File Handle
26095



Clinch Cutter 6"
25184



Shipping Boots
28038



Harness Hook
26141

Slick 'N Easy Grooming Block
24695



Brush Currycomb Rub.
24680 - Mini #83
24660 - Large



Brush Rubber Glove
37432



Horse Sponge
28525



Grooming Glove
37431



Curry Brush
24630 - Big
24635 - Small



Wonder Glove
24725



Curry Wash Brush
24640



Grooming Mitt Brush
24706



Grip-Fit Brush



24655 - #70

24683 - #32

24693 - #36

24682 - #37

24685 - #30

24705 - #90



Face Brush
24708

WHIPS

- 29240 - Braided Quirt 29"
- 29250 - Bull 6'
- 29255 - 5ft. Buggy
- 29260 - Lunge 65"
- 29265 - Lunge 73"
- 29270 - Ropper Nylon 12"
- 29290 - 30" Riding
- 29300 - Riding Bat 24"
- 29310 - 18" Riding Bat
- 29340 - Bull 10'
- 29350 - 36" Dressage
- 29360 - 20" Riding Crop
- 29365 - 24" Riding Crop
- 29370 - Stock 18" Drop
- 29375 - Black Stock 18" Drop
- 29380 - Stock 50"8" Drop



Saddle Pads

Item Number	Description
27115	Shearling Fleece 35-1610
27140	Canvas Top
27150	Cut Back
27160	English
27161	Work Canvas Hair Abetta
27162	Cutback Canvas Abetta
27181	Navajo Felt
27199	Bareback W/Stirrups
27200	Gettagrip Tacky

Saddle Blankets

27185	Single
27802	Economic
27805	Economic Thick



Horse Saddles

- 27771 - Super Cushion Abetta Black 15"
- 27772 - Super Cushion Abetta Brown 15"
- 27773 - Super Cushion Abetta Black 16"
- 27774 - Super Cushion Abetta Brown 16"
- 27775 - Super Cushion Abetta Black 17"
- 27776 - Super Cushion Abetta Brown 17"
- 27777 - Nylon Abetta Black 12"
- 27778 - Nylon Abetta Black 13"
- 27779 - Nylon Abetta Brown 13"
- 27781 - Nylon Abetta Black 14"
- 27782 - Nylon Abetta Brown 14"
- 27783 - Nylon Abetta Black 15"
- 27784 - Nylon Abetta Brown 15"
- 27785 - Nylon Abetta Black 16"
- 27786 - Nylon Abetta Brown 16"
- 27787 - Nylon Abetta Black 17"
- 27788 - Nylon Abetta Brown 17"
- 27801 - Economic
- 27806 - English Jumping 15.5"
- 27807 - English Jumping 16"
- 27808 - Jumping 17"
- 27809 - Jumping 15"
- 27831 - Motes Accent Roper 17"
- 27832 - Uvalde Roper 16"
- 27833 - Justin Roper 16"
- 27834 - Nocona Roper 17"
- 27835 - Roper Billy Cook 16"
- 27836 - Big Boss Roper 17"
- 27838 - Hobson 16"
- 27880 - Roper 16" AW
- 27881 - Roper 17" AW





Item# 27849
27848
27846
27782

ABETTA NYLON BRIDLE W/TT BIT



Item# 27816
ENGLISH GRITH 44"



Item# 27814
ENGLISH GRITH 40"



Item# 27827
BRAID NYLON H/S W/REINS



Item# 28793
SADDLE DISPLAY STAND



Item# 27364
ECONOMY LARIAT



Item# 324742
374743
324744
SUPER PRO



Item# 27350
LEAD COTTON



**Saddle Bag Horn
27820**



**Saddle Bag
27810**



**Sorting Pole
28510 - 54\"/>28520 - 70"**



**Stirrup Cover
28890**

**Horse Stirrup Strap
28814**



**Stirrup Bell Leather
28870 - 2-1/2"**

**Ballestic No-Turn Bell Boots
24005**



**Hay Bag Poly
26155**



**Stirrups English
28930**

**Stirrup Bell NL
28880 - 2-1/2"**



**Stirrup Buckle AW
28884**



**Stirrup Buckle AM
25070**



Stirrups Buddy
27796



Off Billet
27105 - 1,3/4"
27110 - 1,1/2"



Off Billet
27107 - 1,3/4" WL
27108 - 1,1/2" WL

Stirrup Fender
28795



Reins
27330 - 3/4" Nylon
27340 - 5/8" Nylon dbl SB
27341 - 5/8" Nylon dbl SS



Girthover Racing
25811



Chain Lead
25098 - 20" BP
25110 - 24" SB
25120 - 24" SS
25130 - 30" BP



Girthunder Racing
25812

Horse Halters	
Item Number	Description
25980	Lg w/SS hrdw
25990	med w/SS hrdw
26000	XS w/SS hrdw
26020	sm w/SS hrdw
26040	Xlg w/SS hrdw
26041	Suckling
26042	Weanling
26043	Yearling
26044	2 Year
26045	Large





**Item# 27199
BAREBACK PAD HORSE**



**Item# 24630
POLY WASH BRUSH**



**Item# 14414
CURRY & WASH BRUSH**



**Item# 27818
GIRTH STA PUT ENGLISH SS**



**Item# 37419
TWO SIDED BRUSH**



**Item# 24635
POLY WASH BRUSH YOUTH**



**Item# 27366
HEELER LARIAT**



**Item# 27365
HEADING LARIOT**




Bridle Bit Replacement
24620



Back Pad
27112

Halter Rope W/Lead
26060



Bridle Nylon Abetta W/Bit
27849 - Black
27848 - Flourecent
27847 - Pink
27846 - Purple
27845 - Turquoise

Halter Rope Diamond W/Lead
26062



Headstall

- 26212 - 3/4" Leather
- 26200 - 1" Nylon
- 26165 - 3/4" SB
- 26160 - 3/4" SS
- 27823 - Scalloped Accorn
- 27822 - Scalloped Baskex
- 27829 - W/Reins BK/TQ
- 27828 - W/Reins BK/TN
- 27827 - W/Reins BK/FP
- 27826 - W/Reins BK/GR



Breast Collar

- 24540 - Nylon 1"
- 24570 - Nylon 2"
- 24601 - Leather 2"
- 24602 - Leather 1 1/2"
- 27821 - Dark Leather



Noseband

- 27090 - Nylon
- 27081 - Traditions West
- 27080 - Leather
- 27070 - Cable



Tie Down Nylon
29090



Girths

- 25610 - Natural Wool Blend 28" Strand
- 25620 - Natural Wool Blend 30" Strand
- 25630 - Natural Wool Blend 32" Strand
- 25640 - Natural Wool Blend 34" Strand
- 25650 - Natural Wool Blend 30" Roper
- 25660 - Natural Wool Blend 32" Roper
- 25664 - Natural Wool Blend 34" Roper
- 25665 - Felt Lined Nylon Straight Smart 28"
- 25666 - Felt Lined Nylon Straight Smart 30"
- 25667 - Felt Lined Nylon Straight Smart 32"
- 25668 - Felt Lined Nylon Straight Smart 34"
- 25671 - Smart Straight 28"
- 25670 - Felt Lined Nylon Roper Smart 32"
- 25672 - Felt Lined Nylon Roper Smart 30"
- 25673 - Felt Lined Nylon Roper Smart 32"
- 25674 - Felt Lined Nylon Roper Smart 34"
- 25675 - Air Flex Straight 28"
- 25676 - Air Flex Straight 30"
- 25677 - Air Flex Straight 32"
- 25678 - Air Flex Straight 34"
- 25681 - Air Flex Roper 30"
- 25682 - Air Flex Roper 32"
- 25683 - Air Flex Roper 34"
- 25680 - Felt Lined Nylon Roper 34"
- 25684 - Neoprene Smart Straight 28"
- 25685 - Neoprene Smart Straight 30"
- 25686 - Neoprene Smart Straight 32"
- 25687 - Neoprene Smart Straight 34"
- 25688 - Neoprene Smart Roper 30"
- 25689 - Neoprene Smart Roper 32"
- 25691 - Neoprene Smart Roper 34"
- 25690 - Felt Lined Deluxe Super 28"
- 25700 - Felt Lined Deluxe Super 30"
- 25710 - Felt Lined Deluxe Super 32"
- 25720 - Felt Lined Deluxe Super 34"
- 25730 - Neoprene Sleeve Straight 28"
- 25740 - Neoprene Sleeve Straight 30"
- 25750 - Neoprene Sleeve Straight 32"
- 25760 - Neoprene Sleeve Straight 34"
- 25770 - Neoprene Sleeve Roper 30"
- 25775 - Neoprene Sleeve Roper 32"
- 25780 - Neoprene Sleeve Roper 34"
- 25765 - Neoprene Surcingle Black
- 25790 - Neoprene English 40"
- 25820 - Leather Black



- 27811 - Web 40"
- 27812 - Web 44"
- 27813 - Web 48"
- 27814 - English 40"
- 27816 - English 44"
- 27817 - English 48"
- 27818 - Sta Put English SS 44"
- 27819 - Sta Put English SS 48"



Bits	
Item Number	Description
24026	Training Roller Mouth German Silver
24027	Antique S-Shank Bit W/GS Trim
24028	Copper Correction 7-1/4" CK
24029	Copper Correction 6" CK, SS 5"
24030	Curb 5" NP
24031	Stop and Turn Rope
24035	Curb 4-1/2" NP
24040	Curb 5" 6.5 Cheek SS
24050	Guard Rubber
24060	Hackamore Braided Nose
24070	Hackamore SS 8-1/2"
24071	Hackamore SS 7-1/2"
24090	Rubber Chk. Snaffle 5"
24132	Snaffle Eg bt full chk 5" SS
24150	Snaffle Mini 3-1/2" SS
24155	Joint Port SS 6-1/2" Shank
24160	Sweetiron Gag Steel Wire Mth.
24170	Curb 5" Sweet Iron Medium Port Mouth
24180	Swt. Iron Roping 5"
24190	Swtwter CP. St St
24197	Tom thumb 5" 6" chk 25-3850
24198	Tom thumb 5" 6-1/2" chk 25-3130
24200	Tom thumb SS 5" 6" Chk
24205	SS 5" Tom thumb 6-1/2" Cheek
24210	Wonder Gag Steel Wire Mth.
24220	Jointed NP 5"
24222	Western SS Dogbone Cop Rng Argentina
24223	SS Draft Tom Thumb Snaffle
24230	Joint Snaffle NP 5-1/2"
24240	Joint Snaffle SS
24250	Ported Chain Mouth
24277	SS 5" Snaffle
24280	Walking Horse 5" SS
24295	Straight

Spurs

Item Number	Description
49350	Show Antique
49355	Antique Texas Show
49356	SS Lady 2 Shk 1/2" Band
49360	SS Mens 2" Shank 3/4" Band
49370	SS Plain 2" Shank
49380	SS Lady 1-3/4" Shank 1/2" Band
49390	SS Mens 1-3/4" Shank 1/2" Band
49395	Equatation Women
49400	SS Mens Plain
49415	SS Plain
49450	SS Lady 1-1/4" Shank 1/2"



Spur Straps

Item Number	Description
49424	AW SS
49425	Barb Wire LG SB
49426	Barb Wire SS
49430	Rawhide Corners
49433	BasketWeave 30-1021
49436	Under Heel

Curb Chain



25380 - 3 1/2 SB Buckle
35381 - 3 1/2 SS Buckle



25388 - Leather SS



25360 - 3 1/2 dbl Flat CP



25365 - 3 1/2" NP
35370 - 3 1/2" Flat Link SS

Breakaway Honda
24520



Cripping Bar W/Strap
25351



Quick Release Honda
27290



Lariats

- 26325 - Quality Cotton and Nylon
- 26340 - Cotton 8.5 mm x 68'
- 26341 - Cotton 10 mm x 68'
- 26342 - Cotton 11 mm x 68'
- 26345 - Economic
- 26346 - Cotton 8.5 mm x 34'
- 26347 - Cotton 10 mm x 34'
- 26348 - Cotton 11 mm x 34'
- 26360 - Nylon 7/16" x 30'
- 26380 - Braided Nylon 7/16" x 30'
- 26400 - For Kids
- 26404 - 28' Viper Calf
- 26408 - Quick Release Nylon 7/16" x 30'
- 26410 - Money Maker 30' + 35' Green
- 26415 - W/Leather Burner
- 26420 - Diamond 30' + 35'
- 26460 - Classic Gold 30'
- 26470 - Classic Gold 35'
- 26480 - Nylon/Cotton 1/2" x 11 mm
- 27360 - Super Pro XS 30'
- 27361 - Super Pro MS 30'
- 27362 - Super Pro S 30'
- 27363 - Economy 3/8"
- 27364 - Economy
- 27365 - Heading
- 27366 - Heeler
- 27367 - 3/8"
- 27803 - Saddle Car Hanger



**Waterer Duramate Auto
29130**



**Nylon Thread
29050 - 4oz
29040 - 1lb.**



Twitch

29110 - Shire 18" w/chain



29100 - Aluminum 14"



29105 - One Man

**Shears Thinning
28035**



**Leather Cutting Scissor
27923**



**Scissors Trimming
27921 - 7"**



**Scissors Offset Trimming
27922 - 7" SS**



Snaps

- 28474 - Round Scissors 3/4" SS
- 28473 - Round Scissors 3/4" SB
- 28471 - Round Scissors 5/8" SB



- 28470 - Square Scissors 5/8" SB
- 28460 - Square Scissors 3/4" SS
- 28450 - Square Scissors 3/4" SB
- 28440 - Square Scissors 1" SB



- 28500 - SS Spring 1" SB
- 28490 - SS Spring 1-1/4" SB
- 28480 - SS Spring 1-1/2" SB



- 28283 - Halter 1" SS
- 28282 - Halter 5/8" SS
- 28281 - Halter 3/4" SS
- 28280 - Halter 5/8" SB
- 28270 - Halter 3/4" SB
- 28260 - Halter 1" SB



- 28130 - 1/2" SB
- 28150 - 5/8" SB #1
- 28180 - 3/4" SB #2
- 28200 - Bull SB 1"
- 28205 - Bull Swivel 7/8" SS
- 28502 - Mini SB

Quick Links

- 22342 - 5/16"
- 22341 - SS 3/16"
- 22340 - 3/16"
- 22330 - 1/8"
- 22324 - 3/8"
- 22323 - 9/32"
- 22322 - 5/32"
- 22321 - 1/8" SS
- 22320 - 1/4"



Swivel Square Eye

- 29025 - 1"
- 29024 - Eye NP 3/4"
- 29023 - Eye NP 5/8"



Swivel Round Eye

- 29020 - 3/4" SB
- 29010 - 1/2" SB
- 22354 - SS 8mm
- 22353 - SS 6mm



Snap Open Eye

- 28320 - 4" SB
- 28310 - 4-1/2" SB
- 28300 - ZP/MI 3-1/2"
- 28290 - ZP/MI 3-1/2"



Snap Double End

- 28220 - 4-1/2" SB
- 28215 - 4" SB
- 28210 - 3-3/8" SB



Swiveling Snaps Round

- 28380 - 5/8" SB
- 28370 - 3/8" SB
- 28360 - 3/4" SB
- 28350 - 1/2" SB
- 28340 - 1" SB
- 28335 - 1-1/8" SB
- 28330 - 1-1/4" SB
- 28366 - 7/16" x 3" NP/Zinc
- 28365 - 7/16" x 2" NP/Zinc
- 28338 - 1-1/8" SS
- 28331 - 1-1/4" SS
- 28195 - 1" SS
- 28190 - 3/4" SS
- 28155 - 5/8" Ss



Snap Safety

- 28430 - 4-3/4" SS
- 28425 - 4" OL 2450
- 28420 - 3-1/8" 5/16" ZP/MI
- 28410 - 3-1/8" SS
- 28400 - 2-3/4" SS
- 28390 - 2-3/8" SS
- 28389 - 2" SS



Swiveling Snaps Flat

- 28250 - 5/8" SB
- 28240 - 3/4" SB
- 28230 - 1" SB




BUCKLES

27345 - Reins Leather Conway AW
 25836 - Girth 1-3/4 M AW
 25835 - Girth 1-1/2 M AW
 25340 - Conway 2" SB
 25330 - Conway 1-1/2" SB
 25320 - Conway 5/8" SB
 25316 - Conway 3/4" SS
 25315 - Conway 1" SS
 25310 - Conway 3/4" SB
 25300 - Conway 1" SB
 25080 - Surcingle 2" NP
 25060 - F. Side Release 5.
 25050 - F. Side Release 3/4" NL
 25040 - F. Side Release 1" NL
 25030 - F. Side Release 1-1/2"
 25027 - F. Side Release 2" SR
 25010 - Double Roller 3" SS
 25000 - C. Side Release 5/8" NL
 24990 - C. Side Release 3/4" NL
 24980 - C. Side Release 1" NL
 24971 - 1" NP 999
 24970 - 1" SS 999
 24960 - 3/4" SS 999
 24940 - 1" w/SS Tongue SB
 24930 - 1-1/4" w/SS Tongue SB
 24920 - 1-1/2" w/SS Tongue SB
 24900 - Girth 3" SS
 24891 - Girth 3" NP #5875



24890 - Girth 3" SS Flat
 24880 - Flat 2" SS
 24877 - Halter 1" SS 5705
 24875 - Halter 3/4" SS 5705
 24874 - Halter 5/8" SS 5705
 24851 - 2 Tongue 2-1/2" NP 999
 24850 - 2 Tongue 2" SS 999
 24830 - 5/8" NP Z162
 24820 - 3/4" NP Z162
 24810 - 1" NP Z162
 24800 - 1-1/4" SS 999
 24797 - 1-1/2" 999 NP
 24796 - 1-3/4" 999
 24795 - 1-1/2" SS 999
 24790 - 1-1/2" SS 150
 24780 - 1-1/4" SS 150
 24776 - 1-1/2" SB #150
 24775 - 1-1/4" SB #150
 24771 - 1" SS 150
 24770 - 1-1/4" SB 121
 24760 - 2" SS 999
 24753 - 1-1/2" NP Z147
 24752 - 3/4" Z147
 24751 - 1" NP Z147
 24750 - 5/8" SB 121
 24749 - 5/8" SS 121
 24740 - 3/4" SB 121
 24730 - 1" SB 121



Squares

Dee Round

25530 - 5/8" SB
 25520 - 5/8" NP
 25510 - 3/4" SB
 25500 - 3/4" NP
 25490 - 1" NP
 25480 - 1" SB
 25470 - 2" SS
 25465 - 3/4" SS
 25460 - 1" SS
 25450 - 1-3/4" SS
 25440 - 1-1/4" SS
 25430 - 1-1/2" SS



28720 - 2 Sided Halter 3/4" SB
 28710 - 2 Sided Halter 1" SB
 28701 - 3 Way Halter 3/4" SS
 28700 - 3 Way Halter 1" SS
 28695 - 3 Way Halter 3/4" SB
 28690 - 3 Way Halter 1" SB
 28680 - 1" x 1-1/4" SS



Ring

27500 - 3" SS
 27490 - 2" SS
 27480 - 2-1/2" SS
 27470 - 1-3/4" SS
 27460 - 1-1/4" SB
 27450 - 1-1/2" SS
 27440 - 1-1/2" SB
 27430 - 1" SB
 27421 - 1" SS
 27420 - 1-1/4" SS
 27410 - 3/4" SB



Loops

- 26840 - 5/8" x 3/8" SS
- 26830 - 5/8" x 1/2" SS
- 26820 - 5/8" x 1/2" NP
- 26810 - 3/4" x 3/8" SS
- 26800 - 3/4" x 1/2" SS
- 26790 - 3/4" x 1/2" NP
- 26780 - 1/2" x 3/8" SS
- 26765 - 1" x 5/8"
- 26760 - 1" x 7/16" SS
- 26750 - 1-1/4" x 1/2" SS
- 26748 - 1-1/2" x 1/2" SS



Belt Clip NP
27175 - 2-3/4"



Blade Andis Ultra Edge
38577 - T-10 22305



Trimmer

- 38564 - Pocket Pro Compact
- 38563 - Super Pocket Pro B/O



Trimmer Cordless Trim N Go
38558



Clipper Oil Andis
38578 - 4oz



Terrets

- 29000 - Swedge SB
- 28990 - Swedge SS
- 29027 - Regular SS
- 27650 - Round SB



Blade cryogen -x
38705-#7 078919-056-005



- Blade Oster Cryogen - X
- 38576 - #40 78919-016
- 38575 - #10 78919-046
- 37615 - #10 Wide
- 37616 - #5



Clippers

- 38566 - Andis MA1 Easy Clip 18955
- 38567 - Wahl Iron Horse Plus
- 38568 - Wahl Show Pro Plus
- 38569 - Wahl Stable Pro Kit
- 38571 - Oster Golden A5 2Speed 78005-140
- 38572 - Oster Golden A5 1Speed 78005-010
- 38579 - Andis Tackmate Equine



Item# 38706

Clipper Kit Lucky Dog 078960-000-000



Farm Supplies



Halters	
Item Number	Description
26065	Cow XLarge
26070	Cow Large
26080	Cow Medium
26085	Cow Small
26090	Cow XSmall w/adj. Nose
26091	Cow Small w/adj. Nose
26092	Cow Medium w/adj. Nose
26093	Cow Large w/adj. Nose
26094	Cow XLarge w/adj. Nose
25909	Bull Small
25900	Bull Medium
25905	Bull Large
25907	Bull XLarge
25920	Foal 3/4" DBL



Agric Sprayer
20536 - 1.5L



Spray Bottle
20533 - 32oz

White Nylon Brush
19190 - Long
19160 - Short



Nylon Teat Cup Brush
19180



Coffee Cups	
Item Number	Description
49265	SS Horse Head
49266	SS Lucky Horse
49267	SS Mare & Foal
49268	SS Quarter Horse
49269	SS Jumper
49270	SS Barrel Racer
49271	SS Team Roper

Pail Bucket Dee Shaped W/hooks
37499 - 6qt.



Salt Block Pan
20510



Calf Bucket W/Nipple
19390

Pail Bucket
37526 - 9qt.
37527 - 13qt.
37528 - 16qt.



Pail Holder Single
20320



Pail Rubber
20350 - 3gal.
20360 - 2gal.
20361 - 18qt.

Utility Pail
20355



Stock Tank
29141 - 15gal.
29140 - 40gal.
29139 - 75gal.
29138 - 100gal.
29136 - 150gal.



Rubber Feeder Fortex
37225 - 6.5gal.
37226 - 15gal.



Mineral Feeder
40342 - 40 head
40341 - 30 head



Item# 40348
Feeder Hog Single Door

A heavy-duty hog feeder that will stand up to the toughest use. Heavy-gauge steel is extra thick in the trough and feed doors. The deep trough has a feed-saver lip to conserve feed. The feed door is specially designed to keep out moisture and pests, but can easily be wired open for starting pigs. The top door flips open from the back for easy loading from the rear or outside the pen. Slots in back side for mounting on wall or rail. Ships completely assembled. 19 inch long by 12.75 inch wide by 29.5 inch high, 50-lb. capacity.

Heavy-gauge steel with slots for hanging
Deep trough with feed-saver lip
Feed door specially designed to keep out moisture and pests, but can be wired open for starting pigs
Top door for easy loading
Completely assembled, 50-lb. capacity.



Item# 40349
Feeder Hog Double Door

A heavy-duty hog feeder that will stand up to the toughest use, with two feed doors. Heavy-gauge steel is extra thick in the trough and feed doors. The deep trough has a feed-saver lip to conserve feed. The feed doors are specially designed to keep out moisture and pests, but can easily be wired open for starting pigs. The top door flips open from the back for easy loading from the rear or outside the pen. Slots in back side for mounting on wall or rail. Ships completely assembled. 24.25 inch long by 19.75 inch wide by 35.75 inch high, 100-lb. capacity.

Heavy-gauge steel with slots for hanging
Deep trough with feed-saver lip
Two feed doors specially designed to keep out moisture and pests, but can be wired open for starting pigs
Top door for easy loading
Completely assembled, 100-lb. capacity.

item# 40343
40344


Bull Mineral Feeder, 250 and 120 Lb Capacity



**Item# 20396
Twist Stick Green**



**Item# 19197
Bucket Hook Gate Latch**



**Item# 19855
Wheelbarrow HD SNGL Wheel Rib 6CF 30"**



**Item# 19848
valve jobe topaz 3/4 each j-TPV20DLT**



**Item# 19847
Valve Jobe Megaflo 3/4" J-MFV20DLT**



**Item# 19846
Float valve Jobe Rojo 3/4" J-RJV20**



Bucket Plastic Impact
19196 - 8 qt



Feed Pan Rubber
19780 - 8 qt
19790 - 3 gal.



Pail Rubber 2 gal.
20340

Calf Sucking Preventer
19410



Bucket over the Fence
19195 - 20 qt



Calf Weaner - 19450

Gun Synovex Revolver
19900



Synovex Gun Needle
20150



Gun Ralgro - 19880

Gun Ralgro Needles
19885



Socks

- 49501 - Ultra Support Boot
- 49502 - Xtreme Soft Boot Over Calf
- 49503 - The Best Cang Boot Over Calf
- 49504 - The Best Dang Boot Crew
- 49505 - The Calf Peddies W/PRT
- 49506 - Over The Calf Peddies W/SLD



Gloves

- 19875 - Fencing L & XL
- 19876 - Pigskin Large
- 19877 - Pigskin Leather XL
- 49510 - Outdoor
- 49511 - Ranch Tough
- 49512 - Cheyenne Deerskin
- 49513 - Cheyenne Goatskin
- 49514 - Cheyenne Cowhide
- 49515 - Cheyenne Cowhide Lined
- 49516 - Perfect Fit
- 49517 - Ready to Ride



Shoes

- 47021 - Vulcano 01
- 47022 - Vulcano 02
- 47023 - Vulcano 03
- 47024 - 011 Camo
- 47026 - 011 Black
- 47027 - Military Black
- 47028 - Military Camo
- 47036 - Zebra 3603
- 47051 - Work Chestnut
- 47065 - Arco 700



Boots

- 47035 - Jack Burlingham
- 47037 - Acro 840
- 47038 - Establo 521
- 47039 - Rancho
- 47052 - Cowboy Style
- 47053 - Camino
- 47054 - Camino 1010
- 47056 - Cuaco 1725
- 47057 - Fersa 750
- 47058 - Camino 1600
- 47059 - Camino 1750
- 47061 - Establo 512
- 47062 - Establo 507
- 47063 - Establo 517
- 47066 - Establo 630
- 47067 - Establo 501
- 47068 - Establo 575



- 47069 - Arco 845
- 47081 - Villa #10
- 47082 - Arco 890-J
- 47083 - Flat Front
- 49057 - Kids

Leather Belt

- 49001 - 1" x 24" Dyed
- 49003 - 1" x 24"
- 49005 - 1" x 26" Dyed
- 49006 - 1" x 26"
- 49007 - 1 1/2" x 30"
- 49008 - 1" x 28" Dyed
- 49009 - 1" x 28"
- 49010 - 1" x 30" Dyed
- 49011 - 1" x 30"
- 49012 - 1" x 32" Dyed
- 49013 - 1" x 32"
- 49014 - 1" x 34" Dyed
- 49015 - 1" x 34"
- 49016 - 1 1/4" x 30" Dyed
- 49017 - 1 1/4" x 32" Dyed
- 49019 - 1 1/4" x 34" Dyed
- 49023 - 1 1/4" x 36" Dyed
- 49024 - 1 1/4" x 38" Dyed
- 49025 - 1 1/4" x 42" Dyed
- 49027 - 1 1/4" x 44" Dyed
- 49028 - 1 1/2" x 32" Dyed
- 49029 - 1 1/2" x 32"
- 49031 - 1 1/2" x 34" Dyed
- 49032 - 1 1/2" x 34"
- 49033 - 1 1/2" x 36" Dyed
- 49034 - 1 1/2" x 36"
- 49035 - 1 1/2" x 38" Dyed
- 49036 - 1 1/2" x 38"
- 49037 - 1 1/2" x 40" Dyed
- 49038 - 1 1/2" x 40"
- 49039 - 1 1/2" x 42" Dyed
- 49046 - 1 1/2" x 42"



- 49047 - 1 1/2" x 44" Dyed
- 49048 - 1 1/2" x 44"
- 49049 - 1 1/2" x 46" Dyed
- 49051 - 1 1/2" x 46"
- 49052 - 1 1/2" x 48" Dyed
- 49053 - 1 1/2" x 48"
- 49054 - 1" x 36"
- 49065 - 2" DBL hole
- 49066 - 1" x 36" Dyed
- 49067 - 1" x 38"
- 49068 - 1" x 38" Dyed
- 49069 - 1" x 40"
- 49071 - 1" x 40" Dyed
- 49072 - 1 1/4" x 44"
- 49073 - 1 1/4" x 30"
- 49074 - 1 1/4" x 32"
- 49075 - 1 1/4" x 34"
- 49076 - 1 1/4" x 36"
- 49077 - 1 1/4" x 38"
- 49078 - 1 1/4" x 40" Dyed
- 49079 - 1 1/4" x 40"
- 49081 - 1 1/4" x 42"
- 49084 - 1 1/2" x 30" Dyed
- 49085 - 1 1/4" x 48" Dyed
- 49086 - 1 1/4" x 48"
- 49087 - 1 1/4" x 46" Dyed
- 49088 - 1 1/4" x 46"
- 49092 - 1" x 22"
- 49093 - 1" x 22" Dyed
- 49094 - 1 1/2" x 30"
- 49095 - 1 1/2" x 50" Dyed
- 49096 - 1 1/2" x 52" Dyed

Belt Loops

- 49050 - SB 1-1/2"
- 49041 - CB 1-1/2"
- 49040 - SB 1-1/4"
- 49030 - CB 1-1/4"



Belt Buckle Set 49099



Belt Tip

- 49045 - CB 1-1/2"
- 49044 - CB 1-1/4"
- 49043 - SB 1-1/2"
- 49042 - SB 1-1/4"

Buckle Set Barbwire 49059

Belt Buckle

- 49018 - Weaver 1 1/2" CB
- 49020 - Weaver 1 1/4" CB
- 49021 - Weaver 1 1/2" SB
- 49022 - Weaver 1 1/4" SB
- 49058 - Black Angus
- 49060 - Western Style Medium
- 49062 - Floral 3/P Z1895
- 49064 - Floral 3/P Z1897
- 49082 - Western Style Big
- 49083 - Western Style Small
- 49097 - Jersey
- 49098 - Holstein
- 49101 - Tab 1" BS
- 49102 - Tab 1 1/4" BS
- 49103 - Tab 1 1/2" BS
- 49104 - 1 1/2" SS
- 49154 - Polished 1-1/2"
- 49153 - 481 NP 1-1/2"
- 49152 - 481 NP 1-1/4"
- 49149 - 1576 AB 1-1/2"



- 49148 - 1575 AB 1-1/4"
- 49147 - 1574 AB 1"
- 49146 - 1576 NP 1-1/2"
- 49145 - 1575 NP 1-1/4"
- 49144 - 1574 NP 1"
- 49143 - 1576 BP 1-1/2"
- 49142 - 1575 BP 1-1/4"
- 49141 - 1574 BP 1"

Hats

- 49100 - Kids
- 49109 - Royal Rex Felt Black
- 49151 - American Finished
- 49160 - Felt Tucson
- 49170 - Ladies
- 49180 - Leather
- 49181 - Leather
- 49190 - White Horse 2 String
- 49210 - Straw
- 49225 - The Old Fashion
- 49230 - Tombstone Large
- 49240 - White Horse



Caps

- 49242 - RFM
- 49243 -



Cowboy Handkerchief - 49089



Leather Vest - 49229



- Item # 20381 - Fluorescent Pink
- 20382 - Fluorescent Green
- 20383 - Fluorescent Orange
- 20384 - Red
- 20385 - Blue

Quick Shot Spray Paint 13oz.

- Ideal for Tail Painting
- Water Based Paint
- Weather & Fade Resistant
- Powerful extended Spray



DIRECTIONS

Shake can at least one minute before and occasionally during use. Invert can and spray 4 to 6 inches from animal to be marked. Avoid spraying near mouth, eyes or ears.



**Item # 39580 - 32oz
Kineti-Clear Stock Tank Cleaner**

Contains beneficial bacteria cultures which naturally reduce odors, mucky water, toxins and residual food. It is a natural, 100% biodegradable and eco-friendly formulation that is the alternative to harsh chemicals. With regular use it will keep stock tanks clean and crystal clear.

INGREDIENTS

Filtered water, beneficial bacterial cultures, preservative.

APPLICATION

Shake well. Apply 1 capful (5ml) per 40-60 gallons of stock tank water. Apply weekly or when replacing more than 25% of the water. For best results, start with clean stock tank water.

**Item # 26641 - 500ml
Lexol Vinylex Protectant**

Is a patented formula for the care and preservation of vinyl, rubber and plastic surfaces. It is a state of the art protectant that combines cleaning, protection and beautifying properties. It penetrates below the surface to restore the underlying plasticizers. DH-60 UV sunscreen filters out damaging ultraviolet rays while protecting the surface from fading and cracking.



DIRECTIONS

Shake well - using a cloth or Lexol Applicator Sponge, apply with a polishing - like circular motion for maximum cleaning and protection. A little Vinylex goes a long way so use only what is needed to coat the surface. For a shinier finish, apply a second coat. Keep away from glass or instruments to avoid visual distortion.

Item # 22903 - 14oz

Quik-Zinc Galvanize Coating

Is a high quality, high solids, heavy duty zinc coating designed to provide corrosion protection on iron and steel surfaces. Prevents rust by galvanic action. Dries to a flexible 93% zinc dust coating that bends without chipping. Can be used as a protective final coating or primer wherever iron or steel are exposed to atmospheric or corrosive conditions.



INGREDIENTS

Heptane (142-82-5), Zinc (7440-66-6), Propane/n-Butane (68476-86-8), Acetone (67-64-1), Organophilic Clay (N/A).

DIRECTIONS

Shake can for a full sixty (60) seconds after rattling of mixing ball begins. If application is to cover a large area, periodically shake can to insure uniform mixing of the contents. Surface to be sprayed should be clean and dry. Remove protective cap and point opening in spray nozzle towards surface to be sprayed. Holding can 10 to 12 inches from the surface, apply in thin, even coats until surface is completely covered. Allow 5 to 10 minutes after application before handling. After spraying, turn can upside down and spray until no more zinc is evident. This product is best applied at room temperature (70-80°F).



Item # 22902 - 11oz

SLIPIT Spray Lubricant

Is formulated to provide a capability for use in harder to reach spots. Not quite the workhorse of Sliding Compound, this product is longer lasting and provides better wear characteristics than major aerosol lubricants.

Item # 22904 - 12.5oz

Chain and Cable Lubricant

Is a product specially designed to provide maximum lubrication on all types of wire ropes and chains. Penetrates into strands of wire to provide the ultimate in lubrication. Will not build up to attract dust or dirt. Provides complete lubrication of rollers, pins and bushings. Continued use reduces chain whip, vibration and noise. Protects against galling, seizing and wear. Adds life to chain, cable and sprockets.

INGREDIENTS

Light Naphthenic Petroleum Distillate (64742-53-6), Propane/n-Butane (68476-86-8), Heavy Naphthenic Petroleum Distillate (64742-52-6)

DIRECTIONS

Shake well. Surface to be sprayed should be clean and dry. Remove protective cap. Hold container 6-12 inches from surface to be treated. Point opening in desired direction. Press button to spray.





Item # 22905 - 13oz

ReVive Rust Converter Spray

Is the quick and convenient way to treat rusted surfaces. This product chemically converts the rust to an inert black polymer based coating that prevents future rust from forming. Eliminates the need for brushing, sandblasting or scraping before painting rusted surfaces. Once treated, surface may be left unpainted or may be painted for improved appearance and protection. May be used on all rusted surfaces. Convenient spray can allows for quick, mess-free application. Combines a unique fast drying carrier with special rust converting agents and a strong polymeric coating.

INGREDIENTS

Acetone (67-64-1), Isopropanol (67-63-0), Diethylene Glycol (111-46-6), 2-Butoxy Ethanol (111-76-2), Tannic Acid (1401-55-4), Propane/n-Butane (68476-86-8).

DIRECTIONS FOR USE

For best results, remove loose particles of rust and debris using a wire brush or rag. Be sure surface to be treated is dry and free of water. Shake can for 30 seconds before application. Remove protective cap and point opening in spray tip towards surface to be treated. Using a slow sweeping motion and holding can 8–12 inches from surface apply a thin coat covering all of the rusted area. Allow to dry. The surface will turn black. Apply a second thin coat. Allow surface to dry for 48 hours to promote complete curing of the polymeric coating. For additional protection apply 1 or 2 coats of a suitable spray paint. Apply the product when temperatures are between 50°F and 95°F. Store in a cool, dry area where temperatures are below 100°F.

Item # 22906 - Green

22907 - Blue

Fehr Multi-Purpose Spray Lube

This multi-purpose product changes from a fluid to become a tough, protective grease in minutes. Ideal for hard to reach areas on all door hardware and operator drive mechanisms. Once grease has set up it will outlast any regular oil or silicone.

DIRECTIONS

Spray a thin film on the surface to be lubricated. For best results, spray in short burst. Material will start forming grease in minutes. Allow 15 minutes for product to fully cure.



CONTAINS (CAS NO.):

Heptane (142-82-5), Propane/n-Butane (68476-86-8), Aliphatic Petroleum Distillate (64742-47-8), Severely Refined Mineral Oil (64742-52-5).



CONTAINS (CAS NO.):

Methylene Chloride (75-09-2), Propane/n-Butane (68476-86-8), Heavy Naphthenic Petroleum Distillate (64742-52-5), Mineral Spirits (8052-41-3).



Bell Kentuck Cow
19061 - 4 1/4"

Rectangular Sheep Bell
19062 - 2 1/2"
19063 - 2"



Crown Weaning Ring
19460 - Calf
19465 - Cow



Handheld Herd Counter
19910




Hill Hog Rings
19955



Chemilizer Injectors
19470



Weighing Tape
20820 - Beef
20830 - Holstein
20840 - Horse
20850 - Hog



Chemilizer Pump
19471



Tuffy Nongauze Disks
20785




Scrubs Hand Cleaner
22901

Ear Tags

Item Number	Description
19606	Sheep 176 - 200
19605	Sheep 151 -175
19604	Sheep 126 - 150
19603	Sheep 101 - 125
19602	Sheep 76 - 100
19601	Sheep 51 - 75
19600	Sheep 26 - 50
19599	Sheep 1 - 25
19598	Sheep Blank Yellow
19571	Sheep Blank Green
19570	Sheep Blank Blue
19569	Sheep Blank Red
19568	Sheep Blank White
19567	Sheep Blank Orange
19566	Blank Medium Green
19565	Blank Medium Blue
19564	Blank Medium Red
19539	Blank Medium White
19538	Blank Medium Orange
19537	Blank Large Green
19536	Blank Large Blue
19535	Blank Medium Yellow
19534	Blank Large Red
19533	Blank Large White
19532	Blank Large Yellow
19531	Blank Large Orange
19609	376 - 400 Medium
19608	351 - 375 Medium
19607	326 - 350 Medium
19597	301 - 325 Medium
19596	276 - 300 Medium





Ear Tag Stud Only
19490 - (bag 25)

Ear Tags

Item Number	Description
19595	251-275 Medium
19594	226-250 Medium
19593	201-225 Medium
19592	176-200 Medium
19591	151-175 Medium
19590	126-150 Medium
19589	101-125 Medium
19588	76-100 Medium
19587	51-75 Medium
19586	26-50 Medium
19585	1-25 Medium
19559	476-500 Large
19558	451-475 Large
19557	426-450 Large
19556	401-425 Large
19555	376-400 Large
19554	351-375 Large
19553	326-350 Large
19552	301-325 Large
19551	276-300 Large
19550	251-275 Large
19549	226-250 Large
19548	201-225 Large
19547	176-200 Large
19546	151-175 Large
19545	126-150 Large
19544	101-125 Large
19543	76-100 Large
19542	51-75 Large
19541	26-50 Large
19540	1-25 Large



Tagger White Insert Clip
20561

Ear Tag Marker
20070 - Black
20071 - White



Ear Tag Punch
19516 - Temple Tag

Ear Tag Applicator Pin
19510 - Allflex
19515 - Silver



Dehorner Brush/Cutter
47165

Ear Tag Applicator
19526 - Hasco
19520 - DuFlex
20565 - Allflex Universal



Hog Catcher Ring-O-Matic
19970



Ear Notcher
20265 - V-Cut Small
20240 - V-Cut Ideal



Tail Docker/Cutter
19401



Ear Tag Super Knife
19610



Phone Cover
49289



Key Holder
49260
49262 - Leather



Item# 19621 Agri shock Flexible shaft 13" EA
19622 Agri shock Flexible shaft 23" EA
19623 Agri shock Flexible shaft 28" EA
19624 Agri shock Flexible shaft 33" EA



Item Number	Description
19699	Shaft Yellow 34"
19698	Handy Prod Holster
19697	Handy Prod
19696	Shaft Jolt 32"
19695	Shaft Jolt 36"
19694	Shaft Jolt 42"
19693	Jolt Recharg Hi Pref.
19692	Jolt Hi Preform 200
19691	Jolt V 100
19690	Shaft 60" Red
19689	Yellow
19688	Power Mite
19686	Shaft 22" Yellow
19684	Red
19682	Green 36"
19681	Prod Shaft 52"
19680	Green 32"
19678	Shaft Fiberglass 48"
19677	Shaft Red Horn 36"
19676	Shaft Red Horn 24"

Leatherman Pouches

- 49763 - L snap w/clip
- 49762 - L snap w/loop
- 49761 - M snap w/loop
- 49760 - M snap w/clip
- 49759 - M magnet w/clip
- 49758 - M magnet w/loop
- 49757 - L magnet w/loop
- 49756 - L magnet w/clip



Machete Pouches

- 49323 - Plain 25"
- 49324 - Plain 15"
- 49326 - Small 15"
- 49327 - Medium 19"
- 49328 - XLarge 25"
- 49330 - Large 23"
- 49337 - 2x Large 29"
- 49349 - Plain 29"



Business Bag

- 49285 - Medium
- 49273 - 6" x 9"



Pouch Glasses

- 49286

Standing Phone Pouches

49795 - NN snap w/clip
 49794 - NN magnet w/clip
 49792 - NW snap w/clip
 49791 - NW magnet w/clip
 49790 - OO magnet w/loop
 49789 - NN magnet w/loop
 49786 - XX magnet w/loop
 49785 - XX magnet w/clip
 49784 - XX snap w/clip
 49783 - XX snap w/loop
 49782 - WW snap w/loop
 49781 - WW snap w/clip
 49780 - WW magnet w/clip
 49779 - WW magnet w/loop
 49778 - BB magnet w/loop
 49777 - AA snap w/loop
 49775 - CC magnet w/loop
 49774 - VV snap w/loop
 49773 - VV snap w/loop
 49772 - VV magnet w/clip
 49771 - AA magnet w/loop
 49770 - CC magnet w/loop
 49769 - VV magnet w/loop
 49755 - Z snap w/loop
 49754 - Y snap w/loop
 49753 - X snap w/loop
 49752 - W snap w/loop
 49751 - V snap w/loop
 49750 - U snap w/loop
 49749 - T snap w/loop
 49748 - S sanp w/loop
 49747 - R snap w/loop
 49746 - Q snap w/loop
 49745 - P snap w/loop
 49744 - O snap w/loop
 49743 - N snap w/loop
 49742 - M snap w/loop
 49741 - L snap w/loop
 49740 - K snap w/loop
 49739 - J snap w/loop
 49738 - I snap w/loop
 49737 - H snap w/loop
 49736 - G snap w/loop
 49735 - F snap w/loop
 49734 - E snap w/loop
 49733 - D snap w/loop
 49732 - C snap w/loop



49731 - B snap w/loop
 49730 - A snap w/loop
 49729 - Z snap w/clip
 49728 - Y snap w/clip
 49727 - X snap w/clip
 49726 - W snap w/clip
 49725 - V snap w/clip
 49724 - U snap w/clip
 49723 - T snap w/clip
 49722 - S snap w/clip
 49721 - R snap w/clip
 49720 - Q snap w/clip
 49719 - P snap w/clip
 49718 - O snap w/clip
 49717 - N snap w/clip
 49716 - M snap w/clip
 49715 - L snap w/clip
 49714 - K snap w/clip
 49713 - J snap w/clip
 49712 - I snap w/clip
 49711 - H snap w/clip
 49710 - G snap w/clip
 49709 - F snap w/clip
 49708 - E snap w/clip
 49707 - D snap w/clip
 49706 - C snap w/clip
 49705 - B snap w/clip
 49704 - A snap w/clip
 49703 - Z magnet w/loop
 49702 - Y magnet w/loop
 49701 - X magnet w/loop
 49700 - W magnet w/loop
 49699 - V magnet w/loop
 49698 - U magnet w/loop
 49697 - T magnet w/loop
 49696 - S magnet w/loop
 49695 - R magnet w/loop
 49694 - Q magnet w/loop
 49693 - P magnet w/loop
 49692 - O magnet w/loop
 49691 - N magnet w/loop
 49690 - M magnet w/loop
 49689 - L magnet w/loop
 49688 - K magnet w/loop
 49687 - J magnet w/loop
 49686 - I magnet w/loop
 49685 - H magnet w/loop

Standing Phone Pouches

49684 - G magnet w/loop
49683 - F magnet w/loop
49682 - E magnet w/loop
49681 - D magnet w/loop
49680 - C magnet w/loop
49679 - B magnet w/loop
49678 - A magnet w/loop
49677 - Z magnet w/clip
49676 - Y magnet w/clip
49675 - X magnet w/clip
49674 - W magnet w/clip

49673 - V magnet w/clip
49672 - U magnet w/clip
39671 - T magnet w/clip
49670 - S magnet w/clip
49669 - R magnet w/clip
49668 - Q magnet w/clip
49667 - P magnet w/clip
49666 - O magnet w/clip
49665 - N magnet w/clip
49664 - M magnet w/clip
49663 - L magnet w/clip

49662 - K magnet w/clip
49661 - J magnet w/clip
49660 - I magnet w/clip
49659 - H magnet w/clip
49658 - G magnet w/clip
49657 - F magnet w/clip
49656 - E magnet w/clip
49655 - D magnet w/clip
49654 - C magnet w/clip
49653 - B magnet w/clip
49652 - A magnet w/clip

Lying Phone Pouches

49793 - NN magnet w/loop
49788 - MM magnet w/clip
49787 - MM magnet w/loop
49776 - GG magnet w/loop
49768 - JJ magnet w/loop
49767 - FF magnet w/loop
49766 - AA magnet w/loop
49765 - EE magnet w/loop
49764 - CC magnet w/loop
49651 - Z magnet w/loop
49650 - Y magnet w/loop
49649 - X magnet w/loop
49648 - W magnet w/loop
49647 - V magnet w/loop
49646 - U magnet
49645 - T magnet w/loop
49644 - S magnet w/loop



49643 - R magnet w/loop
49642 - Q magnet w/loop
49641 - P magnet w/loop
49640 - O magnet w/loop
49639 - N magnet w/loop
49638 - M magnet w/loop
49637 - L magnet w/loop
49636 - K magnet w/loop
49635 - J magnet w/loop
49634 - I magnet w/loop
49633 - H magnet w/loop
49632 - G magnet w/loop
49631 - F magnet w/loop
49630 - E magnet w/loop
49629 - D magnet w/loop
49628 - C magnet w/loop
49627 - B magnet w/loop
49626 - A magnet w/loop



Ropes

- 50281 - Poly Striped 5/8" Tan/BU/HG
- 50270 - Poly Striped 5/8" RD/WH
- 50265 - Poly Striped 5/8" RD/BK
- 50255 - Poly Striped 5/8" HG/Tan
- 50240 - Poly Striped 5/8" BL/WH
- 50235 - Poly Striped 5/8" BK/WH 200ft
- 50225 - Poly Solid 5/8" Brown
- 50222 - Poly Solid 5/8" Purple
- 50220 - Poly Solid 5/8" Hunter Green
- 50217 - Poly Solid 5/8" Blue
- 50216 - Poly Solid 5/8" Red
- 50215 - Poly Solid 5/8" Black
- 50165 - Poly Solid 1/2" Purple
- 50150 - Poly Solid 1/2" Hunter Green
- 50130 - Poly Solid 1/2" Black
- 50121 - Cotton 3/4"
- 50120 - Cotton 5/8"
- 27645 - Pigging
- 27641 - Poly Blue/White 5/8"
- 26409 - Zoom 30'
- 26403 - All Around Ranch 3/8" x 45'
- 26402 - All Around Ranch 3/8" x 35'
- 26401 - All Around Ranch 3/8" x 30'
- 26399 - All Around Ranch 7/16" x 30'
- 26398 - All Around Ranch 7/16" x 35'
- 26393 - Cody Ranch 3/8" x 40'
- 26392 - Cody Ranch 3/8" x 45'
- 26391 - Cody Ranch 3/8" x 35'
- 25645 - Kid's w/out Loop



- 22292 - Nylon Braided White 3/8"
- 22291 - Nylon Braided White 1/4"
- 22289 - Nylon Braided Black 1/4"
- 22288 - Nylon Braided White 3/16"
- 22287 - Nylon Braided Black 1/8"
- 22286 - Nylon 1000' 1/8"



Lead Rope


- 50290 - Green 5/8" x 10' 1-1/8" SS
- 50291 - Red 5/8" x 10' 1-1/8" SS
- 50292 - RD/BK 5/8" x 10' 1-1/8" SS
- 50293 - RD/WH 5/8" x 10' 1-1/8" SS
- 50294 - Blue 5/8" x 10' 1-1/8" SS
- 50295 - Purple 5/8" x 10' 1-1/8" SS
- 50296 - Brown 5/8" x 10' 1-1/8" SS
- 50297 - Tan/BU/HG 5/8" x 10' 1-1/8" SS
- 50298 - HG/Tan 5/8" x 10' 1-1/8" SS
- 27358 - Cotton WH/BL/RD
- 27357 - Cotton White
- 27356 - Cotton Red
- 27355 - Cotton Purple
- 27354 - Cotton Navy



- 27353 - Cotton Hunter Green
- 27352 - Cotton Blue
- 27351 - Cotton Brown
- 27350 - Cotton Black

Webbing

50830 - Polypropylene 3" Black
50800 - Polypropylene 2" Black 100 yds.
50775 - Poly 1-1/2" Black 100 yds.
50750 - Polypropylene 1" Black
50685 - 2" Yellow 50 yds.
50680 - 2" Red 50 yds.
50675 - 2" Orange 50 yds.
50670 - 2" Green 50 yds.
50660 - 2" Black
50650 - 1-3/4" Brown
50645 - 1-3/4" Black
50635 - 1-1/2" .075" Red 50 yds.
50630 - 1-1/2" .075" Hunter Green 50 yds.
50625 - 1-1/2" .075" Burgandy 50 yds.
50620 - 1-1/2" .075" Blue 50 yds.
50615 - 1-1/2" .075" Black
50590 - 1" White 50 yds.
50585 - 1" Turquoise
50580 - 1" Silver
50575 - 1" Sand
50570 - 1" Red
50565 - 1" Purple
50560 - 1" Pink 50 yds.
50555 - 1" Pastel Green 50 yds.
50550 - 1" Pastel Blue 50 yds.
50545 - 1" Orbit Yellow 50 yds.
50540 - 1" Navy 50 yds.
50535 - 1" Lavender 50 yds.
50530 - 1" Hunter Green
50525 - 1" Hot Pink 50 yds.
50520 - 1" Dark Red
50515 - 1" Burgandy 50 yds.
50510 - 1" Brown
50505 - 1" Blue
50500 - 1" Blaze Orange 50 yds.
50495 - 1" Black
50480 - 1" Thin Black 50 yds.
50470 - 3/4" White 50 yds.
50465 - 3/4" Turquoise 50 yds.
50460 - 3/4" Sand 50 yds.
50455 - 3/4" Red
50450 - 3/4" Purple
50445 - 3/4" Pink 50 yds.
50440 - 3/4" Pastel Green 50 yds.
50436 - 3/4" Nylon 50 yds Grape fr.
50435 - 3/4" Pastel Blue 50 yds.



50430 - 3/4" Navy
50425 - 3/4" Lavender 50 yds.
50420 - 3/4" Hunter Green
50415 - 3/4" Dark Red 50 yds.
50410 - 3/4" Burgandy
50405 - 3/4" Brown 50 yds.
50400 - 3/4" Blue
50395 - 3/4" Blaze Orange 50 yds.
50390 - 3/4" Black
50385 - 5/8" Lime Green 50 yds.
50380 - 5/8" White 50 yds.
50375 - 5/8" Turquoise 50 yds.
50370 - 5/8" Silver
50365 - 5/8" Red
50360 - 5/8" Purple
50355 - 5/8" Pink 50 yds.
50350 - 5/8" Pastel Green 50 yds.
50345 - 5/8" Pastel Blue 50 yds.
50340 - 5/8" Navy 50 yds.
50330 - 5/8" Hunter Green
50325 - 5/8" Dark Red 50 yds.
50320 - 5/8" Burgandy
50315 - 5/8" Brown
50310 - 5/8" Blue
50305 - 5/8" Blaze Orange 50 yds.
50300 - 5/8" Black



Lamb Nipple
20042 - Rubber

Lamb Nipple
20044 - For Soda Bottle

Calf Bottle Nipple
19391 - Small
19290 - EZ Nurse
19340 - Slip On



Calf Bucket Nipple Set
19370



Calf Bucket Nipple
19365



Calf Bottle Screw
19330 - Small
19300 - EZ Nurse



Calf Nipple Feed
19235



Calf Bottle Snap Nipple
19350



Calf Bottle Complete
38488 - Small Screw
19280 - EZ Nurse



Calf Bucket Screw
19380



Calf Feeder Bottle
47120



Nipple
20180 - Piglet 3/8"
20170 - Pig 1/2"

Paintstick Twist
 20380 -
 20391 - Yellow
 20392 - Orange
 20393 - Blue
 20394 - Red
 20395 - Flourescent Pink



Paintstick All Weather
 20370



Paintstick Holder
 20375



Tattoo Outfit Rotary
 20630

Tattoo Ink Roll-On
 20600



Tattoo Ink - 20590, 3oz



Tattoo Outfit Standard 3/8"
 20640



Teat Dipper Non-Return
 20660



Float Assembly Complete
 Waterer - 19843



Trap Animal Single Door

- 35417 - 42x16x16
- 35416 - 18x6x6
- 35414 - 24x8x10
- 35413 - 24x7x7
- 35412 - 10x12x32

Float Valve Aluminum
 19860





Incubators

- 38503 - W/Air Fan Kit Lextron
- 38486 - Still Air Lextron
- 20000 - W/Turbo Fan
- 19990 - Still Air
- 19984 - Egg Turner Quail/Chicken
- 19980 - Egg Turner
- 19981 - Egg Turner, Lextron
- 19995 - Cabinet GQF Digital
- 19997 - All-In-One Automatic

Kraft Paper

- 20020 - 48"
- 20022 - 36"
- 20023 - 24"



Incu-Bright Cool Light Egg Candler

19999



Plain Woven Bags

- 12020 - 14 x 22
- 12021 - 14 x 20
- 12022 - 14 x 24
- 12030 - 16 x 24
- 12040 - 20 x 31
- 12041 - 22 x 38
- 12042 - 22 x 36
- 12050 - 24 x 38
- 12060 - 28 x 44



Egg Basket

- 19674 - Sm.
- 19675 - Blue



Sprayer

- 20530 - 16 liters
- 20535 - 20 liters



Incubator Thermometer

19986



Fishbein Thread

- 23180 - 8 oz
- 23182 - 15 lb

Incubator Turbo Fan Kit

19992



Heat Bulb 250 WATT


- 19940 - Red
- 19930 - Clear



Heating Lamp
19950



Incubator Thermostat Wafer
19985



Egg Scale - 19679

Incubator Egg Turner Racks
19983 - Quails
19989




Incubator Egg Turner Motor
19988



Knife Collectors
47077




Scale Digital Precision
19671 - 500g x .01g



Trays for Cabinet Incubator
19996

Incubator Clear Plastic Liner
19991



Knife Lockback Maxam
47076



Electric Fence Tester
R-27 - 15379



Cable Supplies



Thimbles	
Item Number	Description
22374	Heavy Duty Hot Galv 7/8"
22373	Heavy Duty Hot Galv 3/4"
22372	Heavy Duty Hot Galv 5/8"
22371	Heavy Duty Hot Galv 1/2"
22370	Heavy Duty Hot Galv 3/8"
22369	Heavy Duty Hot Galv 5/16"
22368	Heavy Duty Hot Galv 1/4"
22367	Heavy Duty Hot Galv 3/16"
22366	Standard Duty Zinc Plated 1/2"
22365	Standard Duty Zinc Plated 3/8"
22364	Standard Duty Zinc Plated 5/16"
22363	Standard Duty Zinc Plated 1/4"
22362	Standard Duty Zinc Plated 3/16"
22361	Standard Duty Zinc Plated 1/8"
22360	SS 5/8"
22359	Standard Duty 1/2"
22358	Heavy Duty SS 1/4"
22357	Standard Duty 3/16"
22356	Standard Duty SS 1/8"

Sleeves	
Item Number	Description
22351	SS 1/4" Type 304
22350	SS 3/16" Type 304
22349	SS 1/8" Type 304
22348	Aluminum 3/16"
22347	Aluminum 3/32"
22346	Aluminum 1/8"
22345	Aluminum 1/16"
22344	SS 1/16" Type 304
22343	Aluminum 1/4"



Turnbuckles

Item Number	Description
22420	Eye/Eye 1/4" x 4"
22427	Eye/Eye 3/8" x 6"
22431	Eye/Eye 1/2" x 9"
22432	Eye/Eye 1/2" x 6"
22433	Eye/Eye 1/2" x 12"
22438	Eye/Eye 5/8" x 9"
22446	Eye/Eye 7/8" x 12"
22447	Eye/Eye 3/4" x 12"
22448	Eye/Eye 3/4" x 18"
22450	Eye/Eye 7/8" x 18"
22451	Eye/Eye 5/8" x 12"
22421	Hook/Hook 1/4" x 4"
22425	Hook/Hook 3/8" x 6"
22437	Hook/Hook 5/8" x 12"
22443	Hook/Hook 3/4" x 12"
22452	Hook/Hook 1/2" x 9"
22453	Hook/Hook 1/2" x 12"
22426	Jaw/Jaw 3/8" x 6"
22434	Jaw/Jaw 1/2" x 9"
22435	Jaw/Jaw 1/2" x 12"
22440	Jaw/Jaw 1/4" x 4"
22445	Jaw/Jaw 3/4" x 9"
22449	Jaw/Jaw 3/4" x 12"
22439	Stub/Stub 1/2" x 6"
22444	Stub/Stub 3/4" x 6"
22454	Stub/Stub 7/8" x 6"
22455	Stub/Stub 1" x 6"



Wire Rope Clip

Item Number	Description
22031	SS Type 304, 4mm
22018	SS Type 304, 5mm
22017	SS Type 304, 3mm
22016	SS Type 304, 2mm

Cable Clamp	
Item Number	Description
22020	Galvanized 1/16"
22030	Galvanized 1/8"
22036	Galvanized 7/8"
22037	Galvanized 5/8"
22038	Galvanized 1"
22039	Galvanized 1/2"
22040	Galvanized 3/16"
22042	SS 1/4"
22043	Galvanized 1/4"
22044	Galvanized 3/4"
22045	Galvanized 3/8"
22046	Galvanized 5/16"
22047	Forged 5/8"
22048	Forged 7/8"



Pulley	
Item Number	Description
22310	Split Bracket 1 1/2"
22284	Split Bracket 2 1/2"
22283	Split Bracket 2 1/2" W/Bearing
22282	Cast W/O Eye Bolt 3-1/2" Green
22280	Nylon Split Bracket 1 7/8"
22271	Cast w/Eyebolt 3 1/2" Blue
22270	Nylon Red 3 1/2"
22260	Nylon 1 7/8"
22250	Nylon 7/8"



Cable Adjusters

- 22000 - 2" Clip 2 22005 - 3 Hole Clip
 22010 - 3" Clip 3 22015 - Stamped Clip 2 1/2"



- Open Leg Screw**
 22300 - 5/16" x 3 1/2"
 22290 - 1/4" x 3 1/2"



Ratchet Lever Load Binder

- 22680 - 5/15" - 3/8"
- 22691 - 3/8" - 1/2"
- 22700 - 1/2" - 5/8"

Lever Load Binder

- 22650 - 1/4"
- 22660 - 5/16" - 3/8"
- 22670 - 3/8" - 1/2"



Tree Grips Galv

- 22823 - Orange, 3/8"
- 22822 - Black, 5/16"
- 22821 - Yellow, 1/4"
- 22820 - Red, 3/16"



Connecting Link

- 22814 - 1/2"
- 22813 - 3/8"
- 22812 - 5/16"
- 22811 - 1/4"
- 22810 - 3/16"



Cable Cutter

- 22049 - RC-800 22050 - Felco C7
- 22051 - RC-450 22052 - RC-8



Eye Bolt


- 22301 - Forged Galv., 1/4" x 4"
- 22302 - Forged Galv., 5/16" x 4 1/4"



Hooks

Item Number	Description	Item Number	Description
22621	High Test Clevis Grab, 5/8"	22552	G70 Clevis Slip, 3/8"
22611	High Test Clevis Grab, 1/2"	22551	G70 Clevis Grab, 3/8"
22601	High Test Clevis Grab, 7/16"	22542	G70 Clevis Slip, 5/16"
22591	High Test Clevis Grab, 3/8"	22541	G70 Clevis Grab, 5/16"
22571	High Test Clevis Grab, 1/4"	22532	G70 Clevis Slip, 1/4"
22563	High Test Clevis Grab W/Latch 1/2"	22521	G80 Clevis Grab, 1/2"
22553	High Test Clevis Slip W/Latch 3/8"	22511	G80 Clevis Grab, 3/8"
22562	G70 Clevis Grab, 1/2"	22501	G80 Clevis Grab, 1/4"
22561	G70 Clevis Grab, 1/2"		





Load Rated Shackles

- 22770 - 3/4", 4 3/4 ton
- 22760 - 5/8", 3 1/4 ton
- 22750 - 1/2", 2 ton
- 22740 - 3/8", 1 ton



High Test Double Clevis

- 22730 - 7/16" - 1/2"
- 22720 - 3/8"
- 22710 - 1/4" - 5/16"

Hammerlock

- 22803 - 5/8"
- 22802 - 1/2"
- 22801 - 3/8" (10mm)
- 22800 - 1/4" (7mm)



Winch Ratchet

- 22380 - 2500 lbs. 2 speed
- 22381 - 2000 lbs.
- 22403 - 1400 lbs.
- 22404 - 1000 lbs.
- 22405 - 1200 lbs.
- 22406 - 800 lbs.



Chains

Item Number	Description
22630	2/0 Straight Link .192" 3/16
22620	#2 Straight Link .148" 1/8
22610	#4 Straight Link .12"
22600	G40 HT Galv. 1/2"
22590	G40 HT Galv. 3/8"
22580	G40 HT Galv. 5/16"
22570	G40 HT Galv. 1/4"
22560	G70 Alloy 1/2"
22550	G70 Alloy 3/8"
22540	G70 Alloy 5/16"
22530	G70 Alloy 1/4"
22520	G80 Alloy 1/2"
22510	G80 Alloy 3/8"
22500	G80 Alloy 1/4"
22195	Double Loop #4
22090	Double Loop #3
22080	Double Loop #2
22070	Double Loop #1

Wire Rope

Item Number	Description
22333	5/8" 6x25 IWRC Galv. w/r
22332	9/16" 6x25 IWRC Galv. w/r
22331	1/2" 6x25 IWRC Galv. w/r
22238	3/4" 6x25 Bright Fiber Core
22237	5/8" 6x25 Bright Fiber Core
22236	3/4" 6x25 FC BRT w/r
22235	1/2" 6x25 FC BRT w/r
22234	7/8" 6x25 IWRC BRT w/r
22233	3/4" 6x25 IWRC BRT w/r
22232	5/8" 6x25 IWRC BRT w/r
22231	1/2" 6x25 IWRC BRT w/r



Cable

Item #	Description	Item #	Description
22230	Galvanized 7x7 Stiff 3/32"	22172	Stainless Steel 7x19 Soft 3/16"
22210	Galvanized 7x7 Stiff 3/16"	22171	Stainless Steel 7x7 Stiff 3/16"
22200	Galvanized 7x7 Stiff 1/8"	22152	Stainless Steel 7x19 Soft 3/8"
22190	Galvanized 7x7 Stiff 1/4"	22144	Stainless Steel 7x7 Stiff 3/32"
22180	Galvanized 7x19 Soft 5/16"	22143	Stainless Steel 7x7 Stiff 1/8"
22170	Galvanized 7x19 Soft 3/16"	22142	Stainless Steel 7x19 Soft 1/8"
22160	Galvanized 7x7 Stiff 1/16"	22134	Stainless Steel 7x19 Soft 3/32"
22155	Galvanized 7x19 Soft 3/32"	22133	Stainless Steel 7x7 Stiff 1/16"
22150	Galvanized 7x19 Soft 3/8"	22131	Stainless Steel 7x19 Soft 1/4"
22140	Galvanized 7x19 Soft 1/8"	22208	Clear Vinyl Coated 1/4"-5/16" 7x19
22130	Galvanized 7x19 Soft 1/4"	22207	Clear Vinyl Coated 1/8"-3/16" 7x19
22129	Galvanized 7x7 3/64"	22206	Clear Vinyl Coated 1/8"-3/16" 7x7
		22203	Plastic Coated 1/8"-3/16" 7x19
		22202	Plastic Coated 1/8"-3/16" 7x7



Poultry Equipment



MR Medicator 2.5
40450



Sight Tube Brush
40740

Digital Thermometer Gun With Laser Sight
48383

Poultry & Piglet Catcher
20061



Digital Timer 24/7
48382



Chick Fount
40157 - Jar gal.
40155 - Base gal.
40120 - Base qt. Feed
40115 - Jar qt.
40110 - Base qt.



Water Bottle Poultry 3 gal.
38487

Chicken Feeder Round
40090



Easy Start Feeder
40971



Item# 38608
38607
Feeder Hanging Poultry 11,22lb

Feeder Plastic 10kg
40320



Chick Drinker CM
40105

Compact Breeder Drinker
40190



Self Feeder
40282 - Small
40281 - Large



Scoops
40720 - Small
40710 - Medium
40700 - Big




Vet Supplies

Dental Float w/2 Blades, Comb
47180



Blade Rasp & File
47182



Bull Lead w/o chain
47070

Dehorner Electric 1"
47166



Dehorner Barnes
47160 - 13"
47170 - 17"



Bull Lead w/chain
47080



Dose Pipe, 9" Straight Heavy
47190



Bull Ring 3"
47100



Castrator Economy
47220



Nipper Pig Tooth SS 6"
48405



Emasculator
47245 - 12" SS
47240 - 9" SS



Castrating Bands
47200

Calf Sucking Preventer
19410



Stomach Pump
47915

Pistol Grip Syringe, 50cc



48100 - Light-Duty

48105 - Medium-Duty



**Pistol Grip Syringe Mega-Shot
48090**



Syringe Parts

- 48290 - Screw & Inner Spring
- 48280 - PL Barrel w/end Washer
- 48270 - Packing w/end Washer
- 48260 - #8
- 48250 - #5,7
- 48240 - #4,6
- 48230 - #1,2,3
- 48210 - #3,4,5,7
- 48220 - Thumb Rest & Handle Spring Kit
- 48200 - Luer Lock Adapter Kit
- 48190 - Rear Main Frame Handle
- 48180 - Front Trigger Handle
- 48174 - Adjust Screw #AC012
- 48173 - Ratchet Sleeve #AC011
- 48172 - Rubber Packing #AC010
- 48171 - Inner Plunger #AC009

Enasculatome

- 47791 - X-Small 9"
- 47792 - Small 12"
- 47793 - Medium 14"
- 47794 - Large 16"
- 47795 - X-Lagre 19"



**Optimizer Syringe Kit
47249 - 12.5ml**



**Ezi-Grip Auto Injector
47246**



**Premium Automatic Drencher
47195 - 30cc**



**V-Grip Vaccinator
47252 - 10ml
47251 - 6ml**



**Syringe Metal
27254 - 20cc
27253 - 10cc**



**Item# 35046
vetgun**

Item# 35044

vetcap Aim-L insecticide cap30s 604



**Syringe Allflex
48069 - 2ml
48068 - 5ml**



**Item# 35045
vetgun CO2 Cartridge 6x25GM 606**





Syringe Prima Tech

- 48060 - 0.5 ml
- 48061 - 1 ml
- 48062 - 2 ml
- 48063 - 5/6 ml

**Syringe, 5cc Economy Auto-Injector
48065**



**Permethrin CDS Pour On Gun
47196**



**Syringe Auto Roux
48170 - 50 ml**



**Automatic Syringe Vet Matic
47000 - 5ml**

Syringe Nylon Reuse

- 48150 - 50ml
- 48140 - 20ml
- 48130 - 30ml
- 48120 - 10ml



Syringe Ardes

- 47960 - 50ml
- 47950 - 20ml
- 47940 - 10ml



Coveralls Desposable

- 47157 - XX-Large
- 47156 - X-Large
- 47155 - Large

Suture Perivaginal Tape
47935



Stomach Tube, Koroseal
47916 - 1/2" x 10'



Clamp w/Intravenous Set
47135

Barrel Syringe Allflex
48066 - 2ml
48064 - 5ml



Draw Off Cap
47436 - Large
47435 - Small

Vaccinator Tubing Slap Shot
48420



Magnet Rumen Ceramic
47380



Teat Tumor Extractor - 48370



Teat Slitter - 48350



Plastic Milk Tubes
47427



Hose Adapter for Vaccinator
47914



Needle Suture
47460 - #1
47450 - curved



Milk Tubes 3"
47425



Stethoscope - 47910



Needles Stainless Steel



- 47570 - 14 x 1"
- 47580 - 14 x 1/2"
- 47590 - 14 x 2"
- 47600 - 14 x 3/4"
- 47610 - 16 x 1"
- 47620 - 16 x 1-1/2"
- 47630 - 16 x 1/2"
- 47640 - 16 x 2"
- 47650 - 16 x 3/4"
- 47660 - 18 x 1-1/2"
- 47670 - 18 x 1"
- 47675 - 18 x 3/4"
- 47680 - 18 x 1/2"
- 47690 - 20 x 1"
- 47695 - 20 x 1/2"
- 47696 - 20 x 3/4"
- 47700 - 12 x 1"
- 47710 - 12 x 2"
- 47720 - 12 x 3"



Disposable Syringes

- 48040 - 60 ml
- 48030 - 6 ml
- 48020 - 35 ml
- 48014 - 3cc 22 G x 1" Needle
- 48013 - 3cc 22 G x 3/4" LL Needle
- 48012 - 3cc 22 G x 3/4" Needle
- 48011 - 3cc 20 G x 1" LL Needle
- 48010 - 3cc 20 G x 1" Needle
- 48009 - 3cc 22 G x 1" LL Needle
- 48008 - 3cc 20 G x 1-1/2" LL Needle
- 47997 - 12cc 20 G x 1" Needle
- 47996 - 12cc 20 G x 1-1/2" Needle
- 47990 - 12cc 18 G x 1" Needle
- 47980 - 1 ml
- 48000 - 20 ml



Disposable Needles

- 47560 - 25 G x 5/8" Polypropylene
- 47559 - 16 x 1-1/2" Polypropylene
- 47555 - 22 G x 1" Polypropylene
- 47550 - 22 G x 3/4" Polypropylene
- 47540 - 20 G x 1" Polypropylene
- 47530 - 20 G x 1-1/2" Polypropylene
- 47527 - 20 G x 3/4" Polypropylene
- 47520 - 18 G x 1-1/2" Polypropylene
- 47510 - 18 G x 1" Polypropylene
- 47505 - 18 G x 3/4" Polypropylene
- 47492 - 16 G x 1/2" Polypropylene
- 47480 - 16 G x 1" Polypropylene
- 47558 - 18 x 1-1/2" Aluminum
- 47557 - 18 x 3/4" Aluminum
- 47556 - 16 x 5/8" Aluminum
- 47531 - 20 G x 1-1/2" Aluminum
- 47508 - 18 G x 5/8" Aluminum
- 47500 - 16 G x 3/4" Aluminum
- 47495 - 16 G x 1-1/2" Aluminum
- 47490 - 16 G x 1" Aluminum
- 47474 - 18 G x 1" Aluminum
- 47525 - 20 G x 1/2" Detectable



Transfer Needle 48375



Awl Needle 19010 - #8 19009 - #5



Needle All Purpose 47740

Surgical Blades



- 47864 - SS # 22 Sterile
- 47863 - SS # 10 Sterile
- 47862 - Carbon Steel # 22 Sterile
- 47861 - Carbon Steel # 10 Sterile
- 47835 - Single
- 47836 - #12 for #3 handle
- 47830 - #10 for #3 handle

Extra Blade Lace Strander/Ski
26317



Scalpel Blade
47865 - #22 #4 Handle




Scalpel Handle
47860 - SS #4
47850 - SS #3

Scalpel Disposable
47834 - #10 & 12 5pk
47820 - Blade w/Handle

Curved Artery Forceps
47261 - 6-1/2"



Straight Forcep Artery
47260 - 6"



Thermometer 5" - 48380



Scissors Utility
47885

Nozzle Feeding 5"
47777



Skin Stapler Disposable
47921

Pet Scope - 47780



Gloves

- 47326 - OB Shoulder Length 1.25mil. 36"
- 47320 - Shoulder Length Blue Nasco
- 47317 - Latex Powder Free Large Ag-Tek
- 47316 - Latex Powder Free Mediu Ag-Tek
- 47315 - Latex Powder Free Small Ag-Tek
- 47310 - Shoulder Sensitive
- 47309 - Latex X-Large
- 47308 - Latex Large Ag-Tek
- 47307 - Latex Medium Ag-Tek
- 47306 - Blue Nitrile LG
- 47305 - Blue Nitrile Medium
- 47303 - Syrvet Latex Medium
- 47300 - Latex Rubber, Short, Large
- 47290 - Latex Rubber, Short, Medium
- 47318 - Latex large Examination Gloves



Suture Kit
47931 - Chromic 70cm
47924 - Surgicryl
47920 - Chrome gut



Aquarium Supplies



39763 - 45 ml
Cubrix

Is an effective medication against diseases caused by parasites and fungi, such as trematodes, ICH, Oodinium. However, it may harm invertebrates so it is advised to remove them from the aquarium before using it.

FORMULA

Copper Sulphate 5H₂O 43mmol/l equal to 27mg/ml of Copper
Thylene-dinitryl-tetra-acethate dissodium 5mg/ml
Formaldehyde 0.47mg/ml
Destilated water a.s.f. 1 ml

DIRECTIONS

On the first day, keep water temperature at 82.4°F and add one drop of Cubrix per each litre of water. For the following 5 days, add only half as much of the initial dosage daily.

39707 - 30 ml

39706 - 60 ml

Green Plus

Treatment against Ich and Fungus

DIRECTIONS

Suppress the activated charcoal use. Add a drop for each litre of water (dose 0.08 ppm of malaquita green and 20 ppm of formaldehyde). Elevate the temperature gradually at 28 centigrade, apply every 48 hours during 4 to 6 days. When finishing the treatment change 25% of the water and renew the use of the activated charcoal.

ACTIVE INGREDIENTS

Malaquite green oxalate and formaldehyde.



39708 - 30 ml

Anti-Chlorine

Chlorine neutraliser with vitamin B1, helps alleviate the harmful effects of stress.

DIRECTIONS

Add 2 drops of Anti-Chlorine for every 4 litres of water and stir well. If the water smells of chlorine (when containing more than 2 ppm), add 3 drops per 4 litres of water

ACTIVE INGREDIENTS

Sodium thiosulfate and vitamin B1 (thiamine).

Item # 39705 - 60 ml

Methylene Blue

Bactericidal and coloring solution for use as preventive and therapeutic. Useful and adjuvant in the treatment of diseases by protozoa, bacteria and fungi in ornamental fish



ACTIVE INGREDIENTS

Methylene Blue

DIRECTIONS

Suppress the use of activated charcoal. As preventive and therapeutic, add a drop of Methylene Blue per liter of water and shake (dose of 1.25 ppm). With sick fish, add four drops per liter (dose of 5 ppm). Elevate the temperature gradually to 28 centigrade and apply every 48 hours during 6 days. When finishing the treatment, change 25% of the water and renew the use of the activated charcoal.



Item # 39709 - 30 ml

Copper Sulphate

Antiparasitic dropper, very effective against ectoparasites in ornamental fish; mainly useful for treating white spot (Cryptocaryon irritans).

DIRECTIONS

For fresh water add 1 drop of copper sulphate per liter of water (dose of 0.15 ppm). Reapply the dose after 72 hours (not exceeding 2 consecutive treatments). If necessary, repeat the treatment after 5 days. After the treatment make a change of 25% water and renew use of activated charcoal.

Item # 39711 - 30 ml

Acriflavina

Treatment of skin diseases and fins caused by bacteria.

DIRECTIONS

Suppress the use of activated carbon. Add 2 drops of Acriflavina per liter of water (dose of 3 ppm). 48 hours after the first treatment may be applied half dose (1 drop per liter) and continue applying every 48 hours. Do not prolong the treatment for more than 6 days. After the treatment make a change of 25% water and renew use of activated charcoal.





Item # 39570 - 4 oz

Aqueon Beta Bowl & Water Conditioner

Instantly conditions tap water making it safe for fish and plants. Developed specifically for smaller bowl and aquariums where filtration and water circulation is limited. Neutralizes harmful chlorine, chloramines, ammonia and heavy metals. Contains trace elements to promote proper health, color and natural slime coat production. Use when preparing tap water for new bowls, making water changes, or when adding water due to evaporation.

DIRECTIONS

Shake well before using. Add 5 ml (1 tsp) of Aqueon Beta Bowl for every 1 gallon of temperature adjusted tap or purified water. Due to the small environment, it is important to perform routine water changes. Change at least half the bowl water weekly.

Item # 39712 - 45 ml

Permaseptic

Is an auxiliary solution in the treatment of some diseases such as argulus infestation and to disinfect wounds and skin sores.

DIRECTIONS

To disinfect aquarium: Empty aquarium, add a pint of water and 30 to 50 drops of solution Permaseptic and wash the tank with this solution. Rinse and Ready!

As a Water Clarifier: Add 1 drop of Permaseptic for every two pints of water, stir it and let stand.

To disinfect aquatic plants and other items: Put the plants or object in a large container and fill with water adding 5 drops of Permaseptic for every two pints of water. Stir and let it stand for 30 minutes.



Item # 39817 - 30 ml

Neutra Stress

Conditioner for freshwater and seawater, contains vitamin B1. Eliminates chlorine, it protects the mucous of the fish and detoxifies heavy metals.

DIRECTIONS

To eliminate chlorine and heavy metals - Add 1 ml. Per 10 liters of water (2 drops per liter).

To restore the damaged mucous of fish - Add 2 ml. Per 10 liters of water (4 drops per liter).

Use it when installing a new aquarium and with every water change.



Item# 39348
Aquatop Clear Magic



Description

Will purify your aquarium water right before your eyes. Forces organics in the aquarium to clump into larger molecules for easier pick-up by your aquarium filter. Helps keep the glass or acrylic walls of your aquarium algae free in between cleanings. Safe for freshwater and saltwater aquariums.

- Item # 39890 - 30ml
- 39889 - 120ml
- 39888 - 250ml
- 39887 - 500ml

Bacteria Cycle

Fast-acting responsive ammonia and nitrite elimination. Consistent performance from each container due to bio-floc technology for improved shelf life and product viability. Ensures that biological pollutants produced by fish are rapidly converted to a non-harmful compound. Helps prevent fish loss. Suitable for freshwater and saltwater aquariums.

DOSAGE

Shake well before using

- New Aquariums

Day 1: 25 mL per 38 L (10 U.S. gal)

Day 2: 10 mL per 38 L (10 U.S. gal)

Day 3: 10 mL per 38 L (10 U.S. gal)

- All regular maintenance activities (water changes, filter maintenance, etc.) 5 mL per 38 L (10 U.S. gal)

- After adding new fish and/or medicating 10 mL per 38 L (10 U.S. gal)

- Weekly dosage to maintain a strong beneficial biological colony 5 mL per 38 L (10 U.S. gal)



Item # 39572 - 4 oz
API Tap Water Conditioner

Super strength formula to instantly remove chlorine and detoxify heavy metals from tap water. Breaks the chloramine bond. Use whenever changing water or adding water to the aquarium. Safe for all aquarium life. One teaspoon treats ten gallons of water.

DIRECTIONS

To remove chlorine and detoxify heavy metals

Add 1 ml per 20 U.S. gallons (75.7 L) of tap water being treated.

To detoxify chloramines(break the chloramines bond)

Add 1 ml per 5 U.S. gallons (18.9 L) of tap water.

Item # 39832 - 3.17 oz

Wardley Premium Cichlid Medium

Was formed for large cichlids. This formula highly digestible and palatable, meets the energetic, protein and vitamin requirements of your fish. Contains a stabilized form of vitamin C that helps wound healing and increases illness resistance and promotes the development of bones and gills.



GUARANTEED ANALYSIS

Crude Protein	min	33.0%
Crude Fat	min	2.5%
Crude Fiber	max	4.5%
Moisture	max	8.0%

FEEDING INSTRUCTIONS

Give your fish only what they can consume in 5 minutes, 2 to 3 times a day.

Item # 39484 - 350 gr.

39475 - 90 gr.

Wardley Gold Fish Pellets

Utilises the latest advances in technology to provide superior nutrition and brilliant colouration for your Goldfish. It includes Canthaxanthin, a superb colour enhancer that brings out vibrant red, yellow and orange hues. Fortified with a stabilised form of Vitamin C, essential for rapid repair of body tissue and enhanced disease resistance.



GUARANTEED ANALYSIS

Crude Protein	min	35.0%
Crude Fat	min	4.0%
Crude Fiber	max	5.0%
Moisture	max	12.0%
NFE	min	34.0%
ASH	max	10.0%

FEEDING INSTRUCTIONS

Feed no more than your fish will consume in 5 minutes. Fish in indoor aquariums, feed once or twice daily. Fish in outdoor pools should be fed 2 to 3 times daily of water temperature exceeds 50°F (10°C).

Item # 39493 - 20 gr.

Wardley, Betta Premium Food

Nutritious ingredients specially blended for bettas. Extraordinary color enhancement is achieved from natural ingredients. Floating mini pellets will not cloud the water.



GUARANTEED ANALYSIS

Crude Protein	min	40%
Crude Fat	min	6%
Crude Fiber	max	3%
Moisture	max	10%
Ascorbic Acid	min	200 mg/kg

FEEDING INSTRUCTIONS

Fish should be fed several times daily. Feed no more than your fish will consume in several minutes. Wardley Premium Betta Food will not cloud water when fed properly.

Item # 39487 - 120 gr.

Wardley Hojuelas Basicas

For tropical fish, advanced formula "C", improved formula, enhances the colors of the fish, improves digestibility.

GUARANTEED ANALYSIS

Crude protein	min	38%
Crude fat	min	5%
Crude fiber	max	3%
Humidity	max	9%
Ascorbic acid	min	200 mg/kg



FEEDING INSTRUCTIONS

Must feed fish several times a day. Do not give them more than what they can consume in 5 minutes.



**Item # 39831 - 25 gr.
Fish Food Bettabit**

Is the best option to feed your Betta fish. It is made from the highest quality natural ingredients. It doesn't cloud water and your fish will love it.

GUARANTEED ANALYSIS

Protein	min	48%
Fat	min	15%
Fiber	max	12%
Ashes	max	11%
Humidity	max	10%

**Item # 39577 - 10gr.
Tetra Tropical Flakes**

The world's favorite tropical fish food. New and improved formula for cleaner and clearer water - guaranteed. Patented ProCare formula helps support fish's immune system for optimal health and long life. Scientifically developed mix of highly nutritious ingredients plus vitamins, minerals and trace elements that's easily digested. Enhances fish's naturally brilliant colors.

GUARANTEED ANALYSIS

Crude Protein	min	47%
Crude Fat	min	10%
Crude Fiber	max	3%
Moisture	max	6%
Phosphorus	min	1%
Vitamin A	min	15,000 IU/KG
Vitamin B12	min	110 uG/KG
Ascorbic Acid	min	390 MG/KG
Inositol	min	1,400 IU/KG
Choline	min	2100 MG/KG
Biotin	min	1 MG/KG
Omega-3 Gatty Acids	min	8,000 MG/KG



FEEDING GUIDE

Feed two to three times daily, only as much as your fish can consume within several minutes.



Item# 34426

APH FLAKE TROPICAL .36OZ

APH's breakthrough formula includes a unique, nutritionally enhanced protein to ensure easy uptake of nutrients, for maximum absorption. Fish more more readily use the nutrients and release less ammonia, for cleaner, clearer water.

GUARANTEED ANALYSIS

crude protein	min	35%
crude fat	min	5%
crude fiber	max	4%
moister	max	7%

FEEDING GUIDE

Feed twice a day.Sprinkle a few flakes per fish, only as much as they can consume with in 3minutes.

Item# 34427
APH FOOD FLAKES
GOLD FISH



APH's breakthrough formula includes a unique, nutritionally enhanced protein to ensure easy uptake of nutrients, for maximum absorption. Fish more more readily use the nutrients and release less ammonia, for cleaner, clearer water.

GUARANTEED ANALYSIS

crude protein	min	35%
crude fat	min	5%
crude fiber	max	4%
moister	max	7%

FEEDING GUIDE

Feed twice a day.Sprinkle a few flakes per fish, only as much as they can consume with in 3minutes.

Item# 34450

AQUEON TROPICAL FLAKES .45OZ

Premium ingredients that naturally attract fish, support a healthy immune system, bring out their true colors and provide essentials for proper growth and vitality.



GUARANTEED ANALYSIS

crude protein(min).....	41%
crude fat(min).....	7%
crude fiber(max).....	3%
crude fiber(max).....	3%
moister(max).....	8%
phosphorus(min).....	1%

FEEDING INTRUCTIONS

Feed several times daily in small amounts that will be consume by fish with in three minutes.



Item# 34452

ELIVE BETTA FOOD .15OZ

Were developed with unique formulas and premium ingredients to keep betta fish healthy, energetic, and colorful. High quality proteins, algae, garlic and brine shimp formulated with added vitamins and minerals specific for betta fish.

Feeding Instructions

Feed 2 to 5 granules once daily, as much as the fish will consume in 2 to 3 minutes. Adjust the food quantity accordingly.

GUARANTEED ANALYSIS

crude protein.....min. 42%
 crude fat.....min. 6%
 crude fiber.....max. 2%
 moister.....max. 9%



Item# 34451

ELIVE TROPICAL FLAKE .50 OZ

Were developed with unique formulas and premium ingredients to keep tropical fish healthy, energetic and colorful. High quality proteins, algae, garlic, and brine shrimp formulated with added vitamins and minerals for a variety of freshwater tropical fish species.

FEEDING INSTRUCTIONS

feed 2 to 3 times a day in small amounts as much as the fish will consume in 2 to 3 minutes. Adjust the food quantity accordingly.

GUARANTEED ANALYSIS

crude protein	min. 40%	ASH	max 8%
crude fat	min. 5%	moisture	max 8%
crude fat	max. 1.5%		



Item# 34447

HIKARI TROP ALGAE WAFERS 20GM

A perfect balance of premium select ingredients developed to promote proper growth and desirable from in the most herbivorous species. Contains higher levels of vegetable matter and multiple algae that plecostomus and other algae eaters prefer.

GUARANTEED ANALYSIS

crude protein	min.33%	Vitamin A	min.8 700 IU/kg
crude fat	min.4.0%	Vitamin D3	min.. 1 300 IU/kg
crude fiber	max.3.0%	Vitamin E	min. 1 700 IU/kg
moisture	max.10%	Ascorbic Acid	min.190 mg/kg
ASH	max. 17%		
phosphorus	min. 0.8%		




Item# 34445
JUNGLE NO MORE ALGAE LIQUID 4OZ

For Aquariums and containerized ponds only no more Algae helps inhibit growth of many types of algae in fresh water aquariums and back yard, home ponds(limited to a maximum capacity of 3,000 gallons(11,000L). Also retards growth of supended algae blooms and algae which grow on the side of the backyard ponds and aquariums.

ACTIVE INGREDIENTS

copper sulfate pentahydrate	0.05%
diuron (3-(3,4-dichlorophenyl)dimethylurea.....	0.67%
other ingredients.....	<u>99.28%</u>
total.....	100.00%



Item# 34448
OCN ALGAE WAFERS 2.6OZ

Algae Wafers are an easily digestible, highly palatable sinking food for herbivorous bottom feeding fish. Algae wafers are a balanced blend of all the minerals, vitamins and proteins needed for healthy development. Algae Wafers are specially fortified with Spirulina algae, and are formulated with the finest ingredients making them easy to eat and easy to digest.

GUARANTEED ANALYSIS

crude protein (min).....	36.2%
crude fat (min).....	8.1%
crude fiber (max).....	0.2%
moister (min).....	10.5%
ash (max).....	7.3%
phosphorus (min).....	1.0%

FEEDING INSTRUCTIONS

feed only the number of wafers that your fish will eat with in a short period of time



Item# 34449
OCN COMMUNITY FORMULA FLAKE 10Z

Ocean Nutrition provides quality food for aquatic pets through their specialized RDF Frozen Foods Formula. Super Color Enhancing for Carnivorous/Omnivorous Fish, the Rapid Delivery Formulation provides the best in nutrition. Preserving Life and Beauty through Nutrition, Use Ocean Nutrition for all your aquatic needs.

GUARANTEED ANALYSIS

crude protein (min).....	53.0%
crude fat(min).....	15.3%
crude fiber (max).....	8.0%
ash (max).....	4.0%
phosphorus (min).....	0.6%

FEEDING INSTRUCTIONS:

Feed one to three times daily. do not feed more than can be eating in five minute period. for best results use in combination with other formula flake foods.



Item# 34454

SFB INSTANT MEAL BOX TURTLE LARGE

Healthy Herb box turtle food instant meal is all natural contains no preservatives and is healthy & nutritious. this food has been specifically mixed for boxed turtles.

FEEDING INSTUCTIONS

remove lid fill cup 1/2 way with worm water wait 5-8 minutes, place in stepping stone feeding dish or empty into food dish. This product has been lighted dusted with calcium, because different reptiles have different needs, please be familiar with your animals requirement supplement accordingly. Thid product can be used as a daily diet, addition diet or treat.

Duaranteed Analysis

crude protein..min.. 28.5%
 crude fat.....min...6.5%
 crude fiber.....max..4.0%
 moisture.....max..10.0%
 calcium.....min...0.5%
 phosphorus ...min....0.3%



Item# 34439

TSN TETRAFIN PLUS .42OZ

contains extra vegetables matter to help keep goldfish in peak condition. Specialized high protein fish meal makes this tetras most digestable flake food ever. optimal digestibility means fewer uneaten particles and reduced fish waste for cleaner clearer water. Incudes patented scientifically developed procare blend. This mix of highly nutritious ingredients plus vitamins minerals and trace elements helps support fish immune system for optimal health and long life. Enhances fish's naturally brillant colors.

GUARANTEED ANLYSIS

min crude protein.....44.0%
 min crude fat12.0%
 max crude fiber.....3.0%
 max moister.....8.0%
 min phosphorus.....1.0%
 min ascorbic acid (vit.c).....390 mk/kg

FFEDING GUIDE

Feed two to three times daily only as much as your fish can consume with in several minutes.



Item# 34436

TSN BETTAMIN FOOD .42OZ

Specialized combination of small thin red flakes and freeze dried brine shrimp formulated to maximized acceptance. Precise amounts of select vitamins and nutrients help support fish's immune system. Omega-3 fatty acid the healthy fat Betta fish need for energy and growth.

GUARANTEED ANALYSIS

min crude protein.....48.0%
 min crude fat.....10.0%
 max crude fiber.....1.5%
 min phosphorus.....1.1%

FEEDING GUIDE

feed once or twice daily as much as the fish can concumewith in several minutes.



Item# 34062
Aqueon Betta Feeder 3 day 4PK

Naturally attract fish
Support a healthy immune system
Bring out true colors in fish
Provides essentials for proper growth and vitality



Item# 34061
Aqueon Betta Feeder 7 day 6pk

Naturally attract fish
Support a healthy immune system
Bring out true colors in fish
Provides essentials for proper growth and vitality



Item# 34063
Aqueon Betta Food .5oz

Designed With Your Aquatic Pets Safety And Health In Mind
Quality driven, Competitive Price, and Ease of use with Aqueo

Guaranteed Analysis

Crude Protein (min) .. 38%	Moisture (max) 8%
Crude Fat (min) 7%	Phosphorus (min) .. 1%
Crude Fiber (max) 7%	

Ingredients:

Whole Fish Meal (Herring & other mixed fishes), Whole Wheat Flour, Soybean Meal, Shrimp Meal, Wheat Germ, Corn Gluten Meal, Fish Oil, Squid Meal, Garlic, Astaxanthin, Dicalcium Phosphate, Dried Yeast, Choline Chloride, Calcium Propionate (a preservative), L-ascorbyl-2-polyphosphate (source of vitamin C), Vitamin A Acetate, Cholecalciferol (source of vitamin D3), Riboflavin Supplement, Vitamin B12 Supplement, Niacin, Menadione Sodium Bisulfite Complex (source of vitamin K activity), Folic Acid, Thiamine Mononitrate, Pyridoxine Hydrochloride (source of vitamin B6), Calcium Pantothenate, Biotin, dl-a-tocopherol acetate (source of vitamin E), Manganese Sulfate, Cobalt Sulfate, Ferrous Sulfate, Copper Sulfate



Item# 34435
TSN COLOR TROPICAL FLAKE .24OZ

Designed to help promote development of natural pink to orange-red colors of tropical fish. Patented procare formula help support fish's immune system for optimal health and long life. Scientifically developed mix of highly nutritious ingredients plus vitamins, minerals and trace elements. Enhances fish's naturally brilliant colors.

FEEDING GUIDE

Feed two to three times daily, only as much as your fish can consume within several minutes.

GUARANTEED ANALYSIS

min crude protein.....	49.0%
min crude fat.....	10.0%
max crude fiber.....	2.0%
max moisture.....	6.0%
min phosphorus.....	1.3%
min vitamin A.....	10,000 iu/kg
min vit. D3.....	1,900 iu/kg
min vit E.....	110 iu/kg
min biotin.....	1 mg/kg
min ascorbic acid.....	(vit.c) 206 mg/kg
min omega-3 fatty acids.....	8,000 mg/kg



Item# 34056
Aqueon Gold Fish Flakes

Will not cloud water

-Provides balanced nutrition for daily feeding of goldfish and other ornamental pond fish

-Formulated with natural ingredients and colors with added vitamins, minerals and trace nutrients for a healthy diet

-Helps support a healthy immune system and bring out the true colors of your fish

-Specially formulated so that fish utilize more of what they eat, creating less waste



Item# 34076
Hikari cich staple med pell 2oz

The unique formulation, offering natural ingredients in an extremely digestible form, offers excellent nutrient utilization.
 Developed to help your pet live a long and health-filled life, while promoting excellent growth and superior form.
 Offers a taste and texture your pet will eagerly accept.

FEEDING

Feed two to three times daily the amount your fish will completely consume in a few minutes. Care should be taken to avoid over-feeding. Please remove uneaten food after the feeding period.

Guaranteed Analysis

Crude Protein	Crude Fat	Crude Fiber	Moisture	Ash	Phosphorus
baby min. 32%	min. 4%	max. 5%	max. 10%	max. 12%	min. 0.7%
mini medium					
large min. 35%	min. 3%	max. 5%	max. 10%	max. 13%	min. 1.0%



Item# 34054
OCN Goldfish Formula Flakes 1oz

Specially Formulated Flakes for Goldfish

Highly attractive stable food formulated for goldfish
 Appropriate protein content
 Supports coloration and will help maintain health and vitality
 Formulated and tested by aquaculture biologists
 Does not cloud the water

Ingredients

Condensed fish protein digest, salmon, wheat gluten, fish meal, wheat flour, plankton, wheat starch, lecithin, vitamins [a-tocopheral acetate (source of vitamin E), L-ascorbic acid (source of vitamin C), calcium pantothenate, riboflavin (source of vitamin B2), pyridoxine hydrochloride (source of vitamin B6), niacin, menadione sodium bisulfite complex (source of vitamin K3 activity), rosemary extract (preservative), folic acid, thiamine mononitrate (source of vitamin B1), biotin, vitamin B12 supplement, vitamin A supplement, cholecalciferol (source of vitamin D3)], minerals [choline chloride, magnesium sulfate, iron, inositol, calcium carbonate, zinc sulfate, sodium selenite, manganese sulfate, calcium iodate, cobalt carbonate], dried kelp, fish oil (salmon), annatto seed, marigold, salmon eggs, mussels, brine shrimp, cochineal, paprika.

Guaranteed Analysis

crude protein(min)....32.6
 crude fat(min).....14.1
 crude fiber(max).....0.7
 moisture(max).....6.0
 ash(max).....4.2
 phosphorus(min).....0.5



Item# 34067
Pell Float Mini Turtle 1.66oz

Feeding Guide

feed one to two times per day only as much as your pet can consume within several minutes.

Ingredients

wheat starch, fish meal, dry yeast, shrimp meal, potato, protein, calcium, carbonate, Dehulled, soy bean meal, wheat gluten.

Item# 34066

TSN Reptomin Baby sticks .92oz

Description




1. A Nutritious, Calcium-Fortified Diet for Smaller Water Turtles and Amphibians
2. ReptoMin Baby Sticks are smaller and a bit softer than regular ReptoMin
3. Also calcium content is slightly higher to optimally support shell and bone development

Feeding

Feed one or two times a day as much as your pet can consume between several minutes.

Item# 39347

TSN Easystrips Test Strip 6INL



Tetra Aquarium Test Strips work quickly to provide accurate results and help you to treat your aquarium effectively. Just dip and read.

Results for chlorine, nitrate, nitrite, general hardness (GH), alkalinity (KH) and pH

Reactions stop at 60 seconds.

Item# 34059
TSN Baby Shrimps



Feeding Guide

Feed two to three times a week in conjunction with other tetra primary foods like tetramin. Feed only as much as your fish can consume within several minutes. For smaller fish gently break with your fingers.

Guaranteed Analysis

Min. crude protein 44%
Min crude fat 6%
Max crude fiber 6.5%
Max Moisture 14%
Min Phosphorus 0.9%

Ingredients

sun dried baby fresh water shrimp

Item# 34053

TSN Tropical Granules 1.5oz



This slow sinking bite sized food is ideal for smaller tropical fish. Improved formula for cleaner and clearer water guaranteed. Scientifically developed mix of highly nutritious ingredients plus vitamins, minerals and trace elements that's easily digested. Enhances fish's naturally brilliant colors.

Feeding Guide

For best results feed in conjunction with tetra min flakes and tablets two to three times daily as much as your fish can consume within several minutes. For bettas feed only a few granules per feeding

Guaranteed Analysis

min crude protein 46%
min crude fat 7%
max crude fiber 2%
max moisture 8%
min phosphorus 1.4%
min Ascorbic acid (vit.c)

Ingredients

fish meal, feeding oat meal, corn gluten, potato protein, dried yeast, shrimp meal, wheat flour, ground brown rice, wheat gluten, fish oil, monobasic calcium phosphate, dehydrated alfalfa meal, L-lysine



Item# 34057

TSN PRO Crisps Goldfish .6oz

Description

Nutritionally balanced diet, feeds cleaner than ordinary flakes, leaving less waste in the aquarium and in the can.

Each goldfish crisp is made using an exclusive low-heat process which preserves essential vitamins for a healthier nutritious diet.

Feeding Guide

Each fish species has different feeding requirements. In general feed 2-3 times daily, only as much as your fish can consume with in three minutes

Guaranteed Analysis

- min crude protein 36%
- min crude fat 14%
- max crude fiber 3%
- max moisture 8%
- min phosphorus 0.7%
- min Ascorbic acid (vit.c)
218 MG/KG min. Carnitine 136 MG/KG
- min biotin 1.1 MG/KG



Item# 34065

Zoomed Reptisticks 1 OZ

Description

Zoo Med's floating Reptisticks are specially formulated to meet the needs of aquatic species of turtles, newts, frogs and crabs. Zoo Med has over 25 years of experience researching the nutritional requirements of reptiles and developing foods that meet their needs.

Ingredients

Fish meal, soybean meal, wheat flour, wheat starch, shrimp meal, corn flour, soy protein concentrate, wheat gluten, kale, fish oil, brewer's dried yeast, lecithin, dicalcium phosphate, choline chloride, L-ascorbyl-2-polyphosphate (source of stabilized vitamin c), vitamin E supplement, niacin, d-calcium pantothenate, riboflavin, thiamine mononitrate, biotin, pyridoxine hydrochloride, folic acid, vitamin A supplement, vitamin D3 supplement, vitamin B12 supplement, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, sodium selenite, potassium iodate, green 3, propionic acid (a natural preservative).


Feeding Guideline

Feed one to two times daily. Place a small portion of floating RepticSticks in the water and allow them to eat for up to 5 minutes. Remove any uneaten food with a net after one hour. For additional variety, offer your turtles Zoo Med's Can O' Shrimp and turtle treats.

Nutritional Analysis

- Crude protein...min 35%
- Crude fat.....min 5%
- Crude fiber.....max 3%
- Moisture.....max 10%
- Ash.....max 11%
- Calcium.....min 1.8%
- Calcium.....max 2.3%
- Phosphorus.....min 1%
- Vitamin C.....min 55 mg/lb

Sunny Goldfish Pellets
39467



Tortugueta
39692 - Normal
39691 - Starter
39690 - Minibits

Lomas Tropical Pellets
39468 - 90gr.



Wardley Reptile Sticks
39486 - 300gr.
39479 - 70gr.



Resun Automatic Fish Feeder
39632 - AF-2005D
39631 - AF-2005
39630 - AF-2003



Fish


66000 - Gold
66001 - Black Mora
66002 - Calico
66003 - Beta
66004 - Angel
66007 - Coy
66008 - Sword Tails
66009 - Mollies
66010 - Placid
66011 - Guppies
66012 - Cleaner
66013 - Shibunki
66014 - Cicklets
66015 - Dran Gold



66016 - Pengastus
66017 - Red Platis
66018 - Cichlids
66019 - Parrot
66020 - Red Tail Black Shark
66021 - Piranhas
66022 - Monjas
66023 - Iredescent Shark
66024 - Silver Shark
66025 - Small Gold
66026 - Zebra
66027 - Small Koi
66030 - Gourami

Net

- 39688 - Strong DBL 6"
- 39687 - Strong DBL 14"
- 39686 - Strong DBL 12"
- 39685 - Strong DBL 8"
- 39684 - Strong DBL 7"
- 39682 - Economic 6"
- 39681 - Economic 5"
- 39680 - Economic 4"
- 39563 - Top Fine 3"



BioPro Replacement Filter

- 39626 - BP800
- 39625 - BP500
- 39624 - BP300
- 39623 - BP200



Bubble Curtain AZOO

- 34042 - 120cm
- 34039 - 90cm
- 34038 - 75cm
- 34037 - 60cm



Marina Air Bubble Stick

- 39593 - 30.5cm
- 39592 - 10cm
- 39591 - 15cm



Aquarium Thermometer

34111




Boyu Replacement Filter

- 39618 - WF-2015
- 39617 - WF-2025



BioPro Air Bubble Stick

- 39604 - Round 3"
- 39602 - Round 5"
- 39595 - 50cm
- 39594 - 40cm
- 39590 - 20 cm
- 39403 - 15cm
- 39402 - 30cm



Boyu Replacement Lamp

39666

BioPro L Aquarium Lamp CL-28

39658



Aqueon Power Filter Cartridges

39531 - Small



Aquarium Top Dymax Lid

- 39640 - IQ3
- 39641 - IQ5



Item# 39314

Elive Betta cube .75Gal silver/black



Aquarium Full Hood Light

- 39379 - 16"
- 39378 - 50cm



Item# 39342
Lee plastic tee



Item# 39345
Lee tubing Economy Roll 500"



Item# 39314
Elive betta cleaning brush

Boyu PH Pentester
39636 - PH-01



Boyu PH Tester
39637 - PH-101



Aquarium Test Strips
39532 - API 5in

API Freshwater Master & Mini
Test Kit - 39541



Nutrafin pH Test A7815
39635



Optima Air Pump
39613



Item# 34423
**AQUATOP PUMP
SUBMERSIBLE 95GPH
Fish Bowl**



Item# 34418
DANNER PUMP MINI 35GPH



Elite Air Pump
39612 - 802
39611 - 801
39416 - 800

- 39656 - Cup Large
- 39655 - Cup Medium
- 39654 - Glass Round #10
- 39653 - Glass Oval #8
- 39652 - Glass Round #8
- 39651 - Glass Round w/Tie
- 39649 - Glass Oval #6
- 39648 - Glass Round #6
- 39647 - Glass Round #5
- 39646 - Glass Round #4
- 39359 - Glass 8"
- 34467 -koller pet hex bowl 1 gallon
- 34424-lee breeder two way guppy
- 39324-Koller Pet Sphere Bowl 1 gallon
- 39327- koller pet vase bowl 1 gallon
- 39322- koller glass round bowl .5gallon
- 39326-koller glass betta bowl sm 30oz



Item# 34415

34416

ELIVE BETTA FILTER W/NATURAL PLANT



Elive Filters keep your water clean and clear, making them perfect for your small aquarium or betta bowl! Improve the quality of your betta's water and cut back on time consuming water changes! Includes replaceable carbon and sponge cartridge. Rated for aquariums and bowls from 0.5 to 3 gallons.

Item# 34458

ELIVE BETTA FILTER CARTRIDGE 2P



Elive Filters keep your water clean and clear, making them perfect for your small aquarium or betta bowl! Improve the quality of your betta's water and cut back on time consuming water changes!

Boyu Air Pump

- 39614 - S-9902
- 39610 - U9900
- 39609 - S200A
- 39608 - SA-1500
- 39607 - S-1000A
- 39606 - S-800
- 39605 - S500A7



BioPro Aquarium Magnetic Cleaner

- 39600 - X-Large
- 39599 - Small



Pump w/Batteries

39830



Sunny Magnetic Cleaner

- 39598 - SGC-15
- 39597 - SGC-10
- 39596 - SGC-05



Aquarium Platform

- 39408 - 40cm
- 39407 - 50cm
- 39406 - 20cm



Aquarium Hose

39405

Aquarium Heater

- 34119 - 300w
- 34118 - 250w
- 34117 - 100w
- 34116 - 75w
- 34115 - 50w



Underwater Filter

- 39638 - SP2500B
- 39634 - SP2500A
- 39633 - SP2300B
- 39629 - SP2300A
- 39628 - SP1800B
- 39627 - SP1800A



Filters Power Whisper In-Tank

39536 - 10 Gallon

BioPro Waterfall Style Filter

- 39622 - BP800
- 39621 - BP500
- 39620 - BP300
- 39619 - BP200



Aquaclear Filter

39678 - 110 #A620

Boyu Waterfall Style Filter

- 39616 - WF-2025
- 39615 - WF-2015

Replacement Carbon Aquaclear

- 39683 - 110 # A-621
- 39679 - 110 # A-622



**Item# 39343
TSN Whisper Bio Bag Med 1pk**

**Item# 39333
39332
Mland cart 1pk**



Aquarium Lamp

- 39898 - Dymax 150CM
- 39897 - Dymax 120CM
- 39896 - Dymax 100CM
- 39895 - Dymax 90CM
- 39894 - Sunny 75CM
- 39893 - Sunny 60CM
- 39892 - Panaromic
- 39891 - 50CM



Aquarium Filter Boyu 3 gal.
39833



Submersible Pump

- 39839 - 2500
- 39838 - 2300
- 39837 - 1800
- 39836 - 1000
- 39834 - SP-100
- 39503 -1200



Aquarium Filter Platform

- 39704 - 120CM
- 39509 - 75CM
- 39508 - Paranomic 50CM
- 39507 - 90CM
- 39506 - 60CM



Item# 34468
LEE GRAVEL VAC CLEAN
SLIM JR 12



Fin, Fish, Feathers & Inc.


Item# 34469
LEE GRAVEL VAC W
NOZZLE 24"SLV



Item# 34470
LEE ULTIMATE GRAVEL
VAC KIT 50"



Item#34422
TSN PUMP AIR PUMP KIT APK100



Item# 34419
TSN WHISPER POWER
LIFTER 10



Item# 34420
TSN POND WATER
GARDEN PUMP 325G



Item# 34421
TSN POND FILTER
FOUND KIT FK3 SMALL



Item: 39335
39336
39334
39337
JW Airstone Aircore 4", 1", 6"



Item# 39344
TSN Whisper Bio Bag SM 31 pk

Aquariums

- 39912 - 75 cm
- 39911 - 60 cm
- 39910 - 90 cm
- 39801 - Square
- 39800 - Paranormic
- 39664 - Boyu Mine Betta MBA-3
- 39663 - Boyu Kit MT-30
- 39662 - Boyu Kit MT-402
- 39661 - Boyu Kit 80LT MT-50
- 39660 - Boyu Kit 20LT ZI-201
- 39659 - Boyu Kit BYG-26
- 39657 - Boyu Night NA-3
- 39643 - Boyu Night NA-1
- 39642 - Acrylic Dymax IQ5
- 39639 - Acrylic Dymax IQ3
- 39539 - Top Fin 1 Bettascene
- 39524 - Marineland Crescent 5 Gallon
- 39523 - Tetra W/Whisper 101 Filter
- 39521 - Aqueon Deluxe Kit
- 39492 - Betta Pack
- 39490 - Complete Medium
- 39447 - Lg Rectangle
- 39436 - Betta Kit
- 39434 - Super Kit
- 39433 - Mini Rectangle
- 39399 - Medium Rectangle Front 50cm
- 39397 - X-Large Complet Rectangle
- 39396 - X-Large w/Decorations
- 39394 - X-Large Oval Shape
- 39388 - X-Small w/out Pump 20cm
- 39387 - Complete X-Small 20cm
- 39386 - Large Complete Rectangle 50cm
- 34015 - ZDT-10115
- 34009 - Boyu ea60
- 34008 - Cresent
- 34004 - Hexagon LJ-430
- 39346-Bio Aqua Terra Black 1gal



Tortuguero

- 39464 - Small Round
- 39463 - Mini Oval Shape
- 39462 - Medium Round
- 39460 - Medium Oval Shape
- 39437 - Flexible Med. Oval Shape
- 39371 - Turtle Shape



Airstone
34114 - Small
34113 - Medium



Aquarium Colored Gravel
39424



Aquarium Sand
39835 - Brown
39820 - White



Gravel Potato
39823



Gravel Neon
39824 - Small
39821 - Big



Gravel
39822 - White
34047 - Blue
34044 - Red
34043 - Purple




Volcanic Rocks

39829 - XLG
39828 - LG
39827 - MD
39826 - SM
39825



Aquarium Plants

39675 - 20" Assorted
39674 - 12" Assorted
39673 - 8" Assorted
39672 - Small Assorted
39671 - Small
39579 - Water Lily Top Fin
39578 - Plastic Small Top Fin
39568 - Green/Purple Top Fin
39567 - Plastic Hairgrass Mini Top Fin
39566 - Plastic Leaf Mini Top Fin
39565 - Mini Top Fin
39556 - Top Fin Blue Pond Penny
39555 - Glofish Small GITD Plastic
39554 - Top Fin Green Peacock
39544 - Bamboo X-Small
34404-Glofish plant blue medium
34402-Aquatop Plant Bacop
34411-Elive Plant Blue Cabomba Small
34410-Zoomed Betta Plant Papaya
34409-zoomed Betta Plant Bamboo
34413-Elive Plant Red Crypt Small






- Glofish plant yellow medium 6"-----34405
- Glofish plant orange medium 6"-----34406
- Glofish plant Green medium 6"-----34403
- Glofish plant pink medium 6"-----34401
- Gloplant blue Large 9"-----36440
- Elive Plant lindernia tch small-----34412
- Elive plant blue ludwigia small-----34414
- TSN wonderland plant 4 pk-----39319
- PPX Beta plant 6pk Green-----39312
- PPX Beta PLants 6pk-----39313

Aquarium Ornaments

- 39384 - Tree Stump
- 39385 - Boat X-Large
- 39427 - Medium Castle
- 39428 - Lighthouse Decorations
- 39429 - Boat
- 39430 - Stone Arch Decorations
- 39545 - Fin Pirate Ship
- 39547 - Ribbon Blue Sea Turtle
- 39548 - Treasure Chest
- 39840 - Rock w/Roof & Plants
- 39841 - Rock w/Mill & House
- 39842 - Blue Dragon
- 39843 - Helicopter w/Rocks
- 39844 - Island of Rocks
- 39845 - Crocodile Head
- 39847 - White Shell
- 39848 - Yellow Crab
- 39849 - White Croc Head
- 39850 - High Rock w/Mill
- 39851 - Agualang (Scuba MD)
- 39852 - Castle w/ Rock & Bridge
- 39853 - 2 Tower Castle Blue
- 39854 - Castle Med
- 39855 - Sydney Castle
- 39856 - Castle DBL red w/bridge
- 39857 - Cliff w.ruins
- 39858 - London Castle Tower
- 39859 - Mill w/movement



- 39860 - Log MD
- 39861 - Castle Big
- 39862 - Castle LG
- 39863 - Turtle Rock
- 39864 - Chest
- 39865 - Double Castle SM
- 39866 - Lighthouse
- 39867 - Broken Bridge
- 39868 - Big Log Trunk
- 39869 - Mill w/rock big
- 39870 - Rocks w/Ship
- 39871 - Blue Small Ship
- 39872 - Pirate Ship LG
- 39873 - 3 Flag Ship MD
- 39874 - 3 Flag Ship LG
- 39875 - Mini Decor Assorted
- 39876 - Squid House SM
- 39877 - Mionions SM
- 39878 - Mini Castle #05
- 39879 - Mini Castle #10
- 39880 - Mini Castle #09
- 39881 - Ship w/Waves
- 39882 - Sponge Bob House
- 39883 - Squid House LG
- 39884 - Patrick Bubble
- 39885 - Squid Bubble
- 39886 - Sponge Bob Bubble

Aquarium Decorations

- 39913 - Mogan Ship
- 39914 - Boot
- 39915 - Small Trunk
- 39916 - Ship Large
- 39917 - Ship Medium
- 39918 - Black Beard Boat
- 39919 - Jumbo Castle
- 39920 - Mini Castle
- 39921 - Sign
- 39922 - Cabana
- 39923 - Rain-Bow Castle
- 39924 - Large Coral
- 39925 - Coral w/oster medium
- 39926 - Turtle
- 39927 - Barrel Large
- 39928 - Broken Barrel
- 39929 - Shoe
- 39930 - Cabana and Cafe
- 39931 - Biopro Ship
- 39932 - Coral
- 39764 - Octopus Brown
- 39762 - Hideout Trunk #42
- 39761 - Pineapple Large
- 39760 - Standing Trunk #43
- 39759 - Lighthouse Medium #14
- 39758 - Sunken Ship #45
- 39757 - Rocks #36
- 39756 - Sponge Bob Pirate
- 39755 - Turtle Deck #38
- 39754 - Three Volcanos #44
- 39753 - Castle Small #6
- 39752 - Octagonal Lighthouse #16
- 39751 - Three Flag Broken Ship
- 39750 - Hideout Trunk #41
- 39729 - Hideout Trunk #57
- 39728 - Large Castle #2
- 39727 - Large Castle #57
- 39724 - Trunk Over Rock
- 39723 - French Castle #65
- 39722 - Moving Starfish
- 39721 - Embedded Roots w/Plants
- 39719 - Pirate Sailing Boat
- 39718 - Trunk Roots w/Plants
- 39717 - Bamboo w/stone
- 39716 - Crocodile
- 39715 - Breeding Turtle



- 39714 - Crab w/movement
- 39713 - Moving Calm w/Pearl
- 39703 - Castle on Rock w/Water
- 39702 - Aqueduct
- 39701 - Purple Rock
- 39519 - Yellow Coral w/Movement
- 39518 - Coral 3
- 39517 - Castle 3 Tower Small
- 39516 - Blue Diver w/Chest
- 39514 - Blue Ship
- 39513 - Green Ship Large
- 39512 - Green Ship Small
- 39511 - Stand Tower
- 39384 - Tree Stump
- 39367 - Diver w/Movement
- 39366 - Broken Submarine
- 39365 - Oyster w/Movement
- 39364 - Moving Puffer Fish
- 39363 - Castle Big #12
- 39358 - Lighthouse w/Mill
- 39357 - Tower w/House/Mill
- 39356 - Yel Octopus w/Mill
- 39355 - Little House w/Mill
- 39354 - Chest w/Movement
- 39353 - Barrel w/Skeleton
- 39352 - Sunken Ship w/Movement
- 39310-Carib Jelly Beans






- 34471-Estes malaysian drift wood small
- 34466-Elive orman PNK princess castle
- 34465-BLRIB EE AKII castles
- 34464- brib EE AKII bamboo bridge
- 34463- blrib EE AKII temple ruins
- 34408-blrib cb cluster plum mini
- 34407-blrib cb sword cluster grn mini
- 39309-Carib Gemstone Creek 20lb
- 39308-carib Snowy River
- 34075-Gold Fish Aquar Gravel PNK
- 34073-Gold Fish Aquar Gravel 5lb
- 34074-Glofish Aquar Gravel BLK 5lb
- 39317-Glofish Plants Multi Pack 3pk
- 39318-Glofish plants Multi Pack 3pk




Ralston Breakfast Cereal



Essentially You Vanilla Almond 14607 - 12.4oz



Enriched Bran Flakes 14300 - 17.3oz



Frosted Shredded Wheat 14330 - 18oz



Frosted Flakes 14326 - 15oz



Oats N More Honey 14423 - 14.5oz



Oats N More Almonds 14420 - 14.5oz



Crunchy Granola Raisin Bran 14225 - 18.2oz



Raisin Bran 14460 - 20oz



Corn Flakes 14200 - 12oz
14210 - 18oz



Crispy Rice 14240 - 12oz




Rice Biscuits 14490 - 12.8oz



Corn Biscuits 14180 - 14oz



Tasteeos
14530 - 14oz



Honey & Nut Tasteeos
14360 - 12.25oz



Apple Cinnamon Tasteeos
14100 - 12.9oz




Magic Stars
14400 - 11.5oz



Fruit Rings
14340 - 12.2oz



Crisp Crunch
14230 - 14oz



Berry Treet
14150 - 13oz



Kookies
14395 - 11.25oz



Cocoa Crunchies
14160 - 11.8oz



Peanut Butter & Cocoa
14165 - 13oz



Fruit & Creamy Variety
14342 - 12.3oz

- 14450 - Quick Oats 18oz.
- 14440 - Quick Oats 42oz.
- 14430 - Old Fshion Oats 42oz.
- 14070 - 3MN Quick Oats 42oz.
- 14030 - 3MN Old Fashioned 42oz.

