

PROVISIONAL CHECKLIST OF VASCULAR
PLANTS FOR THE
KOREA PENINSULA FLORA (KPF)



CHIN-SUNG CHANG, HUI KIM, & KAE SUN CHANG

T.B. Lee Herbarium (SNUA)
Department of Forest Sciences and The Arboretum
Seoul National University, Seoul, 151-921
Department of Medicinal Plants Resources
Mokpo National University and Institute of Oriental Medicine,
Muan-gun 534-729
Korea National Arboretum, Pocheon 487-821, Korea
quercus@snu.ac.kr

Updated June 2014

PROVISIONAL CHECKLIST OF VASCULAR
PLANTS FOR THE
KOREA PENINSULA FLORA (KPF)



PROVISIONAL CHECKLIST OF VASCULAR
PLANTS FOR THE
KOREA PENINSULA FLORA (KPF)

초판 1쇄 인쇄 : 2014, 06

초판 1쇄 발행 : 2014, 06

지은이 : 장진성, 김 휘, 장계선

펴낸이 : 김은경, 김광규

펴낸곳 : 디자인포스트

출판등록번호 : 406-2012-000028

주소 : 경기도 파주시 조리읍 만선골길 44

전화 : 031-916-9516

E-mail : post0036@naver.com

ISBN : 978-89-968648-2-0

ISBN : 978-89-968648-3-7(PDF)

값 : 10,000원

Copyright 2014 by CHIN-SUNG CHANG, HUI KIM, & KAE SUN CHANG

Published by DESIGNPOST

TEL : 031-916-9516

E-mail : post0036@naver.com

ISBN : 978-89-968648-2-0

ISBN : 978-89-968648-3-7(PDF)

값:10,000원



ISBN 978-89-968648-2-0

PROVISIONAL CHECKLIST OF VASCULAR PLANTS FOR THE KOREA PENINSULA FLORA (KPF)

CHIN-SUNG CHANG, HUI KIM, & KAE SUN CHANG

T.B. Lee Herbarium (SNUA)
Department of Forest Sciences and The Arboretum
Seoul National University, Seoul, 151-921
Department of Medicinal Plants Resources
Mokpo National University and Institute of Oriental Medicine,
Muan-gun 534-729
Korea National Arboretum, Pocheon 487-821, Korea
quercus@snu.ac.kr

(Updated June 2014)

Suggested citation:

Chang, C.-S., H. Kim, & K.S. CHANG. 2014. Provisional Checklist of Vascular Plants for the Korea Peninsula Flora (KPF) (Version 1.0). 660 pp.

Retrievable from T.B. Lee Herbarium (<http://hosting03.snu.ac.kr/~quercus1>).

The authors retain the rights irrespective of its electronic posting. **Please circulate freely.**

The first author take full responsibility for all oversights and errors.

This checklist was developed using the BRAHMS (Botanical Research And Herbarium Management System).

We have worked with the Korea National Arboretum to publish our research findings and other such documents. This has allowed us to concentrate on developing the material for such publications while we work with them to ensure that the material is published.

DEDICATED TO MY TEACHER, LATE PROF.
Tchang Bok Lee WHO SPARKED MY INTEREST IN
PLANT TAXONOMY

TABLE OF CONTENTS

Table of Contents - - - - -	3
Introduction - - - - -	4
Taxonomic List - - - - -	7
I. Pteridophytes (Fern Allies and True Ferns) - - - - -	7
II. Gymnosperms: Conifers (Cone-bearing Naked-seed Plants) - - - - -	48
III. Monocots (Flowering Plants) - - - - -	58
IV. Dicots (Flowering Plants)- - - - -	199
List of the taxa excluded - - - - -	632
References - - - - -	652

INTRODUCTION

This provisional checklist is a compilation of the native and naturalized pteridophytes, conifers and flowering plants recorded in the Korea peninsula. It represents an updating of the floral listings in Lee (1976). Since then numerous taxonomic (and resultant nomenclatural) changes have been proposed by recent revisionary studies, often with molecular data inputs reinterpreting classification. We have consulted recent publication of *Generic Flora of Korea* (Park et al., 2007), and the plant database, which called 'Korea Plant Names Index' at the Korea National Arboretum (query provided by Chang, Kae-Sun, 2012). When personal experience with regard to particular plant groups contradicted recent innovations, however, our preferred alternative taxonomic interpretations are followed in this catalogue.

Although new or different names may be uncomfortable to most people, students pick up new names easily, and it is our obligation to teach what we perceive to represent the best and most recent studies and reflect that in our herbaria.

At the specific and infraspecific levels taxonomic opinion often differs between taxonomists assessing variation globally and those having extensive but mostly localized field experience. Since localized variation is not evaluated in the context of variation globally by many Korean taxonomists, a proliferation of heterotypic synonyms typically takes place subsequently. Pronounced indications of the local versus global tension is found with several families. In compiling the checklist wider treatments have been considered with overall breadth of taxonomic experience.

It is unfortunate that the larger national and university herbaria of our region are so unaligned nomenclaturally. Curators and collections managers in these herbaria should consider whether adoption of the nomenclature presented here more broadly and correctly. These institutes lag behind other countries, where curators work collaboratively at documenting and disseminating data electronically about their regional flora.

The plant families here are alphabetically arranged under the following four major vascular plant groups: I. Pteridophytes (Fern Allies and True Ferns); II. Gymnosperms: Conifers (Cone-bearing Naked-seed Plants); III. Monocots (Flowering Plants); and IV. Dicots (Flowering Plants). In turn, the genera, species, subspecies, and varieties are listed alphabetically under their respective families. For each taxon entry, the accepted scientific name is given with its authorship, followed by its Korean name. Names of accepted taxa appear on the far left-hand margin. Synonyms of accepted taxa are placed in indented below each accepted taxon. The attribution of names and synonyms is based on their use in one or more of the standard floras or checklists.

Cross-referencing is provided for alternate names often used in more recent literatures for genus-level name changes, although not for changed species' epithets within a genus which the listed synonyms should help to clarify. Nearly all invalidly published names (ca. 200 names) and isonyms to the Korean Plant Names Index database have been removed here since those are not 'synonyms'. Finally, following the synonymy list for each listed taxon, brief status indicators are given using the following abbreviations as defined below for presence/origin status:

Presence and Origin Indicators:

Nat – native taxa: the indigenous or original species in Korea.

N Korea – distribution in North Korea

S Korea – distribution in South Korea

Int – naturalized exotic taxa (broadly defined as all non-native plant taxa, whether deliberately or accidentally introduced, that have become established in the natural flora, including cultivated plants and adventive plants never becoming naturally established).

Endemic – includes taxa that may range within the Korea peninsular and adjacent islands, but excludes taxa in adjacent countries. Our designations of endemism should not be taken as authoritative; additional confirmation is needed in many instances, and expanded ranges in adjacent states beyond our region are found frequently.

Approximate Numerical Summaries

Numerical summaries should be taken as only approximations of local diversity levels.

Inclusion of a taxon for which only a few specimens were collected before the second world war, and which has not collected or seen thereafter, inflates the real situation in Korea.

We have not re-evaluated records known only from 50 years ago or longer.

Families: 203

Genera: 1,179

Species: 3,381

Nothotaxa (species of hybrid origin): 38

Infraspecific taxa: 224

Total: Species + infraspecific taxa: 3,605

Regional endemics: 64

Introduced taxa total: 661

Introduced taxa in flora by percent: 18.3%

Taxonomic treatments are reviews that identify the taxa that are accepted by the first author of the treatment. Therefore, the taxonomic treatments of this checklist may not coincide with the Korea Plant Names Index at the time of publication.

Acknowledgments

Earlier incarnations of this Checklist built from earlier checklists and databases produced or maintained by Tchang Bok Lee.

Support for development and maintenance of the Checklist comes from the Korea Forest Service [Project number: S121212L020100 & S121212L020110] to C.S. Chang].

TAXONOMIC LIST

I. PTERIDOPHYTES (Ferns and Fern Allies)

ADIANTACEAE

Adiantum L.

Adiantum capillus-junonis Rupr., Dist. Crypt. Vasc. Ross. 49 (1845) Nat. S Korea
암공작고사리

Adiantum cantoniense Hance, Ann. Sci. Nat., Bot. ser. 5, 15: 229 (1861)

Adiantum capillus-veneris L., Sp. Pl. 1096 (1753) Nat. S Korea 봉작고사리

Adiantum capillus Sw., J. Bot. (Schrader) 1800(2): 83 (1801)

Adiantum formosum R.Br., Prodr. Fl. Nov. Holland. 155 (1810)

Adiantum michelii Christ, Bull. Acad. Int. Géogr. Bot. 20(2/243): 12 (1910)

Adiantum modestum Underw., Bull. Torrey Bot. Club 28(1): 46 (1901)

Adiantum remyanum Espinosa, Bol. Mus. Nac. Hist. Nat. Santiago de Chile 15: 96, t. 3 (1936)

Adiantum schaffneri E.Fourn., Bull. Soc. Bot. France 27: 328 (1880)

Adiantum monochlamys Eaton, Proc. Amer. Acad. Arts 4: 110 (1858) Nat. S Korea

섬공작고사리

Adiantum monochlamys Eaton var. *plurisorum* Christ, Bull. Acad. Int. Géogr. Bot. 11: 4 (1910)

Adiantum veitchii Hance, Ann. Sci. Nat., Bot. ser. 5, 15: 229 (1861)

Adiantum venustum D.Don var. *monochlamys* (Eaton) Keyserl., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 22(2): 36 (1875)

Adiantum pedatum L., Sp. Pl. 2: 1095 (1753) Nat. N Korea, S Korea 공작고사리

Adiantum pedatum L. var. *aleuticum* Rupr., Beitr. Pflanzenk. Russ. Reiches 3: 49 (1845)

Adiantum pedatum L. var. *glaucinum* Christ, J. Wash. Acad. Sci. 17(19): 498 (1927)

Adiantum pedatum L. var. *kamtschaticum* Rupr., Beitr. Pflanzenk. Russ. Reiches 3: 49 (1845)

Cheilanthes Sw.

Cheilanthes argentea (S.G.Gmel.) Kunze, Linnaea 23: 242 (1850) Nat. N Korea, S Korea

부쑥갓고사리

Aleuritopteris argentea (S.G.Gmel.) Fée, Mem. Foug., 5. Gen. Filic. 5: 154 (1852)

Aleuritopteris argentea (S.G.Gmel.) Fée var. *obscura* (Christ) Ching, Hong Kong Naturalist 10(3-4): 198 (1941)

Allosorus argenteus (S.G.Gmel.) C.Presl, Tent. Pterid. 153 (1836)

Cheilanthes argentea (S.G.Gmel.) Kunze f. *obscura* (Christ) Kitag., J. Jap. Bot. 41: 368 (1966)

Cheilanthes argentea (S.G.Gmel.) Kunze var. *obscura* Christ, Nuovo Giorn. Bot. Ital. 4: 88 (1844)

Pteris argentea S.G.Gmel., Novi Comment. Acad. Sci. Imp. Petrop. 12: 519 (1768)

Cheilanthes chusana Hook., Sp. Fil. 2: 95, pl. 106B (1852) Nat. N Korea, S Korea

개부쑥갓고사리

Adiantopsis fordii (Baker) C.Chr., Index Filic. 22 (1905)

Cheilanthes boltonii Copel., Fragm. Fl. Philipp. 3: 192 (1905)

Cheilanthes fordii Baker, J. Bot. 1879: 304 (1879)

Cheilosoria chusana (Hook.) Ching, J. Arnold Arbor. 64 (1): 19 (1983)

***Cheilanthes kuhnii* Milde, Bot. Zeitung (Berlin) 1867: 149 (1867) Nat: N Korea, S Korea
산부짓깃고사리**

Aleuritopteris caesia (Christ) Ching, Hong Kong Naturalist 10: 202 (1941)

Aleuritopteris kuhnii (Milde) Ching, Hong Kong Naturalist 10: 202 (1941)

Cheilanthes caesia Christ, Bull. Acad. Int. Géogr. Bot. 16: 133 (1906)

Cheilanthes kuhnii Milde var. *caesia* (Christ) C.Chr., Acta Horti Gothob. 1: 90 (1924)

Cheilanthes lanceolata C.Chr., Bot. Gaz. 56: 334 (1913)

Leptolepidium caesium (Christ) K.H.Shing & S.K.Wu, Acta Bot. Yunnan. 1: 117 (1979)

Coniogramme Fée

***Coniogramme fauriei* Hieron., Hedwigia 57: 320 (1916) Nat: S Korea 개가지고비고사리**

Coniogramme japonica (Thunb.) Diels var. *fauriei* (Hieron.) Tagawa, J. Jap. Bot. 15: 427 (1939)

Coniogramme simplicior Ching f. *concinna* H.G.Zhou, Guihaia 13: 131 (1993)

Coniogramme simplicior Ching, Acta Bot. Yunnan. 3: 237 (1981)

***Coniogramme intermedia* Hieron., Hedwigia 57: 301 (1916) Nat: N Korea, S Korea**

고비고사리

Coniogramme fraxinea (D.Don) Fée ex Diels var. *intermedia* (Hieron.) Christ, Acta Horti Gothob. 1: 83 (1924)

Coniogramme guangdongensis Ching, Acta Bot. Yunnan. 3: 235 (1981)

Coniogramme intermedia Hieron. f. *striata* H.G.Zhou, Guihaia 13: 131 (1993)

Coniogramme intermedia Hieron. f. *villosa* (Ching) Sa.Kurata, Hokuuriko J. Bot. 4: 115 (1955)

Coniogramme intermedia Hieron. var. *glabra* Ching, Icon. Filic. Sin. 3: t. 143 (1935)

Coniogramme intermedia Hieron. var. *villosa* Ching, Icon. Filic. Sin. 3: t. 143 (1935)

Coniogramme latibasis Ching, Acta Bot. Yunnan. 3: 234 (1981)

Coniogramme maxima Ching & K.H.Shing, Acta Bot. Yunnan. 3: 232 (1981)

***Coniogramme japonica* (Thunb.) Diels, Nat. Pflanzenfam. 1(4): 262 (1899) Nat: S Korea**

가지고비고사리

Coniogramme gracilis Ogata, J. Jap. Bot. 11: 32, f. 4 (1935)

Dictyogramme japonica (Thunb.) Fée, Mem. Foug., 5. Gen. Filic. 171, t. 15A, f. 2 (1850)

Gymnogramma japonica (Thunb.) Desv., Berlin. Mag. 5: 305 (1811)

Hemionitis japonica Thunb., Fl. Jap. (Thunberg) 333 (1784)

Notogramme japonica (Thunb.) C.Presl, Epimel. Bot. 263 (1849)

Cryptogramma R.Br.

***Cryptogramma crispa* (L.) R.Br. ex Rich., Narr. Journey Polar Sea 767 (1823) Nat: N Korea, S Korea 북바위고사리**

Osmunda crispa L., Sp. Pl. 107 (1753)

Phorolobus crispus (L.) Desv., Mem. Soc. Linn. Paris 6: 291 (1827)

ASPLENIACEAE

Asplenium L.

***Asplenium anogrammoides* Christ, Repert. Spec. Nov. Regni Veg. 5: 11 (1908) Nat: S Korea**

돌담고사리

Asplenium sarelii Hook. var. *anogrammoides* (Christ) Tagawa, J. Jap. Bot. 27: 322 (1952)

***Asplenium castaneoviride* Baker, Ann. Bot. (Oxford) 5: 304 (1891) Nat: S Korea**
거미꼬리고사리

Asplenium kobayashii Tagawa, Acta Phytotax. Geobot. 1: 309 (1932)

Asplenosorus castaneoviridis (Baker) Nakaike, New Fl. Jap. Pterid. 839 (1992)

***Asplenium incisum* Thunb., Trans. Linn. Soc. London 2: 342 (1794) Nat: N Korea, S Korea**
꼬리고사리

***Asplenium komarovii* Akasawa, Bull. Kochi Women's Univ., Ser. Nat. Sci. 10: 26 (1962) Nat:**
N Korea, S Korea 골고사리

Asplenium scolopendrium L. subsp. *japonicum* (Kom.) Rasbach & Reichst. & Viane,
Biol. Jaarb. 59: 162 (1991)

Phyllitis japonica Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 192 (1932)

***Asplenium nidus* L., Sp. Pl. 2: 1079 (1753) Nat: S Korea** 파초일엽

Asplenium antiquum Makino, J. Jap. Bot. 6: 32 (1929)

Asplenium australasicum (J.Sm.) Hook., Fil. Exot. t. 88 (1858)

Neottopteris antiqua (Makino) Masam., Trans. Nat. Hist. Soc. Taiwan 22(121): 215 (1932)

Neottopteris australasica J.Sm., Cult. Ferns 49 (1857)

Neottopteris mauritiana Fée, Mem. Foug., 5. Gen. Filic. 203 (1850)

Neottopteris nidus (L.) J.Sm., J. Bot. (Hooker) 3: 409 (1841)

Neottopteris rigida Fée, Mem. Foug., 5. Gen. Filic. 203 (1850)

***Asplenium normale* D.Don, Prodr. Fl. Nepal. 7 (1825) Nat: S Korea** 갯고사리

Asplenium boreale (Ohwi ex Kurata) Nakaike, New Fl. Jap. Pterid. 839 (1992)

Asplenium multijugum Wall. ex Mett., Abh. Senckenberg. Naturf. Ges. 135 (1859)

Asplenium normale D.Don var. *boreale* Ohwi ex Kurata, J. Geobot. 11: 100 (1963)

Asplenium opacum Kunze, Linnæa 24: 261 (1851)

Asplenium rectangularare Bonap., Notes Pteridol. 16: 189 (1925)

***Asplenium pekinense* Hance, J. Bot. 5(57): 262 (1867) Nat: S Korea** 사철고사리

Asplenium abbreviatum Makino, Bot. Mag. (Tokyo) 13: 12 (1899)

Asplenium sarelii Hook. var. *pekinense* (Hance) C.Chr., Index Filic. 125 (1905)

***Asplenium prolongatum* Hook., Sec. Cent. Ferns pl. 42 (1860) Nat: S Korea** 숫돌담고사리

***Asplenium ritoense* Hayata, Icon. Pl. Formosan. 4: 226 (1914) Nat: S Korea** 쪽잔고사리

***Asplenium ruprechtii* Sa.Kurata, Enum. Jap. Pterid. 325 (1961) Nat: N Korea, S Korea**
거미고사리

Antigramma sibirica J.Sm., Hist. Fil. 331 (1875)

Camptosorus sibiricus Rupr., Beitr. Pflanzenk. Russ. Reiches 3: 45 (1845)

Phyllitis sibirica (J.Sm.) Kuntze, Revis. Gen. Pl. 2: 818 (1891)

***Asplenium ruta-muraria* L., Sp. Pl. 2: 1081 (1753) Nat: S Korea** 돌좁고사리

Amesium ruta-muraria (L.) Newman, Hist. Brit. Ferns, ed. 2 10 (1844)

Asplenium cryptolepis Fernald, Rhodora 30(351): 41 (1928)

Asplenium ruta-muraria L. var. *subtenuifolium* Christ, Hedwigia 42(5): 167 (1903)

Asplenium subtenuifolium (Christ) Ching & S.H.Wu, Acta Phytotax. Sin. 23: 3 (1985)

***Asplenium tenerum* G.Forst., Fl. Ins. Austr. 80 (1786) Nat: S Korea** 천녀고사리

Darea tenera (G.Forst.) Spreng., J. Bot. (Schrader) 1799: 269 (1799)

***Asplenium trichomanes* L., Sp. Pl. 2: 1080 (1753) Nat: S Korea 차꼬리고사리**

Asplenium melanocaulon Willd., Enum. Pl. (Willdenow) 1072 (1809)

Asplenium trichomanes L. subsp. *bivalens* D.E.Mey., Ber. Deutsch. Bot. Ges. 74: 456 (1962)

Asplenium trichomanes L. subsp. *quadrivalens* D.E.Mey., Ber. Deutsch. Bot. Ges. 74: 456 (1962)

***Asplenium tripteropus* Nakai, Bot. Mag. (Tokyo) 44: 9 (1930) Nat: S Korea 개차꼬리고사리**

Asplenium anceps var. *proliferum* Nakai, Bot. Mag. (Tokyo) 47(555): 172 (1933)

Asplenium trialatum C.Chr., Dansk Bot. Ark. 9(3): 54 (1937)

***Asplenium varians* Wall. ex Hook. & Grev., Icon. Filic. 2(9): pl.172 (1830) Nat: N Korea, S Korea 애기꼬리고사리**

Asplenium lankongense Ching, Bull. Fan Mem. Inst. Biol. Bot. n.s. 1: 276 (1949)

***Asplenium wilfordii* Mett. ex Kuhn, Linnaea 36: 94 (1869) Nat: S Korea 수수고사리**

Asplenidictyum curtides (Christ) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 15 (1952)

Asplenium curtides (Christ) Koidz., Bot. Mag. (Tokyo) 43: 388 (1929)

Asplenium wilfordii Mett. ex Kuhn var. *curtides* Christ, Bull. Herb. Boissier 4: 667 (1896)

Tarachia wilfordii (Mett. ex Kuhn) H.Itô, Bot. Mag. (Tokyo) 43: 23 (1939)

***Asplenium wrightii* D.C.Eaton ex Hook., Sp. Fil. 3: 113 (1860) Nat: S Korea 눈썹고사리**

Diplazium Sw.

***Diplazium chinense* (Baker) C.Chr., Index Filic. 229 (1905) Nat: S Korea 압고사리**

Allantodia chinensis (Baker) Ching, Acta Phytotax. Sin. 9: 57 (1964)

Asplenium chinense Baker, Syn. Fil. (Hooker & Baker) 237 (1867)

Diplazium kodamae Nakai, Bot. Mag. (Tokyo) 28: 84 (1914)

Diplazium nagamanum Makino, Bot. Mag. (Tokyo) 13: 14 (1899)

Diplazium orientale Rosenst., Repert. Spec. Nov. Regni Veg. 13: 129 (1914)

***Diplazium hachijoense* Nakai, Bot. Mag. (Tokyo) 35: 148 (1921) Nat: S Korea 섬잔고사리**

Allantodia hachijoensis (Nakai) Ching, Acta Phytotax. Sin. 9: 55 (1964)

Allantodia omeiensis (Ching) Ching, Acta Phytotax. Sin. 9: 53 (1964)

Athyrium hachijoense (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 100 (1956)

Diplazium omeiense Ching, Bull. Fan Mem. Inst. Biol. 2: 204, pl. 20 (1931)

Diplazium siroyamaense Tagawa, Acta Phytotax. Geobot. 2: 197 (1933)

***Diplazium mesosorum* (Makino) Koidz., Bot. Mag. (Tokyo) 38: 112 (1924) Nat: S Korea 큰개고사리**

Asplenium mesosorum Makino, Bot. Mag. (Tokyo) 12: 120 (1898)

Athyrium mesosorum (Makino) Makino, Bot. Mag. (Tokyo) 13: 82 (1898)

Rhachidosorus mesosorus (Makino) Ching, Acta Phytotax. Sin. 9: 74 (1964)

***Diplazium nipponicum* Tagawa, Acta Phytotax. Geobot. 2: 197 (1933) Nat: S Korea 큰섬잔고사리**

Allantodia nipponica (Tagawa) Ching, Acta Phytotax. Sin. 9: 56 (1964)

***Diplazium okudairai* Makino, Bot. Mag. (Tokyo) 20(236): 84 (1906) Nat: S Korea 개툭고사리**

Allantodia okudairai (Makino) Ching, Acta Phytotax. Sin. 9(1): 49 (1964)
Athyrium okudairai (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3(2): 100 (1957)

***Diplazium sibiricum* (Turcz. ex Kunze) Sa.Kurata, Enum. Jap. Pterid. 340 (1961) Nat: N Korea, S Korea 두메고사리**

Aspidium crenatum Sommerf., Kongl. Vetensk. Acad. Handl. 1834: 102 (1835)
Asplenium sibiricum Turcz. ex Kunze, Analecta Pteridogr. 25, pl.15 (1837)
Athyrium crenatum (Summerf.) Rupr., Spic. Pl. Fenn. 2: 14 (1844)
Athyrium crenatum (Summerf.) Rupr. var. *glabrum* Tagawa, Acta Phytotax. Geobot. 11: 238 (1942)
Athyrium idoneum Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 148 (1916)
Athyrium mite Christ, Bull. Acad. Int. Géogr. Bot. 20: 36 (1909)
Diplazium sibiricum (Turcz. ex Kunze) Sa.Kurata var. *glabrum* (Tagawa) Sa.Kurata, Enum. Jap. Pterid. 340 (1961)
Diplazium sommerfeldii A.Löve & D.Löve, Taxon 26: 326 (1977)

***Diplazium squamigerum* (Mett.) C.Hope, J. Bombay Nat. Hist. Soc. 14: 259 (1902) Nat: S Korea 내장고사리**

Allantodia squamigera (Mett.) Ching, Acta Phytotax. Sin. 9: 55 (1964)
Asplenium squamigerum Mett., Ann. Mus. Bot. Lugduno-Batavi 2: 239 (1866)
Athyrium squamigerum (Mett.) Ohwi, Fl. Jap. Pterid. 124 (1957)

***Diplazium subsinuatum* (Wall. ex Hook. & Grev.) Tagawa, Col. Ill. Jap. Pterid. 1: 135 (1959) Nat: S Korea 버들참빗**

Asplenium subsinuatum Wall. ex Hook. & Grev., Icon. Filic. 1: pl. 27 (1827)
Micropodium lanceum (Thunb.) J.Sm., Hist. Fil. 323 (1875)
Neotriblemma lancea (Thunb.) Nakaike, J. Nippon Fernist Club 3(Suppl. 2): 128 (2004)
Triblemma lancea (Thunb.) Ching, Acta Phytotax. Sin. 16: 24 (1978)

***Diplazium virescens* Kunze, Bot. Zeitung (Berlin) 6: 537 (1848) Nat: S Korea 검정비늘고사리**

Asplenium virescens (Kunze) Mett., Abh. Senckenberg. Naturf. Ges. 6: 191 (1859)
Athyrium virescens (Kunze) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3(2): 100 (1956)
Diplazium allantodioides Ching, Bull. Fan Mem. Inst. Biol. 2: 203, pl. 18, 19 (1931)
Diplazium lutchuense Koidz., Bot. Mag. (Tokyo) 38: 106 (1924)
Diplazium okinawaense Tagawa, Acta Phytotax. Geobot. 2: 199 (1933)

***Diplazium wichurae* (Mett.) Diels, Nat. Pflanzenfam. 1(4): 226 (1899) Nat: S Korea 주름고사리**

Allantodia wichurae (Mett.) Ching, Acta Phytotax. Sin. 9: 49 (1964)
Asplenium wichurae Mett., Ann. Mus. Bot. Lugduno-Batavi 2: 237 (1866)

Hymenasplenium Hayata

***Hymenasplenium hondoense* (Murak. & Hatan.) Nakaike, New Fl. Jap. Pterid. 841 (1992) Nat: S Korea 지느러미고사리**

Asplenium hondoense N.Murak. & Hatan., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 14: 191 (1988)

BLECHNACEAE

Woodwardia Sm.

***Woodwardia japonica* (L.f.) Sm., Mem. Acad. Roy. Sci. Turin 5: 411 (1793) Nat: S Korea**
새깃아재비

Blechnum japonicum L.f., Suppl. Pl. 447 (1781)

DAVALLIACEAE

Davallia Smith.

***Davallia mariesii* T.Moore ex Baker, Ann. Bot. (Oxford) 5: 201 (1891) Nat: N Korea, S Korea**
넉줄고사리

Davallia stenolepis Hayata, Icon. Pl. Formosan. 4: 204, f. 138 (1914)

Nephrolepis Schott

***Nephrolepis cordifolia* (L.) C.Presl, Tent. Pterid. 79 (1836) Nat: S Korea 줄고사리**

Aspidium cordifolium (L.) Sw., J. Bot. (Schrader) 1800: 32 (1801)

Aspidium tuberosum Bory ex Willd., Sp. Pl. (ed. 5; Willdenow) 5: 234 (1810)

Nephrodium tuberosum (Bory ex Willd.) Desv., Mem. Soc. Linn. Paris 6: 252 (1827)

Nephrolepis auriculata (L.) Trimen, J. Linn. Soc., Bot. 24(160): 152 (1887)

Nephrolepis cordifolia (L.) C.Presl var. *tuberosa* (Bory ex Willd.) Baker, Fl. Bras. (Martius) 1: 491 (1870)

Nephrolepis exaltata (L.) Schott var. *tuberosa* (Bory ex Willd.) Kuntze, Revis. Gen. Pl. 2: 816 (1891)

Polypodium auriculatum L., Sp. Pl. 2: 1088 (1753)

Polypodium cordifolium L., Sp. Pl. 2: 1089 (1753)

Onychium Kaulf.

***Onychium japonicum* (Thunb.) Kunze, Bot. Zeitung (Berlin) 6: 507 (1848) Nat: S Korea**
선바위고사리

Caenopteris japonica (Thunb.) Thunb., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 9: 161 (1795)

Cryptogramma japonica (Thunb.) Prantl, Bot. Jahrb. Syst. 3: 413 (1882)

Trichomanes japonicum Franch. & Sav., Enum. Pl. Jap. 207 (1879)

Thelypteris Adans.

***Thelypteris japonica* (Baker) Ching, Bull. Fan Mem. Inst. Biol. 6: 312 (1936) Nat: N Korea, S Korea**
지네고사리

Lastrea japonica (Baker) Copel. var. *glabrata* (Ching) Ohwi, Fl. Jap. Pterid. 98 (1957)

Lastrea japonica (Baker) Copel., Gen. Fil. (Copeland) 139 (1947)

Nephrodium japonicum Baker, Ann. Bot. (Oxford) 5: 318 (1891)

Parathelypteris japonica (Baker) Ching, Acta Phytotax. Sin. 8: 304 (1963)

Thelypteris japonica (Baker) Ching var. *glabrata* Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 313 (1936)

Wagneriopteris japonica (Baker) A.Löve & D.Löve, Taxon 26(2-3): 325 (1977)

***Thelypteris laxa* (Franch. & Sav.) Ching, Bull. Fan Mem. Inst. Biol. 6: 333 (1936) Nat: S Korea**
드문고사리

Aspidium laxum Franch. & Sav., Enum. Pl. Jap. 2: 237 (1876)

Lastrea laxa (Franch. & Sav.) Copel., Gen. Fil. (Copeland) 139 (1947)

Metathelypteris laxa (Franch. & Sav.) Ching, Acta Phytotax. Sin. 8: 306 (1963)

Nephrodium laxum (Franch. & Sav.) Diels, Bot. Jahrb. Syst. 29: 189 (1900)

***Thelypteris nipponica* (Franch. & Sav.) Copel., Bull. Fan Mem. Inst. Biol. 6: 309 (1936) Nat: N Korea, S Korea 키다리켜녀고사리**

Aspidium nipponicum Franch. & Sav., Enum. Pl. Jap. 2: 242 (1876)

Dryopteris nipponica (Franch. & Sav.) C.Chr., Index Filic. 5: 279 (1905)

Lastrea nipponica (Franch. & Sav.) Copel., Gen. Fil. (Copeland) 139 (1947)

Parathelypteris nipponica (Franch. & Sav.) Ching var. *borealis* (H.Hara) K.H.Shing, Fl. Reipubl. Popularis Sin. 4: 37 (1999)

Parathelypteris nipponica (Franch. & Sav.) Ching, Acta Phytotax. Sin. 8: 302 (1963)

Thelypteris nipponica (Franch. & Sav.) Copel. var. *borealis* (H.Hara) H.Hara, Bot. Mag. (Tokyo) 52: 621 (1938)

***Thelypteris viridifrons* Tagawa, J. Jap. Bot. 12: 747 (1936) Nat: S Korea 푸른각시고사리**

Lastrea viridifrons (Tagawa) Tagawa, Acta Phytotax. Geobot. 15: 14 (1953)

Macrothelypteris viridifrons (Tagawa) Ching, Acta Phytotax. Sin. 8: 310 (1963)

DENNSTAEDTIACEAE

Dennstaedtia Bernhardi

***Dennstaedtia hirsuta* (Sw.) Mett. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 181 (1867) Nat: N Korea, S Korea 잔고사리**

Davallia hirsuta Sw., J. Bot. (Schrader) 1800(2): 87 (1801)

Davallia pilosella Hook., Sec. Cent. Ferns 96, pl. 96 (1861)

Microlepia pilosella (Hook.) T.Moore, Index Fil. (T. Moore) 298 (1861)

***Dennstaedtia scabra* (Wall. ex Hook.) T.Moore, Index Fil. (T. Moore) 307 (1861) Nat: N Korea, S Korea 사철잔고사리**

Dicksonia scabra Wall. ex Hook., Sp. Fil. 1: 80 (1844)

Patania scabra (Wall. ex Hook.) Bedd., Suppl. Ferns S. Ind. 2 (1876)

***Dennstaedtia wilfordii* (T.Moore) Christ, Geogr. Farne 192, 195 (1910) Nat: N Korea, S Korea 황고사리**

Davallia wilfordii (T.Moore) Baker, Syn. Fil. (Hooker & Baker) 98 (1867)

Microlepia wilfordii T.Moore, Index Fil. (T. Moore) 299 (1861)

Hypolepis Bernhardi.

***Hypolepis punctata* (Thunb.) Mett., Filic. Afr. 120 (1868) Nat: S Korea 점고사리**

Dryopteris punctata (Thunb.) C.Chr., Index Filic. 5: 287 (1905)

Nephrodium punctatum (Thunb.) Diels, Nat. Pflanzenfam. 1(4): 117 (1899)

Phegopteris punctata (Thunb.) Mett., Ann. Mus. Bot. Lugduno-Batavi 1(7): 222 (1864)

Polypodium punctatum Thunb., Fl. Jap. (Thunberg) 337 (1784)

Lindsaea Dryand. ex Sm.

***Lindsaea odorata* Roxb., Calcutta J. Nat. Hist. 4: 511 (1844) Nat: S Korea 새깃고사리**

Lindsaea cultrata (Willd.) Sw., Syn. Fil. (Swartz) 119 (1806)

Lindsaea cultrata (Willd.) Sw. var. *japonica* Baker, Syn. Fil. (Hooker & Baker) 105 (1867)

Lindsaea japonica (Baker) Diels, Nat. Pflanzenfam. 1(4): 221 (1899)

Lindsaea odorata Roxb. var. *japonica* (Baker) K.U.Kramer, Gard. Bull. Singapore 26(1): 42 (1972)

Microlepia Presl.

Microlepia marginata (Panz.) C.Chr., Index Filic. 4: 212 (1905) Nat; S Korea 들잔고사리

Davallia marginalis (Thunb.) Baker, Syn. Fil. (Hooker & Baker) 452 (1868)

Dicksonia marginalis (Thunb.) Sw., J. Bot. (Schrader) 1800: 92 (1801)

Polypodium marginatum Panz., Vollst. Pflanzensyst. 13(1): 199 (1786)

Microlepia pseudostrigosa Makino, Bot. Mag. (Tokyo) 28: 337 (1914) Nat; S Korea 접들잔고사리

Microlepia caudifolia Ching, Bull. Fan Mem. Inst. Biol. Bot. ser. 2, 1: 300 (1949)

Microlepia glabra Ching, Fl. Reipubl. Popularis Sin. 2: 361 (1959)

Microlepia micangshanensis X.S.Guo & B.Li, Amer. Fern J. 96: 80 (2006)

Microlepia omeiensis Ching, Bull. Fan Mem. Inst. Biol. Bot. n.s. 1: 301 (1949)

Microlepia sinostrigosa Ching, Fl. Reipubl. Popularis Sin. 2: 360 (1959)

Microlepia wentongensis B.S.Wang, Acta Sci. Nat. Univ. Sunyatseni 1961(2): 47 (1961)

Microlepia strigosa (Thunb.) C.Presl, Epimel. Bot. 95 (1851) Nat; S Korea 돌토끼고사리

Davallia japonica (Sw.) Kunze, Bot. Zeitung (Berlin) 6: 542 (1848)

Davallia strigosa (Thunb.) Kunze, Bot. Zeitung (Berlin) 6: 542 (1848)

Demstaedtia strigosa (Thunb.) J.Sm., Hist. Fil. 65 (1875)

Dicksonia japonica Sw., J. Bot. (Schrader) 1800: 92 (1800)

Trichomanes strigosum Thunb., Fl. Jap. (Thunberg) 339 (1784)

Microlepia x bipinnata (Makino) Shimura, J. Phytogeogr. Taxon. 27: 41 (1979) Nat; S Korea 깃들잔고사리

Microlepia marginata (Panz.) C.Chr. var. *bipinnata* Makino, J. Jap. Bot. 3: 47 (1926)

Sphenomeris Maxon

Sphenomeris biflora (Kaulf.) Tagawa, J. Jap. Bot. 33: 203 (1958) Nat; S Korea 갯바위고사리

Davallia biflora Kaulf., Enum. Filic. 221 (1824)

Sphenomeris chinensis (L.) Maxon, J. Wash. Acad. Sci. 3(5): 144 (1913) Nat; S Korea 바위고사리

Trichomanes chinense L., Sp. Pl. 1099 (1753)

Sphenomeris chusana (L.) Copel., Bernice P. Bishop Mus. Bull. 59: 69 (1929)

DRYOPTERIDACEAE

Arachniodes Blume

Arachniodes amabilis (Blume) Tindale, Contr. New South Wales Natl. Herb. 3(1): 90 (1961) Nat; S Korea 쇠고사리

Arachniodes rhomboidea (Wall. ex Mett.) Ching, Acta Phytotax. Sin. 9: 383 (1964)

Aspidium amabile Blume, Enum. Pl. Javae 2: 165 (1828)

Aspidium controversum Hance, Ann. Sci. Nat., Bot. ser. 4, 18: 235 (1862)

Aspidium rhomboideum Wall. ex Mett., Abh. Senckenberg. Naturf. Ges. 4: 66 (1858)

Byrsopteris amabilis (Blume) C.V.Morton, Amer. Fern J. 50: 153 (1960)

Dryopteris amabilis (Blume) Kuntze, Revis. Gen. Pl. 2: 812 (1891)

Polystichum rhomboideum Schott, Gen. Fil. (Schott) ad t. 9 (1834)
Rumohra amabilis (Blume) Ching, Sinensia 5(1-2): 41 (1934)

***Arachniodes aristata* (G.Forst.) Tindale, Contr. New South Wales Natl. Herb. 3(1): 89 (1961)**
Nat: S Korea 가늌쇠고사리

Dryopteris aristata (G.Forst.) Kuntze, Revis. Gen. Pl. 2: 812 (1891)
Polypodium aristatum G.Forst., Fl. Ins. Austr. 82 (1786)
Rumohra aristata (G.Forst.) Ching, Sinensia 5(1-2): 50 (1934)

***Arachniodes caudata* (Tagawa) Ching, Acta Phytotax. Sin. 9: 384 (1964)** Nat: S Korea
큰쇠고사리

***Arachniodes simplicior* (Makino) Ohwi, J. Jap. Bot. 37(3): 76 (1962)** Nat: S Korea
꼬리쇠고사리

Arachniodes parasimplicior Ching ex Y.T.Hsieh, Bull. Bot. Res., Harbin 11(2): 1 (1991)
Arachniodes simplicior (Makino) Ohwi var. *major* (Tagawa) Ohwi, J. Jap. Bot. 37(3): 76 (1962)
Aspidium aristatum var. *simplicior* Makino, Bot. Mag. (Tokyo) 15: 65 (1901)
Polystichum simplicius (Makino) Tagawa, Acta Phytotax. Geobot. 1(1): 90 (1932)

***Arachniodes sporadosora* (Kunze) Nakaike, Enum. Pterid. Jap.: Filic. 192 (1975)** Nat: S Korea
좁쇠고사리

Aspidium sporadosorum Kunze, Bot. Zeitung (Berlin) 6: 556 (1848)
Rumohra pseudoaristata (Tagawa) H.Itô, J. Jap. Bot. 11(8): 577 (1935)

***Arachniodes standishii* (T.Moore) Ohwi, J. Jap. Bot. 37: 76 (1962)** Nat: S Korea 일색고사리

Byrsopteris standishii (T.Moore) C.V.Morton, Amer. Fern J. 50: 152 (1961)
Lastrea standishii T.Moore, Gard. Chron. 292 (1863)
Polystichopsis standishii (T.Moore) Tagawa, J. Jap. Bot. 33: 95 (1958)
Rumohra standishii (T.Moore) Ching, Sinensia 5: 64 (1934)

Ctenitis C.Chr. & Tardieu

***Ctenitis sinii* (Ching) Ohwi, Fl. Jap. Pterid. 92 (1957)** Nat: S Korea 남방고사리

Ataxipteris sinii (Ching) Holttum, Blumea 30(1): 10, f. 1f, t. 1c, e, f 10 (1984)
Ctenitopsis sinii (Ching) Ching, Bull. Fan Mem. Inst. Biol. Bot. 8(5): 319 (1938)
Tectaria sinii Ching, Bull. Biol. Sun Yatsen Univ. 6: 22 (1933)

Cyrtomium C.Presl

***Cyrtomium caryotideum* (Wall. ex Hook. & Grev.) C.Presl, Tent. Pterid. 86, pl. 2, f. 26 (1836)**
Nat: S Korea 참쇠고비

***Cyrtomium devexiscapulae* (Koidz.) Koidz. & Ching, Bull. Chin. Bot. Soc. 2 (2): 96 (1936)**
Nat: S Korea 긴잎도깨비쇠고비

Cyrtomium falcatum (L.f.) C.Presl var. *devexiscapulae* (Koidz.) Tagawa, Acta Phytotax. Geobot. 3: 60 (1934)
Phanerophlebia falcata var. *devexiscapulae* (Koidz.) Ohwi, Fl. Jap. Pterid. 69 (1957)
Polystichum devexiscapulae Koidz., Acta Phytotax. Geobot. 1: 33 (1932)

***Cyrtomium falcatum* (L.f.) C.Presl, Tent. Pterid. 86 (1836)** Nat: N Korea, S Korea
도깨비쇠고비

Aspidium falcatum (L.f.) Sw., J. Bot. (Schrader) 1800(2): 31 (1801)
Dryopteris falcata (L.f.) Kuntze, Revis. Gen. Pl. 2: 812 (1891)
Polypodium falcatum L.f., Suppl. Pl. 446 (1781)

***Cyrtomium fortunei* J.Sm., Ferns Brit. For. (ed. 1) 286 (1866) Nat: N Korea, S Korea 쇠꼬비**
Aspidium falcatum (L.f.) Sw. var. *fortunei* (J.Sm.) Makino, Bot. Mag. (Tokyo) 10: 212 (1896)
Polystichum fortunei (J.Sm.) Nakai, Bot. Mag. (Tokyo) 39: 116 (1925)

Cyrtomium fortunei* J.Sm. var. *fortunei

***Cyrtomium fortunei* J.Sm. var. *clivicola* (Makino) Tagawa, Acta Phytotax. Geobot. 4: 39 (1935) Nat: S Korea 산쇠꼬비**

Cystopteris fragilis (L.) Bernh., Neues J. Bot. 1: 26 (1805)
Phanerophlebia fortunei var. *clivicola* (Makino) Ohwi, Fl. Jap. Pterid. 69 (1957)
Polypodium fragilis L., Sp. Pl. 1091 (1753)

Cystopteris Bernh.

***Cystopteris sudetica* A.Braun & Milde, Jahresber. Schles. Ges. Vaterl. Cult. 1855: 92 (1855)**
Nat: N Korea 바람고사리

Cystopteris leucosoria Schur, Oesterr. Bot. Z. 8: 328 (1858)
Cystopteris sudetica A.Braun & Milde var. *leptophylla* Milde, Hoh. Sporenpfl. Deutschl. 71 (1865)
Cystopteris sudetica A.Braun & Milde var. *vulgaris* Milde, Hoh. Sporenpfl. Deutschl. 71 (1865)

Dryopsis Holttum & P.J.Edwards

***Dryopsis maximowicziana* (Miq.) C.Chr., Acta Horti Gothob. 1: 63 (1924) Nat: S Korea 흰비늘고사리**

Aspidium maximowiczianum Miq., Ann. Mus. Bot. Lugduno-Batavi 3(6): 178 (1867)
Ctenitis maximowicziana (Miq.) Ching, Bull. Fan Mem. Inst. Biol. 8: 294 (1938)

Dryopteris Adans.

***Dryopteris amurensis* (Milde) Christ, Bull. Acad. Int. Géogr. Bot. 19: 35 (1909) Nat: N Korea 아물고사리**

Aspidium spinulosum var. *amurense* Milde, Fil. Eur. 133 (1867)

***Dryopteris championii* (Benth.) Christ ex Ching, Sinensia 3: 327 (1931) Nat: S Korea 제주지네고사리**

Aspidium championii Benth., Fl. Hongk. 456 (1861)
Dryopteris bullatipaleacea Ching, Bull. Bot. Res., Harbin 2: 65 (1982)
Dryopteris changii Ching, Wuyi Sci. J. 1: 7 (1981)
Dryopteris conferta Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 17 (1987)
Dryopteris huanglungensis Ching, Bot. Res. Academia Sinica 2: 10 (1987)
Dryopteris linganensis Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 23 (1983)
Dryopteris neofuscipes Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 4 (1987)
Dryopteris qinyuanensis Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 7 (1987)
Dryopteris yandongensis Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 13 (1983)
Dryopteris zunyiensis Ching, Bot. Res. Academia Sinica 2: 18 (1987)

***Dryopteris chinensis* (Baker) Koidz., Fl. Symb. Orient.-Asiat. 39 (1930) Nat; N Korea, S Korea** 가는잎죽제비고사리

Aspidium forbesii Hance, J. Bot. 13(151): 198 (1875)

Nephrodium chinense Baker, Syn. Fil. (Hooker & Baker) 278 (1867)

***Dryopteris commixta* Tagawa, Acta Phytotax. Geobot. 2: 190 (1933) Nat; S Korea**

애기톱지네고사리

Dryopteris shangqianensis Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4: 20 (1984)

Dryopteris sinodickinsii Ching ex K.H.Shing & J.F.Cheng, Jiangxi Sci. 8 (3): 46 (1990)

***Dryopteris coreano-montana* Nakai, Bot. Mag. (Tokyo) 35: 132 (1921) Nat; N Korea 북관중**

Dryopteris crassirhizoma Nakai var. *setosa* (Christ) Miyabe & Kudô, J. Fac. Agric.

Hokkaido Imp. Univ. 26 (1): 15 (1930)

Dryopteris filix-mas (L.) Schott var. *setosa* Christ, Bull. Acad. Int. Géogr. Bot. 20: 164 (1909)

***Dryopteris crassirhizoma* Nakai, Cat. Sem. Spor. [1919 & 1920 Lect.] 1: 32 (1920) Nat; N**

Korea, S Korea 관중

Dryopteris buschiana Fomin, Fl. Sibir. Orient. Extremi 5: 52 (1930)

***Dryopteris cycadina* (Franch. & Sav.) C.Chr., Index Filic. 260 (1905) Nat; S Korea**

톱지네고사리

Aspidium cycadinum Franch. & Sav., Enum. Pl. Jap. 2: 236 (1879)

Dryopteris atrata (Wall. ex Kunze) Ching, Sinensia 3: 326 (1933)

Dryopteris fengyangshanensis Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 33 (1983)

Dryopteris longirostrata Ching ex K.H.Shing & J.F.Cheng, Jiangxi Sci. 8 (3): 47 (1990)

Dryopteris pseudatrata Ching, Fl. Fujienica 1: 601 (1982)

***Dryopteris decipiens* (Hook.) Kuntze, Revis. Gen. Pl. 2: 812 (1891) Nat; S Korea**

애기지네고사리

Aspidium decipiens (Hook.) Luerss. ex Engl., Bot. Jahrb. Syst. 4: 360 (1883)

Dryopteris cordipinna Ching & K.H.Shing, Fl. Fujienica 1: 599 (1982)

Dryopteris decipiens var. *diplazioides* (Christ) Ching, Bull. Fan Mem. Inst. Biol. 8: 476 (1938)

Dryopteris integripinnula Ching, Wuyi Sci. J. 1: 7 (1981)

Dryopteris metafuscipes Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 19 (1983)

Dryopteris retrorsopaleacea Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 20 (1983)

Nephrodium decipiens Hook., Sp. Fil. 4: 86 (1862)

Polystichum diplazioides Christ, Bull. Acad. Int. Géogr. Bot. 11: 260 (1902)

***Dryopteris dickinsii* (Franch. & Sav.) C.Chr., Index Filic. 5: 262 (1905) Nat; S Korea**

큰톱지네고사리

Aspidium dickinsii Franch. & Sav., Enum. Pl. Jap. 2: 236 (1876)

Dryopteris basiaurita Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 405 (1938)

Dryopteris okushirensis Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 7: 23 (1918)

Nephrodium dickinsii (Franch. & Sav.) Baker, Ann. Bot. (Oxford) 5: 316 (1891)

***Dryopteris erythrosora* (D.C.Eaton) Kuntze, Revis. Gen. Pl. 2: 812 (1891) Nat; S Korea**

홍지네고사리

Aspidium erythrosorum D.C.Eaton, Narr. Exped. China Japan 2: 232 (1856)

Dryopteris bulligera Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 483 (1938)

Dryopteris distantipinna Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4(3): 27, f. 27 (1984)

Dryopteris erythrosora (D.C.Eaton) Kuntze f. *viridisora* (Nakai & H.Itô) H.Itô, Nov. Fl.

Jap. 4: 41 (1939)

Dryopteris erythrosora (D.C.Eaton) Kuntze var. *viridisora* Nakai ex H.Itô, Bot. Mag. (Tokyo) 50: 69 (1936)

Dryopteris linyingensis Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 30, f. 22 (1983)

Dryopteris oblongipinnula Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 5 (1987)

Dryopteris paraerythrosora Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 27 (1983)

Dryopteris sinoerythrosora Ching & K.H.Shing, Fl. Fujienica 1: 600 (1982)

Dryopteris squamistipes Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4(4): 7, f. 35 (1984)

Lastrea erythrosora (D.C.Eaton) T.Moore, Index Fil. (T. Moore) 91 (1858)

Nephrodium erythrosorum (D.C.Eaton) Hook., Sp. Fil. 4: 120, t. 253 (1862)

***Dryopteris expansa* (C.Presl) Fraser-Jenk. & Jermy, Fern Gaz. 11: 338 (1977) Nat; N Korea, S Korea 피진고사리**

Dryopteris assimilis S.Walker, Amer. J. Bot. 48: 607 (1961)

Dryopteris manshurica Ching, Fl. Pl. Herb. Chin. Bor.-Or. 1: 69 (1958)

Dryopteris siranensis Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 3 (1953)

Dryopteris spinulosa subsp. *assimilis* (S.Walker) Schidlay, Fl. Slovenska 2: 217 (1966)

Nephrodium expansum C.Presl, Reliq. Haenk. 1: 38 (1825)

***Dryopteris formosana* (Christ) C.Chr., Index Filic. 5: 266 (1905) Nat; S Korea 포리족제비고사리**

Aspidium formosanum Christ, Bull. Herb. Boissier ser. 2, 4: 615 (1904)

Dryopteris kodamai Hayata, Icon. Pl. Formosan. 4: 156 (1914)

Dryopteris liui Ching, Bull. Bot. Res., Harbin 4: 12 (1984)

Dryopteris phaeolepis Hayata, Icon. Pl. Formosan. 4: 169 (1914)

Polystichum constantissimum Hayata, Icon. Pl. Formosan. 4: 191 (1914)

***Dryopteris fragrans* (L.) Schott, Gen. Fil. (Schott) pl. 9 (1834) Nat; N Korea, S Korea 주저리고사리**

Dryopteris fragrans (L.) Schott var. *remotiuscula* (Kom.) Kom., Fl. URSS 1: 38 (1934)

Nephrodium fragrans (L.) Desv. var. *remotiusculum* Kom., Repert. Spec. Nov. Regni Veg. 9: 94 (1911)

Nephrodium fragrans (L.) Desv., Mem. Soc. Linn. Paris 6: 260 (1827)

Polypodium fragrans L., Sp. Pl. 2: 1089 (1753)

Woodsia xanthosporangia Ching, Bull. Fan Mem. Inst. Biol. 1(6): 101 (1929)

***Dryopteris fuscipes* C.Chr., Index Filic., Suppl. Preliminaire..les Annees 1913..1916 2: 14 (1917) Nat; S Korea 큰지네고사리**

Dryopteris confertipinna Ching & K.H.Shing, Fl. Fujienica 1: 600 (1982)

Dryopteris medialisora Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 6 (1987)

Dryopteris medioxima Koidz., Acta Phytotax. Geobot. 1: 32 (1932)

Dryopteris obtusissima Makino, J. Jap. Bot. 3: 47 (1926)

Dryopteris parafuscipes Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4: 23, f. 26 (1984)

Dryopteris persimilis Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3: 16, f. 13 (1983)

Dryopteris stenochlamys Ching ex K.H.Shing & J.F.Cheng, Jiangxi Sci. 8 (3): 49 (1990)

Nephrodium fuscipes (C.Chr.) Hand.-Mazz., Symb. Sin. 6: 24 (1929)

***Dryopteris goeringiana* (Kunze) Koidz., Bot. Mag. (Tokyo) 43: 386 (1929) Nat; N Korea 바위틈고사리**

Aspidium goeringianum Kunze, Bot. Zeitung (Berlin) 6: 557 (1848)

Athyrium nakaii Tagawa, Acta Phytotax. Geobot. 2: 195 (1933)

Dryopteris giraldii (Christ) C.Chr., J. Wash. Acad. Sci. 17: 500 (1927)

Dryopteris laeta (Kom.) C.Chr., Index Filic. 273 (1905)

Dryopteris subramosa Christ, Notul. Syst. (Paris) 1: 42 (1909)
Nephrodium laetum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 124 (1901)

***Dryopteris gymophylla* (Baker) C.Chr., Index Filic. 269 (1905) Nat: N Korea, S Korea**
금족제비고사리

Dryopteris sakuraii (Rosenst.) Tagawa, J. Jap. Bot. 13: 185 (1937)
Dryopteris subtripinnata var. *sakuraii* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 132 (1914)
Nephrodium gymnophyllum Baker, J. Bot. 25: 170 (1887)

***Dryopteris hondoensis* Koidz., Acta Phytotax. Geobot. 1: 31 (1932) Nat: S Korea**
큰홍지네고사리

Dryopteris scabripes Ching, Bot. Res. Academia Sinica 2: 9 (1987)

***Dryopteris kinkiensis* Koidz. ex Tagawa, Acta Phytotax. Geobot. 2: 200 (1933) Nat: S Korea**
옆은잎지네고사리

Dryopteris championii (Benth.) Christ ex Ching var. *tenuifrons* (H.Itô) H.Itô, Nov. Fl. Jap. 4: 48 (1939)
Dryopteris neoassamensis Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 480 (1938)
Dryopteris zhenangensis Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 11 (1987)

***Dryopteris lacera* (Thunb.) Kuntze, Revis. Gen. Pl. 2: 813 (1891) Nat: N Korea, S Korea**
비늘고사리

Aspidium filix-mas (L.) Sw. var. *lacerum* (Thunb.) Christ, Farnkr. Erde 257 (1897)
Aspidium lacerum (Thunb.) Sw., J. Bot. (Schrader) 1800(2): 39 (1801)
Lastrea lacera (Thunb.) D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 (1858)
Nephrodium lacerum (Thunb.) Baker, Syn. Fil. (Hooker & Baker) 273 (1867)
Polypodium lacerum Thunb., Fl. Jap. (Thunberg) 337 (1784)

***Dryopteris monticola* (Makino) C.Chr., Index Filic. 278 (1905) Nat: N Korea, S Korea**
왕지네고사리

Aspidium monticola (Makino) Christ, Bull. Soc. Bot. France 52(Mem. 1): 39 (1905)
Dryopteris submonticola Nakai, Bot. Mag. (Tokyo) 45: 98 (1931)
Nephrodium erythrosorum (D.C.Eaton) Hook. var. *manshuricum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 120 (1901)
Nephrodium monticola Makino, Bot. Mag. (Tokyo) 13: 80 (1899)

***Dryopteris pacifica* (Nakai) Tagawa, Col. Ill. Jap. Pterid. 1: 211 (1959) Nat: S Korea**
왕족제비고사리

Dryopteris hikonensis (H.Itô) Nakaike, New Fl. Jap. Pterid. 841 (1992)
Dryopteris lungjingensis Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 27 (1987)
Dryopteris pudouensis Ching, Bull. Bot. Res., Harbin 3(3): 11, f. 9 (1983)
Dryopteris varia (L.) Kuntze var. *hikonensis* (H.Itô) Sa.Kurata, Enum. Jap. Pterid. 304 (1961)
Dryopteris yushanensis Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 28 (1987)
Polystichum hololepis Hayata var. *hikonensis* H.Itô, J. Jap. Bot. 10: 451 (1961)
Polystichum pacificum Nakai, Bot. Mag. (Tokyo) 39: 119 (1925)

***Dryopteris polylepis* (Franch. & Sav.) C.Chr., Index Filic. 285 (1905) Nat: S Korea**
산비늘고사리

Aspidium polylepis Franch. & Sav., Enum. Pl. Jap. 2: 236 (1876)
Nephrodium filix-mas (L.) Rich. var. *polylepis* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 15: 66 (1901)

Nephrodium polylepis (Franch. & Sav.) Baker, Ann. Bot. (Oxford) 5: 320 (1891)

***Dryopteris sacrosanta* Koidz., Bot. Mag. (Tokyo) 38: 108 (1924) Nat: N Korea, S Korea**

애기족제비고사리

Dryopteris bissetiana (Baker) C.Chr. var. *sacrosanta* (Koidz.) H.Itô, Bot. Mag. (Tokyo) 50: 36 (1936)

Dryopteris tianzensis Ching & P.C.Chiu, Bull. Bot. Res., Harbin 2: 24, pl. 9, f. 2 (1987)

Dryopteris varia (L.) Kuntze var. *sacrosanta* (Koidz.) Ohwi, Fl. Jap. Pterid. 88 (1957)

Polystichum sacrosanctum (Koidz.) Koidz., Bot. Mag. (Tokyo) 43: 388 (1929)

***Dryopteris saxifraga* H.Itô, Bot. Mag. (Tokyo) 50: 125 (1936) Nat: S Korea**

바위족제비고사리

Dryopteris saxifraga H.Itô var. *deltoidea* H.Itô, Bot. Mag. (Tokyo) 50: 126 (1936)

Dryopteris saxifragivaria Nakai, J. Jap. Bot. 18: 286 (1942)

Dryopteris varia (L.) Kuntze var. *saxifraga* (H.Itô) H.Ohba, Sci. Rep. Tohoku Univ., Ser. 4, Biol. 36: 111 (1971)

***Dryopteris setosa* (Thunb.) Akasawa, Bull. Kochi Women's Univ., Ser. Nat. Sci. 7: 27 (1959)**

Nat: S Korea 산족제비고사리

Dryopteris bissetiana (Baker) C.Chr., Index Filic. 245 (1905)

Dryopteris paravaria Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 22 (1987)

Dryopteris pseudobissetiana Ching ex K.H.Shing & J.F.Cheng, Jiangxi Sci. 8 (3): 49 (1990)

Dryopteris shanghaiensis Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 24 (1987)

Dryopteris thunbergii Koidz., Bot. Mag. (Tokyo) 38: 106 (1924)

Dryopteris varia (L.) Kuntze var. *setosa* (Thunb.) Ohwi, Fl. Jap. Pterid. 88 (1957)

Nephrodium bissetianum Baker, J. Bot. 366 (1877)

Polypodium setosum Thunb., Fl. Jap. (Thunberg) 337 (1784)

Polystichum bissetianum (Baker) Nakai, Bot. Mag. (Tokyo) 45: 102 (1931)

***Dryopteris subexaltata* (Christ) C.Chr., Index Filic. fasc. 5: 295 (1905) Nat: S Korea**

계곡고사리

Aspidium subexaltatum Christ, Bull. Herb. Boissier ser. 2, 4: 616 (1904)

Dryopteris hayatae Tagawa, Acta Phytotax. Geobot. 1: 156 (1932)

***Dryopteris tenuicula* C.G.Matthew & Christ, Notul. Syst. (Paris) 1: 56 (1909) Nat: S Korea**

자주지네고사리

Dryopteris jiulungshanensis P.C.Chiu & G.Yao, Bull. Bot. Res., Harbin 2: 62 (1982)

Dryopteris neglecta Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4: 4 (1984)

Dryopteris purpurella Tagawa, Acta Phytotax. Geobot. 1: 307 (1932)

Dryopteris rubristipes Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 3: 19 (1983)

Dryopteris subchampionii Ching, Bot. Res. Academia Sinica 2: 14 (1987)

Dryopteris subtenuicula Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 29 (1987)

Dryopteris yaoi Ching, Bull. Bot. Res., Harbin 2: 64 (1982)

Nephrodium tenuiculum (C.G.Matthew & Christ) Tutcher, Fl. Kwangtung & Hongkong 348 (1912)

***Dryopteris tokyoensis* (Matsum. ex Makino) C.Chr., Index Filic. 298 (1905) Nat: S Korea**

느리미고사리

Dryopteris sanmingensis Ching, Fl. Fujienica 1: 600 (1982)

Nephrodium tokyoense Matsum. ex Makino, Bot. Mag. (Tokyo) 12: 87 (1898)

***Dryopteris uniformis* (Makino) Makino, Bot. Mag. (Tokyo) 23: 145 (1909) Nat: S Korea**

곰비늘고사리

Dryopteris decurrentiloba Ching & C.F.Zhang, Bull. Bot. Res., Harbin 3(3): 31, f. 23 (1983)
Dryopteris jiangshanensis Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 34 (1987)
Dryopteris pseudouniformis Ching, Fl. Fujienica 1: 601 (1982)
Dryopteris uniformis (Makino) Makino f. *coreana* (Nakai & H.Itô) H.Itô, Nov. Fl. Jap. 4: 14 (1939)
Dryopteris uniformis (Makino) Makino var. *coreana* Nakai ex H.Itô, Nov. Fl. Jap. 4: 14 (1939)
Dryopteris uniformis (Makino) Makino var. *rufomarginata* K.H.Shing, Jiangxi Sci. 8 (3): 47 (1990)
Nephrodium lacerum (Thunb.) Baker var. *uniforme* Makino, Bot. Mag. (Tokyo) 17: 79 (1903)

***Dryopteris varia* (L.) Kuntze, Revis. Gen. Pl. 2: 814 (1891) Nat: S Korea 족제비고사리**

Aspidium opacum (Hook.) Benth., Fl. Hongk. 456 (1861)
Aspidium varium (L.) Sw., J. Bot. (Schrader) 2: 35 (1801)
Dryopteris caudifolia Ching & P.S.Chiu, Bot. Res. Academia Sinica 2: 21 (1987)
Dryopteris fuyangensis Ching & P.S.Chiu, Bot. Res. Academia Sinica 2: 26 (1987)
Dryopteris glabrescens Ching & P.S.Chiu ex K.H.Shing & J.F.Cheng, Jiangxi Sci. 8 (3): 48 (1990)
Dryopteris hololepis (Hayata) Tagawa, Acta Phytotax. Geobot. 4: 133 (1935)
Dryopteris lingii Ching, Bot. Res. Academia Sinica 2: 23 (1987)
Dryopteris matsuzoana Koidz., Bot. Mag. (Tokyo) 39: 15 (1925)
Dryopteris ogawai H.Itô, Iconogr. Pl. Asiae Orient. 1: 18, t. 9 (1935)
Dryopteris sinovaria Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 6: 179 (1986)
Dryopteris yabei Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 424 (1911)
Dryopteris yabei Hayata f. *ogawai* (H.Itô) H.Itô, Nov. Fl. Jap. 4: 59 (1939)
Dryopteris yabei Hayata var. *hololepis* (Hayata) H.Itô, Bot. Mag. (Tokyo) 50: 128 (1936)
Dryopteris yabei Hayata var. *ogawai* (H.Itô) H.Itô, Bot. Mag. (Tokyo) 50: 128 (1936)
Lastrea opaca Hook., Hooker's J. Bot. Kew Gard. Misc. 9: 339 (1857)
Lastrea varia (L.) T.Moore, Index Fil. (T. Moore) 107 (1858)
Nephrodium varium (L.) C.Presl, Reliq. Haenk. 1: 36 (1825)
Polypodium varium L., Sp. Pl. 1090 (1753)
Polystichum hololepis Hayata, Icon. Pl. Formosan. 5: 332 (1915)
Polystichum varium (L.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. ser. 5, 6: 417 (1851)

Hypodematium A.Rich.

***Hypodematium glanduloso-pilosum* (Tagawa) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 98 (1956) Nat: S Korea 금털고사리**

Hypodematium fauriei (Kodama) Tagawa Tagawa f. *glandulosopilosum* Tagawa, J. Jap. Bot. 27: 321 (1952)

Leptorumohra Nakai & Honda

***Leptorumohra miqueliana* (Maxim. ex Franch. & Sav.) H.Itô, Nov. Fl. Jap. 4: 119 (1938) Nat: N Korea, S Korea 왁살고사리**

Arachniodes borealis Seriz., J. Jap. Bot. 61(2): 48 (1986)
Aspidium miquelianum Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 240 (1876)
Rumohra miqueliana (Maxim. ex Franch. & Sav.) Ching, Sinensia 5(1-2): 67 (1934)

***Leptorumohra mutica* (Franch. & Sav.) Czerep., Sosud. Rast. SSSR 40 (1981) Nat: S Korea 털비늘고사리**

Arachniodes mutica (Franch. & Sav.) Ohwi, J. Jap. Bot. 37: 76 (1962)
Aspidium muticum Franch. & Sav., Enum. Pl. Jap. 2: 240 (1876)
Rumohra mutica Nakai, Sinensia 5: 65 (1934)

Matteuccia Tod.

Matteuccia struthiopteris (L.) Tod., Giorn. Sci. Nat. Econ. Palermo 1(3-4): 235 (1866) Nat: N Korea, S Korea 청나래고사리

Matteuccia pennsylvanica (Willd.) Raymond, Naturaliste Canad. 77: 55 (1950)
Osmunda struthiopteris L., Sp. Pl. 106 (1753)
Pterinodes struthiopteris (L.) Kuntze, Revis. Gen. Pl. 2: 820 (1891)
Struthiopteris germanica Willd., Enum. Pl. (Willdenow) 2: 1071 (1809)

Neocheiropteris Christ.

Neocheiropteris ensata (Thunb.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 109 (1933) Nat: S Korea 밤일엽

Polystichum Roth.

Polystichum braunii (Spenn.) Fée, Mem. Foug., 5. Gen. Filic. 5: 278 (1852) Nat: N Korea, S Korea 좁나도히초미

Aspidium braunii Spenn., Fl. Friburg. 1: 9 (1825)
Polystichum braunii (Spenn.) Fée subsp. *purshii* (Fernald) Calder & Roy L. Taylor, Calcutta J. Nat. Hist. 43: 1388 (1965)
Polystichum braunii (Spenn.) Fée var. *purshii* Fernald, Rhodora 30: 30 (1928)
Polystichum shennongense Ching & Boufford & Shingh, J. Arnold Arbor. 64: 34, f. 11 (1983)

Polystichum craspedosorum (Maxim.) Diels, Nat. Pflanzenfam. 1(4): 189 (1899) Nat: N Korea, S Korea 낚시고사리

Aspidium craspedosorum Maxim. var. *japonicum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 15: 232 (1871)
Aspidium craspedosorum Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 15: 231 (1871)
Aspidium craspedosorum Maxim. var. *mandshuricum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 15: 232 (1871)
Polystichum leucochlamys Christ, Bot. Gaz. 51: 351 (1911)
Ptilopteris craspedosora (Maxim.) Hayata, Bot. Mag. (Tokyo) 41: 708 (1927)

Polystichum cystolepidotum (Miq.) Franch. ex H. Lev. Bull. Acad. Int. Georg. Bot. 20: 9 (1910) Nat: S Korea 제주개관중

Aspidium cystolepidotum Miq. Ann. Mus. Bot. Lugduno-Batavi 3: 177(1867)

Polystichum fibrilloso-paleaceum (Kodama) Tagawa, Acta Phytotax. Geobot. 14: 16 (1949) Nat: S Korea 털개관중

Polystichum hancockii (Hance) Diels, Nat. Pflanzenfam. 1(4): 191 (1899) Nat: S Korea 제주십자고사리

Aspidium hancockii (Hance) Baker, Ann. Bot. (Oxford) 5(19): 314 (1891)
Aspidium reductum Baker, J. Bot. 23(268): 105 (1885)
Polystichum leptopteron Hayata, Icon. Pl. Formosan. 5: 340, f. 137a, f. 141 (1915)
Polystichum longistipes Hayata, Icon. Pl. Formosan. 5: 341, f. 137b-c, f. 142 (1915)

Polystichum parahancockii Ching, Bull. Bot. Res., Harbin 2(2): 68, pl. 2, f. 4 (1982)
Ptilopteris hancockii Hance, J. Bot. 22(5): 139 (1884)

***Polystichum lepidocaulon* (Hook.) J.Sm., Ferns Brit. For. (ed. 1) 286 (1866) Nat; S Korea
더부살이고사리**

Aspidium lepidocaulon Hook., Sp. Fil. 4: 12 (1862)
Cyrtomidictyum lepidocaulon (Hook.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 10: 182 (1940)
Dryopteris lepidocaulis (Hook.) Kuntze, Revis. Gen. Pl. 2: 812 (1891)

***Polystichum makinoi* (Tagawa) Tagawa, Acta Phytotax. Geobot. 5: 258 (1936) Nat; S Korea
윤개관중**

Polystichum aculeatum (L.) Roth ex Mert. var. *makinoi* Tagawa, Acta Phytotax. Geobot. 1: 88 (1932)
Polystichum aculeatum (L.) Roth ex Mert. var. *pinfaense* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 129 (1914)

***Polystichum ovatopaleaceum* (Kodama) Sa.Kurata, Sci. Rep. Yokosuka City Mus. 10: 35 (1964) Nat; S Korea 지리개관중**

Aetopteron aculeatum House var. *coraiense* (Christ) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 4 (1952)
Polystichum aculeatum (L.) Roth ex Mert. var. *ovatopaleaceum* Kodama, Bot. Mag. (Tokyo) 29: 328 (1915)
Polystichum aculeatum (L.) Roth ex Mert. var. *coraiense* Christ, Repert. Spec. Nov. Regni Veg. 5: 11 (1908)
Polystichum ovatopaleaceum (Kodama) Sa.Kurata var. *coraiense* (Christ) Sa.Kurata, Sci. Rep. Yokosuka City Mus. 10: 35 (1964)
Polystichum retrosopaleaceum (Kodama) Tagawa var. *coraiense* (Christ) Tagawa, J. Jap. Bot. 13: 187 (1937)
Polystichum retrosopaleaceum (Kodama) Tagawa var. *ovatopaleaceum* (Kodama) Tagawa, J. Jap. Bot. 13: 187 (1937)

***Polystichum polyblepharum* (Roem. ex Kunze) C.Presl, Epimel. Bot. 56 (1851) Nat; S Korea
나도히초미**

Aspidium aculeatum (L.) Sw. var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 2(1): 231 (1877)
Aspidium polyblepharum Roem. ex Kunze, Bot. Zeitung (Berlin) 6: 572 (1848)
Polystichum aculeatum (L.) Roth ex Mert. var. *japonicum* (Franch. & Sav.) Diels, Nat. Pflanzenfam. 1(4): 191 (1899)
Polystichum japonicaum (Franch. & Sav.) Diels, Nat. Pflanzenfam. 1: 191 (1899)

***Polystichum pseudomakinoi* Tagawa, Acta Phytotax. Geobot. 5: 257 (1936) Nat; S Korea
나도개관중**

Polystichum pseudomakinoi Tagawa var. *ambiguu* Tagawa, Acta Phytotax. Geobot. 5(4): 258 (1936)

***Polystichum retrosopaleaceum* (Kodama) Tagawa, J. Jap. Bot. 13(3): 187 (1937) Nat; S Korea
비늘개관중**

Polystichum aculeatum (L.) Roth ex Mert. var. *retrosopaleaceum* Kodama, Bot. Mag. (Tokyo) 29: 330 (1915)
Polystichum tsingkanshanense Ching, Jiangxi Sci. 8 (3): 46 (1990)

***Polystichum rigens* Tagawa, Acta Phytotax. Geobot. 6: 91 (1937) Nat; S Korea 가시개관중**

Polystichum platyklamys Ching, Fl. Tsinling, 2: 224 (1974)

***Polystichum tripterum* (Kunze) C.Presl, Epimel. Bot. 55 (1851) Nat: N Korea, S Korea
십자고사리**

Aspidium tripterum Kunze, Bot. Zeitung (Berlin) 6: 569 (1848)

Polystichum subpinnatum Kodama ex Mori, Enum. Pl. Corea 17 (1922)

Polystichum tripterum (Kunze) C.Presl f. *subpinnatum* H.Itô, J. Jap. Bot. 11: 423 (1935)

Polystichum tripterum (Kunze) C.Presl var. *subpinnata* (Kodama) Honda, Nom. Pl.

Japonic. [Emend.] 15 (1957)

Ptilopteris triptera var. *subpinnata* (Kodama) Nakai, Bull. Natl. Sci. Mus., Tokyo 31 (1952)

***Polystichum tsus-simense* (Hook.) J.Sm., Hist. Fil. 219 (1875) Nat: S Korea 검정개관중**

Aspidium tsussimense Hook., Sp. Fil. 4: 16 (1862)

Polystichum tsus-simense* (Hook.) J.Sm. var. *tsus-simense

***Polystichum tsus-simense* (Hook.) J.Sm. var. *mayebarae* (Tagawa) Sa.Kurata, Hokuriko J. Bot. 6: 9 (1957) Nat: S Korea 큰개관중**

Polystichum mayebarae Tagawa, Acta Phytotax. Geobot. 3: 91 (1934)

EQUISETACEAE

Equisetum L.

***Equisetum arvense* L., Sp. Pl. 1060 (1753) Nat: N Korea, S Korea 쇠뜨기**

Equisetum arvense L. var. *boreale* (Bong.) Rupr., Dist. Crypt. Vasc. Ross. 19 (1845)

Equisetum arvense L. subsp. *boreale* (Bong.) A.Löve, Náttúrufræðingurinn 18: 101 (1948)

Equisetum boreale Bong., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 174 (1832)

Equisetum calderi B.Boivin, Amer. Fern J. 50: 107 (1960)

Equisetum saxicola Suksd., Deutsche Bot. Monatsschr. 19: 93 (1901)

***Equisetum fluviatile* L., Sp. Pl. 1062 (1753) Nat: N Korea 물속새**

Equisetum heleocharis Ehrh., Hannover. Mag. 1783: 286 (1783)

Equisetum hyemale L. var. *japonicum* Milde, Ann. Mus. Bot. Lugduno-Batavi 1: 69 (1863)

Equisetum limosum L., Sp. Pl. 1062 (1753)

***Equisetum hyemale* L., Sp. Pl. 2: 1062 (1753) Nat: N Korea, S Korea 속새**

Hippochaete hyemalis (L.) Milde ex Bruhin, Verh. K.K. Zool.-Bot. Ges. Wien 18: 758 (1868)

***Equisetum palustre* L., Sp. Pl. 1061 (1753) Nat: N Korea, S Korea 개쇠뜨기**

Equisetum palustre L. var. *americanum* Vict., Contr. Lab. Bot. Univ. Montreal 9: 51 (1927)

Equisetum palustre L. var. *japonicum* Nakai, Bot. Mag. (Tokyo) 39: 194 (1925)

Equisetum palustre L. var. *szechuanense* C.N.Page, Fern Gaz. 11: 34 (1974)

***Equisetum pratense* Ehrh., Hannover. Mag. 22: 138 (1784) Nat: N Korea, S Korea 물쇠뜨기**

Equisetum umbrosum J.G.F.Mey. ex Willd., Enum. Pl. (Willdenow) 2: 1065 (1809)

***Equisetum ramosissimum* Desf., Fl. Atlant. 2: 398 (1799) Nat: N Korea, S Korea 개속새**

Equisetum elongatum Willd., Sp. Pl. (ed. 5; Willdenow) 5: 8 (1810)

Equisetum ramosissimum Desf. var. *taikankoense* Yamam., Trans. Nat. Hist. Soc. Taiwan 20: 97 (1930)

Equisetum ramosissimum Desf. var. *glaucum* Nakai, Bot. Mag. (Tokyo) 39: 159 (1925)
Equisetum sieboldi Milde, Ann. Mus. Bot. Lugduno-Batavi 1: 62 (1863)

Equisetum scirpoides Michx., Fl. Bor.-Amer. (Michaux) 2: 281 (1803) Nat; N Korea **좁속새**
Equisetum tenellum A.A.Eaton, Fern Bull. 12: 43 (1904)

Equisetum sylvaticum L., Sp. Pl. 2: 1061 (1753) Nat; N Korea **농수쇠뜨기**
Equisetum capillare Hoffm., Deutschl. Fl. (Roehling) 3 (1795)
Equisetum sylvaticum L. f. *multiramosum* Fernald, Rhodora 20: 131 (1918)
Equisetum sylvaticum L. var. *multiramosum* (Fernald) Wherry, Amer. Fern J. 27: 58 (1937)

GLEICHENIACEAE

Dicranopteris Zalessky

Dicranopteris pedata (Houtt.) Nakaike, Enum. Pterid. Jap.: Filic. 114 (1975) Nat; S Korea
밭풀고사리

Gleichenia dichotoma (Thunb.) Hook., Sp. Fil. 1: 12 (1844)
Polypodium pedatum Houtt., Nat. Hist. (Houttuyn) 14: 174 (1783)

Diplopterygium (Diels) Nakai

Diplopterygium glaucum (Thunb. ex Houtt.) Nakai, Bull. Natl. Sci. Mus., Tokyo 59: 51 (1950) Nat; S Korea **풀고사리**

Gleichenia glauca (Thunb. ex Houtt.) Hook., Sp. Fil. 1: 4, t. 3 (1844)
Gleichenia japonica Spreng., Syst. Veg. (ed. 16) [Sprengel] 4(1): 25 (1827)
Hicriopteris glauca (Thunb. ex Houtt.) Ching, Sunyatsenia 5: 279 (1940)
Polypodium glaucum Thunb. ex Houtt., Nat. Hist. (Houttuyn) 14: 177 (1783)

Diplopterygium laevisissimum (Christ) Nakai, Bull. Natl. Sci. Mus., Tokyo 29: 52 (1950) Nat; S Korea **암풀고사리**

Dicranopteris laevisissima (Christ) Nakai, Bot. Mag. (Tokyo) 41: 692 (1927)
Gleichenia laevisissima Christ, Bull. Acad. Int. Géogr. Bot. 11: 268 (1902)
Hicriopteris laevisissima (Christ) Ching, Sunyatsenia 5: 280 (1940)

HYMENOPHYLLACEAE

Crepidomanes C.Presl

Crepidomanes amabile (Nakai) K.Iwats., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 531 (1985)
Nat; S Korea **난쟁이이끼**

Lacosteopsis orientalis (Christ) Nakai var. *abbreviata* (Christ) Nakaike, Enum. Pterid. Jap.: Filic. 24 (1975)
Trichomanes amabile Nakai, Bot. Mag. (Tokyo) 28: 65 (1914)
Trichomanes japonicum Franch. & Sav. var. *abbreviatum* Christ, Bull. Herb. Boissier 7: 817 (1899)
Trichomanes nipponicum Nakai, Bot. Mag. (Tokyo) 40: 270 (1926)
Vandenboschia amabilis (Nakai) K.Iwats., Acta Phytotax. Geobot. 17: 69 (1958)
Vandenboschia radicans (Sw.) Copel. var. *abbreviata* (Christ) Sa.Kurata, Enum. Jap. Pterid. 260 (1961)

***Crepidomanes birmanicum* (Bedd.) K.Iwats., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13(5): 530 (1985)** Nat: S Korea 누운괴불이끼

- Lacosteopsis orientalis* (Christ) Nakai, Enum. Pterid. Jap.: Filic. 23 (1975)
Trichomanes birmanicum Bedd., Suppl. Ferns Brit. Ind. 3, t. 349 (1876)
Trichomanes quelpaertense Nakai, Bot. Mag. (Tokyo) 28: 66 (1914)
Trichomanes stenosphon Christ, Repert. Spec. Nov. Regni Veg. 5: 10 (1908)
Vandenboschia birmanica (Bedd.) Ching, Acta Phytotax. Sin. 8: 135 (1959)
Vandenboschia parva (Copel.) Copel., Philipp. J. Sci. 67: 53 (1938)
Vandenboschia radicans (Sw.) Copel. var. *orientalis* (Christ) H.Itô, J. Jap. Bot. 24(1-12): 125 (1949)
Vandenboschia striata (D.Don) Ebihara, Fl. China 23: 109 (2013)

***Crepidomanes insigne* (Bosch) P.Y.Fu, III. Handb. Chin. Pl. Pterid. 39 (1957)** Nat: S Korea 괴불이끼

- Crepidomanes boninense* (Koidz.) Tagawa, J. Jap. Bot. 26: 186 (1951)
Crepidomanes latealatum (Bosch) Copel., Philipp. J. Sci. 67: 60 (1938)
Crepidomanes makinoui (C.Chr.) Copel. var. *tosae* (Christ ex Matsum.) K.Iwats., Acta Phytotax. Geobot. 17: 72 (1958)
Crepidomanes makinoui (C.Chr.) Copel., Acta Phytotax. Geobot. 17: 72 (1958)
Crepidomanes omeiense Ching & P.S.Chiu, Fl. Reipubl. Popularis Sin. 2: 355 (1959)
Crepidomanes racemulosum (Bosch) Ching, Fl. Reipubl. Popularis Sin. 2: 170 (1959)
Crepidomanes smithiae Ching, Acta Phytotax. Sin. 8(2): 164 (1959)
Crepidomanes tagawanum K.Iwats., Acta Phytotax. Geobot. 17(6): f. 1-2161 (1958)
Didymoglossum insigne Bosch, Ned. Kruidk. Arch. 5: 143 (1861)
Didymoglossum latealatum Bosch, Ned. Kruidk. Arch. 5: 138 (1861)

***Crepidomanes minutum* (Blume) K.Iwats., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 524 (1985)** Nat: N Korea, S Korea 부채괴불이끼

- Gonocormus australis* Ching, Acta Phytotax. Sin. 8: 163 (1959)
Gonocormus minutus (Blume) Bosch, Hymenophyll. Javan. 7: t. 3 (1861)
Gonocormus prolifer (Blume) Prantl, Hym. 51 (1875)
Trichomanes bonincola Nakai, Bot. Mag. (Tokyo) 40: 262 (1926)
Trichomanes diffusum Blume, Enum. Pl. Javae 2: 225 (1828)
Trichomanes minutum Blume, Enum. Pl. Javae 2: 223 (1828)
Trichomanes proliferum Blume, Enum. Pl. Javae 2: 224 (1828)
Trichomanes subpinnatifidum Bosch, Ned. Kruidk. Arch. 5: 141 (1861)
Trichomanes teysmannii Bosch, Ned. Kruidk. Arch. 5: 142 (1861)

Hymenophyllum Sm.

***Hymenophyllum barbatum* (Bosch) Baker, Syn. Fil. (Hooker & Baker) 68 (1867)** Nat: S Korea 수염이끼

- Hymenophyllum henryi* Baker, J. Bot. 27(6): 176 (1889)
Hymenophyllum japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3(6): 183 (1867)
Hymenophyllum oxyodon Baker, J. Bot. 28(9): 262 (1890)
Hymenophyllum spicatum Christ, Bull. Acad. Int. Géogr. Bot. 16: 235 (1906)
Hymenophyllum whangshanense Ching & P.S.Chiu, Fl. Reipubl. Popularis Sin. 2: 354 (1959)
Leptocionium barbatum Bosch, Ned. Kruidk. Arch. 5: 146 (1861)
Leptocionium flaccidum Bosch, Ned. Kruidk. Arch. 5: 149 (1861)

***Hymenophyllum oligosorum* Makino, Bot. Mag. (Tokyo) 13: 44 (1899)** Nat: N Korea 금강취녀이끼

Mecodium olygosorum (Makino) H.Itô, J. Jap. Bot. 24: 122 (1949)

***Hymenophyllum polyanthos* (Sw.) Sw., J. Bot. (Schrader) 1800(2): 102 (1801) Nat: S Korea**
좀처녀이끼

Hymenophyllum coreanum Nakai, Bot. Mag. (Tokyo) 40: 246 (1926)

Mecodium coreanum (Nakai) Seriz., J. Jap. Bot. 46(1): 16 (1971)

Mecodium polyanthos (Sw.) Copel., Philipp. J. Sci. 67(1): 19 (1938)

Trichomanes polyanthos Sw., Prodr. (Swartz) 137 (1788)

***Hymenophyllum wrightii* Bosch, Ned. Kruidk. Arch. 4: 391 (1859) Nat: N Korea, S Korea**
처녀이끼

Mecodium wrightii (Bosch) Copel., Philipp. J. Sci. 67: 23 (1938)

ISOETACEAE

Isoetes L.

***Isoetes sinensis* Palmer, Amer. Fern J. 17: 111 (1927) Nat: S Korea** 가는물부추
Isoetes sinensis* Palmer var. *sinensis

***Isoetes sinensis* Palmer var. *coreana* (Y.H.Chung & H.K.Choi) M.Takamiya & Mitsu.Watan. & K.Ono, Acta Phytotax. Geobot. 48: 112 (1997) Nat: S Korea** 참물부추
Isoetes coreana Y.H.Chung & H.K.Choi, Korean J. Pl. Taxon. 16: 2 (1986)
Isoetes japonica A.Braun, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1: 459 (1861)

LYCOPODIACEAE

Huperzia Bernh.

***Huperzia miyoshiana* (Makino) Ching, Acta Bot. Yunnan. 3(3): 303 (1981) Nat: N Korea, S Korea**
다람쥐꼬리

Huperzia miyoshiana (Makino) Ching var. *coreana* (Hayata) Ching, Acta Bot. Yunnan. 3: 304 (1981)

Lycopodium miyoshianum Makino var. *coreanum* Hayata, Icon. Pl. Formosan. 5: 255 (1915)

Lycopodium miyoshianum Makino, Bot. Mag. (Tokyo) 12: 36 (1898)

Lycopodium selago L. var. *miyoshianum* (Makino) Makino, Bot. Mag. (Tokyo) 16: 199 (1902)

Lycopodium tenuifolium Herter, Bot. Jahrb. Syst. 43(1, Beibl. 98): 41 (1909)

Urostachys miyoshiana var. *coreanus* (Hayata) Herter ex Nessel, Bärlappgewächse 1: 28 (1939)

***Huperzia selago* (L.) Bernh. ex Schrank & Mart., Hort. Reg. Monac. 3 (1829) Nat: N Korea, S Korea**
좁다람쥐꼬리

Lycopodium selago L., Sp. Pl. 1102 (1753)

Mirmau selago (L.) H.P.Fuchs, Verh. Naturf. Ges. Basel 66: 43 (1955)

Plananthus selago (L.) P.Beauv., Prodr. Aethégam. 112 (1805)

Urostachys selago (L.) Herter, Philipp. J. Sci. 22: 180 (1923)

***Huperzia serrata* (Thunb.) Rothm., Repert. Spec. Nov. Regni Veg. 54: 59 (1944) Nat: N Korea, S Korea** 뱀틀

Lycopodium serratum Thunb. f. *intermedium* Nakai, Bot. Mag. (Tokyo) 39: 196 (1925)
Lycopodium serratum Thunb. var. *javanicum* (Sw.) Makino, Bot. Mag. (Tokyo) 12: 13 (1898)
Lycopodium serratum Thunb. var. *thunbergii* Makino, Bot. Mag. (Tokyo) 12: 12 (1898)
Lycopodium serratum Thunb., Fl. Jap. (Thunberg) 341 (1784)
Lycopodium serratum Thunb. var. *longipetiolatum* Spring, Mem. Acad. Roy. Sci. Belgique 2: 18 (1848)

***Huperzia sieboldii* (Miq.) Holub, Folia Geobot. Phytotax. 20: 76 (1985) Nat: S Korea 줄석송**
Lycopodium sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 184 (1867)
Phlegmariurus sieboldii (Miq.) Ching, Acta Bot. Yunnan. 4: 121 (1982)
Urostachys sieboldii (Miq.) Herter ex Nessel, Bärlappgewächse 1: 138 (1939)

Lycopodium L.

***Lycopodium alpinum* L., Sp. Pl. 2: 1104 (1753) Nat: N Korea 산석송**
Diphasiastrum alpinum (L.) Holub, Preslia 47(2): 107 (1975)
Diphasium alpinum (L.) Rothm., Feddes Repert. Spec. Nov. Regni Veg. 54: 65 (1944)
Lepidotis alpina (L.) P.Beauv., Prodr. Aethégam. 107 (1805)
Stachygynandrum alpinum (L.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. 3: 583 (1845)

***Lycopodium annotinum* L., Sp. Pl. 2: 1103 (1753) Nat: N Korea, S Korea 개석송**
Lepidotis annotina (L.) P.Beauv., Prodr. Aethégam. 107 (1805)

***Lycopodium cernuum* L., Sp. Pl. 2: 1103 (1753) Nat: S Korea 물석송**
Lepidotis cernua (L.) P.Beauv., Prodr. Aethégam. 101 (1805)
Lycopodiella cernua (L.) Pic.Serm., Webbia 23: 166 (1968)
Lycopodium boryanum A.Rich., Voy. Astrolabe 42 (1834)
Lycopodium moritzii Müll.Arg., Bot. Zeitung (Berlin) 19: 65 (1861)
Palhinhaea capillacea (Spring) Holub, Folia Geobot. Phytotax. 20: 78 (1985)
Palhinhaea cernua (L.) Franco & Vasc., Bol. Soc. Brot. ser. 2, 41: 25 (1967)

***Lycopodium clavatum* L., Sp. Pl. 2: 1101 (1753) Nat: N Korea, S Korea 석송**
Lycopodium clavatum L. var. *nipponicum* Nakai, Bot. Mag. (Tokyo) 39: 197 (1925)
Lycopodium clavatum L. var. *robustius* (Grev. & Hook.) Nakai, Bot. Mag. (Tokyo) 39: 197 (1925)

***Lycopodium complanatum* L., Sp. Pl. 1104 (1753) Nat: N Korea, S Korea 비늘석송**
Lepidotis complanata (L.) P.Beauv., Prodr. Aethégam. 108 (1805)
Lycopodium comptonioides Desv., Mem. Soc. Linn. Paris 6: 185 (1827)
Stachygynandrum complanatum (L.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. 5: 583 (1844)

***Lycopodium cryptomerianum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 231 (1870) Nat: S Korea 왕다람쥐꼬리**
Huperzia cryptomeriana (Maxim.) R.D.Dixit, J. Bombay Nat. Hist. Soc. 77(3): 541 (1980)
Huperzia integrifolium B.Ollg. ex Satow, Hikobia 12(3): 268 (1997)
Lycopodium integrifolium Matsuda & Nakai, Bot. Mag. (Tokyo) 27: 513 (1918)
Phlegmariurus cryptomerianus (Maxim.) Ching ex H.S.Kung & L.B.Zhang, Acta Phytotax. Sin. 37: 51 (1999)
Urostachys coreanus (Herter ex Nessel) Herter, Estud. Bot. Reg. Uruguay 20: 57 (1949)
Urostachys cryptomerianus (Maxim.) Herter ex Nessel var. *coreanus* Herter ex Nessel, Revista Sudamer. Bot. 6: 160 (1940)

Urostachys cryptomerianus (Maxim.) Herter ex Nessel, Bärappgewächse 1: 70 (1939)

***Lycopodium nikoense* Franch. & Sav., Enum. Pl. Jap. 2: 198 (1879)** Nat: S Korea 피석송

Diphasiastrum sitchense var. *nikoense* (Franch. & Sav.) A.Löve & D.Löve, Taxon 26: 324 (1977)

Diphasiastrum nikoense (Franch. & Sav.) Holub, Preslia 47: 108 (1975)

***Lycopodium obscurum* L., Sp. Pl. 1102 (1753)** Nat: N Korea, S Korea 만년석송

Lycopodium dendroideum Michx. f. *strictum* Milde, Fil. Eur. 254 (1867)

Lycopodium obscurum L. f. *strictum* (Milde) Nakai ex H.Hara, Bot. Mag. (Tokyo) 48: 706 (1934)

MARATTIACEAE

Angiopteris Hoffm.

***Angiopteris lygodiiifolia* Rosenst., Meded. Rijks-Herb. 31: 2 (1917)** Int 용비늘고사리

MARSILEACEAE

Marsilea L.

***Marsilea quadrifolia* L., Sp. Pl. 11099 (1753)** Nat: S Korea 네가래

Marsilea brasiliensis Mart., Icon. Pl. Crypt. 2, t. 73, f. 2 (1834)

Marsilea polycarpa Hook. & Grev., Icon. Filic. 2: pl.160 (1831)

OPHIOGLOSSACEAE

Botrychium Sw.

***Botrychium boreale* J.Milde, Bot. Zeitung (Berlin) 15: 880 (1857)** Nat: N Korea 메고사리삼

***Botrychium japonicum* (Prantl) Underw., Bull. Torrey Bot. Club 25: 538 (1898)** Nat: S Korea
산꽃고사리삼

Botrychium daucifolium Wall. ex Hook. & Grev. var. *japonicum* Prantl, Jahrb. Königl. Bot. Gart. Berlin 3: 340 (1884)

Sceptridium japonicum (Prantl) Lyon, Bot. Gaz. 40: 458 (1905)

***Botrychium lunaria* (L.) Sw., J. Bot. (Schrader) 1800(2): 110 (1801)** Nat: N Korea
백두산고사리삼

Botrychium lunaria (L.) Rich., Cat. Pl. Jard. Méd. 1: 120 (1801)

Osmunda lunaria L., Sp. Pl. 2: 1064 (1753)

***Botrychium nipponicum* Makino, J. Jap. Bot. 1: 5 (1916)** Nat: S Korea 단풍고사리삼

Sceptridium nipponicum (Makino) Holub, Preslia 45(3): 277 (1973)

***Botrychium robustum* (Rupr.) Underw., Bull. Torrey Bot. Club 30(1): 51 (1903)** Nat: N Korea, S Korea 산고사리삼

Sceptridium multifidum subsp. *robustum* (Rupr.) R.T.Clausen, Bull. Torrey Bot. Club 64(5): 272 (1937)

Sceptridium multifidum Nishida ex Tagawa var. *robustum* (Rupr.) M.Nishida, J. Jap. Bot. 33: 201

(1958)

Sceptridium robustum (Rupr.) Lyon, Bot. Gaz. 40: 458 (1905)

***Botrychium simplex* E.Hitchc., Amer. J. Sci. Arts 6 (1): 103 (1823) Nat; N Korea, S Korea**
좁고사리삼

Botrychium tenebrosum A.A.Eaton, Fern Bull. 7: 8 (1899)

***Botrychium strictum* Underw., Bull. Torrey Bot. Club 30: 52 (1903) Nat; N Korea, S Korea**
긴꽃고사리삼

Botrypus strictus (Underw.) Holub, Preslia 45: 277 (1973)

Japanobotrychium strictum (Underw.) Nishida ex Tagawa, J. Jap. Bot. 33: 202 (1958)

Osmundopteris stricta (Underw.) Nishida, J. Jap. Bot. 27: 276 (1952)

***Botrychium ternatum* (Thunb.) Sw., J. Bot. (Schrader) 1800: 111 (1801) Nat; N Korea, S Korea**
고사리삼

Osmunda ternata Thunb., Fl. Jap. (Thunberg) 329 (1784)

Sceptridium ternatum (Thunb.) Lyon, Bot. Gaz. 40: 458 (1905)

***Botrychium virginianum* (L.) Sw., J. Bot. (Schrader) 1801: 111 (1801) Nat; N Korea, S Korea**
늦고사리삼

Botrychium brachystachys Kunze, Linnaea 18: 305 (1844)

Botrychium charcoviense Port., Suppl. Tent. Pterid. 47 (1845)

Botrychium dichrochium Underw., Bull. Torrey Bot. Club 30: 45 (1903)

Botrypus virginicus (L.) Michx., Fl. Bor.-Amer. (Michaux) 2: 274 (1803)

Osmunda virginiana L., Sp. Pl. 1062 (1753)

Mankyua B.Y.Sun, M.H.Kim & C.H.Kim

***Mankyua chejuense* B.Y.Sun & M.H.Kim & C.H.Kim, Taxon 50: 1020, f. 1 (2001) Nat; S Korea, Endemic** 제주고사리삼

Ophioglossum L.

***Ophioglossum pendulum* L., Sp. Pl. (ed. 2) 2: 1518 (1763) Nat; S Korea** 다시마고사리삼
Ophioderma pendulum (L.) C.Presl, Suppl. Tent. Pterid. 56 (1845)

***Ophioglossum reticulatum* L., Sp. Pl. 2: 1063 (1753) Nat; S Korea** 자루나도고사리삼

Ophioglossum holm-nielsenii B.Ollg., Fl. Ecuador 66: 16 (2001)

Ophioglossum peruvianum C.Presl, Suppl. Tent. Pterid. 52 (1845)

Ophioglossum petiolatum Hook., Exot. Fl. 1: 56 (1823)

***Ophioglossum thermale* Kom., Repert. Spec. Nov. Regni Veg. 13: 85 (1914) Nat; S Korea**
좁나도고사리삼

Ophioglossum litorale Makino, J. Jap. Bot. 6(10): 27 (1929)

Ophioglossum nipponicum Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 6: 122 (1916)

***Ophioglossum vulgatum* L., Sp. Pl. 1062 (1753) Nat; N Korea, S Korea** 나도고사리삼

Ophioglossum dudadae Mickel, Brittonia 44(3): 313 (1992)

Ophioglossum microstichum Ach., Kongl. Vetensk. Acad. Nya Handl. 59 (1899)

Ophioglossum mironovii Sumnev., Sist. Zametki Mater. Gerb. Krylova Tomsk. Gosud. Univ. Kujbyseva 17: 1 (1945)

Ophioglossum polyphyllum A.Braun ex Schub., Fl. Azor. 17 (1844)

Ophioglossum pringlei Underw. ex Conz., Fl. Taxon Mex. 1: 141 (1939)

OSMUNDACEAE

Osmunda L.

***Osmunda cinnamomea* L., Sp. Pl. 2: 1066 (1753) Nat: N Korea, S Korea 평교비**

Anemia bipinnata (L.) Sw., Syn. Fil. (Swartz) 157 (1806)

Osmunda cinnamomea L. var. *asiatica* Fernald, Rhodora 32: 75 (1930)

Osmunda cinnamomea L. var. *fokienense* Copel., Philipp. J. Sci. 4: 16 (1909)

Osmunda imbricata Kunze, Farnkrauter 2: 29 (1849)

Osmundastrum cinnamomeum (L.) C.Presl var. *forkiense* (Copel.) Tagawa, J. Jap. Bot. 17: 697 (1941)

Osmundastrum cinnamomeum (L.) C.Presl, Gefassbündel Farn 18 (1847)

Osmundastrum claytonianum (L.) Tagawa, J. Jap. Bot. 17: 697 (1941)

Struthiopteris cinnamomea (L.) Bernh., J. Bot. (Schrader) 1801: 126 (1801)

***Osmunda japonica* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 2: 209 (1780) Nat: N Korea, S Korea 교비**

Osmunda biformis (Benth.) Makino, J. Jap. Bot. 4: 4 (1927)

Osmunda japonica Thunb. var. *sublancea* (Christ) Nakai, Bot. Mag. (Tokyo) 41: 697 (1927)

Osmunda nipponica Makino, Bot. Mag. (Tokyo) 26: 385 (1912)

Osmunda regalis L. var. *biflormis* Benth., Fl. Hongk. 440 (1861)

Osmunda regalis L. var. *japonica* (Thunb.) Milde, Fil. Eur. 179 (1867)

PLAGIOGYRIACEAE

Plagiogyria Kunze & Mett.

***Plagiogyria euphlebia* (Kunze) Mett., Farngett. 2: 10 (1858) Nat: S Korea 평교사리**

Lomaria euphlebia Kunze, Bot. Zeitung (Berlin) 6: 521 (1848)

Lomariopsis triquetra (Wall. ex Mett.) Ettingsh., Farnkr. Jetztw. 1: 13 (1864)

Plagiogyria attenuata Ching, Acta Phytotax. Sin. 7(2): 139 (1958)

Plagiogyria chinensis Ching, Acta Phytotax. Sin. 7(2): 140 (1958)

Plagiogyria christii Copel., Philipp. J. Sci. 1(Suppl. 2): 153 (1906)

Plagiogyria elongata R.D.Dixit & A.Das, Proc. Indian Acad. Sci. Pl. Sci. 90: 377 (1981)

Plagiogyria euphlebia (Kunze) Mett. var. *triquetra* (Wall. ex Mett.) Ching, Acta Phytotax. Sin. 7: 117 (1958)

Plagiogyria euphlebia (Kunze) Mett. var. *grandis* (Copel.) De Vol, Taiwania 17: 282 (1972)

Plagiogyria grandis Copel., Philipp. J. Sci. 38(4): 389 (1929)

Plagiogyria integripinna Ching, Acta Phytotax. Sin. 7(2): 139 (1958)

Plagiogyria koidzumii Tagawa, Acta Phytotax. Geobot. 2: 189 (1933)

Plagiogyria maxima C.Chr., Bull. Mus. Natl. Hist. Nat. ser. 2, 6: 105 (1934)

Plagiogyria triquetra Wall. ex Mett., Abh. Senckenberg. Naturf. Ges. 2: 274 (1858)

Stenochlaena henryi Christ, Notul. Syst. (Paris) 1(2): 48 (1909)

***Plagiogyria japonica* Nakai, Bot. Mag. (Tokyo) 42: 206 (1928) Nat: S Korea 섬평교사리**

Plagiogyria adnata (Blume) Bedd. var. *distans* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 122 (1913)

Plagiogyria caudifolia Ching, Acta Phytotax. Sin. 7(2): 144 (1958)

Plagiogyria hainanensis Ching, Acta Phytotax. Sin. 7: 143 (1958)

Plagiogyria intermedia Copel., Philipp. J. Sci. 38: 390 (1929)

Plagiogyria japonica Nakai var. *pseudojaponica* (Nakaike) K.Iwats., J. Fac. Sci. Univ.

Tokyo, Sect. 3, Bot. 14: 71 (1987)
Plagiogyria liangkwanensis Ching, Acta Phytotax. Sin. 7(2): 142 (1958)
Plagiogyria pseudojaponica Nakaike, Bull. Natl. Sci. Mus., Tokyo 14: 266 (1971)

POLYPODIACEAE

Ceratopteris Brongn.

***Ceratopteris thalictroides* (L.) Brongn., Bull. Sci. Soc. Philom. Paris 8: 186 (1821) Nat; S**

Korea 물고사리

Acrostichum siliquosum L., Sp. Pl. 2: 1070 (1753)
Acrostichum thalictroides L., Sp. Pl. 1070 (1753)
Ceratopteris richardii Brongn., Dict. Class. Hist. Nat. 3: 351 (1823)
Furcaria cornuta (P.Beauv.) Desv., Mem. Soc. Linn. Paris 6: 292 (1827)
Onychium cornutum (P.Beauv.) Hassk., Tijdschr. Natuurl. Gesch. Physiol. 10: 115 (1843)
Pteris siliquosa (L.) P.Beauv., Fl. Oware 1: 63 (1804)

Colysis C.Presl

***Colysis elliptica* (Thunb.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 333 (1933) Nat; S Korea**
손고비

Gymnogramma elliptica (Thunb.) Baker, Syn. Fil. (Hooker & Baker) 389 (1868)
Leptochilus ellipticus (Thunb.) Noot., Blumea 42: 283 (1997)
Polypodium ellipticum Thunb., Fl. Jap. (Thunberg) 335 (1784)

***Colysis wrightii* (Hook.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 324 (1933) Nat; S Korea**
밤잎고사리

Colysis hokouensis Ching, Bull. Fan Mem. Inst. Biol. Bot. ser. 2, 1: 284 (1949)
Colysis longifrons Tagawa, J. Jap. Bot. 14: 110 (1938)
Colysis megalolepis Tagawa, J. Jap. Bot. 12: 492 (1936)
Colysis subsessilifolia Ching, Wuyi Sci. J. 1: 11 (1981)
Gymnogramma wrightii Hook. & Baker, Sp. Fil. 5: 160 (1864)
Polypodium kusukusense Hayata, Icon. Pl. Formosan. 5: 319 (1915)

***Colysis xshintenensis* (Hayata) H.Itô, J. Jap. Bot. 11: 90 (1935) Nat; S Korea** 제주창고사리

Colysis elliptica (Thunb.) Ching f. *simplex* Ching, Bull. Fan Mem. Inst. Biol. 4: 335 (1933)
Colysis simplicifrons (Christ) Tagawa, J. Jap. Bot. 25: 114 (1950)
Polypodium ellipticum Thunb. var. *simplicifrons* Christ, Bull. Herb. Boissier ser. 2, 2: 832 (1902)
Polypodium shintenense Hayata, Icon. Pl. Formosan. 8: 154 (1919)

Gymnocarpium Newman

***Gymnocarpium dryopteris* (L.) Newman, Phytologist 4: app. 24 (1851) Nat; N Korea, S Korea**
토끼고사리

Aspidium dryopteris (L.) Baumg., Enum. Stirp. Transsilv. 4: 29 (1846)
Dryopteris linnaeana (L.) C.Chr., Index Filic. 275 (1905)
Polypodium dryopteris L., Sp. Pl. 2: 1093 (1753)
Thelypteris dryopteris (L.) Sloss., Fl. Rocky Mts. 1044 (1917)

***Gymnocarpium jessoense* (Koidz.) Koidz., Acta Phytotax. Geobot. 5: 40 (1936) Nat; N Korea, S Korea**
산토끼고사리

Aspidium dryopteris Baumg. var. *longulum* Christ, Bull. Herb. Boissier ser. 2, 2: 830 (1902)
Dryopteris jessoensis Koidz., Bot. Mag. (Tokyo) 38: 104 (1924)
Gymnocarpium robertianum (Hoffm.) Newman, Phytologist 4: 371, app. 24 (1851)
Lastrea robertiana (Hoffm.) Newman var. *longula* (Christ) Ohwi, Fl. Jap. Pterid. 101 (1957)
Polypodium robertianum Hoffm., Deutschl. Fl. (Roehling) 10 (1795)

Lemmaphyllum C.Presl

Lemmaphyllum microphyllum C.Presl, Epimel. Bot. 263 (1851) var. *microphyllum* Nat: S
Korea 풍짜개덩굴

Lemmaphyllum microphyllum C.Presl var. *obovatum* (Harr.) Christ, Dansk Bot. Ark. 6: 47 (1929) Nat: S Korea 긴풍짜개덩굴

Drymoglossum carnosum var. *obovatum* Harr., J. Linn. Soc., Bot. 16(89): 33 (1878)

Drymoglossum nobukoanum Makino, J. Jap. Bot. 7: 8 (1931)

Drymoglossum obovatum (Harr.) Christ var. *lutchuense* Nakai, Bot. Mag. (Tokyo) 40(475): 396 (1926)

Drymoglossum obovatum (Harr.) Christ, J. Bot. (Morot) 19: 73 (1905)

Lemmaphyllum microphyllum C.Presl var. *lutchuense* (Nakai) Christ, Dansk Bot. Ark. 6(3): 47, pl. 5, f. 4 (1929)

Lemmaphyllum microphyllum C.Presl var. *nobukoanum* (Makino) Nakaïke, Enum. Pterid. Jap.: Filic. 332 (1975)

Lepidomicrosorium Ching & K.H.Shing

Lepidomicrosorium superficiale (Blume) Li S.Wang, Bot. J. Linn. Soc. 162: 36 (2010) Nat: S
Korea 창일엽

Microsorium brachylepis (Baker) Nakaïke, Illus. Pterid. Japan 2: 492 (1981)

Microsorium superficiale (Blume) Ching, Bull. Fan Mem. Inst. Biol. 4(10): 299 (1933)

Neocheiropteris superficialis (Blume) Bosman, Leiden Bot. Ser. 14: 121 (1991)

Phymatodes masaskei Nakai, Bot. Mag. (Tokyo) 43: 4 (1929)

Polypodium superficiale Blume, Fl. Javæ 136 (1828)

Lepisorus J.Sm. & Ching

Lepisorus annuifrons (Makino) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 70 (1933) Nat: S
Korea 다시마일엽초

Polypodium annuifrons Makino, Bot. Mag. (Tokyo) 13: 48 (1899)

Lepisorus onoei (Franch. & Sav.) Ching, Bull. Fan Mem. Inst. Biol. 4: 87 (1933) Nat: S

Korea 애기일엽초

Polypodium lineare var. *onoei* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 11: 282 (1897)

Polypodium onoei Franch. & Sav., Enum. Pl. Jap. 2: 246 (1879)

Lepisorus thunbergianus (Kaulf.) Ching, Bull. Fan Mem. Inst. Biol. 4(3): 88 (1933) Nat: S

Korea 일엽초

Lepisorus linearifolius Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 3: 5, f. 4 (1983)

Lepisorus pygmaeus Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4: 24, f. 54 (1984)

Lepisorus simulans Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4: 23, f. 53 (1984)

Pleopeltis thunbergianus Kaulf., Wesen Farrenk. 113 (1827)

Polypodium thunbergianum (Kaulf.) Christ, Index Filic., Suppl. Tertium pro Annis 1917-1933 3: 160 (1934)

***Lepisorus uchiyamae* (Makino) H.Itô, J. Jap. Bot. 11(2): 93 (1935) Nat: S Korea**
방망이일엽초

Polypodium uchiyamae Makino, Bot. Mag. (Tokyo) 20: 30 (1906)

***Lepisorus ussuriensis* (Regel & Maack) Ching, Bull. Fan Mem. Inst. Biol. 4: 91 (1933) Nat: N Korea, S Korea** 산일엽초

Pleopeltis ussuriensis Regel & Maack, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4(4): 175 (1861)

Polypodium lineare var. *ussuriense* (Regel & Maack) Christ, Index Filic. 9: 540 (1906)

Polypodium ussuriense (Regel & Maack) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 7: 663 (1881)

Loxogramme Blume & C.Presl

***Loxogramme duclouxii* Christ, Bull. Acad. Int. Géogr. Bot. 17(212): 140 (1907) Nat: S Korea**
순갈일엽

Loxogramme saziran Tagawa ex M.G.Price, Acta Phytotax. Geobot. 13: 127 (1943)

Polypodium succulentum Christ, Index Filic., Suppl. 1906-1912 1: 63 (1913)

***Loxogramme grammitoides* (Baker) C.Chr., Index Filic., Suppl. Preliminaire..les Annees 1913..1916 2: 21 (1917) Nat: S Korea** 주걱일엽

Gymnogramma grammitoides Baker, J. Bot. 27: 178 (1889)

Polypodium yakushimae Christ, Bull. Herb. Boissier ser. 2, 1: 1014 (1901)

Selliguea grammitoides (Baker) Christ, Bull. Herb. Boissier ser. 2, 3: 510 (1903)

***Loxogramme salicifolia* (Makino) Makino, Bot. Mag. (Tokyo) 19: 138 (1905) Nat: S Korea**
버들일엽

Gymnogramma salicifolia Makino, Phan. Pter. Jap. Icon. 1: 34 (1899)

Loxogramme bififormis Tagawa, Acta Phytotax. Geobot. 3: 93 (1934)

Loxogramme fauriei Copel., Philipp. J. Sci. 11: 45, pl. 1, f. 5 (1916)

Neolepisorus Ching

***Neolepisorus ensatus* (Thunb.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 10: 14 (1940) Nat: S Korea** 밤일엽

Microsorium ensatum (Thunb.) H.Itô, J. Jap. Bot. 11: 96 (1935)

Neocheiropteris ensata (Thunb.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 109 (1933)

Pleopeltis ensata (Thunb.) Bedd., Suppl. Ferns Brit. Ind. 94 (1892)

Polypodium ensatum Thunb., Trans. Linn. Soc. London 2: 341 (1794)

Polypodium oligolepis Baker, Bull. Misc. Inform. Kew 141: 231 (1898)

Pleurosoriopsis Fomin

***Pleurosoriopsis makinoi* (Maxim. ex Makino) Fomin, Izv. Kievsk. Bot. Sada 11: 8 (1930) Nat: N Korea, S Korea** 좁고사리

Gymnogramma makinoi Maxim. ex Makino, Bot. Mag. (Tokyo) 8: 48, t. 9 (1894)

Polypodium L.

***Polypodium fauriei* Christ, Bull. Herb. Boissier 4: 672 (1896) Nat: S Korea** 나사미역고사리

***Polypodium virginianum* L., Sp. Pl. 2: 1085 (1753) Nat: N Korea, S Korea** 좁미역고사리

Polypodium sibiricum Sipliv., *Novosti Sist. Vyssh. Rast.* 11: 329 (1974)

***Polypodium vulgare* L., Sp. Pl. 2: 1085 (1753)** Nat: S Korea 미역고사리

Pyrrosia Lam. & Mirb.

***Pyrrosia hastata* (Thunb.) Ching, Bull. Chin. Bot. Soc. 1 (1): 48 (1935)** Nat: N Korea, S Korea
세뿔석위

Acrostichum hastatum Hoult. ex Thunb., *Fl. Jap.* (Thunberg) 331 (1784)

Pyrrosia tricuspis (Sw.) Tagawa, *J. Jap. Bot.* 32: 354 (1957)

***Pyrrosia linearifolia* (Hook.) Ching, Bull. Chin. Bot. Soc. 1 (1): 48 (1935)** Nat: N Korea, S Korea
우단일엽

Cyclophorus linearifolius (Hook.) C.Chr., *Index Filic.* 4: 199 (1905)

Niphobolus linearifolius Hook., *Sec. Cent. Ferns* ad t. 58 (1861)

Polypodium linearifolium (Hook.) Hook., *Sp. Fil.* 5: 53 (1864)

Pyrrosia linearifolia (Hook.) Ching var. *heterolepis* Tagawa, *J. Jap. Bot.* 24: 116 (1949)

***Pyrrosia lingua* (Thunb.) Farw., Amer. Midl. Naturalist 12: 302 (1931)** Nat: S Korea 석위

Acrostichum lingua Thunb., *Fl. Jap.* (Thunberg) 330 (1784)

Cyclophorus taiwanense (Christ) C.Chr., *Index Filic.* 4: 199 (1905)

Niphobolus martini Christ, *Bull. Soc. Bot. France* 1(Mem): 23 (1905)

Polypodium lingua (Thunb.) Sw., *Syn. Fil.* (Swartz) 29 (1806)

***Pyrrosia petiolosa* (Christ) Ching, Bull. Chin. Bot. Soc. 1 (1): 59 (1935)** Nat: N Korea, S Korea
애기석위

Cyclophorus petiolosus (Christ) C.Chr., *Index Filic.* 4: 200 (1905)

Niphobolus petiolosa (Christ) Diels, *Bot. Jahrb. Syst.* 29(2): 207 (1900)

Polypodium petiolosum Christ, *Nuovo Giorn. Bot. Ital.* n.s. 4(1): 96 (1897)

***Pyrrosia polydactyla* (Hance) Ching, Bull. Chin. Bot. Soc. 1 (1): 48 (1935)** Nat: S Korea
단풍잎석위

Cyclophorus polydactylus (Hance) C.Chr., *Index Filic.* 4: 200 (1905)

Niphobolus polydactylon (Hance) Giesenh. ex Diels, *Nat. Pflanzenfam.* 1(4): 325 (1899)

Polypodium polydactylon Hance, *J. Bot.* 21: 269 (1883)

***Pyrrosia x nipponica* M.Beppu & Seriz., J. Phytogeogr. Taxon. 30: 46 (1982)** Nat: S Korea
큰우단일엽

Selliguea Bory

***Selliguea decurrens* (Wall.) C.Presl, Tent. Pterid. 216 (1836)** Nat: S Korea 큰손고비

Colysis decurrens (Wall. ex Hook. & Grev.) Nakaike, *New Fl. Jap. Pterid.* 840 (1992)

Grammitis decurrens Wall., *Numer. List* 5 (1828)

***Selliguea engleri* (Luerss.) Fraser-Jenk., Taxon. Revis. Indian Subcontinental
Pteridophytes 46 (2008)** Nat: S Korea 큰고란초

Crypsinus engleri (Luerss.) Copel., *Gen. Fil.* (Copeland) 206 (1947)

Phymatodes engleri (Luerss.) Ching, *Contr. Inst. Bot. Natl. Acad. Peiping* 2(3): 72 (1933)

Polypodium engleri Luerss., *Bot. Jahrb. Syst.* 4(4): 361 (1883)

Selliguea hastata (Thunb.) Fraser-Jenk., Taxon. Revis. Indian Subcontinental Pteridophytes 44 (2008) Nat: N Korea, S Korea 고란초

- Crypsinus hastatus* (Thunb.) Copel., Gen. Fil. (Copeland) 206 (1947)
Drynaria hastata (Thunb.) Fée, Mem. Foug., 5. Gen. Filic. 5: 371 (1852)
Phymatopteris hastata (Thunb.) Pic.Serm., Webbia 28(2): 462 (1973)
Polypodium dolichopodium Diels, Bot. Jahrb. Syst. 29(2): 205 (1900)
Polypodium hastatum Thunb., Fl. Jap. (Thunberg) 335 (1784)

Selliguea senanensis (Maxim.) S.G.Lu & Hovenkamp & M.G.Gilbert, Fl. China 2-3: 783 (2013) Nat: S Korea 충충고란초

- Crypsinus veitchii* (Baker) Copel., Gen. Fil. (Copeland) 206 (1947)
Polypodium veitchii Baker, Gard. Chron. n.s. 14: 494 (1880)

PSILOTACEAE

Psilotum Sw.

Psilotum nudum (L.) P.Beauv., Prodr. Aethégam. 112 (1805) Nat: S Korea 솔잎란

- Bernhardia antillarum* Müll.Hal., Bot. Zeitung (Berlin) 14: 234 (1856)
Bernhardia deppeana Müll.Hal., Bot. Zeitung (Berlin) 14: 235 (1856)
Lycopodium nudum L., Sp. Pl. 2: 1100 (1753)
Psilotum domingense Gand., Bull. Soc. Bot. France 66: 306 (1919)
Psilotum floridanum Michx., Fl. Bor.-Amer. (Michaux) 2: 281 (1803)
Psilotum triquetrum Sw., J. Bot. (Schrader) 1800(2): 109 (1801)
Psilotum triquetrum Sw. var. *gracile* Grev. & Hook., Bot. Misc. 2: 362 (1831)

PTERIDACEAE

Pteridium Gleditsch.

Pteridium aquilinum (Thunb.) Siebold var. latiusculum (Desv.) Underw. ex Hell., Cat. N. Amer. Pl. (ed. 3) 17 (1909) Nat: N Korea, S Korea 고사리

- Pteridium aquilinum* (Thunb.) Siebold subsp. *latiusculum* (Desv.) Hultén, Acta Univ. Lund. n.s. 37(1): 43 (1941)
Pteridium aquilinum (Thunb.) Siebold var. *japonicum* Nakai, Bot. Mag. (Tokyo) 39: 106 (1925)
Pteris lanuginosa Spreng., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 10: 231 (1821)
Pteris latiuscula Desv., Mem. Soc. Linn. Paris 6(2): 303 (1827)

Pteris L.

Pteris cretica L., Mant. Pl. 1: 130 (1767) Nat: S Korea 큰봉의꼬리

Pteris dispar Kunze, Bot. Zeitung (Berlin) 6: 539 (1848) Nat: S Korea 반쪽고사리

- Pteris semipinnata* L. var. *dispar* (Kunze) Hook. & Baker, Syn. Fil. (Hooker & Baker) 157 (1867)

Pteris excelsa Gaudich., Voy. Uranie, Bot. 388 (1827) Nat: S Korea 깃반쪽고사리

- Pteris excelsissima* Hayata, Icon. Pl. Formosan. 4: 239, f. 167 (1914)
Pteris inaequalis var. *aequata* (Miq.) Tagawa, J. Jap. Bot. 14(9): 600 (1938)
Pteris kleiniana (C.Presl) Christ, Bull. Soc. Bot. France 1(Mem): 57 (1905)

Pteris excelsa Gaudich. var. excelsa

***Pteris excelsa* Gaudich. var. *fauriei* (Christ) W.C.Shieh, Bot. Mag. (Tokyo) 79: 289 (1966)**
Nat: S Korea 탐라반쪽고사리

Pteris inaequalis Baker var. *fauriei* (Christ) Tagawa, Repert. Spec. Nov. Regni Veg. 43: 603 (1938)

Pteris semipinnata L. var. *fauriei* Christ, Repert. Spec. Nov. Regni Veg. 5: 12 (1908)

***Pteris excelsa* Gaudich. var. *simplicior* (Tagawa) W.C.Shieh, Bot. Mag. (Tokyo) 79: 289 (1966)**
Nat: S Korea 섬깃반쪽고사리

Pteris inaequalis Baker var. *simplicior* Tagawa, J. Jap. Bot. 14(9): 600 (1938)

***Pteris multifida* Poir., Encycl. (Lamarck) 5: 714 (1804)** Nat: S Korea 봉의꼬리

Pteris serrulata L.f., Suppl. Pl. 445 (1782)

Pycnodoria multifida (Poir.) Small, Ferns S. E. States 104 (1938)

***Pteris nipponica* W.C.Shieh, Bot. Mag. (Tokyo) 79: 285 (1966)** Nat: S Korea 알록큰봉의꼬리

Pteris cretica L. subsp. *nipponica* (W.C.Shieh) Jotani & H.Ohba, Sci. Rep. Yokosuka City Mus. 15: 28 (1969)

***Pteris semipinnata* L., Sp. Pl. 1076 (1753)** Nat: S Korea 큰반쪽고사리

SALVINIACEAE

Azolla Lam.

***Azolla filiculoides* Lam., Encycl. (Lamarck) 1: 343 (1783)** Nat: S Korea 큰물개구리밥

Azolla arbuscula Desv., Mem. Soc. Linn. Paris 6: 178 (1827)

Azolla caroliniana Willd., Sp. Pl. (ed. 5; Willdenow) 5: 541 (1810)

Azolla japonica Franch. & Sav., Enum. Pl. Jap. 2(1): 195 (1877)

Azolla magellanica Willd., Sp. Pl. (ed. 4) 5: 541 (1810)

Azolla squamosa Molina, Sag. Stor. Nat. Chili, ed. 2. 125 (1810)

***Azolla pinnata* R.Br. subsp. *asiatica* R.M.K.Saunders & K.Fowler, Bot. J. Linn. Soc. 109: 349 (1992)** Nat: S Korea 물개구리밥

Azolla decomposita Zoll., Syst. Verz. (Zollinger) 51 (1854)

Azolla imbricata (Roxb. ex Griff.) Nakai var. *imbricata* (Roxb. ex Griff.) Bonap., Notes Pteridol. 7: 130 (1918)

Azolla imbricata (Roxb. ex Griff.) Nakai var. *sempervirens* Y.X.Ling, Acta Phytotax. Sin. 18: 454 (1980)

Azolla imbricata (Roxb. ex Griff.) Nakai, Bot. Mag. (Tokyo) 39: 185 (1925)

Azolla pinnata R.Br., Prodr. Fl. Nov. Holland. 11: 11 (1810)

Salvinia imbricata Roxb. ex Griff., Calcutta J. Nat. Hist. 4: 469 (1844)

Salvinia Seg.

***Salvinia natans* (L.) All., Fl. Pedem. 2: 289 (1785)** Nat: S Korea 생이가래

Marsilea natans L., Sp. Pl. 1099 (1753)

SCHIZAEACEAE

Lygodium Sw.

***Lygodium japonicum* (Thunb.) Sw., J. Bot. (Schrader) 1800(2): 106 (1801) Nat: S Korea**
실고사리

Lygodium dissectum Desv., Berlin. Mag. 5: 308 (1811)

Lygodium japonicum (Thunb.) Sw. var. *microstachyum* (Desv.) C.Chr. & Tardieu, Fl. Indo-Chine 7: 38 (1939)

Lygodium mearnsii Copel., Philipp. J. Sci. 3: 37 (1908)

Lygodium microphyllum Link, Hort. Berol. [Link] 2: 141 (1833)

Lygodium microstachyum Desv. var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 41: 686 (1927)

Lygodium pubescens kaulf. Kaulf., Enum. Filic. 47 (1824)

Ophioglossum japonicum Thunb., Fl. Jap. (Thunberg) 328 (1784)

SELAGINELLACEAE

Selaginella P.Beauv.

***Selaginella helvetica* (L.) Spring, Flora 21 (1): 149 (1838) Nat: N Korea, S Korea** 왜구실사리

Bernhardia helvetica (L.) Gray, Nat. Arr. Brit. Pl. 2: 23 (1821)

Lycopodium helveticum L., Sp. Pl. 2: 1104 (1753)

***Selaginella nipponica* Franch. & Sav., Enum. Pl. Jap. 2: 199 (1877) Nat: S Korea** 선비늘이끼

Selaginella hachijoense Nakai, Bot. Mag. (Tokyo) 35: 149 (1921)

Selaginella savatieri Baker, J. Bot. 22(3): 87 (1884)

Urostachys ihwangensis Nessel, Repert. Spec. Nov. Regni Veg. 39: 68 (1935)

***Selaginella remotifolia* Spring, Pl. Jungh. 276 (1854) Nat: S Korea** 비늘이끼

Lycopodioides remotifolia (Spring) H.S.Kung, Fl. Sichuan. 6: 65 (1988)

Selaginella japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 185 (1867)

Selaginella kelungensis Hayata, Icon. Pl. Formosan. 7: 97 (1918)

***Selaginella rossii* (Baker) Warb., Monsunia 1: 101 (1900) Nat: N Korea, S Korea** 구실사리

Selaginella mongholica Rupr. var. *rossii* Baker, J. Bot. (Hooker) 21: 45 (1883)

***Selaginella shakotenensis* (Franch. & Sav.) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (1): 63 (1930) Nat: S Korea** 개실사리

Selaginella rupestris (L.) Spring var. *shakotanensis* Franch. ex Takeda, Bot. Mag. (Tokyo) 23: 237 (1909)

***Selaginella sibirica* (Milde) Hieron., Hedwigia 39: 290 (1900) Nat: N Korea, S Korea** 실사리

Bryodesma sibiricum (Milde) Soják, Preslia 64: 155 (1992)

Selaginella rupestris (L.) Spring f. *sibirica* Milde, Fil. Eur. 262 (1867)

***Selaginella stantoniana* Spring, Mem. Acad. Roy. Sci. Belgique 2: 71 (1848) Nat: N Korea, S Korea** 개부처손

Selaginella pseudoinvolvens Hayata, Icon. Pl. Formosan. 7: 100 (1918)

***Selaginella tamariscina* (P.Beauv.) Spring, Bull. Acad. Roy. Sci. Bruxelles 10: 136 (1843) Nat: N Korea, S Korea** 부처손

Selaginella involvens (Sw.) Spring, Bull. Acad. Roy. Sci. Bruxelles 10: 136 (1843)

Lycopodium involvens Sw., Syn. Fil. 182 (1806)

THELYPTERIDACEAE

Cyclogramma Tagawa

Cyclogramma leveillei (Christ) Ching, *Acta Phytotax. Sin.* 8: 317 (1963) Nat: S Korea

나도진퍼리고사리

Dryopteris izuensis Kodama, *Icon. Pl. Koisikav* 2(1): 7, pl. 88 (1914)

Dryopteris leveillei Christ, *Bull. Acad. Int. Géogr. Bot.* 20: 176 (1909)

Leptogramma izuensis (Kodama) H.Itô, *Bot. Mag. (Tokyo)* 49: 433 (1935)

Thelypteris leveillei (Christ) C.M.Kuo, *Taiwania* 30: 60 (1985)

Cyclosorus Link

Cyclosorus dentatus (Forssk.) Ching, *Bull. Fan Mem. Inst. Biol. Bot.* 8: 206 (1938) Nat: S Korea 탐라별고사리

Christella dentata (Forssk.) Brownsey & Jermy, *Brit. Fern Gaz.* 10: 338 (1973)

Polypodium dentatum Forssk., *Fl. Aegypt.-Arab.* 185 (1775)

Thelypteris dentata (Forssk.) E.P.St.John, *Amer. Fern J.* 26: 44 (1936)

Metathelypteris Ching

Metathelypteris hattorii (H.Itô) Ching, *Acta Phytotax. Sin.* 8: 306 (1963) Nat: S Korea

잔털드문고사리

Dryopteris hattorii H.Itô, *Bot. Mag. (Tokyo)* 49: 359 (1935)

Thelypteris hattorii (H.Itô) Tagawa, *Acta Phytotax. Geobot.* 5: 195 (1936)

Phegopteris Fée

Phegopteris connectilis (Michx.) D.Watt, *Canad. Naturalist & Quart. J. Sci. n.s.* 3: 29 (1866)

Nat: N Korea, S Korea 가래고사리

Polypodium phegopteris L., *Sp. Pl.* 1089 (1753)

Thelypteris phegopteris (L.) Sloss. ex Rydb., *Fl. Rocky Mts.* 1043 (1917)

Stegnogramma Blume

Stegnogramma pozoi subsp. *mollissima* (Fisch. ex Kunze) K.Iwats., *Acta Phytotax. Geobot.* 19: 125 (1963) Nat: S Korea 진퍼리고사리

Gymnogramma mollissima Fisch. ex Kunze, *Linnaea* 23: 310 (1850)

Leptogramma mollissima (Fisch. ex Kunze) Ching, *Sinensia* 7(1): 102 (1936)

Thelypteris pozoi subsp. *mollissima* (Fisch. ex Kunze) C.V.Morton, *Amer. Fern J.* 56: 178 (1966)

Thelypteris Schmidel

Thelypteris acuminata (Houtt.) C.V.Morton, *Amer. Fern J.* 48: 139 (1958) Nat: S Korea 뿔고사리

Christella acuminata (Houtt.) H.Lév., *Fl. Kouy-Tcheou* 476 (1915)

Cyclosorus acuminatus (Houtt.) Nakai ex H.Itô, *Bot. Mag. (Tokyo)* 51: 710 (1937)

Polypodium acuminatum Houtt., *Nat. Hist. (Houttuyn)* 2(14): 181 (1783)

***Thelypteris angustifrons* (Miq.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 318 (1936) Nat: S Korea 탐라사다리교사리**

Athyrium cystopteroides D.C.Eaton var. *elatius* D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 (1858)

Parathelypteris angustifrons (Miq.) Ching, Acta Phytotax. Sin. 8: 302 (1963)

Thelypteris glanduligera (Kunze) Ching var. *elatior* (D.C.Eaton) Sa.Kurata, Enum. Jap. Pterid. 317 (1961)

***Thelypteris beddomei* (Baker) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 308 (1936) Nat: S Korea 가는잎처녀교사리**

Lastrea beddomei (Baker) Bedd., Ferns Brit. India 2 (1870)

Nephrodium beddomei Baker, Syn. Fil. (Hooker & Baker) 267 (1867)

Parathelypteris beddomei (Baker) Ching, Acta Phytotax. Sin. 8: 302 (1963)

***Thelypteris cystopteroides* (D.C.Eaton) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 316 (1936) Nat: S Korea 좁사다리교사리**

Athyrium cystopteroides D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 (1858)

Dryopteris cystopteroides (D.C.Eaton) Christ, Index Filic., Suppl. Tertium pro Annis 1917-1933 3: 84 (1934)

Lastrea cystopteroides (D.C.Eaton) Copel., Gen. Fil. (Copeland) 138 (1947)

Parathelypteris cystopteroides (D.C.Eaton) Ching, Acta Phytotax. Sin. 8: 302 (1963)

***Thelypteris decursive-pinnata* (H.C.Hall) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 275 (1936) Nat: N Korea, S Korea 설설교사리**

Aspidium decursive-pinnatum (H.C.Hall) Kuntze, Bot. Zeitung (Berlin) 6: 555 (1848)

Dryopteris decursive-pinnata (H.C.Hall) Kuntze, Revis. Gen. Pl. 2: 812 (1891)

Phegopteris decursive-pinnata (H.C.Hall) Fée, Mem. Foug., 5. Gen. Filic. 5: 242, pl. 20A, f. 1 242 (1852)

Polypodium decursive-pinnatum H.C.Hall, Nieuwe Verh. Eerste Kl. Kon. Ned. Inst. Wetensch. Amsterdam 5: 204 (1836)

***Thelypteris esquirolii* var. *glabrata* (Christ) K.Iwats., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 31: 182 (1965) Nat: S Korea 제비꼬리교사리**

Lastrea subochthodes (Ching) Tagawa, Acta Phytotax. Geobot. 16: 78 (1956)

Pseudocyclosorus esquirolii (Christ) Ching, Acta Phytotax. Sin. 8: 324 (1963)

***Thelypteris glanduligera* (Kunze) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 320 (1936) Nat: N Korea, S Korea 사다리교사리**

Aspidium glanduligerum Kunze, Analecta Pteridogr. 44 (1837)

Lastrea glanduligera (Kunze) T.Moore var. *koreana* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 17 (1952)

Lastrea glanduligera (Kunze) T.Moore, Index Fil. (T. Moore) 93 (1858)

Parathelypteris glanduligera (Kunze) Ching, Acta Phytotax. Sin. 8: 303 (1963)

Thelypteris glanduligera (Kunze) Ching var. *koreana* (Nakai) H.Itô, Nov. Fl. Jap. 4: 130 (1939)

***Thelypteris interrupta* (Willd.) K.Iwats., J. Jap. Bot. 38(10): 314 (1963) Nat: S Korea 검은별교사리**

Aspidium ecklonii Kunze, Linnaea 10: 546 (1836)

Aspidium gongyloides Schkuhr, Kr. Gew. 1: 193 (1809)

Aspidium unitum (L.) Sw., J. Bot. (Schrader) 1800(2): 32 (1801)

Dryopteris unita Maxon, Proc. U. S. Natl. Mus. 23: 639 (1901)

Pteris interrupta Willd., Phytographia 13, pl. 10, f. 1 (1794)

Thelypteris totta (Thunb.) Schelpe, J. S. African Bot. 29: 91 (1963)

***Thelypteris oligophlebia* (Baker) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 339 (1936) Nat. N Korea, S Korea 각시교사리**

Dryopteris elegans Koidz., Bot. Mag. (Tokyo) 38: 108 (1924)

Lastrea oligophlebia (Baker) Copel. var. *elegans* (Koidz.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 17 (1952)

Lastrea uliginosa Newman var. *elegans* (Koidz.) K.Iwats., Acta Phytotax. Geobot. 18: 158 (1960)

Macrothelypteris oligophlebia (Baker) Ching, Acta Phytotax. Sin. 8: 309 (1963)

Macrothelypteris torresiana var. *calvata* (Baker) Holttum, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 31: 154 (1965)

Nephrodium setigerum var. *calvatum* Baker, J. Bot. 13: 201 (1875)

Thelypteris torresiana var. *calvata* (Baker) K.Iwats., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 31: 154 (1965)

Thelypteris uliginosa (Kunze) Ching var. *elegans* (Koidz.) K.Iwats., Acta Phytotax. Geobot. 18: 158 (1960)

***Thelypteris palustris* Schott, Gen. Fil. (Schott) ad t. 10 (1834) Nat. N Korea, S Korea 처녀교사리**

Acrostichum thelypteris L., Sp. Pl. 2: 1071 (1753)

Lastrea thelypteris (L.) Bory, Dict. Class. Hist. Nat. 9: 233 (1826)

Polypodium palustre Salisb., Prodr. Stirp. Chap. Allerton 403 (1796)

***Thelypteris parasitica* (L.) Fosberg, Occas. Pap. Bernice Pauahi Bishop Mus. 23: 30 (1962) Nat. S Korea 털별교사리**

Aspidium parasiticum (L.) Christ, Bot. Tidsskr. 24(1): 109 (1901)

Christella parasitica (L.) H.Lév., Fl. Kouy-Tcheou 475 (1915)

Cyclosorus parasiticus (L.) Tardieu ex Tardieu & Christ, Notul. Syst. (Paris) 7: 75 (1938)

Polypodium parasiticum L., Sp. Pl. 1990 (1753)

***Thelypteris quelpaertensis* (Christ) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 328 (1936) Nat. S Korea 큰처녀교사리**

Dryopteris kamschatica Kom., Repert. Spec. Nov. Regni Veg. 13: 84 (1914)

Dryopteris quelpaertensis Christ, Bull. Acad. Int. Géogr. Bot. 20: 7 (1910)

Lastrea quelpaertensis (Christ) Copel., Gen. Fil. (Copeland) 139 (1947)

Oreopteris quelpaertensis (Christ) Holub, Folia Geobot. Phytotax. 4: 48 (1969)

VITTARIACEAE

Haplopteris C.Presl

***Haplopteris flexuosa* (Fée) E.H.Crane, Syst. Bot. 22(3): 514 (1997) Nat. S Korea 일엽아재비**

Vittaria flexuosa Fée, Mem. Foug., 3. Hist. Vittar. 16 (1851)

Vittaria japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3(6): 169 (1867)

***Haplopteris zosterifolia* (Willd.) E.H.Crane, Syst. Bot. 22: 514 (1997) Nat. S Korea**

섬일엽아재비

Vittaria angustifrons Bory, Voy. Iles Afrique 2: 324 (1804)

Vittaria zosterifolia Willd., Sp. Pl. (ed. 5; Willdenow) 5: 406 (1810)

WOODSIACEAE

Athyrium Roth

***Athyrium acutipinnulum* Kodama ex Nakai, Rep. Veg. Ooryongto 13 (1919) Nat: S Korea**
섬고사리

***Athyrium alpestre* (Hoppe) Clairv., Man. Herbor. Suisse 301 (1811) Nat: N Korea** 산고사리
Athyrium distentifolium Tausch ex Opiz, Kratos 2 (1): 14 (1820)
Pseudoathyrium alpestre (Hoppe) Newman, Phytologist 4: 370 (1851)

***Athyrium brevifrons* Nakai ex Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 75 (1935) Nat: N Korea, S Korea** 참새발고사리
Athyrium acutidentatum Ching, Acta Bot. Boreal.-Occid. Sin. 6: 150 (1986)
Athyrium brevifrons Nakai ex Kitag. var. *angustifrons* (Kodama) Mori, Enum. Pl. Corea 4 (1922)
Athyrium filix-fermina var. *longipes* Hara, Bot. Mag. (Tokyo) 48: 691 (1934)

***Athyrium clivicola* Tagawa, Acta Phytotax. Geobot. 3: 32 (1934) Nat: S Korea** 암뱀고사리
Athyrium auriculatum Seriz., J. Jap. Bot. 46: 280 (1971)

***Athyrium deltoideofrons* Makino, Bot. Mag. (Tokyo) 28: 178 (1914) Nat: S Korea**
구슬개고사리
Athyrium acutissimum Kodama, Icon. Pl. Koisikav 3: 127 (1917)
Athyrium giganteum De Vol, Lingnan Sci. J. 21: 79 (1945)
Athyrium juilungshanense Ching, Bull. Bot. Res., Harbin 2(2): 72 (1982)
Athyrium multifidum Rosenst. var. *deltoideum* (Makino) Nakai, Bot. Mag. (Tokyo) 44: 507 (1930)
Athyrium rotundilobum Ching, Fl. Fujienica 1: 597 (1982)

***Athyrium fallaciosum* Milde, Fil. Eur. 54 (1867) Nat: N Korea** 물뱀고사리
Asplenium mongolicum Franch., Nouv. Arch. Mus. Hist. Nat. II. 7: 161 (1883)
Athyrium mongolicum var. *purdomii* C.Chr., Bot. Gaz. 56: 333 (1913)
Nephrodium mongolicum (Franch.) Baker, Ann. Bot. (Oxford) 5: 317 (1891)

***Athyrium fauriei* (Christ) Makino, Bot. Mag. (Tokyo) 17: 160 (1903) Nat: N Korea, S Korea**
산뱀고사리
Asplenium nikkoense Makino, Bot. Mag. (Tokyo) 17: 43 (1903)
Athyrium yokoscense (Franch. & Sav.) Christ var. *fauriei* (Christ) Tagawa, Acta Phytotax. Geobot. 2: 20 (1933)
Nephrodium fauriei Christ, Bull. Herb. Boissier 4: 671 (1896)

***Athyrium iseanum* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 124 (1913) Nat: S Korea**
가는잎개고사리
Athyrium dissectifolium Ching, Acta Bot. Boreal.-Occid. Sin. 6: 104 (1986)
Athyrium wuyishanense Ching, Acta Bot. Boreal.-Occid. Sin. 6: 104 (1986)

***Athyrium melanolepis* (Franch. & Sav.) Christ, Bull. Herb. Boissier 4: 668 (1896) Nat: N Korea** 북새발고사리
Asplenium melanolepis Franch. & Sav., Enum. Pl. Jap. 2: 226 (1876)

***Athyrium niponicum* (Mett.) Hance, J. Linn. Soc., Bot. 13: 92 (1873) Nat: N Korea, S Korea**
개고사리

- Anisocampium niponicum* (Mett.) Yea C.Liu & W.L.Chiou & M.Kato, Taxon 60: 828 (2011)
Asplenium niponicum Mett., Ann. Mus. Bot. Lugduno-Batavi 2: 240 (1866)
Asplenium uropterum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 174 (1867)
Athyrium matsumurae Christ ex Matsum., Bot. Mag. (Tokyo) 24: 241 (1910)
Athyrium pachyphlebium C.Chr., Dansk Bot. Ark. 9: 55 (1937)
Athyrium uropterum (Miq.) C.Chr., Index Filic. 3: 147 (1905)
Athyrium yunnanense Christ, Bull. Acad. Int. Géogr. Bot. 17: 134 (1907)

***Athyrium otophorum* (Miq.) Koidz., Fl. Symb. Orient.-Asiat. 40 (1930) Nat: S Korea**
꽃개고사리

- Asplenium otophorum* Miq., Ann. Mus. Bot. Lugduno-Batavi 3(6): 175 (1867)
Athyrium erythrocaulon Ching, Acta Bot. Boreal.-Occid. Sin. 6: 154 (1986)
Athyrium sinovidalii Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4: 8 (1984)
Athyrium violascens Diels, Bot. Jahrb. Syst. 29: 196 (1900)
Diplazium otophorum (Miq.) C.Chr., Index Filic. fasc. 4: 236 (1905)

***Athyrium reflexipinnum* Hayata, Icon. Pl. Formosan. 4: 234 (1914) Nat: S Korea**
거꾸리개고사리

***Athyrium sheareri* (Baker) Ching, Index Filic., Suppl. Tertium pro Annis 1917-1933 3: 44 (1934) Nat: S Korea** 개톱날고사리

- Anisocampium sheareri* (Baker) Ching, Acta Bot. Yunnan. 7: 314 (1985)
Dryopteris sheareri (Baker) C.Chr., Index Filic. fasc. 5: 292 (1905)
Dryopteris subsagenioides Christ, Bull. Acad. Int. Géogr. Bot. 20: 8 (1910)
Nephrodium sheareri Baker, J. Bot. 13: 200 (1875)

***Athyrium spinulosum* (Maxim.) Milde, Bot. Zeitung (Berlin) 6: 376 (1866) Nat: N Korea, S Korea** 두메개고사리

- Cystopteris spinulosa* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 9: 340 (1858)
Pseudocystopteris spinulosa (Maxim.) Ching, Acta Phytotax. Sin. 9: 78 (1964)

***Athyrium vidalii* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 39: 110 (1925) Nat: S Korea**
산개고사리

- Asplenium vidalii* Franch. & Sav., Enum. Pl. Jap. 2: 229 (1877)
Athyrium commixtum Koidz., Bot. Mag. (Tokyo) 39: 13 (1925)
Athyrium glabrescense Ching, Acta Bot. Boreal.-Occid. Sin. 6: 156 (1986)

***Athyrium wardii* (Hook.) Makino, Bot. Mag. (Tokyo) 13: 28 (1899) Nat: S Korea**
넓은잎개고사리

- Aspidium wardii* Hook., Sp. Fil. 3: 189 (1859)
Athyrium tsusimensense Koidz., Fl. Symb. Orient.-Asiat. 41 (1930)

***Athyrium yokoscense* (Franch. & Sav.) Christ, Bull. Herb. Boissier 4: 668 (1896) Nat: N Korea, S Korea** 뺨고사리

- Aspidium subspinulosum* Christ, Bull. Herb. Boissier ser. 2, 2: 829 (1902)
Asplenium yokoscense Franch. & Sav., Enum. Pl. Jap. 2: 225 (1879)
Athyrium demissum Christ, Repert. Spec. Nov. Regni Veg. 5: 284 (1908)
Athyrium flaccidum Christ, Repert. Spec. Nov. Regni Veg. 5: 11 (1908)

Cornopteris Nakai

***Cornopteris christenseniana* (Koidz.) Tagawa, Acta Phytotax. Geobot. 2: 195 (1933) Nat: S Korea** 지리산숲고사리

Cornopteris hakonensis (Makino) Nakai, Bot. Mag. (Tokyo) 45: 94 (1931)
Diplazium christensenianum Koidz., Bot. Mag. (Tokyo) 38: 105 (1924)

***Cornopteris crenulato-serrulata* (Makino) Nakai, Bot. Mag. (Tokyo) 45: 95 (1931) Nat: N Korea, S Korea** 응달고사리

Athyrium austro-ussuriense (Kom.) Fomin, Fl. Sibir. Orient. Extremi 5: 122 (1930)
Athyrium crenulato-serrulatum Makino, Bot. Mag. (Tokyo) 13: 26 (1899)
Cornopteris coreana Nakai, Bot. Mag. (Tokyo) 45: 96 (1931)
Dryopteris austro-ussuriensis Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 147 (1916)
Dryopteris crenulato-serrulata (Makino) C.Chr., Index Filic. 5: 259 (1905)
Phegopteris crenulato-serrulata (Makino) Makino, Bot. Mag. (Tokyo) 17: 78 (1903)
Pseudathyrium crenulato-serrulatum (Makino) Nakai, Rep. Veg. Daisetsu Mts. 44 (1930)

***Cornopteris decurrenti-alata* (Hook.) Nakai, Bot. Mag. (Tokyo) 44: 8 (1930) Nat: S Korea** 팔고사리

Athyrium decurrenti-alatum (Hook.) Copel., Philipp. J. Sci. 3: 279 (1908)
Athyrium decurrenti-alatum (Hook.) Copel. var. *pilosella* (H.Itô) Ohwi, Fl. Jap. Pterid. 110 (1957)
Athyrium musashiense (Nakai) Christ, Index Filic., Suppl. Tertium pro Annis 1917-1933 3: 43 (1934)
Cornopteris decurrenti-alata (Hook.) Nakai var. *glabra* f. *stenophylla* (H.Itô) Ohwi, Fl. Jap. Pterid. 110 (1957)
Cornopteris decurrenti-alata (Hook.) Nakai var. *pilosella* f. *platyphylla* H.Itô, Nov. Fl. Jap. 4: 98 (1939)
Cornopteris decurrenti-alata (Hook.) Nakai var. *pilosella* H.Itô, Bot. Mag. (Tokyo) 52: 588 (1938)
Cornopteris musashiense Nakai, Bot. Mag. (Tokyo) 44: 8 (1930)
Cornopteris tsangii Ching, Lingnan Sci. J. 21: 32 (1945)
Gymnogramma decurrenti-alata Hook., Sp. Fil. 5: 142, t. 294 (1864)

Deparia Hook. & Grev.

***Deparia conilii* (Franch. & Sav.) M.Kato, Bot. Mag. (Tokyo) 90: 37 (1977) Nat: N Korea, S Korea** 좁진고사리

Asplenium conilii Franch. & Sav., Enum. Pl. Jap. 2: 227 (1876)
Athyriopsis conilii (Franch. & Sav.) Ching, Acta Phytotax. Sin. 9(1): 65 (1964)
Athyrium conilii (Franch. & Sav.) Tagawa, J. Jap. Bot. 14(2): 104 (1938)
Diplazium oldhamii (Baker) Christ, Bull. Herb. Boissier 7: 819 (1899)
Diplazium thunbergii Nakai ex Momose var. *angustatum* Nakai, Bull. Natl. Sci. Mus., Tokyo 27: 14 (1949)
Lunathyrium angustatum (Nakai) H.Ohba, Sci. Rep. Yokosuka City Mus. 11: 53, f. 3 (1965)
Lunathyrium conilii (Franch. & Sav.) Sa.Kurata, Enum. Jap. Pterid. 341 (1961)

***Deparia coreana* (Christ) M.Kato, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 392 (1984) Nat: N Korea, S Korea** 굵새고사리

Athyrium coreanum Christ, Bull. Herb. Boissier ser. 2, 8: 827 (1902)
Athyrium decursivum Y.Yabe, Bot. Mag. (Tokyo) 17(194): 66 (1903)
Athyrium heterophyllum Nakai, Bot. Mag. (Tokyo) 45: 92 (1931)

Lunathyrium coreanum (Christ) Ching, Acta Phytotax. Sin. 10: 301 (1965)

***Deparia dimorphophylla* (Koidz.) M.Kato var. *kiusiana* (Koidz.) Seriz., J. Jap. Bot. 54(6): 182 (1979)** Nat: S Korea 털진고사리

Athyrium kiusianum (Koidz.) Tagawa, J. Jap. Bot. 14: 105 (1938)

Deparia kiusiana (Koidz.) M.Kato, Bot. Mag. (Tokyo) 90: 37 (1977)

Diplazium kiusianum Koidz., Fl. Austro-Higoensis 3 (1931)

Lunathyrium lasiopteris (Kunze) Nakaike var. *kiusianum* (Koidz.) Nakaike, Enum. Pterid. Jap.: Filic. 176 (1975)

***Deparia dimorphophylla* (Koidz.) M.Kato, Bot. Mag. (Tokyo) 90: 37 (1977)** Nat: S Korea 큰진고사리

Athyriopsis dimorphophylla (Koidz.) Ching ex W.M.Chu, Fl. Reipubl. Popularis Sin. 3 (2): 338 (1999)

Athyrium dimorphophyllum (Koidz.) Tagawa, J. Jap. Bot. 14(2): 104 (1938)

Athyrium japonicum (Thunb.) Copel. var. *dimorphophylla* (Koidz.) Ohwi, Fl. Jap. Pterid. 116 (1957)

Diplazium lasiopteris Kunze, Linnaea 17: 568 (1843)

Lunathyrium dimorphophyllum (Koidz.) Sa.Kurata, Enum. Jap. Pterid. 307 (1961)

***Deparia japonica* (Thunb.) M.Kato, Bot. Mag. (Tokyo) 90: 37 (1977)** Nat: N Korea, S Korea 진고사리

Asplenium japonicum Thunb., Fl. Jap. (Thunberg) 334 (1784)

Athyriopsis japonica (Thunb.) Ching, Acta Phytotax. Sin. 9: 65 (1964)

Athyrium japonicum (Thunb.) Copel., Philipp. J. Sci. 3: 290 (1908)

Diplazium japonicum (Thunb.) Makino, Bot. Mag. (Tokyo) 13: 32 (1899)

Diplazium japonomettianum Nakai, Bull. Natl. Sci. Mus., Tokyo 27: 18 (1949)

Diplazium thunbergii Nakai ex Momose, J. Jap. Bot. 14(4): 265 (1938)

Lunathyrium japonicum (Thunb.) Sa.Kurata, J. Geobot. 9(3/4): 99 (1961)

***Deparia lobatocrenatum* (Tagawa) M.Kato, Acta Phytotax. Sin. 9: 65 (1964)** Nat: S Korea 외잎진고사리

Athyrium lobatocrenatum (Tagawa) Tagawa, Col. Ill. Jap. Pterid. 1: 83 (1959)

Diplazium lobatocrenatum Tagawa, Acta Phytotax. Geobot. 3: 36 (1934)

Lunathyrium lobatocrenatum (Tagawa) Sa.Kurata, Enum. Jap. Pterid. 342 (1961)

***Deparia okuboana* (Makino) M.Kato, Bot. Mag. (Tokyo) 90: 37 (1977)** Nat: S Korea 진퍼리개고사리

Athyrium okuboanum Makino, Bot. Mag. (Tokyo) 13: 16 (1899)

Dryoathyrium okuboanum (Makino) Ching, Acta Phytotax. Sin. 10: 303 (1965)

Dryoathyrium viridifrons (Makino) Ching var. *okuboanum* (Makino) Ching ex S.H.Fu, Ill. Handb. Chin. Pl. Pterid. 125 (1957)

Dryopteris okuboanum (Makino) Koidz., Bot. Mag. (Tokyo) 38(449): 112 (1924)

Lunathyrium okuboanum (Makino) Sugim., J. Geobot. 11: 85 (1962)

***Deparia orientalis* (Z.R.Wang & J.J.Chien) Nakaike, Mem. Natl. Sci. Mus. (Tokyo) 27: 57 (1994)** Nat: S Korea 흰털고사리

Deparia albosquamata (M.Kato) Nakaike, New Fl. Jap. Pterid. 840 (1992)

Deparia pycnosora (Christ) M.Kato var. *albosquamata* M.Kato, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 396 (1984)

Lunathyrium orientale Z.R.Wang & J.J.Chien, Acta Phytotax. Sin. 22: 228 (1984)

***Deparia petersenii* (Kunze) M.Kato, Mem. Natl. Sci. Mus. (Tokyo) 27: 57 (1994) Nat: S Korea 탐라진교사리**

- Allantodia deflexa* Kunze, Bot. Zeitung (Berlin) 6: 191 (1848)
Asplenium petersenii Kunze, Analecta Pteridogr. 24 (1837)
Asplenium toppingianum Copel., Fragm. Fl. Philipp. 3: 184 (1905)
Athyriopsis petersenii (Kunze) Ching, Acta Phytotax. Sin. 9: 66 (1964)
Diplazium acrotis Christ, Bull. Herb. Boissier ser. 2, 6: 1000 (1906)
Diplazium allorgei Tardieu, Notul. Syst. (Paris) 7: 150 (1938)
Diplazium congruum Brack., U.S. Expl. Exped., Filic. 16: 141, pl. 18, f. 2 (1854)
Diplazium fimbriichlamys Nakai, Bull. Natl. Sci. Mus., Tokyo 27: 17 (1949)
Lunathyrium petersenii (Kunze) H.Ohba, Sci. Rep. Yokosuka City Mus. 11: 53 53 (1965)

***Deparia pseudoconilii* (Seriz.) Seriz., J. Jap. Bot. 54(6): 182 182 (1979) Nat: S Korea 나도좁진교사리**

- Lunathyrium pseudoconilii* Seriz., Sci. Rep. Takao Mus. Nat. Hist. 5: 21 (1973)

***Deparia pterorachis* (Christ) M.Kato, Bot. Mag. (Tokyo) 90: 35 (1977) Nat: S Korea 왕교사리**

- Athyrium pterorachis* Christ, Bull. Herb. Boissier 4: 668 (1896)
Cornopteris pterorachis (Christ) Tardieu, Amer. Fern J. 48(1): 32 (1958)
Dryothyrium pterorachis (Christ) Ching, Bull. Fan Mem. Inst. Biol. Bot. 11: 81 (1941)
Lunathyrium pterorachis (Christ) Sa.Kurata, Enum. Jap. Pterid. 309 (1961)

***Deparia pycnosora* (Christ) M.Kato, Bot. Mag. (Tokyo) 90: 36 (1977) Nat: N Korea, S Korea 털교사리**

- Athyrium pycnosorum* Christ, Bull. Herb. Boissier ser. 2, 2: 827 (1902)
Lunathyrium pycnosorum (Christ) Koidz. f. *glabrum* Otsuka, J. Geobot. 23: 94, f. 1 (1976)
Lunathyrium pycnosorum (Christ) Koidz., Acta Phytotax. Geobot. 1: 31 (1932)

***Deparia viridifrons* (Makino) M.Kato, Bot. Mag. (Tokyo) 90: 37 (1977) Nat: S Korea 푸른개교사리**

- Athyrium henri* var. *viridifrons* (Makino) Ohwi, Fl. Jap. Pterid. 112 (1957)
Athyrium viridifrons Makino, Bot. Mag. (Tokyo) 13: 15 (1899)
Cornopteris viridifrons (Makino) Tardieu, Amer. Fern J. 48: 32 (1958)
Dryothyrium viridifrons (Makino) Ching, Bull. Fan Mem. Inst. Biol. Bot. 11: 81 (1941)
Lunathyrium viridifrons (Makino) Sa.Kurata, Enum. Jap. Pterid. 343 (1961)

Onoclea L.

***Onoclea orientalis* (Hook.) Hook., Sp. Fil. 4: 161 (1862) Nat: N Korea, S Korea 개면마**

- Matteuccia cavaleriana* (Christ) C.Chr., Index Filic. 420 (1906)
Matteuccia japonica (Hayata) C.Chr., Index Filic., Suppl. Tertium pro Annis 1917-1933 127 (1934)
Matteuccia orientalis (Hook.) Trevis., Atti Reale Ist. Veneto Sci. Lett. Arti 14: 586 (1869)
Pentarhizidium japonicum Hayata, Bot. Mag. (Tokyo) 42: 345 (1928)
Pentarhizidium orientale (Hook.) Hayata, Bot. Mag. (Tokyo) 42: 345 (1928)
Pterinodes orientalis (Hook.) Kuntze, Revis. Gen. Pl. 2: 820 (1891)
Struthiopteris cavaleriana Christ, Bull. Acad. Int. Géogr. Bot. 13: 118 (1904)
Struthiopteris orientalis Hook., Sec. Cent. Ferns 4, pl. 4 (1861)

***Onoclea sensibilis* L. var. *interrupta* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 337 (1859) Nat: N Korea, S Korea 야산고비**

Onoclea interrupta (Maxim.) Ching & P.C.Chiu, Fl. Tsinling. 2: 36 (1974)

Woodsia R.Brown.

***Woodsia glabella* R.Br., Narr. Journey Polar Sea 754 (1823) Nat: N Korea** 애기가물고사리

Woodsia alpina (Bolton) Gray var. *glabella* (R.Br.) D.C.Eaton, Canad. Naturalist & Quart. J. Sci. 2: 90 (1865)

Woodsia hyperborea Makino var. *glabella* (R.Br.) D.Watt, Canad. Naturalist & Quart. J. Sci. 3: 160 (1866)

***Woodsia ilvensis* (L.) R.Br., Prodr. Fl. Nov. Holland.158 (1810) Nat: N Korea** 두메우드풀

Acrostichum ilvense L., Sp. Pl. 1071 (1753)

Notholaena setigera Desv., J. Bot. Agric. 1: 93 (1813)

Woodsia eriosora Christ, Repert. Spec. Nov. Regni Veg. 5: 12 (1908)

Woodsia pilosella Rupr., Beitr. Pflanzenk. Russ. Reiches 3: 54 (1845)

Woodsia raiana Newman, Hist. Brit. Ferns, ed. 2 140 (1844)

Woodsia subcordata Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 206 (1832)

***Woodsia intermedia* Tagawa, Acta Phytotax. Geobot. 5: 250 (1936) Nat: S Korea** 줌우드풀

Woodsia conmixta Ching, Bull. Fan Mem. Inst. Biol. Bot. ser. 2, 1: 314 (1949)

***Woodsia macrochaena* Mett. ex Kuhn, J. Bot. 6: 270 (1868) Nat: S Korea** 참우드풀

Woodsia frondosa Christ, Repert. Spec. Nov. Regni Veg. 5: 12 (1908)

Woodsia japonica Makino, Bot. Mag. (Tokyo) 18: 135 (1908)

Woodsia sinuata (Hook.) Christ, Bull. Herb. Boissier ser. 2, 2: 830 (1902)

***Woodsia manchuriensis* Hook., Sec. Cent. Ferns 98 (1861) Nat: N Korea, S Korea** 만주우드풀

Diacalpe manchuriensis (Hook.) Trevis., Nuovo Giorn. Bot. Ital. 7: 160 (1875)

Protowoodsia manchuriensis (Hook.) Ching, Lingnan Sci. J. 21(1-4): 37 37 (1945)

Woodsia insularis Hance, Ann. Sci. Nat., Bot. ser. 5, 15: 228 (1861)

***Woodsia microsora* Kodama, Icon. Pl. Koisikav 3: 101, t. 196 (1927) Nat: N Korea**

금강가물고사리

***Woodsia polystichoides* D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 (1858) Nat: N Korea, S**

Korea 우드풀

Physematium polystichoides (D.C.Eaton) Trevis., Nuovo Giorn. Bot. Ital. 7: 161 (1875)

Woodsia brandtii Franch. & Sav., Enum. Pl. Jap. 2: 205 (1877)

Woodsia polystichoides D.C.Eaton var. *veitchii* Hance, Ann. Sci. Nat., Bot. ser. 5, 15: 229 (1861)

Woodsia polystichoides D.C.Eaton f. *sinuata* (Hook.) Kitag., Neolin. Fl. Manshur. 41 (1979)

Woodsia polystichoides D.C.Eaton var. *sinuata* Hook., Gard. Ferns 32 (1862)

***Woodsia pseudoilvensis* Tagawa, Acta Phytotax. Geobot. 5: 251 (1936) Nat: S Korea**

메가물고사리

***Woodsia saitoana* Tagawa, Acta Phytotax. Geobot. 5: 250 (1936) Nat: S Korea** 줌살우드풀

II. GYMNOSPERMS

CEPHALOTAXACEAE

Cephalotaxus Siebold & Zucc. ex Endl.

Cephalotaxus harringtonia (Knight ex Forbes) K.Koch, *Dendrologie* 2(2): 102 (1873) Int: S Korea 개비자나무

Taxus harringtonia Knight ex Forbes, *Pinet. Woburn.* 217: t. 62 (1839)

Cephalotaxus nana Nakai, *Bot. Mag. (Tokyo)* 33: 193 (1919)

Cephalotaxus drupacea Siebold & Zucc. var. *nana* (Nakai) Rehder, *J. Arnold Arbor.* 4: 107 (1923)

Cephalotaxus koreana Nakai, *Bot. Mag. (Tokyo)* 44: 508 (1930)

Cephalotaxus drupacea Siebold & Zucc. var. *koreana* Hatus., *Exp. Forest. Kyushu Imp. Univ.* 5: 38 (1934)

Cephalotaxus harringtonia (Knight ex Forbes) K.Koch var. *nana* (Nakai) Rehder, *J. Arnold Arbor.* 22: 571 (1941)

Cephalotaxus harringtonia (Knight ex Forbes) K.Koch subsp. *koreana* (Nakai) Silba, *J. Int. Conifer Preserv. Soc.* 14: 8 (2007)

CUPRESSACEAE

Chamaecyparis Spach

Chamaecyparis obtusa (Siebold & Zucc.) Endl., *Syn. Conif.* 63 (1847) Int 편백

Retinispora obtusa Siebold & Zucc., *Fl. Jap. (Siebold)* 2: 38 (1844)

Retinispora fusinoki Zucc. ex Gordon, *Pinetum Suppl.* 95 (1862)

Chamaecyparis leptoclada Henkel & W.Hochst., *Syn. Nadelholz.* 257 (1865)

Chamaecyparis breviramea Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* III 10: 489 (1866)

Chamaecyparis pendula Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* III 10: 498 (1866)

Chamaecyparis keteleri Standish ex Parl., *Prodr. (DC.)* 16: 466 (1868)

Cupressus obtusa (Siebold & Zucc.) F.Muell., *Rep. (Annual) Acclim. Soc. Victoria* 1871: 31 (1871)

Chamaecyparis pisifera (Siebold & Zucc.) Endl., *Syn. Conif.* 64 (1847) Int 화백

Retinispora pisifera Siebold & Zucc., *Fl. Jap. (Siebold)* 2: 39 (1844)

Retinispora squarrosa Siebold & Zucc., *Fl. Jap. (Siebold)* 2: 40 (1844)

Retinispora plumosa Carrière, *Traité Gén. Conif.*, ed. 2 791 (1867)

Cupressus pisirera (Siebold & Zucc.) K.Koch, *Dendrologie* 2: 170 (1873)

Retinispora stricta Gordon, *Pinetum*, ed. 2 428 (1875)

Thuja pisifera (Siebold & Zucc.) Mast., *J. Linn. Soc., Bot.* 18: 489 (1881)

Cryptomeria D.Don

Cryptomeria japonica (Thunb. ex L.f.) D.Don, *Trans. Linn. Soc. London, Bot.* 18: 167 (1839) Int 삼나무

Cupressus japonica Thunb. ex L.f., *Suppl. Pl.* 421 (1782)

Taxodium japonicum (L.f.) Brongn., *Ann. Sci. Nat. (Paris)* ser. 1, 30: 176 (1833)

Cryptomeria fortunei Hooibr., *Wiener J. Gesammte Pflanzenr.* 1: 22 (1853)

- Cryptomeria japonica* (Thunb. ex L.f.) D.Don var. *pungens* Carrière, *Traité Gén. Conif.*, ed. 2 194 (1867)
Cryptomeria japonica (Thunb. ex L.f.) D.Don var. *sinensis* Siebold & Zucc., *Fl. Jap.* (Siebold) 2: 52 (1870)
Cryptomeria japonica (Thunb. ex L.f.) D.Don var. *fortunei* (Otto & A.Dietr.) A.Henry, *Trees Great Britain* 1: 129 (1906)
Cryptomeria japonica (Thunb. ex L.f.) D.Don var. *caespitosa* Makino, *J. Jap. Bot.* 5: 28 (1928)
Cryptomeria japonica (Thunb. ex L.f.) D.Don var. *pendula* Leroy ex Dallim. & A.B.Jacks., *Handb. Conif.* [Dallimore & Jackson] ed. 3 255 (1948)

Cunninghamia R.Br.

***Cunninghamia lanceolata* (Lamb.) Hook., *Curtis's Bot. Mag.* 54: t. 2743 (1827) Int**
 넓은잎삼나무

- Belis jaculifolia* Salisb., *Trans. Linn. Soc. London* 8: 315 (1807)
Cunninghamia sinensis R.Br. & Rich., *Comm. Bot. Conif. Cycad.* 80 (1826)
Belis lanceolata (Salisb.) Sweet, *Hort. Brit.* (Sweet) (ed. 2) 475 (1830)
Raxopitys cunninghamii Nelson, *Pinaceae* [Nelson] 97 (1866)
Cunninghamia chinensis de Vos, *Bered Woordenb. Heest. Conif.* 1: 153 (1867)
Cunninghamia sinensis R.Br. & Rich. var. *prolifera* Lemeé & H.Lév., *Monde Pl. ser. 2*, 16: 20 (1914)

Juniperus L.

***Juniperus chinensis* L., *Mant. Pl.* 1: 127 (1767) Nat: N Korea, S Korea 향나무**

- Juniperus cernua* Roxb., *Fl. Ind. ed. 1832* (Roxburgh) 3: 839 (1832)
Juniperus thumbergii Hook. & Arn., *Bot. Beechey Voy.* 271 (1838)
Juniperus fortunei Carrière, *Traité Gén. Conif.* 11 (1855)
Sabina chinensis (L.) Antoine, *Cupress. Gatt.* 54 (1857)
Juniperus chinensis L. var. *horizontalis* Nakai, *Corean Timber Trees* 136 (1926)
Sabina chinensis (L.) Antoine var. *horizontalis* (Nakai) Nakai, *Chosen Sanrin Kwaiho* 158: 27 (1938)

Juniperus chinensis* L. var. *chinensis

***Juniperus chinensis* L. var. *procumbens* (Siebold) Endl., *Syn. Conif.* 21 (1847) Nat: S Korea**
 섬향나무

- Juniperus procumbens* (Siebold) Miq., *Fl. Jap.* (Siebold) 2: 59 (1870)
Sabina pacifica Nakai, *Chosen Sanrin Kwaiho* 158: 31 (1938)
Sabina chinensis (L.) Antoine f. *albovariegata* Nakai, *Chosen Sanrin Kwaiho* 158: 26 (1938)
Sabina chinensis (L.) Antoine f. *globosa* Nakai, *Chosen Sanrin Kwaiho* 158: 27 (1938)
Sabina chinensis (L.) Antoine f. *variegata* Nakai, *Chosen Sanrin Kwaiho* 158: 30 (1938)
Sabina procumbens (Endl.) Iwata & Kusaka, *Conif. Jap. Ill. Aject. Emend. ed.* 2 199 (1954)

***Juniperus chinensis* L. var. *sargentii* A.Henry, *Trees Great Britain* 6: 1432 (1912) Nat: N Korea, S Korea**
 눈향나무

- Juniperus sargentii* (Henry) Takeda ex Koidz., *Bot. Mag.* (Tokyo) 44: 511 (1930)
Juniperus tsukushinensis Masam., *Bot. Mag.* (Tokyo) 44: 55 (1930)
Sabina sargentii (Henry) Nakai, *Chosen Sanrin Kwaiho* 158: 32 (1938)
Sabina chinensis (L.) Antoine var. *sargentii* (Henry) W.C.Cheng & L.K.Fu, *Fl. Reipubl. Popularis Sin.* 7: 363 (1978)

Juniperus chinensis L. subsp. *sargentii* (A.Henry) Silba, J. Int. Conifer Preserv. Soc. 13: 6 (2006)

***Juniperus communis* L. subsp. *alpina* (Suter) Celak., Prodr. Fl. Bohmen 17 (1867) Nat: N Korea 곱향나무**

- Juniperus communis* L. var. *montana* Aiton, Hort. Kew. (Hill) 3: 414 (1789)
Juniperus communis L. var. *nana* (Willd.) Baumg., Enum. Stirp. Transsilv. 2: 308 (1816)
Juniperus pygmaea C.Koch, Linnaea 22: 302 (1849)
Juniperus nipponica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 230 (1867)
Juniperus communis L. var. *sibirica* Rydb., Contr. U. S. Natl. Herb. 3: 533 (1896)
Juniperus communis L. var. *nipponica* (Maxim.) E.H.Wilson, Conif. Taxads Japan 81 (1916)
Juniperus niemanni E.L.Wolf, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 3: 37 (1922)
Juniperus rebunensis Kudô & Sasaki, Medic. Pl. Hokk. 1: 6 (1922)
Juniperus communis L. subsp. *nipponica* (Maxim.) Silba, J. Int. Conifer Preserv. Soc. 13: 7 (2006)

***Juniperus rigida* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 233 (1846) Nat: N Korea, S Korea 노간주나무**

- Juniperus nana* Willd., Berlin. Baumz. 159 (1796)
Juniperus conferta Parl., Conif. Nov. 1 (1863)
Juniperus litoralis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 230 (1867)
Juniperus rigida Siebold & Zucc. var. *conferta* (Parl.) Patschke, Bot. Jahrb. Syst. 48: 678 (1913)
Juniperus rigida Siebold & Zucc. f. *longicarpa* Uyeki, Korean Timber Trees 143 (1926)
Juniperus coreana Nakai, Bot. Mag. (Tokyo) 40: 161 (1926)
Juniperus utilis Koidz., Bot. Mag. (Tokyo) 44: 99 (1930)
Juniperus rigida Siebold & Zucc. var. *modesta* Nakai, Chosen Sanrin Kwaiho 19: 26 (1935)
Juniperus coreana Nakai var. *rigida* (Siebold & Zucc.) Nakai, Chosen Sanrin Kwaiho 158: 22 (1938)
Juniperus rigida Siebold & Zucc. var. *coreana* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 238 (1966)
Juniperus rigida Siebold & Zucc. f. *modesta* (Nakai) Y.C.Chu, Pl. Medic. Chinae Bor.-orient. 59 (1989)

***Juniperus virginiana* L., Sp. Pl. 1039 (1753) Int 연필향나무**

- Juniperus fragrans* Knight, Syn. Conif. Pl. 13 (1850)
Sabina fragrans (Knight) Antoine, Cupress. Gatt. 70 (1857)
Sabina virginiana (L.) Antoine, Cupress. Gatt. 61 (1857)
Juniperus argentea Gordon, Pinetum 113 (1858)
Juniperus cinerascens K.Koch, Dendrologie 2: 141 (1873)
Juniperus polymorpha Beissn., Handb. Nadelholzk. 125 (1891)
Juniperus smithipendula Beissn., Handb. Nadelholzk. 125 (1891)

Metasequoia Miki

***Metasequoia glyptostroboides* Hu & W.C.Cheng, Bull. Fan Mem. Inst. Biol. Bot. n.s, 1: 154 (1948) Int 메타세쿼이아**

- Sequoia glyptostroboides* (Hu & W.C.Cheng) Weide, Repert. Spec. Nov. Regni Veg. 68: 185 (1962)
Metasequoia glyptostroboides Hu & W.C.Cheng var. *caespitosa* Y.H.Long & Y.Wu, Bull. Bot. Res., Harbin 4: 149 (1984)
Metasequoia honshuenensis Silba & Callahan, J. Int. Conifer Preserv. Soc. 7: 2 (2000)
Metasequoia neopangaea Silba, J. Int. Conifer Preserv. Soc. 9: 9 (2002)

Platycladus Spach

***Platycladus orientalis* (L.) Franco, Portugaliae Acta Biol., Ser. B, Sist. Vol. "Julio Henriques". 33 (1949) Nat: S Korea 측백나무**

Thuja orientalis L., Sp. Pl. 1002 (1753)

Thuja pendula (Thunb.) D. Don, Descr. Pinus, ed. 2 2: 115 (1828)

Biota orientalis (L.) Endl., Syn. Conif. 47 (1847)

Biota japonica Siebold ex Gordon, Pinetum 33 (1858)

Thuja stricta Gordon, Pinetum Suppl. 17 (1862)

Biota coraeana Siebold ex Gordon, Pinetum Suppl. 17 (1862)

Thuja orientalis L. f. *sieboldii* (Endl.) Rehder, Bibliogr. Cult. Trees 48 (1949)

Taxodium Rich.

***Taxodium distichum* (L.) Rich., Ann. Nat. Hist. 16: 298 (1810) Int 낙우송**

Cupressus disticha L., Sp. Pl. 1002 (1753)

Thuja L.

***Thuja koraiensis* Nakai, Bot. Mag. (Tokyo) 33: 196 (1919) Nat: N Korea, S Korea 눈측백**

***Thuja occidentalis* L., Sp. Pl. 2: 1002 (1753) Int 서양측백**

Thuja tatarica Gordon, Pinetum Suppl. 104 (1862)

Thuja sibirica Gordon, Pinetum Suppl. 104 (1862)

Thuja obtusa (Siebold & Zucc.) Mast., J. Linn. Soc., Bot. 18: 491 (1881)

Retinispora devriesiana Mast., J. Linn. Soc., Bot. 18: 495 (1881)

Thuja bodmeri Beissn., Handb. Nadelholz. 42 (1891)

Thujopsis Siebold & Zucc. ex Endl.

***Thujopsis dolabrata* (L.f.) Siebold & Zucc., Fl. Jap. (Siebold) 2: 34 (1844) Int 나한백**

Thuja dolabrata L.f., Suppl. Pl. 420 (1781)

Platycladus dolabrata (L.f.) Spach, Hist. Nat. Veg. (Spach) 11: 337 (1842)

Thujopsis laetevirens Lindl., Gard. Chron. 1861: 56 (1861)

Thujopsis dolabrata (L.f.) Siebold & Zucc. var. *australis* A. Henry, Trees Great Britain 2: 202 (1907)

CYCADACEAE

Cycas L.

***Cycas revoluta* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 40 (1783) Int 소철**

GINKGOACEAE

Ginkgo L.

***Ginkgo biloba* L., Mant. Pl. 2: 313 (1771) Int 은행나무**

Salisburia adiantifolia Sm., Trans. Linn. Soc. London 3: 330 (1797)

Salisburia macrophylla Reyn., Cat. Sénécl. 1: 40 (1854)

Ginkgo biloba L. var. *laciniata* Carrière, Traité Gén. Conif., ed. 2 712 (1867)

Ginkgo macrophylla (Reyn.) K.Koch, Dendrologie 2: 108 (1873)
Ginkgo biloba L. f. *laciniata* (Carrière) Beissn., Handb. Conif. 24 (1887)

PINACEAE

Abies Mill.

***Abies firma* Siebold & Zucc., Fl. Jap. (Siebold) 2: 15, t. 107 (1842) Int 일본잣나무**

Abies momi Siebold, Verh. Batav. Genootsch. Kunsten 12: 12 (1830)

Abies thunbergii Lindl., Penny Cyclop. 1: 34 (1833)

Abies bifida Siebold & Zucc., Fl. Jap. (Siebold) 2: 18 (1842)

Picea webbiana Gordon, Pinetum 160 (1858)

***Abies holophylla* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 487 (1866) Nat: N
Korea, S Korea 잣나무(천나무)**

Pinus holophylla (Maxim.) Parl., Prodr. (DC.) 16: 424 (1868)

Picea holophylla (Maxim.) Gordon, Pinetum, ed. 2 2: 206 (1875)

Abies holophylla Maxim. var. *aspericorticea* Y.Y.Sun, Bull. Bot. Res., Harbin 25: 264 (2005)

***Abies koreana* E.H.Wilson, J. Arnold Arbor. 1: 188 (1920) Nat: S Korea, Endemic 구상나무**

Abies koreana E.H.Wilson f. *nigrocarpa* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 20 (1934)

***Abies nephrolepis* (Trautv. ex Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 486 (1866) Nat: N Korea, S Korea 분비나무**

Abies sibirica Korsh. var. *nephrolepis* Trautv. ex Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 260 (1859)

Abies veitchii Lindl. var. *nephrolepis* (Trautv. ex Maxim.) Mast., Gard. Chron. 12: 589 (1880)

Abies sibirica Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 424 (1893)

Pinus nephrolepis (Trautv. ex Maxim.) Voss, Mitt. Deutsch. Dendrol. Ges. 16: 94 (1907)

Abies nephrolepis (Trautv. ex Maxim.) Maxim. f. *chlorocarpa* E.H.Wilson, J. Arnold Arbor. 1: 189 (1920)

Cedrus Trew

***Cedrus deodara* (Roxb. ex Lamb.) G.Don, Hort. Brit. (Loudon) 1: 388 (1830) Int 개잎갈나무**

Pinus deodara Roxb. ex Lamb., Hort. Bengal. 69 (1814)

Abies deodara (Roxb. ex Lamb.) Lindl., Penny Cyclop. 1: 34 (1833)

Cedrus libani A.Rich. var. *deodara* (Roxb. ex Lamb.) Hook.f., Himal. J. (Hooker) 1: 257 (1854)

Cedrus deodara (Roxb. ex Lamb.) G.Don f. *aurea* Rehder, Bibliogr. Cult. Trees 32 (1949)

Cedrus libani A.Rich. subsp. *deodara* (Roxb. ex Lamb.) P.D.Sell, Watsonia 18: 92 (1990)

Larix Mill.

***Larix gmelinii* (Rupr.) Kuzen., Trudy Bot. Muz. Rossiisk. Akad. Nauk 18: 41 (1920) Nat: N
Korea 잎갈나무**

Abies gmelinii Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 56 (1845)

Abies kamtschatica Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 57 (1845)

Larix dahurica Turcz. ex Trautv., Pl. Imag. Descr. Fl. Russ. 3: 48 (1846)

Larix lubarskii Sukaczew, Trudy Issl. Lesn. Khoz. Lesn. Promysl. 10: 9 (1931)
Larix komarovii Kolesn., Mater. Istorii Fl. Rastitel'n. SSSR 2: 356 (1946)
Larix middendorffii Kolesn., Mater. Istorii Fl. Rastitel'n. SSSR 2: 358 (1946)
Larix olgensis A.Henry var. *komarovii* (Kolesn.) Dylis, Larix Sib. Or. & Extrem. Or. 202 (1961)

Larix gmelinii* (Rupr.) Kuzen. var. *gmelinii

***Larix gmelinii* (Rupr.) Kuzen. var. *olgensis* (A.Henry) Ostenf. & Syrach, Pflanzenareale 2: 62 (1930) Nat: N Korea 만주잎갈나무**

Larix olgensis A.Henry, Gard. Chron. ser. 3, 57: 109, t. 32 (1915)
Larix dahurica Turcz. ex Trautv. f. *viridis* E.H.Wilson, J. Arnold Arbor. 1: 189 (1920)
Larix koreana Nakai, Chosen Sanrin Kwaiho 158: 6 (1938)
Larix olgensis A.Henry var. *koreana* (Nakai) Nakai, Chosen Sanrin Kwaiho 165: 32 (1938)
Larix olgensis A.Henry f. *viridis* (E.H.Wilson) Nakai, Chosen Sanrin Kwaiho 165: 31 (1938)
Larix gmelinii (Rupr.) Kuzen. var. *koreana* (Nakai) Uyeki, Woody Pl. Distr. Chosen 4 (1940)
Larix amurensis Kolesn. ex Dylis, Larix Sib. Or. & Extrem. Or. 198 (1961)
Larix olgensis A.Henry var. *changpaiensis* Yang & Y.L.Chou, Acta Phytotax. Sin. 9: 169 (1964)
Larix gmelinii (Rupr.) Kuzen. var. *principis-ruprechtii* f. *virides* (E.H.Wilson) T.B.Lee, Ill. Woody Pl. Korea 233 (1966)
Larix olgensis A.Henry var. *amurensis* (Kolesn.) Kitag., Neolin. Fl. Manshur. 47 (1979)

***Larix kaempferi* (Lamb.) Carrière, Fl. Serres Jard. Eur. 11: 97 (1856) Int 일본잎갈나무**

Pinus kaempferi Lamb., Descr. Pinus ed. 2: 5 (1824)
Abies leptolepis Siebold & Zucc., Fl. Jap. (Siebold) 1: 12 (1842)
Larix japonica Carrière, Traité Gén. Conif. 272 (1855)
Larix leptolepis (Siebold & Zucc.) Gordon, Pinetum 128 (1858)
Larix leptolepis (Siebold & Zucc.) Gordon var. *murrayana* Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 3 (1866)

***Picea* D.Don ex Loudon**

***Picea abies* (L.) H.Karst., Deut. Fl. (Karsten) 2/3: 324 (1881) Int 독일가문비**

Pinus abies L., Sp. Pl. 1002 (1753)
Pinus excelsa Lam., Fl. Franc. (Lamarck) 2: 202 (1778)
Picea excelsa Link, Linnaea 15: 517 (1841)

***Picea jezoensis* (Siebold & Zucc.) Carrière, Traité Gén. Conif. 255 (1855) Nat: N Korea, S Korea 가문비나무**

Abies jezoensis Siebold & Zucc., Fl. Jap. (Siebold) 2: 19 (1842)
Picea ajanensis Fisch. ex Carrière, Traité Gén. Conif. 259 (1855)
Abies ajanensis (Fisch. ex Carrière) Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 382 (1857)
Abies microsperma Lindl., Gard. Chron. 22 (1861)
Veitchia japonica Lindl., Gard. Chron. 265 (1861)
Picea jezoensis (Siebold & Zucc.) Carrière var. *hondoensis* (Mayr) Rehder, Mitt. Deutsch. Dendrol. Ges. 24: 314 (1915)
Picea jezoensis (Siebold & Zucc.) Carrière f. *rubripilis* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 4 (1925)
Picea kamtchatkensis Lacass., Bull. Soc. Hist. Nat. Toulouse 58: 637 (1929)
Picea jezoensis (Siebold & Zucc.) Carrière var. *koreana* Uyeki, Chosen Sanrin Kwaiho 206: 12 (1942)
Picea komarovii V.N.Vassil., Bot. Zhurn. (Moscow & Leningrad) 35: 504 (1950)

***Picea koraiensis* Nakai, Bot. Mag. (Tokyo) 33: 195 (1919) Nat: N Korea 종비나무**

Picea pungsanensis Uyeki, Korean Timber Trees 99 (1926)

Picea tonaiensis Nakai, J. Jap. Bot. 17: 1 (1941)

Picea intercedens Nakai, J. Jap. Bot. 17: 4 (1941)

Picea koyamae Shiras. var. *koraiensis* (Nakai) Liou & Q.L.Wang, Ill. Fl. Ligneous Pl. N. E. China 88 (1955)

Picea koraiensis Nakai var. *tonaiensis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 234 (1966)

Picea pungsanensis Uyeki var. *intercedens* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 234 (1966)

Pinus L.

***Pinus banksiana* Lamb., Descr. Pinus 1: 7 (1803) Int 방크스소나무**

Pinus sylvestris L. var. *divaricata* Aiton, Hort. Kew. (Hill) 3: 366 (1789)

Pinus hudsonica Poir., Encycl. (Lamarck) 5: 389 (1804)

Pinus rupestris F.Michx., Hist. Arbr. Forest. 1: 49 (1810)

***Pinus bungeana* Zucc. ex Endl., Syn. Conif.166 (1847) Int 백송**

Pinus excorticata Lindl. & Gordon, J. Hort. Soc. London 5: 217 (1850)

***Pinus densiflora* Siebold & Zucc., Fl. Jap. (Siebold) 2: 22 (1842) Nat: N Korea, S Korea 소나무**

Pinus scopifera Miq., Syst. Verz. (Zollinger) 82 (1855)

Pinus densiflora Siebold & Zucc. f. *pendula* Mayr, Monogr. Abietin. Japan Reich. 91 (1890)

Pinus funebris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 117 (1901)

Pinus densiflora Siebold & Zucc. f. *aggregata* Nakai, Fl. Kor. 2: 380 (1911)

Pinus densiflora Siebold & Zucc. f. *vittata* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 1 (1925)

Pinus densiflora Siebold & Zucc. f. *multicaulis* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 4 (1925)

Pinus densiflora Siebold & Zucc. f. *aurescens* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 4 (1925)

Pinus densiflora Siebold & Zucc. f. *erecta* Uyeki, Bull. Soc. Dendrol. France 66: 49 (1928)

Pinus densiflora Siebold & Zucc. f. *congesta* Uyeki, Acta Phytotax. Geobot. 7: 17 (1938)

Pinus densiflora Siebold & Zucc. f. *sylvestrifformis* Taken., J. Jap. Forest. Soc. 24: 120 (1942)

Pinus densiflora Siebold & Zucc. var. *brevifolia* Liou & Q.L.Wang, Ill. Fl. Ligneous Pl. N. E. China 98 (1955)

Pinus densiflora Siebold & Zucc. var. *funebris* (Kom.) Liou & Q.L.Wang, Ill. Fl. Ligneous Pl. N. E. China 98 (1955)

Pinus densiflora Siebold & Zucc. var. *liaotungensis* Liou & Wang, Ill. Fl. Ligneous Pl. N. E. China 548 (1955)

Pinus densiflora Siebold & Zucc. f. *brevifolia* (Liou & Q.L.Wang) Kitag., Neolin. Fl. Manshur. 97 (1979)

***Pinus koraiensis* Siebold & Zucc., Fl. Jap. (Siebold) 2: 28 (1842) Nat: N Korea, S Korea 잣나무**

Pinus mandschurica Rupr., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 1: 567 (1857)

Pinus cembra Thunb. var. *excelsa* Maxim. ex Rupr., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 15: 141 (1857)

Pinus cembra Thunb. var. *mandschurica* (Rupr.) Carrière, Traité Gén. Conif., ed. 2 390

(1867)

Strobus koraiensis Moldenke, Revista Sudamer. Bot. 6: 30 (1939)

Pinus koraiensis (Siebold & Zucc.) Moldenke, Phytologia 4: 125 (1952)

Pinus prokoraiensis Y.T.Zhao, J.M.Lu & A.G.Gu, Bull. Bot. Res., Harbin 10: 69 (1990)

***Pinus parviflora* Siebold & Zucc., Fl. Jap. (Siebold) 2: 27 (1842) Nat; S Korea 섬잣나무**

Pinus cembra Thunb., Fl. Jap. (Thunberg) 274 (1784)

Pinus cembra Thunb. var. *japonica* J.Nelson, Pinaceae [Nelson] 107 (1866)

Pinus mayrii Zabel, Forstl. Bl. (Berlin) 15: 250 (1891)

Pinus himekomatsu Miyabe & Kudô, Icon. Forest Trees Hokkaido 1: 29 (1921)

Strobus parviflora (Siebold & Zucc.) Moldenke, Phytologia 4: 128 (1952)

***Pinus pumila* (Pall.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 23 (1859) Nat;
N Korea, S Korea 눈잣나무**

Pinus cembra Thunb. var. *pumila* Pall., Fl. Ross. (Pallas) 1: 4 (1784)

Pinus cembra Thunb. var. *pygmaea* Loudon, Arbor. Frutic. Brit. 4: 2276 (1838)

Pinus cembra Thunb. subsp. *pumila* (Pall.) Endl., Syn. Conif. 142 (1847)

Pinus nana Lemeë & H.Lév., Repert. Spec. Nov. Regni Veg. 8: 60 (1910)

Pinus pumila (Pall.) Regel f. *auriamentata* Y.N.Lee, Bull. Korea Pl. Res. 7: 14 (2007)

***Pinus pungens* Lamb., Ann. Bot. (Konig & Sims) 198 (1806) Int 풍켄스소나무**

***Pinus rigida* Mill., Gard. Dict., ed. 8 Pinus no.10 (1768) Int 리기다소나무**

Pinus taeda L. var. *rigida* (Mill.) Aiton, Hort. Kew. (Hill) 3: 368 (1789)

***Pinus strobus* L., Sp. Pl. 2: 1001 (1753) Int 스트로브잣나무**

Pinus nivea Booth ex Carrière, Traité Gén. Conif. 305 (1855)

Pinus alba-canadensis Prov., Fl. Canad. [Provanchier] II, 554 (1863)

Leucopitys strobus (L.) Nieuwl., Amer. Midl. Naturalist 3: 70 (1913)

***Pinus sylvestris* L., Sp. Pl. 1000 (1753) Int 구주소나무**

Pinus sylvestris L. var. *mongholica* Litv., Sched. Herb. Fl. Ross. 5: 160 (1905)

Pinus yamazutae Uyeki, J. Chosen Nat. Hist. Soc. 9: 20 (1929)

Pinus takahasii Nakai, Chosen Sanrin Kwaiho 167: 32 (1939)

Pinus densiflora Siebold & Zucc. var. *ussuriensis* Liou & Z.Wang III. Fl. Ligneous Pl. N. E. China 98 (1958)

***Pinus tabuliformis* Carrière, Traité Gén. Conif., ed. 2 510 (1867) Nat; N Korea 만주곰솔**

Pinus densiflora Siebold & Zucc. var. *tabuliformis* (Carrière) Mast., J. Linn. Soc., Bot. 26: 549 (1902)

Pinus mukdensis Uyeki ex Nakai, Bot. Mag. (Tokyo) 33: 195 (1919)

Pinus tabuliformis Carrière var. *mukdensis* (Uyeki ex Nakai) Uyeki, J. Chosen Nat. Hist. Soc. 3: 45 (1925)

Pinus tabuliformis Carrière var. *rubescens* Uyeki, J. Chosen Nat. Hist. Soc. 3: 45 (1925)

Pinus tokunagae Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manchuricae 164 (1935)

***Pinus taeda* L., Sp. Pl. 2: 1000 (1753) Int 테에다소나무**

Pinus lutea Walter, Fl. Carol. 237 (1788)

Pinus mughoides E.H.L.Krause, Beih. Bot. Centralbl. 32: 330 (1914)

Pinus taeda L. var. *mughoides* E.H.L.Krause, Beih. Bot. Centralbl. 32: 330 (1914)

Pinus thunbergii Parl., Prodr. (DC.) 16: 388 (1868) Nat: N Korea, S Korea **곰솔**
Pinus thunbergii Parl. f. *multicaulis* Uyeki, Acta Phytotax. Geobot. 7: 17 (1938)

Tsuga Carrière

Tsuga diversifolia (Maxim.) Mast., J. Linn. Soc., Bot. 18: 514 (1881) Nat: S Korea **솔송나무**
Abies diversifolia Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 12: 229 (1868)
Tsuga blaringhemii Flous, Trav. Lab. Forest. Toulouse 1(2) 15: 2 (1936)

PODOCARPACEAE

Nageia Gaertn.

Nageia nagi (Thunb.) Kuntze, Revis. Gen. Pl. 2: 798 (1891) Int **죽백나무**
Myrica nagi Thunb., Fl. Jap. (Thunberg) 76 (1784)
Nageia japonica Gaertn., Fruct. Sem. Pl. 1: 191 (1788)
Podocarpus nageia R.Br. ex Mirb., Mem. Mus. Hist. Nat. 13: 75 (1825)
Podocarpus nagi (Thunb.) Pilg., Pflanzenr. (Engler) IV, 5: 60 (1903)

Podocarpus Pers.

Podocarpus macrophyllus (Thunb.) D.Don, Descr. Pinus 2: 22 (1824) Int **나한송**
Podocarpus verticillatus G.Don, Hort. Brit. (Loudon) 1: 388 (1830)
Podocarpus forrestii Craib & W.W.Sm., Notes Roy. Bot. Gard. Edinburgh 12: 219 (1920)

SCIADOPITYACEAE

Sciadopitys Siebold & Zucc.

Sciadopitys verticillata (Thunb.) Siebold & Zucc., Fl. Jap. (Siebold) 2: 3 (1842) Int **금송**
Taxus verticillata Thunb., Syst. Veg., ed. 14 (J. A. Murray) 895 (1784)
Pinus verticillata (Thunb.) Siebold, Verh. Batav. Genootsch. Kunsten 12: 12 (1830)
Sciadopitys verticillata (Thunb.) Siebold & Zucc. var. *pendula* Bean, Trees & Shrubs Brit. Isles 2: 507 (1914)

TAXACEAE

Taxus L.

Taxus cuspidata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 232 (1846) Nat: N Korea, S Korea **주목**
Taxus baccata L. var. *microcarpa* Trautv., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 259 (1859)
Taxus baccata L. var. *latifolia* Pilg., Pflanzenr. (Engler) IV, 5: 122 (1903)
Taxus baccata L. subsp. *cuspidata* (Siebold & Zucc.) Pilg., Pflanzenr. (Engler) 18 helf, 4: 112 (1903)
Taxus baccata L. subsp. *cuspidata* var. *latifolia* Pilg., Pflanzenr. (Engler) 18 helf, 4: 112 (1903)
Taxus cuspidata Siebold & Zucc. var. *microcarpa* (Trautv.) Kolesn., Vestn. Dal'nevost. Fil. Akad. Nauk SSSR 7: 43 (1935)

Taxus cuspidata Siebold & Zucc. var. *latifolia* (Pilg.) Nakai, Chosen Sanrin Kwaiho 158: 39 (1938)

Taxus cuspidata* Siebold & Zucc. var. *cuspidata

***Taxus cuspidata* Siebold & Zucc. var. *nana* Rehder, Cycl. Amer. Hort. et.4, 6: 1779 (1902)**

Nat: N Korea, S Korea 눈주목

Taxus cuspidata Siebold & Zucc. var. *compacta* Bean, Trees & Shrubs Brit. Isles 2: 582 (1914)

Taxus cuspidata Siebold & Zucc. f. *nana* (Rehder) E.H.Wilson, Publ. Arnold Arbor. 8: 13 (1916)

Taxus caespitosa Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 158: 20 (1938)

Taxus cuspidata Siebold & Zucc. var. *caespitosa* (Nakai) Q.L.Wang, Clavis Pl. Chinae Bor.-Or. ed. 2 73 (1995)

Taxus umbraculifera var. *nana* (Rehder) Spjut, J. Bot. Res. Inst. Texas 1: 281 (2007)

Torreya Arn.

***Torreya nucifera* (L.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4:**

234 (1846) Nat: S Korea 비자나무

Taxus nucifera L., Sp. Pl. 1040 (1753)

Torreya nucifera (L.) Siebold & Zucc. var. *radicans* (L.) Nakai, Bot. Mag. (Tokyo) 33: 194 (1919)

Torreya macrosperma Miyoshi, Rep. Nat. Monum. Invest. Pl. 32: 2 (1922)

Torreya fruticosa Nakai, Chosen Sanrin Kwaiho 158: 26 (1938)

III. MONOCOTS

ALISMATACEAE

Alisma L.

Alisma canaliculatum A.Braun & C.D.Bouché, *Index Seminum Hort. Bot. Berol.* 1867 4 (1867) Nat: N Korea, S Korea 택사

Alisma plantago-aquatica L. var. *canaliculatum* (A.Braun & C.D.Bouché) Miyabe & Kudô, *J. Fac. Agric. Hokkaido Imp. Univ.* 26 (2): 101 (1931)

Alisma rariflorum Sam., *Ark. Bot.* 24A : 32 (1932)

Alisma canaliculatum A.Braun & C.D.Bouché var. *azuminoense* Kadono & S.Hamashima, *J. Jap. Bot.* 63: 411 (1988)

Alisma plantago-aquatica L. subsp. *orientale* (Sam.) Sam., *Ark. Bot.* 24A : 16 (1932) Nat: N Korea, S Korea 절경이택사

Alisma coreanum H.Lév., *Repert. Spec. Nov. Regni Veg.* 8: 286 (1910)

Alisma plantagoaquatica L. var. *orientale* Sam., *Acta Horti Gothob.* 2: 84 (1926)

Alisma orientale (Sam.) Juz., *Fl. URSS* 1: 281 (1934)

Caldesia Parl.

Caldesia parnassifolia (Bassi ex L.) Parl., *Fl. Ital.* 3: 599 (1860) Nat: S Korea 등근잎택사

Alisma parnassifolium Bassi ex L., *Syst. Nat. ed.* 12 2: 230 (1767)

Caldesia reniformis (D.Don) Makino, *Bot. Mag. (Tokyo)* 20: 34 (1906)

Sagittaria L.

Sagittaria aginashi Makino, *Bot. Mag. (Tokyo)* 15: 104 (1901) Nat: N Korea, S Korea 보풀

Sagittaria natans Pall., *Reise Russ. Reich.* 3: 757 (1776) Nat: N Korea 대택소귀나물

Sagittaria alpina Willd., *Sp. Pl. (ed. 5; Willdenow)* 4: 408 (1805)

Sagittaria sagittifolia L. var. *breviloba* Regel, *Mem. Acad. Imp. Sci. St.-Petersbourg, Ser.* 7 4: 154 (1861)

Sagittaria sagittifolia L. f. *linearifolia* Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 20: 232 (1901)

Sagittaria sagittifolia L. f. *emersa* Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 20: 232 (1901)

Sagittaria pygmaea Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 138 (1866) Nat: S Korea 올미

Sagittaria sagittifolia L. var. *oligocarpa* Micheli, *Monogr. Phan.* 3: 68 (1881)

Sagittaria sagittifolia L. var. *pygmaea* (Miq.) Makino, *Bot. Mag. (Tokyo)* 16: 106 (1902)

Hydroilirion coreanum H.Lév., *Repert. Spec. Nov. Regni Veg.* 11: 67 (1912)

Blyxa coreana (H.Lév.) Nakai, *J. Jap. Bot.* 19: 247 (1943)

Sagittaria trifolia L., *Sp. Pl.* 993 (1753) Nat: N Korea, S Korea 벗풀

Sagittaria sagittifolia L., *Sp. Pl.* 993 (1753)

Sagittaria obtusa Thunb., *Fl. Jap. (Thunberg)* 242 (1784)

Sagittaria chinensis Sims, *Bot. Mag.* 39: t. 1631 (1814)

Sagittaria doniana Sweet, *Hort. Brit. (Sweet)* 375 (1826)

- Sagittaria edulis* Schldtl., *Linnaea* 18: 432 (1844)
Sagittaria sagittifolia L. var. *longiloba* Turcz., *Bull. Soc. Imp. Naturalistes Moscou* 27: 57 (1854)
Sagittaria trifolia L. f. *longiloba* (Turcz.) Makino, *J. Jap. Bot.* 1: 37 (1918)
Sagittaria sagittifolia L. var. *siensis* f. *coerulea* Makino, *J. Jap. Bot.* 1: 35 (1918)
Sagittaria sagittifolia L. var. *siensis* Makino, *J. Jap. Bot.* 1: 37 (1918)
Sagittaria sagittifolia L. subsp. *leucopetala* (Miq.) Hartog, *Fl. Malesiana, Ser. 1, Spermatoph.* 5: 332 (1957)
Sagittaria sagittifolia L. subsp. *leucopetala* var. *edulis* (Schltr.) Rataj, *Annot. Zool. Bot.* 76: 22 (1972)
Sagittaria trifolia L. var. *edulis* (Schldtl.) Ohwi ex W.T.Lee, *Lineamenta Florae Koreae* 1221 (1996)
Sagittaria trifolia L. subsp. *leucopetala* (Miq.) Q.F.Wang, *Fl. China* 23: 85 (2010)

AMARYLLIDACEAE

Crinum L.

- Crinum asiaticum* L. var. *japonicum* Baker, *Handb. Amaryll.* 75 (1888) Nat: S Korea 문주란
Crinum maritimum Siebold, *Kruidk. Naamlijst* 33 (1844)

Lycoris Herb.

- Lycoris chinensis* Traub, *Pl. Life* 14: 44 (1958) Nat: S Korea 진노랑상사화
Lycoris uyoensis M.Kim, *Korean J. Pl. Taxon.* 34: 14 (2004)

- Lycoris radiata* (L'Hér.) Herb., *Bot. Mag.* 47: 5 (1819) Nat: N Korea, S Korea 석산
Amaryllis radiata L'Hér., *Sert. Angl.* 15 (1789)
Nerine japonica Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 139 (1865)
Lycoris terracianii Dammann, *Cat. [Dammann]* 44: 4 (1889)
Nerine radiata (L'Hér.) Sweet, *Hort. Brit. (Sweet)* (ed. 2) 403 (1930)

- Lycoris sanguinea* Maxim., *Bot. Jahrb. Syst.* 6: 80 (1885) Nat: S Korea 백양꽃
Lycoris koreana Nakai, *Bot. Mag. (Tokyo)* 44: 516 (1930)
Lycoris sanguinea Maxim. var. *koreana* (Nakai) T.Koyama, *Baileya* 7: 6 (1959)

- Lycoris squamigera* Maxim., *Bot. Jahrb. Syst.* 6: 79 (1885) Nat: N Korea, S Korea 상사화
Amaryllis hallii Hovey ex Baker, *Bot. Mag.* 123: t. 7547 (1897)
Hippeastrum squamigerum (Maxim.) H.Lév., *Liliac. & c. Chine* 21 (1905)

- Lycoris x chejuensis* K.H.Tae & S.C.Ko, *Korean J. Pl. Taxon.* 23: 234 (1993) Nat: S Korea, Endemic 제주상사화
Lycoris flavescens M.Kim & S.T.Lee, *Korean J. Pl. Taxon.* 34: 13 (2004)

Narcissus L.

- Narcissus tazetta* L., *Sp. Pl.* 290 (1753) Int 수선화
Hermione tazetta (L.) Haw., *Suppl. Pl. Succ.* 142 (1819)
Narcissus tazetta L. var. *suisen* Siebold, *Annuaire Soc. Roy. Encour. Hort. Pays-Bas* 6: 33 (1844)
Narcissus tazetta L. var. *chinensis* M.Roem., *Fam. Nat. Syn. Monogr.* 4: 223 (1847)
Narcissus tazetta L. subsp. *eutazetta* Briq., *Prodr. Fl. Corse* 326 (1910)

Narcissus tazetta L. subsp. *chinensis* (M.Roem.) Masam. & Yanagih., Trans. Nat. Hist. Soc. Taiwan 31: 329 (1941)

Zephyranthes Herb.

***Zephyranthes candida* (Lindl.) Herb., Bot. Mag. 52: t. 2607 (1825) Int 흰꽃나도사프란**

Amaryllis candida Lindl., Bot. Reg. 9: t. 724 (1823)

Amaryllis nivea Schult. & Schult.f., Syst. Veg. (ed. 16) [Roemer & Schultes] 7: 799 (1830)

Zephyranthes nivea (Schult. & Schult.f.) D.Dietr., Syn. Pl. (D. Dietrich) 2: 1176 (1840)

***Zephyranthes carinata* Herb., Bot. Mag. 52: t. 2594 (1825) Int 나도사프란**

Amaryllis carinata (Herb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 4: 132 (1827)

ARACEAE

Acorus L.

***Acorus calamus* L., Sp. Pl. 324 (1753) Nat: N Korea, S Korea 창포**

Acorus flexuosus Raf., Fl. Franc. (Lamarck) 3: 299 (1779)

Acorus odoratus Lam., Fl. Franc. (Lamarck) 3: 299 (1779)

Acorus terrestris Spreng., Hort. Kew. (Hill) 1: 474 (1789)

Orontium cochinchinense Lour., Fl. Cochinch. 208 (1790)

Acorus cochinchinensis (Lour.) Schott, Melet. Bot. 22 (1832)

Acorus commersonii Schott, Atlantic J. 1: 178 (1833)

Acorus calamus L. var. *angustatus* Besser, Flora 17 (1 Beibl.): 30 (1834)

Acorus tatarinowii Schott, Oesterr. Bot. Z. 9: 101 (1859)

Acorus spurius Schott, Ann. Mus. Bot. Lugduno-Batavi 1: 284 (1863)

Acorus casia Bertol., Ann. Mus. Bot. Lugduno-Batavi 1: 284 (1864)

Acorus asiaticus Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 105 (1936)

***Acorus gramineus* Sol., Monogr. Phan. 2: 217 (1879) Nat: S Korea 석창포**

Acorus gramineus Sol. var. *japonica* M.Hotta, Prodr. Stirp. Chap. Allerton 263 (1796)

Acorus humilis Salisb., Verh. Batav. Genootsch. Kunsten 12: 2 (1830)

Acorus gramineus Sol. var. *pusillus* (Siebold) Engl., Monogr. Phan. 2: 217 (1879)

Acorus pusillus Siebold, Guihaia 5: 179 (1985)

Acorus macrospadiceus (Yamam.) F.N.Wei & Y.K.Li, Guihaia 5: 179 (1985)

Amorphophallus Blume ex Decne.

***Amorphophallus konjac* K.Koch, Wochenschr. Gartnerei Pflanzenk. 1: 262 (1858) Int 관약**

Brachyspatha konjac (K.Koch) K.Koch, Wochenschr. Gartnerei Pflanzenk. 4: 13 (1858)

Amorphophallus palmiformis Durand ex Carrière, Actes Soc. Linn. Bordeaux 28: 15 (1869)

Amorphophallus rivieri Durand ex Carrière, Rev. Hort. 42: 573 (1870)

Amorphophallus mairei H.Lév., Repert. Spec. Nov. Regni Veg. 13: 259 (1914)

Arisaema Mart.

***Arisaema amurense* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 264 (1859) Nat: N Korea, S Korea 둥근잎천남성**

Arisaema amurense Maxim. var. *robustum* Engl., Monogr. Phan. 2: 550 (1879)

Arisaema amurense Maxim. f. *denticulatum* Makino, Bot. Mag. (Tokyo) 15: 132 (1901)

Arisaema amurense Maxim. var. *denticulatum* (Makino) Engl., Pflanzenz. (Engler) 4, 23F: 204 (1920)
Arisaema amurense Maxim. var. *violaceum* Engl., Pflanzenz. (Engler) 4, 23F: 204 (1920)
Arisaema robustum (Engl.) Nakai, Bot. Mag. (Tokyo) 43: 531 (1929)
Arisaema amurense Maxim. f. *serratum* (Nakai) Kitag., Lin. Fl. Manshur. 124 (1939)
Arisaema robustum (Engl.) Nakai var. *purpureum* Nakai, J. Jap. Bot. 16: 3 (1940)
Arisaema robustum (Engl.) Nakai f. *purpureum* (Nakai) H. Ohashi, Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 29: 433 (1963)
Arisaema amurense Maxim. subsp. *robustum* (Engl.) H. Ohashi & J. Murata, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 12: 292 (1980)
Arisaema komarovii Tzvelev, Bot. Zhurn. (Moscow & Leningrad) 70: 997 (1985)
Arisaema amurense Maxim. f. *violaceum* (Engl.) Y.S. Kim & S.C. Ko, Korean J. Pl. Taxon. 15: 76 (1985)
Arisaema robustum (Engl.) Nakai f. *variegatum* Y.N. Lee, Bull. Korea Pl. Res. 5: 36 (2005)

***Arisaema heterophyllum* Blume, Rumphia 1: 110 (1835) Nat: N Korea, S Korea**

두루미천남성

Arisaema thunbergii Blume var. *heterophyllum* (Blume) Engl., Monogr. Phan. 2: 546 (1879)
Arisaema heterophyllum Blume var. *nigropunctatum* Makino, Bot. Mag. (Tokyo) 25: 228 (1910)
Arisaema koreanum Engl. var. *taquetii* Engl., Pflanzenz. (Engler) IV, 73: 187 (1920)
Arisaema koreanum Engl., Pflanzenz. (Engler) 4, 23F: 186 (1920)
Arisaema manshuricum Nakai, Iconogr. Pl. Asiae Orient. 3: 199 (1939)
Heteroarisaema heterophyllum (Blume) Nakai, J. Jap. Bot. 25: 6 (1950)
Heteroarisaema koreanum (Engl.) Nakai, J. Jap. Bot. 25: 6 (1950)
Heteroarisaema manshuricum Nakai, J. Jap. Bot. 25: 6 (1950)

***Arisaema negishii* Makino, J. Jap. Bot. 1: 41 (1918) Nat: S Korea 섬천남성**

Arisaema negishii Makino f. *viridiappendiculatum* Makino, J. Jap. Bot. 1: 41 (1918)
Pleuriarum negishii (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 126 (1952)

***Arisaema ringens* (Thunb.) Schott, Melet. Bot. 17 (1832) Nat: S Korea 큰천남성**

Arum ringens Thunb., Trans. Linn. Soc. London 2: 337 (1794)
Arisaema praecox de Vriese ex K. Koch, Allg. Gartenzeitung (Otto & Dietrich) 25: 85 (1857)
Arisaema sieboldii de Vriese ex K. Koch, Allg. Gartenzeitung (Otto & Dietrich) 25: 85 (1857)
Arisaema ringens (Thunb.) Schott var. *praecox* (de Vriese ex K. Koch) Engl., Monogr. Phan. 2: 535 (1879)
Arisaema ringens (Thunb.) Schott var. *sieboldii* (de Vriese ex K. Koch) Engl., Monogr. Phan. 3: 534 (1879)
Arisaema ringens (Thunb.) Schott var. *glaucescens* Nakai, Bot. Mag. (Tokyo) 45: 106 (1931)
Arisaema glaucescens (Nakai) Nakai, Iconogr. Pl. Asiae Orient. 3: 202 (1939)
Ringentiarum glaucescens (Nakai) Nakai, J. Jap. Bot. 25: 6 (1950)
Ringentiarum ringens (Thunb.) Nakai, J. Jap. Bot. 25: 6 (1950)
Ringentiarum ringens (Thunb.) Nakai var. *sieboldii* (de Vriese & K. Koch) Nakai, J. Jap. Bot. 25: 6 (1950)

***Arisaema serratum* (Thunb.) Schott, Melet. Bot. 17 (1832) Nat: N Korea, S Korea**

점박이천남성

Arum serratum Thunb., Trans. Linn. Soc. London 2: 338 (1794)
Arisaema japonicum Blume, Rumphia 1: 106 (1835)
Arisaema japonicum Blume var. *serratum* (Thunb.) Engl., Monogr. Phan. 2: 549 (1879)

Arisaema takesimense Nakai, Bot. Mag. (Tokyo) 43: 538 (1929)
Arisaema peninsulae Nakai, Bot. Mag. (Tokyo) 43: 537 (1929)
Arisaema convolutum Nakai, Bot. Mag. (Tokyo) 43: 534 (1929)
Arisaema peninsulae Nakai var. *atropurpureum* Nakai, Bot. Mag. (Tokyo) 43: 538 (1929)
Arisaema peninsulae Nakai var. *caespitosum* Nakai, Bot. Mag. (Tokyo) 43: 538 (1929)
Arisaema peninsulae Nakai f. *variegatum* Nakai, Bot. Mag. (Tokyo) 43: 538 (1929)
Arisaema angustatum Franch. & Sav. var. *peninsulae* (Nakai) Nakai ex Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (3): 283 (1932)
Arisaema peninsulae Nakai var. *attenuatum* Nakai ex F.Maek., Bot. Mag. (Tokyo) 48: 49 (1934)
Arisaema japonicum Blume var. *atropurpureum* (Nakai) Kitag., Acta Phytotax. Geobot. 22: 73 (1966)
Arisaema peninsulae Nakai f. *convolutum* (Nakai) Y.S.Kim & S.C.Ko, Korean J. Pl. Taxon. 15: 80 (1985)

***Arisaema thunbergii* Blume, Rumphia 1: 105 (1835) Nat: S Korea 무늬천남성**

Flagellarisaema thunbergii (Blume) Nakai, J. Jap. Bot. 25: 1 (1950)
Flagellarisaema thunbergii (Blume) Nakai var. *corniculatum* Sakata, J. Jap. Bot. 33: 29 (1958)

Arisaema thunbergii* Blume subsp. *thunbergii

***Arisaema thunbergii* Blume subsp. *urashima* (H.Hara) H.Ohashi & J.Murata, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 12: 307 (1980) Nat: S Korea 거문천남성**

Arisaema thunbergii Blume var. *pictum* Nakai, Rep. Turusima 38 (1927)
Arisaema urashima H.Hara, J. Jap. Bot. 11: 822 (1935)
Arisaema thunbergii Blume subsp. *geomundoense* S.C.Ko, Korean J. Pl. Taxon. 36: 213 (2006)

Caladium Vent.

***Caladium bicolor* (Aiton) Vent., Mag. Encycl. 4: 464 (1800) Int 칼라디움**

Arum bicolor Aiton, Hort. Kew. (Hill) 3: 316 (1789)
Caladium pellucidum DC., Rapp. [Not.] Pl. Rar. Genève 4: 38 (1829)
Caladium argyrosipilum Lem., Ill. Hort. 5: 185 (1858)
Caladium vellozianum Schott, Bonplandia 7: 163 (1859)
Caladium barraquinii Lem., Ill. Hort. 7: t. 257 7 (1860)
Caladium haageanum K.Koch, Wochenschr. Gartnerei Pflanzenk. 5: 136 (1862)
Caladium hendersonii Engl., Monogr. Phan. 2: 461 (1879)

Calla L.

***Calla palustris* L., Sp. Pl. 2: 968 (1753) Nat: N Korea 산부채**

Calla cordifolia Stokes, Bot. Mat. Med. 4: 326 (1812)
Provenzalia bispatha Raf., New Fl. (Rafinesque) 2: 90 (1837)
Provenzalia heterophylla Raf., New Fl. (Rafinesque) 2: 90 (1837)
Calla generalis E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 1: 180 (1906)

Colocasia Schott

***Colocasia esculenta* (L.) Schott, Melet. Bot. 18 (1832) Int 토란**

Arum colocasia L., Sp. Pl. 985 (1753)
Arum esculentum L., Sp. Pl. 965 (1753)

Arum chinense L., Amoen. Acad., Linnaeus ed. 4: 234 (1759)
Caladium esculenta (L.) Vent., Descr. Pl. Nouv. 30 (1801)
Colocasia antiquorum Schott, Melet. Bot. 18 (1832)
Caladium colocasia (L.) W. Wight, Contr. U. S. Natl. Herb. 9: 206 (1905)
Colocasia tonoi Nakai, Iconogr. Pl. Asiae Orient. 3: 231 (1940)
Leucocasia esculenta (L.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 127 (1952)

Monstera Adans.

***Monstera deliciosa* Liebm., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 1: 19 (1849) Int 몬스테라**

Monstera lennea K.Koch, Bot. Zeitung (Berlin) 10: 277 (1852)
Monstera borsigiana K.Koch, Wochenschr. Gartnerei Pflanzenk. 5: 275 (1862)
Monstera tacanaensis Matuda, Anales Inst. Biol. Univ. Nac. Auton. Mexico, Bot. 43: 55 (1972)

Pinellia Ten.

***Pinellia ternata* (Thunb.) Makino, Bot. Mag. (Tokyo) 15: 135 (1901) Nat: N Korea, S Korea 반하**

Arum ternatum Thunb., Fl. Jap. (Thunberg) 233 (1784)
Arum macrourum Bunge, Enum. Pl. Chin. Bor. 67 (1833)
Arisaema loureiroi Blume, Rumphia 1: 108 (1836)
Pinellia tuberifera Ten., Atti Reale Accad. Sci. Napoli 4: 57 (1839)
Typhonium tuberculigerum Schott, Ann. Mus. Bot. Lugduno-Batavi 1: 123 (1863)
Pinellia koreana K.H.Tae & J.H.Kim, Novon 15: 484 (2005)

***Pinellia tripartita* (Blume) Schott, Syn. Aroid. 5 (1856) Nat: S Korea 대한하**

Atherurus tripartitus Blume, Rumphia 1: 137 (1837)
Arisaema tripartitum (Blume) Engl., Monogr. Phan. 2: 544 (1879)
Pinellia ternata (Thunb.) Makino var. *viridis* Makino, Bot. Mag. (Tokyo) 1: 26 (1917)

Symplocarpus Salisb. ex W.P.C.Barton

***Symplocarpus nipponicus* Makino, J. Jap. Bot. 5: 24 (1928) Nat: N Korea, S Korea 애기얇은부채**

Spathyema nipponica (Makino) Makino, J. Jap. Bot. 6: 33 (1929)
Symplocarpus nipponicus Makino f. *viridispathus* J. Ohara, J. Phytogeogr. Taxon. 33: 81 (1985)

***Symplocarpus renifolius* Schott ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 202 (1866) Nat: N Korea, S Korea 얇은부채**

Symplocarpus foetidus (L.) Salisb. ex W.P.C.Barton var. *latissima* Makino ex H.Hara, J. Jap. Bot. 17: 631 (1941)
Spathyema foetida (L.) Raf. f. *latissima* (Makino ex H.Hara) Makino, Ill. Fl. Jap. Suppl. 810 (1961)

BURMANNIACEAE

Burmannia L.

***Burmannia championii* Thwaites, Enum. Pl. Zeyl. 325 (1864) Nat: S Korea 애기버어천초**

Burmammia tuberosa Becc., Malesia 1: 245 (1878)
Burmammia dalzielii Rendle, J. Bot. 40: 311 (1902)
Burmammia chionantha Schltr., Bot. Jahrb. Syst. 49: 107 (1912)
Burmammia japonica Maxim. ex Matsum., Index Pl. Jap. 2 (2): 234 (1912)
Burmammia hunanensis K.M.Liu & C.L.Long, Ann. Bot. Fenn. 38: 211 (2001)

***Burmammia cryptopetala* Makino, Bot. Mag. (Tokyo) 27: 3 (1913) Nat: S Korea 버어먼초**
Burmammia cryptopetala Makino var. *daxikangensis* Y.B.Chang & Z.Wei, Bull. Bot. Res., Harbin 9: 37 (1989)
Burmammia daxikangensis (Y.B.Chang & Z.Wei) S.C.Chen & H.Li, Acta Bot. Yunnan. 27: 248 (2005)

CANNACEAE

Canna L.

***Canna x generalis* L.H.Bailey & E.Z.Bailey, Gentes Herb. 1 (3): 120 (1923) Int 홍초**

COMMELINACEAE

Commelina L.

***Commelina communis* L., Sp. Pl. 40 (1753) Nat: N Korea, S Korea 닭의장풀**
Commelina ludens Miq., J. Bot. Néerl. 1: 88 (1861)
Commelina communis L. var. *ludens* (Miq.) C.B.Clarke, Monogr. Phan. 3: 171 (1881)
Commelina communis L. var. *angustifolia* Nakai, Bot. Mag. (Tokyo) 23: 191 (1909)
Commelina coreana H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)
Commelina communis L. var. *angustifolia* f. *leucantha* Nakai, Bot. Mag. (Tokyo) 49: 421 (1935)

Murdannia Royle

***Murdannia keisak* (Hassk.) Hand.-Mazz., Symb. Sin. 7: 1243 (1936) Nat: N Korea, S Korea 사마귀풀**

Aneilema keisak Hassk., Commelin. Ind. 31 (1870)
Aneilema oliganthum Franch. & Sav., Enum. Pl. Jap. 2: 522 (1878)
Aneilema coreanum H.Lév. & Vaniot, Mem. Soc. Sci. Nat. Cherbourg 35: 390 (1906)
Aneilema taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)
Phaeneilema oliganthum (Franch. & Sav.) Brückn., Notizbl. Bot. Gart. Berlin-Dahlem 10: 56 (1927)

Pollia Thunb.

***Pollia japonica* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 332 (1784) Nat: S Korea 나도생강**

Streptolirion Edgew.

***Streptolirion volubile* Edgew., Proc. Linn. Soc. London 1: 254 (1845) Nat: N Korea, S Korea 덩굴닭의장풀**

Tradescantia cordifolia Griff., J. Trav. 208 (1847)
Streptolirion cordifolium (Griff.) Kuntze, Revis. Gen. Pl. 2: 722 (1891)

Tradescantia L.

Tradescantia reflexa Raf., *New Fl. (Rafinesque) 2: 87 (1837)* Int 자주닭개비

Tradescantia spathacea Sw., *Prodr. (Swartz) 57 (1788)* Int 자주만년초

Tradescantia discolor L'Hér., *Sert. Angl. 8 (1789)*

Rhoeo discolor Hance, *Ann. Bot. Syst. 3: 660 (1852)*

CYPERACEAE

Bolboschoenus Palla & Hallier & Brand

Bolboschoenus fluviatilis (Torr.) Soják, *Cas. Nar. Mus., Odd. Prir. 141: 62 (1972)* Nat: N Korea, S Korea 큰매자기

Scirpus maritimus L. var. *fluviatilis* Torr., *Ann. Lyceum Nat. Hist. New York 3: 324 (1836)*

Scirpus fluviatilis (Torr.) A.Gray, *Manual (Gray), ed. 2 500 (1856)*

Scirpus perviridis V.J.Cook, *Trans. & Proc. Roy. Soc. New Zealand 76: 570 (1947)*

Bolboschoenus planiculmis (F.Schmidt) T.V.Egorova, *Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 3: 20 (1967)* Nat: N Korea, S Korea 좁매자기

Scirpus planiculmis F.Schmidt, *Reis. Amur-Land., Bot. 190 (1868)*

Scirpus maritimus L. var. *affinis* (Roth) C.B.Clarke, *Fl. Brit. Ind. 6(19): 659 (1893)*

Scirpus biconcavus Ohwi, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18 (1): 109 (1944)*

Bulbostylis DC.

Bulbostylis barbata (Rottb.) C.B.Clarke, *Fl. Brit. Ind. 6: 651 (1893)* Nat: N Korea, S Korea 모기풀

Scirpus barbatus Rottb., *Descr. Icon. Rar. Pl. 1: 52 (1773)*

Isolepis barbata (Rottb.) R.Br., *Prodr. Fl. Nov. Holland. 212 (1810)*

Cyperus barbata (Rottb.) Poir., *Encycl. (Lamarck) Suppl. 5 186 (1817)*

Isolepis cumingii Steud., *Syn. Pl. Glumac. 2: 101 (1855)*

Scirpus fimbriatus (Nees) Boeck, *Linnaea 36: 749 (1870)*

Fimbristylis barbata (Rottb.) Benth., *Fl. Austral. 7: 321 (1878)*

Bulbostylis densa (Wall.) Hand.-Mazz., *Vegetationsbilder 20 (7): 16 (1930)* Nat: N Korea, S Korea 꽃하늘지기

Scirpus densus Wall., *Fl. Ind. (Roxburgh) 1: 231 (1820)*

Isolepis densa (Wall.) Schult., *Mant. 2 (Schultes) 2: 70 (1824)*

Isolepis tenuissima Don, *Prodr. Fl. Nepal. 40 (1825)*

Isolepis trifida Nees, *Contr. Bot. India 108 (1834)*

Bulbostylis trifida Kunth, *Enum. Pl. (Kunth) 2: 213 (1837)*

Fimbristylis capillacea Hochst. ex Steud. var. *japonica* Miq., *Prolus. Fl. Jap. 77 (1867)*

Isolepis capillaris var. *capitata* Miq., *Prolus. Fl. Jap. 75 (1867)*

Isolepis capillaris var. *trifida* (Kunth) Miq., *Prolus. Fl. Jap. 75 (1867)*

Scirpus trifidus (Kunth) Hance, *J. Bot. 16: 112 (1878)*

Bulbostylis capillaris (L.) Kunth ex C.B.Clarke, *Fl. Brit. Ind. 6: 652 (1893)*

Bulbostylis capillaris (L.) Kunth ex C.B.Clarke var. *trifida* (Nees) C.B.Clarke, *Fl. Brit. Ind. 6: 652 (1893)*

Bulbostylis capillaris (L.) Kunth ex C.B.Clarke var. *capitata* (Miq.) Makino, *Bot. Mag.*

(Tokyo) 9: 390 (1895)
Bulbostylis japonica C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 27 (1908)
Stenophyllus capitatus (Miq.) Ohwi, Fl. Austro-Higoensis 83 (1931)
Bulbostylis densa (Wall.) Hand.-Mazz. var. *caspitata* (Miq.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 52 (1944)
Fimbristylis densa (Wall.) T.Koyama & T.I.Chuang, Quart. J. Taiwan Mus. 13: 229 (1960)
Fimbristylis capillaris (L.) A.Gray var. *trifida* (Nees) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 103 (1961)

Carex L.

***Carex acerescens* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 255 (1931) Nat: N Korea, S Korea 경성사초**

Carex pallida C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 1: 215 (1831)
Carex siccata Dewey subsp. *pallida* (C.A.Mey.) Kük. ex Matsum., Index Pl. Jap. 2 (1): 132 (1905)
Carex pallida C.A.Mey. var. *papillosa* Kük., Pflanzenz. (Engler) IV, 20(38): 134 (1909)
Carex pallida C.A.Mey. var. *lefuensis* Kom., Opred. Rast. Dal'nevost. Kraia 1: 285 (1931)
Carex pallida C.A.Mey. var. *daubichensis* Kom., Opred. Rast. Dal'nevost. Kraia 1: 285 (1931)
Carex accrescens Ohwi var. *sylvipaludosa* Luchnik, Vestn. Dal'nevost. Fil. Akad. Nauk SSSR 31: 126 (1938)

***Carex albata* Boott ex Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 216 (1896) Nat: N Korea, S Korea 도랭이사초**

Carex argyrolepis Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 126 (1873)
Carex nubigena D.Don ex Tilloch & Taylor var. *albata* (Boott) Kük. ex Matsum., Index Pl. Jap. 2 (1): 123 (1905)
Carex nubigena D.Don ex Tilloch & Taylor var. *planiuscula* Kük., Pflanzenz. (Engler) IV, 20(38) (1909)
Carex albata Boott ex Franch. var. *laxiuscula* Sutô, Bull. Coll. Agric. Utsunomiya Univ. s.p. (1932)

***Carex alopecuroides* D.Don ex Tilloch & Taylor, Philos. Mag. J. 62: 455 (1823) Nat: N Korea, S Korea 흰사초**

Carex doniana Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 825 (1826)
Carex consocialis Steud., Syn. Pl. Glumac. 2: 222 (1855)
Carex zollingeri Kunze ex Steud., Syn. Pl. Glumac. 2: 221 (1855)
Carex japonica Thunb. var. *chlorostachys* (C.B.Clarke) Kük., Pflanzenz. (Engler) IV, 20(38): 620 (1909)
Carex sasakii Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 395 (1911)
Carex japonica Thunb. subsp. *chlorostachys* (C.B.Clarke) T.Koyama, Fl. E. Himalaya 382 (1966)

***Carex aphanolepis* Franch. & Sav., Enum. Pl. Jap. 2: 580 (1878) Nat: N Korea, S Korea 콜사초**

Carex japonica Thunb. var. *humilis* Franch., Nouv. Arch. Mus. Hist. Nat. III, 10: 77 (1898)
Carex vermicosa Franch., Kew Bull., Addit. Ser. 8: 85 (1908)
Carex japonica Thunb. var. *aphanolepis* (Franch. & Sav.) Kük., Pflanzenz. (Engler) IV, 20(38): 620 (1909)

***Carex arenicola* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 191 (1868) Nat: N Korea 진퍼리사초**

Carex chaetorhiza Franch. & Sav. var. *stenostachys* Franch. & Sav., Reis. Amur-Land., Bot. 191 (1868)

Carex chaetorhiza Franch. & Sav., Enum. Pl. Jap. 2: 552 (1878)

Carex yedoensis Boeckeler, Bot. Jahrb. Syst. 5: 515 (1884)

***Carex arnellii* Christ ex Scheutz, Kongl. Svenska Vetensk. Acad. Handl. n.s. 22(10): 177 (1888) Nat: N Korea 무산사초**

Carex sylvatica Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 312 (1859)

Carex turczaninowiana Meinsh. ex Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 411 (1893)

Carex subconcolor Kitag., Bot. Mag. (Tokyo) 48: 20 (1934)

***Carex atrata* L., Sp. Pl. 976 (1753) Nat: N Korea 감동사초**

Carex polygama Schkuhr, Beschr. Riedgras. 1: 84 (1801)

Carex buxbaumii Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1803: 163 (1803)

Carex tubulata K.Schum. ex Boott, Ill. Gen. Carex 4: 136 (1867)

Carex pseudobuxbaumii M.Winkl., Oesterr. Bot. Z. 18: 72 (1868)

Carex picea Franch., Bull. Soc. Philom. Paris ser.8, 7: 39 (1895)

Carex aphyllopus Kük., Pflanzenr. (Engler) IV, 20(38): 34 (1909)

Carex holmiana Mack., Bull. Torrey Bot. Club 36: 481 (1909)

Carex paishanensis Nakai, Bot. Mag. (Tokyo) 28: 301 (1914)

Carex japonoalpina (T.Koyama) T.Koyama, Acta Phytotax. Geobot. 16: 154 (1956)

Carex baranovii Y.L.Chou & Liou, Claves Pl. Chin. Bor.-Or. 524 (1959)

Carex atrata L. var. *japonalpina* T.Koyama, Fl. Jap., revised ed., [Ohwi] 234 (1965)

***Carex augustinowiczii* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 411 (1892) Nat: N Korea, S Korea 북마위사초**

Carex eleusinoides Turcz. ex Kunth var. *flaccidior* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 196 (1868)

Carex bidentula Franch., Bull. Soc. Philom. Paris ser.8, 7: 41 (1895)

Carex soyaeensis Kük., Bull. Herb. Boissier ser.2, 4: 53 (1904)

Carex curtiglumis C.B.Clarke, Bull. Misc. Inform. Kew. Addit. Ser. 8: 77 (1908)

Carex infirma C.B.Clarke, Bull. Misc. Inform. Kew. Addit. Ser. 8: 78 (1908)

Carex flaccidior (F.Schmidt) Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 7: 28 (1918)

Carex augustinowiczii Meinsh. var. *macrogyna* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 261 (1931)

***Carex autumnalis* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 251 (1930) Nat: N Korea 논두렁사초**

***Carex bigelowii* Torr. ex Schwein. subsp. *rigida* (Raf.) W.Schultze-Motel, Willdenowia 4: 326 (1968) Nat: N Korea 갈미사초**

Carex rigida Gooden., Trans. Linn. Soc. London 2: 193 (1794)

Carex concolor R.Br., Chlor. Melvill. 25-26 (1823)

Onkerna rigida Raf., Good Book 27 (1840)

Carex hyperborea Drejer, Naturhist. Tidsskr. 3: 465 (1841)

Carex vulgaris Fr. var. *hyperborea* (Drejer) Boott, Ill. Gen. Carex pt. 4: 167 (1867)

***Carex blepharicarpa* Franch., Bull. Soc. Philom. Paris ser.8, 7: 46 (1895) Nat: S Korea 여우꼬리사초**

Carex dueensis Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 387 (1901)
Carex hirtifructus Kük., Bull. Herb. Boissier ser.2, 5: 1163 (1905)
Carex sadae H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 33 (1909)
Carex blepharicarpa Franch. var. *insularis* Nakai, Bot. Mag. (Tokyo) 31: 281 (1917)
Carex blepharicarpa Franch. var. *stenocarpa* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 269 (1930)
Carex blepharicarpa Franch. var. *hirtifructus* (Kük.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 247 (1931)
Carex yezomontana Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 1: 62 (1931)

***Carex bohemica* Schreb., Besch. Gras. 2: 52 (1772) Int 넷사초**

Carex cyperoides L., Syst. Veg. ed. 13 703 (1774)
Schelhammeria capitata Moench, Suppl. Meth. (Moench) 119 (1802)
Carex bohemica Schreb. f. *aggregata* (Domin) Soó, Acta Bot. Acad. Sci. Hung. 16: 369 (1970)
Vigna bohemica (Schreb.) Soják, Cas. Nar. Mus., Odd. Prir. 148: 194 (1979)

***Carex boottiana* Hook. & Arn., Bot. Beechey Voy. 273 (1838) Nat: S Korea 밀사초**

Carex bongardi Boott, Trans. Linn. Soc. London 20: 144 (1846)
Carex wahuensis C.A.Mey. var. *robusta* Franch. & Sav., Enum. Pl. Jap. 2: 563 (1878)
Carex stupenda H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 195 (1901)
Carex boottiana Hook. & Arn. var. *bracteosa* C.B.Clarke, J. Linn. Soc., Bot. 36: 275 (1903)
Carex wilfordii C.B.Clarke, J. Linn. Soc., Bot. 36: 318 (1904)
Carex oahuensis Hillebr. var. *boottiana* (Hook. & Arn.) Kük., Pflanzenr. (Engler) IV, 20(38): 632 (1909)
Carex reflexistyla Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 392 (1911)
Carex boninensis Koidz., Bot. Mag. (Tokyo) 32: 55 (1918)
Carex stupenda H.Lév. & Vaniot var. *bracteosa* Koidz., Bot. Mag. (Tokyo) 43: 393 (1929)
Carex stupenda H.Lév. & Vaniot var. *robusta* (Franch. & Sav.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 131 (1952)
Carex oahuensis Hillebr. subsp. *robusta* T.Koyama, Fl. Taiwan 5: 326 (1978)
Carex wahuensis C.A.Mey. subsp. *robusta* (Franch. & Sav.) T.Koyama, Fl. Taiwan 5: 326 (1978)

***Carex bostrychostigma* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 583 (1887) Nat: N Korea, S Korea 길뚝사초**

Carex explens Kük., Bull. Herb. Boissier ser. 2, 2: 1017 (1902)
Carex stenantha C.B.Clarke, J. Linn. Soc., Bot. 36: 311 (1904)

***Carex breviculmis* R.Br. var. *fibrillosa* (Franch. & Sav.) Matsum. & Hayata, Enum. Pl. Formosa 493 (1906) Nat: S Korea 갯청사초**

Carex leucochlora Bunge, Enum. Pl. Chin. Bor. 68 (1831)
Carex fibrillosa Franch. & Sav., Enum. Pl. Jap. 2: 564 (1878)
Carex breviculmis R.Br. var. *puberula* (Boott) Makino, Bot. Mag. (Tokyo) 10: 320 (1896)
Carex breviculmis R.Br. f. *fibrillosa* Kük., Pflanzenr. (Engler) IV, 20(38): 470 (1909)
Carex breviculmis R.Br. var. *pluricostata* Kük., Pflanzenr. (Engler) IV, 20(38): 470 (1909)
Carex tosaensis Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 3: 5: 267 (1935)
Carex leucochlora Bunge var. *fibrillosa* (Franch. & Sav.) T.Koyama, Acta Phytotax. Geobot. 16: 10 (1955)
Carex breviculmis R.Br. subsp. *fibrillosa* (Franch. & Sav.) T.Koyama, Fl. Taiwan 5: 336 (1978)

***Carex brownii* Tuck., Enum. Meth. Caric. 21 (1843) Nat: S Korea 흰꼬리사초**

Carex striata R.Br., Prodr. Fl. Nov. Holland. 243 (1810)
Carex rigens Boott, Mem. Amer. Acad. Arts n.s. 6: 419 (1859)
Carex nipposinica Ohwi, Acta Phytotax. Geobot. 11: 255 (1942)

Carex brownii* Tuck. var. *brownii

***Carex brownii* Tuck. var. *transversa* (Boott) Kük., Pflanzenz. (Engler) IV, 20(38): 614 (1909) Nat: S Korea 화살사초**

Carex transversa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 148 (1866)
Carex brownii Tuck. subsp. *transversa* (Boott) J.Kern, Fl. Malesiana, Ser. 1, Spermatoph. 9: 163 (1979)

***Carex canescens* L., Sp. Pl. 974 (1753) Nat: N Korea 산사초**

Carex cinerea Pollich, Hist. pl. Palat. 2: 571 (1777)
Carex richardii Thuill., Fl. Env. Paris 482 (1790)
Carex curta Gooden., Trans. Linn. Soc. London 2: 145 (1794)
Carex compressa Hosé, Ann. Bot. (Usteri) 21: 33 (1797)
Carex persoonii O.Lang, Flora 25: 748 (1842)
Carex kanitzii Porcius, Magyar Novenyt. Lapok 9: 131 (1885)
Carex subsabulosa Norman, Forh. Vidensk.-Selsk. Kristiania 16: 48 (1893)
Carex hylaea V.I.Krecz., Fl. URSS 3: 594 (1935)

***Carex capillacea* Boott, Ill. Gen. Carex 1: 44, t. 110 (1858) Nat: N Korea 잔솔잎사초**

Carex simplicissima F.Muell., Fragm. (Mueller) 9: 191 (1875)
Carex ontakensis Franch. & Sav., Enum. Pl. Jap. 1: 550 (1875)
Carex wallii Petrie, Trans. & Proc. New Zealand Inst. 53: 371 (1921)
Carex capillacea Boott var. *yunnanensis* Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 198 (1986)

Carex capillacea* Boott var. *capillacea

***Carex capillacea* Boott var. *sachalinensis* (F.Schmidt) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11(5): 442 (1936) Nat: N Korea 노끈사초**

Carex nana Boott, Mem. Amer. Acad. Arts ser. 2, 6: 418 (1858)
Carex uda Maxim. var. *sachalinensis* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 191 (1868)
Carex aomorensis Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 198 (1896)
Carex rara Boott subsp. *capillacea* var. *nana* (Boott) Kük., Pflanzenz. (Engler) IV, 20(38): 103 (1909)
Carex capillacea Boott var. *aomorensis* (Franch.) Ohwi, Acta Phytotax. Geobot. 2: 272 (1933)

***Carex capillaris* L., Sp. Pl. 977 (1753) Nat: N Korea 뿔풀사초**

Carex chlorostachys Steven, Mem. Soc. Imp. Naturalistes Moscou 4: 68 (1813)
Carex saskatschewana Boeckeler, Linnæa 41: 159 (1877)
Carex capillaris L. var. *ledebouriana* C.A.Mey. ex Kük., Sp. Pl. 591 (1909)
Carex capillaris L. subsp. *chlorostachya* (Steven) A.Löve & D.Löve & Raymond, Canad. J. Bot. 35: 749 (1957)
Carex tiogana D.W.Taylor & J.D.Mastrog., Novon 9: 120 (1999)

***Carex capricornis* Meinsh. ex Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 31: 119 (1887) Nat: N Korea 양뿔사초**

Carex pseudocyperus L. var. *brachystachya* Regel & Maack, Tent. Fl.-Ussur. 165 (1861)
Carex brachystachya (Schrank & K.Moll) Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 2: 219 (1932)

***Carex caryophyllea* Latourr. var. *microtricha* (Franch.) Kük., Pflanzenr. (Engler) 4, 20(38): 466 (1909)** Nat: N Korea 갈색사초

Carex microtricha Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 189 (1897)
Carex squamoidea Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 1: 61 (1931)
Carex verna Lam. var. *microtricha* (Franch.) Ohwi, J. Jap. Bot. 11: 410 (1935)

***Carex cespitosa* L., Fl. Jap., revised ed., [Ohwi] 232 (1965)** Nat: N Korea, S Korea 포기사초

Carex pacifica Drejer, Fl. Excurs. Hafn. 292 (1838)
Carex minuta Franch., Bull. Soc. Philom. Paris ser.8, 7: 41 (1895)
Carex usta Franch., Bull. Soc. Philom. Paris ser.8, 7: 41 (1895)
Carex cespitosa L. var. *minuta* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 328 (1909)
Carex cespitosa L. var. *rubra* (H.Lév. & Vaniot) H.Lév., Repert. Spec. Nov. Regni Veg. 7: 104 (1909)
Carex rubra H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 33 (1909)
Carex cespitosa L. var. *elongata* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 245 (1931)

***Carex chordorrhiza* L.f., Suppl. Pl.414 (1782)** Nat: N Korea, S Korea 대암사초

Carex funiformis Clairv., Man. Herbor. Suisse 287 (1811)
Carex fulvicoma Dewey, Amer. J. Sci. Arts 29: 249 (1836)
Carex fischeriana J.Gay, Ann. Sci. Nat., Bot. II, 10: 286 (1838)
Carex chordorrhiza L.f. var. *sphagnicola* Laest. ex Th.Fr., Bot. Not. 1857: 208 (1857)
Carex chordorrhiza L.f. var. *aestivalis* Asch. & Graebn., Syn. Mitteleur. Fl. 2: 23 (1902)

***Carex chosenica* Ohwi, Acta Phytotax. Geobot. 1: 73 (1932)** Nat: N Korea 조선사초

Carex dahurica subsp. *chosenica* (Ohwi) T.V.Egorova, Novosti Sist. Vyssh. Rast. 22: 61 (1985)

***Carex cinerascens* Kük., Bull. Herb. Boissier ser. 2, 2: 1017 (1902)** Nat: N Korea, S Korea 회색사초

Carex micrantha Kük., Bull. Herb. Boissier ser. 2, 2: 1018 (1902)
Carex ouensanensis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 262 (1931)
Carex cheilungkiangnica A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 225 (1965)

***Carex conica* Boott, Narr. Exped. China Japan 2: 325 (1856)** Nat: S Korea 예기사초

Carex excisa Boott, Narr. Exped. China Japan 2: 326 (1857)
Carex discolor Boeckeler, Bot. Jahrb. Syst. 5: 519 (1884)
Carex naumanniana Boeckeler, Bot. Jahrb. Syst. 5: 518 (1884)
Carex digama Nakai, Bot. Mag. (Tokyo) 28: 326 (1914)
Carex yoshinoi Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 265 (1931)
Carex doiana Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 1: 59 (1931)
Carex okushirensis Akiyama, Trans. Sapporo Nat. Hist. Soc. 14: 108 (1935)

***Carex dickinsii* Franch. & Sav., Enum. Pl. Jap. 5: 153 (1873)** Nat: N Korea, S Korea 도깨비사초

Carex coreana L.H.Bailey, Mem. Torrey Bot. Club 1 (1889)

***Carex dimorpholepis* Steud., Syn. Pl. Glumac. 2: 214 (1855)** Nat: N Korea, S Korea 이삭사초

Carex cernua Boott, Ill. Gen. Carex 4: 171 (1867)
Carex cernua Boott var. *minor* Boott, Ill. Gen. Carex 4: 171 (1867)
Carex rubescens Boeckeler, Flora 65: 60 (1882)
Carex schkuhriana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 59 (1902)

***Carex dispalata* Boott, Narr. Exped. China Japan 2: 325 (1857) Nat: N Korea, S Korea 샷갓사초**

- Carex subanceps* Boeckeler, Bot. Jahrb. Syst. 5: 520 (1898)
Carex pollens C.B. Clarke var. *angustior* C.B. Clarke, J. Linn. Soc., Bot. 36: 305 (1904)
Carex pollens C.B. Clarke, J. Linn. Soc., Bot. 36: 305 (1904)
Carex dispalata Boott var. *costata* Kük., Pflanzenz. (Engler) IV, 20(38): 617 (1909)
Carex coronata H.Lév., Repert. Spec. Nov. Regni Veg. 11: 66 (1913)
Carex persistens Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 249 (1930)

***Carex disperma* Dewey, Amer. J. Sci. Arts 8: 266 (1824) Nat: N Korea 가는사초**

- Carex tenella* Schkuhr, Besch. Riedgras. 1: 23 (1801)
Carex blyttii F.Nyl., Spic. Pl. Fenn. 2: 35 (1844)
Carex misera Franch., Bull. Soc. Philom. Paris ser.8, 7: 31 (1895)
Carex tenella Schkuhr var. *misera* Franch., Nouv. Arch. Mus. Hist. Nat. 3, Ser. 8: 224 (1896)
Carex nakaii H.Lév., Bull. Acad. Int. Géogr. Bot. 19: 33 (1909)
Carex tenella Schkuhr var. *brachycarpa* Kük., Allg. Bot. Z. Syst. 15: 36 (1909)
Carex tenella Schkuhr var. *nakaii* (H.Lév. & Vaniot) H.Lév., Repert. Spec. Nov. Regni Veg. 7: 130 (1919)

***Carex drymophila* Turcz., Bull. Soc. Imp. Naturalistes Moscou 1838: 104 (1838) Nat: N Korea, S Korea 숲이삭사초**

- Carex orthostachys* C.A.Mey. var. *drymophila* (Turcz.) Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 316 (1859)
Carex pseudohirta Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 371 (1901)
Carex burejana Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 368 (1901)
Carex drymophila Turcz. var. *reducta* Kük., Pflanzenz. (Engler) IV, 20(38): 755 (1909)

***Carex duriuscula* C.A.Mey., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 1: 214 (1831) Nat: N Korea 들사초**

- Carex stenophylla* Wahlenb. var. *duriuscula* (C.A.Mey.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 537 (1888)

Carex duriuscula* C.A.Mey. subsp. *duriuscula

***Carex duriuscula* C.A.Mey. subsp. *rigescens* (Franch.) S.Yun Liang & Y.C.Tang, Acta Phytotax. Sin. 28: 155 (1990) Nat: N Korea 진남포사초**

- Carex stenophylla* Wahlenb. var. *rigescens* Franch., Pl. David. 1: 318 (1884)
Carex rigescens (Franch.) V.I.Krecz., Fl. URSS 3: 592 (1935)

***Carex echinata* Murray, Prodr. Stirp. Gott. 76 (1770) Nat: N Korea, S Korea 함복사초**

- Carex leersii* Willd., Fl. Berol. Prodr. 28 (1787)
Carex stellulata Gooden., Trans. Linn. Soc. London 2: 144 (1794)
Carex fasciculata Link ex Schkuhr, Besch. Riedgras. 1: 119 (1801)
Carex grypos Schkuhr, Besch. Riedgras. 2: 18 (1806)
Carex hydrophila Dumort., Fl. Belg. (Dumortier) 146 (1827)
Carex retusa Degl., Fl. Gall. (ed. 2) 2: 307 (1828)
Carex soleirolii DC. & Duby, Bot. Gall. 1: 498 (1828)
Carex convexa Kit., Linnaea 32: 317 (1863)
Carex leptophylla Heuff., Linnaea 31: 728 (1863)
Carex caflischii Brügger, Jahresber. Naturf. Ges. Graubündens II, 23, 24: 119 (1880)
Carex angustior Mack., Fl. Rocky Mts. 124: 1060 (1917)
Carex ormantha (Fernald) Mack., Erythea 8: 35 (1922)
Carex basilata Ohwi, Acta Phytotax. Geobot. 11: 258 (1942)

Carex svenonis Skottsbl., Acta Horti Gothob. 15: 329 (1944)
Carex perileia S.T.Blake, J. Arnold Arbor. 28: 102 (1947)
Carex gajonum Nelmes, Kew Bull. 7: 84 (1952)

***Carex eleusinoides* Turcz. ex Kunth, Enum. Pl. (Kunth) 2: 407 (1837) Nat: N Korea**
엷은갈미사초

Carex kokrinensis A.E.Porsild, Rhodora 41: 206 (1939)
Carex eleusinoides Turcz. ex Kunth var. *subalpina* Y.L.Chou, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 1: 14 (1959)

***Carex erythrobasis* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 240 (1908) Nat: N Korea, S Korea**
한라사초

Carex halaisanensis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 240 (1908)
Carex pedunculata Muhl. ex Willd. var. *erythrobasis* (H.Lév. & Vaniot) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 177 (1962)

***Carex filipes* Franch. & Sav., Enum. Pl. Jap. 2: 576 (1878) Nat: N Korea, S Korea**
늪시사초

Carex oligostachys Meinsh. ex Matsum., Bull. Acad. Imp. Sci. Saint-Petersbourg 31: 117 (1887)
Carex egena H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 4: 227 (1907)
Carex filipes var. *oligostachys* Kük., Pflanzenr. (Engler) IV, 20(38): 641 (1909)
Carex filipes Franch. & Sav. subsp. *oligostachys* (Meinsh.) T.Koyama, J. Jap. Bot. 29: 42 (1954)

***Carex flabellata* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 111 (1902) Nat: N Korea**
부채사초

Carex prescottiana Boott var. *flabellata* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 257 (1931)

***Carex forficula* Franch. & Sav., Enum. Pl. Jap. 2: 557 (1878) Nat: N Korea, S Korea**
산뚝사초

Carex notha (Kunth) Baker & Moore, J. Linn. Soc., Bot. 17: 389 (1880)
Carex diamantina H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 4: 226 (1907)
Carex forficula Franch. & Sav. var. *scabrida* Kük., Pflanzenr. (Engler) IV, 20(38): 342 (1909)
Carex hassiana Loes., Beih. Bot. Centralbl. 37 (2): 95 (1919)

***Carex fusanensis* Ohwi, Acta Phytotax. Geobot. 1: 74 (1932) Nat: S Korea**
부산사초

***Carex genkaiensis* Ohwi, Acta Phytotax. Geobot. 7: 34 (1938) Nat: S Korea**
목포사초

Carex mitrata Franch. var. *vigens* Kük., Pflanzenr. (Engler) IV, 20(38): 471 (1909)

***Carex gibba* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 148 (1803) Nat: S Korea**
나도별사초

Carex pteroloma Kunze ex Steud., Syn. Pl. Glumac. 2: 242 (1855)
Carex leucocarpa Boeckeler, Bot. Jahrb. Syst. 5: 515 (1884)
Carex alta var. *brevior* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 126 (1901)

***Carex gifuensis* Franch., Bull. Soc. Philom. Paris ser.8, 7: 47 (1895) Nat: N Korea, S Korea**
애기감동사초

Carex argyrostachys H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 27 (1902)
Carex gifuensis Franch. f. *argyrostachys* (H.Lév. & Vaniot) Kük., J. Coll. Sci. Imp. Univ.

Tokyo 31: 316 (1911)

Carex gifuensis Franch. var. *koreana* Nakai, Bot. Mag. (Tokyo) 26: 46 (1912)

***Carex glabrescens* (Kük.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 245 (1931) Nat: N Korea, S Korea** **곱슬사초**

Carex drymophila Turcz. var. *pilifera* Kük., Pflanzenr. (Engler) IV, 20(38): 755 (1909)

Carex wallichiana Spreng. f. *glabrescens* Kük., Pflanzenr. (Engler) IV, 20(38): 749 (1909)

Carex drymophila Turcz. var. *glabrescens* (Kük.) Kitag., Lin. Fl. Manshur. 100 (1939)

Carex fedia Nees var. *pilifera* (Kük.) T.Koyama, Bot. Mag. (Tokyo) 72: 305 (1959)

***Carex glauciformis* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 389 (1901) Nat: N Korea** **쌀사초**

***Carex globularis* L., Sp. Pl. 976 (1753) Nat: N Korea** **진들사초**

Carex oligogyna Less. ex Kunth, Enum. Pl. (Kunth) 2: 442 (1837)

Carex globularis L. var. *mitsuriokensis* (H.Lév. & Vaniot) H.Lév. & Vaniot, Repert.

Spec. Nov. Regni Veg. 7: 104 (1909)

Carex mitsuriokensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 33 (1909)

***Carex gmelinii* Hook. & Arn., Bot. Beechey Voy. 118 (1832) Nat: N Korea** **덕진사초**

Carex acrolepis Ledeb., Denkschr. Königl.-Baier. Bot. Ges. Regensburg 3: 56 (1841)

Carex binnensis Kneuck., Allg. Bot. Z. Syst. 5: 195 (1899)

***Carex gotoi* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 248 (1930) Nat: N Korea** **회령사초**

Carex sukaczovii V.I.Krecz., Fl. Transbaical. 2: 136 (1931)

Carex songorica Kar. & Kir. subsp. *gotoi* (Ohwi) Popov, Spisok Rast. Gerb. Fl. SSSR

Bot. Inst. Vsesojuzn. Akad. Nauk 13: 6 (1955)

***Carex hakonensis* Franch. & Sav., Enum. Pl. Jap. 2: 550 (1873) Nat: N Korea, S Korea** **애기바늘사초**

Carex krameri Franch. & Sav., Enum. Pl. Jap. 1: 551 (1875)

Carex onoei (Franch. & Sav.) Kük. var. *krameri* (Franch. & Sav.) Kük., Pflanzenr.

(Engler) IV, 20(38): 101 (1909)

Carex onoei (Franch. & Sav.) Kük. var. *faurieana* Gorodkov, Trudy Bot. Muz. Rossiisk.

Akad. Nauk 20: 216 (1927)

Carex hakonensis Franch. & Sav. var. *microcarpa* Akiyama, Carices Far E. Asia 1: 45 (1955)

***Carex hancockiana* Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 66 (1879) Nat: N Korea** **해산사초**

Carex alpina var. *longipedunculata* Kük., Russk. Bot. Zhurn. 3-6: 101 (1911)

Carex komaroviana A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 229 (1965)

***Carex hebecarpa* (C.A.Mey.) Matsum. subsp. *ligulata* (Nees) T.Koyama, Fl. E. Himalaya 3rd. Rep. 123 (1975) Nat: S Korea** **갈사초**

Carex ligulata Nees, Contr. Bot. India 127 (1834)

Carex keiskei Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 148 (1866)

Carex bakanensis H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 203 (1904)

Carex hebecarpa (C.A.Mey.) Matsum., Index Pl. Jap. 2 (1): 113 (1905)

Carex hebecarpa (C.A.Mey.) Matsum. var. *ligulata* (Nees) Kük., Pflanzenr. (Engler) 20: 745 (1909)

Carex austrokoreensis Ohwi, Acta Phytotax. Geobot. 5: 54 (1936)

Carex ligulata Nees var. *austrokoreensis* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11(5): 506 (1936)

***Carex heterolepis* Bunge, Enum. Pl. Chin. Bor. 69 (1833) Nat; N Korea, S Korea 산비늘사초**

Carex trappistarum Franch., J. Bot. (Morot) 4: 320 (1890)

Carex marginaria Franch., Bull. Soc. Philom. Paris ser.8, 7: 40 (1895)

Carex latinervia H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 219 (1901)

Carex forficula Franch. & Sav. var. *spinulosa* Kük. ex Matsum., Index Pl. Jap. 2 (1): 409 (1905)

Carex periculosa Honda, Bot. Mag. (Tokyo) 44: 408 (1930)

Carex tobae Honda, Bot. Mag. (Tokyo) 44: 409 (1930)

Carex heterolepis Bunge var. *abbreviata* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 244 (1931)

Carex chamarensis T.V.Egorova, Novosti Sist. Vyssh. Rast. 2: 84 (1965)

Carex heterolepis Bunge var. *zarubini* Peschkova, Novosti Sist. Vyssh. Rast. 1966: 258 (1966)

***Carex heterostachya* Bunge, Enum. Pl. Chin. Bor. 69 (1833) Nat; N Korea, S Korea 인제사초**

Carex bungeana Debeaux, Actes Soc. Linn. Bordeaux 33: 68 (1879)

Carex haematostachys H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 305 (1902)

***Carex hondoensis* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 252 (1930) Nat; N Korea, S Korea 일본사초**

***Carex humbertiana* Ohwi, Acta Phytotax. Geobot. 2: 102 (1933) Nat; N Korea 큰뚝사초**

***Carex humilis* Leyss. var. *nana* (H.Lév. & Vaniot) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11(5): 399 (1936) Nat; N Korea, S Korea 가는잎그늘사초**

Carex lanceolata Boott var. *nana* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 269 (1901)

Carex nanella Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 263 (1930)

Carex scirrobasis Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 285 (1938)

Carex callitrichos V.I.Krecz. var. *austrohinganica* Y.L.Chang & Y.L.Yang, Fl. Pl. Herb. Chin. Bor.-Or. 11: 205 (1976)

***Carex idzuroei* Franch. & Sav., Enum. Pl. Jap. 2: 583 (1878) Nat; N Korea 줌도깨비사초**

Carex pseudovesicaria H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 180 (1902)

***Carex incisa* Boott, Narr. Exped. China Japan 2: 327 (1856) Nat; S Korea 마랭이사초**

Carex textorii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 151 (1866)

***Carex ischnostachya* Steud., Syn. Pl. Glumac. 2: 222 (1855) Nat; S Korea 염주사초**

Carex ringgoldiana Boott, Mem. Amer. Acad. Arts n.s. 6: 419 (1859)

Carex ringgoldiana Boott var. *stenandra* Franch. & Sav., Enum. Pl. Jap. 2: 577 (1878)

Carex nagasakensis C.B.Clarke, Kew Bull., Addit. Ser. 8: 88 (1908)

Carex subtumida (Kük.) Ohwi, Acta Phytotax. Geobot. 1: 75 (1932)

***Carex jackiana* Boott var. *macroglossa* (Franch. & Sav.) Kük. ex Matsum., Index Pl. Jap. 2 (1): 115 (1905) Nat; S Korea 애기염주사초**

Carex cryptandra Franch. & Sav., Enum. Pl. Jap. 2: 148 (1877)

Carex macroglossa Franch. & Sav., Enum. Pl. Jap. 2: 576 (1878)

Carex parciflora Boott var. *macroglossa* (Franch. & Sav.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 290 (1930)

***Carex jaluensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 369 (1901) Nat: N Korea, S Korea 참삿갓사초**

Carex dineuros C.B.Clarke, J. Linn. Soc., Bot. 36: 283 (1903)

***Carex japonica* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 845 (1784) Nat: N Korea, S Korea 개찌머리사초**

Carex japonica Thunb. var. *minor* Boott, Ill. Gen. Carex 2: 88 (1860)

Carex motoskei Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 248 (1866)

Carex trichostyles Franch. & Sav., Enum. Pl. Jap. 2: 581 (1878)

Carex tokioensis Boeckeler, Flora 65: 63 (1882)

Carex japonica Thunb. var. *gracilis* Franch., Nouv. Arch. Mus. Hist. Nat. III, 10: 78 (1898)

Carex doniana Spreng. var. *minor* Boott, J. Linn. Soc., Bot. 36: 292 (1903)

Carex japonica Thunb. var. *trichostyles* Franch. & Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 600 (1903)

Carex japoniciformis Nakai, Report. Veget. Kamikochi 34 (1928)

Carex albidibasis T.Koyama, J. Jap. Bot. 30: 136 (1955)

***Carex kirganica* Kom., Repert. Spec. Nov. Regni Veg. 13: 164 (1914) Nat: N Korea, S Korea 서수라사초**

Carex rugulosa Kük. var. *graciliculmis* (Ohwi) Kitag., Bot. Mag. (Tokyo) 48: 31 (1931)

***Carex kobomugi* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 281 (1930) Nat: N Korea, S Korea 퉁보리사초**

Carex macrocephala Willd. ex Spreng. & Link var. *longibracteata* Oliv., J. Linn. Soc., Bot. 9: 170 (1866)

Carex macrocephala Willd. ex Spreng. & Link var. *kobomugi* (Ohwi) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (2): 221 (1931)

Carex macrocephala Willd. ex Spreng. & Link f. *kobomugi* (Ohwi) Makino, Ill. Fl. Nippon (Makino) 738 (1940)

Vignea kobomugi (Ohwi) Soják, Cas. Nar. Mus., Odd. Prir. 148: 195 (1979)

***Carex korshinskyi* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 394 (1901) Nat: N Korea 유성사초**

Carex costata Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 4: 305 (1852)

Carex supina Willd. ex Wahlenb. var. *costata* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 392 (1901)

Carex supina Willd. ex Wahlenb. var. *korshinskyi* (Kom.) Kük., Pflanzenr. (Engler) IV, 20(38): 457 (1909)

***Carex kujuzana* Ohwi, Acta Phytotax. Geobot. 1: 298 (1932) Nat: S Korea 장성사초**

Carex dissitispicula Ohwi, Acta Phytotax. Geobot. 7: 35 (1938)

Carex kunioi T.Koyama, J. Jap. Bot. 30: 131 (1955)

Carex kujuzana Ohwi var. *dissitispicula* (Ohwi) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 227 (1962)

***Carex lachenalii* Schkuhr, Besch. Riedgras. 1: 51 (1801) Nat: N Korea 산타래사초**

Carex tripartita All., Fl. Pedem. 2: 265 (1785)

Carex lagopina Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 145 (1803)

Carex cooptanda C.B.Clarke, Fl. Brit. Ind. 6: 707 (1894)

Carex bipartita All. var. *austromontana* F.J.Herm., Leafl. W. Bot. 10: 16 (1963)

***Carex laevissima* Nakai, Repert. Spec. Nov. Regni Veg. 13: 245 (1914) Nat: N Korea, S Korea 애팽이사초**

***Carex lanceolata* Boott, Narr. Exped. China Japan 2: 326 (1857) Nat: N Korea, S Korea
그늘사초**

- Carex longisquamata* Meinsh. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 399 (1901)
Carex delicatula C.B. Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 79 (1908)
Carex yesoensis Koidz., Bot. Mag. (Tokyo) 32: 55 (1918)
Carex lanceolata Boott var. *albomediana* Makino, J. Jap. Bot. 6: 38 (1929)
Carex subpediformis (Kük.) Sutô & Suzuki, Bull. Coll. Agric. Utsunomiya Univ. 8: 11 (1933)
Carex prevernalis Kitag., Bot. Mag. (Tokyo) 48: 15 (1934)
Carex lanceolata Boott var. *laxa* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11(5): 402 (1936)
Carex karafutoana Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 170 (1944)
Carex humilis Leyss. subsp. *lanceolata* (Boott) T. Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 176 (1962)
Carex humilis Leyss. var. *subpediformis* (Kük.) T. Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 176 (1962)

***Carex lasiocarpa* Ehrh., Hannover. Mag. 9: 132 (1784) Nat: N Korea, S Korea 별사초**

- Carex splendida* Willd., Fl. Berol. Prodr. 33 (1787)
Carex filiformis L. var. *australis* L.H. Bailey, Mem. Torrey Bot. Club 1: 56 (1889)
Carex filiformis L. var. *occultans* Franch., Nouv. Arch. Mus. Hist. Nat. III, 10: 89 (1898)
Carex lasiocarpa Ehrh. var. *occultans* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 747 (1909)
Carex stenophylla Wahlenb. f. *pachystylis* (J. Gay) Kük., Pflanzenr. (Engler) IV, 20(38): 121 (1909)
Carex koidzumii Honda, Bot. Mag. (Tokyo) 45: 3 (1931)
Carex occultans (Franch.) V.I. Krecz., Fl. URSS 3: 471 (1935)
Carex koidzumii Honda var. *fuscata* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11(5): 506 (1936)

***Carex lasiolepis* Franch., Bull. Soc. Philom. Paris ser. 8, 7: 46 (1895) Nat: N Korea, S Korea
난사초**

- Carex adumana* Makino, Bot. Mag. (Tokyo) 9: 258 (1895)
Carex lasiolepis Franch. var. *lata* Ohwi, Acta Phytotax. Geobot. 1: 74 (1932)
Carex holotricha Ohwi, Acta Phytotax. Geobot. 7: 131 (1938)

***Carex laticeps* C.B. Clarke ex Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 178 (1897) Nat: N Korea, S Korea 갯보리사초**

- Carex hancei* C.B. Clarke, J. Linn. Soc., Bot. 36: 288 (1903)
Carex cavaleriei H. Lévl. & Vaniot, Bull. Soc. Agric. Sarthe 1905: 79 (1905)

***Carex latisquamea* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 447 (1901) Nat: N Korea, S Korea 털잎사초**

- Carex villosa* Boott, Narr. Exped. China Japan 2: 327 (1857)
Carex villosa Boott var. *wrightii* Franch. & Sav., Enum. Pl. Jap. 2: 567 (1879)
Carex villosa Boott var. *latisquamea* (Kom.) Kük., Pflanzenr. (Engler) IV, 20(38): 641 (1909)

***Carex laxa* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1803: 156 (1803) Nat: N Korea, S Korea 실이삭사초**

- Carex macrochlamys* Franch., Bull. Soc. Philom. Paris ser. 8, 7: 49 (1895)

Carex lehmannii Drejer, Symb. Caricol. 13 (1844) Nat: N Korea 송이사초

Carex leiorhyncha C.A.Mey., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 1: 217 (1831) Nat: N Korea, S Korea 산괘이사초

Carex nemarosa Kunth, Enum. Pl. (Kunth) 2: 388 (1837)

Carex setariiformis Turcz. ex Boott, Ill. Gen. Carex 4: 189 (1867)

Vignea leiorhyncha (C.A.Mey.) Soják, Cas. Nar. Mus., Odd. Prir. 148: 196 (1979)

Carex lenta D.Don, Trans. Linn. Soc. London 14: 327 (1824) Nat: S Korea 줄사초

Carex sendaica Franch., Bull. Soc. Philom. Paris ser.8, 7: 42 (1895)

Carex longistolon C.B.Clarke ex Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 243 (1896)

Carex franchetiana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 268 (1901)

Carex brunnea Thunb. var. *sendaica* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 601 (1909)

Carex lenta D.Don var. *sendaica* (Franch.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 166 (1962)

Carex ligata Boott var. formosensis (H.Lév. & Vaniot) Kük., Pflanzenr. (Engler) IV, 20(38): 474 (1909) Nat: S Korea 긴목포사초

Carex ascotreta C.B.Clarke, Nouv. Arch. Mus. Hist. Nat. ser. 3, 9: 182 (1897)

Carex formosensis H.Lév. & Vaniot, Mem. Soc. Sci. Nat. Cherbourg 5: 31 (1908)

Carex davidii Franch. var. *ascotreta* (C.B.Clarke) Kük., Pflanzenr. (Engler) 38(IV, 20): 470 (1909)

Carex kelungensis Hayata, Icon. Pl. Formosan. 10: 63 (1921)

Carex shimotsukensis Honda, Bot. Mag. (Tokyo) 44: 667 (1930)

Carex kamagariensis K.Okamoto, Bull. Okayama Coll. Sci. 1: 65 (1965)

Carex limosa L., Sp. Pl. 977 (1753) Nat: N Korea 대택사초

Carex elegans Willd., Fl. Berol. Prodr. 34 (1787)

Carex limosa L. var. *fuscocuprea* Kük., Pflanzenr. (Engler) IV, 20(38): 505 (1909)

Carex fuscocuprea (Kük.) V.I.Krecz., Fl. URSS 3: 244 (1935)

Carex lithophila Turcz., Bull. Soc. Imp. Naturalistes Moscou 1838: 104 (1838) Nat: N Korea 바위사초

Carex distichoidea H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 108 (1901)

Carex mongolica A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 224 (1965)

Carex disticha Huds. subsp. *lithophila* (Turcz.) Hämet-Ahti, Ann. Bot. Fenn. 7: 272 (1970)

Vignea lithophila (Turcz.) Soják, Cas. Nar. Mus., Odd. Prir. 148: 196 (1979)

Carex livida (Wahlenb.) Willd., Sp. Pl. (ed. 5; Willdenow) 4: 285 (1805) Nat: N Korea 동백사초

Carex limosa L. var. *livida* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 162 (1803)

Carex grayana Dewey, Amer. J. Sci. Arts 25: 141 (1834)

Carex fujitae Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 11: 82 (1922)

Carex fujimakii M.Kikuchi, Rep. (Annual) Gakugei Fac. Iwate Univ. 13: 47 (1958)

Carex loliacea L., Sp. Pl. 974 (1753) Nat: N Korea 호밀사초

Carex quaternaria Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 809 (1826)

Vignea loliacea (L.) Rchb., Handb. Gewachsk., ed. 2 3: 1610 (1830)

Carex sibirica Willd. ex Kunth, Enum. Pl. (Kunth) 2: 406 (1837)

Carex longirostrata C.A.Mey., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 1: 220 (1831) Nat: N Korea 피사초

Carex bispicata Hook. & Arn., Bot. Beechey Voy. 118 (1832)
Carex camtschaticense Kunth, Enum. Pl. (Kunth) 2: 477 (1837)
Carex longirostrata C.A.Mey. var. *recurvifolia* Kük., Pflanzenr. (Engler) IV, 20(38): 636 (1909)
Carex longirostrata C.A.Mey. var. *pallida* (Kitag.) Ohwi, Acta Phytotax. Geobot. 4: 43 (1935)
Carex nodaeana A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 225 (1965)

***Carex lyngbyei* Hornem., Fl. Dan. t. 1888 (1827) Nat: N Korea 산이삭사초**

Carex cryptocarpa C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 1: 226 (1831)
Carex scouleri Torr., Ann. Lyceum Nat. Hist. New York 3: 398 (1836)
Carex filipendula Drejer, Naturhist. Tidsskr. 3: 468 (1841)
Carex qualicumensis L.H.Bailey, Bull. Torrey Bot. Club 20: 428 (1893)
Carex laticuspis Franch., Bull. Soc. Philom. Paris VIII, 7: 58 (1895)
Carex prionocarpa Franch., Bull. Soc. Philom. Paris ser.8, 7: 87 (1895)
Carex lyngbyei Hornem. var. *prionocarpa* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 364 (1909)
Carex pedunculifera Kom., Repert. Spec. Nov. Regni Veg. 13: 163 (1914)
Carex riabushinskii Kom., Repert. Spec. Nov. Regni Veg. 13: 163 (1914)
Carex lyngbyei Hornem. subsp. *cryptocarpa* (C.A.Mey.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 188 (1927)
Carex lyngbyei Hornem. var. *cryptocarpa* (C.A.Mey.) Hultén, Fl. Kamtschatka 1: 188 (1927)
Carex lyngbyei Hornem. subsp. *phenocarpa* Akiyama, Bot. Mag. (Tokyo) 47: 69 (1933)

***Carex maackii* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 308 (1859)**

Nat: N Korea, S Korea 타래사초

Carex nipponica Franch., Bull. Soc. Bot. N. France 26: 89 (1879)
Carex calcitrapa Franch., Bull. Soc. Philom. Paris ser.8, 7: 30 (1895)
Carex maackii Maxim. var. *nipponica* (Franch.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 280 (1930)

***Carex mackenziei* V.I.Krecz., Fl. URSS 3: 183 (1935) Nat: N Korea 큰산사초**

Carex norvegica Retz. var. *isostachya* Norman, Forh. Vidensk.-Selsk. Kristiania 16: 48 (1893)

***Carex macrandrolepis* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 241 (1908) Nat: S Korea 청피사초**

Carex distantiflora Nakai, Repert. Spec. Nov. Regni Veg. 13: 245 (1914)
Carex tatsutakensis Hayata, Icon. Pl. Formosan. 6: 133 (1916)
Carex sharyotensis Hayata, Icon. Pl. Formosan. 10: 69 (1921)

***Carex maculata* Boott, Trans. Linn. Soc. London 20: 128 (1846) Nat: S Korea 무늬사초**

Carex micans Boott, Mem. Amer. Acad. Arts ser. 2 6 (2): 419 (1858)
Carex acrogyna H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 201 (1901)
Carex malacocarpa H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 200 (1901)
Carex chilosacca C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 82 (1908)
Carex latitans H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 240 (1908)
Carex maculata Boott var. *neurochlamys* (F.Muell.) Kük., Pflanzenr. (Engler) IV, 20(38): 428 (1909)

***Carex makinoensis* Franch., Bull. Soc. Philom. Paris ser.8, 7: 47 (1895) Nat: N Korea, S Korea 바위포기사초**

Carex warburgiana Kük., Bull. Herb. Boissier ser. 2, 5: 1162 (1905)
Carex shimadae Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 396 (1911)

***Carex mandshurica* Meinsh., Bot. California 55: 197 (1893) Nat; N Korea 만주사초**

***Carex matsumurae* Franch., Bull. Soc. Philom. Paris ser.8, 7: 50 (1895) Nat; S Korea
왕밀사초**

Carex taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 426 (1910)
Carex viridissima Nakai, Bot. Mag. (Tokyo) 31: 281 (1917)
Carex chinensis Roxb. var. *variegata* Makino, J. Jap. Bot. 6: 38 (1929)

***Carex metallica* H.Lév., Repert. Spec. Nov. Regni Veg. 5: 239 (1908) Nat; S Korea
흰이삭사초**

Carex pachinensis Hayata, Icon. Pl. Formosan. 10: 58 (1921)

***Carex meyeriana* Kunth, Enum. Pl. (Kunth) 2: 438 (1837) Nat; N Korea, S Korea
진들검경사초**

Carex crassinervia Franch., Bull. Soc. Philom. Paris ser.8, 7: 37 (1895)
Carex funicularis Franch., Bull. Soc. Philom. Paris ser.8, 7: 37 (1895)
Carex meyeriana Kunth var. *scabra* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18:
349 (1901)
Carex putjatini Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 154 (1916)

***Carex mira* Kük., Bull. Herb. Boissier ser.2, 5: 1161 (1905) Nat; S Korea 꼬랑사초**

Carex mira Kük. var. *obovatooblonga* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B,
Biol. 5(3): 254 (1930)

***Carex misandra* R.Br., Chlor. Melvill. 25 (1823) Nat; N Korea 얼룩사초**

Carex fuliginosa Schkuhr var. *misandra* O.Lang, Linnaea 1: 597 (1851)

***Carex mitrata* Franch., Bull. Soc. Philom. Paris 8, 7: 88 (1895) Nat; S Korea 청사초**

Carex kingiana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 277 (1901)
Carex breviculmis R.Br. var. *kingiana* (H.Lév. & Vaniot) Kük., Pflanzenr. (Engler) IV,
20(38): 470 (1909)

Carex mitrata* Franch. subsp. *mitrata

***Carex mitrata* Franch. subsp. *aristata* (Ohwi) T.Koyama, Fl. Taiwan 5: 334 (1978) Nat; S Korea
겨락겨사초**

Carex mitrata Franch. var. *aristata* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.
5(3): 269 (1930)

***Carex mollicula* Boott, Ill. Gen. Carex 4: 192 (1867) Nat; N Korea, S Korea 애기흰사초**

Carex arcuata Franch., Bull. Soc. Philom. Paris ser.7, 10: 106 (1896)
Carex mollicula Boott f. *lutescens* Kük., Pflanzenr. (Engler) IV, 20(38): 622 (1909)

***Carex mollissima* Christ ex Scheutz, Kongl. Svenska Vetensk. Acad. Handl. n.s. 22(10): 181
(1888) Nat; N Korea 열낭사초**

Carex vesicaria L. var. *reflexa* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 373
(1901)

Carex divaricata Kük., Oefvers. Forh. Finska Vetensk.-Soc. 45: 12 (1902)

Carex yingkiliensis A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 226 (1965)

***Carex nervata* Franch. & Sav., Enum. Pl. Jap. 2: 566 (1878) Nat; N Korea, S Korea 양지사초**

Carex homiolepis Franch. & Sav., Enum. Pl. Jap. 2: 567 (1878)
Carex vidalii Franch. & Sav., Enum. Pl. Jap. 2: 365 (1878)
Carex caryophyllea Latourr. subsp. *nervata* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV, 20(38): 465 (1909)

***Carex neurocarpa* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 306 (1859)** Nat: N Korea, S Korea 팽이사초

***Carex norvegica* Retz., Fl. Scand. Prodr. 179 (1779)** Nat: N Korea 검정타래사초
Carex alpina Lilj., Utkast Sv. Fl., ed. 2 26 26 (1798)
Carex norvegica Retz. var. *inserrulata* (Kalela) Raymond, Naturaliste Canad. 77: 60 (1950)

***Carex ochrochlamys* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 240 (1931)**
Nat: N Korea 애기이삭사초
Vigna ochrochlamys (Ohwi) Soják, Cas. Nar. Mus., Odd. Prir. 148: 196 (1979)

***Carex okamotoi* Ohwi, Acta Phytotax. Geobot. 5: 53 (1936)** Nat: S Korea, Endemic
지리대사초

***Carex onoei* Franch. & Sav., Enum. Pl. Jap. 1: 511 (1875)** Nat: N Korea, S Korea 바늘사초
Carex capituliformis Meinsh. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 12: 563 (1887)
Carex heleochariformis H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 202 (1904)
Carex hakonensis Franch. & Sav. var. *onoei* (Franch. & Sav.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 285 (1930)
Carex hakonensis Franch. & Sav. var. *capituliformis* (Meinsh. ex Maxim.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 242 (1931)
Carex onoei (Franch. & Sav.) Kük. var. *capituliormis* (Meinsh.) Kitam., Neolin. Fl. Manshur. 133 (1979)

***Carex orbicularis* Boott, Proc. Linn. Soc. London 1: 254 (1845)** Nat: S Korea 구슬사초
Carex melanolepis Boeckeler, Beitr. Cyper. 1: 47 (1888)
Carex arcatica Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 336 (1901)
Carex orbicularis Boott var. *brachylepis* Kük., Pflanzenr. (Engler) IV, 20(38): 304 (1909)
Carex orbicularis Boott var. *taldycola* (Meinsh.) Kük., Pflanzenr. (Engler) IV, 20(38): 304 (1909)
Carex orbicularis Boott var. *petunnikowii* (Litv.) O.Fedtsch., Trudy Glavn. Bot. Sada 38: 200 (1924)

***Carex oxyandra* (Franch. & Sav.) Kudô, Rep. Veg. N. Saghal. 72 (1924)** Nat: S Korea
연덕사초
Carex montana L. var. *oxyandra* Franch. & Sav., Enum. Pl. Jap. 2: 141 (1877)
Carex wrightii Franch., Bull. Soc. Philom. Paris ser.8, 7: 47 (1895)
Carex stolonifera H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 27 (1902)
Carex oxyandra (Franch. & Sav.) Kudô var. *globosa* Akiyama, Bot. Mag. (Tokyo) 45: 473 (1931)

***Carex papulosa* Boott, Mem. Amer. Acad. Arts n.s. 6: 418 (1859)** Nat: N Korea, S Korea
쇠뉘시사초
Carex flectens Boott, Ill. Gen. Carex 4: 171 (1867)
Carex grandisquama Franch., Bull. Soc. Philom. Paris ser.8, 7: 51 (1895)
Carex sekimotoi Honda, Bot. Mag. (Tokyo) 43: 543 (1929)

Carex pauciflora Lightf., *Fl. Scot.* 2: 543 (1777) Nat: S Korea 산마늘사초

Carex leucoglochin L.f., *Suppl. Pl.* 413 (1782)
Trasus pauciflorus (Lightf.) Gray, *Nat. Arr. Brit. Pl.* 2: 56 (1821)
Leucoglochin pauciflorus (Lightf.) Heuff., *Flora* 27: 528 (1844)
Caricinella pauciflora (Lightf.) St.-Lag., *Etude Fl.*, ed. 8 2: 881 (1889)

Carex paxii Kük., *Pflanzenr. (Engler) IV, 20(38): 765 (1909)* Nat: S Korea 대구사초

Carex succedanea Nakai, *Repert. Spec. Nov. Regni Veg.* 13: 244 (1914)
Carex kengii Kük., *Repert. Spec. Nov. Regni Veg.* 27: 108 (1929)
Carex paxii Kük. var. *succedanea* (Nakai) Ohwi, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 5(3): 283 (1930)

Carex pediformis C.A.Mey., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 1: 219 (1831) Nat: N Korea 넓은잎그늘사초

Carex obliqua Turcz., *Bull. Soc. Imp. Naturalistes Moscou* 1838: 104 (1838)
Carex kirilovii Turcz., *Byull. Moskovsk. Obsch. Isp. Prir. Otd. Biol.* 28: 340 (1855)
Carex pediformis C.A.Mey. var. *pedunculata* Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 309 (1859)
Carex pellucida Turcz. ex Boott, *Ill. Gen. Carex* 4: 196 (1867)
Carex chamissoi Boeckeler, *Linnaea* 41: 145 (1877)
Carex pediformis C.A.Mey. var. *floribunda* Korsh., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 12: 409 (1892)
Carex rhizodes var. *abbreviata* Meinsh., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 18: 404 (1901)
Carex sutschanensis Kom., *Izv. Imp. S.-Peterburgsk. Bot. Sada* 16: 155 (1916)
Carex hankaensis Kitag., *J. Jap. Bot.* 17: 236 (1941)
Carex macroura Meinsh. subsp. *kirilovii* (Turcz.) Malyshev, *Fl. Sibiriae* 3: 123 (1990)

Carex peiktusani Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 18: 445 (1901) Nat: N Korea, S Korea 백두사초

Carex hancockiana Maxim. var. *peiktusani* (Kom.) Kük., *Pflanzenr. (Engler) IV, 20(38):* 395 (1909)

Carex phacota Spreng., *Syst. Veg. (ed. 16) [Sprengel] 3: 826 (1826)* Nat: N Korea, S Korea 비늘사초

Carex gracilipes Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 151 (1866)
Carex fauriae Franch., *Bull. Soc. Bot. France* 26: 89 (1879)
Carex pruinosa Boott var. *aristata* Kuntze, *Revis. Gen. Pl.* 2: 748 (1891)
Carex cincta Franch., *Bull. Soc. Philom. Paris ser.8, 7: 33 (1895)*
Carex lepidopristis H.Lév. & Vaniot, *Bull. Acad. Int. Géogr. Bot.* 10: 198 (1901)
Carex cincta Franch. var. *subphacota* Kük., *Pflanzenr. (Engler) IV, 20(38):* 353 (1909)
Carex subphacota (Kük.) Nakai, *Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.]* 24 (1914)
Carex shichiseitensis Hayata, *Icon. Pl. Formosan.* 10: 58 (1921)
Carex subphacota (Kük.) Nakai var. *glauca* Honda, *Bot. Mag. (Tokyo)* 43: 542 (1929)
Carex phacota Spreng. var. *shichiseitensis* Ohwi, *J. Jap. Bot.* 7: 199 (1934)
Carex phacota Spreng. var. *cincta* (Franch.) Ohwi, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 11(5): 297 (1936)

Carex phaeothrix Ohwi, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 6(5): 239 (1931) Nat: N Korea 조이삭사초

Carex pilosa Scop., *Fl. Carniol., ed. 2 2: 226 (1772)* Nat: N Korea, S Korea 털사초

Carex nemorensis J.F.Gmel., Syst. Nat. ed. 13[bis] 143 (1791)
Carex prostrata J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 142 (1791)
Carex pilosa Scop. var. *densiflora* Schur, Enum. Pl. Transsilv. 713 (1866)
Carex auriculata Franch., Bull. Soc. Philom. Paris ser.8, 7: 106 (1895)
Carex foliata F.Schmidt ex Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 385 (1901)
Carex hakodatensis H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 206 (1904)

***Carex pisiformis* Boott, Narr. Exped. China Japan 324 (1857) Nat: N Korea, S Korea 실사초**
Carex amphora Franch. & Sav., Enum. Pl. Jap. 2: 566 (1878)

***Carex planiculmis* Kom., Trudy Glavn. Bot. Sada 18: 448 (1901) Nat: N Korea, S Korea**
그늘흰사초

Carex japonica Thunb. var. *naipiagensis* H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 206 (1904)
Carex paniculigera Nakai, Repert. Spec. Nov. Regni Veg. 13: 244 (1914)
Carex macromollicula Nakai ex Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 2: 198 (1932)

***Carex pruinosa* Boott subsp. *maximowiczii* (Miq.) Kük., Pflanzenr. (Engler) IV, 20(38): 253 (1909) Nat: N Korea, S Korea 왕비늘사초**

Carex pruinosa Boott, Proc. Linn. Soc. London 1: 255 (1845)
Carex picta (Steud.) Boott, Mem. Amer. Acad. Arts ser. 2 6 (2): 418 (1858)
Carex pruinosa Boott var. *picta* Franch., Nouv. Arch. Mus. Hist. Nat. III, 9: 155 (1897)
Carex maximowiczii Boeckeler var. *kinashii* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 277 (1930)
Carex maximowiczii Boeckeler var. *levisaccus* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5(3): 277 (1930)
Carex maximowiczii Boeckeler var. *subsessilis* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 248 (1931)
Carex pruinosa Boott var. *levisaccus* (Ohwi) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 1446 (1931)
Carex maximowiczii Boeckeler var. *pallida* Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 2: 101 (1932)

***Carex pseudochinensis* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 306 (1902) Nat: S Korea**
햇사초

***Carex pseudocuraica* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 67 (1868) Nat: N Korea**
덩굴사초

Carex chordorrhiza L.f. var. *major* Boeckeler, Linnaea 39: 54 (1875)
Carex chordorrhiza L.f. var. *pseudocuraica* (F.Schmidt) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 123 (1877)

***Carex pumila* Thunb., Fl. Jap. (Thunberg) 39 (1784) Nat: N Korea, S Korea**
좁보리사초

Carex littorea Labill., Nov. Holl. Pl. 2: 69 (1806)
Carex nutans J.F.Gmel. var. *pumila* (Thunb.) Boeckeler, Linnaea 41: 298 (1877)
Carex platyrhyncha Franch. & Sav., Enum. Pl. Jap. 2: 582 (1878)
Carex sepulta Phil., Anales Univ. Chile 93: 494 (1896)
Carex pumila Thunb. subsp. *littorea* (Labill.) Kük., Bot. Jahrb. Syst. 27: 551 (1899)
Carex forbesii C.B.Clarke, J. Linn. Soc., Bot. 36: 286 (1903)
Carex nutans J.F.Gmel. var. *platyrhyncha* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV, 20(38): 740 (1909)

Carex quadriflora (Kük.) Ohwi, Acta Phytotax. Geobot. 1: 74 (1932) Nat: N Korea, S Korea
녹빛사초

Carex digitata L. var. *pallida* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 401 (1901)

Carex digitata L. subsp. *quadriflora* Kük., Pflanzenr. (Engler) IV, 20(38): 497 (1909)

Carex raddei Kük., Bot. California 77: 67 (1899) Nat: N Korea, S Korea 화산곱슬사초

Carex aristata Honck. subsp. *raddei* (Kük.) Kük., Pflanzenr. (Engler) IV, 20(38): 755 (1909)

Carex eriophylla (Kük.) Kom., Mal. Opred. Rast. Dal'nevost. Kraia 135 (1925)

Carex rara Boott, Proc. Linn. Soc. London 1: 284 (1845) Nat: N Korea, S Korea 솔잎사초

Carex biwensis Franch., Bull. Soc. Philom. Paris VIII, 7: 28 (1895)

Carex rara Boott subsp. *capillacea* Kük. ex Matsum., Index Pl. Jap. 2 (1): 130 (1905)

Carex rara Boott var. *biwensis* (Franch.) Kük. ex Matsum., Index Pl. Jap. 2 (1): 130 (1905)

Carex oldhamii C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 71 (1908)

Carex rara Boott subsp. *biwensis* (Franch.) T.Koyama, Col. Ill. Herb. Pl. Jap. 3: 284 (1964)

Carex remotuscula Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 147 (1803) Nat: N Korea, S Korea 충실사초

Carex remotiformis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 444 (1901)

Carex remota L. var. *enervulosa* Kük., Bot. Jahrb. Syst. 36(82): 7 (1905)

Carex remota L. var. *remotiformis* (Kom.) Kük., Pflanzenr. (Engler) IV, 20(38): 235 (1909)

Carex rochebrunii Franch. & Sav. var. *remotiformis* (Kom.) Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 2: 82 (1932)

Carex rhynchophysa Fisch. & C.A.Mey. & Avé-Lall., Index Seminum [St.Petersburg (Petropolitanus)] 9: 9 (1843) Nat: N Korea 왕삿갓사초

Carex bullata Willd. var. *laevirostris* Blytt ex Fr., Novit. Fl. Suec. Mant. 2: 59 (1839)

Carex laevirostris (Blytt ex Fr.) Andersson, Pl. Scand. Cyper. 1: 17 (1849)

Carex rostrata Stokes, Bot. Arr. Brit. Pl., ed. 2 2: 1059 (1787) Nat: N Korea 큰물삿갓사초

Carex inflata Huds., Fl. Angl. (Hudson) 354 (1762)

Carex rostrata Stokes var. *borealis* Kük., Pflanzenr. (Engler) IV, 20(38): 723 (1909)

Carex rotundata Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 153 (1803) Nat: N Korea 물사초

Carex ruesanensis Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 11: 83 (1922)

Carex melozitnensis A.E.Porsild, Rhodora 41: 209 (1939)

Carex rugulosa Kük., Bull. Herb. Boissier ser.2, 4: 58 (1904) Nat: N Korea, S Korea 큰천일사초

Carex riparia var. *rugulosa* (Kük.) Kük., Pflanzenr. (Engler) IV, 20(38): 736 (1909)

Carex smirnovii V.I.Krecz., Fl. URSS 3: 619 (1935)

Carex rupestris All., Fl. Pedem. 2: 264 (1785) Nat: N Korea 눈사초

Carex petraea Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 139 (1803)

Carex dufourei Lapeyr., Hist. Pl. Pyrenées Suppl. 140 (1818)

Carex attenuata R.Br., Bot. App. (Richardson) 750 (1823)

Carex drummondiana Dewey, Amer. J. Sci. Arts 29: 251 (1836)

Edritria rupestris (All.) Raf., Good Book 26 (1840)

Caricinella rupestris (All.) St.-Lag., Etude Fl., ed. 8 2: 882 (1889)

***Carex sabyensis* Less. ex Kunth, Enum. Pl. (Kunth) 2: 440 (1837) Nat: N Korea, S Korea
실청사초**

- Carex pediformis* C.A.Mey. var. *obliqua* Turcz., Fl. Baical.-dahur. n. 1252 (1855)
Carex pediformis C.A.Mey. var. *caespitosa* F.Schmidt, Mem. Acad. Imp. Sci. St.-
Petersbourg, Ser. 7 18: 127 (1872)
Carex brenneri Christ ex Scheutz, Kongl. Svenska Vetensk. Acad. Handl. n.s. 22(10):
178 (1888)
Carex kamikawensis Franch., Bull. Soc. Philom. Paris ser.8, 7: 48 (1895)
Carex eriandrolepis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 34 (1909)
Carex umbrosa Host subsp. *sabyensis* Kük., Pflanzenr. (Engler) IV, 20(38): 468 (1909)
Carex sabyensis Less. ex Kunth var. *leiosperma* Ohwi, Mem. Coll. Sci. Kyoto Imp.
Univ., Ser. B, Biol. 11(5): 353 (1936)

***Carex sachalinensis* F.Schmidt, Reis. Amur-Land., Bot.194 (1868) Nat: N Korea, S Korea
가지청사초**

- Carex pseudoconica* Franch. & Sav., Enum. Pl. Jap. 2: 570 (1878)
Carex polyschoena H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 9 (1903)
Carex albomas C.B.Clarke, J. Linn. Soc., Bot. 36: 270 (1903)
Carex breviculmis (R.Br.) H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 600 (1903)
Carex indistincta H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 194 (1908)
Carex pisiformis Boott f. *polyschoena* Kük., Pflanzenr. (Engler) IV, 20(38): 477 (1909)
Carex umbrosa Host var. *coreana* Nakai, Bot. Mag. (Tokyo) 28: 327 (1914)
Carex pisiformis Boott var. *pallescens* Kük., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B,
Biol. 11(5): 361 (1936)

Carex sachalinensis* F.Schmidt var. *sachalinensis

***Carex sachalinensis* F.Schmidt var. *alterniflora* (Franch.) Ohwi, Bull. Natl. Sci. Mus.,
Tokyo 33: 67 (1953) Nat: N Korea, S Korea 선사초**

- Carex alterniflora* Franch., Bull. Soc. Philom. Paris ser.8, 7: 51 (1895)
Carex pseudostrigosa H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 109 (1902)
Carex dubuliana var. *alterniflora* (Franch.) Kük., Index Pl. Jap. 2 (1): 129 (1905)
Carex tenuissima Boott var. *sikokiana* Kük., Pflanzenr. (Engler) IV, 20(38): 475 (1909)
Carex scabroaristata Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 1: 58
(1931)
Carex sachalinensis F.Schmidt var. *musashiensis* Hiyama, J. Jap. Bot. 29: 160 (1954)

***Carex sachalinensis* F.Schmidt var. *sikokiana* (Franch. & Sav.) Ohwi, Bull. Natl. Sci. Mus.,
Tokyo 33: 67 (1953) Nat: N Korea, S Korea 녹빛실사초**

- Carex pisiformis* Boott var. *sachalinensis* (F.Schmidt) Kük., Index Pl. Jap. 2 (1): 132
(1905)

***Carex scabrifolia* Steud., Syn. Pl. Glumac. 2: 237 (1855) Nat: N Korea, S Korea 천일사초**

- Carex pierotii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 148 (1866)
Carex suberea Boott, Ill. Gen. Carex 4: 165 (1867)
Carex malinvaldii H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 204 (1904)
Carex yabei H.Lév. & Vaniot, Bull. Soc. Agric. Sarthe 2.5: 79 (1905)

***Carex schmidtii* Meinsh., Beitr. Kenntn. Russ. Reiches 26: 224 (1871) Nat: N Korea 참뚝사초**

- Carex maximowiczii* Boeckeler, Linnaea 41: 237 (1877)
Carex lineolata Cham. ex Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 338 (1901)
Carex subvaginata Meinsh. ex C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 70 (1908)
Carex vladimiroviensis H.Lév., Bull. Acad. Int. Géogr. Bot. 19: 34 (1909)

***Carex sedakowii* C.A.Mey. ex Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 360 (1901)**
Nat: N Korea 난쟁이사초

***Carex shimidzensis* Franch., Bull. Soc. Philom. Paris ser.8, 7: 33 (1895)** Nat: N Korea, S Korea 산꼬리사초

Carex nervulosa Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 120 (1897)

Carex sorachensis H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 205 (1904)

Carex shimidzensis Franch. var. *nervulosa* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 357 (1909)

Carex takeshimensis Nakai, Bot. Mag. (Tokyo) 31: 281 (1917)

***Carex siderosticta* Hance, J. Linn. Soc., Bot. 13: 89 (1873)** Nat: N Korea, S Korea 대사초

Pseudocarex plantaginea Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 146 (1866)

Carex platyphylla Franch., Bull. Soc. Philom. Paris VIII, 7: 50 (1895)

Carex siderosticta Hance var. *bracteosa* Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 196 (1897)

Carex siderosticta Hance var. *pilosa* H.Lév. ex Nakai, Repert. Spec. Nov. Regni Veg. 13: 244 (1914)

Carex ciliatomarginata Nakai, Repert. Spec. Nov. Regni Veg. 13: 244 (1914)

Carex siderosticta Hance var. *variegata* Akiyama, J. Fac. Sci. Hokkaido Imp. Univ., Ser. 5, Bot. 3: 268 (1935)

Carex siderosticta Hance var. *glabra* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11: 430 (1936)

Carex siderosticta Hance subsp. *pilosa* (H.Lév. ex Nakai) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 233 (1962)

Carex siderosticta Hance var. *stenophylla* (Kitag.) Kitag., J. Jap. Bot. 50: 88 (1975)

Carex siderosticta Hance f. *albomarginata* Y.N.Lee, Bull. Korea Pl. Res. 5: 37 (2005)

***Carex siroumensis* Koidz., Bot. Mag. (Tokyo) 32: 54 (1918)** Nat: N Korea 포태사초

Carex hotaizanensis Akiyama, J. Jap. Bot. 16: 101 (1940)

***Carex sordida* Van Heurck & Müll.Arg., Observ. Bot. Descript. Pl. Nov. Herb. Van Heurckiani 1: 33 (1870)** Nat: N Korea 민숲이삭사초

Carex akanensis Franch., Bull. Soc. Philom. Paris ser.8, 7: 51 (1895)

Carex amurensis var. *abbreviata* Kük., Bot. California 77: 94 (1899)

Carex drymophila Turcz. var. *akanensis* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 756 (1909)

Carex drymophila Turcz. var. *abbreviata* (Kük.) Ohwi, Acta Phytotax. Geobot. 12: 107 (1943)

***Carex stipata* Muhl. ex Willd., Sp. Pl. (ed. 4) 4: 233 (1805)** Nat: N Korea, S Korea 양덕사초

Vigna stipata (Muhl. ex Willd.) Rchb., Handb. Gewachsk., ed. 2 3: 1620 (1830)

Lonicoperis stipata (Muhl. ex Willd.) Raf., Good Book 27 (1840)

***Carex subbracteata* (Kük.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 252 (1931)** Nat: N Korea 부리실청사초

Carex pediformis C.A.Mey. var. *rostrata* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 310 (1859)

Carex pisiformis Boott var. *subbracteata* Kük., Pflanzenr. (Engler) IV, 20(38): 477 (1909)

Carex umbrosa Host var. *stolonifera* Kük., Pflanzenr. (Engler) IV, 20(38): 468 (1909)

Carex praestabilis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 262 (1931)

Carex sabyensis Less. ex Kunth var. *rostrata* (Maxim.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11(5): 353 (1936)

***Carex subspathacea* Wormsk. ex Hornem., Fl. Dan. 9: 4, t. 1530 (1816) Nat: N Korea, S Korea** 애기천일사초

Carex aquatilis Wahlenb. var. *nardifolia* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 165 (1803)

Carex hoppneri Boott, Fl. Bor.-Amer. (Hooker) 2: 219 (1839)

Carex salina Wahlenb. var. *minor* Boott, Ill. Gen. Carex 4: 160 (1867)

***Carex subumbellata* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 395 (1901) Nat: N Korea, S Korea** 구름사초

Carex subumbellata Meinsh. var. *koreana* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 261 (1931)

Carex subumbellata Meinsh. var. *verecunda* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 260 (1931)

***Carex suifunensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 445 (1901) Nat: N Korea, S Korea** 가는비늘사초

Carex pruinosa Boott var. *suifunensis* (Kom.) Kük., Pflanzenr. (Engler) IV, 20(38): 353 (1909)

Carex maximowiczii Boeckeler var. *suifunensis* (Kom.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 18 (1914)

Carex maximowiczii Boeckeler subsp. *suifunensis* (Kom.) Vorosch., Florist. issl. v razn. raionakh SSSR 155 (1985)

***Carex tarumensis* Franch., Bull. Soc. Philom. Paris ser.8, 7: 37 (1895) Nat: S Korea** 검은꼬리사초

***Carex teinogyna* Boott, Ill. Gen. Carex 1: 60 (1852) Nat: S Korea** 꼭이사초

Carex teinogyna Boott var. *scabriculmis* Kük., Pflanzenr. (Engler) IV, 20(38): 502 (1909)

Carex scabriculmis (Kük.) Ohwi, Acta Phytotax. Geobot. 2: 27 (1933)

***Carex tenuiflora* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 147 (1803) Nat: N Korea, S Korea** 별사초

Carex leucolepis Turcz. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 292 (1840)

Carex arrhyncha Franch., Bull. Soc. Philom. Paris ser.8, 7: 30 (1895)

Carex tenuiflora Wahlenb. var. *arrhyncha* (Franch.) Kük., Pflanzenr. (Engler) IV, 20(38): 224 (1909)

***Carex tenuiformis* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 104 (1902) Nat: N Korea, S Korea** 나도그늘사초

Carex koreana Kom., Trudy Glavn. Bot. Sada 18: 446 (1901)

Carex seiskoensis Freyn, Oesterr. Bot. Z. 53: 27 (1903)

Carex koreana Kom. f. *paupera* Kük., Pflanzenr. (Engler) IV, 20(38): 571 (1909)

Carex tenuiformis H.Lév. & Vaniot f. *paupera* (Kük.) Love & Raymond, Pflanzenr. (Engler) IV, 20(38): 571 (1909)

Carex ichimurae Nakai, Nippon Shokubutsumei, ed. 9 2: 81 (1916)

Carex komarovii Koidz., Bot. Mag. (Tokyo) 33: 205 (1919)

Carex fraudulans Printz, Veg. Siber.-Mongol. Front. 160 (1921)

Carex tenuiformis H.Lév. & Vaniot var. *elatior* Ohwi, Acta Phytotax. Geobot. 11: 256 (1942)

Carex tenuiformis* H.Lév. & Vaniot var. *tenuiformis

***Carex tenuiformis* H.Lév. & Vaniot var. *neofilipes* (Nakai) Ohwi ex Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 223 (1934)** Nat; N Korea 그늘실사초

Carex neofilipes Nakai, Repert. Spec. Nov. Regni Veg. 13: 243 (1914)

***Carex thunbergii* Steud., Flora 29: 23 (1846)** Nat; N Korea, S Korea 쪽사초

Carex acuta L. var. *appendiculata* Trautv., Fl. Ochot. Phaenog. 100 (1856)

Carex brachysandra Franch., Bull. Soc. Philom. Paris ser.8, 7: 40 (1895)

Carex appendiculata (Trautv. & C.A.Mey.) Kük., Bull. Herb. Boissier ser.2, 4: 54 (1904)

Carex gaudichaudiana Kunth var. *thunbergii* f. *brachysandra* Kük., Pflanzenr. (Engler) IV, 20(38): 313 (1909)

Carex micrantha Kük. var. *tenuinervis* Kük., Pflanzenr. (Engler) IV, 20(38): 341 (1909)

Carex koizumiana Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6(5): 263 (1931)

Carex thunbergii Steud. var. *brachysandra* Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (2): 231 (1931)

Carex thunbergii Steud. var. *appendiculata* (Trautv. & C.A.Mey.) Ohwi, J. Jap. Bot. 11: 409 (1935)

***Carex tristachya* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 845 (1784)** Nat; N Korea, S Korea 반들사초

Carex monadelpha Boott, Narr. Exped. China Japan 2: 323 (1856)

Carex tristachya* Thunb. var. *tristachya

***Carex tristachya* Thunb. var. *pocilliformis* (Boott) Kük., Pflanzenr. (Engler) IV, 20(38): 473 (1909)** Nat; S Korea 애기반들사초

Carex pocilliformis Boott, Bull. Acad. Int. Géogr. Bot. 12: 504 (1903)

Carex tristachya Thunb. subsp. *pocilliformis* (Boott) T.Koyama, Fl. Taiwan 5: 337 (1978)

***Carex tuminensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 444 (1901)** Nat; N Korea 중삿갓사초

Carex ternaria Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 342 (1901)

***Carex uda* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 303 (1859)** Nat; N Korea, S Korea 개바늘사초

***Carex ulobasis* V.I.Krecz., Fl. URSS 3: 608 (1935)** Nat; N Korea, S Korea 산양지사초

Carex montana L. var. *manchuriensis* Kom., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 396 (1901)

***Carex ussuriensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 443 (1901)** Nat; N Korea 싸라기사초

Carex alba Scop. subsp. *ussuriensis* (Kom.) Kük., Pflanzenr. (Engler) IV, 20(38): 500 (1909)

Carex alba Scop. var. *ussuriensis* (Kom.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 173 (1962)

***Carex vaginata* Tausch, Flora 4: 557 (1821)** Nat; N Korea 집사초

Carex sparsiflora var. *borealis* Andersson, Pl. Scand. Cyper. 1: 34 (1849)

Carex falcata Turcz., Fl. Baical.-dahur. n. 1254 (1855)

Carex petersii C.A.Mey. ex F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 194 (1868)

Carex sparsiflora var. *petersii* (C.A.Mey. ex Schmidt) Kük., Pflanzenr. (Engler) IV, 20(38): 513 (1909)

Carex sparsiflora var. *falcata* (Turcz.) Kük., Russk. Bot. Zhurn. 3-6: 146 (1911)

Carex vaginata Tausch var. *petersii* (C.A.Mey. ex Schmidt) Akiyama, J. Jap. Bot. 11: 499 (1935)

***Carex vanheurckii* Müll.Arg., *Observ. Bot. (Van Heurck)* 30 (1870) Nat; N Korea 망사초**
Carex amblyolepis Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 99 (1856)
Carex pensylvanica Lam. var. *amblyolepis* (Trautv. & C.A.Mey.) Kük., Oefvers. Forh. Finska Vetensk.-Soc. 45: 8 (1903)
Carex pseudowrightii Honda, Bot. Mag. (Tokyo) 18: 291 (1929)

***Carex vesicaria* L., *Sp. Pl.* 979 (1753) Nat; N Korea, S Korea 새방울사초**
Carex furcata Lapeyr., Hist. Pl. Pyrenees 568 (1813)
Carex vesicaria L. var. *calcifoenum* Laest., Loca Parall. 88 (1831)
Carex suilla J.Fellm., Bull. Soc. Imp. Naturalistes Moscou 8: 285 (1835)
Carex monile Tuck., Enum. Meth. Caric. 20 (1843)
Carex raeana Boott, Arct. Search Exped. 2: 344 (1851)
Carex vesicaria L. var. *robusta* Sond., Fl. Hamburg. [Sonder] 506 (1851)
Carex bongardiana C.A.Mey., Fl. Ochot. Phaenog. 101 (1856)
Carex vaseyi Dewey, Amer. J. Sci. Arts II 29: 347 (1860)
Carex vesicaria L. var. *monile* (Tuck.) Boeckeler, Linnaea 41: 320 (1877)
Carex vesicaria L. var. *tenuistachya* Kük., Bot. California 77: 58 (1899)
Carex udensis Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 366 (1901)
Carex vesicaria L. var. *udensis* (Meinsh.), Trudy Glavn. Bot. Sada 18: 367 (1901)
Carex vesicaria L. subsp. *vesicata* (Meinsh.) T.V.Egorova, Novosti Sist. Vyssh. Rast. 10: 103 (1973)

***Carex xiphium* Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 18: 446 (1901) Nat; N Korea, S Korea 넓은잎피사초**

Cladium P.Browne

***Cladium chinense* Nees, *Linnaea* 9: 301 (1835) Nat; S Korea 층층고랭이**
Cladium mariscus Benth., Fl. Hongk. 397 (1861)
Cladium jamaicense C.B.Clark, J. Linn. Soc., Bot. 36: 262 (1903)
Mariscus chinensis (Nees) Fernald, Rhodora 25: 52 (1923)
Cladium jamaicense C.B.Clark var. *chinense* (Nees) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 121 (1961)
Cladium jamaicense C.B.Clark subsp. *chinense* (Nees ex Hook. & Arn.) T.Koyama, Enum. Fl. Pl. Nepal 1: 105 (1978)

Cyperus L.

***Cyperus amuricus* Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 296 (1859) Nat; N Korea, S Korea 방동사니**
Cyperus krameri Franch. & Sav., Enum. Pl. Jap. 2: 104, 539 (1877)
Cyperus pterygorrhachis C.B.Clark, Bull. Acad. Int. Géogr. Bot. 14: 202 (1904)
Chlorocyperus franchettii Palla, Oesterr. Bot. Z. 59: 193 (1909)
Cyperus amuricus Maxim. var. *pterygorrachis* (H.Lév.) Ohwi, Bot. Mag. (Tokyo) 45: 184 (1931)

***Cyperus cyperoides* (L.) Kuntze, *Revis. Gen. Pl.* 3: 333 (1898) Nat; N Korea, S Korea 방동사니아재피**

Scirpus cyperoides L., Mant. Pl. 2: 181 (1771)
Kyllinga sumatrensis Retz., *Observ. Bot. (Retz.)* 4: 13 (1786)

Mariscus umbellatus (Rottb.) Vahl, Enum. Pl. (Vahl) 2: 376 (1805)
Cyperus umbellatus (Rottb.) Benth., Fl. Hongk. 386 (1861)
Mariscus sieberianus Nees ex C.B. Clarke, Fl. Brit. Ind. 6: 622 (1893)
Cyperus sieberianus (Nees) K. Schum., Notizbl. Königl. Bot. Gart. Berlin 2: 96 (1898)
Mariscus cyperoides (L.) Urb., Symb. Antill. 2: 164 (1900)
Mariscus sumatrensis (Retz.) J. Raynal, Adansonia 15: 110 (1975)

***Cyperus difformis* L., Cent. Pl. II 2: 6 (1756) Nat: N Korea, S Korea 알방동사니**

Cyperus holoschoenoides Jan ex Schult., Mant. 2 (Schultes) 2: 111 (1824)
Cyperus subrotundus Llanos, Fragm. Pl. Filip. 14 (1851)
Cyperus orizetourum Steud., Syn. Pl. Glumac. 2: 24 (1854)
Cyperus goeringii Steud., Syn. Pl. Glumac. 2: 24 (1854)
Cyperus difformis L. var. *breviglobosus* Kük., Pflanzenz. (Engler) IV, 20(101): 240 (1936)

***Cyperus exaltatus* Retz., Observ. Bot. (Retzius) 5: 11 (1788) Nat: N Korea, S Korea 왕골**

Cyperus canaliculatus Retz., Observ. Bot. (Retzius) 6: 20 (1791)
Cyperus venustus R.Br., Prodr. Fl. Nov. Holland. 217 (1810)
Cyperus iwaskii Makino, Bot. Mag. (Tokyo) 6: 47 (1892)
Cyperus tokiensis C.B. Clarke, Bull. Acad. Int. Géogr. Bot. 14: 201 (1904)
Cyperus exaltatus Retz. var. *iwaskii* T. Koyama, Acta Phytotax. Geobot. 16: 11 (1955)

***Cyperus glomeratus* L., Cent. Pl. II 2: 5 (1756) Nat: N Korea, S Korea 물방동사니**

Cyperus cinnamomeus Retz., Observ. Bot. (Retzius) 4: 10 (1786)
Cyperus aureus Georgi, Besch. Nation. Russ. Reich 257 (1802)
Cyperus australis Schrad., Fl. Germ. (Schrad.) 1: 116 (1806)
Cyperus multumbelliferus Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 200 (1817)
Chlorocyperus glomeratus (L.) Palla, Allg. Bot. Z. Syst. 6: 201 (1900)

***Cyperus hakonensis* Franch. & Sav., Enum. Pl. Jap. 2: 104, 538 (1877) Nat: N Korea, S Korea 병아리방동사니**

***Cyperus haspan* L., Sp. Pl. 45 (1753) Nat: S Korea 모기방동사니**

Cyperus juncooides Lam., Encycl. (Lamarck) 1: 147 (1791)
Cyperus autumnalis Vahl, Enum. Pl. (Vahl) 2: 318 (1805)
Cyperus graminifolius Poir., Encycl. (Lamarck) 7: 267 (1806)
Cyperus pedatus Nees, Observ. Bot. (Meyen) 1: 431 (1843)
Cyperus hyemalis Pursh ex C.B. Clarke, J. Linn. Soc., Bot. 21: 120 (1884)
Cyperus haspan L. var. *flaccidissimus* Kük., Pflanzenz. (Engler) IV, 20(101): 248 (1936)
Cyperus haspan L. var. *tuberiferus* T. Koyama, J. Jap. Bot. 30: 136 (1955)

***Cyperus iria* L., Sp. Pl. 45 (1753) Nat: N Korea, S Korea 참방동사니**

Cyperus santonici Rottb., Descr. Icon. Rar. Pl. 41 (1773)
Cyperus chrysomelinus Link, Hort. Berol. [Link] 2: 305 (1833)
Cyperus paniciformis Franch. & Sav., Enum. Pl. Jap. 2: 537 (1878)
Cyperus iria L. var. *paniciformis* (Franch. & Sav.) C.B. Clarke, Fl. Brit. Ind. 6: 607 (1893)

***Cyperus microiria* Steud., Syn. Pl. Glumac. 2: 23 (1854) Nat: N Korea, S Korea 금방동사니**

Cyperus textorii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 141 (1865)
Cyperus amuricus Maxim. var. *textorii* (Miq.) Kük., Sinensia 3: 80 (1933)
Cyperus amuricus Maxim. var. *japonicus* Kük., Pflanzenz. (Engler) 4(Heft 101): 20 (1936)

Cyperus nipponicus Franch. & Sav., Enum. Pl. Jap. 2: 537 (1878) Nat: N Korea, S Korea
푸른방동사니

- Scirpus stauntonii* C.B.Clarke, J. Linn. Soc., Bot. 36: 253 (1903)
Juncellus nipponicus (Franch. & Sav.) C.B.Clarke, Bull. Acad. Int. Géogr. Bot. 14: 202 (1904)
Dichostylis nipponica (Franch. & Sav.) Palla, Monde Pl. 12: 40 (1910)
Cyperus stauntonii (C.B.Clarke) Ohwi, Repert. Spec. Nov. Regni Veg. 36: 43 (1934)
Cyperus michelianus var. *nipponicus* (Franch. & Sav.) Kük., Pflanzenz. (Engler) IV, 20(101): 314 (1936)

Cyperus orthostachyus Franch. & Sav., Enum. Pl. Jap. 2: 539 (1878) Nat: N Korea, S Korea
쇠방동사니

- Cyperus truncatus* A.Rich., Tent. Fl. Abyss. 2: 487 (1850)
Cyperus truncatus var. *orthostachyus* (Franch. & Sav.) C.B.Clarke, J. Linn. Soc., Bot. 36: 218 (1903)
Cyperus truncatus var. *robustus* Nakai, Bot. Mag. (Tokyo) 40: 146 (1926)
Cyperus orthostachyus Franch. & Sav. var. *dahuricus* H.Hara, J. Jap. Bot. 14: 339 (1938)
Cyperus orthostachyus Franch. & Sav. var. *robustus* (Nakai) H.Hara, J. Jap. Bot. 14: 339 (1938)
Cyperus fimriatus Nees, Fl. Jap., revised ed., [Ohwi] 198 (1965)
Cyperus orthostachyus Franch. & Sav. var. *pinnateformis* Y.C.Oh & Y.B.Lee, Korean Cyperaceae 53 (2000)
Cyperus orthostachyus Franch. & Sav. var. *umbellus* Y.C.Oh & Y.B.Lee, Korean Cyperaceae 52 (2000)

Cyperus pacificus (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 150 (1944) Nat: N Korea, S Korea 흰방동사니

- Cyperus michelianus* var. *pacificus* Ohwi, Acta Phytotax. Geobot. 7: 137 (1933)
Dichostylis pacificus (Ohwi) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 132 (1952)

Cyperus rotundus L., Sp. Pl. 45 (1753) Nat: N Korea, S Korea 향부자

- Cyperus bicolor* Vahl, Enum. Pl. (Vahl) 2: 340 (1805)
Cyperus agrestis Willd. ex Spreng. & Link, Jahrb. Gewachsk. 1: 86 (1820)
Cyperus laevisissimus Steud., Syn. Pl. Glumac. 2: 32 (1854)
Chlorocyperus rotundus (L.) Palla, Allg. Bot. Z. Syst. 6: 61 (1900)
Cyperus yoshinagae Ohwi, J. Jap. Bot. 13: 332 (1937)
Cyperus rotundus L. var. *quimoyensis* L.K.Dai, Fl. Reipubl. Popularis Sin. 11: 231 (1961)

Cyperus serotinus Rottb., Descr. Icon. Rar. Pl. 18 (1773) Nat: N Korea, S Korea
너도방동사니

- Cyperus monti* L.f., Suppl. Pl. 102 (1781)
Cyperus krebsii Boeckeler, Beitr. Cyper. 2: 2 (1890)
Juncellus serotinus (Rottb.) C.B.Clarke, Fl. Brit. Ind. 6: 594 (1893)
Chlorocyperus serotinus (Rottb.) Palla, Allg. Bot. Z. Syst. 6: 201 (1900)
Cyperus japonicus Makino, Bot. Mag. (Tokyo) 18: 53 (1904)
Duval-jouvea serotina (Rottb.) Palla, Syn. Deut. Schweiz. Fl., ed. 3 3: 2556 (1905)
Cyperus makinoi Nakai, Bot. Mag. (Tokyo) 26: 187 (1912)

Cyperus tenuispica Steud., Syn. Pl. Glumac. 2: 11 (1854) Nat: S Korea 우산방동사니

- Cyperus delicatulus* Steud., Syn. Pl. Glumac. 2: 21 (1854)
Cyperus fieldingii Steud., Syn. Pl. Glumac. 2: 2 (1854)
Cyperus pseudohaspan Makino, Bot. Mag. (Tokyo) 6: 47 (1892)

Eleocharis R.Br.

***Eleocharis acicularis* (L.) Roem. & Schult. subsp. *yokoscensis* (Franch. & Sav.)**

T.V.Egorova, Novosti Sist. Vyssh. Rast. 17: 69 (1980) Nat: N Korea, S Korea 원산쇠털골

Scirpus yokoscensis Franch. & Sav., Enum. Pl. Jap. 2: 543 (1878)

Eleocharis acicularis (L.) Roem. & Schult. var. *longiseta* Svenson, Rhodora 31: 189 (1929)

Eleocharis svensonii Zinserl., Fl. URSS 3: 71 (1935)

Eleocharis acicularis (L.) Roem. & Schult. f. *longiseta* (Svenson) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 88 (1961)

Eleocharis yokoscensis (Franch. & Sav.) T.Tang, Fl. Reipubl. Popularis Sin. 11: 54 (1961)

***Eleocharis attenuata* (Franch. & Sav.) Palla, Monde Pl. 12: 40 (1910) Nat: N Korea, S Korea**

참바늘골

Scirpus attenuatus Franch. & Sav., Enum. Pl. Jap. 2: 543 (1878)

Eleocharis japonica Miq. var. *major* Nakai, Repert. Spec. Nov. Regni Veg. 13: 246 (1914)

Eleocharis laeviseta Nakai var. *major* (Nakai) H.Hara, J. Jap. Bot. 14: 521 (1938)

Eleocharis laeviseta Nakai, Repert. Spec. Nov. Regni Veg. 13: 246 (1914)

Eleocharis pellucida J.Presl & C.Presl f. *attenuata* (Franch. & Sav.) Ohwi, Mem. Coll.

Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 40 (1944)

***Eleocharis congesta* D.Don, Prodr. Fl. Nepal. 41 (1825) Nat: N Korea, S Korea 바늘골**

Scirpus congestus (D.Don) Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 41 (1825)

Eleocharis subvivi para Boeckeler, Linnaea 36: 424 (1870)

Eleocharis purpurascens Boeckeler, Linnaea 36: 455 (1870)

Scirpus purpurascens (Boeckeler) Kuntze, Revis. Gen. Pl. 2: 758 (1891)

Scirpus subvivi paras (Boeckeler) Kuntze, Revis. Gen. Pl. 2: 758 (1891)

Eleocharis congesta D.Don subsp. *subvivi para* (Boeckeler) T.Koyama, Micronesica 1: 78 (1964)

***Eleocharis dulcis* (Burm.f.) Trin. ex Hensch., Vita Rumphii 186 (1833) Nat: S Korea 남방개**

Cyperus dulcis Rumph., Herb. Amboin. (Burm. f.) 6: 7 (1750)

Scirpus plantaginoides Rottb., Descr. Icon. Rar. Pl. 45 (1773)

Scirpus plantagineus Retz., Observ. Bot. (Retzius) 5: 14 (1788)

Eleocharis plantaginea (Retz.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 150 (1817)

***Eleocharis equisetiformis* (Meinsh.) B.Fedtsch., Rastitel'n. Turkestana 165 (1915) Nat: N**

Korea, S Korea 까락골

Scirpus equisetiformis Meinsh., Trudy Glavn. Bot. Sada 18: 261 (1901)

Eleocharis valliculosa Ohwi, Acta Phytotax. Geobot. 2: 29 (1933)

Eleocharis valliculosa Ohwi f. *setosa* (Ohwi) N.Kitag., Lin. Fl. Manshur. 121 (1939)

Eleocharis truncatovaginata T.Koyama, J. Jap. Bot. 32: 148 (1957)

***Eleocharis kamtschatica* (C.A.Mey.) Kom., Fl. Kamtschatka 1: 207 (1927) Nat: N Korea, S**

Korea 올방개아재비

Scirpus kamtschaticus C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 1: 193 (1831)

Eleocharis pileata A.Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 417 (1858)

Scirpus mitratus Franch. & Sav., Enum. Pl. Jap. 2: 544 (1878)

Eleocharis mitrata Makino, Bot. Mag. (Tokyo) 8: 380 (1894)

Scirpus sachalinensis Meinsh., Trudy Glavn. Bot. Sada 18: 260 (1900)

Eleocharis savatieri C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 21 (1908)

Eleocharis sachalinensis (Meinsh.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 266 (1931)

Eleocharis kamschatica (C.A.Mey.) Kom. var. *reducta* Ohwi, Bot. Mag. (Tokyo) 45: 185 (1931)
Eleocharis komarovii Zinserl., Fl. URSS 3: 81 (1934)
Eleocharis kamschatica (C.A.Mey.) Kom. f. *reducta* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 45 (1944)

***Eleocharis kuroguwai* Ohwi, J. Jap. Bot. 12: 654 (1936) Nat: N Korea, S Korea 울방개**

***Eleocharis ovata* (Roth) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 152 (1817) Nat: N Korea, S Korea 둥근검바늘골**

Scirpus ovatus Roth, Tent. Fl. Germ. 2: 562 (1793)
Scirpus soloniensis Dubois, Meth. Eprouv. 295 (1803)
Scirpus turgidus Pers., Syn. Pl. (Persoon) 1: 66 (1805)
Bulbostylis ovata (Roth) Steven, Mem. Soc. Imp. Naturalistes Moscou 5: 355 (1817)
Eleocharis ovata (Roth) Roem. & Schult. var. *nipponica* H.Hara, J. Jap. Bot. 14: 338 (1938)
Eleocharis soloniensis (Dubois) H.Hara, J. Jap. Bot. 14: 338 (1938)
Eleocharis obtusa var. *ovata* (Roth) Drapalik & Mohlenbr., Amer. Midl. Naturalist 44 (2): 341 (1960)

***Eleocharis pellucida* J.Presl & C.Presl, Reliq. Haenk. 1: 196 (1828) Nat: N Korea 원산바늘골**

Eleocharis afflata Steud., Syn. Pl. Glumac. 2 (7): 76 (1854)
Scirpus afflatus (Steud.) Benth., Fl. Hongk. 394 (1861)
Eleocharis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 142 (1865)
Scirpus japonicus (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 109 (1877)
Eleocharis afflata Steud. var. *japonica* (Miq.) C.B.Clarke ex H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 203 (1911)
Eleocharis shimadae Hayata, Icon. Pl. Formosan. 6: 107 (1916)
Scirpus japonica var. *thermalis* Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 165 (1927)
Eleocharis maximowiczii Zinserl., Fl. URSS 3: 88, 588 (1935)
Eleocharis japonica Miq. var. *thermalis* (Hultén) H.Hara, Bot. Mag. (Tokyo) 52: 348 (1938)
Eleocharis pellucida J.Presl & C.Presl var. *thermalis* (Hultén) H.Hara, J. Jap. Bot. 16: 263 (1940)
Eleocharis pellucida J.Presl & C.Presl f. *elata* H.Hara, J. Jap. Bot. 19: 152 (1942)
Eleocharis pellucida J.Presl & C.Presl f. *japonica* (Miq.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 40 (1944)
Eleocharis pellucida J.Presl & C.Presl var. *maximowiczii* (Zinserl.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 41 (1944)
Eleocharis congesta D.Don var. *thermalis* (Hultén) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 90 (1961)
Eleocharis congesta D.Don subsp. *japonica* (Miq.) T.Koyama, Fl. Taiwan 5: 220 (1978)

***Eleocharis tetraquetra* Nees, Contr. Bot. India 113 (1834) Nat: N Korea, S Korea 네모골**

Limnochloa tetraquetra Nees, Contr. Bot. India 113 (1834)
Eleocharis erythrochlamys Miq., Fl. Ned. Ind. 3: 30 (1855)
Scirpus yokuhamensis Kuntze, Revis. Gen. Pl. 2: 758 (1891)

***Eleocharis ussuriensis* Zinserl., Fl. URSS 3: 581 (1935) Nat: N Korea, S Korea 물꼬챙이골**

Scirpus margaritaceus Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 167 (1927)
Eleocharis margaritacea (Hultén) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (2): 210 (1931)

Eleocharis satoi Ohwi, Acta Phytotax. Geobot. 2: 28 (1933)
Eleocharis mamillata var. *cyclocarpa* Kitag., Lin. Fl. Manshur. 119 (1939)

***Eleocharis wichurae* Boeckeler, Linnaea 36: 448 (1870) Nat; N Korea, S Korea 좁네모골**
Scirpus hakonensis Franch. & Sav., Enum. Pl. Jap. 2: 110 (1877)
Scirpus onaei Franch. & Sav., Enum. Pl. Jap. 2: 544 (1878)
Scirpus petasatus Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 64 (1879)
Eleocharis tetraquetra Nees var. *wichurae* (Boeckeler) Makino, Bot. Mag. (Tokyo) 19: 16 (1905)
Eleocharis petasata (Maxim.) Zinserl., Fl. URSS 3: 589 (1935)
Eleocharis wichurae Boeckeler f. *petasata* (Maxim.) H.Hara, Bot. Mag. (Tokyo) 52: 396 (1938)

Eriophorum L.

***Eriophorum angustifolium* Honck., Verz. Gew. Teutschl. 1: 153 (1782) Nat; N Korea 참황새풀**

Eriophorum polystachya var. *angustifolium* (Honck.) A.Gray, Manual (Gray), ed. 2 502 (1856)
Eriophorum alpicola Schur, Enum. Pl. Transsilv. 695 (1866)
Scirpus angustifolius (Honck.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 356 (1958)

***Eriophorum brachyantherum* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 98 (1856) Nat; N Korea 설령황새풀**

Eriophorum vaginatum L. var. *opacum* Bjornstr., Grunddr. Piteå Lappm. Växtfys. 35 (1856)
Eriophorum vaginatum L. var. *brachyantherum* (Trautv.) Krylov, Fl. Altai Gov. Tomsk 3: 1437 (1904)
Eriophorum opacum (Bjornstr.) Fernald, Rhodora 7: 85 (1905)
Scirpus brachyantherus (Trautv. & C.A.Mey.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 359 (1958)

***Eriophorum gracile* Koch, Catal. Bot. 2(Add): 259 (1799) Nat; N Korea 작은황새풀**

Eriophorum coreanum Palla, Oesterr. Bot. Z. 59: 190 (1909)
Eriophorum gracile Koch subsp. *coreanum* (Palla) Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 160 (1927)
Eriophorum gracile Koch var. *coreanum* (Palla) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 88 (1944)
Scirpus ardea T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 354 (1958)
Scirpus ardea T.Koyama var. *coreanus* (Palla) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 355 (1958)

***Eriophorum latifolium* Hoppe, Bot. Taschenb. Anfanger Wiss. Apothekerkunst 11: 108 (1800) Nat; N Korea 큰황새풀**

Eriophorum vulgare Pers., Syn. Pl. (Persoon) 1: 70 (1805)
Carex alopecurus Lapeyr., Hist. Pl. Pyrenees Suppl. 141 (1818)
Eriophorum polystachyon L. var. *latifolium* (Hoppe) A.Gray, Manual (Gray), ed. 2 502 (1856)
Scirpus angustifolius (Honck.) T.Koyama subsp. *latifolius* (Hoppe) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 356 (1958)

***Eriophorum vaginatum* L., Sp. Pl. 52 (1753) Nat; N Korea 황새풀**

Scirpus vaginatus (L.) Salisb., Prodr. Stirp. Chap. Allerton 31 (1796)
Eriophorum scheuchzeri Hoppe, Bot. Taschenb. Anfanger Wiss. Apothekerkunst 11: 104 (1800)
Eriophorum fauriei E.G.Camus, Notul. Syst. (Paris) 1: 249 (1910)
Eriophorum scabridum Ohwi, Bot. Mag. (Tokyo) 45: 187 (1931)
Scirpus faurie (E.G.Camus) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 358 (1958)
Eriophorum vaginatum L. subsp. *fauriei* (E.G.Camus) Love & Love, Univ. Colorado Stud. Ser. Biol. 17: 13 (1965)
Eriophorum vaginatum L. var. *fauriei* (E.G.Camus) Kitag., Neolin. Fl. Manshur. 150 (1979)

Fimbristylis Vahl

***Fimbristylis aestivalis* (Retz.) Vahl, Enum. Pl. (Vahl) 2: 288 (1805) Nat; N Korea, S Korea
좁민하늘지기**

Scirpus aestivalis Retz., Observ. Bot. (Retzius) 4: 12 (1786)
Fimbristylis tokyoensis Makino, Bot. Mag. (Tokyo) 6: 47 (1892)

***Fimbristylis complanata* (Retz.) Link, Hort. Berol. [Link] 1: 292 (1827) Nat; N Korea, S Korea
애기하늘지기**

Scirpus autumnalis L. var. *complanata* (Retz.) Kük., Bot. Jahrb. Syst. 59: 50 (1924)
Fimbristylis complanata (Retz.) Link f. *exalata* T.Koyama, Bull. Arts Sci. Div. Ryukyuu Univ. 3: 70 (1959)

***Fimbristylis cymosa* R.Br., Suppl. Prodr. Fl. Nov. Holl. 228 (1910) Nat; S Korea 바다지기**

Scirpus glomeratus Retz., Observ. Bot. (Retzius) 4: 11 (1786)
Scirpus cymosus Lam., Tabl. Encycl. 1: 141 (1796)
Fimbristylis spathacea Roth, Nov. Pl. Sp. 24 (1821)
Fimbristylis glomerata (Retz.) Nees, Linnaea 9: 290 (1834)
Fimbristylis wightiana Nees, Contr. Bot. India 99 (1834)
Fimbristylis formosensis C.B.Clarke, List Pl. Formos. 105 (1896)
Fimbristylis kankaoensis Hayata, Icon. Pl. Formosan. 6: 111 (1916)

***Fimbristylis dichotoma* (L.) Vahl, Enum. Pl. (Vahl) 2: 287 (1806) Nat; N Korea, S Korea
하늘지기**

Scirpus dichotomus L., Sp. Pl. 50 (1753)
Scirpus annuus All., Fl. Pedem. 2: 277 (1785)
Scirpus diphyllus Retz., Observ. Bot. (Retzius) 5: 15 (1789)
Fimbristylis diphylla (Retz.) Vahl, Enum. Pl. (Vahl) 2: 289 (1805)
Fimbristylis laxa Vahl, Enum. Pl. (Vahl) 2: 292 (1805)
Fimbristylis tomentosa Vahl, Enum. Pl. (Vahl) 2: 290 (1805)
Fimbristylis annua (All.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 95 (1817)
Fimbristylis communis Kunth, Enum. Pl. (Kunth) 2: 234 (1837)
Fimbristylis goeringiana Steud., Syn. Pl. Glumac. 2: 118 (1855)
Fimbristylis diphylla (Retz.) Vahl var. *tomentosa* (Vahl) Benth., Fl. Hongk. 392 (1861)
Fimbristylis diphylla (Retz.) Vahl var. *floribunda* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 144 (1865)
Fimbristylis polymorpha Boeckeler, Linnaea 37: 15 (1871)
Scirpus ochotensis Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 248 (1901)
Fimbristylis tikushiensis Hayata, Icon. Pl. Formosan. 6: 113 (1916)
Fimbristylis ochotensis (Meinsh.) Kom., Fl. Kamtchatka 1: 212 (1927)
Fimbristylis annua (All.) Roem. & Schult. var. *diphylla* (Retz.) Kük., Acta Horti Gothob. 5: 109 (1929)

Fimbristylis dichotoma (L.) Vahl f. *annua* (All.) Ohwi, J. Jap. Bot. 14: 577 (1938)
Fimbristylis dichotoma (L.) Vahl f. *depauperata* Ohwi, J. Jap. Bot. 14: 578 (1938)
Fimbristylis dichotoma (L.) Vahl f. *floribunda* (Miq.) Ohwi, J. Jap. Bot. 14: 577 (1938)
Fimbristylis dichotoma (L.) Vahl f. *tomentosa* (Vahl) Ohwi, J. Jap. Bot. 14: 577 (1938)
Fimbristylis dichotoma (L.) Vahl var. *annua* (All.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 111 (1961)
Fimbristylis dichotoma (L.) Vahl var. *floribunda* (Miq.) T.Koyama, J. Jap. Bot. 63: 90 (1988)

***Fimbristylis diphylloides* Makino, Fl. Japan (Makino & Nemoto) 1389 (1925) Nat; S Korea
검정하늘지기**

Fimbristylis campylophylla Tuyama, J. Jap. Bot. 11: 248 (1935)
Fimbristylis brevicollis Kük., Mitth. Thüing. Bot. Vereins 50: 9 (1943)
Fimbristylis diphylloides Makino var. *straminea* T.Tang & F.T.Wang, Fl. Reipubl. Popularis Sin. 11: 227 (1961)

***Fimbristylis dipsacea* (Rottb.) C.B.Clarke, Fl. Brit. Ind. 6: 635 (1893) Nat; S Korea
푸른하늘지기**

Scirpus dipsaceus Rottb., Descr. Icon. Rar. Pl. 56 (1773)
Isolepis verrucifera Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 300 (1859)
Fimbristylis nipponensis Makino, Bot. Mag. (Tokyo) 6: 47 (1892)
Fimbristylis verrucifera (Maxim.) Makino, Bot. Mag. (Tokyo) 9: 259 (1895)
Scirpus verruciferus (Maxim.) Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 246 (1901)
Echolytrum verruiferum (Maxim.) Makino, Bot. Mag. (Tokyo) 20: 9 (1906)
Fimbristylis dipsacea (Rottb.) C.B.Clarke var. *verrucifera* (Maxim.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 118 (1961)

***Fimbristylis ferruginea* (L.) Vahl, Enum. Pl. (Vahl) 2: 291 (1805) Nat; S Korea 갯하늘지기**

Scirpus ferrugineus L., Sp. Pl. 50 (1753)
Fimbristylis leiocarpa Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 301 (1859)
Fimbristylis sieboldii Miq., Cat. Mus. Bot. Lugd.-Bat. 118 (1870)
Iria ferruginea (L.) Kuntze, Revis. Gen. Pl. 2: 752 (1891)
Fimbristylis ferruginea (L.) Vahl var. *sieboldii* (Miq.) Ohwi, J. Jap. Bot. 14: 576 (1938)

***Fimbristylis littoralis* Gaudich., Voy. Uranie, Bot. 413 (1829) Nat; N Korea, S Korea
바람하늘지기**

Scirpus miliaceus L., Syst. Nat. ed. 10 2: 868 (1759)
Fimbristylis miliacea (L.) Vahl, Enum. Pl. (Vahl) 2: 287 (1806)
Fimbristylis emarginata Wight ex Wall., Numer. List 3500 (1831)
Fimbristylis flaccida Steud., Syn. Pl. Glumac. 2: 113 (1855)
Fimbristylis quadrangularis A.Dietr. ex Steud., Syn. Pl. Glumac. 2: 114 (1855)
Irih miliaceae (L.) Kuntze, Revis. Gen. Pl. 2: 752 (1891)
Fimbristylis hatsusimae Ohwi, Acta Phytotax. Geobot. 8: 68 (1939)

***Fimbristylis longispica* Steud., Syn. Pl. Glumac. 2: 118 (1855) Nat; N Korea, S Korea
큰하늘지기**

Fimbristylis buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 144 (1865)
Fimbristylis dietrichsenii Boeckeler, Bot. Jahrb. Syst. 5: 505 (1884)
Fimbristylis koreensis H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 199 (1904)
Fimbristylis dichotoma (L.) Vahl subsp. *longispica* (Steud.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 112 (1961)

***Fimbristylis ovata* (Burm.f.) J.Kern, Blumea 15: 126 (1967) Nat: N Korea, S Korea**
쇠하늘지기

Carex ovata Burm.f., Fl. Ind. (N. L. Burman) 194 (1768)
Cyperus monostachyos L., Mant. Pl. 2: 180 (1771)
Abildgaardia monostachya (L.) Vahl, Enum. Pl. (Vahl) 2: 296 (1805)
Fimbristylis monostachyos (L.) Hassk., Pl. Jav. Rar. 61 (1848)

***Fimbristylis pierotii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 145 (1865) Nat: S Korea**
들하늘지기

Iria pierotii (Miq.) Kuntze, Revis. Gen. Pl. 2: 753 (1891)
Fimbristylis pinetorum Merr., Philipp. J. Sci., C. 9: 266 (1914)

***Fimbristylis schoenoides* (Retz.) Vahl, Enum. Pl. (Vahl) 2: 286 (1806) Nat: S Korea**
제주하늘지기

Scirpus schoenoides Retz., Observ. Bot. (Retzius) 5: 14 (1789)
Fimbristylis kagiensis Hayata, Icon. Pl. Formosan. 6: 110 (1916)

***Fimbristylis sericea* (Poir.) R.Br., Prodr. Fl. Nov. Holland. 228 (1810) Nat: N Korea, S Korea**
털잎하늘지기

Fimbristylis decora Nees & Meyen, Contr. Bot. India 101 (1834)
Fimbristylis dasyphylla Miq., Fl. Ned. Ind. 3: 327 (1856)
Fimbristylis velutina Franch., Bull. Soc. Bot. France 26: 88 (1979)

***Fimbristylis squarrosa* Vahl, Enum. Pl. (Vahl) 92: 289 (1806) Nat: N Korea, S Korea**
민하늘지기

Isolepis hirta Kunth, Nov. Gen. Sp. [Kunth] 1: 224 (1816)
Scirpus squarrosa (Vahl) Poir., Encycl. (Lamarck) Suppl. 5: 100 (1817)
Fimbristylis nana Roth, Nov. Pl. Sp. 25 (1821)
Pogonostylis squarrosa (Vahl) Bertol., Fl. Ital. (Bertoloni) 1: 312 (1833)
Fimbristylis comata Nees, Contr. Bot. India 102 (1834)
Fimbristylis squarrosa Vahl f. *tenuissima* T.Koyama, J. Jap. Bot. 30: 130 (1955)

Fimbristylis squarrosa* Vahl var. *squarrosa

***Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino, Bot. Mag. (Tokyo) 17: 47 (1903) Nat: S Korea**
암하늘지기

Fimbristylis velata R.Br., Prodr. Fl. Nov. Holland. 227 (1810)
Iria velata (R.Br.) Kuntze, Revis. Gen. Pl. 2: 753 (1891)
Fimbristylis makinoana Ohwi, J. Jap. Bot. 14: 578 (1938)
Fimbristylis aestivalis (Retz.) Vahl var. *squarrosa* (Vahl) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 116 (1961)
Fimbristylis squarrosa Vahl subsp. *esquarrosa* (Makino) T.Koyama, Fl. Taiwan 5: 247 (1978)

***Fimbristylis stauntonii* Debeaux & Franch. ex Debeaux, Actes Soc. Linn. Bordeaux 31: t. 3 (1877) Nat: N Korea, S Korea** 발하늘지기

***Fimbristylis tristachya* R.Br. var. *subbispicata* (Nees & Meyen) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 114 (1961) Nat: N Korea, S Korea** 풀하늘지기

Fimbristylis subbispicata Nees, Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur., Suppl. 1, 19: 75 (1843)
Fimbristylis japonica Siebold & Zucc. ex Steud., Syn. Pl. Glumac. 2: 107 (1855)
Fimbristylis gynophora C.B. Clarke, Bull. Acad. Int. Géogr. Bot. 16: 60 (1906)
Fimbristylis crassipes Palla, Oesterr. Bot. Z. 59: 192 (1909)

***Fimbristylis umbellaris* (Lam.) Vahl, Enum. Pl. (Vahl) 2: 291 (1805) Nat: N Korea, S Korea**
등근하늘지기

Fimbristylis globulosa var. *austrorjaponica* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 71 (1944)

Fuirena Rottb.

***Fuirena ciliaris* (L.) Roxb., Hort. Bengal. 81 (1814) Nat: N Korea, S Korea** 검정방동사니

Scirpus ciliaris L., Mant. alt. 182 (1771)
Fuirena glomerata Lam., Encycl. (Lamarck) 1: 150 (1791)

Kobresia Willd.

***Kobresia myosuroides* (Vill.) Fiori, Fl. Italia 1: 125 (1896) Nat: N Korea**

Carex myosuroides Vill., Prosp. Hist. Pl. Dauphine 17 (1779)
Carex bellardii All., Fl. Pedem. 2: 264 (1785)
Kobresia scirpina Willd., Sp. Pl. (ed. 5; Willdenow) 4: 205 (1805)
Kobresia bellardii (All.) Degl. ex Loisel., Fl. Gall. 2: 626 (1807)
Elyna bellardill (All.) C.Koch, Linnaea 21: 616 (1848)
Elyna myosuroides (Vill.) Fritsch ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5: 110 (1907)

Kyllinga Rottb.

***Kyllinga brevifolia* Rottb., Descr. Icon. Rar. Pl. 13 (1773) Nat: N Korea, S Korea** 파대가리

Cyperus brevifolius (Rottb.) Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 24 (1844)
Kyllinga monocephala var. *leiolepis* Franch. & Sav., Enum. Pl. Jap. 2: 108 (1877)
Kyllinga kamschatrica Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 229 (1901)
Kyllinga intermedia R.Br. var. *oligostachya* C.B. Clarke, J. Linn. Soc., Bot. 36: 224 (1903)
Kyllinga brevifolia Rottb. var. *gibbosa* Honda, Bot. Mag. (Tokyo) 47: 296 (1933)

***Kyllinga gracillima* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 142 (1905) Nat: N Korea, S Korea**
꽃파대가리

Kyllinga brevifolia Rottb. var. *gracillima* (Miq.) Kük., Acta Horti Gothob. 5: 107 (1930)
Cyperus brevifolius (Rottb.) Hassk. var. *gracillimus* (Miq.) Kük., Pflanzenr. (Engler) IV, 20(101): 603 (1936)
Kyllinga brevifolia Rottb. var. *leiolepis* (Franch. & Sav.) H.Hara, J. Jap. Bot. 14: 339 (1938)
Cyperus brevifolia var. *leiolepis* (Franch. & Sav.) T.Koyama, J. Jap. Bot. 30: 126 (1955)
Cyperus brevifolia subsp. *leiolepis* (Franch. & Sav.) T.Koyama, Fl. E. Himalaya 385 (1966)
Kyllinga brevifolia Rottb. subsp. *leiolepis* (Franch. & Sav.) T.Koyama, Enum. Fl. Pl. Nepal 1: 115 (1978)

Lipocarpha R.Br. & Tuckey

***Lipocarpha microcephala* (R.Br.) Kunth, Enum. Pl. (Kunth) 2: 268 (1837) Nat: N Korea, S Korea**
세대가리

Hypaelyptum microcephalum R.Br., Prodr. Fl. Nov. Holland. 220 (1810)
Kyllinga squarrosa Steud., Syn. Pl. Glumac. 2: 68 (1854)
Lipocarpha zollingeriana Boeckeler, Flora 42: 100 (1859)
Scirpus dietrichiae Boeckeler, Flora 58: 109 (1875)
Cyperus zollingerianus (Boeckeler) T.Koyama, Bot. Mag. (Tokyo) 73: 438 (1960)
Isolepis squarrosa Miq. ex T.Koyama, Bot. Mag. (Tokyo) 73: 438 (1960)

Pycreus P.Beauv.

Pycreus diaphanus (Schrad. ex Roem. & Schult.) S.S.Hooper & T.Koyama, J. Jap. Bot. 51: 316 (1976) Nat: S Korea **결کم방동사니**

- Cyperus diaphanus* Schrad. ex Roem. & Schult., Mant. 2 (Schultes) 2: 477 (1824)
Cyperus setiformis Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 405 (1893)
Cyperus laticarpus Boeckeler ex C.B. Clarke, J. Linn. Soc., Bot. 36: 202 (1903)
Pycreus setiformis (Korsh.) Nakai, Bot. Mag. (Tokyo) 26: 201 (1912)
Cyperus gratissimus N. Kitag., Bot. Mag. (Tokyo) 49: 222 (1935)
Cyperus latespicatus var. *setiformis* (Korsh.) T. Koyama, Acta Phytotax. Geobot. 16: 11 (1955)

Pycreus flavidus (Retz.) T.Koyama, J. Jap. Bot. 51: 316 (1976) Nat: S Korea **드렘방동사니**

- Cyperus flavidus* Retz., Observ. Bot. (Retzius) 5: 13 (1788)
Cyperus globosus All., Auct. Fl. Pedem. 49 (1789)
Pycreus globosus Rchb., Fl. Germ. Excurs. 2: 140 (1830)
Cyperus nilagiricus Hochst. ex Steud., Syn. Pl. Glumac. 2: 2 (1854)
Cyperus trachyrhachis Steud., Syn. Pl. Glumac. 2: 3 (1854)
Cyperus globosus All. var. *nilagiricus* (Steud.) C.B. Clarke, J. Linn. Soc., Bot. 21: 49 (1884)
Cyperus fuscoater Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 406 (1893)
Pycreus capillaris (J. König ex Roxb.) Nees ex C.B. Clarke, Fl. Brit. Ind. 6: 591 (1893)
Cyperus complanatus C. Presl, Isis (Oken) 21: 270 (1929)

Pycreus polystachyos (Rottb.) P.Beauv., Fl. Oware 2: 48 (1816) Nat: S Korea **갯방동사니**

- Cyperus polystachyos* Rottb., Descr. Icon. Rar. Pl. 39 (1773)
Pycreus paniculatus (Rottb.) Nees, Linnaea 9: 283 (1834)
Cyperus teretifructus Steud., Syn. Pl. Glumac. 2: 3 (1854)
Chlorocyperus polystachyus (Rottb.) Rikli, Jahrb. Wiss. Bot. 27: 563 (1895)
Pycreus odoratus Urb., Symb. Antill. 2: 164 (1900)

Pycreus sanguinolentus (Vahl) Nees, Linnaea 9: 283 (1834) Nat: N Korea, S Korea
방동사니대가리

- Cyperus sanguinolentus* Vahl, Enum. Pl. (Vahl) 2: 351 (1805)
Cyperus eragrostis Vahl, Enum. Pl. (Vahl) 322 (1806)
Cyperus flavescens L. var. *rubromarginatus* Schrenk, Enum. Pl. Nov. 1: 3 (1841)
Cyperus eragrostis (Vahl) Palla, Ann. K. K. Naturhist. Hofmus. 23: 204 (1909)
Pycreus rubromarginatus E.G. Camus, Notul. Syst. (Paris) 1: 240 (1910)
Cyperus sanguinolentus Vahl f. *rubromarginatus* (Schrenk) Kük., Pflanzenz. (Engler) IV, 20(101): 386 (1936)

Rhynchospora Vahl

Rhynchospora alba (L.) Vahl, Enum. Pl. (Vahl) 2: 236 (1806) Nat: N Korea, S Korea
흰교양이수염

- Schoenus albus* L., Sp. Pl. 44 (1753)
Rhynchospora alba (L.) Vahl var. *kushiana* Makino, Bot. Mag. (Tokyo) 17: 198 (1903)
Rhynchospora luquillensis Britton, Bull. Torrey Bot. Club 50: 56 (1923)

Rhynchospora chinensis Nees & Meyen ex Nees, Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur., Suppl. 1, 19: 108 (1843) Nat: N Korea, S Korea **교양이수염**

- Rhynchospora laxa* Benth., Fl. Hongk. 397 (1861)
Rhynchospora glauca var. *chinensis* (Nees & C.A. Mey. ex Nees) C.B. Clarke, Fl. Brit. Ind. 6: 672 (1893)

Rhynchospora japonica Makino, Bot. Mag. (Tokyo) 17: 184 (1903)
Rhynchospora longisetigera Hayata, Icon. Pl. Formosan. 6: 116 (1916)

***Rhynchospora faberi* C.B. Clarke, J. Linn. Soc., Bot. 36: 259 (1903) Nat: N Korea, S Korea**
골풀아재비

Rhynchospora hattoriana Makino, Bot. Mag. (Tokyo) 17: 189 (1903)
Rhynchospora miyakeana Makino, Bot. Mag. (Tokyo) 17: 184 (1903)
Rhynchospora umemurae Makino, Bot. Mag. (Tokyo) 17: 187 (1903)
Rhynchospora fauriei C.B. Clarke ex H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 197 (1904)
Rhynchospora fauriei C.B. Clarke ex H.Lév. var. *leviseta* C.B. Clarke ex H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 197 (1904)
Rhynchospora umemurae Makino var. *hattoriana* (Makino) Makino, Bot. Mag. (Tokyo) 19: 17 (1905)
Rhynchospora breviseta Palla, Oesterr. Bot. Z. 59: 187 (1909)
Rhynchospora umemurae Makino var. *exiga* Takeda, Bot. Mag. (Tokyo) 24: 174 (1910)
Rhynchospora ouensanensis Koidz., Bot. Mag. (Tokyo) 43: 389 (1929)
Rhynchospora umemurae Makino var. *kiusiana* Honda, Bot. Mag. (Tokyo) 44: 699 (1930)
Rhynchospora umemurae Makino var. *yakusimensis* Masam., Trans. Nat. Hist. Soc. Taiwan 23: 210 (1933)
Rhynchospora yakusimensis (Masam.) Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 522 (1934)

***Rhynchospora fujiana* Makino, Bot. Mag. (Tokyo) 17: 183 (1903) Nat: N Korea, S Korea**
좁고양이수염

Rhynchospora fujiana Makino var. *scabrista* Makino, Bot. Mag. (Tokyo) 17: 184 (1903)
Rhynchospora yasudana Makino, Bot. Mag. (Tokyo) 17: 188 (1903)
Rhynchospora franchetiana C.B. Clarke ex H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 197 (1904)
Rhynchospora coreana Palla, Oesterr. Bot. Z. 59: 186 (1909)

***Rhynchospora malasica* C.B. Clarke, Fl. Brit. Ind. 6: 670 (1893) Nat: S Korea**
한라골풀아재비

Rhynchospora nipponica Makino, Bot. Mag. (Tokyo) 18: 145 (1904)

***Rhynchospora rubra* (Lour.) Makino, Bot. Mag. (Tokyo) 17: 180 (1903) Nat: S Korea**
붉은골풀아재비

Schoenus ruber Lour., Fl. Cochinch. 1: 52 (1790)
Scirpus retusus J.König ex Wall., Numer. List 3428 (1831)
Morisia wallichiana Nees, Edinburgh New Philos. J. Oct. 1834: 265 (1834)

Schoenoplectus Rchb. & Palla

***Schoenoplectus hotarui* (Ohwi) Holub, Folia Geobot. Phytotax. 11: 83 (1976) Nat: N Korea, S Korea**
울챙이코랭이

Scirpus juncooides Roxb., Fl. Ind. (Roxburgh) 1: 218 (1820)
Scirpus erectus Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 292 (1911)
Scirpus hotarui Ohwi, Repert. Spec. Nov. Regni Veg. 36: 44 (1934)
Scirpus juncooides Roxb. var. *hotarui* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 114 (1944)
Schoenoplectus juncooides (Roxb.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 113 (1944)
Hymenochaeta juncooides (Roxb.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 (1952)

***Schoenoplectus komarovii* (Roshev.) Soják, Cas. Nar. Mus., Odd. Prir. 140: 127 (1972) Nat: S Korea**

Scirpus supinus L. var. *leiocarpus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 345 (1901)

Scirpus hondoensis Ohwi var. *leiocarpus* (Kom.) Ohwi, Acta Phytotax. Geobot. 3: 116 (1934)

Scirpus komarovii Roshev., Fl. URSS 3: 54, 579 (1935)

Scirpus okuyamae Ohwi, Acta Phytotax. Geobot. 4: 64 (1935)

Scirpus sasakii Hayata var. *leiocarpus* (Kom.) Kitag., Rep. Inst. Sci. Res. Manchoukouo 1: 320 (1937)

Hymenochaeta okuyamae (Ohwi) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 (1952)

Scirpus smithii A.Gray var. *leiocarpus* (Kom.) T.Koyama, Canad. J. Bot. 40: 919 (1962)

***Schoenoplectus lineolatus* (Franch. & Sav.) T.Koyama, Fl. Taiwan 5: 215 (1978) Nat: S Korea 제주올챙이골**

Scirpus lineolatus Franch. & Sav., Enum. Pl. Jap. 2: 545 (1878)

***Schoenoplectus mucronatus* (L.) Palla, Bot. Jahrb. Syst. 10: 299 (1888) Nat: N Korea, S Korea 송이고랭이**

Scirpus mucronatus L., Sp. Pl. 50 (1753)

Scirpus triangulatus Roxb., Fl. Ind. (Roxburgh) 1: 219 (1820)

Scirpus cognatus Hance, Ann. Sci. Nat., Bot. ser. 4, 15: 228 (1861)

Scirpus mucronatus L. var. *robustus* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 143 (1865)

Scirpus mucronatus L. var. *subleiocarpa* Franch. & Sav., Enum. Pl. Jap. 2: 112 (1878)

Scirpus preslii A.Dietr., Sp. Pl. 2: 175 (1883)

Scirpus abactus Ohwi, Bot. Mag. (Tokyo) 45: 186 (1931)

Scirpus mucronatus L. var. *abactus* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 117 (1944)

Schoenoplectus preslii (A.Dietr.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18(1): 116 (1944)

Hymenochaeta preslii (A.Dietr.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 (1952)

Scirpus mucronatus L. subsp. *robustus* T.Koyama, Quart. J. Taiwan Mus. 14: 194 (1961)

Schoenoplectus mucronatus (L.) Palla subsp. *robustus* (Miq.) T.Koyama, Fl. Taiwan 5: 214 (1978)

***Schoenoplectus nipponicus* (Makino) Soják, Cas. Nar. Mus., Odd. Prir. 140: 127 (1972) Nat: N Korea, S Korea 풀고랭이**

Scirpus nipponicus Makino, Bot. Mag. (Tokyo) 9: 311 (1895)

Scirpus depauperatus Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 345 (1901)

Scirpus etuberculatus subsp. *nipponicus* (Makino) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7 (6): 328 (1958)

***Schoenoplectus tabernaemontani* (C.C.Gmel.) Palla, Bot. Jahrb. Syst. 10: 299 (1888) Nat: N Korea, S Korea 큰고랭이**

Scirpus lacustris L., Sp. Pl. 48 (1753)

Scirpus tabernaemontani C.C.Gmel., Fl. Bad. 1: 101 (1805)

Scirpus glaucus Sm., Engl. Bot. 33: t. 2321 (1811)

Scirpus validus Vahl, Enum. Pl. (Vahl) 2: 268 (1837)

Scirpus lacustris L. var. *tabernaemontani* (J.G.Gmel.) Döll, Rhein. Fl. 165 (1843)

Scirpus lacustris L. subsp. *glaucus* (Sm.) Hartm., Sv. Norsk Exc.-Fl. 10 (1846)

Scirpus ciliatus Steud., Syn. Pl. Glumac. 2: 86 (1855)

Scirpus lacustris L. subsp. *tabernaemontani* (J.G.Gmel.) Syme, Engl. Bot., ed. 3B 10: 64 (1870)

Scirpus validus Vahl var. *creber* Fernald, Rhodora 45: 283 (1943)

Hymenochaeta tabernaemontani (C.C.Gmel.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 (1952)

Scirpus lacustris L. var. *creber* (Fernald) T.Koyama, Fl. Jap., revised ed., [Ohwi] 204 (1965)

***Schoenoplectus triqueter* (L.) Palla, Bot. Jahrb. Syst. 10: 299 (1889)** Nat; N Korea, S Korea
세모코랭이

Scirpus triqueter L., Mant. Pl. 1: 29 (1767)

Scirpus trigonus Roth, Neue Beytr. Bot. 1: 90 (1802)

Scirpus pollichii Godr. & Gren., Fl. France (Grenier) 3: 374 (1856)

Scirpus pollichii Godr. & Gren. var. *coriacea* Franch. & Sav., Enum. Pl. Jap. 2: 113 (1878)

Hymenochaeta triqueter (L.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 134 (1952)

Scirpus L.

***Scirpus fuirenooides* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 42: 109 (1887)** Nat; N Korea
좁술방울고랭이

***Scirpus karuisawensis* Makino, Bot. Mag. (Tokyo) 18: 119 (1904)** Nat; N Korea, S Korea
술방울고랭이

Scirpus fuirenooides Maxim. var. *jaluanus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 342 (1901)

Scirpus coreanus Palla, Oesterr. Bot. Z. 59: 188 (1909)

Scirpus jaluanus (Kom.) Nakai ex T.Mori, Enum. Pl. Corea 77 (1922)

Scirpus cyperinus (L.) Kunth f. *karuizawensis* (Makino) Makino, Ill. Fl. Nippon (Makino) 812 (1940)

***Scirpus maritimus* L., Sp. Pl. 51 (1753)** Nat; N Korea, S Korea 매자기

***Scirpus maximowiczii* C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 30 (1908)** Nat; N Korea
황새고랭이

Eriophorum japonicum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 111 (1887)

Scirpus japonicum (Maxim.) Fernald, Rhodora 7: 130 (1905)

Eriophorum maximowiczii (C.B.Clarke) Beetle, Amer. J. Bot. 33: 663 (1946)

***Scirpus mitsukurianus* Makino, Bot. Mag. (Tokyo) 17: 7 (1903)** Nat; N Korea, S Korea
술방울골

***Scirpus orientalis* Ohwi, Acta Phytotax. Geobot. 1: 76 (1932)** Nat; N Korea, S Korea
검은도루박이

Scirpus sylvaticus var. *maximowiczii* Regel, Tent. Fl.-Ussur. 161 (1861)

Scirpus fuirenooides Maxim. var. *karuizawensis* (Makino) H.Hara, J. Jap. Bot. 9: 125 (1933)

***Scirpus radicans* Schkuhr, Ann. Bot. (Usteri) 4: 49 (1793)** Nat; N Korea, S Korea 도루박이

Scirpus sylvaticus var. *radicans* (Schkuhr) Willd., Sp. Pl. 308 (1798)

Seidlia radicans (Schkuhr) Opiz, Naturalientausch 11: 349 (1826)

Nemocharis radicans (Schkuhr) Reuling, Bot. Not. 53 (1853)

Scirpus hokkaidoensis Beetle, Amer. J. Bot. 33: 662 (1946)

***Scirpus wallichii* Nees, Contr. Bot. India 112 (1834)** Nat; S Korea 수원고랭이

Scirpus sasakii Hayata, Icon. Pl. Formosan. 6: 115 (1916)

Scirpus erectus Nakai var. *angustus* Makino, J. Jap. Bot. 8: 46 (1933)

Scirpus erectus Nakai var. *wallichii* (Nees) Beetle, Amer. J. Bot. 29: 654 (1942)

Schoenoplectus wallichii (Nees) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B. Biol. 18(1): 113 (1944)
Hymenochaeta wallichii (Nees) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 134 (1952)
Hymenopelctus wallichii (Nees) T.Koyama, Fl. Taiwan 5: 210 (1978)

***Scirpus wichurae* Boeckeler, Linnaea 36: 729 (1870) Nat: N Korea, S Korea 방울고랭이**
Scirpus fuirenooides Maxim. f. *minor* C.B.Clarke, Bull. Acad. Int. Géogr. Bot. 14: 200 (1909)
Scirpus asiaticus Beetle, Amer. J. Bot. 33: 662 (1946)
Scirpus wichurae Boeckeler subsp. *asiaticus* (Beetle) T.Koyama, Col. Ill. Herb. Pl. Jap. 3: 217 (1964)
Scirpus wichurae Boeckeler var. *asiaticus* (Beetle) T.Koyama ex W.T.Lee, Lineamenta Florae Koreae 1532 (1996)

Scleria P.J.Bergius

***Scleria mutoensis* Nakai, J. Jap. Bot. 18: 421 (1942) Nat: S Korea 무등풀**

***Scleria parvula* Steud., Syn. Pl. Glumac. 2: 174 (1855) Nat: N Korea, S Korea 너도고랭이**
Scleria uliginosa Hochst. ex Boeckeler, Linnaea 38: 471 (1874)
Scleria fenestrata Franch. & Sav., Enum. Pl. Jap. 2: 549 (1878)
Scleria coreana Palla ex Nakai, Bot. Mag. (Tokyo) 30: 274 (1916)

***Scleria pergracilis* (Nees) Kunth, Enum. Pl. (Kunth) 2: 354 (1837) Nat: S Korea 애기덕산풀**
Hypoporum pergracilis Nees, Edinburgh New Philos. J. 1834: 267 (1834)
Scleria salebrosa Spreng. ex Boeckeler, Linnaea 38: 438 (1874)
Scleria pergracilis (Nees) Kunth var. *brachystachys* Nelmès, Kew Bull. 10: 446 (1955)

***Scleria rugosa* R.Br., Prodr. Fl. Nov. Holland. 240 (1810) Nat: S Korea 덕산울무골**
Scleria onoei Franch. & Sav., Enum. Pl. Jap. 2: 549 (1878)
Scleria pubigera Makino, Bot. Mag. (Tokyo) 27: 55 (1913)
Scleria toksanensis Nakai, Bot. Mag. (Tokyo) 30: 274 (1916)
Scleria rugosa R.Br. var. *onoei* (Franch. & Sav.) Yonek., J. Jap. Bot. 80: 332 (2005)

Trichophorum Pers.

***Trichophorum alpinum* (L.) Pers., Syn. Pl. (Persoon) 1: 70 (1805) Nat: N Korea 애기황새풀**
Eriophorum alpinum L., Sp. Pl. 53 (1753)
Linagrostis alpina (L.) Scop., Fl. Carniol., ed. 2 1: 48 (1771)
Eriophorum hudsonianum Michx., Fl. Bor.-Amer. (Michaux) 1: 34 (1803)
Trichophorum hudsonianum (Michx.) Pers., Syn. Pl. (Persoon) 1: 36 (1818)
Limnochloa alpina (L.) Drejer, Fl. Excurs. Hafn. 18 (1838)
Scirpus trichophorum Asch. & Graebn., Syn. Mitteleur. Fl. 2: 301 (1904)
Scirpus hudsonianus (Michx.) Fernald, Rhodora 8: 161 (1906)
Baeothryon alpinum (L.) T.V.Egorova, Novosti Sist. Vyssh. Rast. 8: 85 (1971)

DIOSCOREACEAE

Dioscorea L.

***Dioscorea bulbifera* L., Sp. Pl. 1035 (1753) Nat: N Korea, S Korea 둥근마**

Dioscorea heterophylla Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 804 (1832)
Dioscorea crispata Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 802 (1832)
Dioscorea tenuiflora Schldtl., Linnaea 17: 608 (1843)
Dioscorea latifolia Benth., Niger Fl. 535 (1849)
Dioscorea hoffa Cordem., Fl. Reunion 159 (1895)
Dioscorea longipetiolata Baudon, Ann. Inst. Bot.-Geol. Colon. Marseille III 1: 242 (1913)

***Dioscorea japonica* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 889 (1784) Nat: N Korea, S Korea** 참마

Dioscorea goeringiana Knuth, Enum. Pl. (Kunth) 5: 402 (1850)
Dioscorea belophylloides Prain & Burkill, J. Proc. Asiat. Soc. Bengal 4: 448 (1908)
Dioscorea pseudojaponica Hayata, Icon. Pl. Formosan. 10: 42 (1921)
Dioscorea fauriei R.Knuth, Pflanzenz. (Engler) IV, 43: 263 (1924)
Dioscorea kiangsiensis R.Knuth, Repert. Spec. Nov. Regni Veg. 21: 80 (1925)
Dioscorea japonica Thunb. var. *formosensis* Masam. & Suzuki, Rep. (Annual) Taihoku Bot. Gard. 3: 74 (1933)

***Dioscorea nipponica* Makino, Ill. Fl. Japan 1: 2 (1891) Nat: N Korea, S Korea** 부채마

Dioscorea acerifolia Uline ex Prain & Burkill, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(2 Suppl.): 7 (1904)
Dioscorea nipponica Makino var. *jamesii* Prain & Burkill, J. Proc. Asiat. Soc. Bengal 10: 14 (1914)
Dioscorea nipponica Makino var. *pubescens* Nakai, Bot. Mag. (Tokyo) 30: 274 (1916)
Dioscorea giraldii R.Knuth, Pflanzenz. (Engler) 4, 43: 315 (1924)
Dioscorea nipponica Makino f. *jamesii* (Prain & Burkill) Kitag., J. Jap. Bot. 40: 138 (1965)

***Dioscorea polystachya* Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 158 (1837) Nat: N Korea, S Korea** 마

Dioscorea opposita Thunb., Fl. Jap. (Thunberg) 151 (1784)
Dioscorea batatas Decne., Rev. Hort. ser. 4, 3: 243 (1854)
Dioscorea decaisneana Carrière, Rev. Hort. 1865: 111 (1865)
Dioscorea doryphora Hance, Ann. Sci. Nat., Bot. V, 5: 244 (1866)
Dioscorea rosthornii Diels, Bot. Jahrb. Syst. 29: 261 (1900)
Dioscorea potaninii Prain & Burkill, Bull. Misc. Inform. Kew 1933: 243 (1933)

***Dioscorea quinquelobata* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 889 (1784) Nat: N Korea, S Korea** 단풍마

***Dioscorea septemloba* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 889 (1784) Nat: N Korea, S Korea** 국화마

Dioscorea sititoana Honda & Jotani, J. Jap. Bot. 14: 235 (1938)

***Dioscorea tenuipes* Franch. & Sav., Enum. Pl. Jap. 2: 523 (1878) Nat: N Korea, S Korea** 각시마

Dioscorea maximowiczii Uline ex R.Knuth, Pflanzenz. (Engler) IV, 43: 178 (1924)

***Dioscorea tokoro* Makino ex Miyabe, Bot. Mag. (Tokyo) 3: 112 (1889) Nat: N Korea, S Korea** 도꼬르마

Dioscorea buergeri Uline ex R.Knuth, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(Suppl.): 11 (1904)
Dioscorea saidae R.Knuth, Pflanzenz. (Engler) IV, 43: 317 (1924)
Dioscorea wichurae Uline ex R.Knuth, Pflanzenz. (Engler) IV, 43: 316 (1924)

ERIOCAULACEAE

Eriocaulon L.

***Eriocaulon alpestre* Hook.f. & Thomson ex Körn., Ann. Mus. Bot. Lugduno-Batavi 3: 163**

(1867) Nat: N Korea, S Korea 넓은잎개수염

Eriocaulon alpestre Hook.f. & Thomson ex Körn. var. *robustius* Maxim., Diagn. Pl. Nov. Asiat. 9: 25 (1892)

Eriocaulon kiusianum Maxim., Diagn. Pl. Nov. Asiat. 8: 22 (1893)

Eriocaulon robustium (Maxim.) Makino, J. Jap. Bot. 3: 26 (1926)

Eriocaulon nakasimanum Satake, J. Jap. Bot. 15: 143 (1939)

Eriocaulon nasuense Satake, J. Jap. Bot. 46: 110 (1971)

***Eriocaulon atrum* Nakai, Repert. Spec. Nov. Regni Veg. 9: 466 (1911) Nat: N Korea**

검은곡정초

***Eriocaulon buergerianum* Körn., Ann. Mus. Bot. Lugduno-Batavi 3: 163 (1992) Nat: N**

Korea, S Korea 장흥곡정초

Eriocaulon pachypetalum Hayata, Icon. Pl. Formosan. 5: 52 (1921)

Eriocaulon whangii Ruhland, Notizbl. Bot. Gart. Berlin-Dahlem 10: 1040 (1930)

***Eriocaulon cinereum* R.Br., Prodr. Fl. Nov. Holland.254 (1810) Nat: N Korea, S Korea**

곡정초

Eriocaulon sieboldianum Siebold & Zucc. ex Steud., Syn. Pl. Glumac. 2: 272 (1855)

Eriocaulon ciliiflorum F.Muell., Fragm. (Mueller) 1: 95 (1859)

Eriocaulon heteranthum Benth., Fl. Hongk. 382 (1861)

Eriocaulon amboense Schinz, Bull. Herb. Boissier 4 (App.3): 35 (1896)

Eriocaulon formosanum Hayata, Icon. Pl. Formosan. 10: 49 (1921)

Eriocaulon cinereum R.Br. var. *sieboldianum* (Siebold & Zucc. ex Steud.) T.Koyama, Fl. Taiwan 5: 182 (1978)

***Eriocaulon decemflorum* Maxim., Diagn. Pl. Nov. Asiat. 8: 7 (1893) Nat: N Korea, S Korea**

좁개수염

Eriocaulon nipponicum Maxim., Diagn. Pl. Nov. Asiat. 8: 9 (1893)

Eriocaulon coreanum Lecomte, Notul. Syst. (Paris) 1: 191 (1910)

Eriocaulon decemflorum Maxim. var. *genuinum* f. *coreanum* (Lecomte) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 108 (1911)

Eriocaulon decemflorum Maxim. var. *genuinum* Nakai, Icon. Pl. Koisikav 2: 17 (1914)

Eriocaulon decemflorum Maxim. var. *nipponicum* (Maxim.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 28 (1914)

Eriocaulon atrum Nakai var. *platypetalum* Satake, J. Jap. Bot. 15: 623 (1939)

Eriocaulon glaberrimum Miyabe & Satake, Acta Phytotax. Geobot. 13: 280 (1943)

***Eriocaulon hondoense* Satake, Bot. Mag. (Tokyo) 51: 288, f. 3 (1937) Nat: S Korea 큰개수염**

Eriocaulon taquetii Lecomte, Notul. Syst. (Paris) 1: 192 (1910)

Eriocaulon hondoense Satake var. *stellatum* Satake, Bot. Mag. (Tokyo) 51: 290 (1937)

Eriocaulon latipetalum Y.C.Oh & C.S.Heo, Basic Science SWU 9: 43 (1992)

***Eriocaulon miquelianum* Körn., Ann. Mus. Bot. Lugduno-Batavi 3: 162 (1867) Nat: N Korea,**

S Korea 개수염

Eriocaulon sikokianum Maxim., Diagn. Pl. Nov. Asiat. 8: 16 (1892)

Eriocaulon parvum Körn., *Ann. Mus. Bot. Lugduno-Batavi* 3: 163 (1867) Nat: S Korea
검은개수염

Eriocaulon setaceum L., *Sp. Pl.* 87 (1753) Nat: N Korea, S Korea 가지꼭정초
Eriocaulon cauliferum Makino, *Bot. Mag. (Tokyo)* 24: 165 (1910)

Eriocaulon sphagnicolum Ohwi, *Bot. Mag. (Tokyo)* 45: 196 (1931) Nat: N Korea 애기꼭정초

Eriocaulon tenuissimum Nakai, *Bot. Mag. (Tokyo)* 31: 97 (1917) Nat: N Korea, S Korea
가는개수염
Eriocaulon miquelianum var. *tenuissimum* (Nakai) Satake, *J. Jap. Bot.* 27: 267 (1952)

HYDROCHARITACEAE

Blyxa Noronha ex Thouars

Blyxa aubertii Rich., *Mem. Cl. Sci. Math. Inst. Natl. France* 1811 (2): 19 (1814) Nat: N Korea, S Korea 올챙이자리

- Blyxa oryzetorum* (Decne.) Hook.f., *Fl. Brit. Ind.* 5: 661 (1888)
- Blyxa malayana* Ridl., *Trans. Linn. Soc. London* 3: 358 (1893)
- Blyxa ecaudata* Hayata, *Icon. Pl. Formosan.* 5: 208, f. 77 c-d (1915)
- Blyxa muricata* Koidz., *Bot. Mag. (Tokyo)* 31: 258 (1917)

Blyxa aubertii Rich. var. *echinosperma* (C.B.Clarke) C.D.K.Cook & Luond, *Aquatic Bot.* 15: 14 (1983) Nat: N Korea, S Korea 올챙이풀

- Hydrotraphus echinospermus* C.B.Clarke, *J. Linn. Soc., Bot.* 14: 8 (1873)
- Blyxa echinosperma* (C.B.Clarke) Hook.f., *Fl. Brit. Ind.* 5: 661 (1888)
- Blyxa ceratosperma* L., *J. Coll. Sci. Imp. Univ. Tokyo* 31: 216 (1911)
- Blyxa shimadae* Hayata, *Icon. Pl. Formosan.* 5: 209 (1915)
- Blyxa somae* Hayata, *Icon. Pl. Formosan.* 5: 210 (1915)
- Blyxa bicaudata* Nakai, *J. Jap. Bot.* 19: 249 (1943)

Blyxa japonica (Miq.) Maxim. ex Asch. & Gürke, *Nat. Pflanzenfam.* 2: 253 (1889) Nat: N Korea, S Korea 올챙이솔

- Hydrilla japonica* Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 271 (1866)
- Blyxa caulescens* Maxim. ex Makino, *Bot. Mag. (Tokyo)* 4: 173 (1890)
- Blyxa leiocarpa* Maxim. ex Makino, *Bot. Mag. (Tokyo)* 4: 416 (1890)

Halophila Thouars

Halophila nipponica J.Kuo, *Acta Phytotax. Geobot.* 57: 141 (2006) Nat: S Korea 해호말

Hydrilla Rich.

Hydrilla verticillata (L.f.) Royle, *Ill. Bot. Himal. Mts.* 376 (1839) Nat: N Korea, S Korea
검정말

- Serpicula verticillata* L.f., *Suppl. Pl.* 416 (1782)
- Udora verticillata* (L.f.) Spreng., *Syst. Veg. (ed. 16)* [Sprengel] 1: 170 (1824)
- Vallisneria verticillata* (L.f.) Roxb., *Fl. Ind. ed. 1832* (Roxburgh) 3: 751 (1832)
- Hydrilla dentata* Casp., *Bot. Zeitung (Berlin)* 12: 56 (1854)
- Elodea verticillata* (L.f.) F.Muell., *Key Syst. Vict. Pl.* 1: 423 (1888)

Hydrocharis L.

***Hydrocharis dubia* (Blume) Backer, Handb. Fl. Java 1: 64 (1925)** Nat: N Korea, S Korea
자리풀

- Pontederia dubia* Blume, Enum. Pl. Javae 1: 33 (1827)
Hydrocharis asiatica Miq., Fl. Ned. Ind. 3: 239 (1855)
Monochoria dubia (Blume) Miq., Fl. Ned. Ind. 3: 549 (1859)
Boottia renifolia Merr., Philipp. J. Sci., C. 4: 247 (1909)
Hydrocharis parvula Hallier f., Nova Guinea 8: 916 (1913)
Hydrocharis parnassiiifolia Hallier f., Nova Guinea 8: 916 (1913)
Hydrocharis morsus-ranae L. var. *asiatica* (Miq.) Makino, Bot. Mag. (Tokyo) 28: 26 (1914)

Ottelia R.Hedw.

***Ottelia alismoides* (L.) Pers., Syn. Pl. (Persoon) 1: 400 (1805)** Nat: N Korea, S Korea
물질경이

- Stratiotes alismoides* L., Sp. Pl. 535 (1753)
Ottelia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 271 (1866)
Ottelia condorensis Gagnep., Bull. Soc. Bot. France 54: 543 (1907)
Ottelia alismoides (L.) Pers. f. *oryzeturum* Kom., Izv. Imp. S.-Peterburgsk. Bot. Sada 10: 122 (1910)
Ottelia alismoides (L.) Pers. var. *oryzeturum* (Kom.) Kitag., Neolin. Fl. Manshur. 63 (1979)
Ottelia dioecia S.Z.Yan, J. Sci. Med. Jinan Univ. 6: 162 (1982)

Vallisneria L.

***Vallisneria natans* (Lour.) H.Hara, J. Jap. Bot. 49: 136 (1974)** Nat: N Korea, S Korea 나사말

- Physkium natans* Lour., Fl. Cochinch. 663 (1790)
Vallisneria spiralooides Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 750 (1832)
Vallisneria asiatica Miki, Bot. Mag. (Tokyo) 48: 329 (1934)
Vallisneria asiatica Miki var. *higoensis* Miki, Bot. Mag. (Tokyo) 48: 329 (1934)
Vallisneria higoensis (Miki) Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 1 (1949)

***Vallisneria spinulosa* S.Z.Yan, J. Sci. Med. Jinan Univ. 6: 161 (1982)** Nat: S Korea
낙동나사말

IRIDACEAE

Gladiolus L.

***Gladiolus x gandavensis* Van Houtte, Fl. Serres Jard. Eur. t.1 (1846)** Int 클라디올러스

Iris L.

***Iris dichotoma* Pall., Reise Russ. Reich. 3: 712 (1776)** Nat: S Korea 대청부채

- Pardanthus dichotoma* (Pall.) Ledeb., Fl. Ross. (Ledeb.) 4: 106 (1853)
Iris pomeridiana Fisch. ex Klatt, Linnaea 34: 612 (1866)
Evansia dichotoma (Pall.) Decne., Bull. Soc. Bot. France 20: 302 (1873)
Evansia vespertina Decne., Bull. Soc. Bot. France 20: 302 (1873)
Pardanthopsis dichotoma (Pall.) L.W.Lenz, Aliso 7: 403 (1972)

***Iris domestica* (L.) Goldblatt & Mabb., Novon 15: 129 (2005)** Nat: N Korea, S Korea 범부채

- Epidendrum domesticum* L., Sp. Pl. 952 (1753)
Ixia chinensis L., Sp. Pl. 36 (1753)
Moraea chinensis (L.) Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 39 (1783)
Belamcanda punctata Moench, Methodus (Moench) 529 (1794)
Pardanthus chinensis (L.) Ker Gawl., Ann. Bot. (Konig & Sims) 1: 247 (1804)
Belamcanda chinensis (L.) DC., Liliac. 3: 121 (1805)
Moraea guttata (Stokes) Stokes, Bot. Comm. 1: 229 (1830)
Gemignia chinensis (L.) Kuntze, Revis. Gen. Pl. 2: 701 (1891)
Belamcanda chinensis (L.) DC. var. *curtata* Makino, J. Jap. Bot. 1: 28 (1917)
Belamcanda chinensis (L.) DC. f. *vulgaris* Makino, J. Jap. Bot. 1: 28 (1917)

***Iris ensata* Thunb., Trans. Linn. Soc. London 2: 328 (1794)** Nat: N Korea, S Korea 꽃창포

- Iris kaempferi* Siebold ex Lem., Ill. Hort. 5: t. 157 (1858)
Joniris longifolia Klatt, Bot. Zeitung (Berlin) 30: 502 (1872)
Iris laevigata Fisch. var. *hortensis* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 26: 522 (1880)
Iris kaempferi Siebold ex Lem. var. *spontanea* Makino, Bot. Mag. (Tokyo) 23: 94 (1909)
Iris ensata Thunb. var. *spontanea* (Makino) Nakai, Veg. Apoi 78 (1930)
Limniris ensata (Thunb.) Rodion., Bot. Zhurn. (Moscow & Leningrad) 92: 552 (2007)

***Iris koreana* Nakai, Repert. Spec. Nov. Regni Veg. 13: 248 (1914)** Nat: S Korea, Endemic
노랑붓꽃

- Limniris koreana* (Nakai) Rodion., Bot. Zhurn. (Moscow & Leningrad) 92: 553 (2007)

***Iris lactea* Pall., Reise Russ. Reich. 3: 713 (1776)** Nat: N Korea, S Korea 타래붓꽃

- Iris triflora* Balb., Misc. Bot. (Balbis) 6: t. 1 (1803)
Iris pallasii Fisch. ex Trevir. var. *chinensis* Fisch., Bot. Mag. 49: t. 2331 (1832)
Iris oxypetala Bunge, Enum. Pl. Chin. Bor. 63 (1833)
Iris ensata Thunb. var. *chinensis* (Fisch.) Maxim., Gartenflora 161: 1011 (1880)
Iris lactea Pall. var. *chinensis* (Fisch.) Koidz., Bot. Mag. (Tokyo) 39: 300 (1925)
Iris lactea Pall. subsp. *chinensis* (Fisch.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 115 (1940)

***Iris laevigata* Fisch., Index Seminum [St.Petersburg (Petropolitanus)] 5: 36 (1839)** Nat: N Korea, S Korea 제비붓꽃

- Iris gmelinii* Ledeb., Denkschr. Königl.-Baier. Bot. Ges. Regensburg 3: 48 (1841)
Iris itsihatsi Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 35 (1844)
Xyridion laevigatum (Fisch.) Klatt, Bot. Zeitung (Berlin) 30: 500 (1872)
Iris maackii Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 26: 542 (1880)
Iris alboburpurea Baker, Bot. Mag. 122: t. 7511 (1896)
Iris phragmitetorum Hand.-Mazz., Anz. Akad. Wiss. Wien, Math.-Naturwiss. Kl. 62: 241 (1925)
Limniris maackii (Maxim.) Rodion., Bot. Zhurn. (Moscow & Leningrad) 92: 552 (2007)

***Iris mandshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 10: 724 (1880)** Nat: N Korea 만주붓꽃

***Iris minutoaurea* Makino, J. Jap. Bot. 5: 17 (1928)** Nat: N Korea, S Korea 금붓꽃

- Iris minuta* Franch. & Sav., Enum. Pl. Jap. 2: 42 (1877)
Iris odaesanensis Y.N.Lee, Korean J. Bot. 17: 33 (1974)
Iris odaesanensis Y.N.Lee f. *purpurascens* Y.N.Lee, Bull. Korea Pl. Res. 2: 14 (2002)

Limniris minutoaurea (Makino) Rodion., Bot. Zhurn. (Moscow & Leningrad) 92: 553 (2007)

***Iris pseudacorus* L., Sp. Pl. 38 (1753) Int 노랑꽃창포**

***Iris rossii* Baker, Gard. Chron. 3: 809 (1877) Nat: N Korea, S Korea 각시붓꽃**

- Iris rossii* Baker f. *albiflora* Sakata ex Uyeki, Veg. Kwa-san Hill Suigen 14 (1936)
Iris rossii Baker f. *alba* Y.N.Lee, Korean J. Bot. 17: 35 (1974)
Iris rossii Baker var. *album* Y.N.Lee, Ill. Encycl. Fauna & Flora of Korea 18: 165 (1976)
Iris rossii Baker var. *latifolia* J.K.Sim & Y.S.Kim, Korean J. Pl. Taxon. 22 (1): 1 (1992)
Iris rossii Baker var. *purpurascens* Y.N.Lee, Bull. Korea Pl. Res. 5: 35 (2005)

***Iris ruthenica* Ker Gawl., Curtis's Bot. Mag. 27: t. 1123 (1808) Nat: N Korea, S Korea 솔붓꽃**

- Iris alpina* Pall. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 1: 476 (1817)
Iris caespitosa Pall. ex Link, Jahrb. Gewachsk. 1: 71 (1820)
Iris ruthenica Ker Gawl. var. *uniglumis* Spach, Hist. Nat. Veg. (Spach) 12: 36 (1846)
Iris ruthenica Ker Gawl. var. *brevituba* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 516 (1880)
Iris ruthenica Ker Gawl. var. *nana* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 705 (1880)
Iris nana (Maxim.) Nakai ex T.Mori, Enum. Pl. Corea 98 (1922)
Iris brevituba (Maxim.) Vved., Fl. Kirgizsk. SSR 3: 131 (1951)

***Iris sanguinea* Donn ex Horn, Hort. Bot. Hafn. 1: 58 (1813) Nat: N Korea, S Korea 붓꽃**

- Iris orientalis* Thunb., Trans. Linn. Soc. London 2: 328 (1794)
Iris sibirica L. var. *sanguinea* (Donn ex Horn) Ker Gawl., Curtis's Bot. Mag. t. 1604 (1814)
Iris nertschinskia Lodd., Bot. Cab. 19: t. 1843 (1832)
Iris sibirica L. var. *orientalis* (Schrank) Baker, J. Linn. Soc., Bot. 16: 139 (1877)
Iris extremorientalis Koidz., Bot. Mag. (Tokyo) 40: 330 (1926)
Iris sanguinea Donn ex Horn f. *albiflora* Makino, J. Jap. Bot. 6: 32 (1930)

***Iris setosa* Pall. ex Link, Jahrb. Gewachsk. 1: 71 (1820) Nat: N Korea, S Korea 부채붓꽃**

- Iris brachycuspis* Fisch. ex Sims, Bot. Mag. 49: 2326 (1824)
Xiphion brachycuspis (Fisch. ex Sims) Alef., Bot. Zeitung (Berlin) 21: 297 (1863)
Xyridion setosum (Pall. ex Link) Klatt, Bot. Zeitung (Berlin) 30: 500 (1872)
Iris yedoensis Franch. & Sav., Enum. Pl. Jap. 2: 522 (1878)
Iris arctica Eastw., Bot. Gaz. 33: 132 (1902)
Iris interior (E.S.Anderson) Czerep., Sosud. Rast. SSSR 263 (1981)

***Iris sibirica* L., Sp. Pl. 39 (1753) Int 시베리아붓꽃**

- Iris bicolor* Mill., Gard. Dict., ed. 8 13 (1768)
Iris maritima Mill., Gard. Dict., ed. 8 11 (1768)
Iris stricta Moench, Methodus (Moench) 528 (1794)
Iris acuta Willd., Enum. Pl. Suppl. (Willdenow) 4 (1814)
Iris pseudosibirica Schur, Enum. Pl. Transsilv. 657 (1866)

***Iris tectorum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 380 (1871) Int 연미붓꽃**

- Iris chinensis* Bunge, Enum. Pl. Chin. Bor. 64 (1833)
Iris tomiolopha Hance, J. Bot. 10: 229 (1872)
Evansia tectorum (Maxim.) Klatt, Abh. Naturf. Ges. Halle 15: 373 (1882)
Iris rosthornii Diels, Bot. Jahrb. Syst. 29: 261 (1900)

***Iris uniflora* Pall. ex Link, Jahrb. Gewachsk. 1: 71 (1820) Nat: N Korea 난장이붓꽃**
Iris ruthenica Ker Gawl. var. *uniflora* (Pall. ex Link) Baker, Handb. Irid. 4 (1892)
Iris uniflora Pall. ex Link var. *caricina* Kitag., Bot. Mag. (Tokyo) 49: 232 (1935)
Iris uniflora Pall. ex Link f. *caricina* (Kitag.) P.Y.Fu & Y.A.Chen, Fl. Pl. Herb. Chin. Bor.-Or. 12: 213 (1998)

***Iris* × *germanica* L., Sp. Pl. 38 (1753) Int 독일붓꽃(자아만아이리스)**

Iris × *florentina* L., Syst. Nat. ed. 10 2: 863 (1759)
Iris × *sambucina* L., Syst. Nat. ed. 10 2: 863 (1759)
Iris × *squalens* L., Syst. Nat. ed. 10 2: 863 (1759)
Iris × *lurida* Aiton, Hort. Kew. (Hill) 1: 68 (1789)
Iris × *murorum* Gaterau, Descr. Pl. Montauban 30 (1789)
Iris × *officinalis* Salisb., Prodr. Stirp. Chap. Allerton 43 (1796)
Iris × *spectabilis* Salisb., Prodr. Stirp. Chap. Allerton 43 (1796)
Iris × *alba* Savi, Fl. Pis. 1: 32 (1798)
Iris × *vulgaris* Pohl, Tent. Fl. Bohem. 1: 46 (1809)
Iris × *amoena* DC., Liliac. 6: t. 336 (1811)
Iris × *neglecta* Hornem., Hort. Bot. Hafn. 1: 55 (1813)
Iris × *violacea* Savi, Bot. Etrusc. 2: 9 (1815)
Iris × *nepalensis* Wall. ex Lindl., Bot. Reg. 10: t. 818 (1824)
Iris × *laciniata* Berg, Flora 16 (1 Beibl.): 28 (1833)
Iris × *venusta* J.Booth ex Berg, Flora 16 (1 Beibl.): 31 (1833)
Iris × *repanda* Berg, Flora 18: 565 (1835)
Iris × *superba* Berg, Flora 18: 567 (1835)
Iris × *tardeflora* Berg, Flora 18: 566 (1835)
Iris × *deflexa* Knowles & Westc., Fl. Cabinet 2: 19 (1838)
Iris × *humei* G.Don, Encycl. Pl. (ed. 2) Suppl. 1: 1150 (1841)
Iris × *redouteana* Spach, Hist. Nat. Veg. (Spach) 13: 56 (1846)
Iris × *australis* Tod., Nuov. Gen. Sp. 49 (1861)
Iris × *atroviolacea* Lange, Bot. Tidsskr. 13: 18 (1882)
Iris × *biliottii* Foster, Gard. Chron. 1887: 738 (1887)
Iris × *trojana* A.Kern. ex Stapf, Verh. K.K. Zool.-Bot. Ges. Wien 37: 650 (1887)
Iris × *cypriana* Foster & Baker, Gard. Chron. 1888: 182 (1888)
Iris × *mesopotamica* Dykes, Gen. Iris 176 (1913)
Iris × *belouinii* Bois & Cornuault, Rev. Hort. 87: 547 (1915)
Iris × *varbossania* K.Maly, Glasn. Zemaljsk. Muz. Bosne Hercegovine Sarajevu. Prir. Nauke 31: 75 (1919)
Iris × *croatica* Prodán, Fl. Dobrudscha Meeresk. Rum. 15 (1931)
Iris × *nyaradyana* Prodán, Bul. Grad. Bot. Univ. Cluj 14: 176 (1934)
Iris × *macrantha* Simonet, Bull. Soc. Natl. Hort. France 6, 2: 107 (1935)
Iris × *rothschildii* Degen, Fl. Veleb. 1: 646 (1936)
Iris × *piatrae* Prodán, Ann. Sci. Univ. Jassy 27: 126 (1941)
Iris × *setina* Colas., Giorn. Bot. Ital. 123(Suppl. 1): 112 (1989)
Iris × *relicta* Colas., Fl. Medit. 6: 214 (1996)

Sisyrinchium Mill.

***Sisyrinchium angustifolium* Mill., Gard. Dict., ed. 82 (1768) Int 등심붓꽃**

Sisyrinchium gramineum Lam., Encycl. (Lamarck) 1: 408 (1785)
Sisyrinchium anceps Cav., Diss. 6, Sexta Diss. Bot. 345 (1788)
Sisyrinchium excisum Godr., Mem. Sect. Sci. Acad. Sci. Montpellier 1: 44, 7 (1853)
Sisyrinchium bermudiana Baker, J. Linn. Soc., Bot. 16: 117 (1877)
Sisyrinchium homomallum Klatt, Abh. Naturf. Ges. Halle 15: 378 (1882)
Sisyrinchium angustifolium Mill. f. *album* J.K.Sim & Y.S.Kim, Korean J. Pl. Taxon. 22: 3 (1992)

Tritonia Ker Gawl.

***Tritonia x crocosmiflora* (Lemoine) N.E.Br., Trans. Roy. Soc. South Africa 20: 264 (1932)**

Int 애기범부채(몬트부레치아)

Montbretia x crocosmiflora Lemoine, Garden (London 1871-1927) 18: 188 (1881)

Crocsmia x latifolia N.E.Br., Trans. Roy. Soc. South Africa 20: 264 (1932)

JUNACEAE

Juncus L.

***Juncus alatus* Franch. & Sav., Enum. Pl. Jap. 2: 98 (1879)** Nat: N Korea, S Korea 날개골풀

***Juncus brachyspathus* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 293 (1859)** Nat: N Korea 참골풀

Juncus filiformis L. var. *brachyspathus* (Maxim.) Regel, Tent. Fl.-Ussur. 157 (1861)

Juncus brachyspathus Maxim. var. *magadanicus* Novikov, Novosti Sist. Vyssh. Rast. 19: 55 (1982)

***Juncus bufonius* L., Sp. Pl. 328 (1753)** Nat: N Korea, S Korea 애기골풀

*Juncus divarcatu*s Gilib., Excerc. Phyt. 2: 506 (1792)

Juncus prolifer Kunth, Nov. Gen. Sp. [Kunth] 1: 236 (1816)

Juncus cespifolius Raf., Autik. Bot. 196 (1840)

Juncus creticus Raf., Autik. Bot. 196 (1840)

Juncus bilineatus Gand., Contr. Fl. Terr. Slav. Merid. 1: 29 (1883)

Juncus fasciatus Lojac., Fl. Sicul. 3: 164 (1909)

Juncus leptocladus Hayata, Icon. Pl. Formosan. 6: 100 (1916)

Juncus aletaiensis K.F.Wu, Acta Phytotax. Sin. 32: 450 (1994)

***Juncus castaneus* Sm. subsp. *triceps* (Rostk.) Novikov, Novosti Sist. Vyssh. Rast. 15: 92 (1979)** Nat: N Korea 설령골풀

Juncus triceps Rostk., Junc. 48 (1801)

Juncus castaneus Sm. var. *koreanus* Ohwi, Bot. Mag. (Tokyo) 45: 189 (1931)

Juncus triceps Rostk. var. *koreanus* (Ohwi) Satake, Nov. Fl. Jap. 1: 68 (1938)

Juncus stakei Kitag., J. Jap. Bot. 26: 11 (1951)

***Juncus decipiens* (Buchenau) Nakai, Report. Veget. Kamikochi 35 (1928)** Nat: N Korea, S Korea 골풀

Juncus effusus L. var. *decipiens* Buchenau, Bot. Jahrb. Syst. 12: 229 (1890)

Juncus effusus L. f. *glomeratus* Makino, Bot. Mag. (Tokyo) 12: 163 (1898)

Juncus effusus L. f. *gracilis* Buchenau ex Matsum., Index Pl. Jap. 2 (1): 184 (1905)

Juncus decipiens (Buchenau) Nakai var. *gracilis* Nakai, Rep. Veg. Daisetsu Mts. 60 (1930)

Juncus effusus L. var. *glomeratus* (Makino) Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 178 (1933)

Juncus effusus L. subsp. *decipiens* (Buchenau) Weim., Svensk Bot. Tidskr. 40: 143 (1946)

***Juncus diastrophanthus* Buchenau, Bot. Jahrb. Syst. 12: 309 (1890) Nat: N Korea, S Korea**
별날개골풀

Juncus togakushiensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 352 (1912)

Juncus togakushiensis H.Lév. var. *viviparus* Satake, J. Jap. Bot. 12: 90 (1936)

***Juncus fauriei* H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 292 (1904) Nat: S Korea**
검정납작골풀

Juncus glaucus var. *yokoscensis* Franch. & Sav., Enum. Pl. Jap. 2: 97 (1879)

Juncus balticus Willd. var. *japonicus* Buchenau, Bot. Jahrb. Syst. 12: 215 (1890)

Juncus yokoscensis (Franch. & Sav.) Satake, Nov. Fl. Jap. 1: 25 (1938)

Juncus yokoscensis (Franch. & Sav.) Satake var. *laxus* Satake, Nov. Fl. Jap. 1: 25 (1938)

***Juncus gracillimus* (Buchenau) V.I.Krecz. & Gontsch., Fl. URSS 3: 528 (1935) Nat: N Korea, S Korea**
물골풀

Juncus compressus Jacq. var. *gracillimus* Buchenau, Pflanzenz. (Engler) 4, 36: 112 (1906)

***Juncus haenkei* E.Mey., Syn. Junc. 10 (1822) Nat: N Korea, S Korea** **갯골풀**

Juncus compressus Jacq. var. *haenkei* (E.Mey.) Laharpe, Essai Monogr. Jonc. 26 (1825)

Juncus arcticus Willd. var. *sitchensis* Engelm., Trans. Acad. Sci. St. Louis 2: 491 (1868)

Juncus balticus Willd. var. *haenkei* (E.Mey.) Buchenau, Bot. Jahrb. Syst. 12: 215 (1890)

Juncus balticus Willd. subsp. *sitchensis* (Engelm.) Hultén, Acta Univ. Lund. n.s. 39: 420 (1943)

***Juncus krameri* Franch. & Sav., Enum. Pl. Jap. 2: 99 (1879) Nat: N Korea, S Korea** **비너골풀**

***Juncus maximowiczii* Buchenau, Bot. Jahrb. Syst. 12: 394 (1890) Nat: N Korea** **실비너골풀**

Juncus cupreus H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 292 (1904)

Juncus takasagomontanus Satake, J. Jap. Bot. 14: 256 (1938)

***Juncus papillosus* Franch. & Sav., Enum. Pl. Jap. 2: 98 (1876) Nat: N Korea, S Korea**
칭비너골풀

Juncus nipponensis Buchenau, Bot. Jahrb. Syst. 12: 340 (1890)

Juncus umbellifer H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 292 (1904)

Juncus nikkoensis Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 185 (1933)

***Juncus potaninii* Buchenau, Bot. Jahrb. Syst. 12: 394 (1890) Nat: N Korea** **백두실골풀**

Juncus luzuliformis Franch. var. *potaninii* (Buchenau) Buchenau ex Diels, Bot. Jahrb. Syst. 37, Beibl. 82: 15 (1905)

Juncus effusus L. var. *gracilis* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 29 (1914)

***Juncus prismatocarpus* R.Br. subsp. *leschenaultii* (Gay ex Laharpe) Kirschner, Preslia 74: 249 (2002) Nat: N Korea, S Korea** **참비너골풀**

Juncus leschenaultii Gay ex Laharpe, Essai Monogr. Jonc. 49 (1825)

Juncus sinensis Gay ex Laharpe, Essai Monogr. Jonc. 49 (1825)

Juncus leschenaultii Gay ex Laharpe var. *radicans* Franch. & Sav., Enum. Pl. Jap. 2(3): 533 (1879)

Juncus prismatocarpus R.Br. var. *leschenaultii* subvar. *pluritubulosus* Buchenau, Bot. Jahrb. Syst. 12: 311 (1890)

***Juncus setchuensis* Buchenau, Bot. Jahrb. Syst. 82(36): 17 (1905) Nat: N Korea, S Korea**
푸른갯골풀

Juncus setchuensis Buchenau var. *effusoides* Buchenau, Bot. Jahrb. Syst. 82(36): 18 (1905)

***Juncus stygius* L., Syst. Nat. ed. 10 2: 987 (1759) Nat: N Korea 대택비녀골풀**

Juncus stygius L. subsp. *grossii* Abrom., Verbr. Pfl. Deutschl. ed. 10 136 (1938)

***Juncus tenuis* Willd., Sp. Pl. 2: 214 (1799) Nat: N Korea, S Korea 길골풀**

Juncus macer Gray, Nat. Arr. Brit. Pl. 2: 164 (1821)

Juncus tenuis Willd. var. *bicornis* (Michx.) E.Mey., Linnaea 3: 371 (1828)

Juncus lucidus Hochst., Fl. Azor. 24 (1844)

Juncus tristanianus Hemsl., Rep. Voy. Challenger, Bot. 1: 154 (1885)

Juncus macer Gray var. *williamsii* (Fernald) Fernald, J. Bot. 68: 367 (1930)

Juncus tenuis Willd. var. *nakaii* Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 175 (1933)

***Juncus triglumis* L., Sp. Pl. 328 (1753) Nat: N Korea 구름골풀**

***Juncus wallichianus* J.Gay ex Laharpe, Essai Monogr. Jonc. 51 (1825) Nat: N Korea**
눈비녀골풀

Juncus indicus Royle ex D.Don, Proc. Linn. Soc. London 1: 10 (1839)

Juncus koidzumii Satake, J. Jap. Bot. 12: 89 (1936)

Juncus pseudokrameri Satake, Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 107 (1936)

Juncus ohwianus M.T.Kao, Fl. Taiwan 5: 150 (1978)

***Luzula* Lam. & DC.**

***Luzula capitata* (Miq. ex Franch. & Sav.) Kom., Fl. Kamtchatka 1: 288 (1927) Nat: N Korea, S Korea 평의밭**

Luzula campestris (L.) DC. var. *capitata* Miq. ex Franch. & Sav., Enum. Pl. Jap. 2: 97 (1879)

***Luzula multiflora* (Ehrh.) Lej., Fl. Spa. 1: 169 (1811) Nat: N Korea, S Korea 산평의밭**

Juncus multiflorus Retz., Fl. Scand. Prodr., ed. 2, 82 (1795)

Juncus intermedius Thuill., Fl. Env. Paris, ed. 2, 178 (1800)

Luzula campestris (L.) DC. var. *multiflora* Celak., Prodr. Fl. Bohmen 85 (1869)

***Luzula oligantha* Sam., Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 227 (1927) Nat: N Korea**
구름평의밭

Luzula campestris (L.) DC. var. *pauciflora* Buchenau, Pflanzenr. (Engler) 4, 36: 88 (1906)

Luzula sudetica var. *pauciflora* Nakai, Rep. Veg. Daisetsu Mts. 60 (1930)

Luzula sudetica var. *microstachya* Satake, Nov. Fl. Jap. 1: 40 (1938)

***Luzula pallescens* Sw., Summa Veg. Scand. (Swartz) 13 (1814) Nat: N Korea 산새밭**

Juncus pallescens Wahlenb., Fl. Lapp. (Wahlenberg) 87 (1812)

Luzula campestris (L.) DC. var. *pallescens* (Sw.) Wahlenb., Fl. Suec. [Wahlenberg] 1: 218 (1824)

Luzula multiflora (Ehrh.) Lej. var. *pallescens* (Sw.) W.D.J.Koch, Syn. Fl. Germ. Helv., ed. 2 847 (1844)

Luzula pallidula Kirschner, Taxon 39: 110 (1990)

***Luzula rufescens* Fisch. ex E.Mey., Linnaea 22: 385 (1849)** Nat: N Korea, S Korea 새밥
Juncoides rufescens (Fisch. ex E.Mey.) Kuntze, Revis. Gen. Pl. 2: 725 (1891)
Luzula pilosa (L.) Willd. var. *rufescens* (Fisch. ex E.Mey.) B.Boivin, Naturaliste Canad.
94: 526 (1967)

***Luzula rufescens* Fisch. ex E.Mey. var. *macrocarpa* Buchenau, Pflanzenz. (Engler) IV, 36: 47 (1906)** Nat: N Korea, S Korea 별평의밥
Luzula macrocarpa (Buchenau) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 30 (1914)
Luzula plumosa E.Mey. var. *macrocarpa* (Buchenau) Ohwi, Fl. Jap. (Ohwi) 272 (1953)

***Luzula wahlenbergii* Rupr., Fl. Samejed. Cisural. 58 (1845)** Nat: N Korea 좁평의밥
Luzula borealis Fr., Summa Veg. Scand. (Fries) 219 (1846)
Luzula spadiacea DC. var. *kunthii* E.Mey., Linnaea 22: 403 (1849)

JUNCAGINACEAE

Triglochin L.

***Triglochin maritima* L., Sp. Pl. 339 (1753)** Nat: N Korea, S Korea 지채
Juncago maritima (L.) Bubani, Fl. Pyren. 4: 9 (1901)
Hexaglochin maritima (L.) Nieuwl., Amer. Midl. Naturalist 3: 20 (1913)
Triglochin maritima L. subsp. *asiaticum* Kitag., Lin. Fl. Manshur. 55 (1939)
Triglochin maritima L. var. *asiaticum* (Kitag.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 66 (1953)
Triglochin asiatica (Kitag.) A.Löve & D.Löve, Naturaliste Canad. 85: 159 (1958)

***Triglochin palustre* L., Sp. Pl. 339 (1753)** Nat: N Korea, S Korea 물지채
Junago palustris (L.) Moench, Methodus (Moench) 644 (1794)
Tristemon palustris (L.) Raf., Amer. Monthly Mag. & Crit. Rev. 1: 192 (1819)
Abbotia palustris (L.) Raf., New Fl. (Rafinesque) 1: 37 (1836)
Triglochin komarovii Lipsch. & Pavlov, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s., 45: 152 (1936)

LEMNACEAE

Lemna Raf.

***Lemna perpusilla* Torr., Fl. New York 1: 245 (1843)** Nat: S Korea 좁개구리밥
Hydrophace perpusilla (Torr.) Lunell, Amer. Midl. Naturalist 4: 237 (1915)

Spirodela Schleid.

***Spirodela polyrhiza* (L.) Schleid., Linnaea 13: 392 (1839)** Nat: N Korea, S Korea 개구리밥
Lemna polyrhiza L., Sp. Pl. 970 (1753)
Lenticula polyrhiza (L.) Lam., Fl. Franc. (Lamarck) 2: 189 (1779)
Lemna thermalis P.Beauv., J. Phys. Chim. Hist. Nat. Arts 82: 102 (1816)
Spirodela maxima (Blatt. & Hallb.) McCann, J. Bombay Nat. Hist. Soc. 43: 158 (1942)

Wolffia Horkel ex Schleid.

Wolffia arrhiza (L.) Horkel ex Wimm., *Fl. Schles.* [Wimmer] ed. 3: 140 (1857) Nat; S Korea
분개구리밥

Lemna arrhiza L., *Mant. alt.* 294 (1771)

Lenticula arrhiza (L.) Lam., *Fl. Franc.* (Lamarck) 2: 190 (1779)

Wolffia delilii Miq., *Ned. Kruidk. Arch.* 3: 429 (1855)

Wolffia globosa (Roxb.) Hartog & Plas, *Blumea* 18: 367 (1970) Nat; S Korea 남개구리밥

Lemna globosa Roxb., *Mant. Pl.* 2: 294 (1771)

Grantia globosa (Roxb.) Griff., *Hort. Suburb. Calcutt.* 692 (1845)

Wolffia schleidenii Miq., *Ned. Kruidk. Arch.* 3: 428 (1855)

Telmatoplace cylindracea Welw. ex Hegelm., *Lemnac.* 123 (1868)

LILIACEAE

Agave L.

Agave americana L., *Sp. Pl.* 323 (1753) Int 용설란

Aloe americana (L.) Crantz, *Inst. Rei Herb.* 1: 466 (1766)

Alettris L.

Alettris foliata (Maxim.) Makino & Nemoto, *Fl. Japan.*, ed. 2 (Makino & Nemoto) 1534 (1931) Nat; N Korea, S Korea 끈적쥐꼬리풀

Metanarthechium foliatum Maxim., *Dec. Pl. Nov.* 10 (1882)

Alettris fauriei H.Lév. & Vaniot, *Repert. Spec. Nov. Regni Veg.* 5: 283 (1908)

Alettris glabra Bureau & Franch., *J. Bot. (Morot)* 5: 156 (1891) Nat; N Korea, S Korea
여우꼬리풀

Alettris sikkimensis Hook.f., *Fl. Brit. Ind.* 6: 265 (1892)

Alettris foliosa var. *sikkimensis* Franch., *J. Bot. (Morot)* 10: 198 (1896)

Metanarthechium formosanum Hayata, *Icon. Pl. Formosan.* 9: 142 (1920)

Alettris formosana (Hayata) Makino & Nemoto, *Fl. Japan.*, ed. 2 (Makino & Nemoto) 1534 (1931)

Alettris foliata (Maxim.) Makino & Nemoto var. *glabra* (Bureau & Fr.) Yamam., *J. Soc. Trop. Agric.* 10: 121 (1938)

Alettris spicata (Thunb.) Franch., *J. Bot. (Morot)* 10: 199 (1896) Nat; S Korea 쥐꼬리풀

Hypoxis farinosa Thunb., *Fl. Jap.* (Thunberg) 233 (1784)

Hypoxis spicata Thunb., *Fl. Jap.* (Thunberg) 136 (1784)

Alettris japonica Lamb., *Trans. Linn. Soc. London* 10: 407 (1811)

Alettris dickinsii Franch., *Bull. Soc. Philom. Paris* 7, 10: 102 (1886)

Alettris spicata (Thunb.) Franch. var. *microantha* Satake, *J. Jap. Bot.* 17: 725 (1941)

Allium L.

Allium anisopodium Ledeb., *Fl. Ross. (Ledeb.)* 4: 183 (1853) Nat; S Korea 실부추

Allium tenuissimum L. var. *anisopodium* (Ledeb.) Regel, *Trudy Imp. S.-Peterburgsk. Bot. Sada* 3: 157 (1875)

Allium tchefouense Debeaux, *Actes Soc. Linn. Bordeaux* 32: 25 (1878)

Allium tenuissimum L. var. *purpureum* Regel, *Trudy Imp. S.-Peterburgsk. Bot. Sada* 10:

342 (1887)

Allium zimmermannianum Gilg, Bot. Jahrb. Syst. 34 (1): 23 (1904)

Allium anisopodium Ledeb. var. *zimmermannianum* (Gilg) F.T.Wang & T.Tang, Contr. Inst. Bot. Natl. Acad. Peiping 2-8: 260 (1934)

Allium anisopodium Ledeb. subsp. *argunense* Peschkova, Fl. Tsentral'noi Sibiri 1: 218 (1979)

Allium tenuissimum L. f. *zimmermannianum* (Gilg) Q.S.Sun, Fl. Liaoningica 2: 717 (1992)

***Allium cepa* L., Sp. Pl. 300 (1753) Int 양파**

Allium commune Noronha, Verh. Batav. Genootsch. Kunsten 5: 6 (1790)

Cepa esculenta Raf., Fl. Tellur. 2: 20 (1837)

Allium napus Pall. ex Kunth, Enum. Pl. (Kunth) 4: 395 (1843)

Allium pauciflorum Willd. ex Ledeb., Fl. Ross. (Ledeb.) 4: 169 (1852)

Allium angolense Baker, Trans. Linn. Soc. London, Bot. 1: 262 (1878)

Allium cepaeum St.-Lag., Ann. Soc. Bot. Lyon 7: 113 (1880)

Allium ascalonicum L. var. *condensum* Millán, Darwiniana 10: 108 (1952)

Allium aobanum Araki, Hokuiriko J. Bot. 4: 45 (1955)

Allium salota Dostál, Folia Mus. Rerum Nat. Bohemiae Occid., Bot. 21: 17 (1984)

***Allium chinense* G.Don, Mem. Wern. Nat. Hist. Soc. 6: 83 (1827) Int 연부추**

Caloscordum exsertum Lindl., Bot. Reg. 33: t. 5 (1847)

Allium bakeri Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 141 (1875)

Allium bodinieri H.Lév. & Vaniot, Liliac. & c. Chine 38 (1905)

***Allium condensatum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 121 (1854) Nat. N Korea 노랑부추**

Allium jaluanum Nakai, Bot. Mag. (Tokyo) 27: 214 (1913)

***Allium fistulosum* L., Sp. Pl. 301 (1753) Int 파**

Cepa ventricosa Moench, Methodus (Moench) 244 (1794)

Allium bouddae Debeaux, Actes Soc. Linn. Bordeaux 32: 24 (1878)

Allium fistulosum L. var. *caespitosum* Makino, Bot. Mag. (Tokyo) 19: 146 (1905)

Allium fistulosum L. var. *giganteum* Makino, Bot. Mag. (Tokyo) 24: 129 (1910)

Allium kashgaricum Prokh., Trudy Prikl. Bot. 24: 178 (1930)

***Allium longistylum* Baker, J. Bot. 12: 294 (1874) Nat. S Korea 강부추**

***Allium macrostemon* Bunge, Enum. Pl. Chin. Bor. 65 (1833) Nat. N Korea, S Korea 산달래**

Allium nereidum Hance, Ann. Sci. Nat., Bot. 5: 244 (1866)

Allium grayi Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 125 (1875)

Allium nipponicum Franch. & Sav., Enum. Pl. Jap. 2: 527 (1878)

Allium uratense Franch., Pl. David. 1: 304 (1884)

Allium chaneitii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 184 (1913)

Allium ouensanense Nakai, Bot. Mag. (Tokyo) 27: 215 (1913)

Allium macrostemon Bunge var. *uratense* (Franch.) Airy Shaw, Notes Roy. Bot. Gard. Edinburgh 16: 136 (1931)

***Allium maximowiczii* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 153 (1875) Nat. N Korea 산파**

Allium schoenoprasum L. var. *orientale* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 30: 80 (1875)

Allium schoenoprasum L. var. *yezomonticola* H.Hara, Bot. Mag. (Tokyo) 52: 458 (1938)

Allium schoenoprasum L. var. *shibutsuense* Kitam., Bot. Mag. (Tokyo) 59: 35 (1946)

Allium ledebourianum Schult. & Schult.f. var. *maximowiczii* (Regel) Q.S.Sun, Fl. Pl. Herb. Chin. Bor.-Or. 12: 130 (1998)

***Allium monanthum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 109 (1887) Nat: N Korea, S Korea 달래**

Allium biflorum Nakai, Bot. Mag. (Tokyo) 27: 214 (1913)

Allium monanthum Maxim. var. *floribundum* Z.J.Zhong & X.T.Huang, Bull. Bot. Res., Harbin 17: 53 (1997)

***Allium sacculiferum* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 281 (1859) Nat: N Korea, S Korea 참산부추**

Allium japonicum Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 133 (1875)

Allium ophiopogon H.Lév., Repert. Spec. Nov. Regni Veg. 12: 184 (1913)

Allium komarovianum Vved., Byull. Sredne-Aziatsk. Gosud. Univ. 19: 119 (1934)

Allium sacculiferum Maxim. var. *viviparum* Sakata, Bull. Natl. Sci. Mus., Tokyo 7: 16 (1938)

Allium yuchuanii Y.Z.Zhao & J.Y.Chao, Acta Sci. Nat. Univ. Intramongol. 20: 241 (1989)

***Allium sativum* L., Sp. Pl. 296 (1753) 마늘**

Allium scorodoprasum L. var. *viviparum* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 43 (1875)

Allium scorodoprasum L. var. *multibillosum* Y.N.Lee, Bull. Korea Pl. Res. 1: 3 (2000)

***Allium senescens* L., Sp. Pl. 299 (1753) Nat: N Korea, S Korea 두메부추**

Allium baicalense Willd., Enum. Pl. (Willdenow) 360 (1809)

Allium langulosum var. *minus* Ledeb., Fl. Ross. (Ledeb.) 4: 180 (1852)

Allium senescens L. var. *minor* S.O.Yu & S.T.Lee & W.T.Lee, Korean J. Pl. Taxon. 11: 32 (1981)

Allium senescens L. f. *albiflora* Q.S.Sun, Bull. Bot. Res., Harbin 15: 332 (1995)

***Allium spirale* Willd., Enum. Pl. Suppl. (Willdenow) 17 (1814) Nat: S Korea 쯤부추**

***Allium splendens* Willd. ex Schult. & Schult.f., Syst. Veg. ed. 15 bis [Roemer & Schultes] 7(2): 1025 (1830) Nat: N Korea, S Korea 가는산부추**

Allium koreanum H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 34: 76 (2004)

***Allium thunbergii* G.Don, Mem. Wern. Nat. Hist. Soc. 6: 84 (1827) Nat: N Korea, S Korea 산부추**

Allium odorum Thunb., Fl. Jap. (Thunberg) 132 (1784)

Allium taqueti H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 (1908)

Allium pseudojaponicum Makino, Bot. Mag. (Tokyo) 24: 30 (1910)

Allium morrisonense Hayata, Icon. Pl. Formosan. 6, Suppl: 84 (1917)

Allium amamanum Tawada, J. Geobot. 22: 56 (1975)

Allium bakeri Regel var. *morrisonense* (Hayata) T.S.Liu & S.S.Ying, Fl. Taiwan 5: 45 (1978)

Allium cyaneum Regel var. *deltoides* S.O.Yu & W.T.Lee & S.T.Lee, Korean J. Pl. Taxon. 11: 29 (1981)

Allium thunbergii G.Don var. *deltoides* (S.O.Yu & W.T.Lee & S.T.Lee) H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 33: 351 (2003)

Allium linearifolium H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 34: 72 (2004)

Allium thunbergii G.Don var. *teretifolium* H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 34: 79 (2004)

Allium tuberosum Rottler ex Spreng., *Syst. Veg.* (ed. 16) [Sprengel] 2: 38 (1825) Int 부추
Allium sylvia Buch.-Ham. ex D.Don, *Prodr. Fl. Nepal.* 53 (1825)
Allium uliginosum G.Don, *Mem. Wern. Nat. Hist. Soc.* 6: 60 (1827)
Allium roxburghii Kunth, *Enum. Pl.* (Kunth) 4: 454 (1843)

Allium victorialis L., *Sp. Pl.* 295 (1753) Nat: N Korea, S Korea 산마늘
Allium victorialis L. subsp. *platyphyllum* Hultén, *Kongl. Svenska Vetensk. Acad. Handl.* ser. 3, 5: 239 (1927)
Allium microdictyon Prokh., *Trudy Prikl. Bot.* 24: 174 (1929)
Allium ochotense Prokh., *Trudy Prikl. Bot.* 24 (2): 174 (1930)
Allium latissimum Prokh., *Trudy Prikl. Bot.* 24 (2): 174 (1930)
Allium victorialis L. var. *platyphyllum* (Hultén) Makino, *Ill. Fl. Nippon* (Makino) 749, f. 2245 (1940)

Amana Honda

Amana edulis (Miq.) Honda, *Bull. Biogeogr. Soc. Japan* 6: 20 (1935) Nat: N Korea, S Korea 산자코
Orithya edulis Miq., *Ann. Mus. Bot. Lugduno-Batavi* 3: 158 (1867)
Tulipa edulis (Miq.) Baker, *J. Linn. Soc., Bot.* 14: 295 (1874)
Tulipa graminifolia Baker, *J. Bot.* 13: 230 (1875)
Gagea coreana H. Lévl., *Repert. Spec. Nov. Regni Veg.* 8: 360 (1910)
Amana graminifolia (Baker) A.D.Hall, *Gen. Tulipa* 145 (1940)

Anemarrhena Bunge

Anemarrhena asphodeloides Bunge, *Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math.* 4, 2: 140 (1831) Int 지모
Terauchia anemarrhenifolia Nakai, *Bot. Mag.* (Tokyo) 27: 443 (1913)

Anticlea Kunth

Anticlea sibirica (L.) Kunth, *Enum. Pl.* (Kunth) 4: 191 (1841) Nat: N Korea 나도여로
Melanthium sibiricum L., *Sp. Pl.* 339 (1753)
Anthericum gmelinianum Schult. & Schult.f., *Syst. Veg.* (ed. 16) [Roemer & Schultes] 7(1): 481 (1829)
Zigadenus sibiricus (L.) A.Gray, *Ann. Lyceum Nat. Hist. New York* 4: 112 (1837)
Zygadenus sibiricus (L.) A.Gray, *Ann. Lyceum Nat. Hist. New York* 4: 112 (1837)
Zigadenus japonicus Makino, *Bot. Mag.* (Tokyo) 17: 162 (1903)
Zigadenus makinoanus Miyabe & Kudô, *Trans. Sapporo Nat. Hist. Soc.* 5: 39 (1914)
Anticlea japonica Makino, *Bot. Mag.* (Tokyo) 28: 108 (1914)

Asparagus L.

Asparagus brachyphyllus Turcz., *Bull. Soc. Imp. Naturalistes Moscou* 13: 78 (1840) Nat: S Korea 갯천문동
Asparagus trichophyllus Bunge var. *trachyphyllus* Bong. & C.A.Mey., *Verz. Saisang-nor Pfl.* 74 (1841)
Asparagus trichophyllus Bunge var. *flexuosus* (Ledeb.) Regel, *Bull. Soc. Imp. Naturalistes Moscou* 41: 270 (1869)

Asparagus cochinchinensis (Lour.) Merr., *Philipp. J. Sci.* 15: 230 (1919) Nat: S Korea 천문동

Melanthium cochinchinensis Lour., Fl. Cochinch. 216 (1790)
Asparagus lucidus Lindl., Edward's Bot. Reg. 30: 29 (1844)
Asparagus gaudichaudianus Kunth, Enum. Pl. (Kunth) 5: 71 (1850)
Asparagopsis sinica Miq., J. Bot. Néerl. 1: 90 (1861)
Asparagus insularis Hance, Ann. Sci. Nat., Bot. 5, 5: 245 (1866)
Asparagus sinicus (Miq.) C.H.Wright, J. Linn. Soc., Bot. 36: 103 (1903)

***Asparagus dauricus* Fisch. ex Link, Enum. Hort. Berol. Alt. 1: 348 (1821) Nat: N Korea, S Korea 망적천문동**

Asparagus gibbus Bunge, Enum. Pl. Chin. Bor. 65 (1833)
Asparagus officinalis L. var. *gracilis* Ledeb., Fl. Altaic. 2: 43 (1841)
Asparagus glycycaurus Kunth, Enum. Pl. (Kunth) 5: 61 (1850)
Asparagus tuberculatus Bunge ex Iljin, Fl. URSS 4: 747 (1935)

***Asparagus officinalis* L., Sp. Pl. 313 (1753) Int 아스파라거스**

Asparagus polyphyllus Stev., Bull. Soc. Imp. Naturalistes Moscou 30: 343 (1857)
Asparagus officinalis L. var. *atilis* L., Neolin. Fl. Manshur. 585 (1979)

***Asparagus oligoclonos* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 286 (1859) Nat: N Korea, S Korea 방울비짜루**

Asparagus tamaboki Yatabe, Bot. Mag. (Tokyo) 7: 61 (1893)
Asparagus stachyphyllus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908)
Asparagus oligoclonos Maxim. var. *purpurascens* X.J.Xue & H.Yao, Bull. Bot. Res., Harbin 14: 242 (1994)

***Asparagus schoberioides* Kunth, Enum. Pl. (Kunth) 5: 70 (1850) Nat: N Korea, S Korea 비짜루**

Asparagus parviflorus Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 130 (1854)
Asparagus sieboldii Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 287 (1859)
Asparagus wrightii A.Gray, Mem. Amer. Acad. Arts n.s. 6: 413 (1859)
Asparagus micranthus Siebold & Zucc. ex Baker, J. Linn. Soc., Bot. 14: 604 (1875)
Asparagus schoberioides Kunth var. *subsetaceus* Franch., Nouv. Arch. Mus. Hist. Nat. 2, 7: 112 (1884)
Asparagus sessiliflorus Oett., Trudy Bot. Sada Imp. Yur'evsk. Univ. 6: 83 (1905)

Aspidistra Ker Gawl.

***Aspidistra elatior* Blume, Tijdschr. Natuurl. Gesch. Physiol. 1: 76 (1834) Nat: S Korea 열란**

Plectogyne variegata Link, Allg. Gartenzeitung (Otto & Dietrich) 265 (1834)
Aspidistra punctata Lindl. var. *albomaculata* Hook., Curtis's Bot. Mag. 89: t. 5386 (1863)

Barnardia Lindl.

***Barnardia japonica* (Thunb.) Schult.f., Syst. Veg. (ed. 16) [Roemer & Schultes] 7(1): 555 (1829) Nat: N Korea, S Korea 무릇**

Ornithogalum japonicum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 209 (1780)
Ornithogalum sinense Lour., Fl. Cochinch. 206 (1790)
Barnardia scilloides Lindl., Bot. Reg. 12: t. 1029 (1826)
Scilla sinensis (Lour.) Merr. Philipp. J. Sci. 15: 229 (1919)
Scilla japonica Baker, J. Linn. Soc., Bot. 13: 233 (1873)
Scilla scilloides (Lindl.) Druce, Rep. Bot. Exch. Club Brit. Isl. 1916: 646 (1917)
Scilla sinensis (Lour.) Merr., Philipp. J. Sci. 15: 229 (1919)

Scilla thunbergii Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 8 (1921)
Scilla bispatha Hand.-Mazz., Symb. Sin. 7: 1202 (1936)
Scilla thunbergii Miyabe & Kudô var. *pulchella* Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 289 (1938)
Scilla scilloides (Lindl.) Druce var. *albiflora* Satake, J. Jap. Bot. 19: 46 (1943)
Scilla scilloides (Lindl.) Druce var. *pulchella* (Kitag.) Kitag., J. Jap. Bot. 26: 16 (1951)
Scilla scilloides (Lindl.) Druce f. *albiflora* (Satake) Satake & Okuy., J. Jap. Bot. 30: 42 (1955)
Scilla scilloides (Lindl.) Druce f. *albiflora* Y.N.Lee, Korean J. Bot. 17: 85 (1974)
Scilla sinensis (Lour.) Merr. var. *pulchella* (Kitag.) Kitag., Neolin. Fl. Manshur. 181 (1979)
Scilla sinensis (Lour.) Merr. f. *albiflora* (Satake) W.T.Lee, Lineamenta Florae Koreae 1277 (1996)

Chionographis Maxim.

***Chionographis japonica* (Willd.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 436 (1867) Nat: S Korea 싘꽃풀**

Melanthium luteum Thunb., Fl. Jap. (Thunberg) 152 (1784)
Melanthium japonicum Willd., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 2: 22 (1808)
Siraitos aquaticus Raf., Fl. Tellur. 4: 27 (1838)
Chamaelirium luteum (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 144 (1867)
Chionographis lutea (L.) Baill., Hist. Pl. (Baillon) 12: 593 (1894)
Chionographis japonica (Willd.) Maxim. var. *yakusimensis* Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 550 (1934)
Chionographis koidzumiana Ohwi var. *yakusimensis* (Masam.) Masam., Trans. Nat. Hist. Soc. Taiwan 26: 53 (1936)
Chionographis japonica (Willd.) Maxim. var. *koreana* (F.T.Wang & T.Tang) Okuy., J. Jap. Bot. 19: 130 (1943)
Siraitos koreanus (F.T.Wang & T.Tang) F.T.Wang & T.Tang, Contr. Inst. Bot. Natl. Acad. Peiping 6: 109 (1949)
Siraitos luteus (Thunb.) F.T.Wang & T.Tang, Contr. Inst. Bot. Natl. Acad. Peiping 6: 109 (1949)

Chlorophytum Ker Gawl.

***Chlorophytum comosum* (Thunb.) Jacques, J. Soc. Imp. Centr. Hort. 8: 345 (1862) Int 접란**

Anthericum comosum Thunb., Prodr. Pl. Cap. 63 (1794)
Caesia comosa (Thunb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 88 (1825)
Hartwegia comosa (Thunb.) Nees, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 15: 378 (1831)
Hollia comosa (Thunb.) Heynh., Alph. Aufz. Gew. 1: 303 (1846)

Clintonia Douglas ex Lindl.

***Clintonia udensis* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 92: t. 30 (1856) Nat: N Korea, S Korea 나도옥잠화**

Hylocharis cyanocarpa Tiling, Nouv. Mem. Soc. Imp. Naturalistes Moscou 11: 123 (1859)
Clintonia alpina (Kunth) ex Baker var. *udensis* (Trautv. & C.A.Mey.) J.Macbr., Contr. Gray Herb. n.s. 56: 18 (1918)

Clivia Lindl.

- Clivia miniata (Lindl.) Bosse, Vollst. Handb. Bl.-gartn., ed. 3 1: 768 (1859)** Int 군자란
Imantophyllum miniatum (Lindl.) Hook., Bot. Mag. 80: t. 4783 (1854)
Vallota miniata Lindl., Gard. Chron. 1854: 119 (1854)
Clivia sulphurea Laing, Wiener Ill. Gart.-Zeitung 2: 275 (1858)
Himantophyllum miniatum (Lindl.) Groenland, Rev. Hort. 1859: 125 (1859)
Imatophyllum atosanguineum F.N.Williams, Cat. New Pl. [Williams] 1888: 20 (1888)
Clivia miniata var. *flava* E.Phillips, Fl. Pl. South Africa 11: t. 411 (1931)

Convallaria L.

- Convallaria keiskei Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 148 (1867)** Nat; N Korea, S Korea 은방울꽃
Convallaria majalis L. var. *manshurica* Kom., Mal. Oprod. Rast. Dal'nevost. Kraia 385 (1925)
Convallaria manshurica (Kom.) Knorring, Fl. URSS 4: 468 (1935)
Convallaria majalis L. var. *keiskei* (Miq.) Makino, Ill. Fl. Nippon (Makino) 731 (1948)

Disporum Salisb.

- Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f., Prodr. Fl. Nepal. 50 (1825)** Nat; S Korea 윤관나물 아재비
Uvularia sessilis Thunb., Fl. Jap. (Thunberg) 135 (1784)
Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *minus* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 147 (1867)
Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *stenophyllum* Franch. & Sav., Enum. Pl. Jap. 2: 52 (1877)
Tovaria hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 6: 264 (1908)
Disporum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 372 (1911)
Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *macrophyllum* Koidz., Bot. Mag. (Tokyo) 30: 325 (1916)
Disporum hallaisanense (H.Lév.) Ohwi, Acta Phytotax. Geobot. 1: 142 (1932)

- Disporum smilacinum A.Gray, Narr. Exped. China Japan 2: 231 (1854)** Nat; N Korea, S Korea 애기나리
Disporum smilacinum A.Gray var. *album* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 215 (1884)
Disporum smilacinum A.Gray var. *ramosum* Nakai, Bot. Mag. (Tokyo) 45: 107 (1931)

- Disporum uniflorum Baker, J. Bot. 13: 230 (1875)** Nat; S Korea 윤관나물
Disporum flavens Kitag., Bot. Mag. (Tokyo) 48: 92 (1934)
Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *pachyrrhizum* Hand.-Mazz., Symb. Sin. 7: 1207 (1936)
Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. subsp. *flavens* (Kitag.) Kitag., Lin. Fl. Manshur. 135 (1939)
Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *flavens* (Kitag.) H.S.Kim, Fl. Coreana (Kim) 7: 537 (1976)

- Disporum viridescens (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 246 (1911)** Nat; N Korea, S Korea 큰애기나리
Uvularia viridescens Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 273 (1859)

Prosartes viridescens (Maxim.) Regel, Tent. Fl.-Ussur. 148 (1861)
Disporum smilacinum A.Gray var. *viridescens* (Maxim.) Maxim., Bull. Acad. Imp. Sci.
Saint-Pétersbourg 29: 215 (1883)

Erythronium L.

***Erythronium japonicum* Decne., Rev. Hort. 4, 3: 284 (1854)** Nat: N Korea, S Korea 얼레지
Erythronium dens-canis L. var. *japonicum* (Decne.) Baker, J. Linn. Soc., Bot. 14: 297 (1874)
Erythronium japonicum Decne. var. *leucanthum* I.Yamam. & Tsukam., Fl. Hakodate 192
(1932)

Fritillaria L.

***Fritillaria thunbergii* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 157 (1867)** Int 중국패모
Uvularia cirrhosa Thunb., Syst. Veg., ed. 14 (J. A. Murray) 325 (1784)
Fritillaria collicola Hance, J. Bot. 8: 76 (1870)
Fritillaria verticillata Willd. var. *thunbergii* (Miq.) Baker, J. Linn. Soc., Bot. 14: 258 (1874)
Fritillaria thunbergii Miq. var. *chekiangensis* P.K.Hsiao & K.C.Hsia, Acta Phytotax. Sin.
15: 42 (1977)

***Fritillaria ussuriensis* Maxim., Diagn. Pl. Nov. Asiat. 1: 9 (1877)** Nat: N Korea 패모

Gagea Raddi

***Gagea hiensis* Pascher, Lotos 52: 125 (1904)** Nat: N Korea, S Korea 애기중의무릇
Gagea terracianoana Pascher, Repert. Spec. Nov. Regni Veg. 2: 58 (1906)

***Gagea nakaiana* Kitag., Rep. Inst. Sci. Res. Manchoukuo 3(App. 1): 136 (1939)** Nat: N Korea, S Korea 중의무릇

Gagea coreanica Koidz., Acta Phytotax. Geobot. 8: 191 (1939)
Gagea lutea (L.) Ker Gawl. var. *coreana* (Kitag.) Q.S.Sun, Fl. Liaoningica 2: 692 (1992)

Heloniopsis A.Gray

***Heloniopsis koreana* Fuse & N.S.Lee & M.N.Tamura, Taxon 53: 956 (2004)** Nat: N Korea, S Korea, Endemic 처녀치마

***Heloniopsis tubiflora* Fuse & N.S.Lee & M.N.Tamura, Taxon 53: 954 (2004)** Nat: N Korea, S Korea 속은처녀치마

Hemerocallis L.

***Hemerocallis citrina* Baroni, Nuovo Giorn. Bot. Ital. n.s. 4: 305 (1897)** Nat: N Korea, S Korea 풀잎원추리

Hemerocallis graminea Andrews, Bot. Repos. 4: t. 244 (1802)
Hemerocallis graminifolia Schldtl., Abh. Naturf. Ges. Halle 1: 15 (1834)
Hemerocallis coreana Nakai, Bot. Mag. (Tokyo) 46: 123 (1932)
Hemerocallis flava (L.) L. var. *coreana* (Nakai) M.Hotta, Acta Phytotax. Geobot. 22: 40
(1966)
Hemerocallis flava (L.) L. var. *minor* (Mill.) M.Hotta, Acta Phytotax. Geobot. 22: 40 (1966)

***Hemerocallis dumortieri* C.Morren, Hort. Belge 2: 195 (1835) Nat: N Korea, S Korea**
각시원추리

Hemerocallis rutilans Baker, J. Linn. Soc., Bot. 11: 359 (1870)

***Hemerocallis fulva* (L.) L., Sp. Pl. (ed. 2) 1: 462 (1762) Int 원추리**

Hemerocallis lilioasphodelus L. var. *fulva* L., Sp. Pl. 324 (1753)

Hemerocallis fulva (L.) L. var. *maculata* Baroni, Nuovo Giorn. Bot. Ital. 2: 306 (1897)

Hemerocallis maculata (Baroni) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 146 (1952)

Hemerocallis fulva* (L.) L. f. *fulva

***Hemerocallis fulva* (L.) L. f. *kwanso* (Regel) Kitam., Acta Phytotax. Geobot. 22: 69 (1966)**
Int 왕원추리

Hemerocallis kwanso (Regel) Barr, Garden (London 1871-1927) 6: 500 (1866)

Hemerocallis fulva (L.) L. var. *kwanso* Regel, Gartenflora 15: 66 (1866)

Hemerocallis disticha var. *kwanso* (Regel) Nakai, Bot. Mag. (Tokyo) 38: 179 (1924)

***Hemerocallis hakuunensis* Nakai, J. Jap. Bot. 19: 315 (1943) Nat: N Korea, S Korea, Endemic**
백운산원추리

Hemerocallis micrantha Nakai, J. Jap. Bot. 19: 315 (1943)

Hemerocallis hongdoensis M.G.Chung & S.S.Kang, Novon 4: 94 (1994)

Hemerocallis taeanensis S.S.Kang & M.G.Chung, Syst. Bot. 22: 428 (1997)

***Hemerocallis lilioasphodelus* L., Sp. Pl. 324 (1753) Nat: S Korea 노랑원추리**

Hemerocallis lilioasphodelus L. var. *nana* L., Sp. Pl. 324 (1753)

Hemerocallis flava (L.) L., Sp. Pl. (ed. 2) 462 (1762)

***Hemerocallis middendorffii* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 94 (1856) Nat: N Korea, S Korea 큰원추리**

Hemerocallis dumortieri C.Morren var. *middendorffii* (Trautv. & C.A.Mey.) Kitam., Acta Phytotax. Geobot. 22: 41 (1966)

***Hemerocallis minor* Mill., Gard. Dict., ed. 8 *Hemerocallis* no. 2 (1768) Nat: N Korea, S Korea**
애기원추리

Hosta Tratt.

***Hosta capitata* (Koidz.) Nakai, Bot. Mag. (Tokyo) 44: 514 (1930) Nat: S Korea 일월비비추**

Hosta caerulea Jacq. var. *capitata* Koidz., Bot. Mag. (Tokyo) 30: 326 (1916)

Hosta nakaiana F.Maek., J. Jap. Bot. 11: 687 (1935)

***Hosta clausa* Nakai, Bot. Mag. (Tokyo) 44: 27 (1930) Nat: N Korea, S Korea 주걱비비추**

Hosta lancifolia (Thunb.) Engl., Nat. Pflanzenfam. 2: 40 (1887)

Hosta japonica var. *lancifolia* Nakai, Rep. Veg. Diamond Mountains 167 (1918)

Hosta japonica var. *normalis* Nakai, Rep. Veg. Diamond Mountains 167 (1918)

Hosta clausa Nakai var. *normalis* F.Maek., J. Jap. Bot. 13: 899 (1937)

Hosta ensata F.Maek., J. Jap. Bot. 28 (1937)

Hosta clausa Nakai var. *ensata* (F.Maek.) W.G.Schmid, Gen. Hosta 316 (1991)

Hosta ensata F.Maek. var. *normalis* (F.Maek.) Q.S.Sun, Fl. Liaoningica 2: 682 (1992)

***Hosta minor* (Baker) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 251 (1911) Nat: N Korea, S Korea 좁비비추**

Funkia ovata Spreng. var. *minor* Baker, J. Linn. Soc., Bot. 11: 368 (1870)
Hosta minor (Baker) Nakai var. *alba* Nakai, Rep. Veg. Diamond Mountains 201 (1918)
Hosta minor (Baker) Nakai f. *alba* (Nakai) F.Maek., J. Fac. Sci. Univ. Tokyo, Sect. 3,
Bot. 5: 418 (1940)

***Hosta plantaginea* (Lam.) Asch., Bot. Zeitung (Berlin) 21: 53 (1863) Int 옥잠화**

Hemerocallis plantaginea Lam., Encycl. (Lamarck) 3: 103 (1789)
Funkia subcordata Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 41 (1825)
Hosta plantaginea (Lam.) Asch. f. *stenantha* F.Maek., J. Fac. Sci. Univ. Tokyo, Sect. 3,
Bot. 5: 347 (1940)
Hosta plantaginea (Lam.) Asch. var. *japonica* Kikuchi & F.Maek., J. Fac. Sci. Univ.
Tokyo, Sect. 3, Bot. 5: 343 (1940)

***Hosta venusta* F.Maek., J. Jap. Bot. 11: 245 (1935) Nat: S Korea 한라비비추**

Funkia subcordata Spreng. var. *taquetii* H.Lév., Repert. Spec. Nov. Regni Veg. 9: 322 (1911)
Hosta venusta F.Maek. var. *decurrens* F.Maek., J. Jap. Bot. 13: 897 (1937)
Hosta taquetii (H.Lév.) M.G.Chung & J.W.Kim, Sida 14: 415 (1991)

***Hosta yingeri* S.B.Jones, Ann. Missouri Bot. Gard. 76: 504 (1989) Nat: S Korea**

흑산도비비추

Hosta jonesii M.G.Chung, Ann. Missouri Bot. Gard. 76: 920 (1989)

***Hyacinthus* L.**

***Hyacinthus orientalis* L., Sp. Pl. 317 (1753) Int 히아신스**

***Lilium* L.**

***Lilium amabile* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 113 (1901) Nat: N Korea, S Korea 털중나리**

Lilium fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908)
Lilium amabile Palib. var. *flavum* Y.N.Lee, Bull. Korea Pl. Res. 2: 9 (2002)

***Lilium brownii* F.E.Br. ex Miellez, Cat. Expos. Soc. Hort. Lille s.p. (1841) Int 당나리**

Lilium australe Stapf, Gard. Chron. ser. 3, 70: 101 (1921)
Lilium brownii F.E.Br. ex Miellez var. *australe* (Stapf) Stearn, Lilies World 165 (1950)

***Lilium callosum* Siebold & Zucc., Fl. Jap. (Siebold) 1: 86 (1839) Nat: S Korea 땅나리**

Lilium pomponicum Thunb., Fl. Jap. (Thunberg) 134 (1784)
Lilium tenuifolium Fisch. ex Hook.f. var. *stenophyllum* Baker, J. Linn. Soc., Bot. 14: 251
(1874)
Lilium taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 (1908)
Lilium talanense Hayata, Icon. Pl. Formosan. 6: 98 (1916)
Lilium mandshuricum Gand., Bull. Soc. Bot. France 19: 292 (1919)

***Lilium cernuum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 461 (1901) Nat: N Korea, S Korea 술나리**

Lilium graminifolium H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 (1908)
Lilium palibinianum Y.Yabe, Bot. Mag. (Tokyo) 17: 134 (1908)
Lilium cernuum Kom. var. *atropurpureum* Nakai, Bot. Mag. (Tokyo) 31: 5 (1917)
Lilium cernuum Kom. var. *candidum* Nakai, Bot. Mag. (Tokyo) 31: 5 (1917)

***Lilium concolor* Salisb., Parad. Lond. 1: t. 47 (1806) Nat: N Korea, S Korea 하늘나리**

- Lilium buschianum* Lodd., Bot. Cab. 17: t. 1628 (1830)
Lilium pulchellum Fisch., Index Seminum [St.Petersburg (Petropolitanus)] 6: 56 (1840)
Lilium sinicum Lindl. & Paxton, Paxton's Fl. Gard. 2: 115 (1851)
Lilium coridion Siebold & de Vriese, Tuinb.-Fl. 2: 341 cum t. (1855)
Lilium partheneion Siebold & de Vriese, Tuinb.-Fl. 2: 340 cum t. (1855)
Lilium concolor Salisb. var. *coridion* (Siebold & de Vriese) Baker, Gard. Chron. 1871: 1035 (1871)
Lilium concolor Salisb. var. *partheneion* (Siebold & de Vriese) Baker, Gard. Chron. 1871: 1035 (1871)
Lilium concolor Salisb. var. *buschianum* (Lodd.) Baker, J. Linn. Soc., Bot. 14: 236 (1874)
Lilium concolor Salisb. var. *pulchellum* (Fisch.) Baker, J. Linn. Soc., Bot. 14: 236 (1874)
Lilium mairei H.Lév., Repert. Spec. Nov. Regni Veg. 11: 303 (1912)
Lilium concolor Salisb. var. *pulchellum* f. *parthenion* (Siebold & de Vries) Wilson, Lilies East. Asia 58 (1925)
Lilium concolor Salisb. var. *partheneion* f. *cordidion* (Siebold & de Vries) Kitag., Lin. Fl. Manshur. 138 (1939)
Lilium concolor Salisb. var. *megalanthum* F.T.Wang & T.Tang, Fl. Reipubl. Popularis Sin. 14: 283 (1980)
Lilium megalanthum (F.T.Wang & T.Tang) Q.S.Sun, Bull. Bot. Res., Harbin 9: 135 (1989)

***Lilium dauricum* Ker Gawl., Curtis's Bot. Mag. 30: t. 1210 (1809) Nat: N Korea, S Korea 날개하늘나리**

- Lilium pennsylvanicum* Ker Gawl., Bot. Mag. 22: t. 872 (1805)
Lilium spectabile Link, Enum. Hort. Berol. Alt. 1: 321 (1821)
Lilium bulbiferum L. subsp. *dauricum* (Ker Gawl.) Baker, Gard. Chron. 1871: 1034 (1871)
Lilium pseudodahuricum M.Fedoss. & S.Fedoss., Del. Hort. Jur. 45 (1899)
Lilium maculatum Thunb. subsp. *dauricum* (Ker Gawl.) H.Hara, J. Jap. Bot. 38: 249 (1963)
Lilium maculatum Thunb. var. *dauricum* (Ker Gawl.) Ohwi, Fl. Jap., revised ed., [Ohwi] 1438 (1965)

***Lilium distichum* Nakai ex Kamib., Chosen Yuri Dzukai t. 7 (1916) Nat: N Korea, S Korea 말나리**

***Lilium hansonii* Leichtlin ex D.D.T.Moore, Rural New Yorker 24: 60 (1871) Nat: S Korea 섬말나리**

- Lilium medeoloides* A.Gray var. *obovatum* Franch. & Sav., Enum. Pl. Jap. 2: 63 (1876)

***Lilium lancifolium* Thunb., Trans. Linn. Soc. London 2: 333 (1794) Nat: N Korea, S Korea 참나리**

- Lilium tigrinum* Ker Gawl., Bot. Mag. 31: t. 1237 (1810)
Lilium tigrinum Ker Gawl. var. *fortunei* Standish, Gard. Chron. 1866: 972 (1866)
Lilium tigrinum Ker Gawl. var. *splendens* Van Houtte, Fl. Serres Jard. Eur. 19: t. 1931 (1870)
Lilium leopoldii Baker, J. Linn. Soc., Bot. 14: 233 (1874)
Lilium tigrinum Ker Gawl. var. *plenescens* Waugh, Bot. Gaz. 27: 254 (1899)
Lilium lancifolium Thunb. var. *flaviflorum* Makino, J. Jap. Bot. 8: 43 (1932)
Lilium lancifolium Thunb. var. *fortunei* (Standish) V.A.Matthews, New Plantsman 7: 126 (1985)
Lilium lancifolium Thunb. var. *splendens* (Van Houtte) V.A.Matthews, New Plantsman 7: 126 (1985)

***Lilium leichtlinii* Baker var. *maximowiczii* (Regel) Baker, Gard. Chron. 1871: 1422 (1871)**

Nat: N Korea, S Korea 중나리

- Lilium pseudotigrinum* Carrière, Rev. Hort. 1867: 411 (1867)
Lilium maximowiczii Regel, Gartenflora 17: 322, t. 596 (1868)
Lilium maximowiczii Regel var. *tigrinum* Regel, Gartenflora 19: 290 (1870)
Lilium leichtlinii Baker var. *pseudotigrinum* Baker, J. Hort. Soc. London n.s. 4: 47 (1877)
Lilium maximowiczii Regel var. *bakeri* Elwes, Monogr. Lilium 0 (1880)
Lilium maximowiczii Regel var. *pseudotigrinum* (Carrière) Elwes, Monogr. Lilium 0 (1880)
Lilium maximowiczii Regel var. *regelii* Elwes, Monogr. Lilium 0 (1880)
Lilium leichtlinii Baker var. *tigrinum* G.Nicholson, Ill. Dict. Gard. 2: 271 (1887)
Lilium leichtlinii Baker f. *pseudotigrinum* (Carrière) H.Hara & Kitam., Acta Phytotax. Geobot. 36: 93 (1985)

***Lilium longiflorum* Thunb., Trans. Linn. Soc. London 2: 333 (1794) Int 백합**

- Lilium madeirense* T.E.Bowdich, Exc. Madeira 36 (1825)
Lilium speciosissimum Baxter, Hort. Brit. (Loudon) (ed. 3) 2: 645 (1839)
Lilium liukiu Siebold, Rev. Hort. 224 (1845)
Lilium jama-juri Siebold & de Vriese, Tuinb.-Fl. 1: 320 (1855)
Lilium abchasicum Baker, J. Linn. Soc., Bot. 14: 230 (1874)
Lilium takesima Baker, J. Linn. Soc., Bot. 14: 230 (1874)
Lilium harrisii Carrière, Rev. Hort. 1883: 211 (1883)
Lilium longiflorum Thunb. var. *scabrum* Matsum., Trans. Nat. Hist. Soc. Taiwan 26: 218 (1936)

***Lilium medeoloides* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 415 (1859) Nat: N Korea, S**

Korea 개말나리

- Lilium avenaceum* Fisch. ex Maxim., Gartenflora 14: 290 (1865)
Lilium sado-insulare Masam. & Satomi, Sci. Rep. Kanazawa Univ., Biol. 2: 119 (1954)
Lilium medeoloides A.Gray f. *atropurpureum* Okuy., J. Jap. Bot. 30: 41 (1955)

***Lilium pumilum* Delile, Liliac. 7: t. 378 (1812) Nat: N Korea 큰솔나리**

- Lilium linifolium* Hornem., Hort. Bot. Hafn. 1: 326 (1813)
Lilium stenophyllum Baker, J. Linn. Soc., Bot. 14: 251 (1874)
Lilium tenuifolium Fisch. ex Hook.f., Bot. Mag. 126: t. 7715 (1900)
Lilium sinensium Gand., Bull. Soc. Bot. France 66: 292 (1919)
Lilium chrysanthum Nakai & Maek., J. Jap. Bot. 11: 244 (1934)
Lilium tenuifolium Fisch. ex Hook.f. var. *chrysanthum* (Nakai & F.Maek.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 147 (1952)
Lilium potaninii Vriehcz, Bot. Zhurn. (Moscow & Leningrad) 53: 1472 (1968)

***Lilium tsingtauense* Gilg, Bot. Jahrb. Syst. 34 (1): 24 (1904) Nat: N Korea, S Korea**

하늘말나리

- Lilium tsingtauense* Gilg var. *flavum* Makino, Bot. Mag. (Tokyo) 24: 301 (1910)
Lilium miqelianum Makino var. *flavum* Makino, Bot. Mag. (Tokyo) 24: 301 (1910)
Lilium miqelianum Makino, Bot. Mag. (Tokyo) 24: 301 (1910)
Lilium carneum Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 (1914)
Lilium tsingtauense Gilg var. *carneum* (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 9 (1917)

***Liriope* Lour.**

***Liriope minor* (Maxim.) Makino, Bot. Mag. (Tokyo) 7: 323 (1893) Nat: S Korea 좁맥문동**

- Ophiopogon spicatus* var. *minor* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 85 (1871)

Liriope graminifolia (L.) Baker var. *minor* (Maxim.) Baker, J. Linn. Soc., Bot. 17: 500 (1879)

Mondo cernuum Koidz., Bot. Mag. (Tokyo) 40: 332 (1926)

Liriope cernua (Koidz.) Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 559 (1934)

Mondo tokyoense Nakai, J. Jap. Bot. 19: 314 (1943)

Liriope exiliflora (L.H.Bailey) H.H.Hume, Bailey 9: 144 (1961)

***Liriope muscari* (Decne.) L.H.Bailey, Gentes Herb. 2: 35 (1929) Nat: S Korea 맥문동**

Ophiopogon muscari Decne., Fl. Serres 17: 181 (1867)

Ophiopogon spicatus var. *communis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 85 (1871)

Liriope graminifolia (L.) Baker, J. Linn. Soc., Bot. 14: 538 (1875)

Liriope graminifolia (L.) Baker var. *densifolia* Maxim. ex Baker, J. Linn. Soc., Bot. 17: 500 (1879)

Liriope spicata (Thunb.) Lour. var. *latifolia* Franch., Pl. David. 1: 298 (1884)

Liriope spicata (Thunb.) Lour. var. *densiflora* C.H.Wright, J. Linn. Soc., Bot. 36: 79 (1903)

Liriope muscari (Decne.) L.H.Bailey var. *communis* (Maxim.) Nakai, Bot. Mag. (Tokyo) 43: 776 (1934)

Liriope platyphylla F.T.Wang & T.Tang, Acta Phytotax. Sin. 1: 331 (1951)

***Liriope spicata* (Thunb.) Lour., Fl. Cochinch. 201 (1790) Nat: N Korea, S Korea 개맥문동**

Convallaria spicata Thunb., Fl. Jap. (Siebold) 141 (1845)

Ophiopogon spicatus var. *koreanus* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 6 (1901)

Ophiopogon fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 (1908)

Liriope graminifolia (L.) Baker var. *koreana* (Palib.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 239 (1911)

Liriope koreana (Palib.) Nakai, Rep. Veg. Chiisan Mts. 26 (1915)

Mondo fauriei (H.Lév. & Vaniot) Farw., Amer. Midl. Naturalist 7: 43 (1921)

Mondo koreanum (Palib.) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 231 (1934)

Ophiopogon koreanus (Palib.) Masam., Sci. Rep. Kanazawa Univ., Biol. 5: 111 (1957)

Liriope spicata (Thunb.) Lour. f. *koreana* (Palib.) H.Hara, J. Jap. Bot. 59: 38 (1984)

Lloydia Salisb.

***Lloydia serotina* (L.) Rchb., Fl. Germ. Excurs. 102 (1830) Nat: N Korea 개감채**

Bulbocodium serotinum L., Sp. Pl. 294 (1753)

Ornithogalum altaicum Laxm., Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 18: 530 (1774)

Ornithogalum striatum Willd., Sp. Pl. (ed. 5; Willdenow) 2: 112 (1799)

Lloydia alpina Salisb., Trans. Hort. Soc. London 1: 328 (1812)

Gagea serotina (L.) Ker Gawl., J. Sci. Arts (London) 1: 180 (1816)

Gagea bracteata Schult.f., Syst. Veg. (ed. 16) [Roemer & Schultes] 7(1): 542 (1829)

Nectarobothrium redowskianum Cham., Linnaea 6: 585 (1831)

Lloydia sicula A.Huet ex Baker, J. Linn. Soc., Bot. 14: 300 (1874)

Lloydia serotina (L.) Rchb. var. *unifolia* Franch., J. Bot. (Morot) 12: 192 (1898)

***Lloydia triflora* (Ledeb.) Baker, J. Linn. Soc., Bot. 14: 300 (1874) Nat: N Korea, S Korea 나도개감채**

Ornithogalum triflorum Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 529 (1812)

Ornithogalum triflorum Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 529 (1812)

Gagea triflora (Ledeb.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 7(1): 542 (1829)
Tulipa ornithogalooides Fisch. ex Besser, Flora 17 (1 Beibl.): 25 (1834)
Stellaster triflorus (Ledeb.) Kuntze, Revis. Gen. Pl. 2: 715 (1891)

Maianthemum F.H.Wigg.

***Maianthemum bicolor* (Nakai) Cubey, Plantsman n.s. 4: 219 (2005)** Nat: N Korea, S Korea
자주숨대

Smilacina bicolor Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 (1914)
Vagnera bicolor (Nakai) Makino, J. Jap. Bot. 6: 31 (1929)
Smilacina bicolor Nakai var. *flavovirens* N.S.Lee & J.Y.Kim, J. Pl. Biol. 41: 56 (1998)

***Maianthemum bifolium* (L.) F.W.Schmidt, Fl. Boem. Cent. 4 4: 55 (1794)** Nat: N Korea, S Korea
두루미꽃

Convallaria bifolia L., Sp. Pl. 316 (1753)
Maianthemum convallaria F.H.Wigg., Prim. Fl. Holsat. 15 (1780)
Smilacina bifolia (L.) Desf., Ann. Mus. Natl. Hist. Nat. 9: 54 (1807)

***Maianthemum dahuricum* (Turcz. ex Fisch. & C.A.Mey.) LaFrankie, Taxon 35: 588 (1986)**
Nat: N Korea 민숨대

Smilacina dahurica Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 38 (1835)
Asteranthemum dahuricum Kunth, Enum. Pl. (Kunth) 5: 153 (1850)
Tovaria dahurica Baker, J. Linn. Soc., Bot. 14: 567 (1875)

***Maianthemum dilatatum* (A.W.Wood) A.Nelson & J.F.Macbr., Bot. Gaz. 61: 30 (1916)** Nat: N Korea, S Korea
큰두루미꽃

Convallaria bifolia L. var. *kamtschatica* J.F.Gmel., Linnaea 6: 587 (1831)
Smilacina bifolia (L.) Desf. var. *kamtschatica* (J.F.Gmel.) Ledeb., Fl. Ross. (Ledeb.) 4: 127 (1854)
Maianthemum bifolium (L.) F.W.Schmidt var. *kamtschaticum* (J.F.Gmel.) Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 92 (1856)
Maianthemum bifolium (L.) F.W.Schmidt var. *dilatatum* A.W.Wood, Proc. Acad. Nat. Sci. Philadelphia 20: 174 (1868)
Unifolium dilatatum (A.W.Wood) Howell, Fl. N.W. Amer. 1: 657 (1902)
Maianthemum kamtschaticum (J.F.Gmel.) Nakai, Bot. Mag. (Tokyo) 31: 282 (1917)

***Maianthemum japonicum* (A.Gray) LaFrankie, Taxon 35: 588 (1986)** Nat: N Korea, S Korea
플숨대

Smilacina japonica A.Gray, Narr. Exped. China Japan 2: 321 (1857)
Smilacina hirta Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 276 (1859)
Tovaria japonica (A.Gray) Baker, J. Linn. Soc., Bot. 14: 570 (1875)
Tovaria rossii Baker, J. Linn. Soc., Bot. 17: 387 (1880)
Smilacina japonica A.Gray var. *mandshurica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 2: 857 (1883)
Smilacina trinervis Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (3): 332 (1932)
Smilacina japonica A.Gray var. *luteocarpa* Y.N.Lee, Korean J. Pl. Taxon. 23: 264 (1993)

***Maianthemum trifolium* (L.) Sloboda, Rostlinnaictvi 192 (1852)** Nat: N Korea 세잎숨대

Convallaria trifolia L., Sp. Pl. 316 (1753)
Smilacina trifolia (L.) Desf., Ann. Mus. Natl. Hist. Nat. 9: 52 (1807)
Asteranthemum trifolium (L.) Kunth, Enum. Pl. (Kunth) 5: 153 (1850)

Tovara trifolia (L.) Neck. ex Baker, J. Linn. Soc., Bot. 14: 565 (1875)
Unifolium trifolium (L.) Greene, Bull. Torrey Bot. Club 15: 287 (1888)
Vagnera trifolia (L.) Morong, Mem. Torrey Bot. Club 5: 114 (1894)

Metanarthecium Maxim.

***Metanarthecium luteoviride* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 438 (1867)**

Nat: S Korea 칠보치마

Aletris luteoviridis (Maxim.) Franch., J. Bot. (Morot) 10: 201 (1896)

Ophiopogon Ker Gawl.

***Ophiopogon jaburan* (Siebold) Lodd., Bot. Cab. 1876 (1818)** Nat: S Korea 맥문아재비

Convallaria japonica var. *major* Thunb., Fl. Jap. (Thunberg) 159 (1786)

Slateria jaburan Siebold, Verh. Batav. Genootsch. Kunsten 12: 15 (1830)

Flueggea jaburan (Siebold) Kunth, Enum. Pl. (Kunth) 5: 303 (1850)

Ophiopogon taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 171 (1910)

Mondo jaburan var. *major* (Thunb.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 144 (1952)

***Ophiopogon japonicus* (L.f.) Ker Gawl., Bot. Mag. 27: 1063 (1807)** Nat: S Korea 소엽맥문둥

Convallaria japonica var. *minor* Thunb., Fl. Jap. (Thunberg) 253 (1786)

Flueggea japonica (Thunb.) Rich., Neues J. Bot. 2: 9 (1807)

Slateria japonica (Thunb.) Desv., J. Bot. (Desvaux) 1: 244 (1808)

Ophiopogon gracilis Kunth, Enum. Pl. (Kunth) 5: 298 (1850)

Ophiopogon japonicus (L.f.) Ker Gawl. var. *umbrosus* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 7: 327 (1869)

Ophiopogon japonicus (L.f.) Ker Gawl. var. *umbraticolar* (Hance) C.H.Wright, J. Linn. Soc., Bot. 36(250): 78 (1903)

Ophiopogon stolonifer H.Lév. & Vaniot, Liliac. & c. Chine 16 (1905)

Convallaria japonica Greene, Leafl. Bot. Observ. Crit. 2: 36 (1910)

Mondo japonicum (Thunb.) Farw., Amer. Midl. Naturalist 7: 42 (1921)

Mondo gracile (Kunth) Koidz., Acta Phytotax. Geobot. 3: 138 (1934)

Mondo gracile (Kunth) Koidz. var. *frempedicellatum* Koidz., Acta Phytotax. Geobot. 3: 138 (1934)

Mondo longifolium Ohwi, Repert. Spec. Nov. Regni Veg. 36: 45 (1934)

Ophiopogon longifolius Ohwi, Repert. Spec. Nov. Regni Veg. 36: 45 (1934)

Ophiopogon gracilis Kunth var. *frempedicellatum* (Koidz.) Nemoto, Fl. Jap. Suppl. 1067 (1936)

Ophiopogon ohwii Okuy., J. Jap. Bot. 13: 15 (1937)

Paris L.

***Paris tetrphylla* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 412 (1859)** Nat: S Korea

네잎삿갓나물

***Paris verticillata* M.Bieb., Fl. Taur.-Caucas. 3: 287 (1819)** Nat: N Korea, S Korea 삿갓나물

Paris obovata Ledeb., Icon. Pl. (Ledebour) 1: t. 16. (1829)

Paris hexaphylla Cham., Linnaea 6: 586 (1831)

Paris dahurica Fisch. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 105 (1854)

Paris quadrifolia L. var. *dahurica* (Fisch.) Franch., Nouv. Arch. Mus. Hist. Nat. Paris ser. 2, 10: 96 (1888)

Paris quadrifolia L. var. *obovata* (Ledeb.) Regel & Tiling, Bull. Soc. Philom. Paris 24: 282 (1888)

- Paris quadrifolia* L. var. *hexaphylla* (Cham.) B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 31: 121 (1912)
Paris manshurica Kom., Opred. Rast. Dal'nevost. Kraia 1: 385 (1931)
Paris hexaphylla Cham. f. *purpurea* Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 137 (1938)
Paris verticillata M.Bieb. var. *manshurica* (Kom.) H.Hara, Bot. Mag. (Tokyo) 52: 514 (1938)
Paris verticillata M.Bieb. f. *purpurea* (Miyabe & Tatew.) Honda, Nom. Pl. Japonic. 512 (1939)
Paris verticillata M.Bieb. subsp. *manshurica* (Kom.) Kitag., Lin. Fl. Manshur. 140 (1939)
Paris verticillata M.Bieb. var. *obovata* (Ledeb.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 10: 165 (1969)

Polygonatum Mill.

***Polygonatum acuminatifolium* Kom., Izv. Glavn. Bot. Sada RSFSR 16: 157 (1916) Nat; N Korea, S Korea 종동굴레**

Polygonatum quinquefolium Kitag., Rep. Inst. Sci. Res. Manchoukou 4: 79 (1940)

***Polygonatum cryptanthum* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908) Nat; S Korea 목포용동굴레**

Polygonatum fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908)

***Polygonatum desoulavyi* Kom., Opred. Rast. Dal'nevost. Kraia 1: 378 (1931) Nat; N Korea, S Korea 안면용동굴레**

Polygonatum x mediobracteatum Ohwi, J. Jap. Bot. 13: 443 (1937)

Polygonatum x mediobractarum var. *yesoense* Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 47 (1937)

Polygonatum desoulavyi Kom. var. *mediobractarum* (Ohwi) Satake, J. Jap. Bot. 18: 36 (1942)

Polygonatum desoulavyi Kom. var. *yesoense* (Miyabe & Tatew.) Satake, J. Jap. Bot. 19: 46 (1943)

***Polygonatum falcatum* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 414 (1859) Nat; S Korea 진황정**

Polygonatum falcatum A.Gray f. *robustum* Makino, Iinuma, Somoku-Dzusetsu, ed. 2 450 (1910)

Polygonatum stenanthum Nakai, Bot. Mag. (Tokyo) 27: 34 (1913)

Polygonatum tenuiflorum Koidz., Bot. Mag. (Tokyo) 33: 112 (1919)

Polygonatum falcatum A.Gray f. *hyugaense* Hiyama, J. Jap. Bot. 42: 164 (1957)

***Polygonatum humile* Fisch. ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 275 (1859) Nat; N Korea, S Korea 각시동굴레**

Polygonatum officinale Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 148 (1867)

Polygonatum officinale Miq. var. *humile* (Fisher) Baker, J. Linn. Soc., Bot. 14: 554 (1875)

Polygonatum humillimum Nakai, Repert. Spec. Nov. Regni Veg. 13: 248 (1914)

***Polygonatum inflatum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 442 (1901) Nat; N Korea, S Korea 통동굴레**

Polygonatum nipponicum Makino, Bot. Mag. (Tokyo) 17: 51 (1903)

Polygonatum virens Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 (1914)

Polygonatum inflatum Kom. var. *rotundifolium* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 232 (1934)

***Polygonatum involucratum* (Franch. & Sav.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 205 (1884) Nat: N Korea, S Korea 용동굴레**

- Periballanthus involucratum* Franch. & Sav., Enum. Pl. Jap. 2: 524 (1878)
Polygonatum periballanthus Makino, Bot. Mag. (Tokyo) 12: 228 (1898)
Polygonatum periballanthus Makino var. *ibukiense* Makino, Bot. Mag. (Tokyo) 12: 228 (1898)
Polygonatum ibukiense (Makino) Makino, Bot. Mag. (Tokyo) 21: 139 (1907)
Polygonatum miserum Satake, J. Jap. Bot. 18: 37 (1942)
Polygonatum nakaianum Ishid., Claves Pl. Chin. Bor.-Or. 582 (1959)

***Polygonatum lasianthum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 209 (1883) Nat: N Korea, S Korea 죽대**

- Polygonatum amabile* Yatabe, Bot. Mag. (Tokyo) 6: 279 (1892)
Polygonatum lasianthum Maxim. f. *amabile* (Yatabe) Makino, Bot. Mag. (Tokyo) 17: 115 (1903)
Polygonatum taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908)
Polygonatum petiolatum H.Lév., Repert. Spec. Nov. Regni Veg. 11: 33 (1912)
Polygonatum lasianthum Maxim. var. *coreanum* Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 (1914)
Polygonatum lasianthum Maxim. f. *variegatum* Hara, J. Jap. Bot. 20: 96 (1943)

***Polygonatum odoratum* (Mill.) Druce, Ann. Scott. Nat. Hist. 226 (1906) Nat: N Korea, S Korea 등굴레**

- Convallaria odorata* Mill., Gard. Dict., ed. 8 4 (1768)
Convallaria angulosa Lam., Fl. Franc. (Lamarck) 3: 268 (1779)
Convallaria polygonatum Thunb., Fl. Jap. (Thunberg) 142 (1784)
Polygonatum anceps Moench, Methodus (Moench) 637 (1794)
Convallaria parviflora Poir., Encycl. (Lamarck) Suppl. 4 29 (1816)
Polygonatum thunbergii C.Morren & Decne., Ann. Sci. Nat., Bot. II, 2: 312 (1834)
Polygonatum japonicum C.Morren & Decne., Ann. Sci. Nat., Bot. 2, 2: 311 (1834)
Convallaria compressa Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 406 (1840)
Polygonatum officinale Miq. var. *japonicum* (C.Morren & Decne.) Miq., Prolus. Fl. Jap. 312 (1867)
Polygonatum officinale Miq. var. *pluriflorum* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 148 (1867)
Polygonatum maximowiczii F.Schmidt, Reis. Amur-Land., Bot. 185 (1868)
Polygonatum angulosum Montandon, Syn. Fl. Jura, ed. 2, 311 (1868)
Polygonatum officinale Miq. var. *maximowiczii* (F.Schmidt) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 847 (1883)
Polygonatum officinale Miq. var. *papillosum* Franch., Pl. David. 1: 302 (1884)
Polygonatum officinale Miq. var. *robustum* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 400 (1893)
Polygonatum robustum (Korsh.) Nakai, Bot. Mag. (Tokyo) 31: 282 (1917)
Polygonatum odoratum (Mill.) Druce var. *maximowiczii* (F.Schmidt) Koidz., Bot. Mag. (Tokyo) 33: 111 (1919)
Polygonatum japonicum C.Morren & Decne. var. *variegatum* Nakai, Bot. Mag. (Tokyo) 38: 299 (1924)
Polygonatum hondense Nakai & Koidz., Fl. Symb. Orient.-Asiat. 34 (1930)
Polygonatum thunbergii C.Morren & Decne. var. *maximowiczii* (F.Schmidt) Nakai, Rep. Veg. Daisetsu Mts. 27 (1930)
Polygonatum quelpaertense Ohwi, J. Jap. Bot. 13: 443 (1937)
Polygonatum odoratum (Mill.) Druce var. *thunbergii* (C.Morren & Decne.) H.Hara, J. Jap. Bot. 20: 98 (1943)

Polygonatum odoratum (Mill.) Druce var. *japonicum* (C.Morren & Decne.) H.Hara, J. Jap. Bot. 20: 98 (1943)
Polygonatum odoratum (Mill.) Druce var. *quelpaertense* (Ohwi) H.Hara, J. Jap. Bot. 20: 99 (1943)
Polygonatum simizui Kitag., J. Jap. Bot. 22: 176 (1948)
Polygonatum odoratum (Mill.) Druce var. *pluriflorum* (Miq.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 7 (1949)
Polygonatum odoratum (Mill.) Druce f. *ovalifolium* Y.C.Chu, Nat. Resources 2: 4 (1979)
Polygonatum grandicaule Y.S.Kim & B.U.Oh & C.G.Jang, Korean J. Pl. Taxon. 28: 41 (1998)
Polygonatum infundiflorum Y.S.Kim & B.U.Oh & C.G.Jang, Korean J. Pl. Taxon. 28: 209 (1998)

***Polygonatum sibiricum* F.Delaroche, Liliac. 6: t. 315 (1811) Nat: N Korea, S Korea
충청갈고리등굴레**

Convallaria sibirica (F.Delaroche) Ker, J. Sci. Arts (London) 1: 182 (1816)
Polygonatum chinense Kunth, Enum. Pl. (Kunth) 5: 146 (1850)

***Polygonatum stenophyllum* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 274 (1859) Nat: N Korea, S Korea 충청등굴레**

Polygonatum verticillatum (L.) All., Fl. Pedem. 1: 131 (1785)
Polygonatum verticillatum (L.) All. var. *stenophyllum* (Maxim.) Baker, J. Linn. Soc., Bot. 14: 561 (1875)

Rohdea Roth

***Rohdea japonica* (Thunb.) Roth, Nov. Pl. Sp. 197 (1821) Int 만년청**

Orontium japonicum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 38 (1783)
Rohdea esquirolii H.Lév., Bull. Soc. Bot. France 54: 371 (1907)
Rohdea sinensis H.Lév., Bull. Soc. Bot. France 54: 371 (1907)

Smilax L.

***Smilax china* L., Sp. Pl. 2: 1029 (1753) Nat: N Korea, S Korea 청미래덩굴**

Coprosmanthus japonicus Kunth, Enum. Pl. (Kunth) 5: 268 (1850)
Smilax japonica (Kunth) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 412 (1857)
Smilax pteropus Miq., J. Bot. Néerl. 1: 89 (1861)
Smilax taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 372 (1912)
Smilax taiheiensis Hayata, Icon. Pl. Formosan. 9: 134 (1920)
Smilax china L. var. *microphylla* Nakai, Fl. Sylv. Kor. 22: 105 (1939)
Smilax china L. var. *taiheiensis* (Hayata) T.Koyama, Quart. J. Taiwan Mus. 10: 9 (1957)

***Smilax nipponica* Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 87 (1807) Nat: N Korea, S Korea 선밀나물**

Smilax higoensis Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. II, 2: 88 (1868)
Smilax herbacea L. var. *nipponica* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 174 (1872)
Smilax herbacea L. var. *intermedia* C.H.Wright, J. Linn. Soc., Bot. 36: 97 (1903)
Smilax herbacea L. var. *oblonga* C.H.Wright, J. Linn. Soc., Bot. 36: 98 (1903)
Smilax oblonga (C.H.Wright) Norton ex Bailey, Gentes Herb. 1: 15 (1920)
Coprosmanthus simadai (Masam.) Masam., Trans. Nat. Hist. Soc. Taiwan 29: 342 (1939)
Smilax simadai Masam., Trans. Nat. Hist. Soc. Taiwan 29: 270 (1939)

***Smilax riparia* A.DC., Monogr. Phan. 1: 55 (1878)** Nat: N Korea, S Korea **밀나물**
Smilax excelsa L. var. *ussuriensis* Regel, Tent. Fl.-Ussur. 150 (1861)
Smilax oldhamii Miq. var. *ussuriensis* (Regel) A.DC., Monogr. Phan. 1: 54 (1878)
Smilax herbacea L. var. *daibuensis* Hayata, Icon. Pl. Formosan. 9: 131 (1920)
Smilax maximowiczii Koidz., Fl. Symb. Orient.-Asiat. 10 (1930)
Coprosmanthus oldhamii (Miq.) Masam. var. *daibuensis* (Hayata) Masam., Trans. Nat. Hist. Soc. Taiwan 29: 325 (1939)
Coprosmanthus pseudochina var. *daibuensis* (Hayata) Masam., Trans. Nat. Hist. Soc. Taiwan 29: 342 (1939)
Smilax higoensis Miq. var. *maximowiczii* (Koidz.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 103 (1940)
Smilax higoensis Miq. var. *ussuriensis* (Regel) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 103 (1940)
Smilax oldhamii Miq. var. *daibuensis* (Hayata) T.Koyama, Quart. J. Taiwan Mus. 10: 6 (1957)
Smilax ovatorotunda Hayata var. *ussuriensis* (Regel) H.Hara, J. Jap. Bot. 33: 151 (1958)
Smilax ovatorotunda Hayata var. *ussuriensis* f. *maximowiczii* (Koidz.) H.Hara, J. Jap. Bot. 33: 151 (1958)
Smilax ovatorotunda Hayata var. *ussuriensis* f. *stenophylla* H.Hara, J. Jap. Bot. 33: 151 (1958)
Smilax riparia A.DC. var. *ussuriensis* (Regel) H.Hara & T.Koyama, Quart. J. Taiwan Mus. 13: 41 (1960)
Smilax riparia A.DC. var. *ussuriensis* f. *stenophylla* (H.Hara) T.Koyama, J. Taiwan Mus. 13: 42 (1960)
Smilax riparia A.DC. subsp. *ussuriensis* (Regel) Kitag., Neolin. Fl. Manshur. 182 (1979)

***Smilax sieboldii* Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 87 (1868)** Nat: N Korea, S Korea **청가시덩굴**

Smilax oldhamii Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. II, 2: 86 (1868)
Smilax herbacea L. var. *oldhamii* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 17: 174 (1872)
Smilax nebelii Gilg, Bot. Jahrb. Syst. 34 (1): 26 (1904)
Smilax sieboldii Miq. var. *formosana* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 363 (1911)
Smilax formosana (Hayata) Hayata, Icon. Pl. Formosan. 9: 127 (1920)

Streptopus Michx.

***Streptopus amplexifolius* (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3 3: 174 (1805)** Nat: N Korea **죽대아재비**

Uvularia amplexifolia L., Sp. Pl. 304 (1753)
Streptopus amplexifolius DC. var. *papillatus* Ohwi, Bot. Mag. (Tokyo) 45: 185 (1931)

***Streptopus koreanus* (Kom.) Ohwi, Bot. Mag. (Tokyo) 45: 189 (1931)** Nat: N Korea, S Korea **왕죽대아재비**

Kruhsea tilingiana Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 11: 122 (1859)
Streptopus ajanensis Tiling ex Maxim., Diagn. Pl. Nov. Asiat. 5: 855 (1883)
Streptopus ajanensis Tiling ex Maxim. var. *koreanus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 476 (1901)
Streptopus streptopoides var. *koreanus* (Kom.) Kitam., Acta Phytotax. Geobot. 22: 68 (1966)

***Streptopus ovalis* (Ohwi) F.T.Wang & Y.C.Tang, Fl. Reipubl. Popularis Sin. 15: 49 (1978)**
Nat: N Korea, S Korea 금강애기나리

- Disporum ovale* Ohwi, Bot. Mag. (Tokyo) 45: 385 (1931)
Disporum ovale Ohwi var. *albiflorum* Y.N.Lee & N.S.Lee, Korean J. Pl. Taxon. 9: 79 (1979)
Disporum ovale Ohwi f. *albiflorum* (Y.N.Lee & N.S.Lee) H.Hara, Bull. Univ. Mus. Univ. Tokyo 31: 205 (1988)
Streptopus ovalis (Ohwi) F.T.Wang & Y.C.Tang var. *albus* Y.N.Lee, Fl. Korea (Lee) 927 (1996)
Prosartes ovalis (Ohwi) M.N.Tamura, Fam. & Gen. Vasc. Pl. (ed. K.Kubitzki) 3: 171 (1998)

Tofieldia Huds.

***Tofieldia coccinea* Rich., Bot. App. (Richardson) 736 (1823)** Nat: N Korea 숙은꽃장포

- Tofieldia nutans* Willd. ex Schult.f., Syst. Veg. (ed. 16) [Roemer & Schultes] 7(2): 1573 (1830)
Tofieldia sordida Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 437 (1867)
Tofieldia gracilis Franch. & Sav., Enum. Pl. Jap. 2: 531 (1878)
Tofieldia stenantha Franch. & Sav., Enum. Pl. Jap. 2: 530 (1878)
Tofieldia fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 (1908)
Tofieldia taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 (1908)
Tofieldia fusca Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 5: 75 (1913)
Tofieldia kondoi Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 5: 74 (1913)
Tofieldia yezoensis Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 5: 73 (1913)
Tofieldia nutans Willd. ex Schult.f. var. *fusca* (Miyabe & Kudô) Koidz., Bot. Mag. (Tokyo) 31: 138 (1917)
Tofieldia nutans Willd. ex Schult.f. var. *rubescens* (Hoppe) Nakai, Veg. Apoi 27 (1930)
Tofieldia fusca Miyabe & Kudô var. *kondoi* Tatew., Veg. Apoi 120 (1930)
Tofieldia coccinea Rich. var. *kondoi* (Miyabe & Kudô) H.Hara, Bot. Mag. (Tokyo) 52: 559 (1938)
Tofieldia nuntans var. *gracilis* (Franch. & Sav.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 (1953)
Tofieldia nuntans var. *sordida* (Franch. & Sav.) T.Shimizu, Acta Phytotax. Geobot. 17: 153 (1958)
Tofieldia coccinea Rich. var. *fusca* (Miyabe & Kudô) H.Hara, J. Jap. Bot. 36: 392 (1961)
Tofieldia coccinea Rich. f. *pallescens* H.Hara, J. Jap. Bot. 36: 392 (1961)
Tofieldia nuntans var. *kondoi* (Miyabe & Kudô) H.Hara, J. Jap. Bot. 36: 393 (1961)
Tofieldia yezoensis Miyabe & Kudô var. *okushirensis* Tatew., J. Jap. Bot. 36: 393 (1961)

***Tofieldia nuda* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 416 (1872)** Nat: S Korea 돌장포

- Asphodeliris nuda* (Maxim.) Kuntze, Revis. Gen. Pl. 2: 706 (1891)
Tofieldia yoshiiana Makino, Bot. Mag. (Tokyo) 27: 255 (1913)
Tofieldia nuda Maxim. var. *koreana* Ohwi, Bot. Mag. (Tokyo) 45: 189 (1931)
Tofieldia nuda Maxim. var. *fursei* Hiyama, J. Jap. Bot. 28: 154 (1953)

Tricyrtis Wall.

***Tricyrtis macropoda* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 155 (1867)** Nat: S Korea 삿꼭나리

- Tricyrtis dilatata* Nakai, Repert. Spec. Nov. Regni Veg. 13: 248 (1914)
Tricyrtis macropoda Miq. var. *glabrescens* Koidz., Bot. Mag. (Tokyo) 38: 97 (1924)

Tricyrtis macropoda Miq. var. *hirsuta* Koidz., Bot. Mag. (Tokyo) 38: 97 (1924)
Tricyrtis macropoda Miq. f. *hirsuta* (Koidz.) Masam., J. Soc. Trop. Agric. 2: 44 (1930)
Tricyrtis macropoda Miq. f. *glabrescens* (Koidz.) Masam., J. Soc. Trop. Agric. 2: 44 (1930)

Trillium L.

***Trillium camschatcense* Ker Gawl., Bot. Mag. 22: sub t. 855 (1805) Nat: N Korea, S Korea
연영초**

Trillium kamtschaticum Pall. ex Pursh, Fl. Amer. Sept. (Pursh) 1: 246 (1814)
Trillium erectum L. var. *japonicum* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 413 (1859)
Trillium pallasii Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 252 (1927)
Trillium camschatcense Ker Gawl. var. *soyanum* (J.Samej.) H.Nakai & Koji Ito, J. Jap. Bot. 66: 56 (1991)
Trillium camschatcense Ker Gawl. var. *kurilense* (Tatew.) H.Nakai & Koji Ito, J. Jap. Bot. 66: 56 (1991)

***Trillium tschonoskii* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 218 (1884) Nat: N Korea, S Korea
큰연영초**

Trillium tschonoskii Maxim. var. *cryptopetalum* Makino, Bot. Mag. (Tokyo) 24: 138 (1910)
Trillium morii Hayata, Icon. Pl. Formosan. 7: 41 (1918)
Trillium tschonoskii Maxim. var. *himalaicum* H.Hara, J. Jap. Bot. 44: 373 (1969)
Trillium camschatcense Ker Gawl. var. *tschonoskii* (Maxim.) Vorosch., Florist. issl. v razn. raionakh SSSR 159 (1985)

Tulipa L.

***Tulipa gesneriana* L., Sp. Pl. 306 (1753) Int 튤립**

Tulipa hortensis Gaertn., Fruct. Sem. Pl. 1: 64 (1788)
Tulipa stricta Stokes, Bot. Mat. Med. 2: 239 (1812)
Tulipa cornuta Delile, Liliac. 8: t. 445 (1815)
Tulipa laciniata Fisch. ex Bellermin., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk. 7: 67 (1816)
Tulipa scabriscapa Fox-Strangw., Edward's Bot. Reg. 23: t. 1990 (1837)
Tulipa unguiculata Raf., Fl. Tellur. 2: 35 (1837)
Tulipa didieri Jord., Observ. Pl. Nouv. 1: 34 (1846)
Tulipa billietiana Jord., Ann. Soc. Linn. Lyon 5: 11 (1858)
Tulipa fulgens Baker, J. Linn. Soc., Bot. 14: 285 (1874)
Tulipa connivens Levier, Orig. Tul. Sav. Ital. 12 (1884)
Tulipa passeriniana Levier, Bull. Soc. Neuchateloise Sci. Nat. 14: 270 (1884)

Veratrum L.

***Veratrum dahuricum* (Turcz.) Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 134 (1926)
Nat: N Korea 관모박새**

Veratrum album L. var. *dahuricum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 28: 295 (1855)
Veratrum alpestre Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 330 (1937)

***Veratrum maackii* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 154 (1861) Nat: N Korea, S Korea
여로**

Veratrum album L. var. *grandiflorum* Maxim. ex Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. 2, 4: 17 (1869)
Veratrum album L. var. *parviflorum* Maxim. ex Miq., Arch. Neerl. Sci. Exact. Nat. 5: 90 (1870)
Veratrum nigrum L. var. *japonicum* Baker, J. Linn. Soc., Bot. 17: 472 (1879)
Veratrum maximowiczii Baker, J. Linn. Soc., Bot. 17: 472 (1879)
Veratrum album L. var. *oxysepalum* (Turcz.) Miyabe & Kudô, Fl. Saghalin 484 (1915)
Veratrum patulum Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 134 (1926)
Veratrum maackioides Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 144 (1926)
Veratrum mandschuricum Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 140 (1926)
Veratrum japonicum (Baker) Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 141 (1926)
Veratrum nigrum L. var. *reymondianum* O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 164 (1926)
Veratrum coreanum Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 143 (1926)
Veratrum angustipetalum Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 141 (1926)
Veratrum oblongum L. var. *macranthum* O.Loes., Repert. Spec. Nov. Regni Veg. 24: 68 (1927)
Veratrum japonicum (Baker) Loes. var. *reymondianum* (O.Loes.) O.Loes., Repert. Spec. Nov. Regni Veg. 24: 70 (1927)
Veratrum bohnhoffii O.Loes. var. *latifolium* Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 336 (1937)
Veratrum maackii Regel var. *macranthum* (O.Loes.) Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 339 (1937)
Veratrum sadoense Nakai, J. Jap. Bot. 13: 644 (1937)
Veratrum maximowiczii Baker var. *coreanum* (O.Loes.) Nakai, J. Jap. Bot. 13: 644 (1937)
Veratrum maximowiczii Baker var. *angustipetalum* (O.Loes.) Nakai, J. Jap. Bot. 13: 643 (1937)
Veratrum maackii Regel var. *reymondianum* (O.Loes.) H.Hara, Sci. Res. Ozegahara Moor 476 (1954)
Veratrum maackii Regel var. *parviflorum* (Maxim. ex Miq.) H.Hara, Sci. Res. Ozegahara Moor 476 (1954)
Veratrum maackii Regel f. *macranthum* (O.Loes.) T.Shimizu, Acta Phytotax. Geobot. 18: 167 (1960)
Veratrum maackii Regel var. *japonicum* (Baker) Shimizu, Acta Phytotax. Geobot. 18: 167 (1960)
Veratrum maackii Regel subsp. *maackioides* (O.Loes.) Zimm., Lloydia 24: 10 (1961)
Veratrum maackii Regel subsp. *japonicum* (Baker) Zimm., Lloydia 24: 10 (1961)
Veratrum maackii Regel subsp. *reymondianum* (O.Loes.) Zimm., Lloydia 24: 10 (1961)
Veratrum maackii Regel subsp. *maximowiczii* (Baker) Zimm., Lloydia 24: 10 (1961)
Veratrum nigrum L. subsp. *maackii* (Regel) Kitam., Acta Phytotax. Geobot. 22: 71 (1966)
Veratrum nigrum L. subsp. *maackii* var. *parviflorum* (Miq.) Kitam., J. Jap. Bot. 13: 71 (1966)
Veratrum maackii Regel var. *maackioides* (O.Loes.) H.Hara, J. Jap. Bot. 59: 231 (1983)
Veratrum maackii Regel var. *parviflorum* f. *japonicum* (Baker) H.Hara, J. Jap. Bot. 59 (8): 229 (1984)

***Veratrum nigrum* L., Sp. Pl. 1044 (1753) Nat: N Korea, S Korea 참여료**

Veratrum purpureum Salisb., Prodr. Stirp. Chap. Allerton 214 (1796)
Helonias nigra (L.) Ker Gawl., J. Sci. Arts (London) 1: 184 (1816)
Veratrum bracteatum Batalin, Trudy Imp. S.-Peterburgsk. Bot. Sada 13: 106 (1893)
Veratrum nigrum L. var. *ussuriense* O.Loes., Repert. Spec. Nov. Regni Veg. 24: 70 (1927)
Veratrum ussuriense (O.Loes.) Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 335 (1937)

***Veratrum oxysepalum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 79 (1840) Nat: N Korea, S Korea 박재**

Veratrum album L. subsp. *oxysepalum* (Turcz.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 233 (1927)

Veratrum sikokianum Nakai, J. Jap. Bot. 13: 638 (1937)

***Veratrum versicolor* Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 341 (1937) Nat: N Korea, S Korea 흰여로**

Veratrum versicolor Nakai f. *brunneum* Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 341 (1937)

Yucca L.

***Yucca filamentosa* L., Sp. Pl. 319 (1753) Int 실유카**

Yucca filamentosa L. var. *patens* Carrière, Rev. Hort. 1860: 216 (1860)

Yucca filamentosa L. var. *recurvifolia* A.W. Wood, Class-book Bot. (ed. 1861) 709 (1861)

Yucca filamentosa L. var. *bracteata* Engelm., Trans. Acad. Sci. St. Louis 3: 52 (1873)

Yucca filamentosa L. var. *maxima* Baker, Refug. Bot. 5: t. 325 (1873)

Yucca filamentosa L. var. *laevigata* Engelm., Trans. Acad. Sci. St. Louis 3: 52 (1873)

Yucca filamentosa L. var. *elmensis* Sprenger, Boll. Reale Soc. Tosc. Ort. 1906: 132 (1906)

***Yucca gloriosa* L., Sp. Pl. 319 (1753) Int 유카**

Yucca integerrima Stokes, Bot. Mat. Med. 2: 267 (1812)

Yucca acuminata Sweet, Brit. Fl. Gard. 2: t. 195 (1827)

Yucca ensifolia Groenland, Rev. Hort. 4, 7: 433 (1858)

Yucca ellacombei Baker, Refug. Bot. 5: t. 317 (1872)

MUSACEAE

Musa L.

***Musa basjoo* Siebold & Zucc. ex Inuma, Somoku Dzusetu, ed. 2 3 (1874) Int 파초**

Musa dechangensis J.L.Liu & M.G.Liu, Acta Bot. Yunnan. 9: 163 (1987)

Musa lushanensis J.L.Liu, Acta Bot. Yunnan. 11: 171 (1989)

***Musa* ~~x~~ *paradisica* L., Sp. Pl. 1043 (1753) Int 바나나**

Musa ~~x~~ *sapientum* L., Syst. Nat. ed. 10 2: 1303 (1759)

Musa ~~x~~ *paradisica* L. subsp. *sapientum* (L.) Kuntze, Revis. Gen. Pl. 2: 692 (1891)

NAJADACEAE

Najas L.

***Najas chinensis* N.Z.Wang, J. Wuhan Bot. Res. 3: 32 (1985) Nat: S Korea 동아나자스말**

Najas orientalis Triest & Uotila, Ann. Bot. Fenn. 23: 169 (1986)

***Najas graminea* Delile, Descr. Egypte, Hist. Nat. 282 (1813) Nat: S Korea 나자스말**

Najas serristipula Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 12: 70 (1868)

Najas graminea Delile var. *serristipula* (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 275 (1911)

Caulinia serristipula (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 123 (1952)

***Najas marina* L., Sp. Pl. 1015 (1753) Nat: S Korea 민나자스말**

Najas major All., Fl. Pedem. 2: 221 (1785)
Najas fluviatilis Poir., Encycl. (Lamarck) 4: 416 (1798)

***Najas minor* All., Fl. Pedem. 2: 221 (1785)** Nat: N Korea, S Korea 톱니나자스말
Caulinia fragilis Willd., Mem. Acad. Roy. Sci. Hist. (Berlin) 1798: 87 (1801)
Caulinia minor (All.) Coss. & Germ., Fl. Descr. Anal. Paris 575 (1845)

***Najas oguraensis* Miki, Bot. Mag. (Tokyo) 46: 775 (1935)** Nat: S Korea 큰톱니나자스말
Caulinia oguraensis (Miki) Nakai, Ord. Fam. Trib. Gen. Sect. .. nov. ed. 212 (1943)

ORCHIDACEAE

Amitostigma Schltr.

***Amitostigma gracile* (Blume) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 93 (1919)** Nat: N Korea, S Korea 병아리난초

Mitostigma gracile Blume, Mus. Bot. 2: 190 (1856)
Gymnadenia gracilis (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 207 (1866)
Gymnadenia tryphitiformis Rchb.f., J. Bot. 14: 209 (1876)
Cynorkis gracilis (Blume) Kraenzl., Orchid. Gen. Sp. 1: 488 (1898)
Cynorkis chinensis Rolfe, J. Linn. Soc., Bot. 38: 369 (1908)
Amitostigma chinense (Rolfe) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 92 (1919)
Orchis gracilis (Blume) Soó, Ann. Hist.-Nat. Mus. Natl. Hung. 26: 348 (1929)
Amitostigma yunkianum Fukuy., Bot. Mag. (Tokyo) 48: 429 (1934)

Bletilla Rchb.f.

***Bletilla striata* (Thunb.) Rchb.f., Bot. Zeitung (Berlin) 36: 75 (1878)** Nat: S Korea 자란
Epidendrum tuberosum L., Sp. Pl. (ed. 2) 1352 (1763)
Limodorum striatum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 816 (1784)
Cymbidium striatum (Thunb.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 77 (1799)
Cymbidium hyacinthinum Sm., Exot. Botany 1: 117 (1805)
Bletia hyacinthina (Sm.) Aiton, Hortus Kew. (ed. 2) 5: 206 (1813)
Bletia gebina Lindl., J. Hort. Soc. London 2: 307 (1847)
Polytoma inodora Lour. ex B.A.Gomes, Mem. Acad. Real Sci. Lisboa, 2 Cl. Sci. Moraes 4: 30 (1868)

Bulbophyllum Thouars

***Bulbophyllum drymoglossum* Maxim. ex O. Kubo, Bot. Mag. (Tokyo) 1: 14 (1887)** Nat: S Korea 콩짜개란
Bulbophyllum somae Hayata, Icon. Pl. Formosan. 9: 109 (1920)

***Bulbophyllum inconspicuum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 3, 31: 102 (1887)** Nat: S Korea 흑난초

Calanthe R.Br.

***Calanthe aristulifera* Rchb.f., Bot. Zeitung (Berlin) 36: 74 (1878)** Nat: S Korea 신안새우난초

***Calanthe coreana* Nakai, Repert. Spec. Nov. Regni Veg. 13: 249 (1914)** Nat: S Korea 섬새우난초

***Calanthe discolor* Lindl., Sert. Orchid. t. 9, 9 (1838) Nat: S Korea 새우난초**

- Calanthe variegata* Scheidw., Hort. Belge 5: 185 (1838)
Calanthe esquirolei Schltr., Repert. Spec. Nov. Regni Veg. 12: 108 (1913)
Calanthe cheniana Hand.-Mazz., Oesterr. Bot. Z. 85: 228 (1936)
Calanthe discolor Lindl. var. *bicolor* (Lindl.) Makino, Ill. Fl. Nippon (Makino) 685 (1940)

***Calanthe reflexa* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 68 (1873) Nat: S Korea 여름새우난초**

- Alismorchis reflexa* (Maxim.) Kuntze, Revis. Gen. Pl. 2: 650 (1891)
Paracalanthe reflexa (Maxim.) Kudô, J. Soc. Trop. Agric. 2: 235 (1930)

***Calanthe sieboldii* Decne. ex Regel, Index Seminum [St.Petersburg (Petropolitanus)] 80 (1868) Nat: S Korea 금새우난초**

- Calanthe striata* var. *sieboldii* (Decne.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 644 (1873)
Calanthe discolor Lindl. f. *sieboldii* (Decne.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 (1953)
Calanthe striata f. *sieboldii* (Decne.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 (1953)

Calypso Thou.

***Calypso bulbosa* (L.) Oakes, Cat. Vermont Pl. [Oakes] 28 (1842) Nat: N Korea 풍선난초**

- Cypripedium bulbosum* L., Sp. Pl. 2: 951 (1753)
Cymbidium boreale Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 76 (1799)
Calypso borealis (Sw.) Salisb., Parad. Lond. t. 89 (1806)
Orchidium boreale (Sw.) Sw., Sv. bot. (Palmstr.) 8: 518 (1816)
Cytherea bulbosa (L.) House, Bull. Torrey Bot. Club 32: 382 (1905)

Cephalanthera Rich.

***Cephalanthera erecta* (Thunb.) Blume, Coll. Orchid. 188 (1858) Nat: S Korea 은난초**

- Serapias erecta* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 816 (1784)
Epipactis erecta (Thunb.) Sw., Neues J. Bot. 1: 65 (1805)
Cephalanthera erecta (Thunb.) Blume var. *szechuanica* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 12: 342 (1922)
Cephalanthera szechuanica (Schltr.) Schltr., Acta Horti Gothob. 1: 146 (1924)
Cephalanthera subaphylla Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26 (3): 373 (1932)
Cephalanthera erecta (Thunb.) Blume var. *subaphylla* (Miyabe & Kudô) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 69 (1953)
Cephalanthera erecta (Thunb.) Blume f. *subaphylla* (Miyabe & Kudô) Hiroë, Orchid Flowers 2: 63 (1971)
Cephalanthera erecta (Thunb.) Blume var. *oblanceolata* N.Pearce & P.J.Cribb, Edinburgh J. Bot. 58: 110 (2001)

***Cephalanthera falcata* (Thunb.) Blume, Coll. Orchid. 187 (1858) Nat: S Korea 금난초**

- Serapias falcata* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 816 (1784)
Epipactis falcata (Thunb.) Sw., Neues J. Bot. 1: 66 (1805)
Cephalanthera platycheila Rchb.f., Bot. Zeitung (Berlin) 3: 335 (1845)
Cephalanthera japonica A.Gray, Narr. Exped. China Japan 2: 319 (1856)

Cephalanthera elegans Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 58 (1919)
Cephalanthera raymondiae Schltr., Repert. Spec. Nov. Regni Veg. Beih. 12: 342 (1922)

***Cephalanthera longibracteata* Blume, Coll. Orchid. 188 (1858) Nat: N Korea, S Korea**
은대난초

Cephalanthera ensifolia Rich. var. *longibracteata* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 209 (1866)
Epipactis longibracteata (Blume) Wettst., Bot. Zeitung (Berlin) 39: 424 (1889)
Limodorum longibracteatum (Blume) Kuntze, Revis. Gen. Pl. 2: 671 (1891)
Serapias longibracteata (Blume) A.A.Eaton, Proc. Biol. Soc. Wash. 21: 67 (1908)

***Chamaegastrodia* Makino & F.Maek.**

***Chamaegastrodia shikokiana* Makino & F.Maek., Bot. Mag. (Tokyo) 49: 596 (1935) Nat: S Korea**
애기천마

Hetaeria shikokiana (Makino & F.Maek.) Tuyama, J. Jap. Bot. 25: 172 (1950)

***Coeloglossum* Lindl.**

***Coeloglossum viride* var. *bracteatum* (Willd.) Rich., Pl. Eur. 1: 278 (1890) Nat: N Korea, S Korea**
개제비난

***Corallorhiza* Gagnebin**

***Corallorhiza trifida* Châtel., Spec. Inaug. Corallorhiza 8 (1760) Nat: N Korea 산호란**

Corallorhiza neottia Scop., Fl. Carniol., ed. 2 2: 207 (1772)
Orchis corallorhiza L., Fl. Carniol., ed. 2 2: 207 (1772)
Corallorhiza innata R.Br., Hortus Kew. (ed. 2) 5: 309 (1813)
Corallorhiza intacta Cham. & Schldtl., Linnaea 3: 35 (1813)

***Cremastra* Lindl.**

***Cremastra unguiculata* (Finet) Finet, Bull. Soc. Bot. France 47: 269 (1900) Nat: S Korea**
두잎약난초

Oreorchis unguiculata Finet, Bull. Soc. Bot. France 43: 698 (1896)
Aplectrum unguiculatum (Finet) F.Maek., Wild Orchids Japan Colour 380 (1971)

***Cymbidium* Sw.**

***Cymbidium appendiculata* D.Don var. *variabilis* (Blume) I.D.Lund, Nord. J. Bot. 8: 201 (1988) Nat: S Korea 약난초**

Cremastra variabilis (Blume) Nakai, Rep. Veg. Daisetsu Mts. 27 (1930)
Cremastra appendiculata f. *albiflora* B.S.Gil & Y.N.Lee, Bull. Korea Pl. Res. 4: 6 (2004)

***Cymbidium ensifolium* (L.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 77 (1799) Nat: S Korea**
소란

Epidendrum ensifolium L., Sp. Pl. 2: 954 (1753)
Cymbidium koran Makino, Iinuma, Somoku-Dzusetsu, ed. 3 1179 (1912)

***Cymbidium goeringii* (Rchb.f.) Rchb.f., Ann. Bot. Syst. 3: 547 (1852) Nat: S Korea 보춘화**

Cymbidium virescens Lindl., Bot. Reg. 1: 37 (1838)
Maxillaria goeringii Rchb.f., Bot. Zeitung (Berlin) 3: 334 (1845)
Cymbidium virens Rchb.f., Ann. Bot. Syst. 6: 626 (1861)

***Cymbidium kanran* Makino, Bot. Mag. (Tokyo) 16: 10 (1902) Nat: S Korea 한란**

Cymbidium oreophyllum Hayata, Icon. Pl. Formosan. 4: 80 (1914)
Cymbidium purpureohiemale Hayata, Icon. Pl. Formosan. 4: 81 (1914)
Cymbidium tosaense Masam., Trans. Nat. Hist. Soc. Taiwan 5: 14 (1935)

***Cymbidium lancifolium* Hook., Exot. Botany 1: 51 (1823) Nat: S Korea 죽백란**

Cymbidium nagifolium Masam., Bot. Mag. (Tokyo) 44: 220 (1930)
Cymbidium aspidistrifolium Fukuy., Bot. Mag. (Tokyo) 48: 438 (1934)
Cymbidium javanicum (Blume) F.Maek., J. Jap. Bot. 33: 320 (1958)
Cymbidium javanicum (Blume) F.Maek. var. *aspidistrifolium* (Fukuy.) F.Maek., J. Jap. Bot. 33: 320 (1958)
Cymbidium lancifolium Hook. var. *aspidistrifolium* (Fukuy.) S.S.Ying, Coloured III. Indig. Orchids Taiwan 1: 439 (1977)
Cymbidium lancifolium Hook. f. *aspidistrifolium* (Fukuy.) T.P.Lin, Native Orchids Taiwan 2: 122 (1977)

***Cymbidium macrorhizon* Lindl., Gen. Sp. Orchid. Pl. 162 (1833) Nat: S Korea 대홍란**

Bletia nipponica Franch. & Sav., Enum. Pl. Jap. 2: 511 (1878)
Cymbidium nipponicum (Franch. & Sav.) Rolfe, Orchid Rev. 3: 39 (1895)
Cymbidium pedicellatum Finet, Bull. Soc. Bot. France 47: 268 (1900)
Yuania aberrans Finet, Bull. Soc. Bot. France 47: 274 (1900)
Cymbidium aberrans (Finet) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 264 (1919)
Pachyrhizantha macrorhizos (Lindl.) Nakai, Bot. Mag. (Tokyo) 45: 109 (1931)
Pachyrhizantha aberrans (Finet) Nakai, Bot. Mag. (Tokyo) 45: 110 (1931)
Pachyrhizantha nipponicum (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 45: 109 (1931)

***Cypripedium* L.**

***Cypripedium calceolus* L., Sp. Pl. 2: 951 (1753) Nat: N Korea 노랑복주머니란**

***Cypripedium guttatum* Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 251 (1800) Nat: N Korea, S Korea 털복주머니란**

Cypripedium calceolus L. var. *variegatum* Falk, Beitr. Topogr. Russ. Reich. 2: 17 (1786)

***Cypripedium japonicum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 817 (1784) Nat: S Korea**

광릉요강꽃

Cypripedium japonicum Thunb. var. *glabrum* M.Suzuki, J. Jap. Bot. 55: 351 (1980)

***Cypripedium macranthos* Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 251 (1800) Nat: N Korea, S Korea 복주머니란**

Sacodon macranthum (Sw.) Raf., Fl. Tellur. 4: 45 (1836)
Cypripedium atsmori C.Morren, Belgique Hort. 1: 171 (1851)
Cypripedium thunbergii Blume, Coll. Orchid. 1: 169 (1859)
Cypripedium speciosum Rolfe, Kew Bull. 1911: 207 (1911)
Cypripedium rebunense Kudô, J. Jap. Bot. 2: 251 (1925)
Cypripedium macranthum var. *speciosum* (Rolfe) Koidz., Bot. Mag. (Tokyo) 40: 336 (1926)
Cypripedium macranthos Sw. f. *albiflorum* (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 69 (1953)

Cypripedium shanxiense S.C.Chen, *Acta Phytotax. Sin.* 21: 343 (1983) Nat: N Korea
산서복주머니란

Cypripedium × *ventricosum* Sw., *Kongl. Vetensk. Acad. Nya Handl.* 21: 251 (1800) Nat: S Korea
열치기복주머니란
Cypripedium macranthos Sw. var. *ventricosum* (Sw.) Rchb., *Fl. Germ. Excurs.* 1: 120 (1830)

Cyrtosia Blume

Cyrtosia septentrionalis (Rchb.f.) Garay, *Bot. Mus. Leaft.* 30: 233 (1986) Nat: S Korea
으름난초
Galeola septentrionalis Rchb.f., *Xenia Orchid.* 2: 78 (1865)

Dactylorhiza Neck. ex Nevski

Dactylorhiza aristata (Fisch. ex Lindl.) Soó, *Nom. Nov. Gen. Dactylorhiza* 5 (1962) Nat: N Korea
손바닥나미난초
Orchis latifolia L. var. *beeringiana* Cham., *Linnaea* 3: 26 (1828)
Orchis aristata Fisch. ex Lindl., *Gen. Sp. Orchid. Pl.* 262 (1835)
Orchis beeringiana (Cham.) Kudô, *J. Coll. Agric. Hokkaido Imp. Univ.* 11: 94 (1922)
Orchis aristata Fisch. ex Lindl. f. *punctata* Tatew., *Trans. Sapporo Nat. Hist. Soc.* 9: 10 (1927)
Orchis aristata Fisch. ex Lindl. var. *maculata* Makino, *J. Jap. Bot.* 8: 6 (1932)

Dactylorhiza viridis (L.) R.M.Bateman & Pridgeon & M.W.Chase, *Lindleyana* 12: 129 (1997) Nat: N Korea
포태제미난

Satyrium viride L., *Sp. Pl.* 944 (1753)
Orchis bracteata Muhl. ex Willd., *Sp. Pl.* (ed. 5; Willdenow) 4: 34 (1805)
Sieberia viridis (L.) Spreng., *Anleit. Kenntn. Gew.*, ed. 2 2: 282 (1817)
Platanthera viridis (L.) Lindl., *Syn. Brit. Fl.* 261 (1829)
Peristylis bracteatus (L.) Lindl., *Syn. Brit. Fl.*, ed. 2 261 (1835)
Platanthera bracteata (Muhl. ex Willd.) Torr., *Fl. New York* 2: 279 (1843)
Platanthera viridis (L.) Lindl. var. *bracteata* (Willd.) Rchb.f., *Icon. Fl. Germ. Helv.* 13-14: 129 (1851)
Coeloglossum bracteatum (Willd.) Parl., *Fl. Ital.* 3: 409 (1860)
Habenaria viridis (L.) R.Br. var. *bracteata* (Muhl. ex Willd.) A.Gray, *Manual* (Gray), ed. 5 500 (1867)
Orchis coreana Nakai, *Bot. Mag. (Tokyo)* 28: 302 (1914)
Platanthera coreana (Nakai) Nakai, *Fl. M't. Paik-Tu-San* 57 (1918)
Coeloglossum coreanum (Nakai) Schltr., *Repert. Spec. Nov. Regni Veg.* 16: 374 (1920)
Coeloglossum bracteatum (Willd.) Parl. var. *majus* (Maxim.) Nakai, *J. Jap. Bot.* 18: 282 (1942)
Coeloglossum viride subsp. *coreanum* (Nakai) Satomi, *J. Jap. Bot.* 44: 127 (1969)

Dendrobium Sw.

Dendrobium moniliforme (L.) Sw., *Nova Acta Regiae Soc. Sci. Upsal.* 4: 85 (1799) Nat: S Korea
석곡

Epidendrum moniliforme L., *Sp. Pl.* 2: 954 (1753)
Epidendrum monile Thunb., *Fl. Jap. (Thunberg)* 30 (1784)
Onychium japonicum Blume, *Bijdr. Fl. Ned. Ind.* 328 (1825)

Dendrobium japonicum (Blume) Lindl., Gen. Sp. Orchid. Pl. 89 (1830)
Dendrobium heishanense Hayata, Icon. Pl. Formosan. 4: 40 (1914)

Epipactis

***Epipactis papillosa* Franch. & Sav., Enum. Pl. Jap. 2: 519 (1878)** Nat; N Korea 청담의난초
Epipactis latifolia (L.) All. var. *papillosa* (Franch. & Sav.) Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 523 (1901)
Helleborine papillosa (Franch. & Sav.) Druce, Bull. Torrey Bot. Club 36: 547 (1909)
Epipactis papillosa Franch. & Sav. var. *imkoeensis* Y.N.Lee & K.S.Lee, Bull. Korea Pl. Res. 2: 38 (2002)

***Epipactis thunbergii* A.Gray, Narr. Exped. China Japan 2: 319 (1856)** Nat; S Korea
닭의난초

Limodorum thunbergii Kuntze, Revis. Gen. Pl. 2: 671 (1891)
Epipactis gigantea var. *manshurica* Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 524 (1901)
Helleborine thunbergii (A.Gray) Druce, Bull. Torrey Bot. Club 36: 547 (1909)

Epipogium Borkh.

***Epipogium aphyllum* Sw., Summa Veg. Scand. (Swartz) 32 (1814)** Nat; N Korea 유흥란
Satyrium epipogium L., Fl. Carniol., ed. 2 2: 207 (1772)
Orchis aphylla F.W.Schmidt, Samml. Phys. Naturgesch. 1: 240 (1791)
Limodorum epipogium (L.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 80 (1799)
Epipogium aphyllum Sw. f. *albiflorum* Y.N.Lee & K.S.Lee, Bull. Korea Pl. Res. 4: 5 (2004)

Galearis Raf.

***Galearis cyclochila* (Franch. & Sav.) Soó, Ann. Univ. Sci. Budapest. Rolando Eotvos, Sect. Biol. 11: 72 (1969)** Nat; N Korea, S Korea 나도제비란
Habenaria cyclochila Franch. & Sav., Enum. Pl. Jap. 2: 516 (1878)
Orchis cyclochila (Franch. & Sav.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 12: 548 (1886)
Gymnadenia cyclochila (Franch. & Sav.) Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 396 (1893)

Gastrochilus Wall.

***Gastrochilus japonicus* (Makino) Schltr., Repert. Spec. Nov. Regni Veg. 12: 315 (1913)** Nat; S Korea 탐라난
Saccolabium japonicum Makino, Ill. Fl. Japan 1: 3 (1891)

***Gastrochilus matsuran* (Makino) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 289 (1919)** Nat; S Korea 금차란
Saccolabium matsuran Makino, Bot. Mag. (Tokyo) 6: 48 (1892)
Gastrochilus rupestris Fukuy., Bot. Mag. (Tokyo) 49: 763 (1935)

Gastrodia R.Br.

***Gastrodia elata* Blume, Mus. Bot. 2: 174 (1856)** Nat; N Korea, S Korea 천마

Gastrodia viridis Makino, Bot. Mag. (Tokyo) 16: 178 (1902)
Gastrodia mairei Schltr., Repert. Spec. Nov. Regni Veg. 12: 105 (1913)
Gastrodia elata Blume var. *gracilis* Pamp., Nuovo Giorn. Bot. Ital. n.s. 22: 271 (1915)
Gastrodia elata Blume var. *viridis* (Makino) Makino, J. Jap. Bot. 1: 10 (1916)
Gastrodia elata Blume var. *pallens* Kitag., Lin. Fl. Manshur. 151 (1939)
Gastrodia confusa Honda & Tuyama, J. Jap. Bot. 15: 659 (1939)
Gastrodia elata Blume f. *viridis* (Makino) Makino, Ill. Fl. Nippon (Makino) 692 (1940)
Gastrodia elata Blume f. *pilifera* Tuyama, J. Jap. Bot. 17: 582 (1941)

***Gastrodia verrucosa* Blume, Mus. Bot. 2: 175 (1856) Nat: S Korea 한라천마**

Goodyera R.Br. & W.T.Aiton

***Goodyera biflora* (Lindl.) Hook.f., Fl. Brit. Ind. 6: 114 (1890) Nat: S Korea 붉은사철란**

Goodyera macrantha Maxim., Gartenflora 16: 36 (1867)
Epipactis biflora (Lindl.) A.A.Eaton, Proc. Biol. Soc. Wash. 21: 63 (1908)
Epipactis macrantha Eaton, Proc. Biol. Soc. Wash. 21: 64 (1908)
Goodyera pauciflora Schltr., Repert. Spec. Nov. Regni Veg. 12: 106 (1913)
Peramium macranthum (Maxim.) Makino, J. Jap. Bot. 6(12): 35 (1929)
Goodyera biflora (Lindl.) Hook.f. var. *macrantha* (Maxim.) T.Hashim., Proc. World Orchid Conf. 12: 122 (1987)

***Goodyera henryi* Rolfe, Bull. Misc. Inform. Kew 1896: 201 (1896) Nat: S Korea 섬사철란**

Goodyera foliosa var. *laevis* Finet, Bull. Soc. Bot. France 48: 272 (1900)
Goodyera maximowicziana Makino, Bot. Mag. (Tokyo) 23: 137 (1909)
Peramium maximowiczianum (Makino) Makino, J. Jap. Bot. 6: 36 (1929)
Goodyera foliosa var. *maximowicziana* (Makino) S.S.Ying, Coloured Ill. Indig. Orchids Taiwan 2: 535 (1990)

***Goodyera repens* (L.) R.Br., Hort. Kew. (Hill) 5: 198 (1813) Nat: N Korea, S Korea**

애기사철란

Satyrium repens L., Sp. Pl. 945 (1753)
Peramium repens (L.) Salisb., Trans. Hort. Soc. London 1: 301 (1812)
Tussaca repens Raf., Precis Decouv. Somiol. 43 (1819)
Goodyera marginata Lindl., Gen. Sp. Orchid. Pl. 493 (1840)
Orchiodes repens (L.) Kuntze, Revis. Gen. Pl. 2: 674 (1891)
Goodyera nantoensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 343 (1911)
Goodyera mairei Schltr., Repert. Spec. Nov. Regni Veg. 17: 65 (1921)
Goodyera brevis Schltr. ex Limpr., Repert. Spec. Nov. Regni Veg. Beih. 12: 345 (1922)
Goodyera repens (L.) R.Br. var. *marginata* (Lindl.) T.Tang & F.T.Wang, Acta Phytotax. Geobot. 1: 33 & 68 (1951)
Goodyera repens (L.) R.Br. var. *japonica* Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 30 (1953)

***Goodyera rosulacea* Y.N.Lee, Bull. Korea Pl. Res. 4: 2 (2004) Nat: S Korea 로켓사철란**

***Goodyera schlechtendaliana* Rchb.f., Linnaea 22: 861 (1850) Nat: N Korea, S Korea 사철란**

Goodyera japonica Blume, Coll. Orchid. 38 (1858)
Orchiodes schlechtendaliana (Rchb.f.) Kuntze, Revis. Gen. Pl. 2: 675 (1891)
Goodyera schlechtendaliana Rchb.f. f. *similis* (Blume) Makino, Bot. Mag. (Tokyo) 19: 15 (1905)
Epipactis schlechtendaliana (Rchb.f.) Eaton, Proc. Biol. Soc. Wash. 21: 66 (1908)
Peramium schlechtendaliana (Rchb.f.) Makino f. *similis* (Blume) Makino, J. Jap. Bot. 6(12): 37 (1929)

Peramium schlechtendalianum (Rchb.f.) Makino, J. Jap. Bot. 6(12): 37 (1929)
Goodyera daibuzanensis Yamam., J. Soc. Trop. Agric. 4: 305 (1932)
Goodyera similis Blume, Coll. Orchid. 39 (1958)

***Goodyera velutina* Maxim. ex Regel, Gartenflora 16: 38 (1867) Nat: S Korea 털사철란**
Orchiodes velutinum (Maxim. ex Regel) Kuntze, Revis. Gen. Pl. 2: 675 (1891)
Epipactis velutinua (Maxim. ex Regel) A.A.Eaton, Proc. Biol. Soc. Wash. 21: 65 (1908)
Goodyera morrisonicola Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 343 (1911)
Peramium velutinum (Maxim. ex Regel) Makino, J. Jap. Bot. 6: 37 (1929)

Gymnadenia R.Br. & W.T.Aiton

***Gymnadenia conopsea* (L.) R.Br., Hort. Kew. (Hill) ed. 2, 5: 191 (1813) Nat: N Korea, S Korea 손바닥난초**

Orchis conopsea L., Sp. Pl. 2: 942 (1753)
Gymnadenia sibirica Turcz. ex Lindl., Gen. Sp. Orchid. Pl. 277 (1835)
Gymnadenia conopsea (L.) R.Br. var. *ussuriensis* Regel, Tent. Fl.-Ussur. 474 (1861)
Habenaria conopsea (L.) Benth., J. Linn. Soc., Bot. 18: 354 (1880)
Platanthera conopsea (L.) Schltr. ex Matsum., Index Pl. Jap. 2 (1): 258 (1905)
Gymnadenia ibukiensis Makino, Inuma, Somoku-Dzusetsu, ed. 3 1215 (1912)
Gymnadenia taquetii Schltr., Repert. Spec. Nov. Regni Veg. 16: 281 (1919)
Gymnadenia conopsea (L.) R.Br. f. *albiflora* Moldenke, Lloydia 13: 222 (1950)

Habenaria Willd.

***Habenaria cruciformis* Ohwi, J. Jap. Bot. 26: 235 (1951) Nat: S Korea 개잠자리난초**

***Habenaria iyoensis* (Ohwi) Ohwi, J. Jap. Bot. 12: 382 (1936) Nat: S Korea 애기방울난초**
Peristylus iyoensis Ohwi, J. Jap. Bot. 12: 382 (1936)
Habenaria minor Fukuy. ex Masam., J. Geobot. 21: 9, pl. 51 (1974)

***Habenaria linearifolia* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 269 (1859) Nat: N Korea, S Korea 잠자리난초**

Habenaria linearifolia Maxim. subsp. *schindleri* Soó, Ann. Hist.-Nat. Mus. Natl. Hung. 26: 373 (1929)
Habenaria linearifolia Maxim. f. *integrifolia* Ohwi, Acta Phytotax. Geobot. 2: 157 (1933)
Fimbrorchis linearifolia (Maxim.) Szlach., Orchidee (Hamburg) 55: 492 (2004)

Herminium L.

***Herminium lanceum* (Thunb. ex Sw.) Vuijk, Blumea 11: 228 (1961) Nat: N Korea, S Korea 씨눈난초**

Ophrys lancea Thunb. ex Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 223 (1800)
Aceras longicrure C.Wright ex A.Gray, Mem. Amer. Acad. Arts Ser 2, 6: 411 (1859)
Aceras angustifolium Lindl. var. *longicrure* (C.Wright ex A.Gray) Miq., Prolus. Fl. Jap. 139 (1866)
Herminium angustifolium var. *longicruris* (C.Wright ex A.Gray) Makino, Bot. Mag. (Tokyo) 10: 109 (1896)
Herminium longicrure (C.Wright ex A.Gray) F.T.Wang & T.Tang, Acta Phytotax. Sin. 1: 61 (1951)
Herminium lanceum (Thunb. ex Sw.) Vuijk var. *longicrure* (C.Wright ex A.Gray) H.Hara, J. Jap. Bot. 44: 60 (1969)

***Herminium monorchis* (L.) R.Br., Hortus Kew. (ed. 2) 5: 191 (1813) Nat: N Korea, S Korea**
나도씨눈란

Ophrys monorchis L., Sp. Pl. 947 (1753)
Orchis monorchis (L.) Crantz, Stirp. Austr. Fasc. ed. 2, 6: 478 (1769)
Monorchis herminium O.Schwarz, Mitt. Thüring. Bot. Ges. 1: 95 (1949)

Kuhlhasseltia J.J.Sm.

***Kuhlhasseltia nakaiana* (F.Maek.) Ormerod, Lindleyana 17: 209 (2002) Nat: S Korea 백운란**
Anoectochilus yakushimensis Yamam., Bot. Mag. (Tokyo) 38: 131 (1923)
Vexillabium nakaianum F.Maek., J. Jap. Bot. 11: 458 (1935)
Vexillabium fissum F.Maek. ex Nakai, Iconogr. Pl. Asiae Orient. 2: 107 (1937)
Vexillabium inamii Ohwi, J. Jap. Bot. 31: 135 (1956)
Vexillabium yakusimense var. *nakaianum* (F.Maek.) T.B.Lee, Korean J. Pl. Taxon. 6: 18 (1975)

Lecanorchis Blume

***Lecanorchis japonica* Blume, Mus. Bot. 2: 188 (1856) Nat: S Korea 무엽란**

***Lecanorchis kiusiana* Tuyama, J. Jap. Bot. 30: 182 (1955) Nat: S Korea 제주무엽란**
Lecanorchis kiusiana Tuyama var. *suginoana* (Tuyama) T.Hashim., Ann. Tsukuba Bot. Gard. 9: 18 (1990)

Liparis Rich.

***Liparis auriculata* Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 203 (1865) Nat: S Korea**
한라옥잠난초
Leptorchis auriculata (Blume) Kuntze ex Miq., Revis. Gen. Pl. 2: 667 (1891)
Liparis yakushimensis Masam., Bot. Mag. (Tokyo) 43: 250 (1929)

***Liparis campylostalix* Rchb.f., Linnaea 41: 45 (1876) Nat: N Korea, S Korea 옥잠난초**
Liparis kumokiri F.Maek., J. Jap. Bot. 12: 95 (1936)

***Liparis fujiisanensis* F.Maek. ex Konta & S.Matsumoto, Ann. Tsukuba Bot. Gard. 16: 11 (1997) Nat: S Korea 유명난초**

***Liparis koreana* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 151 (1952) Nat: N Korea**
참나리난초
Liparis makinoana Schltr. var. *koreana* Nakai, Bot. Mag. (Tokyo) 45: 107 (1931)

***Liparis krameri* Franch. & Sav., Enum. Pl. Jap. 2: 509 (1873) Nat: N Korea, S Korea**
나나벌이난초
Leptorchis krameri (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 2: 671 (1891)
Liparis krameri Franch. & Sav. var. *viridis* Makino, J. Jap. Bot. 3: 21 (1926)
Liparis nikkoensis Nakai, Bot. Mag. (Tokyo) 45: 108 (1931)

***Liparis makinoana* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 63 (1919) Nat: S Korea**
나리난초

***Liparis nervosa* (Thunb.) Lindl., Gen. Sp. Orchid. Pl. 26 (1830) Nat: S Korea 흑난초**
Ophrys nervosa Thunb., Syst. Veg., ed. 14 (J. A. Murray) 814 (1784)

Malaxis Sol. ex Sw.

Malaxis monophyllos (L.) Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 234 (1800) Nat: S Korea 이삭단엽란

- Ophrys monophyllos* L., Sp. Pl. 947 (1753)
Malaxis diphyllus Cham., Linnaea 3: 34 (1828)
Microstylis monophyllos (L.) Lindl., Gen. Sp. Orchid. Pl. 19 (1830)
Microstylis diphyllus Lindl., Gen. Sp. Orchid. Pl. 19 (1830)
Microstylis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 203 (1865)
Liparis japonica (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 31: 102 (1887)
Leptorchis japonica Kuntze, Revis. Gen. Pl. 2: 671 (1891)
Achroanthes monophyllos (L.) Greene, Pittonia 2: 183 (1891)
Liparis pauciflora Rolfe, Bull. Misc. Inform. Kew 1896: 193 (1896)
Liparis inconspicua Makino, Bot. Mag. (Tokyo) 11: 413 (1897)
Liparis lilifolia Rich., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 532 (1901)
Liparis giraldiana Kraenzl. ex Diels, Bot. Jahrb. Syst. 36 Beibl. 82: 27 (1905)
Achroanthes monophyllos (L.) Greene f. *diphyllus* Koidz. ex Matsum., Icon. Pl. Koisikav 3: 27 (1916)
Microstylis arisanensis Hayata, Icon. Pl. Formosan. 6: 68 (1916)
Liparis elongata Fukuy., Rep. (Annual) Taihoku Bot. Gard. 3: 82 (1933)
Microstylis monophylla var. *diphylla* (Cham.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 151 (1952)
Malaxis arisanensis (Hayata) Hu, Quart. J. Taiwan Mus. 27: 432 (1974)

Myrmechis Blume

Myrmechis japonica (Rchb.f.) Rolfe, J. Linn. Soc., Bot. 36: 44 (1903) Nat: S Korea 개미난초
Rhamphidia japonica Rchb.f., Bot. Zeitung (Berlin) 36: 75 (1878)

Neofinetia Hu

Neofinetia falcata (Thunb.) Hu, Rhodora 27: 107 (1925) Nat: S Korea 풍란
Orchis falcata Thunb., Syst. Veg., ed. 14 (J. A. Murray) 811 (1784)
Angraecum falcatum (Thunb.) Lindl., Coll. Bot. (Lindley) 1: 15 (1821)
Oeceoclades lindleyana Regel, Index Seminum [St. Petersburg (Petropolitanus)] 43 (1865)
Angraecopsis falcata (Thunb.) Schltr., Orchideen (Schlechter) 601 (1914)
Finetia falcata (Thunb.) Schltr., Beih. Bot. Centralbl. 36(11): 140 (1918)
Nipponorchis falcata (Thunb.) Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 592 (1934)

Neolindleya Kraenzl.

Neolindleya camtschatica (Cham.) Nevski, Fl. URSS 4: 646 (1935) Nat: N Korea, S Korea 주름제비란

- Orchis camtschatica* Cham., Linnaea 3: 27 (1828)
Platanthera decipiens Lindl., Gen. Sp. Orchid. Pl. 290 (1830)
Gymnadenia vidalii Franch. & Sav., Enum. Pl. Jap. 2: 512 (1878)
Neolindleya decipiens (Lindl.) Kraenzl., Orchid. Gen. Sp. 1: 651 (1899)
Gymnadenia camtschatica (Cham.) Miyabe & Kudô, Fl. Saghalin 545 (1915)

Neottia Guett.

Neottia acuminata Schltr., Acta Horti Gothob. 1: 141 (1924) Nat: N Korea 애기무염란

Neottia micrantha Lindl., Gen. Sp. Orchid. Pl. 438 (1840)
Nidus micranthus Kuntze, Revis. Gen. Pl. 2: 674 (1891)
Neottia subsessilis Ohwi, Bot. Mag. (Tokyo) 45: 385 (1931)
Neottia asiatica Ohwi, Bot. Mag. (Tokyo) 45: 384 (1931)

***Neottia kiusiana* T.Hashim. & Hatus., Ann. Tsukuba Bot. Gard. 10: 41 (1991) Nat: N Korea, S Korea 한라새등지란**

***Neottia nipponica* (Makino) Szlach., Fragm. Florist. Geobot. Suppl. 3: 118 (1995) Nat: N Korea, S Korea 털쌍잎난초**

Listera nipponica Makino, Bot. Mag. (Tokyo) 19: 9 (1905)
Ophrys nipponica (Makino) Makino, J. Jap. Bot. 6: 34 (1929)
Listera brevidens Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 113 (1936)
Listera cordata (L.) R.Br. var. *nipponica* (Makino) M.Hiroe, Orchid Flowers 2: 66 (1971)

***Neottia papilligera* Schltr., Repert. Spec. Nov. Regni Veg. 16: 356 (1920) Nat: N Korea 새등지란**

Neottia nidus-avis (L.) Rich. var. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 528 (1901)
Neottia papilligera Schltr. f. *glaberrima* Kitag., J. Jap. Bot. 19: 116 (1943)

***Neottia puberula* (Maxim.) Szlach., Fragm. Florist. Geobot. Suppl. 3: 118 (1995) Nat: N Korea 쌍잎난초**

Listera puberula Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 29: 204 (1884)
Listera savatieri Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 526 (1901)
Listera yatabei Makino, Bot. Mag. (Tokyo) 19: 8 (1905)
Listera major Nakai, Bot. Mag. (Tokyo) 28: 327 (1914)
Ophrys yatabei (Makino) Makino, J. Jap. Bot. 6: 34 (1929)
Neottia yatabei (Makino) Szlach., Fragm. Florist. Geobot. Suppl. 3: 119 (1995)

Neottianthe Rchb. & Schltr.

***Neottianthe cucullata* (L.) Schltr., Repert. Spec. Nov. Regni Veg. 16: 292 (1919) Nat: N Korea, S Korea 구름병아리난초**

Orchis cucullata L., Sp. Pl. 2: 939 (1753)
Gymnadenia cucullata (L.) Rich., De Orchid. Eur. 35 (1817)
Himantoglossum cucullatum (L.) Rchb., Fl. Germ. Excurs. 120 (1830)

Nervilia Comm. ex Gaudich. & Freyc.

***Nervilia nipponica* Makino, Bot. Mag. (Tokyo) 23: 138 (1909) Nat: S Korea 영아리난초**

Oberonia Lindl.

***Oberonia japonica* (Maxim.) Makino, Ill. Fl. Japan 1: 41 (1891) Nat: S Korea 차결이란**

Malaxis japonica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 22: 257 (1877)
Oberonia formosana Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 309 (1911)
Oberonia japonica (Maxim.) Makino var. *aurantiaca* Makino, J. Jap. Bot. 4: 10 (1927)
Oberonia japonica (Maxim.) Makino var. *viridescens* Makino, J. Jap. Bot. 4: 10 (1927)
Oberonia makinoi Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 583 (1934)

Oreorchis Lindl.

***Oreorchis patens* (Lindl.) Lindl., J. Linn. Soc., Bot. 3: 27 (1854)** Nat: N Korea, S Korea
감자난초

- Corallorhiza patens* Lindl., Gen. Sp. Orchid. Pl. 535 (1835)
Oreorchis lancifolia A.Gray, Mem. Amer. Acad. Arts n.s. 6: 410 (1859)
Oreorchis gracilis Franch. & Sav., Enum. Pl. Jap. 2: 27 (1877)
Oreorchis coreana Finet, Bull. Soc. Bot. France 55: 337 (1908)
Oreorchis wilsonii Rolfe ex Adamson, J. Bot. 51: 130 (1913)
Oreorchis patens (Lindl.) Lindl. var. *gracilis* (Franch. & Sav.) Makino ex Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 224 (1919)
Oreorchis bilamellata Fukuy., Bot. Mag. (Tokyo) 48: 436 (1934)
Diplolabellum coreanum (Finet) F.Maek., J. Jap. Bot. 11: 306 (1935)
Oreorchis patens (Lindl.) Lindl. subsp. *coreana* (Finet) Y.N.Lee, Fl. Korea (Lee) 1194 (1996)

Pecteilis Raf.

***Pecteilis radiata* (Thunb.) Raf., Fl. Tellur. 2: 38 (1837)** Nat: S Korea 해오라비난초

- Orchis radiata* Thunb., Trans. Linn. Soc. London 2: 326 (1794)
Habenaria radiata (Thunb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 693 (1826)
Platanthera radiata (Thunb.) Lindl., Gen. Sp. Orchid. Pl. 296 (1835)
Hemihabenaria radiata (Thunb.) Finet, Rev. Gen. Bot. 13: 533 (1902)

Pelatantheria Ridl.

***Pelatantheria scolopendrifolia* (Makino) Aver., Bot. Zhurn. (Moscow & Leningrad) 73: 432 (1988)** Nat: S Korea 지네말란

- Sarcanthus scolopendrifolius* Makino, Ill. Fl. Japan 1: 40 (1891)
Cleisostoma scolopendrifolium (Makino) Garay, Bot. Mus. Leaflet. 23: 174 (1972)

Peristylus Blume

***Peristylus densus* (Lindl.) Santapau & Kapadia, J. Bombay Nat. Hist. Soc. 57: 128 (1960)**
Nat: S Korea 방울난초

- Habenaria flagellifera* (Maxim.) Makino, Bot. Mag. (Tokyo) 6: 48 (1892)
Coeloglossum flagelliferum (Makino) Maxim. ex Makino, Bot. Mag. (Tokyo) 16: 89 (1902)
Peristylus hiugensis Ohwi, J. Jap. Bot. 12: 381 (1936)
Peristylus satsumanus Ohwi, J. Jap. Bot. 12: 383 (1936)
Peristylus flagellifer (Makino) Ohwi, Fl. Jap. (Ohwi) 344 (1953)
Habenaria chejuensis Y.N.Lee & K.S.Lee, Korean J. Pl. Taxon. 28: 34 (1998)

Platanthera Rich.

***Platanthera bifolia* (L.) Rich., De Orchid. Eur. 35 (1817)** Nat: N Korea, S Korea 제비난초

- Platanthera densa* Freyn, Oesterr. Bot. Z. 46: 96 (1896)
Platanthera freynii Kraenzl., Russk. Bot. Zhurn. 37 (1913)
Platanthera chlorantha var. *orientalis* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 109 (1919)
Platanthera chloranthella Nakai, Koryo Shikenrin Ippan 28 (1932)
Platanthera metabifolia F.Maek., J. Jap. Bot. 11: 303 (1935)

***Platanthera fuscescens* (L.) Kraenzl., *Orchid. Gen. Sp.* 1: 637 (1899) Nat: N Korea, S Korea
넓은잎잠자리란**

Orchis fuscescens L., Sp. Pl. 2: 943 (1753)

Perularia fuscescens (L.) Lindl., Gen. Sp. Orchid. Pl. 281 (1835)

Tulotis asiatica H.Hara, J. Jap. Bot. 30: 72 (1955)

Tulotis fuscescens (L.) Raf. ex Czerep., Svod Dopolnenii i izmenenii k "Flore SSSR" 622 (1973)

***Platanthera hologlottis* Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 268 (1859) Nat: N Korea, S Korea 흰제비란**

Habenaria neuropetala Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 207 (1866)

Platanthera neuropetala (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 33 (1877)

Limnorchis hologlottis (Maxim.) Nevski, Fl. URSS 4: 666 (1935)

***Platanthera japonica* (Thunb.) Lindl., *Gen. Sp. Orchid. Pl.* 290 (1835) Nat: S Korea
갈매기난초**

Orchis japonica Thunb., Syst. Veg., ed. 14 (J. A. Murray) 811 (1784)

Platanthera manubriata Kraenzl. ex Diels, Bot. Jahrb. Syst. 29: 265 (1900)

***Platanthera mandarinorum* Rchb.f., *Linnaea* 25: 226 (1852) Nat: N Korea, S Korea 산제비란**

Platanthera oreades Franch. & Sav. var. *brachycentron* Franch. & Sav., Enum. Pl. Jap. 2: 514 (1878)

Platanthera mandarinorum Rchb.f. var. *cornu-bovis* (Nevski) Kitag., Neolin. Fl. Manshur. 199 (1979)

Platanthera mandarinorum Rchb.f. var. *brachycentron* (Franch. & Sav.) Koidz. ex K.Inoue, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 183 (1982)

***Platanthera maximowicziana* Schltr., *Repert. Spec. Nov. Regni Veg. Beih.* 4: 114 (1919) Nat: N Korea, S Korea 애기제비란**

Platanthera mandarinorum Rchb.f. var. *maximowicziana* (Schltr.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 69 (1953)

Platanthera mandarinorum Rchb.f. subsp. *maximowicziana* (Schltr.) K.Inoue, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 186 (1982)

***Platanthera minor* (Miq.) Rchb.f., *Bot. Zeitung (Berlin)* 35: 75 (1878) Nat: S Korea
한라잠자리란**

Habenaria japonica (Thunb.) A.Gray var. *minor* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 207 (1866)

Platanthera interrupta Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 31: 106 (1887)

Habenaria multibracteata W.W.Sm., Notes Roy. Bot. Gard. Edinburgh 13: 207 (1921)

***Platanthera ophrydioides* F.Schmidt, *Mem. Acad. Imp. Sci. St.-Petersbourg, Ser.* 7 12: 182 (1868) Nat: N Korea 구름제비란**

Platanthera reinii Franch. & Sav., Enum. Pl. Jap. 2: 513 (1878)

Platanthera mandarinorum Rchb.f. var. *ophrydioides* (F.Schmidt) Finet, Bull. Soc. Bot. France 47: 282 (1900)

Platanthera platycorys Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 44 (1919)

Platanthera ophrydioides F.Schmidt var. *monophylla* Honda, Bot. Mag. (Tokyo) 46: 634 (1932)

Platanthera ophrydioides F.Schmidt var. *australis* Ohwi, J. Jap. Bot. 12: 383 (1936)

Platanthera mandarinorum Rchb.f. var. *monophylla* (Honda) K.Inoue, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13: 185 (1982)

Platanthera sachalinensis F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 181 (1868) Nat: N Korea, S Korea 큰제비란

Platanthera ussuriensis (Regel & Maack) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 107 (1886) Nat: N Korea, S Korea 나도잡자리란

- Platanthera tipuloides* var. *ussuriensis* Regel & Maack, Tent. Fl.-Ussur. 157 (1861)
Habenaria ussuriensis (Regel & Maack) Miyabe, Mem. Boston Soc. Nat. Hist. 4-7: 262 (1890)
Platanthera herbicola var. *japonica* Finet, Bull. Soc. Bot. France 48: 281 (1900)
Perularia ussuriensis (Regel & Maack) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 99 (1919)
Tulotis ussuriensis (Regel & Maack) H.Hara, J. Jap. Bot. 30: 72 (1955)

Pogonia Andrews

Pogonia japonica Rchb.f., Linnaea 25: 228 (1852) Nat: N Korea, S Korea 큰방울새란

- Pogonia similis* Blume, Coll. Orchid. 148 (1858)
Pogonia ophioglossoides (L.) Ker Gawl. var. *japonica* (Rchb.f.) Finet, Bull. Soc. Bot. France 47: 273 (1900)
Pogonia kungii T.Tang & F.T.Wang, Contr. Inst. Bot. Natl. Acad. Peiping 2: 135 (1934)

Pogonia minor (Makino) Makino, Bot. Mag. (Tokyo) 23: 137 (1909) Nat: N Korea, S Korea 방울새란

- Pogonia japonica* Rchb.f. var. *minor* Makino, Bot. Mag. (Tokyo) 12: 103 (1898)

Ponerorchis Rchb.f.

Ponerorchis graminifolia Rchb.f., Linnaea 25: 228 (1852) Nat: N Korea, S Korea 나비난초

- Gymnadenia rupestris* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 206 (1866)
Gymnadenia graminifolia (Rchb.f.) Rchb.f., Bot. Zeitung (Berlin) 36: 75 (1878)
Orchis rupestris (Miq.) Schltr., Repert. Spec. Nov. Regni Veg. 4: 90 (1919)
Orchis graminifolia (Rchb.f.) T.Tang & F.T.Wang, Bull. Fan Mem. Inst. Biol. 10: 25 (1940)

Ponerorchis joo-iokiana (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 152 (1952) Nat: N Korea 너도제비란

- Orchis joo-iokiana* Makino, Bot. Mag. (Tokyo) 16: 57 (1902)
Orchis matsumurana Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 41 (1919)
Orchis joo-iokiana Makino var. *coreana* Ohwi, Acta Phytotax. Geobot. 5: 145 (1936)
Ponerorchis pauciflora (Lindl.) Ohwi var. *jooiokiana(makino)* Ohwi, Acta Phytotax. Geobot. 5: 145 (1936)

Sedirea Garay & Sweet

Sedirea japonica (Rchb.f.) Garay & H.R.Sweet, Orchids S. Ryukyu Islands 149 (1974) Nat: S Korea 나도풍란

- Aerides japonicum* Rchb.f., Hamburger Garten-Blumenzeitung 19: 210 (1863)

Spiranthes Rich.

Spiranthes sinensis (Pers.) Ames, Orchidaceae (Ames) 2: 53 (1908) Nat: N Korea, S Korea 타래난초

- Aristotelea spiralis* Lour., Fl. Cochinch. 522 (1790)
Neottia sinensis Pers., Syn. Pl. (Persoon) 2: 511 (1807)

Neottia australis R.Br., Prodr. Fl. Nov. Holland. 319 (1810)
Neottia flexuosa Sm., Cycl. (Rees) 24: 9 (1813)
Neottia amoena M.Bieb., Fl. Taur.-Caucas. 3: 606 (1819)
Spiranthes pudica Lindl., Coll. Bot. (Lindley) 1: 30 (1821)
Spiranthes australis Lindl., Bot. Reg. 10: sub. t. 823 (1824)
Spiranthes congesta Lindl., Bot. Reg. 10: t. 823 (1824)
Spiranthes amoena (M.Bieb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 708 (1826)
Gyrostachys amoena (M.Bieb.) Blume, Coll. Orchid. 129 (1858)
Gyrostachys australis var. *amoena* (M.Bieb.) Blume, Coll. Orchid. 129 (1859)
Gyrostachys australis var. *flexuosa* (Sm.) Blume, Coll. Orchid. 130 (1859)
Spiranthes australis Lindl. var. *suishaensis* Hayata, Icon. Pl. Formosan. 6: 86 (1916)
Spiranthes suishaensis Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 161 (1919)
Spiranthes suishaensis (Hayata) Hayata, Icon. Pl. Formosan. 10: 33 (1921)
Spiranthes sinensis (Pers.) Ames subsp. *australis* (R.Br.) Kitam., Acta Phytotax. Geobot. 21: 23 (1964)
Spiranthes lancea var. *chinensis* (Lindl.) Hatus., J. Geobot. 16: 80 (1968)
Spiranthes sinensis (Pers.) Ames var. *amoena* (M.Bieb.) H.Hara, J. Jap. Bot. 44: 59 (1969)
Spiranthes sinensis (Pers.) Ames var. *australis* (R.Br.) H.Hara & Kitam., Acta Phytotax. Geobot. 36: 93 (1985)

Taeniophyllum Blume

***Taeniophyllum glandulosum* Blume, Bijdr. Fl. Ned. Ind. 8: 356 (1825) Nat: S Korea 거미란**
Sarcochilus aphyllus Makino, Bot. Mag. (Tokyo) 1: 75 (1887)
Taeniophyllum aphyllum (Makino) Makino, Phan. Pter. Jap. Icon. 1: 11 (1899)
Taeniophyllum usneoides Schltr., Repert. Spec. Nov. Regni Veg. 10: 209 (1911)

Thrixspermum Lour.

***Thrixspermum japonicum* (Miq.) Rchb.f., Bot. Zeitung (Berlin) 36: 75 (1878) Nat: S Korea 비자란**
Sarcochilus japonicus Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 206 (1866)

Tipularia Chevall.

***Tipularia japonica* Matsum., Bot. Mag. (Tokyo) 15: 87 (1901) Nat: S Korea 비비추난초**

POACEAE

Aegilops L.

***Aegilops cylindrica* Host, Icon. Descr. Gram. Austriac. 2: 6 (1802) Int 엽소풀**
Triticum cylindricum (Host) Ces. & Pass. & Gibelli, Comp. Fl. Ital. (Arcangeli) 86 (1869)
Triticum caudatum Pers. subsp. *cylindricum* (Host) Asch. & Graebn., Syn. Mitteleur. Fl. 2: 710 (1902)
Aegilops caudata L. var. *cylindrica* Fiori, Nuov. Fl. Italia 1: 160 (1923)
Cylindropyrum cylindricum (Host) A.Löve, Biol. Zentralbl. 101: 207 (1982)

Agrostis L.

***Agrostis canina* L., Sp. Pl. 62 (1753) Nat: N Korea, S Korea 검은겨이삭**

Trichodium caninum (L.) Schrad., Fl. Germ. (Schrad.) 1: 198 (1806)
Agraulis caninus P.Beauv., Ess. Agrostogr. 5 (1812)
Agrostis canina L. var. *mutica* Gaudin, Fl. Helv. 1: 172 (1828)
Agrostis wightii Nees ex Steud., Syn. Pl. Glumac. 1: 168 (1854)

***Agrostis clavata* Trin., Neue Entdeck. Pflanzenk. 2: 55 (1821) Nat: N Korea, S Korea 산겨이삭**

Agrostis perennans (Walter) Tuck., Amer. J. Sci. Arts 45: 44 (1843)
Agrostis valvata Steud., Syn. Pl. Glumac. 1: 171 (1854)
Agrostis tenuiflora (Willd.) Steud., Syn. Pl. Glumac. 1: 163 (1855)
Agrostis matsumurae Hack. ex Matsum., Bot. Mag. (Tokyo) 11: 445 (1897)
Agrostis macrothyrsa Hack., Repert. Spec. Nov. Regni Veg. 7: 318 (1909)
Agrostis clavata Trin. var. *nukabo* Ohwi, Bot. Mag. (Tokyo) 55: 356 (1941)
Agrostis formosana Ohwi, Bot. Mag. (Tokyo) 55: 354 (1941)
Agrostis clavata Trin. subsp. *matsumurae* (Hack.) Tateoka ex Honda, Bull. Natl. Sci. Mus., Tokyo, B. 11: 161 (1968)
Agrostis exarata subsp. *clavata* (Trin.) T.Koyama, Grasses Japan Neighb. Reg. 484 (1987)

***Agrostis divaricatissima* Mez, Repert. Spec. Nov. Regni Veg. 18: 4 (1922) Nat: N Korea, S Korea 영성겨이삭**

Agrostis mongolica Roshev., Izv. Glavn. Bot. Sada SSSR 28: 381 (1929)
Agrostis koreana Ohwi, Repert. Spec. Nov. Regni Veg. 36: 39 (1934)

***Agrostis stolonifera* L., Sp. Pl. 62 (1753) Nat: N Korea 애기겨이삭**

Agrostis palustris Huds., Fl. Angl. (Hudson) 27 (1762)
Vilfa stolonifera (L.) P.Beauv., Ess. Agrostogr. 16: 182 (1812)
Agrostis alba L. var. *stolonifera* (L.) Sm., Engl. Fl. 1: 93 (1824)

***Agrostis vinealis* Schreb., Spic. Fl. Lips. 47 (1771) Nat: N Korea, S Korea 검정겨이삭**

Agrostis trinii Turcz., Bull. Soc. Imp. Naturalistes Moscou 29: 18 (1856)
Agrostis flaccida Hack. var. *trinii* (Turcz.) Ohwi, Bot. Mag. (Tokyo) 55: 353 (1941)
Agrostis flaccida Hack. subsp. *trinii* (Turcz.) T.Koyama ex Litv., Grasses Japan Neighb. Reg. 484 (1987)

***Alopecurus* L.**

***Alopecurus aequalis* Sobol., Fl. Petrop. 16 (1799) Nat: N Korea, S Korea 독새풀**

Alopecurus aristulatus Michx., Fl. Bor.-Amer. (Michaux) 1: 43 (1803)
Alopecurus fulvus Sm., Engl. Bot. 21: t. 1467 (1805)
Alopecurus amurensis Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 151 (1916)
Alopecurus fulvus Sm. var. *amurensis* (Kom.) Roshev., Trudy Glavn. Bot. Sada 39: 193 (1927)
Alopecurus brachytrichus Ohwi, Acta Phytotax. Geobot. 5: 51 (1936)
Alopecurus aequalis Sobol. subsp. *amurensis* (Kom.) Hultén, Circumpol. Pl. 1: 105 (1954)

***Alopecurus japonicus* Steud., Syn. Pl. Glumac. 1: 149 (1854) Int 털독새풀**

Alopecurus malacostachyus A.Gray, Narr. Exped. China Japan 2: 328 (1856)

***Alopecurus myosuroides* Huds., Fl. Angl. (Hudson) 23 (1762) Int 쥐꼬리독새풀**

Alopecurus agrestis L., Sp. Pl. (ed. 2) 89 (1762)
Phleum flavum Scop., Fl. Carniol., ed. 2 1: 55 (1771)
Alopecurus affinis Desv., Mem. Soc. Agric. Angers 1: 159 (1831)

Alopecurus purpurascens Link, *Linnaea* 17: 400 (1844)
Alopecurus adanensis Dogan, *Notes Roy. Bot. Gard. Edinburgh* 45: 111 (1988)

Alopecurus pratensis L., *Sp. Pl.* 60 (1753) Int 큰뚝새풀

Anthoxanthum L.

Anthoxanthum odoratum L., *Sp. Pl.* 28 (1753) Nat: N Korea, S Korea 향기풀

Phalaris ciliata Pourr., *Mem. Acad. Sci. Toulouse* 3: 323 (1788)
Anthoxanthum aristatum Boiss., *Voy. Bot. Espagne* 2: 638 (1844)
Xanthonanthos odoratum (L.) St.-Lag., *Ann. Soc. Bot. Lyon* 7: 119 (1880)
Anthoxanthum odoratum L. var. *aristatum* (Boiss.) Batt. & Trab., *Fl. Algérie* 142 (1895)
Anthoxanthum nebrodense Lojac., *Fl. Sicul.* 3: 255 (1909)
Anthoxanthum nipponicum Honda var. *aristatum* (Boiss.) Y.N.Lee, *Man. Korean Grasses* 128 (1966)
Anthoxanthum maderense Teppner, *Phyton (Horn)* 38: 309 (1998)

Anthoxanthum odoratum L. subsp. *odoratum*

Anthoxanthum odoratum L. subsp. *furumii* (Honda) T.Koyama, *Grasses Japan* 486 (1987)

Nat: N Korea 포태향기풀

Anthoxanthum odoratum L. var. *furumii* Honda, *Bot. Mag. (Tokyo)* 40: 318 (1926)

Arrhenatherum P.Beauv.

Arrhenatherum elatius (L.) P.Beauv. ex J.Presl & C.Presl, *Fl. Cech.* 17 (1819) Nat: N Korea, S Korea 개나라새

Avena elatior L., *Sp. Pl.* 79 (1753)
Holcus avenaceus Scop., *Fl. Carniol.*, ed. 2 2: 276 (1772)
Arrhenatherum avenaceum (Scop.) P.Beauv., *Ess. Agrostogr.* 55 (1812)
Hordeum avenaceum F.H.Wigg. ex P.Beauv., *Ess. Agrostogr.* 165 (1812)
Arrhenatherum murcicum Sennen, *Butl. Inst. Catalana Hist. Nat.* 32: 105 (1932)

Arthraxon Tiegh.

Arthraxon hispidus (Thunb.) Makino, *Bot. Mag. (Tokyo)* 26: 214 (1912) Nat: N Korea, S Korea 조개풀

Phalaris hispida Thunb., *Fl. Jap. (Thunberg)* 44 (1784)
Arthraxon ciliaris P.Beauv., *Ess. Agrostogr.* 111 (1812)
Pleuroplitis langsdorfii Trin., *Fund. Agrost.* 175 (1820)
Pleuroplitis centrasiatica Griseb., *Fl. Ross. (Ledeb.)* 4: 477 (1853)
Arthraxon langsdorfii (Trin.) Hochst., *Flora* 39: 188 (1856)
Pleuroplitis langsdorfii Trin. var. *brevisets* Regel, *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 10: 374 (1866)
Arthraxon ciliaris P.Beauv. subsp. *langsdorfii* (Trin.) Hack., *Monogr. Phan.* 6: 355 (1889)
Arthraxon ciliaris P.Beauv. var. *cryptatherus* Hack., *Monogr. Phan.* 6: 355 (1889)
Arthraxon pauciflorus Honda, *Bot. Mag. (Tokyo)* 39: 276 (1925)
Arthraxon hispidus (Thunb.) Makino var. *centrasiaticus* (Griseb.) Honda, *Bot. Mag. (Tokyo)* 39: 278 (1925)
Arthraxon hispidus (Thunb.) Makino var. *cryptatherus* (Hack.) Honda, *Bot. Mag. (Tokyo)* 39: 277 (1925)
Arthraxon cryptatherus (Hack.) Koidz., *Bot. Mag. (Tokyo)* 39: 301 (1925)
Arthraxon hispidus (Thunb.) Makino var. *ciliaris* (P.Beauv.) Nakai, *Veg. Apoi* 73 (1930)

Arthraxon kobuna Honda, Bot. Mag. (Tokyo) 49: 697 (1935)
Arthraxon hispidus (Thunb.) Makino var. *brevisetus* (Regel) H.Hara, Bot. Mag. (Tokyo) 52: 186 (1938)
Arthraxon hispidus (Thunb.) Makino f. *centrasiaticus* (Griseb.) Ohwi, Acta Phytotax. Geobot. 11: 164 (1942)

Arundinaria Michx.

Arundinaria simonii (Carrière) Rivière & C.Rivière, Bull. Soc. Natl. Acclim. France 3: 774 (1878) Int 해장죽

Bambusa simonii Carr, Rev. Hort. 37: 380 (1866)
Pleioblastus simonii (Carrière) Nakai, J. Arnold Arbor. 6: 147 (1925)
Nipponocalamus simonii (Carrière) Nakai, J. Jap. Bot. 18: 364 (1942)

Arundinella Duboscq

Arundinella hirta (Thunb.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 208 (1925)
Nat: N Korea, S Korea 새

Poa hirta Thunb., Fl. Jap. (Thunberg) 49 (1784)
Agrostis ciliata Thunb., Syst. Veg., ed. 14 (J. A. Murray) 111 (1784)
Arundinella anomala Steud., Syn. Pl. Glumac. 1: 116 (1854)
Agrostis thunbergii Steud., Syn. Pl. Glumac. 1: 163 (1854)
Panicum mandshuricum Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 328 (1859)
Panicum mandshuricum Maxim. var. *pikinense* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 329 (1859)
Panicum williamsii Hance, Ann. Sci. Nat., Bot. V, 5: 250 (1866)
Arundinella hirta (Thunb.) Tanaka var. *ciliata* Koidz., Bot. Mag. (Tokyo) 39: 303 (1925)
Arundinella oleagina Honda, Bot. Mag. (Tokyo) 41: 639 (1927)
Arundinella paniciformis Honda, Bot. Mag. (Tokyo) 41: 638 (1927)
Arundinella murayamae Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 309 (1930)
Arundinella taquetii (Matsum.) Nakai & Honda, Bot. Mag. (Tokyo) 49: 694 (1935)
Arundinella hirta (Thunb.) Tanaka f. *koryuensis* (Honda) Kitag., Neolin. Fl. Manshur. 69 (1979)

Arundo L.

Arundo donax L., Sp. Pl. 81 (1753) Int 물대

Arundo sativa Lam., Fl. Franc. (Lamarck) 3: 616 (1778)
Arundo bifaria Retz., Observ. Bot. (Retzius) 4: 21 (1786)
Arundo bengalensis Retz., Observ. Bot. (Retzius) 5: 20 (1789)
Arundo latifolia Salisb., Prodr. Stirp. Chap. Allerton 24 (1796)
Donax arundinaceus P.Beauv., Ess. Agrostogr. 78: 152, 161 (1812)
Cynodon donax (L.) Raspail, Ann. Sci. Nat. (Paris) 5: 302 (1825)

Avena L.

Avena fatua L., Sp. Pl. 80 (1753) Int 메귀리

Avena japonica Steud., Syn. Pl. Glumac. 1: 231 (1854)
Anelytrum avenaceum Hack., Repert. Spec. Nov. Regni Veg. 8: 519 (1910)
Avena sativa L. var. *fatua* (L.) Fiori, Nuov. Fl. Italia 1: 109 (1923)
Avena cultiformis (Malzev) Malzev, Sornye Rast. S.S.S.R. 1: 208 (1934)

***Avena sativa* L., Sp. Pl. 79 (1753) 귀리**

- Avena orientalis* Schreb., Spic. Fl. Lips. 52 (1771)
Avena mutica Krock., Fl. Siles. Suppl. 1: 187 (1823)
Avena chinensis Link, Handb. Gewachsk., ed. 2 1: 43 (1829)
Avena distans Schur, Oesterr. Bot. Z. 20: 22 (1870)
Avena algeriensis Trab., Bull. Soc. Hist. Nat. Afrique N. 2: 151 (1910)

Beckmannia Host

***Beckmannia syzigachne* (Steud.) Fernald, *Rhodora* 30: 27 (1928) Nat: N Korea, S Korea 개피**

- Panicum syzigachne* Steud., Flora 29: 19 (1846)
Beckmannia eruciformis (L.) Host var. *uniflora* Scribn. ex A.Gray, Manual (Gray), ed. 6 628 (1890)
Beckmannia eruciformis (L.) Host var. *baicalensis* Kusn., Trudy Bjuro Prikl. Bot. 6: 584 (1913)
Beckmannia baicalensis (Kusn.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 119 (1927)
Beckmannia eruciformis (L.) Host subsp. *syzigachne* (Steud.) Breitung, Amer. Midl. Naturalist 58: 10 (1957)
Beckmannia syzigachne (Steud.) Fernald subsp. *baicalensis* (Kusn.) T.Koyama & Kawano, Canad. J. Bot. 42: 879 (1964)
Beckmannia syzigachne (Steud.) Fernald var. *uniflora* (Scribn. ex A.Gray) B.Boivin, Naturaliste Canad. 94: 521 (1967)

Bothriochloa Kuntze

***Bothriochloa ischaemum* (L.) Keng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 10: 201 (1936) Nat: N Korea, S Korea 바랭이새**

- Andropogon ischaemum* L., Sp. Pl. 2: 1047 (1753)
Sorghum ischaemum (L.) Kuntze, Revis. Gen. Pl. 2: 792 (1891)

Brachyelytrum P.Beauv.

***Brachyelytrum japonicum* (Hack.) Matsum. ex Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 210 (1930) Nat: S Korea 담상이사꽃**

- Brachyelytrum erectum* var. *japonicum* Hack., Bull. Herb. Boissier 7: 647 (1899)

Brachypodium Brid.

***Brachypodium sylvaticum* (Huds.) P.Beauv., Ess. Agrostogr. 101 (1812) Nat: N Korea, S Korea 숲개밀**

- Festuca sylvatica* Huds., Fl. Angl. (Hudson) 38 (1762)
Bromus sylvaticus (Huds.) Lyons, Fasc. Pl. Cantabr. 15 (1763)
Triticum sylvaticum (Huds.) Moench, Enum. Pl. Hass. 54 (1777)
Festuca misera Thunb., Syst. Veg., ed. 14 (J. A. Murray) 119 (1784)
Polypogon miser (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 214 (1912)
Brachypodium miserum (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 303 (1925)
Brachypodium sylvaticum (Huds.) P.Beauv. var. *miserum* (Thunb.) Koidz., Fl. Symb. Orient.-Asiat. 80 (1930)
Brachypodium manschuricum Kitag., J. Jap. Bot. 9: 108, 117 (1933)

Briza L.

Briza minor L., Sp. Pl. 70 (1753) Nat: S Korea 방울새풀

Briza virens L., Sp. Pl. (ed. 2) 103 (1762)

Briza deltoidea Burm.f., Fl. Ind. (N. L. Burman) 3 (1768)

Briza trichotoma Steud., Flora 29: 20 (1846)

Bromus L.

Bromus carinatus Hook. & Arn., Bot. Beechey Voy. 403 (1840) Int 성긴이삭풀

Ceratochloa carinata (Hook. & Arn.) Tutin, Fl. Brit. Isles [Clapham et al.] 145 (1952)

Bromus catharticus Vahl, Symb. Bot. (Vahl) 2: 22 (1791) Int 큰이삭풀

Bromus unioloides Kunth, Nov. Gen. Sp. [Kunth] 1: 151 (1816)

Zerna unioloides (Kunth) Lindm., Sv. Fanerogamfl. 101 (1918)

Bromus ciliatus L., Sp. Pl. 76 (1753) Nat: N Korea 빗새귀리

Bromus yezoensis Ohwi, Acta Phytotax. Geobot. 2: 30 (1933)

Bromus canadensis Michx. subsp. *yezoensis* (Ohwi) Vorosch., Byull. Moskovsk. Obschch.

Isp. Prir. Otd. Biol. n.s. 95: 91 (1990)

Bromus hordeaceus L., Sp. Pl. 77 (1753) Int 털참새귀리

Bromus mollis L., Sp. Pl. (ed. 2) 1: 112 (1762)

Bromus inermis Leyss., Fl. Halens. 16 (1761) Int 즘참새귀리

Festuca speciosa Schreb., Spic. Fl. Lips. 59 (1771)

Festuca inermis (Leyss.) DC., Fl. Franc. (DC. & Lamarck), ed. 3 3: 49 (1805)

Bromus tatewakii Honda, Bot. Mag. (Tokyo) 42: 135 (1928)

Bromus pskemensis Pavlov, Vestn. Akad. Nauk Kazahsk. SSR 1: 26 (1949)

Bromopsis inermis (Leyss.) Holub, Folia Geobot. Phytotax. 8: 167 (1973)

Bromus japonicus Thunb., Syst. Veg., ed. 14 (J. A. Murray) 119 (1784) Nat: N Korea, S

Korea 참새귀리

Bromus patulus Mert. & W.D.J.Koch, Deutschl. Fl. (Mertens & W. D. J. Koch), ed. 3 1: 685 (1823)

Bromus phrygius Boiss., Diagn. Pl. Orient. II, 4: 140 (1859)

Bromus subsquarrosus Borbás, Fl. Comit. Temesiensis 21 (1884)

Bromus abolinii Drobow, Repert. Spec. Nov. Regni Veg. 21: 40 (1925)

Bromus barobalianus G.Singh, Forest Fl. Srinagar 129 (1976)

Bromus pseudojaponicus H.Scholz, Bot. Jahrb. Syst. 102: 485 (1981)

Bromus regnii H.Scholz, Willdenowia 25: 237 (1995)

Bromus racemosus L., Sp. Pl. (ed. 2) 114 (1762) Int 민둥참새귀리

Serrafalcus racemosus (L.) Parl., Rar. Pl. Sicilia 2: 14 (1840)

Serrafalcus velutinus Parl., Rar. Pl. Sicilia 2: 16 (1840)

Michelaria hirsuta Davr., Nocr. Lieg. 36 (1854)

Bromus remotiflorus (Steud.) Ohwi, Acta Phytotax. Geobot. 4: 58 (1935) Nat: S Korea

코리아세

Festuca pauciflora Thunb., Fl. Jap. (Thunberg) 52 (1784)

Festuca remotiflora Steud., Syn. Pl. Glumac. 1: 315 (1854)

Schedonorus remotiflorus (Steud.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 283 (1866)

Schedonorus pauciflorus (Thunb.) Miq., Prolus. Fl. Jap. 171 (1866)
Bromus pauciflorus (Thunb.) Hack., Bull. Herb. Boissier 7: 713 (1899)
Stenofestuca pauciflora (Thunb.) Nakai, J. Jap. Bot. 25: 7 (1950)

***Bromus richardsonii* Link, Hort. Berol. [Link] 2: 281 (1833) Nat: N Korea 개뽕새귀리**

Zerna richardsonii (Link) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot. 17: 17 (1934)
Bromus ciliatus L. var. *richardsonii* (Link) B.Boivin, Naturaliste Canad. 94: 521 (1967)
Zerna canadensis subsp. *richardsonii* (Link) Tzvelev, Novosti Sist. Vyssh. Rast. 7: 54 (1970)
Bromopsis richardsonii (Link) Holub, Folia Geobot. Phytotax. 8: 168 (1973)
Bromopsis canadensis subsp. *richardsonii* (Link) Tzvelev, Zlaki SSSR 214 (1976)

***Bromus rigidus* Roth, Bot. Mag. 10: 21 (1790) Int 긴까락뽕새귀리**

Genea rigida (Roth) Dumort., Bull. Soc. Roy. Bot. Belgique 7: 67 (1868)
Bromus madritensis L. var. *rigidus* (Roth) Bab. ex Syme, Engl. Bot., ed. 3B 11: 161 (1873)
Bromus villosus Scop. var. *rigidus* (Roth) Asch. & Graebn., Syn. Mitteleur. Fl. 2: 596 (1901)
Bromus gussonii Parl. var. *rigidus* (Roth) H.Lindb., Acta Soc. Sci. Fenn., Ser. B, Opera Biol. 1: 15 (1932)
Anisantha diandra subsp. *rigida* (Roth) Tzvelev, Zlaki SSSR 223 (1976)
Bromus diandrus Roth subsp. *rigidus* (Roth) O.Bolòs & Masalles & Vigo, Collect. Bot. (Barcelona) 17: 96 (1987)

***Bromus secalinus* L., Sp. Pl. 76 (1753) Int 큰참새귀리**

Bromus mollis L. var. *secalinus* (L.) Huds., Fl. Angl. (Hudson) (ed. 2) 49 (1778)
Avena secalina Salisb., Prodr. Stirp. Chap. Allerton 22 (1796)
Serrafalcus secalinus (L.) Bab., Man. Brit. Bot. 374 (1843)
Forasaccus secalinus (L.) Bubani, Fl. Pyren. 4: 388 (1901)

***Bromus sterilis* L., Sp. Pl. 77 (1753) Int 까락뽕새귀리**

Schedonorus sterilis (L.) Fr., Bot. Not. 1843: 131 (1843)
Festuca sterilis (L.) Jess., Deutschl. Gräser 170 (1863)
Anisantha sterilis (L.) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot. 17: 20 (1934)

***Bromus tectorum* L., Sp. Pl. 77 (1753) Int 털뽕새귀리**

Zerna tectorum (L.) Panz., Denkschr. Königl. Akad. Wiss. München 4: 297 (1813)
Bromus abortiflorus St.-Amans, Fl. Agen. 44 (1821)
Bromus tectorum L. var. *glabratus* Spenn., Fl. Friburg. 1: 152 (1825)
Schedonorus tectorum (L.) Fr., Bot. Not. 1843: 131 (1843)
Anisantha pontica C.Koch, Linnaea 21: 394 (1848)
Bromus setaceus Buckley, Proc. Acad. Nat. Sci. Philadelphia 15: 98 (1863)
Anisantha tectorum (L.) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot. 17: 22 (1934)

***Calamagrostis* Adans.**

***Calamagrostis arundinacea* (L.) Roth, Tent. Fl. Germ. 1: 33 (1788) Nat: N Korea, S Korea
실새풀**

Agrostis arundinacea L., Sp. Pl. 61 (1753)
Deyeuxia arundinacea P.Beauv., Ess. Agrostogr. 147: 160 (1812)
Calamagrostis brachytricha Steud., Syn. Pl. Glumac. 1: 189 (1854)
Calamagrostis nipponica Franch. & Sav., Enum. Pl. Jap. 2: 599 (1878)
Calamagrostis robusta Franch. & Sav., Enum. Pl. Jap. 2: 600 (1878)

Calamagrostis sciuroides Franch. & Sav., Enum. Pl. Jap. 2: 600 (1878)
Calamagrostis arundinacea (L.) Roth var. *brachytricha* (Steud.) Hack., Bull. Herb. Boissier 7: 652 (1899)
Deyeuxia sylvatica var. *brachtricha* (Steud.) Hack., Bull. Herb. Boissier 7: 652 (1899)
Calamagrostis arundinacea (L.) Roth var. *nipponica* (Franch. & Sav.) Hack., Bull. Herb. Boissier 7: 652 (1899)
Calamagrostis arundinacea (L.) Roth var. *sciuroides* (Franch. & Sav.) Hack., Bull. Herb. Boissier 7: 652 (1899)
Calamagrostis arundinacea (L.) Roth var. *hirsuta* Hack., Bull. Herb. Boissier ser. 2, 2: 502 (1902)
Deyeuxia sylvatica var. *hirsuta* (Hack.) Rendle, J. Linn. Soc., Bot. 36(254): 397 (1904)
Deyeuxia sylvatica var. *sciuroides* (Franch. & Sav.) Rendle, J. Linn. Soc., Bot. 36: 398 (1904)
Calamagrostis turczaninowii Litv., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 115 (1921)
Calamagrostis arundinacea (L.) Roth var. *inaequata* Hack., Bot. Mag. (Tokyo) 40: 441 (1926)
Calamagrostis arundinacea (L.) Roth var. *robusta* Honda, Bot. Mag. (Tokyo) 40: 441 (1926)
Calamagrostis heterogluma (Nakai) Honda, Bot. Mag. (Tokyo) 40: 441 (1926)
Calamagrostis monticola Petrov ex Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R. 30: 197 (1932)
Calamagrostis hymenoglossa Ohwi, Acta Phytotax. Geobot. 10: 261 (1941)

***Calamagrostis epigeios* (L.) Roth, Tent. Fl. Germ. 1: 34 (1788) Nat: N Korea, S Korea 산조풀**

Arundo epigejos L., Sp. Pl. 81 (1753)
Arundo intermedia C.C.Gmel., Fl. Bad. 1: 266 (1805)
Calamagrostis georica K.Koch, Linnaea 21: 387 (1848)
Calamagrostis thyrsoidea K.Koch, Linnaea 21: 388 (1848)
Calamagrostis epigeios (L.) Roth var. *densiflora* Ledeb. ex Griseb., Fl. Ross. (Ledeb.) 4: 433 (1852)
Calamagrostis wirtgeniana Hausskn., Mitth. Thüring. Bot. Vereins 6: 68 (1894)
Calamagrostis macrolepis Litv., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 125 (1921)
Calamagrostis epigeios (L.) Roth f. *densiflora* (Ledeb. ex Griseb.) Serb. & Beldie, Fl. Reipubl. Socialist. Romania 12: 180 (1972)

***Calamagrostis holmii* Lange, Novaia-Zemlia's Vegetation 20 (1887) Nat: N Korea 봉젠새풀**

Calamagrostis bungeana Petrov, Fl. Iakut. 1: 209 (1930)

***Calamagrostis lapponica* (Wahlenb.) Hartm., Gen. Gram. 1: 5 (1819) Nat: N Korea 라프랜드새풀**

***Calamagrostis pseudophragmites* (Haller f.) Koeler, Descr. Gram. [Koeler] 106 (1802) Nat: N Korea 갯조풀**

Arundo pseudophragmites Haller f., Arch. Bot. (Leipzig) 1: 11 (1796)
Arundo littorea Schrad., Fl. Germ. (Schrader) 212 (1806)
Calamagrostis littorea (Schrad.) P.Beauv., Ess. Agrostogr. 15: 157 (1812)
Calamagrostis glauca (M.Bieb.) Rchb., Fl. Germ. Excurs. 1: 27 (1830)
Calamagrostis dubia Bunge, Beitr. Fl. Russl. 348 (1852)
Calamagrostis onaei Franch. & Sav., Enum. Pl. Jap. 2: 598 (1878)
Arundo glauca Bubani, Fl. Pyren. 4: 303 (1901)

***Calamagrostis purpurea* (Trin.) Trin., Gram. Unifl. Sesquifl. [Trinius] 219 (1824) Nat: N Korea, S Korea 산새풀**

Arundo langsdorfii Link, Enum. Hort. Berol. Alt. 1: 74 (1821)
Calamagrostis langsdorfii (Link) Trin., Gram. Unifl. Sesquifl. [Trinius] 225 (1824)
Calamagrostis flexuosa Rupr., Beitr. Pflanzenk. Russ. Reiches 4: 34 (1846)
Calamagrostis viridula Takeda, Bot. Mag. (Tokyo) 24: 42 (1910)

Calamagrostis villosa var. *ramosa* Nakai, Bot. Mag. (Tokyo) 35: 139 (1921)
Calamagrostis notabilis Litv., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 124 (1921)
Calamagrostis angustifolia Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 192 (1926)
Calamagrostis langsdorffii (Link) Trin. var. *ramosa* (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 490 (1926)
Calamagrostis paishanensis Nakai, Bot. Mag. (Tokyo) 40: 491 (1926)
Calamagrostis fusca Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 197 (1931)
Calamagrostis canadensis subsp. *langsdorffii* (Link) Hultén, Fl. Alaska Yukon 161 (1942)
Calamagrostis confusa V.N.Vassil., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 13: 49 (1950)
Calamagrostis barbata V.N.Vassil., Repert. Spec. Nov. Regni Veg. 68: 216 (1963)
Calamagrostis amurensis Prob., Bot. Zhurn. (Moscow & Leningrad) 68: 1410 (1983)

***Calamagrostis stricta* (Timm) Koeler, Descr. Gram. [Koeler] 105 (1802) Nat: N Korea 야지피**

Calamagrostis neglecta (Ehrh.) P.Gaertn. & B.Mey. & Schreb., Oekon. Fl. Wetterau 1: 94 (1799)
Calamagrostis stricta (Timm) Koeler var. *aculeolata* Hack., Bull. Herb. Boissier 7: 652 (1899)
Calamagrostis neglecta (Ehrh.) P.Gaertn. & B.Mey. & Schreb. var. *aculeolata* (Hack.) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 140 (1931)
Calamagrostis aculeolata (Hack.) Ohwi, Acta Phytotax. Geobot. 2: 278 (1933)
Calamagrostis robertii A.E.Porsild, Publ. Bot. (Ottawa) 4: 5 (1974)
Calamagrostis neglecta (Ehrh.) P.Gaertn. & B.Mey. & Schreb. subsp. *aculeolata* (Hack.) T.Koyama, Grasses Japan 496 (1987)

***Calamagrostis subacrochaeta* Nakai, Bot. Mag. (Tokyo) 40: 490 (1926) Nat: N Korea**

낭림새풀

Capillipedium Stapf & Prain

***Capillipedium parviflorum* (R.Br.) Stapf, Fl. Trop. Afr. 9: 169 (1917) Nat: N Korea, S Korea**

나도기름새

Holcus parviflora R.Br., Prodr. Fl. Nov. Holland. 199 (1810)
Andropogon micranthus Kunth, Revis. Gramin. 1: 165 (1829)
Chrysopogon parviflorus (R.Br.) Nees, London J. Bot. 2: 411 (1843)
Andropogon villosulus Nees ex Steud., Syn. Pl. Glumac. 1: 397 (1854)
Andropogon violascens (Trin.) Nees ex Steud., Syn. Pl. Glumac. 1: 396 (1854)
Andropogon micranthus Kunth var. *villosulus* (Steud.) Hack., Monogr. Phan. 6: 490 (1889)
Andropogon micranthus Kunth var. *violascens* (Trin.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 345 (1930)
Bothriochloa parviflora (R.Br.) Ohwi f. *villosula* (Steud.) Ohwi, Acta Phytotax. Geobot. 11: 166 (1941)
Bothriochloa parviflora (R.Br.) Ohwi, Acta Phytotax. Geobot. 11: 166 (1942)

Catapodium Link

***Catapodium rigidum* (L.) C.E.Hubb., Fl. Bedfordshire 437 (1953) Int 고사리새**

Poa rigida L., Cent. Pl. I. 5 (1755)
Scleropoa rigida (L.) Griseb., Spic. Fl. Rumel. 2: 431 (1846)

Chloris Sw.

***Chloris virgata* Sw., Fl. Ind. Occid. 1: 203 (1797) Nat: N Korea, S Korea 나도바랭이**

Chloris compressa DC., Cat. Pl. Horti Monsp. 94 (1813)
Chloris elegans Kunth, Nov. Gen. Sp. [Kunth] 1: 166-167 (1815)
Chloris alba J.Presl, Reliq. Haenk. 1(4-5): 289 (1830)
Chloris albertii Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 7: 650 (1880)
Chloris caudata Trin. ex Bunge, Enum. Pl. Chin. Bor. 70 (1883)

Cinna L.

***Cinna latifolia* (Trevir.) Griseb., Fl. Ross. (Ledeb.) 4: 435 (1852) Nat: N Korea, S Korea
나도팔기광이**

Agrostis latifolia Trevir., Besch. Bot. Gaert. Breslau 82 (1830)
Muhlenbergia pendula Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 172 (1832)
Cinna expansa Link, Hort. Berol. [Link] 2: 236 (1833)
Cinna kamtschatica Rupr., Beitr. Pflanzenk. Russ. Reiches 4: 228 (1845)
Cinna pendula (Trin.) Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 280 (1845)
Cinna arundinacea L. var. *pendula* (Trin.) A.Gray, Manual (Gray), ed. 2 545 (1856)
Agrostis alba L. var. *koreensis* Nakai, Bot. Mag. (Tokyo) 33: 1 (1919)

Cleistogenes Keng

***Cleistogenes hackelii* (Honda) Honda, Bot. Mag. (Tokyo) 50: 437 (1936) Nat: N Korea, S Korea
대새풀**

Diplachne latifolia Nakai, Bot. Mag. (Tokyo) 35: 139 (1921)
Diplachne hackelii Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 112 (1930)
Cleistogenes chinensis (Maxim.) Keng, Sinensia 5: 152 (1934)
Cleistogenes nakaii (Keng) Honda, Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 99 (1936)
Cleistogenes hackelii (Honda) Honda var. *nakaii* (Keng) Ohwi, Bot. Mag. (Tokyo) 55: 309 (1941)

Coelachne R.Br.

***Coelachne japonica* Hack., Bull. Herb. Boissier 7: 701 (1899) Nat: S Korea
좁조개풀
Coelachne monantha Makino, Bot. Mag. (Tokyo) 4: 230 (1890)**

Coix L.

***Coix lacryma-jobi* L., Sp. Pl. 2: 972 (1753) Int 염주**

Coix lacryma L., Syst. Nat. ed. 10 2: 1261 (1759)
Lithagrostis lacryma-jobi (L.) Gaertn., Fruct. Sem. Pl. 1: 7 (1788)
Coix agrestis Lour., Fl. Cochinch. 551 (1790)
Coix exaltata Jacq., Ecl. Gram. Rar. 60 (1820)

Coix lacryma-jobi* L. var. *lacryma-jobi

***Coix lacryma-jobi* L. var. *mayuen* (Rom.Caill.) Stapf, Fl. Brit. Ind. 7: 100 (1896) Int 울무**

Coix chinensis Tod., Index Sem. Panorm. 5 (1861)
Coix ma-yuen Rom.Caill., Bull. Soc. Acclimat. ser. 2 8: 442 (1881)
Coix lacryma-jobi L. var. *frumentacea* Makino, Bot. Mag. (Tokyo) 20: 11 (1906)

Crypsis Aiton

***Crypsis aculeata* (L.) Aiton, Hortus Kew. 1: 48 (1789) Nat: N Korea** 갯을무

Schoenus aculeatus L., Sp. Pl. 42 (1753)

Anthoxanthum aculeatum (L.) L.f., Suppl. Pl. 89 (1782)

Heleochloa diandra Host, Fl. Austriac. 1: 71 (1827)

Cymbopogon Spreng.

***Cymbopogon goeringii* (Steud.) A.Camus, Rev. Bot. Appl. Agric. Colon. 1: 286 (1921) Nat: N Korea, S Korea** 개솔새

Andropogon goeringii Steud., Flora 29: 22 (1846)

Andropogon nardus L. var. *goeringii* (Steud.) Hack., Monogr. Phan. 6: 607 (1889)

Cymbopogon goeringii (Steud.) A.Camus var. *viridis* Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 339 (1930)

Cymbopogon tortilis var. *goeringii* (Steud.) Hand.-Mazz., Symb. Sin. 5: 1314 (1936)

Cynodon Brid.

***Cynodon dactylon* (L.) Pers., Syn. Pl. (Persoon) 1: 85 (1805) Nat: S Korea** 우산잔디

Panicum dactylon L., Sp. Pl. 58 (1753)

Paspalum dactylon (L.) Lam., Encycl. (Lamarck) 1: 176 (1791)

Capriola dactylon (L.) Kuntze, Revis. Gen. Pl. 2: 764 (1891)

Cynosurus L.

***Cynosurus cristatus* L., Sp. Pl. 72 (1753) Int** 빗살새

Dactylis L.

***Dactylis glomerata* L., Sp. Pl. 71 (1753) Int** 오리새

Bromus glomeratus (L.) Scop., Fl. Carniol., ed. 2 1: 76 (1771)

Dactylis polygama Horv., Fl. Tyrnav. Indig. 1: 15 (1774)

Festuca glomerata (L.) All., Fl. Pedem. 2: 252 (1785)

Dactylis smithii Link, Phys. Besch. Canar. Ins. 139 (1825)

Trachypoa vulgaris Bubani, Fl. Pyren. 4: 359 (1901)

Dactylis woronowii Ovcz., Fl. URSS 2: 362 (1934)

Dactyloctenium Willd.

***Dactyloctenium aegyptium* (L.) Willd., Enum. Pl. (Willdenow) 2: 1029 (1809) Int** 지네발새

Deschampsia P.Beauv.

***Deschampsia cespitosa* (L.) P.Beauv., Ess. Agrostogr. 91 (1812) Nat: N Korea, S Korea** 쯤새풀

Aira cespitosa L., Sp. Pl. 64 (1753)

Agrostis cespitosa (L.) Salisb., Prodr. Stirp. Chap. Allerton 25 (1796)

Deschampsia cespitosa (L.) P.Beauv. var. *coreensis* Hack. ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 19 (1914)

Deschampsia cespitosa (L.) P.Beauv. var. *festucifolia* Honda, Bot. Mag. (Tokyo) 41: 635

(1927)

Diarrhena P.Beauv.

Diarrhena fauriei (Hack.) Ohwi, Acta Phytotax. Geobot. 10: 135 (1941) Nat: N Korea, S Korea 광릉용수염

- Molinia fauriei* Hack., Bull. Herb. Boissier ser.2, 3: 504 (1903)
Neomolinia fauriei (Hack.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 110 (1930)
Diarrhena koryoensis Honda, Koryo Shikenrin Ippan 79 (1932)
Diarrhena nekka-montana Honda, Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 62 (1936)
Diarrhena yabeana Kitag., Bot. Mag. (Tokyo) 51: 150 (1937)
Neomolinia koryoensis (Honda) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 140 (1952)
Diarrhena fauriei (Hack.) Ohwi var. *koryoensis* (Honda) I.C.Chung, J. Wash. Acad. Sci. 45: 215 (1955)

Diarrhena japonica (Franch. & Sav.) Franch. & Sav., Enum. Pl. Jap. 2: 603 (1878) Nat: S Korea 용수염

- Onoea japonica* Franch. & Sav., Enum. Pl. Jap. 2: 178 (1877)
Neomolinia japonica (Franch. & Sav.) Prob., Sosud. Rast. Sovet. Dal'nego Vostoka 1: 343 (1985)

Diarrhena mandshurica Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 932 (1888) Nat: N Korea, S Korea 꺾질용수염

- Neomolinia mandshurica* (Maxim.) Honda, Bot. Mag. (Tokyo) 46: 2 (1932)

Digitaria Haller

Digitaria ciliaris (Retz.) Koeler, Descr. Gram. [Koeler] 27 (1802) Nat: N Korea, S Korea 바랭이

- Digitaria sanguinalis* (L.) Scop., Fl. Carniol., ed. 2 1: 52 (1771)
Panicum ciliare Retz., Observ. Bot. (Retzius) 4: 16 (1786)
Panicum adscendens Kunth, Nov. Gen. Sp. [Kunth] 1: 97 (1816)
Digitaria marginata Link, Enum. Hort. Berol. Alt. 1: 102 (1821)
Digitaria sanguinalis (L.) Scop. var. *marginata* (Link) Fernald, Rhodora 22: 103 (1920)
Digitaria adscendens (Kunth) Henrard, Blumea 1: 92 (1934)

Digitaria radicata (J.Presl) Miq., Fl. Ned. Ind. 3: 437 (1855) Nat: N Korea, S Korea 좀바랭이

- Digitaria propinqua* Gaudich., Voy. Uranie, Bot. 410 (1829)
Panicum radicosum J.Presl, Reliq. Haenk. 1: 297 (1830)
Panicum timorense Kunth, Enum. Pl. (Kunth) 1: 83 (1833)
Digitaria timorensis (Kunth) Balansa, J. Bot. (Morot) 4: 138 (1890)
Panicum sanguinale L. var. *timorense* (Kunth) Hack., Bot. Tidsskr. 24: 41 (1901)
Digitaria formosana Rendle, J. Linn. Soc., Bot. 36: 323 (1904)
Panicum formosanum (Rendle) Makino & Nemoto, Fl. Japan (Makino & Nemoto) 1471 (1925)

Digitaria violascens Link, Hort. Berol. [Link] 1: 229 (1827) Nat: N Korea, S Korea 민바랭이

- Digitaria chinensis* Hornem., Suppl. Hort. Bot. Hafn. 8 (1819)
Panicum violascens (Link) Kunth, Revis. Gramin. 1: 33 (1829)
Paspalum chinense Nees ex Hook. & Arn., Bot. Beechey Voy. 231 (1837)
Syntherisma ischaemum (Schreb.) Nash var. *lasiophylla* Honda, Bot. Mag. (Tokyo) 38: 126 (1924)

Digitaria ropalotricha var. *villosa* (Keng) Tuyama, J. Jap. Bot. 18: 18 (1942)
Digitaria ischaemum var. *asiatica* Ohwi, Acta Phytotax. Geobot. 11: 32 (1942)
Digitaria violascens Link var. *lasiophylla* (Honda) Tuyama, J. Jap. Bot. 18: 15 (1942)
Digitaria violascens Link var. *intersita* (Ohwi) Ohwi, Fl. Jap. (Ohwi) 67 (1953)

Dimeria R.Br.

Dimeria ornithopoda Trin., Fund. Agrost. 167 (1820) Nat: S Korea 잔디바랭이

Andropogon filiformis Roxb., Fl. Ind. (Roxburgh) 1: 260 (1820)
Dimeria tenera Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 335 (1833)
Andropogon stipiformis Steud., Syn. Pl. Glumac. 1: 377 (1854)
Dimeria stipiformis (Steud.) Miq., Probus. Fl. Jap. 176 (1867)
Dimeria ornithopoda Trin. var. *genuina* Hack., Monogr. Phan. 6: 81 (1889)
Dimeria ornithopoda Trin. var. *subrobusta* Hack., Monogr. Phan. 6: 82 (1889)
Dimeria ornithopoda Trin. var. *tenera* (Trin.) Hack., Monogr. Phan. 6: 80 (1889)
Dimeria higoensis Honda, Bot. Mag. (Tokyo) 40: 108 (1926)
Dimeria mikii Honda, Bot. Mag. (Tokyo) 46: 634 (1932)

Echinochloa P.Beauv.

Echinochloa crus-galli (L.) P.Beauv., Ess. Agrostogr. 32: 161, 169, t. 11 (1812) Nat: N Korea, S Korea 들피

Panicum crus-galli L., Sp. Pl. 56 (1753)
Echinochloa crus-galli (L.) P.Beauv. var. *submutica* Neillr., Fl. Nied.-Oesterr 31 (1859)
Echinochloa crus-galli (L.) P.Beauv. var. *longiseta* (Döll) Neillr., Fl. Nied.-Oesterr 31 (1859)
Panicum crus-galli L. var. *echinatum* (Willd.) Döll, Fl. Bras. (Martius) 2: 143 (1877)
Echinochloa crus-galli (L.) P.Beauv. subsp. *submutica* (C.A.Mey.) Honda, Bot. Mag. (Tokyo) 37: 121 (1923)
Echinochloa crus-galli (L.) P.Beauv. var. *echinata* (Willd.) Honda, Bot. Mag. (Tokyo) 37: 120 (1923)
Echinochloa caudata Roshev., Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 91 (1934)
Echinochloa crus-galli (L.) P.Beauv. var. *caudata* (Roshev.) Kitag., Lin. Fl. Manshur. 73 (1939)
Echinochloa crus-galli (L.) P.Beauv. var. *formosensis* Ohwi, Acta Phytotax. Geobot. 11: 37 (1942)
Echinochloa crus-galli (L.) P.Beauv. var. *praticola* Ohwi, Acta Phytotax. Geobot. 11: 37 (1942)
Echinochloa echinata (Willd.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 137 (1952)

Echinochloa esculenta (A.Braun) H.Scholz, Taxon 41: 523 (1992) Int 피

Panicum esculentum A.Braun, Index Seminum Hort. Bot. Hamburg. 1855 3 (1861)
Echinochloa frumentacea Link var. *atherachne* Ohwi, Acta Phytotax. Geobot. 11: 39 (1942)
Echinochloa utilis Ohwi & Yabuno, Acta Phytotax. Geobot. 20: 50 (1962)
Echinochloa crus-galli (L.) P.Beauv. var. *utilis* (Ohwi & Yabuno) Kitag., Acta Phytotax. Geobot. 36: 93 (1985)

Echinochloa glabrescens Munro ex Hook.f., Fl. Brit. Ind. 7(21): 31 (1897) Nat: S Korea 대만피

Echinochloa oryzicola Vasinger, Fl. URSS 2: 33 (1934) Nat: S Korea 논피

***Echinochloa oryzoides* (Ard.) Fritsch, Verh. K.K. Zool.-Bot. Ges. Wien 41: 742 (1891) Nat: S Korea 나도논피**

Panicum hispidulum Retz., Observ. Bot. (Retzius) 5: 18 (1789)

Echinochloa hispidula (Retz.) Nees, Ill. Bot. Himal. Mts. 416 (1840)

Panicum crus-galli L. var. *hispidulum* (Retz.) Hack., Bull. Herb. Boissier 7: 644 (1899)

Echinochloa crus-galli (L.) P.Beauv. var. *hispidula* (Retz.) Honda, Bot. Mag. (Tokyo) 37: 122 (1923)

Echinochloa crus-galli (L.) P.Beauv. var. *oryzicola* (Vasinger) Ohwi, Acta Phytotax. Geobot. 11: 38 (1942)

Echinochloa crus-galli (L.) P.Beauv. var. *riukiensis* Ohwi, Acta Phytotax. Geobot. 11: 37 (1942)

Eleusine Gaertn.

***Eleusine indica* (L.) Gaertn., Fruct. Sem. Pl. 1: 8 (1788) Nat: N Korea, S Korea 왕바랭이**

Cynosurus indicus L., Sp. Pl. 72 (1753)

Cynodon indicus (L.) Raspail, Ann. Sci. Nat. (Paris) 5: 303 (1825)

Eleusine distachya Nees, Fl. Bras. Enum. Pl. 2: 440 (1829)

Eleusine japonica Steud., Syn. Pl. Glumac. 1: 211 (1854)

Elymus J.Mitch.

***Elymus ciliaris* (Trin.) Tzvelev, Novosti Sist. Vyssh. Rast. 9: 61 (1972) Nat: N Korea, S Korea 속털개밀**

Triticum ciliare Trin. ex Bunge, Enum. Pl. Chin. Bor. 146 (1831)

Brachypodium ciliare Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 71 (1879)

Agropyron ciliare (Trin.) Franch., Pl. David. 1: 341 (1884)

Agropyron semicostatum Nees ex Steud. var. *ciliare* (Trin.) Hack., Bull. Herb. Boissier ser. 2, 3: 506 (1903)

Agropyron semicostatum Nees ex Steud. var. *hispidum* Hack. ex T.Mori, Enum. Pl. Corea 36 (1922)

Roegneria ciliaris (Trin.) Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 14 (1933)

Agropyron ciliare (Trin.) Franch. var. *hackelianum* (Honda) Ohwi, Acta Phytotax.

Geobot. 10: 971 (1941)

Roegneria hackeliana (Honda) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 141 (1952)

Roegneria japonensis var. *hackeliana* (Honda) Keng, Clav. Gen. Sp. Gram. Prim. Sin. 71: 186 (1957)

Agropyron ciliare (Trin.) Franch. f. *hackelianum* (Ohwi) Y.N.Lee, Man. Korean Grasses 100 (1966)

Roegneria racemifera (Steud.) Kitag. var. *hackeliana* (Honda) Kitag., J. Jap. Bot. 42: 221 (1967)

Elymus racemifer (Steud.) Tzvelev, Novosti Sist. Vyssh. Rast. 11: 72 (1974)

Elymus racemifer (Steud.) Tzvelev var. *japonensis* (Honda) Osada, Ill. Grasses Japan 0 (1989)

***Elymus dahuricus* Turcz. ex Griseb., Fl. Ross. (Ledeb.) 4: 331 (1853) Nat: N Korea, S Korea 갯보리**

Elymus excelsus Griseb., Fl. Ross. (Ledeb.) 4: 331 (1852)

Elymus dahuricus Turcz. ex Griseb. var. *cylindricus* Franch., Pl. David. 1: 342 (1883)

Elymus dahuricus Turcz. ex Griseb. var. *excelsus* (Griseb.) Roshev., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 4: 138 (1923)

Elymus cylindricus (Franch.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 17 (1930)

Clinelymus dahuricus (Turcz. ex Griseb.) Nevski ex Griseb., *Izv. Bot. Sada Akad. Nauk S.S.S.R* 30: 645 (1932)
Clinelymus excelsus (Turcz. ex Griseb.) Nevski, *Izv. Bot. Sada Akad. Nauk S.S.S.R* 30: 646 (1932)
Clinelymus cylindricus (Franch.) Honda, *Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis* 1 (1936)
Elymus dahuricus Turcz. ex Griseb. var. *villosulus* (Ohwi) Ohwi, *Acta Phytotax. Geobot.* 10: 101 (1941)
Elymus franchetii Kitag., *J. Jap. Bot.* 43: 189 (1968)

***Elymus gmelinii* (Ledeb.) Tzvelev, Rast. Tsentral. Azii 4: 216 (1968)** Nat: N Korea, S Korea
털개밀

Triticum caninum L. var. *gmelinii* Ledeb., *Icon. Pl. (Ledebour)* 3: 16, t. 248 (1831)
Agropyron gmelinii (Griseb. & Ledeb.) Scribn. & J.G.Sm., *Bull. Div. Agrostol., U.S.D.A.* 4: 30 (1897)
Agropyron turczaninovii Drobow, *Trudy Bot. Muz. Imp. Akad. Nauk* 12: 47 (1914)
Roegneria turczaninovii (Drobow) Nevski, *Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot.* 17: 68 (1934)
Roegneria gmelini (Griseb.) Kitag., *Lin. Fl. Manshur.* 91 (1939)
Agropyron turczaninovii Drobow var. *tenuisetum* Ohwi, *Acta Phytotax. Geobot.* 10: 97 (1941)
Roegneria nakaii Kitag., *Rep. Inst. Sci. Res. Manchoukuo* 5, 6: 151 (1941)
Agropyron nakaii (Kitag.) H.S.Kim, *Fl. Coreana (Kim)* 7: 126 (1976)
Elymus nakaii (Kitag.) S.L.Chen, *Fl. China* 22: 411 (2006)

***Elymus kamoji* (Ohwi) S.L.Chen, Bull. Nanjing Bot. Gard. 1987: 9 (1988)** Nat: N Korea, S Korea
개밀

Agropyron semicostatum Nees ex Steud. var. *transiens* Hack., *Bull. Herb. Boissier ser.2,* 3: 507 (1903)
Agropyron kamoji Ohwi, *Acta Phytotax. Geobot.* 11: 179 (1942)
Roegneria kamoji (Ohwi) Ohwi, *Bull. Natl. Sci. Mus., Tokyo* 11: 179 (1942)
Agropyron tsukushiense (Honda) Ohwi var. *transiens* (Hack.) Ohwi, *Bull. Natl. Sci. Mus., Tokyo* 33: 67 (1953)
Elymus tsukushiensis Honda var. *transiens* (Hack.) Osada, *J. Jap. Bot.* 65: 266 (1990)

***Elymus nipponicus* Jaaska, Izv. Akad. Nauk Estonsk. SSR, Ser. Biol. 23: 6 (1974)** Nat: N Korea
자주개밀

Agropyron yezoense Honda, *Bot. Mag. (Tokyo)* 43: 292 (1929)
Agropyron koryoense Honda, *Koryo Shikenrin Ippan* 78 (1932)
Agropyron tashiroi Ohwi, *J. Jap. Bot.* 13: 333 (1937)
Agropyron yezoense Honda var. *koryoense* (Honda) Ohwi, *Acta Phytotax. Geobot.* 11: 109 (1942)
Agropyron yezoense Honda var. *tashiroi* (Ohwi) Ohwi, *Bull. Natl. Sci. Mus., Tokyo* 33: 67 (1953)
Elymus yezoensis (Honda) Osada, *Ill. Grasses Japan* 738 (1989)

***Elymus sibiricus* L., Sp. Pl. 83 (1753)** Nat: N Korea **개보리**

Clinelymus sibiricus (L.) Nevski, *Izv. Bot. Sada Akad. Nauk S.S.S.R* 30: 641 (1932)
Elymus krascheninnikovi Roshev., *Izv. Bot. Sada Akad. Nauk S.S.S.R* 30: 780 (1932)
Elymus pendulosus H.J.Hodgs., *Rhodora* 58: 144 (1956)

Elytrigia Desv.

Elytrigia repens (L.) Nevski, **Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 14 (1933)** 구주개밀

Agropyron repens (L.) P.Beauv., *Ess. Agrostogr.* 102 (1812)

Agropyron repens (L.) P.Beauv. var. *aristatum* (Neilr.) Hayek, *Repert. Spec. Nov. Regni Veg. Beih.* 303: 220 (1932)

Elymus repens (L.) Gould, *Madroño* 9: 127 (1947)

Eragrostis Wolf

Eragrostis cilianensis (All.) Link ex Vignolo, **Malpighia 18: 386 (1904)** Nat: N Korea, S Korea
참새그령

Briza eragrostis L., *Sp. Pl.* 70 (1753)

Poa cilianensis All., *Fl. Pedem.* 2: 246 (1785)

Poa megastachya Koeler, *Descr. Gram.* [Koeler] 181 (1802)

Eragrostis major Host, *Icon. Descr. Gram. Austriac.* 4: t 24 (1809)

Eragrostis megastachya (Koeler) Link, *Hort. Berol.* [Link] 1: 187 (1827)

Eragrostis curvula Nees, **Fl. Afr. Austral. III. 397 (1841)** Int 능수참새그령

Poa filiformis Thunb., *Prodr. Pl. Cap.* 21 (1794)

Eragrostis thunbergiana Steud., *Nomencl. Bot.*, ed. 2 (Steudel) 1: 564 (1840)

Eragrostis poa Stapf, *Fl. Cap.* (Harvey) 7: 605 (1900)

Eragrostis ferruginea (Thunb.) P.Beauv., **Ess. Agrostogr. 71 (1812)** Nat: N Korea, S Korea
그령

Poa barbata Thunb., *Fl. Jap.* (Thunberg) 50 (1784)

Poa ferruginea Thunb., *Fl. Jap.* (Thunberg) 50 (1784)

Eragrostis pogonia Steud., *Syn. Pl. Glumac.* 1: 267 (1854)

Poa orientalis (Trin.) Franch., *Mem. Soc. Sci. Nat. Cherbourg* 24: 270 (1884)

Eragrostis japonica (Thunb.) Trin., **Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 1: 405 (1830)** Nat: S Korea 각시그령

Poa japonica Thunb., *Fl. Jap.* (Thunberg) 51 (1784)

Eragrostis tenella var. *japonica* (Thunb.) Roem. & Schult., *Syst. Veg.* (ed. 16) [Roemer & Schultes] 2: 576 (1817)

Eragrostis aurea Steud., *Syn. Pl. Glumac.* 1: 267 (1854)

Eragrostis koenigii (Kunth) Steud., *Syn. Pl. Glumac.* 1: 266 (1854)

Diantherochloa japonica (Thunb.) A.N.Henry, *Bull. Bot. Surv. India* 9: 290 (1968)

Roshevitzia japonica (Thunb.) Tzvelev, *Novosti Sist. Vyssh. Rast.* 7: 50 (1970)

Eragrostis minor Host, **Fl. Austriac. 1: 135 (1827)** Nat: N Korea, S Korea 좁새그령

Poa eragrostis L., *Sp. Pl.* 68 (1753)

Eragrostis poaeoides P.Beauv., *Ess. Agrostogr.* 162 (1812)

Eragrostis eragrostis (L.) P.Beauv., *Ess. Agrostogr.* 71 (1812)

Eragrostis pappiana (Chiov.) Chiov., *Annuario Reale Ist. Bot. Roma* 8: 371 (1908)

Eragrostis multicaulis Steud., **Syn. Pl. Glumac. 1: 426 (1854)** Nat: N Korea, S Korea 비노리

Glyceria airoides Steud., *Syn. Pl. Glumac.* 1: 287 (1854)

Eragrostis pilosa (L.) P.Beauv. var. *condensata* Hack., *Allg. Bot. Z. Syst.* 7: 13 (1901)

Eragrostis peregrina Wiegand, *Rhodora* 19: 95 (1917)

Eragrostis niwahokori Honda, *Bot. Mag. (Tokyo)* 41: 387 (1927)

Eragrostis damiensiana (Bonnier) Thell., *Repert. Spec. Nov. Regni Veg.* 24: 323 (1928)

Eragrostis pilosa (L.) P.Beauv. f. *multicaulis* (Steud.) I.C.Chung, Korean Grasses 118 (1965)

***Eragrostis pilosa* (L.) P.Beauv., Ess. Agrostogr.71 (1812) Nat: N Korea, S Korea 큰비노리**

Poa pilosa L., Sp. Pl. 68 (1753)

Poa verticillata Cav., Icon. (Cavanilles) 1: 63 (1791)

Eragrostis verticillata (Cav.) P.Beauv., Ess. Agrostogr. 71 (1812)

Eragrostis pilosa (L.) P.Beauv. var. *imberbis* Franch., Pl. David. 1: 335 (1884)

Eragrostis jeholensis Honda, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 6 (1935)

Eragrostis multispicula Kitag., J. Jap. Bot. 39: 250 (1964)

Eremochloa Buse

***Eremochloa ophiuroides* (Munro) Hack., Monogr. Phan. 6: 261 (1889) Nat: S Korea**

외대쇠치기아재비

Ischaemum ophiuroides Munro, Proc. Amer. Acad. Arts 4: 363 (1860)

Andropogon ophiuroides (Munro) F.Muell., Fragm. (Mueller) 8: 118 (1873)

Eremochloa ophiuroides (Munro) Hack. var. *longifolia* Hayata, Icon. Pl. Formosan. 7: 78 (1918)

Eriochloa Kunth & Humb. & Bonpl. & Kunth

***Eriochloa villosa* (Thunb.) Kunth, Revis. Gramin. 1: 30 (1829) Nat: N Korea, S Korea**

나도개피

Paspalum villosum Thunb., Fl. Jap. (Thunberg) 45 (1784)

Helopus villosus (Thunb.) Nees ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 747 (1840)

Panicum tuberculiflorum Steud., Syn. Pl. Glumac. 1: 59 (1853)

Eulalia Kunth

***Eulalia quadrinervis* (Hack.) Kuntze, Revis. Gen. Pl. 2: 775 (1891) Nat: S Korea 털개억새**

Pollinia villosa Munro ex Benth., Fl. Hongk. 420 (1861)

Pollinia quadrinervis Hack., Monogr. Phan. 6: 158 (1889)

Pseudopogonatherum quadrinerve (Hack.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 3 (1947)

Eulalia speciosa (Debeaux) Kuntze var. *glauca* I.C.Chung, Korean Grasses 155 (1965)

***Eulalia speciosa* (Debeaux) Kuntze, Revis. Gen. Pl. 2: 776 (1891) Nat: S Korea 개억새**

Erianthus speciosus Debeaux, Actes Soc. Linn. Bordeaux 32: 53 (1878)

Pollinia speciosa (Debeaux) Hack., Monogr. Phan. 6: 159 (1889)

Pollinia speciosa (Debeaux) Hack. var. *modesta* Hack., Bull. Herb. Boissier ser. 2, 4: 532 (1904)

Pollinia tanakae Makino, Bot. Mag. (Tokyo) 28: 165 (1914)

Eulalia tanakae (Makino) Honda, Bot. Mag. (Tokyo) 38: 57 (1924)

Eulalia speciosa (Debeaux) Kuntze var. *modesta* (Hack.) Honda, Bot. Mag. (Tokyo) 38: 58 (1924)

Pseudopogonatherum speciosum (Debeaux) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 3 (1947)

Festuca L.

***Festuca arundinacea* Schreb., Spic. Fl. Lips. 57 (1771) Int 큰김의털**

Festuca elatior L., Sp. Pl. 75 (1753)
Bromus arundinaceus (Schreb.) Roth, Tent. Fl. Germ. 2: 141 (1789)
Schedonorus arundinaceus (Schreb.) Dumort., Observ. Gramin. Belg. 106 (1824)
Festuca elatior L. var. *arundinacea* (Schreb.) Wimm., Fl. Schles. [Wimmer] ed. 3: 59 (1857)
Lolium arundinaceum (Schreb.) Darbysh., Novon 3: 241 (1993)

***Festuca extremorientalis* Ohwi, Bot. Mag. (Tokyo) 45: 194 (1931) Nat: N Korea, S Korea
왕김의털아재비**

Festuca subulata Bong. var. *japonica* Hack., Bull. Herb. Boissier 7: 713 (1899)
Festuca iwamotoi Honda, Bot. Mag. (Tokyo) 47: 435 (1933)
Festuca subulata Bong. subsp. *japonica* (Hack.) T.Koyama & Kawano, Canad. J. Bot. 42: 875 (1964)

***Festuca japonica* Makino, Bot. Mag. (Tokyo) 20: 83 (1906) Nat: N Korea, S Korea 산목새
Festuca fauriei Hack., Bull. Acad. Int. Géogr. Bot. 18: 348 (1908)**

***Festuca ovina* L., Sp. Pl. 73 (1753) Nat: N Korea, S Korea 김의털**

Bromus ovinus (L.) Scop., Fl. Carniol., ed. 2 1: 77 (1771)
Avena ovina (L.) Salisb., Prodr. Stirp. Chap. Allerton 22 (1796)
Festuca ovina L. var. *coreana* (St.-Yves) St.-Yves, Candollea 3: 333 (1928)
Festuca ovina L. var. *chiisanensis* Ohwi, Acta Phytotax. Geobot. 10: 111 (1941)
Festuca ovina L. var. *chosonica* Ohwi, Acta Phytotax. Geobot. 10: 111 (1941)
Festuca ovina L. var. *sulcifera* Ohwi, Acta Phytotax. Geobot. 10: 111 (1941)
Festuca ovina L. var. *koreanoalpina* Ohwi, Acta Phytotax. Geobot. 10: 111 (1941)

***Festuca parvigluma* Steud., Syn. Pl. Glumac. 1: 305 (1854) Nat: N Korea, S Korea
김의털아재비**

Saccharum chinense Nees ex Hook. & Arn., Bot. Beechey Voy. 241 (1838)
Festuca parvigluma Steud. var. *breviaristata* Ohwi, Acta Phytotax. Geobot. 3: 163 (1933)
Festuca parvigluma Steud. var. *brevisetata* Ohwi, Acta Phytotax. Geobot. 2: 613 (1933)
Festuca parvigluma Steud. var. *hirtipes* Honda, Bot. Mag. (Tokyo) 53: 51 (1939)
Saccharum arenicola Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 3 (1949)
Saccharum spontaneum L. var. *arenicola* (Ohwi) Ohwi, Fl. Jap., revised ed., [Ohwi] 1440 (1965)
Festuca ohwiana E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s. 83: 94 (1978)

***Festuca pratensis* Huds., Fl. Angl. (Hudson) 37 (1762) Int 넓은김의털
Bucetum pratense (Huds.) Parn., Grasses Scotland 105 (1842)**

***Festuca rubra* L., Sp. Pl. 74 (1753) Nat: N Korea, S Korea 왕김의털**

Festuca duriuscula L., Sp. Pl. 74 (1753)
Festuca ovina L. var. *duriuscula* (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 812 (1837)
Festuca rubra L. var. *baicalensis* Griseb., Fl. Ross. (Ledeb.) 4: 352 (1852)
Festuca rubra L. var. *genuina* Hack., Bull. Herb. Boissier 7: 718 (1899)
Festuca rubra L. var. *muramatsui* Ohwi, Acta Phytotax. Geobot. 1: 66 (1932)

***Festuca takedana* Ohwi, Acta Phytotax. Geobot. 4: 33 (1935) Nat: N Korea 개목새**

Poa nuda Hack., Bot. Mag. (Tokyo) 24: 112 (1910)
Leipooa blepharogyna Ohwi, Acta Phytotax. Geobot. 1: 66 (1932)
Festuca blepharogyna (Ohwi) Ohwi, Acta Phytotax. Geobot. 4: 33 (1935)

Glyceria R.Br.

***Glyceria acutiflora* Torr., Fl. N. Middle United States 1: 104 (1823) Nat: S Korea 육절보리풀**

Festuca acutiflora (Torr.) Bigelow, Fl. Boston., ed. 3 89 (1840)

Hemibromus japonicus Steud., Syn. Pl. Glumac. 1: 317 (1854)

Glyceria japonica (Steud.) Miq., Prolus. Fl. Jap. 168 (1867)

Panicularia acutiflora (Torr.) Kuntze, Revis. Gen. Pl. 2: 783 (1891)

***Glyceria alnasteretum* Kom., Repert. Spec. Nov. Regni Veg. 13: 87 (1914) Nat: N Korea**

두메미꾸리광이

Glyceria remota var. *japonica* Hack., Bull. Herb. Boissier 7: 712 (1899)

***Glyceria arundinacea* Kunth, Revis. Gramin. 1: 118 (1829) Nat: N Korea 긴진들피**

Glyceria triflora (Korsh.) Kom., Fl. URSS 2: 758 (1934)

Glyceria effusa Kitag., Bot. Mag. (Tokyo) 51: 152 (1937)

***Glyceria declinata* Bréb., Fl. Normandie, ed. 3, 354 (1859) Int 유럽육절보리풀**

Glyceria fluitans (L.) R.Br. var. *pumila* Andersson, Pl. Scand. Gram. 2: 51 (1852)

Glyceria plicata Fr. var. *declinata* (Bréb.) Druce, List Brit. Pl. 83 (1908)

Glyceria cookei Swallen, J. Wash. Acad. Sci. 31: 348 (1941)

***Glyceria ischyronera* Steud., Syn. Pl. Glumac. 1: 427 (1854) Nat: N Korea, S Korea 진들피**

Glyceria tonglensis C.B. Clarke var. *honshuana* Kelso, Rhodora 37: 263 (1935)

***Glyceria leptolepis* Ohwi, Bot. Mag. (Tokyo) 45: 381 (1931) Nat: N Korea, S Korea**

왕미꾸리광이

Glyceria ussuriensis Kom., Fl. URSS 2: 758 (1934)

***Glyceria lithuanica* (Gorski) Gorski, Icon. Bot. Char. Cyp. Gram. Lith. t. 20 (1849) Nat: N Korea 총진광이**

Poa lithuanica Gorski, Skizze 117 (1830)

Glyceria aquatica var. *debilior* Trin. ex F. Schmidt, Mem. Acad. Imp. Sci. St.-

Petersbourg, Ser. 7 12: 201 (1868)

Glyceria aquatica var. *triflora* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 418 (1893)

Glyceria orientalis Kom., Repert. Spec. Nov. Regni Veg. 13: 162 (1914)

Glyceria debilior (Trin.) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 11: 74 (1922)

Glyceria arundinacea Kunth subsp. *triflora* (Kom.) Tzvelev, Novosti Sist. Vyssh. Rast. 8: 81 (1971)

***Glyceria spiculosa* (J.A.Schmidt) Roshev. ex B.Fedtsch., Fl. Transbaical. 1: 85 (1929) Nat: N Korea 대택광이**

Scolochloa spiculosa F. Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 201 (1868)

Glyceria paludificans Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 152 (1916)

Molinia spiculosa (J.A.Schmidt) Kudô, Kitakarafuto-Shok.-Chosa 57 (1924)

Fluminia spiculosa (J.A.Schmidt) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 66 (1930)

Glyceria spiculosa (J.A.Schmidt) Roshev. ex B.Fedtsch. var. *coreana* Ohwi, Bot. Mag. (Tokyo) 45: 382 (1931)

Glyceria longiglumis Hand.-Mazz., Oesterr. Bot. Z. 87: 130 (1938)

Glyceria effusa Kitag. var. *coreana* (Ohwi) Tzvelev, Bot. Zhurn. (Moscow & Leningrad) 91: 259 (2006)

Hemarthria R.Br.

***Hemarthria sibirica* (Gand.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 1 (1947) Nat: N Korea, S Korea 쇠치기풀**

Rottboellia compressa L.f. var. *japonica* Hack., Monogr. Phan. 6: 288 (1889)

Rottboellia sibirica Gand., Bull. Soc. Bot. France 66: 302 (1919)

Rottboellia japonica (Hack.) Honda, Bot. Mag. (Tokyo) 41: 8 (1927)

Hemarthria compressa (L.f.) R.Br. var. *japonica* (Hack.) Ohwi, Acta Phytotax. Geobot. 11: 177 (1942)

Hierochloe R.Br.

***Hierochloe alpina* (Sw. ex Willd.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 515 (1817) Nat: N Korea 산향모**

Holcus alpinus Sw. ex Willd., Sp. Pl. (ed. 5; Willdenow) 4: 937 (1806)

Holcus monticola Bigelow, New England J. Med. Surg. 5: 334 (1816)

Dimesia monticola (Bigelow) Raf., Amer. Monthly Mag. & Crit. Rev. 1: 442 (1817)

Hierochloe alpina (Sw. ex Willd.) Roem. & Schult. f. *monstruosa* (Koidz.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 (1953)

***Hierochloe odorata* (L.) P.Beauv., Ess. Agrostogr. 62: 164 (1812) Nat: N Korea, S Korea 향모**

Holcus odoratus L., Sp. Pl. 2: 1048 (1753)

Hierochloe odorata (L.) P.Beauv. var. *pubescens* Krylov, Fl. Altaic. 7: 1553 (1914)

Hierochloe odorata (L.) P.Beauv. var. *sachalinensis* Printz, Kongel. Norske Vidensk. Selsk. Skr. (Trondheim) 3: 8 (1916)

Hierochloe odorata (L.) P.Beauv. subsp. *pubescens* (Krylov) T.Koyama, Grasses Japan 219 (1987)

Holcus L.

***Holcus lanatus* L., Sp. Pl. 1048 (1753) Int 흰털새**

Holcus intermedius Krock., Fl. Siles. 1: 137 (1787)

Holcus muticus Kunze, Flora 29: 757 (1846)

Holcus glaucus Willk., Prodr. Fl. Hispan. 1: 307 (1862)

Nothoholcus lanatus (L.) Nash, Ill. Fl. N. U.S. (ed. 2) 1: 214 (1913)

Hordeum L.

***Hordeum distichon* L., Sp. Pl. 85 (1753) Int 쌀보리**

Hordeum distichon L. var. *nudum* L., Sp. Pl. 85 (1753)

Hordeum vulgare L. var. *nudum* (L.) Hook.f., Fl. Brit. Ind. 7: 371 (1896)

***Hordeum jubatum* L., Sp. Pl. 85 (1753) Int 긴까락보리풀**

Critesion jubatum (L.) Nevski, Fl. URSS 2: 721 (1934)

***Hordeum murinum* L., Sp. Pl. 85 (1753) Int 보리풀**

***Hordeum pusillum* Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 87 (1818) Int 좁보리풀**

Hordeum intercedens Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 5: 222 (1941)

***Hordeum vulgare* L., Sp. Pl. 84 (1753) Int 보리**

Hordeum hexastichum L., Sp. Pl. 85 (1753)

Hordeum vulgare L. var. *hexastichon* (L.) Asch., Fl. Brandenburg 1: 873 (1864)

Hystrix Moench

***Hystrix coreana* (Honda) Ohwi, J. Jap. Bot. 12: 653 (1936) Nat; N Korea 고려개보리**

Elymus dasystachys var. *maximoviczii* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 320 (1901)

Asperella sibirica var. *longiaristata* Hack., Bull. Herb. Boissier ser. 2, 4: 525 (1904)

Elymus coreanus Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 17 (1930)

Asperella coreana (Honda) Nevski, Fl. URSS 2: 693 (1934)

Clinelymus coreanus (Honda) Honda, Bot. Mag. (Tokyo) 50: 571 (1936)

Leymus coreanus (Honda) K.B.Jensen & R.R.-C.Wang, Int. J. Pl. Sci. 158: 872 (1997)

***Hystrix duthiei* (Stapf ex Hook.f.) Bor, Indian Forester 66: 544 (1940) Nat; N Korea**

수염개밀

Asperella duthiei Stapf ex Hook.f., Fl. Brit. Ind. 7: 375 (1896)

Hystrix longearistata (Hack.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 14 (1930)

Asperella longiaristata (Hack.) Ohwi, Acta Phytotax. Geobot. 10: 103 (1941)

Imperata Cirillo

***Imperata cylindrica* (L.) Raeusch., Nomencl. Bot. (Raeusch.) 10 (1797) Nat; N Korea, S Korea**
띠

Saccharum koenigii Retz., Observ. Bot. (Retzius) 5: 16 (1789)

Imperata koenigii (Retz.) P.Beauv., Ess. Agrostogr. 165 (1812)

Imperata pedicellata Steud., Flora 29: 22 (1846)

Imperata arundinacea Cirillo var. *glabrescens* Büse, Pl. Jungh. 366 (1854)

Imperata arundinacea Cirillo var. *koenigii* (Retz.) Benth., Fl. Hongk. 419 (1861)

Imperata cylindrica (L.) Raeusch. var. *koenigii* (Retz.) Pilg., Fragm. Pl. Filip. 137 (1904)

Imperata cylindrica (L.) Raeusch. var. *major* (Nees) C.E.Hubb., Grasses Mauritius 96 (1940)

Isachne R.Br.

***Isachne globosa* (Thunb.) Kuntze, Revis. Gen. Pl. 2: 778 (1891) Nat; N Korea, S Korea**

기장대풀

Milium globosum Thunb., Fl. Jap. (Thunberg) 49 (1784)

Isachne australis R.Br., Prodr. Fl. Nov. Holland. 196 (1810)

Panicum lepidotum Steud., Flora 29: 19 (1846)

***Isachne nipponensis* Ohwi, Acta Phytotax. Geobot. 4: 30 (1955) Nat; S Korea 누운기장대풀**

Isachne nipponensis Ohwi var. *kangsiensis* Keng, Acta Phytotax. Sin. 10: 21 (1965)

Ischaemum L.

***Ischaemum antheophoroides* (Steud.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 193 (1867)**

Nat; N Korea, S Korea 갯쇠보리

Rottboellia antheophoroides Steud., Flora 29: 22 (1846)

Andropogon antheophoroides (Steud.) Steud., Syn. Pl. Glumac. 1: 375 (1854)

Ischaemum eriostachyum Hack., Monogr. Phan. 6: 281 (1889)

Ischaemum coreanum Nakai ex Honda, Bot. Mag. (Tokyo) 38: 52 (1924)

Ischaemum antheperoides (Steud.) Miq. var. *eristachyum* (Hack.) Honda, Bot. Mag. (Tokyo) 41: 378 (1927)

Ischaemum antheperoides (Steud.) Miq. f. *coreanum* (Nakai ex Honda) Y.N.Lee, Man. Korean Grasses 74 (1966)

***Ischaemum aristatum* L., Sp. Pl. 2: 1049 (1753) Nat; N Korea, S Korea 까락쇠보리**

Andropogon crassipes Steud., Syn. Pl. Glumac. 1: 375 (1854)

Ischaemum sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 291 (1866)

Ischaemum crassipes (Steud.) Thell., Repert. Spec. Nov. Regni Veg. 10: 289 (1912)

Ischaemum crassipes (Steud.) Thell. var. *aristatum* Nakai, Bot. Mag. (Tokyo) 38: 53 (1924)

Ischaemum ikomanum Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 356 (1930)

Ischaemum crassipes (Steud.) Thell. f. *aristatum* (Nakai) Ohwi, Acta Phytotax. Geobot. 11: 173 (1942)

Ischaemum aristatum L. var. *glaucum* (Honda) T.Koyama, J. Jap. Bot. 37: 239 (1962)

Koeleria Pers.

***Koeleria macrantha* (Ledeb.) Schult., Mant. 2 (Schultes) 2: 345 (1824) Nat; N Korea, S Korea 도랭이피**

Aira cristata L., Sp. Pl. 63 (1753)

Poa cristata (L.) L., Syst. Nat. ed. 12 2: 94 (1767)

Festuca cristata (L.) Vill., Hist. Pl. Dauphine 1: 250 (1786)

Koeleria cristata (L.) Pers., Syn. Pl. (Persoon) 1: 97 (1805)

Dactylis cristata (L.) M.Bieb., Fl. Taur.-Caucas. 1: 67 (1808)

Airochloa cristata (L.) Link, Hort. Berol. [Link] 1: 127 (1827)

Leersia Sw.

***Leersia japonica* (Honda) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 7 (1930) Nat; S Korea 나도겨풀**

Homalocenchrus japonicus Makino ex Honda, Bot. Mag. (Tokyo) 39: 37 (1925)

Leersia sinensis K.S.Hao, Repert. Spec. Nov. Regni Veg. 42: 83 (1937)

***Leersia oryzoides* (L.) Sw., Prodr. (Swartz) 21 (1788) Nat; S Korea 좁겨풀**

Phalaris oryzoides L., Sp. Pl. 55 (1753)

Asprella oryzoides (L.) P.Beauv., Ess. Agrostogr. 153 (1812)

Oryza oryzoides (L.) Brand & W.D.J.Koch, Syn. Deut. Schweiz. Fl., ed. 3 3: 2704 (1905)

***Leersia sayanuka* Ohwi, Acta Phytotax. Geobot. 7: 36 (1938) Nat; S Korea 겨풀**

Leersia oryzoides (L.) Sw. var. *japonica* Hack., Bull. Herb. Boissier 7: 645 (1899)

Homalocenchrus oryzoides var. *japonicus* (Hack.) Honda, Bot. Mag. (Tokyo) 39: 35 (1925)

Leersia oryzoides (L.) Sw. var. *latifolia* Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 8 (1930)

Leersia sayanuka Ohwi var. *latifolia* (Honda) Ohwi, Acta Phytotax. Geobot. 7: 37 (1938)

Leersia hackelii Keng, Sinensia 11: 412 (1940)

Leptochloa P.Beauv.

***Leptochloa chinensis* (L.) Nees, Syll. Pl. Nov. 1: 4 (1824) Nat; N Korea, S Korea 드렁새**

Poa chinensis L., Sp. Pl. 69 (1753)

Poa decipiens R.Br., Prodr. Fl. Nov. Holland. 181 (1810)

***Leptochloa fusca* (L.) Kunth, Revis. Gramin. 1: 91 (1829) Int 갯뜨령새**

Festuca fusca L., Syst. Nat. ed. 10 2: 876 (1759)

Diplachne fusca (L.) P.Beauv. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 615 (1817)

Leymus Hochst.

***Leymus chinensis* (Trin.) Tzvelev, Rast. Tsentral. Azii 4: 205 (1968) Nat: N Korea**

개밀아재비

Triticum chinense Trin. ex Bunge, Enum. Pl. Chin. Bor. 146 (1831)

Triticum pseudoagropyrum Griseb., Fl. Ross. (Ledeb.) 4: 343 (1852)

Elymus pseudoagropyron Trin., Bull. Soc. Imp. Naturalistes Moscou 29: 63 (1865)

Agropyron pseudoagropyrum (Trin.) Franch., Pl. David. 1: 340 (1884)

Aneurolepidium pseudoagropyrum (Trin.) Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 25 (1933)

Agropyron chinense (Trin. ex Bunge) Ohwi, Acta Phytotax. Geobot. 6: 150 (1937)

Aneurolepidium chinense (Trin.) Kita, Rep. Inst. Sci. Res. Manchoukuo 2: 281 (1938)

Elymus chinensis (Trin.) Keng, Sunyatsenia 6: 66 (1941)

***Leymus mollis* (Trin.) Pilg., Bot. Jahrb. Syst. 74: 6 (1949) Nat: N Korea, S Korea 갯그령**

Elymus mollis Trin., Neue Entdeck. Pflanzenk. 2: 72 (1821)

Elymus arenarius L. var. *villosus* E.Mey., Pl. Labrador. 20 (1830)

Elymus arenarius L. var. *corensis* Hack., Bull. Herb. Boissier ser. 2, 3: 507 (1903)

Elymus mollis Trin. var. *corensis* (Hack.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 21 (1930)

Leymus mollis (Trin.) Pilg. var. *corensis* (Hack.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 21 (1930)

Lolium L.

***Lolium multiflorum* Lam., Fl. Franc. (Lamarck) 3: 621 (1778) Int 쥐보리**

Lolium italicum A.Br., Flora 17: 259 (1834)

Lolium perenne L. var. *multiflorum* (Lam.) Parn., Gram. Brit. 307 (1842)

Lolium multiflorum Lam. var. *ramosum* Guss. ex Arcang., Comp. Fl. Ital. (Arcangeli) 799 (1882)

***Lolium perenne* L., Sp. Pl. 83 (1753) Int 호밀풀**

Lolium tenue L., Sp. Pl. (ed. 2) 122 (1762)

Lolium repens Honck., Verz. Gew. Teutschl. 328 (1782)

Lolium vulgare Host, Icon. Descr. Gram. Austriac. 1: t. 25 (1801)

Lolium brasilianum Nees, Fl. Bras. Enum. Pl. 2: 443 (1829)

***Lolium temulentum* L., Sp. Pl. 83 (1753) Int 독보리**

Lolium annuum Lam., Fl. Franc. (Lamarck) 3: 620 (1778)

Craapalia temulenta (L.) Schrank, Baier. Fl. 1: 382 (1789)

Lolium arvensewith. With., Arr. Brit. Pl., ed. 3 2: 168 (1796)

Bromus temulentus (L.) Bernh., Syst. Verz. (Bernhardi) 47 (1800)

Lolium berteronianum Steud., Syn. Pl. Glumac. 1: 340 (1854)

Lophatherum Brongn. & Duperrey

***Lophatherum gracile* Brongn., Voy. Monde, Phan. 50 (1831) Nat: S Korea 조릿대풀**

Lophatherum elatum Zoll. & Moritz, Syst. Verz. (Moritz et al.) 102 (1845)
Acroelytrum japonicum Steud., Flora 29: 21 (1846)
Lophatherum japonicum (Steud.) Steud., Syn. Pl. Glumac. 1: 300 (1854)
Lophatherum multiflorum Steud., Syn. Pl. Glumac. 1: 300 (1854)
Lophatherum pilosulum Steud., Syn. Pl. Glumac. 1: 428 (1854)
Lophatherum humile Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 282 (1866)
Lophatherum annulatum Franch. & Sav., Enum. Pl. Jap. 2: 605 (1878)
Lophatherum gracile Brongn. var. *elatum* (Steud.) Hack., Bull. Herb. Boissier 7: 707 (1899)

***Lophatherum sinense* Rendle, J. Linn. Soc., Bot. 36: 421 (1904) Nat: S Korea 털조릿대풀**
Lophatherum sinense Rendle f. *leiophyllum* T.Koyama, J. Jap. Bot. 31: 70 (1956)

Melica L.

***Melica nutans* L., Sp. Pl. 66 (1753) Nat: N Korea, S Korea 왕쌀새**
Aira nutans (L.) Weber, Prim. Fl. Holsat. 7 (1780)
Melica grandiflora Koidz., Bot. Mag. (Tokyo) 39: 17 (1925)
Melica nutans L. subsp. *grandiflora* (Koidz.) T.Koyama, Grasses Japan 0: 515 (1987)

***Melica onoiei* Franch. & Sav., Enum. Pl. Jap. 2: 603 (1878) Nat: N Korea, S Korea 쌀새**
Melica scaberrima var. *micrantha* Hook.f., Fl. Brit. Ind. 7: 331 (1896)
Melica matsumurae Hack., Bull. Herb. Boissier 7: 706 (1899)
Melica kumana Honda, Bot. Mag. (Tokyo) 46: 1 (1932)

***Melica scabrosa* Trin., Enum. Pl. Chin. Bor. 72 (1833) Nat: N Korea, S Korea 참쌀새**
Melica scabrosa Trin. var. *limprichtii* Papp, Bull. Sect. Sci. Acad. Roumaine 18: 31 (1936)
Melica scabrosa Trin. var. *puberula* Papp, Bull. Sect. Sci. Acad. Roumaine 18: 32 (1936)
Melica scabrosa Trin. var. *potaninii* Tzvelev, Rast. Tsentral. Azii 4: 126 (1968)

***Melica turczanowiana* Ohwi, Acta Phytotax. Geobot. 1: 142 (1932) Nat: N Korea 큰겹질새**

Microstegium Nees & Lindl.

***Microstegium japonicum* (Miq.) Koidz., Bot. Mag. (Tokyo) 43: 394 (1929) Nat: S Korea**
민바랭이새

Pollinia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 290 (1866)
Leptatherum japonicum (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 608 (1878)
Microstegium boreale Ohwi, J. Jap. Bot. 12: 653 (1936)
Microstegium japonicum (Miq.) Koidz. var. *boreale* (Ohwi) Ohwi, Acta Phytotax. Geobot. 11: 156 (1942)

***Microstegium nudum* (Trin.) A.Camus, Fl. Indo-Chine 7: 261 (1922) Nat: S Korea**
산대잎바랭이새

Pollinia nuda Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 307 (1833)
Leptatherum royleanum Nees, Proc. Linn. Soc. London 1: 93 (1841)
Pollinia arisanensis Hayata, Icon. Pl. Formosan. 7: 74 (1918)
Microstegium arisanense (Hayata) A.Camus, Ann. Soc. Linn. Lyon 68: 201 (1922)
Microstegium mayebaratum Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 405 (1930)

***Microstegium vimineum* (Trin.) A.Camus, Ann. Soc. Linn. Lyon, ser. 2, 68: 201 (1921) Nat: N Korea, S Korea 나도바랭이새**

Andropogon vimineus Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 268 (1832)
Microstegium willdenowianum Nees, Intr. Nat. Syst. Bot. (Amer. ed.) 2: 447 (1836)
Pollinia imberbis Nees ex Steud., Syn. Pl. Glumac. 1: 410 (1854)
Pollinia imberbis Nees ex Steud. var. *willdenowiana* (Nees ex Lindl.) Hack., Monogr. Phan. 6: 178 (1889)
Eulalia viminea (Trin.) Kuntze, Revis. Gen. Pl. 2: 775 (1891)
Microstegium vimineum (Trin.) A.Camus var. *willdenowianum* (Nees) A.Camus, Fl. Indo-Chine 7: 260 (1922)
Microstegium vimineum (Trin.) A.Camus var. *imberbe* (Nees ex Steud.) Honda, J. Coll. Sci. Imp. Univ. Tokyo sec. 3, 3: 408 (1930)
Microstegium vimineum (Trin.) A.Camus var. *polystachyum* (Franch. & Sav.) Ohwi, Acta Phytotax. Geobot. 11: 156 (1942)

Milium L.

***Milium effusum* L., Sp. Pl. 61 (1753) Nat; N Korea, S Korea 나도겨이삭**

Milium confertum L., Sp. Pl. 61 (1753)
Agrostis effusa (L.) Lam., Encycl. (Lamarck) 1: 59 (1783)
Melica effusa (L.) Salisb., Prodr. Stirp. Chap. Allerton 20 (1796)
Paspalum effusum (L.) Raspail, Ann. Sci. Nat. (Paris) 5: 301 (1825)
Milium transsilvanicum Schur, Enum. Pl. Transsilv. 741 (1866)

Miscanthus Andersson

***Miscanthus changii* Y.N.Lee, J. Jap. Bot. 39: 115 (1964) Nat; N Korea, S Korea Endemic 장역새**

Miscanthus longiberbis (Hack.) Nakai var. *changii* (Y.N.Lee) Ibaragi & H.Ohashi, J. Jap. Bot. 79: 15 (2004)

***Miscanthus oligostachyus* Stapf, Bull. Misc. Inform. Kew 1898: 227 (1898) Nat; S Korea 역새아재비**

Miscanthus longiberbis (Hack.) Nakai, Bot. Mag. (Tokyo) 31: 12 (1917)
Miscanthus sinensis Andersson var. *longiberbis* (Hack.) I.C.Chung, J. Wash. Acad. Sci. 45: 215 (1955)

***Miscanthus sacchariflorus* (Maxim.) Benth., J. Linn. Soc., Bot. 10: 65 (1881) Nat; N Korea, S Korea 물역새**

Imperata sacchariflora Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 331 (1859)
Imperata eulalioides Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 289 (1866)
Miscanthus hackelii Nakai, Bot. Mag. (Tokyo) 23: 107 (1909)
Miscanthus ogiformis Honda, Bot. Mag. (Tokyo) 53: 100 (1939)
Triarrhena sacchariflora (Maxim.) Nakai, J. Jap. Bot. 25(1-2): 7 (1950)
Triarrhena hackelii (Nakai) Nakai, J. Jap. Bot. 25: 7 (1950)
Miscanthus sacchariflorus (Maxim.) Benth. f. *latifolius* Adachi, Bull. Fac. Agr. Mie Univ. 17: 59 (1958)
Miscanthus sacchariflorus (Maxim.) Benth. var. *gracilis* Y.N.Lee, J. Jap. Bot. 39: 123 (1964)
Miscanthus sacchariflorus (Maxim.) Benth. f. *purpurascens* Y.N.Lee, J. Korean Pl. Taxon. 3: 18 (1971)

***Miscanthus sinensis* Andersson, Ofvers. Forh. Kongl. Svenska Vetensk.-Akad. 12: 136 (1856) Nat; N Korea, S Korea 참역새**

- Saccharum japonicum* Thunb., Trans. Linn. Soc. London 2: 328 (1794)
Eulalia japonica (Thunb.) Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 333 (1832)
Miscanthus purpurascens Andersson, Ofvers. Forh. Kongl. Svenska Vetensk.-Akad. 12: 167 (1855)
Miscanthus sinensis Andersson var. *purpurascens* (Andersson) Matsum., Nippon Shokubutsumei, ed. 2 189 (1895)
Miscanthus condensatus Hack., Bull. Herb. Boissier 7: 639 (1899)
Miscanthus sinensis Andersson var. *gracillimus* Hitchc., Cycl. Amer. Hort. 3: 1021 (1901)
Miscanthus coreensis Hack., Bull. Herb. Boissier ser. 2, 4: 531 (1904)
Miscanthus sinensis Andersson f. *variegatus* Nakai, Bot. Mag. (Tokyo) 31: 15 (1917)
Miscanthus sinensis Andersson f. *purpurascens* (Andersson) Nakai, Bot. Mag. (Tokyo) 31: 16 (1917)
Miscanthus sinensis Andersson f. *transiticus* Nakai, Bot. Mag. (Tokyo) 31: 16 (1917)
Miscanthus ionandros Nakai, Bot. Mag. (Tokyo) 31: 13 (1917)
Miscanthus sinensis Andersson var. *condensatus* (Hack.) Makino, Bot. Mag. (Tokyo) 31: 14 (1917)
Miscanthus sinensis Andersson var. *transiticus* (Nakai) T.Mori, Enum. Pl. Corea 46 (1922)
Miscanthus nakaianus Honda, Bot. Mag. (Tokyo) 42: 130 (1928)
Miscanthus kokusanensis Nakai & Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 388 (1930)
Miscanthus hidakanushonda Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 379 (1930)
Miscanthus neocoreanus Honda, Bot. Mag. (Tokyo) 49: 694 (1935)
Miscanthus sinensis Andersson f. *gracillimus* (Hitchc.) Ohwi, Acta Phytotax. Geobot. 11: 149 (1942)
Miscanthus kokusanensis Nakai & Honda var. *variegatus* (Nakai & Honda) Nakai & Honda, Bull. Natl. Sci. Mus., Tokyo 31: 140 (1952)
Miscanthus sinensis Andersson var. *nakaianus* (Honda) I.C.Chung, J. Wash. Acad. Sci. 45: 215 (1955)
Miscanthus sinensis Andersson var. *ionandros* (Nakai) Y.N.Lee, J. Jap. Bot. 39: 293 (1964)
Miscanthus sinensis Andersson var. *keumunensis* Y.N.Lee, J. Jap. Bot. 39: 119 (1964)
Miscanthus sinensis Andersson var. *sunanensis* Y.N.Lee, J. Jap. Bot. 39: 119 (1964)
Miscanthus chejuensis Y.N.Lee, Korean J. Bot. 17: 85 (1974)
Miscanthus sinensis Andersson var. *albiflorus* Y.N.Lee, Bull. Korea Pl. Res. 2: 23 (2002)

Molinia Schrank

- Molinia japonica* Hack., Bull. Herb. Boissier 7: 704 (1899) Nat: N Korea, S Korea 진피리새**
Moliniopsis japonica (Hack.) Hayata, Bot. Mag. (Tokyo) 36: 258 (1925)
Moliniopsis nipponica (Honda) Honda, Bot. Mag. (Tokyo) 50: 669 (1936)

Muhlenbergia Schreb.

- Muhlenbergia hakonensis* (Hack.) Makino, J. Jap. Bot. 1: 13 (1917) Nat: N Korea, S Korea 선취꼬리새**
Muhlenbergia japonica Steud. var. *hakonensis* Hack., Bull. Herb. Boissier 7: 647 (1899)
Muhlenbergia frondosa subsp. *hakonensis* (Hack.) T.Koyama & Kawano, Canad. J. Bot. 42: 868 (1964)
- Muhlenbergia huegelii* Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 293 (1841) Nat: N Korea, S Korea 큰취꼬리새**
Muhlenbergia geniculata Nees ex Steud., Syn. Pl. Glumac. 1: 178 (1854)
Muhlenbergia viridissima Nees ex Steud., Syn. Pl. Glumac. 1: 178 (1854)

Muhlenbergia arisanensis Hayata, Icon. Pl. Formosan. 7: 87 (1918)
Muhlenbergia tenuicula Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 9 (1947)
Muhlenbergia longistolon Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 3 (1949)

***Muhlenbergia japonica* Steud., Syn. Pl. Glumac. 1: 422 (1854) Nat: N Korea, S Korea**
취꼬리새

Oplismenus P.Beauv.

***Oplismenus burmannii* (Retz.) P.Beauv., Ess. Agrostogr.54 (1812) Nat: N Korea, S Korea**
민주름조개풀

Panicum japonicum Steud., Flora 1: 18 (1846)
Oplismenus japonicus (Steud.) Honda, Bot. Mag. (Tokyo) 38: 189 (1924)
Oplismenus undulatifolius (Ard.) P.Beauv. var. *japonicus* (Steud.) Koidz., Bot. Mag. (Tokyo) 39: 302 (1925)

***Oplismenus compositus* (L.) P.Beauv., Ess. Agrostogr.54 (1812) Nat: S Korea**
가지주름조개풀

Panicum compositum L., Sp. Pl. 57 (1753)
Oplismenus polliniifolius Honda, Repert. Spec. Nov. Regni Veg. 20: 362 (1924)
Oplismenus formosanus Honda, Repert. Spec. Nov. Regni Veg. 20: 361 (1924)

***Oplismenus hirtellus* (L.) P.Beauv., Ess. Agrostogr. 54: 170 (1812) Nat: S Korea**
애기주름조개풀

Oplismenus microphyllus Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 274 (1930)
Oplismenus undulatifolius (Ard.) P.Beauv. var. *microphyllus* (Honda) Ohwi, Bot. Mag. (Tokyo) 55: 546 (1941)

***Oplismenus undulatifolius* (Ard.) P.Beauv., Ess. Agrostogr. 54: 168, 171 (1812) Nat: S Korea**
주름조개풀

Panicum undulatifolium Ard., Animadv. Bot. Spec. Alt. 14 (1764)
Orthopogon undulatifolius (Ard.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 306 (1824)
Oplismenus undulatifolius (Ard.) P.Beauv. var. *elongatus* Honda ex Nakai, Koryo Shikenrin Ippan 80 (1932)
Oplismenus undulatifolius (Ard.) P.Beauv. f. *elongatus* (Honda) Y.N.Lee, Man. Korean Grasses 30 (1966)
Oplismenus hirtellus (L.) P.Beauv. subsp. *undulatifolius* (Ard.) U.Scholz, Phanerog. Monogr. 13: 147 (1981)

Oryza L.

***Oryza sativa* L., Sp. Pl. 333 (1753) Int 벼**

Oryza glutinosa Lour., Fl. Cochinch. 1: 215 (1790)
Oryza praecoxlour. Lour., Fl. Cochinch. 215 (1790)
Oryza montana Lour., Fl. Cochinch. 215 (1790)
Oryza communissima Lour., Fl. Cochinch. 215 (1790)
Oryza perennis Moench, Methodus (Moench) 197 (1794)
Oryza sativa L. var. *elongata* Desv., J. Bot. Appl. (Desvaux) 1: 76 (1813)
Oryza rubriarbis (Desv.) Steud., Nomencl. Bot. (Steudel) 577 (1821)
Oryza sorghoides Desv. ex Steud., Nomencl. Bot. (Steudel) 577 (1821)
Oryza sativa L. var. *glutinosa* (Lour.) Körn., Handb. Getreidebaus 2: 947 (1885)
Oryza sativa L. var. *savannae* Körn., Handb. Getreidebaus 1: 233 (1885)

Oryza formosana Masam. & Suzuki, Trans. Nat. Hist. Soc. Taiwan 25: 320 (1935)

Panicum L.

***Panicum bisulcatum* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 141 (1815) Nat: S Korea
개기장**

Panicum acroanthum Steud., Syn. Pl. Glumac. 1: 87 (1854)

Panicum melananthum F.Muell., Trans. & Proc. Victorian Inst. Advancem. Sci. 1: 47 (1855)

Panicum coloratum F.Muell., Fragm. (Mueller) 8: 192 (1874)

Panicum acroanthum Steud. var. *brevipedicellatum* Hack., Bull. Acad. Int. Géogr. Bot. 16: 20 (1906)

***Panicum dichotomiflorum* Michx., Fl. Bor.-Amer. (Michaux) 1: 48 (1803) Int 미국개기장
Panicum geniculatum Muhl., Cat. Pl. Amer. Sept. (ed. 1) 9 (1813)**

***Panicum miliaceum* L., Sp. Pl. 58 (1753) Int 기장**

Milium panicum Mill., Gard. Dict., ed. 8 1 (1768)

Milium esculentum Moench, Methodus (Moench) 203 (1794)

Panicum milium Pers., Syn. Pl. (Persoon) 1: 83 (1805)

***Panicum virgatum* L., Sp. Pl. 59 (1753) Int 큰개기장**

Parapholis C.E.Hubb.

***Parapholis incurva* (L.) C.E.Hubb., Blumea, Suppl. 3: 14 (1946) Nat: S Korea 빨이삭풀
Aegilops incurva L., Sp. Pl. 1051 (1753)**

Paspalum L.

***Paspalum dilatatum* Poir., Encycl. (Lamarck) 5: 35 (1804) Int 큰참새피**

Paspalum dilatatum Poir. var. *decumbens* Vasey, Bull. Torrey Bot. Club 13: 166 (1886)

Digitaria dilatata (Poir.) Coste, Fl. Descr. France 3: 553 (1906)

***Paspalum distichum* L., Syst. Nat. ed. 10 2: 855 (1759) Int 물참새피**

Paspalum distichum L. var. *indutum* Shinnars, Rhodora 56: 31 (1954)

***Paspalum thunbergii* Kunth ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 273 (1841) Nat: N Korea, S Korea 참새피**

Paspalum mollipilum Steud., Syn. Pl. Glumac. 1: 20 (1852)

Paspalum scrobiculatum L. var. *thunbergii* (Kunth) Makino, Bot. Mag. (Tokyo) 10: 60 (1896)

Pennisetum Rich. & Pers.

***Pennisetum alopecuroides* (L.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 303 (1824) Nat: N Korea, S Korea 수크령**

Panicum alopecuroides L., Sp. Pl. 55 (1753)

Cenchrus purpurascens Thunb., Trans. Linn. Soc. London 2: 329 (1794)

Pennisetum compressum R.Br., Prodr. Fl. Nov. Holland. 195 (1810)

Pennisetum purpurascens (Thunb.) Kunth, Nov. Gen. Sp. [Kunth] 1: 113 (1816)

Pennisetum japonicum Trin. ex Spreng., Neue Entdeck. Pflanzenk. 2: 76 (1821)

Pennisetum alopecuroides (L.) Spreng. var. *erythrochaetum* Ohwi, Acta Phytotax.

Geobot. 4: 59 (1935)

Pennisetum alopecuroides (L.) Spreng. f. *erythrochaetum* (Ohwi) Ohwi, Acta Phytotax. Geobot. 10: 247 (1941)

Pennisetum alopecuroides (L.) Spreng. var. *albiflorum* Y.N.Lee, Bull. Korea Pl. Res. 2: 23 (2002)

Pennisetum alopecuroides* (L.) Spreng. var. *alopecuroides

***Pennisetum alopecuroides* (L.) Spreng. var. *viridescens* (Miq.) Ohwi, Acta Phytotax. Geobot. 4: 59 (1935) Nat; N Korea, S Korea 청수크령**

Gymnotrix japonica var. *viridescens* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 164 (1867)

Pennisetum compressum R.Br. var. *viridescens* (Miq.) Rendle, J. Linn. Soc., Bot. 36: 339 (1904)

Pennisetum purpurascens (Thunb.) Kunth var. *viridescens* (Miq.) Makino, Bot. Mag. (Tokyo) 26: 294 (1912)

Pennisetum alopecuroides (L.) Spreng. f. *viridescens* (Miq.) Ohwi, Acta Phytotax. Geobot. 10: 247 (1941)

***Pennisetum glaucum* (L.) R.Br., Prodr. Fl. Nov. Holland.195 (1810) Nat; N Korea, S Korea 금강아지풀**

Panicum glaucum L., Sp. Pl. 56 (1753)

Panicum lutescens Weigel, Observ. Bot. (Weigel) 20 (1772)

Panicum flavescens Moench, Methodus (Moench) 206 (1794)

Setaria glauca (L.) P.Beauv., Ess. Agrostogr. 51 (1812)

Pennisetum americanum (L.) Leeke, Z. Naturwiss. 79: 52 (1907)

Setaria lutescens (Weigel) F.T.Hubb., Rhodora 18: 232 (1916)

Setaria glauca (L.) P.Beauv. var. *dura* (I.C.Chung) I.C.Chung, Korean Grasses 42 (1965)

***Pennisetum latifolium* Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 302 (1824) Int 나도강아지풀**

Phacelurus Griseb.

***Phacelurus latifolius* (Steud.) Ohwi, Acta Phytotax. Geobot. 4: 59 (1935) Nat; N Korea, S Korea 모새달**

Rottboellia latifolia Steud., Flora 29: 21 (1846)

Ischaemum latifolium (Steud.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 291 (1866)

Rottboellia latifolia Steud. var. *angustifolia* Debeaux, Actes Soc. Linn. Bordeaux 30: 123 (1875)

Manisuris latifolia (Steud.) Kuntze, Revis. Gen. Pl. 2: 780 (1891)

Pseudophacelurus latifolius (Steud.) A.Camus, Bull. Mus. Natl. Hist. Nat. 27: 371 (1921)

Phacelurus angustifolius (Debeaux) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 140 (1952)

Phacelurus latifolius (Steud.) Ohwi f. *angustifolius* (Debeaux) Kitag., J. Jap. Bot. 41: 368 (1966)

Phaenosperma D.B.Munro ex Benth.

***Phaenosperma globosum* Munro ex Benth., J. Linn. Soc., Bot. 19: 59 (1881) Nat; S Korea 산기장**

Garnotia japonica Hack., Oesterr. Bot. Z. 52: 55 (1902)

Phalaris L.

***Phalaris arundinacea* L., Sp. Pl. 55 (1753) Nat; N Korea, S Korea 갈풀**

Arundo colorata Aiton, Hort. Kew. (Hill) 1: 116 (1789)

Typhoides arundinacea (L.) Moench, Methodus (Moench) 202 (1794)

Calamagrostis variegata With., Arr. Brit. Pl., ed. 3 2: 124 (1796)
Digraphis arundinacea (L.) Trin., Fund. Agrost. 127 (1820)
Baldingera arundinacea (L.) Dumort., Observ. Gramin. Belg. 130 (1824)
Phalaris caesia Nees, Fl. Afr. Austral. III. 3: 6 (1841)
Phalaris japonica Steud., Syn. Pl. Glumac. 1: 11 (1853)
Phalaroides rotgesii (Husn.) Holub, Folia Geobot. Phytotax. 12: 428 (1977)

Phalaris arundinacea* L. var. *arundinacea

***Phalaris arundinacea* L. var. *picta* L., Sp. Pl. 55 (1753)** Nat: N Korea, S Korea 흰줄갈풀
Baldingera arundinacea (L.) Dumort. var. *picta* (L.) Peterm., Fl. Lips. Excurs. 87 (1838)
Phalaris picta (L.) Sloboda, Rostlinnictvi 166 (1852)
Digraphis arundinacea (L.) Trin. var. *picta* (L.) Pacher, Jahrb. Naturhist. Landesmus. Karnten 14: 119 (1880)

***Phalaris canariensis* L., Sp. Pl. 54 (1753)** Int 카나리새풀

***Phalaris minor* Retz., Observ. Bot. (Retzius) 3: 8 (1783)** Int 애기카나리새풀
Phalaris nepalensis Trin., Sp. Gram. [Trinius] 1: t. 89 (1827)

Phleum L.

***Phleum alpinum* L., Sp. Pl. 59 (1753)** Nat: N Korea 산조아재비
Phleum pratense L. var. *alpinum* (L.) Schreb., Besch. Gras. 1: 103 (1769)
Phleum commutatum Gaudin, Alpina 3: 4 (1808)
Plantinia alpina (L.) Bubani, Fl. Pyren. 4: 272 (1901)

***Phleum pratense* L., Sp. Pl. 59 (1753)** Nat: N Korea, S Korea 큰조아재비
Phleum nodosum L., Syst. Nat. ed. 10 2: 871 (1759)
Phleum nodosum L. var. *pratense* (L.) St.-Amans, Fl. Agen. 23 (1821)
Phleum villosum Opiz, Naturalientausch 10: 211 (1825)
Phleum praecox Jord., Arch. Fl. France Allemagne 325 (1854)
Plantinia pratensis (L.) Bubani, Fl. Pyren. 4: 270 (1901)
Stelephuros pratensis (L.) Lunell, Amer. Midl. Naturalist 4: 216 (1915)

Phragmites Adans.

***Phragmites australis* (Cav.) Trin. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 324 (1841)** Nat: N Korea, S Korea 갈대

Arundo phragmites L., Sp. Pl. 81 (1753)
Arundo australis Cav., Anaes Hist. Nat. 1: 100 (1799)
Xenochloa arundinacea Licht., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 501 (1817)
Phragmites communis Trin., Fund. Agrost. 134 (1820)
Phragmites longivalvis Steud., Syn. Pl. Glumac. 1: 196 (1854)
Phragmites vulgaris Britton & Sterns & Poggenb., Prelim. Cat. 69 (1888)
Phragmites nakaianus Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 118 (1930)

***Phragmites japonicus* Steud., Syn. Pl. Glumac. 1: 196 (1854)** Nat: N Korea, S Korea 달뿌리풀
Phragmites prostratus Makino, Bot. Mag. (Tokyo) 26: 237 (1912)
Phragmites serotinus Kom., Fl. URSS 2: 305, 751 (1934)

***Phragmites karka* (Retz.) Trin. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 144 (1840)** Nat: S Korea 큰달뿌리풀

Arundo karka Retz., *Observ. Bot. (Retzius)* 4: 21 (1786)
Arundo roxburghii Kunth, *Revis. Gramin.* 1: 79 (1829)
Arundo tibialis Roxb., *Numer. List* 5017B (1831)
Sericura japonica Steud., *Flora* 29: 20 (1846)
Oxyanthe japonica (Steud.) Steud., *Syn. Pl. Glumac.* 1: 197 (1854)

Phyllostachys Siebold & Zucc.

***Phyllostachys edulis* (Carrière) J.Houz., Bambou (Mons) 39 (1906) Int 죽순대**

Bambusa edulis Carrière, *Rev. Hort.* 380 (1866)
Bambusa heterocyclus Carrière, *Rev. Hort.* 50: 354 (1878)
Phyllostachys heterocyclus (Carrière) Mitford, *Bamb. Gard.* 1: 160 (1896)
Phyllostachys pubescens J.Houz., *Bambou (Mons)* 2: 290 (1908)
Sinarundinaria pubescens var. *bicolor* Nakai, *Tennen Kinenbutsu Chosahokoku* 19: 36 (1942)
Phyllostachys heterocyclus (Carrière) Mitford var. *pubescens* (J.Houz.) Ohwi, *Fl. Jap.* (Ohwi) 77 (1953)
Phyllostachys heterocyclus (Carrière) Mitford f. *pubescens* (Mazel ex J.Houz.)
D.C.McClint., *Kew Bull.* 38: 485 (1983)

***Phyllostachys nigra* (Lodd. ex Lindl.) Munro, *Trans. Linn. Soc. London* 26: 38 (1868) Int 오죽**

Bambusa nigra Lodd. ex Lindl., *Penny Cyclop.* 3: 357 (1835)
Phyllostachys nana Rendle, *J. Linn. Soc., Bot.* 36: 441 (1904)
Phyllostachys puberula var. *punctata* (Bean) Nakai, *J. Coll. Sci. Imp. Univ. Tokyo* 31: 278 (1911)
Phyllostachys filifera McClure, *Lingnan Univ. Sci. Bull.* 9: 42 (1940)

Phyllostachys nigra* (Lodd. ex Lindl.) Munro var. *nigra

***Phyllostachys nigra* (Lodd. ex Lindl.) Munro var. *henonis* (Mitford) Stapf ex Rendle, *J. Linn. Soc., Bot.* 36: 443 (1904) Int 숨대**

Phyllostachys henonis Mitford, *Garden (London 1871-1927)* 47: 3 (1895)

***Phyllostachys reticulata* (Rupr.) K.Koch, *Dendrologie* 2(2): 356 (1873) Int 왕대**

Phyllostachys bambusoides Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 3: 745 (1843)
Phyllostachys megastachya Steud., *Flora* 29: 21 (1846)
Phyllostachys quillioi Rivière & C.Rivière, *Bull. Soc. Natl. Acclim. France* 5: 697 (1878)
Phyllostachys lithophila Hayata, *Icon. Pl. Formosan.* 6: 141 (1916)
Phyllostachys compressa Uyeki, *J. Chosen Nat. Hist. Soc.* 9: 20 (1929)
Phyllostachys pinyanensis T.H.Wen, *Bull. Bot. Res., Harbin* 2: 67 (1982)

Poa L.

***Poa acroleuca* Steud., *Syn. Pl. Glumac.* 1: 256 (1854) Nat: N Korea, S Korea 실폐아풀**

Poa familiaris Steud., *Syn. Pl. Glumac.* 1: 426 (1854)
Poa psilocaulis Steud., *Syn. Pl. Glumac.* 1: 256 (1854)
Poa acroleuca Steud. var. *submoniliformis* Makino, *Bot. Mag. (Tokyo)* 27: 116 (1913)
Poa acroleuca Steud. f. *submoniliformis* (Makino) T.Koyama, *Grasses Japan* 523 (1987)

***Poa annua* L., *Sp. Pl.* 68 (1753) Nat: N Korea, S Korea 새포아풀**

Poa hohenackeri Trin., *Bull. Sci. Acad. Imp. Sci. Saint-Petersbourg* 1: 69 (1836)
Poa meyenii Nees & Meyen, *Nova Acta Acad. Caes. Leop.-Carol. German. Nat. Cur.* 19:

- 31 (1841)
Poa annua L. var. *reptans* Hausskn., Mitt. Geogr. Ges. Jena 9: 7 (1891)
Poa annua L. f. *reptans* (Hausskn.) T.Koyama, Grasses Japan 523 (1987)
- Poa arctica* R.Br., Chlor. Melvill. 30 (1823) Nat: N Korea 두메포아풀**
Poa malacantha Kom. var. *shinanoana* (Ohwi) Ohwi, Sp. Pl. 67 (1753)
Poa komarovii Roshev., Izv. Glavn. Bot. Sada SSSR 26: 286 (1927)
Poa deschampsoides Ohwi, Bot. Mag. (Tokyo) 45: 195 (1931)
Poa shinanoana Ohwi, Acta Phytotax. Geobot. 2: 31 (1933)
- Poa bulbosa* L., Sp. Pl. 70 (1753) Int 이삭포아풀**
Poa bulbosa L. var. *vivipara* Koeler, Descr. Gram. [Koeler] 189 (1802)
- Poa compressa* L., Sp. Pl. 69 (1753) Nat: S Korea 좁포아풀**
- Poa glauca* Vahl, Fl. Dan. 6(17): 3, t. 964 (1790) Nat: N Korea 자주포아풀**
Poa caesia Sm., Fl. Brit. 1: 103 (1800)
Poa nemoralis L. var. *glauca* (Vahl) Gaudich., Agrost. Helv. 1: 182 (1811)
Poa misera (Thunb.) Koidz. var. *alpina* Koidz., Bot. Mag. (Tokyo) 32: 63 (1918)
Poa extremiorientalis Ohwi, Acta Phytotax. Geobot. 7: 132 (1928)
- Poa hisauchii* Honda, Bot. Mag. (Tokyo) 42: 132 (1928) Nat: S Korea 구내풀**
Poa acroleuca Steud. var. *spiciformis* Honda, Bot. Mag. (Tokyo) 41: 64 (1927)
- Poa matsumurae* Hack., Bull. Herb. Boissier 7: 709 (1899) Nat: N Korea 가는포아풀**
Poa tomentosa Koidz., Bot. Mag. (Tokyo) 31: 255 (1917)
Poa takeshimana Honda, Bot. Mag. (Tokyo) 42: 133 (1928)
Poa chosensis Ohwi, Acta Phytotax. Geobot. 4: 59 (1935)
Poa iwateana Ohwi, Acta Phytotax. Geobot. 4: 60 (1935)
Poa iwayaе Honda, Bot. Mag. (Tokyo) 53: 51 (1939)
Poa matsumurae Hack. var. *takeshimana* (Honda) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 (1953)
- Poa nemoralis* L., Sp. Pl. 69 (1753) Nat: N Korea, S Korea 선포아풀**
Poa nemoralis L. var. *firmula* Gaudich., Agrost. Helv. 1: 181 (1811)
Poa nemoralis L. var. *rigidula* Mert. & W.D.J.Koch, Deutschl. Fl. (Mertens & W. D. J. Koch), ed. 3 1: 617 (1823)
Poa nemoralis L. var. *glaucaantha* (Gaudich.) Rchb., Fl. Germ. Excurs. 1: 47 (1830)
Poa nemoralis L. var. *tenella* Rchb., Icon. Fl. Germ. Helv. 1: t. 86 (1834)
Paneion nemoralis (L.) Lunell, Amer. Midl. Naturalist 4: 222 (1915)
Poa kumgansani Ohwi, Acta Phytotax. Geobot. 4: 62 (1935)
Poa nemoralis L. var. *kumgansanii* (Ohwi) H.S.Kim, Fl. Coreana (Kim) 7: 167 (1976)
- Poa nepalensis* var. *nipponica* (Koidz.) Soreng & G.Zhu, Fl. China 22: 289 (2006) Nat: N Korea, S Korea 큰꾸러미풀**
Poa nipponica Koidz., Bot. Mag. (Tokyo) 31: 256 (1917)
Poa annua L. f. *maxima* Hack. ex Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 77 (1930)
- Poa palustris* L., Syst. Nat. ed. 10 2: 874 (1759) Nat: N Korea 눈포아풀**
Poa serotina Ehrh. ex Hoffm., Deutschl. Fl., Jahrgang 3 (Hoffm.) 3: 42 (1800)
Poa sphondylodes Trin. var. *strictula* (Steud.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3,

Bot. 3: 83 (1930)

***Poa pratensis* L., Sp. Pl. 67 (1753) Nat: N Korea, S Korea 양포아풀**

Poa glabra Ehrh., Beitr. Naturk. (Ehrhart) 6: 82 (1791)

Poa angustifolia Wahlenb. var. *anceps* (Gaudin) K.Richt., Pl. Eur. 1: 87 (1890)

Poa angustiglumis Roshev., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 773 (1932)

Poa florida N.R.Cui, Acta Bot. Boreal.-Occid. Sin. 7: 91 (1987)

Poa pratensis* L. subsp. *pratensis

***Poa pratensis* L. subsp. *angustifolia* (L.) Lej., Comp. Fl. Belg. 82 (1828) Nat: N Korea, S Korea 긴양포아풀**

Poa pratensis L. var. *angustifolia* (L.) Sm., Fl. Brit. 1: 105 (1800)

Poa angustifolia Wahlenb., Fl. Upsal. 66 (1820)

Poa viridula Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 134 (1902)

***Poa pratensis* L. var. *hatusimae* (Ohwi) Ohwi, Acta Phytotax. Geobot. 10: 127 (1941) Nat: N Korea, S Korea 북양포아풀**

Poa hatusimae Ohwi, Exp. Forest. Kyushu Imp. Univ. 10: 135 (1938)

***Poa trivialis* L., Sp. Pl. 67 (1753) Nat: N Korea 큰새포아풀**

Poa peronini Boiss., Fl. Orient. 5: 604 (1884)

Poa callidarydb. Rydb., Bull. Torrey Bot. Club 36: 533 (1909)

Poa uda Honda, Bot. Mag. (Tokyo) 51: 859 (1937)

***Poa ullungdoensis* I.C.Chung, J. Wash. Acad. Sci. 45: 212 (1955) Nat: S Korea 울릉포아풀**

***Poa urssulensis* Trin., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 2: 527 (1835) Nat: N Korea 관모포아풀**

Poa kanboensis Ohwi, Acta Phytotax. Geobot. 10: 125 (1941)

Poa urssulensis Trin. var. *kanboensis* (Ohwi) Olova & G.Zhu, Fl. China 22: 203 (2006)

***Poa ussuriensis* Roshev., Fl. URSS 2: 754 (1934) Nat: N Korea 갑산포아풀**

Poa ussuriensis Roshev. f. *angustifolia* I.C.Chung, J. Wash. Acad. Sci. 45: 214 (1955)

Poa ussuriensis Roshev. f. *scabra* I.C.Chung, J. Wash. Acad. Sci. 45: 214 (1955)

***Poa versicolor* Besser, Enum. Pl. (Besser) 41 (1821) Nat: N Korea, S Korea 포아풀**

Poa sphondylodes Trin., Enum. Pl. Chin. Bor. 71 (1833)

Poa linearis Trin., Enum. Pl. Chin. Bor. 71 (1833)

Poa diantha Steud., Syn. Pl. Glumac. 1: 256 (1854)

Poa sphondylodes Trin. var. *diantha* (Steud.) Miq., Prolus. Fl. Jap. 168 (1866)

Poa palustris L. var. *strictula* (Steud.) Hack., Bull. Herb. Boissier 7: 710 (1899)

Poa misera (Thunb.) Koidz. var. *sphondylodes* (Bunge) Koidz., Bot. Mag. (Tokyo) 31: 257 (1917)

Poa kelungensis Ohwi, Acta Phytotax. Geobot. 4: 60 (1935)

Polypogon Desf.

***Polypogon fugax* Nees ex Steud., Syn. Pl. Glumac. 1: 184 (1854) Nat: N Korea 쇠들피**

Polypogon demissus Steud., Syn. Pl. Glumac. 1: 422 (1854)

Polypogon higewari Steud., Syn. Pl. Glumac. 1: 422 (1854)

Polypogon fugax Nees ex Steud. f. *demissus* (Steud.) Y.N.Lee, Man. Korean Grasses 230 (1966)

Polypogon fugax Nees ex Steud. f. *muticus* (I.C.Chung) Y.N.Lee, Man. Korean Grasses

230 (1966)

***Polypogon monspeliensis* (L.) Desf., Fl. Atlant. 1: 66 (1798) Nat: S Korea 갯쇠들피**

Alopecurus monspeliensis L., Sp. Pl. 61 (1753)

Alopecurus aristatus Gouan, Hortus Monsp. 37 (1762)

Phalaris crinita Forssk., Fl. Aegypt.-Arab. 19 (1775)

Vilfa alopecuroides (Lam.) P.Beauv., Ess. Agrostogr. 16 (1812)

Polypogon flavescens J.Presl, Reliq. Haenk. 1: 235 (1830)

Agrostis crinita (Trin. & Rupr.) Nees, Abh. Bohm. Ges. Wiss. 3: 550 (1845)

Polypogon nepalensis Nees ex Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 225 (1845)

Polypogon melillensis Sennen, Diagn. Nouv. 168 (1936)

***Pseudoraphis* Griff. ex Pilg.**

***Pseudoraphis sordida* (Thwaites) S.M.Phillips & S.L.Chen, Novon 13: 469 (2003) Nat:S Korea 물잔디**

Andropogon squarrosus L.f., Suppl. Pl. 433 (1781)

Panicum spinescens R.Br., Prodr. Fl. Nov. Holland. 193 (1810)

Chamaeraphis squarrosa var. *depauperata* (Nees ex Hook.f.) Masamura, Trans. Nat. Hist. Soc. Taiwan 30: 18 (1940)

Pseudoraphis depauperata (Nees ex Hook.f.) Keng, Sinensia 11: 413 (1940)

Pseudoraphis ukishiba Ohwi, Acta Phytotax. Geobot. 10: 273 (1941)

Pseudoraphis squarrosa var. *depauperata* (Nees ex Hook.f.) H.Hara, J. Jap. Bot. 17: 398 (1941)

Pseudoraphis spinescens (R.Br.) Vickery, Proc. Roy. Soc. Queensland 62: 69 (1952)

***Pseudosasa* Makino ex Nakai**

***Pseudosasa japonica* (Siebold & Zucc. ex Steud.) Makino ex Nakai, J. Jap. Bot. 2: 15 (1920) Nat: S Korea 이대**

Sasa japonica (Siebold & Zucc. ex Steud.) Makino, Bot. Mag. (Tokyo) 26: 13 (1912)

Pseudosasa japonica (Siebold & Zucc. ex Steud.) Makino ex Nakai var. *purpurascens* Nakai, Fl. Sylv. Kor. 20: 20 (1933)

***Puccinellia* Parl.**

***Puccinellia chinampoensis* Ohwi, Acta Phytotax. Geobot. 4: 31 (1935) Nat: N Korea 각시미꾸리광이**

***Puccinellia coreensis* Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 57 (1930) Nat: S Korea 갯겨이삭**

Puccinellia coreensis Honda var. *asperifolia* Kitag., Rep. Inst. Sci. Res. Manchoukuo 3: 89 (1939)

Puccinellia asperifolia (Kitag.) Kitag., J. Jap. Bot. 26: 13 (1951)

***Puccinellia distans* (Jacq.) Parl., Fl. Ital. 1: 367 (1850) Int 처진미꾸리광이**

***Puccinellia nipponica* Ohwi, Bot. Mag. (Tokyo) 45: 379 (1931) Nat: N Korea, S Korea 갯꾸러미풀**

Puccinellia adpressa Ohwi, Bot. Mag. (Tokyo) 45: 380 (1931)

***Puccinellia pumila* (Vasey) Hitchc., Amer. J. Bot. 21: 129 (1934) Nat: N Korea**
천도미꾸리광이

- Atropis kurilensis* Takeda, J. Linn. Soc., Bot. 42: 497 (1914)
Puccinellia paupercula (Holm) Fernald & Weath., Rhodora 18: 18 (1916)
Puccinellia kurilensis (Takeda) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 59 (1930)
Puccinellia distans (Jacq.) Parl. var. *minor* (S. Watson) B. Boivin, Naturaliste Canad. 94: 527 (1967)

Saccharum L.

***Saccharum officinarum* L., Sp. Pl. 54 (1753) Int 사탕수수**

***Saccharum spontaneum* L., Mant. Pl. 2: 183 (1771) Nat: S Korea 개사탕수수**

Sacciolepis Nash & Britton

***Sacciolepis indica* (L.) Chase, Proc. Biol. Soc. Wash. 21: 8 (1908) Nat: N Korea, S Korea**
좁물쭈새

- Aira indica* L., Sp. Pl. 63 (1753)
Panicum indicum (L.) L., Mant. Pl. 2: 184 (1771)
Panicum phalaroides Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 452 (1817)
Panicum indicum (L.) L. var. *oryzeturum* Makino, Bot. Mag. (Tokyo) 27: 28 (1913)
Sacciolepis oryzeturum (Makino) Honda, Bot. Mag. (Tokyo) 37: 118 (1923)
Sacciolepis spicata (L.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 261 (1930)
Sacciolepis indica (L.) Chase var. *oryzeturum* (Makino) Ohwi, Fl. Jap. (Ohwi) 144 (1953)

Sasa Makino & Shibata

***Sasa borealis* (Hack.) Makino, Bot. Mag. (Tokyo) 15: 24 (1901) Nat: N Korea, S Korea**
조릿대

- Arundinaria purpurascens* Hack., Bull. Herb. Boissier 7: 716 (1899)
Bambusa borealis Hack., Bull. Herb. Boissier 7: 720 (1899)
Arundinaria borealis (Hack.) Makino, Bot. Mag. (Tokyo) 14: 20 (1900)
Bambusa purpurascens (Hack.) Makino, Descr. Prod. Forest. Japon 37 (1900)
Sasa spiculosa (J.A.Schmidt) Makino, Bot. Mag. (Tokyo) 26: 12 (1912)
Sasa purpurascens (Hack.) E.G.Camus, Bambusees (Camus) 19 (1913)
Sasa coreana Nakai, Bot. Mag. (Tokyo) 31: 1 (1917)
Pseudosasa spiculosa (Makino) Makino, J. Jap. Bot. 2: 16 (1920)
Pseudosasa spiculosa (Makino) Makino f. *angustior* Makino, J. Jap. Bot. 2: 16 (1920)
Sasa spiculosa (J.A.Schmidt) Makino f. *angustior* Makino, J. Jap. Bot. 5: 9 (1928)
Sasa spiculosa (J.A.Schmidt) Makino var. *subpubescens* Makino & Uchida, J. Jap. Bot. 6: 24 (1929)
Sasamorpha borealis (Hack.) Nakai, J. Fac. Agric. Hokkaido Imp. Univ. 26 (2): 181 (1931)
Sasamorpha purpurascens (Hack.) Nakai, J. Fac. Agric. Hokkaido Imp. Univ. 26 (2): 181 (1931)
Sasamorpha amabilis Nakai, Bot. Mag. (Tokyo) 46: 37 (1932)
Sasamorpha purpurascens (Hack.) Nakai var. *angustior* (Makino) Nakai, Bot. Mag. (Tokyo) 46: 42 (1932)
Sasamorpha purpurascens (Hack.) Nakai var. *borealis* (Hack.) Nakai, Bot. Mag. (Tokyo) 46: 41 (1932)
Sasamorpha gracilis Nakai, Bot. Mag. (Tokyo) 46: 38 (1932)
Sasamorpha purpurascens (Hack.) Nakai var. *macrochaeta* (Nakai) Nakai, J. Jap. Bot. 11:

75 (1935)
Sasamorpha purpurascens (Hack.) Nakai var. *hidakana* Tatew. & Yoshim., Goryorin 138 (1939)
Neosasamorpha tobaeana (Makino & Uchida) Tatew., Trans. Hokkaido For. Soc. 38: 10 (1940)
Pseudosasa purpurascens (Hack.) Makino, Ill. Fl. Nippon (Makino) 876 (1940)
Sasamorpha tobaeana (Makino & Uchida) Uchida ex Koidz., Acta Phytotax. Geobot. 10: 317 (1941)
Sasamorpha borealis (Hack.) Nakai var. *amabilis* (Makino) Hiyama, J. Jap. Bot. 28: 154 (1953)
Sasamorpha borealis (Hack.) Nakai var. *purpurascens* (Hack.) Hiyama, J. Jap. Bot. 28: 154 (1953)
Sasamorpha borealis (Hack.) Nakai var. *angustior* (Makino) Sad.Suzuki, J. Jap. Bot. 50: 137 (1975)
Sasa chiisanensis (Nakai) Y.N.Lee, Fl. Korea (Lee) 1164 (1996)
Arundinaria munsuensis Y.N.Lee, Korean J. Pl. Taxon. 28: 33 (1998)

***Sasa kurilensis* (Rupr.) Makino & Shibata, Bot. Mag. (Tokyo) 15: 27 (1901) Nat: S Korea**
섬조릿대

Arundinaria kurilensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 121 (1850)
Bambusa kurilensis (Rupr.) Miyabe, Mem. Boston Soc. Nat. Hist. 4: 271 (1890)
Pseudosasa kurilensis (Rupr.) Makino, J. Jap. Bot. 5: 15 (1928)
Sasa yezo-alpina Nakai, Tennen Kinenbutsu Chosahokoku 12: 58 (1930)
Sasa capillaris Nakai, J. Jap. Bot. 10: 555 (1934)
Sasa koidzumii Makino ex Koidz., Acta Phytotax. Geobot. 3: 189 (1934)
Sasa ramosissima Koidz., Acta Phytotax. Geobot. 7: 116 (1938)

***Sasa palmata* (Burb.) E.G.Camus, Bambusees (Camus) 25 (1913) Nat: S Korea** 제주조릿대
Sasa quelpaertensis Nakai, Fl. Sylv. Kor. 20: 40 (1933)

Schizachne Hack.

***Schizachne purpurascens* (Torr.) Swallen, J. Wash. Acad. Sci. 18: 204 (1928) Nat: N Korea, S Korea** 호오리새

Avena striata Michx., Fl. Bor.-Amer. (Michaux) 1: 73 (1803)
Trisetum purpurascens Torr., Fl. N. Middle United States 1: 127 (1823)
Melica striata Hitchc., Rhodora 8: 211 (1906)
Schizachne fauriei Hack., Repert. Spec. Nov. Regni Veg. 7: 323 (1909)
Bromelica striata (Hitchc.) Farw., Rhodora 21: 77 (1919)
Schizachne callosa (Turcz.) Ohwi ex Griseb., Acta Phytotax. Geobot. 2: 279 (1933)
Schizachne striata (Hitchc.) Hultén, Svensk Bot. Tidskr. 30: 518 (1936)

Schizachyrium Nees

***Schizachyrium brevifolium* (Sw.) Nees ex Büse, Pl. Jungh. 3: 359 (1854) Nat: N Korea, S Korea** 쇠풀

Andropogon brevifolius Sw., Prodr. (Swartz) 26 (1788)
Pollinia brevifolia (Sw.) Spreng., Pl. Min. Cogn. Pug. 2: 13 (1815)
Sorghum brevifolium (Sw.) Kuntze, Revis. Gen. Pl. 2: 791 (1891)

Secale L.

Secale cereale L., Sp. Pl. 84 (1753) Int 호밀

Triticum ramosum Weigel, Diss. Hort. Gryph. 10 (1782)

Triticum cereale (L.) Salisb., Prodr. Stirp. Chap. Allerton 27 (1796)

Secale triflorum P.Beauv., Ess. Agrostogr. 105: 178 (1812)

Secale arundinaceum Trautv., Schilffroggen 1: 2 (1840)

Setaria P.Beauv.

Setaria chondrachne (Steud.) Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 234 (1930) Nat: S Korea 조아재비

Panicum chondrachne Steud., Syn. Pl. Glumac. 1: 51 (1852)

Setaria matsumurae Hack. ex Matsum., Bot. Mag. (Tokyo) 11: 443 (1897)

Panicum matsumurae (Hack. ex Matsum.) Hack., Bull. Herb. Boissier 7: 644 (1899)

Chaetochloa chondrachne (Steud.) Honda, Bot. Mag. (Tokyo) 38: 193 (1924)

Chaetochloa matsumurae (Hack. ex Matsum.) Keng, Sci. Rep. Natl. Centr. Univ. 1: 65 (1930)

Setaria faberi R.A.W.Herrm., Beitr. Biol. Pflanzen 10: 51 (1910) Nat: N Korea, S Korea 가을강아지풀

Setaria macrocarpa Luchnik, Trudy Dal'nevost. Fil. Akad. Nauk SSSR, Ser. Bot. 2: 879 (1937)

Setaria autumnalis Ohwi, Acta Phytotax. Geobot. 7: 129 (1938)

Setaria italica (L.) P.Beauv., Ess. Agrostogr. 51 (1812) Int 조

Panicum italicum L., Sp. Pl. 56 (1753)

Pennisetum italicum (L.) R.Br., Prodr. Fl. Nov. Holland. 195 (1810)

Panicum chinense Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 3: 225 (1834)

Setaria japonica Pynaert, Fl. Serres 14: 7 (1861)

Setaria viridis (L.) P.Beauv. subsp. *italica* (L.) Briq., Prodr. Fl. Corse 1: 68 (1910)

Setaria pumila (Poir.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 891 (1817) Int 가는금강아지풀

Panicum pallidifusum Schumach., Beskr. Guin. Pl. 58 (1827)

Setaria pallidifusca (Schumach.) Stapf & C.E.Hubb., Bull. Misc. Inform. Kew 1930: 259 (1930)

Setaria glauca (L.) P.Beauv. var. *pallidifusca* (Schumach.) T.Koyama, J. Jap. Bot. 37: 237 (1962)

Setaria verticillata (L.) P.Beauv., Ess. Agrostogr. 51 (1812) Int 유럽강아지풀

Panicum verticillatum L., Sp. Pl. (ed. 2) 82 (1762)

Setaria viridis (L.) P.Beauv., Ess. Agrostogr. 51 (1812) Int 강아지풀

Panicum viride L., Syst. Nat. ed. 10 2: 870 (1759)

Panicum pycnocomum Steud., Syn. Pl. Glumac. 1: 462 (1854)

Panicum pachystachys Franch. & Sav., Enum. Pl. Jap. 2: 594 (1878)

Setaria viridis (L.) P.Beauv. var. *gigantea* Matsum., Cat. Pl. Herb. Sci. Coll. Univ. Tokyo 1: 225 (1886)

Chamaeraphis italica (L.) Kuntze var. *viridis* (L.) Kuntze, Revis. Gen. Pl. 2: 767 (1891)

Setaria pachystachys (Franch. & Sav.) Matsum., Bot. Mag. (Tokyo) 10: 443 (1897)

Chaetochloa viridis var. *pachystachys* (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 38:

198 (1924)

Setaria pycnocomma (Steud.) Henrard ex Nakai, J. Jap. Bot. 15: 393 (1939)

Setaria viridis (L.) P.Beauv. var. *pachystachys* (Franch. & Sav.) Masamura & Yanagih.,
Trans. Nat. Hist. Soc. Taiwan 31: 327 (1941)

Sorghum Moench

***Sorghum bicolor* (L.) Moench, Methodus (Moench) 207 (1794) Int 수수**

Holcus sorghum L., Sp. Pl. 2: 1047 (1753)

Andropogon dulcis Burm.f., Fl. Ind. (N. L. Burman) 219 (1768)

Holcus bicolor L., Mant. Pl. 2: 301 (1771)

***Sorghum halepense* (L.) Pers., Syn. Pl. (Persoon) 1: 101 (1805) Int 시리아수수새**

Holcus halepensis L., Sp. Pl. 1047 (1753)

Andropogon halepensis (L.) Brot., Fl. Lusit. 1: 89 (1804)

Sorghum halepense (L.) Pers. f. *muticum* (Hack.) C.E.Hubb., Hooker's Icon. Pl. 34: t.
3364 (1938)

***Sorghum nitidum* (Vahl) Pers., Syn. Pl. (Persoon) 101 (1805) Nat; S Korea 수수새**

Andropogon serratus Thunb., Fl. Jap. (Thunberg) 41 (1784)

Holcus nitidus Vahl, Symb. Bot. (Vahl) 2: 102 (1791)

Sorghum serratum (Thunb.) Kuntze, Revis. Gen. Pl. 2: 792 (1891)

Sorghum nitidum (Vahl) Pers. var. *majus* (Hack.) Ohwi, Fl. Jap. (Ohwi) 158 (1953)

Spodiopogon Trin.

***Spodiopogon cotulifer* (Thunb.) Hack., Monogr. Phan. 6: 187 (1889) Nat; N Korea, S Korea
기름새**

Andropogon cotuliferum Thunb., Fl. Jap. (Thunberg) 41 (1784)

Eccoilopus andropogonoides Steud., Syn. Pl. Glumac. 1: 124 (1854)

Miscanthus cotulifer (Thunb.) Benth., J. Linn. Soc., Bot. 19(115-116): 65 (1881)

Eccoilopus cotulifer (Thunb.) A.Camus, Ann. Soc. Linn. Lyon 70: 92 (1923)

***Spodiopogon sibiricus* Trin., Fund. Agrost. 192 (1820) Nat; N Korea, S Korea 큰기름새**

Andropogon sibiricus (Trin.) Steud., Syn. Pl. Glumac. 1: 398 (1854)

Spodiopogon depauperatus Hack. var. *purpurascens* Honda, Bot. Mag. (Tokyo) 39: 267
(1925)

Spodiopogon tenuis Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl.
Manshuricae 122 (1935)

Spodiopogon sibiricus Trin. f. *purpurascens* (Honda) Ohwi, Acta Phytotax. Geobot. 11:
154 (1942)

Sporobolus R.Br.

***Sporobolus fertilis* (Steud.) Clayton, Kew Bull. 19: 291 (1965) Nat; S Korea 쥐꼬리새풀**

Agrostis fertilis Steud., Syn. Pl. Glumac. 1: 170 (1854)

Cinna japonica Steud., Syn. Pl. Glumac. 1: 182 (1854)

Sporobolus elongatus R.Br. var. *purpureosuffusus* Ohwi, Bot. Mag. (Tokyo) 55: 394
(1941)

Sporobolus indicus (L.) R.Br. var. *purpureosuffusus* (Ohwi) T.Koyama, J. Jap. Bot. 37:
235 (1962)

Sporobolus indicus (L.) R.Br. var. *pallidior* T.Koyama, J. Jap. Bot. 37: 236 (1962)

***Sporobolus piliferus* (Trin.) Kunth, Enum. Pl. (Kunth) 1: 211 (1833) Nat: N Korea, S Korea**
나도잔디

- Agrostis villosa* Vill., Hist. Pl. Dauphine 1: 378 (1786)
Agrostis japonicus Steud., Syn. Pl. Glumac. 1: 171 (1854)
Sporobolus ciliatus var. *japonicus* (Steud.) Hack., Bull. Herb. Boissier 7: 648 (1899)
Sporobolus japonicus (Steud.) Maxim. ex Rendle, J. Linn. Soc., Bot. 36: 388 (1904)

***Stipa* L.**

***Stipa coreana* Honda ex Nakai, Koryo Shikenrin Ippan 80 (1932) Nat: S Korea** 참나래새

- Achnatherum coreanum* (Honda) Ohwi, J. Jap. Bot. 17: 404 (1941)
Orthoraphium coreanum (Honda) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 66 (1953)
Orthoraphium coreanum (Honda) Ohwi var. *kengii* (Ohwi) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 66 (1953)
Orthoraphium coreanum (Honda) Ohwi subsp. *kengii* (Ohwi) T.Koyama, Grasses Japan 519 (1987)

***Stipa mongholica* Turcz. ex Trin., Bull. Sci. Acad. Imp. Sci. Saint-Pétersbourg 1: 67 (1836)**
Nat: N Korea 수염풀

- Lasiagrostis mongholica* (Turcz.) Trin. & Rupr., Sp. Gram. Stipac. 87 (1842)
Ptilagrostis mongholica (Turcz.) Griseb., Fl. Ross. (Ledeb.) 4: 447 (1852)
Stipa czezanovskii Petrov, Fl. Iakut. 1: 136 (1930)
Achnatherum mongholicum (Turcz.) Ohwi, J. Jap. Bot. 17: 403 (1941)
Patis coreana (Honda) Ohwi ex Nakai, Acta Phytotax. Geobot. 11: 181 (1942)

***Stipa pekinensis* Hance, J. Bot. 15: 268 (1877) Nat: N Korea, S Korea** 나래새

- Stipa sibirica* (L.) Lam. var. *effusa* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 326 (1859)
Stipa sibirica (L.) Lam. var. *japonica* Hack., Bull. Herb. Boissier 7: 647 (1899)
Stipa effusa (Maxim.) Nakai ex Honda, Bot. Mag. (Tokyo) 40: 319 (1926)
Stipa extremiorientalis H.Hara, J. Jap. Bot. 15: 459 (1939)
Stipa extremiorientalis H.Hara var. *prbixalyx* (Ohwi) Ohwi, J. Jap. Bot. 17: 401 (1941)
Stipa pubicalyx Ohwi, J. Jap. Bot. 17: 401 (1941)
Stipa sibirica (L.) Lam. var. *pubicalyx* (Ohwi) Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 116 (1942)
Achnatherum extremiorientale (H.Hara) Keng, Clav. Gen. Sp. Gram. Prim. Sin. 107: 212 (1957)
Achnatherum effusa (Maxim.) D.M.Chang, Claves Pl. Chin. Bor.-Or. 486 (1959)
Stipa sibirica (L.) Lam. f. *pubicalyx* (Ohwi) Kitag., J. Jap. Bot. 34: 5 (1959)
Stipa coreana Honda ex Nakai var. *japonica* (Matsum.) Y.N.Lee, Man. Korean Grasses 200 (1966)

***Stipa sibirica* (L.) Lam., Tabl. Encycl. 1: 158 (1791) Nat: N Korea** 가는나래새

- Avena sibirica* L., Sp. Pl. 79 (1753)
Achnatherum sibiricum (L.) Keng, Clav. Gen. Sp. Gram. Prim. Sin. 107: 212 (1957)

***Themeda* Forssk.**

***Themeda triandra* Forssk., Fl. Aegypt.-Arab. 178 (1775) Nat: N Korea, S Korea** 솔새

- Anthistiria japonica* Willd., Sp. Pl. (ed. 5; Willdenow) 4: 901 (1806)
Themeda triandra Forssk. var. *japonica* (Willd.) Makino, Bot. Mag. (Tokyo) 26: 213 (1912)
Themeda japonica (Willd.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 194 (1925)

Torreyochloa Church

Torreyochloa pallida (Torr.) Church, Amer. J. Bot. 36: 164 (1949) Nat: N Korea
좁미꾸리광이

Tripogon Roem. & Schult.

Tripogon chinensis (Franch.) Hack., Bull. Herb. Boissier ser.2, 3: 503 (1903) Nat: N Korea, S Korea 갯잡자리피

Nardurus filiformis Franch. var. *chinensis* Franch., Pl. David. 1: 339 (1884)

Tripogon chinensis (Franch.) Hack. var. *coreensis* Hack., Bull. Herb. Boissier ser.2, 3: 503 (1903)

Tripogon coreensis (Hack.) Ohwi, Bot. Mag. (Tokyo) 55: 310 (1941)

Tripogon longiaristatus Hack. ex Honda, Bot. Mag. (Tokyo) 41: 11 (1927) Nat: S Korea
교래잡자리피

Tripogon longiaristatus Hack. ex Honda var. *japonicus* Honda, Bot. Mag. (Tokyo) 41: 12 (1927)

Tripogon japonicus (Honda) Ohwi, Acta Phytotax. Geobot. 4: 63 (1935)

Tripogon chinensis (Franch.) Hack. var. *longiaristatus* (Hack. ex Honda) I.C.Chung, J. Wash. Acad. Sci. 45: 216 (1955)

Trisetum Pers.

Trisetum bifidum (Thunb.) Ohwi, Bot. Mag. (Tokyo) 45: 191 (1931) Nat: N Korea, S Korea
잡자리피

Bromus bifidus Thunb., Syst. Veg., ed. 14 (J. A. Murray) 119 (1784)

Avena bifida (Thunb.) P.Beauv., Ess. Agrostogr. 153 (1812)

Trisetum flavescens (L.) P.Beauv. var. *bifidum* (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 215 (1912)

Trisetum taquetii Hack., Repert. Spec. Nov. Regni Veg. 12: 386 (1913)

Trisetum biaristatum Nakai, Bot. Mag. (Tokyo) 35: 150 (1921)

Trisetum sibiricum Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 65 (1845) Nat: N Korea, S Korea
시베리아잡자리피

Avena rufescens Pancic, Fl. Serbiae Addit.: 238 (1884)

Trisetum homochlamys Honda, Bot. Mag. (Tokyo) 43: 293 (1929)

Trisetum flavescens (L.) P.Beauv. var. *sibiricum* (Rupr.) Ohwi, Bot. Mag. (Tokyo) 45: 192 (1931)

Trisetum sibiricum Rupr. var. *litorale* (Roshev.) Roshev., Fl. URSS 2: 254 (1934)

Trisetum spicatum (L.) K.Richt., Pl. Eur. 1: 59 (1890) Nat: N Korea 산잡자리피

Aira spicata L., Sp. Pl. 63 (1753)

Avena airoides Koeler, Descr. Gram. [Koeler] 208 (1802)

Avena subspicata (L.) Clairv., Man. Herbor. Suisse 17 (1811)

Trisetum subspicatum (L.) P.Beauv., Ess. Agrostogr. 88 (1812)

Trisetum formosanum Honda, Bot. Mag. (Tokyo) 41: 636 (1927)

Triticum L.

Triticum aestivum L., Sp. Pl. 85 (1753) Int 밀

Triticum hybernum L., Sp. Pl. 86 (1753)
Triticum sativum Lam., Fl. Franc. (Lamarck) 3: 625 (1778)
Triticum vulgare Vill., Hist. Pl. Dauphine 2: 153 (1787)
Triticum pulverulentum Hornem., Hort. Bot. Hafn. 1: 106 (1813)
Fruentum triticum E.H.L.Krause, Bot. Centralbl. 73: 339 (1898)
Triticum vavilovii Jakubz., Sotzialst. Rast. 7: 222 (1933)
Triticum asiaticum Kudr., Bot. Mater. Gerb. Bot. Inst. Uzbekistansk. Fil. Akad. Nauk SSSR 4: 16 (1941)
Triticum antiquorum (Heer) Udachin, Sborn. Nauchn. Trudov Prikl. Bot. Genet. Selektiv. 40: 52 (1991)

Vulpia C.C.Gmel.

***Vulpia myuros* (L.) C.C.Gmel., Fl. Bad. 1: 8 (1805)** Nat; N Korea, S Korea 들목새
Festuca myuros L., Sp. Pl. 74 (1753)
Avena muralis Salisb., Prodr. Stirp. Chap. Allerton 22 (1796)
Festuca megalura Nutt., J. Acad. Nat. Sci. Philadelphia, ser. 2, 1: 188 (1848)
Vulpia megalura (Nutt.) Rydb., Bull. Torrey Bot. Club 36: 538 (1909)
Vulpia myuros (L.) C.C.Gmel. var. *megalura* (Nutt.) Auquier, Bull. Jard. Bot. Belg. 47: 123 (1977)

Zea L.

***Zea mays* L., Sp. Pl. 971 (1753)** Int 옥수수
Zea vulgaris Mill., Gard. Dict., ed. 8 3 (1768)
Mays zea Gaertn., Fruct. Sem. Pl. 1: 6 (1788)
Mays vulgaris Ser., Melanges Bot. 1: 182 (1818)
Zea oryzoides Golosk., Syst. Kukur 86 (1966)

Zizania L.

***Zizania latifolia* (Griseb.) Turcz. ex Stapf, Bull. Misc. Inform. Kew 1909: 385 (1909)** Nat; N Korea, S Korea 줄
Limnochloa caduciflora Turcz. ex Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 5: 183 (1840)
Zizania dahurica Turcz. ex Steud., Syn. Pl. Glumac. 1: 4 (1852)
Hydrophyrum latifolium Griseb., Fl. Ross. (Ledeb.) 4: 466 (1853)
Zizania mezii Prodoehl, Bot. Arch. 1: 245 (1922)
Zizania caduciflora (Turcz. ex Trin.) Hand.-Mazz., Symb. Sin. 7: 1278 (1936)

Zoysia Willd.

***Zoysia japonica* Steud., Syn. Pl. Glumac. 1: 414 (1854)** Nat; N Korea, S Korea 잔디
Zoysia pungens Willd. var. *japonica* (Steud.) Hack., Bull. Herb. Boissier 7: 642 (1899)
Osterdamia japonica (Steud.) Hitchc., Bull. U.S.D.A. 772: 166 (1920)
Zoysia koreana Mez, Repert. Spec. Nov. Regni Veg. 17: 146 (1921)
Zoysia japonica Steud. var. *pallida* Honda, Koryo Shikenrin Ippan 22 (1932)
Zoysia matrella (L.) Merr. subsp. *japonica* (Steud.) Masamura & Yanagih., Trans. Nat. Hist. Soc. Taiwan 31: 327 (1941)

***Zoysia macrostachya* Franch. & Sav., Enum. Pl. Jap. 2: 608 (1873)** Nat; N Korea, S Korea 왕잔디

Osterdamia macrostachya (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 36: 114 (1922)

***Zoysia matrella* (L.) Merr., Philipp. J. Sci. 7: 230 (1912) Nat: S Korea 금잔디**

Zoysia pungens Willd., Neue Schriften Ges. Naturf. Freunde Berlin 3: 441 (1801)

Osterdamia matrella (L.) Kuntze, Revis. Gen. Pl. 2: 781 (1891)

Osterdamia tenuifolia (Willd.) Kuntze ex Thiele, Revis. Gen. Pl. 2: 781 (1891)

Zoysia pungens Willd. var. *tenuifolia* (Willd. ex Trin.) T. Durand & Schinz, Consp. Fl. Afr. 5: 734 (1894)

Zoysia malaccensis Gand., Bull. Soc. Bot. France 66: 303 (1919)

Zoysia serrulata Mez, Repert. Spec. Nov. Regni Veg. 17: 146 (1921)

Zoysia matrella (L.) Merr. var. *tenuifolia* (Willd.) Sasaki ex Thiele, List Pl. Formosa (Sasaki) 80 (1928)

***Zoysia sinica* Hance, J. Bot. 7(79): 168 (1869) Nat: N Korea, S Korea 갯잔디**

Zoysia tenuifolia Willd. ex Trin., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 4: 96 (1836)

Osterdamia sinica (Hance) Kuntze, Revis. Gen. Pl. 2: 781 (1891)

Osterdamia liukuensis Honda, Bot. Mag. (Tokyo) 36: 114 (1922)

Zoysia liukuensis (Honda) Honda, Bot. Mag. (Tokyo) 40: 109 (1926)

Zoysia matrella (L.) Merr. var. *macrantha* Honda, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 317 (1930)

Zoysia sinica Hance var. *nipponica* Ohwi, Acta Phytotax. Geobot. 10: 269 (1941)

Zoysia sinica Hance subsp. *nipponica* (Ohwi) T. Koyama, Grasses Japan 534 (1987)

PONTEDERIACEAE

Eichhornia Kunth

***Eichhornia crassipes* (Mart.) Solms, Monogr. Phan. 4: 527 (1883) Int 부레옥잠**

Pontederia crassipes Mart., Nov. Gen. Sp. Pl. (Martius) 6: 9 (1823)

Piaropus crassipes (Mart.) Raf., Fl. Tellur. 2: 81 (1837)

Eichhornia speciosa Kunth, Enum. Pl. (Kunth) 4: 131 (1843)

Heteranthera formosa Miq., Linnaea 17: 60 (1843)

Pontederia elongata Balf., Proc. Roy. Soc. Edinburgh 50 (1855)

Eichhornia crassicaulis Schldtl., Abh. Naturf. Ges. Halle 6: 177 (1862)

Monochoria C. Presl

***Monochoria korsakowii* Regel & Maack, Reliq. Haenk. 1: 127 (1827) Nat: S Korea 물옥잠**

Monochoria vaginalis (Burm.f.) C. Presl var. *korsakowii* (Regel & Maack) Solms, Monogr. Phan. 4: 524 (1883)

Monochoria korsakowii Regel & Maack var. *albiflora* Makino, J. Jap. Bot. 6: 8 (1929)

***Monochoria vaginalis* (Burm.f.) C. Presl, Reliq. Haenk. 1: 128 (1827) Nat: S Korea 물달개비**

Pontederia pauciflora Blume, Enum. Pl. Javae 1: 32 (1827)

Monochoria plantaginea Kunth, Enum. Pl. (Kunth) 4: 135 (1834)

Monochoria vaginalis (Burm.f.) C. Presl var. *plantaginea* (Roxb.) Solms, Monogr. Phan. 4: 524 (1883)

POTAMOGETONACEAE

Potamogeton Walter

Potamogeton alpinus Balb., *Misc. Bot. (Balbis)* 13 (1803) Nat: S Korea **좁은잎말**

- Potamogeton annulatus* Bellardi, Mem. Acad. Roy. Sci. Turin 10-11: 447 (1803)
Potamogeton obscurus DC., Fl. Franc. (DC. & Lamarck), ed. 3 5: 311 (1815)
Potamogeton microstachys Wolfg., Mant. 3 (Schultes & Schultes) 3: 360 (1827)
Potamogeton rigidus Wolfg., Mant. 3 (Schultes & Schultes) 3: 359 (1827)
Potamogeton nigrescens Fr., Novit. Fl. Suec. Mant. 3: 17 (1842)
Potamogeton alpinonatanus F.W.Schultz, Jahresber. Pollichia 20-21: 228 (1863)
Potamogeton casparii Weyl, Oesterr. Bot. Z. 20: 321 (1870)
Potamogeton stylatus Hagstr., Bot. Not. 1908: 98 (1908)

Potamogeton crispus L., *Sp. Pl.* 126 (1753) Nat: N Korea, S Korea **말즘**

- Potamogeton serrulatus* Opiz, Flora 5: 267 (1822)
Potamogeton crenulatus D.Don, Prodr. Fl. Nepal. 22 (1825)
Potamogeton tuberosus Roxb., Fl. Ind. ed. 1832 (Roxburgh) 1: 452 (1832)
Potamogeton lactucaceum Montandon, Syn. Fl. Jura, ed. 2 305 (1868)
Potamogeton macrorrhynchus Gand., Oesterr. Bot. Z. 31: 44 (1881)

Potamogeton cristatus Regel & Maack, *Tent. Fl.-Ussur.* 139 (1861) Nat: N Korea, S Korea
가는가래

- Potamogeton iwatensis* Makino, J. Jap. Bot. 7: 15 (1931)

Potamogeton distinctus A.Benn., *J. Bot.* 42: 72 (1904) Nat: N Korea, S Korea **가래**

- Potamogeton franchetii* A.Benn., J. Bot. 45: 234 (1907)
Potamogeton longipetiolatus E.G.Camus, Notul. Syst. (Paris) 1: 88 (1909)
Potamogeton tonkinensis E.G.Camus, Notul. Syst. (Paris) 1: 86 (1909)
Potamogeton perversus A.Benn., Philipp. J. Sci., C. 9: 343 (1914)
Potamogeton alatus Koidz., Bot. Mag. (Tokyo) 43: 397 (1929)

Potamogeton fryeri A.Benn., *J. Bot.* 45: 234 (1907) Nat: S Korea **선가래**

- Potamogeton subsessilifolius* A.Camus, Notul. Syst. (Paris) 1: 86 (1909)
Potamogeton torquatus Koidz., Bot. Mag. (Tokyo) 43: 397 (1929)

Potamogeton gramineus L., *Sp. Pl.* 127 (1753) Nat: N Korea, S Korea **얇은가래**

- Potamogeton heterophyllus* Schreb., Spic. Fl. Lips. 21 (1771)
Potamogeton gramineus L. var. *heterophyllus* (Schreb.) Fr., Novit. Fl. Suec. Alt. ed. 2, 36 (1828)
Potamogeton filiformis Pursh ex Tuck., Amer. J. Sci. Arts II 6: 230 (1848)

Potamogeton maackianus A.Benn., *J. Bot.* 42: 74 (1904) Nat: N Korea, S Korea **새우가래**

- Potamogeton surrulatus* Regel & Maack, *Tent. Fl.-Ussur.* 139 (1861)
Potamogeton robbinsii Oakes var. *japonicus* A.Benn., Bull. Herb. Boissier 4: 549 (1896)

Potamogeton natans L., *Sp. Pl.* 126 (1753) Nat: N Korea, S Korea **큰가래**

- Potamogeton morongii* A.Benn., J. Bot. 42: 145 (1904)

Potamogeton nodosus Poir., *Encycl. (Lamarck) Suppl.* 4 535 (1816) Nat: N Korea, S Korea
대가래

Potamogeton gaudichaudii Cham. & Schldtl., *Linnaea* 2: 197 (1827)
Potamogeton malaianus Miq., *Ill. Fl. Archip. Ind.* 0 (1871)
Potamogeton japonicus Franch. & Sav., *Enum. Pl. Jap.* 2: 15 (1877)

***Potamogeton octandrus* Poir., *Encycl. (Lamarck) Suppl.* 4 534 (1816) Nat: N Korea, S Korea
애기가래**

Potamogeton javanicus Hassk., *Acta Soc. Regiae Sci. Indo-Neerl.* 1: 26 (1856)
Potamogeton huillensis Welw. ex Schinz, *Ber. Schweiz. Bot. Ges.* 1: 61 (1891)
Potamogeton mizuhikimo Makino, *Ill. Fl. Japan* 1: 9 (1891)
Potamogeton limosellifolius Maxim. ex Korsh., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 12: 393 (1892)
Potamogeton numasakianus A.Benn., *Annuaire Conserv. Jard. Bot. Geneve* 4: 104 (1905)
Potamogeton asiaticus A.Benn., *Annuaire Conserv. Jard. Bot. Geneve* 9: 104 (1905)
Potamogeton octandrus Poir. var. *mizuhikimo* (Makino) H.Hara, *J. Jap. Bot.* 20: 331 (1944)

***Potamogeton oxyphyllus* Miq., *Ann. Mus. Bot. Lugduno-Batavi* 3: 161 (1867) Nat: N Korea, S Korea
말**

***Potamogeton perfoliatus* L., *Sp. Pl.* 126 (1753) Nat: N Korea, S Korea 넓은잎말**

Potamogeton loeselii Honck., *Verz. Gew. Teutschl.* 487 (1782)
Peltopsis perfoliata (L.) Raf., *J. Phys. Chim. Hist. Nat. Arts* 89: 103 (1819)
Potamogeton amplexicaulis Kar., *Bull. Soc. Imp. Naturalistes Moscou* 12: 173 (1839)
Buccaferrea amplexicaulis (Kar.) Bubani, *Fl. Pyren.* 4: 13 (1901)
Potamogeton perfoliatus L. var. *mandschuriensis* A.Benn., *Annuaire Conserv. Jard. Bot. Geneve* 9: 100 (1905)
Potamogeton bupleuroides Fernald, *Manual* (Gray), ed. 7 15 (1908)

***Potamogeton pusillus* L., *Sp. Pl.* 127 (1753) Nat: N Korea, S Korea 싹말**

Potamogeton tenuissimus (Mert. & W.D.J.Koch) Rchb., *Icon. Fl. Germ. Helv.* 7: 14 (1845)
Potamogeton panormitanus Biv. var. *major* Fisch., *Ber. Bayer. Bot. Ges.* 11: 109 (1907)
Spirillus pusillus (L.) Nieuwl., *Amer. Midl. Naturalist* 3: 18 (1913)

Stuckenia Börner

***Stuckenia pectinata* (L.) Börner, *Fl. Deut. Volk* 713 (1912) Nat: N Korea, S Korea 솔잎가래**

Potamogeton pectinatus L., *Sp. Pl.* 127 (1753)
Potamogeton marinus L., *Sp. Pl.* 127 (1753)
Potamogeton pectinatus L. var. *scoparius* Wallr., *Sched. Crit.* 1: 68 (1822)

Zannichellia L.

***Zannichellia palustris* L., *Sp. Pl.* 969 (1753) Nat: N Korea 빨말**

Zannichellia repens Boenn., *Prodr. Fl. Monast. Westphal.* 272 (1824)
Zannichellia pedicellata Franch., *Mant. Pl. Fl. Apuan.* 1: 18 (1832)
Zannichellia pedunculata Rchb., *Handb. Gewachsk.*, ed. 2 3: 1591 (1835)
Zannichellia palustris L. var. *pedunculata* (Rchb.f.) A.Gray, *Manual* (Gray), ed. 2 432 (1856)
Zannichellia palustris L. subsp. *pedicellata* (Wahlenb. & Rosén) Hook.f., *Fl. Brit. Ind.* 6: 568 (1892)
Zannichellia palustris L. var. *indica* (Morong) Graebn., *Pflanzenr. (Engler)* IV, 11: 157 (1907)

Zannichellia palustris L. subsp. *pedicellata* var. *japonica* Makino, Bot. Mag. (Tokyo) 24: 55 (1910)

Zannichellia komarovii Tzvelev, Novosti Sist. Vyssh. Rast. 15: 10 (1979)

RUPPIACEAE

Ruppia L.

***Ruppia cirrhosa* (Petagna) Grande, Bull. Orto Bot. Regia Univ. Napoli 5: 58 (1918) Nat: S Korea** **나사줄말**

Buccaferrera cirrhosa Petagna, Inst. Bot. 5: 1826 (1787)

Ruppia maritima L. var. *spiralis* (Dumort.) Moris, Stirp. Sard. Elench. 1: 43 (1827)

Ruppia maritima L. var. *pedunculata* Hartm. ex Ledeb., Fl. Ross. (Ledeb.) 4: 21 (1853)

Ruppia occidentalis S.Watson, Proc. Amer. Acad. Arts 25: 138 (1890)

Ruppia maritima L. subsp. *spiralis* (Dumort.) Asch. & Graebn., Syn. Mitteleur. Fl. 1: 356 (1897)

***Ruppia maritima* L., Sp. Pl. 127 (1753) Nat: N Korea, S Korea** **줄말**

Ruppia maritima L. var. *rostrata* C.Agardh, Physiogr. Sallsk. Arsberatt. 6: 37 (1823)

Ruppia rostellata W.D.J.Koch ex Rchb., Iconogr. Bot. Pl. Crit. 2: 66 (1824)

Dzieduszyckia limnobia Rehman, Oesterr. Bot. Z. 18: 374 (1868)

Ruppia maritima L. subsp. *rostellata* (W.D.J.Koch ex Rchb.) Asch. & Graebn., Syn. Mitteleur. Fl. 1: 357 (1897)

Ruppia maritima L. var. *obiqua* (Griseb. & Schenk) Asch. & Graebn., Syn. Mitteleur. Fl. 1: 357 (1897)

Ruppia maritima L. var. *longipes* Hagstr., Bot. Not. 1911: 138 (1911)

Ruppia taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 9: 323 (1911)

Ruppia maritima L. var. *pacifica* H.St.John & Fosberg, Occas. Pap. Bernice Pauahi Bishop Mus. 15: 176 (1939)

SCHEUCHZERIAACEAE

Scheuchzeria L.

***Scheuchzeria palustris* L., Sp. Pl. 338 (1753) Nat: N Korea** **장지채**

Scheuchzeria asiatica Miq., Fl. Ned. Ind. 3: 243 (1856)

Scheuchzeria generalis E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 4: 64 (1905)

Scheuchzeria americana (Fernald) G.N.Jones, Amer. Midl. Naturalist, Monogr. 2: 44 (1945)

TYPHACEAE

Sparganium L.

***Sparganium erectum* L. subsp. *stoloniferum* (Buch.-Ham. ex Graebn.) H.Hara, J. Jap. Bot. 51: 228 (1976) Nat: N Korea, S Korea** **혹삼릉**

Sparganium greenii Morong, Bull. Torrey Bot. Club 15: 77 (1888)

Sparganium asiaticum Graebn., Allg. Bot. Z. Syst. 4: 32 (1898)

Sparganium eurycarpum Engelm. var. *greenii* (Morong) Graebn., Pflanzenz. (Engler) IV, 10: 13 (1900)

Sparganium ramosum subsp. *stoloniferum* Buch.-Ham. ex Graebn., Pflanzenz. (Engler) IV, 10: 14 (1900)

Sparganium coreanum H.Lév., Repert. Spec. Nov. Regni Veg. 10: 441 (1912)
Sparganium stoloniferum (Buch.-Ham. ex Graebn.) Buch.-Ham. ex Juz., Fl. URSS 1: 219 (1934)
Sparganium erectum L. subsp. *mazanderanicum* Ponert, Folia Geobot. Phytotax. 7: 309 (1972)

***Sparganium hyperboreum* Laest. ex Beurl., Ofvers. Forh. Kongl. Svenska Vetensk.-Akad. 9: 192 (1853) Nat; N Korea, S Korea 좁은잎혹삼롱**

Sparganium natans L. var. *submuticum* Hartm., Handb. Skand. Fl., ed. 5 8 (1849)
Sparganium affine Schnizl. var. *zosterifolium* Neuman, Handb. Skand. Fl., ed. 12: 110 (1889)
Sparganium submuticum (Hartm.) Neumann, Handb. Skand. Fl., ed. 12: 108 (1889)
Sparganium hyperboreum Laest. ex Beurl. var. *platyphyllum* Neuman, Handb. Skand. Fl., ed. 12 (Suppl.): 108 (1889)
Sparganium williamsii Rydb., N. Amer. Fl. 17: 10 (1909)

***Sparganium japonicum* Rothert, Fl. Aziat. Ross. 1: 26 (1913) Nat; N Korea, S Korea 긴혹삼롱**

***Typha* L.**

***Typha angustifolia* L., Sp. Pl. 2: 971 (1753) Nat; N Korea, S Korea 애기부들**

Typha elatior Boenn., Prodr. Fl. Monast. Westphal. 274 (1824)
Massula angustifolia (L.) Dulac, Fl. Hautes-Pyrénées 47 (1867)
Typha foveolata Pobed., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 11: 10 (1949)

***Typha latifolia* L., Sp. Pl. 2: 971 (1753) Nat; N Korea, S Korea 큰잎부들**

Typha crassa Raf., Atlantic J. 148 (1833)
Typha intermedia Schur, Verh. Mitth. Siebenbürg. Vereins Naturwiss. Hermannstadt 2: 206 (1851)
Massula latifolia (L.) Dulac, Fl. Hautes-Pyrénées 47 (1867)
Typha ambigua Schur ex Rohrb., Verh. Bot. Vereins Prov. Brandenburg 11: 76 (1869)
Typha latifolia L. var. *elongata* Dudley, Cornell Univ. Sci. Bull. 2: 102 (1886)
Typha latifolia L. var. *angustifolia* Hausskn., Italia Ort. 3566 (1890)

***Typha laxmannii* Lepech., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 12: 335 (1801) Nat; N Korea, S Korea 꼬마부들**

Typha minor Curtis, Fl. Londin. (Curtis) 3: t. 62 (1780)
Typha nana Avé-Lall., Pl. Ital. Bor. 19 (1829)
Typha stenophylla Fisch. & C.A.Mey., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 3: 209 (1845)
Typha bungeana C.Presl, Epimel. Bot. 239 (1851)
Typha angustissima Griff. ex Rohrb., Verh. Bot. Vereins Prov. Brandenburg 11: 92 (1869)
Typha veresczagini Krylov & Schischk., Sist. Zametki Mater. Gerb. Krylova Tomsk. Gosud. Univ. Kujbyseva 1: 1 (1927)

***Typha orientalis* C.Presl, Epimel. Bot. 239 (1849) Nat; N Korea, S Korea 부들**

Typha japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 160 (1866)
Typha latifolia L. var. *orientalis* (C.Presl) Rohrb., Verh. Bot. Vereins Prov. Brandenburg 11: 80 (1869)
Typha muelleri Rohrb., Verh. Bot. Vereins Prov. Brandenburg 11: 95 (1869)
Typha shuttleworthii subsp. *orientalis* (C.Presl) Graebn., Nat. Pflanzenfam. 4: 10 (1900)

ZINGIBERACEAE

Alpinia Roxb.

- Alpinia japonica* (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 140 (1867) Int 꽃양하**
Globba japonica Thunb., Syst. Veg., ed. 14 (J. A. Murray) 73 (1784)
Alpinia agiokuensis Hayata, Icon. Pl. Formosan. 9: 118 (1920)
Languas agiokuensis (Hayata) Sasaki, Trans. Nat. Hist. Soc. Taiwan 14: 22 (1924)
Languas japonica (Thunb.) Sasaki, Trans. Nat. Hist. Soc. Taiwan 14(74): 22 (1924)

Hedychium Retz.

- Hedychium coronarium* J.König, Observ. Bot. (Retzius) 3: 73 (1783) Int 꽃생강**
Hedychium maximum Roscoe, Monandr. Pl. Scitam. 52 (1824)
Hedychium lingulatum Hassk., Tijdschr. Natuurl. Gesch. Physiol. 5: 257 (1839)
Hedychium chrysoleucum Hook., Bot. Mag. 76: t. 4516 (1850)
Gandasulium coronarium (J.König) Kuntze, Revis. Gen. Pl. 2: 690 (1891)
Gandasulium lingulatum (Hassk.) Kuntze, Revis. Gen. Pl. 2: 690 (1891)
Amomum filiforme Hunter ex Ridl., J. Straits Branch Roy. Asiat. Soc. 53: 60 (1909)

Zingiber Mill.

- Zingiber mioga* (Thunb.) Roscoe, Trans. Linn. Soc. London 8: 348 (1807) Int 양하**
Amomum mioga Thunb., Fl. Jap. (Thunberg) 14 (1784)
Zingiber sjooka Siebold, Verh. Batav. Genootsch. Kunsten 12: 18 (1830)
Zingiber mioga (Thunb.) Roscoe var. *variegatum* Makino, J. Jap. Bot. 6: 10 (1929)
- Zingiber officinale* Roscoe, Trans. Linn. Soc. London 7: 346 (1807) 생강**
Amomum zingiber L., Sp. Pl. 1 (1753)
Zingiber missionis Wall., Fl. Brit. Ind. 6: 246 (1892)
Zingiber cholmondeleyi (F.M.Bailey) K.Schum., Pflanzenr. (Engler) IV, 46: 172 (1904)
Zingiber officinale Roscoe var. *macrorhizonum* Makino, J. Jap. Bot. 8: 45 (1933)
Zingiber sichuanense Z.Y.Zhu & Shan L.Zhang & S.X.Chen, Bull. Sichuan Sch. Chinese Mater. Med. 1987 (1): 39 (1987)

ZOSTERACEAE

Phyllospadix Hook.

- Phyllospadix iwatensis* Makino, J. Jap. Bot. 7: 15 (1931) Nat; N Korea, S Korea 새우말**
- Phyllospadix japonicus* Makino, Bot. Mag. (Tokyo) 11: 137 (1897) Nat; N Korea, S Korea 계바다말**
- Phyllospadix serrulatus* Rupr. ex Asch., Linnaea 35: 169 (1868) Nat; N Korea, S Korea 개새우말**

Zostera L.

- Zostera asiatica* Miki, Bot. Mag. (Tokyo) 46: 776 (1932) Nat; N Korea, S Korea 왕거머리말**

Zostera caespitosa Miki, **Bot. Mag. (Tokyo) 46: 780 (1932)** Nat: S Korea **포기거머리말**
Zostera geojeensis H.Shin, Cho & Y.S.Oh, *Algae* 17: 71 (2002)

Zostera caulescens Miki, **Bot. Mag. (Tokyo) 46: 779 (1932)** Nat: N Korea, S Korea
수거머리말

Zostera japonica Asch. & Graebn., **Pflanzenr. (Engler) 31: 32 (1907)** Nat: S Korea
애기거머리말

Zostera americana Hartog, *Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Tweede Sect. 2, 59: 74 (1970)*

Nanozostera americana (Hartog) Toml. & Posl., *Taxon* 50: 432 (2001)

Nanozostera japonica (Asch. & Graebn.) Toml. & Posl., *Taxon* 50: 432 (2001)

Zostera marina L., **Sp. Pl. 2: 968 (1753)** Nat: N Korea, S Korea **거머리말**

Zostera maritima Gaertn., *Fruct. Sem. Pl. 1: 76 (1788)*

Zostera marina L. var. *latifolia* Morong, *Mem. Torrey Bot. Club* 13: 160 (1886)

Zostera oregana S.Watson, *Proc. Amer. Acad. Arts* 26: 131 (1891)

Zostera pacifica S.Watson, *Proc. Amer. Acad. Arts* 26: 131 (1891)

Zostera latifolia (Morong) Morong, *Mem. Torrey Bot. Club* 3: 63 (1893)

IV. DICOTS

ACANTHACEAE

Dicliptera Juss.

Dicliptera japonica (Thunb.) Makino, *Bot. Mag. (Tokyo)* 17: 90 (1903) Nat: S Korea
입술망초

Dianthera japonica Thunb., *Syst. Veg.*, ed. 14 (J. A. Murray) 64 (1784)

Justicia crinita Thunb., *Fl. Jap. (Thunberg)* 20 (1784)

Dicliptera crinita (Thunb.) Nees, *Prodr. (DC.)* 11: 485 (1847)

Dicliptera japonica (Thunb.) Makino var. *subrotunda* Matsuda, *Bot. Mag. (Tokyo)* 31: 295 (1917)

Peristrophe japonica (Thunb.) Bremek., *Boissiera* 7: 194 (1943)

Peristrophe japonica (Thunb.) Bremek. var. *subrotunda* (Matsuda) Murata & Terao, *Acta Phytotax. Geobot.* 48: 89 (1981)

Hygrophila R.Br.

Hygrophila ringens (L.) Steud., *Nomencl. Bot.*, ed. 2 (Steudel) 1: 783 (1840) Nat: N Korea, S Korea
물잎풀

Ruellia ringens L., *Sp. Pl.* 2: 635 (1753)

Ruellia salicifolia Vahl, *Symb. Bot. (Vahl)* 3: 84 (1794)

Justicia L.

Justicia procumbens L., *Sp. Pl.* 15 (1753) Nat: S Korea 쥐꼬리망초

Justicia japonica Thunb., *Syst. Veg.*, ed. 14 (J. A. Murray) 63 (1784)

Justicia procumbens L. var. *leucantha* Honda, *Bot. Mag. (Tokyo)* 44: 669 (1930)

Justicia procumbens L. var. *leucantha f. japonica* (Thunb.) H.Hara, *Enum.*

Spermatophytarum Japon. 1: 294 (1948)

Strobilanthes Blume

Strobilanthes oliganthus Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 124 (1865) Nat: S Korea
방울꽃

Strobilanthes coreana H.Lév., *Repert. Spec. Nov. Regni Veg.* 12: 19 (1913)

Championella oligantha (Miq.) Bremek., *Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Tweede Sect.* 2, 41: 150 (1944)

Championella coreana (H.Lév.) E.Hossain, *Notes Roy. Bot. Gard. Edinburgh* 32: 405 (1973)

ACERACEAE

Acer L.

Acer barbinerve Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 12: 227 (1867) Nat: N Korea, S Korea 청시닥나무

Acer diabolicum Blume ex K.Koch subsp. *barbinerve* (Maxim.) Wesm., *Bull. Soc. Roy. Bot. Belgique* 29: 68 (1890)

Acer barbinerve Maxim. var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 28: 308 (1914)
Acer barbinerve Maxim. f. *glabrescens* (Nakai) W.T.Lee, Lineamenta Florae Koreae 654 (1996)

***Acer buergerianum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 88 (1865) Int 중국단풍**
Acer palmatum Thunb. var. *subtrilobum* K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 251 (1864)
Acer subtrilobum (Koch) Koidz., Bot. Mag. (Tokyo) 44: 99 (1930)
Acer buergerianum Miq. var. *trinerve* (Siesm.) Rehder, J. Arnold Arbor. 3: 217 (1996)

***Acer caudatum* Wall. var. *ukurunduense* (Trautv. & C.A.Mey.) Rehder, Trees & Shrubs 1: 164 (1905) Nat: N Korea, S Korea 부계꽃나무**
Acer ukurunduense Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 42 (1856)
Acer dedyle Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 125 (1856)
Acer spicatum Lam. var. *ukurunduense* (Trautv. & C.A.Mey.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 65 (1859)
Acer spicatum Lam. subsp. *ukurunduense* (Trautv. & C.A.Mey.) Pax, Bot. Jahrb. Syst. 7: 189 (1886)
Acer lasiocarpum H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 591 (1906)
Acer ukurunduense Trautv. & C.A.Mey. var. *pilosum* Nakai, Bot. Mag. (Tokyo) 28: 308 (1914)
Acer ukurunduense Trautv. & C.A.Mey. var. *sachalinense* Nakai, Fl. Sylv. Kor. 1: 7 (1915)
Acer ukurunduense Trautv. & C.A.Mey. f. *pilosum* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 117 (1954)
Acer caudatum Wall. subsp. *ukurunduense* (Trautv. & C.A.Mey.) E.Murray, Arbor. Bull., Washington 17: 51 (1966)

***Acer komarovii* Pojark., Fl. URSS 14: 746 (1949) Nat: N Korea, S Korea 시닥나무**
Acer tschonoskii Maxim. var. *rubripes* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 736 (1904)
Acer tschonoskii Maxim. subsp. *koreanum* A.E.Murray, Kalmia 8: 11 (1977)

***Acer mandshuricum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 12: 228 (1867) Nat: N Korea, S Korea 복장나무**
Negundo mandshuricum (Maxim.) Budischtschew ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 8: 171 (1883)
Crula mandshurica (Maxim.) Nieuwl., Amer. Midl. Naturalist 2: 141 (1911)

***Acer negundo* L., Sp. Pl. 2: 1956 (1753) Int 네군도단풍**
Negundo aceroides Moench, Methodus (Moench) 334 (1794)
Negundo virginianum Medik., Beytr. Pfl.-Anat. 439 (1800)
Negundium fraxinifolium Raf., Atlantic J. 1833: 176 (1833)
Negundo negundo H.Karst., Deut. Fl. (Karsten) 596 (1883)
Acer negundo L. var. *violaceum* (Kirchm.) Jäger, Ziergehloze Gart. Park., ed. 2 6 (1884)
Rulac negundo (L.) Hitchc., Key Spring Fl. Manhattan 25: 25 (1894)
Acer fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 590 (1906)
Negundo fraxinifolium Farw., Amer. Midl. Naturalist 10: 37 (1926)

***Acer palmatum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 911 (1784) Nat: S Korea 단풍나무**
Acer polymorphum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4-2: 158 (1845)
Acer polymorphum Siebold & Zucc. var. *palmatum* K.Koch, Hort. Dendrol. 89 (1853)
Acer palmatum Thunb. var. *quinquelobum* K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1:

251 (1864)

Acer formosum Carrière, Rev. Hort. 39: 300 (1867)

Acer palmatum Thunb. f. *genuina* Miq., Fl. Jap. (Siebold) 2: 84 (1870)

Acer palmatum Thunb. var. *thunbergii* Pax, Bot. Jahrb. Syst. 7: 202 (1886)

Acer palmatum Thunb. var. *thunbergii* subvar. *eupalmatum* Schwer., Gartenflora 42: 652 (1893)

Acer palmatum Thunb. var. *genuinum* (Siebold & Zucc.) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 32: 44 (1911)

Acer eupalmatum (Schwer.) Koidz., Bot. Mag. (Tokyo) 39: 316 (1925)

Acer roseomarginatum (Van Houtte) Koidz. var. *eupalmatum* (Schwer.) Koidz., Bot. Mag. (Tokyo) 43: 382 (1929)

Acer palmatum* Thunb. var. *palmatum

***Acer palmatum* Thunb. var. *amoenum* (Carrière) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 79 (1953) Int 일본왕단풍**

Acer ornatum Carrière var. *matsumurae* (Koidz.) Koidz., Rev. Hort. 39: 280 (1867)

Acer amoenum Carrière, Rev. Hort. 39: 280 (1867)

Acer palmatum Thunb. subsp. *matsumurae* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 32: 49 (1911)

Acer matsumurae (Koidz.) Koidz., Bot. Mag. (Tokyo) 39: 306 (1925)

Acer palmatum Thunb. var. *matsumurae* (Koidz.) Makino, Ill. Fl. Nippon (Makino) 351 (1940)

Acer palmatum Thunb. subsp. *amoenum* (Carrière) H.Hara, Enum. Spermatophytarum Japon. 3: 109 (1954)

***Acer pictum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 912 (1784) Nat: N Korea, S Korea
털고로쇠나무**

Acer laetum C.A.Mey. var. *truncatum* (Bunge) Regel, Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 217 (1857)

Acer pictum Thunb. var. *marmoratum* G.Nicholson, Gard. Chron. ser.2, 16: 375 (1881)

Acer pictum Thunb. var. *savatieri* Pax, Bot. Jahrb. Syst. 7: 236 (1886)

Acer lobelii Ten. subsp. *truncatum* (Bunge) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 56 (1890)

Acer ambiguum Dippel, Ill. Handb. Laubholz. 2: 457 (1892)

Acer pictum Thunb. f. *albomaculatum* Dippel, Handb. Laubholz. 2: 455 (1892)

Acer pictum Thunb. var. *ambiguum* (Dippel) Pax, Bot. Jahrb. Syst. 16: 401 (1892)

Acer pictum Thunb. var. *paxii* Schwer., Gartenflora 42: 458 (1893)

Acer lobelii Ten. var. *platanoides* Miyabe, Bot. Mag. (Tokyo) 9: 349 (1895)

Acer platanoides L. subsp. *pictum*-Eur. 5, 1: 282 (1924)

Acer platanoides L. subsp. *truncatum* Gams, Ill. Fl. Mitt.-Eur. 5, 1: 282 (1924)

Acer mono Maxim. var. *savatieri* (Pax) Nakai, Koryo Shikenrin Ippan 45 (1932)

Acer mono Maxim. f. *connivens* Rehder, J. Arnold Arbor. 19: 81 (1938)

Acer mono Maxim. f. *marmoratum* (Nichols) Rehder, J. Arnold Arbor. 19: 81 (1938)

Acer mono Maxim. f. *albomaculatum* (Dippel) Rehder, J. Arnold Arbor. 20: 417 (1939)

Acer mono Maxim. var. *ambiguum* (Pax) Rehder, Man. Cult. Trees, ed. 2 570 (1940)

Acer mono Maxim. var. *trichobasis* Nakai, J. Jap. Bot. 18: 611 (1942)

Acer mono Maxim. var. *horizontale* (Nakai) Nakai, J. Jap. Bot. 18: 613 (1942)

Acer lobulatum Nakai var. *rubripes* Nakai, J. Jap. Bot. 18: 609 (1942)

Acer mono Maxim. f. *dissectum* Rehder, Bibliogr. Cult. Trees 414 (1949)

Acer mono Maxim. f. *rubripes* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 306 (1966)

Acer truncatum Bunge var. *paxii* (Schwer.) A.E.Murray, Kalmia 1: 17 (1969)

Acer mono Maxim. subsp. *savatieri* (Pax) Kitam., Acta Phytotax. Geobot. 25: 41 (1972)

Acer mono Maxim. subsp. *ambiguum* (Pax) Kitam. ex Kitam. & Murata, Acta Phytotax.

Geobot. 25: 41 (1972)

Acer cappadocicum Gled. subsp. *truncatum* (Bunge) A.E.Murray, Kalmia 8: 5 (1977)

Acer pictum* Thunb. var. *pictum

***Acer pictum* Thunb. var. *mono* (Maxim.) Maxim. ex Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 229 (1883) Nat: N Korea, S Korea 고로쇠나무**

Acer laetum C.A.Mey. var. *parviflorum* Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 219 (1857)

Acer mono Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 126 (1857)

Acer hayatae H.Lév. & Vaniot var. *glabra* H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 590 (1906)

Acer pictum Thunb. var. *parviflorum* (Regel) C.K.Schneid., Ill. Handb. Laubholz. 2: 225 (1907)

Acer okamotoi Nakai, Chosen Shokubutsu 224 (1914)

Acer okamotoanum Nakai, Bot. Mag. (Tokyo) 31: 28 (1917)

Acer mono Maxim. var. *acutissimum* Nakai, Veg. Apoi 22 (1930)

Acer mono Maxim. var. *glabrum* (H.Lév. & Vaniot) H.Hara, Enum. Spermatophytarum Japon. 3: 105 (1954)

Acer mono Maxim. var. *glabrum* f. *acutissimum* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 105 (1954)

Acer truncatum Bunge subsp. *mono* (Maxim.) A.E.Murray, Kalmia 1: 17 (1969)

Acer cappadocicum Gled. subsp. *mono* (Maxim.) A.E.Murray, Kalmia 12: 17 (1982)

Acer mono Maxim. subsp. *glabrum* (H.Lév. & Vaniot) T.Z.Hsu, Guihaia 12: 231 (1992)

Acer pictum Thunb. subsp. *mono* (Maxim.) H.Obashi, J. Jap. Bot. 68: 321 (1993)

***Acer pictum* Thunb. var. *truncatum* (Bunge) Chin S.Chang, Korean J. Pl. Taxon. 31: 302 (2001) Nat: N Korea, S Korea 만주고로쇠**

Acer truncatum Bunge, Enum. Pl. Chin. Bor. 10 (1833)

Acer truncatum Bunge var. *nudum*, Mitt. Deutsch. Dendrol. Ges. 5: 81 (1896)

Acer lobulatum Nakai, J. Jap. Bot. 18: 608 (1942)

Acer truncatum Bunge var. *platanoides* (Miyabe) Nakai, J. Jap. Bot. 18: 613 (1942)

***Acer pseudosieboldianum* (Pax) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 725 (1904) Nat: N Korea, S Korea 당단풍나무**

Acer circumlobatum Maxim. var. *pseudosieboldianum* Pax, Bot. Jahrb. Syst. 7: 200 (1886)

Acer sieboldianum Miq. var. *mandshurium* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 25 (1886)

Acer circumlobatum Maxim. f. *pseudosieboldianum* (Pax) Schwer., Gartenflora 42: 710 (1893)

Acer japonicum Thunb. var. *nudicarpum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 135 (1909)

Acer pseudosieboldianum (Pax) Kom. var. *koreanum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 29: 136 (1909)

Acer pseudosieboldianum (Pax) Kom. var. *ambiguum* Nakai, Bot. Mag. (Tokyo) 27: 130 (1913)

Acer pseudosieboldianum (Pax) Kom. var. *macrocarpum* Nakai, Bot. Mag. (Tokyo) 27: 130 (1913)

Acer ishidoanum Nakai, Bot. Mag. (Tokyo) 29: 28 (1913)

Acer nudicarpum (Nakai) Nakai, Bot. Mag. (Tokyo) 29: 28 (1915)

Acer takesimensense Nakai, Bot. Mag. (Tokyo) 32: 107 (1918)

Acer palmatum Thunb. var. *pilosum* Nakai, Bot. Mag. (Tokyo) 33: 59 (1919)

Acer microsieboldianum Nakai, Bot. Mag. (Tokyo) 45: 124 (1931)

Acer pseudosieboldianum (Pax) Kom. var. *languinosum* Nakai, Bot. Mag. (Tokyo) 45: 127 (1931)

Acer pseudosieboldianum (Pax) Kom. var. *ishidoanum* (Nakai) Uyeki, Woody Pl. Distr.

Chosen 69 (1940)

Acer pseudosieboldianum (Pax) Kom. var. *nudicarpum* (Nakai) Nakai, Handb. Kor. Manch. For. 179, 1939

Acer pseudosieboldianum (Pax) Kom. var. *takesimense* (Nakai) H.S.Kim, Fl. Coreana (Kim) 4: 241 (1976)

Acer pseudosieboldianum (Pax) Kom. f. *macrocarpum* (Nakai) S.L.Tung, Bull. Bot. Res., Harbin 5: 103 (1985)

Acer pseudosieboldianum (Pax) Kom. var. *microsieboldianum* (Nakai) S.L.Tung, Bull. Bot. Res., Harbin 5: 103 (1985)

Acer pseudosieboldianum (Pax) Kom. subsp. *takesimense* (Nakai) P.C.de Jong, Maples of the World 121 (1994)

***Acer pycnanthum* Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 250 (1864) Int 꽃단풍**

Acer rubrum L. var. *pycnanthum* (K.Koch) Makino, Bot. Mag. (Tokyo) 26: 148 (1912)

***Acer saccharinum* L., Sp. Pl. 1005 (1753) Int 은단풍**

Acer dasycarpum Ehrh., Beitr. Naturk. (Ehrhart) 4: 24 (1784)

Acer eriocarpum Michx., Fl. Bor.-Amer. (Michaux) 2: 253 (1803)

***Acer saccharum* Marshall, Arbust. Amer. 4 (1785) Int 설랑단풍**

Acer barlatum Michx., Fl. Bor.-Amer. (Michaux) 2: 252 (1803)

***Acer tataricum* L. subsp. *ginnala* (Maxim.) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 31 (1890) Nat: N Korea, S Korea 신나무**

Acer ginnala Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 126 (1857)

Acer taticum L. var. *laciniatum* Regel, Bull. Acad. Imp. Sci. Saint-Petersbourg 15: 217 (1857)

Acer tataricum L. var. *ginnala* (Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 9: 67 (1859)

Acer ginnala Maxim. var. *euginnala* (Pax) Pax, Pflanzenr. (Engler) 163(Heft 8): 12 (1902)

Acer ginnala Maxim. f. *coccineum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 134 (1909)

***Acer tegmentosum* Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 125 (1856) Nat: N Korea, S Korea 산겨릅나무**

Acer tegmentosum Maxim. f. *subcoriacea* Kom., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 730 (1856)

Acer pennsylvanicum L. var. *tegmentosum* (Maxim.) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 62 (1890)

***Acer triflorum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 430 (1901) Nat: N Korea, S Korea 복자기나무**

Crula triflorum (Kom.) Nieuwl., Amer. Midl. Naturalist 2: 141 (1911)

Acer lobulatum Nakai var. *barbinerve* Nakai, J. Jap. Bot. 18: 610 (1942)

Acer truncatum Bunge var. *barbinerve* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 308 (1966)

Acer triflorum Kom. f. *subcoriacea* (Kom.) S.L.Tung, Bull. Bot. Res., Harbin 5(1): 104 (1985)

ACTINIDIACEAE

Actinidia Lindl.

***Actinidia arguta* (Siebold & Zucc.) Planch. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 (1867) Nat: N Korea, S Korea 다래**

Trochostigma arguta Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 727 (1843)
Actinidia platyphylla A.Gray ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 (1867)
Actinidia callosa Lindl. var. *arguta* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 15: 148 (1901)
Actinidia rufa (Siebold & Zucc.) Planch. ex Miq. var. *arguta* (Siebold & Zucc.) Dunn, J. Linn. Soc., Bot. 39: 402 (1911)
Actinidia japonica Nakai, Bot. Mag. (Tokyo) 28: 311 (1914)
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *cordifolia* (Miq.) Bean, Trees & Shrubs Brit. Isles 1: 162 (1914)
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *platyphylla* (A.Gray ex Miq.) Nakai, Bot. Mag. (Tokyo) 47: 317 (1933)
Actinidia megalocarpa Nakai ex Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 1, Pl. Nov. Jehol. 9 (1934)
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *rufinervis* Nakai, J. Jap. Bot. 15: 684 (1939)
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. f. *platyphylla* (A.Gray ex Miq.) H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2a: 392 (2006)

***Actinidia kolomikta* (Maxim. & Rupr.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 63 (1859) Nat: N Korea, S Korea 쥐다래**

Prunus kolomikta Maxim. ex Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 129 (1856)
Kolomikta mandshurica Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 219 (1857)
Trochostigma kolomikta (Maxim. & Rupr.) Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 261 (1857)
Actinidia gagnepainii Nakai, Bot. Mag. (Tokyo) 47: 258 (1933)
Actinidia longicauda F.Chun, Sunyatsenia 7: 14 (1948)
Actinidia kolomikta (Maxim. & Rupr.) Maxim. var. *gagnepainii* (Nakai) H.L.Li, J. Arnold Arbor. 33: 19 (1952)

***Actinidia polygama* (Siebold & Zucc.) Planch. ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 64 (1859) Nat: N Korea, S Korea 개다래**

Trochostigma polygama Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 728 (1843)
Trochostigma volubilis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 728 (1843)
Actinidia polygama (Siebold & Zucc.) Planch. ex Maxim. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 (1867)
Actinidia volubilis (Siebold & Zucc.) Planch. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 (1876)
Actinidia lecomtei Nakai, Bot. Mag. (Tokyo) 47: 253 (1933)
Actinidia repanda Honda, Acta Phytotax. Geobot. 9: 97 (1940)
Actinidia polygama (Siebold & Zucc.) Planch. ex Maxim. var. *lecomtei* (Nakai) H.L.Li, J. Arnold Arbor. 33: 22 (1952)
Actinidia inflammans Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 17 (1953)

***Actinidia rufa* (Siebold & Zucc.) Planch. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 (1867) Nat: S Korea 섬다래**

Trochostigma rufum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 727 (1843)
Actinidia cordifolia Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 (1876)
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *rufa* (Siebold & Zucc.) Maxim.,

Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 12: 423 (1886)
Actinidia callosa Lindl. var. *rufa* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 15: 147 (1901)
Actinidia kiusiana Koidz., Pl. Nov. Amami-Ohsim. 9 (1928)
Actinidia rufa (Siebold & Zucc.) Planch. ex Miq. var. *dulcissima* Koidz., Bot. Mag. (Tokyo) 44: 100 (1930)

ADOXACEAE

Adoxa L.

Adoxa moschatellina L., Sp. Pl. 367 (1753) Nat: N Korea, S Korea 연복초
Moschatellina fumariifolia Gilib., Fl. Lit. Inch. 1: 61 (1782)
Moschatellina tetragona Moench, Methodus (Moench) 478 (1794)
Adoxa tuberosa Gray, Nat. Arr. Brit. Pl. 2: 493 (1821)
Adoxa moschata Dulac, Fl. Hautes-Pyrénées 462 (1867)
Adoxa moschatellina L. var. *inodora* Falc. ex C.B. Clarke, Fl. Brit. Ind. 3: 2 (1880)
Moschatellina generalis E.H.L. Krause, Deutschl. Fl. (Sturm), ed. 2 12: 222 (1904)
Adoxa moschatellina L. f. *japonica* (Hara) H. Hara, Ginkgoana 5: 305 (1983)
Adoxa orientalis Nepomn., Bot. Zhurn. (Moscow & Leningrad) 69: 260 (1984)
Adoxa insularis Nepomn., Bot. Zhurn. (Moscow & Leningrad) 70: 524 (1985)

AIZOACEAE

Tetragonia L.

Tetragonia tetragonoides (Pall.) Kuntze, Revis. Gen. Pl. 1: 264 (1891) Nat: S Korea 변행초
Demidovia tetragonoides Pall., Enum. Hort. Demidof 150 (1781)
Tetragonia expansa Murray, Commentat. Soc. Regiae Sci. Gott. 6: 13 (1783)
Tetragonia japonica Thunb., Fl. Jap. (Thunberg) 208 (1784)
Tetragonia halimifolia G. Forst., Fl. Ins. Austr. 39 (1786)
Tetragonia cornuta Gaertn., Fruct. Sem. Pl. 2: 483 (1791)

ALANGIACEAE

Alangium Lam.

Alangium platanifolium (Siebold & Zucc.) Harms, Nat. Pflanzenfam. III. 8: 261 (1898) Nat: N Korea, S Korea 박취나무
Alangium platanifolium (Siebold & Zucc.) Harms var. *genuinum* Wangerin, Pflanzenr. (Engler) 4 (41): 22 (1810)
Marlea platanifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 134 (1843)
Marlea macrophylla Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 135 (1843)
Marlea platanifolia Siebold & Zucc. var. *triloba* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 159 (1865)
Karangolum platanifolium (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 1: 272 (1891)
Marlea platanoides Micheli, Rev. Hort. 501 (1898)
Marlea platanifolia Siebold & Zucc. var. *macrophylla* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 20: 86 (1905)
Alangium platanifolium (Siebold & Zucc.) Harms var. *macrophyllum* (Siebold & Zucc.)

Wangerin, Pflanzenr. (Engler) 4 (41): 22 (1910)
Marlea sinica Nakai, Fl. Sylv. Kor. 17: 29 (1928)
Marlea macrophylla Siebold & Zucc. var. *triloba*. (Miq.) Nakai, Fl. Sylv. Kor. 17: 26 (1928)
Marlea macrophylla Siebold & Zucc. var. *velutina* Nakai, Fl. Sylv. Kor. 17: 26 (1928)
Alangium platanifolia var. *ogurae* Yanagita, J. Jap. Bot. 12: 424 (1936)
Marlea platanifolia Siebold & Zucc. f. *velutina* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 253 (1954)
Alangium platanifolium (Siebold & Zucc.) Harms var. *trilobum* (Miq.) Ohwi, Fl. Jap., revised ed., [Ohwi] 1437 (1965)
Alangium platanifolium (Siebold & Zucc.) Harms var. *macrophyllum* f. *velutina* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 319 (1966)

AMARANTHACEAE

Achyranthes L.

Achyranthes bidentata Blume, Bijdr. Fl. Ned. Ind. 11: 545 (1826) Nat: N Korea, S Korea
털쇠무릎

Achyranthes fruticosa Lam., Encycl. (Lamarck) 1: 545 (1754)
Achyranthes chinensis Osbeck, Dagb. Ostind. Resa 205 (1757)
Achyranthes hispida Moq., Prodr. (DC.) 13: 312 (1849)
Achyranthes fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 422 (1904)
Achyranthes longifolia (Makino) Makino, Bot. Mag. (Tokyo) 28: 180 (1914)
Centrostachys bidentata (Blume) Standl., J. Wash. Acad. Sci. 5: 75 (1915)
Achyranthes mollicula Nakai, Bot. Mag. (Tokyo) 34: 40 (1920)
Achyranthes ryukyuensis Tawada, J. Geobot. 19: 33 (1971)

Achyranthes bidentata Blume var. *bidentata*

Achyranthes bidentata Blume var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 132 (1866) Nat: N Korea, S Korea 쇠무릎

Achyranthes japonica (Miq.) Nakai, Bot. Mag. (Tokyo) 34: 39 (1920)
Achyranthes fauriei H.Lév. & Vaniot var. *japonica* (Miq.) Hiyama, J. Jap. Bot. 36: 126 (1961)

Amaranthus Adans.

Amaranthus albus L., Syst. Nat. ed. 10 2: 1268 (1759) Int 미국비름
Amaranthus graecizans Cutanda, Fl. Comp. Madrid 579 (1861)

Amaranthus arenicola I.M.Johnst., J. Arnold Arbor. 29: 193 (1948) Int 각시비름

Amaranthus blitum L. subsp. *oleraceus* (L.) Costea, Sida 19: 984 (2001) Int 개비름

Amaranthus lividus L., Sp. Pl. 990 (1753)
Amaranthus oleraceus L., Sp. Pl. 1403 (1753)
Blitum lividum (L.) Moench, Methodus (Moench) 359 (1794)
Amaranthus ascendens Loisel., Not. Fl. France 141 (1810)
Albersia livida (L.) Kunth, Fl. Berol. (Kunth) 2: 144 (1839)
Amaranthus officinalis Gromov ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 139 (1884)
Albersia blitum Kunth var. *oleraceus* (L.) Hook.f., Fl. Brit. Ind. 4: 721 (1885)
Amaranthus lividus L. subsp. *oleraceus* (L.) Soó, Acta Bot. Acad. Sci. Hung. 10: 376 (1964)

Amaranthus caudatus L., Sp. Pl. 990 (1753) Int 줄맨드라미

Amaranthus maximus Mill., Gard. Dict., ed. 8 5 (1768)
Amaranthus pendulinus Moq., Prodr. (DC.) 13: 255 (1849)
Amaranthus dussii Sprenger, Bull. Soc. Tosc. Ortic. 21: 178 (1896)
Amaranthus abyssinicus L.H.Bailey, Man. Cult. Pl. 252 (1924)

***Amaranthus cruentus* L., Syst. Nat. ed. 10 2: 1269 (1759) [Int](#) 가는털비름**

Amaranthus paniculatus L., Sp. Pl. (ed. 2) 1406 (1763)
Amaranthus patulus Bertol., Comment. Itin. Neapol. 1: 19 (1837)
Amaranthus purgans Moq., Prodr. (DC.) 13: 257 (1849)

***Amaranthus deflexus* L., Mant. Pl. 2: 295 (1771) [Int](#) 눈비름**

Amaranthus prostratus Balb., Misc. Bot. (Balbis) 44 (1803)
Euxolus deflexus (L.) Raf. var. *ascendens* Moq., Prodr. (DC.) 13: 275 (1849)
Albersia deflexa (L.) Fourr., Ann. Soc. Linn. Lyon 17: 142 (1869)

***Amaranthus hybridus* L., Sp. Pl. 990 (1753) [Int](#) 긴털비름**

Amaranthus aureus Moq., Prodr. (DC.) 13: 259 (1849)
Amaranthus bellardii Moq., Prodr. (DC.) 13: 259 (1849)
Amaranthus flavescens Moq., Prodr. (DC.) 13: 259 (1849)

***Amaranthus mangostanus* L., Cent. Pl. I 1: 32 (1755) [Int](#) 비름**

Amaranthus polygamus Thwaites, Enum. Pl. Zeyl. 247 (1861)
Amaranthus mucronatus Hook.f., Fl. Brit. Ind. 4: 720 (1885)

***Amaranthus palmeri* S.Watson, Proc. Amer. Acad. Arts 12: 274 (1877) [Int](#) 긴이삭비름**

Amaranthus palmeri S.Watson var. *glomeratus* Uline & W.L.Bray, Bot. Gaz. 19: 272 (1894)

***Amaranthus retroflexus* L., Sp. Pl. 991 (1753) [Int](#) 털비름**

Amaranthus spicatus Lam., Fl. Franc. (Lamarck) 2: 192 (1778)
Amaranthus chlorostachys Willd., Hist. Amaranth. 34 (1790)
Amaranthus curvifolius Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 928 (1824)
Amaranthus strictus Ten., Syll. Pl. Fl. Neapol. 127 (1831)
Amaranthus rigidus Schult. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 70 (1840)

***Amaranthus spinosus* L., Sp. Pl. 991 (1753) [Int](#) 가시비름**

Amaranthus spinosus L. var. *pygmaeus* Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 83 (1844)
Galliarina spitosa Nieuwl., Amer. Midl. Naturalist 3: 278 (1914)
Amaranthus spinosus L. var. *basicissus* Thell., Syn. Mitteleur. Fl. 5: 269 (1914)

***Amaranthus tricolor* L., Sp. Pl. 989 (1753) [Int](#) 색비름**

Amaranthus melancholicus L., Sp. Pl. 989 (1753)
Amaranthus gangeticus L., Syst. Nat. ed. 10 2: 1268 (1759)
Amaranthus inamoenus Willd., Hist. Amaranth. 14, t. 7, f. 14 (1790)
Amaranthus incomptus Willd., Enum. Pl. (Willdenow) 64 (1809)
Amaranthus tristis Wall., Numer. List 6905 (1832)

***Amaranthus viridis* L., Sp. Pl. (ed. 2) 1405 (1763) [Int](#) 청비름**

Amaranthus gracilis Desf., Tabl. Ecole Bot. 1: 43 (1804)
Amaranthus littoralis Hornem., Hort. Bot. Hafn. 2: 893 (1815)
Amaranthus fasciatus Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 609 (1832)

Euxolus caudatus (Jacq.) Moq., Prodr. (DC.) 13: 274 (1849)
Euxolus viridis (L.) Moq., Prodr. (DC.) 13: 273 (1849)

Beta L.

Beta vulgaris L., Sp. Pl. 222 (1753) Int 근대
Beta vulgaris L. var. *cicla* L., Sp. Pl. 222 (1753)
Beta vulgaris L. var. vulgaris

Beta vulgaris L. var. altissima Döll, Rhein. Fl. 293 (1843) Int 사탕무
Beta vulgaris L. var. *saccharifera* Alef., Landw. Fl. 1: 281 (1866)

Celosia L.

Celosia argentea L., Sp. Pl. 205 (1753) Int 맨드라미
Celosia cristata L., Sp. Pl. 205 (1753)
Celosia coccinea L., Sp. Pl. (ed. 2) 297 (1762)
Celosia japonica Houtt., Nat. Hist. (Houttuyn) 2: 2 t. 43 fig. (1777)
Amaranthus cristatus Noronha, Verh. Batav. Genootsch. Kunsten 5: 7 (1790)
Celosia comosa Retz., Observ. Bot. (Retzius) 6: 26 (1791)
Celosia aurea T.Moore, Fl. Mag. (London) 1: t. 47 (1861)
Amaranthus huttonii H.J.Veitch, Gard. Chron. 1872: 215 (1872)
Celosia argentea L. var. *vera* Kuntze, Revis. Gen. Pl. 2: 541 (1891)
Celosia argentea L. var. *cristata* (L.) Kuntze, Revis. Gen. Pl. 1: 541 (1891)
Amaranthus purpureus Nieuwl., Amer. Midl. Naturalist 3: 279 (1914)

Gomphrena L.

Gomphrena globosa L., Sp. Pl. 224 (1753) Int 천일홍
Gomphrena rubra Moq., Prodr. (DC.) 13: 409 (1849)
Gomphrena globosa L. var. *albiflora* Moq., Prodr. (DC.) 13: 409 (1849)
Xeraea globosa Kuntze, Revis. Gen. Pl. 2: 545 (1891)
Amaranthoides globosus Maza, Fl. Habanera 94 (1897)

Spinacia L.

Spinacia oleracea L., Sp. Pl. 1027 (1753) Int 시금치
Spinacia glabra Mill., Gard. Dict., ed. 8 0 (1768)
Spinacia inermis Moench, Methodus (Moench) 318 (1794)
Spinacia spinosa Moench, Methodus (Moench) 318 (1794)
Obione stocksii Wight, Icon. Pl. Ind. Orient. (Wight) 5, Expl. plates 5 & tab.: 1789, 5 (1852)

ANACARDIACEAE

Cotinus Mill.

Cotinus coggygria Scop., Fl. Carniol., ed. 2 1: 220 (1772) Int 안개나무
Cotinus coriarius Duhamel, Traité Arbr. Arbust. (Duhamel) 1: 191 (1755)
Cotinus ellipticus Raf., Autik. Bot. 83 (1840)
Cotinus cotinus (L.) Sarg., Gard. & Forest 4: 340 (1891)
Cotinus arenarius F.A.Barkley, Liliac. 23: 253 (1950)
Cotinus cinereus (Engl.) F.A.Barkley, Liliac. 23: 253 (1950)

Rhus L.

- Rhus chinensis Mill., Gard. Dict., ed. 8 no. 7 (1768)** Nat: N Korea, S Korea **붉나무**
Schinus indicus Burm.f., Fl. Ind. (N. L. Burman) 215 (1768)
Rhus semialata Murray, Commentat. Soc. Regiae Sci. Gott. 6: 27 (1784)
Rhus semialata Murray var. *osbeckii* DC., Prodr. (DC.) 2: 67 (1825)
Rhus osbeckii Decne. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 452 (1841)
Toxicodendron semialatum (Murray) Kuntze, Revis. Gen. Pl. 1: 154 (1891)
Rhus javanica L. var. *chinensis* (Mill.) T.Yamaz., J. Jap. Bot. 68: 240 (1993)

Toxicodendron Mill.

- Toxicodendron orientale Greene, Leaf. Bot. Observ. Crit. 1: 127 (1905)** Nat: S Korea
덩굴쑤나무
Rhus ambigua Lavallée ex Dippel, Handb. Laubholz. 2: 373 (1892)

- Toxicodendron succedaneum (L.) Kuntze, Revis. Gen. Pl. 1: 154 (1891)** Nat: S Korea
검양쑤나무
Rhus succedanea L., Mant. Pl. 2: 221 (1771)
Augia sinensis Lour., Fl. Cochinch. 1: 337 (1790)
Rhus pubigera Blume, Bijdr. Fl. Ned. Ind. 17: 1165 (1826)
Rhus succedanea L. var. *discolor* Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 245 (1844)
Rhus succedanea L. var. *japonica* Engl., Monogr. Phan. 4: 399 (1883)

- Toxicodendron sylvestre (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 1: 154 (1891)** Nat: S Korea
산검양쑤나무
Rhus sylvestris Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 140 (1845)

- Toxicodendron trichocarpum (Miq.) Kuntze, Revis. Gen. Pl. 1: 154 (1891)** Nat: N Korea, S Korea
개쑤나무
Rhus tricocarpa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 84 (1865)
Rhus echinocarpa H.Lév., Repert. Spec. Nov. Regni Veg. 10: 475 (1912)

- Toxicodendron vernicifluum (Stokes) F.A.Barkley, Amer. Midl. Naturalist 24: 680 (1940)**
Nat: N Korea, S Korea **쑤나무**
Rhus verniciflua Stokes, Bot. Mat. Med. 2: 164 (1812)
Rhus vernicifera DC., Prodr. (DC.) 2: 68 (1825)
Rhus kaempferi Sweet, Hort. Brit. (Sweet) 97 (1827)
Rhus succedanea L. var. *himalaica* Hook.f., Fl. Brit. Ind. 2: 12 (1876)
Rhus vernicifera DC. var. *silvestrii* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 416 (1910)

APIACEAE

Aegopodium L.

- Aegopodium alpestre Ledeb., Fl. Altaic. 1: 354 (1829)** Nat: N Korea **왜방풍**
Carum alpestre (Ledeb.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 199 (1915)

- Aegopodium podagraria L., Sp. Pl. 263 (1753)** Nat: N Korea, S Korea **산미나리**
Peucedanum podagraria H.Boissieu, Bull. Herb. Boissier ser ser. 2, 3: 957 (1903)

Angelica L.

***Angelica acutiloba* (Siebold & Zucc.) Kitag., Bot. Mag. (Tokyo) 51: 658 (1937) Int 왜당귀**

Apium ternatum Siebold, Verh. Batav. Genootsch. Kunsten 12: 46 (1830)

Ligusticum acutilobum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 203 (1845)

Sium triternatum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 57 (1867)

***Angelica anomala* Avé-Lall., Index Seminum [St.Petersburg (Petropolitanus)] 9: 57 (1843)**

Nat: N Korea, S Korea 개구릿대

Angelica sylvestris L. var. *angustigolia* Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 738 (1844)

Angelica montana Brot. var. *angustifolia* Ledeb., Fl. Ross. (Ledeb.) 2: 295 (1846)

Angelica sachalinensis Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 127 (1859)

Angelica jaluana Nakai, Bot. Mag. (Tokyo) 28: 314 (1914)

Angelica rupestris Koidz., Bot. Mag. (Tokyo) 30: 79 (1916)

Angelica refracta F.Schmidt var. *glaucophylla* Koidz., Bot. Mag. (Tokyo) 31: 32 (1917)

Angelica kawakamii Koidz., Fl. Symb. Orient.-Asiat. 45 (1930)

Angelica anomala Avé-Lall. var. *sachalinensis* (Maxim.) H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2c: 299 (1999)

***Angelica cartilaginomarginata* (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 269 (1909)**

Nat: N Korea, S Korea 처녀바디

Peucedanum cartilaginoseratum Makino ex Nakagawa, Bot. Mag. (Tokyo) 13: 54 (1899)

Peucedanum cartilaginomarginatum Makino ex Y.Yabe, J. Coll. Sci. Imp. Univ. Tokyo 16: 100 (1902)

Sium matsumurae H.Boissieu, Bull. Herb. Boissier ser.2, 2: 954 (1903)

Angelica crucifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 170 (1907)

Peucedanum crucifolium H.Boissieu, Bull. Herb. Boissier ser.2, 8: 643 (1908)

Angelica boissieuana Nakai, Bot. Mag. (Tokyo) 27: 32 (1913)

Angelica confusa Nakai, Icon. Pl. Koisikav 1: 133 (1913)

Peucedanum makinoi Nakai, Icon. Pl. Koisikav 1: 131 (1913)

Angelica callososerata Nakai, Chosen Shokubutsu 406 (1914)

Angelica distans Nakai, Chosen Shokubutsu 406 (1914)

Peucedanum quelpaertiensis H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 247 (1925)

Pimpinella cartilaginomarginata (Makino) H.Wolff, Pflanzenz. (Engler) 90, 4(228): 287 (1927)

Angelica cartilaginomarginata (Makino) Nakai var. *makinoi* (Nakai) Kitag., J. Jap. Bot. 12: 243 (1935)

Angelica cartilaginomarginata (Makino) Nakai var. *distans* (Nakai) Kitag., J. Jap. Bot. 12: 245 (1936)

Angelica cartilaginomarginata (Makino) Nakai var. *matsumurae* (H.Boissieu) Kitag., J. Jap. Bot. 12: 244 (1936)

Angelica cartilaginomarginata (Makino) Nakai var. *matsumurae* f. *latipinna* Kitag., J. Jap. Bot. 12: 245 (1936)

***Angelica czernaevia* (Fisch. & C.A.Mey.) Kitag., J. Jap. Bot. 12: 241 (1936) Nat: N Korea**

잔알바디

Conioselinum czernaevia Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 2: 33 (1836)

Czernaevia laevigata Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 740 (1844)

Angelica laevigata (Fisch.) Franch., Pl. David. 1: 143 (1884)

Angelica gracilis Franch., Mem. Soc. Sci. Nat. Cherbourg 24: 222 (1884)
Angelica flaccida Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 431 (1901)

***Angelica dahurica* (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 187 (1873) Nat: N Korea, S Korea 구릿대**

Callisace dahurica Fisch. ex Hoffm., Gen. Pl. Umbell., ed. 2 170 (1816)
Angelica glabra (Y.Yabe) Makino, Somoku Dzusetsu, ed. 3 43 (1907)
Angelica tschiliensis H.Wolff, Acta Horti Gothob. 2: 319 (1926)
Angelica macrocarpa H.Wolff, Repert. Spec. Nov. Regni Veg. 28: 111 (1930)
Angelica porphyrocaulis Nakai & Kitag., Rep. Exped. Manchoukou Sect. IV, Pt. 1, Pl. Nov. Jehol. 33 (1934)

***Angelica decursiva* (Miq.) Franch. & Sav., Enum. Pl. Jap. 1: 187 (1873) Nat: N Korea, S Korea 바다나물**

Porphyroscias decursiva Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 62 (1867)
Peucedanum decursivum Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 472 (1886)
Peucedanum decursivum Maxim. var. *albiflorum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 473 (1886)
Peucedanum decursivum Maxim. f. *albiflorum* (Maxim.) Y.Yabe, Rev. Umbell. Jap. 97 (1902)
Peucedanum porphyroscias Makino, Bot. Mag. (Tokyo) 18: 65 (1904)
Peucedanum porphyroscias Makino var. *albiflorum* Makino, Bot. Mag. (Tokyo) 18: 66 (1904)
Angelica decursiva (Miq.) Franch. & Sav. f. *albiflora* (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 268 (1909)
Peucedanum porphyroscias Makino f. *albiflorum* (Maxim.) Matsum., Index Pl. Jap. 2 (2): 440 (1912)
Angelica decursiva (Miq.) Franch. & Sav. var. *albiflora* Nakai, Chosen Shokubutsu 407 (1914)
Pimpinella decursiva H.Wolff, Repert. Spec. Nov. Regni Veg. 16(456-461): 237 (1919)
Peucedanum astrantiifolium H.Wolff, Repert. Spec. Nov. Regni Veg. 19: 311 (1924)

***Angelica florenti* Franch. & Sav. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 274 (1873) Nat: S Korea 두메당근**

Ostericum florenti (Franch. & Sav. ex Maxim.) Kitag., J. Jap. Bot. 12: 237 (1936)

***Angelica genuflexa* Nutt. ex Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 620 (1840) Nat: N Korea 왜천궁**

Angelica refracta F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 138 (1868)
Angelica yabeana Makino, Somoku Dzusetsu, ed. 3 347 (1907)
Angelica caudata Franch. ex H.Boissieu, Bull. Soc. Bot. France 56: 355 (1909)
Angelica refracta F.Schmidt var. *yabeana* (Makino) Koidz., Bot. Mag. (Tokyo) 31: 32 (1917)
Angelica genuflexa Nutt. ex Torr. & A.Gray subsp. *refracta* (F.Schmidt) M.Hiroe, Acta Phytotax. Geobot. 12: 176 (1950)
Angelica reflexa B.Y.Lee, J. Spec. Reser. 2: 245 (2013)

***Angelica gigas* Nakai, Bot. Mag. (Tokyo) 31: 100 (1917) Nat: N Korea, S Korea 참당귀**

***Angelica japonica* A.Gray, Mem. Amer. Acad. Arts 2: 390 (1859) Nat: S Korea 갯강활**

Angelica sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 61 (1867)
Angelica kiusiana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 18: 284 (1873)

***Angelica nakaiana* (Kitag.) Pimenov, Feddes Repert. 110: 482 (1999) Nat: N Korea 부전바디**

Homopteryx nakaiana Kitag., Bot. Mag. (Tokyo) 51: 808 (1937)
Coelopleurum nakaianum (Kitag.) Kitag., J. Jap. Bot. 43: 427 (1968)

***Angelica polymorpha* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 185 (1873) Nat: N Korea, S Korea 궁궁이**

Selinum coreanum H.Boissieu, Bull. Herb. Boissier ser.2, 2: 956 (1903)
Angelica fallax H.Boissieu, Bull. Soc. Bot. France 59: 199 (1912)
Rompelia polymorpha (Maxim.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 2, 29: 125 (1916)
Peucedanum taquetii H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 245 (1925)
Angelica wolffiana Fedde ex H.Wolff, Repert. Spec. Nov. Regni Veg. 28: 110 (1930)
Conioselinum wolffianum (Fedde ex H.Wolff) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 87 (1952)
Angelica polymorpha Maxim. var. *fallax* (Boiss.) Kitag., Neolin. Fl. Manshur. 476 (1979)

***Angelica saxatilis* Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 296 (1844) Nat: N Korea 고산바디**
Physolophium saxatile (Turcz. ex Ledeb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 729 (1844)

Coelopleurum saxatile (Turcz. ex Ledeb.) Drude, Nat. Pflanzenfam. 3: 213 (1898)
Peucedanum filicinum H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 246 (1925)
Coelopleurum alpinum Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 156 (1941)
Angelica gmelinii (DC.) Pimenov subsp. *saxatilis* (Turcz. ex Ledeb.) Vorosch., Florist. issl. v razn. raionakh SSSR 184 (1985)

***Angelica tenuissima* Nakai, Bot. Mag. (Tokyo) 33: 10 (1919) Nat: N Korea, S Korea 고본**
Ligusticum tenuissimum (Nakai) Kitag., J. Jap. Bot. 17(10): 562 (1941)

Anthriscus Pers.

***Anthriscus caucalis* M.Bieb., Fl. Taur.-Caucas. 1: 230 (1808) Int 유럽전호**
Anthriscus vulgaris Bernh. var. *gymnocarpa* Moris, Fl. Sardoia 2: 235 (1842)
Anthriscus scandicinus Mansf., Repert. Spec. Nov. Regni Veg. 46: 309 (1939)

***Anthriscus sylvestris* (L.) Hoffm., Gen. Pl. Umbell. 40 (1814) Nat: N Korea, S Korea 전호**
Chaerophyllum sylvestre L., Sp. Pl. 258 (1753)
Myrrhis alpina Steud., Nomencl. Bot. (Steudel) 545 (1821)
Anthriscus torquata Duby, Bot. Gall. 1: 239 (1828)
Cerfolium sylvestre (L.) Bubani, Fl. Pyren. 2: 410 (1899)
Anthriscus yunnanensis W.W.Sm., Notes Roy. Bot. Gard. Edinburgh 8: 331 (1915)
Anthriscus sylvestris (L.) Hoffm. var. *glabricaulis* Maire, Bull. Soc. Hist. Nat. Afrique N. 31: 105 (1940)

Bupleurum L.

***Bupleurum chinense* DC., Prodr. (DC.) 4: 128 (1830) Nat: N Korea 두메시호**
Bupleurum octoradiatum Bunge, Enum. Pl. Chin. Bor. 32 (1833)

***Bupleurum euphorbioides* Nakai, Bot. Mag. (Tokyo) 28: 313 (1914) Nat: N Korea, S Korea 등대시호**
Bupleurum euphorbioides Nakai var. *alpestre* Sakata, J. Jap. Bot. 33: 30 (1958)
Bupleurum tatudintze V.I.Baranov, Claves Pl. Chin. Bor.-Or. 254 (1959)

***Bupleurum falcatum* L., Fl. Altaic. 1: 349 (1829) Nat: N Korea, S Korea 시호**

- Bupleurum bicaule* Helm, Mem. Soc. Imp. Naturalistes Moscou 2: 108 (1809)
Bupleurum scorzonerifolium Willd., Enum. Pl. Suppl. (Willdenow) 30 (1814)
Bupleurum falcatum L. var. *scorzonerifolium* (Willd.) Ledeb., Fl. Ross. (Ledeb.) 2: 267 (1844)
Bupleurum falcatum L. subsp. *eufalcatum* var. *scorzonerifolium* (Willd.) C.F. Wolff, Pflanzenz. (Engler) 4 (43): 132 (1910)
Bupleurum scorzonerifolium Willd. f. *ensifolium* H. Wolff, Pflanzenz. (Engler) IV, 228: 133 (1910)
Bupleurum falcatum L. var. *bicaule* H. Wolff, Pflanzenz. (Engler) 4 (43): 140 (1910)
Bupleurum falcatum L. subsp. *scorzonerifolium* (Willd.) Koso-Pol., Trudy Imp. S.-Peterburgsk. Bot. Sada 30: 219 (1913)
Bupleurum falcatum L. var. *komarovii* Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 59 (1916)
Bupleurum scorzonerifolium Willd. f. *latum* Nakai, J. Jap. Bot. 13: 486 (1937)
Bupleurum scorzonerifolium Willd. var. *stenophyllum* Nakai, J. Jap. Bot. 13: 487 (1937)
Bupleurum scorzonerifolium Willd. subsp. *angustissimum* (Franch.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 105 (1940)
Bupleurum angustissimum (Franch.) Kitag., J. Jap. Bot. 21: 97 (1947)
Bupleurum stenophyllum (Nakai) Kitag., J. Jap. Bot. 21: 99 (1948)

***Bupleurum latissimum* Nakai, Bot. Mag. (Tokyo) 31: 28 (1917) Nat: S Korea, Endemic
섬시호**

***Bupleurum longiradiatum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 719 (1844) Nat: N Korea, S Korea 개시호**

- Bupleurum longiradiatum* Turcz. var. *breviradiatum* F. Schmidt ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 125 (1859)
Bupleurum sachalinense F. Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 135 (1868)
Bupleurum leveillei H. Boissieu, Bull. Soc. Bot. France 57: 413 (1910)
Bupleurum longiradiatum Turcz. var. *leveillei* (H. Boissieu) Kitag., Bull. Natl. Sci. Mus., Tokyo 5: 11 (1960)
Bupleurum longiradiatum Turcz. f. *leveillei* (H. Boissieu) Kitag., J. Jap. Bot. 36: 241 (1961)

Centella L.

***Centella asiatica* (L.) Urb., Fl. Bras. (Martius) 11: 287 (1879) Nat: N Korea, S Korea 병풀**

- Hydrocotyle asiatica* L., Sp. Pl. 234 (1753)
Hydrocotyle reniformis Walter, Fl. Carol. 113 (1788)
Hydrocotyle lunata Lam., Encycl. (Lamarck) 3: 152 (1789)
Trisanthus cochinchinensis Lour., Fl. Cochinch. 1: 176 (1790)
Hydrocotyle biflora P. Vell., Fl. Flumin. 3: t. 93 (1825)
Hydrocotyle inaequipetes DC., Prodr. (DC.) 4: 63 (1830)
Hydrocotyle pallida DC., Prodr. (DC.) 4: 63 (1830)
Hydrocotyle tussilagifolia Baker, J. Linn. Soc., Bot. 20: 151 (1883)
Hydrocotyle filicaulis Baker, J. Linn. Soc., Bot. 21: 348 (1884)
Centella boninensis Nakai ex Tuyama, Bot. Mag. (Tokyo) 50: 31, f. 23 (1936)

Cicuta Mill.

***Cicuta virosa* L., Sp. Pl. 255 (1753) Nat: N Korea, S Korea 독미나리**

Cicutaria aquatica Lam., Fl. Franc. (Lamarck) 3: 445 (1779)
Sium cicuta F.H.Wigg., Prim. Fl. Holsat. 24 (1780)
Cicuta angustifolia Kit., Oestr. Fl. (ed. 2) 1: 515 (1814)
Cicuta tenuifolia Schrank, Denkschr. Königl. Akad. Wiss. München 7: 56 (1818)
Cicuta virosa L. var. *stricta* K.F.Schultz, Prodr. Fl. Starg. Suppl. 17 (1819)
Cicuta virosa L. var. *tenuifolia* (A.Fröhl.) K.Koch, Syn. Fl. Germ. Helv. 282 (1836)
Cicuta virosa L. var. *angustisecta* Celak., Prodr. Fl. Bohmen 563 (1875)
Cicuta niponica Franch., Bull. Soc. Bot. France 26: 84 (1879)
Cicuta pumila Behm, Bot. Not. 1887: 180 (1887)
Cicuta orientalis Degen, Termeszettud. Kozl. 36: 38 (1896)
Cicuta virosa L. f. *angustifolia* (Kit.) Schube, Verbreit. Gefässpfl. Schles. 233 (1903)

Cnidium Cusson & Juss.

***Cnidium dauricum* (Jacq.) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 2: 33 (1836) Nat: N Korea 사동미나리**

Laserpitium dahuricum Jacq., Hort. Bot. Vindob. 3: 22 (1776)
Aulacospermum cuneatum Ledeb., Fl. Altaic. 4: 225 (1833)

***Cnidium japonicum* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 60 (1867) Nat: N Korea, S Korea 갯사상자**

Selinum japonicum (Miq.) Franch. & Sav., Enum. Pl. Jap. 1: 186 (1873)

***Cnidium monnieri* (L.) Cusson, Mem. Soc. Linn. Paris 1782-83: 280 (1787) Nat: N Korea, S Korea 별사상자**

Selinum monnieri L., Cent. Pl. I. 9 (1755)
Cnidium confertum Moench, Methodus (Moench) 98 (1794)
Cnidium microcarpum Turcz. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 389 (1840)
Seseli daucifolium C.B.Clarke, Fl. Brit. Ind. 2: 693 (1879)
Cnidium mongolicum H.Wolff, Repert. Spec. Nov. Regni Veg. 27: 324 (1930)

Conioselinum Hoffm.

***Conioselinum kamschaticum* Rupr., Beitr. Pflanzenk. Russ. Reiches 11: 22 (1859) Nat: N Korea 산천궁**

Conium L.

***Conium maculatum* L., Sp. Pl. 243 (1753) Int 나도독미나리**

Coriandrum L.

***Coriandrum sativum* L., Sp. Pl. 256 (1753) Int 고수**

Coriandrum majus Gouan, Hortus Monsp. 145 (1762)
Coriandrum globosum Salisb., Prodr. Stirp. Chap. Allerton 166 (1796)
Sium coriandrum Vest, Man. Bot. [Vest] 513 (1805)
Bifora loureiroi Kostel., Allg. Med.-Pharm. Fl. 4: 1183 (1835)
Selinum coriandrum E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 12: 163 (1904)

Cryptotaenia DC.

***Cryptotaenia japonica* Hassk., Retzia 1: 113 (1855) Nat: N Korea, S Korea 파드득나물**

Cryptotaenia canadensis (L.) DC. var. *japonica* (Hassk.) Makino, Somoku Dzusetsu, ed. 3 379 (1907)
Deringa japonica (Hassk.) Koso-Pol., Vestn. Tiflissk. Bot. Sada 11: 139 (1916)
Cryptotaenia canadensis (L.) DC. subsp. *japonica* (Hassk.) Hand.-Mazz., Symb. Sin. 7: 713 (1933)

Cyclosporum Seward

Cyclosporum leptophyllum (Pers.) Eichler, Fl. S. Austral. [J.M. Black], ed. 4. 2: 986 (1987)
Int 솔잎미나리

Pimpinella leptophylla Pers., Syn. Pl. (Persoon) 10: 324 (1805)
Apium leptophyllum F.Muell. ex Benth., Fl. Austral. 3: 327 (1867)
Apium rivulare Larrañaga, Escritos Damaso Antonio Larranaga 2: 116 (1923)
Apium depressum M.E.Jones, Contr. W. Bot. 18: 63 (1933)

Cymopterus Raf.

Cymopterus melanotilingia (H.Boissieu) C.Y.Yoon, Korean J. Pl. Taxon. 31: 258 (2001) Nat:
N Korea, S Korea 큰참나물

Selinum melanotilingia H.Boissieu, Bull. Herb. Boissier ser 2, 3: 956 (1903)
Peucedanum melanotilingia (H. Boissieu) H. Boissieu, Bull. Herb. Boissier ser. 2, 8: 642 (1908)
Pimpinella crassa Nakai, Bot. Mag. (Tokyo) 31: 102 (1917)
Halosciastrum crassum Koidz., Acta Phytotax. Geobot. 10: 54 (1941)
Ostericum melanotilingia (H.Boissieu) Kitag., J. Jap. Bot. 17: 561 (1941)
Cymopterus crassus (Koidz.) M.Hiroe, Umbelliferae Asia 143 (1958)
Ostericum crassum (Nakai) Kitag., J. Jap. Bot. 34: 361 (1959)

Daucus L.

Daucus carota L., Sp. Pl. 424 (1753) Int 산당근

Caucalis daucus Crantz, Stirp. Austr. Fasc. 2: 125 (1763)
Daucus vulgaris Garsault, Fig. Pl. Med. 2: 246 (1764)
Caucalis glabra Forssk., Fl. Aegypt.-Arab. 206 (1775)
Daucus esculentus Salisb., Prodr. Stirp. Chap. Allerton 162 (1796)
Daucus heterophylus Raf., New Fl. (Rafinesque) 4: 26 (1838)
Daucus exiguus Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 485 (1840)
Daucus kotovii M.Hiroe, Umbelliferae Asia 595 (1979)

Daucus carota L., subsp. *carota*

Daucus carota L. subsp. *sativus* (Hoffm.) Arcang., Comp. Fl. Ital. (Arcangeli) 299 (1882) Int
당근

Daucus carota L. var. *sativus* Hoffm., Deutschl. Fl. (Hoffm.) 91 (1791)

Daucus littoralis Sm., Fl. Graec. 3: 65 (1821) Nat: S Korea 갯당근

Dystaenia Kitag.

Dystaenia takesimana (Nakai) Kitag., Bot. Mag. (Tokyo) 51: 807 (1937) Nat: S Korea,
Endemic 섬바디

Angelica takesimana Nakai, Bot. Mag. (Tokyo) 32: 219 (1919)
Ligusticum takeshimanum (Nakai) M.Hiroe, Acta Phytotax. Geobot. 18: 19 (1959)

Foeniculum Mill.

Foeniculum vulgare Mill., Gard. Dict., ed. 8 0 (1768) Int 회향

- Anethum foeniculum* L., Sp. Pl. 263 (1753)
Foeniculum azoricum Mill., Gard. Dict., ed. 8 3 (1768)
Anethum minus Gouan, Ill. Observ. Bot. 20 (1773)
Foeniculum officinale All., Fl. Pedem. 2: 25 (1785)
Foeniculum divaricatum Griseb., Spic. Fl. Rumel. 1: 358 (1843)
Foeniculum giganteum Lojac., Fl. Sicul. 3: 445 (1909)
Foeniculum scoparium Quézel, Bull. Soc. Hist. Nat. Afrique N. 48: 91 (1957)

Glehnia Schmidt ex Miq.

Glehnia littoralis F.Schmidt ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 61 (1867) Nat: N Korea, S Korea 갯방풍

- Cymopterus glaber* (A.Gray) Black, Hodgson's Res. Hakodate 335 (1861)
Phellopterus littoralis (F.Schmidt ex Miq.) Benth., Gen. Pl. (Bentham & Hooker) 1: 905 (1867)

Heracleum L.

Heracleum moellendorffii Hance, J. Bot. 1: 12 (1878) Nat: N Korea, S Korea 어수리

- Heracleum microcarpum* Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 6: 24 (1883)
Heracleum microcarpum Franch. var. *subbipinnatum* Franch., Pl. David. 1: 144 (1884)
Sphondylium lanatum (Michx.) Nakai, Chosen Shokubutsu 413 (1914)
Sphondylium lanatum (Michx.) Nakai var. *angustum* Nakai, Rep. Veg. Mt. Waigalbon 36 (1916)
Heracleum morifolium H.Wolff, Acta Horti Gothob. 2: 326 (1926)
Heracleum moellendorffii Hance f. *subbipinnatum* (Franch.) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 276 (1935)
Heracleum morifolium H.Wolff var. *angustum* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 36 (1936)
Heracleum niponicum Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 274 (1938)
Heracleum moellendorffii Hance var. *subbipinnatum* (Franch.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 157 (1941)
Heracleum moellendorffii Hance f. *angustum* (Kitag.) Kitag., J. Jap. Bot. 55: 268 (1980)
Heracleum dissectum Ledeb. subsp. *moellendorffii* (Hance) Vorosch., Byull. Moskovsk. Obsch. Isp. Prir. Otd. Biol. n.s. 95: 92 (1990)

Hydrocotyle L.

Hydrocotyle benguetensis Elmer, Leaf. Philipp. Bot. 2: 628 (1909) Nat: S Korea 제주피막이

- Hydrocotyle rotundifolia* Roxb. var. *pauciflora* Y.Yabe, Rev. Umbell. Jap. 14 (1902)
Hydrocotyle japonica Makino, J. Jap. Bot. 3: 47 (1926)
Hydrocotyle ranunculifolia Ohwi, Acta Phytotax. Geobot. 2: 151 (1933)

Hydrocotyle javanica Thunb., Hydrocotyle 17 (1798) Nat: S Korea 큰피막이풀

- Hydrocotyle nepalensis* Hook., Exot. Fl. 1: t. 30 (1822)
Hydrocotyle hirsuta Blume, Bijdr. Fl. Ned. Ind. 15: 884 (1826)
Hydrocotyle heyneana Wall., Numer. List 563 (1829)
Hydrocotyle polycephala Wight & Arn., Prodr. Fl. Ind. Orient. 1: 366 (1834)
Hydrocotyle javanica Thunb. var. *laxa* Masam., J. Soc. Trop. Agric. 4: 301 (1932)

***Hydrocotyle ramiflora* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 46 (1886) Nat: S Korea 큰피막이**

Hydrocotyle maritima Honda, Bot. & Zool. 2: 1825 (1934)

Hydrocotyle ramiflora Maxim. var. *maritima* (Honda) M.Hiroe, Acta Phytotax. Geobot. 14: 40 (1950)

***Hydrocotyle sibthorpioides* Lam., Encycl. (Lamarck) 3: 153 (1789) Nat: S Korea 피막이**

Hydrocotyle ranunculoides L.f. var. *sibthorpioides* (Lam.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 6: 349 (1820)

Hydrocotyle nitidula A.Rich., Ann. Gen. Sci. Phys. 4: 200 (1820)

Hydrocotyle tenella Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 183 (1825)

Hydrocotyle zollingeri Molke., Pl. Jungh. 91 (1851)

Hydrocotyle perexigua Hance, Ann. Bot. Syst. 2: 691 (1852)

Hydrocotyle puncticulata Miq., Fl. Ned. Ind. 1: 732 (1856)

Hydrocotyle monticola Hook.f., J. Linn. Soc., Bot. 7: 194 (1864)

Libanotis

***Libanotis coreana* (H.Wolff) Kitag., Bot. Mag. (Tokyo) 51: 657 (1937) Nat: S Korea**

털기름나무

Seseli libanotis (L.) Koch var. *japonicum* Boiss., Bull. Soc. Bot. France 56: 354 (1909)

Seseli coreanum H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 244 (1925)

***Libanotis seseloides* (Fisch. & C.A.Mey. ex Turcz.) Turcz., Bull. Soc. Imp. Naturalistes**

Moscou 17: 725 (1844) Nat: N Korea, S Korea 가는잎방풍

Ligusticum seseloides Fisch. & C.A.Mey. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 725 (1844)

Libanotis amurensis Schischk., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 13: 160 (1950)

Seseli seseloides (Fisch. & C.A.Mey. ex Turcz.) M.Hiroe, Umbelliferae Asia 1: 135 (1958)

Seseli rivinianum (Ledeb.) M.Hiroe, Umbelliferae World 1126 (1979)

Ligusticum L.

***Ligusticum hultenii* Fernald, Rhodora 32: 7 (1930) Nat: N Korea, S Korea 기름당귀**

Angelica hultenii (Fernald) M.Hiroe, Acta Phytotax. Geobot. 14: 29 (1949)

Ligusticum scothicum subsp. *hultenii* (Fernald) Calder & Roy L. Taylor, Canad. J. Bot. 43: 1396 (1965)

***Ligusticum officinale* (Makino) Kitag., J. Jap. Bot. 39: 108 (1963) Int 천궁**

Cnidium officinale Makino, Somoku Dzusetsu, ed. 3 345 (1907)

***Ligusticum tachiroei* (Franch. & Sav.) M.Hiroe & Constance, Univ. Calif. Publ. Bot. 30: 74 (1958) Nat: N Korea, S Korea 개회향**

Seseli tachiroei Franch. & Sav., Enum. Pl. Jap. 2: 373 (1878)

Cnidium tachiroei (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 20: 94 (1906)

Ligusticum koreanum H.Wolff, Repert. Spec. Nov. Regni Veg. 17: 154 (1921)

Cnidium filisectum Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 1, Pl. Nov. Jehol. 35 (1934)

Tilingia filisecta (Nakai & Kitag.) Nakai & Kitag., Bot. Mag. (Tokyo) 51(607): 657 (1937)

Tilingia tachiroei (Franch. & Sav.) Kitag., Bot. Mag. (Tokyo) 51: 656 (1937)

Ligusticum filisectum (Nakai & Kitag.) M.Hiroe, Umbelliferae Asia 1: 105 (1958)

Rupiphila tachiroei (Franch. & Sav.) Pimenov & Lavrova, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 91: 97 (1986)

Lisaea Boiss.

Lisaea heterocarpa (DC.) Boiss., Fl. Orient. 2: 1089 (1872) Int 이란미나리

Oenanthe L.

Oenanthe javanica (Blume) DC., Prodr. (DC.) 4: 138 (1830) Nat: N Korea, S Korea 미나리

Phellandrium stoloniferum Roxb., Hort. Bengal. 21 (1814)

Sium javanicum Blume, Bijdr. Fl. Ned. Ind. 15: 881 (1826)

Sium laciniatum Blume, Bijdr. Fl. Ned. Ind. 15: 881 (1826)

Falcaria laciniata (Blume) DC., Prodr. (DC.) 4: 110 (1830)

Oenanthe laciniata Zoll., Syst. Verz. (Zollinger) 2: 139 (1854)

Dasyloma javanicum (Blume) Miq., Fl. Ned. Ind. 1: 741 (1856)

Dasyloma laciniatum (Blume) Miq., Fl. Ned. Ind. 1: 741 (1856)

Dasyloma japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 59 (1867)

Oenanthe stolonifera (Roxb.) DC. var. *laciniata* (Zoll.) Kanitz, Anthophyta Jap. Legit Emanuel Weiss 27 (1878)

Oenanthe decumbens Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 130 (1916)

Oenanthe decumbens Koso-Pol. var. *laciniata* (Zoll.) Koso-Pol., Trudy Imp. S.-Peterburgsk. Bot. Sada 36: 9 (1920)

Oenanthe japonica (Miq.) Nakai ex T.Mori, Enum. Pl. Corea 272 (1922)

Oenanthe javanica (Blume) DC. var. *japonica* (Miq.) Honda, Nom. Pl. Japonic. 250 (1939)

Osmorhiza Raf.

Osmorhiza aristata (Thunb.) Rydb., Bot. Surv. Nebraska 3: 37 (1894) Nat: N Korea, S Korea
진사상자

Chaerophyllum aristatum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 288 (1784)

Myrrhis claytonii Michx., Fl. Bor.-Amer. (Michaux) 1: 170 (1803)

Myrrhis aristata (Thunb.) Spreng., Sp. Umbell. 133 (1818)

Osmorhiza japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 203 (1845)

Osmorhiza amurensis F.Schmidt ex Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 129 (1859)

Uraspermum aristatum (Thunb.) Kuntze, Revis. Gen. Pl. 1: 270 (1891)

Scandix aristata (Thunb.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 143 (1916)

Osmorhiza aristata (Thunb.) Rydb. var. *montana* Makino, J. Jap. Bot. 2: 7 (1918)

Osmorhiza montana (Makino) Makino, J. Jap. Bot. 5: 28 (1928)

Ostericum Hoffm.

Ostericum grosseserratum (Maxim.) Kitag., J. Jap. Bot. 12: 233 (1935) Nat: N Korea, S Korea
신감채

Angelica grosseserrata Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 19: 275 (1873)

Angelica koreana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 31: 51 (1887)

Ostericum koreanum (Maxim.) Kitag., J. Jap. Bot. 12: 235 (1936)

Ostericum maximowiczii (F.Schmidt) Kitag., J. Jap. Bot. 12: 232 (1936) Nat: N Korea, S Korea
가는바디

Gomphopetalum maximowiczii F.Schmidt ex Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 126 (1859)
Angelica maximowiczii (F.Schmidt) Benth. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 19: 274 (1874)
Ostericum praeteritum Kitag., J. Jap. Bot. 46: 369 (1971)
Ostericum praeteritum Kitag. f. *piliferum* Kitag., J. Jap. Bot. 46: 370 (1971)
Ostericum sieboldii (Miq.) Nakai var. *praeteritum* (Kitag.) Y.Huei Huang, Fl. Pl. Herb. Chin. Bor.-Or. 6: 252 (1977)
Angelica praeterita (Kitag.) Kitag., Neolin. Fl. Manshur. 585 (1979)

***Ostericum sieboldii* (Miq.) Nakai, J. Jap. Bot. 18: 219 (1942) Nat: N Korea, S Korea 뿔미나리**
Peucedanum sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 63 (1867)
Angelica miqueliana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 19: 276 (1873)
Peucedanum miquelianum H.Wolff, Repert. Spec. Nov. Regni Veg. 21(588-600): 248 (1925)
Ostericum miquelianum (Maxim.) Kitag., J. Jap. Bot. 12: 236 (1936)

Peucedanum L.

***Peucedanum elegans* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 430 (1901) Nat: N Korea, S Korea 가는기름나물**

Peucedanum coreanum Nakai, Bot. Mag. (Tokyo) 31: 100 (1917)
Peucedanum hakuunense Nakai, J. Jap. Bot. 15: 740 (1939)
Ligusticum coreanum (Nakai) M.Hiroe, Umbelliferae Asia 1: 103 (1958)
Peucedanum insolens Kitag., J. Jap. Bot. 47: 355 (1972)
Kitagawia komarovii Pimenov, Bot. Zhurn. (Moscow & Leningrad) 71: 948 (1986)

***Peucedanum japonicum* Thunb., Fl. Jap. (Thunberg) 117 (1784) Nat: N Korea, S Korea 갯기름나물**

Anethum japonicum (Thunb.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 117 (1915)

***Peucedanum terebinthaceum* (Fisch. ex Trevir.) Fisch. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 743 (1844) Nat: N Korea, S Korea 기름나물**

Selinum terebinthaceum Fisch. ex Trevir., Index Sem. (Breslau) 3: 3 (1821)
Peucedanum deltoideum Makino ex Y.Yabe, J. Coll. Sci. Imp. Univ. Tokyo 16(14): 99 (1902)
Peucedanum terebinthaceum (Fisch. ex Trevir.) Fisch. ex Turcz. var. *deltoideum* (Makino ex K.Yabe) Makino, Bot. Mag. (Tokyo) 22: 173 (1908)
Peucedanum paishanense Nakai, Bot. Mag. (Tokyo) 31: 101 (1917)

Pimpinella L.

***Pimpinella brachycarpa* (Kom.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 261 (1909) Nat: N Korea, S Korea 참나물**

Pimpinella nikoensis Y.Yabe var. *koreana* Y.Yabe, Bot. Mag. (Tokyo) 17: 106 (1903)
Pimpinella calycina Maxim. var. *brachycarpa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 145 (1907)
Pimpinella koreana (Y.Yabe) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 261 (1909)
Pimpinella gustavohegiana Koidz., Fl. Austro-Higoensis 84 (1931)
Spuriopimpinella brachycarpa (Kom.) Kitag., J. Jap. Bot. 17: 559 (1941)
Spuriopimpinella koreana (Y.Yabe) Kitag., J. Jap. Bot. 17: 560 (1941)
Spuriopimpinella koreana (Y.Yabe) Kitag. f. *uchiyamana* (Y.Yabe) Kitag., Bull. Natl.

Sci. Mus., Tokyo 5 (1): 33 (1960)

Pimpinella brachycarpa (Kom.) Nakai var. *hallaisanensis* W.T.Lee & G.J.Jang, Korean J. Pl. Taxon. 25: 8 (1995)

Pimpinella brachycarpa (Kom.) Nakai var. *uchiyamana* (Y. Yabe) W.T.Lee & C.G.Jang, Lineamenta Florae Koreae 805 (1996)

Pimpinella hallaisanensis (W.T.Lee & C.G.Jang) C.G.Jang, Korean J. Pl. Taxon. 29: 163 (1999)

***Pimpinella komarovii* (Kitag.) R.H.Shan & F.T.Pu, Fl. Reipubl. Popularis Sin. 55: 111 (1985)**

Nat: N Korea, S Korea 노루참나물

Spuriopimpinella komarovii Kitag., J. Jap. Bot. 17(10): 560 (1941)

Pleurospermum Hoffm.

***Pleurospermum uralense* Hoffm., Gen. Pl. Umbell. 9 (1814) Nat: N Korea, S Korea 왜우산풀**

Pleurospermum camtschaticum Hoffm., Gen. Pl. Umbell. 10 (1814)

Pternopetalum Franch.

***Pternopetalum tanakae* (Franch. & Sav.) Hand.-Mazz., Symb. Sin. 7: 719 (1933) Nat: S**

Korea 반디미나리

Carum tanakae Franch. & Sav., Enum. Pl. Jap. 2: 371 (1878)

Pterygopleurum Kitag.

***Pterygopleurum neurophyllum* (Maxim.) Kitag., Bot. Mag. (Tokyo) 51: 655 (1937) Nat: S**

Korea 서울개발나물

Carum neurophyllum (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 180 (1873)

Edosima neurophyllum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 285 (1873)

Sium neurophyllum (Maxim.) H.Hara, Enum. Spermatophytarum Japon. 3: 323 (1954)

Sanicula L.

***Sanicula chinensis* Bunge, Enum. Pl. Chin. Bor. 32 (1833) Nat: N Korea, S Korea 참반디**

Sanicula europaea L. var. *chinensis* (Bunge) Diels, Bot. Jahrb. Syst. 29: 491 (1900)

Sanicula elata Buch.-Ham. ex D.Don var. *chinensis* (Bunge) Koidz., Bot. Mag. (Tokyo) 44: 95 (1910)

Sanicula kurilensis Pobed., Bot. Zhurn. (Moscow & Leningrad) 46: 1343 (1961)

Sanicula europaea L. subsp. *chinensis* (Bunge) Hultén, Kungl. Svenska Vetenskapskad. Handl. 13: 363 (1971)

***Sanicula rubriflora* F.Schmidt ex Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers**

Savans 9: 123 (1859) Nat: N Korea, S Korea 붉은참반디

***Sanicula tuberculata* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 431 (1867) Nat: S**

Korea 애기참반디

Saposhnikovia Schischk.

***Saposhnikovia divaricata* (Turcz.) Schischk., Fl. URSS 17: 54 (1951) Int 방풍**

Trinia dahurica Turcz. ex Besser, Flora 17 (1 Beibl.): 14 (1834)
Stenocoelium divaricatum Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 734 (1844)
Siler divaricatum (Turcz.) Benth. & Hook.f., Gen. Pl. (Bentham & Hooker) 1: 909 (1867)

Scandix L.

Scandix pecten-veneris L., Sp. Pl. 256 (1753) Int 바늘꽃

Sium L.

Sium ninsi Thunb., Fl. Jap. (Thunberg) 118 (1784) Nat: N Korea, S Korea 감자개발나물
Sium diversifolium H. Wolff, Repert. Spec. Nov. Regni Veg. 17: 172 (1921)

Sium serrum (Franch. & Sav.) Kitag., J. Jap. Bot. 17(10): 562 (1941) Nat: S Korea
세잎개발나물

Wahlenbergia ovata d.don D. Don, Prodr. Fl. Nepal. 156 (1825)
Campanula circaeoides F. Schmidt ex Miq., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7
12: 154 (1862)
Peracarpa circaeoides (F. Schmidt ex Miq.) Feer, Bot. Jahrb. Syst. 12: 621 (1890)
Dortmannia sessilifolia (Lamb.) Kuntze, Revis. Gen. Pl. 2: 973 (1891)
Peracarpa luzonica Rolfe, Bull. Misc. Inform. Kew 1906: 201 (1906)
Peracarpa carnosa Hook.f. & Thomson var. *circaeoides* (F. Schmidt ex Miq.) Makino, Ill.
Fl. Nippon (Makino) 82: 245 (1940)
Peracarpa carnosa Hook.f. & Thomson var. *kusiana* H. Hara, J. Jap. Bot. 21: 20 (1947)
Sium ternifolium B. Y. Lee & S. C. Ko, Korean J. Pl. Taxon. 39: 130 (2009)

Sium suave Walter, Fl. Carol. 115 (1788) Nat: N Korea, S Korea 개발나물

Sium cicutifolium Schrank, Baier. Fl. 1: 558 (1789)
Sium lineare Michx., Fl. Bor.-Amer. (Michaux) 1: 167 (1803)
Cicuta dahurica Fisch. ex Schultz, Cat. Jard. Pl. Gorenki ed. 2: 45 (1812)
Sium nipponicum Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 268 (1873)
Sium suave Walter var. *nipponicum* (Maxim.) H. Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3,
Bot. 6: 95 (1952)

Sphallerocarpus Besser ex DC.

Sphallerocarpus gracilis (Besser ex Trevir.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou
29: 202 (1916) Nat: N Korea 무산상자

Chaerophyllum gracile Besser ex Trevir., Nova Acta Phys.-Med. Acad. Caes. Leop.-
Carol. Nat. Cur. 13: 172 (1826)
Sphallerocarpus cyminum Besser ex DC., Coll. Mem. 60 (1829)
Conopodium cyminum Benth. & Hook., Gen. Pl. (Bentham & Hooker) 1: 896 (1867)

Tilingia Regel & Tiling

Tilingia tsusimensis (Y. Yabe) Kitag., J. Jap. Bot. 40: 134 (1965) Nat: S Korea 대마참나물

Ligusticum tsusimense Y. Yabe, Bot. Mag. (Tokyo) 18: 30 (1904)
Ostericum tsusimense (Y. Yabe) Kitag., J. Jap. Bot. 27: 203 (1952)
Pimpinella tsusimensis (Y. Yabe) M. Hiroe & Constance, Univ. Calif. Publ. Bot. 30: 41
(1958)
Tilingia nakaiana Kitag., J. Jap. Bot. 43, f. 2: 186 (1968)

Torilis Adans.

- Torilis japonica* (Houtt.) DC., Prodr. (DC.) 4: 219 (1830)** Nat: N Korea, S Korea 사상자
Tordylium anthriscus L., Sp. Pl. 240 (1753)
Caucalis japonica Houtt., Handl. Pl.-Kruidk. 8: 42 (1779)
Torilis anthriscus (L.) Gaertn., Fruct. Sem. Pl. 1: 83 (1788)
Torilis praetermissa Hance, Ann. Sci. Nat., Bot. ser. 5, 5: 214 (1866)
Torilis anthriscus (L.) Gaertn. var. *japonica* (Houtt.) H.Boissieu, Bull. Herb. Boissier ser.2, 3: 856 (1903)
- Torilis scabra* (Thunb.) DC., Prodr. (DC.) 4: 219 (1830)** Nat: S Korea 개사상자
Chaerophyllum scabrum Thunb., Fl. Jap. (Thunberg) 119 (1784)
Caucalis scabra (Thunb.) Makino, Bot. Mag. (Tokyo) 7: 44 (1893)
Torilis henryi C.Norman, J. Bot. 67: 147 (1929)

APOCYNACEAE

Amsonia Walter

- Amsonia elliptica* (Thunb.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 432 (1819)** Nat: N Korea, S Korea 정향풀
Tabernaemontana elliptica Thunb., Fl. Jap. (Thunberg) 111 (1784)
Ansonia elliptica (Thunb.) Raf., New Fl. (Rafinesque) 4: 58 (1838)
Amsonia sinensis Tsiang & P.T.Li, Acta Phytotax. Sin. 11: 368 (1973)

Apocynum L.

- Apocynum cannabinum* L., Sp. Pl. 213 (1753)** Nat: N Korea, S Korea 수궁초
Apocynum sibiricum Jacq., Hort. Bot. Vindob. 3: 37 (1777)
Apocynum hypericifolium Aiton, Hort. Kew. (Hill) 1: 304 (1789)
Apocynum canadense Shecut, Fl. Carol. 1: 187 (1806)
Apocynum album Greene, Pittonia 3: 230 (1897)
Apocynum oblongum Greene, Pittonia 5: 65 (1902)
Apocynum farwellii Greene, Leafl. Bot. Observ. Crit. 2: 168 (1912)
Apocynum isophyllum Greene, Leafl. Bot. Observ. Crit. 2: 166 (1912)
Apocynum subuligerum Greene, Leafl. Bot. Observ. Crit. 2: 171 (1912)
Apocynum carolinii Nieuwl., Amer. Midl. Naturalist 3: 53 (1913)
Apocynum tomentulosum Nieuwl., Amer. Midl. Naturalist 3: 166 (1913)
- Apocynum venetum* L., Sp. Pl. 213 (1753)** Nat: N Korea, S Korea 개정향풀
Trachomitum venetum (L.) Woodson, Ann. Missouri Bot. Gard. 17: 158 (1930)
Trachomitum venetum (L.) Woodson var. *ellipticifolium* (Bég. & Bél.) Woodson, Ann. Missouri Bot. Gard. 17: 161 (1930)
Apocynum lancifolium Russanov, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 167 (1933)
Trachomitum lancifolium (Russanov) Pobed., Fl. URSS 18: 658 (1952)
Trachomitum venetum (L.) Woodson var. *lancifolium* (Russanov) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 365 (1956)

Cynanchum L.

***Cynanchum amplexicaule* (Siebold & Zucc.) Hemsl., J. Linn. Soc., Bot. 26: 104 (1889)** Nat: N Korea, S Korea **숨아마존**

Vincetoxicum amplexicaule Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 162 (1846)

Vincetoxicum brandtii Franch. & Sav., Enum. Pl. Jap. 2: 440 (1877)

Cynanchum brandtii (Franch. & Sav.) Matsum., Index Pl. Jap. 2 (2): 509 (1912)

Antitoxicum amplexicaule (Siebold & Zucc.) Pobed., Fl. URSS 18: 705 (1952)

Alexitoxicon amplexicaule (Siebold & Zucc.) Pobed., Taxon 11: 174 (1962)

Cynanchum amplexicaule (Siebold & Zucc.) Hemsl. f. *castaneum* (Makino) C.Y.Li, Clavis Pl. Chinae Bor.-Or. ed. 2 529 (1995)

***Cynanchum atratum* Bunge, Enum. Pl. Chin. Bor. 45 (1833)** Nat: N Korea, S Korea **백미꽃**

Vincetoxicum atratum (Bunge) Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 17 (1836)

Vincetoxicum multinerve Franch. & Sav., Enum. Pl. Jap. 1: 319 (1875)

Cynanchum glabrum Nakai, Bot. Mag. (Tokyo) 28: 331 (1914)

Cynanchum versicolor Bunge var. *glabrum* H.Lév. ex Nakai, Bot. Mag. (Tokyo) 28: 331 (1914)

Cynanchum nipponicum Matsum. var. *glabrum* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 1: 150 (1948)

Antitoxicum atratum (Bunge) Pobed., Fl. URSS 18: 704 (1952)

Cynanchum glabrum Nakai f. *viridescens* Murata, Acta Phytotax. Geobot. 17: 12 (1957)

Vincetoxicum nipponicum (Matsum.) Kitag., J. Jap. Bot. 34: 365 (1959)

Vincetoxicum glabrum (Nakai) Kitag., J. Jap. Bot. 34: 363 (1959)

Alexitoxicon atratum Pobed., Taxon 11: 174 (1962)

***Cynanchum chinense* R.Br., Mem. Wern. Nat. Hist. Soc. 1: 44 (1809)** Nat: N Korea, S Korea **가는털백미**

Cynanchum pubescens Bunge, Enum. Pl. Chin. Bor. 44 (1833)

Cynanchum deltoideum Hance, Ann. Sci. Nat., Bot. V, 5: 228 (1866)

Vincetoxicum pubescens (Bunge) Kuntze, Revis. Gen. Pl. 2: 423 (1891)

***Cynanchum inamoenum* (Maxim.) Loes. ex Gilg & Loes., Bot. Jahrb. Syst. 34: Beibl. 75: 60 (1904)** Nat: N Korea, S Korea **전백미꽃**

Vincetoxicum inamoenum Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 787 (1876)

Vincetoxicum macrophyllum Siebold & Zucc. var. *nikoensis* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 792 (1876)

Antitoxicum inamoenum (Maxim.) Pobed., Fl. URSS 18: 707 (1952)

Vincetoxicum kitagawae Hiyama, J. Jap. Bot. 35: 11 (1960)

Alexitoxicon inamoenum (Maxim.) Pobed., Taxon 11: 174 (1962)

***Cynanchum japonicum* (C.Morren & Decne.) Hemsl., J. Linn. Soc., Bot. 26(173): 107 (1889)** Nat: S Korea **덩굴민백미꽃**

Vincetoxicum japonicum C.Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 1: 17 (1836)

Cynanchum grayanum (Maxim.) Koidz., Fl. Symb. Orient.-Asiat. 83 (1930)

***Cynanchum nipponicum* Matsum., Bot. Mag. (Tokyo) 12: 39 (1898)** Nat: N Korea, S Korea **덩굴박주가리**

***Cynanchum purpureum* (Pall.) K.Schum., Nat. Pflanzenfam. 4: 253 (1895) Nat: N Korea**
자주박주가리

- Asclepias purpurea* Pall., Reise Russ. Reich. 3: 260 (1776)
Asclepias davorica Willd., Sp. Pl. 1272 (1797)
Cynanchum roseum R.Br., Mem. Wern. Nat. Hist. Soc. 1: 47 (1809)
Cynoctonum roseum (R.Br.) Decne., Prodr. (DC.) 8: 532 (1844)
Vincetoxicum purpureum (Pall.) Kuntze, Revis. Gen. Pl. 2: 424 (1891)
Cynoctonum purpureum (Pall.) Pobed., Fl. URSS 18: 709 (1952)

***Cynanchum thesioides* (Freyn) K.Schum., Nat. Pflanzenfam. 4: 252 (1895) Nat: N Korea**
양반풀

- Asclepias sibirica* L., Sp. Pl. 217 (1753)
Cynanchum sibiricum (L.) R.Br., Ges. Naturf. Freunde Berlin Neue Schriften 2: 124 (1799)
Cynanchum longifolium Decne., Prodr. (DC.) 8: 547 (1844)
Vincetoxicum sibiricum (L.) Decne., Prodr. (DC.) 8: 535 (1844)
Cynanchum acutum L. var. *longifolium* Ledeb., Fl. Ross. (Ledeb.) 3: 48 (1849)
Vincetoxicum sibiricum (L.) Decne. var. *boreale* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 779 (1877)
Vincetoxicum thesioides Freyn, Oesterr. Bot. Z. 40: 124 (1890)
Antitoxicum sibiricum (L.) Pobed., Fl. URSS 18: 702 (1952)

***Cynanchum volubile* (Maxim.) Hemsl., J. Linn. Soc., Bot. 26: 109 (1889) Nat: N Korea**
세포큰조롱

- Vincetoxicum volubile* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 195 (1859)
Antitoxicum volubile (Maxim.) Pobed., Fl. URSS 18: 703 (1952)

***Cynanchum wilfordii* (Maxim.) Hemsl., J. Linn. Soc., Bot. 26: 109 (1889) Nat: N Korea, S Korea**
큰조롱

- Cynoctonum wilfordii* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 23: 369 (1877)
Vincetoxicum wilfordii (Maxim.) Franch. & Sav., Enum. Pl. Jap. 2: 445 (1877)
Seutera wilfordii (Maxim.) Pobed., Fl. URSS 18: 713 (1952)

Hoya R.Br.

***Hoya carnosa* (L.f.) R.Br., Mem. Wern. Nat. Hist. Soc. 1: 27 (1809) Int 호야**

- Asclepias carnosa* L.f., Suppl. Pl. 170 (1781)
Schollia chinensis (Lour.) J.Jacq., Ecl. Pl. Rar. 1: 7 (1811)
Hoya chinensis (Lour.) Traill, Trans. Hort. Soc. London 7: 27 (1830)
Hoya rotundifolia Siebold, Jaarb. Kon. Ned. Maatsch. Tuinb. 6: 35 (1844)
Hoya picta Siebold ex Morren, Ann. Soc. Roy. Agric. Gand 4: 367 (1848)
Hoya motoskei Teyber & Binn., Natuurk. Tijdschr. Ned.-Indië 4: 396 (1853)
Hoya carnosa (L.f.) R.Br. var. *japonica* Siebold ex Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 18 (1869)

Marsdenia R.Br.

***Marsdenia tomentosa* Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 172 (1836) Nat: S Korea**
나도은조롱

Metaplexis R.Br.

***Metaplexis japonica* (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 27 (1903) Nat; N Korea, S Korea** 박주가리

- Pergularis japonica* Thunb., Fl. Jap. (Thunberg) 11 (1784)
Metaplexis stauntonii Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 6: 111 (1820)
Urostelma chinense Bunge, Enum. Pl. Chin. Bor. 44 (1833)
Metaplexis chinensis (Bunge) Decne., Prodr. (DC.) 8: 511 (1844)
Metaplexis rostrellata Turcz., Bull. Soc. Imp. Naturalistes Moscou 21: 253 (1848)

Nerium L.

***Nerium oleander* L., Sp. Pl. 209 (1753) Int** 협죽도

- Nerium indicum* Mill., Gard. Dict., ed. 8 2 (1768)
Nerium odoratum Lam., Encycl. (Lamarck) 3: 456 (1792)
Nerium verecundum Salisb., Prodr. Stirp. Chap. Allerton 147 (1796)
Nerium flavescens Spin, Jard. St. Sebastien 1 (1812)
Nerium grandiflorum Desf., Tabl. Ecole Bot. (ed. 2) 92 (1815)
Nerium splendens Paxton, Paxton's Mag. Bot. 3: 73 (1837)
Nerium thyrsiflorum Paxton, Paxton's Mag. Bot. 3: 73 (1837)
Nerium mascatense A.DC., Prodr. (DC.) 8: 421 (1844)
Nerium japonicum Gentil, Liste Pl. Cult. Serres Jard. Bot. Bruxelles 130 (1907)
Nerium indicum Mill. f. *leucanthum* Makino, Ill. Fl. Nippon (Makino) 207 (1940)
Nerium indicum Mill. f. *lutescens* Makino, Ill. Fl. Nippon (Makino) 207 (1940)
Nerium indicum Mill. f. *plenum* Makino, Ill. Fl. Nippon (Makino) 207 (1940)

Trachelospermum Lem.

***Trachelospermum asiaticum* (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 36: 22 (1922) Nat; S Korea** 마삭줄

- Malouetia asiatica* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4-3: 163 (1846)
Parechites thunbergii A.Gray, Mem. Amer. Acad. Arts 6: 403(Diagn. Char. Pl. Jap.) (1859)
Trachelospermum crocostomum Stapf, Bull. Misc. Inform. Kew 1906: 74 (1906)
Trachelospermum majus Nakai, Trees Shrubs Japan 1: 308 (1922)
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *glabrum* Nakai, Fl. Sylv. Kor. 14: 13 (1923)
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *intermedium* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 419 (1927)
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *oblanceolata* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 419 (1927)
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *majus* (Nakai) Ohwi, Fl. Jap. (Ohwi) 962 (1953)

***Trachelospermum jasminoides* (Lindl.) Lem., Jard. Fleur. 1: t. 61 (1851) Nat; S Korea** 털마삭줄

- Trachelospermum divaricatum* (Thunb.) Kanitz, Anthophyta Jap. Legit Emanuel Weiss 14 (1878)
Trachelospermum jasminoides (Lindl.) Lem. var. *foetida* Matsum. & Nakai, Bot. Mag. (Tokyo) 22: 163 (1908)
Trachelospermum jasminoides (Lindl.) Lem. var. *pubescens* Makino, Bot. Mag. (Tokyo) 26: 122 (1912)

Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *pubescens* Nakai, Fl. Sylv. Kor. 14: 13 (1923)
Trachelospermum jasminoides (Lindl.) Lem. var. *heterophyllum* Tsiang, Sunyatsenia 2: 146, f. 15 (1934)

Tylophora Hick

Tylophora floribunda Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 128 (1865) Nat: N Korea, S Korea
왜박주가리

Tylophora nikoensis (Franch. & Sav.) Matsum., Index Pl. Jap. 2 (2): 515 (1912)
Tylophora argyi Schltr. ex H.Lév., Mem. Real Acad. Ci. Barcelona 12(22): 4 (1916)
Vincetoxicum nikoense (Maxim.) Kitag., J. Jap. Bot. 34: 364 (1959)
Vincetoxicum floribundum (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 444 (1877)
Tylophora shikokiana Matsum. ex Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 91 (1911)

Vincetoxicum Walter

Vincetoxicum acuminatum Decne., Prodr. (DC.) 8: 524 (1844) Nat: N Korea, S Korea
민백미꽃

Vincetoxicum ascyrifolium Franch. & Sav., Enum. Pl. Jap. 2: 441 (1877)
Cynanchum acuminatifolium (Decne.) Hemsl., J. Linn. Soc., Bot. 26: 104 (1889)
Cynanchum ascyrifolium (Franch. & Sav.) Matsum., Index Pl. Jap. 2 (2): 509 (1912)

Vincetoxicum pycnostelma Kitag., J. Jap. Bot. 16: 19 (1940) Nat: N Korea, S Korea 산해박

Asclepias paniculata Bunge, Enum. Pl. Chin. Bor. 43 (1833)
Pycnostelma chinense Bunge ex Decne., Prodr. (DC.) 8: 512 (1844)
Pycnostelma paniculata (Bunge) K.Schum., Nat. Pflanzenfam. 4: 243 (1895)
Cynanchum dubium Kitag., Rep. Inst. Sci. Res. Manchoukuo 3(App. 1): 363 (1939)
Cynanchum paniculatum (Bunge) Kitag. ex H.Hara, Enum. Spermatophytarum Japon. 1: 153 (1948)

AQUIFOLIACEAE

Ilex Mill.

Ilex cornuta Lindl. & Paxton, Paxton's Fl. Gard. 1: 43 (1850) Nat: S Korea 호랑가시나무

Ilex crenata Thunb., Fl. Jap. (Thunberg) 78 (1784) Nat: S Korea 깡깡나무

Ilex furcata Lindl. ex Göpp., Gartenflora 1853: 322 (1854)
Celastrus adenophylla Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 85 (1865)
Ilex elliptica Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 104 (1867)
Ilex crenata Thunb. var. *microphylla* Maxim. ex Matsum., Nippon Shokubutsumeii, ed. 2: 149 (1895)
Ilex crenata Thunb. f. *genuina* Loes., Nova Acta Acad. Caes. Leop.-Carol. German. Nat. Cur. 78: 201 (1901)
Ilex crenata Thunb. f. *luteovariegata* (Regel) Rehder, Mitt. Deutsch. Dendrol. Ges. 1908: 161 (1908)
Ilex crenata Thunb. f. *longifolia* (Goldring) Rehder, Mitt. Deutsch. Dendrol. Ges. 1908: 161 (1908)
Ilex crenata Thunb. f. *microphylla* Rehder, Mitt. Deutsch. Dendrol. Ges. 17: 160 (1908)
Ilex burfordii S.R.Howell, Descr. Cat. Howell Nurs. 19 (1935)
Ilex crenata Thunb. f. *helleri* (Craig) Rehder, J. Arnold Arbor. 20: 417 (1939)

Ilex cornuta Lindl. & Paxton f. *burfordii* (De France) Rehder, Bibliogr. Cult. Trees 400 (1949)

***Ilex integra* Thunb., Fl. Jap. (Thunberg) 77 (1784) Nat; S Korea 감탕나무**

- Othera japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 56 (1783)
Ilex asiatica Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 496 (1824)
Ilex othera Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 496 (1824)
Prinos integra Hook. & Arn., Bot. Beechey Voy. 261 (1838)
Ilex fortunei Lindl., Gard. Chron. 1857: 868 (1857)
Ilex cornuta Lindl. & Paxton var. *integra* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 39 (1925)
Ilex cornuta Lindl. & Paxton var. *fortunei* (Lindl.) S.Y.Hu, J. Arnold Arbor. 30: 356 (1949)

***Ilex macropoda* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 105 (1867) Nat; N Korea, S Korea 대팻집나무**

- Ilex costata* Blume ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 29: 51 (1881)
Ilex dubia (G.Don) Trel. var. *macropoda* (Miq.) O.Loes., Nova Acta Acad. Caes. Leop.-Carol. German. Nat. Cur. 78: 487 (1901)
Ilex dubia (G.Don) Trel. var. *pseudomacropoda* Loes., Pl. Wilson. 1: 82 (1911)
Ilex monticola Tul. var. *macropoda* (Miq.) Rehder, Stand. Cycl. Hort. 4: 1640 (1915)
Ilex macropoda Miq. var. *pseudomacropoda* (Loes.) Nakai, Bot. Mag. (Tokyo) 44: 37 (1930)
Ilex macropoda Miq. var. *stenophylla* Koidz., Acta Phytotax. Geobot. 5: 41 (1936)
Ilex montana Torr. & A.Gray var. *macropoda* (Miq.) Fernald, Rhodora 41: 428 (1939)
Ilex macropoda Miq. f. *pseudomacropoda* (Loes.) H.Hara, Enum. Spermatophytarum Japon. 3: 24 (1952)

***Ilex rotunda* Thunb., Fl. Jap. (Thunberg) 77 (1784) Nat; S Korea 먼나무**

- Ilex microcarpa* Lindl. ex Paxton, Paxton's Fl. Gard. 1: 43 (1850)
Ilex laevigata Blume ex Miq., Cat. Mus. Bot. Lugd.-Bat. 167 (1870)
Ilex koshunensis Yamam., Icon. Pl. Formosan. Suppl. 1: 36 (1925)
Ilex sasakii Yamam., Icon. Pl. Formosan. 1: 39, f. 19 (1925)

***Ilex serrata* Thunb., Fl. Jap. (Thunberg) 78 (1784) Int 낙상홍**

- Ilex sieboldii* Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 84 (1866)
Ilex nemotoi Makino, Bot. Mag. (Tokyo) 14: 33 (1900)
Ilex serrata Thunb. var. *sieboldii* (miq.) rehder, Cycl. Amer. Hort. 2: 798 (1900)
Ilex serrata Thunb. var. *sieboldii* (Miq.) O.Loes., Nova Acta Acad. Caes. Leop.-Carol. German. Nat. Cur. 78: 487 (1901)

ARALIACEAE

***Aralia* L.**

***Aralia cordata* Thunb., Fl. Jap. (Thunberg) 127 (1784) Nat; N Korea, S Korea 땅두릅**

- Aralia edulis* Siebold & Zucc., Fl. Jap. (Siebold) 1: 57 (1837)
Dimorphanthus edulis (Siebold & Zucc.) Miq., Comm. Phytogr. 96 (1840)
Aralia nutans Franch. & Sav., Enum. Pl. Jap. 2: 376 (1877)
Aralia taiwaniana Y.C.Liu & F.Y.Lu, Quart. J. Chin. Forest. 9: 136 (1976)

Aralia cordata* Thunb. var. *cordata

***Aralia cordata* Thunb. var. *continentalis* (Kitag.) Y.C.Chu, Pl. Medic. Chinae Bor.-orient. 787 (1989)** Nat: N Korea, S Korea **독활**

Aralia continentalis Kitag., Bot. Mag. (Tokyo) 49: 228 (1935)

***Aralia elata* (Miq.) Seem., J. Bot. 6: 134 (1868)** Nat: N Korea, S Korea **두릅나무**

Dimorphanthus elatus Miq., Comm. Phytogr. 95 (1840)

Aralia canescens Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (2): 94 (1845)

Aralia mandshurica Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 134 (1857)

Dimorphanthus mandshuricus (Rupr. & Maxim.) Rupr. & Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans vol. 9: 133 (1859)

Aralia spinosa L. var. *glabrescens* Franch. & Sav., Enum. Pl. Jap. 1: 191 (1873)

Aralia spinosa L. var. *canescens* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 102 (1875)

Aralia chinensis L. var. *canescens* (Siebold & Zucc.) Lavallée, Énum. Arbres 125 (1877)

Aralia chinensis L. var. *glabrescens* (Franch. & Sav.) C.K.Schneid., Ill. Handb.

Laubholz. 2: 431 (1911)

Aralia elata (Miq.) Seem. var. *canescens* (Siebold & Zucc.) Nakai, J. Arnold Arbor. 5: 31 (1924)

Aralia elata (Miq.) Seem. var. *subinermis* Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 80 (1953)

Aralia elata (Miq.) Seem. f. *subinermis* (Ohwi) Jotani, J. Jap. Bot. 67: 365 (1992)

Dendropanax Decne. & Planch.

***Dendropanax trifidus* (Thunb.) Makino ex H.Hara, J. Jap. Bot. 16: 260 (1940)** Nat: S Korea
황칠나무

Dendropanax morbiferus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 (1910)

Gilibertia morbifera (H.Lév.) Nakai, J. Arnold Arbor. 5: 22 (1924)

Textoria morbifera (H.Lév.) Nakai, Fl. Sylv. Kor. 16: 41 (1927)

Gilibertia amamiensis Masam., Trans. Nat. Hist. Soc. Taiwan 25: 250 (1935)

Gilibertia iriomotensis Masam., Trans. Nat. Hist. Soc. Taiwan 25: 250 (1935)

Eleutherococcus Maxim.

***Eleutherococcus divaricatus* (Siebold & Zucc.) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)** Nat:
N Korea, S Korea **털오갈피나무**

Aralia scandens Poir., Encycl. (Lamarck) Suppl. 1 419 (1811)

Panax divaricatus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 200 (1845)

Kalopanax divaricatus (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 17 (1863)

Acanthopanax divaricatus (Siebold & Zucc.) Seem., J. Bot. 5: 239 (1867)

Acanthopanax spinosum Pavol., Nuovo Giorn. Bot. Ital. n.s. 15: 418 (1908)

Acanthopanax nodiflorum Dunn, J. Bot. 47: 199 (1909)

Acanthopanax spinosum (Miq.) Nakai, Chosen Shokubutsu 415 (1914)

Acanthopanax villosulum Harms, Pl. Wilson. 2: 562 (1916)

Acanthopanax gracilistylus W.W.Sm., Notes Roy. Bot. Gard. Edinburgh 5: 6 (1917)

Acanthopanax honda Matsuda, Bot. Mag. (Tokyo) 31: 333 (1917)

Acanthopanax divaricatus Siebold & Zucc. var. *inermis* Nakai, J. Arnold Arbor. 5: 6 (1924)

Acanthopanax chiisanensis Nakai, J. Arnold Arbor. 5: 5 (1924)

Acanthopanax koreanus Nakai, J. Arnold Arbor. 5: 3 (1924)

Acanthopanax koreanus Nakai, J. Arnold Arbor. 5: 3 (1924)

Acanthopanax rufinervis Nakai, Fl. Sylv. Kor. 16: 27 (1927)
Acanthopanax divaricatus Siebold & Zucc. f. *inermis* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 277 (1954)
Eleutherococcus nodiflorus (Dunn) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)
Eleutherococcus rufinervis (Nakai) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)
Eleutherococcus gracilistylus (W.W.Sm.) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)
Eleutherococcus divaricatus (Siebold & Zucc.) S.Y.Hu f. *inermis* (Nakai) H.Ohashi, J. Jap. Bot. 62: 356 (1987)
Eleutherococcus gracilistylus (W.W.Sm.) S.Y.Hu var. *nodiflorus* (Dunn) H.Ohashi, J. Jap. Bot. 62: 359 (1987)
Eleutherococcus divaricatus (Siebold & Zucc.) S.Y.Hu var. *chiisanensis* (Nakai) C.H.Kim & B.Y.Sun, Novon 10: 209 (2000)

***Eleutherococcus nodiflorus* (Dunn) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980) Nat; S Korea**
섬오갈피나무

Eleutherococcus rufinervis (Nakai) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)
Eleutherococcus gracilistylus (W.W.Sm.) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)
Eleutherococcus divaricatus (Siebold & Zucc.) S.Y.Hu f. *inermis* (Nakai) H.Ohashi, J. Jap. Bot. 62: 356 (1987)
Eleutherococcus gracilistylus (W.W.Sm.) S.Y.Hu var. *nodiflorus* (Dunn) H.Ohashi, J. Jap. Bot. 62: 359 (1987)
Eleutherococcus divaricatus (Siebold & Zucc.) S.Y.Hu var. *chiisanensis* (Nakai) C.H.Kim & B.Y.Sun, Novon 10: 209 (2000)

***Eleutherococcus sessiliflorus* (Rupr. & Maxim.) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)**
Nat; N Korea, S Korea 오갈피나무

Panax sessiliflorus Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 133 (1856)
Acanthopanax sessiliflorus (Rupr. & Maxim.) Seem., J. Bot. 5: 239 (1867)
Cephalopanax sessiliflorus (Rupr. & Maxim.) Baill., Adansonia 12: 149 (1879)
Acanthopanax sessiliflorus (Rupr. & Maxim.) Seem. var. *parviceps* Rehder, Mitt. Deutsch. Dendrol. Ges. 21: 192 (1912)
Acanthopanax seoulense Nakai, Fl. Sylv. Kor. 16: 24 (1927)
Eleutherococcus seoulensis (Nakai) S.Y.Hu, J. Arnold Arbor. 61: 109 (1980)
Eleutherococcus sessiliflorus (Rupr. & Maxim.) S.Y.Hu var. *parviceps* (Rehder) S.Y.Hu, J. Arnold Arbor. 61: 110 (1980)

***Eleutherococcus sieboldianus* (Makino) Koidz., Acta Phytotax. Geobot. 8: 52 (1939) Int**
오가나무

Acanthopanax sieboldianus Makino, Bot. Mag. (Tokyo) 12: 10 (1898)
Eleutherococcus pentaphyllus Nakai, Chosen Shokubutsu 420 (1914)
Eleutherococcus sieboldianus (Makino) Koidz. f. *variegatus* (Rehder) S.Y.Hu, J. Arnold Arbor. 61: 110 (1980)

Fatsia Decne. & Planch.

***Fatsia japonica* (Thunb.) Decne. & Planch., Rev. Hort. ser. 4, 3: 105 (1854) Nat; S Korea**
팔손이

Aralia japonica Thunb., Fl. Jap. (Thunberg) 128 (1784)
Dimorphanthus japonicus (Thunb.) Endl., Cat. Horti Vindob. 2: 176 (1842)
Aralia sieboldii K.Koch, Wochenschr. Gartnerei Pflanzenk. 2: 407 (1858)
Echinopanax japonicus (Thunb.) Kuntze, Revis. Gen. Pl. 1: 271 (1891)
Fatsia japonica (Thunb.) Decne. & Planch. var. *lobulata* Makino, J. Jap. Bot. 1: 10 (1916)

Hedera L.

***Hedera rhombea* (Miq.) Siebold & Zucc. ex Bean, Trees & Shrubs Brit. Isles 1: 609 (1914)**

Nat: S Korea **송악**

- Hedera japonica* Jungh., Tijdschr. Natuurl. Gesch. Physiol. 7: 307 (1840)
Hedera helix var. *rhombea* Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 13 (1863)
Hedera japonica Jungh. var. *variegata* Paul, Gard. Chron. 1867: 1215 (1867)
Hedera pedunculata Nakai, J. Arnold Arbor. 5: 25 (1924)
Hedera tobleri Nakai, Fl. Sylv. Kor. 16: 34 (1927)

Kalopanax Miq.

***Kalopanax septemlobus* (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 306 (1925)** Nat: N Korea, S

Korea **읍나무**

- Panax ricinifolius* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 199 (1845)
Tetrapanax ricinifolius (Siebold & Zucc.) K.Koch, Wochenschr. Gartnerei Pflanzenk. 2: 371 (1859)
Kalopanax ricinifolius (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 16 (1863)
Acanthopanax ricinifolius (Siebold & Zucc.) Seem., J. Bot. 6: 140 (1868)
Aralia maximowiczii Van Houtte, Fl. Serres Jard. Paris II, 20: 39 (1874)
Kalopanax ricinifolius (Siebold & Zucc.) Miq. var. *magnificus* Zabel, Gartenwelt 11: 535 (1907)
Acanthopanax ricinifolius (Siebold & Zucc.) Seem. var. *maximowiczii* (Van Houtte) C.K.Schneid., Handb. Laubholz. 2: 429 (1909)
Kalopanax ricinifolius (Siebold & Zucc.) Miq. var. *chinense* Nakai, J. Arnold Arbor. 5: 13 (1924)
Kalopanax ricinifolius (Siebold & Zucc.) Miq. var. *maximowiczii* (Van Houtte) Nakai, J. Arnold Arbor. 5: 13 (1924)
Acanthopanax septemlobus (Thunb.) Koidz. ex Rehder, Man. Cult. Trees 859 (1927)
Kalopanax pictus (Thunb.) Nakai, Fl. Sylv. Kor. 16: 34 (1927)
Kalopanax pictus (Thunb.) Nakai var. *magnificus* (Zabel) Nakai, Fl. Sylv. Kor. 16: 36 (1927)
Kalopanax septemlobus (Thunb.) Koidz. var. *magnificus* (Zabel) Hand.-Mazz., Symb. Sin. 7: 699 (1933)
Kalopanax septemlobus (Thunb.) Koidz. var. *maximowiczii* (Van Houtte) Hand.-Mazz., Symb. Sin. 7: 699 (1933)
Acanthopanax septemlobus (Thunb.) Koidz. ex Rehder var. *magnificus* (Zabel) W.C.Cheng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 204 (1934)
Acanthopanax septemlobus (Thunb.) Koidz. ex Rehder var. *maximowiczii* (Van Houtte) W.C.Cheng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 204 (1934)
Kalopanax pictus (Thunb.) Nakai f. *maximowiczii* (Van Houtte) H.Hara, Bot. Mag. (Tokyo) 50: 365 (1936)
Kalopanax pictus (Thunb.) Nakai var. *maximowiczii* (Van Houtte) H.Hara ex S.X.Li, Sargentia 2: 92 (1942)

Oplopanax Torr. & A.Gray & Miq.

***Oplopanax elatus* (Nakai) Nakai, Fl. Sylv. Kor. 16: 38 (1927)** Nat: N Korea, S Korea

삿뚜릅나무

- Echinopanax elatus* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 276 (1909)
Oplopanax horridus subsp. *elatus* (Nakai) H.Hara, J. Jap. Bot. 30: 71 (1955)

Panax Hill

***Panax ginseng* C.A.Mey., Repert. Pharm. Prakt. Chem. Russ. 7: 524 (1842) Nat: N Korea, S Korea 인삼**

Panax chin-seng Nees, Icon. Pl. Med. suppl. 5: t. 16A-A 3, d-f (1833)

Aralia quinquefolia var. *ginseng* (C.A.Mey.) Regel & Maack ex Makino, Bot. Mag. (Tokyo) 8: 225 (1859)

Panax quinquefolius L. var. *ginseng* (C.A.Mey.) Regel & Maack, Tent. Fl.-Ussur. 72 (1861)

Aralia ginseng (C.A.Mey.) Baill., Hist. Pl. (Baillon) 7: 152 (1880)

Tetrapanax K.Koch

***Tetrapanax papyriferus* (Hook.) K.Koch, Wochenschr. Gartnerei Pflanzenk. 2: 371 (1859)**

Int 통달목

Aralia papyrifera Hook., Hooker's J. Bot. Kew Gard. Misc. 4: 50 (1852)

Didymopanax papyriferus (Hook.) K.Koch, Wochenschr. Gartnerei Pflanzenk. 2: 69 (1859)

Fatsia papyrifera (Hook.) Benth. & Hook.f. ex Forbes & Hemsl., J. Linn. Soc., Bot. 23: 341 (1888)

Aralia mairei H.Lév., Repert. Spec. Nov. Regni Veg. 13: 342 (1914)

ARISTOLOCHIACEAE

Aristolochia L.

***Aristolochia contorta* Bunge, Enum. Pl. Chin. Bor. 58 (1833) Nat: N Korea, S Korea**

취방울덩굴

Aristolochia nipponica Makino, Bot. Mag. (Tokyo) 24: 124 (1910)

***Aristolochia manshuriensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 112 (1904) Nat:**

N Korea, S Korea 등취

Hocqurattia manshuriensis (Kom.) Nakai, Fl. Sylv. Kor. 21: 27 (1936)

Isotrema manshuriensis (Kom.) H.Huber, Mitt. Bot. Staatssamml. München 3: 550 (1960)

Asarum L.

***Asarum heterotropoides* F.Schmidt, Reis. Amur-Land., Bot. 171 (1868) Nat: N Korea, S Korea**

털족도리풀

Asarum sieboldii Miq. var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 399 (1872)

Asarum heterotropoides F.Schmidt var. *mandshuricum* (Maxim.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3: 174 (1939)

Asiasarum heterotropoides f. *mandshuricum* (Maxim.) F.Maek., Lin. Fl. Manshur. 174 (1939)

Asiasarum patens Yamaki, J. Jap. Bot. 71: 3 (1996)

Asarum misandrum B.U.Oh & J.G.Kim, Korean J. Pl. Taxon. 27: 491 (1997)

Asarum sieboldii Miq. var. *mandshuricum* f. *misandrum* (Y.N.Lee), Bull. Korea Pl. Res. 1: 16 (2000)

Asarum sieboldii Miq. var. *mandshuricum* f. *viride* Y.N.Lee, Bull. Korea Pl. Res. 1: 16 (2000)

Asarum patens (Yamaki) Yamaki ex Y.N.Lee, Bull. Korea Pl. Res. 1: 21 (2000)

Asarum glabratum (C.S.Yook & J.G.Kim) B.U.Oh, Endemic Vascular Plants in the Korean Peninsula 24 (2005)
Asarum mandshuricum (Maxim.) M.Kim & S.So, Korean J. Pl. Taxon. 38: 141 (2008)

***Asarum sieboldii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 134 (1865) Nat: N Korea, S Korea**
족도리풀

Asarum sieboldii Miq. var. *seoulensis* Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 (1914)
Asarum maculatum Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 (1914)
Asiasarum sieboldii Miq., Fl. Sylv. Kor. 21: 22 (1936)
Asiasarum heterotropoides var. *seoulense* (Nakai) F.Maek., Fl. Sylv. Kor. 21: 20 (1936)
Asiasarum maculatum (Nakai) F.Maek., Fl. Sylv. Kor. 21: 20 (1936)
Asarum heterotropoides F.Schmidt var. *seoulense* (Nakai) Kitag., Neolin. Fl. Manshur. 227 (1979)
Asarum sieboldii Miq. f. *seoulensis* (Nakai) C.Y.Cheng & C.S.Yang, J. Arnold Arbor. 64: 577 (1983)
Asiasarum sieboldii Miq. var. *versicolor* Yamaki, J. Jap. Bot. 71: 1 (1996)
Asarum maculatum Nakai var. *nonmaculatum* Y.N.Lee, Bull. Korea Pl. Res. 1: 16 (2000)
Asarum versicolor (Yamaki) Y.N.Lee, Bull. Korea Pl. Res. 1: 16 (2000)
Asarum sieboldii Miq. f. *maculatum* (Nakai) Yamaji, Acta Phytotax. Geobot. 55: 205 (2004)
Asarum sieboldii Miq. f. *sonunsanense* (Y.N.Lee) M.Kim & S.So, Korean J. Pl. Taxon. 38: 135 (2008)

ASTERACEAE

***Achillea* L.**

***Achillea alpina* L., Sp. Pl. 2: 899 (1753) Nat: N Korea, S Korea** **톱풀**

Achillea cristata Willd., Sp. Pl. (ed. 5; Willdenow) 3: 2192 (1789)
Achillea angustifolia Salisb., Prodr. Stirp. Chap. Allerton 204 (1796)
Achillea sibirica Ledeb., Index Sem. (Dorpat) 0 (1811)
Achillea mongolica Fisch. ex Spreng., Novi Provent. 3 (1818)
Achillea subcartilaginea (Heimerl) Heimerl, Acta Horti Gothob. 12: 254 (1938)

Achillea alpina* L. subsp. *alpina

***Achillea alpina* L. subsp. *rhodoptarmica* (Nakai) Kitam., Acta Phytotax. Geobot. 23: 3 (1968)**
Nat: N Korea **붉은톱풀**

Achillea rhodoptarmica Nakai, Bot. Mag. (Tokyo) 34: 52 (1920)
Achillea rhodoptarmica Nakai var. *rosea* (Nakai) H.S.Pak, Fl. Coreana (H.S.Park) 7: 140 (1999)

***Achillea alpina* L. var. *discoidea* (Regel) Kitam., Acta Phytotax. Geobot. 23: 3 (1968) Nat: N Korea, S Korea** **산톱풀**

Achillea ptarmicoides Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 154 (1859)
Achillea sibirica Ledeb. var. *discoidea* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 87 (1861)

***Achillea millefolium* L., Sp. Pl. 2: 899 (1753) Int** **서양톱풀**

Achillea magna L., Sp. Pl. (ed. 2) 2: 1267 (1763)
Achillea albida Willd., Enum. Pl. Suppl. (Willdenow) 61 (1814)
Achillea bicolor Wender., Flora 12(1, Ergänzungsbl.): 25 (1829)

Achillea marginata Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2(2,6): 532 (1845)
Achillea arenicola A.Heller, Muhlenbergia 1: 61 (1904)

***Achillea ptarmica* L. var. *acuminata* (Ledeb.) Heimerl, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 48: 173 (1884) Nat: N Korea 큰톱풀**

Achillea ptarmica L., Sp. Pl. 898 (1753)
Ptarmica speciosa DC., Prodr. (DC.) 6: 23 (1838)
Ptarmica vulgaris DC., Prodr. (DC.) 6: 23 (1838)
Ptarmica acuminata Ledeb., Fl. Ross. (Ledeb.) 2: 529 (1845)
Achillea ptarmica L. subsp. *macrocephala* var. *angustifolia* Heim, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 2: 176 (1884)
Achillea acuminata (Ledeb.) Sch.Bip., Flora 38: 15 (1885)

***Achillea setacea* Waldst. & Kit., Descr. Icon. Pl. Hung. 1: 82 (1802) Nat: N Korea, S Korea 털톱풀**

Achillea capillaris Poir., Encycl. (Lamarck & al.) Suppl. 1, 102 (1810)
Achillea millefolium L. var. *setacea* (Waldst. & Kit.) W.D.J.Koch, Syn. Fl. Germ. Helv. 1: 373 (1837)
Achillea salina Schur, Enum. Pl. Transsilv. 328 (1866)
Achillea collina Schur ex Nyman, Consp. Fl. Eur. 2: 367 (1879)
Achillea dolopica Freyn & Sint., Bull. Herb. Boissier 5: 625 (1897)
Achillea kummerleana Prodán, Magyar Bot. Lapok 15: 64 (1916)

Adenocaulon Hook.

***Adenocaulon himalaicum* Edgew., Trans. Linn. Soc. London 20: 64 (1846) Nat: N Korea, S Korea 열가치**

Adenocaulon adhaerescens Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 152 (1859)

Adenostemma J.R.Forst.

***Adenostemma lavenia* (L.) Kuntze, Revis. Gen. Pl. 1: 304 (1891) Nat: S Korea 물머위**

Verbesina lavenia L., Sp. Pl. 2: 902 (1753)
Adenostemma aquaticum D.Don, Prodr. Fl. Nepal. 81 (1825)
Lavenia fastigiata Blume, Bijdr. Fl. Ned. Ind. 15: 905 (1826)
Adenostemma microcephalum DC., Prodr. (DC.) 5: 111 (1836)
Adenostemma rivale Dalzell, Hooker's J. Bot. Kew Gard. Misc. 3: 231 (1851)
Adenostemma flintii R.M.King & H.Rob., Phytologia 54: 29 (1983)

Ageratina O.Hoffm.

***Ageratina altissima* (L.) R.M.King & H.Rob., Phytologia 19: 212 (1970) Int 서양등골나물**

Ageratum altissimum L., Sp. Pl. 2: 839 (1753)
Eupatorium rugosum Houtt., Nat. Hist. (Houttuyn) 10: 558 (1779)
Eupatorium urticifolium Reichard, Syst. Pl. 3: 719 (1780)
Eupatorium ageratoides L.f., Suppl. Pl. 355 (1781)
Eupatorium boreale Greene, Rhodora 3: 83 (1901)
Eupatorium urticifolium Reichard var. *tomentellum* B.L.Rob., Proc. Amer. Acad. Arts 47: 195 (1911)
Eupatorium rugosum Houtt. var. *angustatum* (A.Gray) S.F.Blake, Rhodora 43: 557 (1941)

Ageratum Mill.

Ageratum conyzoides L., Sp. Pl. 2: 839 (1753) Int 등골나물아재비

Ageratum ciliare Lour., Sp. Pl. 2: 839 (1753)

Ageratum obtusifolium Lam., Encycl. (Lamarck) 1: 54 (1783)

Ageratum latifolium Cav., Icon. (Cavanilles) 4: 33, tab. 357 (1797)

Ageratum hirsutum Poir., Encycl. (Lamarck) Suppl. 1 242 (1810)

Ageratum suffruticosum Regel, Gartenflora 3: 389, t. 108 (1854)

Ageratum conyzoides L. var. *inaequipaleaceum* Hieron., Bot. Jahrb. Syst. 19: 44 (1894)

Ageratum houstonianum Mill., Gard. Dict., ed. 8 0 (1768) Int 불로화

Ageratum wendlandii Bailly, Suppl. Fl. Pleine Terre 2 (1884)

Carelia houstoniana (Mill.) Kuntze, Revis. Gen. Pl. 1: 325 (1891)

Ageratum conyzoides L. subsp. *houstonianum* (Mill.) M.Sharma, Geobios, New Rep. 3: 152 (1984)

Ainsliaea DC.

Ainsliaea acerifolia Sch.Bip., Jahresber. Pollichia 18-19 : 188 (1861) Nat: N Korea, S Korea 단풍취

Ainsliaea affinis Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 187 (1866)

Ainsliaea acerifolia Sch.Bip. var. *subapoda* Nakai, Bot. Mag. (Tokyo) 30: 290 (1916)

Ainsliaea acerifolia Sch.Bip. var. *affinis* (Miq.) Kitam., J. Jap. Bot. 14: 305 (1938)

Ainsliaea apiculata Sch.Bip., Jahresber. Pollichia 18-19: 188 (1861) Nat: S Korea 쯤막취

Ainsliaea apiculata Sch.Bip. var. *minor* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 187 (1866)

Ainsliaea apiculata Sch.Bip. var. *rotundifolia* Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 455 (1934)

Ajania Poljakov

Ajania pallasiana (Fisch. ex Besser) Poljakov, Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 17: 420 (1955) Nat: N Korea 솔인진

Artemisia pallasiana Fisch. ex Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 61 (1834)

Pyrethrum pallasianum (Fisch. ex Besser) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 423 (1872)

Chrysanthemum pallasianum (Fisch. ex Besser) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 645 (1907)

Dendranthema pallasianum (Fisch. ex Besser) Vorosch., Byull. Glavn. Bot. Sada 49: 57 (1963)

Ambrosia L.

Ambrosia artemisiifolia L., Sp. Pl. 988 (1753) Int 돼지풀

Ambrosia glandulosa Scheele, Linnaea 22: 157 (1849)

Ambrosia monophylla (Walter) Rydb., N. Amer. Fl. 33: 17 (1922)

Ambrosia trifida L., Sp. Pl. 987 (1753) Int 단풍잎돼지풀

Ambrosia integrifolia Muhl. ex Willd., Sp. Pl. (ed. 4) 3: 375 (1800)

Ambrosia trifida L. f. *integrifolia* (Muhl. ex Willd.) Torr. & A.Gray, Fl. N. Amer. (Torr.

& A. Gray) 2: 290 (1842)

Ambrosia trifida L. var. *heterophylla* Kuntze, Revis. Gen. Pl. 1: 305 (1891)

Anaphalis DC.

***Anaphalis margaritacea* (L.) Benth. & Hook.f., Gen. Pl. (Bentham & Hooker) 2: 203 (1873)**

Nat: N Korea 산떡쑥

Antennaria plantaginea Sweet, Hort. Brit. (Sweet) 221 (1826)

Anaphalis japonica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 480 (1881)

Anaphalis sierrae A.Heller, Muhlenbergia 1: 147 (1906)

Anaphalis margaritacea (L.) Benth. & Hook.f. var. *angustior* (Miq.) Nakai, Bot. Mag. (Tokyo) 40: 148 (1926)

Anaphalis margaritacea (L.) Benth. & Hook.f. subsp. *angustior* (Miq.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 243 (1937)

***Anaphalis sinica* Hance, J. Bot. 12: 261 (1874)** Nat: N Korea, S Korea 다복떡쑥

Gnaphalium pterocaulon Franch. & Sav., Enum. Pl. Jap. 2: 405 (1878)

Anaphalis pterocaulon (Franch. & Sav.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 478 (1881)

Anaphalis possietica Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 218 (1932)

Anaphalis pterocaulon (Franch. & Sav.) Maxim. var. *sinica* (Hance) Hand.-Mazz., Acta Horti Gothob. 12: 241 (1938)

Anaphalis sinica* Hance var. *sinica

***Anaphalis sinica* Hance var. *morii* (Nakai) Ohwi, Fl. Jap. (Ohwi) 1137 (1953)** Nat: S Korea 구름떡쑥

Anaphalis timmia D.Don, Prodr. Fl. Nepal. 174 (1825)

Anaphalis morii Nakai, Bot. Mag. (Tokyo) 26: 326 (1912)

Anaphalis yakusimensis Masam., Prelim. Rep. Veg. Yakus. 125 (1929)

Anaphalis pterocaulon (Franch. & Sav.) Maxim. subsp. *morii* (Nakai) Kitam., Acta Phytotax. Geobot. 5: 149 (1936)

Anaphalis sinica Hance subsp. *morii* (Nakai) Kitam., Acta Phytotax. Geobot. 12: 100 (1943)

Antennaria Link ex Fr.

***Antennaria dioica* (L.) Gaertn., Fruct. Sem. Pl. 2: 410, t. 167, f. 3 (1791)** Nat: N Korea 백두산떡쑥

Gnaphalium dioicum L., Sp. Pl. 2: 850 (1753)

Antennaria montana Gray, Nat. Arr. Brit. Pl. 2: 458 (1821)

Gnaphalium boreale Turcz. ex DC., Prodr. (DC.) 6: 270 (1838)

Gnaphalium hyerboreum Winch ex DC., Prodr. (DC.) 6: 270 (1838)

Antennaria dioica (L.) Gaertn. var. *australis* Gris, Spic. Fl. Rumel. 2: 198 (1845)

Antennaria insularis Greene, Pittonia 3: 276 (1898)

Antennaria hibernica Braun-Blanq., Vegetatio 3: 298 (1952)

Antennaria zosonia H.S.Pak, Fl. Coreana (H.S.Park) 7: 380 (1999)

Antennaria foenina H.S.Pak, Fl. Coreana (H.S.Park) 7: 381 (1999)

Antennaria nigrifella H.S.Pak, Fl. Coreana (H.S.Park) 7: 381 (1999)

Antennaria insulensis H.S.Pak, Fl. Coreana (H.S.Park) 7: 382 (1999)

Anthemis L.

Anthemis arvensis L., Sp. Pl. 2: 894 (1753) Int 길뚝개꽃

- Anthemis agrestis* Wallr., Sched. Crit. 484 (1822)
Anthemis anglica Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 594 (1826)
Chamaemelum arvense (L.) Hoffmanns. & Link, Fl. Portug. 2: 347 (1828)
Anthemis arvensis L. var. *agrestis* (Wallr.) DC., Prodr. (DC.) 6: 6 (1837)
Anthemis granatensis Boiss., Elench. Pl. Nov. 60 (1838)
Anthemis sallei Sennen & Elias, Bol. Soc. Iber. Ci. Nat. 1928, 27: 214 (1929)
Anthemis kitenensis Thin, Dokl. Bulg. Akad. Nauk 33: 382 (1980)

Anthemis cotula L., Sp. Pl. 2: 894 (1753) Int 개꽃아재비

- Anthemis foetida* Lam., Fl. Franc. (Lamarck) 2: 164 (1779)
Chamaemelum cotula (L.) All., Fl. Pedem. 1: 186 (1785)
Anthemis ramosa Link ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 593 (1826)

Arctium Lam.

Arctium lappa L., Sp. Pl. 816 (1753) Int 우엉

- Arctium bardana* Willd., Sp. Pl. (ed. 4) 3: 1632 (1803)
Arctium leiospermum Juz. & Ye.V.Serg., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18: 299 (1957)

Artemisia L.

Artemisia annua L., Sp. Pl. 2: 847 (1753) Nat; N Korea, S Korea 개똥쑥

- Artemisia annua* L. f. *genuina* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 637 (1927)

Artemisia argyi H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 138 (1910) Nat; N Korea, S Korea 황해쑥

- Artemisia vulgaris* L. var. *incana* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 160 (1859)
Artemisia vulgaris L. var. *incanescens* Franch., Pl. David. 1: 165 (1884)
Artemisia nutans Nakai, Bot. Mag. (Tokyo) 23: 187 (1923)
Artemisia argyi H.Lév. & Vaniot f. *microcephala* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 453 (1930)
Artemisia argyi H.Lév. & Vaniot var. *incana* (Maxim.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 453 (1930)
Artemisia argyi H.Lév. & Vaniot var. *gracilis* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 453 (1930)

Artemisia bargusinensis Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 493 (1826) Nat; N Korea 증산쑥

- Artemisia borealis* Pall. var. *willdenovii* Besser, Linnaea 15: 96 (1841)
Artemisia borealis Pall. var. *bargusinensis* (Spreng.) Vorosch., Florist. issl. v razn. raionakh SSSR 195 (1985)

Artemisia brachyphylla Kitam., Acta Phytotax. Geobot. 5: 97 (1936) Nat; N Korea, S Korea 금강쑥

- Artemisia pronutans* Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 126 (1942)

Artemisia capillaris Thunb., Fl. Jap. (Thunberg) 309 (1784) Nat; N Korea, S Korea 사철쑥

- Artemisia capillaris* Thunb. var. *arbuscula* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 175 (1866)
- Artemisia capillaris* Thunb. var. *sericea* Nakai, Bot. Mag. (Tokyo) 26: 99 (1912)
- Artemisia hallaisanensis* Nakai var. *formosana* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 658 (1927)
- Oligosporus capillaris* (Thunb.) Poljakov, Trudy Inst. Bot. Akad. Nauk Kazakhsk. S. S. R. 11: 167 (1961)
- Artemisia carvifolia* Buch.-Ham. ex Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 422 (1832) Nat: N Korea, S Korea 개사철쭉**
- Artemisia apiacea* Hance, Ann. Bot. Syst. 2: 895 (1852)
- Artemisia thumbergiana* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 8: 528 (1872)
- Artemisia carvifolia* Buch.-Ham. ex Roxb. var. *apiacea* (Hance) Pamp., Nuovo Giorn. Bot. Ital. 34: 648 (1927)
- Artemisia codonocephala* Diels, Notes Roy. Bot. Gard. Edinburgh 5: 186 (1912) Nat: N Korea, S Korea 관쭉**
- Artemisia vulgaris* L. var. *umbrosa* Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 52 (1834)
- Artemisia lavandulifolia* DC., Prodr. (DC.) 6: 110 (1838)
- Artemisia selengensis* Turcz. ex Besser var. *umbrosa* Ledeb., Fl. Ross. (Ledeb.) 2: 584 (1846)
- Artemisia grisea* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 454 (1930)
- Artemisia shansiensis* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 454 (1930)
- Artemisia araneosa* Kitam., Acta Phytotax. Geobot. 2: 171 (1933)
- Artemisia fauriei* Nakai, Bot. Mag. (Tokyo) 29: 7 (1915) Nat: N Korea 애기비쭉**
- Artemisia nakaii* Pamp., Nuovo Giorn. Bot. Ital. 34: 682 (1927)
- Artemisia fukudo* Makino var. *mokpensis* Pamp., Nuovo Giorn. Bot. Ital. 34: 656 (1927)
- Artemisia fukudo* Makino, Bot. Mag. (Tokyo) 23: 146 (1909) Nat: N Korea, S Korea 큰비쭉**
- Artemisia gmelini* Weber ex Stechm. Artemis. 30 (1775) Nat: N Korea, S Korea 더위지기**
- Artemisia iwayomogi* Kitam., Acta Phytotax. Geobot. 7: 64 (1938)
- Artemisia indica* Willd., Sp. Pl. (ed. 4) 3: 1846 (1803) Nat: S Korea 쭉**
- Oligosporus scoparius* (Waldst. & Kit.) Less., Linnaea 9: 191 (1834)
- Artemisia vulgaris* L. var. *parviflora* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 160 (1859)
- Artemisia scoparia* Waldst. & Kit. f. *villosa* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 352 (1893)
- Artemisia scoparia* Waldst. & Kit. f. *sericea* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 653 (1907)
- Artemisia vulgaris* L. var. *integerrima* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 637 (1907)
- Artemisia vulgaris* L. var. *indica* f. *nipponica* Nakai, Bot. Mag. (Tokyo) 26: 104 (1912)
- Artemisia vulgaris* L. var. *maximowiczii* Nakai, Bot. Mag. (Tokyo) 26: 104 (1912)
- Artemisia scopariiformis* Popov, Descr. Pl. Nov. Turkestan. [Korovin, Kultiasow & Popov] 1: 50 (1915)
- Artemisia scoparioides* Gross, Trudy Geobot. Obsl. Pastb. SSR Azerbajdzana, Ser. A, Zimm. Pastb. 2: 69 (1929)
- Artemisia princeps* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 444 (1930)

Artemisia lavandulifolia DC. var. *maximowiczii* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 464 (1930)
Artemisia pleiocephala Pamp. var. *maximowiczii* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 464 (1930)
Artemisia asiatica Nakai, Koryo Shikenrin Ippan 61 (1932)
Artemisia vulgaris L. var. *indica* subvar. *glabricaulis* (Honda) Nemoto, Fl. Jap. Suppl. 735 (1936)
Artemisia selengensis Turcz. ex Besser f. *subintegra* (Pamp.) Kitag., Neolin. Fl. Manshur. 622 (1979)

***Artemisia integrifolia* L., Sp. Pl. 2: 848 (1753) Nat; N Korea 큰외잎쭉**

Artemisia subulata Nakai, Bot. Mag. (Tokyo) 29: 8 (1915)
Artemisia integrifolia L. var. *subulata* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 480 (1930)
Artemisia stenophylla Kitam., Acta Phytotax. Geobot. 5: 89, 97 (1936)
Artemisia komarovii Poljakov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 17: 402 (1955)
Artemisia integrifolia L. f. *subulata* (Nakai) Kitag., Neolin. Fl. Manshur. 616 (1979)

***Artemisia japonica* Thunb., Fl. Jap. (Thunberg) 310 (1784) Nat; N Korea, S Korea 제비쭉**

Chrysanthemum japonicum Thunb., Fl. Jap. (Thunberg) 321 (1784)
Artemisia japonica Thunb. f. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 656 (1907)
Artemisia hallaisanensis Nakai, Bot. Mag. (Tokyo) 29: 7 (1915)
Artemisia angustissima Nakai, Bot. Mag. (Tokyo) 29: 8 (1915)
Artemisia desertorum Nakai, Fl. Sylv. Kor. 14: 100 (1923)
Artemisia japonica Thunb. var. *macrocephala* f. *sachalinensis* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 668 (1927)
Artemisia japonica Thunb. var. *myriocephala* Pamp., Nuovo Giorn. Bot. Ital. 34: 655 (1927)
Artemisia manshurica (Kom.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 1035 (1932)
Artemisia subintegra Kitam., Acta Phytotax. Geobot. 3: 173 (1934)
Artemisia littoricola Kitam., Acta Phytotax. Geobot. 5: 94 (1936)
Artemisia takeshimensis Kitag. ex Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 380 (1940)
Artemisia japonica Thunb. var. *angustissima* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 386 (1940)
Artemisia japonica Thunb. var. *hallaisanensis* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 386 (1940)
Artemisia japonica Thunb. subsp. *littoricola* Kitam., Acta Phytotax. Geobot. 17: 6 (1957)
Artemisia japonica Thunb. var. *manshurica* (Kom.) Kitag., Neolin. Fl. Manshur. 617 (1979)

***Artemisia keiskeana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 176 (1866) Nat; N Korea, S Korea 맑은대쭉**

Artemisia glabrata Wall. ex Besser, Bull. Soc. Imp. Naturalistes Moscou 8: 20 (1835)
Artemisia cuneifolia DC., Prodr. (DC.) 6: 126 (1838)
Artemisia decaisnei Klatt, Abh. Naturf. Ges. Halle 15: 329 (1882)
Artemisia keiskeana Miq. f. *hirtella* Nakai, Bot. Mag. (Tokyo) 26: 101 (1912)
Artemisia morrisonensis Hayata var. *minima* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 682 (1927)
Draconia japonica (Thunb.) Soják, Sborn. Nar. Muz. v Praze, Rada B, Prir. Vedy 152: 20 (1983)

***Artemisia lagocephala* (Fisch. ex Besser) DC., Prodr. (DC.) 6: 122 (1837) Nat; N Korea 비단쭉**

Artemisia chinensis Besser, *Linnaea* 15: 92 (1841)
Artemisia besseriana Ledeb., *Fl. Ross. (Ledeb.)* 2(2,6): 590 (1845)
Artemisia besseriana Ledeb. var. *triloba* Ledeb., *Fl. Ross. (Ledeb.)* 2: 582 (1846)
Artemisia lithophila Turcz., *Fl. Baical.-dahur.* 2, 1: 69 (1856)
Artemisia lagocephala (Fisch. ex Besser) DC. var. *triloba* (Ledeb.) Herder, *Bull. Soc. Imp. Naturalistes Moscou* 40: 118 (1867)
Artemisia lagocephala (Fisch. ex Besser) DC. f. *triloba* (Ledeb.) Pamp., *Nuovo Giorn. Bot. Ital. n.s.* 34: 45 (1927)
Artemisia condensata (Korobkov) A.P.Khokhr., *Analiz Fl. Kolymского Nagor'ya* 76 (1989)

***Artemisia lancea* Vaniot, *Bull. Acad. Int. Géogr. Bot.* 12: 500 (1903) Nat: N Korea, S Korea
뽕쑥**

Artemisia santolinifolia Turcz. ex Besser, *Nouv. Mem. Soc. Imp. Naturalistes Moscou* 3: 87 (1834)
Artemisia sacrorum Ledeb. var. *minor* f. *discolor* Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 25: 664 (1907)
Artemisia sacrorum Ledeb. var. *minor* f. *vestita* Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 25: 664 (1907)
Artemisia feddei H.Lév. & Vaniot, *Repert. Spec. Nov. Regni Veg.* 8: 138 (1910)
Artemisia minutiflora Nakai, *Bot. Mag. (Tokyo)* 25: 56 (1911)
Artemisia gmelinii var. *discolor* (Kom.) Nakai, *J. Coll. Sci. Imp. Univ. Tokyo* 31: 31 (1911)
Artemisia potentillifolia H.Lév., *Repert. Spec. Nov. Regni Veg.* 11: 303 (1912)
Artemisia gmelinii var. *vestita* (Kom.) Nakai ex T.Mori, *Enum. Pl. Corea* 343 (1922)
Artemisia glabrata Wall. f. *vestita* Pamp., *Nuovo Giorn. Bot. Ital. n.s.* 34: 669 (1927)
Artemisia lavandulifolia DC. var. *feddei* (H.Lév. & Vaniot) Pamp., *Nuovo Giorn. Bot. Ital. ser. 2.* 36: 467 (1930)
Artemisia parvula Pamp., *Nuovo Giorn. Bot. Ital. ser. 2.* 36: 460 (1930)
Artemisia sacrorum Ledeb. subsp. *manshurica* Kitam., *Acta Phytotax. Geobot.* 7: 66 (1938)
Artemisia vestita var. *discolor* (Kom.) Kitam., *Lin. Fl. Manshur.* 434 (1939)
Artemisia vestita var. *discolor* f. *hololeuca* Kitag., *Lin. Fl. Manshur.* 434 (1939)
Artemisia freyniana (Pamp.) Krasch. f. *discolor* (Kom.) Kitag., *J. Jap. Bot.* 41: 367 (1966)
Artemisia freyniana (Pamp.) Krasch. f. *vestita* (Kom.) Kitag., *J. Jap. Bot.* 41: 367 (1966)
Artemisia sacrorum Ledeb. subsp. *manshurica* var. *vestita* (Kom.) Kitam., *Neolin. Fl. Manshur.* 585 (1979)
Artemisia gmelinii var. *incana* (Besser) H.C.Fu, *Fl. Intramongol.* 6: 152 (1982)

***Artemisia leucophylla* (Turcz. ex Besser) Turcz. ex C.B. Clarke, *Compos. Ind.* 162 (1876) Nat: N Korea
명천쑥**

Artemisia vulgaris L. var. *leucophylla* Turcz. ex Besser, *Nouv. Mem. Soc. Imp. Naturalistes Moscou* 3: 54 (1834)
Artemisia saitoana Kitam., *Acta Phytotax. Geobot.* 7: 63 (1938)

***Artemisia montana* (Nakai) Pamp., *Nuovo Giorn. Bot. Ital. ser. 2.* 36: 461 (1930) Nat: N Korea, S Korea
산쑥**

Artemisia vulgaris L. var. *indica* f. *montana* Nakai, *Bot. Mag. (Tokyo)* 26: 104 (1912)
Artemisia vulgaris L. var. *yezoana* Kudô, *Medic. Pl. Hokk.* 0 (1922)
Artemisia montana (Nakai) Pamp. f. *septentrionalis* Pamp., *Nuovo Giorn. Bot. Ital. ser. 2.* 36: 464 (1930)
Artemisia montana (Nakai) Pamp. var. *latiloba* Pamp., *Nuovo Giorn. Bot. Ital. ser. 2.* 36: 461&462 (1930)
Artemisia nipponica (Nakai) Pamp. var. *electa* Pamp., *Nuovo Giorn. Bot. Ital. ser. 2.* 36:

464 (1930)

Artemisia gigantea Kitam., Acta Phytotax. Geobot. 2: 172 (1933)

Artemisia shikotanensis Kitam., Acta Phytotax. Geobot. 3: 128 (1934)

Artemisia gigantea Kitam. f. *electa* (Pamp.) H.Hara, Bot. Mag. (Tokyo) 52: 4 (1938)

Artemisia gigantea Kitam. f. *montana* (Nakai) H.Hara, Bot. Mag. (Tokyo) 52: 4 (1938)

Artemisia gigantea Kitam. f. *shikotanensis* (Kitam.) H.Hara, Bot. Mag. (Tokyo) 52: 4 (1938)

Artemisia gigantea Kitam. var. *shikotanensis* (Kitam.) Tatew., Rep. Veg. Is. Shikotan 21 (1940)

***Artemisia palustris* L., Sp. Pl. 2: 846 (1753) Nat: N Korea 금쑥**

Artemisia aurata Kom., Trudy Glavn. Bot. Sada 29: 116 (1923)

Artemisia palustris L. var. *aurata* (Kom.) Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 648 (1927)

***Artemisia rubripes* Nakai, Bot. Mag. (Tokyo) 31: 112 (1917) Nat: S Korea 덩불쑥**

Artemisia mongolica var. *pseudovulgaris* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 413 (1930)

Artemisia nipponica (Nakai) Pamp. var. *rubripes* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 463 (1930)

Artemisia venusta Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 470 (1930)

Artemisia nipponica (Nakai) Pamp. var. *glabricaulis* Honda, Bot. Mag. (Tokyo) 45: 43 (1931)

Artemisia mongolica subsp. *parviflora* (Maxim.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 108 (1940)

***Artemisia selengensis* Turcz. ex Besser, Tent. Abrot. 50 (1834) Nat: N Korea, S Korea 물쑥**

Artemisia vulgaris L. var. *selengensis* (Turcz. ex Besser) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 8: 536 (1872)

Artemisia vulgaris L. var. *selengensis* f. *serratifolia* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 673 (1907)

Artemisia cannabifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 12: 184 (1913)

Artemisia selengensis Turcz. ex Besser f. *serratifolia* (Kom.) Nakai, Fl. Sylv. Kor. 14: 102 (1923)

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* (H.Lév. & Vaniot) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 476 (1930)

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* f. *integerrima* (Kom.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 477 (1930)

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* f. *simplicifolia* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 477 (1930)

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* f. *subintegra* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 476 (1930)

Artemisia selengensis Turcz. ex Besser f. *integerrima* (Kom.) Kitag., Lin. Fl. Manshur. 432 (1939)

***Artemisia sieversiana* Ehrh. ex Willd., Sp. Pl. (ed. 4) 3: 1845 (1803) Nat: N Korea, S Korea 산쑥**

Absinthium sieversiana (Ehrh.) Ehrh. ex Besser, Bull. Soc. Imp. Naturalistes Moscou 1: 259 (1829)

Artemisia koreana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 28 (1911)

Artemisia sieversiana Ehrh. ex Willd. var. *grandis* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 387 (1927)

Artemisia chrysolepis Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 36 (1935)

Artemisia sparsa Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl.

Manshuricae 37 (1935)

Artemisia sieversiana Ehrh. ex Willd. var. *sparsa* (Kitag.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 113 (1952)

***Artemisia stelleriana* Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 79 (1834) Nat: N Korea 흰쑥**

Artemisia stelleriana Besser var. *vesiculosa* Franch. & Sav., Enum. Pl. Jap. 2: 403 (1878)

Artemisia stelleriana Besser var. *sachalinensis* Nakai, Bot. Mag. (Tokyo) 23: 102 (1912)

***Artemisia stolonifera* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 676 (1907) Nat: N Korea, S Korea 넓은잎외잎쑥**

Artemisia vulgaris L. var. *stolonifera* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 161 (1859)

Artemisia megalobotrys Nakai, Bot. Mag. (Tokyo) 31: 111 (1917)

Artemisia vulgaris L. var. *kiusiana* Makino, J. Jap. Bot. 1: 25 (1917)

Artemisia stolonifera (Maxim.) Kom. var. *laciniata* Nakai, Bot. Mag. (Tokyo) 34: 53 (1920)

Artemisia nipponica (Nakai) Pamp. var. *megalobotrys* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 463 (1930)

Artemisia integrifolia L. var. *stolonifera* (Maxim.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 481 (1930)

Artemisia koidzumii var. *mandshurica* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 483 (1930)

Artemisia integrifolia L. var. *stolonifera* subfor. *dissecta* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 482 (1930)

Artemisia stolonifera (Maxim.) Kom. f. *dissecta* (Pamp.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 422 (1940)

***Artemisia sylvatica* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 161 (1859) Nat: N Korea, S Korea 그늘쑥**

Artemisia nutantiflora Nakai ex Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 451 (1930)

Artemisia ussuriensis Poljakov, Fl. URSS 26: 446 (1961)

***Artemisia tanacetifolia* L., Sp. Pl. 2: 848 (1753) Nat: N Korea 구외쑥**

Artemisia laciniata Will., Sp. Pl. (ed. 4) 3: 1843 (1803)

Artemisia latifolia Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 569 (1815)

Artemisia punctata Besser var. *stricta* Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 43 (1834)

Artemisia laciniata Will. var. *glabriuscula* Ledeb., Fl. Ross. (Ledeb.) 2: 582 (1846)

Artemisia laciniata var. *latifolia* (Ledeb.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 8: 530 (1872)

Artemisia laciniata Will. var. *glabriuscula* f. *dissecta* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 672 (1927)

Artemisia laciniata var. *latifolia* f. *stricta* (Besser) Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 673 (1927)

Artemisia orthobotrys Kitam., Rep. Inst. Sci. Res. Manchoukuo 6: 123 (1942)

Artemisia tanacetifolia L. var. *glabriuscula* (Ledeb.) Kitam., Acta Phytotax. Geobot. 12: 141 (1943)

***Artemisia viridissima* (Kom.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 484 (1930) Nat: N Korea, S Korea 외잎쑥**

Artemisia vulgaris L. var. *viridissima* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 673 (1907)

Aster L.

***Aster altaicus* Willd., Enum. Pl. (Willdenow) 2: 881 (1809) Nat: S Korea 단양쑥부쟁이**

Aster altaicus Willd. var. *uchiyamae* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 347 (1937)

Aster uchiyamae Nakai, J. Jap. Bot. 17: 684 (1941)

***Aster arenarius* (Kitam.) Nemoto, Fl. Jap. Suppl. 736 (1936) Nat: S Korea 섬갯쑥부쟁이**

Heteropappus arenarius Kitam., Acta Phytotax. Geobot. 2: 43 (1933)

Heteropappus hispidus (Thunb.) Less. subsp. *arenarius* (Kitam.) Kitam., Acta Phytotax. Geobot. 17: 6 (1957)

Heteropappus hispidus (Thunb.) Less. var. *arenarius* (Kitam.) Kitam. ex Ohwi, Fl. Jap., revised ed., [Ohwi] 1314 (1965)

***Aster fastigiatus* Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 77 (1812) Nat: N Korea, S Korea 옹긋나물**

Turczaninovia fastigiatus (Fisch.) DC., Prodr. (DC.) 5: 238 (1836)

Kalimeris japonicus Sch.Bip., Syst. Verz. (Zollinger) 126 (1854)

Aster micranthus H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 140 (1909)

Aster micranthus H.Lév. & Vaniot var. *achilleiformis* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 449 (1910)

***Aster glehnii* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 146 (1868) Nat: S Korea 선쑥부쟁이**

Aster korsakoviensis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 130 (1919)

***Aster hayatae* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 143 (1909) Nat: S Korea 눈개쑥부쟁이**

***Aster hispidus* Thunb., Fl. Jap. (Thunberg) 315 (1784) Nat: N Korea, S Korea 갯쑥부쟁이**

Heteropappus hispidus (Thunb.) Less., Syn. Gen. Compos. 189 (1832)

Calimeris hispida Nees, Gen. Sp. Aster. 227 (1833)

Heteropappus incisus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 182 (1846)

Heteropappus rigens Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 184 (1846)

Heteropappus decipiens Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 148 (1859)

Heteropappus hispidus (Thunb.) Less. var. *decipiens* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 587 (1907)

Aster fusanensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 139 (1909)

Aster rupicola H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 142 (1909)

Aster batakensis Hayata, Icon. Pl. Formosan. 8: 48 (1919)

Aster omerophyllus Hayata, Icon. Pl. Formosan. 8: 48 (1919)

Aster rufopappus Hayata, Icon. Pl. Formosan. 8: 47 (1919)

Heteropappus pinetorum Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 216 (1932)

Heteropappus saxamarinus Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 217 (1932)

Heteropappus rupicola (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 1: 146 (1932)

Heteropappus chejuensis Kitam., Acta Phytotax. Geobot. 3: 172 (1934)

Aster chejuensis (Kitam.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 113 (1952)

***Aster ünnumae* Kitam. ex H.Hara, Enum. Spermatophytarum Japon. 3: 130 (1952) Nat: N Korea, S Korea 버드쟁이나물**

Boltonia indica (L.) Benth. var. *pinnatifida* Matsum., Cat. Pl. Herb. Sci. Coll. Univ. Tokyo 1: 3 (1886)
Asteromoea indica var. *pinnatifida* Matsum., Nippon Shokubutsumei, ed. 4 41 (1903)
Aster pinnatifidus (Matsum.) Makino, Inuma, Somoku-Dzusetsu, ed. 4 1106 (1913)
Aster incisus Fisch. var. *pinnatifidus* (Matsum.) Nakai, Bot. Mag. (Tokyo) 33: 215 (1919)
Asteromoea pinnatifida (Maxim.) Koidz., Bot. Mag. (Tokyo) 37: 56 (1923)
Kalimeris pinnatifida (Matsum.) Kitam., Acta Phytotax. Geobot. 6: 50 (1937)

***Aster incisus* Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 76 (1812) Nat: N Korea, S Korea**
가새쭈부쟁이

Grindelia incisa (Fisch.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 575 (1826)
Kalimeris platycephala Cass., Dict. Sci. Nat., ed. 2 21: 325 (1826)
Kalimeris incisa (Fisch.) DC., Prodr. (DC.) 5: 258 (1836)
Boltonia incisa (Fisch.) Benth., Fl. Hongk. 175 (1861)
Aster macrodon H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 141 (1909)
Aster pinnatifidus (Matsum.) Makino f. *robustus* Makino, Bot. Mag. 27: 115 (1913)
Asteromoea incisa (Fisch.) Koidz., Bot. Mag. (Tokyo) 37: 56 (1923)
Kalimeris incisa (Fisch.) DC. var. *robustus* (Makino) Kitag., Neolin. Fl. Manshur. 653 (1979)

***Aster koraiensis* Nakai, Bot. Mag. (Tokyo) 23: 186 (1909) Nat: N Korea, S Korea, Endemic**
별개미취

Asteromoea koraiensis (Nakai) Kitam., Acta Phytotax. Geobot. 2: 37 (1933)
Gymnaster koraiensis (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 303 (1937)
Miyamayomena koraiensis (Nakai) Kitam., Acta Phytotax. Geobot. 33: 409 (1982)

***Aster lautureanus* (Debeaux) Franch., Pl. David. 1: 160 (1884) Nat: N Korea 산쭈부쟁이**
(분포의집)

Kalimeris incisa (Fisch.) DC. var. *holophyllus* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 146 (1859)
Boltonia lautureana Debeaux, Actes Soc. Linn. Bordeaux 31: 215 (1876)
Kalimeris lautureana (Debeaux) Kitam., Acta Phytotax. Geobot. 6: 22 (1937)
Aster associatus Kitag., Rep. Inst. Sci. Res. Manchoukouo 2: 299 (1938)
Asteromoea lautureana (Debeaux) Hand.-Mazz., Acta Horti Gothob. 12: 224 (1938)
Kalimeris associata (Kitag.) Kitag., Neolin. Fl. Manshur. 652 (1979)

***Aster maackii* Regel, Tent. Fl.-Ussur. 81 (1861) Nat: N Korea, S Korea 쭈개미취**

Aster koidzumizana Makino, Bot. Mag. 21: 16 (1907)
Aster horridifolius H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 141 (1909)
Aster micromaackii Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 26 (1953)
Aster magnus Y.N.Lee & C.S.Kim f. *albiflorus* Y.N.Lee & C.S.Kim, Korean J. Pl. Taxon. 28: 33 (1998)
Aster magnus Y.N.Lee & C.S.Kim, Korean J. Pl. Taxon. 28: 31 (1998)

***Aster meendorffii* (Regel & Maack) Voss, Vilm. Blumengartn., ed. 3 1: 469 (1894) Nat: N Korea, S Korea 개쭈부쟁이**

Galatella meendorffii Regel & Maack, Tent. Fl.-Ussur. 81 (1861)
Heteropappus hispidus (Thunb.) Less. var. *longeradiatus* Kom., Trudy Glavn. Bot. Sada 5: 587 (1907)
Aster depauperatus H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 142 (1909)
Heteropappus meendorffii (Regel & Maack) Kom. & Aliss., Opred. Rast. Dal'nevost.

Kraia 2: 1010 (1932)

Aster ciliolos Kitam., Acta Phytotax. Geobot. 3: 98 (1934)

***Aster pekinensis* (Hance) F.H.Chen, Bull. Fan Mem. Inst. Biol. Bot. 5: 41 (1934) Nat: N Korea 가늌쑤부쟁이**

Kalimeris integrifolia Turcz. ex DC., Prodr. (DC.) 5: 259 (1836)

Aster integrifolius (Turcz. ex DC.) Franch., Trans. Amer. Philos. Soc. ser. 2, 7: 291 (1840)

Asteromoea pekinensis Hance, Ann. Sci. Nat., Bot. ser. 4, 15: 225 (1861)

Boltonia pekinensis (Hance) Hance, J. Bot. 5: 370 (1867)

Aster holophyllus Hemsl., J. Linn. Soc., Bot. 23: 412 (1888)

Aster franchetianus H.Lév., Cat. Pl. Yun-Nan 40 (1915)

***Aster scaber* Thunb., Fl. Jap. (Thunberg) 316 (1784) Nat: N Korea, S Korea 참취**

Doellingeria scaber (Thunb.) Nees, Gen. Sp. Aster. 183 (1832)

Biota discolor Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 146 (1859)

Aster komarovii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 142 (1909)

***Aster spathulifolius* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 16: 216 (1871) Nat: N Korea, S Korea 해국**

Aster feddei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 (1910)

Aster oharae Nakai, Bot. Mag. (Tokyo) 32: 110 (1918)

Heteropappus oharae (Nakai) Kitam., Acta Phytotax. Geobot. 2: 44 (1933)

Erigeron feddei (H.Lév. & Vaniot) Botsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 389 (1954)

Erigeron oharae (Nakai) Botsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 389 (1954)

Erigeron spathulifolius (Maxim.) H.S.Pak, Fl. Coreana (H.S.Park) 7: 297 (1999)

Aster chusanensis Y.S.Lim & Hyun & Y.D.Kim & H.Shin, J. Pl. Biol. 48: 479 (2005)

***Aster subulatus* Michx., Fl. Bor.-Amer. (Michaux) 2: 111 (1803) Int 비쑤루국화**

Erigeron linifolius Bertero ex DC., Prodr. (DC.) 5: 254 (1836)

Mesoligis subulatus (Michx.) Raf., Fl. Tellur. 2: 44 (1837)

Aster subulatus Michx. var. *sandwicensis* A.G.Jones, Brittonia 36: 465 (1984)

***Aster tataricus* L.f., Suppl. Pl.373 (1781) Nat: N Korea, S Korea 개미취**

Aster trinervius Roxb. var. *longifolia* Franch. & Sav., Enum. Pl. Jap. 1: 222 (1875)

Aster tataricus L.f. var. *minor* Makino, Bot. Mag. 22: 166 (1908)

Aster fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 102 (1909)

Aster nakaii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 140 (1909)

Aster tataricus L.f. var. *fauriei* (H.Lév. & Vaniot) Kitam., Compos. Nov. Jap. 19 (1931)

Aster tataricus L.f. var. *nakaii* (H.Lév. & Vaniot) Kitam., Compos. Nov. Jap. 20 (1931)

Aster tataricus L.f. var. *hortensis* Nakai, J. Jap. Bot. 17: 682 (1941)

Aster tataricus L.f. var. *robustus* Nakai, J. Jap. Bot. 17: 683 (1941)

Aster tataricus L.f. var. *vernalis* Nakai, J. Jap. Bot. 17: 682 (1941)

***Aster trinervius* Roxb. subsp. *ageratoides* (Turcz.) Grierson, Notes Roy. Bot. Gard. Edinburgh 26: 102 (1964) Nat: N Korea, S Korea 까실쑤부쟁이**

Aster ageratoides Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 154 (1837)

Aster leiophyllus Franch. & Sav., Enum. Pl. Jap. 2: 395 (1878)

Aster quelpaertensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 140 (1909)

Aster trinervius Roxb. var. *adustus* Maxim., Bot. Mag. 1: 97 (1910)

Aster trinervius Roxb. var. *holophyllus* Maxim., Index Pl. Jap. 2 (2): 628 (1912)

Aster trinervius Roxb., Iinuma, Somoku-Dzusetsu, ed. 4 1091 (1913)

Aster trinervius Roxb. var. *robustus* Koidz., Bot. Mag. 29: 159 (1915)
Aster ageratoides Turcz. var. *adustus* Nakai f. *leucanthus* Honda, Bot. Mag. 44: 670 (1930)
Aster leiophyllus Franch. & Sav. var. *purpurascens* Honda, Bot. Mag. 44: 668 (1930)
Aster ageratoides Turcz. var. *robustus* (Koidz.) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 1194 (1931)
Aster ageratoides Turcz. var. *semiamplexicaulis* (Makino) Ohwi, Fl. Japan., ed. 2 (Makino & Nemoto) 1194 (1931)
Aster leiophyllus Franch. & Sav. var. *oligocephalus* Nakai ex Hara, J. Jap. Bot. 10: 431 (1934)
Aster ageratoides Turcz. subsp. *leiophyllus* var. *harae* (Makino) Kitam., J. Jap. Bot. 12: 645 (1936)
Aster ageratoides Turcz. subsp. *megarocephallus* Kitam., J. Jap. Bot. 12: 646 (1936)
Aster ageratoides Turcz. subsp. *ovatus* f. *leucanthus* Honda, J. Jap. Bot. 12: 648 (1936)
Aster ageratoides Turcz. var. *leiophyllus* (Franch. & Sav.) Kitam., J. Jap. Bot. 12: 644 (1936)
Aster trinervius Roxb. var. *oligocephalus* (Nakai) Nemoto, Fl. Jap. Suppl. 742 (1936)
Aster trinervius Roxb. var. *purpurascens* (Honda) Nemoto, Fl. Jap. Suppl. 742 (1936)
Aster ageratoides Turcz. subsp. *leiophyllus* f. *purpurascens* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 348 (1937)
Aster ageratoides Turcz. subsp. *leiophyllus* var. *stenophyllus* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 348 (1937)
Aster leiophyllus Franch. & Sav. f. *purpurellus* Hara, Enum. Spermatophytarum Japon. 2: 133 (1952)
Aster leiophyllus Franch. & Sav. var. *harae* (Makino) H.Hara, Enum. Spermatophytarum Japon. 2: 133 (1952)
Aster leiophyllus Franch. & Sav. var. *robustus* (Koidz.) H.Hara, Enum. Spermatophytarum Japon. 2: 133 (1952)
Aster leiophyllus Franch. & Sav. var. *stenophyllus* (Kitam.) H.Hara, Enum. Spermatophytarum Japon. 2: 133 (1952)
Aster ageratoides Turcz. var. *harae* f. *stenophyllus* (Kitam.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 88 (1953)
Aster trinervius Roxb. subsp. *leiophyllus* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 21: 127 (1965)
Aster trinervius Roxb. subsp. *leiophyllus* f. *purpurascens* Kitam., Acta Phytotax. Geobot. 21: 127 (1965)
Aster trinervius Roxb. subsp. *leiophyllus* var. *harae* Makino ex Kitam., Acta Phytotax. Geobot. 21: 127 (1965)
Aster trinervius Roxb. subsp. *leiophyllus* var. *megarocephalus* Kitam., Acta Phytotax. Geobot. 21: 127 (1965)
Aster trinervius Roxb. subsp. *leiophyllus* var. *stenophyllus* Kitam., Acta Phytotax. Geobot. 21: 127 (1965)
Aster ageratoides Turcz. var. *spiraifolius* H.S.Pak, Fl. Coreana (H.S.Park) 7: 383 (1999)

***Aster tripolium* L., Sp. Pl. 2: 872 (1753) Nat: N Korea, S Korea 갯개미취**

Aster pannonicus Jacq., Hort. Bot. Vindob. 1: 3 (1770)
Aster palustris Lam., Fl. Franc. (Lamarck) 2: 143 (1779)
Aster maritimus Salisb., Prodr. Stirp. Chap. Allerton 198 (1796)
Tripolium vulgare Nees, Gen. Sp. Aster. 153 (1832)
Aster papposissimus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 (1910)
Aster tripolium L. var. *integrifolium* Miyabe & Kudô, Fl. Hokkaido 240 (1915)
Tripolium pannonicum subsp. *tripolium* (L.) Greuter, Willdenowia 33: 47 (2003)

***Aster yomena* (Kitam.) Honda, Siebold Kenkyu 586 (1938) Nat: S Korea 쪽부쟁이**

Kalimeris incisa (Fisch.) DC. var. *yomena* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 311 (1937)

Kalimeris yomena Kitam., Acta Phytotax. Geobot. 6: 51 (1937)

Atractylodes DC.

***Atractylodes koreana* (Nakai) Kitam., Acta Phytotax. Geobot. 4: 178 (1935) Nat; N Korea**
당삼주

Atractylis koreana Nakai, Bot. Mag. (Tokyo) 42: 478 (1928)

Atractylodes lancea (Thunb.) DC. var. *simplicifolia* Kitam., J. Jap. Bot. 20: 196 (1944)

Atractylis chinensis var. *coreana* (Nakai) Y.C.Chu, Fl. Pl. Herb. Chin. Bor.-Or. 2: 193 (1959)

***Atractylodes ovata* (Thunb.) DC., Prodr. (DC.) 7: 48 (1838) Nat; N Korea, S Korea** 삼주

Atractylis ovata Thunb., Fl. Jap. (Thunberg) 306 (1784)

Atractylodes lyrata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4(3): 193 (1846)

Atractylis ovata Thunb. var. *amuensis* f. *pinnatifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 716 (1907)

Atractylis lancea Thunb. var. *ovata* f. *lyrata* Makino, Iinuma, Somoku-Dzusetsu, ed. 3 1055 (1912)

Atractylis lyrata f. *ternata* Nakai, Bot. Mag. (Tokyo) 42: 478 (1928)

Atractylis lyrata var. *ternata* (Kom.) Koidz., Fl. Symb. Orient.-Asiat. 5 (1930)

Atractylis ovata Thunb. var. *ternata* Kom., Opred. Rast. Dal'nevost. Kraia 2: 105 (1932)

Atractylodes japonica Koidz. ex Kitam., Acta Phytotax. Geobot. 4: 178 (1935)

Atractylis japonica (Koidz. ex Kitam.) Kitag., Lin. Fl. Manshur. 439 (1939)

Bellis L.

***Bellis perennis* L., Sp. Pl. 2: 886 (1753) Int** 데이지

Bellis hortensis Mill., Gard. Dict., ed. 8 n. 3 (1768)

Bellis scaposa Gilib., Fl. Lit. Inch. 1: 213 (1782)

Bellis integrifolia DC., Encycl. (Lamarck) 5: 7 (1804)

Bellis hybrida Ten., Fl. Napol. 5: 233, t. 194 (1835)

Bellis alpina Hegetschw., Fl. Schweiz [Hegetschweiler] 821 (1840)

Bellis validula Gand., Dec. Pl. Nov. [Gandoger] 2: 4 (1876)

Bellis croatica Gand., Dec. Pl. Nov. [Gandoger] 2: 3 (1876)

Erigeron perennis (L.) Sessé & Moç., Fl. Mexic., ed. 2, 184 (1894)

Bidens L.

***Bidens bipinnata* L., Sp. Pl. 2: 832-833 (1753) Nat; N Korea, S Korea** 도깨비바늘

Bidens elongata Tausch, Flora 19: 395 (1836)

Bidens decomposita Wall. ex DC., Prodr. (DC.) 5: 602 (1836)

Kerneria bipinnata (L.) Gren. & Godr., Fl. France (Grenier) 2: 169 (1850)

Bidens pilosa L. var. *bipinnata* (L.) Hook.f., Fl. Brit. Ind. 3: 309 (1881)

Bidens pilosa L. var. *decomposita* (Wall. ex DC.) Hook.f., Fl. Brit. Ind. 3: 310 (1881)

Bidens myrrhidifolia Tausch, Flora 19: 394 (1936)

***Bidens biternata* (Lour.) Merr. & Sherff ex Sherff, Bot. Gaz. 88: 293 (1929) Nat; N Korea, S Korea** 털도깨비바늘

Bidens pilosa L. var. *chinensis* L., Mant. Pl. 2: 316 (1771)

Coreopsis biternata Lour., Fl. Cochinch. 508 (1790)

Bidens chinensis (L.) Willd., Sp. Pl. (ed. 4) 3: 1719 (1803)
Bidens kotschyi Sch.Bip., Repert. Bot. Syst. (Walpers) 6: 168 (1846)
Bidens robertianifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 (1910)

***Bidens cernua* L., Sp. Pl. 832 (1753) Nat: N Korea, S Korea 좁은잎가막사리**

Coreopsis bidens L., Sp. Pl. 2: 908 (1753)
Bidens minima Huds., Fl. Angl. (Hudson) 310 (1762)
Bidens cernua L. var. *radiata* Roth, Tent. Fl. Germ. 1: 351 (1788)
Bidens macounii Greene, Pittonia 4: 256 (1901)
Bidens prionophylla Greene, Pittonia 4: 256 (1901)
Bidens cusickii Greene, Pittonia 4: 259 (1901)
Bidens filamentosa Rydb., Brittonia 1: 104 (1931)

***Bidens frondosa* L., Sp. Pl. 832 (1753) Int 미국가막사리**

Bidens melanocarpa Wiegand, Bull. Torrey Bot. Club 26: 405 (1899)
Bidens frondosa L. var. *pallida* (Wiegand) Wiegand, Rhodora 26: 5 (1924)
Bidens frondosa L. var. *caudata* Sherff, Brittonia 11: 190 (1959)

***Bidens parviflora* Willd., Enum. Pl. (Willdenow) 848 (1809) Nat: N Korea, S Korea 까치발**

Bidens pauciflora Poir., Encycl. (Lamarck) Suppl. 1 630 (1811)
Bidens messerschmidii Turcz. ex DC., Fl. Ross. (Ledeb.) 2(2,6): 518 (1845)

***Bidens pilosa* L., Sp. Pl. 2: 832 (1753) Nat: S Korea 울산도깨비바늘**

Bidens chilensis DC., Prodr. (DC.) 5: 603 (1836)
Bidens hirta Jord., Fl. France (Grenier) 2: 168 (1850)
Bidens arenaria Gand., Fl. Lyon. [Gandoger] 122 (1875)
Bidens montaubani Phil., Anales Mus. Nac. Santiago de Chile 49 (1891)
Bidens taquetii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 3 (1910)

Bidens pilosa* L. var. *pilosa

***Bidens pilosa* L. var. *minor* (Blume) Sherff, Bot. Gaz. 80: 387 (1925) Nat: S Korea
흰도깨비바늘**

Coreopsis leucantha L., Sp. Pl. (ed. 2) 2: 1282 (1763)
Bidens leucantha (L.) Willd., Sp. Pl. (ed. 4) 3: 1719 (1803)
Bidens hispida Kunth, Nov. Gen. Sp. [Kunth] 4(17): 186 (1818)
Bidens sundaicus Blume, Bijdr. Fl. Ned. Ind. 15: 913 (1826)
Bidens sundaicus Blume var. *minor* Blume, Bijdr. Fl. Ned. Ind. 15: 913 (1826)
Bidens pilosa L. var. *leucantha* (L.) Harv., Fl. Cap. (Harvey) 3: 133 (1868)

***Bidens radiata* Thuill., Fl. Env. Paris, ed. 2 422 (1799) Nat: N Korea, S Korea**

삼잎구와가막사리

Bidens radiata* Thuill. var. *radiata

***Bidens radiata* Thuill. var. *pinnatifida* (Turcz. ex DC.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 16: 273 (1942) Nat: N Korea, S Korea 구와가막사리**

Bidens tripartita L. var. *pinnatifida* Turcz. ex DC., Prodr. (DC.) 5: 594 (1836)
Bidens tripartita L. f. *pinnatifida* (Turcz. ex DC.) Beck, Fl. Nieder-Oesterreich 2(2): 1191 (1893)

***Bidens tripartita* L., Sp. Pl. 2: 831 (1753) Nat: N Korea, S Korea 가막사리**

Bidens connata Muhl. ex Willd. var. *comosa* A.Gray, Manual (Gray), ed. 5 261 (1867)
Bidens orientalis Velen., Sitzungsber. Königl. Böhm. Ges. Wiss. Prag, Math.-Naturwiss. Cl. 1888: 48 (1888)

Bidens acuta (Wiegand) Britton, Man. Fl. N. States (Britton) 1001 (1901)
Bidens tripartita L. var. *hebecarpa* Nakai, J. Jap. Bot. 15: 3 (1939)

Bidens tripartita* L. var. *tripartita

***Bidens tripartita* L. var. *repens* (D. Don) Sherff, Bot. Gaz. 81: 45 (1926) Nat: S Korea**
눈가막사리

Bidens repens D. Don, Prodr. Fl. Nepal. 180 (1825)
Bidens trifida Buch.-Ham. ex Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 411 (1832)
Bidens minuscula H. Lévl. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 3 (1910)

Bracteantha Anderb. & Haegi

***Bracteantha bracteata* (Vent.) Anderb. & Haegi, Opera Bot. 104: 105 (1991) Int 밀집꽃**
Xeranthemum bracteatum Vent., Jard. Malmaison 0 (1803)
Helichrysum bracteatum (Vent.) Andrews, Bot. Repos. 1: 6 (1805)

Breea Less.

***Breea segeta* (Bunge) Kitam., Acta Phytotax. Geobot. 18: 79 (1959) Nat: N Korea, S Korea**
조뱅이

Cirsium segetum Bunge, Enum. Pl. Chin. Bor. 36 (1833)
Cnicus segetum (Bunge) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 511 (1874)
Carduus segetum (Bunge) Franch., Pl. David. 1: 178 (1884)
Cirsium segetum Bunge f. *lactiflora* Nakai, Bot. Mag. (Tokyo) 26: 356 (1912)
Cephalonoplos segetum (Bunge) Kitam., Acta Phytotax. Geobot. 3: 8 (1934)
Cephalonoplos segetum (Bunge) Kitam. f. *lactiflora* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 24 (1937)
Breea segeta (Bunge) Kitam. f. *lactiflora* (Nakai) W.T. Lee, Lineamenta Florae Koreae 1110 (1996)

***Breea setosa* (Willd.) Kitam., Acta Phytotax. Geobot. 18: 79 (1959) Nat: N Korea 큰조뱅이**

Serratula setosa Willd., Sp. Pl. (ed. 5; Willdenow) 3: 1645 (1803)
Cnicus setosus (Willd.) Besser, Prim. Fl. Galiciae Austriac. 2: 172 (1809)
Cirsium setosum (Willd.) M. Bieb., Fl. Taur.-Caucas. 3: 560 (1819)
Cirsium setosum (Willd.) M. Bieb. var. *subulatum* Ledeb., Fl. Altaic. 4: 10 (1833)
Cirsium arvense (L.) Scop. var. *integrifolium* K. Koch, Syn. Pl. Germ. ed. 1: 400 (1837)
Cirsium arguense DC., Prodr. (DC.) 6: 644 (1838)
Cirsium arvense (L.) Scop. var. *setosum* (Willd.) Ledeb., Fl. Ross. (Ledeb.) 2: 735 (1846)
Cnicus arvensis var. *setosus* (Willd.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 511 (1874)
Carduus arvensis var. *setosus* (M. Bieb.) Franch., Pl. David. 1: 178 (1884)
Cephalonoplos setosum (Willd.) Kitam., Acta Phytotax. Geobot. 3: 8 (1934)

Calendula L.

***Calendula arvensis* (Vaill.) L., Sp. Pl. (ed. 2) 2: 1303 (1763) Int 금잔화**

Caltha arvensis Vaill., Königl. Akad. Wiss. Paris Anat. Abh. 5: 558 (1754)
Calendula aegyptiaca Desf., Tabl. Ecole Bot. 100 (1804)
Calendula bicolor Raf., Caratt. Nuov. Gen. 1: 82 (1810)
Calendula alata Rech.f., Fl. Iranica 164: 104 (1989)

Callistephus Cass. & F.Cuvier

Callistephus chinensis (L.) Nees, Gen. Sp. Aster.222 (1832) Int 과꽃

Aster chinensis L., Sp. Pl. 2: 877 (1753)

Amellus speciosus Gaterau, Descr. Pl. Montauban 146 (1789)

Aster regalis Salisb., Prodr. Stirp. Chap. Allerton 198 (1796)

Callistephus hortense Cass., Dict. Sci. Nat., ed. 2 6suppl : 45 (1817)

Aster laciniatus Borbás, Magyar Bot. Lapok 3: 50 (1904)

Carduus L.

Carduus crispus L., Sp. Pl. 821 (1753) Nat; N Korea, S Korea 지느러미영경귀

Carduus crispus L. var. *integrifolius* Rchb., Fl. Germ. Excurs. 283 (1831)

Carduus crispus L. f. *albus* (Makino) H.Hara, Enum. Spermatophytarum Japon. 2: 153 (1952)

Carduus incanus Klokov, Fl. URSS 11: 502 (1962)

Carduus nutans L., Sp. Pl. 2: 821 (1753) Int 사향영경귀

Carduus macrolepis Peterm., Flora 27: 492 (1844)

Carduus propinquus Pomel ex Batt. & Trab., Fl. Algérie 524 (1889)

Carduus schischkini Tamamsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 15: 389 (1953)

Carduus attenuatus Klokov, Fl. URSS 11: 517 (1962)

Carpesium L.

Carpesium abrotanoides L., Sp. Pl. 2: 860 (1753) Nat; N Korea, S Korea 담배풀

Carpesium wulfenianum Schreb. ex DC., Prodr. (DC.) 6: 282 (1838)

Carpesium thunbergianum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (3): 187 (1846)

Carpesium abrotanoides L. var. *thunbergianum* (Siebold & Zucc.) Makino, J. Jap. Bot. 2: 22 (1922)

Carpesium cernuum L., Sp. Pl. 2: 859 (1753) Nat; N Korea, S Korea 줌담배풀

Carpesium taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 170 (1910)

Carpesium glossophylloides Nakai, Bot. Mag. (Tokyo) 29: 9 (1915)

Carpesium cernuum L. var. *queenlandica* Domin, Biblioth. Bot. 89: 678 (1930)

Carpesium divaricatum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 187 (1846) Nat; N Korea, S Korea 긴담배풀

Carpesium divaricatum Siebold & Zucc. var. *pygmaea* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 179 (1866)

Carpesium atkinsonianum Hemsl., Bull. Misc. Inform. Kew 79: 157 (1893)

Carpesium erythrolepis H.Lév., Repert. Spec. Nov. Regni Veg. 8: 170 (1910)

Carpesium glossophyllum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 475 (1874) Nat; S Korea 천일담배풀

Carpesium hieracioides H.Lév., Repert. Spec. Nov. Regni Veg. 8: 170 (1910)

Carpesium macrocephalum Franch. & Sav., Enum. Pl. Jap. 2: 408 (1878) Nat; N Korea, S Korea 여우오줌

Carpesium eximium C.Winkl., Trudy Imp. S.-Peterburgsk. Bot. Sada 14: 58 (1895)

Carpesium rosulatum Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 179 (1866) Nat: S Korea
애기담배풀

Carpesium triste Maxim., *Bull. Acad. Imp. Sci. Saint-Petersbourg* 14: 479 (1874) Nat: N Korea, S Korea 두메담배풀

Carpesium manshuricum Kitam., *Acta Phytotax. Geobot.* 4: 71 (1935)

Carpesium triste Maxim. var. *manshuricum* (Kitam.) Kitam., *Mem. Coll. Sci. Kyoto Imp. Univ.*, Ser. B, Biol. 13: 280 (1937)

Carthamus L.

Carthamus tinctorius L., *Sp. Pl.* 830 (1753) Int 잇꽃

Carthamus glaber Burm.f., *Fl. Ind. (N. L. Burman) Prodr. Fl. Cap.* 23 (1768)

Centaurea carthamus E.H.L.Krause, *Deutschl. Fl. (Sturm)*, ed. 2 14: 20 (1906)

Centaurea L.

Centaurea cyanus L., *Sp. Pl.* 2: 911 (1753) Int 수레국화

Cyanus cyanus (L.) Hill, *Hort. Kew. (Hill)* 64 (1768)

Cyanus dentato-folius Gilib., *Fl. Lit. Inch.* 1: 191 (1782)

Centaurea lanata Roxb., *Hort. Bengal.* 62 (1814)

Centipeda Lour.

Centipeda minima (L.) A.Braun & Asch., *Index Seminum Hort. Bot. Berol.* 1867 1: 6 (1867)

Nat: N Korea, S Korea 중대가리풀

Artemisia minima L., *Sp. Pl.* 2: 849 (1753)

Cotula minuta G.Forst., *Fl. Ins. Austr.* 57 (1786)

Centipeda orbicularis Lour., *Fl. Cochinch.* 2: 602 (1790)

Cotula minima (L.) Willd., *Sp. Pl. (ed. 4)* 3: 2170 (1803)

Artemisia sternutatoria Roxb., *Hort. Bengal.* 61 (1814)

Myriogyne minuta (G.Forst.) Less., *Linnaea* 6: 219 (1831)

Myriogyne minuta (G.Forst.) Less. var. *lanuginosa* DC., *Prodr. (DC.)* 6: 139 (1838)

Sphaeromorphaea russelliana DC. var. *glabrata* DC., *Prodr. (DC.)* 6: 140 (1838)

Dichrocephala schmidii Wight, *Icon. Pl. Ind. Orient. (Wight)* 6: 1610 (1850)

Myriogyne minima (L.) Less. ex Seem., *Bonplandia* 9: 257 (1861)

Chrysanthemum L.

Chrysanthemum coronarium L., *Sp. Pl.* 2: 890 (1753) Int 쑥갓

Chrysanthemum speciosum Brouss. ex Pers., *Syn. Pl. (Persoon)* 2: 463 (1807)

Chrysanthemum breviradiatum DC., *Prodr. (DC.)* 6: 64 (1838)

Chrysanthemum senecioides Dunal ex DC., *Prodr. (DC.)* 6: 64 (1838)

Glebionis coronaria (L.) Tzvelev, *Bot. Zhurn. (Moscow & Leningrad)* 84: 117 (1999)

Cichorium L.

Cichorium endivia L., *Sp. Pl.* 813 (1753) Int 꽃상추

Cirsium Mill.

Cirsium arvense (L.) Scop., *Fl. Carniol.*, ed. 2 2: 126 (1772) Int 캐나다영경귀

Cirsium ruthenicum Fisch., Cat. Jard. Pl. Gorenki ed. 2: 35 (1812)
Cirsium dioicum Cass., Dict. Sci. Nat., ed. 2 27: 190 (1823)
Cirsium neglectum Fisch. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 370 (1826)
Cirsium praealtum Cass., Dict. Sci. Nat., ed. 2 41: 333 (1826)
Cirsium albicans Willk., Linnaea 30: 109 (1859)
Cirsium halophilum Turcz. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 43: 83 (1870)
Cirsium mutatum Menyh., Kal. Vid. Növ. 102 (1877)
Cirsium horridum (Wimm. & Grab.) Stankov, Syst. Classif. Vasc. Pl. Eur. Russ. 664 (1949)

***Cirsium japonicum* Fisch. ex DC., Prodr. (DC.) 6: 640 (1838) Nat: N Korea, S Korea**

개영경귀

Cnicus japonicus (Fisch. ex DC.) Maxim. var. *intermedium* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 505 (1874)
Carduus japonicum (Fisch. ex DC.) Franch., Pl. David. 1: 178 (1884)
Cnicus nakaianus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 (1910)
Cnicus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 (1910)
Cirsium japonicum Fisch. ex DC. subsp. *genuinum* var. *vulkani* Nakai, Bot. Mag. (Tokyo) 25: 59 (1911)
Cirsium japonicum Fisch. ex DC. var. *horridum* Nakai, Bot. Mag. (Tokyo) 25: 59 (1911)
Cirsium maackii Maxim. var. *nakaianum* (H.Lév. & Vaniot) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 109 (1911)
Cirsium maackii Maxim. var. *taquetii* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 109 (1911)
Cirsium japonicum Fisch. ex DC. var. *intermedium* (Maxim.) Matsum., Index Pl. Jap. 2 (2): 640 (1912)
Cirsium laciniatum Nakai, Bot. Mag. (Tokyo) 26: 376 (1912)
Cirsium maackii Maxim. var. *horridum* (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 375 (1912)
Cirsium maackii Maxim. var. *intermedium* (Maxim.) Nakai, Bot. Mag. (Tokyo) 26: 376 (1912)
Cirsium maackii Maxim. var. *vulkani* Nakai, Bot. Mag. (Tokyo) 26: 376 (1912)
Cirsium taquetii (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 26: 373 (1912)
Cirsium japonicum Fisch. ex DC. var. *nakaianum* Kitam., Cirsium Nov. Or.-Asiat. 1: 12 (1931)
Cirsium ibukiense Nakai, Bot. Mag. (Tokyo) 46: 623 (1932)
Cirsium maackii Maxim. var. *kiusianum* Nakai, Bot. Mag. (Tokyo) 46: 624 (1932)
Cirsium senile Nakai, Bot. Mag. (Tokyo) 46: 623 (1932)
Cirsium japonicum Fisch. ex DC. var. *kiusianum* (Nakai) Nemoto, Fl. Jap. Suppl. 761 (1936)
Cirsium japonicum Fisch. ex DC. var. *ibukiense* Nakai ex Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 66 (1937)
Cirsium kitagoense Nakai, J. Jap. Bot. 25: 134 (1950)
Cirsium japonicum Fisch. ex DC. f. *nakaianum* (H.Lév. & Vaniot) W.T.Lee, Lineamenta Florae Koreae 1130 (1996)

Cirsium japonicum* Fisch. ex DC. var. *japonicum

***Cirsium japonicum* Fisch. ex DC. var. *maackii* (Maxim.) Matsum., Index Pl. Jap. 2 (2): 641 (1912) Nat: N Korea, S Korea 영경귀**

Cirsium maackii Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 172 (1859)
Cirsium littorale var. *ussuriense* Regel, Tent. Fl.-Ussur. 102 (1861)
Cnicus japonicum var. *maackii* (Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 506 (1874)
Cirsium maackii Maxim. var. *koraiensis* Nakai, Bot. Mag. (Tokyo) 23: 99 (1909)
Cirsium japonicum Fisch. ex DC. subsp. *maackii* (Maxim.) Nakai, Bot. Mag. (Tokyo) 25: 61 (1911)

Cirsium maackii Maxim. f. *koraiensis* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 47 (1911)
Cirsium maackii Maxim. var. *nakaii* (H.Lév.) Nakai ex T.Mori, Enum. Pl. Corea 354 (1922)
Cirsium japonicum Fisch. ex DC. var. *amurense* Kitam., *Cirsium* Nov. Or.-Asiat. 1: 12 (1931)
Cirsium xanthacanthum Nakai, Bot. Mag. (Tokyo) 46: 619 (1932)
Cirsium asperum Nakai, Bot. Mag. (Tokyo) 46: 618 (1932)
Cirsium maackii Maxim. var. *spinossimum* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 63 (1937)
Cirsium japonicum Fisch. ex DC. var. *spinossimum* Kitam., J. Jap. Bot. 20: 198 (1944)
Cirsium japonicum Fisch. ex DC. var. *ussuriense* (Regel) Kitam. ex Ohwi, Fl. Jap., revised ed., [Ohwi] 1376 (1965)

***Cirsium lineare* (Thunb.) Sch.Bip., Linnaea 19: 335 (1847) Nat: S Korea 버들잎영경퀴**

Carduus linearis Thunb., Fl. Jap. (Thunberg) 305 (1784)
Spanioptilon lineare Less., Syn. Gen. Compos. 10 (1832)
Cirsium chinense Gardner & Cham., Hooker's J. Bot. Kew Gard. Misc. 1: 323 (1849)
Cirsium oreithales Hance, Ann. Bot. Syst. 2: 944 (1852)
Cnicus chinensis (Gardner & Champ.) Benth., Gen. Pl. (Bentham & Hooker) 2: 468 (1863)
Cnicus linearis (Thunb.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 261 (1873)
Cnicus sinensis Clarke, Compos. Ind. 219 (1876)
Cnicus uninervius H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 169 (1910)
Cirsium buergeri Miq. var. *chanroenicum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 47 (1911)
Cirsium nakaianum (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 26: 378 (1912)
Cirsium chanroenicum (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 368 (1912)
Cirsium coreanum Nakai, Bot. Mag. (Tokyo) 26: 372 (1912)
Cirsium moekchangense Nakai, Bot. Mag. (Tokyo) 29: 9 (1915)
Cnicus chanroenica Nakai, Bot. Mag. (Tokyo) 23: 187 (1923)
Cirsium uninervium Nakai, Fl. Sylv. Kor. 14: 110 (1923)
Cirsium lineare (Thunb.) Sch.Bip. var. *discolor* Nakai, Bot. Mag. (Tokyo) 46: 626 (1932)
Cirsium toraiense Nakai ex Kitam., Acta Phytotax. Geobot. 5: 31 (1936)
Cirsium chanroenicum (Nakai) Nakai var. *lanceolata* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 90 (1937)
Cirsium lineare (Thunb.) Sch.Bip. var. *linearifolium* f. *viride* Petr., Repert. Spec. Nov. Regni Veg. 43: 280 (1938)
Cirsium tsoongianum Ling, Contr. Bot. Surv. NorthW. China 1: 36 (1939)
Cirsium lineare (Thunb.) Sch.Bip. var. *franchetii* f. *pallidum* Kitam., J. Jap. Bot. 20: 199 (1944)
Cirsium lineare (Thunb.) Sch.Bip. var. *pallidum* (Kitam.) Ling, Contr. Inst. Bot. Natl. Acad. Peiping 6: 102 (1949)
Cirsium lineare (Thunb.) Sch.Bip. var. *tsoongianum* (Ling) Ling, Contr. Inst. Bot. Natl. Acad. Peiping 6: 102 (1949)

***Cirsium nipponicum* (Maxim.) Makino, Bot. Mag. (Tokyo) 19: 155 (1905) Nat: S Korea 물영경퀴**

Cnicus nipponicus Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 496 (1874)
Cirsium pseudopensulium Nakai, Bot. Mag. (Tokyo) 25: 61 (1911)
Cirsium sendaicum Nakai, Bot. Mag. (Tokyo) 44: 536 (1930)
Cirsium matsusimense Kitam., *Cirsium* Nov. Or.-Asiat. 1: 16 (1931)
Cirsium nipponicum (Maxim.) Makino var. *lanuginosum* Nakai, Bot. Mag. (Tokyo) 46: 621 (1932)
Cirsium sendaicum Nakai var. *amplexicaule* Nakai, Bot. Mag. (Tokyo) 46: 628 (1932)
Cirsium nipponicum (Maxim.) Makino f. *lanuginosum* (Nakai) Kitam., Mem. Coll. Sci.

Kyoto Imp. Univ., Ser. B, Biol. 13: 81 (1937)
Cirsium nipponicum (Maxim.) Makino var. *amplexicaule* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 109 (1937)
Cirsium nipponicum (Maxim.) Makino var. *sendaicum* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 108 (1937)
Cirsium nipponicum (Maxim.) Makino var. *alpestre* Kitam., Acta Phytotax. Geobot. 25: 1 (1971)

***Cirsium pendulum* Fisch. ex DC., Prodr. (DC.) 6: 650 (1838) Nat: N Korea, S Korea 큰엉경귀**

Cirsium falcatum Turcz. ex DC., Prodr. (DC.) 6: 650 (1838)
Cnicus pendulus (Fisch. ex DC.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 510 (1874)
Cnicus hilgendorffii Fisch. & Sav., Enum. Pl. Jap. 2: 410 (1878)
Cnicus provostii Franch., J. Bot. (Morot) 11: 23 (1897)
Cirsium hilgendorffii (Fisch. & Sav.) Makino, Bot. Mag. (Tokyo) 19: 299 (1905)
Cirsium provostii (Franch.) Petr., Repert. Spec. Nov. Regni Veg. 44: 52 (1938)

***Cirsium rhinoceros* (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 26: 364 (1912) Nat: S Korea,
Endemic 바늘엉경귀**

Cnicus rhinoceros H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 (1910)
Cirsium rhinoceros (H.Lév. & Vaniot) Nakai f. *albiflorum* Sakata, J. Chosen Nat. Hist. Soc. 20: 20 (1935)

***Cirsium schantarense* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 58 (1856) Nat: N Korea, S Korea
도깨비엉경귀**

Cirsium pendulum Fisch. ex DC. var. *oligocephalum* Regel & Tiling, Fl. Ajan. 107 (1859)
Cnicus japonicus (Fisch. ex DC.) Maxim. var. *schantarenensis* (Trautv. & C.A.Mey.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 326 (1874)
Cnicus diamaticus Nakai, Bot. Mag. (Tokyo) 23: 99 (1909)
Cirsium diamanticum (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 363 (1912)
Cirsium maackii Maxim. var. *spiniferum* Nakai, Bot. Mag. (Tokyo) 46: 624 (1932)
Cirsium fusenense Nakai, J. Jap. Bot. 16: 70 (1940)
Cirsium zenii Nakai, J. Jap. Bot. 16: 71 (1940)

***Cirsium setidens* (Dunn) Nakai, Bot. Mag. (Tokyo) 34: 54 (1920) Nat: N Korea, S Korea,
Endemic 고려엉경귀**

Cirsium yoshinoi Nakai, Fl. Sylv. Kor. 14: 111 (1923)
Saussurea setidens Dunn, J. Bot. 45: 403 (1937)
Cirsium setidens (Dunn) Nakai var. *niveoaraneum* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 109 (1937)
Cirsium setidens (Dunn) Nakai var. *pinnatifolium* Y.N.Lee, Bull. Korea Pl. Res. 4: 8 (2004)

***Cirsium vlassovianum* Fisch. ex DC., Prodr. (DC.) 6: 635 (1837) Nat: N Korea, S Korea
흰잎엉경귀**

Cirsium vlassovianum Fisch. ex DC. var. *bracteatum* Ledeb., Fl. Ross. (Ledeb.) 2: 741 (1845)
Cirsium vlassovianum Fisch. ex DC. var. *genuinum* Herder, Bull. Soc. Imp. Naturalistes Moscou 43: 4 (1870)
Cnicus vlassovianum (Fisch. ex DC.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 509 (1874)
Cirsium coryletorum Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 179 (1916)
Cirsium vlassovianum Fisch. ex DC. var. *album* Nakai, Fl. Sylv. Kor. 14: 110 (1923)
Cirsium vlassovianum Fisch. ex DC. var. *salicifolium* Kitag., Bot. Mag. (Tokyo) 48: 112

(1934)

Cirsium vlassovianum Fisch. ex DC. f. *leucanthum* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 88 (1937)

***Cirsium vulgare* (Savi) Ten., Fl. Napol. 5: 209 (1836) Int 서양가시엉겅퀴**

Cirsium britannicum Scop., Annus Hist.-Nat. 2: 60 (1769)

Cirsium lanceolatum (L.) Scop., Fl. Carniol., ed. 2 2: 130 (1772)

Cirsium fraternum DC., Prodr. (DC.) 6: 636 (1838)

Cirsium mellichhoferi Saut., Flora 28: 130 (1845)

Cirsium leucanicum Lojac., Naturalista Sicil. 3: 283 (1884)

Cirsium auriculatum E.G.Camus ex Belèze, Bull. Soc. Bot. France 42: 503 (1895)

***Conyza* L.**

***Conyza bonariensis* (L.) Cronquist, Bull. Torrey Bot. Club 70: 632 (1943) Int 실망초**

Erigeron bonariensis L., Sp. Pl. 2: 863 (1753)

Conyza hispida Kunth, Nov. Gen. Sp. [Kunth] 4(14): 55 (1818)

Conyza sinuata Elliott, Sketch Bot. S. Carolina 2: 323 (1823)

Conyza chenopodioides DC., Prodr. (DC.) 5: 379 (1836)

Conyza sordescens Cabrera, Man. Fl. Alrededores Buenos Aires 481 (1953)

***Conyza canadensis* (L.) Cronquist, Bull. Torrey Bot. Club 70: 632 (1943) Int 망초**

Erigeron canadensis L., Sp. Pl. 2: 863 (1753)

Senecio ciliatus Walter, Fl. Carol. 208 (1788)

Erigeron strictus DC., Prodr. (DC.) 5: 289 (1836)

Erigeron setiferus Post ex Boiss., Fl. Orient. Suppl. 289 (1888)

Erigeron myriocephalus Rech.f. & Edelb., Biol. Skr. 8: 6 (1955)

***Conyza parva* Cronquist, Bull. Torrey Bot. Club 70: 632 (1943) Int 애기망초**

Erigeron pusillus Nutt., Gen. N. Amer. Pl. [Nuttall] 2: 148 (1818)

***Coreopsis* L.**

***Coreopsis drumondii* Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 2: 345 (1842) Int 금계국**

***Coreopsis lanceolata* L., Sp. Pl. 2: 908 (1753) Int 큰금계국**

Coreopsis lanceolata L. var. *glabella* Michx., Fl. Bor.-Amer. (Michaux) 2: 137 (1803)

Coreopsis oblongifolia Nutt., J. Acad. Nat. Sci. Philadelphia 7: 76 (1834)

Coreopsis heterogyna Fernald, Rhodora 40: 475 (1938)

Coreopsis lanceolata L. var. *pumila* Moldenke, Phytologia 26: 224 (1973)

***Coreopsis tinctoria* Nutt., J. Acad. Nat. Sci. Philadelphia 2: 144 (1821) Int 기생초**

Calliopsis bicolor Rchb., Mag. Aesth. Bot. 1(1.12): t. 70 (1823)

Coreopsis atkinsoniana Douglas ex Lindl., Edward's Bot. Reg. 16: t. 1376 (1830)

***Cosmos* Cav.**

***Cosmos bipinnatus* Cav., Icon. (Cavanilles) 1: 9 (1791) Int 코스모스**

Cosmea tenuifolia Lindl. ex Heynh., Nom. Bot. Hort. 1: 223 (1840)

***Cosmos sulphureus* Cav., Icon. (Cavanilles) 1: 56 (1791) Int 노랑코스모스**

Coreopsis artemisiifolia Jacq., *Icon. Pl. Rar.* (Jacquin) 3: t. 595 (1793)
Cosmea sulphurea Willd., *Sp. Pl.* (ed. 4) 3: 2250 (1803)
Cosmos aurantiacus Klatt, *Leopoldina* 25: 105 (1889)

Crassocephalum Moench

Crassocephalum crepidioides (Benth.) S.Moore, *J. Bot.* 1: 211 (1912) Int 주홍서나물
Gynura crepidioides Benth., *Niger Fl.* 438 (1849)

Crepidiastrum Nakai

Crepidiastrum chelidoniifolium (Makino) Pak & Kawano, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 15(1-2): 1 (1992) Nat: N Korea, S Korea 까치고들빼기

Lactuca cardaminifolia Matsum., *Bot. Mag.* (Tokyo) 11: 441 (1897)
Lactuca chelidoniifolia Makino, *Bot. Mag.* (Tokyo) 12: 47 (1898)
Lactuca senecio H.Lév. & Vaniot, *Repert. Spec. Nov. Regni Veg.* 8: 140 (1910)
Paraixeris chelidoniifolium (Makino) Nakai, *Bot. Mag.* (Tokyo) 34: 156 (1920)
Ixeris chelidoniifolia (Makino) Stebbins, *J. Bot.* 75: 46 (1937)
Youngia chelidoniifolium (Makino) Kitam., *Acta Phytotax. Geobot.* 11: 128 (1942)
Youngia koidzumiana Kitam., *Acta Phytotax. Geobot.* 11: 127 (1942)
Crepidiastrum koidzumianum (Kitam.) Pak & Kawano, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 15(1-2): 57 (1992)

Crepidiastrum denticulatum (Houtt.) Pak & Kawano, *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 15(1-2): 56 (1992) Nat: N Korea, S Korea 이고들빼기

Prenanthes denticulata Houtt., *Nat. Hist.* (Houttuyn) 27: 385 (1779)
Prenanthes hastata Thunb., *Fl. Jap.* (Thunberg) 301 (1784)
Youngia hastata (Thunb.) DC., *Prodr.* (DC.) 7: 194 (1838)
Dubya ramosissima Hance ex Walp., *Ann. Bot. Syst.* 2: 1028 (1852)
Ixeris ramosissima A.Gray, *Mem. Amer. Acad. Arts* 6: 397 (1859)
Youngia chrysantha Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 181 (1859)
Lactuca denticulata (Houtt.) Maxim., *Bull. Acad. Imp. Sci. Saint-Petersbourg* 19: 529 (1874)
Lactuca denticulata (Houtt.) Maxim. f. *pinnatipartita* Makino, *Bot. Mag.* (Tokyo) 12: 48 (1898)
Ixeris denticulata (Houtt.) Nakai, *Bot. Mag.* (Tokyo) 34: 155 (1920)
Paraixeris denticulata (Houtt.) Nakai, *Bot. Mag.* (Tokyo) 34: 156 (1920)
Paraixeris denticulata (Houtt.) Nakai f. *pinnatipartita* (Makino) Nakai, *Bot. Mag.* (Tokyo) 34: 157 (1920)
Ixeris denticulata (Houtt.) Nakai f. *pinnatipartita* (Makino) Stebbins, *J. Bot.* 75: 47 (1937)
Youngia denticulata (Houtt.) Kitam., *Acta Phytotax. Geobot.* 11: 128 (1942)
Paraixeris denticulata (Houtt.) Nakai f. *pallescens* Momiy. & Tuyama, *J. Jap. Bot.* 21: 235 (1948)
Youngia denticulata (Houtt.) Kitam. f. *pallescens* (Momiy. & Tuyama) Kitam., *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.* 22: 126 (1955)
Paraixeris denticulata (Houtt.) Nakai var. *dilatata* H.S.Pak, *Fl. Coreana* (H.S.Park) 7: 383 (1999)

Crepidiastrum lanceolatum (Houtt.) Nakai, *Bot. Mag.* (Tokyo) 34: 150 (1920) Nat: S Korea 갯고들빼기

Prenanthes lanceolata Houtt., *Nat. Hist.* (Houttuyn) 28: 383 (1779)
Prenanthes integra Thunb., *Fl. Jap.* (Thunberg) 300 (1784)
Chondrilla lanceolata (Houtt.) Poir., *Encycl. (Lamarck) Suppl.* 2: 329 (1811)

Youngia lanceolata (Houtt.) DC., Prodr. (DC.) 7: 193 (1838)
Youngia integra (Thunb.) A.Gray, Mem. Amer. Acad. Arts 6: 396 (1859)
Crepis integra (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 190 (1866)
Crepis tanegana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 198 (1866)
Hieraciodon integrum (Thunb.) Kuntze, Revis. Gen. Pl. 1: 345 (1891)
Crepis lanceolata var. *pinnatiloba* (Maxim.) Makino, Bot. Mag. (Tokyo) 17: 88 (1903)
Lactuca quercus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 (1910)
Lactuca lanceolata (Houtt.) Makino, Bot. Mag. (Tokyo) 27: 257 (1913)
Crepis koshunense Hayata, Icon. Pl. Formosan. 8: 79 (1919)
Crepidiastrum koshunense (Hayata) Nakai, Bot. Mag. (Tokyo) 34: 149 (1920)
Crepidiastrum lanceolatum (Houtt.) Nakai f. *pinnatilobum* (Maxim.) Nakai, Bot. Mag. (Tokyo) 34: 151 (1920)
Crepidiastrum quercus (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 34: 152 (1920)
Lactuca lanceolatum var. *batakanense* Kitam., Acta Phytotax. Geobot. 2: 45 (1933)
Crepidiastrum lanceolatum (Houtt.) Nakai var. *batakanense* (Kitam.) Nemoto, Fl. Jap. Suppl. 770 (1936)
Ixeris koshunensis (Hayata) Stebbins, J. Bot. 75: 45 (1937)
Ixeris lanceolata (Houtt.) Stebbins, J. Bot. 75: 46 (1937)
Ixeris quercus (H.Lév. & Vaniot) Stebbins, J. Bot. 75: 46 (1937)
Crepidiastrum lanceolatum (Houtt.) Nakai f. *batakanense* (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 22: 108 (1955)

***Crepidiastrum platyphyllum* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 6: 235 (1937)**

Nat: S Korea **절영풀**

Crepis integra (Thunb.) Miq. var. *platyphylla* Franch. & Sav., Enum. Pl. Jap. 1: 272 (1875)
Crepis lanceolata var. *platyphylla* Makino, Bot. Mag. (Tokyo) 17: 88 (1903)
Lactuca lanceolata (Houtt.) Makino var. *platyphylla* (Franch.) Makino, Bot. Mag. (Tokyo) 27: 258 (1913)
Crepidiastrum lanceolatum (Houtt.) Nakai var. *latifolium* Nakai, Bot. Mag. (Tokyo) 34: 151 (1920)
Lactuca platyphylla (Franch. & Sav.) Makino, J. Jap. Bot. 40971: 10 (1926)
Crepidiastrum lanceolatum (Houtt.) Nakai var. *platyphyllum* (Franch. & Sav.) Tuyama, Bot. Mag. (Tokyo) 50: 37 (1936)
Ixeris lanceolata (Houtt.) Stebbins subsp. *platyphylla* (Franch. & Sav.) Stebbins, J. Bot. 75: 46 (1937)

***Crepidiastrum sonchifolium* (Maxim.) Pak & Kawano, Mem. Coll. Sci. Kyoto Imp. Univ.,**

Ser. B, Biol. 15(1-2): 58 (1992) Nat: N Korea, S Korea **고들빼기**

Youngia serotina Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 180 (1859)
Youngia sonchifolia Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 180 (1859)
Ixeris sonchifolia (Maxim.) Hance, J. Linn. Soc., Bot. 13: 108 (1873)
Lactuca denticulata (Houtt.) Maxim. var. *sonchifolia* (Maxim.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 360 (1874)
Lactuca sonchifolia (Maxim.) Benth. & Hook. ex Debeaux, Actes Soc. Linn. Bordeaux 31: 229 (1876)
Lactuca bungeana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 56 (1911)
Ixeris serotina (Maxim.) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 95 (1936)
Ixeris denticulata (Houtt.) Nakai subsp. *sonchifolia* (Bunge) Stebbins, J. Bot. 75: 48 (1937)
Ixeris sonchifolia Hance var. *serotina* (Maxim.) Kitag., Lin. Fl. Manshur. 455 (1939)
Paraixeris serotina (Maxim.) Tzvelev, Fl. URSS 29: 399 (1964)
Paraixeris sonchifolia (Maxim.) Tzvelev, Fl. URSS 29: 399 (1964)

Paraixeris sonchifolia (Maxim.) Tzvelev var. *serotina* (Maxim.) Kitag., Neolin. Fl. Manshur. 664 (1979)

Crepis L.

Crepis tectorum L., Sp. Pl. 807 (1753) Int 나도민들레

Dahlia Thunb.

Dahlia pinnata Cav., Icon. (Cavanilles) 1: 57 (1791) Int 다알리아

Dahlia rosea Cav., Icon. (Cavanilles) 3: 33 (1794)

Dahlia sambucifolia Salisb., Parad. Lond. t. 16 (1805)

Dahlia nana Andrews, Bot. Repos. 7: 483 (1807)

Georgina variabilis Willd., Hort. Berol. 2: 93 (1809)

Dahlia purpurea (Willd.) Poir., Encycl. (Lamarck) Suppl. 2 444 (1812)

Dahlia superflua (DC.) W.T.Aiton, Hortus Kew. (ed. 2) 5: 87 (1813)

Coreopsis georgina Cass., Dict. Sci. Nat., ed. 2 18: 442 (1820)

Dahlia pusilla Zucc. ex DC., Prodr. (DC.) 5: 494 (1836)

Dendranthema DC. & Des Moul.

Dendranthema boreale (Makino) Ling ex Kitam., Acta Phytotax. Geobot. 29: 167 (1978) Nat: N Korea, S Korea 산국

Chrysanthemum indicum L. var. *boreale* Makino, Bot. Mag. (Tokyo) 16: 89 (1902)

Chrysanthemum lavandulifolium (Fisch. ex Trautv.) Makino, Bot. Mag. (Tokyo) 23: 20 (1909)

Chrysanthemum indicum L. var. *lavandulifolium* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 25 (1911)

Dendranthema indicum (L.) Des Moul., Actes Soc. Linn. Bordeaux 10: 561 (1855) Nat: N Korea, S Korea 감국

Chrysanthemum indicum L., Sp. Pl. 2: 889 (1753)

Chrysanthemum indicum L. var. *procumbens* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 25 (1911)

Chrysanthemum indicum L. var. *coreanum* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 351 (1912)

Chrysanthemum indicum L. var. *acutum* Uyeki, Suigen Gakuho 21: 14 (1928)

Chrysanthemum makinoi Matsum. & Nakai, Bot. Mag. (Tokyo) 42: 462 (1928)

Chrysanthemum indicum L. var. *albescens* Makino, J. Jap. Bot. 6: 10 (1929)

Chrysanthemum indicum L. var. *tokschonense* Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 (1934)

Chrysanthemum indicum L. subsp. *albescens* Kitam., Compos. Jap. 130 (1940)

Dendranthema makinoi (Matsum. & Nakai) Y.N.Lee, Fl. Korea (Lee) 0 (1996)

Dendranthema naktongense (Nakai) Tzvelev, Fl. URSS 26: 375 (1961) Nat: N Korea, S Korea 구절초

Chrysanthemum sibiricum Fisch. ex Turcz., Fl. Baical.-dahur. 2: 42 (1856)

Leucanthemum sibiricum DC. var. *latilobum* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 156 (1859)

Chrysanthemum naktongense Nakai, Bot. Mag. (Tokyo) 23: 186 (1909)

Chrysanthemum zawadskii Herbach var. *latilobum* (Maxim.) Kitam., Acta Phytotax. Geobot. 7: 210 (1938)

Chrysanthemum zawadskii Herbich subsp. *latilobum* (Maxim.) Kitag., Lin. Fl. Manshur. 444 (1939)

Dendranthema zawadskii (Herb.) Tzvelev var. *latilobum* (Maxim.) Kitam., Acta Phytotax. Geobot. 29: 167 (1978)

***Dendranthema oreastrum* (Hance) Y.Ling, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 6: 4 (1980) Nat: N Korea, S Korea 바위구절초**

Chrysanthemum oreastrum Hance, J. Bot. 16: 108 (1878)

Matricaria coreana H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 169 (1910)

Chrysanthemum sibiricum Fisch. ex Turcz. var. *alpinum* Nakai, Bot. Mag. (Tokyo) 31: 109 (1917)

Chrysanthemum coreanum (H.Lév. & Vaniot) Nakai ex T.Mori, Enum. Pl. Corea 352 (1922)

Chrysanthemum sinchangense Uyeki, Suigen Gakuho 21: 13 (1928)

Chrysanthemum zawadskii Herbich var. *alpinum* (Nakai) Kitam., Acta Phytotax. Geobot. 7: 210 (1938)

Chrysanthemum indicum L. var. *leucanthum* Nakai, Bot. Mag. (Tokyo) 42: 459 (1938)

Dendranthema sichotense Tzvelev, Fl. URSS 26: 380 (1961)

Dendranthema coreanum (H.Lév. & Vaniot) Vorosch., Byull. Glavn. Bot. Sada 49: 57 (1963)

Chrysanthemum zawadskii Herbich var. *acutilobum* f. *alpinum* (Nakai) Kitam., J. Jap. Bot. 41: 190 (1966)

Dendranthema sinchangense (Uyeki) Kitam., Acta Phytotax. Geobot. 29: 167 (1978)

Tanacetum sinchangense (Ueki) Kitam., Acta Phytotax. Geobot. 29: 167 (1978)

Chrysanthemum zawadskii Herbich subsp. *coreanum* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1162 (1996)

***Dendranthema zawadskii* (Herb.) Tzvelev, Fl. URSS 26: 376 (1961) Nat: N Korea, S Korea 산구절초**

Chrysanthemum zawadskii Herbich, Addit. Fl. Galic. 1: 44 (1831)

Chrysanthemum sibiricum Fisch. ex Turcz. var. *acutilobum* (DC.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 642 (1907)

Chrysanthemum lucidum Nakai, Bot. Mag. (Tokyo) 32: 110 (1918)

Chrysanthemum leiophyllum Nakai, Bot. Mag. (Tokyo) 35: 147 (1921)

Chrysanthemum arcticum L. subsp. *maekawanum* Kitam., Acta Phytotax. Geobot. 4: 37 (1935)

Chrysanthemum zawadskii Herbich subsp. *zawadskii* var. *acutilobum* (DC.) Sealy, J. Roy. Hort. Soc. 43: 269 (1938)

Chrysanthemum zawadskii Herbich subsp. *acutilobum* Kitag., Lin. Fl. Manshur. 444 (1939)

Dendranthema zawadskii (Herb.) Tzvelev var. *tenuisectum* Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 129 (1942)

Chrysanthemum zawadskii Herbich subsp. *acutilobum* var. *tenuisectum* Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 129 (1942)

Chrysanthemum zawadskii Herbich subsp. *latilobum* f. *tenuisectum* (Nakai) Kitag., J. Jap. Bot. 41: 191 (1966)

Chrysanthemum zawadskii Herbich subsp. *lucidum* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1192 (1996)

Echinacea Moench

***Echinacea purpurea* (L.) Moench, Methodus (Moench) 591 (1794) Int 자주천인국**

Rudbeckia purpurea L., Sp. Pl. 907 (1753)

Echinacea intermedia Lindl. ex Paxton, Paxton's Mag. Bot. 15: 79 (1849)

Echinacea speciosa (Wender.) Paxton, Paxton's Mag. Bot. 15: 79 (1849)
Brauneria purpurea (L.) Britton, Mem. Torrey Bot. Club 5: 334 (1894)

Echinops L.

Echinops latifolius Tausch, *Flora* 11: 486 (1828) Nat: N Korea 큰절굿대
Echinops dahuricus Fisch. ex DC., Prodr. (DC.) 6: 523 (1837)
Echinops dahuricus Fisch. ex DC. var. *angustilobus* DC., Prodr. (DC.) 6: 523 (1838)
Echinops dahuricus Fisch. ex DC. var. *latilobus* DC., Prodr. (DC.) 6: 523 (1838)
Sphaerocephalus latifolius (Tausch) Kuntze, Revis. Gen. Pl. 1: 366 (1891)

Echinops setifer Iljin, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 4: 108 (1923) Nat: N Korea, S Korea 절굿대

Eclipta L.

Eclipta prostrata (L.) L., Mant. Pl. 2: 286 (1771) Nat: S Korea 한련초
Verbesina alba L., Sp. Pl. 902 (1753)
Verbesina pseudoacmella L., Sp. Pl. 901 (1753)
Eclipta alba (L.) Hassk., Pl. Jav. Rar. 528 (1848)

Emilia Cass.

Emilia flammula Cass., Dict. Sci. Nat., ed. 2 14: 406 (1819) Int 불꽃썸바귀

Erechtites Raf.

Erechtites hieracifolius (L.) Raf. ex DC., Prodr. (DC.) 6: 294 (1838) Int 붉은서나물
Senecio hieracifolius L., Sp. Pl. 2: 866 (1753)
Sonchus agrestis Sw., Prodr. (Swartz) 110 (1788)
Erechtites prealtus Raf., Fl. Ludov. 65 (1817)
Sonchus occidentalis Spreng., Neue Entdeck. Pflanzenk. 2: 143 (1821)
Erechtites carduiifolius (Cass.) DC., Prodr. (DC.) 6: 294 (1838)
Sonchus brasiliensis Meyen & Walp., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur., Suppl. 1, 19: 293 (1843)
Gynura aspera Ridl., Journ. As. Soc. Mal. 1: 74 (1923)

Erigeron L.

Erigeron acris L., Sp. Pl. 2: 863 (1753) Nat: N Korea 민망초
Erigeron corymbosus Wallr., Erst. Beitr. Fl. Hercyn. 272 (1840)
Erigeron orientalis Boiss., Diagn. Pl. Orient. ser.2, 3: 7 (1856)
Erigeron shepardii Post, Bull. Herb. Boissier 1: 22 (1893)
Erigeron nelsonii Greene, Pittonia 3: 294 (1898)
Erigeron crispulus Borbás, Balaton Tavanak Partmellekenek Novenyfoldr. 1: 345 (1900)
Erigeron zosonius H.S.Pak, Fl. Coreana (H.S.Park) 7: 383 (1999)

Erigeron alpicola (Makino) Makino, Bot. Mag. (Tokyo) 28: 339 (1914) Nat: N Korea
구름국화

Erigeron thunbergii A.Gray var. *glabratus* A.Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 395 (1858)
Erigeron dubius (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 18 (1904)

Erigeron dubius (Thunb.) Makino var. *alpicola* Makino, Alp. Fl. Japan [Miyoshi & Makino] 1: t. 21 (1906)
Erigeron thunbergii A.Gray subsp. *glabratus* (A.Gray) H.Hara, Enum. Spermatophytarum Japon. 2: 199 (1952)
Erigeron komarovii Botsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 390 (1954)
Erigeron thunbergii A.Gray subsp. *komarovii* (Botsch.) A.Löve & D.Löve, Bot. Not. 128: 521 (1976)

***Erigeron annuus* (L.) Pers., Syn. Pl. (Persoon) 2: 431 (1807) Int 개망초**

Aster annuus L., Sp. Pl. 875 (1753)
Stenactis annua (L.) Nees, Gen. Sp. Aster. 273 (1832)
Erigeron annuus (L.) Pers. var. *discoideus* Cronquist, Brittonia 6: 266 (1947)

***Erigeron philadelphicus* L., Sp. Pl. 2: 863 (1753) Int 봄망초**

Tessenia philadelphica (L.) Lunell, Amer. Midl. Naturalist 5: 59 (1917)

***Erigeron strigosus* Muhl. ex Willd., Sp. Pl. (ed. 4) 3: 1956 (1803) Int 주걱개망초**

Erigeron ramosus Britton & Sterns & Poggenb., Prelim. Cat. 27 (1888)

Euchiton F.Cuvier

***Euchiton japonicus* (Thunb.) Holub, Folia Geobot. Phytotax. 9: 271 (1974) Nat; N Korea, S Korea 풀숨나물**

Gnaphalium japonicum Thunb., Fl. Jap. (Thunberg) 311 (1784)
Gnaphalium asteroides Balb., Cat. Stirp. (1813) 1: 38 (1813)
Gnaphalium willdenowii DC., Prodr. (DC.) 6: 236 (1838)
Gnaphalium glomeratum DC., Prodr. (DC.) 6: 236 (1838)

Eupatorium Bubani

***Eupatorium chinense* L., Sp. Pl. 837 (1753) Nat; N Korea, S Korea 벌등골나물**

Eupatorium japonicum Thunb. var. *tripartitum* Makino, Bot. Mag. (Tokyo) 23: 90 (1909)
Eupatorium japonicum Thunb. var. *dissectum* Makino, Bot. Mag. (Tokyo) 23: 90 (1909)
Eupatorium japonicum Thunb. var. *tripartitum* f. *angustatum* Makino, Bot. Mag. (Tokyo) 27: 80 (1913)
Eupatorium fortunei Turcz. var. *simplicifolium* Nakai, Bot. Mag. (Tokyo) 41: 511 (1927)
Eupatorium fortunei Turcz. var. *tripartitum* (Makino) Nakai, Bot. Mag. (Tokyo) 41: 512 (1927)
Eupatorium fortunei Turcz. var. *angustatum* (Makino) Nakai, Bot. Mag. (Tokyo) 41: 512 (1927)
Eupatorium fortunei Turcz. var. *dissectum* (Makino) Nakai, Bot. Mag. (Tokyo) 41: 511 (1927)
Eupatorium fortunei Turcz. var. *glandulosum* Honda, Bot. Mag. (Tokyo) 45: 3 (1931)
Eupatorium laciniatum Kitam., Acta Phytotax. Geobot. 5: 245 (1936)
Eupatorium laciniatum Kitam. var. *dissectum* (Makino) Kitam., J. Jap. Bot. 12: 245 (1936)
Eupatorium japonicum Thunb. var. *angustatum* (Makino) Kitam., J. Jap. Bot. 12: 102 (1943)
Eupatorium chinense L. var. *simplicifolium* (Makino) Kitam., J. Jap. Bot. 24: 79 (1949)
Eupatorium chinense L. f. *tripartitum* H.Hara, Enum. Spermatophytarum Japon. 2: 201 (1952)
Eupatorium chinense L. var. *angustatum* (Makino) H.Hara, Enum. Spermatophytarum

Japon. 2: 200 (1952)

Eupatorium chinense L. var. *dissectum* (Makino) H.Hara, Enum. Spermatophytarum

Japon. 2: 200 (1952)

Eupatorium chinense L. var. *oppositifolium* (Koidz.) Murata & H.Koyama, Acta Phytotax. Geobot. 33: 293 (1982)

Eupatorium tripartitum (Makino) Murata & H.Koyama, Acta Phytotax. Geobot. 33: 297 (1982)

Eupatorium makinoi var. *oppositifolium* (Koidz.) Kawah. & Yahara, Fl. Jap. (Iwatsuki et al., eds.) 3a: 113 (1995)

***Eupatorium fortunei* Turcz., Bull. Soc. Imp. Naturalistes Moscou 1, 24: 170 (1851) Nat; N Korea, S Korea 중등골나물**

Eupatorium stoecadosumum Hance, Ann. Sci. Nat., Bot. ser. 4, 18: 222 (1862)

***Eupatorium japonicum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 737 (1784) Nat; N Korea, S Korea 등골나물**

***Eupatorium lindleyanum* DC., Prodr. (DC.) 5: 180 (1836) Nat; N Korea, S Korea 골등골나물**

Eupatorium kirilowii Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 153 (1837)

Eupatorium subtetragonum Miq., J. Bot. Néerl. 1: 99 (1861)

Eupatorium lindleyanum DC. var. *trifoliolatum* Makino, Bot. Mag. (Tokyo) 27: 80 (1913)

Eupatorium lindleyanum DC. f. *aureoreticulatum* Makino, J. Jap. Bot. 2: 5 (1918)

Farfugium Lindl.

***Farfugium japonicum* (L.) Kitam., Acta Phytotax. Geobot. 8: 268 (1939) Nat; S Korea 털머위**

Tussilago japonicum L., Mant. Pl. 1: 113 (1767)

Ligularia tussilaginea Makino, Bot. Mag. (Tokyo) 18: 52 (1904)

Farfugium tussilagineum Kitam., Acta Phytotax. Geobot. 8: 268 (1939)

Filifolium Kitam.

***Filifolium sibiricum* (L.) Kitam., Acta Phytotax. Geobot. 9: 157 (1940) Nat; N Korea 실쭉**

Tanacetum sibiricum L., Sp. Pl. 2: 844 (1753)

Artemisia sibirica (L.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 524 (1872)

Chrysanthemum trinioides Hand.-Mazz., Acta Horti Gothob. 12: 273 (1938)

Gaillardia Foug.

***Gaillardia pulchella* Foug., Mem. Acad. Sci. (Paris) 1786: 5, t. 1 (1786) Int 인디안국화**

Calonhea pulcherrima Buc'hoz, Descr. Icon. Rar. Pl., ed. 2 126 (1786)

Gaillardia bicolor Lam., Encycl. (Lamarck) 2: 590 (1788)

Gaillardia picta D.Don, Brit. Fl. Gard. 3: t. 267 (1834)

Gaillardia lobata Buckley, Proc. Acad. Nat. Sci. Philadelphia 459 (1861)

Gaillardia scabrosa Buckley, Proc. Acad. Nat. Sci. Philadelphia 459 (1861)

Galinsoga Ruiz & Pavone

***Galinsoga ciliata* (Raf.) S.F.Blake, Rhodora 24: 35 (1922) Int 털별꽃아재비**

***Galinsoga parviflora* Cav., Icon. (Cavanilles) 3: 41 (1796) Int 별꽃아재비**

Wiborgia acmella Roth, Catal. Bot. 2: 112 (1800)

Wiborgia parviflora (Cav.) Kunth, Nov. Gen. Sp. [Kunth] 4(17): 201 (1818)

Galinsoga hirsuta Baker, Rep. Thirsk Nat. Hist. Soc. 1861: 13 (1862)

Stemmatella sodiroi Hieron., Bot. Jahrb. Syst. 28: 601 (1901)

Gamochaeta Wedd.

***Gamochaeta calviceps* (Fernald) Cabrera, Bol. Soc. Argent. Bot. 9: 368 (1961) Nat; S Korea
선풀숨나물**

Gnaphalium retusum Poepp. ex DC., Prodr. (DC.) 6: 234 (1838)

Gnaphalium pamosum Gand., Bull. Soc. Bot. France 65: 42 (1918)

Gnaphalium calviceps Fernald, Rhodora 37: 449 (1935)

***Gamochaeta purpurea* (L.) Cabrera, Bol. Soc. Argent. Bot. 9: 377 (1961) Nat; S Korea
자주풀숨나물**

Gnaphalium purpureum L., Sp. Pl. 2: 854 (1753)

Gazania Gaertn.

***Gazania linearis* (Thunb.) Druce, Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917) Int
가는잎태양국**

Gorteria linearis Thunb., Prodr. Pl. Cap. 162 (1800)

Gazania longiscapa DC., Prodr. (DC.) 6: 513 (1838)

***Gazania rigens* (L.) Gaertn., Fruct. Sem. Pl. 2: 451 (1791) Int 태양국**

Othonna rigens L., Pl. Rar. Afr. 24 (1760)

Gazania pavonia R.Br., Hortus Kew. (ed. 2) 5 (1813)

Gazania leucolaena DC., Prodr. (DC.) 6: 509 (1838)

Gazania splendens Lem., Ill. Hort. 7: 235 (1860)

Gerbera Boehm.

***Gerbera jamesonii* Bolus ex Hook.f., Bot. Mag. 1889: t. 7087, 775 (1888) Int 거버라**

Gnaphalium Adans.

***Gnaphalium uliginosum* L., Sp. Pl. 2: 856 (1753) Nat; N Korea, S Korea 왜떡쭈**

Gnaphalium ramosum Lam., Fl. Franc. (Lamarck) 2: 65 (1779)

Gnaphalium uliginosum L. var. *lasiocarpum* Ledeb., Fl. Ross. (Ledeb.) 2: 609 (1845)

Gnaphalium uliginosum L. var. *leiocarpum* Ledeb., Fl. Ross. (Ledeb.) 2: 609 (1845)

Gnaphalium wirtgenii Nyman, Consp. Fl. Eur. 2: 382 (1879)

Gnaphalium tranzschelii Kirp. & Kuprian. ex Kirp., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 19: 352 (1959)

Gnaphalium kasachstanicum Kirp. & Kuprian. ex Kirp., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 20: 305 (1960)

Gnaphalium mandshuricum Kirp. & Kuprian. ex Kirp., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 20: 298 (1960)

Gnaphalium ruricolium H.S.Pak, Fl. Coreana (H.S.Park) 7: 380 (1999)

Helianthus L.

Helianthus annuus L., Sp. Pl. 2: 904 (1753) Int 해바라기

- Helianthus indicus* L., Mant. Pl. 1: 117 (1767)
- Helianthus platycephalus* Cass., Dict. Sci. Nat., ed. 2 20: 352 (1821)
- Helianthus ovatus* Lehm., Index Sem. (Hamburg) 16 (1828)
- Helianthus macrocarpus* DC., Mem. Soc. Phys. Geneve 7: 274 (1836)
- Helianthus aridus* Rydb., Bull. Torrey Bot. Club 32: 127 (1905)

Helianthus debilis Nutt., Trans. Amer. Philos. Soc. n.s. 7: 367 (1841) Int 애기해바라기

Helianthus tuberosus L., Sp. Pl. 905 (1753) Int 동란지

- Helianthus tomentosus* Michx., Fl. Bor.-Amer. (Michaux) 2: 141 (1803)
- Helianthus serotinus* Tausch, Flora 11: 504 (1828)
- Helianthus esculentus* Warsz., Allg. Gartenzeitung (Otto & Dietrich) 20: 293 (1852)
- Helianthus tuberosus* L. var. *subcanescens* A.Gray, Syn. Fl. N. Amer. 1 (2): 280 (1884)

Heliopsis Pers.

Heliopsis helianthoides (L.) Sweet, Hort. Brit. (Sweet) 487 (1827) Int 하늘바라기

Hemistepta Bunge

Hemistepta lyrata (Bunge) Bunge, Dorpater Jahrb. Litt. 1: 221 (1833) Nat: N Korea, S Korea 지칭개

- Serratula carthamoides* Buch.-Ham. ex Roxb., Hort. Bengal. 60 (1814)
- Cirsium lyratum* Bunge, Enum. Pl. Chin. Bor. 36 (1833)
- Saussurea affinis* Spreng. ex DC., Prodr. (DC.) 6: 539 (1838)
- Aplotaxis bungei* DC., Prodr. (DC.) 6: 539 (1838)
- Aplotaxis carthamoides* Ham. ex DC., Prodr. (DC.) 6: 539 (1838)
- Cnicus multicaulis* Wall. ex DC., Prodr. (DC.) 6: 540 (1838)
- Saussurea carthamoides* Buch.-Ham. ex DC., Prodr. (DC.) 6: 540 (1838)
- Saussurea stricta* Spreng. ex DC., Prodr. (DC.) 6: 540 (1838)
- Aplotaxis multicaulis* DC., Icon. Select. Pl. vol. 4, 4. t. 68 (1840)
- Haplotaxis australasica* F.Muell., Fragm. (Mueller) 1: 36 (1858)
- Haplotaxis bungei* (DC.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 255 (1875)
- Saussurea bungei* (DC.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 255 (1875)
- Hemistepta carthamoides* (DC.) Kuntze, Revis. Gen. Pl. 1: 344 (1891)

Hieracium L.

Hieracium caespitosum Dumort., Fl. Belg. (Dumortier) 62 (1827) Int 유럽조밥나물

- Hieracium pratense* Tausch, Flora 11(1, Ergänzungsbl.): 56 (1828)
- Hieracium dimorphum* Norrl., Not. Sallsk. Fauna Fl. Fenn. Forh. 8: 132 (1870)
- Hieracium altaicum* (Nägeli & Peter) Üksip, Fl. URSS 30: 598 (1960)
- Hieracium rawaruskanum* (Zahn) Czerep., Vasc. Pl. Russia & Adj. States 74 (1995)

Hieracium coreanum Nakai, Bot. Mag. (Tokyo) 29: 9 (1915) Nat: N Korea 결결이풀

- Crepis coreana* (Nakai) H.S.Pak, Fl. Coreana (H.S.Park) 7: 378 (1999)
- Crepis coreana* (Nakai) H.S.Pak f. *glabriuscula* H.S.Pak, Fl. Coreana (H.S.Park) 7: 384 (1999)

***Hieracium umbellatum* L., Sp. Pl. 804 (1753) Nat: N Korea, S Korea 조밥나물**

- Hieracium kalmii* L., Sp. Pl. 804 (1753)
Hieracium serotinum Host, Fl. Austriac. 2: 419 (1831)
Hieracium firmum Jord., Cat. Graines Jard. Dijon 1: 22 (1848)
Hieracium umbellatum L. var. *commune* Fr., Nova Acta Regiae Soc. Sci. Upsal. 14: 178 (1850)
Hieracium arrectum Boreau, Fl. Centre France ed. 3 2: 394 (1857)
Hieracium pervagum Jord. ex Boreau, Fl. Centre France ed. 3 2: 388 (1857)
Hieracium columbianum Rydb., Bull. Torrey Bot. Club 28: 513 (1901)
Hieracium sinense Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 502 (1903)
Hieracium umbellatum L. var. *serotinum* (DC.) Koidz., Bot. Mag. (Tokyo) 24: 95 (1910)
Hieracium umbellatum L. var. *linearifolium* (DC.) Matsum., Index Pl. Jap. 2 (2): 651 (1912)
Hieracium umbellatum L. var. *japonicum* H.Hara, Bot. Mag. (Tokyo) 52: 72 (1938)

Holeleion Kitam.

***Holeleion maximowiczii* Kitam., Acta Phytotax. Geobot. 10: 303 (1941) Nat: N Korea, S Korea 개목**

- Prenanthes fauriei* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 144 (1909)
Prenanthes graminifolia H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 144 (1909)
Hieracium holeleion (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 58 (1911)
Hieracium sparsum subsp. *holeleion* (Maxim.) Zahn, Pflanzenz. (Engler) 4: 1019 (1922)
Hieracium nakaii Kitag., Bot. Mag. (Tokyo) 50: 198, f. 2 (1936)
Holeleion fauriei (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 10: 304 (1941)
Hieracium fauriei (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 10: 225 (1941)
Prenanthes holeleion (Maxim.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 23 (1): 159 (1956)
Holeleion maximowiczii Kitam. var. *fauriei* (H.Lév. & Vaniot) Pak, Gen. Vasc. Pl. Korea 971 (2007)

Hypochaeris L.

***Hypochaeris ciliata* (Thunb.) Makino, Bot. Mag. (Tokyo) 22: 37 (1908) Nat: N Korea, S Korea 금혼초**

- Arnica ciliata* Thunb., Fl. Jap. (Thunberg) 318 (1784)
Achyrophorus aurantiacus DC., Prodr. (DC.) 7: 93 (1838)
Amblachanium aurantiacum Turcz. ex DC., Prodr. (DC.) 7: 94 (1838)
Hypochaeris aurantiaca Turcz. ex DC., Prodr. (DC.) 7: 94 (1838)
Oreophila sibirica C.A.Mey. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 95 (1838)
Achyrophorus grandiflorus Ledeb., Fl. Ross. (Ledeb.) 2: 777 (1844)
Achyrophorus ciliatus (Thunb.) Sch.Bip., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 1: 128 (1845)
Hypochaeris grandiflora (Ledeb.) Ledeb., Fl. Altaic. 4: 164 (1933)

***Hypochaeris radicata* L., Sp. Pl. 811 (1753) Int 서양금혼초**

Inula L.

***Inula britannica* L., Sp. Pl. 2: 882 (1753) Nat: N Korea, S Korea 금불초**

- Inula japonica* Thunb., Fl. Jap. (Thunberg) 318 (1784)
Inula linearifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 10-7: 154 (1837)
Inula chinensis Rupr. ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 149 (1859)

Inula britannica L. var. *chinensis* Regel, Tent. Fl.-Ussur. 84 (1861)
Inula britannica L. var. *linariifolia* (Turcz.) Regel, Tent. Fl.-Ussur. 85 (1861)
Inula britannica L. var. *japonica* (Thunb.) Franch. & Sav., Enum. Pl. Jap. 2 (2): 401 (1878)
Inula britannica L. var. *ramosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 626 (1907)
Inula japonica var. *linariifolia* Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 1240 (1931)
Inula britannica L. subsp. *japonica* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 263 (1937)
Inula britannica L. subsp. *linariifolia* (Turcz.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 265 (1937)

***Inula helenium* L., Sp. Pl. 2: 881 (1753) Int 목향**

Aster helenium (L.) Scop., Fl. Carniol., ed. 2 2: 171 (1772)
Helenium grandiflorum Gilib., Fl. Lit. Inch. 1: 204 (1782)
Corvisartia helenium (L.) Mérat, Nuov. Fl. Env. Paris 328 (1812)

***Inula salicina* L., Sp. Pl. 2: 882 (1753) Nat: N Korea, S Korea 버들금불초**

Inula involucrata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 171 (1866)
Inula salicina L. var. *genuina* Franch. & Sav., Enum. Pl. Jap. 1: 401 (1873)
Inula salicina L. var. *asiatica* Kitam., Acta Phytotax. Geobot. 2: 44 (1933)
Inula kitamuraana Tatew. ex Honda, Nom. Pl. Japonic. 360 (1939)
Inula salicina L. subsp. *asiatica* (Kitam.) Kitag., Lin. Fl. Manshur. 253 (1939)

***Ixeridium* A.Gray & Bobrov & Tzvelev**

***Ixeridium dentatum* (Thunb.) Tzvelev, Fl. URSS 29: 392 (1964) Nat: N Korea, S Korea 슝바귀**

Prenanthes dentata Thunb., Fl. Jap. (Thunberg) 301 (1784)
Chondrilla dentata (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2 328 (1811)
Youngia dentata (Thunb.) DC., Prodr. (DC.) 7: 193 (1838)
Ixeris thunbergii A.Gray, Narr. Exped. China Japan 2: 397 (1856)
Ixeris albiflora A.Gray, Mem. Amer. Acad. Arts 6: 397 (1859)
Lactuca thunbergii (A.Gray) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 530 (1874)
Lactuca thunbergii (A.Gray) Maxim. var. *flaviflora* Makino, Bot. Mag. (Tokyo) 12: 48 (1898)
Lactuca thunbergii (A.Gray) Maxim. var. *albiflora* Makino, Bot. Mag. (Tokyo) 12: 48 (1898)
Lactuca dentata (Thunb.) C.B.Rob., Philipp. J. Sci., C. 3: 218 (1908)
Lactuca dentata (Thunb.) C.B.Rob. var. *flaviflora* subvar. *thunbergii* (Maxim.) Makino, Bot. Mag. (Tokyo) 24: 75 (1910)
Lactuca dentata (Thunb.) C.B.Rob. var. *thunbergii* Makino, Bot. Mag. (Tokyo) 27: 29 (1913)
Ixeris dentata (Thunb.) Nakai, Fl. Sylv. Kor. 14: 114 (1923)
Ixeris dentata (Thunb.) Nakai var. *albiflora* (Makino) Nakai, Fl. Sylv. Kor. 14: 114 (1923)
Ixeris dentata (Thunb.) Nakai var. *lobata* Nakai, Fl. Sylv. Kor. 14: 114 (1923)
Ixeris dentata (Thunb.) Nakai var. *octoradiata* Nakai, Fl. Sylv. Kor. 14: 114 (1923)
Ixeris dentata (Thunb.) Nakai var. *atropurpurea* Nakai, Bot. Mag. (Tokyo) 42: 16 (1928)
Ixeris dentata (Thunb.) Nakai var. *octoradiata* f. *leucantha* Hara, J. Jap. Bot. 11: 435 (1934)
Ixeris dentata (Thunb.) Nakai subsp. *nikoensis* Kitam., Bot. Mag. (Tokyo) 49: 286 (1935)
Ixeris dentata (Thunb.) Nakai var. *amplifolia* Kitam., Bot. Mag. (Tokyo) 49: 285 (1935)
Ixeris dentata (Thunb.) Nakai var. *stolonifera* Nemoto, Fl. Jap. Suppl. 783 (1936)
Ixeris dentata (Thunb.) Nakai var. *amplifolia* f. *leucantha* (Hara) Kitam., Acta Phytotax.

Geobot. 6: 237 (1937)

Ixeris dentata (Thunb.) Nakai var. *leucantha* H.Hara, Bot. Mag. (Tokyo) 52: 121 (1938)

Ixeris dentata (Thunb.) Nakai subsp. *stolonifera* Kitam., Acta Phytotax. Geobot. 9: 116 (1940)

Ixeris dentata (Thunb.) Nakai var. *kiusiana* Nakai, J. Jap. Bot. 5: 135 (1950)

Ixeris dentata (Thunb.) Nakai f. *albiflora* H.Hara, Enum. Spermatophytarum Japon. 2: 214 (1952)

Ixeris dentata (Thunb.) Nakai f. *atropurpurea* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 2: 214 (1952)

Ixeridium dentatum (Thunb.) Tzvelev f. *albiflora* (Makino) H.Hara, Enum. Spermatophytarum Japon. 2: 214 (1952)

Ixeris dentata (Thunb.) Nakai f. *amplifolia* (Kitam.) Hiyama, J. Jap. Bot. 28: 217 (1953)

Ixeris F.Cuvier

***Ixeris chinensis* (Thunb.) Nakai, Bot. Mag. (Tokyo) 34: 152 (1920)** Nat: N Korea, S Korea

Prenanthes chinensis Thunb., Fl. Jap. (Thunberg) 301 (1784)

Chondrilla chinensis (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2 331 (1811)

Prenanthes graminea Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 67 (1812)

Crepis graminifolia Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 558 (1814)

Lagoseris versicolor Fisch. ex Link, Enum. Hort. Berol. Alt. 2: 289 (1822)

Barkhausia versicolor Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 651 (1826)

Prenanthes versicolor Fisch. ex Bunge, Enum. Pl. Chin. Bor. 40 (1833)

Lactuca chinensis Yamam. f. *graminea* Ling, Contr. Inst. Bot. Natl. Acad. Peiping 3: 192 (1835)

Youngia chinensis (Thunb.) DC., Prodr. (DC.) 7: 194 (1838)

Crepis versicolor (Fisch.) DC., Prodr. (DC.) 7: 151 (1838)

Lactuca fischeriana DC., Prodr. (DC.) 7: 135 (1838)

Ixeris versicolor Benth., Fl. Hongk. 198 (1861)

Lactuca versicolor Sch.Bip. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 43: 109 (1870)

Ixeris scaposa Freyn, Oesterr. Bot. Z. 40: 44 (1890)

Lactuca tamagawaensis Makino, Bot. Mag. (Tokyo) 6: 56 (1892)

Lactuca rubrolutea Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 317 (1903)

Lactuca strigosa H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 144 (1909)

Lactuca strigosa H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 114 (1909)

Lactuca hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 (1913)

Lactuca taitoensis Hayata, Icon. Pl. Formosan. 8: 76 (1919)

Lactuca flavissima Hayata, Icon. Pl. Formosan. 8: 78 (1919)

Lactuca lacerrima Hayata, Icon. Pl. Formosan. 8: 71 (1919)

Lactuca lacerrima Hayata f. *flavissima* (Hayata) Kitam., Acta Phytotax. Geobot. 1: 152 (1932)

Lactuca lacerrima Hayata var. *saxatilis* Kitam., Acta Phytotax. Geobot. 1: 152 (1932)

Ixeris chinensis (Thunb.) Nakai var. *purpurascens* (Freyn) Kitag., Bot. Mag. (Tokyo) 48: 114 (1934)

Ixeris chinensis (Thunb.) Nakai var. *saxatilis* (Kitam.) Kitam., Bot. Mag. (Tokyo) 49: 283 (1935)

Ixeris chinensis (Thunb.) Nakai subsp. *versicolor* (Fisch.) Kitam., Bot. Mag. (Tokyo) 49: 283 (1935)

Ixeris chinensis (Thunb.) Nakai subsp. *strigosa* (H.Lév. & Vaniot) Kitam., Bot. Mag. (Tokyo) 49: 283 (1935)

Ixeris chinensis (Thunb.) Nakai f. *taitoensis* (Hayata) Yamam., J. Soc. Trop. Agric. 8: 352 (1936)

Ixeris chinensis (Thunb.) Nakai f. *lacerrima* (Hayata) Yamam., J. Soc. Trop. Agric. 8: 351 (1936)

Lactuca chinensis Yamam., J. Soc. Trop. Agric. 8: 351 (1936)
Ixeris graminifolia Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 95 (1936)
Ixeris chinensis (Thunb.) Nakai subsp. *chrysantha* (Freyn) Kitag., Lin. Fl. Manshur. 453 (1939)
Ixeris chinensis (Thunb.) Nakai subsp. *graminifolia* Kitag., Lin. Fl. Manshur. 453 (1939)
Ixeris chinensis (Thunb.) Nakai subsp. *versicolor* var. *intermedia* Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 87 (1940)
Ixeris tamagawaensis Kitam., Acta Phytotax. Geobot. 10: 24 (1941)
Ixeris chinensis (Thunb.) Nakai var. *strigosa* (H.Lév. & Vaniot) Ohwi, Fl. Jap. (Ohwi) 1246 (1953)
Ixeris lacerrima (Hayata) Kitag., J. Jap. Bot. 36: 277 (1961)
Ixeris chinensis (Thunb.) Nakai subsp. *hallaisanensis* (H.Lév.) Kitag., J. Jap. Bot. 36: 244 (1961)
Ixeris chinensis (Thunb.) Nakai subsp. *versicolor* f. *strigosa* (H.Lév. & Vaniot) Kitag., J. Jap. Bot. 36: 244 (1961)
Ixeridium gramineum (Fisch.) Tzvelev, Fl. URSS 29: 391 (1964)
Ixeridium strigosa (H.Lév. & Vaniot) Tzvelev, Fl. URSS 29: 390 (1964)
Ixeris strigosa (H.Lév. & Vaniot) Pak & Kawano, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 15: 34 (1992)

***Ixeris debilis* (Thunb.) A.Gray, Mem. Amer. Acad. Arts 6: 397 (1859) Nat; N Korea, S Korea
별음썸바귀**

Prenanthes debilis Thunb., Fl. Jap. (Thunberg) 300 (1784)
Chondrilla debilis (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2: 332 (1811)
Youngia debilis (Thunb.) DC., Prodr. (DC.) 7: 194 (1838)
Lactuca debilis (Thunb.) Benth. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 365 (1874)
Lactuca debilis (Thunb.) Benth. ex Maxim. f. *sinuata* (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 1: 349 (1891)
Ixeris japonica (Burm.f.) Nakai f. *dissecta* Nakai, Bot. Mag. (Tokyo) 40: 576 (1926)

***Ixeris polycephala* Cass., Dict. Sci. Nat., ed. 2 1: 50 (1822) Nat; N Korea, S Korea 별썸바귀**

Lactuca polycephala (Cass.) Benth., Gen. Pl. (Bentham & Hooker) 2: 526 (1873)
Lactuca matsumurae Makino, Bot. Mag. (Tokyo) 6: 56 (1892)
Lactuca biauriculata H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 143 (1909)
Lactuca matsumurae Makino var. *dissecta* Makino, Bot. Mag. (Tokyo) 24: 252 (1910)
Ixeris matsumurae (Makino) Nakai, Bot. Mag. (Tokyo) 34: 153 (1920)
Ixeris polycephala Cass. var. *dissecta* (Makino) Nakai, Bot. Mag. (Tokyo) 34: 265 (1920)
Crepis bonii Gagnep., Bull. Soc. Bot. France 68: 47 (1921)
Ixeris polycephala Cass. f. *dissecta* (Makino) Ohwi, Fl. Jap. (Ohwi) 1246 (1953)
Ixeris dissecta (Makino) C. Shih, Acta Phytotax. Sin. 31: 536 (1993)

***Ixeris repens* (L.) A.Gray, Mem. Amer. Acad. Arts 6: 397 (1859) Nat; N Korea, S Korea
갯썸바귀**

Prenanthes repens L., Sp. Pl. 798 (1753)
Chorisis repens (L.) DC., Prodr. (DC.) 7: 178 (1838)
Nabulus repens (L.) Ledeb., Fl. Ross. (Ledeb.) 2: 840 (1846)
Lactuca repens (L.) Benth. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 364 (1874)

***Ixeris stolonifera* A.Gray, Mem. Amer. Acad. Arts 6: 396 (1859) Nat; N Korea, S Korea
썸썸바귀**

Lactuca stolonifera (A.Gray) Benth. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 364 (1874)
Lactuca nummularifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 421 (1910)
Lactuca stolonifera (A.Gray) Benth. ex Maxim. var. *sinuata* Makino, J. Jap. Bot. 3: 42 (1926)
Ixeris capillaris Nakai, Report. Veget. Kamikochi 41 (1928)
Ixeris stolonifera A.Gray subsp. *capillaris* (Nakai) Kitam., Bot. Mag. (Tokyo) 49: 287 (1935)
Ixeris stolonifera A.Gray f. *capillaris* (Nakai) Ohwi, Fl. Jap. (Ohwi) 1246 (1953)
Ixeris stolonifera A.Gray f. *sinuata* (Makino) Ohwi, Fl. Jap. (Ohwi) 1246 (1953)

Klasea F.Cuvier

***Klasea centauroides* subsp. *komarovii* (Iljin) L.Martins, Bot. J. Linn. Soc. 152: 457 (2006)**

Nat: N Korea, S Korea 잔잎산비장이

Serratula hayatae Nakai, Bot. Mag. (Tokyo) 25: 56 (1911)
Serratula komarovii Iljin, Izv. Glavn. Bot. Sada SSSR 27: 89 (1928)
Serratula hsinganensis Kitag., Bot. Mag. (Tokyo) 48: 910 (1934)
Klasea hayatae (Nakai) Kitag., J. Jap. Bot. 21: 140 (1947)
Klasea nishimurana (Kitag.) Kitag., Neolin. Fl. Manshur. 655 (1979)
Serratula nishimurana Kitag., Neolin. Fl. Manshur. 655 (1979)

Lactuca L.

***Lactuca indica* L., Mant. Pl. 2: 278 (1771)** Nat: N Korea, S Korea 왕고들빼기

Prenanthes laciniata Houtt., Handl. Pl.-Kruiddk. 10: 381 (1779)
Chondrilla squarrosa (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2 232 (1811)
Lactuca mauritiana Poir., Encycl. (Lamarck) Suppl. 3 292 (1813)
Lactuca brevirostris Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 237 (1852)
Lactuca bialata Griff., Not. Pl. Asiat. 4: 246 (1854)
Lactuca amurensis Regel & Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 42 (1857)
Prenanthes squarrosa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 189 (1866)
Lactuca laciniata (Houtt.) Makino f. *indivisa* Makino, Bot. Mag. (Tokyo) 17: 88 (1903)
Lactuca laciniata (Houtt.) Makino, Bot. Mag. (Tokyo) 17: 88 (1903)
Lactuca cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 53: 450 (1910)
Lactuca kouyangensis H.Lév., Repert. Spec. Nov. Regni Veg. 8: 450 (1910)
Lactuca dracoglossa Makino, J. Jap. Bot. 7: 23 (1931)
Lactuca indica L. var. *indivisa* (Makino) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 201 (1934)
Lactuca squarrosa f. *indivisa* (Makino) Honda, Nom. Pl. Japonic. 509 (1939)
Lactuca indica L. f. *indivisa* (Maxim.) H.Hara, Enum. Spermatophytarum Japon. 2: 220 (1952)
Lactuca indica L. var. *laciniata* (Houtt.) H.Hara, Enum. Spermatophytarum Japon. 2: 220 (1952)
Prenanthes indica (L.) C.Shih, Acta Phytotax. Sin. 26: 387 (1988)
Pterocypselia indivisa (Makino) H.S.Pak, Fl. Coreana (H.S.Park) 7: 349 (1999)

***Lactuca raddeana* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 526 (1874)** Nat: N Korea, S Korea 산쭈바귀

Lactuca elata Hemsl., J. Linn. Soc., Bot. 23: 481 (1888)
Lactuca nakaiana H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 141 (1910)
Lactuca alliariifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 141 (1910)
Prenanthes hieraciifolia H.Lév., Repert. Spec. Nov. Regni Veg. 11: 305 (1912)
Lactuca vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 (1913)

Lactuca raddeana Maxim. var. *elata* (Hemsl.) Kitam., J. Jap. Bot. 21: 52 (1947)
Pterocypsela raddeana (Maxim.) C. Shih, Acta Phytotax. Sin. 26: 386 (1988)
Pterocypsela elata (Hemsl.) C. Shih, Acta Phytotax. Sin. 26: 385 (1988)

***Lactuca sativa* L., Sp. Pl. 759 (1753) Int 상추**

Lactuca scariola L. var. *sativa* (L.) Moris, Fl. Sardoia 2: 531 (1843)

***Lactuca serriola* L., Cent. Pl. II 2: 29 (1756) Int 가시상추**

Lactuca scariola L., Sp. Pl. (ed. 2) 2: 1119 (1763)

Lactuca altaica Fisch. & C. A. Mey., Index Seminum [St. Petersburg (Petropolitanus)] 11: 73 (1846)

***Lactuca sibirica* (L.) Benth. ex Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 528 (1874) Nat: N Korea 자주방가지뚱**

Sonchus sibiricus L., Sp. Pl. 2: 795 (1753)

Mulgedium sibiricum (L.) Less., Syn. Gen. Compos. 142 (1832)

Mulgedium kamtschaticum Ledeb., Denkschr. Bayer. Bot. Ges. Regensburg 3: 65 (1841)

Lagedium sibiricum (L.) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 34 (1961)

***Lactuca triangulata* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 177 (1859) Nat: N Korea, S Korea 두메고들빼기**

Pterocypsela triangulata (Maxim.) C. Shih, Acta Phytotax. Sin. 26: 386 (1988)

Lapsana L.

***Lapsana communis* L., Sp. Pl. 811 (1753) Int 서양개보리쟁이**

Lapsana pubescens Hornem., Suppl. Hort. Bot. Hafn. 91 (1819)

Lapsana glandulosa Freyn & Sint., Oesterr. Bot. Z. 42: 266 (1892)

Lapsanastrum Pak & K. Bremer

***Lapsanastrum apogonoides* (Maxim.) Pak & K. Bremer, Taxon 44: 19 (1995) Nat: S Korea 개보리쟁이**

Lapsana apogonoides Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 288 (1873)

***Lapsanastrum humile* (Thunb.) Pak & K. Bremer, Taxon 44: 19 (1995) Nat: S Korea 그늘보리쟁이**

Prenanthes humilis Thunb., Syst. Veg., ed. 14 (J. A. Murray) 715 (1784)

Youngia humilis (Thunb.) DC., Prodr. (DC.) 7: 194 (1838)

Lapsana parviflora A. Gray, Mem. Amer. Acad. Arts n.s. 6: 396 (1859)

Lapsana humilis (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 87 (1903)

Lapsana musashiensis Hiyama, J. Jap. Bot. 26: 224 (1951)

Leibnitzia Cass.

***Leibnitzia anandria* (L.) Turcz., Ukaz. Otkryt. 8(1, 3): 404 (1831) Nat: N Korea, S Korea 솜나물**

Tussilago anandria L., Sp. Pl. 2: 865 (1753)

Perdicium tomentosum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 769 (1784)

Gerbera anandria (L.) Sch. Bip., Flora 27-2: 782 (1844)

Leontodon L.

Leontodon erythrospermum (Britton) Andr. ex Besser, Enum. Pl. (Besser) 75 (1821)

Int 붉은씨서양민들레

Taraxacum laevigatum (Willd.) DC., Cat. Pl. Horti Monsp. 1: 149 (1813)

Taraxacum scanicum Dahlst., Ark. Bot. 10(11): 21 (1911)

Taraxacum tauricum Kotov, Fl. URSS 29: 499, 736 (1964)

Leontopodium R.Br.

Leontopodium coreanum Nakai, Bot. Mag. (Tokyo) 31: 109 (1917) Nat; N Korea, S Korea

솜다리

Leontopodium leiolepis Nakai, Icon. Pl. Koisikav 4: 75, t. 250 (1920)

Leontopodium hallaisanense Hand.-Mazz., Beih. Bot. Centralbl. 44: 72 (1928)

Leontopodium leiolepis Nakai var. *curvicollum* H.S.Pak, Fl. Coreana (H.S.Park) 7: 382 (1999)

Leontopodium leiolepis Nakai var. *crinulosum* H.S.Pak, Fl. Coreana (H.S.Park) 7: 382 (1999)

Leontopodium japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 178 (1866) Nat; N Korea, S Korea 왜솜다리

Gnaphalium sieboldianum Franch. & Sav., Enum. Pl. Jap. 1: 241 (1875)

Leontopodium leontopodioides (Willd.) Beauverd, Bull. Soc. Bot. Genève ser.2, 1: 371 (1909)

Nat; N Korea, S Korea 들떡쑥

Filago leontopodioides Willd., Phytographia 12 (1794)

Gnaphalium leontopodioides (Willd.) Willd., Sp. Pl. (ed. 4) 3: 1893 (1803)

Leontopodium sibiricum Cass., Dict. Sci. Nat., ed. 2 25: 475 (1822)

Gnaphalium leontopodium var. *sibiricum* Franch., Bull. Soc. Bot. France 39: 131 (1892)

Leontopodium alpinum var. *depauperatum* Beauverd, Bull. Soc. Bot. Genève ser.2, 1: 196 (1909)

Leontopodium alpinum f. *gracile* Beauverd, Bull. Soc. Bot. Genève ser.2, 1: 376 (1909)

Leontopodium leontopodioides (Willd.) Beauverd var. *humile* Beauverd, Bull. Soc. Bot. Genève ser.2, 4: 19 (1912)

Antennaria leontopodioides (Willd.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 112 (1952)

Leucanthemella Tzvelev & Schischk. & Bobrov

Leucanthemella linearis (Matsum.) Tzvelev, Fl. URSS 26: 139 (1961) Nat; N Korea, S Korea

키큰산국

Chrysanthemum lineare Matsum., Bot. Mag. (Tokyo) 13: 83 (1899)

Chrysanthemum lineare Matsum. var. *manshuricum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 822 (1907)

Tanacetum lineare (Matsum.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 350 (1940)

Leucanthemum lineare (Matsum.) Vorosch., Byull. Glavn. Bot. Sada 49: 58 (1963)

Leucanthemum Burm. ex Kuntze

Leucanthemum vulgare Lam., Fl. Franc. (Lamarck) 2 (1778) Int 불란서국화

Chrysanthemum leucanthemum L., Sp. Pl. 888 (1753)

Chrysanthemum pratense Salisb., Prodr. Stirp. Chap. Allerton 203 (1796)

Chrysanthemum lacustre Brot., Fl. Lusit. 1: 379 (1804)
Chrysanthemum sylvestre Willd., Enum. Pl. Suppl. (Willdenow) 60 (1814)

Ligularia Cass.

***Ligularia fischeri* (Ledeb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 95 (1838) Nat: N Korea, S Korea** **곰취**

Cineraria fischeri Ledeb., Index Sem. (Dorpat) 17 (1820)
Cineraria speciosa Schrad. ex Link, Enum. Hort. Berol. Alt. 2: 334 (1822)
Ligularia racemosa DC., Prodr. (DC.) 6: 314 (1838)
Ligularia speciosa (Schrad. ex Link) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 5: 38 (1839)
Senecio ligularia Hook.f., Fl. Brit. Ind. 3: 349 (1881)
Senecio splendens H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 139 (1910)
Senecillis fischerii (Ledeb.) Kitam., Acta Phytotax. Geobot. 8: 82 (1939)
Ligularia fischeri (Ledeb.) Turcz. var. *spiciformis* Nakai, J. Jap. Bot. 20: 138 (1943)
Ligularia glabrescens Vorosch., Byull. Glavn. Bot. Sada 60: 41 (1965)

***Ligularia intermedia* Nakai, Bot. Mag. (Tokyo) 31: 125 (1917) Nat: N Korea** **어리곤달비**

Ligularia sibirica var. *stenoloba* Diels, Bot. Jahrb. Syst. 29: 621 (1901)
Ligularia intermedia Nakai var. *stenopetala* Nakai, Bot. Mag. (Tokyo) 40: 579 (1926)
Ligularia sinica Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 95 (1936)
Senecillis intermedia (Nakai) Kitam., Acta Phytotax. Geobot. 8: 82 (1939)

***Ligularia jaluensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 420 (1901) Nat: N Korea** **긴잎곰취**

Ligularia jaluensis Kom. var. *rumicifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 696 (1907)
Ligularia deltoidea Nakai, Bot. Mag. (Tokyo) 31: 126 (1917)
Ligularia pulchra Nakai, Bot. Mag. (Tokyo) 31: 126 (1917)
Senecillis jaluensis Kitam., Acta Phytotax. Geobot. 8: 82 (1939)
Ligularia leucocoma Nakai, J. Jap. Bot. 20: 139 (1944)

***Ligularia jamesii* (Hemsl.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 697 (1907) Nat: N Korea** **화살곰취**

Senecio jamesii Hemsl., J. Linn. Soc., Bot. 23: 453 (1888)
Senecillis jamesii (Hemsl.) Kitam., Acta Phytotax. Geobot. 8: 82 (1939)

***Ligularia japonica* (Thunb.) Less., Syn. Gen. Compos. 390 (1832) Nat: N Korea** **무산곰취**

Arnica japonica Thunb., Fl. Jap. (Thunberg) 319 (1784)
Senecio japonica (Thunb.) Sch.Bip., Flora 28: 50 (1845)
Erythrochaete palmatifida Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 188 (1846)
Senecio macranthus C.B.Clarke, Compos. Ind. 205 (1876)
Senecio palmatifidus (Siebold & Zucc.) Wittr. & Juel, Acta Horti Berg. 1: 86 (1891)
Ligularia coreana Nakai, Bot. Mag. (Tokyo) 29: 10 (1915)
Senecio japonicus Thunb. var. *scaberrimus* Hayata, Icon. Pl. Formosan. 6: 40 (1916)
Ligularia japonica (Thunb.) Less. var. *scaberrima* (Hayata) Hayata, Icon. Pl. Formosan. 8: 63 (1919)
Senecillis japonica (Thunb.) Kitam., Acta Phytotax. Geobot. 8: 83 (1939)

***Ligularia mongolica* (Turcz.) DC., Prodr. (DC.) 6: 315 (1837) Nat: S Korea** **갯취**

Cineraria mongolica Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 199 (1832)
Senecio putjatae C.Winkl., Trudy Imp. S.-Peterburgsk. Bot. Sada 14: 125 (1895)
Senecio taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 139 (1910)
Ligularia taquetii (H.Lév. & Vaniot) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho
[Fl. Quelpaert Isl.] 90 (1914)
Ligularia putjatae (C.Winkl.) Hand.-Mazz., Bot. Jahrb. Syst. Ixix : 120 (1938)
Senecillis mongolica (Turcz.) Kitam., Acta Phytotax. Geobot. 8: 84 (1939)
Ligularia mongolica (Turcz.) DC. var. *taquetii* (H.Lév. & Vaniot) H.Koyama, Mem. Fac.
Sci. Kyoto Univ., Ser. Biol. 2: 50 (1968)

***Ligularia schmidtii* (Maxim.) Makino, Bot. Mag. (Tokyo) 17: 191 (1903) Nat: N Korea**
개담배

Senecillis schmidtii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 16: 222 (1871)
Senecio schmidtii (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 246 (1875)
Cyathocephalum schmidtii (Maxim.) Nakai, Bot. Mag. (Tokyo) 29: 11 (1915)

***Ligularia stenocephala* (Maxim.) Matsum. & Koidz., Bot. Mag. (Tokyo) 24: 149 (1910) Nat:**
N Korea, S Korea 관달비

Senecio stenocephala Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 16: 218 (1871)
Ligularia stenocephala f. *quinquebracteata* Yamam., Icon. Pl. Formosan. Suppl. 4: 24 (1928)

Matricaria L.

***Matricaria chamomilla* L., Sp. Pl. 891 (1753) Int 카밀레**

Matricaria courrantiana DC., Prodr. (DC.) 6: 52 (1838)
Chamomilla officinalis K.Koch, Linnaea 17: 45 (1843)
Matricaria bayeri Kanitz, Magyar Tud. Akad. Ert. 321 (1862)
Chamaemelum vulgare Bubani, Fl. Pyren. 2: 225 (1899)

***Matricaria matricarioides* (Less.) Porter, Mem. Torrey Bot. Club 5: 341 (1894) Nat: N Korea,**
S Korea 족제비쑥

Artemisia matricarioides Less., Linnaea 6: 210 (1831)
Matricaria discoidea DC., Prodr. (DC.) 6: 50 (1838)
Matricaria suaveolens Buchenau, Fl. Nordwestdeut. Tiefebene 496 (1894)

Parasenecio W.W.Sm. & Small

***Parasenecio adenostyloides* (Franch. & Sav. ex Maxim.) H.Koyama, Fl. Jap. (Iwatsuki et al.,
eds.) 3b: 50 (1995) Nat: N Korea 계박취나물**

Senecio adenostyloides Franch. & Sav. ex Maxim., Bull. Acad. Imp. Sci. Saint-
Pétersbourg 19: 486 (1874)
Cacalia adenostyloides (Franch. & Sav.) Matsum. & Koidz., Bot. Mag. (Tokyo) 24: 152
(1910)

***Parasenecio auriculatus* (DC.) J.R.Grant, Novon 3(2): 154 (1993) Nat: N Korea 귀박취나물**

Cacalia auriculata DC., Prodr. (DC.) 6: 329 (1838)
Senecio dahuricus Sch.Bip., Flora 28: 499 (1845)
Senecio dahuricus Sch.Bip. var. *kamtschatica* Maxim., Bull. Acad. Imp. Sci. Saint-
Pétersbourg 19: 486 (1874)
Cacalia auriculata DC. var. *ochotensis* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot.
Sada 25: 688 (1907)
Cacalia auriculata DC. var. *alata* Nakai, Rep. Veg. Mt. Waigalbon 73 (1916)
Cacalia kamtschatica (Maxim.) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 12: 60 (1923)

Parasenecio auriculatus (DC.) J.R.Grant var. *kamtschatica* (Maxim.) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 50 (1995)

***Parasenecio firmus* (Kom.) Y.L.Chen, Fl. Reipubl. Popularis Sin. 77: 26 (1999) Nat: N Korea, S Korea 병풍삼**

Cacalia firma Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 420 (1901)
Cacalia pseudotaïmingasa Nakai, Bot. Mag. (Tokyo) 29: 8 (1915)
Miricacalia firma (Kom.) Nakai, J. Jap. Bot. 14: 642 (1938)
Miricacalia pseudotaïmingasa (Nakai) Nakai, J. Jap. Bot. 14: 643 (1938)
Koyamacalia firma (Kom.) Robins & Brettell, Phytologia 27: 272 (1973)
Parasenecio pseudotaïmingasa (Nakai) B.U.Oh, Endemic Vascular Plants in the Korean Peninsula 74 (2005)

***Parasenecio hastatus* (L.) H.Koyama, Sp. Pl. 835 (1753) Nat: N Korea 털박쥐나물**

Cacalia hastata L. subsp. *orientalis* Kitam., Acta Phytotax. Geobot. 7: 244 (1938)
Cacalia hastata L. var. *orientalis* (Kitam.) Ohwi, Fl. Jap. (Ohwi) 1177 (1953)
Parasenecio hastatus (L.) H.Koyama subsp. *orientalis* (Kitam.) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 52 (1995)
Parasenecio hastatus (L.) H.Koyama var. *ramosa* (Kitam.) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 52 (1995)

Parthenium L.

***Parthenium hysterophorus* L., Sp. Pl. 988 (1753) Int 돼지풀아재비**

Argyrochaeta bipinnatifida Cav., Icon. (Cavanilles) IV, 54, 1: 378 (1791)
Parthenium lobatum Buckley, Proc. Acad. Nat. Sci. Philadelphia 1861: 457 (1862)
Echetrosis pentasperma Phil., Anales Univ. Chile 129 (1873)
Parthenium glomeratum Rollins, Contr. Gray Herb. 172: 59 (1950)

Petasites Mill.

***Petasites japonicus* (Siebold & Zucc.) Maxim., Award 34th Demidovian Prize 1: 212 (1866) Nat: N Korea, S Korea 머위**

Nardosmia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 181 (1846)
Petasites albus A.Gray, Narr. Exped. China Japan 2: 314 (1857)
Petasites spurius Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 168 (1866)
Petasites liukiensis Kitam., Acta Phytotax. Geobot. 2: 178 (1933)

***Petasites rubellus* (J.F.Gmel.) M.Toman, Folia Geobot. Phytotax. 7: 391 (1972) Nat: N Korea 개머위**

Tussilago rubella J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 1225 (1792)
Nardosmia saxatilis Turcz., Bull. Soc. Imp. Naturalistes Moscou 1: 94 (1838)
Petasites saxatilis (Turcz.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 684 (1907)

Picris L.

***Picris hieracioides* subsp. *japonica* (Thunb.) Hand.-Mazz., Symb. Sin. 7: 1177 (1936) Nat: N Korea, S Korea 쇠서나물**

Picris japonica Thunb., Fl. Jap. (Thunberg) 299 (1784)
Picris davurica Fisch. ex Hornem., Suppl. Hort. Bot. Hafn. 155 (1819)
Picris mairei H.Lév., Bull. Acad. Int. Géogr. Bot. 25: 14 (1915)
Picris kaimaensis Kitam., Acta Phytotax. Geobot. 2: 45 (1933)

Picris japonica var. *koreana* Kitam., Acta Phytotax. Geobot. 2: 46 (1933)
Picris hieracioides subsp. *kaimaensis* (Kitam.) Kitam., Acta Phytotax. Geobot. 8: 127 (1939)
Picris koreana (Kitam.) Vorosch., Byull. Glavn. Bot. Sada 49: 58 (1963)

Prenanthes L.

***Prenanthes ochroleuca* (Maxim.) Hemsl., J. Linn. Soc., Bot. 23: 486 (1888) Nat; S Korea 왕씀배**

Nabalus ochroleuca Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 376 (1871)
Lactuca ochroleuca (Maxim.) Franch., J. Bot. (Morot) 9: 293 (1895)
Lactuca blinii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 (1913)
Prenanthes maximowiczii Kirp., Fl. URSS 29: 269 (1964)
Prenanthes blinii (H.Lév.) Kitag., J. Jap. Bot. 45: 125 (1970)

***Prenanthes tatarinowii* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 474 (1859) Nat; N Korea 개씀배**

Lactuca tatarinowii (Maxim.) Franch., J. Bot. (Morot) 4: 293 (1895)
Nabalus tatarinowii (Maxim.) Nakai, Fl. Sylv. Kor. 14: 116 (1923)
Prenanthes pyramidalis C.Shih, Acta Phytotax. Sin. 25: 191 (1987)

Pseudognaphalium Kirp. & Kuprian.

***Pseudognaphalium affine* (D.Don) Anderb., Opera Bot. 104: 146 (1991) Nat; N Korea, S Korea 떡쭉**

Gnaphalium affine D.Don, Prodr. Fl. Nepal. 173 (1825)
Gnaphalium multiceps Wall. ex DC., Prodr. (DC.) 6: 222 (1837)
Gnaphalium javanicum DC., Prodr. (DC.) 6: 222 (1838)
Gnaphalium ramigerum DC., Prodr. (DC.) 6: 222 (1838)
Gnaphalium luteoalbum L. var. *multiceps* (Wall. ex DC.) Hook.f., Fl. Brit. Ind. 3: 288 (1881)
Gnaphalium luteoalbum L. var. *affine* (D.Don) Kuntze, Revis. Gen. Pl. 1: 340 (1891)
Gnaphalium luteoalbum L. subsp. *affine* (D.Don) J.Kost., Blumea 4: 484 (1941)
Pseudognaphalium luteoalbum subsp. *affine* (D.Don) Hilliard & B.L.Burtt, Bot. J. Linn. Soc. 82: 206 (1981)

***Pseudognaphalium hypoleucum* (DC.) Hilliard & B.L.Burtt, Bot. J. Linn. Soc. 82: 205 (1981) Nat; N Korea, S Korea 금떡쭉**

Gnaphalium hypoleucum DC., Contr. Bot. India 21 (1834)
Gnaphalium confertum Benth., London J. Bot. 1: 488 (1842)

Rhynchospermum Lindl.

***Rhynchospermum verticillatum* Reinw., Syll. Pl. Nov. 2: 8 (1828) Nat; S Korea 추분취**

Leptocoma racemosa Less., Linnæa 6: 130 (1831)
Zollingeria scandens Sch.Bip., Flora 37: 275 (1854)
Carpesium scandens Schult.f. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 172 (1866)

Rudbeckia Adans.

***Rudbeckia amplexicaulis* Vahl, Skr. Naturhist.-Selsk. 2, 2: 29, t. 4 (1793) Int 천인국아재비**

Dracopis amplexicaulis Cass., Prodr. (DC.) 5: 558 (1836)

Rudbeckia bicolor Nutt., J. Acad. Nat. Sci. Philadelphia 7: 81 (1834) Int 원추천인국

Rudbeckia laciniata L., Sp. Pl. 2: 906 (1753) Int 삼잎국화

Rudbeckia digitata Mill., Gard. Dict., ed. 8 n. 6 (1768)

Rudbeckia laciniata L. var. *hortensis* Bailey, Man. Cult. Pl. 765 (1924)

Saussurea DC.

Saussurea amurensis Turcz. ex DC., Prodr. (DC.) 6: 534 (1838) Nat: N Korea 머들취

Saussurea denticulata Ledeb., Icon. Pl. (Ledebour) 1: 18 (1829)

Saussurea odontophylla Freyn, Oesterr. Bot. Z. 52: 282 (1902)

Saussurea stenophylla Freyn, Oesterr. Bot. Z. 52, 7: 280 (1902)

Saussurea amurensis Turcz. ex DC. var. *stenophylla* (Freyn) Nakai, Bot. Mag. (Tokyo) 45: 513 (1931)

Saussurea amurensis Turcz. ex DC. subsp. *stenophylla* (Freyn) Kitam., Acta Phytotax. Geobot. 4: 6 (1935)

Saussurea calcicola Nakai, Bot. Mag. (Tokyo) 45: 513 (1931) Nat: N Korea, S Korea.

Endemic 사창분취

Saussurea chabyoungsanica Im, J. Pl. Biol. 40: 288 (1997) Nat: S Korea 자병취

Saussurea chinampoensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 145 (1909) Nat: N Korea 남포분취

Saussurea peipingensis F.H.Chen, Bull. Fan Mem. Inst. Biol. Bot. 5: 87 (1934)

Theodorea chinampoensis (H.Lév. & Vaniot) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 1962: 49 (1962)

Saussurea diamantica Nakai, Bot. Mag. (Tokyo) 23: 185 (1909) Nat: N Korea, S Korea 금강분취

Saussurea diamantica Nakai var. *longifolia* Nakai, Bot. Mag. (Tokyo) 29: 196 (1915)

Saussurea rorinsanensis Nakai, Bot. Mag. (Tokyo) 36: 72 (1922)

Saussurea grandicapitula W.T.Lee & Im, Korean J. Pl. Taxon. 37: 389 (1997)

Saussurea eriophylla Nakai, Bot. Mag. (Tokyo) 11: 35 (1913) Nat: N Korea, S Korea 숨분취

Saussurea gracilis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 518-519 (1874) Nat: N Korea, S Korea 은분취

Saussurea bisolor H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 145 (1909)

Saussurea insularis Kitam., Acta Phytotax. Geobot. 4: 75 (1935)

Saussurea grandifolia Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 169 (1859) Nat: N Korea, S Korea 서덜취

Saussurea grandifolia Maxim. var. *asperifolia* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 16 (1868)

Saussurea grandifolia Maxim. var. *coarctata* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 16 (1868)

Saussurea grandifolia Maxim. var. *genuina* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 16 (1868)

Saussurea grandifolia Maxim. var. *tenuior* Herder, Bull. Soc. Imp. Naturalistes Moscou 41 (2): 16 (1869)

Saussurea grandifolia Maxim. var. *microcephala* Nakai, Bot. Mag. (Tokyo) 29: 204 (1915)

Saussurea nomurae Kitam., Acta Phytotax. Geobot. 4: 77 (1935)
Saussurea coarctata (Herder) Kitam., Iconogr. Pl. Asiae Orient. 5, 1: 461, tab. CXLII (1950)

***Saussurea japonica* (Thunb.) DC., Ann. Mus. Natl. Hist. Nat. 16: 203, t. 13 (1810) Nat: N Korea, S Korea 큰각시취**

Serratula japonica Thunb., Fl. Jap. (Thunberg) 305 (1784)
Saussurea chinensis Sch.Bip., Flora 35, 3: 48 (1852)
Saussurea linearis Champ. & Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 235 (1852)
Saussurea pulchella (Fisch.) Fisch. ex Colla var. *japonica* (Thunb.) Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 51 (1868)
Saussurea intermedia Freyn, Oesterr. Bot. Z. 52, 7: 280 (1902)
Saussurea taquetii H.Lév. & Vaniot var. *paniculata* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 8: 169 (1910)
Saussurea taquetii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 8: 169 (1910)
Saussurea pulchella (Fisch.) Fisch. ex Colla var. *albiflora* (Kitam.) Nemoto, Fl. Jap. Suppl. 800 (1936)
Saussurea pulchella (Fisch.) Fisch. ex Colla f. *albiflora* (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 145 (1937)
Saussurea japonica (Thunb.) DC. var. *albiflora* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 145 (1937)
Saussurea japonica (Thunb.) DC. var. *maritima* Kitag., J. Jap. Bot. 25, 3-4: 41 (1950)

***Saussurea komaroviana* Lipsch., Novosti Sist. Vyssh. Rast. 8: 249 (1971) Nat: N Korea 비단분취**

Saussurea saxatilis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 422 (1901)
Saussurea gigantifolia H.S.Pak & Y.P.Hong, Fl. Coreana (H.S.Park) 7: 86 (1999)

***Saussurea macrolepis* (Nakai) Kitam., Acta Phytotax. Geobot. 2: 180 (1933) Nat: S Korea 각시서덜취**

Saussurea grandifolia Maxim. var. *nipponica* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 43 (1911)
Saussurea grandifolia Maxim. var. *macrolepis* Nakai, Bot. Mag. (Tokyo) 29: 204 (1915)
Saussurea nipponica Miq. var. *macrolepis* (Nakai) Nakai, Bot. Mag. (Tokyo) 45: 517 (1931)
Saussurea pennata Koidz. subsp. *macrolepis* (Nakai) Kitam., Acta Phytotax. Geobot. 2: 180 (1933)

***Saussurea manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18, 3: 424 (1901) Nat: N Korea 덩불취**

Saussurea manshurica Kom. var. *pinnatifida* Nakai, Bot. Mag. (Tokyo) 29: 205 (1915)
Saussurea triangulata Trautv. & C.A.Mey. subsp. *manshurica* (Kom.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 201 (1937)
Saussurea triangulata Trautv. & C.A.Mey. var. *pinnatifida* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 201 (1937)

***Saussurea maximowiczii* Herder, Bull. Soc. Imp. Naturalistes Moscou 41, 3: 14 (1868) Nat: N Korea, S Korea 버들분취**

Saussurea triceps H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 169 (1910)
Saussurea maximowiczii Herder var. *serrata* Nakai, Bot. Mag. (Tokyo) 29: 202 (1915)
Saussurea maximowiczii Herder f. *serrata* (Nakai) Kitam., Acta Phytotax. Geobot. 4: 199 (1937)
Saussurea maximowiczii Herder var. *triceps* (H.Lév. & Vaniot) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 199 (1937)

***Saussurea mongolica* (Franch.) Franch., Bull. Herb. Boissier 5: 539 (1897) Nat: N Korea
북분취**

- Saussurea ussuriensis* Maxim. var. *mongolica* Franch., Nouv. Arch. Mus. Hist. Nat. Paris, 2 ser. 6: 61 (1883)
Saussurea matsumurae Nakai, Bot. Mag. (Tokyo) 29: 206 (1915)
Saussurea sinuata Kom. var. *shansiensis* F.H.Chen, Bull. Fan Mem. Inst. Biol. Bot. 5: 84 (1934)
Saussurea mongolica (Franch.) Franch. f. *shansiensis* (F.H.Chen) Ling, Contr. Inst. Bot. Natl. Acad. Peiping 3, 4: 170 (1935)
Saussurea mongolica (Franch.) Franch. var. *rigidor* Hand.-Mazz., Acta Horti Gothob. 12: 321 (1938)

***Saussurea nipponica* Miq. var. *higomontana* (Honda) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 154 (1995) Nat: S Korea 무등취**

***Saussurea odontolepis* (Herder) Sch.Bip. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 176 (1883) Nat: N Korea, S Korea 빗살서덜취**

- Saussurea pectinata* var. *amurensis* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 171 (1859)
Saussurea ussuriensis Maxim. var. *odontolepis* Herder, Bull. Soc. Imp. Naturalistes Moscou 41, 3: 13 (1868)
Saussurea myokoensis Kitam., Acta Phytotax. Geobot. 5: 246 (1936)
Saussurea aspera Hand.-Mazz., Acta Horti Gothob. 12: 319 (1938)

***Saussurea pseudogracilis* Kitam., Acta Phytotax. Geobot. 5: 246 (1936) Nat: S Korea 가야산은분취**

- Saussurea eriolepis* Bunge ex DC., Prodr. (DC.) 6: 535 (1838)

***Saussurea pulchella* (Fisch.) Fisch. ex Colla, Herb. Pedem. 3: 234 (1834) Nat: N Korea, S Korea 각시취**

- Heterotrichum pulchellum* Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 71 (1812)
Serratula pulchella (Fisch.) Sims, Bot. Mag. 52: t. 2589 (1825)
Theodorea pulchella (Fisch.) Cass., Dict. Sci. Nat., ed. 2 53: 465 (1828)
Saussurea dissecta Ledeb., Icon. Pl. (Ledebour) 1: 16 (1829)
Saussurea koraiensis (Nakai) Nakai, Bot. Mag. (Tokyo) 23: 185 (1909)
Saussurea japonica (Thunb.) DC. var. *lineariloba* Nakai, Bot. Mag. (Tokyo) 25: 58 (1911)
Saussurea pulchella (Fisch.) Fisch. ex Colla var. *koraiensis* Nakai, Bot. Mag. (Tokyo) 46: 617 (1932)
Saussurea pulchella (Fisch.) Fisch. ex Colla var. *lineariloba* (Nakai) Nakai, Bot. Mag. (Tokyo) 46: 616 (1932)
Theodorea koraiensis (Nakai) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 1962: 49 (1962)

***Saussurea recurvata* (Maxim.) Lipsch., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 21: 374 (1961) Nat: N Korea 긴분취**

- Saussurea polypodiifolia* DC., Ann. Mus. Natl. Hist. Nat. 14: 201 (1810)
Saussurea elongata DC. var. *polypodiifolia* (DC.) DC., Prodr. (DC.) 6: 534 (1837)
Saussurea elongata DC., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 167 (1859)
Saussurea elongata DC. var. *recurvata* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 176 (1859)
Saussurea elongata DC. var. *pectinata* Herder, Bull. Soc. Imp. Naturalistes Moscou 41 (3): 12 (1868)
Saussurea elongata DC. var. *glehmiana* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg

19: 514-515 (1874)

Saussurea parasclerolepis A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 19: 163 (1966)

***Saussurea seoulensis* Nakai, Bot. Mag. (Tokyo) 25: 58 (1911) Nat; S Korea, Endemic 분취**

Saussurea triangulata Trautv. & C.A.Mey. var. *elatior* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 44 (1911)

Saussurea uchiyamana Nakai, Bot. Mag. (Tokyo) 29: 167 (1915)

Saussurea conandrifolia Nakai, Bot. Mag. (Tokyo) 29: 196 (1915)

Saussurea rectinervis Nakai, Bot. Mag. (Tokyo) 46: 618 (1932)

***Saussurea sinuata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 735 (1907) Nat; N Korea 물골취**

Saussurea stenolepis Nakai, Bot. Mag. (Tokyo) 29: 297 (1915)

Saussurea aristata Lipsch., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 21: 363 (1961)

***Saussurea subtriangulata* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6 (1): 18 (1926)**

Nat; N Korea 꼬리서덜취

Saussurea erirolepis Bunge ex DC. var. *caudata* Herder, Bull. Soc. Imp. Naturalistes Moscou 41, 3: 32 (1868)

Saussurea grandifolia Maxim. var. *caudata* (Herder) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 727 (1907)

***Saussurea tanakae* Franch. & Sav. ex Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 516 (1874) Nat; N Korea, S Korea 당분취**

Saussurea tanakae Franch. & Sav. ex Maxim. var. *pycnocephalis* Franch., Bull. Herb. Boissier 5: 544 (1897)

Saussurea nutans Nakai, Bot. Mag. (Tokyo) 31: 110 (1917)

Saussurea parvialata H.S.Pak & Y.P.Hong, Fragm. Florist. Geobot. 40: 725 (1995)

***Saussurea tomentosa* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 135 (1921) Nat; N Korea 두메분취**

Saussurea eriophylla Nakai var. *alpina* Nakai, Bot. Mag. (Tokyo) 29: 196 (1915)

Saussurea alpicola Kitam., Acta Phytotax. Geobot. 2: 46 (1933)

***Saussurea triangulata* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 58 (1856) Nat; N Korea 두메취**

Saussurea derbecki Kom., Izv. Imp. S.-Peterburgsk. Bot. Sada 10: 119 (1910)

Saussurea hoasii Nakai, Bot. Mag. (Tokyo) 29: 10 (1915)

Saussurea triangulata Trautv. & C.A.Mey. var. *alpina* Nakai, Bot. Mag. (Tokyo) 29: 203 (1915)

Saussurea schischkinii Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 17 (1926)

***Saussurea umbrosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 423 (1901) Nat; N Korea 산각시취**

Saussurea karoi Freyn, Oesterr. Bot. Z. 52, 7: 279, in clave (1902)

Saussurea umbrosa Kom. var. *herbicola* Nakai, Bot. Mag. (Tokyo) 29: 201 (1915)

***Saussurea ussuriensis* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 167 (1859) Nat; N Korea, S Korea 구와취**

Saussurea ussuriensis Maxim. var. *genuina* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 167 (1859)

Saussurea ussuriensis Maxim. var. *incisa* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg

Divers Savans 9: 167 (1859)
Saussurea ussuriensis Maxim. var. *pinnatifida* Maxim., Mem. Acad. Imp. Sci. St.-
Pétersbourg Divers Savans 9: 167 (1859)
Saussurea grandifolioides Nakai, Bot. Mag. (Tokyo) 27: 35 (1913)

Scorzonera L.

***Scorzonera albicaulis* Bunge, Enum. Pl. Chin. Bor. 40 (1833) Nat: N Korea, S Korea 쇠채**
Piptopogon macrospermus C.A.Mey. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 11:
95 (1838)
Scorzonera macrosperma Turcz. ex DC., Prodr. (DC.) 7: 121 (1838)
Achyroseris macrospermum Sch.Bip., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur.
2: 165 (1845)
Scorzonera macrosperma Turcz. ex DC. f. *angustifolia* Debeaux, Actes Soc. Linn.
Bordeaux 31: 227 (1876)
Scorzonera radiata (Fisch.) Y.Yabe var. *linearifolia* H.Lév., Fl. Kouy-Tcheou 703 (1914)
Scorzonera albicaulis Bunge var. *macrosperma* (Turcz.) Kitag., Lin. Fl. Manshur. 467 (1939)

***Scorzonera austriaca* Willd., Sp. Pl. (ed. 4) 3: 1498 (1803) Nat: N Korea, S Korea 떡쇠채**
Scorzonera glabra Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 11 (1845)
Scorzonera austriaca Willd. var. *glabra* Rupr., Fl. Bor.-Ural. 12&40 (1856)
Scorzonera austriaca Willd. var. *longifolia* Debeaux, Fl. Tche-fou 227 (1876)
Scorzonera radiata (Fisch.) Y.Yabe, Enum. Pl. S. Manch. 140 (1912)
Scorzonera sinensis Lipsch. & Krasch. ex Lipsch. var. *plantaginifolia* Kitag., Rep. Exped.
Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 39 (1935)
Scorzonera austriaca Willd. subsp. *glabra* (Rupr.) Lipsch. & Krasch. ex Lipsch., Fragm.
monogr. Scorzonera 121 (1935)
Scorzonera ruprechtiana Lipsch. & Krasch. ex Lipsch., Fragm. monogr. Scorzonera 121
(1935)

Senecio L.

***Senecio argunensis* Turcz., Bull. Soc. Imp. Naturalistes Moscou 20: 18 (1847) Nat: N Korea, S Korea 쪽방망이**
Senecio jacobaea var. *grandiflora* Turcz. ex DC., Prodr. (DC.) 6: 350 (1838)
Senecio praealtus Bertol. f. *angustifolius* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25:
706 (1907)
Senecio praealtus Bertol. f. *latifolius* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25:
706 (1907)
Senecio blinii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 138 (1910)
Senecio argunensis Turcz. var. *blinii* (H.Lév.) Hand.-Mazz., Acta Horti Gothob. 12: 288
(1938)
Senecio argunensis Turcz. var. *tenuisectus* Nakai, J. Jap. Bot. 18: 607 (1942)
Senecio argunensis Turcz. f. *pilosa* (Kitam.) Kitag., Neolin. Fl. Manshur. 679 (1979)

***Senecio cannabifolius* Less., Linnaea 6: 242 (1831) Nat: N Korea 삼잎방망이**
Senecio palmatus Pall. ex Ledeb., Fl. Ross. (Pallas) 2: 636 (1845)
Senecio palmatus Pall. ex Ledeb. f. *davuricus* Herder, Bull. Soc. Imp. Naturalistes
Moscou 40: 434 (1867)
Senecio palmatus Pall. ex Ledeb. var. *cannabifolius* (Less.) Kudô, J. Coll. Agric.
Hokkaido Imp. Univ. 12 (1): 60 (1923)
Senecio cannabifolius Less. var. *davuricus* (Herder) Kitag., Rep. Inst. Sci. Res.
Manchoukuo 3: 3 (1939)

***Senecio nemorensis* L., Sp. Pl. 2: 870 (1753) Nat: N Korea, S Korea 금방망이**

Senecio sarracenicus L., Sp. Pl. 2: 871 (1753)

Senecio octoglossus DC., Prodr. (DC.) 6: 354 (1838)

Senecio fluviatilis Wallr., Linnaea 14: 646 (1841)

Senecio kemaotongensis Vaniot, Bull. Acad. Int. Géogr. Bot. 41: 847 (1902)

Senecio ganpinensis Vaniot, Bull. Acad. Int. Géogr. Bot. 41: 19 (1903)

Senecio nemorensis L. var. *turczaninowii* (DC.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 708 (1907)

Senecio taiwanensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 157 (1911)

Senecio tozanensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 158 (1911)

***Senecio pseudoarnica* Less., Linnaea 6: 242 (1831) Nat: N Korea 웅기슴나물**

Arnica maritima L., Sp. Pl. 2: 884 (1753)

Arnica doricum Pursh, Fl. Amer. Sept. (Pursh) 2: 528 (1813)

Senecio pseudoarnica Less. var. *rollandii* Vict., Proc. & Trans. Roy. Soc. Canada ser. 3, 19: 87, tab. 4 (1925)

Senecio rollandii (Vict.) Vict., Contr. Lab. Bot. Univ. Montreal 13: 26 (1929)

***Senecio vulgaris* L., Sp. Pl. 2: 876 (1753) Int 개쑥갓**

Erigeron senecio Sch.Bip. ex Webb & Berthel., Hist. Nat. Iles Canaries 2: 318 (1845)

Senecio vulgari-humilis Batt. & Trab., Fl. Algerie Tunisie 187 (1905)

***Serratula* L.**

***Serratula coronata* var. *insularis* (Iljin) Kitam., Acta Phytotax. Geobot. 12: 105 (1943) Nat: N Korea, S Korea 산비장어**

Serratula coronata var. *alpina* (L.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 91 (1914)

Serratula koreana Iljin, Izv. Glavn. Bot. Sada SSSR 27: 86 (1928)

Serratula insularis Iljin, Izv. Glavn. Bot. Sada SSSR 27: 86 (1928)

Serratula insularis Iljin var. *koreana* (Iljin) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 29 (1937)

Mastrucium coronatum var. *koreanum* (Iljin) Kitag., J. Jap. Bot. 21: 138 (1947)

Mastrucium insulare (Iljin) Kitag., J. Jap. Bot. 21: 138 (1947)

Serratula coronata f. *alpina* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1199 (1996)

Serratula coronata var. *koreana* (Iljin) H.S.Pak, Fl. Coreana (H.S.Park) 7: 125 (1999)

***Sigesbeckia* L.**

***Sigesbeckia glabrescens* (Makino) Makino, J. Jap. Bot. 1: 25 (1917) Nat: N Korea, S Korea 진득찰**

Sigesbeckia orientalis L. f. *glabrescens* Makino, Bot. Mag. (Tokyo) 18: 100 (1904)

Sigesbeckia glabrescens (Makino) Makino var. *leuoclada* Nakai, Bot. Mag. (Tokyo) 45: 137 (1931)

Sigesbeckia formosana Kitam., Acta Phytotax. Geobot. 6: 87 (1937)

Sigesbeckia orientalis L. subsp. *glabrescens* (Makino) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 263 (1942)

***Sigesbeckia orientalis* L., Sp. Pl. 2: 900 (1753) Nat: S Korea 제주진득찰**

Sigesbeckia iberica Willd., Sp. Pl. (ed. 4) 3: 2220 (1804)

Sigesbeckia brachiata Roxb., Hort. Bengal. 62 (1814)

Sigesbeckia gracilis DC., Prodr. (DC.) 5: 496 (1836)

Sigesbeckia microcephala DC., Prodr. (DC.) 5: 496 (1836)

Sigesbeckia orientalis L. f. *angustifolia* Makino, Bot. Mag. (Tokyo) 18 (1904)
Sigesbeckia orientalis L. var. *angustifolia* Makino, Inuma, Somoku-Dzusetsu, ed. 4 1092 (1913)
Sigesbeckia humilis Koidz., Bot. Mag. (Tokyo) 39: 24 (1925)

Sigesbeckia orientalis* L. subsp. *orientalis

***Sigesbeckia orientalis* L. subsp. *pubescens* (Makino) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 3: 264 (1942) Nat: S Korea 털진득찰**

Sigesbeckia orientalis L. f. *pubescens* Makino, Bot. Mag. (Tokyo) 18: 100 (1904)
Sigesbeckia orientalis L. var. *pubescens* (Makino) Makino, Inuma, Somoku-Dzusetsu, ed. 4 1092 (1913)
Sigesbeckia pubescens (Makino) Makino, J. Jap. Bot. 1: 24 (1917)
Sigesbeckia pubescens (Makino) Makino f. *eglandulosa* Ling & X.L.Huang, Fl. Reipubl. Popularis Sin. 75: 341, 343 (1979)

***Silybum* Adans.**

***Silybum marianum* (L.) Gaertn., Fruct. Sem. Pl. 2: 378, t. 168 (1791) Int 흰무늬영경취**

Carduus marianus L., Sp. Pl. 823 (1753)
Carduus mariae Crantz, Inst. Rei Herb. 1: 248 (1766)
Mariana mariana (L.) Hill, Hort. Kew. (Hill) ed. 2: 61 (1769)
Mariana lactea Hill, Herb. Brit. 1: 75 (1769)
Carduus lactifolius Stokes, Bot. Mat. Med. 4: 141 (1812)

***Solidago* Mill.**

***Solidago altissima* L., Sp. Pl. 2: 878 (1753) Int 양미역취**

Solidago hirsutissima Mill., Gard. Dict., ed. 8 n. 15 (1768)
Solidago procera Aiton, Hortus Kew. 3: 211 (1789)
Solidago lunellii Rydb., Brittonia 1: 101 (1931)
Solidago somesii Rydb., Brittonia 1: 101 (1931)
Solidago shinersii (Beaudry) Beaudry, Naturaliste Canad. 101: 932 (1974)

***Solidago gigantea* Aiton, Hortus Kew. 3: 211 (1789) Int 미국미역취**

Solidago serotina Aiton, Hortus Kew. 3: 211 (1789)
Solidago pitcheri Nutt., J. Acad. Nat. Sci. Philadelphia 7: 101 (1834)
Solidago cleliae DC., Prodr. (DC.) 5: 331 (1836)
Solidago dumetorum Lunell, Amer. Midl. Naturalist 2: 57 (1911)

***Solidago virgaurea* L. subsp. *asiatica* Kitam. ex H.Hara, Enum. Spermatophytarum Japon. 2: 260 (1952) Nat: N Korea, S Korea 미역취**

Solidago virgaurea L. var. *coreana* Nakai, Bot. Mag. (Tokyo) 31: 110 (1917)
Solidago japonica Kitam., Acta Phytotax. Geobot. 1: 286 (1932)
Solidago dahurica Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 297 (1937)
Solidago virgaurea L. subsp. *dahurica* (Kitag.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3(App. 1): 472 (1939)
Solidago coreana (Nakai) H.S.Pak, Fl. Coreana (H.S.Pak) 7: 321 (1999)
Solidago coreana (Nakai) H.S.Pak var. *dahurica* (Kitag.) H.S.Pak, Fl. Coreana (H.S.Pak) 7: 322 (1999)
Solidago coreana (Nakai) H.S.Pak var. *spatulifolia* H.S.Pak, Fl. Coreana (H.S.Pak) 7: 383 (1999)

***Solidago virgaurea* L. subsp. *gigantea* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 24: 56 (1957) Nat: S Korea 울릉미역취**

Solidago virgaurea L. var. *gigantea* Nakai, Bot. Mag. (Tokyo) 42: 17 (1928)

Solidago mirabilis Kitam., Acta Phytotax. Geobot. 3: 140 (1934)

Solidago pacifica Juz., Fl. URSS 25: 576 (1959)

Sonchus L.

***Sonchus asper* (L.) Hill, Herb. Brit. 1: 47 (1769) Nat: N Korea, S Korea 큰방가지뚥**

Sonchus oleraceus L. var. *asper* L., Sp. Pl. 794 (1753)

Sonchus spinosus Lam., Fl. Franc. (Lamarck) 2: 86 (1779)

Sonchus glaber Thunb., Prodr. Pl. Cap. 139 (1800)

Sonchus fallax Wallr., Ann. Bot. (Wallr.) 98 (1815)

Sonchus viridis Zenari, Nuovo Giorn. Bot. Ital. n.s. 31: 14 (1924)

Sonchus tibesticus Quézel, Bull. Soc. Hist. Nat. Afrique N. 1: 31 (1959)

***Sonchus brachyotus* DC., Prodr. (DC.) 7: 186 (1838) Nat: N Korea, S Korea 사데풀**

Sonchus shzucianianus Turcz. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 43, 1: 189 (1870)

Sonchus fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 102 (1909)

Sonchus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 141 (1910)

Sonchus arvensis L. var. *ulginosus* (Trautv.) Matsum., Index Pl. Jap. 2 (2): 667 (1912)

Sonchus arvensis L. subsp. *brachyotus* (DC.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 23 (1): 148 (1956)

Sonchus arvensis L. f. *brachyotus* (DC.) Kirp., Fl. URSS 29: 253 (1964)

***Sonchus oleraceus* L., Sp. Pl. 794 (1753) Nat: N Korea, S Korea 방가지뚥**

Sonchus ciliatus Lam., Fl. Franc. (Lamarck) 2: 87 (1779)

Sonchus laevis Vill, Hist. Pl. Dauphine 3: 158 (1788)

Sonchus longifolius Trevir., Index Sem. (Breslau) 6 (1818)

Sonchus sundaicus Blume, Bijdr. Fl. Ned. Ind. 15: 888 (1826)

Sonchus royleanus DC., Prodr. (DC.) 7: 184 (1838)

Sonchus schmidianus K.Koch, Index Seminum Hort. Bot. Berol. 1853 12 (1853)

Sonchus fabrae Sennen, Bol. Soc. Iber. Ci. Nat. 1929, 28: 114 (1930)

Stemmacantha Cass.

***Stemmacantha uniflora* (L.) Dittrich, Candolle 39: 49 (1984) Nat: N Korea, S Korea 뽕꼭채**

Cnicus uniflorus L., Mant. Pl. 2: 572 (1771)

Centaurea monantha Georgi, Reise Russ. Reich. 1: 231 (1775)

Centaurea grandiflora Pall., Reise Russ. Reich. 3: 237 (1776)

Centaurea membranacea Lam., Encycl. (Lamarck) 1: 666 (1783)

Rhaponticum uniflorum (L.) DC., Diss. Comp. 33: 1890 (1810)

Serratula uniflora (L.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 388 (1826)

Leuzea dahurica Bunge, Enum. Pl. Chin. Bor. 37 (1833)

Rhaponticum dahuricum (Bunge) Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 95 (1838)

Rhaponticum monanthum (Georgi) Vorosch., Seed List State Bot. Gard. Acad. Sci. URSS 8: 28 (1953)

Symphyllocarpus Maxim.

Symphyllocarpus exilis Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 151 (1859) Nat: N Korea 개중대가리

Symphyotrichum Nees

Symphyotrichum novi-belgii (L.) G.L.Nesom, Phytologia 77: 287 (1994) Int 우선국

Aster novi-belgii L., Sp. Pl. 2: 877 (1753)

Amellus divaricatus Gaterau, Descr. Pl. Montauban 147 (1789)

Aster serotinus Willd., Sp. Pl. (ed. 4) 3: 2049 (1803)

Aster thyrsoiflorus Hoffm., Phytogr. Bl. 1: 83 (1803)

Aster onustus Nees, Gen. Sp. Aster. 122 (1832)

Aster novi-belgii L. var. *floribundus* (Willd.) DC., Prodr. (DC.) 5: 238 (1836)

Amellus novae-belgii (L.) Opiz, Seznam 14 (1852)

Symphyotrichum pilosum (Willd.) G.L.Nesom, Phytologia 77: 289 (1995) Int 미국쑥부쟁이

Aster pilosus Willd., Sp. Pl. (ed. 4) 3: 2025 (1803)

Aster ericoides L. var. *pilosus* (Willd.) Porter, Mem. Torrey Bot. Club 5: 323 (1894)

Aster chrysogonii Sennen, Diagn. Nouv. 153 (1936)

Syneilesis Maxim.

Syneilesis aconitifolia (Bunge) Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 165 (1859) Nat: N Korea, S Korea 애기우산나물

Cacalia aconitifolia Bunge, Enum. Pl. Chin. Bor. 37 (1833)

Senecio aconitifolius (Bunge) Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 155 (1837)

Syneilesis palmata (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 488 (1874)

Nat: N Korea, S Korea 우산나물

Arnica palmata Thunb., Fl. Jap. (Thunberg) 319 (1784)

Syneilesis palmata (Thunb.) Maxim. var. *subconcolor* Nakai, J. Jap. Bot. 14: 462 (1938)

Synurus Iljin

Synurus deltooides (Aiton) Nakai, Koryo Shikenrin Ippan 64 (1932), Nat: N Korea, S Korea
Nat: N Korea, S Korea 수리취

Onopordon deltooides Aiton, Hort. Kew. (Hill) ed. 31: 146 (1789)

Cirsium ficifolium Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 69 (1812)

Carduus atriplicifolius Fisch. ex Trevir., Index Sem. (Breslau) 1820(app. 2): 1 (1821)

Silybum atriplicifolium (Trevir.) Fisch., Ind. Pl. Hort. Petrop. 64 (1824)

Serratula atriplicifolia (Trevis.) Benth. & Hook., Gen. Pl. (Bentham & Hooker) 2: 475 (1837)

Rhaponticum atriplicifolium (Trevis.) DC., Prodr. (DC.) 6: 663 (1838)

Stephanocoma atriplicifolia (Trevis.) Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 751 (1845)

Centaurea atriplicifolia Matsum., Nippon Shokubutsumei, ed. 2 72 (1895)

Serratula deltooides (Aiton) Makino, Bot. Mag. (Tokyo) 24: 247 (1910)

Serratula deltooides (Aiton) Makino var. *palmatopinnatifida* Makino, Bot. Mag. (Tokyo) 24: 248 (1910)

Serratula atriplicifolia (Trevis.) Benth. & Hook. var. *incislobata* (DC.) Miyabe &

Miyake, Fl. Saghalin 281 (1915)

Synurus atriplicifolius (Trevis.) Iljin, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 6: 35

(1926)

Synurus palmatopinnatifidus (Makino) Kitam., Acta Phytotax. Geobot. 2: 48 (1933)
Synurus deltoides (Aiton) Nakai var. *incisolobata* (DC.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 27 (1937)
Synurus palmatopinnatifidus (Makino) Kitam. var. *indivisus* (Makino) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 24 (1937)

***Synurus excelsus* (Makino) Kitam., Acta Phytotax. Geobot. 2: 48 (1933), Nat; N Korea, S Korea** Nat; N Korea, S Korea 큰수리취

Serratula atriplicifolia (Trevis.) Benth. & Hook. var. *excelsa* Makino, Bot. Mag. (Tokyo) 10: 319 (1896)

Serratula excelsa (Makino) Makino, Bot. Mag. (Tokyo) 24: 249 (1910)

Serratula pungens var. *excelsa* Makino, Bot. Mag. (Tokyo) 24: 249 (1910)

Tagetes L.

***Tagetes erecta* L., Sp. Pl. 2: 887 (1753) Int 천수국**

Tagetes tenuifolia Mills., Nov. Gen. Sp. [Kunth] 4(16): 153 (1818)

Tagetes remotiflora Kunze, Linnaea 20: 23 (1847)

Tagetes ernstii H. Rob. & Nicolson, Phytologia 32: 328, fig. 1 (1975)

***Tagetes minuta* L., Sp. Pl. 2: 887 (1753) Int 만수국아재비**

Tagetes bonariensis Pers., Syn. Pl. (Persoon) 2: 459 (1807)

Tagetes glandulosa Schrank ex Link, Enum. Hort. Berol. Alt. 2: 339 (1822)

Tagetes porophyllum Vell., Fl. Flumin. Icon. 8: t. 116 (1831)

***Tagetes patula* L., Sp. Pl. 2: 887 (1753) Int 만수국**

Tanacetum L.

***Tanacetum cinerariifolium* (Trevir.) Sch. Bip., Tanacetum 58 (1884) Int 제충국**

Pyrethrum cinerariifolium Trevir., Index Sem. (Breslau) 2: 2 (1820)

Chrysanthemum rigidum Vis., Index Sem. (Padua) s.p. (1825)

Chrysanthemum turreanum Vis., Stirp. Dalm. Spec. 19 (1826)

***Tanacetum vulgare* L., Sp. Pl. 844 (1753) Nat; N Korea 속국화**

Tanacetum officinarum Crantz, Inst. Rei Herb. 1: 273 (1776)

Chrysanthemum vulgare (L.) Bernh., Syst. Verz. (Bernhardi) 114 (1800)

Tanacetum crispum Steud., Nomencl. Bot. (Steudel) 825 (1821)

Tanacetum boreale Fisch. ex DC., Prodr. (DC.) 6: 128 (1838)

Chrysanthemum tanacetum Vis., Fl. Dalmat. 2: 84 (1847)

Tanacetum vulgare L. var. *boreale* (Fisch. & DC.) Trautv. & C.A. Mey., Fl. Ochot. Phaenog. 54 (1856)

Pyrethrum vulgare (L.) Boiss., Fl. Orient. 3: 352 (1875)

Chrysanthemum boreale (Makino) Makino, Bot. Mag. (Tokyo) 23: 20 (1909)

Chrysanthemum vulgare (L.) Bernh. var. *boreale* (Fisch. & DC.) Makino ex Makino, Fl. Japan (Makino & Nemoto) 43 (1925)

Taraxacum F.H. Wigg.

***Taraxacum coreanum* Nakai, Bot. Mag. (Tokyo) 46: 62 (1932) Nat; N Korea, S Korea**
흰민들레

Taraxacum pseudoalbidum Kitag., Bot. Mag. (Tokyo) 47: 831 (1933)
Taraxacum pseudoalbidum Kitag., var. *lutescens* Kitag., Bot. Mag. (Tokyo) 47: 833 (1933)
Taraxacum glabrisquamum Nakai ex Koidz., Bot. Mag. (Tokyo) 50: 87 (1936)
Taraxacum taquetii Koidz., Bot. Mag. (Tokyo) 50: 86 (1936)
Taraxacum pseudoalbidum Kitag. f. *lutescens* (Kitag.) Kitag., J. Jap. Bot. 36: 23 (1961)

***Taraxacum hallaisanense* Nakai, Bot. Mag. (Tokyo) 29: 11 (1915) Nat: S Korea 좁민들레**

***Taraxacum mongolicum* Hand.-Mazz., Monogr. *Taraxacum* 67 (1907) Nat: N Korea, S Korea 털민들레**

Taraxacum liaotungense Kitag., Bot. Mag. (Tokyo) 47: 825 (1933)
Taraxacum quelpaertense Kitam., Acta Phytotax. Geobot. 2: 184 (1933)
Taraxacum formosanum Kitam., Acta Phytotax. Geobot. 2: 48 (1933)
Taraxacum kansuense Nakai ex Koidz., Bot. Mag. (Tokyo) 50: 91 (1936)
Taraxacum pseudodissectum Nakai & Koidz., Bot. Mag. (Tokyo) 50: 92 (1936)
Taraxacum mongolicum Hand.-Mazz. var. *formosanum* (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 24: 42 (1957)

***Taraxacum officinale* F.H.Wigg., Prim. Fl. Holsat. 56 (1780) Int 서양민들레**

Leontodon taraxacum L., Sp. Pl. 798 (1753)
Leontodon vulgare Lam., Fl. Franc. (Lamarck) 2: 113 (1779)
Taraxacum sylvanicum R.Doll, Feddes Repert. 88: 73 (1977)

***Taraxacum ohwianum* Kitam., Acta Phytotax. Geobot. 2: 124 (1933) Nat: N Korea, S Korea 산민들레**

Taraxacum junpeianum Kitam., Acta Phytotax. Geobot. 4: 103 (1935)
Taraxacum mandshuricum Nakai ex Koidz., Bot. Mag. (Tokyo) 50: 89 (1936)

***Taraxacum platycarpum* Dahlst., Acta Horti Berg. 4: 14 (1907) Nat: N Korea, S Korea 민들레**

Taraxacum officinale F.H.Wigg. var. *platycarpum* (Dahlst.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 52 (1911)
Taraxacum denticorne Koidz., Bot. Mag. (Tokyo) 48: 673 (1934)
Taraxacum foliosissimum Koidz., Bot. Mag. (Tokyo) 48: 671 (1934)
Taraxacum hisauchii Koidz., Bot. Mag. (Tokyo) 48: 668 (1934)
Taraxacum tsurumachii Kitam., Acta Phytotax. Geobot. 3: 107 (1934)
Taraxacum hitachiense Koidz., J. Jap. Bot. 2: 622 (1936)
Taraxacum luteopapposum Koidz., J. Jap. Bot. 2: 623 (1936)
Taraxacum platycarpum Dahlst. var. *ecorniculatum* Koidz., Bot. Mag. (Tokyo) 50: 146 (1936)

***Taraxacum platyepidum* Diels, Repert. Spec. Nov. Regni Veg. Beih. 12: 515 (1922) Nat: N Korea, S Korea 흰털민들레**

Taraxacum officinale F.H.Wigg. var. *lividum* Koch ex A.Gray, Fl. Saghalin 285 (1915)
Taraxacum imbricatum Koidz., J. Jap. Bot. 9: 358 (1933)
Taraxacum saxatile Koidz., Bot. Mag. (Tokyo) 48: 594 (1934)
Taraxacum albomarginatum Kitam., Acta Phytotax. Geobot. 4: 103 (1935)
Taraxacum multisectum Kitag., Rep. Inst. Sci. Res. Manchoukouo 2: 310 (1938)

Tephroseris Rchb.

***Tephroseris flammea* (Turcz. ex DC.) Holub, Folia Geobot. Phytotax. 8: 173 (1973) Nat: N Korea, S Korea 산숨방망이**

Cineraria flammea Turcz. ex DC., Prodr. (DC.) 6: 362 (1838)
Senecio flammeus Turcz. ex DC., Prodr. (DC.) 6: 362 (1838)
Senecio longeligulatus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 139 (1910)
Senecio flammeus Turcz. ex DC. var. *glabrifolius* Cufod., Repert. Spec. Nov. Regni Veg. Beih. 70: 90 (1933)
Tephroseris flammea (Turcz. ex DC.) Holub var. *glabrifolia* Cufod., Repert. Spec. Nov. Regni Veg. Beih. 70: 90 (1933)
Senecio flammeus Turcz. ex DC. f. *glabrescens* H.Hara, J. Jap. Bot. 10: 437 (1934)

***Tephroseris kirilowii* (Turcz. ex DC.) Holub, Folia Geobot. Phytotax. 12: 429 (1977) Nat; N Korea, S Korea 숨방망이**

Senecio integrifolius (L.) Clairv., Man. Herbor. Suisse 241 (1811)
Senecio campestris DC., Prodr. (DC.) 6: 361 (1838)
Senecio kirilowii Turcz. ex DC., Prodr. (DC.) 6: 361 (1838)
Senecio fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 139 (1910)
Senecio integrifolius (L.) Clairv. subsp. *fauriei* (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 6: 272 (1937)
Senecio integrifolius (L.) Clairv. subsp. *kirilowii* Kitag., Lin. Fl. Manshur. 469 (1939)
Senecio integrifolius (L.) Clairv. var. *spathulatus* (Miq.) H.Hara, Enum. Spermatophytarum Japon. 2: 254 (1952)
Tephroseris integrifolia (L.) Holub subsp. *kirilowii* (Turcz.) Nord. ex DC., Opera Bot. 44: 45 (1978)

***Tephroseris koreana* (Kom.) B.Nord. & Pelsler, Compositae Newslett. 49: 5 (2011) Nat; N Korea 국화방망이**

Senecio koreanus Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 421 (1901)
Sinosenecio koreanus (Kom.) B.Nord., Opera Bot. 44: 50 (1978)

***Tephroseris phaeantha* (Nakai) C.Jeffrey & Y.L.Chen, Kew Bull. 39: 279 (1984) Nat; N Korea 바위습나물**

Senecio phaeanthus Nakai, Bot. Mag. (Tokyo) 31: 110 (1917)
Senecio birubonensis Kitam., Acta Phytotax. Geobot. 6: 270 (1937)
Senecio kawakamii Kitam., Acta Phytotax. Geobot. 6: 270 (1937)
Senecio aurantiacus var. *leiocarpus* Boissieu, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 238 (1942)
Tephroseris birubonensis (Kitam.) B.Nord., Opera Bot. 44: 44 (1978)

***Tephroseris pierotii* (Miq.) Holub, Folia Geobot. Phytotax. 8: 174 (1973) Nat; N Korea, S Korea 숨속방망이**

Cineraria subdentata Bunge, Enum. Pl. Chin. Bor. 39 (1833)
Senecio subdentatus (Bunge) Turcz., Enum. Pl. Chin. Bor. 154 (1837)
Senecio pierotii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 182 (1866)
Senecio campestris DC. var. *subdentatus* (Bunge) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 15 (1871)
Senecio imaii Nakai, Bot. Mag. (Tokyo) 29: 10 (1915)
Senecio subdentatus (Bunge) Turcz. var. *pierotii* (Miq.) Cufod., Repert. Spec. Nov. Regni Veg. Beih. 70: 82 (1933)
Senecio pierotii Miq. subsp. *subdentatus* (Bunge) Kitag., J. Jap. Bot. 21: 140 (1947)

***Tephroseris pseudosonchus* (Vaniot) C.Jeffrey & Y.L.Chen, Kew Bull. 39: 272 (1984) Nat; N Korea, S Korea 물숨방망이**

Senecio pseudosonchus Vaniot, Bull. Acad. Int. Géogr. Bot. 6: 349 (1902)

Tithonia Kuntze

- Tithonia rotundifolia* (Mill.) S.F.Blake, **Contr. Gray Herb. 52: 41 (1917)** Int 멕시코해바라기
Tithonia uniflora J.F.Gmel., *Syst. Nat. ed. 13[bis] 2: 1259 (1792)*
Tithonia tagetiflora Desf., *Ann. Mus. Natl. Hist. Nat. 1: 46, t. 4 (1802)*
Helianthus speciosus Hook., *Bot. Mag. 61: 3295 (1836)*
Tithonia heterophylla Griseb., *Bonplandia 6: 9 (1858)*

Tragopogon L.

- Tragopogon dubius* Scop., **Fl. Carniol., ed. 2 2: 95 (1772)** Int 쇠채아재비
Tragopogon majus Jacq., *Fl. Austriac. 1: t. 29 (1773)*
Tragopogon campestris Besser, *Enum. Pl. (Besser) 84 (1822)*
Tragopogon livescens Besser, *Enum. Pl. (Besser) 30 (1822)*
Tragopogon tauricus Klokov, *Fl. URSS 12: 239 (1965)*

Tripleurospermum Sch.Bip.

- Tripleurospermum limosum* (Maxim.) Pobed., **Fl. URSS 26: 177, t. 6 (1961)** Nat: N Korea
개꽃
Chamaemelum limosum Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 156 (1859)*
Tripleurospermum inodorum (L.) Sch.Bip. var. *limosum* (Maxim.) Regel ex Herder, *Bull. Soc. Imp. Naturalistes Moscou 40: 43 (1867)*
Matricaria limosa (Maxim.) Kudô, *J. Coll. Agric. Hokkaido Imp. Univ. 12: 58 (1923)*
Matricaria maritima subsp. *limosa* (Maxim.) Kitam., *Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15(3): 335 (1940)*
- Tripleurospermum maritimum* (L.) W.D.J.Koch subsp. *inodorum* (L.) Appleq., **Taxon 51: 760 (2003)** Int 꽃족제비쑥
Matricaria inodora L., *Fl. Suec. (ed. 2) 297 (1755)*
Matricaria perforata Mérat, *Nuov. Fl. Env. Paris 332 (1812)*
Matricaria pumila Nyman, *Syll. Fl. Eur. 12 (1854)*

Verbesina L.

- Verbesina alternifolia* (L.) Britton ex Kearney, **Bull. Torrey Bot. Club 20: 485 (1893)** Int
나래가막사리
Coreopsis alternifolia L., *Sp. Pl. 909 (1753)*
Coreopsis procera Dryand. ex Aiton, *Hort. Kew. (Hill) 3: 253 (1789)*
Actinomeris alternifolia (L.) DC., *Prodr. (DC.) 5: 572 (1836)*
Ridan alternifolius (L.) Britton, *Ill. Fl. N. U.S. (ed. 3) 3: 487 (1968)*

Wedelia Jacq.

- Wedelia chinensis* (Osbeck) Merr., **Philipp. J. Sci. 12: 111 (1917)** Nat: S Korea 긴갯금불초
Verbesina calendulacea L., *Sp. Pl. 2: 902 (1753)*
Solidago chinensis Osbeck, *Dagb. Ostind. Resa 241 (1757)*
Wedelia calendulacea (L.) Less., *Syn. Gen. Compos. 222 (1832)*

- Wedelia prostrata* Hemsl., **J. Linn. Soc., Bot. 23: 434 (1888)** Nat: S Korea 갯금불초

Verbesina prostrata L., Sp. Pl. 902 (1753)
Wollastonia prostrata (Hook. & Arn.) Hook. & Arn., Bot. Beechey Voy. 265 (1838)
Eclipta dentata H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 11 (1910)

X *Crepidiastrixeris*

X *Crepidiastrixeris denticulatoplatyphylla* (Makino) Kitam., Acta Phytotax. Geobot. 6: 235 (1937) Nat: S Korea **홍도꼬들배기**
Lactuca x denticulatoplatyphulla Makino, J. Jap. Bot. 1: 11 (1917)
Paraixeris denticulatoplatyphulla (Makino) Nakai, Bot. Mag. (Tokyo) 34: 157 (1920)

Xanthium L.

***Xanthium italicum* Moretti, Giorn. Fis. Chim. Storia Nat. Med. Arti 5: 326 (1822)** Int
가시도꼬마리

***Xanthium orientale* L., Sp. Pl. (ed. 2) 2: 1400 (1763)** Int **큰도꼬마리**
Xanthium canadense Mill., Gard. Dict., ed. 8 2 (1768)
Xanthium macrocarpum DC., Fl. Franc. (DC. & Lamarck), ed. 3 6: 356 (1815)
Xanthium riparium Itzigs. & Hertsch, Bot. Zeitung (Berlin) 12: 34 (1854)

***Xanthium spinosum* L., Sp. Pl. 987 (1753)** Int **바늘도꼬마리**
Xanthium catharticum Kunth, Nov. Gen. Sp. [Kunth] 4: 1820 (1818)
Acanthoxanthium spinosum (L.) Fourr., Ann. Soc. Linn. Lyon, ser. 2, 17: 110 (1869)

***Xanthium strumarium* L., Sp. Pl. 987 (1753)** Nat: N Korea, S Korea **도꼬마리**
Xanthium occidentale Bertol., Lucubr. Re Herb. 38 (1822)
Xanthium pungens Wallr., Beitr. Bot. (Wallr.) 1: 231 (1842)
Xanthium oviforme Wallr., Beitr. Bot. (Wallr.) 1: 240 (1842)
Xanthium varians Greene, Pittonia 4: 59 (1899)
Xanthium cylindricum Millsp. & Sherff, Publ. Field Columbian Mus., Bot. Ser. 4: 4, pl. 3, 5 (1918)
Xanthium curvescens Millsp. & Sherff, Publ. Field Columbian Mus., Bot. Ser. 4: 25, pl. 11 (1919)

Youngia Cass.

***Youngia japonica* (L.) DC., Prodr. (DC.) 7: 194 (1838)** Nat: N Korea, S Korea **뿐리뱅이**
Prenanthes japonica L., Mant. Pl. 1: 107 (1767)
Prenanthes multiflora Thunb., Fl. Jap. (Thunberg) 303 (1784)
Chondrilla japonica (L.) Lam., Encycl. (Lamarck) 2 (1): 79 (1786)
Chondrilla lyrata Poir., Encycl. (Lamarck) Suppl. 2 332 (1811)
Chondrilla multiflora Poir., Encycl. (Lamarck) Suppl. 2 332 (1811)
Prenanthes striata Blume, Bijdr. Fl. Ned. Ind. 15: 885 (1825)
Prenanthes fastigiata Blume, Bijdr. Fl. Ned. Ind. 14: 836 (1826)
Youngia integrifolia Cass., Ann. Sci. Nat. (Paris) 23: 89 (1831)
Lactuca napifolia DC., Contr. Bot. India 27 (1834)
Youngia ambigua DC., Prodr. (DC.) 7: 193 (1838)
Youngia fastigiata (Blume) DC., Prodr. (DC.) 7: 193 (1838)
Youngia mauritiana DC., Prodr. (DC.) 7: 192 (1838)
Youngia multiflora (Thunb.) DC., Prodr. (DC.) 7: 194 (1838)
Youngia napifolia DC., Prodr. (DC.) 7: 194 (1838)
Youngia poosia DC., Prodr. (DC.) 7: 193 (1838)

Youngia runcinata DC., Prodr. (DC.) 7: 192 (1838)
Youngia striata (Blume) DC., Prodr. (DC.) 7: 193 (1838)
Youngia thunbergiana DC., Prodr. (DC.) 7: 192 (1838)
Crepis japonica (L.) Benth., Fl. Hongk. 194 (1861)
Ixeris lyrata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 190 (1866)
Lactuca taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 (1910)
Lactuca taraxacum H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 141 (1910)
Youngia japonica (L.) DC. subsp. *genuina* (Hochr.) Bab. & Stebbins, Publ. Carnegie Inst. Wash. 484: 95 (1937)
Youngia japonica (L.) DC. subsp. *longiflora* Bab. & Stebbins, Publ. Carnegie Inst. Wash. 484: 96 (1937)

Zinnia L.

Zinnia violacea Cav., Icon. (Cavanilles) 1: 57 (1791) Int 백일홍

Zinnia elegans Jacq., Collectanea [Jacquin] 5 (1789)
Zinnia australis F.M.Bailey, Queensland Depart. Agri. & Stock Bull. 9. Bot. Bull. 3 (1891)
Crassina elegans (Jacq.) Kuntze, Revis. Gen. Pl. 1: 331 (1891)

BALSAMINACEAE

Impatiens L.

Impatiens balsamina L., Sp. Pl. 2: 938 (1753) Int 봉선화

Balsamina cornuta DC., Prodr. (DC.) 1: 686 (1824)
Balsamina angustifolia Blume, Bijdr. Fl. Ned. Ind. 239 (1825)
Impatiens eriocarpa Launert, Bol. Soc. Brot. ser. 2, 36: 59, t. 7 (1962)

Impatiens furcillata Hemsl., J. Linn. Soc., Bot. 23(153): 101 (1886) Nat; N Korea 산물봉선

Impatiens noli-tangere L., Sp. Pl. 938 (1753) Nat; N Korea, S Korea 노랑물봉선

Impatiens occidentalis Rydb., N. Amer. Fl. 25: 94 (1910)
Impatiens nolitangere L. f. *palescens* Herman, Ill. Fl. Mitt.-Eur. 5: 316 (1925)
Impatiens nolitangere L. var. *palescens* (Herman) Nakai, Tennen Kinenbutsu Chosahokoku 12: 51 (1930)
Impatiens komarovii Pobed., Bot. Zhurn. (Moscow & Leningrad) 34: 68 (1949)

Impatiens textorii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 76 (1865) Nat; N Korea, S Korea 물봉선

Impatiens koreana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 110 (1909)
Impatiens textorii Miq. var. *koreana* (Nakai) Nakai, Rep. Veg. Diamond Mountains 195 (1917)
Impatiens hypophylla var. *koreana* (Nakai) Nakai, J. Jap. Bot. 15: 534 (1939)
Impatiens textorii Miq. var. *atrosanguinea* Nakai, J. Jap. Bot. 17: 192 (1941)
Impatiens atrosanguinea (Nakai) B.U.Oh & Y.P.Hong, J. Korean Pl. Taxon. 23: 243 (1993)
Impatiens kojeensis Y.N.Lee, J. Korean Pl. Taxon. 28: 25 (1998)

BEGONIACEAE

Begonia L.

Begonia cucullata Willd., Sp. Pl. (ed. 5; Willdenow) 4: 414 (1805) Int 사철베고니아

Begonia semperflorens Link & Otto, Icon. Pl. Rar. (Link) 9 (1829)

***Begonia grandis* Dryand., Trans. Linn. Soc. London 1: 163 (1791) Int 베고니아**

Begonia evansiana Andrews, Bot. Repos. 10: t. 627 (1810)

Begonia discolor R.Br., Hort. Kew. (Hill) ed. 2, 5: 184 (1813)

Diploclinium evansianum (Andr.) Lindl., Veg. Kingd., ed. 2 318 (1847)

Knesebekia discolor Klotzsch, Ber. Bekanntm. Verh. Königl. Preuss. Akad. Wiss. Berlin 1854: 122 (1854)

BERBERIDACEAE

Achlys DC.

***Achlys japonica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 61 (1868) Nat; N Korea 세잎풀**

Achlys triphylla DC. var. *japonica* (Maxim.) T.Itô, J. Linn. Soc., Bot. 22: 435 (1887)

Achlys triphylla DC. subsp. *japonica* (Maxim.) Kitam., Acta Phytotax. Geobot. 20: 202 (1962)

Berberis L.

***Berberis amurensis* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 260 (1857) Nat; N Korea, S Korea 매발톱나무**

Berberis amurensis Rupr. var. *japonica* (Regel) Rehder, Cycl. Amer. Hort. 154 (1900)

Berberis quelpaertensis Nakai, Bot. Mag. (Tokyo) 27: 31 (1913)

Berberis amurensis Rupr. var. *latifolia* Nakai, Repert. Spec. Nov. Regni Veg. 13: 270 (1914)

Berberis amurensis Rupr. var. *brevifolia* Nakai, Bot. Mag. (Tokyo) 43: 441 (1929)

Berberis amurensis Rupr. var. *quelpaertensis* (Nakai) Nakai, Fl. Sylv. Kor. 21: 71 (1936)

Berberis amurensis Rupr. f. *brevifolia* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 72 (1953)

Berberis amurensis Rupr. f. *latifolia* (Nakai) W.T.Lee, Lineamenta Florae Koreae 350 (1996)

***Berberis chinensis* Poir., Encycl. (Lamarck) 8: 617 (1808) Nat; N Korea 당매자나무**

Berberis sinensis DC. var. *angustifolia* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 416 (1873)

Berberis poiretii C.K.Schneid., Mitt. Deutsch. Dendrol. Ges. 15: 180 (1906)

Berberis poiretii C.K.Schneid. var. *angustifolia* (Regel) Nakai, Fl. Sylv. Kor. 21: 66 (1936)

***Berberis koreana* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 22, t.1 (1899) Nat; N Korea, S Korea, Endemic 매자나무**

Berberis koreana Palib. var. *angustifolia* Nakai, Fl. Sylv. Kor. 21: 73 (1936)

Berberis koreana Palib. var. *ellipsoides* Nakai, Fl. Sylv. Kor. 21: 72 (1936)

Berberis koreana Palib. f. *angustifolia* (Nakai) W.T.Lee, Lineamenta Florae Koreae 351 (1996)

***Berberis thunbergii* DC., Syst. Nat. (Candolle) 2: 9 (1821) Int 일본매자나무**

Berberis thunbergii DC. var. *pluriflora* Koehne, Deut. Dendrol. 169 (1893)

Berberis thunbergii DC. var. *uniflora* Koehne, Deut. Dendrol. 169 (1893)

Berberis thunbergii DC. var. *minor* Rehder, Mitt. Deutsch. Dendrol. Ges. 7: 330 (1898)

Berberis thunbergii DC. var. *argenteomarginata* C.K.Schneid., J. Arnold Arbor. 4: 221

(1923)

Berberis thunbergii DC. var. *erecta* (Rehder) Ahrendt, J. Linn. Soc., Bot. 57: 168 (1961)

Caulophyllum Michx.

***Caulophyllum robustum* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 33 (1859) Nat: N Korea, S Korea 평의다리아재비**

Phtheirotheca cyanosperma Maxim. ex Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 223 (1857)

Leontice robusta (Maxim.) Diels, Bot. Jahrb. Syst. 29(3-4): 337 (1900)

Caulophyllum thalictroides (L.) Michx. subsp. *robustum* (Maxim.) Kitag., Acta Phytotax. Geobot. 20: 202 (1962)

Epimedium L.

***Epimedium koreanum* Nakai, Fl. Sylv. Kor. 21: 63 (1936) Nat: N Korea, S Korea 삼지구엽초**

Epimedium multifoliolatum (Koidz.) Koidz., Acta Phytotax. Geobot. 7: 121 (1938)

Epimedium coelestre Nakai, J. Jap. Bot. 20: 73 (1944)

Epimedium sulphurellum Nakai, J. Jap. Bot. 30: 75 (1944)

Epimedium grandiflorum C. Morren subsp. *koreanum* (Nakai) Kitam., Acta Phytotax. Geobot. 20: 202 (1962)

Gymnospermium Spach

***Gymnospermium microrrhynchum* (S. Moore) Takht., Bot. Zhurn. (Moscow & Leningrad) 55: 1192 (1970) Nat: N Korea, S Korea 한계령풀**

Leontice microrrhyncha S. Moore, J. Linn. Soc., Bot. 17: 377 (1879)

Mahonia Nutt.

***Mahonia fortunei* (Lindl.) Fedde, Bot. Jahrb. Syst. 31(1-2): 130 (1902) Int 중국남천**

Berberis fortunei Lindl., J. Hort. Soc. London 1: 231&300 (1846)

Mahonia tikushiensis Hayata, Icon. Pl. Formosan. 5: 5 (1915)

***Mahonia japonica* (Thunb.) DC., Syst. Nat. (Candolle) 2: 22 (1821) Int 뽕남천**

Ilex japonica (Thunb.) Thunb., Syst. Veg., ed. 14 (J. A. Murray) 168 (1784)

Nandina Thunb.

***Nandina domestica* Thunb., Nov. Gen. Pl. [Thunberg] 1: 16 (1781) Int 남천**

Plagiorhegma Maxim.

***Plagiorhegma dubium* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 34 (1859) Nat: N Korea, S Korea 깽깽이풀**

Jeffersonia dubia (Maxim.) Benth. & Hook. f. ex Baker & Moore, J. Linn. Soc., Bot. 17: 377 (1879)

Jeffersonia manchuriensis Hance, J. Bot. 18: 258 (1880)

BETULACEAE

Alnus Mill.

***Alnus firma* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 230 (1845)**

Int **사방오리**

Alnus firma Siebold & Zucc. var. *hirtella* Franch. & Sav., Enum. Pl. Jap. 2: 502 (1878)

Alnus yasha Matsum., J. Coll. Sci. Imp. Univ. Tokyo 16: 4 (1902)

Alnus firma Siebold & Zucc. var. *yasha* (Matsum.) H.J.P. Winkl., Pflanzenr. (Engler) IV, 61: 104 (1904)

Alnus hirtella (Franch. & Sav.) Koidz., Bot. Mag. (Tokyo) 27: 144 (1913)

Alnaster firmus (Siebold & Zucc.) Murai, Bull. Gov. Forest Exp. Sta. 154: 64 (1963)

***Alnus incana* (L.) Medik. subsp. *hirsuta* (Spach) A.Löve & D.Löve, Bot. Not. 128: 505 (1975)**

Nat: N Korea, S Korea **풀오리나무**

Alnus incana (L.) Medik. var. *hirsuta* Turcz. ex Spach, Ann. Sci. Nat., Bot. ser. 2, 15: 207 (1841)

Alnus incana (L.) Medik. var. *sibirica* Fisch. ex Spach, Ann. Sci. Nat., Bot. ser. 2, 15: 207 (1841)

Alnus hirsuta (Spach) Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 376 (1857)

Alnus incana (L.) Medik. var. *glauca* Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 154 (1861)

Alnus viridis (Chaix) DC. var. *sibirica* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 422 (1865)

Alnus tinctoria Sarg., Gard. & Forest 10: 472 (1897)

Alnus sibirica (Spach) Turcz. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 57 (1904)

Alnus incana (L.) Medik. var. *tinctoria* (Sarg.) H.J.P. Winkl., Pflanzenr. (Engler) 4, 61: 123 (1904)

Alnus tinctoria Sarg. var. *glabra* Callier, Repert. Spec. Nov. Regni Veg. 10: 227 (1911)

Alnus hirsuta (Spach) Rupr. var. *vulgaris* Callier, Ill. Handb. Laubholz. 1: 133 (1912)

Alnus sibirica (Spach) Turcz. ex Kom. var. *oxyloba* C.K. Schneid., Ill. Handb. Laubholz. 2: 891 (1912)

Alnus sibirica (Spach) Turcz. ex Kom. var. *paucinervis* C.K. Schneid., Ill. Handb. Laubholz. 2: 891 (1912)

Alnus sibirica (Spach) Turcz. ex Kom. var. *hirsuta* (Turcz.) Koidz., Bot. Mag. (Tokyo) 27: 144 (1913)

Alnus sibirica (Spach) Turcz. ex Kom. var. *tinctoria* (Sarg.) Koidz., Bot. Mag. (Tokyo) 27: 145 (1913)

Alnus hirsuta (Spach) Rupr. var. *sibirica* (Spach) C.K. Schneid., Pl. Wilson. 2: 498 (1916)

Alnus tinctoria Sarg. var. *velutina* Hara, Bot. Mag. (Tokyo) 48: 805 (1934)

***Alnus incana* (L.) Medik. subsp. *tchangbokii* Chin S.Chang & H.Kim, Forest Science and Technology 7: 44 (2011)** Nat: S Korea **수우물오리**

***Alnus japonica* (Thunb.) Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 55 (1840)** Nat: N Korea, S Korea **오리나무**

Alnus martima Kunth var. *arguta* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 428 (1865)

Alnus martima var. *japonica* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 428 (1865)

Alnus japonica (Thunb.) Steud. var. *arguta* (Regel) Callier, Repert. Spec. Nov. Regni Veg. 10: 299 (1911)

Alnus japonica (Thunb.) Steud. var. *genuina* Callier, Repert. Spec. Nov. Regni Veg. 10:

299 (1911)
Alnus japonica (Thunb.) Steud. var. *latifolia* Callier, Repert. Spec. Nov. Regni Veg. 10: 299 (1911)
Alnus japonica (Thunb.) Steud. var. *koreana* Callier, Repert. Spec. Nov. Regni Veg. 10: 299 (1911)
Alnus japonica (Thunb.) Steud. var. *reginosa* Nakai, Bot. Mag. (Tokyo) 29: 46 (1915)
Alnus borealis var. *koreana* (Callier) Nakai, Bot. Mag. (Tokyo) 33: 44 (1919)
Alnus japonica (Thunb.) Steud. var. *rufa* Nakai, Bot. Mag. (Tokyo) 33: 45 (1919)

***Alnus pendula* Matsum., J. Coll. Sci. Imp. Univ. Tokyo 16(5): 6 (1902) Int 중사망오리**

Alnus firma Siebold & Zucc. var. *multinervis* Regel, Bull. Soc. Imp. Naturalistes Moscou 2: 423 (1865)
Alnus multinervis (Regel) Callier, Ill. Handb. Laubholz. 1: 123 (1904)
Alnaster pendulus (Matsum.) Czerep., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 17: 94 (1955)

***Alnus viridis* (Chaix) DC. subsp. *fruticosa* (Rupr.) Nyman, Consp. Fl. Eur. 3: 672 (1881) Nat; N Korea, S Korea 덤불오리나무**

Alnaster fruticosus (Rupr.) Ledeb., Fl. Ross. (Ledeb.) 3: 655 (1850)
Alnus maximowiczii Callier, Ill. Handb. Laubholz. 1: 122 (1904)
Alnus alnobetula (Ehrh.) K.Koch var. *fruticosa* H.J.P.Winkl., Pflanzenr. (Engler) IV, 4: 106 (1904)
Alnus fruticosa Rupr. var. *mandshurica* Callier, Ill. Handb. Laubholz. 1: 121 (1912)
Alnus sinuata var. *kamtschatica* Callier, Ill. Handb. Laubholz. 2: 888 (1912)
Alnus paniculata Nakai, Bot. Mag. (Tokyo) 29: 45 (1915)
Alnus vermicularis Nakai, Bot. Mag. (Tokyo) 33: 46 (1919)
Alnus mandshurica (Callier) Hand.-Mazz., Oesterr. Bot. Z. 81: 306 (1932)
Alnus fruticosa Rupr. var. *pubescens* Nakai, J. Jap. Bot. 16: 66 (1940)
Alnus fruticosa Rupr. var. *rufinervis* Nakai, J. Jap. Bot. 16: 66 (1940)
Alnus fruticosa Rupr. var. *mandshurica* f. *barbinervis* Nakai, J. Jap. Bot. 16: 67 (1940)
Alnus mandshurica (Callier) Hand.-Mazz. var. *pubescens* A.I.Baranov, Ill. Fl. Ligneous Pl. N. E. China 206, 561 t. 76 (1955)
Alnus fruticosa Rupr. var. *mandshurica* f. *pubescens* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 244 (1966)
Alnus fruticosa Rupr. f. *rufinervis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 244 (1966)
Alnus fruticosa Rupr. f. *pubescens* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 244 (1966)
Alnaster maximowiczii (Callier) Czerep., Fl. Arct. URSS Fasc. 5: 133 (1966)
Alnus mandshurica (Callier) Hand.-Mazz. f. *pubescens* (Nakai) Kitag., Neolin. Fl. Manshur. 212 (1979)
Alnus mandshurica (Callier) Hand.-Mazz. f. *barbinervis* (Nakai) W.T.Lee, Lineamenta Florae Koreae 156 (1996)

***Alnus x mayrii* Callier, Ill. Handb. Laubholz. 1: 126 (1904) Nat; N Korea, S Korea 잔털오리나무**

Alnus x borealis Koidz., Bot. Mag. (Tokyo) 26: 145 (1913)
Alnus x borealis Koidz. var. *latifolia* Nakai, Bot. Mag. (Tokyo) 33: 45 (1919)
Alnus x nikolskensis Mandl, Oesterr. Bot. Z. 71: 175 (1922)
Alnus x mayrii Callier var. *glabrescens* Nakai, Veg. Apoi 45 (1930)
Alnus x mayrii Callier var. *intermedia* H.Hara, Bot. Mag. (Tokyo) 48: 803 (1934)

Betula L.

***Betula chinensis* Maxim., Bull. Soc. Imp. Naturalistes Moscou 54(1): 47 (1879)** Nat: N Korea, S Korea 개박달나무

Betula exalata S.Moore, J. Linn. Soc., Bot. 17(102): 386 (1879)

Betula chinensis Maxim. var. *angusticarpa* H.J.P.Winkl., Pflanzentr. (Engler) IV, 61: 67 (1904)

Betula collina Nakai, Bot. Mag. (Tokyo) 29: 44 (1915)

Betula chinensis Maxim. f. *linearisquama* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 45 (1934)

Betula chinensis Maxim. var. *collina* (Nakai) Uyeki, Woody Pl. Distr. Chosen 13 (1940)

Betula liaotungensis A.I.Baranov, Ill. Fl. Ligneous Pl. N. E. China 559 (1958)

***Betula costata* Trautv., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 253 (1859)** Nat: N Korea, S Korea 거계수나무

Betula ermanii Cham. var. *costata* (Trautv.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 123 (1861)

Betula ulmifolia Siebold & Zucc. var. *costata* (Trautv.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 38: 414 (1865)

Betula costata Trautv. var. *pubescens* S.L.Liou, Bull. Bot. Res., Harbin 1(1-2): 129 (1981)

***Betula davurica* Pall., Reise Russ. Reich. 3: 422 (1776)** Nat: N Korea, S Korea 물박달나무

Betula dioica Pall., Reise Russ. Reich. 3: 321 (1776)

Betula maximowiczii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 139 (1856)

Betula maackii Rupr., Bull. Acad. Imp. Sci. Saint-Petersbourg 15: 137 (1857)

Betula dahurica Pall. var. *maximowicziana* Trautv., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 250 (1859)

Betula rosae H.J.P.Winkl., Pflanzentr. (Engler) IV, 61: 135 (1904)

Betula wutaica Mayr, Fremdländ. Wald- Parkbäume 450 (1906)

***Betula ermanii* Cham., Linnaea 6: 537 (1831)** Nat: N Korea, S Korea 사스래나무

Betula ermanii Cham. var. *genuina* Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 122 (1861)

Betula ermanii Cham. var. *lanata* Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 122 (1861)

Betula ermanii Cham. var. *nipponica* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 32: 622 (1888)

Betula ermanii Cham. var. *acutifolia* H.J.P.Winkl., Pflanzentr. (Engler) IV, 61: 66 (1904)

Betula ulmifolia Siebold & Zucc. var. *glandulosa* H.J.P.Winkl., Pflanzentr. (Engler) IV, 61: 64 (1904)

Betula bhojpattra var. *japonica* Shirai, Bot. Mag. (Tokyo) 19: 165 (1905)

Betula vulcani H.Lév., Bull. Soc. Bot. France 51: 423 (1907)

Betula ermanii Cham. var. *communis* Koidz., Bot. Mag. (Tokyo) 27: 149 (1913)

Betula ermanii Cham. var. *incisa* Koidz., Bot. Mag. (Tokyo) 27: 148 (1913)

Betula ermanii Cham. var. *japonica* Koidz., Bot. Mag. (Tokyo) 27: 149 (1913)

Betula ermanii Cham. var. *parvifolia* Koidz., Bot. Mag. (Tokyo) 27: 148 (1913)

Betula saitoana Nakai, Repert. Spec. Nov. Regni Veg. 13: 249 (1914)

Betula ermanii Cham. var. *ganjuensis* (Koidz.) Nakai, Bot. Mag. (Tokyo) 40: 163 (1926)

Betula ermanii Cham. var. *saitoana* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 46 (1934)

***Betula fruticosa* Pall., Reise Russ. Reich. 3: 758 (1776)** Nat: N Korea 줍자작나무

Betula ovalifolia Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 378 (1857)
Betula reticulata Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 378 (1857)
Betula fruticosa Pall. var. *ruprechtiana* Trautv., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 254 (1859)
Betula humilis (C.A.Mey.) O.E.Schulz var. *ovalifolia* (Rupr.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 110 (1861)
Betula humilis (C.A.Mey.) O.E.Schulz var. *reticulata* (Rupr.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 109 (1861)
Betula paishanensis Nakai, Bot. Mag. (Tokyo) 33: 5 (1919)
Betula microphylla Bunge var. *coreana* Nakai, Bot. Mag. (Tokyo) 33: 5 (1919)
Betula fusenensis Nakai, J. Jap. Bot. 14: 743 (1938)
Betula cyclophylla Nakai, J. Jap. Bot. 17: 4 (1941)
Betula fruticosa Pall. var. *paishanensis* (Nakai) S.L.Tung, Bull. Bot. Res., Harbin 1(1-2): 132 (1981)

***Betula pendula* Roth, Tent. Fl. Germ. 1: 405 (1788) Nat: N Korea 자작나무**

Betula alba L. subsp. *latifolia* (Tausch) Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 399 (1865)
Betula alba L. subsp. *mandshurica*. Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 339 (1865)
Betula alba L. subsp. *tauschii* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 399 (1865)
Betula alba L. subsp. *latifolia* var. *tauschii* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 399 (1865)
Betula alba L. var. *japonica* Miq., Prolus. Fl. Jap. 68 (1866)
Betula pendula Roth var. *japonica* Rehder, Cycl. Amer. Hort. 1: 159 (1900)
Betula japonica Siebold ex H.J.P.Winkl., Pflanzenz. (Engler) IV, 61: 78 (1904)
Betula japonica Siebold ex H.J.P.Winkl. var. *mandshurica* (Regel) H.J.P.Winkl., Pflanzenz. (Engler) IV, 61: 78 (1904)
Betula japonica Siebold ex H.J.P.Winkl. var. *tauschii* H.J.P.Winkl., Pflanzenz. (Engler) IV, 61: 78 (1904)
Betula latifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 38 (1904)
Betula japonica Siebold ex H.J.P.Winkl. var. *pluricostata* H.J.P.Winkl., Pflanzenz. (Engler) IV, 61: 79 (1904)
Betula pendula Roth var. *mandshurica* (Regel) H.J.P.Winkl., Pflanzenz. (Engler) 4, 61(heft, 19): 78 (1904)
Betula verrucosa Ehrh. var. *japonica* A.Henry, Trees Great Britain 4: 967 (1909)
Betula platyphylla Sukaczew, Trudy Bot. Muz. Imp. Akad. Nauk 8: 220 (1911)
Betula pendula Roth var. *tauschii* (Regel) Rehder, Stand. Cycl. Hort. 1: 498 (1914)
Betula mandshurica (Regel) Nakai, Bot. Mag. (Tokyo) 29: 42 (1915)
Betula japonica Siebold ex H.J.P.Winkl. var. *rockii* Rehder, J. Arnold Arbor. 9: 25 (1928)
Betula tauschii (Regel) Koidz., Fl. Symb. Orient.-Asiat. 35 (1930)
Betula platyphylla Sukaczew var. *mandshurica* (Regel) H.Hara, J. Bot. 13: 385 (1937)
Betula platyphylla Sukaczew var. *japonica* (Miq.) H.Hara, J. Jap. Bot. 13: 384 (1937)
Betula mandshurica (Regel) Nakai var. *japonica* (Miq.) Rehder, J. Arnold Arbor. 19: 72 (1938)
Betula platyphylla Sukaczew subsp. *mandshurica* (Regel) Kitag., Lin. Fl. Manshur. 165 (1939)
Betula verrucosa Ehrh. var. *platyphylla* (Sukaczew) Lindq., Acta Horti Gothob. 25: 124 (1962)

***Betula schmidtii* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 412 (1865) Nat: N Korea, S Korea 박달나무**

Betula punctata H.Lév. ex Nakai, Fl. Sylv. Kor. 2: 34 (1915)
Betula schmidtii Regel var. *lancea* Nakai, Bot. Mag. (Tokyo) 33: 46 (1919)
Betula schmidtii Regel var. *angustifolia* Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 185 (1931)

Carpinus L.

***Carpinus cordata* Blume, Mus. Bot. 1: 309 (1851) Nat; N Korea, S Korea** 까치박달

Carpinus erosa Blume, Mus. Bot. 1: 308 (1851)
Distegocarpus cordata (Blume) A.DC., Prodr. (DC.) 16: 128 (1864)
Distegocarpus erosa (Blume) A.DC., Prodr. (DC.) 16: 128 (1864)
Ostrya mandshurica Budischtschew ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 166 (1884)

***Carpinus laxiflora* (Siebold & Zucc.) Blume, Mus. Bot. 1: 309 (1851) Nat; N Korea, S Korea** 서어나무

Distegocarpus laxiflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4,3: 228 (1846)
Carpinus laxiflora (Siebold & Zucc.) Blume var. *chartacea* H.Lév., Bull. Soc. Bot. France 51: 424 (1904)
Carpinus laxiflora (Siebold & Zucc.) Blume var. *macrophylla* Nakai, Bot. Mag. (Tokyo) 45: 112 (1931)
Carpinus laxiflora (Siebold & Zucc.) Blume f. *macrophylla* (Nakai) W.T.Lee, Lineamenta Florae Koreae 165 (1996)

Carpinus laxiflora* (Siebold & Zucc.) Blume var. *laxiflora

***Carpinus laxiflora* (Siebold & Zucc.) Blume var. *longispica* Uyeki, Suigen Gakuho 41: 9 (1924) Nat; S Korea, Endemic** 긴서어나무

Carpinus laxiflora (Siebold & Zucc.) Blume var. *macrophyrsa* Koidz., Acta Phytotax. Geobot. 9: 73 (1940)

***Carpinus tschonoskii* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 534 (1881) Nat; S Korea** 개서어나무

Carpinus yedoensis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 535 (1882)
Carpinus fauriei Nakai, Bot. Mag. (Tokyo) 26: 325 (1912)
Carpinus eximia Nakai, Repert. Spec. Nov. Regni Veg. 13: 249 (1914)
Carpinus tschonoskii (Siebold & Zucc.) Maxim. var. *subintegra* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 501 (1914)
Carpinus yedoensis Maxim. var. *jablonszkyi* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 500 (1914)
Carpinus yedoensis Maxim. var. *serratiauriculata* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 500 (1914)
Carpinus paoshingensis K.C.Hsia, Contr. Inst. Bot. Natl. Acad. Peiping 2: 179 (1934)
Carpinus tschonoskii (Siebold & Zucc.) Maxim. var. *eximia* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 48 (1934)
Carpinus coreensis Koidz., Acta Phytotax. Geobot. 9: 73 (1940)
Carpinus obovatifolia Hu, Acta Phytotax. Sin. 9: 289 (1964)

***Carpinus turczaninowii* Hance, J. Linn. Soc., Bot. 10: 203 (1869) Nat; N Korea, S Korea** 소사나무

Carpinus paxii H.J.P.Winkl., Pflanzenr. (Engler) IV, 61: 35 (1904)
Carpinus stipulata H.J.P.Winkl., Pflanzenr. (Engler) IV, 61: 35 (1904)
Carpinus tanakaena Makino, Bot. Mag. (Tokyo) 28: 32 (1914)

Carpinus turczaninowii Hance var. *stipulata* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 505 (1914)
Carpinus coreana Nakai, Bot. Mag. (Tokyo) 40: 162 (1926)
Carpinus coreana Nakai var. *major* Nakai, Bot. Mag. (Tokyo) 40: 163 (1926)
Carpinus chowii Hu, J. Arnold Arbor. 13: 334 (1932)
Carpinus turczaninowii Hance var. *chungnanensis* P.C.Kuo, Fl. Tsinling. 1: 66 (1974)
Carpinus turczaninowii Hance var. *coreana* (Nakai) W.T.Lee, Lineamenta Florae Koreae 166 (1996)

Corylus L.

***Corylus heterophylla* Fisch. ex Trautv., Pl. Imag. Descr. Fl. Russ. 1: 10 (1844) Nat: N Korea, S Korea 개암나무**

Corylus tetraphylla Ledeb., Denkschr. Bayer. Bot. Ges. Regensburg 3, 2: 58 (1841)
Corylus hasibani Siebold, Kruidk. Naamlijst 27 (1844)
Corylus avellana L. var. *davurica* Ledeb., Fl. Ross. (Ledeb.) 3: 588 (1850)
Corylus heterophylla Fisch. ex Trautv. var. *thunbergii* Blume, Mus. Bot. 1: 310 (1850)
Corylus mongolica K.Koch, Dendrologie 2: 13 (1873)
Corylus heterophylla Fisch. ex Trautv. var. *japonica* Koidz., Bot. Mag. (Tokyo) 27: 143 (1913)
Corylus heterophylla Fisch. ex Trautv. var. *yezoensis* Koidz., Bot. Mag. (Tokyo) 27: 143 (1913)
Corylus yezoensis (Koidz.) Nakai, Fl. Sylv. Kor. 2: 9 (1915)

***Corylus sieboldiana* Blume, Mus. Bot. 1: 310 (1851) Nat: S Korea 참개암나무**

Corylus heterophylla Fisch. ex Trautv. var. *sieboldiana* A.DC., Prodr. (DC.) 16, 2: 113 (1864)
Corylus rostrata var. *mitis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 538 (1882)
Corylus rostrata var. *sieboldiana* (Blume) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 538 (1882)
Corylus hallaisanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 250 (1914)
Corylus sieboldiana Blume var. *mitis* (Maxim.) Nakai, Bot. Mag. (Tokyo) 29: 37 (1915)
Corylus sieboldiana Blume var. *brevirostris* C.K.Schneid., Pl. Wilson. 2: 453 (1916)
Corylus brevirostris (C.K.Schneid.) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 458 (1934)

Corylus sieboldiana* Blume var. *sieboldiana

***Corylus sieboldiana* Blume var. *mandshurica* (Maxim.) C.K.Schneid., Pl. Wilson. 2: 454 (1916) Nat: N Korea, S Korea 물개암나무**

Corylus mandshurica Maxim. & Rupr., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 137 (1857)
Corylus rostrata var. *mandshurica* (Maxim.) Regel, Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 221 (1857)

Ostrya Scop.

***Ostrya japonica* Sarg., Gard. & Forest 5: 383 (1893) Nat: S Korea 새우나무**

Ostrya virginiana var. *japonica* Maxim. ex Sarg., Gard. & Forest 5: 383 (1893)
Ostrya ostrya MacMill. var. *japonica* C.K.Schneid., Ill. Handb. Laubholz. 1: 142 (1904)
Ostrya liana Hu, J. Arnold Arbor. 11: 49 (1930)
Ostrya japonica Sarg. var. *homochaeta* Honda, Bot. Mag. (Tokyo) 47: 433 (1933)

BIGNONIACEAE

Campsis Lour.

Campsis grandiflora (Thunb.) K.Schum., *Nat. Pflanzenfam.* 4(3b): 230 (1894) Int 능소화

Bignonia glandifolia Thunb., *Nova Acta Regiae Soc. Sci. Upsal.* 4: 39 (1783)

Bignonia chinensis Lam., *Encycl. (Lamarck)* 1: 423 (1785)

Campsis adrepens Lour., *Fl. Cochinch.* 377 (1790)

Tecoma grandiflora (Thunb.) Loisel., *Herb. Gén. Amateur* 5: 286 (1821)

Incarvillea grandiflora Spreng., *Syst. Veg.* (ed. 16) [Sprengel] 2: 836 (1825)

Incarvillea chinensis Spreng. ex DC., *Prodr. (DC.)* 9: 237 (1845)

Tecoma chinensis (Lam.) K.Koch, *Dendrologie* 3: 307 (1872)

Campsis chinensis (Lam.) Voss, *Vilm. Blumengartn.*, ed. 3 1: 801 (1894)

Catalpa Scop.

Catalpa bignonioides Walter, *Fl. Carol.* 64 (1788) Int 꽃개오동

Bignonia catalpa L., *Sp. Pl.* 622 (1753)

Bignonia spectabilis Salisb., *Prodr. Stirp. Chap. Allerton* 106 (1796)

Catalpa arborea Baill., *Leçons Fam. Nat.* 214 (1872)

Catalpa bungei C.A.Mey., *Bull. Sci. Acad. Imp. Sci. Saint-Pétersbourg* 2: 51 (1837) Int
당향오동나무

Catalpa ovata G.Don, *Gen. Hist.* 4: 230 (1837) Int 개오동

Catalpa bignonioides Walter var. *kaempferi* DC., *Prodr. (DC.)* 9: 226 (1845)

Catalpa kaempferi Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4 (3): 142 (1846)

Catalpa henryi Dode, *Bull. Soc. Dendrol. France* 1907: 199 (1907)

Catalpa speciosa (Warder ex Barney) Warder ex Engelm., *Bot. Gaz.* 5: 1 (1880) Int
미국개오동

Catalpa heterophylla (C.A.Mey.) Dode, *Bull. Soc. Dendrol. France* 1907: 203 (1907)

BORAGINACEAE

Amsinckia Lehm.

Amsinckia lycopsoides Lehm., *Prodr. (DC.)* 10: 117 (1846) Int 미국꽃말이

Ancistrocarya Maxim.

Ancistrocarya japonica Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 3, 17: 444 (1872)
Nat: N Korea, S Korea 털꽃마리

Bothriospermum Bunge

Bothriospermum secundum Maxim., *Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans* 9: 202 (1859) Nat: N Korea, S Korea 참꽃말이

Bothriospermum imaii Nakai, *Bot. Mag. (Tokyo)* 23: 189 (1909)

Lithospermum secundum Nakai, *Bot. Mag. (Tokyo)* 23: 107 (1909)

Bothriospermum secundum Maxim. f. *albiflorum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 105 (1911)

***Bothriospermum tenellum* (Hornem.) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 24 (1835) Nat: N Korea, S Korea 꽃받이**

Anchusa tenella Hornem., Hort. Bot. Hafn. 1: 176 (1813)

Cynoglossum prostratum Ham. ex D.Don, Prodr. Fl. Nepal. 100 (1825)

Bothriospermum perenne Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 95 (1865)

Bothriospermum tenellum (Hornem.) Fisch. & C.A.Mey. var. *asperugoides* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 17: 455 (1872)

Brachybotrys Maxim. ex Oliv.

***Brachybotrys paridiformis* Maxim. ex Oliv., Hooker's Icon. Pl. ser. 2, 13: 43 (1878) Nat: N Korea, S Korea 당개지치**

Cynoglossum L.

***Cynoglossum asperinum* Nakai, Bot. Mag. (Tokyo) 37: 6 (1923) Nat: S Korea 왕꽃마리**

Cynoglossum asperinum Nakai var. *yesoense* Nakai, Bot. Mag. (Tokyo) 37: 7 (1923)

Cynoglossum tosaense Nakai, Bot. Mag. (Tokyo) 37: 5 (1923)

Cynoglossum asperinum Nakai var. *tosaense* (Nakai) H.Hara, Enum.

Spermatophytarum Japon. 1: 172 (1948)

Paracynoglossum asperinum (Nakai) Popov, Fl. URSS 19: 679 (1953)

***Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm., Neue Schriften Naturf. Ges. Halle 3: 20 (1817) Nat: S Korea 섬꽃마리**

Echinospermum zeylanicum Lehm., Pl. Asperif. Nucif. 116 (1818)

Cynoglossum furcatum Wall. ex Roxb., Fl. Ind. (Roxburgh) 2: 6 (1824)

Cynoglossum villosulum Nakai, Bot. Mag. (Tokyo) 37: 6 (1923)

Cynoglossum zeylanicum (Vahl ex Hornem.) Thunb. ex Lehm. var. *villosulum* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 84 (1953)

Ehretia P.Browne

***Ehretia acuminata* R.Br., Prodr. Fl. Nov. Holland. 147 (1810) Nat: S Korea 송양나무**

Ehretia serrata Roxb. var. *obovata* Lindl., Bot. Reg. 13: t. 1097 (1827)

Ehretia ovalifolia Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 137 (1844)

Cordia thyrsoiflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (3): 26 (1846)

Ehretia thyrsoiflora (Siebold & Zucc.) Nakai, Trees Shrubs Japan 327 (1922)

Ehretia taiwaniana Nakai, J. Arnold Arbor. 5: 38 (1924)

Ehretia acuminata R.Br. var. *obovata* (Lindl.) I.M.Johnst., J. Arnold Arbor. 32: 21 (1951)

Erित्रichium Schrad. ex Gaudin

***Erित्रichium incanum* (Turcz.) A.DC., Prodr. (DC.) 10: 127 (1846) Nat: N Korea 산지치**

Myosotis incana Turcz., Mem. Soc. Imp. Naturalistes Moscou 11: 97 (1838)

Hackelia Bercht. & Opiz

***Hackelia deflexa* (Wahlenb.) Opiz, Oekon.-techn. Fl. Bohm. 2: 147 (1838) Nat: N Korea**
쪽지치

- Myosotis deflexa* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 31: 113 (1810)
Echinosperrum deflexum (Wahlenb.) Lehm., Pl. Asperif. Nucif. 120 (1818)
Lappula deflexa (Lehm.) Garcke, Fl. N. Mitt.-Deutschland, ed. 6 275 (1863)
Echinosperrum matsudairai Makino, Bot. Mag. (Tokyo) 17: 52 (1903)
Lappula matsudairai (Makino) Drude, Rep. Bot. Exch. Club 1916, suppl. 2: 630 (1917)
Eritrichium deflexum (Wahlenb.) Y.S.Lian & J.Q.Wang, Fl. Reipubl. Popularis Sin. 64: 139 (1989)

Lappula Moench

***Lappula heteracantha* (Ledeb.) Gürke, Nat. Pflanzenfam. 4(3a): 107 (1897) Nat: N Korea**
돌지치

- Echinosperrum heteracanthum* Ledeb., Index Seminum [Tartu] 1823: 3 (1823)
Lappula echinata (L.) Gilib. var. *heterantha* (Ledeb.) Kuntze, Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 214 (1887)

***Lappula myosotis* Wolf, Gen. Pl. (Wolf) 18 (1776) Nat: N Korea** 들지치

- Myosotis lappula* L., Sp. Pl. 131 (1753)
Myosotis echinata L., Sp. Pl. 131 (1753)
Lappula echinata (L.) Gilib., Fl. Lit. Inch. 1: 25 (1782)
Echinosperrum lappula Lehm., Pl. Asperif. Nucif. 121 (1818)
Lappula echinata (L.) Gilib. var. *heteracantha* Kuntze, Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 214 (1887)

Lithospermum L.

***Lithospermum arvense* L., Sp. Pl. 132 (1753) Nat: N Korea, S Korea** 개지치

- Aegonychon arvense* (L.) Gray, Nat. Arr. Brit. Pl. 2: 354 (1821)
Rhytisperrum arvense (L.) Link, Handbuch [Link] 1: 579 (1829)
Lithospermum sibthoripianum Griseb., Spic. Fl. Rumel. 2: 86 (1844)
Rhytisperrum medium Fourr., Ann. Soc. Linn. Lyon 17: 122 (1869)
Buglossoides arvensis (L.) I.M.Johnst., J. Arnold Arbor. 35: 42 (1954)

***Lithospermum erythrorhizon* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 149 (1846) Nat: N Korea, S Korea** 지치

- Lithospermum officinale* L. var. *japonicum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 94 (1865)
Lithospermum officinale L. var. *erythrorhizon* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 8: 541 (1872)
Lithospermum officinale L. subsp. *erythrorhizon* (Siebold & Zucc.) Hand.-Mazz., Symb. Sin. 7: 817 (1936)

***Lithospermum zollingeri* A.DC., Prodr. (DC.) 10: 587 (1846) Nat: S Korea** 반디지치

- Lithospermum japonicum* A.Gray, Narr. Exped. China Japan 2: 316 (1857)
Lithospermum confertiflorum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 95 (1865)
Plagiobothrys zollingeri (A.DC.) I.M.Johnst., Contr. Gray Herb. 73: 68 (1924)
Buglossoides zollingeri (A.DC.) I.M.Johnst., J. Arnold Arbor. 35: 42 (1954)

Mertensia Roth

- Mertensia simplicissima** G.Don, *Gen. Hist.* 4: 319 (1837) Nat: N Korea, S Korea 갯지치
Mertensia maritima (L.) Gray subsp. *asiatica* Takeda, *J. Bot.* 49: 222 (1911)
Mertensia asiatica (Takeda) J.F.Macbr., *Contr. Gray Herb.* 2: 53 (1916)
Mertensia maritima (L.) Gray var. *asiatica* (Takeda) Kitag., *Neolin. Fl. Manshur.* 534 (1979)

Myosotis Moench

- Myosotis alpestris** F.W.Schmidt, *Fl. Boem. Cent.* 3 3: 26 (1794) Int 물망초
Myosotis rupicola Sm., *Engl. Bot.* 36: t. 2559 (1813)
Myosotis suaveolens Waldst. & Kit., *Enum. Hort. Berol. Alt.* 1: 165 (1821)
Myosotis alpestris F.W.Schmidt subsp. *asiatica* Vestergr. ex Hultén, *Fl. Kamtchatka* 4: 80 (1930)
Myosotis imitata Serg., *Sist. Zаметki Mater. Gerb. Krylova Tomsk. Gosud. Univ. Kujbyseva* 6 (1936)
- Myosotis laxa** Lehm., *Pl. Asperif. Nucif.* 1: 83 (1818) Nat: N Korea 개꽃마리
Myosotis caespitosa Schultz var. *laxa* (Lehm.) A.DC., *Prodr. (DC.)* 10: 105 (1846)
Myosotis palustris var. *laxa* A.Gray, *Manual (Gray)*, ed. 5 365 (1867)
- Myosotis sylvatica** Ehrh. ex Hoffm., *Deutschl. Fl. (Hoffm.)* 61 (1791) Nat: N Korea 왜지치
Myosotis perennis Moench var. *sylvatica* (Ehrh.) DC., *Fl. Franc. (DC. & Lamarck)*, ed. 3 p. 629 (1805)

Omphalodes Mill.

- Omphalodes krameri** Franch. & Sav., *Enum. Pl. Jap.* 2: 452 (1878) Nat: S Korea 자반풀

Symphytum L.

- Symphytum officinale** L., *Sp. Pl.* 136 (1753) Int 컹프리

Thyrocarpus Hance

- Thyrocarpus glochidiatus** Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 26: 499 (1880)
Nat: S Korea 대청지치

Tournefortia L.

- Tournefortia sibirica** L., *Sp. Pl.* 141 (1753) Nat: N Korea, S Korea 모래지치
Messerschmidia arguzia L., *Mant. Pl.* 1: 42 (1767)
Messerschmidia sibirica (L.) L., *Mant. alt.* 334 (1771)
Tournefortia arguzia (L.) Roem. & Schult., *Syst. Veg.* (ed. 16) [Roemer & Schultes] 4: 540 (1819)
Argusia repens Raf., *Sylva Tellur.* 167 (1838)
Tournefortia arguzia (L.) Roem. & Schult. var. *latifolia* A.DC., *Prodr. (DC.)* 9: 514 (1845)
Messerschmidia sibirica (L.) L. var. *latifolia* (DC.) H.Hara, *Enum. Spermatophytarum Japon.* 1: 178 (1948)
Argusia sibirica (L.) Dandy, *Bot. J. Linn. Soc.* 65: 256 (1972)

Trigonotis Steven

Trigonotis icumae (Maxim.) Makino, Bot. Mag. (Tokyo) 31: 218 (1917) Nat; S Korea
덩굴꽃마리

Omphalodes icumae Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 453 (1872)

Trigonotis peduncularis (Trevis.) Benth. ex Baker & S.Moore, J. Linn. Soc., Bot. 17(102): 384 (1879) Nat; N Korea, S Korea 꽃마리

Myosotis peduncularis Trevir., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 147 (1816)

Eritrichium pedunculare (Trevir.) A.DC., Prodr. (DC.) 10: 128 (1846)

Myosotis chinensis A.DC., Prodr. (DC.) 10: 106 (1846)

Eritrichium japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 96 (1865)

Trigonotis radicans (Turcz.) Steven, Bull. Soc. Imp. Naturalistes Moscou 24-1: 603 (1851) Nat; N Korea 거센털꽃마리

Myosotis radicans Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 258 (1840)

Eritrichium radicans (Turcz.) A.DC., Prodr. (DC.) 10: 128 (1846)

Trigonotis radicans (Turcz.) Steven var. *radicans*

Trigonotis radicans (Turcz.) Steven var. *sericea* (Maxim.) H.Hara, J. Jap. Bot. 17: 637 (1941) Nat; N Korea, S Korea 참꽃마리

Omphalodes sericea Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 453 (1872)

Eritrichium brevipes Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 17: 446 (1872)

Trigonotis brevipes (Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 506 (1881)

Omphalodes aquatica Brand, Repert. Spec. Nov. Regni Veg. 13(381-384): 545 (1915)

Trigonotis coreana Nakai, Bot. Mag. (Tokyo) 31: 218 (1917)

Trigonotis sericea Ohwi, J. Jap. Bot. 12: 328 (1936)

Trigonotis nakaii Hara, J. Jap. Bot. 17: 635 (1941)

BRASSICACEAE

Alliaria Kuntze

Alliaria petiolata (M.Bieb.) Cavara & Grande, Bull. Orto Bot. Regia Univ. Napoli 3: 418 (1913) Int 마늘냉이

Erysimum cordifolium Pall., Tabl. Phys. Topogr. Taur. 54 (1795)

Arabis petiolata M.Bieb., Fl. Taur.-Caucas. 2: 126 (1808)

Alliaria officinalis Andrz. ex DC., Syst. Nat. (Candolle) 2: 489 (1821)

Alliaria fuchsii Rupr., Fl. Caucasi 85 (1869)

Alliaria mathioli Rupr., Fl. Caucasi 85 (1869)

Alliaria alliacea (Salisb.) Britten & Rendle, List Brit. Seed.-Pl. Ferns 3 (1907)

Arabidopsis Heynh.

Arabidopsis halleri (L.) O'Kane & Al-Shehbaz subsp. *gemmifera* (Matsum.) O'Kane & Al-Shehbaz, Novon 7: 325 (1997) Int 자주장대나물

Arabis halleri L., Sp. Pl. (ed. 2) 2: 929 (1763)

Arabis halleri L. var. *senanensis* Franch. & Sav., Enum. Pl. Jap. 2: 279 (1879)

Cardamine gemmifera Matsum., Bot. Mag. (Tokyo) 13: 54 (1899)

Arabis gemmifera (Matsum.) Makino, Bot. Mag. (Tokyo) 24: 224 (1910)

Arabis senanensis (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 24: 224 (1910)
Arabis coronata Nakai, Bot. Mag. (Tokyo) 28: 302 (1914)
Cardamine greatrexii Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 6: 169 (1917)
Arabis maximowiczii N.Busch, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 3: 13 (1922)
Cardaminopsis maximowiczii (N.Busch) O.E.Schulz, Nat. Pflanzenfam., ed. 2 17b: 541 (1936)

***Arabidopsis lyrata* (L.) O'Kane & Al-Shehbaz subsp. *kamchatica* (Fisch. ex DC.) O'Kane & Al-Shehbaz, Novon 7: 326 (1997) Nat: N Korea** **뫓장대**

Arabis lyrata L., Sp. Pl. 2: 665 (1753)
Arabis lyrata L. var. *kamtschatica* Fisch. ex DC., Syst. Nat. (Candolle) 2: 231 (1821)
Arabis kamtschatica Pall. ex Ledeb., Fl. Ross. (Ledeb.) 1: 121 (1841)
Arabis petraea (L.) Lam. var. *kamtschatica* (Fisch.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 167 (1861)
Arabis lyrata L. var. *occidentalis* Watson, Syn. Fl. N. Amer. 1 (1): 159 (1895)
Arabis morrisonensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 29 (1911)
Cardaminopsis kamtschatica (Fisch.) O.E.Schulz, Nat. Pflanzenfam., ed. 2 17b: 541 (1936)
Arabis lyrata L. subsp. *kamtschatica* (Fisch. ex DC.) Hultén, Fl. Aleutian Isl. 202 (1937)

***Arabidopsis thaliana* (L.) Heynh., Fl. Sachsen 538 (1842) Nat: S Korea** **애기장대**

Arabis thaliana L., Sp. Pl. 665 (1753)
Sisymbrium thalianum (L.) J.Gay, Ann. Sci. Nat. (Paris) 7: 399 (1826)
Cardamine pusilla Hochst. ex A.Rich., Tent. Fl. Abyss. 1: 18 (1847)
Arabis pubicalyx Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 72 (1865)
Stemophragma thaliana (L.) Celak., Bot. Jahrb. Syst. 29: 358 (1900)
Arabis thaliana L. var. *pubicalyx* (Miq.) Makino, Iinuma, Somoku-Dzusetsu, ed. 3 12 (1912)

Arabis Adans.

***Arabis columnalis* Nakai, Repert. Spec. Nov. Regni Veg. 13: 271 (1914) Nat: S Korea** **참장대나물**

***Arabis hirsuta* (L.) Scop., Fl. Carniol., ed. 2 2: 30 (1772) Nat: N Korea, S Korea** **털장대**

Turritis hirsuta L., Sp. Pl. 666 (1753)
Arabis sagittata (Bertol.) DC., Fl. Franc. (DC. & Lamarck), ed. 3 6: 592 (1815)
Arabis sagittata (Bertol.) DC. var. *nipponica* Franch. & Sav., Enum. Pl. Jap. 1: 34 (1875)
Arabis nipponica (Franch. & Sav.) H.Boissieu, Bull. Herb. Boissier 7: 785 (1899)
Arabis longifolia Nakai, Bot. Mag. (Tokyo) 32: 244 (1918)
Arabis ligulifolia Nakai, Bot. Mag. (Tokyo) 33: 51 (1919)
Arabis hirsuta (L.) Scop. subsp. *nipponica* Kitam., Acta Phytotax. Geobot. 20: 201 (1962)
Arabis hirsuta (L.) Scop. var. *nipponica* (Franch. & Sav.) C.C.Yuan & T.Y.Cheo, Fl. Reipubl. Popularis Sin. 33: 277 (1987)

***Arabis serrata* Franch. & Sav., Enum. Pl. Jap. 1: 33 (1873) Nat: S Korea** **바위장대**

Arabis glauca Boiss., Bull. Herb. Boissier 7: 786 (1899)
Arabis hallaisanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 271 (1914)
Arabis boissieuana Nakai, Bot. Mag. (Tokyo) 32: 243 (1918)
Arabis boissieuana Nakai var. *nikoensis* Nakai, Bot. Mag. (Tokyo) 32: 244 (1918)
Arabis takesimana Nakai, Bot. Mag. (Tokyo) 32: 244 (1918)
Arabis takesimana Nakai f. *lancea* Nakai, Bot. Mag. (Tokyo) 32: 245 (1918)
Arabis takesimana Nakai f. *latifolia* Nakai, Bot. Mag. (Tokyo) 32: 245 (1918)
Arabis serrata Franch. & Sav. var. *glabrescens* Ohwi, Acta Phytotax. Geobot. 7: 33 (1938)
Arabis serrata Franch. & Sav. var. *glauca* (H.Boissieu) Ohwi, Acta Phytotax. Geobot. 7:

33 (1938)

Arabis serrata Franch. & Sav. var. *hallaisanensis* (Nakai) Ohwi, Acta Phytotax. Geobot. 7: 32 (1938)

Arabis serrata Franch. & Sav. var. *platycarpa* Ohwi, Acta Phytotax. Geobot. 7: 31 (1938)

***Arabis stelleri* DC., Syst. Nat. (Candolle) 2: 242 (1821) Nat; S Korea 갯장대**

Arabis japonica (A.Gray) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 381 (1858)

Arabis stelleri DC. var. *japonica* (A.Gray) F.Schmidt, Reis. Amur-Land., Bot. 111 (1868)

Arabis yokoscensis Franch. & Sav., Enum. Pl. Jap. 1: 34 (1873)

Arabis alpina L. var. *japonica* A.Gray, Narr. Exped. China Japan 2: 307 (1876)

Arabis stelleri DC. var. *macrocarpa* Franch. & Sav., Enum. Pl. Jap. 2: 278 (1879)

Arabis stelleri DC. var. *stenocarpa* Franch. & Sav., Enum. Pl. Jap. 2: 278 (1879)

Arabis fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 (1910)

Arabis kelung-insularis Hayata, Icon. Pl. Formosan. 3: 18 (1913)

Arabis lithophila Hayata, Icon. Pl. Formosan. 3: 18 (1913)

Arabis japonica (A.Gray) A.Gray var. *macrocarpa* (Nakai) Nakai, Bot. Mag. (Tokyo) 41: 513 (1927)

Arabis japonica (A.Gray) A.Gray var. *stenocarpa* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 41: 513 (1927)

***Armoracia* P.Gaertn.**

***Armoracia rusticana* P.Gaertn. & B.Mey. & Scherb., Oekon. Fl. Wetterau 2: 426 (1800) Int
겨자무**

Armoracia lapathifolia Gilib., Fl. Lit. Inch. 2: 53 (1782)

***Barbarea* W.T.Aiton**

***Barbarea orthoceras* Ledeb., Index Sem. (Dorpat) 0 (1824) Nat; N Korea, S Korea 나도냉이**

Barbarea vulgaris R.Br. var. *orthoceras* (Ledeb.) Regel, Reis. Ostsib. 1: 154 (1861)

Sisymbrium japonicum H.Boissieu, Bull. Herb. Boissier 7: 794 (1899)

Barbarea pinnatifida H.Boissieu, Bull. Herb. Boissier 7: 782 (1899)

Barbarea americana Rydb., Mem. New York Bot. Gard. 1: 174 (1900)

Barbarea vulgaris R.Br. var. *sibirica* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 358 (1904)

Barbarea cochlearifolia H.Boissieu, Bull. Herb. Boissier 7: 783 (1899)

Barbarea hondoensis Nakai, Bot. Mag. (Tokyo) 33: 53 (1919)

Barbarea patens H.Boissieu, Bull. Herb. Boissier 7: 783 (1919)

Barbarea sibirica (Regel) Nakai, Bot. Mag. (Tokyo) 33: 53 (1919)

Campe orthoceras var. *dolichocarpa* (Fernald) Gilkey, Handb. Northwest Fl. Pl. 119 (1936)

***Barbarea vulgaris* R.Br., Hort. Kew. (Hill) ed. 2, 4: 109 (1812) Int 유럽나도냉이**

Erysimum barbarea L., Sp. Pl. 660 (1753)

Barbarea taurica DC., Syst. Nat. (Candolle) 2: 207 (1821)

Barbarea iberica (Willd.) DC., Syst. Nat. (Candolle) 2: 208 (1821)

Barbarea arcuata (Opiz ex J.Presl & C.Presl) Rchb., Flora 5: 296 (1822)

Barbarea hirsuta Weihe, Flora 13: 257 (1830)

Barbarea altaica Andr. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 185 (1840)

Barbarea rupestris Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 185 (1840)

Barbarea sicula Gren. & Godr., Fl. France (Grenier) 1: 92 (1847)

Barbarea kayseri Schur, Verh. Mitth. Siebenbürg. Vereins Naturwiss. Hermannstadt 4: 57 (1853)

Barbarea sylvestris Jord., Ann. Soc. Linn. Lyon 7: 468 (1861)

Barbarea abortiva Hausskn., Mitt. Geogr. Ges. Jena 3: 274 (1886)
Barbarea barbarea (L.) MacMill., Metasp. Minnesota Valley 259 (1892)

Berteroella O.E.Schulz

***Berteroella maximowiczii* (Palib.) O.E.Schulz, Beih. Bot. Centralbl. 37: 128 (1919) Nat; N Korea, S Korea 장대냉이**

Sisymbrium maximowiczii Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 28 (1899)
Arabis axillaris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 437 (1901)

Brassica L.

***Brassica juncea* (L.) Czern., Conspect. Pl. Charc. 8 (1859) Int 갓**

Sinapis juncea L., Sp. Pl. 668 (1753)
Brassica cernua Forbes & Hemsl., J. Linn. Soc., Bot. 23: 47 (1886)
Brassica juncea (L.) Czern. var. *crispifolia* L.H.Bailey, Gentes Herb. 1: 91 (1891)
Brassica taquetii (H.Lév. & Vaniot) H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 10: 349 (1911)

***Brassica napus* L., Sp. Pl. 666 (1753) Int 유채**

Brassica campestris L. var. *chinensis* T.Itô, Encycl. Jap. 1: 175 (1908)
Brassica campestris L. var. *akana* Makino, Inuma, Somoku-Dzusetsu, ed. 3 902 (1912)
Brassica napus L. var. *chinensis* (L.) O.E.Schulz, Pflanzenr. (Engler) IV, 105(70): 45 (1919)
Brassica campestris L. var. *nippo-oleifera* Makino, J. Jap. Bot. 8: 10 (1932)

***Brassica oleracea* L., Sp. Pl. 667 (1753) Int 양배추**

Brassica oleracea L. var. *botrytis* L., Sp. Pl. 667 (1753)
Brassica oleracea L. var. *gongylodes* L., Sp. Pl. 667 (1753)
Brassica oleracea L. var. *capitata* L., Sp. Pl. 667 (1753)
Sinapis pekinensis Lour., Fl. Cochinch. 400 (1790)
Brassica oleracea L. var. *italica* Plenck, Icon. Pl. Med. 6: 29 (1794)
Brassica oleracea L. var. *bullata* subvar. *gemmifera* DC., Syst. Nat. (Candolle) 2: 583 (1821)
Brassica oleracea L. var. *caulorapa* DC., Prodr. (DC.) 1: 214 (1824)
Brassica oleracea L. var. *gemmifera* Zenker, Fl. Thüringen 15: 2 (1836)
Brassica pekinensis Rupr., Fl. Ingr. [Ruprecht] 96 (1860)
Brassica caulorapa Pasq., Cat. Ort. Bot. Napoli 1: 17 (1867)
Brassica campestris L. subsp. *rapa* Hook.f. & Anderson, Fl. Brit. Ind. 1: 156 (1872)
Brassica pe-tsai (Lour.) L.H.Bailey, Cornell Univ. Agric. Exp. Sta. Bull. 67: 178 (1894)
Brassica oleracea L. var. *taquetii* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 (1910)
Brassica capitata H.Lév., Monde Pl. 12: 24 (1910)
Brassica gemmifera H.Lév., Monde Pl. 12: 24 (1910)

***Brassica rapa* L., Handb. Skand. Fl., ed. 1 110 (1854) Int 순무**

Brassica rapa L. var. *glabra* Regel, J. Jap. Bot. 8: 10 (1932)

Braya Sternb. & Hoppe

***Braya humilis* (C.A.Mey.) B.L.Rob., Syn. Fl. N. Amer. 1 (1): 141 (1895) Nat; N Korea 염주냉이**

Sisymbrium humile C.A.Mey., Icon. Pl. (Ledebour) 2: 16 (1830)
Arabis piasezkii Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 3, 26: 420 (1880)
Torularia humilis (C.A.Mey.) O.E.Schulz, Pflanzenr. (Engler) IV, 86(105): 223 (1924)
Stevenia axillaris (Kom.) N.Busch, Fl. URSS 8: 199 (1939)
Torularia maximowiczii Botsch., Bot. Zhurn. (Moscow & Leningrad) 44(10): 1488 (1959)
Torularia piasezkii (Maxim.) Botsch., Bot. Zhurn. (Moscow & Leningrad) 44: 1488 (1959)

Camelina Crantz

Camelina microcarpa Andr. ex DC., Syst. Nat. (Candolle) 2: 517 (1821) Int 좁아마냉이

Camelina armeniaca Desv., J. Bot. Agric. 3: 182 (1814)
Myagrurn armeniacum Steud., Nomencl. Bot. (Steudel) 541 (1821)
Camelina sylvestris Wallr., Sched. Crit. 347 (1822)
Camelina campestris Schimp. & Spenn., Fl. Friburg. 3: 959 (1829)
Camelina confusa Rouy & Foucaud, Fl. France (Rouy) 2: 235 (1895)
Camelina longistyla Bordz., Trudy Bot. Sada Imp. Yur'evsk. Univ. 13: 20 (1912)
Camelina paphlagonica Bornm., Repert. Spec. Nov. Regni Veg. Beih. 89: 66 (1936)
Camelina transbaicalensis (Vassilcz.) Vassilcz., Fl. URSS 8: 600 (1939)
Camelina bornmuelleriana Hub.-Mor. & Reese, Repert. Spec. Nov. Regni Veg. 52: 41 (1943)

Camelina sativa (L.) Crantz, Stirp. Austr. Fasc. 1: 17 (1762) Nat: N Korea 양구슬냉이

Myagrurn sativum L., Sp. Pl. 641 (1753)
Thlaspi camelina Crantz, Cl. Crucif. Emend. 78 (1769)
Camelina sagittata Moench, Methodus (Moench) 265 (1794)
Camelina hirsuta Bernh., Syst. Verz. (Bernhardi) 190 (1800)
Camelina sativa (L.) Crantz var. *glabrata* DC., Prodr. (DC.) 1: 201 (1824)
Chamaelinum sativum (L.) Host, Fl. Austriac. 2: 225 (1831)
Camelina ambigua Besser ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 264 (1840)
Camelina glabrata (DC.) Fritsch ex N.W.Zinger, Trudy Bot. Muz. Imp. Akad. Nauk 6: 22 (1909)
Camelina pilosa (DC.) N.W.Zinger, Trudy Bot. Muz. Imp. Akad. Nauk 6: 22 (1909)
Camelina caucasica (Sinskaya) Vassilcz., Fl. URSS 8: 652 (1939)

Capsella Medik.

Capsella bursa-pastoris (L.) Medik., Pfl.-Gatt. 1: 85 (1792) Nat: N Korea, S Korea 냉이

Thlaspi bursa-pastoris L., Sp. Pl. 647 (1753)
Capsella polymorpha Cav., Descr. Pl. (Cavanilles) 411 (1802)
Capsella bursa Raf., New Fl. (Rafinesque) 2: 28 (1837)
Capsella furcata Raf., New Fl. (Rafinesque) 2: 28 (1837)
Capsella pastoralis Dulac, Fl. Hautes-Pyrénées 189 (1867)
Capsella bursa-pastoris (L.) Medik. var. *coreana* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 384 (1909)
Capsella bursa-pastoris (L.) Medik. var. *auriculata* Makino, J. Jap. Bot. 5: 17 (1921)
Capsella bursa-pastoris (L.) Medik. var. *pinnata* Makino, J. Jap. Bot. 5: 17 (1921)
Capsella longiracemosa Sennen, Monde Pl. 31(185): 29 (1930)
Capsella bursa-pastoris (L.) Medik. var. *triangulagis* Gruner, Bull. Natl. Sci. Mus., Tokyo 31: 40 (1952)

Cardamine L.

Cardamine bellidifolia L., Sp. Pl. 654 (1753) Nat: N Korea 애기냉이

Cardamine lenensis Andrzej., Fl. Altaic. 3: 33 (1831)

Cardamine bellidifolia L. var. *laxa* Lange, Consp. Fl. Groenland. 2: 251 (1887)

Cardamine bellidifolia L. var. *pinnatifida* Hultén, Ark. Bot. a.s., 7: 62 (1968)

Cardamine changbaiana Al-Shehbaz, Novon 10: 323 (2000) Nat: N Korea 두메냉이

Cardamine resedifolia L. var. *morii* Nakai, Bot. Mag. (Tokyo) 28: 303 (1914)

Cardamine flexuosa With., Arr. Brit. Pl., ed. 3 3: 578 (1796) Nat: N Korea, S Korea 황새냉이

Cardamine hirsuta L., Sp. Pl. 2: 655 (1753)

Cardamine hirsuta L. subsp. *flexuosa* With. ex Forbes & Hemsl., J. Linn. Soc., Bot. 23: 43 (1866)

Cardamine hirsuta L. var. *flexuosa* With. ex Forbes & Hemsl., J. Linn. Soc., Bot. 23: 43 (1866)

Cardamine hirsuta L. var. *sylvatica* (Link) Hook.f. & T.Anderson, Fl. Brit. India [J. D. Hooker] 1: 138 (1872)

Cardamine flexuosa With. var. *petiolulata* O.E.Schulz, Bot. Jahrb. Syst. 42: 473 (1912)

Cardamine scutata Thunb. subsp. *flexuosa* (With.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 59 (1952)

Cardamine glechomifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 11: 495 (1913)

Nat: S Korea, Endemic 벌깨냉이

Cardamine impatiens L., Sp. Pl. 655 (1753) Nat: N Korea, S Korea 싸리냉이

Cardamine apetala Moench, Methodus (Moench) 259 (1794)

Cardamine saxatilis Salisb., Prodr. Stirp. Chap. Allerton 269 (1796)

Cardamine dasycarpa M.Bieb., Fl. Taur.-Caucas. 3: 437 (1819)

Cardamine impatiens L. var. *eriocarpa* DC., Prodr. (DC.) 1: 152 (1824)

Cardamine impatiens L. var. *obtusifolia* Knaf, Flora 29: 294 (1846)

Cardamine senanensis Franch. & Sav., Enum. Pl. Jap. 2: 280 (1878)

Cardamine nakaiana H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 10: 350 (1911)

Cardamine miyabei Matsum., Index Pl. Jap. 2 (2): 153 (1912)

Cardamine impatiens L. var. *fumaria* H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 (1913)

Cardamine komarovii Nakai, Repert. Spec. Nov. Regni Veg. 13: 271 (1914) Nat: N Korea, S

Korea 논쟁이냉이

Arabis cebennensis DC. var. *coreana* H.Lév., Bull. Acad. Int. Géogr. Bot. 19: 260 (1909)

Cardamine leucantha (Tausch) O.E.Schulz, Bot. Jahrb. Syst. 42: 403 (1903) Nat: N Korea, S

Korea 미나리냉이

Cardamine macrophylla Willd., Sp. Pl. (ed. 5; Willdenow) 3: 484 (1800)

Dentaria leucantha Tausch, Flora 19-2: 404 (1836)

Dentaria dasyloba Turcz., Bull. Soc. Imp. Naturalistes Moscou 27-2: 296 (1854)

Cardamine macrophylla Willd. var. *parviflora* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 15 (1856)

Dentaria macrophylla (Willd.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 45 (1859)

Cardamine dasyloba (Turcz.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 73 (1865)

Dentaria macrophylla (Willd.) Maxim. var. *dasyloba* (Turcz.) Makino, Bot. Mag. (Tokyo) 11: 157 (1897)

Cardamine leucantha (Tausch) O.E.Schulz var. *koreana* Nakai, Repert. Spec. Nov. Regni

Veg. 13: 272 (1914)

Cardamine cathayensis Migo, J. Shanghai Sci. Inst. sect. 3, 3: 223 (1937)

Cardamine koreana (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 49 (1952)

Cardamine tomentella (Vorosch.) Shlotg., Byull. Glavn. Bot. Sada 136: 42 (1985)

***Cardamine lyrata* Bunge, Enum. Pl. Chin. Bor. 5 (1833) Nat: N Korea, S Korea 논냉이**

Cardamine argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12(22): 7 (1916)

***Cardamine parviflora* L., Syst. Nat. ed. 10 131 (1758) Nat: N Korea, S Korea 좁냉이**

Cardamine brachycarpa Franch., Bull. Soc. Bot. France 26: 83 (1879)

Cardamine flexuosa With. subsp. *fallax* O.E.Schulz, Bot. Jahrb. Syst. 42: 478 (1903)

Cardamine parviflora L. var. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 370 (1904)

Cardamine manshurica (Kom.) Nakai, Chosen Shokubutsu 113 (1914)

Cardamine fallax (O.E.Schulz) Nakai, Rep. Veg. Ooryongto 167 (1919)

Cardamine koshiensis Koidz., Fl. Symb. Orient.-Asiat. 43 (1930)

Cardamine scutata Thunb. subsp. *fallax* (O.E.Schulz) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 59 (1952)

Cardamine flexuosa With. var. *fallax* (O.E.Schulz) T.Y.Cheo & R.C.Fang, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 6: 23 (1980)

***Cardamine pratensis* L., Sp. Pl. 656 (1753) Nat: N Korea 꽃냉이**

Cardamine sylvatica Link, Phytogr. Bl. 1: 50 (1803)

Cardamine pentaphylla R.Br., Hortus Kew. (ed. 2) 4: 101 (1812)

Cardamine buchtormensis Willd. ex DC., Syst. Nat. (Candolle) 2: 258 (1821)

Cardamine stolonifera Tausch, Cat. Fl. Böhm. 1: 5 (1851)

Cardamine fragilis Degl., Fl. Ouest France 36 (1854)

Cardamine acaulis Berg, Bot. Zeitung (Berlin) 14: 874 (1856)

Cardamine praticola Jord., Diagn. Esp. Var. Mous. 128 (1864)

Cardamine grandiflora Hallier, Bot. Zeitung (Berlin) 24: 209 (1866)

Cardamine fontinalis Schur, Enum. Pl. Transsilv. 48 (1866)

***Cardamine prorepens* Fisch. ex DC., Syst. Nat. (Candolle) 2: 256 (1821) Nat: N Korea 산냉이**

Cardamine borealis Andr. ex DC., Syst. Nat. (Candolle) 2: 256 (1821)

Cardamine pilosa Willd. ex DC., Syst. Nat. (Candolle) 2: 256 (1821)

Cardamine pubescens Steven ex DC., Syst. Nat. (Candolle) 2: 256 (1821)

Cardamine pratensis L. var. *prorepens* (Fisch.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18 (3): 278 (1873)

Cardamine millsiana Nakai, Repert. Spec. Nov. Regni Veg. 13: 272 (1914)

Cardamine prorepens Fisch. ex DC. var. *hebecarpa* N.Busch, Fl. Sibir. Orient. Extremi 2: 256 (1915)

Cardamine yezoensis Maxim. var. *roseiflora* Vorosch., Byull. Glavn. Bot. Sada 83: 35 (1972)

***Cardamine scutata* Thunb., Trans. Linn. Soc. London 2: 339 (1794) Nat: S Korea
큰황새냉이**

Cardamine angulata var. *kamtschatica* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 172 (1861)

Cardamine regeliana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 73 (1865)

Cardamine hirsuta L. var. *regeliana* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18 (3): 279 (1873)

Cardamine flexuosa With. var. *regeliana* (Miq.) O.E.Schulz, Bot. Jahrb. Syst. 42: 476 (1903)

Cardamine flexuosa With. var. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 369 (1904)

Cardamine taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 (1910)
Cardamine flexuosa With. var. *latifolia* Makino, Fl. Japan (Makino & Nemoto) 447 (1925)
Cardamine autumnalis Koidz., Bot. Mag. (Tokyo) 43: 404 (1929)
Cardamine regeliana Miq. var. *manshurica* (Kom.) Kitag., Lin. Fl. Manshur. 238 (1939)
Cardamine scutata Thunb. subsp. *regeliana* (Miq.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 59 (1952)

***Cardamine tenuifolia* (Ledeb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 10-1: 57 (1837)**
Nat: N Korea 좁은잎미나리냉이

Dentaria tenuifolia Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 547 (1815)
Cardamine tenuifolia (Ledeb.) Turcz. f. *communis* N.Busch, Fl. Sibir. Orient. Extremi 2: 233 (1915)

***Cardamine yezoensis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 18: 277 (1873)** Nat: N Korea 왜갯냉이

Cardamine fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 10: 350 (1911)
Cardamine prorepens Fisch. ex DC. f. *valida* Takeda, Bot. Mag. (Tokyo) 25: 25 (1911)
Cardamine amariformis Nakai, Bot. Mag. (Tokyo) 26: 324 (1912)
Cardamine geifolia Koidz., Icon. Pl. Koisikav 2: 97 (1914)
Cardamine prorepens Fisch. ex DC. var. *yezoensis* (Maxim.) Kudô, Rep. Veg. N. Saghal. 146 (1924)
Cardamine valida (Takeda) Nakai, Bot. Mag. (Tokyo) 42: 26 (1928)
Wasabia koreana Nakai, J. Jap. Bot. 11: 150 (1935)
Cardamine pseudowasabi H.Shin & Y.D.Kim, Novon 18: 384 (2008)

Catolobus (C.A.Mey.) Al-Shehbaz

***Catolobus pendulus* (L.) Al-Shehbaz, Novon 15: 521 (2005)** Nat: N Korea, S Korea 느러진장대

Arabis pendula L., Sp. Pl. 666 (1753)
Arabis patrianiana DC., Syst. Nat. (Candolle) 2: 236 (1821)
Arabis oxyota DC., Syst. Nat. (Candolle) 2: 236 (1821)
Arabis pendula L. var. *hypoglauca* Franch., Pl. David. 1: 33 (1884)
Arabis pendula L. var. *pypoglauca* Franch., Pl. David. 1: 33 (1884)
Arabis subpendula Ohwi, J. Jap. Bot. 26: 229 (1951)

Chorispora DC.

***Chorispora tenella* DC., Syst. Nat. (Candolle) 2: 435 (1821)** Int 빨냉이

Clausia Korn.-Trotzky ex Hayek

***Clausia trichosepala* (Turcz.) F.Dvorák, Phytom (Horn) 11: 200 (1966)** Nat: N Korea 큰장대
Hesperis trichosepala Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 180 (1832)
Clausia aprica var. *trichosepala* (Turcz.) Korn.-Trotzky, Index Sem. (Casan.) 0 (1834)
Cheiranthus apricus var. *trichosepalus* (Turcz.) Franch., Pl. David. 1: 32 (1884)
Hesperis limprichtii O.E.Schulz, Repert. Spec. Nov. Regni Veg. Beih. 12: 360 (1922)
Hesperis limprichtii O.E.Schulz var. *violacea* O.E.Schulz, Acta Horti Gothob. 1: 162 (1924)

Descurainia Webb & Berthel.

***Descurainia pinnata* Britton, Mem. Torrey Bot. Club 5: 173 (1894)** Int 나도재쭉

Sophia pinnata (Walter) Howell, Fl. N.W. Amer. 1: 56 (1897)

***Descurainia sophia* (L.) Webb ex Prantl, Nat. Pflanzenfam. 3 (2): 192 (1892) Nat: N Korea, S Korea 재속**

Sisymbrium sophia L., Sp. Pl. 659 (1753)

Sisymbrium parviflorum Lam., Fl. Franc. (Lamarck) 2: 519 (1778)

Sisymbrium tripinnatum DC., Syst. Nat. (Candolle) 2: 475 (1821)

Sophia lobelii Rupr., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 15: 88 (1869)

Descurainia sophia (L.) Webb ex Prantl var. *glabrata* N.Busch, Fl. URSS 8: 83 (1939)

Diplotaxis DC.

***Diplotaxis muralis* DC., Syst. Nat. (Candolle) 2: 634 (1821) Nat: S Korea 모래냉이**

Dontostemon Andrz. ex C.A.Mey.

***Dontostemon dentatus* (Bunge) C.A.Mey. ex Ledeb., Fl. Ross. (Ledeb.) 1: 175 (1841) Nat: N Korea, S Korea 가는장대**

Andreoskia dentata Bunge, Enum. Pl. Chin. Bor. 6 (1833)

Dontostemon oblongifolius Ledeb., Fl. Ross. (Ledeb.) 1: 175 (1841)

Dontostemon eglandulosus C.A.Mey., Fl. Baical.-dahur. 1: 162 (1842)

Dontostemon dentatus (Bunge) C.A.Mey. ex Ledeb. var. *glandulosus* Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 37 (1875)

Dontostemon dentatus (Bunge) C.A.Mey. ex Ledeb. var. *pilosus* Kitag., J. Jap. Bot. 19: 103 (1943)

***Dontostemon hispidus* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 11 (1873) Nat: N Korea 큰꽃장대**

Clausia ussuriensis N.Busch, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 4: 185 (1923)

Draba L.

***Draba glabella* Pursh, Fl. Sibir. Orient. Extremi 25: 356 (1919) Nat: N Korea 산꽃다지**

Draba daurica DC. var. *ramosa* Pohl & Bush, Fl. Sibir. Orient. Extremi 25: 356 (1919)

***Draba nemorosa* L., Sp. Pl. 643 (1753) Nat: N Korea, S Korea 꽃다지**

Draba lutea Gilib., Fl. Lit. Inch. 2: 46 (1782)

Draba nemorosa L. var. *hebecarpa* Lindblom, Linnaea 13: 33 (1839)

Draba nemorosa L. var. *leiocarpa* Lindb., Sp. Pl. 333 (1839)

Draba nemoralis Ehrh. var. *hebecarpa* (Lindblom) Lehm., Fl. Poln.-Livl. 1: 315 (1895)

Draba nemorosa L. f. *leiocarpa* (Lindb.) Kitag., J. Jap. Bot. 40: 139 (1965)

***Draba sakuraii* Makino, Bot. Mag. (Tokyo) 17: 40 (1903) Nat: S Korea 털꽃다지**

Draba nipponica Makino, Bot. Mag. (Tokyo) 17: 41 (1903)

Erucastrum Rchb.

***Erucastrum gallicum* O.E.Schulz, Bot. Jahrb. Syst. 54: 119 (1916) Int 큰잎냉이**

Sisymbrium gallicum Willd., Enum. Pl. (Willdenow) 678 (1809)

Erucastrum pollichii Schimp. & Spenn., Fl. Friburg. 3: 946 (1829)

Erucastrum inodorum Rchb., Fl. Germ. Excurs. 693 (1832)

Erysimum L.

- Erysimum cheiranthoides* L., Sp. Pl. 2: 661 (1753)** Nat: N Korea, S Korea **썩부지깻이**
Cheiranthus erysimoides Huds., Fl. Angl. (Hudson) (ed. 2) 287 (1778)
Erysimum parviflorum Pers., Syn. Pl. (Persoon) 2: 199 (1806)
Erysimum cheiranthoides L. var. *japonicum* H.Boissieu, Bull. Herb. Boissier 7: 795 (1899)
Crucifera erysimum E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 6: 75 (1902)
Erysimum japonicum (H.Boissieu) Makino, Ill. Fl. Jap. Suppl. 508 (1948)

- Erysimum perofskianum* Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 4: 36 (1838)** Nat: N Korea, S Korea **부지깻이나물**
Cheiranthus aurantiacus Bunge, Enum. Pl. Chin. Bor. 5 (1833)
Erysimum aurantiacum (Bunge) Maxim., Enum. Pl. Mongolia 1: 65 (1889)
Erysimum amurense Kitag., Bot. Mag. (Tokyo) 51: 155 (1937)
Erysimum amurense Kitag. subsp. *bungei* Kitag., J. Jap. Bot. 25: 43 (1950)
Erysimum bungei (Kitag.) Kitag., J. Jap. Bot. 25: 43 (1950)
Erysimum amurense Kitag. var. *bungei* (Kitag.) Kitag., Neolin. Fl. Manshur. 334 (1979)

- Erysimum x cheiri* (L.) Crantz, Cl. Crucif. Emend. 116 (1769)** Int **꽃무**
Cheiranthus x cheiri L., Sp. Pl. 661 (1753)
Cheiranthus x fruticosus L., Mant. Pl. 1: 94 (1767)

Eutrema R.Br.

- Eutrema japonicum* (Miq.) Koidz., Fl. Symb. Orient.-Asiat. 22 (1930)** Nat: S Korea **고추냉이**
Lunaria japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 74 (1865)
Eutrema wasabi (Siebold) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 283 (1873)
Alliaria wasabi (Siebold) Prantl, Nat. Pflanzenfam. 3: 2 (1893)
Wasabia pungens Matsum., Bot. Mag. (Tokyo) 13: 17 (1899)
Wasabia japonica (Miq.) Matsum., Index Pl. Jap. 2 (2): 161 (1912)
Eutrema okinosimense Taken., J. Nat. Hist. Soc. Fukuoka 1: 369 (1935)

Iberis Hill

- Iberis amara* L., Sp. Pl. 649 (1753)** Int **서양말냉이**
Iberis crenata Lam., Encycl. (Lamarck) 3: 213 (1789)
Iberis ruficaulis Lej., Fl. Spa. 2: 58 (1823)
Iberis bicolor Rchb., Fl. Germ. Excurs. 659 (1832)
Iberis forestieri Jord., Index Sem. (Grenoble) 21 (1849)
Iberis pinetorum Pau, Not. Bot. Fl. Españ. 1: 21 (1887)
Iberis vinetorum Pau, Not. Bot. Fl. Españ. 1: 21 (1887)

Isatis L.

- Isatis tinctoria* L., Sp. Pl. 2: 670 (1753)** Nat: N Korea **대청**
Isatis alpina Vill., Prosp. Hist. Pl. Dauphine 38 (1779)
Isatis taurica M.Bieb., Fl. Taur.-Caucas. 3: 422 (1819)
Isatis campestris Stev. ex DC., Syst. Nat. (Candolle) 2: 571 (1821)
Isatis bannatica Link, Enum. Hort. Berol. Alt. 2: 149 (1822)
Isatis villarsii Gaudin, Syn. Fl. Helv. 526 (1836)
Isatis sibirica Trautv., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 34: 305 (1845)

Isatis indigotica Fortune, J. Hort. Soc. London 1: 269 (1846)
Isatis reticulata C.A.Mey., Beitr. Pflanzenk. Russ. Reiches 6: 52 (1849)
Isatis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 75 (1865)
Isatis maritima Rupr., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 15: 133 (1869)
Isatis transsilvanica Simonk., Természettud. Füzl. 10: 180 (1886)
Isatis tinctoria L. subsp. *japonica* (Miq.) N.Busch, Fl. Sibir. Orient. Extremi 1: 159 (1913)
Isatis ciesielskii Zapal., Bull. Int. Acad. Sci. Cracovie, Cl. Sci.Math., Ser. B, Sci. Nat. 1913: 447 (1913)
Isatis kamienskii Zapal., Bull. Int. Acad. Sci. Cracovie, Cl. Sci.Math., Ser. B, Sci. Nat. 1913: 447 (1913)
Isatis yezoensis Ohwi, Acta Phytotax. Geobot. 4: 66 (1935)
Isatis koelzii Rech.f., Phytion (Horn) 3: 46 (1951)
Isatis tinctoria L. var. *yezoensis* (Ohwi) Ohwi, Fl. Jap. (Ohwi) 568 (1953)
Isatis macrocarpa B.Fedtsch. ex Nikitina, Fl. Kirgizsk. SSR 6: 189 (1955)
Isatis tinctoria L. var. *indigotica* (Fortune) T.Y.Cheo & K.C.Kuan, Acta Phytotax. Sin. 16: 100 (1978)
Isatis oblongata DC. var. *yezoensis* (Ohwi) Y.L.Chang, Fl. Pl. Herb. Chin. Bor.-Or. 4: 78 (1980)
Isatis vermia Papan., Nord. J. Bot. 2: 555 (1983)

Lepidium L.

Lepidium apetalum Willd., Sp. Pl. (ed. 4) 3: 439 (1800) Nat: N Korea, S Korea 다닥냉이

Thlaspi apetalum (Willd.) Poir., Encycl. (Lamarck) 7: 547 (1806)
Lepidium incisum Roth ex M.Bieb., Fl. Taur.-Caucas. 2: 98 (1808)
Lepidium micranthum Ledeb., Icon. Pl. (Ledebour) 1: 22, t. 92 (1829)
Crucifera apetalata (Willd.) E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 6: 157 (1902)

Lepidium campestre (L.) R.Br., Hort. Kew. (Hill) 4: 88 (1812) Int 들다닥냉이

Thlaspi campestre L., Sp. Pl. 2: 646 (1753)
Thlaspi incanum Gilib., Fl. Lit. Inch. 2: 55 (1782)
Thlaspi vulgatum Roucel, Fl. Nord France 2: 69 (1803)
Lepidium accedens Jord., Diagn. Esp. Var. Mous. 331 (1864)
Lepidium campicolum Jord., Diagn. Esp. Var. Mous. 329 (1864)
Lepidium vagum Jord., Diagn. Esp. Var. Mous. 331 (1864)
Lepia accedens Fourr., Ann. Soc. Linn. Lyon, ser. 2, 163: 338 (1868)
Lepia errabunda Fourr., Ann. Soc. Linn. Lyon, ser. 2, 16: 338 (1868)
Lepidium campestre (L.) R.Br. f. *glabratum* (Lej. & Court) Thell., Neue Denkschr. Schweiz. Naturf. Ges. 41: 94 (1906)
Lepidium campestre (L.) R.Br. var. *glabratum* Lej. & Court, Comp. Fl. Belg. 2: 313 (1931)

Lepidium cordatum Willd. ex DC., Syst. Nat. (Candolle) 2: 554 (1821) Nat: N Korea 앞은잎다닥냉이

Nasturtium cordatum (Willd. ex Stev.) Kuntze, Revis. Gen. Pl. 2: 937 (1891)

Lepidium densiflorum Schrad., Index Sem. (Göttingen) 4 (1832) Int 나도콩냉이

Lepidium ramosum A.Nelson, Bull. Torrey Bot. Club 26: 125 (1899)
Lepidium elongatum Rydb., Bull. Torrey Bot. Club 29: 234 (1902)
Lepidium neglectum Thell., Bull. Herb. Boissier ser. 2, 4: 708 (1904)

Lepidium didymum L., Mant. Pl. 1: 9 (1767) Int 뱀새냉이

Coronopus didymus (L.) Sm., Fl. Brit. 2: 691 (1804)
Cortusa matthioli L. f. *pekinensis* V.A.Richt., Termesztud. Fü. 17: 190 (1894)
Cortusa matthioli L. var. *chinensis* (A.G.Richt.) Pax & Kunth, Pflanzenz. (Engler) 237 (22): 221 (1905)
Primula coreana Nakai, Bot. Mag. (Tokyo) 28: 330 (1914)
Cortusa coreana (Nakai) Nakai, Rep. Inst. Sci. Res. Manchoukuo sect. 4, 4: 90 (1936)
Cortusa pekinensis (V.A.Richt.) Losinsk., Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 3: 250 (1937)
Cortusa matthioli L. subsp. *pekinensis* (A.G.Richt.) Kitag., Lin. Fl. Manshur. 351 (1939)

***Lepidium latifolium* L., Sp. Pl. 644 (1753) Nat: N Korea 시베리아다닥냉이**

Lepidium sibiricum Schweigg., Enum. Pl. Hort. Regiom. 43 (1812)
Lepidium affine Ledeb., Index Sem. (Dorpat) 22 (1821)
Lepidium latifolium L. var. *affine* C.A.Mey., Fl. Altaic. 3: 189 (1831)
Lepidium latifolium L. var. *mongolicum* Franch., Pl. David. 1: 191 (1884)
Lepidium dioscorides Bubani, Fl. Pyren. 3: 244 (1901)
Lepidium latifolium L. subsp. *sibiricum* (Schweigg.) Thell., Neue Denkschr. Schweiz. Naturf. Ges. 41 (1): 203 (1906)
Lepidium latifolium L. subsp. *affine* Kitag., Lin. Fl. Manshur. 243 (1939)

***Lepidium perfoliatum* L., Sp. Pl. 643 (1753) Int 대부도냉이**

Alyssum heterophyllum Ruiz & Pav. ex DC., Syst. Nat. (Candolle) 2: 542 (1821)
Nasturtium perfoliatum (L.) Besser, Enum. Pl. (Besser) 26 (1821)
Crucifera diversifolia E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 6: 156 (1902)

***Lepidium ruderales* L., Sp. Pl. 645 (1753) Int 줌다닥냉이**

Thlaspi ruderales (L.) All., Fl. Pedem. 1: 250 (1785)
Lepidium glaucescens Dumort., Fl. Belg. (Dumortier) 119 (1827)
Lepidium texanum Buckley, Proc. Acad. Nat. Sci. Philadelphia 1861: 449 (1862)

***Lepidium sativum* L., Sp. Pl. 644 (1753) Int 큰다닥냉이**

Thlaspi sativum (L.) Crantz, Stirp. Austr. Fasc. 1: 21 (1762)
Lepidium spinescens DC., Syst. Nat. (Candolle) 2: 534 (1821)

***Lepidium virginicum* L., Sp. Pl. 645 (1753) Int 꿩다닥냉이**

Lepidium diandrum Medik., Ann. Bot. (Usteri) 8: 45 (1794)
Lepidium arcuatum DC., Mem. Soc. Hist. Nat. Paris 1799: 145 (1799)
Lepidium exiguiflorum Clairv., Man. Herbor. Suisse 214 (1811)
Lepidium micropterum Miq., Stirp. Surinam. Select. 106 (1850)
Lepidium majus Darracq, Bull. Soc. Bot. France 15: 13 (1868)

Lobularia Desv.

***Lobularia maritima* (L.) Desv., J. Bot. Agric. 3: 169 (1814) Int 꽃냉이**

Alyssum maritimum (L.) Lam., Sp. Pl. 656 (1753)
Clypeola maritima L., Sp. Pl. 652 (1753)
Alyssum halimifolium L., Sp. Pl. 650 (1753)
Draba maritima (L.) Lam., Fl. Franc. (Lamarck) 2: 461 (1779)
Lunaria halimifolia All., Fl. Pedem. 1: 245 (1785)
Anodontea halimifolia (DC.) Sweet, Hort. Brit. (Sweet) 467 (1826)
Alyssum odoratum Voss, Vilm. Blumengaertn., ed. 3 1: 77 (1894)

Myagrurum L.

Myagrurum perfoliatum L., Sp. Pl. 640 (1753) Int 장수냉이

Nasturtium W.T.Aiton

Nasturtium officinale R.Br., Hortus Kew. (ed. 2) 4: 110 (1812) Int 물냉이

Sisymbrium nasturtium-aquaticum L., Sp. Pl. 657 (1753)

Cardaminum nasturtium Moench, Methodus (Moench) 262 (1794)

Nasturtium siifolium Rchb., Fl. Germ. Excurs. 683 (1832)

Radicula nasturtium (Moench) Druce, Ann. Scott. Nat. Hist. 1906: 219 (1906)

Cardamine aquatica (Garsault) Nieuwl., Amer. Midl. Naturalist 4: 34 (1915)

Neslia Desv.

Neslia paniculata (L.) Desv., J. Bot. 3: 162 (1814) Int 구슬다닥냉이

Orychophragmus Bunge

Orychophragmus violaceus (L.) O.E.Schulz, Bot. Jahrb. Syst. 54 Beibl. 119: 56 (1916) Nat; N

Korea 소래풀

Orychophragmus sonchifolius Bunge, Enum. Pl. Chin. Bor. 7 (1833)

Brassica violacea L., Sp. Pl. 667 (1853)

Moricandra sonchifolia (Bunge) Hook.f., Bot. Mag. 102: t. 6243 (1876)

Raphanus chaneitii H.Lév., Monde Pl. 18: Artann. 2 ser. n. 103, 31 (1916)

Raphanus courtoisii H.Lév., Mem. Real Acad. Ci. Barcelona 12: 548 (1916)

Raphanus L.

Raphanus raphanistrum L., Sp. Pl. 669 (1753) Int 서양무아재비

Rapistrum arvense All., Fl. Pedem. 1: 258 (1785)

Raphanistrum innocuum Moench, Methodus (Moench) 217 (1794)

Durandea unilocularis Delarbre, Fl. Auvergne ed. 2: 365 (1800)

Raphanistrum segetum Baumg., Enum. Stirp. Transsilv. 2: 280 (1816)

Raphanistrum arvense (All.) Mérat, Nuov. Fl. Env. Paris, ed. 2 2: 309 (1821)

Raphanus fugax C.Presl, Fl. Sicul. (Presl) 109 (1826)

Brassica heleniana Burch. ex Loudon, Hort. Brit. (Loudon) 264 (1830)

Raphanus microcarpus (Lange) Willk., Prodr. Fl. Hispan. 3: 750 (1880)

Raphanistrum raphanistrum (L.) H.Karst., Deut. Fl. (Karsten) 673 (1882)

Crucifera raphanistrum E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 6: 124 (1902)

Raphanus sativus L., Sp. Pl. 669 (1753) Int 무

Raphanus sativus L. var. *hortensis* Backer, Fl. Batavia 51 (1907)

Raphanus sativus L. f. *raphanistroides* Makino, Bot. Mag. (Tokyo) 23: 70 (1909)

Raphanus sativus L. var. *macropodus* f. *raphanistroides* (Makino) Makino, Bot. Mag. (Tokyo) 23: 70 (1909)

Raphanus raphanistrum L. subsp. *sativus* (L.) Domin, Beih. Bot. Centralbl. 26: 255 (1910)

Raphanus macropodus H.Lév., Repert. Spec. Nov. Regni Veg. 10: 349 (1911)

Raphanus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 349 (1911)

Raphanus sativus L. var. *raphanistroides* Makino, J. Jap. Bot. 1: 114 (1917)

Raphanus macropodus H.Lév. var. *spontaceus* Nakai, Cat. Sem. Spor. [1919 & 1920 Lect.] 1: 37 (1920)

Raphanus raphanistroides Nakai, Cat. Sem. Spor. [1919 & 1920 Lect.] 1: 36 (1920)
Raphanus acanthiformis J.M.Morel ex Sasaki, List Pl. Formosa (Sasaki) 202 (1928)
Raphanus acanthiformis J.M.Morel ex Sasaki f. *raphanistroides* Hara, Bot. Mag. (Tokyo)
49: 73 (1935)

Rapistrum Crantz

Rapistrum rugosum All., Fl. Pedem. 1: 257 (1785) Int 주름구슬냉이

Rorippa Scop.

Rorippa cantoniensis (Lour.) Ohwi, Acta Phytotax. Geobot. 6: 55 (1937) Nat: N Korea, S Korea 좁개갯냉이

Ricotia cantoniensis Lour., Fl. Cochinch. 397 (1790)
Nasturtium microspermum DC., Syst. Nat. (Candolle) 2: 199 (1821)
Nasturtium microspermum DC. var. *vegetius* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 42: 462 (1859)
Nasturtium sikokianum Franch. & Sav., Enum. Pl. Jap. 2: 277 (1878)
Nasturtium sikokianum Franch. & Sav. var. *axillare* Hayata, Icon. Pl. Formosan. 3: 17 (1913)
Rorippa microsperma (DC.) Hand.-Mazz., Symb. Sin. 7: 358 (1931)
Rorippa microsperma var. *vegetior* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 50 (1952)

Rorippa globosa (Turcz. ex Fisch. & C.A.Mey.) Hayek, Beih. Bot. Centralbl. 27: 195 (1911) Nat: N Korea, S Korea 구슬갯냉이

Nasturtium globosum Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 35 (1835)
Cochlearia globosa Ledeb., Fl. Ross. (Ledeb.) 1: 159 (1842)
Nasturtium cantoniense Hance, J. Bot. 3: 378 (1865)
Nasturtium globosum Turcz. ex Fisch. & C.A.Mey. var. *brachypetarum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 51 (1909)
Nasturtium globosum Turcz. ex Fisch. & C.A.Mey. f. *bivalvis* N.Busch, Fl. Sibir. Orient. Extremi 2: 210 (1915)

Rorippa indica (L.) Hiern, Cat. Afr. Pl. 1: 26 (1896) Nat: N Korea, S Korea 개갯냉이

Sisymbrium indicum L., Sp. Pl. (ed. 2) 2: 917 (1763)
Sisymbrium sinapis Burm., Fl. Ind. (N. L. Burman) 140 (1768)
Sisymbrium dubium Pers., Syn. Pl. (Persoon) 2: 199 (1806)
Nasturtium atrovirens (Hornem.) DC., Syst. Nat. (Candolle) 2: 201 (1821)
Nasturtium indicum DC., Syst. Nat. (Candolle) 2: 199 (1821)
Nasturtium heterophyllum Blume, Bijdr. Fl. Ned. Ind. 2: 50 (1825)
Cardamine glandulosa Blanco, Fl. Filip. 521 (1837)
Nasturtium montanum Wall. ex Hook.f. & Thomson, J. Linn. Soc., Bot. 5: 139 (1861)
Cardamine sublyrata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 73 (1865)
Nasturtium montanum Wall. ex Hook.f. & Thomson var. *obtusulum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 71 (1866)
Nasturtium montanum Wall. ex Hook.f. & Thomson var. *nipponicum* Franch. & Sav., Enum. Pl. Jap. 1: 32 (1873)
Rorippa montata (Wall. ex Hook.f. & Thomson) Small, Fl. S.E. U.S., ed. 2. [Small]. 1339 (1913)
Radicula indica (L.) Standl., Smithsonian Misc. Collect. 68: 2 (1917)
Sisymbrium atrovirens Hornem., Suppl. Hort. Bot. Hafn. 72 (1918)
Radicula montana (Wall. ex Hook.f. & Thomson) Hu ex C.P'ei, Contr. Biol. Lab. Chin.

Assoc. Advancem. Sci., Sect. Bot. 9: 45 (1933)
Nasturtium obtusulum (Miq.) Koidz., Acta Phytotax. Geobot. 3: 149 (1934)
Nasturtium sinapis (Burm.f.) O.E.Schulz, Repert. Spec. Nov. Regni Veg. 33: 278 (1934)
Rorippa sublyrata (Miq.) H.Hara, J. Jap. Bot. 11: 623 (1935)
Rorippa atrovirens Ohwi & Hara, J. Jap. Bot. 12: 900 (1936)
Rorippa sinapis Ohwi & Hara, J. Jap. Bot. 12: 899 (1936)

***Rorippa palustris* (L.) Besser, Enum. Pl. (Besser) 27 (1821) Nat; N Korea, S Korea 속속이풀**

Sisymbrium amphibium L. var. *palustre* L., Sp. Pl. 657 (1753)
Sisymbrium sylvestris L., Sp. Pl. 2: 657 (1753)
Sisymbrium palustre (L.) Leyss., Fl. Halens. 166 (1761)
Nasturtium islandicum (Oeder ex Murray) Oeder, Fl. Dan. ed. 3: 409 (1768)
Nasturtium palustre (L.) Crantz, Cl. Crucif. Emend. 81 (1769)
Sisymbrium islandicum Oeder ex Murray, Novi Comment. Soc. Regiae Sci. Gott. 3: 81 (1773)
Radicula palustris Moench, Methodus (Moench) 262 (1794)
Nasturtium sylvestris (L.) R.Br., Hortus Kew. (ed. 2) 4: 110 (1812)
Nasturtium semipinnatifidum Hook., J. Bot. (Hooker) 1: 246 (1834)
Rorippa palustris (L.) Besser var. *hispidula* (Desv.) Rydb., Bot. Surv. Nebraska 3: 26 (1894)
Rorippa islandica (Oeder ex Murray) Borbás, Balaton Tavanak Partmellekenek Novenyfoldr. 2: 392 (1900)
Radicula hispidula (Desv.) Britton, Torreyia 6: 30 (1906)
Rorippa islandica (Oeder ex Murray) Borbás var. *glabrata* (Lunell) Butters & Abbe, Rhodora 42(494): 28 (1940)
Rorippa liaotungensis X.D.Cui & Y.L.Chang, Fl. Pl. Herb. Chin. Bor.-Or. 4: 135 (1980)

***Rorippa sylvestris* (L.) Besse, Enum. Pl. (Besser) 27 (1821) Int 가새잎개갯냉이**

Sinapis L.

***Sinapis arvensis* L., Sp. Pl. 668 (1753) Int 들갯**

Sinapis arvensis L. var. *orientalis* W.D.J.Koch & Ziz, Cat. Pl. (Koch & Ziz) 12 (1814)
Brassica sinapis Vis., Fl. Dalmat. 3: 136 (1850)

Sisymbrium L.

***Sisymbrium altissimum* L., Sp. Pl. 659 (1753) Int 가는잎털냉이**

Sisymbrium sinapistrum Crantz, Stirp. Austr. Fasc. ed. 2: 52 (1769)
Sisymbrium pannonicum Jacq., Collectanea [Jacquin] 1: 70 (1787)
Sisymbrium brachypetalum C.A.Mey., Enum. Pl. Nov. 2: 58 (1842)
Norta altissima (L.) Britton, Ill. Fl. N. U.S. (ed. 3) 2: 174 (1968)

***Sisymbrium heteromallum* C.A.Mey., Fl. Altaic. 3: 132 (1831) Nat; N Korea 굵은노란장대**

Sisymbrium dahuricum Turcz. ex E.Fourn., Rech. Anat. Taxon. Fam. Crucifer. 97 (1865)
Sisymbrium heteromallum C.A.Mey. f. *dahuricum* (Turcz.) Glehn & Maxim., Fl. Tangut. 97 (1889)
Sisymbrium heteromallum C.A.Mey. var. *dahuricum* (Turcz.) Glehn & Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 53 (1890)
Hesperis dahurica (Turcz. ex E.Fourn.) Kuntze, Rev. Gen. Bot. 934 (1891)
Sisymbrium heteromallum C.A.Mey. f. *glabrum* Korsh., Bull. Acad. Imp. Sci. Saint-Pétersbourg 9(5): 412 (1898)

***Sisymbrium luteum* (Maxim.) O.E.Schulz, Beih. Bot. Centralbl. 37: 126(Abt. 2, Heft 1) (1918)**
Nat: N Korea, S Korea 노란장대

Hesperis lutea Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 282 (1873)
Sisymbrium brassicoides Nakai, Bot. Mag. (Tokyo) 27: 129 (1913)

***Sisymbrium officinale* (L.) Scop., Fl. Carniol., ed. 2 2: 26 (1772) Int 유럽장대**

Erysimum officinale L., Sp. Pl. 660 (1753)
Sisymbrium officinale (L.) Scop. var. *leiocarpum* DC., Syst. Nat. (Candolle) 2: 460 (1821)

***Sisymbrium orientale* L., Cent. Pl. II 2: 24 (1756) Int 긴갓냉이**

Sisymbrium columnae Jacq., Fl. Austriac. 4: 12 (1776)
Sisymbrium subhastatum Hornem., Enum. Pl. Hort. Hafn. (Revised ed.) 37 (1807)
Sisymbrium costei Foucaud & Rouy, Fl. France (Rouy) 1: 325 (1895)
Sisymbrium fujianense L.K.Ling, Fl. Fujienica 2: 393 (1985)

Thlaspi L.

***Thlaspi arvense* L., Sp. Pl. 646 (1753) Int 말냉이**

Thlaspi collinum M.Bieb., Fl. Taur.-Caucas. 2: 99 (1808)
Thlaspi baicalense DC., Syst. Nat. (Candolle) 2: 376 (1821)
Lepidium thlaspi Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 116 (1832)
Thlaspidea arvensis (L.) Opiz, Seznam 96 (1852)
Thlaspidium arvense (L.) Bubani, Fl. Pyren. 3: 214 (1901)
Thlaspi strictum Dalla Torre & Sarnth., Fl. Tirol 6: 327 (1909)
Thlaspi arvense L. var. *sinuatum* H.Lév., Mem. Real Acad. Ci. Barcelona 12: 548 (1916)

Turritis Adans.

***Turritis glabra* L., Sp. Pl. 666 (1753) Nat: N Korea, S Korea 장대나물**

Erysimum glastifolium Crantz, Cl. Crucif. Emend. 117 (1769)
Arabis perfoliata Lam., Encycl. (Lamarck) 1: 219 (1783)
Arabis glabra (L.) Bernh., Syst. Verz. (Bernhardi) 195 (1800)
Arabis turritis Vest, Man. Bot. [Vest] 595 (1805)
Turritis macrocarpa Nutt., Fl. N. Amer. (Torr. & A. Gray) 1: 78 (1838)
Turritis dregeana Sond., Linnaea 23: 2 (1850)

BUXACEAE

Buxus L.

***Buxus microphylla* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 142 (1845) Nat: S Korea 회양목**

Buxus japonica Müll.Arg. var. *microphylla* (Siebold & Zucc.) Müll.Arg. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 128 (1867)
Buxus japonica Müll.Arg., Prodr. (DC.) 16: 20 (1869)
Buxus microphylla Siebold & Zucc. var. *japonica* (Müll.Arg.) Rehder & E.H. Wilson, Pl. Wilson. 2 (1914)
Buxus microphylla Siebold & Zucc. var. *sinica* Rehder & E.H. Wilson, Pl. Wilson. 2: 165 (1914)
Buxus microphylla Siebold & Zucc. var. *insularis* Nakai, Bot. Mag. (Tokyo) 36: 63 (1922)
Buxus microphylla Siebold & Zucc. var. *koreana* Nakai ex Rehder, J. Arnold Arbor. 7:

240 (1926)

Buxus sinica var. *koreana* (Nakai ex Rehder) Q.L.Wang, Fl. Liaoningica 1: 1113 (1988)

Pachysandra Michx.

Pachysandra terminalis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 182 (1845) Int 수호초

CABOMBACEAE

Brasenia Schreb.

Brasenia schreberi J.F.Gmel., Syst. Nat. ed. 13[bis] 1: 853 (1791) Nat: S Korea 순채

Hydropeltis purpurea Michx., Fl. Bor.-Amer. (Michaux) 1: 324 (1803)

Brasenia peltata Pursh, Fl. Amer. Sept. (Pursh) 389 (1814)

Brasenia purpurea (Michx.) Casp., Journ. Sci. Math. Phys. Nat. 4(16): 312 (1873)

Cabomba Aubl.

Cabomba caroliniana A.Gray, Ann. Lyceum Nat. Hist. New York 4: 47 (1837) Nat: S Korea 어항마름

CACTACEAE

Opuntia Naccari

Opuntia ficus-indica Mill., J. Jap. Bot. 7 (1931) Int 선인장

CALYCANTHACEAE

Calycanthus L.

Calycanthus floridus L. var. *glaucus* (Willd.) Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 475 (1840) Int 자주받침꽃

Calycanthus fertilis Walter, Fl. Carol. 151 (1788)

Calycanthus glaucus Willd., Enum. Pl. (Willdenow) 559 (1809)

Calycanthus inodorus Elliott, Sketch Bot. S. Carolina 1: 576 (1821)

Calycanthus oblongifolius (Nutt.) Loudon, Hort. Brit. (Loudon) 1: 214 (1830)

CAMPANULACEAE

Adenophora Fisch.

Adenophora gmelinii (Biehler) Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 167 (1823)

Nat: N Korea 솔잎잔대

Adenophora coronopifolia (Fisch.exSchult.)Fisch. Mém. Soc. Imp. Naturalistes Moscou 6: 167, 1823

Adenophora polymorpha var. *coronopifolia* (Fisch.)Trautv. ex Herder TrudyImp.S.-Peterburgsk. Bot. Sadal:309,1872

Campanula coronopifolia Fisch. ex Roem.& Schult. Syst. Veg. ed.15 bis [Roemer&Schultes] 5:157,1819

Adenophora communis var. *coronopifolia* (Fisch. ex Schult.) Trautv. Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 98, 1879
Adenophora pachyphylla Kitag. Rep. Inst. Sci. Res. Manchoukuo 2: 297, 1938
Adenophora pomponiifolia Fisch. Mém. Soc. Imp. Naturalistes Moscou 6: 167, 1823
Adenophora rabelaisiana (Schult.) G. Don Hort. Brit. 75, 1830
Campanula fischeriana Spreng. Syst. Veg. (ed. 16) [Sprengel] 4(2, Cur. Post.): 77, 1827
Campanula monadelpha Pall. ex A.DC. Monogr. Campan. 363, 1830
Campanula salicifolia Juss. ex Ledeb. Fl. Ross. 2: 894, 1846
Adenophora erysimoides (Vest) Nakai ex Kitag. Rep. Inst. Sci. Res. Manchoukuo 2: 298, 1938
Campanula erysimoides Vest Syst. Veg., ed. 15bis [Roemer & Schultes] 5: 102, 1819
Campanula gmelinii Biehler Pl. Nov. Herb. Spreng. 17, 1807
Campanula rabelaisiana Schult. Syst. Veg., ed. 15 bis [Roemer & Schultes] 5: 158, 1819
Adenophora taquetii H.Lév. Repert. Spec. Nov. Regni Veg. 12: 22, 1913

***Adenophora grandiflora* Nakai, Bot. Mag. (Tokyo) 23: 188 (1909) Nat: N Korea, S Korea
도라지모시대**

***Adenophora lamarckii* Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 168 (1823) Nat: N Korea
두메잔대**

Adenophora communis Fisch. var. *lamarckii* (Fisch.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 98 (1879)
Adenophora liliifolia (L.) A.DC. var. *lamarckii* Krylov, Fl. Altai Gov. Tomsk 3: 782 (1904)
Campanula lamarckii (Fisch.) Borbás, Magyar Bot. Lapok 3: 192 (1904)
Adenophora lamarckii Fisch. var. *longifolia* Nakai, Rep. Veg. Daisetsu Mts. 13 (1930)

***Adenophora liliifolia* (L.) A.DC., Monogr. Campan. 358 (1830) Nat: N Korea, S Korea
나리잔대**

Campanula liliifolia L., Sp. Pl. 165 (1753)
Campanula alpini L., Sp. Pl. (ed. 2) 1669 (1763)
Campanula subuniflora Lam., Tabl. Encycl. 2: 53 (1796)
Campanula fischeri Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 5: 116 (1819)
Campanula spreta Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 5: 123 (1819)
Adenophora communis Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 168 (1823)
Adenophora stylosa (Lam.) Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 168 (1823)
Adenophora polymorpha Ledeb., Fl. Altaic. 1: 246 (1829)
Adenophora liliifolia (L.) A.DC. var. *stylosa* (Lam.) Korsh., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 17: 40 (1879)
Adenophora polymorpha Ledeb. var. *rhombifolia* H.Lév., Repert. Spec. Nov. Regni Veg. 12: 22 (1913)
Adenophora liliifolia (L.) A.DC. var. *alba* Nakai, Fl. M't. Paik-Tu-San 59 (1918)
Adenophora liliifolia (L.) A.DC. f. *alba* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1061 (1996)

***Adenophora palustris* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 426 (1901) Nat: N Korea, S Korea
진피리잔대**

Adenophora latifolia Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 168 (1823)
Adenophora palustris Kom. f. *leucantha* Nakai ex Matsum., Nippon Shokubutsumei, ed. 9 2: 83 (1916)

***Adenophora peresküfolia* (Fisch. ex Schult.) G. Don, Hort. Brit. (Loudon) 74 (1830) Nat: N Korea
툽잔대**

Adenophora divaricata Franch. & Sav., Enum. Pl. Jap. 2: 423 (1877)
Adenophora polymorpha Ledeb. var. *divaricata* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 12: 57 (1898)
Adenophora curvidens Nakai, Bot. Mag. (Tokyo) 26: 6 (1915)
Adenophora manshurica Nakai, Veg. Apoi 13 (1930)
Adenophora divaricata Franch. & Sav. var. *manshurica* (Nakai) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 106 (1935)
Adenophora kayasanensis Kitam., Acta Phytotax. Geobot. 5: 247 (1936)
Adenophora koreana Kitam., Acta Phytotax. Geobot. 5: 205 (1936)
Adenophora pereskiiifolia (Fisch. ex Schult.) G. Don var. *curvidens* (Nakai) Kitam., Lin. Fl. Manshur. 417 (1939)
Adenophora divaricata Franch. & Sav. f. *manshurica* (Nakai) Kitag., Neolin. Fl. Manshur. 600 (1979)
Adenophora racemosa Joongku Lee & S.T. Lee, Korean J. Pl. Taxon. 20: 122 (1990)

***Adenophora polyantha* Nakai, Bot. Mag. (Tokyo) 23: 188 (1909) Nat: N Korea, S Korea 수원잔대**

Adenophora scabridula Nannf., Acta Horti Gothob. 5: 20 (1929)
Adenophora polyantha Nakai var. *media* Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 1, Pl. Nov. Jehol. 57 (1934)
Adenophora polyantha Nakai var. *contracta* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 112 (1935)
Adenophora polyantha Nakai var. *glabricalyx* f. *eriocaulis* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 111 (1935)
Adenophora polyantha Nakai var. *glabricalyx* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 111 (1935)
Adenophora polyantha Nakai var. *media* f. *densipila* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 112 (1935)
Adenophora polyantha Nakai var. *scabricalyx* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 112 (1935)
Adenophora obovata Kitam., Acta Phytotax. Geobot. 5: 247 (1936)

***Adenophora remotidens* Hemsl., J. Linn. Soc., Bot. 26: 12 (1889) Nat: S Korea 인천잔대**

***Adenophora remotiflora* (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 193 (1866) Nat: N Korea, S Korea 모시대**

Campanula remotiflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 180 (1846)
Adenophora trachelioides Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 186 (1859)
Adenophora remotiflora (Siebold & Zucc.) Miq. f. *longifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 557 (1907)
Adenophora remotiflora (Siebold & Zucc.) Miq. f. *leucantha* Honda, Bot. Mag. (Tokyo) 47: 674 (1943)
Adenophora remotiflora (Siebold & Zucc.) Miq. var. *hirticalycis* S.T. Lee & Joongku Lee, Korean J. Pl. Taxon. 20: 191 (1990)
Adenophora erecta S.T. Lee & Joongku Lee & S.T. Kim, J. Pl. Res. 110: 77 (1997)

***Adenophora stricta* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 129 (1866) Nat: N Korea, S Korea 당잔대**

Adenophora sinensis A. DC. var. *pilosa* A. DC., Monogr. Campan. 354 (1830)
Adenophora polymorpha Ledeb. var. *stricta* (Miq.) Makino, Bot. Mag. (Tokyo) 12: 57 (1898)
Adenophora axilliflora Borbás, Magyar Bot. Lapok 3: 192 (1904)

Adenophora argyi H.Lév., Bull. Acad. Int. Géogr. Bot. 23: 292 (1914)
Adenophora rotundifolia h.lev H.Lév., Bull. Acad. Int. Géogr. Bot. 23: 292 (1914)
Adenophora stricta Miq. var. *lancifolia* Honda, Bot. Mag. (Tokyo) 50: 608 (1936)

***Adenophora triphylla* (Thunb.) A.DC., Monogr. Campan. 365 (1830) Nat: N Korea, S Korea**
잔대

Campanula tetraphylla Thunb., Fl. Jap. (Thunberg) 87 (1784)
Adenophora verticillata Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 167 (1823)
Adenophora tetraphylla (Thunb.) Fisch., Mem. Soc. Imp. Naturalistes Moscou 6: 167 (1823)
Adenophora verticillata Fisch. var. *angustifolia* Regel, Tent. Fl.-Ussur. 100 (1861)
Adenophora pereskiiifolia (Fisch. ex Schult.) G.Don var. *japonica* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 17 (1865)
Adenophora verticillata Fisch. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 192 (1866)
Adenophora polymorpha Ledeb. var. *lamarckii* (Fisch.) Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 309 (1872)
Adenophora verticillata Fisch. var. *alternifolia* Franch. & Sav., Enum. Pl. Jap. 2: 422 (1879)
Adenophora verticillata Fisch. var. *canescens* Franch. & Sav., Enum. Pl. Jap. 2: 422 (1879)
Adenophora verticillata Fisch. var. *pilosissima* Engl., Bot. Jahrb. Syst. 6: 68 (1885)
Adenophora verticillata Fisch. var. *hirsuta* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 155 (1891)
Adenophora verticillata Fisch. f. *alternifolia* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 20: 39 (1906)
Adenophora verticillata Fisch. f. *hirsuta* (F.Schmidt) Makino, Bot. Mag. (Tokyo) 20: 39 (1906)
Adenophora verticillata Fisch. var. *linearis* Hayata, Fl. Mont. Formos. 148 (1908)
Adenophora verticillata Fisch. f. *linearis* (Hayata) Matsum., Index Pl. Jap. 2 (2): 614 (1912)
Adenophora verticillata Fisch. var. *abbreviata* H.Lév., Repert. Spec. Nov. Regni Veg. 12: 22 (1913)
Adenophora thunbergiana Kudô, Medic. Pl. Hokk. 1: 91 (1922)
Adenophora thunbergiana Kudô f. *hirsuta* (F.Schmidt) Kudô, Rep. Veg. N. Saghal. 225 (1924)
Adenophora thunbergiana Kudô var. *lancifolia* H.Hara, J. Jap. Bot. 10: 371 (1934)
Adenophora pulchra Kitam., Acta Phytotax. Geobot. 5: 204 (1936)
Adenophora thunbergiana Kudô f. *lancifolia* (H.Hara) H.Hara, Bot. Mag. (Tokyo) 51: 896 (1937)
Adenophora thunbergiana Kudô f. *angustifolia* (Regel) Makino, Bot. Mag. (Tokyo) 51: 896 (1937)
Adenophora triphylla (Thunb.) A.DC. var. *tetraphylla* (Thunb.) Makino, Ill. Fl. Nippon (Makino) 83 (1940)
Adenophora triphylla (Thunb.) A.DC. var. *hakusanensis* (Nakai) Kitam., Acta Phytotax. Geobot. 10: 311 (1941)
Adenophora triphylla (Thunb.) A.DC. subsp. *aperticampanula* Kitam., Acta Phytotax. Geobot. 10: 309 (1941)
Adenophora triphylla (Thunb.) A.DC. var. *angustifolia* (Regel) Kitam., Acta Phytotax. Geobot. 10: 308 (1941)
Adenophora triphylla (Thunb.) A.DC. f. *lancifolia* (H.Hara) Kitam., Acta Phytotax. Geobot. 10: 310 (1941)
Adenophora triphylla (Thunb.) A.DC. f. *hirsuta* (F.Schmidt) Kitam., Acta Phytotax. Geobot. 10: 308 (1941)
Adenophora triphylla (Thunb.) A.DC. var. *kurilensis* f. *pilosissima* (Engl.) Kitam., Acta Phytotax. Geobot. 10: 311 (1941)
Adenophora triphylla (Thunb.) A.DC. f. *linearis* (Hayata) Kitam., Acta Phytotax. Geobot. 10: 308 (1941)

Adenophora triphylla (Thunb.) A.DC. var. *japonica* (Regel) H.Hara, J. Jap. Bot. 26: 281 (1951)
Adenophora radiatifolia Nakai var. *abbreviata* (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 110 (1952)
Adenophora radiatifolia Nakai var. *angustifolia* (Regel) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 110 (1952)
Adenophora radiatifolia Nakai var. *hirsuta* (F.Schmidt) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 111 (1952)
Adenophora triphylla (Thunb.) A.DC. var. *japonica* f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1161 (1996)

Asyneuma Griseb. & Schenk

Asyneuma japonicum (Miq.) Briq., *Candollea* 4: 335 (1931) Nat: N Korea, S Korea 영아자
Phyteuma japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 192 (1866)
Campanula japonica (Miq.) Vatke, Linnaea 39: 705 (1874)

Campanula L.

Campanula glomerata L. subsp. *speciosa* (Hornem. ex Spreng.) Domin, *Preslia* 13-15: 22 (1936) Nat: N Korea, S Korea 자주꽃방망이

Campanula speciosa Hornem., Hort. Bot. Hafn. 2: 957 (1815)
Campanula glomerata L. var. *dahurica* Fisch. ex Ker Gawl., Bot. Reg. 8: t. 620 (1822)
Campanula glomerata L. var. *speciosa* Hornem. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 731 (1824)
Campanula cephalotes Nakai var. *canescens* Nakai, J. Jap. Bot. 20: 187 (1944)

Campanula punctata Lam., *Encycl. (Lamarck)* 1: 586 (1785) Nat: N Korea, S Korea 초롱꽃

Campanula violifolia Lam., *Encycl. (Lamarck)* 1: 587 (1785)
Campanula nobilis Lindl., J. Hort. Soc. London 1: 232 (1846)
Campanula nobilis Pall. ex A.DC. var. *alba* Van Houtte ex Planch., Fl. Serres Jard. Eur. 6: 95 (1850)
Campanula van-houttei Carrière, Rev. Hort. 50: 420 (1878)
Campanula punctata Lam. var. *rubriflora* Makino, Bot. Mag. (Tokyo) 22: 156 (1908)
Campanula takesimana Nakai, Rep. Veg. Ooryongto 42 (1919)
Campanula punctata Lam. f. *albiflora* T.Shimizu, J. Phytogeogr. Taxon. 37: 120 (1989)
Campanula punctata Lam. var. *takesimana* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1161 (1996)
Campanula punctata Lam. var. *maritima* Konta & S.Matsumoto, Bull. Natl. Sci. Mus., Tokyo, B. 31: 138 (2005)

Codonopsis DC.

Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Trautv., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 4: 46 (1879) Nat: N Korea, S Korea 더덕

Campanumoea lanceolata Siebold & Zucc., Fl. Jap. (Siebold) 1: 174 (1841)
Glosocomia hortensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 209 (1857)
Glosocomia lanceolata (Siebold & Zucc.) Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 223 (1857)
Campanumoea japonica Siebold & Morren, Belgique Hort. 337 (1863)
Codonopsis yesoensis Nakai, Rep. Veg. Daisetsu Mts. 57 (1930)
Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Hance var. *emaculata* Honda, Bot. Mag. (Tokyo) 50: 436 (1936)

Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Hance f. *emaculata* (Honda) H.Hara, Enum. Spermatophytarum Japon. 2: 98 (1952)
Codonopsis ussuriensis (Rupr. & Maxim.) Hemsl. f. *viridiflora* J.Ohara, J. Phytogeogr. Taxon. 33: 72 (1985)

***Codonopsis minima* Nakai, Bot. Mag. (Tokyo) 29: 7 (1915) Nat; S Korea, Endemic 애기더덕**

***Codonopsis pilosula* (Franch.) Nannf., Acta Horti Gothob. 5: 29 (1929) Nat; N Korea, S Korea 만삼**

Campanumoea pilosula Franch., Pl. David. 1: 192 (1884)
Codonopsis silvestris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 425 (1901)
Codonopsis modesta Nannf., Acta Horti Gothob. 5: 26 (1930)
Codonopsis volubilis Nannf., Symb. Sin. 7: 1079 (1936)
Codonopsis handeliana Nannf., Symb. Sin. 7: 1078 (1936)

***Codonopsis ussuriensis* (Rupr. & Maxim.) Hemsl., J. Linn. Soc., Bot. 26: 6 (1889) Nat; N Korea, S Korea 소경불알**

Glosocomia lanceolata (Siebold & Zucc.) Rupr. var. *obtusata* Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 223 (1857)
Glosocomia ussuriensis Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 209 (1857)
Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Hance var. *ussuriensis* (Rupr. & Maxim.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 47 (1879)
Glosocomia lanceolata (Siebold & Zucc.) Rupr. var. *ussuriensis* (Rupr. & Maxim.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 92 (1886)

Hanabusaya Nakai

***Hanabusaya asiatica* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 62 (1911) Nat; N Korea, S Korea, Endemic 금강초롱꽃**

Symphyanandra asiatica Nakai, Bot. Mag. (Tokyo) 23: 188 (1909)
Hanabusaya latisejala Nakai, Bot. Mag. (Tokyo) 35: 147 (1921)
Keumkangsania asiatica (Nakai) H.S.Kim, Fl. Coreana (Kim) 6: 94 (1976)
Keumkangsania latisejala (Nakai) H.S.Kim, Fl. Coreana (Kim) 6: 95 (1976)
Hanabusaya asiatica (Nakai) Nakai var. *latisejala* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1071 (1996)

Lobelia L.

***Lobelia chinensis* Lour., Fl. Cochinch. 2: 514 (1790) Nat; N Korea, S Korea 수염가래꽃**

Lobelia erinus Thunb., Fl. Jap. (Thunberg) 325 (1784)
Lobelia radicans Thunb., Trans. Linn. Soc. London 2: 330 (1793)
Lobelia caespitosa Blume, Bijdr. Fl. Ned. Ind. 729 (1826)
Rapuntium chinense (Lour.) C.Presl, Prodr. Monogr. Lobel. 13 (1836)
Isolobus campanuloides (Thunb.) A.DC., Prodr. (DC.) 7: 353 (1839)
Isolobus kerii A.DC., Prodr. (DC.) 7: 353 (1839)
Isolobus roxburghianus A.DC., Prodr. (DC.) 7: 353 (1839)
Lobelia roxburghiana (A.DC.) Heynh., Nom. Bot. Hort. 1: 471 (1840)

***Lobelia sessilifolia* Lamb., J. Linn. Soc., Bot. 10: 260 (1811) Nat; N Korea, S Korea 숫잔대**

Lobelia saligna Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 65 (1812)
Lobelia camtschatica Pall. ex Roem. & Schult., Syst. Veg. (ed. 16) [Sprengel] 1: 712 (1824)

Rapuntium kamtschaticum C.Presl, Prodr. Monogr. Lobel. 24 (1836)
Lobelia salicifolia Fisch. ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 8: 557 (1883)

Peracarpa Hook.f. & Thomson

Peracarpa carnosa Hook.f. & Thomson, J. Proc. Linn. Soc., Bot. 2: 26 (1858) Nat; S Korea
홍노도라지

Platycodon A.DC.

Platycodon grandiflorus (Jacq.) A.DC., Monogr. Campan. 125 (1830) Nat; N Korea, S Korea
Platycodon grandiflorus (Jacq.) A.DC. var. *glaucus* (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 179 (1846)
Platycodon autumnalis Decne., Rev. Hort. ser. 3, 2: 361 (1848)
Platycodon chinensis Lindl. & Paxton, Paxton's Fl. Gard. 2: 121 (1852)
Platycodon grandiflorus (Jacq.) A.DC. var. *candolleanus* Franch., Mem. Soc. Sci. Nat. Cherbourg 1: 231 (1882)
Platycodon grandiflorus (Jacq.) A.DC. var. *albus* Stubenrauch, Cycl. Amer. Hort. 1370 (1901)
Platycodon grandiflorus (Jacq.) A.DC. var. *duplex* Makino, Bot. Mag. (Tokyo) 22: 157 (1908)
Platycodon grandiflorus (Jacq.) A.DC. var. *duplex* (Makino) Nakai, Bot. Mag. (Tokyo) 38: 301 (1924)
Platycodon glaucus (Thunb.) Nakai var. *duplex* (Makino) Nakai, Bot. Mag. (Tokyo) 38: 301 (1924)
Platycodon glaucus (Thunb.) Nakai var. *albus* Makino, J. Jap. Bot. 3: 43 (1926)
Platycodon glaucus (Thunb.) Nakai var. *duplex* f. *albus* Makino, J. Jap. Bot. 3: 43 (1926)
Platycodon graucus var. *duplex* f. *violaceus* Makino, J. Jap. Bot. 3: 44 (1926)
Platycodon graucus f. *albiflorus* Honda, Bot. Mag. (Tokyo) 51: 858 (1937)
Platycodon grandiflorus (Jacq.) A.DC. var. *subsepalus* (Honda) Nakai, J. Jap. Bot. 15: 186 (1939)
Platycodon grandiflorus (Jacq.) A.DC. f. *subsepalus* (Honda) H.Hara, Enum. Spermatophytarum Japon. 2: 101 (1952)
Platycodon grandiflorus (Jacq.) A.DC. f. *albiflorus* (Honda) H.Hara, Enum. Spermatophytarum Japon. 2: 101 (1952)
Platycodon grandiflorus (Jacq.) A.DC. var. *duplex* f. *leucanthum* H.Hara, Enum. Spermatophytarum Japon. 2: 102 (1952)
Platycodon grandiflorus (Jacq.) A.DC. f. *monanthus* (Nakai) H.S.Kim, Fl. Coreana (Kim) 6: 97 (1976)

Triodanis Raf.

Triodanis perfoliata (L.) Nieuwl., Amer. Midl. Naturalist 3: 192 (1914) Int 비너스도라지
Campanula perfoliata L., Sp. Pl. 169 (1753)
Campanula verticillata Pall., Reise Russ. Reich. 3: 320, 422, 436 (1776)
Campanula amplexicaulis Michx., Fl. Bor.-Amer. (Michaux) 1: 108 (1803)
Campanula angulata Raf., Fl. Ludov. 55 (1817)
Triodanis rupestris Raf., New Fl. (Rafinesque) 4: 67 (1838)
Triodanis scabra Raf., New Fl. (Rafinesque) 4: 67 (1838)
Triodallus rupestris (Raf.) Raf. ex A.DC., Prodr. (DC.) 7: 491 (1839)

Wahlenbergia

Wahlenbergia marginata (Thunb.) A.DC., Monogr. Campan. 143 (1830) Nat; S Korea
애기도라지

Campanula marginata Thunb., Fl. Jap. (Thunberg) 89 (1784)
Lobelia campanuloides Thunb., Trans. Linn. Soc. London 2: 331 (1794)
Campanula dehiscens Roxb., Fl. Ind. (Roxburgh) 1: 505 (1820)
Campanula agrestis Wall., Fl. Ind. (Roxburgh) 2: 97 (1824)
Campanula lavandulifolia Reinw. ex Blume, Bijdr. Fl. Ned. Ind. 726 (1826)
Wahlenbergia indica A.DC., Monogr. Campan. 146 (1830)
Campanula indica (A.DC.) D.Dietr., Syn. Pl. (D. Dietrich) 1: 753 (1839)
Wahlenbergia gracilis var. *misera* Hemsl., J. Linn. Soc., Bot. 26: 4 (1889)

CANNABACEAE

Cannabis L.

***Cannabis sativa* L., Sp. Pl. 1027 (1753) Int 삼**

Cannabis lupulus Scop., Fl. Carniol., ed. 2 2: 263 (1772)
Cannabis indica Lam., Encycl. (Lamarck) 1: 695 (1785)
Cannabis foetens Gilib., Exerc. Phyt. 2: 450 (1792)
Cannabis chinensis Delile, Index Sem. (Montpellier) 0 (1849)
Cannabis sativa L. var. *kif* A.DC., Prodr. (DC.) 16: 30 (1869)
Cannabis intersita Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 1960: 20 (1960)

Humulus L.

***Humulus lupulus* L., Sp. Pl. 1028 (1753) Int 호프**

Humulus volubilis Salisb., Prodr. Stirp. Chap. Allerton 176 (1796)
Humulus americanus Nutt., Proc. Acad. Nat. Sci. Philadelphia 4(Mar.-Apr.): 23 (1848)

***Humulus scandens* (Lour.) Merr., Trans. Amer. Philos. Soc. 24 (2): 138 (1935) Nat; N Korea, S Korea 환삼덩굴**

Antidesma sandens Lour., Fl. Cochinch. 2: 617 (1790)
Humulus japonicus Siebold & Zucc., Fl. Jap. (Siebold) 2: 89 (1846)
Humulus japonicus Siebold & Zucc. var. *minor* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 38 (1914)
Humulus scandens (Lour.) Merr. var. *variegatus* (Siebold & Zucc.) Moldenke, Phytologia 1: 169 (1935)

CAPPARACEAE

Cleome L.

***Cleome spinosa* Jacq., Enum. Syst. Pl. 26 (1760) Int 풍접초**

Cleome pungens Willd., Enum. Pl. (Willdenow) 689 (1809)

CAPRIFOLIACEAE

Abelia R.Br.

***Abelia biflora* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 152 (1837) Nat; S Korea 섬땡강나무**

Abelia insularis Nakai, Bot. Mag. (Tokyo) 32: 109 (1918)
Zabelia shikokiana (Makino) Makino, Ill. Fl. Jap. Suppl. 1078 (1950)

Zabelia insularis (Nakai) Hirzel & Hara, J. Jap. Bot. 29: 143 (1954)
Zabelia biflora (Turcz.) Makino f. *insularis* (Nakai) H.Hara, Ginkgoana 5: 132 (1983)
Abelia coreana Nakai var. *insularis* (Nakai) W.T.Lee & W.K.Paik, Korean J. Pl. Taxon.
19: 11 (1989)

***Abelia dielsii* (Graebn.) Rehder, Pl. Wilson. 1: 128 (1911) Nat; N Korea, S Korea 털댕강나무**

Linnaea dielsii Graebn., Bot. Jahrb. Syst. 29: 140 (1900)
Linnaea zanderi Graebn., Bot. Jahrb. Syst. 29: 142 (1900)
Abelia coreana Nakai, Bot. Mag. (Tokyo) 32: 108 (1918)
Zabelia dielsii (Graebn.) Makino, Makinoa 9: 175 (1948)
Zabelia coreana (Nakai) Hisauti & H.Hara, J. Jap. Bot. 29: 144 (1954)
Zabelia biflora (Turcz.) Makino var. *coreana* (Nakai) H.Hara, Ginkgoana 5: 132 (1983)

***Abelia integrifolia* Koidz., Bot. Mag. (Tokyo) 29: 312 (1915) Nat; S Korea 바위댕강나무**

Zabelia integrifolia (Koidz.) Makino ex Ikuse & S.Kuros., J. Jap. Bot. 29 (0): 110 (1954)

***Abelia serrata* Siebold & Zucc., Fl. Jap. (Siebold) 1: 76 (1839) Int 좀댕강나무**

Linnaea buchwaldii Graebn., Bot. Jahrb. Syst. 29: 133 (1900)
Linnaea serrata (Siebold & Zucc.) Graebn., Bot. Jahrb. Syst. 29 (0): 133 (1900)
Abelia buchwaldii (Graebn.) Rehder, Pl. Wilson. 1: 125 (1911)
Abelia serrata Siebold & Zucc. var. *congesta* Nakai, Trees Shrubs Japan, Revis. Ed. 2:
622 (1927)
Abelia serrata Siebold & Zucc. var. *glaberrima* Nakai, Trees Shrubs Japan, Revis. Ed. 2:
624 (1927)
Abelia serrata Siebold & Zucc. var. *buchwaldii* (Graebn.) Nakai, Trees Shrubs Japan,
Revis. Ed. 2: 622 (1927)
Abelia serrata Siebold & Zucc. var. *viridiramea* Makino, Ill. Fl. Nippon (Makino) 103
(1940)
Abelia serrata Siebold & Zucc. var. *viridis* Makino, Jissai-engei 26: 103 (1940)
Abelia serrata Siebold & Zucc. f. *colorata* Hiyama, J. Jap. Bot. 35: 160 (1960)

***Abelia spathulata* Siebold & Zucc., Fl. Jap. (Siebold) 1: 77 (1839) Nat; S Korea**

주걱댕강나무

Abelia spathulata Siebold & Zucc. var. *elliptica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2:
269 (1866)
Linnaea spathulata (Siebold & Zucc.) Graebn., Bot. Jahrb. Syst. 29: 142 (1900)
Linnaea spathulata (Siebold & Zucc.) Graebn. var. *elliptica* (Miq.) Matsum., Index Pl.
Jap. 2 (2): 598 (1912)
Abelia spathulata Siebold & Zucc. var. *micrantha* Nakai, Bot. Mag. (Tokyo) 41: 504 (1927)
Abelia spathulata Siebold & Zucc. f. *lucida* Makino, Genshoku yagai shokubutsu zufu 4:
255 (1933)

***Abelia tyaihyonii* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 58 (1921) Nat; N Korea, S Korea,
Endemic 땃강나무**

Abelia mosanensis T.H.Chung ex Nakai, Bot. Mag. (Tokyo) 40: 171 (1926)
Zabelia mosanensis (T.H.Chung ex Nakai) Hisauti & H.Hara, J. Jap. Bot. 29: 143 (1954)
Zabelia tyaihyonii (Nakai) Hisauti & H.Hara, J. Jap. Bot. 29: 143 (1954)

***Diervilla* Mill.**

***Diervilla sessilifolia* Buckley, Amer. J. Sci. Arts 45: 174 (1843) Int 애기병꽃**

Weigela splendens Carrière, Fl. Serres Jard. Eur. 8: 292 (1853)

Linnaea L.

Linnaea borealis L., Sp. Pl. 631 (1753) Nat: N Korea 린네풀

Linnaea borealis L. f. *arctica* Wittr., Acta Horti Berg. 4: 159 (1907)

Linnaea serpyllifolia Rydb., J. New York Bot. Gard. 8: 135 (1907)

Lonicera L.

Lonicera caerulea L., Sp. Pl. 174 (1753) Nat: N Korea, S Korea 땡땡이나무

Lonicera edulis Turcz. ex Freyn, Fl. Baical.-dahur. 1: 524 (1845)

Lonicera reticulata Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 167 (1852)

Lonicera caerulea L. var. *edulis* Turcz. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 37: 205, 207 (1864)

Lonicera venulosum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 542 (1880)

Caprifolium venulosum (Maxim.) Kuntze, Revis. Gen. Pl. 1: 274 (1891)

Lonicera caerulea L. var. *venulosa* (Maxim.) Rehder, Rep. (Annual) Missouri Bot. Gard. 14: 71 (1903)

Lonicera caerulea L. var. *glabrescens* f. *longibracteata* (H.Hara) C.K.Schneid., Ill. Handb. Laubholzk. 2: 693 (1911)

Lonicera caerulea L. var. *emphylocalyx* (Maxim.) Nakai, Trees Shrubs Japan, Revis. Ed. 2: 665 (1927)

Lonicera caerulea L. subsp. *edulis* (Turcz.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3,8: 144 (1930)

Lonicera caerulea L. var. *longibracteata* f. *ovata* H.Hara, Bot. Mag. (Tokyo) 51: 843 (1937)

Lonicera caerulea L. var. *longibracteata* f. *normalis* H.Hara, Bot. Mag. (Tokyo) 51: 844 (1937)

Lonicera caerulea L. var. *glabrescens* H.Hara, Bot. Mag. (Tokyo) 51: 843 (1937)

Lonicera chrysantha Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 388 (1844) Nat: N Korea, S Korea 각시괴불나무

Xylosteon gibbiflorum Rupr., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 430 (1856)

Lonicera xylosteum var. *chrysantha* (Turcz.) Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 221 (1857)

Lonicera chrysantha Turcz. ex Ledeb. var. *longipes* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 24: 44 (1878)

Lonicera gibbiflora (Rupr.) Dippel, Handb. Laubholzk. 1: 237 (1889)

Caprifolium chrysanthum (Turcz.) Kuntze, Revis. Gen. Pl. 1: 274 (1891)

Caprifolium gibbiflorum (Rupr.) Kuntze, Revis. Gen. Pl. 1: 274 (1891)

Lonicera chrysantha Turcz. ex Ledeb. f. *villosa* Rehder, Rep. (Annual) Missouri Bot. Gard. 14: 140 (1903)

Lonicera chrysantha Turcz. ex Ledeb. var. *crassipes* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 642 (1927)

Lonicera longipes (Maxim.) Pojark., Fl. URSS 23: 555 (1958)

Lonicera chrysantha Turcz. ex Ledeb. subsp. *gibbipora* (Rupr.) Kitag., Neolin. Fl. Manshur. 587 (1979)

Lonicera harae Makino, Bot. Mag. (Tokyo) 28: 123 (1914) Nat: N Korea, S Korea 길마가지나무

Lonicera coreana Nakai, Bot. Mag. (Tokyo) 29: 6 (1915)

Lonicera harae Makino var. *tashiroi* Nakai, Fl. Sylv. Kor. 11: 94 (1921)

***Lonicera japonica* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 216 (1784) Nat: N Korea, S Korea 인동**

- Lonicera flexuosa* Thunb., Trans. Linn. Soc. London 2: 330 (1794)
Caprifolium japonicum (Thunb.) Dum.Cours., Bot. Cult. (ed. 2) 7: 209 (1814)
Xylosteon flexuosum Dum.Cours., Bot. Cult. (ed. 2) 7: 208 (1814)
Lonicera chinensis P.Watson, Dendrol. Brit. 2: t. 117 (1825)
Nintooa japonica (Thunb.) Sweet, Hort. Brit. (Sweet) (ed. 2) 258 (1830)
Lonicera brachypoda DC., Prodr. (DC.) 4: 335 (1830)
Lonicera repens Zippel ex Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 116 (1844)
Lonicera brachypoda DC. var. *repens* Siebold, Jaarb. Kon. Ned. Maatsch. Tuinb. 1844: 34 (1844)
Lonicera diversifolia Carrière, Rev. Hort. 1866: 99 (1866)
Lonicera japonica Thunb. var. *chinensis* (P.Watson) Baker, Refug. Bot. 4: pl. 224 (1871)
Lonicera longiflora Carrière, Rev. Hort. 248 (1873)
Caprifolium brachypodum Gordon, Garden (London 1871-1927) 11: 88 (1877)
Lonicera flexuosa Thunb. var. *halleana* Dippel, Handb. Laubholz. 1: 217 (1889)
Caprifolium japonicum (Thunb.) D.Don f. *subverticillare* Kuntze, Revis. Gen. Pl. 1: 273 (1891)
Lonicera japonica Thunb. var. *hallinna* (Dippel) W.A.Nicholson, Hand-list Trees & Shrubs Arb. 2: 17 (1896)
Lonicera japonica Thunb. var. *flexuosa* (Thunb.) W.A.Nicholson, Hand-list Trees & Shrubs Arb. 2: 17 (1896)
Lonicera japonica Thunb. f. *flexuosa* (Thunb.) Zabel, Handb. Laubholzben. 451 (1903)
Lonicera fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5(85-90): 100 (1908)
Lonicera japonica Thunb. var. *sempervillosa* Hayata, Icon. Pl. Formosan. 9: 48 (1920)
Lonicera shintenensis Hayata, Icon. Pl. Formosan. 9: 48 (1920)
Lonicera japonica Thunb. var. *repens* (Siebold) Rehder, J. Arnold Arbor. 7: 36 (1926)
Lonicera japonica Thunb. var. *brachypoda* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 635 (1927)
Lonicera japonica Thunb. f. *purpurella* Honda, J. Jap. Bot. 14: 148 (1938)
Lonicera japonica Thunb. f. *chinensis* (P.Watson) H.Hara, Enum. Spermatophytarum Japon. 2: 44 (1952)
Lonicera japonica Thunb. var. *japonica* f. *halleana* (Dippel) H.Hara, Enum. Spermatophytarum Japon. 2: 44 (1952)

***Lonicera maackii* (Rupr.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 136 (1859) Nat: N Korea, S Korea 피불나무**

- Xylosteon maackii* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 369 (1857)
Caprifolium maackii (Rupr.) Kuntze, Revis. Gen. Pl. 1: 274 (1891)
Lonicera maackii (Rupr.) Maxim. var. *japonica* Nakai, J. Jap. Bot. 14: 366 (1938)

***Lonicera maximowiczii* (Rupr. ex Maxim.) Rupr. ex Maxim., Gartenflora 6: 107 (1857) Nat: N Korea, S Korea 홍피불나무**

- Xylosteon maximowiczii* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 136 (1856)
Lonicera maximowiczii (Rupr. ex Maxim.) Rupr. ex Maxim. var. *sachalinensis* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 142 (1868)
Caprifolium maximowiczii (Rupr.) Kuntze, Revis. Gen. Pl. 1: 274 (1891)
Lonicera sachalinensis (F.Schmidt) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 160 (1921)
Lonicera okamotoana Ohwi, J. Jap. Bot. 13: 340 (1937)
Lonicera okamotoana Ohwi var. *latifolia* Ohwi, J. Jap. Bot. 13: 341 (1937)
Lonicera sachalinensis (F.Schmidt) Nakai var. *barbinervis* Nakai, J. Jap. Bot. 14: 366 (1938)
Lonicera maximowiczii (Rupr. ex Maxim.) Rupr. ex Maxim. var. *latifolia* (Ohwi) H.Hara,

Ginkgoana 5: 71 (1983)

Lonicera maximowiczii (Rupr. ex Maxim.) Rupr. ex Maxim. subsp. *sachalinensis* (F.Schmidt) Nedol., Bot. Zhurn. (Moscow & Leningrad) 69: 368 (1984)

***Lonicera morrowii* A.Gray, Narr. Exped. China Japan 2: 313 (1856) Nat: S Korea**
섬피불나무

Caprifolium morrowii (A.Gray) Kuntze, Revis. Gen. Pl. 1: 274 (1891)

Lonicera insularis Nakai, Bot. Mag. (Tokyo) 31: 30 (1917)

Lonicera morrowii A.Gray var. *gamushiensis* Hayashi, Bull. Gov. Forest Exp. Sta. 170: 81 (1964)

Xylosteon morrowii (A.Gray) Moldenke, Phytologia 17: 114 (1968)

***Lonicera praeflorens* Batalin, Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 169 (1892) Nat: N Korea, S Korea**
울피불나무

Lonicera kaiensis Nakai, J. Jap. Bot. 14: 363 (1938)

***Lonicera ruprechtiana* Regel, Gartenflora 19: 68 (1870) Nat: N Korea**
물앵도나무

Xylosteon gibbiflorum Rupr. var. *subtomentosum* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 369 (1857)

Lonicera chrysantha Turcz. ex Ledeb. var. *subtomentosa* (Rupr.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 136 (1859)

Caprifolium ruprechtianum (Regel) Kuntze, Revis. Gen. Pl. 1: 274 (1891)

Lonicera ghiesbreghtiana Rehder, Rep. (Annual) Missouri Bot. Gard. 14: 136 (1903)

***Lonicera subhispida* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 92 (1921) Nat: N Korea**
털피불나무

Lonicera monantha Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 91 (1921)

***Lonicera subsessilis* Rehder, J. Arnold Arbor. 2: 126 (1920) Nat: N Korea, S Korea, Endemic**
청피불나무

Lonicera diamantica Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42 (1): 100 (1921)

***Lonicera tatarinowii* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 9: 138 (1859)**
Nat: N Korea 흰피불나무

Lonicera barbinervis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 426 (1901)

Lonicera leptantha Rehder, Repert. Spec. Nov. Regni Veg. 6: 274 (1909)

Lonicera hypoleuca Nakai, Bot. Mag. (Tokyo) 29: 6 (1915)

Lonicera tatarinowii Maxim. var. *leptantha* (Rehder) Nakai, Fl. Sylv. Kor. 11: 81 (1921)

Lonicera nigra L. var. *barbinervis* (Kom.) Nakai, Fl. Sylv. Kor. 11: 82 (1921)

***Lonicera vesicaria* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 427 (1901) Nat: N Korea, S Korea**
구슬덩대이

***Lonicera vidalii* Franch. & Sav., Enum. Pl. Jap. 2: 386 (1877) Nat: S Korea**
왕피불나무

Caprifolium vidalii (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 1: 274 (1891)

Lonicera cerasoides Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 99 (1921)

Sambucus L.

***Sambucus racemosa* L. subsp. *sieboldiana* (Blume ex Miq.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 383 (1956) Nat: S Korea**
땃나무

Sambucus racemosa L. var. *sieboldiana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 265 (1866)

Sambucus sieboldiana (Miq.) Blume ex Graebn., Bot. Jahrb. Syst. 29: 584 (1901)

Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *glabrescens* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 10 (1921)
Sambucus glabrescens (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 479 (1926)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *latifolia* Nakai, Bot. Mag. (Tokyo) 40: 473 (1926)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *glaberrima* Nakai, Trees Shrubs Japan, Revis. Ed. 2, 1: 572 (1927)
Sambucus sieboldiana (Miq.) Blume ex Graebn. f. *glaberrima* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 2: 51 (1952)
Sambucus sieboldiana (Miq.) Blume ex Graebn. f. *latifolia* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 2: 51 (1952)

***Sambucus racemosa* L. subsp. *kamtschatica* (E.Wolf) Hultén, Fl. Kamtchatka 4: 139 (1930)**

Nat: N Korea, S Korea 지렁쿠나무

Sambucus racemosa L. var. *glabra* Miq., Cat. Mus. Bot. Lugd.-Bat. 56 (1870)
Sambucus racemosa L. subsp. *pubescens* var. *pubescens* Schwer., Mitt. Deutsch. Dendrol. Ges. 18: 47 (1909)
Sambucus racemosa L. var. *miquelii* Nakai, Bot. Mag. (Tokyo) 31: 214, (1917)
Sambucus latipinna Nakai var. *miquelii* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42 (1): 11 (1921)
Sambucus kamschatica E.Wolf, Mitt. Deutsch. Dendrol. Ges. 33: 34 (1923)
Sambucus buergeriana Blume ex Nakai, Bot. Mag. (Tokyo) 40: 474 (1926)
Sambucus buergeriana Blume ex Nakai var. *miquelii* (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 474 (1926)
Sambucus velutina Nakai, Bot. Mag. (Tokyo) 40: 478 (1926)
Sambucus miquelii (Nakai) Kom., Opred. Rast. Dal'nevost. Kraia 2: 962 (1932)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *miquelii* (Nakai) H.Hara, J. Jap. Bot. 26: 280 (1951)
Sambucus sachalinensis Pojark., Fl. URSS 23: 439 & 726 (1958)
Sambucus williamsii Hance var. *miquelii* (Nakai) Y.C.Tang, Fl. Reipubl. Popularis Sin. 3: 11 (1988)
Sambucus latipinna Nakai f. *velutina* (Nakai) U.C.La, Fl. Coreana (U.C.La) 8: 51 (2000)

***Sambucus racemosa* L. subsp. *pendula* (Nakai) H.I.Lim & Chin S.Chang, Korean J. Pl.**

Taxon. 39: 190 (2009) Nat: S Korea, Endemic 말오줌나무

Sambucus pendula Nakai, Bot. Mag. (Tokyo) 31: 212 (1917)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *pendula* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 342 (1966)

***Sambucus williamsii* Hance, Ann. Sci. Nat., Bot. ser. 4, 5: 217 (1866) Nat: S Korea 딱총나무**

Sambucus latipinna Nakai, Bot. Mag. (Tokyo) 30: 290 (1916)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *coreana* Nakai, Bot. Mag. (Tokyo) 31: 213 (1917)
Sambucus latipinna Nakai var. *coreana* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42 (1): 11 (1921)
Sambucus williamsii Hance var. *coreana* (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 477 (1926)
Sambucus coreana (Nakai) Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 962 (1932)

***Viburnum* L.**

***Viburnum burejaeticum* Regel & Herder, Gartenflora 11: 407, t. 384 (1862) Nat: N Korea, S Korea 산분꽃나무**

Viburnum davuricum Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 135 (1859)

Viburnum burejanum Herder, Bull. Soc. Imp. Naturalistes Moscou 53 (1): 11 (1878)

Viburnum arcuatum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 427 (1901)

***Viburnum carlesii* Hemsl., J. Linn. Soc., Bot. 23: 350 (1888)** Nat: N Korea, S Korea 분꽃나무
Solenolantana carlesii (Hemsl.) Nakai, J. Jap. Bot. 24: 14 (1949)

Viburnum carlesii* Hemsl. var. *carlesii

***Viburnum carlesii* Hemsl. var. *bitchiuense* (Makino) Nakai, Bot. Mag. (Tokyo) 28: 295 (1914)**
Nat: S Korea 섬분꽃나무

Viburnum bitchiuense Makino, Bot. Mag. (Tokyo) 16: 156 (1902)

Viburnum carlesii Hemsl. var. *syringiflora* Hutchison, Bull. Misc. Inform. Kew 1919: 454 (1919)

Solenolantana carlesii var. *bitchiuense* (Makino) Nakai, J. Jap. Bot. 24: 14 (1949)

***Viburnum dilatatum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 295 (1784)** Nat: N Korea, S Korea 가막살나무

Viburnum dilatatum Thunb. var. *radiata* A.Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 393 (1858)

Viburnum dilatatum Thunb. f. *hispidum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 35 (1921)

Viburnum dilatatum Thunb. f. *pilosum* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 603 (1927)

Viburnum dilatatum Thunb. var. *macrophyllum* P.S.Hsu, Acta Phytotax. Sin. 11: 78 (1966)

***Viburnum erosum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 295 (1784)** Nat: N Korea, S Korea 덜팽나무

Viburnum erosum Thunb. var. *punctatum* Franch. & Sav., Enum. Pl. Jap. 2: 380 (1876)

Viburnum ichangense Rehder, Trees & Shrubs 2: 150 (1908)

Viburnum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 9: 443 (1911)

Viburnum erosum Thunb. var. *taquetii* (H.Lév.) Rehder, Pl. Wilson. 1: 311 (1912)

Viburnum erosum Thunb. var. *exstipulatum* Koidz., Bot. Mag. (Tokyo) 29: 158 (1915)

Viburnum matsudai Hayata, Icon. Pl. Formosan. 9: 41 (1920)

Viburnum erosum Thunb. var. *lanceum* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 610 (1927)

Viburnum sikokianum Koidz., Acta Phytotax. Geobot. 1: 176 (1932)

Viburnum erosum Thunb. var. *vegetum* Nakai, J. Jap. Bot. 14: 643 (1938)

Viburnum erosum Thunb. var. *osumianum* Hayata, J. Jap. Bot. 31: 224 (1956)

Viburnum erosum Thunb. var. *punctatum* f. *sikokianum* (Koidz.) H.Hara, Ginkgoana 5: 246 (1983)

***Viburnum furcatum* Blume ex Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 26: 483 (1880)** Nat: S Korea 분단나무

***Viburnum japonicum* (Thunb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 934 (1825)** Nat: S Korea 푸른가막살

***Viburnum koreanum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 42 (1921)** Nat: N Korea, S Korea 배암나무

***Viburnum odoratissimum* Ker Gawl. ex Rümpler var. *awabuki* (K.Koch) Zabel, Ill. Gart.-Lex. [Rümpler], ed. 3 877 (1902)** Nat: S Korea 아왜나무

Viburnum awabuki K.Koch, Wochenschr. Gartnerei Pflanzenk. 10: 108 (1867)

Viburnum arboricola Hayata, Icon. Pl. Formosan. 4: 12, t. 1 (1914)

Viburnum odoratissimum Ker Gawl. ex Rümpler var. *arboricola* (Hayata) Yamam., J. Soc. Trop. Agric. 8: 69 (1936)

***Viburnum opulus* L. var. *calvescens* (Rehder) H.Hara, J. Coll. Sci. Imp. Univ. Tokyo 6: 385 (1956) Nat; N Korea, S Korea 백당나무**

- Viburnum lobatum* Lam., Fl. Franc. (Lamarck) 3: 363 (1778)
Viburnum pubinerve Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 265 (1866)
Viburnum sargentii Koehne, Gartenflora 48: 341 (1899)
Viburnum sargentii Koehne var. *calvescens* Rehder, Mitt. Deutsch. Dendrol. Ges. 12: 125 (1903)
Viburnum sargentii Koehne f. *puberula* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 511 (1907)
Viburnum sargentii Koehne f. *glabra* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 511 (1907)
Viburnum opulus L. var. *sargentii* (Koehne) Takeda, Bot. Mag. (Tokyo) 25: 25 (1911)
Viburnum pubinerve Blume ex Miq. f. *lutescens* Nakai, Bot. Mag. (Tokyo) 33: 123 (1919)
Viburnum pubinerve Blume ex Miq. f. *hydrangeoides* Nakai, Bot. Mag. (Tokyo) 33: 213 (1919)
Viburnum pubinerve Blume ex Miq. f. *puberulum* (Kom.) Nakai, Bot. Mag. (Tokyo) 33: 212 (1919)
Viburnum pubinerve Blume ex Miq. f. *calvescens* (Rehder) Nakai, Bot. Mag. (Tokyo) 33: 213 (1919)
Viburnum pubinerve Blume ex Miq. f. *intermedium* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 42 (1921)
Viburnum opulus L. var. *sterile* Makino, J. Jap. Bot. 5: 24 (1928)
Viburnum sterile (Makino) Honda, Nom. Pl. Japonic. 521 (1939)
Viburnum sargentii Koehne var. *puberulum* (Kom.) Kitag., Lin. Fl. Manshur. 410 (1939)
Viburnum opulus L. var. *pubinerve* f. *sterile* Makino, Ill. Fl. Nippon (Makino) 106 (1940)
Viburnum opulus L. var. *pubinerve* Makino, Ill. Fl. Nippon (Makino) 106 (1940)
Viburnum sargentii Koehne var. *intermedium* (Nakai) Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 157 (1941)
Viburnum sargentii Koehne f. *hydrangeoides* (Nakai) Uyeki, Woody Pl. Distr. Chosen 376 (1943)
Viburnum sargentii Koehne f. *lutescens* (Nakai) Uyeki, Woody Pl. Distr. Chosen 376 (1943)
Viburnum sargentii Koehne f. *calvescens* (Rehder) Rehder, Bibliogr. Cult. Trees 608 (1949)
Viburnum sargentii Koehne f. *intermedium* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 2: 60 (1952)
Viburnum sterile (Makino) Honda f. *hydrangeoides* (Nakai) Pojark., Fl. URSS 23: 456 (1958)
Viburnum opulus L. f. *hydrangeoides* (Nakai) H.Hara, Ginkgoana 5: 272 (1983)

***Viburnum wrightii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 267 (1866) Nat; N Korea, S Korea 산가막살나무**

- Viburnum wrightii* Miq. var. *stipellatum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 287 (1909)
Viburnum wrightii Miq. var. *sylvestre* Koidz., Bot. Mag. (Tokyo) 29: 159 (1915)
Viburnum wrightii Miq. var. *eglandulosum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42 (2): 36 (1921)
Viburnum wrightii Miq. var. *minus* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 605 (1927)
Viburnum wrightii Miq. var. *lucidum* Hatus., Acta Phytotax. Geobot. 4: 207 (1935)
Viburnum wrightii Miq. var. *pilosum* Hara, Bot. Mag. (Tokyo) 51: 892 (1937)
Viburnum wrightii Miq. f. *sylvestre* (Koidz.) Hiyama, J. Jap. Bot. 31: 224 (1956)
Viburnum wrightii Miq. f. *eglandulosum* (Nakai) Hiyama, Neolin. Fl. Manshur. 585 (1979)
Viburnum wrightii Miq. f. *kaiense* Hiyama, Neolin. Fl. Manshur. 585 (1979)

Weigela Thunb.

Weigela coraeensis Thunb., *Trans. Linn. Soc. London* 2: 331 (1794) Int 일본병꽃나무
Diervilla coraeensis (Thunb.) DC., *Prodr.* (DC.) 4: 330 (1830)

Weigela florida (Bunge) A.DC., *Ann. Sci. Nat., Bot.* 11: 241 (1839) Nat; N Korea, S Korea
붉은병꽃나무

- Calysphyrum floridum* Bunge, *Enum. Pl. Chin. Bor.* 34 (1833)
Diervilla florida (Bunge) Siebold & Zucc., *Fl. Jap.* (Siebold) 1: 75 (1837)
Diervilla pauciflora A.DC., *Ann. Sci. Nat., Bot. ser.* 2, 11: 241 (1839)
Weigela rosea Lindl., *J. Hort. Soc. London* 1: 65, 189 (1846)
Diervilla rosea (Lindl.) Walp., *Ann. Bot. Syst.* 1: 365 (1848)
Calysphyrum roseum (Lindl.) C.A.Mey., *Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg* 13: 220 (1855)
Diervilla praecox Lemoine, *Gartenflora* 46: 393 (1897)
Diervilla florida (Bunge) Siebold & Zucc. var. *venusta* Rehder, *J. Arnold Arbor.* 1: 24 (1913)
Diervilla brevicealcina Nakai, *Bot. Mag. (Tokyo)* 29: 5 (1915)
Diervilla florida (Bunge) Siebold & Zucc. var. *pilosa* Nakai, *Bot. Mag. (Tokyo)* 32: 299 (1918)
Diervilla florida (Bunge) Siebold & Zucc. f. *brevicalycina* Nakai, *J. Coll. Sci. Imp. Univ. Tokyo* 42: art. 2: 114 (1921)
Diervilla florida (Bunge) Siebold & Zucc. var. *venusta* f. *brevicalycina* Nakai, *Fl. Sylv. Kor.* 11: 88 (1921)
Diervilla venustn (Rehder) Stapf, *Bot. Mag.* 151: t. 9080 (1925)
Weigela venusta Bailey, *Gentes Herb.* 2 fasc. 1: 54 (1929)
Weigela praecox (Lemoine) L.H.Bailey, *Gentes Herb.* 2-1: 54 (1929)
Weigela florida DC. var. *glabra* Nakai f. *leucantha* Nakai, *J. Jap. Bot.* 12: 10 (1936)
Weigela florida DC. f. *albida* Nakai, *J. Jap. Bot.* 12: 10 (1936)
Weigela florida (Bunge) A.DC. f. *leucantha* Nakai, *J. Jap. Bot.* 12: 10 (1936)
Weigela florida DC. var. *glabra* Nakai, *J. Jap. Bot.* 12: 9 (1936)
Weigela florida DC. var. *pauciflora* (A.DC.) Nakai, *J. Jap. Bot.* 12 (1936)
Weigela florida DC. var. *venusta* (Rehder) Nakai, *J. Jap. Bot.* 12 (1936)
Weigela florida DC. f. *subtricolor* Nakai, *J. Jap. Bot.* 12: 11 (1936)
Weigela praecox (Lemoine) L.H.Bailey var. *pilosa* (Nakai) Nakai, *J. Jap. Bot.* 12: 12 (1936)
Diervilla praecox Lemoine var. *tomentosa* Nakai, *J. Jap. Bot.* 12: 12 (1936)
Weigela toensis Nakai, *J. Jap. Bot.* 12: 12 (1936)
Weigela florida DC. f. *alba* (Carrière) Rehder, *J. Arnold Arbor.* 20: 431 (1939)
Weigela florida DC. f. *candida* (Voss) Rehder, *J. Arnold Arbor.* 20: 431 (1939)
Weigela florida (Bunge) A.DC. f. *brevicalycina* (Nakai) Uyeki, *Woody Pl. Distr. Chosen* 338 (1943)

Weigela subsessilis (Nakai) L.H.Bailey, *Gentes Herb.* 2: 51 (1929) Nat; N Korea, S Korea,
Endemic 병꽃나무

- Diervilla subsessilis* Nakai, *Bot. Mag. (Tokyo)* 32: 229 (1918)
Diervilla subsessilis Nakai var. *mollis* Uyeki, *J. Chosen Nat. Hist. Soc.* 17: 54 (1934)
Weigela subsessilis (Nakai) L.H.Bailey var. *mollis* (Uyeki) Uyeki, *Woody Pl. Distr. Chosen* 100 (1940)

CARYOPHYLLACEAE

Agrostemma L.

Agrostemma githago L., *Sp. Pl.* 435 (1753) Int 선홍초

Agrostemma nicaeensis Pers., Syn. Pl. (Persoon) 1: 519 (1805)
Agrostemma hirsuta Stokes, Bot. Mat. Med. 2: 559 (1812)
Agrostemma linicola Terechov, Trudy Prikl. Bot. 25: 283 (1931)
Agrostemma macrospermum Levina, Del. Sem. Hort. Bot. Univ. Voroneg. 2: 30 (1939)

Arenaria Adans.

***Arenaria serpyllifolia* L., Sp. Pl. 423 (1753)** Nat; N Korea, S Korea **벼룩이자리**

Arenaria viscida Loisel., Not. Fl. France 68 (1810)
Arenaria wallichiana Ser., Prodr. (DC.) 1: 411 (1824)
Arenaria alpicola Beck, Ann. K. K. Naturhist. Hofmus. 6: 326 (1891)
Arenaria crassifolia Freyn ex Hallier, Syn. Deut. Schweiz. Fl., ed. 3 3: 292 (1892)
Arenaria martrinii Tzvelev, Novosti Sist. Vyssh. Rast. 32: 34 (2000)

Cerastium L.

***Cerastium fischerianum* Ser., Prodr. (DC.) 1: 419 (1824)** Nat; N Korea, S Korea
큰점나도나물

Cerastium alpinum L. var. *fischerianum* (Ser.) Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 188 (1838)
Cerastium vulgatum L. var. *macrocarpum* Fenzl, Fl. Ross. (Ledeb.) 1: 409 (1842)
Cerastium robustum Williams, Bull. Herb. Boissier 7: 130 (1899)
Cerastium schmidtianum Takeda, Bull. Misc. Inform. Kew 1911: 106 (1911)
Cerastium rishirensense Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 1 (1935)
Cerastium fischerianum Ser. var. *macrocarpum* (Fenzl) Ohwi, Acta Phytotax. Geobot. 11: 253 (1942)
Cerastium fischerianum Ser. var. *molle* Ohwi, Acta Phytotax. Geobot. 11: 253 (1942)

***Cerastium furcatum* Cham. & Schldl., Linnaea 1: 61 (1826)** Nat; N Korea, S Korea
북선점나도나물

Cerastium takedae H.Hara, J. Jap. Bot. 12: 337 (1936)
Cerastium koreanum Nakai, J. Jap. Bot. 14: 744 (1938)
Cerastium mitsumorense Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 131 (1938)
Cerastium mitsumorense Miyabe & Tatew. var. *ovatum* Miyabe, Trans. Sapporo Nat. Hist. Soc. 16: 1 (1939)
Cerastium furcatum Cham. & Schldl. var. *chiisanense* Ohwi, Acta Phytotax. Geobot. 11: 252 (1942)
Cerastium furcatum Cham. & Schldl. var. *koreanum* (Nakai) Ohwi, Acta Phytotax. Geobot. 11: 252 (1942)
Cerastium furcatum Cham. & Schldl. var. *tetraschistum* f. *takedae* (H.Hara) Ohwi, Acta Phytotax. Geobot. 11: 252 (1942)
Cerastium rubescens Mattf. var. *koreanum* (Nakai) Miki, Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 29: 288 (1963)

Cerastium furcatum* Cham. & Schldl. subsp. *furcatum

***Cerastium fontanum* Baumg. subsp. *vulgare* (Hartm.) Greuter & Burdet, Willdenowia 12: 37 (1982)** Nat; N Korea, S Korea **점나도나물**

Cerastium caespitosum Gilib., Fl. Lit. Inch. 2: 159 (1782)
Cerastium holosteoides Fr., Novit. Fl. Suec. 4: 52 (1817)
Cerastium triviale Link, Enum. Hort. Berol. Alt. 1: 433 (1821)
Cerastium vulgatum L. var. *glandulosum* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 432 (1861)
Cerastium vulgare Hartm. subsp. *triviale* (Link) Murb., Bot. Not. 1898: 252 (1898)

Cerastium ianthes Williams, Bull. Herb. Boissier 7: 131 (1899)
Cerastium triviale Link var. *glandulosum* K.Koch ex Kuroiwa, Bot. Mag. (Tokyo) 14: 110 (1900)
Cerastium vulgatum L. var. *hallaisanense* Nakai, Repert. Spec. Nov. Regni Veg. 13: 268 (1914)
Cerastium casepitosum Gilib. var. *ianthes* (Williams) H.Hara, J. Jap. Bot. 17: 19 (1941)
Cerastium holosteoides Fr. subsp. *triviale* (Link) Möschl, Bot. Not. 1948: 375 (1948)
Cerastium holosteoides Fr. var. *hallaisanense* (Nakai) Mizush., J. Jap. Bot. 39: 149 (1963)

***Cerastium glomeratum* Thuill., Fl. Env. Paris, ed. 2 226 (1824) Int 유럽점나도나물**
Cerastium viscosum L., Sp. Pl. 437 (1753)

***Cerastium pauciflorum* Stev. ex Ser., Prodr. (DC.) 1: 414 (1824) Nat: N Korea 털점나도나물**
Cerastium ledebourianum Ser., Prodr. (DC.) 1: 420 (1824)
Cerastium pilosum var. *amurense* Regel, Bull. Soc. Imp. Naturalistes Moscou 35: 428 (1862)
Cerastium pilosum f. *amurense* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 181 (1904)
Cerastium oxalidiflorum Makino, Bot. Mag. (Tokyo) 19: 102 (1905)
Cerastium pauciflorum Stev. ex Ser. var. *oxalidiflorum* (Makino) Ohwi, Acta Phytotax. Geobot. 11: 254 (1942)
Cerastium pauciflorum Stev. ex Ser. var. *amurense* (Regel) Mizush., Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 29: 292 (1963)

Dianthus L.

***Dianthus barbatus* L. var. *asiaticus* Nakai, Chosen Shokubutsu 143 (1914) Nat: N Korea 수염패랭이꽃**

***Dianthus caryophyllus* L., Sp. Pl. 410 (1753) Int 카네이션**
Dianthus coronarius (L.) Burm.f., Fl. Ind. (N. L. Burman) 13 (1768)
Dianthus moschatus J.F.Gmel., Syst. Nat. ed. 13[bis] 711 (1791)
Dianthus arrectus Dumort., Fl. Belg. (Dumortier) 196 (1827)
Dianthus morrsii Hance, London J. Bot. 7: 472 (1848)
Dianthus multinervis Vis., Fl. Dalmat. 3: 164 (1850)
Dianthus acinifolius Schur, Enum. Pl. Transsilv. 97 (1866)

***Dianthus chinensis* L., Sp. Pl. 411 (1753) Nat: N Korea, S Korea 패랭이꽃**
Dianthus tataricus Fisch., Cat. Jard. Pl. Gorenki 2: 59 (1812)
Dianthus amurensis Jacq., J. Soc. Imp. Centr. Hort. 7: 625 (1861)
Dianthus morii Nakai, Bot. Mag. (Tokyo) 28: 302 (1914)
Dianthus pineticola Kleopow, Izv. Kievsk. Bot. Sada 12-13: 161 (1931)
Dianthus subulifolius Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 16 (1935)
Dianthus chinensis L. var. *morii* (Nakai) Y.C.Chu, Fl. Pl. Herb. Chin. Bor.-Or. 3: 49 (1975)
Dianthus chinensis L. var. *amurensis* (Jacq.) Kitag., Neolin. Fl. Manshur. 266 (1979)
Dianthus chinensis L. var. *serpens* Y.N.Lee, Bull. Korea Pl. Res. 4: 29 (2004)

***Dianthus japonicus* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 417 (1784) Nat: S Korea 갯패랭이꽃**

Dianthus ellipticus Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 369 (1854)
Dianthus nipponicus Makino, Bot. Mag. (Tokyo) 17: 58 (1903)
Dianthus japonicus Thunb. f. *albiflorus* J.Ohara ex Nakan., J. Geobot. 16: 116 (1968)

***Dianthus longicalyx* Miq., J. Bot. Neerl. 1: 127 (1861)** Nat: N Korea, S Korea **솔패랭이꽃**
Dianthus oreadum Hance, Ann. Sci. Nat., Bot. V, 5: 207 (1866)
Dianthus superbus L. f. *longicalycinus* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 64 (1890)
Dianthus superbus L. var. *longicalycinus* (Maxim.) Williams, J. Linn. Soc., Bot. 29: 411 (1893)
Dianthus taiwanensis Masam., Trans. Nat. Hist. Soc. Taiwan 33: 618 (1943)
Dianthus superbus L. subsp. *longicalycinus* (Maxim.) Kitam., Acta Phytotax. Geobot. 20: 205 (1962)
Dianthus superbus L. var. *pycnophyllus* Kitag., J. Jap. Bot. 55: 266 (1980)

***Dianthus repens* Willd., Sp. Pl. (ed. 4) 2: 681 (1799)** Nat: N Korea **장백패랭이꽃**
Dianthus chinensis L. subsp. *repens* (Willd.) Vorosch., Florist. issl. v razn. raionakh SSSR 167 (1985)
Dianthus repens Willd. var. *scabripilosus* Y.Z.Zhao, Acta Sci. Nat. Univ. Intramongol. 20: 110 (1989)

***Dianthus superbus* L., Fl. Suec. (ed. 2) 146 (1755)** Nat: S Korea **꽃솔패랭이꽃**
Dianthus fimbriatus Lam., Fl. Franc. (Lamarck) 2: 538 (1779)
Dianthus contortus Sm., Cycl. (Rees) 11 (1808)
Dianthus revolutus Tausch, Flora 13: 245 (1830)
Dianthus superbus L. var. *alpestris* Kablík, ex Celak., Prodr. Fl. Bohmen 3: 508 (1875)
Dianthus szechuensis F.N.Williams, J. Linn. Soc., Bot. 34: 428 (1899)
Dianthus superbus L. var. *monticola* Makino, Bot. Mag. (Tokyo) 17: 59 (1903)
Dianthus superbus L. var. *speciosus* Rchb., Sched. Fl. Stiriac. Exsicc. 11-12: 9 (1907)

Eremogone Fenzl

***Eremogone capillaris* (Poir.) Fenzl, Vers. Darstell. Alsin. 37 (1833)** Nat: N Korea
관모개미자리
Arenaria capillaris Poir., Encycl. (Lamarck) 6: 380 (1804)
Arenaria sibirica Pers., Syn. Pl. (Persoon) 1: 504 (1805)
Arenaria subulata Ser. var. *glabrata* Ser., Prodr. (DC.) 1: 403 (1824)
Eremogone subulata (Ser.) Fenzl, Vers. Darstell. Alsin. 37 (1833)
Arenaria capillaris Poir. var. *glabrata* (Ser.) Schischk., Fl. URSS 6: 531 (1936)

***Eremogone juncea* (M.Bieb.) Fenzl, Vers. Darstell. Alsin. 37 (1833)** Nat: N Korea
벼룩이울타리
Arenaria juncea M.Bieb., Fl. Taur.-Caucas. 3: 309 (1819)
Arenaria dahurica Fisch. ex Ser., Prodr. (DC.) 1: 402 (1824)

Gypsophila L.

***Gypsophila oldhamiana* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 187 (1867)** Nat: N Korea, S Korea
대나물

***Gypsophila pacifica* Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 167 (1916)** Nat: N Korea
가는대나물
Gypsophila perfoliata var. *latifolia* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 52 (1859)

Honckenya Ehrh.

***Honckenya peploides* var. *major* (Hook.) Abrams, Ill. Fl. Pacific States 2: 154 (1944)** Nat: N Korea 갯별꽃

- Arenaria peploides* L. var. *major* Hook., Fl. Bor.-Amer. (Hooker) 1: 102 (1831)
Honckenya oblongifolia Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 176 (1838)
Honckenya peploides var. *oblongifolia* (Torr. & A.Gray) Fenzl, Fl. Ross. (Ledeb.) 1: 358 (1842)
Ammodenia oblongifolia (Torr. & A.Gray) A.Heller, Muhlenbergia 6: 84 (1910)
Honckenya peploides subsp. *major* (Hook.) Hultén, Fl. Aleutian Isl. 171 (1937)

Lychnis L.

***Lychnis cognata* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 55 (1859)** Nat: N Korea, S Korea 동자꽃

- Lychnis fulgens* Fisch. var. *cognata* (Maxim.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 576 (1861)
Lychnis cognata Maxim. f. *albiflora* W.T.Lee, Lineamenta Florae Koreae 256 (1996)
Silene cognata (Maxim.) H.Obashi & H.Nakai, J. Jap. Bot. 71: 269 (1996)

***Lychnis fulgens* Fisch., Novi Provent. 26 (1818)** Nat: N Korea 털동자꽃

- Lychnis fulgens* Fisch. var. *glabra* Nakai, Bot. Mag. (Tokyo) 35: 143 (1921)
Lychnis fulgens Fisch. f. *glabra* (Nakai) W.T.Lee, Lineamenta Florae Koreae 257 (1996)

***Lychnis kiusiana* Makino, Bot. Mag. (Tokyo) 17: 57 (1903)** Nat: S Korea 가는동자꽃

***Lychnis wilfordii* (Regel) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 178 (1872)**

Nat: N Korea, S Korea 제비동자꽃

- Lychnis fulgens* Fisch. var. *wilfordii* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 576 (1861)
Silene wilfordii (Regel) H.Obashi & H.Nakai, J. Jap. Bot. 71: 271 (1996)

Minuartia L.

***Minuartia arctica* (Steven ex Ser.) Graebn., Syn. Mitteleur. Fl. 5: 772 (1918)** Nat: N Korea 나도개미자리

- Arenaria grandiflora* Pall., Reise Russ. Reich. 3: 34 (1776)
Arenaria loricifolia Pursh, Fl. Amer. Sept. (Pursh) 1: 319 (1813)
Arenaria pumilio R.Br., Chlor. Melvill. 391 (1823)
Arenaria arctica Steven ex Ser., Prodr. (DC.) 1: 404 (1824)
Arenaria serpens Fisch. ex Ser., Prodr. (DC.) 1: 404 (1824)
Arenaria arctica Steven ex Ser. var. *minor* Hook., Fl. Bor.-Amer. (Hooker) 1: 100 (1830)
Alsine arctica (Steven ex Ser.) Fenzl, Vers. Darstell. Alsin. 18 (1833)
Arenaria stenopetala Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 89 (1838)
Alsinois arctica (Steven ex Ser.) A.Heller, Muhlenbergia 8: 20 (1912)
Arenaria sedifolia Nasarow, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s, 32: 338 (1924)

***Minuartia larinica* (L.) Mattf., Bot. Jahrb. Syst. 57(2. Biebl. 126): 33 (1921)** Nat: N Korea 너도개미자리

- Spergula larinica* L., Sp. Pl. 441 (1753)
Alsine larinica (L.) Cranz, Inst. Rei Herb. 2: 408 (1766)

Arenaria laricina (L.) Cham. & Schldl., *Linnaea* 1: 57 (1826)
Alsine pilifera Turcz., *Bull. Soc. Imp. Naturalistes Moscou* 15: 588 (1842)

***Minuartia macrocarpa* var. *koreana* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 5: 43 (1952) Nat: N Korea 차일몽개미자리**

Alsine macrocarpa var. *koreana* Nakai, *Bot. Mag. (Tokyo)* 32: 36 (1918)
Alsine verna (L.) Wahlenb. var. *coreana* Nakai, *Bot. Mag. (Tokyo)* 32: 230 (1918)
Minuartia imbricata var. *koreana* (Nakai) Nakai, *Bot. Mag. (Tokyo)* 43: 453 (1929)
Minuartia verna (L.) Hiern var. *coreana* (Nakai) H.Hara, *J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot.* 6: 44 (1952)
Arenaria macrocarpa Pursh var. *koreana* (Nakai) H.Hara, *J. Jap. Bot.* 57: 178 (1982)

Moehringia L.

***Moehringia lateriflora* (L.) Fenzl, *Vers. Darstell. Alsin.* 18 (1833) Nat: N Korea, S Korea 개벼룩**

Arenaria lateriflora L., *Sp. Pl.* 423 (1753)
Arenaria buxifolia Poir., *Encycl. (Lamarck)* 6: 362 (1804)
Alsianthus lateriflorus (L.) Desv., *J. Bot. Agric.* 5: 221 (1816)
Arenaria haenkeana Bartl., *Reliq. Haenk.* 2: 15 (1831)

Myosoton Moench

***Myosoton aquaticum* (L.) Moench, *Methodus (Moench)* 225 (1794) Nat: N Korea, S Korea 쇠별꽃**

Cerastium aquaticum L., *Sp. Pl.* 439 (1753)
Stellaria aquatica (L.) Scop., *Fl. Carniol.*, ed. 2 319 (1771)
Malachium aquaticum (L.) Fr., *Fl. Hall.* 78 (1817)

Pseudostellaria Pax & Engl. & Prantl

***Pseudostellaria davidii* (Franch.) Pax ex Pax & Hoffm., *Nat. Pflanzenfam.*, ed. 2 16c: 318 (1934) Nat: N Korea, S Korea 덩굴개별꽃**

Krascheninikovia davidii Franch., *Pl. David.* 1: 51 (1884)
Stellaria davidii (Franch.) Hemsl., *J. Linn. Soc.*, *Bot.* 23: 67 (1886)
Krascheninikovia maximowicziana Franch. & Sav. var. *davidii* (Franch.) Maxim., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 11: 70 (1890)

***Pseudostellaria heterophylla* (Miq.) Pax, *Nat. Pflanzenfam.*, ed. 2 16c: 318 (1934) Nat: N Korea, S Korea 개별꽃**

Krascheninikovia heterophylla Miq., *Ann. Mus. Bot. Lugduno-Batavi* 3: 187 (1867)
Stellaria heterophylla (Miq.) Hemsl., *J. Linn. Soc.*, *Bot.* 23: 68 (1886)
Stellaria raphanorrhiza Hemsl., *J. Linn. Soc.*, *Bot.* 23: 69 (1886)
Krascheninikovia raphanorrhiza (Hemsl.) Korsh., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 9: 391 (1898)
Krascheninikovia coreana Nakai, *Repert. Spec. Nov. Regni Veg.* 13: 268 (1914)
Krascheninikovia bulbosa Nakai, *Bot. Mag. (Tokyo)* 35: 133 (1921)
Krascheninikovia koidzumiana Ohwi, *Acta Phytotax. Geobot.* 3: 82 (1934)
Pseudostellaria raphanorrhiza (Hemsl.) Pax, *Nat. Pflanzenfam.*, ed. 2 318 (1934)
Pseudostellaria coreana (Nakai) Ohwi, *Acta Phytotax. Geobot.* 4: 34 (1935)
Pseudostellaria bulbosa (Nakai) Ohwi, *Acta Phytotax. Geobot.* 4: 34 (1935)
Pseudostellaria heterophylla (Miq.) Pax var. *puberula* Ohwi, *J. Jap. Bot.* 9: 100 (1937)

***Pseudostellaria japonica* (Korsh.) Pax, Nat. Pflanzenfam., ed. 2 16c: 318 (1934) Nat: N Korea, S Korea 긴개별꽃**

Kraschenikovia japonica Korsh., Bull. Acad. Imp. Sci. Saint-Pétersbourg n.s, 9: 40 (1898)

***Pseudostellaria palibiniana* (Takeda) Ohwi, Acta Phytotax. Geobot. 4: 32 (1935) Nat: N Korea, S Korea 큰개별꽃**

Kraschenikovia palibiniana Takeda, Bull. Misc. Inform. Kew 1913: 89 (1913)
Kraschenikovia palibiniana Takeda var. *polymera* Nakai, Bot. Mag. (Tokyo) 35: 133 (1921)

Pseudostellaria okamotoi Ohwi, J. Jap. Bot. 12: 387 (1936)

Pseudostellaria monantha Ohwi, J. Jap. Bot. 12: 386 (1936)

Pseudostellaria setulosa Ohwi, J. Jap. Bot. 12: 388 (1936)

***Pseudostellaria sylvatica* (Maxim.) Pax, Nat. Pflanzenfam., ed. 2 16c: 318 (1934) Nat: N Korea, S Korea 숲개별꽃**

Kraschenikovia sylvatica Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 57 (1859)

Stellaria sylvatica (Maxim.) Maxim. ex Regel, Bull. Soc. Imp. Naturalistes Moscou 35: 302 (1862)

Sagina L.

***Sagina japonica* (Sw.) Ohwi, J. Jap. Bot. 13: 438 (1937) Nat: N Korea, S Korea 개미자리**

Spergula japonica Sw., Ges. Naturf. Freunde Berlin Neue Schriften 3: 164 (1801)

Sagina sinensis Hance, J. Bot. 6: 46 (1868)

Sagina echinosperma Hayata, Icon. Pl. Formosan. 3: 39 (1913)

***Sagina maxima* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 382 (1858) Nat: S Korea 큰개미자리**

Sagina linnaei C.Presl var. *maxima* (A.Gray) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 372 (1873)

Sagina crassicaulis S.Watson, Proc. Amer. Acad. Arts 18: 191 (1883)

Sagina linnaei C.Presl var. *maxima* f. *maritima* Makino, Iinuma, Somoku-Dzusesetsu, ed. 2 614 (1910)

Sagina maxima A.Gray f. *littorea* Makino, Bot. Mag. (Tokyo) 25: 156 (1911)

Sagina taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 350 (1912)

Sagina litoralis Hultén, Fl. Kamtchatka 2: 18 (1928)

Sagina crassicaulis S.Watson var. *littorea* (Makino) H.Hara, J. Jap. Bot. 13: 556 (1937)

Sagina maxima A.Gray var. *crassicaulis* (S.Watson) H.Hara, Rhodora 41(489): 392 (1939)

Sagina maxima A.Gray var. *littorea* (Makino) H.Hara, Bot. Mag. (Tokyo) 33: 149 (1958)

Sagina maxima A.Gray f. *crassicaulis* (S.Watson) Mizush., J. Jap. Bot. 35: 337 (1960)

***Sagina saginoides* (L.) H.Karst., Deut. Fl. (Karsten) 539 (1882) Nat: S Korea**

거문도개미자리

Spergula saginoides L., Sp. Pl. 441 (1753)

Sagina linnaei C.Presl, Reliq. Haenk. 2: 14 (1831)

Spergula saxatilis Wimm. & Grab., Fl. Schles. [Wimmer] 193 (1832)

Scleranthus L.

***Scleranthus annuus* L., Sp. Pl. 406 (1753) Int 다복개미자리**

Scleranthus glaucovirens Halácsy, Consp. Fl. Graec. 1: 575 (1900)

Scleranthus velebiticus Degen & Rossi, Fl. Veleb. 2: 74 (1937)

Silene L.

Silene aprica Turcz., Index Seminum [St.Petersburg (Petropolitanus)] 1: 38 (1835) Nat: N Korea, S Korea 애기장구채

Silene melandriiformis Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 54 (1859)

Silene oldhamiana Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 187 (1867)

Melandrium apricum (Turcz.) Rohrb., Monogr. Silene 231 (1868)

Silene taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 350 (1911)

Melandrium apricum (Turcz.) Rohrb. subsp. *oldhamianum* (Miq.) Kitag., Lin. Fl. Manshur. 199 (1939)

Silene aprica Turcz. subsp. *oldhamiana* (Miq.) C.Y.Wu, Acta Bot. Yunnan. 16: 119 (1994)

Silene aprica Turcz. var. *oldhamiana* (Miq.) C.Y.Wu, Fl. Reipubl. Popularis Sin. 26: 343 (1996)

Silene armeria L., Sp. Pl. 420 (1753) Int 끈끈이대나물

Lychnis armoraria Scop., Fl. Carniol., ed. 2 1: 310 (1771)

Silene umbellata Gilib., Fl. Lit. Inch. 2: 170 (1782)

Atocion armeroides Raf., Autik. Bot. 29 (1840)

Silene baccifera (L.) Roth, Tent. Fl. Germ. 1: 192 (1788) Nat: N Korea, S Korea 덩굴별꽃

Cucubalus baccifer L., Sp. Pl. 414 (1753)

Cucubalus baccifer L. var. *japonicus* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 210 (1866)

Cucubalus japonicus (Miq.) Vorosch., Byull. Glavn. Bot. Sada 39: 45 (1960)

Silene capitata Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 440 (1901) Nat: N Korea, S Korea 분홍장구채

Melandrium capitatum Kom. ex T.Mori, Enum. Pl. Corea 145 (1922)

Silene firma Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 166 (1843) Nat: N Korea, S Korea 장구채

Silene melandriiformis Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 54 (1859)

Melandrium firmum (Siebold & Zucc.) Rohrb., Monogr. Silene 232 (1868)

Melandrium apricum (Turcz.) Rohrb. var. *firmum* (Siebold & Zucc.) Rohrb., Linnaea 36: 240 (1869)

Melandrium apricum (Turcz.) Rohrb. var. *firmum* f. *pubescens* Makino, Fl. Japan (Makino & Nemoto) 1002 (1925)

Silene firma Siebold & Zucc. f. *pubescens* (Makino) Ohwi & H.Ohashi, J. Jap. Bot. 47(11): 344 (1974)

Silene foliosa Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 53 (1859)

Nat: N Korea 호산장구채

Silene tatarica (L.) Pers. var. *foliosa* (Maxim.) Regel, Tent. Fl.-Ussur. 27 (1861)

Silene foliosa Maxim. var. *mongolica* Maxim., Enum. Pl. Mongolia 1: 91 (1889)

Silene maximowicziana Kozhev., Rast. Tsentral. Azii 11: 78 (1995)

Silene gallica L., Sp. Pl. 417 (1753) Int 양장구채

Silene anglica L., Sp. Pl. 416 (1753)

Silene cerastoides L., Sp. Pl. 417 (1753)

Silene giraldii Guss., Enum. Pl. Inarim. 36 (1855)

Silene transtagana Cout., Notas Fl. Portugal 5: 7 (1921)

Silene linophila Rothm., Agron. Lusit. 6: 264 (1944)

***Silene jenseensis* Willd., Enum. Pl. (Willdenow) 1: 473 (1809) Nat: N Korea, S Korea**
가는다리장구채

- Silene jenseensis* Poir., Encycl. (Lamarck) Suppl. 5: 154 (1817)
Silene graminifolia var. *parviflora* Fenzl, Fl. Ross. (Ledeb.) 1: 308 (1842)
Silene tenuis Willd. var. *jenseensis* Rohrb., Monogr. Silene 187 (1868)
Silene fasciculata Nakai, Repert. Spec. Nov. Regni Veg. 13: 269 (1914)
Silene pauciflora (F.N.Williams) Nakai, Bot. Mag. (Tokyo) 32: 32 (1918)
Silene oliganthea Nakai, J. Jap. Bot. 16: 526 (1939)
Silene tvinica Sobolevsk., Sist. Zametki Mater. Gerb. Krylova Tomsk. Gosud. Univ. Kujbyseva 1953(1-2): 3 (1953)
Silene jenseensis Willd. var. *dasyphylla* (Turcz.) Kitag., Neolin. Fl. Manshur. 273 (1979)

***Silene koreana* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 440 (1901) Nat: N Korea, S Korea**
끈끈이장구채

***Silene macrostyla* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 54 (1859)**
Nat: N Korea 충충장구채

- Silene tatarica* (L.) Pers. var. *macrostyla* (Maxim.) Regel, Bull. Soc. Imp. Naturalistes Moscou 29: 559 (1861)
Silene foliosa Maxim. var. *macrostyla* (Maxim.) Rohrb., Linnaea 36: 683 (1870)

***Silene myongcheonensis* S.P.Hong & H.K.Moon, Novon 15: 145 (2005) Nat: N Korea**
명천장구채

- Melandrium umbellatum* Nakai, Bot. Mag. (Tokyo) 33: 48 (1919)

***Silene noctiflora* L., Sp. Pl. 419 (1753) Nat: N Korea** 말냉이장구채

- Cucubalus noctiflorus* (L.) Mill., Gard. Dict., ed. 8, Cucub. no. 8 (1768)
Lychnis noctiflora (L.) Schreb., Spic. Fl. Lips. 31 (1771)
Melandrium noctiflorum (L.) Fr., Bot. Not. 1843: 143 (1843)
Elisanthe noctiflora (L.) Rupr., Fl. Ingr. [Ruprecht] 161 (1860)

***Silene repens* Patrin, Syn. Pl. (Persoon) 1: 500 (1805) Nat: N Korea** 오랑캐장구채

- Silene repens* Patrin var. *angustifolia* Turcz. ex Regel, Bull. Soc. Imp. Naturalistes Moscou 11: 208 (1838)
Silene purpurata Greene, Pittonia 2(11B): 229 (1892)
Silene scouleri Hook. var. *costata* F.N.Williams, J. Linn. Soc., Bot. 32: 169 (1896)
Silene fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 200 (1909)
Silene repens Patrin var. *australis* (C.L.Hitchc. & Maguire) C.L.Hitchc., Vasc. Pl. Pacific NorthW. 2: 292 (1964)
Silene repens Patrin var. *glandulosa* Y.W.Cui & L.H.Zhou, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 9: 58 (1980)
Silene repens Patrin var. *sinensis* (F.N.Williams) C.L.Tang, Fl. Reipubl. Popularis Sin. 26: 292 (1996)

***Silene seoulensis* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 77 (1909) Nat: N Korea, S Korea**
가는장구채

- Silene yanoei* Makino, Ill. Fl. Japan 2: 9 (1891)
Melandrium seoulense (Nakai) Nakai var. *ramosum* Nakai, J. Jap. Bot. 13: 872 (1937)

***Silene takeshimensis* Uyeki & Sakata, Kouyuu Kaihou 91: 31 (1935) Nat: S Korea, Endemic**
울릉장구채

Spargula L.

Spargula arvensis L., Sp. Pl. 440 (1753) Int 들개미자리

- Spargula vulgaris* Boenn., Prodr. Fl. Monast. Westphal. 135 (1824)
Spargula maxima Weihe ex Boenn., Prodr. Fl. Monast. Westphal. 136 (1824)
Spargula linicola Boreau, Mem. Soc. Acad. Maine Loire 20: 14 (1865)
Spargularia maxima (Weihe ex Boenn.) G. Don, Hort. Brit. (Sweet) (ed. 3) 69 (1939)

Spargularia Pers. & J. Presl & C. Presl

Spargularia marina (L.) Besser, Enum. Pl. (Besser) 97 (1822) Nat: S Korea 갯개미자리

- Arenaria rubra* L. var. *marina* L., Sp. Pl. 423 (1753)
Arenaria marina (L.) All., Fl. Pedem. 2: 114 (1785)
Spargularia salina J. Presl & C. Presl, Fl. Cech. 95 (1819)
Arenaria salina (J. Presl & C. Presl) Ser., Prodr. (DC.) 1: 401 (1824)
Spargula marina (L.) Bartl. & H.L. Wendl., Beitr. Bot. 2: 64 (1825)
Spargula salina (J. Presl & C. Presl) D. Dietr., Sp. Pl. (ed. 6) 2: 1598 (1831)
Tissa salina Britton, Bull. Torrey Bot. Club 16: 127 (1889)
Spargula coreana H. Lévl., Repert. Spec. Nov. Regni Veg. 11: 495 (1913)
Tissa fauriei Nakai, Bot. Mag. (Tokyo) 27: 129 (1913)
Tissa coreana (H. Lévl.) Nakai, Bot. Mag. (Tokyo) 48: 775 (1934)
Spargularia salina J. Presl & C. Presl var. *asiatica* H. Hara, J. Jap. Bot. 13: 171 (1937)
Spargularia marina (L.) Besser var. *asiatica* (H. Hara) H. Hara, J. Jap. Bot. 17: 24 (1941)

Spargularia rubra J. Presl & C. Presl, Fl. Cech. 93 (1819) Int 유럽개미자리

- Arenaria rubra* L., Sp. Pl. 423 (1753)
Spargula radicans D. Dietr., Syn. Pl. (D. Dietrich) 2: 1598 (1840)
Tissa rubra (L.) Britton, Bull. Torrey Bot. Club 16: 127 (1889)

Stellaria L.

Stellaria bungeana Fenzl var. *stuebendorffii* Y. C. Chu, Fl. Pl. Herb. Chin. Bor.-Or. 3: 29 (1975)

Nat: N Korea 큰별꽃

- Stellaria nemorum* L. var. *stuebendorffii* Regel, Bull. Soc. Imp. Naturalistes Moscou 35: 270 (1862)

Stellaria ebracteata Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 441 (1901) Nat: N

Korea 그늘별꽃

Stellaria filicaulis Makino, Bot. Mag. (Tokyo) 15: 113 (1901) Nat: N Korea, S Korea 실별꽃

- Stellaria jaluana* Nakai, Repert. Spec. Nov. Regni Veg. 13: 269 (1914)
Stellaria neopalustris Kitag., J. Jap. Bot. 24: 88 (1949)
Stellaria filipes Popov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18: 4 (1957)
Stellaria filicaulis Makino f. *jaluana* (Nakai) Kitag., Neolin. Fl. Manshur. 277 (1979)

Stellaria longifolia Muhl. ex Willd., Enum. Pl. (Willdenow) 479 (1809) Nat: N Korea

긴잎별꽃

- Stellaria diffusa* Pall. ex Schldtl., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 195 (1815)
Stellaria mosquensis M. Bieb. ex Schldtl., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 195 (1816)

Stellaria friesiana Ser., Prodr. (DC.) 1: 397 (1824)
Stellaria longifolia Muhl. ex Willd. var. *legitima* Regel, Bull. Soc. Imp. Naturalistes
Moscou 35: 407 (1862)
Stellaria diversiflora Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 379 (1873)
Stellaria diandra Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 379 (1873)
Stellaria diversiflora Maxim. var. *diandra* (Maxim.) Makino, Bot. Mag. (Tokyo) 10: 108
(1896)
Stellaria atrata, Svensk Bot. Tidskr. 47: 44 (1953)
Stellaria diffusa Pall. ex Schltld. var. *ciliolata* Kitag., J. Jap. Bot. 29: 167 (1954)

***Stellaria media* (L.) Vill., Hist. Pl. Dauphine 3: 615 (1789) Nat: N Korea, S Korea 왕별꽃**

Alsine media L., Sp. Pl. 272 (1753)
Stellaria modesta Fenzl, Naturk. Tijdschr. Ned.-Indië 14: 165 (1857)
Stellaria media (L.) Vill. var. *minor* Makino, J. Jap. Bot. 3: 2 (1926)
Stellaria xanthanthera Pobed., Izv. Glavn. Bot. Sada SSSR 28: 583 (1929)
Stellaria minor (Makino) Honda, Bot. Mag. (Tokyo) 56: 14 (1942)

***Stellaria radicans* L., Sp. Pl. 422 (1753) Nat: N Korea 왕별꽃**

Cerastium fimbriatum Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 540
(1815)
Stellaria radicans L. var. *ovato-oblonga* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 27: 57 (1910)
Stellaria radicans L. f. *fimbriata* (Ledeb.) Kitag., Neolin. Fl. Manshur. 278 (1979)

***Stellaria uliginosa* Murray, Prodr. Stirp. Gott. 55 (1770) Nat: N Korea, S Korea 벵룩나물**

Stellaria undulata Thunb., Fl. Jap. (Thunberg) 185 (1784)
Stellaria alsine Hoffm., Deutschl. Fl. (Hoffm.) 153 (1791)
Stellaria uliginosa Murray var. *undulata* (Thunb.) Fenzl, Fl. Ross. (Ledeb.) 1: 393 (1842)
Stellaria japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 79 (1865)
Stellaria fauriei Gand., Bull. Soc. Bot. France 60: 456 (1913)
Stellaria alsine Hoffm. var. *phaenopetala* Hand.-Mazz., Symb. Sin. 7: 192 (1929)
Stellaria alsine Hoffm. var. *undulata* (Thunb.) Ohwi, Acta Phytotax. Geobot. 10: 136 (1941)

Vaccaria Wolf

***Vaccaria hispanica* (Mill.) Rauschert, Wiss. Z. Martin-Luther-Univ. Halle-Wittenberg,
Math.-Naturwiss. Reihe 14: 496 (1965) Int 팔랭이나무**

Saponaria vaccaria L., Sp. Pl. 409 (1753)
Saponaria hispanica Mill., Gard. Dict., ed. 8 Errat. (1768)
Saponaria segetalis Neck., Delic. Gallo-Belg. 1: 194 (1768)
Vaccaria pyramidata Medik., Philos. Bot. (Medikus) 1: 96 (1789)
Vaccaria vulgaris Host, Fl. Austriac. 1: 518 (1827)
Vaccaria segetalis Garcke ex Asch., Fl. Brandenburg 1: 84 (1860)

CELASTRACEAE

Celastrus L.

***Celastrus flagellaris* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 425
(1857) Nat: N Korea, S Korea 쫘지나무**

Celastrus cilioidens Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 85 (1865)
Celastrus clemacanthus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 284 (1910)

***Celastrus orbiculatus* Thunb., Fl. Jap. (Thunberg) 42 (1784) Nat: N Korea, S Korea 노박덩굴**

Celastrus articulatus Thunb., Fl. Jap. (Thunberg) 97 (1784)
Celastrus tatarinowii Rupr., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.2, 15: 357 (1857)
Celastrus crispulus Regel, Gartenflora 9: 407, t. 312 (1860)
Celastrus lancifolius Nakai, Bot. Mag. (Tokyo) 37: 3 (1923)
Celastrus insularis Koidz., Bot. Mag. (Tokyo) 39: 22 (1925)
Celastrus orbiculatus Thunb. var. *strigillosus* (Nakai) Makino, Genshoku yayagi shokubutsu zufu 4: 305 (1933)
Celastrus articulatus Thunb. var. *papillosus* Nakai ex H.Hara, J. Jap. Bot. 10: 84 (1934)
Celastrus articulatus Thunb. var. *orbiculata* (Thunb.) Wang, Chin. J. Bot. 1: 62 (1936)
Celastrus orbiculatus Thunb. var. *papillosus* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 79 (1953)
Celastrus versicolor Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 16 (1953)
Celastrus orbiculatus Thunb. f. *papillosus* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 80 (1954)

***Celastrus stephanotifolius* (Makino) Makino, J. Jap. Bot. 3: 46 (1926) Nat: S Korea**

털노박덩굴

Celastrus articulatus Thunb. var. *pubescens* Makino, Bot. Mag. (Tokyo) 7: 102 (1893)
Celastrus articulatus Thunb. var. *stephanotifolius* Makino, J. Jap. Bot. 3: 24 (1926)

***Euonymus* L.**

Euonymus alatus* (Thunb.) Siebold, Verh. Batav. Genootsch. Kunsten 12: 49 (1830) Nat: N Korea, S Korea **화살나무*

Celastrus alatus Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 38 (1780)
Euonymus subtriflorus Blume, Bijdr. Fl. Ned. Ind. 17: 1147 (1826)
Euonymus thunbergianus Blume, Bijdr. Fl. Ned. Ind. 1147 (1827)
Euonymus alatus (Thunb.) Siebold var. *subtriflorus* Blume, Bijdr. Fl. Ned. Ind. 1147 (1827)
Melanocarya alata (Thunb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 31: 453 (1858)
Euonymus alatus (Thunb.) Siebold var. *apterus* Regel, Tent. Fl.-Ussur. 41, t.7, f.2-3 (1861)
Euonymus alatus (Thunb.) Siebold var. *ciliato-dentatus* Franch. & Sav., Enum. Pl. Jap. 2: 311 (1878)
Euonymus alatus (Thunb.) Siebold var. *pubescens* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 453 (1881)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes., Bot. Jahrb. Syst. 34 (1): 49 (1904)
Euonymus alatus (Thunb.) Siebold var. *striatus* Makino, Bot. Mag. (Tokyo) 21: 138 (1907)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. f. *ciliatodentatus* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 21: 138 (1907)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *alatus* (Thunb.) Makino, Bot. Mag. (Tokyo) 25: 230 (1911)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *pubescens* Makino, Bot. Mag. (Tokyo) 25: 230 (1911)
Euonymus loeseneri Makino, Bot. Mag. (Tokyo) 25: 229 (1911)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *rotundatus* Makino, Bot. Mag. (Tokyo) 25: 229 (1911)
Euonymus alatus (Thunb.) Siebold var. *apertus* O.Loes., Pl. Wilson. 1: 494 (1913)
Euonymus alatus (Thunb.) Siebold var. *pilosus* O.Loes. & Rehder, Pl. Wilson. 1: 494 (1913)
Euonymus alatus (Thunb.) Siebold var. *latifolia* Nakai, Bot. Mag. (Tokyo) 37: 81 (1923)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. subsp. *alata* (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 11 (1925)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *hirta* Koidz., Bot. Mag. (Tokyo) 39: 11 (1925)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *pilosus* Koidz., Bot. Mag. (Tokyo) 39: 11 (1925)

Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. subsp. *alatus* var. *pilosus* Koidz., Bot. Mag. (Tokyo) 39: 11 (1925)
Euonymus alatus (Thunb.) Siebold var. *uncinatus* Nakai, Bot. Mag. (Tokyo) 45: 123 (1931)
Euonymus alatus (Thunb.) Siebold var. *microphyllus* Nakai, Koryo Shikenrin Ippan 44 (1932)
Euonymus alatus (Thunb.) Siebold var. *verus* Kitag., Lin. Fl. Manshur. 307 (1939)
Euonymus alatus (Thunb.) Siebold var. *verus* subvar. *subtriflorus* Kitag., Lin. Fl. Manshur. 307 (1939)
Euonymus alatus (Thunb.) Siebold var. *apterus* subvar. *pilosus* Kitag., Lin. Fl. Manshur. 307 (1939)
Euonymus alatus (Thunb.) Siebold var. *ciliato-dentatus* f. *compactus* Rehder, J. Arnold Arbor. 20: 418 (1939)
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *cornucarpus* Koidz., Acta Phytotax. Geobot. 10: 56 (1941)
Euonymus alatus (Thunb.) Siebold var. *macrophyllus* Nakai, J. Jap. Bot. 19: 365 (1943)
Euonymus alatus (Thunb.) Siebold f. *apterus* (Regel) Rehder, Bibliogr. Cult. Trees 405 (1949)
Euonymus alatus (Thunb.) Siebold f. *striatus* Makino, Ill. Fl. Jap. Suppl. 362 (1949)
Euonymus alatus (Thunb.) Siebold f. *subtriflorus* Ohwi, Fl. Jap. (Ohwi) 738 (1953)
Euonymus alatus (Thunb.) Siebold f. *pilosus* (O.Loes. & Rehder) Ohwi, Fl. Jap. (Ohwi) 738 (1953)
Euonymus alatus (Thunb.) Siebold var. *alatus* f. *microphyllus* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 82 (1954)

Euonymus alatus* (Thunb.) Siebold f. *alatus

***Euonymus alatus* (Thunb.) Siebold f. *ciliatodentatus* (Franch. & Sav.) Hiyama, J. Jap. Bot. 31: 14 (1956)** Nat: N Korea, S Korea **회잎나무**

***Euonymus fortunei* (Turcz.) Hand.-Mazz., Symb. Sin. 7: 660 (1933)** Nat: S Korea
줄사철나무

Euonymus hederaceus Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 3: 333 (1851)
Elaeodendron fortunei Turcz., Bull. Soc. Imp. Naturalistes Moscou 36 : 603 (1863)
Euonymus gracilis Siebold, Cat. Rais. 1863, 33 (1863)
Euonymus japonicus Thunb. var. *radicans* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 86 (1865)
Euonymus radicans Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 202 (1876)
Euonymus repens Carrière, Rev. Hort. 1885: 296 (1885)
Euonymus kiautschovicus Loes., Bot. Jahrb. Syst. 30: 453 (1901)
Euonymus fortunei (Turcz.) Hand.-Mazz. var. *radicans* (Miq.) Rehder, J. Arnold Arbor. 19: 77 (1938)
Masakia radicans (Miq.) Nakai, J. Jap. Bot. 24: 12 (1949)

***Euonymus hamiltonianus* Wall., Fl. Ind. (Roxburgh) 2: 403 (1824)** Nat: N Korea, S Korea
참빗살나무

Euonymus sieboldianus Blume, Bijdr. Fl. Ned. Ind. 1147 (1827)
Euonymus majumi Siebold, Verh. Batav. Genootsch. Kunsten 12: 49 (1830)
Euonymus maackii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 358 (1857)
Euonymus vidallii Franch. & Sav., Enum. Pl. Jap. 2: 312 (1878)
Euonymus lanceifolius Loes., Bot. Jahrb. Syst. 30: 462 (1902)
Euonymus hamiltonianus Wall. var. *sieboldianus* (Blume) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 710 (1904)
Euonymus hians Koehne, Gartenflora 53: 33 (1904)
Euonymus yedoensis Koehne, Gartenflora 53: 31 (1904)

Euonymus semiexsertus Koehne, Repert. Spec. Nov. Regni Veg. 8: 54 (1910)
Euonymus sieboldianus Blume var. *sanguineus* Nakai, Bot. Mag. (Tokyo) 40: 493 (1926)
Euonymus nikoensis Nakai, Bot. Mag. (Tokyo) 40: 492 (1926)
Euonymus sieboldianus Blume var. *megaphyllus* Hara, Bot. Mag. (Tokyo) 50: 191 (1936)
Euonymus sieboldianus Blume var. *yedoensis* Hara, Bot. Mag. (Tokyo) 50: 191 (1936)
Euonymus sieboldianus Blume var. *sphaerocarpus* Nakai, J. Jap. Bot. 17: 635 (1941)
Euonymus hamiltonianus Wall. var. *hians* (Koehne) Blakelock, Kew Bull. 1951: 246 (1951)
Euonymus hamiltonianus Wall. var. *semiexsertus* (Koehne) Blakelock, Kew Bull. 1951: 246 (1951)
Euonymus hamiltonianus Wall. var. *yedoensis* (Hara) Blakelock, Kew Bull. 1951: 247 (1951)
Euonymus hamiltonianus Wall. subsp. *sieboldianus* (Blume) H.Hara, Fl. E. Himalaya 639 (1966)

Euonymus hamiltonianus* Wall. var. *hamiltonianus

***Euonymus hamiltonianus* Wall. var. *maackii* (Rupr.) Kom., Trudy Glavn. Bot. Sada 22: 710 (1904) Nat: N Korea, S Korea 좁은잎참빗살나무**

Euonymus micranthus Bunge, Enum. Pl. Chin. Bor. 14 (1833)
Euonymus bungeanus Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 470 (1859)
Euonymus forbesii Hance, J. Bot. 259 (1880)
Euonymus coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)
Euonymus bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 13: 261 (1914)
Euonymus rugosus H.Lév., Repert. Spec. Nov. Regni Veg. 13: 261 (1914)
Euonymus trapococcus Nakai, Bot. Mag. (Tokyo) 28: 307 (1914)
Euonymus quelpaertensis Nakai, Bot. Mag. (Tokyo) 28: 307 (1914)
Euonymus maackii Rupr. f. *lanceolata* Rehder, J. Arnold Arbor. 22: 578 (1941)

***Euonymus japonicus* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 (1780) Nat: N Korea, S Korea 사철나무**

Euonymus japonicus Thunb. var. *macrophylla* Regel, Gartenflora 1: 264 (1866)
Euonymus japonicus Thunb. var. *latifolia* André, Rev. Hort. 1883: 234 (1883)
Euonymus sinensis Carrière, Rev. Hort. 1883: 37 (1883)
Pragmotessara japonica Pierre, Fl. Forest. Cochinch. 4: t. 309, pt. 2 (1894)
Euonymus japonicus Thunb. f. *macrophylla* (Regel) Beissn., Handb. Laubholzben. 293 (1903)
Euonymus radicans Siebold ex Miq. var. *vegetus* Rehder, Trees & Shrubs [Sargent] 1: 129 (1903)
Euonymus yoshinagae Makino, J. Jap. Bot. 3: 3 (1913)
Euonymus japonicus Thunb. var. *acutus* Rehder, Pl. Wilson. 1: 485 (1913)
Euonymus boninensis Koidz., Bot. Mag. (Tokyo) 33: 250 (1918)
Euonymus japonicus Thunb. var. *longifolius* Nakai, Bot. Mag. (Tokyo) 42: 451 (1928)
Euonymus japonicus Thunb. var. *rugosus* Nakai, Bot. Mag. (Tokyo) 46: 165 (1932)
Masakia japonica (Thunb.) Nakai, J. Jap. Bot. 24: 11 (1949)
Masakia japonica (Thunb.) Nakai var. *latifolia* Nakai, J. Jap. Bot. 24: 11 (1949)
Masakia yoshinagae (Makino) Nakai, J. Jap. Bot. 24: 12 (1949)

***Euonymus macropterus* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 359 (1857) Nat: N Korea, S Korea 나래회나무**

Euonymus ussuriensis Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg III 27: 449 (1881)
Kalonymus macropterus (Rupr.) Prokh., Fl. URSS 14: 573 (1949)
Turibana macroptera (Rupr.) Nakai, Acta Phytotax. Geobot. 24: 13 (1949)

***Euonymus nitidus* Benth., London J. Bot. 1: 483 (1842) Nat: S Korea 섬회나무**

Euonymus chinensis Lour. var. *nitidus* (Benth.) Loes., Bot. Jahrb. Syst. 30: 456 (1902)
Euonymus chibae Makino, Bot. Mag. (Tokyo) 27: 69 (1913)

***Euonymus oxyphyllus* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 86 (1865) Nat: N Korea, S Korea 참회나무**

Euonymus latifolius (Scop.) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 384 (1857)
Euonymus nipponicus Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 27: 447 (1881)
Euonymus yesoensis Koidz., Fl. Symb. Orient.-Asiat. 13 (1930)
Euonymus oxyphyllus Miq. var. *magna* Honda, Bot. Mag. (Tokyo) 49: 789 (1935)
Euonymus flavescens Nakai, J. Jap. Bot. 18: 605 (1942)
Kalonymus oxyphyllus (Miq.) Prokh., Fl. URSS 14: 568 (1949)
Kalonymus yesoensis (Koidz.) Prokh., Fl. URSS 14: 568 (1949)
Turibana nipponica (Maxim.) Nakai, J. Jap. Bot. 24: 12 (1949)
Turibana oxyphylla (Miq.) Nakai, J. Jap. Bot. 24: 13 (1949)
Turibana yesoensis (Koidz.) Nakai, J. Jap. Bot. 24: 12 (1949)
Euonymus oxyphyllus Miq. var. *nipponicus* Blakelock, Kew Bull. 1951: 279 (1951)
Euonymus oxyphyllus Miq. var. *yesoensis* Blakelock, Kew Bull. 1951: 279 (1951)
Euonymus yesoensis Koidz. f. *magnus* Hara, Enum. Spermatophytarum Japon. 3: 89 (1954)

***Euonymus planipes* (Koehne) Koehne, Mitt. Deutsch. Dendrol. Ges. 15: 62 (1906) Nat: N Korea, S Korea 회나무**

Euonymus latifolius var. *sachalinensis* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 121 (1868)
Euonymus latifolius var. *planipes* Koehne, Gartenflora 53: 29 (1904)
Euonymus robusta Nakai, Bot. Mag. (Tokyo) 28: 307 (1914)
Euonymus oxyphyllus Miq. var. *kuenburgii* Honda, Bot. Mag. (Tokyo) 47: 297 (1933)
Kalonymus maximowicziana Prokh., Fl. URSS 14: 570 (1949)
Turibana planipes (Koehne) Nakai, J. Jap. Bot. 24: 13 (1949)

***Euonymus verrucosus* Scop. var. *pauciflorus* (Maxim.) Regel, Tent. Fl.-Ussur.41 (1861) Nat: N Korea, S Korea 회목나무**

Euonymus pauciflorus Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 74 (1859)
Euonymus oligospermus Ohwi, Acta Phytotax. Geobot. 5: 185 (1936)

Tripterygium Benth. & Hook.f.

***Tripterygium regelii* Sprague & Takeda, Bull. Misc. Inform. Kew 1912: 223 (1912) Nat: N Korea, S Korea 미역줄나무**

Tripterygium wilfordii Hook.f. var. *regelii* (Sprague & Takeda) Makino, Ill. Fl. Nippon (Makino) 360 (1940)

CERATOPHYLLACEAE

Ceratophyllum L.

***Ceratophyllum demersum* L., Sp. Pl. 992 (1753) Nat: N Korea, S Korea 붕어마름**

Dichotophyllum demersum (L.) Moench, Methodus (Moench) 345 (1794)
Ceratophyllum cornutum Rich. ex Gray, Nat. Arr. Brit. Pl. 2: 555 (1821)

***Ceratophyllum platyacanthum* Cham. subsp. *oryzeturum* (Kom.) Les, Syst. Bot. 13: 517 (1988) Nat: S Korea 오성붕어마름**

Ceratophyllum demersum L. var. *quadriscopinum* Makino, J. Jap. Bot. 1: 21 (1917)
Ceratophyllum pentacantum Hayata, Icon. Pl. Formosan. 8: 130 (1919)
Ceratophyllum demersum L. var. *pentacorne* Kitag., Rep. Exped. Manchoukuo Sect. IV,
Pt. 4, Index Fl. Jeholensis 80 (1936)
Ceratophyllum demersum L. f. *quadriscopinum* (Makino) Kitag., J. Jap. Bot. 40: 139 (1965)

CERCIDIPHYLLACEAE

Cercidiphyllum Siebold & Zucc.

Cercidiphyllum japonicum Siebold & Zucc. ex J.J.Hoffm. & J.H.Schult.bis, J. Asiat. ser. 4,
20: 282 (1852) Int 계수나무

Cercidiphyllum ovale Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-
Pétersbourg 8: 369 (1872)

CHENOPODIACEAE

Atriplex L.

Atriplex gmelinii C.A.Mey. ex Bong., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci.
Math., Seconde Pt. Sci. Nat. 2: 160 (1833) Nat; N Korea, S Korea 가는갯는쟁이

Atriplex angustifolia Sm. var. *obtusata* Cham., Linnaea 6: 569 (1831)

Atriplex gmelinii C.A.Mey. ex Bong. var. *zosterifolia* (Hook.) Moq., Prodr. (DC.) 13: 97
(1849)

Atriplex zosterifolia (Hook.) S.Watson, Proc. Amer. Acad. Arts 9: 109 (1874)

Atriplex patula L. var. *obtusata* (Cham.) M.Peck, Man. Pl. Oregon 266 (1941)

Atriplex prostrata subsp. *calothea* (Rafn) M.A.Gust., Opera Bot. 39: 27 (1976) Int 창명아주

Atriplex hastata L., Sp. Pl. 1053 (1753)

Atriplex multifida Desf., Tabl. Ecole Bot. (ed. 2) 51 (1815)

Atriplex macrothea Moq., Prodr. (DC.) 13: 94 (1849)

Teutliopsis hastata (L.) Celak., Oesterr. Bot. Z. 22: 168 (1872)

Atriplex subcordata Kitag., Bot. Mag. (Tokyo) 51: 154 (1937) Nat; N Korea, S Korea
갯는쟁이

Atriplex littoralis var. *dilatata* Franch. & Sav., Enum. Pl. Jap. 1: 387 (1875)

Atriplex gmelinii C.A.Mey. ex Bong. subsp. *dilatata* (Franch. & Sav.) Kitam., Acta
Phytotax. Geobot. 20: 206 (1962)

Axyris L.

Axyris amaranthoides L., Sp. Pl. 2: 979 (1753) Nat; N Korea 나도넝까리

Atriplex amaranthoides (L.) J.F.Gmel. ex Moq., Prodr. (DC.) 13: 116 (1849)

Axyris koreana Nakai, J. Jap. Bot. 15: 525 (1939) Nat; N Korea 털나도넝까리

Bassia J.König ex L.

Bassia scoparia (L.) A.J.Scott, Feddes Repert. 89(2-3): 108 (1979) Nat; N Korea, S Korea
넝까리

Chenopodium scoparia L., Sp. Pl. 221 (1753)
Suaeda sieversiana Pall., Ill. Pl. Orient. 45: 38 (1803)
Kochia scoparia (L.) Schrad., Neues J. Bot. 3: 85 (1809)
Salsola scoparia (L.) M.Bieb., Mem. Soc. Imp. Naturalistes Moscou 1: 144 (1811)
Kochia sieversiana (Pall.) C.A.Mey., Fl. Altaic. 1: 415 (1829)
Kochia virgata Kostel., Index Hort. Bot. Prag. 77 (1844)
Suaeda cinerea Schur, Enum. Pl. Transsilv. 570 (1866)
Kochia scoparia (L.) Schrad. var. *littorea* Makino, Bot. Mag. (Tokyo) 23: 12 (1909)
Kochia littorea (Makino) Makino, Bot. Mag. (Tokyo) 27: 254 (1913)
Kochia scoparia (L.) Schrad. var. *alata* Blom, Acta Horti Gothob. 3: 154 (1927)
Kochia parodii Aellen, Verh. Naturf. Ges. Basel 50: 151 (1939)
Kochia scoparia (L.) Schrad. f. *littorea* (Makino) Kitam., Acta Phytotax. Geobot. 20: 206 (1962)

Chenopodium L.

***Chenopodium acuminatum* Willd., Neue Schriften Ges. Naturf. Freunde Berlin 2: 124 (1799)**

Nat: S Korea **등근잎명아주**

Chenopodium vachellii Hook. & Arn., Bot. Beechey Voy. 269 (1838)
Chenopodium acuminatum Willd. var. *vachelii* (Hook. & Arn.) Moq., Prodr. (DC.) 13: 63 (1849)
Chenopodium acuminatum Willd. var. *virgatum* (Thunb.) Moq., Prodr. (DC.) 13: 63 (1849)
Chenopodium acuminatum Willd. var. *ovatum* Fenzl, Fl. Ross. (Ledeb.) 3: 695 (1851)
Chenopodium acuminatum Willd. var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 1: 386 (1875)
Chenopodium acuminatum Willd. f. *ovatum* (Fenzl) Aellen, Fl. URSS 6: 56 (1936)

***Chenopodium album* L., Sp. Pl. 219 (1753)** Nat: N Korea, S Korea **흰명아주**

Chenopodium viride L., Sp. Pl. 219 (1753)
Chenopodium opulaceum Neck., Delic. Gallo-Belg. 1: 130 (1768)
Chenopodium paganum Rchb., Fl. Germ. Excurs. 579 (1832)
Chenopodium neglectum Dumort., Bull. Soc. Roy. Bot. Belgique 4: 339 (1865)
Chenopodium agreste E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 5: 152 (1901)
Chenopodium album L. f. *heterophyllum* W.Wang & P.Y.Fu, Fl. Pl. Herb. Chin. Bor.-Or. 2: 98 (1959)

***Chenopodium bryoniifolium* Bunge, Index Seminum [St.Petersburg (Petropolitanus)] 10 (1876)** Nat: N Korea, S Korea **청명아주**

Chenopodium koraiense Nakai, Bot. Mag. (Tokyo) 35: 141 (1921)

***Chenopodium ficifolium* Sm., Fl. Brit. 1: 276 (1800)** Nat: N Korea, S Korea **좁명아주**

Chenopodium filifolium Krock., Fl. Siles. Suppl. 1: 302 (1823)
Chenopodium trilobum Schult. ex Moq., Prodr. (DC.) 13: 66 (1849)
Chenopodium blomianum Aellen, Bot. Not. 1928: 203 (1928)

***Chenopodium giganteum* D.Don, Prodr. Fl. Nepal.75 (1825)** Nat: N Korea, S Korea **명아주**

Chenopodium album L. var. *centrorubrum* Makino, Bot. Mag. (Tokyo) 24: 16 (1910)
Chenopodium centrorubrum (Makino) Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 78 (1936)

***Chenopodium glaucum* L., Sp. Pl. 220 (1753)** Int **취명아주**

Chenopodium ambiguum R.Br., Prodr. Fl. Nov. Holland. 407 (1810)
Blitum glaucum (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 608 (1837)

Chenopodium pallidum Moq., *Chenop. Monogr. Enum.* 30 (1840)
Chenopodium glaucum L. var. *ambiguum* (R.Br.) Hook.f., *Bot. Antarct. Voy.*, Vol. 3, Fl. Tasman. 1: 313 (1857)
Chenopodium wolffii Simonk., *Termesztud. Fü.* 3: 164 (1879)
Chenopodium glaucum L. var. *littorale* Rodway, *Tasman. Fl.* 155 (1903)
Chenopodium nudiflorum F.Muell. ex Murr, *Allg. Bot. Z. Syst.* 16: 57 (1910)
Orthosporum glaucum (L.) Peterm., *Fl. Bienitz* 94 (1941)

***Chenopodium hybridum* L., Sp. Pl. 219 (1753) Nat: N Korea 얇은명아주**

Atriplex hybrida Crantz, *Inst. Rei Herb.* 1: 207 (1766)
Chenopodium angulatum Curtis ex Steud., *Nomencl. Bot.* (Steudel) 187 (1821)
Anserina stramonifolia (Chev.) Montandon, *Syn. Fl. Jura* 263 (1856)

***Chenopodium stenophyllum* (Makino) Koidz., Bot. Mag. (Tokyo) 39: 305 (1925) Nat: N Korea, S Korea 가는명아주**

Chenopodium virgatum Thunb., *Nova Acta Regiae Soc. Sci. Upsal.* 7: 143 (1815)
Chenopodium album L. var. *stenophyllum* Makino, *Bot. Mag. (Tokyo)* 27: 28 (1913)
Chenopodium acuminatum Willd. subsp. *virgatum* (Thunb.) C.H.Blom, *Acta Horti Gothob.* 12: 13 (1938)

Corispermum L.

***Corispermum chinganicum* Iljin, Izv. Glavn. Bot. Sada SSSR 28: 648 (1929) Nat: S Korea 이삭호모초**

***Corispermum declinatum* Steph. ex Iljin, Trudy Prikl. Bot. 19: 69 (1928) Nat: S Korea 긴호모초**

***Corispermum elongatum* Bunge ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 224 (1859) Nat: N Korea, S Korea 긴잎장다리풀**

Corispermum elongatum Bunge ex Maxim. var. *tenuifolium* Bunge, *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 224 (1859)
Corispermum sibiricum Iljin subsp. *amurense* Iljin, *Izv. Glavn. Bot. Sada SSSR* 28: 650 (1929)

***Corispermum platypterum* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 100 (1935) Nat: S Korea 꼬리호모초**

Corispermum puberulum Iljin var. *lissocarpum* Kitag., *Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae* 101 (1935)
Corispermum puberulum Iljin f. *lissocarpum* (Kitag.) Kitag., *J. Jap. Bot.* 34 (1959)

***Corispermum stauntonii* Moq., Chenop. Monogr. Enum. 104 (1840) Nat: N Korea, S Korea 호모초**

Dysphania R.Br.

***Dysphania ambrosioides* (L.) Mosyakin & Clemants, Ukrayins'k. Bot. Zhurn. 59: 382 (2002) Int 양명아주**

Chenopodium ambrosioides L., *Sp. Pl.* 219 (1753)
Roubieva anthelmintica (L.) Hook. & Arn., *Bot. Beechey Voy.* 387 (1840)
Chenopodium citriodorum Steud., *Nomencl. Bot.*, ed. 2 (Steudel) 1: 348 (1840)
Chenopodium ambrosioides L. var. *pinatifidum* Willk., *Prodr. Fl. Hispan.* 1: 271 (1861)

Chenopodium vagans Standl., N. Amer. Fl. 21: 26 (1916)
Chenopodium integrifolium Vorosch., Bot. Zhurn. S.S.S.R. 27: 42 (1942)

***Dysphania aristata* (L.) Mosyakin & Clemants, Ukrayins'k. Bot. Zhurn. 59: 382 (2002)** Nat:
N Korea, S Korea 바늘명아주

Chenopodium aristatum L., Sp. Pl. 221 (1753)
Teloxys aristata (L.) Moq., Ann. Sci. Nat., Bot. ser. 2, 1: 290 (1814)
Lecanocarpus aristatus (L.) Zucc., Hort. Reg. Monac. 56 (1829)
Chenopodium sinense Moq., Prodr. (DC.) 13: 60 (1849)

***Dysphania pumilio* (R.Br.) Mosyakin & Clemants, Ukrayins'k. Bot. Zhurn. 59: 382 (2002)**
Int 뉘새명아주

Chenopodium pumilio R.Br., Prodr. Fl. Nov. Holland. 407 (1810)
Chenopodium carinatum R.Br., Prodr. Fl. Nov. Holland. 407 (1810)
Chenopodium carinatum R.Br. f. *rubellum* Aellen, Repert. Spec. Nov. Regni Veg. 24:
345 (1927)

Salicornia L.

***Salicornia europaea* L., Sp. Pl. 3 (1753)** Nat: N Korea, S Korea 통통마디

Salicornia europaea L. var. *herbacea* L., Sp. Pl. 3 (1753)
Salicornia herbacea (L.) L., Sp. Pl. (ed. 2) 5 (1762)
Salicornia annua Sm., Engl. Bot. 6: t. 415 (1797)
Salicornia biennis Afzel. ex Sm., Fl. Brit. 1: 2 (1800)
Salicornia acetaria Pall., Ill. Pl. t. 1 (1803)
Salicornia patula Duval-Jouve, Bull. Soc. Bot. France 15: 175 (1868)
Salicornia stricta Dumort., Bull. Soc. Roy. Bot. Belgique 7: 334 (1868)
Salicornia brachystachya (G.Mey.) D.Koenig, Mitt. Florist.-Soziol. Arbeitsgem. 8: 11
(1960)

Salsola L.

***Salsola collina* Pall., Ill. Pl. 34 (1803)** Nat: N Korea, S Korea 솔장다리

Salsola erubescens Schrad., Index Sem. (Gottingen) 5 (1834)
Salsola chinensis Gand., Bull. Soc. Bot. France 60: 421 (1913)
Salsola kali L. subsp. *collina* (Pall.) A.Bolòs & Vigo, Butl. Inst. Catalana Hist. Nat., Secc.
Bot. 1: 89 (1974)

***Salsola kali* L. subsp. *ruthenica* (Iljin) Soó, Magyar Növényvilág Kézikönyve 2: 786 (1951)**
Nat: S Korea 나래수송나물

Salsola kali L. var. *angustifolia* Fenzl, Fl. Ross. (Ledeb.) 3: 793 (1851)
Salsola ruthenica Iljin, Weed Fl. USSR 2: 137 (1934)
Salsola dichracantha Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl.
Manshuricae 124 (1935)

***Salsola komarovii* Iljin, Bot. Zhurn. S.S.S.R. 18: 276 (1933)** Nat: N Korea, S Korea 수송나물

Suaeda Forssk.

***Suaeda australis* (R.Br.) Moq., Ann. Sci. Nat. (Paris) 23: 318 (1831)** Nat: S Korea 방석나물
Suaeda maritima (L.) Dumort. var. *australis* (R.Br.) Domin, Biblioth. Bot. 89: 72 (1921)

***Suaeda glauca* (Bunge) Bunge, Bull. Acad. Imp. Sci. Saint-Pétersbourg 25: 362 (1879) Nat: N Korea, S Korea** **나문재**

- Schoberia glauca* Bunge, Enum. Pl. Chin. Bor. 56 (1833)
Suaeda stauntonii Moq., Chenop. Monogr. Enum. 131 (1840)
Salsola asparagoides Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 294 (1865)
Schoberia maritima var. *asparagoides* Franch. & Sav., Enum. Pl. Jap. 2: 470 (1878)
Suaeda asparagoides (Miq.) Makino, Bot. Mag. (Tokyo) 8: 382 (1894)

***Suaeda maritima* (L.) Dumort., Fl. Belg. (Dumortier) 22 (1827) Nat: N Korea, S Korea** **해홍나물**

- Chenopodium maritimum* L., Sp. Pl. 221 (1753)
Chenopodium filiformis Moq., Prodr. (DC.) 13: 164 (1849)
Suaeda nudiflora Moq., Prodr. (DC.) 13: 155 (1849)
Suaeda maritima (L.) Dumort. subsp. *asiatica* H.Hara, J. Jap. Bot. 38: 116 (1963)

Suaeda maritima* (L.) Dumort. subsp. *maritima

***Suaeda maritima* (L.) Dumort. subsp. *salsa* (L.) Soó, Magyar Növényvilág Kézikönyve 2: 785 (1951) Nat: S Korea** **좁은해홍나물**

- Chenopodium salsum* L., Sp. Pl. 221 (1753)
Suaeda salsa (L.) Pall., Ill. Pl. 46 (1803)
Suaeda japonica Makino, Bot. Mag. (Tokyo) 8: 382 (1894)
Suaeda heteroptera Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 79 (1936)
Suaeda ussuriensis Iljin, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 125 (1936)
Suaeda malacosperma H.Hara, J. Jap. Bot. 18: 27 (1942)

CHLORANTHACEAE

Chloranthus Sw.

***Chloranthus fortunei* (A.Gray) Solms, Prodr. (DC.) 16: 476 (1868) Nat: S Korea** **옥녀꽃대**

- Tricercandra fortunei* A.Gray, Mem. Amer. Acad. Arts ser. 6: 405 (1859)
Chloranthus koreanus Nakai, Fl. Sylv. Kor. 18: 16 (1930)
Chloranthus fortunei (A.Gray) Solms var. *koreanus* (Nakai) Hiyama, J. Jap. Bot. 37: 127 (1962)

***Chloranthus japonicus* Siebold, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 14: 681 (1829) Nat: N Korea, S Korea** **홀아비꽃대**

- Tricercandra quadrifolia* A.Gray, Narr. Exped. China Japan 2: 318 (1857)
Chloranthus mandshuricus Rupr., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 2 (1859)
Tricercandra japonica (Siebold) Nakai, Fl. Sylv. Kor. 18: 14 (1930)

***Chloranthus serratus* (Thunb.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 3: 461 (1818) Nat: S Korea** **꽃대**

- Nigrina serrata* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 142, pl. 5, f. 1 (1815)

***Chloranthus spicatus* (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 180 (1902) Int** **진주란**

- Nigrina spicata* Thunb., Nov. Gen. Pl. [Thunberg] 3: 59 (1783)
Chloranthus inconspicuus Sw., Philos. Trans. 78: 359 (1787)
Creodus odorifer Lour., Fl. Cochinch. 89 (1790)

Nigrina spicifera Lam., Encycl. (Lamarck) 1: 295 (1792)
Chloranthus indicus Wight, Icon. Pl. Ind. Orient. (Wight) 6: t. 1945 (1853)
Chloranthus obtusifolius Miq., Fl. Ned. Ind. 1: 802 (1856)

Sarcandra Gardner

***Sarcandra glabra* (Thunb.) Nakai, Fl. Sylv. Kor. 18: 17 (1930) Nat: S Korea 죽절초**
Bladhia glabra Thunb., Trans. Linn. Soc. London 2: 331 (1794)
Ascarina serrata Blume, Enum. Pl. Javae 1: 79 (1827)
Chloranthus brachystachys Blume, Fl. Javae 13 (1829)
Sarcandra chloranthoides Gardner, Calcutta J. Nat. Hist. 6: 348 (1864)
Chloranthus glaber (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 386 (1912)
Chloranthus esquirolii H.Lév., Fl. Kouy-Tcheou 74 (1914)

CLETHRACEAE

Clethra L.

***Clethra barbinervis* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 128 (1846) Nat: S Korea 매화오리나무**
Clethra kawadana Yanagita, Ill. Seedl. For. Tr. 3 (1927)
Clethra barbinervis Siebold & Zucc. var. *kawadana* (Yanagita) H.Hara, Enum. Spermatophytarum Japon. 1: 74 (1948)
Clethra stolonifera Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 19 (1953)

CLUSIACEAE

Hypericum L.

***Hypericum ascyron* L., Sp. Pl. 783 (1753) Nat: N Korea, S Korea 물레나무**
Hypericum gebleri Ledeb., Fl. Altaic. 3: 364 (1831)
Roscyna japonica Blume, Mus. Bot. 2: 21 (1856)
Hypericum ascyron L. var. *brevistylum* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 65 (1859)
Hypericum ascyron L. var. *longistylum* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 65 (1859)
Hypericum ascyron L. var. *micropetalum* R.Keller, Bull. Herb. Boissier 5: 638 (1897)
Hypericum ascyron L. var. *giraldii* R.Keller, Bot. Jahrb. Syst. 33(4-5): 550 (1904)
Hypericum ascyron L. var. *punctatostriatum* R.Keller, Bot. Jahrb. Syst. 33(4-5): 550 (1904)
Hypericum ascyron L. var. *umbellatum* R.Keller, Bot. Jahrb. Syst. 33: 550 (1904)
Hypericum longifolium H.Lév., Bull. Soc. Agric. Sarthe 39: 322 (1904)
Hypericum scallanii R.Keller, Bot. Jahrb. Syst. 33: 549 (1904)
Hypericum hemsleyanum H.Lév. & Vaniot, Bull. Soc. Bot. France 54: 292 (1907)
Hypericum ascyron L. var. *vilmorinii* Rehder, Stand. Cycl. Hort. 3: 1630 (1915)
Hypericum ascyron L. var. *angustifolium* Y.Kimura, Stand. Cycl. Hort. 3: 1630 (1915)
Hypericum macrosepalum (Ledeb.) Rehder, Pl. Wilson. 3-3: 451 (1917)
Hypericum sagittifolium Koidz., Fl. Symb. Orient.-Asiat. 91 (1930)
Hypericum ascyron L. var. *macrosepalum* Ledeb., Nov. Fl. Jap. 10: 125 (1951)
Roscyna ascyron (L.) Y.Kimura, Nov. Fl. Jap. 10: 121 (1951)
Hypericum ascyron L. var. *genuinum* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 65 (1959)

***Hypericum attenuatum* Fisch. ex Choisy, Prodr. Monogr. Hyperic. 47 (1821) Nat; N Korea, S Korea 채고추나물**

***Hypericum erectum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 702 (1784) Nat; N Korea, S Korea 고추나물**

- Hypericum erectum* Thunb. var. *obtusifolium* Blume, Mus. Bot. 2: 25 (1856)
Hypericum perforatum L. var. *confertiflorum* Debeaux, Actes Soc. Linn. Bordeaux 31: 130 (1876)
Hypericum erectum Thunb. f. *debile* R.Keller, Bull. Herb. Boissier 5: 640 (1897)
Hypericum otaruense R.Keller, Bull. Herb. Boissier 5: 641 (1897)
Hypericum obtusifolium (Blume) Makino, Bot. Mag. (Tokyo) 17: 80 (1903)
Hypericum erectum Thunb. var. *caespitosum* Makino, Bot. Mag. (Tokyo) 18: 104 (1904)
Hypericum dielsii H.Lév. & Vaniot ex H.Lév., Bull. Soc. Bot. France 53: 499 (1906)
Hypericum matsumurae H.Lév., Bull. Soc. Bot. France 53: 501 (1906)
Hypericum vaniotii H.Lév., Bull. Soc. Bot. France 53: 497 (1906)
Hypericum fujisanense Makino, Bot. Mag. (Tokyo) 26: 246 (1912)
Hypericum confertissimum Nakai, Chosen Shokubutsu 160 (1914)
Hypericum erectum Thunb. var. *angustifolium* Y.Kimura, Bot. Mag. (Tokyo) 52(616): 194 (1938)
Hypericum erectum Thunb. var. *erectum* f. *angustifolium* (Y.Kimura) Y.Kimura, Nov. Fl. Jap. 10: 150, f. 52 (1951)
Hypericum chejuense S.J.Park & K.J.Kim, Novon 15: 458 (2005)

***Hypericum japonicum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 702 (1784) Nat; S Korea 애기고추나물**

- Ascyrum humifusum* Labill., Nov. Holl. Pl. 2: 33 (1806)
Hypericum pusillum Choisy, Prodr. Monogr. Hyperic. 50 (1821)
Brathys japonica (Thunb.) Wight, Icon. Pl. Ind. Orient. (Wight) 1: 113 (1839)
Brathys laxa Blume, Mus. Bot. 2: 19 (1856)
Hypericum thunbergii Franch. & Sav., Enum. Pl. Jap. 2: 300 (1878)
Hypericum cavaleriei H.Lév., Bull. Soc. Bot. France 54: 593 (1908)
Hypericum taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 279 (1908)
Hypericum japonicum Thunb. var. *thunbergii* (Franch. & Sav.) R.Keller, Bull. Herb. Boissier ser.2, 8: 185 (1908)
Hypericum japonicum Thunb. var. *maximowiczii* R.Keller, Bull. Herb. Boissier ser.2, 8: 185 (1908)
Hypericum yabei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 279 (1908)
Hypericum laxum (Blume) Koidz., Bot. Mag. (Tokyo) 40: 344 (1926)
Sarothra japonica (Thunb.) Y.Kimura, Nov. Fl. Jap. 10: 235 (1951)
Sarothra laxa (Blume) Y.Kimura f. *ramosa* Y.Kimura, Nov. Fl. Jap. 10: 244 (1951)
Sarothra laxa (Blume) Y.Kimura, Nov. Fl. Jap. 10: 241 (1951)
Hypericum jeongjocksanense S.J.Park & K.J.Kim, Novon 15: 460 (2005)

***Hypericum oliganthum* Franch. & Sav., Enum. Pl. Jap. 2: 299 (1878) Nat; S Korea 진주고추나물**

- Hypericum makinoi* H.Lév., Bull. Soc. Bot. France 53: 502 (1906)

***Hypericum patulum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 700 (1784) Int 망중화**

- Hypericum argyi* H.Lév. & Vaniot, Bull. Soc. Bot. France 54: 291 (1907)
Komana patula (Thunb.) Y.Kimura ex Honda, Nom. Pl. Japonic. 509 (1939)

***Hypericum perforatum* L., Sp. Pl. 785 (1753) Int 서양고추나물**

Hypericum lineolatum Jord., Arch. Fl. France Allemagne 2: 343 (1855)
Hypericum deidesheimense Sch.Bip. ex Trevir., Hyper. Sp. Animadv. 10 (1861)

Myriandra Spach

***Myriandra galioides* (Lam.) Spach, Ann. Sci. Nat., Bot. ser. 2, 5: 365 (1836) Int 갈퀴망종화**
Hypericum galioides Lam., Encycl. (Lamarck) 4: 161 (1797)

Triadenum Raf.

***Triadenum japonicum* (Blume) Makino, Fl. Japan (Makino & Nemoto) 326 (1925) Nat; N Korea, S Korea 물고추나물**

Elodea japonica Blume, Mus. Bot. 2: 15 (1856)
Elodea crassifolia Blume, Mus. Bot. 2: 15 (1856)
Hypericum virginicum L. var. *asiaticum* (Maxim.) Yatabe, Bot. Mag. (Tokyo) 6: 25 (1892)
Hypericum fauriei R.Keller, Bull. Herb. Boissier 5: 637 (1897)
Hypericum similans R.Keller, Bot. Jahrb. Syst. 33: 547 (1904)
Triadenum asiaticum (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 45 (1907)
Hypericum virginicum L. var. *japonicum* (Blume) Matsum., Index Pl. Jap. 2 (1912)
Triadenum crassifolium (Blume) Nakai, Chosen Shokubutsu 161 (1914)
Triadenum japonicum (Blume) Makino var. *angustifolium* Y.Kimura, J. Jap. Bot. 11: 857 (1935)
Triadenum japonicum (Blume) Makino f. *angustifolium* (Y.Kimura) Y.Kimura, Nov. Fl. Jap. 10: 77 (1951)
Triadenum crassifolium (Blume) Nakai f. *angustifolium* (Y.Kimura) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 77 (1952)

CONVOLVULACEAE

Calystegia R.Br.

***Calystegia hederacea* Wall., Fl. Ind. (Roxburgh) 2: 94 (1824) Nat; N Korea, S Korea 애기메꽃**

Convolvulus wallichianus Spreng., Syst. Veg. (ed. 16) [Sprengel] 4(2, Cur. Post.): 61 (1827)
Convolvulus loureiri G.Don, Gen. Hist. 4: 290 (1836)
Convolvulus acetosifolius Turcz., Bull. Soc. Imp. Naturalistes Moscou 14: 73 (1840)
Convolvulus calystegioides Choisy, Prodr. (DC.) 9: 413 (1845)
Volulus hederaceus (Wall.) Kuntze, Revis. Gen. Pl. 2: 447 (1891)
Calystegia acetosifolia (Turcz.) Turcz., Fl. Baical.-dahur. 2: 347 (1892)
Calystegia hederacea Wall. var. *elongata* Liou & Ling, Fl. Ill. Nord Chine 1: 25 (1931)

***Calystegia pellita* (Ledeb.) G.Don, Gen. Hist. 4: 296 (1837) Nat; N Korea, S Korea 선메꽃**

Convolvulus dahuricus Herb., Bot. Mag. 53: t. 2609 (1826)
Convolvulus pellitus Ledeb., Fl. Altaic. 1: 223 (1829)
Calystegia dahurica (Herb.) Choisy, Prodr. (DC.) 9: 433 (1845)
Calystegia dahurica (Herb.) Choisy var. *pellita* (Ledeb.) Choisy, Prodr. (DC.) 9: 433 (1845)
Calystegia sepium (L.) R.Br. var. *dahurica* (Herb.) Choisy, Prodr. (DC.) 9: 433 (1845)

***Calystegia pubescens* Lindl., J. Hort. Soc. London 1: 70 (1846) Nat; N Korea, S Korea 메꽃**

Calystegia japonica Choisy, Syst. Verz. (Zollinger) 2: 130 (1854)
Calystegia sepium (L.) R.Br. var. *japonicum* f. *angustifolia* Nakai, Bot. Mag. (Tokyo) 23: 107 (1909)

Calystegia sepium (L.) R.Br. var. *japonicum* (Choisy) Makino, Index Pl. Jap. 2 (2): 516 (1912)
Calystegia japonica Choisy var. *albiflora* Makino, J. Jap. Bot. 3: 1 (1923)
Calystegia japonica Choisy var. *elongata* Liou & Ling, Contr. Lab. Bot. Natl. Acad. Peiping 1: 25 (1931)
Calystegia subvolubilis Liou & Ling f. *angustifolia* (Nakai) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 972 (1931)
Calystegia subvolubilis Liou & Ling, Fl. Ill. Nord Chine 21: pl. 6 (1931)
Calystegia subvolubilis Liou & Ling var. *albiflora* Makino & Nemoto ex Nemoto, Fl. Jap. Suppl. 611 (1936)
Calystegia japonica Choisy f. *angustifolia* Makino ex Hara, Bot. Mag. (Tokyo) 51: 48 (1937)
Calystegia japonica Choisy f. *albiflora* (Makino) H.Hara, Enum. Spermatophytarum Japon. 1: 160 (1948)
Calystegia sepium (L.) R.Br. var. *japonicum* f. *albiflora* (Makino) T.Yamaz., Fl. Jap. (Iwatsuki et al., eds.) 3a: 199 (1993)

***Calystegia sepium* (L.) R.Br., Prodr. Fl. Nov. Holland.483 (1810) Nat: N Korea, S Korea**
큰메꽃

Convolvulus sepium L., Sp. Pl. 153 (1753)
Convolvulus sepium L. var. *americanus* Sims, Bot. Mag. 19: pl. 732 (1804)
Convolvulus americanus (Sims) Greene, Pittonia 3: 328 (1900)
Calystegia americana (Sims) Daniels, Univ. Missouri Stud., Sci. Ser. 1: 337 (1907)
Calystegia sepium (L.) R.Br. var. *americana* (Sims) Matsuda, Bot. Mag. (Tokyo) 33: 145 (1919)
Calystegia sepium (L.) R.Br. var. *integrifolia* Liou, Contr. Lab. Bot. Natl. Acad. Peiping 1: 24 (1931)
Convolvulus sepium L. var. *communis* Tryon, Rhodora 41: 419 (1939)
Calystegia sepium (L.) R.Br. var. *communis* (Tryon) H.Hara, J. Jap. Bot. 17: 395 (1941)

***Calystegia soldanella* (L.) R.Br., Prodr. Fl. Nov. Holland.484 (1810) Nat: N Korea, S Korea**
Korea 갯메꽃

Convolvulus soldanella L., Sp. Pl. 159 (1753)
Convolvulus maritimus Lam., Fl. Franc. (Lamarck) 2: 265 (1778)
Calystegia asarifolius Salisb., Prodr. Stirp. Chap. Allerton 125 (1796)
Calystegia reniformis R.Br., Prodr. Fl. Nov. Holland. 484 (1810)
Volulus soldanella (L.) Junger, Oesterr. Bot. Z. 41: 134 (1891)

Convolvulus L.

***Convolvulus arvensis* L., Sp. Pl. 153 (1753) Int 서양메꽃**

Convolvulus arvensis L. var. *sagittatus* Ledeb., Fl. Altaic. 1: 225 (1829)
Convolvulus chinensis Ker Gawl., Edward's Bot. Reg. pl. 322 (1878)
Convolvulus sagittifolius (Ledeb.) Liou & Ling, Fl. Ill. Nord Chine 1: 17 (1931)

Cuscuta L.

***Cuscuta australis* R.Br., Prodr. Fl. Nov. Holland. 1: 491 (1810) Nat: N Korea, S Korea 실새삼**

Cuscuta millettii Hook. & Arn., Bot. Beechey Voy. 201 (1837)
Cuscuta rogowitschiana Trautv., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 2: 285 (1855)
Cuscuta obtusiflora Kunth var. *australis* (R.Br.) Engelm., Trans. Acad. Sci. St. Louis 1: 492 (1860)
Cuscuta obtusiflora Kunth var. *breviflora* Engelm., Trans. Acad. Sci. St. Louis 1: 493 (1860)
Cuscuta hygrophilae Person, Hooker's Icon. Pl. 28 (1901)

Cuscuta kawakamii Hayata, Icon. Pl. Formosan. 5: 125 (1915)
Cuscuta sojagena Makino, Ill. Fl. Nippon (Makino) 197 (1940)
Cuscuta somaxacola Makino, Genshoku yagai shokubutsu zufu 2: 209 (1941)

***Cuscuta chinensis* Lam., Encycl. (Lamarck) 2: 229 (1786) Nat. N Korea, S Korea 갯실새삼**
Cuscuta ciliaris Hohen. ex Boiss., Diagn. Pl. Orient. ser.2, 3: 129 (1856)
Cuscuta fimbriata Bunge ex Engelm., Trans. Acad. Sci. St. Louis 1: 480 (1859)
Cuscuta chinensis Lam. var. *carinata* (R.Br.) Engelm., Trans. Acad. Sci. St. Louis 1: 480 (1859)

***Cuscuta japonica* Choisy, Syst. Verz. (Zollinger) 2: 130 (1854) Nat. N Korea, S Korea 새삼**
Cuscuta reflexa Roxb. var. *densiflora* Benth., Hooker's J. Bot. Kew Gard. Misc. 5: 57 (1853)
Cuscuta japonica Choisy var. *thyroidea* Engelm., Trans. Acad. Sci. St. Louis 1: 517 (1859)
Cuscuta japonica Choisy var. *paniculata* Engelm., Trans. Acad. Sci. St. Louis 1: 517 (1859)
Cuscuta systyla Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 200 (1859)
Cuscuta colorans Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 201 (1859)
Monogynella japonica (Choisy) Hada & Chrtk, Folia Geobot. Phytotax. 5: 444 (1970)

***Cuscuta pentagona* Engelm., Amer. J. Sci. Arts 43: 340 (1842) Int 미국실새삼**
Cuscuta arvensis L. var. *pentagona* (Engelm.) Engelm., Trans. Acad. Sci. St. Louis 1: 494 (1859)
Grammica campestris (Yunck.) Hadaç & Chrtk, Folia Geobot. Phytotax. 5: 445 (1970)
Grammica pentagona (Engelm.) W.A.Weber, Southw. Naturalist 18: 319 (1973)

Dichondra J.R.Forst. & G.Forst.

***Dichondra micrantha* Urb., Symb. Antill. 9: 243 (1924) Nat. S Korea 아욱메꽃**
Dichondra repens var. *micrantha* (Urb.) A.M.Lu, Quart. J. Chin. Forest. 6: 116 (1972)

Ipomoea L.

***Ipomoea alba* L., Sp. Pl. 161 (1753) Int 밤메꽃**
Convolvulus aculeatus L., Sp. Pl. 155 (1753)
Ipomoea bona-nox L., Sp. Pl. (ed. 2) 1: 228 (1762)
Calonyction speciosum Choisy, Mem. Soc. Phys. Geneve 6: 441 (1833)
Calonyction bona-nox (L.) Bojer, Hortus Maurit. 227 (1837)
Calonyction pulcherrimum Parodi, Contr. Fl. Paraguay 24 (1962)
Ipomoea aculeata (L.) Kuntze var. *bona-nox* (L.) Kuntze, Revis. Gen. Pl. 3: 212 (1898)
Calonyction aculeatum (L.) House, Bull. Torrey Bot. Club 31: 590 (1904)

***Ipomoea batatas* (L.) Lam., Tabl. Encycl. 1: 465 (1791) Int 고구마**
Convolvulus batatas L., Sp. Pl. 154 (1753)
Convolvulus edulis Thunb., Fl. Jap. (Thunberg) 84 (1784)
Convolvulus candicans Sol. ex Sims, Curtis's Bot. Mag. 39: t. 1603 (1814)
Ipomoea fastigiata Sweet, Hort. Brit. (Sweet) 288 (1826)
Batatas edulis (Thunb.) Choisy, Mem. Soc. Phys. Geneve 6: 435 (1833)
Ipomoea batatas (L.) Lam. var. *edulis* (Thunb.) Makino, Bot. Mag. (Tokyo) 21: 136 (1907)
Ipomoea edulis Makino, Iinuma, Somoku-Dzusetsu, ed. 3 293 (1912)

***Ipomoea grandifolia* (Dammer) O'Donell, Arq. Mus. Paraense 9: 222, f. 6 (1952) Int**
별나팔꽃

Ipomoea triloba L., Sp. Pl. 161 (1753)
Ipomoea eustachiana Jacq. Jacq., Observ. Bot. (Jacquin) 2: 12 (1767)
Ipomoea triloba L. var. *quinquefolia* Kuntze, Revis. Gen. Pl. 2: 466 (1891)

***Ipomoea nil* (L.) Roth, Catal. Bot. 1: 36 (1797) Int 나팔꽃**

Convolvulus nil L., Sp. Pl. (ed. 2) 219 (1762)
Pharbitis nil (L.) Choisy, Mem. Soc. Phys. Geneve 6: 439 (1833)
Pharbitis triloba (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 93 (1865)
Ipomoea nil (L.) Roth var. *japonica* Hallier f., Bot. Jahrb. Syst. 18: 137 (1893)
Pharbitis nil (L.) Choisy var. *japonica* (Hallier f.) H.Hara, Enum. Spermatophytarum Japon. 1: 167 (1948)

***Ipomoea purpurea* (L.) Roth, Bot. Abh. Beobacht. 27 (1787) Int 등근잎나팔꽃**

Convolvulus purpureus L., Sp. Pl. (ed. 2) 1: 219 (1762)
Ipomoea glandulifera Ruiz & Pav., Fl. Peruv. [Ruiz & Pavon] 2: 12, t. 121 (1799)
Ipomoea diversifolia Lindl., Edward's Bot. Reg. 23: pl. 1988 (1837)

***Ipomoea quamoclit* L., Sp. Pl. 159 (1753) Int 유흥초**

Convolvulus pennatus Desr., Encycl. (Lamarck) 3: 567 (1792)
Convolvulus quamoclit (L.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 591 (1825)
Quamoclit vulgaris Choisy, Mem. Soc. Phys. Geneve 6: 434 (1834)
Quamoclit pennata (Desr.) Bojer, Hortus Maurit. 224 (1837)

Jacquemontia Choisy

***Jacquemontia tamnifolia* (L.) Griseb., Fl. Brit. W.I. (Grisebach) 5: 474 (1862) Int 선나팔꽃**

Ipomoea tamnifolia L., Sp. Pl. 162 (1753)
Convolvulus capitatus Desr., Encycl. (Lamarck) 3: 554 (1791)
Convolvulus praelongus S.Moore, Trans. Linn. Soc. London, Bot. 4: 403 (1895)
Jacquemontia macrocephala Brandegee, Zoe 5: 219 (1905)

CORNACEAE

***Aucuba* Thunb.**

***Aucuba japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 61 (1783) Nat; S Korea 식나무**

Eubasis dichotoma Salisb., Prodr. Stirp. Chap. Allerton 68 (1796)
Aucuba japonica Thunb. var. *variegata* Dombrain, Fl. Mag. (London) 5: t. 277 (1866)
Aucuba japonica Thunb. var. *maculata* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 96 (1867)
Aucuba japonica Thunb. var. *concolor* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 97 (1867)
Aucuba japonica Thunb. var. *punctata* K.Koch, Dendrologie 1: 697 (1869)
Aucuba japonica Thunb. var. *ovoidea* Koidz., Fl. Austro-Higoensis 43 (1931)
Aucuba japonica Thunb. f. *variegata* (Dombrain) Rehder, Bibliogr. Cult. Trees 495 (1949)

***Cornus* L.**

***Cornus alba* L., Mant. Pl. 1: 40 (1767) Nat; N Korea 흰말채나무**

Cornus tatarica Mill., Gard. Dict., ed. 8, n. 7, 0 (1768)
Cornus alba L. var. *sibirica* Lodd. ex Loudon, Arbor. Frutic. Brit. 2: 1012 (1838)
Cornus purpurea Tausch, Flora 21: 781 (1838)

Cornus tatarica Mill. var. *sibirica* Koehne, Deut. Dendrol. 436 (1893)
Cornus hessei Koehne, Gartenflora 1899: 340 (1899)
Cornus pumila Koehne, Mitt. Deutsch. Dendrol. Ges. 1903: 46 (1903)
Cornus alba L. subsp. *tatarica* (Mill.) Wangerin, Pflanzenz. (Engler) 4, 229(Heft 41): 55 (1910)
Cornus subumbellata Komatsu, Icon. Pl. Koisikav 2: 57 (1914)
Cornus alba L. var. *rutokensis* Miyabe & Miyake, Fl. Saghalin 205 (1915)
Thelycrania alba (L.) Pojark., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 12: 272 (1950)

***Cornus canadensis* L., Sp. Pl. 118 (1753) Nat: N Korea 풀산딸나무**

Cornus herbacea L. var. *canadensis* (L.) Pall., Fl. Ross. (Pallas) 1: 52 (1784)
Cornus x unalashkensis Ledeb., Fl. Ross. (Ledeb.) 2: 378 (1844)
Chamaepericlymenum canadense (L.) Asch. & Graebn., Fl. Nordostdeut. Flachl. 539 (1898)
Cornella canadensis (L.) Rydb., Bull. Torrey Bot. Club 33: 147 (1906)
Arctocrenia canadensis (L.) Nakai, Bot. Mag. (Tokyo) 23: 40 (1909)
Cornus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 (1910)
Mesomora canadensis (L.) Nieuwl. ex Lunell, Amer. Midl. Naturalist 4: 487 (1916)

***Cornus controversa* Hemsl., Bot. Mag. 135: t. 8261 (1909) Nat: N Korea, S Korea 충충나무**

Cornus sanguinea Thunb., Fl. Jap. (Thunberg) 63 (1784)
Cornus obovata Thunb., Mus. Nat. Acad. Upsal. 17: 3 (1809)
Cornus controversa Hemsl. var. *alpina* Wangerin, Pflanzenz. (Engler) 4, 229: Ht. 41&50 (1810)
Bothrocaryum controversum (Hemsl.) Pojark., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 170 (1950)
Swida controversa (Hemsl.) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 10 (1960)

***Cornus kousa* F.Buerger ex Hance, J. Linn. Soc., Bot. 13: 105 (1873) Nat: N Korea, S Korea 산딸나무**

Benthamia japonica Siebold & Zucc., Fl. Jap. (Siebold) 1: 38 (1836)
Cornus japonica (Siebold & Zucc.) Koehne, Dendrologie 438 (1893)
Benthamia kuosa (F.Buerger ex Hance) Nakai, Bot. Mag. (Tokyo) 23: 41 (1909)
Benthamia japonica Siebold & Zucc. var. *exsucca* Nakai, Bot. Mag. (Tokyo) 28: 315 (1914)
Benthamia viridis Nakai, Chosen Shokubutsu 426 (1914)
Cynoxylon japonica (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 31: 148 (1917)
Dendrobenthamia japonica (Siebold & Zucc.) Hutch., Ann. Bot. (Oxford) n.s. 6: 93 (1942)

***Cornus macrophylla* Wall., Fl. Ind. (Carey & Wall. ed.) 1: 433 (1820) Nat: S Korea 곰의말채**

Cornus brachypoda C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 7: 223 (1845)
Cornus thelycanis Lebas, Rev. Hort. 394 (1875)
Cornus crispula Hance, J. Bot. 19: 216 (1881)
Cornus corynostylis Koehne, Gartenflora 45: 286 (1896)
Cornus longipetiolata Hayata, Icon. Pl. Formosan. 4: 11 (1914)
Cornus taiwaniensis Kaneh., Formosan Trees 282 (1917)
Thelycrania brachypoda (C.A.Mey.) Pojark., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 172 (1950)
Cornus alpina W.P.Fang & W.K.Hu, J. Sichuan Univ., Nat. Sci. Ed. 1980: 160 (1980)

***Cornus officinalis* Siebold & Zucc., Fl. Jap. (Siebold) 1: 100 (1835) Int 산수유**

Cornus masculina var. *japonica* Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 160 (1865)
Macrocarpium officinale (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 23: 38 (1909)
Cornus officinalis Siebold & Zucc. var. *koreana* Kitam., Acta Phytotax. Geobot. 25: 39 (1972)

***Cornus walteri* Wangerin, Repert. Spec. Nov. Regni Veg. 6: 99 (1908) Nat: N Korea, S Korea
말채나무**

Cornus coreana Wangerin, Repert. Spec. Nov. Regni Veg. 6: 99 (1908)
Cornus henryi Hemsl. ex Wangerin, Pflanzenz. (Engler) IV, 229(Hf. 41): 90 (1910)
Cornus yunnanensis H.L.Li, J. Arnold Arbor. 25: 312-1 (1944)
Swida coreana (Wangerin) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 1960: 10 (1960)

CRASSULACEAE

Crassula L.

***Crassula aquatica* (L.) Schönland, Nat. Pflanzenfam. 3: 37 (1891) Nat: S Korea 대구돌나물**

Tillaea aquatica L., Sp. Pl. 128 (1753)
Tillaea prostrata Schkuhr, Ann. Bot. (Usteri) 12: 6 (1794)
Bulliarda aquatica (L.) DC., Bull. Sci. Soc. Philom. Paris 2: 49 (1801)
Bulliarda prostrata (Schkuhr) DC., Bull. Sci. Soc. Philom. Paris 2: 49 (1801)
Tillaea simplex Nutt., J. Acad. Nat. Sci. Philadelphia 1: 114 (1817)
Bulliarda schkuhrrii Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 498 (1824)
Crassula schkuhrrii (Spreng.) Roth, Enum. Pl. Phaen. Germ. 1: 993 (1827)
Elatine tetrandra Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 32: 484 (1888)
Tillaeastrum aquaticum (L.) Britton, Bull. New York Bot. Gard. 3: 1 (1903)
Hydrophila aquatica (L.) House, Amer. Midl. Naturalist 6: 203 (1920)

Hylotelephium H. Ohba

***Hylotelephium erythrostictum* (Miq.) H. Ohba, Bot. Mag. (Tokyo) 90: 50 (1977) Nat: N Korea, S Korea 꿩의비름**

Sedum erythrostictum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 155 (1855)
Sedum alboroseum Baker, Refug. Bot. 1: 33 (1868)
Sedum telephium L. subsp. *alboroseum* (Baker) Fröd., Acta Horti Gothob. 5: 61 (1930)
Sedum okuyamae Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 9 (1949)

***Hylotelephium pallescens* (Freyn) H. Ohba, Bot. Mag. (Tokyo) 90: 51 (1977) Nat: N Korea, S Korea 자주꿩의비름**

Sedum telephium L. var. *albiflorum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 29: 142 (1883)
Sedum pallescens Freyn, Oesterr. Bot. Z. 45: 317 (1895)
Sedum telephium L. var. *pallescens* (Freyn) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 393 (1904)
Sedum telephium L. var. *eupatorioides* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 393 (1904)
Sedum albiflorum (Maxim.) Maxim. ex Kom. & Kljuykov, Opred. Rast. Dal'nevost. Kraia 1: 596 (1931)
Sedum eupatorioides (Kom.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 601 (1931)
Hylotelephium eupatorioides (Kom.) H. Ohba, Bot. Mag. (Tokyo) 90: 50 (1977)

***Hylotelephium spectabile* (Boreau) H.Ohba, Bot. Mag. (Tokyo) 90: 52 (1977) Nat: N Korea, S Korea** 큰괘의비름

Sedum spectabile Boreau, Mem. Soc. Acad. Maine Loire 20: 116 (1866)
Anacampseros spectabilis (Boreau) Jord. & Fourr., Icon. Fl. Eur. 1: 37, t. 100 (1867)
Sedum telephium L. var. *kirinense* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 393 (1904)

***Hylotelephium verticillatum* (L.) H.Ohba, Bot. Mag. (Tokyo) 90: 54 (1977) Nat: N Korea, S Korea** 세잎괘의비름

Sedum verticillatum L., Sp. Pl. 430 (1753)
Sedum viridescens Nakai, Repert. Spec. Nov. Regni Veg. 13: 273 (1914)
Sedum taquetii Praeger, J. Bot. 56: 151 (1918)
Sedum telephium L. subsp. *verticillatum* (L.) Fröd., Acta Horti Gothob. 1: 30 (1930)
Hylotelephium viridescens (Nakai) H.Ohba, Bot. Mag. 90: 55 (1977)

***Hylotelephium viviparum* (Maxim.) H.Ohba, Bot. Mag. (Tokyo) 90: 55 (1977) Nat: N Korea, S Korea** 새끼괘의비름

Sedum viviparum Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 29: 137 (1883)
Sedum telephium L. subsp. *viriparum* (Maxim.) Fröd., Acta Horti Gothob. 1: 30 (1930)

Orostachys Fisch.

***Orostachys fimbriata* (Turcz.) A.Berger, Nat. Pflanzenfam., ed. 2 18a: 464 (1930) Nat: N Korea, S Korea** 가시바위솔

Cotyledon fimbriata Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 241 (1844)
Umbilicus fimbriatus (Turcz.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 241 (1844)
Sedum ramosissimum (Maxim.) Franch., Pl. David. 1: 128 (1884)
Sedum fimbriatum (Turcz.) Franch., Pl. David. 1: 128 (1884)

***Orostachys iwarengae* (Makino) H.Hara, Bot. Mag. (Tokyo) 49: 73 (1935) Nat: S Korea** 연화바위솔

Cotyledon iwarengae Makino, Bot. Mag. (Tokyo) 15: 142 (1901)
Sedum iwarengae (Makino) Makino, J. Jap. Bot. 4: 7 (1927)

***Orostachys japonica* (Maxim.) A.Berger, Nat. Pflanzenfam., ed. 2 18a: 464 (1930) Nat: N Korea, S Korea** 바위솔

Cotyledon japonica Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 3, 30: 122 (1883)
Sedum japonicola Makino, J. Jap. Bot. 4: 8 (1927)
Orostachys kanboensis Ohwi, Acta Phytotax. Geobot. 11: 249 (1942)
Orostachys erubescens (Maxim.) Ohwi var. *japonicus* (Maxim.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 73 (1953)
Sedum erubescens var. *japonicum* (Maxim.) Ohwi, Fl. Jap., revised ed., [Ohwi] 693 (1965)
Orostachys japonica (Maxim.) A.Berger f. *polycephala* (Makino) H.Ohba, J. Jap. Bot. 56: 185 (1981)

***Orostachys malacophylla* (Pall.) Fisch., Mem. Soc. Imp. Naturalistes Moscou 2: 274 (1809) Nat: N Korea, S Korea** 둥근바위솔

Cotyledon malacophylla Pall., Reise Russ. Reich. 3: 729 (1776)
Sedum malacophyllum (Pall.) Steud., Nomencl. Bot. (Steudel) 759 (1821)
Umbilicus malacophyllus (Pall.) DC., Prodr. (DC.) 3: 400 (1828)
Cotyledon filifera Nakai, Bot. Mag. (Tokyo) 33: 54 (1919)
Orostachys filirera (Nakai) Nakai, J. Jap. Bot. 18: 215 (1942)
Orostachys chongsunensis Y.N.Lee, Bull. Korea Pl. Res. 1: 36 (2000)
Orostachys ramosa Y.N.Lee, Bull. Korea Pl. Res. 1: 35 (2000)

Orostachys latielliptica Y.N.Lee, Bull. Korea Pl. Res. 1: 35 (2000)
Orostachys margaritifolia Y.N.Lee, Bull. Korea Pl. Res. 1: 36 (2000)

***Orostachys minuta* (Kom.) A.Berger, Nat. Pflanzenfam., ed. 2 18a: 464 (1930) Nat: N Korea, S Korea 좁마위솔**

Cotyledon minuta Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 436 (1901)

***Orostachys sikokiana* (Makino) Ohwi, Fl. Jap. (Ohwi) 585 (1953) Nat: N Korea, S Korea 난쟁이바위솔**

Sedum leveilleanum Raym.-Hamet, Bull. Soc. Bot. France 55: 712 (1908)

Cotyledon sikokiana Makino, Inuma, Somoku-Dzusesetsu, ed. 3 658 (1912)

Sedum oriento-asiaticum Makino, J. Jap. Bot. 4: 8 (1927)

Meterostachys sikokianus (Makino) Nakai, Bot. Mag. (Tokyo) 49: 74 (1935)

Phedimus Raf.

***Phedimus middendorffianus* (Maxim.) 't Hart, Evol. Syst. Crassulaceae 169 (1995) Nat: N Korea, S Korea 애기기린초**

Sedum middendorffianum Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 116 (1859)

Sedum middendorffianum Maxim. var. *diffusum* Praeger, J. Roy. Hort. Soc. 46: 117, f. 596 (1921)

Sedum aizoon L. var. *middendorffianum* (Maxim.) Fröd., Acta Horti Gothob. 6: 80, pl. 47 (1931)

Sedum zokuriense Nakai, J. Jap. Bot. 15: 674 (1939)

Sedum lepidopodium Nakai, J. Jap. Bot. 16: 7 (1940)

***Phedimus selskianus* (Regel & Maack) 't Hart, Evol. Syst. Crassulaceae 169 (1995) Nat: N Korea, S Korea 털기린초**

Sedum selskianum Regel & Maack, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 66 (1861)

Sedum aizoon L. var. *selskianum* (Regel & Maack) Fröd., Acta Horti Gothob. 6: 80 (1930)

Rhodiola L.

***Rhodiola angusta* Nakai, Bot. Mag. (Tokyo) 28: 304 (1914) Nat: N Korea 좁은잎돌꽃**

Rhodiola ramosa Nakai, Bot. Mag. (Tokyo) 28: 304 (1914)

Sedum angustum (Nakai) Nemoto, Fl. Jap. Suppl. 378 (1936)

Sedum fenzelii Fröd., Acta Horti Gothob. 10: 156 (1936)

Rhodiola komarovii Boriss., Fl. URSS 9: 38 (1939)

Sedum komarovii (Boriss.) Y.C.Chu, Claves Pl. Chin. Bor.-Or. 124 (1959)

Sedum ohbae Kozhev., Bot. Zhurn. (Moscow & Leningrad) 74: 543 (1989)

Sedum Adans.

***Sedum aizoon* L., Sp. Pl. 430 (1753) Nat: N Korea, S Korea 가는기린초**

Sedum aizoon L. var. *latifolium* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 115 (1859)

Sedum maximowiczii Regel, Gartenflora 15: 355 (1866)

Sedum aizoon L. var. *latifolium* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 487 (1911)

Sedum austromanshuricum Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 1, Pl. Nov. Jehol. 26 (1934)

Sedum aizoon L. var. *ramosum* Uyeki & Sakata, Acta Phytotax. Geobot. 7: 16 (1938)

Sedum aizoon var. *austromanshuricum* (Nakai & Kitag.) Kitag., Lin. Fl. Manshur. 247 (1939)
Phedimus aizoon var. *latifolius* (Maxim.) H. Ohba & K. T. Fu & B. M. Barthol., Novon 10: 401 (2000)

***Sedum alfredii* Hance, J. Bot. 8(85): 7 (1870) Nat; N Korea, S Korea** 민말뚝비름
Sedum formosanum N.E.Br., Gard. Chron. 2, 25: 138 (1885)

***Sedum bulbiferum* Makino, Bot. Mag. (Tokyo) 17: 145 (1903) Nat; N Korea, S Korea**
말뚝비름
Sedum lineare Thunb. var. *floribundum* Miq., Prolus. Fl. Jap. 89 (1863)
Sedum subtile Miq. var. *obovatum* Franch. & Sav., Enum. Pl. Jap. 1: 161 (1873)
Sedum alfredii Hance var. *bulbiferum* (Makino) Fröd., Acta Horti Gothob. 6 App. 96 pl. 61: 3 (1931)
Sedum rosulato-bulbosum Koidz., Acta Phytotax. Geobot. 7: 192 (1938)

***Sedum japonicum* Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 156 (1865) Nat; N Korea, S Korea** 돌채송화
Sedum chrysastrum Hance, J. Bot. 8(85): 6 (1870)
Sedum latiovalifolium Y.N.Lee, Korean J. Pl. Taxon. 22: 8 (1992)

***Sedum kamschaticum* Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 7: 54 (1840) Nat; N Korea, S Korea** 기린초
Sedum sikokianum Maxim., Diagn. Pl. Nov. Asiat. 8: 1 (1893)
Sedum aizoon L. var. *floribundum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 487 (1911)
Sedum ellacombeum Praeger, J. Bot. 55: 41 (1917)
Sedum takesimense Nakai, Rep. Veg. Ooryongto 36 (1919)
Sedum eooacombianum Praeger, J. Roy. Hort. Soc. 46: 32 (1921)
Sedum aizoon L. subsp. *kamschaticum* (Fisch.) Fröd., Acta Horti Gothob. 6: 80 (1931)

***Sedum makinoi* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 32: 487 (1888) Nat; S Korea** 등근잎비름

***Sedum mexicanum* Britton, Bull. New York Bot. Gard. 1: 257 (1899) Int** 멕시코돌나물

***Sedum oryzifolium* Makino, Ill. Fl. Japan 50 (1891) Nat; N Korea, S Korea** 땅채송화
Sedum uniflorum subsp. *oryzifolium* (Makino) H. Ohba, J. Jap. Bot. 56: 184 (1981)

***Sedum polytrichoides* Hemsl., J. Linn. Soc., Bot. 23: 286 (1887) Nat; N Korea, S Korea**
바위채송화
Sedum yabeanum Makino, Bot. Mag. (Tokyo) 17: 10 (1903)

***Sedum roseum* (L.) Scop., Fl. Carniol., ed. 2 1: 326 (1772) Nat; N Korea** 바위돌꽃
Rhodiola rosea L., Sp. Pl. 1035 (1753)
Sedum rhodiola DC., Fl. Franc. (DC. & Lamarck), ed. 3 4: 386 (1805)
Sedum elongatum Ledeb., Fl. Altaic. 2: 193 (1830)
Rhodiola elongata (Ledeb.) Fisch. & C.A.Mey., Enum. Pl. Nov. 1: 68 (1841)
Sedum rhodiola DC. var. *vulgare* Regel & Tiling, Fl. Ajan. 89 (1858)
Sedum rhodiola DC. var. *elongatum* (Ledeb.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 11: 736 (1883)
Sedum roseum (L.) Scop. var. *elongatum* (Ledeb.) Praeger, J. Roy. Hort. Soc. 46: 32 (1921)
Rhodiola rosea L. var. *vulgare* (Regel) H. Hara, J. Jap. Bot. 13: 929 (1937)
Rhodiola tachiroei (Franch. & Sav.) Nakai, J. Jap. Bot. 14: 500 (1938)
Rhodiola hideoi Nakai, J. Jap. Bot. 14: 503 (1938)

Rhodiola maxima Nakai, J. Jap. Bot. 14: 496 (1938)
Rhodiola sachalinensis Boriss., Fl. URSS 9: 473 (1939)
Sedum sachalinense (Boriss.) Vorosch., Fl. Sovetsk. Da'n. Vost. 236 (1966)
Sedum roseum (L.) Scop. var. *oblongum* (Regel & Tiling) H.Hara, Herb. Pl. Kor. (Dicots) 203 (1974)

***Sedum sarmentosum* Bunge, Enum. Pl. Chin. Bor. 30 (1833) Nat: N Korea, S Korea 돌나물**
Sedum lineare Thunb. var. *contractum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 156 (1865)
Sedum shearerii S.Moore, J. Bot. 13: 227 (1875)
Sedum kouyangense H.Lév. & Vaniot, Fl. Kouy-Tcheou 118 (1914)

***Sedum tosaense* Makino, Bot. Mag. (Tokyo) 6: 52 (1892) Nat: S Korea 주걱비름**

***Sedum ussuriense* Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 170 (1916) Nat: S Korea 등근잎평의비름**
Hylotelephium ussuriense (Kom.) H.Ohba, Bot. Mag. (Tokyo) 90: 54 (1977)

CUCURBITACEAE

Actinostemma Griff.

***Actinostemma lobatum* (Maxim.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 175 (1875)**
Nat: N Korea, S Korea 뚜껍덩굴
Mitrosicyos lobata Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 112 (1859)
Mitrosicyos racemosa Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 112 (1859)
Actinostemma japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 188 (1867)
Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *japonicum* Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 175 (1875)
Actinostemma racemosum Maxim. ex Cogn., Monogr. Phan. 3: 922 (1881)
Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *palmatum* Makino, Bot. Mag. (Tokyo) 20: 26 (1906)
Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *subintegrum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 548 (1907)
Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *longilobum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 548 (1907)
Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. f. *subintegrum* (Kom.) Kitag., Neolin. Fl. Manshur. 598 (1979)

Benincasa Savi

***Benincasa hispida* (Thunb.) Cogn., Monogr. Phan. 3: 513 (1881) Int 동아**
Cucurbita hispida Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 38 (1783)
Benincasa cerifera Savi, Bibliot. Ital. (Milan) 9: 158 (1818)
Cucurbita farinosa Blume, Bijdr. Fl. Ned. Ind. 931 (1826)
Cucurbita villosa Blume, Bijdr. Fl. Ned. Ind. 931 (1826)
Cucurbita littoralis Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 190 (1844)
Gymnopetalum septemlobum Miq., Fl. Ned. Ind. 1: 679 (1856)
Lagenaria dadystemon Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 81 (1865)
Lagenaria leucantha Rusby var. *clavata* Makino, Ill. Fl. Nippon (Makino) 89, f. 265 (1940)
Lagenaria leucantha Rusby var. *hispida* (Thunb.) Nakai, J. Jap. Bot. 18: 24 (1942)

Lagenaria siceraria (Molina) Standl. var. *hispidia* (Thunb.) H.Hara, Bot. Mag. (Tokyo) 61: 5 (1948)

Citrullus Schrad. & Eckl. & Zeyh.

***Citrullus lanatus* (Thunb.) Matsum. & Nakai, Cat. Sem. Spor. [1915 & 1916 Lect.] 1916: 30 (1916) Int 수박**

Cucurbita citrullus L., Sp. Pl. 1010 (1753)
Citrullus battich Forssk., Fl. Aegypt.-Arab. 167 (1775)
Citrullus vulgaris Schrad., Enum. Pl. Afr. Austral. 279 (1836)
Cucumis vulgaris (Schrad.) E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 12: 246 (1904)
Citrullus auguria (Duchesne) H.Hara, Enum. Spermatophytarum Japon. 2: 77 (1952)

Cucumis L.

***Cucumis melo* L., Sp. Pl. 1011 (1753) Int 참외**

Cucumis dudaim L., Sp. Pl. 1011 (1753)
Cucumis melo L. var. *reticulatus* Ser., Prodr. (DC.) 3: 300 (1828)
Cucumis melo L. var. *conomon* (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 16 (1902)
Cucumis melo L. var. *makuwa* Makino, J. Jap. Bot. 5: 32 (1928)
Cucumis chinensis (Pangalo) Pangalo, Trudy Prikl. Bot. 23: 547 (1930)

***Cucumis sativus* L., Sp. Pl. 1012 (1753) Int 오이**

Cucurbita L.

***Cucurbita maxima* Duchesne, Essai Hist. Nat. Courges 7 (1786) Int 딱호박**

Cucurbita sulcata Blanco, Fl. Filip. 773 (1837)
Cucurbita pileiformis M.Roem., Fam. Nat. Syn. Monogr. 2: 86 (1846)
Cucurbita turbaniformis M.Roem., Fam. Nat. Syn. Monogr. 2: 87 (1846)
Cucurbita farinae Mozz. ex Naudin, Ann. Sci. Nat., Bot. IV, 6: 17 (1856)
Cucurbita rapallito Carrière, Rev. Hort. 44: 399 (1872)
Cucurbita zapallito Carrière, Rev. Hort. 44: 399 (1872)
Cucumis zapallito (Carrière) Carrière, Rev. Hort. 47: 298 (1875)

***Cucurbita moschata* Duchesne, Essai Hist. Nat. Courges 7 (1786) Int 호박**

Pepo eximius Sageret, Ann. Sci. Nat. (Paris) 8: 311 (1826)
Pepo macrocarpa Rich. ex Spach, Hist. Nat. Veg. (Spach) 6: 202 (1838)
Cucurbita hippopera Ser., Fl. Jard. 2: 531 (1847)
Cucurbita macrocarpa Gasp., Rendiconti Reale Accad. Sci. Fis. 6: 447 (1847)
Cucurbita moschata var. *toonas* Makino, Bot. Mag. (Tokyo) 36: 183 (1912)
Pepo moschata (Duchesne) Britton, Brooklyn Bot. Gard. Mem. 1: 96 (1918)
Cucurbita colombiana (Zhit.) Bukasov, Trudy Prikl. Bot. Suppl. 47: 531 (1930)

***Cucurbita pepo* L., Sp. Pl. 1010 (1753) Int 울호박**

Cucurbita melopepo L., Sp. Pl. 1010 (1753)
Cucurbita verrucosa L., Sp. Pl. 1010 (1753)
Cucurbita oblonga Link, Handbuch [Link] 1: 643 (1829)
Cucurbita elongata Bean ex Schrad., Linnaea 12: 407 (1838)
Cucumis zapallo Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 452 (1840)
Citrullus variegatus Schrad. ex M.Roem., Fam. Nat. Syn. Monogr. 2: 51 (1846)
Cucurbita pomiformis M.Roem., Fam. Nat. Syn. Monogr. 2: 85 (1846)
Cucurbita pepo L. var. *kintogwa* Makino, J. Jap. Bot. 8: 46 (1932)

Gynostemma Blume

***Gynostemma pentaphyllum* (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 179 (1902) Nat; S Korea 들외**

- Vitis pentaphylla* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 244 (1784)
Lotus uliginosus Schkuhr, Bot. Handb. 2: 412 (1796)
Gynostemma pedata Blume, Bijdr. Fl. Ned. Ind. 1: 23 (1825)
Gynostemma pedatum Blume, Bijdr. Fl. Ned. Ind. 23 (1825)
Enkylia digyna Griff., Account Bot. Coll. Cantor 27 (1837)
Enkylia trigyna Griff., Account Bot. Coll. Cantor 27 (1837)
Alsomitra cissoides M.Roem., Fam. Nat. Syn. Monogr. 2: 118 (1846)
Petalozzia pedata (Blume) Zoll. & Moritzi, Syst. Verz. (Moritzi et al.) 31 (1846)
Zanonia pedata (Blume) Miq., Fl. Ned. Ind. 1: 683 (1856)
Vitis quelpaertensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 351 (1911)
Gynostemma siamicum Craib, Bull. Misc. Inform. Kew 1918: 362 (1918)

Lagenaria Ser.

***Lagenaria siceraria* (Molina) Standl., Publ. Field Mus. Nat. Hist., Bot. Ser. 3: 435 (1930) Int 박**

- Cucurbita lagenaria* L., Sp. Pl. 1010 (1753)
Cucurbita siceraria Molina, Sag. Stor. Nat. Chili 133 (1782)
Cucurbita idololatrica Willd., Sp. Pl. (ed. 5; Willdenow) 4: 607 (1805)
Lagenaria vulgaris Ser., Mem. Soc. Phys. Geneve 3: 25 (1825)
Cucurbita vittata Blume, Bijdr. Fl. Ned. Ind. 932 (1826)
Lagerstroemia indica L. var. *alba* G.Nicholson, Ill. Dict. Gard. 2: 231 (1885)
Lagenaria leucantha Rusby, Mem. Torrey Bot. Club 6: 43 (1896)
Lagenaria leucantha Rusby var. *depressa* (Ser.) Makino, Ill. Fl. Nippon (Makino) 89 (1940)
Lagerstroemia indica L. f. *alba* (W.A.Nicholson) Rehder, Bibliogr. Cult. Trees 484 (1949)

Luffa Mill.

***Luffa cylindrica* (L.) M.Roem., Fam. Nat. Syn. Monogr. 2: 63 (1846) Int 수세미오이**

- Momordica cylindrica* L., Sp. Pl. 1009 (1753)
Luffa aegyptiaca Mill., Gard. Dict., ed. 8 0 (1768)
Luffa pentandra Roxb., Hort. Bengal. 70 (1814)
Luffa petola Ser., Prodr. (DC.) 3: 303 (1828)
Luffa leucosperma M.Roem., Fam. Nat. Syn. Monogr. 2: 63 (1846)
Luffa sylvestris Miq., Fl. Ned. Ind. 1: 666 (1856)
Luffa fricatoria Sessé & Moç., Fl. Mexic., ed. 2, 227 (1894)

Momordica L.

***Momordica charantia* L., Sp. Pl. 1009 (1753) Int 여주**

- Momordica indica* L., Herb. Amboin. (Linn.) 24 (1754)
Cucumis intermedius M.Roem., Fam. Nat. Syn. Monogr. 2: 80 (1846)
Momordica chinensis Spreng., Bull. Soc. Tosc. Ort. 18: 14 (1893)
Sicyos fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 10(243-247): 150 (1911)
Cucumis argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12(22): 8 (1916)

Schizopepon Maxim.

Schizopepon bryoniifolius Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 111 (1859) Nat: S Korea 산외

Schizopepon bryoniifolius Maxim. var. *japonicus* Cogn., Monogr. Phan. 3: 917 (1881)

Schizopepon bryoniifolius Maxim. var. *paniculatus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 550 (1907)

Sicyos L.

Sicyos angulatus L., Sp. Pl. 2: 1013 (1753) Int 가지박

Elaterium trifoliatum L., Mant. Pl. 1: 123 (1767)

Thladiantha Bunge

Thladiantha dubia Bunge, Enum. Pl. Chin. Bor. 29 (1833) Int 왕과

Trichosanthes L.

Trichosanthes kirilowii Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 482 (1859) Nat: N Korea, S Korea 하늘다리

Gymnopetalum japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 82 (1865)

Trichosanthes japonica Regel, Index Seminum [St.Petersburg (Petropolitanus)] 90 (1869)

Trichosanthes kirilowii Maxim. var. *japonica* Kitam., J. Jap. Bot. 19: 29 (1943)

DAPHNIPHYLLACEAE

Daphniphyllum Blume

Daphniphyllum macropodum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 129 (1867) Nat: S Korea 꿀거리나무

Daphniphyllum humile Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 488 (1878)

Daphniphyllum membranaceum Hayata, Icon. Pl. Formosan. 6: 41 (1916)

Daphniphyllum macropodum Miq. var. *viridipes* Nakai, Bot. Mag. (Tokyo) 36: 63 (1922)

Daphniphyllum marchandii (H.Lév.) Croizat & C.R.Metcalf, Lingnan Sci. J. 20: 117 (1941)

Daphniphyllum macropodum Miq. subsp. *humile* (Maxim. ex Franch. & Sav.) Hurus., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 217 (1954)

Daphniphyllum himalaense subsp. *macropodum* (Miq.) T.C.Huang, Taiwania 12: 212-218 (1966)

Daphniphyllum teijsmannii Zoll. ex Teijsm. & Binn., Natuurk. Tijdschr. Ned.-Indië 27: 52 (1864) Nat: S Korea 좁쌀거리

Daphniphyllum buergeri Müll.Arg., Prodr. (DC.) 16: 3 (1869)

Daphniphyllum roxburghii Baill. ex Rosenthal, Pflanzenr. (Engler) IV, 147a: 9 (1919)

Daphniphyllum amamiense Hurus., J. Jap. Bot. 18: 273 (1942)

Daphniphyllum teijsmannii Zoll. ex Teijsm. & Binn. var. *genuinum* Hurus., J. Jap. Bot. 18: 261 (1942)

DIAPENSIACEAE

Diapensia Hill

Diapensia lapponica L. var. *obovata* F.Schmidt, Reis. Amur-Land., Bot.161 (1868) Nat: N Korea, S Korea 돌매화나무

Diapensia japonica J.F.Gmel., Syst. Nat. ed. 13[bis] 1539 (1792)

Diapensia lapponica L. var. *asiatica* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 488 (1872)

Diapensia obovata (F.Schmidt) Nakai, Trees Shrubs Japan 1: 194 (1922)

Diapensia lapponica L. subsp. *obovata* (F.Schmidt) Hultén, Acta Univ. Lund. n.s. 44: 1265 (1948)

DIPSACACEAE

Dipsacus L.

Dipsacus japonicus Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 83 (1867) Nat: N Korea, S Korea 산토끼꽃

Dipsacus gmelinii Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 472 (1859)

Scabiosa L.

Scabiosa comosa Fisch. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 3: 84 (1818) Nat: N Korea, S Korea 솔채꽃

Scabiosa fischeri DC. var. *caerulea* f. *pubescens* Nakai, Bot. Mag. (Tokyo) 23: 54 (1909)

Scabiosa fischeri DC. var. *caerulea* f. *glabra* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 304 (1909)

Scabiosa tschiliensis Grüning, Repert. Spec. Nov. Regni Veg. 12: 311 (1913)

Scabiosa fischeri DC. var. *alpina* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 84 (1914)

Scabiosa japonica Miq. var. *acutiloba* Hara, J. Jap. Bot. 16: 161 (1940)

Scabiosa mansenensis Nakai f. *alpina* Nakai, J. Jap. Bot. 19: 272 (1942)

Scabiosa mansenensis Nakai f. *pinnata* Nakai, J. Jap. Bot. 19: 273 (1942)

Scabiosa mansenensis Nakai, J. Jap. Bot. 19: 270 (1943)

Scabiosa zuikoensis Nakai, J. Jap. Bot. 19: 274 (1943)

Scabiosa japonica Miq. subsp. *tschiliensis* (Grüning) Hurus., J. Jap. Bot. 16: 90 (1951)

Scabiosa japonica Miq. subsp. *tschiliensis* (Grüning) Hurus. var. *mansenensis* (Nakai) Hurus., J. Jap. Bot. 16: 90 (1951)

Scabiosa japonica Miq. subsp. *tschiliensis* f. *zuikoensis* (Nakai) Hurus., J. Jap. Bot. 16: 90 (1951)

Scabiosa tschiliensis Grüning f. *alpina* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1057 (1996)

Scabiosa tschiliensis Grüning f. *pinnata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1058 (1996)

Scabiosa tschiliensis Grüning f. *zuikoensis* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1058 (1996)

DROSERACEAE

Aldrovanda L.

- Aldrovanda vesiculosa L., Sp. Pl. 281 (1753)** Nat: N Korea 벌레먹이말
Aldrovanda verticillata Roxb., Fl. Ind. (Roxburgh) 2: 113 (1824)
Aldrovanda vesiculosa L. var. *duriaei* Casp., Bot. Zeitung (Berlin) 17: 142 (1859)
Aldrovanda vesiculosa L. var. *australis* Darwin, Insectiv. Pl. 328 (1876)
Aldrovanda vesiculosa L. var. *verticillata* (Roxb.) Darwin, Insectiv. Pl. 329 (1876)
Aldrovanda generalis E.H.L.Krause, Deutschl. Fl. (Sturm), ed. 2 4: 176 (1902)

Drosera L.

- Drosera anglica Huds., Fl. Angl. (Hudson) (ed. 2) 135 (1778)** Nat: N Korea, S Korea
긴잎끈끈이주걱

Drosera longifolia L., Sp. Pl. 282 (1753)
Rorella longifolia (L.) All., Fl. Pedem. 2: 88 (1785)
Drosera anglica Huds. var. *subuniflora* DC., Prodr. (DC.) 1: 318 (1824)
Adenopa anglica (Huds.) Raf., Fl. Tellur. 3: 37 (1837)

- Drosera peltata Thunb. var. nipponica (Masam.) Ohwi ex E.Walker, Fl. Okinawa S. Ryukyu I. 506 (1976)** Nat: N Korea, S Korea 끈끈이귀개

Drosera nipponica Masam., Trans. Nat. Hist. Soc. Taiwan 23: 207 (1933)

- Drosera rotundifolia L., Sp. Pl. 281 (1753)** Nat: N Korea, S Korea 끈끈이주걱

Rorella rotundifolia (L.) All., Fl. Pedem. 2: 88 (1785)
Rossolis rotundifolia (L.) Moench, Methodus (Moench) 57 (1794)

EBENACEAE

Diospyros L.

- Diospyros kaki Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 (1780)** Nat: S Korea 감나무

Embryopteris kaki (L.) G.Don, Gen. Hist. 4: 41 (1837)
Diospyros mazellii E.Morren, Belgique Hort. 24: 111 (1874)
Diospyros lycopersicon Carrière, Rev. Hort. 50: 470 (1878)
Diospyros wieseneri Carrière, Rev. Hort. 59: 83 (1887)
Diospyros argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12(22): 10 (1916)

- Diospyros lotus L., Sp. Pl. 2: 1057 (1753)** Nat: N Korea, S Korea 곶无忧나무

Dactylus trapezuntinus Forssk., Fl. Aegypt.-Arab. 36 (1775)
Diospyros kaki Thunb. var. *glabra* A.DC., Prodr. (DC.) 8: 229 (1844)
Diospyros kaki Thunb. f. *ellipsoidea* Makino, Bot. Mag. (Tokyo) 26: 397 (1912)
Diospyros kaki Thunb. f. *ovoidea* Makino, Bot. Mag. (Tokyo) 26: 397 (1912)
Diospyros kaki Thunb. f. *globosa* Makino, Bot. Mag. (Tokyo) 26: 396 (1912)
Diospyros lotus L. var. *glabra* (A.DC.) Makino, Bot. Mag. (Tokyo) 26: 396 (1912)

ELAEAGNACEAE

Elaeagnus L.

***Elaeagnus glabra* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 163 (1784) Nat: S**

Korea **보리장나무**

- Elaeagnus tenuiflora* Benth., Hooker's J. Bot. Kew Gard. Misc. 5: 197 (1853)
Elaeagnus glabra Thunb. subsp. *oxyphylla* Servett., Bull. Herb. Boissier ser.2, 8: 386 (1908)
Elaeagnus glabra Thunb. subsp. *euglabra* Servett., Bull. Herb. Boissier ser.2, 8: 386 (1908)
Elaeagnus glabra Thunb. subsp. *crassifolia* Servett., Beih. Bot. Centralbl. 2, 25: 75 (1909)
Elaeagnus glabra Thunb. var. *lanceolata* Nakai, Bot. Mag. (Tokyo) 32: 223 (1918)
Elaeagnus buisanensis Hayata, Icon. Pl. Formosan. 9: 87 (1920)
Elaeagnus daibuensis Hayata, Icon. Pl. Formosan. 9: 88 (1920)
Elaeagnus oiwakensis Hayata, Icon. Pl. Formosan. 9: 92 (1920)
Elaeagnus paucilepidota Hayata, Icon. Pl. Formosan. 9: 92 (1920)
Elaeagnus glabra Thunb. var. *oxyphylla* (Servett.) Nakai, Fl. Sylv. Kor. 17: 15 (1928)
Elaeagnus glabra Thunb. f. *oxyphylla* (Servett.) W.T.Lee, Lineamenta Florae Koreae 714 (1996)

***Elaeagnus macrophylla* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 164 (1784) Nat: S Korea**

Korea **보리밭나무**

- Elaeagnus kotoensis* Hayata, Icon. Pl. Formosan. 9: 90 (1920)

Elaeagnus multiflora* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 163 (1784) Int **뜰보리수*

- Elaeagnus longipes* A.Gray, Mem. Amer. Acad. Arts 6: 405 (1859)
Elaeagnus edulis Carrière, Rev. Hort. 300 (1869)
Elaeagnus longipes A.Gray var. *hortensis* (M.Bieb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 378 (1871)
Elaeagnus longipes A.Gray var. *multiflora* (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 378 (1871)
Elaeagnus kologa Salomon, Gartenflora 28: 11 (1879)
Elaeagnus multiflora Thunb. subsp. *eumultiflora* var. *hortensis* Servett., Beih. Bot. Centralbl. 2: 59 (1909)
Elaeagnus multiflora Thunb. subsp. *eumultiflora* var. *parvifolia* Servett., Beih. Bot. Centralbl. 2, 25: 62 (1909)
Elaeagnus multiflora Thunb. var. *edulis* C.K.Schneid., Ill. Handb. Laubholz. 2: 412 (1909)
Elaeagnus multiflora Thunb. f. *angustata* Rehder, Pl. Wilson. 2: 413 (1915)
Elaeagnus multiflora Thunb. var. *angustifolia* (Nakai) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 788 (1931)

***Elaeagnus umbellata* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 164 (1784) Nat: N Korea, S**

Korea **보리수나무**

- Elaeagnus crispa* Thunb., Fl. Jap. (Thunberg) 66 (1784)
Elaeagnus parvifolia Wall. ex Royle, Ill. Bot. Himal. Mts. 323 (1836)
Elaeagnus salicifolia Don ex Loudon, Arbor. Frutic. Brit. 3: 1324 (1838)
Elaeagnus umbellata Thunb. subsp. *umbellata* Servett., Bull. Herb. Boissier ser.2, 8: 383 (1908)
Elaeagnus umbellata Thunb. subsp. *parvifolia* Servett., Bull. Herb. Boissier ser.2, 8: 383 (1908)
Elaeagnus umbellata Thunb. subsp. *umbellata* var. *crassifolia* Servett., Beih. Bot. Centralbl. 2: 53 (1909)
Elaeagnus umbellata Thunb. subsp. *umbellata* var. *cylindrica* Servett., Beih. Bot.

Centralbl. 2: 53 (1909)

Elaeagnus umbellata Thunb. subsp. *umbellata* var. *globosa* Servett., Beih. Bot. Centralbl. 2: 53 (1909)

Elaeagnus umbellata Thunb. var. *parvifolia* (Royle) C.K.Schneid., Ill. Handb. Laubholz. 2: 411 (1909)

Elaeagnus umbellata Thunb. subsp. *parvifolia* var. *genuina* Servett., Beih. Bot. Centralbl. 2: 56 (1909)

Elaeagnus argyi H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 (1913)

Elaeagnus coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 (1913)

Elaeagnus coreana H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 (1913)

Elaeagnus umbellata Thunb. var. *coreana* (H.Lév.) H.Lév., Cat. Pl. Yun-Nan 83 (1915)

Elaeagnus crispa Thunb. var. *coreana* (H.Lév.) Nakai, Fl. Sylv. Kor. 17: 12 (1928)

Elaeagnus crispa Thunb. var. *parvifolia* (Servett.) Nakai, Fl. Sylv. Kor. 17: 11 (1928)

Elaeagnus crispa Thunb. var. *subcoriacea* Nakai & Masam., Bot. Mag. (Tokyo) 43: 443 (1929)

Elaeagnus crispa Thunb. var. *longicarpa* Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 (1934)

Elaeagnus crispa Thunb. var. *praematura* Koidz., Acta Phytotax. Geobot. 8: 191 (1939)

Elaeagnus umbellata Thunb. var. *borealis* Ohwi, Fl. Jap. (Ohwi) 806 (1953)

Elaeagnus umbellata Thunb. var. *longicarpa* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 319 (1966)

Elaeagnus umbellata Thunb. var. *praematura* (Koidz.) T.B.Lee, Ill. Woody Pl. Korea 319 (1966)

***Elaeagnus x maritima* Koidz., Bot. Mag. (Tokyo) 31: 133 (1917) Int 녹보리뚱나무**

Elaeagnus liukuensis Rehder, J. Arnold Arbor. 1: 181 (1920)

***Elaeagnus x submacrophylla* Servett., Beih. Bot. Centralbl. 25: 84 (1909) Nat: S Korea**

큰보리장나무

Elaeagnus hisauchii Makino ex Nakai, Bot. Mag. (Tokyo) 32: 223 (1918)

Elaeagnus x nikaii Nakai, Bot. Mag. (Tokyo) 32: 224 (1918)

ELAEOCARPACEAE

Elaeocarpus L.

***Elaeocarpus sylvestris* (Lour.) Poir., Encycl. (Lamarck) Suppl. 2 704 (1812) Nat: S Korea**

담팔수

Prunus elliptica Thunb., Fl. Jap. (Thunberg) 199 (1784)

Adenodus sylvestris Lour., Fl. Cochinch. 294 (1790)

Cerasus elliptica (Thunb.) Loisel., Traité Arbr. Arbust. (Duhamel), nouv. éd. 5: 4 (1812)

Elaeocarpus japonicus Turcz., Bull. Soc. Imp. Naturalistes Moscou 19: 492 (1846)

Elaeocarpus zollingeri K.Koch, Hort. Dendrol. 49 (1853)

Elaeocarpus decipiens Hemsl. ex F.B.Forbes & Hemsl., J. Linn. Soc., Bot. 23: 94 (1886)

Elaeocarpus ellipticus (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 67 (1904)

Elaeocarpus omeiensis Rehder & E.H.Wilson, Pl. Wilson. 2(2): 360 (1915)

Elaeocarpus elliptica (Thunb.) Nakai, Bot. Mag. (Tokyo) 32: 221 (1918)

Elaeocarpus makinoi Kaneh. ex Hatus., Exp. Forest. Kyushu Imp. Univ. 3: 119 (1933)

Elaeocarpus sylvestris (Lour.) Poir. var. *ellipticus* (Thunb.) H.Hara, J. Jap. Bot. 26: 93 (1951)

ELATINACEAE

Elatine L.

***Elatine ambigua* Wight, Bot. Misc. 2: 103 (1831) Nat: S Korea 물별**

Elatine triandra Schkuhr var. *pedicellata* Krylov, Fl. Altai Gov. Tomsk 1: 181 (1901)

***Elatine triandra* Schkuhr, Bot. Handb. 1: 345 (1791) Nat: N Korea, S Korea 물벼룩이자리**

Alsinastrum triandrum (Schkuhr) Rupr., Fl. Ingr. [Ruprecht] 197 (1860)

Potamoipitys triandra (Schkuhr) Kuntze, Revis. Gen. Pl. 1: 58 (1891)

Elatine orientalis Makino, Bot. Mag. (Tokyo) 12: 196 (1898)

Elatine triandra Schkuhr var. *orientalis* (Makino) Makino, J. Jap. Bot. 5: 17 (1928)

Elatine oryzetorum Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 206 (1931)

ERICACEAE

Andromeda L.

***Andromeda polifolia* L., Sp. Pl. 393 (1753) Nat: N Korea 장지석남**

Andromeda polifolia L. var. *latifolia* Pall., Fl. Ross. (Pallas) 1 (1789)

Andromeda polifolia L. var. *angustifolia* Aiton, Hortus Kew. 2: 68 (1789)

Andromeda polifolia L. var. *media* Aiton, Hortus Kew. 2: 68 (1789)

Andromeda rosmarinifolia Pursh, Fl. Amer. Sept. (Pursh) 1: 291 (1813)

Andromeda glaucifolia Wender., Index Sem. (Marburg) 1: 2 (1827)

Andromeda polifolia L. var. *grandiflora* G.Lodd., Bot. Cab. 18: t. 1714 (1831)

Andromeda polifolia L. var. *minima* G.Don, Gen. Hist. 3: 829 (1834)

Andromeda polifolia L. var. *subulata* G.Don, Gen. Hist. 3: 829 (1834)

Andromeda grandiflora Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 88 (1840)

Andromeda polifolia L. f. *acerosa* C.Hartm., Handb. Skand. Fl., ed. 11 : 319 (1879)

Andromeda polifolia L. f. *humilisgracilis* Kurz, Bot. Jahrb. Syst. 19: 396 (1894)

Andromeda polifolia L. var. *pusilla* Pall. ex E.A.Busch, Fl. Sibir. Orient. Extremi 2: 74 (1915)

Polifolia montana (Oeder) Nakai var. *latifolia* (Aiton) Nakai, Trees Shrubs Japan 1: 155 (1922)

Andromeda myrifica A.Pabrez ex Hryn., Arch. Nauk Biol. Towarz. Nauk. Warszawsk. 4: 53 (1933)

Arctous Nied.

***Arctous ruber* (Rehder & E.H.Wilson) Nakai, Trees Shrubs Japan 1: 156 (1922) Nat: N Korea 홍월갈**

Arctous alpinus var. *ruber* Rehder & E.H.Wilson, Pl. Wilson. 1: 556 (1913)

Arctostaphylos rubra (Rehder & E.H.Wilson) Fernald, Rhodora 16: 32 (1914)

Arctostaphylos alpina (L.) Spreng. subsp. *rubra* (Rehder & E.H.Wilson) Hultén, Fl.

Alaska Yukon 8: 1245 (1948)

Chamaedaphne

***Chamaedaphne calyculata* (L.) Moench, Methodus (Moench) 457 (1794) Nat: N Korea 진퍼리꽃나무**

Andromeda calyculata L., Sp. Pl. 394 (1753)

Andromeda calyculata L. var. *ventricosa* Aiton, Hortus Kew. 2: 70 (1789)

Lyonia calyculata (L.) Rchb., Fl. Germ. Excurs. 414 (1831)

Cassandra calyculata (L.) D.Don, Edinburgh New Philos. J. 17: 158 (1834)

Chimaphila Pursh

Chimaphila japonica Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 165 (1866) Nat: N Korea, S Korea 매화노루발

Chimaphila astyla Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* III 11: 434 (1867)
Chimaphila fukuyamai Masam., *Trans. Nat. Hist. Soc. Taiwan* 23: 206 (1933)

Empetrum L.

Empetrum nigrum L., *Sp. Pl.* 1022 (1753) Nat: N Korea, S Korea 시로미

Empetrum procumbens Gilib., *Excerc. Phyt.* 2: 393 (1792)
Empetrum nigrum L. var. *japonicum* Siebold & Zucc. ex K.Koch, *Hort. Dendrol.* 89 (1853)
Empetrum nigrum L. f. *japonicum* Good, *J. Linn. Soc., Bot.* 47: 515 & 518 (1927)
Empetrum nigrum L. var. *asiaticum* Nakai ex H.Itô, *Bot. Mag. (Tokyo)* 47: 895 (1933)
Empetrum asiaticum Nakai, *Fl. Sylv. Kor.* 21: 110 (1936)
Empetrum albicarpha Sugaw., *Pl. Saghal.* 1: 226 (1937)
Empetrum nigrum L. var. *japonicum* f. *albicarphum* (Sugaw.) Honda, *Nom. Pl. Japonic.* 194 (1939)
Empetrum sibiricum V.N.Vassil., *Ref. Naucno-Issl. Rabot, Otd. Biol. Nauk* 1945: 3 (1946)
Empetrum pubescens V.N.Vassil., *Ref. Naucno-Issl. Rabot, Otd. Biol. Nauk* 1945: 3 (1947)
Empetrum stenopetalum V.N.Vassil., *Ref. Naucno-Issl. Rabot, Otd. Biol. Nauk* 1945: 4 (1947)
Empetrum nigrum L. subsp. *asiaticum* (Nakai) Kuvaev, *Bot. Zhurn. (Moscow & Leningrad)* 81(10): 113 (1996)

Enkianthus Lour.

Enkianthus campanulatus (Miq.) G.Nicholson, *Ill. Dict. Gard.* 1: 510 (1885) Int 등대꽃

Andromeda campanulata Miq., *Ann. Mus. Bot. Lugduno-Batavi* 1: 31 (1863)
Enkianthus latiflorus Craib, *Notes Roy. Bot. Gard. Edinburgh* 11: 156 (1919)
Enkianthus pallidiflorus Craib, *Notes Roy. Bot. Gard. Edinburgh* 11: 157 (1919)
Enkianthus tectus Craib, *Notes Roy. Bot. Gard. Edinburgh* 11: 161 (1919)
Meisteria campanulata Nakai, *Trees Shrubs Japan* 137 (1922)

Moneses Salisb. ex Gray

Moneses uniflora (L.) A.Gray, *Manual (Gray)* 273 (1848) Nat: N Korea 홀꽃노루발

Pyrola uniflora L., *Sp. Pl.* 397 (1753)
Moneses reticulata Nutt., *Trans. Amer. Philos. Soc. n.s.* 8: 271 (1843)
Chimaphila rhombifolia Hayata, *Icon. Pl. Formosan.* 2: 119 (1912)
Monanthium reticulatum (Nutt.) House, *Amer. Midl. Naturalist* 6: 206 (1920)
Monanthium uniflorum (L.) House, *Amer. Midl. Naturalist* 6: 206 (1920)
Pyrola uniflora L. var. *reticulata* (Nutt.) H.St.John, *Madroño* 3: 221 (1936)

Monotropa L.

Monotropa hypopithys L., *Sp. Pl.* 357 (1753) Nat: N Korea, S Korea 구상난풀

Hypopitys lanuginosa (Michx.) Raf., *Med. Repos. ser.* 3, 1: 297 (1810)
Hypopitys glabra DC., *Prodr. (DC.)* 7: 780 (1839)
Monotropa squamiformis Dulac, *Fl. Hautes-Pyrénées* 421 (1867)
Monotropa fimbriata A.Gray, *Proc. Amer. Acad. Arts* 8: 629 (1873)
Monotropa hypopithys L. var. *japonica* Franch. & Sav., *Enum. Pl. Jap.* 2: 428 (1876)
Monotropa chinensis Koidz., *Fl. Symb. Orient.-Asiat.* 28 (1930)

Monotropa hypopithys L. var. *glaberrima* H.Hara, J. Jap. Bot. 14: 427 (1938)
Monotropa hypopithys L. subsp. *lanuginosa* (Michx.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 348 (1956)
Monotropa taiwaniana S.S.Ying, Quart. J. Chin. Forest. 9: 126 (1976)
Monotropa hypopithys L. f. *atricha* (Domin) Kitag., Neolin. Fl. Manshur. 494 (1979)

***Monotropa uniflora* L., Sp. Pl. 387 (1753) Nat: N Korea, S Korea 수정난풀**

Monotropa morisoni Pers., Syn. Pl. (Persoon) 1: 469 (1805)
Monotropa coccinea Zucc., Flora 15 (2 Beibl.): 100 (1832)
Monotropa uniflora L. subsp. *coccinea* (Zucc.) Andres, Verh. Bot. Vereins Prov. Brandenburg 52: 94 (1910)
Monotropa uniflora L. var. *australis* (Andres) Domin, Sitzungsber. Königl. Böhm. Ges. Wiss. Prag, Math.-Naturwiss. Cl. 1915: 6 (1915)
Monotropa brittonii Small, J. New York Bot. Gard. 28(325): 7 (1927)

Monotropastrum Andres & Hand.-Mazz.

***Monotropastrum humile* (D.Don) H.Hara, J. Jap. Bot. 36: 78 (1961) Nat: N Korea, S Korea 나도수경초**

Monotropa humile D.Don, Prodr. Fl. Nepal. 151 (1825)
Monotropa uniflora L. var. *pentapetala* Makino, J. Jap. Bot. 3: 28 (1926)
Monotropa uniflora L. var. *pentadactyla* Makino, J. Jap. Bot. 3: 28 (1926)
Monotropastrum macrocarpum Andres, Notizbl. Bot. Gart. Berlin-Dahlem 12: 698 (1935)
Monotropastrum globosum Andres ex H.Hara, J. Jap. Bot. 14: 426 (1938)
Monotropastrum clarkei Andres, Bot. Jahrb. Syst. 76: 105 (1955)
Monotropastrum globosum Andres ex H.Hara var. *pentapetalum* (Makino) Honda, Nom. Pl. Japonic. [Emend.] 185 (1957)
Monotropastrum humile (D.Don) H.Hara var. *glaberrimum* H.Hara, J. Jap. Bot. 40: 101 (1965)
Cheilothea humilis var. *pubescens* (K.F.Wu) C.Ling, Fl. Zhejiang 5: 5 (1989)

Orthilia Raf.

***Orthilia secunda* (L.) House, Amer. Midl. Naturalist 7(4-5) : 134 (1921) Nat: N Korea 새끼노루발**

Pyrola secunda L., Sp. Pl. 396 (1753)
Orthilia parvifolia Raf., Autik. Bot. 104 (1840)
Pyrola secunda L. var. *vulgaris* Turcz., Fl. Baical.-dahur. 2: 213 (1846)
Ramischia secundiflora Opiz, Seznam 82 (1852)
Actinocyclus secundus (L.) Klotzsch, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1857: 14 (1857)
Ramischia secunda (L.) Garcke, Fl. N. Mitt.-Deutschland, ed. 4 2: 222 (1858)
Orthilia elatior (Lange) House, Amer. Midl. Naturalist 7(4-5) : 134 (1921)

Phyllodoce Salisb.

***Phyllodoce caerulea* (L.) Bab., Man. Brit. Bot. 194 (1843) Nat: N Korea 가솔송**

Andromeda caerulea L., Sp. Pl. 393 (1753)
Erica caerulea (L.) Willd., Sp. Pl. (ed. 5; Willdenow) 2: 393 (1799)
Erica arctica Waitz, Besch. Gatt. Art. Heid. 1: 189 (1805)
Phyllodoce taxifolia Salisb., Parad. Lond. t. 36 (1806)
Menziesia caerulea (L.) Sw., Trans. Linn. Soc. London 10: 377 (1811)
Menziesia taxifolia (Salisb.) Robbins ex Wood, Class-book Bot. (ed. 10) 373 (1849)
Bryanthus taxifolius (Wood) Gray, Proc. Amer. Acad. Arts 7: 368 (1868)

Phyllodoce taxifolia Salisb. var. *genuina* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 336 (1872)
Bryanthus caeruleus (L.) Dippel, Handb. Laubholz. 1: 385 (1889)
Phyllodoce caerulea (L.) Bab. f. *albida* Uyeki, Rimtzang 10: 35 (1939)

Pyrola L.

***Pyrola asarifolia* Michx. subsp. *incarnata* (DC.) Haber & Hir.Takah., Bot. Mag. (Tokyo)**

101: 492 (1988) Nat: N Korea 분홍노루발

Pyrola rotundifolia L. var. *incarnata* DC., Prodr. (DC.) 7: 773 (1839)
Pyrola asarifolia Michx. var. *incarnata* (DC.) Fernald, Rhodora 6: 178 (1904)
Pyrola incarnata (DC.) Fisch. ex Kom., Trudy Glavn. Bot. Sada 5: 195 (1907)
Pyrola rotundifolia L. subsp. *incarnata* (DC.) Krylov, Fl. Zapadnoi Sibiri 9: 2097 (1937)

***Pyrola dahurica* (Andres) Kom., Trudy Glavn. Bot. Sada 39: 36 (1923)** Nat: N Korea

호노루발

Pyrola americana Sweet var. *dahurica* Andres, Deutsche Bot. Monatsschr. 22: 50 (1911)
Pyrola rotundifolia L. subsp. *dahurica* (Andres) Andres, Oesterr. Bot. Z. 64: 233 (1914)
Pyrola incarnata (DC.) Fisch. ex Kom. subsp. *dahurica* (Andres) Krša, Novit. Bot. Univ. Carol. 31 (1967)

***Pyrola japonica* Klenze ex Alef., Linnaea 28: 57 (1856)** Nat: N Korea, S Korea 노루발

Pyrola subaphylla Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 11: 433 (1867)
Pyrola rotundifolia L. var. *albiflora* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 52 (1872)
Pyrola rotundifolia L. var. *incarnata* f. *subaphylla* (Maxim.) Makino, Bot. Mag. (Tokyo) 27: 24 (1913)
Pyrola japonica Klenze ex Alef. var. *subaphylla* (Maxim.) Andres, Oesterr. Bot. Z. 64: 245 (1914)
Pyrola incarnata (DC.) Fisch. ex Kom. var. *japonica* (Klenze ex Alef.) Koidz., Fl. Symb. Orient.-Asiat. 74 (1930)
Pyrola japonica Klenze ex Alef. f. *subaphylla* (Maxim.) Ohwi, Fl. Jap. (Ohwi) 875 (1953)

***Pyrola minor* L., Sp. Pl. 396 (1753)** Nat: N Korea 주걱노루발

Pyrola minor L. var. *conferta* Cham. & Schltl., Linnaea 1: 514 (1826)
Pyrola conferta Fisch. ex Ledeb., Fl. Ross. (Ledeb.) 2(2, 7): 930 (1846)

***Pyrola renifolia* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 190 (1859)**

Nat: N Korea 콩팥노루발

Pyrola soldanellifolia Andres, Deutsche Bot. Monatsschr. 22: 18 (1910)

Rhododendron L.

***Rhododendron aureum* Georgi, Reise Russ. Reich. 1: 214 (1775)** Nat: N Korea, S Korea

노랑만병초

Rhododendron chrysanthum Pall., Reise Russ. Reich. 3: 729 (1776)
Rhododendron officinale Salisb., Parad. Lond. 80 (1807)
Azalea chrysanthum (Pall.) Kuntze, Revis. Gen. Pl. 2: 387 (1891)

***Rhododendron brachycarpum* D.Don ex G.Don, Gen. Hist. 3: 843 (1834)** Nat: N Korea, S

Korea 만병초

Rhododendron brachycarpum D.Don ex G.Don var. *roseum* Koidz., Bot. Mag. (Tokyo) 30: 77 (1916)

Rhododendron brachycarpum D.Don ex G.Don subsp. *tigerstedtii* Nitz., Deutsche Baumschule 7: 207 (1970)

Rhododendron brachycarpum D.Don ex G.Don var. *tigerstedtii* (Nitz.) Davidian, Rhododendron Sp. vol. 3. 157 (1992)

***Rhododendron dauricum* L., Sp. Pl. 392 (1753) Nat; N Korea, S Korea 산진달래**

Rhododendron dauricum L. var. *roseum* DC., Prodr. (DC.) 7: 757 (1839)

Azalea dahurica (L.) K.Koch, Dendrologie 3 (1872)

***Rhododendron indicum* (L.) Sweet, Hort. Brit. (Sweet) (ed. 2) 343 (1830) Int 영산홍**

Azalea indica L., Sp. Pl. 150 (1753)

***Rhododendron lapponicum* (L.) Wahlenb., Fl. Lapp. (Wahlenberg) 104 (1812) Nat; N Korea 황산차**

Rhododendron parvifolium Adams, Nouv. Mem. Soc. Imp. Naturalistes Moscou 9: 237 (1834)

Rhododendron palustre Turcz. ex DC., Prodr. (DC.) 7: 724 (1839)

Rhododendron parvifolium Adams f. *albiflorum* Herder ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 16(9): 17 (1870)

Rhododendron parvifolium Adams f. *alpinum* Glehn, Trudy Imp. S.-Peterburgsk. Bot. Sada 4: 66 (1876)

Azalea parvifolia (Adams) Kuntze, Revis. Gen. Pl. 2: 387 (1891)

Rhododendron parvifolium Adams var. *alpinum* (Glehn) N.Busch, Fl. Sibir. Orient. Extremi 2: 22 (1915)

Rhododendron confertifolium Nakai, Bot. Mag. (Tokyo) 31: 239 (1917)

Rhododendron lapponicum (L.) Wahlenb. subsp. *albiflorum* (Herder ex Maxim.)

T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 (1996)

Rhododendron lapponicum (L.) Wahlenb. var. *alpinum* (Glehn) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 (1996)

Rhododendron lapponicum (L.) Wahlenb. var. *parvifolium* (Adams) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 (1996)

Rhododendron lapponicum (L.) Wahlenb. subsp. *parvifolium* f. *albiflorum* (Herder ex Maxim.) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 (1996)

Rhododendron lapponicum (L.) Wahlenb. subsp. *parvifolium* var. *alpinu* (Glehn)

T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 (1996)

Rhododendron lapponicum (L.) Wahlenb. subsp. *parvifolium* var. *parvifolium* (Adams)

T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 (1996)

***Rhododendron micranthum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 155 (1837) Nat; N Korea, S Korea 꼬리진달래**

***Rhododendron mucronulatum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 155 (1837) Nat; N Korea, S Korea 진달래**

Rhododendron dauricum L. var. *mucronulatum* (Turcz.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 16(9): 44 (1870)

Rhododendron mucronulatum Turcz. var. *albiflorum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 76 (1911)

Rhododendron taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 (1913)

Rhododendron mucronulatum Turcz. var. *taquetii* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 71 (1914)

Rhododendron mucronulatum Turcz. var. *ciliatum* Nakai, Bot. Mag. (Tokyo) 31: 241 (1917)

Rhododendron mucronulatum Turcz. var. *latifolium* Nakai, Bot. Mag. (Tokyo) 36: 70 (1922)

Rhododendron mucronulatum Turcz. var. *acuminatum* Hutchison, Sp. Rhodod. 227 (1930)

Rhododendron mucronulatum Turcz. var. *lucidum* Nakai, J. Jap. Bot. 19: 375 (1942)
Rhododendron mucronulatum Turcz. f. *albiflorum* (Nakai) Okuy., J. Jap. Bot. 30: 43 (1955)

***Rhododendron redowskianum* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 189 (1859) Nat: N Korea 썸참꽃**

Azalea redowskiana (Makino) Kuntze, Revis. Gen. Pl. 2: 387 (1891)
Therorhodion redowskianum (Maxim.) Hutch., Bull. Misc. Inform. Kew 1921: 204 (1921)
Rhododendron saisiuense Nakai, Bot. Mag. (Tokyo) 49: 587 (1935)

***Rhododendron schlippenbachii* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 226 (1871) Nat: N Korea, S Korea 철쭉꽃**

Azalea schlippenbachii (Maxim.) Kuntze, Revis. Gen. Pl. 2: 387 (1891)

***Rhododendron simsii* Planch., Fl. Serres Jard. Eur. 9: 78 (1853) Int 대만철쭉**

Rhododendron decumbens D.Don ex G.Don, Gen. Hist. 3: 846 (1834)
Rhododendron macranthum (Bunge) G.Don, Gen. Hist. 3: 846 (1834)
Rhododendron breynii Planch., Fl. Serres Jard. Eur. 9: 79 (1853)
Rhododendron lateritium Planch., Fl. Serres Jard. Eur. 9: 80 (1853)
Rhododendron hannoense Nakai, Bot. Mag. (Tokyo) 29: 261 (1915)

***Rhododendron tomentosum* Harmaja, Ann. Bot. Fenn. 27: 204 (1990) Nat: N Korea 백산차**

Ledum groenlandicum Oeder, Fl. Dan. 4(10): 5 (1771)
Ledum palustre L. var. *decumbens* Aiton, Hortus Kew. 2: 65 (1789)
Ledum latifolium Jacq., Collectanea [Jacquin] 2: 308 (1789)
Ledum palustre L. var. *latifolium* Michx., Fl. Bor.-Amer. (Michaux) 1: 259 (1803)
Ledum canadense Lodd., Bot. Cab. 11: 1049 (1825)
Ledum palustre L. var. *angustifolium* Hook., Fl. Bor.-Amer. (Hooker) 2: 44 (1834)
Ledum decumbens (Aiton) Lodd. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 20 (1841)
Ledum palustre L. f. *pavifolia* Maack, Vilyuisk. Okruge Fakutsk. Obl. 2: 283 (1886)
Ledum palustre L. var. *groenlandicum* (Oeder) Rosenv., Meddel. Gronland 40971: 692 (1892)
Ledum pacificum Small, N. Amer. Fl. 29: 37 (1914)
Ledum palustre L. var. *angustum* E.A.Busch, Fl. Sibir. Orient. Extremi 2: 8 (1915)
Ledum hypoleucum Kom., Izv. Imp. S.-Peterburgsk. Bot. Sada 16: 175 (1916)
Ledum palustre var. *maximum* Nakai, Bot. Mag. (Tokyo) 31: 102 (1917)
Ledum palustre L. var. *diversipilosum* Nakai, Bot. Mag. (Tokyo) 31: 102 (1917)
Ledum palustre L. var. *nipponicum* Nakai, Trees Shrubs Japan ed. 1: 12 (1922)
Ledum palustre L. var. *yesoense* Nakai, Trees Shrubs Japan ed. 1: 13 (1922)
Ledum palustre L. var. *dilatatum* Wahlenb., Trees Shrubs Japan 1: 14 (1922)
Ledum palustre L. f. *diversipilosum* (Nakai) Makino & Tanaka, Man. Fl. Nippon 421 (1927)
Ledum palustre L. f. *yesoense* (Nakai) Makino & Tanaka, Man. Fl. Nippon 421 (1927)
Ledum palustre L. var. *minus* Nakai, Trees Shrubs Japan, Revis. Ed. 1: 19 (1927)
Ledum palustre L. subsp. *decumbens* (Aiton) Hultén, Fl. Kamtschatka 4: 8 (1930)
Ledum palustre L. subsp. *groenlandicum* (Oeder) Hultén, Fl. Alaska Yukon 8: 1219 (1948)
Ledum macrophyllum Tolm., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 15: 203 (1953)
Ledum palustre L. subsp. *diversipilosum* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 351 (1956)
Ledum palustre L. subsp. *diversipilosum* var. *macrophyllum* (Tolm.) Kitag., Neolin. Fl. Manshur. 498 (1979)
Ledum palustre L. f. *decumbens* (Aiton) Y.L.Chou & S.L.Tung, Ligneous Fl. Heilongjiang 486 (1986)

***Rhododendron tschonoskii* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 15: 230 (1871)**

Nat: S Korea 흰참꽃

Azalea tschonoskii (Maxim.) Kuntze, Revis. Gen. Pl. 2: 387 (1891)

Rhododendron trinerve Franch. ex H.Boissieu, Bull. Herb. Boissier 5: 920 (1897)

Rhododendron tschonoskii Maxim. var. *trinerve* (Franch. ex Boissieu) Makino, Bot. Mag. (Tokyo) 18: 66 (1904)

Rhododendron tschonoskii Maxim. f. *tetramerum* (Makino) Rehder, Bibliogr. Cult. Trees 514 (1949)

Rhododendron tschonoskii Maxim. subsp. *trinerve* (Franch. & Boiss.) Kitam., Col. III. Woody Pl. Jap. 1: 68 (1971)

***Rhododendron weyrichii* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 16(9): 26, t. 2, f.106 (1870)** Nat: S Korea 참꽃나무

Azalea weyrichii (Maxim.) Kuntze, Revis. Gen. Pl. 2: 387 (1891)

Rhododendron shikokianum Makino, Bot. Mag. (Tokyo) 6: 53 (1892)

Rhododendron weyrichii Maxim. var. *psilostylum* Nakai, Bot. Mag. (Tokyo) 40: 487 (1926)

Rhododendron shikokianum Makino var. *nudistemon* Koidz., Acta Phytotax. Geobot. 7: 122 (1938)

***Rhododendron yedoense* Maxim., Gartenflora 35: 565, t. 1233 a & b (1886)** Nat: N Korea, S Korea 접산철쭉

Rhododendron yedoense* Maxim. f. *yedoense

***Rhododendron yedoense* Maxim. f. *poukhanense* (H.Lév.) Sugim. ex T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 44 (1996)** Nat: N Korea, S Korea 산철쭉

Rhododendron poukhanense H.Lév., Repert. Spec. Nov. Regni Veg. 5: 100 (1908)

Rhododendron coreanum Rehder, Mitt. Deutsch. Dendrol. Ges. 22: 259 (1913)

Rhododendron hallaisanense H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 (1913)

Rhododendron poukhanense H.Lév. var. *plenum* Nakai, Bot. Mag. (Tokyo) 31: 245 (1917)

Rhododendron matsumurae Komatsu, Bot. Mag. (Tokyo) 32: 13 (1918)

Rhododendron yedoense Maxim. var. *poukhanense* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 34: 274 (1920)

Rhododendron yedoense Maxim. f. *albiflora* H.T.Chang, Seikyū 32: 80 (1938)

Rhododendron yedoense Maxim. var. *poukhanense* f. *leucanthum* Nakai, J. Jap. Bot. 15: 535 (1939)

Rhododendron yedoense Maxim. var. *hallaisanense* (H.Lév.) T.Yamaz., J. Jap. Bot. 62: 260 (1987)

Rhododendron yedoense Maxim. f. *plenum* (Nakai) T.Yamaz., Revis. Gen.

Rhododendron Japan, Taiwan, Korea & Sakhalin 0 (1996)

Vaccinium L.

***Vaccinium bracteatum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 363 (1784)** Nat: S Korea 모새나무

Acosta spicata Lour., Fl. Cochinch. 276 (1790)

Vaccinium spicatum (Lour.) Poir., Encycl. (Lamarck) Suppl. 1 280 (1810)

Andromeda chinensis Lodd., Bot. Cab. 17 (1830)

Vaccinium malaccense Wight, Calcutta J. Nat. Hist. 8: 172 (1847)

Vaccinium chinense Champ., Hooker's J. Bot. Kew Gard. Misc. 4: 297 (1852)

Vaccinium buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 29 (1863)

Vaccinium donianum var. *ellipticua* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 161 (1865)

Vaccinium idsurouei Franch. & Sav., Enum. Pl. Jap. 2: 425 (1878)

Pieris divaricata H.Lév., Bull. Acad. Int. Géogr. Bot. 12: 252 (1903)
Pieris ovalifolia var. *denticulata* H.Lév., Bull. Soc. Bot. France 51: 291 (1904)
Pieris lucida H.Lév., Bull. Soc. Bot. France 53: 207 (1906)
Pieris coreana H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 (1908)
Pieris fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 (1908)
Vaccinium bracteatum Thunb. var. *longitubum* Hayata, Icon. Pl. Formosan. 3: 126 (1913)
Vaccinium taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 182 (1913)

***Vaccinium hirtum* Thunb. var. *koreanum* (Nakai) Kitam., Acta Phytotax. Geobot. 25: 36 (1972) Nat: N Korea, S Korea, Endemic 산앵도나무**

Vaccinium koreanum Nakai, Trees Shrubs Japan 1: 191 (1922)
Vaccinium usunoki Nakai, Trees Shrubs Japan, Revis. Ed. 2: 250 (1927)

***Vaccinium japonicum* Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 28 (1863) Nat: S Korea 산매자나무**

Oxycoccus japonicus (Miq.) Makino, Bot. Mag. (Tokyo) 18: 18 (1904)
Vaccinium japonicum Miq. var. *ciliare* Matsum. ex Komatsu, Icon. Pl. Koisikav 1: 57 (1912)
Oxycoccoides japonicus (Miq.) Nakai, Bot. Mag. (Tokyo) 31: 247 (1917)
Oxycoccoides japonicus (Miq.) Nakai var. *ciliaris* Koidz., Bot. Mag. (Tokyo) 32: 57 (1918)
Oxycoccus japonicus (Miq.) Makino var. *ciliaris* (Matsum.) Makino & Nemoto, Fl. Japan (Makino & Nemoto) 409 (1925)
Hugeria japonica (Miq.) Nakai, Trees Shrubs Japan, Revis. Ed. 2: 227 (1927)
Vaccinium japonicum Miq. var. *ciliaris* (Matsum.) Nakai, Trees Shrubs Japan, Revis. Ed. 2: 229 (1927)
Oxycoccus japonicus (Miq.) Makino f. *ciliaris* (Matsum.) Makino & Tanaka, Man. Fl. Nippon 435 (1927)
Hugeria incisa F.Maek., Bot. Mag. (Tokyo) 47: 614 (1933)
Vaccinium japonicum Miq. var. *fauriei* Sleumer, Bot. Jahrb. Syst. 71: 490 (1941)
Vaccinium japonicum Miq. var. *incisum* (F.Maek.) Sleumer, Bot. Jahrb. Syst. 71: 490 (1941)
Vaccinium japonicum Miq. f. *incisa* (F.Maek.) H.Hara, Enum. Spermatophytarum Japon. 1: 16 (1948)

***Vaccinium oldhamii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 161 (1866) Nat: S Korea 정금나무**

Vaccinium ciliatum Gilib. var. *glaucum* Nakai, Bot. Mag. (Tokyo) 31: 250 (1917)
Vaccinium oldhamii Miq. var. *glaucum* (Nakai) Koidz., Acta Phytotax. Geobot. 5: 124 (1936)
Vaccinium oldhamii Miq. var. *glaucinum* (Nakai) Okuy., J. Jap. Bot. 13: 35 (1937)
Vaccinium oldhamii Miq. f. *glaucinum* (Nakai) Kitam., Acta Phytotax. Geobot. 25: 35 (1972)

***Vaccinium oxycoccus* L., Sp. Pl. 351 (1753) Nat: N Korea 애기월굴**

Oxycoccus quadripetalus Gilib., Fl. Lit. Inch. 1: 5 (1782)
Schollera oxycoccus (L.) Roth, Tent. Fl. Germ. 1: 170 (1788)
Oxycoccus palustris Person, Syn. Pl. (Persoon) 1: 419 (1805)
Oxycoccus vulgaris Pursh, Fl. Amer. Sept. (Pursh) 1: 263 (1814)
Schollera paludosa Baumg., Enum. Stirp. Transsilv. 1: 331 (1816)
Oxycoccus europaeus Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 251 (1818)
Schollera europaea Steud., Nomencl. Bot. (Steudel) 746 (1821)
Oxycoca vulgaris Raf., Med. Fl. 2: 49 (1830)
Oxycoccus palustris Person var. *pusillus* Dunal, Prodr. (DC.) 7: 577 (1839)
Oxycoccus microcarpus Turcz. ex Rupr., Beitr. Pflanzenk. Russ. Reiches 4: 56 (1845)
Vaccinium microcarpum (Turcz.) Schmalh., Trudy S.-Peterburgsk. Obshch. Estestvoisp. 2: 149 (1871)
Oxycoccus palustris Person var. *vulgaris* Blytt, Norges Fl. 2: 837 (1874)
Vaccinium oxycoccus L. var. *intermedium* A.Gray, Syn. Fl. N. Amer. (ed. 2) 396 (1886)

Oxycoccus oxycoccus MacMill., Bull. Torrey Bot. Club 19: 15 (1892)
Vaccinium oxycoccus L. subsp. *vulgare* Blytt, Haandb. Norges Fl. 561 (1906)
Vaccinium oxycoccus L. var. *microcarpum* (Turcz.) B.Fedtsch. & Flerow, Fl. Eur. Ross. 728 (1911)
Oxycoccus pusillus (Dunal) Nakai, Bot. Mag. (Tokyo) 31: 246 (1917)
Oxycoccus quadripetalus Gilib. subsp. *vulgaris* (Blytt) Braun-Blanq., Ill. Fl. Mitt.-Eur. 5, 3: 1687 (1926)
Oxycoccus quadripetalus Gilib. subsp. *microcarpus* (Turcz.) Braun-Blanq., Ill. Fl. Mitt.-Eur. 5, 3: 1687 (1926)
Vaccinium uliginosum L. f. *depressum* Nakai ex Uyeki, Woody Pl. Distr. Chosen 85 (1940)
Vaccinium uliginosum L. f. *ellipticum* Nakai ex Uyeki, Woody Pl. Distr. Chosen 85 (1940)
Vaccinium oxycoccus L. subsp. *microcarpus* (Turcz.) Kitam., Acta Phytotax. Geobot. 25: 35 (1972)

***Vaccinium uliginosum* L., Sp. Pl. 350 (1753) Nat; N Korea, S Korea 들쭉나무**

Vaccinium ciliatum Gilib., Excerc. Phyt. 1: 11 (1792)
Vaccinium gaultherioides Bigelow, New England J. Med. Surg. 5: 535 (1816)
Vaccinium pubescens Wormsk. ex Hornem., Fl. Dan. 9 (26): 4 (1818)
Vaccinium uliginosum L. var. *alpinum* Bigelow, Fl. Boston., ed. 2 153 (1824)
Myrtillus uliginosus Drejer, Fl. Excurs. Hafn. 147 (1838)
Vaccinium uliginosum L. var. *genuinum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 319 (1872)
Vaccinium uliginosum L. var. *kruhsianum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 320 (1872)
Vaccinium uliginosum L. subsp. *microphyllum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 320 (1872)
Vaccinium uliginosum L. var. *microphyllum* Lange, Consp. Fl. Groenland. 91 (1880)
Myrtillus grandis Bubani, Fl. Pyren. 2: 17 (1900)
Vaccinium fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 12: 182 (1913)
Vaccinium uliginosum L. f. *alpinum* Nakai, Fl. Sylv. Kor. 8: 62 (1919)

***Vaccinium vitis-idaea* L., Sp. Pl. 351 (1753) Nat; N Korea 월귤**

Vaccinium punctatum Lam., Fl. Franc. (Lamarck) 3: 396 (1779)
Vaccinium rubrum Gilib., Fl. Lit. Inch. 1: 4 (1782)
Vaccinium vitis-idaea L. var. *minus* Lodd. & G.Lodd. & W.Lodd., Bot. Cab. 11: pl. 1023 (1825)
Vaccinium vitis-idaea L. var. *pumilum* Hornem., Fors. Oecon. Plantel., ed. 3 2: 177 (1835)
Vaccinium jesoense Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 28 (1863)
Vaccinium vitis-idaea L. var. *genuinum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 312 (1872)
Vaccinium vitis-idaea L. var. *microphyllum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 313 (1872)
Myrtillus exigua Bubani, Fl. Pyren. 2: 16 (1899)
Vaccinium vitis-idaea L. subsp. *minus* (Lodd.) Hultén, Fl. Aleutian Isl. 268 (1937)
Vaccinium vitis-idaea L. f. *minus* (Lodd.) Nakai, J. Jap. Bot. 17: 11 (1941)

EUCOMMIACEAE

***Eucommia* Oliv.**

***Eucommia ulmoides* Oliv., Hooker's Icon. Pl. 20: t. 1950 (1890) Int 두충**

Eucommia ulmoides Oliv. var. *yunnanensis* H.Lév., Cat. Pl. Yun-Nan 174 (1916)

EUPHORBIACEAE

Acalypha L.

Acalypha australis L., Sp. Pl. 1004 (1753) Nat: N Korea, S Korea 개풀

Euphorbia L.

Euphorbia dentata Michx., Fl. Bor.-Amer. (Michaux) 2: 211 (1803) Int 툼니대극

Euphorbia fontanesii Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 611 (1840)

Euphorbia aureocincta Croizat, J. Arnold Arbor. 24: 181 (1943)

Euphorbia ebracteolata Hayata, J. Coll. Sci. Imp. Univ. Tokyo 20: 71 (1904) Nat: N Korea, S Korea 붉은대극

Galarhoeus ebracteolatus (Hayata) H.Hara, J. Jap. Bot. 11: 384 (1935)

Euphorbia ebracteolata Hayata var. *coreana* Hurus., J. Jap. Bot. 16(11): 645 (1940)

Tithymalus ebracteolatus (Hayata) H.Hara, Enum. Spermatophytarum Japon. 3: 53 (1954)

Euphorbia ebracteolata Hayata f. *magna* Y.N.Lee, Korean J. Pl. Taxon. 28: 28 (1998)

Euphorbia esula L., Sp. Pl. 461 (1753) Nat: N Korea, S Korea 흰대극

Tithymalus esula (L.) Hill, Hort. Kew. (Hill) ed. 1: 172 (1768)

Euphorbia lunulata Bunge, Enum. Pl. Chin. Bor. 59 (1833)

Keraselma esula (L.) Raf., Fl. Tellur. 4: 116 (1838)

Euphorbia maackii Meinsh., Beitr. Kenntn. Russ. Reiches 26: 204 (1871)

Euphorbia takouensis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 281 (1908)

Euphorbia octoradiata H.Lév. & Vaniot ex H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 (1908)

Euphorbia nakaiana H.Lév., Repert. Spec. Nov. Regni Veg. 12: 183 (1913)

Galarhoeus esula (L.) Rydb., Brittonia 1: 93 (1931)

Galarhoeus lunulatus (Bunge) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 30 (1936)

Euphorbia lunulata Bunge var. *obtusifolia* Hurus., J. Jap. Bot. 16: 397 (1940)

Euphorbia nakaii Hurus., J. Jap. Bot. 16: 457 (1940)

Galarhoeus octoradiatus (H.Lév. & Vaniot) Nakai ex H.Lév., Bull. Natl. Sci. Mus., Tokyo 31: 70 (1952)

Galarhoeus lunulatus (Bunge) Kitag. var. *lbtusifolius* (Hurus.) Hurus., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6-6: 239 (1954)

Euphorbia fauriei H.Lév. & Vaniot ex H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 (1908)

Nat: S Korea 두메대극

Euphorbia fauriei H.Lév. & Vaniot var. *filiformis* H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 (1908)

Euphorbia pekinensis Rupr. var. *fauriei* (H.Lév. & Vaniot) Hurus., J. Jap. Bot. 16: 638 (1940)

Euphorbia hakutosanensis Hurus., J. Jap. Bot. 16: 582 (1940)

Galarhoeus fauriei (H.Lév. & Vaniot) Nakai ex H.Lév., Bull. Natl. Sci. Mus., Tokyo 31: 69 (1952)

Galarhoeus hakutosanensis (Hurus.) Hurus., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 261 (1954)

Euphorbia fischeriana Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 611 (1840) Nat: N Korea, S Korea 낭독

Euphorbia verticillata Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 81 (1812)

Euphorbia pallasii Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 3: 565 (1850)

Tithymalus pallasii (Turcz.) Klotzsch & Garcke ex Klotzsch, Abh. Königl. Akad. Wiss. Berlin 75 (1860)
Euphorbia pallasii Turcz. ex Ledeb. var. *pilosa* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 128 (1861)
Galarhoeus fischerianus (Steud.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 296 (1937)
Euphorbia fischeriana Steud. var. *pilosa* (Regel) Kitag., Lin. Fl. Manshur. 303 (1939)
Euphorbia pallasii Turcz. ex Ledeb. f. *pilosa* (Regel) Kitag., Lin. Fl. Manshur. 303 (1939)
Galarhoeus fischerianus (Steud.) Kitag. var. *pilosus* (Regel) H.Hara, Enum. Spermatophytarum Japon. 0 (1948)
Galarhoeus pallasii (Turcz.) Hatus. ex Hurus., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 238 (1954)

***Euphorbia helioscopia* L., Sp. Pl. 459 (1753) Nat; S Korea 등대풀**
Tithymalus helioscopius (L.) Hill, Hort. Kew. (Hill) 172: 3 (1768)
Galarhoeus helioscopius (L.) Haw., Syn. Pl. Succ. 152 (1812)

***Euphorbia humifusa* Willd. ex Schldtl., Enum. Pl. (Willdenow) suppl. 27 (1814) Nat; N Korea, S Korea 땅빈대**
Euphorbia pseudochamaesyce Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 9: 73 (1842)
Anisophyllum humifusum (Willd.) Klotzsch & Garcke, Abh. Königl. Akad. Wiss. Berlin 21 (1860)
Tithymalus humifusus (Willd.) Bubani, Fl. Pyren. 1: 116 (1897)
Chamaesyce humifusa (Willd.) Prokh., Izv. Akad. Nauk SSSR, Ser. 6 195 (1927)

***Euphorbia hylonoma* Hand.-Mazz., Symb. Sin. 7: 230 (1931) Nat; N Korea, S Korea 단주대극**

***Euphorbia jolkini* Boiss., Cent. Euphorb. 32 (1860) Nat; S Korea 압대극**
Galarhoeus jolkini (Boiss.) H.Hara, J. Jap. Bot. 11: 385 (1935)
Tithymalus jolkini (Boiss.) H.Hara, Enum. Spermatophytarum Japon. 3: 54 (1954)
Dichrophyllum jolkini (Boiss.) F.C.Ho, Trop. Pl. Taiwan in Colour 3: 34 (1982)

***Euphorbia lucorum* Rupr., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 239 (1859) Nat; N Korea, S Korea 참대극**
Euphorbia lucorum Rupr. var. *glabrata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 11: 834 (1883)
Galarhoeus lucorum (Rupr.) Kitag., Bull. Inst. Sci. Res. Manchoukuo 1 (3): 3 (1936)
Euphorbia lucorum Rupr. f. *glabrata* (Maxim.) Hurus., J. Jap. Bot. 16: 513 (1940)
Galarhoeus lucorum (Rupr.) Hatus. f. *glabratus* (Maxim.) Hurus., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 6-6: 255 (1954)
Galarhoeus lucorum (Rupr.) Hatus. var. *glabrata* (Maxim.) Nakai, Neolin. Fl. Manshur. 585 (1979)

***Euphorbia maculata* L., Sp. Pl. 455 (1753) Int 큰땅빈대**
Tithymalus maculatus (L.) Moench, Methodus (Moench) 666 (1794)
Anisophyllum maculatum (L.) Haw., Syn. Pl. Succ. 162 (1812)
Euphorbia supina Raf., Amer. Monthly Mag. & Crit. Rev. 2: 119 (1817)
Xamesike maculata (L.) Raf., Autik. Bot. 97 (1840)
Euphorbia jovetii Huguét, Botaniste 54: 153 (1971)

***Euphorbia pekinensis* Rupr., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 239 (1859) Nat; N Korea, S Korea 대극**

Poinsettia pulcherrima Graham, Edinburgh New Philos. J. 20: 412 (1836)
Galarhoeus pekinensis (Rupr.) H.Hara, J. Jap. Bot. 11: 386 (1935)
Euphorbia barbellata Engelm. var. *imaii* (Hurus.) Kitag., J. Jap. Bot. 16: 571 (1940)
Euphorbia imaii Hurus., J. Jap. Bot. 16: 576 (1940)
Euphorbia subulatifolia Hurus., J. Jap. Bot. 16: 573 (1940)
Galarhoeus pekinensis (Rupr.) H.Hara subsp. *barbellata* var. *imaii* (Hurus.) Hurus., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 259 (1954)
Tithymalus pekinensis (Rupr.) H.Hara, Enum. Spermatophytarum Japon. 3: 55 (1954)

***Euphorbia sieboldiana* Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 174 (1836) Nat: N Korea, S Korea 개감수**

Xamesike supine (Raf.) Raf., Autik. Bot. 87 (1840)
Chamaesyce maculata (L.) Small, Fl. S.E. U.S. [Small]. 713 (1903)
Euphorbia togakusensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 20: 69 (1904)
Euphorbia taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 281 (1908)
Galarhoeus sieboldiana (Morren & Decne.) H.Hara, J. Jap. Bot. 11: 388 (1935)
Galarhoeus togakusensis (Hayata) H.Hara, J. Jap. Bot. 11: 389 (1935)
Chamaesyce supina (Raf.) Moldenke, Annot. Classified List Moldenke Collect. Numbers 135 (1939)
Tithymalus sieboldianus (Morren & Decne.) H.Hara, Enum. Spermatophytarum Japon. 3: 56 (1954)

Flueggea Rich.

***Flueggea suffruticosa* (Pall.) Baill., Etude Euphorb. 592 (1858) Nat: N Korea, S Korea 광대싸리**

Pharnaceum suffruticosum Pall., Reise Russ. Reich. 3: 716 (1776)
Xylophylla ramiflora Aiton, Hort. Kew. (Hill) 1: 376 (1789)
Geblera suffruticosa (Pall.) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 28 (1835)
Xylophylla parviflora Bellardi ex Colla, Herb. Pedem. 5: 106 (1836)
Securinega ramiflora (Aiton) Müll.Arg., Prodr. (DC.) 15(2.2): 449 (1866)
Securinega japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 128 (1867)
Acidoton flueggeoides (Müll.Arg.) Kuntze, Revis. Gen. Pl. 2: 592 (1891)
Acidoton ramiflorus (Aiton) Kuntze, Revis. Gen. Pl. 2: 592 (1891)
Securinega suffruticosa (Pall.) Rehder, J. Arnold Arbor. 13: 338 (1932)
Flueggea ussuriensis Pojark., Fl. URSS 14: 734 (1949)

Glochidion J.R.Forst.

***Glochidion chodoense* J.S.Lee & Im, Korean J. Pl. Taxon. 24: 13 (1994) Nat: S Korea, Endemic 조도만두나무**

Mallotus Lour.

***Mallotus japonicus* (L.f.) Müll.Arg., Linnaea 34: 189 (1865) Nat: S Korea 예덕나무**
Croton japonicus L.f., Suppl. Pl. 422 (1782)
Rottlera japonica (L.f.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 878 (1826)
Mallotus nepalensis var. *ochraceoalbidus* (Müll.Arg.) Pax, Pflanzenz. (Engler) IV, 7(147): 166 (1914)

Mercurialis L.

Mercurialis leiocarpa Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4 (2): 145 (1845) Nat. S Korea 산쪽풀

Mercurialis transmorrisonensis Hayata, *Icon. Pl. Formosan.* 5: 199 (1915)

Mercurialis leiocarpa Siebold & Zucc. var. *transmorrisonensis* (Hayata) H.Keng, *J. Wash. Acad. Sci.* 41: 204 (1951)

Mercurialis leiocarpa Siebold & Zucc. var. *trichocarpa* W.T.Wang, *Acta Bot. Yunnan.* 10: 39 (1988)

Neoshirakia Esser

Neoshirakia japonica (Siebold & Zucc.) Esser, *Blumea* 43: 129 (1998) Nat: N Korea, S Korea 사람주나무

Stillingia japonica Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4-2: 145 (1845)

Sapium japonicum (Siebold & Zucc.) Pax & Hoffm., *Pflanzenr.* (Engler) IV, *Euphorb. Hippom.* 252 (1912)

Sapium atrobadiamaculatum F.P.Metcalf, *Lingnan Sci. J.* 10: 490 (1931)

Ricinus L.

Ricinus communis L., *Sp. Pl.* 1007 (1753) Int 피마자

Ricinus inermis Mill., *Gard. Dict.*, ed. 8 6 (1768)

Ricinus minor Mill., *Gard. Dict.*, ed. 8 7 (1768)

Ricinus rugosus Mill., *Gard. Dict.*, ed. 8 4 (1768)

Ricinus speciosus Burm.f., *Fl. Ind.* (N. L. Burman) 207 (1768)

Ricinus vulgaris Mill., *Gard. Dict.*, ed. 8 1 (1768)

Ricinus digitatus Noronha, *Verh. Batav. Genootsch. Kunsten* 5: 26 (1790)

Ricinus peltatus Noronha, *Verh. Batav. Genootsch. Kunsten* 5: 2 (1790)

Ricinus armatus Andr., *Bot. Repos.* 6: t. 430 (1805)

Ricinus undulatus Besser, *Cat. Jard. Bot. Krzemieniec* 90 (1811)

Ricinus hybridus Besser, *Cat. Jard. Bot. Krzemieniec Suppl.* 2: 13 (1814)

Ricinus angulatus Thunb., *Diss. Ricin.* 6 (1815)

Ricinus japonicus Thunb., *Diss. Ricin.* 4 (1815)

Ricinus laevis DC., *Rapp. [Not.] Pl. Rar. Genève* 1: 31 (1823)

Ricinus leucocarpus Bertol., *Giorn. Arcadico Sci.* 21: 192 (1824)

Ricinus macrophyllus Bertol., *Giorn. Arcadico Sci.* 21: 192 (1824)

Ricinus glaucus Hoffmanns., *Verz. Pfl.-Kult.*, ed. 2 2: 199 (1826)

Ricinus spectabilis Blume, *Bijdr. Fl. Ned. Ind.* 623 (1826)

Ricinus badius Rchb., *Iconogr. Bot. Exot.* 2: 21 (1829)

Ricinus tunisensis Desf., *Tabl. Ecole Bot.* (ed. 3) 340 (1829)

Ricinus krappa Steud., *Nomencl. Bot.*, ed. 2 (Steudel) 2: 459 (1841)

Ricinus perennis Steud., *Nomencl. Bot.*, ed. 2 (Steudel) 2: 459 (1841)

Ricinus purpurascens Bertol., *Misc. Bot. (Bertol.)* 9: 4 (1851)

Ricinus obermannii Groenland, *Rev. Hort.* 4, 7: 601 (1858)

Ricinus ruber Miq., *Fl. Ned. Ind.* 1: 390 (1859)

Ricinus rutilans Müll.Arg., *Prodr. (DC.)* 15: 1017 (1866)

Ricinus cambodgensis Benary, *Gartenflora* 36: 102 (1887)

Ricinus persicus Popova, *Trudy Byuro Evgen.* 16: 229 (1926)

Ricinus macrocarpus Popova, *Fl. Cult. Pl.*, USSR 7: 278 (1941)

Ricinus zanzibaricus Popova, *Fl. Cult. Pl.*, USSR 7: 292 (1941)

Triadica Lour.

Triadica sebifera (L.) Small, *Florida Trees* 59 (1913) Int 조구나무

- Croton sebiferum* L., Sp. Pl. 1004 (1753)
Stillingia sebifera (L.) Michx., Fl. Bor.-Amer. (Michaux) 2: 213 (1803)
Sapium sebiferum (L.) Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 693 (1832)
Stillingia sebifera (L.) Bojer, Hortus Maurit. 284 (1837)
Seborium chinense Raf., Sylva Tellur. 63 (1838)
Seborium sebiferum (L.) Hurus., Bot. Mag. (Tokyo) 61: 30 (1948)

Vernicia Lour.

Vernicia cordata (Thunb.) Airy Shaw, *Kew Bull.* 20: 394 (1967) Int 일본유동

- Dryandra cordata* Thunb., Nov. Gen. Pl. [Thunberg] 3: 60 (1783)
Dryandra oleifera Lam., Encycl. (Lamarck) 2: 329 (1786)
Aleurites cordata (Thunb.) R.Br. ex Steud., Nomencl. Bot. (Steudel) 286 (1821)
Elaeococca cordata (Thunb.) A.Juss., Euphorb. Gen. 38: 11 (1824)
Elaeococca verrucosa A.Juss. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 884 (1826)
Aleurites japonica Blume, Mus. Bot. 4: 120 (1869)
Aleurites verniciflua Baill., Hist. Pl. (Baillon) 5: 116 (1874)

Vernicia fordii (Hemsl.) Airy Shaw, *Kew Bull.* 20: 394 (1967) Int 유동

- Aleurites fordii* Hemsl., Hooker's Icon. Pl. 29: t. 2801 (1906)

FABACEAE

Aeschynomene L.

Aeschynomene indica L., Sp. Pl. 713 (1753) Nat: N Korea, S Korea 자귀풀

- Aeschynomene pumila* L., Sp. Pl. (ed. 2). 2: 1061 (1763)
Aeschynomene diffusa Willd., Sp. Pl. (ed. 4) 3: 1164 (1802)
Aeschynomene viscidula Willd., Enum. Pl. (Willdenow) 2: 776 (1809)
Smithia aspera Roxb., Hort. Bengal. 56 (1814)
Aeschynomene glaberrima Poir., Encycl. (Lamarck) Suppl. 4 76 (1816)
Aeschynomene punctata Steud., Nomencl. Bot. (Steudel) 17 (1821)
Aeschynomene macropoda DC., Prodr. (DC.) 2: 320 (1825)
Aeschynomene subviscosa DC., Prodr. (DC.) 2: 321 (1825)
Aeschynomene roxburghii Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 322 (1826)
Aeschynomene quadrata Schumach., Beskr. Guin. Pl. 356 (1827)
Aeschynomene montana Span., Linnaea 15: 192 (1841)
Aeschynomene cachemiriana Cambess., Voy. Inde 4: 40 (1844)

Albizia Durazz.

Albizia julibrissin Durazz., *Mag. Tosc.* 3: 11 (1772) Nat: N Korea, S Korea 자귀나무

- Mimosa speciosa* Thunb., Trans. Linn. Soc. London 2: 336 (1794)
Acacia julibrissin (Durazz.) Willd., Sp. Pl. (ed. 4) 4: 1065 (1806)
Albizia nemu (Willd.) Benth., London J. Bot. 1: 527 (1842)

Albizia kalkora (Roxb.) Prain, *J. Asiat. Soc. Bengal*, Pt. 2, *Nat. Hist.* 66: 511 (1897) Nat: S Korea 왕자귀나무

Mimosa kalkora Roxb., Fl. Ind. ed. 1832 (Roxburgh) 2: 547 (1832)
Albizia esquirolii H.Lév., Fl. Kouy-Tcheou 224 (1914)
Albizia henryi Ricker, J. Wash. Acad. Sci. 8: 243 (1918)
Albizia coreana Nakai, Bot. Mag. (Tokyo) 33: 201 (1919)

Amorpha L.

***Amorpha canescens* Pursh, Fl. Amer. Sept. (Pursh) 467 (1814) Int 털족제비싸리**
Amorpha brachycarpa E.J.Palmer, J. Arnold Arbor. 12: 171 (1931)
Amorpha canescens Pursh f. *glabrata* (A.Gray) Fassett, Rhodora 38(449): 191 (1936)

***Amorpha fruticosa* L., Sp. Pl. 713 (1753) Int 족제비싸리**
Amorpha croceolanata P.Watson, Dendrol. Brit. pl. 139 (1825)
Amorpha caroliniana Croom, Amer. J. Sci. Arts 25: 74 (1834)
Amorpha humilis Tausch, Flora 21: 750 (1838)
Amorpha virgata Small, Bull. Torrey Bot. Club 21: 17, pl.171 (1864)
Amorpha fruticosa L. var. *humilis* (Tausch) C.K.Schneid., Ill. Handb. Laubholzk. 2: 73 (1907)
Amorpha occidentalis Abrams, Bull. New York Bot. Gard. 6: 394 (1910)
Amorpha arizonica Rydb., N. Amer. Fl. 24: 33 (1919)
Amorpha curtissii Rydb., N. Amer. Fl. 24: 30 (1919)
Amorpha fruticosa L. f. *humilis* (Tausch) E.J.Palmer, J. Arnold Arbor. 12: 189 (1931)

Amphicarpaea Elliott ex Nutt.

***Amphicarpaea bracteata* subsp. *edgeworthii* (Benth.) H.Ohashi, Fl. E. Himalaya 139 (1966)**
Nat: N Korea, S Korea 새콩
Amphicarpaea edgeworthii Benth., Pl. Jungh. 231 (1851)
Amphicarpaea edgeworthii Benth. var. *japonica* Oliv., J. Linn. Soc., Bot. 9: 164 (1867)
Shuteria trisperma Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 51 (1867)
Amphicarpaea trisperma Baker, Fl. Brit. Ind. 2: 181 (1876)
Falcata japonica (Oliv.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 630 (1904)
Shuteria anomala Pamp., Nuovo Giorn. Bot. Ital. ser 2. 17: 29 (1910)
Amphicarpaea edgeworthii Benth. f. *alba* M.H.Lee, Korean J. Pl. Taxon. 13: 109 (1983)

Arachis L.

***Arachis hypogaea* L., Sp. Pl. 741 (1753) Int 땅콩**
Arachis nambyquarae Hoehne, Relat. Commiss. Linhas. Telegr. Estrateg. Matto Grosso Amazonas 5, Bot. 3: 21, t. 190 (1922)

Astragalus L.

***Astragalus adsurgens* Pall., Sp. Astragal. 40 (1800) Nat: N Korea, S Korea 자주개황기**
Astragalus longispicatus Ulbr., Bot. Jahrb. Syst. 36(5, Beibl. 82): 61 (1905)
Astragalus fujisanensis Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 2 (1939)
Astragalus laxmanni var. *adsurgens* (Pall.) Kitag., J. Jap. Bot. 19: 106 (1943)

***Astragalus membranaceus* Moench, Methodus (Moench) 168 (1794) Int 황기**

***Astragalus mongholicus* Bunge var. *dahuricus* (DC.) Podlech, Sendtnera 6: 172 (1999) Nat: N Korea, S Korea 자주황기**

Galega dahurica Pall., Reise Russ. Reich. 3: 742 (1776)
Astragalus dahuricus (Pall.) DC., Prodr. (DC.) 2: 285 (1825)
Astragalus paraglycyphyllos Boissieu, Notul. Syst. (Paris) 1: 225 (1910)
Astragalus membranaceus var. *alpinus* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 54 (1914)
Astragalus adsurgens Pall. var. *alpinus* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 54 (1914)
Astragalus kamtschaticus (Kom.) Gontsch., Fl. URSS 12: 437 (1946)

***Astragalus mongholicus* Bunge var. *nakaianus* (Y.N.Lee) I.S.Choi & B.H.Choi, Korean J. Pl. Taxon. 43: 17 (2013) Nat: S Korea 제주황기**

Astragalus nakaianus Y.N.Lee, Korean J. Bot. 24: 28 (1981)
Astragalus membranaceus var. *nakaianus* (Y.N.Lee) Y.N.Lee, Fl. Korea (Lee) 1: 738 (1996)

***Astragalus schelichowii* Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 68 (1840) Nat: N Korea 긴꽃대황기**

***Astragalus sikokianus* Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 15 (1953) Nat: S Korea 갯황기**
Astragalus koraiensis Y.N.Lee, Korean J. Bot. 24: 27 (1981)

***Astragalus sinicus* L., Mant. Pl. 1: 103 (1767) Nat: S Korea 자운영**

Astragalus lotoides Lam., Encycl. (Lamarck) 1: 316 (1783)
Astragalus nankotaiwanensis Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 152 (1931)
Astragalus nokoensis Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 151 (1931)

***Astragalus uliginosus* L., Sp. Pl. 757 (1753) Nat: N Korea 개황기**

Astragalus nertschinskensis Freyn, Oesterr. Bot. Z. 52: 21 (1902)

Caesalpinia L.

***Caesalpinia decapetala* (Roth) Alston, Handb. Fl. Ceylon 6: 89 (1931) Nat: S Korea 실거리나무**

Reichardia decapetala Roth, Nov. Pl. Sp. 212 (1821)
Caesalpinia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 117 (1845)
Caesalpinia decapetala (Roth) Alston var. *japonica* (Siebold & Zucc.) H. Ohashi, Fl. E. Himalaya 3rd. Rep. 58 (1975)

Campylotropis Bunge

***Campylotropis macrocarpa* (Bunge) Rehder, Pl. Wilson. 2: 113 (1914) Nat: S Korea 꽃싸리**

Lespedeza macrocarpa Bunge, Enum. Pl. Chin. Bor. 18 (1833)
Campylotropis macrocarpa (Bunge) Rehder f. *rosea* Uyeki, J. Chosen Nat. Hist. Soc. 20: 16 (1935)

Canavalia Adans.

***Canavalia ensiformis* (L.) DC., Prodr. (DC.) 2: 404 (1825) Int 작두콩**

Dolichos ensiformis L., Sp. Pl. 2: 725 (1753)
Dolichos pugioniformis Raeusch., Nomencl. Bot. (Raeusch.) 209 (1797)

Canavalia ensiformis (L.) DC. var. *truncata* Ricker, *Castanea* 11: 56 (1946)

***Canavalia gladiata* (Jacq.) DC., Prodr. (DC.) 2: 404 (1825) Int 줄작두콩**

Dolichos incurvus Thunb., *Fl. Jap.* (Thunberg) 280 (1784)

Dolichos gladiatus Jacq., *Icon. Pl. Rar.* (Jacquin) 3: t. 560 (1788)

Canavalia incurva (Thunb.) DC., *Prodr. (DC.)* 2: 404 (1825)

***Canavalia lineata* (Thunb.) DC., Prodr. (DC.) 2: 404 (1825) Nat: S Korea 해녀콩**

Dolichos lineatus Thunb., *Syst. Veg.*, ed. 14 (J. A. Murray) 658 (1784)

Caragana Fabr.

***Caragana fruticosa* (Pall.) Besser, *Cat. Hort. Cremeneci* 116 (1816) Int 참골담초**

***Caragana microphylla* Lam., *Encycl. (Lamarck)* 1: 615 (1785) Nat: N Korea 줌골담초**

Caragana altagana Poir., *Encycl. (Lamarck) Suppl.* 2 89 (1811)

***Caragana sinica* (Buc'hoz) Rehder, *J. Arnold Arbor.* 22: 576 (1941) Int 골담초**

Robinia sinica Buc'hoz, *Pl. Nouv. Decouv.* 24 (1784)

Caragana chamlagu Lam., *Encycl. (Lamarck)* 1: 616 (1785)

Caragana sinica (Buc'hoz) Rehder var. *megalantha* C.K.Schneid., *Ill. Handb. Laubholz.* 2: 97 (1907)

Cercis L.

***Cercis chinensis* Bunge, *Enum. Pl. Chin. Bor.* 21 (1833) Int 박태기나무**

Cercis pauciflora H.L.Li, *Bull. Torrey Bot. Club* 71: 425 (1944)

Cercis chinensis Bunge f. *rosea* P.S.Hsu, *Acta Phytotax. Sin.* 11: 193 (1966)

Cercis chinensis Bunge f. *pubescens* C.F.Wei, *Guihaia* 3: 15 (1983)

Chamaecrista Moench

***Chamaecrista nomame* (Makino) H. Ohashi, *J. Jap. Bot.* 64: 215 (1989) Nat: N Korea, S Korea 차풀**

Cassia mimosoides L. var. *nomame* Makino, *J. Jap. Bot.* 1: 17 (1917)

Cassia nomame (Makino) Kitag., *Rep. Inst. Sci. Res. Manchoukuo* 3: 283 (1939)

Cassia mimosoides L. subsp. *nomame* (Makino) H. Ohashi, *Fl. E. Himalaya* 144 (1966)

Cladrastis Rafin.

***Cladrastis platycarpa* (Maxim.) Makino, *Bot. Mag. (Tokyo)* 15: 62 (1901) Nat: S Korea 유달회화나무**

Sophora platycarpa Maxim., *Bull. Acad. Imp. Sci. Saint-Petersbourg ser. 3*, 18: 398 (1873)

Crotalaria L.

***Crotalaria sessiliflora* L., *Sp. Pl.* 1004 (1753) Nat: N Korea, S Korea 활나무**

Crotalaria anthylloides Lam., *Encycl. (Lamarck)* 2: 2 (1786)

Crotalaria eriantha Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4: 121 (1845)

Crotalaria brevipes Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 44 (1852)
Crotalaria oldhamii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 42 (1867)

Cytisus Desf.

Cytisus scoparius (L.) Link, Enum. Hort. Berol. Alt. 2: 241 (1822) Int 양골담초
Spartium scoparium L., Pl. Rar. Afr. 13 (1760)
Sarothamnus vulgaris Wimm., Fl. Schles. [Wimmer] 278 (1832)
Sarothamnus scoparius (L.) W.D.J.Koch, Fl. Schles. [Wimmer] 278 (1832)
Sarothamnus oxyphyllus Boiss., Diagn. Pl. Orient. ser.2, 2: 7 (1856)

Desmodium Desv.

Desmodium heterocarpon (L.) DC., Prodr. (DC.) 2: 337 (1825) Nat; S Korea 잔디갈고리
Hedysarum heterocarpon L., Sp. Pl. 747 (1753)
Desmodium buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 45 (1867)
Desmodium ovalifolium Wall. ex Ridl., Fl. Malay. Penin. 1: 610 (1922)

Dumasia DC.

Dumasia truncata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 119 (1845) Nat; S Korea 비진도콩

Dunbaria Wight & Arn.

Dunbaria villosa (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 35 (1902) Nat; S Korea 여우팔
Glycine villosa Thunb., Fl. Jap. (Thunberg) 283 (1784)
Atylosia subrhombea Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 51 (1867)
Dunbaria subrhombea (Miq.) Hemsl., J. Bot. 14: 207 (1876)

Euchresta Benn. & R.Br.

Euchresta japonica Hook.f. ex Regel, Gartenflora 14: 321 (1865) Nat; S Korea 만년콩

Gleditsia L.

Gleditsia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 53 (1867) Nat; N Korea, S Korea
주엽나무

Gleditsia coccinea Koehne, Deut. Dendrol. 320 (1893)
Gleditsia japonica Miq. f. *inermis* Mayr, Fremdländ. Wald- Parkbäume 474 (1906)
Euchresta trifoliolata Merr., Philipp. J. Sci. 21: 496 (1922)
Gleditsia coccinea Koehne var. *inermis* (Mayr) Nakai, J. Jap. Bot. 13: 873 (1937)
Gleditsia japonica Miq. f. *inarmata* Nakai, J. Jap. Bot. 27: 130 (1952)
Gleditsia japonica Miq. var. *koraiensis* Nakai, J. Jap. Bot. 27: 130 (1952)

Gleditsia japonica Miq. var. *japonica*

Gleditsia japonica Miq. var. *stenocarpa* (Nakai) Nakai, J. Jap. Bot. 27: 130 (1952) Nat; N Korea, S Korea 아자비과줄

Gleditsia caspica Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 142 (1909)
Gleditsia horrida Willd. var. *stenocarpa* Nakai, J. Jap. Bot. 13: 875 (1937)

***Gleditsia sinensis* Lam., Encycl. (Lamarck) 2: 465 (1788) Int 조각자나무**

Gleditsia horrida Willd., Sp. Pl. (ed. 4) 4: 1098 (1806)

Gleditsia fontanesii Spach, Hist. Nat. Veg. (Spach) 1: 95 (1834)

Gleditsia xylocarpa Hance, J. Bot. 22: 366 (1884)

Gymnocladus williamsii Hance, J. Bot. 22: 366 (1884)

Gleditsia officinalis Hemsl., Bull. Misc. Inform. Kew 1892: 82 (1892)

Glycine Willd.

***Glycine max* (L.) Merr., Interpr. Herb. Amboin. 274 (1917) Cul. 콩**

Dolichos soja L., Sp. Pl. 721 (1753)

Phaseolus max L., Sp. Pl. 2: 725 (1753)

Soja hispida Moench, Methodus (Moench) 153 (1794)

Soja japonica Savi, Nuovo Giorn. Lett. 8: 113 (1824)

Soja angustifolia Miq., Fl. Ned. Ind. 1(1): 223 (1858)

Glycine hispida (Moench) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 398 (1873)

Soja max (L.) Piper, U.S.D.A. Bur. Pl. Industr. Invent. Seeds 33: 53 (1915)

Glycine gracilis Skvortsov, Lingnan Sci. J. 6: 212 (1930)

Glycine max* (L.) Merr. subsp. *max

***Glycine max* (L.) Merr. subsp. *soja* (Siebold & Zucc.) H. Ohashi, J. Jap. Bot. 57: 30 (1982)**
Nat: N Korea, S Korea 콩

Glycine soja Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 119 (1843)

Glycine ussuriensis Regel & Maack, Tent. Fl.-Ussur. 50 (1861)

Rhynchosia argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12, No. 22, 15 (1916)

Glycine formosana Hosok., J. Soc. Trop. Agric. 4: 308 (1932)

Glycyrrhiza L.

***Glycyrrhiza pallidiflora* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 79 (1859) Int 개감초**

***Glycyrrhiza uralensis* Fisch. ex DC., Prodr. (DC.) 2: 248 (1825) Int 감초**

Gueldenstaedtia Fisch.

***Gueldenstaedtia verna* (Georgi) Boriss., Spisok Rast. Gerb. Fl. SSSR Bot. Inst. Vsesojuzn. Akad. Nauk 12: 122 (1953) Nat: N Korea, S Korea 애기자운**

Astragalus vernus Georgi, Reise Russ. Reich. 1: 226 (1775)

Astragalus pauciflorus Pall., Sp. Astragal. 81 (1800)

Astragalus brevicarinatus DC., Astragalologia 241 (ed. quarto), no. 138: t. 49 (1802)

Gueldenstaedtia pauciflora Fisch. ex DC., Prodr. (DC.) 2: 307 (1825)

Gueldenstaedtia mirpourensis Benth. ex Baker, Fl. Brit. Ind. 2: 118 (1876)

Gueldenstaedtia mirpouren, Fl. Brit. Ind. 2: 118 (1876)

Gueldenstaedtia longiscapa (Franch.) H.Lév., Cat. Pl. Yun-Nan 155 (1916)

Amblytropis pauciflora (Pall.) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 87 (1936)

Amblytropis verna (Georgi) Kitag., J. Jap. Bot. 41: 367 (1966)

Amblytropis verna var. *longiscapa* (Franch.) W.T.Lee, Lineamenta Florae Koreae 553 (1996)

Hedysarum L.

Hedysarum alpinum L., Sp. Pl. 2: 750 (1753) Nat: N Korea **뿔황기**

Hedysarum elongatum Fisch. ex Basiner, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 4: 311 (1845)

Hedysarum alpinum L. var. *chinense* B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 255 (1902)

Hedysarum alpinum L. var. *sibiricum* (Ledeb.) B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 257 (1902)

Hedysarum hedysaroides (L.) Schinz & Thell., Vierteljahrsschr. Naturf. Ges. Zürich 58: 70 (1913) Nat: N Korea **넓은뿔황기**

Astragalus hedysaroides L., Sp. Pl. (ed. 4) 3: 1264 (1802)

Hedysarum sibiricum Poir., Encycl. (Lamarck) Suppl. 5 17 (1817)

Hedysarum vicioides Turcz. subsp. *japonicum* (B.Fedtsch.) B.H.Choi & H.Ohashi, J. Jap. Bot. 63: 60 (1988) Nat: N Korea **나도황기**

Hedysarum alpinum L. var. *japonicum* B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 259 (1902)

Hedysarum ussuriense Schischk. & Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 11 (1926)

Hedysarum vicioides Turcz. f. *pilosum* (Ohwi) Kitag., J. Jap. Bot. 33: 163 (1958)

Hylodesmum H.Ohashi & R.R.Mill

Hylodesmum laxum (DC.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 178 (2000) Nat: S Korea **영주갈고리**

Desmodium laxum DC., Ann. Sci. Nat. (Paris) 4: 102 (1825)

Hylodesmum oldhamii (Oliv.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 180 (2000) Nat: N Korea, S Korea **큰도독눔의갈고리**

Desmodium oldhamii Oliv., J. Linn. Soc., Bot. 9: 165 (1865)

Meibomia oldhamii Kuntze, Revis. Gen. Pl. 1: 198 (1891)

Podocarpium oldhamii (Oliv.) Y.C.Yang & P.H.Huang, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 4: 6 (1979)

Hylodesmum podocarpum (DC.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 181 (2000) Nat: N Korea, S Korea **개도독눔의갈고리**

Desmodium podocarpum DC., Ann. Sci. Nat. (Paris) 4: 102 (1825)

Hedysarum podocarpum (DC.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 317 (1826)

Meibomia podocarpa (DC.) Kuntze, Revis. Gen. Pl. 1: 198 (1891)

Desmodium oxyphyllum DC. var. *villosum* Matsum., Bot. Mag. (Tokyo) 16: 77 (1902)

Desmodium maximowiczii Makino, Bot. Mag. (Tokyo) 26: 144 (1912)

Desmodium caudatum (Thunb.) DC. var. *latifolium* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 55 (1914)

Hylodesmum podocarpum (DC.) H.Ohashi & R.R.Mill subsp. *podocarpum*

Hylodesmum podocarpum (DC.) H.Ohashi & R.R.Mill subsp. *fallax* (Schindl.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 182 (2000) Nat: N Korea, S Korea **긴도독눔의갈고리**

Desmodium fallax Schindl., Bot. Jahrb. Syst. 54 (1): 55 (1916)

Desmodium racemosum (Thunb.) DC. var. *dilatatum* (Nakai) Ohwi, Fl. Jap. (Ohwi) 683 (1953)

Desmodium podocarpum DC. subsp. *fallax* (Schindl.) H. Ohashi, Fl. E. Himalaya 2: 65 (1971)

***Hylodesmum podocarpum* (DC.) H. Ohashi & R.R. Mill subsp. *oxyphyllum* (DC.) H. Ohashi & R.R. Mill, Edinburgh J. Bot. 57: 183 (2000)** Nat; N Korea, S Korea 도둑놈의갈고리

Hedysarum racemosum Thunb., Fl. Jap. (Thunberg) 285 (1784)

Desmodium oxyphyllum DC., Ann. Sci. Nat. (Paris) 4: 102 (1825)

Desmodium viticinum Wall., Numer. List 5709 (1831)

Desmodium japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 46 (1867)

Desmodium japonicum Miq. var. *angustifolium* Miq., Cat. Mus. Bot. Lugd.-Bat. 25 (1870)

Desmodium podocarpum DC. var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 12: 440 (1880)

Meibomia racemosa (DC.) Kuntze, Revis. Gen. Pl. 1: 198 (1891)

Desmodium podocarpum DC. var. *membranaceum* Matsum., Bot. Mag. (Tokyo) 16: 76 (1902)

Desmodium mandshuricum (Maxim.) Schindl., Repert. Spec. Nov. Regni Veg. 21: 3 (1925)

Desmodium racemosum (Thunb.) DC. var. *ranosum* Nakai, Bot. Mag. (Tokyo) 44: 31 (1930)

Desmodium fallax Schindl. var. *mandshuricum* (Maxim.) Nakai, Bot. Mag. (Tokyo) 44 (1930)

Desmodium racemosum (Thunb.) DC. var. *pubescens* F.P. Metcalf, Lingnan Sci. J. 19: 605 (1940)

Desmodium racemosum (Thunb.) DC. var. *mandshuricum* (Maxim.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 77 (1953)

Desmodium oxyphyllum DC. var. *mandshuricum* (Maxim.) H. Ohashi, J. Jap. Bot. 41: 155 (1966)

Desmodium podocarpum DC. var. *oxyphyllum* (DC.) H. Ohashi, Fl. E. Himalaya 2: 65 (1971)

Hylodesmum podocarpum (DC.) H. Ohashi & R.R. Mill var. *mandshuricum* (Maxim.)

H. Ohashi & R.R. Mill, Edinburgh J. Bot. 57: 183 (2000)

Indigofera L.

***Indigofera grandiflora* B.H. Choi & S.K. Cho, J. Pl. Biol. 39: 147 (1996)** Nat; S Korea
큰꽃땅비싸리

***Indigofera kirilowii* Maxim. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 62, t. 4 (1898)** Nat; N Korea, S Korea 땅비싸리

Indigofera macrostachya Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 470 (1859)

Indigofera kirilowii Maxim. ex Palib. var. *coreana* Craib, Notes Roy. Bot. Gard. Edinburgh 8: 56 (1913)

Indigofera kirilowii Maxim. ex Palib. f. *albiflora* Uyeki, Woody Pl. Distr. Chosen 59 (1940)

***Indigofera koreana* Ohwi, J. Jap. Bot. 12: 328 (1936)** Nat; S Korea 줍땅비싸리

***Indigofera pseudotinctoria* Matsum., Bot. Mag. (Tokyo) 16: 62 (1902)** Nat; S Korea 남아초

Kummerowia Schindl.

***Kummerowia stipulacea* (Maxim.) Makino, Bot. Mag. (Tokyo) 28: 107 (1914)** Nat; N Korea, S Korea 둥근매듭풀

Lespedeza stipulacea Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 85 (1859)

Lespedeza striata Hook. & Arn. var. *stipulacea* Debeaux, Fl. Tche-fou 144 (1875)

Microlespedeza stipulacea Makino, Bot. Mag. (Tokyo) 28: 183 (1914)

***Kummerowia striata* (Thunb.) Schindl., Repert. Spec. Nov. Regni Veg. 10: 403 (1912)** Nat: N Korea, S Korea 매듭풀

Hedysarum striatum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 675 (1784)

Lespedeza striata Hook. & Arn., Bot. Beechey Voy. 262 (1838)

Microlespedeza striata (Thunb.) Makino, Bot. Mag. (Tokyo) 28: 182 (1914)

Lathyrus L.

***Lathyrus davidii* Hance, J. Bot. 9: 130 (1871)** Nat: N Korea, S Korea 활랑나물

Orobis davidii (Hance) Stank. & Roskov, Kew Bull. 53: 732 (1998)

***Lathyrus humilis* (Ser.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 263 (1826)** Nat: N Korea

애기완두

Orobis humilis Ser., Prodr. (DC.) 2: 378 (1825)

Lathyrus altaicus Ledeb., Fl. Altaic. 3: 355 (1831)

***Lathyrus japonicus* Willd., Sp. Pl. (ed. 5; Willdenow) 3: 1092 (1802)** Nat: N Korea, S Korea

갯완두

Pisum pubescens Hartm., Handb. Skand. Fl., ed. 2 198 (1832)

Lathyrus japonicus Willd. var. *aleuticus* (T.G.White) Fernald, Rhodora 34: 178 (1932)

Lathyrus japonicus Willd. var. *pellitus* Fernald, Rhodora 34: 183 (1932)

Lathyrus japonicus Willd. var. *maritimus* (L.) Kartesz & Gandhi, Phytologia 71: 277 (1991)

Lathyrus japonicus Willd. var. *pubescens* (Hartm.) Karlsson, Svensk Bot. Tidskr. 91: 249 (1998)

***Lathyrus komarovii* Ohwi, J. Jap. Bot. 12: 329 (1936)** Nat: N Korea, S Korea 선연리초

Orobis alatus Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 83 (1859)

Orobis vernus L. var. *alatus* (Maxim.) Regel, Tent. Fl.-Ussur. 48 (1861)

Orobis komarovii (Ohwi) Stank. & Roskov, Kew Bull. 53: 732 (1998)

***Lathyrus odoratus* L., Sp. Pl. 2: 732 (1753)** Int 스위트피

***Lathyrus palustris* L. subsp. *pilosus* (Cham.) Hultén, Fl. Aleutian Isl. 236 (1937)** Nat: N

Korea, S Korea 털연리초

Lathyrus pilosus Cham., Linnaea 6: 548 (1831)

***Lathyrus quinquerivius* (Miq.) Litv., Oprod. Rast. Dal'nevost. Kraia 2: 683 (1932)** Nat: N

Korea, S Korea 연리초

Vicia quinquerivius Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 50 (1867)

***Lathyrus vaniotii* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 (1909)** Nat: N Korea, S Korea

산새콩

Lespedeza Michx.

***Lespedeza bicolor* Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 69 (1840)** Nat: N Korea, S

Korea 싸리

Lespedeza bicolor Turcz. var. *sericea* Nakai, Lespedeza Japan & Korea 66 (1927)

Lespedeza setiloba Nakai, Lespedeza Japan & Korea 68 (1927)

Lespedeza tobae H.Koidz., J. Pl. Iwateken 2: 75 (1937)

Lespedeza ionocalyx Nakai, J. Jap. Bot. 15: 532 (1939)
Lespedeza bicolor Turcz. f. *alba* (Bean) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 77 (1953)

***Lespedeza cuneata* (Dum.Cours.) G.Don, Gen. Hist. 2: 307 (1832) Nat: N Korea, S Korea**
비수리

Hedysarum sericeum Thunb., Fl. Jap. (Thunberg) 287 (1784)
Anthyllis cuneata Dum.Cours., Bot. Cult. (ed. 2) 6: 100 (1811)
Lespedeza sericea (Thunb.) Miq., Ann. Acad. (The Hague & Leiden) 3 (1867)

***Lespedeza cyrtobotrya* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 48 (1867) Nat: N Korea, S Korea**
참싸리

Lespedeza kawachiana Nakai, Lespedeza Japan & Korea 47 (1927)
Lespedeza anthobotrya Ricker, Amer. J. Bot. 33: 257 (1946)
Lespedeza cyrtobotrya Miq. f. *alba* (Bean) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 77 (1953)
Lespedeza cyrtobotrya Miq. f. *semialba* Nakai, Bull. Seoul Natl. Univ. Forests 2: 11 (1965)

***Lespedeza davidii* Franch., Nouv. Arch. Mus. Hist. Nat. 5: 246 (1883) Int** 큰잎싸리

Lespedeza hupehensis Ricker, Lingnan Sci. J. 20: 202 (1942)

***Lespedeza davurica* (Laxm.) Schindl., Repert. Spec. Nov. Regni Veg. 22: 274 (1926) Nat: N Korea, S Korea** 호비수리

Trifolium dauricum Laxm., Novi Comment. Acad. Sci. Imp. Petrop. 15: 560 (1771)
Lespedeza medicaginoidea Bunge, Enum. Pl. Chin. Bor. 19 (1833)
Lespedeza fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 (1909)
Lespedeza feddeana Schindl., Repert. Spec. Nov. Regni Veg. 10: 405 (1912)

***Lespedeza floribunda* Bunge, Pl. Mongholic-Chin. 1: 13 (1835) Int** 분홍싸리

Lespedeza dielsiana Schindl., Repert. Spec. Nov. Regni Veg. 10: 404 (1912)

***Lespedeza inschanica* (Maxim.) Schindl., Bot. Jahrb. Syst. 49: 603 (1913) Nat: S Korea**
청비수리

***Lespedeza intermixta* Makino, Bot. Mag. (Tokyo) 27: 249 (1913) Nat: S Korea** 년출비수리

Lespedeza juncea (L.f.) Pers. var. *latifolia* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 369 (1873)
Lespedeza juncea (L.f.) Pers. var. *sericea* f. *latissima* Matsum., Bot. Mag. (Tokyo) 16: 71 (1902)
Lespedeza latissima (Matsum.) Nakai, Bot. Mag. (Tokyo) 26: 66 (1922)
Lespedeza prostrata Nakai, Bot. Mag. (Tokyo) 26: 66 (1922)

***Lespedeza juncea* (L.f.) Pers., Syn. Pl. (Persoon) 2: 318 (1807) Nat: N Korea, S Korea**
땅비수리

Hedysarum junceum L.f., Dec. Pl. Hort. Upsal. 1: 7 (1762)
Lespedeza juncea (L.f.) Pers. var. *subsericea* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 605 (1904)
Lespedeza cystoides Nakai, Lespedeza Japan & Korea 94 (1927)
Lespedeza hedysaroides (Pall.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3(App. 1): 288 (1939)
Lespedeza aitchisonii Ricker, Lingnan Sci. J. 20: 199 (1942)
Lespedeza juncea (L.f.) Pers. var. *umbrosa* (Kom.) T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 18 (1965)

Lespedeza lichiyuniae T.Nemoto & H.Ohashi & T.Itô, J. Jap. Bot. 82: 223 (2007) Int
자주비수리

Lespedeza maritima Nakai, Bot. Mag. (Tokyo) 37: 78 (1923) Nat: S Korea. Endemic 해변싸리
Lespedeza uekii Nakai, Bot. Mag. (Tokyo) 42: 457 (1928)

Lespedeza maximowiczii C.K.Schneid., Ill. Handb. Laubholz. 2: 113 (1907) Nat: N Korea, S Korea 조륙싸리

- Lespedeza friebeana* Schindl., Repert. Spec. Nov. Regni Veg. 9: 514 (1911)
Lespedeza tomentella Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 16 (1914)
Lespedeza oldhamii Miq. var. *tricolor* Nakai, Bot. Mag. (Tokyo) 37: 78 (1923)
Lespedeza maximowiczii C.K.Schneid. var. *tomentella* Nakai, Lespedeza Japan & Korea 39 (1927)
Lespedeza maximowiczii C.K.Schneid. var. *tricolor* Nakai, Lespedeza Japan & Korea 40 (1927)
Lespedeza maximowiczii C.K.Schneid. f. *albiflora* Uyeki, Chosen Sanrin Kwaiho 194 (1942)

Lespedeza melanantha Nakai, Bot. Mag. (Tokyo) 37: 78 (1923) Nat: S Korea 검나무싸리
Lespedeza bicolor Turcz. var. *higoensis* (T.Shimizu) Murata, Acta Phytotax. Geobot. 29: 95 (1978)
Lespedeza bicolor Turcz. var. *melanantha* (Nakai) Akiyama & H.Ohba, J. Jap. Bot. 59: 191 (1984)

Lespedeza pilosa (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 121 (1845) Nat: N Korea, S Korea 팽이싸리

- Lespedeza nantcianensis* Pamp., Nuovo Giorn. Bot. Ital. 17: 400 (1910)
Lespedeza pilosa (Thunb.) Siebold & Zucc. var. *pedunculata* T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 27 (1965)

Lespedeza thunbergii Nakai subsp. *formosa* (Vogel) H.Ohashi, Fl. Jap. (Iwatsuki et al., eds.) 2b: 262 (2001) Nat: N Korea, S Korea 풀싸리

- Meibomia formosa* (Vogel) Kuntze, Revis. Gen. Pl. 1: 198 (1891)
Lespedeza japonica L.H. Bailey var. *intermedia* (Nakai) Nakai, Lespedeza Japan & Korea 23 (1927)
Lespedeza japonica L.H. Bailey var. *intermedia* f. *alba* (Nakai) T.B.Lee, Bull. Seoul Natl. Univ. Forests 2: 16 (1965)
Lespedeza japonica L.H. Bailey var. *intermedia* f. *retusa* (Nakai) T.B.Lee, Bull. Seoul Natl. Univ. Forests 2: 17 (1965)
Lespedeza hayatae Hatus., Mem. Fac. Agric. Kagoshima Univ. 6: 14 (1967)
Lespedeza thunbergii Nakai var. *intermedia* (Nakai) T.B.Lee, Bull. Seoul Natl. Univ. Forests 6 (1969)

Lespedeza tomentosa (Thunb.) Siebold ex Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 376 (1873) Nat: N Korea, S Korea 개싸리

- Hedysarum tomentosum* Thunb., Fl. Jap. (Thunberg) 286 (1784)
Desmodium tomentosum DC., Prodr. (DC.) 2: 337 (1825)
Meibomia tomentosa Kuntze, Revis. Gen. Pl. 1: 198 (1891)

Lespedeza virgata (Thunb.) DC., Prodr. (DC.) 2: 350 (1825) Nat: N Korea, S Korea 줍싸리

- Lespedeza macrovirgata* Kitag., Bot. Mag. (Tokyo) 48: 100 (1934)
Lespedeza x chiisanensis T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 8 (1965)
Lespedeza x nakaii T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 24 (1965)

Lespedeza x patentibicolor T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 25 (1965)
Lespedeza x patentihirta T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 26 (1965)

Lespedeza x robusta Nakai, *Lespedeza Japan & Korea* 72 (1927) Nat: S Korea 고양싸리

Lotus L.

Lotus corniculatus L., Sp. Pl. 2: 775 (1753) Int 서양별노랑이

Lotus corniculatus L. var. *japonica* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 23 (1864) Nat: N Korea 별노랑이

Lotus pedunculatus Cav., Icon. (Cavanilles) 2: 52 (1793) Int 들별노랑이

Lupinus L.

Lupinus angustifolius L., Sp. Pl. 721 (1753) Int 가는잎미선콩
Lupinus canaliculatus Sweet, Brit. Fl. Gard. ser. 1, 3: pl. 283 (1827)

Maackia Rupr.

Maackia amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 128&143 (1856) Nat: N Korea, S Korea 다릅나무

Cladrastis amurensis (Rupr.) Benth. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 400 (1878)

Cladrastis amurensis Benth. ex Maxim. var. *vidalii* Franch. & Sav., Enum. Pl. Jap. 2: 327 (1878)

Maackia amurensis Rupr. var. *stenocarpa* Nakai, J. Jap. Bot. 15: 681 (1939)

Maackia buergeri (Maxim.) Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 4 (1939)

Maackia amurensis Rupr. var. *amurensis*

Maackia amurensis Rupr. var. *stenocarpa* Nakai, J. Jap. Bot. 15, 681, (1939) Nat: N Korea, S Korea 잔털다릅나무

Maackia floribunda (Miq.) Takeda, Notes Roy. Bot. Gard. Edinburgh 8: 101 (1913) Nat: S Korea 솔비나무

Cladrastis fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 (1909)

Maackia fauriei (H.Lév.) Takeda, Notes Roy. Bot. Gard. Edinburgh 8: 101 (1913)

Medicago L.

Medicago lupulina L., Sp. Pl. 779 (1753) Int 잔개자리

Medicago minima (L.) Bartal., Cat. Pianta Siena 1: 60 (1776) Int 좁개자리

Medicago polymorpha L., Sp. Pl. 779 (1753) Int 개자리

Medicago hispida Gaertn., Fruct. Sem. Pl. 2: 349 (1791)

Medicago denticulata Willd., Sp. Pl. (ed. 4) 3: 1414 (1802)

Medicago terebellum Willd., Sp. Pl. (ed. 4) 3: 1416 (1802)

Medicago pentacycla DC., Cat. Pl. Horti Monsp. 1: 124 (1813)

Medicago loretii Albert, Bull. Herb. Boissier 1: 13 (1893)

Medicago polymorpha L. subsp. *hispid*a (Gaertn.) Ponert, Feddes Repert. 83(9-10): 639 (1973)

***Medicago ruthenica* (L.) Ledeb., Fl. Ross. (Ledeb.) 1: 523 (1842) Int 노랑개자리**

Trigonella ruthenica L., Sp. Pl. 776 (1753)

Trigonella korshinskiyi Grossh., Fl. URSS 11: 127, t. 9 fig. 17 (1945)

Melilotoides ruthenica (L.) Soják, Sborn. Nar. Muz. v Praze, Rada B, Prir. Vedy 1982: 104 (1982)

Medicago korshinskiyi (Grossh.) Kamelin & Gubanov, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 97: 63 (1992)

***Medicago sativa* L., Sp. Pl. 778 (1753) Int 자주개자리**

Medicago ladak Vassilcz., Bot. Zhurn. S.S.S.R. 31: 27 (1946)

Medicago mesopotamica Vassilcz., Bot. Zhurn. S.S.S.R. 31: 27 (1946)

Medicago alaschanica Vassilcz., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 113 (1950)

Medicago beipinensis Vassilcz., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 13: 141 (1950)

Medicago tibetana (Alef.) Vassilcz., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 13: 141 (1950)

Medicago roborovskii Vassilcz., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 13: 113 (1950)

Melilotus Mill.

***Melilotus officinalis* subsp. *albus* (Medik.) H. Ohashi & Tateishi, Sci. Rep. Tohoku Univ., Ser. 4, Biol. 38: 319 (1984) Int 흰전동싸리**

Melilotus albus Medik., Vorles. Churfälz. Phys.-Öcon. Ges. 2: 382 (1787)

***Melilotus suaveolens* Ledeb., Index Sem. (Dorpat) 5 (1824) Nat; N Korea, S Korea 전동싸리**

Millettia Wight & Arn.

***Millettia japonica* (Siebold & Zucc.) A. Gray, Mem. Amer. Acad. Arts n.s.6: 386 (1859) Nat; S Korea 애기등**

Wisteria japonica Siebold & Zucc., Fl. Jap. (Siebold) 1: 88 (1839)

Mimosa L.

***Mimosa pudica* L., Sp. Pl. 518 (1753) Int 미모사**

Ohwia H. Ohashi

***Ohwia caudata* (Thunb.) H. Ohashi, Sci. Rep. Tohoku Univ., Ser. 4, Biol. 40: 243 (1999) Nat; S Korea 뽕장풀**

Hedysarum caudatum Thunb., Fl. Jap. (Thunberg) 286 (1784)

Hedysarum laburnifolium Poir., Encycl. (Lamarck) 6: 422 (1805)

Desmodium caudatum (Thunb.) DC., Prodr. (DC.) 2: 337 (1825)

Oxytropis DC.

Oxytropis anertii Nakai ex Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 125 (1935) Nat: N Korea 두메자운

Oxytropis anertii Nakai ex Kitag. f. *albiflora* (Z.J.Zong & X.R.He) X.Y.Zhu & H.Ohashi, Cathaya 11: 123 (2000)

Oxytropis caerulea (Pall.) DC., Astragalogia 68 (ed. quarto), no.2 (1802) Nat: N Korea 관모두메자운

Astragalus caeruleus Pall., Reise Russ. Reich. 3: 293 (1776)

Oxytropis curviflora Turcz. ex Besser, Flora 17 (1 Beibl.): 10 (1834)

Oxytropis chinensis Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 22: 35 (1874)

Oxytropis caerulea (Pall.) DC. f. *albiflora* (H.C.Fu) ex X.Y.Zhu & H.Ohashi, Cathaya 11-12: 137 (2000)

Oxytropis racemosa Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 187 (1832) Nat: N Korea 털두메자운

Oxytropis gracillima Bunge, Linnaea 17: 5 (1843)

Oxytropis psammocharis Hance, J. Linn. Soc., Bot. 13: 78 (1873)

Oxytropis acutirostrata Ulbr., Bot. Jahrb. Syst. 36(5, Beibl. 82): 68 (1905)

Oxytropis tunliaoensis P.F.Fu & C.Y.Li, Fl. Pl. Herb. Chin. Bor.-Or. 2: 188 (1959)

Oxytropis strobilacea Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 22: 103 (1874) Nat: S Korea 시루산담부

Phaseolus L.

Phaseolus coccineus L., Encycl. (Lamarck) 3: 70 (1789) Int 붉은강낭콩

Phaseolus multiflorus Willd., Sp. Pl. (ed. 4) 3: 1030 (1802)

Phaseolus vulgaris L., Sp. Pl. 2: 723 (1753) Int 덩굴강낭콩

Pisum L.

Pisum sativum L., Sp. Pl. 2: 727 (1753) Int 완두

Pisum arvense L., Sp. Pl. 2: 727 (1753)

Pueraria DC.

Pueraria montana (Lour.) Merr. var. *lobata* (Willd.) Maesen & S.M.Almeida ex Sanjappa & Predeep, Legumes Ind. 288 (1992) Nat: N Korea, S Korea 쑥

Phaseolus trilobus (L.) Aiton, Hortus Kew. 3: 30 (1789)

Dolichos lobatus Willd., Sp. Pl. (ed. 4) 3: 1047 (1802)

Neustanthus chinensis Benth., Fl. Hongk. 86 (1861)

Pueraria thunbergiana (Siebold & Zucc.) Benth., J. Linn. Soc., Bot. 9: 122 (1865)

Pueraria argyi H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 426 (1908)

Pueraria bodinieri H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 425 (1908)

Pueraria caerulea H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 427 (1908)

Pueraria koten H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 426 (1908)

Pueraria volkensii Hosok., Trans. Nat. Hist. Soc. Taiwan 28: 62 (1938)

Pueraria lobata (Willd.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 16 (1947)

Rhynchosia Lour.

Rhynchosia acuminatifolia Makino, J. Jap. Bot. 2: 14 (1920) Nat; S Korea 큰여우콩

Rhynchosia volubilis Lour., Fl. Cochinch. 2: 460 (1790) Nat; S Korea 여우콩

Robinia L.

Robinia hispida L., Mant. Pl. 1: 101 (1767) Int 꽃아카시나무

Robinia longiloba Ashe, Bull. Charleston Mus. 14: 30 (1918)

Robinia pauciflora Ashe, Bull. Torrey Bot. Club 50: 362 (1923)

Robinia pseudoacacia L., Sp. Pl. 722 (1753) Int 아카시나무

Spathium chinense Lour., Fl. Cochinch. 217 (1790)

Robinia pseudoacacia L. var. *inermis* DC., Cat. Pl. Horti Monsp. 136 (1813)

Robinia pringlei Rose, Contr. U. S. Natl. Herb. 12: 274 (1909)

Robinia pseudoacacia L. var. *rectissima* Raber, Circ. U.S.D.A. 379: 7 (1936)

Senna Mill.

Senna occidentalis (L.) Link, Handbuch [Link] 2: 140 (1831) Int 석결명

Cassia occidentalis L., Sp. Pl. 377 (1753)

Cassia planisiliqua Lam., Encycl. (Lamarck) 1: 645 (1785)

Cassia caroliniana Walter, Fl. Carol. 135 (1788)

Cassia ciliata Raf., Fl. Ludov. 100 (1817)

Cassia obliquifolia Schrank, Denkschr. Königl.-Baier. Bot. Ges. Regensburg 2: 40 (1822)

Cassia plumieri DC., Prodr. (DC.) 2: 506 (1825)

Senna tora (L.) Roxb., Fl. Ind. ed. 1832 (Roxburgh) 2: 340 (1832) Int 결명자

Cassia tora L., Sp. Pl. 376 (1753)

Cassia foetida Salisb., Prodr. Stirp. Chap. Allerton 325 (1796)

Sophora L.

Sophora flavescens Aiton, Hortus Kew. 2: 43 (1789) Nat; N Korea, S Korea 고삼

Sophora macrosperma DC., Prodr. (DC.) 2: 96 (1825)

Sophora angustifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (2): 118 (1845)

Sophora tetragonocarpa Hayata, Icon. Pl. Formosan. 3: 83 (1913)

Sophora flavescens Aiton var. *angustifolia* Kitag., Lin. Fl. Manshur. 293 (1939)

Sophora koreensis (Nakai) Nakai, Bot. Mag. (Tokyo) 33: 8 (1919) Nat; N Korea, S Korea,

Endemic 개느삼

Echinosophora koreensis (Nakai) Nakai, Bot. Mag. (Tokyo) 37: 34 (1923)

Styphnolobium Schott ex Endl.

Styphnolobium japonicum (L.) Schott, Wiener Z. Kunst 844 (1830) Int 회화나무

Sophora japonica L., Mant. Pl. 1: 68 (1767)

Robinia mitis Lour., Fl. Cochinch. 455 (1790)

Anagyris chinensis Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 346 (1825)

Macrotropis foetida DC., Prodr. (DC.) 2: 98 (1825)

Sophora pendula Spach, Hist. Nat. Veg. (Spach) 1: 161 (1834)
Sophora pubescens Tausch, Flora 17: 489 (1834)
Amorpha pedalis Blanco, Fl. Filip. 553 (1837)

Thermopsis R.Br. ex W.T.Aiton

***Thermopsis lupinoides* (L.) Link, Enum. Hort. Berol. Alt. 1: 401 (1821) Nat: N Korea**
갯활랑나물

Sophora lupinoides L., Sp. Pl. 374 (1753)
Sophora fabacea Pall., Astragalogia 122 (1800)
Thermopsis fabacea (Pall.) DC., Prodr. (DC.) 2: 99 (1825)

Trifolium L.

***Trifolium campestre* Schreb., Deutschl. Fl. (Sturm), Abt. I, Phanerog. 16: 13 (1804) Int**
노랑토끼풀

Trifolium karatavicum Pavlov, Vestn. Akad. Nauk Kazahsk. SSR 3 (60): 27 (1950)
Trifolium pumilum M.Hossain, Notes Roy. Bot. Gard. Edinburgh 23: 479 (1961)

***Trifolium dubium* Sibth., Fl. Oxon. 231 (1794) Int 애기노랑토끼풀**

Trifolium flavum C.Presl, Fl. Sicul. (Presl) 1: 21 (1826)
Trifolium luteolum Schur, Verh. Naturf. Vereins Brünn 15 (2): 179 (1877)
Trifolium praticola Sennen, Diagn. Nouv. 13 (1936)

***Trifolium hybridum* L., Sp. Pl. 2: 766 (1753) Int 선토끼풀**

***Trifolium incarnatum* L., Sp. Pl. 2: 769 (1753) Int 진홍토끼풀**

***Trifolium lupinaster* L., Sp. Pl. 2: 766 (1753) Nat: N Korea, S Korea 달구지풀**

Trifolium albens Fisch. ex Loudon, Hort. Brit. (Loudon) 300 (1830)
Trifolium pacificum Bobrov, Yubil. Sbornik V. L. Komarov 140 (1939)
Trifolium baicalense Belyaeva & Sipliv., Bot. Zhurn. (Moscow & Leningrad) 60: 819 (1975)
Trifolium popovii (Roskov) Gubanov & Kamelin, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 97: 64 (1992)

***Trifolium pratense* L., Sp. Pl. 2: 768 (1753) Int 붉은토끼풀**

Trifolium lenkoranicum (Grossh.) Roskov, Bot. Zhurn. (Moscow & Leningrad) 75: 719 (1990)

***Trifolium repens* L., Sp. Pl. 2: 767 (1753) Int 토끼풀**

Trifolium stipitatum Clos, Fl. Chil. [Gay] 2: 71 (1847)
Trifolium limonium Phil., Linnaea 28: 679 (1856)

Vicia L.

***Vicia amoena* Fisch. ex Ser., Prodr. (DC.) 2: 355 (1825) Nat: N Korea, S Korea 갈퀴나물**

Vicia rapunculus Debeaux, Actes Soc. Linn. Bordeaux 31: 144 (1877)

***Vicia amurensis* Oett., Trudy Bot. Sada Imp. Yur'evsk. Univ. 6: 143 (1906) Nat: N Korea, S Korea 벌완두**

Vicia vaniottii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 232 (1909)

- Vicia angustifolia* L. ex Reichard, Fl. Moeno-Francof. 2: 44 (1778)** Nat: S Korea 가는살갈퀴
Vicia sativa var. *angustifolia* (L. ex Reichard) Wahlenb., Fl. Carpat. Princ. 218 (1814)
Vicia angustifolia L. ex Reichard var. *segetilis* (Thuill.) Arcang., Syn. Fl. Germ. Helv. 1: 197 (1835)
Vicia angustifolia L. ex Reichard var. *minor* (Bertol.) Ohwi, Acta Phytotax. Geobot. 12: 110 (1943)
- Vicia bifolia* Nakai, Bot. Mag. (Tokyo) 37: 15 (1923)** Nat: S Korea 잔나비나물
Vicia bracteata (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 25 (1930)
- Vicia bungei* Ohwi, J. Jap. Bot. 12: 330 (1936)** Nat: N Korea, S Korea 들완두
Vicia tridentata Bunge, Enum. Pl. Chin. Bor. 19 (1833)
- Vicia chosensis* Ohwi, Acta Phytotax. Geobot. 5: 182 (1936)** Nat: N Korea, S Korea, Endemic 노랑갈퀴
- Vicia cracca* L., Sp. Pl. 2: 735 (1753)** Nat: N Korea, S Korea 등갈퀴나물
- Vicia hirsuta* (L.) Gray, Nat. Arr. Brit. Pl. 2: 614 (1821)** Nat: S Korea 새완두
Ervum hirsutum L., Sp. Pl. 2: 738 (1753)
Vicia taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 11: 31 (1913)
Vicia coreana H.Lév., Bull. Acad. Int. Géogr. Bot. 25: 50 (1915)
- Vicia hirticalycina* Nakai, Bot. Mag. (Tokyo) 28: 329 (1914)** Nat: S Korea, Endemic 나래완두
Lathyrus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 (1909)
Vicia angustipinnata Nakai, Bot. Mag. (Tokyo) 28: 329 (1914)
- Vicia japonica* A.Gray, Mem. Amer. Acad. Arts 4: 385 (1859)** Nat: N Korea, S Korea 넓은잎갈퀴
Vicia pallida Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 789 (1842)
Vicia amurensis Oett. var. *pallida* (Turcz.) Kitag., Neolin. Fl. Manshur. 414 (1979)
- Vicia nipponica* Matsum., Bot. Mag. (Tokyo) 16: 81 (1902)** Nat: N Korea, S Korea 네잎갈퀴나물
Orobus nipponicus (Matsum.) Stank. & Roskov, Kew Bull. 53: 732 (1998)
- Vicia ohwiana* Hosok., J. Soc. Trop. Agric. 5: 288 (1933)** Nat: S Korea 함경나비나물
Vicia unijuga A.Braun var. *ouensanensis* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 548 (1913)
Vicia unijuga A.Braun var. *ohwiana* (Hosok.) Nakai, Bot. Mag. (Tokyo) 49: 349 (1935)
Vicia unijuga A.Braun var. *apoda* f. *albiflora* Kitag., Lin. Fl. Manshur. 295 (1939)
Orobus ohwianus (Hosok.) Stank. & Roskov, Kew Bull. 53: 732 (1998)
Vicia unijuga A.Braun f. *venusta* (Nakai) Ohashi, Fl. Jap. (Iwatsuki et al., eds.) 2b: 229 (2001)
- Vicia pseudoorobus* Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 41 (1835)** Nat: N Korea, S Korea 큰등갈퀴
Vicia pseudoorobus Fisch. & C.A.Mey. f. *albiflora* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 146 (1969)
- Vicia ramuliflora* (Maxim.) Ohwi, J. Jap. Bot. 12: 331 (1936)** Nat: N Korea, S Korea 큰네잎갈퀴

Orobus venosus Willd. ex Link var. *albiflorus* Turcz., Bull. Soc. Imp. Naturalistes
Moscou 15: 796 (1842)
Orobus venosus Willd. ex Link var. *baicalensis* Turcz. ex Maxim., Byull. Moskovsk.
Obshch. Isp. Prir. Otd. Biol. 15: 796 (1842)
Vicia venosa (Link) Maxim. var. *albiflora* (Turcz.) Maxim., Trudy Imp. S.-Peterburgsk.
Bot. Sada 2: 395 (1873)
Vicia venosa (Link) Maxim. var. *baicalensis* Turcz. ex Maxim., Trudy Imp. S.-
Peterburgsk. Bot. Sada 2: 395 (1873)
Vicia pseudovenosa Nakai, Bot. Mag. (Tokyo) 37: 11 (1923)
Vicia venosa (Link) Maxim. var. *macrophylla* Nakai, Bot. Mag. (Tokyo) 45: 121 (1931)
Vicia baicalensis (Turcz.) B.Fedtsch., Fl. URSS 13: 424, t. 24, f. 3 (1948)

***Vicia sepium* L., Sp. Pl. 2: 737 (1753) Int 구주갈퀴덩굴**
Vicioides sepium (L.) Moench, Methodus (Moench) 136 (1794)

***Vicia tenuifolia* Roth, Tent. Fl. Germ. 1: 309 (1788) Nat: N Korea, S Korea 가는등갈퀴**
Ervum tenuifolium (Roth) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 50 (1875)
Vicia cracca L. subsp. *tenuifolia* (Roth) Bonnier & Layens, Tabl. Syn. Pl. Vasc. France
86 (1894)
Vicia antiqua Grossh., Trudy Geobot. Obsl. Pastb. SSR Azerbajdzana, Ser. A, Zimm.
Pastb. 4: 113 (1929)

***Vicia tetrasperma* (L.) Schreb., Spic. Fl. Lips. 26 (1771) Nat: S Korea 얼치기완두**
Ervum tetraspermum L., Sp. Pl. 2: 738 (1753)

***Vicia unijuga* A.Braun, Index Seminum Hort. Bot. Berol. 1853 12 (1853) Nat: N Korea, S Korea 나비나물**
Vicia unijuga A.Braun f. *albiflora* Nakai, Bot. Mag. (Tokyo) 37: 17 (1923)
Vicia unijuga A.Braun f. *minor* Nakai, Bot. Mag. (Tokyo) 37: 16 (1923)
Vicia unijuga A.Braun f. *angustifolia* Makino ex Ohwi, Fl. Jap., revised ed., [Ohwi] 688
(1965)
Vicia unijuga A.Braun subsp. *minor* (Nakai) Y.N.Lee, Fl. Korea (Lee) 390 (1996)

***Vicia venosa* (Link) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 395 (1873) Nat: N Korea, S Korea 연리갈퀴**
Orobus venosus Willd. ex Link, Enum. Hort. Berol. Alt. 2: 236 (1822)
Orobus venosus Willd. ex Link var. *willdenowianus* Turcz., Fl. Baical.-dahur. 1: 352 (1845)
Vicia venosa (Link) Maxim. var. *willdenowiana* (Turcz.) Maxim., Trudy Imp. S.-
Peterburgsk. Bot. Sada 2: 395 (1873)

***Vicia venosa* (Link) Maxim. var. *cuspidata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 445 (1886) Nat: N Korea, S Korea 광릉갈퀴**

***Vicia villosa* Roth, Tent. Fl. Germ. 2: 182 (1793) Int 벻치**
Vicia elegans Guss., Fl. Sic. Prodr. 2: 438 (1828)
Vicia dasycarpa Ten., Viagg. Abruzz. 81 (1829)
Vicia villosa Roth var. *glabrescens* W.D.J.Koch, Syn. Fl. Germ. Helv. 194 (1835)

Vigna Savi

***Vigna angularis* (Willd.) Ohwi & H. Ohashi, J. Jap. Bot. 30: 29 (1969) Int 팥**
Dolichos angularis (Willd.) W.Wight, Sp. Pl. (ed. 4) 3: 1051 (1802)
Phaseolus chrysanthos Savi, Nuovo Giorn. Lett. 3: 318 (1822)

Phaseolus angularis (Willd.) W.Wight, U.S.D.A. Bur. Pl. Industr. Bull. 137: 17 (1909)
Azuki *angularis* (Willd.) Ohwi, Fl. Jap. (Ohwi) 691 (1953)

***Vigna angularis* (Willd.) Ohwi & H. Ohashi var. *nipponensis* (Ohwi) Ohwi & H. Ohashi, J. Jap. Bot. 44: 30 (1969) Nat: N Korea, S Korea 새팥**

Phaseolus nipponensis Ohwi, J. Jap. Bot. 13: 435 (1937)

Azuki *angularis* (Willd.) Ohwi var. *nipponensis* (Ohwi) Ohwi, Fl. Jap. (Ohwi) 691 (1953)

***Vigna nakashimae* (Ohwi) Ohwi & H. Ohashi, J. Jap. Bot. 44: 30 (1969) Nat: S Korea 좁쌀팥**

Phaseolus minimus Roxb., Hort. Bengal. 54 (1814)

Phaseolus nakashimae Ohwi, J. Jap. Bot. 13: 436 (1937)

Azuki *nakashimae* (Ohwi) Ohwi, Fl. Jap. (Ohwi) 691 (1953)

***Vigna radiata* (L.) R. Wilczek, Fl. Congo Belge 6: 386 (1954) Int 녹두**

Phaseolus radiatus L., Sp. Pl. 2: 725 (1753)

Phaseolus aureus Roxb., Hort. Bengal. 55 (1814)

Phaseolus abyssinicus Savi, Mem. Reale Accad. Sci. Torino 38: 176 (1835)

Azuki *radiata* (L.) Ohwi, Fl. Jap. (Ohwi) 691 (1953)

***Vigna umbellata* (Thunb.) Ohwi & H. Ohashi, J. Jap. Bot. 44: 31 (1969) Int 덩굴팥**

Dolichos umbellatus Thunb., Trans. Linn. Soc. London 2: 339 (1794)

Phaseolus calcaratus Roxb., Hort. Bengal. 54 (1814)

Phaseolus torosus Roxb., Hort. Bengal. 55 (1814)

Phaseolus pubescens Blume, Cat. Gew. Buitenzorg (Blume) 1: 93 (1823)

Azuki *umbellata* (Thunb.) Ohwi, Fl. Jap. (Ohwi) 691 (1953)

***Vigna unguiculata* (L.) Walp., Repert. Bot. Syst. (Walpers) 1: 779 (1842) Int 동부**

Dolichos unguiculatus L., Sp. Pl. 2: 725 (1753)

Dolichos sinensis L., Cent. Pl. II 2: 28 (1756)

Dolichos catjang L., Mant. Pl. 1: 269 (1767)

Vigna sinensis (L.) Savi ex Hassk., Pl. Jav. Rar. 386 (1848)

***Vigna vexillata* (L.) A. Rich. var. *tsusimensis* Matsum., Bot. Mag. (Tokyo) 16: 93 (1902) Nat: S Korea 돌동부**

Wisteria Nutt.

***Wisteria floribunda* (Willd.) DC., Prodr. (DC.) 2: 390 (1825) Int 등**

Glycine floribunda Willd., Sp. Pl. (ed. 4) 3: 1066 (1802)

Wisteria multijuga Van Houtte, Fl. Serres Jard. Eur. 19(7-9): 125 (1874)

Wisteria floribunda (Willd.) DC. f. *alba* Rehder & E.H. Wilson, Pl. Wilson. 2: 512 (1916)

Wisteria koreana Uyeki, J. Chosen Nat. Hist. Soc. 20: 15 (1935)

FAGACEAE

Castanea Mill.

***Castanea crenata* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 224 (1846) Nat: N Korea, S Korea 밤나무**

Castanea stricta Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 225 (1845)

Castanea japonica Blume, Mus. Bot. 1: 284 (1850)

Castanea japonica Blume var. *kusakuri* Blume, Mus. Bot. 1: 285 (1851)
Castanea vulgaris Lam. var. *elongata* A.DC., Prodr. (DC.) 16: 115 (1864)
Castanea vulgaris Lam. var. *japonica* A.DC., Prodr. (DC.) 16: 115 (1864)
Castanea vulgaris Lam. var. *subdentata* A.DC., Prodr. (DC.) 16: 115 (1864)
Castanea vulgaris Lam. var. *kusakuri* A.DC., Prodr. (DC.) 16: 115 (1864)
Castanea pubinervis C.K.Schneid., Ill. Handb. Laubholz. 1: 158 (1904)
Castanea sativa Siebold & Zucc. var. *pubinervis* (C.K.Schneid.) Makino, Bot. Mag. (Tokyo) 23: 12 (1909)
Castanea kusakuri (Blume) Koidz., Bot. Mag. (Tokyo) 40: 337 (1926)
Castanea crenata Siebold & Zucc. var. *kusakuri* (Blume) A.Camus, Chataigniers 191 (1929)
Castanea crenata Siebold & Zucc. var. *dulcis* Nakai, Index Sem. (TI) 11 (1934)

***Castanea mollissima* Blume, Mus. Bot. 1: 286 (1851) Nat: N Korea 약밤나무**

Castanea bungeana Blume, Mus. Bot. 1: 284 (1851)
Castanea duclouxii Dode, Bull. Soc. Dendrol. France 150 (1908)
Castanea hupehensis Dode, Bull. Soc. Dendrol. France 1908: 151 (1908)
Castanea sativa Siebold & Zucc. var. *mollissima* (Blume) Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 250 (1910)
Castanea formosana Hayata, Icon. Pl. Formosan. 6: 71 (1917)

Castanopsis D. Don & Spach

***Castanopsis cuspidata* (Thunb.) Schottky, Bot. Jahrb. Syst. 47: 682 (1912) Nat: S Korea 모밀잣밤나무**

Quercus cuspidata Thunb., Syst. Veg., ed. 14 (J. A. Murray) 858 (1784)
Pasania cuspidata (Thunb.) Oerst. ex Murray, Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 84 (1866)
Pasania cuspidata (Thunb.) Oerst. ex Murray var. *thunbergii* Makino, Bot. Mag. (Tokyo) 23: 141 (1909)
Lithocarpus cuspidata (Thunb.) Nakai, Bot. Mag. (Tokyo) 30: 186 (1915)
Synaedrys cuspidata (Thunb.) Koidz., Bot. Mag. (Tokyo) 30: 186 (1915)
Castanopsis cuspidata (Thunb.) Schottky f. *latifolia* (G. Nicholson) Rehder & E.H. Wilson, Pl. Wilson. 3: 205 (1916)
Pasaniopsis cuspidata (Thunb.) Kudô, Syst. Bot. Useful Pl. Jap. 134 (1922)
Shiia cuspidata (Thunb.) Makino, J. Jap. Bot. 5: 23 (1928)
Castanopsis cuspidata (Thunb.) Schottky var. *thunbergii* (Makino) Nakai, J. Jap. Bot. 15: 136 (1939)
Castanopsis thunbergii (Makino) Hatus., J. Jap. Bot. 15: 136 (1939)
Chlamidobalanus cuspidata (Thunb.) Koidz., Acta Phytotax. Geobot. 9: 108 (1940)

***Castanopsis sieboldii* (Makino) Hatus., Fl. Ryukyus 223 (1971) Nat: S Korea 구실잣밤나무**

Pasania cuspidata (Thunb.) Oerst. ex Murray var. *sieboldii* Makino, Bot. Mag. (Tokyo) 23: 141 (1909)
Pasania sieboldii (Makino) Makino, Bot. Mag. (Tokyo) 24: 232 (1910)
Lithocarpus cuspidata (Thunb.) Nakai var. *sieboldii* (Makino) Nakai, Bot. Mag. (Tokyo) 29: 55 (1915)
Lithocarpus sieboldii (Makino) Nakai, Bot. Mag. (Tokyo) 19: 55 (1915)
Synaedrys sieboldii (Makino) Koidz., Bot. Mag. (Tokyo) 30: 187 (1916)
Pasaniopsis sieboldii (Makino) Kudô, Syst. Bot. Useful Pl. Jap. 135 (1922)
Shiia sieboldii (Makino) Makino, J. Jap. Bot. 5: 23 (1928)
Castanopsis cuspidata (Thunb.) Schottky var. *sieboldii* (Makino) Nakai, J. Jap. Bot. 15: 263 (1939)

Fagus L.

- Fagus engleriana* Seem. ex Diels, Bot. Jahrb. Syst. 29: 285 (1900)** Nat: S Korea 너도밤나무
Fagus sylvatica L. var. *chinensis* Franch., J. Bot. (Desvaux) 13: 201 (1899)
Fagus multinervis Nakai, Bot. Mag. (Tokyo) 32: 103 (1918)
Fagus japonica Maxim. var. *multinervis* (Nakai) Y.N.Lee, J. Korean Res. Inst. Better Living 10: 373 (1966)

Quercus L.

- Quercus acuta* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 858 (1784)** Nat: S Korea 붉가시나무
Quercus buergeri Blume, Mus. Bot. 1: 299 (1850)
Quercus laevigata Blume, Mus. Bot. 1: 304 (1850)
Quercus marginata Blume, Mus. Bot. 1: 304 (1850)
Cyclobalanopsis acuta (Thunb.) Oerst., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 78 (1866)
Quercus acuta Thunb. var. *acutiformis* Nakai, Bot. Mag. (Tokyo) 41: 504 (1927)
Cyclobalanopsis acuta (Thunb.) Oerst. f. *albivena* Nakai, J. Jap. Bot. 15: 196 (1939)

- Quercus acutissima* Carruth., J. Linn. Soc., Bot. 6: 33 (1862)** Nat: N Korea, S Korea
상수리나무

Quercus serrata Siebold & Zucc. var. *nana* Blume, Mus. Bot. 1: 297 (1851)
Quercus bombyx K.Koch, Dendrologie 2: 72 (1873)
Quercus uchiyamana Nakai, Repert. Spec. Nov. Regni Veg. 13: 250 (1914)
Quercus lunglingensis Hu, Acta Phytotax. Sin. 1: 141 (1951)

- Quercus acutissima* Carruth. x *Q. variabilis* Blume, J. Jap. Bot. 19: 368 (1943)** Nat: S Korea
정롱참나무

- Quercus aliena* Blume, Mus. Bot. 1: 298 (1851)** Nat: N Korea, S Korea 갈참나무

Quercus aliena Blume var. *pellucida* Blume, Mus. Bot. 1: 299 (1850)
Quercus aliena Blume var. *acuteserrata* Maxim. ex Wenz., Jahrb. Königl. Bot. Gart. Berlin 4: 219 (1886)
Quercus aliena Blume var. *rubripes* Nakai, Bot. Mag. (Tokyo) 31: 4 (1917)
Quercus aliena Blume var. *acuticarpa* Uyeki, Acta Phytotax. Geobot. 1: 255 (1932)
Quercus aliena Blume var. *heterophylla* Uyeki, Acta Phytotax. Geobot. 1: 255 (1932)
Quercus aliena Blume var. *monstrosa* Uyeki, Acta Phytotax. Geobot. 1: 255 (1932)
Quercus aliena Blume var. *acuteserrata* f. *calvescens* Rehder & Wilson, Handb. Kor. & Manch. Forestry 95 (1939)

- Quercus dentata* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 858 (1784)** Nat: N Korea, S Korea
떡갈나무

Quercus obovata Bunge, Enum. Pl. Chin. Bor. 62 (1833)
Quercus dentata Thunb. var. *wrightii* A.DC., Prodr. (DC.) 16: 13 (1864)
Quercus daimio Hoerold ex K.Koch, Dendrologie 2, 2: 45 (1873)
Quercus dentata Thunb. var. *pinnatifida* Matsum., Bot. Mag. (Tokyo) 5: 9 (1891)
Quercus dentata Thunb. var. *grandifolia* Koidz., Bot. Mag. (Tokyo) 26: 161 (1912)
Quercus dentata Thunb. var. *fallax* Nakai, Bot. Mag. (Tokyo) 31: 3 (1917)

- Quercus glauca* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 858 (1784)** Nat: S Korea
중가시나무

Quercus glauca Thunb. var. *nudata* Blume, Mus. Bot. 1: 303 (1850)
Quercus lacera Blume, Mus. Bot. 1: 306 (1851)

Cyclobalanopsis glauca (Thunb.) Oerst., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 78 (1866)
Quercus vibrayeana Franch. & Sav., Enum. Pl. Jap. 2: 498 (1878)
Quercus vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 364 (1913)
Quercus glauca Thunb. var. *stricta* Makino, Bot. Mag. (Tokyo) 29: 55 (1915)
Quercus sasakii Kaneh., Icon. Pl. Formosan. 6: 64 (1916)
Quercus glauca Thunb. var. *linearifolia* Koidz., Fl. Symb. Orient.-Asiat. 8 (1930)
Quercus amamiana Hatus., J. Jap. Bot. 26: 372 (1951)

***Quercus gilva* Blume, Mus. Bot. 1: 306 (1851) Nat: S Korea 개가시나무**

Cyclobalanopsis gilva (Blume) Oerst., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 78 (1866)
Quercus hunanensis Hand.-Mazz., Symb. Sin. 7: 52 (1929)

***Quercus mongolica* Fisch. ex Ledeb., Fl. Ross. (Ledeb.) 3: 589 (1850) Nat: N Korea, S Korea 신갈나무**

Quercus sessiliflora Salisb. var. *mongolica* Franch., Nouv. Arch. Mus. Hist. Nat. 7: 83 (1884)
Quercus crispula Blume var. *mandshurica* Koidz., Bot. Mag. (Tokyo) 26: 164 (1912)
Quercus mongolica Fisch. ex Ledeb. var. *mandshurica* (Koidz.) Nakai, Bot. Mag. (Tokyo) 29: 58 (1915)
Quercus mongolica Fisch. ex Ledeb. var. *liaotungensis* f. *funebri* Nakai, Fl. Sylv. Kor. 3: 24 (1917)

Quercus mongolica* Fisch. ex Ledeb. var. *mongolica

***Quercus mongolica* Fisch. ex Ledeb. var. *crispula* (Blume) H. Ohashi, J. Jap. Bot. 63: 13 (1988) Nat: N Korea, S Korea 물참나무**

Quercus crispula Blume, Mus. Bot. 1: 298 (1850)
Quercus grosseserrata Blume, Mus. Bot. 1: 306 (1850)
Quercus crispula Blume var. *grosseserrata* (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 104 (1864)
Quercus crispula Blume var. *sachalinensis* Koidz., Bot. Mag. (Tokyo) 26: 164 (1912)
Quercus neostuxbergii Koidz., Bot. Mag. (Tokyo) 26: 166 (1912)
Quercus liaotungensis Koidz., Bot. Mag. (Tokyo) 26: 166 (1912)
Quercus mongolica Fisch. ex Ledeb. var. *liaotungensis* (Koidz.) Nakai, Bot. Mag. (Tokyo) 29: 58 (1915)
Quercus mongolica Fisch. ex Ledeb. var. *liaotungensis* f. *glabra* Nakai, Bot. Mag. (Tokyo) 29: 58 (1915)
Quercus mongolica Fisch. ex Ledeb. var. *grosseserrata* (Blume) Rehder & E.H. Wilson, Pl. Wilson. 3: 231 (1916)
Quercus x serratooides Uyeki, Acta Phytotax. Geobot. 1: 253 (1932)
Quercus serratooides var. *ovata* Uyeki, Acta Phytotax. Geobot. 1: 253 (1932)
Quercus crispuloides Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 (1934)
Quercus mongolica Fisch. ex Ledeb. subsp. *crispula* (Blume) Menitsky, Novosti Sist. Vyssh. Rast. 10: 114 (1973)

***Quercus myrsinifolia* Blume, Mus. Bot. 1: 305 (1851) Nat: N Korea, S Korea 가시나무**

Quercus bambusifolia Hance, Bot. Voy. Herald 415 (1857)
Cyclobalanopsis myrsinifolia (Blume) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. 5, 9: 879 (1873)
Quercus neglecta (Schottky) Koidz., Bot. Mag. (Tokyo) 30: 201 (1916)
Quercus myrsinifolia Blume var. *sacifolia* Makino, J. Jap. Bot. 6: 7 (1929)

***Quercus phillyreoides* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 406 (1859) Int 졸가시나무**

Quercus fokienensis Nakai, J. Arnold Arbor. 5: 75 (1924)

Quercus wrightii Nakai, J. Arnold Arbor. 5: 75 (1924)

Quercus tinfanensis A.Camus, Bull. Mus. Natl. Hist. Nat. II, 3: 337 (1931)

Quercus singuliflora (H.Lév.) A.Camus, Chênes 2: 6 (1935)

***Quercus salicina* Blume, Mus. Bot. 1: 305 (1851) Nat; S Korea 참가시나무**

Quercus glauca Thunb. var. *stenophylla* Blume, Mus. Bot. 1: 303 (1850)

Quercus stenophylla (Blume) Makino, Bot. Mag. (Tokyo) 24: 17 (1910)

Cyclobalanopsis stenophylla (Blume) Schottky, Bot. Jahrb. Syst. 47: 657 (1912)

Quercus stenophylloides Hayata, Icon. Pl. Formosan. 4: 21 (1914)

Cyclobalanopsis stenophylla (Blume) Schottky f. *latifolia* (Nakai) Nakai, Bot. Mag. (Tokyo) 30: 62 (1922)

Quercus stenophylla (Blume) Makino var. *latifolia* Nakai, Bot. Mag. (Tokyo) 40: 583 (1926)

Cyclobalanopsis stenophylloides (Hayata) Kudô & Masam., Trans. Nat. Hist. Soc. Taiwan 20: 162 (1930)

Quercus stenophylla (Blume) Makino var. *stenophylloides* (Hayata) A.Camus, Chenes 1: 272 (1938)

Cyclobalanopsis stenophylla (Blume) Schottky var. *stenophylloides* (Hayata) J.C.Liao, Forest Ser. 62: 48 (1974)

Quercus salicina Blume f. *latifolia* (Nakai) H.Ohba, J. Jap. Bot. 64: 323 (1989)
Syst. Veg., ed. 14, 858 (1784)

***Quercus serrata* Murray, Syst. Veg. (J. A. Murray), ed. 14, 858 (1784) Nat; N Korea, S Korea 졸참나무**

Quercus canescens Blume, Mus. Bot. 1: 296 (1850)

Quercus glandulifera Blume, Mus. Bot. 1: 295 (1850)

Quercus urticifolia Blume var. *brevipetiola* A.DC., Prodr. (DC.) 16: 16 (1864)

Quercus griffithii var. *glandulifera* Franch., J. Bot. (Desvaux) 13: 149 (1899)

Quercus glandulifera Blume var. *brevipetiolata* Nakai, J. Arnold Arbor. 5: 76 (1924)

Quercus canescens Blume var. *urticifolia* (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 105 (1964)

***Quercus variabilis* Blume, Mus. Bot. 1: 297 (1851) Nat; N Korea, S Korea 굴참나무**

Quercus chinensis Bunge, Enum. Pl. Chin. Bor. 61 (1833)

Pasania variabilis (Blume) Regel, Cat. Pl. Hort. Aksakov. 1: 102 (1860)

Quercus moulei Hance, J. Bot. 13: 363 (1875)

Quercus bungeana F.B.Forbes, J. Bot. 22: 83 (1884)

***Quercus x dentatomongolica* Nakai, Bot. Mag. (Tokyo) 40: 164 (1926) Nat; N Korea, S Korea 떡신갈나무**

Quercus mongolicodentata Nakai, Bot. Mag. (Tokyo) 40: 164 (1926)

Quercus pseudodentata Uyeki, Acta Phytotax. Geobot. 1: 254 (1932)

Quercus mongolicodentata Nakai var. *longifolia* Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 (1934)

***Quercus x fabri* Hance, J. Linn. Soc., Bot. 10: 201 (1869) Nat; N Korea, S Korea 떡속소리나무(졸떡갈나무)**

Quercus tarokoensis Makino, Icon. Pl. Formosan. 7: 38 (1918)

***Quercus × mccormickii* Carruth., J. Linn. Soc., Bot. 6: 322 (1862) Nat: N Korea, S Korea**
떡갈참나무

- Quercus dentata* Thunb. var. *mccormickii* (Carruth.) Skan, J. Linn. Soc., Bot. 26: 511 (1899)
Quercus nipponica Koidz., Bot. Mag. (Tokyo) 26: 161 (1912)
Quercus × koreana Nakai, Repert. Spec. Nov. Regni Veg. 13: 250 (1914)
Quercus mccormickii var. *koreana* (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 3 (1917)
Quercus × angustelepidota Nakai, Bot. Mag. (Tokyo) 31: 3 (1917)
Quercus × alienoides Uyeki, Acta Phytotax. Geobot. 1: 253 (1932)
Quercus × xangustelepidota Nakai f. *brevisquama* Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 (1934)
Quercus × alienoides Uyeki var. *longissima* Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 (1934)
Quercus nipponica Koidz. var. *koreana* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 20: 25 (1951)

***Quercus × pontungensis* Uyeki, Acta Phytotax. Geobot. 1: 254 (1932) Nat: N Korea, S Korea**
봉동참나무(신갈참나무)

- Quercus mongolica* Fisch. ex Ledeb. var. *laciniata* Nakai, Bot. Mag. (Tokyo) 45: 113 (1931)
Quercus paucilepis Uyeki, Acta Phytotax. Geobot. 1: 254 (1932)

***Quercus × urticifolia* Blume, Mus. Bot. 1: 296 (1850) Nat: N Korea, S Korea** **갈졸참나무**

- Quercus donarium* Nakai, Bot. Mag. (Tokyo) 29: 60 (1915)
Quercus major Nakai, Fl. Sylv. Kor. 3: 28 (1917)
Quercus serrata Murray var. *pseudovariabilis* Nakai, Bot. Mag. (Tokyo) 43: 450 (1929)
Quercus serrata Murray var. *longicarpa* Uyeki, Acta Phytotax. Geobot. 1: 253 (1932)
Quercus major Nakai var. *latifolia* Uyeki, J. Chosen Nat. Hist. Soc. 17: 52 (1934)
Quercus serrata Murray var. *latifolia* Koidz., Acta Phytotax. Geobot. 9: 74 (1940)
Quercus serrata Murray var. *donarium* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 20: 24 (1951)
Quercus serrata Murray f. *longicarpa* (Uyeki) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 20: 23 (1951)

FLACOURTIACEAE

***Idesia* Maxim.**

***Idesia polycarpa* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 10: 485 (1866) Nat: S Korea**
이나무

- Polycarpa maximowiczii* Linden ex Carrière, Rev. Hort. 330, f. 36 (1868)
Idesia polycarpa Maxim. var. *latifolia* Diels, Bot. Jahrb. Syst. 29(3-4): 478 (1900)
Idesia polycarpa Maxim. var. *intermedia* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 673 (1910)
Cathayea polycarpa (Maxim.) Ohwi, Fl. Austro-Higoensis 86 (1931)

***Xylosma* G.Forst.**

***Xylosma japonica* (Thunb.) A.Gray ex H. Ohashi, Fl. Jap. (Iwatsuki et al., eds.) 2c: 160 (1999) Nat: S Korea** **산유자나무**

- Apactis japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 66 (1783)
Croton congestus Lour., Fl. Cochinch. 582 (1790)
Hisingera racemosa Siebold & Zucc., Fl. Jap. (Siebold) 1(19-20): 169 (1841)

Flacourtia japonica Walp., Repert. Bot. Syst. (Walpers) 1: 205 (1842)
Hisingera japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 168 (1845)
Flacourtia chinensis Clos, Ann. Sci. Nat., Bot. 8: 219 (1857)
Xylosma racemosa (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 155 (1865)
Casearia subrhombica Hance, J. Bot. 23: 323 (1885)
Myroxylon racemosum (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 1: 44 (1891)
Myroxylon japonicum (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 53 (1904)
Xylosma congesta (Lour.) Merr., Philipp. J. Sci. 15: 247 (1920)
Xylosma apactis (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 316 (1925)

GENTIANACEAE

Gentiana L.

***Gentiana algida* Pall., Fl. Ross. (Pallas) 1: 107 (1789) Nat: N Korea 산용담**

Gentiana frigida var. *algida* (Pall.) Froel., *Gentiana* 39 (1796)
Pneumonanthe algida (Pall.) F.W.Schmidt, Arch. Bot. (Leipzig) 1: 10 (1796)
Gentiana algida Pall. var. *sibirica* Kusn., Trudy Imp. S.-Peterburgsk. Obshch. Estestvoisp., Vyp. 2., Otd. Bot. 24: 114 (1894)
Gentianodes algida (Pall.) A.Löve & D.Löve, Bot. Not. 125: 256 (1972)

***Gentiana aquatica* L. var. *pseudoaquatica* (Kusn.) S.Agrawal, J. Econ. Taxon. Bot. 5: 437 (1984) Nat: S Korea 흰그늘용담**

Gentiana pseudoaquatica Kusn., Trudy Imp. S.-Peterburgsk. Bot. Sada 13: 63 (1893)
Gentiana chosonica Okuy., J. Jap. Bot. 19: 131 (1943)

***Gentiana jamesii* Hemsl., J. Linn. Soc., Bot. 26: 128 (1890) Nat: N Korea, S Korea 비로용담**

Gentiana nipponica Maxim. var. *kawakamii* Makino, Bot. Mag. (Tokyo) 17: 212 (1903)
Gentiana kawakamii (Makino) Makino, Bot. Mag. (Tokyo) 18: 67 (1904)
Gentiana jamesii Hemsl. var. *albiflora* Nakai, Icon. Pl. Koisikav 3: 25 (1916)
Gentiana jamesii Hemsl. var. *kawakamii* (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 93 (1952)
Gentiana kurilensis Grossh., Fl. URSS 18: 576 & 750 (1952)
Gentiana jamesii Hemsl. f. *albiflora* (Nakai) Toyok., Acta Phytotax. Geobot. 16: 116 (1956)

***Gentiana nipponica* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 32: 507 (1888) Nat: S Korea 멧용담**

***Gentiana scabra* Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 543 (1835) Nat: N Korea, S Korea 용담**

Gentiana fortunei Hook., Bot. Mag. 1854: 48 (1854)
Gentiana buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 124 (1867)
Gentiana scabra Bunge var. *buergeri* (Miq.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 449 (1878)
Gentiana scabra Bunge var. *intermedia* Kusn., Trudy Imp. S.-Peterburgsk. Obshch. Estestvoisp., Vyp. 2., Otd. Bot. 24: 77 (1894)
Gentiana scabra Bunge var. *buergeri* f. *angustifolia* Kusn., Trudy Imp. S.-Peterburgsk. Obshch. Estestvoisp., Vyp. 2., Otd. Bot. 24: 78 (1894)
Gentiana scabra Bunge var. *buergeri* subvar. *angustifolia* Makino, Bot. Mag. (Tokyo) 10: 313 (1896)
Gentiana scabra Bunge var. *stenophylla* H.Hara, Enum. Spermatophytarum Japon. 1: 134 (1948)

Gentiana scabra Bunge var. *buergeri* f. *stenophylla* (Hara) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 83 (1953)
Dasystephana scabra (Bunge) Soják, Cas. Nar. Mus., Odd. Prir. 148: 200 (1979)
Gentiana scabra Bunge f. *stenophylla* (H.Hara) W.K.Paik & W.T.Lee, Korean J. Pl. Taxon. 25: 161 (1995)

***Gentiana squarrosa* Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 527 (1812)**

Nat: N Korea, S Korea 구슬봉이

Gentiana aquatica L., Fl. Jap. (Thunberg) 115 (1784)
Ericala squarrosa G.Don, Gen. Hist. 4: 191 (1837)
Gentiana squarrosa Ledeb. var. *microphylla* Nakai, Bot. Mag. (Tokyo) 28: 330 (1914)
Gentiana takahashii T.Mori, J. Chosen Nat. Hist. Soc. 4: 24 (1927)
Varasia squarrosa (Ledeb.) Soják, Cas. Nar. Mus., Odd. Prir. 148: 202 (1979)
Gentiana wootchuliana W.K.Paik, Korean J. Pl. Taxon. 25: 2 (1995)

***Gentiana thunbergii* (G.Don) Griseb., Prodr. (DC.) 9: 108 (1845) Nat: N Korea, S Korea
봄구슬봉이**

Ericala thunbergii G.Don, Gen. Hist. 4: 192 (1838)
Gentiana lactea Nakai, Bot. Mag. (Tokyo) 28: 330 (1914)
Gentiana thunbergii (G.Don) Griseb. f. *grandis* Nakai, J. Jap. Bot. 23: 99 (1949)
Varasia thunbergii (Griseb.) Soják, Cas. Nar. Mus., Odd. Prir. 148: 202 (1979)

***Gentiana triflora* Pall., Fl. Ross. (Pallas) 1: 105 (1789) Nat: N Korea, S Korea 파남풀**

Pneumonanthe triflora (Pall.) F.W.Schmidt, Arch. Bot. (Leipzig) 1: 10 (1796)
Gentiana axillariflora H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 648 (1906)
Gentiana uchiyamae Nakai, Bot. Mag. (Tokyo) 23: 107 (1909)
Gentiana jesoana Nakai var. *coreana* Nakai, Bot. Mag. (Tokyo) 13: 106 (1909)
Gentiana axillariflora H.Lév. & Vaniot var. *coreana* (Nakai) Kudô, Medic. Pl. Hokk. 1: 69 (1922)
Gentiana triflora Pall. var. *japonica* (Kusn.) H.Hara, Enum. Spermatophytarum Japon. 1: 136 (1948)
Gentiana triflora Pall. f. *alviviolaacea* W.K.Paik & W.T.Lee, Korean J. Pl. Taxon. 25 (3): 19 (1995)

***Gentiana zollingeri* Fawc., J. Bot. 21: 183 (1883) Nat: N Korea, S Korea 큰구슬봉이**

Gentiana aomomensis H.Lév., Bull. Soc. Bot. France 53: 648 (1906)
Gentiana zollingeri Fawc. f. *albiflora* Tuyama, J. Jap. Bot. 16: 502 (1940)

Gentianopsis Ma

***Gentianopsis barbata* (Froel.) Ma, Acta Phytotax. Sin. 1: 8 (1951) Nat: N Korea 수염용담**

Gentiana detonsa Rottb., Skr. Kiøbenhavnse Selsk. Laerd. Elsk. 10: 435 (1770)
Gentiana barbata Froel., Gentiana 114 (1796)
Gentiana detonsa Rottb. var. *barbata* (Froel.) Griseb., Gen. Sp. Gent. 257 (1839)

***Gentianopsis contorta* (Royle) Ma, Acta Phytotax. Sin. 1: 14 (1951) Nat: N Korea 꼬인용담**

Gentiana contorta Royle, Ill. Bot. Himal. Mts. 278 (1835)
Gentiana yamatsutae Kitag., Bot. Mag. (Tokyo) 48: 104 (1934)
Gentianella contorta (Royle) Harry Sm., Symb. Sin. 7: 979 (1936)
Gentianopsis contorta (Royle) Ma var. *wui* Ma, Acta Phytotax. Sin. 1: 15 (1951)

Halenia Borkh.

Halenia corniculata (L.) Cornaz, **Bull. Soc. Neuchateloise Sci. Nat.** 25: 171 (1897) Nat: N Korea, S Korea **맞꽃**

- Swertia corniculata* L., Sp. Pl. 227 (1753)
Halenia sibirica Borkh., Arch. Bot. (Leipzig) 1: 25 (1796)
Halenia fischeri Graham, Edinburgh New Philos. J. 174 (1830)
Halenia deltoidea Gand., Bull. Soc. Bot. France 65: 61 (1918)
Halenia japonica Gand., Bull. Soc. Bot. France 65: 61 (1918)

Pterygocalyx Maxim.

Pterygocalyx volubilis Maxim., **Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans** 9: 198 (1859) Nat: N Korea, S Korea **좁은잎덩굴용담**

- Crawfordia pterygocalyx* Hemsl., J. Linn. Soc., Bot. 26: 123 (1890)
Crawfordia volubilis (Maxim.) Makino, Bot. Mag. (Tokyo) 4: 86 (1890)

Swertia Boehm. & Ludw.

Swertia dichotoma L., **Sp. Pl.** 227 (1753) Nat: N Korea, S Korea **대성쓴풀**
Anagallidium dichotomum (L.) Griseb., Gen. Sp. Gent. 312 (1839)

Swertia diluta (Turcz.) Benth. & Hook.f. var. *tosaensis* (Makino) H.Hara, **J. Jap. Bot.** 25: 89 (1950) Nat: N Korea, S Korea **개쓴풀**

- Swertia chinensis* Franch. var. *tosaensis* Makino, Bot. Mag. (Tokyo) 6: 53 (1892)
Swertia tosaensis Makino, Bot. Mag. (Tokyo) 17: 54 (1903)
Frasera diluta var. *tosaensis* (Makino) Toyok., Symb. Asahikaw. 1: 155 (1965)

Swertia erythrosticta Maxim., **Bull. Acad. Imp. Sci. Saint-Petersbourg** 27: 503 (1881) Nat: N Korea **점박이별꽃풀**

Swertia japonica (Schult.) Makino, **Bot. Mag. (Tokyo)** 24: 294 (1910) Nat: S Korea **쓴풀**
Gentiana japonica Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 20: 433 (1875)
Swertia japonica (Schult.) Makino f. *chionantha* F.Maek., J. Jap. Bot. 12: 140 (1939)
Frasera japonica (Schult.) Toyok., Symb. Asahikaw. 1: 156 (1965)

Swertia pseudochinensis H.Hara, **J. Jap. Bot.** 25: 89 (1950) Nat: N Korea **자주쓴풀**

- Narketia japonica* Raf., Fl. Tellur. 3: 26 (1837)
Swertia chinensis Franch., Bull. Soc. Bot. France 32: 26 (1885)
Swertia chinensis Franch. f. *violacea* Makino, Bot. Mag. (Tokyo) 17: 55 (1903)
Frasera pseudochinensis (H.Hara) Toyok., Symb. Asahikaw. 1: 156 (1965)

Swertia tetrapetala Pall., **Fl. Ross. (Pallas)** 1: 99 (1789) Nat: N Korea, S Korea **네귀쓴풀**

- Anagallidium tetrapetalum* (Pall.) Griseb., Gen. Sp. Gent. 312 (1838)
Swertia pallasii G.Don, Gen. Hist. 4: 176 (1838)
Stellera cyanea Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 168 (1840)
Rellesta cyanea (Turcz.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 22: 337 (1849)
Ophelia wilfordii A.Kern., Ber. Naturwiss.-Med. Vereins Innsbruck 1: 102 (1870)
Ophelia papillosa Franch. & Sav., Enum. Pl. Jap. 2: 450 (1878)
Ophelia yesoensis Franch. & Sav., Enum. Pl. Jap. 2: 451 (1878)
Swertia yesoensis (Franch. & Sav.) Matsum., Nippon Shokubutsumei, ed. 2 287 (1895)
Swertia bissetii Moore & Burkill, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 2: 329 (1906)

Swertia wilfordii (A.Kern.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 274 (1907)
Swertia anomala Nakai, Bot. Mag. (Tokyo) 28: 331 (1914)
Swertia tetrapetala Pall. f. *albiflora* Tatew., J. Fac. Agric. Hokkaido Imp. Univ. 29: 234 (1933)
Swertia tetrapetala Pall. f. *variegata* Tatew., J. Fac. Agric. Hokkaido Imp. Univ. 29: 234 (1933)
Swertia tetrapetala Pall. f. *papillosa* (Franch. & Sav.) H.Hara, Bot. Mag. (Tokyo) 51: 19 (1937)
Ophelia tetrapetala (Pall.) Grossh., Fl. URSS 18: 627 (1952)
Frasera tetrapetala (Pall.) Toyok., Symb. Asahikaw. 1: 155 (1965)

***Swertia veratroides* Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 276 (1907)**
Nat; N Korea **별꽃풀**

Tripterospermum Brongn.

***Tripterospermum japonicum* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 435 (1875)** Nat; S Korea **덩굴용담**

Crawfordia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 160 (1846)
Crawfordia fasciculata Griff., Not. Pl. Asiat. 4: 92 (1854)
Golowninia japonica (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 4: 252 (1862)
Crawfordia trinervis (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 171 (1902)
Gentiana golowninia C.Marquand, Bull. Misc. Inform. Kew 1931: 70 (1931)
Crawfordia japonica Siebold & Zucc. var. *tenuis* Masam., J. Soc. Trop. Agric. 4: 76 (1932)
Gentiana trinervis (Thunb.) C.Marquand, Bull. Misc. Inform. Kew 1937: 157 (1937)
Tripterospermum japonicum (Siebold & Zucc.) Maxim. var. *tenue* (Masam.) Honda, Nom. Pl. Japonic. 282 (1939)
Tripterospermum japonicum (Siebold & Zucc.) Maxim. f. *albiflorum* Honda, J. Jap. Bot. 30: 170 (1955)
Tripterospermum japonicum (Siebold & Zucc.) Maxim. f. *leucocarpum* Honda, J. Jap. Bot. 30: 170 (1955)
Tripterospermum japonicum (Siebold & Zucc.) Maxim. var. *albiflorum* (Honda) Y.N.Lee, Korean J. Bot. 1: 29 (1981)
Tripterospermum involubile N.Yonez., J. Phytogeogr. Taxon. 36: 9 (1988)

GERANIACEAE

Erodium L'Her.

***Erodium cicutarium* (L.) L'Hér., Hortus Kew. 2: 414 (1789)** Int 세월유럽취손이

Geranium cicutarium L., Sp. Pl. 680 (1753)
Geranium chaerophyllum Cav., Diss. 4, Quarta Diss. Bot. 226 (1787)
Erodium melanostigma Mart., Pl. Hort. Erlang. 139 (1814)
Erodium ambiguum Pomel, Nouv. Mat. Fl. Atl. 2: 338 (1875)
Erodium filicinum Pomel, Nouv. Mat. Fl. Atl. 2: 339 (1875)
Erodium danicum K.Larsen, Biol. Meddel. Kongel. Danske Vidensk. Selsk. 23: 14 (1958)

***Erodium moschatum* (L.) L'Hér., Hortus Kew. 2: 414 (1789)** Int 유럽취손이

Geranium cicutarium L. var. *moschatum* L., Sp. Pl. 680 (1753)
Erodium australe Salzm. ex Nyman, Consp. Fl. Eur. 139 (1878)
Erodium robertianum C.A.Mey. ex Nyman, Consp. Fl. Eur. 140 (1878)

***Erodium stephanianum* Willd., Sp. Pl. (ed. 5; Willdenow) 3: 625 (1800) Nat: N Korea**
국화취손이

Geranium stephanianum (Willd.) Poir., Encycl. (Lamarck) Suppl. 2 741 (1812)
Geranium stevenii (M.Bieb.) Poir., Encycl. (Lamarck) Suppl. 2 742 (1812)

Geranium L.

***Geranium carolinianum* L., Sp. Pl. 682 (1753) Int 미국취손이**

Geranium atrum Moench, Methodus (Moench) 285 (1794)
Geranium langloisii Greene, Pittonia 3: 171 (1897)

***Geranium dahuricum* DC., Prodr. (DC.) 1: 642 (1824) Nat: N Korea, S Korea 산취손이**

Geranium pseudosibiricum Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 71 (1859)
Geranium bifolium Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 467 (1859)

***Geranium knuthii* Nakai, Bot. Mag. (Tokyo) 26: 263 (1912) Nat: N Korea 큰세잎취손이**

***Geranium koreanum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 433 (1901) Nat: N Korea, S Korea 둥근이질풀**

Geranium koreanum Kom. f. *albidum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 433 (1901)
Geranium koreanum Kom. var. *hirsutum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 113 (1911)
Geranium taebaekensis S.J.Park & Y.S.Kim, Korean J. Pl. Taxon. 27: 189 (1997)

***Geranium krameri* Franch. & Sav., Enum. Pl. Jap. 2: 306 (1878) Nat: N Korea, S Korea 선이질풀**

Geranium sieboldii Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 26: 458 (1880)
Geranium koraiense Nakai, Bot. Mag. (Tokyo) 25: 54 (1911)
Geranium japonicum Franch. & Sav. var. *adpressipilosum* H.Hara, J. Jap. Bot. 22: 171 (1949)
Geranium krameri Franch. & Sav. f. *adpressipilosum* (H.Hara) H.Hara, J. Jap. Bot. 30: 21 (1954)
Geranium koraiense Nakai var. *chejuense* S.J.Park & K.J.Kim, Korean J. Pl. Taxon. 32: 3 (2002)
Geranium koraiense Nakai var. *hallasanense* B.J.Woo & S.J.Park, Integr. Biosci. 9: 123 (2005)

***Geranium maximowiczii* Regel & Maack, Tent. Fl.-Ussur. 39 (1861) Nat: N Korea**
분홍취손이

Geranium hattae Nakai, Bot. Mag. (Tokyo) 26: 263 (1912)
Geranium wlassovianum Fisher ex Link var. *hattae* (Nakai) Z.H.Lu, Bull. Bot. Res., Harbin 14: 360 (1994)
Geranium wlassovianum Fisher ex Link var. *maximowiczii* (Regel & Maack) S.J.Park, Korean J. Pl. Taxon. 27: 213 (1997)

***Geranium nepalense* Sweet, Geraniaceae 1: t. 12 (1820) Nat: N Korea, S Korea 산이질풀**

Geranium lavergneanum H.Lév., Bull. Soc. Agric. Sarthe 39: 4 (1904)
Geranium lavergneanum H.Lév. var. *cinerascens* H.Lév., Bull. Soc. Agric. Sarthe 39: 319 (1904)
Geranium nepalense Sweet var. *pallidum* Nakai, Koryo Shikenrin Ippan 41 (1932)

Geranium nepalense Sweet var. *glabratum* H.Hara, Bot. Mag. (Tokyo) 49: 862 (1935)
Geranium fangii R.Knuth, Repert. Spec. Nov. Regni Veg. 4: 218 (1936)
Geranium nepalense Sweet f. *glabratum* (H.Hara) H.Hara, J. Jap. Bot. 22: 171 (1948)

***Geranium nepalense* Sweet var. *thunbergii* (Siebold ex Lindl. & Paxton) Kudô, Medic. Pl. Hokk. 1: 55 (1922) Nat: N Korea, S Korea 이질풀**

Geranium thunbergii Siebold ex Lindl. & Paxton, Paxton's Fl. Gard. 1: 186 (1851)
Geranium nepalense Sweet f. *japoinca* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 454 (1880)
Geranium thunbergii Siebold ex Lindl. & Paxton var. *roseum* Nakai, Koryo Shikenrin Ippan 11 (1932)
Geranium thunbergii Siebold ex Lindl. & Paxton f. *plenum* (Iwata) H.Hara, J. Jap. Bot. 22: 172 (1948)
Geranium thunbergii Siebold ex Lindl. & Paxton f. *roseum* Hara, J. Jap. Bot. 22: 172 (1948)
Geranium sibiricum L. f. *pallidum* (Nakai) Murata, Acta Phytotax. Geobot. 17: 172 (1958)
Geranium nepalense Sweet subsp. *thunbergii* (Siebold & Zucc.) H.Hara, Fl. E. Himalaya 638 (1966)

***Geranium platyanthum* Duthie, Gard. Chron. 3, 39: 52 (1906) Nat: N Korea, S Korea 털취손이**

Geranium eriostemon Fisher ex DC., Prodr. (DC.) 1: 641 (1824)
Geranium eriostemon Fisher ex DC. var. *reinii* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 26: 304 (1879)
Geranium orientale (Maxim.) Freyn, Oesterr. Bot. Z. 52: 18 (1902)
Geranium eriostemon Fisher ex DC. var. *hypoleucum* Nakai, Bot. Mag. (Tokyo) 26: 256 (1912)
Geranium eriostemon Fisher ex DC. var. *megalanthum* Nakai, Bot. Mag. (Tokyo) 26: 257 (1912)

***Geranium shikokianum* Matsum., Bot. Mag. (Tokyo) 15: 123 (1901) Nat: S Korea 섬취손이**
Geranium shikokianum Matsum. var. *quelpaertense* Nakai, Bot. Mag. (Tokyo) 26: 260 (1912)

***Geranium sibiricum* L., Sp. Pl. 683 (1753) Nat: N Korea, S Korea 쥐손이풀**

Geranium acrocarphum Ledeb., Fl. Ross. (Ledeb.) 1: 471 (1842)
Geranium sibiricum L. f. *glabrius* H.Hara, J. Jap. Bot. 22: 171 (1948)
Geranium europaeum Popov, Fl. URSS 15: 46 (1949)
Geranium sibiricum L. var. *glabrius* (H.Hara) Ohwi, Fl. Jap. (Ohwi) 704 (1953)

***Geranium soboliferum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 433 (1901) Nat: N Korea 삼취손이**

Geranium hakusanense Matsum., Bot. Mag. (Tokyo) 15: 123 (1901)
Geranium hidaense Makino, J. Jap. Bot. 16: 729 (1940)
Geranium yezoense Franch. & Sav. var. *hakusanense* (Matsum.) Makino, Ill. Fl. Nippon (Makino) 398 (1940)
Geranium soboliferum Kom. var. *hakusanense* (Matsum.) Kitag., Neolin. Fl. Manshur. 419 (1979)

***Geranium tripartitum* R.Knuth, Pflanzenr. (Engler) IV, 129: 191 (1912) Nat: S Korea 줍취손이**

***Geranium wilfordii* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 453 (1880) Nat: N Korea, S Korea 세잎취손이**

Geranium hastatum Nakai, Bot. Mag. (Tokyo) 23: 100 (1909)
Geranium iinumai Nakai, Bot. Mag. (Tokyo) 23: 100 (1909)
Geranium krameri Franch. & Sav. var. *iinumai* (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 261 (1912)
Geranium iinumai Nakai var. *asiatica* Koidz., Fl. Symb. Orient.-Asiat. 83 (1930)
Geranium tripartitum R.Knuth var. *hastatum* T.Yamaz., J. Jap. Bot. 68: 239 (1993)
Geranium wilfordii Maxim. var. *pilicalyx* T.Yamaz., J. Jap. Bot. 68: 239 (1993)

***Geranium wlassovianum* Fisher ex Link, Enum. Hort. Berol. Alt. 2: 197 (1822) Nat: N Korea, S Korea 우단쥐손이**

Pelargonium L'Her. Ex Aiton

***Pelargonium inquinans* (L.) L'Hér., Hortus Kew. 2: 424 (1789) Int 제라늄**

Geranium inquinans L., Sp. Pl. 676 (1753)
Ciconium cerinum Sweet, Geraniaceae 2: t. 176 (1823)
Ciconium inquinans Hoffmanns., Verz. Pfl.-Kult. 49 (1824)
Geranospermum inquinans (L.) Kuntze, Revis. Gen. Pl. 1: 94 (1891)

***Pelargonium zonale* (L.) L'Hér., Hortus Kew. 2: 424 (1789) Int 무늬제라늄**

Geranium zonale L., Sp. Pl. 678 (1753)
Geranospermum zonale (L.) Kuntze, Revis. Gen. Pl. 1: 93 (1891)

GESNERIACEAE

Sinningia Nees

***Sinningia speciosa* (Lodd.) Hiern, Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 1877: 91 (1877) Int 크록시니아**

GROSSULARIACEAE

Ribes L.

***Ribes burejense* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 42 (1868) Nat: N Korea 바늘까치밥나무**

Ribes macrocalyx Hance, J. Bot. 13(146): 35 (1875)
Ribes grossularioides Hemsl., J. Linn. Soc., Bot. 23(155): 279 (1887)
Grossularia burejensis (F.Schmidt) A.Berger, New York Agric. Exp. Sta. Techn. Bull. 109: 112 (1924)

***Ribes diacanthum* Pall., Reise Russ. Reich. 3: 722 (1776) Nat: N Korea 가시까치밥나무**

***Ribes fasciculatum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 189 (1845) Nat: N Korea, S Korea 까마귀밥나무**

Ribes billiardii Carrière, Rev. Hort. 1867: 140 (1867)
Ribes fasciculatum Siebold & Zucc. var. *chinense* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 264 (1874)
Ribes chifuense Hance, J. Bot. 13(146): 36 (1875)
Ribes japonicum Carrière, Rev. Hort. 435 (1877)
Ribes fasciculatum Siebold & Zucc. var. *japonicum* Jancz., Mem. Soc. Phys. Geneve 35: 396 (1907)

- Ribes horridum* Rupr. ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 117 (1859)** Nat: N Korea 까막바늘까치밥나무
Ribes lacustre var. *horridum* (Rupr. ex Maxim.) Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 238 (1903)
- Ribes komarovii* Pojark., Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 209 (1936)** Nat: N Korea 꼬리까치밥나무
Ribes maximowiczianum Kom. var. *saxatile* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 443 (1904)
Ribes distans Turcz. ex T.Mori var. *breviracemum* Nakai, Fl. Sylv. Kor. 15: 36 (1926)
Ribes komarovii Pojark. var. *breviracemum* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 268 (1966)
- Ribes latifolium* Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 4 (1906)** Nat: N Korea 넓은잎까치밥나무
- Ribes mandshuricum* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 437 (1904)** Nat: N Korea, S Korea 까치밥나무
Ribes multiflorum var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 228 (1873)
Ribes petraeum var. *mongolicum* Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 6: 77 (1883)
Ribes mandshuricum (Maxim.) Kom. var. *villosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 483 (1904)
Ribes mandshuricum (Maxim.) Kom. var. *subglabrum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 438 (1904)
Ribes mandshuricum (Maxim.) Kom. f. *subglabrum* (Kom.) Kitag., J. Jap. Bot. 34 (1959)
- Ribes maximowiczianum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 443 (1904)** Nat: N Korea, S Korea 명자순
Ribes alpinum L. var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 239 (1874)
Ribes maximowiczianum Kom. var. *umbrosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22 : 443 (1904)
Ribes distans Turcz. ex T.Mori var. *mandshuricum* (Maxim.) Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 1906: 286 (1906)
Ribes tricuspis Nakai, Chosen Shokubutsu 1: 342 (1914)
Ribes distans Turcz. ex T.Mori, Enum. Pl. Corea 184 (1922)
- Ribes nigrum* L., Sp. Pl. 201 (1753)** Int 서양까막까치밥나무
Ribes olidum Moench, Methodus (Moench) 683 (1794)
Botrycarpum nigrum (L.) A.Rich., Bot. Med. 2: 490 (1823)
Ribes pauciflorum Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 200 (1844)
Grossularia nigra (L.) Rupr., Fl. Ingr. [Ruprecht] 418 (1860)
Ribes nigrum L. var. *pauciflorum* (Turcz. ex Ledeb.) Jancz., Mem. Soc. Phys. Geneve 35: 348 (1907)
Ribes cyathiforme Pojark., Trudy Prikl. Bot. 3: 349 (1929)
- Ribes procumbens* Pall., Fl. Ross. (Pallas) 1: 35 (1788)** Nat: N Korea 까막까치밥나무
Ribes ussuriense Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 6: 12 (1906)
- Ribes sativum* (Rchb.) Syme, Engl. Bot., ed. 3B 4: 42 (1865)** Int 카란트
Ribes rubrum Torr. & A.Gray var. *sativum* Rchb., Fl. Germ. Excurs. 2: 562 (1830)

***Ribes triste* Pall., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 10: 378 (1797) Nat: N Korea
눈까치릅나무**

Ribes melancholicum Siev. ex Pall., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 1(Hist.): 238 (1797)

Ribes albinervium Michx., Fl. Bor.-Amer. (Michaux) 1: 110 (1803)

Ribes rubrum Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 550 (1840)

Ribes propinquum Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 70 (1840)

Ribes rubrum Torr. & A.Gray var. *glabella* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 40 (1856)

Ribes rubrum Torr. & A.Gray var. *propinquum* (Turcz.) Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 40 (1856)

Ribes ciliosum Howell, Fl. N.W. Amer. 2: 208 (1898)

***Ribes uva-crispa* L., Sp. Pl. 201 (1753) Int 서양까치릅나무**

Ribes grossularia L., Sp. Pl. 201 (1753)

Ribes reclinatum L., Sp. Pl. 201 (1753)

Grossularia hirsuta Mill., Gard. Dict., ed. 8 2 (1768)

Grossularia reclinata (L.) Mill., Gard. Dict., ed. 8 1 (1768)

Ribes spinosum Lam., Fl. Franc. (Lamarck) 3: 470 (1779)

Ribes dubium Jacques, Rev. Hort. 4, 3: 279 (1854)

HALORAGACEAE

Gonocarpus Ham.

***Gonocarpus micranthus* Thunb., Nov. Gen. Pl. [Thunberg] 3: 55 (1783) Nat: N Korea, S Korea
개미탑**

Gonocarpus micranthus (Thunb.) Willd., Sp. Pl. 690 (1797)

Gonocarpus micranthus (Thunb.) K.D.Koenig, Ann. Bot. (Koenig & Sims) 1: 546 (1805)

Haloragis tenella Brongn., Voy. Monde, Phan. 68 (1831)

Gonocarpus citriodorus A.Cunn., Ann. Nat. Hist. 3: 30 (1839)

Haloragis micrantha (Thunb.) R.Br. ex Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (2): 133 (1845)

Gonocarpus rubricaulis Griff., Not. Pl. Asiat. 4: 688 (1854)

Myriophyllum L.

***Myriophyllum spicatum* L., Sp. Pl. 992 (1753) Nat: N Korea, S Korea 이삭물수세미**

***Myriophyllum ussuriense* (Regel) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 18 (1873) Nat: N Korea, S Korea 전물수세미**

Myriophyllum verticillatum L. var. *ussuriense* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 60, pl. 4, f. 2-5 (1861)

Myriophyllum isoetophilum Kom., Repert. Spec. Nov. Regni Veg. 13: 168 (1914)

***Myriophyllum verticillatum* L., Sp. Pl. 2: 992 (1753) Nat: N Korea, S Korea 물수세미**

Myriophyllum pectinatum DC., Fl. Franc. (DC. & Lamarck), ed. 3 6: 529 (1815)

Myriophyllum limosum Hectot ex DC., Fl. Franc. (DC. & Lamarck), ed. 3 6: 530 (1815)

Myriophyllum siculum Guss., Fl. Sicul. Syn. 2: 599 (1844)

HAMAMELIDACEAE

Corylopsis Siebold & Zucc.

- Corylopsis coreana** Uyeki, **Suigen Gakuho** 41: 8 (1924) Nat: S Korea 히어리
Corylopsis coreana Uyeki var. *pubescens* Nakai, J. Jap. Bot. 15: 736 (1939)
Corylopsis glabrescens Franch. & Sav. var. *gotoana* (Makino) T. Yamanaka, Acta
Phytotax. Geobot. 37: 104 (1986)
Corylopsis gotoana Makino var. *coreana* (Uyeki) T. Yamaz., J. Jap. Bot. 63: 29 (1988)

Distylium Siebold & Zucc.

- Distylium racemosum** Siebold & Zucc., **Fl. Jap. (Siebold)** 1: 179 (1841) Nat: S Korea
조록나무

Hamamelis L.

- Hamamelis japonica** Siebold et Zucc. **Abh. Math.-Phys. Cl. Konigl. Bayer. Akad. Wiss.**
4:193 (1843) Int 풍년화
Hamamelis arborea Ottol. ex Mast. Gard. Chron. 1874(1): 187 (1874)
Hamamelis zuccariniana Ottol. ex Mast. Gard. Chron. 1874(1): 187 (1874)

HIPPOCASTANACEAE

Aesculus L.

- Aesculus turbinata** Blume, **Rumphia** 3: 195 (1847) Int 칠엽수
Aesculus chinensis Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 2: 84
(1832)
Aesculus dissimilis Blume, Rumphia 3: 195 (1847)
Pawia dissimilis (Blume) Kuntze, Revis. Gen. Pl. 1: 146 (1891)
Pawia turbinata (Blume) Kuntze, Revis. Gen. Pl. 1: 146 (1891)
Aesculus japonica C.K.Schneid., Ill. Handb. Laubholz. 2: 246 (1909)
Aesculus turbinata Blume var. *pubescens* Rehder, J. Arnold Arbor. 3: 219 (1922)

HIPPURIDACEAE

Hippuris L.

- Hippuris vulgaris** L., **Sp. Pl.** 4 (1753) Nat: N Korea 쇠뜨기말풀

HYDRANGEACEAE

Deutzia Thunb.

- Deutzia crenata** Siebold & Zucc., **Fl. Jap. (Siebold)** 1: 19 (1835) Int 빈도리
Deutzia naseana Nakai, Bot. Mag. (Tokyo) 35: 88 (1921)
Deutzia scabra Thunb. var. *latifolia* Zaik., Deitsii-Dekorat. Kust., Monogr. Deutzia 37
(1966)
Deutzia scabra Thunb. var. *petiolata* Zaik., Deitsii-Dekorat. Kust., Monogr. Deutzia 34

(1966)

Deutzia naseana Nakai var. *macrantha* Hatus., Fl. Ryukyus 304 (1971)

***Deutzia glabrata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 433 (1904) Nat: N Korea, S Korea 풀참대**

Deutzia glaberrima Koehne, Bot. Jahrb. Syst. 34 (1): 38 (1904)

Deutzia fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 (1910)

Crataegus pomasae H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 12: 189 (1913)

***Deutzia grandiflora* Bunge, Enum. Pl. Chin. Bor. 30 (1833) Nat: N Korea, S Korea 바위말발도리**

Deutzia hamata Koehne, Bot. Jahrb. Syst. 34: 37 (1904)

Deutzia grandiflora Bunge var. *baroniana* (Diels) Rehder, Pl. Wilson. 1: 21 (1911)

Deutzia prunifolia Rehder, Pl. Wilson. 1: 22 (1911)

Deutzia prunifolia Rehder var. *latofolia* Nakai, Bot. Mag. (Tokyo) 35: 94 (1921)

***Deutzia paniculata* Nakai, Bot. Mag. (Tokyo) 27: 31 (1913) Nat: N Korea, S Korea, Endemic 꼬리말발도리**

***Deutzia parviflora* Bunge, Enum. Pl. Chin. Bor. 31 (1833) Nat: N Korea, S Korea 말발도리**

Deutzia parviflora Bunge var. *amurensis* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 63 (1861)

Deutzia parviflora Bunge var. *bungei* Franch., J. Bot. (Morot) 10(17): 283 (1896)

Deutzia parviflora Bunge var. *monogolica* Franch., J. Bot. (Morot) 10(17): 283 (1896)

Deutzia parviflora Bunge var. *musaei* Lemoine, J. Soc. Natl. Hort. France 3: 303 (1902)

Deutzia corymbosa var. *parviflora* (Bunge) C.K.Schneid., Mitt. Deutsch. Dendrol. Ges. 13: 184 (1904)

Deutzia parviflora Bunge var. *ovatifolia* Rehder, J. Arnold Arbor. 1: 210 (1920)

Deutzia kongoa Airy Shaw, Kew Bull. 1934: 179 (1934)

Deutzia amurensis (Regel) Airy Shaw, Bull. Misc. Inform. Kew 1934: 179 (1934)

Deutzia obsucula Nakai, J. Jap. Bot. 15: 674 (1939)

Deutzia parviflora Bunge var. *barbinervis* Nakai J. Jap. Bot. 19: 371 (1943)

Deutzia parviflora Bunge var. *obscura* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 26 (1966)

***Deutzia scabra* Thunb., Nov. Gen. Pl. [Thunberg] 1: 19 (1781) Int 둥근말발도리**

***Deutzia uniflora* Shirai, Bot. Mag. (Tokyo) 12: 110, t.5 (1898) Nat: S Korea 매화말발도리**

Deutzia coreana H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 (1910)

Deutzia tozawae Nakai, Fl. Sylv. Kor. 15: 62 (1926)

Deutzia triradiata Nakai, Fl. Sylv. Kor. 15: 61 (1926)

Deutzia coreana H.Lév. var. *tozawae* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 88 (1934)

Deutzia coreana H.Lév. var. *triradiata* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 88 (1934)

Hydrangea L.

***Hydrangea anomala* D.Don subsp. *petiolaris* (Siebold & Zucc.) E.M.McClint., J. Arnold Arbor. 37: 373 (1956) Nat: S Korea 등수국**

Hydrangea petiolaris Siebold & Zucc., Fl. Jap. (Siebold) 1: 108 (1840)

Hydrangea cordifolia Siebold & Zucc., Fl. Jap. (Siebold) 1: 113 (1840)

Hydrangea bracteata Siebold & Zucc., Fl. Jap. (Siebold) 1: 126 (1841)

Hydrangea scandens Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 10: 16 (1867)

Hydrangea scandens Maxim. var. *petiolaris* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 130 (1868)
Hydrangea petiolaris Siebold & Zucc. var. *cordifolia* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 154 (1875)
Hydrangea petiolaris Siebold & Zucc. var. *ovalifolia* Franch. & Sav., Enum. Pl. Jap. 1: 154 (1875)
Hydrangea tilifolia H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 (1910)
Calyptanthe petiolaris (Siebold & Zucc.) Nakai var. *cordifolia* (Siebold & Zucc.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 52 (1952)
Calyptanthe petiolaris (Siebold & Zucc.) Nakai var. *ovalifolia* (Franch. & Sav.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 52 (1952)

***Hydrangea arborescens* L., Sp. Pl. 397 (1753) Int 미국수국**

Hydrangea vulgaris Michx., Fl. Bor.-Amer. (Michaux) 1: 268 (1803)
Hydrangea arborescens L. var. *kanawhana* Millsp., Bull. West Virginia Agric. Exp. Sta. 2: 363 (1891)

***Hydrangea macrophylla* (Thunb.) Ser., Prodr. (DC.) 4: 15 (1830) Int 수국**

Viburnum macrophyllum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 295 (1784)
Hortensia opuloides Lam., Encycl. (Lamarck) 3: 136 (1789)
Hydrangea hortensis Sm., Icon. Pict. Pl. Rar. 2: 12 (1792)
Hydrangea japonica Siebold, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 14(2): 689 (1829)
Hydrangea hortensia Siebold, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 14(2): 688 (1829)
Hydrangea otaksa Siebold & Zucc., Fl. Jap. (Siebold) 1: 109 (1840)
Hydrangea hortensia Siebold var. *otaksa* (Siebold & Zucc.) A.Gray, Mem. Amer. Acad. Arts ser. 6: 312 (1857)
Hydrangea opuloides (Lam.) K.Koch, Dendrologie 1: 353 (1869)
Hydrangea macrophylla (Thunb.) Ser. f. *otaksa* (Siebold & Zucc.) E.H.Wilson, J. Arnold Arbor. 4: 237 (1923)
Hydrangea macrophylla (Thunb.) Ser. var. *otaksa* (Siebold & Zucc.) L.H.Bailey, Man. Cult. Pl. 475 (1949)

***Hydrangea macrophylla* (Thunb.) Ser. subsp. *serrata* (Thunb.) Makino, J. Jap. Bot. 6: 11 (1929) Nat: N Korea, S Korea 산수국**

Viburnum serratum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 295 (1784)
Hydrangea serrata (Thunb.) Ser., Prodr. (DC.) 4: 15 (1830)
Hydrangea acuminata Siebold & Zucc., Fl. Jap. (Siebold) 1: 110 (1840)
Hydrangea opuloides (Lam.) K.Koch var. *acuminata* (Siebold & Zucc.) Dieck, Haupt-Cat. Zöschchen 42 (1885)
Hydrangea coreana Nakai, Chosen Shokubutsu 340 (1914)
Hydrangea serrata (Thunb.) Ser. f. *acuminata* (Siebold & Zucc.) E.H.Wilson, J. Arnold Arbor. 4: 243 (1923)
Hydrangea serrata (Thunb.) Ser. f. *pubescens* (Franch. & Sav.) E.H.Wilson, J. Arnold Arbor. 4: 244 (1923)
Hydrangea serrata (Thunb.) Ser. var. *acuminata* (Siebold & Zucc.) Nakai, Fl. Sylv. Kor. 15: 69 (1926)
Hydrangea serrata (Thunb.) Ser. var. *buengeri* Nakai, Fl. Sylv. Kor. 15: 70 (1926)
Hydrangea serrata (Thunb.) Ser. f. *fertilis* Nakai, Fl. Sylv. Kor. 15: 70 (1926)
Hydrangea macrophylla (Thunb.) Ser. subsp. *serrata* f. *acuminata* (Siebold & Zucc.) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 437 (1931)
Hydrangea serrata (Thunb.) Ser. var. *acuminata* f. *pubescens* (Franch. & Sav.) Nakai, J. Jap. Bot. 15: 675 (1939)

Hydrangea serrata (Thunb.) Ser. f. *elongata* Nakai, J. Jap. Bot. 15: 676 (1939)
Hydrangea serrata (Thunb.) Ser. var. *coreana* (Nakai) Nakai, J. Jap. Bot. 15: 676 (1939)
Hydrangea serrata (Thunb.) Ser. f. *coreana* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 266 (1966)

***Hydrangea paniculata* Siebold, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 14: 691 (1829) Int 나무수국**

Hydrangea kamienskii H.Lév., Bull. Acad. Int. Géogr. Bot. 12: 115 (1903)
Hydrangea sachalinensis H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 (1910)
Hydrangea schindleri Engl., Nat. Pflanzenfam., ed. 2 18a: 203 (1930)
Hydrangea paniculata Siebold f. *grandiflora* (Siebold) Ohwi, Fl. Jap., revised ed., [Ohwi] 511 (1965)

***Hydrangea scandens* Maxim. subsp. *liukiensis* (Nakai) E.M.McClint., J. Arnold Arbor. 37: 373 (1956) Nat: S Korea 성넬수국**

Hydrangea liukiensis Nakai, Bot. Mag. (Tokyo) 25: 63 (1911)

Kirengeshoma Yatabe

***Kirengeshoma palmata* Yatabe, Bot. Mag. (Tokyo) 4: 1 (1890) Nat: S Korea 나도송마**
Kirengeshoma koreana Nakai, J. Jap. Bot. 11: 152 (1935)

Philadelphus L.

***Philadelphus pekinensis* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 365 (1857) Nat: N Korea 애기교광나무**

Philadelphus coronarius L. var. *pekinensis* (Rupr.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 10(16): 42 (1867)
Philadelphus scaber Nakai, Fl. Sylv. Kor. 15: 50 (1926)

***Philadelphus tenuifolius* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 133 (1856) Nat: N Korea, S Korea 얇은잎교광나무**

Philadelphus coronarius L. var. *tenuifolius* (Rupr. & Maxim.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 7, 10(16): 38 (1867)
Philadelphus koreanus Nakai, J. Jap. Bot. 19: 372 (1943)
Philadelphus robustus Nakai, J. Jap. Bot. 19: 372 (1943)
Philadelphus koreanus Nakai var. *robustus* (Nakai) W.T.Lee, Lineamenta Florae Koreae 452 (1996)

Philadelphus tenuifolius* Rupr. & Maxim. var. *tenuifolius

***Philadelphus tenuifolius* Rupr. & Maxim. var. *schrenkii* (Rupr.) J.J.Vassil., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 8, 12: 210 (1940) Nat: N Korea, S Korea 교광나무**

Philadelphus schrenkii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 365 (1857)
Philadelphus coronarius L. var. *mandshuricus* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 7, 10(16): 41 (1867)
Philadelphus schrenkii Rupr. var. *jackii* Koehne, Repert. Spec. Nov. Regni Veg. 10: 127 (1911)
Philadelphus lasiogyne Nakai, Bot. Mag. (Tokyo) 29: 67 (1915)
Philadelphus mandshuricus (Maxim.) Nakai, Bot. Mag. (Tokyo) 29: 66 (1915)
Philadelphus schrenkii Rupr. var. *mandshuricus* (Maxim.) Kitag., Lin. Fl. Manshur. 253 (1939)

Philadelphus schrenkii Rupr. f. *longipedicedicellatus* Nakai, J. Jap. Bot. 19: 374 (1943)
Philadelphus seoulensis Y.H.Chung & H.Shin, Korean J. Pl. Taxon. 21: 212 (1991)
Philadelphus schrenkii Rupr. var. *lasiogynus* (Nakai) W.T.Lee, Lineamenta Florae
Korea 453 (1996)

Schizophragma Siebold & Zucc.

***Schizophragma hydrangeoides* Siebold & Zucc., Fl. Jap. (Siebold) 1: 60, t. 26 (1837) Nat: S Korea 바위수국**
Hydrangea taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 (1910)

ILLICACEAE

Illicium L.

***Illicium anisatum* L., Syst. Nat. ed. 10 2: 1050 (1759) Nat: S Korea 붓순나무**
Illicium religiosum Siebold & Zucc., Fl. Jap. (Siebold) 1: 5 (1835)
Illicium religiosum Siebold & Zucc. var. *masa-ogatae* Makino, J. Jap. Bot. 4: 5 (1927)
Illicium masa-ogatae (Makino) A.C.Sm., Sargentia 7: 32 (1947)

JUGLANDACEAE

Juglans L.

***Juglans mandshurica* Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg ser.2, 15: 127 (1856) Nat: N Korea, S Korea 가래나무**
Juglans stenocarpa Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 78 (1859)
Juglans ailanthoides var. *cordiformis* (Maxim.) Rehder, Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 62 (1872)
Juglans cordiformis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 62 (1873)
Juglans sieboldiana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 60 (1873)
Juglans cathayensis Dode, Bull. Soc. Dendrol. France 11: 47 (1909)
Juglans collapsa Dode, Bull. Soc. Dendrol. France 11: 49 (1909)
Juglans draconis Dode, Bull. Soc. Dendrol. France 11: 49 (1909)
Juglans formosana Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 283 (1911)
Juglans mandshurica Maxim. var. *sieboldiana* Makino, Fl. Japan (Makino & Nemoto) 81 (1925)
Juglans mandshurica Maxim. var. *mandshurica* f. *stenocarpa* Uyeki, Woody Pl. Distr. Chosen 1: 12 (1940)
Juglans mandshurica Maxim. var. *stenocarpa* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 38 (1952)
Juglans cathayensis Dode var. *formosana* (Hayata) A.M.Lu & R.H.Chang, Fl. Reipubl. Popularis Sin. 21: 35 (1979)

***Juglans regia* L., Sp. Pl. 2: 997 (1753) Int 호두나무**
Juglans regia L. var. *sinensis* C.DC., Ann. Sci. Nat., Bot. ser. 4, 18: 33 (1862)
Juglans fallax Dode, Bull. Soc. Dendrol. France 1906: 89 (1906)
Juglans sinensis (C.DC.) Dode, Bull. Soc. Bot. France 2: 92 (1906)
Juglans orientis Dode, Bull. Soc. Bot. France 2: 91 (1906)

Platycarya Siebold & Zucc.

***Platycarya strobilacea* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 742 (1843)** Nat: N Korea, S Korea 굴피나무

Fortunaea chinensis Lindl., J. Hort. Soc. London 1: 150 (1846)

Platycarya strobilacea Siebold & Zucc. var. *coreana* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 103 (1867)

Platycarya strobilacea Siebold & Zucc. var. *kawakamii* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 284 (1911)

Platycarya sinensis Mottet, Arbres Arbust. Ornem. Pleine Terre 1: 409 (1925)

Petrophiloides strobilacea (Siebold & Zucc.) E.Reid & M.Chandler, London Clay Fl. 138 (1933)

Petrophiloides strobilacea (Siebold & Zucc.) E.Reid & M.Chandler var. *kawakamii* (Hayata) Kaneh., Formosan Trees, ed. rev. 82 (1936)

Platycarya longipes Y.C.Wu, Bot. Jahrb. Syst. 71: 171 (1941)

Platycarya simplicifolia G.R.Long, Acta Phytotax. Sin. 28: 328 (1990)

Platycarya simplicifolia G.R.Long var. *ternata* G.R.Long, Acta Phytotax. Sin. 28: 329 (1990)

Platycarya strobilacea Siebold & Zucc. f. *coreana* (Miq.) W.T.Lee, Lineamenta Florae Koreae 134 (1996)

Pterocarya Kunth

***Pterocarya rhoifolia* Siebold & Zucc., Fl. Jap. (Siebold) 141 (1845)** Nat: S Korea 개굴피나무

Pterocarya sorbifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (2): 141 (1845)

***Pterocarya stenoptera* DC., Ann. Sci. Nat., Bot. ser. 4, 18: 34 (1862)** Int 중국굴피나무

Pterocarya chinensis Lavallée, Énum. Arbres 217 (1877)

Pterocarya laevigata Lavallée, Énum. Arbres 217 (1877)

Pterocarya japonica Dippel, Handb. Laubholz. 2: 329 (1892)

Pterocarya stenoptera DC. var. *kouitchensis* Franch., J. Bot. (Morot) 12(21): 318 (1898)

Pterocarya stenoptera DC. var. *sinensis* Graebn., Mitt. Deutsch. Dendrol. Ges. 20: 215 (1911)

Pterocarya stenoptera DC. var. *brevialata* Pamp., Nuovo Giorn. Bot. Ital. 22: 274 (1915)

Pterocarya esquirolii H.Lév., Cat. Pl. Yun-Nan 135 (1916)

LAMIACEAE

Agastache Clayton ex Gronov.

***Agastache rugosa* (Fisch. & C.A.Mey.) Kuntze, Revis. Gen. Pl. 2: 511 (1891)** Nat: N Korea, S Korea 배초향

Lophanthus rugosus Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 31 (1835)

Cedronella japonica Hassk., Acta Soc. Regiae Sci. Indo-Neerl. 1: 37 (1856)

Lophanthus rugosus Fisch. & C.A.Mey. var. *hypoleuca* Maxim. ex Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 4 (1887)

Agastache lophanthus Kuntze, Revis. Gen. Pl. 2: 511 (1891)

Elsholtzia monostachya H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 424 (1910)

Lophanthus argyi H.Lév., Repert. Spec. Nov. Regni Veg. 12: 181 (1913)

Lophanthus formosanus Hayata, Icon. Pl. Formosan. 8: 87 (1919)

Agastache rugosa (Fisch. & C.A.Mey.) Kuntze var. *hypoleuca* (Maxim.) Kudô, J. Coll.

Sci. Imp. Univ. Tokyo 18-8: 16 (1921)
Agastache rugosa (Fisch. & C.A.Mey.) Kuntze f. *hypoleuca* (Kudô) H.Hara, Bot. Mag. (Tokyo) 51: 53 (1937)
Agastache rugosa (Fisch. & C.A.Mey.) Kuntze f. *alba* Y.N.Lee, Bull. Korea Pl. Res. 5: 24 (2005)

Ajuga L.

***Ajuga decumbens* Thunb., Fl. Jap. (Thunberg) 243 (1784)** Nat: S Korea 금창초
Ajuga decumbens Thunb. var. *sinuata* Franch. & Sav., Enum. Pl. Jap. 1: 382 (1875)
Ajuga decumbens Thunb. var. *glabrescens* Franch. & Sav., Bull. Acad. Imp. Sci. Saint-Pétersbourg 2: 466 (1877)
Ajuga devesita H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 (1910)
Ajuga fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 (1910)
Ajuga decumbens Thunb. var. *rosa* Y.N.Lee, Korean J. Bot. 25: 177 (1982)

***Ajuga multiflora* Bunge, Enum. Pl. Chin. Bor. 51 (1833)** Nat: N Korea, S Korea 조개나물
Ajuga amurica Freyn, Oesterr. Bot. Z. 1902: 408 (1902)
Ajuga multiflora Bunge var. *leucantha* Nakai, Chosen Sanrin Kwaiho 186: 29 (1940)
Ajuga multiflora Bunge var. *brevispicata* C.Y.Wu & C.Chen, Acta Phytotax. Sin. 12: 26 (1974)
Ajuga multiflora Bunge f. *rosea* Y.N.Lee, Korean J. Bot. 17: 35 (1974)

***Ajuga spectabilis* Nakai, Bot. Mag. (Tokyo) 30: 290 (1916)** Nat: S Korea, Endemic 자란초

Amethystea L.

***Amethystea caerulea* L., Sp. Pl. 21 (1753)** Nat: N Korea, S Korea 개차즈기
Amethystea trifida Hill, Veg. Syst. 17: 44 (1770)
Amethystea corymbosa Pers., Syn. Pl. (Persoon) 1: 24 (1805)
Lycopus amethystenus Steven, Mem. Soc. Imp. Naturalistes Moscou 5: 314 (1814)

Clinopodium L.

***Clinopodium chinense* (Benth.) Kuntze var. *grandiflorum* (Maxim.) H.Hara, J. Jap. Bot. 12: 39 (1936)** Nat: N Korea, S Korea 꽃층층이꽃
Calamintha chinensis Benth. var. *grandiflora* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 217 (1859)
Calamintha clinopodium Spenn. var. *urticifolia* Hance, Ann. Sci. Nat., Bot. ser. 5, 5: 235 (1866)
Calamintha coreana H.Lév., Repert. Spec. Nov. Regni Veg. 9: 246 (1911)
Calamintha urticifolia (Hance) Hand.-Mazz., Acta Horti Gothob. 9: 83, 86 (1934)
Clinopodium chinense (Benth.) Kuntze subsp. *grandiflorum* (Maxim.) H.Hara, J. Jap. Bot. 12: 39 (1936)
Satureja coreana (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99 (1952)
Clinopodium urticifolium (Hance) C.Y.Wu & S.J.Hsuan ex H.W.Li, Acta Phytotax. Sin. 12: 219 (1974)

***Clinopodium chinense* (Benth.) Kuntze var. *parviflorum* (Kudô) H.Hara, J. Jap. Bot. 12: 41 (1936)** Nat: N Korea, S Korea 층층이꽃

Satureja chinensis var. *parviflora* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 38 (1921)
Clinopodium polyccephalum (Vaniot) C.Y.Wu & S.J.Hsuan ex P.S.Hsu, Observ. Fl.
Hwangshan. 169 (1965)

***Clinopodium chinense* (Benth.) Kuntze var. *shibetchense* (H.Lév.) Koidz., Bot. Mag. (Tokyo) 43: 387 (1929) Nat: N Korea, S Korea 산층층이**

Calamintha umbrosa var. *shibetchensis* H.Lév., Repert. Spec. Nov. Regni Veg. 9: 322 (1911)
Clinopodium japonicum Makino, J. Jap. Bot. 3: 30 (1926)
Satureja makinoi Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 105 (1929)
Satureja ussuriensis Kudô f. *robustior* Nakai, Bot. Mag. (Tokyo) 45: 133 (1931)
Satureja ussuriensis Kudô var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 45: 133 (1931)
Clinopodium chinense (Benth.) Kuntze var. *glabrescens* (Nakai) H.Hara, J. Jap. Bot. 12: 43 (1936)
Satureja chinensis subsp. *glabrescens* (Nakai) H.Hara, J. Jap. Bot. 12: 43 (1936)

***Clinopodium fauriei* (H.Lév. & Vaniot) H.Hara, J. Jap. Bot. 11: 106 (1935) Nat: S Korea 개답꽃**

Calamintha fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 (1910)

***Clinopodium gracile* (Benth.) Kuntze, Revis. Gen. Pl. 2: 514 (1891) Nat: S Korea 애기탑꽃**

Calamintha gracilis Benth., Prodr. (DC.) 12: 232 (1848)
Calamintha confinis Hance, J. Bot. 6: 331 (1868)
Clinopodium confine (Hance) Kuntze, Revis. Gen. Pl. 2: 515 (1891)
Calamintha radicans Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 182 (1904)
Satureja gracilis (Benth.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 149 (1911)
Satureja ussuriensis Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 36 (1921)
Satureja confinis (Hance) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 100 (1929)

***Clinopodium micranthum* (Regel) H.Hara, J. Jap. Bot. 16: 156 (1940) Nat: N Korea, S Korea 두메층층이**

Hedeoma micrantha Regel, Gartenflora 13: 357 (1864)
Calamintha umbrosa f. *robustior* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 106 (1865)
Calamintha umbrosa var. *japonica* Franch. & Sav., Enum. Pl. Jap. 2: 106 (1877)
Clinopodium umbrosum var. *japonica* Matsum., Index Pl. Jap. 2 (2): 538 (1912)
Satureja sachalinensis (F.Schmidt) Kudô var. *japonica* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 19: 35 (1921)
Satureja umbrosa var. *japonica* Matsum. & Kudô ex Kudô, J. Coll. Sci. Imp. Univ. Tokyo 15919: 35 (1921)
Satureja ussuriensis Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 101 (1929)
Clinopodium fauriei (H.Lév. & Vaniot) H.Hara var. *japonicum* (Franch. & Sav.) H.Hara, J. Jap. Bot. 11: 106 (1935)
Clinopodium fauriei (H.Lév. & Vaniot) H.Hara f. *albiflorum* Honda, Bot. Mag. (Tokyo) 54: 3 (1940)
Clinopodium micranthum (Regel) H.Hara f. *albiflorum* Honda, Bot. Mag. (Tokyo) 54: 224 (1940)
Clinopodium omuranum Honda, Bot. Mag. (Tokyo) 54: 224 (1940)
Satureja micrantha (Regel) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99 (1952)

***Clinopodium multicaule* (Maxim.) Kuntze, Revis. Gen. Pl. 2: 515 (1891) Nat: N Korea, S Korea 탑꽃**

Calamintha multicaulis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 466 (1875)
Calamintha taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 423 (1910)

Satureja multicaulis (Maxim.) Nakai, Bot. Mag. (Tokyo) 35: 194 (1921)
Clinopodium multicaule (Maxim.) Kuntze var. *taquetii* (H.Lév. & Vaniot) H.Hara, J. Jap. Bot. 11: 104 (1935)
Satureja multicaulis (Maxim.) Nakai var. *taquetii* (H.Lév. & Vaniot) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99 (1952)
Clinopodium gracile (Benth.) Kuntze var. *multicaule* (Maxim.) Ohwi, Fl. Jap., revised ed., [Ohwi] 1438 (1965)

Dracocephalum L.

***Dracocephalum argunense* Fisch. ex Link, Enum. Hort. Berol. Alt. 2: 118 (1822) Nat: N Korea, S Korea 용머리**

Dracocephalum ruyschiana DC. var. *speciosum* Ledeb., Fl. Ross. (Ledeb.) 3: 390 (1848)
Dracocephalum ruyschiana DC. var. *japonicum* A.Gray, Proc. Amer. Acad. Arts n.s. 6: 403 (1859)
Ruyschiana speciosa (Ledeb.) Ledeb., Gartenflora 29: 376 (1880)
Dracocephalum ruyschiana DC. var. *argunense* (Fisch.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 150 (1911)
Dracocephalum japonicum (A.Gray) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 20 (1921)

***Dracocephalum rupestre* Hance, J. Bot. 7: 166 (1869) Nat: N Korea 별개풀**

Elsholtzia Willd.

***Elsholtzia ciliata* (Thunb.) Hyl., Bot. Not. 1941: 129 (1941) Nat: N Korea, S Korea 향유**

Sideritis ciliata Thunb., Syst. Veg., ed. 14 (J. A. Murray) 532 (1784)
Mentha patrini Lepech., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 1: 336 (1787)
Hyssopus ocyimifolius Lam., Encycl. (Lamarck) 3: 187 (1789)
Elsholtzia cristata Willd., Bot. Mag. (Römer & Usteri) 9: 5 (1790)
Mentha ovata Cav., Icon. (Cavanilles) 4: 36 (1797)
Mentha baicalensis Georgi, Besch. Nation. Russ. Reich 5: 1083 (1800)
Mentha cristata Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 115 (1825)
Perilla polystachya D.Don, Prodr. Fl. Nepal. 115 (1825)
Elsholtzia patrini (Lepech.) Garcke, Fl. Deutschland, ed. 16 14: 257 (1890)
Elsholtzia cristata Willd. f. *saxatilis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 390 (1907)
Elsholtzia pseudocristata H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 424 (1910)
Sideritis ciliata Thunb. var. *mokpoensis* Vaniot, Repert. Spec. Nov. Regni Veg. 8: 450 (1910)
Elsholtzia minima Nakai, Bot. Mag. (Tokyo) 29: 1 (1915)
Elsholtzia cristata Willd. var. *angustifolia* Loes., Beih. Bot. Centralbl. 37 (2): 176 (1919)
Elsholtzia formosana Hayata, Icon. Pl. Formosan. 8: 106 (1919)
Elsholtzia cristata Willd. var. *ramosa* Nakai, Bot. Mag. (Tokyo) 35: 172 (1921)
Elsholtzia cristata Willd. var. *minima* Nakai, Bot. Mag. (Tokyo) 35: 172 (1921)
Elsholtzia serotina Kom., Izv. Glavn. Bot. Sada SSSR 30: 210 (1932)
Elsholtzia angustifolia (Loes.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 265 (1937)
Elsholtzia saxatilis (Kom.) Nakai ex Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 266 (1937)
Elsholtzia loeseneri Hand.-Mazz., Acta Horti Gothob. 13: 380 (1939)
Elsholtzia ciliata (Thunb.) Hyl. var. *brevipes* C.Y.Wu & S.C.Huang, Acta Phytotax. Sin. 12: 346 (1974)
Elsholtzia ciliata (Thunb.) Hyl. var. *depauperata* C.Y.Wu & S.C.Huang, Acta Phytotax. Sin. 12: 346 (1974)
Elsholtzia ciliata (Thunb.) Hyl. var. *ramosa* (Nakai) C.Y.Wu & H.W.Li, Acta Phytotax. Sin. 12: 346 (1974)

Elsholtzia ciliata (Thunb.) Hyl. var. *remota* C.Y.Wu & S.C.Huang, Acta Phytotax. Sin. 12: 346 (1974)
Elsholtzia pseudocristata H.Lév. & Vaniot var. *saxatilis* (Kom.) P.Y.Fu, Fl. Pl. Herb. Chin. Bor.-Or. 7: 243 (1981)
Elsholtzia hallasanensis Y.N.Lee f. *albiflora* Y.N.Lee, Bull. Korea Pl. Res. 1: 48 (2000)
Elsholtzia hallasanensis Y.N.Lee, Bull. Korea Pl. Res. 1: 48 (2000)

***Elsholtzia splendens* Nakai ex F.Maek., Bot. Mag. (Tokyo) 48: 50 (1934) Nat: N Korea, S Korea 꽃향유**

Elsholtzia pseudocristata H.Lév. & Vaniot var. *splendens* (Nakai) Kitag., J. Jap. Bot. 3: 43 (1959)
Elsholtzia haichowensis Y.Z.Sun, Acta Phytotax. Sin. 11: 47 (1966)
Elsholtzia lungtangensis Y.Z.Sun, Acta Phytotax. Sin. 11: 48 (1966)
Elsholtzia pseudocristata H.Lév. & Vaniot var. *angustifolia* (O.Loes.) P.Y.Fu, Fl. Pl. Herb. Chin. Bor.-Or. 7: 243 (1981)
Elsholtzia byeonsanensis M.Kim, Korean J. Pl. Taxon. 42: 198 (2012)

Galeopsis Moench

***Galeopsis bifida* Boenn., Prodr. Fl. Monast. Westphal. 178 (1824) Nat: N Korea 털향유**

Galeopsis tetrahit subsp. *eutetrahit* var. *bifida* Syme, Engl. Bot., ed. 3B 7: 67 (1867)
Galeopsis tetrahit subsp. *bifida* (Boenn.) Nyman, Consp. Fl. Eur. 576 (1881)
Galeopsis pallens Briq., Bull. Herb. Boissier 1: 389 (1893)
Galeopsis bifida Boenn. var. *emarginata* Nakai, Bot. Mag. (Tokyo) 35: 173 (1921)
Galeopsis tetrahit var. *parviflora* Benth., Labiat. Gen. Spec. 524 (1932)

Glechoma L.

***Glechoma longituba* (Nakai) Kuprian., Bot. Zhurn. (Moscow & Leningrad) 33: 236 (1948) Nat: N Korea 긴병꽃풀**

Nepeta glechoma Benth. var. *sinensis* Miq., J. Bot. Néerl. 1: 115 (1861)
Nepeta glechoma Benth. var. *hirsuta* Debeaux, Actes Soc. Linn. Bordeaux 30: 46 (1875)
Glechoma hederacea L. var. *longituba* Nakai, Bot. Mag. (Tokyo) 35: 173 (1921)
Glechoma brevituba Kuprian., Bot. Zhurn. (Moscow & Leningrad) 33: 236 (1948)
Glechoma grandis var. *longituba* (Nakai) Kitag., Neolin. Fl. Manshur. 543 (1979)

Isodon Schrad. ex Benth. & Spach

***Isodon excisus* (Maxim.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 133 (1929) Nat: N Korea, S Korea 오리방풀**

Plectranthus excisus Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 213 (1859)
Stachys polygonatum H.Lév., Repert. Spec. Nov. Regni Veg. 9: 449 (1911)
Amethystanthus excisus (Maxim.) Nakai, Bot. Mag. (Tokyo) 48: 787 (1934)
Amethystanthus excisus (Maxim.) Nakai f. *coreanus* Nakai, Bot. Mag. (Tokyo) 48: 788 (1934)
Amethystanthus excisus (Maxim.) Nakai var. *chiisanensis* Nakai, Bot. Mag. (Tokyo) 48: 788 (1934)
Amethystanthus excisus (Maxim.) Nakai var. *leucanthus* Murata, Fl. Miyagi-Pref. 108 (1935)
Amethystanthus excisus (Maxim.) Nakai f. *albiflorus* Sakata, Acta Phytotax. Geobot. 7: 16 (1938)
Isodon excisus (Maxim.) Kudô f. *albiflorus* (Sakata) H.Hara, Enum. Spermatophytarum

Japon. 1: 205 (1948)

Rabdosia excisa (Maxim.) H.Hara, J. Jap. Bot. 47: 195 (1972)

Rabdosia umbrosa (Maxim.) H.Hara var. *coreanus* Y.N.Lee, Fl. Korea (Lee) 1: 696 (1996)

***Isodon inflexus* (Thunb.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 127 (1929) Nat: N
Korea, S Korea 털산박하**

Ocimum inflexum Thunb., Fl. Jap. (Thunberg) 249 (1784)

Plectranthus dubius Vahl, Labiat. Gen. Spec. 711 (1835)

Plectranthus inflexus (Thunb.) Vahl ex Benth., Labiat. Gen. Spec. 711 (1835)

Plectranthus inflexus (Thunb.) Vahl ex Benth. var. *macrophyllus* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 425 (1875)

Plectranthus inflexus (Thunb.) Vahl ex Benth. var. *canescens* Nakai, Bot. Mag. (Tokyo) 35: 191 (1921)

Isodon inflexus (Thunb.) Kudô var. *canescens* (Nakai) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 129 (1929)

Amethystanthus inflexus (Thunb.) Nakai, Bot. Mag. (Tokyo) 48: 786 (1934)

Amethystanthus inflexus (Thunb.) Nakai var. *canescens* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 786 (1934)

Amethystanthus inflexus (Thunb.) Nakai var. *macrophyllus* (Maxim.) Nakai, Bot. Mag. (Tokyo) 48: 787 (1934)

Amethystanthus inflexus (Thunb.) Nakai var. *transticus* (Matsum. & Kudô) Nakai, Bot. Mag. (Tokyo) 48: 787 (1934)

Rabdosia inflexa (Thunb.) H.Hara, J. Jap. Bot. 47: 196 (1972)

Isodon inflexus (Thunb.) Kudô var. *macrophyllus* (Maxim.) Kitag., Neolin. Fl. Manshur. 551 (1979)

***Isodon japonicus* (Burm.) H.Hara, Enum. Spermatophytarum Japon. 1: 206 (1948) Nat: N
Korea, S Korea 방아풀**

Ocimum rugosum Thunb., Fl. Jap. (Thunberg) 249 (1784)

Plectranthus buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 101 (1865)

Plectranthus maximowiczii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 101 (1865)

Plectranthus glaucocalyx Maxim. var. *japonicus* (Burm.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 426 (1875)

Plectranthus japonicus Koidz., Bot. Mag. (Tokyo) 43: 386 (1929)

Isodon glaucocalyx (Maxim.) Kudô var. *japonicus* (Burm.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 127 (1929)

Amethystanthus japonicus (Burm.) Nakai, Bot. Mag. (Tokyo) 48: 788 (1934)

Rebdesia japonica (Burm.) H.Hara, J. Jap. Bot. 47: 196 (1972)

***Isodon serra* (Maxim.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 125 (1929) Nat: N Korea,
S Korea 자주방아풀**

Plectranthus serra Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 426 (1875)

Amethystanthus serra (Maxim.) Nemoto, Fl. Jap. Suppl. 630 (1936)

Rabdosia serra (Maxim.) H.Hara, J. Jap. Bot. 47: 200 (1972)

***Lagopsis* Bunge ex Benth.**

***Lagopsis supina* (Stephan) Ikonn.-Gal., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 7: 45 (1937) Nat: N Korea 자주방아풀**

Leonurus supinus Stephan, Sp. Pl. (ed. 4) 3: 116 (1801)

Marrubium incisum Benth., Labiat. Gen. Spec. 586 (1834)

Marrubium supinum (Steph. ex Willd.) Hu ex C.Pei, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 10: 53 (1935)

Lamium L.

Lamium album L., Sp. Pl. 2: 579 (1753) Nat; N Korea, S Korea 왜광대수염

Lamium album L. var. *album*

Lamium album L. subsp. *barbatum* (Siebold & Zucc.) Mennema, Leiden Bot. Ser. 11: 70 (1989) Nat; N Korea, S Korea 광대수염

Lamium petiolatum Royle ex Benth., Hooker's J. Bot. Kew Gard. Misc. 3: 381 (1833)

Lamium barbatum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (2): 34 (1845)

Lamium maculatum Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 221 (1859)

Lamium album L. var. *barbatum* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 383 (1875)

Lamium album L. var. *petiolatum* (Royle ex Benth.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 154 (1911)

Lamium takeshimense Nakai, Rep. Veg. Ooryongto 40 (1919)

Lamium album L. var. *takesimense* (Nakai) Kudō, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 201 (1929)

Lamium amplexicaule L., Sp. Pl. 579 (1753) Nat; N Korea, S Korea 광대나물

Pollichia amplexicaulis (L.) Willd., Fl. Berol. Prodr. 198 (1787)

Galeobdolon amplexicaule (L.) Moench, Methodus (Moench) 394 (1794)

Lamiopsis amplexicaulis (L.) Opiz, Seznam 56 (1852)

Lamium purpureum L., Sp. Pl. 579 (1753) Int 자주광대나물

Leonurus Mill.

Leonurus japonicus Houtt., Nat. Hist. (Houttuyn) 9: 366 (1778) Nat; N Korea, S Korea 익모초

Stachys artemisia Lour., Fl. Cochinch. 365 (1790)

Leonurus heterophyllus Sweet, Brit. Fl. Gard. 1: 197 (1823)

Leonurus altissimus Bunge ex Benth., Labiat. Gen. Spec. 521 (1834)

Cardiochilum heterophyllum (Sweet) Krecz. & Kuprian., Fl. URSS 21: 156 (1954)

Leonurus artemisia (Lour.) S.Y.Hu, J. Chin. Univ. Hong Kong 2: 381 (1974)

Leonurus macranthus Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 476 (1859) Nat; N Korea, S Korea 송강풀

Lycopus L.

Lycopus coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 423 (1910) Nat; N Korea, S Korea 개첩싸리

Lycopus maackianus (Maxim. ex Herder) Makino var. *ramosissimus* Makino, Bot. Mag. (Tokyo) 12: 117 (1898)

Lycopus cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 423 (1910)

Lycopus ramosissimus (Makino) Makino, J. Jap. Bot. 1: 14 (1917)

Lycopus coreanus H.Lév. var. *ramosissimus* (Makino) Nakai, Bot. Mag. (Tokyo) 35: 176 (1921)

Lycopus japonicus Matsum. & Kudô ex Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 46 (1921)

Lycopus ramosissimus (Makino) Makino var. *japonicus* (Kudô) Kitam., Acta Phytotax. Geobot. 17: 10 (1957)

Lycopus coreanus H.Lév. var. *cavaleriei* (H.Lév.) C.Y.Wu & H.W.Li, Fl. Yunnan. 1: 708 (1977)

***Lycopus lucidus* Turcz. ex Benth., Prodr. (DC.) 12: 179 (1848) Nat: N Korea, S Korea 썩싸리**

Lycopus lucidus Turcz. ex Benth. var. *hirtus* Regel, Tent. Fl.-Ussur. 115 (1861)

Lycopus formosanus Sasaki, Trans. Nat. Hist. Soc. Taiwan 18: 171 (1928)

Lycopus lucidus Turcz. ex Benth. var. *formosanus* Hayata, Icon. Pl. Formosan. 8: 102 (1930)

Lycopus lucidus Turcz. ex Benth. f. *hirtus* (Regel) Kitag., Neolin. Fl. Manshur. 546 (1979)

Lycopus lucidus* Turcz. ex Benth. var. *lucidus

***Lycopus lucidus* Turcz. ex Benth. var. *maackianus* Maxim. ex Herder, Bull. Soc. Imp.**

Naturalistes Moscou 2: 12 (1884) Nat: N Korea, S Korea 애기 썩싸리

Lycopus lucidus Turcz. ex Benth. f. *angustifolius* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 105 (1865)

Lycopus maackianus (Maxim. ex Herder) Makino, Bot. Mag. (Tokyo) 11: 382 (1897)

Lycopus angustus Makino, Bot. Mag. (Tokyo) 12: 105 (1898)

***Lycopus uniflorus* Michx., Fl. Bor.-Amer. (Michaux) 1: 14 (1803) Nat: N Korea, S Korea**

털썩싸리

Euhemus uniflorus (Michx.) Raf., Autik. Bot. 115 (1840)

Lycopus parviflorus Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 216 (1859)

Lycopus uniflorus Michx. var. *parviflorus* (Maxim.) Kitag., Neolin. Fl. Manshur. 547 (1979)

Meehania Britton

***Meehania urticifolia* (Miq.) Makino, Bot. Mag. (Tokyo) 13: 159 (1899) Nat: N Korea, S**

Korea 별깨덩굴

Dracocephalum urticifolium Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 109 (1865)

Dracocephalum sinense S.Moore, J. Linn. Soc., Bot. 17: 386 (1879)

Cedronella urticifolia (Miq.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 12: 528 (1886)

Nepeta urticifolia (Miq.) H.Lév., Repert. Spec. Nov. Regni Veg. 9: 245 (1911)

Meehania urticifolia (Miq.) Makino f. *pedunculata* Matsum. & Kudô, Bot. Mag. (Tokyo) 26: 296 (1912)

Glechoma urticifolia (Miq.) Makino, Bot. Mag. (Tokyo) 27: 153 (1913)

Dracocephalum urticifolium Miq. f. *nomalis* Dunn, Notes Roy. Bot. Gard. Edinburgh 6: 170 (1915)

Meehania urticifolia (Miq.) Makino f. *leucantha* H.Hara, J. Jap. Bot. 11: 671 (1935)

Meehania urticifolia (Miq.) Makino f. *normalis* (Dunn) Hand.-Mazz., Symb. Sin. 7: 916 (1936)

Meehania urticifolia (Miq.) Makino f. *rosea* J.Ohara, J. Phytogeogr. Taxon. 33: 72 (1985)

Mentha L.

***Mentha arvensis* L. var. *piperascens* Malinv. ex Holmes, Pharm. J. Trans. III, 13: 381 (1882)**

Nat: N Korea, S Korea 박하

Mentha arvensis L. var. *sachalinensis* Briq., Bull. Herb. Boissier 2: 708 (1894)
Mentha arvensis L. subsp. *haplocalyx* var. *sachalinensis* (Briq.) Briq., Nat. Pflanzenfam. 4(3a): 319 (1897)
Mentha haplocalyx Briq. var. *barbata* Nakai, Bot. Mag. (Tokyo) 35: 178 (1921)
Mentha canadensis var. *sachalinensis* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43-8: 47 (1921)
Mentha sachalinensis (Briq.) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 47 (1921)
Mentha haplocalyx Briq. var. *sachalinensis* Briq. ex Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 87 (1929)
Mentha sachalinensis (Briq.) Kudô f. *pilosa* Hara, Bot. Mag. (Tokyo) 51: 90 (1937)
Mentha canadensis L. var. *piperascens* f. *pilosa* (Hara) H.Hara, Enum. Spermatophytarum Japon. 1: 214 (1948)
Mentha canadensis L. var. *piperascens* (Malinv. ex Holmes) H.Hara, Enum. Spermatophytarum Japon. 1: 213 (1948)
Mentha arvensis L. subsp. *piperascens* (Malinv. ex Holmes) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 368 (1956)
Mentha arvensis L. var. *barbata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 955 (1996)

Mosla Buch.-Ham. ex Maxim.

***Mosla chinensis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 177 (1883) Nat: S Korea 가는잎산들개**

Mosla fordii Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 525 (1886)
Calamintha clipeata Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 184 (1904)
Mosla japonica (Benth.) Maxim. var. *angustifolia* Makino, Bot. Mag. (Tokyo) 21: 157 (1907)
Mosla coreana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 248 (1911)
Mosla angustifolia (Makino) Makino, J. Jap. Bot. 40945: 24 (1922)
Orthodon chinense (Maxim.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 75 (1929)
Orthodon japonicum Benth. ex Oliv. var. *angustifolium* (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 76 (1929)
Orthodon angustifolium (Makino) Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11 (4): 391 (1934)
Orthodon fordii (Maxim.) Hand.-Mazz., Acta Horti Gothob. 9: 39 (1934)
Orthodon coreanum (H.Lév.) Honda, Nom. Pl. Japonic. 297 (1939)

***Mosla dianthera* (Buch.-Ham. ex Roxb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 457 (1865) Nat: N Korea, S Korea 쥐개풀**

Orthodon tenuicaule Koidz., Acta Phytotax. Geobot. 5: 47 (1936)
Orthodon grosseserratus (Maxim.) Kudô var. *nanum* Hara, J. Jap. Bot. 12: 44 (1939)
Orthodon mayabaranus. Handa, Bot. Mag. (Tokyo) 53: 50 (1939)
Mosla dianthera (Buch.-Ham. ex Roxb.) Maxim. var. *nana* (Hara) Ohwi, Fl. Jap., revised ed., [Ohwi] 780 (1965)
Orthodon hirtum Hara, Neolin. Fl. Manshur. 585 (1979)

***Mosla japonica* (Benth.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 461 (1875) Nat: N Korea, S Korea 산들개**

Micromeria perforata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 106 (1865)
Orthodon japonicum Benth. ex Oliv., J. Linn. Soc., Bot. 9: 167 (1865)
Mosla orthodon Nakai, Bot. Mag. (Tokyo) 35: 179 (1921)
Mosla leucantha Nakai, Bot. Mag. (Tokyo) 35: 179 (1921)
Mosla leucantha Nakai var. *robusta* Nakai, Bot. Mag. (Tokyo) 35: 180 (1921)
Mosla thymolifera Makino, J. Jap. Bot. 2: 24 (1922)

Mosla nakaii Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 78 (1929)
Orthodon leucanthum (Nakai) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 78 (1929)
Orthodon thymoliferum (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 77 (1929)
Mosla perforata (Miq.) Koidz., Fl. Symb. Orient.-Asiat. 15 (1930)
Orthodon perforatum (Miq.) Ohwi, Acta Phytotax. Geobot. 5: 56 (1936)
Orthodon nakaii (Kudô) Okuy., J. Jap. Bot. 15: 564 (1939)
Orthodon japonicum Benth. ex Oliv. var. *thymoliferum* (Makino) Ohwi, Fl. Jap. (Ohwi) 1013 (1953)
Mosla japonica (Benth.) Maxim. var. *thymolifera* (Makino) Kitam., Acta Phytotax. Geobot. 17: 10 (1957)
Mosla japonica (Benth.) Maxim. var. *robusta* Ohwi, Fl. Jap., revised ed., [Ohwi] 1164 (1965)

***Mosla scabra* (Thunb.) C.Y.Wu & H.W.Li, Acta Phytotax. Sin. 12: 230 (1974) Nat; N Korea, S Korea 들깨풀**

Ocimum punctatum Thunb., Fl. Jap. (Thunberg) 249 (1784)
Ocimum punctulatum J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 917 (1791)
Ocimum scabrum Thunb., Trans. Linn. Soc. London 2: 338 (1794)
Perilla lanceolata Benth., Prodr. (DC.) 12: 164 (1848)
Mosla punctata (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 20: 460 (1875)
Mosla lanceolata (Benth.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 434 (1879)
Calamintha argyi H.Lév., Repert. Spec. Nov. Regni Veg. 8: 423 (1910)
Mosla punctulata (J.F.Gmel.) Nakai, Bot. Mag. (Tokyo) 42: 475 (1928)
Orthodon punctatum (Thunb.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 80 (1929)
Orthodon lanceolatus (Benth.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 80 (1929)
Orthodon scaber (Thunb.) Hand.-Mazz., Symb. Sin. 7: 933 (1933)
Orthodon punctulatum (J.F.Gmel.) Ohwi, Acta Phytotax. Geobot. 4: 68 (1935)

***Nepeta* L.**

***Nepeta cataria* L., Sp. Pl. 570 (1753) Nat; N Korea, S Korea 개박하**

Nepeta minor Mill., Gard. Dict., ed. 8, Nep. no. 0 (1768)
Nepeta vulgaris Lam., Fl. Franc. (Lamarck) 2: 398 (1778)
Cataria tomentosa Gilib., Fl. Lit. Inch. 1: 78 (1782)
Cataria vulgaris Moench, Methodus (Moench) 387 (1794)
Nepeta macrura Ledeb. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 729 (1825)
Glechoma cataria Kuntze, Revis. Gen. Pl. 1: 518 (1891)
Calamintha albiflora Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 181 (1904)
Nepeta bodinieri Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 172 (1904)

***Nepeta multifida* L., Sp. Pl. 572 (1753) Nat; N Korea 개형개**

Nepeta lavandulacea L.f., Suppl. Pl. 272 (1781)
Nepeta lobata Rudolph ex Steud., Nomencl. Bot. (Steudel) 552 (1821)
Lophanthus multifidus (L.) Benth., Bot. Reg. 15: sub. t. 1281 (1829)
Schizonepeta multifida (L.) Briq., Nat. Pflanzenfam. 4(3a): 235 (1897)

***Nepeta stewartiana* Diels, Notes Roy. Bot. Gard. Edinburgh 5: 237 (1912) Nat; N Korea 간장풀**

Dracocephalum stewartianum (Diels) Dunn, Notes Roy. Bot. Gard. Edinburgh 8: 168, 172 (1915)
Nepeta koreana Nakai, Bot. Mag. (Tokyo) 31: 105 (1917)

***Nepeta tenuifolia* Benth., Labiat. Gen. Spec. 468 (1834) Int 형개**

Nepeta japonica Willd., Sp. Pl. (ed. 4) 3: 52 (1800)

Glechoma japonica (Maxim.) Kuntze, Revis. Gen. Pl. 2: 518 (1891)

Schizonepeta tenuifolia var. *japonica* (Maxim.) Kitag., Lin. Fl. Manshur. 385 (1939)

Perilla L.

***Perilla frutescens* (L.) Britton, Mem. Torrey Bot. Club 5: 277 (1894) Int 들깨**

Ocimum frutescens L., Sp. Pl. 597 (1753)

Melissa maxima Ard., Animadv. Bot. Spec. Alt. 2: 28 (1764)

Perilla ocymoides L., Gen. Pl. ed. 6 578 (1764)

Perilla nankinensis (Lour.) Decne., Rev. Hort. 4, 1: 61 (1852)

Perilla ocymoides L. var. *japonica* Hassk., Retzia 2: 36 (1856)

Perilla avium Dunn, Notes Roy. Bot. Gard. Edinburgh 8: 161 (1913)

Perilla frutescens* (L.) Britton var. *frutescens

***Perilla frutescens* (L.) Britton var. *crispa* (Thunb.) H.Deane, Rhodora 25: 40 (1923) Int 소엽**

Ocimum crispum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 38 (1783)

Perilla arguta Benth., Prodr. (DC.) 12: 164 (1848)

Perilla ocymoides L. var. *crispa* (Thunb.) Benth., Prodr. (DC.) 12: 164 (1848)

Mentha reticulosa Hance, Ann. Bot. Syst. 3: 247 (1852)

Perilla ocymoides L. f. *viridis* Makino, Bot. Mag. (Tokyo) 26: 78 (1912)

Perilla ocymoides L. var. *crispa* f. *purpurea* Makino, Bot. Mag. (Tokyo) 26: 78 (1912)

Perilla frutescens (L.) Britton var. *crispa* f. *viridicrispa* Makino, Bot. Mag. (Tokyo) 28: 180 (1914)

Perilla ocymoides L. var. *crispa* f. *viridicrispa* Makino, Bot. Mag. (Tokyo) 28: 180 (1914)

Perilla frutescens (L.) Britton f. *viridis* (Makino) Makino, J. Jap. Bot. 3: 7 (1926)

Perilla frutescens (L.) Britton var. *crispa* f. *rosea* (G.Nicholson) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 73 (1929)

Perilla frutescens (L.) Britton var. *acuta* Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 74 (1929)

Perilla frutescens (L.) Britton var. *crispa* f. *crispidicolor* Makino, J. Jap. Bot. 7: 6 (1931)

Perilla frutescens (L.) Britton var. *arguta* (Benth.) Hand.-Mazz., Acta Horti Gothob. 13: 351 (1939)

Phlomis L.

***Phlomis koraiensis* Nakai, Rep. Veg. Mt. Waigalbon 37 (1916) Nat; N Korea 산속단**

Phlomoides koraiensis (Nakai) Kamelin & Makhm., Bot. Zhurn. (Moscow & Leningrad) 75: 248 (1990)

***Phlomis maximowiczii* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 696 (1884) Nat; N Korea, S Korea 큰속단**

Phlomis umbrosa Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 76 (1840)

Pogostemon Desf.

***Pogostemon stellatus* (Lour.) Kuntze, Revis. Gen. Pl. 2: 429 (1891) Nat; S Korea 물꼬리풀**

Mentha stellata Lour., Fl. Cochinch. 2: 361 (1790)

Mentha verticillate Roxb., Hort. Bengal. 44 (1814)

Dysophylla stellata (Lour.) Benth., Pl. Asiat. Rar. 1: 30 (1830)

Dysophylla verticillate (Roxb.) Benth., Pl. Asiat. Rar. 1: 30 (1830)

Eusteralis pumila Raf., Fl. Tellur. 2: 95 (1836)

Dysophylla japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 102 (1865)
Dysophylla benthamiana Hance, Ann. Sci. Nat., Bot. 5: 234 (1866)
Pogostemon benthamianus (Hance) Kuntze, Revis. Gen. Pl. 2: 530 (1891)
Dysophylla fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 9: 248 (1911)
Dysophylla esquirolii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 476 (1912)
Eusteralis stellata (Lour.) Murata, S. E. Asian Stud. 14: 1840 (1976)
Pogostemon verticillatus (Roxb.) Bhatti & Ingr., Bull. Nat. Hist. Mus. London, Bot. 27: 115 (1997)

***Pogostemon yatabeanus* (Makino) Press, Bull. Brit. Mus. (Nat. Hist.), Bot. 10: 74 (1982) Nat: S Korea 전주물꼬리풀**

Dysophylla yatabeana Makino, Bot. Mag. (Tokyo) 12: 55 (1898)
Dysophylla martini Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 178 (1904)
Dysophylla linearis Benth., Notes Roy. Bot. Gard. Edinburgh 6: 147 (1915)
Dysophylla lythroides Diels, Notizbl. Bot. Gart. Berlin-Dahlem 9: 1031 (1926)
Dysophylla linearis Benth. var. *yatabeana* (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 48 (1929)
Eusteralis yatabeana (Makino) Panigrahi, Phytologia 32: 478 (1976)

Prunella L.

***Prunella vulgaris* L. subsp. *asiatica* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 1: 220 (1948) Nat: N Korea, S Korea 팔골**

Prunella officinalis Crantz, Stirp. Austr. Fasc. ed. 2, 4: 279 (1763)
Prunella caerulea Gueldenst. ex Ledeb., Fl. Ross. (Ledeb.) 3: 393 (1849)
Prunella purpurea Gueldenst. ex Ledeb., Fl. Ross. (Ledeb.) 3: 393 (1849)
Prunella vulgaris L. var. *lilacina* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 148 (1911)
Prunella vulgaris L. var. *aleutica* Fernald, Rhodora 15: 185 (1913)
Prunella japonica Makino, Bot. Mag. (Tokyo) 28: 158 (1914)
Prunella vulgaris L. var. *albiflora* Koidz., Bot. Mag. (Tokyo) 29: 310 (1915)
Prunella vulgaris L. f. *albiflora* Nakai, Bot. Mag. (Tokyo) 35: 192 (1921)
Prunella vulgaris L. var. *japonica* (Makino) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 23 (1921)
Prunella vulgaris L. var. *yezoensis* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 23 (1921)
Prunella vulgaris L. var. *elongata* f. *lilacina* Nakai, Bot. Mag. (Tokyo) 35: 192 (1921)
Prunella asiatica Nakai var. *pilosa* Nakai, Bot. Mag. (Tokyo) 44: 21 (1930)
Prunella asiatica Nakai var. *albiflora* (Koidz.) Nakai, Bot. Mag. (Tokyo) 44: 21 (1930)
Prunella asiatica Nakai, Bot. Mag. (Tokyo) 44: 19 (1930)
Prunella asiatica Nakai var. *albiflora* (Koidz.) Nakai, Bot. Mag. (Tokyo) 44: 21 (1930)
Prunella asiatica Nakai f. *albiflora* (Nakai) Kitag., Lin. Fl. Manshur. 384 (1939)
Prunella vulgaris L. f. *lilacina* (Nakai) Kitag., Lin. Fl. Manshur. 384 (1939)
Prunella vulgaris L. subsp. *asiatica* var. *lilacina* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 1: 221 (1948)

Salvia L.

***Salvia japonica* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 40 (1783) Nat: S Korea 등근배암차츠키**

Sobischia japonica (Thunb.) Raf., Fl. Tellur. 3: 94 (1837)
Salvia fortunei Benth., Prodr. (DC.) 12: 354 (1848)
Salvia diversifolia Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 108 (1865)
Salvia japonica Thunb. var. *integrifolia* Franch. & Sav., Enum. Pl. Jap. 1: 371 (1875)
Salvia japonica Thunb. var. *ternata* Franch., Pl. David. 1: 237 (1883)

Salvia fushimiana Koidz., Bot. Mag. (Tokyo) 37: 41 (1923)
Salvia japonica Thunb. var. *fortunei* (Benth.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ.
2: 172 (1929)
Salvia tsusimensis Nakai, Bot. Mag. (Tokyo) 44: 531 (1930)

***Salvia maximowicziana* Hemsl., J. Linn. Soc., Bot. 26: 285 (1890) Nat: S Korea. Endemic**
참배암차즈기
Salvia chanryoenica Nakai, Bot. Mag. (Tokyo) 23: 190 (1909)

***Salvia miltiorrhiza* Bunge, Enum. Pl. Chin. Bor. 50 (1835) Int 단삼**
Salvia pogonocalyx Hance, J. Linn. Soc., Bot. 13: 785 (1873)
Salvia anomala Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 190 (1904)

***Salvia officinalis* L., Sp. Pl. 23 (1753) Int 샬비아**
Salvia grandiflora Etl., Comm. Bot.-Med. Salvia 17 (1777)

***Salvia plebeia* R.Br., Prodr. Fl. Nov. Holland. 501 (1810) Nat: N Korea, S Korea 배암차즈기**
Ocimum virgatum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 14: 546 (1784)
Salvia brachiata Roxb., Fl. Ind. (Roxburgh) 1: 146 (1820)
Ocimum fastigiatum Roth, Nov. Pl. Sp. 277 (1821)
Lumitzera fastigiata (Roth) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 687 (1825)
Salvia minutiflora Bunge, Enum. Pl. Chin. Bor. 50 (1835)
Salvia plebeia R.Br. var. *latifolia* E.Peter, Acta Horti Gothob. 9: 141 (1934)

***Salvia splendens* Sellow ex Schult., Mant. 1 (Schultes) 1: 185 (1822) Int 깨꽃**
Salvia colorans Benth., Labiat. Gen. Spec. 287 (1833)

Scutellaria Baumg.

***Scutellaria baicalensis* Georgi, Reise Russ. Reich. 1: 223 (1775) Int 황금**
Scutellaria macrantha Fisch. ex Rchb., Iconogr. Bot. Pl. Crit. 5: 52 (1827)
Scutellaria adamsii A.Ham., Monog. Scutell. 34 (1832)
Scutellaria grandiflora Adams ex Bunge, Enum. Pl. Chin. Bor. 52 (1833)
Scutellaria speciosa Fisch. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 416 (1838)
Scutellaria lanceolaria Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 110 (1865)

***Scutellaria dependens* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 217 (1859) Nat: N Korea, S Korea 애기골무꽃**
Scutellaria oldhami Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 197 (1867)
Scutellaria nipponica Franch., Enum. Pl. Jap. 1: 377 (1875)

***Scutellaria fauriei* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 401 (1910) Nat: N Korea, S Korea 그늘골무꽃**

***Scutellaria indica* L., Sp. Pl. 600 (1753) Nat: S Korea 골무꽃**
Scutellaria japonica Burm., Fl. Ind. (N. L. Burman) 130 (1768)
Scutellaria indica L. var. *japonica* f. *parvifolia* Makino, Bot. Mag. (Tokyo) 18: 71 (1904)
Scutellaria indica L. var. *parvifolia* (Makino) Makino, Iinuma, Somoku-Dzusetsu, ed. 3
846 (1912)
Scutellaria indica L. f. *parvifolia* Matsum. & Kudô, Bot. Mag. (Tokyo) 26: 296 (1912)
Scutellaria parvifolia (Makino) Koidz., Bot. Mag. (Tokyo) 38: 92 (1924)
Scutellaria microflora F.P.Metcalf, Lingnan Sci. J. 13: 136 (1934)

Scutellaria tsusimensis H.Hara, J. Jap. Bot. 13: 601 (1937)
Scutellaria parvifolia (Makino) Koidz. var. *vulgaris* Hara, J. Jap. Bot. 14: 52 (1938)
Scutellaria indica L. var. *tsusimensis* (Hara) Ohwi, Fl. Jap., revised ed., [Ohwi] 1150 (1965)
Scutellaria indica L. var. *alba* S.T.Kim & S.T.Lee, Korean J. Pl. Taxon. 24: 74 (1994)
Scutellaria indica L. var. *coccinea* S.T.Kim & S.T.Lee, Korean J. Pl. Taxon. 24: 74 (1994)

***Scutellaria insignis* Nakai, Bot. Mag. (Tokyo) 29: 2 (1915) Nat: S Korea. Endemic**
광릉골무꽃

***Scutellaria laeteviolacea* Koidz., Fl. Austro-Higoensis 50 (1931) Nat: S Korea 들개잎골무꽃**
Scutellaria indica L. f. *humilis* Makino, Bot. Mag. (Tokyo) 10: 314 (1896)
Scutellaria ussuriensis (Regel) Kudô f. *humilis* (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 257 (1929)
Scutellaria abbreviata H.Hara, J. Jap. Bot. 13: 604 (1937)
Scutellaria kurokawae H.Hara, J. Jap. Bot. 13: 603 (1937)
Scutellaria simplex Migo, Bot. Mag. (Tokyo) 51: 230 (1937)
Scutellaria laeteviolacea Koidz. var. *abbreviata* (H.Hara) H.Hara, J. Jap. Bot. 59: 174 (1984)
Scutellaria laeteviolacea Koidz. var. *kurokawae* (H.Hara) H.Hara, J. Jap. Bot. 59: 174 (1984)

***Scutellaria moniliorhiza* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 346 (1907) Nat: N Korea**
구슬골무꽃

***Scutellaria pekinensis* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 476 (1859) Nat: N Korea, S Korea 산골무꽃**
Scutellaria japonica Burm. var. *ussuriensis* Regel, Tent. Fl.-Ussur. 118 (1861)
Scutellaria transitra Makino, Bot. Mag. (Tokyo) 18: 70 (1904)
Scutellaria indica L. var. *ussuriensis* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 34 (1907)
Scutellaria glechomifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 401 (1910)
Scutellaria multibrachiata H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 401 (1910)
Scutellaria dentata H.Lév., Repert. Spec. Nov. Regni Veg. 9: 246 (1911)
Scutellaria ussuriensis (Regel) Kudô, Rep. Veg. Tomakomai Forest 53 (1916)
Scutellaria ussuriensis (Regel) Kudô var. *transitra* (Makino) Nakai, Bot. Mag. (Tokyo) 35: 199 (1921)
Scutellaria ussuriensis (Regel) Kudô var. *tomentosa* Koidz., Bot. Mag. (Tokyo) 38: 92 (1924)
Scutellaria umbrosa Nakai, Rep. Veg. Daisetsu Mts. 13 (1930)
Scutellaria dentata H.Lév. var. *tomentosa* (Koidz.) Nemoto, Fl. Jap. Suppl. 644 (1936)
Scutellaria transitra Makino var. *ussuriensis* (Regel) H.Hara, Bot. Mag. (Tokyo) 51: 142 (1937)
Scutellaria pekinensis Maxim. var. *ussuriensis* (Regel) Hand.-Mazz., Acta Horti Gothob. 13: 339 (1939)
Scutellaria pekinensis Maxim. var. *transitra* (Makino) H.Hara, Enum. Spermatophytarum Japon. 1: 229 (1948)

***Scutellaria regeliana* Nakai, Bot. Mag. (Tokyo) 35: 197 (1921) Nat: N Korea**
가늌골무꽃
Scutellaria galericulata L. var. *angustifolia* Regel, Tent. Fl.-Ussur. 118 (1861)
Scutellaria angustifolia (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 344 (1907)

***Scutellaria strigillosa* Hemsl., J. Linn. Soc., Bot. 26: 297 (1890) Nat: N Korea, S Korea**
참골무꽃

Scutellaria taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 402 (1910)
Scutellaria scordifolia var. *puberula* Takeda, J. Linn. Soc., Bot. 42: 482 (1914)
Scutellaria yezeensis Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 12 (1921)
Scutellaria strigillosa Hemsl. var. *yezeensis* (Kudô) Kitam., Acta Phytotax. Geobot. 17: 11 (1957)

Stachys L.

***Stachys oblongifolia* Benth., Pl. Asiat. Rar. 1: 64 (1830) Nat: N Korea 우단석잠플**

Stachys modica Hance, J. Bot. 20: 292 (1882)
Stachys martini Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 187 (1904)
Stachys imaii Nakai, Bot. Mag. (Tokyo) 26: 169 (1912)
Stachys leptopoda Hayata, Icon. Pl. Formosan. 8: 93 (1919)
Stachys strbargentea Hayata, Icon. Pl. Formosan. 8: 94 (1919)
Stachys palustris L. var. *imaii* Nakai, Bot. Mag. (Tokyo) 34: 48 (1920)
Stachys oblongifolia Benth. f. *leptopoda* (Hayata) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 188 (1929)

***Stachys riederi* Cham. var. *japonica* (Miq.) H.Hara, Bot. Mag. (Tokyo) 51: 144 (1937) Nat: N Korea, S Korea 석잠플**

Stachys baicalensis Fisch. ex Benth., Labiat. Gen. Spec. 543 (1834)
Stachys japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 111 (1865)
Stachys aspera Michx. var. *japonica* (Miq.) Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 45 (1879)
Stachys baicalensis Fisch. ex Benth. var. *japonica* (Miq.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 371 (1907)
Stachys aspera Michx. f. *glabrata* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 147 (1911)
Stachys japonica Miq. f. var. *chinensis* Maxim. *glabrata* (Nakai) Matsum. & Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 30 (1921)
Stachys japonica Miq. f. *villosa* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 48: 31 (1921)
Stachys baicalensis Fisch. ex Benth. var. *angustifolia* Honda, Bot. Mag. (Tokyo) 46: 374 (1932)
Stachys riederi Cham. var. *hispidula* (Regel) H.Hara, Bot. Mag. (Tokyo) 51: 144 (1937)
Stachys japonica Miq. var. *villosa* (Kudô) Ohwi, Fl. Jap. (Ohwi) 1008 (1953)
Stachys riederi Cham. var. *villosa* (Kudô) Kitam., Acta Phytotax. Geobot. 17: 10 (1957)

Teucrium L.

***Teucrium japonicum* Houtt., Nat. Hist. (Houttuyn) 9: 282 (1778) Nat: N Korea, S Korea 개곽향**

Teucrium nepetoides H.Lév., Repert. Spec. Nov. Regni Veg. 8: 450 (1910)
Teucrium brevispicum Nakai, Bot. Mag. (Tokyo) 34: 48 (1920)

***Teucrium veronicoides* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 388 (1877) Nat: N Korea, S Korea 곽향**

Teucrium nipponicum Makino ex Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 8 (1921)

***Teucrium viscidum* Blume, Bijdr. Fl. Ned. Ind. 14: 827 (1826) Nat: S Korea 섬곽향**

Teucrium stoloniferum Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 3 (1832)

Teucrium viscidum* Blume var. *viscidum

***Teucrium viscidum* Blume var. *miquelianum* (Maxim.) H.Hara, Bot. Mag. (Tokyo) 51: 145 (1937) Nat: S Korea 덩굴곽향**

Teucrium stoloniferum Roxb. var. *miquelianum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 387 (1877)

Teucrium miquelianum (Maxim.) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 8 (1921)

Thymus L.

***Thymus quinquecostatus* Celak., Oesterr. Bot. Z. 39: 263 (1889) Nat: N Korea, S Korea**
백리향

Thymus serphyllum L. var. *przewalskii* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 379 (1907)

Thymus przewalskii (Kom.) Nakai, Bot. Mag. (Tokyo) 35: 202 (1921)

Thymus przewalskii (Kom.) Nakai var. *magnus* Nakai, Bot. Mag. (Tokyo) 35: 203 (1921)

Thymus serphyllum L. var. *ibukiensis* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 15919: 40 (1921)

Thymus przewalskii (Kom.) Nakai var. *laxus* Nakai, Trees Shrubs Japan 1: 306 (1922)

Thymus quinquecostatus Celak. var. *przewalskii* (Kom.) Ronniger, Acta Horti Gothob. 9: 100 (1934)

Thymus quinquecostatus Celak. var. *laxus* (Nakai) H.Hara, Bot. Mag. (Tokyo) 51: 147 (1937)

Thymus quinquecostatus Celak. var. *japonicus* H.Hara, Bot. Mag. (Tokyo) 51: 145 (1937)

Thymus quinquecostatus Celak. var. *ibukiensis* (Kudô) H.Hara, Enum.

Spermatophytarum Japon. 1: 233 (1948)

Thymus japonicus (H.Hara) Kitag., J. Jap. Bot. 27: 205 (1952)

Thymus magnus (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 100 (1952)

Thymus quinquecostatus Celak. var. *magnus* (Nakai) Kitag., Acta Phytotax. Geobot. 14: 118 (1952)

Thymus serphyllum L. subsp. *quinquecostatus* (Celak.) Kitam., Fauna Fl. Nepal Himalaya 216 (1955)

Tripora

***Tripora divaricata* (Maxim.) P.D.Cantino, Syst. Bot. 23: 382 (1998) Nat: N Korea, S Korea**
누린대풀

Caryopteris divaricata Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 390 (1877)

Clerodendrum sieboldii Kuntze, Revis. Gen. Pl. 2: 505 (1891)

LARDIZABALACEAE

Akebia Decne.

***Akebia quinata* (Houtt.) Decne., Arch. Mus. Hist. Nat. 1: 195 (1839) Nat: N Korea, S Korea**
으름덩굴

Rajania quinata Thunb. ex Houtt., Nat. Hist. (Houttuyn) 11: 366 (1779)

Akebia quinata (Houtt.) Decne. f. *viridiflora* Makino, Bot. Mag. (Tokyo) 16: 182 (1902)

Akebia quinata (Houtt.) Decne. var. *diplochlamys* Makino, J. Jap. Bot. 8: 6 (1932)

Akebia micrantha Nakai, Fl. Sylv. Kor. 21: 44 (1936)

Akebia quinata (Houtt.) Decne. var. *polyphylla* Nakai, Fl. Sylv. Kor. 21: 44 (1936)

Akebia quinata (Houtt.) Decne. f. *polyphylla* (Nakai) Hiyama, J. Jap. Bot. 36: 246 (1961)

Akebia quinata (Houtt.) Decne. f. *albiflora* Y.N.Lee, Bull. Korea Pl. Res. 6: 6 (2006)

Stauntonia DC.

***Stauntonia hexaphylla* (Thunb.) Decne., Ann. Sci. Nat., Bot. ser. 2,12: 105 (1839) Nat: S Korea**
덜꿨

Rajania hexaphylla Thunb., Fl. Jap. (Thunberg) 149 (1784)

LAURACEAE

Cinnamomum Schaeff.

***Cinnamomum camphora* (L.) J.Presl, Prir. Rostlin 2: 36 (1825) Nat: S Korea 녹나무**

Laurus camphora L., Sp. Pl. 369 (1753)

Persea camphora (L.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 268 (1825)

Camphora officinarum Nees, Pl. Asiat. Rar. 2: 72 (1831)

Camphora vera Raf., Sylva Tellur. 136 (1838)

Cinnamomum camphora (L.) J.Presl var. *glaucescens* (A.Br.) Meisn., Prodr. (DC.) 15: 24 (1864)

Cinnamomum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 370 (1911)

Cinnamomum camphoroides Hayata, Icon. Pl. Formosan. 3: 158 (1913)

Cinnamomum nominale (Hayata ex Matsum. & Hayata) Hayata, Icon. Pl. Formosan. 3: 160 (1913)

Cinnamomum camphora (L.) J.Presl var. *cyclophyllum* Nakai, J. Jap. Bot. 19: 369 (1943)

Cinnamomum camphora (L.) J.Presl var. *rotundifolia* Makino, Makinoa 8: 150 (1948)

Cinnamomum camphora (L.) J.Presl var. *linaloolifera* Y.Fujita, Bot. Mag. (Tokyo) 65: 245 (1952)

***Cinnamomum yabunikkei* H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2a: 243 (2006) Nat: S Korea 생달나무**

Cinnamomum japonicum Siebold, Verh. Batav. Genootsch. Kunsten 12: 123 (1830)

Cinnamomum pedunculatum Nees, Syst. Laur. 79 (1836)

Cinnamomum acuminatifolium Hayata, Icon. Pl. Formosan. 5: 152 (1915)

Cinnamomum chekiangense Nakai, Fl. Sylv. Kor. 22: 23 (1939)

Cinnamomum chenii Nakai, Fl. Sylv. Kor. 22: 23 (1939)

Cinnamomum japonicum Siebold var. *chekiangense* (Nakai) M.B.Deng & G.Yao, Fl. Jiangsu. 2: 205 (1982)

Laurus L.

***Laurus nobilis* L., Sp. Pl. 369 (1753) Int 월계수**

Lindera Thunb.

***Lindera angustifolia* W.C.Cheng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 8: 294 (1933) Nat: N Korea, S Korea 너성목**

Benzoin salicifolium Nakai, Bot. Mag. (Tokyo) 44: 29 (1930)

Benzoin angustifolium var. *glabrum* Nakai, Fl. Sylv. Kor. 22: 79 (1939)

Lindera glauca (Siebold & Zucc.) Blume var. *salicifolia* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 264 (1966)

***Lindera erythrocarpa* Makino, Bot. Mag. (Tokyo) 11: 219 (1897) Nat: S Korea 비록나무**

Benzoin erythrocarpum (Makino) Rehder, J. Arnold Arbor. 1: 144 (1919)

Lindera henanensis H.P.Tsui, Acta Phytotax. Sin. 25: 412 (1987)

Lindera erythrocarpa Makino var. *longipes* S.B.Liang, Bull. Bot. Res., Harbin 8: 90 (1988)

***Lindera glauca* (Siebold & Zucc.) Blume, Mus. Bot. 1: 325 (1851) Nat: S Korea 감태나무**

Benzoïn glaucum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 204 (1846)
Lindera glauca (Siebold & Zucc.) Blume var. *kawakamii* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 255 (1911)
Benzoïn glaucum Siebold & Zucc. var. *kawakamii* (Hayata) Sasaki, List Pl. Formosa (Sasaki) 191 (1928)

***Lindera obtusiloba* Blume, Mus. Bot. 1: 325 (1851) Nat; N Korea, S Korea 생강나무**

Lindera obtusiloba Blume var. *villosa* Blume, Mus. Bot. 1: 325 (1851)
Lindera mollis Oliv., J. Linn. Soc., Bot. 9: 168 (1867)
Benzoïn obtusilobum (Blume) Kuntze, Revis. Gen. Pl. 2: 569 (1891)
Lindera cercidifolia Hemsl., J. Linn. Soc., Bot. 26: 387 (1891)
Benzoïn cercidifolium (Hemsl.) Rehder, J. Arnold Arbor. 1: 144 (1919)
Benzoïn obtusilobum (Blume) Kuntze f. *quinquelobum* Uyeki, J. Chosen Nat. Hist. Soc. 20: 18 (1935)
Benzoïn obtusilobum (Blume) Kuntze f. *villosum* (Blume) Nakai, Fl. Sylv. Kor. 22: 72 (1939)
Lindera obtusiloba Blume f. *quinqueloba* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 264 (1966)
Lindera obtusiloba Blume f. *villosa* (Blume) T.B.Lee, Ill. Woody Pl. Korea 264 (1966)
Lindera obtusiloba Blume var. *praetermissa* (Grierson & D.G.Long) H.P.Tsui, Acta Phytotax. Sin. 16: 66 (1978)
Lindera praetermissa Grierson & D.G.Long, Notes Roy. Bot. Gard. Edinburgh 36: 149 (1978)

***Lindera sericea* (Siebold & Zucc.) Blume, Mus. Bot. 1: 324 (1851) Nat; S Korea 털조장나무**

Benzoïn sericeum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 204 (1846)
Lindera umbellata Thunb. var. *sericea* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 14: 184 (1900)
Benzoïn umbellatum var. *sericeum* (Siebold & Zucc.) Rehder, J. Arnold Arbor. 1: 146 (1919)

***Lindera triloba* (Siebold & Zucc.) Blume, Mus. Bot. 1(21): 325 (1851) Int 세손이**

Benzoïn trilobum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 202 (1846)
Parabenzoïn trilobum (Siebold & Zucc.) Nakai, Bull. Soc. Bot. France 71: 1181 (1924)

Litsea Lam.

***Litsea coreana* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 370 (1912) Nat; S Korea 육박나무**

Iozoste lancifolia Blume, Mus. Bot. 1(23): 364 (1851)
Actinodaphne lancifolia (Blume) Meisn., Prodr. (DC.) 15: 211 (1864)
Litsea orientalis C.E.Chang, Fl. Taiwan 2: 446 (1976)

***Litsea japonica* (Thunb.) Juss., Bull. Sci. Soc. Philom. Paris 3: 73 (1801) Nat; S Korea 까마귀쪽나무**

Tomex japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 65 (1783)
Fiwa japonica (Thunb.) J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 345 (1791)
Tetranthera japonica (Thunb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 266 (1825)
Malapoenna japonica (Thunb.) Kuntze, Revis. Gen. Pl. 2: 572 (1891)

Machilus Nees & Wall.

***Machilus japonica* Siebold & Zucc. ex Meisn., Prodr. (DC.) 15: 42 (1864) Nat; S Korea** 센달나무

- Machilus thunbergii* Siebold & Zucc. ex Meisn. var. *japonica* (Siebold & Zucc.) Yatabe, Bot. Mag. (Tokyo) 6: 177 (1892)
Machilus kusanoi Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 241 (1911)
Machilus puseudolongifolia Hayata, Icon. Pl. Formosan. 5: 160 (1915)
Persea japonica (Siebold & Zucc. ex Meisn.) Kosterm., Reinwardtia 6: 107 (1962)
Persea puseudolongifolia (Hayata) Kosterm., Reinwardtia 6: 107 (1962)
Persea kusanoi (Hayata) H.L.Li, Woody Fl. Taiwan 226 (1963)

***Machilus thunbergii* Siebold & Zucc. ex Meisn., Prodr. (DC.) 15(1): 42 (1864) Nat; S Korea** 후박나무

- Machilus macrophylla* Hemsl. var. *arisanensis* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 243 (1911)
Machilus arisanensis (Hayata) Hayata, Icon. Pl. Formosan. 5: 160 (1915)
Machilus kwashotensis Hayata, Icon. Pl. Formosan. 5: 160 (1915)
Machilus nanshoensis Kaneh., Formosan Trees 449 (1917)
Machilus thunbergii Siebold & Zucc. ex Meisn. var. *obovata* Nakai, Bot. Mag. (Tokyo) 37: 210 (1923)
Machilus arisanensis (Hayata) Hayata var. *nanshoensis*. (Kaneh.) Yamam., J. Soc. Trop. Agric. 4: 53 (1932)
Machilus thunbergii Siebold & Zucc. ex Meisn. var. *trochodendroides* Masam., Trans. Nat. Hist. Soc. Taiwan 29: 273 (1939)
Persea thunbergii (Siebold & Zucc. ex Meisn.) Kosterm., Commun. Forest Res. Inst. 57: 35 (1957)
Persea arisanensis (Hayata) Kosterm., Reinwardtia 6: 191 (1962)

Neolitsea Benth. & Hook.f. & Merr.

***Neolitsea aciculata* (Blume) Koidz., Bot. Mag. (Tokyo) 32: 258 (1918) Nat; S Korea** 새덕이 후박나무

- Litsea foliosa* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 207 (1846)
Litsea aciculata Blume, Mus. Bot. 1: 347 (1851)
Malapoenna aciculata (Blume) Kuntze, Revis. Gen. Pl. 2: 572 (1891)
Tetradenia acutotrineria Hayata, Icon. Pl. Formosan. 3: 166 (1913)
Neolitsea acutotrineria (Hayata) Kaneh. & Sasaki, Trans. Nat. Hist. Soc. Taiwan 20: 381 (1930)

***Neolitsea sericea* (Blume) Koidz., Bot. Mag. (Tokyo) 40: 343 (1926) Nat; S Korea** 참식나무

- Laurus sericea* Blume, Bijdr. Fl. Ned. Ind. 11: 554 (1826)
Litsea glauca (Thunb.) Siebold, Verh. Batav. Genootsch. Kunsten 12: 24 (1830)
Malapoenna sieboldii Kuntze, Revis. Gen. Pl. 2: 572 (1891)
Tetradenia glauca (Siebold) Matsum., Index Pl. Jap. 2 (2): 140 (1912)
Neolitsea boninense Koidz., Bot. Mag. (Tokyo) 32: 256 (1918)
Neolitsea glauca (Thunb.) Koidz., Bot. Mag. (Tokyo) 32: 257 (1918)
Neolitsea sieboldii (Kuntze) Nakai, Bot. Mag. (Tokyo) 51: 520 (1927)
Neolitsea cuneifolia Koidz., Bot. Mag. (Tokyo) 43: 406 (1929)
Neolitsea ohbana Koidz., Bot. Mag. (Tokyo) 43: 407 (1929)

LENTIBULARIACEAE

Pinguicula L.

***Pinguicula villosa* L., Sp. Pl. 17 (1753) Nat; N Korea 털잡이제비꽃**

***Pinguicula vulgaris* L. subsp. *macroceras* (Pall. ex Link) Calder & Roy L. Taylor, Canad. J. Bot. 43: 1399 (1965) Nat; N Korea 벌레잡이제비꽃**

Pinguicula macroceras Pall. ex Link, Jahrb. Gewachsk. 1: 54 (1820)

Pinguicula vulgaris L. var. *macroceras* (Pall. ex Link) Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 380 (1873)

Utricularia L.

***Utricularia aurea* Lour., Fl. Cochinch. 1: 26 (1790) Nat; S Korea 들통발**

Utricularia flexuosa Vahl, Enum. Pl. (Vahl) 1: 198 (1804)

Utricularia fasciculata Roxb., Hort. Bengal. 4 (1814)

Utricularia confervifolia Jacks. & D. Don, Prodr. Fl. Nepal. 84 (1825)

Utricularia macrocarpa Wall., Numer. List 1429 (1829)

Utricularia flexuosa Vahl var. *blumei* A. DC., Prodr. (DC.) 8: 24 (1844)

Utricularia inaequalis Benj., Linnaea 20: 304 (1847)

Utricularia calumpitensis Llanos, Fragm. Pl. Filip. 11 (1851)

Utricularia extensa Hance, Ann. Bot. Syst. 3: 3 (1852)

Utricularia reclinata Hassk., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. 4: 161 (1855)

Utricularia blumei (A. DC.) Miq., Fl. Ned. Ind. 2: 997 (1859)

Utricularia vulgaris Nakai var. *pilosa* Makino, Bot. Mag. (Tokyo) 9: 111 (1895)

Utricularia pilosa (Makino) Makino, Bot. Mag. (Tokyo) 11: 70 (1897)

***Utricularia australis* R. Br., Prodr. Fl. Nov. Holland. 430 (1810) Nat; N Korea, S Korea 통발**

Utricularia vulgaris Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 132 (1911)

Utricularia japonica Makino, Bot. Mag. (Tokyo) 28: 28 (1914)

Utricularia vulgaris Nakai var. *japonica* (Makino) T. Yamanaka, Acta Phytotax. Geobot. 15: 32 (1953)

***Utricularia bifida* L., Sp. Pl. 18 (1753) Nat; N Korea, S Korea 땅귀개**

Utricularia recurva Lour., Fl. Cochinch. 1: 26 (1790)

Utricularia humilis Vahl, Enum. Pl. (Vahl) 1: 203 (1804)

Utricularia antirrhinoides Wall., Numer. List. 1498 (1829)

Utricularia alata Benj., Bot. Zeitung (Berlin) 3: 212 (1845)

Utricularia brevicaulis Benj., Linnaea 2: 303 (1847)

Utricularia sumatrana Miq., Fl. Ned. Ind. 2: 998 (1859)

***Utricularia caerulea* L., Sp. Pl. 18 (1753) Nat; N Korea, S Korea 이삭귀개**

Utricularia racemosa Wall. ex Walp., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur., Suppl. 1, 19: 401 (1843)

Calpidisca takenakai Nakai, J. Jap. Bot. 17: 193 (1941)

***Utricularia intermedia* Hayne, J. Bot. (Schrader) 1: 18 (1800) Nat; N Korea, S Korea 개통발**

Utricularia alpina Georgi, Besch. Nation. Russ. Reich 4: 655 (1800)

Utricularia media Schumacher., Enum. Pl. (Schumacher) 1: 9 (1801)

Utricularia millefolium Nutt. ex Tuck., Amer. J. Sci. Arts 14: 28 (1843)

Utricularia graffiana Koch, Flora 30: 265 (1847)
Lentibularia intermedia (Hayne) Nieuwl. & Lunell, Amer. Midl. Naturalist 5: 9 (1917)

***Utricularia minor* L., Sp. Pl. 18 (1753) Int 실통발**

Utricularia rogersiana Lace, Bull. Misc. Inform. Kew 1915: 404 (1915)
Utricularia minor L. var. *multispinosa* Miki, Bot. Mag. (Tokyo) 48: 337 (1934)
Utricularia multispinosa (Miki) Miki, Water Phaner. Jap. 109 (1937)
Utricularia nepalensis Kitam., Acta Phytotax. Geobot. 15: 133 (1954)

***Utricularia ochroleuca* R.W.Hartm., Bot. Not. 1857: 30 (1857) Nat: N Korea, S Korea 북통발**

***Utricularia uliginosa* Vahl, Enum. Pl. (Vahl) 1: 203 (1804) Nat: N Korea, S Korea**

자주땅귀개

Utricularia yakusimensis Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 4: 409 (1934)

LINACEAE

Linum L.

***Linum stelleroides* Planch., London J. Bot. 7: 178 (1848) Nat: N Korea, S Korea 개아마**

Obolaria borealis (L.) Kuntze, Revis. Gen. Pl. 1: 275 (1891)
Linum karoii Freyn, Oesterr. Bot. Z. 52: 15 (1902)

***Linum usitatissimum* L., Sp. Pl. 277 (1753) Int 아마**

Linum humile Mill., Gard. Dict., ed. 8 2 (1768)
Linum usitatissimum L. var. *humile* (Mill.) Pers., Syn. Pl. (Persoon) 1: 334 (1805)
Linum usitatissimum L. var. *crepitans* Boenn., Prodr. Fl. Monast. Westphal. 94 (1824)
Linum crepitans (Boenn.) Dumort., Fl. Belg. (Dumortier) 111 (1827)
Linum usitatissimum L. var. *indehiscens* Neir., Fl. Nied.-Oesterr 864 (1859)
Linum indehiscens (Neir.) Vavilov & Elladi, Kul't. Fl. SSSR 5: 117 (1940)
Linum usitatissimum L. subsp. *humile* (Mill.) Chernom., Sborn. Nauchn. Trudov Prikl. Bot. Genet. Selektiv. 113: 56 (1987)

***Linum virginianum* L., Sp. Pl. 279 (1753) Int 노랑개아마**

Cathartolinum virginianum (L.) Rchb., Handb. Nat. Pfl.-Syst. 307 (1837)
Linum virginianum L. var. *microcarpum* Planch., London J. Bot. 7: 480 (1848)
Nezera virginiana (L.) Nieuwl., Amer. Midl. Naturalist 3: 152 (1913)

LOGANIACEAE

Gardneria Wall. & Roxb.

***Gardneria nutans* (Roxb.) Sweet, Hort. Brit. (Sweet) 197 (1826) Nat: S Korea 영주치자**

Gardneria insularis Nakai, Bot. Mag. (Tokyo) 32: 219 (1918)

Mitrasacme Labill.

***Mitrasacme indica* Wight, Icon. Pl. Ind. Orient. (Wight) 4: 15 (1850) Nat: S Korea**

벼룩아재비

Mitrasacme alsinoides R.Br., Prodr. Fl. Nov. Holland. 1: 453 (1810)
Mitrasacme alsinoides R.Br. var. *indica* (Wight) H.Hara, J. Jap. Bot. 30: 24 (1955)
Oldenlandia brachyphylla Merr. var. *indica* (Wight) H.Hara, J. Jap. Bot. 30: 24 (1955)

-
- Mitrasacme pygmaea R.Br., Prodr. Fl. Nov. Holland.453 (1810)** Nat: S Korea 큰벼룩아재비
Mitrasacme capillaris Wall. ex Roxb., Fl. Ind. (Roxburgh), ed. 1820, 1: 420 (1820)
Mitrasacme nudicaulis Reinw. ex Blume, Bijdr. Fl. Ned. Ind. 14: 849 (1826)
Mitrasacme chinensis Griseb., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19: 51 (1843)
Mitrasacme lutea H.Lév., Repert. Spec. Nov. Regni Veg. 4(73-74): 331 (1907)
Mitrasacme galiifolia Masam. & Syozi, Acta Phytotax. Geobot. 12: 202 (1943)
Mitrasacme malaccensis Wight, Icon. Pl. Ind. Orient. (Wight) t. 1601 (1950)
Mitrasacme pygmaea R.Br. var. *malaccensis* (Wight) H.Hara, J. Jap. Bot. 30: 24 (1955)

LORANTHACEAE

Loranthus Jacq.

- Loranthus tanakae Franch. & Sav., Enum. Pl. Jap. 2: 482 (1876)** Nat: N Korea, S Korea
꼬리겨우살이
Hyphear tanakae (Franch. & Sav.) Hosok., J. Jap. Bot. 12: 418 (1936)

Taxillus Tiegh.

- Taxillus yadoriki (Siebold) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 11: 445 (1931)** Nat: S Korea
참나무겨우살이
Loranthus yadoriki Siebold, Bull. Acad. Imp. Sci. Saint-Petersbourg 22: 229 (1877)
Cichlanthus yadoriki (Siebold) Tiegh., Bull. Soc. Bot. France 42: 253 (1895)
Scurrula yadoriki (Siebold) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 10: 354 (1929)

LYTHRACEAE

Ammannia L.

- Ammannia multiflora Roxb., Fl. Ind. (Roxburgh), ed. Carey. 1: 447 (1820)** Nat: S Korea
좁부처꽃
Ammannia parviflora DC., Prodr. (DC.) 3: 77 (1828)
Ammannia australasica F.Muell., Trans. Philos. Soc. Victoria 1: 41 (1855)
Suffrenia dichotoma Miq., Fl. Ned. Ind. 1(1): 616 (1855)
Ammannia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 261 (1866)
Ammannia multiflora Roxb. var. *parviflora* (DC.) Koehne, Bot. Jahrb. Syst. 1: 248 (1880)

Lagerstroemia L.

- Lagerstroemia indica L., Syst. Nat. ed. 10 2: 1076 (1759)** Int 배롱나무
Lagerstroemia chinensis L., Amoen. Acad., Linnaeus ed. 4: 137 (1759)
Lagerstroemia minor Retz., Observ. Bot. (Retzius) 1: 20 (1779)
Velaga globosa Gaertn., Fruct. Sem. Pl. 2: 246 (1791)
Lagerstroemia elegans Paxton, Mag. Bot. 14: 269 (1848)
Murtughas indica (L.) Kuntze, Revis. Gen. Pl. 1: 249 (1891)

Lythrum L.

- Lythrum salicaria L., Sp. Pl. 446 (1753)** Nat: N Korea, S Korea 부처꽃
Salicaria spicata Lam., Fl. Franc. (Lamarck) 3: 103 (1779)
Salicaria vulgaris Moench, Methodus (Moench) 665 (1794)

Lythrum salicaria L. var. *tomentosum* DC., Cat. Pl. Horti Monsp. 1: 123 (1813)
Lythrum tomentosum DC., Cat. Pl. Horti Monsp. 1: 123 (1813)
Lythrum quadrifolium Mart., Prodr. fl. Mosq. 83 (1817)
Lythrum salicaria L. var. *vulgare* DC., Prodr. (DC.) 3: 82 (1828)
Lythrum intermedium Ledeb. ex Colla, Herb. Pedem. 2: 399 (1834)
Lythrum salicaria L. var. *glabrum* Ledeb., Fl. Ross. (Ledeb.) 2: 127 (1844)
Lythrum propinquum Weinm., Bull. Soc. Imp. Naturalistes Moscou 23: 544 (1850)
Lythrum virgatum L., Prolus. Fl. Jap. 149 (1866)
Lythrum salicaria L. var. *intermedium* subvar. *gracilius* f. *angustius* su, Bot. Jahrb. Syst. 1: 327 (1881)
Lythrum salicaria L. var. *intermedium* (Ledeb. ex Colla) Koehne, Bot. Jahrb. Syst. 1: 327 (1881)
Lythrum salicaria L. var. *vulgare* subvar. *glabricaule* Koehne, Bot. Jahrb. Syst. 1: 328 (1881)
Lythrum salicaria L. var. *anceps* Koehne, Pflanzenr. (Engler) IV, 216: 76 (1903)
Lythrum argyi H.Lév., Repert. Spec. Nov. Regni Veg. 4: 330 (1907)
Lythrum anceps (Koehne) Makino, Bot. Mag. (Tokyo) 22: 169 (1908)
Lythrum salicaria L. var. *mairei* H.Lév., Cat. Pl. Yun-Nan 172 (1916)
Lythrum salicaria L. subsp. *anceps* (Koehne) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 86 (1952)
Lythrum salicaria L. subsp. *intermedium* (Ledeb. ex Colla) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6-7: 390 (1956)
Lythrum salicaria L. var. *glabricaule* (Koehne) Kitag., Neolin. Fl. Manshur. 463 (1979)

Rotala L.

- Rotala indica* (Willd.) Koehne, Bot. Jahrb. Syst. 1: 172 (1880) Nat: N Korea, S Korea 마디꽃**
Peplis indica Willd., Sp. Pl. (ed. 5; Willdenow) 2: 244 (1799)
Ameletia uliginosa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 261 (1866)
Rotala indica (Willd.) Koehne var. *uliginosa* (Miq.) Koehne, Bot. Jahrb. Syst. 1: 173 (1880)
Rotala densiflora var. *formosana* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 22: 149 (1906)
Rotala indica (Willd.) Koehne var. *koreana* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 236 (1909)
Rotala elatinomorpha Makino, Bot. Mag. (Tokyo) 24: 100 (1910)
Rotala koreana (Nakai) T.Mori, Enum. Pl. Corea 261 (1922)
Rotala uliginosa (Miq.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 80 (1952)
- Rotala mexicana* Cham. & Schltdl., Linnaea 5: 67 (1830) Nat: N Korea, S Korea 가는마디꽃**
Rotala pusilla Tul., Ann. Sci. Nat., Bot. ser. 4, 6: 128 (1856)
Ammannia littorea Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 261 (1864)
Ammannia pygmaea Kurz, J. Bot. 5: 376 (1867)
Rotala leptopetala var. *littorea* (Miq.) Koehne, Bot. Jahrb. Syst. 1: 162 (1880)
Rotala mexicana Cham. & Schltdl. var. *spruceana* (Benth.) Koehne, Bot. Jahrb. Syst. 1: 151 (1881)
Rotala mexicana Cham. & Schltdl. subsp. *pusilla* (Tul.) Koehne, Pflanzenr. (Engler) 4 (17): 30 (1903)
Rotala littorea (Miq.) Nakai, Chosen Shokubutsu 359 (1914)

MAGNOLIACEAE

Liriodendron L.

***Liriodendron tulipifera* L., Sp. Pl. 535 (1753) Int 튤립나무**

Tulipifera lirioidendron Mill., Gard. Dict., ed. 8 0 (1768)
Lirioidendron procerum Salisb., Prodr. Stirp. Chap. Allerton 379 (1796)
Lirioidendron tulipifera L. var. *acutiloba* Michx., Fl. Bor.-Amer. (Michaux) 1: 326 (1803)
Lirioidendron truncatifolium Stokes, Bot. Mat. Med. 3: 233 (1812)
Lirioidendron tulipifera L. var. *integrifolium* (K.Koch) Dippel, Handb. Laubholz. 3: 155 (1893)
Lirioidendron tulipifera L. var. *pyramidale* Dippel, Handb. Laubholz. 3: 155 (1893)

Magnolia L.

Magnolia denudata Desr., Encycl. (Lamarck) 3: 675 (1792) Int 백목련

Magnolia liliflora J.V.Suringar, Meded. Rijk's Landbouwhoogeschool 32, Verh. 5: 43, 1928
Lassonia heptapeta Buc'hoz, Pl. Nouv. Decouv. 21 (1779)
Magnolia precia Corrêa ex Vent., Jard. Malmaison 24 (1803)
Magnolia conspicua Salisb., Parad. Lond. 1: t. 38 (1806)
Magnolia yulan Desf., Hist. Arbr. France 2: 6 (1809)
Magnolia obovata Thunb. var. *denudata* DC., Syst. Nat. (Candolle) 1: 457 (1817)
Magnolia hirsuta Thunb., Pl. Cap. Sp. Nov. 8 (1824)
Yulania conspicua (Salisb.) Spach, Hist. Nat. Veg. (Spach) 7: 464 (1839)
Gwillimia yulan de Vos, Handb. Boom. Heest. ed. 2 116 (1887)
Magnolia heptapeta (Buc'hoz) Dandy, J. Bot. 72: 103 (1934)

Magnolia grandiflora L., Syst. Nat. ed. 10 2: 1082 (1759) Int 태산목

Magnolia virginiana L. var. *foetida* L., Sp. Pl. 536 (1753)
Magnolia elliptica (Aiton) Link, Handbuch [Link] 2: 375 (1831)
Magnolia foetida (L.) Sander, Gard. & Forest 2: 615 (1889)

Magnolia kobus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4-2: 187 (1845) Nat. S Korea 목련

Magnolia tomentosa Thunb., Trans. Linn. Soc. London 2: 336 (1794)
Yulania kous (DC.) Spach, Hist. Nat. Veg. (Spach) 7: 467 (1839)
Magnolia kobushi Mayr, Fremdländ. Wald- Parkbäume 484 (1906)
Magnolia borealis (Sarg.) Kudô, Medic. Pl. Hokk. 1: 47 (1922)

Magnolia liliiflora Desr., Encycl. (Lamarck) 3: 675 (1792) Int 자목련

Lassonia quinquepeta Buc'hoz, Pl. Nouv. Decouv. 21 (1779)
Magnolia purpurea Curtis, Bot. Mag. 11: t. 390 (1797)
Magnolia discolor Vent., Jard. Malmaison 0 (1803)
Magnolia obovata Thunb. var. *discolor* DC., Syst. Nat. (Candolle) 1: 457 (1817)
Buergeria obovata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 187 (1845)
Magnolia obovata Thunb. var. *liliiflora* (Desr.) Ser., Fl. Jard. 3: 234 (1849)
Magnolia obovata Thunb. var. *purpurea* (Curtis) Ser., Fl. Jard. 3: 233 (1849)
Talauma sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 257 (1866)
Magnolia conspicua Salisb. var. *purpurascens* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 419 (1872)
Talauma obovata (Siebold & Zucc.) Benth. & Hook.f. ex Hance, J. Bot. 20: 2 (1882)
Gwillimia purpurea de Vos, Handb. Boom. Heest. ed. 2 115 (1887)
Yulania japonica Spach var. *purpurea* (Curtis) P.Parm., Bull. Sci. France Belgique 27: 258 (1896)
Magnolia denudata Desr. var. *purpurea* C.K.Schneid., Ill. Handb. Laubholz. 1: 330 (1905)
Magnolia denudata Desr. var. *purpurascens* (Maxim.) Rehder & E.H.Wilson, Pl. Wilson.

1: 401 (1913)

Magnolia purpurascens (Maxim.) Makino, J. Jap. Bot. 6: 8 (1929)

Magnolia quinquepeta (Buc'hoz) Dandy, J. Bot. 72: 103 (1934)

Magnolia glauca Thunb. var. *flore-magno-atropurpureo* Thunb., Fl. Jap., revised ed., [Ohwi] 236 (1965)

Magnolia heptapeta (Buc'hoz) Dandy f. *purpurascens* (Maxim.) H. Ohba, J. Jap. Bot. 55: 190 (1980)

***Magnolia obovata* Thunb., Trans. Linn. Soc. London 2: 336 (1794) Int 일본복련**

Magnolia hypoleuca Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 187 (1845)

Magnolia honogi P. Parm., Bull. Sci. France Belgique 27: 195 (1896)

Yulania japonica Spach var. *obovata* (Thunb.) P. Parm., Bull. Sci. France Belgique 27: 258 (1896)

Magnolia glauca Thunb., Fl. Jap., revised ed., [Ohwi] 236 (1965)

***Magnolia sieboldii* K. Koch, Hort. Dendrol. 4: 11 (1853) Nat: N Korea, S Korea 함박꽃나무**

Magnolia parviflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4,2: 187 (1845)

Magnolia oyama Kort, Rev. Hort. Belge Étrangère 31: 258 (1905)

Magnolia verecunda Koidz., Bot. Mag. (Tokyo) 40: 339 (1926)

Magnolia parviflora Siebold & Zucc. f. *variegata* Nakai, Fl. Sylv. Kor. 20: 120 (1933)

Oyama sieboldii (K. Koch) N.H. Xia & C.Y. Wu, Fl. China 7: 67 (2008)

Michelia L.

***Michelia compressa* (Maxim.) Sarg., Gard. & Forest 6: 75, f. 13 (1893) Nat: S Korea 초령목**

Magnolia compressa Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 417 (1872)

Michelia compressa (Maxim.) Sarg. var. *formosana* Kaneh., Trans. Nat. Hist. Soc. Taiwan 20: 384 (1930)

Michelia formosana (Kaneh.) Masam. & Suzuki, Rep. (Annual) Taihoku Bot. Gard. 3: 57 (1933)

MALVACEAE

Abelmoschus Medik.

***Abelmoschus manihot* (L.) Medik., Malvenfam. 46 (1787) Int 닥풀**

Hibiscus manihot L., Sp. Pl. 696 (1753)

Hibiscus papyrifera Salisb., Prodr. Stirp. Chap. Allerton 384 (1796)

Abelmoschus venustus Walp., Repert. Bot. Syst. (Walpers) 1: 309 (1842)

Hibiscus japonicus Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 19 (1867)

Abelmoschus platidactylus (Bakh.) Nakai, Bull. Tokyo Sci. Mus. 22: 35 (1948)

Abutilon Mill.

***Abutilon theophrasti* Medik., Malvenfam. 28 (1787) INT 어저귀**

Sida abutilon L., Sp. Pl. 2: 685 (1753)

Abutilon avicennae Gaertn., Fruct. Sem. Pl. 2: 251 (1791)

Sida tiliifolia Fisch., Cat. Jard. Pl. Gorenki s.p. (1808)

Malva abutilon (L.) E.H.L. Krause, Deutschl. Fl. (Sturm), Abt. 2, Cryptog. 6: 237 (1902)

Abutilon avicennae Gaertn. var. *chinense* Skvortsov, Lingnan Sci. J. 6: 220 (1928)

Alcea Mill.

- Alcea rosea L., Sp. Pl. 2: 687 (1753) Int 접시꽃**
Althaea rosea (L.) Cav., Diss. 2, Secunda Diss. Bot. 91 (1786)

Gossypium L.

- Gossypium arboreum L., Sp. Pl. 693 (1753) Int 목화**
Gossypium indicum Lam., Encycl. (Lamarck) 2: 134 (1786)
Gossypium obtusifolium Roxb. ex G. Don, Gen. Hist. 1: 487 (1831)
Gossypium arboreum L. var. *indicum* (Lam.) Roberty, Candollea 13: 43 (1950)

Hibiscus L.

- Hibiscus hamabo Siebold & Zucc., Fl. Jap. (Siebold) 1: 176 (1841) Nat; S Korea 황근**
Hibiscus tiliaceus L. var. *hamabo* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 31: 20 (1886)
Pariti hamabo (Siebold & Zucc.) Nakai, Fl. Sylv. Kor. 21: 99 (1936)
Talipariti hamabo (Siebold & Zucc.) Fryxell, Contr. Univ. Michigan Herb. 23: 246 (2001)

- Hibiscus moscheutos L. subsp. palustris (L.) R.T. Clausen, Cornell Univ. Agric. Exp. Sta. Mem. 291: 8 (1949) Int 미국부용**
Hibiscus palustris L., Sp. Pl. 2: 693 (1753)
Hibiscus oculiroseus Britton, J. New York Bot. Gard. 4(48): 220 (1903)

- Hibiscus mutabilis L., Sp. Pl. 694 (1753) Int 부용**
Hibiscus sinensis Mill., Gard. Dict., ed. 8 2 (1768)
Ketmia mutabilis (L.) Moench, Methodus (Moench) 617 (1794)
Hibiscus javanicus Weinm., Syll. Pl. Nov. 2: 172 (1828)

- Hibiscus syriacus L., Sp. Pl. 695 (1753) Int 무궁화**
Ketmia syriaca (L.) Scop., Fl. Carniol., ed. 2 2: 45 (1772)
Hibiscus rhombifolius Cav., Diss. 3, Tertia Diss. Bot. 156 (1787)
Ketmia syrorum Medik., Malvenfam. 45 (1787)
Hibiscus arboreus Gaterau, Descr. Pl. Montauban 122 (1789)
Ketmia arborea Moench, Methodus (Moench) 617 (1794)
Hibiscus floridus Salisb., Prodr. Stimp. Chap. Allerton 383 (1796)
Hibiscus acerifolius Salisb., Parad. Lond. 1: t. 33 (1805)
Hibiscus syriacus L. var. *micranthus* Y.N. Lee & K.B. Yim, Korean J. Pl. Taxon. 22: 8 (1992)

- Hibiscus trionum L., Sp. Pl. 697 (1753) Int 수박풀**
Trionum annuum Medik., Malvenfam. 47 (1787)
Hibiscus trionum L. var. *cordifolius* DC., Prodr. (DC.) 1: 453 (1824)

Malva L.

- Malva neglecta Wallr., Syll. Pl. Nov. 1: 140 (1824) Int 난쟁이아욱**

- Malva parviflora L., Sp. Pl. 226 (1753) Int 애기아욱**
Althaea microcarpa Alef., Oesterr. Bot. Z. 12: 261 (1862)
Althaea parviflora (L.) Alef., Oesterr. Bot. Z. 12: 261 (1862)

Malva pusilla Sm., Engl. Bot., ed. 3A 4: 241 (1849) Int 등근잎아욱

Malva rotundifolia L., Sp. Pl. 2: 688 (1753)

Malva lignescens Iljin, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 173 (1921)

Malva sylvestris L., Sp. Pl. 2: 689 (1753) Int 당아욱

Malva mauritiana L., Sp. Pl. 689 (1753)

Malva sinensis Cav., Diss. 2, Secunda Diss. Bot. 77 (1786)

Althaea erecta C.Presl, Delic. Prag. 30 (1822)

Malva sylvestris L. var. *mauritiana* Boiss., Fl. Orient. 1: 819 (1867)

Malva grossheimii Iljin, Bot. Zhurn. (Moscow & Leningrad) 34: 280 (1949)

Malva verticillata L., Sp. Pl. 689 (1753) Int 아욱

Malva verticillata L. var. *crispa* L., Sp. Pl. (ed. 2) 970 (1763)

Malva mohileviensis Downar, Bull. Soc. Imp. Naturalistes Moscou 34: 177 (1861)

Malva olitoria Nakai, Bot. Mag. (Tokyo) 28: 309 (1914)

Malva verticillata L. var. *olitoria* Nakai, Fl. Sylv. Kor. 21: 105 (1936)

Modiola Moench

Modiola caroliniana (L.) G.Don, Gen. Hist. 1: 466 (1831) Int 국화잎아욱

Sida L.

Sida rhombifolia L., Sp. Pl. 684 (1753) Int 나도공단풍

Sida spinosa L., Sp. Pl. 683 (1753) Int 공단풍

MELIACEAE

Melia L.

Melia azedarach L., Sp. Pl. 384 (1753) Int 털구슬나무

Melia florida Salisb., Prodr. Stirp. Chap. Allerton 317 (1796)

Melia sambucina Blume, Bijdr. Fl. Ned. Ind. 4: 162 (1825)

Melia japonica G.Don, Gen. Hist. 1: 680 (1831)

Melia bukayum Royle, Ill. Bot. Himal. Mts. 144 (1835)

Melia cochinchinensis M.Roem., Fam. Nat. Syn. Monogr. 1: 95 (1846)

Melia orientalis M.Roem., Fam. Nat. Syn. Monogr. 1: 95 (1846)

Melia azedarach L. var. *subtripinata* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 24 (1867)

Melia azedarach L. var. *japonica* (G.Don) Makino, Bot. Mag. (Tokyo) 28: 34 (1914)

Toona Endl. & M.Roem.

Toona sinensis (Juss.) M.Roem., Fam. Nat. Syn. Monogr. 1: 139 (1846) Int 참죽나무

Cedrela sinensis A.Juss., Mem. Mus. Hist. Nat. 19: 255 (1830)

Mioptrila odorata Raf., Amer. Manual Mulberry Trees 37 (1839)

Toona serrata (Royle) M.Roem., Fam. Nat. Syn. Monogr. 1: 139 (1846)

Ailanthus flavescens Carrière, Rev. Hort. 37: 366 (1865)

MENISPERMACEAE

Cocculus DC.

Cocculus orbiculatus (L.) DC., Syst. Nat. (Candolle) 1: 523 (1817) Nat: N Korea, S Korea

덩굴이덩굴

Menispermum trilobum Thunb., Fl. Jap. (Thunberg) 194 (1784)

Cocculus trilobus (Thunb.) DC., Syst. Nat. (Candolle) 1: 522 (1818)

Cocculus thungergii DC., Syst. Nat. (Candolle) 1: 524 (1818)

Menispermum L.

Menispermum dauricum DC., Syst. Nat. (Candolle) 1: 540 (1817) Nat: N Korea, S Korea

새모래덩굴

Trilophus ampelisagria Fisch., Cat. Jard. Pl. Gorenki 56 (1812)

Menispermum dauricum DC. var. *pilosum* C.K.Schneid., Ill. Handb. Laubholz. 1: 326 (1906)

Menispermum dauricum DC. f. *pilosum* (C.K.Schneid.) Kitag., J. Jap. Bot. 34: 6 (1959)

Menispermum miersii Kundu & S.Guha, Adansonia 20: 212 (1980)

Menispermum chinense Kundu & S.Guha, Adansonia n.s. 20: 225 (1998)

Sinomenium Diels & Engl.

Sinomenium acutum (Thunb.) Rehder & E.H.Wilson, Pl. Wilson. 1: 387 (1913) Nat: S Korea

방기

Menispermum acutum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 892 (1784)

Cocculus diversifolius Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 10 (1867)

Menispermum diversifolium Gagnep., Bull. Soc. Bot. France 55: 39 (1908)

Menispermum diversifolium Gagnep. var. *molle* Gagnep., Bull. Soc. Bot. France 55: 39 (1908)

Sinomenium diversifolium Diels, Pflanzenr. (Engler) IV, 94(Heft 46): 245 (1910)

Sinomenium acutum (Thunb.) Rehder & E.H.Wilson var. *cinereum* (Diels) Rehder & E.H.Wilson, Pl. Wilson. 1: 387 (1913)

Stephania Lour.

Stephania japonica (Thunb.) Miers, Ann. Mag. Nat. Hist. ser. 3, 18: 14 (1866) Nat: S Korea

함박이

Menispermum japonicum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 892 (1784)

Cocculus japonicus (Thunb.) DC., Syst. Nat. (Candolle) 1: 516 (1818)

MENYANTHACEAE

Menyanthes L.

Menyanthes trifoliata L., Sp. Pl. 145 (1753) Nat: N Korea, S Korea 조름나물

Nymphoides

Nymphoides coreana (H.Lév.) H.Hara, J. Jap. Bot. 13: 26 (1937) Nat: S Korea 잠어리연꽃

Limnanthemum coreanum H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)

***Nymphoides indica* (L.) Kuntze, Revis. Gen. Pl. 2: 429 (1891)** Nat: S Korea 어리연꽃
Menyanthes indica L., Sp. Pl. 154 (1753)
Limnanthemum humboldtianum (Kunth) Griseb., Gen. Sp. Gent. 347 (1839)
Limnanthemum indicum (L.) Griseb., Gen. Sp. Gent. 343 (1839)
Limnanthemum thunbergianum Griseb., Gen. Sp. Gent. 345 (1839)
Limnanthemum esquirolii H.Lév., Repert. Spec. Nov. Regni Veg. 13: 259 (1914)

***Nymphoides peltata* (S.G.Gmel.) Kuntze, Revis. Gen. Pl. 2: 429 (1891)** Nat: S Korea
노랑어리연꽃
Limnanthemum nymphoides Hoffmanns. & Link, Fl. Portug. 1: 314 (1809)

MOLLUGINACEAE

Mollugo L.

***Mollugo pentaphylla* L., Sp. Pl. 89 (1753)** Nat: N Korea, S Korea 석류풀

***Mollugo verticillata* L., Sp. Pl. 89 (1753)** Nat: N Korea, S Korea 큰석류풀
Mollugo dichotoma Schrank, Pl. Rar. Hort. Monac. 64 (1821)
Mollugo arenaria Kunth, Nov. Gen. Sp. [Kunth] 6: 20 (1823)
Mollugo juncea Fenzl, Ann. Wiener Mus. Naturgesch. 1: 378 (1836)
Mollugo costata Y.T.Chang & C.F.Wei, Acta Phytotax. Sin. 8: 263 (1963)

MORACEAE

***Broussonetia* L'Her. Ex Vent.**

***Broussonetia kazinoki* Siebold ex Siebold & Zucc., Verh. Batav. Genootsch. Kunsten 12: 28 (1830)** Int 닥나무
Broussonetia kaempferi Siebold, Verh. Batav. Genootsch. Kunsten 12: 28 (1830)
Morus kaempferi Ser., Descr. Müriers 228; Atl. 11 (1855)
Broussonetia sieboldii Blume, Mus. Bot. 2: 86 (1856)
Broussonetia monoica Hance, J. Bot. 20: 294 (1882)
Broussonetia kazinoki Siebold ex Siebold & Zucc. var. *australis* Suzuki, Trans. Nat. Hist. Soc. Taiwan 1: 433 (1934)

***Broussonetia papyrifera* (L.) L'Hér. ex Vent., Tabl. Regn. Veg. 3: 547 (1799)** Nat: S Korea
꾸지나무

Morus papyrifera L., Sp. Pl. 986 (1753)
Streblus cordatus Lour., Fl. Cochinch. 615 (1790)
Papyrius japonica Lam., Encycl. (Lamarck) 5: 3 (1804)
Broussonetia papyrifera (L.) L'Hér. ex Vent. var. *normalis* Ser., Descr. Müriers 236; Atl. 14, t. 26 (1855)
Broussonetia cordata Blume, Mus. Bot. 2: 87 (1856)
Broussonetia papyrifera (L.) L'Hér. ex Vent. var. *japonica* Blume, Mus. Bot. 2: 86 (1856)
Broussonetia papyrifera (L.) L'Hér. ex Vent. f. *oppositifolia* Nakai, Fl. Sylv. Kor. 19: 109 (1932)
Broussonetia papyrifera (L.) L'Hér. ex Vent. var. *lucida* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 19, 54 (1934)
Broussonetia papyrifera (L.) L'Hér. ex Vent. f. *lucida* (Hatus.) T.B.Lee, Ill. Woody Pl. Korea 256 (1966)

Fatoua Gaudich. & Freyc.

- Fatoua villosa* (Thunb.) Nakai, Bot. Mag. (Tokyo) 41: 516 (1927) Nat: S Korea 뽕모시풀**
Urtica villosa Thunb., Fl. Jap. (Thunberg) 70 (1784)
Urtica japonica Thunb., Fl. Jap. (Thunberg) 70 (1784)
Fatoua aspera Gaudich., Voy. Uranie, Bot. 510 (1826)
Fatoua pilosa Gaudich., Voy. Uranie, Bot. 509 (1826)
Fatoua cordata Gaudich., Voy. Uranie, Bot. 510 (1830)
Fatoua lanceolata Decne., Nouv. Ann. Mus. Hist. Nat. 3: 492 (1834)
Fatoua japonica (Thunb.) Blume, Mus. Bot. 2: pl. 38 (1856)
Boehmeriopsis pallida Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 441 (1900)

Ficus L.

- Ficus carica* L., Sp. Pl. 2: 1059 (1753) Int 무화과나무**
Ficus communis Lam., Encycl. (Lamarck) 2: 490 (1788)
Ficus caprificus Risso, Fl. Nice 434 (1844)
Ficus silvestris Risso, Fl. Nice 434 (1844)
Ficus regina Miq., London J. Bot. 7: 223 (1848)
Ficus rugosa Miq., London J. Bot. 7: 224 (1848)
Ficus burdigalensis Poit. & Turpin, Pomol. Franc. 4: 329 (1875)
- Ficus elastica* Roxb. ex Hornem., Hort. Bot. Hafn. Suppl. 7 (1819) Int 인도고무나무**
Ficus taeda Kunth & C.D.Bouché, Index Seminum [St.Petersburg (Petropolitanus)] 14 (1847)
Ficus karet (Miq.) King, Ann. Roy. Bot. Gard. (Calcutta) 2(Index) : 3 (1888)
- Ficus erecta* Thunb., Ficus 5 (1786) Nat: S Korea 천선과나무**
Ficus japonica Blume, Bijdr. Fl. Ned. Ind. 9: 440 (1825)
Ficus beecheyana Hook. & Arn., Bot. Beechey Voy. 271 (1838)
Ficus erecta Thunb. f. *sieboldii* (Miq.) Corner, Gard. Bull. Straits Settlement. 17: 427 (1859)
Ficus sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 199 (1866)
Ficus erecta Thunb. var. *sieboldii* (Miq.) King, Ann. Roy. Bot. Gard. (Calcutta) 1: 142 (1888)
Ficus pseudopyrififormis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908)
Ficus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 (1908)
- Ficus pumila* L., Sp. Pl. 1060 (1753) Nat: S Korea 왕모람**
Ficus stipulata Thunb., Ficus 8 (1786)
Ficus scandens Lam., Encycl. (Lamarck) 2: 498 (1788)
Ficus vestita Desf., Tabl. Ecole Bot. (ed. 3) 346 (1829)
Tenorea heterophylla Gasp., Nov. Gen. Fic. 7 (1844)
- Ficus sarmentosa* Buch.-Ham. ex Sm. var. *nipponica* (Franch. & Sav.) Corner, Gard. Bull. Singapore 18: 7 (1960) Nat: S Korea 모람**
Ficus oxyphylla Miq. ex Zoll., Syst. Verz. (Zollinger) 93 (1855)
Ficus nipponica Franch. & Sav., Enum. Pl. Jap. 1: 436 (1875)
Ficus foveolata var. *nipponica* (Franch. & Sav.) King, Ann. Roy. Bot. Gard. (Calcutta) 1: 134 (1888)
Ficus seguinii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 536 (1913)
- Ficus sarmentosa* Buch.-Ham. ex Sm. var. *thunbergii* (Maxim.) Corner, Gard. Bull. Singapore 18: 7 (1960) Nat: S Korea 애기모람**

Ficus wrightii Benth., Fl. Hongk. 329 (1861)
Ficus thunbergii Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 27: 552 (1881)
Ficus foveolata var. *thunbergii* (Maxim.) King, Ann. Roy. Bot. Gard. (Calcutta) 1: 134 (1888)
Ficus fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 281 (1908)
Ficus hederifolia H.Lév., Repert. Spec. Nov. Regni Veg. 9: 323 (1911)
Ficus fauriei H.Lév. & Vaniot var. *mactocarpa* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 65 (1913)

Maclura Nutt.

***Maclura tricuspidata* Carrière, Rev. Hort. 1864: 390 (1864)** Nat: S Korea 꾸지뽕나무
Cudrania triloba Hance, J. Bot. 6: 49 (1868)
Cudrania tricuspidata (Carrière) Bureau ex Lavallée, Énum. Arbres 243 (1877)
Morus integrifolia H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 17: 111 (1907)
Vaneria tricuspidata (Carrière) Hu, J. Arnold Arbor. 5: 228 (1924)

Morus L.

***Morus alba* L., Sp. Pl. 2: 986 (1753)** Int 뽕나무

Morus romana Lodd. ex Spach, Hist. Nat. Veg. (Spach) 11: 45 (1841)
Morus alba L. var. *integrifolia* K.Koch, Linnaea 22: 603 (1849)
Morus alba L. var. *vulgaris* Bureau, Prodr. (DC.) 17: 238 (1873)
Morus alba L. f. *pendula* Dippel, Handb. Laubholz. 2: 10 (1892)
Morus alba L. var. *pendula* C.K.Schneid., Ill. Handb. Laubholz. 1: 238 (1904)
Morus lhou Koidz., Fl. Symb. Orient.-Asiat. 54 (1930)

***Morus australis* Poir., Encycl. (Lamarck) 4: 380 (1797)** Nat: N Korea, S Korea 산뽕나무

Morus bombycis Koidz., Bot. Mag. (Tokyo) 29: 313 (1915)
Morus kagayamae Koidz., Icon. Pl. Koisikav 3: 11 (1915)
Morus caudatifolia Koidz., Icon. Pl. Koisikav 3: 79 (1916)
Morus bombycis Koidz. var. *caudatifolia* (Koidz.) Koidz., Kuwazoku Shokubutsu 1: 33 (1919)
Morus bombycis Koidz. f. *dissecta* Nakai, Fl. Sylv. Kor. 19: 101 (1932)
Morus australis Poir. var. *maritima* (Koidz.) Kitam., Acta Phytotax. Geobot. 31: 51 (1980)

***Morus cathayana* Hemsl., J. Linn. Soc., Bot. 26: 456 (1894)** Nat: N Korea, S Korea 들뽕나무

Morus tiliifolia Makino, Bot. Mag. (Tokyo) 23: 88 (1909)

***Morus mongolica* (Bureau) C.K.Schneid., Pl. Wilson. 3: 296 (1916)** Nat: N Korea 몽고뽕나무

Morus alba L. var. *mongolica* Bureau, Prodr. (DC.) 17: 241 (1873)
Morus mongolica (Bureau) C.K.Schneid. var. *diabolica* Koidz., Bot. Mag. (Tokyo) 31: 36 (1917)

MYRICACEAE

Myrica Bubani

***Myrica rubra* (Lour.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 230 (1846)** Nat: S Korea 소귀나무

Morella rubra Lour., Fl. Cochinch. 548 (1790)
Myrica rubra (Lour.) Siebold & Zucc. var. *acuminata* Nakai, Fl. Sylv. Kor. 20: 64 (1933)

MYRSINACEAE

Ardisia Gaertn.

***Ardisia crenata* Sims, Bot. Mag. 45 : pl. 1950 (1817) Nat: S Korea 양백량금**

- Ardisia lentiginosa* Ker Gawl., Bot. Reg. 7: t. 533 (1821)
Ardisia macrocarpa Roxb., Fl. Ind. (Roxburgh) 2: 277 (1824)
Acacorea crenata Baill., Hist. Pl. (Baillon) 11: 309 (1892)
Ardisia crispa (Thunb.) A.DC. var. *taquetii* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 374 (1911)
Ardisia labordei H.Lév., Repert. Spec. Nov. Regni Veg. 10: 373 (1912)
Ardisia konishii Hayata, Icon. Pl. Formosan. 5: 89 (1915)
Ardisia kuskusensis Hayata, Icon. Pl. Formosan. 5: 90 (1915)
Bladhia lentiginosa (Ker Gawl.) Nakai, Trees Shrubs Japan, Revis. Ed. 2: 283 (1927)
Bladhia lentiginosa (Ker Gawl.) Nakai var. *taquetii* (H.Lév.) Nakai, Indian J. Agric. Sci. 1: 283 (1927)
Ardisia mouretii Pit., Fl. Indo-Chine 3: 864 (1930)
Ardisia lentiginosa Ker Gawl. var. *rectangularis* Hatus., J. Jap. Bot. 13: 681 (1937)
Bladhia lentiginosa (Ker Gawl.) Nakai var. *lanceolata* Masam., Trans. Nat. Hist. Soc. Taiwan 29: 344 (1939)
Bladhia crenata (Sims) H.Hara, Enum. Spermatophytarum Japon. 1: 75 (1948)
Ardisia crenata Sims var. *taquetii* (H.Lév.) T.B.Lee, Ill. Woody Pl. Korea 327 (1966)

***Ardisia crispa* (Thunb.) A.DC., Trans. Linn. Soc. London 17: 124 (1834) Nat: S Korea 백량금**

- Bladhia crispa* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 237 (1784)

***Ardisia japonica* (Thunb.) Blume, Bijdr. Fl. Ned. Ind. 13: 690 (1826) Nat: S Korea 자금우**

- Bladhia japonica* Thunb., Nov. Gen. Pl. [Thunberg] 1: 7 (1781)
Ardisia glabra A.DC., Trans. Linn. Soc. London 17: 123 (1834)
Ardisia odontophylla Lindl., Bot. Reg. 22: t. 1892 (1836)
Ardisia japonica (Thunb.) Blume var. *montana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 263 (1866)
Ardisia montana Siebold ex Franch. & Sav., Enum. Pl. Jap. 1: 305 (1875)
Tinus japonica (Thunb.) Kuntze, Revis. Gen. Pl. 2: 405 (1891)
Tinus montana Kuntze, Revis. Gen. Pl. 2: 974 (1891)
Bladhia montana Nakai, Trees Shrubs Japan 1: 203 (1922)

***Ardisia pusilla* DC., Trans. Linn. Soc. London, Bot. 17: 126 (1834) Nat: S Korea 산호수**

- Bladhia villosa* Thunb., Fl. Jap. (Thunberg) 96 (1784)
Ardisia villosa (Thunb.) Mez, Pflanzenz. (Engler) 9,4, 236: 152 (1902)
Bladhia villosa Thunb. var. *liukiensis* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 283 (1927)
Ardisia villosa (Thunb.) Mez var. *liukiensis* (Nakai) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 901 (1931)

***Maesa japonica* (Thunb.) Moritz & Zoll. Syst. Verz. (Zollinger) 3: 61 (1855) Nat: S Korea 빌레나무**

- Baeobotrys japonica* (Thunb.) Zipp. ex Scheff. Comm. Myrs. Archip. Ind. 18 (1867)
Doraena japonica Thunb. Nov. Gen. Pl. 59 (1783)
Maesa cavaleriei H. Lév. Repert. Spec. Nov. Regni Veg. 9: 462 (1911)
Maesa coriacea Champ. ex Benth. Hooker's J. Bot. Kew Gard. Misc. 4: 300 (1852)
Maesa coriacea var. *gracilis* Benth. Fl. Hongk. 204 (1861)
Maesa doraena Blume ex Siebold & Zucc. Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4(3): 138 (1846)

-
- Maesa dunniana* H. Lévl. Repert. Spec. Nov. Regni Veg. 9: 463 (1911)
Maesa esquirolii H. Lévl. Repert. Spec. Nov. Regni Veg. 9: 462 (1911)
Maesa japonica f. *gracilis* Nakai Nov. Fl. Jap. 9: 9 (1943)
Maesa labordei H. Lévl. Repert. Spec. Nov. Regni Veg. 9: 462 (1911)
Maesa randaiensis Hayata J. Coll. Sci. Imp. Univ. Tokyo 30(1): 177 (1911)
Maesa taiheizensis Sasaki Trans. Nat. Hist. Soc. Taiwan 21: 252 (1931)
Myrsine esquirolii H. Lévl. Repert. Spec. Nov. Regni Veg. 12: 186 (1913)
Pieris oligodonta H. Lévl. Bull. Soc. Bot. France 54(6): 369 (1907)

NELUMBONACEAE

Nelumbo Adans.

Nelumbo nucifera Gaertn., **Fruct. Sem. Pl. 1: 73 (1788)** Int 연꽃

- Nymphaea nelumbo* L., Sp. Pl. 730 (1753)
Nelumbium javanicum Poir., Encycl. (Lamarck) 2: 454 (1788)
Nelumbium indicum Poir., Encycl. (Lamarck) 4: 453 (1798)
Nelumbium speciosum Willd., Sp. Pl. (ed. 4) 2: 1258 (1799)
Nelumbo indica Pers., Syn. Pl. (Persoon) 2: 92 (1806)
Nelumbium asiaticum Rich., Ann. Mus. Natl. Hist. Nat. 17: 249 (1811)
Nelumbium caspicum Fisch. ex DC., Syst. Nat. (Candolle) 2: 45 (1821)
Nelumbium album Bercht. & J.Presl, Prir. Rostlin 1(Nelumbo.): 2 (1823)
Nelumbium tamara Sweet, Hort. Brit. (Sweet) 14 (1826)
Nelumbium transversum C.Presl, Reliq. Haenk. 2: 83 (1835)
Nelumbium venosum C.Presl, Reliq. Haenk. 2: 83 (1835)
Nelumbium discolor Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 188 (1841)
Nelumbium marginatum Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 188 (1841)
Tamara rubra Roxb. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 661 (1841)
Tamara alba Roxb. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 661 (1841)
Tamara hemisphaerica Buch.-Ham. ex Pritz., Icon. Bot. Index 1087 (1855)
Nelumbo komarovii Grossh., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 8: 135 (1940)

NEPENTHACEAE

Nepenthes L.

Nepenthes rafflesiana Jack, **Companion Bot. Mag. 1: 271 (1836)** Int 벌레잡이풀

- Nepenthes hookeriana* H.Low, Sarawak 68 (1848)
Nepenthes sanderiana Burb., Fl. & Sylva 2: 113 (1904)
Nepenthes hemsleyana Macfarl., Pflanzenr. (Engler) IV, 111: 61 (1908)

NYCTAGINACEAE

Mirabilis L.

Mirabilis jalapa L., **Sp. Pl. 177 (1753)** Int 분꽃

- Mirabilis xalapae* Noronha, Verh. Batav. Genootsch. Kunsten 5: 20 (1790)
Nyctago jalapae (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3 3: 426 (1805)
Nyctago hortensis Juss. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 1 (1819)

Mirabilis ambigua Trautv., Index Sem. (Kiev) 6 (1840)

Mirabilis planiflora Trautv., Bull. Sci. Acad. Imp. Sci. Saint-Petersbourg 6: 215 (1840)

NYMPHAEACEAE

Euryale Salisb.

Euryale ferox Salisb., Ann. Bot. (König & Sims) 2: 74 (1805) Nat: N Korea, S Korea

가시연꽃

Ameslea spinosa Andrews, Bot. Repos. 10: t. 618 (1811)

Euryale indica Planch., Ann. Sci. Nat., Bot. III, 19: 29 (1853)

Nuphar Sibth. & Sm.

Nuphar japonica DC., Syst. Nat. (Candolle) 2: 62 (1821) Nat: N Korea, S Korea 개연꽃

Nuphar japonica DC. subvar. *lutea* Casp., Ann. Mus. Bot. Lugduno-Batavi 2: 254, t. 8. (1866)

Nuphar japonica DC. subvar. *rubrotincta* Casp., Ann. Mus. Bot. Lugduno-Batavi 2: 254, t. 8. (1866)

Nymphaea japonica G.Lawson, Proc. & Trans. Roy. Soc. Canada 6: 120 (1888)

Nymphaeozanthus japonicus (DC.) Fernald, Rhodora 21: 187 (1919)

Nuphar japonica DC. var. *stenophylla* Miki, Stud. Hist. Nat. Monuments Kyohotu 18 (1937)

Nuphar pumila (Timm) DC., Syst. Nat. (Candolle) 2: 59 (1821) Nat: S Korea 왜개연꽃

Nymphaea lutea L. var. *minima* Willd., Sp. Pl. (ed. 5; Willdenow) 2: 1151 (1799)

Nymphaea pumila (Timm) Hoffm., Deutschl. Fl., Jahrgang 3 (Hoffm.) 1: 241 (1800)

Nuphar minima (Willd.) Sm., Engl. Bot. 32: pl. 2292 (1811)

Nuphar lutea (L.) Sm. var. *pumila* (Timm) A.Gray, Manual (Gray), ed. 5 57 (1867)

Nuphar pumila (Timm) DC. var. *timmi* Harz, Bot. California 53: 228 (1893)

Nuphar pumila (Timm) DC. var. *hookeri* Harz, Bot. California 53: 228 (1893)

Nuphar subintegerrima Makino, Bot. Mag. (Tokyo) 24: 141 (1910)

Nuphar shimadae Hayata, Icon. Pl. Formosan. 6: 2, pl. 1 (1916)

Nymphaeozanthus pumilus (Timm) Fernald, Rhodora 21: 186 (1919)

Nymphaeozanthus subintegerrimus Fernald, Rhodora 21: 187 (1919)

Nuphar subpumila Miki, Stud. Hist. Nat. Monuments Kyohotu 18 (1937)

Nuphar ozeensis Miki, Stud. Hist. Nat. Monuments Kyohotu 18 (1937)

Nuphar pumila (Timm) DC. var. *ozeensis* (Miki) H.Hara, Bot. Mag. (Tokyo) 64: 78 (1951)

Nymphaea lutea L. subsp. *pumila* (Timm) Beal, J. Elisha Mitchell Sci. Soc. 72: 325 (1956)

Nymphaea L.

Nymphaea tetragona Georgi, Reise Russ. Reich. 1: 220 (1775) Nat: N Korea, S Korea 수련

Castalia pygmaea Salisb., Parad. Lond. 1: t. 14 (1806)

Nymphaea pygmaea (Salisb.) W.T.Aiton, Hortus Kew. (ed. 2) 3: 293 (1811)

Nymphaea minima (Willd.) Willd., Enum. Pl. (Willdenow) 0: Suppl. 38 (1813)

Nymphaea acutiloba DC., Prodr. (DC.) 1: 116 (1824)

Castalia tetragona (Georgi) G.Lawson, Proc. & Trans. Roy. Soc. Canada 6 (4): 112 (1888)

Nymphaea alba L. subsp. *tetragon* (Georgi) Korsh., Fl. Eur. Ross. 133 (1892)

Nymphaea fennica Mela, Acta Soc. Fauna Fl. Fenn. 0: 14 (1897)

Nymphaea tetragona Georgi var. *angusta* Casp. ex Nakai, Chosen Shokubutsu 93 (1914)

Castalia crassifolia Hand.-Mazz., Symb. Sin. 7: 333 (1931)

Nymphaea pygmaea (Salisb.) W.T.Aiton var. *mimima* Nakai, J. Jap. Bot. 14: 746 (1938)

Nymphaea crassifolia (Hand.-Mazz.) Nakai, J. Jap. Bot. 14: 751 (1938)
Nymphaea japono-koreana Nakai, J. Jap. Bot. 14: 749 (1938)
Nymphaea tetragona Georgi var. *minima* (Nakai) W.T.Lee, Lineamenta Florae Koreae 360 (1996)

OLEACEAE

Abeliophyllum Nakai

Abeliophyllum distichum Nakai, Bot. Mag. (Tokyo) 33: 153 (1919) Nat; S Korea, Endemic
미선나무

Abeliophyllum distichum Nakai f. *lilacinum* Nakai, Bot. Mag. (Tokyo) 36: 26 (1922)
Abeliophyllum distichum Nakai f. *albiflorum* Nakai, Bot. Mag. (Tokyo) 36: 26 (1922)

Chionanthus L.

Chionanthus retusus Lindl. & Paxton, Paxton's Fl. Gard. 3: 85 (1852) Nat; S Korea
이팝나무

Linociera chinensis Fisch. ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 474 (1859)
Chionanthus chinensis Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 393 (1875)
Chionanthus coreanus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 280 (1910)
Chionanthus retusus Lindl. & Paxton var. *fauriei* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 297 (1912)
Chionanthus serrulatus Hayata, Icon. Pl. Formosan. 3: 150 (1913)
Chionanthus duclouxii Hickel, Bull. Soc. Dendrol. France 31: 72 (1914)
Chionanthus retusus Lindl. & Paxton var. *mairiei* H.Lév., Repert. Spec. Nov. Regni Veg. 13: 175 (1914)
Chionanthus retusus Lindl. & Paxton var. *coreanus* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 32: 115 (1918)
Chionanthus retusus Lindl. & Paxton var. *serrulatus* (Hayata) Koidz., Bot. Mag. (Tokyo) 39: 5 (1925)

Fontanesia Labill.

Fontanesia phillyreoides Labill., Icon. Pl. Syr. 1, 1: 9 (1791) Int 향선나무

Fontanesia angustifolia Dippel, Handb. Laubholz. 1: 104 (1889)
Fontanesia phillyreoides Labill. var. *angustifolia* Rehder, Cycl. Amer. Hort. 2: 595 (1901)
Fontanesia phillyreoides var. *mediterranea* Lingelsh., Pflanzenr. (Engler) IV, 243(Heft 72): 8 (1920)

Forsythia Vahl

Forsythia japonica Makino, Bot. Mag. (Tokyo) 28: 105 t. 4 (1914) Nat; N Korea, S Korea
만리화

Forsythia ovata Nakai, Bot. Mag. (Tokyo) 31: 104 (1917)
Forsythia japonica Makino var. *saxatilis* Nakai, Bot. Mag. (Tokyo) 33: 10 (1919)
Forsythia saxatilis (Nakai) Nakai, Fl. Sylv. Kor. 10: 21 (1921)
Forsythia densiflora Nakai, Bot. Mag. (Tokyo) 44: 28 (1930)
Rangium ovatum (Nakai) Ohwi, Acta Phytotax. Geobot. 1: 140 (1932)
Forsythia japonica Makino f. *saxatilis* Markgr., Repert. Spec. Nov. Regni Veg. 33: 45

(1934)

Forsythia japonica Makino f. *ovata* Markgr., Repert. Spec. Nov. Regni Veg. 33: 45 (1934)

Forsythia japonica Makino f. *densiflora* Markgr., Repert. Spec. Nov. Regni Veg. 35: 45 (1934)

Rangium saxatilis (Nakai) Uyeki, Woody Pl. Distr. Chosen 1: 90 (1940)

Rangium nakaii Uyeki, Woody Pl. Distr. Chosen 1: 90 (1940)

Forsythia velutina Nakai, Iconogr. Pl. Asiae Orient. 4: 385 (1942)

Rangium japonicum (Makino) Ohwi var. *densiflora* (Markgr.) Rehder, Bibliogr. Cult. Trees 364 (1949)

Forsythia nakaii (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 330 (1966)

Forsythia saxatilis (Nakai) Nakai var. *lanceolata* S.T.Lee, Korean J. Pl. Taxon. 14: 91 (1984)

Forsythia saxatilis (Nakai) Nakai var. *pilosa* S.T.Lee, Korean J. Pl. Taxon. 14: 92 (1984)

***Forsythia suspensa* (Thunb.) Vahl, Enum. Pl. (Vahl) 1: 39 (1804) Int 당개나리**

Ligustrum suspensum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 209 (1780)

Forsythia fortunei Lindl., Gard. Chron. 1864: 412 (1864)

Forsythia sieboldii (Zabel) Dippel, Handb. Laubholz. 1: 109 (1889)

Forsythia suspensa (Thunb.) Vahl var. *latifolia* Rehder, J. Arnold Arbor. 2: 302 (1912)

***Forsythia viridissima* Lindl. var. *koreana* Rehder, J. Arnold Arbor. 5: 134 (1924) Nat: N**

Korea, S Korea, Endemic 개나리

Forsythia koreana (Rehder) Nakai, Bot. Mag. (Tokyo) 40: 471 (1926)

Rangium koreanum (Nakai) Ohwi, Acta Phytotax. Geobot. 1: 140 (1932)

Forsythia koreana (Rehder) Nakai var. *autumnalis* Uyeki, Acta Phytotax. Geobot. 7: 17 (1938)

Rangium koreanum (Nakai) Ohwi var. *autumnalis* Uyeki, Woody Pl. Distr. Chosen 90 (1940)

Forsythia koreana (Rehder) Nakai f. *autumnalis* (Uyeki) Nakai, Iconogr. Pl. Asiae Orient. 4: 388 (1942)

Forsythia koreana (Rehder) Nakai f. *pilosa* Nakai, Iconogr. Pl. Asiae Orient. 4: 388 (1942)

Forsythia koreana (Rehder) Nakai f. *autumnalis* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 330 (1966)

***Forsythia viridissima* Lindl., J. Hort. Soc. London 1: 226 (1840) Nat: S Korea 의성개나리**

Rangium viridissimum (Lindl.) Ohwi, Acta Phytotax. Geobot. 1: 140 (1932)

Rangium koreanum (Nakai) Ohwi var. *fertile* Uyeki, Chosen Sanrin Kwaiho 208: 6 (1942)

***Forsythia x intermedia* Zabel, Gartenflora 1885: 36 (1885) Int 미국개나리**

Forsythia x densiflora (Koehne) Koehne, Gartenflora 55: 229 (1906)

Forsythia x spectabilis Koehne, Gartenflora 55: 227 (1906)

***Fraxinus* L.**

***Fraxinus americana* L., Sp. Pl. 1057 (1753) Int 미국물푸레**

Fraxinus carolinensis Wangerh., Beytr. Teut. Forstwiss. 81 (1787)

Fraxinus nigra Marshall var. *juglandifolia* (Lam.) Castigl., Viagg. Stati Uniti 2: 244 (1790)

Fraxinus viridis Bosc, Mem. Cl. Sci. Math. Inst. Natl. France 9: 209 (1808)

Fraxinus macrophylla Hoffmanns., Verz. Pfl.-Kult., ed. 2 2: 120 (1826)

Fraxinus grandifolia Raf., Alsogr. Amer. 0: 38 (1838)

Fraxinus albicans Buckley, Proc. Acad. Nat. Sci. Philadelphia 14: 4 (1863)

Fraxinus biltmoreana Beadle, Bot. Gaz. 25: 358 (1898)

***Fraxinus chiisanensis* Nakai, Bot. Mag. (Tokyo) 43: 446 (1929) Nat: S Korea Endemic
물들메나무**

Fraxinus chiisanensis Nakai var. *stenophylla* Nakai, J. Jap. Bot. 14: 631 (1938)

***Fraxinus chinensis* Roxb. var. *rhynchophylla* (Hance) Hemsl., J. Linn. Soc., Bot. 26: 86
(1889) Nat: N Korea, S Korea 물푸레나무**

Fraxinus rhynchophylla Hance, J. Bot. 7: 164 (1869)

Fraxinus japonica Blume ex K.Koch, Dendrologie 2(1): 239 (1872)

Fraxinus ornus L. var. *bungeana* Hance, J. Bot. 13: 133 (1875)

Fraxinus chinensis Roxb. var. *tomentosa* Lingelsh., Pflanzenz. (Engler) IV, 243(1): 30 (1920)

Fraxinus densata Nakai, Bot. Mag. (Tokyo) 45: 130 (1931)

Fraxinus rhynchophylla Hance var. *mollis* Uyeki, Chosen Sanrin Kwaiho 208: 5 (1942)

Fraxinus chinensis Roxb. subsp. *rhynchophylla* (Hance) A.E.Murray, Kalmia 13: 6 (1983)

***Fraxinus excelsior* L., Sp. Pl. 1057 (1753) Int 구주물푸레**

Fraxinus simplicifolia Willd., Berlin. Baumz. 0: 121 (1796)

Fraxinus verrucosa Dum.Cours., Bot. Cult. 1: 711 (1802)

Fraxinus nana Pers., Syn. Pl. (Persoon) 2: 605 (1807)

Fraxinus boscii G.Don, Gen. Hist. 4: 55 (1837)

Fraxinus amarissima Dippel, Handb. Laubholz. 1: 84 (1889)

Fraxinus ceretanica Sennen, Bol. Soc. Aragonesa Ci. Nat. 15: 225 (1916)

Fraxinus excelsior L. f. *asplenifolia* (G.Kirchn.) Rehder, Bibliogr. Cult. Trees 561 (1949)

***Fraxinus mandshurica* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15:
371 (1857) Nat: N Korea, S Korea 들메나무**

Fraxinus mandshurica Rupr. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 7: 395 (1874)

Fraxinus elatior Thunb. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 155 (1901)

Fraxinus nigra Marshall var. *mandshurica* (Rupr.) Lingelsh., Bot. Jahrb. Syst. 40: 223 (1907)

Fraxinus mandshurica Rupr. f. *genuina* Skvortsov, Lingnan Sci. J. 6: 220 (1928)

Fraxinus nigra Marshall subsp. *mandschurica* (Rupr.) S.S.Sun, Bull. Bot. Res., Harbin 5: 60 (1985)

Fraxinus mandshurica Rupr. subsp. *brevipedicellata* S.Z.Qu & T.C.Cui, Acta Bot. Boreal.-Occid. Sin. 8: 130 (1988)

***Fraxinus pennsylvanica* Marshall, Arbust. Amer. 51 (1785) Int 붉은물푸레**

Fraxinus pennsylvanica Marshall var. *lanceolata* (Borkh.) Sarg., Silva (Sargent) 6: 51 (1894)

***Fraxinus sieboldiana* Blume, Mus. Bot. 1: 311 (1850) Nat: N Korea, S Korea 쇠물푸레나무**

Fraxinus sieboldiana Blume var. *angusta* Blume, Mus. Bot. 1: 311 (1850)

Fraxinus longicuspis Siebold & Zucc. var. *sieboldiana* (Blume) Lingelsh., Bot. Jahrb. Syst. 15: 214 (1907)

Fraxinus sieboldiana Blume var. *subintegra* Koidz., Bot. Mag. (Tokyo) 28: 286 (1914)

Fraxinus longicuspis Siebold & Zucc. f. *lancea* Nakai, Fl. Sylv. Kor. 10: 40 (1921)

Fraxinus sieboldiana Blume var. *serrata* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 391, f. 186 (1927)

Fraxinus tobana Honda, Bot. Mag. (Tokyo) 46: 677 (1932)

Fraxinus sieboldiana Blume f. *tobana* (Honda) Koidz., Acta Phytotax. Geobot. 3: 41 (1934)

Fraxinus angustata (Blume) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 152 (1934)

Fraxinus quadrijugata Nakai, Bot. Mag. (Tokyo) 49: 419 (1935)

Fraxinus sieboldiana Blume var. *trijuga* Nakai, Bot. Mag. (Tokyo) 49: 421 (1935)

Fraxinus sieboldiana Blume var. *pensanensis* Uyeki, Chosen Sanrin Kwaiho 208: 4 (1942)
Fraxinus sieboldiana Blume f. *latifolia* Uyeki, Chosen Sanrin Kwaiho 208: 4 (1942)
Fraxinus sieboldiana Blume var. *barbinervis* Nakai, Tennen Kinenbutsu Chosahokoku
19: 43 (1942)

Jasminum L.

Jasminum nudiflorum Lindl., *Trans. Hort. Soc. London* 1: 153 (1846) Int 영춘화

Jasminum sieboldianum Blume, Mus. Bot. 1: 280 (1850)
Jasminum nudiflorum Lindl. var. *aureum* Dippel, Handb. Laubholz. 1: 145 (1889)
Jasminum nudiflorum Lindl. var. *variegatum* Mouill., Traite Arbr. Arbriss. 2: 1008 (1897)

Ligustrum L.

Ligustrum foliosum Nakai, *Bot. Mag. (Tokyo)* 32: 121 (1918) Nat: S Korea 섬취뽕나무

Ligustrum foliosum Nakai f. *ovale* Nakai, Bot. Mag. (Tokyo) 32: 121 (1918)

Ligustrum japonicum Thunb., *Nova Acta Regiae Soc. Sci. Upsal.* 3: 207 (1780) Nat: S Korea 광나무

Ligustridium japonicum (Thunb.) Spach, Hist. Nat. Veg. (Spach) 8: 272 (1839)
Ligustrum kellerianum Vis., Atti Reale Ist. Veneto Sci. Lett. Arti 3, 1: 300 (1855)
Ligustrum coriaceum Carrière, Rev. Hort. 1874: 417 (1874)
Ligustrum japonicum Thunb. var. *coriacea* Blume ex H.Lév., Énum. Arbres 172 (1877)
Ligustrum lucidum W.T.Aiton var. *coriaceum* (Carrière) Decne., Fl. Serres Jard. Eur. 22: 8 (1877)
Ligustrum japonicum Thunb. var. *coriaceum* (Nois.) Makino, Bot. Mag. (Tokyo) 23: 13 (1909)
Ligustrum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 378 (1911)
Ligustrum japonicum Thunb. var. *pubescens* Koidz., Bot. Mag. (Tokyo) 30: 82 (1916)
Ligustrum micranthum Zucc. var. *pubescens* Koidz., Bot. Mag. (Tokyo) 30: 82 (1916)
Ligustrum rotundifolium var. *pubescens* (Koidz.) Hatus., J. Jap. Bot. 24: 83 (1949)
Ligustrum japonicum Thunb. f. *pubescens* (Koidz.) Murata, Acta Phytotax. Geobot. 25: 35 (1972)

Ligustrum leucanthum (S.Moore) P.S.Green, *Kew Bull.* 50: 384 (1995) Nat: S Korea

산동취뽕나무

Ligustrum molliculum Hance, J. Bot. 20: 291 (1882)
Ligustrum acutissimum Koehne, Festschr. Ascherson 0: 192 (1904)
Ligustrum subsessile S.Y.Hu, J. Arnold Arbor. 35: 199 (1954)
Ligustrum longitubum (P.S.Hsu) P.S.Hsu, Invest. Stud. Nat. 6: 106 (1986)

Ligustrum lucidum W.T.Aiton, *Hortus Kew. (ed. 2)* 1: 19 (1810) Nat: S Korea 제주광나무

Phillyrea paniculata Roxb., Fl. Ind. (Roxburgh) 1: 100 (1820)
Ligustrum nepalense Wall. var. *glabrum* Hook., Curtis's Bot. Mag. 56: t. 2921 (1829)
Olea clavata G.Don, Gen. Hist. 4: 48 (1837)
Visiania paniculata (Roxb.) DC., Prodr. (DC.) 8: 289 (1844)
Ligustrum roxburghii Blume, Mus. Bot. 1: 315 (1850)
Ligustrum wallichii Vis., Atti Reale Ist. Veneto Sci. Lett. Arti ser. 3, 4: 318 (1858)
Ligustrum sinense Lour. var. *latifolium* T.Moore, Gard. Chron. n. s. 10: 752 (1878)
Chionanthus terminalis Roxb. ex Hemsl., J. Linn. Soc., Bot. 26: 92 (1889)
Ligustrum magnoliifolium Dippel, Handb. Laubholz. 1: 129 (1889)
Ligustrum esquirolii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 147 (1911)
Ligustrum japonicum Thunb. var. *macrophyllum* C.K.Schneid., Ill. Handb. Laubholz. 2:

797 (1911)

Esquirolia sinensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 441 (1912)

Ligustrum lucidum W.T.Aiton var. *esquirolii* H.Lév., Cat. Pl. Yun-Nan 181 (1916)

***Ligustrum obtusifolium* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 168 (1846) Nat; N Korea, S Korea 쥐똥나무**

Ligustrum vulgare Thunb., Fl. Jap. (Thunberg) 17 (1784)

Ligustrum ibota Siebold, Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 167 (1846)

Ligustrum japonicum Thunb. var. *rotundifolium* Blume, Mus. Bot. 1: 313 (1850)

Ligustrum ciliatum Siebold ex Blume var. *spathulatum* Blume, Mus. Bot. 1: 312 (1850)

Ligustrum ibota Siebold var. *angustifolium* Blume, Mus. Bot. 1: 312 (1850)

Ligustrum ibota Siebold var. *obovatum* Blume, Mus. Bot. 1: 312 (1850)

Phylarodoxa leucantha S.Moore, J. Bot. 13: 229 (1875)

Ligustrum obtusifolium Siebold & Zucc. var. *regelianum* Rehder, Moller's Deutsche Gartn.-Zeitung 14: 218 (1899)

Ligustrum ibota Siebold var. *regelianum* (Koehne) Siebold ex Beissn., Handb. Laubholzben. 418 (1903)

Ligustrum ibota Siebold var. *tschonoskii* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 89 (1911)

Ligustrum ibota Siebold var. *diabolicum* Koidz., Bot. Mag. (Tokyo) 30: 82 (1916)

Ligustrum ibota Siebold f. *angustifolium* (Blume) Nakai, Bot. Mag. (Tokyo) 32: 123 (1918)

Ligustrum ibota Siebold f. *tschonoskii* Nakai, Bot. Mag. (Tokyo) 32: 124 (1918)

Ligustrum ibota Siebold subvar. *spathulata* (Blume) Koidz., Bot. Mag. (Tokyo) 40: 343 (1926)

Ligustrum ibota Siebold var. *obtusifolium* (Siebold & Zucc.) Koidz., Bot. Mag. (Tokyo) 40: 342 (1926)

Ligustrum ibota Siebold var. *obtusifolium* subvar. *spathulata* (Blume) Koidz., Bot. Mag. (Tokyo) 40: 343 (1926)

Ligustrum ibota Siebold var. *genuinum* Nakai, J. Jap. Bot. 14: 639 (1938)

Ligustrum obtusifolium* Siebold & Zucc. var. *obtusifolium

***Ligustrum obtusifolium* Siebold & Zucc. subsp. *microphyllum* (Nakai) P.S.Green, Kew Bull. 50: 385 (1995) Nat; S Korea 쯤똥나무**

Ligustrum ibota Siebold var. *microphyllum* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 73 (1914)

Ligustrum ibota Siebold f. *microphyllum* Nakai, Bot. Mag. (Tokyo) 32: 124 (1918)

Ligustrum ciliatum Siebold ex Blume var. *microphyllum* Nakai, Trees Shrubs Japan 1: 278 (1922)

***Ligustrum ovalifolium* Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 119 (1844) Nat; S Korea 왕쥐똥나무**

Ligustrum japonicum Thunb. var. *ovalifolium* Blume, Mus. Bot. 1: 313 (1850)

Ligustrum ciliatum Siebold ex Blume var. *heterophyllum* Blume, Mus. Bot. 1: 313 (1850)

Ligustrum medium Franch. & Sav., Enum. Pl. Jap. 2: 437 (1878)

Ligustrum ovalifolium Hassk. var. *floribundum* Hoefker, Mitt. Deutsch. Dendrol. Ges. 24: 55 (1915)

Ligustrum hisauchii Makino, J. Jap. Bot. 1: 3 (1916)

Ligustrum ovalifolium Hassk. var. *heterophyllum* (Blume) Nakai, Trees Shrubs Japan 1: 282 (1922)

Ligustrum quihoui Carrière var. *latifolium* Nakai, Bot. Mag. (Tokyo) 36: 26 (1922)

Ligustrum tsusimense Nakai, Trees Shrubs Japan, Revis. Ed. 2: 377 (1927)

Ligustrum ovalifolium Hassk. f. *heterophyllum* (Blume) Murata, Acta Phytotax. Geobot. 25: 34 (1971)

***Ligustrum quihoui* Carrière, Rev. Hort. 1869: 377 (1869) Nat; S Korea 상동잎쥐똥나무**

Ligustrum brachystachyum Decne., *Nouv. Arch. Mus. Hist. Nat. Ser. 2*, 2: 34 (1879)
Ligustrum argyi H.Lév., *Mem. Real Acad. Ci. Barcelona* 12, No. 22, 17 (1916)

***Ligustrum salicinum* Nakai, Bot. Mag. (Tokyo) 32: 122 (1918) Nat: S Korea 버들퀴꾸나무**

Ligustrum ciliatum Siebold ex Blume var. *salicinum* Nakai, *Saishu-to Kuan-to Shokubutsu Hokoku-sho* [Fl. Quelpaert Isl.] 73 (1914)

Ligustrum mayebaranum Koidz., *Bot. Mag. (Tokyo)* 39: 22 (1925)

Olea L.

***Olea europaea* L., Sp. Pl. 8 (1753) Int 올리브나무**

Olea gallica Mill., *Gard. Dict.*, ed. 8 no. 1 (1768)

Olea sativa Weston, *Bot. Univ.* 1: 191 (1770)

Olea lancifolia Moench, *Methodus* (Moench) 478 (1794)

Olea angulosa Gouan, *Herbor. Montpellier* 264 (1796)

Olea bifera Raf., *Sylva Tellur.* 8 (1838)

Olea lorentii Hochst., *Wanderungen* 322 (1845)

Osmanthus Lour.

***Osmanthus fragrans* Lour., Fl. Cochinch. 1: 29 (1790) Int 목서**

Olea fragrans Thunb., *Nova Acta Regiae Soc. Sci. Upsal.* 4: 39 (1783)

Olea acuminata Wall. ex G.Don, *Gen. Hist.* 4: 49 (1837)

Olea acuminata Wall. ex G.Don var. *longifolia* DC., *Prodr. (DC.)* 8: 285 (1844)

Olea fragrans Thunb. var. *acuminata* (Wall. ex G.Don) Blume, *Mus. Bot.* 1: 316 (1850)

Olea ovalis Miq., *J. Bot. Néerl.* 1: 111 (1861)

Osmanthus fragrans Lour. var. *latifolius* Makino, *Bot. Mag. (Tokyo)* 16: 32 (1902)

Osmanthus fragrans Lour. f. *latifolius* (Makino) Makino, *Bot. Mag. (Tokyo)* 23: 15 (1909)

Osmanthus asiaticus Nakai, *Trees Shrubs Japan* 1: 264 (1922)

Osmanthus acuminatus (Wall. ex G.Don) Nakai, *Bot. Mag. (Tokyo)* 44: 14 (1930)

Osmanthus intermedius Nakai, *Bull. Natl. Sci. Mus., Tokyo* 27: 34 (1949)

Osmanthus fragrans* Lour. var. *fragrans

***Osmanthus fragrans* Lour. var. *aurantiacus* Makino, Bot. Mag. (Tokyo) 16: 32 (1902) Int
금목서**

Osmanthus latifolius (Makino) Koidz., *Bot. Mag. (Tokyo)* 40: 337 (1926)

Osmanthus fragrans Lour. var. *thunbergii* Makino, *J. Jap. Bot.* 4: 4 (1927)

Osmanthus longibracteatus H.T.Chang, *Acta Sci. Nat. Univ. Sunyatseni* 1982: 5 (1982)

***Osmanthus heterophyllus* (G.Don) P.S.Green, Notes Roy. Bot. Gard. Edinburgh 22: 508
(1958) Nat: S Korea 구골나무**

Olea ilicifolia Hassk., *Cat. Hort. Bot. Bogor.* 1: 118 (1844)

Olea aquifolium (Thunb.) Siebold ex Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4: 166 (1846)

Osmanthus aquifolium (Thunb.) Siebold ex Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4 (3): 166 (1846)

Osmanthus ilicifolius (Hassk.) Carrière, *Rev. Hort.* 57: 546 (1885)

Osmanthus aquifolium var. *ilicifolius* G.Nicholson, *Hand-list Trees & Shrubs Arb.* 2: 89 (1896)

Osmanthus ilicifolius (Hassk.) Carrière f. *subangulatus* (Makino) Makino & Nemoto, *Fl. Japan.*, ed. 2 (Makino & Nemoto) 939 (1931)

Osmanthus ilicifolius (Hassk.) Carrière var. *undulatifolia* Makino, *J. Jap. Bot.* 7: 14 (1931)

Osmanthus integrifolius Hayata, *J. Jap. Bot.* 7: 14 (1931)

***Osmanthus insularis* Koidz., Bot. Mag. (Tokyo) 28: 150 (1914)** Nat; S Korea 박달목서
Osmanthus zentaroanus Makino, J. Jap. Bot. 3-2: 8 (1926)
Osmanthus hachijoensis Nakai, Trees Shrubs Japan, Revis. Ed. 2: 350 (1927)

Syringa Mill.

***Syringa fauriei* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 285 (1910)** Nat; N Korea, S Korea, Endemic 벼들개회나무
Ligustrina fauriei (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 92 (1952)

***Syringa oblata* Lindl. subsp. *dilatata* (Rehder) P.S.Green & M.C.Chang, Novon 5: 329 (1995)**
Nat; N Korea, S Korea 수수꽃다리

Syringa villosa Nakai, Rep. Veg. Chiisan Mts. 43 (1915)
Syringa dilatata Nakai, Bot. Mag. (Tokyo) 32: 128 (1918)
Syringa oblata Lindl. var. *dilatata* (Nakai) Rehder, J. Arnold Arbor. 7: 34 (1926)
Syringa dilatata Nakai var. *alba* W.Wang & Skvortsov, Ill. Fl. Ligneous Pl. N. E. China 566 (1958)
Syringa oblata Lindl. var. *donaldii* J.L.Fiala, Lilacs, Gen. Syringa 62 (1988)

***Syringa pubescens* Turcz. subsp. *patula* (Palib.) M.C.Chang & X.L.Chen, Invest. Stud. Nat. 10: 34 (1990)** Nat; N Korea, S Korea 털개회나무

Ligustrum patulum Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 156 (1901)
Syringa velutina Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 428 (1901)
Syringa venosa Nakai var. *lactea* Nakai, Bot. Mag. (Tokyo) 22: 130 (1908)
Syringa koehneana C.K.Schneid., Ill. Handb. Laubholz. 2: 1063 (1912)
Syringa palibiniana Nakai, Bot. Mag. (Tokyo) 27: 32 (1913)
Syringa villosa Nakai var. *lactea* Nakai, Bot. Mag. (Tokyo) 28: 330 (1914)
Syringa micrantha Nakai, Bot. Mag. (Tokyo) 32: 129 (1918)
Syringa kamibayashii Nakai, Bot. Mag. (Tokyo) 32: 130 (1918)
Syringa palibiniana Nakai var. *kamibayashii* Nakai, Fl. Sylv. Kor. 10: 52 (1921)
Syringa patula (Palib.) Nakai, J. Jap. Bot. 27: 32 (1938)
Syringa velutina Kom. var. *kamibayashii* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa velutina Kom. f. *lactea* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa velutina Kom. var. *venosa* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa velutina Kom. var. *venosa* f. *lactea* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa patula (Palib.) Nakai var. *kamibayashii* (Nakai) M.Kim, Korean Endemic Pl. 152 (2004)
Syringa patula (Palib.) Nakai f. *lactea* (Nakai) M.Kim, Korean Endemic Pl. 152 (2004)
Syringa patula (Palib.) Nakai var. *venosa* (Nakai) M.Kim, Korean Endemic Pl. 152 (2004)
Syringa patula (Palib.) Nakai var. *venosa* f. *lactea* M.Kim, Korean Endemic Pl. 152 (2004)

***Syringa reticulata* (Blume) H.Hara, J. Jap. Bot. 17: 21 (1941)** Nat; N Korea, S Korea
개회나무

Ligustrum reticulatum Blume, Mus. Bot. 1: 313 (1851)
Syringa amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 371 (1857)
Ligustrina amurensis (Rupr.) Rupr., Beitr. Pflanzenk. Russ. Reiches 11: 72 (1859)
Ligustrina amurensis (Rupr.) Rupr. var. *mandshurica* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 432 (1859)
Syringa amurensis Rupr. var. *genuina* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 193 (1859)
Syringa ligustrina Leroy, Cat. [Leroy] 1: 99 (1868)

Ligustrina amurensis (Rupr.) Rupr. var. *japonica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 432 (1875)
Syringa amurensis Rupr. var. *japonica* (Maxim.) Franch. & Sav., Enum. Pl. Jap. 2: 435 (1877)
Syringa rotundifolia Decne., Nouv. Ann. Mus. Hist. Nat. Paris ser. 2, 2: 44 (1878)
Syringa japonica (Maxim.) Decne., Nouv. Arch. Mus. Hist. Nat. 2, 2: 44 (1879)
Syringa amurensis Rupr. var. *mandshurica* (Maxim.) Maxim. ex Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 369 (1893)
Ligustrina japonica (Maxim.) L.Henry, Jardin 8: 102 (1894)
Syringa amurensis Rupr. var. *genuina* f. *bracteata* Nakai, Bot. Mag. (Tokyo) 31: 105 (1917)
Syringa reticulata (Blume) H.Hara var. *mandshurica* (Maxim.) H.Hara, J. Jap. Bot. 17: 22 (1941)
Ligustrina reticulata (Blume) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 91 (1952)
Ligustrina reticulata (Blume) Nakai var. *mandshurica* f. *bracteata* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 91 (1952)
Ligustrina reticulata (Blume) Nakai var. *mandshurica* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 91 (1952)
Syringa reticulata (Blume) H.Hara f. *bracteata* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa reticulata (Blume) H.Hara f. *koreana* T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa reticulata (Blume) H.Hara f. *longifolia* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa reticulata (Blume) H.Hara var. *mandshurica* f. *koreana* T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa reticulata (Blume) H.Hara var. *mandshurica* f. *longifolia* T.B.Lee, Ill. Woody Pl. Korea 333 (1966)
Syringa reticulata (Blume) H.Hara var. *amurensis* (Rupr.) J.S.Pringle, Phytologia 52: 67 (1983)

***Syringa vulgaris* L., Sp. Pl. 9 (1753) Int 서양수수꽃다리**

Syringa caerulea Jonst., Dendrogr. ed. 2 2: 219 (1768)
Lilac vulgaris (L.) Lam., Fl. Franc. (Lamarck) 2: 305 (1779)
Syringa latifolia Salisb., Prodr. Stirp. Chap. Allerton 13 (1796)
Syringa albiflora Opiz, Naturalientausch 10: 239 (1825)
Syringa cordifolia Stokes, Bot. Comm. 1: 33 (1830)
Syringa amoena K.Koch, Dendrologie 2: 266 (1872)
Syringa virginalis K.Koch, Dendrologie 2: 266 (1872)
Lilac coerulea Lunell, Amer. Midl. Naturalist 4: 506 (1916)

***Syringa wolfii* C.K.Schneid., Repert. Spec. Nov. Regni Veg. 9: 81 (1910) Nat: N Korea, S Korea 꽃개회나무**

Syringa villosa Nakai var. *hirsuta* C.K.Schneid., Repert. Spec. Nov. Regni Veg. 9: 81 (1910)
Syringa formosissima Nakai, Bot. Mag. (Tokyo) 31: 105 (1917)
Syringa hirsuta (C.K.Schneid.) Nakai, Bot. Mag. (Tokyo) 32: 132 (1918)
Syringa hirsuta (C.K.Schneid.) Nakai var. *formosissima* Nakai, Bot. Mag. (Tokyo) 32: 133 (1918)
Syringa formosissima Nakai var. *hirsuta* (C.K.Schneid.) Nakai, Fl. Sylv. Kor. 10: 56 (1921)
Syringa robusta Nakai, Fl. Sylv. Kor. 10: 57 (1921)
Syringa robusta Nakai f. *glabra* Nakai, Fl. Sylv. Kor. 10: 91 (1921)
Syringa wolfii C.K.Schneid. var. *hirsuta* (C.K.Schneid.) Rehder, J. Arnold Arbor. 20: 427 (1939)

ONAGRACEAE

Circaea L.

***Circaea alpina* L., Sp. Pl. 9 (1753) Nat: N Korea, S Korea 쥐털이슬**

- Circaea minima* L., Mant. Pl. 2: 316 (1771)
Circaea lutetiana L. var. *alpestris* Schur, Enum. Pl. Transsilv. 214 (1866)
Circaea lutetiana L. subsp. *alpina* (L.) H.Lév., Monde Pl. 7: 71 (1898)
Carlostephania minor Bubani, Fl. Pyren. 2: 660 (1899)
Circaea alpina L. var. *rosulata* H.Hara, J. Jap. Bot. 10: 591 (1934)
Circaea caulescens (Kom.) Nakai ex H.Hara var. *glabra* H.Hara, J. Jap. Bot. 10: 590 (1934)

Circaea alpina* L. var. *alpina

***Circaea alpina* L. subsp. *caulescens* (Kom.) Tatew., Rep. Veg. Is. Shikotan 44 (1940) Nat: N Korea, S Korea 개털이슬**

- Circaea alpina* L. var. *caulescens* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 99 (1907)
Circaea caulescens (Kom.) Nakai ex H.Hara var. *pilosula* Hara, J. Jap. Bot. 10: 589 (1934)
Circaea caulescens (Kom.) Nakai ex H.Hara, J. Jap. Bot. 10: 388 (1934)
Circaea caulescens (Kom.) Nakai ex H.Hara var. *robusta* Nakai ex H.Hara, J. Jap. Bot. 10: 589 (1934)
Circaea alpina L. var. *pilosula* (H.Hara) H.Hara, J. Jap. Bot. 20: 326 (1944)
Circaea alpina L. f. *pilosula* (H.Hara) Kitag., Neolin. Fl. Manshur. 467 (1979)

***Circaea canadensis* (L.) Hill var. *quadrisculcata* (Maxim.) Boufford, Harvard Pap. Bot. 9: 256 (2005) Nat: N Korea, S Korea 말털이슬**

- Circaea lutetiana* L. f. *quadrisculcata* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 106 (1859)
Circaea lutetiana L. subsp. *quadrisculcata* (Maxim.) Asch. & Magnus, Bot. Zeitung (Berlin) 28: 287 (1870)
Circaea quadrisculcata (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 169 (1873)
Circaea mollis Siebold & Zucc. var. *maximowiczii* H.Lév., Bull. Acad. Int. Géogr. Bot. 22: 223 (1912)
Circaea maximowiczii (H.Lév.) H.Hara, J. Bot. 10: 596 (1934)
Circaea maximowiczii (H.Lév.) H.Hara var. *viridicalyx* H.Hara, J. Jap. Bot. 10: 600 (1934)
Circaea quadrisculcata (Maxim.) Franch. & Sav. f. *viridicalyx* (H.Hara) Kitag., Lin. Fl. Manshur. 328 (1939)

***Circaea cordata* Royle, III. Bot. Himal. Mts. 0: 211 (1834) Nat: N Korea, S Korea 쇠털이슬**

- Circaea cardiophylla* Makino, Bot. Mag. (Tokyo) 20: 42 (1906)
Circaea bondinieri H.Lév., Bull. Acad. Int. Géogr. Bot. 22: 224 (1912)
Circaea hybrica Hand.-Mazz., Symb. Sin. 7: 605 (1933)
Circaea kitagawawe H.Hara, J. Jap. Bot. 10: 595 (1935)

***Circaea erubescens* Franch. & Sav., Enum. Pl. Jap. 2: 370 (1878) Nat: S Korea 붉은털이슬**

- Circaea delavayi* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 138 (1910)
Circaea kawakamii Hayata, Icon. Pl. Formosan. 5: 71 (1915)

***Circaea mollis* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 134 (1847) Nat: N Korea, S Korea 털이슬**

- Circaea coreana* H.Lév., Repert. Spec. Nov. Regni Veg. 4: 226 (1907)
Circaea coreana H.Lév. var. *sinensis* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340

(1909)

Circaea lutetiana L. var. *taguetii* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 (1909)

***Circaea x ovata* (Honda) Boufford, Ann. Missouri Bot. Gard. 69: 968 (1983) Nat: S Korea**

나도털이슬

Epilobium L.

***Epilobium amurense* Hausskn., Oesterr. Bot. Z. 29: 55 (1879) Nat: N Korea, S Korea**

호바늘꽃

Epilobium organifolium var. *pubescens* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg
Divers Savans 9: 105 (1859)

Epilobium nepalense Hausskn., Oesterr. Bot. Z. 29: 53 (1879)

Epilobium laetum Wall. ex Hausskn., Monogr. Epilobium 218 (1884)

Epilobium foucaudianum H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 211 (1900)

Epilobium angulatum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 432 (1901)

Epilobium yabei H.Lév., Bull. Soc. Agric. Sarthe 40: 72 (1905)

Epilobium gansuense H.Lév., Bull. Herb. Boissier ser. 2, 7: 590 (1907)

Epilobium tenue Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 95 (1907)

Epilobium miyabei H.Lév., Repert. Spec. Nov. Regni Veg. 5: 8 (1908)

Epilobium ovale Takeda, J. Linn. Soc., Bot. 42: 466 (1914)

Epilobium amurense Hausskn. subsp. *laetum* (Wall. ex Hausskn.) P.H.Raven, Bull. Brit.
Mus. (Nat. Hist.), Bot. 2: 367 (1962)

Epilobium amurense* Hausskn. var. *amurense

***Epilobium amurense* Hausskn. subsp. *cephalostigma* (Hausskn.) C.J.Chen & Hoch &
P.H.Raven, Syst. Bot. Monogr. 34: 127 (1992) Nat: N Korea, S Korea** 돌바늘꽃

Epilobium cephalostigma Hausskn., Oesterr. Bot. Z. 29: 57 (1879)

Epilobium calycinum Hausskn., Monogr. Epilobium 196 (1884)

Epilobium nudicarpum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 432 (1901)

Epilobium coreanum H.Lév., Bull. Herb. Boissier ser. 2, 7: 590 (1907)

Epilobium cylindrostigma Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 95 (1907)

Epilobium consimile Hausskn. var. *japonicum* Nakai, Bot. Mag. (Tokyo) 25: 148 (1911)

Epilobium sugaharae Koidz., Acta Phytotax. Geobot. 5: 121 (1936)

Epilobium cephalostigma Hausskn. f. *leucanthum* Honda, Bot. Mag. (Tokyo) 54: 2 (1940)

Epilobium cephalostigma Hausskn. var. *nudicarpum* (Kom.) H.Hara, J. Jap. Bot. 18: 234
(1942)

***Epilobium angustifolium* L., Sp. Pl. 347 (1753) Nat: N Korea, S Korea** 분홍바늘꽃

Epilobium spicatum Lam., Fl. Franc. (Lamarck) 3: 482 (1779)

Epilobium gesneri Vill., Prosp. Hist. Pl. Dauphine 45 (1779)

Epilobium persicifolium Vill., Hist. Pl. Dauphine 1: 328 (1786)

Epilobium antonianum Pers., Syn. Pl. (Persoon) 1: 409 (1805)

Epilobium salicifolium Stokes, Bot. Mat. Med. 2: 351 (1812)

Epilobium variabile Lucé, Topogr. Nachr. Oesel 0: 187 (1823)

Chamaenerion angustifolium (L.) Schur, Enum. Pl. Transsilv. 213 (1866)

Epilobium angustifolium L. var. *pleniflorum* Nakai, Bot. Mag. (Tokyo) 22: 75 (1908)

***Epilobium ciliatum* Raf., Med. Repos. 2: 361 (1808) Nat: N Korea** 줄바늘꽃

Epilobium affine Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 16 (1869)

Epilobium brevistylum Barb.Rodr., Bot. California 1: 220 (1876)

Epilobium adenocaulon Hausskn., Oesterr. Bot. Z. 29: 119 (1879)

Epilobium chilense Hausskn., Oesterr. Bot. Z. 29: 118 (1879)

Epilobium maximowiczii Hausskn., Oesterr. Bot. Z. 29: 57 (1879)
Epilobium valdiviense Hausskn., Oesterr. Bot. Z. 29: 118 (1879)
Epilobium glandulosum Lehm. f. *brveifolia* Hausskn., Monogr. Epilobium 273 (1884)
Epilobium albiflorum Phil., Anales Univ. Chile 84: 745 (1893)
Epilobium punctatum H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 316 (1902)
Epilobium glandulosum Lehm. var. *asiaticum* H.Hara, J. Jap. Bot. 18: 241 (1942)
Epilobium glandulosum Lehm. var. *brevifolium* (Hausskn.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 81 (1952)

***Epilobium fastigiato-ramosum* Nakai, Bot. Mag. (Tokyo) 33: 9 (1919) Nat: N Korea, S Korea
회령바늘꽃**

Epilobium baicalense Popov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18: 6 (1957)

***Epilobium hirsutum* L., Sp. Pl. 347 (1753) Nat: N Korea, S Korea 큰바늘꽃**

Chamaenerion hirsutum (L.) Scop., Fl. Carniol., ed. 2 270 (1772)
Chamaenerion grandiflorum (Weber) Moench, Methodus (Moench) 677 (1794)
Epilobium villosum Thunb., Prodr. Pl. Cap. 75 (1794)
Epilobium tomentosum Vent., Descr. Pl. Nouv. 90 (1802)
Epilobium hirsutum L. var. *tomentosum* (Vent.) Boiss., Fl. Orient. 2: 746 (1872)
Epilobium hirsutum L. var. *laetum* Wall. ex C.B. Clarke, Fl. Brit. Ind. 2: 584 (1879)
Epilobium hirsutum L. var. *villosum* Hausskn., Monogr. Epilobium 53 (1884)
Epilobium velutinum Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 312 (1937)

***Epilobium palustre* L., Sp. Pl. 348 (1753) Nat: N Korea, S Korea 버들바늘꽃**

Epilobium rhynchocarpum Boissieu, Diagn. Pl. Orient. II, 2: 53 (1856)
Epilobium palustre L. var. *majus* C.B. Clarke, Fl. Brit. Ind. 2: 585 (1879)
Epilobium palustre L. var. *minimum* C.B. Clarke, Fl. Brit. Ind. 2: 585 (1879)
Epilobium palustre L. var. *lavandulifolium* Lecoq & Lamotte ex Hausskn., Monogr. Epilobium 133 (1884)
Epilobium palustre L. var. *fischerianum* Hausskn., Monogr. Epilobium 132 (1884)
Epilobium fischerianum Pavlov, Bull. Soc. Imp. Naturalistes Moscou n.s. 38: 105 (1929)

***Epilobium pyrricholophum* Franch. & Sav., Enum. Pl. Jap. 2: 370 (1878) Nat: N Korea, S Korea 바늘꽃**

Epilobium tetragonum var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 94 (1867)
Epilobium japonicum (Miq.) Hausskn., Oesterr. Bot. Z. 29: 56 (1879)
Epilobium japonicum (Miq.) Hausskn. var. *glandulosopubescens* Hausskn., Oesterr. Bot. Z. 29: 56 (1879)
Epilobium oligodontum Hausskn., Oesterr. Bot. Z. 29: 58 (1879)
Epilobium rouyeianum H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 210 (1900)
Epilobium rouyanum H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 210 (1900)
Epilobium hakkodense H.Lév., Bull. Acad. Int. Géogr. Bot. 10: 34 (1901)
Epilobium quadrangulum H.Lév., Bull. Soc. Agric. Sarthe 40: 72 (1905)
Epilobium makinoense H.Lév., Bull. Acad. Int. Géogr. Bot. 40: 73 (1905)
Epilobium arcuatum H.Lév., Bull. Herb. Boissier ser. 2, 7: 589 (1907)
Epilobium chrysocoma H.Lév., Bull. Herb. Boissier ser. 2, 7: 589 (1907)
Epilobium prostratum H.Lév., Bull. Soc. Bot. France 54: 522 (1907)
Epilobium kiusianum Nakai, Bot. Mag. (Tokyo) 22: 84 (1908)
Epilobium pyrricholophum Franch. & Sav. var. *anoleucolophum* H.Lév., Repert. Spec. Nov. Regni Veg. 6: 330 (1909)
Epilobium nakaianum H.Lév., Iconogr. Epilobium 166 (1910)
Epilobium pyrricholophum Franch. & Sav. f. *japonicum* (Miq.) Nakai, Bot. Mag. (Tokyo)

25: 150 (1911)

Epilobium pyrriholophum Franch. & Sav. f. *macrocarpum* Nakai, Bot. Mag. (Tokyo) 25: 150 (1911)

Epilobium pyrriholophum Franch. & Sav. f. *kusianum* Nakai, Bot. Mag. (Tokyo) 25: 150 (1911)

Epilobium axillare Franch. ex Koidz., Fl. Symb. Orient.-Asiat. 85 (1930)

Epilobium myokoense Koidz., Fl. Symb. Orient.-Asiat. 86 (1930)

Epilobium pyrriholophum Franch. & Sav. var. *curvatopilosum* H.Hara, J. Jap. Bot. 18: 237 (1942)

Epilobium pyrriholophum Franch. & Sav. var. *japonicum* (Miq.) H.Hara, J. Jap. Bot. 18: 236 (1942)

Fuchsia L.

Fuchsia xhybrida Siebold & Voss, Vilm. Blumengaertn., ed. 3 1: 332 (1894) Int 후크시아

Ludwigia L.

Ludwigia ovalis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 95 (1867) Nat; S Korea 눈여뀌바늘
Ludwigia palustris var. *ovalis* (Miq.) H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 212 (1900)

Ludwigia prostrata Roxb., Hort. Bengal. 11 (1814) Nat; N Korea, S Korea 여뀌바늘

Ludwigia diffusa Buch.-Ham., Trans. Linn. Soc. London 14: 301 (1824)

Ludwigia fruticulosa Blume, Bijdr. Fl. Ned. Ind. 17: 1133 (1826)

Nematopyxis fruticulosa (Blume) Miq., Fl. Ned. Ind. 1: 630 (1855)

Nematopyxis prostrata (Roxb.) Miq., Fl. Ned. Ind. 1: 630 (1855)

Nematopyxis pusilla Miq., Fl. Ned. Ind. 1: 636 (1855)

Ludwigia epilobioides Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 104 (1859)

Nematopyxis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 95 (1867)

Isnardia prostrata (Roxb.) Kuntze, Revis. Gen. Pl. 1: 250 (1891)

Jussiaea fauriei H.Lév., Monde Pl. 6: 51 (1897)

Jussiaea japonica H.Lév., Monde Pl. 6: 51 (1897)

Jussiaea pamentieri H.Lév., Monde Pl. 6: 51 (1897)

Jussiaea philippiana H.Lév., Monde Pl. 6: 51 (1897)

Jussiaea prostrata (Roxb.) H.Lév., Repert. Spec. Nov. Regni Veg. 8: 138 (1910)

Oenothera L.

Oenothera biennis L., Sp. Pl. 346 (1753) Int 달맞이꽃

Oenothera muricata L., Syst. Nat. ed. 12 2: 263 (1767)

Onagra biennis (L.) Scop., Fl. Carniol., ed. 2 1: 269 (1772)

Onagra muricata (L.) Moench, Methodus (Moench) 675 (1794)

Oenothera suaveolens Desf., Tabl. Ecole Bot. 169 (1804)

Onagra europaea Spach, Hist. Nat. Veg. (Spach) 4: 359 (1835)

Oenothera glazioviana Micheli, Fl. Bras. (Martius) 13: 178 (1875) Int 큰달맞이꽃

Oenothera lamarckiana Ser., Prodr. (DC.) 3: 47 (1828)

Oenothera erythrosepala (Borbás) Borbás, Magyar Bot. Lapok 245 (1903)

Oenothera fusiformis Munz & I.M.Johnst., Contr. Gray Herb. 75: 21 (1925)

Oenothera laciniata Hill, Veg. Syst. 12: 64 (1767) Int 애기달맞이꽃

Oenothera sinuata L., Mant. Pl. 2: 228 (1771)
Oenothera mexicana Spach, Nouv. Ann. Mus. Hist. Nat. 4: 347 (1835)
Raimannia laciniata (Hill) Rose, Contr. U. S. Natl. Herb. 8: 331 (1905)

***Oenothera stricta* Ledeb. ex Link, Enum. Hort. Berol. Alt. 1: 377 (1821) Int 긴잎달맞이꽃**
Oenothera polymorpha var. *stricta* (Ledeb. ex Link) H.Lév., Monogr. Oenothera 363 (1909)

OROBANCHACEAE

Aeginetia Cav.

***Aeginetia indica* L., Sp. Pl. 2: 632 (1753) Nat: S Korea 야고**
Orobanche aeginetia L., Sp. Pl. (ed. 2) 2: 883 (1763)
Phelipaea indica (L.) Spreng. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 318 (1842)
Aeginetia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 341 (1846)
Aeginetia boninensis Nakai, Bot. Mag. (Tokyo) 45: 134 (1931)

Boschniakia C.A.Mey. ex Bong.

***Boschniakia rossica* (Cham. & Schltdl.) B.Fedtsch., Fl. Eur. Ross. 896 (1910) Nat: N Korea**
오리나무더부살이
Orobanche rossica Cham. & Schltdl., Linnaea 3: 132 (1828)
Boschniakia glabra C.A.Mey. ex Bong., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 157 (1833)
Orobanche glabra (C.A.Mey. ex Bong.) Hook., Fl. Bor.-Amer. (Hooker) 2: 91 (1840)

Lathraea L.

***Lathraea japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 205 (1867) Nat: S Korea 개종용**
Lathraea miqueliana Franch. & Sav., Enum. Pl. Jap. 2: 461 (1879)
Lathraea nakaharuae Makino, Bot. Mag. (Tokyo) 28: 156 (1914)
Lathraea chinfushanica Hu & T.Tang, Bull. Fan Mem. Inst. Biol. Bot. 5: 315 (1934)
Lathraea japonica Miq. var. *miqueliana* (Franch. & Sav.) Ohwi, Fl. Jap., revised ed., [Ohwi] 811 (1965)

Orobanche L.

***Orobanche coerulescens* Stephan, Sp. Pl. (ed. 4) 3: 349 (1800) Nat: N Korea, S Korea 초종용**
Orobanche ammophila C.A.Mey., Fl. Altaic. 2: 454 (1830)
Orobanche canescens Bunge, Enum. Pl. Chin. Bor. 50 (1831)
Orobanche coerulescens Stephan f. *pekinensis* Beck, Monogr. Orobanche 138 (1890)
Orobanche bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 9: 451 (1911)
Orobanche mairei H.Lév., Repert. Spec. Nov. Regni Veg. 12: 285 (1913)
Orobanche nipponica Makino, J. Jap. Bot. 5: 40 (1928)
Orobanche japonensis Makino, J. Jap. Bot. 6: 9 (1929)
Orobanche pycnostachya Hance var. *yunnanensis* Beck, Pflanzenz. (Engler) IV, 261 (Heft 96): 118 (1930)
Orobanche akiana Honda, Bot. Mag. (Tokyo) 46: 676 (1932)
Orobanche korshinskyi Novopokr., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 13: 311 (1950)

Orobanche coerulescens Stephan f. *korshinskyi* (Novopokr.) Ma, Fl. Intramongol. 5: 309 (1980)

***Orobanche pycnostachya* Hance, J. Linn. Soc., Bot. 13: 84 (1873) Nat; N Korea 황중용
Orobanche pycnostachya Hance var. *pycnostachya***

***Orobanche pycnostachya* Hance var. *amurensis* Beck, Monogr. Orobanche 141 (1890) Nat;
N Korea 압록더부살이**

Orobanche amurensis (Beck) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 469 (1907)

Orobanche ussuriensis Novopokr., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 12: 274 (1950)

Orobanche filicicola Nakai ex Hyun, Y.S.Lim & H.Shin, Novon 13: 64 (2003)

Phacellanthus Siebold & Zucc.

***Phacellanthus tubiflorus* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 141 (1846) Nat; N Korea, S Korea 가지더부살이**

Phacellanthus continentalis Kom., Bull. Acad. Imp. Sci. Saint-Petersbourg 7: 273 (1930)

Tienmuia triandra Hu, Bull. Fan Mem. Inst. Biol. Bot. 9: 6 (1939)

OXALIDACEAE

Caudoxalis Small & Britton

***Caudoxalis bowieana* Small, Fl. Bermuda 198 (1918) Int 꽃쟁이밥**

Oxalis bowieana Lodd., Bot. Cab. t. 1782 (1818)

Oxalis L.

***Oxalis acetosella* L., Sp. Pl. 433 (1753) Nat; N Korea, S Korea 애기쟁이밥**

Oxys acetosella (L.) Scop., Fl. Carniol., ed. 2 1: 326 (1772)

Oxalis montana Raf., Amer. Monthly Mag. & Crit. Rev. 266 (1818)

Oxalis taquetii R.Knuth, Notizbl. Bot. Gart. Berlin-Dahlem 7: 308 (1919)

Oxalis acetosella L. var. *purpurascens* Mart., Fl. URSS 14: 80 (1949)

Oxalis acetosella L. var. *rosea* Peterm., Fl. URSS 14: 80 (1949)

***Oxalis articulata* Savigny, Encycl. (Lamarck) 4: 686 (1798) Int 덩이쟁이밥**

***Oxalis corniculata* L., Sp. Pl. 435 (1753) Nat; N Korea, S Korea 썩이밥**

Oxys corniculata (L.) Scop., Fl. Carniol., ed. 2 89 (1772)

Oxalis repens Thunb., Oxalis [Thunberg] 16 (1781)

Oxalis corniculata L. var. *repens* (Thunb.) Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 1: 230 (1829)

Oxalis corniculata L. var. *purpurea* Parl., Fl. Ital. 5: 271 (1872)

Acetosella corniculata (L.) Kuntze, Revis. Gen. Pl. 1: 78 (1891)

Xanthoxalis corniculata (L.) Small, Fl. S.E. U.S. [Small]. 667 (1903)

Oxalis corniculata L. var. *trichocaulon* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)

Oxalis corniculata L. f. *erecta* Makino, Bot. Mag. (Tokyo) 26: 177 (1912)

Oxalis repens Thunb. f. *speciosa* Masam., J. Soc. Trop. Agric. 2: 32 (1930)

Oxalis repens Thunb. var. *erecta* (Makino) Masam., J. Soc. Trop. Agric. 2: 32 (1930)

Oxalis taimoni Yamam., J. Soc. Trop. Agric. 2: 32 (1930)

Oxalis corniculata L. var. *repens* f. *speciosa* Masam., Trans. Nat. Hist. Soc. Taiwan 28:

431 (1938)

Oxalis corniculata L. subsp. *repens* (Thunb.) Masam., Trans. Nat. Hist. Soc. Taiwan 31: 326 (1941)

Xanthoxalis repens (Thunb.) Moldenke, Castanea 9: 42 (1944)

Xanthoxalis corniculata (L.) Small f. *erecta* (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 68 (1952)

Xanthoxalis corniculata (L.) Small var. *repens* (Thunb.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 68 (1952)

Xanthoxalis corniculata (L.) Small var. *repens* f. *atropurpurea* (Planch.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 68 (1952)

Xanthoxalis corniculata (L.) Small var. *repens* f. *purpurea* (Parl.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 68 (1952)

***Oxalis debilis* Kunth var. *corymbosa* (DC.) Lourteig, Ann. Missouri Bot. Gard. 67: 840 (1980) Int 자주괘이밥**

Oxalis corymbosa DC., Prodr. (DC.) 1: 696 (1824)

Oxalis martiana Zucc., Denkschr. Königl. Akad. Wiss. München 9: 144 (1824)

Oxalis japonica Franch. & Sav., Enum. Pl. Jap. 2: 309 (1878)

***Oxalis obtriangulata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 6: 260 (1867) Nat: N Korea, S Korea 큰괘이밥**

Acetosella obtriangulata (Maxim.) Kuntze, Revis. Gen. Pl. 1: 91 (1891)

Oxalis japonica Franch. & Sav. var. *obtriangulata* (Maxim.) Makino, Ill. Fl. Nippon (Makino) 400 (1940)

***Oxalis stricta* L., Sp. Pl. 435 (1753) Nat: N Korea, S Korea 선괘이밥**

Oxalis chinensis Haw. ex G. Don, Hort. Brit. (Loudon) (ed. 2) 1: 595 (1832)

Oxalis fontana Bunge, Enum. Pl. Chin. Bor. 13 (1833)

Oxalis europaea Jord., Arch. Fl. France Allemagne 309 (1854)

Xanthoxalis stricta (L.) Small, Fl. S.E. U.S. [Small]. 667 (1903)

Oxalis shinanoensis T. Itô, Encycl. Jap. 2: 818 (1909)

Oxalis repens Thunb. var. *stricta* Hatus., Exp. Forest. Kyushu Imp. Univ. 4: 95 (1933)

***Oxalis tetraphylla* Cav., Prodr. (DC.) 3: 19 (1824) Int 우산잎괘이밥**

PAEONIACEAE

***Paeonia* L.**

***Paeonia japonica* (Makino) Miyabe & Takeda, Gard. Chron. 3 ser. 48: 366, f. 153 (1910)**

Nat: N Korea, S Korea 백작약

Paeonia obovata Maxim. var. *japonica* Makino, Bot. Mag. (Tokyo) 16: 59 (1902)

Paeonia japonica (Makino) Miyabe & Takeda var. *glabra* Makino, Bot. Mag. (Tokyo) 16: 59 (1902)

Paeonia japonica (Makino) Miyabe & Takeda var. *pillosa* Nakai, J. Jap. Bot. 13: 395 (1937)

***Paeonia lactiflora* Pall., Reise Russ. Reich. 3: 286 (1776) Int 작약**

Paeonia albiflora Pall., Fl. Ross. (Pallas) 1: 92, t. 84 (1788)

Paeonia albiflora Pall. var. *tricocarpa* Bunge, Enum. Pl. Chin. Bor. 3 (1833)

Paeonia albiflora Pall. var. *pubescens* Nakai, Bot. Mag. (Tokyo) 46: 605 (1932)

Paeonia albiflora Pall. f. *nuda* Nakai, J. Jap. Bot. 13: 393 (1937)

Paeonia albiflora Pall. f. *pilosella* Nakai, J. Jap. Bot. 13: 393 (1937)

Paeonia lactiflora Pall. var. *trichocarpa* (Bunge) Stern, J. Roy. Hort. Soc. 68: 129 (1943)
Paeonia yui W.P.Fang, Acta Phytotax. Sin. 7: 321 (1958)
Paeonia lactiflora Pall. var. *hirta* (Regel) Y.C.Chu, Fl. Pl. Herb. Chin. Bor.-Or. 2: 77 (1959)
Paeonia lactiflora Pall. f. *nuda* (Nakai) Kitag., Neolin. Fl. Manshur. 302 (1979)
Paeonia lactiflora Pall. f. *pilosella* (Nakai) Kitag., Neolin. Fl. Manshur. 585 (1979)

***Paeonia obovata* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 29 (1864)**

Nat: N Korea, S Korea 산작약

Paeonia oreogeton S.Moore, J. Linn. Soc., Bot. 17: 376 (1879)
Paeonia obovata Maxim. var. *glabra* Makino, J. Jap. Bot. 5: 33 (1928)
Paeonia obovata Maxim. f. *oreogton* (S.Moore) Kitag., Lin. Fl. Manshur. 221 (1939)

***Paeonia x suffruticosa* Andrews, Bot. Repos. 6: t. 373 (1804) Int 모란**

Paeonia xmoutan Sims, Bot. Mag. 29: t. 1154 (1808)
Paeonia xarborea C.C.Gmel., Hortus Carlsruh. 192 (1811)
Paeonia xfruticosa Dum.Cours., Bot. Cult. (ed. 2) 4: 462 (1811)
Paeonia xchinensis Oken, Allg. Naturgesch. 3: 1164 (1841)
Paeonia xsuffruticosa Andrews f. *anneslei* (Sabine) Rehder, J. Arnold Arbor. 1: 194 (1920)
Paeonia xunnanensis W.P.Fang, Acta Phytotax. Sin. 7: 318 (1958)

PAPAVERACEAE

***Adlumia* Raf.**

Adlumia asiatica Ohwi, Bot. Mag. (Tokyo) 45: 387 (1931) Nat: N Korea 줄꽃주머니

***Chelidonium* L.**

***Chelidonium asiaticum* (H.Hara) Krahulc., Folia Geobot. Phytotax. 17: 266 (1982) Nat: N Korea, S Korea 애기똥풀**

Chelidonium majus L. var. *hirsutum* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 13 (1856)
Chelidonium majus L. subsp. *asiaticum* Hara, J. Jap. Bot. 23: 50 (1949)
Chelidonium majus L. var. *asiaticum* (H.Hara) Ohwi, Fl. Jap. (Ohwi) 561 (1953)

***Chelidonium hylomeconoides* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 73 (1953) Nat: S Korea 매미꽃**

Coreanomecon hylomeconoides Nakai, J. Jap. Bot. 11: 151 (1935)
Hylomecon hylomeconoides (Nakai) Y.N.Lee, J. Korean Res. Inst. Better Living 11: 134 (1973)

***Corydalis* Medik.**

***Corydalis ambigua* Cham. & Schltdl., Linnaea 1: 558 (1826) Nat: N Korea, S Korea 왜현호색**

***Corydalis bungeana* Turcz., Bull. Soc. Imp. Naturalistes Moscou 19: 62 (1846) Nat: N Korea 줄현호색**

Corydalis bungeana Turcz. var. *odontopetala* Hemsl., J. Linn. Soc., Bot. 23(152): 36 (1886)
Capnoides bungeana (Turcz.) Kuntze, Revis. Gen. Pl. 1: 14 (1891)

***Corydalis buschii* Nakai, Bot. Mag. (Tokyo) 28: 328 (1914) Nat: N Korea 진월현호색**

Corydalis chosenensis Ohwi, Repert. Spec. Nov. Regni Veg. 36: 49 (1934)
Pistolochia buschii (Nakai) Soják, Cas. Nar. Mus., Odd. Prir. 140 (3-4): 128 (1972)

***Corydalis decumbens* (Thunb.) Pers., Syn. Pl. (Persoon) 2: 269 (1807) Nat: S Korea 좁현호색**
Fumaria decumbens Thunb., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 12: 102 (1801)
Capnoides decumbens (Thunb.) Kuntze, Revis. Gen. Pl. 1: 14 (1891)
Corydalis klungenin Hayata, J. Coll. Sci. Imp. Univ. Tokyo 31: 27 (1911)

***Corydalis filistipes* Nakai, Bot. Mag. (Tokyo) 32: 104 (1918) Nat: S Korea, Endemic 섬현호색**

***Corydalis grandicalyx* B.U.Oh & Y.S.Kim, Korean J. Pl. Taxon. 17: 21 (1987) Nat: S Korea 갈퀴현호색**

***Corydalis heterocarpa* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 173 (1843) Nat: N Korea, S Korea 염주괴불주머니**

Corydalis wilfordii Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 148 (1861)

Corydalis hirtipes B.U.Oh & J.G.Kim, J. Pl. Biol. 45: 237 (2002)

Corydalis heterocarpa* Siebold & Zucc. var. *heterocarpa

***Corydalis heterocarpa* Siebold & Zucc. var. *japonica* (Franch. & Sav.) Ohwi, Acta Phytotax. Geobot. 13: 181 (1943) Nat: S Korea 갯괴불주머니**

Corydalis wilfordii Regel var. *japonica* Franch. & Sav., Enum. Pl. Jap. 2: 275 (1878)

Corydalis pallida (Thunb.) Pers. var. *japonica* (Franch. & Sav.) H.Boissieu, Bull. Soc. Bot. France 47: 315 (1900)

Corydalis platycarpa (Maxim. ex Palib.) Makino, Bot. Mag. (Tokyo) 23: 16 (1909)

***Corydalis humilis* B.U.Oh & Y.S.Kim, Korean J. Pl. Taxon. 17: 24 (1987) Nat: S Korea 난쟁이현호색**

Corydalis ambigua Cham. & Schtdl. var. *amurensis* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 37 (1859)

Corydalis jezoensis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 205 (1867)

Corydalis ambigua Cham. & Schtdl. var. *glabra* Takeda, Bot. Mag. (Tokyo) 24: 7 (1910)

Corydalis ambigua Cham. & Schtdl. var. *albiflora* I.Yamam. & Tsukam., Fl. Hakodate 43 (1932)

Corydalis ambigua Cham. & Schtdl. f. *fumariifolia* (Maxim.) Kitag., Lin. Fl. Manshur. 232 (1939)

Corydalis ambigua Cham. & Schtdl. f. *pectinata* (Kom.) Kitag., Lin. Fl. Manshur. 233 (1939)

Corydalis ambigua Cham. & Schtdl. f. *rotundiloba* (Maxim.) Kitag., Lin. Fl. Manshur. 233 (1939)

Corydalis maculata B.U.Oh & Y.S.Kim, Korean J. Pl. Taxon. 17: 26 (1987)

Corydalis albipetala B.U.Oh, Korean J. Pl. Taxon. 26: 213 (1996)

Corydalis namdoensis B.U.Oh & J.G.Kim, Korean J. Pl. Taxon. 34: 266 (2004)

Corydalis cornupetala Y.H.Kim & J.H.Jeong, Korean J. Pl. Taxon. 37: 219 (2007)

Corydalis misandra B.U.Oh, Korean J. Pl. Taxon. 36: 138 (2007)

Corydalis alata B.U.Oh & W.R.Lee, Korean J. Pl. Taxon. 40: 79 (2010)

***Corydalis incisa* (Thunb.) Pers., Syn. Pl. (Persoon) 2: 269 (1806) Nat: S Korea 자주괴불주머니**

Fumaria incisa Thunb., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 12: 104 (1801)

***Corydalis lineariloba* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 174 (1843) Nat: S Korea 선현호색**

Corydalis ambigua Cham. & Schtdl. var. *amurensis* Maxim. f. *lineariloba* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 37 (1859)

Corydalis remota Fisch. ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers

- Savans 9: 37 (1859)
Corydalis bulbosa f. *genuina* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis bulbosa f. *lineariloba* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis bulbosa f. *rotundiloba* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis bulbosa var. *genuina* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis bulbosa var. *lineariloba* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis remota Fisch. ex Maxim. var. *genuina* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis remota Fisch. ex Maxim. var. *lineariloba* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis remota Fisch. ex Maxim. var. *rotundiloba* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 38 (1859)
Corydalis fumariifolia Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 39 (1859)
Corydalis bulbosa var. *rotundiloba* Kom., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 351 (1903)
Corydalis remota Fisch. ex Maxim. var. *fumariifolia* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 351 (1904)
Corydalis remota Fisch. ex Maxim. var. *pectinata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 351 (1904)
Corydalis hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 349 (1912)
Corydalis bulbosa var. *remota* Nakai f. *ternata* Nakai, Bot. Mag. (Tokyo) 26: 61 (1912)
Corydalis bulbosa var. *remota* Nakai f. *genuina* Nakai, Chosen Shokubutsu 100 (1914)
Corydalis bulbosa var. *remota* Nakai f. *lineariloba* Nakai, Chosen Shokubutsu 100 (1914)
Corydalis ambigua Cham. & Schltl. f. *lineariloba* (Siebold & Zucc.) Kitag., Lin. Fl. Manshur. 232 (1939)
Corydalis turtschaninovii Besser f. *lineariloba* (Maxim.) Kitag., Lin. Fl. Manshur. 234 (1939)
Corydalis turtschaninovii Besser var. *genuina* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 52 (1952)
Corydalis lineariloba Siebold & Zucc. f. *pectinata* (Kom.) Kitag., Neolin. Fl. Manshur. 321 (1979)
Corydalis lineariloba Siebold & Zucc. var. *fumariifolia* (Maxim.) Kitag., Neolin. Fl. Manshur. 321 (1979)
Corydalis turtschaninovii Besser f. *linearis* (Regel) Nakai, Neolin. Fl. Manshur. 585 (1979)
Corydalis turtschaninovii Besser var. *pectinata* (Maxim.) Nakai, Neolin. Fl. Manshur. 585 (1979)
Corydalis turtschaninovii Besser var. *rotundiloba* (Maxim.) Nakai, Neolin. Fl. Manshur. 585 (1979)
Corydalis turtschaninovii Besser f. *fumariifolia* (Maxim.) Y.H.Chou, Fl. Pl. Herb. Chin. Bor.-Or. 4: 19 (1980)
- Corydalis raddeana* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 143 (1861) Nat; N Korea, S Korea 가는괴불주머니**
Corydalis ochotensis Turcz. f. *raddeana* (Regel) Nakai, Bot. Mag. (Tokyo) 25: 235 (1911)
Corydalis ochotensis Turcz. var. *raddeana* (Regel) Nakai, Chosen Shokubutsu 101 (1914)
- Corydalis speciosa* Maxim., Gartenflora 250: tab. 343 (1858) Nat; N Korea, S Korea 산괴불주머니**
Corydalis aurea Willd. var. *speciosa* Regel, Tent. Fl.-Ussur. 19 (1861)
Corydalis pallida (Thunb.) Pers. var. *speciosa* (Maxim.) Kom., Trudy Imp. S.-

Peterburgsk. Bot. Sada 22: 345 (1904)
Corydalis maximowicziana Nakai, Bot. Mag. (Tokyo) 33: 51 (1919)
Corydalis nakaii Ishid., J. Chosen Nat. Hist. Soc. 6: 91 (1928)
Corydalis pterophora Ohwi, J. Jap. Bot. 12: 331 (1936)
Corydalis speciosa Maxim. var. *pterophora* (Ohwi) Ohwi, Acta Phytotax. Geobot. 6: 151 (1937)

***Corydalis turtschaninovii* Besser, Flora 17 (1 Beibl.): 6 (1834) Nat; S Korea 조선현호색**
Corydalis remota Fisch. ex Maxim. var. *ternata* Makino, Inuma, Somoku-Dzusetsu, ed. 3 932 (1912)
Corydalis bulbosa f. *ternata* Nakai, Bot. Mag. (Tokyo) 26: 91 (1912)
Corydalis ternata (Nakai) Nakai, Bot. Mag. (Tokyo) 28: 29 (1914)
Corydalis trutschaninovii Besser var. *ternata* Ohwi, Acta Phytotax. Geobot. 11: 262 (1942)
Pistolochia turtschaninovii (Besser) Holub, Folia Geobot. Phytotax. 8: 172 (1973)
Corydalis wandoensis Y.N.Lee, Korean J. Pl. Taxon. 26: 26 (1998)

***Corydalis* × *gigantea* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 13 (1856) Nat; N Korea 큰괴불주머니**
Corydalis gigantea Trautv. & C.A.Mey. var. *macrantha* Regel, Bull. Soc. Imp. Naturalistes Moscou 14: 150 (1841)
Corydalis gigantea Trautv. & C.A.Mey. var. *amurensis* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 150 (1861)

Eschscholzia Nees

***Eschscholzia californica* Cham., Horae Phys. Berol. 74 (1820) Int 금영화**
Eschscholzia glauca Greene, Pittonia 1: 45 (1887)
Eschscholzia maritima Greene, Pittonia 1: 60 (1887)
Eschscholzia cuculata Greene, Erythea 2: 120 (1894)

Hylomecon Maxim.

***Hylomecon vernalis* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 36 (1859) Nat; N Korea, S Korea 피나물**
Chelidonium vernale (Maxim.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 73 (1953)

Lamprocapnos Endl.

***Lamprocapnos spectabilis* (L.) T.Fukuhara, Pl. Syst. Evol. 206: 415 (1997) Nat; N Korea, S Korea 금'양화**
Fumaria spectabilis L., Sp. Pl. 699 (1753)
Corydalis spectabilis (L.) Pers., Syn. Pl. (Persoon) 2: 269 (1806)
Dielytra spectabilis (L.) G.Don, Gen. Hist. 1: 140 (1831)
Eucapnos spectabilis (L.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 721 (1843)
Dicentra spectabilis (L.) Lem., Fl. Serres Jard. Eur. 3: t. 258 (1847)
Hedycapnos spectabilis (L.) Planch., Fl. Serres Jard. Eur. 8: 193 (1853)

Macleaya R.Br.

***Macleaya cordata* (Willd.) R.Br., Narr. Travels Africa 218 (1826) Int 죽사초**

Bocconia cordata Willd., Sp. Pl. (ed. 5; Willdenow) 2: 841 (1799)
Macleaya yedoensis André, Rev. Hort. 38: 369 (1866)

Papaver L.

Papaver amurense (N.Busch) N.Busch ex Tolm., Fl. Zabaical. 4: 410 (1941) Nat: N Korea
흰양귀비

Papaver nudicaule L. subsp. *amurense* N.Busch, Fl. Sibir. Orient. Extremi 1: 21 (1913)

Papaver radicum Rottb. var. *pseudoradicatum* (Kitag.) Kitag., Neolin. Fl. Manshur. 325 (1979) Nat: N Korea 두메양귀비

Papaver pseudoradicatum Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 122 (1942)

Papaver rhoeas L., Sp. Pl. 507 (1753) Int 개양귀비

Papaver intermedium Becker, Fl. Frankfurt 1: 386 (1827)

Papaver commutatum Fisch. & C.A.Mey. & Trautv., Index Seminum [St.Petersburg (Petropolitanus)] 4: 41 (1838)

Papaver insignitum Jord., Ann. Soc. Linn. Lyon 7: 462 (1861)

Papaver somniferum L., Sp. Pl. 508 (1753) Int 양귀비

Papaver somniferum L. var. *somniferum*

Papaver somniferum L. subsp. *setigerum* (DC.) Arcang., Comp. Fl. Ital. (Arcangeli) 25 (1882) Int 나도양귀비

PARNASSIACEAE

Parnassia L.

Parnassia alpicola Makino, Bot. Mag. (Tokyo) 18: 140 (1904) Nat: S Korea 애기물매화

Parnassia simplex Hayata, Bull. Soc. Bot. France ser.4, 12: 314 (1912)

Parnassia alpicola Makino var. *simplex* Hayata & Takeda, Bot. Mag. (Tokyo) 22: 199 (1918)

Parnassia alpicola Makino f. *simplex* (Hayata) Hiyama, J. Jap. Bot. 28: 152 (1953)

Parnassia palustris L., Sp. Pl. 262 (1753) Nat: N Korea, S Korea 물매화

Parnassia palustris L. var. *multiseta* Ledeb., Fl. Ross. (Ledeb.) 1: 263 (1842)

Parnassia mucronata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 169 (1843)

Parnassia palustris L. var. *vulgaris* Drude, Linnaea 2: 308 (1875)

Parnassia palustris L. f. *ussuriensis* Kom. ex Negr., Fl. Aziat. Ross. 11: 28 (1917)

Parnassia multiseta (Ledeb.) Fernald, Rhodora 28: 211 (1926)

Parnassia palustris L. var. *syukorankeiensis* Yamam., J. Soc. Trop. Agric. 4: 306 (1932)

PASSIFLORACEAE

Passiflora L.

Passiflora caerulea L., Sp. Pl. 2: 959 (1753) Int 시계꽃

Passiflora caerulea L. var. *glaucophylla* Loudon, Hort. Brit. (Loudon) 270 (1830)

Passiflora caerulea L. var. *angustifolia* G.Don, Gen. Hist. 3: 53 (1834)

Passiflora loureirii G.Don, Gen. Hist. 3: 54 (1834)
Passiflora selloi Dehnh., Rivista Napol. 1: 180 (1840)
Passiflora caerulea L. var. *regnellii* Mast., Fl. Bras. (Martius) 13: 617 (1872)
Passiflora chinensis Mast., J. Roy. Hort. Soc. 4: 145 (1877)

PEDALIACEAE

Sesamum L.

Sesamum indicum L., Sp. Pl. 634 (1753) Int 참깨
Sesamum orientale L., Sp. Pl. 634 (1753)
Sesamum oleiferum Sm., Suppl. Meth. (Moench) 174 (1802)
Dysosmon amoenum Raf., Fl. Ludov. 48 (1817)
Sesamum occidentale Heer & Regel, Index Sem. (Zurich) 0 (1842)
Sesamum africanum Tod., Index Sem. (Palermo) 34 (1866)

Trapella Oliv.

Trapella sinensis Oliv., Hooker's Icon. Pl. 16: t. 1595 (1887) Nat: S Korea 수염마름
Trapella antennifera (H.Lév.) Glück, Bot. Jahrb. Syst. 70: 149 (1939)
Trapella sinensis Oliv. var. *antennifera* (H.Lév.) H.Hara, J. Jap. Bot. 7: 380-82 (1941)

PENTHORACEAE

Penthorum L.

Penthorum chinense Pursh, Fl. Amer. Sept. (Pursh) 1: 323 (1814) Nat: N Korea, S Korea
낙지다리
Penthorum intermedium Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 152 (1837)
Penthorum humile Regel & Maack, Tent. Fl.-Ussur. 65 (1861)
Penthorum sedoides L. f. *angustifolium* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 76 (1865)
Penthorum sedoides L. var. *chinense* (Pursh) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 774 (1883)
Penthorum sedoides L. subsp. *chinense* (Pursh) S.Y.Li & Adair, Sida 16: 190 (1994)

PHRYMACEAE

Phryma L.

Phryma leptostachya L. var. *oblongifolia* (Koidz.) Honda, Bot. Mag. (Tokyo) 50: 608 (1936)
Nat: N Korea, S Korea 파리풀
Phryma oblongifolia Koidz., Bot. Mag. (Tokyo) 43: 400 (1929)
Phryma humilis Koidz., Acta Phytotax. Geobot. 8: 192 (1939)
Phryma nana Koidz., Acta Phytotax. Geobot. 8: 191 (1939)
Phryma leptostachya L. var. *asiatica* H.Hara, Enum. Spermatophytarum Japon. 1: 297 (1948)
Phryma leptostachya L. var. *humilis* (Koidz.) H.Hara, Enum. Spermatophytarum Japon. 1: 297 (1948)
Phryma leptostachya L. var. *nana* (Koidz.) H.Hara, Enum. Spermatophytarum Japon. 1: 297 (1948)
Phryma leptostachya L. subsp. *asiatica* (H.Hara) Kitam., Acta Phytotax. Geobot. 17: 7 (1957)

PHYLLANTHACEAE

Phyllanthus L.

***Phyllanthus urinaria* L., Sp. Pl. 982 (1753) Nat: N Korea, S Korea 여우구슬**

Phyllanthus lepidocarpus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (2): 143 (1845)

Phyllanthus urinaria L. var. *hookeri* (Müll.Arg.) Hook.f., Fl. Brit. Ind. 5: 294 (1887)

***Phyllanthus ussuriensis* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 222 (1857) Nat: S Korea 여우주머니**

Phyllanthus simplex Retz. var. *chinensis* Müll.Arg., Linnaea 32: 33 (1863)

Phyllanthus matsumurae Hayata ex Y. Yabe, Bot. Mag. (Tokyo) 18: 12 (1904)

Phyllanthus wilfordii Croizat & Metcalf, Lingnan Sci. J. 20: 194 (1942)

Phyllanthus virgatus G.Forst. var. *chinensis* (Müll.Arg.) G.L. Webster, J. Jap. Bot. 46: 68 (1971)

PHYTOLACCACEAE

Phytolacca L.

***Phytolacca americana* L., Sp. Pl. 441 (1753) Int 미국자리공**

Phytolacca decandra L., Sp. Pl. (ed. 2) 631 (1762)

***Phytolacca esculenta* Van Houtte, Fl. Serres Jard. Eur. 4: t. 398b (1848) Nat: N Korea, S Korea 자리공**

Phytolacca kaempferi A.Gray, Mem. Amer. Acad. Arts n.s. 6: 404 (1859)

Phytolacca acinosa Roxb. var. *esculenta* (Van Houtte) Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 23 (1869)

Phytolacca acinosa Roxb. var. *kaempferi* (A.Gray) Makino, Bot. Mag. (Tokyo) 15: 142 (1901)

Phytolacca insularis Nakai, Bot. Mag. (Tokyo) 32: 217 (1918)

Phytolacca acinosa Roxb. f. *insularis* (Nakai) M.Kim, Korean J. Pl. Taxon. 37: 441 (2007)

PIPERACEAE

Piper L.

***Piper kadsura* (Choisy) Ohwi, Acta Phytotax. Geobot. 3: 81 (1934) Nat: S Korea 후추등**

Piper futokadsura Siebold, Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (3): 107 (1846)

Piper subglaucescens C.DC., Annuaire Conserv. Jard. Bot. Geneve 21: 222 (1920)

PITTOSPORACEAE

Pittosporum Banks ex Gaertn.

***Pittosporum tobira* (Thunb.) W.T.Aiton, Hortus Kew. 2: 27 (1811) Nat: S Korea 돈나무**

Euonymus tobira Thunb., Syst. Veg., ed. 14 (J. A. Murray) 238 (1784)

PLANTAGINACEAE

Callitriche L.

Callitriche japonica Engelm. ex Hegelm., Verh. Bot. Vereins Prov. Brandenburg 10: 113

(1868) Nat: N Korea 별이끼

Callitriche nana B.C.Ho & Vo, Floribunda. Sisipan 2: 59 (2003)

Callitriche palustris L., Sp. Pl. 969 (1753) Nat: N Korea 물별이끼

Callitriche verna L., Fl. Suec. (ed. 2) 3 (1755)

Callitriche dubia Hoffm. ex Roth, Tent. Fl. Germ. 1: 389 (1788)

Callitriche tenuifolia Thuill. ex Pers., Syn. Pl. (Persoon) 1: 6 (1805)

Callitriche pallens Goldb., Mem. Soc. Imp. Naturalistes Moscou 5: 118 (1817)

Callitriche vernalis Kütz., Linnaea 7: 175 (1832)

Callitriche fallax Petrov, Izv. Glavn. Bot. Sada SSSR 27: 360 (1928)

Callitriche verna L. var. *fallax* (Petrov) H.Hara, Bot. Mag. (Tokyo) 49: 866 (1935)

Plantago L.

Plantago asiatica L., Sp. Pl. 113 (1753) Nat: N Korea, S Korea 질경이

Plantago major L. var. *asiatica* (L.) Decne., Prodr. (DC.) 13: 694 (1852)

Plantago taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 (1910)

Plantago coreana H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)

Plantago alata Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 82 (1914)

Plantago asiatica L. var. *densiuscula* Pilg., Notizbl. Bot. Gart. Berlin-Dahlem 8: 108 (1922)

Plantago asiatica L. var. *lobulata* Pilg., Notizbl. Bot. Gart. Berlin-Dahlem 8: 109 (1922)

Plantago yezoensis Pilg., Notizbl. Bot. Gart. Berlin-Dahlem 8: 105 (1922)

Plantago yakusimensis Masam., Bot. Mag. (Tokyo) 44: 220 (1930)

Plantago formosana Tateishi & Masam., J. Soc. Trop. Agric. 4: 192 (1932)

Plantago asiatica L. var. *yezoensis* (Pilg.) H.Hara, Enum. Spermatophytarum Japon. 1: 299 (1948)

Plantago asiatica L. f. *polystachya* (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 105 (1952)

Plantago camtschatica Cham. ex Link, Enum. Hort. Berol. Alt. 1: 120 (1821) Nat: N Korea, S Korea 개질경이

Plantago kamtschatica Ledeb., Fl. Ross. (Ledeb.) 3: 478 (1849)

Plantago arctica Decne., Prodr. (DC.) 13: 700 (1852)

Plantago villifera Franch., Bull. Soc. Bot. France 26: 87 (1879)

Plantago depressa Willd. subsp. *camtschatica* (Link) Pilg., Repert. Spec. Nov. Regni Veg. 20: 16 (1924)

Plantago depressa Willd., Enum. Pl. Suppl. (Willdenow) 8 (1814) Nat: N Korea, S Korea

Plantago sibirica Poir., Encycl. (Lamarck) Suppl. 4 433 (1816)

Plantago leptostachys Ledeb., Fl. Ross. (Ledeb.) 3: 479 (1847)

Plantago paludosa Turcz. ex Decne., Fl. Ross. (Ledeb.) 3: 478 (1849)

Plantago asiatica L. var. *decumbens* Turcz., Fl. Baical.-dahur. 2, 1: 12 (1856)

Plantago depressa Willd. var. *turczaninowii* Ganesch., Trudy Bot. Muz. Imp. Akad. Nauk 13: 193 (1915)

Plantago lanceolata L., Sp. Pl. 113 (1753) Int 창질경이

Plantago altissima L., Sp. Pl. (ed. 2) 1: 164 (1762)
Plantago lanuginosa Bastard, Essai Fl. Maine-et-Loire 160 (1809)
Plantago glauca C.A.Mey., Verz. Pfl. Casp. Meer. 115 (1831)
Plantago fontiscurvae Kom., Oprod. Rast. Dal'nevost. Kraia 2: 942 (1932)
Plantago yezomaritima Koidz., Acta Phytotax. Geobot. 10: 142 (1941)
Plantago glabriflora Sakalo, Bot. Zhurn. (Moscow & Leningrad) 33: 84 (1948)
Plantago japonica Franch. & Sav. var. *yezomaritima* (Koidz.) H.Hara, Enum. Spermatophytarum Japon. 1: 300 (1948)
Plantago major L. f. *yezomaritima* (Koidz.) Ohwi, Fl. Jap. (Ohwi) 1077 (1953)

***Plantago major* L., Sp. Pl. 112 (1753) Nat: N Korea, S Korea 왕질경이**

Plantago japonica Franch. & Sav., Enum. Pl. Jap. 2: 469 (1878)
Plantago major L. var. *japonica* (Franch. & Sav.) Miyabe, Fl. Kurile Islands 256 (1890)
Plantago japonica Franch. & Sav. f. *polystachya* Makino, Bot. Mag. (Tokyo) 21: 160 (1907)
Plantago major L. var. *asiatica* f. *polystachya* Makino, Somoku Dzusetu, ed. 3 106 (1907)

***Plantago patagonica* Jacq. var. *aristata* (Michx.) A.Gray, Manual (Gray), ed. 2 269 (1856)**

Int 긴포꽃질경이

Plantago aristata Michx., Fl. Bor.-Amer. (Michaux) 1: 95 (1803)

***Plantago virginica* L., Sp. Pl. 113 (1753) Int 미국질경이**

PLATANACEAE

Platanus L.

***Platanus occidentalis* L., Sp. Pl. 2: 999 (1753) Int 양버즘나무**

Platanus lobata Moench, Methodus (Moench) 358 (1794)
Platanus excelsa Salisb., Prodr. Stirp. Chap. Allerton 393 (1796)
Platanus integrifolia C.Koch, Dendrologie 2(1): 469 (1872)
Platanus occidentalis L. var. *occidentalis* (L.) Kuntze, Revis. Gen. Pl. 2: 636 (1891)

***Platanus orientalis* L., Sp. Pl. 2: 999 (1753) Int 버즘나무**

Platanus palmata Moench, Methodus (Moench) 358 (1794)
Platanus umbrosa Salisb., Prodr. Stirp. Chap. Allerton 393 (1797)
Platanus orientalis L. var. *insularis* A.DC., Prodr. (DC.) 16: 159 (1864)
Platanus orientalis L. var. *genuina* Wesm., Bull. Fed. Soc. Hort. Belgique 1867: 315 (1868)

***Platanus x hispanica* Münchh., Hausvater 5: 229 (1770) Int 단풍버즘나무**

Platanus orientalis L. var. *acerifolia* Aiton, Hort. Kew. (Hill) 3: 364 (1789)
Platanus acerifolia (Aiton) Willd., Sp. Pl. (ed. 4) 4 (1): 474 (1805)
Platanus densicoma Dode, Bull. Soc. Dendrol. France 1908: 67 (1908)
Platanus acerifolia (Aiton) Willd. var. *hispanica* (Münchh.) Bean, Gard. Chron. 66: 47 (1919)
Platanus acerifolia (Aiton) Willd. var. *cantabrigiensis* Henry ex Stearn, J. Bot. 70: 15 (1932)

PLUMBAGINACEAE

Limonium Mill.

***Limonium tetragonum* (Thunb.) Bullock, Kew Bull. 3: 368 (1949) Nat: N Korea, S Korea
갯질경**

-
- Statice tetragona* Thunb., Prodr. Pl. Cap. 54 (1794)
Statice japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (3): 72 (1846)
Limonium japonicum (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 2: 395 (1891)

POLEMONIACEAE

Phlox L.

- Phlox drummondii* Hook., Bot. Mag. 62: t. 3441 (1835) Int 드람블꽃
Armeria drummondii (Hook.) Kuntze, Revis. Gen. Pl. 2: 432 (1891)
Polemonium drummondii (Hook.) Kuntze, Revis. Gen. Pl. 3: 203 (1898)

- Phlox paniculata* L., Sp. Pl. 151 (1753) Int 풀헝죽도

- Phlox subulata* L., Sp. Pl. 152 (1753) Int 지면패랭이꽃

Polemonium L.

- Polemonium caeruleum* L. var. *acutiflorum* (Willd. ex Roem. & Schult.) Ledeb., Fl. Ross. (Ledeb.) 3: 84 (1847) Nat: N Korea 꽃고비
Polemonium villosum Rudolph ex Georgi, Besch. Nation. Russ. Reich 3: 771 (1780)
Polemonium acutiflorum Willd., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 792 (1819)
Polemonium caeruleum L. var. *racemosum* Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 4: 101 (1913)
Polemonium campanulatum H.Lindb. ex Lindm., Sv. Fanerogamfl. 457 (1918)
Polemonium racemosum Kitam., Acta Phytotax. Geobot. 10: 180 (1941)
- Polemonium chinense* (Brand) Brand, Repert. Spec. Nov. Regni Veg. Beih. 17: 316 (1921)
Nat: N Korea 가지꽃고비
Polemonium caeruleum L. var. *chinense* Brand, Annuaire Conserv. Jard. Bot. Geneve 15/16: 324 (1913)
Polemonium laxiflorum Kitam., Acta Phytotax. Geobot. 10: 182 (1941)
Polemonium racemosum Kitam. var. *laxiflorum* (Kitam.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 96 (1952)
Polemonium liniflorum V.N.Vassil., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 15: 218 (1953)

POLYGALACEAE

Polygala L.

- Polygala japonica* Houtt., Handl. Pl.-Kruidk. 10: 89, pl. 62, f. 1 89 (1779) Nat: N Korea, S Korea 애기풀
Polygala lourerii Gardner & Champ., Hooker's J. Bot. Kew Gard. Misc. 1: 242 (1849)
Polygala sibirica L. var. *japonica* (Houtt.) Ito, J. Coll. Sci. Imp. Univ. Tokyo 12: 311 (1899)
Polygala taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 181 (1913)
Polygala hondoensis Nakai, Bot. Mag. (Tokyo) 36: 21 (1922)
Polygala japonica Houtt. var. *angustifolia* Koidz., Fl. Symb. Orient.-Asiat. 8 (1930)
Polygala japonica Houtt. f. *virescens* Nakai, J. Jap. Bot. 5: 133 (1950)

- Polygala sibirica* L., Sp. Pl. 702 (1753) Nat: N Korea, S Korea 두메애기풀

Polygala sibirica L. var. *latifolia* Ledeb., Fl. Ross. (Ledeb.) 1: 269 (1842)
Polygala sibirica L. var. *stricta* Debeaux, Actes Soc. Linn. Bordeaux 31: 123 (1876)
Polygala japonica Houtt. var. *cinerascens* Franch., Bull. Soc. Bot. France p. 33 (1899)

***Polygala tatarinowii* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 523 (1861) Nat: N Korea, S Korea 병아리풀**

Semeiocardium hamiltonii Hassk., Ann. Mus. Bot. Lugduno-Batavi 1: 151 (1863)
Polygala siboldiana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 260 (1866)
Salomonina martinii H.Lév., Bull. Soc. Bot. France 51: 290 (1904)

***Polygala tenuifolia* Willd., Sp. Pl. 879 (1753) Nat: N Korea, S Korea 원지**

Polygala sibirica L. var. *angustifolia* Ledeb., Fl. Ross. (Ledeb.) 1: 269 (1842)
Polygala sibirica L. var. *tenuifolia* (Willd.) Chodat, Mem. Soc. Phys. Geneve 31-2: 348 (1893)

***Salomonina* Lour.**

***Salomonina ciliata* (L.) DC., Prodr. (DC.) 1: 334 (1824) Nat: S Korea 병아리다리**

Salomonina oblongifolia DC., Prodr. (DC.) 1: 334 (1824)
Salomonina stricta Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 152 (1845)
Salomonina ramosissima Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 352 (1854)
Salomonina cavaleriei H.Lév., Bull. Soc. Bot. France 51: 291 (1904)

POLYGONACEAE

***Aconogonon* (Meisn.) & Rchb.**

***Aconogonon ajanense* (Regel & Tiling) H.Hara, Fl. E. Himalaya 631 (1966) Nat: N Korea 긴개성아**

Polygonum polymorphum Ledeb. var. *ajanense* Regel & Tiling, Fl. Ajan. 116 (1858)
Pleuropteropyrum ajanense (Regel & Tiling) Nakai, Rep. Veg. Daisetsu Mts. 46 (1930)
Polygonum ajanense (Regel & Tiling) Grig., Fl. URSS 5: 666, pl. 46, f. 2 (1936)

***Aconogonon alpinum* (All.) Schur, Sert. Fl. Transsilv. 64 (1853) Nat: N Korea, S Korea 상아**

Polygonum alpinum All., Auct. Syn. Meth. Stirp. Hort. Regii Taur. 42 (1773)
Polygonum undulatum Murray, Novi Comment. Soc. Regiae Sci. Gott. 5: 34 (1774)
Polygonum diffusum Pall. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 255 (1825)
Gononcus undulatus Raf., Fl. Tellur. 3: 16 (1837)
Polygonum polymorphum Ledeb., Fl. Ross. (Ledeb.) 3(2, 10): 524 (1850)
Polygonum weyrichii F.Schmidt var. *alpinum* (All.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 402 (1875)
Persicaria alpina (All.) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 31 (1913)
Persicaria undulata (Raf.) H.Gross, Beih. Bot. Centralbl. 37: 114 (1919)
Pleuropteropyrum jeholense Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 12 (1936)

***Aconogonon brachytrichum* (Ohwi) Soják, Preslia 46: 151 (1974) Nat: S Korea 털상아**

Polygonum brachytrichum Ohwi, Acta Phytotax. Geobot. 7: 129 (1935)

***Aconogonon divaricatum* (L.) Nakai ex T.Mori, Enum. Pl. Corea 129 (1922) Nat: N Korea, S Korea 왜개성아**

Polygonum divaricatum L., Sp. Pl. 363 (1753)
Persicaria divaricata (L.) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 29 (1913)
Pleuropteryrum divaricatum (L.) Nakai, Rigakkwai 24: 8 (1926)

***Aconogonon limosum* (Kom.) H.Hara, Fl. E. Himalaya 632 (1966)** Nat: N Korea 산바위성아
Polygonum divaricatum L. var. *limosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 135 (1904)
Polygonum limosum (Kom.) Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 165 (1916)
Pleuropteryrum limosum (Kom.) Kitag., Lin. Fl. Manshur. 182 (1939)

***Aconogonon microcarpum* (Kitag.) H.Hara, Fl. E. Himalaya 632 (1966)** Nat: N Korea, S Korea, Endemic 참개성아
Pleuropteryrum microcarpum Kitag., Bot. Mag. (Tokyo) 50: 73 (1936)

***Aconogonon mollifolium* (Kitag.) H.Hara, Fl. E. Himalaya 632 (1966)** Nat: N Korea
얇은개성아
Pleuropteryrum mollifolium Kitag., Bot. Mag. (Tokyo) 50: 75 (1936)

Bistorta Scop.

***Bistorta alopecuroides* (Turcz. ex Besser) Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 3 (1926)** Nat: S Korea 가늌범꼬리
Polygonum alopecuroides Turcz. ex Besser, Flora 17(1 Beibl.): 23 (1834)
Polygonum bistorta L. var. *longifolium* Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 40 (1838)
Polygonum bistorta L. var. *graminifolium* Turcz., Fl. Baical.-dahur. 2: 59 (1856)
Bistorta vulgaris Hill var. *angustifolia* H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 17 (1913)

***Bistorta incana* (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 130 (1922)** Nat: N Korea
흰범꼬리
Polygonum bistorta L. var. *incana* Nakai, Fl. Kor. 2: 168 (1911)

***Bistorta manshuriensis* (Petrov ex Kom.) Kom., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 6: 3 (1926)** Nat: N Korea, S Korea 범꼬리
Polygonum manshuriense Petrov ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 1.625: 55 (1923)

***Bistorta ochotensis* (Petrov ex Kom.) Kom., Fl. URSS 5: 687 (1936)** Nat: N Korea 호범꼬리
Polygonum ochotense Petrov ex Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 3 (1926)
Bistorta globispica Nakai, J. Jap. Bot. 14: 736 (1938)
Polygonum globispica (Nakai) C.W.Park, Gen. Vasc. Pl. Korea 347 (2007)

***Bistorta pacifica* (Petrov ex Kom.) Kom., Fl. URSS 5: 682 (1936)** Nat: N Korea 참범꼬리
Persicaria bistorta (L.) Samp., Herb. Port. 41 (1913)
Bistorta vulgaris Hill var. *pacifica* (Petrov ex Kom.) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26: 508 (1934)
Polygonum pacificum Petrov ex Kom., Fl. URSS 5: 726 (1936)
Bistorta major Gray var. *pacifica* (Petrov ex Kom.) H.Hara, J. Jap. Bot. 13: 382 (1937)
Bistorta pacifica (Petrov ex Kom.) Kom. ex Kitag. f. *velutina* Kitag., J. Jap. Bot. 47: 354 (1972)
Polygonum pacificum Petrov ex Kom. f. *velutinum* (Kitag.) Kitag., Neolin. Fl. Manshur. 229 (1979)

***Bistorta suffulta* (Maxim.) Greene ex H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 15 (1913) Nat: S Korea 눈범꼬리**

- Polygonum suffultum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 233 (1876)
Polygonum constans Cummins, Bull. Misc. Inform. Kew 1896: 20 (1896)
Polygonum marrettii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 171 (1910)
Polygonum limprichtii Lingelsh., Repert. Spec. Nov. Regni Veg. Beih. 12: 359 (1922)
Bistorta constans (Cummins) Petrov, Izv. Glavn. Bot. Sada SSSR 27: 220 (1928)
Bistorta franchetiana Petrov, Izv. Bot. Sada Akad. Nauk S.S.S.R 27: 224 (1928)
Bistorta majanthemifolia Petrov, Izv. Bot. Sada Akad. Nauk S.S.S.R 27: 221 (1928)

***Bistorta tenuicaulis* (Bisset & S.Moore) Nakai, Rigakkwai 24: 7 (1926) Nat: S Korea 이른범꼬리**

- Polygonum tenuicaule* Bisset & S.Moore, J. Bot. 16: 135 (1878)
Bistorta tenuicaulis (Bisset & S.Moore) Nakai var. *nanum* (Matsum. & Nakai) Nakai, Rigakkwai 24: 295 (1926)

***Bistorta vivipara* (L.) Delarbre, Fl. Auvergne (Delarbre) ed. 2, 2: 516 (1800) Nat: N Korea 씨범꼬리**

- Polygonum viviparum* L., Sp. Pl. 360 (1753)
Polygonum bulbiferum Royle ex Bab., Trans. Linn. Soc. London 18: 94 (1838)
Bistorta bulbifera (Royle) Greene ex Bab., Leaf. Bot. Observ. Crit. 1: 21 (1904)
Polygonum viviparum L. f. *roessleri* Beck, Icon. Fl. Germ. Helv. 24: 84 (1906)
Bistorta vivipara (L.) Delarbre var. *roessleri* (Beck) F.Maek., J. Jap. Bot. 11: 672 (1935)
Bistorta vivipara (L.) Delarbre var. *angustifolia* Nakai, J. Jap. Bot. 14: 740 (1938)
Bistorta vivipara (L.) Delarbre f. *roessleri* (Beck) Kitag., Lin. Fl. Manshur. 176 (1939)
Persicaria vivipara (L.) Ronse Decr., Bot. J. Linn. Soc. 98: 368 (1988)

Fagopyrum Mill.

***Fagopyrum esculentum* Moench, Methodus (Moench) 290 (1794) Int 메밀**

- Polygonum fagopyrum* L., Sp. Pl. 364 (1753)
Polygonum emarginatum Roth, Catal. Bot. 1: 48 (1797)
Fagopyrum emarginatum Moench, Suppl. Meth. (Moench) 100 (1802)
Fagopyrum vulgare T.Nees, Gen. Fl. Germ. 53 (1834)
Fagopyrum dryandrii Fenzl, Linnaea 24: 232 (1851)

Fallopia Bubani

***Fallopia convolvulus* (L.) A.Löve, Taxon 19: 300 (1970) Nat: N Korea, S Korea 나도담의덩굴**

- Polygonum convolvulus* L., Sp. Pl. 364 (1753)
Bilderdykia convolvulus (L.) Dumort., Fl. Belg. (Dumortier) 18 (1827)
Helxine convolvulus (L.) Raf., Fl. Tellur. 3: 10 (1837)
Tiniaria convolvulus (L.) Webb & Moq., Hist. Nat. Iles Canaries 3: 221 (1846)
Fagopyrum convolvulus (L.) Gross, Bull. Acad. Int. Géogr. Bot. 32: 21 (1913)
Reynoutria convolvulus (L.) Shinnars, Sida 3: 117 (1967)

***Fallopia dentatoalata* (F.Schmidt) Holub, Folia Geobot. Phytotax. 6: 176 (1970) Nat: N Korea, S Korea 큰담의덩굴**

- Polygonum dentatoalatum* F.Schmidt, Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 232 (1859)
Polygonum scandens L. var. *dentatoalatum* (F.Schmidt) Maxim. ex Franch. & Sav.,

Enum. Pl. Jap. 2: 472 (1879)

Fagopyrum scandens (L.) Gross var. *dentatoalatum* (F.Schmidt) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 23 (1913)

Tiniaria scandens Small var. *dentatoalata* (F.Schmidt) Nakai ex T.Mori, Enum. Pl. Corea 137 (1922)

Bilderdykia scandens (L.) Greene var. *dentatoalata* (F.Schmidt) Nakai, Rigakkwai 24: 295 (1926)

Bilderdykia dentatoalata (F.Schmidt) Kitag., Lin. Fl. Manshur. 3(App. 1): 175 (1939)

***Fallopia dumetorum* (L.) Holub, Folia Geobot. Phytotax. 6: 176 (1970) Nat; N Korea, S Korea** **닭의당굴**

Polygonum dumetorum L., Sp. Pl. (ed. 2) 1: 522 (1762)

Fagopyrum dumetorum (L.) Schreb., Spic. Fl. Lips. 42 (1771)

Bilderdykia dumetorum (L.) Dumort., Fl. Belg. (Dumortier) 18 (1827)

Helxine dumetorum (L.) Raf., Fl. Tellur. 3: 10 (1837)

Tiniaria dumetorum (L.) Opiz, Seznam 98 (1852)

Polygonum pauciflorum Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 2 (1866) , non Endl. 1848.

Fagopyrum pauciflorum (Maxim.) Gross, Bull. Acad. Int. Géogr. Bot. 23: 25 (1913)

Bilderdykia pauciflora (Maxim.) Nakai, Rigakkwai 24: 295 (1926)

Polygonum scandens L. var. *dumetorum* (L.) Gleason, Phytologia 4: 23 (1952)

Reynoutria scandens L. var. *dumetorum* (L.) Shinnars, Sida 3: 118 (1967)

Fallopia pauciflora (Maxim.) Kitag., Neolin. Fl. Manshur. 231 (1979)

***Fallopia forbesii* (Hance) Yonek. & H. Ohashi, J. Jap. Bot. 3: 158 (1997) Nat; N Korea, S Korea** **감철대**

Polygonum forbesii Hance, J. Bot. 21: 100 (1883)

Polygonum yunnanense H.Lév., Repert. Spec. Nov. Regni Veg. 6: 211 (1908)

Polygonum reynoutria (Houtt.) Makino var. *ellipticum* Koidz., Bot. Mag. (Tokyo) 31: 259 (1917)

Reynoutria yunnanensis (H.Lév.) Nakai ex Migo, J. Shanghai Sci. Inst. 3: 229 (1937)

Reynoutria elliptica (Koidz.) Migo ex Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 34 (1952)

Reynoutria forbesii (Hance) T. Yamaz., J. Jap. Bot. 69: 180 (1994)

***Fallopia japonica* (Houtt.) Ronse Decr., Bot. J. Linn. Soc. 98: 369 (1988) Nat; N Korea, S Korea** **호장근**

Reynoutria japonica Houtt., Handl. Pl.-Kruidk. 8: 639 (1777)

Polygonum cuspidatum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 208 (1846)

Polygonum compactum Hook.f., Bot. Mag. 106: t. 6476 (1880)

Polygonum zuccarinii Small, Mem. Dept. Bot. Columbia Coll. 1: 158 (1895)

Polygonum reynoutria (Houtt.) Makino, Bot. Mag. (Tokyo) 15: 84 (1901)

Polygonum reynoutria (Houtt.) Makino f. *colorans* Makino, Iinuma, Somoku-Dzusesetsu, ed. 2 587 (1910)

Polygonum cuspidatum Siebold & Zucc. f. *compactum* (Hook.f.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 173 (1911)

Polygonum reynoutria (Houtt.) Makino var. *compactum* (Hook.f.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 173 (1911)

Pleuropterus zuccarinii (Small) Small, Ill. Fl. N. U.S. (ed. 2) 1: 676 (1913)

Polygonum sieboldii de Vriese var. *compactum* (Hook.f.) L.H.Bailey, Stand. Cycl. Hort. 5: 2743 (1916)

Pleuropterus cuspidatus (Siebold & Zucc.) Gross, Beih. Bot. Centralbl. 37: 114 (1919)

Polygonum reynoutria (Houtt.) Makino var. *humilis* Nakai, Rigakkwai 24: 293 (1926)

Reynoutria compacta (Hook.f.) Nakai, Rigakkwai 24: 293 (1926)

Reynoutria japonica Houitt. var. *humilis* (Nakai) Nakai, Rigakkwai 24: 293 (1926)
Reynoutria japonica Houitt. var. *uzenensis* Honda, Bot. Mag. (Tokyo) 46: 675 (1932)
Reynoutria uzensis (Honda) Honda, Bot. Mag. (Tokyo) 49: 791 (1935)
Reynoutria japonica Houitt. var. *compacta* (Hook.f.) Moldenke, Bull. Torrey Bot. Club 68: 675 (1941)
Tiniaria japonica (Houitt.) Hedberg, Svensk Bot. Tidskr. 11: 399 (1946)
Polygonum cuspidatum Siebold & Zucc. var. *compactum* (Hook.f.) L.H.Bailey, Man. Cult. Pl., ed. 2. 348 (1949)
Fallopia japonica (Houitt.) Ronse Decr. var. *compacta* (Hook.f.) J.P.Bailey, Watsonia 17: 443 (1989)
Fallopia japonica (Houitt.) Ronse Decr. var. *uzenensis* (Honda) Yonek. & H.Ohashi, J. Jap. Bot. 72: 158 (1997)

***Fallopia koreana* B.U.Oh & J.G.Kim, Korean J. Pl. Taxon. 26: 258 (1996) Nat; S Korea, Endemic** **삼도하수오**

***Fallopia multiflora* (Thunb.) Haraldson, Symb. Bot. Upsal. 22: 77 (1978) Int** **하수오**
Polygonum multiflorum Thunb., Syst. Veg., ed. 14 (J. A. Murray) 379 (1784)
Helxine multiflorum (Thunb.) Raf., Fl. Tellur. 3: 10 (1837)
Pleuropterus multiflorus (Thunb.) Turcz. ex Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 (1914)
Reynoutria multiflora (Thunb.) Moldenke, Bull. Torrey Bot. Club 68: 675 (1941)
Fagopyrum multiflorum (Thunb.) Griseb., Fl. Reipubl. Socialist. Romania 1: 476 (1952)
Bilderdykia multiflora (Thunb.) Roberty & Vautier, Boissiera 10: 55 (1964)

Fallopia multiflora* (Thunb.) Haraldson var. *multiflora

***Fallopia multiflora* (Thunb.) Haraldson var. *ciliinervis* (Nakai) Yonek. & H.Ohashi, J. Jap. Bot. 72: 158 (1997) Nat; N Korea, S Korea** **나도하수오**

Pleuropterus ciliinerve Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 (1914)
Polygonum multiflorum Thunb. var. *ciliinerve* (Nakai) Steward, Contr. Gray Herb. 5(88): 97 (1930)
Polygonum ciliinerve (Nakai) Ohwi, Acta Phytotax. Geobot. 6: 146 (1937)
Reynoutria ciliinervis (Nakai) Moldenke, Bull. Torrey Bot. Club 68: 675 (1941)
Fallopia ciliinervis (Nakai) K.Hammer, Kulturpflanze 34: 99 (1986)

***Fallopia sachalinensis* (F.Schmidt) Ronse Decr., Bot. J. Linn. Soc. 98: 369 (1988) Nat; S Korea** **왕호장근**

Polygonum sachalinense F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 233 (1859)
Reynoutria sachalinensis (F.Schmidt) Nakai, Enum. Pl. Corea 135 (1922)
Pleuropterus sachalinensis (F.Schmidt) Moldenke, Bull. Torrey Bot. Club 60: 57 (1933)
Tiniaria sachalinensis (F.Schmidt) Janch., Phytion (Horn) 2: 75 (1950)

Knorringia Czukav. & Tzvelev

***Knorringia sibirica* (Laxm.) Tzvelev, Novosti Sist. Vyssh. Rast. 24: 76 (1987) Nat; N Korea, S Korea** **시베리아여뀌**

Polygonum sibiricum Laxm., Novi Comment. Acad. Sci. Imp. Petrop. 18: 531, t. 7. f. 2 (1773)
Polygonum arcticum Pall. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 258 (1825)
Persicaria sibirica (Laxm.) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 30 (1913)
Pleuropterypyrum sibiricum (Laxm.) Kitag., Bot. Mag. (Tokyo) 48: 94 (1934)

Oxyria Hill

***Oxyria digyna* (L.) Hill, Hort. Kew. (Hill) 158 (1768) Nat; N Korea** 나도수영

Rumex digynus L., Sp. Pl. 337 (1753)

Lapathum digynum (L.) Lam., Fl. Franc. (Lamarck) 3: 6 (1779)

Oxyria reniformis Hook., Fl. Scot. 3: 111 (1821)

Oxyria elatior R.Br. ex Meisn., Pl. Asiat. Rar. 3: 64 (1832)

Rumex reniformis Radde, Reis. Ostsib. 131 (1862)

Persicaria L. & Mill.

***Persicaria amphibia* (L.) Delarbre, Fl. Auvergne ed. 2: 519 (1800) Nat; S Korea** 물여뀌

Polygonum amphibium L., Sp. Pl. 361 (1753)

Polygonum pusporium Gilib., Excerc. Phyt. 2: 433 (1792)

Polygonum amphibia L. var. *terestre* Leers ex Willd., Sp. Pl. (ed. 2) 443 (1799)

Polygonum coccineum Muhl., Enum. Pl. (Willdenow) 1: 428 (1809)

Polygonum natans (Michx.) Eaton, Manual (Gray), ed. 3 40 (1822)

Chulusium fluitans Raf., Fl. Tellur. 3: 14 (1837)

Polygonum muhlenbergii (Meisn.) S.Watson, Proc. Amer. Acad. Arts 14: 295 (1879)

Polygonum amphibia L. var. *vestitum* Hemsl., J. Linn. Soc., Bot. 26: 333 (1891)

Polygonum amphibia L. var. *amurense* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 382 (1893)

Polygonum rigidulum E.Sheld., Bull. Geol. Nat. Hist. Surv. 9: 14, pl. 1 14 (1894)

Polygonum amphibia L. f. *terrestris* (Leers) Kitag., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 10 (1936)

Persicaria amphibia (L.) Delarbre var. *amurensis* (Korsh.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 36 (1952)

Polygonum amurense (Korsh.) Vorosch., Fl. Sovetsk. Da'n. Vost. 167 (1966)

***Persicaria breviochreata* (Makino) Ohki, Bot. Mag. (Tokyo) 40: 53 (1926) Nat; S Korea**
긴화살여뀌

Polygonum breviochreatum Makino, Bot. Mag. (Tokyo) 17: 117 (1903)

Persicaria ramosa Nakai, Bot. Mag. (Tokyo) 44: 518 (1930)

Truellum breviochreatum (Makino) Soják, Preslia 46: 145 (1974)

***Persicaria bungeana* (Turcz.) Nakai ex T.Mori, Enum. Pl. Corea 131 (1922) Nat; N Korea**
바늘여뀌

Polygonum pensylvanicum Bunge, Enum. Pl. Chin. Bor. 57 (1833)

Polygonum bungeanum Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 77 (1840)

Polygonum chanetii H.Lév., Bull. Soc. Bot. France 54: 370 (1907)

***Persicaria chinensis* (L.) H.Gross, Bot. Jahrb. Syst. 49: 269 (1913) Nat; S Korea** 덩굴모밀

Polygonum chinensis L., Sp. Pl. 363 (1753)

Rumex umbellatus Houtt., Handl. Pl.-Kruiddk. 8: 414 (1777)

Polygonum chinense L. var. *thunbergianum* Meisn., Pl. Asiat. Rar. 3: 60 (1832)

Persicaria umbellata (Houtt.) Nakai, Rigakkwai 24: 298 (1926)

***Persicaria conspicua* (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 121 (1922) Nat; S Korea**
꽃여뀌

Polygonum japonicum Meisn. var. *conspicuum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 23: 10 (1908)

Polygonum conspicuum (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 168 (1911)

Persicaria sterilis (Nakai) Nakai & Ohki, Bot. Mag. (Tokyo) 40: 51 (1926)

***Persicaria debilis* H.Gross ex W.T.Lee, Lineamenta Florae Koreae 220 (1996) Nat: S Korea
세뿔여뀌**

- Polygonum debile* Steud. ex Meisn., Prodr. (DC.) 14: 129 (1856)
Polygonum thunbergii Siebold & Zucc. var. *coreana* H.Lév., Repert. Spec. Nov. Regni
Veg. 8: 171 (1910)
Persicaria triangularis (Meisn.) Nakai, Rigakkwai 24: 12 (1926)
Truellum debile (Meisn.) Soják, Preslia 46: 145 (1974)

***Persicaria dissitiflora* (Hemsl.) H.Gross ex T.Mori, Enum. Pl. Corea 131 (1922) Nat: N Korea,
S Korea 가시여뀌**

- Polygonum dissitiflorum* Hemsl., J. Linn. Soc., Bot. 26: 338 (1891)
Polygonum fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 423 (1904)
Polygonum glanduliferum Nakai, J. Coll. Sci. Imp. Univ. Tokyo 23: 20 (1908)
Persicaria fauriei (H.Lév. & Vaniot) Nakai ex T.Mori, Enum. Pl. Corea 131 (1922)
Persicaria dissitiflora (Hemsl.) H.Gross ex T.Mori var. *fauriei* (H.Lév. & Vaniot) Migo,
J. Shanghai Sci. Inst. 14: 127 (1944)

***Persicaria filiformis* (Thunb.) Nakai ex T.Mori, Saishu-to Kuan-to Shokubutsu Hokoku-sho
[Fl. Quelpaert Isl.] 41 (1914) Nat: N Korea, S Korea 이삭여뀌**

- Polygonum filiforme* Thunb., Fl. Jap. (Thunberg) 163 (1784)
Sunania filiformis (Thunb.) Raf., Fl. Tellur. 3: 95 (1837)
Polygonum virginianum L. var. *filiforme* (Thunb.) Nakai, Bot. Mag. (Tokyo) 23: 830 (1909)
Polygonum virginianum L. f. *glabratum* Matsuda, Bot. Mag. (Tokyo) 27: 11 (1913)
Tovara filiformis (Thunb.) Nakai, Rigakkwai 24: 8 (1926)
Tovara virginiana (L.) Raf. var. *filiformis* (Thunb.) Steward, Contr. Gray Herb. 5: 14 (1930)
Tovara smaragdina Nakai ex F.Maek., Bot. Mag. (Tokyo) 46: 585 (1932)
Tovara ryukyuensis Masam., Trans. Nat. Hist. Soc. Taiwan 29: 60 (1939)
Tovara filiformis (Thunb.) Nakai f. *albiflora* Makino ex Hiyama, J. Jap. Bot. 17: 319 (1941)
Polygonum filiforme Thunb. var. *smaragdinum* (Nakai) Ohwi ex F.Maek., Bull. Natl. Sci.
Mus., Tokyo 33: 70 (1953)
Tovara filiformis (Thunb.) Nakai f. *trichorachis* Hiyama, J. Jap. Bot. 36: 125 (1961)
Sunania filiformis (Thunb.) Raf. f. *albiflora* (Makino) H.Hara ex Hiyama, J. Jap. Bot. 37:
329 (1962)
Sunania filiformis (Thunb.) Raf. f. *smaragdina* (Nakai) H.Hara ex F.Maek., J. Jap. Bot.
37: 329 (1962)
Sunania filiformis (Thunb.) Raf. f. *trichorachis* (Hiyama) H.Hara, J. Jap. Bot. 37: 329 (1962)
Tovara filiformis (Thunb.) Nakai f. *amabilis* Hiyama, J. Jap. Bot. 37: 329 (1962)
Antenoron filiforme (Thunb.) Roberty & Vautier, Boissiera 10: 35 (1964)
Antenoron filiforme (Thunb.) Roberty & Vautier f. *albiflorum* (Makino) H.Hara ex
Hiyama, J. Jap. Bot. 40: 192 (1965)
Antenoron filiforme (Thunb.) Roberty & Vautier f. *amabile* (Hiyama) H.Hara, J. Jap. Bot.
40: 192 (1965)
Antenoron filiforme (Thunb.) Roberty & Vautier f. *smaragdinum* (Nakai) H.Hara ex
F.Maek., J. Jap. Bot. 40: 192 (1965)
Antenoron filiforme (Thunb.) Roberty & Vautier f. *trichorachis* (Hiyama) H.Hara, J. Jap.
Bot. 40: 192 (1965)

***Persicaria foliosa* (H.Lindb.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 321 (1937) Nat: N
Korea, S Korea 만주겨이삭여뀌**

- Polygonum foliosum* H.Lindb., Meddel. Soc. Fauna Fl. Fenn. 27: 3 (1900)

Persicaria foliosa* (H.Lindb.) Kitag. var. *foliosa

***Persicaria foliosa* (H.Lindb.) Kitag. var. *paludicola* (Makino) H.Hara, J. Jap. Bot. 31: 176 (1956)** Nat: S Korea **버들겨이삭여뀌**

Polygonum paludicolum Makino, Bot. Mag. (Tokyo) 28: 113 (1914)

Persicaria paludicola (Makino) Nakai, Rigakkwai 24: 300 (1926)

Polygonum foliosum H.Lindb. var. *paludicolum* (Makino) Kitam., Acta Phytotax. Geobot. 20: 207 (1962)

***Persicaria hastatosagittata* (Makino) Nakai ex T.Mori, Enum. Pl. Corea 132 (1922)** Nat: N Korea, S Korea **긴미꾸리나뉨시**

Polygonum sagittatum L. var. *ussuriense* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 126 (1861)

Polygonum hastatosagittatum Makino, Bot. Mag. (Tokyo) 17: 119 (1903)

Polygonum cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 172 (1910)

Polygonum strigosum R.Br. var. *hastatosagittatum* (Makino) Steward, Contr. Gray Herb. 5: 90 (1930)

Truellum hastatosagittatum (Makino) Soják, Preslia 46: 146 (1974)

***Persicaria hydropiper* (L.) Delarbre, Fl. Auvergne ed. 2: 518 (1800)** Nat: N Korea, S Korea **여뀌**

Polygonum hydropiper L., Sp. Pl. 361 (1753)

Polygonum hydropiper L. var. *vulgare* Meisn., Prodr. (DC.) 14: 109 (1857)

Polygonum koreense Nakai, Bot. Mag. (Tokyo) 33: 6 (1919)

Persicaria koreensis (Nakai) Nakai, Rigakkwai 24: 300 (1926)

Polygonum hydropiper L. subsp. *megalocarpum* Danser, Bull. Jard. Bot. Buitenzorg 8: 188 (1927)

Persicaria vernaris Nakai, Bot. Mag. (Tokyo) 43: 455 (1929)

Persicaria hydropiper (L.) Delarbre var. *fastigiata* (Makino) Araki, Amatores Herb. 8: 31 (1939)

Persicaria erectominor (Makino) Nakai var. *koreensis* (Nakai) I.Ito, J. Jap. Bot. 31: 178 (1956)

***Persicaria japonica* (Meisn.) Nakai, Bot. Mag. (Tokyo) 40: 51 (1926)** Nat: N Korea, S Korea **흰꽃여뀌**

Polygonum japonicum Meisn., Prodr. (DC.) 14: 112 (1856)

Polygonum japonicum Meisn. var. *densiflorum* Nakai, Bot. Mag. (Tokyo) 22: 63 (1908)

Polygonum japonicum Meisn. var. *salicifolium* Nakai, Bot. Mag. (Tokyo) 22: 64 (1908)

Polygonum pseudojaponicum Ohwi, Bot. Mag. (Tokyo) 39: 263 (1925)

Persicaria pseudojaponicum (Ohki) Sasaki, List Pl. Formosa (Sasaki) 170 (1928)

***Persicaria lapathifolia* (L.) Delarbre, Fl. Auvergne ed. 2: 519 (1800)** Nat: N Korea, S Korea **흰여뀌**

Polygonum lapathifolium L., Sp. Pl. 360 (1753)

Polygonum tomentosum Schrank, Baier. Fl. 1: 669 (1789)

Polygonum persicaria L. var. *incanum* Roth, Tent. Fl. Germ. 2: 53 (1789)

Polygonum scabrum Moench, Methodus (Moench) 629 (1794)

Polygonum nodosum Pers., Syn. Pl. (Persoon) 1: 440 (1805)

Polygonum tenuifolium C.Presl, Delic. Prag. 67 (1832)

Polygonum lanatum Roxb., Fl. Ind. (Roxburgh) 2: 285 (1832)

Persicaria nodosa (Pers.) Opiz, Seznam 72 (1852)

Polygonum glandulosum Kit., Linnaea 34: 363 (1863)

Persicaria vaniotiana H.Lév., Repert. Spec. Nov. Regni Veg. 11: 496 (1913)

Polygonum bioritsuense Ohki, Bot. Mag. (Tokyo) 39: 259 (1925)

Persicaria glandulosa (R.Br.) Nakai, Rigakkwai 24: 300 (1926)

Persicaria pseudonodosa (Ohki) Sasaki, List Pl. Formosa (Sasaki) 170 (1928)
Persicaria tenuifolia (C.Presl) H.Hara, Bot. Mag. (Tokyo) 48: 893 (1934)
Persicaria lapathifolia (L.) Delarbre var. *salicifolia* Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 522 (1934)
Polygonum lapathifolium L. subsp. *nodosum* (Pers.) Fr., Novit. Fl. Suec. Mant. 2: 25 (1939)
Persicaria lapathifolia (L.) Delarbre var. *incana* (Roth) S.Ekman & T.Knutsson, Nord. J. Bot. 14: 24 (1994)
Persicaria lapathifolia (L.) Delarbre f. *alba* Y.N.Lee, Fl. Korea (Lee) 1156 (1996)

***Persicaria longiseta* (Bruijn) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 322 (1937) Nat: N Korea, S Korea 개여뀌**

Polygonum longisetum Bruijn, Pl. Jungh. 307 (1854)
Polygonum blumei Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 57 (1865)
Persicaria blumei (Meisn.) H.Gross, Beih. Bot. Centralbl. 37: 111 (1919)
Persicaria longiseta (Bruijn) Kitag. f. *breviseta* (Meisn.) W.T.Lee, Lineamenta Florae Koreae 225 (1996)

***Persicaria maackiana* (Regel) Nakai ex T.Mori, Enum. Pl. Corea 132 (1922) Nat: N Korea, S Korea 나도미꾸리늪시**

Polygonum maackianum Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 127 (1861)
Polygonum thunbergii Siebold & Zucc. var. *maackianum* (Regel) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 475 (1878)
Tracaulon maackianum (Regel) Greene, Leafl. Bot. Observ. Crit. 1: 22 (1904)
Truellum maackianum (Regel) Soják, Preslia 46: 146 (1974)

***Persicaria muricata* (Meisn.) Nemoto, Fl. Jap. Suppl. 173 (1936) Nat: N Korea, S Korea 넓은잎미꾸리늪시**

Polygonum muricatum Meisn., Monogr. Polyg. 74 (1826)
Polygonum asperulum Wall., Numer. List Wallich's Cat. no. 1724 (1829)
Polygonum hastatosagittatum Makino var. *latifolium* Makino, Bot. Mag. (Tokyo) 17: 120 (1903)
Polygonum thunbergii Siebold & Zucc. var. *spicatum* H.Lév., Bull. Soc. Bot. France 51: 42 (1904)
Polygonum nipponense Makino, Bot. Mag. (Tokyo) 23: 89 (1909)
Polygonum oliganthum Diels, Notes Roy. Bot. Gard. Edinburgh 5: 260 (1912)
Persicaria nipponensis (Makino) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 (1914)
Polygonum benguetense Merr., Philipp. J. Sci. 10: 301 (1915)
Persicaria nipponica (Makino) Nakai, Rigakkwai 24: 299 (1926)
Polygonum strigosum R.Br. var. *benguetense* (Merr.) Steward, Contr. Gray Herb. 5: 90 (1930)
Polygonum kirinense S.X.Li & Y.L.Chang, Fl. Pl. Herb. Chin. Bor.-Or. 2: 60 (1959)
Truellum benguetense (Merr.) Soják, Preslia 46: 145 (1974)
Truellum nipponense (Makino) Soják, Preslia 46: 148 (1974)

***Persicaria neofiliformis* (Nakai) Ohki, Bot. Mag. (Tokyo) 40: 57 (1926) Nat: S Korea 새이삭여뀌**

Polygonum neofiliforme Nakai, Bot. Mag. (Tokyo) 36: 117 (1922)
Tovara neofiliformis (Nakai) Nakai, Rigakkwai 24: 8 (1926)
Tovara filiformis (Thunb.) Nakai var. *neofiliformis* (Nakai) Makino, J. Jap. Bot. 6: 32 (1930)
Polygonum filiforme Thunb. var. *neofiliforme* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 (1953)
Polygonum filiforme Thunb. subsp. *neofiliforme* (Nakai) Kitam., Acta Phytotax. Geobot. 20: 206 (1962)

Sumania neofiliformis (Nakai) H.Hara, J. Jap. Bot. 37: 330 (1962)
Antenoron neofiliforme (Nakai) H.Hara, J. Jap. Bot. 40: 192 (1965)

***Persicaria nepalensis* (Meisn.) H.Gross, Bot. Jahrb. Syst. 49: 277 (1913) Nat: N Korea, S Korea 산여뀌**

Polygonum alatum Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 72 (1825)
Polygonum nepalense Meisn., Monogr. Polyg. 84 (1826)
Polygonum guttuliferum Miq. ex Meisn., Prodr. (DC.) 14: 129 (1856)
Polygonum alatum Buch.-Ham. ex D.Don var. *nepalense* (Meisn.) Hook.f., Fl. Brit. Ind. 5: 42 (1886)
Polygonum nepalense Meisn. var. *adenothrix* Nakai, Bot. Mag. (Tokyo) 23: 416 (1909)
Polygonum quadrifidum Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 233 (1911)
Persicaria alata (Buch.-Ham. ex D.Don) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 40 (1914)
Polygonum lyratum Nakai, Bot. Mag. (Tokyo) 33: 47 (1919)
Persicaria lyrata (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 131 (1922)

***Persicaria orientalis* (L.) Spach, Hist. Nat. Veg. (Spach) 10: 537 (1841) Nat: N Korea, S Korea 털여뀌**

Polygonum orientale L., Sp. Pl. 362 (1753)
Lagunea cochinchinensis Lour., Fl. Cochinch. 220 (1790)
Polygonum pilosum Roxb. ex Meisn., Fl. Ind. (Roxburgh) 2: 286 (1820)
Polygonum orientale L. var. *pilosum* (Roxb. ex Meisn.) Meisn., Prodr. (DC.) 14: 123 (1857)
Amblygonum orientale (L.) Nakai ex T.Mori, Enum. Pl. Chin. Bor. 129 (1922)
Amblygonum pilosum (Roxb. ex Meisn.) Nakai, Rigakkwai 24: 297 (1926)
Persicaria cochinchinensis (Lour.) Kitag., Lin. Fl. Manshur. 177 (1939)
Lagunea orientalis (L.) Nakai, J. Jap. Bot. 18: 112 (1942)
Amblygonum orientale (L.) Nakai ex T.Mori var. *pilosum* (Meisn.) Nakai, Neolin. Fl. Manshur. 585 (1979)
Lagunea orientalis (L.) Nakai var. *pilosa* (Roxb. ex Meisn.) Nakai, Neolin. Fl. Manshur. 585 (1979)
Persicaria pilosa (Roxb. ex Meisn.) Kitag., Neolin. Fl. Manshur. 237 (1979)

***Persicaria perfoliata* (L.) H.Gross, Beih. Bot. Centralbl. 37: 113 (1919) Nat: N Korea, S Korea 머느리배꼽**

Polygonum perfoliatum L., Syst. Nat. ed. 10 2: 1006 (1759)
Fagopyrum perfoliatum (L.) Raf., Fl. Tellur. 3: 10 (1837)
Echinocaulon perfoliatum (L.) Meisn. ex Hassk., Flora 25: 20 (1842)
Chylocalyx perfoliatus (L.) Hassk. ex Miq., Fl. Ned. Ind. 1: 1012 (1858)
Tracaulon perfoliatum (L.) Greene, Leaf. Bot. Observ. Crit. 1: 22 (1904)
Ampelgynon perfoliatum (L.) Roberty & Vautier, Boissiera 10: 31 (1964)
Truellum perfoliatum (L.) Soják, Preslia 46: 148 (1974)

***Persicaria posumbu* (Buch.-Ham. ex D.Don) H.Gross, Bot. Jahrb. Syst. 49: 313 (1913) Nat: N Korea, S Korea 장대여뀌**

Polygonum caespitosum Blume var. *laxiflorum* Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 57 (1865)
Persicaria yokusaianum Makino, Bot. Mag. (Tokyo) 28: 116 (1914)
Persicaria yokusaiana (Makino) Nakai, Rigakkwai 24: 301 (1926)
Polygonum caespitosum Blume subsp. *yokusaianum* (Makino) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 8: 153 (1927)
Persicaria yokusaiana (Makino) Nakai var. *laxiflora* (Meisn.) H.Hara, J. Jap. Bot. 17: 339 (1941)

Persicaria posumbu (Buch.-Ham. ex D.Don) H.Gross var. *laxiflora* (Meisn.) H.Hara, Fl. E. Himalaya 634 (1966)

***Persicaria praetermissa* (Hook.f.) H.Hara, Fl. E. Himalaya 73 (1966) Nat: S Korea**
좁은잎미꾸리뉘시

Polygonum muricatum Meisn. var. *auriculatum* Meisn., Prodr. (DC.) 14: 133 (1856)
Polygonum praetermissum Hook.f., Fl. Brit. Ind. 5: 47 (1886)
Polygonum auriculatum Makino, Bot. Mag. (Tokyo) 17: 117 (1903)
Polygonum birmanicum Gage, Rec. Bot. Surv. India 2: 412 (1903)
Polygonum thunbergii Siebold & Zucc. var. *hastatotrilobum* subvar. *eciliolatum* H.Lév., Bull. Soc. Bot. France 51: 423 (1904)
Tracaulon praetermissum (Hook.f.) Greene, Leafl. Bot. Observ. Crit. 1: 22 (1904)
Polygonum hastatoauriculatum Makino ex Nakai, Bot. Mag. (Tokyo) 23: 420 (1909)
Persicaria hastatoauriculata (Makino ex Nakai) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 (1914)
Truellum praetermissum (Hook.f.) Soják, Preslia 46: 148 (1974)

***Persicaria pubescens* (Blume) H.Hara, J. Jap. Bot. 17: 335 (1941) Nat: N Korea, S Korea**
마보여귀

Polygonum pubescens Blume, Bijdr. Fl. Ned. Ind. 2: 532 (1825)
Polygonum flaccidum Meisn., Prodr. (DC.) 14: 107 (1856)
Polygonum hydro Piper L. var. *acuminatum* Franch. & Sav., Enum. Pl. Jap. 2: 474 (1878)

***Persicaria sagittata* (L.) H.Gross, Beih. Bot. Centralbl. 37: 113 (1919) Nat: N Korea, S Korea**
미꾸리뉘시

Polygonum sagittatum L., Sp. Pl. 363 (1753)
Polygonum sagittatum L. var. *boreale* Meisn., Monogr. Polyg. 65 (1826)
Helxine sagittatum (L.) Raf., Fl. Tellur. 3: 10 (1837)
Polygonum sagittatum L. var. *americanum* Meisn., Prodr. (DC.) 14: 132 (1856)
Polygonum sagittatum L. var. *sibiricum* Meisn., Prodr. (DC.) 14: 132 (1856)
Polygonum sagittatum L. var. *aestivum* Makino, Bot. Mag. (Tokyo) 6: 49 (1892)
Polygonum sieboldii de Vriese, Cycl. Amer. Hort. 3: 1393 (1901)
Polygonum sagittatum L. var. *sieboldii* (Meisn.) Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 132 (1904)
Tracaulon sagittatum (L.) Small, Fl. S.E. U.S. [Small]. 381 (1903)
Tracaulon sibiricum (Meisn.) Greene, Leafl. Bot. Observ. Crit. 1: 22 (1904)
Tracaulon sieboldii (Meisn.) Greene, Leafl. Bot. Observ. Crit. 1: 22 (1904)
Polygonum sagittatum L. var. *paludosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 133 (1904)
Polygonum sagittatum L. var. *sericeum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 11: 16 (1908)
Polygonum sagittatum L. var. *hallaisanense* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 171 (1910)
Persicaria sericea H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 31 (1913)
Persicaria sagittata (L.) H.Gross var. *sieboldii* (Meisn.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 (1914)
Polygonum sagittatum L. var. *ovalifolium* Farw., Pap. Michigan Acad. Sci. 3: 95 (1924)
Persicaria aestiva Ohki, Bot. Mag. (Tokyo) 40: 55 (1926)
Persicaria sieboldii (Meisn.) Ohki, Bot. Mag. (Tokyo) 40: 54 (1926)
Polygonum awstiva Ohki, Bot. Mag. (Tokyo) 40: 55 (1926)
Polygonum belophyllum Litv., Spisok Rast. Gerb. Fl. SSSR Bot. Inst. Vsesojuzn. Akad. Nauk 9: 25 (1932)
Persicaria sagittata (L.) H.Gross var. *sibirica* (Meisn.) Miyabe f. *sericea* (Nakai) H.Hara, J. Fac. Agric. Hokkaido Imp. Univ. 2 (4): 520 (1934)
Polygonum paludosum (Kom.) Kom., Fl. URSS 5: 689, 726 t. 48, f. 4 (1936)

Persicaria anguillana (Koidz.) Honda, Bot. Mag. (Tokyo) 53: 383 (1939)
Polygonum anguillanum Koidz., Acta Phytotax. Geobot. 8: 51 (1939)
Persicaria sieboldii (Meisn.) Ohki var. *paludosa* (Kom.) Nakai ex Kitag., Lin. Fl. Manshur. 180 (1939)
Polygonum sagittatum L. var. *gracilentum* Fernald, Rhodora 44: 393 (1942)
Polygonum sieboldii Meisn. var. *aestivum* (Ohki) Ohwi, Fl. Jap. (Ohwi) 465 (1953)
Truellum sagittatum (L.) Soják, Preslia 46: 149 (1974)
Truellum sibiricum (Meisn.) Soják, Preslia 46: 149 (1974)
Truellum sieboldii (Meisn.) Soják, Preslia 46: 149 (1974)
Persicaria sieboldii (Meisn.) Ohki var. *sericea* Nakai ex T.B.Lee, Neolin. Fl. Manshur. 585 (1979)
Persicaria sagittata (L.) H.Gross var. *sibirica* f. *aestiva* (Ohki) H.Hara, J. Jap. Bot. 55: 212 (1980)
Polygonum sagittatum L. var. *sibiricum* f. *aestivum* (Ohki) Murata, Acta Phytotax. Geobot. 42: 48 (1981)
Polygonum sagittatum L. var. *sibiricum* f. *aestivum* (Ohki) Murata, Acta Phytotax. Geobot. 32: 48 (1981)

***Persicaria senticosa* (Meisn.) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 (1914) Nat: N Korea, S Korea 머느리밑씻개**

Chylocalyx senticosus Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 65 (1865)
Polygonum babingtonii Hance, Ann. Sci. Nat., Bot. ser. 5, 5: 239 (1866)
Polygonum typhonifolium Hance, Ann. Sci. Nat., Bot. ser. 7, 5: 239 (1866)
Polygonum senticosum (Meisn.) Franch. & Sav., Enum. Pl. Jap. 1: 401 (1875)
Polygonum truellum Koidz., Bot. Mag. (Tokyo) 40: 334 (1926)
Truellum senticosum (Meisn.) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 8: 31 (1926)
Persicaria truellum (Koidz.) Honda, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 515 (1934)

***Persicaria taquetii* (H.Lév.) Koidz., Acta Phytotax. Geobot. 9: 72 (1940) Nat: S Korea 겨이삭여뀌**

Polygonum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 258 (1910)
Polygonum minutulum Makino, Bot. Mag. (Tokyo) 28: 112 (1914)
Persicaria minutula (Makino) Nakai, Rigakkwai 24: 12 (1926)

***Persicaria thunbergii* (Siebold & Zucc.) H.Gross, Bot. Jahrb. Syst. 49: 275 (1913) Nat: N Korea, S Korea 꼬마리**

Helxine arifolia Raf., Fl. Tellur. 3: 94 (1837)
Polygonum thunbergii Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 208 (1846)
Polygonum debile Meisn. var. *hastatum* Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 63 (1865)
Polygonum hastatotrilobum Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 62 (1865)
Polygonum stoloniferum F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 168 (1868)
Polygonum pteropus Hance, J. Bot. 7: 167 (1869)
Polygonum thunbergii Siebold & Zucc. var. *hastatotrilobum* (Meisn.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 475 (1878)
Tracaulon hastatotrilobum (Meisn.) Greene, Leafl. Bot. Observ. Crit. 1: 22 (1904)
Tracaulon thunbergii (Siebold & Zucc.) Greene, Leafl. Bot. Observ. Crit. 1: 22 (1904)
Polygonum thunbergii Siebold & Zucc. var. *stoloniferum* (F.Schmidt) Makino, Bot. Mag. (Tokyo) 24: 74 (1910)
Polygonum thunbergii Siebold & Zucc. var. *oreophilum* Makino, Bot. Mag. (Tokyo) 27: 251 (1913)
Persicaria thunbergii (Siebold & Zucc.) H.Gross var. *stolonifera* (F.Schmidt) H.Gross ex

Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 (1914)
Persicaria stellato-tomentosa Nakai, Bot. Mag. (Tokyo) 45: 115 (1931)
Persicaria thunbergii (Siebold & Zucc.) H.Gross var. *oreophila* (Makino) Nemoto, Fl. Jap. Suppl. 176 (1936)
Polygonum oreophilum (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 409 (1965)
Truellum oreophilum (Makino) Soják, Preslia 46: 148 (1974)
Truellum thunbergii (Siebold & Zucc.) Soják, Preslia 46: 149 (1974)

***Persicaria tinctoria* (Aiton) H.Gross, Beih. Bot. Centralbl. 37: 114 (1919) Int 쪽**

Polygonum tinctorium Aiton, Hort. Kew. (Hill) 2: 31 (1789)
Pogalis tinctoria (Aiton) Raf., Fl. Tellur. 3: 15 (1837)
Ampolygonum tinctorium (Aiton) Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 79 (1840)

***Persicaria trigonocarpa* (Makino) Nakai, Rigakkwai 24: 12 (1926) Nat; N Korea, S Korea
가는개여뀌**

Polygonum minus Huds. f. *trigonocarpa* Makino, Bot. Mag. (Tokyo) 23: 111 (1914)
Polygonum trigonocarpum (Makino) Kudô & Masam., Rep. (Annual) Taihoku Bot. Gard. 2: 53 (1932)
Persicaria erecto-minor (Makino) Nakai var. *trigonocarpa* (Makino) H.Hara ex I.Ito, J. Jap. Bot. 31: 177 (1956)
Polygonum erecto-minus Makino var. *trigonocarpum* (Makino) Kitam., Acta Phytotax. Geobot. 20: 207 (1962)

***Persicaria viscofera* (Makino) H.Gross, Beih. Bot. Centralbl. 37: 114 (1919) Nat; N Korea, S Korea 끈끈이여뀌**

Polygonum viscoferum Makino, Bot. Mag. (Tokyo) 17: 115 (1903)
Polygonum viscoferum Makino var. *robustum* Makino, Bot. Mag. (Tokyo) 17: 116 (1904)
Persicaria makinoi (Nakai) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 (1914)
Polygonum makinoi Nakai, Cat. Sem. Spor. [1919 & 1920 Lect.] 1: 34 (1920)
Persicaria viscofera (Makino) H.Gross var. *robusta* (Makino) Hiyama, J. Jap. Bot. 36: 67 (1961)
Polygonum viscoferum Makino subsp. *robustum* (Makino) Kitam., Acta Phytotax. Geobot. 20: 206 (1962)

***Persicaria viscosa* (Buch.-Ham. ex D.Don) H.Gross ex T.Mori, Enum. Pl. Corea 134 (1922) Nat; N Korea, S Korea 기생여뀌**

Polygonum viscosum Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 71 (1825)

***Persicaria vulgaris* Webb & Moq., Hist. Nat. Iles Canaries 3: 219 (1846) Nat; N Korea, S Korea 봄여뀌**

Polygonum persicaria L., Sp. Pl. 361 (1753)
Polygonum dichopodum Ohki, Bot. Mag. (Tokyo) 39: 360 (1925)
Persicaria dichopodum (Ohki) Ohki ex Nakai, Rigakkwai 24: 300 (1926)

***Persicaria wallichii* Greuter & Burdet, Willdenowia 19: 41 (1989) Int 히말라야여뀌**

***Polygonum* L.**

***Polygonum arenastrum* Boreau, Fl. Centre France ed. 3 2: 559 (1857) Nat; N Korea, S Korea 갯마디풀**

Polygonum gymnopus Franch. & Sav., Enum. Pl. Jap. 2: 472 (1878)
Polygonum calcatum Lindm., Bot. Not. 1904: 139 (1904)

***Polygonum aviculare* L., Sp. Pl. 362 (1753)** Nat: N Korea, S Korea 마디풀
Polygonum monspeliense Thieb.-Bern. ex Pers., Syn. Pl. (Persoon) 1: 439 (1805)
Polygonum aviculare L. var. *vegetum* Ledeb., Fl. Ross. (Ledeb.) 3: 532 (1849)
Polygonum heterophyllum Lindm., Svensk Bot. Tidskr. 6: 960 (1912)
Polygonum planum Skvortsov, Diagn. Pl. Nov. Mandshur. [Baranov & Skvortsov] 5 (1943)

Polygonum aviculare* L. var. *aviculare

***Polygonum aviculare* L. var. *fusco-ochreatum* (Kom.) A.J.Li, Fl. Reipubl. Popularis Sin. 25: 9 (1998)** Nat: S Korea 제주큰옥매듭풀

Polygonum fusco-ochreatum Kom., Fl. URSS 5: 613, 719, t. 40, f. 4. a-e (1936)
Polygonum stans Kitag., Bot. Mag. (Tokyo) 50: 76 (1936)
Polygonum argenteum Skvortsov, Diagn. Pl. Nov. Mandshur. [Baranov & Skvortsov] 4 (1943)

***Polygonum bellardii* All., Fl. Pedem. 2: 205 (1785)** Nat: N Korea, S Korea 큰옥매듭풀
Polygonum bellardii All. var. *effusum* Meisn., Prodr. (DC.) 14: 99 (1856)

***Polygonum equisetiforme* Sibth. & Sm., Fl. Graec. Prodr. 1: 266 (1809)** Nat: N Korea, S Korea 개마디풀

***Polygonum humifusum* C.Merck ex K.Koch, Linnaea 22: 205 (1849)** Nat: S Korea 부산마디풀

Polygonum mandshuricum Skvortsov, Diagn. Pl. Nov. Mandshur. [Baranov & Skvortsov] 4 (1943)
Polygonum yamatutae Kitag., J. Jap. Bot. 39: 358 (1964)

***Polygonum liaotungense* Kitag., Rep. Inst. Sci. Res. Manchoukuo 8: 183 (1939)** Int 중국매듭풀

***Polygonum polyneuron* Franch. & Sav., Enum. Pl. Jap. 2: 471 (1878)** Nat: S Korea 이삭마디풀

Rheum L.

***Rheum coreanum* Nakai, Bot. Mag. (Tokyo) 33: 47 (1919)** Nat: N Korea 장군풀

***Rheum rhabarbarum* L., Sp. Pl. 372 (1753)** Int 대황

Rheum undulatum L., Sp. Pl. (ed. 2) 2: 531 (1762)
Rheum franzenbachii Münter, Actes Congr. Int. Bot., Amsterdam 1877: 212 (1879)
Rheum franzenbachii Münter var. *mongolicum* Münter, Actes Congr. Int. Bot., Amsterdam 1877: 212 (1879)

Rumex L.

***Rumex acetosa* L., Sp. Pl. 337 (1753)** Nat: N Korea, S Korea 수영

Acetosa pratensis Mill., Gard. Dict., ed. 8 no. 1 (1768)
Lapathum acetosa (L.) Scop., Fl. Carniol., ed. 2 1: 260 (1771)
Lapathum pratense (Mill.) Lam., Fl. Franc. (Lamarck) 3: 8 (1779)
Rumex acidus Salisb., Prodr. Stirp. Chap. Allerton 258 (1796)
Rumex acetosa L. var. *vulgaris* Hartm., Handb. Skand. Fl. 148 (1820)
Rumex acetosa L. var. *pratensis* (Mill.) Wallr., Sched. Crit. 1: 182 (1822)
Rumex micranthus Campd. ex Meisn., Prodr. (DC.) 14: 65 (1856)

Rumex pratensis (Mill.) Dulac, Fl. Hautes-Pyrénées 165 (1867)
Rumex acetosa L. subsp. *pratensis* (Mill.) Blytt & O.C.Dahl, Haandb. Norges Fl. 285 (1903)

***Rumex acetosella* L., Sp. Pl. 338 (1753) Int 애기수영**

Acetosa acetosella (L.) Mill., Gard. Dict., ed. 8 no. 2 (1768)
Lapathum acetosella (L.) Scop., Fl. Carniol., ed. 2 1: 261 (1771)
Acetosa parva Gilib., Excerc. Phyt. 2: 446 (1792)
Rumex acetosella L. var. *vulgaris* W.D.J.Koch, Syn. Fl. Germ. Helv. 1: 616 (1837)
Acetosella vulgaris (W.D.J.Koch) Fourr., Ann. Soc. Linn. Lyon 17: 145 (1869)

***Rumex alpestris* Jacq., Enum. Stirp. Vindob. 62 (1762) Nat: N Korea 멧수영**

Lapathum alpestre (Jacq.) Scop., Fl. Carniol., ed. 2 1: 261 (1771)
Rumex arifolius All., Fl. Pedem. 2: 204 (1785)
Rumex montanus Desf., Tabl. Ecole Bot. (ed. 2) 48 (1815)
Rumex acetosa L. subsp. *auriculatus* (Wallr.) Blytt & O.C.Dahl, Haandb. Norges Fl. 285 (1903)
Rumex acetosa L. subsp. *alpestris* (Scop.) A.Löve, Bot. Not. 81: 243 (1944)

***Rumex aquaticus* L., Sp. Pl. 335 (1753) Nat: N Korea 토대황**

Lapathum aquaticum Scop., Fl. Carniol., ed. 2 1: 263 (1771)
Rumex hippolapathum Fr. var. *palustris* Fr., Novit. Fl. Suec. Alt. ed. 2: 106 (1828)
Rumex latifolius G.Mey., Chloris Han. 478 (1836)
Rumex aquaticus L. var. *kolaensis* Hultén, Fl. Kamtchatka 1: 44 (1928)
Rumex protractus Rech.f., Repert. Spec. Nov. Regni Veg. 33: 356 (1934)

***Rumex conglomeratus* Murray, Prodr. Stirp. Gott. 52 (1770) Int 목발소리쟁이**

Rumex glomeratus Schreb., Spic. Fl. Lips. 155 (1771)
Rumex nemolapathum Ehrh., Beitr. Naturk. (Ehrhart) 1: 181 (1787)
Lapathum glomeratum Gilib., Excerc. Phyt. 2: 444 (1792)
Rumex paludosus With., Bot. Arr. Brit. Pl., ed. 2 354 (1796)
Rumex acutus Sm., Fl. Brit. 1: 391 (1800)
Rumex litoralis Kunth, Nov. Gen. Sp. [Kunth] 2: 181 (1817)
Rumex ferrugineus Willd., Syst. Veg. (ed. 16) [Sprengel] 2: 158 (1825)
Rumex conglomeratus Murray var. *nevadensis* H.Lindb., Acta Soc. Sci. Fenn., Ser. B, Opera Biol. 1 2: 41 (1932)

***Rumex crispus* L., Sp. Pl. 335 (1753) Int 소리쟁이**

Lapathum crispum (L.) Scop., Fl. Carniol., ed. 2 1: 261 (1771)
Rumex elongatus Guss., Pl. Rar. Neapol. 150: 128 (1826)
Rumex patientia L. var. *crispus* Kuntze, Revis. Gen. Pl. 1: 560 (1891)
Rumex coreanus Nakai, Repert. Spec. Nov. Regni Veg. 13: 268 (1914)
Rumex fauriei Rech.f., Repert. Spec. Nov. Regni Veg. 33: 358 (1934)

***Rumex dentatus* L., Mant. Pl. 2: 226 (1771) Int 좁소리쟁이**

Rumex limosus Thuill., Fl. Env. Paris, ed. 2 182 (1799)
Rumex nipponicus Franch. & Sav., Enum. Pl. Jap. 2: 471 (1879)
Rumex obtusifolius L. var. *niponicus* (Franch. & Sav.) Nakai, Veg. Apoi s.p. (1930)

***Rumex gmelinii* Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 3: 508 (1851) Nat: N Korea 호대황**

***Rumex japonicus* Houtt., Nat. Hist. (Houttuyn) 8: 394, pl. 47, f. 2 (1777) Nat: N Korea, S Korea 참소리쟁이**

Rumex regelii F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 167 (1868)
Rumex crispus L. var. *japonicus* (Houtt.) Makino, Bot. Mag. (Tokyo) 8: 174 (1894)
Rumex nikkoensis Makino, J. Jap. Bot. 4: 29 (1929)
Rumex odontocarpus Sandor ex Borbás var. *japonicus* (Houtt.) Nakai, Veg. Apoi 8 (1930)
Rumex yezoensis H.Hara, Bot. Mag. (Tokyo) 48: 896 (1934)
Rumex hadrocarpus Rech.f., Candollea 12: 92 (1949)
Rumex japonicus Houtt. var. *yezoensis* (Hara) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 (1953)
Rumex crispus L. subsp. *japonicus* (Houtt.) Kitam., Acta Phytotax. Geobot. 20: 206 (1962)

***Rumex longifolius* DC., Fl. Franc. (DC. & Lamarck), ed. 3 5: 368 (1815) Nat: N Korea, S Korea 개대황**

Rumex domesticus Hartm., Handb. Skand. Fl. 148 (1820)
Rumex hippolapathum Fr., Novit. Fl. Suec. Alt. 106 (1828)
Rumex hippolapathum Fr. var. *domesticus* Fr., Novit. Fl. Suec. Alt. ed. 2: 106 (1828)
Rumex suzukianus Rech.f., Oesterr. Bot. Z. 100: 670 (1953)

***Rumex maritimus* L., Sp. Pl. 335 (1753) Nat: N Korea, S Korea 금소리쟁이**

Rumex aureus Mill., Gard. Dict., ed. 8 no. 7 (1768)
Lapathum minus Lam., Fl. Franc. (Lamarck) 3: 4 (1778)
Lapathum maritimum (L.) Moench, Methodus (Moench) 355 (1794)
Rumex palustris Sm., Fl. Brit. 1: 394 (1800)
Lapathum aureum (Mill.) Gray, Nat. Arr. Brit. Pl. 2: 275 (1821)
Rumex amurensis F.Schmidt ex Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 228 (1859)
Rumex maritimus L. var. *fueginus* (Phil.) Dusén, Svenska Exped. Magellanslanderner, Wiss. Ergebn. Schwed. Exped. Magellandslandern 3: 194 (1900)
Rumex ochotikius Rech.f., Repert. Spec. Nov. Regni Veg. 33: 131 (1934)

***Rumex obtusifolius* L., Sp. Pl. 335 (1753) Int 돌소리쟁이**

Lapathum sylvestris Lam., Fl. Franc. (Lamarck) 3: 4 (1779)
Lapathum obtusifolium (L.) Moench, Methodus (Moench) 356 (1794)
Rumex crispatulus Michx., Fl. Bor.-Amer. (Michaux) 1: 217 (1803)
Rumex obtusifolius L. var. *agrestis* Fr., Novit. Fl. Suec. Alt. ed. 2: 99 (1828)
Rumex friesii Gren. & Godr., Fl. France (Grenier) 3: 36 (1855)
Rumex rugelii Meisn., Prodr. (DC.) 14: 54 (1856)
Rumex obtusifolius L. subsp. *agrestis* (Fr.) Danser, Ned. Kruidk. Arch. 424 (1926)

***Rumex patientia* L., Sp. Pl. 333 (1753) Nat: N Korea, S Korea 부령소리쟁이**

Lapathum hortense Lam., Fl. Franc. (Lamarck) 3: 3 (1778)
Rumex tibeticus Rech.f., Repert. Spec. Nov. Regni Veg. 31: 262 (1933)
Rumex lonaczewskii Klokov, Fl. Ukr. RSR 4: 653 (1952)

***Rumex stenophyllus* Ledeb., Fl. Altaic. 2: 58 (1830) Nat: N Korea, S Korea 가는잎소리쟁이**

Rumex obtusifolius L. var. *cristatus* Neilr., Fl. Nied.-Oesterr 290 (1859)
Rumex crispus L. var. *dentatus* Schur, Enum. Pl. Transsilv. 580 (1866)
Rumex bififormis Lange, Index Seminun Hort. Univ. Haun. 3: 130 (1884)
Rumex odontocarpus (Sandor & Borbás) Borbás, Oesterr. Bot. Z. 37 (9): 334 (1887)
Rumex ussuriensis Losinsk., Fl. URSS 5: 717 (1936)
Rumex stenophyllus Ledeb. var. *ussuriensis* (Losinsk.) Kitag., Neolin. Fl. Manshur. 247 (1979)

PORTULACACEAE

Portulaca L.

Portulaca grandiflora Hook., *Curtis's Bot. Mag.* 56: pl. 2885 (1829) Int 채송화

- Portulaca grandiflora* Hook. var. *purpurea* Sweet, Hort. Brit. (Sweet) (ed. 2) 219 (1830)
Portulaca grandiflora Hook. var. *aurantiaca* Sweet, Hort. Brit. (Sweet) (ed. 2) 219 (1830)
Portulaca hilaireana G.Don, Gen. Hist. 3: 74 (1834)
Portulaca megalantha Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 383 (1840)
Portulaca caryophylloides Vilm., Fl. Pleine Terre (ed. 2) 722 (1866)
Portulaca gilliesii Speg., Physis (Buenos Aires) 3: 172 (1917)
Portulaca immersostellulata Poelln., Repert. Spec. Nov. Regni Veg. 33(8-17): 161 (1933)
Portulaca grandiflora Hook. var. *depressa* D.Legrand, Comun. Bot. Mus. Hist. Nat. Montevideo 1(15): 5 (1945)

Portulaca oleracea L., *Sp. Pl.* 445 (1753) Nat; N Korea, S Korea 쇠비름

- Portulaca olitoria* Pall., Reise Russ. Reich. 3: 594 (1776)
Portulaca parvifolia Haw., Syn. Pl. Succ. 122 (1812)
Portulaca marginata Kunth, Nov. Gen. Sp. [Kunth] 6: 72 (1823)
Portulaca retusa Engelm., Boston J. Nat. Hist. 6: 154 (1850)
Portulaca consanguinea Schltldl., Linnæa 24: 693 (1851)
Portulaca sylvestris Montandon, Syn. Fl. Jura, ed. 2 109 (1868)
Portulaca fosbergii Poelln., Occas. Pap. Bernice Pauahi Bishop Mus. 12: 3 (1936)

PRIMULACEAE

Anagallis L.

Anagallis arvensis L., *Sp. Pl.* 148 (1753) Nat; S Korea 두경별꽃

- Anagallis latifolia* L., Sp. Pl. 148 (1753)
Anagallis verticillata All., Fl. Pedem. 1: 87 (1785)
Anagallis carnea Schrank, Baier. Fl. 1: 461 (1789)
Anagallis repens DC., Fl. Franc. (DC. & Lamarck), ed. 3 5: 381 (1805)
Anagallis parviflora Loisel., Mem. Soc. Linn. Paris 6: 491 (1827)
Anagallis arabica Duby, Prodr. (DC.) 8: 69 (1844)
Anagallis arvensis L. f. *coerulea* (Schreb.) Arechav., Anales Mus. Nac. Montevideo 7: 31 (1909)
Anagallis hadidii Chrtek & Osb.-Kos., Folia Geobot. Phytotax. 21: 413 (1986)

Androsace L.

Androsace cortusifolia Nakai, *Bot. Mag. (Tokyo)* 31: 104 (1917) Nat; N Korea, S Korea, Endemic 금강봄맞이

Androsace filiformis Retz., *Observ. Bot. (Retzius)* 2: 10 (1781) Nat; N Korea, S Korea 애기봄맞이

- Androsace fasciculata* Willd. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 786 (1819)
Androsace neglecta Clerc, Bull. Soc. Imp. Naturalistes Moscou 45: 430 (1872)
Primula filiformis (Retz.) Kuntze, Revis. Gen. Pl. 2: 400 (1891)
Androsace asprella Greene, Pittonia 4: 150 (1900)
Androsace gormanii Greene, Pittonia 4: 149 (1900)

Androsace filiformis Retz. var. *glandulosa* Krylov, Fl. Altaic. 3: 819 (1904)
Androsace filiformis Retz. f. *glandulosa* (Krylov) Kitag., J. Jap. Bot. 34: 7 (1959)

***Androsace lehmanniana* Spreng., Isis (Oken) 1: 1289 (1817) Nat: N Korea 교산봄맞이**

Androsace triflora Adans., Mem. Soc. Imp. Naturalistes Moscou 5: 89 (1817)
Androsace capitata Willd. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 786 (1819)
Androsace friesii Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 7 (1884)
Androsace arguta Greene, Pittonia 4: 148 (1900)
Androsace hirsuta R.Knuth, Pflanzenr. (Engler) IV, 237: 190 (1905)
Androsace bungeana Schischk. & Bobrov, Fl. URSS 18: 231 (1952)

***Androsace septentrionalis* L., Sp. Pl. 142 (1753) Nat: N Korea 명천봄맞이**

Androsace multiflora Lam., Fl. Franc. (Lamarck) 2: 252 (1778)
Androsace linearis Graham, Edinburgh New Philos. J. Apr.-June 179 (1829)
Androsace lactiflora Kar. & Kir., Bull. Soc. Imp. Naturalistes Moscou 14: 728 (1841)
Androsace acaulis Duby, Prodr. (DC.) 8: 52 (1844)
Androsace subumbellata Small, Bull. Torrey Bot. Club 25: 319 (1898)
Androsace pinetorum Greene, Pittonia 4: 149 (1900)

***Androsace umbellata* (Lour.) Merr., Philipp. J. Sci. 15: 239 (1919) Nat: N Korea, S Korea 봄맞이**

Drosera umbellata Lour., Fl. Cochinch. 186 (1790)
Androsace rotundifolia Sm., Exot. Botany 2: 107 (1807)
Androsace orbicularis Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 816 (1819)
Androsace saxifragifolia Bunge, Enum. Pl. Chin. Bor. 53 (1833)
Androsace carnosula Duby, Prodr. (DC.) 8: 54 (1844)
Androsace patens C. Wright ex A. Gray, Mem. Amer. Acad. Arts n.s. 6: 401 (1859)
Androsace minutiflora Forrest, Notes Roy. Bot. Gard. Edinburgh 4(19): 219, pl. 29B (1908)
Primula umbellata (Lour.) Bentv., Fl. Malesiana, Ser. 1, Spermatoph. 6: 19 (1963)

Lysimachia L.

***Lysimachia barystachys* Bunge, Enum. Pl. Chin. Bor. 53 (1833) Nat: N Korea, S Korea 까치수염**

***Lysimachia clethroides* Duby, Prodr. (DC.) 8: 61 (1844) Nat: N Korea, S Korea 큰까치수염**

Lysimachia sororia Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 120 (1867)
Lysimachia clethroides Duby var. *sororia* (Miq.) Kunth, Pflanzenr. (Engler) 4 (237): 291 (1905)

***Lysimachia davurica* Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 523 (1814)**

Nat: N Korea, S Korea 좁쌀풀

Lysimachia dauuriensis Baudo, Ann. Sci. Nat., Bot. ser. 2, 20: 348 (1843)
Lysimachia vulgaris L. var. *davurica* (Ledeb.) R.Knuth, Pflanzenr. (Engler) IV, 237(Heft 22): 304 (1905)
Lysimachia coreana Nakai, Bot. Mag. (Tokyo) 23: 106 (1909)
Lysimachia vulgaris L. subsp. *davurica* (Ledeb.) Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 160 (1940)
Lysimachia vulgaris L. var. *davurica* f. *koreana* W.T.Lee ex W.T.Lee, Korean J. Pl. Taxon. 18: 197 (1988)

***Lysimachia fortunei* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 12: 68 (1868) Nat: S Korea 진퍼리카치수염**

Lysimachia fortunei Maxim. var. *pubescens* Pamp., Nuovo Giorn. Bot. Ital. n.s. 18: 132 (1911)

Lysimachia chikungensis Bailey, Gentes Herb. 1: 40 (1920)

Lysimachia fortunei Maxim. f. *suboppositifolia* Honda, Bot. Mag. (Tokyo) 35: 100 (1939)

***Lysimachia japonica* Thunb., Fl. Jap. (Thunberg) 83 (1784) Nat: S Korea 첨가지풀**

Lysimachia japonica Thunb. var. *sessilis* Maek., Enum. Spermatophytarum Japon. 1: 87 (1948)

Lysimachia japonica Thunb. f. *sessilis* (Maek.) Murata, Acta Phytotax. Geobot. 17: 12 (1957)

***Lysimachia leucantha* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 121 (1867) Nat: S Korea 물까치수염**

Lysimachia acroadenia Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 12: 70 (1867)

Lysimachia keiskeana Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 120 (1867)

Lysimachia candida Lindl. var. *leucantha* (Miq.) Makino, Bot. Mag. (Tokyo) 21: 162 (1907)

Lysimachia decurrens var. *acroadenia* (Maxim.) Makino, Ill. Fl. Nippon (Makino) 230 (1940)

***Lysimachia maritima* (L.) Galasso & Banfi & Soldano, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 146: 229 (2005) Nat: N Korea**

Glaux maritima L., Sp. Pl. 207 (1753)

Glaux maritima L. var. *obtusifolia* Fernald, Rhodora 4: 215 (1902)

Glaucoides maritima L. var. *obtusifolia* Lunell, Amer. Midl. Naturalist 5: 97 (1917)

***Lysimachia mauritiana* Lam., Encycl. (Lamarck) 3: 592 (1789) Nat: S Korea 갯까치수염**

Lysimachia lineariloba Hook. & Arn., Bot. Beechey Voy. 268 (1838)

Lysimachia lubinioides Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 140 (1846)

Lubinia lineariloba (Hook. & Arn.) Pax, Nat. Pflanzenfam. 4: 112 (1890)

Lubinia lubinioides (Siebold & Zucc.) Pax, Nat. Pflanzenfam. 4: 112 (1890)

Lysimachia nebeliana Gilg, Bot. Jahrb. Syst. 34 (1): 57 (1904)

***Lysimachia pentapetala* Bunge, Enum. Pl. Chin. Bor. 53 (1833) Nat: S Korea 홍도까치수염**

Apochoris pentapetala (Bunge) Duby, Prodr. (DC.) 8: 67 (1844)

Lysimachia unguiculata Diels, Bot. Jahrb. Syst. 29: 524 (1901)

***Lysimachia thyrsoflora* L., Sp. Pl. 147 (1753) Nat: N Korea 버들까치수염**

Naumburgia guttata Moench, Suppl. Meth. (Moench) 23 (1802)

Naumburgia thyrsoflora (L.) Rchb., Fl. Germ. Excurs. 1: 410 (1830)

Nummularia thyrsoflora (L.) Kuntze, Revis. Gen. Pl. 2: 398 (1891)

Lysimachia kamtschatica Gand., Bull. Soc. Bot. France 65: 58 (1918)

Primula Hill

***Primula farinosa* L. subsp. *modesta* (Bisset & S.Moore) Pax, Pflanzenz. (Engler) IV, 237: 190 (1905) Nat: S Korea 설앵초**

Primula fauriae Franch., Bull. Soc. Philom. Paris ser.7, 10: 146 (1886)

Primula modesta Bisset & S.Moore var. *fauriae* (Franch.) Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 88 (1913)

Primula fauriae Franch. var. *samanimontana* Tatew., Res. Bull. Coll. Exp. Forests

Hokkaido Univ. 5: 105 (1928)
Primula modesta Bisset & S.Moore subsp. *fauriae* (Franch.) Sm. & Forrest, Notes Roy. Bot. Gard. Edinburgh 16: 25 (1928)
Primula modesta Bisset & S.Moore var. *samanimontana* (Tatew.) Nakai, Veg. Apoi 11 (1930)
Saussurea higomontana Honda, Bot. Mag. (Tokyo) 44: 408 (1930)
Primula sachalinensis Nakai, Bot. Mag. (Tokyo) 46: 61 (1932)
Primula farinosa L. subsp. *fauriae* (Franch.) Kitam. & Murata, Acta Phytotax. Geobot. 17: 13 (1957)
Aleuritia sachalinensis (Nakai) Soják, Cas. Nar. Mus., Odd. Prir. 148: 206 (1979)
Saussurea nipponica Miq. subsp. *higomontana* (Honda) Im, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 14: 261 (1989)
Primula modesta Bisset & S.Moore var. *hannasanensis* T.Yamaz., Fl. Jap. (Iwatsuki et al., eds.) 3a: 92 (1993)

***Primula jesoana* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 119 (1867) Nat: N Korea, S Korea
큰앵초**

Primula jesoana Miq. f. *glabra* Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 84 (1913)
Primula jesoana Miq. f. *pubescens* Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 86 (1913)
Primula hondoensis Nakai & Kitag. ex Kitag., Bot. Mag. (Tokyo) 50: 139 (1936)
Primula jesoana Miq. var. *glabra* (Takeda) Takeda & H.Hara, Bot. Mag. (Tokyo) 50: 569 (1936)
Primula jesoana Miq. var. *pubescens* (Takeda) Takeda & Hara, Bot. Mag. (Tokyo) 50: 569 (1936)
Primula hallaisanensis Nakai ex Kitag., Bot. Mag. (Tokyo) 50: 194 (1936)
Primula jesoana Miq. var. *pubescens* f. *nudiuscula* (Nakai & Kitag.) H.Hara, Bot. Mag. (Tokyo) 50: 596 (1936)
Primula yesomontana Nakai & Kitag. var. *nudiuscula* Nakai & Kitag., Bot. Mag. (Tokyo) 50: 141 (1936)
Primula yesomontana Nakai & Kitag., Bot. Mag. (Tokyo) 50: 140 (1936)
Primula loeseneri Kitag., Bot. Mag. (Tokyo) 50(591): 137 (1936)
Primula tyoseniana Nakai & Kitag. ex Kitag., Bot. Mag. (Tokyo) 50: 137 (1936)
Primula jesoana Miq. subsp. *pubescens* (Takeda) Kitam., Acta Phytotax. Geobot. 17: 13 (1957)
Auganthus jesoanus (Miq.) Soják, Cas. Nar. Mus., Odd. Prir. 148: 208 (1979)

***Primula saxatilis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 429 (1901) Nat: N Korea
돌앵초**

***Primula sieboldii* E.Morren, Belgique Hort. 23: 971 (1873) Nat: N Korea, S Korea 앵초**
Primula patens Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 99 (1838)
Primula cortusoides L. var. *patens* Turcz., Bull. Soc. Imp. Naturalistes Moscou 22: 291 (1849)
Primula cortusoides var. *sieboldii* (E.Morren) G.Nicholson, Ill. Dict. Gard. 3: 219 (1886)
Primula sieboldii E.Morren f. *spontanea* Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 84 (1913)
Primula sieboldii E.Morren f. *patens* (Turcz.) Kitag., Lin. Fl. Manshur. 353 (1939)
Primula sieboldii E.Morren var. *patens* (Turcz.) Kitag., Neolin. Fl. Manshur. 507 (1979)

***Stimpsonia* C.Wright ex A.Gray**

***Stimpsonia chamaedrioides* C.Wright ex A.Gray, Mem. Amer. Acad. Arts ser. 2, 6: 401 (1858) Nat: S Korea 이삭뿔맞이**

Primula veronicoides Petitm., Bull. Herb. Boissier ser.2, 8: 108 (1908)

Trientalis L.

Trientalis europaea L., Sp. Pl. 344 (1753) Nat: N Korea, S Korea 참기생꽃

Lysimachia trientalis Klatt, Linnaea 37: 499 (1872)

Trientalis europaea var. *europaea*

Trientalis europaea L. subsp. *arctica* (Fisch. ex Hook.) Hultén, Fl. Kamtchatka 4: 56 (1930)

Nat: N Korea, S Korea 기생꽃

Trientalis arctica Fisch. ex Hook., Fl. Bor.-Amer. (Hooker) 2: 121 (1840)

Trientalis europaea L. var. *arctica* (Fisch. ex Hook.) Ledeb., Fl. Ross. (Ledeb.) 3: 25 (1847)

Trientalis europaea L. var. *aleutica* Tatew. & S.Kobay., J. Fac. Agric. Hokkaido Imp.

Univ. 36: 74 (1934)

PUNICACEAE

Punica L.

Punica granatum L., Sp. Pl. 472 (1753) Int 기생꽃

Punica nana L., Sp. Pl. (ed. 2) 1: 676 (1762)

Punica spinosa Lam., Fl. Franc. (Lamarck) 3: 483 (1778)

Punica florida Salisb., Prodr. Stirp. Chap. Allerton 354 (1796)

RANUNCULACEAE

Aconitum L.

Aconitum albobovialeaceum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 439 (1901) Nat: N

Korea, S Korea 줄바꽃

Aconitum albobovialeaceum Kom. var. *purpurascens* Nakai, J. Jap. Bot. 13: 399 (1937)

Lycocotnum albobovialeaceum (Kom.) Nakai, J. Jap. Bot. 13: 405 (1937)

Lycocotnum albobovialeaceum (Kom.) Nakai var. *purpurascens* (Nakai) Nakai, J. Jap. Bot. 13: 405 (1937)

Lycocotnum albobovialeaceum (Kom.) Nakai var. *fuscescens* Nakai, Bull. Natl. Sci. Mus., Tokyo 42: 2 (1953)

Aconitum albobovialeaceum Kom. f. *purpurascens* (Nakai) Kitag., J. Jap. Bot. 34: 6 (1959)

Aconitum austrokoreense Koidz., Exp. Forest. Kyushu Imp. Univ. 5: 369 (1934) Nat: N

Korea, Endemic 새빨투구꽃

Aconitum barbatum Patrin ex Pers., Syn. Pl. (Persoon) 2: 83 (1806) Nat: N Korea, S Korea

노랑투구꽃

Aconitum sibiricum Poir., Encycl. (Lamarck) Suppl. 1 113 (1810)

Aconitum squarrosum L. ex DC., Syst. Nat. (Candolle) 1: 368 (1817)

Aconitum hispidum DC., Syst. Nat. (Candolle) 1: 367 (1817)

Aconitum gmelini Rchb., Uebers. Aconitum 63 (1819)

Aconitum barbatum Patrin ex Pers. var. *hispidum* (DC.) Ser., Prodr. (DC.) 1: 58 (1824)

Aconitum leptanthum Rchb., Ill. Sp. Acon. Gen. t. 64 (1827)

Aconitum nitidum Fisch. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 19 (1840)

Aconitum lycocotnum var. *barbatum* (Patrin ex Pers.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 42 (1861)

Aconitum borzaezanum Prodan, Bul. Inform. Grad. Bot. Univ. Cluj 5: 44 (1925)
Lycocotnum sibiricum (Poir.) Nakai, J. Jap. Bot. 13: 406 (1937)

***Aconitum coreanum* (H.Lév.) Rapaics, Növényt. Közlem. 6: 154 (1907) Nat: N Korea, S Korea 백부자**

Aconitum delavayi Franch. var. *coreanum* H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 300 (1902)
Aconitum komarovii Steinb., Fl. URSS 7: 191 (1937)

***Aconitum jaluense* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 439 (1901) Nat: N Korea, S Korea 투구꽃**

Aconitum uchiyamae Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 31 (1909)
Aconitum seoulense Nakai, Bot. Mag. (Tokyo) 25: 52 (1911)
Aconitum triphyllum Nakai, Bot. Mag. (Tokyo) 28: 57 (1914)
Aconitum stenanthum Nakai, Bot. Mag. (Tokyo) 28: 61 (1914)
Aconitum paniculigerum Nakai, Bot. Mag. (Tokyo) 34: 41 (1920)
Aconitum sichotense Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 201 (1932)
Aconitum chiisanense Nakai, J. Jap. Bot. 11: 147 (1935)
Aconitum kitagawae Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 156 (1935)
Aconitum liaotungense Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 158 (1935)
Aconitum proliferum Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 150 (1935)
Aconitum triphyllum Nakai var. *manshuricum* Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 158 (1935)
Aconitum paniculigerum Nakai var. *lasiogynum* Nakai, J. Jap. Bot. 13: 397 (1937)
Aconitum paniculigerum Nakai var. *leiogynum* f. *ochroleucum* Nakai, J. Jap. Bot. 13: 397 (1937)
Aconitum pseudoproliferum Nakai, J. Jap. Bot. 13: 398 (1937)
Aconitum kaimaense Uyeki & Sakata, Acta Phytotax. Geobot. 7: 14 (1938)
Aconitum saitoanum Ohwi, Acta Phytotax. Geobot. 7: 48 (1938)
Aconitum subalpinum A.I. Baranov, Acta Soc. Harb. Invest. Nat. & Ethnog. 12: 30 (1954)
Aconitum saxatile Vorosch. & Vorob., Byull. Glavn. Bot. Sada 45: 53 (1962)
Aconitum jaluense Kom. var. *truncatum* S.H. Li & Y. Huei Huang, Fl. Pl. Herb. Chin. Bor.-Or. 3: 147 (1975)

***Aconitum japonicum* Thunb. subsp. *napiforme* (H.Lév. & Vaniot) Kadota, Ann. Tsukuba Bot. Gard. 2: 100 (1983) Nat: S Korea 환라들찌귀**

Aconitum napiforme H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 9 (1908)
Aconitum napiforme H.Lév. & Vaniot var. *latifolium* Nakai, Bot. Mag. (Tokyo) 63: 57 (1950)
Aconitum nikaii Nakai f. *pilicarpum* Nakai, Bull. Natl. Sci. Mus., Tokyo 32: 33 (1953)
Aconitum napiforme H.Lév. & Vaniot var. *callianthum* (Koidz.) Tamura & Namba, Sci. Rep. Coll. Gen. Educ. Osaka Univ. 9: 115 (1960)
Aconitum napiforme H.Lév. & Vaniot var. *laciniatum* Nakai, Neolin. Fl. Manshur. 585 (1979)

***Aconitum kusnezoffii* Rchb., Ill. Sp. Acon. Gen. t. 21 (1823) Nat: N Korea, S Korea 이삭바꽃**

Aconitum gibbiferum Rchb., Ill. Sp. Acon. Gen. tab. 19 (1828)
Aconitum pulcherrimum Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 161 (1935)
Aconitum biobidshanicum Vorosch., Ind. Sem. Inst. Exper. Pl. Offic. URSS 31 (1941)
Aconitum triphylloides Nakai, Bot. Mag. (Tokyo) 63: 56 (1950)

Aconitum ningwuense W.T.Wang, Fl. Reipubl. Popularis Sin. 27: 608 (1979)
Aconitum volubile Pall. ex Koelle var. *pulcherrimum* (Nakai) U.C.La, Fl. Korea (Lee) 2: 271 (1996)

***Aconitum longecassidatum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 27 (1909) Nat: N Korea, S Korea 흰진범**

Lycototum longicassidatum (Nakai) Nakai, J. Jap. Bot. 13: 406 (1937)

***Aconitum macrorhynchum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 83 (1842) Nat: N Korea 가는돌쩌귀**

Aconitum tenuifolium Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 83 (1842)
Aconitum tenuissimum Nakai, J. Jap. Bot. 13: 397 (1937)
Aconitum villosum Rchb. var. *psilocarpum* Kitag., Lin. Fl. Manshur. 212 (1939)
Aconitum macrorhynchum Turcz. var. *octocarpum* P.K.Chang & B.Y.Wang, Bull. Herb. Chin. N.-E. Forest. Acad., Harbin 2: 12 (1960)
Aconitum possieticum Vorosch., Byull. Glavn. Bot. Sada 40: 50 (1961)
Aconitum villosum Rchb. f. *psilocarpum* (Kitag.) Kitag., J. Jap. Bot. 36: 21 (1961)

***Aconitum monanthum* Nakai, Bot. Mag. (Tokyo) 28: 58 (1914) Nat: N Korea 각시투구꽃**

Aconitum napiforme H.Lév. & Vaniot var. *albiflorum* Y.N.Lee, Korean J. Bot. 25: 177 (1982)

***Aconitum pseudolaeve* Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 139 (1935) Nat: N Korea, S Korea 진범**

Aconitum quelpaertense Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 145 (1935)
Lycototum pseudolaeve (Nakai) Nakai, J. Jap. Bot. 13: 406 (1937)
Lycototum quelpaertense (Nakai) Nakai, J. Jap. Bot. 13: 406 (1937)
Aconitum pteropus Nakai, J. Jap. Bot. 13: 400 (1937)
Lycototum pteropus (Nakai) Nakai, J. Jap. Bot. 13: 406 (1937)
Lycototum pseudolaeve (Nakai) Nakai var. *flexuosum* Nakai, Bull. Natl. Sci. Mus., Tokyo 42: 8 (1953)

***Aconitum sczukinii* Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 61 (1840) Nat: N Korea 넓은잎초오**

Aconitum arcuatum Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 27 (1859)
Aconitum volubile Pall. ex Koelle var. *latisectum* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 43 (1861)
Aconitum fischeri Rchb. var. *arcuatum* (Maxim.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 44 (1861)
Aconitum fischeri Rchb. var. *leioygunum* Nakai f. *leucanthum* Nakai, J. Jap. Bot. 13: 396 (1937)
Aconitum arcuatum Maxim. var. *angustilobum* Kitag., J. Jap. Bot. 22: 177 (1949)
Aconitum arcuatum Maxim. f. *angustilobum* (Kitag.) Kitag., J. Jap. Bot. 34: 5 (1959)

***Aconitum umbrosum* (Korsh.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 250 (1904) Nat: N Korea 선투구꽃**

Aconitum lycototum subsp. *genuina* f. *umbrosum* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 300 (1893)
Aconitum paishanense Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 152 (1941)
Lycototum umbrosum (Korsh.) Nakai, J. Jap. Bot. 19: 312 (1943)

***Aconitum villosum* Rchb., Uebers. *Aconitum* 39 (1819) Nat: N Korea 참줄바꽃**

- Aconitum ochotense* Rchb., Ill. Sp. Acon. Gen. 18 (1823)
Aconitum volubile Pall. ex Koelle var. *villosum* (Rchb.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 43 (1861)
Aconitum neotortuosum Nakai, Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 154 (1935)
Aconitum subvillosum Vorosch., Byull. Glavn. Bot. Sada 38: 50 (1960)
Aconitum selemshense Vorosch., Byull. Glavn. Bot. Sada 60: 38 (1965)
Aconitum tschanbaishanense S.H.Li & Y.Huei Huang, Fl. Pl. Herb. Chin. Bor.-Or. 3: 229 (1980)
Aconitum villosum Rchb. subsp. *tschangbaischanense* (S.X.Li & Y.Huei Huang) S.X.Li, Clavis Pl. Chinae Bor.-Or. ed. 2 2: 182 (1995)

***Aconitum volubile* Pall. ex Koelle var. *pubescens* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 91 (1861) Nat: N Korea, S Korea 늦젓가락나물**

- Aconitum ciliare* DC., Syst. Nat. (Candolle) 1: 378 (1817)
Aconitum ciliare DC. var. *oligotrichum* DC., Syst. Nat. (Candolle) 1: 378 (1818)
Aconitum amurense Nakai, J. Jap. Bot. 18: 605 (1942)
Aconitum japonovolubile Tamura, Sci. Rep. Coll. Gen. Educ. Osaka Univ. 9: 110 (1960)
Aconitum volubile Pall. ex Koelle var. *oligotrichum* (DC.) Kitag., Neolin. Fl. Manshur. 288 (1979)

***Aconitum volubile* Pall. ex Koelle, Spic. Observ. Aconit. 21 (1787) Nat: N Korea 가는줄들찌귀**

- Aconitum tortuosum* Willd., Enum. Pl. (Willdenow) 1: 576 (1809)

Actaea L.

***Actaea asiatica* H.Hara, J. Jap. Bot. 15: 313 (1939) Nat: N Korea, S Korea 노루삼**

- Actaea spicata* L. var. *nigra* f. *acunata* Huth, Bot. Jahrb. Syst. 16: 309 (1893)
Actaea spicata L. var. *asiatica* (Hara) S.H.Li & Y.Huei Huang, Fl. Pl. Herb. Chin. Bor.-Or. 3: 105 (1975)
Actaea acuminata Wall. ex Royle subsp. *asiatica* (H.Hara) Luferov, Komarovia 1: 61 (1999)

***Actaea bifida* (Nakai) J.Compton, Taxon 47: 624 (1998) Nat: N Korea, S Korea 세잎송마**

- Cimicifuga heracleifolia* Kom. var. *bifida* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 35 (1909)
Cimicifuga bifida (Nakai) Luferov, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s., 105: 57 (2000)

***Actaea biternata* (Siebold & Zucc.) Prantl, Bot. Jahrb. Syst. 9: 246 (1888) Nat: S Korea 개송마**

- Pityosperma biternatum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 736 (1843)
Pityosperma obtusilobum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 735 (1843)
Cimicifuga biternata (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 9 (1867)
Cimicifuga obtusiloba (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 9 (1867)
Thalictrodes biternatum (Miq.) Kuntze, Revis. Gen. Pl. 1: 4 (1891)
Thalictrodes obtusilobum (Miq.) Kuntze, Revis. Gen. Pl. 1: 4 (1891)
Cimicifuga japonica (Thunb.) Spreng. var. *obtusiloba* (Siebold & Zucc.) Huth, Bot. Jahrb. Syst. 16: 316 (1892)

Cimicifuga japonica (Thunb.) Spreng. var. *bitemata* (Siebold & Zucc.) Finet & Gagnep.,
Bull. Soc. Bot. France 51: 521 (1904)

***Actaea cimicifuga* L., Sp. Pl. 504 (1753) Nat; N Korea, S Korea 황새송마**

Cimicifuga foetida L., Syst. Nat. ed. 12 2: 659 (1767)

Cimicifuga mairei H.Lév., Bull. Acad. Int. Géogr. Bot. 25: 43 (1915)

***Actaea dahurica* (Turcz. ex Fisch. & C.A.Mey.) Franch., Pl. David. 1: 23 (1883) Nat; N Korea, S Korea 눈빛송마**

Actaea ptersperma Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 21 (1835)

Actinospora dahurica Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 21 (1835)

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 28 (1859)

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *fertilis* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 120 (1861)

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *mascula* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 121 (1861)

Thalictrodes dahuricum (Turcz.) Kuntze ex Fisch. & C.A.Mey., Revis. Gen. Pl. 1: 4 (1891)

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. f. *mascula* (Regel) Huth, Bot. Jahrb. Syst. 16: 317 (1892)

***Actaea erythrocarpa* (Fisch.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 237 (1904)**

Nat; N Korea 붉은노루삼

Actaea spicata L. var. *erythrocarpa* (Fisch.) Ledeb., Fl. Ross. (Ledeb.) 1: 71 (1842)

***Actaea heracleifolia* (Kom.) J.Compton, Taxon 47: 624 (1998) Nat; N Korea, S Korea 송마**

Cimicifuga heracleifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 438 (1901)

***Actaea japonica* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 488 (1784) Nat; S Korea 왜송마**

Cimicifuga japonica (Thunb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 628 (1825)

Actaea acerina (Siebold & Zucc.) Prantl, Bot. Jahrb. Syst. 9: 246 (1888)

Thalictrodes japonicum (Thunb.) Kuntze, Revis. Gen. Pl. 1: 4 (1891)

Cimicifuga japonica (Thunb.) Spreng. var. *acerina* (Siebold & Zucc.) Huth, Bot. Jahrb. Syst. 16: 316 (1892)

Cimicifuga acerina (Siebold & Zucc.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1 (4): 203 (1925)

Cimicifuga chinensis Koidz., Bot. Mag. (Tokyo) 44: 102 (1930)

Cimicifuga macrophylla Koidz., Bot. Mag. (Tokyo) 44: 101 (1930)

Cimicifuga peltata (Makino) Koidz., Bot. Mag. (Tokyo) 44: 101 (1930)

Cimicifuga acerina (Siebold & Zucc.) Tanaka var. *intermedia* H.Hara, Acta Phytotax. Geobot. 13: 200 (1943)

Cimicifuga acerina (Siebold & Zucc.) Tanaka var. *macrophylla* (Koidz.) H.Hara, Acta Phytotax. Geobot. 13: 201 (1943)

Cimicifuga acerina (Siebold & Zucc.) Tanaka var. *peltata* (Makino) H.Hara, Acta Phytotax. Geobot. 13: 201 (1943)

Cimicifuga japonica (Thunb.) Spreng. var. *acutiloba* H.Hara, Acta Phytotax. Geobot. 13: 200 (1943)

Cimicifuga japonica (Thunb.) Spreng. var. *macrophylla* (Koidz.) H.Hara, J. Jap. Bot. 60: 137 (1985)

Actaea japonica Thunb. var. *acutiloba* (H.Hara) J.Compton, Taxon 47: 620 (1998)

Adonis L.

Adonis amurensis Regel & Radde, Bull. Soc. Imp. Naturalistes Moscou 34: 35 (1861) Nat: N Korea, S Korea 복수초

Adonis amurensis Regel & Radde var. *uniflora* Makino, Bot. Mag. (Tokyo) 8: 97 (1894)
Adonis vernalis var. *amurensis* (Regel & Radde) Regel & Radde, Bull. Soc. Bot. France 51: 132 (1904)

Adonis amurensis Regel & Radde var. *puberula* Honda, Bot. Mag. (Tokyo) 52: 49 (1939)

Adonis amurensis Regel & Radde var. *angustiloba* A.I.Baranov & Skvortsov, Acta Soc. Harb. Invest. Nat. & Ethnog. 12: 35 (1954)

Chrysocyathus amurensis (Regel & Radde) Holub, Preslia 70: 102 (1998)

Adonis amurensis Regel & Radde var. *dissectipetalis* Y.N.Lee, Bull. Korea Pl. Res. 5: 4 (2005)

Adonis multiflora Nishikawa & Koji Ito, J. Jap. Bot. 64: 51 (1989) Nat: S Korea 세복수초

Chrysocyathus multiflorus (Nishikawa & Koji Ito) Holub, Preslia 70: 102 (1998)

Adonis ramosa Franch., Bull. Soc. Philom. Paris 8 (6): 91 (1894) Nat: N Korea, S Korea 가지복수초

Adonis pseudoamurensis W.T.Wang, Fl. Reipubl. Popularis Sin. 28: 352 (1980)

Chrysocyathus ramosus (Franch.) Holub, Preslia 70: 102 (1998)

Anemone L.

Anemone amurensis (Korsh.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 262 (1904) Nat: N Korea, S Korea 들바람꽃

Anemone nemorosa L. subsp. *amurensis* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 292 (1893)

Anemone nemorosa L. var. *kamtschatica* Kom., Fl. Kamtschatka 2: 219 (1929)

Anemonoides amurensis subsp. *kamtschatica* (Kom.) Starod., Vetenitsy: sist. evol. 166 (1991)

Anemone baicalensis Kom. var. glabrata Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 18 (1859) Nat: N Korea, S Korea 바이칼바람꽃

Anemone baicalensis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 265 (1903)

Anemone litoralis (Litv.) Juz., Fl. URSS 7: 254 (1937)

Anemone glabrata (Maxim.) Juz., Fl. URSS 7: 254 (1937)

Anemone baicalensis Kom. subsp. *glabrata* (Maxim.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 81 (1940)

Anemone dichotoma L., Sp. Pl. 540 (1753) Nat: N Korea 가래바람꽃

Anemone pennsylvanica L., Mant. Pl. 2: 247 (1771)

Anemone irregularis Lam., Encycl. (Lamarck) 1: 167 (1783)

Anemone aconitifolia Michx., Fl. Bor.-Amer. (Michaux) 1: 320 (1803)

Anemone pennsylvanica L. var. *laxmannii* DC., Prodr. (DC.) 1: 1921 (1824)

Anemone hepatica L. var. japonica (Nakai) Ohwi, Fl. Jap. (Ohwi) 518 (1953) Nat: N Korea, S Korea 노루귀

Hepatica asiatica Nakai, J. Jap. Bot. 13: 309 (1937)

Hepatica asiatica Nakai f. *acutiloba* Nakai, J. Jap. Bot. 13: 310 (1937)

Hepatica asiatica Nakai f. *obtusiloba* Nakai, J. Jap. Bot. 13: 310 (1937)

Hepatica nobilis var. *japonica* Nakai, J. Jap. Bot. 13: 307 (1937)

Hepatica insularis Nakai, J. Jap. Bot. 13: 308 (1937)

Hepatica nobilis var. *nipponica* Nakai, J. Jap. Bot. 13: 306 (1937)

Hepatica nobilis var. *asiatica* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6:

51 (1952)

Anemone hepatica L. var. *asiatica* (Nakai) H.Hara, J. Jap. Bot. 33: 273 (1958)

Hepatica asiatica Nakai var. *yuseongii* Y.N.Lee, Bull. Korea Pl. Res. 7: 8 (2007)

***Anemone koraiensis* Nakai, Bot. Mag. (Tokyo) 33: 7 (1919) Nat: N Korea, S Korea, Endemic**
홀아비바람꽃

***Anemone maxima* Nakai, Bot. Mag. (Tokyo) 31: 27 (1917) Nat: S Korea, Endemic** 섬노루귀
Hepatica maxima (Nakai) Nakai, Rep. Veg. Ooryongto 19 (1919)

***Anemone narcissiflora* L., Sp. Pl. 542 (1753) Nat: N Korea, S Korea** 바람꽃

Anemone umbellata Lam., Fl. Franc. (Lamarck) 3: 322 (1778)

Anemone narcissiflora L. var. *monantha* DC., Prodr. (DC.) 1: 22 (1824)

Anemone narcissiflora L. var. *umbellifera* Nakai, Bot. Mag. (Tokyo) 27: 128 (1913)

Anemone laxa (Ulbr.) Juz., Fl. URSS 7: 269 (1937)

***Anemone nikoensis* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 606 (1875) Nat: N Korea** 외대바람꽃

Anemonoides nikoensis (Maxim.) Holub, Folia Geobot. Phytotax. 8: 166 (1973)

***Anemone pseudoaltaica* H.Hara, J. Jap. Bot. 15: 767 (1939) Nat: N Korea** 국화바람꽃

Anemone pseudoaltaica H.Hara var. *gracilis* (H.Hara) H.Ohba, J. Jap. Bot. 69: 116 (1994)

Anemone pseudoaltaica H.Hara var. *katonis* H.Ohba, J. Jap. Bot. 69: 116 (1994)

Anemone pseudoaltaica H.Hara f. *prolifera* Kadota, J. Jap. Bot. 73: 289 (1998)

***Anemone raddeana* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 16 (1861) Nat: N Korea, S Korea** 평의바람꽃

Anemone raddeana Regel subsp. *villosa* Ulbr., Bot. Jahrb. Syst. 37: 221 (1906)

Anemone raddeana Regel var. *glabrata* Nakai, Bot. Mag. (Tokyo) 27: 32 (1913)

***Anemone reflexa* Steph. & Willd., Sp. Pl. (ed. 5; Willdenow) 2: 1282 (1799) Nat: N Korea, S Korea** 회리바람꽃

Anemone trifoliata Georgi, Besch. Nation. Russ. Reich 3: 1058 (1779)

Anemonoides reflexa (Willd.) Holub, Folia Geobot. Phytotax. 8: 166 (1973)

Anemone reflexa Steph. & Willd. var. *lineiloba* Y.N.Lee, Bull. Korea Pl. Res. 6: 2 (2006)

***Anemone scabiosa* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 47 (1902) Int** 대상화

Atragene japonica Thunb., Syst. Veg., ed. 14 (J. A. Murray) 511 (1784)

Anemone japonica (Thunb.) Siebold & Zucc., Fl. Jap. (Siebold) 1: 15 (1835)

Anemone rossii S.Moore, J. Linn. Soc., Bot. 17: 376 (1879)

Anemone vitifolia Buch.-Ham. ex DC. var. *japonica* (Thunb.) Finet & Gagnep., Bull. Soc. Bot. France 51: 68 (1904)

Anemone x hybrida var. *japonica* (Thunb.) Ohwi, Acta Phytotax. Geobot. 7: 46 (1938)

Anemone nipponica Merr., J. Arnold Arbor. 19: 339 (1938)

Anemone baicalensis Kom. subsp. *glabrata* var. *rossii* (S.Moore) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 81 (1940)

Eriocapitella japonica (Thunb.) Nakai, J. Jap. Bot. 17: 268 (1941)

Anemone hupehensis var. *japonica* (Thunb.) Bowles & Stearn, J. Roy. Hort. Soc. 72: 265 (1947)

***Anemone stolonifera* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 605 (1876) Nat: S Korea** 세바람꽃

Anemone siuzevi Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 814 (1907)
Anemone stolonifera Maxim. var. *quelpaertensis* Nakai & Kitag., Bot. Mag. (Tokyo) 50: 78 (1936)
Anemone takasagomontana Masam., Notul. Syst. (Paris) 6: 37 (1937)
Anemonoides stolonifera (Maxim.) Holub, Folia Geobot. Phytotax. 8: 166 (1973)

***Anemone umbrosa* C.A.Mey., Fl. Altaic. 2: 361 (1830)** Nat: N Korea, S Korea **술마람꽃**
Anemonoides umbrosa (C.A.Mey.) Holub, Folia Geobot. Phytotax. 8: 166 (1973)
Anemone extremiorientalis (Starod.) Starod., Bot. Zhurn. (Moscow & Leningrad) 67: 353 (1982)
Anemonoides extremiorientalis (Starod.) Starod., Vetretnitsy: sist. evol. 123 (1991)

Aquilegia L.

***Aquilegia flabellata* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 183 (1843)** Nat: N Korea **하늘매밭톱**

Aquilegia amurensis Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 8 (1826)
Aquilegia spectabilis Lem., Ill. Hort. 11: t. 403 (1864)
Aquilegia buergeriana Siebold & Zucc. var. *pumila* Huth, Bull. Herb. Boissier 5: 1090 (1897)
Aquilegia fauriei H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 300 (1902)
Aquilegia sibirica var. *flabellata* (Siebold & Zucc.) Finet & Gagnep., Bull. Soc. Bot. France 51: 412 (1904)
Aquilegia sibirica var. *japonica* Rapaics, Bot. Közlem. 8: 134 (1909)
Aquilegia flabellata Siebold & Zucc. var. *pumila* (Huth) Kudô, Exp. Forest. Kyushu Imp. Univ. 1: 65 (1931)
Aquilegia japonica Nakai & H.Hara, Bot. Mag. (Tokyo) 49: 7 (1935)

***Aquilegia oxysepala* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 10 (1856)** Nat: N Korea, S Korea **매밭톱**

Aquilegia vulgaris L. var. *oxysepala* (Trautv. & C.A.Mey.) Regel, Tent. Fl.-Ussur. 9 (1861)
Aquilegia vulgaris L. var. *mandshurica* Brühl, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61: 285 (1893)
Aquilegia buergeriana Siebold & Zucc. var. *oxysepala* (Trautv. & C.A.Mey.) Kitam., Acta Phytotax. Geobot. 15: 4 (1953)

Batrachium Gray

***Batrachium yezoense* (Nakai) Kitam., Acta Phytotax. Geobot. 20: 204 (1962)** Nat: S Korea **민매화마름**

Ranunculus yezoensis Nakai, Bot. Mag. (Tokyo) 44: 523 (1930)

Callianthemum C.A.Mey. & Ledeb.

***Callianthemum insigne* (Nakai) Nakai, Sci. Knowl. 8: 41 (1928)** Nat: N Korea **매화바람꽃**

Isopyrum insigne Nakai, Bot. Mag. (Tokyo) 33: 49 (1919)
Anemone insignis (Nakai) Nakai, Icon. Pl. Koisikav 4-5: 85, t. 255 (1921)

Caltha Mill.

***Caltha natans* Pall., Reise Russ. Reich. 3: 248 (1776)** Nat: N Korea **애기동의나물**

Caltha pusilla Pursh, Fl. Amer. Sept. (Pursh) 2: 390 (1813)
Thacla ficarioides Spach, Hist. Nat. Veg. (Spach) 7: 295 (1838)
Thacla natans (Pall.) Deyl & Soják, Sborn. Nar. Muz. v Praze, Rada B, Prir. Vedy 26: 31 (1970)

***Caltha palustris* L., Sp. Pl. 558 (1753) Nat: N Korea, S Korea 동의나물**

Caltha minor Mill., Gard. Dict., ed. 8 2 (1768)
Caltha glabra Gilib., Fl. Lit. Inch. 2: 279 (1782)
Caltha palustris L. var. *membranacea* Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 62 (1842)
Caltha palustris L. var. *sibirica* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 53 (1861)
Caltha palustris L. var. *sibirica* f. *erecta* Makino, Bot. Mag. (Tokyo) 22: 176 (1908)
Caltha fistulosa Schipcz., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 166 (1921)
Caltha membranacea (Turcz.) Schipcz., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 168 (1921)
Caltha membranacea (Turcz.) Schipcz. f. *erecta* (Makino) Koidz., Fl. Symb. Orient.-Asiat. 78 (1930)
Caltha palustris L. var. *nipponica* Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3: 6-2: 50(in adnota) (1952)
Caltha sibirica (Regel) Tolm., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 17: 153 (1955)
Caltha arctica R.Br. subsp. *sibirica* (Regel) Tolm., Fl. Arct. URSS Fasc. 6: 129 (1971)
Caltha palustris L. subsp. *sibirica* (Regel) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 4, 13: 337 (1971)

***Cimicifuga* Wernisch.**

***Cimicifuga simplex* Wormsk. ex DC., Prodr. (DC.) 1: 64 (1824) Nat: N Korea, S Korea 쑥대승마**

Actaea cimicifuga L. var. *simplex* DC., Prodr. (DC.) 1: 64 (1824)
Cimicifuga foetida L. var. *simplex* (DC.) G.Don, Gen. Hist. 1: 64 (1831)
Cimicifuga foetida L. var. *intermedia* Regel, Reis. Ostsib. 1: 121 (1861)
Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *tschonoskii* Huth, Bot. Jahrb. Syst. 16: 317 (1892)
Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *candollei* Huth, Bull. Herb. Boissier 5: 1094 (1897)
Cimicifuga ussuriensis Oett., Trudy Bot. Sada Imp. Yur'evsk. Univ. 6: 138 & tab. 1 (1905)
Cimicifuga foetida L. var. *matsumurai* Nakai, Bot. Mag. (Tokyo) 22: 151 (1908)
Cimicifuga taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 9: 448 (1911)
Cimicifuga simplex Wormsk. ex DC. var. *matsumurai* (Nakai) Nakai, Bot. Mag. (Tokyo) 30: 146 (1916)
Cimicifuga simplex Wormsk. ex DC. var. *yezoensis* Nakai, Bot. Mag. (Tokyo) 30: 146 (1916)
Cimicifuga yezoensis (Nakai) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 12: 36 (1923)

***Clematis* L.**

***Clematis alpina* (L.) Mill. var. *ochotensis* (Pall.) S.Watson, Botany [Fortieth Parallel] 4 (1871) Nat: N Korea 자주중덩굴**

Atragene ochotensis Pall., Fl. Ross. (Pallas) 1: 69 (1789)
Clematis ochotensis (Pall.) Poir., Encycl. (Lamarck) Suppl. 2 298 (1811)
Atragene platysepala Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 5 (1856)
Atragene alpina L. var. *ochotensis* (Pall.) Regel & Tiling, Fl. Ajan. 20 (1859)
Atragene alpina L. var. *platysepala* (Trautv. & C.A.Mey.) Maxim., Bull. Acad. Imp. Sci.

- Saint-Pétersbourg 27: 535 (1882)
Clematis nobilis Nakai, Bot. Mag. (Tokyo) 28: 303 (1914)
Atragene nobilis (Nakai) Nakai, Icon. Pl. Koisikav 3: 21 (1916)
Clematis subtritermata Nakai, Bot. Mag. (Tokyo) 33: 48 (1919)
Clematis subtritermata Nakai var. *tenuifolia* Nakai, Bot. Mag. (Tokyo) 33: 49 (1919)
Atragene ochotensis Pall. subsp. *coerulescens* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 2(33): 132 (1921)
Clematis ochotensis (Pall.) Poir. subsp. *coerulescens* (Kom.) Kom., Fl. Kamtschatka 2: 151 (1929)
Clematis crassisepala Ohwi, Acta Phytotax. Geobot. 7: 46 (1938)
Clematis ochotensis (Pall.) Poir. var. *subtritermata* (Nakai) U.C.La, Biol. Coreana 2: 21 (1993)
Clematis ochotensis (Pall.) Poir. var. *tenuifolia* (Nakai) U.C.La, Biol. Coreana 2: 21 (1993)
- Clematis apiifolia* DC., Syst. Nat. (Candolle) 1: 149 (1817) Nat; N Korea, S Korea 사위질빵**
Clematis apiifolia DC. subsp. *franchetii* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 25: 151 (1885)
Clematis apiifolia DC. subsp. *niponensis* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 25: 151 (1885)
Clematis pseudokoreana R.J.Im & U.C.La, Bull. Acad. Sci. Korea 6: 43 (1992)
- Clematis brachyura* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 221 (1877) Nat; N Korea, S Korea, Endemic 외대으아리**
Clematis spectabilis Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 12 (1899)
Clematis oligantha Nakai, Icon. Pl. Koisikav 1: 95 (1912)
Clematis brachyura Maxim. var. *hexasepala* Y.N.Lee, Korean J. Bot. 25: 177 (1982)
- Clematis brevicaudata* DC., Syst. Nat. (Candolle) 1: 138 (1817) Nat; N Korea 줌사위질빵**
Clematis vitalba L. var. *brevicaudata* (DC.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 100 (1885)
Clematis apiifolia DC. var. *biternata* Makino, Bot. Mag. (Tokyo) 20: 8 (1906)
- Clematis florida* Thunb., Fl. Jap. (Thunberg) 240 (1784) Int 위령선**
Atragene indica Desf., Tabl. Ecole Bot. 123 (1804)
Atragene florida Pers., Syn. Pl. (Persoon) 2: 98 (1808)
Viticella florida Bercht. & J.Presl, Prir. Rostlin 1(Ranunc.): 10 (1823)
Clematis hakonensis Franch. & Sav., Enum. Pl. Jap. 2: 263 (1879)
Clematis leptomera Hance, J. Bot. 18: 257 (1880)
Clematis anemonoides Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 149 (1885)
Clematis bracteata var. *leptomera* (Hance) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 134 (1885)
Clematis japonica (Houtt.) Makino, Bot. Mag. (Tokyo) 26: 81 (1912)
Clematis japonica (Houtt.) Makino var. *simsii* Makino, Bot. Mag. (Tokyo) 26: 81 (1912)
Clematis florida Thunb. var. *simsii* (Makino) Honda, Nom. Pl. Japonic. 93 (1939)
- Clematis fusca* Turcz., Bull. Soc. Imp. Naturalistes Moscou 14: 60 (1840) Nat; N Korea, S Korea 검종덩굴**
Clematis kamschatica Bong., Verz. Saisang-nor Pfl. 1: 10 (1841)
Clematis fusca Turcz. var. *kamschatica* (Bong.) Regel & Tiling, Fl. Ajan. 19 (1858)
Clematis fusca Turcz. var. *violacea* Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 11 (1859)
Clematis fusca Turcz. var. *mandshurica* Regel, Tent. Fl.-Ussur. 2 (1861)
Clematis ajanensis Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 176 (1885)
Clematis fusca Turcz. f. *obtusifolia* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26:

132 (1885)

Clematis fusca Turcz. var. *amurensis* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 132 (1885)

Clematis viorna L. var. *violacea* (Maxim.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 133 (1885)

Clematis ianthina Koehne, Deut. Dendrol. 158 (1893)

Clematis fuscoviolacea Nakai, Koryo Shikenrin Ippan 34 (1932)

Clematis ianthina Koehne var. *amurensis* (Kuntze) Nakai, J. Jap. Bot. 12: 847 (1936)

Clematis ianthina Koehne var. *mandsurica* (Regel) Nakai, J. Jap. Bot. 12: 846 (1936)

Clematis flabellata Nakai, J. Jap. Bot. 12: 842 (1936)

Clematis ianthina Koehne var. *violacea* (Maxim.) Nakai, J. Jap. Bot. 12: 846 (1936)

Clematis fusca Turcz. subsp. *violacea* (Maxim.) Kitag., Lin. Fl. Manshur. 216 (1939)

***Clematis heracleifolia* DC., Syst. Nat. (Candolle) 1: 138 (1817) Nat; N Korea, S Korea
병조회꽃**

Clematis heracleifolia* DC. var. *heracleifolia

***Clematis heracleifolia* DC. var. *tubulosa* (Turcz.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 183 (1885) Nat; N Korea, S Korea 자주조회꽃**

Clematis tubulosa Turcz., Bull. Soc. Imp. Naturalistes Moscou 10, 7: 148 (1837)

Clematis davidiana Decne. ex Verl., Rev. Hort. 39: 90 (1867)

Clematis tubulosa Turcz. var. *davidiana* (Decne. ex Verl.) Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 165 (1882)

Clematis heracleifolia DC. var. *davidiana* (Decne. ex Verl.) Forbes & Hemsl., J. Linn. Soc., Bot. 23: 4 (1886)

Clematis tubulosa Turcz. var. *rosea* Nakai, Bot. Mag. (Tokyo) 31: 4 (1917)

Clematis urticifolia Nakai ex Kitag. var. *carnea* Nakai, Chosen Sanrin Kwaiho 122: 23 (1935)

Clematis urticifolia Nakai ex Kitag., J. Jap. Bot. 13: 346 (1937)

Clematis urticifolia Nakai ex Kitag. var. *rosea* (Nakai) Nakai ex Kitag., J. Jap. Bot. 17: 350 (1937)

Clematis heracleifolia DC. f. *rosea* (Nakai) W.T.Lee, Lineamenta Florae Koreae 321 (1996)

Clematis heracleifolia DC. var. *urticifolia* (Nakai ex Kitag.) U.C.La, Fl. Korea (Lee) 2: 225 (1996)

***Clematis hexapetala* Pall., Reise Russ. Reich. 3: 735 (1776) Nat; N Korea 좁은잎사위질빵**

Clematis angustifolia Jacq., Enum. Stirp. Vindob. 310 (1762)

Clematis lasiantha Nutt., Fl. N. Amer. (Barton) 1: 9 (1838)

Clematis angustifolia Jacq. var. *longiloba* Freyn, Oesterr. Bot. Z. 45: 59 (1895)

Clematis angustifolia Jacq. f. *breviloba* Freyn, Oesterr. Bot. Z. 45: 59 (1895)

Clematis angustifolia Jacq. var. *dissecta* Y.Yabe, Enum. Pl. East. Mong. 14 (1917)

Clematis angustifolia Jacq. f. *dissecta* (Y.Yabe) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 17 (1936)

Clematis hexapetala Pall. f. *dissecta* (Y.Yabe) Kitag., Lin. Fl. Manshur. 217 (1939)

Clematis hexapetala Pall. f. *breviloba* (Freyn) Nakai, J. Jap. Bot. 20: 191 (1944)

Clematis hexapetala Pall. var. *longiloba* (Freyn) Hu, J. Arnold Arbor. 35: 59 (1954)

Clematis hexapetala Pall. f. *longiloba* (Freyn) Kitag., Neolin. Fl. Manshur. 297 (1979)

***Clematis koreana* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 438 (1901) Nat; N Korea, S Korea 세잎종덩굴**

Atragene koreana (Kom.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 278 (1904)

Clematis alpina (L.) Mill. var. *koreana* (Kom.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 7 (1909)

Clematis chiisanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 270 (1914)

Clematis alpina (L.) Mill. var. *carunculosa* Gagnep., Rev. Hort. 87: 534 (1915)

Clematis koreana Kom. var. *umbrosa* (Kom.) Nakai, Icon. Pl. Koisikav 4: 107 (1921)
Clematis chiisanensis Nakai var. *carunculosa* (Gagnep.) Rehder, J. Arnold Arbor. 7: 24 (1926)
Clematis ochotensis (Pall.) Poir. var. *triphylla* Ohwi, Acta Phytotax. Geobot. 4: 65 (1935)
Clematis komaroviana Koidz., Acta Phytotax. Geobot. 6: 213 (1937)
Clematis komarovii Koidz., Acta Phytotax. Geobot. 6: 63 (1937)
Clematis koreana Kom. var. *bitemata* Nakai, J. Jap. Bot. 15: 528 (1939)
Clematis umbrosa (Kom.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 27 (1952)
Clematis koreana Kom. var. *carunculosa* (Gagnep.) Tamura, Acta Phytotax. Geobot. 15: 118 (1954)
Clematis triphylla Ohwi, Neolin. Fl. Manshur. 585 (1979)
Clematis calcicola J.S.Kim, Korean J. Pl. Taxon. 39: 2 (2009)

***Clematis patens* C.Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 173 (1836) Nat: N Korea, S Korea 큰꽃오아리**

Clematis coerulea Lindl., Edward's Bot. Reg. 23: t. 1955 (1837)
Clematis coerulea Lindl. var. *grandiflora* Hook., Bot. Mag. 69: t. 3983 (1843)
Clematis azurea Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 272 (1854)
Clematis standishii Van Houtte, Fl. Serres Jard. Paris 16: 39 (1865)
Clematis luloni K.Koch, Dendrologie 1: 435 (1869)
Clematis monstrosa K.Koch, Dendrologie 1: 436 (1869)

***Clematis serratifolia* Rehder, Mitt. Deutsch. Dendrol. Ges. 1910: 248 (1910) Nat: N Korea, S Korea 개버무리**

Clematis orientalis L. var. *serrata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 853 (1876)
Clematis orientalis L. var. *wilfordii* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 583 (1876)
Clematis intricata Bunge var. *wilfordii* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 28 (1904)
Clematis intricata Bunge var. *serrata* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 28 (1904)
Clematis serrata (Maxim.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 549 (1931)
Clematis wilfordii (Maxim.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 549 (1931)
Clematis sibiricoides Nakai, J. Jap. Bot. 23: 13 (1949)
Clematis serratifolia Rehder f. *wilfordii* (Maxim.) Kitag., Neolin. Fl. Manshur. 299 (1979)
Clematis taeguensis Y.N.Lee, Korean J. Bot. 25: 175 (1982)

***Clematis terniflora* DC., Syst. Nat. (Candolle) 1: 137 (1817) Nat: N Korea, S Korea 참오아리**

Clematis flamula var. *robusta* Carrière, Rev. Hort. 46: 465 (1874)
Clematis maximowicziana Franch. & Sav., Enum. Pl. Jap. 2: 261 (1878)
Clematis parviloba Gardner & Champ. var. *maximowicziana* (Franch. & Sav.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 148 (1885)
Clematis recta L. subsp. *paniculata* (Thunb.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 115 (1885)
Clematis recta L. subsp. *terniflora* (DC.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 114 (1885)
Clematis dioscoreifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 339 (1909)
Clematis garanbiensis Hayata, Icon. Pl. Formosan. 9: 1 (1920)
Clematis paniculata var. *dioscoreifolia* (H.Lév. & Vaniot) Rehder, J. Arnold Arbor. 1: 195 (1920)
Clematis paniculata f. *maximowicziana* (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 51: 644 (1937)
Clematis terniflora DC. f. *maximowicziana* (Franch. & Sav.) Honda, Nom. Pl. Japonic. 505 (1939)

Clematis dioscoreifolia H.Lév. & Vaniot var. *robusta* (Carrière) Rehder, J. Arnold Arbor. 26: 70 (1945)
Clematis terniflora DC. var. *robusta* (Carruth.) Tamura, Acta Phytotax. Geobot. 15: 18 (1953)
Clematis dioscoreifolia H.Lév. & Vaniot var. *robusta* f. *denticulata* (Nakai) T.B.Lee, III. Woody Pl. Korea 259 (1966)

Clematis terniflora* DC. var. *terniflora

***Clematis terniflora* DC. var. *mandshurica* (Rupr.) Ohwi, Acta Phytotax. Geobot. 7: 43 (1938)**
Nat: N Korea, S Korea 으아리

Clematis mandshurica Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 258 (1857)
Clematis recta L. var. *mandshurica* (Rupr.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 218 (1876)
Clematis mandshurica Rupr. f. *lancifolia* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 10 (1909)
Clematis recta L. var. *koreana* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 9 (1909)
Clematis mandshurica Rupr. var. *lancifolia* (Nakai) Nakai, Chosen Shokubutsu 38 (1914)
Clematis liaotungensis Kitag., Rep. Inst. Sci. Res. Manchoukuo 2-7: 291 (1938)
Clematis papuligera Ohwi, Acta Phytotax. Geobot. 7: 44 (1938)
Clematis terniflora DC. var. *koreana* (Nakai) Tamura, Acta Phytotax. Geobot. 15: 18 (1953)

***Clematis trichotoma* Nakai, Bot. Mag. (Tokyo) 26: 323 (1912)** Nat: S Korea. Endemic
할미밀망

***Clematis turyusanensis* U.C.La & Chae G.Chen, Bull. Acad. Sci. Korea 6: 42 (1992)** Nat: N Korea 바위종덩굴

Consolida Gray

***Consolida ajacis* (L.) Schur, Verh. Mitth. Siebenbürg. Vereins Naturwiss. Hermannstadt 4: 47 (1853)** Int 비연초

Delphinium ajacis L., Sp. Pl. 531 (1753)
Delphinium ambiguum Mill., Gard. Dict., ed. 8 3 (1768)
Delphinium simplex Salisb., Prodr. Stirp. Chap. Allerton 375 (1796)
Delphinium pauciflorum D.Don, Prodr. Fl. Nepal. 196 (1825)
Delphinium gayanum Wilmott, J. Bot. 62: 26 (1924)

***Consolida orientalis* (J.Gay) Schrödinger, Abh. K.K. Zool.-Bot. Ges. Wien 4: 62 (1909)**
참계미고깔

Delphinium orientale J.Gay, Desm. Catal. Dord. 1: 12 (1840)
Delphinium ornatum C.D.Bouché, Bot. Zeitung (Berlin) 1: 26 (1843)

Coptis Salisb.

***Coptis japonica* (Thunb.) Makino, Bot. Mag. (Tokyo) 13: 198 (1899)** Int 황련

Thalictrum japonicum Thunb., Trans. Linn. Soc. London 2: 337 (1794)
Coptis anemonifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 180 (1843)
Coptis orientalis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 12: 60 (1868)
Coptis japonica (Thunb.) Makino var. *major* (Miq.) Satake, J. Jap. Bot. 24: 74 (1949)
Coptis japonica (Thunb.) Makino var. *anemonifolia* (Siebold & Zucc.) H.Ohba, J. Jap. Bot. 75: 369 (2000)

Delphinium Raf.

Delphinium grandiflorum L., Sp. Pl. 531 (1753) Nat: N Korea 제비고깔

Delphinium sinense Fisch. ex Link, Enum. Hort. Berol. Alt. 2: 80 (1822)

Delphinium bonatii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 99 (1909)

Delphinium grandiflorum L. var. *chinense* Fisch. ex DC., Syst. Nat. (Candolle) 1: 351 (1918)

Delphinium grandiflorum L. var. *tigridium* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 17 (1936)

Chienia honanensis W.T.Wang, Acta Phytotax. Sin. 9: 104 (1964)

Delphinium maackianum Regel, Tent. Fl.-Ussur. 9 (1861) Nat: N Korea, S Korea 큰제비고깔

Delphinium lycoctonifolium H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 100 (1909)

Delphinium maackianum Regel var. *album* Nakai, Bot. Mag. (Tokyo) 28: 303 (1914)

Delphinium maackianum Regel var. *lasiophyllum* Nakai, J. Jap. Bot. 13: 471 (1937)

Delphinium maackianum Regel f. *lasiocarpum* (Regel) Kitag., J. Jap. Bot. 36: 21 (1961)

Delphinium maackianum Regel f. *albiflorum* S.H.Li & Z.F.Fang, Fl. Pl. Herb. Chin.

Bor.-Or. 3: 229 (1975)

Delphinium maackianum Regel var. *lasiocarpum* Regel, Neolin. Fl. Manshur. 585 (1979)

Delphinium maackianum Regel var. *ussuriense* Regel, Neolin. Fl. Manshur. 585 (1979)

Delphinium maackianum Regel f. *album* (Nakai) W.T.Lee, Lineamenta Florae Koreae 329 (1996)

Enemion Raf.

Enemion raddeanum Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 61 (1861) Nat: N Korea, S Korea 나도바람꽃

Enemion raddeanum Regel var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 2 (1878)

Isopyrum raddeanum (Regel) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 639 (1883)

Enemion leveilleanum (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 30 (1952)

Eranthis Salisb.

Eranthis pinnatifida Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 22: 225 (1877) Nat: S Korea 변산바람꽃

Eranthis keiskei Franch. & Sav., Enum. Pl. Jap. 2: 269 (1878)

Eranthis byunsanensis B.Y.Sun, Korean J. Pl. Taxon. 23: 22 (1993)

Eranthis pinnatifida Maxim. f. *purpurea* Y.N.Lee, Bull. Korea Pl. Res. 4: 18 (2004)

Eranthis byunsanensis B.Y.Sun f. *disepalis* Y.N.Lee, Bull. Korea Pl. Res. 7: 13 (2007)

Eranthis pungdoensis B.U.Oh, Korean J. Pl. Taxon. 39: 88 (2009)

Eranthis stellata Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 22 (1859) Nat: N Korea, S Korea 너도바람꽃

Eranthis uncinata var. *puberula* Regel & Maack, Tent. Fl.-Ussur. 8, 25 (1861)

Eranthis vaniotiana H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 299 (1902)

Shibateranthis stellata (Maxim.) Nakai, Bot. Mag. (Tokyo) 51: 364 (1937)

Isopyrum Adans.

Isopyrum manshuricum Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 5 (1926) Nat: N Korea, S Korea 만주바람꽃

Semiaquilegia manshurica Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 5 (1926)
Isopyrum yamatsutanum Ohwi, Acta Phytotax. Geobot. 1: 80 (1932)

Leptopyrum Rchb.

Leptopyrum fumarioides (L.) Rchb., Consp. Regn. Veg. 192 (1828) Nat: N Korea, S Korea
바디풀

Isopyrum fumarioides L., Sp. Pl. 557 (1753)

Helleborus fumarioides (L.) Lam., Encycl. (Lamarck) 3: 99 (1789)

Megaleranthis Ohwi

Megaleranthis saniculifolia Ohwi, Acta Phytotax. Geobot. 4: 131 (1935) Nat: S Korea,
Endemic 모데미풀

Trollius chosonensis Ohwi, Acta Phytotax. Geobot. 6: 151 (1937)

Pulsatilla Mill.

Pulsatilla cernua (Thunb.) Bercht. & J.Presl, Reliq. Haenk. 1: 22 (1825) Nat: N Korea, S Korea
할미꽃

Anemone cernua Thunb., Syst. Veg., ed. 14 (J. A. Murray) 510 (1784)

Anemone cernua Thunb. var. *koreana* Y. Yabe ex Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 19 (1909)

Pulsatilla nivalis Nakai, Bot. Mag. (Tokyo) 33: 50 (1919)

Pulsatilla cernua (Thunb.) Bercht. & J.Presl var. *koreana* f. *flava* Y.N.Lee, Res. Inst. Culture Kor. 10: 3 (1967)

Pulsatilla cernua (Thunb.) Bercht. & J.Presl var. *koreana* (Y. Yabe ex Nakai) U.C.La, Fl. Korea (Lee) 2: 212 (1996)

Pulsatilla chinensis (Bunge) Regel, Tent. Fl.-Ussur. 5 5 (1861) Nat: N Korea 중국할미꽃

Anemone chinensis Bunge, Enum. Pl. Chin. Bor. 2 (1833)

Pulsatilla dahurica (Fisch. ex DC.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 663 (1825) Nat: N Korea
분홍할미꽃

Anemone dahurica Fisch. ex DC., Prodr. (DC.) 1: 17 (1824)

Pulsatilla x tongkangensis Y.N.Lee & T.C.Lee, Bull. Korea Pl. Res. 1: 11 (2000) Nat: S Korea
동강할미꽃

Ranunculus L.

Ranunculus arvensis L., Sp. Pl. 555 (1753) Nat: N Korea 줄미나리아재비

Pfandia arvensis Opiz, Seznam 73 (1852)

Cynomorbium heterophyllum Opiz, Lotos 4: 43 (1854)

Ranunculus cantoniensis DC., Prodr. (DC.) 1: 43 (1824) Nat: S Korea 털개구리미나리

Hecatonia pilosa Lour., Fl. Cochinch. 303 (1790)

Ranunculus diffusus Forbes & Hemsl., J. Linn. Soc., Bot. 23: 14 (1886)

Ranunculus ternatus Thunb. var. *hirsutus* Boiss., Bull. Herb. Boissier 7: 594 (1899)

Ranunculus japonicus Thunb. f. *hirsutus* Makino, Inuma, Somoku-Dzusetsu, ed. 2 802 (1910)

Ranunculus brachyrhynchus S.S.Chien, *Rhodora* 18: 189 (1916)
Ranunculus vernyi Franch. & Sav. var. *japonicus* Nakai, *Bot. Mag. (Tokyo)* 42: 20 (1928)
Ranunculus vernyi Franch. & Sav. var. *hirsutus* (Boiss.) Koidz., *Fl. Symb. Orient.-Asiat.* 78 (1930)
Ranunculus polycephalus Makino, *J. Jap. Bot.* 7(10): 31 (1931)

***Ranunculus chinensis* Bunge, Enum. Pl. Chin. Bor. 3 (1831) Nat: N Korea, S Korea**
젓가락나물

Ranunculus pensylvanicus var. *chinensis* (Bunge) Maxim., *Enum. Pl. Mongolia* 1: 23 (1889)
Ranunculus sceleratiformis Raikova, *Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR* 4: 171 (1923)

***Ranunculus franchetii* H.Boissieu, Bull. Herb. Boissier 7: 591 (1899) Nat: N Korea, S Korea**
왜미나리아재비

Ranunculus polyrhizos var. *major* Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 201 (1859)
Ranunculus ussuriensis Kom., *Bot. Mater. Gerb. Glavn. Bot. Sada SSSR* 6: 7 (1926)

***Ranunculus gmelinii* DC., Syst. Nat. (Candolle) 1: 303 (1817) Nat: N Korea** 물미나리아재비

Ranunculus pusillus Ledeb., *Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad.* 5: 546 (1815)
Ranunculus langsdorffii DC., *Prodr. (DC.)* 1: 34 (1824)
Ranunculus fauriei H.Lév., *Repert. Spec. Nov. Regni Veg.* 7: 101 (1909)

***Ranunculus japonicus* Thunb., Trans. Linn. Soc. London 2: 337 (1794) Nat: N Korea, S Korea**
미나리아재비

Ranunculus propinquus Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 20 (1859)
Ranunculus acris Regel, *Tent. Fl.-Ussur.* 18 (1861)
Ranunculus acris Regel var. *japonicus* (Thunb.) Maxim., *Enum. Pl. Mongolia* 1: 21 (1889)
Ranunculus acris Regel subsp. *steveni* (Andrz.) Korsh., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 12: 297 (1893)
Ranunculus labordei H.Lév. & Vaniot, *Bull. Acad. Int. Géogr. Bot.* 11: 50 (1902)
Ranunculus acris Regel var. *schizophyllus* Nakai, *Repert. Spec. Nov. Regni Veg.* 13: 270 (1914)
Ranunculus acris Regel subsp. *japonicus* (Thunb.) Hultén, *Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5:* 120 (1928)
Ranunculus grandis Honda, *Bot. Mag. (Tokyo)* 43: 657 (1929)
Ranunculus acris Regel var. *elatus* Nakai, *J. Jap. Bot.* 13: 472 (1937)
Ranunculus acris Regel var. *nipponicus* H.Hara, *J. Jap. Bot.* 13: 777 (1937)
Ranunculus transochotensis H.Hara, *J. Jap. Bot.* 13: 775 (1937)
Ranunculus acris Regel var. *austrokurilensis* Tatew., *Rep. Veg. Is. Shikotan* 34 (1940)
Ranunculus paishanensis Kitag. var. *oreodoxa* Kitag., *J. Jap. Bot.* 19: 69 (1943)
Ranunculus japonicus Thunb. var. *latissimus* Kitag., *J. Jap. Bot.* 19: 68 (1943)
Ranunculus grandis Honda var. *austrokurilensis* (Tatew.) H.Hara, *J. Jap. Bot.* 19: 359 (1943)
Ranunculus grandis Honda var. *ozensis* H.Hara, *J. Jap. Bot.* 19: 360 (1943)
Ranunculus grandis Honda var. *transochotensis* (H.Hara) H.Hara, *J. Jap. Bot.* 19: 360 (1943)
Ranunculus acris Regel f. *oreodoxa* (Kitag.) Tamura, *Acta Phytotax. Geobot.* 16: 111 (1956)
Ranunculus acris Regel var. *monticola* (Kitag.) Tamura, *Acta Phytotax. Geobot.* 16: 111 (1956)
Ranunculus subcorymbosus Kom. subsp. *subcorymbosus* var. *austrokurilensis* (Tatew.) Tamura, *Acta Phytotax. Geobot.* 24: 165 (1970)
Ranunculus subcorymbosus Kom. subsp. *subcorymbosus* var. *ozensis* (H.Hara) Tamura, *Acta Phytotax. Geobot.* 24: 166 (1970)

Ranunculus paishanensis Kitag. f. *oreodoxa* (Kitag.) Kitag., Neolin. Fl. Manshur. 308 (1979)
Ranunculus paishanensis Kitag., Neolin. Fl. Manshur. 585 (1979)
Ranunculus japonicus Thunb. f. *latissimus* (Kitag.) Kitag., Neolin. Fl. Manshur. 307 (1979)

***Ranunculus kadzusensis* Makino, J. Jap. Bot. 6: 8 (1929) Nat: N Korea, S Korea 매화마름**
Ranunculus pantothrix Nakai, Bot. Mag. (Tokyo) 44: 521 (1930)
Batrachium pantothrix (Brot.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 26 (1952)
Batrachium kazusense (Makino) Kitam., Acta Phytotax. Geobot. 20: 204 (1962)

***Ranunculus muricatus* L., Sp. Pl. 555 (1753) Int 유럽미나리아재비**
Ranunculus muricatus L. var. *brasiliensis* DC., Syst. Nat. (Candolle) 1: 299 (1818)

***Ranunculus repens* L., Sp. Pl. 554 (1753) Nat: N Korea 기는미나리아재비**
Ranunculus intermedius Eaton, Man. Bot. (A. Eaton), ed. 3 424 (1822)
Ranunculus lagascanus DC., Prodr. (DC.) 1: 43 (1824)
Ranunculus clintonii Beck, Bot. North. Middle States [Beck] 9 (1833)
Ranunculus repens L. var. *brevistylus* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 25 (1890)
Ranunculus repens L. var. *major* Nakai, Bot. Mag. (Tokyo) 42: 23 (1928)
Ranunculus repens L. f. *polypetalum* S.H.Li & Y.Huei Huang, Fl. Pl. Herb. Chin. Bor.-Or. 3: 200-230 (1975)

***Ranunculus sarmentosus* Adams, Mem. Soc. Imp. Naturalistes Moscou 9: 244 (1834) Nat: N Korea 나도마름아재비**
Ranunculus salsuginosus Pall., Reise Russ. Reich. 3: 213 (1776)
Halerpestes salsuginosa (Pall.) Greene, Pittonia 4: 207 (1900)
Ranunculus subsimilis Printz, Veg. Siber.-Mongol. Front. 239 (1921)
Halerpestes sarmentosa (Adams) Kom., Opred. Rast. Dal'nevost. Kraia 1: 550 (1931)
Ranunculus cymbalaria Pursh subsp. *sarmentosus* (Adams) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 18 (1936)
Ranunculus cymbalaria Pursh subsp. *subsimilis* (Printz) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 18 (1936)

***Ranunculus sceleratus* L., Sp. Pl. 551 (1753) Nat: N Korea, S Korea 개구리자리**
Hecatonia palustris Lour., Fl. Cochinch. 303 (1790)
Ranunculus oryzetorum Bunge, Enum. Pl. Chin. Bor. 2 (1833)
Ranunculus sceleratus L. var. *sinensis* H.Lév. & Vaniot, Bull. Herb. Boissier ser.2, 6: 505 (1906)
Ranunculus tachiroei Franch. & Sav. f. *glabrescens* (Sakata) W.T.Lee, Lineamenta Florae Koreae 341 (1996)

***Ranunculus silerifolius* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 257 (1909) Nat: S Korea 왜젓가락나물**
Ranunculus vernyi Franch. & Sav., Enum. Pl. Jap. 1: 8 (1873)
Ranunculus ternatus Thunb. var. *glaber* H.Boissieu, Bull. Herb. Boissier 7: 594 (1899)
Ranunculus repens L. var. *quelpaertensis* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 101 (1909)
Ranunculus quelpaertensis (H.Lév.) Nakai, Bot. Mag. (Tokyo) 27: 128 (1913)
Ranunculus vernyi Franch. & Sav. var. *glaber* Nakai, Bot. Mag. (Tokyo) 42: 19 (1928)
Ranunculus vernyi Franch. & Sav. var. *quelpaertensis* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 42: 21 (1928)
Ranunculus glaber (H.Boissieu) Makino, J. Jap. Bot. 7: 31 (1931)
Ranunculus ternatus Thunb. var. *quelpaertensis* (H.Lév.) Ohwi, Fl. Jap. (Ohwi) 536 (1953)

Ranunculus hakkodensis Nakai var. *quelpaertensis* (H.Lév.) Ohwi & Okuy., J. Jap. Bot. 29: 168 (1954)

***Ranunculus tachiroei* Franch. & Sav., Enum. Pl. Jap. 2: 267 (1878) Nat: N Korea, S Korea
개구리미나리**

Ranunculus cantoniensis DC. subsp. *tachiroei* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 20: 204 (1962)

***Ranunculus ternatus* Thunb., Fl. Jap. (Thunberg) 241 (1784) Nat: S Korea 개구리갓**

Ranunculus extorris Hance, Ann. Sci. Nat., Bot. 5.5: 204 (1866)

Ranunculus zuccarinii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 5 (1867)

Ranunculus leiocladus Hayata, Icon. Pl. Formosan. 3: 7 (1913)

Ranunculus zuccarinii Miq. var. *dissectissimus* Migo, J. Shanghai Sci. Inst. 3: 4 (1934)

Semiaquilegia Makino

***Semiaquilegia adoxoides* (DC.) Makino, Bot. Mag. (Tokyo) 16: 119 (1902) Nat: S Korea
개구리발톱**

Isopyrum adoxoides DC., Syst. Nat. (Candolle) 1: 324 (1817)

Isopyrum japonicum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 181 (1843)

Isopyrum tuberosum H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 (1909)

Isopyrum leveilleianum Nakai, Bot. Mag. (Tokyo) 26: 323 (1912)

Aquilegia adoxoides (DC.) Ohwi, Fl. Jap. (Ohwi) 533 (1953)

Thalictrum L.

***Thalictrum actaeifolium* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 178 (1845) Nat: N Korea, S Korea 은쟁의다리**

Thalictrum actaeifolium Siebold & Zucc. var. *brevistylum* Nakai, J. Jap. Bot. 13: 472 (1937)

***Thalictrum aquilegifolium* L., Sp. Pl. 547 (1753) Int 유럽쟁의다리**

Tripterium aquilegifolium Bercht. & J.Presl, Prir. Rostlin 1(Ranunc.): 14 (1823)

Tripterium contortum Bercht. & J.Presl, Prir. Rostlin 1(Ranunc.): 14 (1823)

Ruprechtia aquilegifolia Opiz, Seznam 86 (1852)

Tripterium pauciflorum Schur, Enum. Pl. Transsilv. 7 (1866)

Thalictrum aquilegifolium* L. var. *aquilegifolium

***Thalictrum aquilegifolium* L. var. *sibiricum* Regel & Tiling, Fl. Ajan. 23 (1858) Nat: N Korea, S Korea 쟁의다리**

Thalictrum contortum L., Sp. Pl. 547 (1753)

Thalictrum atropurpureum Jacq., Hort. Bot. Vindob. 3: 34 (1777)

Thalictrum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 339 (1909)

Thalictrum daisenense Nakai, Bot. Mag. (Tokyo) 42: 1 (1928)

Thalictrum aquilegifolium L. var. *asiaticum* Nakai, J. Jap. Bot. 13: 473 (1937)

Thalictrum aquilegifolium L. subsp. *asiaticum* (Nakai) Kitag., Lin. Fl. Manshur. 226 (1939)

***Thalictrum baicalense* Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 85 (1838) Nat: N Korea 바이칼쟁의다리**

Thalictrum francheti Huth, Bull. Herb. Boissier 5: 1069 (1897)
Thalictrum baicalense Turcz. var. *japonicum* Boissieu, Bull. Herb. Boissier 7: 585 (1899)
Thalictrum giraldii Ulbr., Notizbl. Bot. Gart. Berlin-Dahlem 9(84): 224 (1925)

***Thalictrum ichangense* Lecoy. ex Oliv., Hooker's Icon. Pl. ser. 3, 8: t. 1765 (1888) Nat: N Korea, S Korea 꼭지연잎쟁의다리**

Thalictrum tripeltatum Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 13 (1890)
Isopyrum multipeltatum Pamp., Nuovo Giorn. Bot. Ital. 18: 115 (1911)
Thalictrum multipeltatum (Pamp.) Pamp., Nuovo Giorn. Bot. Ital. n.s. 18: 167 (1911)

Thalictrum ichangense* Lecoy. ex Oliv. var. *ichangense

***Thalictrum ichangense* Lecoy. ex Oliv. var. *coreanum* H.Lév. ex Tamura, Acta Phytotax. Geobot. 15: 83 (1953) Nat: N Korea, S Korea 연잎쟁의다리**

Thalictrum coreanum H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 297 (1902)
Thalictrum ichangense Lecoy. ex Oliv. race *coreanum* (H.Lév.) H.Lév., Repert. Spec. Nov. Regni Veg. 7: 100 (1909)
Thalictrum coreanum H.Lév. var. *minor* Nakai, Bot. Mag. (Tokyo) 26: 323 (1912)

***Thalictrum minus* (Pamp.) Pamp. var. *hypoleucum* (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 3 (1867) Nat: N Korea, S Korea 큰쟁의다리**

Thalictrum thunbergii DC., Syst. Nat. (Candolle) 1: 183 (1818)
Thalictrum hypoleucum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 178 (1846)
Thalictrum coraiense Matsum., Bot. Mag. (Tokyo) 9: 276 (1895)
Thalictrum chinense Freyn, Oesterr. Bot. Z. 1901: 376 (1901)
Thalictrum amplissimum H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 51 (1902)
Thalictrum purdomii Clark, Bull. Misc. Inform. Kew 1913: 39 (1913)
Thalictrum minus (Pamp.) Pamp. var. *amplissimum* (H.Lév. & Vaniot) H.Lév., Fl. Kouy-Tcheou 339 (1915)
Thalictrum thunbergii DC. var. *hypoleucum* (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 42: 3 (1928)
Thalictrum thunbergii DC. var. *majus* (Miq.) Nakai, Bot. Mag. (Tokyo) 42: 4 (1928)
Thalictrum thunbergii DC. var. *condensatum* Nakai, Bot. Mag. (Tokyo) 42: 6 (1928)
Thalictrum yamamotoe Honda, Bot. Mag. (Tokyo) 55: 170 (1943)
Thalictrum kemense Fr. var. *hypoleucum* (Siebold & Zucc.) Kitag., Sci. Rep. Yokoh. Nat. Univ. sect. 2 19: 59 (1972)

***Thalictrum osmorhizoides* Nakai, Bot. Mag. (Tokyo) 33: 50 (1919) Nat: N Korea 그늘쟁의다리**

***Thalictrum petaloideum* L., Sp. Pl. (ed. 2) 1: 171 (1762) Nat: S Korea 꽃쟁의다리**

Thalictrum stramineum L.f., Suppl. Pl. 271 (1782)
Thalictrum petaloideum L. var. *latifoliolatum* Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 82, t. 2, f. 2 (1940)

***Thalictrum rochebrunnianum* Franch. & Sav., Enum. Pl. Jap. 2: 264 (1876) Nat: N Korea, S Korea 금쟁의다리**

Thalictrum grandisepalum H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 297 (1902)
Thalictrum rochebrunnianum Franch. & Sav. var. *grandisepalum* (H.Lév.) Nakai, Chosen Shokubutsu 42 (1914)

***Thalictrum sachalinense* Lecoy., Bull. Soc. Roy. Bot. Belgique 24: 152 (1885) Nat: N Korea 뿔쟁의다리**

Thalictrum akanense Huth, Bull. Herb. Boissier 5: 1069 (1897)
Thalictrum neosachalinense H.Lév., Repert. Spec. Nov. Regni Veg. 7: 101 (1909)
Thalictrum spirostigmum Nakai, Bot. Mag. (Tokyo) 33: 51 (1919)

***Thalictrum simlex* var. *brevipes* H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 56 (1952)**
Nat: N Korea, S Korea 긴잎평의다리

***Thalictrum sparsiflorum* Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 40 (1835)** Nat: N Korea 발톱평의다리

Thalictrum richardsonii A.Gray, Amer. J. Sci. Arts 42: 17 (1842)
Thalictrum sparsiflorum Turcz. ex Fisch. & C.A.Mey. var. *nevadense* B.Boivin, Rhodora 46(550): 373 (1944)
Thalictrum sparsiflorum Turcz. ex Fisch. & C.A.Mey. var. *richardsonii* (A.Gray) B.Boivin, Rhodora 46(550): 369 (1944)

***Thalictrum tuberiferum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 22: 227 (1876)** Nat: N Korea, S Korea 산평의다리

Thalictrum tenerum Huth, Bull. Herb. Boissier 5: 1068 (1897)
Thalictrum tuberiferum Maxim. var. *tenerum* (Huth) H.Boissieu, Bull. Herb. Boissier 7: 584 (1899)
Thalictrum fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 388 (1906)
Thalictrum fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 100 (1909)
Thalictrum punctatum H.Lév., Repert. Spec. Nov. Regni Veg. 10: 376 (1912)
Thalictrum raphanorbizon Nakai, Icon. Pl. Koisikav 3: 23 (1919)
Thalictrum filamentosum Maxim. var. *tenerum* (Huth) Ohwi, Fl. Jap. (Ohwi) 531 (1953)

***Thalictrum uchiyamae* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 15 (1909)** Nat: S Korea 자주평의다리

Trollius L.

***Trollius chinensis* Bunge, Enum. Pl. Chin. Bor. 3 (1833)** Nat: N Korea 큰금매화

Trollius macropetalus (Regel) F. Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser.7, 12: 88 (1868)
Trollius ledebourii var. *macropetalus* Regel, Tent.Fl.-Ussur. 8 (1861)

***Trollius japonicus* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 6 (1876)** Nat: N Korea 애기금매화

***Trollius ledebourii* Rchb., Iconogr. Bot. Pl. Crit. 3: 63 (1825)** Nat: N Korea 금매화

Trollius akiyamae Toyok., Hokuriku J. Bot.6: 104 (1957)
Trollius hondoensis Nakai, Bot. Mag. (Tokyo) 42: 8 (1928)

RHAMNACEAE

Berchemia Neck. ex DC.

***Berchemia berchemiifolia* (Makino) Koidz., Bot. Mag. (Tokyo) 39: 21 (1925)** Nat: S Korea 망개나무

Rhamnella berchemiifolia Makino, Bot. Mag. (Tokyo) 12(136): 49 (1898)
Berchemiella berchemiifolia (Makino) Nakai, Bot. Mag. (Tokyo) 37: 31 (1923)

Berchemiella koreana Nakai, Tyosen Sanrin Kaiho 122: 26, 32 (1935)

***Berchemia floribunda* (Wall.) Brongn., Mém. Fam. Rhamnées 50 (1826) Nat: S Korea**
떡년출

Ziziphus floribunda Wall. Fl. Ind. (Carey & Wallich ed.) 2: 368 (1824)

Ziziphus poiretiana D.Dietr., Syn. Pl. (D. Dietrich) 1: 811 (1839)

Berchemia racemosa Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4-2: 147 (1845)

Berchemia racemosa Siebold & Zucc. var. *magna* Makino, Bot. Mag. (Tokyo) 6: 170 (1892)

Berchemia formosana C.K.Schneid., Pl. Wilson. 2: 220 (1914)

Berchemia magna (Makino) Koidz., Bot. Mag. (Tokyo) 30: 325 (1916)

Berchemia ohwii Kaneh. & Hatus. ex Kaneh., Formosan Trees, ed. rev. 420 (1936)

Berchemia kunitakei Uyeki, Chosen Sanrin Kwaiho 213: 8 (1943)

Berchemia racemosa Siebold & Zucc. var. *formosana* (C.K.Schneid.) Kitam., Acta Phytotax. Geobot. 25: 41 (1972)

Hovenia Thunb.

***Hovenia dulcis* Thunb., Nov. Gen. Pl. [Thunberg] 1: 8 (1781) Nat: N Korea, S Korea**
헛개나무

Hovenia acerba Lindl., Bot. Reg. 6: t. 501 (1820)

Hovenia pubescens Sweet, Hort. Brit. (Sweet) 91 (1826)

Hovenia dulcis Thunb. var. *glabra* Makino, Bot. Mag. (Tokyo) 28: 155 (1914)

Hovenia dulcis Thunb. var. *tomtenella* Makino, Bot. Mag. (Tokyo) 28: 156 (1914)

Hovenia dulcis Thunb. var. *koreana* Nakai ex Y.Kimura, Bot. Mag. (Tokyo) 53: 476 (1939)

Hovenia dulcis Thunb. var. *latifolia* Nakai ex Y.Kimura, Bot. Mag. (Tokyo) 53: 476 (1939)

Paliurus Mill.

***Paliurus ramosissimus* (Lour.) Poir., Encycl. (Lamarck) Suppl. 4 262 (1816) Nat: S Korea**
갯대추나무

Aubletia ramosissima Lour., Fl. Cochinch. 283 (1790)

Paliurus aubletia Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 5: 343 (1819)

Ziziphus ramosissima (Lour.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 771 (1824)

Rhamnella Miq.

***Rhamnella franguloides* (Maxim.) Weberb., Nat. Pflanzenfam. 3: 406 (1895) Nat: S Korea**
까마귀베개

Microrhamnus franguloides Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 10: 4 (1866)

Rhamnella japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 30 (1867)

Microrhamnus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 (1910)

Rhamnella obovalis C.K.Schneid., Pl. Wilson. 2(1): 223 (1914)

Rhamnus L.

***Rhamnus crenata* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 146 (1845) Nat: S Korea 산황나무**

Frangula crenata (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 32 (1867)

Rhamnus pseudofrangula H.Lév., Repert. Spec. Nov. Regni Veg. 10: 473 (1912)

Celastrus esquirolianus H.Lév., Fl. Kouy-Tcheou 69 (1914)

Celastrus kouytchensis H.Lév., Repert. Spec. Nov. Regni Veg. 13: 263 (1914)

***Rhamnus davurica* Pall., Reise Russ. Reich. 3: 721 (1776)** Nat: N Korea, S Korea 갈매나무

Rhamnus cathartica L. var. *davurica* (Pall.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 10(11): 9 (1866)

Rhamnus davurica Pall. var. *japonica* Makino ex Nakai, Chosen Shokubutsu 212 (1914)

***Rhamnus parvifolia* Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 2: 88**

(1835) Nat: N Korea 돌갈매나무

Rhamnus polymorphus Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 713 (1842)

Rhamnus virgata Roxb. var. *sylvestris* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4-11: 13 (1866)

Rhamnus tumetica Grubov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 129 (1950)

Rhamnus parvifolia Bunge var. *tumetica* (Grubov) E.W.Ma, Fl. Intramongol. 4: 74 (1979)

***Rhamnus rugulosa* Hemsl., J. Linn. Soc., Bot. 23: 129 (1886)** Nat: N Korea, S Korea

털갈매나무

Rhamnus koraiensis C.K.Schneid., Notizbl. Königl. Bot. Gart. Berlin 5: 77 (1908)

Rhamnus diamantiaca Nakai, Bot. Mag. (Tokyo) 31: 98 (1917)

***Rhamnus taquetii* (H.Lév. & Vaniot) H.Lév., Repert. Spec. Nov. Regni Veg. 10: 431 (1912)**

Nat: S Korea, Endemic 쭈갈매나무

Prunus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 197 (1909)

Rhamnus globosa Bunge var. *taquetii* (H.Lév. & Vaniot) Nakai, Chosen Shokubutsu 213 (1914)

***Rhamnus utilis* Decne., Compt. Rend. Hebd. Seances Acad. Sci. 44: 1141 (1857)** Nat: N

Korea, S Korea 참갈매나무

Rhamnus cathartica L. var. *intermedia* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 10: 9 (1866)

Rhamnus davurica Pall. var. *nipponica* Makino, Bot. Mag. (Tokyo) 18: 98 (1904)

Rhamnus shozoensis Nakai, Bot. Mag. (Tokyo) 28: 309 (1914)

Rhamnus ussuriensis J.J.Vassil., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 8: 115 (1940)

Rhamnus nipponica (Makino) Grubov, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 8: 316 (1949)

***Rhamnus yoshinoi* Makino, Bot. Mag. (Tokyo) 18: 97 (1904)** Nat: N Korea, S Korea

작자래나무

Rhamnus schneideri H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 6: 265 (1909)

Rhamnus globosa Bunge var. *glabra* Nakai, Bot. Mag. (Tokyo) 28: 309 (1914)

Rhamnus glabra (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 99 (1917)

Rhamnus glabra (Nakai) Nakai var. *manshurica* Nakai, Bot. Mag. (Tokyo) 31: 99 (1917)

Rhamnus schneideri H.Lév. & Vaniot var. *manshurica* (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 274 (1917)

Rhamnus yoshinoi Makino var. *manshurica* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 310 (1966)

Sageretia Brongn.

***Sageretia thea* (Osbeck) M.C.Johnst., J. Arnold Arbor. 49: 377 (1968)** Nat: S Korea

상동나무

Rhamnus thea Osbeck, Dagb. Ostind. Resa 232 (1757)
Rhamnus theezans L., Mant. Pl. 2: 207 (1771)
Sageretia theezans (L.) Brongn., Ann. Sci. Nat. (Paris) 10: 360 (1826)
Ampelopsis chinensis Raf., Sylva Tellur. 33 (1830)
Sageretia theezans (L.) Brongn. var. *tomentosa* C.K.Schneid., Pl. Wilson. 2: 228 (1914)
Sageretia laetevirens (Kom.) Gontsch., Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 4: 269 (1937)
Sageretia theezans (L.) Brongn. f. *tomentosa* (C.K.Schneid.) H.Hara, Enum. Spermatophytarum Japon. 3: 130 (1954)
Sageretia thea (Osbeck) M.C.Johnst. var. *tomentosa* (C.K.Schneid.) Y.L.Chen & P.K.Chou, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 5: 75 (1979)

Ziziphus Mill.

Ziziphus jujuba Mill., Gard. Dict., ed. 8 Z,1 (1768) Int 대추나무

Rhamnus zizyphus L., Sp. Pl. 194 (1753)
Ziziphus sativa Gaertn., Fruct. Sem. Pl. 1: 202 (1788)
Ziziphus sinensis Lam., Encycl. (Lamarck) 3: 316 (1789)
Ziziphus vulgaris Lam., Encycl. (Lamarck) 3: 316 (1789)
Ziziphus lucidus Salisb., Prodr. Stirp. Chap. Allerton 139 (1796)
Ziziphus chinensis Lam. ex Prenger, Syst. Veg. (ed. 16) [Sprengel] 1: 770 (1824)
Ziziphus vulgaris Lam. var. *spinosa* Bunge, Enum. Pl. Chin. Bor. 14 (1833)
Ziziphus vulgaris Lam. var. *inermis* Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 88 (1833)
Ziziphus zizyphus (L.) H.Karst., Deut. Fl. (Karsten) 870 (1882)

Ziziphus jujuba Mill. var. *jujuba*

Ziziphus jujuba Mill. var. *spinosa* (Bunge) Hu ex H.F.Chow, Familiar Trees Hopei 307 (1934)

Nat: S Korea 뽕대추

Ziziphus sativa Gaertn. var. *spinosa* (Bunge) C.K.Schneid., Ill. Handb. Laubholz. 2: 261 (1909)
Ziziphus vulgaris Lam. var. *spinosa* Bunge, Enum. Pl. Chin. Bor. 14 (1833)

ROSACEAE

Agrimonia L.

Agrimonia coreana Nakai, Rep. Veg. Diamond Mountains 71 (1918) Nat: N Korea, S Korea 산질신나물

Agrimonia velutina Juz., Fl. URSS 10: 420, 636, t. 25: 5 (1941)
Agrimonia coreana Nakai f. *pilosella* Sakata, J. Chosen Nat. Hist. Soc. 20: 20 (1935)
Agrimonia pilosa Ledeb. var. *coreana* (Nakai) Liou & M.Cheng, Fl. Pl. Herb. Chin. Bor.-Or. 2: 94 (1959)
Agrimonia tokatiensis Koji Ito, J. Geobot. 9: 69 (1961)

Agrimonia nipponica Koidz., Bot. Mag. (Tokyo) 44: 104 (1930) Nat: S Korea 즙질신나물

Agrimonia pilosa Ledeb. f. *nipponica* (Koidz.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 76 (1953)
Agrimonia pilosa Ledeb. var. *nipponica* (Koidz.) Kitam., Acta Phytotax. Geobot. 20: 199 (1962)

***Agrimonia pilosa* Ledeb., Index Seminum [Tartu] 1823: 1 (1823) Nat: N Korea, S Korea
췉신나물**

- Agrimonia davurica* (Link) Willd., Prodr. (DC.) 2: 587 (1825)
Agrimonia viscidula Bunge var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 38 (1867)
Agrimonia japonica (Miq.) Koidz., Bot. Mag. (Tokyo) 44: 104 (1930)
Agrimonia pilosa Ledeb. f. *bracteata* Nakai, Bot. Mag. (Tokyo) 47: 245 (1933)
Agrimonia pilosa Ledeb. f. *davurica* (Link) Nakai, Bot. Mag. (Tokyo) 47: 245 (1933)
Agrimonia pilosa Ledeb. var. *japonica* (Miq.) Nakai, Bot. Mag. (Tokyo) 47: 245 (1933)
Agrimonia pilosa Ledeb. subsp. *japonica* (Miq.) H.Hara, J. Jap. Bot. 43: 398 (1968)

Amelanchier Medik.

***Amelanchier asiatica* (Siebold & Zucc.) Endl. ex Walp., Repert. Bot. Syst. (Walpers) 2: 55
(1843) Nat: S Korea 채진목**

- Aronia asiatica* Siebold & Zucc., Fl. Jap. (Siebold) 1: 87 (1839)
Amelanchier canadensis (L.) Medik. var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi
3: 41 (1867)
Amelanchier japonica K.Koch, Dendrologie 1: 179 (1869)
Amelanchier canadensis (L.) Medik. var. *asiatica* Koidz., Bot. Mag. (Tokyo) 23: 171 (1909)
Pyrus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 (1909)
Pyrus vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 200 (1909)

Aruncus L.

***Aruncus sylvester* Kostel. ex Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 169 (1879)
Nat: N Korea, S Korea 눈개승마**

- Aruncus sylvester* Kostel. ex Maxim. var. *kamtschaticus* Maxim., Trudy Imp. S.-
Peterburgsk. Bot. Sada 6: 170 (1879)
Aruncus kamtschaticus (Maxim.) Rydb., N. Amer. Fl. 22: 256 (1908)
Aruncus sylvester Kostel. ex Maxim. var. *tomentosa* Koidz., Bot. Mag. (Tokyo) 23: 167
(1909)
Astilbe thunbergii (Siebold & Zucc.) Miq. var. *aethusifolia* H.Lév., Repert. Spec. Nov.
Regni Veg. 8: 283 (1910)
Aruncus aethusifolius (H.Lév.) Nakai, Bot. Mag. (Tokyo) 26: 324 (1912)
Aruncus kamtschaticus (Maxim.) Rydb. var. *tomentosa* (Koidz.) Miyabe & Tatew., Trans.
Sapporo Nat. Hist. Soc. 14 (1935)
Aruncus vulgaris Raf. var. *americanus* (Pers.) H.Hara, Bot. Mag. (Tokyo) 59: 115 (1935)
Aruncus kyusianus Koidz., Acta Phytotax. Geobot. 5: 41 (1936)
Aruncus tomentosus Koidz., Acta Phytotax. Geobot. 5: 41 (1936)
Aruncus vulgaris Raf. var. *tomentosus* (Koidz.) Nemoto, Fl. Jap. Suppl. 305 (1936)
Aruncus sylvester Kostel. ex Maxim. var. *tenuifolius* Nakai ex H.Hara, J. Jap. Bot. 13: 387
(1937)
Aruncus dioicus var. *kamtschaticus* (Maxim.) H.Hara, J. Jap. Bot. 30: 68 (1955)
Aruncus dioicus var. *tenuifolius* (Nakai) H.Hara, J. Jap. Bot. 30: 68 (1955)
Aruncus dioicus var. *aethusifolius* (H.Lév.) H.Hara, J. Jap. Bot. 30: 69 (1955)
Aruncus dioicus var. *asiaticus* (Pojark.) Kitag., Neolin. Fl. Manshur. 361 (1979)

Chaenomeles Lindl.

***Chaenomeles japonica* (Thunb.) Lindl. ex Spach, Hist. Nat. Veg. (Spach) 2: 159 (1834) Nat:
S Korea 풀명자**

- Pyrus japonica* Thunb., Fl. Jap. (Thunberg) 207 (1784)
Cydonia japonica (Thunb.) Pers., Syn. Pl. (Persoon) 2: 40 (1806)

Chaenomeles japonica (Thunb.) Lindl. ex Spach var. *alpina* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 168 (1873)
Chaenomeles japonica (Thunb.) Lindl. ex Spach var. *pygmaea* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 168 (1873)
Pyrus maulei Mast., Gard. Chron. n. s. 1: 756 (1874)
Cydonia maulei (Mast.) T. Moore, Florist & Pomol. 28: 49 (1875)
Chaenomeles japonica (Thunb.) Lindl. ex Spach var. *maulei* (Mast.) Lavallée, Énum. Arbres 110 (1877)
Pseudochaenomeles maulei (Mast.) Carrière, Rev. Hort. 1882: 238 (1882)
Chaenomeles alpina (Maxim.) Koehne, Gatt. Pomac. 28 (1890)
Chaenomeles maulei (Mast.) C.K. Schneid., Ill. Handb. Laubholz. 1: 731 (1906)
Cydonia japonica (Thunb.) Pers. var. *lagenaria* Makino, Bot. Mag. (Tokyo) 22: 64 (1908)
Chaenomeles trichogyna Nakai, Fl. Sylv. Kor. 6: 42 (1916)

***Chaenomeles lagenaria* (Loisel.) Koidz., Bot. Mag. (Tokyo) 23: 173 (1909) Int 명자꽃**
Cydonia lagenaria Loisel., Traité Arbr. Arbust. (Duhamel), nouv. éd. 6: 255 (1815)
Cydonia speciosa Sweet, Hort. Suburb. Lond. 113 (1818)
Cydonia umbato M. Roem., Fam. Nat. Syn. Monogr. 3: 218 (1847)
Chaenomeles japonica (Thunb.) Lindl. ex Spach var. *genuina* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 168 (1873)
Chaenomeles angustifolia Koidz., J. Coll. Sci. Imp. Univ. Tokyo 24: 97 (1913)
Chaenomeles eugenioides Koidz., Bot. Mag. (Tokyo) 29: 160 (1915)
Chaenomeles cardinalis (Carr) Nakai, Bot. Mag. (Tokyo) 32: 145 (1918)
Chaenomeles eburnea (Carr) Nakai, Bot. Mag. (Tokyo) 32: 145 (1918)
Chaenomeles speciosa (Sweet) Nakai, J. Jap. Bot. 4: 331 (1927)

Chamaerhodos Bunge & Ledeb.

***Chamaerhodos erecta* (L.) Bunge, Fl. Altaic. 1: 430 (1829) Nat; N Korea 좁낭아초**
Sibbaldia erecta L., Sp. Pl. 284 (1753)
Sibbaldia polygyna Willd. ex Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 6: 770 (1820)
Chamaerhodos erecta (L.) Bunge var. *adscensens* Ledeb., Fl. Ross. (Ledeb.) 2: 34 (1844)
Chamaerhodos erecta (L.) Bunge var. *stricta* Ledeb., Fl. Ross. (Ledeb.) 2: 34 (1844)
Chamaerhodos micrantha J. Krause, Repert. Spec. Nov. Regni Veg. Beih. 12: 411 (1922)
Chamaerhodos songarica Juz., Fl. URSS 10: 239, 615 (1941)

Comarum L.

***Comarum palustre* L., Sp. Pl. 502 (1753) Nat; N Korea 검은낭아초**
Fragaria palustris (L.) Crantz, Stirp. Austr. Fasc. 2: 11 (1763)
Potentilla palustris (L.) Scop., Fl. Carniol., ed. 2 1: 359 (1771)
Comarum palustre L. var. *villosum* Pers., Syn. Pl. (Persoon) 2: 58 (1806)
Potentilla comarum Nestl., Monogr. Potentilla (Nestler) 36 (1816)

Cotoneaster Medik.

***Cotoneaster integerrimus* Medik., Gesch. Bot. 85 (1793) Nat; N Korea 등근잎야광나무**
Mespilus cotoneaster L., Sp. Pl. 479 (1753)
Ostinia cotoneaster (L.) Clairv., Man. Herbor. Suisse 162 (1811)
Cotoneaster vulgaris Lindl., Trans. Linn. Soc. London 13: 101 (1822)
Cotoneaster vulgaris Lindl. var. *erythrocarpa* Ledeb., Fl. Altaic. 2: 219 (1830)
Cotoneaster vulgaris Lindl. var. *haematocarpa* Rupr., Fl. Ingr. [Ruprecht] 350 (1860)

Gymnopyrenium vulgare Dulac, Fl. Hautes-Pyrénées 316 (1867)
Cotoneaster integerrimus Medik. var. *erythrocarpa* (Ledeb.) Krylov, Fl. Zapadnoi Sibiri
7: 1461 (1933)

***Cotoneaster mutiflorus* Bunge, Fl. Altaic. 2: 220 (1830) Nat: S Korea 섬개야광**
Cotoneaster wilsonii Nakai, Bot. Mag. (Tokyo) 32: 104 (1918)

Crataegus L.

***Crataegus maximowiczii* C.K.Schneid., Ill. Handb. Laubholz. 1: 771 (1906) Nat: N Korea, S Korea 아광나무**

Crataegus sanguinea Nakai var. *villosa* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 131 (1857)
Crataegus altaica var. *villosa* (Rupr.) Lange, Revis. Cratag. 42 (1897)
Crataegus sanguinea Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 179 (1909)
Mespolus sanguinea var. *villosa* (Rupr.) Asch. & Graebn., Syn. Mitteleur. Fl. 6: 43 (1909)

***Crataegus pinnatifida* Bunge, Enum. Pl. Chin. Bor. 26 (1833) Nat: N Korea, S Korea 산사나무**

Mespilus pinnatifida K.Koch, Dendrologie 1: 152 (1869)
Crataegus oxyacantha L. var. *pinnatifida* (Bunge) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 118 (1871)
Mespilus pentagyna var. *pinnatifida* (Bunge) Wenz., Linnaea 39: 151 (1874)
Crataegus pinnatifida Bunge var. *major* N.E.Br., Gard. Chron. n. ser. 26: 621 (1886)
Crataegus pinnatifida Bunge var. *songarica* Dippel, Handb. Laubholz. 3: 447 (1893)
Mespilus pinnatifida K.Koch var. *songarica* Asch. & Graebn., Syn. Mitteleur. Fl. 6: 43 (1906)
Crataegus pinnatifida Bunge var. *psilosa* C.K.Schneid., Ill. Handb. Laubholz. 1: 769 (1906)
Crataegus korolkowii Regel ex C.K.Schneid., Ill. Handb. Laubholz. 1: 770 (1906)
Crataegus tatarica C.K.Schneid., Ill. Handb. Laubholz. 1: 770 (1906)
Crataegus coreana H.Lév., Repert. Spec. Nov. Regni Veg. 7: 197 (1909)
Crataegus coreanus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 197 (1909)
Mespilus korolkowii Asch. & Graebn., Syn. Mitteleur. Fl. 6: 43 (1909)
Crataegus pinnatifida Bunge var. *korolkowii* Y.Yabe, Enum. Pl. S. Manch. 63 (1912)
Crataegus pinnatifida Bunge f. *bracteata* Nakai, J. Jap. Bot. 13: 872 (1937)
Crataegus pinnatifida Bunge f. *psilosa* (C.K.Schneid.) Kitag., Neolin. Fl. Manshur. 364 (1979)

***Crataegus scabrida* Sarg., Rhodora 3: 29 (1901) Int 미국산사**

Hyacinthorchis variabilis Blume, Mus. Bot. 1: 48 (1849)
Crataegus asperifolia Sarg., Rhodora 3: 31 (1901)
Crataegus brainerdi Sarg., Rhodora 3: 27 (1901)
Crataegus egglestomi Sarg., Rhodora 3: 30 (1901)
Crataegus schuettei Ashe, J. Elisha Mitchell Sci. Soc. 2: 7 (1901)

Dryas L.

***Dryas octopetala* L. var. *asiatica* (Nakai) Nakai, Fl. Sylv. Kor. 7: 47, t. 17 (1918) Nat: N Korea 담자리꽃나무**

Dryas ajanensis Juz., Izv. Glavn. Bot. Sada SSSR 28(3-4): 318 (1929)
Dryas nervosa Juz., Izv. Glavn. Bot. Sada SSSR 28: 320 (1929)
Dryas tschonokskii Juz., Izv. Glavn. Bot. Sada SSSR 28: 319 (1929)

Dryas octopetala L. f. *asiatica* Nakai, Bot. Mag. (Tokyo) 46: 606 (1932)
Dryas octopetala L. subsp. *ajanensis* (Juz.) Hultén, Fl. Alaska Yukon 6 (1946)
Dryas octopetala L. subsp. *nervosa* (Juz.) Hultén, Fl. Alaska Yukon 6 (1946)
Dryas octopetala L. subsp. *tschonokii* (Juz.) Hultén, Fl. Alaska Yukon 6: 1046 (1946)

Duchesnea Sm.

***Duchesnea chrysantha* (Zoll. & Moritzi) Miq., Fl. Ned. Ind. 1: 372 (1855) Nat: S**

Korea 뱀딸기

Potentilla wallichiana Ser., Prodr. (DC.) 2: 574 (1825)
Fragaria chrysantha Zoll. & Moritzi, Syst. Verz. (Moritzi et al.) 7 (1846)
Fragaria indica Andrews var. *wallichii* Franch. & Sav., Enum. Pl. Jap. 1: 129 (1873)
Potentilla wallichiana Ser. f. *robusta* Franch. & Sav., Enum. Pl. Jap. 1 (1873)
Potentilla indica (Andrews) Th.Wolf var. *wallichii* (Franch. & Sav.) Th.Wolf, Biblioth. Bot. 71: 666 (1908)
Potentilla wallichiana Ser. var. *robusta* (Franch. & Sav.) Th.Wolf, Biblioth. Bot. 71: 412 (1908)
Potentilla wallichiana Ser. var. *minor* Nakai, Repert. Spec. Nov. Regni Veg. 13: 276 (1914)
Potentilla wallichiana Ser. var. *anemonefolia* (Lehm.) Nakai, Bot. Mag. (Tokyo) 30: 233 (1916)
Duchesnea wallichiana (Ser.) Nakai ex H.Hara, J. Jap. Bot. 10: 22 (1934)
Duchesnea formosana Odash., J. Soc. Trop. Agric. 7: 79 (1935)

***Duchesnea indica* (Andrews) Focke, Nat. Pflanzenfam. 24[III,3]: 33 (1888) Nat: N Korea, S**

Korea 민뱀딸기

Fragaria indica Andrews, Bot. Repos. 7: t. 479 (1807)
Potentilla indica (Andrews) Th.Wolf, Syn. Mitteleur. Fl. 6: 661 (1904)
Duchesnea indica (Andrews) Focke var. *major* Makino, Bot. Mag. (Tokyo) 28: 184 (1914)

Eriobotrya Lindl.

***Eriobotrya japonica* (Thunb.) Lindl., Trans. Linn. Soc. London 13: 102 (1821) Int 비파나무**

Mespilus japonica Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 199, 208 (1780)
Crataegus bibas Lour., Fl. Cochinch. 319 (1790)
Photinia japonica (Thunb.) Benth. & Hook.f. ex Asch. & Schweinf., Mem. Inst. Egypt. 73 (1887)
Eriocaulon glaberrimum Miyabe & Satake var. *platypetalum* (Satake) Satake, Acta Phytotax. Geobot. 13: 281 (1943)

Exochorda Lindl.

***Exochorda serratifolia* S.Moore, Hooker's Icon. Pl. 13: t. 1255 (1878) Nat: N Korea, S Korea**

가침박달

Exochorda serratifolia S.Moore var. *oligantha* Nakai, Bot. Mag. (Tokyo) 42: 469 (1928)

Filipendula Mill.

***Filipendula camtschatica* (Pall.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 248 (1879) Nat: N Korea 큰터리풀**

Spiraea camtschatica Pall., Fl. Ross. (Pallas) 1: 41 (1784)

***Filipendula glaberrima* (Nakai) Nakai, Repert. Spec. Nov. Regni Veg. 13: 274 (1914) Nat: N Korea, S Korea 터리풀**

- Spiraea digitata* Willd. var. *glabra* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 92 (1859)
Filipendula purpurea Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 248 (1879)
Ulmaria purpurea (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 201 (1909)
Filipendula camtschatica (Pall.) Maxim. var. *glaberrima* Nakai, Bot. Mag. (Tokyo) 27: 129 (1913)
Filipendula formosa Nakai, Repert. Spec. Nov. Regni Veg. 13: 274 (1914)
Filipendula multijuga Maxim. var. *koreana* Nakai, Bot. Mag. (Tokyo) 13: 274 (1914)
Filipendula multijuga Maxim. var. *alba* Nakai, Repert. Spec. Nov. Regni Veg. 13: 274 (1914)
Filipendula koreana (Nakai) Nakai, Rep. Veg. Mt. Waigalbon 35 (1916)
Filipendula palmata (Pall.) Maxim. var. *glabra* Ledeb. ex Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 650 (1932)
Filipendula glabra Nakai ex Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 653 (1932)
Filipendula yezoensis Shimizu, J. Fac. Liberal Arts Shinshu Univ., Part 2, Nat. Sci. Ueda 26(A) 10: 8 (1961)
Filipendula koreana (Nakai) Nakai f. *alba* (Nakai) Kitag., J. Jap. Bot. 36: 23 (1961)
Filipendula yezoensis Shimizu f. *alba* (Nakai) Shimizu, J. Fac. Liberal Arts Shinshu Univ., Part 2, Nat. Sci. Ueda 26(A) 10: 9 (1961)
Filipendula camtschatica (Pall.) Maxim. subsp. *glaberrima* (Nakai) Vorosch., Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 96: 126 (1991)

***Filipendula palmata* (Pall.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 250 (1879) Nat: N Korea 단풍터리풀**

- Spiraea palmata* Thunb., Fl. Jap. (Thunberg) 212 (1784)
Spiraea digitata Willd., Sp. Pl. (ed. 4) 2: 1061 (1799)
Filipendula multijuga Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 247 (1879)
Ulmaria palmata Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 201 (1909)
Filipendula rufinervis Nakai, Bot. Mag. (Tokyo) 26: 35 (1912)
Filipendula nuda Grubov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 112 (1950)
Filipendula palmata (Pall.) Maxim. f. *nuda* (Grubov) Shimizu, J. Fac. Liberal Arts Shinshu Univ., Part 2, Nat. Sci. Ueda 26(A) 10: 14 (1961)
Filipendula palmata (Pall.) Maxim. var. *rufinervis* (Nakai) T.B.Lee, Ill. Fl. Korea 445 (1980)

Fragaria L.

***Fragaria x ananassa* (Weston) Duchesne, Encycl. (Lamarck) 2: 538 (1788) Int 딸기**

- Fragaria chiloensis* var. *ananassa* Weston, Bot. Univ. 2: 329 (1771)
Fragaria x grandiflora Ehrh., Beitr. Naturk. (Ehrhart) 7: 25 (1792)

***Fragaria yezoensis* H.Hara, J. Jap. Bot. 20: 118 (1944) Nat: N Korea, S Korea 땃딸기**

- Fragaria nipponica* Makino, Bot. Mag. (Tokyo) 24: 282 (1912)
Fragaria yakusimensis Masam., J. Soc. Trop. Agric. 3: 115 (1931)
Fragaria nipponica Makino var. *yezoensis* (H.Hara) Kitam., Acta Phytotax. Geobot. 20: 199 (1962)

Geum Mill.

***Geum aleppicum* Jacq., Icon. Pl. Rar. (Jacquin) 1: 10, pl. 93 (1786)** Nat: N Korea, S Korea
큰땀무

- Geum strictum* Aiton, Hort. Kew. (Hill) 2: 217 (1789)
Geum vidualii Franch. & Sav., Enum. Pl. Jap. 2: 335 (1877)
Geum sachalinense H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 (1910)
Geum aleppicum Jacq. var. *bipinnatum* (Batalin) F.Bolle ex Hand.-Mazz., Symb. Sin. 7: 523 (1933)
Geum potaninii Juz., Fl. URSS 10: 255 (1941)

***Geum japonicum* Thunb., Fl. Jap. (Thunberg) 220 (1784)** Nat: S Korea 땀무

- Geum iyoanum* Koidz., Acta Phytotax. Geobot. 2: 137 (1933)

Kerria DC.

***Kerria japonica* (L.) DC., Trans. Linn. Soc. London, Bot. 12: 157 (1818)** Nat: S Korea 황매화

- Corchorus japonicus* (L.) Thunb., Fl. Jap. (Thunberg) 227 (1784)
Kerria japonica (L.) DC. var. *floribus-plenis* Siebold & Zucc., Fl. Jap. (Siebold) 1: 183 (1841)
Kerria japonica (L.) DC. var. *pleniflora* Witte, Flora 261 (1868)
Kerria japonica (L.) DC. f. *plena* C.K.Schneid., Ill. Handb. Laubholz. 1: 502 (1906)
Kerria japonica (L.) DC. f. *pleniflora* (Witte) Rehder, Bibliogr. Cult. Trees 284 (1949)

Malus Mill.

***Malus asiatica* Nakai, Icon. Pl. Koisikav 3: 19, pl. 155 19 (1915)** Int 능금나무

- Pyrus ringo* Wenz., Linnaea 39: 37 (1874)
Malus matsumurai var. *dulcissima* Koidz., Bot. Mag. (Tokyo) 23: 173 (1909)
Malus pumila Mill. var. *dasyphylla* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 86 (1913)
Malus pumila Mill. var. *dulcissima* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34 (1913)
Malus pumila Mill. var. *rinki* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 87 (1913)
Malus prunifolia var. *rinki* (Koidz.) Rehder, Pl. Wilson. 2: 279 (1915)
Malus dulcissima (Koidz.) Koidz., Bot. Mag. (Tokyo) 30: 330 (1916)
Malus dulcissima (Koidz.) Koidz. var. *rinki* (Koidz.) Koidz., Bot. Mag. (Tokyo) 30: 330 (1916)
Malus pumila Mill. var. *asiatica* (Nakai) Koidz., Bot. Mag. (Tokyo) 31: 259 (1917)
Pyrus matsumurae Cardot, Bull. Mus. Hist. Nat. (Paris) 1: 67 (1918)
Malus dulcissima (Koidz.) Koidz. var. *asiatica* (Nakai) Koidz., Acta Phytotax. Geobot. 3: 190 (1934)

***Malus baccata* (L.) Borkh., Theor. Prakt. Handb. Forstbot. 2: 1280 (1803)** Nat: N Korea, S Korea 야광나무

- Pyrus baccata* L., Mant. Pl. 1: 75 (1767)
Malus rossica Medik., Gesch. Bot. 78 (1793)
Malus sibirica Borkh., Arch. Bot. (Leipzig) 1: 89 (1798)
Malus cerasifera Spach, Hist. Nat. Veg. (Spach) 2: 152 (1834)
Malus baccata (L.) Borkh. var. *leiostyla* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 132 (1857)
Pyrus prunifolia Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 9: 471 (1859)
Pyrus baccata L. var. *genuina* Regel, Gartenflora 11: 202 (1862)

Pyrus microcarpa H.Wendl. ex K.Koch, Dendrologie 1: 211 (1869)
Pyrus baccata L. var. *mandshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 170 (1873)
Malus microcarpa Carrière var. *baccata* (L.) Carrière, Étud. Gén. Pommier. 68 (1883)
Malus baccata (L.) Borkh. var. *sibirica* (Maxim.) C.K.Schneid., Ill. Handb. Laubholz. 1: 720 (1906)
Malus baccata (L.) Borkh. var. *mandshurica* (Maxim.) C.K.Schneid., Ill. Handb. Laubholz. 1: 721 (1906)
Malus baccata (L.) Borkh. var. *mandshurica* f. *latifolia* Matsum., Index Pl. Jap. 2 (2): 202 (1912)
Malus baccata (L.) Borkh. f. *jackii* Rehder, Pl. Wilson. 2: 291 (1915)
Malus mandshurica (Maxim.) Kom. ex Skvortsov, Izv. Glavn. Bot. Sada RSFSR 1: 146 (1925)
Malus mandshurica (Maxim.) Kom. ex Skvortsov var. *genuina* (Regel) Skvortsov, Izv. Glavn. Bot. Sada RSFSR 1: 146 (1925)
Malus pallasiana Juz., Fl. URSS 9: 370 (1939)
Malus baccata (L.) Borkh. var. *mandshurica* f. *jackii* (Rehder) Uyeki, Woody Pl. Distr. Chosen 1: 44 (1940)
Malus baccata (L.) Borkh. f. *minor* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 274 (1966)
Pyrus baccata L. var. *sibirica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 170 (1973)

***Malus komarovii* (Sarg.) Rehder, J. Arnold Arbor. 2: 51 (1920) Nat; N Korea, S Korea**
이노리나무

Crataegus tenuifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 435 (1901)
Crataegus komarovii Sarg., Pl. Wilson. 1: 183 (1912)
Sinomalus tenuifolia (Kom.) Koidz., Acta Phytotax. Geobot. 1: 12 (1932)
Sinomalus komarovii (Sarg.) Honda, Bot. Mag. (Tokyo) 47: 287 (1933)

***Malus pumila* Mill., Gard. Dict., ed. 8 0 (1768) Int 사과나무**

Pyrus malus L., Sp. Pl. 479 (1753)
Malus dasyphylla Borkh., Theor. Prakt. Handb. Forstbot. 2: 1271 (1803)
Malus domestica Borkh., Theor. Prakt. Handb. Forstbot. 2: 1272 (1803)
Malus communis Poir., Encycl. (Lamarck) 5: 560 (1804)
Malus niedzwetzkyana Dieck ex Koehne, Deut. Dendrol. 259 (1893)
Malus pumila Mill. var. *domestica* C.K.Schneid., Ill. Handb. Laubholz. 1: 715, f. 396 (1906)
Pyrus malus L. var. *pumila* Elwes, Trees Great Britain 6: 1570 (1912)
Malus sieboldii (Regel) Rehder, Pl. Wilson. 2: 293 (1915)
Malus dasyphylla Borkh. var. *domestica* Koidz., Acta Phytotax. Geobot. 3: 189 (1934)
Malus sylvestris Mill. subsp. *mitis* Mansf., Repert. Spec. Nov. Regni Veg. 45 (1940)

***Malus toringo* (Siebold) de Vriese, Tuinb.-Fl. 3: 368, t. 17 excl. fig. fl. (1856) Nat; N Korea, S Korea**
아그배나무

Sorbus toringo Siebold, Jaarb. Kon. Ned. Maatsch. Tuinb. 1848: 47 (1848)
Pyrus rivularis Gray, Mem. Amer. Acad. Arts 6: 388 (1857)
Pyrus sieboldii Regel, Index Seminum [St.Petersburg (Petropolitanus)] 1858: 51 (1859)
Pyrus spectabilis Aiton var. *kaido* G.Kirchn., Arbor. Muscov. 326 (1864)
Pyrus toringo (Siebold) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 41 (1867)
Pyrus mengo Siebold ex K.Koch, Dendrologie 1: 213 (1869)
Pyrus rivularis Gray var. *toringo* (Siebold) Wenz., Linnaea 38: 39 (1874)
Pyrus ringo Wenz. var. *kaido* (G.Kirchn.) Wenz., Linnaea 39: 37 (1874)
Malus microcarpa Carrière, Étud. Gén. Pommier. 61 (1883)
Malus microcarpa Carrière var. *kaido* (G.Kirchn.) Carr, Étud. Gén. Pommier. 70 (1883)

Pyrus kaido Mouill., Traite Arbr. Arbriss. 1: 524 (1893)
Malus sargentii Rehder, Trees & Shrubs 1: 71 (1905)
Malus toringo (Siebold) de Vriese var. *sargentii* C.K.Schneid., Ill. Handb. Laubholz. 1: 723 (1906)
Malus kaido (Carrière) Pardé, Arb. Nat. Barres 1: 189 (1906)
Crataegus cavaleriei H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 58 (1908)
Malus micromalus Makino, Bot. Mag. (Tokyo) 22: 69 (1908)
Pyrus subcrataegifolia H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 (1909)
Crataegus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 10: 377 (1911)
Malus baccata (L.) Borkh. subsp. *toringo* (Siebold) Koidz., Bot. Mag. (Tokyo) 25: 74 (1911)
Photinia rubrolutea H.Lév., Repert. Spec. Nov. Regni Veg. 9: 460 (1911)
Pyrus esquirolii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 189 (1913)
Malus spectabilis var. *micromalus* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 89 (1913)
Malus toringo (Siebold) de Vriese var. *rosea* Nakai, Chosen Shokubutsu 297 (1914)
Malus toringo (Siebold) de Vriese var. *koringo* subvar. *sargentii* (Rehder) Koidz., Bot. Mag. (Tokyo) 30: 331 (1916)
Pyrus micromalus (Makino) L.H.Bailey, Rhodora 15: 155 (1916)

Neillia D.Don

Neillia uekii Nakai, Bot. Mag. (Tokyo) 26: 3 (1912) Nat: N Korea, S Korea 나도국수나무
Neillia millsii Dunn, Bull. Misc. Inform. Kew 1912: 108 (1912)

Opulaster Medik. ex Rydb.

Opulaster opulifolius (L.) Kuntze, Revis. Gen. Pl. 2: 949 (1891) Int 양국수나무
Spiraea opulifolia L., Sp. Pl. 489 (1753)
Physocarpus riparius Raf., New Fl. (Rafinesque) 3: 73 (1838)
Neillia opulifolia (L.) Brewer & S.Watson, Gen. Pl. (Bentham & Hooker) 1(2): 612 (1865)
Physocarpus opulifolius (L.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 220 (1879)
Opulaster ramaleyi A.Nelson, Bot. Gaz. 34: 367 (1902)

Pentactina Nakai

Pentactina rupicola Nakai, Bot. Mag. (Tokyo) 31: 17 (1917) Nat: N Korea, Endemic
금강인가목

Photinia Lindl.

Photinia glabra (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.3, 19: 178 (1873) Int 홍가시나무
Crataegus glabra Thunb., Fl. Jap. (Thunberg) 205 (1784)
Photinia serrulata Lindl., Trans. Linn. Soc. London 13: 103 (1821)
Sorbus glabra Zabel, Handb. Laubholzben. 200 (1903)

Photinia villosa (Thunb.) DC., Prodr. (DC.) 2: 631 (1825) Nat: S Korea 윤노리나무
Myrtus laevis Thunb., Fl. Jap. (Thunberg) 198 (1784)
Mespilus laevis Lam., Encycl. (Lamarck) 4: 445 (1798)
Photinia laevis (Thunb.) DC., Prodr. (DC.) 2: 631 (1825)
Photinia arguta Wall. ex Lindl., Edward's Bot. Reg. 23: sub. pl. 1956 (1837)

Stranvaesia digyna Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4,2: 129 (1845)
Pourthiaea cotoneaster Decne., Nouv. Arch. Mus. Hist. Nat. 10: 147 (1874)
Pourthiaea villosa (Thunb.) Decne., Nouv. Arch. Mus. Hist. Nat. 10: 147 (1874)
Photinia arguta Wall. ex Lindl. var. *laevis* Wenz., Linnaea 38: 92 (1874)
Pourthiaea coreana Decne., Nouv. Arch. Mus. Hist. Nat. 10: 148 (1874)
Pourthiaea oldhamii Decne., Nouv. Arch. Mus. Hist. Nat. 10: 149 (1874)
Pourthiaea thunburgii Decne., Nouv. Arch. Mus. Hist. Nat. 10: 149 (1874)
Pourthiaea zollingeri Decne., Nouv. Arch. Mus. Hist. Nat. 10: 149 (1874)
Photinia variabilis Hemsl., J. Linn. Soc., Bot. 23: 263 (1887)
Photinia villosa (Thunb.) DC. var. *laevis* (Thunb.) Dippel, Handb. Laubholz. 3: 380 (1893)
Pourthiaea variabilis Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 76 (1899)
Pourthiaea villosa (Thunb.) Decne. var. *zollingeri* (Decne.) C.K.Schneid., Ill. Handb. Laubholz. 1: 710 (1906)
Pyrus brunnea H.Lév., Repert. Spec. Nov. Regni Veg. 10: 377 (1911)
Pyrus spectabilis Aiton var. *albescens* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 377 (1912)
Pourthiaea villosa (Thunb.) Decne. var. *longipes* Nakai, Bot. Mag. (Tokyo) 30: 25 (1916)
Pourthiaea villosa (Thunb.) Decne. var. *brunnea* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 30: 25 (1916)
Pourthiaea villosa (Thunb.) Decne. var. *coreana* Nakai, Bot. Mag. (Tokyo) 30: 25 (1916)
Pourthiaea laevis (Thunb.) Koidz. var. *villosa* (Thunb.) Koidz., Fl. Symb. Orient.-Asiat. 52 (1930)
Pourthiaea laevis (Thunb.) Koidz., Fl. Symb. Orient.-Asiat. 52 (1930)
Pourthiaea laevis (Thunb.) Koidz. var. *zollingeri* (Decne.) Koidz., Fl. Symb. Orient.-Asiat. 52 (1930)
Pourthiaea villosa (Thunb.) Decne. var. *laevis* (Thunb.) Stapf, Bot. Mag. 155: t. 9275 (1932)
Pourthiaea longipes Nakai, Bot. Mag. (Tokyo) 48: 781 (1934)
Pourthiaea villosa (Thunb.) Decne. var. *yokohamensis* Nakai, J. Jap. Bot. 18: 618 (1942)
Crataegus villosa Thunb., Fl. Jap., revised ed., [Ohwi] 204 (1965)
Crataegus laevis Thunb., Fl. Jap., revised ed., [Ohwi] 204 (1965)

Physocarpus Raf.

***Physocarpus amurensis* (Maxim.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 221 (1879)** Nat: N Korea 산국수나무

Spiraea amurensis Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 90 (1859)

Opulaster amurensis (Maxim.) Kuntze, Revis. Gen. Pl. 2: 949 (1891)

Physocarpus ribesifolia Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 202 (1932)

***Physocarpus opulifolius* (L.) Maxim. var. *intermedius* (Rydb.) B.L.Rob., Rhodora 10: 32 (1908)** Nat: N Korea, S Korea 중산국수나무

Opulaster intermedius Rydb., Man. Fl. N. States (Britton) 492 (1901)

Physocarpus intermedius (Rydb.) C.K.Schneid., Ill. Handb. Laubholz. 1: 807 (1906)

Neillia intermedia (Rydb.) Bean, Kew Bull. 1934: 224 (1934)

Potentilla Adans.

***Potentilla ancistrifolia* Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 99 (1833)** Nat: N Korea 당양지꽃

Potentilla rugulosa Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 260 (1937)

Potentilla aemulans Juz., Fl. URSS 10: 214, 614 (1941)

Potentilla ancistrifolia Bunge var. *rugulosa* (Kitag.) Liou & C.Y.Li, Fl. Pl. Herb. Chin. Bor.-Or. 5: 21 (1976)

***Potentilla ancistrifolia* Bunge var. *dickinsii* (Franch. & Sav.) Koidz., Bot. Mag. (Tokyo) 23: 177 (1909)** Nat: N Korea, S Korea **돌양지꽃**

Potentilla dickinsii Franch. & Sav., Enum. Pl. Jap. 2: 337 (1878)

Potentilla dickinsii Franch. & Sav. var. *breviseta* Nakai, Repert. Spec. Nov. Regni Veg. 13: 275 (1914)

Potentilla dickinsii Franch. & Sav. var. *glabrata* Nakai, Bot. Mag. (Tokyo) 32: 106 (1918)

***Potentilla bifurca* L., Sp. Pl. 497 (1753)** Nat: N Korea **물싸리풀**

Schistophyllidium bifurcum (L.) Ikonn., Opred. Vyssh. Rast. Badakhshana 210 (1979)

***Potentilla centigrana* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 163 (1873)** Nat: N Korea, S Korea **좁말기**

Potentilla reptans L. var. *trifoliata* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 387 (1859)

Potentilla centigrana Maxim. var. *mandshurica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 154 (1873)

Potentilla centigrana Maxim. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 157 (1873)

Potentilla bodinieri H.Lév., Bull. Soc. Bot. France 55: 56 (1908)

Potentilla longepetiolata H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 (1909)

***Potentilla chinensis* Ser., Prodr. (DC.) 2: 581 (1825)** Nat: N Korea, S Korea **딱지꽃**

Potentilla exaltata Bunge, Enum. Pl. Chin. Bor. 24 (1833)

Potentilla chinensis Ser. var. *concolor* Franch. & Sav., Enum. Pl. Jap. 2: 338 (1879)

Potentilla chinensis Ser. var. *micrantha* Franch. & Sav., Enum. Pl. Jap. 2: 338 (1879)

Potentilla chinensis Ser. var. *isomera* Franch. & Sav., Enum. Pl. Jap. 2: 338 (1879)

Potentilla niponica Th.Wolf, Biblioth. Bot. 71: 182 (1908)

Potentilla chinensis Ser. var. *latifida* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 179 (1913)

Potentilla chinensis Ser. var. *littoralis* Nakai, Rep. Veg. Diamond Mountains 202 (1918)

Potentilla isomera (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 24 (1930)

Potentilla chinensis Ser. subsp. *trigonodonta* Hand.-Mazz., Symb. Sin. 7: 512 (1933)

Potentilla chinensis Ser. var. *xerogens* Hand.-Mazz., Symb. Sin. 7: 512 (1933)

***Potentilla cryptotaeniae* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 162 (1874)** Nat: N Korea, S Korea **물양지꽃**

Potentilla cryptotaeniae Maxim. var. *obovata* Th.Wolf, Biblioth. Bot. 71: 406 (1908)

Potentilla aegopodiifolia H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909)

Potentilla cryptotaeniae Maxim. var. *obtusata* Th.Wolf, Trudy Bot. Muz. Imp. Akad. Nauk 9: 109 (1912)

Potentilla cryptotaeniae Maxim. var. *genuina* Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 256 (1937)

***Potentilla discolor* Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math. 2: 99 (1833)** Nat: N Korea, S Korea **숨양지꽃**

Potentilla formosana Hance, Ann. Sci. Nat., Bot. 5: 212 (1866)

Potentilla discolor Bunge var. *formosana* Franch., Pl. Delavay. 212 (1890)

***Potentilla egedii* Wormsk., Fl. Dan. 9(27): 5 (1818)** Nat: N Korea, S Korea **눈양지꽃**

Potentilla anserina L. var. *groenlandica* Tratt., Rosac. Monogr. 4: 13 13 (1824)

Potentilla anserina L. var. *egedii* (Wormsk.) Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 444 (1840)

Potentilla egedii Wormsk. var. *groenlandica* (Tratt.) Polunin, *Rhodora* 41: 40 (1939)

***Potentilla flagellaris* Willd. ex Schldt., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 291 (1816) Nat: N Korea, S Korea 덩굴뚝말기**

Potentilla reptans L. var. *angustiloba* Ser., *Prodr.* (DC.) 2: 574 (1825)

Potentilla nemoralis Bunge, *Fl. Altaic.* 2: 256 (1830)

***Potentilla fragarioides* L., Sp. Pl. 496 (1753) Nat: N Korea, S Korea 양지꽃**

Potentilla sprengeliana Lehm., *Monogr. Potentill.* (Lehmann) 49 (1820)

Potentilla japonica Blume, *Bijdr. Fl. Ned. Ind.* 17: 1105 (1827)

Potentilla fragarioides L. var. *major* Maxim., *Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans* 9: 95 (1859)

Potentilla fragarioides L. var. *sprengeliana* (Lehm.) Maxim., *Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 9: 159 (1873)

Potentilla palczewskii Juz., *Bot. Mater. Gerb. Glavn. Bot. Sada SSSR* 17: 235 (1955)

Potentilla sahalinensis Juz., *Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR* 17: 234 (1955)

***Potentilla freyniana* Bornm., Mitth. Thüring. Bot. Vereins 20: 12 (1904) Nat: N Korea, S Korea 세잎양지꽃**

Potentilla fragarioides L. var. *ternata* Maxim., *Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 9: 159 (1873)

Potentilla longipetiolata H.Lév., *Repert. Spec. Nov. Regni Veg.* 7: 199 (1909)

Potentilla freyniana Bornm. var. *nitens* Pamp., *Nuovo Giorn. Bot. Ital. n.s.* 17: 293 (1910)

Potentilla sutchuenica Cardot, *Notul. Syst. (Paris)* 3: 239 (1914)

Potentilla freyniana Bornm. var. *villosa* (Nakai) Nakai, *Bull. Natl. Sci. Mus., Tokyo* 31: 58 (1952)

***Potentilla fruticosa* L., Sp. Pl. 495 (1753) Nat: N Korea 물싸리**

Potentilla arbuscula D.Don, *Prodr. Fl. Nepal.* 256 (1825)

Potentilla rigida Wall., *Numer. List n.* 1009 (1829)

Dasiphora riparia Raf., *Autik. Bot.* 167 (1840)

Potentilla fruticosa L. var. *arbuscula* (D.Don) Maxim., *Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 9: 159 (1873)

Potentilla fruticosa L. var. *rigida* (Wall. ex Lehm.) Th. Wolf, *Biblioth. Bot.* 71: 57 (1908)

Potentilla fruticosa L. var. *leucantha* Makino, *Bot. Mag. (Tokyo)* 24: 32 (1910)

Potentilla semiglabra Juz., *Weed Fl. USSR* 3: 124 (1934)

***Potentilla glabra* Lodd. var. *mandshurica* (Maxim.) Hand.-Mazz., *Acta Horti Gothob.* 13: 297 (1939) Nat: N Korea 흰물싸리**

Potentilla fruticosa L. var. *mandshurica* Maxim., *Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 9: 158 (1875)

Potentilla davurica var. *mandshurica* (Maxim.) Th. Wolf, *Biblioth. Bot.* 71: 61 (1908)

Dasiphora fruticosa (L.) Rydb. var. *coreana* Nakai, *J. Jap. Bot.* 15: 600 (1939)

Dasiphora fruticosa (L.) Rydb. var. *leucantha* (Makino) Nakai, *J. Jap. Bot.* 15: 600 (1939)

Potentilla fruticosa L. f. *mandshurica* (Maxim.) Rehder, *Man. Cult. Trees*, ed. 2 422 (1940)

Potentilla fruticosa L. var. *dahurica* Ser. ex Uyeki, *Woody Pl. Distr. Chosen* 48 (1940)

Dasiphora mandshurica (Maxim.) Juz., *Fl. URSS* 10: 73 (1941)

***Potentilla kleiniana* Wight & Arn., *Prodr. Fl. Ind. Orient.* 1: 300 (1834) Nat: N Korea, S Korea 가락지나물**

Potentilla anemonifolia Lehm., *Index Sem. (Hamburg)* 9 (1853)

Potentilla kleiniana Wight & Arn. var. *anemonefolia* (Lehm.) Nakai, *Bull. Natl. Sci.*

Mus., Tokyo 31: 58 (1952)
Potentilla kleiniana Wight & Arn. subsp. *anemonefolia* (Lehm.) Murata, Acta Phytotax.
Geobot. 21: 89 (1965)
Potentilla kleiniana Wight & Arn. var. *robusta* (Franch. & Sav.) Kitag., Neolin. Fl.
Manshur. 373 (1979)
Potentilla sundaica Kuntze var. *robusta* (Franch. & Sav.) Kitag., J. Jap. Bot. 55: 267 (1980)

***Potentilla longifolia* Willd. ex Schldtl., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck.
Gesamnten Naturk. 7: 287 (1816) Nat: N Korea 끈끈이닥지**

Potentilla hispida Nestl., Monogr. Potentilla (Nestler) 6 (1816)
Potentilla viscosa (Rydb.) Fedde, Revis. Potentill. 57 (1856)
Potentilla viscosa (Rydb.) Fedde var. *macrophylla* Kom., Trudy Imp. S.-Peterburgsk. Bot.
Sada 22: 501 (1904)
Drymocallis viscosa Rydb., N. Amer. Fl. 22: 372 (1908)

***Potentilla multifida* L., Sp. Pl. 496 (1753) Nat: N Korea 만주닥지꽃**

Potentilla multifida L. var. *angustifolia* Lehm., Monogr. Potentill. (Lehmann) 64 (1820)
Potentilla tenella Turcz., Bull. Soc. Imp. Naturalistes Moscou 16: 620 (1843)
Potentilla hypoleuca Turcz., Bull. Soc. Imp. Naturalistes Moscou 16: 619 (1843)
Potentilla multifida L. var. *minor* Ledeb., Fl. Ross. (Ledeb.) 2: 43 (1844)
Potentilla multifida L. var. *hypoleuca* (Turcz.) Th. Wolf, Biblioth. Bot. 71: 155 (1908)
Potentilla plurijuga Hand.-Mazz., Acta Horti Gothob. 13: 315 (1939)
Potentilla multifida L. var. *sericea* A.I. Baranov & Skvortsov ex Liou, Claves Pl. Chin.
Bot.-Or. 150 (1959)
Potentilla multifida L. f. *angustifolia* (Lehm.) Kitag., Neolin. Fl. Manshur. 374 (1979)

***Potentilla nivea* L., Sp. Pl. 499 (1753) Nat: N Korea 은양지꽃**

Potentilla macrantha Ledeb., Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 542
(1815)
Potentilla nivea L. var. *camtschatica* Cham. & D.F.K. Schldtl., Linnaea 2: 21 (1827)
Potentilla nivea L. var. *vulgaris* Cham. & D.F.K. Schldtl., Linnaea 2: 21 (1827)
Potentilla nivea L. var. *macrantha* Ledeb., Fl. Ross. (Ledeb.) 2: 57 (1844)
Potentilla matsukana Makino, Bot. Mag. (Tokyo) 16: 161 (1902)
Potentilla matsumurae Th. Wolf, Biblioth. Bot. 71 (3): 508 (1908)

***Potentilla rosulifera* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909) Nat: S Korea
민눈양지꽃**

Potentilla freyniana Bornm. var. *grandiflora* Th. Wolf, Biblioth. Bot. 71: 640 (1908)
Potentilla yokusaiana Makino, Bot. Mag. (Tokyo) 24: 142 (1910)
Potentilla quelpaertensis Cardot, Notul. Syst. (Paris) 3: 231 (1914)

***Potentilla stolonifera* Lehm. ex Ledeb., Fl. Ross. (Ledeb.) 2: 38 (1843) Nat: N Korea
덩굴양지꽃**

Potentilla stolonifera Lehm. ex Ledeb. var. *quelpaertensis* Nakai, Repert. Spec. Nov.
Regni Veg. 13: 276 (1914)
Potentilla japonica Blume var. *quelpaertensis* (Nakai) Nakai, Bull. Natl. Sci. Mus.,
Tokyo 31: 58 (1952)

***Potentilla supina* L., Sp. Pl. 497 (1753) Int 개소시랑개비**

Comarum flavum Roxb., Hort. Bengal. 39 (1814)
Potentilla paradoxa Nutt., Fl. N. Amer. (Torr. & A. Gray) 1: 437 (1840)
Potentilla nicolletii E. Sheld., Bull. Geol. Nat. Hist. Surv. 7: 16 (1884)
Tridophyllum paradoxum (Nutt.) Greene, Leafl. Bot. Observ. Crit. 1(14): 189 (1906)

Potentilla supina L. var. *egibbosa* Th.Wolf, Biblioth. Bot. 71 (3): 392 (1908)
Potentilla supina L. var. *paradoxa* (Nutt.) Th.Wolf, Biblioth. Bot. 71 (3): 393 (1908)
Potentilla fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909)
Potentilla supina L. subsp. *paradoxa* (Nutt.) Soják, Folia Geobot. Phytotax. 4: 207 (1969)

***Potentilla supina* L. var. *ternata* Peterm., Anal. Pfl.-Schlüss. 125 (1846) Nat: N Korea, S Korea**
좁개소리랑개비

Potentilla amurensis Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 98 (1859)
Potentilla supina L. f. *ternata* Th.Wolf, Biblioth. Bot. 71: 392 (1908)
Potentilla supina L. var. *campestris* Cardot, Notul. Syst. (Paris) 3: 237 (1914)

***Potentilla tanacetifolia* Willd. ex Schldl., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk. 7: 286 (1816) Nat: N Korea, S Korea**
가는잎푸른딱지꽃

Potentilla filipendula Willd. ex Schldl., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk. 7: 296 (1816)

Prinsepia Royle

***Prinsepia sinensis* (Oliv.) Oliv. ex Bean, Bull. Misc. Inform. Kew 1909: 354 (1909) Nat: N Korea**
빈추나무

Plagiospermum sinense Oliv., Hooker's Icon. Pl. 16: t. 1526 (1886)
Prinsepia chinensis Oliv. ex Kom., Opređ. Rast. Dal'nevost. Kraia 2: 658 (1932)

Prunus L.

***Prunus armeniaca* L., Sp. Pl. 474 (1753) Int**
살구나무

Prunus armeniaca L. var. *ansu* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 87 (1883)
Prunus ansu (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 541 (1904)
Armeniaca ansu (Kom.) Kostina, Fl. URSS 10: 585 (1941)
Armeniaca vulgaris Lam. var. *ansu* (Maxim.) Y.N.Yu & L.T.Lu, Fl. Reipubl. Popularis Sin. 38: 26 (1986)

***Prunus avium* (L.) L., Fl. Suec. (ed. 2) 165 (1755) Int**
양살구

Cerasus nigra Mill., Gard. Dict., ed. 8 C. no. 2 (1768)
Cerasus avium (L.) Moench, Methodus (Moench) 672 (1794)
Cerasus dulcis P.Gaertn. & B.Mey. & Scherb., Oekon. Fl. Wetterau 2: 181 (1800)
Druparia avium Clairv., Man. Herbor. Suisse 159 (1811)
Cerasus avium (L.) Moench var. *erythrocarpa* Dierb., Mag. Pharm. 20: 30 (1827)
Cerasus avium (L.) Moench var. *melanocarpa* Dierb., Mag. Pharm. 20: 30 (1827)
Cerasus avium (L.) Moench var. *sativa* Dierb., Mag. Pharm. 20: 30 (1827)
Cerasus avium (L.) Moench var. *sylvestris* Dierb., Mag. Pharm. 20: 30 (1827)
Prunus avium (L.) L. var. *microcarpa* Mart., Consp. Regn. Veg. 36 (1835)
Cerasus avium (L.) Moench var. *amara* Sosn., Trudy Tiflissk. Bot. Inst. 1: 69 (1934)
Cerasus avium (L.) Moench var. *dulcis* Sosn., Trudy Tiflissk. Bot. Inst. 1: 69 (1934)

***Prunus buergeriana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 92 (1865) Nat: S Korea**
섬개벚나무

Laurocerasus buergeriana (Miq.) C.K.Schneid., Ill. Handb. Laubholz. 1: 646 (1906)
Prunus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909)
Prunus buergeriana Miq. var. *nudiuscula* Koehne, Pl. Wilson. 1: 60 (1911)

Prunus venosa Koehne, Pl. Wilson. 1: 60 (1911)
Prunus undulata Buch.-Ham. ex D.Don f. *venosa* Koehne, Bot. Jahrb. Syst. 52: 285 (1915)
Padus buergeriana (Miq.) Y.N.Yu & L.T.Lu, Fl. Reipubl. Popularis Sin. 38: 91 (1986)

***Prunus cerasus* L., Sp. Pl. 474 (1753) Int 신양뿔나무**

Cerasus hortensis Mill., Gard. Dict., ed. C. no., 8 0 (1768)
Cerasus vulgaris Mill., Gard. Dict., ed. 8. C. no. 0 (1768)
Cerasus acida P.Gaertn. & B.Mey. & Scherb., Oekon. Fl. Wetterau 2: 185 (1800)
Cerasus brevipes Poit. & Turpin, Traité Arbr. Fruit. 17 (1810)
Cerasus communis Poit. & Turpin, Traité Arbr. Fruit. 14 (1810)
Cerasus officinarum Poit. & Turpin, Traité Arbr. Fruit. 16 (1810)
Druparia cerasus Clairv., Man. Herbor. Suisse 159 (1811)
Cerasus recta Liegel, Ann. Obstkunde, Theil 2 2: 199 (1827)
Cerasus propera Poit. & Turpin, Traité Arbr. Fruit. 15 (1828)
Cerasus longipes Poit. & Turpin, Traité Arbr. Fruit. 20 (1829)
Cerasus conglobata Poit. & Turpin, Traité Arbr. Fruit. 18 (1830)
Cerasus peracida Poit. & Turpin, Traité Arbr. Fruit. 19 (1830)
Prunus recta K.Koch, Deutsch. Obstgeh. 165 (1876)

***Prunus choreiana* Nakai ex Im, Korean J. Pl. Taxon. 36: 259 (2006) Nat: S Korea, Endemic 복사앵도**

***Prunus davidiana* (Carrière) Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 255 (1883) Nat: N Korea, S Korea 산복사나무**

Amygdalus communis Bunge, Enum. Pl. Chin. Bor. 21 (1833)
Persica davidiana Carrière, Rev. Hort. 1872: 74 (1872)
Prunus persica (L.) Stokes var. *davidiana* (Carrière) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 81 (1883)

***Prunus domestica* L., Sp. Pl. 475 (1753) Int 석양자두**

Prunus communis Huds., Fl. Angl. (Hudson) 212 (1762)
Prunus domestica L. var. *damascena* Ser., Prodr. (DC.) 2: 533 (1825)
Prunus domestica L. subsp. *oconomica* C.K.Schneid., Ill. Handb. Laubholz. 1: 631 (1906)

***Prunus glandulosa* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 463 (1784) Nat: N Korea, S Korea 산옥매**

Amygdalus pumila L., Mant. Pl. 1: 74 (1767)
Persica pumila (L.) Borkh., Vers. Forstbot. Beschr. 205 (1790)
Prunus sinensis Pers., Syn. Pl. (Persoon) 2: 36 (1806)
Cerasus glandulosa (Thunb.) Loisel., Traité Arbr. Arbust. (Duhamel), nouv. éd. 5: 33 (1812)
Cerasus japonica (Thunb.) Loisel. var. *multiplex* Ser., Prodr. (DC.) 2: 539 (1825)
Microcerasus sinensis M.Roem., Fam. Nat. Syn. Monogr. 3: 95 (1847)
Microcerasus glandulosa (Thunb.) M.Roem., Fam. Nat. Syn. Monogr. 3: 95 (1847)
Prunus japonica Thunb. var. *albopleno* Lem., Ill. Hort. 5: t. 183 (1858)
Prunus japonica Thunb. var. *glandulosa* (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 94 (1883)
Prunus japonica Thunb. var. *multiplex* (Ser.) Makino, Bot. Mag. (Tokyo) 22: 72 (1908)
Prunus glandulosa Thunb. f. *albiplena* Koehne, Pl. Wilson. 1: 264 (1912)
Prunus glandulosa Thunb. f. *sinensis* (Pers.) Koehne, Pl. Wilson. 1: 265 (1912)
Prunus glandulosa Thunb. f. *sieboldiana* Koehne, Pl. Wilson. 1: 263 (1912)

Prunus glandulosa Thunb. var. *glabra* Koehne, Pl. Wilson. 1: 263 (1912)
Prunus glandulosa Thunb. var. *sinensis* (Pers.) Nakai, Chosen Shokubutsu 321 (1914)
Prunus glandulosa Thunb. var. *albiplena* (Koehne) Nakai, Bot. Mag. (Tokyo) 29: 144 (1915)
Cerasus japonica (Thunb.) Loisel. var. *glandulosa* (Thunb.) Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 657 (1932)

***Prunus japonica* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 463 (1784) Nat: N Korea, S Korea
산이שראל지**

Prunus ishidoyana Nakai, Bot. Mag. (Tokyo) 33: 8 (1919)
Prunus nakaii H.Lév. var. *rufinervis* Nakai, J. Jap. Bot. 15: 678 (1939)
Prunus japonica Thunb. f. *rufinervis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 284 (1966)
Prunus nakaii H.Lév. var. *ishidoyana* (Nakai) H.S.Kim, Fl. Coreana (Kim) 3: 247 (1974)

Prunus japonica* Thunb. var. *japonica

***Prunus japonica* Thunb. var. *nakaii* (H.Lév.) Rehder, J. Arnold Arbor. 3: 29 (1921) Nat: N Korea, S Korea 이שראל지**

Prunus nakaii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909)
Prunus nakaii H.Lév. var. *cordata* Uyeki, Chosen Sanrin Kwaiho 219: 6 (1944)
Prunus pseudonakaii Uyeki, Chosen Sanrin Kwaiho 219: 6 (1944)
Cerasus nakaii (H.Lév.) A.I.Baranov & Liou, Ill. Fl. Ligneous Pl. N. E. China 328 (1955)
Cerasus japonica (Thunb.) Loisel. var. *nakaii* (H.Lév.) T.T.Yu & C.L.Li, Fl. Reipubl. Popularis Sin. 38: 86 (1986)

***Prunus maackii* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 361 (1857) Nat: N Korea, S Korea 개벚지나무**

Prunus glandulifolia Rupr., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 421 (1856)
Laurocerasus maackii (Rupr.) C.K.Schneid., Ill. Handb. Laubholz. 1: 645 (1906)
Prunus diamantina H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909)
Prunus maackii Rupr. var. *diamantina* (H.Lév.) Koehne, Repert. Spec. Nov. Regni Veg. 11: 134 (1913)
Padus maackii (Rupr.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 657 (1932)
Cerasus glandulifolia (Rupr.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 657 (1932)

***Prunus mandshurica* (Maxim.) Koehne, Deut. Dendrol. 318 (1893) Nat: N Korea, S Korea
개살구나무**

Prunus armeniaca L. var. *mandshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 94 (1883)
Armeniaca mandshurica (Maxim.) Skvortsov, Trudy Prikl. Bot. Selekc. 22, 3: 223 (1929)
Prunus mandshurica (Maxim.) Koehne var. *glabra* Nakai, J. Jap. Bot. 15: 679 (1939)
Prunus mandshurica (Maxim.) Koehne var. *barbinervis* Nakai, J. Jap. Bot. 15: 679 (1939)
Armeniaca mandshurica (Maxim.) Skvortsov var. *glabra* (Nakai) T.T.Yu & L.T.Lu, Fl. Reipubl. Popularis Sin. 38: 31 (1986)
Prunus mandshurica (Maxim.) Koehne f. *barbinervis* (Nakai) W.T.Lee, Lineamenta Florae Koreae 503 (1996)

***Prunus maximowiczii* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 131 (1857) Nat: N Korea, S Korea 산개벚지나무**

Prunus bracteata Franch. & Sav., Enum. Pl. Jap. 2: 329 (1877)
Prunus meyeri Rehder, J. Arnold Arbor. 2: 122 (1920)
Cerasus maximowiczii (Rupr.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 657 (1932)

Padus maximowiczii (Rupr.) Sokoloff, Trees & Shrubs USSR 3: 760 (1954)

***Prunus mume* (Siebold) Siebold & Zucc., Fl. Jap. (Siebold) 1: 29, t. 11 (1836) Int 매실나무**
Armeniaca mume Siebold, Verh. Batav. Genootsch. Kunsten 12, 1: 69, no. 367 (1830)
Prunus mume (Siebold) Siebold & Zucc. var. *lancinata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 673 (1883)
Armeniaca mume Siebold var. *alba* Carrière, Rev. Hort. 1885: 566 (1885)
Armeniaca mume Siebold var. *alphanthii* Carr, Rev. Hort. 1885: 564 (1885)
Prunus mume (Siebold) Siebold & Zucc. var. *alboplana* L.H.Bailey, Stand. Cycl. Hort. 5: 2824 (1916)
Prunus mume (Siebold) Siebold & Zucc. f. *alba* (Carrière) Rehder, J. Arnold Arbor. 3: 21 (1921)
Prunus mume (Siebold) Siebold & Zucc. f. *alphanthii* (Carrière) Rehder, J. Arnold Arbor. 3: 21 (1921)
Prunus mume (Siebold) Siebold & Zucc. var. *tonsa* Rehder, J. Arnold Arbor. 3: 19 (1921)
Prunus mume (Siebold) Siebold & Zucc. var. *rosea* Ingram, Gard. Chron. ser. 3, 119: 107 (1946)
Prunus mume (Siebold) Siebold & Zucc. f. *alboplana* (L.H.Bailey) Rehder, Bibliogr. Cult. Trees 324 (1949)

***Prunus padus* L., Sp. Pl. 473 (1753) Nat: N Korea, S Korea 귀룽나무**
Padus avium Mill., Gard. Dict., ed. 8, P. no., 0 (1768)
Prunus racemosa Lam., Fl. Franc. (Lamarck) 3: 107 (1778)
Padus racemosa (Lam.) Gilib., Fl. Lit. Inch. 2: 231 (1782)
Padus germanica Borkh., Arch. Bot. (Leipzig) 1,2 : 38 (1797)
Padus vulgaris Borkh., Theor. Prakt. Handb. Forstbot. 2: 1426 (1803)
Cerasus padus (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3 4: 580 (1805)
Druparia padus (L.) Clairv., Man. Herbor. Suisse 159 (1811)
Cerasus padus (L.) DC. var. *vulgaris* Ser., Prodr. (DC.) 2: 539 (1825)
Prunus padus L. var. *pubescens* Regel & Tiling, Nouv. Mem. Soc. Imp. Naturalistes Moscou 11: 79 (1858)
Prunus padus L. var. *genuina* Asch. & Graebn., Syn. Mitteleur. Fl. 6, 2: 160 (1906)
Padus racemosa (Lam.) Gilib. var. *pubescens* (Regel & Tiling) C.K.Schneid., Ill. Handb. Laubholz. 1: 640 (1906)
Prunus diversifolia Koehne, Repert. Spec. Nov. Regni Veg. 7: 198 (1909)
Prunus seoulensis H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 (1909)
Prunus padus L. var. *pubescens* f. *purdomii* Koehne, Pl. Wilson. 1: 196 (1912)
Prunus padus L. var. *seoulensis* (H.Lév.) Nakai, Chosen Shokubutsu 324 (1914)
Prunus padus L. var. *glauca* Nakai, Bot. Mag. (Tokyo) 31: 98 (1917)
Padus asiatica Kom., Fl. URSS 10: 578 (1941)
Prunus padus L. f. *glauca* (Nakai) Kitag., Neolin. Fl. Manshur. 378 (1979)
Prunus padus L. f. *pubescens* (Regel & Tiling) Kitag., Neolin. Fl. Manshur. 379 (1979)
Prunus padus L. f. *seoulensis* (H.Lév.) W.T.Lee, Lineamenta Florae Koreae 505 (1996)

***Prunus persica* (L.) Stokes, Bot. Mat. Med. 3: 100 (1812) Int 복사나무**
Amygdalus persica L., Sp. Pl. 472 (1753)
Persica vulgaris Mill., Gard. Dict., ed. 8 no. 1 (1768)
Persica nucipersica Borkh., Vers. Forstbot. Besch. 205 (1790)
Persica laevis DC., Fl. Franc. (DC. & Lamarck), ed. 3 4: 487 (1805)
Amygdalus persica L. var. *nectarina* W.T.Aiton, Hortus Kew. (ed. 2) 3: 194 (1811)
Persica domestica Risso, Hist. Nat. Orangers 2: 104 (1826)
Persica vulgaris Mill. var. *aganopersica* Dierb., Mag. Pharm. 20: 20 (1827)
Persica vulgaris Mill. var. *haematocarpa* Dierb., Mag. Pharm. 20: 20 (1827)
Persica vulgaris Mill. var. *leucocarpa* Dierb., Mag. Pharm. 20: 20 (1827)

Persica vulgaris Mill. var. *xanthocarpa* Dierb., Mag. Pharm. 20: 20 (1827)
Amygdalus persica L. var. *aganopersica* Rchb., Fl. Germ. Excurs. 647 (1832)
Amygdalus persica L. var. *nucipersica* Schübl. & G.Martens, Fl. Wurtemberg (ed. 1) 305 (1834)
Persica vulgaris Mill. var. *laevis* K.Koch, Syn. Fl. Germ. Helv. 205 (1837)
Persica vulgaris Mill. var. *compressa* Loudon, Arbor. Frutic. Brit. 2: 680 (1838)
Persica vulgaris Mill. var. *tomentosa* Moris, Fl. Sardoia 2 (1840)
Amygdalus laevis D.Dietr., Syn. Pl. (D. Dietrich) 3: 42 (1852)
Amygdalus persica L. var. *sinensis* Lem., Jard. Fleur. 4 (1854)
Persica vulgaris Mill. var. *isolata* Kuntze, Taschen-Fl. Leipzig 273 (1867)
Persica platycarpa Decne., Jard. Fleur. 7: 42 (1872)
Prunus persica (L.) Stokes var. *vulgaris* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 82 (1883)
Prunus persica (L.) Stokes var. *nectarina* (W.T.Aiton) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 83 (1883)
Prunus persica (L.) Stokes subsp. *nucipersica* Dippel, Handb. Laubholz. 3: 606 (1893)
Prunus persica (L.) Stokes var. *platycarpa* (Decne.) L.H.Bailey, Cycl. Amer. Hort. 4: 1457 (1902)
Prunus persica (L.) Stokes f. *alba* (Lindl.) C.K.Schneid., Ill. Handb. Laubholz. 1: 594 (1906)
Prunus persica (L.) Stokes f. *alboplana* C.K.Schneid., Ill. Handb. Laubholz. 1: 594 (1906)
Prunus persica (L.) Stokes f. *rubroplana* C.K.Schneid., Ill. Handb. Laubholz. 1: 594 (1906)
Prunus persica (L.) Stokes var. *compressa* (Loudon) Bean, Trees & Shrubs Brit. Isles 2: 248 (1914)
Amygdalus persica L. var. *alboplana* (C.K.Schneid.) Nash, J. New York Bot. Gard. 20: 11 (1919)
Prunus persica (L.) Stokes f. *aganopersica* (Schübl. & G.Martens) Rehder, J. Arnold Arbor. 3: 25 (1921)
Prunus persica (L.) Stokes var. *uninensis* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 18 (1925)
Prunus persica (L.) Stokes var. *aganopersica* f. *uninensis* (Uyeki) Uyeki, Woody Pl. Distr. Chosen 1: 52 (1940)
Prunus persica (L.) Stokes f. *albescens* Uyeki, Woody Pl. Distr. Chosen 52 (1940)
Prunus persica (L.) Stokes f. *compressa* (Loudon) Rehder, Bibliogr. Cult. Trees 329 (1949)

***Prunus salicina* Lindl., Trans. Hort. Soc. London 7: 239 (1828) Int 자두나무**

Prunus triflora Roxb., Fl. Ind. ed. 1832 (Roxburgh) 2: 501 (1832)
Prunus botan André, Rev. Hort. 1895: 160 (1895)
Prunus ichangana C.K.Schneid., Repert. Spec. Nov. Regni Veg. 1: 50 (1905)
Prunus masu Koehne, Pl. Wilson. 1: 276 (1912)
Prunus triflora Roxb. var. *columnaris* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 19 (1925)
Prunus salicina Lindl. var. *columnaris* (Uyeki) Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 (1934)

***Prunus sargentii* Rehder, Mitt. Deutsch. Dendrol. Ges. 17: 159 (1908) Nat: N Korea, S Korea 산벚나무**

Prunus pseudocerasus Gray var. *sachalinensis* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12 (2): 124 (1868)
Prunus pseudocerasus Gray var. *borealis* Makino, Bot. Mag. (Tokyo) 22: 99 (1908)
Prunus serrulata Lindl. var. *boreais* (Makino) Makino, Bot. Mag. (Tokyo) 23: 75 (1909)
Prunus jamasakura Siebold ex Koidz. var. *borealis* (Makino) Koidz., Bot. Mag. (Tokyo) 25: 187 (1911)
Prunus floribunda Koehne, Repert. Spec. Nov. Regni Veg. 11: 269 (1912)

Prunus sachalinensis (F.Schmidt) Koidz., Bot. Mag. (Tokyo) 26: 32 (1912)
Prunus sieboldii var. *sachalinensis* (F.Schmidt) Makino, J. Jap. Bot. 7: 32 (1931)
Cerasus sargentii (Rehder) H.Ohba, J. Jap. Bot. 67: 279 (1992)
Prunus jamasakura Siebold ex Koidz. f. *densiflora* (Koehne) W.T.Lee, Lineamenta
Florae Koreae 501 (1996)

Prunus sargentii* Rehder var. *sargentii

***Prunus sargentii* Rehder var. *verecunda* (Koidz.) Chin S.Chang, Korean J. Pl. Taxon. 34: 238 (2004) Nat: N Korea, S Korea 분홍빛나무**

Prunus jamasakura Siebold ex Koidz. var. *elegans* subvar. *compta* Koidz., Bot. Mag. (Tokyo) 25: 186 (1911)
Prunus jamasakura Siebold ex Koidz. var. *verecunda* Koidz., Bot. Mag. (Tokyo) 25: 188 (1911)
Prunus verecunda (Koidz.) Koehne, Pl. Wilson. 1: 250 (1912)
Prunus donarium Siebold subsp. *verecunda* (Koidz.) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 277 (1913)
Prunus serrulata Lindl. var. *compta* (Koidz.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 53 (1914)
Prunus serrulata Lindl. var. *intermedia* Nakai, Bot. Mag. (Tokyo) 29: 141 (1915)
Prunus serrulata Lindl. var. *verecunda* (Koidz.) Nakai, Bot. Mag. (Tokyo) 29: 141 (1915)
Prunus verecunda (Koidz.) Koehne var. *compta* (Koidz.) Nakai, Bot. Mag. (Tokyo) 44: 12 (1930)
Prunus sargentii Rehder f. *compta* (Koidz.) Ohwi, Fl. Jap. (Ohwi) 658 (1953)
Prunus verecunda (Koidz.) Koehne f. *tomentella* (Nakai) Kubota & Morita, J. Geobot. 15: 39 (1966)
Prunus verecunda (Koidz.) Koehne var. *pendula* (Nakai) W.T.Lee, Lineamenta Florae Koreae 511 (1996)

***Prunus serrulata* Lindl., Trans. Hort. Soc. London 7: 238 (1830) 꽃벚꽃나무**

Prunus serrulata* Lindl. f. *serrulata

***Prunus serrulata* Lindl. f. *spontanea* (E.H.Wilson) Chin S.Chang, Bot. J. Linn. Soc. 154: 48 (2007) Nat: N Korea, S Korea 빛나무**

Prunus cerasus L. var. *floresimplici* Thunb., Fl. Jap. (Thunberg) 201 (1784)
Prunus donarium Siebold, Verh. Batav. Genootsch. Kunsten 12: 68 (1830)
Prunus pseudocerasus Gray, Narr. Exped. China Japan 2: 310 (1856)
Cerasus montana Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 90 (1865)
Prunus puddum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 90 (1865)
Prunus pseudocerasus Gray var. *spontanea* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 102 (1883)
Prunus serrulata Lindl. var. *ungerii* Spreng., Gartenwelt 10: 89 (1905)
Prunus serratifolia var. *nageri* Spreng., Bull. Soc. Tosc. Ort. 11: 178 (1906)
Prunus pseudocerasus Gray var. *jamasakura* subvar. *glabra* Makino, Bot. Mag. (Tokyo) 22: 93 (1908)
Prunus jamasakura (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 482 (1911)
Prunus jamasakura Siebold ex Koidz. var. *elegans* f. *glabra* (Makino) Koidz., Bot. Mag. (Tokyo) 25: 185 (1911)
Prunus mume (Siebold) Siebold & Zucc. var. *crasseglandulosa* Miq., Pl. Wilson. 1: 249 (1912)
Prunus donarium Siebold subsp. *elegans* var. *glabra* (Makino) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 266 (1913)
Prunus densiflora Koehne, Repert. Spec. Nov. Regni Veg. 12: 15 (1913)
Prunus serrulata Lindl. var. *glabra* (Makino) Nakai, Bot. Mag. (Tokyo) 29: 139 (1915)
Prunus serrulata Lindl. var. *tomentella* Nakai, Bot. Mag. (Tokyo) 29: 140 (1915)

Prunus angustissima Nakai, Bot. Mag. (Tokyo) 29: 13 (1915)
Prunus serrulata Lindl. var. *spontanea* (Maxim.) E.H.Wilson, Cherries Japan 28 (1916)
Prunus mutabilis Miyoshi, J. Coll. Sci. Imp. Univ. Tokyo 34, 1: 35 (1916)
Prunus donarium Siebold var. *spontanea* (Maxim.) Makino, Ill. Fl. Nippon (Makino) 438 (1940)
Prunus serrulata Lindl. var. *densiflora* (Koehne) Uyeki, Woody Pl. Distr. Chosen 54 (1940)
Prunus mutabilis Miyoshi f. *glabra* (Makino) Nakai, Iconogr. Pl. Asiae Orient. 4-4: 434 (1941)
Prunus leveilleana Koehne var. *tomentella* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 60 (1952)
Prunus leveilleana Koehne var. *spontanea* (Maxim.) H.S.Kim, Fl. Coreana (Kim) 3: 245 (1974)
Prunus leveilleana Koehne var. *densiflora* (Koehne) H.S.Kim, Fl. Coreana (Kim) 3: 246 (1974)
Prunus leveilleana Koehne var. *koraiensis* (Koehne) H.S.Kim, Fl. Coreana (Kim) 3: 246 (1974)

***Prunus serrulata* Lindl. var. *pubescens* (Makino) Nakai, Bot. Mag. (Tokyo) 29: 140 (1915)**

Nat: N Korea, S Korea 잔털벚나무

Prunus pseudocerasus Gray var. *jamasaakura* subvar. *pubescens* Makino, Bot. Mag. (Tokyo) 22: 98 (1908)
Prunus jamasaakura Siebold ex Koidz. var. *pubescens* (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 482 (1911)
Prunus leveilleana Koehne, Pl. Wilson. 1: 250 (1912)
Prunus jamasaakura Siebold ex Koidz. var. *elegans* subvar. *pubescens* Koidz., Bot. Mag. (Tokyo) 24: 147 (1912)
Prunus pseudocerasus Gray var. *sieboldii* Matsum., Index Pl. Jap. 2 (1912)
Prunus tenuiflora Koehne, Pl. Wilson. 1: 209 (1912)
Prunus tenuiflora Koehne var. *pubescens* (Makino) Koehne, Repert. Spec. Nov. Regni Veg. 11: 268 (1912)
Prunus veitchii Koehne, Pl. Wilson. 1: 257 (1912)
Prunus sontagiae Koehne, Pl. Wilson. 2: 250 (1912)
Prunus donarium Siebold subsp. *elegans* var. *pubescens* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 269 (1913)
Prunus quelpaertensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 276 (1914)
Prunus serrulata Lindl. var. *spontanea* subvar. *pubescens* Makino, Cat. Jap. Pl. 1: 222 (1914)
Prunus serrulata Lindl. var. *sontagiae* (Koehne) Nakai, Fl. Sylv. Kor. 5: 29 (1916)
Prunus pudibunda Koidz., Fl. Symb. Orient.-Asiat. 72 (1930)
Prunus serrulata Lindl. var. *quelpaertensis* (Nakai) Uyeki, Woody Pl. Distr. Chosen 54 (1940)
Prunus mutabilis Miyoshi var. *pubescens* (Makino) Nakai, Iconogr. Pl. Asiae Orient. 4-4: 435 (1941)
Prunus leveilleana Koehne var. *sontagiae* (Koehne) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 60 (1952)
Prunus yamasakura f. *pubescens* (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 76 (1953)

***Prunus sibirica* L., Sp. Pl. 474 (1753) Nat: N Korea, S Korea 시베리아살구나무**

Armeniaca sibirica (L.) Lam., Encycl. (Lamarck) 1: 3 (1783)
Prunus armeniaca L. var. *sibirica* (L.) K.Koch, Dendrologie 1: 88 (1869)
Armeniaca sibirica (L.) Lam. var. *pubescens* Kostina, Trudy Prikl. Bot., Ser. 8, Polodovye Jagodnye Kul't. 4: 28 (1941)
Prunus sibirica L. var. *pubescens* (Kostina) Kitag., Neolin. Fl. Manshur. 379 (1979)

***Prunus spachiana* (Lavallée ex Ed.Otto) Kitam., Acta Phytotax. Geobot. 25: 2 (1971)**
처진올벚나무

Prunus spachiana* (Lavallée ex H.Otto) Kitam. f. *spachiana

***Prunus spachiana* (Lavallée ex Ed.Otto) Kitam. f. *ascendens* (Makino) Kitam., Acta Phytotax. Geobot. 25: 5 (1971) Nat: S Korea 올벚나무**

Cerasus spachiana Lavallée ex Ed.Otto, Hamburger Garten- Blumenzeitung 35: 57 (1879)

Cerasus herincquiana Lavallée, Icon. Sel. Arb. 1: 117 (1885)

Prunus pendula (L.) Stokes var. *ascendens* Makino, Bot. Mag. (Tokyo) 7: 103 (1893)

Prunus oblongifolia Maxim. ex C.K.Schneid., Ill. Handb. Laubholz. 1: 608 (1906)

Prunus itosakura Siebold var. *ascendens* (Makino) Makino, Bot. Mag. (Tokyo) 22: 114 (1908)

Prunus herincquiana (Lavallée) Koehne, Mitt. Deutsch. Dendrol. Ges. 18: 175 (1909)

Prunus herincquiana (Lavallée) Koehne f. *erecta* Koehne, Repert. Spec. Nov. Regni Veg. 11: 269 (1912)

Prunus microlepis Koehne, Pl. Wilson. 1: 256 (1912)

Prunus microlepis Koehne var. *ternata* Koehne, Pl. Wilson. 1: 256 (1912)

Prunus itosakura Siebold var. *rosea* Nakai, Bot. Mag. (Tokyo) 29: 142 (1915)

Prunus subhirtella Miq. var. *ascendens* (Makino) E.H.Wilson, Cherries Japan 10 (1916)

Prunus pendula (L.) Stokes f. *microlepis* Koehne, Mitt. Deutsch. Dendrol. Ges. 1917(26): 48 (1918)

Prunus aequinoctialis Miyoshi, Bot. Mag. (Tokyo) 34: 162 (1920)

Prunus koshiensis Koidz., Acta Phytotax. Geobot. 1: 14 (1932)

Prunus itosakura Siebold var. *ascendens* f. *rosea* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 61 (1952)

Prunus subhirtella Miq. var. *pendula* f. *ascendens* (Makino) Ohwi, Fl. Jap. (Ohwi) 657 (1953)

Prunus pendula (L.) Stokes f. *ascendens* (Makino) Ohwi, J. Jap. Bot. 29: 363 (1954)

Prunus pendula (L.) Stokes var. *koshiensis* (Koidz.) Ohwi, J. Jap. Bot. 29: 363 (1954)

Prunus spachiana (Lavallée ex Ed.Otto) Kitam. f. *ascendens* (Makino) Kitam., Acta Phytotax. Geobot. 25: 3 (1971)

Prunus spachiana (Lavallée ex Ed.Otto) Kitam. var. *koshiensis* (Koidz.) Kitam., Acta Phytotax. Geobot. 25 (1971)

***Prunus takesimensis* Nakai, Bot. Mag. (Tokyo) 32: 106 (1918) Nat: S Korea, Endemic**
섬벚나무

***Prunus tomentosa* Thunb., Fl. Jap. (Thunberg) 203 (1784) Int 앵도나무**

Cerasus tomentosa (Thunb.) Wall., Numer. List n. 715 (1829)

Prunus trichocarpa Bunge, Enum. Pl. Chin. Bor. 22 (1833)

Amygdalus tomentosa K.Koch, Dendrologie 1: 81 (1869)

Prunus cinerascens Franch., Nouv. Arch. Mus. Hist. Nat. Paris. ser. 2, 8: 216 (1885)

Prunus tomentosa Thunb. var. *batalinii* C.K.Schneid., Repert. Spec. Nov. Regni Veg. 1: 52 (1905)

Prunus batalinii (C.K.Schneid.) Koehne, Pl. Wilson. 1: 270 (1912)

Prunus tomentosa Thunb. var. *brevifolia* Koehne, Pl. Wilson. 1: 270 (1912)

Prunus tomentosa Thunb. var. *endotricha* Koehne, Pl. Wilson. 1: 225 (1912)

Prunus tomentosa Thunb. var. *insularis* Koehne, Pl. Wilson. 1: 268 (1912)

Prunus tomentosa Thunb. var. *kashkarovii* Koehne, Pl. Wilson. 1: 269 (1912)

Prunus tomentosa Thunb. var. *souliei* Koehne, Pl. Wilson. 1: 269 (1912)

Prunus tomentosa Thunb. var. *trichocarpa* (Bunge) Koehne, Pl. Wilson. 1: 270 (1912)

***Prunus triloba* Lindl., Gard. Chron. 1857: 268 (1857) Nat: N Korea 풀도기**

Prunus triloba Lindl. var. *truncata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 539 (1904)

Amygdalus triloba (Lindl.) Ricker, Proc. Biol. Soc. Wash. 30: 18 (1917)

***Prunus xedoensis* Matsum., Bot. Mag. (Tokyo) 15: 100 (1901) Nat: S Korea 왕벚나무**

Prunus yedoensis Matsum. var. *nudiflora* Koehne, Repert. Spec. Nov. Regni Veg. 10: 507 (1912)

Prunus yedoensis Matsum. f. *nudiflora* (Koehne) Rehder, Bibliogr. Cult. Trees 336 (1949)

Cerasus yedoensis (Matsum.) A.N.Vassiljeva, Trudy Sukhumsk. Bot. Sada 10: 124 (1957)

***Pseudocydonia* C.K.Schneid.**

***Pseudocydonia sinensis* (Thouin) C.K.Schneid., Repert. Spec. Nov. Regni Veg. 3(38/39): 181 (1906) Int 모과나무**

Malus sinensis Dum.Cours., Bot. Cult. 5: 428 (1811)

Cydonia sinensis Thouin, Ann. Mus. Natl. Hist. Nat. 19: 145 (1812)

Malus communis Poir. var. *chinensis* Wenz., Jahrb. Königl. Bot. Gart. Berlin 2: 291 (1883)

Pyrus cathayensis Hemsl., J. Linn. Soc., Bot. 23: 256 (1887)

Chaenomeles sinensis (Thouin) Koehne, Gatt. Pomac. 29 (1890)

Chaenomeles chinensis Koehne, Gatt. Pomac. 29 (1890)

Cydonia vulgaris Pavol., Nuovo Giorn. Bot. Ital. n.s. 15: 415 (1908)

***Pyracantha* M.Roem.**

***Pyracantha angustifolia* (Franch.) C.K.Schneid., Ill. Handb. Laubholz. 1: 761 (1906) Int 피라칸다**

Cotoneaster angustifolia Franch., Pl. Delavay. 221 (1890)

***Pyrus* L.**

***Pyrus calleryana* Decne. var. *fauriei* (C.K.Schneid.) Rehder, J. Arnold Arbor. 2: 61 (1920) Nat: N Korea, S Korea 콩배나무**

Pyrus fauriei C.K.Schneid., Ill. Handb. Laubholz. 1: 666, fig. 363d (1906)

***Pyrus communis* L. var. *sativa* (DC.) DC., Sp. Pl. 479 (1753) Int 서양배**

***Pyrus pyrifolia* (Burm.f.) Nakai, Bot. Mag. (Tokyo) 40: 564 (1926) Nat: N Korea, S Korea 들배나무**

Ficus pyrifolia Burm.f., Fl. Ind. (N. L. Burman) 226 (1768)

Pyrus communis L. var. *autumnalis* Siebold, Verh. Batav. Genootsch. Kunsten 12, 1: 66 (1830)

Pyrus communis L. var. *sinensis* K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 248 (1864)

Morus rubra L. var. *japonica* Makino, Bot. Mag. (Tokyo) 19: 134 (1905)

Pyrus sinensis var. *culta* Makino, Bot. Mag. (Tokyo) 22: 69 (1908)

Pyrus uyematsuana Makino, Bot. Mag. (Tokyo) 22: 68 (1908)

Pyrus serotina Rehder, Proc. Amer. Acad. Arts 50: 231 (1915)

Pyrus serotina Rehder var. *culta* (Makino) Rehder, Proc. Amer. Acad. Arts 50: 233 (1915)

Pyrus montana Nakai var. *rehderi* Nakai, Fl. Sylv. Kor. 6: 53 (1916)

Morus cathayana Hemsl. var. *japonica* Koidz., Bot. Mag. (Tokyo) 31: 39 (1917)

Pyrus cuneata Koidz., Bot. Mag. (Tokyo) 33: 125 (1919)

Pyrus incubacea Koidz., Bot. Mag. (Tokyo) 33: 124 (1919)

Pyrus lasiogyna Koidz., Bot. Mag. (Tokyo) 33: 125 (1919)

Pyrus uipongensis Uyeki, Journ. Chosen Agric. Soc. 16 (1): 5 (1921)
Pyrus kiusiana Koidz., Bot. Mag. (Tokyo) 38: 88 (1924)
Pyrus sohayakiensis Koidz., Bot. Mag. (Tokyo) 38: 87 (1924)
Pyrus tambana Koidz., Bot. Mag. (Tokyo) 38: 90 (1924)
Pyrus tsuchiyana Koidz., Bot. Mag. (Tokyo) 39: 27 (1925)
Pyrus umemurana Koidz., Bot. Mag. (Tokyo) 39: 17 (1925)
Pyrus pseudocalleryana Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 15 (1925)
Pyrus pseudouipongensis Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 17 (1925)
Pyrus pyrifolia (Burm.f.) Nakai var. *montana* Nakai, Bot. Mag. (Tokyo) 40: 565 (1926)
Pyrus pyrifolia (Burm.f.) Nakai var. *culta* (Makino) Nakai, Bot. Mag. (Tokyo) 40: 564 (1926)
Pyrus autumnalis (Siebold) Koidz., Bot. Mag. (Tokyo) 43: 383 (1929)
Pyrus kleinhofiana Koidz., Bot. Mag. (Tokyo) 43: 384 (1929)
Pyrus babauttiagi Koidz., Acta Phytotax. Geobot. 1: 12 (1932)
Pyrus higoensis Koidz., Acta Phytotax. Geobot. 1: 13 (1932)
Pyrus arakiana Koidz., Acta Phytotax. Geobot. 3: 40 (1934)
Pyrus tobishimensis Koidz., Acta Phytotax. Geobot. 5: 48 (1936)
Pyrus togashiana Koidz., Acta Phytotax. Geobot. 5: 48 (1936)
Pyrus tungusiana Koidz., Acta Phytotax. Geobot. 5: 49 (1936)
Pyrus asakeensis Koidz., Acta Phytotax. Geobot. 6: 215 (1937)
Pyrus yohrohensis Koidz., Acta Phytotax. Geobot. 6: 214 (1937)
Pyrus nehiyamadonis Koidz., Acta Phytotax. Geobot. 8: 190 (1939)
Pyrus saidaeana Koidz., Acta Phytotax. Geobot. 10: 60 (1941)
Pyrus tajimensis Koidz., Acta Phytotax. Geobot. 10: 59 (1941)
Pyrus takuhokuensis Koidz., Acta Phytotax. Geobot. 10: 60 (1941)

***Pyrus ussuriensis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.2, 15: 132 (1856) Nat. N Korea, S Korea 산돌배**

Pyrus sinensis (Dum.Cours.) Poir., Encycl. (Lamarck) Suppl. 4 452 (1816)
Pyrus chinensis Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 510 (1825)
Pyrus roxburghii K.Koch, Hort. Dendrol. 183 (1853)
Pyrus simonii Carr, Rev. Hort. 1872: 28 (1872)
Pyrus sinensis var. *ussuriensis* Makino, Bot. Mag. (Tokyo) 22: 69 (1908)
Pyrus ferruginea Koidz., Bot. Mag. (Tokyo) 29: 158 (1915)
Pyrus rufoferruginea Koidz., Bot. Mag. (Tokyo) 29: 311 (1915)
Pyrus ovoidea Rehder, Proc. Amer. Acad. Arts 50: 228 (1915)
Pyrus acidula Nakai, Bot. Mag. (Tokyo) 30: 27 (1916)
Pyrus macrostipes Nakai, Bot. Mag. (Tokyo) 30: 28 (1916)
Pyrus aromatica Kikuchi & Nakai, Bot. Mag. (Tokyo) 33: 33 (1918)
Pyrus crassipes Kikuchi & Nakai, Bot. Mag. (Tokyo) 32: 35 (1918)
Pyrus hondoensis Kikuchi & Nakai, Bot. Mag. (Tokyo) 32: 34 (1918)
Pyrus amoena Koidz., Bot. Mag. (Tokyo) 33: 124 (1919)
Pyrus insueta Koidz., Bot. Mag. (Tokyo) 33: 123 (1919)
Pyrus insula Koidz., Bot. Mag. (Tokyo) 33: 127 (1919)
Pyrus iwatensis Koidz., Bot. Mag. (Tokyo) 33: 127 (1919)
Pyrus jucunda Koidz., Bot. Mag. (Tokyo) 33: 128 (1919)
Pyrus longepedunculata Koidz., Bot. Mag. (Tokyo) 33: 126 (1919)
Pyrus nambuana Koidz., Bot. Mag. (Tokyo) 33: 128 (1919)
Pyrus obovoidea Koidz., Bot. Mag. (Tokyo) 33: 123 (1919)
Pyrus tremulans Koidz., Bot. Mag. (Tokyo) 33: 126 (1919)
Pyrus wayamana Koidz., Bot. Mag. (Tokyo) 33: 127 (1919)
Pyrus ussuriensis Maxim. var. *ovoidea* Rehder, J. Arnold Arbor. 2: 60 (1920)
Pyrus mikado Koidz., Bot. Mag. (Tokyo) 38: 89 (1924)
Pyrus squarrosa Koidz., Bot. Mag. (Tokyo) 38: 89 (1924)

Pyrus zenskeana Koidz., Bot. Mag. (Tokyo) 38: 88 (1924)
Pyrus inutilis Koidz., Bot. Mag. (Tokyo) 39: 16 (1925)
Pyrus ussuriensis Maxim. var. *diamantica* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 14 (1925)
Pyrus insularis Koidz., Bot. Mag. (Tokyo) 43: 385 (1929)
Pyrus leiostachya Koidz., Fl. Bitchuensis 28 (1929)
Pyrus mayebarana Koidz., Acta Phytotax. Geobot. 1: 13 (1932)
Pyrus kunoriana Koidz., Acta Phytotax. Geobot. 3: 39 (1934)
Pyrus yukinourana Koidz., Acta Phytotax. Geobot. 4: 158 (1935)
Pyrus hakunensis Nakai, Bot. Mag. (Tokyo) 49: 346 (1935)
Pyrus nankaiensis Nakai, Bot. Mag. (Tokyo) 49: 346 (1935)
Pyrus seoulensis Nakai, Bot. Mag. (Tokyo) 49: 348 (1935)
Pyrus invicibilis Koidz., Acta Phytotax. Geobot. 5: 50 (1936)
Pyrus oncocarpa Koidz., Acta Phytotax. Geobot. 5: 49 (1936)
Pyrus koshiensis Koidz., Acta Phytotax. Geobot. 8: 190 (1939)
Pyrus ugoensis Koidz., Acta Phytotax. Geobot. 8: 190 (1939)
Pyrus kumaensis Koidz., Acta Phytotax. Geobot. 10: 59 (1941)
Pyrus oblongolanceolata Koidz., Acta Phytotax. Geobot. 10: 59 (1941)
Pyrus ussuriensis Maxim. var. *acidula* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 275 (1966)
Pyrus ussuriensis Maxim. var. *macrostipes* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 275 (1966)
Pyrus ussuriensis Maxim. var. *nankaiensis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 275 (1966)
Pyrus ussuriensis Maxim. var. *seoulensis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 276 (1966)

Rhaphiolepis Lindl.

Rhaphiolepis indica (L.) Lindl. ex Ker var. *umbellata* (Thunb.) H.Ohashi, J. Jap. Bot. 63: 4 (1988) Nat: S Korea 다정큼나무

Laurus umbellata Thunb., Fl. Jap. (Thunberg) 175 (1784)
Mespilus sieboldi Blume, Bijdr. Fl. Ned. Ind. 17: 1102 (1826)
Rhaphiolepis japonica Siebold & Zucc., Fl. Jap. (Siebold) 1: 162 (1841)
Rhaphiolepis mertensii Siebold & Zucc., Fl. Jap. (Siebold) 1: 164 (1841)
Rhaphiolepis integerrima Hook. & Arn., Bot. Beechey Voy. 263 (1841)
Opa japonica Seem., J. Bot. 1: 281 (1863)
Rhaphiolepis japonica Siebold & Zucc. var. *integerrima* Hook.f. & Arn., Curtis's Bot. Mag. 91: t. 5510 (1865)
Rhaphiolepis ovata Briot, Rev. Hort. 343 (1870)
Rhaphiolepis umbellata (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 13 (1902)
Rhaphiolepis umbellata (Thunb.) Makino var. *mertensii* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 16: 14 (1902)
Rhaphiolepis umbellata (Thunb.) Makino f. *ovata* (Briot) C.K.Schneid., Ill. Handb. Laubholz. 1: 706 (1906)
Rhaphiolepis integerrima Hook. & Arn. var. *mertensii* (Siebold & Zucc.) Makino ex Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 72 (1913)
Rhaphiolepis umbellata (Thunb.) Makino var. *liukuensis* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 73 (1913)
Rhaphiolepis mertensii Siebold & Zucc. var. *ovata* (Briot) Nakai, Fl. Sylv. Kor. 6: 23 (1916)
Rhaphiolepis umbellata (Thunb.) Makino f. *integerrima* (Hook. & Arn.) Rehder, Deut. Dendrol. 1915(24): 223 (1916)
Rhaphiolepis liukuensis Nakai, J. Arnold Arbor. 5: 63 (1926)
Rhaphiolepis umbellata (Thunb.) Makino subsp. *integerrima* (Hook. & Arn.) Masam., Trans. Nat. Hist. Soc. Taiwan 31: 274 (1941)

Rhaphiolepis umbellata (Thunb.) Makino subsp. *liukiuensis* (Koidz.) Masam. & Yanagita, Trans. Nat. Hist. Soc. Taiwan 31: 274 (1941)
Rhaphiolepis umbellata (Thunb.) Makino var. *integerrima* (Hook. & Arn.) Masam., Sci. Rep. Kanazawa Univ., Biol. 3 (1): 111 (1955)
Rhaphiolepis indica (L.) Lindl. ex Ker subsp. *umbellata* (Thunb.) Hatus., Mem. Fac. Agric. Kagoshima Univ. 7: 309 (1970)
Rhaphiolepis indica (L.) Lindl. ex Ker subsp. *umbellata* var. *liukiuensis* (Koidz.) Hatus., Fl. Ryukyus 844 (1971)
Rhaphiolepis indica (L.) Lindl. ex Ker var. *integerrima* (Hook. & Arn.) Kitam., Acta Phytotax. Geobot. 26: 1 (1974)
Rhaphiolepis indica (L.) Lindl. ex Ker var. *liukiuensis* (Koidz.) Kitam., Acta Phytotax. Geobot. 26 (1974)
Rhaphiolepis indica (L.) Lindl. ex Ker var. *integerrima* f. *umbellata* (Thunb.) Hatus., J. Geobot. 5: 126 (1978)

Rhodotypos Siebold & Zucc.

***Rhodotypos scandens* (Thunb.) Makino, Bot. Mag. (Tokyo) 27: 126 (1913)** Nat: N Korea, S Korea 병아리꽃나무

Corchorus scandens Thunb., Trans. Linn. Soc. London 2: 335 (1794)
Kerria tetrapetala Siebold, Verh. Batav. Genootsch. Kunsten 12, 1: 69 (1830)
Rhodotypos kerrioides Siebold & Zucc., Fl. Jap. (Siebold) 1: 187 (1841)
Rhodotypos tetrapetala (Siebold) Makino, Bot. Mag. (Tokyo) 17: 13 (1903)

Rosa L.

***Rosa acicularis* Lindl., Ros. Monogr. 44 (1820)** Nat: N Korea, S Korea 민둥인가목

Rosa sayi Schwein., Narrat. Exped. St. Peter's River [Keating] 2: 388 (1824)
Rosa gmelini Bunge, Fl. Altaic. 2: 228 (1829)
Rosa carelica Fr., Summa Veg. Scand. (Fries) 1: 171 (1846)
Rosa acicularis Lindl. var. *gmelini* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 17 (1849)
Rosa stricta Macoun & Gibson, Trans. Bot. Soc. Edinburgh 12: 324 (1875)
Rosa acicularis Lindl. var. *carelica* Matsson, Sver. Fl. 372 (1901)
Rosa fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 (1909)
Rosa taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 (1909)
Rosa granulosa R.Keller, Bot. Jahrb. Syst. 44: 46 (1910)
Rosa korsakoviensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 378 (1912)
Rosa acicularis Lindl. var. *taquetii* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 30: 241 (1916)
Rosa suavis var. *taquetii* (Nakai) Uyeki, Woody Pl. Distr. Chosen 51 (1940)
Rosa suavis var. *gmelini* (Bunge) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 72 (1952)

***Rosa banksiae* Aiton, Hort. Kew. (Hill) ed. 2, 3: 258 (1811)** Int 목향장미

Rosa inermis Roxb., Hort. Bengal. 38 (1814)
Rosa banksiae Aiton var. *albo plena* Rehder, Cycl. Amer. Hort. 4: 1552 (1902)

***Rosa chinensis* Jacq., Observ. Bot. (Jacquin) 3: 7, pl. 55 (1768)** Int 월계화

Rosa sinica L., Syst. Veg. ed. 13 394 (1774)
Rosa nankinensis Lour., Fl. Cochinch. 324 (1790)
Rosa bengalensis var. *chinensis* Pers., Syn. Pl. (Persoon) 2: 50 (1806)
Rosa indica L. var. *bengalensis* (Pers.) K.Koch, Hort. Dendrol. 122 (1853)

***Rosa davurica* Pall., Fl. Ross. (Pallas) 1: 61 (1789)** Nat: N Korea, S Korea 생열귀나무

Rosa gmelinii Ledeb., Fl. Ross. (Ledeb.) 2: 75 (1843)
Rosa amblyotis C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math.,
Seconde Pt. Sci. Nat. 6: 30 (1847)
Rosa cinnamomea Ledeb. var. *daurica* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg,
Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 27 (1849)
Rosa cinnamomea Ledeb. var. *davurica* (Pall.) Rupr., Mélanges Biol. Bull. Phys.-Math.
Acad. Imp. Sci. Saint-Petersbourg 2: 239 (1858)
Rosa davurica Pall. var. *alba* Nakai, Bot. Mag. (Tokyo) 30: 240 (1916)
Rosa rubro-stipullata Nakai var. *alpestris* Nakai, Bot. Mag. (Tokyo) 30: 242 (1916)
Rosa jacutica Juz., Fl. URSS 10: 460 (1941)
Rosa davurica Pall. var. *glabra* Liou, Ill. Fl. Ligneous Pl. N. E. China 314 (1955)
Rosa davurica Pall. var. *setaeae* Liou, Ill. Fl. Ligneous Pl. N. E. China 314 (1955)
Rosa davurica Pall. f. *alba* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 279 (1966)

***Rosa davurica* Pall. var. *alpestris* (Nakai) Kitag., Neolin. Fl. Manshur. 382 (1979) Nat: N Korea, S Korea 붉은인가목**

Rosa willdenowii Spreng., Syst. Veg. (ed. 16) [Sprengel] 547 (1825)
Rosa marretii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 (1910)
Rosa rubro-stipullata Nakai, Bot. Mag. (Tokyo) 30: 242 (1916)
Rosa rubrostipullata Nakai var. *alpestris* Nakai, Bot. Mag. (Tokyo) 30: 242 (1916)
Rosa marretii H.Lév. var. *alpestris* (Nakai) Uyeki, Woody Pl. Distr. Chosen 51 (1940)

***Rosa koreana* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 434 (1901) Nat: N Korea, S Korea 흰인가목**

***Rosa lucieae* Franch. & Rochebr. ex Crép., Bull. Soc. Roy. Bot. Belgique 10: 323 (1871) Nat: S Korea 제주절레**

Rosa wichurana Crép., Bull. Soc. Roy. Bot. Belgique 25: 189 (1886)
Rosa mookanensis H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 (1909)
Rosa taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 (1909)
Rosa lucieae Franch. & Rochebr. ex Crép. var. *wichuriana* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 234 (1913)
Rosa kokusanensis Nakai, Bot. Mag. (Tokyo) 36: 64 (1922)
Rosa tsusimensis Nakai, Bot. Mag. (Tokyo) 36: 64 (1922)
Rosa ampullicarpa Koidz., Bot. Mag. (Tokyo) 39: 25 (1925)
Rosa wichurana Crép. var. *rosiflora* Nakai, Bot. Mag. (Tokyo) 40: 573 (1926)
Rosa wichurana Crép. f. *ellipsoidea* Nakai, Bot. Mag. (Tokyo) 40: 573 (1926)
Rosa yokoscensis (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 26 (1930)
Rosa lucieae Franch. & Rochebr. ex Crép. var. *taquetiana* Boulenger, Bull. Jard. Bot. Etat 9: 267 (1933)
Rosa wichurana Crép. var. *ampullicarpa* (Koidz.) Honda, Bot. Mag. (Tokyo) 52: 139 (1938)

***Rosa maximowicziana* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 378 (1878) Nat: N Korea, S Korea 용가시나무**

Rosa lucieae Franch. & Rochebr. ex Crép. var. *aculeatissima* Crép. ex Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 378 (1878)
Rosa jaluana Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 537 (1904)
Rosa granulosa R.Keller, Bot. Jahrb. Syst. 44: 47 (1909)
Rosa kelleri Baker, Rosa [E. A. Willmott] 75 (1910)
Rosa coreana R.Keller, Bot. Jahrb. Syst. 44: 47 (1910)
Rosa jackii Rehder, Mitt. Deutsch. Dendrol. Ges. 19: 251 (1910)
Rosa nakaiana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 432 (1912)
Rosa spinosissima L. var. *mandshurica* Y.Yabe, Enum. Pl. S. Manch. 70 (1912)
Rosa granulosa R.Keller var. *coreana* (R.Keller) Nakai, Saishu-to Kuan-to Shokubutsu

Hokoku-sho [Fl. Quelpaert Isl.] 53 (1914)
Rosa maximowicziana Regel f. *adenocalyx* Nakai, Bot. Mag. (Tokyo) 30: 236 (1916)
Rosa diversistyla Cardot, Notul. Syst. (Paris) 3: 266 (1916)
Rosa jackii Rehder var. *pilosa* Nakai, Bot. Mag. (Tokyo) 30: 236 (1916)
Rosa maximowicziana Regel f. *leiocalyx* Nakai, Bot. Mag. (Tokyo) 30: 235 (1916)
Rosa maximowicziana Regel var. *pilosa* (Nakai) Nakai, Fl. Sylv. Kor. 7: 27 (1918)
Rosa maximowicziana Regel var. *jackii* (Rehder) Rehder, J. Arnold Arbor. 3: 209 (1922)
Rosa maximowicziana Regel var. *adenocalyx* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 58 (1952)
Rosa maximowicziana Regel var. *coreana* (R.Keller) Kitag., Neolin. Fl. Manshur. 383 (1979)

***Rosa multiflora* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 474 (1784) Nat: N Korea, S Korea**
췉레꽃

Rosa multiflora Thunb. var. *platyphylla* Thory, Roses 2: 69, t. 69 (1821)
Rosa thunbergii. Tratt., Rosac. Monogr. 1: 86 (1823)
Rosa polyantha Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (3): 128 (1846)
Rosa intermedia Carr, Rev. Hort. 1868: 269 (1868)
Rosa thyrsoflora Leroy ex Déségl., Bull. Soc. Roy. Bot. Belgique 15: 204 (1876)
Rosa multiflora Thunb. var. *adenophora* Franch. & Sav., Enum. Pl. Jap. 2: 344 (1877)
Rosa dawsoniana Ellw. & Barry ex Rehder, Cycl. Amer. Hort. 1549 (1902)
Rosa quelpaertensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 378 (1911)
Rosa multiflora Thunb. var. *quelpaertensis* (H.Lév.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 53 (1914)
Rosa franchetii var. *paniculigera* (Makino) Koidz., Bot. Mag. (Tokyo) 31: 131 (1917)
Rosa adenochaeta Koidz., Bot. Mag. (Tokyo) 32: 60 (1918)
Rosa polyantha Siebold & Zucc. var. *genuina* Nakai, Bot. Mag. (Tokyo) 40: 568 (1926)
Rosa polyantha Siebold & Zucc. var. *adenochaeta* (Koidz.) Nakai, Bot. Mag. (Tokyo) 40: 569 (1926)
Rosa polyantha Siebold & Zucc. var. *quelpaertensis* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 40: 569 (1926)
Rosa multiflora Thunb. var. *adenochaeta* (Koidz.) Ohwi, Fl. Jap. (Ohwi) 651 (1953)

***Rosa rugosa* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 473 (1784) Nat: N Korea, S Korea**
해당화

Rosa ferox Lawrance, Collect. roses nat. 42 (1799)
Rosa kamatchatica Vent., Descr. Pl. Nouv. 67 (1800)
Rosa coruscans Waitz ex Link, Enum. Hort. Berol. Alt. 2: 57 (1822)
Rosa kamtchatica var. *nitens* Lindl., Bot. Reg. 10: t. 824 (1828)
Rosa kamtchatica var. *ferox* Van Geel, Sert. Bot. 4(cl. 13) (1832)
Rosa cinnamomea Ledeb., Fl. Ross. (Ledeb.) 2: 76 (1843)
Rosa rugosa Thunb. var. *thunbergiana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 32 (1849)
Rosa rugosa Thunb. var. *chamissoniana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 34 (1849)
Rosa rugosa Thunb. var. *subinermis* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 36 (1849)
Rosa rugosa Thunb. var. *lindlana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 34 (1849)
Rosa rugosa Thunb. var. *ventenatiana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 34 (1849)
Rosa regeliana Linden & André, Ill. Hort. 18: 11 (1871)
Rosa rugosa Thunb. var. *amurensis* Debeaux, Bull. Soc. Linn. Bordeaux 31: 152 (1876)

Rosa rugosa Thunb. var. *plena* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 310 (1878)
Rosa rugosa Thunb. var. *kamtschatica* (Vent.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 310 (1878)
Rosa rugosa Thunb. var. *regeliana* Wittm., Gartenflora 42: 539 (1893)
Rosa rugosa Thunb. var. *coruscans* (Waitz) Koehne, Deut. Dendrol. 298 (1893)
Rosa rugosa Thunb. var. *rubra* Rehder, Cycl. Amer. Hort. 4: 1556 (1902)
Rosa pubescens Baker, Rosa [E. A. Willmott] 2: 499 (1914)
Rosa rugosa Thunb. var. *rubroplena* Rehder, Stand. Cycl. Hort. 5: 2992 (1916)
Rosa rugosa Thunb. f. *plena* (Regel) Bijh., J. Arnold Arbor. 10: 98 (1929)
Rosa davurica Pall. x *rugosa* Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 8: 91 (1929)

***Rosa xanthina* Lindl., Ros. Monogr. 132 (1820) Nat: N Korea, S Korea 노랑해당화**

Rosa pimpinellifolia Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 100 (1833)
Rosa platyacantha Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 205 (1909)
Rosa platyacantha Schrenk ex Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 205 (1909)
Rosa xanthina Lindl. var. *pilosa* Nakai, Bot. Mag. (Tokyo) 30: 239 (1916)
Rosa xanthinoides Nakai, Bot. Mag. (Tokyo) 32: 218 (1918)

Rubus L.

***Rubus arcticus* L., Sp. Pl. 494 (1753) Nat: N Korea 함경딸기**

Rubus arcticus L. f. *dentipetala* Uyeki & Sakata, Woody Pl. Distr. Chosen 47 (1940)

***Rubus buergeri* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 36 (1867) Nat: S Korea 겨울딸기**

Rubus bodinieri H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11(149-150): 97 (1902)
Rubus shimadai Hayata, Icon. Pl. Formosan. 3: 94 (1913)
Rubus pseudobuergeri Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 249 (1931)

***Rubus chamaemorus* L., Sp. Pl. 494 (1753) Nat: N Korea 진들딸기**

Chamaemorus morwegica Greene, Leaf. Bot. Observ. Crit. 1: 245 (1905)
Rubus pseudochamaemorus Tolm., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 16: 105 (1954)

***Rubus corchorifolius* L.f., Suppl. Pl. 263 (1781) Nat: S Korea 수리딸기**

Rubus villosus Thunb., Fl. Jap. (Thunberg) 218 (1784)
Rubus oliveri Miq., Prolus. Fl. Jap. 223 (1867)
Rubus corchorifolius L.f. var. *oliveri* (Miq.) Focke, Bot. Jahrb. Syst. 29: 391 (1900)
Rubus corchorifolius L.f. var. *glaber* Matsum., Bot. Mag. (Tokyo) 15: 157 (1901)
Rubus kerriaefolius H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11(149-150): 100 (1902)
Rubus vaniotii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 280 (1908)

***Rubus coreanus* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 34 (1867) Nat: N Korea, S Korea 북분자딸기**

Rubus tokkura Siebold, Verh. Batav. Genootsch. Kunsten 12: 65 (1830)
Rubus hiraseanus Makino, Bot. Mag. (Tokyo) 16: 444 (1902)
Rubus pseudosaxatilis H.Lév., Repert. Spec. Nov. Regni Veg. 5: 280 (1908)
Rubus quelpaertensis H.Lév., Repert. Spec. Nov. Regni Veg. 5: 280 (1908)
Rubus schizostylus H.Lév., Repert. Spec. Nov. Regni Veg. 5: 280 (1908)
Rubus coreanus Miq. var. *nakaianus* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 358 (1910)
Rubus hoattiensis H.Lév., Repert. Spec. Nov. Regni Veg. 11: 32 (1913)

Rubus coreanus Miq. f. *concolor* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 281 (1966)

***Rubus crataegifolius* Bunge, Enum. Pl. Chin. Bor. 24 (1833) Nat: N Korea, S Korea 산딸기**

- Rubus wrightii* A.Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 387 (1858)
Rubus ouensanensis H.Lév. & Vaniot, Bull. Soc. Agric. Sarthe 60 : 62 (1905)
Rubus ampelophyllus H.Lév., Repert. Spec. Nov. Regni Veg. 5: 279 (1908)
Rubus itoensis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 358 (1910)
Rubus savatieri L.H.Bailey, Stand. Cycl. Hort. 5: 3026 (1916)
Rubus takesimensis Nakai, Bot. Mag. (Tokyo) 32: 105 (1918)
Rubus crataegifolius Bunge var. *wrightii* (A.Gray) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 (1952)

***Rubus croceacanthus* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 33 (1913) Nat: S Korea 검은딸기**

- Rubus rosifolius* var. *tropicus* Makino, Bot. Mag. (Tokyo) 15: 49 (1901)
Rubus okinawaensis Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 140 (1913)
Rubus kiusianus Nakai, Bot. Mag. (Tokyo) 3: 224 (1916)
Rubus croceacanthus H.Lév. var. *glabra* Koidz., Fl. Symb. Orient.-Asiat. 65 (1930)
Rubus kinokuniensis Koidz., Fl. Symb. Orient.-Asiat. 67 (1930)
Rubus isensis Honda, Bot. Mag. (Tokyo) 48: 406 (1934)

***Rubus fruticosus* L., Sp. Pl. 493 (1753) Int 서양오엽딸기**

***Rubus hirsutus* Thunb., Rubo 7 (1813) Nat: S Korea 장딸기**

- Rubus thunbergii* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 246 (1844)
Rubus argyi H.Lév., Repert. Spec. Nov. Regni Veg. 4: 337 (1907)
Rubus talaikiaensis H.Lév., Repert. Spec. Nov. Regni Veg. 4(73-74): 334 (1907)
Rubus stephanandria H.Lév., Repert. Spec. Nov. Regni Veg. 8: 358 (1910)
Rubus thunbergii Siebold & Zucc. var. *argyi* (H.Lév.) Focke, Biblioth. Bot. 72 (2): 160 (1911)
Rubus thunbergii Siebold & Zucc. var. *talaikiensis* (H.Lév.) Focke, Biblioth. Bot. 72 (2): 160 (1911)
Rubus hirsutus Thunb. var. *argyi* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 44: 526 (1930)
Rubus hirsutus Thunb. var. *xanthocarpus* Nakai, Bot. Mag. (Tokyo) 44: 527 (1930)
Rubus hirsutus Thunb. f. *argyi* (H.Lév.) W.T.Lee, Lineamenta Florae Koreae 529 (1996)

***Rubus idaeus* L., Sp. Pl. 492 (1753) Nat: N Korea, S Korea 명덕딸기**

- Rubus japonicus* L., Mant. Pl. 2: 245 (1771)
Rubus idaeus L. var. *microphyllus* Turcz., Fl. Baical.-dahur. 1: 370 (1842)
Rubus idaeus L. var. *aculeatissimus* C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 11: 61 (1846)
Rubus idaeus L. subsp. *melanolasius* Focke, Abh. Naturwiss. Vereine Bremen 13: 472,473 (1896)
Rubus melanolasius Focke, Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 484 (1904)
Rubus melanolasius Focke var. *concolor* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 486 (1904)
Rubus ikenoensis H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 549 (1906)
Rubus kanayamensis H.Lév. & Vaniot, Bull. Soc. Natl. Acclim. France 53: 549 (1906)
Rubus diamantianus H.Lév., Repert. Spec. Nov. Regni Veg. 5: 279 (1908)
Rubus sachalinensis H.Lév., Repert. Spec. Nov. Regni Veg. 6: 332 (1909)
Rubus defensus Focke, Biblioth. Bot. 72 (1): 26 (1910)
Rubus idaeus L. subsp. *sachlinensis* (H.Lév.) Focke, Biblioth. Bot. 72 (2): 210 (1911)

Rubus idaeus L. subsp. *inermis* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 136 (1913)
Rubus idaeus L. subsp. *melanolasius* var. *hondoensis* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 136 (1913)
Rubus idaeus L. subsp. *melanolasius* var. *matsumuranus* (H.Lév. & Vaniot) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 135 (1913)
Rubus komarovii Nakai, Chosen Shokubutsu 304 (1914)
Rubus idaeus L. var. *coreanus* Nakai, Bot. Mag. (Tokyo) 30: 229 (1916)
Rubus idaeus L. var. *matsumurae* Nakai, Bot. Mag. (Tokyo) 30: 229 (1916)
Rubus idaeus L. var. *concolor* (Kom.) Nakai, Bot. Mag. (Tokyo) 30: 229 (1916)
Rubus sachalinensis H.Lév. var. *macrophyllus* Cardot, Bull. Mus. Hist. Nat. (Paris) 33: 310 (1917)
Rubus tschonoskii Proch., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 55 (1924)
Rubus strigosus Michx. var. *kanayamensis* (H.Lév. & Vaniot) Koidz., Fl. Symb. Orient.-Asiat. 56 (1930)
Rubus idaeus L. var. *aculeatissimus* f. *concolor* (Kom.) Ohwi, Fl. Jap. (Ohwi) 644 (1953)
Rubus sachalinensis H.Lév. var. *coreanus* (Nakai) H.S.Kim, Fl. Coreana (Kim) 3: 162 (1974)
Rubus matsumuranus var. *concolor* (Kom.) Kitag., Neolin. Fl. Manshur. 384 (1979)

***Rubus palmatus* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 475 (1784) Nat: S Korea 단풍딸기**

Rubus trifidus Thunb., Fl. Jap. (Thunberg) 217 (1784)
Rubus coptophyllus A.Gray, Narr. Exped. China Japan 2: 311 (1857)
Rubus hydrastifolius A.Gray, Narr. Exped. China Japan 2: 311 (1857)
Rubus palmatoides Kuntze, Meth. Sp.-Besch. Rubus 93 (1879)
Rubus palmatus Thunb. var. *coptophyllus* (A.Gray) Kuntze, Meth. Sp.-Besch. Rubus 95 (1879)
Rubus ribisoides Matsum., Bot. Mag. (Tokyo) 15: 159 (1901)
Rubus fauriei H.Lév. & Vaniot, Bull. Soc. Agric. Sarthe 40: 60 (1905)
Rubus edulis Koidz., Bot. Mag. (Tokyo) 28: 283 (1914)
Rubus dulcis Koidz., Bot. Mag. (Tokyo) 39: 306 (1925)
Rubus horiyositakai Koidz., Acta Phytotax. Geobot. 8: 109 (1939)

***Rubus parvifolius* L., Sp. Pl. (ed. 2) 1197 (1753) Nat: N Korea, S Korea 명석딸기**

Rubus triphyllus Thunb., Fl. Jap. (Thunberg) 215 (1784)
Rubus triphyllus Thunb. var. *concolor* Koidz., Bot. Mag. (Tokyo) 23: 178 (1909)
Rubus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 (1909)
Rubus triphyllus Thunb. var. *subconcolor* Cardot, Notul. Syst. (Paris) 3: 311 (1914)
Rubus triphyllus Thunb. var. *taquetii* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 30: 227 (1916)
Rubus parvifolius L. var. *subpinnata* Nakai, Veg. Apoi 11 (1930)
Rubus parvifolius L. var. *triphyllus* (Thunb.) Nakai, Veg. Apoi 11 (1930)
Rubus parvifolius L. var. *concolor* (Koidz.) Makino & Nemoto, Fl. Jap. Suppl. 352 (1936)
Rubus parvifolius L. var. *taquetii* (H.Lév.) Nemoto, Fl. Jap. Suppl. 352 (1936)
Rubus parvifolius L. f. *subpinnatus* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 (1952)

***Rubus phoenicolasius* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.3, 17: 160 (1872) Nat: N Korea, S Korea 곱딸기**

Rubus trifidus Thunb. var. *tomentosus* Makino, Bot. Mag. (Tokyo) 15: 49 (1901)

***Rubus pungens* Cambess., Voy. Inde 4: 48 (1844) Nat: S Korea 가시딸기**

Rubus hongnoensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 277 (1914)

Rubus pungens* Cambess. var. *pungens

***Rubus pungens* Cambess. var. *oldhamii* (Miq.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 386 (1872) Nat; N Korea, S Korea 줄딸기**

Rubus oldhamii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 34 (1867)

Rubus pungens Cambess. var. *oldhamii* f. *roseus* Nakai, Bot. Mag. (Tokyo) 30: 224 (1916)

Rubus oldhamii Miq. var. *roseus* (Nakai) H.Hara, J. Jap. Bot. 19: 127 (1933)

***Rubus sumatranus* Miq., Fl. Ned. Ind., Eerste Bijv. 307 (1860) Nat; S Korea 거지딸기**

Rubus asper Wall. ex D.Don, Prodr. Fl. Nepal. 234 (1825)

Rubus sorbifolius Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 158 (1871)

Rubus rosifolius var. *sorbifolius* (Maxim.) Makino, Bot. Mag. (Tokyo) 15: 51 (1901)

Rubus myriadenus H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 207 (1904)

Rubus asper Wall. ex D.Don var. *myriadenus* Focke, Biblioth. Bot. 72 (2): 158 (1910)

Rubus sorbifolius Maxim. var. *myriadenus* (Focke) T.B.Lee, Ill. Woody Pl. Korea 282 (1966)

Sanguisorba L.

***Sanguisorba hakusanensis* Makino, Bot. Mag. (Tokyo) 21: 140 (1907) Nat; N Korea, S Korea 산오이풀**

Sanguisorba hakusanensis Makino var. *coreana* Hara, J. Jap. Bot. 10: 235 (1934)

***Sanguisorba longifolia* Bertol., Mem. Reale Accad. Sci. Ist. Bologna 12: 234 (1861) Nat; S Korea 긴오이풀**

Sanguisorba rectispica Kitag., Bot. Mag. (Tokyo) 50: 135 (1936)

Sanguisorba officinalis L. var. *longifolia* (Bertol.) T.T.Yu & C.L.Li, Acta Phytotax. Sin. 17: 9 (1979)

***Sanguisorba minor* Scop., Fl. Carniol., ed. 2 1: 110 (1771) Int 슬오이풀**

Poterium sanguisorba L., Sp. Pl. 994 (1753)

***Sanguisorba obtusa* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 14: 160 (1874) Nat; N Korea 두메오이풀**

Sanguisorba argutidens Nakai, Bot. Mag. (Tokyo) 47: 249 (1933)

***Sanguisorba officinalis* L., Sp. Pl. 116 (1753) Nat; N Korea, S Korea 오이풀**

Sanguisorba carnea Fisch., Enum. Hort. Berol. Alt. 1: 144 (1822)

Sanguisorba officinalis L. var. *carnea* (Fisch. ex Link) Regel ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 154 (1877)

Sanguisorba unsanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 278 (1914)

Sanguisorba stipulata Raf. f. *alba* (Trautv. & C.A.Mey.) Kitam., Acta Phytotax. Geobot. 20: 199 (1962)

Sanguisorba officinalis L. var. *globularis* (Nakai) W.T.Lee, Lineamenta Florae Koreae 536 (1996)

***Sanguisorba stipulata* Raf., Herb. Raf. 47 (1833) Nat; N Korea 큰오이풀**

Sanguisorba canadensis L. var. *latifolia* Hook., Fl. Bor.-Amer. (Hooker) 1: 198 (1832)

Sanguisorba sitchensis C.A.Mey., Fl. Ochot. Phaenog. 34 (1856)

Sanguisorba latifolia (Hook.) Coville, Contr. U. S. Natl. Herb. 3: 339 (1896)

Sanguisorba stipulata Raf. var. *latifolia* (Hook.) H.Hara, J. Jap. Bot. 23: 31 (1949)

Sanguisorba canadensis L. subsp. *latifolia* (Hook.) Calder & Roy L. Taylor, Canad. J. Bot. 43: 1395 (1965)

***Sanguisorba × tenuifolia* Fisch. ex Link, Enum. Hort. Berol. Alt. 1: 144 (1821) Nat: N Korea, S Korea 가는오이풀**

Sanguisorba × tenuifolia Fisch. ex Link var. *alba* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 35 (1856)

Sanguisorba parviflora (Maxim.) Takeda, J. Linn. Soc., Bot. 42: 462 (1914)

Sanguisorba × tenuiflora var. *purpurea* Trautv. & Mey., Fl. Ochot. Phaenog. 35 (1856)

Sanguisorba × tenuifolia f. *purpurea* (Trautv. & Mey.) W.T. Lee, Lineamenta Florae Koreae 538 (1996)

Sanguisorba × tenuifolia var. *rubra* Fisch. ex Link., Enum. Pl. Hort. Ber. 144 (1821)

Sibbaldia L.

***Sibbaldia procumbens* L., Sp. Pl. 284 (1753) Nat: N Korea, S Korea 너도양지꽃**

Sibbaldia octopetala Mill., Gard. Dict., ed. 8 n. 2 (1768)

Potentilla procumbens (L.) Clairv., Man. Herbor. Suisse 166 (1811)

Potentilla sieboldii Haller f., Mus. Helv. Bot. 1: 51 (1818)

Dactylophyllum sibbaldia Spenn., Fl. Friburg. 3: 1034 (1829)

Potentilla sibbaldia (L.) Griess., Kl. Bot. Schrift. 1: 239 (1836)

Sibbaldia macrophylla Turcz. ex Juz., Fl. URSS 10: 614 (1941)

Sibbaldia procumbens L. var. *coreana* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 11 (1953)

Sorbaria Ser. ex DC. & A.Braun & Asch.

***Sorbaria sorbifolia* (L.) A.Braun, Fl. Brandenburg 1: 177 (1860) Nat: N Korea, S Korea 쉼땅나무**

Sorbaria sorbifolia (L.) A.Braun var. *stellipila* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 223 (1879)

Sorbaria sorbifolia (L.) A.Braun var. *glabra* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 223 (1879)

Sorbaria stellipila (Maxim.) C.K.Schneid., Ill. Handb. Laubholz. 1: 489 (1905)

Sorbaria stellipila (Maxim.) C.K.Schneid. var. *incerta* C.K.Schneid., Ill. Handb. Laubholz. 1: 489 (1905)

Sorbaria sorbifolia (L.) A.Braun f. *incerta* (C.K.Schneid.) Kitag., Lin. Fl. Manshur. 275 (1939)

Sorbaria sorbifolia (L.) A.Braun f. *glabra* (Maxim.) H.S.Kim, Fl. Coreana (Kim) 3: 103 (1974)

***Sorbaria kirilowii* (Regel & Tiling) Maxim., Trudy Imp.S.-Peterburgsk. Bot. Sada. 6, 225 (1879) Nat: N Korea, S Korea 쉼땅나무**

Spiraea kirilowii Regel & Tiling, Nouv. Mém. Soc. Imp. Naturalistes Moscou 11: 81 (1859)

Sorbaria arborea C.K.Schneid. Ill. Handb. Laubholz. 1: 490 (1904)

Sorbaria assurgens Vilm. & Boiss.ex Rehder, Mitteil. Deutsch. Dendrol. Ges. 158 (1908)

Sorbus L.

***Sorbus alnifolia* (Siebold & Zucc.) K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 249 (1864) Nat: N Korea, S Korea 팔배나무**

Crataegus alnifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 130 (1845)

Aria alnifolia (Siebold & Zucc.) Decne., Nouv. Arch. Mus. Hist. Nat. Paris. 10: 166 (1874)

Aria tiliifolia Decne., Nouv. Arch. Mus. Hist. Nat. Paris. 10: 167 (1874)
Micromeles alnifolia (Siebold & Zucc.) Koehne, Gatt. Pomac. 21 (1890)
Micromeles tiliifolia (Decne.) Koehne, Gatt. Pomac. 21, t. 2, f. 14e (1890)
Pyrus miyabei Sarg., Gard. Forum 6: 214 (1893)
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *tiliifolia* (Decne.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 703, f. 386 e, 387 (1906)
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *lobulata* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 69 (1913)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *lobulata* (Koidz.) Rehder, Pl. Wilson. 2: 275 (1915)
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *macrophylla* Nakai, Bot. Mag. (Tokyo) 30: 21 (1916)
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *hirtella* Nakai, Bot. Mag. (Tokyo) 30: 21 (1916)
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *lyciocarpa* Uyeki, J. Chosen Nat. Hist. Soc. 20: 17 (1935)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *tiliifolia* (Decne.) Hisauti, J. Jap. Bot. 13: 47 (1937)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *macrophylla* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 (1952)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *hirtella* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 (1952)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *lasiocarpa* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 276 (1966)
Sorbus alnifolia (Siebold & Zucc.) K.Koch f. *hirtella* (Nakai) W.T.Lee, Lineamenta Florae Koreae 541 (1996)

***Sorbus commixta* Hedl., Kongl. Svenska Vetensk. Acad. Handl. 35: 38 (1901) Nat: N Korea, S Korea 마가목**

Sorbus aucuparia L. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 170 (1874)
Sorbus japonica (Maxim.) Koehne, Gartenflora 408 (1901)
Sorbus reflexipetala Koehne, Mitt. Deutsch. Dendrol. Ges. 58 (1906)
Sorbus commixta Hedl. var. *rufoferruginea* C.K.Schneid., Ill. Handb. Laubholzk. 1: 678 (1906)
Sorbus heterodonta Koehne, Repert. Spec. Nov. Regni Veg. 10: 506 (1912)
Sorbus pruinosa Koehne, Repert. Spec. Nov. Regni Veg. 10: 506 (1912)
Sorbus amurensis Koehne var. *lanata* Nakai, Bot. Mag. (Tokyo) 30: 17 (1916)
Sorbus commixta Hedl. var. *pilosa* Nakai, Fl. Sylv. Kor. 6: 23 (1916)
Sorbus commixta Hedl. var. *sachalinensis* Koidz., Bot. Mag. (Tokyo) 31: 137 (1917)
Pyrus micrantha var. *macrophylla* Cardot, Notul. Syst. (Paris) 3: 355 (1918)
Sorbus amurensis Koehne var. *rufa* Nakai, Bot. Mag. (Tokyo) 33: 57 (1919)
Sorbus macrophylla (Cardot) Koidz., Fl. Symb. Orient.-Asiat. 55 (1930)
Sorbus yesoensis Nakai, Veg. Apoi 21 (1930)
Sorbus chionophylla Nakai, J. Jap. Bot. 15: 677 (1939)
Sorbus amurensis Koehne var. *latifoliolata* Nakai, J. Jap. Bot. 17: 192 (1941)
Sorbus amurensis Koehne f. *latifoliolata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 541 (1996)

***Sorbus pohuashanensis* (Hance) Hedl., Kongl. Svenska Vetensk. Acad. Handl. 35: 33 (1901) Nat: N Korea, S Korea 당마가목**

Pyrus pohuashanensis Hance, J. Bot. 13: 132 (1875)
Sorbus amurensis Koehne, Repert. Spec. Nov. Regni Veg. 10: 513 (1912)
Sorbus manshuriensis Kitag., J. Jap. Bot. 22: 175 (1948)

Sorbus pohuashanensis (Hance) Hedl. var. *amurensis* (Koehne) Y.L.Chou & S.L.Tung, Ligneous Fl. Heilongjiang 335 (1986)
Sorbus pohuashanensis (Hance) Hedl. var. *manshuriensis* (Kitag.) Y.C.Chu, Pl. Medic. Chinae Bor.-orient. 558 (1989)

***Sorbus sambucifolia* (Cham. & Schltld.) M.Roem., Fam. Nat. Syn. Monogr. 3: 139 (1847)**

Nat: N Korea, S Korea 산마가목

Pyrus sambucifolia Cham. & Schltld., Linnaea 2: 36 (1827)
Sorbus sambucifolia (Cham. & Schltld.) M.Roem. var. *pseudogracilis* C.K.Schneid., Bull. Herb. Boissier ser. 2, 6: 11 (1906)
Sorbus pseudogracilis (C.K.Schneid.) Koehne, Repert. Spec. Nov. Regni Veg. 10: 504 (1912)

***Sorbus ulleungensis* Chin S.Chang, Harvard Pap. Bot. 19: in press (2014) Nat: S Korea**

우산마가목

Sorbus commixta Hedl. f. *rufo-hirtella* Nakai, Bot. Mag. (Tokyo) 32: 105 (1918)

Spiraea L.

***Spiraea betulifolia* Pall., Fl. Ross. (Pallas) 1: 33, t.16 (1784) Nat: S Korea 등근잎조팝나무**

***Spiraea blumei* G.Don, Gen. Hist. 2: 518 (1832) Nat: N Korea, S Korea 산조팝나무**

Spiraea obtusa Nakai, Bot. Mag. (Tokyo) 31: 97 (1917)
Spiraea kinashii Koidz., Bot. Mag. (Tokyo) 37: 45 (1923)
Spiraea ribisoidea Koidz., Bot. Mag. (Tokyo) 37: 45 (1923)
Spiraea tsusimensis Nakai, Bot. Mag. (Tokyo) 42: 466 (1928)
Spiraea amabilis Koidz., Fl. Satsum. 2: 102 (1931)
Spiraea hypoglauca Koidz., Fl. Satsum. 2: 100 (1931)
Spiraea sikokualpina x *glabra* Koidz., Acta Phytotax. Geobot. 3: 151 (1934)
Spiraea blumei G.Don var. *amabilis* (Koidz.) Kitam., Acta Phytotax. Geobot. 14: 153 (1952)
Spiraea blumei G.Don f. *amabilis* (Koidz.) Kitam., Acta Phytotax. Geobot. 26: 5 (1974)
Spiraea blumei G.Don var. *obtusa* (Nakai) Kitam., Acta Phytotax. Geobot. 26: 4 (1974)

***Spiraea cantoniensis* Lour., Fl. Cochinch. 1: 322 (1790) Int 공조팝나무**

Spiraea reevesiana Lindl., Bot. Reg. 30: t. 10 (1844)

***Spiraea chamaedryfolia* L., Sp. Pl. 489 (1753) Nat: N Korea, S Korea 인가목조팝나무**

Spiraea ulmifolia Scop., Fl. Carniol., ed. 2 1: 349, 1 22 (1772)
Spiraea flexuosa Fisch. ex Cambess., Monogr. Silene 265 (1824)
Spiraea chamaedryfolia L. var. *flexuosa* (Fisch. ex Cambess.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 186 (1879)
Spiraea chamaedryfolia L. var. *ulmifolia* (Scop.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 186 (1879)
Opulaster insularis Nakai, Bot. Mag. (Tokyo) 32: 104 (1918)
Spiraea ulmifolia Scop. var. *pilosa* Nakai, Bot. Mag. (Tokyo) 42: 467 (1928)
Spiraea ussuriensis Pojark., Fl. URSS 9: 292, 489 1 17, 1 10 (1939)
Spiraea chamaedryfolia L. var. *pubescens* H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3-6: 78 (1952)
Spiraea chamaedryfolia L. var. *pilosa* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 3-6: 78 (1952)
Physocarpus insularis (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 56 (1952)

***Spiraea chinensis* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 193 (1879) Nat: N Korea, S Korea 당조팝나무**

- Spiraea nervosa* Franch. & Sav., Enum. Pl. Jap. 2: 331 (1878)
Spiraea daysyantha var. *angustifolia* Yatabe, Bot. Mag. (Tokyo) 6: 348 (1892)
Spiraea chinensis Maxim. var. *angustifolia* Koidz., Bot. Mag. (Tokyo) 29: 310 (1915)
Spiraea kiusianna Nakai, Bot. Mag. (Tokyo) 29: 228 (1915)
Spiraea yatabei Nakai, Bot. Mag. (Tokyo) 29: 227 (1915)
Spiraea yatabei Nakai var. *latifolia* Nakai, Bot. Mag. (Tokyo) 29: 228 (1915)
Spiraea pseudocrenata Nakai, Bot. Mag. (Tokyo) 33: 56 (1919)
Spiraea yatabei Nakai subfor. *latifolia* (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 36: 63 (1922)
Spiraea chartacea Nakai, Bot. Mag. (Tokyo) 42: 467 (1928)
Spiraea hayatai var. *pubescens* Koidz., Bot. Mag. (Tokyo) 43: 404 (1929)
Spiraea nervosa Franch. & Sav. var. *chinensis* (Maxim.) Koidz., Bot. Mag. (Tokyo) 43: 403 (1929)
Spiraea nervosa Franch. & Sav. var. *chinensis* subvar. *angustifolia* (Yatabe) Koidz., Bot. Mag. (Tokyo) 43: 404 (1929)
Spiraea nervosa Franch. & Sav. var. *kiusiana* (Nakai) Koidz., Bot. Mag. (Tokyo) 43: 404 (1929)
Spiraea nervosa Franch. & Sav. var. *angustifolia* (Yatabe) Ohwi, Fl. Jap. (Ohwi) 625 (1953)
Spiraea blumei G.Don var. *pseudocrenata* (Nakai) H.S.Kim, Fl. Coreana (Kim) 3: 110 (1974)

***Spiraea fritschiana* C.K.Schneid., Bull. Herb. Boissier ser.2, 5: 347 (1905) Nat: N Korea, S Korea 참조팝나무**

- Spiraea angulata* C.K.Schneid., Ill. Handb. Laubholz. 1: 477 (1905)
Spiraea koreana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 173 (1909)
Spiraea fritschiana C.K.Schneid. var. *angulata* (C.K.Schneid.) Rehder, Pl. Wilson. 1: 453 (1913)
Spiraea koreana Nakai var. *macrogya* Nakai, Repert. Spec. Nov. Regni Veg. 13: 278 (1914)
Spiraea microgya Nakai, Bot. Mag. (Tokyo) 29: 79 (1915)
Spiraea japonica L.f. var. *ovatifolia* subvar. *angulata* (C.K.Schneid.) Koidz., Bot. Mag. (Tokyo) 43: 401 (1929)
Spiraea microgya Nakai var. *velutina* Nakai, Bot. Mag. (Tokyo) 45: 119 (1931)
Spiraea japonica L.f. var. *angulata* (C.K.Schneid.) Kitam., Acta Phytotax. Geobot. 14: 158 (1952)
Spiraea fritschiana C.K.Schneid. var. *latifolia* Liou, Ill. Fl. Ligneous Pl. N. E. China 278, 563 t. 98(185) (1955)
Spiraea fritschiana C.K.Schneid. var. *parvifolia* Liou, Ill. Fl. Ligneous Pl. N. E. China 279, 563 (1955)
Spiraea fritschiana C.K.Schneid. var. *koreana* (Nakai) N.K.Kim, Ill. Kor. Fl. 222 (1988)

***Spiraea japonica* L.f., Suppl. Pl.262 (1781) Int 일본조팝나무**

- Spiraea callosa* Thunb., Fl. Jap. (Thunberg) 209 (1784)
Spiraea japonica L.f. var. *glabra* Koidz., Bot. Mag. (Tokyo) 23: 167 (1909)
Spiraea japonica L.f. subsp. *glabra* (Regel) Koidz., Bot. Mag. (Tokyo) 43: 402 (1929)

***Spiraea media* Schmidt, Österr. Allg. Baumz. 1: 53 (1792) Nat: N Korea, S Korea 긴잎조팝나무**

- Spiraea oblongifolia* Waldst. & Kit., Descr. Icon. Pl. Hung. 3: 261, t. 235 (1812)
Spiraea sericea Turcz., Bull. Soc. Imp. Naturalistes Moscou 16: 591 (1842)
Spiraea confusa Regel & Körn., Index Seminum [St.Petersburg (Petropolitanus)] 57 (1857)
Spiraea confusa Regel & Körn. var. *sericea* (Turcz.) Regel, Tent. Fl.-Ussur. 53 (1861)

Spiraea media Schmidt var. *sericea* (Turcz.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 189 (1879)
Spiraea monbetsusensis Franch., Bull. Soc. Philom. Paris ser.7, 12: 85 (1888)
Spiraea media Schmidt f. *oblongifolia* Beck, Icon. Fl. Germ. Helv. 5: 10, t. 149 (1904)
Spiraea media Schmidt var. *monbetsuensis* (Franch.) Cardot, Notul. Syst. (Paris) 3 (1918)

***Spiraea miyabei* Koidz., Bot. Mag. (Tokyo) 23: 166 (1906) Nat: N Korea 덩불잎조팝나무**
Spiraea sylvestris Nakai, Bot. Mag. (Tokyo) 29: 79 (1915)
Spiraea nankaiensis Nakai, J. Jap. Bot. 19: 362 (1943)

***Spiraea prunifolia* Siebold & Zucc., Fl. Jap. (Siebold) 1: 131, t. 70 (1835) Int 만첩조팝나무**
Spiraea prunifolia* Siebold & Zucc. var. *prunifolia

***Spiraea prunifolia* Siebold & Zucc. f. *simpliciflora* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 172 (1909) Nat: N Korea, S Korea 조팝나무**
Spiraea prunifolia Siebold & Zucc. var. *simpliciflora* (Nakai) Nakai, Bot. Mag. (Tokyo) 29: 74 (1915)
Spiraea simpliciflora (Nakai) Nakai, J. Jap. Bot. 12: 878 (1936)

***Spiraea pubescens* Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 190 (1832) Nat: N Korea, S Korea 아구장나무**
Spiraea laucheana Koehne, Mitt. Deutsch. Dendrol. Ges. 1899: 56 (1899)
Spiraea pubescens Turcz. var. *lasiocarpa* Nakai, Bot. Mag. (Tokyo) 42: 465 (1928)
Spiraea pubescens Turcz. var. *leiocarpa* Nakai, Bot. Mag. (Tokyo) 42: 466 (1928)
Spiraea pubescens Turcz. f. *leiocarpa* (Nakai) Kitag., J. Jap. Bot. 41: 370 (1966)

***Spiraea salicifolia* L., Sp. Pl. 489 (1753) Nat: N Korea, S Korea 꼬리조팝나무**
Spiraea salicifolia L. var. *lanceolata* Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 415 (1840)
Spiraea ouensanensis H.Lév., Repert. Spec. Nov. Regni Veg. 7: 197 (1909)

***Spiraea thunbergii* Siebold ex Blume, Bijdr. Fl. Ned. Ind. 17: 1115 (1826) Nat: N Korea, S Korea 가는잎조팝나무**

***Spiraea trichocarpa* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 173 (1909) Nat: N Korea, S Korea 갈기조팝나무**

Stephanandra Siebold & Zucc.

***Stephanandra incisa* (Thunb.) Zabel, Gart.-Zeitung (Berlin) 4: 510 (1885) Nat: N Korea, S Korea 국수나무**
Spiraea incisa Thunb., Fl. Jap. (Thunberg) 213 (1784)
Stephanandra flexuosa Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 740 (1843)
Stephanandra quadrifissa Nakai, Bot. Mag. (Tokyo) 40: 170 (1926)
Stephanandra incisa (Thunb.) Zabel var. *quadrifissa* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 272 (1966)

Waldsteinia Willd.

***Waldsteinia ternata* (Stephan) Fritsch, Oesterr. Bot. Z. 39: 277 (1889) Nat: N Korea, S Korea 나도양지꽃**

Dalibarda ternata Stephan, Mem. Soc. Imp. Naturalistes Moscou 1: 129, t. 10 (1806)
Waldsteinia sibirica Tratt., Ros. Monogr. 3: 108 (1823)
Comaropsis sibirica (Tratt.) Ser., Prodr. (DC.) 2: 55 (1825)

RUBIACEAE

Adina Salisb.

***Adina rubella* Hance, J. Bot. 6: 114 (1868)** Nat: S Korea 증대가리나무
Adina fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 (1930)
Nauclea rubella (Hance) Nakai f. *rubescens* Nakai, J. Jap. Bot. 18: 216 (1942)
Nauclea rubella (Hance) Nakai, J. Jap. Bot. 18: 216 (1942)
Nauclea rubella (Hance) Nakai f. *viridis* (Nakai) Nakai, J. Jap. Bot. 18: 216 (1942)

Asperula L.

***Asperula lasiantha* Nakai, J. Jap. Bot. 14: 120 (1938)** Nat: N Korea, S Korea 갈퀴아재비
Asperula platygalium Maxim. var. *pratensis* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 284 (1874)

Damnacanthus C.F.Gaertn.

***Damnacanthus indicus* C.F.Gaertn., Suppl. Carp. 18, t. 182, f. 7 (1805)** Nat: S Korea
호자나무
Damnacanthus indicus C.F.Gaertn. var. *giganteus* Makino, Bot. Mag. (Tokyo) 18: 33 (1904)
Damnacanthus indicus C.F.Gaertn. var. *formosanus* Nakai, Trees Shrubs Japan 407 (1922)
Damnacanthus major Siebold & Zucc. var. *parvifolius* Koidz., Bot. Mag. (Tokyo) 39: 4 (1925)
Damnacanthus formosanus Koidz., Acta Phytotax. Geobot. 2: 225 (1933)
Damnacanthus indicus C.F.Gaertn. var. *ovatus* Koidz., Acta Phytotax. Geobot. 2: 225 (1933)

Damnacanthus indicus* C.F.Gaertn. var. *indicus

***Damnacanthus indicus* C.F.Gaertn. subsp. *major* (Siebold & Zucc.) T.Yamaz., J.**

Phytogeogr. Taxon. 35: 74 (1987) Nat: S Korea 수정목
Damnacanthus major Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 177 (1846)
Damnacanthus indicus C.F.Gaertn. var. *major* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 11: 279 (1897)
Damnacanthus indicus C.F.Gaertn. var. *intermedius* Matsum., Bot. Mag. (Tokyo) 15: 16 (1901)
Damnacanthus indicus C.F.Gaertn. var. *latifolius* Nakai, Trees Shrubs Japan 1: 408, f. 212 (1922)

Diodella Small

***Diodella teres* (Walter) Small, Fl. Lancaster Co. 271 (1913)** Int

Diodia teres Walter, Fl. Carol. 87 (1788)
Endopogon pumilum Raf., Fl. Tellur. 2: 55 (1837)
Diodia teres Walter var. *hirsutior* Fernald & Griscom, Rhodora 39: 307 (1937)

Diodia L.

Diodia virginiana L., Sp. Pl. 104 (1753) Int 큰백령풀

Diodia tetragona Walter, Fl. Carol. 87 (1788)

Diodia oblonga Raf., Fl. Ludov. 76 (1817)

Galium L.

Galium aparine L., Sp. Pl. 108 (1753) Int 나도갈퀴덩굴

Galium agreste Wallr. var. *echinospermon* Wallr., Sched. Crit. 59 (1822)

Galium aparine L. var. *vallantii* (DC.) Koch, Syn. Fl. Germ. Helv. ed. 1: 330 (1837)

Galium aparine L. f. *strigosa* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 279 (1874)

Galium aparine L. var. *echinospermon* (Wallr.) T. Durand, Prodr. Fl. Belg. 3: 719 (1899)

Galium boreale L., Sp. Pl. 108 (1753) Nat: N Korea 긴잎갈퀴

Galium boreale L. var. *scabrum* DC., Prodr. (DC.) 4: 601 (1830)

Galium boreale L. var. *latifolium* Turcz., Bull. Soc. Imp. Naturalistes Moscou 18: 315 (1845)

Galium boreale L. var. *vulgare* Turcz., Bull. Soc. Imp. Naturalistes Moscou 18: 315 (1845)

Galium boreale L. var. *genuinum* Rchb., Icon. Fl. Germ. Helv. 17: 10 (1855)

Galium boreale L. var. *kamtschaticum* (Maxim.) Nakai, Bot. Mag. (Tokyo) 23: 103 (1909)

Galium boreale L. var. *ciliatum* Nakai, J. Jap. Bot. 15: 340 (1939)

Galium boreale L. var. *koreanum* Nakai, J. Jap. Bot. 15: 340 (1939)

Galium boreale L. var. *lanceolatum* Nakai, J. Jap. Bot. 15: 340 (1939)

Galium amurense Pobed., Fl. URSS 23: 350, 716 (1958)

Galium schilkense Popov, Fl. Centr. Sibir. 2: 685 (1959)

Galium boreale L. var. *amurense* (Pobed.) Kitag., Neolin. Fl. Manshur. 581 (1979)

Galium bungei Steud., Nomencl. Bot., ed. 2 (Steudel) 1: 657 (1840) Nat: S Korea 좁네잎갈퀴

Galium trachyspermum A. Gray, Narr. Exped. China Japan 2: 313 (1857)

Galium trachyspermum A. Gray var. *gracilens* A. Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 393 (1858)

Galium trachyspermum A. Gray var. *setuliflorum* A. Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 393 (1858)

Galium pogonanthum Franch. & Sav., Enum. Pl. Jap. 1: 175 (1873)

Galium setuliflorum (A. Gray) Makino var. *nudiflorum* Makino, Bot. Mag. (Tokyo) 17: 75 (1903)

Galium setuliflorum (A. Gray) Makino, Bot. Mag. (Tokyo) 17: 75 (1903)

Galium gracilens (A. Gray) Makino, Bot. Mag. (Tokyo) 17: 74 (1904)

Galium koreanum (Nakai) Nakai, Bot. Mag. (Tokyo) 25: 55 (1911)

Galium venosum H. Lévl., Repert. Spec. Nov. Regni Veg. 10: 438 (1912)

Galium nipponicum Makino, Bot. Mag. (Tokyo) 32: 158 (1918)

Galium bungei Steud. var. *setuliflorum* (A. Gray) H. Hara, J. Jap. Bot. 13: 386 (1937)

Galium pogonanthum Franch. & Sav. var. *nudiflorum* (Makino) H. Hara, J. Jap. Bot. 13: 386 (1937)

Galium bungei Steud. var. *hispidum* Cufod., Oesterr. Bot. Z. 89: 222 (1940)

Galium milliorrhizum var. *molle* Migo, Bot. Mag. (Tokyo) 56: 300 (1942)

Galium pogonanthum Franch. & Sav. f. *nudiflorum* (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 86 (1953)

Galium trachyspermum A. Gray f. *hispidum* (Matsuda) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 86 (1953)

***Galium dahuricum* Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 409 (1844) Nat: N Korea, S Korea
큰잎갈퀴**

- Galium asprellum* Michx. var. *dahuricum* (Turcz. ex Ledeb.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 262 (1873)
Galium tokyoense Makino, Bot. Mag. (Tokyo) 17: 72 (1903)
Galium asprellum Michx. var. *tokyoense* (Makino) Nakai, Bot. Mag. (Tokyo) 23: 105 (1909)
Galium dahuricum Turcz. ex Ledeb. var. *leiocarpum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 498 (1911)
Galium tachyspermum var. *hispidum* (Matsuda) Kitag., Bot. Mag. (Tokyo) 48: 617 (1934)
Galium dahuricum Turcz. ex Ledeb. var. *tokyoense* (Makino) Cufod., Oesterr. Bot. Z. 89: 243 (1940)
Galium dahuricum Turcz. ex Ledeb. f. *tokyoense* (Makino) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 92 (1940)

***Galium hoffmeisteri* (Klotzsch) Ehrend. & Schönb.-Tem. ex R.R.Mill, Edinburgh J. Bot. 53: 95 (1996) Nat: N Korea, S Korea 개선갈퀴**

- Galium trifloriforme* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 428 (1901)
Galium trifloriforme Kom. var. *nipponicum* (Makino) Nakai ex T.Mori, Enum. Pl. Corea 324 (1922)
Galium japonicum (Maxim.) Makino & Nakai var. *trifloriformis* (Kom.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 106 (1952)

***Galium kamschaticum* Steller ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 3: Mant. 186 (1827) Nat: N Korea, S Korea 털둥근갈퀴**

- Galium rotundifolium* L. var. *kamschaticum* (Steller ex Schult.) Kuntze, Revis. Gen. Pl. 1: 282 (1891)
Galium kamschaticum Steller ex Roem. & Schult. f. *intermedium* Takeda, Bot. Mag. (Tokyo) 24: 66 (1910)
Galium kamschaticum Steller ex Roem. & Schult. var. *acutifolium* Hara, Bot. Mag. (Tokyo) 51: 642(in adnota) (1937)

***Galium kikumugura* Ohwi, Acta Phytotax. Geobot. 6: 149 (1937) Nat: S Korea 국화갈퀴**

- Galium brachypodium* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 280 (1874)

***Galium kinuta* Nakai & H.Hara, J. Jap. Bot. 9: 518 (1933) Nat: N Korea, S Korea 민둥갈퀴**

- Galium boreale* L. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 264 (1873)
Galium japonicum (Maxim.) Makino & Nakai, Bot. Mag. (Tokyo) 22: 152 (1908)
Galium japonicum (Maxim.) Makino & Nakai var. *viridescens* Makino & Nakai, Bot. Mag. (Tokyo) 22: 152 (1908)
Galium japonicum (Maxim.) Makino & Nakai var. *bracteatum* Nakai, Bot. Mag. (Tokyo) 23: 104 (1909)
Galium kinuta Nakai & H.Hara var. *bracteatum* (Nakai) Nakai & H.Hara, J. Jap. Bot. 9: 520 (1933)
Galium kinuta Nakai & H.Hara var. *viridescens* (Makino & Nakai) Matsum. & Nakai, J. Jap. Bot. 9: 518 (1933)

***Galium linearifolium* Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 152 (1837) Nat: N Korea 실갈퀴**

***Galium maximowiczii* (Kom.) Pobed., Novosti Sist. Vyssh. Rast. 7: 277 (1970) Nat: N Korea, S Korea 개갈퀴**

Asperula maximowiczii Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 39: 109 (1923)
Asperula maximowiczii Kom. var. *latifolia* Nakai, J. Jap. Bot. 14: 119 (1938)
Asperula maximowiczii Kom. f. *latifolia* (Nakai) W.T.Lee, Lineamenta Florae Koreae 893 (1996)

***Galium odoratum* (L.) Scop., Fl. Carniol., ed. 2 1: 105 (1771) Nat; N Korea, S Korea 선갈퀴**

Asperula odorata L., Sp. Pl. 103 (1753)
Chlorostemma odoratum (L.) Fourr., Ann. Soc. Linn. Lyon 16: 398 (1868)
Asperula eugeniae K.Richt., Abh. K.K. Zool.-Bot. Ges. Wien 38: 219 (1888)

***Galium paradoxum* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 281 (1874) Nat; N Korea, S Korea 두메갈퀴**

Galium stellarifolium Franch. & Sav., Enum. Pl. Jap. 2: 392 (1878)

***Galium platygaleum* (Maxim.) Pobed., Novosti Sist. Vyssh. Rast. 7: 277 (1970) Nat; N Korea, S Korea 산개갈퀴**

Rubia gracilis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 111 (1867)
Asperula platygaleum Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 19: 284 (1874)
Asperula platygaleum Maxim. var. *alpina* Maxim., Neolin. Fl. Manshur. 585 (1979)

***Galium pseudoasprellum* Makino, Bot. Mag. (Tokyo) 17: 110 (1903) Nat; N Korea, S Korea 갈고리네잎갈퀴**

Galium asprellum Michx. var. *fructohispidum* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 140 (1859)
Galium asprellum Michx. var. *lasiocarpum* Makino, Bot. Mag. (Tokyo) 17: 76 (1903)
Galium dahuricum Turcz. ex Ledeb. var. *lasiocarpum* (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 498 (1911)
Galium pseudoasprellum Makino var. *densiflorumcufod.*, Oesterr. Bot. Z. 89: 237 (1940)

***Galium spurium* L., Sp. Pl. 106 (1753) Nat; N Korea, S Korea 갈퀴덩굴**

Galium strigosum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 141, t. 4 1 (1815)
Galium spurium L. subsp. *vaillantii* (DC.) Gaudin, Fl. Helv. 1: 442 (1828)
Galium aparine L. var. *spurium* (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 330 (1835)
Galium spurium L. var. *vaillantii* Gren. & Godr., Fl. France (Grenier) 2: 44 (1850)
Galium hongnoense H.Lév., Repert. Spec. Nov. Regni Veg. 10: 438 (1912)
Galium spurium L. f. *strigosum* (Thunb.) Kitag., J. Geobot. 19: 92 (1971)

***Galium trifidum* L., Sp. Pl. 105 (1753) Nat; N Korea, S Korea 가느네잎갈퀴**

Galium trifidum L. var. *europaeum* Rupr., Fl. Samejed. Cisural. 38 (1846)
Galium triflorum Michx. f. *europaeum* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 144 (1868)
Rubia linnaeaana Baill., Hist. Pl. (Baillon) 7: 374 (1880)
Galium baicalense Pobed., Fl. URSS 23: 714 (1958)
Galium ruprechtii Pobed., Fl. URSS 23: 713 (1958)

***Galium trifidum* L. subsp. *columbianum* (Rydb.) Hultén, Fl. Aleutian Isl. 367 (1937) Nat; N Korea, S Korea 네잎갈퀴아재미**

Galium trifidum L. var. *brevipedunculatum* Regel, Tent. Fl.-Ussur. 77 (1861)
Galium trifidum L. var. *pacificum* Wiegand, Bull. Torrey Bot. Club 24: 400 (1897)
Galium taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 438 (1912)
Galium trifidum L. subsp. *pacificum* (Wiegand) Piper & Beattie, Fl. N.W. Coast [Piper & Beattie] 336 (1915)

Galium columbianum Rydb., Fl. Rocky Mts. 808: 1066 (1917)

***Galium verum* L., Sp. Pl. 107 (1753) Nat: N Korea, S Korea 솔나물**

- Galium ruthenicum* Willd., Sp. Pl. (ed. 5; Willdenow) 597 (1797)
Galium verum L. var. *trachyphyllum* Wallr., Sched. Crit. 56 (1822)
Galium verum L. var. *trachycarpum* DC., Prodr. (DC.) 4: 603 (1830)
Galium verum L. var. *leiocarpum* Ledeb., Fl. Ross. (Ledeb.) 2: 414 (1844)
Galium verum L. var. *lasiocarpum* Ledeb., Fl. Ross. (Ledeb.) 2: 415 (1844)
Galium verum L. var. *intermedium* Nakai, Rep. Veg. Diamond Mountains 185 (1918)
Galium verum L. var. *trachycarpum* f. *intermedium* Nakai, Bot. Mag. (Tokyo) 34: 51 (1920)
Galium verum L. var. *luteum* Nakai, Bot. Mag. (Tokyo) 34: 49 (1920)
Galium verum L. var. *ruthenicum* Nakai, Bot. Mag. (Tokyo) 34: 51 (1920)
Galium verum L. f. *lacteum* (Maxim.) Nakai, Bot. Mag. (Tokyo) 34: 50 (1920)
Galium verum L. var. *rosmarinifolium* f. *album* Hara, J. Jap. Bot. 10: 368 (1934)
Galium verum L. var. *asiaticum* Nakai, J. Jap. Bot. 15: 344 (1939)
Galium verum L. var. *japonalpinum* Nakai, J. Jap. Bot. 15: 343 (1939)
Galium verum L. f. *album* Nakai, J. Jap. Bot. 15: 343 (1939)
Galium verum L. var. *nikkoense* Nakai, J. Jap. Bot. 15: 347 (1939)
Galium verum L. var. *trachycarpum* f. *nikkoense* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 86 (1953)
Galium lacteum (Maxim.) Pobed., Fl. URSS 23: 363, 718 (1958)
Galium verum L. var. *lacteum* Maxim., Neolin. Fl. Manshur. 585 (1979)
Galium verum L. var. *rosmarinifolium* f. *intermedium* H.Hara, Neolin. Fl. Manshur. 585 (1979)

***Gardenia* J.Ellis**

***Gardenia jasminoides* J.Ellis, Philos. Trans. 51: 935, pl. 23 (1761) Int 처자나무**

- Gardenia florida* L., Sp. Pl. 2: 305 (1762)
Gardenia radicans Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 38 (1783)
Gardenia grandiflora Lour., Fl. Cochinch. 147 (1790)
Mussaenda chinensis Lour., Fl. Cochinch. 1: 152 (1790)
Gardenia florida L. var. *ovalifolia* Sims, Curtis's Bot. Mag. 53: t. 2627 (1826)
Gardenia augusta (L.) Merr. var. *grandiflora* (Lour.) Sasaki, List Pl. Formosa (Sasaki) 380 (1828)
Gardenia florida L. var. *grandiflora* Franch. & Sav., Enum. Pl. Jap. 1: 208 (1875)
Gardenia florida L. var. *radicans* (Thunb.) Matsum., Bot. Mag. (Tokyo) 15: 4 (1901)
Gardenia florida L. var. *radicans* f. *thunbergii* Makino, Bot. Mag. (Tokyo) 26: 395 (1912)
Gardenia jasminoides J.Ellis var. *grandiflora* (Lour.) Nakai, Trees Shrubs Japan, Revis. Ed. 518 (1927)
Gardenia jasminoides J.Ellis var. *ovalifolia* (Sims) Nakai, Trees Shrubs Japan, Revis. Ed. 520 (1927)
Gardenia angustifolia Lodd. var. *kosyunensis* (Sasaki) Masam., Short Fl. Formos. 18: 217 (1928)
Gardenia augusta (L.) Merr. var. *kosyunensis* Sasaki, Trans. Nat. Hist. Soc. Taiwan 18: 217 (1928)
Gardenia jasminoides J.Ellis var. *radicans* (Thunb.) Makino, Ill. Fl. Nippon (Makino) 118 (1940)
Gardenia jasminoides J.Ellis f. *grandiflora* (Lour.) Makino, Ill. Fl. Jap. Suppl. 117 (1949)
Gardenia jasminoides J.Ellis f. *ovalifolia* (Sims) H.Hara, Enum. Spermatophytarum Japon. 2: 15 (1952)

Mitchella L.

***Mitchella undulata* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 175 (1846)** Nat: S Korea 호자덩굴

Mitchella repens L. var. *undulata* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 23: 69 (1909)

Mitchella undulata Siebold & Zucc. var. *minor* Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 420 (1934)

Mitchella repens L. subsp. *undulata* (Siebold & Zucc.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4-b: 381 (1956)

Neanotis W.H.Lewis

***Neanotis hirsuta* (L.f.) W.H.Lewis, Ann. Missouri Bot. Gard. 53: 38 (1966)** Nat: S Korea 탐라풀

Oldenlandia L.

***Oldenlandia corymbosa* L., Sp. Pl. 119 (1753)** Nat: S Korea 산방백운풀

Hedyotis corymbosa (L.) Lam., Encycl. (Lamarck) 1: 272 (1791)

Gerontogea herbacea (DC.) Cham. & Schtdl., Linnaea 4: 154 (1829)

Gerontogea corymbosa (L.) Cham. & Schtdl., Linnaea 4: 154 (1829)

Hedyotis biflora (L.) Lam. var. *corymbosa* (L.) Kurz, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 46: 133 (1877)

***Oldenlandia diffusa* (Willd.) Roxb., Hort. Bengal. 11 (1814)** Nat: S Korea 백운풀

Hedyotis diffusa Willd., Sp. Pl. 566 (1753)

Oldenlandia brachypoda DC., Prodr. (DC.) 4: 424 (1830)

Oldenlandia herbacea (L.) Roxb. var. *uniflora* Benth., Fl. Hongk. 151 (1861)

Oldenlandia angustifolia (Michx.) A.Gray var. *pedicellata* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 108 (1867)

Hedyotis diffusa Willd. var. *longipes* Nakai, Bot. Mag. (Tokyo) 25: 152 (1911)

Oldenlandia corymbosa L. var. *uniflora* (Benth.) Masam., Trans. Nat. Hist. Soc. Taiwan 28: 115 (1938)

***Oldenlandia strigulosa* Bartl. ex DC., Prodr. (DC.) 4: 427 (1830)** Nat: S Korea 낚시돌풀

Hedyotis hirsuta (L.f.) Spreng., Pl. Min. Cogn. Pug. 2: 35 (1815)

Oldenlandia crassifolia DC., Prodr. (DC.) 4: 427 (1830)

Hedyotis biflora (L.) Lam. var. *parvifolia* Hook. & Arn., Bot. Beechey Voy. 264 (1838)

Oldenlandia hirsuta L.f. var. *glabrior* Miq., Fl. Ned. Ind. 2: 194 (1857)

Oldenlandia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 109 (1867)

Oldenlandia paniculata L. var. *parvifolia* A.Gray ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 164 (1883)

Hedyotis lindleyana var. *hirsuta* (L.f.) H.Hara, Bot. Mag. (Tokyo) 18: 89 (1904)

Hedyotis coreana H.Lév., Repert. Spec. Nov. Regni Veg. 11: 64 (1913)

Hedyotis japonica (Miq.) Masam., Trans. Nat. Hist. Soc. Taiwan 28: 114 (1938)

Hedyotis lindleyana var. *glabra* H.Hara, Enum. Spermatophytarum Japon. 3: 123 (1954)

Hedyotis strigulosa (Bartl. ex DC.) Fosberg, Smithsonian Contr. Bot. 45: 28 (1980)

Hedyotis strigulosa (Bartl. ex DC.) Fosberg var. *coreana* (H.Lév.) T.Yamaz., J. Jap. Bot. 58: 285 (1983)

Hedyotis strigulosa (Bartl. ex DC.) Fosberg var. *parvifolia* (Hook. & Arn.) T.Yamaz., J. Jap. Bot. 58: 284 (1983)

***Oldenlandia tenelliflora* (Blume) Kuntze, Revis. Gen. Pl. 1: 292 (1891) Int 수염치자풀**
Hedyotis tenelliflora Blume, Fl. Ned. Ind. 16: 971 (1826)

Paederia L.

***Paederia foetida* L., Mant. Pl. 1: 52 (1767) Nat: S Korea 계요둥**

- Gentiana scandens* Lour., Fl. Cochinch. 1: 171 (1790)
Paederia tomentosa Blume, Bijdr. Fl. Ned. Ind. 968 (1826)
Paederia tomentosa Blume var. *glabra* Kurz, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 47-2: 139 (1877)
Paederia chinensis Hance, J. Bot. 7: 228 (1878)
Paederia dumiana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 146 (1911)
Paederia tomentosa Blume f. *tenuissima* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 145 (1911)
Paederia wilsonii Hesse, Mitt. Deutsch. Dendrol. Ges. 22: 268 (1913)
Paederia mairei H.Lév., Repert. Spec. Nov. Regni Veg. 13: 179 (1914)
Paederia tomentosa Blume var. *mairei* H.Lév., Cat. Pl. Yun-Nan 247 (1917)
Paederia chinensis Hance var. *angustifolia* Nakai, Trees Shrubs Japan 1: 398 (1922)
Paederia chinensis Hance var. *velutina* Nakai, Fl. Sylv. Kor. 14: 92 (1923)
Paederia chinensis Hance f. *microphylla* Honda, Bot. Mag. (Tokyo) 43: 193 (1929)
Paederia scandens (Lour.) Merr., Contr. Arnold Arbor. 8: 163 (1934)
Paederia chinensis Hance f. *tenuissima* Masam., Short Fl. Formos. 205 (1936)
Paederia scandens (Lour.) Merr. f. *mairei* (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 22: 28 (1948)
Paederia scandens (Lour.) Merr. var. *velutina* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 29: 97 (1950)
Paederia scandens (Lour.) Merr. var. *mairei* (H.Lév.) H.Hara, Enum. Spermatophytarum Japon. 2: 24 (1952)
Paederia scandens (Lour.) Merr. var. *mairei* f. *microphylla* (Honda) H.Hara, Enum. Spermatophytarum Japon. 2: 25 (1952)
Paederia scandens (Lour.) Merr. var. *angustifolia* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 338 (1966)

Rubia L.

***Rubia argyi* (H.Lév. & Vaniot) H.Hara ex Lauener, Notes Roy. Bot. Gard. Edinburgh 32: 114 (1972) Nat: N Korea, S Korea 꼭두서니**

- Galium argyi* H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 58 (1908)
Rubia akane Nakai, J. Jap. Bot. 13: 783 (1937)
Rubia akane Nakai var. *erecta* Masam., Trans. Nat. Hist. Soc. Taiwan 9: 63 (1939)
Rubia nankotaiizana Masam., Hokuriko J. Bot. 2: 40 (1953)

***Rubia chinensis* Regel & Maack, Tent. Fl.-Ussur.76 (1861) Nat: N Korea, S Korea 큰꼭두서니**

- Rubia mitis* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 112 (1867)
Rubia mitis Miq. f. *glabrescens* Nakai, J. Jap. Bot. 14: 115 (1938)
Rubia pedicellata Nakai, J. Jap. Bot. 14: 116 (1938)
Rubia chinensis Regel & Maack var. *glabrescens* (Nakai) Kitag., Lin. Fl. Manshur. 406 (1939)
Rubia chinensis Regel & Maack var. *pedicellata* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 2: 29 (1950)
Rubia chinensis Regel & Maack f. *glabrescens* (Nakai) Kitag., Neolin. Fl. Manshur. 585 (1979)

Rubia chinensis Regel & Maack var. *glabrescens* f. *mitis* (Miq.) Kitag., Neolin. Fl. Manshur. 585 (1979)

***Rubia cordifolia* L. Syst. Nat. ed. 12 229 (1767) Nat; N Korea, S Korea 갈퀴꼭두서니**

Rubia cordifolia L. var. *pratensis* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 139 (1859)

Rubia cordifolia L. var. *sylvatica* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 140 (1859)

Rubia pratensis (Maxim.) Nakai, J. Jap. Bot. 13: 783 (1937)

Rubia sylvatica (Maxim.) Nakai, J. Jap. Bot. 13: 783 (1937)

Rubia pubescens Nakai, J. Jap. Bot. 13: 783 (1937)

Rubia cordifolia L. subsp. *pratensis* (Maxim.) Kitag., Acta Phytotax. Geobot. 17: 7 (1957)

Rubia cordifolia L. f. *pratensis* (Maxim.) Kitag., Neolin. Fl. Manshur. 586 (1979)

***Rubia hexaphylla* (Makino) Makino, J. Jap. Bot. 4: 9 (1927) Nat; N Korea, S Korea**

가지꼭두서니

Rubia cordifolia L. var. *hexaphylla* Makino, Bot. Mag. (Tokyo) 18: 144 (1904)

Rubia cordifolia L. subsp. *hexaphylla* (Makino) Kitag., Acta Phytotax. Geobot. 17: 7 (1957)

***Rubia jesoensis* (Miq.) Miyabe & Miyake, Fl. Hokkaido 291 (1915) Nat; N Korea**

너도꼭두서니

Galium jesoense Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 112 (1867)

Rubia tatarica var. *grandis* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 144 (1868)

Rubia grandis (F.Schmidt) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 487 (1907)

***Serissa* Comm. ex Juss.**

***Serissa japonica* (Thunb.) Thunb., Nov. Gen. Pl. [Thunberg] 9: 132 (1798) Int 백정화**

Lycium japonicum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 207 (1780)

Lycium foetidum L.f., Suppl. Pl. 150 (1781)

Lycium indicum Retz., Observ. Bot. (Retzius) 2: 12 (1781)

Dysoda fasciculata Lour., Fl. Cochinch. 1: 146 (1790)

Serissa foetida (L.f.) Lam., Tabl. Encycl. 2: 211 (1793)

Dysoda foetida (L.f.) Salisb., Prodr. Stirp. Chap. Allerton 60 (1796)

Serissa kawakamii Hayata, Icon. Pl. Formosan. 5: 79 (1915)

Leptodermis venosa Craib, Kew Bull. 1916: 264 (1916)

RUTACEAE

***Citrus* L.**

***Citrus* × *aurantium* L., Sp. Pl. 2: 783 (1753) Int 광귤**

Citrus × *aurantium* L. var. *amara* L., Sp. Pl. 783 (1753)

Aurantium × *sinense* (L.) Mill., Gard. Dict., ed. 8 2 (1768)

Citrus × *nobilis* Lour., Fl. Cochinch. 466 (1790)

Citrus × *aurantium* L. subsp. *amara* (Link) Engl., Nat. Pflanzenfam. 3(4): 198 (1896)

***Citrus japonica* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 (1780) Int 금감**

Citrus margarita Lour., Fl. Cochinch. 2: 467 (1790)

Citrus inermis Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 393 (1832)

Citrus aurantium L. var. *japonica* (Thunb.) Hook.f., Curtis's Bot. Mag. 100: t. 6128 (1874)

Fortunella japonica (Thunb.) Swingle, J. Wash. Acad. Sci. 5: 171, f. 3 (1915)

Fortunella margarita (Lour.) Swingle, J. Wash. Acad. Sci. 5: 170 (1915)
Fortunella japonica (Thunb.) Swingle var. *margarita* (Swingle) Makino, Ill. Fl. Nippon (Makino) 385 (1940)
Citrus madurensis Lour., Fl. Cochinch. 2: 467 (1970)

***Citrus* × *junos* Siebold ex Tanaka, J. Heredity 13: 243 (1922) Int 유자나무**
Citrus medica L. subsp. *junos* Makino, Bot. Mag. (Tokyo) 15: 165 (1901)

***Citrus limon* (L.) Burm.f., Fl. Ind. (N. L. Burman) 173 (1768) Int 레몬**
Citrus × *limonum* Risso, Ann. Mus. Natl. Hist. Nat. 20: 201 (1813)

***Citrus reticulata* Blanco, Fl. Filip. 610 (1837) Int 귤**
Citrus unshiu (Swingle) Marcow., Isev. Soch. Obl. Sukh. Sadov. Sel. Opyt. Stant. No. 2 5 (1921)

***Citrus sinensis* (L.) Osbeck, Reise Ostindien 250 (1765) Int 당귤나무**
Citrus × *aurantium* L. var. *sinensis* L., Sp. Pl. 782 (1753)

***Citrus trifoliata* L., Sp. Pl. 2: 1101 (1753) Int 탕자나무**
Aegle sepiaria DC., Prodr. (DC.) 1: 538 (1824)
Citrus triptera Desf., Tabl. Ecole Bot. (ed. 3) 406 (1829)
Poncirus trifoliata (L.) Raf., Sylva Tellur. 143 (1838)
Bilacus trifoliata (L.) Kuntze, Revis. Gen. Pl. 1: 99 (1891)

Dictamnus L.

***Dictamnus albus* L., Sp. Pl. 383 (1753) Nat: N Korea, S Korea 백선**
Fraxinella dictamnus Moench, Methodus (Moench) 68 (1794)
Dictamnus odoratus Salisb., Prodr. Stirp. Chap. Allerton 320 (1796)
Dictamnus sessilis Wallr., Linnaea 14: 569 (1840)
Dictamnus dasycarpus Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 637 (1842)
Dictamnus albus L. subsp. *dasycarpus* (Turcz.) N.A. Winter, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 159 (1924)
Dictamnus dasycarpus Turcz. var. *velutinus* Nakai, J. Jap. Bot. 13: 480 (1937)
Dictamnus albus L. var. *dasycarpus* (Turcz.) Liou & Y.H. Chang, Fl. Pl. Herb. Chin. Bor.-Or. 6: 24 (1977)
Dictamnus dasycarpus Turcz. f. *velutinus* (Nakai) W.T. Lee, Lineamenta Florae Koreae 640 (1996)

Orixa Thunb.

***Orixa japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 58 (1783) Nat: S Korea 상산**
Othera orixa Lam., Encycl. (Lamarck) 1: 310 (1791)
Celastrus dilatatus Thunb., Trans. Linn. Soc. London 2: 332 (1794)
Ilex orixa (Lam.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 496 (1824)
Celastrus orixa (Lam.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 150 (1846)
Euodia ramiflora A. Gray, Mem. Amer. Acad. Arts ser. 2, 6: 383 (1858)
Celastrus japonicus (Thunb.) K. Koch, Dendrologie 1: 625 (1869)
Sabia feddei H. Lévl., Repert. Spec. Nov. Regni Veg. 9: 456 (1911)
Sabia cavaleriei H. Lévl., Repert. Spec. Nov. Regni Veg. 9: 456 (1911)

Phellodendron Rupr.

***Phellodendron amurense* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 353 (1857) Nat: N Korea, S Korea 황벽나무**

Phellodendron amurense Rupr. var. *sachalinense* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 120 (1868)

Phellodendron sachalinense (F.Schmidt) Sarg., Trees & Shrubs 1: 199, t. 94 (1905)

Phellodendron insulare Nakai, Bot. Mag. (Tokyo) 32: 107 (1918)

Phellodendron molle Nakai, Bot. Mag. (Tokyo) 33: 58 (1919)

Phellodendron kodamanum Makino, J. Jap. Bot. 6: 5 (1929)

Phellodendron sachalinense (F.Schmidt) Sarg. var. *suberosum* Hara, Bot. Mag. (Tokyo) 49: 863 (1935)

Phellodendron amurense Rupr. var. *suberosum* (H.Hara) H.Hara, Sci. Res. Ozegahara Moor 446 (1954)

Phellodendron amurense Rupr. f. *insulare* (Nakai) H.S.Kim, Fl. Coreana (Kim) 4: 174 (1976)

Phellodendron amurense Rupr. f. *molle* (Nakai) W.T.Lee, Lineamenta Florae Koreae 642 (1996)

Tetradium Dulac

***Tetradium daniellii* (Benn.) T.G.Hartley, Gard. Bull. Singapore 34: 105 (1981) Int 취나무**

Zanthoxylum daniellii Benn., Ann. Mag. Nat. Hist. ser. 3, 10: 201 (1862)

Zanthoxylum bretscheideri Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 29: 73 (1884)

Euodia daniellii (Benn.) Hemsl., J. Linn. Soc., Bot. 23: 104 (1886)

Euodia henryi Dode, Bull. Soc. Bot. France 55: 706 (1908)

Euodia delavayi Dode, Bull. Soc. Bot. France 55: 707 (1909)

Euodia velutina Rehder & E.H.Wilson, Pl. Wilson. 2: 134 (1914)

Euodia barberi Rehder & E.H.Wilson, Pl. Wilson. 2: 131 (1914)

***Tetradium ruticarpum* (A.Juss.) T.G.Hartley, Gard. Bull. Singapore 34: 116 (1981) Int 오수유**

Boymia ruticarpa A.Juss., Mem. Mus. Hist. Nat. 12: 507 (1825)

Euodia ruticarpa (A.Juss.) Benth., Fl. Hongk. 59 : in nota, 59 (1861)

Euodia bodinieri Dode, Bull. Soc. Bot. France 55: 703 (1908)

Euodia officinalis Dode, Bull. Soc. Bot. France 55: 703 (1908)

Euodia rugosa Rehder & E.H.Wilson, Pl. Wilson. 2: 132 (1914)

Zanthoxylum L.

***Zanthoxylum ailanthoides* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 138 (1845) Nat: S Korea 머귀나무**

Zanthoxylum emarginellum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 22 (1867)

Fagara ailanthoides (Siebold & Zucc.) Engl., Nat. Pflanzenfam. 3: 118 (1897)

Zanthoxylum hemsleyanum Makino, Bot. Mag. (Tokyo) 21: 86 (1907)

Zanthoxylum ailanthoides Siebold & Zucc. var. *inerme* Rehder & E.H.Wilson, J. Arnold Arbor. 1: 118 (1919)

***Zanthoxylum armatum* DC., Prodr. (DC.) 1: 727 (1824) Nat: S Korea 개산초**

Fagara armata Thunb., Prodr. Pl. Cap. 28 (1794)

Zanthoxylum planispinum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad.

Wiss. 4: 138 (1845)

Zanthoxylum alatum Roxb. var. *subtrifoliatum* Franch., Pl. Delavay. 124 (1889)

Zanthoxylum alatum Roxb. var. *planispinum* (Siebold & Zucc.) Rehder & E.H.Wilson, Pl. Wilson. 2: 125 (1914)

Zanthoxylum arenosum Reeder & S.Y.Cheo, J. Arnold Arbor. 32: 70 (1951)

***Zanthoxylum fauriei* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 78 (1953) Nat: S Korea
좀머귀나무**

Fagara fauriei Nakai, Bot. Mag. (Tokyo) 28: 305 (1914)

Fagara shikokiana Makino, Fl. Japan (Makino & Nemoto) 674 (1925)

***Zanthoxylum piperitum* (L.) DC., Prodr. (DC.) 1: 725 (1824) Nat: S Korea 초피나무**

Fagara piperita L., Syst. Nat. ed. 10 597 (1759)

Zanthoxylum piperitum (L.) DC. var. *pubescens* Nakai, Bot. Mag. (Tokyo) 27: 130 (1913)

Zanthoxylum piperitum (L.) DC. f. *pubescens* (Nakai) W.T.Lee, Lineamenta Florae Koreae 645 (1996)

***Zanthoxylum schinifolium* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 137 (1845) Nat: N Korea, S Korea 산초나무**

Zanthoxylum mantschuricum Benn., Ann. Nat. Hist. 3: 200 (1862)

Fagara schinifolia (Siebold & Zucc.) Engl., Nat. Pflanzenfam. 3: 118 (1897)

Fagara schinifolia (Siebold & Zucc.) Engl. var. *inermis* Nakai, Bot. Mag. (Tokyo) 27: 130 (1913)

Fagara mantschurica (Benn.) Honda, Bot. Mag. (Tokyo) 46: 634 (1932)

Fagara mantschurica (Benn.) Honda var. *inermis* (Nakai) Honda, Bot. Mag. (Tokyo) 46: 634 (1932)

Fagara schinifolia (Siebold & Zucc.) Engl. var. *subinermis* Uyeki, J. Chosen Nat. Hist. Soc. 20: 16 (1935)

Fagara mantschurica (Benn.) Honda var. *subinermis* (Uyeki) Uyeki, Woody Pl. Distr. Chosen 60 (1940)

Zanthoxylum schinifolium Siebold & Zucc. var. *inermis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 298 (1966)

Zanthoxylum schinifolium Siebold & Zucc. var. *subinermis* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 298 (1966)

***Zanthoxylum simulans* Hance, Ann. Sci. Nat., Bot. 5,5: 208 (1866) Nat: S Korea 왕초피나무**

Zanthoxylum setosum Hemsl., J. Linn. Soc., Bot. 23: 107 (1886)

Zanthoxylum podocarpum Hemsl., J. Linn. Soc., Bot. 23: 107 (1886)

Zanthoxylum bungei var. *zimmermannii* Rehder & E.H.Wilson, Pl. Wilson. 2: 122 (1914)

Zanthoxylum argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12: 560 (1916)

Zanthoxylum coreanum Nakai, Proc. Third Pan-Pacific Sci. Congress Tokyo 1: 900 (1928)

SABIACEAE

Meliosma Blume

***Meliosma myriantha* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 153 (1845) Nat: N Korea, S Korea 나도밤나무**

Meliosma myriantha Siebold & Zucc. var. *discolor* Dunn, J. Linn. Soc., Bot. 38(267): 358 (1908)

Meliosma stewardii Merr., Philipp. J. Sci. 27: 164 (1925)

Meliosma myriantha Siebold & Zucc. var. *stewardii* (Merr.) Beusekom, Blumea 19: 439 (1971)

Meliosma myriantha Siebold & Zucc. subsp. *pilosa* (Lecomte) Beusekom, *Blumea* 19: 438 (1971)

Meliosma myriantha Siebold & Zucc. var. *pilosa* (Lecomte) Y.W.Law, *Acta Phytotax. Sin.* 20: 430 (1982)

***Meliosma pinnata* (Roxb.) Maxim. var. *oldhamii* (Miq. ex Maxim.) Beusekom, *Blumea* 19: 499 (1971) Nat: N Korea, S Korea 합다리나무**

Meliosma oldhamii Maxim. var. *glandulifera* Cufod., *Oesterr. Bot. Z.* 88: 253 (1839)

Meliosma oldhamii Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 12: 64 (1867)

Meliosma rhoifolia Maxim., *Bull. Acad. Imp. Sci. Saint-Pétersbourg* 12: 63 (1867)

Fraxinus fauriei H.Lév., *Repert. Spec. Nov. Regni Veg.* 8: 285 (1910)

Meliosma fauriei (L.f.) Nakai, *Saishu-to Kuan-to Shokubutsu Hokoku-sho* [Fl. Quelpaert Isl.] 62 (1914)

Rhus bofillii H.Lév., *Mem. Real Acad. Ci. Barcelona* 12: 562 (1916)

Meliosma sinensis Nakai, *J. Arnold Arbor.* 5: 80 (1924)

Meliosma oldhamii Maxim. var. *sinensis* Cufod., *Oesterr. Bot. Z.* 88: 253 (1939)

Meliosma rhoifolia Maxim. subsp. *barbulata* Cufod., *Oesterr. Bot. Z.* 88: 254 (1939)

Meliosma arnotiana var. *oldhamii* (Miq. ex Maxim.) H.Ohba, *Fl. Jap.* (Iwatsuki et al., eds.) 2c: 78 (1999)

SALICACEAE

***Populus* L.**

***Populus alba* L., Sp. Pl. 2: 1034 (1753) Int 은백양**

Populus major Mill., *Gard. Dict.*, ed. 8 n. 4 (1768)

***Populus cathayana* Rehder, *J. Arnold Arbor.* 12: 59 (1931) Int 중국황철**

Populus talassica Kom., *Bot. Zhurn. S.S.S.R.* 19: 509 (1934)

Populus densa Kom., *Bot. Zhurn. S.S.S.R.* 19: 510 (1934)

***Populus deltoides* W.Bartram ex Marshall, *Arbust. Amer.* 106 (1785) Int 미루나무**

Populus virginiana Foug., *Mem. Soc. Natl. Agric. France* 1786: 87 (1786)

Populus angulata Aiton, *Hort. Kew.* (Hill) 3: 407 (1789)

Populus angulata Aiton var. *missouriensis* A.Henry, *Trees Great Britain* 7: 1811 (1913)

***Populus nigra* L., Sp. Pl. 2: 1034 (1753) Int 양버들**

Populus nigraitalica Münchh., *Hausvater* 5: 230 (1770)

Populus italica Moench, *Verz. Ausland. Baume* 1: 79 (1785)

Populus pyramidalis Rozier, *Prodr. Stürp. Chap. Allerton* 395 (1796)

Populus fastigiata Desf., *Tabl. Ecole Bot.* 213 (1804)

Populus nigra L. var. *pyramidalis* Spach, *Ann. Sci. Nat., Bot.* 215: 31 (1841)

Populus nigra L. var. *italica* Koehne, *Deut. Dendrol.* 81: 81 (1893)

***Populus simonii* Carrière, *Rev. Hort.* 1867: 360 (1867) Nat: N Korea, S Korea 당버들**

Populus laurifolia Ledeb. var. *simonii* (Carrière) Regel, *Rusk. Dendrol.* ed. 2, 152 (1883)

***Populus suaveolens* Fisch. ex Loudon, *Arbor. Frutic. Brit.* 3: 1674 (1838) Nat: N Korea, S Korea 황철나무**

Populus balsamifera L. var. *suaveolens* (Fisch. ex Loudon) Kuntze, *Revis. Gen. Pl.* 2: 642 (1891)

Populus maximowiczii A.Henry, *Gard. Chron. ser. 3*, 53: 198 (1913)

Populus koreana Rehder, *J. Arnold Arbor.* 3: 226 (1922)

Populus maximowiczii A.Henry var. *barbinervis* Nakai, Fl. Sylv. Kor. 18: 201 (1930)
Populus ussuriensis Kom., Bot. Zhurn. S.S.S.R. 19: 510 (1934)
Populus suaveolens Fisch. ex Loudon subsp. *maximowiczii* (A.Henry) Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 78 (1940)

***Populus tremula* L. var. *davidiana* (Dode) C.K.Schneid., Pl. Wilson. 3: 24 (1916) Nat: N Korea, S Korea 사시나무**

Populus davidiana Dode, Bull. Soc. Hist. Nat. Autun 18: 31 (1905)
Populus wutaica Mayr, Fremdländ. Wald- Parkbäume 494 (1906)
Populus tremula L. var. *davidiana* f. *tomentella* C.K.Schneid., Pl. Wilson. 3: 26 (1916)
Populus tremula L. f. *tomentella* C.K.Schneid., Pl. Wilson. 3: 25 (1916)
Populus jezoensis Nakai, Bot. Mag. (Tokyo) 33: 197 (1919)
Populus davidiana Dode var. *tomentella* Nakai, Fl. Sylv. Kor. 18: 191 (1930)
Populus davidiana Dode f. *laticuneata* Nakai, Fl. Sylv. Kor. 18: 191 (1930)
Populus glandulosa (Uyeki) Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 (1934)
Populus davidiana Dode var. *pilosa* Nakai, J. Jap. Bot. 15: 528 (1939)
Populus davidiana Dode f. *tomentella* (C.K.Schneid.) W.T.Lee, Lineamenta Florae Koreae 136 (1996)

***Populus tremula* L. var. *sieboldii* (Miq.) H. Ohashi, Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 40: 280 (2001) Int 일본사시나무**

Populus sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 29 (1867)

***Populus x canadensis* Moench, Verz. Ausland. Baume 81 (1785) Int 이태리포플라**

Populus tremula L. var. *glandulosa* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 6 (1925)
Populus euramericana Guinier, Acta Bot. Neerl. 6: 54 (1957)

***Populus x tomentiglandulosa* T.B.Lee, Univ. Seoul. Coll. Theseon. Sci. 2: 76 (1955) Int 은사시나무**

Salix L.

***Salix arbutifolia* Pall., Fl. Ross. (Pallas) 1(2): 79 (1788) Nat: N Korea 채양버들**

Salix macrolepis Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 371 (1854)
Salix bracteosa Turcz. ex Trautv. & C.A.Mey., Fl. Ochet. Phaenog. 77 (1856)
Salix eucalyptoides F.N.Meijer ex C.K.Schneid., Pl. Wilson. 3: 99 (1856)
Salix splendida Nakai, Bot. Mag. (Tokyo) 32: 215 (1918)
Chosenia splendida (Nakai) Nakai, Bot. Mag. (Tokyo) 34: 97 (1920)
Chosenia eucalyptoides (F.N.Meijer) Nakai, J. Arnold Arbor. 5: 72 (1924)
Chosenia macrolepis (Turcz.) Kom., Mem. Bot. Borod. Jub. 281 (1927)
Chosenia bracteosa (Turcz.) Nakai, Fl. Sylv. Kor. 18: 59 (1930)
Chosenia macrolepis (Turcz.) Kom. f. *adenantha* Kimura, Sci. Rep. Tohoku Univ., Ser. 4, Biol. 13: 389 (1938)
Chosenia bracteosa (Turcz.) Nakai f. *adenantha* (Kimura) Kimura, Shokubutsugaku senshu 114 (1950)
Chosenia arbutifolia (Pall.) A.K.Skvortsov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18: 43 (1957)
Chosenia arbutifolia (Pall.) A.K.Skvortsov f. *adenantha* (Kimura) Kimura, Sci. Rep. Tohoku Univ., Ser. 4, Biol. 27-2: 146 (1961)

***Salix babylonica* L., Sp. Pl. 2: 1071 (1753) Nat: N Korea, S Korea 수양버들**

Salix pseudojessoensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 (1911)
Salix pseudogilgiana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 (1911)
Salix pseudolasiogyne H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 (1911)
Salix matsudana Koidz. var. *tortuosa* Vilm., J. Soc. Natl. Hort. France ser. 4, 25: 350 (1924)
Salix matsudana Koidz. f. *tortuosa* (Vilm.) Rehder, J. Arnold Arbor. 6: 206 (1925)
Salix dependens Nakai, Bull. Soc. Dendrol. France 66: 49 (1928)

***Salix bebbiana* Sarg., Gard. & Forest 8: 463 (1895) Nat: N Korea 여우버들**

Salix livida Wahlenb. var. *cinerascens* Wahlenb., Fl. Lapp. (Wahlenberg) 273 (1812)
Salix vagans Andersson f. *manshurica* Siuzew, Trudy Bot. Muz. Imp. Akad. Nauk 9: 88 (1912)
Salix starkeana Willd. var. *cinerascens* (Wahlenb.) C.K.Schneid., Pl. Wilson. 3: 151 (1916)
Salix cinerascens (Wahlenb.) Flod., Ark. Bot. 20 (6): 48 (1926)
Salix floderusii Nakai f. *manshurica* (Siuzew) Nakai, Fl. Sylv. Kor. 18: 132 (1930)
Salix xerophila Flod., Bot. Not. 1930: 334 (1930)
Salix floderusii Nakai, Fl. Sylv. Kor. 18: 129 (1930)
Salix floderusii Nakai var. *fuscescens* Nakai, Fl. Sylv. Kor. 18: 133 (1930)
Salix orotschonorum Kimura, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 444 (1934)
Salix xerophila Flod. f. *manshurica* (Siuzew) Kitag., Neolin. Fl. Manshur. 211 (1979)
Salix xerophila Flod. var. *fuscescens* (Nakai) W.T.Lee, Lineamenta Florae Koreae 153 (1996)

***Salix berberifolia* Pall., Reise Russ. Reich. 3: 321, 759 (1776) Nat: N Korea 매자잎버드나무**

Salix brayi Ledeb., Fl. Altaic. 4: 289 (1833)
Salix brayi Ledeb. var. *berberifolia* (Pall.) Andersson, Prodr. (DC.) 16: 293 (1868)
Salix berberifolia Pall. var. *genuina* Glehn, Trudy Imp. S.-Peterburgsk. Bot. Sada 4: 81 (1876)
Salix berberifolia Pall. var. *leiocarpa* Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 35 (1879)
Salix berberifolia Pall. var. *brayi* (Ledeb.) Trautv. ex Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 445 (1892)
Salix matsudana Koidz., Bot. Mag. (Tokyo) 29: 312 (1915)
Salix kimurana Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 255 (1936)

***Salix blinii* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 435 (1911) Nat: S Korea 제주산버들**

***Salix brachypoda* (Trautv. & C.A.Mey.) Kom., Trudy Glavn. Bot. Sada 39: 49 (1923) Nat: N Korea 탁장버들**

Salix repens L. var. *brachypoda* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 79 (1856)
Salix repens L. subsp. *rosmarinifolia* var. *flavicans* Andersson, Monogr. Salicum 116 (1867)
Salix rosmarinifolia L. var. *flavicans* Andersson, Monogr. Salicum 116 (1867)
Salix repens L. var. *flavicans* (Andersson) Andersson, Prodr. (DC.) 16: 238 (1868)
Salix sibirica Pall. var. *brachypoda* (Trautv. & C.A.Mey.) Nakai, Fl. Sylv. Kor. 18: 156 (1930)

***Salix caprea* L., Sp. Pl. 2: 1020 (1753) Nat: N Korea, S Korea 호랑버들**

Salix caprea L. var. *orbicularis* Andersson, Monogr. Salicum 77 (1867)
Salix hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 435 (1911)
Salix hallaisanensis H.Lév. var. *nervosa* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 435 (1911)
Salix ishidoyana Nakai, Bot. Mag. (Tokyo) 31: 25 (1917)
Salix hallaisanensis H.Lév. var. *longifolia* Nakai, Bot. Mag. (Tokyo) 32: 31 (1918)
Salix aurigerana f. *angustibolia* Nakai, Bot. Mag. (Tokyo) 33: 41 (1919)

Salix hultenii Flod., Ark. Bot. 20A, 6: 51 (1926)
Salix hallaisanensis H.Lév. var. *orbicularis* Nakai, Fl. Sylv. Kor. 18: 131 (1930)
Salix hallaisanensis H.Lév. var. *orbicularis* f. *elongata* Nakai, Fl. Sylv. Kor. 18: 133 (1930)
Salix hultenii Flod. var. *angustifolia* Kimura, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 415 (1934)
Salix hultenii Flod. var. *elongata* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 78 (1952)
Salix caprea L. f. *elongata* (Nakai) Kitag., Neolin. Fl. Manshur. 204 (1979)

***Salix cardiophylla* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 77 (1856) Nat: N Korea, S Korea
쪽버들**

Salix maximowiczii Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 442 (1901)
Toisusu cardiophylla var. *maximowiczii* (Kom.) Kimura, Bot. Mag. (Tokyo) 42: 289 (1928)

***Salix chaenomeloides* Kimura, Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 13: 77 (1938) Nat: S Korea
왕버들**

Salix glandulosa Seem., Bot. Jahrb. Syst. 21 Beibl. 53: 55 (1896)
Salix glandulosa Seem. var. *glabra* Nakai, Fl. Sylv. Kor. 18: 80 (1930)
Salix glandulosa Seem. var. *pilosa* Nakai, Fl. Sylv. Kor. 18: 79 (1930)
Salix chaenomeloides Kimura var. *pilosa* (Nakai) Kimura, Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 33: 78 (1938)

***Salix divaricata* Pall., Fl. Ross. (Pallas) 1: 80 (1784) Nat: N Korea
쌍실버들**

Salix taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 (1911)
Salix metaformosa Nakai, Bot. Mag. (Tokyo) 33: 42 (1914)
Salix orthostemma Nakai, Bot. Mag. (Tokyo) 33: 43 (1914)
Salix bicarpa Nakai, Bot. Mag. (Tokyo) 31: 111 (1917)
Salix divaricata Pall. var. *metaformosa* (Nakai) Kitag., Neolin. Fl. Manshur. 205 (1979)
Salix divaricata Pall. var. *orthostemma* (Nakai) Kitag., Neolin. Fl. Manshur. 205 (1979)

***Salix gilgiana* Seem., Salic. Jap. 59, t. 13 (1903) Nat: N Korea, S Korea
내버들**

Salix purpurea L. subsp. *purpurea* var. *sericea* Koidz., Bot. Mag. (Tokyo) 27: 92 (1913)
Salix purpurea L. subsp. *gymnolepis* Koidz., Bot. Mag. (Tokyo) 27: 269 (1913)

***Salix glauca* L., Sp. Pl. 2: 1019 (1753) Nat: N Korea
큰산버들**

Salix seemannii Rydb., Bull. New York Bot. Gard. 2: 164 (1901)
Salix sericeo-cinerea Nakai var. *lanata* Nakai, Bot. Mag. (Tokyo) 33: 44 (1919)
Salix sericeo-cinerea Nakai, Bot. Mag. (Tokyo) 33: 43 (1919)
Salix stipulifera Flod. ex Häydrén, Memoranda Soc. Fauna Fl. Fennica 5: 133 (1929)
Salix sericeo-cinerea Nakai f. *lanata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 150 (1996)

***Salix gracilistyla* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 26 (1867) Nat: N Korea, S Korea
갯버들**

Salix thunbergiana Blume ex Andersson, Prodr. (DC.) 16: 271 (1868)
Salix graciliglans Nakai, Bot. Mag. (Tokyo) 30: 274 (1916)
Salix nakaii Kimura, Bot. Mag. (Tokyo) 40: 637 (1926)
Salix gracilistyloloides Kimura, Bot. Mag. (Tokyo) 40: 8 (1926)

***Salix integra* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 880 (1784) Nat: N Korea, S Korea
개키버들**

Salix multinervis C.K.Schneid., Enum. Pl. Jap. 2: 504 (1879)
Salix savatieri Camus, Classif. Saules Europe 326 (1904)

- Salix kangensis* Nakai, Bot. Mag. (Tokyo) 30: 275 (1916)** Nat: N Korea 강계머들
Salix roridiformis Nakai, Bot. Mag. (Tokyo) 33: 5 (1919)
Salix ackschewitziana var. *roridiformis* (Nakai) Kimura, Sci. Rep. Tohoku Imp. Univ., Ser. 4, Biol. 6: 187 (1930)
Salix rorida Laksch. var. *roridiformis* (Nakai) Ohwi, Fl. Jap. (Ohwi) 405 (1956)
- Salix koriyanagi* Kimura ex Goerz, Salic. Asiat. Sched. Fasc. 1 17 (1931)** Nat: N Korea, S Korea, Endemic 키버들
Salix purpurea L. subsp. *amplexicaulis* var. *petiolata* subvar. *angustib*, Bot. Mag. (Tokyo) 27: 92 (1913)
Salix purpurea L. f. *rubra* Nakai, Bot. Mag. (Tokyo) 33: 44 (1919)
Salix purpurea L. var. *japonica* Nakai, Bull. Soc. Dendrol. France 66: 50 (1928)
Salix purpurea L. var. *japonica* f. *rubra* Nakai, Fl. Sylv. Kor. 18: 124 (1930)
Salix koriyanagi Kimura ex Goerz f. *rubra* (Nakai) W.T.Lee, Lineamenta Florae Koreae 146 (1996)
- Salix miyabeana* Seemen, Bot. Jahrb. Syst. 21, beibl. 53: 50 (1896)** Nat: N Korea, S Korea 당키버들
Salix monandra Ard., Mem. Osserv. Var. Piante 1: 67 (1766)
Salix purpurea L. var. *smithiana* Trautv., Linnaea 10: 579 (1836)
Salix purpurea L. var. *gracilis* Gren. & Godr., Fl. France (Grenier) 3, 1: 129 (1855)
- Salix myrtilloides* L., Sp. Pl. 2: 1019 (1753)** Nat: N Korea 진퍼리버들
Salix elegans Besser, Enum. Pl. (Besser) 77 (1822)
Salix myrtilloides L. var. *manshurica* Nakai, Fl. Sylv. Kor. 18: 154 (1930)
- Salix nummularia* Andersson, Prodr. (DC.) 16: 298 (1868)** Nat: N Korea 콩버들
Salix serpyllifolia Scop., Fl. Carniol., ed. 2 2: 555 (1772)
Salix retusa L. var. *rotundifolia* Trevir. ex Trautv., Nouv. Mem. Soc. Imp. Naturalistes Moscou 8: 304 (1832)
Salix herbacea var. *flabellaris* Andersson, Prodr. (DC.) 16, 2: 298 (1868)
Salix vulcani Nakai, Bot. Mag. (Tokyo) 30: 140 (1916)
Salix pauciflora Koidz., Bot. Mag. (Tokyo) 32: 61 (1918)
Salix polyadenia Hand.-Mazz., Oesterr. Bot. Z. 81: 306 (1932)
Salix tschanbaischanica Y.L.Chou & Y.L.Chang, Ill. Fl. Ligneous Pl. N. E. China 146 (1955)
- Salix pierotii* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 37 (1867)** Nat: N Korea, S Korea 버드나무
Salix koreensis Andersson, Prodr. (DC.) 16: 271 (1868)
Salix pogonandra H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 (1911)
Salix feddei L.f., Repert. Spec. Nov. Regni Veg. 10: 436 (1911)
- Salix pseudopentandra* (Flod.) Flod., Ark. Bot. (Stockholm) 25: 10 (1933)** Nat: N Korea 반작버들
Salix pentandra L. subsp. *pseudopentandra* Flod., Ark. Bot. 20A, 6: 57 (1926)
Salix pentandra L. var. *intermedia* Nakai, Fl. Sylv. Kor. 18: 84 (1930)
- Salix rorida* Laksch., Sched. Herb. Fl. Ross. 7: 131 (1911)** Nat: N Korea, S Korea 분버들
Salix acutifolia Turcz., Fl. Baical.-dahur. 1: 1021 (1854)
Salix coerulescens Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 374 (1854)
Salix lackschewitziana Toepff., Oesterr. Bot. Z. 66: 402 (1917)

Salix rorida Laksch. var. *eglandulosa* Kimura, Salic. Asiat. Sched. Fasc. 1 15 (1931)

***Salix schwerinii* E.L.Wolf, Mitt. Deutsch. Dendrol. Ges. 407 (1929) Nat: N Korea, S Korea**
육지꽃버들

- Salix longifolia* Lam., Fl. Franc. (Lamarck) 2: 232 (1778)
Salix viminalis L. var. *linnaeana* Trautv., Linnaea 10: 580 (1836)
Salix viminalis L. var. *angustifolia* Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 379 (1854)
Salix linearis Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 379 (1854)
Salix viminalis L. var. *abbreviata* Doell., Fl. Bad. 2: 495 (1859)
Salix viminalis L. var. *yesoensis* C.K.Schneid., Pl. Wilson. 3, 1: 158 (1916)
Salix yesoensis (C.K.Schneid.) Kimura, Bot. Mag. (Tokyo) 45: 28 (1931)
Salix veriviminalis Nasarow, Fl. URSS 5: 134 (1936)
Salix pseudolinearis Nasarow, Fl. URSS 5: 137 (1936)

***Salix subopposita* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 28 (1867) Nat: S Korea** 들버들

- Salix repens* L. var. *subopposita* Seem., Salic. Jap. 35 (1903)
Salix sibirica Pall. var. *subopposita* C.K.Schneid., Pl. Wilson. 3: 154 (1916)

***Salix taraiensis* Kimura, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 419 (1934) Nat: N Korea, S Korea** 산버들

- Salix floderusii* Nakai var. *glabra* Nakai, Fl. Sylv. Kor. 18: 132 (1930)
Salix xerophila Flod. f. *glabra* (Nakai) Kitag., Neolin. Fl. Manshur. 211 (1979)

***Salix triandra* L. subsp. *nipponica* (Franch. & Sav.) A.K.Skvortsov, Willows USSR 100 (1968) Nat: N Korea, S Korea** 선버들

- Salix subfragilis* Andersson, Mem. Amer. Acad. Arts 6: 450 (1859)
Salix nipponica Franch. & Sav., Enum. Pl. Jap. 1: 495 (1875)
Salix triandra L. subsp. *discolor* (Wimm. & Grab.) Arcang., Comp. Fl. Ital. (Arcangeli) 626 (1882)
Salix triandra L. var. *nipponica* (Franch. & Sav.) Seem., Salic. Jap. 27 (1903)
Salix hamatidens L.f., Bull. Soc. Bot. France 56: 301 (1909)
Salix amygdalina L. var. *nipponica* (Franch. & Sav.) C.K.Schneid., Pl. Wilson. 1: 106 (1916)
Salix triandra L. var. *discolor* (Wimm. & Grab.) Nakai, Fl. Sylv. Kor. 18: 87 (1930)

***Salix udensis* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 81 (1856) Nat: N Korea** 꽃버들

- Salix stipularis* Sm., Fl. Brit. 3: 1069 (1804)
Salix oblongifolia Trautv. & C.A.Mey., Reise Sibir. 2: 81 (1856)
Salix glauca L. var. *sericea* Regel & Tiling, Fl. Ajan. 118 (1858)
Salix opaca Andersson, Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 428 Herder (1890)
Salix siuzevii Seem., Repert. Spec. Nov. Regni Veg. 5(78-80): 17 (1908)
Salix dasyclados Wimm. subsp. *stipularis* Seem., Syn. Mitteleur. Fl. 4: 180 (1909)

SANTALACEAE

Thesium L.

***Thesium chinense* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10-7: 157 (1837) Nat: S Korea**
제비꽃

- Thesium decurrens* Blume ex DC., Prodr. (DC.) 14: 652 (1857)
Thesium rugulosum Bunge ex A.DC., Prodr. (DC.) 14: 649 (1857)

Thesium refractum C.A.Mey., *Verz. Saisang-nor Pfl.* 55 (1841) Nat: N Korea 긴제비꽃
Linosyris refracta Kuntze, *Revis. Gen. Pl.* 2: 588 (1891)

SAPINDACEAE

Cardiospermum L.

Cardiospermum halicacabum L., *Sp. Pl.* 366 (1753) Int 풍선덩굴

Koelreuteria Medik.

Koelreuteria paniculata Laxm., *Novi Comment. Acad. Sci. Imp. Petrop.* 16: 561, t.18 (1772)
Nat: N Korea, S Korea 모감주나무

Sapindus chinensis L., *Syst. Veg. ed.* 13 315 (1774)

Sapindus paniculata (Laxm.) Dum.Cours., *Bot. Cult.* 2: 769 (1801)

Koelreuteria chinensis (Murray) Hoffmanns., *Verz. Pfl.-Kult.* 70 (1824)

Koelreuteria apiculata Rehder & E.H.Wilson, *Pl. Wilson.* 2(1): 191 (1914)

Koelreuteria paniculata Laxm. var. *apiculata* (Rehder & E.H.Wilson) Rehder, *J. Arnold Arbor.* 20: 418 (1939)

Sapindus L.

Sapindus mukorossi Gaertn., *Fruct. Sem. Pl.* 1: 342 (1788) Int 무환자나무

Sapindus detergens Roxb., *Hort. Bengal.* 29 (1814)

Sapindus acuminatus Wall., *Numer. List* 8035 (1847)

SAURURACEAE

Houttuynia Thunb.

Houttuynia cordata Thunb., *Fl. Jap., revised ed., [Ohwi]* 234 (1965) Nat: S Korea 약모밀

Polypara cochinchinensis Lour., *Fl. Cochinch.* 61 (1790)

Houttuynia foetida Loudon, *Hort. Brit. (Loudon)* 37 (1830)

Polypara cordata Kuntze, *Revis. Gen. Pl.* 2: 565 (1891)

Houttuynia cordata Thunb. var. *plena* Makino, *J. Jap. Bot.* 6: 38 (1929)

Houttuynia cordata Thunb. var. *variegata* Makino, *J. Jap. Bot.* 6: 38 (1929)

Saururus Mill.

Saururus chinensis (Lour.) Baill., *Adansonia* 10: 71 (1871) Nat: S Korea 삼백초

Saururus loureiri Decne., *Ann. Sci. Nat., Bot. ser.* 3, 3: 102 (1845)

Saururopsis chinensis (Lour.) Turcz., *Bull. Soc. Imp. Naturalistes Moscou* 21: 590 (1848)

SAXIFRAGACEAE

Astilbe Buch.-Ham. ex D.Don

Astilbe chinensis (Maxim.) Franch. & Sav., *Enum. Pl. Jap.* 1: 144 (1873) Nat: N Korea, S Korea 노루오줌

Hoteia chinensis Maxim., *Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans* 9: 120 (1859)

Astilbe odontophylla Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 96 (1867)
Astilbe chinensis (Maxim.) Franch. & Sav. var. *dauidii* Franch., Pl. David. 1: 121&122 (1884)
Astilbe dauidii (Franch.) Henry, Gard. Chron. ser. 3, 32: 95 (1902)
Astilbe chinensis (Maxim.) Franch. & Sav. var. *koreana* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 408 (1903)
Astilbe leucantha Knoll, Bull. Herb. Boissier ser. 2, 7: 132 (1907)
Astilbe chinensis (Maxim.) Franch. & Sav. var. *seoulensis* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 215 (1909)
Astilbe thunbergii (Siebold & Zucc.) Miq. var. *taquetii* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 (1910)
Astilbe koreana (Kom.) Nakai, Rep. Veg. Diamond Mountains 174 (1918)
Astilbe chinensis (Maxim.) Franch. & Sav. var. *divaricata* Nakai, Bot. Mag. (Tokyo) 40: 246 (1926)
Astilbe taquetii (H.Lév.) Koidz., Acta Phytotax. Geobot. 5: 124 (1936)
Astilbe divaricata (Nakai) Nakai, J. Jap. Bot. 13: 395 (1937)
Astilbe chinensis (Maxim.) Franch. & Sav. var. *taquetii* (L.f.) H.Hara, Nov. Fl. Jap. 3: 13 (1939)
Astilbe rubra Hook.f. & Thomson var. *taquetii* (L.f.) H.Hara, J. Jap. Bot. 51: 73 (1976)
Astilbe rubra Hook.f. & Thomson var. *divaricata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 437 (1996)

***Astilbe simplicifolia* Makino, Bot. Mag. (Tokyo) 7: 103 (1893) Nat: N Korea 외잎승마**

Astilboides Engl.

***Astilboides tabularis* (Hemsl.) Engl., Pflanzenr. (Engler) 4, 117(69): 675 (1919) Nat: N Korea 개병풍**

Saxifraga tabularis Hemsl., J. Linn. Soc., Bot. 23: 269 (1887)
Rodgersia tabularis (Hemsl.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 410 (1904)

Bergenia Neck. ex Raf.

***Bergenia crassifolia* (L.) Fritsch, Verh. K.K. Zool.-Bot. Ges. Wien 39: 587 (1889) Nat: N Korea 들부채**

Bergenia cordifolia (Haw.) Sternb., Revis. Saxifrag. Suppl. 2: 2 (1831)
Bergenia coreana Nakai, Bot. Mag. (Tokyo) 28: 304 (1914)

Chrysosplenium L.

***Chrysosplenium flagelliferum* F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 134 (1868) Nat: N Korea, S Korea 애기팽이눈**

Chrysosplenium komarovii Losinsk., Fl. URSS 9: 488 (1939)

***Chrysosplenium flaviflorum* Ohwi, Repert. Spec. Nov. Regni Veg. 36: 51 (1934) Nat: N Korea 누른팽이눈**

Chrysosplenium pilosum Maxim. var. *flaviflorum* (Ohwi) Ohwi, Acta Phytotax. Geobot. 6: 152 (1937)

***Chrysosplenium japonicum* (Maxim.) Makino, Bot. Mag. (Tokyo) 23: 71 (1909) Nat: N Korea, S Korea 산팽이눈**

Chrysosplenium alternifolium L. var. *japonicum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 343 (1877)

Chrysosplenium alternifolium L. var. *papillosum* Franch. & Sav., Enum. Pl. Jap. 2: 355 (1878)

***Chrysosplenium pilosum* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 122 (1859) Nat: N Korea, S Korea 털팽이눈**

Chrysosplenium fulvum A.Terracc., Bull. Soc. Bot. Genève ser.2, 7: 156 (1915)

Chrysosplenium pilosum Maxim. var. *fulvum* (A.Terracc.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 49 (1957)

Chrysosplenium umbellatum Kitag., J. Jap. Bot. 44: 280 (1969)

Chrysosplenium pilosum* Maxim. var. *pilosum

***Chrysosplenium pilosum* Maxim. var. *sphaerospermum* (A.Terracc.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 50 (1957) Nat: N Korea, S Korea 금팽이눈**

Chrysosplenium sphaerospermum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 349 (1877)

Chrysosplenium vidalii Franch. & Sav., Enum. Pl. Jap. 2: 360 (1878)

Chrysosplenium hallaisanense Nakai, Repert. Spec. Nov. Regni Veg. 13: 273 (1914)

Chrysosplenium barbatum Nakai, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 49 (1957)

***Chrysosplenium ramosum* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 121 (1859) Nat: N Korea, S Korea 가지팽이눈**

Chrysosplenium yezoense Franch. & Sav., Enum. Pl. Jap. 2: 355 (1878)

Chrysosplenium crenulatum Franch., Bull. Soc. Philom. Paris 10: 102 (1886)

Chrysosplenium microphyllum Tatew. & Sutô, J. Jap. Bot. 10: 253 (1934)

Chrysosplenium crenulatum Franch. var. *atrodiscum* Sutô, J. Jap. Bot. 11: 401 (1935)

Chrysosplenium crenulatum Franch. var. *microphyllum* (Tatew. & Sutô) Sutô, J. Jap. Bot. 11: 400 (1935)

Chrysosplenium ramosum Maxim. var. *atrodiscum* (Sutô) H.Hara, Nov. Fl. Jap. 3: 94 (1939)

Chrysosplenium ramosum Maxim. var. *atrodiscum* f. *microphyllum* (Tatew. & Sutô)

H.Hara, Nov. Fl. Jap. 3: 97 (1939)

Chrysosplenium ramosum Maxim. var. *atrodiscum* f. *viridiflorum* Hara, Nov. Fl. Jap. 3: 94 (1939)

***Chrysosplenium serreanum* Hand.-Mazz., Oesterr. Bot. Z. 80: 341 (1931) Nat: N Korea 시베리아팽이눈**

Chrysosplenium alternifolium L. var. *sibiricum* Ser. ex DC., Prodr. (DC.) 4: 48 (1830)

Chrysosplenium alternifolium L. f. *iowense* (Rydb.) Rosend., Bot. Jahrb. Syst. 37(83): 86 (1905)

Chrysosplenium alternifolium L. subsp. *sibiricum* (Ser.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 4, 13: 92 (1971)

Chrysosplenium sibiricum (Ser.) A.P.Khokhr., Analiz Fl. Kolymkogo Nagor'ya 43 (1989)

***Chrysosplenium sinicum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 23: 348 (1877) Nat: N Korea, S Korea 선팽이눈**

Chrysosplenium pseudofauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 (1910)

***Mitella* L.**

***Mitella nuda* L., Sp. Pl. 406 (1753) Nat: N Korea 나도범의귀**

Tiarella unifolia Retz., *Observ. Bot. (Retzius)* 3: 30 (1783)
Mitella cordifolia Lam., *Encycl. (Lamarck)* 4: 196 (1797)
Mitella reniformis Lam., *Encycl. (Lamarck)* 4: 196 (1797)

Mukdenia Koidz.

***Mukdenia rossii* (Oliv.) Koidz., *Acta Phytotax. Geobot.* 4: 120 (1935) Nat: N Korea, S Korea
들단풍**

Saxifraga rossii Oliv., *Hooker's Icon. Pl. ser. 2*, 13: 46 (1878)
Aceriphyllum rossii (Oliv.) Engl., *Nat. Pflanzenfam.* 3-2a: 52 (1890)
Aceriphyllum rossii (Oliv.) Engl. var. *multilobum* Nakai, *Rep. Veg. Diamond Mountains* 195 (1918)
Mukdenia acanthifolia Nakai, *J. Jap. Bot.* 17: 684 (1941)
Mukdenia rossii (Oliv.) Koidz. var. *multiloba* (Nakai) Nakai, *Bull. Natl. Sci. Mus.*, Tokyo 31: 55 (1952)
Mukdenia rossii (Oliv.) Koidz. f. *multiloba* (Nakai) W.T.Lee, *Lineamenta Florae Koreae* 450 (1996)

Rodgersia A.Gray

***Rodgersia podophylla* A.Gray, *Mem. Amer. Acad. Arts n.s.* 6: 389 (1859) Nat: N Korea, S Korea
도깨비부채**

Rodgersia japonica Regel, *Gartenflora* 20: 708 (1871)
Astilbe podophylla (A.Gray) Franch., *Pl. Delavay.* 231 (1889)

Saxifraga L.

***Saxifraga cernua* L., *Sp. Pl.* 403 (1753) Nat: N Korea 씨눈바위취**

Lobaria cernua (L.) Haw., *Saxifrag. Enum.* 1: 20 (1821)
Miscopetalum cernuum (L.) Gray, *Nat. Arr. Brit. Pl.* 2: 530 (1821)
Saxifraga cernua L. var. *linnaeana* Ser., *Prodr. (DC.)* 4: 36 (1830)
Saxifraga cernua L. var. *simplicissima* Ledeb., *Fl. Altaic.* 2: 122 (1830)
Saxifraga simulata Small, *N. Amer. Fl.* 22: 128 (1905)

***Saxifraga fortunei* Hook., *Bot. Mag.* 89: pl. 5377 (1863) Nat: N Korea, S Korea 바위떡풀**

Saxifraga cortusifolia (Siebold & Zucc.) Nakai var. *incisolobata* Engl. & Irmsch., *Pflanzenr. (Engler) IV*, 117(Heft 2): 649 (1919)
Saxifraga cortusifolia (Siebold & Zucc.) Nakai, *Rep. Veg. Ooryongto* 20 (1919)
Saxifraga mutabilis Koidz., *Fl. Symb. Orient.-Asiat.* 6 (1930)
Saxifraga mutabilis Koidz. var. *incisolobata* Hara, *Bot. Mag. (Tokyo)* 49: 81 (1935)
Saxifraga fortunei Hook. var. *incisolobata* (Engl. & Irmsch.) Nakai, *J. Jap. Bot.* 14: 228 (1938)
Saxifraga fortunei Hook. var. *koraiensis* Nakai, *J. Jap. Bot.* 14: 227 (1938)
Saxifraga fortunei Hook. var. *pilosissima* Nakai, *J. Jap. Bot.* 14: 228 (1938)
Saxifraga fortunei Hook. f. var. *koraiensis* Nakai *glabrascens* Nakai, *J. Jap. Bot.* 14: 228 (1938)
Saxifraga fortunei Hook. var. *glabrascens* (Nakai) Nakai, *Bull. Natl. Sci. Mus.*, Tokyo 31: 55 (1952)
Saxifraga fortunei Hook. var. *mutabilis* (Koidz.) Nakai ex H.Obashi, *J. Jap. Bot.* 71: 78 (1996)

***Saxifraga laciniata* Nakai & Takeda, *Bot. Mag. (Tokyo)* 28: 305 (1914) Nat: N Korea
구름범의귀**

Saxifraga takedana Nakai, Bot. Mag. (Tokyo) 28: 305 (1914)
Saxifraga furumii Nakai, Bot. Mag. (Tokyo) 32: 33 (1918)
Micranthes laciniata (Nakai & Takeda) H.Hara, Nov. Fl. Jap. 3: 74 (1939)
Saxifraga laciniata Nakai & Takeda var. *takedana* (Nakai) H.Hara, Nov. Fl. Jap. 3: 75 (1939)

***Saxifraga manchuriensis* (Engl.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 415 (1904)**

Nat: N Korea 흰바위취

Saxifraga punctata L. var. *manchuriensis* Engl., Monogr. Saxifraga 139 (1872)
Saxifraga octopetala Nakai, Bot. Mag. (Tokyo) 32: 230 (1918)

***Saxifraga nelsoniana* D.Don, Trans. Linn. Soc. London 13: 355 (1822) Nat: N Korea**

톱바위취

Saxifraga punctata L. var. *nelsoniana* (D.Don) Macoun, Cat. Canad. Pl., Polypetalae 1: 153 (1883)
Micranthes nelsoniana (D.Don) Small, N. Amer. Fl. 22: 147 (1905)
Saxifraga punctata L. subsp. *nelsoniana* (D.Don) Hultén, Fl. Alaska Yukon 5: 929 (1945)

***Saxifraga oblongifolia* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 218 (1909) Nat: N Korea, S**

Korea 참바위취

***Saxifraga stolonifera* Curtis, Philos. Trans. 64: 308 (1774) Nat: S Korea** 바위취

Saxifraga sarmentosa L.f., Suppl. Pl. 240 (1782)
Saxifraga chinensis Lour., Fl. Cochinch. 1: 281 (1790)
Diptera sarmentosa (L.f.) Borkh., Neues Mag. Bot. 1: 29 (1794)
Sekika sarmentosa (L.f.) Moench, Suppl. Meth. (Moench) 77 (1802)
Ligularia sarmentosa (L.f.) Duval, Pl. Succ. Horto Alencon. 11 (1809)
Saxifraga cuscutiformis Lodd., Bot. Cab. 2: t. 186 (1818)
Adenogyna sarmentosa (L.f.) Raf., New Fl. (Rafinesque) 1: 63 (1836)
Aphomonix hederacea Raf., Fl. Tellur. 2: 65 (1837)
Diptera cuscutiformis (Lodd.) Heynh., Alph. Aufz. Gew. 1: 206 (1846)
Saxifraga sarmentosa L.f. var. *immaculata* Diels, Bot. Jahrb. Syst. 29(3-4): 364 (1901)
Saxifraga chaffanjonii H.Lév., Repert. Spec. Nov. Regni Veg. 9: 452 (1911)
Saxifraga iochanensis H.Lév., Sert. Yunnan. 2: 2 (1916)
Saxifraga ligulata Murray, Sert. Yunnan. 2 (1916)
Saxifraga dumetorum Balf.f., Trans. Bot. Soc. Edinburgh 27: 71 (1918)
Saxifraga veitchiana Balf.f., Trans. Bot. Soc. Edinburgh 27: 75 (1918)
Saxifraga stolonifera Curtis var. *immaculata* (Diels) Hand.-Mazz., Symb. Sin. 7: 427 (1931)

Tiarella L.

***Tiarella polyphylla* D.Don, Prodr. Fl. Nepal. 210 (1825) Nat: S Korea** 흰떡이풀

SCHISANDRACEAE

Kadsura Juss.

***Kadsura japonica* (L.) Dunal, Monogr. Anonac. 57 (1817) Nat: S Korea** 남오미자

Schisandra japonica (L.) Baill., Hist. Pl. (Baillon) 1: 150 (1868)
Kadsura matsudae Hayata, Icon. Pl. Formosan. 9: 4 (1920)

Schisandra Michx.

Schisandra chinensis (Turcz.) Baill., **Hist. Pl. (Baillon) 1: 148 (1868)** Nat: N Korea, S Korea
오미자

- Kadsura chinensis* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 149 (1837)
Maximowiczia amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg
15: 124 (1856)
Sphaerostema japonicum A.Gray, Mem. Amer. Acad. Arts ser. 2, 6: 380 (1858)
Maximowiczia chinensis (Turcz.) Rupr., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers
Savans 9: 31 (1859)
Maximowiczia japonica (A.Gray) K.Koch, Dendrologie 1: 386 (1869)
Maximowiczia sinensis Rob., Garden (London 1871-1927) 6: 583 (1874)
Schisandra chinensis (Turcz.) Baill. var. *leucocarpa* P.H.Huang & L.H.Zhuo, Bull. Bot.
Res., Harbin 14: 35 (1994)

Schisandra repanda (Siebold & Zucc.) Radlk., **Sitzungsber. Math.-Phys. Cl. Königl. Bayer.**

Akad. Wiss. München 16: 303 (1886) Nat: S Korea 흑오미자

- Trochostigma repandum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad.
Wiss. 3(3): 728 (1843)
Schisandra nigra Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 144 (1872)
Schisandra discolor Nakai, Fl. Sylv. Kor. 20: 103 (1933)
Schisandra nigra Maxim. var. *hypoleuca* Makino, Ill. Fl. Nippon (Makino) 588 (1940)
Maximowiczia nigra (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 28 (1952)
Schisandra repanda (Siebold & Zucc.) Radlk. f. *hypoleuca* (Makino) Ohwi, Fl. Jap.,
revised ed., [Ohwi] 469 (1965)

SCROPHULARIACEAE

Antirrhinum L.

Antirrhinum majus L., **Sp. Pl. 617 (1753)** Int 금어초

Centranthera Scheidw. & Otto & A.Dietr.

Centranthera cochinchinensis (Lour.) Merr., **Trans. Amer. Philos. Soc. n.s. 24: 353 (1935)**

Int 성주풀

- Digitalis cochinchinensis* Lour., Fl. Cochinch. 379 (1790)
Centranthera cochinchinensis (Lour.) Merr. var. *lutea* (Hara) H.Hara, Enum.
Spermatophytarum Japon. 1: 246 (1948)
Centranthera cochinchinensis (Lour.) Merr. subsp. *lutea* (Hara) T.Yamaz., J. Jap. Bot. 57:
213 (1982)

Cymbalaria Medik.

Cymbalaria muralis P.Gaertn. & B.Mey. & Scherb., **Oekon. Fl. Wetterau 2: 397 (1800)** Int
덩굴해란초

Deinostema T.Yamaz.

Deinostema adenocaulum (Maxim.) T.Yamaz., **J. Jap. Bot. 28: 132 (1953)** Nat: S Korea
등근잎고추풀

Gratiola adenocaula Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 32: 513 (1888)
Gratiola violacea Maxim. var. *adenocaula* (Maxim.) Makino, Phan. Pter. Jap. Icon. 3: 74 (1902)

***Deinostema violacea* (Maxim.) T.Yamaz., J. Jap. Bot. 28: 132 (1953) Nat: N Korea, S Korea**
진땅고추풀

Gratiola violacea Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 20: 440 (1875)
Ilysanthes saginoides Franch. & Sav., Enum. Pl. Jap. 1: 346 (1875)
Gratiola violacea Maxim. var. *saginoides* Franch. & Sav., Enum. Pl. Jap. 2: 456 (1878)
Gratiola axillaris Nakai, Bot. Mag. (Tokyo) 23: 190 (1909)
Gratiola saginoides (Franch. & Sav.) Matsum., Index Pl. Jap. 2 (2): 560 (1912)
Gratiola saginoides (Franch. & Sav.) Matsum. var. *violaces* (Maxim.) Matsum., Index Pl. Jap. 2 (2): 560 (1912)

Digitalis L.

***Digitalis purpurea* L., Sp. Pl. 621 (1753) Int 디기탈리스**

Dopatrium Buch.-Ham. ex Benth. & Lindl.

***Dopatrium juncea* (Roxb.) Buch.-Ham. ex Benth., Scroph. Ind. 31 (1835) Nat: S Korea**
등예플

Gratiola juncea Roxb., Pl. Coromandel 2: 16 (1799)
Morgania juncea (Roxb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 803 (1825)
Dopatrium aristatum (Blanco) Hassk., Flora 47: 56 (1864)
Dopatrium japonicum Franch. & Sav., Enum. Pl. Jap. 1: 345 (1875)
Didymocarpus aristatus (Blanco) Fern.-Vill., Nov. App. 150 (1880)

Euphrasia L.

***Euphrasia coreana* W.Becker, Repert. Spec. Nov. Regni Veg. 17: 126 (1921) Nat: S Korea, Endemic 깔끔좁쌀풀**

***Euphrasia coreanalpina* Nakai ex Y.Kimura, J. Jap. Bot. 17: 530 (1941) Nat: N Korea**
애기좁쌀풀

Euphrasia mucronulata Nakai ex Y.Kimura, J. Jap. Bot. 17: 530 (1941)

***Euphrasia hirtella* Jord. ex Reut., Compt.-Rend. Trav. Soc. Hallér. 1854-1856: 120 (1855)**
Nat: N Korea 큰산좁쌀풀

Euphrasia nemorosa var. *pectinata* Rchb., Fl. Germ. Excurs. 358 (1830)
Euphrasia brandisii Freyn & Brandis, Verh. K.K. Zool.-Bot. Ges. Wien 38: 622 (1888)
Euphrasia officinalis L. var. *hirtella* (Jourd.) Krylov, Fl. Altaic. 4: 956 (1904)
Euphrasia hirtella Jord. ex Reut. var. *paupera* (Nakai) T.Yamaz., Acta Phytotax. Geobot. 19: 167 (1963)
Euphrasia paupera Nakai, Acta Phytotax. Geobot. 19: 167 (1963)

***Euphrasia maximowiczii* Wettst. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 14: 133 (1895) Nat: N Korea 앉은좁쌀풀**

***Euphrasia retroticha* Nakai ex T.Yamaz., Acta Phytotax. Geobot. 19: 166 (1963) Nat: N Korea 털좁쌀풀**

Gratiola L.

Gratiola japonica Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 117 (1865) Nat: N Korea, S Korea
큰고추풀

Gratiola micrantha Franch. & Sav., *Enum. Pl. Jap.* 2: 456 (1878)

Gratiola officinalis L., *Sp. Pl.* 17 (1753) Int 유럽큰고추풀

Limnophila R.Br.

Limnophila aromatica (Lam.) Merr., *Interpr. Herb. Amboin.* 466 (1917) Nat: S Korea
소엽풀

Ambuli aromatica Lam., *Encycl. (Lamarck)* 1: 128 (1783)

Antirrhinum aquaticum Lour., *Fl. Cochinch.* 2: 384 (1790)

Gratiola aromatica Pers., *Syn. Pl. (Persoon)* 1: 14 (1805)

Limnophila gratissima Blume, *Bijdr. Fl. Ned. Ind.* 14: 750 (1826)

Limnophila punctata Blume, *Bijdr. Fl. Ned. Ind.* 14: 750 (1826)

Limnophila punctata Blume var. *subracemosa* Benth., *Prodr. (DC.)* 10: 388 (1846)

Terebinthina aromatica (Lam.) Kuntze, *Revis. Gen. Pl.* 2: 467 (1891)

Ambuli gratissima (Blume) Nakai ex Furumi, *Bot. Mag. (Tokyo)* 30: 111 (1916)

Limnophila chinensis (Osbeck) Merr. subsp. *aromatica* (Lam.) T.Yamaz., *J. Jap. Bot.* 53: 313 (1978)

Limnophila indica (L.) Druce, *Rep. Bot. Exch. Club Brit. Isl.* 3: 420 (1914) Nat: S Korea
민구와말

Hottonia indica L., *Sp. Pl. (ed. 2)* 1: 208 (1762)

Gratiola trifida Willd., *Sp. Pl.* 104 (1797)

Limnophila gratioloides R.Br., *Prodr. Fl. Nov. Holland.* 442 (1810)

Terebinthina indica (L.) Kuntze, *Revis. Gen. Pl.* 2: 467 (1891)

Ambuli trichophylla Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 18: 429 (1901)

Ambuli indica (L.) W.Wight ex Saff., *Contr. U. S. Natl. Herb.* 9: 181 (1905)

Limnophila trichophylla (Kom.) Kom., *Trudy Imp. S.-Peterburgsk. Bot. Sada* 25: 421 (1907)

Ambuli stipitata Hayata, *Icon. Pl. Formosan.* 9: 76 (1920)

Limnophila stipitata (Hayata) Makino & Nemoto, *Fl. Japan., ed. 2* (Makino & Nemoto) 1060 (1931)

Limnophila sessiliflora (Vahl) Blume, *Bijdr. Fl. Ned. Ind.* 14: 749 (1826) Nat: N Korea, S Korea
구와말

Hottonia sessiliflora Vahl, *Symb. Bot. (Vahl)* 2: 36 (1791)

Ambuli sessiliflora (Vahl) Baill. ex Wettst., *Nat. Pflanzenfam.* 4-3b: 73 (1891)

Terebinthina sessiliflora (Vahl) Kuntze, *Revis. Gen. Pl.* 2: 468 (1891)

Limosella L.

Limosella aquatica L., *Sp. Pl.* 631 (1753) Nat: S Korea 등포풀

Linaria Mill.

Linaria japonica Miq., *Ann. Mus. Bot. Lugduno-Batavi* 2: 115 (1865) Nat: N Korea, S Korea
해란초

Linaria geminiflora F.Schmidt, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 12: 161 (1868)
Linaria japonica Miq. var. *geminiflora* (F.Schmidt) Nakai, J. Coll. Sci. Imp. Univ. Tokyo
31: 117 (1911)

***Linaria vulgaris* Mill., Gard. Dict., ed. 81 (1768) Nat; N Korea 좁은잎혜란초**
Antirrhinum linaria L., Sp. Pl. 616 (1753)
Linaria linaria (L.) H.Karst., Deut. Fl. (Karsten) 947 (1882)

Lindernia All.

***Lindernia anagallidea* Pennell, Acad. Nat. Sci. Philadelphia Monogr. 1: 152 (1935) Int**
가는미국외풀

***Lindernia crustacea* (L.) F.Muell., Syst. Census Austral. Pl. 97 (1882) Nat; S Korea 외풀**
Capraria crustacea L., Mant. Pl. 1: 87 (1767)
Hornemannia ovata Link & Otto, Icon. Pl. Select. 1 (1820)
Torenia crustacea (L.) Cham. & Schldtl., Linnaea 2: 570 (1827)
Vandellia crustacea (L.) Benth., Scroph. Ind. 35 (1835)

***Lindernia dubia* (L.) Pennell, Acad. Nat. Sci. Philadelphia Monogr. 1: 141 (1935) Int**
미국외풀
Gratiola dubia L., Sp. Pl. 17 (1753)
Capraria gratioloides L., Syst. Nat. ed. 10 2: 1117 (1759)
Lindernia attenuata Muhl. ex Elliott, Sketch Bot. S. Carolina 1: 17 (1816)
Ilysanthes riparia Raf., Ann. Nat. 1: 13 (1820)
Ilysanthes brevipes Raf., Autik. Bot. 45 (1840)
Lindernia dubia (L.) Pennell subsp. *major* (Pursh) Pennell, Acad. Nat. Sci. Philadelphia
Monogr. 1: 146 (1935)

***Lindernia micrantha* D.Don, Prodr. Fl. Nepal. 85 (1825) Nat; S Korea 논뚝외풀**
Tittmannia angustifolia Benth., Numer. List 3951 (1831)
Vandellia angustifolia (Benth.) Benth., Scroph. Ind. 37 (1835)
Vandellia cymulosa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 117 (1865)
Lindernia angustifolia (Benth.) Wettst., Nat. Pflanzenfam. 4(3b): 79 (1891)
Pyxidaria cymulosa (Miq.) Kuntze, Revis. Gen. Pl. 2: 464 (1891)
Lindernia cymulosa (Miq.) Matsum., Index Pl. Jap. 2 (2): 562 (1912)

***Lindernia procumbens* (Krock.) Philcox, Taxon 14 : 30 (1965) Nat; N Korea, S Korea**
밭뚝외풀
Lindernia pyxidaria L., Mant. alt. 252 (1771)
Anagalloides procumbens Krock., Fl. Siles. 2: 398 (1790)
Vandellia erecta Benth., Scroph. Ind. 36 (1835)
Torenia quinquenervis Llanos, Fragm. Pl. Filip. 76 (1851)
Vandellia pyxidaria (L.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 20: 449 (1875)
Lindernia erecta (Benth.) Bonati, Fl. Gen. Indo-Chine 4: 420 (1927)

Mazus Lour.

***Mazus miquelii* Makino, Bot. Mag. (Tokyo) 26: 162 (1902) Nat; S Korea 누운주름잎**
Mazus rugosus Lour. var. *stolonifer* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad.
Imp. Sci. Saint-Petersbourg 9: 402 (1874)
Mazus rugosus Lour. var. *macranthus* Franch. & Sav., Enum. Pl. Jap. 1: 344 (1875)
Mazus rugosus Lour. var. *rotundifolia* Franch. & Sav., Enum. Pl. Jap. 1: 344 (1875)

Mazus englerianus Bonati, Bull. Herb. Boissier ser. 2, 8: 536 (1908)
Mazus stolonifer (Maxim.) Makino, Inuma, Somoku-Dzusetsu, ed. 3 3: 868 (1912)
Mazus rotundus Furumi, Bot. Mag. (Tokyo) 30: 113 (1916)
Mazus rotundifolia (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 31 (1930)
Mazus miquelii Makino var. *rotundifolius* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 48: 782 (1934)
Mazus miquelii Makino var. *stolonifer* (Maxim.) Nakai, Bot. Mag. (Tokyo) 48: 783 (1934)

***Mazus pumilus* (Burm.f.) Steenis, Nova Guinea n.s. 9: 31 (1958) Nat: N Korea, S Korea**
주름잎

Lobelia pumila Burm.f., Fl. Ind. (N. L. Burman) 186 (1768)
Lindernia japonica Thunb., Fl. Jap. (Thunberg) 253 (1786)
Mazus rugosus Lour., Fl. Cochinch. 2: 385 (1790)
Hornemannia bicolor Willd., Enum. Pl. (Willdenow) 654 (1809)
Tittmannia obovata Bunge, Enum. Pl. Chin. Bor. 49 (1833)
Vandellia obovata Walp., Repert. Bot. Syst. (Walpers) 3: 294 (1844)
Mazus vandellioides Hance ex Hemsl., Ann. Bot. Syst. 3: 193 (1852)
Mazus japonicus (Thunb.) Kuntze, Revis. Gen. Pl. 2: 462 (1891)

***Mazus stachydifolius* (Turcz.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 404 (1875) Nat: N Korea, S Korea**
선주름잎

Tittmannia stachydifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 156 (1837)
Vandellia stachydifolia (Turcz.) Walp., Repert. Bot. Syst. (Walpers) 3: 294 (1844)
Mazus villosus Hemsl., J. Bot. 14: 209 (1876)
Mazus simada Matsum., Trans. Nat. Hist. Soc. Taiwan 30: 35 (1940)

Melampyrum L.

***Melampyrum roseum* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 210 (1859) Nat: N Korea, S Korea**
꽃머느리밥풀

Melampyrum ciliare Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 122 (1865)
Melampyrum jedoense Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 122 (1866)
Melampyrum jedoense Miq. var. *luxurians* Miq., Prolus. Fl. Jap. 360&383 (1867)
Melampyrum roseum Maxim. var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 2: 461 (1873)
Melampyrum roseum Maxim. var. *ciliare* (Miq.) Nakai, Bot. Mag. (Tokyo) 23: 8 (1909)
Melampyrum roseum Maxim. subsp. *euroseum* Beauverd, Mem. Soc. Phys. Geneve 29: 546 (1916)
Melampyrum roseum Maxim. var. *hirsutum* Beauverd, Mem. Soc. Phys. Geneve 38: 548 (1916)
Melampyrum roseum Maxim. subsp. *japonicum* var. *sendaiense* Beauverd, Mem. Soc. Phys. Geneve 39: 548 (1916)
Melampyrum roseum Maxim. subsp. *hirsutum* (Beauverd) Soó, J. Bot. 45: 143 (1927)
Melampyrum japonicum (Franch. & Sav.) Soó, J. Bot. 65: 144 (1927)
Melampyrum roseum Maxim. f. *glabrescens* Tuyama, J. Jap. Bot. 17: 81 (1941)
Melampyrum roseum Maxim. f. *pubescens* Tuyama, J. Jap. Bot. 17: 81 (1941)
Melampyrum ciliare Miq. var. *japonicum* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 10: 11 (1941)

Melampyrum roseum* Maxim. var. *roseum

***Melampyrum roseum* Maxim. var. *ovalifolium* (Nakai) Nakai ex Beauverd, Mem. Soc. Phys. Geneve 38: 584 (1916) Nat: N Korea, S Korea**
알머느리밥풀

Melampyrum ovalifolium Nakai, Bot. Mag. (Tokyo) 23: 6 (1909)
Melampyrum laxum Miq. subsp. *aristatum* var. *aristatum* Beauverd, Mem. Soc. Phys. Geneve 39: 542 (1916)
Melampyrum roseum Maxim. subsp. *ovalifolium* (Nakai) Beauverd, Mem. Soc. Phys. Geneve 39: 549 (1916)
Melampyrum roseum Maxim. var. *aristatum* Beauverd, Mem. Soc. Phys. Geneve 39: 548 (1916)
Melampyrum aristatum (Beauverd) Soó, J. Bot. 45: 143&165 (1927)
Melampyrum ovalifolium Nakai f. *albiflorum* (Beauverd) Tuyama, J. Jap. Bot. 17: 84 (1941)
Melampyrum roseum var. *ovalifolium* f. *albiflorum* (Nakai) T.B. Lee Bull. Kwanak Arbor. 4: 43 (1983)

***Melampyrum setaceum* (Maxim. ex Palib.) Nakai, Bot. Mag. (Tokyo) 23: 9 (1909) Nat: N Korea, S Korea 애기머느리밥풀**

Melampyrum roseum Maxim. var. *setaceum* Maxim. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 168 (1901)
Melampyrum setaceum (Maxim. ex Palib.) Nakai var. *genuinum* Nakai, Bot. Mag. (Tokyo) 23: 9 (1909)
Melampyrum setaceum (Maxim. ex Palib.) Nakai var. *latifolium* Nakai, Bot. Mag. (Tokyo) 23: 9 (1909)
Melampyrum latifolium Nakai, Bot. Mag. (Tokyo) 31: 107 (1918)
Melampyrum setaceum (Maxim. ex Palib.) Nakai f. *latifolium* (Nakai) Soó, J. Bot. 45: 143 (1927)
Melampyrum kawasakianum Kitam., Acta Phytotax. Geobot. 10: 14 (1941)
Melampyrum nakaianum Tuyama var. *latifolium* (Nakai) Tuyama, J. Jap. Bot. 17: 85 (1941)
Melampyrum roseum Maxim. var. *alpinum* Kitam., Acta Phytotax. Geobot. 10: 6 (1941)
Melampyrum nakaianum Tuyama, J. Jap. Bot. 17: 85 (1941)
Melampyrum setaceum (Maxim. ex Palib.) Nakai var. *nakaianum* (Tuyama) T. Yamaz., J. Jap. Bot. 29: 105 (1954)

Microcarpaea R.Br.

***Microcarpaea minima* (K.D.Koenig ex Retz.) Merr., Philipp. J. Sci. 7: 100 (1912) Nat: S Korea 진흙풀**

Paederota minima K.D.Koenig ex Retz., Observ. Bot. (Retzius) 5: 10 (1789)
Microcarpaea muscosa R.Br., Prodr. Fl. Nov. Holland. 435 (1810)
Microcarpaea alterniflora Blume, Bijdr. Fl. Ned. Ind. 14: 744 (1826)

Mimulus Adans.

***Mimulus tenellus* Bunge, Enum. Pl. Chin. Bor. 49 (1833) Nat: N Korea, S Korea 애기물파리아재비**

Mimulus tenellus* Bunge var. *tenellus

***Mimulus tenellus* Bunge var. *nepalensis* (Benth.) P.C.Tsoong, Fl. Reipubl. Popularis Sin. 67: 171 (1979) Nat: N Korea, S Korea 물파리아재비**

Mimulus nepalensis Benth., Scroph. Ind. 29 (1835)
Mimulus nepalensis Benth. var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 116 (1865)
Torenia inflata Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 192 (1867)
Mimulus inflatus (Miq.) Nakai, Bot. Mag. (Tokyo) 33: 209 (1919)
Mimulus formosana Hayata, Icon. Pl. Formosan. 9: 79 (1920)
Torenia arisanensis Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 222 (1931)

Mimulus tenellus Bunge var. *japonicus* (Miq.) Hand.-Mazz., Symb. Sin. 7: 833 (1936)
Mimulus tenellus Bunge subsp. *nepalensis* (Benth.) D.Y.Hong, Iconogr. Cormophyt. Sin. 4: 13 (1975)

Monochasma Maxim. ex Franch. & Sav.

Monochasma shearereri (S.Moore) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 458 (1876)
Int 살과도풀

Bungea shearereri S.Moore, J. Bot. 13: 229 (1875)

Omphalotrix Maxim.

Omphalotrix longipes Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 209 (1859) Nat; N Korea 참오동나무

Paulownia Siebold & Zucc.

Paulownia tomentosa (Thunb.) Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 278 (1841) Nat; S Korea 애기송이풀

Bignonia tomentosa Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 39 (1783)
Incarvillea tomentosa (Thunb.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 836 (1825)
Paulownia imperialis Siebold & Zucc., Fl. Jap. (Siebold) 1: 27 (1835)
Paulownia grandifolia Wettst., Pflanzenr. (Engler) IV, 35: 67 (1891)
Paulownia imperialis Siebold & Zucc. var. *lanata* Dode, Bull. Soc. Dendrol. France 160 (1908)
Paulownia tomentosa (Thunb.) Steud. var. *lanata* (Dode) C.K.Schneid., Ill. Handb. Laubholz. 2: 618 (1911)
Paulownia glabrata Rehder, Pl. Wilson. 1: 575 (1913)
Paulownia recurva Rehder, Pl. Wilson. 1: 577 (1913)
Paulownia tomentosa (Thunb.) Steud. var. *japonica* Elwes, Gard. Chron., ser. 3 69: 273 (1921)
Paulownia coreana Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 20 (1925)

Pedicularis L.

Pedicularis ishidozana Koidz. & Ohwi, Acta Phytotax. Geobot. 6: 291 (1937) Nat; S Korea 애기송이풀

Pedicularis artselaeri Maxim. var. *koraiensis* Hurus., J. Jap. Bot. 22: 71 (1948)

Pedicularis mandshurica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 1: 79 (1877) Nat; N Korea 만주송이풀

Pedicularis coreana Bonati, Bull. Soc. Bot. France 54: 374 (1907)
Pedicularis lunaris Nakai, Bot. Mag. (Tokyo) 34: 49 (1920)
Pedicularis mandshurica Maxim. var. *coreana* (Bonati) Hurus., J. Jap. Bot. 22: 74 (1948)

Pedicularis palustris L., Sp. Pl. 2: 607 (1753) Nat; N Korea 부전송이풀

Pedicularis resupinata L., Sp. Pl. 2: 608 (1753) Nat; N Korea, S Korea 송이풀

Pedicularis grandiflora Fisch., Mem. Soc. Imp. Naturalistes Moscou 3: 60 (1812)
Pedicularis teucrifolia M.Bieb. ex Steven, Mem. Soc. Imp. Naturalistes Moscou 6: 31 (1823)
Pedicularis resupinata L. var. *oppositifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 122

(1865)

Pedicularis resupinata L. var. *pygmaea* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 122 (1865)

Pedicularis resupinata L. var. *teucrifolia* (M.Bieb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 1: 71 (1877)

Pedicularis leveilleana Bonati, Bull. Acad. Int. Géogr. Bot. 12: 519 (1903)

Pedicularis vaniotiana Bonati, Bull. Acad. Int. Géogr. Bot. 13: 246 (1904)

Pedicularis resupinata L. f. *oppositifolia* (Miq.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 449 (1907)

Pedicularis resupinata L. f. *pubescens* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 449 (1907)

Pedicularis resupinata L. f. *ramosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 449 (1907)

Pedicularis resupinata L. f. *umbrosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 449 (1907)

Pedicularis resupinata L. f. *gigantea* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 126 (1911)

Pedicularis resupinata L. f. *spicata* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 126 (1911)

Pedicularis resupinata L. var. *gigantea* Nakai, Fl. Sylv. Kor. 14: 68 (1923)

Pedicularis resupinata L. var. *pubescens* Nakai, Fl. Sylv. Kor. 14: 68 (1923)

Pedicularis resupinata L. var. *spicata* Nakai, Fl. Sylv. Kor. 14: 68 (1923)

Pedicularis resupinata L. var. *umbrosa* Kom. ex Nakai, Fl. Sylv. Kor. 14: 68 (1923)

Pedicularis resupinata L. var. *albiflora* Honda, Bot. Mag. (Tokyo) 46: 635 (1932)

Pedicularis resupinata L. var. *oppositifolia* f. *albiflora* (Honda) H.Hara, Enum. Spermatophytarum Japon. 1: 267 (1948)

Pedicularis resupinata L. f. *albiflora* (Honda) W.T.Lee, Lineamenta Florae Koreae 1003 (1996)

***Pedicularis sceptrumcarolinum* L., Sp. Pl. 608 (1753) Nat: N Korea 대송이풀**

Pedicularis sceptrumcarolinum var. *pubescens* Bunge, Fl. Ross. (Ledeb.) 3: 303 (1847)

Pedicularis sceptrumcarolinum f. *pubescens* (Bunge) Kitag., Neolin. Fl. Manshur. 568 (1979)

***Pedicularis spicata* Pall., Reise Russ. Reich. 3: 738 (1776) Nat: N Korea 이삭송이풀**

Pedicularis spicata Pall. var. *sesinowii* Bonati, Bull. Soc. Bot. Genève ser. 2, 1: 328 (1912)

***Pedicularis verticillata* L., Sp. Pl. 608 (1753) Nat: N Korea, S Korea 구름송이풀**

Pedicularis hallaisanensis Hurus., Bot. Mag. (Tokyo) 60: 74 (1947)

Pedicularis taquetii P.C.Tsoong, Kew Bull. 9: 447 (1954)

Pediculariopsis verticillata (L.) A.Löve & D.Löve, Bot. Not. 128: 519 (1975)

***Phtheirospermum* Bunge ex Fisch. & C.A.Mey.**

***Phtheirospermum japonicum* (Thunb.) Kanitz, Anthophyta Jap. Legit Emanuel Weiss 12 (1878) Nat: N Korea, S Korea 나도송이풀**

Gerardia japonica Thunb., Syst. Veg., ed. 14 (J. A. Murray) 553 (1784)

Phtheirospermum chinense Bunge, Index Seminum [St.Petersburg (Petropolitanus)] 1: 35 (1835)

***Pseudolysimachion* Opiz**

***Pseudolysimachion dauricum* (Steven) Holub, Folia Geobot. Phytotax. 2-4: 424 (1967) Nat: N Korea, S Korea 구와꼬리풀**

Veronica daurica Steven, Mem. Soc. Imp. Naturalistes Moscou 5: 339 (1817)

Veronica grandis Fisch. ex Spreng., Neue Entdeck. Pflanzenk. 2: 122 (1821)

Veronica longifolia L. var. *grandis* (Fisch.) Turcz., Mem. Soc. Imp. Naturalistes Moscou 24-2: 312 (1851)

Veronica grandis Fisch. ex Spreng. var. *pinnata* Nakai, J. Jap. Bot. 19: 159 (1943)

Veronica grandis Fisch. ex Spreng. var. *pubescens* Nakai, J. Jap. Bot. 19: 159 (1943)

***Pseudolysimachion kiusianum* (Furumi) Holub, Folia Geobot. Phytotax. 2: 424 (1967) Nat:
N Korea, S Korea 붉은잎꼬리풀**

Veronica linariifolia Pall. ex Link, Jahrb. Gewachsk. 1: 35 (1820)

Veronica longifolia L. var. *ovata* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 119 (1865)

Veronica grandis Fisch. ex Spreng. var. *holophylla* Nakai, Bot. Mag. (Tokyo) 23: 190 (1909)

Veronica spuria L. var. *maxima* Nakai, Rep. Veg. Chiisan Mts. 44 (1915)

Veronica kiusiana Furumi, Bot. Mag. (Tokyo) 30: 122 (1916)

Veronica diamantiaca Nakai, Bot. Mag. (Tokyo) 31: 29 (1917)

Veronica holophylla (Nakai) Nakai, Bot. Mag. (Tokyo) 32: 229 (1918)

Veronica glabrifolia Kitag., J. Jap. Bot. 17: 238 (1941)

Veronica luxuriana var. *glabrifolia* (Kitag.) Nakai, J. Jap. Bot. 19: 16 (1943)

Veronica kiusiana Furumi var. *diamantiaca* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 136 (1957)

Veronica kiusiana Furumi var. *maxima* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7-2: 135 (1957)

Pseudolysimachion kiusianum (Furumi) Holub subsp. *kiusianum* var. *diamantiacum* (Nakai) T.Yamaz., J. Jap. Bot. 43: 409 (1968)

Pseudolysimachion kiusianum (Furumi) Holub var. *maxima* (Nakai) T.Yamaz., J. Jap. Bot. 43: 408 (1968)

Veronica kiusiana Furumi var. *glabrifolia* (Kitag.) Kitag., Neolin. Fl. Manshur. 572 (1979)

Pseudolysimachion kiusianum (Furumi) Holub subsp. *kiusianum* var. *glabrifolium* (Kitag.) T.Yamaz., Bull. Kwanak Arbor. 4: 55 (1983)

***Pseudolysimachion linariifolium* (Pall.) Holub, Folia Geobot. Phytotax. 2, 4: 422 (1967) Nat:
N Korea, S Korea 꼬리풀**

Veronica angustifolia Fisch. ex Link, Enum. Pl. (Willdenow) 1: 19 (1821)

Veronica cartilaginea Ledeb., Fl. Altaic. 1: 28 (1829)

Veronica paniculata L. var. *angustifolia* Benth., Prodr. (DC.) 10: 465 (1846)

Veronica paniculata L. f. *angustifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 119 (1865)

Veronica galactites Hance, Ann. Sci. Nat., Bot. 5-5: 232 (1866)

Veronica villosula Nakai, Bot. Mag. (Tokyo) 29: 4 (1915)

Veronica angustifolia Fisch. ex Link var. *dilatata* Nakai & Kitag., Rep. Exped.

Manchoukuo Sect. IV, Pt. 1, Pl. Nov. Jehol. 54 (1934)

Veronica linariifolia Pall. ex Link var. *dilatata* (Nakai & Kitag.) Nakai & Kitag., Rep.

Exped. Manchoukuo Sect. IV, Pt. 4, Index Fl. Jeholensis 45 (1936)

Veronica linariifolia Pall. ex Link f. *dilatata* (Nakai & Kitag.) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7-2: 140 (1957)

Veronica linariifolia Pall. ex Link f. *villosula* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 140 (1957)

Veronica linariifolia Pall. ex Link subsp. *dilatata* (Nakai & Kitag.) D.Y.Hong, Fl.

Reipubl. Popularis Sin. 67: 265 (1979)

Pseudolysimachion linariifolium (Pall.) Holub var. *villosulum* (Nakai) T.Yamaz., Bull. Kwanak Arbor. 4: 67 (1983)

Pseudolysimachion linariifolium (Pall.) Holub subsp. *dilatatum* (Nakai & Kitag.)

D.Y.Hong, Novon 6: 23 (1996)

***Pseudolysimachion longifolium* (L.) Opiz, Seznam 80 (1852) Nat: N Korea 긴산꼬리풀**

Veronica maritima L., Sp. Pl. 10 (1753)

Veronica pseudolongifolia Printz, Contr. Fl. As. 3: 380 (1921)

Veronica longifolia L. var. *angustata* Nakai, Fl. Sylv. Kor. 14: 70 (1923)
Veronica pseudolongifolia Printz var. *angustata* (Nakai) Nakai, J. Jap. Bot. 19: 17 (1943)
Veronica exortiva Kitag., J. Jap. Bot. 26: 17 (1951)
Veronica longifolia L. subsp. *exortiva* (Kitag.) Kitag., Neolin. Fl. Manshur. 573 (1979)

***Pseudolysimachion nakaianum* (Ohwi) T.Yamaz., J. Jap. Bot. 43: 411 (1968) Nat: S Korea
섬꼬리풀**

Veronica insularis Nakai, Bot. Mag. (Tokyo) 31: 29 (1917)
Veronica nakaiana Ohwi, Acta Phytotax. Geobot. 7: 29 (1938)
Pseudolysimachion insulare (Nakai) T.Yamaz., Bull. Kwanak Arbor. 4: 58 (1983)

***Pseudolysimachion ovatum* (Nakai) T.Yamaz., J. Jap. Bot. 43: 409 (1968) Nat: S Korea
넓은산꼬리풀**

Veronica longifolia L. var. *albiflora* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 119 (1865)
Veronica spicata L. var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 119 (1865)
Veronica ovata Nakai, Bot. Mag. (Tokyo) 29: 3 (1915)
Veronica ovata Nakai var. *dentata* Nakai, J. Jap. Bot. 19: 160 (1943)

***Pseudolysimachion pyrethrinum* (Nakai) T.Yamaz., J. Jap. Bot. 43: 410 (1968) Nat: S Korea
큰구와꼬리풀**

Veronica pyrethrina Nakai, J. Jap. Bot. 19: 160 (1943)

***Pseudolysimachion rotundum* (Nakai) Holub, Folia Geobot. Phytotax. 2: 423 (1967) Nat: N Korea, S Korea 산꼬리풀**

Veronica spuria L. var. *subintegra* Nakai, Bot. Mag. (Tokyo) 25: 62 (1911)
Veronica rotunda Nakai, Bot. Mag. (Tokyo) 29: 3 (1915)
Veronica coreana Nakai, Bot. Mag. (Tokyo) 32: 228 (1918)
Veronica amplexens Nakai, Bot. Mag. (Tokyo) 35: 137 (1921)
Veronica komarovii Monjuschko, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 114, pl. 123 (1924)
Veronica subsessilis var. *subintegra* (Nakai) Nakai, J. Jap. Bot. 19: 86 (1943)
Veronica rotunda Nakai var. *coreana* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 142 (1957)
Veronica rotunda Nakai var. *subintegra* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 142 (1957)
Pseudolysimachion rotundum (Nakai) Holub var. *coreanum* (Nakai) T.Yamaz., J. Jap. Bot. 43: 411 (1968)
Pseudolysimachion rotundum (Nakai) Holub var. *subintegra* (Nakai) T.Yamaz., J. Jap. Bot. 43: 411 (1968)

***Rehmannia* Libosch. ex Fisch. & C.A.Mey.**

***Rehmannia glutinosa* (Gaertn.) Libosch. ex Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 440 (1841) Int 지황**

Digitalis glutinosa Gaertn., Novi Comment. Acad. Sci. Imp. Petrop. 14-1: 544 (1770)
Gerardia glutinosa (Gaertn.) Bunge, Enum. Pl. Chin. Bor. 49 (1833)
Rehmannia chinensis Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 36 (1835)
Rehmannia lutea var. *purpurea* Makino, Bot. Mag. (Tokyo) 12: 301 (1898)
Rehmannia glutinosa (Gaertn.) Libosch. ex Steud. var. *hemsleyana* Diels, Bot. Jahrb. Syst. 29: 569 (1900)
Rehmannia glutinosa (Gaertn.) Libosch. ex Steud. var. *maximowiczii* f. *purpurea* Makino, Bot. Mag. (Tokyo) 15: 74 (1901)

Rehmannia glutinosa (Gaertn.) Libosch. ex Steud. var. *purpurea* (Makino) Makino & Nemoto, Fl. Japan (Makino & Nemoto) 226 (1925)
Rehmannia glutinosa (Gaertn.) Libosch. ex Steud. var. *lutea* f. *purpurea* (Makino) Makino, J. Jap. Bot. 8-2: 11 (1932)

Scrophularia L.

Scrophularia alata A.Gray, Mem. Amer. Acad. Arts ser. 2, 6: 401 (1858) Nat; N Korea, S Korea 개현삼

Scrophularia grayana Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 416 (1907)
Scrophularia takesimensis Nakai, J. Jap. Bot. 14: 635 (1938)
Scrophularia borealikoreana Nakai, J. Jap. Bot. 14: 632 (1938)
Scrophularia grayana Maxim. ex Kom. var. *takesimensis* (Nakai) T.Yamaz., J. Jap. Bot. 37: 264 (1962)
Scrophularia grayana Maxim. ex Kom. var. *borealikoreana* (Nakai) T.Yamaz., J. Jap. Bot. 37: 264 (1962)
Scrophularia alata A.Gray var. *borealikoreana* (Nakai) Kitag., Neolin. Fl. Manshur. 570 (1979)

Scrophularia buergeriana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 166 (1865) Int 현삼
Scrophularia buergeriana Miq. var. *quelpartensis* T.Yamaz., J. Jap. Bot. 23: 85 (1948)

Scrophularia kakudensis Franch., Bull. Soc. Bot. France 26: 87 (1879) Nat; N Korea, S Korea 큰개현삼

Scrophularia koraiensis Nakai, Bot. Mag. (Tokyo) 23: 189 (1909)
Scrophularia erecta Stiefelh., Bot. Jahrb. Syst. 44: 458 (1910)
Scrophularia latisepala Kitag., Bot. Mag. (Tokyo) 49: 230 (1935)
Scrophularia kakudensis Franch. var. *microphylla* Nakai, J. Jap. Bot. 14: 637 (1938)
Scrophularia koraiensis Nakai var. *melutina* Sakata ex Uyeki & Sakata, Acta Phytotax. Geobot. 7: 16 (1938)
Scrophularia paecamicola Sakata, Acta Phytotax. Geobot. 7: 16 (1938)
Scrophularia pilosa Nakai, J. Jap. Bot. 14: 633 (1938)
Scrophularia cephalantha Nakai, J. Jap. Bot. 14: 634 (1938)
Scrophularia kakudensis Franch. var. *latisepala* (Kitag.) Kitag., J. Jap. Bot. 25: 44 (1950)
Scrophularia toyamae Hatus. ex T.Yamaz., J. Jap. Bot. 25: 215 (1950)
Scrophularia maximowiczii Gorschk., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 14: 441 (1951)
Scrophularia koraiensis Nakai var. *velutina* Sakata, Fl. Korea (Lee) 0 (1996)

Siphonostegia Benth.

Siphonostegia chinensis Benth., Bot. Beechey Voy. 203 (1837) Nat; N Korea, S Korea 절국대

Verbascum L.

Verbascum thapsus L., Sp. Pl. 177 (1753) Int 우단담배풀

Veronica L.

Veronica americana Schwein., Prodr. (DC.) 10: 468 (1846) Int 미국물청개

***Veronica anagallis-aquatica* L., Sp. Pl. 12 (1753) Int 큰물칭개나물**

Veronica anagallis-aquatica L. var. *savatieri* Makino, J. Jap. Bot. 3: 34 (1926)

***Veronica arvensis* L., Sp. Pl. 13 (1753) Int 선개불알풀**

***Veronica hederifolia* L., Sp. Pl. 13 (1753) Int 눈개불알풀**

***Veronica peregrina* L., Sp. Pl. 14 (1753) Nat: N Korea, S Korea 문모초**

Veronica romana L., Sp. Pl. 14 (1753)

Veronica xalapensis Humb., Nov. Gen. Sp. [Kunth] 2: 389 (1817)

Veronica peregrina L. var. *xalapensis* (Knuth) Pennell, Torreya 19: 167 (1919)

Veronica peregrina L. var. *pubescens* Honda, Bot. Mag. (Tokyo) 54: 467 (1940)

Veronica peregrina L. f. *xalapensis* (Knuth) Kitag., Neolin. Fl. Manshur. 573 (1979)

***Veronica persica* Poir., Encycl. (Lamarck) 8: 542 (1808) Int 큰개불알풀**

Veronica tournefortii C.C.Gmel., Fl. Bad. 1: 39 (1805)

Veronica buxbaumii Ten., Fl. Napol. 1: 7 (1811)

***Veronica polita* Fr., Novit. Fl. Suec. Alt. 1 (1828) Nat: S Korea 개불알풀**

Veronica caninotesticulata Makino, Ill. Fl. Nippon (Makino) 140 (1940)

Veronica didyma Ten. var. *lilacina* (H.Hara) T.Yamaz., J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 7: 150 (1957)

Veronica polita Fr. var. *lilacina* (T.Yamaz.) T.Yamaz., Bull. Kwanak Arbor. 4: 66 (1983)

***Veronica serpyllifolia* L., Sp. Pl. 12 (1753) Nat: N Korea 방패꽃**

***Veronica stelleri* Pall. ex Link var. *longistyla* Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 127 (1942) Nat: N Korea 두메투구꽃**

Veronica tenella All., Fl. Pedem. 1: 75, pl. 22, f. 1 (1785)

Veronica humifusa Dicks., Trans. Linn. Soc. London 2: 288 (1795)

Veronica serpyllifolia L. var. *humifusa* (Dicks.) Vahl, Enum. Pl. (Vahl) 1: 65 (1805)

Veronica serpyllifolia L. subsp. *humifusa* (Dicks.) Syme, Engl. Bot., ed. 3B 6: 158 (1866)

***Veronica undulata* Wall., Fl. Ind. (Roxburgh), ed. 1820, 1: 147 (1820) Nat: N Korea, S Korea 물칭개나물**

***Veronicastrum* Heist. ex Fabr.**

***Veronicastrum sibiricum* (L.) Pennell, Acad. Nat. Sci. Philadelphia Monogr. 1: 321 (1935)**

Nat: N Korea, S Korea 냉초

Veronica sibirica L., Sp. Pl. (ed. 2) 12 (1762)

Eustachya japonica Raf., Ann. Gen. Sci. Phys. 6: 97 (1820)

Leptandra japonica Raf., Med. Fl. 2: 21 (1830)

Leptandra sibiricus (L.) Nutt. ex G.Don, Gen. Hist. 4: 579 (1837)

Veronica japonica (Raf.) Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 757 (1841)

Veronica virginica L. var. *japonica* Nakai, Bot. Mag. (Tokyo) 26: 170 (1912)

Veronica virginica L. var. *sibirica* (L.) Nakai, Bot. Mag. (Tokyo) 26: 170 (1912)

Veronica virginica L. var. *zuccarinii* Koidz., Bot. Mag. (Tokyo) 44: 112 (1930)

Veronicastrum sibiricum (L.) Pennell var. *japonicum* (Nakai) H.Hara, J. Jap. Bot. 16: 160 (1940)

Veronicastrum sibiricum (L.) Pennell var. *yezoense* H.Hara, J. Jap. Bot. 16: 161 (1940)

Veronicastrum sibiricum (L.) Pennell var. *zuccarinii* (Koidz.) H.Hara, J. Jap. Bot. 16:

160 (1940)

Veronica sibirica L. var. *glabra* Nakai, J. Jap. Bot. 19: 5 (1943)

Veronica sibirica L. var. *zuccarinii* Nakai, J. Jap. Bot. 19: 9 (1943)

***Veronicastrum tubiflorum* (Fisch. & C.A.Mey.) H.Hara, J. Jap. Bot. 16: 53 (1940) Nat: N**

Korea 버들잎꼬리풀

Paederota angustifolia Turcz. ex Besser, Flora 17 (1 Beibl.): 1 (1834)

Veronica tubiflora Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 2: 53 (1835)

Leptandra tubiflora (Fisch. & C.A.Mey.) Fisch. & C.A.Mey., Ann. Sci. Nat., Bot. ser. 2, 5: 301 (1836)

Leptandra meyeri G.Don, Gen. Hist. 4: 579 (1837)

Paederota tubiflora (Fisch. & C.A.Mey.) Walp., Ann. Bot. Syst. 3: 370 (1848)

SIMAROUBACEAE

***Ailanthus* Desf.**

***Ailanthus altissima* (Mill.) Swingle, J. Wash. Acad. Sci. 6: 495 (1916) Int 가죽나무**

Albonia peregrinabuc'hoz Buc'hoz, Herb. Color. Amerique t : 57 (1783)

Albonia peregrina Buc'hoz, Herb. Color. Amerique t. : 57 (1783)

Ailanthus glandulosa Desf., Mem. Acad. Sci. (Paris) 1786: 265 (1789)

Ailanthus japonica K.Koch, Dendrologie 1: 569 (1869)

Ailanthus glandulosa Desf. var. *erythrocarpa* (Carrière) Mouill., Traite Arbr. Arbriss. 1: 222 (1891)

Ailanthus cacoendron (Ehrh.) Schinz & Thell., Mem. Soc. Sci. Nat. Cherbourg ser. 5, 38: 637 (1911)

Ailanthus altissima (Mill.) Swingle var. *erythrocarpa* (Carrière) Rehder, Man. Cult. Trees 527 (1927)

Pongelion cacodendron (Ehrh.) Farw., Amer. Midl. Naturalist 12: 67 (1930)

Ailanthus altissima (Mill.) Swingle f. *erythrocarpa* (Carrière) Rehder, Bibliogr. Cult. Trees : 386 (1949)

***Picrasma* Blume**

***Picrasma quassioides* (D.Don) Benn., Pl. Jav. Rar. 198 (1844) Nat: N Korea, S Korea**

소태나무

Simaba quassioides D.Don, Prodr. Fl. Nepal. 248 (1825)

Rhus ailanthoides Bunge, Enum. Pl. Chin. Bor. 15 (1833)

Picrasma ailanthoides (Bunge) Planch., London J. Bot. 5: 578 (1846)

Picrasma japonica A.Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 383 (1858)

Picrasma quassioides (D.Don) Benn. var. *glabrescens* Pamp., Nuovo Giorn. Bot. Ital. 18: 171 (1911)

Picrasma quassioides (D.Don) Benn. f. *glabrescens* (Pamp.) Kitag., Neolin. Fl. Manshur. 424 (1979)

SOLANACEAE

***Capsicum* L.**

***Capsicum annum* L., Sp. Pl. 188 (1753) Int 고추**

Capsicum longum DC., Cat. Pl. Horti Monsp. 86 (1813)
Capsicum annuum L. var. *longum* (DC.) Sendtn., Fl. Bras. (Martius) 10: 147 (1846)
Capsicum frutescens L. var. *longum* (Sendtn.) Bailey, Man. Cult. Pl. 783 (1949)

Datura L.

***Datura innoxia* Mill., Gard. Dict., ed. 85 (1768) Int 털독말풀**

Datura guayaquilensis Kunth, Nov. Gen. Sp. [Kunth] 3: 8 (1818)
Datura meteloides DC. ex Dunal, Prodr. (DC.) 13: 544 (1852)

***Datura metel* L., Sp. Pl. 179 (1753) Int 흰독말풀**

Datura fastuosa L., Syst. Nat. ed. 10 2: 932 (1759)
Datura dubia Rich., Syn. Pl. (Persoon) 1: 216 (1805)
Datura muricata Link, Enum. Hort. Berol. Alt. 1: 177 (1821)
Datura humilis Desf., Tabl. Ecole Bot. (ed. 3) 396 (1829)
Datura alba Rumph. ex Nees, Trans. Linn. Soc. London 17: 73 (1834)
Datura bojeri Delile, Index Sem. (Montpellier) 23 (1836)
Datura timoriensis Zipp. ex Span., Linnaea 15: 337 (1841)
Datura nigra Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 142 (1844)
Datura chlorantha Hook., Bot. Mag. t. 85: 5128 (1859)

***Datura stramonium* L., Sp. Pl. 179 (1753) Int 독말풀**

Datura tatula L., Sp. Pl. (ed. 2) 256 (1762)
Datura laevis Schkuhr, Bot. Handb. 1: t. 140 (1791)
Datura stramonium L. var. *chalybaea* W.D.J.Koch, Syn. Deut. Schweiz. Fl. 1: 510 (1837)
Datura wallichii Dunal, Prodr. (DC.) 13: 539 (1852)
Datura praecox Godr., Mem. Acad. Stanislas IV, 5: 199 (1872)
Datura bernhardii Lundstr., Acta Horti Berg. 5: 89 (1914)

Hyoscyamus L.

***Hyoscyamus niger* L., Sp. Pl. 179 (1753) Int 사리풀**

Hyoscyamus bohemicus F.W.Schmidt, Fl. Boem. Cent. 3 3: 31 (1794)
Hyoscyamus agrestis Kit. ex Schult., Oestr. Fl. (ed. 2) 1: 383 (1814)
Hyoscyamus nigerbiennis Corrêa, Ber. Deutsch. Bot. Ges. 22: 518 (1904)

Lycium L.

***Lycium barbarum* L., Sp. Pl. 192 (1753) Int 영하구기자**

Lycium halimifolium Mill., Gard. Dict., ed. 8 6 (1768)
Lycium turbinatum Veill., Traité Arbr. Arbust. (Duhamel), nouv. éd. 1: 119 (1802)
Lycium lanceolatum Veill., Traité Arbr. Arbust. (Duhamel), nouv. éd. 1: 123 (1802)
Lycium vulgare Dunal, Prodr. (DC.) 13: 509 (1852)

***Lycium chinense* Mill., Gard. Dict., ed. 8 no. 5 (1768) Int 구기자나무**

Lycium barbarum L. var. *chinense* (Mill.) Aiton, Hort. Kew. (Hill) 1: 257 (1789)
Lycium sinense Gren., Ann. Mag. Nat. Hist. ser. 2, 14: 194 (1854)
Lycium rhombifolium Dippel, Excurs.-Fl. Hessen 218 (1888)

Lycopersicon Mill.

***Lycopersicon esculentum* Mill., Gard. Dict., ed. 8 no. 2 (1768) Int 토마토**

Solanum lycopersicon L., Sp. Pl. 185 (1753)
Solanum pomiferum Cav., Descr. Pl. (Cavanilles) 1: 112 (1802)
Lycopersicon lycopersicum (L.) H.Karst., Deut. Fl. (Karsten) 966 (1882)
Lycopersicon esculentum Mill. var. *commune* Bailey, Gentes Herb. 1: 136 (1923)

Nicandra Schreb.

***Nicandra physalodes* (L.) Gaertn., Fruct. Sem. Pl. 2: 237 (1791) Int 페루파리**
Atropa physalodes L., Sp. Pl. 181 (1753)
Physalodes physalodes (L.) Britton, Mem. Torrey Bot. Club 5: 287 (1894)
Boberella nicandra E.H.L.Krause, Deutschl. Fl. (Sturm), Abt. 2, Cryptog. 10: 61 (1903)

Nicotiana L.

***Nicotiana rustica* L., Sp. Pl. 180 (1753) Int 토담배**
Nicotiana pavoni Dunal, Prodr. (DC.) 13: 561 (1852)

***Nicotiana tabacum* L., Sp. Pl. 180 (1753) Int 담배**
Nicotiana chinensis Fisch. ex Lehm., Gen. Nicot. Hist. 18 (1818)
Nicotiana pilosa Dunal, Prodr. (DC.) 13: 559 (1852)

***Nicotiana* × *sanderæ* W.Watson, Fl. & Sylva 2: 216 (1904) Int 꽃담배**

Petunia Juss.

***Petunia* × *hybrida* (Hook.) Vilm., Fl. Pleine Terre ed. 1: 615 (1863) Int 페튜니아**
Petunia violacea Lindl. var. *hybrida* Hook., Bot. Mag. 64: pl. 3556 (1837)

Physalium Makino

***Physalium japonicum* (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 45: 139 (1931) Int**
가시파리
Chamaesaracha japonica Franch. & Sav., Enum. Pl. Jap. 2: 454 (1878)
Chamaesaracha watanabaei Yatabe, Bot. Mag. (Tokyo) 5: 315 (1891)
Leucophysalis japonica (Franch. & Sav.) Averett, Ann. Missouri Bot. Gard. 64: 141 (1977)

Physalis L.

***Physalis acutifolia* (Miers) Sandwith, Kew Bull. 14: 232 (1960) Int 노란꽃망파리**
Saracha acutifolia Miers, Ann. Mag. Nat. Hist. ser. 2, 3: 449 (1849)
Physalis wrightii Gray, Proc. Amer. Acad. Arts 10: 63 (1875)

***Physalis alkekengi* L. var. *franchetii* (Mast.) Makino, Bot. Mag. (Tokyo) 22: 34 (1908) Nat;**
N Korea, S Korea 파리
Physalis franchetii Mast., Gard. Chron. ser. 3, 16: 434 (1894)
Physalis bunyardii Makino, J. Jap. Bot. 3: 27 (1926)
Physalis glabripes Pojark., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 325 (1954)
Physalis praetermissa Pojark., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 322 (1954)

***Physalis angulata* L., Sp. Pl. 183 (1753) Int 땅파리**

- Boberella angulata* (L.) E.H.L.Krause, *Deutschl. Fl. (Sturm)* ed. 2 10: 61 (1903)
Physalis esquirolii H.Lév. & Vaniot, *Bull. Soc. Bot. France* 55: 208 (1908)
Physalis angulata L. var. *ramosissima* (Mill.) O.E.Schulz, *Symb. Antill.* 6: 143 (1909)

***Scopolia* Jacq.**

***Scopolia japonica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 57 (1873) Nat: N Korea, S Korea 미치광이꽃**

- Scopolia japonica* Maxim. var. *parviflora* Dunn, *Bull. Misc. Inform. Kew* 1912: 109 (1912)
Scopolia parviflora (Dunn) Nakai, *Bot. Mag. (Tokyo)* 47: 263 (1933)
Scopolia lutescens Y.N.Lee, *Korean J. Pl. Taxon.* 23: 264 (1993)
Scopolia kwangdokensis Y.N.Lee, *Bull. Korea Pl. Res.* 5: 22 (2005)

***Solanum* L.**

***Solanum americanum* Mill., Gard. Dict., ed. 8 no. 5 (1768) Int 미국까마중**

- Solanum nigrum* L., *Sp. Pl.* 186 (1753)
Solanum nigrum L. var. *vulgatum* L., *Sp. Pl.* (ed. 2) 266 (1762)
Solanum oleraceum Dunal, *Encycl. (Lamarck) Suppl.* 3 750 (1814)
Solanum gollmeri Bitter, *Repert. Spec. Nov. Regni Veg.* 11: 202 (1912)
Solanum didontum Bitter, *Repert. Spec. Nov. Regni Veg.* 12: 552 (1913)

***Solanum japonense* Nakai, Fl. Sylv. Kor. 14: 58 (1923) Nat: N Korea, S Korea 좁은잎배풍동**

- Solanum dulcamara* L. var. *heterophyllum* Makino, *Bot. Mag. (Tokyo)* 24: 19 (1910)
Solanum nipponense Makino, *J. Jap. Bot.* 3: 20 (1926)
Solanum japonense Nakai var. *takaoyamense* (Makino) H.Hara, *Enum. Spermatophytarum Japon.* 1: 241 (1948)

***Solanum lyratum* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 224 (1784) Nat: N Korea, S Korea 배풍동**

- Solanum dulcamara* L. var. *pubescens* Blume, *Bijdr. Fl. Ned. Ind.* 13: 698 (1825)
Solanum dichotomum var. *lyrata* (Thunb.) Siebold & Zucc., *Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.* 4 (3): 147 (1846)
Solanum dulcamara L. var. *chinense* Dunal, *Prodr. (DC.)* 13: 79 (1852)
Solanum lyratum Thunb. var. *leucanthum* Nakai, *Bot. Mag. (Tokyo)* 44: 533 (1930)
Solanum megacarpum Koidz., *Acta Phytotax. Geobot.* 4: 159 (1935)
Solanum cathayanum C.Y.Wu & S.C.Huang, *Fl. Reipubl. Popularis Sin.* 67: 84, pl. 20, f. 5-7 (1978)

***Solanum melongena* L., Sp. Pl. 186 (1753) Int 가지**

- Solanum esculentum* Dunal, *Hist. Nat. Solanum* pl. 3, 208 (1813)
Solanum ovigerum Dunal, *Hist. Nat. Solanum* 210 (1813)
Solanum melongena L. var. *esculentum* (Dunal) Nees, *Trans. Linn. Soc. London* 17: 49 (1837)
Solanum sativum Dunal, *Prodr. (DC.)* 13: 360 (1852)
Solanum melongena L. var. *serpentinum* L.H.Bailey, *Stand. Cycl. Hort.* 3: 3182 (1929)

***Solanum rostratum* Dunal, Hist. Nat. Solanum 234: pl. 24 (1813) Int 가지가지**

- Solanum heterandrum* Pursh, *Fl. Amer. Sept. (Pursh)* 1: pl. 7, 156 (1814)
Nycterium rostratum (Dunal) Link, *Enum. Hort. Berol. Alt.* 1: 189 (1821)
Solanum propinquum M.Martens & Galeotti, *Bull. Acad. Roy. Sci. Bruxelles* 12: 143 (1845)

***Solanum sarrachoides* Sendtn., Fl. Bras. (Martius) 10: 16 (1846) Int 털까마중**

Solanum hirtulum Krause, Tent. Fl. Abyss. 2: 101 (1850)

Solanum styleanum Dunal, Prodr. (DC.) 13: 44 (1852)

Solanum sarachidium Bitter, Repert. Spec. Nov. Regni Veg. 11: 211 (1912)

***Solanum sisymbriifolium* Lam., Tabl. Encycl. 2: 25 (1794) Int 둥근가시가지**

Solanum sisymbriifolium Lam. f. *lilacinum* Kuntze, Revis. Gen. Pl. 3: 227 (1898)

***Solanum tuberosum* L., Sp. Pl. 185 (1753) Int 감자**

Solanum andigenum Juz. & Bukasov, Proc. USSR Congr. Genet. Pl. Breed. 3: 609 (1929)

Solanum kesselbrenneri Juz. & Bukasov, Trudy Prikl. Bot. Selekc. 10: 52 (1934)

Solanum subandigena Hawkes, Potato Collect. Exped. Mexico & S. Amer., 2, Syst. Classific. Collect. 2: 128 (1944)

***Solanum villosum* Mill., Gard. Dict., ed. 8 no. 2 (1768) Int 노랑까마중**

Solanum miniatum Bernh. ex Willd., Enum. Pl. (Willdenow) 1: 236 (1809)

Solanum humile Bernh. ex Willd., Enum. Hort. Berol. Alt. 1: 184 (1821)

Solanum nigrum L. var. *humile* (Bernh. ex Willd.) C.Y. Wu & S.C. Huang, Acta Phytotax. Sin. 16: 72 (1978)

***Tubocapsicum* F. Wettst. & Makino**

***Tubocapsicum anomalum* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 22: 19 (1908) Nat: N
Korea, S Korea 알파리**

Capsicum anomalum Franch. & Sav., Enum. Pl. Jap. 2: 452 (1878)

Solanum anodontum H.Lév. & Vaniot, Monde Pl. ser 2, 10: 37 (1908)

Solanum philippinense Merr., Philipp. J. Sci. 7: 351 (1912)

Tubocapsicum anomalum (Franch. & Sav.) Makino var. *obtusum* Makino, J. Jap. Bot. 3: 7 (1926)

Tubocapsicum obtusum (Makino) Kitam., Acta Phytotax. Geobot. 6: 18 (1937)

STAPHYLEACEAE

***Euscaphis* Siebold & Zucc.**

***Euscaphis japonica* (Thunb.) Kanitz, Anthophyta Jap. Legit Emanuel Weiss 24 (1878) Nat:
S Korea 말오줌때나무**

Sambucus japonica Thunb., Fl. Jap. (Thunberg) 125 (1784)

Euscaphis staphyleoides Siebold & Zucc., Fl. Jap. (Siebold) 1: 124 (1840)

Euscaphis simplicifolia Siebold & Zucc., Fl. Jap. (Siebold) 1: 124 (1840)

Euscaphis saponica Pax, Nat. Pflanzenfam. 3(5): 262 (1893)

Euscaphis chinensis Gagnep., Notul. Syst. (Paris) 13: 191 (1948)

***Staphylea* L.**

***Staphylea bumalda* DC., Prodr. (DC.) 2: 2 (1825) Nat: N Korea, S Korea 꼬추나무**

Staphylea bumalda DC. var. *latifolia* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 163 (1909)

Staphylea bumalda DC. var. *glabra* Nakai, J. Jap. Bot. 15: 683 (1939)

Staphylea bumalda DC. var. *latifolia* f. *rotundifolia* Nakai, J. Jap. Bot. 15: 683 (1939)

STERCULIACEAE

Firmiana Marsili

Firmiana simplex (L.) W.Wight, U.S.D.A. Bur. Pl. Industr. Bull. 142: 67 (1909) Int 벽오동

Hibiscus simplex L., Sp. Pl. (ed. 2) 2: 977 (1763)

Sterculia platanifolia L.f., Suppl. Pl. 423 (1781)

Firmiana platanifolia (L.f.) Marsili, Saggi Sci. Lett. Accad. Padova 1: 106 (1786)

Althaea sinensis Cav., Diss. 2, Secunda Diss. Bot. t. 29 (1786)

Sterculia firmiana J.F.Gmel., Syst. Nat. ed. 13[bis] 1632 (1791)

Firmiana chinensis L.W.Medicus ex Steud., Nomencl. Bot. (Steudel) 814 (1821)

Sterculia pyriformis Bunge, Enum. Pl. Chin. Bor. 9 (1833)

Viola yamatsutae Ishid. ex Kitag., J. Chosen Nat. Hist. Soc. 8: 38 (1929)

Firmeana simplex var. *glabra* Hatus., J. Jap. Bot. 24: 83 (1949)

Culhamia simplex (L.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 76 (1952)

Firmiana platanifolia (L.f.) Marsili f. *tomentosa* (Thunb.) H.Hara, Enum.

Spermatophytarum Japon. 3: 153 (1954)

Melochia Rottb.

Melochia corchorifolia L., Sp. Pl. 675 (1753) Int 불암초

Melochia concatenata L., Sp. Pl. 675 (1753)

Melochia supina L., Sp. Pl. 675 (1753)

Melochia truncata Willd., Sp. Pl. (ed. 4) 3 (1): 601 (1800)

Riedlea concatenata (L.) DC., Prodr. (DC.) 1: 492 (1824)

Riedlea supina (L.) DC., Prodr. (DC.) 1: 491 (1824)

Visenia concatenata (L.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 31 (1826)

Visenia supina Spreng., Syst. Veg. (ed. 16) [Sprengel] 31 (1826)

STYRACACEAE

Pterostyrax Siebold & Zucc.

Pterostyrax hispidus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 132 (1846) Int 나래쪽동백

Pterostyrax micranthum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 132 (1846)

Halesia hispida (Siebold & Zucc.) Mast., Gard. Chron. n. s. 22: 176 (1884)

Decavenia hispida (Siebold & Zucc.) Koidz., Bot. Mag. (Tokyo) 44: 111 (1930)

Decavenia japonica Koidz., Bot. Mag. (Tokyo) 44: 111 (1930)

Decavenia micrantha (Siebold & Zucc.) Koidz., Bot. Mag. (Tokyo) 44: 110 (1930)

Styrax L.

**Styrax japonicus Siebold & Zucc., Fl. Jap. (Siebold) 1: 53 (1837) Nat; N Korea, S Korea
매죽나무**

Styrax bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 4: 332 (1907)

**Styrax obassis Siebold & Zucc., Fl. Jap. (Siebold) 1: 93, t. 46 (1839) Nat; N Korea, S Korea
쪽동백나무**

Styrax shiraianus Makino, Bot. Mag. (Tokyo) 12: 50 (1898) Nat; S Korea 좁쪽동백나무

Strigilia shiraiana (Makino) Nakai, Trees Shrubs Japan ed. 1: 256 (1922)

SYMPLOCACEAE

Symplocos Jacq.

***Symplocos coreana* (H.Lév.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 83 (1953) Nat: S Korea**
섬노린재

Symplocos crataegoides Buch.-Ham. ex D.Don f. *major* Franch. & Sav., Enum. Pl. Jap. 2: 433 (1878)

Cotoneaster coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 11: 64 (1913)

Symplocos argutidens Nakai, Bot. Mag. (Tokyo) 32: 228 (1918)

Palura argutidens (Nakai) Nakai, Trees Shrubs Japan 231 (1922)

Palura coreana (H.Lév.) Nakai, Bot. Mag. (Tokyo) 48: 773 (1934)

***Symplocos prunifolia* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 43: 133 (1846) Nat: S Korea** 검은재나무

Bobua prunifolia (Siebold & Zucc.) Miers, J. Linn. Soc., Bot. 17: 306 (1879)

Symplocos prunifolia Siebold & Zucc. var. *paucistaminosa* Gontsch., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 104 (1924)

Symplocos prunifolia Siebold & Zucc. var. *uiae* Makino, J. Jap. Bot. 3: 10 (1926)

Bobua prunifolia (Siebold & Zucc.) Miers var. *uiae* (Makino) Nakai, Trees Shrubs Japan, Revis. Ed. 2: 319 (1927)

Bobua uiae (Makino) Nakai, Bot. Mag. (Tokyo) 43: 448 (1929)

Dicalyx prunifolia (Siebold & Zucc.) H.Hara, Enum. Spermatophytarum Japon. 1: 107 (1948)

Dicalyx prunifolia (Siebold & Zucc.) H.Hara var. *uiae* (Makino) H.Hara, Enum. Spermatophytarum Japon. 1: 107 (1948)

Symplocos prunifolia Siebold & Zucc. f. *uiae* (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 727 (1965)

***Symplocos sawafutagi* Nagam., Contr. Biol. Lab. Kyoto Univ. 28: 199 (1993) Nat: N Korea, S Korea** 노린재나무

Symplocos paniculata (Thunb.) Miq. var. *leucocarpa* Nakai, Bot. Mag. (Tokyo) 32: 227 (1918)

Palura paniculata (Thunb.) Nakai var. *leucocarpa* (Nakai) Nakai, Fl. Sylv. Kor. 13: 33 (1923)

Palura paniculata (Thunb.) Nakai var. *pilosa* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 309 (1927)

Symplocos crataegoides Buch.-Ham. ex D.Don var. *leucocarpa* (Nakai) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 918 (1931)

Palura chinensis (Lour.) Koidz. var. *pilosa* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 774 (1934)

Palura chliata Nakai ex H.Hara, J. Jap. Bot. 10: 322 (1934)

Palura chinensis (Lour.) Koidz. var. *pilosa* f. *leucocarpa* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 774 (1934)

Palura pilosa f. *leucocarpa* (Nakai) Honda, Nom. Pl. Japonic. 274 (1939)

Palura chinensis (Lour.) Koidz. var. *leucocarpa* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 1: 108 (1948)

Symplocos chinensis f. *pilosa* (Nakai) Ohwi, Fl. Jap. (Ohwi) 931 (1953)

Symplocos chinensis var. *leucocarpa* (Nakai) Ohwi, Fl. Jap. (Ohwi) 931 (1953)

Symplocos chinensis subsp. *pilosa* (Nakai) Kitag., Neolin. Fl. Manshur. 509 (1979)

-
- Symplocos tanakana* Nakai, Bot. Mag. (Tokyo) 32: 227 (1918) Nat: S Korea 검노린재**
Palura tanakana Nakai, Fl. Sylv. Kor. 13: 34 (1923)
Palura paniculata (Thunb.) Nakai var. *pubescens* (Nakai) Nakai, Trees Shrubs Japan, Revis. Ed. 2: 309 (1927)
Palura chinensis (Lour.) Koidz. var. *pubescens* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 774 (1934)
Symplocos paniculata (Thunb.) Miq. var. *pubescens* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 83 (1953)

TAMARICACEAE

Tamarix L.

- Tamarix chinensis* Lour., Fl. Cochinch. 1: 182, pl. 24 (1790) Int 위성류**
Tamariscus gallicus (L.) All., Fl. Pedem. 2: 87 (1785)
Tamarix gallica L. var. *chinensis* (Lour.) Ehrenb., Linnaea 2: 267 (1827)
Tamarix juniperina Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 2: 102 (1835)
Tamarix elegans Spach, Hist. Nat. Veg. (Spach) 5: 481 (1836)
Tamarix plumosa Carrière, Rev. Hort. 1868: 358 (1868)
Tamarix pallasii Desv. var. *minutiflora* Bunge, Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 206 (1883)
Tamarix japonica Dippel, Handb. Laubholz. 3: 9 (1893)
Tamarix tenuissima Nakai, J. Jap. Bot. 14: 291 (1938)

THEACEAE

Camellia L.

- Camellia japonica* L., Sp. Pl. 698 (1753) Nat: S Korea 동백나무**
Camellia tsubakki Crantz, Inst. Rei Herb. 2: 172 (1766)
Camellia florida Salisb., Prodr. Stirp. Chap. Allerton 370 (1796)
Thea camellia Hoffm., Verz. Pfl.-Kult. 177 (1824)
Camellia mutabilis Paxton, Paxton's Mag. Bot. 2: t. 122 (1836)
Thea japonica (L.) Baill., Hist. Pl. (Baillon) 4: 229 (1873)
Thea japonica (L.) Baill. var. *hortensis* Makino, Bot. Mag. (Tokyo) 25: 160 (1908)
Thea japonica (L.) Baill. var. *spontanea* Makino, Bot. Mag. (Tokyo) 25: 160 (1908)
Camellia japonica L. f. *albipetala* H.T.Chang, Seikyu 32: 80 (1938)
Camellia japonica L. f. *longifolia* Uyeki, Woody Pl. Distr. Chosen 76 (1940)
Camellia japonica L. subsp. *hortensis* (Makino) Masam. & Yanagita, Trans. Nat. Hist. Soc. Taiwan 31: 319 (1941)

- Camellia sasanqua* Thunb., Fl. Jap. (Thunberg) 273 (1784) Int 애기동백나무**
Thea sasanqua (Thunb.) Nois. ex Cels, Cat. Arbr. Arbust. 35 (1817)
Sasanqua vulgaris Nees, Liter. Flora 4: 144 (1834)
Sasanqua odorata Raf., Sylva Tellur. 140 (1838)
Camellia sasanqua Thunb. var. *angustifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 17 (1867)
Camellia sasanqua Thunb. var. *lanceolata* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 17 (1867)
Camellia sasanqua Thunb. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 17 (1867)
Camellia sasanqua Thunb. var. *obtusifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 17

(1867)

Thea sasanqua (Thunb.) Nois. ex Cels var. *thunbergii* Pierre, Fl. Forest. Cochinch. 2: t. 119 (1887)

Thea sasanqua (Thunb.) Nois. ex Cels var. *serrata* Siebold ex Kochs, Bot. Jahrb. Syst. 27: 593 (1900)

Thea miyagii Koidz., Bot. Mag. (Tokyo) 33: 252 (1918)

Camellia miyagii (Koidz.) Makino & Nemoto, Fl. Japan (Makino & Nemoto) 549 (1925)

Camellia sasanqua Thunb. var. *serrata* (Siebold) Masam., Syst. Bot. Useful Pl. Jap. ed. 4, 346 (1941)

***Camellia sinensis* (L.) Kuntze, Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 195 (1887) Int**

차나무

Thea sinensis L., Sp. Pl. 515 (1753)

Thea bohea L., Sp. Pl. (ed. 2) 1: 734 (1762)

Thea bohea L. var. *laxa* (Raf.) W.T.Aiton, Hortus Kew. 2: 230 (1789)

Thea bohea L. var. *stricta* Aiton, Hortus Kew. 2: 231 (1789)

Thea viridis L. var. *bohea* (L.) Vent., Tabl. Regn. Veg. 3: 158 (1799)

Camellia bohea (L.) Sweet, Hort. Suburb. Lond. 157 (1818)

Camellia thea Link, Enum. Hort. Berol. Alt. 2: 73 (1822)

Theaphyla laxa Raf., Sylva Tellur. 139 (1838)

Thea sinensis L. var. *bohea* (L.) K.Koch, Hort. Dendrol. 69 (1853)

Camellia theifera Griff., Not. Pl. Asiat. 4: 558 (1854)

Thea chinensis Seem., Trans. Linn. Soc. London 22: 349, t. 61 (1859)

***Cleyera* Thunb.**

***Cleyera japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 69 (1783) Nat: S Korea 비쭈기나무**

Cleyera ochracea DC., Mem. Soc. Phys. Geneve 1: 413 (1822)

Ternstroemia lushia Ham. ex D.Don, Prodr. Fl. Nepal. 225 (1825)

Cleyera ochracea DC. var. *lushia* (D.Don) Dyer, Fl. Brit. Ind. 1 (1874)

Eurya ochracea (DC.) Szyszyl., Nat. Pflanzenfam. 8: 189 (1893)

Cleyera fortunei Hook.f., Gard. Chron. 3, 1895: 10 (1895)

Freziera ochracea (DC.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 64 (1914)

Tristylium ochraceum (DC.) Merr., Philipp. J. Sci. 13: 148 (1918)

Sakakia ochracea (DC.) Nakai, Fl. Sylv. Kor. 17: 77 (1928)

Sakakia ochracea (DC.) Nakai var. *contorta* Honda, Bot. Mag. (Tokyo) 43: 292 (1929)

Eurya ochracea (DC.) Szyszyl. var. *contracta* (Honda) Makino & Nemoto, Fl. Japan., ed. 2 (Makino & Nemoto) 742 (1931)

Eroteum ochraceum (DC.) Nakai, J. Jap. Bot. 13: 880 (1937)

Cleyera japonica Thunb. var. *kaempferiana* (DC.) Sealy, Bot. Mag. sub. t. 163: 9606 (1940)

***Eurya* Thunb.**

***Eurya emarginata* (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 19 (1904) Nat: S Korea**

우묵사스레피나무

Ilex emarginata Thunb., Fl. Jap. (Thunberg) 78 (1784)

Eurya littoralis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 163 (1843)

Eurya emarginata (Thunb.) Makino var. *microphylla* Makino, Bot. Mag. (Tokyo) 24: 29 (1910)

Eurya minutissima Hatus., J. Jap. Bot. 15: 135 (1939)

- Eurya japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 68 (1783) Nat: S Korea 사스레피나무**
Eurya japonica Thunb. var. *hortensis* Blume, Mus. Bot. 2: 106 (1856)
Eurya japonica Thunb. var. *montana* (Siebold) Blume, Mus. Bot. 2: 106 (1856)
Eurya japonica Thunb. var. *pusilla* Blume, Mus. Bot. 2: 107 (1856)
Eurya japonica Thunb. var. *uniflora* Blume, Mus. Bot. 2: 107 (1856)
Eurya multiflora Siebold ex Blume, Mus. Bot. 2: 106 (1856)
Eurya japonica Thunb. var. *thunbergii* Thwaites, Enum. Pl. Zeyl. 41 (1858)
Eurya japonica Thunb. var. *multiflora* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 14 (1866)
Eurya japonica Thunb. var. *normalis* Kuntze, Revis. Gen. Pl. 1: 62 (1891)
Eurya japonica Thunb. var. *aurescens* Rehder & E.H.Wilson, Pl. Wilson. 2: 399 (1915)
Eurya japonica Thunb. var. *integra* Nakai, Fl. Sylv. Kor. 17: 83 (1928)
Eurya japonica Thunb. var. *angustifolia* Koidz., Fl. Austro-Higoensis 38 (1931)
Eurya japonica Thunb. var. *australis* Hatus., J. Jap. Bot. 26: 374 (1951)
Eurya pubicalyx Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 79 (1953)
Eurya japonica Thunb. var. *ovata* Masam. & Satomi, J. Jap. Bot. 29: 28 (1954)
Eurya japonica Thunb. f. *integra* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 316 (1966)

Stewartia L.

- Stewartia pseudocamellia* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 429 (1867)**
Nat: S Korea 노각나무
Stewartia grandiflora Carrière, Rev. Hort. 1874: 399 (1874)
Stewartia japonica G.Nicholson var. *grandiflora* C.K.Schneid., Ill. Handb. Laubholz. 2: 331 (1909)
Stewartia koreana Rehder, J. Arnold Arbor. 7: 242 (1926)
Stewartia pseudocamellia Maxim. var. *koreana* (Nakai ex Rehder) Sealy, Bot. Mag. 165: t. 20 (1948)

Ternstroemia Mutis ex L.f.

- Ternstroemia gymnanthera* (Wight & Arn.) Bedd., Fl. Sylv. S. India 19: 91 (1871) Nat: S Korea 후피향나무**
Ternstroemia japonica (Thunb.) Thunb., Trans. Linn. Soc. London 2: 335 (1794)
Cleyera gymnanthera Wight & Arn., Prodr. Fl. Ind. Orient. 87 (1834)
Cleyera dubia Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 3: 308 (1851)
Cleyera fragrans Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 3: 307 (1851)
Ternstroemia dubia (Champ.) Choisy, Mem. Soc. Phys. Geneve 14: 109 (1855)
Ternstroemia fragrans (Champ.) Choisy, Mem. Soc. Phys. Geneve 14: 109 (1855)
Ternstroemia japonica (Thunb.) Thunb. var. *parvifolia* Dyer, Fl. Brit. Ind. 1: 281 (1874)
Dupinia japonica (Thunb.) Franch., Bull. Soc. Bot. France 33: 439 (1886)
Mokofua japonica Kuntze, Revis. Gen. Pl. 1: 64 (1891)
Taonabo japonica (Thunb.) Szyszyl., Nat. Pflanzenfam. 3: 188 (1893)
Ternstroemia mokof Nakai, Fl. Sylv. Kor. 17: 86 (1928)
Ternstroemia japonica (Thunb.) Thunb. f. *subserrata* (Makino) H.Hara, Enum. Spermatophytarum Japon. 3: 171 (1954)

THYMELAEACEAE

Daphne Sm. & Rees

- Daphne genkwa* Siebold & Zucc., Fl. Jap. (Siebold) 1: 137 (1835) Nat: S Korea 팔꽃나무**
Daphne fortunei Lindl., J. Hort. Soc. London 1: 147 (1846)
Daphne genkwa Siebold & Zucc. var. *fortunei* (Lindl.) Franch., Pl. David. 1: 259 (1884)

Wikstroemia genkwa (Siebold & Zucc.) Domke, Notizbl. Bot. Gart. Berlin-Dahlem 11: 363 (1932)

Daphne genkwa Siebold & Zucc. f. *taitoensis* Hamaya, J. Jap. Bot. 30: 11 (1955)

***Daphne kamschatica* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 237 (1859) Nat: N Korea, S Korea 두메닥나무**

Daphne koreana Nakai, J. Jap. Bot. 13: 880 (1937)

Daphne pseudomezereum A.Gray var. *koreana* (Nakai) Hamaya, Bull. Tokyo Univ. Forest 55: 72 (1959)

***Daphne kiusiana* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 134 (1867) Nat: S Korea 백서향**

Daphne odora Thunb. var. *kiusiana* (Miq.) Keissl., Bot. Jahrb. Syst. 25: 89 (1898)

Daphne cannabina Lour. var. *kiusiana* (Miq.) Makino, Phan. Pter. Jap. Icon. 1 (1): 1 (1899)

Daphne odora Thunb. var. *fasciata* T.Itô, Encycl. Jap. 7: 149 (1916)

Daphne kiusiana Miq. var. *fasciata* (T.Itô) Honda, Nom. Pl. Japonic. 232 (1939)

***Daphne odora* Thunb., Syst. Veg., ed. 14 (J. A. Murray) 372 (1784) Int 서향**

Daphne triflora Lour., Fl. Cochinch. 1: 236 (1790)

Daphne japonica Thunb., Mus. Nat. Acad. Upsal. 13: 106 (1792)

Daphne speciosissima Carrière, Rev. Hort. 1867: 300 (1867)

Daphne mazeli Carrière, Rev. Hort. 78: 393 (1872)

Daphne odora Thunb. var. *alba* Hemsl., Garden (London 1871-1927) 14: 442 (1878)

Daphne kiusiana Miq. var. *odora* (Thunb.) Makino, Bot. Mag. (Tokyo) 6: 52 (1892)

Daphne odora Thunb. var. *leucantha* Makino, Bot. Mag. (Tokyo) 23: 70 (1909)

Daphne odora Thunb. f. *marginata* Makino, Bot. Mag. (Tokyo) 23: 69 (1909)

Daphne odora Thunb. var. *variengata* Bean, Trees & Shrubs 1: 472 (1914)

Daphne japonica Thunb. var. *rosacea* Makino, J. Jap. Bot. 5: 46 (1928)

Daphne odora Thunb. f. *alba* (Hemsl.) H.Hara, Enum. Spermatophytarum Japon. 3: 232 (1954)

Daphne odora Thunb. f. *rosacea* (Makino) H.Hara, Enum. Spermatophytarum Japon. 3: 233 (1954)

Daphne odora Thunb. f. *leucantha* (Makino) Y.J.Li, Fl. Coreana (Kim) 5: 63 (1998)

Daphne jejuensis M.Kim, Korean J. Pl. Taxon. 43: 95 (2013)

***Diarthron* Turcz.**

***Diarthron linifolium* Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 204 (1832) Nat: S Korea 아미풀**

***Edgeworthia* Falc.**

***Edgeworthia chrysantha* Lindl., J. Hort. Soc. London 1: 148 (1846) Int 삼지닥나무**

Edgeworthia papyrifera Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 199 (1846)

Edgeworthia tomentosa (Thunb.) Nakai, Bot. Mag. (Tokyo) 33: 206 (1919)

Yulania tomentosa (Thunb.) D.L.Fu, J. Wuhan Bot. Res. 19: 198 (2001)

***Stellera* L.**

***Stellera chamaejasme* L., Sp. Pl. 559 (1753) Nat: N Korea, S Korea 피뿌리풀**

Passerina stelleri Wikstr., Kongl. Vetensk. Acad. Handl. 321 (1818)

Stellera rosea Nakai, Bot. Mag. (Tokyo) 33: 147 (1920)

Wikstroemia chamaejasme (L.) Domke, Notizbl. Bot. Gart. Berlin-Dahlem 11: 362 (1932)

Wikstroemia Endl.

Wikstroemia ganpi (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 99 (1887) Nat: S Korea 거문도닥나무

Passerina ganpi Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 201 (1846)

Wikstroemia canescens var. *ganpi* (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 134 (1867)

Diplomorpha ganpi (Siebold & Zucc.) Nakai, J. Jap. Bot. 13: 881 (1937)

Wikstroemia lasiocarpa Nakai, J. Jap. Bot. 13(12): 882 (1937)

Wikstroemia trichotoma (Thunb.) Makino, Bot. Mag. (Tokyo) 11: 71 (1897) Nat: S Korea 산닥나무

Queria trichotoma Thunb., Trans. Linn. Soc. London 2: 329 (1794)

Stellera japonica Siebold, Verh. Batav. Genootsch. Kunsten 12: 22 (1830)

Passerina japonica (Siebold) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 200 (1846)

Wikstroemia japonica (Siebold) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 134 (1867)

Diplomorpha trichotoma (Thunb.) Nakai, Fl. Sylv. Kor. 17: 45 (1928)

Diplomorpha ellipsocarpa (Maxim.) Nakai, J. Jap. Bot. 13: 881 (1937)

TILIACEAE

Corchoropsis Siebold & Zucc.

Corchoropsis tomentosa (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 11 (1903) Nat: S Korea 수까치개

Corchorus tomentosus Thunb., Fl. Jap. (Thunberg) 228 (1784)

Corchoropsis crenata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 738 (1843)

Corchoropsis intermedia Nakai, Bot. Mag. (Tokyo) 28: 311 (1914)

Corchoropsis tomentosa (Thunb.) Makino var. *glabrescens* Nakai, Chosen Shokubutsu 176 (1914)

Corchoropsis tomentosa (Thunb.) Makino f. *glabrescens* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 153 (1954)

Corchoropsis tomentosa (Thunb.) Makino var. tomentosa

Corchoropsis tomentosa (Thunb.) Makino var. psilocarpa (Harms & Loes.) C.Y.Wu & Y.Tang, Acta Phytotax. Sin. 32: 256 (1994) Nat: N Korea, S Korea 까치개

Corchoropsis psilocarpa Harms & Loes. ex Gilg & Loes., Bot. Jahrb. Syst. 34 (1): 51 (1904)

Corchorus L.

Corchorus capsularis L., Sp. Pl. 529 (1753) Int 황마

Corchorus cordifolius Salisb., Prodr. Stirp. Chap. Allerton 366 (1796)

Grewia L.

Grewia biloba G.Don, Gen. Hist. 1: 549 (1831) Nat: N Korea, S Korea 장구밥나무

Grewia parviflora Bunge, Enum. Pl. Chin. Bor. 9 (1833)

Grewia glabrescens Benth., Fl. Hongk. 42 (1861)

Rubus umbellifer H.Lév., Repert. Spec. Nov. Regni Veg. 6: 111 (1908)

-
- Grewia chanetii* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 147 (1911)
Grewia parviflora Bunge var. *velutina* Pamp., Nuovo Giorn. Bot. Ital. n.s. 18: 128 (1911)
Grewia parviflora Bunge var. *glabrescens* (Benth.) Rehder & E.H.Wilson, Pl. Wilson. 2: 371 (1916)
Grewia biloba G.Don var. *parviflora* (Bunge) Hand.-Mazz., Symb. Sin. 7: 612 (1933)
Grewia biloba G.Don var. *parviflora* f. *angusta* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 313 (1966)
Grewia parviflora Bunge f. *angusta* (Nakai) W.T.Lee, Lineamenta Florae Koreae 700 (1996)

Tilia L.

***Tilia amurensis* Rupr., Fl. Caucasi 253 (1869) Nat: N Korea, S Korea 피나무**

- Tilia cordata* (Mill.) Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 62 (1859)
Tilia cordata (Mill.) Maxim. var. *manshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 26: 434 (1880)
Tilia distans Nath., Vega-Exped. Vetensk. Iakttag. 2: 195 (1882)
Tilia amurensis Rupr. var. *acuminatissima* f. *polyantha* V.Engl., Monogr. Tilia 84 (1909)
Tilia amurensis Rupr. var. *oligantha* V.Engl., Monogr. Tilia 84 (1909)
Tilia taquetii C.K.Schneid., Repert. Spec. Nov. Regni Veg. 7: 200 (1909)
Tilia glabrata Nakai, Chosen Shokubutsu 174 (1914)
Tilia koreana Nakai, Chosen Shokubutsu 174 (1914)
Tilia insularis Nakai, Bot. Mag. (Tokyo) 31: 27 (1917)
Tilia amurensis Kom. var. *glabrata* Nakai, Bot. Mag. (Tokyo) 33: 60 (1919)
Tilia amurensis Rupr. var. *koreana* (Nakai) Nakai, Bot. Mag. (Tokyo) 33: 61 (1919)
Tilia amurensis Rupr. var. *glabrata* f. *taquetii* Nakai, Bot. Mag. (Tokyo) 33: 60 (1919)
Tilia amurensis Rupr. var. *rufa* Nakai, Bot. Mag. (Tokyo) 33: 61 (1919)
Tilia amurensis Rupr. var. *oligantha* f. *polyantha* (Engl.) Nakai, Bot. Mag. (Tokyo) 35: 12 (1921)
Tilia amurensis Rupr. var. *grosseserrata* Nakai, Fl. Sylv. Kor. 12: 39 (1922)
Tilia rufa Nakai, Bot. Mag. (Tokyo) 12: 40 (1922)
Tilia amurensis Rupr. var. *kryloviana* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 4: 13 (1926)
Tilia amurensis Rupr. f. *polyantha* (Engl.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 76 (1952)
Tilia amurensis Rupr. var. *tricuspidata* Liou & S.X.Li, Ill. Man. Woody Pl. N.-E. Prov. 565 (1955)
Tilia amurensis Rupr. var. *taquetii* (C.K.Schneid.) Liou & S.X.Li, Ill. Man. Woody Pl. N.-E. Prov. 420 (1955)

***Tilia kiusiana* Makino & Shiras., Bull. Coll. Agric. Tokyo Imp. Univ. 4: 155 (1900)**

Int 구주피나무

***Tilia mandshurica* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 124 (1856) Nat: N Korea, S Korea 찰피나무**

- Tilia pekinensis* Rupr. & Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 469 (1859)
Tilia argentea DC. var. *manshurica* Regel, Tent. Fl.-Ussur. 30 (1861)
Tilia megaphylla Nakai, Chosen Shokubutsu 173 (1914)
Tilia semicostata Nakai, Chosen Shokubutsu 173 (1914)
Tilia megaphylla Nakai f. *subintegra* Nakai, Bot. Mag. (Tokyo) 35: 14 (1921)
Tilia ovalis Nakai, Bot. Mag. (Tokyo) 35: 15 (1921)
Tilia mandshurica Rupr. & Maxim. var. *depressa* Nakai, J. Jap. Bot. 19: 367 (1943)
Tilia mandshurica Rupr. & Maxim. var. *villicarpa* Nakai, J. Jap. Bot. 19: 367 (1943)

Tilia mandshurica Rupr. & Maxim. var. *ovalis* (Nakai) Liou & S.X.Li, Ill. Fl. Ligneous Pl. N. E. China 418 (1955)
Tilia mandshurica Rupr. & Maxim. var. *fusiformis* (Nakai) H.S.Kim, Fl. Coreana (Kim) 4: 315 (1975)
Tilia mandshurica Rupr. & Maxim. f. *depressa* (Nakai) W.T.Lee, Lineamenta Florae Koreae 702 (1996)
Tilia mandshurica Rupr. & Maxim. f. *villicarpa* (Nakai) W.T.Lee, Lineamenta Florae Koreae 702 (1996)

***Tilia miqueliana* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 434 (1880) Int**
보리자나무

Tilia kinashii H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 222 (1904)
Tilia franchetiana C.K.Schneid., Repert. Spec. Nov. Regni Veg. 7: 201 (1909)
Tilia kwangtungensis Chun & H.D.Wong, Sunyatsenia 3: 41, f. 8 (1935)

Triumfetta L.

***Triumfetta japonica* Makino, Bot. Mag. (Tokyo) 27: 245 (1913) Nat: S Korea 고슴도치풀**
Triumfetta trichoclada Franch. & Sav., Enum. Pl. Jap. 1: 66 (1873)

TRAPACEAE

Trapa L.

***Trapa incisa* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 134 (1846) Nat: N Korea, S Korea 애기마름**

Trapa bispinosa Roxb. var. *incisa* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 171 (1875)
Trapa maximowiczii Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 336 (1892)
Trapa natans L. var. *incisa* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 22: 172 (1908)

***Trapa japonica* Flerow, Izv. Glavn. Bot. Sada RSFSR 24: 39 (1925) Nat: N Korea, S Korea 마름**

***Trapa natans* L., Sp. Pl. 120 (1753) Nat: S Korea 네마름**

Trapa bicornis Osbeck, Dagb. Ostind. Resa 191 (1757)
Trapa quadrispinosa Roxb., Hort. Bengal. 11 (1814)
Trapa bispinosa Roxb., Pl. Coromandel 3: 29 (1815)
Trapa antennifera H.Lév., Bull. Acad. Int. Géogr. Bot. 8: 229 (1899)
Trapa natans L. f. *quadrispinosa* Makino, Bot. Mag. (Tokyo) 22: 172 (1908)
Trapa natans L. var. *rubeola* Makino, Bot. Mag. (Tokyo) 27: 251 (1913)
Trapa bispinosa Roxb. var. *jinumae* Nakano, Bot. Jaarb. 50: 455 (1913)
Trapa amurensis Flerow, Izv. Glavn. Bot. Sada RSFSR 24: 34 (1925)
Trapa chinensis Lour. var. *flerovi* Skvortsov, Izv. Glavn. Bot. Sada SSSR 26: 628 (1927)
Trapa natans L. var. *bispinosa* (Roxb.) Makino, Fl. Japan., ed. 2 (Makino & Nemoto) 814 (1931)
Trapa natans L. var. *amurensis* (Flerow) Kom., Opred. Rast. Dal'nevost. Kraia 2: 779 (1932)
Trapa natans L. var. *japonica* Nakai, J. Jap. Bot. 18: 429 (1942)
Trapa pseudoincisa Nakai, J. Jap. Bot. 18: 436 (1942)
Trapa komarovii V.N.Vassil., Fl. URSS 15: 647, 693 t. 32 fig. 4 (1949)
Trapa bicornis Osbeck var. *iwasakii* (Nakano) Nakano, Bot. Mag. (Tokyo) 77: 165 (1964)
Trapa natans L. var. *pumila* Nakano, Bot. Mag. (Tokyo) 77: 166 (1964)

Trapa bicornis Osbeck var. *jinumae* (Nakano) Nakano, Bot. Mag. (Tokyo) 77: 165 (1964)

TROPAEOLACEAE

Tropaeolum L.

***Tropaeolum majus* L., Sp. Pl. 345 (1753) Int 한련**

Tropaeolum quinquelobum Bergius, Kongl. Svenska Vetenskapsakad. Handl. 27: 32, t. 1 (1765)

Tropaeolum hybridum L., Mant. Pl. 1: 64 (1767)

Tropaeolum elatum Salisb., Prodr. Stirp. Chap. Allerton 275 (1796)

Cardaminum majus Moench, Suppl. Meth. (Moench) 20 (1802)

Tropaeolum pinnatum Andrews, Bot. Repos. 9: t. 535 (1810)

Trophaeum majus (L.) Kuntze, Revis. Gen. Pl. 1: 97 (1891)

Tropaeolum hortense Sparre, Grana Palynol. 8: 110 (1968)

ULMACEAE

Aphananthe Planch.

***Aphananthe aspera* (Thunb.) Planch., Prodr. (DC.) 17: 208 (1873) Nat; S Korea 푸조나무**

Prunus aspera Thunb., Syst. Veg., ed. 14 (J. A. Murray) 463 (1784)

Celtis muku Siebold, Verh. Batav. Genootsch. Kunsten 12: 28 (1830)

Homoioceltis aspera (Thunb.) Blume, Mus. Bot. 2: 64 (1856)

Sponia nudiflora Siebold & Zucc., Prodr. (DC.) 17: 208 (1873)

Celtis L.

***Celtis biondii* Pamp., Nuovo Giorn. Bot. Ital. 17: 252 (1910) Nat; S Korea 꼭나무**

Celtis bungeana Blume var. *heterophylla* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 476 (1912)

Celtis leveillei Nakai, Bot. Mag. (Tokyo) 28: 266 (1914)

Celtis biondii Pamp. var. *heterophylla* (H.Lév.) C.K.Schneid., Pl. Wilson. 3: 282 (1916)

Celtis biondii Pamp. var. *cavaleriei* C.K.Schneid., Pl. Wilson. 3: 273 (1916)

Celtis leveillei Nakai var. *holophylla* Nakai, J. Arnold Arbor. 5: 74 (1924)

Celtis biondii Pamp. var. *insularis* Hatus., Fl. Ryukyus 224 (1971)

Celtis leveillei Nakai var. *heterophylla* (H.Lév.) Nakai, Neolin. Fl. Manshur. 585 (1979)

***Celtis bungeana* Blume, Mus. Bot. 2: 71 (1856) Nat; N Korea, S Korea 좁풍계나무**

Celtis davidiana Carrière, Rev. Hort. 40: 300 (1868)

***Celtis jessoensis* Koidz., Bot. Mag. (Tokyo) 27: 183 (1913) Nat; N Korea, S Korea, Endemic 풍계나무**

Celtis aphananthoides Koidz., Bot. Mag. (Tokyo) 27: 563 (1913)

Celtis bungeana Blume var. *jessoensis* (Koidz.) Kudô, Syst. Bot. Useful Pl. Jap. 166 (1922)

Celtis koraiensis Nakai var. *holophylla* Nakai, Bot. Mag. (Tokyo) 40: 167 (1926)

Celtis cordifolia Nakai, Bot. Mag. (Tokyo) 40: 168 (1926)

Celtis choseniana Nakai, Chosen Sanrin Kwaiho 59: 21 (1930)

Celtis edulis Nakai, Chosen Sanrin Kwaiho 59: 23 (1930)

Celtis jessoensis Koidz. var. *angustibolia* Nakai, Chosen Sanrin Kwaiho 59: 21 (1930)

Celtis hashimotoi Koidz., Acta Phytotax. Geobot. 1: 19 (1932)

***Celtis koraiensis* Nakai, Bot. Mag. (Tokyo) 23: 191 (1909) Nat: N Korea, S Korea 왕팽나무**
Celtis koraiensis Nakai var. *arguta* Nakai, Chosen Sanrin Kwaiho 59: 21 (1930)
Celtis aurantiaca Nakai, Chosen Sanrin Kwaiho 59: 23 (1930)
Celtis koraiensis Nakai var. *aurantiaca* (Nakai) Kitag., Lin. Fl. Manshur. 168 (1939)

***Celtis sinensis* Pers., Syn. Pl. (Persoon) 1: 292 (1805) Nat: N Korea, S Korea 팽나무**
Celtis japonica Planch., Prodr. (DC.) 17: 172 (1873)
Celtis sinensis Dunn & Tutcher var. *japonica* (Planch.) Nakai, Bot. Mag. (Tokyo) 23: 264 (1914)
Celtis japonica Planch. f. *magnifica* (Nakai) Nakai, Chosen Sanrin Kwaiho 59: 23 (1930)
Celtis japonica Planch. f. *purpurascens* (Nakai) Nakai, Chosen Sanrin Kwaiho 59: 23 (1930)
Celtis japonica Planch. f. *rotundata* Chosen Sanrin Kwaiho 59: 23 (1930)
Celtis sinensis Dunn & Tutcher var. *japonica* f. *magnifica* Nakai, Fl. Sylv. Kor. 19: 67 (1932)
Celtis sinensis Dunn & Tutcher var. *japonica* f. *purpurascens* Nakai, Fl. Sylv. Kor. 19: 66 (1932)
Celtis sinensis Dunn & Tutcher var. *japonica* f. *rotunda nakai*, Fl. Sylv. Kor. 19: 67 (1932)

Hemiptelea Planch.

***Hemiptelea davidii* (Hance) Planch., Compt. Rend. Hebd. Seances Acad. Sci. 74 (1872) Nat: N Korea, S Korea 시무나무**
Planera davidii Hance, J. Bot. 6: 333 (1868)
Abelicea davidii (Hance) H.Buek, Prodr. (DC.) 17: 1 (1873)
Zelkova davidii (Hance) Hemsl., J. Linn. Soc., Bot. 26: 449 (1894)

Ulmus L.

***Ulmus davidiana* Planch. ex DC., Prodr. (DC.) 17: 158 (1873) Nat: N Korea, S Korea 당느릅나무**
Ulmus davidiana Planch. ex DC. var. *mandshurica* Skvortsov, Mansh. Monit. 52 (1929)
Ulmus davidiana Planch. ex DC. var. *pubescens* Skvortsov, Mansh. Monit. 52 (1929)
Ulmus davidiana Planch. ex DC. f. *suberosa* Nakai, Fl. Sylv. Kor. 19: 29 (1932)
Ulmus davidiana Planch. ex DC. var. *japonica* f. *suberosa* Nakai, Fl. Sylv. Kor. 19: 29 (1932)
Ulmus davidiana Planch. ex DC. var. *suberosa* (Turcz.) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4) (1934)
Ulmus davidiana* Planch. ex DC. var. *davidiana

***Ulmus davidiana* Planch. ex DC. var. *japonica* (Rehder) Nakai, Fl. Sylv. Kor. 19: 26 (1932) Nat: N Korea, S Korea 느릅나무**
Ulmus campestris L. var. *japonica* Rehder, Cycl. Amer. Hort. 4: 1882 (1902)
Ulmus wilsoniana C.K.Schneid., Ill. Handb. Laubholz. 2: 904 (1912)
Ulmus wilsoniana C.K.Schneid. var. *psilophylla* C.K.Schneid., Pl. Wilson. 3: 239 (1916)
Ulmus japonica (Rehder) Sander var. *levigata* C.K.Schneid., Pl. Wilson. 3: 260 (1917)
Ulmus propinqua Koidz., Bot. Mag. (Tokyo) 44: 95 (1930)
Ulmus davidiana Planch. ex DC. var. *levigata* (C.K.Schneid.) Nakai, Fl. Sylv. Kor. 19: 30 (1932)
Ulmus davidiana Planch. ex DC. var. *japonica* f. *levigata* (C.K.Schneid.) W.T.Lee, Lineamenta Florae Koreae 187 (1996)

***Ulmus laciniata* (Trautv.) Mayr, Fremdländ. Wald- Parkbäume 523 (1906) Nat: N Korea, S Korea 난티나무**

Ulmus major var. *heterophylla* Maxim. & Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 376 (1857)

Ulmus montana var. *laciniata* Trautv., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 246 (1859)

Ulmus laciniata (Trautv.) Mayr f. *holophylla* Nakai, Fl. Sylv. Kor. 19: 18 (1932)

***Ulmus macrocarpa* Hance, J. Bot. 6: 332 (1868) Nat: N Korea, S Korea 양느릅나무**

Ulmus macrocarpa Hance var. *mandshurica* Skvortsov, Mansh. Monit. 52 (1929)

Ulmus macrocarpa Hance f. *major* Skvortsov, Mansh. Monit. 52 (1929)

Ulmus macrocarpa Hance var. *suberosa* Skvortsov, Mansh. Monit. 52 (1929)

Ulmus macrophylla Nakai, Fl. Sylv. Kor. 19: 15 (1932)

Ulmus macrocarpa Hance var. *macrophylla* (Nakai) T.B.Lee ex W.T.Lee, Lineamenta Florae Koreae 187 (1996)

***Ulmus parvifolia* Jacq., Pl. Rar. Hort. Schoenbr. 3: 262 (1798) Nat: S Korea 참느릅나무**

Ulmus japonica (Rehder) Sander, Trees & Shrubs 2: 1, t. 101 (1907)

Ulmus coreana Nakai, Fl. Sylv. Kor. 19: 31 (1932)

Ulmus coreana Nakai var. *cycloptera* Nakai, Fl. Sylv. Kor. 19: 33 (1932)

Ulmus coreana Nakai var. *lanceolata* Nakai, Fl. Sylv. Kor. 19: 33 (1932)

Ulmus parvifolia Jacq. var. *cycloptera* (Nakai) Uyeki, Woody Pl. Distr. Chosen 23 (1940)

Ulmus parvifolia Jacq. var. *coreana* (Nakai) Uyeki, Woody Pl. Distr. Chosen 23 (1940)

Ulmus parvifolia Jacq. var. *coreana* f. *cycloptera* (Nakai) Uyeki, Woody Pl. Distr. Chosen 1: 23 (1940)

Ulmus parvifolia Jacq. var. *coreana* f. *lanceolata* (Nakai) Uyeki, Woody Pl. Distr. Chosen 1: 23 (1940)

Ulmus parvifolia Jacq. var. *lanceolata* (Nakai) Y.J.Li, Pl. Rar. Hort. Schoenbr. 1: 220 (1996)

***Ulmus pumila* L., Sp. Pl. 326 (1753) Nat: N Korea, S Korea 비솔나무**

Ulmus pumila L. var. *microphylla* Pers., Syn. Pl. (Persoon) 1: 291 (1805)

Ulmus campestris L. var. *pumila* Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 290 (1873)

Ulmus turkestanica Regel, Gartenflora 28 (1884)

Ulmus manshurica Nakai, Fl. Sylv. Kor. 19: 22 (1932)

Zelkova Spach

***Zelkova serrata* (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 13 (1903) Nat: N Korea, S Korea 느티나무**

Corchorus hirtus Thunb., Fl. Jap. (Thunberg) 228 (1784)

Corchorus serratus Thunb., Trans. Linn. Soc. London 2: 335 (1794)

Ulmus keaki Siebold, Verh. Batav. Genootsch. Kunsten 12: 28 28 (1830)

Planera acuminata Lindl., Gard. Chron. 428 (1862)

Zelkova acuminata (Lindl.) Planch., Compt. Rend. Hebd. Seances Acad. Sci. 74: 1496 (1872)

Planera keaki (Siebold) K.Koch, Dendrologie 2: 427 (1872)

Zelkova keaki (Siebold) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 18: 288 (1873)

Zelkova stipulacea Franch. & Sav., Enum. Pl. Jap. 2: 489 (1878)

Planera japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 66 (1887)

Abelicea acuminata (Planch.) Kuntze, Revis. Gen. Pl. 2: 621 (1891)

Abelicea keaki C.K.Schneid., Dendr. Winterstud. 238 (1903)

Abelicea herta C.K.Schneid., III. Handb. Laubholzk. 1: 226 (1904)

Zelkova hirta C.K.Schneid., III. Handb. Laubholzk. 1: 806 (1906)

Abelicea serrata (Thunb.) Makino, Bot. Mag. (Tokyo) 28: 175 (1914)

Zelkova formosana Hayata, Icon. Pl. Formosan. 9: 104 (1920)
Zelkova serrata (Thunb.) Makino var. *longifolia* Nakai, Fl. Sylv. Kor. 19: 39 (1932)

URTICACEAE

Achudemia Blume

***Achudemia japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 627 (1876) Nat: N Korea, S Korea 산물통이**

Nanocnide closii H.Lév. & Vaniot, Bull. Soc. Bot. France 41: 144 (1904)

Pilea oligantha Nakai, Bot. Mag. (Tokyo) 35: 140 (1921)

Pilea japonica (Maxim.) Hand.-Mazz., Symb. Sin. 7: 141 (1929)

Achudemia insignis Migo, J. Shanghai Sci. Inst. sect. 3, 3: 91 (1935)

Boehmeria Jacq.

***Boehmeria japonica* (L.f.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 131 (1867) Nat: N Korea, S Korea 왜모시풀**

Boehmeria longispica Steud., Flora 33: 260 (1850)

Boehmeria grandifolia (Thunb.) Wedd., Ann. Sci. Nat., Bot. ser. 4, 1: 199 (1854)

Boehmeria platyphylla D.Don var. *japonica* (L.f.) Wedd., Arch. Mus. Hist. Nat. 365 (1856)

Boehmeria longispica Steud. var. *appendiculata* Blume, Mus. Bot. 2: 221 (1857)

Boehmeria miqueliana Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 198 (1925)

Durretia longispica (Steud.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

Boehmeria macrophylla Hornem. var. *tomentosa* (Wedd.) D.G.Long, Notes Roy. Bot. Gard. Edinburgh 40: 130 (1982)

***Boehmeria nivea* (L.) Gaudich., Voy. Uranie, Bot. 499 (1830) Int 모시풀**

Urtica nivea L., Sp. Pl. 2: 985 (1753)

Boehmeria nipononivea Koidz., Acta Phytotax. Geobot. 10: 223 (1941)

Boehmeria nivea (L.) Gaudich. subsp. *nipononivea* (Koidz.) Kitam., Acta Phytotax.

Geobot. 20: 208 (1962)

Boehmeria nivea (L.) Gaudich. var. *nipononivea* (Koidz.) W.T.Wang, Acta Bot. Yunnan. 3: 320 (1981)

***Boehmeria pannosa* Nakai & Satake ex Oka, Tennen Kinenbutsu Chosahokoku 16: 4 (1936)**

Nat: S Korea 왕모시풀

Boehmeria quelpaertense Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 514 (1936)

Boehmeria grandissima Nakai var. *serrulata* Satake, J. Jap. Bot. 14: 21 (1938)

Durretia pannosa (Nakai & Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

Durretia quelpaertense (Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

***Boehmeria platanifolia* (Franch. & Sav.) C.H.Wright, J. Linn. Soc., Bot. 26: 486 (1899) Nat: S Korea 개모시풀**

Boehmeria japonica (L.f.) Miq. var. *platanifolia* (Franch. & Sav.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 643 (1876)

Boehmeria longispica Steud. var. *platanifolia* Franch. & Sav., Enum. Pl. Jap. 2: 497 (1878)

Boehmeria miqueliana Tanaka var. *platanifolia* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 55 (1934)

Boehmeria maximowiczii Nakai & Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 522 (1936)

Duretia platanifolia (Franch. & Sav.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

***Boehmeria sieboldiana* Blume, Mus. Bot. 2: 220 (1857) Nat: S Korea 진잎모시풀**

Boehmeria platyphylla D.Don var. *sieboldiana* (Blume) Wedd., Prodr. (DC.) 16: 213 (1869)

Boehmeria sieboldiana Blume var. *scabra* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 39 (1914)

Boehmeria taquetii Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 (1914)

Boehmeria pseudosieboldiana Honda, Bot. Mag. (Tokyo) 45: 469 (1931)

Boehmeria hirtella Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 493 (1936)

Boehmeria nakaiana Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 491 (1936)

Duretia hirtella (Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

Duretia sieboldiana (Blume) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

Duretia nakaiana (Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

Duretia taquetii (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

***Boehmeria spicata* (Thunb.) Thunb., Trans. Linn. Soc. London 2: 330 (1794) Nat: N Korea, S Korea 쯤개잎나무**

Urtica spicata Thunb., Syst. Veg., ed. 14 (J. A. Murray) 850 (1784)

Boehmeria spicata (Thunb.) Thunb. var. *microphylla* Nakai & Satake, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 4: 483 (1936)

Duretia spicata (Thunb.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

***Boehmeria tricuspis* (Hance) Makino, Bot. Mag. (Tokyo) 25: 387 (1912) Nat: N Korea, S Korea 거북꼬리**

Boehmeria platyphylla D.Don var. *tricuspis* Hance, J. Bot. 11: 261 (1874)

Boehmeria japonica (L.f.) Miq. var. *tricuspis* (Hance) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg 22: 252 (1877)

Boehmeria longispica Steud. var. *tricuspis* (Hance) Franch. & Sav., Enum. Pl. Jap. 2: 497 (1878)

Boehmeria platanifolia (Franch. & Sav.) C.H. Wright var. *tricuspis* (Hance) Matsum., Index Pl. Jap. 2 (2): 42 (1912)

Duretia tricuspis (Hance) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 (1952)

Boehmeria tricuspis (Hance) Makino var. *unicuspis* Makino ex Ohwi, Fl. Jap. (Ohwi) 441 (1956)

***Elatostema* J.R.Forst. & G.Forst.**

***Elatostema cuneatum* Wight, Icon. Pl. Ind. Orient. (Wight) 6: t. 2094, f. 3 (1853) Nat: S Korea 복천물통이**

Procris approximata Wall., Numer. List 4630 (1831)

Elatostema webbianum Wedd., Ann. Sci. Nat., Bot. ser. 4, 1: 190 (1854)

Elatostema approximatum Wedd., Prodr. (DC.) 16: 190 (1869)

Elatostema densiflorum Franch. & Sav., Enum. Pl. Jap. 1: 439 (1873)

Elatostema nipponicum Makino, J. Jap. Bot. 2: 19 (1921)

***Elatostema umbellata* (Siebold & Zucc.) Blume, Mus. Bot. 2: t. 19 (1856) Nat: N Korea, S Korea 우산물통이**

Procris umbellata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 217 (1846)

Elatostema japonicum Wedd., Ann. Sci. Nat., Bot. ser. 4, 1: 189 (1854)

Pellionia umbellata (Blume) Wedd., Prodr. (DC.) 16: 167 (1869)

Elatostema taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 183 (1913)

Girardinia Gaudich. & Freyc.

Girardinia diversifolia subsp. *suborbiculata* (C.J.Chen) C.J.Chen & Friis, Fl. China 5: 91 (2003) Nat; N Korea 산채기풀

Girardinia suborbiculata C.J.Chen, Acta Phytotax. Sin. 30: 476 (1992)

Laportea Gaudich. & Freyc.

Laportea bulbifera (Siebold & Zucc.) Wedd., Arch. Mus. Hist. Nat. 9: 139 (1857) Nat; N Korea, S Korea 흑채기풀

Urtica bulbifera Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4 (3): 214 (1846)

Laportea terminalis Wight, Icon. Pl. Ind. Orient. (Wight) 6: 9 (1853)

Laportea oleracea Wedd., Arch. Mus. Hist. Nat. 141 (1856)

Fleurya bulbifera (Siebold & Zucc.) Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 132 (1867)

Laportea sinensis C.H.Wright, J. Linn. Soc., Bot. 26(178): 474 (1899)

Boehmeria bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 11: 550 (1913)

Laportea bulbifera (Siebold & Zucc.) Wedd. var. *sinensis* S.S.Chien, Bull. Chin. Bot. Soc. 1 (1): 1 (1935)

Laportea cuspidata (Wedd.) Friis, Kew Bull. 36: 156 (1981) Nat; S Korea 큰채기풀

Girardinia cuspidata Wedd., Prodr. (DC.) 16: 103 (1869)

Sceptrocnide macrostachya Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 626 (1876)

Laportea grossedentata C.H.Wright, J. Linn. Soc., Bot. 26: 474 (1899)

Laportea macrostachya (Maxim.) Ohwi, J. Jap. Bot. 12: 331 (1936)

Nanocnide Blume

Nanocnide japonica Blume, Mus. Bot. 2: 155, pl. 17 (1856) Nat; S Korea 나도물통이

Nanocnide dichotoma S.S.Chien, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 142 (1934)

Oreocnide Miq.

Oreocnide frutescens (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 131 (1867) Nat; S Korea 비양나무

Urtica frutescens Thunb., Fl. Jap. (Thunberg) 70 (1784)

Boehmeria frutescens (Thunb.) Thunb., Trans. Linn. Soc. London 2: 339 (1784)

Villebrunea frutescens (Thunb.) Blume, Mus. Bot. 2: 168 (1856)

Parietaria L.

Parietaria debilis G.Forst., Fl. Ins. Austr. 73 (1786) Nat; N Korea 개물통이

Parietaria micrantha Ledeb., Icon. Pl. (Ledebour) 1: 7 (1829)

Parietaria debilis G.Forst. var. *micrantha* (Ledeb.) Wedd., Prodr. (DC.) 16: 235 (1869)

Parietaria coreana Nakai, Bot. Mag. (Tokyo) 33: 46 (1919)

Parietaria micrantha Ledeb. var. *coreana* (Nakai) H.Hara, J. Jap. Bot. 35: 211 (1960)

Parietaria lusitanica subsp. *chersonensis* var. *micrantha* (Ledeb.) Chrtek, Folia Geobot. Phytotax. 8: 426 (1973)

Pellionia Gaudich. & Freyc.

***Pellionia scabra* Benth., Fl. Hongk. 330 (1861) Nat; S Korea 켈리온나무**

Elatostema scabrum (Benth.) Hallier f., Ann. Jard. Bot. Buitenzorg 13: 316 (1896)

Polychroa scabra (Benth.) Hu, J. Arnold Arbor. 5: 228 (1924)

Pellionia scabra Benth. subvar. *pedunculata* Yamam., Icon. Pl. Formosan. Suppl. 1: 17 (1925)

Elatostema pellioniifolium W.T.Wang, Bull. Bot. Res., Harbin 2: 12 (1982)

Pilea Lindl.

***Pilea peploides* (Gaudich.) Hook. & Arn., Bot. Beechey Voy. 96 (1831) Nat; N Korea, S Korea 물통이**

Dubrueilia peploides Gaudich., Voy. Uranie, Bot. 495 (1830)

Urtica peploides (Gaudich.) Steud., Nomencl. Bot., ed. 2 (Steudel) 2: 735 (1841)

Pilea peploides (Gaudich.) Hook. & Arn. var. *major* Wedd., Prodr. (DC.) 16: 109 (1869)

Adicea peploides (Gaudich.) Kuntze, Revis. Gen. Pl. 2: 623 (1891)

Pilea taquetii Nakai, Bot. Mag. (Tokyo) 35: 141 (1921)

***Pilea pumila* (L.) A.Gray, Manual (Gray) 437 (1848) Nat; N Korea 큰물통이**

Urtica pumila L., Sp. Pl. 2: 984 (1753)

Pilea mongolica Wedd., Prodr. (DC.) 16: 135 (1869)

Pilea viridissima Makino, Bot. Mag. (Tokyo) 23: 87 (1909)

Urtica L.

***Urtica angustifolia* Fisch. ex Hornem., Suppl. Hort. Bot. Hafn. 107 (1819) Nat; N Korea, S Korea 가는잎쐨기풀**

Urtica dioica L. var. *angustifolia* (Fisch. ex Hornem.) Ledeb., Fl. Altaica. 4: 241 (1833)

Urtica foliosa Blume, Mus. Bot. 2: 142 (1856)

Urtica dioica L. var. *sikokiana* Makino, Bot. Mag. (Tokyo) 23: 84 (1909)

Urtica sikokiana (Makino) Makino, Bot. Mag. (Tokyo) 24: 55 (1910)

Urtica angustifolia Fisch. ex Hornem. var. *sikokiana* (Makino) Ohwi, Fl. Jap. (Ohwi) 435 (1953)

***Urtica laetevirens* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 236 (1877) Nat; N Korea, S Korea 애기쐨기풀**

Urtica dentata Hand.-Mazz., Symb. Sin. 7: 112 (1929)

Urtica pachyrrhachis Hand.-Mazz., Symb. Sin. 7: 113 (1929)

Urtica silvatica Hand.-Mazz., Symb. Sin. 7: 113 (1929)

Urtica laetevirens Maxim. var. *robusta* F.Maek., Fl. Sylv. Kor. 21: 123 (1936)

***Urtica thunbergiana* Siebold & Zucc., Abh. Bayer. Akad. Wiss., Math.-Naturwiss. Kl. 4: 214 (1846) Nat; S Korea 쐨기풀**

Urtica macrorrhiza Hand.-Mazz., Symb. Sin. 7: 115 (1929)

VALERIANACEAE

Patrinia Juss.

***Patrinia rupestris* (Pall.) Juss., Ann. Mus. Natl. Hist. Nat. 10: 311 (1807) Nat: N Korea, S Korea** 돌마타리

Valeriana rupestris Pall., Reise Russ. Reich. 3: 266 (1776)

Fedia rupestris (Pall.) Vahl, Enum. Pl. (Vahl) 2: 22 (1805)

***Patrinia saniculifolia* Hemsl., J. Linn. Soc., Bot. 23: 397 (1888) Nat: N Korea, S Korea**,
Endemic **금마타리**

Fedia saniculifolia (Hemsl.) Kuntze, Revis. Gen. Pl. 1: 302 (1891)

***Patrinia scabiosifolia* Fisch. ex Trevir., Index Sem. (Breslau) 2: 2 (1820) Nat: N Korea, S Korea** 마타리

Fedia serratulifolia Trevir., Index Sem. (Breslau) 2 (1820)

Fedia scabiosifolia (Fisch.) Trevir., Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 40921: 165 (1826)

Patrinia serratulifolia (Trevir.) Fisch. ex DC., Prodr. (DC.) 4: 634 (1830)

Patrinia hispida Bunge, Pl. Mongholic-Chin. 1: 25 (1835)

Patrinia parviflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 195 (1846)

Patrinia japonica Miq., Arch. Neerl. Sci. Exact. Nat. 5: 96 (1870)

Patrinia scabiosifolia Fisch. ex Trevir. var. *hispida* (Bunge) Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 38 (1883)

Patrinia scabiosifolia Fisch. ex Trevir. f. *glabra* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 538 (1907)

Patrinia scabiosifolia Fisch. ex Trevir. f. *hispida* (Bunge) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 538 (1907)

Patrinia scabiosifolia Fisch. ex Trevir. var. *nantcianensis* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 729 (1910)

***Patrinia villosa* (Thunb.) Juss., Ann. Mus. Natl. Hist. Nat. 10: 311 (1807) Nat: N Korea, S Korea** 똑갈

Valeriana villosa Thunb., Fl. Jap. (Thunberg) 32 (1784)

Patrinia ovata Bunge, Pl. Mongholic-Chin. 1: 23 (1835)

Patrinia graveolens Hance, Ann. Sci. Nat., Bot. ser. 4, 15: 224 (1861)

Patrinia dielsii Graebn., Bot. Jahrb. Syst. 29: 597 (1901)

Patrinia dielsii Graebn. var. *erosa* Graebn., Bot. Jahrb. Syst. 29: 589 (1901)

Patrinia dielsii Graebn. var. *shensiensis* Graebn., Bot. Jahrb. Syst. 29: 589 (1901)

Patrinia dielsii Graebn. var. *palustris* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 728 (1910)

Patrinia villosa (Thunb.) Juss. var. *ambigua* Pamp., Nuovo Giorn. Bot. Ital. 17: 728 (1910)

Patrinia villosa (Thunb.) Juss. var. *japonica* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 439 (1912)

Patrinia villosa (Thunb.) Juss. var. *sinensis* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 439 (1912)

Patrinia sinensis (H.Lév.) Koidz., Bot. Mag. (Tokyo) 43: 390 (1929)

Valeriana L.

***Valeriana amurensis* P.A.Smirn. ex Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 214 (1932) Nat: N Korea** 설령취우좁풀

Valeriana officinalis L., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 142 (1859)
Valeriana officinalis L. var. *incisa* f. *pubescens* Regel, Tent. Fl.-Ussur. 79 (1861)
Valeriana officinalis L. var. *exaltata* Herder, Bull. Soc. Imp. Naturalistes Moscou 55: 38 (1880)
Valeriana officinalis L. var. *incisa* (Rupr.) Nakai ex T.Mori, Enum. Pl. Corea 333 (1922)
Valeriana amurensis P.A.Smirn. ex Kom. f. *leiocarpa* H.Hara, J. Jap. Bot. 17: 127 (1941)
Valeriana sambucifolia J.C.Mikan ex Pohl subsp. *amurensis* (P.A.Smirn. ex Kom.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 387 (1956)

***Valeriana fauriei* Briq., Annuaire Conserv. Jard. Bot. Geneve 17: 327 (1914) Nat; N Korea, S Korea** 쥐오줌풀

Valeriana coreana Briq., Annuaire Conserv. Jard. Bot. Geneve 17: 326 (1914)
Valeriana pulchra Nakai, Index Sem. (TI) 36 (1940)
Valeriana fauriei Briq. f. *coreana* (Briq.) H.Hara, J. Jap. Bot. 17: 125 (1941)
Valeriana fauriei Briq. var. *dasycarpa* H.Hara, J. Jap. Bot. 17: 126 (1941)
Valeriana sambucifolia J.C.Mikan ex Pohl var. *dasycarpa* (Hara) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 387 (1956)
Valeriana sambucifolia J.C.Mikan ex Pohl var. *fauriei* (Briq.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 387 (1956)

***Valeriana sambucifolia* J.C.Mikan ex Pohl, Tent. Fl. Bohem. 1: 41 (1809) Nat; S Korea** 넓은잎쥐오줌풀

Valeriana officinalis L. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 114 (1867)
Valeriana officinalis L. var. *integra* Nakai, Bot. Mag. (Tokyo) 32: 109 (1918)
Valeriana dageletiana Nakai ex F.Maek., Bot. Mag. (Tokyo) 47: 618 (1933)
Valeriana dageletiana Nakai ex F.Maek. var. *integra* (Nakai) Nakai ex F.Maek., Bot. Mag. (Tokyo) 47: 618 (1933)
Valeriana sambucifolia J.C.Mikan ex Pohl f. *dageletiana* (Nakai ex F.Maek.) H.Hara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 6: 387 (1956)
Valeriana dageletiana Nakai ex F.Maek. var. *verticillata* S.H.Park, A Synomic List of Vascular Plants in Korea 1: 296 (2007)
Valeriana dageletiana Nakai ex F.Maek. f. *integra* (Nakai) S.H.Park, A Synomic List of Vascular Plants in Korea 1: 296 (2007)

Valerianella Mill.

***Valerianella locusta* (L.) Betcke, Animadv. Bot. Valer. 10 (1826) Int** 상치아재비
Valerianella locusta (L.) Betcke var. *olitorea* L., Sp. Pl. 33 (1753)

VERBENACEAE

Callicarpa L.

***Callicarpa dichotoma* (Lour.) Raeusch. ex K.Koch, Dendrologie 2: 336 (1872) Nat; S Korea** 좁작살나무

Porphyra dichotoma Lour., Fl. Cochinch. 1: 70 (1790)
Callicarpa purpurea Juss., Ann. Mus. Natl. Hist. Nat. 7: 67 (1806)
Callicarpa gracilis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 154 (1846)
Callicarpa jamamurasaki Siebold & Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 98 (1865)
Callicarpa sieboldii Zippel ex H.J.Lam, Verbenaceae Malayan Archipel. 85 (1919)
Callicarpa japonica Thunb. var. *dichotoma* (Lour.) Bakh., Bull. Jard. Bot. Buitenzorg

ser.3, 3: 26 (1921)

***Callicarpa japonica* Thunb., Fl. Jap. (Thunberg) 60 (1784) Nat: N Korea, S Korea 작살나무**

- Amictonis japonica* (Thunb.) Raf., Sylva Tellur. 161 (1838)
Callicarpa longifolia Lam. var. *subglabra* Schauer, Prodr. (DC.) 11: 645 (1847)
Callicarpa japonica Thunb. f. *parvifolia* Miq., Cat. Mus. Bot. Lugd.-Bat. 70 (1870)
Callicarpa japonica Thunb. f. *latifolia* Miq., Cat. Mus. Bot. Lugd.-Bat. 70 (1870)
Callicarpa japonica Thunb. f. *rugosior* Miq., Cat. Mus. Bot. Lugd.-Bat. 70 (1870)
Callicarpa japonica Thunb. var. *angustifolia* Sav., Livr. Kwa-wi 78 (1873)
Callicarpa taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 182 (1913)
Callicarpa japonica Thunb. var. *leucocarpa* Nakai, Trees Shrubs Japan 336 (1922)
Callicarpa japonica Thunb. var. *taquetii* (H.Lév.) Nakai, Trees Shrubs Japan 1: 336 (1922)
Callicarpa japonica Thunb. var. *glabra* Nakai, J. Jap. Bot. 14: 640 (1938)
Callicarpa japonica Thunb. f. *taquetii* (H.Lév.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 84 (1953)

Callicarpa japonica* Thunb var. *japonica

***Callicarpa japonica* Thunb. var. *luxurians* Rehder, Pl. Wilson. 3: 369 (1916) Nat: S Korea 왕작살나무**

- Callicarpa australis* Koidz., Bot. Mag. (Tokyo) 30: 326 (1916)
Callicarpa japonica Thunb. subsp. *luxurians* (Rehder) Masam. & Yanagih., Trans. Nat. Hist. Soc. Taiwan 31: 323 (1941)

***Callicarpa mollis* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 155 (1846) Nat: S Korea 새비나무**

- Callicarpa zollingeriana* Schauer, Prodr. (DC.) 11: 640 (1847)
Callicarpa farinosa Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 99 (1865)
Callicarpa mollis Siebold & Zucc. var. *ramosissima* Nakai, Trees Shrubs Japan, Revis. Ed. 2: 458 (1927)
Callicarpa chejuensis Y.H.Chung & H.Kim, Korean J. Pl. Taxon. 19: 21 (1989)
Callicarpa mollis Siebold & Zucc. f. *ramosissima* (Nakai) W.T.Lee, Lineamenta Florae Koreae 932 (1996)

***Callicarpa x shiraswana* Makino, Bot. Mag. (Tokyo) 24: 28 (1910) Nat: S Korea 개새비나무**

***Caryopteris* Bunge**

***Caryopteris incana* (Thunb. ex Houtt.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 97 (1865) Nat: S Korea 층꽃나무**

- Nepeta incana* Thunb. ex Houtt., Nat. Hist. (Houttuyn) 9: 307 (1778)
Barbula sinensis Lour., Fl. Cochinch. 2: 367 (1790)
Mastacanthus sinensis (Lour.) Endl., Repert. Bot. Syst. (Walpers) 4: 3 (1845)
Caryopteris mastacanthus Schauer, Prodr. (DC.) 11: 114 (1847)
Caryopteris ovata Miq., J. Bot. Néerl. 1: 114 (1861)
Caryopteris sinensis (Lour.) Dippel, Handb. Laubholz. 1: 59 (1889)
Caryopteris incana (Thunb. ex Houtt.) Miq. f. *candida* (C.K.Schneid.) H.Hara, Enum. Spermatophytarum Japon. 1: 187 (1948)

***Clerodendrum* L.**

***Clerodendrum japonicum* (Thunb.) Sweet, Hort. Brit. (Sweet) 322 (1827) Int 당오동**

Volkameria japonica Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 (1780)
Volkameria kaempferi Jacq., Icon. Pl. Rar. (Jacquin) 3: 207 (1789)
Clerodendrum squamatum Vahl, Symb. Bot. (Vahl) 2: 74 (1791)
Clerodendrum kaempferi Siebold, Verh. Batav. Genootsch. Kunsten 12: 31 (1830)
Clerodendrum imperialis Carrière, Rev. Hort. 46: 110 (1874)
Clerodendrum darrisii H.Lév., Repert. Spec. Nov. Regni Veg. 11: 301 (1912)
Clerodendrum esquirolii H.Lév., Repert. Spec. Nov. Regni Veg. 11: 302 (1912)
Clerodendrum japonicum (Thunb.) Sweet var. *album* S.J.Pei, Mem. Sci. Soc. China 1: 144 (1932)
Clerodendrum kaempferi Siebold var. *album* (S.J.Pei) Moldenke, Phytologia 1: 167 (1935)

***Clerodendrum trichotomum* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 201 (1780) Nat; N Korea, S Korea 누리장나무**

Clerodendrum serotinum Carrière, Rev. Hort. 39: 351 (1867)
Clerodendrum fargesii Dode, Bull. Soc. Dendrol. France 1907: 207 (1907)
Clerodendrum trichotomum Thunb. var. *fargesii* (Dode) Rehder, Pl. Wilson. 3: 376 (1916)
Clerodendrum koshunense Hayata, J. Coll. Sci. Imp. Univ. Tokyo 1: 217 (1917)
Clerodendrum trichotomum Thunb. var. *esculentum* Makino, J. Jap. Bot. 1: 29 (1917)
Clerodendrum trichotomum Thunb. var. *ferrugineum* Nakai, Bot. Mag. (Tokyo) 31: 109 (1917)
Siphonanthus trichotomus (Thunb.) Nakai, Bot. Mag. (Tokyo) 36: 24 (1922)
Siphonanthus trichotomus (Thunb.) Nakai var. *fargesii* Nakai, Trees Shrubs Japan 1: 346 (1922)
Siphonanthus trichotomus (Thunb.) Nakai var. *esculenta* (Makino) Nakai, Trees Shrubs Japan 1: 346 (1922)
Siphonanthus trichotomus (Thunb.) Nakai var. *ferrugineum* Nakai, Fl. Sylv. Kor. 14: 35 (1923)
Clerodendrum trichotomum Thunb. var. *tomentosum* Moldenke, Geogr. Distr. Avicenn. 38 (1939)
Clerodendrum trichotomum Thunb. f. *ferrugineum* (Nakai) Ohwi, Fl. Jap. (Ohwi) 992 (1953)
Clerodendrum trichotomum Thunb. var. *villosum* Hus, Observ. Fl. Hwangshan. 168 (1965)

***Glandularia* J.F.Gmel.**

***Glandularia phlogiflora* (Cham.) Schnack & Covas, Darwiniana 6: 475 (1944) Int
연지말초리플**

Verbena phlogiflora Cham., Linnaea 7: 266 (1832)

***Verbena* L.**

***Verbena bonariensis* L., Sp. Pl. 20 (1753) Int 벼들마편초**

***Verbena brasiliensis* Vell., Fl. Flumin. 1: t. 40, 17 (1829) Int 브라질마편초**

***Verbena officinalis* L., Sp. Pl. 20 (1753) Nat; S Korea 마편초**

Verbena spuria L., Sp. Pl. 20 (1753)

Verbena sororia D.Don, Prodr. Fl. Nepal. 104 (1825)

Verbena officinalis L. var. *ramosa* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 440 (1912)

***Vitex* L.**

***Vitex negundo* L., Sp. Pl. 2: 638 (1753) Nat; S Korea 목형**

Vitex chinensis Mill., Gard. Dict., ed. 8 0 (1768)
Vitex incisa Lam., Encycl. (Lamarck) 2: 612 (1788)
Vitex cannabifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 152 (1846)
Vitex incisa Lam. var. *heterophylla* Franch., Nouv. Arch. Mus. Hist. Nat. Paris ser. 2, 6: 112 (1883)
Vitex negundo L. var. *incisa* (Lam.) C.B. Clarke, Fl. Brit. Ind. 4: 584 (1885)
Vitex negundo L. f. *intermedia* C.P'ei, Mem. Sci. Soc. China 1: 105 (1932)
Vitex negundo L. var. *cannabifolia* (Siebold & Zucc.) Hand.-Mazz., Acta Horti Gothob. 9: 67 (1934)
Vitex negundo L. var. *heterophylla* (Franch.) Rehder, J. Arnold Arbor. 28: 258 (1947)

***Vitex rotundifolia* L.f., Suppl. Pl.294 (1781) Nat: S Korea 순비기나무**

Vitex ovata Thunb., Fl. Jap. (Thunberg) 257 (1784)
Vitex trifolia L. var. *simplicifolia* Cham., Linnæa 7: 107 (1832)
Vitex repens Blanco, Fl. Filip. 513 (1837)
Vitex trifolia L. var. *unifoliolata* Schauer, Prodr. (DC.) 11: 683 (1847)
Vitex trifolia L. var. *obovata* Benth., Fl. Austral. 5: 67 (1870)
Vitex agnuscastus L. var. *ovata* (Thunb.) Kuntze, Revis. Gen. Pl. 2: 511 (1891)
Vitex trifolia L. var. *ovata* (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 92 (1903)
Vitex trifolia L. var. *repens* (Blanco) Ridl., Fl. Malay. Penin. 2: 63 (1923)
Vitex trifolia L. subsp. *litoralis* Steenis, Blumea 8: 516 (1957)

VIOLACEAE

***Viola* L.**

***Viola acuminata* Ledeb., Fl. Ross. (Ledeb.) 1: 252 (1842) Nat: N Korea, S Korea 줄방제비꽃**

Viola micrantha Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 183 (1832)
Viola laciniosa A.Gray, Narr. Exped. China Japan 2: 308 (1857)
Viola canina var. *acuminata* (Ledeb.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 247 (1861)
Viola acuminata Ledeb. subsp. *austroussuriensis* W.Becker, Fl. Aziat. Ross. 8: 49 (1915)
Viola acuminata Ledeb. var. *dentata* W.Becker, Fl. Aziat. Ross. 8: 49 (1915)
Viola acuminata Ledeb. var. *intermedia* Nakai, Bot. Mag. (Tokyo) 30: 280 (1916)
Viola takesimana Nakai, Bot. Mag. (Tokyo) 36: 34 (1922)
Viola kishidae Nakai, Bot. Mag. (Tokyo) 31: 69 (1922)
Viola austroussuriensis (W.Becker) Kom., Opred. Rast. Dal'nevost. Kraia 2: 767 (1932)
Viola brevistipulata W.Becker var. *minor* Nakai, Bot. Mag. (Tokyo) 47: 260 (1933)
Viola brevistipulata W.Becker subsp. *brevistipulata* var. *minor* Nakai, Bot. Mag. (Tokyo) 47: 260 (1933)
Viola acuminata Ledeb. var. *glaberrima* H.Hara, J. Jap. Bot. 12: 220 (1936)
Viola flaviflora Nakai, J. Jap. Bot. 15: 401 (1939)
Viola turezaninowii Juz., Fl. URSS 15: 935 (1949)
Viola acuminata Ledeb. f. *shikokuensis* Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 195 (1954)
Viola acuminata Ledeb. f. *glaberrima* (H.Hara) Kitam., Acta Phytotax. Geobot. 20: 196 (1962)
Viola brevistipulata W.Becker subsp. *brevistipulata* var. *kishidai* (Nakai) F.Maek. & Hashim., J. Jap. Bot. 43: 161 (1968)
Viola brevistipulata W.Becker subsp. *minor* (Nakai) F.Maek. & Hashim., J. Jap. Bot. 43: 161 (1968)
Viola acuminata Ledeb. var. *austroussuriensis* (W.Becker) Kitag., Neolin. Fl. Manshur. 451

(1979)

Viola acuminata Ledeb. var. *brevistipulata* (W.Becker) Kitag., Neolin. Fl. Manshur. 451 (1979)

***Viola albida* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 30 (1899) Nat: N Korea, S Korea 태백제비꽃**

Viola dissecta Ledeb. var. *albida* (Palib.) Nakai, Icon. Pl. Koisikav 1: 93, pl. 47 (1912)

Viola albida* Palib. var. *albida

***Viola albida* Palib. var. *chaerophylloides* (Regel) F.Maek. ex Hara, Enum. Spermatophytarum Japon. 3: 195 (1954) Nat: N Korea, S Korea 남산제비꽃**

Viola pinnata var. *chaerophylloides* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 222 (1861)

Viola chaerophylloides (Regel) W.Becker, Bull. Herb. Boissier ser.2, 2: 856 (1902)

Viola dissecta var. *takahashii* (Nakai) Nakai, Icon. Pl. Koisikav 1: 94 (1912)

Viola dissecta Ledeb. var. *chaerophylloides* subvar. *takahashii* Makino, Bot. Mag. (Tokyo) 26: 154 (1912)

Viola dissecta Ledeb. var. *chaerophylloides* subvar. *albida* (Palib.) Makino, Bot. Mag. (Tokyo) 26: 155 (1912)

Viola dissecta Ledeb. var. *chaerophylloides* subvar. *simplicifolia* Makino, Bot. Mag. (Tokyo) 26: 155 (1912)

Viola dissecta Ledeb. var. *chaerophylloides* (Regel) Makino, Bot. Mag. (Tokyo) 26: 153 (1912)

Viola albida Palib. var. *takahashii* (Makino) Nakai, Bot. Mag. (Tokyo) 30: 286 (1916)

Viola sieboldiana (Maxim.) Makino var. *chaerophylloides* (Regel) Nakai, Bot. Mag. (Tokyo) 32: 226 (1918)

Viola napellifolia Nakai, Bot. Mag. (Tokyo) 36: 86 (1922)

Viola albida Palib. var. *suavis* Nakai, Bot. Mag. (Tokyo) 49: 419 (1935)

Viola albida Palib. var. *chaerophylloides* (Regel) F.Maek. ex H.Hara f. *variegata* F.Maek., Enum. Spermatophytarum Japon. 3: 105 (1954)

Viola xtakahashii Makino Taken., Claves Pl. Chin. Bor.-Or. 228 (1959)

Viola albida Palib. f. *takahashii* (Nakai) Kitag., Neolin. Fl. Manshur. 452 (1979)

***Viola arcuata* Blume, Bijdr. Fl. Ned. Ind. 2: 58 (1825) Nat: N Korea, S Korea 궁계비꽃**

Viola verecunda A.Gray, Mem. Amer. Acad. Arts n.s. 6: 382 (1858)

Viola excisa Hance, J. Bot. 6(70): 296 (1868)

Viola verecunda A.Gray var. *semilunaris* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 335 (1877)

Viola japonica (A.Gray) A.Gray var. *decumbens* Franch. & Sav., Enum. Pl. Jap. 2 (2): 287 (1878)

Viola japonica Langsd. ex DC. var. *pusilla* Franch. & Sav., Enum. Pl. Jap. 2 (2): 287 (1878)

Viola japonica Langsd. ex DC. var. *subaequiloba* Franch. & Sav., Enum. Pl. Jap. 2 (2): 287 (1878)

Viola verecunda A.Gray var. *excisa* (Hance) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 750 (1886)

Viola verecunda A.Gray f. *radicans* Makino, Bot. Mag. (Tokyo) 27: 153 (1913)

Viola alata Burgersd. subsp. *verecunda* (A.Gray) W.Becker, Beih. Bot. Centralbl. 34: 227 (1916)

Viola arcuata Blume subsp. *verecunda* (A.Gray) W.Becker, Beih. Bot. Centralbl. 34: 227 (1916)

Viola semilunaris (Maxim.) W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 231 (1916)

Viola arcuata Blume var. *verecunda* (A.Gray) Nakai, Bot. Mag. (Tokyo) 36: 88 (1922)

Viola arcuata Blume var. *verecunda* f. *radicans* Nakai, Bot. Mag. (Tokyo) 36: 88 (1922)

Viola excisa Hance var. *subaequiloba* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 36: 85

(1922)

Viola subaequiloba Nakai, Bot. Mag. (Tokyo) 36: 88 (1922)

Viola verecunda A.Gray var. *subaequiloba* (Franch. & Sav.) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 221 (1954)

***Viola arvensis* Murray, Prodr. Stirp. Gott. 73 (1770) Int 야생팬지**

Mnemon arvense (Murray) Nieuwl. & Kaczm., Amer. Midl. Naturalist 3: 217 (1914)

***Viola biflora* L., Sp. Pl. 2: 936 (1753) Nat: N Korea 장백제비꽃**

Viola biflora L. var. *crassifolia* Makino, Bot. Mag. (Tokyo) 16: 139 (1902)

Viola crassa Makino, Bot. Mag. (Tokyo) 19: 87 (1905)

Viola schulzeana W.Becker, Beih. Bot. Centralbl. 34: 261 (1916)

Viola tayemonii Hayata, Icon. Pl. Formosan. 5: 3 (1916)

Viola biflora L. var. *hirsuta* W.Becker, Beih. Bot. Centralbl. 36: 42 (1918)

Viola biflora L. var. *nudicaulis* W.Becker, Beih. Bot. Centralbl. 36: 42 (1918)

Viola chingiana W.Becker, Proc. Biol. Soc. Wash. 38: 117 (1925)

Viola crassa Makino var. *vegeta* Nakai, Bot. Mag. (Tokyo) 42: 565 (1928)

Viola crassa Makino var. *shikkensis* Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 133 (1938)

***Viola collina* Besser, Enum. Pl. (Besser) 10 (1822) Nat: N Korea, S Korea 등근털제비꽃**

Viola hirta L. var. *alpina* Ging., Prodr. (DC.) 2: 295 (1824)

Viola hirta L. var. *collina* (Besser) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 481 (1861)

***Viola diamantiaca* Nakai, Bot. Mag. (Tokyo) 33: 205 (1919) Nat: S Korea 금강제비꽃**

Viola diamantiaca Nakai var. *glabrior* Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 1, Pl. Nov. Jehol. 123 (1934)

Viola diamantiaca Nakai f. *glabrior* (Kitag.) Kitag., Neolin. Fl. Manshur. 453 (1979)

***Viola dissecta* Ledeb., Fl. Altaic. 1: 255 (1829) Nat: S Korea 갈래잎제비꽃**

Papaver setigerum DC., Fl. Franc. (DC. & Lamarck) ed. 3 5: 585 (1815)

Viola pinnata var. *dissecta* (Ledeb.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 222 (1861)

Papaver somniferum L. var. *setigerum* (DC.) Boiss., Fl. Orient. 1: 116 (1867)

Viola pinnata subsp. *multifida* W.Becker, Repert. Spec. Nov. Regni Veg. Beih. 12: 439 (1922)

Viola dissecta Ledeb. var. *pubescens* (Regel) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 296 (1935)

Viola x lii Kitag., J. Jap. Bot. 19: 110 (1943)

Viola dissecta Ledeb. f. *pubescens* (Regel) Kitag., J. Jap. Bot. 34: 7 (1959)

***Viola epipsiloides* A.Löve & D.Löve, Bot. Not. 128: 516 (1975) Nat: N Korea 누운제비꽃**

Viola repens Turcz. ex Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 18 (1856)

Viola epipsila Ledeb. subsp. *repens* (Turcz.) W.Becker, Beih. Bot. Centralbl. 34: 406 (1916)

Viola blandiformis Nakai, Bull. Soc. Bot. France 72: 192 (1925)

***Viola grypoceras* A.Gray, Narr. Exped. China Japan 2, Append.: 308 (1856) Nat: S Korea 낚시제비꽃**

Viola canina var. *japonica* Ging., Prodr. (DC.) 1: 298 (1824)

Viola sylvestris Lam. var. *imberbis* A.Gray, Mem. Amer. Acad. Arts ser. 2 6 (2): 382 (1859)

Viola sylvestris Lam. var. *acaulis* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 154 (1865)
Viola sylvestris Lam. var. *exilis* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 154 (1865)
Viola sylvestris Lam. var. *gryoceras* (A.Gray) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 330 (1877)
Viola longipedunculata Franch. & Sav., Enum. Pl. Jap. 2: 286 (1878)
Viola leveillei H.Boissieu, Bull. Acad. Int. Géogr. Bot. 11: 91 (1902)
Viola sylvestris Lam. var. *japonica* (Ging.) Makino, Bot. Mag. (Tokyo) 16: 146 (1902)
Viola coreana H.Boissieu, Bull. Soc. Bot. France 58: 213 (1911)
Viola gryoceras A.Gray f. *albiflora* Nakai, Bot. Mag. (Tokyo) 30: 281 (1916)
Viola gryoceras A.Gray var. *barbata* W.Becker, Repert. Spec. Nov. Regni Veg. Beih. 12: 440 (1922)
Viola hideoi Nakai, Bot. Mag. (Tokyo) 36: 33 (1922)
Viola hideoi Nakai var. *robustior* Nakai, Bot. Mag. (Tokyo) 36: 33 (1922)
Viola gryoceras A.Gray var. *exilis* (Miq.) Nakai, Bot. Mag. (Tokyo) 36: 55 (1922)
Viola gryoceras A.Gray var. *exilis* f. *albiflora* Nakai, Bot. Mag. (Tokyo) 36: 55 (1922)
Viola krugiana W.Becker, Repert. Spec. Nov. Regni Veg. 21: 261 (1925)
Viola pruniflora Nakai, Bot. Mag. (Tokyo) 42: 563 (1928)
Viola lucida Nakai, J. Jap. Bot. 15: 406 (1939)
Viola gryoceras A.Gray var. *imberbis* (A.Gray) Ohwi, Fl. Jap. (Ohwi) 796 (1953)
Viola gryoceras A.Gray f. *chionantha* F.Maek., Enum. Spermatophytarum Japon. 3: 202 (1954)

***Viola hirtipes* S.Moore, J. Linn. Soc., Bot. 17: 379, t. 16, f (1879) Nat; N Korea, S Korea
 흰털제비꽃**

Viola miyabei Makino, Bot. Mag. (Tokyo) 16: 124 (1902)
Viola phalacrocarpa Maxim. var. *pallida* Yatabe, Bot. Mag. (Tokyo) 16: 102 (1902)
Viola hirtipes S.Moore var. *grisea* Nakai, Bot. Mag. (Tokyo) 30: 284 (1916)
Viola hirtipes S.Moore var. *lanata* Nakai, Chosen Shokubutsu 125 (1914)
Viola kamibayashii Nakai, Bot. Mag. (Tokyo) 30: 287 (1916)
Viola hirtipedoides W.Becker, Repert. Spec. Nov. Regni Veg. 17: 73 (1921)
Viola hirtipes S.Moore var. *miyabei* (Makino) Nakai, Bot. Mag. (Tokyo) 36: 85 (1922)
Viola hirtipes S.Moore f. *grisea* (Nakai) Hiyama, J. Jap. Bot. 28: 94 (1953)

***Viola hondoensis* W.Becker & H.Boissieu, Bull. Herb. Boissier ser. 2, 8: 739 (1908) Nat; N Korea, S Korea
 아욱제비꽃**

Viola hirta L. var. *japonica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 327 (1877)
Viola yatabei Makino, Bot. Mag. (Tokyo) 16: 122 (1902)
Viola teshioensis Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 187 (1936)

***Viola japonica* Langsd. ex DC., Prodr. (DC.) 1: 295 (1824) Nat; S Korea
 왜제비꽃**

Viola philippica Cav. subsp. *malesica* W.Becker, Bot. Jahrb. Syst. 54: 178 (1917)
Viola kapsanensis Nakai var. *albiflora* (Nakai) Nakai, Bot. Mag. (Tokyo) 36: 36 (1922)
Viola kapsanensis Nakai, Bot. Mag. (Tokyo) 36: 35 (1922)
Viola meta-japonica Nakai, Bull. Soc. Bot. France 72: 192 (1925)
Viola japonica Langsd. ex DC. var. *variegata* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 132 (1934)
Viola japonica Langsd. ex DC. f. *variegata* (Hatus.) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 205 (1954)

***Viola keiskei* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 153 (1865) Nat; N Korea
 잔털제비꽃**

Viola keiskei Miq. var. *okuboii* Makino, Bot. Mag. (Tokyo) 16: 133 (1902)
Viola hirta L. f. *keiskei* (Miq.) Makino, Bot. Mag. (Tokyo) 17: 86 (1903)
Viola okuboii (Makino) Makino, Bot. Mag. (Tokyo) 17: 85 (1903)

Viola okuboi (Makino) Makino var. *glabra* Makino, Bot. Mag. (Tokyo) 17: 86 (1903)
Viola keiskei Miq. var. *glabra* W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 252 (1916)
Viola keiskei Miq. f. *glaberrima* Becker, Beih. Bot. Centralbl. Abt. 2, 40: 155 (1923)
Viola keiskei Miq. f. *okuboi* (Makino) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 205 (1954)

***Viola kusanoana* Makino, Bot. Mag. (Tokyo) 26: 173 (1912) Nat: S Korea 큰줄방제비꽃**
Viola silvestriformis W.Becker, Beih. Bot. Centralbl. 34: 242 (1916)
Viola insularis Nakai, Bot. Mag. (Tokyo) 32: 108 (1918)
Viola kusanoana Makino var. *glabra* Nakai, Bot. Mag. (Tokyo) 36: 57 (1922)
Viola dageletiana Nakai, Bull. Soc. Bot. France 72: 195 (1925)

***Viola lactiflora* Nakai, Bot. Mag. (Tokyo) 28: 329 (1914) Nat: N Korea, S Korea 흰젓제비꽃**
Viola limprichtiana W.Becker, Bot. Jahrb. Syst. 54 (5): 184 (1917)

***Viola mandshurica* W.Becker, Bot. Jahrb. Syst. 54(5, Beibl. 120): 179 (1917) Nat: N Korea, S Korea 제비꽃**

Viola patrinii DC. ex Ging. var. *macrantha* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 48 (1859)
Viola chinensis (G.Don) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 446 (1911)
Viola chinensis (G.Don) Nakai var. *media* Nakai, Bot. Mag. (Tokyo) 30: 284 (1916)
Viola chinensis (G.Don) Nakai var. *transitica* Nakai, Bot. Mag. (Tokyo) 30: 283 (1916)
Viola mandshurica W.Becker var. *ciliata* Nakai, Bot. Mag. (Tokyo) 36: 60 (1922)
Viola mandshurica W.Becker var. *glabra* Nakai, Bot. Mag. (Tokyo) 36: 60 (1922)
Viola albida Palib. subsp. *marginata* W.Becker, Beih. Bot. Centralbl. 40: 141 (1924)
Viola oldhamiana Nakai, Bot. Mag. (Tokyo) 42: 559 (1928)
Viola oblongosagittata Nakai f. *ishizakii* Yamam., J. Soc. Trop. Agric. 5: 352 (1933)
Viola mandshurica W.Becker f. *macrantha* (Maxim.) Nakai ex Kitag., Lin. Fl. Manshur. 321 (1939)
Viola mandshurica W.Becker var. *media* (Nakai) Hiyama, J. Jap. Bot. 28: 93 (1953)
Viola mandshurica W.Becker var. *glabripetala* Hiyama, J. Jap. Bot. 28: 93 (1953)
Viola mandshurica W.Becker f. *ciliata* (Nakai) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 207 (1954)
Viola mandshurica W.Becker f. *glabra* (Nakai) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 208 (1954)
Viola hsinganensis Taken., Sci. Contr. Northeast Norm. Univ. 1: 81 (1955)
Viola patrinii DC. ex Ging. var. *gmeliniana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 152 (1965)

***Viola mirabilis* L., Sp. Pl. 2: 936 (1753) Nat: N Korea 넓은잎제비꽃**

Viola apetala Gilib., Fl. Lit. Inch. 2: 124 (1782)
Viola mirabilis L. var. *subglabra* Ledeb., Fl. Ross. (Ledeb.) 1: 251 (1842)
Viola mirabilis L. var. *vulgaris* Ledeb., Fl. Ross. (Ledeb.) 1: 251 (1842)
Viola brachysepala Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg Divers Savans 9: 50 (1859)
Viola mirabilis L. var. *brachysepala* (Maxim.) Regel, Bull. Soc. Imp. Naturalistes Moscou 4: 450 (1861)
Viola mirabilis L. var. *kusnetzoffii* Regel, Bull. Soc. Imp. Naturalistes Moscou 4: 450 (1861)
Viola mirabilis L. var. *subglabra* f. *strigosa* W.Becker, Fl. Aziat. Ross. 8: 29 (1915)
Viola mirabilis L. var. *glaberrima* W.Becker, Beih. Bot. Centralbl. 24: 237 (1916)
Viola mirabilis L. var. *brevicalcarata* Nakai, Bot. Mag. (Tokyo) 33: 9 (1919)
Viola mirabilis L. var. *platysepala* Kitag., Bot. Mag. (Tokyo) 48: 103 (1934)

***Viola mongolica* Franch., Pl. David. 1: 42 (1884) Nat: S Korea 경성제비꽃**

***Viola muehldorfii* Kiss, Bot. Közlem. 19: 92 (1921) Nat: N Korea 털대제비꽃**

Viola lasiostipes Nakai, Bot. Mag. (Tokyo) 36: 32 (1922)

***Viola obtusa* (Makino) Makino, Bot. Mag. (Tokyo) 26: 151 (1912) Nat: S Korea 사향제비꽃**

Viola ovato-oblonga (Miq.) Makino var. *obtusa* Makino, Bot. Mag. (Tokyo) 26: 151 (1912)

***Viola orientalis* (Maxim.) W.Becker, Fl. Aziat. Ross. 8: 95 (1915) Nat: N Korea, S Korea 노랑제비꽃**

Viola uniflora L., Sp. Pl. 936 (1753)

Viola uniflora L. var. *capsulaglabra* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 9: 752 (1876)

Viola uniflora L. var. *orientalis* Maxim., Enum. Pl. Mongolia 1: 81 (1889)

Viola uniflora L. f. *glabricapsula* Makino, Bot. Mag. (Tokyo) 26: 172 (1912)

Viola uniflora L. var. *glabricapsula* Nakai, Bot. Mag. (Tokyo) 26: 172 (1912)

Viola orientalis (Maxim.) W.Becker var. *conferta* W.Becker, Beih. Bot. Centralbl. 36: 50 (1918)

Viola conferta (W.Becker) Nakai, Bot. Mag. (Tokyo) 36: 31 (1922)

Viola xanthopetala Nakai, Bot. Mag. (Tokyo) 36: 29 (1922)

***Viola ovato-oblonga* (Miq.) Makino, Bot. Mag. (Tokyo) 21: 59 (1907) Nat: S Korea**

긴잎제비꽃

Viola sylvestris Lam. f. *ovato-oblonga* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 154 (1865)

Viola sylvestris Lam. var. *montana* Yatabe, Bot. Mag. (Tokyo) 6: 131 (1892)

Viola sylvestris Lam. var. *ovato-oblonga* (Miq.) Makino, Bot. Mag. (Tokyo) 16: 137 (1902)

Viola grypoceras A.Gray var. *pubescens* Nakai, Bot. Mag. (Tokyo) 36: 55 (1922)

Viola grypoceras A.Gray var. *ovato-oblonga* (Makino) W.Becker, Beih. Bot. Centralbl. Abt. 2, 40: 41 (1923)

Viola ovato-oblonga (Miq.) Makino f. *pubescens* F.Maek., Enum. Spermatophytarum Japon. 3: 211 (1954)

***Viola papilionacea* Pursh, Fl. Amer. Sept. (Pursh) 1: 173 (1814) Int 종지나물**

***Viola patrinii* DC. ex Ging., Prodr. (DC.) 1: 293 (1824) Nat: N Korea, S Korea 흰제비꽃**

Viola primulifolia L., Sp. Pl. 2: 934 (1753)

Viola patrinii DC. ex Ging. var. *subsagittata* Maxim., Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 48 (1859)

Viola nipponica Makino, Bot. Mag. (Tokyo) 21: 56 (1907)

Viola phalacrocarpoides Makino, Bot. Mag. (Tokyo) 23: 136 (1909)

Viola patrinii DC. ex Ging. f. *hispida* W.Becker, Beih. Bot. Centralbl. Abt. 34: 245 (1916)

Viola phalacrocarpa Maxim. var. *glaberrima* W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 246 (1916)

Viola reinii W.Becker, Beih. Bot. Centralbl. 34(11): 422 (1917)

Viola primulifolia L. var. *prunellifolia* Nakai, Bull. Soc. Bot. France 72: 189 (1925)

Viola primulifolia L. var. *glabra* Nakai, Bull. Soc. Bot. France 72: 190 (1925)

Viola patrinii DC. ex Ging. f. *prunellifolia* (Nakai) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 212 (1954)

Viola patrinii DC. ex Ging. var. *glabra* (Nakai) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 212 (1954)

Viola phalacrocarpa Maxim. f. *glaberrima* (W.Becker) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 213 (1954)

***Viola phalacrocarpa* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 726 (1876) Nat: N Korea, S Korea 털제비꽃**

- Viola hirta* L. var. *glabella* Regel, Mem. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 4: 77 (1861)
Viola prionantha Bunge var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 153 (1865)
Viola conilii Franch. & Sav., Enum. Pl. Jap. 2: 285 (1878)
Viola ishidyana Nakai, Bot. Mag. (Tokyo) 30: 288 (1916)
Viola oudemansii W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 422 (1916)
Viola pseudoprionantha W.Becker, Beih. Bot. Centralbl. 34: 423 (1917)
Viola seoulensis Nakai, Bot. Mag. (Tokyo) 32: 218 (1918)
Viola phalacrocarpa Maxim. var. *ishidyana* (Nakai) Nakai, Bot. Mag. (Tokyo) 36: 85 (1922)

***Viola philippica* Cav., Icon. (Cavanilles) 6: 19 (1801) Nat: N Korea, S Korea 호제비꽃**

- Viola microphylla* Phil., Linnaea 28: 611 (1857)
Viola yedoensis Makino, Bot. Mag. (Tokyo) 26: 148 (1912)
Viola philippica Cav. subsp. *munda* W.Becker, Bot. Jahrb. Syst. 54: 175 (1917)
Viola alisoviana Kiss, Bot. Közlem. 19: 93 (1921)

***Viola raddeana* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 463 (1861) Nat: N Korea, S Korea 선제비꽃**

- Viola deltoidea* Yatabe, Bot. Mag. (Tokyo) 5: 318 (1891)
Viola raddeana Regel var. *japonica* Makino, Bot. Mag. (Tokyo) 6: 50 (1892)

***Viola rossii* Hemsl., J. Linn. Soc., Bot. 23: 54 (1886) Nat: N Korea, S Korea 고깔제비꽃**

- Viola pachyrhiza* Franch., Bull. Soc. Bot. France 26: 84 (1879)
Viola franchetii H.Boissieu, Bull. Soc. Bot. France 47: 321 (1900)
Viola matsumurae Makino, Bot. Mag. (Tokyo) 16: 134 (1902)

***Viola sacchalinensis* H.Boissieu, Bull. Soc. Bot. France 57: 188 (1910) Nat: N Korea 왜줄방제비꽃**

- Viola canina* var. *kamtschatica* Ging., Linnaea 1: 407 (1826)
Viola komarovii W.Becker, Beih. Bot. Centralbl. 34: 237 (1916)
Viola koraiensis Nakai, Bot. Mag. (Tokyo) 30: 281 (1916)
Viola mutsuensis W.Becker, Beih. Bot. Centralbl. 34: 241 (1916)
Viola sacchalinensis H.Boissieu var. *alpicola* P.Y.Fu & Y.C.Teng, Fl. Pl. Herb. Chin. Bor.-Or. 6: 291 (1977)

***Viola selkirkii* Pursh ex Goldie, Edinburgh Philos. J. 6: 324 (1822) Nat: N Korea, S Korea 뫼제비꽃**

- Viola hirta* L. var. *umbrosa* Wahlenb., Fl. Suec. [Wahlenberg] 1: 543 (1826)
Viola kamtschatica Ging., Linnaea 1: 406 (1826)
Viola imberbis Ledeb., Fl. Altaic. 1: 257 (1828)
Viola umbrosa Fr., Novit. Fl. Suec. Alt. ed. 2: 271 (1828)
Viola borealis Weinm., Linnaea 10: 66 (1835)
Viola kamtschatica Ging. var. *umbrosa* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 227 (1861)
Viola selkirkii Pursh ex Goldie var. *subglabra* W.Becker, Fl. Aziat. Ross. 8: 73 (1915)
Viola selkirkii Pursh ex Goldie var. *angustistipulata* W.Becker, Beih. Bot. Centralbl. 34: 245 (1917)

Viola selkirkii Pursh ex Goldie var. *brevicalcarata* W.Becker, Beih. Bot. Centralbl. 34: 414 (1917)
Viola selkirkii Pursh ex Goldie var. *albiflora* Nakai, Bot. Mag. (Tokyo) 33: 9 (1919)
Viola selkirkii Pursh ex Goldie var. *variegata* Nakai, Bot. Mag. (Tokyo) 36: 37 (1922)
Viola selkirkii Pursh ex Goldie var. *glabrescens* W.Becker & Hultén, Ark. Bot. 22: A-3 (1928)
Viola selkirkii Pursh ex Goldie f. *albiflora* (Nakai) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 217 (1954)
Viola selkirkii Pursh ex Goldie f. *subglabra* (W.Becker) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 217 (1954)
Viola selkirkii Pursh ex Goldie f. *variegata* (Nakai) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 217 (1954)
Viola ulleungdoensis M.Kim & J.S.Lee, Korean J. Pl. Taxon. 42: 203 (2012)
Viola ulleungdoensis M.Kim & J.S.Lee f. *albiflora* M.Kim, Korean J. Pl. Taxon. 42: 204 (2012)

***Viola tenuicornis* W.Becker, Beih. Bot. Centralbl. 34: 248 (1916) Nat: N Korea
자주알록계미꽃**

Viola variegata Fisch. ex Link var. *chinensis* Bunge ex Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 226 (1861)
Viola variegata Fisch. ex Link var. *nipponica* Makino, Bot. Mag. (Tokyo) 16: 159 (1902)
Viola tenuicornis W.Becker subsp. *trichosepala* W.Becker, Beih. Bot. Centralbl. 34: 248 (1916)
Viola trichosepala (W.Becker) Juz., Fl. URSS 15: 416 (1949)
Viola variegata Fisch. ex Link f. *nipponica* (Makino) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 220 (1954)

***Viola tokubuchiana* Makino var. *takedana* (Makino) F.Maek., Enum. Spermatophytarum Japon. 3: 28 (1954) Nat: S Korea 민둥피계미꽃**

Viola takedana Makino, Bot. Mag. (Tokyo) 21: 57 (1907)
Viola scabrada Nakai, Bot. Mag. (Tokyo) 28: 312 (1914)
Viola takedana Makino var. *tenuicornis* Nakai, Bot. Mag. (Tokyo) 36: 60 (1922)
Viola tokubuchiana Makino var. *tenuicornis* (Nakai) F.Maek. ex Hashim., J. Jap. Bot. 43: 162 (1968)
Viola tokubuchiana Makino var. *tenuicornis* f. *takedana* (Makino) F.Maek. ex Hashim., J. Jap. Bot. 43: 162 (1968)

***Viola tricolor* L., Sp. Pl. 935 (1753) Int 삼색계미꽃**

Viola tricolor L. var. *hortensis* DC., Prodr. (DC.) 1: 303 (1824)
Viola tricolor L. var. *genuina* Witttr., Acta Horti Berg. 2: 36 (1897)

***Viola variegata* Fisch. ex Link, Enum. Hort. Berol. Alt. 1: 240 (1821) Nat: N Korea, S Korea
알록계미꽃**

Viola ircutiana Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 298 (1842)
Viola variegata Fisch. ex Link var. *ircutiana* (Turcz.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 226 (1861)
Viola umemurae Makino, Bot. Mag. (Tokyo) 16: 131 (1902)
Viola variegata Fisch. ex Link f. *glaberrima* W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 247 (1916)
Viola baicalensis W.Becker, Beih. Bot. Centralbl. 34: 250 (1917)
Viola tenuicornis W.Becker subsp. *baicalensis* (W.Becker), Beih. Bot. Centralbl. 34: 251 (1917)
Viola tenuicornis W.Becker subsp. *primorskajensis* W.Becker, Beih. Bot. Centralbl. 34: 250 (1917)

Viola variegata Fisch. ex Link var. *viridis* Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 264 (1937)
Viola variegata Fisch. ex Link f. *ircutiana* (Turcz.) F.Maek. ex H.Hara, Enum. Spermatophytarum Japon. 3: 220 (1954)
Viola variegata Fisch. ex Link f. *viridis* (Kitag.) P.Y.Fu & Y.C.Teng, Fl. Pl. Herb. Chin. Bor.-Or. 6: 105 (1977)

***Viola violacea* Makino, Ill. Fl. Japan 1: 17 (1891) Nat: S Korea 자주잎제비꽃**
Viola makinoi H.Boissieu, Bull. Soc. Bot. France 47: 320 (1900)
Viola obtusosagitta Koidz., Bot. Mag. (Tokyo) 39: 29 (1925)
Viola sacraricola Nakai, Bot. Mag. (Tokyo) 42: 561 (1928)

***Viola websteri* Hemsl., J. Linn. Soc., Bot. 23: 56 (1886) Nat: N Korea 왕제비꽃**

VISCACEAE

Korthalsella Tiegh.

***Korthalsella japonica* (Thunb.) Engl., Nat. Pflanzenfam. Nachtr. 1: 138 (1897) Nat: S Korea 동백나무겨우살이**

Viscum opuntia Thunb., Fl. Jap. (Thunberg) 64 (1784)
Viscum japonicum Thunb., Trans. Linn. Soc. London 2: 329 (1794)
Viscum moniliforme Wight & Arn., Prodr. Fl. Ind. Orient. 1: 380 (1834)
Bifaria fasciculata Tiegh., Bull. Soc. Bot. France 43: 174 (1896)
Bifaria japonica (Thunb.) Tiegh., Bull. Soc. Bot. France 43: 173 (1896)
Pseudixus japonicus (Thunb.) Hayata, Icon. Pl. Formosan. 5: 188 (1915)
Korthalsella moniliformis (Wight & Arn.) Lecomte, Bull. Mus. Natl. Hist. Nat. 22: 265 (1916)
Korthalsella fasciculata (Tiegh.) Lecomte, Bull. Mus. Natl. Hist. Nat. 22: 266 (1916)
Korthalsella opuntia (Thunb.) Merr., Bot. Mag. (Tokyo) 30: 68 (1922)
Bifaria opuntia (Thunb.) Merr., Enum. Philipp. Fl. Pl. 2: 113 (1923)

Viscum L.

***Viscum coloratum* (Kom.) Nakai, Rep. Veg. Ooryongto 17 (1919) Nat: N Korea, S Korea 겨우살이**

Viscum album L. var. *rubroaurantiacum* Makino, Bot. Mag. (Tokyo) 18: 67 (1904)
Viscum album L. subsp. *coloratum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 107 (1904)
Viscum album L. var. *lutescens* Makino, Bot. Mag. (Tokyo) 25: 17 (1911)
Viscum coloratum (Kom.) Nakai var. *rubroaurantiacum* (Makino) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 492 (1934)
Viscum coloratum (Kom.) Nakai var. *lutescens* (Makino) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26 (4): 492 (1934)
Viscum coloratum (Kom.) Nakai f. *rubroaurantiacum* (Makino) Kitag., Lin. Fl. Manshur. 173 (1939)
Viscum coloratum (Kom.) Nakai f. *lutescens* Kitag., Lin. Fl. Manshur. 173 (1939)
Viscum album L. var. *coloratum* (Kom.) Ohwi, Fl. Jap. (Ohwi) 449 (1953)
Viscum album L. f. *rubroaurantiacum* (Makino) Ohwi, Neolin. Fl. Manshur. 226 (1979)
Viscum album L. subsp. *coloratum* f. *lutescens* (Makino) Kitag., Neolin. Fl. Manshur. 226 (1979)

VITACEAE

Ampelopsis Michx.

***Ampelopsis heterophylla* (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer.**

Akad. Wiss. 4: 197 (1845) Nat; N Korea, S Korea 개머루

Vitis heterophylla Thunb., Syst. Veg., ed. 14 (J. A. Murray) 244 (1784)

Ampelopsis humulifolia Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 84 (1833)

Allosampela heterophylla (Thunb.) Raf., Sylva Tellur. 88 (1838)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 197 (1845)

Ampelopsis humulifolia Bunge var. *heterophylla* (Thunb.) K.Koch, Hort. Dendrol. 48 (1853)

Vitis elegans K.Koch, Index Seminum Hort. Bot. Berol. 1855 16 (1855)

Cissus brevipedunculata Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 68 (1859)

Cissus bryonifolia Regel, Tent. Fl.-Ussur. 3 (1861)

Cissus humulifolia Regel var. *brevipedunculata* Regel, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 7 4: 35 (1861)

Vitis sinica Miq., J. Bot. Néerl. 1: 125 (1861)

Vitis heterophylla Thunb. var. *humulifolia* (Bunge) Hook., Bot. Mag. 93: pl. 5682 (1867)

Cissus elegans (K.Koch) K.Koch, Dendrologie 1: 555 (1869)

Vitis heterophylla Thunb. var. *cordata* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 392 (1873)

Vitis heterophylla Thunb. var. *maximowiczii* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 392 (1873)

Vitis heterophylla Thunb. var. *elegans* (K.Koch) Regel, Gartenflora 22: 197 (1873)

Vitis humulifolia f. *glabra* Debeaux, Actes Soc. Linn. Bordeaux 31: 132 (1876)

Ampelopsis brevipedunculata (Maxim.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 8: 176 (1883)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. var. *amurensis* Planch., Monogr. Phan. 5: 456 (1887)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. var. *bungei* subvar. *sieboldii* Planch., Monogr. Phan. 5: 456 (1887)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. var. *lavalleyi* Planch., Monogr. Phan. 5: 456 (1887)

Vitis citrulloides Dippel, Handb. Laubholz. 2: 565 (1891)

Ampelopsis regeliana Dippel, Handb. Laubholz. 2: 565 (1892)

Vitis brevipedunculata (Maxim.) Dippel, Handb. Laubholz. 2: 564 (1892)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. f. *elegans* Voss, Vilm. Blumengaertn., ed. 3 1: 183 (1894)

Vitis heterophylla Thunb. var. *variegata* G.Nicholson, Hand-list Trees & Shrubs Arb. 1: 77 (1894)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. var. *bungei* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 57 (1898)

Vitis heterophylla Thunb. var. *tricolor* G.Nicholson, Hand-list Trees & Shrubs Arb. 2: 117 (1902)

Ampelopsis brevipedunculata (Maxim.) Trautv. var. *citrulloides* (Lebas) Rehder, Stand. Cycl. Hort. 1: 278 (1914)

Ampelopsis brevipedunculata (Maxim.) Trautv. var. *maximowiczii* (Regel) Rehder, Gentes Herb. 1: 36 (1920)

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. var. *ciliata* Nakai, Bot. Mag. (Tokyo)

35: 5 (1921)

Ampelopsis brevipedunculata (Maxim.) Trautv. f. *citrulloides* (Lebas) Rehder, J. Arnold Arbor. 2: 176 (1921)

Ampelopsis brevipedunculata (Maxim.) Trautv. f. *elegans* (K.Koch) Rehder, J. Arnold Arbor. 2: 176 (1921)

Ampelopsis brevipedunculata (Maxim.) Trautv. var. *elegans* (K.Koch) L.H.Bailey, Gentes Herb. 4: 135 (1923)

Ampelopsis brevipedunculata (Maxim.) Trautv. var. *heterophylla* (Thunb.) H.Hara, Enum. Spermatophytarum Japon. 3: 133 (1954)

Ampelopsis brevipedunculata (Maxim.) Trautv. f. *ciliata* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 311 (1966)

Ampelopsis glandulosa var. *brevipedunculata* (Maxim.) Momiy., J. Jap. Bot. 52: 30 (1977)

Ampelopsis glandulosa var. *heterophylla* (Thunb.) Momiy., J. Jap. Bot. 52: 30 (1977)

Ampelopsis glandulosa var. *heterophylla* f. *citrulloides* (Lebas) Momiy., J. Jap. Bot. 52: 31 (1977)

***Ampelopsis japonica* (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 113 (1903) Nat: N Korea**

가회톱

Paullinia japonica Thunb., Syst. Veg., ed. 14 (J. A. Murray) 380 (1784)

Ampelopsis serianifolia Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 86 (1833)

Cissus serianifolia (Bunge) Walp., Repert. Bot. Syst. (Walpers) 1: 441 (1842)

Cissus viticifolia Siebold & Zucc. var. *pinnatifida* Siebold & Zucc. ex Regel, Gartenflora 16: 4 (1867)

Ampelopsis lucida Carrière, Rev. Hort. 40: 39 (1868)

Ampelopsis napiformis Carrière, Rev. Hort. 42: 16 (1870)

Ampelopsis tuberosa Carrière, Rev. Hort. 42: 16 (1870)

Vitis serianifolia (Bunge) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 9: 149 (1886)

Ampelopsis dissecta Koehne, Deut. Dendrol. 400 (1893)

Ampelopsis mirabilis Diels & Gilg, Bot. Jahrb. Syst. 29: 465 (1900)

Vitis dunniana H.Lév., Repert. Spec. Nov. Regni Veg. 11: 297 (1912)

Cayratia Juss. & F.Cuvier

***Cayratia japonica* (Thunb.) Gagnep., Notul. Syst. (Paris) 1: 349 (1911) Nat: S Korea**

겨지덩굴

Vitis japonica Thunb., Syst. Veg., ed. 14 (J. A. Murray) 244 (1784)

Cissus japonica (Thunb.) Willd., Sp. Pl. 659 (1798)

Cissus leucocarpa Blume, Bijdr. Fl. Ned. Ind. 4: 189 (1825)

Vitis tenuifolia Wight & Arn., Prodr. Fl. Ind. Orient. 129 (1834)

Causonia japonica (Thunb.) Raf., Sylva Tellur. 87 (1838)

Cissus cyanocarpa Miq., Fl. Ned. Ind. 1: 603 (1859)

Cissus japonica (Thunb.) Willd. var. *dentata* Makino, Bot. Mag. (Tokyo) 23: 249 (1909)

Cayratia tenuifolia (B.Heyne) Gagnep., Notul. Syst. (Paris) 1: 348 (1911)

Cissus tenuifolia B.Heyne ex Planch. var. *cinerea* Gagnep., Notul. Syst. (Paris) 1: 349 (1911)

Columella tenuifolia (F.Heyne ex Planch.) Gagnep., Notul. Syst. (Paris) 1: 348 (1911)

Vitis leucocarpa (Blume) Hayata, Icon. Pl. Formosan. 3: 63 (1913)

Columella japonica (Thunb.) Merr., Philipp. J. Sci. 13: 145 (1918)

Columella japonica (Thunb.) Merr. var. *dentata* (Makino) Masam., J. Soc. Trop. Agric. 2: 50 (1930)

Cayratia japonica (Thunb.) Gagnep. var. *dentata* (Makino) Honda, Nom. Pl. Japonic.

Parthenocissus Planch.***Parthenocissus quinquefolia* (L.) Planch., Monogr. Phan. 5: 448 (1887) Int 미국담쟁이덩굴***Hedera quinquefolia* L., Sp. Pl. 202 (1753)*Hedera carnosa* W.Bartram, Travels Carolina 243 (1791)*Vitis quinquefolia* (L.) Lam., Tabl. Encycl. 2: 135 (1797)*Ampelopsis quinquefolia* Michx., Fl. Bor.-Amer. (Michaux) 1: 159 (1803)*Cissus hederacea* Pers., Syn. Pl. (Persoon) 1: 143 (1805)*Ampelopsis hederacea* DC., Prodr. (DC.) 1: 633 (1824)*Quinaria hederacea* Raf., Med. Fl. 2: 122 (1830)*Ampelopsis quinquefolia* Michx. var. *angustifolia* Dippel, Handb. Laubholz. 2: 575 (1892)*Ampelopsis virginiana* Dippel, Handb. Laubholz. 2: 575 (1892)*Psedera quinquefolia* Greene, Leaf. Bot. Observ. Crit. 1(17): 220 (1906)***Parthenocissus tricuspidata* (Siebold & Zucc.) Planch., Monogr. Phan. 5: 452 (1887) Nat; N Korea, S Korea 담쟁이덩굴***Vitis thunbergii* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 198 (1845)*Ampelopsis tricuspidata* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4-2: 196 (1845)*Cissus thunbergii* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4-2: 195 (1845)*Vitis inconstans* Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 91 (1863)*Acer nikoense* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Petersbourg III 12: 227 (1868)*Psedera tricuspidata* (Siebold & Zucc.) Rehder, Rhodora 10: 29 (1908)*Vitis taquetii* H.Lév., Bull. Acad. Int. Géogr. Bot. 20: 11 (1910)*Psedera thunbergii* (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 35: 2 (1921)*Parthenocissus thunbergii* (Siebold & Zucc.) Nakai, J. Jap. Bot. 6: 254 (1930)***Vitis* L.*****Vitis amurensis* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 15: 266 (1857) Nat; N Korea, S Korea 왕머루***Vitis vinifera* L. var. *amurensis* (Rupr.) Regel, Gartenflora 10: 312, pl. 339 (1861)*Vitis vulpina* L. var. *amurensis* (Rupr.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 394 (1873)*Vitis shiragae* Makino, J. Jap. Bot. 1: 105 (1917)*Vitis amurensis* Rupr. var. *genuina* Skvortsov, Chin. Journ. Sci. Arts. 15: 200 (1931)*Vitis choii* Hatus., J. Jap. Bot. 16: 530 (1940)*Vitis amurensis* Rupr. var. *shiragai* (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 1440 (1965)*Vitis flexuosa* Thunb. var. *choii* (Hatus.) T.B.Lee, Ill. Woody Pl. Korea 313 (1966)***Vitis coignetiae* Pulliat ex Planch., Vigne Amer. Vitic. Eur. 7: 186 (1883) Nat; S Korea 머루***Vitis kaempferi* K.Koch, Hort. Dendrol. 47: no. 6 (1853)*Vitis labrusca* L. var. *grandifolia* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 395 (1873)*Vitis coignetii* var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 32: 108 (1918)*Vitis amurensis* Rupr. var. *glabrescens* (Nakai) Nakai, Bot. Mag. (Tokyo) 35: 9 (1921)*Vitis amurensis* Rupr. var. *coignetii* (Pulliat) Nakai, Bot. Mag. (Tokyo) 35: 9 (1921)

Vitis kaempferi K.Koch var. *glabrescens* (Nakai) Rehder, J. Arnold Arbor. 7: 31 (1926)
Vitis austrokoreense Hatus., J. Jap. Bot. 16: 530 (1940)
Vitis coignetiae Pulliat ex Planch. f. *glabrescens* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 138 (1954)
Vitis ficifolia Bunge f. *glabrata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 696 (1996)

***Vitis flexuosa* Thunb., Trans. Linn. Soc. London 2: 332 (1793) Nat; S Korea 새머루**

Vitis parvifolia Roxb., Hort. Bengal. 18 (1814)
Vitis wallichii DC., Prodr. (DC.) 1: 634 (1824)
Vitis purani Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 188 (1825)
Vitis vulpina L. var. *parvifolia* (Roxb.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 394 (1873)
Vitis flexuosa Thunb. f. *parvifolia* (Roxb.) Planch., Monogr. Phan. 5: 348 (1887)
Vitis flexuosa Thunb. var. *chinensis* H.J.Veitch, J. Hort. Soc. London 28: 393 (1904)
Vitis cavaleriei H.Lév., Bull. Soc. Agric. Sarthe 40: 36 (1905)
Vitis flexuosa Thunb. var. *parvifolia* (Roxb.) Gagnep., Pl. Wilson. 1: 103 (1911)

***Vitis heyneana* Roem. & Schult. subsp. *ficifolia* (Bunge) C.L.Li, Chin. J. Appl. Environm. Biol. 2: 250 (1996) Nat; S Korea 까마귀머루**

Vitis ficifolia Bunge, Enum. Pl. Chin. Bor. 12 (1833)
Vitis labrusca L. var. *ficifolia* (Bunge) Regel, Gartenflora 22: 203 (1873)
Vitis labrusca L. var. *sinuata* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 396 (1873)
Vitis ficifolia Bunge var. *thunbergii* (Siebold & Zucc.) Lavallée, Énum. Arbres 36 (1877)
Vitis ficifolia Bunge var. *glabrata* Nakai, Bot. Mag. (Tokyo) 35: 7 (1899)
Vitis thunbergii Siebold & Zucc. var. *partita* Makino, J. Jap. Bot. 1: 32 (1918)
Vitis thunbergii Siebold & Zucc. var. *sinuata* (Regel) Rehder, J. Arnold Arbor. 3: 222 (1922)
Vitis ficifolia Bunge var. *sinuata* (Regel) H.Hara, Enum. Spermatophytarum Japon. 3: 138 (1954)
Vitis ficifolia Bunge f. *sinuata* (Regel) Murata, Acta Phytotax. Geobot. 24: 34 (1969)

***Vitis vinifera* L., Sp. Pl. 202 (1753) Int 포도**

Vitis sylvestris C.C.Gmel., Fl. Bad. 1: 543 (1805)
Cissus vinifera (L.) Kuntze, Um die Urde 501 (1881)
Vitis vinifera L. subsp. *sativa* Hegi, Ill. Fl. Mitt.-Eur. 5: 365 (1925)
Vitis vinifera L. subsp. *sylvestris* (C.C.Gmel.) Hegi, Ill. Fl. Mitt.-Eur. 5: 364 (1925)

ZYGOPHYLLACEAE

Tribulus L.

***Tribulus terrestris* L., Sp. Pl. 387 (1753) Nat; S Korea 남가새**

Tribulus lanuginosus L., Sp. Pl. 387 (1753)
Tribulus maximus L. var. *roseus* Kuntze, Revis. Gen. Pl. 3: 30 (1898)
Tribulus terrestris L. var. *sericeus* Andersson ex Svenson, Amer. J. Bot. 33: 457 (1946)

List of the taxa excluded from our checklist: Invalidly published names in Korea

Names of taxa from the Korean flora were revised with regard to their validity. Invalidly published names were compiled in a commented list of 549 names. The cause of the invalidity of these names were not discussed and simply presented here.

Statistics

454	Dicots
76	Monocots
6	Gymnospermae
4	Nonseeds

ACERACEAE

- Acer aidzuense* Franch. var. *divaricatum* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 161 (1939)
Acer ginnala Maxim. f. *divaricatum* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 305 (1966)
Acer ginnala Maxim. var. *divaricatum* Nakai ex T.Mori, Enum. Pl. Corea 240 (1922)
Acer mono Maxim. f. *rubripes* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 306 (1966)
Acer palmatum Thunb. var. *nakaii* Uyeki, Woody Pl. Distr. Chosen 69 (1940)
Acer pseudosieboldianum (Pax) Kom. var. *pilosum* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 164 (1939)
Negundo fraxinifolium Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 253 (1818)

AMARYLLIDACEAE

- Lycoris chinensis* Traub var. *sinuolata* K.H.Tae & S.C.Ko, Korean J. Pl. Taxon. 23: 234 (1993)
Orexis radiata (L'Hér.) Salisb., Gen. Pl. (Salisbury): 118 (1866)

ANACARDIACEAE

- Rhus javanica* L. var. *intermedia* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 71 (1952)

APIACEAE

- Angelica purpurifolia* T.H.Chung, Fl. Kor. [Chung] 1: 456 (1956)
Cicuta cellulosa Gilbert, Fl. Lit. Inch. 2: 36 (1782)
Sium heterophyllum Y.N.Lee, Korean J. Pl. Taxon. 23: 263 (1993)
Spuriopimpinella nikoensis (Y.Yabe ex Makino & Nemoto) Kitag. f. *uchiyamae* M.K.Park, Herb. Pl. Kor. (Dicots) 307 (1974)

APOCYNACEAE

- Trachelospermum asiaticum* (Siebold & Zucc.) Nakai var. *pubescens* (Makino) Makino &

Nemoto, Fl. Japan (Makino & Nemoto) 342 (1925)

ARACEAE

Arisaema amurense Maxim. var. *serratum* (Nakai) Nakai ex T.H.Chung, Fl. Kor. [Chung] 1: 776 (1956)

Arisaema japonicum Blume var. *caespitosum* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 28 (1914)

Arisaema robustum (Engl.) Nakai var. *furusei* Sugim., Keys Herb. Pl. Jap. Monoc. 564 (1973)

ARALIACEAE

Aralia elata (Miq.) Seem. f. *rotundata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 772 (1996)

Aralia elata (Miq.) Seem. var. *rotundata* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 179 (1939)

ARISTOLOCHIACEAE

Asarum chungbuensis (C.S.Yook & J.G.Kim) B.U.Oh, Endemic Vascular Plants in the Korean Peninsula 24 (2005)

Asarum maculatum Nakai f. *viride* Y.N.Lee, Bull. Korea Pl. Res. 1: 16 (2000)

Asarum sieboldii Miq. f. *misandrum* (B.U.Oh & J.G.Kim) Y.N.Lee, Bull. Korea Pl. Res. 1: 17 (2000)

Asarum sieboldii Miq. var. *cornutum* Y.N.Lee, Fl. Korea (Lee) 1153 (1996)

Asarum sieboldii Miq. f. *cornutum* (Y.N.Lee) M.Kim, Korean J. Pl. Taxon. 38: 131 (2008)

Asarum sieboldii Miq. f. *koreanum* (J.G.Kim & C.S.Yook) Y.N.Lee, Bull. Korea Pl. Res. 1: 16 (2000)

Asarum versicolor (Yamaki) Y.N.Lee var. *nonversicolor* Y.N.Lee, Fl. Korea (Lee) 1154 (1996)

Asiasarum heterotropoides var. *mandshuricum* f. *glabratum* C.S.Yook & J.G.Kim, Korean J. Pharmacogn. 27: 344 (1996)

Asiasarum koreanum J.G.Kim & C.S.Yook, Korean J. Pharmacogn. 27: 342 (1996)

Asiasarum sieboldii Miq. f. *chungbuensis* C.S.Yook & J.G.Kim, Korean J. Pharmacogn. 27: 243 (1996)

ASTERACEAE

Achillea acuminata Freyn, Oesterr. Bot. Z. 45: 344 (1895)

Artemisia iwayomogi Kitam. f. *discolor* T.B.Lee, Ill. Fl. Korea 758 (1980)

Artemisia selengensis Turcz. ex Besser f. *serratifolia* (Regel) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 474 (1930)

Aster fauriei H.Lév. & Vaniot, Bull. Acad. Int. Geogr. Bot. 20: 139 (1909)

Aster leiophyllus Franch. & Sav. var. *harae* (Makino) H.Hara, Enum. Spermatophytarum Japon. 2: 133 (1952)

Aster scaber Thunb. var. *minor* Y.Yabe ex Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 114 (1952)

Aster spathulifolius Maxim. f. *alba* Y.N.Lee, Fl. Korea (Lee) 112 (1996)

Aster spathulifolius Maxim. var. *oharae* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1162 (1996)

Cacalia kamschatica (Maxim.) Kudô var. *ionantha* Nakai, Bull. Natl. Sci. Mus., Tokyo 31:

114 (1952)

Cacalia kitamurae Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 114 (1952)

Cacalia koraiensis Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 114 (1952)

Carduus crispus L. f. *albus* (Makino) T.B.Lee, Bull. Kwanak Arbor. 1: 99 (1976)

Chrysanthemum indicum L. f. *albescens* (Makino) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 190 (1969)

Chrysanthemum koraiense Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 115 (1952)

Chrysanthemum x intermedium Y.N.Lee, Fl. Korea (Lee) 1162 (1996)

Chrysanthemum zawadskii Herbich var. *leiophyllum* (Nakai) T.B.Lee, Ill. Fl. Korea 755 (1980)

Chrysanthemum zawadskii Herbich var. *lucidum* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 190 (1969)

Chrysanthemum zawadskii Herbich subsp. *yezoense* (Maek.) Y.N.Lee, Fl. Korea (Lee) 1192 (1996)

Chrysanthemum zawadskii Herbich subsp. *naktongense* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1162 (1996)

Cirsium japonicum Fisch. ex DC. var. *ussuriense* f. *alba* T.B.Lee, Ill. Fl. Korea 767 (1980)

Cirsium japonicum Fisch. ex DC. var. *spinosissimum* Kitam. f. *alba* T.B.Lee, Ill. Fl. Korea 767 (1980)

Cirsium kaimaense Kitam., Acta Phytotax. Geobot. 3: 6 (1934)

Cirsium schantarense Trautv. & C.A.Mey. f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1192 (1996)

Cirsium setidens (Dunn) Nakai f. *alba* T.B.Lee, Bull. Kwanak Arbor. 1 (1976)

Dendranthema x intermedium (Y.N.Lee) Y.N.Lee, Fl. Korea (Lee) (1996)

Dendranthema zawadskii (Herb.) Tzvelev var. *yezoense* (Maek.) Y.M.Lee & H.J.Choi, A Synomic List of Vascular Plants in Korea 1: 296 (2007)

Erigeron thunbergii A.Gray subsp. *glabratus* f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1192 (1996)

Filifolium koreanum **H.S. Pak**, Saengmulhak 4: 41, (1992)

Heteropappus hispidus (Thunb.) Less. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1192 (1996)

Inula salicina L. var. *minipetala* Y.N.Lee, Fl. Korea (Lee) 1991 (1996)

Lactuca dentata (Thunb.) Makino, Bot. Mag. (Tokyo) 24: 75 (1910)

Ligularia sibirica var. *alpestris* Nakai, Rep. Veg. Mt. Waigalbon 72 (1917)

Paraixeris denticulata (Makino) Tzvelev, Fl. URSS 39: 398 (1964)

Prenanthes sonchifolia Bunge, Enum. Pl. Chin. Bor. 40 (1833)

Saussurea saxatilis Kom. var. *macrophylla* T.H.Chung, Fl. Kor. [Chung] 1: 731 (1956)

Serratula manshurica Kitag., Bot. Mag. (Tokyo) 49: 229 (1935)

Sigesbeckia orientalis L. subsp. *pubescens* (Makino) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 32 (1995)

Solidago coreana (Nakai) H.S.Pak var. *nana* (Nakai) H.S.Pak, Fl. Coreana (H.S.Park) 7: 323 (1999)

Solidago virgaurea L. var. *asiatica* Nakai, Bot. Mag. (Tokyo) 42: 16 (1928)

Tanacetum umbellatum Gilib., Fl. Lit. Inch. 1: 171 (1782)

BETULACEAE

Alnus hirsuta (Spach) Rupr. f. *glabra* (Callier) T.B.Lee, Ill. Fl. Korea 268 (1980)

Alnus japonica (Thunb.) Steud. var. *serrata* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 89 (1939)

Alnus japonica (Thunb.) Steud. var. *intermedia* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 89 (1939)

Betula chinensis Maxim. var. *lancifolia* Nakai ex T.Mori, Enum. Pl. Corea 115 (1922)
Carpinus coreana Nakai var. *multiflora* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 92 (1939)
Carpinus tschonoskii (Siebold & Zucc.) Maxim. var. *brevicalycina* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 92 (1939)
Carpinus turczaninowii Hance var. *arguta* Uyeki, Woody Pl. Distr. Chosen 16 (1940)

BORAGINACEAE

Anchusa zeylanicum Vahl ex Hornem., Hort. Bot. Hafn. 1: 176 (1813)

BRASSICACEAE

Arabis coronata Nakai f. *leucantha* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 49 (1952)
Brassica campestris L. var. *akana* (Makino) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 19: 16 (1950)
Cardamine fallax (O.E.Schulz) Nakai var. *glabra* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 49 (1952)
Cardamine flexuosa With. var. *longifolia* T.H.Chung, Ill. Encycl. Fauna & Flora of Korea 5: 61 (1965)
Cardamine komarovii Nakai f. *macrophylla* (T.H.Chung) W.T.Lee, Lineamenta Florae Koreae 406 (1996)
Cardamine komarovii Nakai var. *macrophylla* T.H.Chung, Fl. Kor. [Chung] 1: 252 (1956)
Cardamine leucantha (Tausch) O.E.Schulz var. *toensis* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 130 (1969)
Cardamine toensis Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 49 (1952)
Cochlearia wasabi Siebold, Verh. Batav. Genootsch. Kunsten 12: 54 (1830)
Lepidium macrocarpum T.H.Chung, Nom. Pl. Kor. 2: 61 (1949)
Nasturtium montanum, Revis. Gen. Pl. 2: 937 (1891)
Raphanus acanthiformis J.M.Morel ex Sasaki var. *spontaceus* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 50 (1952)
Rorippa globosa (Turcz.) Vassilcz., Fl. URSS 8: 140 (1939)
Rorippa microsperma (DC.) Vassilcz., Fl. URSS 8: 140 (1939)
Wasabia wasabi (Siebold) Makino, J. Jap. Bot. 8: 35 (1932)

BUXACEAE

Buxus koreana (Nakai ex Rehder) T.H.Chung & P.S.Toh & D.B.Lee & F.J.Lee f. *elongata* (Nakai ex Kawamoto) Y.S.Kim & J.H.Kim, Korean J. Pl. Taxon. 18: 214 (1988)
Buxus koreana (Nakai ex Rehder) T.H.Chung & P.S.Toh & D.B.Lee & F.J.Lee var. *elongata* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 155 (1939)
Buxus koreana (Nakai ex Rehder) T.H.Chung & P.S.Toh & D.B.Lee & F.J.Lee f. *insularis* (Nakai ex Kawamoto) Y.S.Kim & J.H.Kim, Korean J. Pl. Taxon. 18: 214 (1988)
Buxus koreana (Nakai ex Rehder) T.H.Chung & P.S.Toh & D.B.Lee & F.J.Lee var. *insularis* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 155 (1939)
Buxus microphylla Siebold & Zucc. var. *koreana* f. *angustifolia* Uyeki, Woody Pl. Distr. Chosen 1: 63 (1940)
Buxus microphylla Siebold & Zucc. var. *koreana* f. *elongata* (Nakai ex Kawamoto) T.B.Lee, Ill. Woody Pl. Korea 300 (1966)

CAMPANULACEAE

- Adenophora curvidens* Nakai f. *alba* Y.N.Lee, Fl. Korea (Lee) 1191 (1996)
Adenophora grandiflora Nakai f. *alba* T.B.Lee, Bull. Seoul Natl. Univ. Coll. Agric. 11: 6 (1986)
Adenophora radiatifolia Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 110 (1952)
Adenophora tyosenensis Nakai ex T.H.Chung, Nom. Pl. Kor. 1: 125 (1949)
Campanula cephalotes Nakai, Bull. Natl. Sci. Mus., Tokyo, B. 31: 111 (1952)
Campanula glomerata L. var. *dahurica* f. *alba* Nakai ex T.B.Lee, Ill. Fl. Korea 723 (1980)
Campanula takesimana Nakai f. *alba* T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 186 (1969)
Campanula takesimana Nakai f. *purpurea* T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 186 (1969)
Codonopsis ussuriensis (Rupr. & Maxim.) Hemsl. var. *minima* (Nakai) T.B.Lee, Bull. Seoul Natl. Univ. Coll. Agric. 11: 3 (1986)
Hanabusaya asiatica (Nakai) Nakai f. *alba* T.B.Lee, Ill. Fl. Korea 723 (1980)
Lobelia chinensis Lour. var. *tetrapetala* Y.N.Lee, Fl. Korea (Lee) 1191 (1996)

CAPRIFOLIACEAE

- Abelia serrata* Siebold & Zucc. f. *glaberrima* (Nakai) Sugim., New Keys to the Woody Plants of Japan 511 (1972)
Abelia serrata Siebold & Zucc. f. *buckwaldii* Sugim., New Keys Jap. Trees 436 (1961)
Abelia serrata Siebold & Zucc. f. *sanguinea* (Sugim.) Sugim., New Keys Jap. Trees 456 (1961)
Abelia serrata Siebold & Zucc. f. *viridiramea* (Makino) Sugim., New Keys Jap. Trees 456 (1961)
Abelia serrata Siebold & Zucc. var. *sanguinea* Sugim., Key Tr. & Shr. Jap. 361 (1936)
Caprifolium japonicum (Thunb.) D.Don, Prodr. Fl. Nepal. 140 (1825)
Lonicera chiisanensis Nakai ex T.H.Chung, Fl. Kor. [Chung] 2: 479 (1957)
Lonicera chrysantha Turcz. ex Ledeb. var. *latifolia* Korsh. ex Uyeki, Woody Pl. Distr. Chosen 101 (1940)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *miquelii* f. *lasiocarpa* T.B.Lee, Ill. Fl. Korea 702 (1980)
Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *miquelii* f. *velutina* (Nakai) T.B.Lee, Ill. Fl. Korea 702 (1980)
Viburnum austrokoreanum Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 207 (1939)
Viburnum erosum Thunb. f. *lanceum* (Nakai) Sugim., New Keys Jap. Trees 478 (1961)
Viburnum erosum Thunb. f. *punctatum* (Franch. & Sav.) Sugim., New Keys Jap. Trees 478 (1961)
Viburnum opulus L. f. *puberulum* (Kom.) Sugim., New Keys Jap. Trees 478 (1961)
Viburnum opulus L. subsp. *calvescens* (Rehder) Sugim., New Keys Jap. Trees 478 (1961)
Viburnum wrightii Miq. f. *parvifolium* (Sugim.) Sugim., New Keys Jap. Trees 478 (1961)
Viburnum wrightii Miq. var. *parvifolium* Sugim., Key Tr. & Shr. Jap. 379 (1936)

CARYOPHYLLACEAE

- Dianthus chinensis* L. f. *albiflora* T.B.Lee, Bull. Kwanak Arbor. 3: 35 (1966)
Dianthus superbus L. var. *longicalycinus* f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1186 (1996)
Dianthus superbus-chinensis Y.N.Lee, Fl. Korea (Lee) 1186 (1996)
Lychnis laciniata Nakai ex T.H.Chung, Fl. Kor. [Chung] 1: 212 (1956)

Melandrium oldhamianum f. *album* (Nakai) T.B.Lee, Ill. Fl. Korea 336 (1980)
Pseudostellaria angustifolia Y.N.Lee, Fl. Korea (Lee) 1186 (1996)
Pseudostellaria davidii x *p. palibiniana* K.Choi & Pak, Pl. Spec. Biol. 16: 46 (2001)
Pseudostellaria heterophylla x *p. palibin* K.Choi & Pak, Acta Phytotax. Geobot. 50: 169 (1999)
Pseudostellaria multiflora Y.N.Lee, Fl. Korea (Lee) 1186 (1996)
Pseudostellaria yanginsekiana T.H.Chung, Ill. Encyl. Fauna & Flora of Korea 5: 49 (1965)
Sagina crassicaulis S.Watson f. *longifolia* T.H.Chung, Ill. Encyl. Fauna & Flora of Korea 5: 49 (1965)
Sagina maxima A.Gray f. *longifolia* (T.H.Chung) W.T.Lee, Lineamenta Florae Koreae 266 (1996)

CELASTRACEAE

Celastrus orbiculatus Thunb. var. *sylvestris* Nakai ex T.Mori, Enum. Pl. Corea 237 (1921)
Euonymus alatus (Thunb.) Siebold var. *pseudostriatus* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 158 (1939)
Euonymus alatus (Thunb.) Siebold var. *subtriflorus* f. *microphyllus* (Nakai) T.B.Lee, Arbor. Kor. 193 (1947)

CHENOPODIACEAE

Chenopodium acuminatum Willd. var. *tenuifolium* T.H.Chung, Ill. Encyl. Fauna & Flora of Korea 5: 47 (1965)

CHLORANTHACEAE

Chloranthus japonicus Siebold var. *koreanus* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 108 (1969)

CLUSIACEAE

Hypericum attenuatum Fisch. ex Choisy var. *confertissimum* (Nakai) T.B.Lee, Ill. Fl. Korea 546 (1980)

CONVOLVULACEAE

Calystegia sepium (L.) R.Br. var. *americana* Kitag., Lin. Fl. Manshur. 365 (1939)
Calystegia sepium (L.) R.Br. f. *album* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)
Calystegia soldanella (L.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 184 (1819)
Dichondra repens var. *longipetiolus* T.H.Chung, Ill. Encyl. Fauna & Flora of Korea 5: 121 (1965)

CORNACEAE

Aucuba japonica Thunb. var. *variegata* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 97 (1867)
Cornus sibirica Lodd., Hort. Brit. (Loudon) 50 (1830)

CRASSULACEAE

- Orostachys iwarenge* (Makino) H.Hara f. *magnus* Y.N.Lee, Fl. Korea (Lee) 1: 1145 (1996)
Orostachys minuta (Kom.) A.Berger f. *alba* Y.N.Lee, Fl. Korea (Lee) 1188 (1996)
Sedum aizoon L. var. *heterodontum* Nakai ex T.H.Chung, Nom. Pl. Kor. 1: 63 (1949)
Sedum kamschaticum Fisch. & C.A.Mey. var. *takesimense* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 203 (1974)
Sedum kamschaticum Fisch. & C.A.Mey. var. *zokuriense* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 203 (1974)
Sedum kiusianum Nakai ex T.Mori, Enum. Pl. Corea 179 (1922)
Sedum orbiculatum D.B.Lee ex Y.N.Lee, Fl. Korea (Lee) 271 (1996)
Sedum prostratum Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 122: 33 (1935)
Sedum roseum (L.) Scop. var. *oblongum* (Regel & Tiling) H.Hara, Herb. Pl. Kor. (Dicots) 203 (1974)
Sedum rotundifolium D.B.Lee, Korean J. Bot. 1: 5 (1958)

CUPRESSACEAE

- Juniperus rigida* Siebold & Zucc. var. *seoulensis* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 69 (1939)
Sabina procumbens (Endl.) T.B.Lee, Arbor. Kor. 16 (1947)
Thuja kongoensis Doi ex Nakai, Rep. Veg. Diamond Mountains 63 (1918)

CYPERACEAE

- Bulbostylis tenuissimum* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 129 (1952)
Carex lividulla Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 130 (1952)
Carex mollicula Boott subsp. *planiculmis* (Kom.) T.Koyama, Col. Ill. Herb. Pl. Jap. 3: 286 (1964)
Carex okamotoi Ohwi f. *variegata* Y.N.Lee, Fl. Korea (Lee) 1164 (1996)
Carex shikokiana Makino, Bot. Mag. (Tokyo) 6: 47 (1892)
Cyperus truncatus C.A.Mey. ex Turcz., Fl. Ross. (Ledeb.) 4: 241 (1852)
Eleocharis changchaensis Y.C.Oh & G.Lee, Korean Cyperaceae 98 (2000)
Eleocharis congesta D.Don var. *maximowiczii* (Zinslerl.) T.B.Lee, Bull. Kwanak Arbor. 1: 119 (1976)
Eleocharis cyclocarpa (Kitag.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3(App. 1): 119 (1939)
Fimbristylis annua (All.) Roem. & Schult. var. *tomentosa* (Vahl) Nakai ex T.H.Chung, Fl. Kor. [Chung] 1: 845 (1955)
Kyllinga diflora Y.C.Oh & S.S.Lee, Korean J. Pl. Taxon. 30: 177 (2000)
Scirpus juncooides Roxb. x *S. wallichii* Nees, Fl. China 11 (1961)
Scirpus sericeus Poir., Encycl. (Lamarck) Suppl. 5 99 (1817)

DRYOPTERIDACEAE

- Cyrtomium caryotideum* (Wall. ex Hook. & Grev.) C.Presl var. *coreanum* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 16 (1952)

ERICACEAE

- Andromeda rosmarinifolia* Gilib., Fl. Lit. Inch. 1: 3 (1782)

Rhododendron mucronulatum Turcz. var. *maritimum* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 186 (1939)
Rhododendron schlippenbachii Maxim. f. *albiflorum* (Uyeki ex T.B.Lee) T.B.Lee, Ill. Woody Pl. Korea 325 (1966)
Rhododendron schlippenbachii Maxim. var. *albiflorum* Uyeki ex T.B.Lee, Arbor. Kor. 224 (1947)
Vaccinium oldhamii Miq. var. *glaucum* (Nakai) Honda, Bot. Mag. (Tokyo) 50: 436 (1936)

EUPHORBIACEAE

Euphorbia pekinensis Rupr. var. *subulatifolius* (Hurus.) T.B.Lee, J. Nation. Acad. Sci. Korea 21: 196 (1982)
Galarhoeus esula (L.) H.Hara, J. Jap. Bot. 11: 384 (1935)
Tithymalus esula (L.) Scop., Fl. Carniol., ed. 2 1: 338 (1772)

FABACEAE

Amblytropis longiscapa (Franch.) T.H.Chung, Ill. Encycl. Fauna & Flora of Korea 5: 615 (1965)
Amblytropis verna (Georgi) Kitag. var. *longiscarpa* (Franch.) W.T.Lee, Lineamenta Florae Koreae 553 (1996)
Astragalus adsurgens Pall. var. *alpinus* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 54 (1914)
Astragalus membranaceus var. *alpinus* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 54 (1914)
Caragana koreana Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 146 (1939)
Cassia mimosoides L. subsp. *nomame* (Makino) H. Ohashi, Fl. E. Himalaya 144 (1966)
Desmodium oldhamii Oliv. f. *alba* T.B.Lee, Bull. Seoul Natl. Univ. Forests 3: 36 (1966)
Hylodesmum oldhamii (Oliv.) H. Ohashi & R.R. Mill f. *album* (T.B.Lee) H. Ohashi & K. Ohashi, J. Jap. Bot. 87: 397 (2012)
Lespedeza rosea Y.N.Lee, Fl. Korea (Lee) ed. 4: 1159 (2002)
Lespedeza buergeri Miq. var. *tricolor* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 9 (1914)
Lespedeza sericea (Thunb.) Benth., Pl. Jungh. 2: 227 (1852)
Lespedeza thunbergii Nakai var. *intermedia* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 145 (1969)
Lespedeza thunbergii Nakai var. *interdemia* (Nakai) T. B. Lee f. *alba* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 145 (1969)
Lespedeza thunbergii Nakai var. *interdemia* (Nakai) T. B. Lee f. *retusa* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 145 (1969)
Oxytropis anertii Nakai ex Kitag. f. *alba* Y.N.Lee, Fl. Korea (Lee) 1189 (1996)
Oxytropis koreana Nakai, Bot. Mag. (Tokyo) 27: 131 (1913)
Sooja nomame Siebold, Verh. Batav. Genootsch. Kunsten 12: 56 (1830)
Trifolium lupinaster L. f. *alpinus* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 242 (1973)
Trifolium lupinaster L. var. *alpinus* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 56 (1914)
Vicia amoena Fisch. ex Ser. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 384 (1996)
Vicia heptajuga Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 66 (1952)
Vicia pseudoorobus Fisch. & C.A.Mey. f. *albiflora* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 146 (1969)
Vicia unijuga A. Braun subsp. *angustifolia* (Makino) Y.N.Lee, Fl. Korea (Lee) 390 (1996)

Vicia unijuga A.Braun var. *apoda* Maxim., Méanges Biol. Bull. Phys.-Math. Acad. Imp. Sci.
Saint-Péersbourg 9: 65 (1872)
Vicia unijuga A.Braun var. *breviramea* Nakai, Bot. Mag. (Tokyo) 37: 17 (1923)
Vicia unijuga A.Braun var. *breviramea* f. *albiflora* Nakai, Bot. Mag. (Tokyo) 37: 17 (1923)
Vicia venosissima Nakai, Bot. Mag. (Tokyo) 27: 131 (1913)

FAGACEAE

Fagus crenata Blume var. *multinervis* (Nakai) T.B.Lee, Ill. Fl. Korea 273 (1980)
Quercus acuta Thunb. f. *subserra* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 250 (1966)
Quercus acuta Thunb. var. *subserra* Uyeki, Woody Pl. Distr. Chosen 22 (1940)
Quercus aliena Blume var. *velutina* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 96 (1939)
Quercus major Nakai var. *maxima* Uyeki, Woody Pl. Distr. Chosen 20 (1940)
Quercus mongolica Fisch. ex Ledeb. var. *funebri* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 98 (1939)
Quercus serrata Siebold & Zucc. var. *brevipetiola* (A.DC.) Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 99 (1939)
Quercus serrata Siebold & Zucc. var. *crenata* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 99 (1939)
Quercus x alienoserratoidea T.B.Lee, Korean J. Bot. 4: 20 (1961)
Quercus x dentatoserratoidea T.B.Lee, Korean J. Bot. 4: 19 (1961)
Quercus x mccormickoserrata T.B.Lee, Korean J. Bot. 4: 19 (1961)
Quercus x mccormickomongolica T.B.Lee, Korean J. Bot. 4: 19 (1961)

GENTIANACEAE

Crawfordia volubilis (Maxim.) Gilg, Nat. Pflanzenfam. 4: 79 (1895)
Gentiana frigida var. *algida* (Pall.) Griseb., Prodr. (DC.) 9: 111 (1845)
Gentiana scabra Bunge var. *buergeri* f. *alba* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)
Gentiana squarrosa Ledeb. f. *microphylla* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 344 (1974)
Halenia corniculata (L.) Druce, Bot. Exch. Club Brit. Isles Rep. 3: 419 (1914)
Swertia pseudochinensis H.Hara f. *alba* Y.N.Lee, Fl. Korea (Lee) 1189 (1996)

GERANIACEAE

Geranium shikokianum Matsum. var. *quelpaertense* f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1189 (1996)

GROSSULARIACEAE

Ribes distans Turcz. ex T.Mori, Enum. Pl. Corea 184 (1922)

HAMAMELIDACEAE

Distylium racemosum Siebold & Zucc. f. *latifolium* (Nakai ex T.Mori) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 58 (1952)
Distylium racemosum Siebold & Zucc. var. *latifolium* Nakai ex T.Mori, Enum. Pl. Corea 187 (1922)

HYDRANGEACEAE

- Deutzia coreana* H.Lév. var. *angustifolia* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 117 (1939)
Deutzia parviflora Bunge var. *pilosa* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 117 (1939)
Hydrangea hortensis Sm. var. *acuminata* (Siebold & Zucc.) A.Gray, Rev. Hydr. 13, (1867)
Philadelphus scaber Nakai var. *glabrescens* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 119 (1939)

IRIDACEAE

- Iris ensata* Thunb. var. *spontanea* f. *alba* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Iris koreana Nakai f. *albiflora* T.H.Chung & W.T.Lee, Rep. Stud. Irid. Pl. 1: 4 (1964)
Iris koreana Nakai var. *albiflora* T.B.Lee, Korean J. Pl. Taxon. 14: 24 (1984)
Iris odaesanensis Y.N.Lee f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Iris savatieri Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 148 (1952)

JUGLANDACEAE

- Petrophiloides strobilacea* (Siebold & Zucc.) E.Reid & M.Chandler var. *coreana* (Miq.) T.B.Lee, Arbor. Kor. 32 (1947)

JUNCACEAE

- Juncus hallasanensis* T.H.Chung, Fl. Kor. [Chung] 1 (1956)
Juncus ounsansensis T.H.Chung, Fl. Kor. [Chung] 1: (1956)
Luzula odaesanensis Y.N.Lee & Y.Chae, Fl. Korea (Lee) 1193 (1996)

LAMIACEAE

- Ajuga morii* Nakai ex T.Mori, Enum. Pl. Corea 300 (1922)
Ajuga multiflora Bunge f. *leucantha* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 173 (1969)
Ajuga multiflora Bunge f. *leucantha* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 377 (1974)
Dracocephalum argunense Fisch. ex Link f. *alba* T.B.Lee, Bull. Seoul Natl. Univ. Forests 3: 37 (1966)
Elsholtzia ciliata (Thunb.) Hyl. f. *leucantha* (Nakai) T.B.Lee, Bull. Kwanak Arbor. 1: 84 (1976)
Elsholtzia patrini f. *leucantha* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 98 (1952)
Elsholtzia splendens Nakai ex F.Maek. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1146 (1996)
Elsholtzia splendens Nakai ex F.Maek. f. *roseola* Y.N.Lee, Fl. Korea (Lee) 1160 (1996)
Isodon excisus (Maxim.) Kudô var. *chiisanensis* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 174 (1969)
Isodon excisus (Maxim.) Kudô var. *coreanus* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 174 (1969)
Lamium album L. var. *cuspidatum* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 393 (1974)
Lamium cuspidatum Nakai ex T.H.Chung, Nom. Pl. Kor. 1: 108 (1949)
Meehania urticifolia (Miq.) Makino f. *rubra* T.B.Lee, Bull. Seoul Natl. Univ. Forests 3: 37 (1966)
Mentha sachalinensis (Briq.) Kudô var. *barbata* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99

(1952)

- Phlomis umbrosa* Turcz. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) ed. 3: 1146 (1998)
Prunella parviflora Gilib., Fl. Lit. Inch. 1: 88 (1782)
Satureja chinensis var. *pallescens* Nakai, Rep. Veg. Diamond Mountains 183 (1918)
Scutellaria coreana Nakai ex T.Mori, Enum. Pl. Corea 306 (1922)
Scutellaria dentata H.Lév. var. *alpina* f. *albida* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)
Scutellaria indica L. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)
Scutellaria strigillosa Hemsl. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)
Stachys japonica Miq. var. *hispidula* (Hara) Y.M.Lee & H.J.Choi, A Synomic List of Vascular Plants in Korea 1: 252 (2007)
Thymus quinquecostatus Celak. f. *albus* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)

LAURACEAE

- Benzoin obtusilobum* (Blume) Kuntze var. *ovatum* Nakai ex T.Mori, Enum. Pl. Corea 166 (1922)
Daphnidium lancifolium (Blume) Siebold & Zucc., Abh. Math.-Phys. Cl. Konigl. Bayer. Akad. Wiss. 4: 207 (1846)
Lindera obtusiloba Blume f. *ovata* (Nakai ex T.Mori) T.B.Lee, Ill. Woody Pl. Korea 264 (1966)
Lindera salicifolia (Nakai) C.M.Pak, Fl. Coreana (C.M.Park) 2: 119 (1996)
Litsea lancifolia (Blume) Kosterm., Fl. Java (Spermatoph.) 3: 643 (1968)

LILIACEAE

- Allium anisopodium* Ledeb. var. *zimmermannianum* (Gilg) Kitag., Rep. Exped. Manchoukuo Sect. IV, Pt. 2, Contr. Cogn. Fl. Manshuricae 97 (1935)
Allium taquetii H.Lév. & Vaniot f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Allium victorialis L. f. *variegatum* (Nakai) S.O.Yu & S.T.Lee & W.T.Lee, Korean J. Pl. Taxon. 11: 35 (1981)
Allium victorialis L. var. *variegatum* Nakai ex T.Mori, Enum. Pl. Corea 86 (1922)
Convallaria japonica L.f., Suppl. Pl. 204 (1782)
Erythronium japonicum Decne. f. *album* T.B.Lee, Taebak Pl. 14, (1990)
Hosta capitata (Koidz.) Nakai f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Lilium amabile Palib. var. *kwangnungensis* Y.S.Kim & W.B.Lee, Syst. Lilium Kor. 97, (1989)
Lilium callosum Siebold & Zucc. var. *flavum* Y.N.Lee, Fl. Korea (Lee) 1165 (1996)
Lilium hansonii Leichtlin ex D.D.T.Moore f. *mutatum* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Lilium tsingtauense Gilg f. *carneum* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1163 (1996)
Paris verticillata M.Bieb. var. *nigra* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Polygonatum humile Fisch. ex Maxim. var. *humillimum* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1163 (1996)
Polygonatum odoratum (Mill.) Druce var. *pluriflorum* f. *variegatum* Y.N.Lee, Fl. Korea (Lee) 1193 (1996)
Scilla scilloides (Lindl.) Druce f. *alba* T.B.Lee, Ill. Fl. Korea 211 (1980)
Smilax sieboldii Miq. f. *intermis* (Nakai ex T.Mori) H.Hara, J. Jap. Bot. 33: 151 (1958)

MAGNOLIACEAE

- Magnolia praecocossima* Koidz., Bot. Mag. (Tokyo) 43: 386 (1929)

Magnolia sieboldii K.Koch f. *sempilena* T.B.Lee, Ill. Fl. Korea 373 (1980)
Magnolia thurberi G.Nicholson, Hand-list Trees & Shrubs Arb. 1: 17 (1894)

MENISPERMACEAE

Cocculus orbiculatus (L.) DC. f. *macrophyllus* (Nakai) S.Y.Oh, Res. Rev. Kyungpook Natl. Univ. 25: 29 (1978)
Cocculus trilobus (Thunb.) DC. f. *macrophyllus* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 32 (1952)

MENYANTHACEAE

Limnanthemum indicum (L.) Thwaites, Enum. Pl. Zeyl. 205 (1860)

MORACEAE

Broussonetia kazinoki Siebold ex Siebold & Zucc. var. *humilis* Uyeki, Woody Pl. Distr. Chosen 27 (1940)
Ficus erecta Thunb. var. *longepedunculata* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 38 (1914)
Morus bombycis Koidz. f. *kase* Uyeki, Woody Pl. Distr. Chosen 26 (1940)
Morus bombycis Koidz. var. *rubricaulis* Uyeki, Woody Pl. Distr. Chosen 26 (1940)

NELUMBONACEAE

Nelumbo nucifera Gaertn. var. *macrorrhizomata* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 25 (1952)

NYMphaeaceae

Nuphar coreana Nakai ex T.H.Chung, Nom. Pl. Kor. 1: 47 (1949)

OLEACEAE

Abeliophyllum distichum Nakai f. *eburneum* T.B.Lee, Korean J. Pl. Taxon. 7: 22 (1976)
Abeliophyllum distichum Nakai f. *viridicalycinum* T.B.Lee, Korean J. Pl. Taxon. 7: 22 (1976)
Abeliophyllum distichum Nakai var. *obtusicaarpum* T.B.Lee, Korean J. Pl. Taxon. 7: 22 (1976)
Abeliophyllum distichum Nakai var. *rotundicaarpum* T.B.Lee, Korean J. Pl. Taxon. 7: 22 (1976)
Forsythia koreana (Rehder) Nakai f. *autumnalis* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 330 (1966)
Fraxinus mandshurica Rupr. var. *stenocarpa* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 92 (1952)
Fraxinus rhynchophylla Hance var. *angusticaarpa* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 192 (1939)
Fraxinus rhynchophylla Hance var. *densata* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1189 (1996)
Fraxinus rhynchophylla Hance var. *glabrescens* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 73 (1914)
Fraxinus sieboldiana Blume var. *quadrijuga* (Nakai) T.B.Lee, Ill. Fl. Korea 615 (1980)

ORCHIDACEAE

- Cymbidium bambusifolium* Fowlie & Mark & F.S.Ho, Orchid Digest 50: 19 (1986)
Cypripedium guttatum Sw. f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1: 1194 (1996)
Cypripedium guttatum Sw. var. *koreanum* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 150 (1952)
Cypripedium macranthos Sw. var. *hoteiatsumorianum* Sadovsky, Orchideen im Eigenen Garten 1: 73 (1965)
Epipactis albiflora T.H.Chung, Fl. Kor. [Chung] 1: 1005 (1956)
Epipactis erecta (Thunb.) Wettst., Bot. Zeitung (Berlin) 39: 429 (1889)
Epipactis longifolia (Thunb.) Blume, Coll. Orchid. 185 (1858)
Epipactis puzenensis T.H.Chung, Fl. Kor. [Chung] 1: 1007 (1956)
Epipogium gmelini Rich., De Orchid. Eur. 36 (1817)
Goodyera repens (L.) R.Br. var. *koreana* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 150 (1952)
Gymnadenia cucullata (L.) Rich. var. *variegata* Y.N.Lee, Fl. Korea (Lee) 1194 (1996)
Neottia hypocastanoptica Y.N.Lee, Fl. Korea (Lee) ed. 4: 1167 (2002)
Oreorchis hallasanensis Y.N.Lee & K.S.Lee, Fl. Korea (Lee) 1: 1134 (1996)
Pogonia japonica Rchb.f. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1: 1194 (1996)
Serapias longifolia Thunb., Fl. Jap. (Thunberg) 28 (1784)
Spiranthes sinensis (Pers.) Ames f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1: 1122 (1996)

OXALIDACEAE

- Oxalis acetosella* L. var. *diversifolia* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 35 (1952)

PAPAVERACEAE

- Corydalis ambigua* Cham. & Schltld. f. *lacticolora* Y.N.Lee, Fl. Korea (Lee) 1188 (1996)
Corydalis decumbens (Thunb.) Pers. f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1188 (1996)
Corydalis grandicalyx B.U.Oh & Y.S.Kim f. *albifloris* Y.N.Lee, Fl. Korea (Lee) 1142 (1996)
Corydalis incisa (Thunb.) Pers. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1188 (1996)
Corydalis turtchaninovii Besser var. *fumariifolia* (Maxim.) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 129 (1969)
Hylomecon hylomecoides (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 128 (1969)
Papaver radicans Rottb. var. *pseudoradicatum* f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1188 (1996)

PINACEAE

- Abies koreana* E.H.Wilson f. *chlorocarpa* T.B.Lee, J. Korean Forest. Soc. 10 (1970)
Abies koreana E.H.Wilson f. *rubrocarpa* T.B.Lee, J. Korean Forest. Soc. 10 (1970)
Abies nephrolepis (Trautv. ex Maxim.) Maxim. f. *nigrocarpa* Y.N.Lee, Fl. Korea (Lee) 1186 (1996)

POACEAE

- Agropyron japonicum* var. *hackelianum* Honda, Bot. Mag. (Tokyo) 41: 385 (1927)
Agropyron miserum (Thunb.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 197 (1925)
Agrostis bermudiana Tussac ex Kunth, Enum. Pl. (Kunth) 1: 259 (1833)

Agrostis filiformis J.König ex Kunth, Enum. Pl. (Kunth) 1: 261 (1833)
Alopecurus aequalis Sobol. subsp. *amurensis* (Kom.) T.Koyama, Grasses Japan 485 (1987)
Arundinella hirta (Thunb.) Tanaka var. *aristata* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 136 (1952)
Bambusa kurilensis Hack., Bull. Herb. Boissier 7: 719 (1899)
Briza gracilis G.Nicholson, Ill. Dict. Gard. 1: 212 (1884)
Calamagrostis langsdorfii (Link) Trin. var. *viridis* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 136 (1952)
Donax donax (L.) Asch. & Graebn., Fl. Nordostdeut. Flachl. 101 (1898)
Echinochloa macrocorvi Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 137 (1952)
Eriochloa japonica Steud., Syn. Pl. Glumac. 1: 99 (1854)
Miscanthus sinensis Andersson var. *chejuensis* (Y.N.Lee) Y.N.Lee, Fl. Korea (Lee) 1033 (1996)
Poa acroleuca Steud. var. *purpurascens* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 20 (1914)
Poa acroleuca Steud. f. *gracillima* Hack. ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 21 (1914)
Poa annua L. f. *macerrima* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 21 (1914)
Rabdochloa virgata (Sw.) P.Beauv., Ess. Agrostogr. 84: 158 (1812)
Sasa borealis (Hack.) Makino var. *gracilis* (Nakai) T.B.Lee, Ill. Fl. Korea 81 (1980)
Sasa palmata (Bean) Nakai, J. Jap. Bot. 10 (9): 561 (1934)
Trichodium caninum (L.) P.Beauv., Ess. Agrostogr. 5 (1812)

POLEMONIACEAE

Polemonium kiushianum Kitam. f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1190 (1996)

POLYGALACEAE

Polygala japonica Houtt. f. *leucantha* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 71 (1952)

POLYGONACEAE

Aconogonon brachytricum (Ohwi) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 115 (1969)
Aconogonon micranthum Nakai ex T.Mori, Enum. Pl. Corea 129 (1922)
Bilderdykia pauciflora (Maxim.) Kitag., Neolin. Fl. Manshur. 231 (1979)
Fallopia japonica (Houtt.) Ronse Decr. f. *elata* Y.M.Lee & H.J.Choi, A Synomic List of Vascular Plants in Korea 1: 50 (2007)
Persicaria persicaria (L.) Small, Fl. S.E. U.S. [Small], 378 (1903)
Persicaria sieboldii (Meisn.) Ohki var. *aestiva* Ohki ex T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 117 (1969)
Polygonum amphibium L. var. *koreensis* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 111 (1974)
Polygonum dumetorum L. f. *pauciglora* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 116 (1974)
Polygonum humifusum Pall. ex Ledeb., Fl. Ross. (Ledeb.) 3: 531 (1851)
Polygonum incana (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 107 (1974)
Polygonum micranthum (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 114 (1974)
Polygonum microcarpum (Kitag.) M.K.Park, Herb. Pl. Kor. (Dicots) 115 (1974)
Polygonum mollifolium (Kitag.) M.K.Park, Herb. Pl. Kor. (Dicots) 115 (1974)

Reynoutria japonica Houtt. f. *elata* Hiyama, Wild flowers of Japan (Herbaceous plants), Heibonsha 2: 24 (1985)

PRIMULACEAE

Cortusa matthioli L. var. *pekinensis* (V.A.Richt.) T.B.Lee, Ill. Fl. Korea 608 (1980)

Naumburgia thyrsoiflora (L.) Duby, Prodr. (DC.) 8: 60 (1844)

Primula sachalinensis Nakai f. *albida* Y.N.Lee, Fl. Korea (Lee) 1189 (1996)

Primula sieboldii E.Morren f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1: 1189 (1996)

RANUNCULACEAE

Aconitum coreanum (H.Lév.) H.Lév., Repert. Spec. Nov. Regni Veg. 7: 101 (1909)

Aconitum pseudolaeve Nakai var. *erectum* Nakai, Bot. Mag. (Tokyo) 28: 62 (1914)

Aconitum pseudolaeve Nakai var. *flexuosum* Nakai, Bot. Mag. (Tokyo) 28: 63 (1914)

Aconitum racemulosum Franch. var. *austrokoreense* (Koidz.) Y.N.Lee, Fl. Korea (Lee) 1158 (1996)

Aconitum pseudolaeve Nakai var. *volubile* Nakai, Bot. Mag. (Tokyo) 28: 62 (1914)

Adonis amurensis Regel & Radde f. *viridescensicalyx* Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Adonis amurensis Regel & Radde subsp. *nanus* Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Adonis amurensis Regel & Radde f. *argentatus* Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Aquilegia buergeriana Siebold & Zucc. var. *oxysepala* f. *pallidiflora* (Nakai ex T.Mori) Kitag., Neolin. Fl. Manshur. 292 (1979)

Aquilegia oxysepala Trautv. & C.A.Mey. var. *pallidiflora* Nakai ex T.Mori, Enum. Pl. Corea 153 (1922)

Caltha gracilis Nakai, Rep. Veg. Chiisan Mts. 32 (1915)

Clematis dioscoreifolia H.Lév. & Vaniot var. *robusta* f. *denticulata* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 259 (1966)

Clematis flabellata Nakai, J. Jap. Bot. 12: 842 (1936)

Clematis heracleifolia DC. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Clematis koreana Kom. var. *partita* T.H.Chung, Ill. Encycl. Fauna & Flora of Korea 5: 38 (1965)

Clematis mankiuensis Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Clematis nobilis Nakai f. *plaena* Uyeki & Sakata, Woody Pl. Distr. Chosen 30 (1940)

Clematis paniculata var. *denticulata* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 110 (1939)

Clematis terniflora DC. f. *denticulata* (Nakai ex Kawamoto) W.T.Lee, Lineamenta Florae Koreae 327 (1996)

Clematis terniflora DC. var. *denticulata* (Nakai ex Kawamoto) T.B.Lee, Arbor. Kor. 81 (1947)

Pulsatilla x tongkangensis Y.N.Lee & T.C.Lee f. *longisepala* Y.N.Lee, Fl. Korea (Lee) 1: 1151 (1996)

Ranunculus franchetii H.Boissieu f. *duplopetalus* Y.N.Lee, Fl. Korea (Lee) 178 (1996)

Ranunculus japonicus Thunb. f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Ranunculus quelpaertensis (H.Lév.) Nakai var. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1187 (1996)

Semiaquilegia leveilleanum Nakai ex T.Mori, Enum. Pl. Corea 369 (1922)

Thalictrum coreanum H.Lév. f. *minor* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 173 (1974)

RHAMNACEAE

Ziziphus vulgaris Lam. var. *hoonensis* Kawamoto, Ill. Kor. For. Pl. 486 (1942)

Zizyphus jujuba var. *hoonensis* (Kawamoto) T.B.Lee, Arbor. Kor. 208 (1947)

ROSACEAE

Aruncus americanus Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 56 (1952)

Cerasus cerasus Eaton & Wright, Man. Bot. (A. Eaton), ed. 8 189 (1840)

Cerasus triloba (Lindl.) A.I.Baranov & Liou, Ill. Fl. Ligneous Pl. N. E. China 326 (1958)

Crataegus pinnatifida Bunge var. *pubescens* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 285 (1943)

Crataegus pinnatifida Bunge f. *betulifolia* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 127 (1939)

Crataegus pinnatifida Bunge var. *partita* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 284 (1943)

Crataegus tenuifolia Kom. var. *major* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 306 (1943)

Filipendula koreana (Nakai) Nakai var. *alba* Nakai ex T.Mori, Enum. Pl. Corea 197 (1922)

Filipendula palmata (Pall.) Maxim. var. *rufinervis* (Nakai) T.B.Lee, Ill. Fl. Korea 445 (1980)

Malus sibirica (Maxim.) Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 638 (1932)

Micromeles alnifolia (Siebold & Zucc.) Koehne var. *oblongifolia* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 120 (1939)

Neillia uekii Nakai f. *papilosa* (Nakai ex Kawamoto) W.T.Lee, Lineamenta Florae Koreae 482 (1996)

Neillia uekii Nakai var. *papilosa* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 259 (1943)

Photinia lanata Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 (1952)

Potentilla chinensis Ser. var. *pseudochinensis* (Nakai) Nakai, Bot. Mag. (Tokyo) 33: 57 (1919)

Potentilla matsumurae Th.Wolf f. *alba* Y.N.Lee, Fl. Korea (Lee) 1188 (1996)

Potentilla pseudochinensis Nakai, Rep. Veg. Diamond Mountains 202 (1918)

Pourthiaea brunnea (H.L.Év.) Kawamoto, Chosen Sanrin Kwaiho 186: 24 (1940)

Pourthiaea villosa (Thunb.) Decne. var. *laevis* (Decne.) T.B.Lee, Arbor. Kor. 120 (1947)

Prunus glandulosa Thunb. var. *multiplena* (Makino) T.B.Lee, Arbor. Kor. 161 (1947)

Prunus jamasakura Siebold, Verh. Batav. Genootsch. Kunsten 12: 68 (1830)

Prunus koraiensis Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 142 (1939)

Prunus leveilleana Koehne var. *pendula* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 142 (1939)

Prunus leveilleana Koehne var. *pilosa* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 142 (1939)

Prunus leveilleana Koehne f. *sempilena* (Nakai ex T.Mori) T.B.Lee, Ill. Woody Pl. Korea 284 (1966)

Prunus leveilleana Koehne var. *sempilena* (Nakai ex T.Mori) T.B.Lee, Arbor. Kor. 159 (1947)

Prunus mandshurica (Maxim.) Koehne var. *pubescens* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 140 (1939)

Prunus padus L. f. *rufo-ferruginea* (Nakai ex T.Mori) W.T.Lee, Lineamenta Florae Koreae 505 (1996)

Prunus padus L. var. *rufo-ferruginea* Nakai ex T.Mori, Enum. Pl. Corea 209 (1922)

Prunus robusta Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 142 (1939)

Prunus serrulata Lindl. var. *sempilena* Nakai ex T.Mori, Enum. Pl. Corea 210 (1922)

Prunus verecunda (Koidz.) Koehne var. *sempilena* (Nakai) W.T.Lee, Lineamenta Florae

Koreae 511 (1996)

Pyrus ussuriensis Maxim. var. *hakunensis* (Nakai) T.B.Lee, Ill. Fl. Korea 461 (1980)

Pyrus montana Nakai, Rep. Veg. Chiisan Mts. 84 (1915)

Pyrus ussuriensis Maxim. var. *nankaiensis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 275 (1966)

Pyrus ussuriensis Maxim. var. *pubescens* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 130 (1939)

Pyrus ussuriensis Maxim. var. *seoulensis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 276 (1966)

Pyrus ussuriensis Maxim. var. *viridis* T.B.Lee, Ill. Fl. Korea 460 (1980)

Rosa acicularis Lindl. var. *setacea* Liou, Ill. Fl. Ligneous Pl. N. E. China 316 (1958)

Rosa acicularis Lindl. var. *polyphylla* Nakai ex T.Mori, Enum. Pl. Corea 201 (1922)

Rosa davurica Pall. var. *ellipsoidea* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 318 (1943)

Rosa multiflora Thunb. var. *pilosissima* (Nakai ex Kawamoto) H.S.Kim, Fl. Coreana (Kim) 3: 123 (1974)

Rosa polyantha Siebold & Zucc. var. *pilosissima* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 325 (1943)

Rosa silenidiflora Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 327 (1943)

Rosa suavis var. *gmelini* f. *alba* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 316 (1943)

Rosa suavis var. *setacea* (Liou) H.S.Kim, Fl. Coreana (Kim) 3: 130 (1974)

Rosa suavis var. *globularis* (Nakai ex T.Mori) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 (1952)

Rosa suavis var. *polyphylla* (Nakai ex T.Mori) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 (1952)

Rosa wichurana Crép. f. *rosiflora* (Nakai) T.B.Lee, Ill. Fl. Korea 448 (1980)

Rubus coreanus Miq. f. *concolor* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 281 (1966)

Rubus coreanus Miq. var. *concolor* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 137 (1939)

Rubus crataegifolius Bunge f. *subcuneatus* (Nakai ex Kawamoto) W.T.Lee, Lineamenta Florae Koreae 528 (1996)

Rubus crataegifolius Bunge var. *horridus* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 (1952)

Rubus crataegifolius Bunge var. *subcuneatus* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 137 (1939)

Rubus crataegifolius Bunge var. *subcrenatus* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 335 (1943)

Rubus longisepalus Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 138 (1939)

Rubus longisepalus Nakai var. *tozawae* (Nakai ex Kawamoto) T.B.Lee, Ill. Woody Pl. Korea 282 (1966)

Rubus parvifolius L. f. *concolor* (Koidz.) Sugim., New Keys to the woody plants of Japan 199 (1972)

Rubus phoenicolasius Maxim. var. *albiflorus* Nakai ex T.Mori, Enum. Pl. Corea 205 (1922)

Rubus tozawae Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 138 (1939)

Rubus tozawae Nakai ex Kawamoto var. *longisepalus* (Nakai ex Kawamoto) J.Y. Yang, Gen. Vasc. Pl. Korea 560 (2007)

Sanguisorba globularis Nakai ex T.H.Chung, Fl. Kor. [Chung] 1: 330 (1956)

Sanguisorba intermedia Nakai ex T.Mori, Enum. Pl. Corea 206 (1922)

Sinomalus komarovii (Sarg.) Honda var. *major* (Nakai ex Kawamoto) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 (1952)

Sinomalus komarovii (Sarg.) Honda var. *pilosa* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 (1952)

Sorbaria sorbifolia (L.) A.Braun f. *glandulosa* (Nakai ex Kawamoto) H.S.Kim, Fl.

Coreana (Kim) 3: 103 (1974)
Sorbaria stellipila (Maxim.) C.K.Schneid. var. *glandulosa* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 123 (1939)
Sorbaria stellipila (Maxim.) C.K.Schneid. var. *glabra* (Maxim.) Kawamoto, Ill. Kor. For. Pl. 262 (1942)
Sorbaria stellipila (Maxim.) C.K.Schneid. var. *rufa* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 56 (1952)
Sorbus alnifolia (Siebold & Zucc.) K.Koch f. *tiliifolia* (Decne.) Sugim., New Keys Jap. Trees 476 (1961)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *lasiocarpa* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 276 (1966)
Sorbus alnifolia (Siebold & Zucc.) K.Koch f. *oblongifolia* (Nakai ex Kawamoto) W.T.Lee, Lineamenta Florae Koreae 541 (1996)
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *oblongifolia* (Nakai ex Kawamoto) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 (1952)
Sorbus amurensis Koehne var. *rufescens* Nakai ex T.Mori, Enum. Pl. Corea 195 (1922)
Sorbus commixta Hedl. f. *chionophylla* (Nakai) Sugim., New Keys Jap. Trees 234 (1961)
Spiraea frutschiana C.K.Schneid. var. *obtusifolia* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 57 (1952)
Spiraea obtusa Nakai var. *latifolia* T.H.Chung, Ill. Encycl. Fauna & Flora of Korea 5: 73 (1965)
Spiraea salicifolia L. var. *heterodonta* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 57 (1952)

RUBIACEAE

Galium trinervium Gilib., Fl. Lit. Inch. 1: 12 (1782)
Galium verum L. var. *asiaticum* f. *pusillum* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 441 (1974)
Gardenia augusta (L.) Merr., Interpr. Herb. Amboin. 485 (1917)
Paederia tomentosa Blume f. *angustifolia* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 83 (1914)
Rubia cordifolia L. var. *pubescens* Nakai ex T.Mori, Enum. Pl. Corea 326 (1922)
Varneria augusta L., Amoen. Acad., Linnaeus ed. 4: 136 (1759)

RUTACEAE

Fagara ailanthoides (Siebold & Zucc.) Engl. var. *inermis* Nakai, Rep. Veg. Ooryongto 21 (1919)
Fagara manschurica (Benn.) Honda var. *microphylla* (Nakai) H.Hara, Enum. Spermatophytarum Japon. 3: 26 (1954)
Fagara schinifolia (Siebold & Zucc.) Engl. var. *microphylla* Nakai ex T.Mori, Enum. Pl. Corea 230 (1922)
Fagara schinifolia (Siebold & Zucc.) Engl. f. *inermis* (Nakai) Sugim., New Keys Jap. Trees 295 (1961)
Phellodendron amurense Rupr. var. *latifoliolatum* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 412 (1943)
Zanthoxylum ailanthoides Siebold & Zucc. var. *inermis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 297 (1966)
Zanthoxylum schinifolium Siebold & Zucc. f. *microphyllum* (Nakai) W.T.Lee, Lineamenta Florae Koreae 645 (1996)
Zanthoxylum schinifolium Siebold & Zucc. var. *microphylla* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 298 (1966)

SALICACEAE

- Salix pseudolinearis* Nasarow var. *brevispica* Nakai, Bull. Natl. Sci. Mus., Tokyo 31 (1952)
Salix pseudolinearis Nasarow var. *linearis* Nakai, Bull. Natl. Sci. Mus., Tokyo 31 (1952)

SAXIFRAGACEAE

- Aceriphyllum acanthifolia* (Nakai) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 132 (1969)
Astilbe koreana (Kom.) Nakai f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 280 (1996)
Rodgersia podophylla A.Gray var. *viridis* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 55 (1952)

SCHISANDRACEAE

- Schisandra chinensis* (Turcz.) Baill. var. *glabrata* Nakai ex T.Mori, Enum. Pl. Corea 166 (1922)
Schisandra viridicarpa Y.N.Lee, Fl. Korea (Lee) ed. 4: 1150 (2002)

SCROPHULARIACEAE

- Melampyrum japonicum* (Franch. & Sav.) Soó, J. Bot. 65: 144 (1927)
Melampyrum roseum Maxim. f. *albiflorum* Nakai, Bot. Mag. (Tokyo) 31: 108 (1917)
Melampyrum roseum Maxim. f. *albiflorum* Nakai ex T.B.Lee, Bull. Kwanak Arbor. 1: 78 (1976)
Pedicularis resupinata L. var. *gigantea* f. *alba* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 102 (1952)
Pedicularis resupinata L. var. *oppositifolia* f. *albiflora* Nakai, Rep. Veg. Diamond Mountains 202 (1918)
Pedicularis resupinata L. var. *oppositifolia* f. *ramosa* (Kom.) Nakai ex T.H.Chung, Fl. Kor. [Chung] 1: 586 (1956)
Pedicularis sanguinea Nakai ex T.Mori, Enum. Pl. Corea 315 (1922)
Pedicularis songdoensis T.H.Chung, Fl. Kor. [Chung] 1: 588 (1956)
Pseudolysimachion linariifolium (Pall.) Holub f. *album* (T.B.Lee) T.B.Lee, Bull. Kwanak Arbor. 4: 57 (1983)
Pseudolysimachion linariifolium (Pall.) Holub var. *dilatatum* (Nakai & Kitag.) Y.N.Lee, Fl. Korea (Lee) 1990 (1996)
Veronica diamantiaca Nakai var. *serrata* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 163 (1952)
Veronica linariifolia Pall. ex Link f. *alba* T.B.Lee, Bull. Kwanak Arbor. 1: 89 (1976)
Veronica linariifolia Pall. ex Link var. *villosula* (Nakai) T.B.Lee, Ill. Fl. Korea 675 (1980)
Veronica sibirica L. var. *latifolia* Nakai ex T.H.Chung, Fl. Kor. [Chung] 1: 601 (1956)

SYMPLOCACEAE

- Symplocos buchenensis* T.H.Chung, Fl. Kor. [Chung] 2: 781 (1957)
Symplocos papyracea Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 20 (1952)

THEACEAE

- Camellia chinensis* Kuntze, Revis. Gen. Pl. 1: 64 (1891)
Camellia japonica L. f. *longifolia* Uyeki, Woody Pl. Distr. Chosen 76 (1940)
Camellia japonica L. f. *variegata* Uyeki, Woody Pl. Distr. Chosen 76 (1940)

THELYPTERIDACEAE

Cyclosorus interruptus (Willd.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 184 (1938)

TILIACEAE

Grewia parviflora Bunge var. *angusta* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 63 (1914)

Tilia amurensis Rupr. var. *barbigera* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 499 (1943)

Tilia fusiformis Nakai ex T.H.Chung, Nom. Pl. Kor. 155 (1949)

Tilia koreana Nakai, Bot. Mag. (Tokyo) 27(318): 130 (1913)

ULMACEAE

Abelicea serrata (Thunb.) Makino var. *longifolia* Nakai ex T.Mori, Enum. Pl. Corea 121 (1922)

Ulmus sieboldii Daveau var. *coreana* Nakai, Rep. Veg. Chiisan Mts. 30 (1915)

Zelkova serrata (Thunb.) Makino var. *latifolia* Nakai, Chosen Sanrin Kwaiho 122: 23 (1935)

VERBENACEAE

Callicarpa mimurazakii Hassk., Cat. Hort. Bot. Bogor. 1: 136 (1844)

Callicarpa murasakii Siebold, Jaarb. Kon. Ned. Maatsch. Tuinb. 25 (1844)

VIOLACEAE

Viola acuminata Ledeb. var. *coerulescens* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 79 (1952)

Viola albida Palib. f. *suavis* (Nakai) M.K.Park, Herb. Pl. Kor. (Dicots) 274 (1974)

Viola dissecta Ledeb. var. *takahashii* (Makino) T.B.Lee, Ill. Fl. Korea 547 (1980)

Viola kapsanensis Nakai f. *albiflora* (Nakai) T.B.Lee, Ill. Fl. Korea 550 (1980)

Viola keiskei Miq. f. *okuboii* (Makino) T.B.Lee, Seoul Univ. J., Biol. Ser. 20: 158 (1969)

Viola ovato-oblonga (Miq.) Makino var. *exilis* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 79 (1952)

VITACEAE

Cissus viticifolia Siebold & Zucc. var. *pinnatifida* Siebold & Zucc., Abh. Math.-Phys. Cl. Konigl. Bayer. Akad. Wiss. 4-2: 196 (1845)

Vitis amurensis Rupr. var. *ciliata* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 492 (1943)

Vitis humulifolia var. *bungei* Nakai ex Kawamoto, Ill. Manual Korean Trees Shrubs 1: 490 (1943)

WOODSIACEAE

Athyrium wichurae (Mett.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 101 (1956)

Woodsia polystichoides D.C.Eaton f. *pinnis-sinuatis* Franch., Pl. David. 1: 347 (1884)

Reference

Chang, C.S., Kim, H. and Chang, K.S. 2011. Illustrated Encyclopedia of Fauna & Flora of Korea. Vol. 43. Woody Plants. Ministry of Education, Science and Technology. Design Post, Pajoo (in Korean).

eFloras 2014. Published on the Internet <http://www.efloras.org> [accessed 1st Feb. 2014]. Missouri Botanical Garden, St. Louis, MO & Harvard University Herbaria, Cambridge, MA.

The International Plant Names Index. 2014. Published on the Internet <http://www.ipni.org> [accessed 1st Feb. 2014].

Lee, T. B. 1980. *Illustrated Flora of Korea*. Hyangmun Co., Seoul (in Korean).

Lee, T. B. 1966. Bibliography Woody Plants in Korea. Forest. Experiment. Station., Seoul (in Korean).

Lee, T. B. 1976. Vascular plants and their uses in Korea. Bulletin of the Kwanak Arboretum 1:1-137.

Lee W.T. 1996. *Lineamenta FloraeKorea*. Seoul:Acamedy Seojeok (in Korea).

The Plant List. 2014. Version 1.1. Published on the Internet; <http://www.theplantlist.org/> [accessed 1st Feb.].

Rehder, A. 1940. Manual of Cultivated Trees and Shrubs. 2nd ed. Macmillan Publishing Co., Inc., New York.

Yonekura, K. and Kajita, T. 2014. YList http://bean.bio.chiba-u.jp/bgplants/ylist_main.html [Last accessed 1st Feb. 2014].

Index

Adiantum	7	Alnus	292	Arundinella	154
Abelia	325	Alopecurus	152	Arundo	154
Abeliophyllum	457	Alpinia	197	Asarum	231
Abelmoschus	447	Amara	117	Asparagus	117
Abies	52	Amaranthus	206	Asperula	560
Abutilon	447	Ambrosia	234	Aspidistra	118
Acalypha	381	Amelanchier	525	Asplenium	8
Acer	199	Amethystea	424	Aster	242
Achillea	232	Amitostigma	137	Astilbe	577
Achlys	290	Ammannia	444	Astilboides	578
Achudemia	611	Amorpha	386	Astragalus	386
Achyranthes	206	Ampelopsis	628	Asyneuma	322
Aconitum	502	Amphicarpaea	386	Athyrium	42
Aconogonon	482	Amsinckia	298	Atractylodes	246
Acorus	60	Amsonia	222	Atriplex	348
Actaea	505	Anagallis	498	Aucuba	358
Actinidia	203	Anaphalis	235	Avena	154
Actinostemma	364	Ancistrocarya	298	Axyris	348
Adenocaulon	233	Andromeda	372	Azolla	37
Adenophora	318	Androsace	498	Barbarea	304
Adenostemma	233	Anemarrhena	117	Barnardia	118
Adina	560	Anemone	507	Bassia	348
Adlumia	472	Angelica	210	Batrachium	509
Adonis	507	Angiopteris	29	Beckmannia	155
Adoxa	205	Antennaria	235	Begonia	290
Aegilops	151	Anthemis	236	Bellis	246
Aeginetia	469	Anthoxanthum	153	Benincasa	364
Aegopodium	209	Anthriscus	212	Berberis	290
Aeschynomene	385	Anticlea	117	Berchemia	521
Aesculus L.	418	Antirrhinum	582	Bergenia	578
Agastache	423	Aphananthe	608	Berteroella	305
Agave	114	Apocynum	222	Beta	208
Ageratina	233	Aquilegia	509	Betula	294
Ageratum	234	Arabidopsis	302	Bidens	246
Agrimonia	524	Arabis	303	Bistorta	483
Agrostemma	333	Arachis	386	Bletilla	137
Agrostis	151	Arachniodes	14	Blyxa	105
Ailanthus	594	Aralia	227	Boehmeria	611
Ainsliaea	234	Arctium	236	Bolboschoenus	65
Ajania	234	Arctous	372	Boschniakia	469
Ajuga	424	Ardisia	454	Bothriochloa	155
Akebia	438	Arenaria	334	Bothriospermum	298
Alangium	205	Arisaema	60	Botrychium	29
Albizia	385	Aristolochia	231	Brachybotrys	299
Alcea	448	Armoracia	304	Brachyelytrum	155
Aldrovanda	369	Arrhenatherum	153	Brachypodium	155
Aletris	114	Artemisia	236	Bracteantha	248
Alisma	58	Arthraxon	153	Brasenia	318
Alliaria	302	Aruncus	525	Brassica	305
Allium	114	Arundinaria	154	Braya	305

Breaa	248	Caudoxalis	470	Cleome	325
Briza	159	Caulophyllum	291	Clerodendrum	617
Bromus	159	Cayratia	629	Clethra	353
Broussonetia	451	Cedrus	52	Cleyera	602
Bulbophyllum	137	Celastrus	343	Clinopodium	424
Bulbostylis	65	Celosia	208	Clintonia	119
Bupleurum	212	Celtis	608	Clivia	120
Burmannia	63	Centaurea	250	Cnidium	214
Buxus	317	Centella	213	Cocculus	450
Cabomba	318	Centipeda	250	Codonopsis	322
Caesalpinia	387	Centranthera	582	Coelachne	160
Caladium	62	Cephalanthera	138	Coeloglossum	139
Calamagrostis	159	Cephalotaxus	48	Coix	160
Calanthe	137	Cerastium	334	Colocasia	62
Caldesia	58	Ceratophyllum	347	Colysis	32
Calendula	248	Ceratopteris	32	Comarum	526
Calla	62	Cercidiphyllum	348	Commelina	64
Callianthemum	509	Cercis	388	Coniogramme	8
Callicarpa	616	Chaenomeles	525	Conioselinum	214
Callistephus	249	Chamaecrista	388	Conium	214
Callitriche	479	Chamaecyparis	48	Consolida	514
Caltha	509	Chamaedaphne	372	Convallaria	120
Calycanthus	318	Chamaegastrodia	139	Convolvulus	356
Calypso	138	Chamaerhodos	526	Conyza	254
Calystegia	355	Cheilanthes	7	Coptis	514
Camelina	306	Chelidonium	472	Corallorhiza	139
Camellia	601	Chenopodium	349	Corchoropsis	605
Campanula	322	Chimaphila	373	Corchorus	605
Campsis	298	Chionanthus	457	Coreopsis	254
Campylotropis	387	Chionographis	119	Coriandrum	214
Canavalia	387	Chloranthus	352	Corispermum	350
Canna	64	Chloris	159	Cornopteris	44
Cannabis	325	Chlorophytum	119	Cornus	358
Capillipedium	159	Chorispora	309	Corydalis	472
Capsella	306	Chrysanthemum	250	Corylopsis	418
Capsicum	594	Chrysosplenium	578	Corylus	297
Caragana	388	Cichorium	250	Cosmos	255
Cardamine	307	Cicuta	213	Cotinus	208
Cardiospermum	577	Cimicifuga	510	Cotoneaster	526
Carduus	249	Cinna	160	Crassocephalum	255
Carex	66	Cinnamomum	439	Crassula	360
Carpesium	249	Circaea	465	Crataegus	527
Carpinus	296	Cirsium	251	Cremastra	139
Carthamus	250	Citrullus	365	Crepidiastrum	255
Caryopteris	617	Citrus	567	Crepidomanes	25
Castanea	403	Cladium	88	Crepis	257
Castanopsis	404	Cladrastis	388	Crinum	59
Catalpa	298	Clausia	309	Crotalaria	388
Catapodium	159	Cleistogenes	160	Crypsis	161
Catolobus	309	Clematis	510	Cryptogramma	8

Cryptomeria	48	Dichondra	357	Enemion	515
Cryptotaenia	214	Dicliptera	199	Enkianthus	373
Ctenitis	15	Dicranopteris	25	Epilobium	466
Cucumis	365	Dictamnus	568	Epimedium	291
Cucurbita	365	Diervilla	326	Epipactis	142
Cunninghamia	49	Digitalis	583	Epipogium	142
Cuscuta	356	Digitaria	162	Equisetum	24
Cycas	51	Dimeria	163	Eragrostis	166
Cyclogramma	39	Diodella	560	Eranthis	515
Cyclosorus	39	Diodia	561	Erechtites	259
Cyclospermum	215	Dioscorea	102	Eremochloa	167
Cymbalaria	582	Diospyros	369	Eremogone	336
Cymbidium	139	Diplazium	10	Erigeron	259
Cymbopogon	161	Diplopterygium	25	Eriobotrya	528
Cymopterus	215	Diplotaxis	310	Eriocaulon	104
Cynanchum	223	Dipsacus	368	Eriophorum	92
Cynodon	161	Disporum	120	Eritrichium	299
Cynoglossum	299	Distylium	418	Erodium	412
Cynosurus	161	Dontostemon	310	Erucastrum	310
Cyperus	88	Dopatrium	583	Erysimum	311
Cypripedium	140	Draba	310	Erythronium	121
Cyrtomium	15	Dracocephalum	426	Eschscholzia	475
Cyrtosia	141	Drosera	369	Euchiton	260
Cystopteris	16	Dryas	527	Euchresta	389
Cytisus	389	Dryopsis	16	Eucommia	380
Dactylis	161	Dryopteris	16	Eulalia	167
Dactyloctenium	161	Duchesnea	528	Euonymus	344
Dactylorhiza	141	Dumasia	389	Eupatorium	260
Dahlia	257	Dunbaria	389	Euphorbia	381
Damnacanthus	560	Dysphania	350	Euphrasia	583
Daphne	603	Dystaenia	215	Eurya	602
Daphniphyllum	367	Echinacea	259	Euryale	456
Datura	595	Echinochloa	163	Euscaphis	598
Daucus	215	Echinops	259	Eutrema	311
Davallia	12	Eclipta	259	Exochorda	528
Deinostema	582	Edgeworthia	604	Fagopyrum	484
Delphinium	515	Ehretia	299	Fagus	405
Dendranthema	257	Eichhornia	192	Fallopia	484
Dendrobium	141	Elaeagnus	370	Farfugium	261
Dendropanax	228	Elaeocarpus	371	Fatoua	452
Dennstaedtia	13	Elatine	372	Fatsia	229
Deparia	44	Elatostema	612	Festuca	167
Deschampsia	161	Eleocharis	90	Ficus	452
Descurainia	309	Eleusine	164	Filifolium	261
Desmodium	389	Eleutherococcus	228	Filipendula	528
Deutzia	418	Elsholtzia	426	Fimbristylis	93
Dianthus	335	Elymus	164	Firmiana	599
Diapensia	368	Elytrigia	166	Flueggea	383
Diarrhena	162	Emilia	259	Foeniculum	216
Diarrhron	604	Empetrum	373	Fontanesia	457

Forsythia	457	Halophila	105	Illicium	422
Fragaria	530	Hamamelis	418	Impatiens	289
Fraxinus	458	Hanabusaya	323	Imperata	171
Fritillaria	121	Haplopteris	41	Indigofera	392
Fuchsia	468	Hedera	230	Inula	264
Fuirena	96	Hedychium	197	Ipomoea	357
Gagea	121	Hedysarum	391	Iris	106
Gaillardia	261	Helianthus	263	Isachne	171
Galearis	142	Heliopsis	263	Isatis	311
Galeopsis	427	Heloniopsis	121	Ischaemum	171
Galinsoga	262	Hemarthria	170	Isodon	427
Galium	561	Hemerocallis	121	Isoetes	27
Gamochaeta	262	Hemiptelea	609	Isopyrum Adans.	515
Gardenia	564	Hemistepa	263	Ixeridium	265
Gardneria	443	Heracleum	216	Ixeris	266
Gastrochilus	142	Herminium	144	Jacquemontia	358
Gastrodia	142	Hibiscus	448	Jasminum	460
Gazania	262	Hieracium	263	Juglans	422
Gentiana	409	Hierochloe	170	Juncus	110
Gentianopsis	410	Hippuris	418	Juniperus	49
Geranium	413	Holcus	170	Justicia	199
Gerbera	262	Hololeion	264	Kadsura	581
Geum	530	Honckenya	337	Kalopanax	230
Ginkgo	51	Hordeum	170	Kerria	530
Girardinia	613	Hosta	122	Kirengeshoma	421
Gladiolus	106	Houttuynia	577	Klasea	268
Glandularia	618	Hovenia	522	Knorringia	486
Glechoma	427	Hoya	224	Kobresia	97
Gleditsia	389	Humulus	325	Koeleria	172
Glehnia	216	Huperzia	27	Koelreuteria	577
Glochidion	383	Hyacinthus	123	Korthalsella	627
Glyceria	169	Hydrangea	419	Kuhlhasseltia	146
Glycine	390	Hydrilla	105	Kummerowia	392
Glycyrrhiza	390	Hydrocharis	106	Kyllinga	97
Gnaphalium	262	Hydrocotyle	216	Lactuca	268
Gomphrena	208	Hygrophila	199	Lagenaria	366
Gonocarpus	417	Hylodesmum	391	Lagerstroemia	444
Goodyera	143	Hylomecon	475	Lagopsis	428
Gossypium	448	Hylotelephium	360	Lamium	429
Gratiola	584	Hymenasplenium	11	Lamprocapnos	475
Grewia	605	Hymenophyllum	26	Laportea	613
Gueldenstaedtia	390	Hyoscyamus	595	Lappula	300
Gymnadenia	144	Hypericum	353	Lapsana	269
Gymnocarpium	32	Hypochaeris	264	Lapsanastrum	269
Gymnospermium	291	Hypodematum	21	Larix	52
Gynostemma	366	Hypolepis	13	Lathraea	469
Gypsophila	336	Hystrix Moench	171	Lathyrus	393
Habenaria	144	Iberis	311	Laurus	439
Hackelia	300	Idesia	408	Lecanorchis	146
Halenia	411	Ilex	226	Leersia	172

Leibnitzia	269	Lychnis	337	Mimosa	397
Lemmaphyllum	33	Lycium	595	Mimulus	587
Lemna	113	Lycopersicon	595	Minuartia	337
Leontodon	270	Lycopodium	28	Mirabilis	455
Leontopodium	270	Lycopus	429	Miscanthus	175
Leonurus	429	Lycoris	59	Mitchella	565
Lepidium	312	Lygodium	37	Mitella	579
Lepidomicrosorium	33	Lysimachia	499	Mitrasacme	443
Lepisorus	33	Lythrum	444	Modiola	449
Leptochloa	172	Maackia	396	Moehringia	338
Leptopyrum	516	Machilus	441	Molinia	176
Leptorumohra	21	Macleaya	475	Mollugo	451
Lespedeza	393	Maclura	453	Momordica	366
Leucanthemella	270	Magnolia	446	Moneses	373
Leucanthemum	270	Mahonia	291	Monochasma	588
Leymus	173	Maianthemum	127	Monochoria	192
Libanotis	217	Malaxis	146	Monotropa	373
Ligularia	271	Mallotus	383	Monotropastrum	374
Ligusticum	217	Malus	530	Monstera	63
Ligustrum	460	Malva	448	Morus	453
Lilium	123	Mankyua	30	Mosla	431
Limnophila	584	Marsdenia	224	Muhlenbergia	176
Limonium	480	Marsilea	29	Mukdenia	580
Limosella	584	Matricaria	272	Murdannia	64
Linaria	584	Matteuccia	22	Musa	136
Lindera	439	Mazus	585	Myagrum	314
Lindernia	585	Medicago	396	Myosotis	301
Lindsaea	13	Meehania	430	Myosoton	338
Linnaea	327	Megaleranthis	516	Myriandra	355
Linum	443	Melampyrum	586	Myrica	453
Liparis	146	Melia	449	Myriophyllum	417
Lipocarpha	97	Melica	174	Myrmechis	146
Liriodendron	445	Melilotus	397	Nageia	56
Liriope	125	Meliosma	570	Najas	136
Lisaea	218	Melochia	599	Nandina	291
Lithospermum	300	Menispermum	450	Nanocnide	613
Litsea	440	Mentha	430	Narcissus	59
Lloydia	126	Menyanthes	450	Nasturtium	314
Lobelia	323	Mercurialis	384	Neanotis	565
Lobularia	313	Mertensia	301	Neillia	532
Lolium	173	Metanarthecium	128	Nelumbo	455
Lonicera	327	Metaplexis	225	Neocheiropteris	22
Lophatherum	173	Metasequoia	50	Neofinetia	146
Loranthus	444	Metathelypteris	39	Neolepisorus	34
Lotus	396	Michelia	447	Neolindleya	146
Loxogramme	34	Microcarpaea	587	Neolitsea	441
Ludwigia	468	Microlepia	14	Neoshirakia	384
Luffa	366	Microstegium	174	Neottia	146
Lupinus	396	Milium	175	Neottianthe	146
Luzula	112	Millettia	397	Nepenthes	455

Nepeta	432	Parapholis	178	Picea	53
Nephrolepis	12	Parasenecio	272	Picrasma	594
Nerium	225	Parietaria	613	Picris	273
Nervilia	146	Paris	128	Pilea	614
Neslia	314	Parnassia	476	Pimpinella	219
Nicandra	596	Parthenium	273	Pinellia	63
Nicotiana	596	Parthenocissus	630	Pinguicula	442
Nuphar	456	Paspalum	178	Pinus	54
Nymphaea	456	Passiflora	476	Piper	478
Nymphoides	450	Patrinia	615	Pisum	398
Oberonia	146	Paulownia	588	Pittosporum	478
Oenanthe	218	Pecteilis	148	Plagiogyria	31
Oenothera	468	Pedicularis	588	Plagiorhegma	291
Ohwia	397	Pelargonium	415	Plantago	479
Oldenlandia	565	Pelatantheria	148	Platanthera	148
Olea	462	Pellionia	614	Platanus	480
Omphalodes	301	Pennisetum	178	Platycarya	423
Omphalotrix	588	Pentactina	532	Platyclusus	51
Onoclea	46	Penthorum	477	Platycodon	324
Onychium	12	Peracarpa	324	Pleurosoriopsis	34
Ophioglossum	30	Perilla	433	Pleurospermum	220
Ophiopogon	128	Peristylus	148	Poa	181
Oplismenus	177	Persicaria	487	Podocarpus	56
Oplopanax	230	Petasites	273	Pogonia	150
Opulaster	532	Petunia	596	Pogostemon	433
Opuntia	318	Peucedanum	219	Polemonium	481
Oreocnide	613	Phacellanthus	470	Pollia	64
Oreorchis	148	Phacelurus	179	Polygala	481
Oreoxa	568	Phaenosperma	179	Polygonatum	129
Orobanche	469	Phalaris	179	Polygonum	494
Orostachys	362	Phaseolus	398	Polypodium	34
Orthilia	374	Phedimus	362	Polypogon	183
Orychophragmus	314	Phegopteris	39	Polystichum	22
Oryza	177	Phellodendron	569	Ponerorchis	150
Osmanthus	462	Philadelphus	421	Populus	571
Osmorhiza	218	Phleum	180	Portulaca	498
Osmunda	31	Phlomis	433	Potamogeton	193
Ostericum	218	Phlox	481	Potentilla	533
Ostrya	297	Photinia	532	Prenanthes	274
Ottelia	106	Phragmites	180	Primula	500
Oxalis	470	Phryma	477	Prinsepia	537
Oxyria	487	Phtheirospermum	589	Prunella	434
Oxytropis	398	Phyllanthus	478	Prunus	537
Pachysandra	318	Phyllodoce	374	Pseudocydonia	545
Paederia	566	Phyllospadix	197	Pseudognaphalium	274
Paeonia	471	Phyllostachys	181	Pseudolysimachion	589
Paliurus	522	Physaliastrum	596	Pseudoraphis	184
Panax	231	Physalis	596	Pseudosasa	184
Panicum	178	Physocarpus	533	Pseudostellaria	338
Papaver	476	Phytolacca	478	Psilotum	36

Pteridium	36	Salicornia	351	Sinapis	316
Pteris	36	Salix	572	Sinningia	415
Pternopetalum	220	Salomonia	482	Sinomenium	450
Pterocarya	423	Salsola	351	Siphonostegia	592
Pterostyrax	599	Salvia	434	Sisymbrium L.	316
Pterygocalyx	411	Salvinia	37	Sisyrrinchium	109
Pterygopleurum	220	Sambucus	329	Sium	221
Puccinellia	184	Sanguisorba	554	Smilax	131
Pueraria	398	Sanicula	220	Solanum	598
Pulsatilla	516	Sapindus	577	Solidago	281
Punica	502	Saposhnikovia	220	Sonchus	282
Pycneus	98	Sarcandra	353	Sophora	399
Pyracantha	545	Sasa	185	Sorbaria	555
Pyrola	375	Saururus	577	Sorbus	555
Pyrrosia	35	Saussurea	275	Sorghum	188
Pyrus	545	Saxifraga	580	Sparganium	195
Quercus	405	Scabiosa	368	Spergula	342
Ranunculus	516	Scandix	221	Spergularia	342
Raphanus	314	Scheuchzeria	195	Sphallerocarpus	221
Rapistrum	315	Schisandra	582	Sphenomeris	14
Rehmannia	591	Schizachne	186	Spinacia	208
Rhamnella	522	Schizachyrium	186	Spiraea	559
Rhamnus	522	Schizopepon	367	Spiranthes	150
Rhaphiolepis	547	Schizophragma	422	Spirodela	113
Rheum	495	Schoenoplectus	99	Spodiopogon	188
Rhodiola	362	Sciadopitys	56	Sporobolus	188
Rhododendron	375	Scirpus	101	Stachys	437
Rhodotypos	548	Scleranthus	339	Staphylea	598
Rhus	209	Scleria	102	Stauntonia	438
Rhynchosia	399	Scopolia	597	Stegnoграмма	39
Rhynchospermum	274	Scorzonera	279	Stellaria	342
Rhynchospora	98	Scrophularia	592	Stellera	604
Ribes	415	Scutellaria	435	Stemmacantha	282
Ricinus	384	Secale	187	Stephanandra	559
Robinia	399	Sedirea	150	Stephania	450
Rodgersia	580	Sedum	362	Stewartia	603
Rohdea	131	Selaginella	38	Stimponia	502
Rorippa	315	Selligaea	35	Stipa	189
Rosa	548	Senecio	279	Streptolirion	64
Rotala	445	Senna	399	Streptopus	132
Rubia	566	Serrisa	567	Strobilanthes	199
Rubus	551	Serratula	280	Stuckenia	194
Rudbeckia	275	Sesamum	477	Styphnolobium	399
Rumex	495	Setaria	187	Styrax	599
Rupia	195	Sibbaldia	555	Suaeda	351
Saccharum	185	Sicyos	367	Swertia	411
Sacciolepis	185	Sida	449	Symphylocarpus	283
Sageretia	523	Sigesbeckia	280	Symphyotrichum	283
Sagina	339	Silene	340	Symphytum	301
Sagittaria	58	Silybum	281	Symplocarpus	63

Symplocos	600	Tribulus	631	Vulpia	191
Syneilesis	283	Trichophorum	102	Wahlenbergia	324
Synurus	283	Trichosanthes	367	Waldsteinia	560
Syringa	463	Tricyrtis	133	Wedelia	287
Taeniophyllum	151	Trientalis	502	Weigela	333
Tagetes	284	Trifolium	400	Wikstroemia	605
Tamarix	601	Triglochin	113	Wisteria	403
Tanacetum	284	Trigonotis	302	Wolffia	114
Taraxacum	285	Trillium	134	Woodsia	47
Taxillus	444	Triodanis	324	Woodwardia	11
Taxodium	51	Tripleurospermum	287	XCrepidiastrixeris	288
Taxus	56	Tripogon	190	Xanthium	288
Tephrosieris	286	Tripodora	438	Xylosma	408
Ternstroemia	603	Tripterispermum	412	Youngia	288
Tetradium	569	Tripterygium	347	Yucca	136
Tetragonia	205	Trisetum	190	Zannichellia	194
Tetrapanax	231	Triticum	190	Zanthoxylum	569
Teucrium	437	Tritonia	110	Zea	191
Thalictrum	519	Triumfetta	607	Zelkova	610
Thelypteris	12	Trollius	521	Zephyranthes	60
Thelypteris	39	Tropaeolum	608	Zingiber	197
Themeda	189	Tsuga	56	Zinnia	289
Thermopsis	400	Tubocapsicum	598	Zizania	191
Thesium	576	Tulipa	134	Ziziphus	524
Thladiantha	367	Turritis	317	Zostera	197
Thlaspi	317	Tylophora	226	Zoysia	191
Thrixspermum	151	Typha	196		
Thuja	51	Ulmus	609		
Thujiopsis	51	Urtica	614		
Thymus	438	Utricularia	442		
Thyrocarpus	301	Vaccaria	343		
Tiarella	581	Vaccinium	378		
Tilia	606	Valeriana	615		
Tilingia	221	Valerianella	616		
Tipularia	151	Vallisneria	106		
Tithonia	287	Veratrum	134		
Tofieldia	133	Verbascum	592		
Toona	449	Verbena	618		
Torilis	222	Verbesina	287		
Torreya	57	Vernicia	385		
Torreya	190	Veronica	592		
Tournefortia	301	Veronicastrum	593		
Toxicodendron	209	Viburnum	330		
Trachelospermum	225	Vicia	400		
Tradescantia	65	Vigna	402		
Tragopogon	287	Vincetoxicum	226		
Trapa	607	Viola	619		
Trapella	477	Viscum	627		
Triadenum	355	Vitex	618		
Triadica	385	Vitis	630		
