

국가표준식물목록

자생식물

Checklist of Vascular Plants in Korea
Native Plants



책임운영기관
산림청 국립수목원

Checklist of Vascular Plants in Korea (Native Plants)

'Copyright © 2020 Korea National Arboretum

Published by

Korea National Arboretum of the Korea Forest Service
509 Gwangneungsumokwon-ro, Soheul-eup, Pocheon-si, Gyeonggi-do 11186, Republic of Korea

Edited by

Korea National Arboretum of the Korea Forest Service

Supervised by

Korean Plant Names Index Committee
Jae-Hong Pak (Kyungpook National University), Chong-Wook Park (Seoul National University),
Gyu Young Chung (Andong National University), Hyeok-Jae Choi (Changwon National University),
Jin-Seok Kim (National Institute of Biological Resources), Ki-Oug Yoo (Kangwon National University),
Sangtae Kim (Sungshin Women's University), Sang-Hun Oh (Daejeon University),
Seung-Chul Kim (Sungkyunkwan University), Seung Hwan Oh (Korea National Arboretum)

Participatory researcher

Dong Chan Son, Dong-Kap Kim, Su Young Jung, Kae Sun Chang, Seung Hwan Oh
(Korea National Arboretum)

Citation

Korea National Arboretum. 2020. Checklist of Vascular Plants in Korea (Native Plants).
Korea National Arboretum, Pocheon. 1,006 pp.

Designed by

Dooroo Happy Co., Ltd.

ISBN 979-11-90509-48-0 (93480)

Government Publications Registration Number 11-1400119-000419-01

Printed in the Republic of Korea

All rights reserved. No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by any mean, electronic, mechanical, photocopying recording, or otherwise, without prior written permission.

정부간행물발간등록번호
11-1400119-000419-01

국가표준식물목록

자생식물

Checklist of Vascular Plants in Korea
Native Plants



책임운영기관
산림청 국립수목원

PREFACE 발간사

식물의 이름은 식물에 대한 정보 소통의 가장 기본적인 요소입니다. 산림청 국립수목원은 2007년 한국식물분류학회와 공동으로 국가적인 차원에서 우리 식물자원에 대한 표준화된 식물목록인 『국가표준식물목록』을 발간한 바 있습니다. 이후 국가표준식물목록은 우리나라 식물분류학계의 발전은 물론, 한반도 산림식물자원의 관리와 연구를 위한 기준이 되어 왔습니다.

식물의 학명은 “조류, 균류와 식물에 대한 국제명명규약(International Code of Nomenclature for Algae, Fungi and Plants)”에 따라 명명되며, 학명은 분류학적으로 또는 명명학적으로 정명이 변경될 수 있는 특성이 있습니다. 또한 국명은 한글이라는 우리나라 고유의 언어를 사용하는 특성상, 일반적으로 국명이 식물을 지칭하는 수단으로 이용되고 있습니다. 그러나 이러한 국명은 “일반명”이 지닌 성질과 같이 하나의 식물이 여러 개의 이름을 가지거나, 하나의 이름이 둘 이상의 식물을 지칭하는 등의 특성으로 많은 혼란을 초래합니다.

이에 우리 산림청 국립수목원은 ‘수목원·정원의 조성 및 진흥에 관한 법률 시행령’ 제 1조의 3에 근거하여 한국식물분류학회, 한국원예학회, 한국조경학회, 한국임학회 등의 관련 학계와 (사)한국식물원·수목원협회 등 관련 업계의 전문가들과 유관 기관의 담당자들로 구성된 국가수목유전자원목록심의회를 상시로 운영하여, 국가표준식물목록 작성지침에 따라 우리나라에 분포하는 모든 식물에 대한 학명과 국명을 체계적으로 표준화하여 목록화하고 있습니다. 또한 이러한 정보들은 데이터베이스로 구축하여 「국가생물종지식정보시스템」과 「국가표준식물목록시스템」을 통해 우리 식물자원의 학명, 국명 뿐만 아니라 다양한 정보들을 관련 학계 및 일반인들에게 제공하고 있습니다.

앞으로도 우리 국립수목원은 산림생물종 보존·관리의 선도기관으로서 한반도에 분포하는 모든 식물종에 대한 학명과 국명을 연구·정리하고, 객관적인 심의과정을 거쳐 표준화된 국명을 제시함으로서 한반도 식물자원의 관리와 보전 뿐만 아니라, 지구적 차원에서의 식물 종 보전에도 기여할 수 있도록 노력할 것입니다. 본 목록이 발간되기까지 국가표준식물목록과 국립수목원 식물 정보에 많은 관심을 가지고 조언과 의견을 주신 많은 분들께 감사드립니다. 그리고 식물명 검토를 도와주신 식물분류학자 여러분들과, 특히 많은 양의 식물명 검토와 심의에 애써 주신 국가수목유전자원목록심의회 국가식물목록분과 위원님들께 깊은 감사의 말씀을 전합니다.

2020. 12. 31.

국립수목원장

INTRODUCTORY REMARKS 일러두기

▶ 『국가표준식물목록』의 의미

식물의 국명은 시대적 상황의 변화, 맞춤법의 변화 및 지역적 특성에 따라 동일 식물에 서로 다른 이름이 붙여질 수 있다. 그렇다고 학명(scientific name)의 경우처럼 발표의 선취권을 적용하여 무조건 먼저 발표된 국명을 표준명으로 선정할 경우에는 오히려 더 많은 국명 사용상의 혼란을 초래한다.

학명의 경우도 분류학적 또는 명명학적 연구 결과에 따라 정명(accepted name)이 바뀔 수 있으며, 심지어는 학자들의 견해에 따라 동일한 식물에 서로 다른 학명이 쓰이기도 한다. 또한 우리가 통상 사용해 오던 식물의 학명이 “조류, 균류와 식물에 대한 국제명명규약(International Code of Nomenclature for Algae, Fungi and Plants, ICN)”을 따르지 않고, 비합법적으로 발표(invalidly publish)되었거나 서명(illegitimate name)으로 밝혀져 더 이상 그 이름을 사용할 수 없게 되는 경우도 생긴다.

『국가표준식물목록』은 명명규약을 따른 올바른 학명을 정명으로 제시하고, 국가적 차원의 검토를 거쳐 표준화된 국명의 사용을 장려하여 하나의 식물에 여러 식물명이 혼용됨으로서 발생할 수 있는 심각한 정보전달 또는 의사소통의 오류를 해소하고, 체계적인 국가식물자원의 관리가 가능하도록 하였다.

▶ 『국가표준식물목록』의 작성

국가표준식물목록은 국내에 통용되고 있는 모든 식물의 국명을 국가적 차원에서 표준화 하고자 만든 식물목록으로, 2007년 처음 발간되었다.

『국가표준식물목록』의 작성은 산림청 국립수목원은 “국가식물목록제정”을 위한 연구를 추진하여 국가식물목록위원회(현 국가수목유전자원목록심의회) 제도 정립과 국가식물분류체계 선정 및 기준 작성, 국내 식물명 및 귀화식물명 정리 등을 수행했다. 그리고 분류군별 전문연구자의 분류학적 연구결과를 바탕으로 식물명을 정리하고, 산림청 국립수목원과 한국식물분류학회가 공동으로 구성한 국가식물목록분과위원회에서 이를 검토·심의하여 국내에 분포하는 자생식물과 귀화식물, 그리고 일반적인 도입종과 재배식물의 원종에 대한 식물명을 정리했다.

정리된 『국가표준식물목록』은 식물명에 대한 연구 자료를 지속적으로 검토하여 수정·보완하고 있으며, 일반인에게 공개하여 누구나 이용 가능하도록 국가표준식물목록시스템 (<http://www.nature.go.kr/kpni/index.do>)으로 구축하였다.

INTRODUCTORY REMARKS 일러두기

▶ 『국가수목유전자원목록심의회』

‘수목원·정원의 조성 및 진흥에 관한 법률 시행령’ 제 1조의 3에 따라 수목유전자원의 분류·명명, 수목유전자원의 표준명 작성기준, 수목유전자원의 분류학적 검토 및 그 밖에 수목유전자원 목록의 작성에 관한 사항을 심의하기 위하여 구성된 심의회로, 한국식물분류학회, 한국원예학회, 한국조경학회, 한국임학회 등 관련 학계와 (사)한국식물원·수목원협회 등 관련 업계의 전문가와 식품의약품안전처, 농촌진흥청 등 유관기관의 담당자로 구성되며, 자생식물 및 외래식물을 대상으로 하는 국가식물목록분과와 재배품종을 포함하는 도입식물을 대상으로 하는 재배식물목록분과가 있다.

▶ 『국가표준식물목록』 작성기준

위원회는 국가표준식물목록을 작성하기 위한 기준을 마련하였으며, 그 주요 내용은 다음과 같다.

1. 『국가표준식물목록』에서의 정리 대상은 학명과 국명으로 한다.
2. 국제재배식물명명규약(International Code of Nomenclature for Cultivated Plants, ICNCP)의 적용을 받는 재배품종은 별도의 위원회를 운영하여 재배식물목록을 작성한다.
3. 학명의 정리는 조류, 균류와 식물에 대한 국제명명규약(ICN)에 근거하여 합법적으로 출판(validly published)되고 적법한(legitimate) 이름만을 정명(accepted name)으로 선정하고, 이에 대한 이명(synonym)을 정리한다.
4. 학명 정리 시, 현재까지 출판된 문헌상의 아종, 변종, 품종 등을 모두 열거하고, 이에 대한 분류학적 처리는 반드시 문헌을 근거로 하여야 하며, 출전문헌의 연도순으로 배열한다.
5. 이명처리를 위한 근거문헌은 가장 중요한 것(예: 대상 분류군에 대한 최근의 종속지적 연구 결과)을 인용하며, 문헌에 따라 상반되게 처리된 경우에는 연구자의 판단에 따른다.
6. 품종의 학명은 같은 계열의 보다 높은 계급의 분류군에 이명처리하기를 권장하나, 도감 등에 기록된 적이 없을 경우에는 근거문헌이 출판될 때까지 목록에 포함시킨다.
7. ‘non’라는 표현은 전에 발표된 정명과 동일한 학명 즉, 동일명(homonym)인 경우에만 사용하며, 오동정(misidentification)이나 오적용(misapplication)에는 사용할 수 없다(Shenzhen Code; Recommendation 50C).
8. 오동정이나 오적용에 의해 잘못 사용된 학명은 이명에 포함 시키지 않는다(Shenzhen Code; Recommendation 50D). 단 주요 도감에 수록된 학명의 경우, 올바른 학명을 기재한 후 그 뒤에 구분하여 해당 내용을 기록할 수 있다.

9. 원기재문(protologue)에 기록된 α , β , γ 등은 변종(var.)으로 처리한다.
10. 잡종은 두 양친 분류군을 밝혀야 인정하며, 이때 잡종명의 종소명은 두 양친 분류군의 종소명 사이에 ‘×’를 넣어 표기한다.
11. 두 명의 명명자 인용(author citation)에서 명명자 사이의 ‘et’는 ‘&’로 표기한다. 또한 3인 이상일 경우에는 처음 이름 다음에 ‘& al.’을 병기함을 권장한다(Shenzhen Code; Recommendation 46C).
12. 학명의 명명자 표기는 Authors of Plant Names (Brummitt & Powell, 1992) 혹은 Draft Index of Authors Abbreviations (Royal Botanical Gareden Kew, 1980)를 따르는 것을 원칙으로 한다.
13. 각 학명(정명, 이명)에 대한 완전 또는 출전문헌을 반드시 밝히며, 해당 학명을 사용한 문헌은 인용하지 않는다.
14. 문헌명은 모두 통일하여 표기한다. 잡지명의 약어는 B-P-H 2 (Botanico-Periodicum-Huntianum 2; Bridson et al., 2004) 또는 B-P-H Supplementum을, 단행본 문헌의 약어는 TL-2(Taxonomic Literature)를 따른다.
15. 모든 학명의 원전은 참고문헌 목록에서 제외시킨다.
16. 출전 혹은 분류학적 위치가 불분명한 학명에 대해서는 해당 분류군의 ‘note’ 항목에 관련 내용을 기록한다.
17. 국명은 현재까지 문헌에 발표된 이름을 모두 정리하여 열거하고, 이 중 가장 합당하다고 생각되는 이름을 선정·추천한다. 연구자에 의해 선정·추천된 국명은 위원회의 심의를 거쳐 추천명으로 확정한다.
18. 국명의 선정은 반드시 선취권에 의거하지 않으며, 보편적으로 가장 많이 사용되는 국명을 우선적으로 추천한다. 단 뚜렷하게 많이 사용되는 국명이 없을 경우, 이창복(1980), 이우철(1996), 이영노(1996)의 도감에 채택된 빈도를 고려하여, 가장 많이 사용된 국명을 추천명으로 결정한다.
19. 동일 식물에 대한 여러 개의 국명 중, 가능한 한 표준어 또는 현재의 맞춤법에 맞는 이름을 추천명으로 한다.
(예) '도둑놈의갈구리'와 '도둑놈의갈고리'의 경우, '갈고리'가 표준어이므로 후자를 추천명으로 한다.

INTRODUCTORY REMARKS 일러두기

20. 학명(정명)이 잘못 인식되거나 그릇된 학명의 사용으로 이와 관련된 국명이 바뀔 때, 일반인들이 쉽게 인식하고 있는 식물을 중심으로 국명이 사용되도록 한다.
(예) 기존의 *Carpinus coreana* Nakai ‘소사나무’와 *C. turczaninovii* Hance ‘산서어나무’의 경우, 소사나무의 학명은 산서어나무의 학명에 이명처리 되었으므로 *C. turczaninovii* Hance ‘산서어나무’를 정명과 국명으로 사용해야 하나 ‘소사나무’라는 국명이 보다 일반인들에게 쉽게 인식되므로, *C. turczaninovii* Hance (소사나무)를 정명과 국명의 추천명으로 한다.
21. 식물의 국명이 기록된 문헌은 조선식물향명집(정태현 등, 1937) 및 그 이후에 발간된 문헌을 참고·인용한다.
(예) ‘Mori, T. 1922. An Enumeration of Plants Hitherto Known from Corea. The Government of Chosen, Seoul. 624 pp. (in Japanese)’는 1937년 이전에 발간되었으므로 국명의 참고문헌으로 인용하지 않는다.
22. 기존의 국명이 적절치 않다는 이유로 새로운 국명을 추천하지 못한다.
23. 목본식물의 국명 뒷부분에 ‘나무’가 들어가는 경우(~나무), 선취권, 보편성 등을 우선순위로 고려하여 국명을 추천하며, 이를 기준으로 함에도 판단이 어려울 경우에는 국명의 글자 수가 5개 이상인 국명에서 ‘나무’를 삭제하여 추천명으로 한다.

▶ 『국가표준식물목록(자생식물)』에 대하여

1. 산림청 국립수목원에서는 한반도 식물자원에 대한 체계적이고 효율적인 관리를 위해 국가표준식물목록을 자생여부와 도입유형에 따라 자생식물, 외래식물, 재배식물로 각각 구분하여 목록을 작성하고 있다. 본 목록에는 한반도에 분포하는 자생식물을 대상으로 학명, 국명, 영명, 북한명 등이 수록되었다.

1-1. 한반도에 분포하는 자생식물 185과 934속 3,115종 73아종 415변종 83품종 52잡종의 총 3,738분류군이 수록되었다.

* 자생식물: 일정한 지역에서 원래부터 살고 있던 야생식물(wild plants)

- 초본은 3,023분류군, 목본은 715분류군이다.
- 또한 양치식물 357분류군, 나자식물 30분류군, 피자식물 3,351분류군(쌍자엽식물 2,366분류군, 단자엽식물 985분류군)으로 구성된다.

1-2. 모든 학명에 대한 출전을 제시하였다.

- 본 목록에는 총 15,214개 학명(정명 3,738개, 이명 11,336개, 기타 140개)에 대한 출전이 제시되었다.
- 조류, 균류와 식물에 대한 국제명명규약[International Code of Nomenclature for Algae, Fungi and Plants (Turland et al., 2018)]에 따라 합법적으로 발표되지 않은 이름(invalidly published name)과 서명(illegitimate name), 동명(isonym)은 관련된 분류군의 이명(synonym) 아래 부분에 정리하였다.
- 기존 목록 대비 분류학적 또는 명명학적으로 정명이 변경되었거나, 목록에서 제외된 분류군 등에 관한 정보는 국가표준식물목록시스템(<http://www.nature.go.kr/kpni/index.do>)에서 확인할 수 있다.

1-3. 국명은 안정성을 유지하기 위해 국가표준식물목록 개정판(국립수목원, 2017)에 수록된 국명을 그대로 사용하였고, 새롭게 추가되는 종의 경우, 국명 작성기준에 따라 추천국명을 제시하였다. 또한 추천국명 외에 다르게 사용되는 국명도 함께 제시하였다.

1-4. 영명은 한반도 자생식물 영어이름 목록집(국립수목원, 2015)에 수록된 이름을 우선적으로 채택하였으며, 그렇지 않은 경우, 영어권 국가에서 사용되고 있는 이름을 검토하여 제시하였다.

1-5. 북한명은 조선식물지(임록재, 1996~2000) 및 관련 문헌에 수록된 북한명을 참고하여 작성하였다.

INTRODUCTORY REMARKS 일러두기

2. 목록의 배열은 Engler 분류체계(Melchior and Werderman, 1954; Melchior, 1964)를 따랐으며, 범의귀과 등의 일부 과는 APG (Angiosperm Phylogeny Group) IV 분류체계에 의거하여 세분되었다. 또한 양치식물은 Christenhusz et al. (2011)의 분류체계를 주로 따랐고, Lee and Lee (2018)를 참고하였다. 한편 과 및 속 내에서는 일반적으로 학명의 알파벳 순서로 배열하였다.
3. 아래 7개 과에 대한 학명은 보전명(괄호 안의 학명)이 아닌 근대 학명을 사용하였다.

국화과 - Asteraceae (Compositae), 꿀풀과 - Lamiaceae (Labiatae), 물레나물과 - Clusiaceae (Guttiferae), 벼과 - Poaceae (Gramineae), 산형과 - Apiaceae (Umbelliferae), 배추과 - Brassicaceae (Cruciferae), 콩과 - Fabaceae (Leguminosae)

4. 향후 보다 효율적인 한반도 산림식물자원의 관리를 위한 선택과 집중이 가능하도록 특산식물(395분류군) 및 희귀식물(547분류군) 등을 검토하여 표기하였다.
5. 본 목록집은 국립수목원 누리집(<https://kna.forest.go.kr>) 또는 국가표준식물목록(<http://www.nature.go.kr/kpni/index.do>)에서 PDF로 누구나 내려 받을 수 있다.

이 책을 보는 방법

PINACEAE 소나무과

Abies Mill. 전나무속 ————— 속 학명과 국명

정명 기재문 출처
[*Abies koreana* E.H.Wilson], J. Arnold Arbor. 1: 188 1920 (E) (R)

국명: 구상나무 (Gu-sang-na-mu), 푸른구상, 푸른구상나무 / (북한명) 구상나무

영명·Korean fir

Abies koreana E.H.Wilson f. *nigrocarpa* Hatus., Exp. Forest, Kyushu Imp. Univ. 5: 20 1934 ————— 01면

** *Abies koreana* E.H.Wilson f. *chlorocarpa* T.B.Lee, J. Korean Forest. Soc. 10 1970

** *Abies koreana* E.H.Wilson f. *rubrocarpa* T.B.Lee, J. Korean Forest Soc. 10, 1970 — 비합법명 및 서명

❸ 특산식물(endemic plant) : 자생식물 중 우리나라에만 분포하고 있는 식물

⑧ 희귀식물(rare plant) : 자생식물 출 개체수와 자생지가 감소되고 있어 특별한 보호·관리가 필요한 식물

• **비합법명(invalidly unpublished name)**: 유통하기 전 출판되지 않은 이름으로 사용할 수 없다.

! 서명(illegitimate name) : 합법적으로 출판된 학명이며 특정 조항(제 6.4조), 주로 잉여명(제 52조)과 도이명(제 53조 및 제 54조)에 관한 규정에 어긋나서 이를으로 사용할 수 없다.

동명(isonym) : 같은 기준표본에 근거하여 다른 시기에 별개의, 아마도 다른 명명자에 의해 출판된
도이학 하면으로 가장 먼저 출판된 도면 마이 면면번사이 계획을 가지다

CONTENTS

INTRODUCTORY REMARKS

일러두기	i
------------	---

PTERIDOPHYTES 양치식물

LYCOPodiACEAE 석송과	3
ISOETACEAE 물부추과	5
SELAGINELLACEAE 부처손과	6
EQUISETACEAE 속새과	7
OPHIOGLOSSACEAE 고사리삼과	8
PSILOTACEAE 솔잎란과	11
OSMUNDACEAE 고비과	11
HYMENOPHYLLACEAE 처녀이끼과	12
GLEICHENIACEAE 풀고사리과	14
LYGODIACEAE 실고사리과	15
MARSILEACEAE 네가래과	15
SALVINIACEAE 생이가래과	15
PLAGIogyRIACEAE 평고사리과	16
LINDSAEACEAE 비고사리과	16
DENNSTAEDTIACEAE 잔고사리과	17
CYSTOPTERIDACEAE 한들고사리과	19
PTERIDACEAE 봉의꼬리과	19
ASPLENIACEAE 꼬리고사리과	23
THELYPTERIDACEAE 처녀고사리과	27
WOODSIACEAE 우드풀과	31
ONOCLEACEAE 야산고비과	32
BLECHNACEAE 새깃아재비과	33
ATHYRIACEAE 개고사리과	33
HYPODEMATIACEAE 금털고사리과	41
DRYOPTERIDACEAE 관중과	42
NEPHROLEPIDACEAE 줄고사리과	54
TECTARIACEAE 미늘창고사리과	54
DAVALLIACEAE 낙줄고사리과	54
POLYPODIACEAE 고란초과	54

GYMNOSPERMS 나자식물

PINACEAE 소나무과	63
CUPRESSACEAE 측백나무과	66
PODOCARPACEAE 나한송과	68
CEPHALOTAXACEAE 개비자나무과	69
TAXACEAE 주목과	69

ANGIOSPERMS 피자식물

DICOTYLEDON 쌍자엽식물

MYRICACEAE 소귀나무과	73
JUGLANDACEAE 가래나무과	73
SALICACEAE 버드나무과	74
BETULACEAE 자작나무과	82
FAGACEAE 참나무과	89
ULMACEAE 느릅나무과	95
MORACEAE 봉나무과	99
CANNABACEAE 삼과	102
URTICACEAE 쐐기풀과	102
LORANTHACEAE 꼬리겨우살이과	108
VISCACEAE 겨우살이과	109
POLYGONACEAE 마디풀과	110
PHYTOLACCACEAE 자리공과	127
MOLLUGINACEAE 석류풀과	128
AIZOACEAE 번행초과	128
PORTULACACEAE 쇠비름과	128
CARYOPHYLLACEAE 석죽과	129
CHENOPodiACEAE 명아주과	142
AMARANTHACEAE 비름과	146
MAGNOLIACEAE 목련과	147
SCHISANDRACEAE 오미자과	148
ILLICIACEAE 봇순나무과	149
LAURACEAE 녹나무과	149
RANUNCULACEAE 미나리아재비과	152

BERBERIDACEAE 매자나무과	177	DAPHNIPHYLLOACEAE 굴거리나무과	306
LARDIZABALACEAE 으름덩굴과	179	RUTACEAE 운향과	307
MENISPERMACEAE 방기과	180	SIMAROUBACEAE 소태나무과	310
NYMPHAEACEAE 수련과	181	POLYGALACEAE 원지과	310
CABOMBACEAE 어항마름과	182	ANACARDIACEAE 옻나무과	311
CERATOPHYLLACEAE 봉어마름과	182	ACERACEAE 단풍나무과	312
SAURURACEAE 삼백초과	183	SAPINDACEAE 무환자나무과	316
PIPERACEAE 후추과	183	SABIACEAE 나도밤나무과	316
CHLORANTHACEAE 훌아비꽃대과	183	BALSAMINACEAE 봉선화과	317
ARISTOLOCHIACEAE 쥐방울덩굴과	184	AQUIFOLIACEAE 감탕나무과	318
PAEONIACEAE 작약과	186	CELASTRACEAE 노박덩굴과	319
ACTINIDIACEAE 달래나무과	187	STAPHYLEACEAE 고추나무과	325
THEACEAE 차나무과	189	BUXACEAE 회양목과	325
CLUSIACEAE 물레나물과	191	RHAMNACEAE 갈매나무과	326
NEPENTHACEAE 벌레잡이풀과	193	VITACEAE 포도과	329
DROSERACEAE 끈끈이귀개과	194	ELAEOCARPACEAE 담팔수과	332
PAPAVERACEAE 양귀비과	195	TILIACEAE 피나무과	333
BRASSICACEAE 배추과	200	MALVACEAE 아욱과	335
HAMAMELIDACEAE 조록나무과	213	THYMELAEACEAE 팔꽃나무과	335
CRASSULACEAE 돌나물과	213	ELAEAGNACEAE 보리수나무과	337
PENTHORACEAE 낙지다리과	220	FLACOURTIACEAE 이나무과	339
SAXIFRAGACEAE 범의귀과	220	VIOLACEAE 제비꽃과	339
HYDRANGEACEAE 수국과	226	ELATINACEAE 물별과	350
PARNASSIACEAE 물매화과	230	CUCURBITACEAE 박과	351
GROSSULARIACEAE 까치밥나무과	230	LYTHRACEAE 부처꽃과	353
PITTOSPORACEAE 돈나무과	233	TRAPACEAE 마름과	354
ROSACEAE 장미과	233	ONAGRACEAE 바늘꽃과	355
FABACEAE 콩과	274	HALORAGACEAE 개미탑과	360
OXALIDACEAE 팽이밥과	297	HIPPURIDACEAE 쇠뜨기말풀과	361
GERANIACEAE 쥐손이풀과	298	ALANGIACEAE 박쥐나무과	361
ZYGOPHYLLACEAE 남가새과	302	CORNACEAE 총총나무과	362
LINACEAE 아마과	302	ARALIACEAE 두릅나무과	364
EUPHORBIACEAE 대극과	302	APIACEAE 산형과	368

CONTENTS

CLETHRACEAE 매화오리나무과	383
DIAPENSIACEAE 암매과	384
ERICACEAE 진달래과	384
MYRSINACEAE 자금우과	394
PRIMULACEAE 앵초과	396
PLUMBAGINACEAE 갯질경과	401
EBENACEAE 감나무과	402
STYRACACEAE 때죽나무과	402
SYMPLOCACEAE 노린재나무과	402
OLEACEAE 물푸레나무과	404
LOGANIACEAE 마전과	411
GENTIANACEAE 용담과	412
MENYANTHACEAE 조름나물과	417
APOCYNACEAE 협죽도과	418
RUBIACEAE 꼭두서니과	422
CONVOLVULACEAE 메꽃과	431
BORAGINACEAE 지치과	433
VERBENACEAE 마편초과	438
LAMIACEAE 꿀풀과	441
SOLANACEAE 가지과	461
SCROPHULARIACEAE 현삼과	462
ACANTHACEAE 쥐꼬리망초과	476
PEDALIACEAE 참깨과	477
OROBANCHACEAE 열당과	478
LENTIBULARIACEAE 통발과	480
PHRYMACEAE 파리풀과	482
PLANTAGINACEAE 질경이과	482
CAPRIFOLIACEAE 인동과	484
ADOXACEAE 연복초과	495
VALERIANACEAE 마타리과	495
DIPSACACEAE 산토끼꽃과	497
CAMPANULACEAE 초롱꽃과	498
ASTERACEAE 국화과	507

MONOCOTYLEDON 단자엽식물

ALISMATACEAE 택사과	573
HYDROCHARITACEAE 자라풀과	574
JUNCAGINACEAE 지채과	575
SCHEUCHZERIACEAE 장지채과	576
POTAMOGETONACEAE 가래과	576
RUPPIACEAE 줄말과	578
ZOSTERACEAE 거머리알과	579
NAJADACEAE 나자스말과	580
LILIACEAE 백합과	581
AMARYLLIDACEAE 수선화과	607
HYPONIDACEAE 노란별수선과	608
DIOSCOREACEAE 마과	608
PONTEDERIACEAE 물옥잠과	609
IRIDACEAE 봇꽃과	610
BURMANNIACEAE 벼어먼초과	613
JUNCACEAE 골풀과	613
COMMELINACEAE 닭의장풀과	618
ERIOCAULACEAE 곡정초과	619
POACEAE 벼과	620
ARACEAE 천남성과	662
LEMNACEAE 개구리밥과	665
TYPHACEAE 부들과	666
TRIURIDACEAE 영주풀과	667
CYPERACEAE 사초과	668
ORCHIDACEAE 난초과	717

REFERENCE 참고문헌

INDEX 색인

학명 찾아보기	747
영명 찾아보기	922
국명 찾아보기	946

국가표준식물목록 (자생식물)
Checklist of Vascular Plants in Korea (Native Plants)

PTERIDOPHYTES
양치식물

PTERIDOPHYTES 양치식물

LYCOPODIACEAE 석송과

Huperzia Bernh. 뱈톱속

Huperzia asiatica (Ching) N.Shrestha & X.C.Zhang, Phytotaxa 219: 249 2015

국명: 백두다람쥐꼬리(Baek-du-da-ram-jwi-kko-ri), 백두뱀톱

Huperzia lucidula (Michx.) Trevis. var. *asiatica* Ching, Acta Bot. Yunnan. 3: 296 1981

Huperzia asiatica (Ching) B.Y.Sun & J.Lim, Korean J. Pl. Taxon. 45(4): 302 2015

Huperzia cryptomeriana (Maxim.) R.D.Dixit, J. Bombay Nat. Hist. Soc. 77: 541 1980 (R)

국명: 왕다람쥐꼬리(Wang-da-ram-jwi-kko-ri)

영명: Big clubmoss

Lycopodium cryptomerianum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 231 1870

Urostachys cryptomerianus (Maxim.) Herter ex Nessel, Bärlappgewächse 70, Pl. 11, f. 7 1939

Urostachys cryptomerianus (Maxim.) Herter ex Nessel var. *coreanus* Herter ex Nessel, Revista Sudamer. Bot. 6: 160 1940

Urostachys coreanus (Herter ex Nessel) Herter, Estud. Bot. Reg. Uruguay 20: 57 1949

Phlegmariurus cryptomerianus (Maxim.) Ching, Acta Phytotax. Sin. 37: 51 1999

Huperzia javanica (Sw.) C.Yang, Bull. Acad. Military Med. Sci. 13: 368 1989

국명: 큰뱀톱(Keon-baem-top)

Lycopodium javanicum Sw., J. Bot. 1800: 114 1801

Lycopodium serratum Thunb. var. *longipetiolatum* Spring, Monogr. Lycop. 2: 18, Pl. 1, f. 9–11 1850

Lycopodium serratum Thunb. var. *javanicum* (Sw.) Makino, Bot. Mag. (Tokyo) 12: 13 1898

Urostachys javanicus (Sw.) Herter, Estud. Bot. Reg. Uruguay 20: 66 1949

Huperzia serrata Thunb. f. *longipetiolata* (Spring) Ching, Acta Bot. Yunnan. 3: 294 1981

Huperzia longipetiolata (Spring) C.C.Yang, Chin. Trad. Herbal Drugs 16: 33 1982

Huperzia jejuensis B.Y.Sun & J.Lim, Korean J. Pl. Taxon. 45: 18 2015 (E)

국명: 긴다람쥐꼬리(Gin-da-ram-jwi-kko-ri) / (북한명) 긴다람쥐꼬리

영명: Jejuclubmoss

Huperzia miyoshiana (Makino) Ching, Acta Bot. Yunnan. 3: 303 1981

국명: 다람쥐꼬리(Da-ram-jwi-kko-ri)

영명: Pacific firmoss

Lycopodium miyoshianum Makino, Bot. Mag. (Tokyo) 12: 36 1898

Lycopodium selago L. var. *miyoshianum* (Makino) Makino, Bot. Mag. (Tokyo) 16: 199 1902

Lycopodium miyoshianum var. *coreanum* Hayata, Icon. Pl. Formosan. 5: 255 1915

Urostachys miyoshiana var. *coreanus* (Hayata) Herter ex Nessel, Bärlappgewächse 28, Abb. 4, f. 5 1939

Huperzia miyoshiana var. *coreana* (Hayata) Ching, Acta Bot. Yunnan. 3: 304 1981

■ LYCOPODIACEAE 석송과

***Huperzia selago* (L.) Bernh. ex Schrank & Mart., Hort. Reg. Monac. 3 1829 Ⓡ**

국명: 좀다람쥐꼬리(Jom-da-ram-jwi-kko-ri) / (북한명) 좀다람쥐꼬리

영명: Fir clubmoss

Lycopodium selago L., Sp. Pl. 2: 1102 1753

Plananthes selago (L.) P.Beauv., Prodr. Aethéogam. 112 1805

Urostachys selago (L.) Herter, Philipp. J. Sci. 22: 180 1923

Mirmau selago (L.) H.P.Fuchs, Verh. Naturf. Ges. Basel 66: 43 1955

***Huperzia serrata* (Thunb.) Trevis., Atti Soc. Ital. Sci. Nat. 17: 247 1875**

국명: 뱀톱(Baem-top) / (북한명) 배암톱

영명: Toothed clubmoss

Lycopodium serratum Thunb., Fl. Jap. (Thunberg) 341 1784

Lycopodium serratum Thunb. var. *thunbergii* Makino, Bot. Mag. (Tokyo) 12: 12 1898

***Huperzia sieboldii* (Miq.) Holub, Folia Geobot. Phytotax. 20: 76 1985 Ⓡ**

국명: 줄석송(Jul-seok-song) / (북한명) 줄비늘석송

영명: Siebold's clubmoss

Lycopodium sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 184 1867

Urostachys sieboldii (Miq.) Herter ex Nessel, Bärlappgewächse 1: 138 1939

Phlegmariurus sieboldii (Miq.) Ching, Acta Bot. Yunnan. 4: 121 1982

***Lycopodium* L. 석송속**

***Lycopodium alpinum* L., Sp. Pl. 2: 1104 1753**

국명: 산석송(San-seok-song), 메석송, 모석송, 뒷석송

영명: Alpine clubmoss

Lepidotis alpina (L.) P.Beauv., Prodr. Aethéogam. 107 1805

Stachygynandrum alpinum (L.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. 3: 583 1845

Diphasium alpinum (L.) Rothm., Feddes Repert. Spec. Nov. Regni Veg. 54: 65 1944

Diphasiastrum alpinum (L.) Holub, Preslia 47: 107 1975

***Lycopodium annotinum* L., Sp. Pl. 2: 1103 1753 Ⓡ**

국명: 개석송(Gae-seok-song), 뒷삼잎석송, 삼잎석송, 참삼잎석송

영명: Stiff clubmoss

Lepidotis annotina (L.) P.Beauv., Prodr. Aethéogam. 107 1805

***Lycopodium cernuum* L., Sp. Pl. 2: 1103 1753 Ⓡ**

국명: 물석송(Mul-seok-song), 땅석송

영명: Staghorn clubmoss

Lepidotis cernua (L.) P.Beauv., Prodr. Aethéogam. 101 1805

Lycopodiella cernua (L.) Pic.Serm., Webbia 23: 166 1968

Lycopodium clavatum L., Sp. Pl. 2: 1101 1753

국명: 석송(Seok-song), 애기석송

영명: Running clubmoss

Lycopodium aristatum Willd. var. *robustius* Grev. & Hook., Bot. Misc. 2: 376 1831

Lycopodium clavatum L. var. *nipponicum* Nakai, Bot. Mag. (Tokyo) 39: 197 1925

Lycopodium clavatum L. var. *robustius* (Grev. & Hook.) Nakai, Bot. Mag. (Tokyo) 39: 197 1925

Lycopodium complanatum L., Sp. Pl. 2: 1104 1753 ⑧

국명: 비늘석송(Bi-neul-seok-song), 솔석송, 편백석송

영명: Ground pine

Lepidotis complanata (L.) P.Beauv., Prodr. Aethéogam. 108 1805

Lycopodium comptonioides Desv., Mém. Soc. Linn. Paris 6: 185 1827

Stachygynandrum complanatum (L.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. 5: 583 1844

Lycopodium nikoense Franch. & Sav., Enum. Pl. Jap. 2: 198 1879

국명: 모석송(Moe-seok-song)

영명: Mountain clubmoss

Diphasiham nikoense (Franch. & Sav.) Holub, Preslia 47: 108 1975

Diphasiastrum sitchense (Rupr.) Holub var. *nikoense* (Franch. & Sav.) Á.Löve & D.Löve, Taxon 26: 324 1977

Lycopodium obscurum L., Sp. Pl. 2: 1102 1753

국명: 만년석송(Man-nyeon-seok-song) / (북한명) 만년석송

영명: Rare clubmoss

ISOETACEAE 물부추과

Isoetes L. 물부추속

Isoetes japonica A.Braun, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1: 459 1861 ⑧

국명: 물부추(Mul-bu-chu), 물솔 / (북한명) 물부추

영명: Japanese quillwort

Isoetes coreana Y.H.Chung & H.K.Choi, Korean J. Pl. Taxon. 16: 2 1986 ⑩ ⑧

국명: 참물부추(Cham-mul-bu-chu), 참물솔

영명: Korean quillwort

Isoetes sinensis Palmer var. *coreana* (Y.H.Chung & H.K.Choi) M.Takamiya, Mitsu.Watan. & K.Ono, Acta Phytotax. Geobot. 48: 112 1997

Isoetes sinensis Palmer, Amer. Fern J. 17: 111 1927

국명: 가는물부추(Ga-neun-mul-bu-chu), 중국물부추

영명: Narrow quillwort

■ ISOETACEAE 물부추과

Isoetes hallasanensis H.K.Chi, Ch.Kim & J.Jung, J. Pl. Biol. 51: 357 2008 (E)

국명: 한라물부추(Han-ra-mul-bu-chu)

영명: Halla quillwort

Isoetes jejuensis H.K.Chi, Ch.Kim & J.Jung, J. Pl. Biol. 51: 356 2008 (E)

국명: 제주물부추(Je-ju-mul-bu-chu)

영명: Jeju quillwort

SELAGINELLACEAE 부처손과

Selaginella P.Beauv. 부처손속

Selaginella helvetica (L.) Spring, Flora 21: 149 1838 (R)

국명: 왜구실사리(Wae-gu-sil-sa-ri), 왜구슬살이, 좀비늘이끼 / (북한명) 좀구실사리

영명: Dwarf spikemoss

Lycopodium helveticum L., Sp. Pl. 2: 1104 1753

Selaginella heterostachys Baker, J. Bot. 23: 177 1885

국명: 각시비늘이끼(Gak-si-bi-neul-i-kki)

Selaginella recurvifolia Warb., Monsunia 1: 125 1900

Selaginella tamariscina (P.Beauv.) Spring, Bull. Acad. Roy. Sci. Bruxelles 10: 136 1843

국명: 바위손(Ba-wi-son) / (북한명) 부처손

영명: Little club-moss

Stachygynandrum tamariscinum P.Beauv., Mag. Enc. 9: 483 1804

Selaginella involvens (Sw.) Spring, Bull. Acad. Roy. Sci. Bruxelles 10: 136 1843

국명: 부처손(Bu-cheo-son), 두턴부처손 / (북한명) 바위손

영명: Tree spikemoss

Lycopodium involvens Sw., Syn. Fil. 182 1806

Selaginella nipponica Franch. & Sav., Enum. Pl. Jap. 2: 199 1877

국명: 선비늘이끼(Seon-bi-neul-i-kki), 선구슬이끼

영명: Erect selaginella

Selaginella savatieri Baker, J. Bot. 22: 87 1884

Selaginella hachijoense Nakai, Bot. Mag. (Tokyo) 35: 149 1921

Urostachys ihwangensis Nessel, Repert. Spec. Nov. Regni Veg. 39: 68 1935

Selaginella remotifolia Spring, Pl. Jungh. 3: 276 1854

국명: 비늘이끼(Bi-neul-i-kki)

영명: **Loose-leaf selaginella**

Selaginella japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 185 1867

Selaginella remotifolia Spring var. *japonica* (Miq.) Koidz., Acta Phytotax. Geobot. 4: 228 1935

Lycopodioides remotifolia (Spring) H.S.Kung, Fl. Sichuan. 6: 65 1988

***Selaginella rossii* (Baker) Warb.**, Monsunia 1: 101 1900

국명: 구실사리(Gu-sil-sa-ri), 구슬사리, 구슬살이, 바위비늘이끼 / (북한명) 구실사리

영명: **Bead selaginella**

Selaginella mongholica Rupr. var. *rossii* Baker, J. Bot. (Hooker) 21: 45 1883

***Selaginella shakotanensis* (Franch. ex Takeda)** Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 63 1930

국명: **개실사리(Gae-sil-sa-ri)** / (북한명) 실사리

영명: **Dense-leaf selarginella**

Selaginella rupestris (L.) Spring var. *shakotanensis* Franch. ex Takeda, Bot. Mag. (Tokyo) 23: 237 1909

***Selaginella sibirica* (Milde) Hieron.**, Hedwigia 39: 290 1900 ⑧

국명: **실사리(Sil-sa-ri)**, 개실사리, 북도실사리, 왜실사리

영명: **Siberian spikemoss**

Selaginella rupestris (L.) Spring f. *sibirica* Milde, Fil. Eur. 262 1867

Bryodesma sibiricum (Milde) Soják, Preslia 64: 155 1992

***Selaginella stauntoniana* Spring**, Mem. Acad. Roy. Sci. Belgique 2: 71 1850

국명: **개부처손(Gae-bu-cheo-son)**, 바위부처손 / (북한명) 가지부처손

영명: **Red-stem spikemoss**

Selaginella pseudoinvolutens Hayata, Icon. Pl. Formosan. 7: 100 1918

EQUISETACEAE 속새과

***Equisetum* L. 속새속**

***Equisetum arvense* L.**, Sp. Pl. 2: 1061 1753

국명: **쇠뜨기(Soe-tteu-gi)**, 뱀밥, 즌슬, 필두채 / (북한명) 쇠뜨기, 즌슬, 뱀밥

영명: **Field horsetail**

Equisetum boreale Bong., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math. 2: 174 1832

Equisetum arvense L. var. *boreale* (Bong.) Rupr., Dist. Crypt. Vasc. Ross. 19 1845

Equisetum arvense L. subsp. *boreale* (Bong.) Á.Löve, Náttúrufræðingurinn 18: 101 1948

***Equisetum hyemale* L.**, Sp. Pl. 2: 1062 1753

국명: **속새(Sok-sae)** / (북한명) 속새

■ EQUISETACEAE 속새과

영명: **Scouringrush horsetail**

Hippochaete hyemalis (L.) Milde ex Bruhin, Verh. K.K. Zool.-Bot. Ges. Wien 18: 758 1868

Equisetum fluviatile L., Sp. Pl. 2: 1062 1753

국명: 물속새(Mul-sok-sae), 개물쇠뜨기 / (북한명) 물속새

영명: **Water horsetail**

Equisetum limosum L., Sp. Pl. 2: 1062 1753

Equisetum heleocharis Ehrh., Hannover. Mag. 1783: 286 1783

Equisetum palustre L., Sp. Pl. 2: 1061 1753

국명: 개쇠뜨기(Gae-soe-tteu-gi), 늙쇠뜨기 / (북한명) 늙쇠뜨기

영명: **Marsh horsetail**

Equisetum palustre L. var. *japonicum* Nakai, Bot. Mag. (Tokyo) 39: 194 1925

Equisetum palustre L. var. *americanum* Vict., Contr. Lab. Bot. Univ. Montréal 9: 51, f. 7 1927

Equisetum pratense Ehrh., Hannover. Mag. 22: 138 1784

국명: 물쇠뜨기(Mul-soe-tteu-gi), 뛰속새 / (북한명) 물쇠뜨기

영명: **Meadow horsetail**

Equisetum ramosissimum Desf., Fl. Atlant. 2: 398 1799

국명: 개속새(Gae-sok-sae) / (북한명) 모래속새

영명: **Branched horsetail**

Equisetum ramosissimum Desf. var. *japonicum* Milde, Ann. Mus. Bot. Lugd.-Bat. 1: 65 1863

Hippochaete ramosissima (Desf.) Börner, Fl. Deut. Volk 282 1912

Equisetum ramosissimum Desf. var. *taikankoense* Yamam., Trans. Nat. Hist. Soc. Taiwan 20: 97 1930

Equisetum scirpoides Michx., Fl. Bor.-Amer. (Michaux) 2: 281 1803

국명: 줌속새(Jom-sok-sae)

영명: **Dwarf horsetail**

Hippochaete scirpoides (Michx.) Farw., Mem. New York Bot. Gard. 6: 467 1916

Equisetum sylvaticum L., Sp. Pl. 2: 1061 1753

국명: 능수쇠뜨기(Neung-su-soe-tteu-gi), 솔속새, 솔쇠뜨기 / (북한명) 능수쇠뜨기

영명: **Woodland horsetail**

OPHIOGLOSSACEAE 고사리삼과

Botrychium Sw. 고사리삼속

Botrychium atrovirens (Sahashi) M.Kato, Fl. Jap. (Iwatsuki et al., eds.) 1: 26 1995

국명: 숲고사리삼(Sup-go-sa-ri-sam)

Sceptridium atrovirens Sahashi, J. Jap. Bot. 54: 241 1979

Botrychium boreale Milde, Bot. Zeitung (Berlin) 15: 880 1857

국명: 메고사리삼(Me-go-sa-ri-sam), 북고사리삼

영명: Northern moonwort

Botrychium japonicum (Prantl) Underw., Bull. Torrey Bot. Club 25: 538 1898

국명: 산꽃고사리삼(San-kkot-go-sa-ri-sam) / (북한명) 큰산고사리삼

영명: East Asian grapefern

Botrychium daucifolium Wall. ex Hook. & Grev. var. *japonicum* Prantl, Jahrb. Königl. Bot. Gart. Berlin 3: 340 1884

Sceptridium japonicum (Prantl) Lyon, Bot. Gaz. 40: 458 1905

Botrychium lunaria (L.) Sw., J. Bot. (Schrader) 1800: 110 1801

국명: 백두산고사리삼(Back-du-san-go-sa-ri-sam), 고사리삼 / (북한명) 두메고사리삼

영명: Common moonwort

Osmunda lunaria L., Sp. Pl. 2: 1064 1753

Botrypus lunaria (L.) Rich., Cat. Pl. Jard. Med. Paris 1: 120 1801

Botrychium microphyllum (Sahashi) M.Kato, Fl. Jap. (Iwatsuki et al., eds.) 1: 27 1995

국명: 애기고사리삼(Ae-gi-go-sa-ri-sam)

Sceptridium microphyllum Sahashi, J. Jap. Bot. 56: 129 1981

Botrychium nipponicum Makino, J. Jap. Bot. 1: 5 1916

국명: 단풍고사리삼(Dan-pung-go-sa-ri-sam)

영명: Mountain leathery grapefern

Sceptridium nipponicum (Makino) Holub, Preslia 45: 277 1973

Botrychium ramosum (Roth) Asch., Fl. Prov. Brandenburg 906 1864

국명: 난장이고사리삼(Nan-jang-i-go-sa-ri-sam), 뒷고사리삼, 애기고사리삼, 좀고사리삼

영명: Tiny moonwort

Osmunda ramosa Roth, Tent. Fl. Germ. 444 1788

Botrychium robustum (Rupr. ex Milde) Underw., Bull. Torrey Bot. Club 30: 51 1903

국명: 산고사리삼(San-go-sa-ri-sam) / (북한명) 산고사리삼

영명: Coloured grapefern

Botrychium rutifolium A.Br. var. *robustum* Rupr. ex Milde, Nova Acta Regiae Soc. Sci. Upsal. ser. 3, 26: 763 1858

Sceptridium robustum (Rupr. ex Milde) Lyon, Bot. Gaz. 40: 458 1905

Botrychium multifidum Nishida ex Tagawa var. *robustum* (Rupr. ex Milde) C.Chr. ex Hultén, Kongl. Vetensk. Acad. Handl. 5: 48 1927

■ OPHIOGLOSSACEAE 고사리삼과

Sceptridium multifidum Nishida ex Tagawa subsp. *robustum* (Rupr. ex Milde) R.T.Clausen, Bull. Torrey Bot. Club 64: 272 1937

Sceptridium multifidum Nishida ex Tagawa var. *robustum* (Rupr. ex Milde) M.Nishida, J. Jap. Bot. 33: 201 1958

Botrychium simplex E.Hitchc., Amer. J. Sci. Arts 6: 103 1823

국명: 좀고사리삼(Jom-go-sa-ri-sam)

영명: Little moonwort

Botrychium tenebrosum A.A.Eaton, Fern Bull. 7: 8 1899

Botrychium strictum Underw., Bull. Torrey Bot. Club 30: 52 1903

국명: 긴꽃고사리삼(Gin-kkot-go-sa-ri-sam), 긴꽃고사리, 긴여름꽃고사리

영명: Straight fern

Osmundopteris stricta (Underw.) Nishida, J. Jap. Bot. 27: 276 1952

Japanobotrychium strictum (Underw.) Nishida ex Tagawa, J. Jap. Bot. 33: 202 1958

Botrypus strictus (Underw.) Holub, Preslia 45: 277 1973

Botrychium ternatum (Thunb.) Sw., J. Bot. (Schrader) 1800: 111 1801

국명: 고사리삼(Go-sa-ri-sam) / (북한명) 고사리삼

영명: Glabrous-ternate grapefern

Osmunda ternata Thunb., Fl. Jap. 329, Pl. 32 1784

Sceptridium ternatum (Thunb.) Lyon, Bot. Gaz. 40: 458 1905

Botrychium virginianum (L.) Sw., J. Bot. (Schrader) 1800: 111 1801 **⑧**

국명: 늦고사리삼(Neut-go-sa-ri-sam), 여름고사리삼, 여름꽃고사리 / (북한명) 늦고사리삼

영명: Rattlesnake fern

Osmunda virginiana L., Sp. Pl. 2: 1064 1753

Botrypus virginicus (L.) Michx., Fl. Bor.-Amer. (Michaux) 2: 274 1803

Japanobotrychium virginianum (L.) M. Nishida, J. Jap. Bot. 33: 202 1958

Mankyua B.Y.Sun, M.H.Kim & C.H.Kim 제주고사리삼속

Mankyua chejuense B.Y.Sun, M.H.Kim & C.H.Kim, Taxon 50(4): 1020 2001 **⑨ ⑧**

국명: 제주고사리삼(Je-ju-go-sa-ri-sam)

영명: Mankyua

Ophioglossum L. 나도고사리삼속

Ophioglossum pendulum L., Sp. Pl. (ed.2) 2: 1518 1763 **⑧**

국명: 다시마고사리삼(Da-si-ma-go-sa-ri-sam), 다시마고사리

영명: Old world adder's tongue

Ophioderma pendulum (L.) C.Presl, Suppl. Tent. Pterid. 56 1845

Ophioglossum petiolatum Hook., Exot. Fl. 1: 56 1823

국명: 자루나도고사리삼(Ja-ru-na-do-go-sa-ri-sam), 나도고사리삼, 좀줄고사리, 줄고사리

영명: Netted adder's tongue

Ophioglossum thermale Kom., Report. Spec. Nov. Regni Veg. 13: 85 1914 (R)

국명: 좀나도고사리삼(Jom-na-do-go-sa-ri-sam), 갯줄고사리, 좀줄고사리

영명: Meadow adder's tongue

Ophioglossum nipponicum Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 6: 122 1916

Ophioglossum vulgatum L., Sp. Pl. 2: 1062 1753 (R)

국명: 나도고사리삼(Na-do-go-sa-ri-sam), 메고사리삼, 줄고사리, 줄고사리삼 / (북한명) 나도고사리삼

영명: Southern adder's tongue

Ophioglossum vulgatum L. var. *pycnostichum* Fernald, Rhodora 41: 494 1939

Ophioglossum pycnostichum (Fernald) A.Löve & D.Löve, Taxon 26: 324 1977

PSILOTACEAE 솔잎란과

Psilotum Sw. 솔잎란속

Psilotum nudum (L.) P.Beauv., Prodr. Aethéogam. 106 1805 (R)

국명: 솔잎란(Sol-ip-ran), 솔잎난, 송엽란

영명: Whisk fern

Lycopodium nudum L., Sp. Pl. 2: 1100 1753

OSMUNDACEAE 고비과

Osmunda L. 고비속

Osmunda cinnamomea L., Sp. Pl. 2: 1066 1753

국명: 펑고비(Kkwong-go-bi)

영명: Cinnamon fern

Struthiopteris cinnamomea (L.) Bernh., J. Bot. (Schrader) 1801: 126 1801

Osmundastrum cinnamomeum (L.) C.Presl, Gefässbundel Farrn 18 1847

Osmunda claytoniana L., Sp. Pl. 2: 1066 1753

국명: 음양고비(Eum-yang-go-bi), 개고비 / (북한명) 음양고비, 개고비

영명: Interrupted fern

Osmundastrum claytonianum (L.) Tagawa, J. Jap. Bot. 17: 697 1941

■ OSMUNDACEAE 고비과

Osmunda japonica Thunb., Nova Acta Regiae Soc. Sci. Upsal. 2: 209 1780

국명: 고비(Go-bi), 가는고비 / (북한명) 고비, 가는고비, 실고비

영명: Asian royal fern

Osmundastrum japonicum (Thunb.) J.Presl, Abh. Königl. Böhm. Ges. Wiss. 5: 326 1848

Osmunda regalis L. var. *biflormis* Benth., Fl. Hongk. 440 1861

Osmunda regalis L. var. *japonica* (Thunb.) Milde, Fil. Eur. 179 1867

Osmunda nipponica Makino, Bot. Mag. (Tokyo) 26: 385 1912

Osmunda biformis (Benth.) Makino, J. Jap. Bot. 4: 4 1927

Osmunda regalis L. subsp. *japonica* (Thunb.) Á.Löve & D.Löve, Taxon 26: 324 1977

HYMENOPHYLLACEAE 처녀이끼과

Crepidomanes C.Presl 고불이끼속

Crepidomanes latealatum (Bosch) Copel., Philipp. J. Sci. 67: 60 1938

국명: 고불이끼(Goe-bul-i-kki) / (북한명) 고불이끼

영명: Insignificant bristle fern

Didymoglossum latealatum Bosch, Ned. Kruidk. Arch. 5: 138 1861

Didymoglossum insigne Bosch, Ned. Kruidk. Arch. 5: 143 1861

Trichomanes bipunctatum Poir. var. *latealatum* (Bosch) C.B.Clarke, Trans. Linn. Soc. London, Bot. 1: 49 1880

Trichomanes bipunctatum Poir. var. *insigne* (Bosch) Bedd., Handb. Ferns Brit. India 42 1883

Crepidomanes insigne (Bosch) P.Y.Fu, Ill. Handb. Chin. Pl. Pterid. 39 1957

Crepidomanes minutum (Blume) K.Iwats., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 524 1985

국명: 부채고불이끼(Bu-chae-goe-bul-i-kki)

영명: Tiny bristle fern

Trichomanes minutum Blume, Enum. Pl. Javae 2: 223 1828

Gonocormus minutus (Blume) Bosch, Hymenophyll. Javan. 7: t. 3 1861

Trichomanes bonincola Nakai, Bot. Mag. (Tokyo) 40: 262 1926

Crepidomanes schmidtianum (Zenker ex Taschner) K.Iwats., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 526 1985

국명: 두메고불이끼(Du-mae-goe-bul-i-kki)

Trichomanes schmidtianum Zenker ex Taschner, Dissertation 34, Pl. 1, f.1,3,5 1843

Hymenophyllum Sm. 처녀이끼속

Hymenophyllum barbatum (Bosch) Baker, Syn. Fil. 68 1867

국명: 수염이끼(Su-yeom-i-kki), 처녀이끼 / (북한명) 수염이끼

영명: Beard filmy fern

Leptocionium barbatum Bosch, Ned. Kruidk. Arch. 5: 146 1861

Hymenophyllum coreanum Nakai, Bot. Mag. (Tokyo) 40: 246 1926

국명: 애기수염이끼(Ae-gi-su-yeom-i-kki)

영명: Korean filmy fern

Mecodium coreanum (Nakai) Seriz., J. Jap. Bot. 46: 16 1971

Hymenophyllum oligosorum Makino, Bot. Mag. (Tokyo) 13: 44 1899

국명: 금강처녀이끼(Geum-gang-cheo-nyeo-i-kki), 산고불이끼

영명: Long-hair filmy fern

Mecodium olygosorum (Makino) H.Ito, J. Jap. Bot. 24: 122 1949

Hymenophyllum polyanthos (Sw.) Sw., J. Bot. (Schrader) 1800: 102 1801

국명: 줌처녀이끼(Jom-cheo-nyeo-i-kki), 애기수염이끼, 줌고불이끼

영명: Smooth filmy fern

Trichomanes polyanthos Sw., Prodr. (Swartz) 137 1788

Mecodium polyanthos (Sw.) Copel., Philipp. J. Sci. 67: 19 1938

Hymenophyllum wrightii Bosch, Ned. Kruidk. Arch. 4: 391 1859

국명: 처녀이끼(Cheo-nyeo-i-kki), 고불이끼, 금강산처녀이끼, 산고불이끼 / (북한명) 처녀이끼

영명: Wright's filmy fern

Mecodium wrightii (Bosch) Copel., Philipp. J. Sci. 67: 23 1938

Hymenophyllum wrightii Bosch f. *wrightii*

Hymenophyllum wrightii Bosch f. *serratum* C.S.Lee & K.Lee, Korean J. Pl. Taxon. 44: 234 2014

국명: 구름처녀이끼(Gu-reum-cheo-nyeo-i-kki)

Vandenboschia Copel. 누운고불이끼속

Vandenboschia amabilis (Nakai) K.Iwats., Acta Phytotax. Geobot. 17: 69 1958 ®

국명: 난장이이끼(Nan-jang-i-i-kki)

영명: Pinnate-lobe bristle fern

Trichomanes amabile Nakai, Bot. Mag. (Tokyo) 28: 65 1914

Trichomanes nipponicum Nakai, Bot. Mag. (Tokyo) 40: 270 1926

Crepidomanes amabile (Nakai) K.Iwats., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 531 1985

Vandenboschia nipponica (Nakai) Ebihara, Acta Phytotax. Geobot. 60: 32 2009

Vandenboschia birmanica (Bedd.) Ching, Acta Phytotax. Sin. 8: 135 1959

국명: 누운고불이끼(Nu-un-goe-bul-i-kki) / (북한명) 누운고불이끼

영명: Burman bristle fern

Trichomanes birmanicum Bedd., Suppl. Ferns Brit. Ind. 3, t. 349 1876

■ HYMENOPHYLLACEAE 처녀이끼과

Trichomanes orientale C.Chr., Index Filic. fasc. 11: 646 1906
Trichomanes radicans Sw. var. *birmanicum* (Bedd.) C.Chr., Index Filic. fasc. 10: 636 1906
Trichomanes kalamocarpum Hayata, Ic. Pl. Form. 5: 260, f. 93 1915
Vandenboschia radicans (Sw.) Copel. var. *orientalis* (C.Chr.) H. Itô, J. Jap. Bot. 24: 125 1949
Vandenboschia orientalis (C.Chr.) Ching, Fl. Reipubl. Popularis Sin. 2: 187 1959
Lacosteopsis orientalis (C.Chr.) Nakaike, Enum. Pterid. Jap., Filic. 23 1975
Crepidomanes birmanicum (Bedd.) K. Iwats., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 530 1985
Vandenboschia kalamocarpa (Hayata) Ebihara, Acta Phytotax. Geobot. 60: 32 2009

Vandenboschia × quelpaertensis (Nakai) Ebihara, Acta Phytotax. Geobot. 60: 38 2009

국명: 큰괴불이끼(Keun-goe-bul-i-kki)

Trichomanes quelpaertense Nakai, Bot. Mag. (Tokyo) 28: 66 1914

Vandenboschia × stenosiphon (Christ) Copel., Philipp. J. Sci. Bot. 67: 52 1938

국명: 제주괴불이끼(Je-ju-goe-bul-i-kki)

Trichomanes stenosiphon Christ, Repert. Spec. Nov. Regni Veg. 5: 10 1908

GLEICHENIACEAE 풀고사리과

Diplopterygium (Diels) Nakai 풀고사리속

Diplopterygium glaucum (Thunb. ex Houtt.) Nakai, Bull. Natl. Sci. Mus., Tokyo 59: 51 1950

국명: 풀고사리(Pul-go-sa-ri) / (북한명) 풀고사리

영명: Forked fern

Polypodium glaucum Thunb. ex Houtt., Nat. Hist. 2: 177 1783

Gleichenia japonica Spreng., Syst. Veg. (ed.16) [Sprengel] 4: 25 1827

Hicriopteris glauca (Thunb. ex Houtt.) Ching, Sunyatsenia 5: 279 1940

Diplopterygium laevissimum (Christ) Nakai, Bull. Natl. Sci. Mus., Tokyo 29: 52 1950

국명: 암풀고사리(Am-pul-go-sa-ri)

영명: Smooth forked fern

Gleichenia laevissima Christ, Bull. Acad. Int. Géogr. Bot. 11: 268 1902

Dicranopteris laevissima (Christ) Nakai, Bot. Mag. (Tokyo) 41: 692 1927

Hicriopteris laevissima (Christ) Ching, Sunyatsenia 5: 280 1940

Dicranopteris Bernh. 밸풀고사리속

Dicranopteris linearis (Burm.f.) Underw., Bull. Torrey Bot. Club 34: 250 1907

국명: 밸풀고사리(Bal-pul-go-sa-ri) / (북한명) 밸각고사리

영명: Old world forked fern

Polypodium lineare Burm.f., Fl. Indica 235, Pl. 67, f. 2 1768

Polypodium pedatum Houtt., Nat. Hist. (Houttuyn) 14: 174 1783

Polypodium dichotomum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 938 1784

Gleichenia dichotoma (Thunb.) Hook., Sp. Fil. 1: 12 1844

Gleichenia linearis (Burm.f.) C.B. Clarke, Trans. Linn. Soc. London, Bot. 1: 428 1880

Mertensia linearis (Burm.f.) Fritsch, Bull. Herb. Boissier sér. 2, 1: 1092 1901

Dicranopteris pedata (Houtt.) Nakaike, Enum. Pterid. Jap., Filic. 114 1975

LYGODIACEAE 실고사리과

Lygodium Sw. 실고사리속

Lygodium japonicum (Thunb.) Sw., J. Bot. (Schrader) 1800: 106 1801

국명: 실고사리(Sil-go-sa-ri)

영명: Vine-like fern

Ophioglossum japonicum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 926 1784

Hydroglossum japonicum (Thunb.) Willd., Abh. Kurfürstl.-Mainz. Akad. Nützl. Wiss. Erfurt 2: 26 1802

MARSILEACEAE 네가래과

Marsilea L. 네가래속

Marsilea quadrifolia L., Sp. Pl. 2: 1099 1753

국명: 네가래(Ne-ga-rae) / (북한명) 네가래

영명: Four-leaf clover

SALVINIACEAE 생이가래과

Azolla Lam. 물개구리밥속

Azolla imbricata (Roxb. ex Griff.) Nakai, Bot. Mag. (Tokyo) 39: 185 1925

국명: 물개구리밥(Mul-gae-gu-ri-bap)

영명: Mosquitofern

Salvinia imbricata Roxb. ex Griff., Calcutta J. Nat. Hist. 4: 469 1844

Azolla pinnata R.Br. var. *imbricata* (Roxb. ex Griff.) Bonap., Notes Pteridol. 7: 130 1918

Azolla japonica Franch. & Sav., Enum. Pl. Jap. 2: 195 1877

국명: 큰물개구리밥(Keun-mul-gae-gu-ri-bap)

영명: Pacific mosquitofern

■ SALVINIACEAE 생이가래과

Salvinia Ség. 생이가래속

Salvinia natans (L.) All., Fl. Pedem. 2: 289 1785

국명: 생이가래(Saeng-i-ga-rae) / (북한명) 생이가래

영명: Floating watermoss

Marsilea natans L., Sp. Pl. 2: 1099 1753

PLAGIODYRIACEAE 꿩고사리과

Plagiogyria (Kunze) Mett. 꿩고사리속

Plagiogyria euphlebia (Kunze) Mett., Abhandlungen, Herausgegeben von der Senckenbergischen Naturforschenden Gesellschaft 2 1858 ⑧

국명: 꿩고사리(Kkwong-go-sa-ri), 벼들잎고사리, 벼들잎쥐꼬리, 섬꿩고사리, 암꿩고사리, 큰꿩고사리

영명: Pheasant's tail fern

Lomaria euphlebia Kunze, Bot. Zeitung (Berlin) 6: 521 1848

Plagiogyria japonica Nakai, Bot. Mag. (Tokyo) 42: 206 1928 ⑧

국명: 섬꿩고사리(Seom-kkwong-go-sa-ri), 꿩고사리, 암꿩고사리

영명: Petiole pheasant's tail fern

Plagiogyria pseudojaponica Nakaike, Bull. Natl. Sci. Mus. 14: 266 1971

Plagiogyria japonica Nakai var. *pseudojaponica* (Nakaike) K. Iwats., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 14: 71 1987

LINDSAEACEAE 비고사리과

Osmolindsaea (K.U.Kramer) Lehtonen & Christenb. 새깃고사리속

Osmolindsaea japonica (Baker) Lehtonen & Christenb., Bot. J. Linn. Soc. 163: 336 2010 ⑧

국명: 좀새깃고사리(Jom-sae-git-go-sa-ri), 새깃고사리, 비고사리

영명: East Asian necklace fern

Lindsaea cultrata (Willd.) Sw. var. *japonica* Baker, Syn. Fil. (Hooker & Baker) 105 1867

Lindsaea japonica (Baker) Diels, Nat. Pflanzenfam. 1: 221 1899

Lindsaea odorata Roxb. var. *japonica* (Baker) K.U.Kramer, Gard. Bull. Singapore 26: 42 1972

Osmolindsaea odorata (Roxb.) Lehtonen & Christenb., Bot. J. Linn. Soc. 163: 335 2010

국명: 새깃고사리(Sae-git-go-sa-ri)

영명: Fragrant necklace fern

Lindsaea odorata Roxb., Calcutta J. Nat. Hist. 4: 511 1844

***Odontosoria* (C.Presl) Fée 바위고사리속**

***Odontosoria biflora* (Kaulf.) C.Chr., Index Filic. fasc. 8: 464 1906**

국명: **깻바위고사리**(Gaet-ba-wi-go-sa-ri), **깻이끼고사리**

영명: **Biflorate wedgelet fern**

Davallia biflora Kaulf., Enum. Filic. 221 1824

Sphenomeris biflora (Kaulf.) Tagawa, J. Jap. Bot. 33: 203 1958

***Odontosoria chinensis* (L.) J. Sm., Bot. Voy. Herald 10: 430 1857**

국명: **바위고사리**(Ba-wi-go-sa-ri)

영명: **Pala'a lace fern**

Adiantum chusanum L., Sp. Pl. 2: 1095 1753

Trichomanes chinense L., Sp. Pl. 2: 1099 1753

Sphenomeris chinensis (L.) Maxon, J. Wash. Acad. Sci. 3: 144 1913

Sphenomeris chusana (L.) Copel., Bernice P. Bishop Mus. Bull. 59: 69 1929

DENNSTAEDTIACEAE 잔고사리과

***Dennstaedtia* Bernh. 잔고사리속**

***Dennstaedtia hirsuta* (Sw.) Mett. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 181 1867**

국명: **잔고사리**(Jan-go-sa-ri), **양지고사리**

영명: **Hairy hay-scented fern**

Davallia hirsuta Sw., J. Bot. (Schrader) 1801: 87 1801

***Dennstaedtia scabra* (Wall. ex Hook.) T.Moore, Index Filic. 307 1861**

국명: **사철잔고사리**(Sa-cheol-jan-go-sa-ri)

영명: **Rough hay-scented fern**

Dicksonia scabra Wall. ex Hook., Sp. Fil. 1: 80, t. 28 B 1844

Patania scabra (Wall. ex Hook.) Bedd., Suppl. Ferns S. Ind. 2 1876

***Dennstaedtia wilfordii* (T.Moore) Christ, Known Geogr. Dist. Verbenaceae and Avicenniaceae 192, 195 1910**

국명: **황고사리**(Hwang-go-sa-ri), **황련고사리** / (북한명) **황고사리**

영명: **Wilford's hay-scented fern**

Microlepia wilfordii T.Moore, Index Fil. (T. Moore) 299 1861

Davallia wilfordii (T. Moore) Baker, Syn. Fil. 98 1867

Coptodipteris wilfordii (T. Moore) Nakai & Momose, Cytologia (Fujii Jub. Vol.) 1: 365 1937

***Hypolepis* Bernh. 점고사리속**

***Hypolepis punctata* (Thunb.) Mett. ex Kuhn, Filic. Afr. 120 1868**

■ DENNSTAEDTIACEAE 잔고사리과

국명: 점고사리(Jeom-go-sa-ri), 산고사리 / (북한명) 점고사리

영명: Dotted beadfern

Polypodium punctatum Thunb., Fl. Jap. 337 1784

Phegopteris punctata (Thunb.) Mett., Ann. Mus. Bot. Lugduno-Batavi 1: 222 1864

Dryopteris punctata (Thunb.) C.Chr., Index Filic. fasc. 5: 287 1905

***Microlepia* C.Presl 돌잔고사리속**

***Microlepia marginata* (Panz.) C.Chr., Index Filic. 4: 212 1905**

국명: 돌잔고사리(Dol-jan-go-sa-ri), 기슭고사리, 털돌잔고사리

영명: Rock lace fern

Polypodium marginatum Panz., Vollst. Pflanzensyst. 13: 199 1786

Microlepia marginata* (Panz.) C.Chr. var. *marginata

***Microlepia marginata* (Panz.) C.Chr. var. *bipinnata* Makino, J. Jap. Bot. 3: 47 1926**

국명: 깃돌잔고사리(Git-dol-jan-go-sa-ri), 기슭고사리, 털돌잔고사리

영명: Bipinnate lace fern

Microlepia × bipinnata (Makino) Y. Shimura, J. Phytogeogr. Taxon. 27: 41 1979

***Microlepia pseudostrigosa* Makino, Bot. Mag. (Tokyo) 28: 337 1914**

국명: 겹돌잔고사리(Gyeop-dol-jan-go-sa-ri)

영명: False scraggy lace fern

***Microlepia strigosa* (Thunb.) C.Presl, Epimel. Bot. 95 1851**

국명: 돌토끼고사리(Dol-to-kki-go-sa-ri), 돌잔고사리, 민돌잔고사리

영명: Rigid lace fern

Trichomanes strigosum Thunb., Fl. Jap. 339 1784

Davallia strigosa (Thunb.) Kunze, Bot. Zeitung (Berlin) 6: 542 1848

Dennstaedtia strigosa (Thunb.) J.Sm., Hist. Fil. 65 1875

***Pteridium* Gleditsch 고사리속**

Pteridium aquilinum* (L.) Kuhn var. *aquilinum

***Pteridium aquilinum* (L.) Kuhn var. *latiusculum* (Desv.) Underw. ex A. Heller, Cat. N. Amer. Pl. ed. 3: 17 1909**

국명: 고사리(Go-sa-ri), 북고사리, 참고사리, 쟁쟁고사리 / (북한명) 고사리

영명: Eastern brakenfern

Pteris latiuscula Desv., Mém. Soc. Linn. Paris 6: 303 1827

Pteridium aquilinum (L.) Kuhn subsp. *latiusculum* (Desv.) Hultén, Acta Univ. Lund. n.s. 37: 43 1941

CYSTOPTERIDACEAE 한들고사리과

Cystopteris Bernh. 한들고사리속

Cystopteris fragilis (L.) Bernh., Neues J. Bot. 1: 26 1805 Ⓢ

국명: **한들고사리**(Han-deul-go-sa-ri), 흔들고사리

영명: **Fragile fern**

Polypodium fragile L., Sp. Pl. 2: 1091 1753

Cystopteris sudetica A.Braun & Milde, Jahresber. Schles. Ges. Vaterl. Cult. 33: 92 1855

국명: **바람고사리**(Ba-ram-go-sa-ri), 그늘고사리, 그늘한들고사리

영명: **Bladderfern**

Gymnocarpium Newman 토끼고사리속

Gymnocarpium dryopteris (L.) Newman, Phytologist 4: app. 24 1851 Ⓢ

국명: **토끼고사리**(To-kki-go-sa-ri)

영명: **Oak fern**

Polypodium dryopteris L., Sp. Pl. 2: 1093 1753

Nephrodium dryopteris (L.) Michx., Fl. Bor.-Amer. 2: 270 1803

Phegopteris dryopteris (L.) Fée, Mém. Foug. 5: 243 1852

Thelypteris dryopteris (L.) Sloss., Fl. Rocky Mts. 1044 1917

Gymnocarpium jessoense (Koidz.) Koidz., Acta Phytotax. Geobot. 5: 40 1936

국명: **산토끼고사리**(San-to-kki-go-sa-ri)

영명: **Asian oak fern**

Dryopteris jessoensis Koidz., Bot. Mag. (Tokyo) 38: 104 1924

Carpogynia jessoensis (Koidz.) Å.Löve & D.Löve, Taxon 16: 191 1967

PTERIDACEAE 봉의꼬리과

Adiantum L. 공작고사리속

Adiantum capillus-junonis Rupr., Beitr. Pflanzenk. Russ. Reiches 3: 49 1845 Ⓢ

국명: **암공작고사리**(Am-gong-jak-go-sa-ri), 바위공작고사리

영명: **Junos-hair fern**

Adiantum coreanum Tagawa, Acta Phytotax. Geobot. 1: 159 1932 ⓘ

국명: **고려공작고사리**(Go-ryeo-gong-jak-go-sa-ri), 조선공작고사리

영명: **Korean maidenhair fern**

■ CYSTOPTERIDACEAE 한들고사리과 —

Adiantum monochlamys D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 1858 Ⓡ

국명: 섬공작고사리(Seom-gong-jak-go-sa-ri), 큰공작고사리, 큰섬공작고사리 / (북한명) 섬공작고사리

영명: Mono-sorus maidenhair fern

Adiantum venustum D.Don var. *monochlamys* (D.C.Eaton) Keyserl., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 22: 36 1875

Adiantum pedatum L., Sp. Pl. 2: 1095 1753 Ⓡ

국명: 공작고사리(Gong-jak-go-sa-ri) / (북한명) 공작고사리

영명: Northern maidenhair fern

Antrophyum Kaulf. 주걱고사리속

Antrophyum obovatum Baker, Bull. Misc. Inform. Kew 1898: 233 1898

국명: 긴주걱고사리(Gin-ju-geok-go-sa-ri)

Ceratopteris Brongn. 물고사리속

Ceratopteris gaudichaudii Brongn. var. *gaudichaudii*

Ceratopteris gaudichaudii Brongn. var. *vulgaris* Masuyama & Watano, Acta Phytotax. Geobot. 61: 79 2010 Ⓡ

국명: 물고사리(Mul-go-sa-ri)

영명: Oriental waterfern

Cheilanthes Sw. 부싯깃고사리속

Cheilanthes argentea (S.G.Gmel.) Kunze, Linnaea 23: 242 1850

국명: 부싯깃고사리(Bu-sit-git-go-sa-ri)

영명: Silver clockfern

Pteris argentea S.G.Gmel., Novi Comment. Acad. Sci. Imp. Petrop. 12: 519, Pl. 12, f. 2 1768

Allosorus argenteus (S.G.Gmel.) C.Presl, Tent. Pterid. 153 1836

Aleuritopteris argentea (S.G.Gmel.) Fée, Mem. Foug., 5. Gen. Filic. 5: 154 1852

Doryopteris argentea (S.G.Gmel.) Christ, Bull. Herb. Boissier sér. 2, 2: 831 1902

Cheilanthes argentea (S.G.Gmel.) Kunze f. *argentea*

Cheilanthes argentea (S.G.Gmel.) Kunze f. *obscura* (Christ) Kitag., J. Jap. Bot. 41: 368 1966

국명: 청부싯깃고사리(Cheong-bu-sit-git-go-sa-ri)

Cheilanthes argentea (S.G.Gmel.) Kunze var. *obscura* Christ, Nuovo Giorn. Bot. Ital. n.s., 4: 88 1897

Cheilanthes chusana Hook., Sp. Fil. 2: 95, Pl. 106B 1852 Ⓡ

국명: 개부싯깃고사리(Gae-bu-sit-git-go-sa-ri)

영명: **Ford's clockfern**

Cheilanthes fordii Baker, J. Bot. 17: 304 1879

Cheilosoria chusana (Hook.) Ching, J. Arnold Arbor. 64: 19 1983

Adiantopsis fordii (Baker) C.Chr., Index Filic. 22 1905

Cheilanthes kuhnii Milde, Bot. Zeitung (Berlin) 25: 149 1867 (R)

국명: **산부싯깃고사리**(San-bu-sit-git-go-sa-ri), 바위부시깃고사리, 북부고시깃고사리, 부싯깃꼬리고사리

영명: **Northern lipfern**

Aleuritopteris kuhnii (Milde) Ching, Hong Kong Naturalist 10: 202 1941

Cheilanthes kuhnii Milde f. ***kuhnii***

Cheilanthes kuhnii Milde f. ***gracilis*** Kitag., Rep. First Sci. Exped. Manchoukuo 4: 84 1935

국명: **북부싯깃고사리**(Buk-bu-sit-git-go-sa-ri)

영명: **Thin northern lipfern**

***Coniogramme* Féé 고비고사리속**

Coniogramme intermedia Hieron., Hedwigia 57: 301 1916

국명: **고비고사리**(Go-bi-go-sa-ri), 참고비고사리

영명: **Oriental bamboo fern**

Coniogramme fraxinea (D.Don) Féé ex Diels var. *intermedia* (Hieron.) Christ, Acta Horti Gothob. 1: 83 1924

Coniogramme japonica (Thunb.) Diels, Nat. Pflanzenfam. 1: 262 1899

국명: **가지고비고사리**(Ga-ji-go-bi-go-sa-ri), 가지고비, 가지고사리

영명: **Bamboo fern**

Hemionitis japonica Thunb., Fl. Jap. (Thunberg) 333 1784

Gymnogramma japonica (Thunb.) Desv. Gymnogramma, Berlin. Mag. 5: 305 1811

Notogramme japonica (Thunb.) C.Presl, Epimel. Bot. 263 1849

Dictyogramme japonica (Thunb.) Féé, Mem. Foug., 5. Gen. Filic. 171, t. 15A, f. 2 1850

Coniogramme* × *fauriei Hieron., Hedwigia 57: 320 1916

국명: **개가지고비고사리**(Gae-ga-ji-go-bi-go-sa-ri), 개가지고사리

영명: **Faurie's bamboo fern**

Coniogramme japonica (Thunb.) Diels var. *fauriei* (Hieron.) Tagawa, J. Jap. Bot. 15: 427 1939

***Cryptogramma* R.Br. 북바위고사리속**

Cryptogramma crispa (L.) R.Br. ex Rich., Narr. Journey Polar Sea 767 1823

국명: **북바위고사리**(Buk-ba-wi-go-sa-ri)

영명: **Parsley fern**

■ CYSTOPTERIDACEAE 한들고사리과

Osmunda crispa L., Sp. Pl. 2: 1067 1753

Phorolobus crispus (L.) Desv., Mém. Soc. Linn. Paris 6: 291 1827

Haplopteris C.Presl 일엽아재비속

Haplopteris flexuosa (Fée) E.H.Crane, Syst. Bot. 22: 514 1997 (R)

국명: 일엽아재비(Il-yeop-a-jae-bi)

영명: Reflexed-margine single-leaf fern

Vittaria flexuosa Fée, Mém. Foug. 3: 16 1851

Haplopteris zosterifolia (Willd.) E.H.Crane, Syst. Bot. 22: 514 1997

국명: 섬일엽아재비(Seom-il-yeop-a-jae-bi)

영명: Island single-leaf fern

Vittaria zosterifolia Willd., Sp. Pl. (ed.4) 5: 406 1810

Onychium Blume 선바위고사리속

Onychium japonicum (Thunb.) Kunze, Bot. Zeitung (Berlin) 6: 507 1848

국명: 선바위고사리(Seon-ba-wi-go-sa-ri)

영명: Carrot fern

Trichomanes japonicum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 941 1784

Pteris L. 봉의꼬리속

Pteris cretica L., Mant. Pl. 1: 130 1767

국명: 큰봉의꼬리(Keun-bong-ui-kko-ri) / (북한명) 큰봉의꼬리

영명: Cretan brake fern

Pteris dispar Kunze, Bot. Zeitung (Berlin) 6: 539 1848 (R)

국명: 반쪽고사리(Ban-jjok-go-sa-ri), 나래반쪽고사리, 날개반쪽고사리, 비늘봉의고사리

영명: Unequal-lobe brake fern

Pteris semipinnata L. var. *dispar* (Kunze) Hook. & Baker, Syn. Fil. (Hooker & Baker) 157 1867

Pteris excelsa Gaudich. var. *excelsa*

Pteris excelsa Gaudich. var. *fauriei* (Christ) W.C. Shieh, Bot. Mag. (Tokyo) 79: 286 1966

국명: 탐라반쪽고사리(Tam-ra-ban-jjok-go-sa-ri)

영명: Jejudo unequal-lobe brake fern

Pteris semipinnata L. var. *fauriei* Christ, Repert. Spec. Nov. Regni Veg. 5: 12 1908

Pteris excelsa Gaudich. var. *simplicior* (Tagawa) W.C. Shieh, Bot. Mag. (Tokyo) 79: 289 1966

국명: 섬깃반쪽고사리(Seom-git-ban-jjok-go-sa-ri)

영명: Simple unequal-lobe brake fern

Pteris inaequalis Baker, J. Bot. 13: 199 1875

Pteris inaequalis Baker var. *simplicior* Tagawa, J. Jap. Bot. 14: 600 1938

Pteris excelsa Gaudich. var. *inaequalis* (Baker) S.H. Wu, Fl. Reipubl. Popularis Sin. 3: 50 1990

Pteris fauriei Hieron., Hedwigia 55: 345 1914

국명: 오름깃고사리(O-reum-git-go-sa-ri)

Pteris linearis var. *faurieri* (Hieron.) C.Chr. & Tardieu, Fl. Indo-Chine 7: 159 1939

Pteris multifida Poir., Encycl. (Lamarck) 5: 714 1804

국명: 봉의꼬리(Bong-ui-kko-ri)

영명: Spider brake fern

Pycnodoria multifida (Poir.) Small, Ferns S. E. States 104 1938

Pteris nipponica W.C.Shih, Bot. Mag. (Tokyo) 79: 285 1966 ⑧

국명: 알록큰봉의꼬리(Al-rok-keun-bong-ui-kko-ri), 알록봉의꼬리

영명: Variegate cretan brake fern

Pteris cretica L. subsp. *nipponica* (W.C.Shih) Jotani & H.Ohba, Sci. Rep. Yokosuka City Mus. 15: 28 1969

Pteris semipinnata L., Sp. Pl. 2: 1076 1753

국명: 큰반쪽고사리(Keon-ban-jjok-go-sa-ri)

영명: Big unequal-lobe brake fern

Pteris terminalis Wall. ex J.Agarde, Recens. Spec. Pter. 20 1839

국명: 깃반쪽고사리(Git-ban-jjok-go-sa-ri)

영명: Feather-like-unequal-lobe brake fern

Pteris semipinnata L. var. *aequata* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 172 1867

Pteris inaequalis var. *aequata* (Miq.) Tagawa, J. Jap. Bot. 14: 600 1938

ASPLENIACEAE 꼬리고사리과

Asplenium L. 꼬리고사리속

Asplenium antiquum Makino, J. Jap. Bot. 6: 32 1929 ⑧

국명: 파초일엽(Pa-cho-il-yeop), 삼도일엽, 섭섭고사리, 섭섭일엽 / (북한명) 파초일엽

영명: Bird's-nest fern

Neottopteris antiqua (Makino) Masam., Trans. Nat. Hist. Soc. Taiwan 22: 215 1932

Asplenium × bimixtum C.S.Lee & K.Lee ex Y.-H.Ha, Phytotaxa 433(4): 295 2020 ⑨

■ ASPLENIACEAE 꼬리고사리과 —————

국명: 산꼬리고사리(San-kko-ri-go-sa-ri)

! *Asplenium × montanum* C.S.Lee & K.Lee, Korean J. Pl. Taxon. 45: 364 2015

Asplenium boreale (Ohwi ex Sa.Kurata) Nakaike, New Fl. Jap. Pterid. 839 1992

국명: 반들깃고사리(Ban-deul-git-go-sa-ri)

영명: Northern spleenwort

Asplenium normale D.Don var. *boreale* Ohwi ex Sa.Kurata, J. Geobot. 11: 100 1963

Asplenium castaneoviride Baker, Ann. Bot. (Oxford) 5: 304 1891

국명: 거미꼬리고사리(Geo-mi-kko-ri-go-sa-ri)

영명: Hybrid spleenwort

Asplenium kobayashii Tagawa, Acta Phytotax. Geobot. 1: 309 1932

Aspleniosorus castaneoviridis (Baker) Nakaike, New Fl. Jap. Pterid. 839 1992

Asplenium incisum Thunb., Trans. Linn. Soc. London 2: 342 1794

국명: 꼬리고사리(Kko-ri-go-sa-ri) / (북한명) 꼬리고사리

영명: Long-tail spleenwort

Asplenium normale D.Don, Prodr. Fl. Nepal. 7 1825 ⑧

국명: 깃고사리(Git-go-sa-ri)

영명: Rainforest spleenwort

Asplenium oligophlebium Baker, Gard. Chron. 14: 494 1880 ⑧

국명: 개차고사리(Gae-cha-go-sa-ri)

영명: Big-ear spleenwort

Asplenium pekinense Hance, J. Bot. 5: 262 1867

국명: 사철고사리(Sa-cheol-go-sa-ri)

영명: Evergreen spleenwort

Asplenium sarelii Hook. var. *pekinense* (Hance) C.Chr., Index Filic. 125 1905

Asplenium prolongatum Hook., Sec. Cent. Ferns t. 42 1860

국명: 솟돌담고사리(Sut-dol-dam-go-sa-ri), 수돌담고사리, 톱풀고사리, 편백고사리

영명: Protruding spleenwort

Asplenium ritoense Hayata, Icon. Pl. Formosan. 4: 226 1914

국명: 쪽잔고사리(Jjok-jan-go-sa-ri), 잔고사리, 좀편백고사리

영명: Asian single-sorus spleenwort

Asplenium ruprechtii Sa.Kurata, Enum. Jap. Pterid. 325 1961

국명: 거미고사리(Geo-mi-go-sa-ri), 거미일엽초

영명: Asian walking fern

Asplenium ruta-muraria L., Sp. Pl. 2: 1081 1753

국명: 돌좀고사리(Dol-jom-go-sa-ri)

영명: Wall-rue

Amesia ruta-muraria (L.) Newman, Hist. Brit. Ferns ed. 2: 10 1844

Asplenium sarelii Hook., Five Months on the Yangtze Appendix: 363 1862

국명: 돌담고사리(Dol-dam-go-sa-ri) / (북한명) 돌담고사리

영명: Stone-wall spleenwort

Asplenium sarelii Hook. var. *sarelii*

Asplenium sarelii Hook. var. *anogrammoides* (Christ) Tagawa, J. Jap. Bot. 27: 322 1952

국명: 바위좀고사리(Ba-wi-jom-go-sa-ri), 애기좀고사리

영명: Small stone-wall spleenwort

Asplenium anogrammoides Christ, Repert. Spec. Nov. Regni Veg. 5: 11 1908

Asplenium scolopendrium L., Sp. Pl. 2: 1079 1753 ⑧

국명: 골고사리(Gol-go-sa-ri), 나도파초일엽, 변산일엽

영명: Hart's-tongue fern

Asplenium septentrionale (L.) Hoffm., Deutschl. Fl. 2: 12 1795

국명: 솔잎고사리(Sol-ip-go-sa-ri)

Acrostichum septentrionale L., Sp. Pl. 2: 1068 1753

Asplenium shikokianum Makino, Bot. Mag. (Tokyo) 13: 13 1899

국명: 잔눈썹고사리(Jan-nun-sseop-go-sa-ri), 뿔고사리

영명: Slightly-asymmetric spleenwort

Asplenium wrightii D.C.Eaton ex Hook. var. *shikokianum* (Makino) Makino, Phan. Pter. Jap. Icon. 3: 1 1901

Asplenium tenerum G.Forst., Fl. Ins. Austr. 80 1786 ⑧

국명: 선녀고사리(Seon-nyeo-go-sa-ri)

영명: Shallow-teeth spleenwort

Darea tenera (G.Forst.) Spreng., J. Bot. (Schrader) 1799: 269 1799

Asplenium tenuicaule Hayata, Icon. Pl. Formosan. 4: 228 1914

국명: 애기꼬리고사리(Ae-gi-kko-ri-go-sa-ri), 바위꼬리고사리, 좀사철고사리

영명: Variable spleenwort

■ ASPLENIACEAE 꼬리고사리과

Asplenium trichomanes L., Sp. Pl. 2: 1080 1753 (R)

국명: 차꼬리고사리(Cha-kko-ri-go-sa-ri), 개차고사리 / (북한명) 차꼬리고사리

영명: Maidenhair spleenwort

Asplenium trichomanes L. subsp. *quadrivalens* D.E.Mey., Ber. Deutsch. Bot. Ges. 74: 456 1962

Asplenium tripteropus Nakai, Bot. Mag. (Tokyo) 44: 9 1930

국명: 개차꼬리고사리(Gae-cha-kko-ri-go-sa-ri)

영명: Tri-wing maidenhair spleenwort

Asplenium anceps Lowe ex Hook. & Grev. var. *proliferum* Nakai, Bot. Mag. (Tokyo) 47: 172 1933

Asplenium trichomanes L. subsp. *tripteropus* (Nakai) Á.Löve & D.Löve, Taxon 26: 326 1977

Asplenium wilfordii Mett. ex Kuhn, Linnaea 36: 94 1869

국명: 수수고사리(Su-su-go-sa-ri), 대부돌담고사리, 다복돌담고사리, 섬돌담고사리, 철고사리 / (북한명) 수수고사리

영명: Wilford's spleenwort

Asplenium wilfordii Mett. ex Kuhn var. *curtides* Christ, Bull. Herb. Boissier 4: 667 1896

Asplenium curtidens (Christ) Koidz., Bot. Mag. (Tokyo) 43: 388 1929

Tarachia wilfordii (Mett. ex Kuhn) H.Ito, Bot. Mag. (Tokyo) 43: 23 1939

Asplenidictyum curtidens (Christ) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 15 1952

Asplenium wrightii D.C.Eaton ex Hook., Sp. Fil. 3: 113, t. 182 1860 (R)

국명: 눈썹고사리(Nun-sseop-go-sa-ri), 달구지고사리, 외대고사리 / (북한명) 눈썹고사리

영명: Asymmetric spleenwort

Asplenium yoshinagae Makino, Phaner. Pterid. Jap. Ic. Ill. 2: t. 64 1900

국명: 가거꼬리고사리(Ga-geo-kko-ri-go-sa-ri)

Asplenium × akaishiense Otsuka, J. Geobot. 24: 80 1977

국명: 거미애기꼬리고사리(Geo-mi-ae-gi-kko-ri-go-sa-ri)

Asplenium × kitazawae Sa.Kurata & Hutoh, J. Geobot. 11: 69 1962

국명: 거미돌담고사리(Geo-mi-dol-dam-go-sa-ri)

Asplenium × uiryeongse C.S.Lee & K.Lee, Korean J. Pl. Taxon. 45: 363 2015 (E)

국명: 거미사철고사리(Geo-mi-sa-cheol-go-sa-ri)

***Hymenasplenium* Hayata 지느러미고사리속**

Hymenasplenium hondoense (N.Murak. & Hatan.) Nakaike, New Fl. Jap. Pterid. 841 1992 (R)

국명: 지느러미고사리(Ji-neu-reo-mi-go-sa-ri), 바디고사리

영명: Fin maiden spleenwort

Asplenium hondoense N.Murak. & Hatan., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 14: 191 1988

THELYPTERIDACEAE 처녀고사리과

Cyclosorus Link 별고사리속

Cyclosorus acuminatus (Houtt.) Nakai ex H. Itô, Bot. Mag. (Tokyo) 51: 710 1937

국명: 별고사리(Byeol-go-sa-ri)

영명: Sail fern

Polypodium acuminatum Houtt., Nat. Hist. 2: 181, Pl. 99, f. 2 1783

Christella acuminata (Houtt.) H. Lév., Fl. Kouy-Tchéou 476 1915

Thelypteris acuminata (Houtt.) C. V. Morton, Amer. Fern J. 48: 139 1958

Cyclosorus dentatus (Forssk.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 206 1938

국명: 탐라별고사리(Tam-ra-byeol-go-sa-ri)

영명: Downy shield-fern

Polypodium dentatum Forssk., Fl. Aegypt.-Arab. 185 1775

Dryopteris dentata (Forssk.) C. Chr., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. ser. 8 6: 24 1920

Nephrodium dentatum (Forssk.) Kümmerle, Magyar Bot. Lapok 32: 60 1933

Thelypteris dentata (Forssk.) E. P. St. John, Amer. Fern J. 26: 44 1936

Christella dentata (Forssk.) Brownsey & Jermy, Brit. Fern Gaz. 10: 338 1973

Cyclosorus interruptus (Willd.) H. Itô, Bot. Mag. (Tokyo) 51: 714 1937 ®

국명: 검은별고사리(Geom-eun-byeol-go-sa-ri)

영명: Swamp shield-fern

Pteris interrupta Willd., Phytographia 13, Pl. 10, f. 1 1794

Aspidium gongyloides Schkuhr, Vier Zwan. Kl. Linn. Pfl. Krypt. Gew. 1: 193, Pl. 33C 1809

Nephrodium gongyloides (Schkuhr) Schott, Gen. Fil. Pl. 10 1834

Dryopteris gongyloides (Schkuhr) Kuntze, Revis. Gen. Pl. 2: 811 1891

Dryopteris interrupta (Willd.) Ching, Lingnan Sci. J. 12: 567 1933

Thelypteris gongyloides (Schkuhr) Kuntze ex Small, Ferns S. E. States 248 1938

Thelypteris interrupta (Willd.) K. Iwats., J. Jap. Bot. 38: 314 1963

Cyclosorus omeiensis (Baker) C. M. Kuo, Taiwania 47: 172 2002 ®

국명: 나도진퍼리고사리(Na-do-jin-peo-ri-go-sa-ri)

영명: Leveille's swamp fern

Polypodium omeiense Baker, J. Bot. 26: 229 1888

Leptogramma omeiensis (Baker) Tagawa, J. Jap. Bot. 12: 748 1936

Cyclogramma omeiensis (Baker) Tagawa, Acta Phytotax. Geobot. 7: 53 1938

Glaphyropteris omeiensis (Baker) H. Itô, Nov. Fl. Jap. 4: 149 1938

Lastrea omeiensis (Baker) Copel., Gen. Fil. (Copeland) 139 1947

■ THELYPTERIDACEAE 처녀고사리과 —

Cyclosorus parasiticus (L.) Farw., Notul. Syst. (Paris) 7: 75 1938

국명: 텸별고사리(Teol-byel-go-sa-ri), 텸이삭고사리

영명: Parasitic maiden fern

Polypodium parasiticum L., Sp. Pl. 2: 1090 1753

Aspidium parasiticum (L.) Sw., J. Bot. (Schrader) 1800: 35 1801

Dryopteris parasitica (L.) Kuntze, Revis. Gen. Pl. 2: 811 1891

Christella parasitica (L.) H.Lév., Fl. Kouy-Tchéou 475 1915

Cyclosorus penangianus (Hook.) Copel., Gen. Fil. 143 1947

국명: 큰별고사리(Keun-byel-go-sa-ri)

Polypodium penangianum Hook., Sp. Fil. 5: 13 1864

Goniopteris penangiana (Hook.) Bedd., Ferns Brit. India Pl. 232 1867

Dryopteris penangiana (Hook.) C.Chr., Index Filic. fasc. 5: 283 1905

Abacopteris penangiana (Hook.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 255 1938

Pronephrium penangianum (Hook.) Holttum, Blumea 20: 110 1972

***Leptogramma* J.Jay Sm. 진퍼리고사리속**

Leptogramma pozoi (Lag.) Ching subsp. *pozoi*

Leptogramma pozoi (Lag.) Ching subsp. *mollissima* (Fisch. ex Kunze) Nakaike, Ill. Jap. Pterid. 3, f. 253 1983

국명: 진퍼리고사리(Jin-peo-ri-go-sa-ri)

영명: Soft-hair swamp fern

Gymnogramma mollissima Fisch. ex Kunze, Linnaea 23: 310 1850

Leptogramma mollissima (Fisch. ex Kunze) Ching, Sinensis 7: 102 1936

Stegnogramma pozoi (Lag.) K.Iwats. subsp. *mollissima* (Fisch. ex Kunze) K.Iwats., Acta Phytotax. Geobot. 19: 125 1963

***Macrothelypteris* (H.Itô) Ching 각시고사리속**

Macrothelypteris torresiana (Gaudich.) Ching var. *torresiana*

Macrothelypteris torresiana (Gaudich.) Ching var. *calvata* (Baker) Holttum, Blumea 17(1): 28 1969

국명: 각시고사리(Gak-si-go-sa-ri)

영명: Few-vein marsh fern

Nephrodium setigerum C.Presl var. *calvatum* Baker, J. Bot. 13(151): 201 1875

Macrothelypteris viridifrons (Tagawa) Ching, Acta Phytotax. Sin. 8: 310 1963

국명: 푸른각시고사리(Pu-reun-gak-si-go-sa-ri)

영명: Green-leaf marsh fern

Thelypteris viridifrons Tagawa, J. Jap. Bot. 12: 747 1936

Lastrea viridifrons (Tagawa) Tagawa, Acta Phytotax. Geobot. 15: 14 1953

Metathelypteris (H.Itô) Ching 드문고사리속

Metathelypteris hattorii (H.Itô) Ching, Acta Phytotax. Sin. 8: 306 1963

국명: 잔털드문고사리(Jan-teol-deu-mun-go-sa-ri)

영명: East Asian loosely-leaf marsh fern

Dryopteris hattorii H.Itô, Bot. Mag. (Tokyo) 49: 359, f. 1. 1935

Thelypteris hattorii (H.Itô) Tagawa, Acta Phytotax. Geobot. 5: 195 1936

Metathelypteris laxa (Franch. & Sav.) Ching, Acta Phytotax. Sin. 8: 306 1963

국명: 드문고사리(Deu-mun-go-sa-ri)

영명: Loosely-leaf marsh fern

Aspidium laxum Franch. & Sav., Enum. Pl. Jap. 2: 237, 631 1879

Parathelypteris (H.Itô) Ching 사다리고사리속

Parathelypteris angustifrons (Miq.) Ching, Acta Phytotax. Sin. 8: 302 1963

국명: 탐라사다리고사리(Tam-ra-sa-da-ri-go-sa-ri)

영명: Narrow gland fern

Aspidium angustifrons Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 178 1867

Thelypteris angustifrons (Miq.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 318 1936

Parathelypteris beddomei (Baker) Ching, Acta Phytotax. Sin. 8: 302 1963

국명: 가는잎처녀고사리(Ga-neun-ip-cheo-nyeo-go-sa-ri)

영명: Slender-leaf marsh fern

Nephrodium beddomei Baker, Syn. Fil. 267 1867

Lastrea beddomei (Baker) Bedd., Ferns Brit. India 2: 1870

Thelypteris beddomei (Baker) Ching, Bull. Fan Mem. Inst. Biol. 6: 308 1936

Parathelypteris cystopteroides (D.C.Eaton) Ching, Acta Phytotax. Sin. 8: 302 1963 ⑧

국명: 좀사다리고사리(Jom-sa-da-ri-go-sa-ri)

영명: Small gland fern

Athyrium cystopteroides D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 1858

Parathelypteris glanduligera (Kunze) Ching, Acta Phytotax. Sin. 8: 303 1963

국명: 사다리고사리(Sa-da-ri-go-sa-ri)

영명: Ladder-shape gland fern

Aspidium glanduligerum Kunze, Analecta Pteridogr. 44 1837

Lastrea glanduligera (Kunze) T.Moore, Index Fil. 93 1858

Nephrodium gracilescens Hook. var. *glanduligera* (Kunze) Baker, Syn. Fil. 262 1867

Aspidium gracilescens Blume var. *glanduligerum* (Kunze) Franch. & Sav., Enum. Pl. Jap. 2: 236 1877

Nephrodium glanduligerum (Kunze) Makino, Bot. Mag. (Tokyo) 10: 58 1896

Dryopteris glanduligera (Kunze) Christ, J. Bot. (Morot) 21: 231 1908

■ THELYPTERIDACEAE 처녀고사리과

Dryopteris graciliscescens (Blume) Kuntze var. *glanduligera* (Kunze) Makino & Nemoto, Cat. Jap. Pl. Herb. Tokyo Imp. Mus. 426 1914
Thelypteris glanduligera (Kunze) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 320 1936

***Parathelypteris japonica* (Baker) Ching, Acta Phytotax. Sin. 8: 304 1963**

국명: 지네고사리(Ji-ne-go-sa-ri)

영명: East Asian gland fern

Nephrodium japonicum Baker, Ann. Bot. (Oxford) 5: 318 1891
Wagneriopteris japonica (Baker) Á.Löve & D.Löve, Taxon 26: 325 1977

Parathelypteris japonica* (Baker) Ching var. *japonica

***Parathelypteris japonica* (Baker) Ching var. *glabrata* (Ching) K.H.Shing, Fl. Jiangxi 1: 201 1993**

국명: 민지네고사리(Min-ji-ne-go-sa-ri)

영명: Smooth gland fern

Thelypteris japonica (Baker) Ching var. *glabrata* Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 313 1936

***Parathelypteris nipponica* (Franch. & Sav.) Ching, Acta Phytotax. Sin. 8: 302 1963**

국명: 키다리처녀고사리(Ki-da-ri-cheo-nyeo-go-sa-ri)

영명: Tall marsh fern

Aspidium nipponicum Franch. & Sav., Enum. Pl. Jap. 2: 242, 636 1876
Dryopteris nipponica (Franch. & Sav.) C.Chr., Index Filic. fasc. 5: 279 1905
Thelypteris nipponica (Franch. & Sav.) Copel., Bull. Fan Mem. Inst. Biol. 6: 309 1936
Lastrea nipponica (Franch. & Sav.) Copel., Gen. Fil. (Copeland) 139 1947

Parathelypteris nipponica* (Franch. & Sav.) Ching var. *nipponica

***Parathelypteris nipponica* (Franch. & Sav.) Ching var. *borealis* (H.Hara) Nakaike, New Fl. Jap. Pterid. 842 1992**

국명: 털산고사리(Teol-san-go-sa-ri)

영명: Northern tall marsh fern

Dryopteris nipponica (Franch. & Sav.) C.Chr. var. *borealis* H.Hara, Bot. Mag. (Tokyo) 48: 695 1934
Thelypteris nipponica (Franch. & Sav.) Copel. var. *borealis* (H.Hara) H.Hara, Bot. Mag. (Tokyo) 52: 621 1938

***Phegopteris* (C.Presl) Féé 설설고사리속**

***Phegopteris connectilis* (Michx.) D.Watt, Canad. Naturalist & Quart. J. Sci. n.s. 3: 29 1866**

국명: 가래고사리(Ga-rae-go-sa-ri)

영명: Long beech fern

Polypodium phegopteris L., Sp. Pl. 2: 1089 1753
Polypodium connectile Michx., Fl. Bor.-Amer. 2: 271 1803
Dryopteris phegopteris (L.) C.Chr., Index Filic. fasc. 5: 284 1905

Phegopteris decursive-pinnata (H.C.Hall) Féé, Mem. Foug., 5. Gen. Filic. 5: 242, Pl. 20A, f. 1 242 1852

국명: 설설고사리(Seol-seol-go-sa-ri)

영명: Winged beech fern

Polypodium decursive-pinnatum H.C.Hall, Nieuwe Verh. Eerste Kl. Kon. Ned. Inst. Wetensch. Amsterdam 5: 204 1836

Phegopteris koreana B.Y.Sun & C.H.Kim, Novon 14: 440 2004

국명: 큰설설고사리(Keun-seol-seol-go-sa-ri)

Thelypteris Schmidel 처녀고사리속

Thelypteris palustris (A.Gray) Schott, Gen. Fil. (Schott) Pl. 10 1834

국명: 처녀고사리(Cheo-nyeo-go-sa-ri), 새발고사리

영명: Eastern marsh fern

Aspidium palustre A.Gray, Nat. Arr. Brit. Pl. 2: 9 1821

Thelypteris quelpaertensis (Christ) Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 328 1936 Ⓢ

국명: 큰처녀고사리(Keun-cheo-nyeo-go-sa-ri), 큰새발고사리

Dryopteris quelpaertensis Christ, Bull. Acad. Int. Géogr. Bot. 20: 7 1910

Lastrea quelpaertensis (Christ) Copel., Gen. Fil. (Copeland) 139 1947

Oreopteris quelpaertensis (Christ) Holub, Folia Geobot. Phytotax. 4: 48 1969

Thelypteris subochthodes Ching, Bull. Fan Mem. Inst. Biol. Bot. 6: 305 1936

국명: 제비꼬리고사리(Je-bi-kko-ri-go-sa-ri)

영명: Swallow-tail marsh fern

Lastrea subochthodes (Ching) Tagawa, Acta Phytotax. Geobot. 16: 78 1956

Pseudocyclosorus subochthodes (Ching) Ching, Acta Phytotax. Sin. 8: 325 1963

WOODSIACEAE 우드풀과

Woodsia R.Br. 우드풀속

Woodsia glabella R.Br. ex Rich., Narr. Journey Polar Sea 754 1823

국명: 큰솜털고사리(Keun-som-teol-go-sa-ri), 애기가물고사리, 미역가물고사리, 애기우드풀

Woodsia alpina (Bolton) Gray var. *glabella* (R.Br. ex Rich.) D.C.Eaton, Canad. Naturalist & Quart. J. Sci. 2: 90 1865

Woodsia hyperborea Makino var. *glabella* (R.Br. ex Rich.) D.Watt, Canad. Naturalist & Quart. J. Sci. 3: 160 1866

Woodsia hancockii Baker, Ann. Bot. 5: 196 1891 Ⓢ

국명: 애기가물고사리(Ae-gi-ga-mul-go-sa-ri)

영명: Smooth woodsia

■ WOODSIACEAE 우드풀과

***Woodsia ilvensis* (L.) R.Br., Prodr. Fl. Nov. Holland. 158 1810**

국명: 두메우드풀(Du-me-u-deu-pul), 솜털가물고사리, 솜털고사리 / (북한명) 두메우두풀

영명: Rusty woodsia

Acrostichum ilvense L., Sp. Pl. 2: 1071 1753

***Woodsia intermedia* Tagawa, Acta Phytotax. Geobot. 5: 250 1936**

국명: 좀우드풀(Jom-u-deu-pul), 좀가물고가리

영명: Intermediate woodsia

***Woodsia macrochlaena* Mett. ex Kuhn, J. Bot. 6: 270 1868**

국명: 참우드풀(Cham-u-deu-pul), 가물고사리아재비, 좀쌀고사리 / (북한명) 참우두풀

영명: Wide-blade woodsia

***Woodsia manchuriensis* Hook., Sec. Cent. Ferns t. 98 1861**

국명: 만주우드풀(Man-ju-u-deu-pul), 만주가물고사리, 만주고사리, 절벽고사리

영명: Manchurian woodsia

Diacalpe manchuriensis (Hook.) Trevis., Nuovo Giorn. Bot. Ital. 7: 160 1875

Protowoodsia manchuriensis (Hook.) Ching, Lingnan Sci. J. 21: 37 1945

***Woodsia microsora* Kodama, Icon. Pl. Koisikav. 3: 101 1917**

국명: 금강가물고사리(Geum-gang-ga-mul-go-sa-ri)

영명: Geumgang woodsia

***Woodsia polystichoides* D.C.Eaton, Proc. Amer. Acad. Arts 4: 110 1858**

국명: 우드풀(U-deu-pul), 가물고사리, 면모고사리, 바위면모고사리, 왜우드풀 / (북한명) 우두풀, 바위면모고사리

영명: Holly-fern woodsia

Woodsia polystichoides D.C.Eaton var. *sinuata* Hook., Gard. Ferns 32 1862

Physematum polystichoides (D.C.Eaton) Trevis., Nuovo Giorn. Bot. Ital. 7: 161 1875

Woodsia polystichoides D.C.Eaton f. *sinuata* (Hook.) Kitag., Neolin. Fl. Manshur. 41 1979

***Woodsia subcordata* Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 206 1832**

국명: 산우드풀(San-u-deu-pul), 각시우드풀, 좀면모고사리, 큰면모고사리, 메가물고사리, 좀쌀우드풀 / (북한명) 산우두풀

영명: Subcordate woodsia

Woodsia saitoana Tagawa, Acta Phytotax. Geobot. 5: 250 1936

Woodsia pseudoilvensis Tagawa, Acta Phytotax. Geobot. 5: 251 1936

ONOCLEACEAE 야산고비과

***Matteuccia* Tod. 청나래고사리속**

Matteuccia struthiopteris (L.) Tod., Giorn. Sci. Nat. Econ. Palermo 1: 235 1866

국명: 청나래고사리(Cheong-na-rae-go-sa-ri), 청나래개면마, 청날개고사리, 포기고사리

영명: Shuttlecock fern

Osmunda struthiopteris L., Sp. Pl. 2: 1066 1753

Pterinodes struthiopteris (L.) Kuntze, Revis. Gen. Pl. 2: 820 1891

Onoclea L. 야산고비속

Onoclea interrupta (Maxim.) Ching & P.C.Chiu, Fl. Tsinling. 2: 36 1974

국명: 야산고비(Ya-san-go-bi) / (북한명) 야산고사리

영명: Sensitive fern

Onoclea sensibilis L. var. *interrupta* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 337 1859

Pentarhizidium Hayata 개면마속

Pentarhizidium orientale (Hook.) Hayata, Bot. Mag. (Tokyo) 42: 345 1928

국명: 개면마(Gae-myeon-ma)

영명: Oriental ostrich fern

Struthiopteris orientalis Hook., Sec. Cent. Ferns 4, Pl. 4 1861

Onoclea orientalis (Hook.) Hook., Sp. Fil. 4: 161 1862

Matteuccia orientalis (Hook.) Trevis., Atti Reale Ist. Veneto Sci. Lett. Arti 14: 586 1869

Pterinodes orientalis (Hook.) Kuntze, Revis. Gen. Pl. 2: 820 1891

BLECHNACEAE 새깃아재비과

Woodwardia Sm. 새깃아재비속

Woodwardia japonica (L.f.) Sm., Mem. Acad. Roy. Sci. Turin 5: 411 1793 Ⓢ

국명: 새깃아재비(Sae-git-a-jae-bi), 갈비고사리, 구척고사리, 바디고사리

영명: Asian chain fern

Blechnum japonicum L.f., Suppl. Pl. 447 1781

ATHYRIACEAE 개고사리과

Athyrium Roth 개고사리속

Athyrium acutipinnulum Kodama ex Nakai, Rep. Veg. Ooryongto 33 1919 Ⓣ

국명: 섬고사리(Seom-go-sa-ri), 올릉고사리 / (북한명) 섬고사리

영명: Ulleungdo ladyfern

■ ATHYRIACEAE 개고사리과

Athyrium alpestre (Hoppe) Clairv., Man. Herbor. Suisse 301 1811

국명: 산고사리(San-go-sa-ri) / (북한명) 산고사리

영명: Mountain ladyfern

Aspidium alpestre Hoppe, Bot. Taschenb. 1805: 216 1805

Athyrium distentifolium Tausch ex Opiz, Tent Fl. Crypt. Boem. 1: 14 1820

Athyrium brevifrons Nakai ex Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl.

Manshuriae: 75 1935

국명: 참새발고사리(Cham-sae-bal-go-sa-ri) / (북한명) 참새발고사리

영명: Glandular ladyfern

Athyrium clivicola Tagawa, Acta Phytotax. Geobot. 3: 32 1934

국명: 암뱀고사리(Am-baem-go-sa-ri)

영명: Shady ladyfern

Athyrium concinnum Nakai, Bot. Mag. (Tokyo) 45: 92 1931 ⑥

국명: 광릉개고사리(Gwang-reung-gae-go-sa-ri), 털새고사리 / (북한명) 광릉개고사리

영명: Elegant ladyfern

Athyrium deltoidofrons Makino, Bot. Mag. (Tokyo) 28: 178 1914 ⑧

국명: 구슬개고사리(Gu-seul-gae-go-sa-ri)

영명: Triangular-leaf ladyfern

Athyrium multifidum Rosenst. var. *deltoidicum* (Makino) Nakai, Bot. Mag. (Tokyo) 44: 507 1930

Athyrium epirachis (Christ) Ching, Index Filic. Suppl. 3: 41 1934

국명: 산중개고사리(San-jung-gae-go-sa-ri)

영명: Montane ladyfern

Diplazium epirachis Christ, Bull. Soc. Bot. France 52(Mém. 1): 51 1905

Athyrium excelsius Nakai, Repert. Spec. Nov. Regni Veg. 13: 243 1914

국명: 자리산고사리(Ji-ri-san-go-sa-ri)

영명: Jirisan ladyfern

Athyrium fallaciosum Milde, Fil. Eur. 54 1867

국명: 물뱀고사리(Mul-baem-go-sa-ri)

영명: False ladyfern

Athyrium fauriei (Christ) Makino, Bot. Mag. (Tokyo) 17: 160 1903

국명: 산뱀고사리(San-baem-go-sa-ri)

Nephrodium fauriei Christ, Bull. Herb. Boissier 4: 671 1896

Athyrium iseanum Rosenst., Repert. Spec. Nov. Regni Veg. 13: 124 1913

국명: 가는잎개고사리(Ga-neun-ip-gae-go-sa-ri), 가는잎뱀고사리, 좀개고사리, 좀새고사리

영명: Narrow-leaf ladyfern

Athyrium melanolepis (Franch. & Sav.) Christ, Bull. Herb. Boissier 4: 668 1896

국명: 북새발고사리(Buk-sae-bal-go-sa-ri)

영명: Black-scale ladyfern

Asplenium melanolepis Franch. & Sav., Enum. Pl. Jap. 2: 226 1876

Athyrium niponicum (Mett.) Hance, J. Linn. Soc., Bot. 13: 92 1873

국명: 개고사리(Gae-go-sa-ri), 골개고사리, 물개고사리, 새고비, 털새고사리 / (북한명) 좀고사리

영명: Oriental ladyfern

Asplenium niponicum Mett., Ann. Mus. Bot. Lugduno-Batavi 2: 240 1866

Anisocampium niponicum (Mett.) Yea C.Liu, W.L.Chiou & M.Kato, Taxon 60: 828 2011

Athyrium otophorum (Miq.) Koidz., Fl. Symb. Orient.-Asiat. 40 1930

국명: 골개고사리(Gol-gae-go-sa-ri)

영명: Eared ladyfern

Asplenium otophorum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 175 1867

Diplazium otophorum (Miq.) C.Chr., Index Filic. fasc. 4: 236 1905

Athyrium reflexipinnum Hayata, Icon. Pl. Formosan. 4: 234 1914 ②

국명: 거꾸리개고사리(Geo-kku-ri-gae-go-sa-ri)

영명: Downward-leaf ladyfern

Athyrium sheareri (Baker) Ching, Index Filic. Suppl. 3: 44 1934 ②

국명: 개톱날고사리(Gae-top-nal-go-sa-ri)

영명: Shallow-tooth ladyfern

Nephrodium sheareri Baker, J. Bot. 13: 200 1875

Dryopteris sheareri (Baker) C.Chr., Index Filic. fasc. 5: 292 1905

Anisocampium sheareri (Baker) Ching, Acta Bot. Yunnan. 7: 314 1985

Athyrium spinulosum (Maxim.) Milde, Bot. Zeitung (Berlin) 6: 376 1866 ②

국명: 두메개고사리(Du-me-gae-go-sa-ri) / (북한명) 두메개고사리

영명: High-mountain ladyfern

Cystopteris spinulosa Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 9: 340 1858

Pseudocystopteris spinulosa (Maxim.) ChingPseudocystopteris, Acta Phytotax. Sin. 9: 78 1964

Athyrium vidalii (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 39: 110 1925

국명: 산개고사리(San-gae-go-sa-ri) / (북한명) 산개고사리

■ ATHYRIACEAE 개고사리과

영명: **Vidal's ladyfern**

Asplenium vidalii Franch. & Sav., Enum. Pl. Jap. 2: 229, 624 1877

Athyrium wardii (Hook.) Makino, Bot. Mag. (Tokyo) 13: 28 1899

국명: 넓은잎개고사리(Neol-beun-ip-gae-go-sa-ri), 넓은잎뱀고사리, 산골개고사리, 산골뱀고사리 /
(북한명) 넓은잎개고사리

영명: **Wide-leaf ladyfern**

Asplenium wardii Hook., Sp. Fil. 3: 189 1859

Athyrium yokoscense (Franch. & Sav.) Christ, Bull. Herb. Boissier 4: 668 1896

국명: **뱀고사리**(Baem-go-sa-ri), 새고비, 풀고비 / (북한명) 뱀고사리

영명: **Asian common ladyfern**

Asplenium yokoscense Franch. & Sav., Enum. Pl. Jap. 2: 225, 622 1879

Cornopteris Nakai 뿔고사리속

Cornopteris christenseniana (Koidz.) Tagawa, Acta Phytotax. Geobot. 2: 195 1933

국명: **지리산숲고사리**(Ji-ri-san-sup-go-sa-ri), 지리숲고사리

영명: **Jirisan horn fern**

Diplazium christensenianum Koidz., Bot. Mag. (Tokyo) 38: 105 1924

Cornopteris hakonensis (Makino) Nakai, Bot. Mag. (Tokyo) 45: 94 1931

Cornopteris crenulatoserrulata (Makino) Nakai, Bot. Mag. (Tokyo) 45: 95 1931

국명: **응달고사리**(Eung-dal-go-sa-ri), 개응달고사리, 민응달고사리, 응달숲고사리, 참왜고사리, 참외고사리,
큰산고사리 / (북한명) 참뿔고사리

영명: **Shady horn fern**

Athyrium crenulatoserrulatum Makino, Bot. Mag. (Tokyo) 13: 26 1899

Athyrium crenulatoserrulatum Makino f. *hakonense* Makino, Bot. Mag. (Tokyo) 13: 27 1899

Phegopteris crenulatoserrulata (Makino) Makino, Bot. Mag. (Tokyo) 17: 78 1903

Dryopteris crenulatoserrulata (Makino) C.Chr., Index Filic. 5: 259 1905

Pseudathyrium crenulatoserrulatum (Makino) Nakai, Rep. Veg. Daisetsu Mts. 44 1930

Cornopteris coreana Nakai, Bot. Mag. (Tokyo) 45: 96 1931

Cornopteris crenulatoserrulata (Makino) Nakai f. *coreana* (Nakai) H. Itô, Nov. Fl. Jap. 4: 99 1938

Neoathyrium crenulatoserrulatum (Makino) Ching & Z.R. Wang, Acta Phytotax. Sin. 20: 77, Pl. 1, f. 2 1982

Cornopteris decurrenti-alata (Hook.) Nakai, Bot. Mag. (Tokyo) 44: 8 1930

국명: **뿔고사리**(Ppul-go-sa-ri), 숲고사리, 뿔왜고사리 / (북한명) 뿔고사리

영명: **Horn fern**

Gymnogramma decurrenti-alata Hook., Sp. Fil. 5: 142, t. 294 1864

Athyrium decurrenti-alatum (Hook.) Copel., Philipp. J. Sci. 3: 279 1908

Cornopteris decurrenti-alata (Hook.) Nakai var. *decurrenti-alata*

Cornopteris decurrenti-alata (Hook.) Nakai var. *pilosella* H.Itô, Bot. Mag. (Tokyo) 52: 588 1938

국명: 털숲고사리(Teol-sup-go-sa-ri)

영명: Hairy horn fern

Athyrium decurrenti-alatum (Hook.) Copel. var. *pilosella* (H.Itô) Ohwi, Fl. Jap. Pterid. 110 1957

Deparia Hook. & Grev. 진고사리속

Deparia coniliifera (Franch. & Sav.) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977

국명: 좀진고사리(Jom-jin-go-sa-ri), 애기진고사리

영명: Small false spleenwort

Asplenium coniliifera Franch. & Sav., Enum. Pl. Jap. 2: 227, 625 1876

Diplazium coniliifera (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 27: 253 1913

Athyrium coniliifera (Franch. & Sav.) Tagawa, J. Jap. Bot. 14: 104 1938

Lunathyrium coniliifera (Franch. & Sav.) Sa.Kurata, Enum. Jap. Pterid. 341 1961

Athyriopsis coniliifera (Franch. & Sav.) Ching, Acta Phytotax. Sin. 9: 65 1964

Deparia coreana (Christ) M.Kato, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 392 1984

국명: 곱새고사리(Gop-sae-go-sa-ri), 고려뱀고사리, 배암꼬리고사리, 뱀꼬리고사리

영명: Korean tapering glade fern

Athyrium coreanum Christ, Bull. Herb. Boissier ser. 2, 8: 827 1902

Lunathyrium coreanum (Christ) Ching, Acta Phytotax. Sin. 10: 301 1965

Deparia dimorphophylla (Koidz.) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977

국명: 큰진고사리(Keun-jin-go-sa-ri)

영명: Large false spleenwort

Diplazium dimorphophyllum Koidz., Acta Phytotax. Geobot. 1: 27 1932

Athyrium dimorphophyllum (Koidz.) Tagawa, J. Jap. Bot. 14: 104 1938

Athyrium japonicum (Thunb.) Copel. var. *dimorphophylla* (Koidz.) Ohwi, Fl. Jap. Pterid. 116 1957

Lunathyrium dimorphophyllum (Koidz.) Sa.Kurata, Enum. Jap. Pterid. 307 1961

Athyriopsis dimorphophylla (Koidz.) Ching ex W.M.Chu, Fl. Reipubl. Popularis Sin. 3: 338 1999

Deparia japonica (Thunb.) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977

국명: 진고사리(Jin-go-sa-ri), 참진고사리

영명: False spleenwort

Asplenium japonicum Thunb., Fl. Jap. 334 1784

Diplazium japonicum (Thunb.) Bedd., Suppl. Ferns Brit. Ind. 12, Pl. 292 1876

Diplazium japonicum (Thunb.) Makino, Bot. Mag. (Tokyo) 13: 32 1899

Athyrium japonicum (Thunb.) Copel., Philipp. J. Sci. 3: 290 1908

Lunathyrium japonicum (Thunb.) Sa.Kurata, J. Geobot. 9: 99 1961

Athyriopsis japonica (Thunb.) Ching, Acta Phytotax. Sin. 9: 65 1964

Deparia kiusiana (Koidz.) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977

■ ATHYRIACEAE 개고사리과

국명: 털진고사리(Teol-jin-go-sa-ri)

영명: Hairy false spleenwort

Diplazium kiusianum Koidz., Fl. Austro-Higoensis 3 1931

Athyrium kiusianum (Koidz.) Tagawa, J. Jap. Bot. 14: 105 1938

Lunathyrium lasiopteris (Kunze) Nakaike var. *kiusianum* (Koidz.) Nakaike, Enum. Pterid. Jap., Filic. 176 1975

Deparia dimorphophylla (Koidz.) M.Kato var. *kiusiana* (Koidz.) Seriz., J. Jap. Bot. 54: 182 1979

***Deparia lancea* (Thunb.) Fraser-Jenk., New Sp. Syndr. Indian Pteridol. 101 1997**

국명: 벼들참빗(Beo-deul-cham-bit)

영명: Simple-leaf false spleenwort

Asplenium lanceum Thunb., Fl. Jap. 333 1784

Micropodium lanceum (Thunb.) J. Sm., Hist. Fil. 1: 323 1825

Asplenium subsinuatum Wall. ex Hook. & Grev., Icon. Filic. 1: Pl. 27 1827

Diplazium subsinuatum (Wall. ex Hook. & Grev.) Tagawa, Col. Ill. Jap. Pterid. 1: 135 1959

***Deparia okuboana* (Makino) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977 ®**

국명: 진퍼리개고사리(Jin-peo-ri-gae-go-sa-ri)

영명: Marsh false spleenwort

Athyrium okuboanum Makino, Bot. Mag. (Tokyo) 13: 16 1899

Dryopteris okuboanum (Makino) Koidz., Bot. Mag. (Tokyo) 38: 112 1924

Dryoathyrium viridifrons (Makino) Ching var. *okuboanum* (Makino) Ching ex S.H.Fu, Ill. Handb. Chin. Pl. Pterid. 125 1957

Lunathyrium okuboanum (Makino) Sugim., J. Geobot. 11: 85 1962

Dryoathyrium okuboanum (Makino) Ching, Acta Phytotax. Sin. 10: 303 1965

***Deparia oldhamii* (Hook. & Baker) Y.C.Oh & C.S.Lee, Enum. Pl. Nomina 186 2002**

국명: 가좀진고사리(Ga-jom-jin-go-sa-ri)

Asplenium japonicum Thunb. var. *oldhamii* Hook. & Baker, Syn. Fil. (Hooker & Baker) 235 1867

** *Athyriopsis oldhamii* (Hook. & Baker) Y.C.Oh & C.S.Lee, Korean J. Pl. Taxon. 16: 13 1986

***Deparia petersenii* (Kunze) M.Kato, Mem. Natl. Sci. Mus. (Tokyo) 27: 57 1994**

국명: 탐라진고사리(Tam-ra-jin-go-sa-ri), 개진고사리

영명: Petersen's false spleenwort

Asplenium petersenii Kunze, Analecta Pteridogr. 24 1837

Athyriopsis petersenii (Kunze) Ching, Acta Phytotax. Sin. 9: 66 1964

Lunathyrium petersenii (Kunze) H.Ohba, Sci. Rep. Yokosuka City Mus. 11: 53 1965

***Deparia pseudoconilii* (Seriz.) Seriz., J. Jap. Bot. 54: 182 1979**

국명: 나도좀진고사리(Na-do-jom-jin-go-sa-ri)

영명: Long false spleenwort

Lunathyrium pseudoconilii Seriz., Sci. Rep. Takao Mus. Nat. Hist. 5: 21 1973

***Deparia pterorachis* (Christ) M.Kato, Bot. Mag. (Tokyo) 90: 35 1977**

국명: **왕고사리**(Wang-go-sa-ri), 개면마, 수캐면마 / (북한명) 큰고사리

영명: **Giant tattering glade fern**

Athyrium pterorachis Christ, Bull. Herb. Boissier 4: 668 1896

Dryoathyrium pterorachis (Christ) Ching, Bull. Fan Mem. Inst. Biol. Bot. 11: 81 1941

Cornopteris pterorachis (Christ) Tardieu, Amer. Fern J. 48: 32 1958

Lunathyrium pterorachis (Christ) Sa.Kurata, Enum. Jap. Pterid. 309 1961

Deparia pycnosora (Christ) M.Kato, Bot. Mag. (Tokyo) 90: 36 1977

국명: **털고사리**(Teol-go-sa-ri), 흰털개고사리, 흰털고사리 / (북한명) 흰털고사리

영명: **Tattering glade fern**

Athyrium pycnosorum Christ, Bull. Herb. Boissier ser. 2, 2: 827 1902

Lunathyrium pycnosorum (Christ) Koidz., Acta Phytotax. Geobot. 1: 31 1932

Deparia pycnosora (Christ) M.Kato var. *pycnosora*

Deparia pycnosora (Christ) M.Kato var. *albosquamata* M.Kato, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13:

396 1984

국명: **흰털고사리**(Huin-teol-go-sa-ri)

영명: **White tattering glade fern**

Lunathyrium orientale Z.R.Wang & J.J.Chien, Acta Phytotax. Sin. 22: 228 1984

Deparia albosquamata (M. Kato) Nakaike, New Fl. Jap. Pterid. Rev. Enl. 840 1992

Deparia orientalis (Z.R.Wang & J.J.Chien) Nakaike, Mem. Natl. Sci. Mus. (Tokyo) 27: 57 1994

Deparia viridifrons (Makino) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977

국명: **푸른개고사리**(Pu-reun-gae-go-sa-ri), 산풀고사리, 청진퍼리고사리

영명: **Green tattering glade fern**

Athyrium viridifrons Makino, Bot. Mag. (Tokyo) 13: 15 1899

Dryoathyrium viridifrons (Makino) Ching, Bull. Fan Mem. Inst. Biol. Bot. 11: 81 1941

Athyrium henri (Baker) Diels var. *viridifrons* (Makino) Ohwi, Fl. Jap. Pterid. 112 1957

Cornopteris viridifrons (Makino) Tardieu, Amer. Fern J. 48: 32 1958

Lunathyrium viridifrons (Makino) Sa.Kurata, Enum. Jap. Pterid. 343 1961

Deparia × angustata (Nakai) Nakaike, J. Nippon Fernist Club 3(Suppl. 2): 59 2004

국명: **개좁진고사리**(Gae-jom-jin-go-sa-ri) / (북한명) 좁은진고사리

영명: **Hybrid false spleenwort**

Diplazium thunbergii Nakai ex Momose var. *angustatum* Nakai, Bull. Natl. Sci. Mus. 27: 14 1949

Deparia coniliifera (Franch. & Sav.) M.Kato var. *angustata* (Nakai) M.Kato, Bot. Mag. (Tokyo) 90: 37 1977

Diplazium Sw. 주름고사리속

Diplazium chinense (Baker) C.Chr., Index Filic. 229 1905

국명: **암고사리**(Am-go-sa-ri), 그늘고사리, 그늘암고사리, 습지고사리, 제주고사리

■ ATHYRIACEAE 개고사리과

영명: **Asian twinsorus fern**

Asplenium chinense Baker, Syn. Fil. 237 1867

Allantodia chinensis (Baker) Ching, Acta Phytotax. Sin. 9: 57 1964

Diplazium hachijoense Nakai, Bot. Mag. (Tokyo) 35: 148 1921

국명: 섬잔고사리(Seom-jan-go-sa-ri), 탐라고사리, 탐라암고사리, 탐라잔고사리

영명: **Jejudo twinsorus fern**

Athyrium hachijoense (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 100 1956

Allantodia hachijoensis (Nakai) Ching, Acta Phytotax. Sin. 9: 55 1964

Diplazium mesosorum (Makino) Koidz., Bot. Mag. (Tokyo) 38: 112 1924 ⑧

국명: 큰개고사리(Keun-gae-go-sa-ri), 광개고사리, 칠고사리

영명: **Big twinsorus fern**

Asplenium mesosorum Makino, Bot. Mag. (Tokyo) 12: 120 1898

Athyrium mesosorum (Makino) Makino, Bot. Mag. (Tokyo) 13: 82 1898

Rhachidosorus mesosorus (Makino) Ching, Acta Phytotax. Sin. 9: 74 1964

Diplazium mettenianum (Miq.) C.Chr., Index Filic. 4: 236 1905

국명: 깃주름고사리(Git-ju-reum-go-sa-ri)

Asplenium mettenianum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 174 1867

Allantodia metteniana (Miq.) Ching, Acta Phytotax. Sin. 9: 51 1964

Diplazium nipponicum Tagawa, Acta Phytotax. Geobot. 2: 197 1933

국명: 큰섬잔고사리(Keun-seom-jan-go-sa-ri), 곳섬잔고사리

영명: **Large Jejudo twinsorus fern**

Allantodia nipponica (Tagawa) Ching, Acta Phytotax. Sin. 9: 56 1964

Diplazium okudairai Makino, Bot. Mag. (Tokyo) 20: 84 1906 ⑧

국명: 개톱고사리(Gae-top-go-sa-ri)

영명: **East Asian twinsorus fern**

Athyrium okudairai (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 100 1957

Allantodia okudairai (Makino) Ching, Acta Phytotax. Sin. 9: 49 1964

Diplazium sibiricum (Turcz. ex Kunze) Sa.Kurata, Enum. Jap. Pterid. 340 1961

국명: 두메고사리(Du-me-go-sa-ri), 민새고사리, 털윗고사리, 털새발고사리

영명: **Mountain twinsorus fern**

Asplenium sibiricum Turcz. ex Kunze, Anlecta Pteridogr. 25, Pl. 15 1837

Diplazium sibiricum (Turcz. ex Kunze) Sa.Kurata var. **sibiricum**

Diplazium sibiricum (Turcz. ex Kunze) Sa.Kurata var. **glabrum** (Tagawa) Sa.Kurata, Enum. Jap. Pterid. 340 1961

국명: 민두메고사리(Min-du-me-go-sa-ri), 민뒷고사리, 민새고사리, 민새발고사리

영명: Smooth mountain twinsorus fern

Athyrium crenatum (Summerf.) Rupr. var. *glabrum* Tagawa, Acta Phytotax. Geobot. 11: 238 1942

Diplazium squamigerum (Mett.) C.Hope, J. Bombay Nat. Hist. Soc. 14: 259 1902

국명: 내장고사리(Nae-jang-go-sa-ri), 뭇뱀고사리, 민개고사리

영명: Naejang twinsorus fern

Asplenium squamigerum Mett., Ann. Mus. Bot. Lugduno-Batavi 2: 239 1866

Athyrium squamigerum (Mett.) Ohwi, Fl. Jap. Pterid. 124 1957

Allantodia squamigera (Mett.) Ching, Acta Phytotax. Sin. 9: 55 1964

Diplazium taquetii C.Chr., Bull. Acad. Int. Géogr. Bot. 21: 69 1911

국명: 제주암고사리(Je-ju-am-go-sa-ri)

Diplazium virescens Kunze, Bot. Zeitung (Berlin) 6: 537 1848

국명: 검정비늘고사리(Geom-jeong-bi-neul-go-sa-ri), 제주새고사리

영명: Green twinsorus fern

Asplenium virescens (Kunze) Mett., Abh. Senckenberg. Naturf. Ges. 6: 191 1859

Athyrium virescens (Kunze) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 100 1956

Diplazium wichurae (Mett.) Diels, Nat. Pflanzenfam. 1: 226 1899

국명: 주름고사리(Ju-reum-go-sa-ri), 톱날고사리 / (북한명) 톱날고사리

영명: Big-ear twinsorus fern

Asplenium wichurae Mett., Ann. Mus. Bot. Lugduno-Batavi 2: 237 1866

Allantodia wichurae (Mett.) Ching, Acta Phytotax. Sin. 9: 49 1964

HYPODEMATIACEAE 금털고사리과

Hypodematiaceae A.Rich. 금털고사리속

Hypodematum angustifolium C.S.Lee & K.Lee, Pteridophytes of Korea: Lycophytes & Ferns II. 337 2018 ⓘ

국명: 가는잎금털고사리(Ga-neun-ip-geum-teol-go-sa-ri)

Hypodematum glandulos-pilosum (Tagawa) Ohwi, Bull. Natl. Sci. Mus., Tokyo 3: 98 1956

국명: 금털고사리(Geum-teol-go-sa-ri), 금빛고사리, 털금빛고사리

영명: Golden hair fern

Hypodematum fauriei (Kodama) Tagawa f. *glandulos-pilosum* Tagawa, J. Jap. Bot. 27: 321 1952

Hypodematum squamuloso-pilosum Ching, Fl. Jiang Su 1: 465 1977

국명: 흰금털고사리(Hieun-geum-teol-go-sa-ri)

DRYOPTERIDACEAE 관중과

Arachniodes Blume 쇠고사리속

Arachniodes amabilis (Blume) Tindale, Contr. New South Wales Natl. Herb. 3: 90 1961

국명: 쇠고사리(Soe-go-sa-ri)

영명: Attractive hollyfern

Aspidium amabile Blume, Enum. Pl. Javae 2: 165 1828

Dryopteris amabilis (Blume) Kuntze, Revis. Gen. Pl. 2: 812 1891

Rumohra amabilis (Blume) Ching, Sinensis 5: 41 1934

Byrsopteris amabilis (Blume) C.V.Morton, Amer. Fern J. 50: 153 1960

Arachniodes borealis Seriz., J. Jap. Bot. 61: 48 1986

국명: 왁살고사리(Wak-sal-go-sa-ri)

영명: Northern upside-down fern

Arachniodes chinensis (Rosenst.) Ching, Acta Bot. Sin. 10: 257 1962

국명: 큰쇠고사리(Keun-soe-go-sa-ri), 큰낫쇠고사리

영명: Big-caudate hollyfern

Polystichum amabile (Blume) J.Sm. var. *chinense* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 130 1914

Arachniodes chiensis (Rosenst.) Ching var. *japonica* Sa.Kurata, J. Geobot. 13: 99 1965

Arachniodes exilis (Hance) Ching, Acta Bot. Sin. 10: 256 1962

국명: 가는쇠고사리(Ga-neun-soe-go-sa-ri), 가는쇠고비, 애기가새고사리, 좀가위고사리, 좀바위고사리

영명: East Indian hollyfern

Aspidium exile Hance, J. Bot. 21: 268 1883

Arachniodes miquelianana (Maxim. ex Franch. & Sav.) Ohwi, J. Jap. Bot. 37: 76 1962

국명: 제주왁살고사리(Je-ju-wak-sal-go-sa-ri)

Aspidium miquelianum Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 240 1876

Aspidium fargesii Christ, Mém. Soc. Bot. France 1: 42 1905

Rumohra miquelianana (Maxim. ex Franch. & Sav.) Ching, Sinensis 5: 67 1934

Leptorumohra miquelianana (Maxim. ex Franch. & Sav.) H.Itô, Nov. Fl. Jap. 4: 119 1938

Leptorumohra fargesii (Christ) Nakaike & A.Yamamoto, J. Nat. Hist. Mus. Inst. Chiba 3: 144 1995

Arachniodes mutica (Franch. & Sav.) Ohwi, J. Jap. Bot. 37: 76 1962

국명: 털비늘고사리(Teol-bi-neul-go-sa-ri), 나도넉줄고사리, 나도쇠고사리, 털가위고사리, 털고사리,
털쇠고사리

영명: Asian hairy-scale hollyfern

Aspidium muticum Franch. & Sav., Enum. Pl. Jap. 2: 240 1876

Rumohra mutica (Franch. & Sav.) Ching, Sinensis 5: 65 1934

Polystichopsis mutica (Franch. & Sav.) Tagawa, J. Jap. Bot. 33: 95 1958

Leptorumohra mutica (Franch. & Sav.) Czerep., Sosud. Rast. SSSR 40 1981

***Arachniodes simplicior* (Makino) Ohwi, J. Jap. Bot. 37: 76 1962**

국명: 고리쇠고사리(Kko-ri-soe-go-sa-ri), 낫쇠고사리

영명: Caudate hollyfern

Aspidium aristatum (G.Forst.) Sw. var. *simplicior* Makino, Bot. Mag. (Tokyo) 15: 65 1901

Polystichum simplicius (Makino) Tagawa, Acta Phytotax. Geobot. 1: 90 1932

***Arachniodes sporadosora* (Kunze) Nakaike, Enum. Pterid. Jap., Filic. 192 1975**

국명: 좀쇠고사리(Jom-soe-go-sa-ri), 가위고사리, 좀고사리

영명: Short-rhizome hollyfern

Aspidium sporadosorum Kunze, Bot. Zeitung (Berlin) 6: 556 1848

Polystichum pseudoaristatum Tagawa, Acta Phytotax. Geobot. 1: 91 1932

Rumohra pseudoaristata (Tagawa) H.Itô, J. Jap. Bot. 11: 577 1935

***Arachniodes standishii* (T.Moore) Ohwi, J. Jap. Bot. 37: 76 1962**

국명: 일색고사리(Il-saek-go-sa-ri), 양면고사리

영명: Upside-down hollyfern

Lastrea standishii T. Moore, Gard. Chron. 1863: 292 1863

Rumohra standishii (T.Moore) Ching, Sinensis 5: 64 1934

Polystichopsis standishii (T.Moore) Tagawa, J. Jap. Bot. 33: 95 1958

Byrsopteris standishii (T.Moore) C.V.Morton, Amer. Fern J. 50: 152 1961

***Ctenitis* (C.Chr.) C.Chr. 남방고사리속**

***Ctenitis sinii* (Ching) Ohwi, Fl. Jap. Pterid. 92 1957**

국명: 남방고사리(Nam-bang-go-sa-ri)

영명: Southern lacefern

Tectaria sinii Ching, Bull. Dept. Biol. Sun Yatsen Univ. 6: 22 1933

Ctenitopsis sinii (Ching) Ching, Bull. Fan Mem. Inst. Biol. Bot. 8: 319 1938

Ataxipteris sinii (Ching) Holttum, Blumea 30: 10, f. 1f, t. 1c, e, f 10 1984

***Cyrtomium* C.Presl 쇠고비속**

Cyrtomium caryotideum* (Wall. ex Hook. & Grev.) C.Presl var. *caryotideum

***Cyrtomium caryotideum* (Wall. ex Hook. & Grev.) C.Presl var. *coreanum* Nakai, Bull. Natl. Sci. Mus., Tokyo**

31: 16 1952 ❸

국명: 참쇠고비(Cham-soe-go-bi)

***Cyrtomium devexiscapulae* (Koidz.) Koidz. & Ching, Bull. Chin. Bot. Soc. 2: 96 1936**

국명: 긴잎도깨비쇠고비(Gin-ip-do-kkae-bi-soe-go-bi), 긴잎도깨비고비

■ DRYOPTERIDACEAE 관중과

영명: Long-leaf Asian hollyfern

Polystichum devexiscapulae Koidz., Acta Phytotax. Geobot. 1: 33 1932

Cyrtomium falcatum (L.f.) C.Presl var. *devexiscapulae* (Koidz.) Tagawa, Acta Phytotax. Geobot. 3: 60 1934

Phanerophlebia falcata (L.f.) Copel. var. *devexiscapulae* (Koidz.) Ohwi, Fl. Jap. Pterid. 69 1957

***Cyrtomium falcatum* (L.f.) C.Presl, Tent. Pterid. 86 1836**

국명: 도깨비쇠고비(Do-kkae-bi-soe-go-bi), 도깨비고비 / (북한명) 도깨비쇠고비

영명: Hollyfern

Polypodium falcatum L.f., Suppl. Pl. 446 1781

Aspidium falcatum (L.f.) Sw., J. Bot. (Schrader) 1800: 31 1801

Dryopteris falcata (L.f.) Kuntze, Revis. Gen. Pl. 2: 812 1891

***Cyrtomium fortunei* J.Sm., Ferns Brit. For. ed. 1: 286 1866**

국명: 쇠고비(Soe-go-bi) / (북한명) 쇠고비

영명: Fortune's hollyfern

Aspidium falcatum (L.f.) Sw. var. *fortunei* (J.Sm.) Makino, Bot. Mag. (Tokyo) 10: 212 1896

Polystichum fortunei (J.Sm.) Nakai, Bot. Mag. (Tokyo) 39: 116 1925

Cyrtomium fortunei* J.Sm. var. *fortunei

***Cyrtomium fortunei* J.Sm. var. *clivicola* (Makino) Tagawa, Acta Phytotax. Geobot. 4: 39 1935**

국명: 산쇠고비(San-soe-go-bi)

영명: Arching hollyfern

Polystichum caryotideum (Wall. ex Hook. & Grev.) Diels var. *clivicolum* Makino, J. Jap. Bot. 3: 6 1926

Phanerophlebia fortunei (J.Sm.) Copel. var. *clivicola* (Makino) Ohwi, Fl. Jap. Pterid. 69 1957

***Cyrtomium laetevirens* (Hiyama) Nakaike, New Fl. Jap. Pterid. 840 1992**

국명: 윤쇠고비(Yun-soe-go-bi)

Cyrtomium fortunei J. Sm. f. *laetevirens* Hiyama, J. Jap. Bot. 28: 218 1953

***Cyrtomium yamamotoi* Tagawa, Acta Phytotax. Geobot. 7: 187 1938**

국명: 반들산쇠고비(Ban-deul-san-soe-go-bi)

Cyrtomium fortunei J.Sm. var. *intermedium* Tagawa, Acta Phytotax. Geobot. 4: 39 1935

***Dryopsis* Holttum & P.J.Edwards 흰비늘고사리속**

***Dryopsis maximowicziana* (Miq.) C.Chr., Acta Horti Gothob. 1: 63 1924**

국명: 흰비늘고사리(Huin-bi-neul-go-sa-ri)

영명: White-scale wood fern

Aspidium maximowiczianum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 178 1867

Ctenitis maximowicziana (Miq.) Ching, Bull. Fan Mem. Inst. Biol. 8: 294 1938

Dryopteris Adans. 관중속

Dryopteris amurensis (Milde) Christ, Bull. Acad. Int. Géogr. Bot. 19: 35 1909 Ⓢ

국명: 아물고사리(A-mul-go-sa-ri), 아무르고사리

영명: Amur wood fern

Aspidium spinulosum (Retz.) Sw. var. *amurense* Milde, Fil. Eur. 133 1867

Dryopteris austriaca (Jacq.) Woyn. ex Schinz & Thell. var. *austriaca*

Dryopteris austriaca (Jacq.) Woyn. ex Schinz & Thell. var. *subopposita* H. Ito, Nov. Fl. Jap. 1: 69 1938

국명: 금강고사리(Geum-gang-go-sa-ri)

Dryopteris atrata (Wall. ex Kunze) Ching, Sinensis 3: 326 1933 Ⓢ

국명: 톱지네고사리(Top-ji-ne-go-sa-ri)

영명: Shaggy shield fern

Aspidium atratum Wall. ex Kunze, Linnaea 24: 279 1851

Dryopteris longirostrata Ching ex K.H.Shing & J.F.Cheng, Jiangxi Sci. 8: 47 1990

Dryopteris bissetiana (Baker) C.Chr., Index Filic. 245 1905

국명: 산족제비고사리(San-jok-je-bi-go-sa-ri), 족제비고사리, 큰검정털고사리

영명: Mountain buckler fern

Nephrodium bissetianum Baker, J. Bot. 366 1877

Dryopteris bissetiana (Baker) C.Chr., Index Filic. 245 1905

Dryopteris thunbergii Koidz., Bot. Mag. (Tokyo) 38: 106 1924

Polystichum bissetianum (Baker) Nakai, Bot. Mag. (Tokyo) 45: 102 1931

Dryopteris caudipinna Nakai, Bot. Mag. (Tokyo) 45: 96 1931

국명: 가는홍지네고사리(Ga-neun-hong-ji-ne-go-sa-ri)

영명: Caudate autumn fern

Dryopteris championii (Benth.) Christ ex Ching, Sinensis 3: 327 1931

국명: 제주지네고사리(Je-ju-ji-ne-go-sa-ri), 족제비고사리

영명: Champion's autumn fern

Aspidium championii Benth., Fl. Hongk. 456 1861

Dryopteris pseudoerythrosora Kodama, Icon. Pl. Koisik. 1: 165, Pl. 83 1913

Dryopteris erythrosora (D.C.Eaton) Kuntz. var. *cavaleriei* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 131 1914

Dryopteris changii Ching, Wuyi Sci. J. 1: 7 1981

Dryopteris bullatipaleacea Ching, Bull. Bot. Res., Harbin 2: 65 1982

Dryopteris infrahirtella Ching & Z.Y. Liu, Bull. Bot. Res., Harbin 3: 22, f. 19 1983

Dryopteris neofuscipes Ching & P.C.Chiu, Bot. Res. Academia Sinica 2: 4 1987

■ DRYOPTERIDACEAE 관중과

Dryopteris chinensis (Baker) Koidz., Fl. Symb. Orient.-Asiat. 39 1930

국명: 가는잎족제비고사리(Ga-neun-ip-jok-je-bi-go-sa-ri), 누른털고사리, 애기족제비고사리, 화엄고사리

영명: Narrow-leaf buckler fern

Nephrodium chinense Baker, Syn. Fil. (Hooker & Baker) 278 1867

Dryopteris commixta Tagawa, Acta Phytotax. Geobot. 2: 190 1933

국명: 애기톱지네고사리(Ae-gi-top-ji-ne-go-sa-ri)

영명: Little shaggy shield fern

Dryopteris coreano-montana Nakai, Bot. Mag. (Tokyo) 35: 132 1921

국명: 북관중(Buk-gwan-jung), 보태면마

영명: Northern shield fern

Dryopteris filix-mas (L.) Schott var. *setosa* Christ, Bull. Acad. Int. Géogr. Bot. 20: 164 1909

Dryopteris crassirhizoma Nakai var. *setosa* (Christ) Miyabe & Kudô, Fl. Hokkaido 15 1930

Dryopteris crassirhizoma Nakai, Cat. Sem. Spor. [1919 & 1920 Lect.] 1: 32 1920

국명: 관중(Gwan-jung), 면마, 호랑고비 / (북한명) 회초미, 관중, 면마

영명: Shield fern

Dryopteris cycadina (Franch. & Sav.) C.Chr., Index Filic. 260 1905

국명: 나도톱지네고사리(Na-do-top-ji-ne-go-sa-ri)

Aspidium cycadinum Franch. & Sav., Enum. Pl. Jap. 2: 236 1879

Dryopteris decipiens (Hook.) Kuntze, Revis. Gen. Pl. 2: 812 1891

국명: 공작지네고사리(Gong-jak-ji-ne-go-sa-ri)

Nephrodium decipiens Hook., Sp. Fil. 4: 86, Pl. 243 1862

Aspidium decipiens (Hook.) Luerss. ex Engl., Bot. Jahrb. Syst. 4: 360 1883

Dryopteris dickinsii (Franch. & Sav.) C.Chr., Index Filic. 262 1905

국명: 큰톱지네고사리(Keun-top-ji-ne-go-sa-ri)

영명: Big shaggy wood fern

Aspidium dickinsii Franch. & Sav., Enum. Pl. Jap. 2: 236 1879

Nephrodium dickinsii (Franch. & Sav.) Baker, Ann. Bot. (Oxford) 5: 316 1891

Dryopteris erythrosora (D.C.Eaton) Kuntze, Revis. Gen. Pl. 2: 812 1891

국명: 흥지네고사리(Hong-ji-ne-go-sa-ri) / (북한명) 흥지네고사리

영명: Autumn fern

Aspidium erythrosorum D.C.Eaton, Narr. Exped. China Japan 2: 232 1856

Aspidium filix-mas (L.) Sw. var. *erythrosorum* (D.C. Eaton) Christ, Farnkr. Erde 257 1897

Lastrea erythrosora (D.C.Eaton) T.Moore, Index Fil. (T. Moore) 91 1858

Nephrodium erythrosorum (D.C.Eaton) Hook., Sp. Fil. 4: 120, t. 253 1862

Nephrodium filix-mas (L.) Sw. var. *erythrosorum* (D.C. Eaton) Christ ex Matsum., Index Pl. Jap. 1: 319 1904

Dryopteris erythrosora* (D.C.Eaton) Kuntze f. *erythrosora

Dryopteris erythrosora* (D.C.Eaton) Kuntze f. *viridisora (Nakai ex H. Itô) H. Itô, Nov. Fl. Jap. 4: 41 1939

국명: 청지네고사리(Cheong-ji-ne-go-sa-ri)

영명: Green autumn fern

Dryopteris erythrosora (D.C.Eaton) Kuntze var. *viridisora* Nakai ex H. Itô, Bot. Mag. (Tokyo) 50: 69 1936

***Dryopteris expansa* (C.Presl) Fraser-Jenk. & Jermy, Fern Gaz. 11: 338 1977**

국명: 퍼진고사리(Peo-jin-go-sa-ri), 긴퍼진고사리, 자리개관중, 자리산개고사리, 지이산개고사리,
진퍼리고사리 / (북한명) 퍼진고사리

영명: Alpine buckler fern

Nephrodium expansum C.Presl, Reliq. Haenk. 1: 38 1825

***Dryopteris formosana* (Christ) C.Chr., Index Filic. 266 1905 ®**

국명: 꼬리족제비고사리(Kko-ri-jok-je-bi-go-sa-ri), 흥노족제비고사리

영명: Limelight wood fern

Aspidium formosanum Christ, Bull. Herb. Boissier ser. 2, 4: 615 1904

***Dryopteris fragrans* (L.) Schott, Gen. Fil. (Schott) Pl. 9 1834**

국명: 주저리고사리(Ju-jeo-ri-go-sa-ri) / (북한명) 주저리고사리

영명: Fragrant fern

Polypodium fragrans L., Sp. Pl. 2: 1089 1753

Nephrodium fragrans (L.) Desv., Mém. Soc. Linn. Paris 6: 260 1827

Nephrodium fragrans (L.) Desv. var. *remotiusculum* Kom., Repert. Spec. Nov. Regni Veg. 9: 94 1911

Dryopteris fragrans (L.) Schott var. *remotiuscula* (Kom.) Kom., Fl. URSS 1: 38 1934

***Dryopteris fuscipes* C.Chr., Index Filic. Suppl. 2: 14 1917**

국명: 큰지네고사리(Keun-ji-ne-go-sa-ri), 둥근지네고사리

영명: Big autumn fern

Dryopteris parafuscipes Ching & Z.Y. Liu, Bull. Bot. Res., Harbin 4: 23, f. 26 1984

***Dryopteris goeringiana* (Kunze) Koidz., Bot. Mag. (Tokyo) 43: 386 1929 ®**

국명: 바위틈고사리(Ba-wi-teum-go-sa-ri), 강원고사리

영명: Goering's wood fern

Aspidium goeringianum Kunze, Bot. Zeitung (Berlin) 6: 557 1848

Nephrodium laetum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 124 1901

Dryopteris laeta (Kom.) C.Chr., Index Filic. 273 1905

Athyrium nakaii Tagawa, Acta Phytotax. Geobot. 2: 195 1933

■ DRYOPTERIDACEAE 관중과

Dryopteris gymnophylla (Baker) C.Chr., Index Filic. 269 1905

국명: 금족제비고사리(Geum-jok-je-bi-go-sa-ri)

영명: Golden buckler fern

Nephrodium gymnophyllum Baker, J. Bot. 25: 170 1887

Dryopteris hangchowensis Ching, Bull. Fan Mem. Inst. Biol. 8: 414 1938

국명: 각시톱지네고사리(Gak-si-top-ji-ne-go-sa-ri), 남도톱지네고사리

영명: Southern shaggy shield fern

Dryopteris hikonensis (H.Itô) Nakaike, New Fl. Jap. Pterid. 841 1992

국명: 큰족제비고사리(Keun-jok-je-bi-go-sa-ri)

영명: Big buckler fern

Polystichum hololepis Hayata var. *hikonensis* H.Itô, J. Jap. Bot. 10: 451 1961

Dryopteris varia (L.) Kuntze var. *hikonensis* (H.Itô) Sa.Kurata, Enum. Jap. Pterid. 304 1961

Dryopteris hondoensis Koidz., Acta Phytotax. Geobot. 1: 31 1932

국명: 큰홍지네고사리(Keun-hong-ji-ne-go-sa-ri)

영명: Larger red autumn fern

Dryopteris integrifinnula Ching, Wuyi Sci. J. 1: 7 1981

국명: 애기지네고사리(Ae-gi-ji-ne-go-sa-ri)

영명: Baby-saw autumn fern

Dryopteris kinkiensis Koidz. ex Tagawa, Acta Phytotax. Geobot. 2: 200 1933

국명: 엷은잎지네고사리(Yeol-beun-ip-ji-ne-go-sa-ri), 엷은지네고사리

영명: Thin autumn fern

Dryopteris championii (Benth.) Christ ex Ching var. *tenuifrons* (H.Itô) H.Itô, Nov. Fl. Jap. 4: 48 1939

Dryopteris lacera (Thunb.) Kuntze, Revis. Gen. Pl. 2: 813 1891

국명: 비늘고사리(Bi-neul-go-sa-ri), 곰고사리, 비늘고사리 / (북한명) 비늘고사리

영명: Leathery wood fern

Polypodium lacerum Thunb., Fl. Jap. 337 1784

Aspidium lacerum (Thunb.) Sw., J. Bot. (Schrader) 1800: 39 1801

Lastrea lacera (Thunb.) D.C. Eaton, Proc. Amer. Acad. Arts 4: 110 1858

Nephrodium lacerum (Thunb.) Baker, Syn. Fil. (Hooker & Baker) 273 1867

Aspidium filix-mas (L.) Sw. var. *lacerum* (Thunb.) Christ, Farnkr. Erde 257 1897

Dryopteris maximowiczii (Baker) Kuntze, Revis. Gen. Pl. 2: 813 1891

국명: 진저리고사리(Jin-geo-ri-go-sa-ri), 한라고사리 / (북한명) 진저리고사리

영명: East Asian wood fern

Nephrodium maximowiczii Baker, Syn. Fil. (ed. 2) [Hooker & Baker] 449: 449 1874

Rumohra maximowiczii (Baker) Ching, Sinensis 5: 62 1934

Arachniodes maximowiczii (Baker) Ohwi, J. Jap. Bot. 37: 76 1962

Athyriorumohra maximowiczii (Baker) Sugim., Keys Herb. Pl. Jap. Pterid. 192 1966

Dryopteris medioxima Koidz., Acta Phytotax. Geobot. 1: 32 1932

국명: 반들지네고사리(Ban-deul-ji-ne-go-sa-ri)

영명: Shiny autumn fern

Dryopteris monticola (Makino) C.Chr., Index Filic. 278 1905

국명: 왕지네고사리(Wang-ji-ne-go-sa-ri), 참왕지네고사리 / (북한명) 큰지네고사리

영명: King wood fern

Nephrodium monticola Makino, Bot. Mag. (Tokyo) 13: 80 1899

Aspidium monticola (Makino) Christ, Bull. Soc. Bot. France 52(Mem. 1): 39 1905

Dryopteris namegatae (Sa.Kurata) Sa.Kurata, J. Geobot. 17: 89 1969

국명: 탐라톱지네고사리(Tam-ra-top-ji-ne-go-sa-ri)

Dryopteris dickinsii (Franch. & Sav.) C.Chr. var. *namegatae* Sa.Kurata, J. Geobot. 7: 115 1958

Dryopteris nippensis Koidz., Acta Phytotax. Geobot. 1: 28 1932

국명: 참지네고사리(Cham-ji-ne-go-sa-ri), 반들고사리, 제주홍지네고사리

영명: True autumn fern

Dryopteris paomowanensis Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 4(4): 10 1984

국명: 층층지네고사리(Cheung-cheung-ji-ne-go-sa-ri)

Dryopteris indusiata (Makino) Makino & Yamam. var. *paleacea* H.Itô, J. Jap. Bot. 9: 57, f. 7 1933

Dryopteris labordei (Christ) C.Chr. f. *paleacea* H.Itô, Nov. Fl. Jap. 4: 46 1939

Dryopteris simasakii (H.Itô) Sa.Kurata var. *paleacea* (H.Itô) Sa.Kurata, J. Geobot. 18: 5 1970

Dryopteris polylepis (Franch. & Sav.) C.Chr., Index Filic. 285 1905

국명: 산비늘고사리(San-bi-neul-go-sa-ri), 곱비늘고사리

영명: Japanese shield fern

Aspidium polylepis Franch. & Sav., Enum. Pl. Jap. 2: 236 1876

Nephrodium polylepis (Franch. & Sav.) Baker, Ann. Bot. (Oxford) 5: 320 1891

Nephrodium filix-mas (L.) Rich. var. *polylepis* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 15: 66 1901

Dryopteris purpurella Tagawa, Acta Phytotax. Geobot. 1: 307 1932

국명: 자주지네고사리(Ja-ju-ji-ne-go-sa-ri)

영명: Purple autumn fern

Dryopteris sabaei (Franch. & Sav.) C.Chr., Index Filic. 290 1905

국명: 뫼족제비고사리(Moe-jok-je-bi-go-sa-ri)

■ DRYOPTERIDACEAE 관중과

영명: Montane buckler fern

Aspidium sabaei Franch. & Sav., Enum. Pl. Jap. 2: 259 1876

Nephrodium sabaei (Franch. & Sav.) Hand.-Mazz., Symb. Sin. 6: 25 1929

Dryopteris sacrosancta Koidz., Bot. Mag. (Tokyo) 38: 108 1924

국명: 애기족제비고사리(Ae-gi-jok-je-bi-go-sa-ri), 애기쪽제비고사리, 좀족제비고사리 /
(북한명) 각시족제비고사리

영명: Baby buckler fern

Polystichum sacrosanctum (Koidz.) Koidz., Bot. Mag. (Tokyo) 43: 388 1929

Dryopteris bissetiana (Baker) C.Chr. var. *sacrosancta* (Koidz.) H.Itô, Bot. Mag. (Tokyo) 50: 36 1936

Dryopteris varia (L.) Kuntze var. *sacrosanta* (Koidz.) Ohwi, Fl. Jap. Pterid. 88 1957

Dryopteris saxifraga H.Itô, Bot. Mag. (Tokyo) 50: 125 1936

국명: 바위족제비고사리(Ba-wi-jok-je-bi-go-sa-ri), 광릉족제비고사리, 털지네고사리

영명: Rock buckler fern

Dryopteris varia (L.) Kuntze var. *saxifraga* (H.Itô) H.Ohba, Sci. Rep. Tohoku Univ. Ser. 4, Biol. 36: 111 1971

Dryopteris saxifragivaria Nakai, J. Jap. Bot. 18: 286 1942

국명: 광릉족제비고사리(Gwang-reung-jok-je-bi-go-sa-ri)

영명: Gwangneung buckler fern

Dryopteris saxifraga H.Itô var. *deltoidea* H.Itô, Bot. Mag. (Tokyo) 50: 126 1936

Dryopteris subexaltata (Christ) C.Chr., Index Filic. fasc. 5: 295 1905

국명: 계곡고사리(Gye-gok-go-sa-ri)

영명: Valley wood fern

Aspidium subexaltatum Christ, Bull. Herb. Boissier ser. 2, 4: 616 1904

Dryopteris hayatae Tagawa, Acta Phytotax. Geobot. 1: 156 1932

Dryopteris tokyoensis (Matsum. ex Makino) C.Chr., Index Filic. 298 1905 ®

국명: 느리미고사리(Neu-ri-mi-go-sa-ri), 눌매기고사리 / (북한명) 느리미고사리

영명: Sword-leaf wood fern

Nephrodium tokyoense Matsum. ex Makino, Bot. Mag. (Tokyo) 12: 87 1898

Dryopteris uniformis (Makino) Makino, Bot. Mag. (Tokyo) 23: 145 1909

국명: 곰비늘고사리(Gom-bi-neul-go-sa-ri), 곰고사리, 슷곰고사리, 참곰비늘고사리, 둥근贶곰고사리,
둥근잎곰고사리, 색기곰고사리 / (북한명) 곰비늘고사리

영명: Uniform wood fern

Nephrodium lacerum (Thunb.) Baker var. *uniforme* Makino, Bot. Mag. (Tokyo) 17: 79 1903

Dryopteris uniformis (Makino) Makino var. *coreana* Nakai ex H.Itô, Nov. Fl. Jap. 4: 14 1939

Dryopteris uniformis (Makino) Makino f. *coreana* (Nakai ex H.Itô) H.Itô, Nov. Fl. Jap. 4: 14 1939

Dryopteris varia (L.) Kuntze, Revis. Gen. Pl. 2: 814 1891

국명: 족제비고사리(Jok-je-bi-go-sa-ri), 검정털고사리, 쪽제비고사리 / (북한명) 족제비고사리

영명: Apricot fern

Polypodium varium L., Sp. Pl. 2: 1090 1753

Aspidium varium (L.) Sw., J. Bot. (Schrader) 2: 35 1801

Nephrodium varium (L.) C.Presl, Reliq. Haenk. 1: 36 1825

Polystichum varium (L.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. ser. 5, 6: 417 1851

Lastrea opaca Hook., Hooker's J. Bot. Kew Gard. Misc. 9: 339 1857

Lastrea varia (L.) T.Moore, Index Fil. (T. Moore) 107 1858

Aspidium opacum (Hook.) Benth., Fl. Hongk. 456 1861

Dryopteris yabei Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 424 1911

Polystichum hololepis Hayata, Icon. Pl. Formosan. 5: 332 1915

Dryopteris matsuoana Koidz., Bot. Mag. (Tokyo) 39: 15 1925

Dryopteris hololepis (Hayata) Tagawa, Acta Phytotax. Geobot. 4: 133 1935

Dryopteris ogawai H.Itô, Iconogr. Pl. Asiae Orient. 1: 18, t. 9 1935

Dryopteris yabei Hayata var. *hololepis* (Hayata) H.Itô, Bot. Mag. (Tokyo) 50: 128 1936

Dryopteris yabei Hayata var. *ogawai* (H.Itô) H.Itô, Bot. Mag. (Tokyo) 50: 128 1936

Dryopteris yabei Hayata f. *ogawai* (H.Itô) H.Itô, Nov. Fl. Jap. 4: 59 1939

Dryopteris sinovaria Ching & Z.Y.Liu, Bull. Bot. Res., Harbin 6: 179 1986

Dryopteris lingii Ching, Bot. Res. Academia Sinica 2: 23 1987

Dryopteris woodsiisora Hayata, Icon. Pl. Formosan. 6: 158 1916

국명: 장수고사리(Jang-su-go-sa-ri)

영명: Glandular wood fern

Dryopteris tenuissima Tagawa, Acta Phytotax. Geobot. 1: 308 1932

Dryopteris tenuissima Tagawa var. *serrata* Tagawa, J. Jap. Bot. 13: 185 1937

Dryopteris tenuissima Tagawa f. *serrata* (Tagawa) H. Itô, Nov. Fl. Jap. 4: 71 1938

Polystichum Roth 십자고사리속

Polystichum braunii (Spenn.) Fée, Mém. Foug. 5: 278 1852

국명: 좀나도하초미(Jom-na-do-hi-cho-mi), 가는개관중, 개비늘고사리

영명: Braun's holly fern

Aspidium braunii Spenn., Fl. Friburg. 1: 9 1825

Polystichum craspedosorum (Maxim.) Diels, Nat. Pflanzenfam. 1: 189 1899

국명: 낙시고사리(Nak-si-go-sa-ri)

영명: Jumping holly fern

Aspidium craspedosorum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 231 1871

Polystichum cystolepidotum (Miq.) Franch. ex H.Lév., Bull. Acad. Int. Géogr. Bot. 20: 9 1910

국명: 제주개관중(Je-ju-gae-gwan-jung)

■ DRYOPTERIDACEAE 관중과

영명: Jeju holly fern

Aspidium cystolepidotum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 177 1867

Polystichum fibrilloso-paleaceum (Kodama) Tagawa, Acta Phytotax. Geobot. 14(1): 16 1949

국명: 털개관중(Teol-gae-gwan-jung)

영명: Hairy holly fern

Polystichum aculeatum (L.) Roth ex Mert. var. *fibrilloso-paleaceum* Kodama, Bot. Mag. (Tokyo) 29: 327 1915

Polystichum lepidocaulon (Hook.) J.Sm., Ferns Brit. For. ed. 1: 286 1866

국명: 더부살이고사리(Deo-bu-sal-i-go-sa-ri), 더부사리고사리, 싹고사리

영명: Whipcord eyelash fern

Aspidium lepidocaulon Hook., Sp. Fil. 4: 12 1862

Dryopteris lepidocaulis (Hook.) Kuntze, Revis. Gen. Pl. 2: 812 1891

Cyrtomidictyon lepidocaulon (Hook.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 10: 182 1940

Polystichum longifrons Sa.Kurata, Sci. Rep. Yokosuka City Mus. 10: 31 1964

국명: 섬나도히초미(Seom-na-do-hi-cho-mi)

영명: Long-frond holly fern

Polystichum makinoi (Tagawa) Tagawa, Acta Phytotax. Geobot. 5: 258 1936

국명: 윤개관중(Yun-gae-gwan-jung)

영명: Black-scale holly fern

Polystichum aculeatum (L.) Roth ex Mert. var. *pinfaense* Rosenst., Repert. Spec. Nov. Regni Veg. 13: 129 1914

Polystichum aculeatum (L.) Roth ex Mert. var. *makinoi* Tagawa, Acta Phytotax. Geobot. 1: 88 1932

Polystichum mayebarae Tagawa, Acta Phytotax. Geobot. 3: 91 1934

국명: 큰개관중(Keun-gae-gwan-jung)

영명: Leathery holly fern

Polystichum tsus-simense (Hook.) J.Sm. var. *mayebarae* (Tagawa) Sa.Kurata, Hokuriko J. Bot. 6: 9 1957

Polystichum ovatopaleaceum (Kodama) Sa.Kurata, Sci. Rep. Yokosuka City Mus. 10: 35 1964

국명: 지리개관중(Ji-ri-gae-gwan-jung), 지이관중, 드문나도히초미, 참나도히초미

영명: Jiri holly fern

Polystichum aculeatum (L.) Roth ex Mert. var. *ovatopaleaceum* Kodama, Bot. Mag. (Tokyo) 29: 328 1915

Polystichum retrosopaleaceum (Kodama) Tagawa var. *ovatopaleaceum* (Kodama) Tagawa, J. Jap. Bot. 13: 187 1937

Polystichum ovatopaleaceum (Kodama) Sa.Kurata var. *ovatopaleaceum*

Polystichum ovatopaleaceum (Kodama) Sa.Kurata var. *coraiense* (Christ) Sa.Kurata, Sci. Rep. Yokosuka City Mus. 10: 35 1964

국명: 참나도히초미(Cham-na-do-hi-cho-mi), 수비늘개관중

영명: Korean holly fern

Polystichum aculeatum (L.) Roth ex Mert. var. *coraiense* Christ, Repert. Spec. Nov. Regni Veg. 5: 11 1908

Polystichum retrosopaleaceum (Kodama) Tagawa var. *coraiense* (Christ) Tagawa, J. Jap. Bot. 13: 187 1937

Aetopteron aculeatum House var. *coraiense* (Christ) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 4 1952

Polystichum polyblepharum (Roem. ex Kunze) C.Presl, Epimel. Bot. 56 1851

국명: 나도히초미(Na-do-hi-cho-mi), 개관중, 섬봉의꼬리

영명: Multiciliate holly fern

Aspidium polyblepharum Roem. ex Kunze, Bot. Zeitung (Berlin) 6: 572 1848

Aspidium aculeatum (L.) Sw. var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 2: 231 1877

Polystichum japonicaum (Franch. & Sav.) Diels, Nat. Pflanzenfam. 1: 191 1899

Polystichum pseudomakinoi Tagawa, Acta Phytotax. Geobot. 5: 257 1936

국명: 나도개관중(Na-do-gae-gwan-jung), 너도히초미

영명: Two-color-scale holly fern

Polystichum pseudomakinoi Tagawa var. *ambiguum* Tagawa, Acta Phytotax. Geobot. 5: 258 1936

Polystichum retrosopaleaceum (Kodama) Tagawa, J. Jap. Bot. 13: 187 1937

국명: 비늘개관중(Bi-neul-gae-gwan-jung), 비늘관중, 산나도히초미

영명: Scaly holly fern

Polystichum aculeatum (L.) Roth ex Mert. var. *retrosopaleaceum* Kodama, Bot. Mag. (Tokyo) 29: 330 1915

Polystichum rigens Tagawa, Acta Phytotax. Geobot. 6: 91 1937

국명: 가시개관중(Ga-si-gae-gwan-jung)

영명: Stiff holly fern

Polystichum platychlamys Ching, Fl. Tsinling. 2: 224 1974

Polystichum tagawanum Sa.Kurata, Hokuriko J. Bot. 7: 41 1958

국명: 긴개관중(Gin-gae-gwan-jung)

영명: Lusterless holly fern

Polystichum tripterion (Kunze) C.Presl, Epimel. Bot. 55 1851

국명: 십자고사리(Sip-ja-go-sa-ri)

영명: Cross holly fern

Aspidium tripterion Kunze, Bot. Zeitung (Berlin) 6: 569 1848

Polystichum tripterion (Kunze) C.Presl f. *tripteron*

Polystichum tripterion (Kunze) C.Presl f. *subpinnatum* H.Ito, J. Jap. Bot. 11: 423 1935

■ DRYOPTERIDACEAE 관중과

국명: 큰십자고사리(Keun-sip-ja-go-sa-ri)

영명: Big cross holly fern

Polystichum tsus-simense (Hook.) J.Sm., Hist. Fil. 219 1875

국명: 검정개관중(Geom-jeong-gae-gwan-jung), 나도쇠고사리, 마주나도히초미, 섬봉의꼬리

영명: Korean rock fern

Aspidium tsus-simense Hook., Sp. Fil. 4: 16 1862

NEPHROLEPIDACEAE 줄고사리과

Nephrolepis Schott 줄고사리속

Nephrolepis cordifolia (L.) C.Presl, Tent. Pterid. 79 1836

국명: 줄고사리(Jul-go-sa-ri)

영명: Narrow sword fern

Polypodium cordifolium L., Sp. Pl. 2: 1089 1753

TECTARIACEAE 미늘창고사리과

Tectaria Cav. 미늘창고사리속

Tectaria fuscipes (Wall. ex Bedd.) C.Chr., Contr. U.S. Natl. Herb. 26: 290 1931

국명: 백록고사리(Baek-rok-go-sa-ri)

Aspidium fuscipes Wall. ex Bedd., Suppl. Ferns Brit. Ind. 15 1876

DAVALLIACEAE 넉줄고사리과

Davallia Sm. 넉줄고사리속

Davallia mariesii T.Moore ex Baker, Ann. Bot. (Oxford) 5: 201 1891

국명: 넉줄고사리(Neok-jul-go-sa-ri), 넉줄고사리

영명: Squirrel's-foot fern

Davallia stenolepis Hayata, Icon. Pl. Formosan. 4: 204, f. 138 1914

POLYPODIACEAE 고란초과

Lemmaphyllum C.Presl 콩짜개덩굴속

Lemmaphyllum microphyllum C.Presl, Epimel. Bot. 263 1851

국명: 콩짜개덩굴(Kong-jja-gae-deong-gul), 콩조각고사리, 콩짜개고사리 / (북한명) 콩짜개덩굴

영명: Green bean fern

Lemmaphyllum microphyllum C.Presl var. *microphyllum*

Lemmaphyllum microphyllum C.Presl var. *obovatum* (Harr.) Christ, Dansk Bot. Ark. 6: 47 1929

국명: 긴콩짜개덩굴(Gin-kong-jja-gae-deong-gul)

영명: Elongate bean fern

Drymoglossum carnosum var. *obovatum* Harr., J. Linn. Soc., Bot. 16: 33 1878

Drymoglossum obovatum (Harr.) Christ, J. Bot. (Morot) 19: 73 1905

Drymoglossum nobukoanum Makino, J. Jap. Bot. 7: 8 1931

Lemmaphyllum microphyllum C.Presl var. *nobukoanum* (Makino) Nakaike, Enum. Pterid. Jap., Filic. 332 1975

Lepisorus (J.Sm.) Ching 일엽초속

Lepisorus annuifrons (Makino) Ching, Bull. Fan Mem. Inst. Biol. 4: 70 1933

국명: 다시마일엽초(Da-si-ma-il-yeop-cho), 금강고사리, 금강일엽초, 큰일엽초 / (북한명) 다시마일엽초

영명: Kelp-leaf weeping fern

Polypodium annuifrons Makino, Bot. Mag. (Tokyo) 13: 48 1899

Lepisorus onoei (Franch. & Sav.) Ching, Bull. Fan Mem. Inst. Biol. 4: 87 1933

국명: 애기일엽초(Ae-gi-il-yeop-cho) / (북한명) 애기일엽초

영명: Tiny weeping fern

Polypodium onoei Franch. & Sav., Enum. Pl. Jap. 2: 246 1879

Polypodium lineare Burm.f. var. *onoei* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 11: 282 1897

Lepisorus thunbergianus (Kaulf.) Ching, Bull. Fan Mem. Inst. Biol. 4: 88 1933

국명: 일엽초(Il-yeop-cho) / (북한명) 일엽초

영명: Weeping fern

Pleopeltis thunbergianus Kaulf., Wesen Farrenk. 113 1827

Polypodium thunbergianum (Kaulf.) C.Chr., Index Filic. Suppl. Tert.: 160 1934

Polypodium lineare Burm.f. var. *thunbergianum* (Kaulf.) Takeda, Notes Roy. Bot. Gard. Edinburgh 8: 268 1915

Lepisorus ussuriensis (Regel & Maack) Ching, Bull. Fan Mem. Inst. Biol. 4: 91 1933

국명: 산일엽초(San-il-yeop-cho) / (북한명) 산일엽초

영명: Ussuri weeping fern

Pleopeltis ussuriensis Regel & Maack, Mém.Acad.Imp.Sci.SaintPétersbourg Sér. 7 4: 175 1861

Polypodium ussuriense (Regel & Maack) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 7: 663 1881

Polypodium lineare Burm.f. var. *ussuriense* (Regel & Maack) Christ, Index Filic. 9: 540 1906

■ POLYPODIACEAE 고란초과

***Leptochilus* Kaulf. 손고비속**

***Leptochilus ellipticus* (Thunb.) Noot., Blumea 42: 283 1997** ⓘ

국명: 손고비(Son-go-bi), 가지창고사리

영명: Elliptic colysis fern

Polypodium ellipticum Thunb., Fl. Jap. (Thunberg) 335 1784

Gymnogramma elliptica (Thunb.) Baker, Syn. Fil. (Hooker & Baker) 389 1868

Colygonia elliptica (Thunb.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 333 1933

Leptochilus ellipticus (Thunb.) Noot., Blumea 42: 283 1997

***Leptochilus neopothifolia* Nakaike, Checkl. Lycophtyes Ferns Japan: 35 2013**

국명: 큰손고비(Keun-son-go-bi)

영명: Decurrent colysis fern

Grammitis decurrens Wall. ex Hook. & Grev., Icon. Filic. t.6 1827

***Leptochilus wrightii* (Hook.) X.C.Zhang, Lycophtyes Ferns China. 656 2012** ⓘ

국명: 밤잎고사리(Bam-ip-go-sa-ri), 창고사리, 창끝고사리, 창밤잎고사리

영명: Chestnut-leaf colysis fern

Gymnogramma wrightii Hook., Sp. Fil. 5: 160, Pl. 303 1864

Colygonia wrightii (Hook.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 324 1933

***Leptochilus × shintenensis* (Hayata) Nakaike, Checkl. Lycophtyes Ferns Japan: 35 2013**

국명: 제주창고사리(Je-ju-chang-go-sa-ri)

영명: Jeju spear colysis fern

Polypodium × shintenense Hayata, Icon. Pl. Formosan. 8: 154 1919

Colygonia × shintenensis (Hayata) H.Itô, J. Jap. Bot. 11: 90 1935

***Leptochilus × simplicifrons* (Christ) Nakaike, Checkl. Lycophtyes Ferns Japan: 36 2013**

국명: 창고사리(Chang-go-sa-ri), 외가지창고사리

영명: Lance colysis fern

Polypodium ellipticum Thunb. var. *simplicifrons* Christ, Bull. Herb. Boissier ser. 2, 2: 832 1902

Colygonia × simplicifrons (Christ) Tagawa, J. Jap. Bot. 25: 114 1950

***Loxogramme* (Blume) C.Presl 주걱일엽속**

***Loxogramme duclouxii* Christ, Bull. Acad. Int. Géogr. Bot. 17: 140 1907** ⓘ

국명: 숨갈일엽(Sut-gal-il-yeop)

영명: Linear-sorus lance fern

Loxogramme saziran Tagawa ex M.G.Price, Acta Phytotax. Geobot. 13: 127 1943

***Loxogramme grammmitoides* (Baker) C.Chr., Index Filic. 2: 21 1917** ⓘ

국명: 주걱일엽(Ju-geok-il-yeop), 두건일엽, 애기숟갈고사리 / (북한명) 걱일엽초

영명: **Oblong-sorus lance fern**

Gymnogramma grammitoides Baker, J. Bot. 27: 178 1889

Polypodium yakushimae Christ, Bull. Herb. Boissier ser. 2, 1: 1014 1901

Selliguea grammitoides (Baker) Christ, Bull. Herb. Boissier ser. 2, 3: 510 1903

***Loxogramme salicifolia* (Makino)** Makino, Bot. Mag. (Tokyo) 19: 138 1905 (R)

국명: **버들일엽**(Beo-deul-il-yeop), 버들잎고사리, 버들일엽초, 수깔고사리 / (북한명) 버들일엽초

영명: **Willow-leaf lance fern**

Gymnogramma salicifolia Makino, Phan. Pterid. Jap. Icon. 1: t. 34 1899

Loxogramme fauriei Copel., Philipp. J. Sci. 11: 45, Pl. 1, f. 5 1916

***Microsorum* Link 창일엽속**

***Microsorum superficiale* (Blume)** Ching, Bull. Fan Mem. Inst. Biol. 4: 299 1933 (R)

국명: **창일엽**(Chang-il-yeop), 긴잎고사리, 밤일엽아재비

영명: **Spear star fern**

Polypodium superficiale Blume, Fl. Javae 136 1828

Phymatodes masaskei Nakai, Bot. Mag. (Tokyo) 43: 4 1929

Microsorum masaskei (Nakai) H. Itô, J. Jap. Bot. 11: 96 1935

Neocheiropteris superficialis (Blume) Bosman, Leiden Bot. Ser. 14: 121 1991

Tricholepidium superficiale (Blume) Fraser-Jenk., Taxon. Revis. Indian Subcontinental Pteridophytes: 69 2008

Lepidomicrosorum superficiale (Blume) Li S. Wang, Bot. J. Linn. Soc. 162: 36 2010

***Neolepisorus* Ching 밤일엽속**

***Neolepisorus ensatus* (Thunb.)** Ching, Bull. Fan Mem. Inst. Biol. Bot. 10: 14 1940 (R)

국명: **밤일엽**(Bam-il-yeop), 밤잎고사리, 밤잎일엽 / (북한명) 밤일엽

영명: **Chestnut-leaf fern**

Polypodium ensatum Thunb., Trans. Linn. Soc. London, Bot. 2: 341 1794

Pleopeltis ensata (Thunb.) Bedd., Suppl. Ferns Brit. Ind. 94 1892

Neocheiropteris ensata (Thunb.) Ching, Bull. Fan Mem. Inst. Biol. Bot. 4: 109 1933

Microsorum ensatum (Thunb.) H. Itô, J. Jap. Bot. 11: 96 1935

***Pleurosoriopsis* Fomin 좀고사리속**

***Pleurosoriopsis makinoi* (Maxim. ex Makino)** Fomin, Izv. Kievsk. Bot. Sada 11: 8 1930

국명: **좀고사리**(Jom-go-sa-ri), 남방고사리, 털바위고사리

영명: **Small moss-like fern**

Gymnogramma makinoi Maxim. ex Makino, Bot. Mag. (Tokyo) 8: 481, t. 9 1894

***Polypodium* L. 미역고사리속**

Polypodium fauriei Christ, Farnkr. Erde 83 (sub *P. vulgare*) 1897 (R)

■ POLYPODIACEAE 고란초과

국명: 나사미역고사리(Na-sa-mi-yeok-go-sa-ri), 나도우드풀, 나사고사리
영명: Spiral polypody

Polypodium sibiricum Sipliv., Novosti Sist. Vyssh. Rast. 11: 329 1974

국명: 좀미역고사리(Jom-mi-yeok-go-sa-ri)

영명: Rock polypody

Polypodium vulgare L., Sp. Pl. 2: 1085 1753 (R)

국명: 미역고사리(Mi-yeok-go-sa-ri), 큰나도우드풀

영명: Common polypody

Pyrrosia Mirb. 석위속

Pyrrosia hastata (Houtt.) Ching, Bull. Chin. Bot. Soc. 1: 48 1935 (R)

국명: 세뿔석위(Se-ppul-seok-wi) / (북한명) 세뿔석위

영명: Three-finger tongue fern

Acrostichum hastatum Houtt., Nat. Hist. (Houttuyn) 14: 68, t. 95, fig. 2 1783

Polypodium tricuspe Sw., J. Bot. (Schrader) 1800: 21 1801

Pyrrosia tricuspis (Sw.) Tagawa, J. Jap. Bot. 32: 354 1957

Pyrrosia linearifolia (Hook.) Ching, Bull. Chin. Bot. Soc. 1: 48 1935

국명: 우단일엽(U-dan-il-yeop) / (북한명) 우단일엽

영명: Lineate-leaf felt fern

Niphobolus linearifolius Hook., Sec. Cent. Ferns ad t. 58 1861

Polypodium linearifolium (Hook.) Hook., Sp. Fil. 5: 53 1864

Cyclophorus linearifolius (Hook.) C.Chr., Index Filic. 4: 199 1905

Pyrrosia lingua (Thunb.) Farw., Amer. Midl. Naturalist 12: 302 1931

국명: 석위(Seok-wi) / (북한명) 석위

영명: Tongue fern

Acrostichum lingua Thunb., Fl. Jap. (Thunberg) 330 1784

Niphobolus lingua (Thunb.) Spreng., Syst. Veg. (ed. 16) 4: 45 1827

Cyclophorus lingua (Thunb.) Desv., Mém. Soc. Linn. Paris 6: 224 1827

Polycampium lingua (Thunb.) C.Presl, Abh. Königl. Böhm. Ges. Wiss. V: 496 1851

Polypodium lingua (Thunb.) Sw., Syn. Fil. 29 1806

Pyrrosia petiolosa (Christ) Ching, Bull. Chin. Bot. Soc. 1: 59 1935

국명: 애기석위(Ae-gi-seok-wi) / (북한명) 애기석위

영명: Petiolate tongue fern

Polypodium petiolosum Christ, Nuovo Giorn. Bot. Ital. n.s. 4: 96 1897

Niphobolus petiolosa (Christ) Diels, Bot. Jahrb. Syst. 29: 207 1900

Cyclophorus petiolosus (Christ) C.Chr., Index Filic. 4: 200 1905

Pyrrosia × nipponica M.Beppe & Seriz., J. Phytogeogr. Taxon. 30: 46 1982

국명: 큰우단일엽(Keun-u-dan-il-yeop)

영명: Single-leaf felt fern

***Selliguea* Bory 고란초속**

Selliguea engleri (Luerss.) Fraser-Jenk., Taxon. Revis. Indian Subcontinental Pteridophytes 46 2008

국명: 큰고란초(Keun-go-ran-cho)

영명: Engler's selliquea fern

Polypodium engleri Luerss., Bot. Jahrb. Syst. 4: 361 1883

Phymatodes engleri (Luerss.) Ching, Contr. Inst. Bot. Natl. Acad. Peiping 2: 72 1933

Crypsinus engleri (Luerss.) Copel., Gen. Fil. (Copeland) 206 1947

Selliguea hastata (Thunb.) Fraser-Jenk., Taxon. Revis. Indian Subcontinental Pteridophytes 44 2008 ⑧

국명: 고란초(Go-ran-cho) / (북한명) 고란초

영명: Spear-leaf selliquea fern

Polypodium hastatum Thunb., Fl. Jap. (Thunberg) 335 1784

Drynaria hastata (Thunb.) Féé, Mem. Foug., 5. Gen. Filic. 5: 371 1852

Crypsinus hastatus (Thunb.) Copel., Gen. Fil. (Copeland) 206 1947

Selliguea veitchii (Baker) H.Ohashi & K.Ohashi, J. Jap. Bot. 84: 308 2009 ⑧

국명: 총총고란초(Cheung-cheung-go-ran-cho) / (북한명) 두메고란

영명: Multi-lobe selliquea fern

Polypodium veitchii Baker, Gard. Chron. n.s., 14: 494 1880

Pichisermolloides veitchii (Baker) Fraser-Jenk., Indian Fern J. 26: 122 2009

국가표준식물목록 (자생식물)
Checklist of Vascular Plants in Korea (Native Plants)

GYMNOSPERMS
나자식물

GYMNOSPERMS 나자식물

PINACEAE 소나무과

Abies Mill. 전나무속

Abies holophylla Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 487 1866

국명: 전나무(Jeon-na-mu), 저수리, 젓나무 / (북한명) 삼송, 사송, 백송, 즈나무, 저수리

영명: Needle fir

Pinus holophylla (Maxim.) Parl., Prodr. (DC.) 16: 424 1868

Picea holophylla (Maxim.) Gordon, Pinetum ed. 2 2: 206 1875

Abies koreana E.H.Wilson, J. Arnold Arbor. 1: 188 1920 (E) (R)

국명: 구상나무(Gu-sang-na-mu), 푸른구상, 푸른구상나무, 검구상나무, 붉은구상, 붉은구상나무 / (북한명) 구상나무

영명: Korean fir

Abies koreana E.H.Wilson f. *nigrocarpa* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 20 1934

** *Abies koreana* E.H.Wilson f. *chlorocarpa* T.B.Lee, J. Korean Forest. Soc. 10 1970

** *Abies koreana* E.H.Wilson f. *rubrocarpa* T.B.Lee, J. Korean Forest. Soc. 10 1970

Abies nephrolepis (Trautv. ex Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 486 1866

국명: 분비나무(Bun-bi-na-mu), 청분비, 검은분비 / (북한명) 분비나무

영명: Khingan fir

Abies sibirica Ledeb. var. *nephrolepis* Trautv. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 260 1859

Abies veitchii Lindl. var. *nephrolepis* (Trautv. ex Maxim.) Mast., Gard. Chron. 12: 589 1880

Pinus nephrolepis (Trautv. ex Maxim.) Voss, Mitt. Deutsch. Dendrol. Ges. 16: 94 1907

Abies nephrolepis (Trautv. ex Maxim.) Maxim. f. *chlorocarpa* E.H.Wilson, J. Arnold Arbor. 1: 189 1920

Larix Mill. 잎갈나무속

Larix gmelinii (Rupr.) Kuzen. var. *gmelinii*

Larix gmelinii (Rupr.) Kuzen. var. *olgensis* (A.Henry) Ostenf. & Syrach, Pflanzenareale 2: 62 1930

국명: 잎갈나무(Ip-gal-na-mu-sok), 계수나무, 이깔나무, 청잎갈나무 / (북한명) 좀이깔나무, 만주이깔나무, 이깔나무

영명: Dahurian larch

Larix olgensis A.Henry, Gard. Chron. ser. 3, 57: 109, t. 32 1915

Larix dahurica Turcz. ex Trautv. f. *viridis* E.H.Wilson, J. Arnold Arbor. 1: 189 1920

Larix koreana Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 158: 6 1938

Larix olgensis A.Henry f. *viridis* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 165: 31 1938

Larix olgensis A.Henry var. *koreana* (Nakai) Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 165: 32 1938

Larix gmelinii (Rupr.) Kuzen. var. *koreana* (Nakai) Uyeki, Woody Pl. Distr. Chosen 4 1940

Larix amurensis Kolesn. ex Dylis, Larix Sib. Or. & Extrem. Or. 198 1961

■ PINACEAE 소나무과

Larix olgensis A.Henry var. *changpaiensis* I.S.Yang & Y.L.Chou, Acta Phytotax. Sin. 9: 169 1964

Larix olgensis A.Henry var. *amurensis* (Kolesn. ex Dylis) Kitag., Neolin. Fl. Manshur. 47 1979

Larix gmelinii (Rupr.) Kuzen. f. *viridis* (Nakai) M.Kim, Korean Endemic Pl. 513 2017

Picea A.Dietr. 가문비나무속

Picea jezoensis (Siebold & Zucc.) Carrière, Traité Gén. Conif. 255 1855 Ⓡ

국명: 가문비나무(Ga-mun-bi-na-mu) / (북한명) 가문비나무, 감비나무, 삼송

영명: Dark-bark spruce

Abies jezoensis Siebold & Zucc., Fl. Jap. (Siebold) 2: 19 1842

Picea ajanensis Fisch. ex Carrière, Traité Gén. Conif. 259 1855

Abies ajanensis (Fisch. ex Carrière) Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 382 1857

Abies microsperma Lindl., Gard. Chron. 22 1861

Picea jezoensis (Siebold & Zucc.) Carrière f. *rubrilepis* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 4 1925

Picea jezoensis (Siebold & Zucc.) Carrière var. *microsperma* (Lindl) W.C.Cheng & L.K.Fu, Fl. Reipubl. Popularis Sin. 7: 159 1978

Picea koraiensis Nakai, Bot. Mag. (Tokyo) 33: 195 1919

국명: 종비나무(Jong-bi-na-mu), 가문비나무, 비늘가문비, 텔종비 / (북한명) 종비나무, 접비나무, 비늘가문비, 삼송

영명: Korean spruce

Picea tonaiensis Nakai, J. Jap. Bot. 17: 1 1941

Picea intercedens Nakai var. *glabra* Uyeki, Chosen Sanrin Kaihô 206: 6 1942

Picea koyamae Shiras. var. *koraiensis* (Nakai) Liou & Q.L.Wang, Ill. Fl. Ligneous Pl. N. E. China 88 1955

Picea koraiensis Nakai var. *tonaiensis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 234 1966

Picea koraiensis Nakai subsp. *tonaiensis* (Nakai) Silba, J. Int. Conifer Preserv. Soc. 15(2): 57 2008

Picea pungsanensis Uyeki ex Nakai, J. Jap. Bot. 17: 3 1941 Ⓡ

국명: 풍산가문비(Pung-san-ga-mun-bi), 가문비나무, 풍산가문비나무, 풍산종비, 텔풍산가문비 /
(북한명) 풍산가문비나무

영명: Pungsan spruce

Picea intercedens Nakai, J. Jap. Bot. 17: 4 1941

Picea koraiensis Nakai var. *intercedens* (Nakai) Y.L.Chou, Bull. Bot. Res., Harbin 7: 142 1987

Picea koraiensis Nakai var. *pungsanensis* (Uyeki ex Nakai) Farjon, Pinaceae Regnum Veg. 121: 231 1990

Pinus L. 소나무속

Pinus densiflora Siebold & Zucc., Fl. Jap. (Siebold) 2: 22 1842

국명: 소나무(So-na-mu), 솔나무, 여송, 육송, 적송, 금강소나무, 은송, 청진소나무 / (북한명) 소나무, 솔, 적송

영명: Korean red pine

Pinus scopifera Miq., Syst. Verz. (Zollinger) 82 1855

Pinus densiflora Siebold & Zucc. f. *pendula* Mayr, Monogr. Abietin. Japan Reich. 91 1890

Pinus funebris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 117 1901

- Pinus densiflora* Siebold & Zucc. f. *aggregata* Nakai, Fl. Kor. 2: 380 1911
Pinus densiflora Siebold & Zucc. f. *vittata* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 1 1925
Pinus densiflora Siebold & Zucc. f. *multicaulis* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 4 1925
Pinus densiflora Siebold & Zucc. f. *erecta* Uyeki, Bull. Soc. Dendrol. France 66: 49 1928
Pinus densiflora Siebold & Zucc. f. *congesta* Uyeki, Acta Phytotax. Geobot. 7: 17 1938
Pinus densiflora Siebold & Zucc. var. *brevifolia* Liou & Q.L.Wang, Ill. Fl. Ligneous Pl. N. E. China 98 1955
Pinus densiflora Siebold & Zucc. var. *funebris* (Kom.) Liou & Q.L.Wang, Ill. Fl. Ligneous Pl. N. E. China 98 1955
Pinus densiflora Siebold & Zucc. var. *liaotungensis* Liou & Wang, Ill. Fl. Ligneous Pl. N. E. China 548 1955
Pinus densiflora Siebold & Zucc. f. *brevifolia* (Liou & Q.L.Wang) Kitag., Neolin. Fl. Manshur. 97 1979

***Pinus koraiensis* Siebold & Zucc., Fl. Jap. (Siebold) 2: 28 1842**

국명: **잣나무**(Jat-na-mu), 흥송 / (북한명) 잣나무

영명: **Korean pine**

- Pinus mandschurica* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 382 1857
Pinus cembra Thunb. var. *mandschurica* (Rupr.) Carrière, Traité Gén. Conif. ed. 2: 390 1867
Strobus koraiensis (Siebold & Zucc.) Moldenke, Revista Sudamer. Bot. 6: 30 1939
Apinus koraiensis (Siebold & Zucc.) Moldenke, Phytologia 4: 125 1952
Pinus prokoraiensis Y.T.Zhao, J.M.Lu & A.G.Gu, Bull. Bot. Res., Harbin 10: 69 1990
Pinus koraiensis Siebold & Zucc. subsp. *prokoraiensis* (Y.T.Zhao, J.M.Lu & A.G.Gu) Silba, J. Int. Conifer Preserv. Soc. 16: 24 2009

***Pinus parviflora* Siebold & Zucc., Fl. Jap. (Siebold) 2: 27 1842**

국명: **섬잣나무**(Seom-jat-na-mu) / (북한명) 섬잣나무

영명: **Ulleungdo white pine**

- Pinus himekomsatsu* Miyabe & Kudô, Icon. Forest Trees Hokkaido 1: 29 1921
Strobus parviflora (Siebold & Zucc.) Moldenke, Phytologia 4: 128 1952

***Pinus pumila* (Pall.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 23 1859 Ⓛ**

국명: **눈잣나무**(Nun-jat-na-mu), 누운잣나무, 천리송 / (북한명) 누운잣나무, 천리송

영명: **Dwarf Siberian pine**

- Pinus cembra* Thunb. var. *pumila* Pall., Fl. Ross. (Pallas) 1: 4 1784
Pinus cembra Thunb. var. *pygmaea* Loudon, Arbor. Frutic. Brit. 4: 2276 1838
Pinus cembra Thunb. subsp. *pumila* (Pall.) Endl., Syn. Conif. 142 1847

Pinus tabuliformis* Carrière var. *tabuliformis

***Pinus tabuliformis* Carrière var. *mukdensis* (Uyeki ex Nakai) Uyeki, J. Chosen Nat. Hist. Soc. 3: 45 1925**

국명: **만주곰솔**(Man-ju-gom-sol), 만주흑송 / (북한명) 만주흑송

영명: **Manchurian red pine**

- Pinus mukdensis* Uyeki ex Nakai, Bot. Mag. (Tokyo) 33: 195 1919

***Pinus thunbergii* Parl., Prodr. (DC.) 16: 388 1868**

■ PINACEAE 소나무과

국명: 곰솔(Gom-sol), 가지해송, 곰반송, 왕솔, 해송 / (북한명) 곰솔, 흑송, 해송

영명: Black pine

Pinus thunbergii Parl. f. *multicaulis* Uyeki, Acta Phytotax. Geobot. 7: 17 1938

Tsuga (Endl.) Carrière 솔송나무속

Tsuga ulleungensis G.P.Holman, Del Tredici, Havill, N.S.Lee & C.S.Campb., Syst. Bot. 42: 741 2017 ⓘ

국명: 울릉솔송나무(Ul-leung-sol-song-na-mu), 솔송나무

영명: Ulleungdo hemlock

CUPRESSACEAE 측백나무과

Juniperus L. 향나무속

Juniperus chinensis L., Mant. Pl. 1: 127 1767

국명: 향나무(Hyang-na-mu), 노송나무 / (북한명) 향나무

영명: Chinese juniper

Juniperus cernua Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 839 1832

Juniperus thunbergii Hook. & Arn., Bot. Beechey Voy. 271 1838

Sabina chinensis (L.) Antoine, Cupress. Gatt. 54 1857

Juniperus chinensis L. var. *chinensis*

Juniperus chinensis L. var. *horizontalis* Nakai, Corean Timber Trees 136 1926

국명: 뚝향나무(Ttuk-hyang-na-mu), 앉은향나무 / (북한명) 뚝향나무, 앉은향나무

영명: Horizontal Chinese juniper

Juniperus chinensis L. var. *procumbens* Siebold ex Endl., Syn. Conif. 21 1847

국명: 섬향나무(Seom-hyang-na-mu) / (북한명) 섬향나무, 가는향나무

영명: Procumbens Chinese juniper

Sabina chinensis (L.) Antoine var. *procumbens* (Siebold ex Endl.) Antoine, Cupress. Gatt. 55 1857

Juniperus procumbens (Siebold ex Endl.) Miq., Fl. Jap. (Siebold) 2: 59 1870

Sabina procumbens (Siebold ex Endl.) Iwata & Kusaka, Conif. Jap. Ill. Aject. Emend (ed. 2) 199 1954

Juniperus chinensis L. var. *sargentii* A.Henry, Trees Great Britain 6: 1432 1912 ⓘ

국명: 눈향나무(Nun-hyang-na-mu), 누운향나무, 눈상나무, 참향나무 / (북한명) 누운향나무, 참향나무

영명: Dwarf juniper

Juniperus sargentii (A.Henry) Takeda ex Nakai, Bot. Mag. (Tokyo) 44: 511 1930

Sabina pacifica Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 163: 31 1938

Sabina sargentii (A. Henry) Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 128 1938

Sabina chinensis (L.) Antoine var. *sargentii* (A.Henry) W.C.Cheng & L.K.Fu, Fl. Reipubl. Popularis Sin. 7: 363 1978

Juniperus chinensis L. subsp. *sargentii* (A.Henry) Silba, J. Int. Conifer Preserv. Soc. 13: 6 2006

Juniperus communis* L. var. *communis

Juniperus communis* L. var. *saxatilis Pall., Fl. Ross. (Pallas) 1: 12 1789

국명: 곱향나무(Gop-hyang-na-mu) / (북한명) 곱향나무

영명: Alpine juniper

Juniperus sibirica Burgsd., Anleit. Sich. Erzieh. Holzart. 2: 124 1787

Juniperus communis L. var. *montana* Aiton, Hort. Kew. (Hill) 3: 414 1789

Juniperus communis L. var. *alpina* Suter, Helvet. Fl. 2: 292 1802

Juniperus oblonga M.Bieb., Fl. Taur.-Caucas. 2: 426 1808

Juniperus pygmaea C.Koch, Linnaea 22: 302 1849

Juniperus communis L. subsp. *alpina* (Suter) Čelak., Prodr. Fl. Böhmen 17 1867

Juniperus communis L. var. *sibirica* (Burgsd.) Rydb., Contr. U. S. Natl. Herb. 3: 533 1896

Juniperus rebunensis Kudô & Sasaki, Medic. Pl. Hokk. 1: 6 1922

Juniperus rigida Siebold & Zucc. var. *modesta* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 19: 26 1935

Juniperus communis L. subsp. *saxatilis* (Pall.) A.E.Murray, Kalmia 12: 21 1982

***Juniperus davurica* Pall., Fl. Ross. (Pallas) 1: 13 1789**

국명: 단천향나무(Dan-cheon-hyang-na-mu), 다우리아향나무 / (북한명) 단천향나무, 다브리카향나무

영명: Dahurian juniper

Juniperus foetida Spach var. *davurica* (Pall.) Spach, Ann. Sci. Nat., Bot. 2, 16: 296 1841

Sabina davurica (Pall.) Antoine, Cupress. Gatt. 56, Pl. 77 1857

Juniperus davurica Pall. subsp. *maritima* Urusov, Byull. Glavn. Bot. Sada 122: 55 1981

Juniperus sabina L. var. *davurica* (Pall.) Farjon, World Checkl. Bibliogr. Conif. 2: 73 2001

Juniperus davurica Pall. var. *maritima* (Urusov) Kozhevnikova, Fl. Ross. Dal'nego Vostoka 42 2006

***Juniperus rigida* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 233 1846**

국명: 노간주나무(No-gan-ju-na-mu), 노가주나무, 노가지나무, 노간주향 / (북한명) 노가지나무, 노가지향나무, 노간주나무, 토송

영명: Needle juniper

Juniperus seoulensis Nakai, Bot. Mag. (Tokyo) 31: 23 1917

Juniperus utilis Koidz., Bot. Mag. (Tokyo) 44: 99 1930

Juniperus utilis Koidz. var. *modesta* Nakai, Chosen Sanrin Kaihô 158: 26 1938

Juniperus coreana Nakai var. *rigida* (Siebold & Zucc.) Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 158: 22 1938

Juniperus rigida Siebold & Zucc. f. *modesta* (Nakai) Y.C.Chu, Pl. Medic. Chinae Bor.-orient. (ed. Zhu You Chang) 59: 59 1989

Juniperus rigida* Siebold & Zucc. var. *rigida

■ CUPRESSACEAE 측백나무과

Juniperus rigida Siebold & Zucc. var. *conferta* (Parl.) Patschke, Bot. Jahrb. Syst. 48: 678 1913 Ⓡ

국명: 해변노간주(Hae-byeon-no-gan-ju), 조선노간주, 갯노간주, 누운노간주 / (북한명) 누운노가지나무

영명: Shore juniper

Juniperus conferta Parl., Conif. Nov. 1 1863

Juniperus coreana Nakai, Bot. Mag. (Tokyo) 40: 161 1926

Juniperus rigida Siebold & Zucc. var. *coreana* (Nakai) M.Kim, Korean Endemic Pl. 50 2017

Platycladus Spach 측백나무속

Platycladus orientalis (L.) Franco, Portugaliae Acta Biol., Ser. B, Sist. Julio Henriques 33 1949 Ⓡ

국명: 측백나무(Cheuk-baek-na-mu) / (북한명) 측백나무

영명: Oriental arborvitae

Thuja orientalis L., Sp. Pl. 2: 1002 1753

Thuja decora Salisb., Prodr. Stirp. Chap. Allerton 398 1796

Platycladus stricta Spach, Hist. Nat. Vég. 11: 335 1841

Biota orientalis (L.) Endl., Syn. Conif. 47 1847

Thuja orientalis L. var. *sieboldii* C.Lawson, Abietineae- List Pl. Fir Tribe 55 1851

Thuja orientalis L. var. *argyi* Lemée & H.Lév., Monde Pl. 17: 15 1915

Thuja chengii Bordères & Gaussen, Bull. Soc. Hist. Nat. Toulouse 73: 284 1939

Thuja orientalis (L.) Franco f. *sieboldii* (C.Lawson) Rehder, Bibl. Cult. Trees 48 1949

Thuja L. 눈측백속

Thuja koraiensis Nakai, Bot. Mag. (Tokyo) 33: 196 1919 Ⓡ

국명: 눈측백(Nun-cheuk-back), 누운측백, 누운측백나무, 짹빵나무 / (북한명) 누운측백나무, 측향나무, 천리송, 향측백나무

영명: Korean arborvitae

Thuja kongoenensis Doi ex Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 165: 23 1938

PODOCARPACEAE 나한송과

Podocarpus L'Hér. ex Pers. 나한송속

Podocarpus macrophyllus (Thunb.) Sweet, Hort. Suburb. Lond. 211 1818

국명: 나한송(Na-han-song), 토송 / (북한명) 라한송

Taxus macrophylla Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 895 1784

Podocarpus verticillatus G.Don, Hort. Brit. 388 1830

Podocarpus forrestii Craib & W.W.Sm., Notes Roy. Bot. Gard. Edinburgh 12: 219 1920

CEPHALOTAXACEAE 개비자나무과

Cephalotaxus Siebold & Zucc. ex Endl. 개비자나무속

Cephalotaxus harringtonii (Knight ex J.Forbes) K.Koch, Dendrologie 2: 102 1873

국명: 개비자나무(Gae-bi-ja-na-mu), 큰개비자나무 / (북한명) 좀비자나무, 개비자나무

영명: Plum yew

Taxus harringtonii Knight ex J.Forbes, Pinet. Woburn. 217 1839

Cephalotaxus koreana Nakai, Bot. Mag. (Tokyo) 44: 508 1930

Cephalotaxus drupacea Siebold & Zucc. var. *koreana* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 38 1934

Cephalotaxus harringtonii (Knight ex J.Forbes) K.Koch subsp. *koreana* (Nakai) Silba, J. Int. Conifer Preserv. Soc. 14: 8 2007

Cephalotaxus nana Nakai, Bot. Mag. (Tokyo) 33: 193 1919

국명: 눈개비자나무(Nun-gae-bi-ja-na-mu), 누운개비자나무, 눈비자나무, 눈꺼비자나무 / (북한명) 누운좀비자나무, 누운개비자나무

영명: Dwarf Korean plum yew

Cephalotaxus drupacea Siebold & Zucc. var. *nana* (Nakai) Rehder, J. Arnold Arbor. 4: 107 1923

Cephalotaxus harringtonii (Knight ex J.Forbes) K.Koch var. *nana* (Nakai) Rehder, J. Arnold Arbor. 22: 571 1941

TAXACEAE 주목과

Taxus L. 주목속

Taxus caespitosa Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 158: 20 1938 ⑧

국명: 설악눈주목(Seol-ak-nun-ju-mok), 눈주목 / (북한명) 설악가라목, 가라목, 눈주목

영명: Korean spreading yew

Taxus cuspidata Siebold & Zucc. var. *caespitosa* (Nakai) Q.L.Wang, Clavis Pl. Chinae Bor.-Or. (ed. 2) 73 1995

Taxus caespitosa Nakai var. *angustifolia* Spjut, J. Bot. Res. Inst. Texas 1: 268 2007

Taxus cuspidata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 232 1846 ⑧

국명: 주목(Ju-mok), 경복, 노가리나무, 적목, 화솔나무 / (북한명) 주목, 적목, 화솔나무, 경목, 저목, 적백송

영명: Rigid-branch yew

Taxus baccata L. var. *microcarpa* Trautv., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 259 1859

Taxus baccata L. subsp. *cuspidata* (Siebold & Zucc.) Pilg., Pflanzenr. (Engler) 18 helf, 4: 112 1903

Taxus baccata L. subsp. *cuspidata* (Siebold & Zucc.) Pilg. var. *latifolia* Pilg., Pflanzenr. (Engler) 18 helf, 4: 112 1903

Taxus baccata L. var. *latifolia* Pilg., Pflanzenr. (Engler) 5: 122 1903

Taxus cuspidata Siebold & Zucc. var. *microcarpa* (Trautv.) Kolesn., Vestn. Dal'nevost. Fil. Akad. Nauk S.S.S.R. 7: 43 1935

Taxus cuspidata Siebold & Zucc. var. *latifolia* (Pilg.) Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 158: 39 1938

Taxus caespitosa Nakai var. *latifolia* (Pilg.) Spjut, J. Bot. Res. Inst. Texas 1: 269 2007

Taxus umbraculifera (Siebold ex Endl.) C.Lawson var. *microcarpa* (Trautv.) Spjut, J. Bot. Res. Inst. Texas 1: 279 2007

■ TAXACEAE 주목과

Torreya Raf. 비자나무속

Torreya nucifera (L.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 232 1846

국명: **비자나무**(Bi-ja-na-mu) / (북한명) 비자나무

영명: **Nut-bearing torreya**

Taxus nucifera L., Sp. Pl. 2: 1040 1753

Torreya macrosperma Miyoshi, Rep. Nat. Monum. Invest. Pl. 32: 2 1922

Torreya fruticosa Nakai, Tyosen Sanrin Kaiho 158: 26 1938

국가표준식물목록 (자생식물)
Checklist of Vascular Plants in Korea (Native Plants)

ANGIOSPERMS
피자식물

DICOTYLEDON
쌍자엽식물

ANGIOSPERMS 피자식물

DICOTYLEDON 쌍자엽식물

MYRICACEAE 소귀나무과

Myrica L. 소귀나무속

Myrica rubra (Lour.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 230 1846 ®

국명: 소귀나무(So-gwi-na-mu), 속나무 / (북한명) 소귀나무

영명: Waxberry tree

Morella rubra Lour., Fl. Cochinch. 548 1790

Myrica rubra (Lour.) Siebold & Zucc. var. *acuminata* Nakai, Fl. Sylv. Kor. 20: 64 1933

JUGLANDACEAE 가래나무과

Juglans L. 가래나무속

Juglans cordiformis Wangenh., Beytr. Teut. Forstwiss. 25, t. 10, fig. 25 1787

국명: 쪽가래나무(Jjok-ga-rae-na-mu) / (북한명) 쪽가래나무

영명: Heart-shape walnut

Carya cordiformis (Wangenh.) K.Koch, Dendrologie 1: 597 1869

Juglans mandshurica Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 127 1856

국명: 가래나무(Ga-rae-na-mu), 가래추나무, 산추나무, 산추자나무, 왕가래나무, 긴가래나무 / (북한명) 산추나무,
가래추나무

영명: Manchurian walnut

Juglans stenocarpa Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 78 1859

Juglans sieboldiana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 60 1873

Juglans cathayensis Dode, Bull. Soc. Dendrol. France 11: 47 1909

Juglans collapsa Dode, Bull. Soc. Dendrol. France 11: 49 1909

Juglans draconis Dode, Bull. Soc. Dendrol. France 11: 49 1909

Juglans formosana Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 283 1911

Juglans mandshurica Maxim. var. *mandshurica* f. *stenocarpa* Uyeki, Woody Pl. Distr. Chosen 1: 12 1940

Juglans mandshurica Maxim. var. *stenocarpa* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 38 1952

Juglans cathayensis Dode var. *formosana* (Hayata) A.M.Lu & R.H.Chang, Fl. Reipubl. Popularis Sin. 21: 35 1979

** *Juglans mandshurica* Maxim. var. *sieboldiana* Makino, New Illustr. Fl. Japan (Makino) 81 1961

** *Juglans mandshurica* Maxim. f. *sieboldiana* (Makino) M.Kim, Korean Endemic Pl. 522 2017

■ JUGLANDACEAE 가래나무과

Platycarya Siebold & Zucc. 굴피나무속

Platycarya strobilacea Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 742 1843

국명: **굴피나무**(Gul-pi-na-mu), 굴태나무, 굴황피나무, 꾸정나무, 꾸정나무, 산가죽나무, 텔굴피나무 /
(북한명) 굴피나무, 굴태나무, 굴황피나무

영명: **Cone-fruit platycarya**

Fortunaea chinensis Lindl., J. Hort. Soc. London 1: 150 1846

Platycarya strobilacea Siebold & Zucc. var. *coreana* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 103 1867

Platycarya strobilacea Siebold & Zucc. var. *kawakamii* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 284 1911

Platycarya sinensis Mottet, Arbres Arbust. Ornem. Pleine Terre 1: 409 1925

Petrophiloides strobilacea (Siebold & Zucc.) E.Reid & M.Chandler, London Clay Fl. 138 1933

Petrophiloides strobilacea (Siebold & Zucc.) E.Reid & M.Chandler var. *kawakamii* (Hayata) Kaneh., Formosan Trees
ed. rev.: 82 1936

Platycarya longipes Y.C.Wu, Bot. Jahrb. Syst. 71: 171 1941

Platycarya simplicifolia G.R.Long, Acta Phytotax. Sin. 28: 328 1990

Platycarya simplicifolia G.R.Long var. *ternata* G.R.Long, Acta Phytotax. Sin. 28: 329 1990

Platycarya strobilacea Siebold & Zucc. f. *coreana* (Miq.) W.T.Lee, Lineamenta Florae Koreae 134 1996

SALICACEAE 버드나무과

Chosenia Nakai 새양버들속

Chosenia arbutifolia (Pall.) A.K.Skvortsov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18:
43 1957

국명: **새양버들**(Sae-yang-beo-deul), 노랑버들, 채양버들 / (북한명) 채양버들, 화장버들, 노랑버들, 새양버들

영명: **Riparian Choseon-willow**

Salix arbutifolia Pall., Fl. Ross. 1: 79 1788

Salix macrolepis Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 371 1854

Salix bracteosa Turcz. ex Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 77 1856

Salix eucalyptoides F.N.Meijer ex C.K.Schneid., Pl. Wilson. 3: 99 1856

Salix splendida Nakai, Bot. Mag. (Tokyo) 32: 215 1918

Chosenia splendida (Nakai) Nakai, Bot. Mag. (Tokyo) 34: 97 1920

Chosenia eucalyptoides (F.N.Meijer) Nakai, J. Arnold Arbor. 5: 72 1924

Chosenia macrolepis (Turcz.) Kom., Mem. Bot. Borod. Jub. 281 1927

Chosenia bracteosa (Turcz. ex Trautv. & C.A.May) Nakai, Fl. Sylv. Kor. 18: 59 1930

Chosenia macrolepis (Turcz.) Kom. f. *adenatha* Kimura, Sci. Rep. Tohoku Univ. Ser. 4, Biol. 13: 389 1938

Chosenia bracteosa (Turcz.) Nakai f. *adenantha* (Kimura) Kimura, Shokubutsugaku senshu 114 1950

Chosenia arbutifolia (Pall.) A.K.Skvortsov f. *adenantha* (Kimura) Kimura, Sci. Rep. Tohoku Univ. Ser. 4, Biol. 27: 146 1961

Populus L. 사시나무속

Populus koreana Rehder, J. Arnold Arbor. 3: 226 1922

국명: 물황철나무(Mul-hwang-cheol-na-mu), 물황철, 향털나무, 황털나무 / (북한명) 물황철나무
영명: Korean poplar

Populus simonii Carrière, Rev. Hort. 39: 360 1867

국명: 당벼들(Dang-beo-deul), 백양, 백양목, 좁은잎황철나무 / (북한명) 좁은잎황철나무, 당벼들
영명: Simon's poplar

Populus laurifolia Ledeb. var. *simonii* (Carrière) Regel, Rusk. Dendrol. ed. 2: 152 1883

Populus suaveolens Fisch. ex Loudon, Arbor. Frutic. Brit. 3: 1674 1838

국명: 황철나무(Hwang-cheol-na-mu) / (북한명) 황철나무
영명: Manchurian poplar

Populus maximowiczii A.Henry, Gard. Chron. ser. 3, 53: 198 1913

Populus maximowiczii A.Henry var. *barbinervis* Nakai, Fl. Sylv. Kor. 18: 201 1930

Populus ussuriensis Kom., Bot. Zhurn. S.S.S.R. 19: 510 1934

Populus suaveolens Fisch. ex Loudon subsp. *maximowiczii* (A.Henry) Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 78 1940

Populus tremula L. var. *tremula*

Populus tremula L. var. *davidiana* (Dode) C.K.Schneid., Pl. Wilson. 3: 24 1916

국명: 사시나무(Sa-si-na-mu-sok), 밸래나무, 백양, 사실벼들, 사실황철, 산사시나무, 왕사시나무, 왜사시나무,
파드득나무, 긴잎사시나무 / (북한명) 사시나무, 백양나무, 백양, 사실벼들, 사시황철

영명: Korean aspen

Populus davidiana Dode, Bull. Soc. Hist. Nat. Autun 18: 31 1905

Populus wutaica Mayr, Fremdländ. Wald-Parkbäume 494 1906

Populus tremula L. var. *davidiana* (Dode) C.K.Schneid. f. *tomentella* C.K.Schneid., Pl. Wilson. 3: 26 1916

Populus jezoensis Nakai, Bot. Mag. (Tokyo) 33: 197 1919

Populus davidiana Dode var. *tomentella* Nakai, Fl. Sylv. Kor. 18: 191 1930

Populus davidiana Dode f. *laticuneata* Nakai, Fl. Sylv. Kor. 18: 191 1930

Populus davidiana Dode f. *tomentella* (C.K.Schneid.) W.T.Lee, Lineamenta Florae Koreae 136 1996

Populus × tomentiglandulosa T.B.Lee ex M.Kim, Korean Endemic Pl. 153 2017 ⓘ

국명: 은사시나무(Eun-sa-si-na-mu), 은수원사시나무

** *Populus × tomentiglandulosa* T.B.Lee, Univ. Seoul. Coll. Theseon. Sci. 2: 76 1955

Salix L. 벼드나무속

Salix berberifolia Pall., Reise Russ. Reich. 3: 759 1776

국명: 매자잎벼들(Mae-ja-ip-beo-deul), 매자잎벼드나무 / (북한명) 매자잎벼들

영명: Alpine willow

Salix berberifolia Pall. var. *leiocarpa* Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 35 1879

Salix kimurana Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 255 1936

■ JUGLANDACEAE 가래나무과

Salix berberifolia* Pall. var. *berberifolia

Salix berberifolia* Pall. var. *brayi (Ledeb.) Trautv. ex Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 445 1892

국명: 긴매자잎버들(Gin-mae-ja-ip-beo-deul), 긴잎매자버들 / (북한명) 긴매자잎버들

영명: Long-leaf alpine willow

Salix brayi Ledeb., Fl. Altaic. 4: 289 1833

***Salix blinii* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 435 1911** ⓘ ⓘ

국명: 제주산버들(Je-ju-san-beo-deul), 한라산버들 / (북한명) 제주산버들

영명: Jeju mountain willow

Salix taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 1911

***Salix brachypoda* (Trautv. & C.A.Mey.) Kom., Trudy Glavn. Bot. Sada 39: 49 1923**

국명: 닥장버들(Dak-jang-beo-deul), 늄버들 / (북한명) 늄버들, 닥장버들

영명: Swamp silky willow

Salix repens L. var. *brachypoda* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 79 1856

Salix repens L. subsp. *rosmarinifolia* (L.) Člak. var. *flavicans* Andersson, Monogr. Salicum 116 1867

Salix rosmarinifolia L. var. *flavicans* Andersson, Monogr. Salicum 116 1867

Salix repens L. var. *flavicans* (Andersson) Andersson, Prodr. (DC.) 16: 238 1868

Salix sibirica Pall. var. *brachypoda* (Trautv. & C.A.Mey.) Nakai, Fl. Sylv. Kor. 18: 156 1930

***Salix caprea* L., Sp. Pl. 2: 1020 1753**

국명: 호랑버들(Ho-rang-beo-deul), 노랑버들, 호랑이버들 / (북한명) 호랑버들

영명: Goat willow

Salix caprea L. var. *orbicularis* Andersson, Monogr. Salicum 77 1867

Salix aurigerana Lapeyr. f. *angustibolia* Nakai, Bot. Mag. (Tokyo) 33: 41 1919

Salix hultenii Flod., Ark. Bot. 20A, 6: 51 1926

Salix hultenii Flod. var. *angustifolia* Kimura, J. Fac. Agric. Hokkaido Imp. Univ. 26: 415 1934

Salix caprea* L. f. *caprea

***Salix caprea* L. f. *elongata* (Nakai) Kitag., Neolin. Fl. Manshur. 204 1979**

국명: 줌호랑버들(Jom-ho-rang-beo-deul)

영명: Elongate-leaf goat willow

Salix hallaisanensis H.Lév. var. *orbicularis* Nakai f. *elongata* Nakai, Fl. Sylv. Kor. 18: 133 1930

Salix hultenii Flod. var. *elongata* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 78 1952

***Salix cardiophylla* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 77 1856**

국명: 쪽버들(Jjok-beo-deul) / (북한명) 쪽버들, 쪽버들

영명: Maximowicz's willow

Salix maximowiczii Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 442 1901

Toisusu cardiophylla Kimura var. *maximowiczii* (Kom.) Kimura, Bot. Mag. (Tokyo) 42: 289 1928

Salix chaenomeloides Kimura, Sci. Rep. Tohoku Imp. Univ. Ser. 4, Biol. 13: 77 1938

국명: 왕버들(Wang-beo-deul), 벼드나무, 살릭스글라우카 / (북한명) 왕버들

영명: Giant pussy willow

Salix glandulosa Seem., Bot. Jahrb. Syst. 21 Beibl. 53: 55 1896

Salix glandulosa Seem. var. *glabra* Nakai, Fl. Sylv. Kor. 18: 80 1930

Salix chaenomeloides Kimura var. *chaenomeloides*

Salix chaenomeloides Kimura var. *pilosa* (Nakai) Kimura, Sci. Rep. Tohoku Imp. Univ. Ser. 4, Biol. 13: 78

국명: 털왕버들(Teol-wang-beo-deul) 1938 (E)

영명: Pilose giant pussy willow

Salix glandulosa Seem. var. *pilosa* Nakai, Fl. Sylv. Kor. 18: 79 1930

Salix chaenomeloides Kimura f. *pilosa* (Nakai) M.Kim, Korean Endemic Pl. 530 2017

Salix dependens Nakai, Bull. Soc. Dendrol. France 66: 49 1928 (E)

국명: 개수양버들(Gae-su-yang-beo-deul), 민수양버들 / (북한명) 민수양버들, 개수양버들

영명: Weeping willow

Salix divaricata Pall., Fl. Ross. (Pallas) 1: 80 1784 (E)

국명: 쌍실버들(Ssang-sil-beo-deul) / (북한명) 쌍동버들, 쌍실버들

영명: Paired-fruit willow

Salix bicarpa Nakai, Bot. Mag. (Tokyo) 31: 111 1917

Salix divaricata Pall. var. *divaricata*

Salix divaricata Pall. var. *metaformosa* (Nakai) Kitag., Neolin. Fl. Manshur. 205 1979

국명: 눈산버들(Nun-san-beo-deul)

영명: Spreading willow

Salix metaformosa Nakai, Bot. Mag. (Tokyo) 3342 1914

Salix divaricata Pall. var. *orthostemma* (Nakai) Kitag., Neolin. Fl. Manshur. 205 1979

국명: 난장이버들(Nan-jang-i-beo-deul)

영명: Dwarf willow

Salix orthostemma Nakai, Bot. Mag. (Tokyo) 33: 43 1914

Salix gilgiana Seem., Salic. Jap. 59, t. 13 1903

국명: 내버들(Nae-beo-deul), 낫버들, 시내버들 / (북한명) 내버들

■ JUGLANDACEAE 가래나무과

영명: Willow

Salix purpurea L. subsp. *purpurea* var. *sericea* Koidz., Bot. Mag. (Tokyo) 27: 92 1913
Salix purpurea L. subsp. *gymnolepis* Koidz., Bot. Mag. (Tokyo) 27: 269 1913

Salix graciliglans Nakai, Bot. Mag. (Tokyo) 30: 274 1916

국명: 눈갯버들(Nun-gaet-beo-deul)

영명: Creeping rose-gold pussy willow

Salix gracilistyla Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 26 1867

국명: 갯버들(Gaet-beo-deul), 솜털버들 / (북한명) 갯버들

영명: Rose-gold pussy willow

Salix thunbergiana Blume ex Andersson, Prodr. (DC.) 16: 271 1868

Salix nakaii Kimura, Bot. Mag. (Tokyo) 40: 637 1926

Salix gracilistyloides Kimura, Bot. Mag. (Tokyo) 40: 8 1926

Salix hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 435 1911 ⓘ

국명: 떡버들(Tteok-beo-deul) / (북한명) 떡버들

영명: Hallasan willow

Salix hallaisanensis H.Lév. var. *orbicularis* Nakai, Fl. Sylv. Kor. 18: 131 1930

Salix hallaisanensis H.Lév. var. ***hallaisanensis***

Salix hallaisanensis H.Lév. var. ***longifolia*** Nakai, Bot. Mag. (Tokyo) 32: 31 1918 ⓘ

국명: 긴잎떡버들(Gin-ip-tteok-beo-deul) / (북한명) 긴잎떡버들

영명: Long-leaf Hallasan willow

Salix integra Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 880 1784

국명: 개키버들(Gae-ki-beo-deul), 개고리버들, 앉은잎키버들 / (북한명) 앉은잎키버들, 개키버들

영명: False winnow willow

Salix multinervis C.K.Schneid., Enum. Pl. Jap. 2: 504 1879

Salix savatieri Camus, Classif. Saules Europe 326 1904

Salix ishidoyana Nakai, Bot. Mag. (Tokyo) 31: 25 1917 ⓘ

국명: 섬버들(Seom-beo-deul), 올릉버들 / (북한명) 섬버들

영명: Ulleungdo willow

Salix caprea L. var. *ishidoyana* (Nakai) M.Kim, Korean Endemic Pl. 157 2017

Salix kangensis Nakai, Bot. Mag. (Tokyo) 30: 275 1916

국명: 강계버들(Gang-gye-beo-deul), 강계버드나무, 좀분버들 / (북한명) 강계버들

영명: Ganggye willow

***Salix koriyanagi* Kimura ex Goerz, Salic. Asiat. Sched. Fasc. 1: 17 1931 ⓕ**

국명: 키벼들(Ki-beo-deul), 고리벼들, 산벼들, 쪽벼들 / (북한명) 키벼들, 고리벼들

영명: False winnow willow

Salix purpurea L. f. *rubra* Nakai, Bot. Mag. (Tokyo) 33: 44 1919

Salix purpurea L. var. *japonica* Nakai, Bull. Soc. Dendrol. France 66: 50 1928

Salix purpurea L. var. *japonica* Nakai f. *rubra* Nakai, Fl. Sylv. Kor. 18: 124 1930

Salix koriyanagi Kimura ex Goerz f. *rubra* (Nakai) W.T.Lee, Lineamenta Florae Koreae 146 1996

***Salix miyabeana* Seemen, Bot. Jahrb. Syst. 21: 50 1896**

국명: 당키벼들(Dang-ki-beo-deul), 당고리벼들, 당귀벼들, 스미쓰키벼들 / (북한명) 당키벼들

영명: Smith's purple willow

Salix monandra Ard., Mem. Osserv. var. Piante 1: 67 1766

Salix purpurea L. var. *smithiana* Trautv., Linnaea 10: 579 1836

Salix purpurea L. var. *monandra* Hoffm., Icon. 11, tab 1132 1849

Salix purpurea L. var. *gracilis* Gren. & Godr., Fl. France (Grenier) 3, 1: 129 1855

***Salix myrtilloides* L., Sp. Pl. 2: 1019 1753**

국명: 진퍼리벼들(Jin-peo-ri-beo-deul), 진들벼들 / (북한명) 진퍼리벼들

영명: Swamp willow

Salix myrtilloides L. var. *manshurica* Nakai, Fl. Sylv. Kor. 18: 154 1930

***Salix nummularia* Andersson, Prodr. (DC.) 16: 298 1868**

국명: 콩벼들(Kong-beo-deul), 콩잎벼들 / (북한명) 콩벼들

영명: Least willow

Salix serpyllifolia Scop., Fl. Carniol. ed. 2 2: 555 1772

Salix retusa L. var. *rotundifolia* Trevir. ex Trautv., Nouv. Mem. Soc. Imp. Naturalistes Moscou 8: 304 1832

Salix vulcani Nakai, Bot. Mag. (Tokyo) 30: 140 1916

Salix polyadenia Hand.-Mazz., Oesterr. Bot. Z. 81: 306 1932

Salix tschanbaischanica Y.L.Chou & Y.L.Chang, Ill. Fl. Ligneous Pl. N. E. China 146 1955

***Salix pierotii* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 37 1867**

국명: 벼드나무(Beo-deu-na-mu), 개왕벼들, 뚝벼들, 벼들, 벼들나무 / (북한명) 벼드나무

영명: Korean willow

Salix koreensis Andersson, Prodr. (DC.) 16: 271 1868

Salix pogonandra H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 1911

Salix feddei L.f., Repert. Spec. Nov. Regni Veg. 10: 436 1911

***Salix pseudolasioigyne* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 436 1911**

국명: 능수벼들(Neung-su-beo-deul)

***Salix pseudopentandra* (Flod.) Flod., Ark. Bot. (Stockholm) 25: 10 1933**

■ JUGLANDACEAE 가래나무과

국명: **반짝버들**(Ban-jjak-beo-deul) / (북한명) 반짝버들

영명: **Laurel willow**

Salix pentandra L. subsp. *pseudopentandra* Flod., Ark. Bot. 20A, 6: 57 1926

Salix pentandra L. var. *intermedia* Nakai, Fl. Sylv. Kor. 18: 84 1930

Salix rorida Laksch., Sched. Herb. Fl. Ross. 7: 131 1911

국명: **분버들**(Bun-beo-deul) / (북한명) 분버들

영명: **Prunia-shoot willow**

Salix acutifolia Turcz., Fl. Baical.-dahur. 1: 1021 1854

Salix coerulescens Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 374 1854

Salix lackschewitziana Toepff., Oesterr. Bot. Z. 66: 402 1917

Salix rorida Laksch. var. *eglandulosa* Kimura, Salic. Asiat. Sched. Fasc. 1: 15 1931

Salix rorida Laksch. var. ***rorida***

Salix rorida Laksch. var. ***roridiformis*** (Nakai) Ohwi, Fl. Jap. (Ohwi) 405 1956

국명: **좁분버들**(Jom-bun-beo-deul)

영명: **Glandless pruina-shoot willow**

Salix roridiformis Nakai, Bot. Mag. (Tokyo) 33: 5 1919

Salix ackschewitziana var. *roridiformis* (Nakai) Kimura, Sci. Rep. Tohoku Imp. Univ. Ser. 4, Biol. 6: 187 1930

Salix schwerinii E.L.Wolf, Mitt. Deutsch. Dendrol. Ges. 407 1929

국명: **육지꽃버들**(Yuk-ji-kkot-beo-deul), 대륙꽃버들, 대륙솜버들, 육지꽃버들, 육지버들 / (북한명) 육지꽃버들

영명: **Common willow**

Salix longifolia Lam., Fl. Franc. (Lamarck) 2: 232 1778

Salix viminalis L. var. *angustifolia* Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 379 1854

Salix linearis Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 379 1854

Salix pseudolinearis Nasarow, Fl. URSS 5: 137 1936

Salix verivinalis Nasarow, Fl. URSS 5: 134 1936

Salix sericeo-cinerea Nakai, Bot. Mag. (Tokyo) 33: 43 1919

국명: **큰산버들**(Keun-san-beo-deul) / (북한명) 큰산버들

영명: **Gray willow**

Salix sericeo-cinerea Nakai var. *lanata* Nakai, Bot. Mag. (Tokyo) 33: 44 1919

Salix sericeo-cinerea Nakai f. *lanata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 150 1996

Salix siuzevii Seem., Repert. Spec. Nov. Regni Veg. 5: 17 1908

국명: **참오글잎버들**(Cham-o-geul-ip-beo-deul)

영명: **Curly willow**

Salix subopposita Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 28 1867

국명: **들벼들**(Deul-beo-deul) / (북한명) 들벼들

영명: Meadow little willow

Salix repens L. var. *subopposita* (Miq.) Seem., *Salic.* Jap. 35 1903

Salix sibirica Pall. var. *subopposita* (Miq.) C.K.Schneid., *Pl. Wilson.* 3: 154 1916

Salix taraikensis Kimura, *J. Fac. Agric. Hokkaido Imp. Univ.* 26: 419 1934

국명: **산벼들**(San-beo-deul)

Salix triandra L. subsp. ***triandra***

Salix triandra L. subsp. ***nipponica*** (Franch. & Sav.) A.K.Skvortsov, *Willows USSR* 100 1968

국명: **선벼들**(Seon-beo-deul), 선베드나무 / (북한명) 선벼들

영명: Erect willow

Salix subfragilis Andersson, *Mem. Amer. Acad. Arts* 6: 450 1859

Salix nipponica Franch. & Sav., *Enum. Pl. Jap.* 1: 495 1875

Salix triandra L. var. *nipponica* (Franch. & Sav.) Seem., *Salic.* Jap. 27 1903

Salix hamatidens L.f., *Bull. Soc. Bot. France* 56: 301 1909

Salix amygdalina L. var. *nipponica* (Franch. & Sav.) C.K.Schneid., *Pl. Wilson.* 1: 106 1916

Salix udensis Trautv. & C.A.Mey., *Fl. Ochot. Phaenog.* 81 1856

국명: **꽃벼들**(Kkot-beo-deul), 솜벼들, 턱잎벼들 / (북한명) 꽃벼들

영명: Stipulate willow

Salix stipularis Sm., *Fl. Brit.* 3: 1069 1804

Salix oblongifolia Trautv. & C.A.Mey., *Reise Sibir.* 2: 81 1856

Salix glauca L. var. *sericea* Regel & Tiling, *Fl. Ajan.* 118 1858

Salix opaca Andersson, *Trudy Imp. S.-Peterburgsk. Bot. Sada* 11: 428 Herder 1890

Salix dasyclados Wimm. subsp. *stipularis* Seem., *Syn. Mitteleur. Fl.* 4: 180 1909

Salix viminalis L. var. ***viminalis***

Salix viminalis L. var. ***abbreviata*** Doell., *Fl. Bad.* 2: 495 1859

국명: **좁꽃벼들**(Jom-kkot-beo-deul)

영명: Small willow

Salix viminalis L. var. ***linnaeana*** Trautv., *Linnaea* 10: 580 1836

국명: **좁은잎육지꽃벼들**(Jop-eun-ip-yuk-ji-kkot-beo-deul)

영명: Linear-leaf willow

Salix xerophila Flod., *Bot. Not.* 1930: 334 1930

국명: **여우벼들**(Yeo-u-beo-deul), 마른잎벼들, 여호벼들 / (북한명) 여우벼들

■ JUGLANDACEAE 가래나무과

영명: **Beak willow**

Salix livida Wahlenb. var. *cinerascens* Wahlenb., Fl. Lapp. (Wahlenberg) 273 1812

Salix starkeana Willd. var. *cinerascens* (Wahlenb.) C.K.Schneid., Pl. Wilson. 3: 151 1916

Salix cinerascens (Wahlenb.) Flod., Ark. Bot. 20: 48 1926

Salix floderusii Nakai, Fl. Sylv. Kor. 18: 129 1930

Salix orotchonorum Kimura, J. Fac. Agric. Hokkaido Imp. Univ. 26: 444 1934

Salix xerophila Flod. var. *xerophila*

Salix xerophila Flod. var. *fuscescens* (Nakai) W.T.Lee, Lineamenta Florae Koreae 153 1996

국명: **백산버들**(Baek-san-beo-deul) / (북한명) 털여우버들, 백산버들

영명: **Brownish beak willow**

Salix floderusii Nakai var. *fuscescens* Nakai, Fl. Sylv. Kor. 18: 127 1930

Salix xerophila Flod. f. *xerophila*

Salix xerophila Flod. f. *glabra* (Nakai) Kitag., Neolin. Fl. Manshur. 211 1979

국명: **유가래나무**(Yu-ga-rae-na-mu)

영명: **Glabrous beak willow**

Salix floderusii Nakai var. *glabra* Nakai, Fl. Sylv. Kor. 18: 132 1930

Salix xerophila Flod. f. *manshurica* (Siuzew) Kitag., Neolin. Fl. Manshur. 211 1979

국명: **긴잎여우버들**(Gin-ip-yeo-u-beo-deul)

영명: **Long-leaf beak willow**

Salix vagans Andersson f. *manshurica* Siuzew, Trudy Bot. Muz. Imp. Akad. Nauk 9: 88 1912

BETULACEAE 자작나무과

Alnus Mill. 오리나무속

Alnus alnobetula (Ehrh.) K.Koch subsp. *alnobetula*

Alnus alnobetula (Ehrh.) K.Koch subsp. *fruticosa* (Rupr.) Raus, Willdenowia 41: 129 2011

국명: **덤불오리나무**(Deom-bul-o-ri-na-mu), 덤불오리, 뛰불오리, 설령오리나무, 두메오리나무, 함북오리나무, 북선오리나무, 붉은털오리나무, 설령오리나무 / (북한명) 덤불오리나무, 만주덤불오리나무, 두메오리나무, 목오리나, 설령오리나무

영명: **Northeast Asian alder**

Alnus fruticosa Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 53 1845

Alnaster fruticosus (Rupr.) Ledeb., Fl. Ross. (Ledeb.) 3: 655 1850

- Alnus viridis* (Chaix) DC. subsp. *fruticosa* (Rupr.) Nyman, Conspl. Fl. Eur. 3: 672 1881
Alnus maximowiczii Callier, Ill. Handb. Laubholzk. 1: 122 1904
Alnus alnobetula (Ehrh.) K.Koch var. *fruticosa* H.J.P.Winkl., Pflanzenr. (Engler) IV. 4: 106 1904
Alnus fruticosa Rupr. var. *mandshurica* Callier, Ill. Handb. Laubholzk. 1: 121 1912
Alnus sinuata (Regel) Rydb. var. *kamtschatica* Callier, Ill. Handb. Laubholzk. 2: 888 1912
Alnus paniculata Nakai, Bot. Mag. (Tokyo) 29: 45 1915
Alnus vermicularis Nakai, Bot. Mag. (Tokyo) 33: 46 1919
Alnus mandshurica (Callier) Hand.-Mazz., Oesterr. Bot. Z. 81: 306 1932
Alnus fruticosa Rupr. var. *pubescens* Nakai, J. Jap. Bot. 16: 66 1940
Alnus fruticosa Rupr. var. *rufinervis* Nakai, J. Jap. Bot. 16: 66 1940
Alnus fruticosa Rupr. var. *mandshurica* Callier f. *barbinervis* Nakai, J. Jap. Bot. 16: 67 1940
Alnus mandshurica (Callier) Hand.-Mazz. var. *pubescens* A.I.Baranov, Ill. Fl. Ligneous Pl. N. E. China 206, 561 t. 76 1955
Alnus fruticosa Rupr. var. *mandshurica* Callier f. *pubescens* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 244 1966
Alnus fruticosa Rupr. f. *rufinervis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 244 1966
Alnus fruticosa Rupr. f. *pubescens* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 244 1966
Alnaster maximowiczii (Callier) Czerep., Fl. Arct. URSS Fasc. 5: 133 1966
Alnus mandshurica (Callier) Hand.-Mazz. f. *pubescens* (Nakai) Kitag., Neolin. Fl. Manshur. 212 1979
Alnus fruticosa Rupr. var. *mandshurica* Callier f. *rufinervis* (Nakai) T.B.Lee, Neolin. Fl. Manshur. 585 1979
Alnus mandshurica (Callier) Hand.-Mazz. f. *barbinervis* (Nakai) W.T.Lee, Lineamenta Florae Koreae 156 1996

Alnus incana (L.) Moench subsp. *incana*

Alnus incana (L.) Moench subsp. *hirsuta* (Turcz. ex Spach) Á.Löve & D.Löve, Bot. Not. 128: 505 1975

국명: 물오리나무(Mul-o-ri-na-mu), 산오리나무, 덤불오리나무, 물캡나무, 참오리나무, 텔떡오리나무,
털물오리나무 / (북한명) 물오리나무

영명: Manchurian alder

- Alnus incana* (L.) Moench var. *hirsuta* Turcz. ex Spach, Ann. Sci. Nat., Bot. ser. 2, 15: 207 1841
Alnus hirsuta (Turcz. ex Spach) Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 376 1857
Alnus incana (L.) Moench var. *glauca* Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 154 1861
Alnus tinctoria Sarg., Gard. & Forest 10: 472 1897
Alnus incana (L.) Moench var. *tinctoria* (Sarg.) H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 123 1904
Alnus tinctoria Sarg. var. *glabra* Callier, Repert. Spec. Nov. Regni Veg. 10: 227 1911
Alnus hirsuta (Turcz. ex Spach) Rupr. var. *vulgaris* Callier, Ill. Handb. Laubholzk. 1: 133 1912
Alnus sibirica (Turcz. ex Spach) Turcz. ex Kom. var. *hirsuta* (Turcz. ex Spachz.) Koidz., Bot. Mag. (Tokyo) 27: 144 1913
Alnus tinctoria Sarg. var. *velutina* H.Hara, Bot. Mag. (Tokyo) 48: 805 1934

Alnus incana (L.) Moench subsp. *tchangbokii* Chin S.Chang & H.Kim, Forest Science and Technology 7:
44 2011

국명: 수우물오리(Su-u-mul-o-ri)

Alnus japonica (Thunb.) Steud., Nomencl. Bot. ed. 2 (Steudel) 1: 55 1840

국명: 오리나무(O-ri-na-mu), 너른잎잔털오리나무, 물오리나무, 섬오리나무, 오리목, 잔털오리나무,
뾰족잎오리나무, 웅기오리나무 / (북한명) 오리나무

■ BETULACEAE 자작나무과

영명: East Asian alder

Betula japonica Thunb., Nova Acta Regiae Soc. Sci. Upsal. 6: 45 1799

Alnus martima (Marshall) Nutt. var. *arguta* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 428 1865

Alnus martima (Marshall) Nutt. var. *japonica* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 428 1865

Alnus japonica (Thunb.) Steud. var. *arguta* (Regel) Callier, Repert. Spec. Nov. Regni Veg. 10: 299 1911

Alnus japonica (Thunb.) Steud. var. *latifolia* Callier, Repert. Spec. Nov. Regni Veg. 10: 299 1911

Alnus japonica (Thunb.) Steud. var. *koreana* Callier, Repert. Spec. Nov. Regni Veg. 10: 299 1911

Alnus japonica (Thunb.) Steud. var. *serrata* Nakai, Handb. Kor. Manch. For. 89 1939

Alnus japonica (Thunb.) Steud. var. *reginosa* Nakai, Bot. Mag. (Tokyo) 29: 46 1915

Alnus japonica (Thunb.) Steud. f. *arguta* (Regel) H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2a: 30 2006

Alnus japonica (Thunb.) Steud. f. *serrata* (Nakai) M.Kim, Korean Endemic Pl. 299 2004

** *Alnus japonica* (Thunb.) Steud. f. *arguta* (Regel) M.Kim, Korean Endemic Pl. 299 2004

Alnus × mayrii Callier, Ill. Handb. Laubholzk. 1: 126 1904

국명: 잔털오리나무(Jan-teol-o-ri-na-mu)

영명: Downy East Asian alder

Alnus × borealis Koidz., Bot. Mag. (Tokyo) 26: 145 1913

Alnus × borealis Koidz. var. *latifolia* Nakai, Bot. Mag. (Tokyo) 33: 45 1919

Alnus × mayrii Callier var. *glabrescens* Nakai, Veg. Apoi 45 1930

Betula L. 자작나무속

Betula chinensis Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 47 1879

국명: 개박달나무(Gae-bak-dal-na-mu), 가는개박달나무, 가는개박달, 개박달, 금강개박달, 긴잎개박달나무, 긴잎박달, 남포박달, 뚝개박달나무, 숲박달, 물박달, 웅기개박달, 웅기자작나무, 짹작이, 참박달나무, 화엄개박달나무 / (북한명) 좀박달나무, 개박달나무

영명: Dwarf small-leaf birch

Betula exalata S.Moore, J. Linn. Soc., Bot. 17: 386 1879

Betula chinensis Maxim. var. *angusticarpa* H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 67 1904

Betula collina Nakai, Bot. Mag. (Tokyo) 29: 44 1915

Betula chinensis Maxim. var. *lancifolia* Nakai ex Mori, Enum. Pl. Corea 115 1922

Betula chinensis Maxim. f. *linearisquama* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 45 1934

Betula chinensis Maxim. var. *collina* (Nakai) Uyeki, Woody Pl. Distr. Chosen 13 1940

Betula liaotungensis A.I.Baranov, Ill. Fl. Ligneous Pl. N. E. China 559 1958

Betula chinensis Maxim. f. *lancifolia* (Nakai ex Mori) M.Kim, Korean Endemic Pl. 300 2004

Betula costata Trautv., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 253 1859

국명: 거제수나무(Geo-je-su-na-mu), 무재작이, 물자작나무, 자작나무 / (북한명) 물자작나무, 거제수나무

영명: Korean birch

Betula ermanii Cham. var. *costata* (Trautv.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 123 1861

Betula ulmifolia Siebold & Zucc. var. *costata* (Trautv.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 38: 414 1865

Betula costata Trautv. var. *pubescens* S.L.Liou, Bull. Bot. Res., Harbin 1: 129 1981

Betula davurica Pall., Reise Russ. Reich. 3: 422 1776

국명: 물박달나무(Mul-bak-dal-na-mu), 사스래나무, 박달나무, 째작나무 / (북한명) 물박달나무

영명: Asian black birch

Betula dioica Pall., Reise Russ. Reich. 3: 321 1776

Betula maximowiczii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 139 1856

Betula maackii Rupr., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 137 1857

Betula dahurica Pall. var. *maximowicziana* Trautv., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 250 1859

Betula rosae H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 135 1904

Betula wutaica Mayr, Fremdländ. Wald-Parkbäume 450 1906

Betula ermanii Cham., Linnaea 6: 537 1831

국명: 사스래나무(Sa-seu-rae-na-mu), 가새사스래, 가새사시나무, 고채목, 긴고채목, 뛰거자수, 새사스레나무, 새수리나무, 쇠고채목, 왕사스래, 좀고채목, 큰사스래피나무 / (북한명) 사스래나무

영명: Erman's birch

Betula ermanii Cham. var. *lanata* Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 122 1861

Betula ermanii Cham. var. *nipponica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 32: 622 1888

Betula ermanii Cham. var. *acutifolia* H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 66 1904

Betula ulmifolia Siebold & Zucc. var. *glandulosa* H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 64 1904

Betula bhojpattra Lindl. ex Wall. var. *japonica* Shirai, Bot. Mag. (Tokyo) 19: 165 1905

Betula vulcani H.Lév., Bull. Soc. Bot. France 51: 423 1907

Betula ermanii Cham. var. *communis* Koidz., Bot. Mag. (Tokyo) 27: 149 1913

Betula ermanii Cham. var. *incisa* Koidz., Bot. Mag. (Tokyo) 27: 148 1913

Betula ermanii Cham. var. *japonica* Koidz., Bot. Mag. (Tokyo) 27: 149 1913

Betula ermanii Cham. var. *parvifolia* Koidz., Bot. Mag. (Tokyo) 27: 148 1913

Betula saitoana Nakai, Repert. Spec. Nov. Regni Veg. 13: 249 1914

Betula ermanii Cham. subvar. *saitoana* (Nakai) C.K.Schneid., Repert. Spec. Nov. Regni Veg. 13: 249 1914

Betula ermanii Cham. var. *ganjuensis* (Koidz.) Nakai, Bot. Mag. (Tokyo) 40: 163 1926

Betula ermanii Cham. var. *saitoana* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 46 1934

Betula fruticosa Pall., Reise Russ. Reich. 3: 758 1776

국명: 좀자작나무(Jom-ja-jak-na-mu), 덤불자작나무, 덤불재작이, 대택자작이, 대택자작나무, 민좀자작나무, 부전자작나무, 부전재작이, 부전자작나무, 백두산자작나무 / (북한명) 좀자작나무, 부전자작오리나무

영명: Dwarf bog birch

Betula ovalifolia Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 378 1857

Betula reticulata Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 378 1857

Betula fruticosa Pall. var. *ruprechtiana* Trautv., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 254 1859

Betula humilis (C.A.Mey.) O.E.Schulz var. *ovalifolia* (Rupr.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 110 1861

Betula humilis (C.A.Mey.) O.E.Schulz var. *reticulata* (Rupr.) Regel, Nouv. Mem. Soc. Imp. Naturalistes Moscou 13: 109 1861

Betula paishanensis Nakai, Bot. Mag. (Tokyo) 33: 5 1919

Betula microphylla Bunge var. *coreana* Nakai, Bot. Mag. (Tokyo) 33: 5 1919

Betula fusenensis Nakai, J. Jap. Bot. 14: 743 1938

Betula cyclophylla Nakai, J. Jap. Bot. 17: 4 1941

Betula fruticosa Pall. var. *paishanensis* (Nakai) S.L.Tung, Bull. Bot. Res., Harbin 1: 132 1981

■ BETULACEAE 자작나무과

Betula pendula Roth, Tent. Fl. Germ. 1: 405 1788

국명: **자작나무**(Ja-jak-na-mu), 만주자작나무, 만주재작이, 봇나무 / (북한명) 자작나무, 만주자작나무, 봇나무

영명: **East Asian white birch**

Betula alba L. subsp. *latifolia* (Tausch) Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 399 1865

Betula alba L. subsp. *mandshurica* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 339 1865

Betula alba L. subsp. *tauschii* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 399 1865

Betula alba L. subsp. *latifolia* (Tausch) Regel var. *tauschii* Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 399 1865

Betula alba L. var. *japonica* Miq., Prolus. Fl. Jap. 68 1866

Betula pendula Roth var. *japonica* Rehder, Cycl. Amer. Hort. 1: 159 1900

Betula japonica Siebold ex H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 78 1904

Betula japonica Siebold ex H.J.P.Winkl. var. *mandshurica* (Regel) H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 78 1904

Betula japonica Siebold ex H.J.P.Winkl. var. *tauschii* H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 78 1904

Betula latifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 38 1904

Betula japonica Siebold ex H.J.P.Winkl. var. *pluricostata* H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 79 1904

Betula pendula Roth var. *mandshurica* (Regel) H.J.P.Winkl., Pflanzenr. (Engler) IV. 61(Heft, 19): 78 1904

Betula verrucosa Ehrh. var. *japonica* A.Henry, Trees Great Britain 4: 967 1909

Betula platyphylla Sukaczev, Trudy Bot. Muz. Imp. Akad. Nauk 8: 220 1911

Betula pendula Roth var. *tauschii* (Regel) Rehder, Stand. Cycl. Hort. 1: 498 1914

Betula mandshurica (Regel) Nakai, Bot. Mag. (Tokyo) 29: 42 1915

Betula japonica Siebold ex H.J.P.Winkl. var. *rockii* Rehder, J. Arnold Arbor. 9: 25 1928

Betula tauschii (Regel) Koidz., Fl. Symb. Orient.-Asiat. 35 1930

Betula platyphylla Sukaczev var. *mandshurica* (Regel) H.Hara, J. Bot. 13: 385 1937

Betula platyphylla Sukaczev var. *japonica* (Miq.) H.Hara, J. Jap. Bot. 13: 384 1937

Betula mandshurica (Regel) Nakai var. *japonica* (Miq.) Rehder, J. Arnold Arbor. 19: 72 1938

Betula platyphylla Sukaczev subsp. *mandshurica* (Regel) Kitag., Lin. Fl. Manshur. 165 1939

Betula verrucosa Ehrh. var. *platyphylla* (Sukaczev) Lindq., Acta Horti Gothob. 25: 124 1962

Betula schmidtii Regel, Bull. Soc. Imp. Naturalistes Moscou 38: 412 1865

국명: **박달나무**(Bak-dal-na-mu), 뭇박달나무, 박달, 참박달나무, 좁은잎박달나무 / (북한명) 박달나무, 삼박달나무

영명: **Bakdal birch**

Betula punctata H.Lév. ex Nakai, Fl. Sylv. Kor. 2: 34 1915

Betula schmidtii Regel var. *lancea* Nakai, Bot. Mag. (Tokyo) 33: 46 1919

Betula schmidtii Regel var. *angustifolia* Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 185 1931

Betula schmidtii Regel f. *lancea* (Nakai) M.Kim, Korean Endemic Pl. 300 2004

Carpinus L. 서어나무속

Carpinus cordata Blume, Mus. Bot. 1: 309 1851

국명: **까치박달**(Kka-chi-bak-dal), 나도밤나무, 물박달, 박달서나무 / (북한명) 물박달나무, 까치박달

영명: **Heart-leaved hornbeam**

Carpinus erosa Blume, Mus. Bot. 1: 308 1851

Distegocarpus cordata (Blume) A.DC., Prodr. (DC.) 16: 128 1864

Distegocarpus erosa (Blume) A.DC., Prodr. (DC.) 16: 128 1864

Ostrya mandshurica Budischtschew ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 166 1884

Carpinus laxiflora (Siebold & Zucc.) Blume, Mus. Bot. 1: 309 1851

국명: 서어나무(Seo-eo-na-mu), 서나무, 셔나무, 왕서나무, 왕서어나무, 초식나무, 큰서나무 / (북한명) 서어나무

영명: **Loose-flower hornbeam**

Distegocarpus laxiflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 228 1846

Carpinus laxiflora (Siebold & Zucc.) Blume var. *chartacea* H.Lév., Bull. Soc. Bot. France 51: 424 1904

Carpinus laxiflora (Siebold & Zucc.) Blume var. *macrophylla* Nakai, Bot. Mag. (Tokyo) 45: 112 1931

Carpinus laxiflora (Siebold & Zucc.) Blume f. *macrophylla* (Nakai) W.T.Lee, Lineamenta Florae Koreae 165 1996

Carpinus laxiflora (Siebold & Zucc.) Blume var. *laxiflora*

Carpinus laxiflora (Siebold & Zucc.) Blume var. *longispica* Uyeki, Suigen Gakuho 41: 9 1924 ⓘ

국명: 긴서어나무(Gin-seo-eo-na-mu), 긴서나무, 긴잎서나무 / (북한명) 긴이삭서어나무

영명: **Long loose-flower hornbeam**

Carpinus laxiflora (Siebold & Zucc.) Blume var. *macrothyrsa* Koidz., Acta Phytotax. Geobot. 9: 73 1940

Carpinus tschonoskii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 534 1881

국명: 개서어나무(Gae-seo-eo-na-mu), 개서나무, 서나무, 섬개서나무, 셔나무, 왕개서나무, 왕개서어나무,
큰개서나무, 당개서어나무 / (북한명) 좀서어나무, 개서어나무

영명: **Asian hornbeam**

Carpinus yedoensis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 535 1882

Carpinus fauriei Nakai, Bot. Mag. (Tokyo) 26: 325 1912

Carpinus eximia Nakai, Repert. Spec. Nov. Regni Veg. 13: 249 1914

Carpinus tschonoskii Maxim. var. *subintegra* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 501 1914

Carpinus yedoensis Maxim. var. *jablonszkyi* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 500 1914

Carpinus yedoensis Maxim. var. *serratauriculata* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 500 1914

Carpinus tschonoskii Maxim. var. *brevicalycina* Nakai, Handb. Kor. Manch. For. 92 1932

Carpinus paoshingensis K.C.Hsia, Contr. Inst. Bot. Natl. Acad. Peiping 2: 179 1934

Carpinus tschonoskii Maxim. var. *eximia* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 48 1934

Carpinus coreensis Koidz., Acta Phytotax. Geobot. 9: 73 1940

Carpinus obovatifolia Hu, Acta Phytotax. Sin. 9: 289 1964

Carpinus tschonoskii Maxim. f. *brevicalycina* (Nakai) M.Kim, Korean Endemic Pl. 525 2017

Carpinus tschonoskii Maxim. f. *eximia* (Nakai) M.Kim, Korean Endemic Pl. 525 2017

** *Carpinus tschonoskii* Maxim. f. *eximia* (Nakai) M.Kim, Korean Endemic Pl. 300 2004

Carpinus turczaninovii Hance, J. Linn. Soc., Bot. 10: 203 1868

국명: 소사나무(So-sa-na-mu), 거문소사나무, 산서나무, 산서어나무, 서나무, 섬소사나무, 왕소사나무,
큰잎소사나무 / (북한명) 소사나무

영명: **Korean hornbeam**

Carpinus paxii H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 35 1904

Carpinus stipulata H.J.P.Winkl., Pflanzenr. (Engler) IV. 61: 35 1904

Carpinus tanakaena Makino, Bot. Mag. (Tokyo) 28: 32 1914

Carpinus turczaninovii Hance var. *stipulata* H.J.P.Winkl., Bot. Jahrb. Syst. 50(Suppl.): 505 1914

■ BETULACEAE 자작나무과

Carpinus coreana Nakai, Bot. Mag. (Tokyo) 40: 162 1926

Carpinus coreana Nakai var. *major* Nakai, Bot. Mag. (Tokyo) 40: 163 1926

Carpinus chowii Hu, J. Arnold Arbor. 13: 334 1932

Carpinus turczaninovii Hance var. *chungnanensis* P.C.Kuo, Fl. Tsinling. 1: 66 1974

Carpinus turczaninovii Hance var. *coreana* (Nakai) W.T.Lee, Lineamenta Florae Koreae 166 1996

Carpinus turczaninovii Hance f. *coreana* (Nakai) M.Kim, Korean Endemic Pl. 301 2004

Corylus L. 개암나무속

Corylus heterophylla Fisch. ex Trautv., Pl. Imag. Descr. Fl. Russ. 1: 10 1844

국명: **개암나무**(Gae-am-na-mu), 개암나무, 깨금나무, 난퇴물개암나무, 난티잎개암나무, 물개암나무, 쇠개암나무 /
(북한명) 개암나무

영명: **Asian hazel**

Corylus tetraphylla Ledeb., Denkschr. Bayer. Bot. Ges. Regensburg 3, 2: 58 1841

Corylus hasibani Siebold, Kruidk. Naamlijst 27 1844

Corylus avellana L. var. *davurica* Ledeb., Fl. Ross. (Ledeb.) 3: 588 1850

Corylus heterophylla Fisch. ex Trautv. var. *thunbergii* Blume, Mus. Bot. 1: 310 1850

Corylus mongolica K.Koch, Dendrologie 2: 13 1873

Corylus heterophylla Fisch. ex Trautv. var. *japonica* Koidz., Bot. Mag. (Tokyo) 27: 143 1913

Corylus heterophylla Fisch. ex Trautv. var. *yezoensis* Koidz., Bot. Mag. (Tokyo) 27: 143 1913

Corylus yezoensis (Koidz.) Nakai, Fl. Sylv. Kor. 2: 9 1915

Corylus sieboldiana Blume, Mus. Bot. 1: 310 1851

국명: **참개암나무**(Cham-gae-am-na-mu), 가는물개암나무, 개암나무, 물병개암나무, 좀물개암나무, 참깨금,
병개암나무 / (북한명) 참개암나무, 뿔개암나무

영명: **Asian beaked hazel**

Corylus heterophylla Fisch. ex Trautv. var. *sieboldiana* A.DC., Prodr. (DC.) 16, 2: 113 1864

Corylus rostrata Aiton var. *mitis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 538 1882

Corylus rostrata Aiton var. *sieboldiana* (Blume) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 538 1882

Corylus hallaisanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 250 1914

Corylus sieboldiana Blume var. *mitis* (Maxim.) Nakai, Bot. Mag. (Tokyo) 29: 37 1915

Corylus sieboldiana Blume var. *brevirostris* C.K.Schneid., Pl. Wilson. 2: 453 1916

Corylus brevirostris (C.K.Schneid.) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26: 458 1934

Corylus sieboldiana Blume var. *hallaisanensis* (Nakai) M.Kim, Korean Endemic Pl. 72 2004

Corylus sieboldiana Blume var. *sieboldiana*

Corylus sieboldiana Blume var. *mandshurica* (Maxim.) C.K.Schneid., Pl. Wilson. 2: 454 1916

국명: **물개암나무**(Byeong-mul-gae-am-na-mu), 물캡달나무, 물깨금나무 / (북한명) 물개암나무

영명: **Short Asian beaked hazel**

Corylus mandshurica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 137 1857

Corylus rostrata Aiton var. *mandshurica* (Maxim.) Regel, Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 221 1857

Ostrya Scop. 새우나무속

Ostrya japonica Sarg., Gard. & Forest 5: 282 1893

국명: 새우나무(Sae-u-na-mu), 좀새우나무 / (북한명) 새우나무

영명: East Asian hophornbeam

Ostrya virginiana (Mill.) K.Koch var. *japonica* Maxim. ex Sarg., Gard. & Forest 6: 383 1893

Ostrya ostrya MacMill. var. *japonica* C.K.Schneid., Ill. Handb. Laubholzk. 1: 142 1904

Ostrya liana Hu, J. Arnold Arbor. 11: 49 1930

Ostrya japonica Sarg. var. *homochaeta* Honda, Bot. Mag. (Tokyo) 47: 433 1933

FAGACEAE 참나무과

Castanea Mill. 밤나무속

Castanea crenata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 224 1846

국명: 밤나무(Bam-na-mu) / (북한명) 밤나무

영명: Korean castanea

Castanea stricta Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 225 1846

Castanea japonica Blume, Mus. Bot. 1: 284 1850

Castanea japonica Blume var. *kusakuri* Blume, Mus. Bot. 1: 285 1851

Castanea vulgaris Lam. var. *elongata* A.DC., Prodr. (DC.) 16: 115 1864

Castanea vulgaris Lam. var. *japonica* A.DC., Prodr. (DC.) 16: 115 1864

Castanea vulgaris Lam. var. *subdentata* A.DC., Prodr. (DC.) 16: 115 1864

Castanea vulgaris Lam. var. *kusakuri* A.DC., Prodr. (DC.) 16: 115 1864

Castanea pubinervis C.K.Schneid., Ill. Handb. Laubholzk. 1: 158 1904

Castanea sativa Siebold & Zucc. var. *pubinervis* (C.K.Schneid.) Makino, Bot. Mag. (Tokyo) 23: 12 1909

Castanea kusakuri (Blume) Koidz., Bot. Mag. (Tokyo) 40: 337 1926

Castanea crenata Siebold & Zucc. var. *kusakuri* (Blume) A.Camus, Chataigniers 191 1929

Castanea crenata Siebold & Zucc. var. *dulcis* Nakai, Index Sem. (TI) 11 1934

Castanea mollissima Blume, Mus. Bot. 1: 286 1851

국명: 약밤나무(Yak-bam-na-mu), 약밤, 평양밤나무, 함종율 / (북한명) 평양밤나무, 약밤나무

영명: Chinese castanea

Castanea bungeana Blume, Mus. Bot. 1: 284 1851

Castanea duclouxii Dode, Bull. Soc. Dendrol. France 150 1908

Castanea hupehensis Dode, Bull. Soc. Dendrol. France 1908: 151 1908

Castanea sativa Siebold & Zucc. var. *mollissima* (Blume) Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 250 1910

Castanea formosana Hayata, Icon. Pl. Formosan. 6: 71 1917

Castanopsis (D.Don) Spach 모밀잣밤나무속

Castanopsis cuspidata (Thunb.) Schottky, Bot. Jahrb. Syst. 47: 682 1912

■ FAGACEAE 참나무과

국명: **메밀잣밤나무**(Mo-mil-jat-bam-na-mu), 둑근잎구실잣밤나무 / (북한명) 모밀잣밤나무, 둑근잎잣밤나무

영명: **Japanese chinquapin**

Quercus cuspidata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 858 1784

Pasania cuspidata (Thunb.) Oerst. ex Murray, Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 84 1866

Pasania cuspidata (Thunb.) Oerst. ex Murray var. *thunbergii* Makino, Bot. Mag. (Tokyo) 23: 141 1909

Lithocarpus cuspidata (Thunb.) Nakai, Bot. Mag. (Tokyo) 30: 186 1915

Synaedrys cuspidata (Thunb.) Koidz., Bot. Mag. (Tokyo) 30: 186 1915

Castanopsis cuspidata (Thunb.) Schottky f. *latifolia* (G.Nicholson) Rehder & E.H.Wilson, Pl. Wilson. 3: 205 1916

Pasaniopsis cuspidata (Thunb.) Kudô, Syst. Bot. Useful Pl. Jap. 134 1922

Shiia cuspidata (Thunb.) Makino, J. Jap. Bot. 5: 23 1928

Castanopsis cuspidata (Thunb.) Schottky var. *thunbergii* (Makino) Nakai, J. Jap. Bot. 15: 136 1939

Castanopsis cuspidata (Thunb.) Schottky var. *thunbergii* (Makino) Nakai f. *latifolia* (Nicolson) Nakai, J. Jap. Bot. 15: 6 1939

Castanopsis thunbergii (Makino) Hatus., J. Jap. Bot. 15: 136 1939

Chlamidobalanus cuspidata (Thunb.) Koidz., Acta Phytotax. Geobot. 9: 108 1940

***Castanopsis sieboldii* (Makino)** Hatus., Fl. Ryukyus 223 1971

국명: **구실잣밤나무**(Gu-sil-jat-bam-na-mu), 구슬잣밤나무, 새불잣밤나무 / (북한명) 구슬잣밤나무, 구실잣밤나무, 새불잣밤나무

영명: **Siebold's chinquapin**

Pasania cuspidata (Thunb.) Oerst. ex Murray var. *sieboldii* Makino, Bot. Mag. (Tokyo) 23: 141 1909

Pasania sieboldii (Makino) Makino, Bot. Mag. (Tokyo) 24: 232 1910

Lithocarpus cuspidata (Thunb.) Nakai var. *sieboldii* (Makino) Nakai, Bot. Mag. (Tokyo) 29: 55 1915

Lithocarpus sieboldii (Makino) Nakai, Bot. Mag. (Tokyo) 19: 55 1915

Synaedrys sieboldii (Makino) Koidz., Bot. Mag. (Tokyo) 30: 187 1916

Pasaniopsis sieboldii (Makino) Kudô, Syst. Bot. Useful Pl. Jap. 135 1922

Shiia sieboldii (Makino) Makino, J. Jap. Bot. 5: 23 1928

Castanopsis cuspidata (Thunb.) Schottky var. *sieboldii* (Makino) Nakai, J. Jap. Bot. 15: 263 1939

Fagus L. 너도밤나무속

Fagus multinervis Nakai, Bot. Mag. (Tokyo) 32: 103 1918 Ⓟ Ⓢ

국명: **너도밤나무**(Neo-do-bam-na-mu) / (북한명) 도밤나무

영명: **Engler's beech**

Fagus japonica Maxim. var. *multinervis* (Nakai) Y.N.Lee, J. Korean Res. Inst. Better Living 10: 373 1966

Quercus L. 참나무속

Quercus acuta Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 858 1784

국명: **붉가시나무**(Buk-ga-si-na-mu), 가랑닢, 가새나무, 북가시나무 / (북한명) 북가시나무, 가새나무, 가랑잎나무

영명: **Red-wood evergreen oak**

Quercus buergeri Blume, Mus. Bot. 1: 299 1850

Quercus laevigata Blume, Mus. Bot. 1: 304 1850

Quercus marginata Blume, Mus. Bot. 1: 304 1850

Cyclobalanopsis acuta (Thunb.) Oerst., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 78 1866

Quercus acuta Thunb. var. *acutiformis* Nakai, Bot. Mag. (Tokyo) 41: 504 1927

Cyclobalanopsis acuta (Thunb.) Oerst. f. *albivena* Nakai, J. Jap. Bot. 15: 196 1939

Quercus acutissima Carruth., J. Linn. Soc., Bot. 6: 33 1862

국명: 상수리나무(Sang-su-ri-na-mu), 도토리나무, 보솜나무, 참나무 / (북한명) 참나무, 도토리나무

영명: **Sawtooth oak**

Quercus uchiyamana Nakai, Repert. Spec. Nov. Regni Veg. 13: 250 1914

Quercus aliena Blume, Mus. Bot. 1: 298 1851

국명: 갈참나무(Gal-cham-na-mu), 재잘나무, 큰갈참나무, 톱날갈참나무, 흥갈참나무 / (북한명) 재질나무

영명: **Galcham oak (Oriental white oak)**

Quercus aliena Blume var. *pellucida* Blume, Mus. Bot. 1: 299 1851

Quercus aliena Blume var. *acuteserrata* Maxim. ex Wenz., Jahrb. Königl. Bot. Gart. Berlin 4: 219 1886

Quercus aliena Blume var. *acuteserrata* Maxim. ex Wenz. f. *calvescens* Rehder & Wilson, Pl. Wilson. 3: 215 1916

Quercus aliena Blume var. *rubripes* Nakai, Bot. Mag. (Tokyo) 31: 4 1917

Quercus aliena Blume var. *acuticarpa* Uyeki, Acta Phytotax. Geobot. 1: 255 1932

Quercus aliena Blume f. *heterophylla* Uyeki, Acta Phytotax. Geobot. 1: 255 1932

Quercus aliena Blume f. *monstrosa* Uyeki, Acta Phytotax. Geobot. 1: 255 1932

Quercus dentata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 858 1784

국명: 떡갈나무(Tteok-gal-na-mu), 가나무, 가랑잎나무, 선떡갈나무, 왕떡갈, 참풀나무, 청떡갈나무 / (북한명) 가랑잎나무, 가독나무, 가나무, 찰풀나무, 가래기나무

영명: **Korean oak**

Quercus obovata Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 62 1833

Quercus dentata Thunb. var. *wrightii* A.DC., Prodr. (DC.) 16: 13 1864

Quercus daimio Hoerold ex K.Koch, Dendrologie 2, 2: 45 1873

Quercus dentata Thunb. var. *pinnatifida* Matsum., Bot. Mag. (Tokyo) 5: 9 1891

Quercus dentata Thunb. var. *grandifolia* Koidz., Bot. Mag. (Tokyo) 26: 161 1912

Quercus dentata Thunb. var. *fallax* Nakai, Bot. Mag. (Tokyo) 31: 3 1917

Quercus gilva Blume, Mus. Bot. 1: 306 1851 ⑧

국명: 개가시나무(Gae-ga-si-na-mu), 돌가시나무, 돌종가시나무, 헌가시나무 / (북한명) 돌가시나무

영명: **Red-bark oak**

Cyclobalanopsis gilva (Blume) Oerst., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 78 1866

Quercus hunanensis Hand.-Mazz., Symb. Sin. 7: 52 1929

Cyclobalanopsis hunanensis (Hand.-Mazz.) W.C.Cheng & T.Hong, Sci. Silvae Sin. 8: 11 1963

Quercus glauca Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 858 1784

국명: 종가시나무(Jong-ga-si-na-mu), 가시나무, 석소리, 종가시, 민종가시나무, 흰민종가시 / (북한명) 종가시나무

영명: **Ring-cup oak**

■ FAGACEAE 참나무과

- Quercus glauca* Thunb. var. *nudata* Blume, Mus. Bot. 1: 303 1850
Quercus lacera Blume, Mus. Bot. 1: 306 1851
Cyclobalanopsis glauca (Thunb.) Oerst., Vidensk. Meddel. Dansk Naturhist. Foren. Kjobenhavn 18: 78 1866
Quercus vibrayeana Franch. & Sav., Enum. Pl. Jap. 2: 498 1878
Quercus vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 364 1913
Quercus glauca Thunb. var. *stricta* Makino, Bot. Mag. (Tokyo) 29: 55 1915
Quercus sasakii Kaneh., Icon. Pl. Formosan. 6: 64 1916
Quercus glauca Thunb. var. *linearifolia* Koidz., Fl. Symb. Orient.-Asiat. 8 1930
Quercus amamiana Hatus., J. Jap. Bot. 26: 372 1951
Quercus glauca Thunb. f. *nudata* (Blume) M.Kim, Korean Endemic Pl. 523 2017

Quercus mongolica Fisch. ex Ledeb., Fl. Ross. (Ledeb.) 3: 589 1850

국명: **신갈나무**(Sin-gal-na-mu), 돌참나무, 만주신갈나무, 물가리나무, 물갈나무, 물신갈나무, 재라리나무, 참나무, 텔깃웃신갈, 텔물갈나무 / (북한명) 돌참나무, 불가리나무, 재라리나무

영명: **Mongolian oak**

- Quercus sessiliflora* Salisb. var. *mongolica* (Fisch. ex Ledeb.) Franch., Nouv. Arch. Mus. Hist. Nat. 7: 83 1884
Quercus crispula Blume var. *mandshurica* Koidz., Bot. Mag. (Tokyo) 26: 164 1912
Quercus mongolica Fisch. ex Ledeb. var. *mandshurica* (Koidz.) Nakai, Bot. Mag. (Tokyo) 29: 58 1915
Quercus mongolica Fisch. ex Ledeb. var. *liaotungensis* (Koidz.) Nakai f. *funebris* Nakai, Fl. Sylv. Kor. 3: 24 1917

Quercus mongolica Fisch. ex Ledeb. var. ***mongolica***

Quercus mongolica Fisch. ex Ledeb. var. ***crispula*** (Blume) H.Ohashi, J. Jap. Bot. 63: 13 1988

국명: **물참나무**(Mul-cham-na-mu), 물가리, 물가리나무, 소리나무, 텔깃웃신갈, 깃참나무, 깃신갈나무, 깃웃신갈나무 / (북한명) 물참나무, 물가리참나무, 료동신갈나무

영명: **Mulcham oak (Wavy Mongolian oak)**

- Quercus crispula* Blume, Mus. Bot. 1: 298 1850
Quercus grosseserrata Blume, Mus. Bot. 1: 306 1850
Quercus crispula Blume var. *grosseserrata* (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 104 1864
Quercus crispula Blume var. *sachalinensis* Koidz., Bot. Mag. (Tokyo) 26: 164 1912
Quercus neostuxbergii Koidz., Bot. Mag. (Tokyo) 26: 166 1912
Quercus liaotungensis Koidz., Bot. Mag. (Tokyo) 26: 166 1912
Quercus mongolica Fisch. ex Ledeb. var. *liaotungensis* (Koidz.) Nakai, Bot. Mag. (Tokyo) 29: 58 1915
Quercus mongolica Fisch. ex Ledeb. var. *liaotungensis* (Koidz.) Nakai f. *glabra* Nakai, Bot. Mag. (Tokyo) 29: 58 1915
Quercus mongolica Fisch. ex Ledeb. var. *grosseserrata* (Blume) Rehder & E.H.Wilson, Pl. Wilson. 3: 231 1916
Quercus × serratoides Uyeki, Acta Phytotax. Geobot. 1: 253 1932
Quercus × serratoides Uyeki var. *ovata* Uyeki, Acta Phytotax. Geobot. 1: 253 1932
Quercus crispuloides Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 1934
Quercus mongolica Fisch. ex Ledeb. subsp. *crispula* (Blume) Menitsky, Novosti Sist. Vyssh. Rast. 10: 114 1973

Quercus myrsinifolia Blume, Mus. Bot. 1: 305 1851

국명: **가시나무**(Ga-si-na-mu), 정가시나무, 참가시나무 / (북한명) 가시나무

영명: **Bamboo-leaf oak**

Quercus bambusifolia Hance, Bot. Voy. Herald 415 1857

Cyclobalanopsis myrsinifolia (Blume) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. 5, 9: 879 1873

Quercus neglecta (Schottky) Koidz., Bot. Mag. (Tokyo) 30: 201 1916

Quercus myrsinifolia Blume var. *sacifolia* Makino, J. Jap. Bot. 6: 7 1929

Quercus salicina Blume, Mus. Bot. 1: 305 1851

국명: 참가시나무(Cham-ga-si-na-mu), 백가시나무, 쇠가시나무, 넓은잎참가시나무 / (북한명) 참가시나무

영명: Willow-leaf evergreen oak

Quercus glauca Thunb. var. *stenophylla* Blume, Mus. Bot. 1: 303 1850

Quercus stenophylla (Blume) Makino, Bot. Mag. (Tokyo) 24: 17 1910

Cyclobalanopsis stenophylla (Blume) Schottky, Bot. Jahrb. Syst. 47: 657 1912

Quercus stenophylloides Hayata, Icon. Pl. Formosan. 4: 21 1914

Quercus stenophylla (Blume) Makino var. *latifolia* Nakai, Bot. Mag. (Tokyo) 36: 62 1922

Cyclobalanopsis stenophylloides (Hayata) Kudô & Masam., Trans. Nat. Hist. Soc. Taiwan 20: 162 1930

Quercus stenophylla (Blume) Makino var. *stenophylloides* (Hayata) A.Camus, Chênes 1: 272 1938

Cyclobalanopsis stenophylla (Blume) Schottky var. *stenophylloides* (Hayata) J.C.Liao, Forest Ser. 62: 48 1974

Quercus salicina Blume f. *latifolia* (Nakai) H.Ohba, J. Jap. Bot. 64: 323 1989

Quercus serrata Murray, Syst. Veg. (ed. 14) [J. A. Murray] 858 1784

국명: 줄참나무(Jol-cham-na-mu), 가득나무, 갈줄참나무, 굴밤나무, 당재잘나무, 소리나무, 재량나무, 재리알, 재잘나무, 침도로나무, 흉해속소리나무 / (북한명) 재리알, 재잘나무, 재량난무, 침도로나무, 굴밤나무, 속소리나무, 소리나무

영명: Jolcham oak (Konara oak)

Quercus canescens Blume, Mus. Bot. 1: 296 1850

Quercus glandulifera Blume, Mus. Bot. 1: 295 1850

Quercus urticifolia Blume var. *brevipetiolata* A.DC., Prodr. (DC.) 16: 16 1864

Quercus griffithii var. *glandulifera* Franch., J. Bot. (Desvaux) 13: 149 1899

Quercus glandulifera Blume var. *brevipetiolata* Nakai, J. Arnold Arbor. 5: 76 1924

Quercus serrata Murray var. *brevipetiolata* (A.DC.) Nakai ex Kawamoto, Handb. Kor. Manch. For. 99 1939

Quercus canescens Blume var. *urticifolia* (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 105 1964

Quercus variabilis Blume, Mus. Bot. 1: 297 1851

국명: 굴참나무(Gul-cham-na-mu), 구도토리나무, 물갈참나무, 부업나무 / (북한명) 물갈참나무, 구도토리나무, 부업나무

영명: Oriental cork oak

Quercus chinensis Bunge, Enum. Pl. Chin. Bor. 61 1833

Pasania variabilis (Blume) Regel, Cat. Pl. Hort. Aksakov. 1: 102 1860

Quercus mourei Hance, J. Bot. 13: 363 1875

Quercus bungeana F.B.Forbes, J. Bot. 22: 83 1884

Quercus acutissima* × *Q. variabilis Nakai, J. Jap. Bot. 19: 368 1943

국명: 정능참나무(Jeong-neung-cham-na-mu), 정릉참나무

영명: Jeongreungcham oak (Acuti variabilis oak)

■ FAGACEAE 참나무과

Quercus × alienoserratoides T.B.Lee, Korean J. Bot. 4: 20 1961

국명: 신갈줄참나무(Sin-gal-jol-cham-na-mu)

Quercus × dentato-mongolica Nakai, Bot. Mag. (Tokyo) 40: 164 1926

국명: 떡신갈나무(Tteok-sin-gal-na-mu), 신떡갈나무 / (북한명) 신떡갈나무

영명: Dentata × mongolica hybrid oak

Quercus × mongolicodentata Nakai, Bot. Mag. (Tokyo) 40: 164 1926

Quercus pseudodentata Uyeki, Acta Phytotax. Geobot. 1: 254 1932

Quercus × mongolicodentata Nakai var. *longifolia* Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 1934

Quercus × faberi Hance, J. Linn. Soc., Bot. 10: 201 1869

국명: 떡속소리나무(Tteok-sok-so-ri-na-mu) / (북한명) 떡속소리나무

영명: Fabre's oak

Quercus tarokoensis Makino, Icon. Pl. Formosan. 7: 38 1918

Quercus × mccormickii Carruth., J. Linn. Soc., Bot. 6: 322 1862

국명: 떡갈참나무(Tteok-gal-cham-na-mu), 개소리나무, 개떡갈나무, 개줄참나무, 떡줄참나무, 줄참나무 / (북한명) 갈참떡갈나무

영명: Dentata × aliena hybrid oak

Quercus dentata Thunb. var. *mccormickii* (Carruth.) Skan, J. Linn. Soc., Bot. 26: 511 1899

Quercus nipponica Koidz., Bot. Mag. (Tokyo) 26: 161 1912

Quercus × koreana Nakai, Repert. Spec. Nov. Regini Veg. 13: 250 1914

Quercus × mccormickii Carruth. var. *koreana* Nakai, Bot. Mag. (Tokyo) 31: 3 1917

Quercus × angustelepidota Nakai, Bot. Mag. (Tokyo) 31: 3 1917

Quercus × alienoides Uyeki, Acta Phytotax. Geobot. 1: 253 1932

Quercus × alienoides Uyeki var. *longissima* Uyeki, J. Chosen Nat. Hist. Soc. 17: 51 1934

Quercus nipponica Koidz. var. *koreana* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 20: 25 1951

Quercus × pongtungensis Uyeki, Acta Phytotax. Geobot. 1: 254 1932

국명: 봉동참나무(Bong-dong-cham-na-mu), 깃웃신갈 / (북한명) 봉두신갈나무

영명: Bongdongcham oak (Aliena × mongolica oak)

Quercus mongolica Fisch. ex Ledeb. var. *laciñata* Nakai, Bot. Mag. (Tokyo) 45: 113 1931

Quercus paucilepis Uyeki, Acta Phytotax. Geobot. 1: 254 1932

Quercus × angustelepida Nakai f. *brevisquamosa* Uyeki, J. Chosen Nat. Hist. Soc. 17: 52 1934

Quercus × urticifolia Blume, Mus. Bot. 1: 296 1851

국명: 갈줄참나무(Gal-jol-cham-na-mu), 섬속소리나무, 속소리나무, 줄참나무, 털속소리나무, 흰속소리나무 / (북한명) 갈줄참나무

영명: Galjolcham oak (Aliena × serrata oak)

Quercus donarium Nakai, Bot. Mag. (Tokyo) 29: 60 1915

Quercus major Nakai, Fl. Sylv. Kor. 3: 28 1917

- Quercus neoglandulifera* Nakai, Bot. Mag. (Tokyo) 36: 62 1922
Quercus serrata Murray var. *pseudovariabilis* Nakai, Bot. Mag. (Tokyo) 43: 450 1929
Quercus serrata Murray var. *longicarpa* Uyeki, Acta Phytotax. Geobot. 1: 253 1932
Quercus major Nakai var. *latifolia* Uyeki, J. Chosen Nat. Hist. Soc. 17: 52 1934
Quercus neogladulosa Nakai var. *ovata* Uyeki, J. Chosen Nat. Hist. Soc. 17: 52 1934
Quercus serrata Murray var. *latifolia* Koidz., Acta Phytotax. Geobot. 9: 74 1940
Quercus serrata Murray var. *donarium* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 20: 24 1951
Quercus serrata Murray f. *longicarpa* (Uyeki) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 20: 23 1951

ULMACEAE 느릅나무과

Aphananthe Planch. 푸조나무속

Aphananthe aspera (Thunb.) Planch., Prodr. (DC.) 17: 208 1873

국명: 푸조나무(Pu-jo-na-mu), 곱병나무, 평나무 / (북한명) 푸조나무

영명: **Scabrous aphananthe**

Prunus aspera Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 463 1784

Celtis muku Siebold, Verh. Batav. Genootsch. Kunsten 12: 28 1830

Homoiooceltis aspera (Thunb.) Blume, Mus. Bot. 2: 64 1856

Sponia nudiflora Siebold & Zucc., Prodr. (DC.) 17: 208 1873

Celtis L. 팽나무속

Celtis aurantiaca Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 23 1930

국명: 산팽나무(San-paeng-na-mu)

영명: **Orange-fruit hackberry**

Celtis koraiensis Nakai var. *aurantiaca* (Nakai) Kitag., Lin. Fl. Manshur. 168 1939

Celtis biondii Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 252 1910

국명: 폭나무(Pok-na-mu), 좀왕팽나무

영명: **Biond's hackberry**

Celtis bungeana Blume var. *heterophylla* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 476 1912

Celtis leveillei Nakai, Bot. Mag. (Tokyo) 28: 264 1914

Celtis biondii Pamp. var. *heterophylla* (H.Lév.) C.K.Schneid., Pl. Wilson. 3: 282 1916

Celtis biondii Pamp. var. *cavalieriei* C.K.Schneid., Pl. Wilson. 3: 273 1916

Celtis leveillei Nakai var. *holophylla* Nakai, J. Arnold Arbor. 5: 74 1924

Celtis biondii Pamp. var. *insularis* Hatus., Fl. Ryukyus 224 1971

Celtis leveillei Nakai var. *heterophylla* (H.Lév.) Nakai, Neolin. Fl. Manshur. 585 1979

Celtis bungeana Blume, Mus. Bot. 2: 71 1856

국명: 좀풍계나무(Jom-pung-ge-na-mu), 즐팽나무, 좀팽나무 / (북한명) 팽나무, 즐팽나무

■ ULMACEAE 느릅나무과

영명: **Bunge's hackberry**

Celtis davidiana Carrière, Rev. Hort. 40: 300 1868

Celtis choseniana Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 21 1930 (E) (R)

국명: **검팽나무**(Geom-paeng-na-mu) / (북한명) 검팽나무

영명: **Black-fruit hackberry**

Celtis cordifolia Nakai, Bot. Mag. (Tokyo) 40: 168 1926 (E)

국명: **장수팽나무**(Jang-su-paeng-na-mu), **장팽나무** / (북한명) 장수팽나무

! *Celtis taihyunchungii* M.Kim, Korean Endemic Pl. 102 2017

Celtis edulis Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 23 1930 (E) (R)

국명: **노랑팽나무**(No-rang-paeng-na-mu) / (북한명) 노랑팽나무

영명: **Yellow-fruit hackberry**

Celtis jessoensis Koidz., Bot. Mag. (Tokyo) 27: 183 1913

국명: **풍게나무**(Pung-ge-na-mu), **긴잎풍게나무**, **단감주나무** / (북한명) 풍게나무

영명: **Caudate-leaf hackberry**

Celtis aphanonthoides Koidz., Bot. Mag. (Tokyo) 27: 563 1913

Celtis bungeana Blume var. *jessoensis* (Koidz.) Kudô, Syst. Bot. Useful Pl. Jap. 166 1922

Celtis koraiensis Nakai var. *holophylla* Nakai, Bot. Mag. (Tokyo) 40: 167 1926

Celtis jessoensis Koidz. var. *angustifolia* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 21 1930

Celtis hashimotoi Koidz., Acta Phytotax. Geobot. 1: 19 1932

Celtis koraiensis Nakai, Bot. Mag. (Tokyo) 23: 191 1909

국명: **왕팽나무**(Wang-paeng-na-mu), **둥근잎왕팽나무**, **조선팽나무**, **둥근왕팽나무** / (북한명) 왕팽나무

영명: **Korean hackberry**

Celtis koraiensis Nakai var. *arguta* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 21 1930

Celtis sinensis Pers., Syn. Pl. 1: 292 1805

국명: **팽나무**(Paeng-na-mu), **둥근잎팽나무**, **섬팽나무**, **자주팽나무** / (북한명) 달주나무, 폭나무, 평나무

영명: **East Asian hackberry**

Celtis japonica Planch., Prodr. (DC.) 17: 172 1873

Celtis sinensis Dunn & Tucher var. *japonica* (Planch.) Nakai, Bot. Mag. (Tokyo) 23: 264 1914

Celtis japonica Planch. f. *magnifica* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 23 1930

Celtis japonica Planch. f. *purpurascens* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 23 1930

Celtis japonica Planch. f. *rotundata* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 59: 23 1930

Celtis sinensis Dunn & Tucher var. *japonica* (Planch.) Nakai f. *magnifica* Nakai, Fl. Sylv. Kor. 19: 67 1932

Celtis sinensis Dunn & Tucher var. *japonica* (Planch.) Nakai f. *purpurascens* Nakai, Fl. Sylv. Kor. 19: 66 1932

Celtis sinensis Dunn & Tucher var. *japonica* (Planch.) Nakai f. *rotunda* Nakai, Fl. Sylv. Kor. 19: 67 1932

Hemiptelea Planch. 시무나무속

Hemiptelea davidii (Hance) Planch., Compt. Rend. Hebd. Seances Acad. Sci. 74: 131 1872

국명: **시무나무**(Si-mu-na-mu) / (북한명) 스무나무, 참느릅나무

영명: **Hemiptelea**

Planera davidii Hance, J. Bot. 6: 333 1868

Abelicea davidii (Hance) H.Buek, Prodr. (DC.) 17: 1 1873

Zelkova davidii (Hance) Hemsl., J. Linn. Soc., Bot. 26: 449 1894

Ulmus L. 느릅나무속

Ulmus davidiana Planch. ex DC., Prodr. (DC.) 17: 158 1873

국명: **당느릅나무**(Dang-neu-reup-na-mu) / (북한명) 당느릅나무

영명: **David's elm**

Ulmus davidiana Planch. ex DC. var. *mandshurica* Skvortsov, Mansh. Monit. 52 1929

Ulmus davidiana Planch. ex DC. var. *pubescens* Skvortsov, Mansh. Monit. 52 1929

Ulmus davidiana Planch. ex DC. f. *suberosa* Nakai, Fl. Sylv. Kor. 19: 29 1932

Ulmus davidiana Planch. ex DC. var. *japonica* (Rehder) Nakai f. *suberosa* Nakai, Fl. Sylv. Kor. 19: 29 1932

Ulmus davidiana Planch. ex DC. var. *suberosa* (Turcz.) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26(4): 1934

Ulmus davidiana Planch. ex DC. var. *davidiana*

Ulmus davidiana Planch. ex DC. var. *japonica* (Rehder) Nakai, Fl. Sylv. Kor. 19: 26 1932

국명: **느릅나무**(Neu-reup-na-mu), 떡느릅나무, 뚝나무, 반들느릅나무, 봄느릅나무, 빛느릅나무, 흑느릅나무 / (북한명) 느릅나무

영명: **Wilson's elm**

Ulmus campestris L. var. *japonica* Rehder, Cycl. Amer. Hort. 4: 1882 1902

Ulmus wilsoniana C.K.Schneid., Ill. Handb. Laubholzk. 2: 904 1912

Ulmus wilsoniana C.K.Schneid. var. *psilophylla* C.K.Schneid., Pl. Wilson. 3: 239 1916

Ulmus japonica (Rehder) Sander var. *levigata* C.K.Schneid., Pl. Wilson. 3: 260 1917

Ulmus propinqua Koidz., Bot. Mag. (Tokyo) 44: 95 1930

Ulmus davidiana Planch. ex DC. var. *levigata* (C.K.Schneid.) Nakai, Fl. Sylv. Kor. 19: 30 1932

Ulmus davidiana Planch. ex DC. var. *japonica* (Rehder) Nakai f. *levigata* (C.K.Schneid.) W.T.Lee, Lineamenta Florae Koreae 187 1996

Ulmus laciniata (Trautv.) Mayr, Fremdländ. Wald-Parkbäume 523 1906

국명: **난티나무**(Nan-ti-na-mu), 등근난티나무 / (북한명) 난티느릅나무, 난티나무, 고유, 신유

영명: **Manchurian elm**

Ulmus major Sm. var. *heterophylla* Maxim. & Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 376 1857

Ulmus montana Stokes var. *laciniata* Trautv., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 246 1859

Ulmus laciniata (Trautv.) Mayr f. *holophylla* Nakai, Fl. Sylv. Kor. 19: 18 1932

■ ULMACEAE 느릅나무과

Ulmus macrocarpa Hance, J. Bot. 6: 332 1868

국명: 왕느릅나무(Wang-neu-reup-na-mu), 큰잎느릅나무 / (북한명) 느릅나무

영명: Large-fruit elm

Ulmus macrocarpa Hance var. *mandshurica* Skvortsov, Mansh. Monit. 52 1929

Ulmus macrocarpa Hance f. *major* Skvortsov, Mansh. Monit. 52 1929

Ulmus macrocarpa Hance var. *suberosa* Skvortsov, Mansh. Monit. 52 1929

Ulmus macrophylla Nakai, Fl. Sylv. Kor. 19: 15 1932

Ulmus macrocarpa Hance var. *macrophylla* (Nakai) T.B.Lee ex W.T.Lee, Lineamenta Florae Koreae 187 1996

** *Ulmus macrocarpa* Hance f. *macrophylla* (Nakai) M.Kim, Korean Endemic Pl. 297 2004

Ulmus parvifolia Jacq., Pl. Rar. Hort. Schoenbr. 3: 262 1798

국명: 참느릅나무(Cham-neu-reup-na-mu), 둥근참느릅, 둉근참느릅나무, 좀참느릅, 좀참느릅나무

영명: Lacebark elm

Ulmus japonica (Rehder) Sander, Trees & Shrubs 2: 1, t. 101 1907

Ulmus coreana Nakai, Fl. Sylv. Kor. 19: 31 1932

Ulmus coreana Nakai var. *cycloptera* Nakai, Fl. Sylv. Kor. 19: 33 1932

Ulmus coreana Nakai var. *lanceolata* Nakai, Fl. Sylv. Kor. 19: 33 1932

Ulmus parvifolia Jacq. var. *cycloptera* (Nakai) Uyeki, Woody Pl. Distr. Chosen 23 1940

Ulmus parvifolia Jacq. var. *coreana* (Nakai) Uyeki, Woody Pl. Distr. Chosen 23 1940

Ulmus parvifolia Jacq. var. *coreana* (Nakai) Uyeki f. *cycloptera* (Nakai) Uyeki, Woody Pl. Distr. Chosen 1: 23 1940

Ulmus parvifolia Jacq. var. *coreana* (Nakai) Uyeki f. *lanceolata* (Nakai) Uyeki, Woody Pl. Distr. Chosen 1: 23 1940

Ulmus parvifolia Jacq. var. *lanceolata* (Nakai) Y.J.Li, Pl. Rar. Hort. Schoenbr. 1: 220 1996

Ulmus pumila L., Sp. Pl. 1: 326 1753

국명: 비술나무(Bi-sul-na-mu) / (북한명) 비술나무

영명: Siberian elm

Ulmus pumila L. var. *microphylla* Pers., Syn. Pl. (Persoon) 1: 291 1805

Ulmus campestris L. var. *pumila* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 290 1873

Ulmus turkestanica Regel, Gartenflora 28 1884

Ulmus manshurica Nakai, Fl. Sylv. Kor. 19: 22 1932

Ulmus × mesocarpa M.Kim & S.T.Lee, Korean Endemic Pl. 105 2017 ⓘ

국명: 중느릅나무(Jung-neu-reup-na-mu)

영명: Medium-fruit elm

** *Ulmus × mesocarpa* M.Kim & S.T.Lee, Korean J. Pl. Taxon. 19: 44 1989

Zelkova Spach 느티나무속

Zelkova serrata (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 13 1903

국명: 느티나무(Neu-ti-na-mu), 긴잎느티나무, 둉근잎느티나무 / (북한명) 정자나무, 귀목, 규목, 피목

영명: Sawleaf zelkova

Corchorus hirtus Thunb., Fl. Jap. (Thunberg) 228 1784

Corchorus serratus Thunb., Trans. Linn. Soc. London 2: 335 1794
Ulmus keaki Siebold, Verh. Batav. Genootsch. Kunsten 12: 28 1830
Planera acuminata Lindl., Gard. Chron. 428 1862
Zelkova acuminata (Lindl.) Planch., Compt. Rend. Hebd. Seances Acad. Sci. 74: 1496 1872
Planera keaki (Siebold) K.Koch, Dendrologie 2: 427 1872
Zelkova keaki (Siebold) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 288 1873
Zelkova stipulacea Franch. & Sav., Enum. Pl. Jap. 2: 489 1878
Planera japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 66 1887
Abelicea acuminata (Planch.) Kuntze, Revis. Gen. Pl. 2: 621 1891
Abelicea keaki C.K.Schneid., Dendr. Winterstud. 238 1903
Abelicea herta C.K.Schneid., III. Handb. Laubholzk. 1: 226 1904
Zelkova hirta C.K.Schneid., Ill. Handb. Laubholzk. 1: 806 1906
Abelicea serrata (Thunb.) Makino, Bot. Mag. (Tokyo) 28: 175 1914
Zelkova formosana Hayata, Icon. Pl. Formosan. 9: 104 1920
Zelkova serrata (Thunb.) Makino var. *longifolia* Nakai, Fl. Sylv. Kor. 19: 39 1932

MORACEAE 뽕나무과

Broussonetia L'Hér. ex Vent. 닥나무속

Broussonetia × kazinoki Siebold, Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4(3): 221 1846

국명: 애기닥나무(Ae-gi-dak-na-mu)

영명: Small paper mulberry

Broussonetia sieboldii Blume, Mus. Bot. 2: 86 1856
Broussonetia monoica Hance, J. Bot. 20: 294 1882
Broussonetia × kazinoki Siebold ex Siebold & Zucc. var. *australis* Suzuki, Trans. Nat. Hist. Soc. Taiwan 1: 433 1934
Broussonetia × kazinoki Siebold ex Siebold & Zucc. var. *humilis* Uyeki, Woody Pl. Distr. Chosen 27 1940
Broussonetia × kazinoki Siebold ex Siebold & Zucc. f. *humilis* (Uyeki) M.Kim, Korean Endemic Pl. 298 2004

Broussonetia × kazinoki Siebold ex Siebold & Zucc. f. *kazinoki*

Broussonetia × kazinoki Siebold ex Siebold & Zucc. f. *koreana* M.Kim, Korean J. Pl. Taxon. 39: 84 2009

국명: 가거애기닥나무(Ga-geo-ae-gi-dak-na-mu)

Broussonetia papyrifera (L.) L'Hér. ex Vent., Tabl. Regn. Veg. 3: 547 1799

국명: 꾸지나무(Kku-ji-na-mu), 닥나무 / (북한명) 꾸지나무

영명: Paper mulberry

Morus papyrifera L., Sp. Pl. 2: 986 1753
Streblus cordatus Lour., Fl. Cochinch. 615 1790
Papyrius japonica Lam., Encycl. (Lamarck) 5: 3 1804
Broussonetia papyrifera (L.) L'Hér. ex Vent. var. *normalis* Ser., Descr. Mriers 236; Atl. 14, t. 26 1855

■ MORACEAE 뽕나무과

Broussonetia cordata Blume, Mus. Bot. 2: 87 1856

Broussonetia papyrifera (L.) L'Hér. ex Vent. var. *japonica* Blume, Mus. Bot. 2: 86 1856

Broussonetia papyrifera (L.) L'Hér. ex Vent. f. *oppositifolia* Nakai, Fl. Sylv. Kor. 19: 109 1932

Broussonetia papyrifera (L.) L'Hér. ex Vent. var. *lucida* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 19, 54 1934

Broussonetia* × *hanjiana M.Kim, Korean J. Pl. Taxon. 39: 82 2009 ⓘ

국명: **닥나무**(Dak-na-mu)

Cudrania Trécul 꾸지뽕나무속

Cudrania tricuspidata (Carrière) Bureau ex Lavallée, Arb. Segrez. 243 1876

국명: **꾸지뽕나무**(Kku-ji-ppong-na-mu), 구지뽕나무, 굿가시나무, 활뽕나무 / (북한명) 꾸지뽕나무

영명: **Silkworm thorn**

Maclura tricuspidata Carrière, Rev. Hort. 1864: 390 1864

Cudrania triloba Hance, J. Bot. 6: 49 1868

Morus integrifolia H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 17: 111 1907

Vanieria tricuspidata (Carrière) Hu, J. Arnold Arbor. 5: 228 1924

Fatoua Gaudich. 뽕모시풀속

Fatoua villosa (Thunb.) Nakai, Bot. Mag. (Tokyo) 41: 516 1927

국명: **뽕모시풀**(Ppong-mo-si-pul), 뽕잎풀 / (북한명) 뽕잎풀

영명: **Hairy crabweed**

Urtica villosa Thunb., Fl. Jap. (Thunberg) 70 1784

Urtica japonica Thunb., Fl. Jap. (Thunberg) 70 1784

Fatoua aspera Gaudich., Voy. Uranie, Bot. 510 1826

Fatoua pilosa Gaudich., Voy. Uranie, Bot. 509 1826

Fatoua cordata Gaudich., Voy. Uranie, Bot. 510 1830

Fatoua lanceolata Decne., Nouv. Ann. Mus. Hist. Nat. 3: 492 1834

Fatoua japonica (Thunb.) Blume, Mus. Bot. 2: Pl. 38 1856

Boehmeriopsis pallida Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 441 1901

Ficus Tourn. ex L. 무화과나무속

Ficus erecta Thunb., Ficus 5 1786

국명: **천선과나무**(Cheon-seon-gwa-na-mu), 긴꼭지천선과, 꼭지천선과, 천선과 / (북한명) 천선과나무

영명: **Erect fig**

Ficus japonica Blume, Bijdr. Fl. Ned. Ind. 9: 440 1825

Ficus beecheyana Hook. & Arn., Bot. Beechey Voy. 271 1838

Ficus pseudopiriformis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 1908

Ficus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 1908

Ficus erecta* Thunb. f. *erecta

Ficus erecta* Thunb. f. *sieboldii (Miq.) Corner, Gard. Bull. Straits Settlem. 17: 427 1859

국명: **좁은잎천선과**(Jop-eun-ip-cheon-seon-gwa), 가는잎젓꼭지나무, 가는잎천선과, 좁은잎천선과나무,
젓꼭지나무, 젓꼭지나무 / (북한명) 가는잎천선과

영명: **Narrow-leaf erect fig**

Ficus sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 199 1866

Ficus erecta Thunb. var. *sieboldii* (Miq.) King, Ann. Roy. Bot. Gard. (Calcutta) 1: 142 1888

***Ficus oxyphylla* Miq. ex Zoll., Syst. Verz. (Zollinger) 93 1855**

국명: **모람**(Mo-ram) / (북한명) 모람

영명: **Oriental vining fig**

Ficus nipponica Franch. & Sav., Enum. Pl. Jap. 1: 436 1875

Ficus foveolata var. *nipponica* (Franch. & Sav.) King, Ann. Roy. Bot. Gard. (Calcutta) 1: 134 1888

Ficus sarmentosa Buch.-Ham. ex Sm. var. *nipponica* (Franch. & Sav.) Corner, Gard. Bull. Singapore 18: 7 1960

Ficus sarmentosa Buch.-Ham. ex Sm. subsp. *nipponica* (Franch. & Sav.) Ohashi, Fl. E. Himalaya 54 1966

***Ficus pumila* L., Sp. Pl. 2: 1060 1753**

국명: **왕모람**(Wang-mo-ram)

영명: **Climbing fig**

Ficus stipulata Thunb., Ficus 8 1786

Ficus scandens Lam., Encycl. (Lamarck) 2: 498 1788

Ficus vestita Desf., Tabl. Ecole Bot. (ed. 3) 346 1829

Tenorea heterophylla Gasp., Nov. Gen. Fic. 7 1844

***Ficus thunbergii* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 552 1881**

국명: **애기모람**(Ae-gi-mo-ram)

Ficus foveolata (Wall. ex Miq.) Miq. var. *thunbergii* (Maxim.) King, Ann. Roy. Bot. Gard. (Calcutta) 1: 134 1888

Ficus fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 281 1908

Ficus hederifolia H.Lév., Repert. Spec. Nov. Regni Veg. 9: 323 1911

Ficus sarmentosa Buch.-Ham. ex Sm. var. *thunbergii* (Maxim.) Corner, Gard. Bull. Singapore 18: 7 1960

***Morus* L. 뽕나무속**

***Morus australis* Poir., Encycl. (Lamarck) 4: 380 1797**

국명: **산뽕나무**(San-ppong-na-mu), 뽕나무, 가새뽕나무 / (북한명) 산뽕나무

영명: **Korean mulberry**

Morus bombycina Koidz., Bot. Mag. (Tokyo) 29: 313 1915

Morus kagayamae Koidz., Icon. Pl. Koishikav 3: 11 1915

Morus caudatifolia Koidz., Icon. Pl. Koishikav 3: 79 1916

Morus bombycina Koidz. var. *caudatifolia* (Koidz.) Koidz., Kuwazoku Shokubutsu 1: 33 1919

■ MORACEAE 뽕나무과

Morus bombycina Koidz. f. *dissecta* Nakai, Fl. Sylv. Kor. 19: 101 1932

Morus australis Poir. var. *maritima* (Koidz.) Kitam., Acta Phytotax. Geobot. 31: 51 1980

Morus cathayana Hemsl., J. Linn. Soc., Bot. 26: 456 1894

국명: 돌뽕나무(Dol-ppong-na-mu), 들뽕나무, 참털뽕나무, 털뽕나무, 털참뽕나무 / (북한명) 털뽕나무, 돌뽕나무

영명: Chinese mulberry

Morus rubra L. var. *japonica* Makino, Bot. Mag. (Tokyo) 19: 134 1905

Morus tiliifolia Makino, Bot. Mag. (Tokyo) 23: 88 1909

Morus cathayana Hemsl. var. *japonica* (Makino) Koidz., Bot. Mag. (Tokyo) 31: 39 1917

Morus mongolica (Bureau) C.K.Schneid., Pl. Wilson. 3: 296 1916

국명: 몽고뽕나무(Mong-go-ppong-na-mu), 왕뽕나무, 큰몽고뽕나무 / (북한명) 몽골뽕나무

영명: Mongolian mulberry

Morus alba L. var. *mongolica* Bureau, Prodr. (DC.) 17: 241 1873

Morus mongolica (Bureau) C.K.Schneid. var. *diabolica* Koidz., Bot. Mag. (Tokyo) 31: 36 1917

CANNABACEAE 삼과

Humulus L. 환삼덩굴속

Humulus scandens (Lour.) Merr., Trans. Amer. Philos. Soc. 24: 138 1935

국명: 환삼덩굴(Hwan-sam-deong-gul), 범상덩굴, 언경퀴, 좀환삼덩굴, 한삼덩굴

영명: Wild hop

Antidesma sandens Lour., Fl. Cochinch. 2: 617 1790

Humulus japonicus Siebold & Zucc., Fl. Jap. (Siebold) 2: 89 1846

Humulus japonicus Siebold & Zucc. var. *minor* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 38 1914

Humulus scandens (Lour.) Merr. var. *variegatus* (Siebold & Zucc.) Moldenke, Phytologia 1: 169 1935

URTICACEAE 쌈기풀과

Achudemia Blume 산물통이속

Achudemia japonica Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 627 1876

국명: 산물통이(San-mul-tong-i), 산물통이, 산비름 / (북한명) 산물통이

영명: Montane clearweed

Nanocnide closii H.Lév. & Vaniot, Bull. Soc. Bot. France 41: 144 1904

Pilea japonica (Maxim.) Hand.-Mazz., Symb. Sin. 7: 141 1929

Achudemia insignis Migo, J. Shanghai Sci. Inst. sect. 3, 3: 91 1935

Boehmeria Jacq. 모시풀속

***Boehmeria japonica* (L.f.) Miq.**, Ann. Mus. Bot. Lugduno-Batavi 3: 131 1867

국명: 왜모시풀(Wae-mo-si-pul), 개모시풀, 모시풀 / (북한명) 왜모시풀

영명: Large-leaf falsenettle

Urtica japonica L. f., Suppl. Pl. 481 1781

Urtica macrophylla Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 850 1784

Boehmeria longispica Steud., Flora 33: 260 1850

Boehmeria grandifolia (Thunb.) Wedd., Ann. Sci. Nat., Bot. ser. 4, 1: 199 1854

Boehmeria longispica Steud. var. *appendiculata* Blume, Mus. Bot. 2: 221 1857

Duretia longispica (Steud.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

***Boehmeria nivea* (L.) Gaudich.**, Voy. Uranie, Bot. 499 1830

국명: 모시풀(Mo-si-pul), 남모시 / (북한명) 모시풀

영명: Ramie

Urtica nivea L., Sp. Pl. 2: 985 1753

Boehmeria nivea* (L.) Gaudich. var. *nivea

***Boehmeria nivea* (L.) Gaudich. var. *nippononivea* (Koidz.) W.T.Wang**, Acta Bot. Yunnan. 3: 320 1981

국명: 섬모시풀(Seom-mo-si-pul)

영명: Island ramie

Boehmeria nippononivea Koidz., Acta Phytotax. Geobot. 10: 223 1941

Boehmeria nivea (L.) Gaudich. subsp. *nippononivea* (Koidz.) Kitam., Acta Phytotax. Geobot. 20: 208 1962

***Boehmeria pannosa* Nakai & Satake ex Oka**, Tennen Kinenbutsu Chosahokoku 16: 4 1936

국명: 왕모시풀(Wang-mo-si-pul), 섬모시풀 / (북한명) 섬모시풀

영명: Seashore falsenettle

Duretia pannosa (Nakai & Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

***Boehmeria platanifolia* (Franch. & Sav.) C.H.Wright**, J. Linn. Soc., Bot. 26: 486 1899

국명: 개모시풀(Gae-mo-si-pul)

영명: Sycamore-leaf falsenettle

Boehmeria japonica (L.f.) Miq. var. *platanifolia* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 643 1876

Boehmeria longispica Steud. var. *platanifolia* Franch. & Sav., Enum. Pl. Jap. 2: 497 1878

Boehmeria platanifolia (Franch. & Sav.) C.H.Wright var. *sylvestrii* Pamp., Nuovo Giorn. Bot. Ital. n.s., 22: 278 1915

Boehmeria maximowiczii Nakai & Satake, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4: 522 1936

Duretia platanifolia (Franch. & Sav.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

■ URTICACEAE 쌈기풀과

Boehmeria quelpaertensis Satake, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4: 514 1936

국명: 제주모시풀(Je-ju-mo-si-pul), 섬신진 / (북한명) 섬신진, 섬개모시풀

영명: Jeju false-nettle

Boehmeria grandissima Nakai var. *serrulata* Satake, J. Jap. Bot. 14: 21 1938

Duretia quelpaertensis (Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Boehmeria sieboldiana Blume, Mus. Bot. 2: 220 1857

국명: 긴잎모시풀(Gin-ip-mo-si-pul), 시볼드모시풀, 큰섬거북꼬리, 털긴잎모시풀, 제주긴잎모시풀, 섬모시풀, 제주신진 / (북한명) 긴잎모시풀, 제주긴잎모시풀

영명: Siebold's false-nettle

Boehmeria platyphylla D.Don var. *sieboldiana* (Blume) Wedd., Prodr. (DC.) 16: 213 1869

Boehmeria sieboldiana Blume var. *scabra* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 39 1914

Boehmeria pseudosieboldiana Honda, Bot. Mag. (Tokyo) 45: 469 1931

Boehmeria nakaiana Satake, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4: 491 1936

Boehmeria hirtella Satake, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4: 493 1936

Duretia hirtella (Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Duretia nakaiana (Satake) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Duretia sieboldiana (Blume) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Boehmeria sieboldiana Blume f. *hirtella* (Satake) M.Kim, Korean Endemic Pl. 521 2017

Boehmeria sieboldiana Blume f. *nakaiana* (Satake) M.Kim, Korean Endemic Pl. 521 2017

Boehmeria spicata (Thunb.) Thunb., Trans. Linn. Soc. London 2: 330 1794

국명: 좀깨잎나무(Jom-kkae-ip-na-mu), 새끼거북꼬리, 신진, 점거북꼬리 / (북한명) 새끼거북꼬리, 좀깨잎나무

영명: Spicate false-nettle

Urtica spicata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 850 1784

Boehmeria spicata (Thunb.) Thunb. var. *microphylla* Nakai & Satake, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4: 483 1936

Duretia spicata (Thunb.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Boehmeria taquetii Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 1914 ⑧

국명: 섬거북꼬리(Seom-geo-buk-kko-ri), 섬거북꼬리 / (북한명) 섬거북꼬리

영명: Hallasan false-nettle

Duretia taquetii (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Boehmeria sieboldiana Blume f. *taquetii* (Nakai) M.Kim, Korean Endemic Pl. 521 2017

Boehmeria tricuspis (Hance) Makino, Bot. Mag. (Tokyo) 25: 387 1912

국명: 거북꼬리(Geo-buk-kko-ri), 거복꼬리, 큰거북꼬리 / (북한명) 거북꼬리

영명: Tricuspidate false-nettle

Boehmeria platyphylla D.Don var. *tricuspis* Hance, J. Bot. 11: 261 1874

Boehmeria japonica (L.f.) Miq. var. *tricuspis* (Hance) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 252 1877

Boehmeria longispica Steud. var. *tricuspis* (Hance) Franch. & Sav., Enum. Pl. Jap. 2: 497 1878

Boehmeria platanifolia (Franch. & Sav.) C.H.Wright var. *tricuspis* (Hance) Matsum., Index Pl. Jap. 2: 42 1912

Duretia tricuspis (Hance) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 42 1952

Boehmeria tricuspis* (Hance) Makino var. *tricuspis

Boehmeria tricuspis* (Hance) Makino var. *unicuspis Makino ex Ohwi, Fl. Jap. (Ohwi) 441 1956

국명: 풀거북꼬리(Pul-geo-buk-kko-ri), 풀모시, 훌거북꼬리 / (북한명) 풀모시풀

영명: Non-cuspidate falsenettle

***Elatostema* J.R.Forst. & G.Forst. 명울풀속**

Elatostema cuneatum Wight, Icon. Pl. Ind. Orient. (Wight) 6: t. 2094, f. 3 1853

국명: 몽울풀(Mong-ul-pul), 명울물통이, 명울풀, 복천물통이, 복천물통이 / (북한명) 몽울풀

영명: Dense-flower elatostema

Elatostema webbianum Wedd., Ann. Sci. Nat., Bot. ser. 4, 1: 190 1854

Elatostema approximatum Wedd., Prodr. (DC.) 16: 190 1869

Elatostema densiflorum Franch. & Sav., Enum. Pl. Jap. 1: 439 1873

Elatostema nipponicum Makino, J. Jap. Bot. 2: 19 1921

Elatostema laetevirens Makino, J. Jap. Bot. 2: 18 1921

국명: 푸른몽울풀(Pu-reun-mong-ul-pul)

***Elatostema umbellata* (Siebold & Zucc.) Blume, Mus. Bot. 2: t. 19 1856**

국명: 우산물통이(U-san-mul-tong-i), 긴명울풀, 자주몽울풀 / (북한명) 자루몽울풀

영명: Umbrella elatostema

Procris umbellata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 217 1846

Elatostema japonicum Wedd., Ann. Sci. Nat., Bot. ser. 4, 1: 189 1854

Pellionia umbellata (Blume) Wedd., Prodr. (DC.) 16: 167 1869

Elatostema taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 183 1913

***Laportea* Gaudich. 흑쐐기풀속**

***Laportea bulbifera* (Siebold & Zucc.) Wedd., Arch. Mus. Hist. Nat. 9: 139 1857**

국명: 흑쐐기풀(Hok-sswae-gi-pul), 알쐐기풀 / (북한명) 흑쐐기풀

영명: Bulbiferous woodnettle

Urtica bulbifera Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 214 1846

Laportea terminalis Wight, Icon. Pl. Ind. Orient. (Wight) 6: 9 1853

Laportea oleracea Wedd., Arch. Mus. Hist. Nat. 141 1856

Fleurya bulbifera (Siebold & Zucc.) Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 132 1867

Laportea sinensis C.H.Wright, J. Linn. Soc., Bot. 26: 474 1899

Boehmeria bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 11: 550 1913

Laportea bulbifera (Siebold & Zucc.) Wedd. var. *sinensis* S.S.Chien, Bull. Chin. Bot. Soc. 1: 1 1935

■ URTICACEAE 쌈기풀과

Laportea cuspidata (Wedd.) Friis, Kew Bull. 36: 156 1981

국명: 큰쐐기풀(Keun-sswae-gi-pul) / (북한명) 큰쐐기풀

영명: *Cuspidate girardinia*

Girardinia cuspidata Wedd., Prodr. (DC.) 16: 103 1869

Sceptrocnide macrostachya Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 626 1876

Laportea grossedentata C.H.Wright, J. Linn. Soc., Bot. 26: 474 1899

Laportea macrostachya (Maxim.) Ohwi, J. Jap. Bot. 12: 331 1936

Nanocnide Blume 나도물통이속

Nanocnide japonica Blume, Mus. Bot. 2: 155, Pl. 17 1856

국명: 나도물통이(Na-do-mul-tong-i), 애기물통이, 화점초 / (북한명) 화점초

영명: *Serrate nanocnide*

Nanocnide dichotoma S.S.Chien, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 142 1934

Oreocnide Miq. 바위모시속

Oreocnide frutescens (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 131 1867 Ⓛ

국명: 바위모시(Ba-wi-mo-si), 비양나무

영명: *Shrubby oreocnide*

Urtica frutescens Thunb., Fl. Jap. 70 1784

Boehmeria fruticosa Gaudich., Voy. Uranie 500 1826

Villebrunea fruticosa (Gaudich.) Nakai, Bot. Mag. (Tokyo) 41: 514 1927

Oreocnide fruticosa (Gaudich.) Hand.-Mazz., Symb. Sin. 7: 154 1929

Parietaria L. 개물통이속

Parietaria debilis G.Forst., Fl. Ins. Austr. 73 1786

국명: 개물통이(Gae-mul-tong-i), 웅달물통이, 웅달화점초, 애기물통이, 좀물통이

영명: *Small-flower pellitory*

Parietaria micrantha Ledeb., Icon. Pl. (Ledebour) 1: 7 1829

Parietaria debilis G.Forst. var. *micrantha* (Ledeb.) Wedd., Prodr. (DC.) 16: 235 1869

Parietaria lusitanica L. subsp. *chersonensis* (Láng) Chrtk var. *micrantha* (Ledeb.) Chrtk, Folia Geobot. Phytotax. 8: 426 1973

Parietaria micrantha Ledeb. var. *micrantha*

Parietaria micrantha Ledeb. var. *coreana* (Nakai) H.Hara, J. Jap. Bot. 35: 211 1960

국명: 칠보개물통이(Chil-bo-gae-mul-tong-i), 덩굴좀물통이, 덩굴화점초웅달

영명: *Korean small-flower pellitory*

Parietaria coreana Nakai, Bot. Mag. (Tokyo) 33: 46 1919

Pellionia Gaudich. 펠리온나무속

Pellionia scabra Benth., Fl. Hongk. 330 1861

국명: 펠리온나무(Pel-ri-on-na-mu), 산초풀, 제주물풀뎅이 / (북한명) 산초풀

영명: **Rough pellionia**

Elatostema scabrum (Benth.) Hallier f., Ann. Jard. Bot. Buitenzorg 13: 316 1896

Polychroa scabra (Benth.) Hu, J. Arnold Arbor. 5: 228 1924

Pellionia scabra Benth. subvar. *pedunculata* Yamam., Icon. Pl. Formosan. Suppl. 1: 17 1925

Elatostema pellioniifolium W.T.Wang, Bull. Bot. Res., Harbin 2: 12 1982

Pilea Lindl. 물통이속

Pilea oligantha Nakai, Bot. Mag. (Tokyo) 35: 140 1921 ⓘ

국명: 강계큰물통이(Gang-gye-keun-mul-tong-i), 적은꽃물통이 / (북한명) 적은꽃물통이

영명: **Ganggye clearweed**

Pilea peploides (Gaudich.) Hook. & Arn., Bot. Beechey Voy. 96 1831

국명: 물통이(Mul-tong-i), 물통이, 물풀뎅이 / (북한명) 물통이

영명: **Pacific island clearweed**

Dubrueilia peploides Gaudich., Voy. Uranie, Bot. 495 1830

Urtica peploides (Gaudich.) Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 735 1841

Pilea peploides (Gaudich.) Hook. & Arn. var. *major* Wedd., Prodr. (DC.) 16: 109 1869

Adicea peploides (Gaudich.) Kuntze, Revis. Gen. Pl. 2: 623 1891

Pilea pumila (L.) A.Gray, Manual 437 1848

국명: 모시물통이(Mo-si-mul-tong-i)

영명: **Mongolian clearweed**

Pilea mongolica Wedd., Prodr. (DC.) 16: 135 1869

Pilea viridissima Makino, Bot. Mag. (Tokyo) 23: 87 1909

Pilea pumila (L.) A.Gray var. *pumila*

Pilea pumila (L.) A.Gray var. *hamaoi* (Makino) C.J.Chen, Bull. Bot. Res., Harbin 2: 103 1982

국명: 큰물통이(Keun-mul-tong-i), 좀물통이, 좀물풀뎅이, 참물통이, 큰물통이

영명: **Large clearweed**

Pilea hamaoi Makino, Bot. Mag. (Tokyo) 10: 364 1896

Pilea taquetii Nakai, Bot. Mag. (Tokyo) 35: 141 1921 ⓘ

국명: 제주큰물통이(Je-ju-keun-mul-tong-i), 섬물통이, 타꿰물풀뎅이, 한라물통이 / (북한명) 한라물통이

영명: **Jeju clearweed**

■ URTICACEAE 쌈기풀과

Urtica L. 쌈기풀속

Urtica angustifolia Fisch. ex Hornem., Suppl. Hort. Bot. Hafn. 107 1819

국명: 가는잎쐐기풀(Ga-neun-ip-sswae-gi-pul), 가는쐐기풀, 꼬리쐐기풀 / (북한명) 가는잎쐐기풀

영명: Narrow-leaf nettle

Urtica dioica L. var. *angustifolia* (Fisch. ex Hornem.) Ledeb., Fl. Altaic. 4: 241 1833

Urtica foliosa Blume, Mus. Bot. 2: 142 1856

Urtica angustifolia Fisch. ex Hornem. var. *angustifolia*

Urtica angustifolia Fisch. ex Hornem. var. *sikokiana* (Makino) Ohwi, Fl. Jap. (Ohwi) 435 1953

국명: 긴꼬리쐐기풀(Gin-kko-ri-sswae-gi-pul), 긴쐐기풀

영명: Long narrow-leaf nettle

Urtica dioica L. var. *sikokiana* Makino, Bot. Mag. (Tokyo) 23: 84 1909

Urtica sikokiana (Makino) Makino, Bot. Mag. (Tokyo) 24: 55 1910

Urtica laetevirens Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 236 1877

국명: 애기쐐기풀(Ae-gi-sswae-gi-pul), 쐈기풀, 아기쐐기풀, 작은잎쐐기풀 / (북한명) 쐈기풀

영명: Small-leaf nettle

Urtica dentata Hand.-Mazz., Symb. Sin. 7: 112 1929

Urtica pachyrrhachis Hand.-Mazz., Symb. Sin. 7: 113 1929

Urtica silvatica Hand.-Mazz., Symb. Sin. 7: 113 1929

Urtica laetevirens Maxim. var. *laetevirens*

Urtica laetevirens Maxim. var. *robusta* F.Maek., Fl. Sylv. Kor. 21: 123 1936 ⓘ

국명: 섬쐐기풀(Seom-sswae-gi-pul) / (북한명) 섬쐐기풀

영명: Island small-leaf nettle

Urtica thunbergiana Siebold & Zucc., Abh. Bayer. Akad. Wiss., Math.-Naturwiss. Kl. 4: 214 1846

국명: 쐈기풀(Sswae-gi-pul) / (북한명) 쐈기풀

영명: East Asian nettle

Urtica macrorrhiza Hand.-Mazz., Symb. Sin. 7: 115 1929

LORANTHACEAE 꼬리겨우살이과

Loranthus Jacq. 꼬리겨우살이속

Loranthus tanakae Franch. & Sav., Enum. Pl. Jap. 2: 482 1876 ⓘ

국명: **꼬리겨우살이**(Kko-ri-gyeo-u-sal-i), 꼬리겨우사리 / (북한명) 꼬리겨우살이

영명: **Spike mulberry mistletoe**

Hyphear tanakae (Franch. & Sav.) Hosok., J. Jap. Bot. 12: 418 1936

***Taxillus* Tiegh. 참나무겨우살이속**

Taxillus yadoriki (Siebold) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 11: 445 1931 Ⓢ

국명: **참나무겨우살이**(Kko-ri-gyeo-u-sal-i), 참나무겨우사리 / (북한명) 참나무겨우살이

영명: **Silverberry-like taxillus**

Loranthus yadoriki Siebold, Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 229 1877

Cichlanthus yadoriki (Siebold) Tiegh., Bull. Soc. Bot. France 42: 253 1895

Scurrula yadoriki (Siebold) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 10: 354 1929

VISCACEAE 겨우살이과

***Korthalsella* Tiegh. 동백나무겨우살이속**

Korthalsella japonica (Thunb.) Engl., Nat. Pflanzenfam. Nachtr. 1: 138 1897

국명: **동백나무겨우살이**(Dong-baek-na-mu-gyeo-u-sal-i), 동백겨우사리, 동백나무겨우사리 /
(북한명) 동백나무겨우살이

영명: **Oriental korthal mistletoe**

Viscum japonicum Thunb., Trans. Linn. Soc. London 2: 329 1794

Viscum moniliforme Wight & Arn., Prodr. Fl. Ind. Orient. 1: 380 1834

Bifaria fasciculata Tiegh., Bull. Soc. Bot. France 43: 174 1896

Bifaria japonica (Thunb.) Tiegh., Bull. Soc. Bot. France 43: 173 1896

Pseudixus japonicus (Thunb.) Hayata, Icon. Pl. Formosan. 5: 188 1915

Korthalsella moniliformis (Wight & Arn.) Lecomte, Bull. Mus. Natl. Hist. Nat. 22: 265 1916

Korthalsella fasciculata (Tiegh.) Lecomte, Bull. Mus. Natl. Hist. Nat. 22: 266 1916

***Viscum* L. 겨우살이속**

Viscum album* L. var. *album

Viscum album L. var. *lutescens* Makino, Bot. Mag. (Tokyo) 25: 17 1911

국명: **겨우살이**(Gyeo-u-sal-i), 겨우사리 / (북한명) 겨우살이

영명: **Korean mistletoe**

Viscum album L. subsp. *coloratum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 107 1904

Viscum coloratum (Kom.) Nakai ex Mori, Enum. Pl. Corea 128 1922

Viscum coloratum (Kom.) Nakai var. *lutescens* (Makino) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26: 492 1934

Viscum coloratum (Kom.) Nakai f. *lutescens* (Makino) Kitag., Lin. Fl. Manshur. 173 1939

■ POLYGONACEAE 마디풀과

Viscum album L. var. *coloratum* (Kom.) Ohwi, Fl. Jap. (Ohwi) 449 1953

Viscum album L. subsp. *coloratum* Kom. f. *lutescens* (Makino) Kitag., Neolin. Fl. Manshur. 226 1979

* *Viscum coloratum* (Kom.) Nakai, Rep. Veg. Ooryongto 17 1919

Viscum album L. f. *album*

Viscum album L. f. *rubroauranticum* (Makino) Kitag., Neolin. Fl. Manshur. 226 1979

국명: 붉은겨우살이(Bul-geun-gyeo-u-sal-i)

Viscum album L. var. *rubroaurantiacum* Makino, Bot. Mag. (Tokyo) 18: 67 1904

Viscum coloratum (Kom.) Nakai var. *rubroaurantiacum* (Makino) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26: 492 1934

Viscum coloratum (Kom.) Nakai f. *rubroaurantiacum* (Makino) Kitag., Lin. Fl. Manshur. 173 1939

Viscum album L. var. *coloratum* (Kom.) Ohwi f. *rubroaurantiacum* (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 1953

POLYGONACEAE 마디풀과

Aconogonon (Meisn.) Rchb. 싱아속

Aconogonon ajanense (Regel & Tiling) H.Hara, Fl. E. Himalaya 631 1966

국명: 긴개싱아(Gin-gae-sing-a)

영명: Long-leaf knotweed

Polygonum polymorphum Ledeb. var. *ajanense* Regel & Tiling, Fl. Ajan. 116 1858

Pleuropteropyrum ajanense (Regel & Tiling) Nakai, Rep. Veg. Daisetsu Mts. 46 1930

Polygonum ajanense (Regel & Tiling) Grig., Fl. URSS 5: 666, Pl. 46, f. 2 1936

Aconogonon alpinum (All.) Schur, Sert. Fl. Transsilv. 64 1853

국명: 싱아(Sing-a), 승애 / (북한명) 싱아, 넓은잎싱아, 승아

영명: Alpine knotweed

Polygonum alpinum All., Auct. Syn. Meth. Stirp. Hort. Regii Taur. 42 1773

Polygonum undulatum Murray, Novi Comment. Soc. Regiae Sci. Gott. 5: 34 1774

Polygonum diffusum Pall. ex Spreng., Syst. Veg. (ed.16) [Sprengel] 2: 255 1825

Gonococcus undulatus Raf., Fl. Tellur. 3: 16 1837

Polygonum polymorphum Ledeb., Fl. Ross. (Ledeb.) 3: 524 1850

Polygonum weyrichii F.Schmidt var. *alpinum* (All.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 402 1875

Persicaria alpina (All.) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 31 1913

Persicaria undulata (Raf.) H.Gross, Beih. Bot. Centralbl. 37: 114 1919

Pleuropteropyrum jeholense Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 12 1936

Aconogonon brachytricum (Ohwi) Soják, Preslia 46: 151 1974 **E**

국명: 털싱아(Teol-sing-a), 털개승애, 털바위여뀌 / (북한명) 털바위싱아, 털바위여뀌, 고싱아대, 털개싱아

영명: Hairy knotweed

Polygonum brachytrichum Ohwi, Acta Phytotax. Geobot. 7: 129 1935

***Aconogonon divaricatum* (L.) Nakai ex T.Mori, Enum. Pl. Corea 129 1922**

국명: **왜개싱아**(Wae-gae-sing-a), 민산승애, 왕싱아, 왜개승애, 큰바위승애 / (북한명) 왕싱아, 왕개승아, 큰산바위승애, 왜개승애

영명: **Spreading knotweed**

Polygonum divaricatum L., Sp. Pl. 1: 363 1753

Persicaria divaricata (L.) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 29 1913

Pleuropteropyrum divaricatum (L.) Nakai, Rigakkai 24: 8 1926

***Aconogonon limosum* (Kom.) H.Hara, Fl. E. Himalaya 632 1966**

국명: **산바위싱아**(San-ba-wi-sing-a), 산바위승아, 산바위승애 / (북한명) 산바위싱아, 산바위승아

영명: **Mountain knotweed**

Polygonum divaricatum L. var. *limosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 135 1904

Polygonum limosum (Kom.) Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 165 1916

Pleuropteropyrum limosum (Kom.) Kitag., Lin. Fl. Manshur. 182 1939

***Aconogonon microcarpum* (Kitag.) H.Hara, Fl. E. Himalaya 632 1966 ④**

국명: **참개싱아**(Cham-gae-sing-a), 개승애, 알산승애, 좀산승애, 참싱아 / (북한명) 참싱아, 참개승아, 좀개승아

영명: **Small-fruit knotweed**

Pleuropteropyrum microcarpum Kitag., Bot. Mag. (Tokyo) 50: 73 1936

***Aconogonon mollifolium* (Kitag.) H.Hara, Fl. E. Himalaya 632 1966 ④**

국명: **얇은개싱아**(Yal-beun-gae-sing-a), 얇은잎싱아, 얇은개승애, 텸산승애 / (북한명) 얇은잎개싱아, 연한잎개싱아

영명: **Thin-leaf knotweed**

Pleuropteropyrum mollifolium Kitag., Bot. Mag. (Tokyo) 50: 75 1936

***Bistorta* (L.) Scop. 범꼬리속**

***Bistorta alopecuroides* (Turcz. ex Besser) Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 3 1926**

국명: **가는범꼬리**(Ga-neun-beom-kko-ri), 가는범의꼬리, 긴잎범의꼬리, 둑새범꼬리풀 / (북한명) 둑새풀범꼬리

영명: **Slender bistort**

Polygonum alopecuroides Turcz. ex Besser, Flora 17(1, Beibl.): 23 1834

Polygonum bistorta L. var. *longifolium* Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolianus)] 40 1838

Polygonum bistorta L. var. *graminifolium* Turcz., Fl. Baical.-dahur. 2: 59 1856

Bistorta vulgaris Hill var. *angustifolia* H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 17 1913

***Bistorta globispica* Nakai, J. Jap. Bot. 14: 736 1938 ④**

국명: **둥근범꼬리**(Dung-geun-beom-kko-ri), 갈미범의꼬리, 구름범꼬리풀

영명: **Globose-spike bistort**

Polygonum globispica (Nakai) C.W.Park, Gen. Vasc. Pl. Korea 347 2007

***Bistorta incana* (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 130 1922**

■ POLYGONACEAE 마디풀과

국명: 흰범꼬리(Huin-beom-kko-ri), 흰범꼬리풀, 흰범의꼬리 / (북한명) 흰범꼬리

영명: **White bistort**

Polygonum bistorta L. var. *incana* Nakai, Fl. Kor. 2: 168 1911

Bistorta ochotensis (Petrov ex Kom.) Kom., Fl. URSS 5: 687 1936

국명: 호범꼬리(Ho-beom-kko-ri), 북범의꼬리 / (북한명) 되범꼬리

영명: **Hairy bistort**

Polygonum ochotense Petrov ex Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 3 1926

Bistorta officinalis Delarbre, Fl. Auvergne ed. 2, 2: 516 1800

국명: 넓은잎범꼬리(Neol-beun-ip-beom-kko-ri)

Bistorta officinalis Delarbre subsp. ***officinalis***

Bistorta officinalis Delarbre subsp. ***japonica*** (H.Hara) Yonek., Fl. Jap. (Iwatsuki et al., eds.) 2a: 145 2006

국명: 범꼬리(Beom-kko-ri), 만주범의꼬리, 북범꼬리풀 / (북한명) 만주범꼬리

영명: **Asian bistort**

Bistorta major Gray var. *japonica* H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 35 1952

Bistorta pacifica (Petrov ex Kom.) Kom. ex Kitag., Fl. URSS 5: 682 1936

국명: 참범꼬리(Cham-beom-kko-ri), 참범꼬리풀, 참범의꼬리, 털참범꼬리 / (북한명) 참범꼬리

영명: **Common bistort**

Bistorta vulgaris Hill var. *pacifica* (Petrov ex Kom.) Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26: 508 1934

Polygonum pacificum Petrov ex Kom., Fl. URSS 5: 726 1936

Bistorta major Gray var. *pacifica* (Petrov ex Kom.) H.Hara, J. Jap. Bot. 13: 382 1937

Bistorta pacifica (Petrov ex Kom.) Kom. ex Kitag. f. *velutina* Kitag., J. Jap. Bot. 47: 354 1972

Polygonum pacificum Petrov ex Kom. f. *velutinum* (Kitag.) Kitag., Neolin. Fl. Manshur. 229 1979

Bistorta suffulta (Maxim.) Greene ex H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 15 1913

국명: 눈범꼬리(Nun-beom-kko-ri), 제주범꼬리풀 / (북한명) 제주범꼬리

영명: **Ovate-leaf bistort**

Polygonum suffultum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 233 1876

Polygonum constans Cummins, Bull. Misc. Inform. Kew 1896: 20 1896

Polygonum marrettii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 171 1910

Polygonum limprichtii Lingelsh., Repert. Spec. Nov. Regni Veg. Beih. 12: 359 1922

Bistorta constans (Cummins) Petrov, Izv. Glavn. Bot. Sada SSSR 27: 220 1928

Bistorta franchetiana Petrov, Izv. Bot. Sada Akad. Nauk S.S.S.R 27: 224 1928

Bistorta majanthemifolia Petrov, Izv. Bot. Sada Akad. Nauk S.S.S.R 27: 221 1928

Bistorta tenuicaulis (Bisset & S.Moore) Nakai, Rigakkwai 24: 7 1926

국명: 이른범꼬리(I-reun-beom-kko-ri), 봄꼬리풀 / (북한명) 봄범꼬리

영명: **Early-blooming bistort**

Polygonum tenuicaule Bisset & S.Moore, J. Bot. 16: 135 1878

Bistorta tenuicaulis (Bisset & S.Moore) Nakai var. *nanum* (Matsum. & Nakai) Nakai, Rigakkwai 24: 295 1926

***Bistorta vivipara* (L.) Delarbre**, Fl. Auvergne ed. 2, 2: 516 1800

국명: 씨범꼬리(Ssi-beom-kko-ri), 무강범의꼬리, 씨범꼬리풀, 애기씨범꼬리, 털씨범꼬리, 털무강범의꼬리 / (북한명) 씨범꼬리

영명: **Alpine bistort**

Polygonum viviparum L., Sp. Pl. 1: 360 1753

Polygonum bulbiferum Royle ex Bab., Trans. Linn. Soc. London 18: 94 1838

Bistorta bulbifera (Royle) Greene ex Bab., Leafl. Bot. Observ. Crit. 1: 21 1904

Polygonum viviparum L. f. *roessleri* Beck, Icon. Fl. Germ. Helv. 24: 84 1906

Bistorta vivipara (L.) Delarbre var. *roessleri* (Beck) F.Maek., J. Jap. Bot. 11: 672 1935

Bistorta vivipara (L.) Delarbre var. *angustifolia* Nakai, J. Jap. Bot. 14: 740 1938

Bistorta vivipara (L.) Delarbre f. *roessleri* (Beck) Kitag., Lin. Fl. Manshur. 176 1939

Persicaria vivipara (L.) Ronse Decr., Bot. J. Linn. Soc. 98: 368 1988

***Fallopia* Lour. 닭의덩굴속**

***Fallopia ciliinervis* (Nakai)** K.Hammer, Kulturpflanze 34: 99 1986

국명: 나도하수오(Na-do-ha-su-o), 하수오 / (북한명) 나도하수오

영명: **Hairy-vein knotweed**

Pleuropteris ciliinervis Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 1914

Polygonum multiflorum Thunb. var. *ciliinerve* (Nakai) Steward, Contr. Gray Herb. 5: 97 1930

Polygonum ciliinerve (Nakai) Ohwi, Acta Phytotax. Geobot. 6: 146 1937

Reynoutria ciliinervis (Nakai) Moldenke, Bull. Torrey Bot. Club 68: 675 1941

Fallopia multiflora (Thunb.) Haraldson var. *ciliinervis* (Nakai) Yonek. & H.Ohashi, J. Jap. Bot. 72: 158 1997

***Fallopia dentataalata* (F.Schmidt)** Holub, Folia Geobot. Phytotax. 6: 176 1970

국명: **큰닭의덩굴**(Keun-dak-ui-deong-gul), 왕모밀덩굴, 참덩굴메밀 / (북한명) 큰덩굴메밀, 왕메밀덩굴, 큰덩굴여뀌

Polygonum dentataalatum F.Schmidt, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 232 1859

Polygonum scandens L. var. *dentataalatum* (F.Schmidt) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 472 1879

Fagopyrum scandens (L.) Gross var. *dentataalatum* (F.Schmidt) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 23 1913

Tiniaria scandens Small var. *dentataalata* (F.Schmidt) Nakai ex T.Mori, Enum. Pl. Corea 137 1922

Bilderdykia scandens (L.) Greene var. *dentataalata* (F.Schmidt) Nakai, Rigakkwai 24: 295 1926

Bilderdykia dentataalata (F.Schmidt) Kitag., Lin. Fl. Manshur. 3(App. 1): 175 1939

***Fallopia dumetorum* (L.)** Holub, Folia Geobot. Phytotax. 6: 176 1970

국명: **닭의덩굴**(Dak-ui-deong-gul), 개여뀌덩굴, 산덩굴메밀, 산덩굴여귀, 여뀌덩굴, 참덩굴메밀 / (북한명) 산덩굴메밀, 닭의덩굴, 산덩굴여뀌

Polygonum dumetorum L., Sp. Pl. (ed.2) 1: 522 1762

Fagopyrum dumetorum (L.) Schreb., Spic. Fl. Lips. 42 1771

Bilderdykia dumetorum (L.) Dumort., Fl. Belg. (Dumortier) 18 1827

■ POLYGONACEAE 마디풀과

- Helxine dumetorum* (L.) Raf., Fl. Tellur. 3: 10 1837
Tiniaria dumetorum (L.) Opiz, Seznam 98 1852
Polygonum pauciflorum Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 3 1866
Fagopyrum pauciflorum (Maxim.) Gross, Bull. Acad. Int. Géogr. Bot. 23: 25 1913
Tiniaria pauciflora (Maxim.) Nakai ex T.Mori, Enum. Pl. Corea 135 1922
Bilderdykia pauciflora (Maxim.) Nakai, Rigakkwai 24: 295 1926
Polygonum scandens L. var. *dumetorum* (L.) Gleason, Phytologia 4: 23 1952
Reynoutria scandens L. var. *dumetorum* (L.) Shinners, Sida 3: 118 1967
Fallopia pauciflora (Maxim.) Kitag., Neolin. Fl. Manshur. 231 1979

Fallopia forbesii (Hance) Yonek. & H.Ohashi, J. Jap. Bot. 3: 158 1997

국명: **감절대**(Gam-jeol-dae), 호장근

영명: **Forbes' knotweed**

- Polygonum forbesii* Hance, J. Bot. 21: 100 1883
Polygonum yunnanense H.Lév., Repert. Spec. Nov. Regni Veg. 6: 211 1908
Polygonum reynoutria (Houtt.) Makino var. *ellipticum* Koidz., Bot. Mag. (Tokyo) 31: 259 1917
Reynoutria elliptica (Koidz.) Migo ex Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 34 1952
Reynoutria forbesii (Hance) T.Yamaz., J. Jap. Bot. 69: 180 1994

Fallopia japonica (Houtt.) Ronse Decr., Bot. J. Linn. Soc. 98: 369 1988

국명: **호장근**(Ho-jang-geun), 감제풀, 까치수영, 싱아, 호장 / (북한명) 감제풀, 호장, 범승아, 큰범승아

영명: **Asian knotweed**

- Reynoutria japonica* Houtt., Handl. Pl. -Kruidk. 8: 639 1777
Polygonum cuspidatum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 208 1846
Polygonum compactum Hook.f., Bot. Mag. 106: t. 6476 1880
Polygonum zuccarinii Small, Mem. Dept. Bot. Columbia Coll. 1: 158 1895
Polygonum reynoutria (Houtt.) Makino, Bot. Mag. (Tokyo) 15: 84 1901
Polygonum reynoutria (Houtt.) Makino f. *colorans* Makino, Iinuma, Somoku-Dzusetsu ed. 2: 587 1910
Polygonum cuspidatum Siebold & Zucc. f. *compactum* (Hook.f.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 173 1911
Polygonum reynoutria (Houtt.) Makino var. *compactum* (Hook.f.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 173 1911
Pleuropteris zuccarinii (Small) Small, Ill.Fl.N.U.S.(ed.2) 1: 676 1913
Polygonum sieboldii de Vriese var. *compactum* (Hook.f.) L.H.Bailey, Stand. Cycl. Hort. 5: 2743 1916
Pleuropteris cuspidatus (Siebold & Zucc.) Gross, Beih. Bot. Centralbl. 37: 114 1919
Polygonum reynoutria (Houtt.) Makino var. *humilis* Nakai, Rigakkwai 24: 293 1926
Reynoutria compacta (Hook.f.) Nakai, Rigakkwai 24: 293 1926
Reynoutria japonica Houtt. var. *humilis* (Nakai) Nakai, Rigakkwai 24: 293 1926
Reynoutria japonica Houtt. var. *uzenensis* Honda, Bot. Mag. (Tokyo) 46: 675 1932
Reynoutria uzenensis (Honda) Honda, Bot. Mag. (Tokyo) 49: 791 1935
Reynoutria japonica Houtt. var. *compacta* (Hook.f.) Moldenke, Bull. Torrey Bot. Club 68: 675 1941
Tiniaria japonica (Houtt.) Hedberg, Svensk Bot. Tidskr. 11: 399 1946
Polygonum cuspidatum Siebold & Zucc. var. *compactum* (Hook.f.) L.H.Bailey, Man. Cult. Pl. ed. 2.: 348 1949
Fallopia japonica (Houtt.) Ronse Decr. var. *compacta* (Hook.f.) J.P.Bailey, Watsonia 17: 443 1989
Fallopia japonica (Houtt.) Ronse Decr. var. *uzenensis* (Honda) Yonek. & H.Ohashi, J. Jap. Bot. 72: 158 1997

Fallopia koreana B.U.Oh & J.G.Kim, Korean J. Pl. Taxon. 26: 258 1996 ⓘ

국명: 삼도하수오(Sam-do-ha-su-o)

영명: Korean knotweed

Fallopia sachalinensis (F.Schmidt) Ronse Decr., Bot. J. Linn. Soc. 98: 369 1988

국명: 왕호장근(Wang-ho-jang-geun), 왕호장, 큰감제풀 / (북한명) 왕감제풀

영명: Giant knotweed

Polygonum sachalinense F.Schmidt, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 233 1859

Reynoutria sachalinensis (F.Schmidt) Nakai, Enum. Pl. Corea 135 1922

Pleuropterous sachalinensis (F.Schmidt) Moldenke, Bull. Torrey Bot. Club 60: 57 1933

Tiniaria sachalinensis (F.Schmidt) Janch., Phyton (Horn) 2: 75 1950

Knorringia (Czukav.) Tzvelev 시베리아여뀌속

Knorringia sibirica (Laxm.) Tzvelev, Novosti Sist. Vyssh. Rast. 24: 76 1987

국명: 시베리아여뀌(Si-be-ri-a-yeo-kkwi)

영명: Siberian knorringia

Polygonum sibiricum Laxm., Novi Comment. Acad. Sci. Imp. Petrop. 18: 531, t. 7. f. 2 1773

Polygonum arcticum Pall. ex Spreng., Syst. Veg. (ed.16) [Sprengel] 2: 258 1825

Persicaria sibirica (Laxm.) H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 30 1913

Pleuropteropyrum sibiricum (Laxm.) Kitag. Pleuropteropyrum, Bot. Mag. (Tokyo) 48: 94 1934

Oxyria Hill 나도수영속

Oxyria digyna (L.) Hill, Hort. Kew. 158 1768

국명: 나도수영(Na-do-su-yeong), 큰산수영, 큰산승애 / (북한명) 나도싱아, 큰산싱아, 등근잎싱아

영명: Mountain sorrel

Rumex digynus L., Sp. Pl. 1: 337 1753

Lapathum digynum (L.) Lam., Fl. Franc. (Lamarck) 3: 6 1779

Oxyria reniformis Hook., Fl. Scot. 3: 111 1821

Oxyria elatior R.Br. ex Meisn., Pl. Asiat. Rar. 3: 64 1832

Rumex reniformis Radde, Reis. Ostsib. 131 1862

Persicaria Mill. 여뀌속

Persicaria amphibia (L.) Delarbre, Fl. Auvergne ed. 2: 519 1800 ⓘ

국명: 물여뀌(Mul-yeo-kkwi), 개구리낚시 / (북한명) 물여뀌

영명: Water smartweed

Polygonum amphibium L., Sp. Pl. 1: 361 1753

Polygonum pusporium Gilib., Excerc. Phyt. 2: 433 1792

Polygonum amphibium L. var. *terestre* Leers ex Willd., Sp. Pl. (ed.4) 2: 443 1799

Polygonum coccineum Muhl., Enum. Pl. (Willdenow) 1: 428 1809

■ POLYGONACEAE 마디풀과

Polygonum natans (Michx.) Eaton, Manual (Gray) ed. 3: 40 1822

Chulusium fluitans Raf., Fl. Tellur. 3: 14 1837

Polygonum muhlenbergii (Meisn.) S.Watson, Proc. Amer. Acad. Arts 14: 295 1879

Polygonum amphibium L. var. *vestitum* Hemsl., J. Linn. Soc., Bot. 26: 333 1891

Polygonum amphibium L. var. *amurensis* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 382 1893

Polygonum amphibium L. f. *terrestris* (Leers) Kitag., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4: 10 1936

Persicaria amphibia (L.) Delarbre var. *amurensis* (Korsh.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 36 1952

Polygonum amurense (Korsh.) Vorosch., Fl. Sovetsk. Dal'n. Vost. 167 1966

***Persicaria breviochreata* (Makino) Ohki, Bot. Mag. (Tokyo) 40: 53 1926**

국명: 긴화살여뀌(Gin-hwa-sal-yeo-kkwi), 긴잎화살여뀌, 긴화살미꾸라지낚시 / (북한명) 긴화살여뀌

영명: Narrow arrow-head smartweed

Polygonum breviochreatum Makino, Bot. Mag. (Tokyo) 17: 117 1903

Persicaria ramosa Nakai, Bot. Mag. (Tokyo) 44: 518 1930

Truellum breviochreatum (Makino) Soják, Preslia 46: 145 1974

***Persicaria bungeana* (Turcz.) Nakai ex T.Mori, Enum. Pl. Corea 131 1922**

국명: 바늘여뀌(Ba-neul-yeo-kkwi), 가시여뀌 / (북한명) 바늘여뀌

영명: Prickly smartweed

Polygonum bungeanum Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 77 1840

Polygonum chanetii H.Lév., Bull. Soc. Bot. France 54: 370 1907

***Persicaria chinensis* (L.) H.Gross, Bot. Jahrb. Syst. 49: 269 1913 (R)**

국명: 덩굴모밀(Deong-gul-mo-mil), 별마디풀

영명: Creeping smartweed

Polygonum chinensis L., Sp. Pl. 1: 363 1753

Rumex umbellatus Houtt., Handl. Pl. -Kruidk. 8: 414 1777

Polygonum chinense L. var. *thunbergianum* Meisn., Pl. Asiat. Rar. 3: 60 1832

Persicaria umbellata (Houtt.) Nakai, Rigakkwai 24: 298 1926

***Persicaria conspicua* (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 121 1922**

국명: 꽃여뀌(Kkot-yeo-kkwi) / (북한명) 꽃여뀌

영명: Conspicuous smartweed

Polygonum japonicum Meisn. var. *conspicuum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 23: 10 1908

Polygonum conspicuum (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 168 1911

Persicaria sterilis (Nakai) Nakai & Ohki, Bot. Mag. (Tokyo) 40: 51 1926

***Persicaria debilis* (Meisn.) H.Gross ex W.Lee, Lineamenta Florae Koreae 1: 220 1996**

국명: 세뿔여뀌(Se-ppul-yeo-kkwi), 세뿔꽃여뀌, 세뿔산여뀌 / (북한명) 세뿔꽃여뀌, 산꽃여뀌

영명: Weak smartweed

Polygonum debile Meisn., Prodr. (DC.) 14: 129 1856

Polygonum thunbergii Siebold & Zucc. var. *coreana* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 171 1910

Persicaria triangularis (Meisn.) Nakai, Rigakkai 24: 12 1926
Truellum debile (Meisn.) Soják, Preslia 46: 145 1974

***Persicaria dissitiflora* (Hemsl.) H.Gross ex T.Mori, Enum. Pl. Corea 131 1922**

국명: 가시여뀌(Ga-si-yeo-kkwi), 별여뀌 / (북한명) 별여뀌, 가시여뀌, 좁쌀여뀌

영명: **Hastate-leaf smartweed**

Polygonum dissitiflorum Hemsl., J. Linn. Soc., Bot. 26: 338 1891

Polygonum fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 423 1904

Polygonum glanduliferum Nakai, J. Coll. Sci. Imp. Univ. Tokyo 23: 20 1908

Persicaria fauriei (H.Lév. & Vaniot) Nakai ex T.Mori, Enum. Pl. Corea 131 1922

Persicaria dissitiflora (Hemsl.) H.Gross ex T.Mori var. *fauriei* (H.Lév. & Vaniot) Migo, J. Shanghai Sci. Inst. 14: 127 1944

Persicaria erectominor* (Makino) Nakai var. *erectominor

***Persicaria erectominor* (Makino) Nakai var. *koreensis* (Nakai) I.Ito, J. Jap. Bot. 31: 178 1956**

국명: 대동여뀌(Dae-dong-yeo-kkwi), 가는잎개구리낚시돌여뀌

영명: **Dwarf smartweed**

Polygonum koreense Nakai, Bot. Mag. (Tokyo) 33: 6 1919

Persicaria koreensis (Nakai) Nakai, Rigakkai 24: 300 1926

***Persicaria filiformis* (Thunb.) Nakai ex T.Mori, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914**

국명: 이삭여뀌(I-sak-yeo-kkwi) / (북한명) 이삭여뀌

영명: **Loose-spike smartweed**

Polygonum filiforme Thunb., Fl. Jap. (Thunberg) 163 1784

Sunania filiformis (Thunb.) Raf., Fl. Tellur. 3: 95 1837

Polygonum virginianum L. var. *filiforme* (Thunb.) Nakai, Bot. Mag. (Tokyo) 23: 830 1909

Polygonum virginianum L. f. *glabratum* Matsuda, Bot. Mag. (Tokyo) 27: 11 1913

Tovara filiformis (Thunb.) Nakai, Rigakkai 24: 8 1926

Tovara virginiana (L.) Raf. var. *filiformis* (Thunb.) Steward, Contr. Gray Herb. 5: 14 1930

Tovara smaragdina Nakai ex F.Maek., Bot. Mag. (Tokyo) 46: 585 1932

Tovara ryukyuensis Masam., Trans. Nat. Hist. Soc. Taiwan 29: 60 1939

Tovara filiformis (Thunb.) Nakai f. *albiflora* Makino ex Hiyama, J. Jap. Bot. 17: 319 1941

Polygonum filiforme Thunb. var. *smaragdinum* (Nakai) Ohwi ex F.Maek., Bull. Natl. Sci. Mus., Tokyo 33: 70 1953

Tovara filiformis (Thunb.) Nakai f. *trichorachis* Hiyama, J. Jap. Bot. 36: 125 1961

Sunania filiformis (Thunb.) Raf. f. *albiflora* (Makino) H.Hara ex Hiyama, J. Jap. Bot. 37: 329 1962

Sunania filiformis (Thunb.) Raf. f. *smaragdina* (Nakai) H.Hara ex F.Maek., J. Jap. Bot. 37: 329 1962

Sunania filiformis (Thunb.) Raf. f. *trichorachis* (Hiyama) H.Hara, J. Jap. Bot. 37: 329 1962

Tovara filiformis (Thunb.) Nakai f. *amabilis* Hiyama, J. Jap. Bot. 37: 329 1962

Antenorion filiforme (Thunb.) Roberty & Vautier, Boissiera 10: 35 1964

Antenorion filiforme (Thunb.) Roberty & Vautier f. *albiflorum* (Makino) H.Hara ex Hiyama, J. Jap. Bot. 40: 192 1965

Antenorion filiforme (Thunb.) Roberty & Vautier f. *amabile* (Hiyama) H.Hara, J. Jap. Bot. 40: 192 1965

Antenorion filiforme (Thunb.) Roberty & Vautier f. *smaragdinum* (Nakai) H.Hara ex F.Maek., J. Jap. Bot. 40: 192 1965

Antenorion filiforme (Thunb.) Roberty & Vautier f. *trichorachis* (Hiyama) H.Hara, J. Jap. Bot. 40: 192 1965

■ POLYGONACEAE 마디풀과

Persicaria foliosa (H.Lindb.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 321 1937

국명: 만주겨이삭여뀌(Man-ju-gyeo-i-sak-yeo-kkwi), 겨이삭아재비, 겨이삭여뀌, 만주겨이삭, 잔잎여뀌 /
(북한명) 만주여뀌

영명: **Manchurian smartweed**

Polygonum foliosum H.Lindb., Meddel. Soc. Fauna Fl. Fenn. 27: 3 1900

Persicaria foliosa (H.Lindb.) Kitag. var. ***foliosa***

Persicaria foliosa (H.Lindb.) Kitag. var. ***paludicola*** (Makino) H.Hara, J. Jap. Bot. 31: 176 1956

국명: 벼들겨이삭여뀌(Beo-deul-gyeo-i-sak-yeo-kkwi), 겨이삭여뀌, 벼들겨이삭, 벼들잎겨이삭

영명: **East Asian willow smartweed**

Polygonum paludicolum Makino, Bot. Mag. (Tokyo) 28: 113 1914

Persicaria paludicola (Makino) Nakai, Rigakkwai 24: 300 1926

Polygonum foliosum H.Lindb. var. *paludicolum* (Makino) Kitam., Acta Phytotax. Geobot. 20: 207 1962

Persicaria hastatosagittata (Makino) Nakai ex T.Mori, Enum. Pl. Corea 132 1922

국명: 긴미꾸리낚시(Gin-mi-kku-ri-nak-si), 긴미꾸라지낚시, 긴미꾸리, 긴잎미꾸리낚시, 우수리미꾸리낚시 /
(북한명) 긴미꾸리

영명: **Long arrow-head smartweed**

Polygonum sagittatum L. var. *ussuriense* Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 126 1861

Polygonum hastatosagittatum Makino, Bot. Mag. (Tokyo) 17: 119 1903

Polygonum cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 172 1910

Polygonum strigosum R.Br. var. *hastatosagittatum* (Makino) Steward, Contr. Gray Herb. 5: 90 1930

Truellum hastatosagittatum (Makino) Soják, Preslia 46: 146 1974

Persicaria hydropiper (L.) Delarbre, Fl. Auvergne ed. 2: 518 1800

국명: 여뀌(Yeo-kkwi), 벼들여뀌 / (북한명) 벼들여뀌, 맵쟁이, 매운여뀌

영명: **Water pepper**

Polygonum hydropiper L., Sp. Pl. 1: 361 1753

Polygonum hydropiper L. var. *vulgare* Meisn., Prodr. (DC.) 14: 109 1857

Polygonum hydropiper L. subsp. *megalocarpum* Danser, Bull. Jard. Bot. Buitenzorg 8: 188 1927

Persicaria vernaris Nakai, Bot. Mag. (Tokyo) 43: 455 1929

Persicaria hydropiper (L.) Delarbre var. *fastigiata* (Makino) Araki, Amatores Herb. 8: 31 1939

Persicaria hydropiper (L.) Delarbre f. ***hydropiper***

Persicaria hydropiper (L.) Delarbre f. ***angustissima*** (Makino) Araki, J. Jap. Bot. 27: 257 1952

국명: 가는여뀌(Ga-neun-yeo-kkwi)

영명: **Fastigate wetland smartweed**

Persicaria japonica (Meisn.) Nakai, Bot. Mag. (Tokyo) 40: 51 1926

국명: 흰꽃여뀌(Huin-kkot-yeo-kkwi), 흰꽃여뀌 / (북한명) 흰꽃여뀌

영명: White-flower smartweed

- Polygonum japonicum* Meisn., Prodr. (DC.) 14: 112 1856
Polygonum japonicum Meisn. var. *densiflorum* Nakai, Bot. Mag. (Tokyo) 22: 63 1908
Polygonum japonicum Meisn. var. *salicifolium* Nakai, Bot. Mag. (Tokyo) 22: 64 1908
Polygonum pseudojaponicum Ohki, Bot. Mag. (Tokyo) 39: 263 1925
Persicaria pseudojaponicum (Ohki) Sasaki, List Pl. Formosa (Sasaki) 170 1928

***Persicaria lapathifolia* (L.) Delarbre, Fl. Auvergne ed. 2: 519 1800**

국명: 흰여뀌(Huin-yeo-kkwi), 명아자여뀌, 명아주여뀌, 보태기여뀌, 큰개여뀌 / (북한명) 흰여뀌

영명: Pale smartweed

- Polygonum lapathifolium* L., Sp. Pl. 1: 360 1753
Polygonum tomentosum Schrank, Baier. Fl. 1: 669 1789
Polygonum persicaria L. var. *incanum* Roth, Tent. Fl. Germ. 2: 53 1789
Polygonum scabrum Moench, Methodus (Moench) 629 1794
Polygonum nodosum Pers., Syn. Pl. (Persoon) 1: 440 1805
Polygonum tenuifolium C.Presl, Delic. Prag. 67 1832
Polygonum lanatum Roxb., Fl. Ind. (Roxburgh) 2: 285 1832
Persicaria nodosa (Pers.) Opiz, Seznam 72 1852
Polygonum glandulosum Kit., Linnaea 34: 363 1863
Persicaria vaniotiana H.Lév., Repert. Spec. Nov. Regni Veg. 11: 496 1913
Polygonum bioritseense Ohki, Bot. Mag. (Tokyo) 39: 259 1925
Persicaria glandulosa (R.Br.) Nakai, Rigakkwi 24: 300 1926
Persicaria pseudonodosa (Ohki) Sasaki, List Pl. Formosa (Sasaki) 170 1928
Persicaria tenuifolia (C.Presl) H.Hara, Bot. Mag. (Tokyo) 48: 893 1934
Polygonum lapathifolium L. subsp. *nodosum* (Pers.) Fr., Novit. Fl. Suec. Mant. 2: 25 1939
Persicaria lapathifolia (L.) Delarbre var. *incana* (Roth) S.Ekman & T.Knutsson, Nord. J. Bot. 14: 24 1994
Persicaria lapathifolia (L.) Delarbre f. *alba* Y.N.Lee, Fl. Korea (Lee) 1156 1996

Persicaria lapathifolia* (L.) Delarbre var. *lapathifolia

***Persicaria lapathifolia* (L.) Delarbre var. *salicifolia* Miyabe, J. Fac. Agric. Hokkaido Imp. Univ. 26: 522 1934**

국명: 솜흰여뀌(Som-huin-yeo-kkwi)

영명: Willow-leaf white-flower smartweed

***Persicaria longisetata* (Bruijn) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 322 1937**

국명: 개여뀌(Gae-yeo-kkwi), 여뀌 / (북한명) 여뀌, 개여뀌

영명: Oriental smartweed

- Polygonum longisetum* Bruijn, Pl. Jungh. 307 1854
Polygonum blumei Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 57 1865
Persicaria blumei (Meisn.) H.Gross, Beih. Bot. Centralbl. 37: 111 1919
Persicaria longisetata (Bruijn) Kitag. f. *brevisetata* (Meisn.) W.T.Lee, Lineamenta Floraee Koreae 225 1996

***Persicaria maackiana* (Regel) Nakai ex T.Mori, Enum. Pl. Corea 132 1922**

■ POLYGONACEAE 마디풀과

국명: 나도미꾸리낚시(*Na-do-mi-kku-ri-nak-si*), 나도고마리, 나도미꾸리, 여뀌아재비 / (북한명) 나도미꾸리

영명: Short-stalk oriental smartweed

Polygonum maackianum Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 127 1861

Polygonum thunbergii Siebold & Zucc. var. *maackianum* (Regel) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 475 1878

Tracaulon maackianum (Regel) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904

Truellum maackianum (Regel) Soják, Preslia 46: 146 1974

***Persicaria muricata* (Meisn.) Nemoto, Fl. Jap. Suppl. 173 1936**

국명: 넓은잎미꾸리낚시(*Neol-beun-ip-mi-kku-ri-nak-si*), 화살미꾸라지낚시, 화살여뀌

영명: Broad arrow-head smartweed

Polygonum muricatum Meisn., Monogr. Polyg. 74 1826

Polygonum asperulum Wall., Numer. List Wallich's Cat. 1724 1829

Polygonum hastatosagittatum Makino var. *latifolium* Makino, Bot. Mag. (Tokyo) 17: 120 1903

Polygonum thunbergii Siebold & Zucc. var. *spicatum* H.Lév., Bull. Soc. Bot. France 51: 42 1904

*Polygonum nippone*nse Makino, Bot. Mag. (Tokyo) 23: 89 1909

Polygonum oliganthum Diels, Notes Roy. Bot. Gard. Edinburgh 5: 260 1912

*Persicaria nippone*nse (Makino) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914

Polygonum benguetense Merr., Philipp. J. Sci. 10: 301 1915

*Persicaria nippone*ica (Makino) Nakai, Rigakkwai 24: 299 1926

Polygonum strigosum R.Br. var. *benguetense* (Merr.) Steward, Contr. Gray Herb. 5: 90 1930

*Polygonum kiri*nense S.X.Li & Y.L.Chang, Fl. Pl. Herb. Chin. Bor.-Or. 2: 60 1959

Truellum benguetense (Merr.) Soják, Preslia 46: 145 1974

*Truellum nippone*nse (Makino) Soják, Preslia 46: 148 1974

***Persicaria neofiliformis* (Nakai) Ohki, Bot. Mag. (Tokyo) 40: 57 1926**

국명: 새이삭여뀌(*Sae-i-sak-yeo-kkwi*), 붉은이삭여뀌 / (북한명) 새이삭여뀌

영명: New spike smartweed

Polygonum neofiliforme Nakai, Bot. Mag. (Tokyo) 36: 117 1922

Tovara neofiliformis (Nakai) Nakai, Rigakkwai 24: 8 1926

Tovara filiformis (Thunb.) Nakai var. *neofiliformis* (Nakai) Makino, J. Jap. Bot. 6: 32 1930

Polygonum filiforme Thunb. var. *neofiliforme* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 1953

Polygonum filiforme Thunb. subsp. *neofiliforme* (Nakai) Kitam., Acta Phytotax. Geobot. 20: 206 1962

Sunania neofiliformis (Nakai) H.Hara, J. Jap. Bot. 37: 330 1962

Antenorion neofiliforme (Nakai) H.Hara, J. Jap. Bot. 40: 192 1965

***Persicaria nepalensis* (Meisn.) H.Gross, Bot. Jahrb. Syst. 49: 277 1913**

국명: 산여뀌(*San-yeo-kkwi*), 골여뀌, 산모밀 / (북한명) 골여뀌, 산여뀌, 관모여뀌, 애기개뫼밀, 산뫼밀

영명: Nepalese smartweed

Polygonum alatum Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 72 1825

Polygonum nepalense Meisn., Monogr. Polyg. 84 1826

Polygonum guttuliferum Miq. ex Meisn., Prodr. (DC.) 14: 129 1856

Polygonum alatum Buch.-Ham. ex D.Don var. *nepalense* (Meisn.) Hook.f., Fl. Brit. Ind. 5: 42 1886

Polygonum nepalense Meisn. var. *adenothrix* Nakai, Bot. Mag. (Tokyo) 23: 416 1909

Polygonum quadrifidum Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 233 1911

Persicaria alata (Buch.-Ham. ex D.Don) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 40 1914
Polygonum lyratum Nakai, Bot. Mag. (Tokyo) 33: 47 1919
Persicaria lyrata (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 131 1922

***Persicaria perfoliata* (L.) H.Gross, Beih. Bot. Centralbl. 37: 113 1919**

국명: **며느리배꼽**(Myeo-neu-ri-bae-kkop), 며누리배꼽, 참가시덩굴여뀌 / (북한명) 사광이풀, 며누리배꼽
 영명: **Asian tearthumb**

Polygonum perfoliatum L., Syst. Nat. ed. 10 2: 1006 1759
Fagopyrum perfoliatum (L.) Raf., Fl. Tellur. 3: 10 1837
Echinocaulon perfoliatum (L.) Meisn. ex Hassk., Flora 25: 20 1842
Chylocalyx perfoliatus (L.) Hassk. ex Miq., Fl. Ned. Ind. 1: 1012 1858
Tracaulon perfoliatum (L.) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904
Ampelygonum perfoliatum (L.) Roberty & Vautier, Boissiera 10: 31 1964
Truellum perfoliatum (L.) Soják, Preslia 46: 148 1974

***Persicaria posumbu* (Buch.-Ham. ex D.Don) H.Gross, Bot. Jahrb. Syst. 49: 313 1913**

국명: **장대여뀌**(Jang-dae-yeo-kkwi), 꽃여뀌 / (북한명) 장대여뀌, 줄여뀌
 영명: **Tall smartweed**

Polygonum posumbu Buch.-Ham. ex D. Don, Prodr. Fl. Nepal. 71 1825
Polygonum caespitosum Blume var. *laxiflorum* Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 57 1865
Persicaria yokusaianum Makino, Bot. Mag. (Tokyo) 28: 116 1914
Persicaria yokusiana (Makino) Nakai, Rigakkai 24: 301 1926
Polygonum caespitosum Blume subsp. *yokusaianum* (Makino) Danser, Bull. Jard. Bot. Buitenzorg ser.3. 8: 153 1927
Persicaria yokusiana (Makino) Nakai var. *laxiflora* (Meisn.) H.Hara, J. Jap. Bot. 17: 339 1941
Persicaria posumbu (Buch.-Ham. ex D.Don) H.Gross var. *laxiflora* (Meisn.) H.Hara, Fl. E. Himalaya 634 1966

***Persicaria praetermissa* (Hook.f.) H.Hara, Fl. E. Himalaya 73 1966**

국명: **좁은잎미꾸리낚시**(Jop-eun-ip-mi-kku-ri-nak-si), 가는미꾸라지낚시, 긴미꾸리낚시
 영명: **Linear arrow-head smartweed**

Polygonum muricatum Meisn. var. *auriculatum* Meisn., Prodr. (DC.) 14: 133 1856
Polygonum praetermissum Hook.f., Fl. Brit. Ind. 5: 47 1886
Polygonum auriculatum Makino, Bot. Mag. (Tokyo) 17: 117 1903
Polygonum birmanicum Gage, Rec. Bot. Surv. India 2: 412 1903
Tracaulon praetermissum (Hook.f.) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904
Polygonum hastatoauriculatum Makino ex Nakai, Bot. Mag. (Tokyo) 23: 420 1909
Persicaria hastatoauriculata (Makino ex Nakai) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914
Truellum praetermissum (Hook.f.) Soják, Preslia 46: 148 1974

***Persicaria pubescens* (Blume) H.Hara, J. Jap. Bot. 17: 335 1941**

국명: **바보여뀌**(Ba-bo-yeo-kkwi), 점박이여뀌 / (북한명) 바보여뀌
 영명: **Nonspicy smartweed**

Polygonum pubescens Blume, Bijdr. Fl. Ned. Ind. 2: 532 1825

■ POLYGONACEAE 마디풀과

Polygonum flaccidum Meisn., Prodr. (DC.) 14: 107 1856

Polygonum hydropiper L. var. *acuminatum* Franch. & Sav., Enum. Pl. Jap. 2: 474 1878

***Persicaria sagittata* (L.) H.Gross, Beih. Bot. Centralbl. 37: 113 1919**

국명: 미꾸리낚시(Mi-kku-ri-nak-si), 미꾸라지낚시, 미꾸리낚시

영명: Arrow-leaf smartweed

Polygonum sagittatum L., Sp. Pl. 1: 363 1753

Polygonum sagittatum L. var. *boreale* Meisn., Monogr. Polyg. 65 1826

Helxine sagittatum (L.) Raf., Fl. Tellur. 3: 10 1837

Polygonum sagittatum L. var. *americanum* Meisn., Prodr. (DC.) 14: 132 1856

Polygonum sagittatum L. var. *sibiricum* Meisn., Prodr. (DC.) 14: 132 1856

Polygonum sagittatum L. var. *aestivum* Makino, Bot. Mag. (Tokyo) 6: 49 1892

Tracaule sagittatum (L.) Small, Fl. S.E. U.S. [Small]. 381 1903

Polygonum sagittatum L. var. *sieboldii* (Meisn.) Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 132 1904

Tracaule sibiricum (Meisn.) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904

Tracaule sieboldii (Meisn.) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904

Polygonum sagittatum L. var. *paludosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 133 1904

Polygonum sagittatum L. var. *hallaisanense* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 171 1910

Persicaria sericea H.Gross, Bull. Acad. Int. Géogr. Bot. 23: 31 1913

Persicaria sagittata (L.) H.Gross var. *sieboldii* (Meisn.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914

Polygonum sagittatum L. var. *ovalifolium* Farw., Pap. Michigan Acad. Sci. 3: 95 1924

Persicaria aestiva Ohki, Bot. Mag. (Tokyo) 40: 55 1926

Persicaria sieboldii (Meisn.) Ohki, Bot. Mag. (Tokyo) 40: 54 1926

Polygonum awstiva Ohki, Bot. Mag. (Tokyo) 40: 55 1926

Polygonum belophyllum Litv., Spisok Rast. Gerb. Fl. SSSR Bot. Inst. Vsesojuzn. Akad. Nauk 9: 25 1932

Persicaria sieboldii (Meisn.) Ohki var. *tomentosa* H.Hara, J. Jap. Bot. 9: 125 1933

Polygonum paludosum (Kom.) Kom., Fl. URSS 5: 689, 726 t. 48, f. 4 1936

Persicaria anguillana (Koidz.) Honda, Bot. Mag. (Tokyo) 53: 383 1939

Polygonum anguillanum Koidz., Acta Phytotax. Geobot. 8: 51 1939

Persicaria sieboldii (Meisn.) Ohki var. *paludosa* (Kom.) Nakai ex Kitag., Lin. Fl. Manshur. 180 1939

Polygonum sagittatum L. var. *gracilentum* Fernald, Rhodora 44: 393 1942

Polygonum sieboldii Meisn. var. *aestivum* (Ohki) Ohwi, Fl. Jap. (Ohwi) 465 1953

Truellum sagittatum (L.) Soják, Preslia 46: 149 1974

Truellum sibiricum (Meisn.) Soják, Preslia 46: 149 1974

Truellum sieboldii (Meisn.) Soják, Preslia 46: 149 1974

Persicaria sagittata (L.) H.Gross var. *sibirica* f. *aestiva* (Ohki) H.Hara, J. Jap. Bot. 55: 212 1980

Polygonum sagittatum L. var. *sibiricum* Meisn. f. *aestivum* (Ohki) Murata, Acta Phytotax. Geobot. 42: 48 1981

Polygonum sagittatum L. var. *sibiricum* Meisn. f. *aestivum* (Ohki) Murata, Acta Phytotax. Geobot. 32: 48 1981

Persicaria sieboldii* (Meisn.) Ohki var. *sieboldii

Persicaria sieboldii* (Meisn.) Ohki var. *sericea Nakai ex T.B.Lee, Neolin. Fl. Manshur. 585 1979

국명: 텔미꾸리낚시(Teol-mi-kku-ri-nak-si)

영명: Hairy Siebold's smartweed

Polygonum sagittatum L. var. *sericeum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 11: 16 1908

Persicaria sagittata (L.) H.Gross var. *sibirica* (Meisn.) Miyabe f. *sericea* (Nakai) H.Hara, J. Fac. Agric. Hokkaido Imp. Univ. 2: 520 1934

***Persicaria senticosa* (Meisn.) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914**

국명: 며느리밀씻개 (Myeo-neu-ri-mit-ssit-gae), 가시덩굴여뀌, 며누리밀씻개 / (북한명) 가시덩굴여뀌,
사광이아재비

영명: Prickled-vine smartweed

Chylocalyx senticosus Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 65 1865

Polygonum babingtonii Hance, Ann. Sci. Nat., Bot. ser. 5, 5: 239 1866

Polygonum typhonijfolium Hance, Ann. Sci. Nat., Bot. ser. 7, 5: 239 1866

Polygonum senticosum (Meisn.) Franch. & Sav., Enum. Pl. Jap. 1: 401 1875

Polygonum truellum Koidz., Bot. Mag. (Tokyo) 40: 334 1926

Truellum senticosum (Meisn.) Danser, Bull. Jard. Bot. Buitenzorg ser.3, 8: 31 1926

Persicaria truellum (Koidz.) Honda, J. Fac. Agric. Hokkaido Imp. Univ. 26: 515 1934

***Persicaria taquetii* (H.Lév.) Koidz., Acta Phytotax. Geobot. 9: 72 1940**

국명: 겨이삭여뀌 (Gyeo-i-sak-yeo-kkwi) / (북한명) 겨여뀌, 겨장대여뀌

영명: Taquet's smartweed

Polygonum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 258 1910

Polygonum minutulum Makino, Bot. Mag. (Tokyo) 28: 112 1914

Persicaria minutula (Makino) Nakai, Rigakkwai 24: 12 1926

***Persicaria thunbergii* (Siebold & Zucc.) H.Gross, Bot. Jahrb. Syst. 49: 275 1913**

국명: 고마리 (Go-ma-ri), 고만이, 꼬마리, 조선꼬마리, 줄고만이, 큰꼬마리 / (북한명) 고마리, 고만잇대

영명: Thunberg's smartweed

Helxine arifolia Raf., Fl. Tellur. 3: 94 1837

Polygonum thunbergii Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 208 1846

Polygonum debile Meisn. var. *hastatum* Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 63 1865

Polygonum hastatotrilobum Meisn., Ann. Mus. Bot. Lugduno-Batavi 2: 62 1865

Polygonum pteropus Hance, J. Bot. 7: 167 1869

Polygonum stoloniferum F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 168 1868

Polygonum thunbergii Siebold & Zucc. var. *hastatotrilobum* (Meisn.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 475 1878

Tracaulon hastatotrilobum (Meisn.) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904

Tracaulon thunbergii (Siebold & Zucc.) Greene, Leafl. Bot. Observ. Crit. 1: 22 1904

Polygonum thunbergii Siebold & Zucc. var. *stoloniferum* (F.Schmidt) Makino, Bot. Mag. (Tokyo) 24: 74 1910

Polygonum thunbergii Siebold & Zucc. var. *oreophilum* Makino, Bot. Mag. (Tokyo) 27: 251 1913

Persicaria thunbergii (Siebold & Zucc.) H.Gross var. *stolonifera* (F.Schmidt) H.Gross ex Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914

Persicaria stellato-tomentosa Nakai, Bot. Mag. (Tokyo) 45: 115 1931

Persicaria thunbergii (Siebold & Zucc.) H.Gross var. *oreophila* (Makino) Nemoto, Fl. Jap. Suppl. 176 1936

Polygonum oreophilum (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 409 1965

■ POLYGONACEAE 마디풀과

Truellum oreophilum (Makino) Soják, Preslia 46: 148 1974

Truellum thunbergii (Siebold & Zucc.) Soják, Preslia 46: 149 1974

Persicaria trigonocarpa (Makino) Nakai, Rigakkwai 24: 12 1926

국명: 가는개여뀌(Ga-neun-gae-yeo-kkwi), 가는잎개여뀌, 붉은대동여뀌

영명: East Asian slender smartweed

Polygonum minus Huds. f. *trigonocarpa* Makino, Bot. Mag. (Tokyo) 23: 111 1914

Polygonum trigonocarpum (Makino) Kudô & Masam., Rep. (Annual) Taihoku Bot. Gard. 2: 53 1932

Persicaria erecto-minor (Makino) Nakai var. *trigonocarpa* (Makino) H.Hara ex I.Ito, J. Jap. Bot. 31: 177 1956

Polygonum erecto-minus Makino var. *trigonocarpum* (Makino) Kitam., Acta Phytotax. Geobot. 20: 207 1962

Persicaria viscofera (Makino) H.Gross, Beih. Bot. Centralbl. 37: 114 1919

국명: 끈끈이여뀌(Kkeun-kkeun-i-yeo-kkwi) / (북한명) 끈끈이여뀌, 털끈끈이여뀌

영명: Sticky smartweed

Polygonum viscoferum Makino, Bot. Mag. (Tokyo) 17: 115 1903

Persicaria makinoi (Nakai) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 41 1914

Polygonum makinoi Nakai, Cat. Sem. Spor. [1919 & 1920 Lect.] 1: 34 1920

Persicaria viscofera (Makino) H.Gross var. *viscofera*

Persicaria viscofera (Makino) H.Gross var. ***robusta*** (Makino) Hiyama, J. Jap. Bot. 36: 67 1961

국명: 큰끈끈이여뀌(Keun-kkeun-kkeun-i-yeo-kkwi)

영명: Big sticky smartweed

Polygonum viscoferum Makino var. *robustum* Makino, Bot. Mag. (Tokyo) 17: 116 1904

Polygonum viscoferum Makino subsp. *robustum* (Makino) Kitam., Acta Phytotax. Geobot. 20: 206 1962

Persicaria viscosa (Buch.-Ham. ex D.Don) H.Gross ex T.Mori, Enum. Pl. Corea 134 1922

국명: 기생여뀌(Gi-saeng-yeo-kkwi), 향여뀌 / (북한명) 향여뀌, 기생여뀌

영명: Reddish marsh smartweed

Polygonum viscosum Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 71 1825

Persicaria vulgaris Webb & Moq., Hist. Nat. Iles Canaries 3: 219 1846

국명: 봄여뀌(Bom-yeo-kkwi)

영명: Spring smartweed

Polygonum persicaria L., Sp. Pl. 1: 361 1753

Polygonum dichopodum Ohki, Bot. Mag. (Tokyo) 39: 360 1925

Persicaria dichopodum (Ohki) Ohki ex Nakai, Rigakkwai 24: 300 1926

Polygonum L. 마디풀속

Polygonum arenastrum Boreau, Fl. Centre France ed. 3, 2: 559 1857

국명: 갯마디풀(Gaet-ma-di-pul), 이삭마디풀

영명: Oval-leaf knotweed

Polygonum gymnopus Franch. & Sav., Enum. Pl. Jap. 2: 472 1878

Polygonum calcatum Lindm., Bot. Not. 1904: 139 1904

***Polygonum aviculare* L., Sp. Pl. 1: 362 1753**

국명: 마디풀(Ma-di-pul), 돼지풀, 옥매듭, 편축 / (북한명) 마디풀, 돼지풀, 옥매듭풀, 매듭풀, 편축

영명: Knotweed

Polygonum monspeliacum Thiéb.-Bern. ex Pers., Syn. Pl. (Persoon) 1: 439 1805

Polygonum aviculare L. var. *vegetum* Ledeb., Fl. Ross. (Ledeb.) 3: 532 1849

Polygonum heterophyllum Lindm., Svensk Bot. Tidskr. 6: 960 1912

Polygonum planum Skvortsov, Diagn. Pl. Nov. Mandshur. [Baranov & Skvortsov] 5 1943

Polygonum aviculare* L. var. *aviculare

***Polygonum aviculare* L. var. *fusco-ochreatum* (Kom.) A.J.Li, Fl. Reipubl. Popularis Sin. 25: 9 1998**

국명: 제주큰옥매듭풀(Je-ju-keun-ok-mae-deup-pul)

영명: Jeju knotweed

Polygonum fusco-ochreatum Kom., Fl. URSS 5: 613, 719, t. 40, f. 4. a-e 1936

Polygonum stans Kitag., Bot. Mag. (Tokyo) 50: 76 1936

Polygonum argenteum Skvortsov, Diagn. Pl. Nov. Mandshur. [Baranov & Skvortsov] 4 1943

***Polygonum bellardii* All., Fl. Pedem. 2: 205 1785 ®**

국명: 큰옥매듭풀(Keun-ok-mae-deup-pul), 큰옥매듭

영명: Narrow-leaf knotweed

Polygonum bellardii All. var. *effusum* Meisn., Prodr. (DC.) 14: 99 1856

***Polygonum humifusum* C.Merck ex K.Koch, Linnaea 22: 205 1849**

국명: 부산마디풀(Bu-san-ma-di-pul) / (북한명) 난쟁이마디풀

영명: Alaska knotweed

Polygonum mandshuricum Skvortsov, Diagn. Pl. Nov. Mandshur. [Baranov & Skvortsov] 4 1943

Polygonum yamatutae Kitag., J. Jap. Bot. 39: 358 1964

***Polygonum plebeium* R.Br., Prodr. Fl. Nov. Holland. 420 1810**

국명: 애기마디풀(Ae-gi-ma-di-pul)

***Polygonum polyneuron* Franch. & Sav., Enum. Pl. Jap. 2: 471 1878 ®**

국명: 이삭마디풀(I-sak-ma-di-pul) / (북한명) 가을마디풀

***Rheum* L. 대황속**

***Rheum coreanum* Nakai, Bot. Mag. (Tokyo) 33: 47 1919 ®**

■ POLYGONACEAE 마디풀과

국명: 장군풀(Jang-gun-pul), 왕대황, 토대황 / (북한명) 왕대황, 조선대황

영명: Korean rhubarb

Rumex L. 소리쟁이속

Rumex acetosa L., Sp. Pl. 1: 337 1753

국명: 수영(Su-yeong), 괴싱아 / (북한명) 괴싱아, 수영, 시금초, 괴승애, 괴승아

영명: Garden dock

Acetosa pratensis Mill., Gard. Dict. ed. 8: no. 1 1768

Lapathum acetosa (L.) Scop., Fl. Carniol. ed. 2 1: 260 1771

Lapathum pratense (Mill.) Lam., Fl. Franc. (Lamarck) 3: 8 1779

Rumex acidus Salisb., Prodr. Stirp. Chap. Allerton 258 1796

Rumex acetosa L. var. *vulgaris* Hartm., Handb. Skand. Fl. 148 1820

Rumex acetosa L. var. *pratensis* (Mill.) Wallr., Sched. Crit. 1: 182 1822

Rumex micranthus Campd. ex Meisn., Prodr. (DC.) 14: 65 1856

Rumex pratensis (Mill.) Dulac, Fl. Hautes-Pyrénées 165 1867

Rumex acetosa L. subsp. *pratensis* (Mill.) Blytt & O.C.Dahl, Haandb. Norges Fl. 285 1903

Rumex alpestris Jacq., Enum. Stirp. Vindob. 62 1762

국명: 맷수영(Met-su-yeong)

영명: Montane dock

Lapathum alpestre (Jacq.) Scop., Fl. Carniol. ed. 2 1: 261 1771

Rumex montanus Desf., Tabl. Ecole Bot. (ed. 2) 48 1815

Rumex acetosa L. subsp. *auriculatus* (Wallr.) Blytt & O.C.Dahl, Haandb. Norges Fl. 285 1903

Rumex acetosa L. subsp. *alpestris* (Scop.) Á.Löve, Bot. Not. 81: 243 1944

Rumex aquaticus L., Sp. Pl. 1: 335 1753

국명: 토대황(To-dae-hwang), 목개대황, 물송구지 / (북한명) 토대황

영명: Western dock

Lapathum aquaticum Scop., Fl. Carniol. ed. 2 1: 263 1771

Rumex hippolapathum Fr. var. *palustris* Fr., Novit. Fl. Suec. Alt. ed. 2: 106 1828

Rumex latifolius G.Mey., Chloris Han. 478 1836

Rumex aquaticus L. var. *kolaensis* Hultén, Fl. Kamtschatka 1: 44 1928

Rumex protractus Rech.f., Repert. Spec. Nov. Regni Veg. 33: 356 1934

Rumex gmelinii Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 3: 508 1851

국명: 호대황(Ho-dae-hwang), 넓은잎송구지, 호개대황 / (북한명) 호대황, 진들대황

영명: Giant dock

Rumex japonicus Houtt., Nat. Hist. (Houttuyn) 8: 394, Pl. 47, f. 2 1777

국명: 참소리쟁이(Cham-so-ri-jaeng-i), 소루쟁이, 소리쟁이, 참송구지 / (북한명) 참송구지, 소루장이

영명: Northeast Asian curly dock

Rumex regelii F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 167 1868
Rumex crispus L. var. *japonicus* (Houtt.) Makino, Bot. Mag. (Tokyo) 8: 174 1894
Rumex nikkoensis Makino, J. Jap. Bot. 4: 29 1929
Rumex odontocarpus Sandor ex Borbás var. *japonicus* (Houtt.) Nakai, Veg. Apoi 8 1930
Rumex yezoensis H.Hara, Bot. Mag. (Tokyo) 48: 896 1934
Rumex hadrocarpus Rech.f., Candollea 12: 92 1949
Rumex japonicus Houtt. var. *yezoensis* (H.Hara) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 1953
Rumex crispus L. subsp. *japonicus* (Houtt.) Kitam., Acta Phytotax. Geobot. 20: 206 1962

***Rumex longifolius* DC.**, Fl. Franc. (DC. & Lamarck) ed. 3, 5: 368 1815 (R)

국명: **개대황**(Gae-dae-hwang), 긴잎송구지 / (북한명) 들대황, 개대황

영명: **Dooryard dock**

Rumex domesticus Hartm., Handb. Skand. Fl. 148 1820
Rumex hippolathum Fr., Novit. Fl. Suec. Alt. 106 1828
Rumex hippolathum Fr. var. *domesticus* Fr., Novit. Fl. Suec. Alt. ed. 2: 106 1828
Rumex suzukianus Rech.f., Oesterr. Bot. Z. 100: 670 1953

***Rumex maritimus* L.**, Sp. Pl. 1: 335 1753

국명: **금소리쟁이**(Geum-so-ri-jaeng-i), 금소루쟁이, 금송구지 / (북한명) 금송구지, 금소루장이

Rumex aureus Mill., Gard. Dict. ed. 8: no. 7 1768
Lapathum minus Lam., Fl. Franc. (Lamarck) 3: 4 1778
Lapathum maritimum (L.) Moench, Methodus (Moench) 355 1794
Rumex palustris Sm., Fl. Brit. 1: 394 1800
Lapathum aureum (Mill.) Gray, Nat. Arr. Brit. Pl. 2: 275 1821
Rumex amurensis F.Schmidt ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 228 1859
Rumex ochotikius Rech.f., Repert. Spec. Nov. Regini Veg. 33: 131 1934

***Rumex stenophyllus* Ledeb.**, Fl. Altaic. 2: 58 1830

국명: **가는잎소리쟁이**(Ga-neun-ip-so-ri-jaeng-i), 가는잎소루쟁이, 가는잎송구지 / (북한명) 가는잎송구지

영명: **Narrow-leaf dock**

Rumex obtusifolius L. var. *cristatus* Neilr., Fl. Nied.-Oesterr 290 1859
Rumex crispus L. var. *dentatus* Schur, Enum. Pl. Transsilv. 580 1866
Rumex biflorus Lange, Index Seminum Hort. Univ. Haun. 3: 130 1884
Rumex odontocarpus (Sandor & Borbás) Borbás, Oesterr. Bot. Z. 37: 334 1887
Rumex ussuriensis Losinsk., Fl. URSS 5: 717 1936
Rumex stenophyllus Ledeb. var. *ussuriensis* (Losinsk.) Kitag., Neolin. Fl. Manshur. 247 1979

PHYTOLACCACEAE 자리공과

***Phytolacca* Tourn. ex L. 자리공속**

Phytolacca insularis Nakai, Bot. Mag. (Tokyo) 32: 217 1918 (E) (R)

■ MOLLUGINACEAE 석류풀과

국명: 섬자리공(Seom-ja-ri-gong), 섬상록, 섬장녹 / (북한명) 섬자리공

영명: Island pokeweed

Phytolacca acinosa Roxb. f. *insularis* (Nakai) M.Kim, Korean J. Pl. Taxon. 37: 441 2007

MOLLUGINACEAE 석류풀과

Mollugo L. 석류풀속

Mollugo pentaphylla L., Sp. Pl. 1: 89 1753

국명: 석류풀(Seok-ryu-pul) / (북한명) 석류풀

영명: Five-leaf carpetweed

AIZOACEAE 번행초과

Tetragonia L. 번행초속

Tetragonia tetragonoides (Pall.) Kuntze, Revis. Gen. Pl. 1: 264 1891

국명: 번행초(Beon-haeng-cho), 번향 / (북한명) 번행초

영명: Common tetragonia

Demidovia tetragonoides Pall., Enum. Hort. Demidof 150 1781

Tetragonia expansa Murray, Commentat. Soc. Regiae Sci. Gott. 6: 13 1783

Tetragonia borealis Batt. & Trab., Bull. Soc. Hist. Nat. Afrique N. 8: 226 1917

PORTULACACEAE 쇠비름과

Portulaca L. 쇠비름속

Portulaca oleracea L., Sp. Pl. 1: 445 1753

국명: 쇠비름(Soe-bi-reum), 돼지풀 / (북한명) 돼지풀, 쇠비름

영명: Purslane

Portulaca olitoria Pall., Reise Russ. Reich. 3: 594 1776

Portulaca parvifolia Haw., Syn. Pl. Succ. 122 1812

Portulaca marginata Kunth, Nov. Gen. Sp. [Kunth] 6: 72 1823

Portulaca retusa Engelm., Boston J. Nat. Hist. 6: 154 1850

Portulaca consanguinea Schleidl., Linnaea 24: 693 1851

Portulaca sylvestris Montandon, Syn. Fl. Jura ed. 2: 109 1868

Portulaca fosbergii Poelln., Occas. Pap. Bernice Pauahi Bishop Mus. 12: 3 1936

CARYOPHYLLACEAE 석죽과

Arenaria Ruppius ex L. 벼룩이자리속

Arenaria serpyllifolia L., Sp. Pl. 1: 423 1753

국명: 벼룩이자리(Byeo-ruk-i-ja-ri) / (북한명) 벼룩이자리

영명: Three-stamen waterwort

Arenaria viscosa Loisel., Not. Fl. France 68 1810

Arenaria wallichiana Ser., Prodr. (DC.) 1: 411 1824

Arenaria alpicola Beck, Ann. K. K. Naturhist. Hofmus. 6: 326 1891

Arenaria crassifolia Freyn ex Hallier, Syn. Deut. Schweiz. Fl. ed. 3 3: 292 1892

Arenaria maritima Tzvelev, Novosti Sist. Vyssh. Rast. 32: 34 2000

Cerastium Dill. ex L. 점나도나물속

Cerastium fischerianum Ser., Prodr. (DC.) 1: 419 1824

국명: 큰점나도나물(Keun-jeom-na-do-na-mul), 북점나도나물, 큰꽃점나도나물 / (북한명) 큰꽃점나도나물

영명: Fischer's mouse-ear chickweed

Cerastium alpinum L. var. *fischerianum* (Ser.) Torr. & A. Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 188 1838

Cerastium vulgatum L. var. *macrocarpum* Fenzl, Fl. Ross. (Ledeb.) 1: 409 1842

Cerastium robustum F.N.Williams, Bull. Herb. Boissier 7: 130 1899

Cerastium schmidianum Takeda, Bull. Misc. Inform. Kew 1911: 106 1911

Cerastium rishirensis Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 1 1935

Cerastium fischerianum Ser. var. *macrocarpum* (Fenzl) Ohwi, Acta Phytotax. Geobot. 11: 253 1942

Cerastium fischerianum Ser. var. *molle* Ohwi, Acta Phytotax. Geobot. 11: 253 1942

Cerastium holosteoides Fr., Novit. Fl. Suec. 4: 52 1817

국명: 북점나도나물(Buk-jeom-na-do-na-mul), 물레나물, 점나도나물

영명: Eurasian mouse-ear chickweed

Cerastium vulgatum L. var. *glandulosum* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 432 1861

Cerastium holosteoides Fr. subsp. *holosteoides*

Cerastium holosteoides Fr. subsp. *vulgare* (Hartm.) I.V.Sokolova, Fl. Vostochnoi Evropy 11: 162 2004

국명: 점나도나물(Jeom-na-do-na-mul) / (북한명) 점나도나물

영명: Common mouse-ear chickweed

Cerastium vulgare Hartm., Handb. Skand. Fl. 182 1820

Cerastium fontanum Baumg. subsp. *vulgare* (Hartm.) Greuter & Burdet, Willdenowia 12: 37 1982

Cerastium holosteoides Fr. var. *holosteoides*

Cerastium holosteoides Fr. var. *hallaisanense* (Nakai) Mizush., J. Jap. Bot. 39: 149 1963

■ CARYOPHYLLACEAE 석죽과

국명: 선점나도나물(Seon-jeom-na-do-na-mul)

Cerastium vulgatum L. var. *hallaisanense* Nakai, Repert. Spec. Nov. Regni Veg. 13: 268 1914

Cerastium fontanum Baumg. subsp. *hallaisanense* (Nakai) J.S.Kim, Herbaceous Plants of Korean Peninsula 1: 71 2018

Cerastium pauciflorum Stev. ex Ser., Prodr. (DC.) 1: 414 1824

국명: 털점나도나물(Teol-jeom-na-do-na-mul) / (북한명) 털점나도나물

영명: Hairy mouse-ear chickweed

Cerastium ledebourianum Ser., Prodr. (DC.) 1: 420 1824

Cerastium pauciflorum Stev. ex Ser. var. ***pauciflorum***

Cerastium pauciflorum Stev. ex Ser. var. ***amurense*** (Regel) Mizush., Sci. Rep. Tohoku Imp. Univ. Ser. 4, Biol. 29: 292 1963

국명: 각시통점나도나물(Gak-si-tong-jeom-na-do-na-mul), 산점나도나물, 털점나도나물, 통점나도나물, 훌꽃잎나도나물 / (북한명) 각시나도나물

영명: Amur mouse-ear chickweed

Cerastium pilosum Ledeb. var. *amurense* Regel, Bull. Soc. Imp. Naturalistes Moscou 35: 428 1862

Cerastium pilosum Ledeb. f. *amurense* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 181 1904

Cerastium oxalidiflorum Makino, Bot. Mag. (Tokyo) 19: 102 1905

Cerastium pauciflorum Stev. ex Ser. var. *oxalidiflorum* (Makino) Ohwi, Acta Phytotax. Geobot. 11: 254 1942

Cerastium rubescens Mattf. var. ***rubescens***

Cerastium rubescens Mattf. var. ***koreanum*** (Nakai) Miki, Sci. Rep. Tohoku Imp. Univ. Ser. 4, Biol. 29: 288 1963

국명: 북선점나도나물(Buk-seon-jeom-na-do-na-mul), 고려점나도나물, 지이산점나도나물, 지이점나도나물

영명: Korean mouse-ear chickweed

Cerastium koreanum Nakai, J. Jap. Bot. 14: 744 1938

Cerastium furcatum Cham. & Schldl. var. *koreanum* (Nakai) Ohwi, Acta Phytotax. Geobot. 11: 252 1942

Dianthus L. 패랭이꽃속

Dianthus chinensis L., Sp. Pl. 1: 411 1753

국명: 패랭이꽃(Pae-raeng-i-kkot), 꽃패랭이꽃, 석죽, 패랭이, 누운패랭이 / (북한명) 꽃패랭, 패랭이꽃, 석죽화

영명: Rainbow pink

Dianthus tataricus Fisch., Cat. Jard. Pl. Gorenki 2: 59 1812

Dianthus amurensis Jacq., J. Soc. Imp. Centr. Hort. 7: 625 1861

Dianthus morii Nakai, Bot. Mag. (Tokyo) 28: 302 1914

Dianthus pineticola Kleopow, Izv. Kievsk. Bot. Sada 12-13: 161 1931

Dianthus subulifolius Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 16 1935

Dianthus chinensis L. var. *morii* (Nakai) Y.C.Chu, Fl. Pl. Herb. Chin. Bor.-Or. 3: 49 1975

Dianthus chinensis L. var. *amurensis* (Jacq.) Kitag., Neolin. Fl. Manshur. 266 1979

Dianthus chinensis L. var. *serpens* Y.N.Lee, Bull. Korea Pl. Res. 4: 29 2004

Dianthus japonicus Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 417 1784

국명: 갯패랭이꽃(Gaet-pae-raeng-i-kkot)

영명: Seashore pink

Dianthus ellipticus Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 369 1854

Dianthus nipponicus Makino, Bot. Mag. (Tokyo) 17: 58 1903

Dianthus japonicus Thunb. f. *albiflorus* J.Ohara ex Nakan., J. Geobot. 16: 116 1968

Dianthus koreanus D.C.Son & K.Lee, Phytotaxa 303: 71 2017 ⓘ

국명: 갯바위패랭이꽃(Gaet-ba-wi-pae-raeng-i-kkot)

Dianthus longicalyx Miq., J. Bot. Néerl. 1: 127 1861

국명: 술패랭이꽃(Sul-pae-raeng-i-kkot), 수패랭이꽃 / (북한명) 술패랭이꽃

영명: Long-calyx pink

Dianthus oreadum Hance, Ann. Sci. Nat., Bot. V, 5: 207 1866

Dianthus superbus L. f. *longicalycinus* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 64 1890

Dianthus superbus L. var. *longicalycinus* (Maxim.) Williams, J. Linn. Soc., Bot. 29: 411 1893

Dianthus taiwanensis Masam., Trans. Nat. Hist. Soc. Taiwan 33: 618 1943

Dianthus superbus L. subsp. *longicalycinus* (Maxim.) Kitam., Acta Phytotax. Geobot. 20: 205 1962

Dianthus superbus L. var. *pycnophyllus* Kitag., J. Jap. Bot. 55: 266 1980

Dianthus repens Willd., Sp. Pl. (ed.4) 2: 681 1799

국명: 장백패랭이꽃(Jang-baek-pae-raeng-i-kkot), 갈미석죽 / (북한명) 장백패랭이꽃

영명: Northern pink

Dianthus chinensis L. subsp. *repens* (Willd.) Vorosch., Florist. issl. v razn. Raionakh SSSR 167 1985

Dianthus repens Willd. var. *scabripilosus* Y.Z.Zhao, Acta Sci. Nat. Univ. Intramongol. 20: 110 1989

Dianthus superbus L., Fl. Suec. ed. 2: 146 1755

국명: 꽃패랭이꽃(Kkot-pae-raeng-i-kkot), 꽃술패랭이꽃 / (북한명) 참술패랭이꽃

영명: Intermediate fringed pink

Dianthus fimbriatus Lam., Fl. Franc. (Lamarck) 2: 538 1779

Dianthus contortus Sm., Cycl. (Rees) 11 1808

Dianthus revolutus Tausch, Flora 13: 245 1830

Dianthus szechuanensis F.N.Williams, J. Linn. Soc., Bot. 34: 428 1899

Dianthus superbus L. var. *speciosus* Rchb., Sched. Fl. Stiriac. Exsicc. 11: 9 1907

Dianthus superbus L. var. *superbus*

Dianthus superbus L. var. *alpestris* Kablík. ex Čelak., Prodr. Fl. Bohmen 3: 508 1875

국명: 구름패랭이꽃(Gu-reum-pae-raeng-i-kkot), 구름술패랭이꽃, 맷술패랭이꽃, 산패랭이꽃 /
(북한명) 구름술패랭이꽃

영명: Alpine pink

Dianthus superbus L. var. *monticola* Makino, Bot. Mag. (Tokyo) 17: 59 1903

Eremogone Fenzl 관모개미자리속

Eremogone capillaris (Poir.) Fenzl, Vers. Darstell. Alsin. 37 1833

국명: 관모개미자리(Gwan-mo-gae-mi-ja-ri), 좀벼룩이자리

영명: Slender mountain sandwort

Arenaria capillaris Poir., Encycl. (Lamarck) 6: 380 1804

Arenaria sibirica Pers., Syn. Pl. (Persoon) 1: 504 1805

Arenaria subulata Ser. var. *glabrata* Ser., Prodr. (DC.) 1: 403 1824

Eremogone subulata (Ser.) Fenzl, Vers. Darstell. Alsin. 37 1833

Arenaria capillaris Poir. var. *glabrata* (Ser.) Schischk., Fl. URSS 6: 531 1936

Eremogone juncea (M.Bieb.) Fenzl, Vers. Darstell. Alsin. 37 1833

국명: 벼룩이울타리(Byeo-ruk-i-ul-ta-ri)

영명: Rush sandwort

Arenaria juncea M.Bieb., Fl. Taur.-Caucas. 3: 309 1819

Arenaria dahurica Fisch. ex Ser., Prodr. (DC.) 1: 402 1824

Arenaria tonsa Kitag., Bot. Mag. (Tokyo) 50: 76 1936

Gypsophila L. 대나물속

Gypsophila oldhamiana Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 187 1867

국명: 대나물(Dae-na-mul), 마디나물, 은시호 / (북한명) 마디나물, 대나물, 은시호

영명: Manchurian baby's-breath

Gypsophila pacifica Kom., Izv. Glavn. Bot. Sada RSFSR 16: 167 1916 Ⓢ

국명: 가는대나물(Ga-neun-dae-na-mul), 가는잎대나물, 두메마디나물 / (북한명) 두메마디나물

영명: Pink baby's-breath

Gypsophila perfoliata L. var. *latifolia* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 52 1859

Honckenya Ehrh. 갯별꽃속

Honckenya peploides (L.) Ehrh. var. *peploides*

Honckenya peploides (L.) Ehrh. var. ***major*** (Hook.) Abrams, Ill. Fl. Pacific States 2: 154 1944

국명: 갯별꽃(Gaet-byeo-lkkot) / (북한명) 갯별꽃

영명: Beach sandwort

Arenaria peploides L. var. *major* Hook., Fl. Bor.-Amer. (Hooker) 1: 102 1831

Honckenya oblongifolia Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 176 1838

Honckenya peploides var. *oblongifolia* (Torr. & A.Gray) Fenzl, Fl. Ross. (Ledeb.) 1: 358 1842

Ammodenia oblongifolia (Torr. & A.Gray) A.Heller, Muhlenbergia 6: 84 1910

Honckenya peploides subsp. *major* (Hook.) Hultén, Fl. Aleutian Isl. 171 1937

Lychnis L. 동자꽃속

Lychnis cognata Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 55 1859

국명: 동자꽃(Dong-ja-kkot), 참동자꽃 / (북한명) 동자꽃

영명: Orange campion

Lychnis fulgens Fisch. var. *cognata* (Maxim.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 576 1861

Lychnis cognata Maxim. f. *albiflora* W.T.Lee, Lineamenta Florae Koreae 256 1996

Silene cognata (Maxim.) H.Ohashi & H.Nakai, J. Jap. Bot. 71: 269 1996

Lychnis fulgens Fisch., Novi Provent. 26 1818

국명: 텔동자꽃(Teol-dong-ja-kkot), 호동자꽃 / (북한명) 텔동자꽃

영명: Brilliant campion

Lychnis fulgens Fisch. var. *glabra* Nakai, Bot. Mag. (Tokyo) 35: 143 1921

Lychnis fulgens Fisch. f. *glabra* (Nakai) W.T.Lee, Lineamenta Florae Koreae 257 1996

Lychnis kiusiana Makino, Bot. Mag. (Tokyo) 17: 57 1903

국명: 가는동자꽃(Ga-neun-dong-ja-kkot), 왜동자꽃

영명: Narrow-leaf campion

Lychnis wilfordii (Regel) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 178 1872 ⓘ

국명: 제비동자꽃(Je-bi-dong-ja-kkot), 북동자꽃 / (북한명) 제비동자꽃

영명: Laciniate-flower campion

Lychnis fulgens Fisch. var. *wilfordii* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 576 1861

Silene wilfordii (Regel) H.Ohashi & H.Nakai, J. Jap. Bot. 71: 271 1996

Minuartia Loefl. 나도개미자리속

Minuartia arctica (Steven ex Ser.) Graebn., Syn. Mitteleur. Fl. 5: 772 1918

국명: 나도개미자리(Na-do-gae-mi-ja-ri), 산솔자리풀, 큰산개미자리, 텸산개미자리 / (북한명) 두메개미자리

영명: Arctic stitchwort

Arenaria grandiflora Pall., Reise Russ. Reich. 3: 34 1776

Arenaria laricifolia Pursh, Fl. Amer. Sept. (Pursh) 1: 319 1813

Arenaria pumilio R.Br., Chlor. Melvill. 391 1823

Arenaria arctica Steven ex Ser., Prodr. (DC.) 1: 404 1824

Arenaria arctica Steven ex Ser. var. *minor* Hook., Fl. Bor.-Amer. (Hooker) 1: 100 1830

Alsine arctica (Steven ex Ser.) Fenzl, Vers. Darstell. Alsin. 18 1833

Arenaria stenopetala Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 89 1838

Alsinopsis arctica (Steven ex Ser.) A.Heller, Muhlenbergia 8: 20 1912

Arenaria sedifolia Nasarow, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s, 32: 338 1924

Minuartia laricina (L.) Mattf., Bot. Jahrb. Syst. 57: 33 1921

국명: 너도개미자리(Neo-do-gae-mi-ja-ri), 산개미자리, 큰개미자리, 큰솔자리풀 / (북한명) 큰개미자리

■ CARYOPHYLLACEAE 석죽과

영명: Larch-like stitchwort

Spergula laricina L., Sp. Pl. 1: 441 1753

Alsine laricina (L.) Cranz, Inst. Rei Herb. 2: 408 1766

Arenaria laricina (L.) Cham. & Schltdl., Linnaea 1: 57 1826

Alsine pilifera Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 588 1842

Minuartia macrocarpa* (Pursh) Ostenf. var. *macrocarpa

***Minuartia macrocarpa* (Pursh) Ostenf. var. *koreana* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 5: 43 1952**

국명: 차일봉개미자리(Cha-il-bong-gae-mi-ja-ri), 누운개미자리, 참솔자리풀, 큰산개미자리 / (북한명) 참개미자리

영명: Korean big-fruit stitchwort

Alsine macrocarpa (Pursh) Fenzl var. *koreana* Nakai, Bot. Mag. (Tokyo) 32: 36 1918

Alsine verna (L.) Wahlenb. var. *coreana* Nakai, Bot. Mag. (Tokyo) 32: 230 1918

Minuartia verna (L.) Hiern var. *coreana* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 44 1952

Arenaria macrocarpa Pursh var. *koreana* (Nakai) H.Hara, J. Jap. Bot. 57: 178 1982

Minuartia imbricata Nakai var. *koreana* (Nakai) Nakai, Bot. Mag. (Tokyo) 43: 453 1929

Minuartia verna* (L.) Hiern var. *verna

***Minuartia verna* (L.) Hiern var. *leptophylla* Nakai, Bot. Mag. (Tokyo) 43: 452 1929**

국명: 삼수개미자리(Sam-su-gae-mi-ja-ri), 좀산개미자리 / (북한명) 조선개미자리

영명: Asian spring stitchwort

Typhane verna (L.) Rchb. var. *leptophylla* Rchb., Icon. Fl. Germ. Helv. 5: 28 1841

Moehringia L. 개벼룩속

***Moehringia lateriflora* (L.) Fenzl, Vers. Darstell. Alsin. 18 1833 Ⓡ**

국명: 개벼룩(Gae-byeo-ruk), 개벼룩이자리, 큰장구채, 훌별꽃 / (북한명) 훌별꽃

영명: Blunt-leaf sandwort

Arenaria lateriflora L., Sp. Pl. 1: 423 1753

Arenaria buxifolia Poir., Encycl. (Lamarck) 6: 362 1804

Alsinanthus lateriflorus (L.) Desv., J. Bot. Agric. 5: 221 1816

Arenaria haenkeana Bartl., Reliq. Haenk. 2: 15 1831

Pseudostellaria Pax 개별꽃속

***Pseudostellaria baekdusanensis* M.Kim, Korean J. Pl. Taxon. 44: 172 2014**

국명: 애기개별꽃(Ae-gi-gae-byeol-kkot)

***Pseudostellaria coreana* (Nakai) Ohwi, Acta Phytotax. Geobot. 4: 34 1935 Ⓡ**

국명: 참개별꽃(Cham-gae-byeol-kkot), 섬개별꽃, 한라들별꽃

영명: Korean false-starwort

Krascheninikovia coreana Nakai, Repert. Spec. Nov. Regni Veg. 13: 268 1914

Pseudostellaria davidi (Franch.) Pax ex Pax & Hoffm., Nat. Pflanzenfam. ed. 2, 16c: 318 1934

국명: 덩굴개별꽃(Deong-gul-gae-byeol-kkot), 덩굴미치광이, 둥근잎미치광이 / (북한명) 덩굴들별꽃

영명: Dwarf false-starwort

Krascheninikovia davidi Franch., Pl. David. 1: 51 1884

Stellaria davidi (Franch.) Hemsl., J. Linn. Soc., Bot. 23: 67 1886

Krascheninikovia maximowicziana Franch. & Sav. var. *davidi* (Franch.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 70 1890

Pseudostellaria heterophylla (Miq.) Pax, Nat. Pflanzenfam. ed. 2, 16c: 318 1934

국명: 개별꽃(Gae-byeol-kkot), 디화개별꽃, 들별꽃, 미치광이풀, 좀섬개별꽃, 틸개별꽃, 덩이뿌리개별꽃 / (북한명) 들별꽃

영명: Heterophylly false-starwort

Krascheninikovia heterophylla Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 187 1867

Stellaria heterophylla (Miq.) Hemsl., J. Linn. Soc., Bot. 23: 68 1886

Stellaria raphanorrhiza Hemsl., J. Linn. Soc., Bot. 23: 69 1886

Krascheninikovia raphanorrhiza (Hemsl.) Korsh., Bull. Acad. Imp. Sci. Saint-Pétersbourg 9: 391 1898

Krascheninikovia bulbosa Nakai, Bot. Mag. (Tokyo) 35: 133 1921

Pseudostellaria raphanorrhiza (Hemsl.) Pax, Nat. Pflanzenfam. ed. 2: 318 1934

Pseudostellaria bulbosa (Nakai) Ohwi, Acta Phytotax. Geobot. 4: 34 1935

Pseudostellaria heterophylla (Miq.) Pax var. *puberula* Ohwi, J. Jap. Bot. 9: 100 1937

Pseudostellaria japonica (Korsh.) Pax, Nat. Pflanzenfam. ed. 2, 16c: 318 1934 ⑧

국명: 긴개별꽃(Gin-gae-byeol-kkot)

영명: East Asian false-starwort

Krascheninikovia japonica Korsh., Bull. Acad. Imp. Sci. Saint-Pétersbourg n.s. 9: 40 1898

Pseudostellaria longipedicellata S.Lee, K.I.Heo & S.C.Kim, Novon 22: 25 2012 ⑨

국명: 태백개별꽃(Tae-baek-gae-byeol-kkot), 대관령제비꽃, 팔공산제비꽃

Pseudostellaria okamotoi Ohwi f. *longipedicellata* (S.Lee, K.I.Heo & S.C.Kim) H.Jo, Korean Endemic Pl. 122 2017

Pseudostellaria okamotoi Ohwi var. *longipedicellata* S.Lee, K.I.Heo & S.C.Kim f. *daegwallyeongensis* H.Jo, Korean J. Pl. Taxon. 49(2): 156 2019

Pseudostellaria okamotoi Ohwi var. *longipedicellata* S.Lee, K.I.Heo & S.C.Kim f. *palgongmolongiana* H.Jo, Korean J. Pl. Taxon. 49(2): 158 2019

Pseudostellaria monantha Ohwi, J. Jap. Bot. 12: 386 1936 ⑨

국명: 산개별꽃(San-gae-byeol-kkot), 외톨이미치광이풀, 훌개별꽃, 훌들별꽃 / (북한명) 훌들별꽃

영명: Mountain false-starwort

Pseudostellaria okamotoi Ohwi, J. Jap. Bot. 12: 387 1936 ⑨

국명: 지리산개별꽃(Ji-ri-san-gae-byeol-kkot), 지이미치광이풀, 지리산들별꽃 / (북한명) 지리산들별꽃

■ CARYOPHYLLACEAE 석죽과

영명: **Jirisan false-starwort**

Pseudostellaria palibiniana (Takeda) Ohwi, Acta Phytotax. Geobot. 4: 32 1935

국명: **큰개별꽃**(Keun-gae-byeol-kkot), 수염뿌리미치광이, 민개별꽃, 좁은잎개별꽃, 선미치광이풀, 큰들별꽃,
영선큰개별꽃, 탐라큰개별꽃, 가거개별꽃 / (북한명) 큰들별꽃

영명: **Giant false-starwort**

Krascheninikovia palibiniana Takeda, Bull. Misc. Inform. Kew 1913: 89 1913

Krascheninikovia palibiniana Takeda var. *polymera* Nakai, Bot. Mag. (Tokyo) 35: 133 1921

Pseudostellaria palibiniana (Takeda) Ohwi f. *hallasanensis* H.Jo, Korean J. Pl. Taxon. 49(2): 161 2019

Pseudostellaria palibiniana (Takeda) Ohwi f. *oreumiana* H.Jo, Korean J. Pl. Taxon. 49(2): 161 2019

Pseudostellaria palibiniana (Takeda) Ohwi var. *gageodoensis* M.Kim & H.Jo, Korean J. Pl. Taxon. 49(2): 161 2019

Pseudostellaria setulosa Ohwi, J. Jap. Bot. 12: 388 1936 ⓘ

국명: **숲개별꽃**(Sup-gae-byeol-kkot), 털개별꽃, 털미치광이풀, 털들별꽃

영명: **Bristled false-starwort**

Pseudostellaria sylvatica (Maxim.) Pax, Nat. Pflanzenfam. ed. 2, 16c: 318 1934 ⓘ

국명: **가는잎개별꽃**(Ga-neun-ip-gae-byeol-kkot), 가는잎미치광이, 가는개별꽃, 숲개별꽃, 가는잎들별꽃 /
(북한명) 가는잎들별꽃

영명: **Narrow-leaf false-starwort**

Krascheninikovia sylvatica Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 57 1859

Stellaria sylvatica (Maxim.) Maxim. ex Regel, Bull. Soc. Imp. Naturalistes Moscou 35: 302 1862

Pseudostellaria × bohyeonsanensis M.Kim, Korean J. Pl. Taxon. 49(2): 164 2019 ⓘ

국명: **보현개별꽃**(Bo-hyeon-gae-byeol-kkot)

** *Pseudostellaria davidii* × *P. palibiniana* K.Choi & Pak, Pl. Spec. Biol. 16: 46 2001

Pseudostellaria × biseulsanensis M.Kim & H.Jo, Korean J. Pl. Taxon. 49(2): 168 2019 ⓘ

국명: **비슬개별꽃**(Bi-seul-gae-byeol-kkot)

** *Pseudostellaria heterophylla* × *P. palibin* K.Choi & Pak, Acta Phytotax. Geobot. 50: 169 1999

Pseudostellaria × seoraksanensis M.Kim & H.Jo, Korean J. Pl. Taxon. 49(2): 168 2019 ⓘ

국명: **설악개별꽃**(Seo-rak-gae-byeol-kkot)

Pseudostellaria × segeolsanensis M.Kim & H.Jo, Korean J. Pl. Taxon. 49(2): 171 2019 ⓘ

국명: **정영개별꽃**(Jeong-yeong-gae-byeol-kkot)

Sagina L. 개미자리속

Sagina japonica (Sw.) Ohwi, J. Jap. Bot. 13: 438 1937

국명: **개미자리**(Gae-mi-ja-ri), 개미나물, 수캐미자리 / (북한명) 개미나물

영명: Asian pearlwort

Spergula japonica Sw., Ges. Naturf. Freunde Berlin Neue Schriften 3: 164 1801

Sagina sinensis Hance, J. Bot. 6: 46 1868

Sagina echinosperma Hayata, Icon. Pl. Formosan. 3: 39 1913

Sagina maxima A.Gray, Mem. Amer. Acad. Arts n.s. 6: 382 1857

국명: 큰개미자리(Keun-gae-mi-ja-ri), 좀개미자리 / (북한명) 큰개미자리

영명: Sticky-stem pearlwort

Sagina linnaei C.Presl var. *maxima* (A.Gray) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 372 1873

Sagina crassicaulis S.Watson, Proc. Amer. Acad. Arts 18: 191 1883

Sagina linnaei C.Presl var. *maxima* (A.Gray) Maxim. f. *maritima* Makino, Iinuma, Somoku-Dzusetsu ed. 2: 614 1910

Sagina maxima A.Gray f. *littorea* Makino, Bot. Mag. (Tokyo) 25: 156 1911

Sagina litoralis Hultén, Fl. Kamtschatka 2: 18 1928

Sagina crassicaulis S.Watson var. *littorea* (Makino) H.Hara, J. Jap. Bot. 13: 556 1937

Sagina maxima A.Gray var. *crassicaulis* (S.Watson) H.Hara, Rhodora 41: 392 1939

Sagina maxima A.Gray var. *littorea* (Makino) H.Hara, Bot. Mag. (Tokyo) 33: 149 1958

Sagina maxima A.Gray f. *crassicaulis* (S.Watson) Mizush., J. Jap. Bot. 35: 337 1960

Sagina saginoides (L.) H.Karst., Deut. Fl. 539 1882

국명: 거문도개미자리(Geo-mun-do-gae-mi-ja-ri)

영명: Alpine pearlwort

Spergula saginoides L., Sp. Pl. 1: 441 1753

Sagina linnaei C.Presl, Reliq. Haenk. 2: 14 1831

Spergula saxatilis Wimm. & Grab., Fl. Schles. [Wimmer] 193 1832

***Silene* L. 끈끈이장구채속**

Silene aprica Turcz., Index Seminum [St.Petersburg (Petropolianus)] 1: 38 1835

국명: 애기장구채(Ae-gi-jang-gu-chae), 텔장구채, 갯장구채 / (북한명) 애기장구채

영명: Meadow catchfly

Silene melandriiformis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 54 1859

Melandrium apricum (Turcz.) Rohrb., Monogr. Silene 231 1868

Silene taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 350 1911

Silene aprica Turcz. var. *apraca*

Silene aprica Turcz. var. *oldhamiana* (Miq.) C.Y.Wu, Fl. Reipubl. Popularis Sin. 26: 343 1996

국명: 갯장구채(Gaet-jang-gu-chae), 해안장구채, 흰갯장구채

영명: Seashore catchfly

Silene oldhamiana Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 187 1867

Melandrium apricum (Turcz.) Rohrb. subsp. *oldhamianum* (Miq.) Kitag., Lin. Fl. Manshur. 199 1939

Silene aprica Turcz. subsp. *oldhamiana* (Miq.) C.Y.Wu, Acta Bot. Yunnan. 16: 119 1994

■ CARYOPHYLLACEAE 석죽과

***Silene baccifera* (L.) Roth, Tent. Fl. Germ. 1: 192 1788**

국명: 덩굴별꽃(Deong-gul-byeol-kkot), 남방별꽃, 둥굴별꽃

영명: Berry catchfly

Cucubalus baccifer L., Sp. Pl. 1: 414 1753

Silene baccifera* (L.) Roth var. *baccifera

***Silene baccifera* (L.) Roth var. *japonicus* (Miq.) H. Ohashi & H. Nakai, Jap. Bot. 71: 268 1996**

국명: 자주덩굴별꽃(Ja-ju-deong-gul-byeol-kkot) / (북한명) 덩굴별꽃

영명: Purple-stem berry catchfly

Cucubalus baccifer L. var. *japonicus* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 210 1866

Cucubalus baccifer L. var. *japonicus* Miq. f. *atropurpurea* Nakai, Chosen Shokubutsu 136 1914

Cucubalus japonicus (Miq.) Vorosch., Byull. Glavn. Bot. Sada 39: 45 1960

Silene baccifera (L.) Roth f. *atropurpurea* (Nakai) M.Kim, Korean Endemic Pl. 526 2017

***Silene capitata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 440 1901 Ⓢ**

국명: 분홍장구채(Bun-hong-jang-gu-chae), 구슬꽃대나물, 애기대나물 / (북한명) 분홍장구채

영명: Pink catchfly

Melandrium capitatum (Kom.) Nakai ex T.Mori, Enum. Pl. Corea 145 1922

***Silene fasciculata* Nakai, Repert. Spec. Nov. Regni Veg. 13: 269 1914 Ⓣ Ⓢ**

국명: 한라장구채(Han-ra-jang-gu-chae), 섬산장구채, 섬장구채, 제주대나물

영명: Halla catchfly

Silene jenisseia Poir., Encycl. (Lamarck) Suppl. 5: 154 1817

Silene pauciflora (F.N.Williams) Nakai, Bot. Mag. (Tokyo) 32: 32 1918

! *Silene hallasanensis* M.Kim & H.Jo, Korean Endemic Pl. 127 2017

***Silene firma* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 166 1843**

국명: 장구채(Jang-gu-chae) / (북한명) 장구채, 왕불류행

영명: Catchfly

Silene melandriformis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 54 1859

Melandrium firmum (Siebold & Zucc.) Rohrb., Monogr. Silene 232 1868

Melandrium apricum (Turcz.) Rohrb. var. *firmum* (Siebold & Zucc.) Rohrb., Linnaea 36: 240 1869

Silene firma* Siebold & Zucc. f. *firma

***Silene firma* Siebold & Zucc. f. *pubescens* (Makino) Ohwi & H.Ohashi, J. Jap. Bot. 47: 344 1974**

국명: 털장구채(Teol-jang-gu-chae)

영명: Hairy catchfly

Melandrium apricum (Turcz.) Rohrb. var. *firmum* (Siebold & Zucc.) Rohrb. f. *pubescens* Makino, Fl. Japan (Makino & Nemoto) 1002 1925

Silene foliosa Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 53 1859

국명: 호산장구채(Ho-san-jang-gu-chae), 울릉대나물, 잎대나물 / (북한명) 잎대나물

영명: Hosan catchfly

Silene tatarica (L.) Pers. var. *foliosa* (Maxim.) Regel, Tent. Fl.-Ussur. 27 1861

Silene foliosa Maxim. var. *mongolica* Maxim., Enum. Pl. Mongolia 1: 91 1889

Silene maximowicziana Kozhev., Rast. Tsentral. Azii 11: 78 1995

Silene jenisseensis Willd., Enum. Pl. (Willdenow) 1: 473 1809 ⓤ

국명: 가는다리장구채(Ga-neun-da-ri-jang-gu-chae), 짤룩대나물, 짤룩장구채 / (북한명) 짤룩대나물

영명: Slender catchfly

Silene koreana Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 440 1901 ⓤ

국명: 끈끈이장구채(Kkeun-kkeun-i-jang-gu-chae), 끈끈이대나물 / (북한명) 끈끈이대나물, 끈끈이장구채

영명: Sticky catchfly

Silene macrostyla Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 54 1859

국명: 층층장구채(Cheung-cheung-jang-gu-chae), 층층대나물 / (북한명) 층층대나물

영명: Long-style catchfly

Silene tatarica (L.) Pers. var. *macrostyla* (Maxim.) Regel, Bull. Soc. Imp. Naturalistes Moscou 29: 559 1861

Silene foliosa Maxim. var. *macrostyla* (Maxim.) Rohrb., Linnaea 36: 683 1870

Silene myongcheonensis S.P.Hong & H.K.Moon, Novon 15: 145 2005 ⓘ

국명: 명천장구채(Myeong-cheon-jang-gu-chae), 분홍꽃장구채

영명: Myeongcheon catchfly

Melandrium umbellatum Nakai, Bot. Mag. (Tokyo) 33: 48 1919

Silene oligantha Nakai, J. Jap. Bot. 16: 526 1939

국명: 흰장구채(Huin-jang-gu-chae)

영명: White catchfly

Silene repens Patrin, Syn. Pl. 1: 500 1805

국명: 오랑캐장구채(O-rang-kae-jang-gu-chae), 가지대나물, 북장구채, 흰대나물 / (북한명) 가지대나물, 오랑캐대나물

영명: Creeping catchfly

Silene repens Patrin var. *angustifolia* Turcz. ex Regel, Bull. Soc. Imp. Naturalistes Moscou 11: 208 1838

Silene purpurata Greene, Pittonia 2(11B): 229 1892

Silene scouleri Hook. var. *costata* F.N.Williams, J. Linn. Soc., Bot. 32: 169 1896

Silene fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 200 1909

Silene repens Patrin var. *australis* (C.L.Hitchc. & Maguire) C.L.Hitchc., Vasc. Pl. Pacific NorthW. 2: 292 1964

Silene repens Patrin var. *glandulosa* Y.W.Cui & L.H.Zhou, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 9: 58 1980

Silene repens Patrin var. *sinensis* (F.N.Williams) C.L.Tang, Fl. Reipubl. Popularis Sin. 26: 292 1996

■ CARYOPHYLLACEAE 석죽과

Silene seoulensis Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 77 1909

국명: 가는장구채(Ga-neun-jang-gu-chae), 가지가는장구채, 동굴장구채, 수양장구채 / (북한명) 가는장구채

영명: Seoul catchfly

Melandrium seoulense (Nakai) Nakai var. *ramosum* Nakai, J. Jap. Bot. 13: 872 1937

Silene takeshimensis Uyeki & Sakata, Bull. Agric. Forest. Coll. Suigen (Suwon) 91: 31 1935 (E)

국명: 울릉장구채(Ul-reung-jang-gu-chae), 울릉대나물

영명: Ulleung catchfly

Spergularia 갯개미자리속

Spergularia marina (L.) Besser, Enum. Pl. (Besser) 97 1822

국명: 갯개미자리(Gaet-gae-mi-ja-ri), 개미바늘, 나도별꽃, 바늘별꽃

영명: Salt sandspurry

Arenaria rubra L. var. *marina* L., Sp. Pl. 1: 423 1753

Arenaria marina (L.) All., Fl. Pedem. 2: 114 1785

Spergularia salina J.Presl & C.Presl, Fl. Cech. 95 1819

Arenaria salina (J.Presl & C.Presl) Ser., Prodr. (DC.) 1: 401 1824

Spergula marina (L.) Bartl. & H.L.Wendl., Beitr. Bot. 2: 64 1825

Spergula salina (J.Presl & C.Presl) D.Dietr., Sp. Pl. (ed.6) 2: 1598 1831

Tissa salina Britton, Bull. Torrey Bot. Club 16: 127 1889

Spergula coreana H.Lév., Repert. Spec. Nov. Regni Veg. 11: 495 1913

Tissa fauriei Nakai, Bot. Mag. (Tokyo) 27: 129 1913

Tissa coreana (H.Lév.) Nakai, Bot. Mag. (Tokyo) 48: 775 1934

Spergularia salina J.Presl & C.Presl var. *asiatica* H.Hara, J. Jap. Bot. 13: 171 1937

Spergularia marina (L.) Besser var. *asiatica* (H.Hara) H.Hara, J. Jap. Bot. 17: 24 1941

Stellaria L. 별꽃속

Stellaria aquatica (L.) Scop., Fl. Carniol. ed. 2, 1: 319 1771

국명: 쇠별꽃(Soe-byeol-kkot), 콩벼무리 / (북한명) 쇠별꽃

영명: Giant chickweed

Cerastium aquaticum L., Sp. Pl. 1: 439 1753

Myosoton aquaticum (L.) Moench, Methodus (Moench) 225 1794

Malachium aquaticum (L.) Fr., Fl. Hall. 78 1817

Stellaria bungeana Fenzl, Fl. Ross. (Ledeb.) 1: 376 1842

국명: 큰별꽃(Keun-byeol-kkot), 산별꽃 / (북한명) 큰별꽃

영명: Woodland chickweed

Stellaria diversiflora Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 379 1873

국명: 일월산별꽃(Il-wol-san-byeol-kkot), 덩굴별꽃

영명: Diverse-flower chickweed

Stellaria diandra Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 379 1873

Stellaria diversiflora Maxim. var. *diandra* (Maxim.) Makino, Bot. Mag. (Tokyo) 10: 108 1896

Stellaria filicaulis Makino, Bot. Mag. (Tokyo) 15: 113 1901

국명: 실별꽃(Sil-byeol-kkot) / (북한명) 실별꽃

영명: Slender chickweed

Stellaria jaluana Nakai, Repert. Spec. Nov. Regni Veg. 13: 269 1914

Stellaria neopalustris Kitag., J. Jap. Bot. 24: 88 1949

Stellaria filipes Popov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18: 4 1957

Stellaria filicaulis Makino f. *jaluana* (Nakai) Kitag., Neolin. Fl. Manshur. 277 1979

Stellaria longifolia Muhl. ex Willd., Enum. Pl. (Willdenow) 1: 479 1809 ®

국명: 긴잎별꽃(Gin-ip-byeol-kkot), 가지별꽃, 곧은별꽃 / (북한명) 긴잎별꽃

영명: Long-leaf chickweed

Stellaria diffusa Pall. ex Schlehd., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 195 1815

Stellaria mosquensis M.Bieb. ex Schlehd., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 195 1816

Stellaria friesiana Ser., Prodr. (DC.) 1: 397 1824

Stellaria longifolia Muhl. ex Willd. var. *legitima* Regel, Bull. Soc. Imp. Naturalistes Moscou 35: 407 1862

Stellaria neglecta (Lej.) Weihe, Comp. Fl. German. [Bluff] 1: 560 1825

국명: 초록별꽃(Cho-rok-byeol-kkot)

Alsine neglecta Lej., Rev. Fl. Spa 233 1825

Stellaria radians L., Sp. Pl. 1: 422 1753

국명: 왕별꽃(Wang-byeol-kkot), 큰산별꽃 / (북한명) 왕별꽃

영명: Ciliate-petal chickweed

Stellaria sessiliflora Y.Yabe, Bot. Mag. (Tokyo) 17: 194 1903

국명: 그늘별꽃(Geu-neul-byeol-kkot) / (북한명) 그늘별꽃

Stellaria uliginosa Murray, Prodr. Stirp. Gott. 55 1770

국명: 벼룩나물(Byeo-ruk-na-mul), 들별꽃, 보리뱅이, 벼룩별꽃 / (북한명) 벼룩나물, 벼룩별꽃

영명: Bog chickweed

Stellaria undulata Thunb., Fl. Jap. (Thunberg) 185 1784

Stellaria uliginosa Murray var. *undulata* (Thunb.) Fenzl, Fl. Ross. (Ledeb.) 1: 393 1842

Stellaria japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 79 1865

Stellaria fauriei Gand., Bull. Soc. Bot. France 60: 456 1913

Stellaria alsine Hoffm. var. *phaenopetala* Hand.-Mazz., Symb. Sin. 7: 192 1929

Stellaria alsine Hoffm. var. *undulata* (Thunb.) Ohwi, Acta Phytotax. Geobot. 10: 136 1941

CHENOPodiACEAE 명아주과

Atriplex L. 갓는쟁이속

Atriplex gmelinii C.A.Mey. ex Bong., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 160 1833

국명: 가는갓는쟁이(Ga-neun-gaet-neun-jaeng-i), 가는갓능쟁이 / (북한명) 좁은잎갓능쟁이

영명: Gmelin's saltbush

Atriplex angustifolia Sm. var. *obtusa* Cham., Linnaea 6: 569 1831

Atriplex gmelinii C.A.Mey. ex Bong. var. *zosterifolia* (Hook.) Moq., Prodr. (DC.) 13: 97 1849

Atriplex zosterifolia (Hook.) S.Watson, Proc. Amer. Acad. Arts 9: 109 1874

Atriplex patula L. var. *obtusa* (Cham.) M.Peck, Man. Pl. Oregon 266 1941

Atriplex prostrata Boucher ex DC., Fl. Franç. ed. 3, 3: 387 1805

국명: 창갓는쟁이(Chang-gaet-neun-jaeng-i), 창갓능쟁이

Atriplex subcordata Kitag., Bot. Mag. (Tokyo) 51: 154 1937

국명: 갓는쟁이(Gaet-neun-jaeng-i), 갓능쟁이 / (북한명) 갓능쟁이

영명: Asian seashore saltbush

Atriplex littoralis var. *dilatata* Franch. & Sav., Enum. Pl. Jap. 1: 387 1875

Atriplex gmelinii C.A.Mey. ex Bong. subsp. *dilatata* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 20: 206 1962

Axyris L. 나도댑싸리속

Axyris amaranthoides L., Sp. Pl. 2: 979 1753

국명: 나도댑싸리(Teol-na-do-daep-ssa-ri), 나도대싸리 / (북한명) 나도대싸리

영명: Korean pigweed

Atriplex amaranthoides (L.) J.F.Gmel. ex Moq., Prodr. (DC.) 13: 116 1849

Axyris koreana Nakai, J. Jap. Bot. 15: 525 1939 ⓘ

국명: 털나도댑싸리(Teol-na-do-daep-ssa-ri) / (북한명) 참명아주, 참능쟁이

영명: Korean pigweed

Chenopodium L. 명아주속

Chenopodium acuminatum Willd., Neue Schriften Ges. Naturf. Freunde Berlin 2: 124 1799

국명: 둥근잎명아주(Dung-geun-ip-myeong-a-ju), 버들능쟁이, 버들명아주, 버들잎능쟁이, 애기능쟁이 / (북한명) 버들능쟁이, 버들명아주

영명: Acuminate goosefoot

Chenopodium acuminatum Willd. var. *vachellii* (Hook. & Arn.) Moq., Prodr. (DC.) 13: 63 1849

Chenopodium acuminatum Willd. var. *ovatum* Fenzl, Fl. Ross. (Ledeb.) 3: 695 1851

Chenopodium acuminatum Willd. var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 1: 386 1875
Chenopodium acuminatum Willd. f. *ovatum* (Fenzl) Aellen, Fl. URSS 6: 56 1936

Chenopodium acuminatum* Willd. subsp. *acuminatum

Chenopodium acuminatum* Willd. subsp. *virgatum (Thunb.) C.H.Bлом, Acta Horti Gothob. 12: 13 1938

국명: 벼들명아주(Beo-deul-myeong-a-ju) / (북한명) 강가는쟁이

Chenopodium virgatum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 143 1815

Chenopodium acuminatum Willd. var. *virgatum* (Thunb.) Moq., Prodr. (DC.) 13: 63 1849

Chenopodium album* L. var. *album

Chenopodium album* L. var. *centrorubrum Makino, Bot. Mag. (Tokyo) 24: 16 1910

국명: 명아주(Myeong-a-ju), 는쟁이, 능쟁이, 붉은잎능쟁이 / (북한명) 능쟁이, 붉은잎능쟁이, 붉은잎명아주

영명: Red-center goosefoot

Chenopodium centrorubrum (Makino) Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 78 1936

Chenopodium album* L. var. *stenophyllum Makino, Bot. Mag. (Tokyo) 27: 28 1913

국명: 가는명아주(Ga-neun-myeong-a-ju), 가는능쟁이, 가는잎명아주, 들명아주, 벼들명아주 / (북한명) 가는능쟁이, 가는명아주

영명: Narrow-leaf goosefoot

Chenopodium stenophyllum (Makino) Koidz., Bot. Mag. (Tokyo) 39: 305 1925

Chenopodium bryoniifolium Bunge, Delect. Sem. Hort. Petrop. 10 1876

국명: 청명아주(Cheong-myeong-a-ju), 세명아주, 좀능쟁이, 참명아주, 푸른능쟁이 / (북한명) 푸른능쟁이, 푸른명아주

영명: Rhombic-leaf goosefoot

Chenopodium koraiense Nakai, Bot. Mag. (Tokyo) 35: 141 1921

***Corispermum* L. 호모초속**

Corispermum chinganicum Iljin, Izv. Glavn. Bot. Sada SSSR 28: 648 1929

국명: 이삭호모초(I-sak-ho-mo-cho)

영명: Chingan mountain bugseed

Corispermum declinatum Steph. ex Iljin, Trudy Prikl. Bot. 19: 69 1928

국명: 긴호모초(Gin-ho-mo-cho)

영명: Declinate bugseed

Corispermum elongatum Bunge ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 224 1859

■ CHENOPodiACEAE 명아주과

국명: 긴잎장다리풀(Gin-ip-jang-da-ri-pul), 강댑싸리

영명: **Elongate-leaf bugseed**

Corispermum elongatum Bunge ex Maxim. var. *tenuifolium* Bunge, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 224 1859

Corispermum sibiricum Iljin subsp. *amurensis* Iljin, Izv. Glavn. Bot. Sada SSSR 28: 650 1929

Corispermum platypterum Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 100 1935

국명: 꼬리호모초(Kko-ri-ho-mo-cho)

영명: **Broad-wing bugseed**

Corispermum puberulum Iljin f. *lissocarpum* (Kitag.) Kitag., J. Jap. Bot. 34: 1959

Corispermum puberulum Iljin var. ***puberulum***

Corispermum puberulum Iljin var. ***lissocarpum*** Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 101 1935

국명: 장다리나물(Jang-da-ri-na-mul), 모새대싸리, 모새댑싸리, 장다리풀 / (북한명) 모새대싸리

영명: **Tall bugseed**

Corispermum stauntonii Moq., Chenop. Monogr. Enum. 104 1840

국명: 호모초(Ho-mo-cho), 푸른대싸리, 푸른댑싸리, 푸른장다리풀

영명: **Staunton's bugseed**

Dysphania R.Br. 양명아주속

Dysphania aristata (L.) Mosyakin & Clements, Ukrayins'k. Bot. Zhurn. 59: 382 2002 **Ⓐ**

국명: 바늘명아주(Ba-neul-myeong-a-ju), 가시명아주, 바늘능쟁이, 애기명아주 / (북한명) 바늘명아주, 바늘능쟁이

영명: **Aristate goosefoot**

Chenopodium aristatum L., Sp. Pl. 1: 221 1753

Teloxys aristata (L.) Moq., Ann. Sci. Nat., Bot. ser. 2, 1: 290 1814

Lecanocarpus aristatus (L.) Zucc., Hort. Reg. Monac. 56 1829

Chenopodium sinense Moq., Prodr. (DC.) 13: 60 1849

Kochia Roth 갯댑싸리속

Kochia scoparia (L.) Schrad. var. ***scoparia***

Kochia scoparia (L.) Schrad. var. ***littorea*** Makino, Bot. Mag. (Tokyo) 23: 12 1909

국명: 갯댑싸리(Gaet-daep-ssa-ri), 갯대싸리 / (북한명) 개대싸리, 갯대싸리

영명: **Coastal mock-cypress**

Kochia littorea (Makino) Makino, Bot. Mag. (Tokyo) 27: 254 1913

Kochia scoparia (L.) Schrad. f. *littorea* (Makino) Kitam., Acta Phytotax. Geobot. 20: 206 1962

***Salicornia* L. 퉁퉁마디속**

***Salicornia europaea* L.**, Sp. Pl. 1: 3 1753

국명: 퉁퉁마디(Tung-tung-ma-di) / (북한명) 퉁퉁마디

영명: Marshfire glasswort

Salicornia europaea L. var. *herbacea* L., Sp. Pl. 1: 3 1753

Salicornia herbacea L., Sp. Pl. (ed.2) 1: 5 1762

Salicornia annua Sm., Engl. Bot. 6: t. 415 1797

Salicornia biennis Afzel. ex Sm., Fl. Brit. 1: 2 1800

Salicornia acetaria Pall., Ill. Pl. t. 1 1803

Salicornia patula Duval-Jouve, Bull. Soc. Bot. France 15: 175 1868

Salicornia stricta Dumort., Bull. Soc. Roy. Bot. Belgique 7: 334 1868

Salicornia brachystachya (G.Mey.) D.Koenig, Mitt. Florist.-Soziol. Arbeitsgem. 8: 11 1960

***Salsola* L. 수송나물속**

***Salsola collina* Pall.**, Ill. Pl. 34 1803

국명: 솔장다리(Sol-jang-da-ri) / (북한명) 솔장다리

영명: Slender Russian thistle

Salsola erubescens Schrad., Index Sem. (Gottingen) 5 1834

Salsola chinensis Gand., Bull. Soc. Bot. France 60: 421 1913

Salsola kali L. subsp. *collina* (Pall.) A.Bolòs & Vigo, Butl. Inst. Catalana Hist. Nat., Secc. Bot. 1: 89 1974

Salsola kali* L. subsp. *kali

***Salsola kali* L. subsp. *ruthenica* (Iljin) Soó, Magyar Növényvilág Kézikönyve 2: 786 1951**

국명: 나래수송나물(Na-rae-su-song-na-mul), 날개수송나물 / (북한명) 날개수송나물

영명: Winged-fruit Russian thistle

Salsola kali L. var. *angustifolia* Fenzl, Fl. Ross. (Lebed.) 3: 793 1851

Salsola ruthenica Iljin, Weed Fl. USSR 2: 137 1934

Salsola dichracantha Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuriae: 124 1935

***Salsola komarovii* Iljin**, Bot. Zhurn. S.S.S.R. 18: 276 1933

국명: 수송나물(Su-song-na-mul-sok), 가시솔나물 / (북한명) 수송나물

영명: Russian thistle

***Suaeda* Forssk. ex J.F.Gmel. 나문재속**

***Suaeda australis* (R.Br.) Moq.**, Ann. Sci. Nat. (Paris) 23: 318 1831

■ CHENOPodiACEAE 명아주과

국명: 방석나물(Bang-seok-na-mul)

영명: Southern seepweed

Suaeda maritima (L.) Dumort. var. *australis* (R.Br.) Domin, Biblioth. Bot. 89: 72 1921

Suaeda glauca (Bunge) Bunge, Bull. Acad. Imp. Sci. Saint-Pétersbourg 25: 362 1879

국명: 나문재(Na-mun-jae), 갯솔나물 / (북한명) 나문재

영명: Asian common seepweed

Schoberia glauca Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 56 1833

Suaeda stauntonii Moq., Chenop. Monogr. Enum. 131 1840

Salsola asparagoides Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 294 1865

Suaeda asparagoides (Miq.) Makino, Bot. Mag. (Tokyo) 8: 382 1894

Suaeda japonica Makino, Bot. Mag. (Tokyo) 8: 382 1894

국명: 칠면초(Chil-myeon-cho), 해홍나물 / (북한명) 칠면초

영명: East Asian seepweed

Suaeda malacosperma H.Hara, J. Jap. Bot. 18: 27 1942

국명: 기수초(Gi-su-cho)

영명: Brackish zone seepweed

Suaeda maritima (L.) Dumort., Fl. Belg. (Dumortier)22 1827

국명: 해홍나물(Hae-hong-na-mul), 갯나문재, 남은재나물 / (북한명) 해홍나물

영명: Herbaceous seepweed

Chenopodium maritimum L., Sp. Pl. 1: 221 1753

Suaeda nudiflora Moq., Prodr. (DC.) 13: 155 1849

Chenopodina filiformis Moq., Prodr. (DC.) 13: 164 1849

Suaeda maritima (L.) Dumort. subsp. *asiatica* H.Hara, J. Jap. Bot. 38: 116 1963

Suaeda salsa (L.) Pall., Ill. Pl.46 1803

국명: 좁은해홍나물(Jop-eun-hae-hong-na-mul), 가는나문재, 가는나문재나물, 해홍나물

영명: Narrow-saline seepweed

Chenopodium serotinum L., Sp. Pl. 1: 221 1753

Suaeda heteroptera Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 79 1936

Suaeda ussuriensis Iljin, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 125 1936

Suaeda maritima (L.) Dumort. subsp. *salsa* (L.) Soó, MagyarNövényvilágKézikönyve 2: 785 1951

AMARANTHACEAE 비름과

Achyranthes L. 쇠무릎속

Achyranthes bidentata Blume, Bijdr. Fl. Ned. Ind. 11: 545 1826

국명: 털쇠무릎(Teol-soe-mu-reup)

영명: Ruderal chaff flower

Achyranthes fruticosa Lam., Encycl. (Lamarck) 1: 545 1754

Achyranthes chinensis Osbeck, Dagb. Ostind. Resa 205 1757

Achyranthes hispida Moq., Prodr. (DC.) 13: 312 1849

Achyranthes fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 422 1904

Achyranthes longifolia (Makino) Makino, Bot. Mag. (Tokyo) 28: 180 1914

Centrostachys bidentata (Blume) Standl., J. Wash. Acad. Sci. 5: 75 1915

Achyranthes mollicula Nakai, Bot. Mag. (Tokyo) 34: 40 1920

Achyranthes ryukyuensis Tawada, J. Geobot. 19: 33 1971

Achyranthes bidentata Blume var. *bidentata*

Achyranthes bidentata Blume var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 132 1866

국명: 쇠무릎(Soc-mu-reup), 쇠무릅, 쇠무릅풀, 우슬 / (북한명) 쇠무릅

영명: Oriental chaff flower

Achyranthes japonica (Miq.) Nakai, Bot. Mag. (Tokyo) 34: 39 1920

Achyranthes fauriei H.Lév. & Vaniot var. *japonica* (Miq.) Hiyama, J. Jap. Bot. 36: 126 1961

MAGNOLIACEAE 목련과

Magnolia Plum. ex L. 목련속

Magnolia compressa Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 417 1872 Ⓢ

국명: 초령목(Cho-ryeong-mok), 귀신나무

영명: Compressed michelia

Michelia compressa (Maxim.) Sarg., Gard. & Forest 6: 75, f. 13 1893

Michelia compressa (Maxim.) Sarg. var. *formosana* Kaneh., Trans. Nat. Hist. Soc. Taiwan 20: 384 1930

Michelia formosana (Kaneh.) Masam. & Suzuki, Rep. (Annual) Taihoku Bot. Gard. 3: 57 1933

Magnolia kobus DC., Syst. Nat. 1: 456 1817 Ⓢ

국명: 목련(Mok-ryeon) / (북한명) 목련

영명: Mokryeon (Kobus magnolia)

Magnolia tomentosa Thunb., Trans. Linn. Soc. London 2: 336 1794

Yulania kous (DC.) Spach, Hist. Nat. Veg. (Spach) 7: 467 1839

Magnolia kobushi Mayr, Fremdländ. Wald-Parkbäume 484 1906

Magnolia borealis (Sarg.) Kudô, Medic. Pl. Hokk. 1: 47 1922

Magnolia sieboldii K.Koch, Hort. Dendrol.4, no. 2 1853

국명: 함박꽃나무(Ham-bak-kkot-na-mu), 얼룩함박꽃나무, 함백이꽃, 흰뛰함박꽃 / (북한명) 목란, 산목란, 함박꽃나무

■ AMARANTHACEAE 비름과

영명: **Korean mountain magnolia**

Magnolia parviflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4, 2: 187 1845

Magnolia oyama Kort, Rev. Hort. Belge Étrangère 31: 258 1905

Magnolia verecunda Koidz., Bot. Mag. (Tokyo) 40: 339 1926

Oyama sieboldii (K.Koch) N.H.Xia & C.Y.Wu, Fl. China 7: 67 2008

SCHISANDRACEAE 오미자과

Kadsura Kaempf. ex Juss. 남오미자속

Kadsura japonica (L.) Dunal, Monogr. Anonac.57 1817

국명: 남오미자(Nam-o-mi-ja) / (북한명) 남오미자

영명: **Kadsura vine**

Uvaria japonica L., Sp. Pl. 1: 536 1753

Schisandra japonica (L.) Baill., Hist. Pl. (Baillon) 1: 150 1868

Kadsura matsudae Hayata, Icon. Pl. Formosan. 9: 4 1920

Schisandra Michx. 오미자속

Schisandra chinensis (Turcz.) Baill., Hist. Pl. (Baillon) 1: 148 1868

국명: 오미자(O-mi-ja), 개오미자 / (북한명) 오미자, 오미자나무

영명: **Five-flavor magnolia vine**

Kadsura chinensis Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 149 1837

Maximowiczia amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 124 1856

Maximowiczia chinensis (Turcz.) Rupr., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 31 1859

Maximowiczia japonica (A.Gray) K.Koch, Dendrologie 1: 386 1869

Maximowiczia sinensis Rob., Garden(London1871-1927) 6: 583 1874

Schisandra chinensis (Turcz.) Baill. var. *glabrata* Nakai ex T.Mori, Fl. Sylv. Kor. 20: 106 1933

Schisandra chinensis (Turcz.) Baill. var. *leucocarpa* P.H.Huang & L.H.Zhuo, Bull. Bot. Res., Harbin 14: 35 1994

Schisandra repanda (Siebold & Zucc.) Radlk., Sitzungsber. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.

München 16: 303 1886 **R**

국명: 흑오미자(Heuk-o-mi-ja), 검오미자, 검은오미자, 북오미자, 청오미자 / (북한명) 흑오미자

영명: **Black-berry magnolia vine**

Trochostigma repandum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 728 1843

Schisandra nigra Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 144 1872

Schisandra discolor Nakai, Fl. Sylv. Kor. 20: 103 1933

Schisandra nigra Maxim. var. *hypoleuca* Makino, Ill. Fl. Nippon (Makino) 588 1940

Maximowiczia nigra (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 28 1952

Schisandra repanda (Siebold & Zucc.) Radlk. f. *hypoleuca* (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 469 1965

Schisandra nigra Maxim. f. *viridicarpa* (Y.N.Lee) M.Kim, Korean Endemic Pl. 292 2004

** *Schisandra viridicarpa* Y.N.Lee, Fl. Korea (Lee) ed. 4 1150 2002

** *Schisandra repanda* (Siebold & Zucc.) Radlk. f. *viridicarpa* (Y.N.Lee) M.Kim, Korean Endemic Pl. 515 2017

ILLICIACEAE 봇순나무과

Illicium L. 봇순나무속

Illicium anisatum L., Syst. Nat. ed. 10, 2: 1050 1759 Ⓢ

국명: 봇순나무(But-sun-na-mu), 가시목, 말갈구, 밸갓구, 봇순 / (북한명) 봇순나무

영명: Aniseed tree

Illicium religiosum Siebold & Zucc., Fl. Jap. (Siebold) 1: 5 1835

Illicium religiosum Siebold & Zucc. var. *masa-ogatae* Makino, J. Jap. Bot. 4: 5 1927

Illicium masa-ogatae (Makino) A.C.Sm., Sargentia 7: 32 1947

LAURACEAE 녹나무과

Actinodaphne Nees 육박나무속

Actinodaphne lancifolia (Blume) Meisn., Prodr. (DC.) 15: 211 1864

국명: 육박나무(Yuk-bak-na-mu) / (북한명) 육박나무

영명: Sword-leaf litsea

Iozoste lancifolia Blume, Mus. Bot. 1: 364 1851

Litsea coreana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 370 1912

Litsea orientalis C.E.Chang, Fl. Taiwan 2: 446 1976

Cinnamomum Schaeff. 녹나무속

Cinnamomum camphora (L.) J.Presl, Prir. Rostlin 2: 36 1825 Ⓢ

국명: 녹나무(Nok-na-mu), 등근잎녹나무 / (북한명) 녹나무

영명: Camphor tree

Laurus camphora L., Sp. Pl. 1: 369 1753

Persea camphora (L.) Spreng., Syst. Veg. (ed.16) [Sprengel] 2: 268 1825

Camphora officinarum Nees, Pl. Asiat. Rar. 2: 72 1831

Camphora vera Raf., Sylva Tellur. 136 1838

Cinnamomum camphora (L.) J.Presl var. *glaucescens* (A.Br.) Meisn., Prodr. (DC.) 15: 24 1864

Cinnamomum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 370 1911

Cinnamomum camphoroides Hayata, Icon. Pl. Formosan. 3: 158 1913

Cinnamomum nominale (Hayata ex Matsum. & Hayata) Hayata, Icon. Pl. Formosan. 3: 160 1913

Cinnamomum camphora (L.) J.Presl var. *cyclophyllum* Nakai, J. Jap. Bot. 19: 369 1943

Cinnamomum camphora (L.) J.Presl var. *rotundifolia* Makino, Makinoa 8: 150 1948

■ LAURACEAE 녹나무과

Cinnamomum camphora (L.) J.Presl var. *linaloolifera* Y.Fujita, Bot. Mag. (Tokyo) 65: 245 1952

Cinnamomum camphora (L.) J.Presl f. *cyclophyllum* (Nakai) M.Kim, Korean Endemic Pl. 290 2004

Cinnamomum yabunikkei H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2a: 243 2006

국명: 생달나무(Saeng-dal-na-mu), 신신무 / (북한명) 생달나무

영명: Japanese camphor tree

Cinnamomum pedunculatum (Thunb.) J.Presl var. *nervosum* Meisn., Prodr. [A. P. de Candolle] 15: 16 1864

Lindera Adans. 생강나무속

Lindera angustifolia W.C.Cheng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 8: 294 1933

국명: 뇌성목(Noe-seong-mok), 뇌성나무, 뇌성나무, 잔자목 / (북한명) 뇌성나무

영명: Willow-leaf spicebush

Lindera nakaiana Kamik., Trans. Nat. Hist. Soc. Kagoshima Imp. Coll. Agric. 3: 129 1935

Benzoin angustifolium (W.C.Cheng) Nakai var. *glabrum* Nakai, Fl. Sylv. Kor. 22: 79 1939

** *Lindera glauca* (Siebold & Zucc.) Blume var. *salicifolia* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 264 1966

! *Benzoin salicifolium* Nakai, Bot. Mag. (Tokyo) 44: 29 1930

Lindera erythrocarpa Makino, Bot. Mag. (Tokyo) 11: 219 1897

국명: 비목나무(Bi-mok-na-mu), 보얀목, 윤여리나무 / (북한명) 비목나무

영명: Red-fruit spicebush

Benzoin erythrocarpum (Makino) Rehder, J. Arnold Arbor. 1: 144 1919

Lindera henanensis H.P.Tsui, Acta Phytotax. Sin. 25: 412 1987

Lindera erythrocarpa Makino var. *longipes* S.B.Liang, Bull. Bot. Res., Harbin 8: 90 1988

Lindera glauca (Siebold & Zucc.) Blume, Mus. Bot. 1: 325 1851

국명: 감태나무(Gam-tae-na-mu), 간자목, 뇌성목, 백동백, 백동백나무, 흰동백나무 / (북한명) 감태나무

영명: Gray-blue spicebush

Benzoin glaucum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 204 1846

Lindera glauca (Siebold & Zucc.) Blume var. *kawakamii* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 255 1911

Benzoin glaucum Siebold & Zucc. var. *kawakamii* (Hayata) Sasaki, List Pl. Formosa (Sasaki) 191 1928

Lindera obtusiloba Blume, Mus. Bot. 1: 325 1851

국명: 생강나무(Saeng-gang-na-mu), 개동백나무, 동백나무, 아구사리, 아귀나무, 등근잎생강나무, 고로쇠생강나무 / (북한명) 생강나무, 동백나무, 개동백나무, 산동백나무

영명: Blunt-lobe spicebush

Lindera obtusiloba Blume var. *villosa* Blume, Mus. Bot. 1: 325 1851

Lindera mollis Oliv., J. Linn. Soc., Bot. 9: 168 1867

Benzoin obtusilobum (Blume) Kuntze, Revis. Gen. Pl. 2: 569 1891

Lindera cercidifolia Hemsl., J. Linn. Soc., Bot. 26: 387 1891

Benzoin cercidifolium (Hemsl.) Rehder, J. Arnold Arbor. 1: 144 1919

Benzoin obtusilobum (Blume) Kuntze f. *ovatum* Nakai, En. 166 1922

- Benzoin obtusilobum* (Blume) Kuntze f. *quinquelobum* Uyeki, J. Chosen Nat. Hist. Soc. 20: 18 1935
Benzoin obtusilobum (Blume) Kuntze f. *villosum* (Blume) Nakai, Fl. Sylv. Kor. 22: 72 1939
Lindera obtusiloba Blume f. *quinqueloba* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 264 1966
Lindera obtusiloba Blume f. *villosa* (Blume) T.B.Lee, Ill. Woody Pl. Korea 264 1966
Lindera obtusiloba Blume var. *praetermissa* (Grierson & D.G.Long) H.P.Tsui, Acta Phytotax. Sin. 16: 66 1978
Lindera praetermissa Grierson & D.G.Long, Notes Roy. Bot. Gard. Edinburgh 36: 149 1978

***Lindera sericea* (Siebold & Zucc.) Blume, Mus. Bot. 1: 324 1851 (R)**

국명: 털조장나무(Teol-jo-jang-na-mu), 조장나무 / (북한명) 조장나무

영명: Hairy spicebush

- Benzoin sericeum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 204 1846
Lindera umbellata Thunb. var. *sericea* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 14: 184 1900
Benzoin umbellatum var. *sericeum* (Siebold & Zucc.) Rehder, J. Arnold Arbor. 1: 146 1919

***Litsea* Lam. 까마귀쪽나무속**

***Litsea japonica* (Thunb.) Juss., Bull. Sci. Soc. Philom. Paris 3: 73 1801**

국명: 까마귀쪽나무(Kka-ma-gwi-jjok-na-mu), 가마귀쪽나무 / (북한명) 까마귀쪽나무

영명: Yellowish velvety-leaf litsea

- Tomex japonica* Thunb., Nov. Gen. Pl. [Thunberg] 3: 65 1783
Fiwa japonica (Thunb.) J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 345 1791
Tetranthera japonica (Thunb.) Spreng., Syst. Veg. (ed.16) [Sprengel] 2: 266 1825
Malapoenna japonica (Thunb.) Kuntze, Revis. Gen. Pl. 2: 572 1891

***Machilus* Nees 후박나무속**

***Machilus japonica* Siebold & Zucc. ex Meisn., Prodr. (DC.) 15: 42 1864**

국명: 센달나무(Sen-dal-na-mu) / (북한명) 센달나무

영명: Long-leaf bay-tree

- Machilus thunbergii* Siebold & Zucc. var. *japonica* (Siebold & Zucc.) Yatabe, Bot. Mag. (Tokyo) 6: 177 1892
Machilus kusanoi Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 241 1911
Machilus puseudolongifolia Hayata, Icon. Pl. Formosan. 5: 160 1915
Persea japonica (Siebold & Zucc. ex Meisn.) Kosterm., Reinwardtia 6: 107 1962
Persea puseudolongifolia (Hayata) Kosterm., Reinwardtia 6: 107 1962
Persea kusanoi (Hayata) H.L.Li, Woody Fl. Taiwan 226 1963

***Machilus thunbergii* Siebold & Zucc. ex Meisn., Prodr. (DC.) 15: 42 1864**

국명: 후박나무(Hu-bak-na-mu), 왕후박나무 / (북한명) 후박나무

영명: Thunberg's bay-tree

- Machilus macrophylla* Hemsl. var. *arisensis* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 243 1911
Machilus arisanensis (Hayata) Hayata, Icon. Pl. Formosan. 5: 160 1915
Machilus kwashotensis Hayata, Icon. Pl. Formosan. 5: 160 1915

■ LAURACEAE 녹나무과

Machilus nanshoensis Kaneh., Formosan Trees 449 1917

Machilus thunbergii Siebold & Zucc. ex Meisn. var. *ovovata* Nakai, Bot. Mag. (Tokyo) 37: 210 1923

Machilus arisanensis (Hayata) Hayata var. *nanshoensis*. (Kaneh.) Yamam., J. Soc. Trop. Agric. 4: 53 1932

Machilus thunbergii Siebold & Zucc. ex Meisn. var. *trochodendroides* Masam., Trans. Nat. Hist. Soc. Taiwan 29: 273 1939

Persea thunbergii (Siebold & Zucc. ex Meisn.) Kosterm., Commun. Forest Res. Inst. 57: 35 1957

Persea arisanensis (Hayata) Kosterm., Reinwardtia 6: 191 1962

Neolitsea Merr. 참식나무속

Neolitsea aciculata (Blume) Koidz., Bot. Mag. (Tokyo) 32: 258 1918

국명: 새덕이(Sae-deok-i), 흰새덕이, 흰생덕이 / (북한명) 흰새덕이나무

영명: Irregular-streak newlitsea

Litsea foliosa Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 207 1846

Litsea aciculata Blume, Mus. Bot. 1: 347 1851

Malapoenna aciculata (Blume) Kuntze, Revis. Gen. Pl. 2: 572 1891

Tetradenia acutotrinervia Hayata, Icon. Pl. Formosan. 3: 166 1913

Neolitsea acutotrinervia (Hayata) Kaneh. & Sasaki, Trans. Nat. Hist. Soc. Taiwan 20: 381 1930

Neolitsea sericea (Blume) Koidz., Bot. Mag. (Tokyo) 40: 343 1926

국명: 참식나무(Cham-sik-na-mu), 식나무, 노랑참식나무 / (북한명) 참식나무

영명: Sericeous newlitsea

Laurus sericea Blume, Bijdr. Fl. Ned. Ind. 11: 554 1826

Litsea glauca Siebold, Verh. Batav. Genootsch. Kunsten 12: 24 1830

Malapoenna sieboldii Kuntze, Revis. Gen. Pl. 2: 572 1891

Tetradenia glauca (Siebold) Matsum., Index Pl. Jap. 2: 140 1912

Neolitsea boninense Koidz., Bot. Mag. (Tokyo) 32: 256 1918

Neolitsea glauca (Thunb.) Koidz., Bot. Mag. (Tokyo) 32: 257 1918

Neolitsea sieboldii (Kuntze) Nakai, Bot. Mag. (Tokyo) 51: 520 1927

Neolitsea cuneifolia Koidz., Bot. Mag. (Tokyo) 43: 406 1929

Neolitsea ohbana Koidz., Bot. Mag. (Tokyo) 43: 407 1929

Neolitsea sericea (Blume) Koidz. f. *koreana* M.Kim, Kor. J. Env. Eco. 26(2): 141 2011

RANUNCULACEAE 미나리아재비과

Aconitum L. 투구꽃속

Aconitum alboviolaceum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 439 1901

국명: 줄바꽃(Jul-ba-kkot), 줄진범 / (북한명) 줄바꽃

영명: Whitish-purple monk'shood

Aconitum alboviolaceum Kom. var. *purpurascens* Nakai, J. Jap. Bot. 13: 399 1937

Lycocotonum alboviolaceum (Kom.) Nakai, J. Jap. Bot. 13: 405 1937

Lycocotonum alboviolaceum (Kom.) Nakai var. *purpurascens* (Nakai) Nakai, J. Jap. Bot. 13: 405 1937

Lycoctonum alboviolaceum (Kom.) Nakai var. *fuscescens* Nakai, Bull. Natl. Sci. Mus., Tokyo 42: 2 1953

Aconitum alboviolaceum Kom. f. *purpurascens* (Nakai) Kitag., J. Jap. Bot. 34: 6 1959

Aconitum alboviolaceum Kom. f. *albiflorum* S.H.Li & Y.H.Huang, Fl. Plant. Herb. Chinæ Bor.-Or. 3: 228 1975

Aconitum ambiguum Rchb., Uebers. Aconitum 43 1819

국명: **민바꽃**(Min-ba-kkot), 안성바꽃, 투구꽃 / (북한명) 민바꽃

영명: **Glabrous monk'shood**

Aconitum austrokoreense Koidz., Exp. Forest. Kyushu Imp. Univ. 5: 369 1934 Ⓟ Ⓥ

국명: **세뿔투구꽃**(Se-ppul-tu-gu-kkot), 금오돌또기, 금오오돌또기, 담색바꽃, 미색바꽃

영명: **Trilobe monk'shood**

Aconitum barbatum Patrin ex Pers. var. ***barbatum***

Aconitum barbatum Patrin ex Pers. var. ***hispidum*** (DC.) Ser., Prodr. (DC.) 1: 58 1824

국명: **넓은잎노랑투구꽃**(Neol-beun-ip-no-rang-tu-gu-kkot), 노랑투구꽃 / (북한명) 넓은노랑투구꽃

영명: **Siberian monk'shood**

Aconitum sibiricum Poir., Encycl. Suppl. 1: 113 1810

Aconitum hispidum DC., Syst. Nat. 1: 367 1817

Aconitum carmichaeli Debeaux var. ***carmichaeli***

Aconitum carmichaeli Debeaux var. ***truppelianum*** (Ulbr.) W.T.Wang & P.K.Hsiao, Fl. Reipubl. Popularis Sin. 27: 268 1979

국명: **송이바꽃**(Song-i-ba-kkot)

Aconitum japonicum Thunb. var. *truppelianum* Ulbr., Beih. Bot. Centralbl. 37(2): 122 1919

Aconitum kitagawai Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 156 1935

Aconitum liaotungense Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 158 1935

Aconitum takahashii Kitag., J. Jap. Bot. 44: 270 1969

Aconitum chiisanense Nakai, J. Jap. Bot. 11: 147 1935 Ⓟ Ⓥ

국명: **지리바꽃**(Ji-ri-ba-kkot), 지리산바꽃, 지이바꽃 / (북한명) 지리산바꽃

영명: **Jiri monk'shood**

Aconitum ciliare DC., Syst. Nat. (Candolle) 1: 378 1817

국명: **놋젓가락나물**(Not-jeot-ga-rak-na-mul), 선덩굴바꽃 / (북한명) 선덩굴바꽃

영명: **Hairy monk'shood**

Aconitum coreanum (H.Lév.) Rapaics, Növényt. Közlem. 6: 154 1907 Ⓥ

국명: **백부자**(Baek-bu-ja) / (북한명) 노란돌짜귀, 백부자

■ RANUNCULACEAE 미나리아재비과

영명: Korean monk'shood

Aconitum delavayi Franch. var. *coreanum* H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 300 1902

Aconitum komarovii Steimb., Fl. URSS 7: 191 1937

Aconitum fischeri Rchb. var. *fischeri*

Aconitum fischeri Rchb. var. *arcuatum* (Maxim.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 44 1861

국명: 키다리바꽃(Ki-da-ri-ba-kkot), 왕바꽃, 키바꽃, 큰덩굴바꽃, 큰바꽃, 흰바꽃, 흰왕바꽃 / (북한명) 키다리바꽃

영명: Curve monk'shood

Aconitum arcuatum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 27 1859

Aconitum fischeri Rchb. f. *pilocarpum* S.H.Li & Y.H.Huang, Fl. Plant. Herb. Chiae Bor.-Or. 2: 228 1975

Aconitum jaluense Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 439 1901

국명: 투구꽃(Tu-gu-kkot), 개싹눈바꽃, 그늘돌쩌귀, 선투구꽃, 세잎돌쩌귀, 싹눈바꽃, 진돌쩌귀 / (북한명) 투구꽃

영명: Monk'shood

Aconitum triphyllum Nakai var. *manshuricum* Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 158 1935

Aconitum japonicum Thunb. subsp. *japonicum*

Aconitum japonicum Thunb. subsp. *napiforme* (H.Lév. & Vaniot) Kadota, Ann. Tsukuba Bot. Gard. 2: 100

1983 ⑧

국명: 한라돌쩌귀(Han-ra-dol-jjeo-gwi), 선투구꽃, 한라돌쩌기, 한라바꽃, 흰한라돌쩌귀

영명: East Asian monk'shood

Aconitum napiforme H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 9 1908

Aconitum napiforme H.Lév. & Vaniot var. *latifolium* Nakai ex Tamura & Namba, Sci. Rep. Coll. Gen. Educ. Osaka Univ. 9: 113 1960

Aconitum napiforme H.Lév. & Vaniot var. *albiflorum* Y.N.Lee, Korean J. Bot. 25: 177 1982

Aconitum kirinense Nakai, Rep. 1st Sc. Exped. Manchoukuo Sect. IV 4: 147 1935

국명: 북투구꽃(Buk-tu-gu-kkot) / (북한명) 북투구꽃

Aconitum kusnezoffii Rchb., Ill. Sp. Acon. Gen.t. 21 1823 ⑧

국명: 이삭바꽃(I-sak-ba-kkot) / (북한명) 이삭바꽃

영명: Kusnezoff's monk'shood

Aconitum kusnezoffii Rchb. var. *tenuisectum* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 94 1861

Aconitum kusnezoffii Rchb. var. *nutans* Finet & Gagnep., Bull. Soc. Bot. France 51: 508 1904

Aconitum yamatsutae Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 153 1935

Aconitum pulcherrimum Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 161 1935

Aconitum triphyloides Nakai, Bot. Mag. (Tokyo) 63: 56 1950

Aconitum kusnezoffii Rchb. var. *crispulum* W.T.Wang, Acta Phytotax. Sin., Addit. 1: 92 1965

Aconitum volubile Pall. ex Koelle var. *pulcherrimum* (Nakai) U.C.La, Fl. Coreana 2: 271 1996

Aconitum longecassidatum Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 27 1909

국명: 흰진범(Huin-jin-beom), 흰진교 / (북한명) 흰진교

영명: Tall-helmet monk'shood

Lycocotonum longicassidatum (Nakai) Nakai, J. Jap. Bot. 13: 406 1937

Aconitum macrorhynchum Turcz. ex Ledeb., Bull. Soc. Imp. Naturalistes Moscou 15: 83 1842

국명: 가는잎바꽃(Ga-neun-ip-ba-kkot)

Aconitum monanthum Nakai, Bot. Mag. (Tokyo) 28: 58 1914

국명: 각시투구꽃(Gak-si-tu-gu-kkot), 각씨투구꽃, 꼬마돌쩌귀 / (북한명) 각씨투구꽃

영명: Alpine monk'shood

Aconitum pseudolaeve Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 139 1935 ⓘ

국명: 진범(Jin-beom), 줄바꽃, 줄오독도기, 진교 / (북한명) 진교

영명: Upright monk'shood

Lycocotonum pseudolaeve (Nakai) Nakai var. *volubile* Nakai, Bot. Mag. (Tokyo) 28: 64 1914

Lycocotonum pseudolaeve (Nakai) Nakai, J. Jap. Bot. 13: 406 1937

Lycocotonum pseudolaeve (Nakai) Nakai var. *flexuosum* Nakai, Bull. Natl. Sci. Mus., Tokyo 42: 8 1953

Aconitum pteropus Nakai, J. Jap. Bot. 13: 400 1937 ⓘ

국명: 날개진범(Nal-gae-jin-beom), 지느러미진교 / (북한명) 지느러미진교, 넓은잎진교

영명: Wing monk'shood

Lycocotonum pteropus (Nakai) Nakai, J. Jap. Bot. 13: 406 1937

Aconitum puchonroenicum Uyeki & Sakata, Acta Phytotax. Geobot. 7: 14 1938

국명: 부전투구꽃(Bu-jeon-tu-gu-kkot) / (북한명) 부전투구꽃

Aconitum quelpaertense Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 145

1935 ⓘ

국명: 한라투구꽃(Han-ra-tu-gu-kkot), 섬오돌도기, 섬진범

영명: Halla monk'shood

Lycocotonum quelpaertense (Nakai) Nakai, J. Jap. Bot. 13: 406 1937

Aconitum pseudolaeve Nakai var. *quelpaertense* (Nakai) M.Kim, Korean Endemic Pl. 65 2017

Aconitum raddeanum Regel, Index Seminum [St.Petersburg (Petropolianus)] 43 1861

국명: 선줄바꽃(Seon-jul-ba-kkot), 선덩굴바꽃, 선덩굴오돌도기, 선돌바꽃, 선바꽃

영명: Big-bract monk'shood

Aconitum sczukinii Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 61 1840

■ RANUNCULACEAE 미나리아재비과

국명: 넓은잎초오(Neol-beun-ip-cho-o), 넓은잎돌쩌기, 넓은잎오돌도기, 민덩굴바꽃, 넓은잎오독도기 /
(북한명) 넓은잎오독도기

영명: Wide-leaf monk'shood

Aconitum volubile Pall. ex Koelle var. *latisectum* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 43 1861

Aconitum triphyllum Nakai, Bot. Mag. (Tokyo) 28: 57 1914

국명: 세잎돌쩌귀(Se-ip-dol-jjeo-gwi) / (북한명) 세잎돌쩌귀

영명: Three-leaf monk'shood

Aconitum jalicense Kom. var. *triphyllum* (Nakai) U.C.La, Fl. Coreana 2: 283 1996

Aconitum umbrosum (Korsh.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 250 1904 Ⓡ

국명: 선투구꽃(Seon-tu-gu-kkot), 선오돌또기 / (북한명) 선투구꽃

영명: Meadow monk'shood

Aconitum lycocotonum L. f. *umbrosum* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 300 1893

Aconitum paishanense Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 152 1941

Lycocotonum umbrosum (Korsh.) Nakai, J. Jap. Bot. 19: 312 1943

Aconitum ranunculoides Turcz. subsp. *umbrosum* (Korsh.) Vorosch., A.K. Skvortsov (ed.), Florist. issl. v razn. raionakh SSSR 169 1985

Aconitum villosum Rchb., Uebers. Aconitum 39 1819

국명: 가는돌쩌귀(Ga-neun-dol-jjeo-gwi), 가는잎바꽃, 참줄바꽃 / (북한명) 가는돌쩌귀

영명: Dissected-leaf monk'shood

Aconitum napellus Pall., Reise Russ. Reich. 2: 528 1773

Aconitum flaccidum Rchb., Uebers. Aconitum 39 1819

Aconitum volubile Pall. ex Koelle var. *villosum* (Rchb.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 43 1861

Aconitum neotortuosum Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuriae: 154 1935

Aconitum volubile Pall. ex Koelle, Spic. Observ. Aconit. 21 1787

국명: 가는줄돌쩌귀(Ga-neun-jul-dol-jjeo-gwi), 가는줄덜쩌귀풀, 털가는덩굴바꽃 / (북한명) 가는줄돌쩌귀

영명: Twining monk'shood

Aconitum tortuosum Willd., Enum. Pl. (Willdenow) 1: 576 1809

Aconitum recognitum Rchb., Uebers. Aconitum 42 1819

Aconitum possieticum Vorosch., Izv. Glavn. Bot. Sada SSSR 40: 50 1961

Aconitum phragmitincola Kom. ex Vorosh., Izv. Glavn. Bot. Sada SSSR 60: 37 1965

Actaea L. 노루삼속

Actaea asiatica H.Hara, J. Jap. Bot. 15: 313 1939

국명: 노루삼(No-ru-sam) / (북한명) 노루삼

영명: Asian baneberry

Actaea spicata L. var. *asiatica* (H.Hara) S.H.Li & Y.Huei Huang, Fl. Pl. Herb. Chin. Bor.-Or. 3: 105 1975

Actaea acuminata Wall. ex Royle subsp. *asiatica* (H.Hara) Luferov, Komarovia 1: 61 1999

Actaea austrokoreana (H.W.Lee & C.W.Park) Cubey, Hanburyana 1: 14 2006 ⓘ

국명: 나제승마(Na-je-seung-ma), 숙은촛대승마

Cimicifuga austrokoreana H.W. Lee & C.W.Park, Novon 14(2): 180 2004

Actaea bifida (Nakai) J.Compton, Taxon 47: 624 1998 ⓘ ⓘ

국명: 세잎승마(Se-ip-seung-ma)

영명: Three-leaf Komarov's bugbane

Cimicifuga heracleifolia Kom. var. *bifida* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 35 1909

Cimicifuga bifida (Nakai) Luferov, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s, 105: 57 2000

Actaea biternata (Siebold & Zucc.) Prantl, Bot. Jahrb. Syst. 9: 246 1888

국명: 개승마(Gae-seung-ma), 산승마, 승마, 왕승마, 왜승마, 큰개승마, 황새승마 / (북한명) 산승마, 개승마

영명: Southern bugbane

Pityrosperma biternatum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 736 1843

Pityrosperma obtusilobum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 735 1843

Cimicifuga obtusiloba (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 9 1867

Cimicifuga biternata (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 9 1867

Thalictrodes biternatum (Miq.) Kuntze, Revis. Gen. Pl. 1: 4 1891

Thalictrodes obtusilobum (Miq.) Kuntze, Revis. Gen. Pl. 1: 4 1891

Cimicifuga japonica (Thunb.) Spreng. var. *obtusiloba* (Siebold & Zucc.) Huth, Bot. Jahrb. Syst. 16: 316 1892

Cimicifuga japonica (Thunb.) Spreng. var. *biternata* (Siebold & Zucc.) Finet & Gagnep., Bull. Soc. Bot. France 51: 521 1904

Actaea cimicifuga L., Sp. Pl. 1: 504 1753

국명: 황새승마(Hwang-sae-seung-ma)

영명: Foetid's bugbane

Cimicifuga foetida L., Syst. Nat. ed. 12, 2: 659 1767

Actaea dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch., Pl. David. 1: 23 1883

국명: 눈빛승마(Nun-bit-seung-ma) / (북한명) 눈빛승마

영명: Dahurian bugbane

Actaea pterosperma Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 21 1835

Actinospora dahurica Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 21 1835

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 28 1859

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *fertilis* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 120 1861

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *mascula* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 121 1861

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. f. *mascula* (Regel) Huth, Bot. Jahrb. Syst. 16: 317 1892

■ RANUNCULACEAE 미나리아재비과

Actaea heracleifolia (Kom.) J.Compton, Taxon 47: 624 1998

국명: 승마(Seung-ma), 끼멸끼리, 왜승마 / (북한명) 승마, 끼멸가리

영명: Komarov's bugbane

Cimicifuga heracleifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 438 1901

Actaea japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 488 1784

국명: 왜승마(Wae-seung-ma), 개승마, 산승마, 큰산승마, 황새승마

영명: Jejudo bugbane

Cimicifuga japonica (Thunb.) Spreng., Syst. Veg. (ed. 16) 2: 628 1825

Thalictrodes japonicum (Thunb.) Kuntze, Revis. Gen. Pl. 1: 4 1891

Cimicifuga japonica (Thunb.) Spreng. var. *acerina* (Siebold & Zucc.) Huth, Bot. Jahrb. Syst. 16: 316 1892

Cimicifuga acerina (Siebold & Zucc.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 203 1925

Cimicifuga macrophylla Koidz., Bot. Mag. (Tokyo) 44: 101 1930

Cimicifuga peltata (Makino) Koidz., Bot. Mag. (Tokyo) 44: 101 1930

Cimicifuga chinensis Koidz., Bot. Mag. (Tokyo) 44: 102 1930

Cimicifuga acerina (Siebold & Zucc.) Tanaka var. *intermedia* H.Hara, Acta Phytotax. Geobot. 13: 200 1943

Cimicifuga acerina (Siebold & Zucc.) Tanaka var. *macrophylla* (Koidz.) H.Hara, Acta Phytotax. Geobot. 13: 201 1943

Cimicifuga acerina (Siebold & Zucc.) Tanaka var. *peltata* (Makino) H.Hara, Acta Phytotax. Geobot. 13: 201 1943

Cimicifuga japonica (Thunb.) Spreng. var. *macrophylla* (Koidz.) H.Hara, J. Jap. Bot. 60: 137 1985

Actaea rubra (Aiton) Willd., Enum. Pl. 561 1809

국명: 붉은노루삼(Bul-geun-no-ru-sam) / (북한명) 붉은노루삼

영명: Red baneberry

Actaea spicata L. var. *rubra* Aiton, Hort. Kew. 2: 211 1789

Actaea spicata L. var. *erythrocarpa* (Fisch.) Ledeb., Fl. Ross. (Ledeb.) 1: 71 1842

Actaea erythrocarpa (Fisch.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 237 1904

Actaea simplex (DC.) Wormsk. ex Prantl, Bot. Jahrb. Syst. 9: 246 1887

국명: 촛대승마(Chot-dae-seung-ma), 나물승마, 대스암, 대승마, 산촛대승마, 섬승마, 섬촛대승마, 초대승마, 초째승마 / (북한명) 촛대승마

영명: Simple bugbane

Actaea cimicifuga L. var. *simplex* DC., Prodr. (DC.) 1: 64 1824

Cimicifuga simplex Wormsk. ex DC., Prodr. (DC.) 1: 64 1824

Cimicifuga foetida L. var. *simplex* (DC.) G.Don, Gen. Hist. 1: 64 1831

Cimicifuga foetida L. var. *intermedia* Regel, Reis. Ostsib. 1: 121 1861

Cimicifuga dahurica (Turcz. ex Fisch. & C.A.Mey.) Franch. var. *tschonoskii* Huth, Bot. Jahrb. Syst. 16: 317 1892

Cimicifuga ussuriensis Oett., Trudy Bot. Sada Imp. Yur'evsk. Univ. 6: 138 & tab. 1 1905

Cimicifuga foetida L. var. *matsumurai* Nakai, Bot. Mag. (Tokyo) 22: 151 1908

Cimicifuga simplex Wormsk. ex DC. var. *matsumurai* (Nakai) Nakai, Bot. Mag. (Tokyo) 30: 146 1916

Cimicifuga simplex Wormsk. ex DC. var. *yezoensis* Nakai, Bot. Mag. (Tokyo) 30: 146 1916

Cimicifuga yesoensis (Nakai) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 12: 36 1923

Adonis L. 복수초속

Adonis amurensis Regel & Radde, Bull. Soc. Imp. Naturalistes Moscou 34: 35 1861

국명: 복수초(Bok-su-cho), 눈색이속, 복풀, 애기복수초 / (북한명) 복풀, 복수초

영명: Amur adonis

Adonis amurensis Regel & Radde var. *uniflora* Makino, Bot. Mag. (Tokyo) 8: 97 1894

Adonis vernalis L. var. *amurensis* (Regel & Radde) Regel & Radde, Bull. Soc. Bot. France 51: 132 1904

Adonis amurensis Regel & Radde var. *puberula* Honda, Bot. Mag. (Tokyo) 52: 49 1939

Adonis amurensis Regel & Radde var. *angustiloba* A.I.Baranov & Skvortsov, Acta Soc. Harb. Invest. Nat. & Ethnog. 12: 35 1954

Chrysocyathus amurensis (Regel & Radde) Holub, Preslia 70: 102 1998

** *Adonis amurensis* Regel & Radde subsp. *nanus* Y.N.Lee, Fl. Korea (Lee) 1157 1996

** *Adonis amurensis* Regel & Radde f. *nanus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 292 2004

Adonis multiflora Nishikawa & Koji Ito, J. Jap. Bot. 64: 51 1989

국명: 세복수초(Se-bok-su-cho), 은빛복수초

영명: Acute-tip adonis

Chrysocyathus multiflorus (Nishikawa & Koji Ito) Holub, Preslia 70: 102 1998

** *Adonis amurensis* Regel & Radde f. *algentatus* Y.N.Lee, Fl. Korea (Lee) 1157 1996

** *Adonis amurensis* Regel & Radde subsp. *multiflora* (Nishikawa & Koji Ito) Y.N.Lee, Bull. Korea Pl. Res. 4: 36 2004

** *Adonis multiflora* Nishikawa & Koji Ito f. *algentatus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 292 2004

Adonis pseudoamurensis W.T.Wang, Fl. Reipubl. Popularis Sin. 28: 352 1980

국명: 개복수초(Gae-bok-su-cho), 연노랑복수초, 갈기복수초

Adonis amurensis Regel & Radde var. *dissectipetalis* Y.N.Lee, Bull. Korea Pl. Res. 5: 4 2005

Adonis pseudoamurensis W.T.Wang f. *dissectipetalis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 515 2017

** *Adonis amurensis* Regel & Radde f. *viridescensicalyx* Y.N.Lee, Fl. Korea (Lee) 1157 1996

** *Adonis pseudoamurensis* W.T.Wang f. *viridescensicalyx* (Y.N.Lee) M.Kim, Korean Endemic Pl. 292 2004

** *Adonis amurensis* Regel & Radde var. *pseudoamurensis* (W.T.Wang) Y.N.Lee, Bull. Korea Pl. Res. 4: 38 2004

Anemone L. 바람꽃속

Anemone amurensis (Korsh.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 262 1904

국명: 들바람꽃(Deul-ba-ram-kkot) / (북한명) 들바람꽃

영명: Amur anemone

Anemone nemorosa L. subsp. *amurensis* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 292 1893

Anemone nemorosa L. var. *kamtschatica* Kom., Fl. Kamtschatka 2: 219 1929

Anemonoides amurensis subsp. *kamtschatica* (Kom.) Starod., Vetrenitsy: sist. evol. 166 1991

Anemone baicalensis Turcz., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 265 1904

국명: 쌍동바람꽃(Ssang-dong-ba-ram-kkot), 쌍동이바람꽃, 쌍동바람꽃, 쌍동이바람꽃

영명: Twin-flower anemone

■ RANUNCULACEAE 미나리아재비과

Anemone rossii S.Moore, J. Linn. Soc., Bot. 17: 376 1879

Anemone baicalensis Turcz. subsp. *glabrata* (Maxim.) Kitag. var. *rossii* (S.Moore) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 81 1940

Anemone baicalensis Turcz. var. *baicalensis*

Anemone baicalensis Turcz. var. *glabrata* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 18 1859 (R)

국명: 바이칼바람꽃(Ba-i-kal-ba-ram-kkot), 돌바람꽃, 은빛바람꽃 / (북한명) 은빛바람꽃

영명: Glabrous Baical anemone

Anemone baicalensis Turcz. var. *litoralis* Litv., Spisok Rast. Gerb. Russk. Fl. Bot. Muz. Imp. Akad. Nauk 6: 117 1908

Anemone glabrata (Maxim.) Juz., Fl. URSS 7: 254 1937

Anemone baicalensis Turcz. subsp. *glabrata* (Maxim.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 81 1940

Anemonoides glabrata (Maxim.) Holub, Folia Geobot. Phytotax. 11: 81 1976

Anemone dichotoma L., Sp. Pl. 1: 540 1753

국명: 가래바람꽃(Ga-rae-ba-ram-kkot), 가지바람꽃, 갈내바람꽃 / (북한명) 갈래바람꽃

영명: Dichotomous anemone

Anemone pennsylvanica L., Mant. Pl. 2: 247 1771

Anemone irregularis Lam., Encycl. 1: 167 1783

Anemone aconitifolia Michx., Fl. Bor.-Amer. 1: 320 1803

Anemone pennsylvanica L. var. *laxmannii* DC., Prodr. (DC.) 1: 1921 1824

Anemone laxmannii Steud., Nomencl. Bot ed. 2, 1: 96 1840

Anemonidium dichotomum (L.) Holub, Folia Geobot. Phytotax. 9: 272 1974

Anemone flaccida F.Schmidt, Reis. Amur-Land., Bot. 103 1868 (R)

국명: 남바람꽃(Nam-ba-ram-kkot), 남방바람꽃, 봉성바람꽃

Anemone koraiensis Nakai, Bot. Mag. (Tokyo) 33: 7 1919 (E) (R)

국명: 훌아비바람꽃(Hol-a-bi-ba-ram-kkot), 좀바람꽃, 호래비바람꽃, 훌바람꽃, 훌애비바람꽃 / (북한명) 훌아비바람꽃

영명: Korean anemone

Anemone narcissiflora L., Sp. Pl. 1: 542 1753 (R)

국명: 바람꽃(Ba-ram-kkot), 조선바람꽃 / (북한명) 바람꽃

영명: Narcissus anemone

Anemone narcissiflora L. var. *umbellifera* Nakai, Bot. Mag. (Tokyo) 27: 128 1913

Anemone nikoensis Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 606 1875

국명: 외대바람꽃(Oe-dae-ba-ram-kkot), 세송이바람꽃 / (북한명) 외대바람꽃

영명: Single-flower anemone

Anemonoides nikoensis (Maxim.) Holub, Folia Geobot. Phytotax. 8: 166 1973

Anemone pendulisepala Y.N.Lee, Phytotaxa 311: 200 2017 ⓘ

국명: 태백바람꽃(Tae-baek-bar-am-kkot),

** *Anemone pendulisepala* Y.N.Lee, Bull. Korea Pl. Res. 3: 2 2003

! *Anemone pendulisepala* Y.N.Lee ex M.Kim, Korean Endemic Pl. 69 2017

Anemone pseudoaltaica H.Hara, J. Jap. Bot. 15: 767 1939

국명: 국화바람꽃(Guk-hwa-ba-ram-kkot), 구와바람꽃, 구절창포, 구화바람꽃

영명: *Chrysanthemum anemone*

Anemone raddeana Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 16 1861

국명: 평의바람꽃(Kkwong-ui-ba-ram-kkot) / (북한명) 평의바람꽃

영명: Many-sepal anemone

Anemone raddeana Regel subsp. *villosa* Ulbr., Bot. Jahrb. Syst. 37: 221 1906

Anemone raddeana Regel var. *glabrata* Nakai, Bot. Mag. (Tokyo) 27: 32 1913

Anemone reflexa Steph. ex Willd., Sp. Pl. (ed.4) 2: 1282 1799

국명: 회리바람꽃(Hoe-ri-ba-ram-kkot), 가는회리바람꽃 / (북한명) 회리바람꽃

영명: Reflex-flower anemone

Anemonoides reflexa (Steph. ex Willd.) Holub, Folia Geobot. Phytotax. 8: 166 1973

Anemone reflexa Steph. ex Willd. var. *lineiloba* Y.N.Lee, Bull. Korea Pl. Res. 6: 2 2006

Anemone reflexa Steph. ex Willd. f. *lineiloba* (Y.N.Lee) M.Kim, Korean Endemic Pl. 516 2017

Anemone stolonifera Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 22: 225 1876

국명: 세바람꽃(Se-ba-ram-kkot), 세송이바람꽃 / (북한명) 세송이바람꽃

영명: Stolon-bearing anemone

Anemone siuzevi Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 814 1907

Anemone stolonifera Maxim. var. *quelpaertensis* Nakai & Kitag., Bot. Mag. (Tokyo) 50: 78 1936

Anemonoides stolonifera (Maxim.) Holub, Folia Geobot. Phytotax. 8: 166 1973

Anemone umbrosa C.A.Mey., Fl. Altaic. 2: 361 1830 ⓘ

국명: 숲바람꽃(Sup-ba-ram-kkot), 그늘바람꽃 / (북한명) 그늘바람꽃

영명: Shady anemone

Anemonoides umbrosa (C.A.Mey.) Holub, Folia Geobot. Phytotax. 8: 166 1973

Aquilegia L. 매발톱속

Aquilegia buergeriana Siebold & Zucc. var. *buergeriana*

Aquilegia buergeriana Siebold & Zucc. var. *oxysepala* (Trautv. & C.A.Mey.) Kitam., Acta Phytotax. Geobot. 15: 4 1953

■ RANUNCULACEAE 미나리아재비과

국명: **매발톱**(Mae-bal-top), 매발톱꽃 / (북한명) 매발톱꽃

영명: **Oriental columbine**

Aquilegia oxysepala Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 10 1856

Aquilegia vulgaris L. var. *oxysepala* (Trautv. & C.A.Mey.) Regel, Tent. Fl.-Ussur. 9 1861

Aquilegia japonica Nakai & H.Hara, Bot. Mag. (Tokyo) 49: 7 1935

국명: **하늘매발톱**(Ha-neul-mae-bal-top), 골매발톱꽃, 산매발톱꽃, 시베리아매발톱꽃, 하늘매발톱꽃 /
(북한명) 하늘매발톱꽃

영명: **Dwarf fan-shape columbine**

Callianthemum C.A.Mey. 매화바람꽃속

Callianthemum insigne (Nakai) Nakai, Sci. Knowl. 8: 41 1928 ⓘ

국명: **매화바람꽃**(Mae-hwa-ba-ram-kkot) / (북한명) 매화바람꽃

영명: **Remarkable callianthemum**

Isopyrum insigne Nakai, Bot. Mag. (Tokyo) 33: 49 1919

Caltha Mill. 동의나물속

Caltha natans Pall., Reise Russ. Reich. 3: 248 1776

국명: **애기동의나물**(Ae-gi-dong-ui-na-mul), 흰꽃동의나물, 흰동의나물 / (북한명) 흰꽃동의나물, 꼬마동의나물

영명: **Floating marsh marigold**

Thauma natans (Pall.) Deyl & Soják, Sborn. Nár. Muz. Praze, Řada B, Přir. Vědy 26: 31 1970

Caltha palustris L., Sp. Pl. 1: 558 1753

국명: **동의나물**(Dong-ui-na-mul), 누은동의나물, 눈동의나물, 산동의나물, 원승이도의나물, 좀동의나물,
참동의나물 / (북한명) 동의나물

영명: **Marsh marigold**

Caltha minor Mill., Gard. Dict. ed. 8: 2 1768

Caltha palustris L. var. *sibirica* Regel f. *erecta* Makino, Bot. Mag. (Tokyo) 22: 176 1908

Caltha membranacea (Turcz.) Schipcz. f. *erecta* (Makino) Koidz., Fl. Symb. Orient.-Asiat. 78 1930

Caltha palustris L. var. *nipponica* H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 50(in adnota) 1952

Caltha arctica R.Br. subsp. *sibirica* (Regel) Tolm., Fl. Arct. URSS Fasc. 6: 129 1971

Clematis L. 으아리속

Clematis alpina (L.) Mill. var. *alpina*

Clematis alpina (L.) Mill. var. *ochotensis* (Pall.) S.Watson, Botany [Fortieth Parallel] 4 1871

국명: **자주종덩굴**(Ja-ju-jong-deong-gul), 가는잎종덩굴, 겹종덩굴, 겹산종덩굴, 고려종덩굴, 만첩산종덩굴,
산종덩굴, 자지종덩굴, 좁은잎종덩굴, 좁은잎함복종덩굴, 참종덩굴, 함복종덩굴 / (북한명) 자주종덩굴

영명: **Purple alpine clematis**

Atragene ochotensis Pall., Fl. Ross. (Pallas) 1: 69 1789
Clematis ochotensis (Pall.) Poir., Encycl. (Lamarck) Suppl. 2: 298 1811
Atragene platysepala Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 5 1856
Atragene alpina L. var. *ochotensis* (Pall.) Regel & Tiling, Fl. Ajan. 20 1859
Atragene alpina L. var. *platysepala* (Trautv. & C.A.Mey.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 535 1882
Clematis alpina L. subsp. *ochotensis* (Pall.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 163 1885
Clematis nobilis Nakai, Bot. Mag. (Tokyo) 28: 303 1914
Atragene nobilis (Nakai) Nakai, Icon. Pl. Koisikav 3: 21 1916
Clematis subtriternata Nakai, Bot. Mag. (Tokyo) 33: 48 1919
Clematis subtriternata Nakai var. *tenuifolia* Nakai, Bot. Mag. (Tokyo) 33: 49 1919
Atragene ochotensis Pall. subsp. *coerulescens* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 2: 132 1921
Clematis ochotensis (Pall.) Poir. subsp. *coerulescens* (Kom.) Kom., Fl. Kamtschatka 2: 151 1929
Clematis ochotensis (Pall.) Poir. var. *subtriternata* (Nakai) U.C.La, Biol. Coreana 2: 21 1993
Clematis ochotensis (Pall.) Poir. var. *tenuifolia* (Nakai) U.C.La, Biol. Coreana 2: 21 1993

***Clematis apiifolia* DC.**, Syst. Nat. (Candolle) 1: 149 1817

국명: **사위질빵**(Sa-wi-jil-ppang), 질빵풀 / (북한명) 사위질빵

영명: **Three-leaf clematis**

Clematis apiifolia DC. subsp. *franchetii* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 25: 151 1885
Clematis apiifolia DC. subsp. *nipponensis* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 25: 151 1885

***Clematis brachyura* Maxim.**, Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 221 1877 (E)

국명: **외대으아리**(Oe-dae-eu-a-ri), 고치대풀, 조령으아리 / (북한명) 외대으아리, 고치대꽃

영명: **Uniflora clematis**

Clematis spectabilis Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 12 1899
Clematis oligantha Nakai, Icon. Pl. Koisikav 1: 95 1912
Clematis brachyura Maxim. var. *hexasepala* Y.N.Lee, Korean J. Bot. 25: 177 1982
Clematis brachyura Maxim. f. *hexasepala* (Y.N.Lee) M.Kim, Korean Endemic Pl. 293 2004

***Clematis brevicaudata* DC.**, Syst. Nat. (Candolle) 1: 138 1817 (R)

국명: **좁사위질빵**(Jom-sa-wi-jil-ppang), 작은질빵풀 / (북한명) 좁사위질빵

영명: **Short plumous clematis**

Clematis vitalba L. subsp. *brevicaudata* (DC.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 100 1885

***Clematis calcicola* J.S.Kim**, Korean J. Pl. Taxon. 39: 1 2009 (E)

국명: **바위종덩굴**(Ba-wi-jong-deong-gul)

영명: **Rock clematis**

***Clematis crassisepala* Ohwi**, Acta Phytotax. Geobot. 7: 46 1938

국명: **좁종덩굴**(Jom-jong-deong-gul)

■ RANUNCULACEAE 미나리아재비과

영명: **Thick-sepal clematis**

Clematis koreana Kom. var. *crassisepala* (Ohwi) M.Kim, Korean Endemic Pl. 495 2017

Clematis fusca Turcz., Bull. Soc. Imp. Naturalistes Moscou 14: 60 1840

국명: 검종덩굴(Geom-jong-deong-gul), 검은종덩굴, 무궁화종덩굴, 흰종덩굴, 흰털종덩굴 / (북한명) 무궁화종

영명: **Stanavoi clematis** 덩굴

Clematis kamtschatica Bong., Verz. Saisang-nor Pfl. 1: 10 1841

Clematis fusca Turcz. var. *amurensis* Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 132 1885

Clematis fusca Turcz. var. *mandshurica* Regel, Tent. Fl.-Ussur. 2 1861

Clematis ianthina Koehne, Deut. Dendrol. 158 1893

Clematis ianthina Koehne var. *amurensis* (Kuntze) Nakai, J. Jap. Bot. 12: 847 1936

Clematis ianthina Koehne var. *mandsurica* (Regel) Nakai, J. Jap. Bot. 12: 846 1936

Clematis fusca Turcz. var. *fusca*

Clematis fusca Turcz. var. *flabellata* (Nakai) J.S.Kim, Fl. Korea (Park) 2a: 72 2017 ⓘ

국명: **요강나물**(Yo-gang-na-mul), 선종덩굴

영명: **Black-flower Korean clematis**

Clematis flabellata Nakai, J. Jap. Bot. 18: 217 1942

** *Clematis fusca* Turcz. var. *coreana* Nakai, Rep. Veg. Diamond Mountains 172 1918

** *Clematis fusca* Turcz. var. *coreana* Nakai ex T.B.Lee, Ill. Fl. Kor. 2: 342 1985

! *Clematis coreana* H.Lév., Bull. Acad. Int. Géogr. Bot. 11(156): 298 1902

Clematis fusca Turcz. var. *flabellata* (Nakai) M.Kim, Korean Endemic Pl. 77 2017

Clematis fusca Turcz. var. *violacea* Maxim., Prim. Fl. Amur. 11 1859

국명: 종덩굴(Jong-deong-gul), 수염종덩굴 / (북한명) 수염종덩굴

영명: **Violet Stanavoi clematis**

Clematis viorna L. var. *violacea* (Maxim.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 133 1885

Clematis ianthina Koehne var. *violacea* (Maxim.) Nakai, J. Jap. Bot. 12: 846 1936

Clematis fusca Turcz. subsp. *violacea* (Maxim.) Kitag., Lin. Fl. Manshur. 216 1939

Clematis heracleifolia DC., Syst. Nat. (Candolle) 1: 138 1817

국명: 자주조회풀(Ja-ju-jo-hui-pul), 목단풀, 선모란풀, 선목단풀, 자주모란풀, 자주목단풀, 자지조회풀

영명: **Purple hyacinth-flower clematis**

Clematis tubulosa Turcz., Bull. Soc. Imp. Naturalistes Moscou 10, 7: 148 1837

Clematis davidiana Decne. ex Verl., Rev. Hort. 39: 90 1867

Clematis tubulosa Turcz. var. *davidiana* (Decne. ex Verl.) Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 165 1882

Clematis heracleifolia DC. var. *tubulosa* (Turcz.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 183 1885

Clematis heracleifolia DC. var. *davidiana* (Decne. ex Verl.) Forbes & Hemsl., J. Linn. Soc., Bot. 23: 4 1886

Clematis urticifolia Nakai ex Kitag. var. *carnea* Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 122: 23 1935

Clematis urticifolia Nakai ex Kitag., J. Jap. Bot. 13: 346 1937

국명: 병조회풀(Byeong-jo-hui-pul), 담색조회풀, 동의목단풀, 동희조회풀, 만사조, 만사초, 병모란풀, 선목단풀, 어리목단풀, 어리조회풀, 자지조회풀, 조회풀 / (북한명) 병조이풀

영명: Hyacinth-flower clematis

Clematis tubulosa Turcz. var. *rosea* Nakai, Bot. Mag. (Tokyo) 31: 4 1917

Clematis urticifolia Nakai ex Kitag. var. *rosea* (Nakai) Nakai ex Kitag., J. Jap. Bot. 17: 350 1937

Clematis heracleifolia DC. f. *rosea* (Nakai) W.T.Lee, Lineamenta Florae Koreae 321 1996

* *Clematis urticifolia* Nakai, J. Kor. For. Soc. 122: 31 1935

** *Clematis heracleifolia* DC. var. *urticifolia* (Nakai ex Kitag.) U.C.La, Fl. Coreana 2: 225 1996

Clematis hexapetala Pall., Reise Russ. Reich. 3: 735 1776

국명: 좁은잎사위질빵(Jop-eun-ip-sa-wi-jil-ppang), 가는잎모란풀, 가는잎목단풀, 가는잎사위질빵, 간은닢사위질빵, 즘사위질빵 / (북한명) 가는잎목단풀

영명: Narrow three-leaf clematis

Clematis angustifolia Jacq. var. *longiloba* Freyn, Oesterr. Bot. Z. 45: 59 1895

Clematis angustifolia Jacq. f. *breviloba* Freyn, Oesterr. Bot. Z. 45: 59 1895

Clematis angustifolia Jacq. var. *dissecta* Y.Yabe, Enum. Pl. East. Mong. 14 1917

Clematis angustifolia Jacq. f. *dissecta* (Y.Yabe) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 17 1936

Clematis hexapetala Pall. f. *dissecta* (Y.Yabe) Kitag., Lin. Fl. Manshur. 217 1939

Clematis hexapetala Pall. f. *breviloba* (Freyn) Nakai, J. Jap. Bot. 20: 191 1944

Clematis hexapetala Pall. var. *smithiana* S.Y.Hu, J. Arnold Arbor. 35: 193 1954

Clematis hexapetala Pall. var. *longiloba* (Freyn) Hu, J. Arnold Arbor. 35: 59 1954

Clematis hexapetala Pall. f. *longiloba* (Freyn) Kitag., Neolin. Fl. Manshur. 297 1979

Clematis koreana Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 438 1901 ®

국명: 세잎종덩굴(Se-ip-jong-deong-gul), 갈레세잎종덩굴, 누른종덜굴, 누른종덩굴, 세닢종덩굴, 양행종덩굴, 왕세잎종덩굴, 음달종덩굴, 응달종덩굴, 종덩굴, 큰세잎종덩굴, 큰종덩굴, 구례종덩굴 / (북한명) 종덩굴
Atragene koreana (Kom.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 278 1904

Clematis alpina (L.) Mill. var. *koreana* (Kom.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 7 1909

Clematis chiisanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 270 1914

Clematis alpina (L.) Mill. var. *carunculosa* Gagnep., Rev. Hort. 87: 534 1915

Clematis koreana Kom. var. *umbrosa* Nakai, Icon. Pl. Koisikav 4: 107 1921

Clematis chiisanensis Nakai var. *carunculosa* (Gagnep.) Rehder, J. Arnold Arbor. 7: 24 1926

Clematis ochotensis (Pall.) Poir. var. *triphylla* Ohwi, Acta Phytotax. Geobot. 4: 65 1935

Clematis komaroviana Koidz., Acta Phytotax. Geobot. 6: 213 1937

Clematis koreana Kom. var. *biternata* Nakai, J. Jap. Bot. 15: 528 1939

Clematis umbrosa (Kom.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 27 1952

Clematis koreana Kom. var. *carunculosa* (Gagnep.) Tamura, Acta Phytotax. Geobot. 15: 118 1954

Clematis triphylla Ohwi, Neolin. Fl. Manshur. 585 1979

Clematis koreana Kom. f. *biternata* (Nakai) M.Kim, Korean Endemic Pl. 516 2017

Clematis koreana Kom. f. *chiisanensis* (Nakai) M.Kim, Korean Endemic Pl. 516 2017

Clematis koreana Kom. f. *umbrosa* (Nakai) M.Kim, Korean Endemic Pl. 516 2017

■ RANUNCULACEAE 미나리아재비과

Clematis patens C.Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 173 1836

국명: 큰꽃으아리(Keun-kkot-eu-a-ri), 개비머리, 어사리 / (북한명) 큰꽃으아리, 어사리

영명: Big-flower clematis

Clematis coerulea Lindl., Edward's Bot. Reg. 23: t. 1955 1837

Clematis azurea Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 272 1854

Clematis pierotii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 1 1867

국명: 작은사위질빵(Jak-eun-sa-wi-jil-ppang), 애기질빵

영명: Small virgin's-bower clematis

Clematis parviflora Gardner & Champ. subsp. *pierotii* (Miq.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 148 1885

Clematis serratifolia Rehder, Mitt. Deutsch. Dendrol. Ges. 248 1910

국명: 개벼무리(Gae-beo-mu-ri), 개벼머리, 꽃벼무리, 으아리꽃

영명: Hermitgold clematis

Clematis orientalis L. var. *serrata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 853 1876

Clematis orientalis L. var. *wilfordii* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 583 1876

Clematis intricata Bunge var. *serrata* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 28 1904

Clematis intricata Bunge var. *wilfordii* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 28 1904

Clematis serrata (Maxim.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 549 1931

Clematis wilfordii (Maxim.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 549 1931

Clematis sibiricoides Nakai, J. Jap. Bot. 23: 13 1949

Clematis serratifolia Rehder f. *wilfordii* (Maxim.) Kitag., Neolin. Fl. Manshur. 299 1979

Clematis taeguensis Y.N.Lee, Korean J. Bot. 25: 175 1982 ⓘ

국명: 대구으아리(Dae-gu-eu-a-ri)

영명: Daegu clematis

Clematis takedana Makino, Bot. Mag. (Tokyo) 21: 87 1907

국명: 자주사위질빵(Ja-ju-sa-wi-jil-ppang)

Clematis terniflora DC., Syst. Nat. (Candolle) 1: 137 1817

국명: 참으아리(Cham-eu-a-ri), 구와으아리, 국화으아리, 왕으아리, 음등덩굴, 주름으아리 / (북한명) 참으아리

영명: Sweet autumn clematis

Clematis flammula L. var. *robusta* Carrière, Rev. Hort. 46: 465 1874

Clematis maximowicziana Franch. & Sav., Enum. Pl. Jap. 2: 261 1878

Clematis recta L. subsp. *terniflora* (DC.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 114 1885

Clematis parviflora Gardner & Champ. var. *maximowicziana* (Franch. & Sav.) Kuntze, Verh. Bot. Vereins Prov. Brandenburg 26: 148 1885

Clematis paniculata J.F.Gmel. f. *maximowicziana* (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 51: 644 1937

Clematis paniculata J.F.Gmel. var. *denticulata* Nakai ex Kawamoto, Handb. Kor. Manch. For. 110 1939

Clematis terniflora DC. f. *maximowicziana* (Franch. & Sav.) Honda, Nom. Pl. Japonic. 505 1939

Clematis dioscoreifolia H.Lév. & Vaniot var. *robusta* (Carrière) Rehder, J. Arnold Arbor. 26: 70 1945
Clematis terniflora DC. var. *robusta* (Carruth.) Tamura, Acta Phytotax. Geobot. 15: 18 1953

Clematis terniflora* DC. var. *terniflora

Clematis terniflora* DC. var. *mandshurica (Rupr.) Ohwi, Acta Phytotax. Geobot. 7: 43 1938

국명: 으아리(Eu-a-ri), 긴잎으아리, 들으아리, 북참으아리, 위령선, 응아리, 좀으아리, 큰위령선, 큰으아리 / (북한명) 으아리

영명: Manchurian clematis

Clematis mandshurica Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 258 1857

Clematis recta L. var. *mandshurica* (Rupr.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 218 1876

Clematis mandshurica Rupr. f. *lancefolia* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 10 1909

Clematis recta L. var. *koreana* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 9 1909

Clematis mandshurica Rupr. var. *lancefolia* (Nakai) Nakai, Chosen Shokubutsu 38 1914

Clematis liaotungensis Kitag., Rep. Inst. Sci. Res. Manchoukuo 2-7: 291 1938

Clematis papuligera Ohwi, Acta Phytotax. Geobot. 7: 44 1938

Clematis terniflora DC. var. *koreana* (Nakai) Tamura, Acta Phytotax. Geobot. 15: 18 1953

Clematis terniflora DC. var. *mandshurica* (Rupr.) Ohwi f. *koreana* (Nakai) M.Kim, Korean Endemic Pl. 517 2017

***Clematis trichotoma* Nakai, Bot. Mag. (Tokyo) 26: 323 1912 Ⓛ**

국명: 할미밀망(Hal-mi-mil-mang), 셋꽃으아리, 큰잎질빵, 큰질빵풀, 할미질빵 / (북한명) 할미질빵

영명: Three-flower Korean clematis

***Delphinium* Tourn. ex L. 제비고깔속**

***Delphinium grandiflorum* L., Sp. Pl. 1: 531 1753**

국명: 제비고깔(Je-bi-go-kkal) / (북한명) 제비고깔

영명: Siberian larkspur

Delphinium sinense Fisch. ex Link, Enum. Hort. Berol. Alt. 2: 80 1822

Delphinastrum grandiflorum (L.) Spach, Hist. Nat. Vég. 7: 338 1838

Delphinium grandiflorum L. var. *chinense* Fisch. ex DC., Syst. Nat. (Candolle) 1: 351 1918

Chenia honanensis W.T.Wang, Acta Phytotax. Sin. 9: 104 1964

***Delphinium maackianum* Regel, Tent. Fl.-Ussur. 9 1861 Ⓛ**

국명: 큰제비고깔(Keun-je-bi-go-kkal), 산제비고깔 / (북한명) 큰제비고깔

영명: Maack's larkspur

Delphinium maackianum Regel var. *album* Nakai, Bot. Mag. (Tokyo) 28: 303 1914

Delphinium maackianum Regel var. *lasiophyllum* Nakai, J. Jap. Bot. 13: 471 1937

Delphinium maackianum Regel f. *lasiocarpum* (Regel) Kitag., J. Jap. Bot. 36: 21 1961

Delphinium maackianum Regel f. *albiflorum* S.H.Li & Z.F.Fang, Fl. Pl. Herb. Chin. Bor.-Or. 3: 229 1975

Delphinium maackianum Regel var. *lasiocarpum* Regel, Neolin. Fl. Manshur. 585 1979

Delphinium maackianum Regel f. *album* (Nakai) W.T.Lee, Lineamenta Florae Koreae 329 1996

■ RANUNCULACEAE 미나리아재비과

Enemion Raf. 나도바람꽃속

Enemion raddeanum Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 61 1861

국명: 나도바람꽃(Na-do-ba-ram-kkot) / (북한명) 나도바람꽃

영명: East Asian false rue anemone

Enemion raddeanum Regel var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 2: 1878

Isopyrum raddeanum (Regel) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 639 1883

Isopyrum leveilleanum Nakai, Bot. Mag. (Tokyo) 26: 323 1912

Enemion leveilleanum (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 30 1952

Eranthis byunsanensis B.Y.Sun, Korean J. Pl. Taxon. 23: 22 1993 (E) (R)

국명: 변산바람꽃(Byeon-san-ba-ram-kkot)

영명: Byeonsan winter aconite

Eranthis pungdoensis B.U.Oh, Korean J. Pl. Taxon. 39: 88 2009 (E)

국명: 풍도바람꽃(Pung-do-ba-ram-kkot)

영명: Pungdo winter aconite

Eranthis byunsanensis B.Y.Sun f. *pungdoensis* (B.U.Oh) M.Kim, Korean Endemic Pl. 518 2017

Eranthis stellata Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 22 1859 (R)

국명: 너도바람꽃(Neo-do-ba-ram-kkot), 절분초 / (북한명) 너도바람꽃, 절분초

영명: White snowdrop

Eranthis uncinata Turcz. var. *puberula* Regel & Maack, Tent. Fl.-Ussur. 8, 25 1861

Eranthis vaniotiana H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 299 1902

Shibateranthus stellata (Maxim.) Nakai, Bot. Mag. (Tokyo) 51: 364 1937

Halerpestes Greene 나도마름아재비속

Halerpestes salsuginosa (Pall. ex Georgi) Greene, Pittonia 4: 207 1900

국명: 나도마름아재비(Na-do-ma-reum-a-jae-bi)

영명: Stolon water crowfoot

Ranunculus salsuginosus Pall. ex Georgi, Bemerk. Reise Russ. Reich. 1: 222 1775

Ranunculus sarmentosus Adams, Mém. Soc. Imp. Naturalistes Moscou 9: 244 1834

Ranunculus subsimilis Printz, Veg. Siber.-Mongol. Front. 239 1921

Halerpestes sarmentosa (Adams) Kom., Opred. Rast. Dal'nevost. Kraia 1: 550 1931

Ranunculus cymbalaria Pursh subsp. *sarmentosus* (Adams) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl.

Jeholensis: 18 1936

Ranunculus cymbalaria Pursh subsp. *subsimilis* (Printz) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl.

Jeholensis: 18 1936

Hepatica Mill. 노루귀속

Hepatica asiatica Nakai, J. Jap. Bot. 13: 309 1937

국명: 노루귀(No-ru-gwi), 뾰족노루귀 / (북한명) 노루귀, 노루귀풀

영명: Asian liverleaf

Hepatica nobilis Mill. var. *japonica* Nakai, J. Jap. Bot. 13: 307 1937

Hepatica asiatica Nakai f. *acutiloba* Nakai, J. Jap. Bot. 13: 310 1937

Hepatica asiatica Nakai f. *obtusiloba* Nakai, J. Jap. Bot. 13: 310 1937

Hepatica nobilis Mill. var. *asiatica* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 51 1952

Anemone hepatica L. var. *japonica* (Nakai) Ohwi, Fl. Jap. 518 1953

Anemone hepatica L. var. *asiatica* (Nakai) H.Hara, J. Jap. Bot. 33: 273 1958

Hepatica asiatica Nakai f. *asiatica*

Hepatica asiatica Nakai f. *yuseongii* (Y.N.Lee) M.Kim, Korean Endemic Pl.518 2017

국명: 유성노루귀(Yu-seong-no-ru-gwi)

Hepatica asiatica Nakai var. *yuseongii* Y.N.Lee, Bull. Korea Pl. Res. 7: 8 2007

Hepatica insularis Nakai, J. Jap. Bot. 13: 308 1937 (E)

국명: 새끼노루귀(Sae-kki-no-ru-gwi), 애기노루귀 / (북한명) 애기노루귀, 새끼노루귀, 애기비단풀

영명: Seaside liverleaf

Hepatica maxima (Nakai) Nakai, Rep. Veg. Ooryongto19 1919 (E) (R)

국명: 섬노루귀(Seom-no-ru-gwi), 왕노루귀, 큰노루귀 / (북한명) 섬노루귀

영명: Ulleungdo liverleaf

Anemone maxima Nakai, Bot. Mag. (Tokyo) 31: 27 1917

Isopyrum L. 만주바람꽃속

Isopyrum manshuricum (Kom.) Kom. ex W.T.Wang & P.K.Hsiao, Acta Phytotax. Sin. 9: 322 1964 (R)

국명: 만주바람꽃(Man-ju-ba-ram-kkot)

영명: Manchurian isopyrum

Semiaquilegia manshurica Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 5 1926

Isopyrum yamatsutanum Ohwi, Acta Phytotax. Geobot. 1: 80 1932

Leptopyrum Raf. 바디풀속

Leptopyrum fumariooides (L.) Rchb., Consp. Regn. Veg.192 1828

국명: 바디풀(Ba-di-pul) / (북한명) 바디풀

영명: Common leptopyrum

Isopyrum fumariooides L., Sp. Pl. 1: 557 1753

Helleborus fumariooides (L.) Lam., Encycl. (Lamarck) 3: 99 1789

***Megaleranthis* Ohwi 모데미풀속**

Megaleranthis saniculifolia Ohwi, Acta Phytotax. Geobot. 4: 131 1935 Ⓟ Ⓢ

국명: 모데미풀(Mo-de-mi-pul), 금매화아재비, 운봉금매화 / (북한명) 운봉금매화

영명: **Modemipul (Sanicle-leaf megalanthis)**

Trollius chosenensis Ohwi, Acta Phytotax. Geobot. 6: 151 1937

***Pulsatilla* Mill. 할미꽃속**

Pulsatilla cernua (Thunb.) Bercht. ex J.Presl, Reliq. Haenk. 1: 22 1825

국명: 가는잎할미꽃(Ga-neun-ip-hal-mi-kkot), 가는할미꽃, 남할미꽃, 일본할미꽃 / (북한명) 가는할미꽃

영명: **Narrow-leaf pasque-flower**

Anemone cernua Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 510 1784

Pulsatilla chinensis (Bunge) Regel, Tent. Fl.-Ussur. 5 1861

국명: 중국할미꽃(Jung-guk-hal-mi-kkot), 세잎할미꽃

Anemone chinensis Bunge, Enum. Pl. Chin. Bor. 2 1833

Pulsatilla dahurica (Fisch. ex DC.) Spreng., Syst. Veg. (ed. 16) 2: 663 1825

국명: 분홍할미꽃(Bun-hong-hal-mi-kkot), 산할미꽃 / (북한명) 분홍할미꽃

영명: **Dahurian pasque-flower**

Anemone dahurica Fisch. ex DC., Prodri. (DC.) 1: 17 1824

Pulsatilla koreana (Y.Yabe ex Nakai) Nakai ex T.Mori, Enum. Pl. Corea 159 1922

국명: 할미꽃(Hal-mi-kkot), 노고초, 가는할미꽃 / (북한명) 할미꽃

영명: **Korean pasque-flower**

Anemone cernua Thunb. var. *koreana* Y.Yabe ex Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 19 1909

Pulsatilla cernua (Thunb.) Bercht. & J.Presl var. *koreana* (Y.Yabe ex Nakai) Y.N.Lee, Res. Inst. Culture Kor. 10: 381 1967

Pulsatilla cernua (Thunb.) Bercht. & J.Presl var. *koreana* (Y.Yabe ex Nakai) Y.N.Lee f. *flava* Y.N.Lee, Res. Inst. Culture Kor. 10: 381 1967

Pulsatilla koreana (Y.Yabe ex Nakai) Nakai ex T.Mori f. *flava* (Y.N.Lee) W.T.Lee, Lineamenta Florae Koreae 333 1996

Pulsatilla cernua (Thunb.) Bercht. & J.Presl var. *koreana* (Y.Yabe ex Nakai) U.C.La, Fl. Coreana 2: 212 1996

Pulsatilla nivalis Nakai, Bot. Mag. (Tokyo) 33: 50 1919 Ⓟ

국명: 산할미꽃(San-hal-mi-kkot), 뒷할미꽃, 애기할미꽃 / (북한명) 산할미꽃

영명: **Mountain pasque-flower**

Pulsatilla × tongkangensis Y.N.Lee & T.C.Lee, Bull. Korea Pl. Res. 1: 11 2000 Ⓟ Ⓢ

국명: 동강할미꽃(Dong-gang-hal-mi-kkot), 흰동강할미꽃, 겹동강할미꽃, 긴동강할미꽃, 분홍동강할미꽃

영명: **Donggang pasque-flower**

Pulsatilla × tongkangensis Y.N.Lee & T.C.Lee f. *alba* Y.N.Lee, Bull. Korea Pl. Res. 5: 2 2005

Pulsatilla × *tongkangensis* Y.N.Lee & T.C.Lee f. *disepala* Y.N.Lee, Bull. Korea Pl. Res. 6: 3 2006

Pulsatilla × *tongkangensis* Y.N.Lee & T.C.Lee f. *longisepala* Y.N.Lee, Bull. Korea Pl. Res. 5: 42 2005

Pulsatilla × *tongkangensis* Y.N.Lee & T.C.Lee f. *rosa* Y.N.Lee, Bull. Korea Pl. Res. 5: 2 2005

Pulsatilla × *yanbianensis* H.Z.Lv, Korean J. Pl. Taxon. 41: 367 2011

국명: 연변할미꽃(Yeon-byeon-hal-mi-kkot)

Ranunculus L. 미나리아재비속

Ranunculus acris L. subsp. *acris*

Ranunculus acris L. subsp. *novus* (H.Lév. & Vaniot) Vorosch., A.K. Skvortsov (ed.), Florist. issl. v razn. raionakh SSSR 169 1985

국명: 산미나리아재비(San-mi-na-ri-a-jae-bi) / (북한명) 뛰미나리아재비

영명: Mountain meadow buttercup

Ranunculus novus H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 389 1906

Ranunculus cantoniensis DC., Prodr. (DC.) 1: 43 1824

국명: 털개구리미나리(Teol-gae-gu-ri-mi-na-ri), 왜젓가락나물, 털젓가락나물

영명: Canton buttercup

Hecatomia pilosa Lour., Fl. Cochinch. 303 1790

Ranunculus diffusus Forbes & Hemsl., J. Linn. Soc., Bot. 23: 14 1886

Ranunculus ternatus Thunb. var. *hirsutus* Boiss., Bull. Herb. Boissier 7: 594 1899

Ranunculus silerifolius H.Lév., Repert. Spec. Nov. Regni Veg. 7: 257 1909

Ranunculus japonicus Thunb. f. *hirsutus* Makino, Iinuma, Somoku-Dzusetsu ed. 2: 802 1910

Ranunculus brachyrhynchus S.S.Chien, Rhodora 18: 189 1916

Ranunculus vernyi Franch. & Sav. var. *japonicus* Nakai, Bot. Mag. (Tokyo) 42: 20 1928

Ranunculus vernyi Franch. & Sav. var. *hirsutus* (Boiss.) Koidz., Fl. Symb. Orient.-Asiat. 78 1930

Ranunculus polycephalus Makino, J. Jap. Bot. 7: 31 1931

Ranunculus chinensis Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 3 1831

국명: 젓가락나물(Jeot-ga-rak-na-mul), 애기젓가락바구지, 애기젓가락풀, 작은젓가락나물, 젓가락풀,
좁젓가락나물 / (북한명) 애기젓가락풀

영명: Asian buttercup

Ranunculus pensylvanicus L.f. var. *chinensis* Maxim., Enum. Pl. Mongolia 1: 23 1889

Ranunculus sceleratiformis Raikova, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 4: 171 1923

Ranunculus crucilobus H.Lév., Repert. Spec. Nov. Regni Veg. 11: 32 1912 ●

국명: 바위미나리아재비(Ba-wi-mi-na-ri-a-jae-bi), 구름미나리아재비, 구름바구지, 금털미나리아재비,
민바위미나리아재비, 바위젓가락나물, 산젓가락나물, 왕젓가락나물 / (북한명) 바위미나리아재비

영명: Hallasan buttercup

Ranunculus crucilobus H.Lév. var. *glaberrimus* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 32 1912

■ RANUNCULACEAE 미나리아재비과

Ranunculus crucilobus H.Lév. var. *chrysotrichus* Nakai, J. Jap. Bot. 18: 607 1942

Ranunculus japonicus Thunb. subsp. *japonicus* var. *chrysotrichus* (Nakai) Tamura, Acta Phytotax. Geobot. 24: 164 1970

Ranunculus japonicus Thunb. var. *crucilobus* (H.Lév.) M.Kim, Korean Endemic Pl. 55 2004

Ranunculus franchetii H.Boissieu, Bull. Herb. Boissier 7: 591 1899

국명: **왜미나리아재비**(Wae-mi-na-ri-a-jae-bi), 실젓가락나물, 한라왜미나리아재비 / (북한명) 왜미나리아재비

영명: **Franchet's buttercup**

Ranunculus polyrhizos var. *major* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 201 1859

Ranunculus ussuriensis Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 7 1926

Ranunculus franchetii H.Boissieu var. *hallasanensis* Y.N.Lee, Bull. Korea Pl. Res. 7: 2 2007

Ranunculus gmelinii DC., Syst. Nat. (Candolle) 1: 303 1817

국명: **물미나리아재비**(Mul-mi-na-ri-a-jae-bi), 구베리미나리아재비

영명: **Gmelin's buttercup**

Ranunculus pusillus Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 546 1815

Ranunculus langsdorffii DC., Prodr. (DC.) 1: 34 1824

Ranunculus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 101 1909

Ranunculus grandis Honda, Bot. Mag. (Tokyo) 43: 657 1929

국명: **만주미나리아재비**(Man-ju-mi-na-ri-a-jae-bi)

영명: **Manchurian buttercup**

Ranunculus japonicus Thunb., Trans. Linn. Soc. London 2: 337 1794

국명: **미나리아재비**(Mi-na-ri-a-jae-bi), 놋동이, 바구지, 자래초, 북미나리아재비 / (북한명) 미나리아재비, 바구지

영명: **East Asian buttercup**

Ranunculus acris Regel var. *japonicus* (Thunb.) Maxim., Enum. Pl. Mongolia 1: 21 1889

Ranunculus labordei H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 50 1902

Ranunculus acris Regel subsp. *japonicus* (Thunb.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 120 1928

Ranunculus japonicus Thunb. var. *latissimus* Kitag., J. Jap. Bot. 19: 68 1943

Ranunculus grandis Honda var. *austrokurilensis* (Tatew.) H.Hara, J. Jap. Bot. 19: 359 1943

Ranunculus acris var. *japonicus* (Thunb.) Maxim. ex Makino, New Ill. Fl. Jap. 181 1961

Ranunculus japonicus Thunb. f. *latissimus* (Kitag.) Kitag., Neolin. Fl. Manshur. 307 1979

Ranunculus paishanensis Kitag., Neolin. Fl. Manshur. 585 1979

Ranunculus kadzusensis Makino, J. Jap. Bot. 6: 8 1929 Ⓢ

국명: **매화마름**(Mae-hwa-ma-reum), 미나리마름, 미나리말

영명: **Maehwamareum (Korean water crowfoot)**

Batrachium kazusense (Makino) Kitam., Acta Phytotax. Geobot. 20: 204 1962

Ranunculus quelpaertensis (H.Lév.) Nakai, Bot. Mag. (Tokyo) 27: 128 1913

국명: **왜젓가락나물**(Wae-jeot-ga-rak-na-mul), 섬젓가락나물, 왜젓가락풀, 젓가락나물, 제주젓가락나물 / (북한명) 제주젓가락풀

영명: Jejudo buttercup

Ranunculus repens L. var. *quelpaertensis* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 101 1909

Ranunculus vernyi Franch. & Sav. var. *quelpaertensis* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 42: 21 1928

Ranunculus ternatus Thunb. var. *quelpaertensis* (H.Lév.) Ohwi, Fl. Jap. (Ohwi) 536 1953

Ranunculus hakkodensis Nakai var. *quelpaertensis* (H.Lév.) Ohwi & Okuy., J. Jap. Bot. 29: 168 1954

***Ranunculus repens* L., Sp. Pl. 1: 554 1753**

국명: 기는미나리아재비(Gi-neun-mi-na-ri-a-jae-bi), 누운바구지, 덩굴미나리아재비, 범은미나리아재비 / (북한명) 큰볕는미나리아재비

영명: Creeping buttercup

Ranunculus repens L. var. *brevistylus* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 25 1890

Ranunculus repens L. var. *major* Nakai, Bot. Mag. (Tokyo) 42: 23 1928

***Ranunculus sceleratus* L., Sp. Pl. 1: 551 1753**

국명: 개구리자리(Gae-gu-ri-ja-ri), 놋동이풀, 늑바구지 / (북한명) 개구리자리, 놋동이풀

영명: Celery-leaf buttercup

Hecatonia palustris Lour., Fl. Cochinch. 303 1790

***Ranunculus tachiroei* Franch. & Sav., Enum. Pl. Jap. 2: 267 1878**

국명: 개구리미나리(Gae-gu-ri-mi-na-ri), 개구리자리, 미나리바구지

영명: Long-beak buttercup

Ranunculus cantoniensis DC. subsp. *tachiroei* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 20: 204 1962

Ranunculus tachiroei Franch. & Sav. f. *glabrescens* (Sakata) W.T.Lee, Lineamenta Florae Koreae 341 1996

***Ranunculus ternatus* Thunb., Fl. Jap. (Thunberg) 241 1784 ⑧**

국명: 개구리갓(Gae-gu-ri-gat), 좀미나리아재비 / (북한명) 개구리갓

영명: Catclaw buttercup

Ranunculus extorris Hance, Ann. Sci. Nat., Bot. 5, 5: 204 1866

Ranunculus zuccarinii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 5 1867

***Ranunculus yezoensis* Nakai, Bot. Mag. (Tokyo) 44: 523 1930**

국명: 민매화마름(Min-mae-hwa-ma-reum)

영명: Smooth water crowfoot

Batrachium yezoense (Nakai) Kitam., Acta Phytotax. Geobot. 20: 204 1962

***Semiaquilegia* Makino 개구리발톱속**

***Semiaquilegia adoxoides* (DC.) Makino, Bot. Mag. (Tokyo) 16: 119 1902**

국명: 개구리발톱(Gae-gu-ri-bal-top), 개구리망, 섬개구리망, 섬향수꽃, 섬향수풀 / (북한명) 개구리발톱

영명: Muskroot-like semiaquilegia

Isopyrum adoxoides DC., Syst. Nat. (Candolle) 1: 324 1817

■ RANUNCULACEAE 미나리아재비과

Isopyrum japonicum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 181 1843

Isopyrum tuberosum H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 1909

Aquilegia adoxoides (DC.) Ohwi, Fl. Jap. (Ohwi) 533 1953

Semiaquilegia quelpaertensis D.C.Son & K.Lee, Phytokeys 89: 108 2017 ⓘ

국명: 큰개구리발톱(Kwun-gae-gu-ri-bal-top)

Thalictrum Tourn. ex L. 꿩의다리속

Thalictrum actaeifolium Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 178 1845 ⓘ

국명: 은꿩의다리(Eun-kkwong-ui-da-ri), 은가락풀, 음지가락풀, 쪄른꿩의다리, 참가락풀, 참꿩의다리 /
(북한명) 은꿩의다리

영명: Silver meadow-rue

Thalictrum actaeifolium Siebold & Zucc. var. *brevistylum* Nakai, J. Jap. Bot. 13: 472 1937

Thalictrum acutifolium (Hand.-Mazz.) B. Boivin, Rhodora 46: 364 1944

국명: 남방꿩의다리(Nam-bang-kkwong-ui-da-ri)

Thalictrum clavatum DC. var. *acutifolium* Hand.-Mazz., Akad. Wiss. Wien, Math.-Naturwiss. Kl., Anz. 43: 1 1926

Thalictrum aquilegiifolium L. var. *aquilegiifolium*

Thalictrum aquilegiifolium L. var. *sibiricum* Regel & Tiling, Fl. Ajan. 23 1858

국명: 아시아꿩의다리(A-si-a-kkwong-ui-da-ri), 가락풀, 꿩의다리, 한라꿩의다리 / (북한명) 꿩의다리아재비

Thalictrum contortum L., Sp. Pl. 1: 547 1753

Thalictrum atropurpureum Jacq., Hort. Bot. Vindob. 3: 34 1777

Thalictrum aquilegiifolium L. var. *asiaticum* Nakai, J. Jap. Bot. 13: 473 1937

Thalictrum aquilegiifolium L. subsp. *asiaticum* (Nakai) Kitag., Lin. Fl. Manshur. 226 1939

Thalictrum baicalense Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 85 1838 ⓘ

국명: 바이칼꿩의다리(Ba-i-kal-kkwong-ui-da-ri), 북가락풀, 북꿩의다리 / (북한명) 북꿩의다리, 바이칼꿩의다리

영명: Baical meadow-rue

Thalictrum franchetii Huth, Bull. Herb. Boissier 5: 1069 1897

Thalictrum baicalense Turcz. var. *japonicum* Boissieu, Bull. Herb. Boissier 7: 585 1899

Thalictrum giraldii O.E.Ulbr., Notizbl. Bot. Gart. Berlin-Dahlem 9: 224 1925

Thalictrum filamentosum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 13 1859

국명: 큰산꿩의다리(Keun-san-kkwong-ui-da-ri), 산꿩의다리, 작은산꿩의다리, 잘룩산꿩의다리, 큰잎산꿩의다리 /
(북한명) 큰산꿩의다리

영명: Filamentous meadow-rue

Thalictrum clavatum DC. var. *filamentosum* (Maxim.) Finet & Gagnep., Bull. Soc. Bot. France 50: 605 1904

Thalictrum ichangense Lecoy. ex Oliv., Hooker's Icon. Pl. ser. 3, 18: t. 1765 1888

국명: 꼭지연잎평의다리(Kkok-ji-yeon-ip-kkwong-ui-da-ri)

영명: Pallid lotus-leaf meadow-rue

Thalictrum tripeltatum Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 13 1890

Isopyrum multipeltatum Pamp., Nuovo Giorn. Bot. Ital. 18: 115 1911

Thalictrum multipeltatum (Pamp.) Pamp., Nuovo Giorn. Bot. Ital. n.s. 18: 167 1911

Thalictrum ichangense Lecoy. ex Oliv. var. *ichangense*

Thalictrum ichangense Lecoy. ex Oliv. var. *coreanum* (H.Lév.) H.Lév. ex Tamura, Acta Phytotax. Geobot.

15: 83 1953 ⑤ ⑥

국명: 연잎평의다리(Yeon-ip-kkwong-ui-da-ri), 돈잎평의다리, 연잎가락풀, 좀연잎평의다리, 련잎평의다리 /
(북한명) 련잎평의다리

영명: Korean meadow-rue

Thalictrum coreanum H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 297 1902

Thalictrum kemense Fr., Fl. Hall. 95 1817

국명: 큰평의다리(Keun-kkwong-ui-da-ri), 긴꼭지좀평의다리, 김꼭지평의다리, 성긴좀평의다리 /
(북한명) 큰평의다리

영명: Long-stalk low meadow-rue

Thalictrum kemense Fr. var. *stipellatum* C.A.Mey. ex Maxim., Prim. Fl. Amur. 16 1859

Thalictrum minus L. subsp. *kemense* (Fr.) Mela & Cajander, Suom. Kasvi ed. 5: 276 1906

Thalictrum minus (Pamp.) Pamp. var. *minus*

Thalictrum minus (Pamp.) Pamp. var. *hypoleucum* (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 3 1867

국명: 좀평의다리(Jom-kkwong-ui-da-ri), 다닥좀평의다리, 무늬좀평의다리, 큰평의다리, 큰키평의다리,
틈별구평의다리, 흰좀평의다리 / (북한명) 좀가락풀, 좀평의다리

영명: East Asian low meadow-rue

Thalictrum thunbergii DC., Syst. Nat. (Candolle) 1: 183 1818

Thalictrum hypoleucum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 178 1846

Thalictrum purdomii J.J.Clark, Bull. Misc. Inform. Kew 1913: 39 1913

Thalictrum minus L. var. *amplissimum* (H. Lév. & Vaniot) H. Lév., Fl. Kouy-Tchéou 339 1915

Thalictrum thunbergii DC. var. *hypoleucum* (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 42: 3 1928

Thalictrum thunbergii DC. var. *majus* (Miq.) Nakai, Bot. Mag. (Tokyo) 42: 4 1928

Thalictrum thunbergii DC. var. *condensatum* Nakai, Bot. Mag. (Tokyo) 42: 6 1928

Thalictrum yamamotoi Honda, Bot. Mag. (Tokyo) 55: 170 1943

Thalictrum kemense Fr. var. *hypoleucum* (Siebold & Zucc.) Kitag., Sci. Rep. Yokoh. Nat. Univ. sect. 2 19: 59 1972

Thalictrum osmorrhizoides Nakai, Bot. Mag. (Tokyo) 33: 50 1919 ⑤

■ RANUNCULACEAE 미나리아재비과 —

국명: 그늘꿩의다리(Geu-neul-kkwong-ui-da-ri), 음지꿩의다리 / (북한명) 음지꿩의다리

영명: Shady meadow-rue

Thalictrum petaloideum L., Sp. Pl. (ed.2) 1: 171 1762 Ⓢ

국명: 꽃꿩의다리(Kkot-kkwong-ui-da-ri) / (북한명) 꽃꿩의다리

영명: Petaloid meadow-rue

Thalictrum stramineum L.f., Suppl. Pl. 271 1782

Thalictrum petaloideum L. var. *latifoliolatum* Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 82, t. 2, f. 2 1940

Thalictrum punctatum H.Lév., Repert. Spec. Nov. Regni Veg. 10: 376 1912

국명: 큰잎산꿩의다리(Keun-ip-san-kkwong-ui-da-ri) / (북한명) 큰잎산꿩의다리

Thalictrum raphanorbizon Nakai, Icon. Pl. Koisikav 3: 23 1919

Thalictrum rochebrunnianum Franch. & Sav., Enum. Pl. Jap. 2: 264 1876

국명: 금꿩의다리(Geum-kkwong-ui-da-ri), 금가락풀, 큰금꿩의다리 / (북한명) 금꿩의다리

영명: Yellow-filamentous meadow-rue

Thalictrum grandisepalum H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 297 1902

Thalictrum rochebrunnianum Franch. & Sav. var. *grandisepalum* (H.Lév.) Nakai, Chosen Shokubutsu 42 1914

Thalictrum sachalinense Lecoy., Bull. Soc. Roy. Bot. Belgique 24: 152 1885

국명: 뒷꿩의다리(Kkot-kkwong-ui-da-ri), 갈미꿩의다리, 멧꿩의다리, 산꿩의다리 / (북한명) 뒷가락풀, 뒷꿩의다리

영명: Petaloid meadow-rue

Thalictrum akanense Huth, Bull. Herb. Boissier 5: 1069 1897

Thalictrum simplex L. var. *simplex*

Thalictrum simplex L. var. *brevipes* H.Hara, Journ. Fac. Sci. Univ. Tokyo sect. 3 6: 56 1953 Ⓢ

국명: 긴잎꿩의다리(Gin-ip-kkwong-ui-da-ri),

Thalictrum sparsiflorum Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1:

40 1835

국명: 발톱꿩의다리(Bal-top-kkwong-ui-da-ri) / (북한명) 발톱꿩의다리

Thalictrum richardsonii A. Gray, Amer. J. Sci. Arts 42: 17 1842

Thalictrum tuberiferum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 22: 227 1876

국명: 산꿩의다리(San-kkwong-ui-da-ri), 개산꿩의다리, 개삼지구엽초, 산가락풀 / (북한명) 산꿩의다리

영명: Tuberous-rooted meadow-rue

Thalictrum tenerum Huth, Bull. Herb. Boissier 5: 1068 1897

Thalictrum tuberiferum Maxim. var. *tenerum* (Huth) H.Boissieu, Bull. Herb. Boissier 7: 584 1899

Thalictrum filamentosum Maxim. var. *tenerum* (Huth) Ohwi, Fl. Jap. (Ohwi) 531 1953

Thalictrum uchiyamae Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 15 1909

국명: 자주꿩의다리(Ja-ju-kkwong-ui-da-ri) / (북한명) 자주가락풀, 자주꿩의다리

영명: Seoul meadow-rue

Trollius L. 금매화속

Trollius chinensis Bunge, Mém. Sav. Étr. Acad. St. Pétersbourg 2: 77 1835

국명: 큰금매화(Keun-geum-mae-hwa), 겹금매화 / (북한명) 큰금매화

영명: Long-petal globe-flower

Trollius ledebourii Rchb. var. *macropetalus* Regel, Tent. Fl.-Ussur. 8 1861

Trollius macropetalus (Regel) F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 88 1868

Trollius chinensis Bunge subsp. *macropetalus* (Regel) Luferov, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 96: 74 1991

Trollius japonicus Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 6 1876

국명: 애기금매화(Ae-gi-geum-mae-hwa), 꽃금매화, 산금매화, 애기꽃금매화 / (북한명) 애기금매화

영명: Baekdusan globe-flower

Trollius ledebourii Rchb., Iconogr. Bot. Pl. Crit. 3: 63 1825

국명: 금매화(Geum-mae-hwa) / (북한명) 금매화

영명: Short-petal globe-flower

Trollius hondoensis Nakai, Bot. Mag. (Tokyo) 42: 8 1928

Trollius akiyamae Toyok., Hokuriko J. Bot. 6: 104 1957

BERBERIDACEAE 매자나무과

Achlys DC. 세잎풀속

Achlys japonica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 61 1868

국명: 세잎풀(Se-ip-pul) / (북한명) 세잎풀

영명: East Asian deer's foot

Achlys triphylla DC. var. *japonica* (Maxim.) T.Itô, J. Linn. Soc., Bot. 22: 435 1887

Achlys triphylla DC. subsp. *japonica* (Maxim.) Kitam., Acta Phytotax. Geobot. 20: 202 1962

Berberis L. 매자나무속

Berberis amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 260 1857

국명: 매발톱나무(Mae-bal-top-na-mu) / (북한명) 매발톱나무

영명: Amur barberry

Berberis amurensis Rupr. var. *japonica* (Regel) Rehder, Cycl. Amer. Hort. 154 1900

Berberis amurensis Rupr. var. *brevifolia* Nakai, Bot. Mag. (Tokyo) 43: 441 1929

■ BERBERIDACEAE 매자나무과

Berberis amurensis Rupr. f. *brevifolia* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 72 1953

Berberis amurensis Rupr. var. *amurensis*

Berberis amurensis Rupr. var. *latifolia* Nakai, Repert. Spec. Nov. Regni Veg. 13: 270 1914

국명: 왕매발톱나무(Wang-mae-bal-top-na-mu) / (북한명) 왕매발톱나무

영명: **Ulleungdo barberry**

Berberis amurensis Rupr. f. *latifolia* (Nakai) W.T.Lee, Lineamenta Florae Koreae 350 1996

Berberis amurensis Rupr. var. *quelpaertensis* (Nakai) Nakai, Fl. Sylv. Kor. 21: 71 1936 Ⓟ Ⓢ

국명: 섬매발톱나무(Seom-mae-bal-top-na-mu), 섬매자나무 / (북한명) 섬매발톱나무

영명: **Jejudo barberry**

Berberis quelpaertensis Nakai, Bot. Mag. (Tokyo) 27: 31 1913

Berberis chinensis Poir., Encycl. (Lamarck) 8: 617 1808

국명: 당매자나무(Dang-mae-ja-na-mu), 가는잎매자나무 / (북한명) 당매자나무

영명: **Chinese barberry**

Berberis sinensis DC. var. *angustifolia* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 416 1873

Berberis poiretii C.K.Schneid., Mitt. Deutsch. Dendrol. Ges. 15: 180 1906

Berberis poiretii C.K.Schneid. var. *angustifolia* (Regel) Nakai, Fl. Sylv. Kor. 21: 66 1936

Berberis koreana Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 22, t.1 1899 Ⓟ

국명: **매자나무**(Mae-ja-na-mu)

영명: **Korean barberry**

Berberis koreana Palib. var. *koreana*

Berberis koreana Palib. var. *angustifolia* Nakai, Fl. Sylv. Kor. 21: 73 1936 Ⓟ

국명: 가는잎매자나무(Ga-neun-ip-mae-ja-na-mu), 좀매자나무, 좀은잎매자나무 / (북한명) 좀은잎매자나무

Berberis koreana Palib. f. *angustifolia* (Nakai) W.T.Lee, Lineamenta Florae Koreae 351 1996

Berberis koreana Palib. var. *elliptoides* Nakai, Fl. Sylv. Kor. 21: 72 1936 Ⓟ

국명: 연밥매자나무(Yeon-bap-mae-ja-na-mu), 연밥매자 / (북한명) 연밥매자나무

영명: **Elongate-fruit Korean barberry**

Berberis koreana Palib. f. *elliptoides* (Nakai) M.Kim, Korean Endemic Pl. 295 2004

Caulophyllum Michx. 꿩의다리아재비속

Caulophyllum robustum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 33 1859

국명: 꿩의다리아재비(Kkwong-ui-da-ri-a-jae-bi), 가락풀나물, 개음양곡, 줄기잎나물 / (북한명) 꿩의다리아재비

영명: **Asian blue cohosh**

Phtheirotheca cyanosperma Maxim. ex Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 223 1857
Leontice robusta (Maxim.) Diels, Bot. Jahrb. Syst. 29: 337 1900
Caulophyllum thalictroides (L.) Michx. subsp. *robustum* (Maxim.) Kitag., Acta Phytotax. Geobot. 20: 202 1962

***Jeffersonia* W.Bartram 깽깽이풀속**

Jeffersonia dubia (Maxim.) Benth. & Hook.f. ex Baker & Moore, J. Linn. Soc., Bot. 17: 377 1879 (R)

국명: 깽깽이풀(Kkaeng-kkaeng-i-pul), 깽이풀, 조황련, 황련 / (북한명) 깽깽이풀, 토황련

영명: **Asian twinleaf**

Plagiorhegma dubium Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 34 1859
Jeffersonia manchuriensis Hance, J. Bot. 18: 258 1880

***Gymnospermium* Spach 한계령풀속**

Gymnospermium microrrhynchum (S.Moore) Takht., Bot. Zhurn. (Moscow & Leningrad) 55: 1192 1970 (R)

국명: **한계령풀**(Han-gye-ryeong-pul), 매감자

영명: **Little-beak gymnospermium**

Leontice microrrhyncha S.Moore, J. Linn. Soc., Bot. 17: 377 1879

LARDIZABALACEAE 으름덩굴과

***Akebia* Decne. 으름덩굴속**

Akebia quinata (Houtt.) Decne., Arch. Mus. Hist. Nat. 1: 195 1839

국명: **으름덩굴**(Eu-reum-deong-gul), 목통, 으름 / (북한명) 으름덩굴

영명: **Five-leaf chocolate vine**

Rajania quinata Thunb. ex Houtt., Nat. Hist. (Houttuyn) 11: 366 1779
Akebia quinata (Houtt.) Decne. f. *viridiflora* Makino, Bot. Mag. (Tokyo) 16: 182 1902
Akebia quinata (Houtt.) Decne. var. *diplochlamys* Makino, J. Jap. Bot. 8: 6 1932
Akebia micrantha Nakai, Fl. Sylv. Kor. 21: 44 1936
Akebia quinata (Houtt.) Decne. var. *polyphylla* Nakai, Fl. Sylv. Kor. 21: 44 1936
Akebia quinata (Houtt.) Decne. f. *polyphylla* (Nakai) Hiyama, J. Jap. Bot. 36: 246 1961
Akebia quinata (Houtt.) Decne. f. *albiflora* Y.N.Lee, Bull. Korea Pl. Res. 6: 6 2006

***Stauntonia* DC. 멀꿀속**

Stauntonia hexaphylla (Thunb.) Decne., Ann. Sci. Nat., Bot. ser. 2, 12: 105 1839

국명: **멀꿀**(Meol-kkul), 멀꿀, 멀꿀나무 / (북한명) 멀꿀나무

영명: **Stauntonia vine**

Rajania hexaphylla Thunb., Fl. Jap. (Thunberg) 149 1784

MENISPERMACEAE 방기과

Cocculus DC. 맹댕이덩굴속

Cocculus orbiculatus (L.) DC., Syst. Nat. 1: 523 1817

국명: 맹댕이덩굴(Daeng-daeng-i-deong-gul), 끗비듯초, 맹강덩굴 / (북한명) 맹댕이덩굴

Menispermum orbiculatum L., Sp. Pl. 1: 341 1753

Menispermum trilobum Thunb., Fl. Jap. (Thunberg) 194 1784

Cocculus trilobus (Thunb.) DC., Syst. Nat. (Candolle) 1: 522 1817

Cocculus thunbergii DC., Syst. Nat. (Candolle) 1: 524 1818

Menispermum Tourn. ex L. 새모래덩굴속

Menispermum dauricum DC., Syst. Nat. (Candolle) 1: 540 1817

국명: 새모래덩굴(Sae-mo-rae-deong-gul) / (북한명) 새모래덩굴, 가막덩굴

영명: Asian moonseed

Trilophus ampelisagria Fisch., Cat. Jard. Pl. Gorenki 56 1812

Menispermum miersii Kundu & S.Guha, Adansonia 20: 212 1980

Menispermum chinense Kundu & S.Guha, Adansonia n.s. 20: 225 1998

Menispermum dauricum DC. f. *dauricum*

Menispermum dauricum DC. f. *pilosum* (C.K.Schneid.) Kitag., J. Jap. Bot. 34: 6 1959

국명: 털새모래덩굴(Teol-sae-mo-rae-deong-gul), 털모래덩굴 / (북한명) 털새모래덩굴

영명: Hairy Asian moonseed

Menispermum dauricum DC. var. *pilosum* C.K.Schneid., Ill. Handb. Laubholzk. 1: 326 1906

Sinomenium Diels 방기속

Sinomenium acutum (Thunb.) Rehder & E.H.Wilson, Pl. Wilson. 1: 387 1913

국명: 방기(Bang-gi), 청등 / (북한명) 방기

영명: Orientvine

Menispermum acutum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 892 1784

Cocculus diversifolius Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 10 1867

Menispermum diversifolium Gagnep., Bull. Soc. Bot. France 55: 39 1908

Menispermum diversifolium Gagnep. var. *molle* Gagnep., Bull. Soc. Bot. France 55: 39 1908

Sinomenium diversifolium Diels, Pflanzenr. (Engler) IV. 94(Heft 46): 245 1910

Sinomenium acutum (Thunb.) Rehder & E.H.Wilson var. *cinereum* (Diels) Rehder & E.H.Wilson, Pl. Wilson. 1: 387 1913

Stephania Lour. 함박이속

Stephania japonica (Thunb.) Miers, Ann. Mag. Nat. Hist. ser. 3, 18: 14 1866

국명: **함박이**(Ham-bak-i), 함바기, 함박이덩굴, 함백이 / (북한명) 함박이덩굴

영명: **Snake vine**

Menispermum japonicum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 892 1784

Cocculus japonicus (Thunb.) DC., Syst. Nat. (Candolle) 1: 516 1818

NYMPHAEACEAE 수련과

Euryale Salisb. 가시연속

Euryale ferox Salisb., Ann. Bot. (König & Sims) 2: 74 1805 Ⓢ

국명: **가시연꽃**(Ga-si-yeon-kkot), 가시련, 가시연, 개연, 칠남성 / (북한명) 가시련

영명: **Prickly waterlily**

Anneslea spinosa Andrews, Bot. Repos. 10: t. 618 1811

Euryale indica Planch., Ann. Sci. Nat., Bot. III, 19: 29 1853

Nuphar Sm. 개연꽃속

Nuphar japonica DC., Syst. Nat. (Candolle) 2: 62 1821 Ⓢ

국명: **개연꽃**(Gae-yeon-kkot), 개구리연, 개연, 긴잎련꽃 / (북한명) 긴잎련꽃, 개련꽃

영명: **East Asian yellow water-lily**

Nymphaeanthus japonicus (DC.) Fernald, Rhodora 21: 187 1919

Nuphar oguraensis Miki, Bot. Mag. (Tokyo) 48: 334 1934

국명: **왜개연꽃**(Wae-gae-yeon-kkot), 물개구리연, 북개연, 왜개연

영명: **Least water-lily**

Nuphar pumila (Timm) DC. subsp. *oguraensis* (Miki) Padgett, Sida 18: 825 1999

Nuphar oguraensis Miki var. *oguraensis*

Nuphar oguraensis Miki var. *akiensis* Shimoda, J. Phytogeogr. Taxon. 39: 3 1991

국명: **남개연꽃**(Nam-gae-yeon), 남개연

영명: **Red least water-lily**

Nuphar subintegerrima (Casp.) Makino, Bot. Mag. (Tokyo) 24: 141 1910

국명: **참개연꽃**(Cham-gae-yeon-kkot)

영명: **Yellow water-lily**

Nymphaea L. 수련속

Nymphaea pygmaea (Salisb.) W.T.Aiton, Hortus Kew. (ed.2) 3: 293 1811

■ MENISPERMACEAE 방기과

국명: 고마수련(Kko-ma-su-ryeon)

Castalia pygmaea Salisb., Parad. Lond. 1: t. 14 1806

Nymphaea tetragona Georgi, Reise Russ. Reich. 1: 220 1775

국명: 수련(Su-ryeon) / (북한명) 수련

영명: Pygmy water-lily

Nymphaea acutilboa DC., Prodr. (DC.) 1: 116 1824

Castalia tetragona (Georgi) G.Lawson, Proc. & Trans. Roy. Soc. Canada 6: 112 1888

Nymphaea alba L. subsp. *tetragon* (Georgi) Korsh., Fl. Eur. Ross. 133 1892

Nymphaea fennica Mela, Acta Soc. Fauna Fl. Fenn. 14 1897

Nymphaea tetragona Georgi var. *crassifolia* (Hand.-Mazz.) Chu, Fl. Pl. Herb. Chin. Bor.-Orient. 3: 82, t. 33, f. 5 1975

Nymphaea tetragona Georgi var. ***tetragona***

Nymphaea tetragona Georgi var. ***minima*** (Nakai) W.T.Lee, Lineamenta Florae Koreae 360 1996 Ⓟ

국명: 각시수련(Gak-si-su-ryeon), 개수련, 애기수련 / (북한명) 각씨수련

영명: Pretty pygmy water-lily

Nymphaea pygmaea (Salisb.) W.T.Aiton var. *mimima* Nakai, J. Jap. Bot. 14: 746 1938

CABOMBACEAE 어항마름과

Brasenia Schreb. 순채속

Brasenia schreberi J.F.Gmel., Syst. Nat. ed. 13, 2: 853 1791 Ⓢ

국명: 순채(Sun-chae) / (북한명) 순채

영명: Watershield

Hydropeltis purpurea Michx., Fl. Bor.-Amer. (Michaux) 1: 324 1803

Brasenia hydropeltis Muhl., Cat. Pl. Amer. Sept. 55 1813

Menyanthes peltata Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 142 1815

Brasenia nymphoides Baill., Hist. Pl. 3: 82 1871

Brasenia purpurea (Michx.) Casp., Journ. Sci. Math. Phys. Nat. 4: 312 1873

Hydropeltis pulla Salisb., Ann. Bot. (König & Sims) 2: 74 1907

CERATOPHYLLACEAE 봉어마름과

Ceratophyllum L. 봉어마름속

Ceratophyllum demersum L., Sp. Pl. 2: 992 1753

국명: 봉어마름(Bung-eo-ma-reum), 솔잎말 / (북한명) 봉어마름

영명: Coon's tail

Dichotophyllum demersum (L.) Moench, Methodus (Moench) 345 1794

Ceratophyllum demersum* L. var. *demersum

Ceratophyllum demersum* L. var. *quadrispinum Makino, J. Jap. Bot. 1: 21 1917

국명: 오성붕어마름(O-seong-bung-eo-ma-reum), 가시붕어말, 다섯가시붕어말

영명: Four-spin coon's tail

Ceratophyllum oryzetorum Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 200 1932

Ceratophyllum demersum L. var. *pentacorne* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 80 1936

Ceratophyllum demersum L. f. *quadrispinum* (Makino) Kitag., J. Jap. Bot. 40: 139 1965

Ceratophyllum platyacanthum subsp. *oryzetorum* (Kom.) Les, Syst. Bot. 13: 517 1988

SAURURACEAE 삼백초과

***Saururus* L. 삼백초속**

***Saururus chinensis* (Lour.) Baill.**, Adansonia 10: 71 1871 ⑧

국명: 삼백초(Sam-baek-cho) / (북한명) 삼백초

영명: Asian lizard's tail

Spathium chinense Lour., Fl. Cochinch. 217 1790

Sauruopsis chinensis (Lour.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 21: 590 1848

PIPERACEAE 후추과

***Piper* L. 후추속**

***Piper kadsura* (Choisy)** Ohwi, Acta Phytotax. Geobot. 3: 81 1934

국명: 후추등(Hu-chu-deung), 바람등칡, 풍등덩굴, 호초등, 후추등 / (북한명) 호초등, 바람등칡, 풍등덩굴

영명: Kadsura pepper

Ipomoea kadsura Choisy, Mém. Soc. Phys. Genève 6: 475 1833

Piper futokadsura Siebold, Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 107 1846

CHLORANTHACEAE 홀아비꽃대과

***Chloranthus* Sw. 홀아비꽃대속**

***Chloranthus fortunei* (A.Gray)** Solms, Prodr. (DC.) 16: 476 1868 ⑧

■ CHLORANTHACEAE 훌아비꽃대과

국명: 옥녀꽃대(Ok-nyeo-kkot-dae), 조선꽃대

영명: Maiden chloranthus

Tricercandra fortunei A.Gray, Mem. Amer. Acad. Arts ser. 6: 405 1859

Chloranthus koreanus Nakai, Fl. Sylv. Kor. 18: 16 1930

Chloranthus fortunei (A.Gray) Solms var. *koreanus* (Nakai) Hiyama, J. Jap. Bot. 37: 127 1962

Chloranthus japonicus Siebold, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 14: 681 1829

국명: 훌아비꽃대(Hol-a-bi-kkot-dae), 호래비꽃대, 훌꽃대, 훌애비꽃대 / (북한명) 훌꽃대, 훌아비꽃대

영명: Single-spike chloranthus

Tricercandra quadrifolia A.Gray, Narr. Exped. China Japan 2: 318 1857

Tricercandra japonica (Siebold) Nakai, Fl. Sylv. Kor. 18: 14 1930

Chloranthus serratus (Thunb.) Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 3: 461 1818 ⑧

국명: 꽃대(Kkot-dae), 두사람꽃대, 쌍꽃대, 쌍동꽃대 / (북한명) 쌍동꽃대, 쌍꽃대, 꽃대

영명: Serrate-leaf chloranthus

Nigrina serrata Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 142, Pl. 5, f. 1 1815

Sarcandra Gardner 죽절초속

Sarcandra glabra (Thunb.) Nakai, Fl. Sylv. Kor. 18: 17 1930 ⑧

국명: 죽절초(Juk-jeol-cho), 죽절나무 / (북한명) 죽절나무, 죽절초

영명: Glabrous sarcandra herb

Bladhia glabra Thunb., Trans. Linn. Soc. London 2: 331 1794

Chloranthus glaber (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 386 1912

Chloranthus esquirolii H.Lév., Fl. Kouy-Tchéou 74 1914

ARISTOLOCHIACEAE 줄방울덩굴과

Aristolochia L. 줄방울덩굴속

Aristolochia contorta Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 58 1833 ⑧

국명: 줄방울덩굴(Jwi-bang-ul-deong-gul), 까치오줌요강, 마도령, 방울풀, 줄방울 / (북한명) 줄방울덩굴

영명: Northern pipevine

Aristolochia nipponica Makino, Bot. Mag. (Tokyo) 24: 124 1910

Aristolochia manshuriensis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 112 1904 ⑧

국명: 등칡(Deung-chik), 긴줄방울, 등칙, 칡향, 큰줄방울 / (북한명) 칡향, 등칡

영명: Manchurian pipevine

Hocquratia manshuriensis (Kom.) Nakai, Fl. Sylv. Kor. 21: 27 1936

Isotrema manshuriensis (Kom.) H.Huber, Mitt. Bot. Staatssamml. München 3: 550 1960

Asarum L. 족도리풀속

Asarum koreanum J.Kim & C.Yook ex B.U.Oh, Phytotaxa 429(2): 174 2020 ⓘ

국명: 자주족도리풀(Ja-ju-jok-do-ri-pul)

** *Asiasarum koreanum* J.G.Kim & C.S.Yook, Korean J. Pharmacogn. 27: 342 1996

** *Asarum sieboldii* Miq. f. *koreanum* (J.G.Kim & C.S.Yook) Y.N.Lee, Bull. Korea Pl. Res. 1: 19 2000

Asarum maculatum Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 1914 ⓘ ⓘ

국명: 개족도리풀(Gae-jok-do-ri-pul), 개족도리, 개족두리풀, 섬세신, 섬족도리, 섬족도리풀, 섬족두리풀,

알락족두리풀, 알록세신, 민개족도리, 민개족도리풀, 청개족도리풀 / (북한명) 개족두리풀

영명: Spotted wildginger

Asiasarum maculatum (Nakai) F.Maek., Fl. Sylv. Kor. 21: 20 1936

Asarum maculatum Nakai var. *non-maculatum* Y.N.Lee, Bull. Korea Pl. Res. 1: 21 2000

Asarum maculatum Nakai f. *viride* Y.N.Lee, Bull. Korea Pl. Res. 1: 21 2000

Asarum sieboldii Miq. f. *maculatum* (Nakai) Yamaji, Acta Phytotax. Geobot. 55: 205 2004

Asarum maculatum Nakai f. *non-maculatum* (Y.N.Lee) M.Kim, Korean Endemic Pl. 291 2004

Asarum sieboldii Miq. var. *maculatum* (Nakai) M.Kim & S.So, Korean Endemic Pl. 57 2017

Asarum sieboldii Miq. f. *non-maculatum* (Y.N.Lee) M.Kim, Korean Endemic Pl. 514 2017

Asarum mandshuricum (Maxim.) M.Kim & S.So, Korean J. Pl. Taxon. 38: 141 2008

국명: 만주족도리풀(Man-ju-jok-do-ri-pul), 영종족도리풀 / (북한명) 민족두리풀

영명: Manchurian wildginger

Asarum sieboldii Miq. var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 399 1872

Asiasarum heterotropoides (F.Schmidt) F.Maek var. *mandshuricum* (Maxim.) F.Maek., Fl. Sylv. Kor. 21: 18 1936

Asarum heterotropoides F.Schmidt var. *mandshuricum* (Maxim.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3: 174 1939

Asiasarum heterotropoides (F.Schmidt) F.Maek f. *mandshuricum* (Maxim.) F.Maek., Lin. Fl. Manshur. 174 1939

Asarum sieboldii Miq. var. *mandshuricum* Maxim. f. *viride* Y.N.Lee, Bull. Korea Pl. Res. 1: 18 2000

Asarum mandshuricum (Maxim.) M.Kim & S.So f. *viride* (Y.N.Lee) M.Kim, Korean Endemic Pl. 514 2017

Asarum sieboldii Miq. f. *viride* (Y.N.Lee) M.Kim, Korean Endemic Pl. 514 2017

Asarum mandshuricum (Maxim.) M.Kim & S.So var. *mandshuricum*

Asarum mandshuricum (Maxim.) M.Kim & S.So var. *seoulense* (Nakai) M.Kim & S.So, Korean Endemic Pl. 55 2017 ⓘ

국명: 서울족도리풀(Seo-ul-jok-do-ri-pul), 털족도리풀

영명: Seoul wildginger

Asarum sieboldii Miq. var. *seoulensis* Nakai, Repert. Spec. Nov. Regni Veg. 13: 267 1914

Asiasarum heterotropoides (F.Schmidt) F.Maek var. *seoulense* (Nakai) F.Maek., Fl. Sylv. Kor. 21: 20 1936

Asarum heterotropoides F.Schmidt var. *seoulense* (Nakai) Kitag., Neolin. Fl. Manshur. 227 1979

Asarum sieboldii Miq. f. *seoulensis* (Nakai) C.Y.Cheng & C.S.Yang, J. Arnold Arbor. 64: 577 1983

Asarum mandshuricum (Maxim.) M.Kim & S.So f. *seoulense* (Nakai) M.Kim & S.So, Korean J. Pl. Taxon. 38: 139 2008

■ ARISTOLOCHIACEAE 쥐방울덩굴과

Asarum misandrum B.U.Oh & J.G.Kim, Korean J. Pl. Taxon. 27: 493 1997

국명: 각시족도리풀(Gak-si-jok-do-ri-pul), 반들족도리풀

영명: Glabrate wildginger

Asarum patens (Yamaki) M.Kim & S.So, Korean Endemic Pl. 56 2017 (E)

국명: 금오족도리풀(Geum-o-jok-do-ri-pul)

영명: Spreading wildginger

Asiasarum patens Yamaki, J. Jap. Bot. 71: 3 1996

Asarum sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 134 1865

국명: 족도리풀(Jok-do-ri-pul), 만주족도리풀, 민세신, 민족도리풀, 민족두리풀, 뿔족도리풀, 세신, 조리풀, 족도리, 족두리, 족두리풀, 털족도리풀, 한성세신, 화세신 / (북한명) 족두리풀

영명: Wildginger

Asiasarum sieboldii (Miq.) F.Maeck., Fl. Sylv. Kor. 21: 22 1936

Asarum sieboldii Miq. var. *cornutum* Y.N.Lee, Bull. Korea Pl. Res. 1: 19 2000

Asarum sieboldii Miq. f. *cornutum* (Y.N.Lee) M.Kim, Korean Endemic Pl. 291 2004

** *Asarum sieboldii* Miq. f. *cornutum* (Y.N.Lee) M.Kim, Korean J. Pl. Taxon. 38: 131 2008

Asarum sieboldii Miq. var. *sieboldii*

Asarum sieboldii Miq. var. *sonunsanense* (Y.N.Lee) M.Kim & S.So, Korean Endemic Pl. 58 2017 (E)

국명: 선운족도리풀(Seon-un-jok-do-ri-pul)

Asarum sonunsanense Y.N.Lee, Bull. Korea Pl. Res. 5: 6 2005

Asarum sieboldii Miq. f. *sonunsanense* (Y.N.Lee) M.Kim & S.So, Korean J. Pl. Taxon. 38: 135 2008

Asarum versicolor (Yamaki) M.Kim & S.So, Korean Endemic Pl. 59 2017 (E)

국명: 무늬족도리풀(Mu-nui-jok-do-ri-pul), 민무늬족도리풀, 진동족도리풀

영명: Coloured wildginger

Asiasarum sieboldii (Miq.) F.Maeck. var. *versicolor* Yamaki, J. Jap. Bot. 71: 1 1996

** *Asarum versicolor* (Yamaki) Y.N.Lee, J. Jap. Bot. 1: 19 2000

** *Asarum versicolor* (Yamaki) Y.N.Lee var. *non-versicolor* Y.N.Lee, Bull. Korea Pl. Res. 1: 20 2000

** *Asarum versicolor* (Yamaki) Y.N.Lee f. *non-versicolor* M.Kim, Korean Endemic Pl. 292 2004

** *Asarum versicolor* (Yamaki) M.Kim & S.So f. *non-versicolor* (Y.N.Lee) M.Kim, Korean Endemic Pl. 514 2017

Asarum yeonbyeonense M.Kim & S.So, Kor. J. Pl. Taxon. 40: 257 2010

국명: 연변족도리풀(Yeon-byeon-jok-do-ri-pul), 황록족도리풀, 녹연변족도리풀

Asarum sieboldii Miq. var. *viridiluteolum* Y.N.Lee, Korea Pl. Res. 5: 10 2005

Asarum yeonbyeonense M.Kim & S.So var. *viridiluteolum* (Y.N.Lee) M.Kim & S.So, Kor. J. Pl. Taxon. 40: 259 2010

PAEONIACEAE 작약과

Paeonia L. 작약속

Paeonia japonica (Makino) Miyabe & Takeda, Gard. Chron. ser. 3, 48: 366, f. 153 1910 Ⓡ

국명: 백작약(Baek-jak-yak), 산작약, 털백작약

영명: White woodland peony

Paeonia obovata Maxim. var. *japonica* Makino, Bot. Mag. (Tokyo) 16: 59 1902

Paeonia japonica (Makino) Miyabe & Takeda var. *glabra* Makino, Bot. Mag. (Tokyo) 16: 59 1902

Paeonia japonica (Makino) Miyabe & Takeda var. *japonica*

Paeonia japonica (Makino) Miyabe & Takeda var. *pillosa* Nakai, J. Jap. Bot. 13: 395 1937

국명: 털백작약(Teol-baek-jak-yak)

영명: Hairy woodland peony

Paeonia lactiflora Pall., Reise Russ. Reich. 3: 286 1776

국명: 작약(Jak-yak), 적작약, 참작약, 민참작약, 호작약, 함박꽃, 함박초 / (북한명) 작약, 함박꽃

Paeonia albiflora Pall., Fl. Ross. (Pallas) 1: 92, t. 84 1788

Paeonia albiflora Pall. var. *tricocarpa* Bunge, Enum. Pl. Chin. Bor. 3 1833

Paeonia albiflora Pall. var. *pubescens* Nakai, Bot. Mag. (Tokyo) 46: 605 1932

Paeonia albiflora Pall. f. *nuda* Nakai, J. Jap. Bot. 13: 393 1937

Paeonia albiflora Pall. f. *pilosella* Nakai, J. Jap. Bot. 13: 393 1937

Paeonia lactiflora Pall. var. *trichocarpa* (Bunge) Stern, J. Roy. Hort. Soc. 68: 129 1943

Paeonia yui W.P.Fang, Acta Phytotax. Sin. 7: 321 1958

Paeonia lactiflora Pall. var. *hirta* (Regel) Y.C.Chu, Fl. Pl. Herb. Chin. Bor.-Or. 2: 77 1959

Paeonia lactiflora Pall. f. *nuda* (Nakai) Kitag., Neolin. Fl. Manshur. 302 1979

Paeonia lactiflora Pall. f. *pilosella* (Nakai) Kitag., Neolin. Fl. Manshur. 585 1979

Paeonia obovata Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 29 1859 Ⓡ

국명: 산작약(San-jak-yak), 민산작약, 산함박꽃, 적작약 / (북한명) 산작약, 적작약

영명: Woodland peony

Paeonia oreogoton S.Moore, J. Linn. Soc., Bot. 17: 376 1879

Paeonia obovata Maxim. var. *glabra* Makino, J. Jap. Bot. 5: 33 1928

Paeonia obovata Maxim. f. *oreogton* (S.Moore) Kitag., Lin. Fl. Manshur. 221 1939

ACTINIDIACEAE 다래나무과

Actinidia Lindl. 다래나무속

Actinidia arguta (Siebold & Zucc.) Planch. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 1867

국명: 다래(Da-rae), 다래나무, 다래너출, 다래년출, 다래넝쿨, 참다래, 참다래나무, 청다래나무, 청다래년출, 늑다래나무 / (북한명) 다래나무

영명: Hardy kiwi

■ ACTINIDIACEAE 달라나무과

- Trochostigma arguta* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 727 1843
Actinidia platiphylla A.Gray ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 1867
Actinidia callosa Lindl. var. *arguta* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 15: 148 1901
Actinidia rufa (Siebold & Zucc.) Planch. ex Miq. var. *arguta* (Siebold & Zucc.) Dunn, J. Linn. Soc., Bot. 39: 402 1911
Actinidia japonica Nakai, Bot. Mag. (Tokyo) 28: 311 1914
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *cordifolia* (Miq.) Bean, Trees & Shrubs Brit. Isles 1: 162 1914
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *platiphylla* (A.Gray ex Miq.) Nakai, Bot. Mag. (Tokyo) 47: 317 1933
Actinidia megalocarpa Nakai ex Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 1, Pl. Nov. Jehol.: 9 1934
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *rufinervis* Nakai, J. Jap. Bot. 15: 684 1939
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. f. *platiphylla* (A.Gray ex Miq.) H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2a: 392 2006
Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. f. *rufinervis* (Nakai) M.Kim, Korean Endemic Pl. 303 2004

Actinidia kolomikta (Maxim. & Rupr.) Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 63 1859

국명: 쥐다래(Jwi-da-rae), 넓은잎다래나무, 쇠젓가래, 쇠젓다래, 쥐다래나무 / (북한명) 쥐다래나무

영명: Variegated-leaf hardy kiwi

- Prunus kolomikta* Maxim. ex Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 129 1856
Kolomikta mandshurica Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 219 1857
Trochostigma kolomikta (Maxim. & Rupr.) Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 261 1857
Actinidia gagnepainii Nakai, Bot. Mag. (Tokyo) 47: 258 1933
Actinidia longicauda F.Chun, Sunyatsenia 7: 14 1948
Actinidia kolomikta (Maxim. & Rupr.) Maxim. var. *gagnepainii* (Nakai) H.L.Li, J. Arnold Arbor. 33: 19 1952

Actinidia polygama (Siebold & Zucc.) Planch. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 64 1859

국명: 개다래(Gae-da-rae), 개다래나무, 개다래덩굴, 말다래, 말다래나무, 못죽다래나무, 못죽다래나무, 묵다래나무, 쇠젓가래, 쥐다래나무 / (북한명) 말다래나무, 개다리나무

영명: Silver vine

- Trochostigma polygama* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 728 1843
Trochostigma volubilie Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 728 1843
Actinidia polygama (Siebold & Zucc.) Planch. ex Maxim. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 1867
Actinidia volubilis (Siebold & Zucc.) Planch. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 1876
Actinidia lecomtei Nakai, Bot. Mag. (Tokyo) 47: 253 1933
Actinidia repanda Honda, Acta Phytotax. Geobot. 9: 97 1940
Actinidia polygama (Siebold & Zucc.) Planch. ex Maxim. var. *lecomtei* (Nakai) H.L.Li, J. Arnold Arbor. 33: 22 1952
Actinidia inflammans Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 17 1953

Actinidia rufa (Siebold & Zucc.) Planch. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 1867 **(R)**

국명: 섬다래(Seom-da-rae), 섬다래나무 / (북한명) 섬다래나무

영명: Reddish-brown hardy kiwi

- Trochostigma rufum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 727 1843
Actinidia cordifolia Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 15 1876

Actinidia arguta (Siebold & Zucc.) Planch. ex Miq. var. *rufa* (Siebold & Zucc.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 423 1886

Actinidia callosa Lindl. var. *rufa* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 15: 147 1901

Actinidia kiusiana Koidz., Pl. Nov. Amami-Ohsim. 9 1928

Actinidia rufa (Siebold & Zucc.) Planch. ex Miq. var. *dulcissima* Koidz., Bot. Mag. (Tokyo) 44: 100 1930

THEACEAE 차나무과

Camellia L. 동백나무속

Camellia japonica L., Sp. Pl. 2: 698 1753

국명: 동백나무(Dong-baek-na-mu), 동백, 뜰동백나무, 흰동백나무, 흰동백 / (북한명) 동백나무

영명: Common camellia

Camellia tsbakki Crantz, Inst. Rei Herb. 2: 172 1766

Camellia florida Salisb., Prodr. Stirp. Chap. Allerton 370 1796

Thea camellia Hoffm., Verz. Pfl.-Kult. 177 1824

Camellia mutabilis Paxton, Paxton's Mag. Bot. 2: t. 122 1836

Thea japonica (L.) Baill., Hist. Pl. (Baillon) 4: 229 1873

Thea japonica (L.) Baill. var. *hortensis* Makino, Bot. Mag. (Tokyo) 25: 160 1908

Thea japonica (L.) Baill. var. *spontanea* Makino, Bot. Mag. (Tokyo) 25: 160 1908

Camellia japonica L. f. *albipetala* H.T.Chang, Seikyu 32: 80 1938

Camellia japonica L. subsp. *hortensis* (Makino) Masam. & Yanagita, Trans. Nat. Hist. Soc. Taiwan 31: 319 1941

Cleyera Adans. 비쭈기나무속

Cleyera japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 69 1783

국명: 비쭈기나무(Bi-jju-gi-na-mu), 빗죽이나무

영명: Japanese cleyera

Cleyera ochnacea DC., Mém. Soc. Phys. Genève 1: 413 1822

Ternstroemia lushia Ham. ex D.Don, Prodr. Fl. Nepal. 225 1825

Cleyera ochnacea DC. var. *lushia* (D.Don) Dyer, Fl. Brit. Ind. 1 1874

Eurya ochnacea (DC.) Szyszyl., Nat. Pflanzenfam. 8: 189 1893

Cleyera fortunei Hook.f., Gard. Chron. 3, 1895: 10 1895

Freziera ochnacea (DC.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 64 1914

Tristylium ochnaceum (DC.) Merr., Philipp. J. Sci. 13: 148 1918

Sakakia ochnacea (DC.) Nakai, Fl. Sylv. Kor. 17: 77 1928

Sakakia ochnacea (DC.) Nakai var. *contorta* Honda, Bot. Mag. (Tokyo) 43: 292 1929

Eurya ochnacea (DC.) Szyszyl. var. *contracta* (Honda) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 742 1931

Eroteum ochnaceum (DC.) Nakai, J. Jap. Bot. 13: 880 1937

Cleyera japonica Thunb. var. *kaempferiana* (DC.) Sealy, Bot. Mag. sub. t. 163: 9606 1940

Eurya Thunb. 사스레피나무속

Eurya emarginata (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 19 1904

국명: 우묵사스레피(U-muk-sa-seu-re-pi), 개사스레피나무, 갯쥐똥나무, 섬쥐똥나무, 우묵사스레피나무 / (북한명) 갯사스레피나무

영명: **Emarginate eurya**

Ilex emarginata Thunb., Fl. Jap. (Thunberg) 78 1784

Eurya littoralis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 163 1843

Eurya emarginata (Thunb.) Makino var. *microphylla* Makino, Bot. Mag. (Tokyo) 24: 29 1910

Eurya minutissima Hatus., J. Jap. Bot. 15: 135 1939

Eurya japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 68 1783

국명: 사스레피나무(Sa-seu-re-pi-na-mu), 가새목, 무치러기나무, 섬사스레미나무, 세푸랑나무 / (북한명) 사스레피나무

영명: **East Asian eurya**

Eurya japonica Thunb. var. *hortensis* Blume, Mus. Bot. 2: 106 1856

Eurya japonica Thunb. var. *montana* (Siebold) Blume, Mus. Bot. 2: 106 1856

Eurya japonica Thunb. var. *pusilla* Blume, Mus. Bot. 2: 107 1856

Eurya japonica Thunb. var. *uniflora* Blume, Mus. Bot. 2: 107 1856

Eurya multiflora Siebold ex Blume, Mus. Bot. 2: 106 1856

Eurya japonica Thunb. var. *thunbergii* Thwaites, Enum. Pl. Zeyl. 41 1858

Eurya japonica Thunb. var. *multiflora* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 14 1866

Eurya japonica Thunb. var. *normalis* Kuntze, Revis. Gen. Pl. 1: 62 1891

Eurya japonica Thunb. var. *integra* Nakai, Fl. Sylv. Kor. 17: 83 1928

Eurya japonica Thunb. var. *angustifolia* Koidz., Fl. Austro-Higoensis 38 1931

Eurya japonica Thunb. var. *australis* Hatus., J. Jap. Bot. 26: 374 1951

Eurya pubicalyx Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 79 1953

Eurya japonica Thunb. var. *ovata* Masam. & Satomi, J. Jap. Bot. 29: 28 1954

Eurya japonica Thunb. f. *integra* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 316 1966

Eurya japonica Thunb. var. **japonica**

Eurya japonica Thunb. var. **aurescens** Rehder & E.H.Wilson, Pl. Wilson. 2: 399 1915

국명: 떡사스레피나무(Tteok-sa-seu-re-pi-na-mu), 떡사스레피 / (북한명) 떡사스레피나무

영명: **Yellow East Asian eurya**

Eurya japonica Thunb. f. *aurescens* (Rehder & E.H.Wilson) M.Kim, Korean Endemic Pl. 303 2004

Stewartia L. 노각나무속

Stewartia koreana Nakai ex Rehder, J. Arnold Arbor. 7: 242 1926 **㊣**

국명: 노각나무(No-gak-na-mu), 금수목, 노가지나무, 비단나무 / (북한명) 노각나무

영명: **Korean stewartia**

Stewartia pseudocamellia Maxim. var. *koreana* (Nakai ex Rehder) Sealy, Bot. Mag. 165: t. 20 1948

Ternstroemia Mutis ex L.f. 후피향나무속

Ternstroemia gymnanthera (Wight & Arn.) Bedd., Fl. Sylv. S. India 91 1871

국명: 후피향나무(Hu-pi-hyang-na-mu) / (북한명) 후피향나무

영명: Naked-anther ternstroemia

Cleyera gymnanthera Wight & Arn., Prodr. Fl. Ind. Orient. 87 1834

CLUSIACEAE 물레나물과

Hypericum Tourn. ex L. 물레나물속

Hypericum ascyron L., Sp. Pl. 1: 783 1753

국명: 물레나물(Mul-re-na-mul), 긴물레나물, 매대체, 애기물레나물, 좀물레나물, 큰물레나물 / (북한명) 물레나물

영명: Great St. Johnswort

Hypericum gebleri Ledeb., Fl. Altaic. 3: 364 1831

Roscyna japonica Blume, Mus. Bot. 2: 21 1856

Hypericum ascyron L. var. *brevistylum* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 65 1859

Hypericum ascyron L. var. *longistylum* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 65 1859

Hypericum ascyron L. var. *micropetalum* R.Keller, Bull. Herb. Boissier 5: 638 1897

Hypericum ascyron L. var. *giraldii* R.Keller, Bot. Jahrb. Syst. 33: 550 1904

Hypericum ascyron L. var. *punctatostriatum* R.Keller, Bot. Jahrb. Syst. 33: 550 1904

Hypericum ascyron L. var. *umbellatum* R.Keller, Bot. Jahrb. Syst. 33: 550 1904

Hypericum longifolium H.Lév., Bull. Soc. Agric. Sarthe 39: 322 1904

Hypericum scallanii R.Keller, Bot. Jahrb. Syst. 33: 549 1904

Hypericum hemsleyanum H.Lév. & Vaniot, Bull. Soc. Bot. France 54: 292 1907

Hypericum ascyron L. var. *vilmorinii* Rehder, Stand. Cycl. Hort. 3: 1630 1915

Hypericum ascyron L. var. *angustifolium* Y.Kimura, Stand. Cycl. Hort. 3: 1630 1915

Hypericum macrosepalum (Ledeb.) Rehder, Pl. Wilson. 3: 451 1917

Hypericum sagittifolium Koidz., Fl. Symb. Orient.-Asiat. 91 1930

Hypericum ascyron L. var. *macrosepalum* Ledeb., Nov. Fl. Jap. 10: 125 1951

Roscyna ascyron (L.) Y.Kimura, Nov. Fl. Jap. 10: 121 1951

Hypericum attenuatum Fisch. ex Choisy, Prodr. Monogr. Hyperic. 47 1821 Ⓡ

국명: 채고추나물(Chae-go-chu-na-mul) / (북한명) 채고추나물

영명: Attenuate St. Johnswort

Hypericum chejuense S.J.Park & K.J.Kim, Novon 15: 458 2005 ⓘ

국명: 제주고추나물(Je-ju-go-chu-na-mul)

Hypericum erectum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 702 1784

국명: 고추나물(Go-chu-na-mul) / (북한명) 고추나물

■ CLUSIACEAE 둘레나물과

영명: Erect St. Johnswort

- Hypericum erectum* Thunb. var. *obtusifolium* Blume, Mus. Bot. 2: 25 1856
Hypericum perforatum L. var. *confertiflorum* Debeaux, Actes Soc. Linn. Bordeaux 31: 130 1876
Hypericum erectum Thunb. f. *debile* R.Keller, Bull. Herb. Boissier 5: 640 1897
Hypericum otaruense R.Keller, Bull. Herb. Boissier 5: 641 1897
Hypericum obtusifolioum (Blume) Makino, Bot. Mag. (Tokyo) 17: 80 1903
Hypericum dielsii H.Lév. & Vaniot ex H.Lév., Bull. Soc. Bot. France 53: 499 1906
Hypericum matsumurae H.Lév., Bull. Soc. Bot. France 53: 501 1906
Hypericum vaniotii H.Lév., Bull. Soc. Bot. France 53: 497 1906
Hypericum fujisanense Makino, Bot. Mag. (Tokyo) 26: 246 1912
Hypericum erectum Thunb. var. *angustifolium* Y.Kimura, Bot. Mag. (Tokyo) 52: 194 1938
Hypericum erectum Thunb. var. *erectum* f. *angustifolium* (Y.Kimura) Y.Kimura, Nov. Fl. Jap. 10: 150, f. 52 1951
** *Hypericum confertissimum* Nakai, Bot. Mag. (Tokyo) 27: 129 1913
** *Hypericum attenuatum* Fisch. ex Choisy var. *confertissimum* (Nakai) T.B.Lee, Ill. Fl. Kor. 546 1980
Hypericum attenuatum Fisch. ex Choisy var. *confertissimum* (Nakai) M.Kim, Korean Endemic Pl. 134 2017

Hypericum erectum Thunb. var. *erectum*

Hypericum erectum Thunb. var. *caespitosum* Makino, Bot. Mag. (Tokyo) 18: 104 1904

국명: **다북고추나물**(Da-buk-go-chu-na-mul), 산고추나물, 지이고추나물 / (북한명) 잔잎고추나물

영명: Tuft St. Johnswort

Hypericum japonicum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 702 1784

국명: **애기고추나물**(Ae-gi-go-chu-na-mul) / (북한명) 애기고추나물, 큰잎애기고추나물

영명: Tiny St. Johnswort

- Ascyrum humifusum* Labill., Nov. Holl. Pl. 2: 33 1806
Hypericum pusillum Choisy, Prodr. Monogr. Hyperic. 50 1821
Brathys japonica (Thunb.) Wight, Icon. Pl. Ind. Orient. (Wight) 1: 113 1839
Hypericum thunbergii Franch. & Sav., Enum. Pl. Jap. 2: 300 1878
Hypericum cavaleriei H.Lév., Bull. Soc. Bot. France 54: 593 1908
Hypericum taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 279 1908
Hypericum japonicum Thunb. var. *thunbergii* (Franch. & Sav.) R.Keller, Bull. Herb. Boissier ser.2, 8: 185 1908
Hypericum japonicum Thunb. var. *maximowiczii* R.Keller, Bull. Herb. Boissier ser.2, 8: 185 1908
Hypericum yabei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 279 1908
Sarothra japonica (Thunb.) Y.Kimura, Nov. Fl. Jap. 10: 235 1951

Hypericum jeongjocksanense S.J.Park & K.J.Kim, Novon 15: 460 2005 ⓘ

국명: **정족산고추나물**(Jeong-jok-san-go-chu-na-mul)

Hypericum laxum (Blume) Koidz., Bot. Mag. (Tokyo) 40: 344 1926

국명: **좁고추나물**(Jom-go-chu-na-mul), 등근애기고추나물, 애기고추나물 / (북한명) 좁고추나물, 등근잎애기고추나물

영명: **Loose St. Johnswort**

Brathys laxa Blume, Mus. Bot. 2: 19 1856

Sarothra laxa (Blume) Y.Kimura, Nov. Fl. Jap. 10: 241 1951

Sarothra laxa (Blume) Y.Kimura f. *ramosa* Y.Kimura, Nov. Fl. Jap. 10: 244 1951

Hypericum oliganthum Franch. & Sav., Enum. Pl. Jap. 2: 299 1878 (R)

국명: 진주고추나물(Jin-ju-go-chu-na-mul), 들고추나물, 조선물레나물 / (북한명) 들고추나물, 조선물레나물

영명: **Few-flower St. Johnswort**

Hypericum makinoi H.Lév., Bull. Soc. Bot. France 53: 502 1906

Triadenum Raf. 물고추나물속

Triadenum breviflorum (Wall. ex Dyer) Y.Kimura, Nov. Fl. Jap. 10: 79 1951

국명: 흰꽃물고추나물(Huin-kkon-mul-go-chu-na-mul)

Hypericum breviflorum Wall. ex Dyer, Fl. Brit. Ind. 1: 257 1874

Triadenum japonicum (Blume) Makino, Fl. Japan (Makino & Nemoto) 326 1925

국명: 물고추나물(Mul-go-chu-na-mul), 가는잎고추나물, 물레나물아재비 / (북한명) 물고추나물

영명: **Pink-flower marsh St.Johnswort**

Elodea japonica Blume, Mus. Bot. 2: 15 1856

Elodea crassifolia Blume, Mus. Bot. 2: 15 1856

Hypericum virginicum L. var. *asiaticum* (Maxim.) Yatabe, Bot. Mag. (Tokyo) 6: 25 1892

Hypericum fauriei R.Keller, Bull. Herb. Boissier 5: 637 1897

Hypericum similans R.Keller, Bot. Jahrb. Syst. 33: 547 1904

Triadenum asiaticum (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 45 1907

Hypericum virginicum L. var. *japonicum* (Blume) Matsum., Index Pl. Jap. 2: 1912

Triadenum crassifolium (Blume) Nakai, Chosen Shokubutsu 161 1914

Triadenum japonicum (Blume) Makino var. *augustifolium* Y.Kimura, J. Jap. Bot. 11: 857 1935

Triadenum japonicum (Blume) Makino f. *augustifolium* (Y.Kimura) Y.Kimura, Nov. Fl. Jap. 10: 77 1951

Triadenum crassifolium (Blume) Nakai f. *augustifolium* (Y.Kimura) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 77 1952

NEPENTHACEAE 벌레잡이풀과

Nepenthes L. 벌레잡이풀속

Nepenthes rafflesiana Jack, Companion Bot. Mag. 1: 271 1836

국명: 벌레잡이풀(Beol-le-jab-i-pul),

Nepenthes hookeriana H.Low, Sarawak 68 1848

Nepenthes sanderiana Burb., Fl. & Sylva 2: 113 1904

Nepenthes hemsleyana Macfarl., Pflanzenr. (Engler) IV. 111: 61 1908

DROSERACEAE 끈끈이귀개과

Aldrovanda L. 벌레먹이말속

Aldrovanda vesiculosa L., Sp. Pl. 1: 281 1753 ⓥ

국명: 벌레먹이말(Beol-re-meok-i-mal), 벌레먹이너구리말 / (북한명) 벌레먹이말

영명: Waterwheel plant

Aldrovanda verticillata Roxb., Fl. Ind. (Roxburgh) 2: 113 1824

Aldrovanda vesiculosa L. var. *duriaei* Casp., Bot. Zeitung (Berlin) 17: 142 1859

Aldrovanda vesiculosa L. var. *australis* Darwin, Insectiv. Pl. 328 1876

Aldrovanda vesiculosa L. var. *verticillata* (Roxb.) Darwin, Insectiv. Pl. 329 1876

Aldrovanda generalis E.H.L.Krause, Deutschl. Fl. (Sturm) ed. 2 4: 176 1902

Drosera L. 끈끈이귀개속

Drosera anglica Huds., Fl. Angl. (Hudson) ed. 2: 135 1778

국명: 긴잎끈끈이주걱(Gin-ip-kkeun-i-ju-geok) / (북한명) 긴잎끈끈이주걱

영명: English sundew

Drosera longifolia L., Sp. Pl. 1: 282 1753

Rorella longifolia (L.) All., Fl. Pedem. 2: 88 1785

Drosera anglica Huds. var. *subuniflora* DC., Prodr. (DC.) 1: 318 1824

Adenopa anglica (Huds.) Raf., Fl. Tellur. 3: 37 1837

Drosera peltata Thunb. var. *peltata*

Drosera peltata Thunb. var. *nipponica* (Masam.) Ohwi ex E.Walker, Fl. Okinawa S. Ryukyu Isl. 506 1976 ⓥ

국명: 끈끈이귀개(Kkeun-kkeun-i-gwi-gae) / (북한명) 끈끈이귀개

영명: East Asian shield sundew

Drosera nipponica Masam., Trans. Nat. Hist. Soc. Taiwan 23: 207 1933

Drosera rotundifolia L., Sp. Pl. 1: 281 1753 ⓥ

국명: 끈끈이주걱(Kkeun-kkeun-i-ju-geok) / (북한명) 끈끈이주걱

영명: Round-leaf sundew

Rorella rotundifolia (L.) All., Fl. Pedem. 2: 88 1785

Rossolis rotundifolia (L.) Moench, Methodus (Moench) 57 1794

Drosera spatulata Labill., Nov. Holl. Pl. 1: 79 (t. 106. f. 1) 1805

국명: 주걱끈끈이주걱(Ju-geok-kkeun-kkeun-i-ju-geok), 좀끈끈이주걱

PAPAVERACEAE 양귀비과

Adlumia Raf. ex DC. 줄꽃주머니속

Adlumia asiatica Ohwi, Bot. Mag. (Tokyo) 45: 387 1931

국명: 줄꽃주머니(Jul-kkot-ju-meo-ni), 덩굴며느리주머니, 양꽃주머니 / (북한명) 줄꽃주머니

영명: Asian mountain fringe

Chelidonium L. 애기똥풀속

Chelidonium majus L. subsp. *majus*

Chelidonium majus L. subsp. *asiaticum* H.Hara, J. Jap. Bot. 23: 50 1949

국명: 애기똥풀(Ae-gi-ttong-pul), 까치다리, 씨아똥, 젖풀 / (북한명) 젖풀

영명: Asian greater celandine

Chelidonium majus L. var. *hirsutum* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 13 1856

Chelidonium majus L. var. *asiaticum* (H.Hara) Ohwi, Fl. Jap. (Ohwi) 561 1953

Chelidonium asiaticum (H.Hara) Krahulc., Folia Geobot. Phytotax. 17: 266 1982

Coreanomecon Nakai 매미꽃속

Coreanomecon hylomeconoides Nakai, J. Jap. Bot. 11: 151 1935 ⓘ ⓘ

국명: 매미꽃(Mae-mi-kkot), 개매미꽃, 여름매미꽃, 피나물 / (북한명) 매미꽃

영명: Korean forest poppy

Chelidonium hylomeconoides (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 73 1953

Hylomecon hylomeconoides (Nakai) Y.N.Lee, J. Korean Res. Inst. Better Living 11: 134 1973

Corydalis DC. 현호색속

Corydalis alata B.U.Oh & W.R.Lee, Korean J. Pl. Taxon. 40: 79 2010 ⓘ

국명: 날개현호색(Nal-gae-hyeon-ho-saek)

영명: Winged corydalis

Corydalis albipetala B.U.Oh, Korean J. Pl. Taxon. 26: 213 1996 ⓘ

국명: 흰현호색(Huin-hyeon-ho-saek)

영명: White-flower corydalis

Corydalis ambigua Cham. & Schldl., Linnaea 1: 558 1826

국명: 왜현호색(Wae-hyeon-ho-saek), 산현호색 / (북한명) 왜현호색

영명: Small corydalis

Corydalis ambigua Cham. & Schldl. var. *amurensis* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 37 1859

■ PAPAVERACEAE 양귀비과

Corydalis ambigua Cham. & Schlehd. f. *fumariifolia* (Maxim.) Kitag., Lin. Fl. Manshur. 232 1939

Corydalis ambigua Cham. & Schlehd. f. *pectinata* (Kom.) Kitag., Lin. Fl. Manshur. 233 1939

Corydalis ambigua Cham. & Schlehd. f. *rotundiloba* (Maxim.) Kitag., Lin. Fl. Manshur. 233 1939

Corydalis bungeana Turcz., Bull. Soc. Imp. Naturalistes Moscou 19: 62 1846

국명: 줄현호색(Jul-hyeon-ho-saek) / (북한명) 줄현호색, 개현호색

영명: Bunge's corydalis

Corydalis bungeana Turcz. var. *odontopetala* Hemsl., J. Linn. Soc., Bot. 23: 36 1886

Capnoides bungeana (Turcz.) Kuntze, Revis. Gen. Pl. 1: 14 1891

Corydalis buschii Nakai, Bot. Mag. (Tokyo) 28: 328 1914

국명: 진펄현호색(Jin-peol-hyeon-ho-saek) / (북한명) 진펄현호색

영명: Busch's corydalis

Corydalis chosenensis Ohwi, Repert. Spec. Nov. Regni Veg. 36: 49 1934

Pistolochia buschii (Nakai) Soják, Cas. Nár. Mus., Odd. Prír. 140: 128 1972

Corydalis caudata Pers., Syn. Pl. (Persoon) 2: 269 1807

국명: 수염현호색(Su-yeom-hyeon-ho-saek)

영명: Tailed corydalis

Corydalis cornupetala Y.H.Kim & J.H.Jeong, Korean J. Pl. Taxon. 37: 219 2007 Ⓛ

국명: 쇠뿔현호색(Soe-ppul-hyeon-ho-saek)

영명: Bull's-horn corydalis

Corydalis decumbens (Thunb.) Pers., Syn. Pl. 2: 269 1807

국명: 좀현호색(Jom-hyeon-ho-saek), 제주현호색 / (북한명) 좀현호색

영명: Decumbent corydalis

Fumaria decumbens Thunb., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 12: 102 1801

Capnoides decumbens (Thunb.) Kuntze, Revis. Gen. Pl. 1: 14 1891

Corydalis klungenii Hayata, J. Coll. Sci. Imp. Univ. Tokyo 31: 27 1911

Corydalis filistipes Nakai, Bot. Mag. (Tokyo) 32: 104 1918 Ⓛ ⓘ

국명: 섬현호색(Seom-hyeon-ho-saek) / (북한명) 섬현호색

영명: Island corydalis

Corydalis gigantea Trautv. & C.A.Mey., Reise Sibir. 1: 13 1856

국명: 큰괴불주머니(Keon-goe-bul-ju-meo-ni) / (북한명) 큰뿔꽃, 큰괴불주머니

영명: Giant corydalis

Corydalis gigantea Trautv. & C.A.Mey. var. *macrantha* Regel, Bull. Soc. Imp. Naturalistes Moscou 14: 150 1841

Corydalis gigantea Trautv. & C.A.Mey. var. *amurensis* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 150 1861

Corydalis grandicalyx B.U.Oh & Y.S.Kim, Korean J. Pl. Taxon. 17: 21 1987 ⓘ

국명: 갈퀴현호색(Gal-kwi-hyeon-ho-saek)

영명: Large-sepal corydalis

Corydalis hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 349 1912 ⓘ

국명: 탐라현호색(Tam-ra-hyeon-ho-saek)

영명: Hallasan corydalis

Corydalis heterocarpa Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 173 1843

국명: 염주괴불주머니(Yeom-ju-goe-bul-ju-meo-ni), 개괴불주머니, 개현호색, 갯괴불주머니, 갯현호색 /
(북한명) 염주괴불주머니

영명: Beaded yellow corydalis

Corydalis wilfordii Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 148 1861

Corydalis hirtipes B.U.Oh & J.G.Kim, J. Pl. Biol. 45: 237 2002 ⓘ

국명: 털현호색(Teol-hyeon-ho-saek)

영명: Hairy corydalis

Corydalis humilis B.U.Oh & Y.S.Kim, Korean J. Pl. Taxon. 17: 24 1987

국명: 난장이현호색(Nan-jang-i-hyeon-ho-saek), 난쟁이현호색

영명: Dwarf corydalis

Corydalis incisa (Thunb.) Pers., Syn. Pl. 2: 269 1806

국명: 자주괴불주머니(Ja-ju-goe-bul-ju-meo-ni), 자주현호색, 자지괴불주머니 / (북한명) 자주괴불주머니

영명: Incised corydalis

Fumaria incisa Thunb., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 12: 104 1801

Corydalis maculata B.U.Oh & Y.S.Kim, Korean J. Pl. Taxon. 17: 26 1987 ⓘ

국명: 점현호색(Jeom-hyeon-ho-saek)

영명: Spotted corydalis

Corydalis misandra B.U.Oh, Korean J. Pl. Taxon. 36: 138 2006 ⓘ

국명: 각시현호색(Gak-si-hyeon-ho-saek)

영명: Bride corydalis

Corydalis namdoensis B.U.Oh & J.G.Kim, Korean J. Pl. Taxon. 34: 266 2004 ⓘ

국명: 남도현호색(Nam-do-hyeon-ho-saek)

영명: Namdo corydalis

■ PAPAVERACEAE 양귀비과

Corydalis ochotensis Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 62 1840

국명: 눈괴불주머니(Nun-goe-bul-ju-meo-ni), 개현호색, 누운괴불주머니, 덩굴괴불주머니 / (북한명) 눈괴불주머니

영명: Prostrate corydalis

Corydalis ohii Lidén, Willdenowia 26: 28 1996 ④

국명: 선현호색(Seon-hyeon-ho-saek), 오현호색

영명: Narrow-lobe corydalis

Corydalis pallida (Thunb.) Pers., Syn. Pl. 2: 270 1807

국명: 괴불주머니(Goe-bul-ju-meo-ni), 산해주머니 / (북한명) 괴불주머니

영명: Pale-yellow corydalis

Corydalis pauciovulata Ohwi, Acta Phytotax. Geobot. 11: 229 1942

국명: 선괴불주머니(Seon-goe-bul-ju-meo-ni), 좀괴불주머니

영명: Upright yellow corydalis

Corydalis platycarpa (Maxim. ex Palib.) Makino, Bot. Mag. (Tokyo) 23: 16 1909

국명: 갯괴불주머니(Gaet-goe-bul-ju-meo-ni), 갯담초, 갯주머니 / (북한명) 갯괴불주머니, 갯현호색

영명: Seashore yellow corydalis

Corydalis wilfordii Regel var. *japonica* Franch. & Sav., Enum. Pl. Jap. 2: 275 1878

Corydalis pallida (Thunb.) Pers. var. *platycarpa* Maxim. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 24 1898

Corydalis pallida (Thunb.) Pers. var. *japonica* (Franch. & Sav.) H.Boissieu, Bull. Soc. Bot. France 47: 315 1900

Corydalis heterocarpa Siebold & Zucc. var. *japonica* (Franch. & Sav.) Ohwi, Acta Phytotax. Geobot. 13: 181 1943

Corydalis raddeana Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 143 1861

국명: 가는괴불주머니(Ga-neun-goe-bul-ju-meo-ni), 가는눈괴불주머니, 긴괴불주머니

영명: Dissected-leaf yellow corydalis

Corydalis ochotensis Turcz. f. *raddeana* (Regel) Nakai, Bot. Mag. (Tokyo) 25: 235 1911

Corydalis ochotensis Turcz. var. *raddeana* (Regel) Nakai, Chosen Shokubutsu 101 1914

Corydalis remota Fisch. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 37 1859

국명: 현호색(Hyeon-ho-saek), 가는잎현호색, 맷잎현호색, 둥근잎현호색, 빗살현호색, 애기현호색, 흰꽃현호색 / (북한명) 현호색, 대잎현호색

영명: Common corydalis

Corydalis remota Fisch. ex Maxim. f. *linearis* (Regel) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 52 1952

Corydalis remota Fisch. ex Maxim. f. *pectinata* (Kom.) Y.H.Chou, Fl. Pl. Herb. Chin. Bor.-Or. 4: 19 1980

** *Corydalis remota* Fisch. ex Maxim. f. *albiflora* (Y.N.Lee) M.Kim, Korean Endemic Pl. 297 2004

Corydalis speciosa Maxim., Gartenflora 7: 250, tab. 343 1858

국명: 산괴불주머니(San-goe-bul-ju-meo-ni), 암괴불주머니, 염주괴불주머니, 조선괴불주머니 /
(북한명) 산괴불주머니

영명: Beautiful corydalis

Corydalis aurea Willd. var. *speciosa* (Maxim.) Regel, Tent. Fl.-Ussur. 19 1861

Corydalis pallida (Thunb.) Pers. var. *speciosa* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 345 1904

Corydalis maximowicziana Nakai, Bot. Mag. (Tokyo) 33: 51 1919

Corydalis nakaii Ishid., J. Chosen Nat. Hist. Soc. 2: 91 1928

Corydalis pterophora Ohwi, J. Jap. Bot. 12: 331 1936

Corydalis speciosa Maxim. var. *pterophora* (Ohwi) Ohwi, Acta Phytotax. Geobot. 6: 151 1937

Corydalis ternata (Nakai) Nakai, Bot. Mag. (Tokyo) 28: 29 1914

국명: 들현호색(Deul-hyeon-ho-saek), 꽃나물, 논현호색, 에게잎, 외잎현호색 / (북한명) 들현호색

영명: Pink corydalis

Corydalis bulbosa (L.) DC. f. *ternata* Nakai, Bot. Mag. (Tokyo) 26: 91 1912

Corydalis remota Fisch. ex Maxim. var. *ternata* (Nakai) Makino, Iinuma, Somoku-Dzusetsu ed. 3: 932 1912

Corydalis turtchaninovii Besser var. *ternata* (Nakai) Ohwi, Acta Phytotax. Geobot. 11: 262 1942

Corydalis turtchaninovii Besser, Flora 17(1, Beibl.): 6 1834

국명: 조선현호색(Jo-seon-hyeon-ho-saek), 소엽현호색

영명: Korean corydalis

Corydalis wandoensis Y.N.Lee, Korean J. Pl. Taxon. 26: 26 1998

국명: 완도현호색(Wan-do-hyeon-ho-saek)

영명: Wando corydalis

***Dicentra* Barkh. ex Bernh. 금낭화속**

Dicentra spectabilis (L.) Lem., Fl. Serres Jard. Eur. 3: t. 258 1847

국명: 금낭화(Geum-nang-hwa), 등모란, 머느리주머니 / (북한명) 금낭화

영명: Bleeding heart

Fumaria spectabilis L., Sp. Pl. 2: 699 1753

Corydalis spectabilis (L.) Pers., Syn. Pl. (Persoon) 2: 269 1806

Dielytra spectabilis (L.) G.Don, Gen. Hist. 1: 140 1831

Eucapnos spectabilis (L.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 721 1843

Hedycapnos spectabilis (L.) Planch., Fl. Serres Jard. Eur. 8: 193 1853

Lamprocapnos spectabilis (L.) T.Fukuhara, Pl. Syst. Evol. 206: 415 1997

***Hylomecon* Maxim. 피나물속**

Hylomecon vernalis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 36 1859

국명: 피나물(Pi-na-mul), 노랑매미꽃, 매미꽃, 봄매미꽃, 선매미꽃 / (북한명) 피나물

■ PAPAVERACEAE 양귀비과

영명: Forest poppy

Chelidonium vernale (Maxim.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 73 1953

Papaver L. 양귀비속

Papaver amurense (N.Busch) N.Busch ex Tolm., Fl. Zabaical. 4: 410 1941

국명: 흰양귀비(Huin-yang-gwi-bi), 흰개양귀, 흰아편꽃 / (북한명) 흰양귀비

영명: Amur poppy

Papaver nudicaule L. subsp. *amurense* N.Busch, Fl. Sibir. Orient. Extremi 1: 21 1913

Papaver coreanum Nakai, Sci. Knowl. 8: 42 1928

국명: 두메양귀비(Du-me-yang-gwi-bi), 두메아편꽃, 산양귀비, 갈래두메양귀비 / (북한명) 두메양귀비

영명: Montane poppy

Papaver pseudo-radicatum Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 122 1942

Papaver radicum Rottb. var. *pseudo-radicatum* (Kitag.) Kitag., Neolin. Fl. Manshur. 325 1979

** *Papaver radicum* Rottb. var. *dissectipetalum* Y.N.Lee, Fl. Kor. 1155 2002

** *Papaver radicum* Rottb. f. *dissectipetalum* (Y.N.Lee) M.Kim, Korean Endemic Pl. 296 2004

BRASSICACEAE 배추과

Arabidopsis Heynh. 애기장대속

Arabidopsis halleri (L.) O'Kane & Al-Shehbaz subsp. *halleri*

Arabidopsis halleri (L.) O'Kane & Al-Shehbaz subsp. *gummifera* (Matsum.) O'Kane & Al-Shehbaz, Novon 7: 325 1997

국명: 산장대(San-jang-dae), 큰산장대, 큰산장때 / (북한명) 산장대

영명: Budding rockcress

Cardamine gummifera Matsum., Bot. Mag. (Tokyo) 13: 54 1899

Arabis gummifera (Matsum.) Makino, Bot. Mag. (Tokyo) 24: 224 1910

Arabis coronata Nakai, Bot. Mag. (Tokyo) 28: 302 1914

Arabidopsis lyrata (L.) O'Kane & Al-Shehbaz, Novon 7: 325 1997

국명: 뒷장대(Moet-jang-dae), 멧장대 / (북한명) 뒷장대

영명: Lyrate-leaf rockcress

Arabis lyrata L., Sp. Pl. 2: 665 1753

Arabis lyrata L. var. *kamtschatica* Fisch. ex DC., Syst. Nat. (Candolle) 2: 231 1821

Arabis kamtschatica Pall. ex Ledeb., Fl. Ross. (Ledeb.) 1: 121 1841

Arabis petraea (L.) Lam. var. *kamtschatica* (Fisch.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 167 1861

Erysimum lyratum (L.) Kuntze, Revis. Gen. Pl. 2: 933 1891

Arabis lyrata L. var. *occidentalis* Watson, Syn. Fl. N. Amer. 1: 159 1895

Arabis morrisonensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 29 1911

Cardaminopsis kamtschatica (Fisch. ex DC.) O.E.Schulz, Nat. Pflanzenfam. ed. 2 17b: 541 1936

Arabis lyrata L. subsp. *kamtschatica* (Fisch. ex DC.) Hultén, Fl. Aleutian Isl. 202 1937

Cardaminopsis lyrata (L.) Hiitonen, Memoranda Soc. Fauna Fl. Fenn. 25: 75 1950

Arabidopsis lyrata (L.) O'Kane & Al-Shehbaz subsp. *kamchatica* (Fisch. ex DC.) O'Kane & Al-Shehbaz, Novon 7: 326 1997

Arabidopsis thaliana (L.) Heynh., Fl. Sachsen 538 1842

국명: 애기장대(Ae-gi-jang-dae) / (북한명) 애기장대

영명: *Arabidopsis*

Arabis thaliana L., Sp. Pl. 2: 665 1753

Sisymbrium thalianum (L.) J.Gay, Ann. Sci. Nat. (Paris) 7: 399 1826

Arabis pubicalyx Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 72 1865

Stenophragma thaliana (L.) Čelak., Bot. Jahrb. Syst. 29: 358 1900

Arabis thaliana L. var. *pubicalyx* (Miq.) Makino, Iinuma, Somoku-Dzusetsu ed. 3: 12 1912

Arabis L. 털장대속

Arabis erecta Y.Y.Kim & C.G.Jang, Phytotaxa 268: 279 2016 ⓘ

국명: 선갯장대(Seon-gaet-jang-dae)

Arabis hirsuta (L.) Scop., Fl. Carniol. ed. 2, 2: 30 1772

국명: 털장대(Teol-jang-dae) / (북한명) 털장대

영명: Hairy rockcress

Turritis hirsuta L., Sp. Pl. 2: 666 1753

Arabis sagittata (Bertol.) DC., Fl. Franc. (DC. & Lamarck) ed. 3 6: 592 1815

Arabis sagittata (Bertol.) DC. var. *nipponica* Franch. & Sav., Enum. Pl. Jap. 1: 34 1875

Arabis nipponica (Franch. & Sav.) H.Boissieu, Bull. Herb. Boissier 7: 785 1899

Arabis longifolia Nakai, Bot. Mag. (Tokyo) 32: 244 1918

Arabis hirsuta (L.) Scop. subsp. *nipponica* Kitam., Acta Phytotax. Geobot. 20: 201 1962

Arabis hirsuta (L.) Scop. var. *nipponica* (Franch. & Sav.) C.C.Yuan & T.Y.Cheo, Fl. Reipubl. Popularis Sin. 33: 277 1987

Arabis serrata Franch. & Sav., Enum. Pl. Jap. 1: 33 1873 ⓘ

국명: 바위장대(Ba-wi-jang-dae), 높은산장대, 바위장때, 섬바위장대, 섬바위장때, 제주장대, 한라바위장대, 한라산장대, 할라산장대 / (북한명) 바위장대

영명: Serrate-leaf rockcress

Arabis glauca Boiss., Bull. Herb. Boissier 7: 786 1899

Arabis hallaisanensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 271 1914

Arabis boissieuana Nakai, Bot. Mag. (Tokyo) 32: 243 1918

Arabis boissieuana Nakai var. *nikoensis* Nakai, Bot. Mag. (Tokyo) 32: 244 1918

Arabis serrata Franch. & Sav. var. *platycarpa* Ohwi, Acta Phytotax. Geobot. 7: 31 1938

Arabis serrata Franch. & Sav. var. *hallaisanensis* (Nakai) Ohwi, Acta Phytotax. Geobot. 7: 32 1938

■ BRASSICACEAE 배추과

Arabis serrata Franch. & Sav. var. *glabrescens* Ohwi, Acta Phytotax. Geobot. 7: 33 1938

Arabis serrata Franch. & Sav. var. *glaucia* (H.Boissieu) Ohwi, Acta Phytotax. Geobot. 7: 33 1938

***Arabis stelleri* DC.**, Syst. Nat. (Candolle) 2: 242 1821

국명: **갓장대**(Gaet-jang-dae), 갓장때, 산장대, 섬갓장대, 섬갓장때 / (북한명) 갓장대

영명: **Coastal rockcress**

Arabis japonica (A.Gray) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 381 1858

Arabis stelleri DC. var. *japonica* (A.Gray) F.Schmidt, Reis. Amur-Land., Bot. 111 1868

Arabis yokoscensis Franch. & Sav., Enum. Pl. Jap. 1: 34 1873

Arabis alpina L. var. *japonica* A.Gray, Narr. Exped. China Japan 2: 307 1876

Arabis stelleri DC. var. *stenocarpa* Franch. & Sav., Enum. Pl. Jap. 2: 278 1879

Arabis kelung-insularis Hayata, Icon. Pl. Formosan. 3: 18 1913

Arabis lithophila Hayata, Icon. Pl. Formosan. 3: 18 1913

Arabis stelleri DC. var. *macrocarpa* Nakai, Bot. Mag. (Tokyo) 32: 241 1918

Arabis japonica (A.Gray) A.Gray var. *macrocarpa* (Nakai) Nakai, Bot. Mag. (Tokyo) 41: 513 1927

Arabis japonica (A.Gray) A.Gray var. *stenocarpa* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 41: 513 1927

Arabis takesimana Nakai, Bot. Mag. (Tokyo) 32: 244 1918 **(E)**

국명: **섬장대**(Seom-jang-dae), 섬장때 / (북한명) 섬장대

영명: **Ulleungdo rockcress**

Arabis takesimana Nakai f. *lancea* Nakai, Bot. Mag. (Tokyo) 32: 245 1918

Arabis takesimana Nakai f. *latifolia* Nakai, Bot. Mag. (Tokyo) 32: 245 1918

Barbarea W.T.Aiton 나도냉이속

Barbarea orthoceras Ledeb., Index Sem. (Dorpat) 2 1824

국명: **나도냉이**(Na-do-naeng-i), 산냉이, 시베리아장대, 시베리야장대 / (북한명) 나도냉이

영명: **American yellowrocket**

Barbarea vulgaris R.Br. var. *orthoceras* (Ledeb.) Regel, Reis. Ostsib. 1: 154 1861

Barbarea pinnatifida H.Boissieu, Bull. Herb. Boissier 7: 782 1899

Barbarea cochlearifolia H.Boissieu, Bull. Herb. Boissier 7: 783 1899

Barbarea americana Rydb., Mem. New York Bot. Gard. 1: 174 1900

Barbarea vulgaris R.Br. var. *sibirica* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 358 1904

Barbarea hondoensis Nakai, Bot. Mag. (Tokyo) 33: 53 1919

Barbarea patens H.Boissieu, Bull. Herb. Boissier 7: 783 1919

Barbarea sibirica (Regel) Nakai, Bot. Mag. (Tokyo) 33: 53 1919

Campe orthoceras A.Heller var. *dolichocarpa* (Fernald) Gilkey, Handb. Northwest Fl. Pl. 119 1936

Berteroella O.E.Schulz 장대냉이속

Berteroella maximowiczii (Palib.) O.E.Schulz, Beih. Bot. Centralbl. 37: 128 1919

국명: **장대냉이**(Jang-dae-naeng-i), 꽃대냉이, 꽃장대, 장때냉이 / (북한명) 장대냉이

영명: Maximowicz's berteroella

Sisymbrium maximowiczii Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 28 1899

Arabis axillaris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 437 1901

***Braya* Sternb. & Hoppe 염주냉이속**

***Braya humilis* (C.A.Mey.) B.L.Rob., Syn. Fl. N. Amer. 1: 141 1895**

국명: 염주냉이(Yeon-ju-naeng-i) / (북한명) 염주냉이, 염주개

영명: Low torularia

Sisymbrium humile C.A.Mey., Icon. Pl. (Ledebour) 2: 16 1830

Arabis piasezkii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 26: 420 1880

Torularia humilis (C.A.Mey.) O.E.Schulz, Pflanzenr. (Engler) IV. 86: 223 1924

Stevenia axillaris (Kom.) N.Busch, Fl. URSS 8: 199 1939

Torularia maximowiczii Botsch., Bot. Zhurn. (Moscow & Leningrad) 44: 1488 1959

Torularia piasezkii (Maxim.) Botsch., Bot. Zhurn. (Moscow & Leningrad) 44: 1488 1959

***Capsella* Medik. 냉이속**

***Capsella bursa-pastoris* (L.) Medik., Pfl.-Gatt. 1: 85 1792**

국명: 냉이(Naeng-i), 나생이, 나승게, 내생이 / (북한명) 냉이

영명: Naengi (Shepherd's purse)

Thlaspi bursa-pastoris L., Sp. Pl. 2: 647 1753

Capsella polymorpha Cav., Descr. Pl. (Cavanilles) 411 1802

Capsella bursa Raf., New Fl. (Rafinesque) 2: 28 1837

Capsella furcata Raf., New Fl. (Rafinesque) 2: 28 1837

Capsella pastoralis Dulac, Fl. Hautes-Pyrénées 189 1867

Capsella bursa-pastoris (L.) Medik. var. *coreana* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 384 1909

Capsella bursa-pastoris (L.) Medik. var. *auriculata* Makino, J. Jap. Bot. 5: 17 1921

Capsella bursa-pastoris (L.) Medik. var. *pinnata* Makino, J. Jap. Bot. 5: 17 1921

Capsella longiracemosa Sennen, Monde Pl. 31: 29 1930

Capsella bursa-pastoris (L.) Medik. var. *triangulagis* Gruner, Bull. Natl. Sci. Mus., Tokyo 31: 40 1952

***Cardamine* L. 황새냉이속**

***Cardamine amariformis* Nakai, Bot. Mag. (Tokyo) 26: 324 1912 E**

국명: 꽃황새냉이(Kkot-hwang-sae-naeng-i), 텔냉이

영명: Beautiful woodland bittercress

***Cardamine bellidifolia* L., Sp. Pl. 2: 654 1753**

국명: 애기냉이(Ae-gi-naeng-i), 구슬냉이, 구슬황새냉이 / (북한명) 구슬황새냉이, 구슬냉이

영명: Alpine bittercress

■ BRASSICACEAE 배추과

Cardamine changbaiana Al-Shehbaz, Novon 10: 323 2000

국명: 두메냉이(Du-me-naeng-i), 높은산냉이, 두메황새냉이 / (북한명) 두메냉이

영명: Baekdusan bittercress

Cardamine resedifolia var. *morii* Nakai, Bot. Mag. (Tokyo) 28: 303 1914

Cardamine morii (Nakai) M.Kim, Korean Endemic Pl. 166 2017

Cardamine fallax (O.E.Schulz) Nakai, Rep. Veg. Ooryongto 167 1919

국명: 좁쌀냉이(Jop-ssal-naeng-i), 선황새냉이, 민좁쌀냉이, 선털황새냉이, 좁살냉이 / (북한명) 좁쌀황새냉이

영명: False bittercress

Cardamine flexuosa With. subsp. *fallax* O.E.Schulz, Bot. Jahrb. Syst. 32: 478 1903

Cardamine flexuosa With. f. *microphylla* O.E.Schulz, Bot. Jahrb. Syst. 32: 478 1903

Cardamine flexuosa With. var. *fallax* (O.E.Schulz) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 441 1911

Cardamine scutata Thunb. subsp. *fallax* (O.E.Schulz) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 59 1952

Cardamine flexuosa With., Arr. Brit. Pl. ed. 3 3: 578 1796

국명: 황새냉이(Hwang-sae-naeng-i) / (북한명) 황새냉이

영명: Wavy bittercress

Cardamine sylvatica Link, Phytogr. Bl. 1: 50 1803

Cardamine hirsuta L. var. *sylvatica* (Link) Gaudin, Fl. Helv. 4: 663 1829

Cardamine hirsuta L. subsp. *flexuosa* (With.) Hook.f., Student Fl. Brit. Isl 25 1870

Cardamine hirsuta L. var. *flexuosa* (With.) Hook.f. & T.Anderson, Fl. Brit. Ind. 1: 138 1872

Cardamine hirsuta L. var. *sylvatica* (Link) Hook.f. & T.Anderson, Fl. Brit. India [J. D. Hooker] 1: 138 1872

Cardamine hirsuta L. subsp. *sylvatica* (Link) Čelak., Prodr. Fl. Böhmen 451 1875

Cardamine hirsuta L. subsp. *flexuosa* (With.) F.B.Forbes & Hemsl., J. Linn. Soc., Bot. 23: 43 1886

Cardamine hirsuta L. var. *flaccida* Franch., Bull. Soc. Bot. France 33: 397 1886

Cardamine flexuosa With. var. *petiolulata* O.E.Schulz, Bot. Jahrb. Syst. 32: 481 1903

Cardamine taquetii H. Lév & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 1910

Cardamine hirsuta var. *formosana* Hayata, Mat. Fl. Formosa 30 1911

Cardamine scutata Thunb. subsp. *flexuosa* (With.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 59 1952

Cardamine scutata var. *formosana* (Hayata) T.S.Liu & S.S.Ying, Fl. Taiwan 2: 686 1976

Cardamine glechomifolia H.Lév, Repert. Spec. Nov. Regni Veg. 11: 495 1913

국명: 벌깨냉이(Beol-kkae-naeng-i), 제주황새냉이

영명: Hallasan bittercress

Cardamine arakiana Koidz., Acta Phytotax. Geobot. 5: 119 1936

Cardamine anhuiensis D.C.Zhang & J.Z.Shao, Bull. Bot. Res., Harbin 6: 127 1986

Cardamine jinshaensis Q.H.Chen & T.L.Xu, Acta Bot. Yunnan. 15: 361 1993

Cardamine impatiens L., Sp. Pl. 2: 655 1753

국명: 싸리냉이(Ssa-ri-naeng-i), 긴잎황새냉이, 싸리황새냉이, 썩리냉이

영명: Narrow-leaf bittercress

Cardamine apetala Moench, Methodus (Moench) 259 1794

- Cardamine saxatilis* Salisb., Prodr. Stirp. Chap. Allerton 269 1796
Cardamine dasycarpa M.Bieb., Fl. Taur.-Caucas. 3: 437 1819
Cardamine impatiens L. var. *eriocarpa* DC., Prodr. (DC.) 1: 152 1824
Cardamine impatiens L. var. *obutusifolia* Knaf, Flora 29: 294 1846
Cardamine senanensis Franch. et Sav., Enum. Pl. Jap. 2: 280 1879
Cardamine impatiens L. f. *macropetala* Boiss., Fl. Orient. 31 1888
Ghinia impatiens (L.) Bubani, Fl. Pyren. 3: 160 1901
Cardamine impatiens L. var. *elongata* O.E.Schulz, Bot. Jahrb. Syst. 32: 459 1903
Cardamine impatiens L. f. *apetala* O. E. Schulz, Bot. Jahrb. Syst. 32: 455 1903
Cardamine miyabei Matsum., Index Pl. Jap. 2: 153 1912
Cardamine impatiens L. f. *obtusifolia* (Knaf) Markgr., Hegi Ill. Fl. Mitteleurop (ed. 2) 4: 205 1958

Cardamine komarovii Nakai, Repert. Spec. Nov. Regni Veg. 13: 271 1914

국명: 는쟁이냉이(Neun-jaeng-i-naeng-i), 는장이냉이, 숟가락냉이, 숟가락황새냉이, 주걱냉이, 주적냉이 /
 (북한명) 숟가락황새냉이, 숟가락냉이, 주걱냉이

영명: Asian bittercress

- Arabis cebennensis* DC. var. *coreana* H.Lév., Bull. Acad. Int. Géogr. Bot. 19: 260 1909

Cardamine leucantha (Tausch) O.E.Schulz, Bot. Jahrb. Syst. 42: 403 1903

국명: 미나리냉이(Mi-na-ri-naeng-i), 미나리황새냉이, 승마냉이, 통영미나리냉이, 참고추냉이 /
 (북한명) 미나리냉이

영명: White-flower bittercress

- Dentaria leucantha* Tausch, Flora 19-2: 404 1836
Cardamine toensis Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 49 1952
Dentaria dasyloba Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 296 1854
Cardamine macrophylla Willd. var. *parviflora* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 15 1856
Cardamine dasyloba (Turcz.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 73 1865
Dentaria macrophylla (Willd.) Maxim. var. *dasyloba* (Turcz.) Makino, Bot. Mag. (Tokyo) 11: 157 1897
Cardamine dasyloba (Turcz.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 363 1904
Cardamine leucantha (Tausch) O.E.Schulz var. *koreana* Nakai, Repert. Spec. Nov. Regni Veg. 13: 272 1914
Cardamine cathayensis Migo, J. Shanghai Sci. Inst. sect. 3, 3: 223 1937
Cardamine koreana (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 49 1952
Cardamine tomentella (Vorosch.) Shlotg., Byull. Glavn. Bot. Sada 136: 42 1985
Cardamine leucantha (Tausch) O.E.Schulz f. *toensis* (Nakai) M.Kim, Korean Endemic Pl. 531 2017
Cardamine leucantha (Tausch) O.E.Schulz f. *koreana* (Nakai) M.Kim, Korean Endemic Pl. 531 2017

Cardamine lyrata Bunge, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 2: 75 1833

국명: 논냉이(Non-naeng-i), 논황새냉이 / (북한명) 논황새냉이, 논냉이

영명: Paddy bittercress

- Cardamine argyi* H. Lév., Mem. Real Acad. Ci. Barcelona 12: 7 1916

Cardamine macrophylla Willd., Sp. Pl. (ed. 4) 3: 484 1800

■ BRASSICACEAE 배추과

국명: 큰미나리냉이(Keun-mi-na-ri-naeng-i)

- Cardamine polyphylla* D.Don, Prodr. Fl. Nepal. 201 1825
Dentaria wallichii G.Don, Gener. Nat. Hist. 1: 172 1831
Dentaria willdenowii Tausch, Flora 19: 403 1836
Dentaria gmelinii Tausch, Flora 19: 403 1836
Dentaria macrophylla (Willd.) Bunge ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 45 1859
Cardamine macrophylla Willd. subsp. *polyphylla* (D.Don) O.E.Schulz, Bot. Jahrb. Syst. 32: 401 1903
Cardamine urbaniana O.E.Schulz, Bot. Jahrb. Syst. 32: 396 1903
Cardamine tangutorum O.E.Schulz, Bot. Jahrb. Syst. 32: 360 1903
Cardamine sachalinensis Miyabe & Miyake, Karafuto shokubutsushi 58, t.3, fig. 1-3 1915
Cardamine macrophylla Willd. var. *polyphylla* (D.Don) T.Y.Cheo et R.C.Fang, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 6: 19 1980

Cardamine manshurica (Kom.) Nakai, Chosen Shokubutsu 113 1914

국명: 애기황새냉이(Ae-gi-hwang-sae-naeng-i), 말냉이, 말황새냉이, 용머리냉이 / (북한명) 말황새냉이

영명: Minute bittercress

- Cardamine parviflora* L. var. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 371 1903

Cardamine nakaiana H. Lév., Repert. Spec. Nov. Regni Veg. 10: 350 1912

국명: 제주싸리냉이(Je-ju-ssa-ri-naeng-i)

영명: Jeju narrow-leaf bittercress

- Cardamine impatiens* L. var. *fumaria* H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 1913

Cardamine pratensis L., Sp. Pl. 2: 656 1753

국명: 꽃냉이(Kkot-naeng-i), 매운황새냉이, 꽃황새냉이 / (북한명) 꽃냉이, 매운황새냉이

- Cardamine pentaphylla* R.Br., HortusKew.(ed.2) 4: 101 1812
Cardamine buchtormensis Willd. ex DC., Syst. Nat. (Candolle) 2: 258 1821
Cardamine stolonifera Tausch, Cat. Fl. Böhm. 1: 5 1851
Cardamine fragilis Degl., Fl. Ouest France 36 1854
Cardamine acaulis Berg, Bot. Zeitung (Berlin) 14: 874 1856
Cardamine praticola Jord., Diagn. Esp. Var. Mous. 128 1864
Cardamine grandiflora Hallier, Bot. Zeitung (Berlin) 24: 209 1866
Cardamine fontinalis Schur, Enum. Pl. Transsilv. 48 1866
Cardamine ullepiciiana Borbá, Oesterr. Bot. Z. 39: 375 1889
Dracamine pratensis (L.) Nieuwl., Amer. Midl. Naturalist 4: 40 1915

Cardamine prorepens Fisch. ex DC., Syst. Nat. (Candolle) 2: 256 1821

국명: 산냉이(San-naeng-i), 누은산냉이, 산황새냉이, 큰싸리냉이 / (북한명) 산냉이

영명: Northern meadow bittercress

- Cardamine borealis* Andrz. ex DC., Syst. Nat. (Candolle) 2: 256 1821
Cardamine pilosa Willd. ex DC., Syst. Nat. (Candolle) 2: 256 1821
Cardamine pubescens Steven ex DC., Syst. Nat. (Candolle) 2: 256 1821

Cardamine pratensis L. var. *prorepens* (Fisch.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 278 1873
Cardamine millsiana Nakai, Repert. Spec. Nov. Regni Veg. 13: 272 1914
Cardamine prorepens Fisch. ex DC. var. *hebecarpa* N.Busch, Fl. Sibir. Orient. Extremi 2: 256 1915
Cardamine yezoensis Maxim. var. *roseiflora* Vorosch., Byull. Glavn. Bot. Sada 83: 35 1972

Cardamine schulziana Baehni, Candollea 7: 281 1937

국명: 줍은잎미나리냉이(Jop-eun-ip-mi-na-ri-naeng-i)

영명: Schulz's bittercress

Cardamine scutata Thunb., Trans. Linn. Soc. London 2: 339 1794

국명: 큰황새냉이(Keun-hwang-sae-naeng-i), 만주논냉이 / (북한명) 큰황새냉이

영명: Big-flower bittercress

Cardamine angulata var. *kamtschatica* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 172 1861
Cardamine regeliana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 73 1865
Cardamine hirsuta L. var. *regeliana* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 279 1873
Cardamine flexuosa With. var. *regeliana* (Miq.) Matsum., Bot. Mag. (Tokyo) 13: 72 1899
Cardamine dentipetala Matsum., Bot. Mag. (Tokyo) 14: 51 1899
Cardamine flexuosa With. var. *regeliana* (Miq.) O.E.Schulz, Bot. Jahrb. Syst. 42: 476 1903
Cardamine flexuosa With. var. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 370 1903
Cardamine flexuosa With. var. *latifolia* Makino, Fl. Japan (Makino & Nemoto) 447 1925
Cardamine regeliana Miq. var. *manshurica* (Kom.) Kitag., Lin. Fl. Manshur. 228 1939
Cardamine scutata Thunb. subsp. *regeliana* (Miq.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 59 1952
Cardamine sutata Thunb. var. *manshurica* (Kom.) P. Y. Fu, Clavis Pl. Chinae Bor.-Or. (ed. 2) 244 1995

Cardamine tanakae Franch. & Sav., Enum. Pl. Jap. 1: 36 1873

국명: 고마냉이(Kko-ma-naeng-i)

영명: Dwarf bittercress

Cardamine chelidonioides S.Moore, J. Bot. 16: 130 1878

Cardamine yezoensis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 277 1873

국명: 왜갓냉이(Wae-gat-naeng-i), 간황새냉이, 고초냉이, 깽깽이냉이, 산고추냉이, 왜갓황새냉이 /
 (북한명) 왜갓황새냉이, 왜갓냉이

영명: Northern mountain bittercress

***Catolobus* (C.A.Mey.) Al-Shehbaz 느러진장대속**

Catolobus pendulus (L.) Al-Shehbaz, Novon 15: 521 2005

국명: 느러진장대(Neu-reo-jin-jang-dae), 느러진장때, 늘어진장대, 주걱장대 / (북한명) 느러진장대

영명: Pendulous rockcress

Arabis pendula L., Sp. Pl. 2: 666 1753

Arabis patrianiana DC., Syst. Nat. (Candolle) 2: 236 1821

■ BRASSICACEAE 배추과

- Arabis oxyota* DC., Syst. Nat. (Candolle) 2: 236 1821
Turrita pendula (L.) Wallr., Sched. Crit. [Wallroth] 352 1822
Arabis pendula L. var. *hypoglauca* Franch., Pl. David. 1: 33 1884
Arabis pendula L. var. *pypoglauca* Franch., Pl. David. 1: 33 1884
Erysimum pendulum (L.) Kuntze, Revis. Gen. Pl. 2: 933 1891
Arabis ligulifolia Nakai, Bot. Mag. (Tokyo) 33: 51 1919
Arabis subpendula Ohwi, J. Jap. Bot. 26: 229 1951

Clausia Korn.-Trotzky 큰장대속

Clausia trichosepala (Turcz.) F.Dvorák, Phyton (Horn) 11: 200 1966

국명: 큰장대(Keun-jang-dae), 큰꽃장대, 큰장때, 향화초

영명: Hairy-sepal clausia

- Hesperis trichosepala* Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 180 1832
Clausia aprica var. *trichosepala* (Turcz.) Korn.-Trotzky, Index Sem. (Casan.) 0 1834
Cheiranthus apicus var. *trichosepalus* (Turcz.) Franch., Pl. David. 1: 32 1884
Hesperis limprichtii O.E.Schulz, Repert. Spec. Nov. Regni Veg. Beih. 12: 360 1922
Hesperis limprichtii O.E.Schulz var. *violacea* O.E.Schulz, Acta Horti Gothob. 1: 162 1924

Dontostemon Andrz. ex C.A.Mey. 가는장대속

Dontostemon dentatus (Bunge) C.A.Mey. ex Ledeb., Fl. Ross. (Ledeb.) 1: 175 1842

국명: 가는장대(Ga-neun-jang-dae), 가는꽃장대, 가는장때, 꽃장대 / (북한명) 가는장대

영명: Dentate dontostemon

- Andreoskia dentata* Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 6 1833
Dontostemon oblongifolius Ledeb., Fl. Ross. (Ledeb.) 1: 175 1841
Dontostemon eglandulosus C.A.Mey., Fl. Baical.-dahur. 1: 162 1842
Dontostemon dentatus (Bunge) C.A.Mey. ex Ledeb. var. *glandulosus* Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 37 1875
Dontostemon dentatus (Bunge) C.A.Mey. ex Ledeb. var. *pilosus* Kitag., J. Jap. Bot. 19: 103 1943

Dontostemon hispidus Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 11 1873

국명: 큰꽃장대(Keun-kkot-jang-dae), 북꽃장대, 큰장대, 큰장때 / (북한명) 큰꽃장대

영명: Bristle dontostemon

- Clausia ussuriensis* N.Busch, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 4: 185 1923

Draba Dill. ex L. 꽂다지속

Draba glabella Pursh, Fl. Sibir. Orient. Extremi 25: 356 1919

국명: 산꽃다지(San-kkot-da-ji), 들꽃다지

영명: Rock whitlow-grass

- Draba daurica* DC. var. *ramosa* Pohl & Bush, Fl. Sibir. Orient. Extremi 25: 356 1919

Draba mongolica Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 256 1842

국명: 구름꽃다지(Gu-reum-kkot-da-ji)

Draba nemorosa L., Sp. Pl. 2: 643 1753

국명: 꽃다지(Kkot-da-ji), 코딱지나물 / (북한명) 꽃다지

영명: Woodland whitlow-grass

Draba lutea Gilib., Fl. Lit. Inch. 2: 46 1782

Draba nemorosa L. var. *hebecarpa* Lindblom, Linnaea 13: 33 1839

Draba nemorosa L. var. *leiocarpa* Lindb., Linnaea 13: 33 1839

Draba nemoralis Ehrh. var. *hebecarpa* (Lindblom) Lehm., Fl. Poln.-LIVL. 1: 315 1895

Draba nemorosa L. f. *leiocarpa* (Lindb.) Kitag., J. Jap. Bot. 40: 139 1965

Draba sakuraii Makino, Bot. Mag. (Tokyo) 17: 40 1903

국명: 털꽃다지(Teol-kkot-da-ji)

영명: Hairy whitlow-grass

Draba nipponica Makino, Bot. Mag. (Tokyo) 17: 41 1903

Erysimum Tourn. ex L. 쑥부지깽이속

Erysimum macilentum Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 6 1833

국명: 가는쑥부지깽이(Ga-neun-ssuk-bu-ji-kkaeng-i), 쑥부지깽이

Erysimum perofskianum Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 4: 36 1838

국명: 부지깽이나물(Bu-ji-kkaeng-i-na-mul), 좀부지깽이, 큰쑥왕부지깽이 / (북한명) 부지깽이나물

영명: Amur wallflower

Cheiranthus aurantiacus Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 5 1833

Erysimum aurantiacum (Bunge) Maxim., Enum. Pl. Mongolia 1: 65 1889

Erysimum amurense Kitag., Bot. Mag. (Tokyo) 51: 155 1937

Erysimum amurense Kitag. subsp. *bungei* Kitag., J. Jap. Bot. 25: 43 1950

Erysimum bungei (Kitag.) Kitag., J. Jap. Bot. 25: 43 1950

Erysimum amurense Kitag. var. *bungei* (Kitag.) Kitag., Neolin. Fl. Manshur. 334 1979

Eutrema R.Br. 고추냉이속

Eutrema japonicum (Miq.) Koidz., Fl. Symb. Orient.-Asiat. 22 1930 Ⓡ

국명: 고추냉이(Go-chu-naeng-i), 겨자냉이, 고초냉이, 매운냉이, 섬고추냉이 / (북한명) 고추냉이

영명: Wild wasabi

Lunaria japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 74 1865

Eutrema wasabi Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 283 1873

Alliaria wasabi (Maxim.) Prantl, Nat. Pflanzenfam. 3: 2 1893

Wasabia pungens Matsum., Bot. Mag. (Tokyo) 13: 17 1899

Wasabia japonica (Miq.) Matsum., Index Pl. Jap. 2: 161 1912

■ BRASSICACEAE 배추과

Wasabia koreana Nakai, J. Jap. Bot. 11: 150 1935
Eutrema okinoshimense Taken., J. Nat. Hist. Soc. Fukuoka 1: 369 1935
Cardamine pseudowasabi H.Shin & Y.D.Kim, Novon 18: 384 2008

Isatis Tourn. ex L. 대청속

Isatis tinctoria L., Sp. Pl. 2: 670 1753

국명: 대청(Dae-cheong), 개갓, 갯갓, 좀대청 / (북한명) 대청

영명: Dyer's woad

Isatis alpina Vill., Prosp. Hist. Pl. Dauphine 38 1779
Isatis taurica M.Bieb., Fl. Taur.-Caucas. 3: 422 1819
Isatis campestris Stev. ex DC., Syst. Nat. (Candolle) 2: 571 1821
Isatis bannatica Link, Enum. Hort. Berol. Alt. 2: 149 1822
Isatis villarsii Gaudin, Syn. Fl. Helv. 526 1836
Isatis sibirica Trautv., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 34: 305 1845
Isatis indigotica Fortune, J. Hort. Soc. London 1: 269 1846
Isatis reticulata C.A.Mey., Beitr. Pflanzenk. Russ. Reiches 6: 52 1849
Isatis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 75 1865
Isatis maritima Rupr., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 15: 133 1869
Isatis transsilvanica Simonk., Termeszettud. Füz. 10: 180 1886
Isatis tinctoria L. subsp. *japonica* (Miq.) N.Busch, Fl. Sibir. Orient. Extremi 1: 159 1913
Isatis ciesielskii Zapal., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math., Ser. B, Sci. Nat. 1913: 447 1913
Isatis kamienskii Zapal., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math., Ser. B, Sci. Nat. 1913: 447 1913
Isatis yezoensis Ohwi, Acta Phytotax. Geobot. 4: 66 1935
Isatis koelzii Rech.f., Phyton (Horn) 3: 46 1951
Isatis tinctoria L. var. *yezoensis* (Ohwi) Ohwi, Fl. Jap. (Ohwi) 568 1953
Isatis macrocarpa B.Fedtsch. ex Nikitina, Fl. Kirgizsk. SSR 6: 189 1955
Isatis tinctoria L. var. *indigotica* (Fortune) T.Y.Cheo & K.C.Kuan, Acta Phytotax. Sin. 16: 100 1978
Isatis oblongata DC. var. *yezoensis* (Ohwi) Y.L.Chang, Fl. Pl. Herb. Chin. Bor.-Or. 4: 78 1980
Isatis vermia Papan., Nord. J. Bot. 2: 555 1983

Lepidium L. 다닥냉이속

Lepidium cordatum Willd. ex DC., Syst. Nat. (Candolle) 2: 554 1821

국명: 얇은잎다닥냉이(An-jeun-ip-da-dak-naeng-i) / (북한명) 얇은잎다닥냉이

영명: Heart-leaf peppergrass

Nasturtium cordatum Kuntze, Revis. Gen. Pl. 2: 937 1891

Lepidium sibiricum Schweigg., Enum. Pl. Hort. Regiom. 43 1812

국명: 시베리아다닥냉이(Si-be-ri-a-da-dak-naeng-i), 북다닥냉이, 씨비리다닥냉이 / (북한명) 북다닥냉이,
씨비리다닥냉이

영명: Siberian peppergrass

Lepidium latifolium L. subsp. *sibiricum* (Schweigg.) Thell., Neue Denkschr. Schweiz. Naturf. Ges. 41: 203 1906

Raphanus L. 무속

Raphanus sativus L. var. *hortensis* Backer f. *hortensis*

Raphanus sativus L. var. *hortensis* Backer f. *rappanistroides* Makino, Bot. Mag. (Tokyo) 23: 70 1909

국명: 깃무(Gaet-mu)

Rorippa Scop. 개갓냉이속

Rorippa apetala Y.Y.Kim & B.U.Oh, Korean J. Pl. Taxon. 40: 84 2010 ⓘ

국명: 섬강개갓냉이(Seom-gang-gae-gat-naeng-i)

Rorippa cantoniensis (Lour.) Ohwi, Acta Phytotax. Geobot. 6: 55 1937

국명: 좀개갓냉이(Jom-gae-gat-naeng-i), 앓은꽃속속이풀, 좀갓냉이, 좀개갓냉이, 좀구슬갓냉이, 좀구슬냉이 / (북한명) 앓은속속이풀, 좀구슬갓냉이

영명: Small-seed yellowcress

Ricotia cantoniensis Lour., Fl. Cochinch. 397 1790

Nasturtium microspermum DC., Syst. Nat. (Candolle) 2: 199 1821

Nasturtium microspermum DC. var. *vegetius* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 42: 462 1859

Nasturtium sikokianum Franch. & Sav., Enum. Pl. Jap. 2: 277 1878

Nasturtium sikokianum Franch. & Sav. var. *axillare* Hayata, Icon. Pl. Formosan. 3: 17 1913

Rorippa microperma (DC.) Hand.-Mazz., Symb. Sin. 7: 358 1931

Rorippa microperma (DC.) Hand.-Mazz. var. *vegetior* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 50 1952

Rorippa globosa (Turcz. ex Fisch. & C.A.Mey.) Hayek, Beih. Bot. Centralbl. 27: 195 1911

국명: 구슬갓냉이(Gu-seul-gat-naeng-i), 구슬갓냉이, 구슬개갓냉이, 구슬냉이, 구슬속속이풀, 구실냉이, 참구슬냉이, 참속속이풀 / (북한명) 구슬속속이풀, 구슬갓냉이, 참속속이풀

영명: Globe yellowcress

Nasturtium globosum Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 35 1835

Cochlearia globosa Ledeb., Fl. Ross. (Ledeb.) 1: 159 1842

Nasturtium cantonniense Hance, J. Bot. 3: 378 1865

Nasturtium globosum Turcz. ex Fisch. & C.A.Mey. var. *brachypetalum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 51 1909

Nasturtium globosum Turcz. ex Fisch. & C.A.Mey. f. *bivalvis* N.Busch, Fl. Sibir. Orient. Extremi 2: 210 1915

Rorippa indica (L.) Hiern, Cat. Afr. Pl. 1: 26 1896

국명: 개갓냉이(Gae-gat-naeng-i), 갓냉이, 개갓냉이, 선속속이풀, 쇠냉이, 줄속속이풀 / (북한명) 줄속속이풀, 개갓냉이, 산부시풀

영명: Variable-leaf yellowcress

Sisymbrium indicum L., Sp. Pl. (ed.2) 2: 917 1763

Sisymbrium sinapis Burm., Fl. Ind. (N. L. Burman) 140 1768

Sisymbrium dubium Pers., Syn. Pl. (Persoon) 2: 199 1806

Nasturtium atrovirens (Hornem.) DC., Syst. Nat. (Candolle) 2: 201 1821

■ BRASSICACEAE 배추과

- Nasturtium indicum* DC., Syst. Nat. (Candolle) 2: 199 1821
Nasturtium heterophyllum Blume, Bijdr. Fl. Ned. Ind. 2: 50 1825
Cardamine glandulosa Blanco, Fl. Filip. 521 1837
Nasturtium montanum Wall. ex Hook.f. & Thomson, J. Linn. Soc., Bot. 5: 139 1861
Cardamine sublyrata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 73 1865
Nasturtium montanum Wall. ex Hook.f. & Thomson var. *obtusulum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 71 1866
Nasturtium montanum Wall. ex Hook.f. & Thomson var. *nipponicum* Franch. & Sav., Enum. Pl. Jap. 1: 32 1873
Rorippa montata (Wall. ex Hook.f. & Thomson) Small, Fl. S.E. U.S. ed. 2. [Small]: 1339 1913
Radicula indica (L.) Standl., Smithsonian Misc. Collect. 68: 2 1917
Sisymbrium atrovirens Hornem., Suppl. Hort. Bot. Hafn. 72 1918
Radicula montana (Wall. ex Hook.f. & Thomson) Hu ex C.Pei, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 45 1933
Nasturtium obtusulum (Miq.) Koidz., Acta Phytotax. Geobot. 3: 149 1934
Nasturtium sinapis (Burm.f.) O.E.Schulz, Repert. Spec. Nov. Regni Veg. 33: 278 1934
Rorippa sublyrata (Miq.) H.Hara, J. Jap. Bot. 11: 623 1935
Rorippa atrovirens Ohwi & H.Hara, J. Jap. Bot. 12: 900 1936
Rorippa sinapis Ohwi & H.Hara, J. Jap. Bot. 12: 899 1936

***Rorippa palustris* (L.) Besser**, Enum. Pl. (Besser) 27 1821

국명: 속속이풀(Sok-sok-i-pul), 속속냉이

영명: Bog yellowcress

- Sisymbrium amphibium* L. var. *palustre* L., Sp. Pl. 2: 657 1753
Sisymbrium palustre (L.) Leyss., Fl. Halens. 166 1761
Nasturtium palustre (L.) Crantz, Cl. Crucif. Emend. 81 1769
Radicula palustris (L.) Moench, Methodus (Moench) 262 1794
Nasturtium semipinnatifidum Hook., J. Bot. (Hooker) 1: 246 1834

***Sisymbrium* L. 노랑장대속**

***Sisymbrium heteromallum* C.A.Mey.**, Fl. Altaic. 3: 132 1831

국명: 굽은노란장대(Gup-eun-no-ran-jang-dae) / (북한명) 굽은노란장대

영명: Drooping-fruit hedge mustard

- Sisymbrium dahuricum* Turcz. ex E.Fourn., Rech. Anat. Taxon. Fam. Crucifer. 97 1865
Sisymbrium heteromallum C.A.Mey. f. *dahuricum* (Turcz.) Glehn & Maxim., Fl. Tangut. 97 1889
Sisymbrium heteromallum C.A.Mey. var. *dahuricum* (Turcz.) Glehn & Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 11: 53 1890
Hesperis dahurica (Turcz. ex E.Fourn.) Kuntze, Rev. Gen. Bot. 934 1891
Sisymbrium heteromallum C.A.Mey. f. *glabrum* Korsh., Bull. Acad. Imp. Sci. Saint-Pétersbourg 9: 412 1898

***Sisymbrium luteum* (Maxim.) O.E.Schulz**, Beih. Bot. Centralbl. 37: 126 1918

국명: 노란장대(No-ran-jang-dae), 노랑장대, 향화초, 헤스페리초 / (북한명) 노란장대

영명: Yellow-flower hedge mustard

- Hesperis lutea* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 282 1873

- Sisymbrium brassicoides* Nakai, Bot. Mag. (Tokyo) 27: 129 1913

Turritis Tourn. ex L. 장대나물속

Turritis glabra L., Sp. Pl. 2: 666 1753

국명: 장대나물(Jang-dae-na-mul), 장대, 참장대나물 / (북한명) 깃대나물, 장대나물

영명: Tower rockcress

Arabis glabra (L.) Bernh., Syst. Verz. (Bernhardi) 195 1800

Erysimum glabrum (L.) Kuntze, Revis. Gen. Pl. 2: 933 1891

Arabis columnalis Nakai, Repert. Spec. Nov. Regni Veg. 13: 271 1914

Arabis glabra (L.) Bernh. f. *columnalis* (Nakai) M. Kim, Korean Endemic Pl. 530 2017

HAMAMELIDACEAE 조록나무과

Corylopsis Siebold & Zucc. 히어리속

Corylopsis coreana Uyeki, Suigen Gakuho 41: 8 1924 Ⓟ ⓘ

국명: 히어리(Hi-eo-ri), 납판나무, 송광꽃나무, 송광납판화, 조선납판화 / (북한명) 조선납판나무, 송광납판나무

영명: Korean winter hazel

Corylopsis gotoana Makino var. *coreana* (Uyeki) T.Yamaz., J. Jap. Bot. 63: 29 1988

Distylium Siebold & Zucc. 조록나무속

Distylium racemosum Siebold & Zucc., Fl. Jap. (Siebold) 1: 179 1841

국명: 조록나무(Jo-rok-na-mu), 잎벼레혹나무 / (북한명) 조록나무

영명: Evergreen witch hazel

CRASSULACEAE 돌나물과

Crassula L. 대구돌나물속

Crassula aquatica (L.) Schönland, Nat. Pflanzenfam. 3: 37 1891 ⓘ

국명: 대구돌나물(Dae-gu-dol-na-mul), 가시돌나물, 각시돌나물, 바늘돌나물, 비늘돌나물 / (북한명) 바늘돌나물

영명: Water pygmyweed

Tillaea aquatica L., Sp. Pl. 1: 128 1753

Hylotelephium H.Ohba 꿩의비름속

Hylotelephium erythrostictum (Miq.) H.Ohba, Bot. Mag. (Tokyo) 90: 50 1977

국명: 꿩의비름(Kkwong-ui-bi-reum), 큰꿩의비름 / (북한명) 꿩의비름, 섬나물, 경천

영명: Garden stonecrop

■ CRASSULACEAE 돌나물과

Sedum erythrostictum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 155 1855

Sedum alboroseum Baker, Refug. Bot. 1: 33 1868

Sedum telephium L. subsp. *alboroseum* (Baker) Fröd., Acta Horti Gothob. 5: 61 1930

Sedum okuyamae Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 9 1949

***Hylotelephium pallescens* (Freyn) H.Ohba, Bot. Mag. (Tokyo) 90: 51 1977**

국명: 자주꿩의비름(Ja-ju-kkwong-ui-bi-reum), 키큰꿩의비름 / (북한명) 자주꿩의비름

영명: Purple-flower stonecrop

Sedum telephium L. var. *albiforum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 142 1883

Sedum pallescens Freyn, Oesterr. Bot. Z. 45: 317 1895

Sedum telephium L. var. *eupatorioides* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 393 1904

Sedum telephium L. var. *pallescens* (Freyn) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 393 1904

Sedum albiflorum (Maxim.) Maxim. ex Kom. & Kljuykov, Opred. Rast. Dal'nevost. Kraia 1: 596 1931

Sedum eupatorioides (Kom.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 601 1931

Hylotelephium eupatorioides (Kom.) H.Ohba, Bot. Mag. (Tokyo) 90: 50 1977

***Hylotelephium spectabile* (Bureau) H.Ohba, Bot. Mag. (Tokyo) 90: 52 1977**

국명: 큰꿩의비름(Keun-kkwong-ui-bi-reum) / (북한명) 큰꿩의비름

영명: Showy stonecrop

Sedum spectabile Bureau, Mem. Soc. Acad. Maine Loire 20: 116 1866

Anacampseros spectabilis (Bureau) Jord. & Fourr., Icon. Fl. Eur. 1: 37, t. 100 1867

Sedum telephium L. var. *kirinense* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 393 1904

***Hylotelephium ussuriense* (Kom.) H.Ohba, Bot. Mag. (Tokyo) 90: 54 1977 ②**

국명: 등근잎꿩의비름(Dung-geun-ip-kkwong-ui-bi-reum)

영명: Round-leaf hylotelephium

Sedum ussuriense Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 170 1916

***Hylotelephium verticillatum* (L.) H.Ohba, Bot. Mag. (Tokyo) 90: 54 1977**

국명: 세잎꿩의비름(Se-ip-kkwong-ui-bi-reum), 제주꿩의비름 / (북한명) 세잎꿩의비름

영명: Whorled-leaf stonecrop

Sedum verticillatum L., Sp. Pl. 1: 430 1753

Sedum telephium L. subsp. *verticillatum* (L.) Fröd., Acta Horti Gothob. 1: 30 1930

***Hylotelephium viridescens* (Nakai) H.Ohba, Bot. Mag. 90: 55 1977 ③**

국명: 섬꿩의비름(Seom-kkwong-ui-bi-reum)

영명: Green-flower stonecrop

Sedum viridescens Nakai, Repert. Spec. Nov. Regni Veg. 13: 273 1914

***Hylotelephium viviparum* (Maxim.) H.Ohba, Bot. Mag. (Tokyo) 90: 55 1977**

국명: 새끼꿩의비름(Sae-kki-kkwong-ui-bi-reum), 비위채송화, 썩눈꿩의비름 / (북한명) 새끼꿩의비름

영명: **Bulbil stonecrop**

Sedum viviparum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 137 1883

Sedum telephium L. subsp. *viriparum* (Maxim.) Fröd., Acta Horti Gothob. 1: 30 1930

***Meterostachys* Nakai 난쟁이바위솔속**

***Meterostachys sikokianus* (Makino) Nakai, Bot. Mag. (Tokyo) 49: 74 1935**

국명: 난쟁이바위솔(Nan-jaeng-i-ba-wi-sol) / (북한명) 난쟁이바위솔

영명: **Dwarf rock pine**

Sedum leveilleanum Raym.-Hamet, Bull. Soc. Bot. France 55: 712 1908

Cotyledon sikokiana Makino, Iinuma, Somoku-Dzusetsu ed. 3: 658 1912

Sedum oriento-asaticum Makino, J. Jap. Bot. 4: 8 1927

Orostachys sikokiana (Makino) Ohwi, Fl. Jap. (Ohwi) 585 1953

***Orostachys* Fisch. 바위솔속**

***Orostachys chongsunensis* Y.N.Lee, Bull. Korea Pl. Res. 1: 36 2000**

국명: 정선바위솔(Jeong-seon-ba-wi-sol), 정선연화바위솔

영명: **Jeongseon rock pine**

Orostachys iwarenge (Makino) H.Hara var. *chongsunensis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 177 2017

***Orostachys iwarenge* (Makino) H.Hara, Bot. Mag. (Tokyo) 49: 73 1935 ®**

국명: 연화바위솔(Yeon-hwa-ba-wi-sol), 바위연꽃

영명: **Lotus rock pine**

Cotyledon iwarenge Makino, Bot. Mag. (Tokyo) 15: 142 1901

Sedum iwarenge (Makino) Makino, J. Jap. Bot. 4: 7 1927

***Orostachys japonica* (Maxim.) A.Berger, Nat. Pflanzenfam. ed. 2, 18a: 464 1930**

국명: 바위솔(Ba-wi-sol), 넓은잎지붕지기, 오송, 와송, 지붕직이 / (북한명) 넓은잎바위솔, 바위솔, 지붕지기

영명: **Rock pine**

Cotyledon japonica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 30: 122 1883

Sedum japonicola Makino, J. Jap. Bot. 4: 8 1927

Orostachys erubescens (Maxim.) Ohwi var. *japonicus* (Maxim.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 73 1953

Sedum erubescens var. *japonicum* (Maxim.) Ohwi, Fl. Jap., revised ed., [Ohwi] 693 1965

Orostachys japonica* (Maxim.) A.Berger f. *japonica

***Orostachys japonica* (Maxim.) A.Berger f. *polycephala* (Makino) H.Ohba, J. Jap. Bot. 56: 185 1981**

국명: 다복바위솔(Da-buk-ba-wi-sol)

영명: **Many-head rock pine**

Cotyledon polycephala Makino, Somoku-Dzusetsu (ed. 3) 2: 658 1910

■ CRASSULACEAE 돌나물과

Orostachys kanboensis Ohwi, Acta Phytotax. Geobot. 11: 249 1942

국명: 갈미바위솔(Gal-mi-ba-wi-sol)

영명: Gwanmo rock pine

Orostachys latielliptica Y.N.Lee, Bull. Korea Pl. Res. 1: 35 2000

국명: 포천바위솔(Po-cheon-ba-wi-sol)

영명: Wide-elliptic rock pine

Orostachys linearifolia R. Kunok & Pak, Biology 2: 55 2008

국명: 가는잎바위솔(Ga-neun-ip-ba-wi-sol)

Orostachys malacophylla (Pall.) Fisch., Mém. Soc. Imp. Naturalistes Moscou 2: 274 1809

국명: 둥근바위솔(Dung-geun-ba-wi-sol), 응달바위솔, 애기바위솔 / (북한명) 둥근바위솔

영명: Spatulate rock pine

Cotyledon malacophylla Pall., Reise Russ. Reich. 3: 729 1776

Sedum malacophyllum (Pall.) Steud., Nomencl. Bot. (Steudel) 759 1821

Umbilicus malacophyllus (Pall.) DC., Prodr. (DC.) 3: 400 1828

Cotyledon filifera Nakai, Bot. Mag. (Tokyo) 33: 54 1919

Orostachys filifera (Nakai) Nakai, J. Jap. Bot. 18: 215 1942

Orostachys margaritifolia Y.N.Lee, Bull. Korea Pl. Res. 1: 36 2000 ⓘ

국명: 진주바위솔(Jin-ju-ba-wi-sol)

영명: Margaric leaf rock pine

Orostachys minuta (Kom.) A.Berger, Nat. Pflanzenfam. ed. 2, 18a: 464 1930

국명: 좀바위솔(Jom-ba-wi-sol), 애기바위솔 / (북한명) 애기바위솔

영명: Minute rock pine

Cotyledon minuta Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 436 1901

Orostachys ramosa Y.N.Lee, Bull. Korea Pl. Res. 1: 35 2000

국명: 가지바위솔(Ga-ji-ba-wi-sol), 가지둥근바위솔

영명: Branching rock pine

Orostachys malacophylla (Pall.) Fisch. var. *ramosa* (Y.N.Lee) M.Kim, Korean Endemic Pl. 178 2017

Orostachys saxatilis (Nakai) Nakai, J. Jap. Bot. 18: 215 1942 ⓘ

국명: 모란바위솔(Mo-ran-ba-wi-sol) / (북한명) 모란바위솔

영명: Mountain rock pine

Cotyledon saxatillis Nakai, Bot. Mag. (Tokyo) 25: 152 1911

Orostachys spinosa (L.) Sweet, Hort. Brit. (Loudon) 225 1830

국명: 잎새바위솔(Ip-sae-ba-wi-sol), 누른꽃바위솔 / (북한명) 누른꽃바위솔

영명: Spiny rock pine

Sedum purpureum (L.) Schult., Oestr. Fl. ed. 2 1: 686 1814

***Phedimus* Raf. 기린초속**

Phedimus aizoon (L.) 't Hart, Evol. & Syst. Crassulac. 168 1995

국명: 가는기린초(Ga-neun-gi-rin-cho), 가는꿩의비름, 가는잎기린초, 가지기린초 / (북한명) 가는기린초, 집우지기

영명: Aizoon stonecrop

Sedum aizoon L., Sp. Pl. 1: 430 1753

Phedimus aizoon (L.) 't Hart var. *aizoon*

Phedimus aizoon (L.) 't Hart var. *latifolius* (Maxim.) H. Ohba, Novon 10: 401 2000

국명: 큰기린초(Keun-gi-rin-cho), 고려꿩의비름, 넓은잎가는기린초, 만주꿩의비름, 뒷꿩의비름, 왕꿩의비름,
큰꿩의비름, 큰잎기린초, 넓은가는기린초 / (북한명) 넓은가는기린초

영명: Wide-leaf aizoon stonecrop

Sedum aizoon L. var. *latifolium* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 115 1859

Sedum austromanshuricum Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 1, Pl. Nov. Jehol.: 26 1934

Sedum auizoon L. var. *austromanshuricum* (Nakai & Kitag.) Kitag., Lin. Fl. Manshur. 247 1939

Phedimus kamtschaticus (Fisch. & C.A.Mey.) 't Hart, Evol. & Syst. Crassulac. 168 1995

국명: 기린초(Gi-rin-cho), 각시기린초, 넓은잎기린초 / (북한명) 기린초, 넓은잎기린초

영명: Orange stonecrop

Sedum kamtschaticum Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 7: 54 1840

Sedum ellacombeanum Praeger, J. Bot. 55: 41 1917

Sedum aizoon L. subsp. *kamtschaticum* (Fisch. & C.A.Mey.) Fröd., Acta Horti Gothob. 6: 80 1931

Phedimus lativalifolius (Y.N.Lee) D.C.Son & H.J.Kim, Phytotaxa 278: 294 2016 ⓘ

국명: 태백기린초(Tae-baek-gi-rin-cho)

영명: Taebaek stonecrop

Sedum lativalifolium Y.N.Lee, Korean J. Pl. Taxon. 22: 8 1992

Phedimus middendorffianus (Maxim.) 't Hart, Evol. & Syst. Crassulac. 169 1995

국명: 애기기린초(Ae-gi-gi-rin-cho), 각시기린초, 버들기린초, 버들잎기린초 / (북한명) 각씨기린초, 애기꿩의비름

영명: Miniature stonecrop

Sedum middendorffianum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 116 1859

Sedum middendorffianum Maxim. var. *diffusum* Praeger, J. Roy. Hort. Soc. 46: 117, f. 596 1921

Sedum aizoon L. var. *middendorffianum* (Maxim.) Fröd., Acta Horti Gothob. 6: 80, Pl. 47 1931

■ CRASSULACEAE 돌나물과

Phedimus selskianus (Regel & Maack) 't Hart, Evol. & Syst. Crassulac. 169 1995

국명: 털기린초(Dol-na-mul) / (북한명) 털기린초

영명: Stringy stonecrop

Sedum selskianum Regel & Maack, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 66 1861

Sedum aizoon L. var. *selskianum* (Regel & Maack) Fröd., Acta Horti Gothob. 6: 80 1930

Phedimus takesimensis (Nakai) 't Hart, Evol. & Syst. Crassulac. 169 1995 (E)

국명: 섬기린초(Seom-gi-rin-cho), 올릉기린초 / (북한명) 올릉가는기린초, 올릉기린초

영명: Ulleungdo stonecrop

Sedum takesimense Nakai, Rep. Veg. Ooryongto 36 1919

Phedimus zokuriensis (Nakai) 't Hart, Evol. & Syst. Crassulac. 169 1995

국명: 속리기린초(Sok-ri-gi-rin-cho), 바위기린초 / (북한명) 속리기린초

영명: Songni stonecrop

Sedum zokuriense Nakai, J. Jap. Bot. 15: 674 1939

Aizopsis zokuriense (Nakai) P.V.Heath, Calyx 4(5): 172 2001

Sedum kamtschaticum Fisch. & C.A.Mey. f. *zokuriense* (Nakai) M.Kim, Korean Endemic Pl. 534 2017

***Rhodiola* L. 돌꽃속**

Rhodiola angusta Nakai, Bot. Mag. (Tokyo) 28: 304 1914

국명: 좁은잎돌꽃(Jop-eun-ip-dol-kkot), 가는돌꽃, 가지돌꽃, 각시바위돌꽃 / (북한명) 각시바위돌꽃, 각씨바위돌꽃, 바위돌꽃

영명: Narrow-leaf rhodiola

Sedum angustum (Nakai) Nemoto, Fl. Jap. Suppl. 378 1936

Sedum fenzelii Fröd., Acta Horti Gothob. 10: 156 1936

Rhodiola komarovii Boriss., Fl. URSS 9: 38 1939

Sedum komarovii (Boriss.) Y.C.Chu, Clavis Pl. Chinae Bor.-Or. 124 1959

Sedum ohbae Kozhevnikov, Bot. Zhurn. (Moscow & Leningrad) 74: 543 1989

Rhodiola elongata (Ledeb.) Fisch. & C.A.Mey., Enum. Pl. Nov. 1: 68 1841

국명: 돌꽃(Dol-kkot), 가는잎돌꽃 / (북한명) 돌꽃

영명: Elongate-leaf rhodiola

Sedum elongatum Ledeb., Fl. Altaic. 2: 193 1830

Sedum rhodiola DC. var. *elongatum* (Ledeb.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 736 1883

Sedum roseum (L.) Scop. var. *elongatum* (Ledeb.) Praeger, J. Roy. Hort. Soc. 46: 32 1921

Rhodiola ramosa Nakai, Bot. Mag. (Tokyo) 28: 304 1914

국명: 가지돌꽃(Ga-ji-dol-kkot) / (북한명) 가는돌꽃

영명: Branching rhodiola

Rhodiola rosea L., Sp. Pl. 2: 1035 1753

국명: 바위돌꽃(Ba-wi-dol-kkot), 참돌꽃, 큰돌꽃 / (북한명) 바위돌꽃

영명: Rose-root rhodiola

Sedum roseum (L.) Scop., Fl. Carniol. ed. 2 1: 326 1772

Sedum L. 돌나물속

Sedum alfredii Hance, J. Bot. 8: 7 1870

국명: 민말똥비름(Min-mal-ttong-bi-reum), 말똥비름

영명: Simple stonecrop

Sedum bulbiferum Makino, Bot. Mag. (Tokyo) 17: 145 1903

국명: 말똥비름(Mal-ttong-bi-reum), 쑥눈돌나물, 알돌나물아재비 / (북한명) 알돌나물, 알돌나물, 만년초, 말통비름

영명: Bulbose stonecrop

Sedum lineare Thunb. var. *floribundum* Miq., Prolus. Fl. Jap. 89 1863

Sedum subtile Miq. var. *ovovatum* Franch. & Sav., Enum. Pl. Jap. 1: 161 1873

Sedum alfredii Hance var. *bulbiferum* (Makino) Fröd., Acta Horti Gothob. 6 App.: 96 Pl. 61: 3 1931

Sedum rosulato-bulbosum Koidz., Acta Phytotax. Geobot. 7: 192 1938

Sedum formosanum N.E.Br., Gard. Chron. 2, 25: 138 1885

국명: 주걱잎갓비름(Ju-geog-nip-gaet-bi-reum)

Sedum japonicum Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 156 1865

국명: 돌채송화(Dol-chae-song-hwa), 넓은잎기린초, 암채송화

영명: Rocky moss-rose stonecrop

Sedum chrysanthrum Hance, J. Bot. 8: 6 1870

Sedum kiangnanense D.Q.Wang & Z.F.Wu, Bull. Bot. Res., Harbin 10: 45 1990

국명: 잎꽃돌나물(Ip-kkot-dol-na-mul)

Sedum lepidopodum Nakai, J. Jap. Bot. 16: 7 1940

국명: 갯돌나물(Gaet-dol-na-mul), 개돌나물 / (북한명) 갯돌나물

영명: Coastal stringy stonecrop

Sedum oryzifolium Makino, Ill. Fl. Japan 8: 2, t. 50 1891

국명: 망채송화(Ttang-chae-song-hwa), 갯채송화, 제주기린초 / (북한명) 땅채송화

영명: Coastal moss-like stonecrop

Sedum uniflorum Hook. & Arn. subsp. *oryzifolium* (Makino) H.Ohba, J. Jap. Bot. 56: 184 1981

Sedum polytrichoides Hemsl., J. Linn. Soc., Bot. 23: 286, Pl. 7, f. 4 1887

■ CRASSULACEAE 돌나물과

국명: 바위채송화(Ba-wi-chae-song-hwa), 개돌나물, 대마채송화 / (북한명) 바위채송화

영명: Moss-like stonecrop

Sedum yabeianum Makino, Bot. Mag. (Tokyo) 17: 10 1903

Sedum sarmentosum Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 30 1833

국명: 돌나물(Dol-na-mul), 돈나물 / (북한명) 돌나물

영명: Stringy stonecrop

Sedum lineare Thunb. var. *contractum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 156 1865

Sedum shearerii S.Moore, J. Bot. 13: 227 1875

Sedum kouyangense H.Lév. & Vaniot, Fl. Kouy-Tchéou 118 1914

Sedum taquetii Praeger, J. Bot. 56: 151 1918 (E)

국명: 한라髭의비름(Han-ra- kkwong-ui-bi-reum)

Sedum tosaense Makino, Bot. Mag. (Tokyo) 6: 52 1892 (R)

국명: 주걱비름(Ju-geok-bi-reum)

영명: Spatulate-leaf stonecrop

PENTHORACEAE 낙지다리과

Penthorum L. 낙지다리속

Penthorum chinense Pursh, Fl. Amer. Sept. (Pursh) 1: 323 1814 (R)

국명: 낙지다리(Nak-ji-da-ri) / (북한명) 낙지다리풀, 낙지다리

영명: Oriental penthorum

Penthorum intermedium Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 152 1837

Penthorum humile Regel & Maack, Tent. Fl.-Ussur. 65 1861

Penthorum sedoides L. f. *angustifolium* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 76 1865

Penthorum sedoides L. var. *chinense* (Pursh) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 774 1883

Penthorum sedoides L. subsp. *chinense* (Pursh) S.Y.Li & Adair, Sida 16: 190 1994

SAXIFRAGACEAE 범의귀과

Astilbe Buch.-Ham. ex D.Don 노루오줌속

Astilbe chinensis (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 144 1873

국명: 노루오줌(No-ru-o-jum), 노루풀, 왕노루오줌, 큰노루오줌, 흰노루오줌 / (북한명) 노루오줌

영명: False goat's beard

Hoteia chinensis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 120 1859
Astilbe odontophylla Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 96 1867
Astilbe chinensis (Maxim.) Franch. & Sav. var. *davidii* Franch., Pl. David. 1: 121 1884
Astilbe davidii (Franch.) Henry, Gard. Chron. ser. 3, 32: 95 1902
Astilbe chinensis (Maxim.) Franch. & Sav. var. *seoulensis* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 215 1909
Astilbe chinensis (Maxim.) Franch. & Sav. var. *davidii* Franch. f. *albiflora* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 54 1952
Astilbe rubra Hook.f. & Thomson f. *albiflora* (Nakai) M.Kim, Korean Endemic Pl. 309 2004

***Astilbe koreana* (Kom.) Nakai, Rep. Veg. Diamond Mountains 174 1918**

국명: 속은노루오줌(Suk-eun-no-ru-o-jum), 이끈노루오줌, 진퍼리노루오줌 / (북한명) 속은노루오줌
 영명: Korean false goat's beard

Astilbe chinensis (Maxim.) Franch. & Sav. var. *koreana* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 408 1903
Astilbe chinensis (Maxim.) Franch. & Sav. var. *divaricata* Nakai, Bot. Mag. (Tokyo) 40: 246 1926
Astilbe divaricata (Nakai) Nakai, J. Jap. Bot. 13: 395 1937
Astilbe rubra Hook.f. & Thomson var. *divaricata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 437 1996

Astilbe rubra* Hook.f. & Thomson var. *rubra

***Astilbe rubra* Hook.f. & Thomson var. *taquetii* (H.Lév.) H.Hara, J. Jap. Bot. 51: 73 1976 ⓘ**

국명: 한라노루오줌(Han-ra-no-ru-o-jum) / (북한명) 한라노루오줌
 영명: Halla false goat's beard

Astilbe thunbergii (Siebold & Zucc.) Miq. var. *taquetii* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 1910
Astilbe taquetii (H.Lév.) Koidz., Acta Phytotax. Geobot. 5: 124 1936
Astilbe chinensis (Maxim.) Franch. & Sav. var. *taquetii* (H.Lév.) H.Hara, Nov. Fl. Jap. 3: 13 1939

***Astilbe simplicifolia* Makino, Bot. Mag. (Tokyo) 7: 103 1893**

국명: 외잎승마(Oe-ip-seung-ma)
 영명: Entire-leaf false goat's beard

***Astilbe uljinensis* B.U.Oh & H.J.Chi, PhytoKeys 161: 91 2020**

국명: 울진노루오줌(Ul-jin-no-ru-o-jum)
 영명: Uljin false goat's beard

***Astilboides* Engl. 개병풍속**

***Astilboides tabularis* (Hemsl.) Engl., Pflanzenr. (Engler) IV. 117: 675 1919 ⓘ**

국명: 개병풍(Gae-byeong-pung), 개평풍, 골평풍 / (북한명) 골병풍, 개병풍
 영명: Common astilboides

Saxifraga tabularis Hemsl., J. Linn. Soc., Bot. 23: 269 1887
Rodgersia tabularis (Hemsl.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 410 1904

Bergenia Moench 돌부채속

Bergenia crassifolia (L.) Fritsch, Verh. K.K. Zool.-Bot. Ges. Wien 39: 587 1889

국명: 돌부채(Dol-bu-chae), 바위부채 / (북한명) 돌부채

영명: Korean elephant-ear

Saxifraga crassifolia L., Sp. Pl. 1: 401 1753

Bergenia cordifolia (Haw.) Sternb., Revis. Saxifrag. Suppl. 2: 2 1831

Bergenia coreana Nakai, Bot. Mag. (Tokyo) 28: 304 1914

Chrysosplenium L. 괭이눈속

Chrysosplenium aureobracteatum Y.I.Kim & Y.D.Kim, Novon 23: 432 2015 ⓘ

국명: 연노랑괭이눈(Yeon-no-rang-gwaeng-i-nun)

Chrysosplenium pilosum Maxim. var. *aureobracteatum* (Y.I.Kim & Y.D.Kim) M.Kim, Korean Endemic Pl. 183 2017

Chrysosplenium barbatum Nakai, Repert. Spec. Nov. Regni Veg. 13: 273 1914 ⓘ

국명: 흰털괭이눈(Huin-teol-gwaeng-i-nun), 큰괭이눈, 흰괭이눈, 힌괭이눈, 제주괭이눈 / (북한명) 흰털괭이눈

영명: White-hair golden saxifrage

Chrysosplenium hallaisanense Nakai, Repert. Spec. Nov. Regni Veg. 13: 273 1914

Chrysosplenium pilosum Maxim. var. *barbatum* (Nakai) M.Kim, Korean Endemic Pl. 184 2017

Chrysosplenium epigealum J.W.Han & S.H.Kang, Korean J. Pl. Res. 25: 346 2012 ⓘ

국명: 기는괭이눈(Gi-neun-gwaeng-i-nun)

Chrysosplenium flagelliferum F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 134 1868

국명: 애기괭이눈(Ae-gi-gwaeng-i-nun), 덩굴괭이눈, 애기괭이눈풀 / (북한명) 애기괭이눈

영명: Stolon golden saxifrage

Chrysosplenium komarovii Losinsk., Fl. URSS 9: 488 1939

Chrysosplenium flaviflorum Ohwi, Repert. Spec. Nov. Regni Veg. 36: 51 1934 ⓘ

국명: 누른괭이눈(Nu-reun-gwaeng-i-nun), 북괭이눈

영명: Yellow golden saxifrage

Chrysosplenium pilosum Maxim. var. *flaviflorum* (Ohwi) Ohwi, Acta Phytotax. Geobot. 6: 152 1937

Chrysosplenium grayanum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 248 1877

국명: 괭이눈(Gwaeng-i-nun)

영명: Gray's golden saxifrage

Chrysosplenium japonicum (Maxim.) Makino, Bot. Mag. (Tokyo) 23: 71 1909

국명: 산괭이눈(San-gwaeng-i-nun), 괭이눈 / (북한명) 산괭이눈

영명: Mountain golden saxifrage

Chrysosplenium alternifolium L. var. *japonicum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 343 1877

Chrysosplenium alternifolium L. var. *papillosum* Franch. & Sav., Enum. Pl. Jap. 2: 355 1878

Chrysosplenium macrospermum Y.I.Kim & Y.D.Kim, Phytokeys 135: 40 2019

국명: 천지팽이눈(Cheon-ji-gwaeng-i-num)

Chrysosplenium macrostemon Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 358 1878

국명: 바위팽이눈(Ba-wi-gwaeng-i-nun), 바위팽이눈풀 / (북한명) 바위팽이눈

영명: Big-leaf golden saxifrage

Chrysosplenium discolor Franch. & Sav., Enum. Pl. Jap. 2: 359 1878

Chrysosplenium valdepilosum (Ohwi) S.H.Kang & J.W.Han, Korean J. Pl. Res. 24: 366 2011

국명: 천마팽이눈(Cheon-ma-gwaeng-i-nun), 금팽이눈

Chrysosplenium pilosum Maxim. var. *valdepilosum* Ohwi, Repert. Spec. Nov. Regni Veg. 36: 52 1934

Chrysosplenium ramosum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 121 1859

국명: 가지팽이눈(Ga-ji-gwaeng-i-nun), 검정팽이눈, 털팽이눈 / (북한명) 가지팽이눈, 둥근잎팽이눈

영명: Many-branch golden saxifrage

Chrysosplenium yezoense Franch. & Sav., Enum. Pl. Jap. 2: 355 1878

Chrysosplenium crenulatum Franch., Bull. Annuel Soc. Philom. Paris 10: 102 1886

Chrysosplenium microphyllum Tatew. & Sutô, J. Jap. Bot. 10: 253 1934

Chrysosplenium crenulatum Franch. var. *atrodiscum* Sutô, J. Jap. Bot. 11: 401 1935

Chrysosplenium crenulatum Franch. var. *microphyllum* (Tatew. & Sutô) Sutô, J. Jap. Bot. 11: 400 1935

Chrysosplenium ramosum Maxim. var. *atrodiscum* (Sutô) H.Hara, Nov. Fl. Jap. 3: 94 1939

Chrysosplenium ramosum Maxim. var. *atrodiscum* (Sutô) H.Hara f. *microphyllum* (Tatew. & Sutô) H.Hara, Nov. Fl. Jap. 3: 97 1939

Chrysosplenium ramosum Maxim. var. *atrodiscum* (Sutô) H.Hara f. *viridiflorum* H.Hara, Nov. Fl. Jap. 3: 94 1939

Chrysosplenium ramosissimum Y.I.Kim & Y.D.Kim, PhytoKeys 111: 3 2018 ⓘ

국명: 가지털팽이눈(Ga-ji-teol-gwaeng-i-nun)

Chrysosplenium serreanum Hand.-Mazz., Oesterr. Bot. Z. 80: 341 1931

국명: 시베리아팽이눈(Si-be-ri-a-gwaeng-i-nun), 노랑팽이눈, 오대산팽이눈, 육지팽이눈 / (북한명) 육지팽이눈

Chrysosplenium alternifolium L. var. *sibiricum* Ser. ex DC., Prodr. (DC.) 4: 48 1830

Chrysosplenium alternifolium L. f. *iowense* (Rydb.) Rosend., Bot. Jahrb. Syst. 37: 86 1905

Chrysosplenium alternifolium L. subsp. *sibiricum* (Ser. ex DC.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 4, 13: 92 1971

Chrysosplenium sibiricum (Ser. ex DC.) A.P.Khokhr., Analiz Fl. Kolymskogo Nagor'ya 43 1989

Chrysosplenium sinicum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 348 1877

■ SAXIFRAGACEAE 범의귀과

국명: 선괭이눈(Seon-gwaeng-i-nun), 방울괭이눈, 선괭이눈풀, 큰수술괭이눈, 큰옹예괭이눈 / (북한명) 선괭이눈, 큰바위괭이눈

영명: **Upright golden saxifrage**

Chrysosplenium pseudofauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 1910

Micranthes Haw. 구실바위취속

***Micranthes octopetala* (Nakai) Y.I.Kim & Y.D.Kim, Korean J. Pl. Taxon. 45: 315 2015** ⓘ ⓘ

국명: 구실바위취(Gu-sil-ba-wi-chwi), 구슬바위취, 구슬범의귀, 팔편바위취 / (북한명) 구슬바위취

영명: **Round rockfoil**

Saxifraga octopetala Nakai, Bot. Mag. (Tokyo) 32: 230 1918

Micranthes manchuriensis (Engl.) Gornall & H.Ohba var. *octopetala* (Nakai) M.Kim, Korean Endemic Pl. 186 2017

Mitella Tourn. ex L. 나도범의귀속

***Mitella nuda* L., Sp. Pl. 1: 406 1753** ⓘ

국명: 나도범의귀(Na-do-beom-ui-gwi), 덩굴풀매화, 새납풀 / (북한명) 새납풀

영명: **Naked miterwort**

Tiarella unifolia Retz., Observ. Bot. (Retzius) 3: 30 1783

Mitella cordifolia Lam., Encycl. (Lamarck) 4: 196 1797

Mitella reniformis Lam., Encycl. (Lamarck) 4: 196 1797

Mukdenia Koidz. 돌단풍속

***Mukdenia acanthifolia* Nakai, J. Jap. Bot. 17: 684 1941**

국명: 돌부채손(Dol-bu-chae-son), 가새잎돌단풍 / (북한명) 가시잎돌단풍

영명: **Round-leaf mukdenia**

***Mukdenia rossii* (Oliv.) Koidz., Acta Phytotax. Geobot. 4: 120 1935**

국명: 돌단풍(Dol-dan-pung), 돌나리, 부처손, 장장포, 큰돌단풍 / (북한명) 돌단풍

영명: **Maple-leaf mukdenia**

Saxifraga rossii Oliv., Hooker's Icon. Pl. ser. 2, 13: 46 1878

Aceriphyllum rossii (Oliv.) Engl., Nat. Pflanzenfam. 3-2a: 52 1890

Mukdenia rossii (Oliv.) Koidz. var. *multiloba* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 55 1952

Mukdenia rossii (Oliv.) Koidz. f. *multiloba* (Nakai) W.T.Lee, Lineamenta Floraee Koreae 450 1996

Rodgersia A.Gray 도깨비부채속

***Rodgersia podophylla* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 389 1857** ⓘ

국명: 도깨비부채(Do-kkae-bi-bu-chae), 독개비부채, 수레부채 / (북한명) 도깨비부채, 수레부채

영명: **Rodger's bronze leaf**

Rodgersia japonica Regel, Gartenflora 20: 708 1871
Astilbe podophylla (A.Gray) Franch., Pl. Delavay. 231 1889

Saxifraga Tourn. ex L. 범의귀속

Saxifraga cernua L., Sp. Pl. 1: 403 1753

국명: 씨눈바위취(Ssi-nun-ba-wi-chwi), 짹눈바위취, 씨눈범의귀 / (북한명) 씨눈바위취

영명: Nodding saxifrage

Lobaria cernua (L.) Haw., Saxifrag. Enum. 1: 20 1821

Mis scopetalum cernuum (L.) Gray, Nat. Arr. Brit. Pl. 2: 530 1821

Saxifraga cernua L. var. *linnaeana* Ser., Prodr. (DC.) 4: 36 1830

Saxifraga cernua L. var. *simplicissima* Ledeb., Fl. Altaic. 2: 122 1830

Saxifraga simulata Small, N. Amer. Fl. 22: 128 1905

Saxifraga fortunei Hook., Bot. Mag. 89: Pl. 5377 1863

국명: 바위떡풀(Ba-wi-tteok-pul), 대문자꽃잎풀, 섬바위떡풀, 지리산바위떡풀, 지이산떡풀, 지이산바위떡풀,
털바위떡풀 / (북한명) 바위떡풀

영명: Serrate-petal rockfoil

Saxifraga fortunei Hook. var. *pilosissima* Nakai, J. Jap. Bot. 14: 228 1938

Saxifraga fortunei Hook. var. *alpina* (Matsum. & Nakai) T.Shimizu, New Alp. Fl. Japan in Color 2: 356 1983

Saxifraga fortunei Hook. f. *pilosissima* (Nakai) M.Kim, Korean Endemic Pl. 310 2004

Saxifraga furumii Nakai, Bot. Mag. (Tokyo) 32: 33 1918 ⓘ

국명: 범의귀(Beom-ui-gwi), 범의귀풀, 주걱잎범의귀 / (북한명) 범의귀

영명: Nampotaesan rockfoil

Micranthes furumii (Nakai) M.Kim, Korean Endemic Pl. 186 2017

Saxifraga laciniata Nakai & Takeda, Bot. Mag. (Tokyo) 28: 305 1914

국명: 구름범의귀(Gu-reum-beom-ui-gwi), 구름범의귀풀 / (북한명) 구름범의귀

영명: Laciniate rockfoil

Saxifraga takedana Nakai, Bot. Mag. (Tokyo) 28: 305 1914

Micranthes laciniata (Nakai & Takeda) H.Hara, Nov. Fl. Jap. 3: 74 1939

Saxifraga laciniata Nakai & Takeda var. *takedana* (Nakai) H.Hara, Nov. Fl. Jap. 3: 75 1939

Saxifraga manshuriensis (Engl.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 415 1904

국명: 흰바위취(Huin-ba-wi-chwi), 흰꽃바위취, 흰범의귀 / (북한명) 흰바위취

영명: Manchurian rockfoil

Saxifraga punctata L. var. *manshuriensis* Engl., Monogr. Saxifraga 139 1872

Saxifraga nelsoniana D.Don, Trans. Linn. Soc. London 13: 355 1822

국명: 톱바위취(Top-ba-wi-chwi), 멧바위취, 바위취 / (북한명) 톱바위취

■ SAXIFRAGACEAE 범의귀과

영명: Dotted rockfoil

Saxifraga punctata L. var. *nelsoniana* (D.Don) Macoun, Cat. Canad. Pl., Polypetalae 1: 153 1883

Micranthes nelsoniana (D.Don) Small, N. Amer. Fl. 22: 147 1905

Saxifraga punctata L. subsp. *nelsoniana* (D.Don) Hultén, Fl. Alaska Yukon 5: 929 1945

Saxifraga oblongifolia Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 218 1909

국명: 참바위취(Cham-ba-wi-chwi), 바위귀, 바위취 / (북한명) 참바위취

영명: Geumgangsan rockfoil

Tiarella L. 헐떡이풀속

Tiarella polyphylla D.Don, Prodr. Fl. Nepal. 210 1825 **R**

국명: 헐떡이풀(Heol-tteok-i-pul), 산바위귀, 천식약풀, 헐떡이약풀 / (북한명) 천식약풀

영명: Foam flower

HYDRANGEACEAE 수국과

Deutzia Thunb. 말발도리속

Deutzia glabrata Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 433 1904

국명: 물참대(Mul-cham-dae), 댕강말발도리, 댕강목 / (북한명) 댕강말발도리, 물참대

영명: Glabrous deutzia

Deutzia glaberrima Koehne, Bot. Jahrb. Syst. 34: 38 1904

Deutzia fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 1910

Crataegus pomasae H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 12: 189 1913

Deutzia grandiflora Bunge var. ***grandiflora***

Deutzia grandiflora Bunge var. ***baroniana*** (Diels) Rehder, Pl. Wilson. 1: 21 1911

국명: 바위말발도리(Ba-wi-mal-bal-do-ri), 넓은잎말발도리, 넓은잎바위말발도리, 파삭다리 / (북한명) 바위말발도리

영명: Large-flower deutzia

Deutzia baroniana Diels, Bot. Jahrb. Syst. 29: 372 1900

Deutzia hamata Koehne, Bot. Jahrb. Syst. 34: 37 1904

Deutzia prunifolia Rehder, Pl. Wilson. 1: 22 1911

Deutzia prunifolia Rehder var. *latifolia* Nakai, Bot. Mag. (Tokyo) 35: 94 1921

Deutzia hamata Koehne f. *latifolia* (Nakai) M.Kim, Korean Endemic Pl. 532 2017

** *Deutzia hamata* Koehne f. *latifolia* (Nakai) M.Kim, Korean Endemic Pl. 307 2004

Deutzia paniculata Nakai, Bot. Mag. (Tokyo) 27: 31 1913 **E R**

국명: 꼬리말발도리(Kko-ri-mal-bal-do-ri), 이삭말발도리 / (북한명) 꼬리말발도리

영명: Paniculate Korean deutzia

***Deutzia parviflora* Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 31 1833**

국명: 말발도리(Mal-bal-do-ri), 말발도리나무, 속리말발도리, 태백말발도리, 텔말발도리 / (북한명) 말발도리, 북말발도리

영명: Mongolian deutzia

Deutzia parviflora Bunge var. *amurensis* Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 63 1861

Deutzia parviflora Bunge var. *bungei* Franch., J. Bot. (Morot) 10: 283 1896

Deutzia parviflora Bunge var. *monogolica* Franch., J. Bot. (Morot) 10: 283 1896

Deutzia parviflora Bunge var. *musaei* Lemoine, J. Soc. Natl. Hort. France 3: 303 1902

Deutzia corymbosa R.Br. ex G.Don var. *parviflora* (Bunge) C.K.Schneid., Mitt. Deutsch. Dendrol. Ges. 13: 184 1904

Deutzia parviflora Bunge var. *ovatifolia* Rehder, J. Arnold Arbor. 1: 210 1920

Deutzia kongoa Airy Shaw, Kew Bull. 1934: 179 1934

Deutzia amurensis (Regel) Airy Shaw, Bull. Misc. Inform. Kew 1934: 179 1934

Deutzia obscula Nakai, J. Jap. Bot. 15: 674 1939

Deutzia parviflora Bunge var. *pilosa* Nakai, J. Jap. Bot. 15: 674 1939

Deutzia parviflora Bunge var. *barvinervis* Kawamoto ex Nakai, J. Jap. Bot. 19: 371 1943

Deutzia parviflora Bunge var. *obscula* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 26 1966

Deutzia parviflora Bunge f. *barvinervis* (Kawamoto ex Nakai) M.Kim, Korean Endemic Pl. 307 2004

Deutzia parviflora Bunge f. *pilosa* (Nakai) M.Kim, Korean Endemic Pl. 308 2004

Deutzia parviflora Bunge f. *obscula* (Nakai) M.Kim, Korean Endemic Pl. 533 2017

***Deutzia uniflora* Shirai, Bot. Mag. (Tokyo) 12: 110, t.5 1898**

국명: 매화말발도리(Mae-hwa-mal-bal-do-ri), 개말발도리, 댕강목, 삼지말발도리, 좁은잎댕강목, 좁은잎말발도리, 지리말발도리, 지이말발도리, 해남말발도리 / (북한명) 매화말발도리

영명: Korean deutzia

Deutzia coreana H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 1910

Deutzia tozawae Nakai, Fl. Sylv. Kor. 15: 62 1926

Deutzia triradiata Nakai, Fl. Sylv. Kor. 15: 61 1926

Deutzia coreana H.Lév. var. *tozawae* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 88 1934

Deutzia coreana H.Lév. var. *triradiata* (Nakai) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 88 1934

Hydrangea scandens Maxim. subsp. *liukiuensis* (Nakai) E.M.McClint., J. Arnold Arbor. 37: 373 1956

***Hydrangea* Gronov. ex L. 수국속**

***Hydrangea liukiuensis* Nakai, Bot. Mag. (Tokyo) 25: 63 1911**

국명: 성널수국(Seong-neol-su-guk)

영명: Sweet hydrangea

Hydrangea macrophylla* (Thunb.) Ser. subsp. *macrophylla

***Hydrangea macrophylla* (Thunb.) Ser. subsp. *serrata* (Thunb.) Makino, J. Jap. Bot. 6: 11 1929**

국명: 산수국(San-su-guk), 텔산수국, 텔수국, 꽃산수국 / (북한명) 산수국

영명: Mountain hydrangea

■ HYDRANGEACEAE 수국과

Viburnum serratum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 295 1784

Hydrangea serrata (Thunb.) Ser., Prodr. (DC.) 4: 15 1830

Hydrangea acuminata Siebold & Zucc., Fl. Jap. (Siebold) 1: 110 1840

Hydrangea opuloides (Lam.) K.Koch var. *acuminata* (Siebold & Zucc.) Dieck, Haupt-Cat. Zöschen 42 1885

Hydrangea serrata (Thunb.) Ser. f. *acuminata* (Siebold & Zucc.) E.H.Wilson, J. Arnold Arbor. 4: 243 1923

Hydrangea serrata (Thunb.) Ser. var. *acuminata* (Siebold & Zucc.) Nakai, Fl. Sylv. Kor. 15: 69 1926

Hydrangea macrophylla (Thunb.) Ser. subsp. *serrata* (Thunb.) Makino f. *acuminata* (Siebold & Zucc.) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 437 1931

Hydrangea serrata (Thunb.) Ser. var. *acuminata* (Siebold & Zucc.) Nakai f. *pubescens* (Franch. & Sav.) Nakai, J. Jap. Bot. 15: 675 1939

***Hydrangea petiolaris* Siebold & Zucc., Fl. Jap. (Siebold) 1: 108 1840**

국명: 등수국(Deung-su-guk), 넌출수국, 덩굴수국, 섬수국 / (북한명) 등수국

영명: Climbing hydrangea

Hydrangea cordifolia Siebold & Zucc., Fl. Jap. (Siebold) 1: 113 1840

Hydrangea bracteata Siebold & Zucc., Fl. Jap. (Siebold) 1: 126 1841

Hydrangea scandens Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7, 10: 16 1867

Hydrangea scandens Maxim. var. *petiolaris* Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 130 1868

Hydrangea petiolaris Siebold & Zucc. var. *cordifolia* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 154 1875

Hydrangea petiolaris Siebold & Zucc. var. *ovalifolia* Franch. & Sav., Enum. Pl. Jap. 1: 154 1875

Calyptranthe petiolaris (Siebold & Zucc.) Nakai var. *cordifolia* (Siebold & Zucc.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 52 1952

Calyptranthe petiolaris (Siebold & Zucc.) Nakai var. *ovalifolia* (Franch. & Sav.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 52 1952

Hydrangea anomala D.Don subsp. *petiolaris* (Siebold & Zucc.) E.M.McClint., J. Arnold Arbor. 37: 373 1956

Hydrangea serrata* (Thunb.) Ser. f. *serrata

Hydrangea serrata (Thunb.) Ser. f. *coreana* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 266 1966

국명: 떡잎산수국(Tteok-ip-san-su-guk)

영명: Korean hydrangea

Hydrangea coreana Nakai, Chosen Shokubutsu 340 1914

Hydrangea serrata (Thunb.) Ser. var. *coreana* (Nakai) Nakai, J. Jap. Bot. 15: 676 1939

***Hydrangea serrata* (Thunb.) Ser. f. *fertilis* Nakai, Fl. Sylv. Kor. 15: 70 1926**

국명: 탐라산수국(Tam-na-san-su-guk)

영명: Jejudo hydrangea

***Kirengeshoma* Yatabe 나도승마속**

Kirengeshoma koreana Nakai, J. Jap. Bot. 11: 152 1935 Ⓟ Ⓢ

국명: 나도승마(Na-do-seung-ma), 노랑승마, 백운승마, 왜승마 / (북한명) 나도승마

영명: **Korean kirengeshoma**

Kirengeshoma palmata Yatabe var. *koreana* (Nakai) M.Kim, Korean Endemic Pl. 104 2004

***Philadelphus* L. 고광나무속**

Philadelphus schrenkii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 365 1857

국명: **고광나무**(Go-gwang-na-mu), 오이순, 쇠영꽃나무, 털고광나무, 흰털고광나무 / (북한명) 고광나무

영명: **Korean mock orange**

Philadelphus coronarius L. var. *mandshuricus* Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 10: 41 1867

Philadelphus schrenkii Rupr. var. *jackii* Koehne, Repert. Spec. Nov. Regni Veg. 10: 127 1911

Philadelphus lasiogynus Nakai, Bot. Mag. (Tokyo) 29: 67 1915

Philadelphus mandshuricus (Maxim.) Nakai, Bot. Mag. (Tokyo) 29: 66 1915

Philadelphus schrenkii Rupr. var. *mandshuricus* (Maxim.) Kitag., Lin. Fl. Manshur. 253 1939

Philadelphus tenuifolius Rupr. & Maxim. var. *schrenkii* (Rupr.) J.J.Vassil., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 8, 12: 210 1940

Philadelphus schrenkii Rupr. f. *longipedicedicellatus* Nakai, J. Jap. Bot. 19: 374 1943

Philadelphus schrenkii Rupr. var. *lasiogynus* (Nakai) W.T.Lee, Lineamenta Florae Koreae 453 1996

** *Philadelphus schrenkii* Rupr. f. *lasiogynus* (Nakai) M.Kim, Korean Endemic Pl. 308 2004

Philadelphus tenuifolius Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 133

1856

국명: **얇은잎고광나무**(Yal-beun-ip-go-gwang-na-mu), 넓은잎고광나무, 엷은잎고광나무, 왕고광나무, 양덕고광나무, 섬고광나무, 서울고광나무 / (북한명) 얇은잎고광나무

영명: **Slender-leaf mock orange**

Philadelphus coronarius L. var. *tenuifolius* (Rupr. & Maxim.) Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 10: 38 1867

Philadelphus scaber Nakai, Fl. Sylv. Kor. 15: 50 1926

Philadelphus koreanus Nakai, J. Jap. Bot. 19: 372 1943

Philadelphus robustus Nakai, J. Jap. Bot. 19: 372 1943

Philadelphus seoulensis Y.H.Chung & H.Shin, Korean J. Pl. Taxon. 21: 212 1991

Philadelphus koreanus Nakai var. *robustus* (Nakai) W.T.Lee, Lineamenta Florae Koreae 452 1996

Philadelphus koreanus Nakai f. *robustus* (Nakai) M.Kim, Korean Endemic Pl. 533 2017

Philadelphus tenuifolius Rupr. & Maxim. f. *koreanus* (Nakai) M.Kim, Korean Endemic Pl. 533 2017

Philadelphus tenuifolius Rupr. & Maxim. f. *seoulensis* (Y.H.Chung & H.Shin) M.Kim, Korean Endemic Pl. 534 2017

** *Philadelphus koreanus* Nakai f. *robustus* (Nakai) M.Kim, Korean Endemic Pl. 308 2004

***Schizophragma* Siebold & Zucc. 바위수국속**

Schizophragma hydrangeoides Siebold & Zucc., Fl. Jap. (Siebold) 1: 60, t. 26 1837

국명: **바위수국**(Ba-wi-su-guk), 바위범의귀 / (북한명) 바위수국

영명: **Rocky hydrangea vine**

Hydrangea taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 1910

PARNASSIACEAE 물매화과

Parnassia L. 물매화속

Parnassia alpicola Makino, Bot. Mag. (Tokyo) 18: 140 1904

국명: 애기물매화(Ae-gi-mul-mae-hwa), 애기물매화풀, 애기풀매화

영명: Hallasan marsh parnassus

Parnassia simplex Hayata, Bull. Soc. Bot. France ser.4, 12: 314 1912

Parnassia alpicola Makino var. *simplex* Hayata & Takeda, Bot. Mag. (Tokyo) 22: 199 1918

Parnassia alpicola Makino f. *simplex* (Hayata) Hiyama, J. Jap. Bot. 28: 152 1953

Parnassia palustris L., Sp. Pl. 1: 262 1753

국명: 물매화(Mul-mae-hwa), 물매화풀, 풀매화

영명: Marsh grass-of-parnassus

Parnassia palustris L. var. *multiseta* Ledeb., Fl. Ross. (Ledeb.) 1: 263 1842

Parnassia mucronata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 169 1843

Parnassia palustris L. f. *ussuriensis* Kom. ex Nekr., Fl. Aziat. Ross. 11: 28 1917

Parnassia multiseta (Ledeb.) Fernald, Rhodora 28: 211 1926

Parnassia palustris L. var. *syukorankeiensis* Yamam., J. Soc. Trop. Agric. 4: 306 1932

GROSSULARIACEAE 까치밥나무과

Ribes L. 까치밥나무속

Ribes burejense F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 42 1868 Ⓢ

국명: 바늘까치밥나무(Ba-neul-kka-chi-bap-na-mu) / (북한명) 바늘까치밥나무

영명: Stinky black currant

Ribes macrocalyx Hance, J. Bot. 13: 35 1875

Ribes grossularioides Hemsl., J. Linn. Soc., Bot. 23: 279 1887

Grossularia burejensis (F.Schmidt) A.Berger, New York Agric. Exp. Sta. Techn. Bull. 109: 112 1924

Ribes diacanthum Pall., Reise Russ. Reich. 3: 722 1776

국명: 가시까치밥나무(Ga-si-kka-chi-bap-na-mu) / (북한명) 가시까치밥나무

영명: Siberian currant

Ribes fasciculatum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 189 1845

국명: 개당주나무(Gae-dang-ju-na-mu), 가마귀밥여름나무, 까마귀밥나무, 까마귀밥여름나무, 좀꼬리까치밥나무 / (북한명) 까마귀밥여름나무, 북까마귀밥여름나무

영명: Winter-berry currant

Ribes japonicum Carrière, Rev. Hort. 435 1877

Ribes fasciculatum Siebold & Zucc. var. *japonicum* Jancz., Mém. Soc. Phys. Genève 35: 396 1907

Ribes fasciculatum Siebold & Zucc. var. **fasciculatum**

Ribes fasciculatum Siebold & Zucc. var. **chinense** Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 264 1874

국명: **까마귀밥나무**(Kka-ma-gwi-bap-na-mu), 가마귀밥여름나무, 까마귀밥여름나무, 꼬리까치밥나무,
북가마귀밥여름나무, 가마귀밥여름나무

영명: **Chinese winter-berry currant**

Ribes billiardii Carrière, Rev. Hort. 1867: 140 1867

Ribes chifuense Hance, J. Bot. 13: 36 1875

Ribes horridum Rupr. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 117 1859

국명: **까막바늘까치밥나무**(Kka-mak-ba-neul-kka-chi-bapna-mu), 가마귀밥, 가막바늘까치밥나무 /
(북한명) 가마바늘까치밥나무

영명: **Thorny currant**

Ribes lacustre (Pers.) Poir. var. *horridum* (Rupr. ex Maxim.) Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 238 1903

Ribes komarovii Pojark., Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 209 1936

국명: **꼬리까치밥나무**(Kko-ri-kka-chi-bap-na-mu), 이삭까치밥나무 / (북한명) 꼬리까치밥나무

영명: **Komarov's currant**

Ribes maximowiczianum Kom. var. *saxatile* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 443 1904

Ribes komarovii Pojark. var. **komarovii**

Ribes komarovii Pojark. var. **breviracemum** (Nakai) T.B.Lee, Ill. Woody Pl. Korea 268 1966

국명: **솜꼬리까치밥나무**(Jom-kko-ri-kka-chi-bap-na-mu), 솜꼬리까치밥나무 / (북한명) 좀꼬리까치밥나무

영명: **Slender-racemose currant**

Ribes distans Turcz. ex T.Mori var. *breviracemum* Nakai, Fl. Sylv. Kor. 15: 36 1926

Ribes komarovii Pojark. f. *breviracemum* (Nakai) M.Kim, Korean Endemic Pl. 534 2017

** *Ribes komarovii* Pojark. f. *breviracemum* (W.Lee) M.Kim, Korean Endemic Pl. 308 2004

Ribes komarovii Pojark. var. *breviracemum* (Nakai) W.Lee, Bull. Kor. Ass. Nat. 13: 35 1994

Ribes latifolium Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 6: 4 1906

국명: **넓은잎까치밥나무**(Neol-beun-ip-kka-chi-bap-na-mu), 넓은잎까치밥 / (북한명) 넓은잎까치밥나무

영명: **Broad-leaf currant**

Ribes mandshuricum (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 437 1904

국명: **까치밥나무**(Kka-chi-bap-na-mu) / (북한명) 까치밥나무

영명: **Manchurian currant**

Ribes multiflorum Kit. ex Schult. var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 228 1873

■ GROSSULARIACEAE 까치밥나무과

Ribes petraeum Wulfen var. *mongolicum* Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 6: 7 1883

Ribes mandshuricum (Maxim.) Kom. var. *villosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 483 1904

Ribes mandshuricum* (Maxim.) Kom. var. *mandshuricum

Ribes mandshuricum* (Maxim.) Kom. var. *subglabrum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 438 1904

국명: **개앵도나무**(Gae-aeng-do-na-mu), 산까치밥나무 / (북한명) 산까치밥나무, 개앵도나무

영명: **Hairy Manchurian currant**

Ribes mandshuricum (Maxim.) Kom. f. *subglabrum* (Kom.) Kitag., J. Jap. Bot. 34: 1959

***Ribes maximowiczianum* Kom.**, Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 443 1904

국명: **명자순**(Myeong-ja-sun), 일본까치밥나무, 조선까치밥나무, 좀까치밥나무, 참까치밥나무 / (북한명) 참까치밥나무

영명: **Common Korean currant**

Ribes maximowiczii Kom., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 239 1873

Ribes alpinum L. var. *mandshuricum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 239 1874

Ribes maximowiczianum Kom. var. *umbrosum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 443 1904

Ribes distans Turcz. ex T.Mori var. *mandshuricum* (Maxim.) Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 1906: 286 1906

Ribes tricuspe Nakai, Chosen Shokubutsu 1: 342 1914

***Ribes pauciflorum* Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 200 1844**

국명: **바위까치밥나무**(Ba-wi-kka-chi-bap-na-mu) / (북한명) 바위까치밥나무

영명: **Few-flower currant**

Ribes nigrum L. var. *pauciflorum* (Turcz. ex Ledeb.) Jancz., Mém. Soc. Phys. Genève 35: 348 1907

***Ribes procumbens* Pall., Fl.Ross. 2: 35 1815**

국명: **둥근잎눈까치밥나무**(Dung-geun-ip-nun-kka-chi-bap-na-mu)

***Ribes triste* Pall., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 10: 378 1797**

국명: **눈까치밥나무**(Nun-kka-chi-bap-na-mu), 누운까치밥나무, 누은까치밥나무 / (북한명) 누운까치밥나무

영명: **Swamp red currant**

Ribes melancholicum Siev. ex Pall., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 1(Hist.): 238 1797

Ribes albinervium Michx., Fl. Bor.-Amer. (Michaux) 1: 110 1803

Ribes rubrum Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 550 1840

Ribes propinquum Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 70 1840

Ribes rubrum Torr. & A.Gray var. *glabella* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 40 1856

Ribes rubrum Torr. & A.Gray var. *propinquum* (Turcz.) Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 40 1856

Ribes ciliosum Howell, Fl. N.W. Amer. 2: 208 1898

Ribes ussuricense Jancz., Bull. Int. Acad. Sci. Cracovie, Cl. Sci. Math. 6: 12 1906

국명: 까막까치밥나무(Kka-mak-kka-chi-bap-na-mu), 가막까치밥나무, 우수리까치밥나무 / (북한명) 까막까치밥나무

영명: Korean black currant

PITTOSPORACEAE 돈나무과

Pittosporum Banks ex Gaertn. 돈나무속

Pittosporum tobira (Thunb.) W.T.Aiton, Hort. Kew. ed. 2, 2: 27 1811

국명: 돈나무(Don-na-mu), 갯똥나무, 섬엄나무, 섬음나무, 음나무, 해동 / (북한명) 섬엄나무, 섬음나무, 돈나무, 해동, 갯똥

영명: Australian laurel

Euonymus tobira Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 238 1784

Pittosporum tobira (Thunb.) W.T.Aiton var. *macrophyllum* Nakai, Bot. Mag. (Tokyo) 41: 501 1927

Pittosporum tobira (Thunb.) W.T.Aiton var. *lanntum* Masam., Trans. Nat. Hist. Soc. Formos. 25: 13 1935

ROSACEAE 장미과

Agrimonia L. 짚신나물속

Agrimonia coreana Nakai, Rep. Veg. Diamond Mountains 72 1918

국명: 산짚신나물(San-jip-sin-na-mul), 산집신나물, 큰집신나물, 큰짚신나물 / (북한명) 산집신나물

영명: Korean agrimony

Agrimonia coreana Nakai f. *pilosella* Sakata, J. Chosen Nat. Hist. Soc. 20: 20 1935

Agrimonia velutina Juz., Fl. URSS 10: 420, 636, t.25: 5 1941

Agrimonia pilosa Ledeb. var. *coreana* (Nakai) Liou & M.Cheng, Fl. Pl. Herb. Chin. Bor.-Or. 2: 94 1959

Agrimonia tokatiensis Koji Ito, J. Geobot. 9: 69 1961

Agrimonia gorovii Rumjantsev, Bot. Zhurn. (Moscow & Leningrad) 72: 1258 1987

국명: 고로보이짚신나물(Go-ro-bo-i-jip-sin-na-mul)

Agrimonia nipponica Koidz., Bot. Mag. (Tokyo) 44: 104 1930

국명: 좀짚신나물(Jom-jip-sin-na-mul)

영명: Small hairy agrimony

Agrimonia pilosa Ledeb. f. *nipponica* (Koidz.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 76 1953

Agrimonia pilosa Ledeb. var. *nipponica* (Koidz.) Kitam., Acta Phytotax. Geobot. 20: 199 1962

Agrimonia pilosa Ledeb., Ind. Sem. Hort. Dorpat. Suppl. 1 1823

■ ROSACEAE 장미과

국명: 짚신나물(Jip-sin-na-mul), 등골짚신나물, 북짚신나물, 산짚신나물, 집신나물, 큰골짚신나물 /
(북한명) 집신나물, 랑아, 롱아초

영명: Hairy agrimony

- Agrimonia davarica* (Link) Willd., Prodr. (DC.) 2: 587 1825
Agrimonia viscidula Bunge var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 38 1867
Agrimonia japonica (Miq.) Koidz., Bot. Mag. (Tokyo) 44: 104 1930
Agrimonia pilosa Ledeb. f. *bracteata* Nakai, Bot. Mag. (Tokyo) 47: 245 1933
Agrimonia pilosa Ledeb. f. *davarica* (Link) Nakai, Bot. Mag. (Tokyo) 47: 245 1933
Agrimonia pilosa Ledeb. var. *japonica* (Miq.) Nakai, Bot. Mag. (Tokyo) 47: 245 1933
Agrimonia pilosa Ledeb. subsp. *japonica* (Miq.) H.Hara, J. Jap. Bot. 43: 398 1968

Amelanchier Medik. 채진목속

Amelanchier asiatica (Siebold & Zucc.) Endl. ex Walp., Repert. Bot. Syst. (Walpers) 2: 55 1843 Ⓢ

국명: 채진목(Chae-jin-mok), 독요나무 / (북한명) 독요나무, 채진목

영명: Asian serviceberry

- Aronia asiatica* Siebold & Zucc., Fl. Jap. (Siebold) 1: 87 1839
Amelanchier canadensis (L.) Medik. var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 41 1867
Amelanchier japonica K.Koch, Dendrologie 1: 179 1869
Amelanchier canadensis (L.) Medik. var. *asiatica* Koidz., Bot. Mag. (Tokyo) 23: 171 1909
Pyrus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 1909
Pyrus vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 200 1909

Argentina Hill 눈양지꽃속

Argentina egedii (Wormsk. ex Hornem.) Rydb., Monogr. N. Amer. Potent. 158 1898

국명: 눈양지꽃(Nun-yang-ji-kkot), 누운딱지꽃, 누운양지꽃 / (북한명) 누운딱지꽃, 누운양지꽃

영명: Greenland cinquefoil

- Potentilla egedii* Wormsk. ex Hornem., Fl. Dan. 9: 5 1818
Potentilla anserina L. var. *groenlandica* Tratt., Rosac. Monogr. 4: 13 1824
Potentilla anserina L. var. *egedii* (Wormsk. ex Hornem.) Torr. et A. Gray, Fl. N. Amer. 1: 444 1840
Potentilla anserina L. subsp. *egedii* (Wormsk. ex Hornem.) Hitt., Suom. Kasvio 449 1933
Potentilla egedii Wormsk. ex Hornem. var. *groenlandica* (Tratt.) Polunin, Rhodora 41: 40 1939
Argentina anserina (L.) Rydb. subsp. *egedii* (Wormsk. ex Hornem.) Á.Löve & Ritchie, Canad. J. Bot. 44: 435 1966
Argentina anserina (L.) Rydb. subsp. *groenlandica* (Tratt.) Á.Löve, Taxon 19: 300 1970

Aruncus L. 개승마속

Aruncus aethusifolius (H.Lév.) Nakai, Bot. Mag. (Tokyo) 26: 324 1912 Ⓣ Ⓢ

국명: 한라개승마(Han-ra-gae-seung-ma) / (북한명) 한라개승마

영명: Korean goatsbeard

- Astilbe thunbergii* (Siebold & Zucc.) Miq. var. *aethusifolia* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 1910
Aruncus dioicus (Walter) Fernald var. *aethusifolius* (H.Lév.) H.Hara, J. Jap. Bot. 30: 69 1955

Aruncus dioicus (Walter) Fernald, Rhodora 41: 423 1939

국명: 눈개승마(Nun-gae-seung-ma), 삼나물, 죽토자 / (북한명) 눈개승마

영명: Kamchatka goatsbeard

Actaea dioica Walter, Fl. Carol. [Walter] 152 1788

Aruncus sylvester Kostel. ex Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 169 1879

Aruncus sylvester Kostel. ex Maxim. var. *kamtschaticus* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 170 1879

Aruncus kamtschaticus (Maxim.) Rydb., N. Amer. Fl. 22: 256 1908

Aruncus sylvester Kostel. ex Maxim. var. *tomentosa* Koidz., Bot. Mag. (Tokyo) 23: 167 1909

Aruncus kamtschaticus (Maxim.) Rydb. var. *tomentosa* (Koidz.) Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 1935

Aruncus vulgaris Raf. var. *americanus* (Pers.) H.Hara, Bot. Mag. (Tokyo) 59: 115 1935

Aruncus kyusianus Koidz., Acta Phytotax. Geobot. 5: 41 1936

Aruncus tomentosus Koidz., Acta Phytotax. Geobot. 5: 41 1936

Aruncus vulgaris Raf. var. *tomentosus* (Koidz.) Nemoto, Fl. Jap. Suppl. 305 1936

Aruncus sylvester Kostel. ex Maxim. var. *tenuifolius* Nakai ex H.Hara, J. Jap. Bot. 13: 387 1937

Aruncus dioicus (Walter) Fernald var. *kamtschaticus* (Maxim.) H.Hara, J. Jap. Bot. 30: 68 1955

Aruncus dioicus (Walter) Fernald var. *tenuifolius* (Nakai) H.Hara, J. Jap. Bot. 30: 68 1955

Aruncus dioicus (Walter) Fernald var. *asiaticus* (Pojark.) Kitag., Neolin. Fl. Manshur. 361 1979

Chamaerhodos Bunge 좀낭아초속

Chamaerhodos erecta (L.) Bunge, Fl. Altaic. 1: 430 1829

국명: 좀낭아초(Jom-nang-a-cho), 검정풀매화, 애기짚신나물, 좀낭마초 / (북한명) 좀낭아초

영명: Ground little rose

Sibbaldia erecta L., Sp. Pl. 1: 284 1753

Sibbaldia polygyna Willd. ex Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 6: 770 1820

Chamaerhodos erecta (L.) Bunge var. *adscensens* Ledeb., Fl. Ross. (Ledeb.) 2: 34 1844

Chamaerhodos erecta (L.) Bunge var. *stricta* Ledeb., Fl. Ross. (Ledeb.) 2: 34 1844

Chamaerhodos micrantha J.Krause, Repert. Spec. Nov. Regni Veg. Beih. 12: 411 1922

Chamaerhodos songarica Juz., Fl. URSS 10: 239, 615 1941

Comarum L. 검은낭아초속

Comarum palustre L., Sp. Pl. 1: 502 1753

국명: 검은낭아초(Geom-eun-nang-a-cho), 검은꽃낭아초, 자주쇠스랑개비 / (북한명) 검은꽃낭아초

영명: Purple marshlocks

Fragaria palustris (L.) Crantz, Stirp. Austr. Fasc. 2: 11 1763

Potentilla palustris (L.) Scop., Fl. Carniol. ed. 2 1: 359 1771

Comarum palustre L. var. *villosum* Pers., Syn. Pl. (Persoon) 2: 58 1806

Potentilla comarum Nestl., Monogr. Potentilla (Nestler) 36 1816

Cotoneaster Medik. 섬개야광나무속

Cotoneaster integrifolius Medik., Gesch. Bot. 85 1793

■ ROSACEAE 장미과

국명: **동근잎개야광**(Dung-geun-ip-gae-ya-gwang), 개야광나무, 북선야광나무, 조선섬야광나무, 조선야광나무 / (북한명) 조선섬야광나무, 조선개야광나무

영명: **Common cotoneaster**

Mespilus cotoneaster L., Sp. Pl. 1: 479 1753

Ostnia cotoneaster (L.) Clairv., Man. Herbor. Suisse 162 1811

Cotoneaster vulgaris Lindl., Trans. Linn. Soc. London 13: 101 1822

Cotoneaster vulgaris Lindl. var. *erythrocarpa* Ledeb., Fl. Altaic. 2: 219 1830

Cotoneaster vulgaris Lindl. var. *haematoxarpa* Rupr., Fl. Ingr. [Ruprecht] 350 1860

Gymnopyrenium vulgare (Lindl.) Dulac, Fl. Hautes-Pyrénées 316 1867

Cotoneaster integrifolius Medik. var. *erythrocarpa* (Ledeb.) Krylov, Fl. Zapadnoi Sibiri 7: 1461 1933

Cotoneaster wilsonii Nakai, Bot. Mag. (Tokyo) 32: 104 1918 Ⓟ Ⓢ

국명: **섬개야광나무**(Seom-gae-ya-gwang-na-mu), 섬개야광, 섬야광나무 / (북한명) 섬야광나무, 섬개야광나무

영명: **Ulleungdo cotoneaster**

***Crataegus* L. 산사나무속**

Crataegus maximowiczii C.K.Schneid., Ill. Handb. Laubholzk. 1: 771 1906

국명: **아광나무**(A-gwang-na-mu), 뫼산사나무, 뫼찔광나무, 산산사나무, 야광나무 / (북한명) 뫼찔광나무, 뫼산사나무

영명: **Maximowicz's hawthorn**

Crataegus sanguinea Pall. var. *villosa* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 131 1857

Crataegus altaica var. *villosa* (Rupr.) Lange, Revis. Cratag. 42 1897

Crataegus sanguinea Pall., J. Coll. Sci. Imp. Univ. Tokyo 26: 179 1909

Mespolus sanguinea var. *villosa* (Rupr.) Asch. & Graebn., Syn. Mitteleur. Fl. 6: 43 1909

Crataegus pinnatifida Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 26 1833

국명: **산사나무**(San-sa-na-mu), 동배, 산사, 아가위나무, 아그배나무, 애광나무, 질배나무, 질구배나무, 가새잎산사나무 / (북한명) 칠광나무, 산사나무, 아가위나무

영명: **Mountain hawthorn**

Mespilus pinnatifida K.Koch, Dendrologie 1: 152 1869

Crataegus oxyacantha L. var. *pinnatifida* (Bunge) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 118 1871

Mespilus pentagyna Spreng. var. *pinnatifida* (Bunge) Wenz., Linnaea 39: 151 1874

Crataegus pinnatifida Bunge var. *major* N.E.Br., Gard. Chron. n. ser. 26: 621 1886

Crataegus pinnatifida Bunge var. *songarica* Dippel, Handb. Laubholzk. 3: 447 1893

Mespilus pinnatifida K.Koch var. *songarica* Asch. & Graebn., Syn. Mitteleur. Fl. 6: 43 1906

Crataegus korolkowii Regel ex C.K.Schneid., Ill. Handb. Laubholzk. 1: 770 1906

Crataegus tatarica C.K.Schneid., Ill. Handb. Laubholzk. 1: 770 1906

Crataegus coreana H.Lév., Repert. Spec. Nov. Regni Veg. 7: 197 1909

Crataegus coreanus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 197 1909

Mespilus korolkowi Asch. & Graebn., Syn. Mitteleur. Fl. 6: 43 1909

Crataegus pinnatifida Bunge var. *korolkowi* Y.Yabe, Enum. Pl. S. Manch. 63 1912

Crataegus pinnatifida Bunge f. *bracteata* Nakai, J. Jap. Bot. 13: 872 1937

Crataegus pinnatifida Bunge var. *partita* Nakai ex Chung, Ill. Woody Pl. Korea 284 1942

Crataegus pinnatifida Bunge f. *partita* (Nakai ex Chung) M.Kim, Korean Endemic Pl. 311 2004

Crataegus pinnatifida* Bunge var. *pinnatifida

Crataegus pinnatifida* Bunge var. *pilosa C.K.Schneid., Ill. Handb. Laubholzk. 1: 796 1906

국명: 텔산사(Teol-san-sa), 텔산사나무, 텔이광나무, 텔찔광나무 / (북한명) 좁은잎찔광나무

영명: Hairy Korean hawthorn

Crataegus pinnatifida Bunge f. *psilosa* (C.K.Schneid.) Kitag., Neolin. Fl. Manshur. 364 1979

***Dasiphora* Raf. 물싸리속**

***Dasiphora fruticosa* (L.) Rydb.**, Monogr. N. Amer. 188 1898

국명: 물싸리(Mul-ssa-ri)

영명: Stiff shrubby cinquefoil

Potentilla fruticosa L., Sp. Pl. 1: 495 1753

Potentilla arbuscula D.Don, Prodr. Fl. Nepal. 256 1825

Dasiphora riparia Raf., Autik. Bot. 167 1840

Potentilla rigidula Wall. ex Lehm., Revis. Potentill. 19 1856

Potentilla fruticosa L. var. *arbuscula* (D.Don) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 159 1873

Potentilla fruticosa L. var. *rigida* (Wall. ex Lehm.) Th.Wolf, Biblioth. Bot. 71: 57 1908

Potentilla fruticosa L. var. *leucantha* Makino, Bot. Mag. (Tokyo) 24: 32 1910

Potentilla semiglabra Juz., Weed Fl. USSR 3: 124 1934

Pentaphylloides fruticosa (L.) O. Schwarz, Mitt. Thüring. Bot. Ges. 1: 105 1949

***Dryas* L. 담자리꽃나무속**

Dryas octopetala* L. var. *octopetala

Dryas octopetala* L. var. *asiatica (Nakai) Nakai, Fl. Sylv. Kor. 7: 47, t. 17 1918

국명: 담자리꽃나무(Dam-ja-ri-kkot-na-mu), 담자리꽃 / (북한명) 담자리꽃

영명: Asian eight-petal dryas

Dryas ajanensis Juz., Izv. Glavn. Bot. Sada SSSR 28: 318 1929

Dryas nervosa Juz., Izv. Glavn. Bot. Sada SSSR 28: 320 1929

Dryas tschonoskii Juz., Izv. Glavn. Bot. Sada SSSR 28: 319 1929

Dryas octopetala L. f. *asiatica* Nakai, Bot. Mag. (Tokyo) 46: 606 1932

Dryas octopetala L. subsp. *ajanensis* (Juz.) Hultén, Fl. Alaska Yukon 6: 1946

Dryas octopetala L. subsp. *nervosa* (Juz.) Hultén, Fl. Alaska Yukon 6: 1946

Dryas octopetala L. subsp. *tschonoskii* (Juz.) Hultén, Fl. Alaska Yukon 6: 1046 1946

***Duchesnea* Sm. 뱀딸기속**

■ ROSACEAE 장미과

Duchesnea chrysanthia (Zoll. & Moritzi) Miq., Fl. Ned. Ind. 1: 372 1855

국명: 산뱀딸기(San-baem-ttal-gi), 뱀딸기

Potentilla wallichiana Ser., Prodr. (DC.) 2: 574 1825

Fragaria chrysanthia Zoll. & Moritzi, Syst. Verz. (Moritzi et al.) 7 1846

Fragaria indica Andrews var. *wallichii* Franch. & Sav., Enum. Pl. Jap. 1: 129 1873

Potentilla wallichiana Ser. f. *robusta* Franch. & Sav., Enum. Pl. Jap. 1 1873

Potentilla indica (Andrews) Th.Wolf var. *wallichii* (Franch. & Sav.) Th.Wolf, Biblioth. Bot. 71: 666 1908

Potentilla wallichiana Ser. var. *robusta* (Franch. & Sav.) Th.Wolf, Biblioth. Bot. 71: 412 1908

Potentilla wallichiana Ser. var. *minor* Nakai, Repert. Spec. Nov. Regni Veg. 13: 276 1914

Potentilla wallichiana Ser. var. *anemonefolia* (Lehm.) Nakai, Bot. Mag. (Tokyo) 30: 233 1916

Duchesnea wallichiana (Ser.) Nakai ex H.Hara, J. Jap. Bot. 10: 22 1934

Duchesnea formosana Odash., J. Soc. Trop. Agric. 7: 79 1935

Duchesnea indica (Andrews) Teschem., Hort. Reg. & Gard. Mag. 1: 460 1835

국명: 뱀딸기(Baem-ttal-gi), 배암딸기, 큰배암딸기, 흥실뱀딸기, 민뱀딸기 / (북한명) 뱀딸기

영명: Wrinkled mock strawberry

Fragaria indica Andrews, Bot. Repos. 7: t. 479 1807

Potentilla denticulosa Ser., DC., Prodr. 2: 573 1825

Potentilla indica (Andrews) Th.Wolf, Syn. Mitteleur. Fl. 6: 661 1904

Potentilla indica (Andrews) Th.Wolf var. *serrulata* Th.Wolf, Biblioth. Bot. 16: 666 1908

Duchesnea indica (Andrews) Focke var. *major* Makino, Bot. Mag. (Tokyo) 28: 184 1914

Duchesnea major (Makino) Makino, J. Jap. Bot. 2: 19 1921

Exochorda Lindl. 가침박달속

Exochorda serratifolia S.Moore, Hooker's Icon. Pl. ser. 3, 13: t. 1255 1878 Ⓢ

국명: 가침박달(Ga-chim-bak-dal), 까침박달 / (북한명) 가침박달

영명: Korean pearl bush

Exochorda racemosa (Lindl.) Rehder subsp. *serratifolia* (S.Moore) F.Y.Gao & Maesen, Exochorda: five species or one?
(Gao) 96 1998

Exochorda serratifolia S.Moore var. *serratifolia*

Exochorda serratifolia S.Moore var. *oligantha* Nakai, Bot. Mag. (Tokyo) 42: 469 1928

국명: 털가침박달(Teol-ga-chim-bak-dal)

영명: Hairy Korean pearl bush

Exochorda serratifolia S.Moore f. *oligantha* (Nakai) M.Kim, Korean Endemic Pl. 311 2004

Filipendula Mill. 터리풀속

Filipendula camtschatica (Pall.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 248 1879

국명: 큰터리풀(Keun-teo-ri-pul)

영명: Giant meadowsweet

Spiraea camtschatica Pall., Fl. Ross. (Pallas) 1: 41 1784

Filipendula formosa Nakai, Repert. Spec. Nov. Regni Veg. 13: 274 1914 ⓘ

국명: 지리터리풀(Ji-ri-teo-ri-pul), 지리산터리풀 / (북한명) 지리산터리풀

영명: Jiri meadowsweet

Filipendula glaberrima Nakai, Repert. Spec. Nov. Regni Veg. 13: 274 1914

국명: 터리풀(Teo-ri-pul), 민터리풀 / (북한명) 터리풀

영명: Korean meadowsweet

Filipendula palmata (Pall.) Maxim. var. *glabra* Ledeb. ex Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 650 1932

Filipendula glabra Nakai ex Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 653 1932

Filipendula yezoensis Shimizu, J. Fac. Liberal Arts Shinshu Univ., Part 2, Nat. Sci. Ueda 26(A) 10: 8 1961

Filipendula camtschatica (Pall.) Maxim. subsp. *glaberrima* (Nakai) Vorosch., Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 96: 126 1991

* *Filipendula camtschatica* (Pall.) Maxim. var. *glaberrima* Nakai, Bot. Mag. (Tokyo) 27: 129 1913

Filipendula koreana (Nakai) Nakai, Rep. Veg. Mt. Waigalbon 35 1916

국명: 붉은터리풀(Bul-geun-teo-ri-pul)

영명: Red Korean meadowsweet

Filipendula multijuga Maxim. var. *koreana* Nakai, Bot. Mag. (Tokyo) 13: 274 1914

Filipendula multijuga Maxim. var. *alba* Nakai, Repert. Spec. Nov. Regni Veg. 13: 274 1914

Filipendula koreana (Nakai) Nakai f. *alba* (Nakai) Kitag., J. Jap. Bot. 36: 23 1961

Filipendula yezoensis Shimizu f. *alba* (Nakai) Shimizu, J. Fac. Liberal Arts Shinshu Univ., Part 2, Nat. Sci. Ueda 26(A) 10: 9 1961

Filipendula multijuga Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 247 1879

국명: 참터리풀(Cham-teo-ri-pul), 단풍터리풀

영명: Multi-ridge meadowsweet

Filipendula palmata (Pall.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 250 1879

국명: 단풍터리풀(Dan-pung-teo-ri-pul), 강계터리풀, 단풍터리, 흰터리풀 / (북한명) 단풍터리풀

영명: Siberian meadowsweet

Spiraea palmata Thunb., Fl. Jap. (Thunberg) 212 1784

Spiraea digitata Willd., Sp. Pl. (ed.4) 2: 1061 1799

Ulmaria palmata Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 201 1909

Filipendula rufinervis Nakai, Bot. Mag. (Tokyo) 26: 35 1912

Filipendula nuda Grubov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.R. 12: 112 1950

Filipendula palmata (Pall.) Maxim. f. *nuda* (Grubov) Shimizu, J. Fac. Liberal Arts Shinshu Univ., Part 2, Nat. Sci. Ueda 26(A) 10: 14 1961

■ ROSACEAE 장미과

Fragaria L. 딸기속

Fragaria mandshurica Staudt, Bot. Jahrb. Syst. 124: 401 2003

국명: 맷딸기(Ttat-ttal-gi) / (북한명) 따딸기

영명: Northeast Asian wild strawberry

Fragaria yezoensis H.Hara, J. Jap. Bot. 20: 118 1944

Fragaria nipponica Makino var. *yezoensis* (H.Hara) Kitam., Acta Phytotax. Geobot. 20: 199 1962

** *Fragaria nipponica* Makino var. *mandshurica* (Staudt) Y.N.Lee, Bull. Korea Pl. Res. 3: 10 2003

Fragaria nipponica Makino subsp. *nipponica*

Fragaria nipponica Makino subsp. *chejuensis* Staudt & Olbricht, Bot. Jahrb. Syst. 127(3): 330 2008 ®

국명: 흰땃딸기(Huin-ttat-ttal-gi), 산땃딸기, 흰땅딸기, 흰따딸기, 흰뱀딸기 / (북한명) 흰따딸기

영명: White wild strawberry

Geum L. 뱜무속

Geum aleppicum Jacq., Icon. Pl. Rar. (Jacquin) 1: 10, Pl. 93 1786

국명: 큰뱀무(Keun-baem-mu), 큰배암무 / (북한명) 큰뱀무

영명: Yellow avens

Geum strictum Aiton, Hort. Kew. (Hill) 2: 217 1789

Geum vidalii Franch. & Sav., Enum. Pl. Jap. 2: 335 1877

Geum sachalinense H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 1910

Geum aleppicum Jacq. var. *bipinnatum* (Batalin) F.Bolle ex Hand.-Mazz., Symb. Sin. 7: 523 1933

Geum potaninii Juz., Fl. URSS 10: 255 1941

Geum japonicum Thunb., Fl. Jap. (Thunberg) 220 1784

국명: 뱜무(Baem-mu), 배암무 / (북한명) 뱜무

영명: Asian herb bennet

Geum iyoanum Koidz., Acta Phytotax. Geobot. 2: 137 1933

Malus Mill. 사과나무속

Malus baccata (L.) Borkh., Theor. Prakt. Handb. Forstbot. 2: 1280 1803

국명: 야광나무(Ya-gwang-na-mu), 당아그배나무, 동배나무, 들배나무, 아가위나무, 아그배나무 / (북한명) 야광나무, 동배나무, 아그배나무, 아가위나무, 들배나무

영명: Siberian crabapple

Pyrus baccata L., Mant. Pl. 1: 75 1767

Malus rossica Medik., Gesch. Bot. 78 1793

Malus sibirica Borkh., Arch. Bot. (Leipzig) 1: 89 1798

Malus cerasifera Spach, Hist. Nat. Veg. (Spach) 2: 152 1834

- Malus baccata* (L.) Borkh. var. *leiostyla* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 132 1857
- Pyrus prunifolia* Maxim., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 9: 471 1859
- Pyrus microcarpa* H.Wendl. ex K.Koch, Dendrologie 1: 211 1869
- Malus microcarpa* Carrière var. *baccata* (L.) Carrière, Étud. Gén. Pommier. 68 1883
- Malus baccata* (L.) Borkh. var. *sibirica* (Maxim.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 720 1906
- Malus baccata* (L.) Borkh. f. *jackii* Rehder, Pl. Wilson. 2: 291 1915
- Malus pallasiana* Juz., Fl. URSS 9: 370 1939
- Malus baccata* (L.) Borkh. var. *mandshurica* (Maxim.) C.K.Schneid. f. *jackii* (Rehder) Uyeki, Woody Pl. Distr. Chosen 1: 44 1940
- Malus baccata* (L.) Borkh. f. *minor* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 274 1966
- Pyrus baccata* L. var. *sibirica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 170 1973

Malus komarovii (Sarg.) Rehder, J. Arnold Arbor. 2: 51 1920 ⑧

국명: 이노리나무(I-no-ri-na-mu), 왕이노리나무, 텔이노리나무 / (북한명) 이노리나무

영명: Komarov's hawthorn

- Crataegus komarovii* Sarg., Pl. Wilson. 1: 183 1912
- Sinomalus tenuifolia* Koidz., Acta Phytotax. Geobot. 1: 12 1932
- Sinomalus komarovii* (Sarg.) Honda, Bot. Mag. (Tokyo) 47: 287 1933
- ! *Crataegus tenuifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 435 1901

Malus mandshurica (Maxim.) Kom. ex Skvortsov, Izv. Glavn. Bot. Sada RSFSR 1: 146 1925

국명: 텔야광나무(Teol-ya-gwang-na-mu), 개귀타리나무, 동배나무, 만주아그배나무, 아가위나무, 팔배나무 / (북한명) 텔야광나무

영명: Hairy Siberian crabapple

- Pyrus baccata* L. var. *mandshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 170 1873
- Malus baccata* (L.) Borkh. var. *mandshurica* (Maxim.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 721 1906
- Malus baccata* (L.) Borkh. var. *mandshurica* (Maxim.) C.K.Schneid. f. *latifolia* Matsum., Index Pl. Jap. 2: 202 1912

Malus micromalus Makino, Bot. Mag. (Tokyo) 22: 69 1908

국명: 개아그배나무(Gae-a-geu-bae-na-mu), 개아그배, 장기아그배나무, 제주아그배, 좀아그배나무 / (북한명) 좀아그배나무

영명: Midget crabapple

- Pyrus spectabilis* Aiton var. *kaido* G.Kirchn., Arbor. Muscav. 326 1864
- Pyrus ringo* Wenz. var. *kaido* (G.Kirchn.) Wenz., Linnaea 39: 37 1874
- Malus microcarpa* Carrière var. *kaido* (G.Kirchn.) Carr, Étud. Gén. Pommier. 70 1883
- Pyrus kaido* Mouill., Traite Arbr. Arbriss. 1: 524 1893
- Malus spectabilis* Borkh. var. *micromalus* (Makino) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 89 1913
- Pyrus micromalus* (Makino) L.H.Bailey, Rhodora 15: 155 1916

Malus toringo (Siebold) de Vriese, Tuinb.-Fl. 3: 368, t. 17 1856

국명: 아그배나무(A-geu-bae-na-mu), 삼엽매지나무, 시볼드아그배나무 / (북한명) 야그배나무

■ ROSACEAE 장미과

영명: Three-lobe crabapple

- Sorbus toringo* Siebold, Jaarb. Kon. Ned. Maatsch. Tuinb. 1848: 47 1848
Pyrus rivularis Gray, Mem. Amer. Acad. Arts 6: 388 1857
Pyrus sieboldii Regel, Index Seminum [St.Petersburg (Petropolitanus)] 1858: 51 1859
Pyrus toringo (Siebold) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 41 1867
Pyrus mengo Siebold ex K.Koch, Dendrologie 1: 213 1869
Pyrus rivularis Gray var. *toringo* (Siebold) Wenz., Linnaea 38: 39 1874
Pyrus toringo (Siebold) Miq. var. *incisa* Franch. & Sav., Enum. Pl. Jap. 2: 350 1879
Malus microcarpa Carrière, Étud. Gén. Pommier. 61 1883
Malus sargentii Rehder, Trees & Shrubs 1: 71 1905
Malus toringo (Siebold) de Vriese var. *sargentii* (Rehder) C.K.Schneid., Ill. Handb. Laubholzk. 1: 723 1906
Malus baccata (L.) Borkh. subsp. *toringo* (Siebold) Koidz., Bot. Mag. (Tokyo) 25: 74 1911
Malus toringo (Siebold) de Vriese var. *rosea* Nakai, Chosen Shokubutsu 297 1914
Malus sieboldii (Regel) Rehder var. *koringo* (Franch. & Sav.) Koidz. subvar. *incisa* (Franch. & Sav.) Koidz., Bot. Mag. (Tokyo) 30: 331 1916
Malus sieboldii (Regel) Rehder var. *koringo* (Franch. & Sav.) Koidz., Bot. Mag. (Tokyo) 30: 331 1916
Malus toringo (Siebold) de Vriese var. *koringo* (Franch. & Sav.) Koidz. subvar. *sargentii* (Rehder) Koidz., Bot. Mag. (Tokyo) 30: 331 1916

***Neillia* D.Don 나도국수나무속**

Neillia uekii Nakai, Bot. Mag. (Tokyo) 26: 3 1912

국명: 나도국수나무(Na-do-guk-su-na-mu), 조팝나무아재비 / (북한명) 나도국수나무

영명: Northeast Asian neillia

Neillia millsii Dunn, Bull. Misc. Inform. Kew 1912: 108 1912

***Pentactina* Nakai 금강인가목속**

Pentactina rupicola Nakai, Bot. Mag. (Tokyo) 31: 17 1917 (E)

국명: 금강인가목(Geum-gang-in-ga-mok), 금강국수나무

영명: Korean pentactina

***Pourthiaeae* Decne. 윤노리나무속**

Pourthiaeae villosa (Thunb.) Decne., Nouv. Arch. Mus. Hist. Nat. 10: 147 1874

국명: 윤노리나무(Yun-no-ri-na-mu), 긴윤노리나무, 꼭지윤노리, 꼭지윤노리나무, 꼭지윤여리, 참윤여리,
떡윤노리나무, 민윤노리나무, 떡잎윤노리나무, 털윤노리나무 / (북한명) 윤노리나무, 잔털윤노리나무

영명: Oriental photinia

Crataegus villosa Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 461 1784

Myrtus laevis Thunb., Fl. Jap. (Thunberg) 198 1784

Mespilus laevis Lam., Encycl. (Lamarck) 4: 445 1798

Photinia villosa (Thunb.) DC., Prodr. (DC.) 2: 631 1825

- Photinia laevis* (Thunb.) DC., Prodr. (DC.) 2: 631 1825
Photinia arguta Wall. ex Lindl., Edward's Bot. Reg. 23: sub. Pl. 1956 1837
Stranyaesia digyna Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 129 1845
Pourthiaeae cotoneaster Decne., Nouv. Arch. Mus. Hist. Nat. 10: 147 1874
Photinia arguta Wall. ex Lindl. var. *laevis* Wenz., Linnaea 38: 92 1874
Pourthiaeae coreana Decne., Nouv. Arch. Mus. Hist. Nat. 10: 148 1874
Pourthiaeae oldhamii Decne., Nouv. Arch. Mus. Hist. Nat. 10: 149 1874
Pourthiaeae thunburgii Decne., Nouv. Arch. Mus. Hist. Nat. 10: 149 1874
Pourthiaeae zollingeri Decne., Nouv. Arch. Mus. Hist. Nat. 10: 149 1874
Photinia variabilis Hemsl., J. Linn. Soc., Bot. 23: 263 1887
Photinia villosa (Thunb.) DC. var. *laevis* (Thunb.) Dippel, Handb. Laubholzk. 3: 380 1893
Pourthiaeae variabilis Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 76 1899
Pourthiaeae villosa (Thunb.) Decne. var. *zollingeri* (Decne.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 710 1906
Pyrus brunnea H.Lév., Repert. Spec. Nov. Regni Veg. 10: 377 1911
Pyrus spectabilis Aiton var. *albescens* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 377 1912
Pourthiaeae villosa (Thunb.) Decne. var. *brunnea* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 30: 25 1916
Pourthiaeae villosa (Thunb.) Decne. var. *longipes* Nakai, Bot. Mag. (Tokyo) 30: 25 1916
Pourthiaeae villosa (Thunb.) Decne. var. *coreana* Nakai, Bot. Mag. (Tokyo) 30: 25 1916
Pourthiaeae laevis (Thunb.) Koidz. var. *villosa* (Thunb.) Koidz., Fl. Symb. Orient.-Asiat. 52 1930
Pourthiaeae laevis (Thunb.) Koidz. var. *zollingeri* (Decne.) Koidz., Fl. Symb. Orient.-Asiat. 52 1930
Pourthiaeae laevis (Thunb.) Koidz., Fl. Symb. Orient.-Asiat. 52 1930
Pourthiaeae villosa (Thunb.) Decne. var. *laevis* (Thunb.) Stapf, Bot. Mag. 155: t. 9275 1932
Pourthiaeae longipes Nakai, Bot. Mag. (Tokyo) 48: 781 1934
Pourthiaeae villosa (Thunb.) Decne. var. *yokohamensis* Nakai, J. Jap. Bot. 18: 618 1942
Crataegus laevis Thunb., Fl. Jap., revised ed., [Ohwi] 204 1965
Photinia villosa (Thunb.) DC. var. *brunnea* (H.Lév.) M.Kim, Korean Endemic Pl. 196 2017
Photinia villosa (Thunb.) DC. var. *zollingeri* (Decne.) M.Kim, Korean Endemic Pl. 197 2017

***Physocarpus* (Cambess.) Raf. 산국수나무속**

***Physocarpus amurensis* (Maxim.) Maxim.**, Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 221 1879

국명: 산국수나무(San-guk-su-na-mu), 타래조팝나무 / (북한명) 산국수나무

영명: Amur ninebark

Spiraea amurensis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 90 1859

Opulaster amurensis (Maxim.) Kuntze, Revis. Gen. Pl. 2: 949 1891

Physocarpus ribesifolia Kom., Izv. Bot. Sada Akad. Nauk S.S.R 30: 202 1932

***Potentilla* L. 양지꽃속**

***Potentilla anemonifolia* Lehm.**, Index Sem. (Hamburg) 9 1853

국명: 가락지나물(Ga-rak-ji-na-mul), 가는잎쇠스랑개비, 소스랑개비, 쇠스랑개비, 아기쇠스랑개비,
작은잎가락지나물, 큰잎가락지나물 / (북한명) 쇠스랑개비, 가락지나물

영명: Anemone cinquefoil

■ ROSACEAE 장미과

Potentilla kleiniana Wight & Arn. var. *anemonefolia* (Lehm.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 58 1952
Potentilla kleiniana Wight & Arn. subsp. *anemonefolia* (Lehm.) Murata, Acta Phytotax. Geobot. 21: 89 1965
Potentilla kleiniana Wight & Arn. var. *robusta* (Th.Wolf) Kitag., Neolin. Fl. Manshur. 373 1979
Potentilla sundaica (Blume) W.Theob. var. *robusta* (Franch. & Savatier) Kitag., J. Jap. Bot. 55: 267 1980

Potentilla ancistrifolia Bunge, Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 99 1833

국명: **당양지꽃**(Dang-yang-ji-kkot), 바위뱀딸, 바위뱀무, 바위양지꽃 / (북한명) 바위양지꽃, 바위뱀딸기

영명: **Wrinkled cinquefoil**

Potentilla rugulosa Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 260 1937
Potentilla aemulans Juz., Fl. URSS 10: 214, 614 1941
Potentilla ancistrifolia Bunge var. *rugulosa* (Kitag.) Liou & C.Y.Li, Fl. Pl. Herb. Chin. Bor.-Or. 5: 21 1976

Potentilla baekdusanensis M.Kim, Korean J. Pl. Taxon. 48(1): 37 2018

국명: **백두산양지꽃**(Baek-du-san-yang-ji-kkot)

Potentilla centigrana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 163 1873

국명: **좀딸기**(Jom-ttal-gi), 애기풀딸, 좀풀딸, 풀딸, 풀딸기 / (북한명) 좀딸기, 풀딸기

영명: **Mockstrawberry cinquefoil**

Potentilla reptans L. var. *trifoliata* A.Gray, Mem. Amer. Acad. Arts n.s. 6: 387 1859
Potentilla centigrana Maxim. var. *mandshurica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 154 1873
Potentilla centigrana Maxim. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 157 1873
Potentilla bodinieri H.Lév., Bull. Soc. Bot. France 55: 56 1908
Potentilla longepetiolata H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 1909

Potentilla chinensis Ser., Prodr. (DC.) 2: 581 1825

국명: **딱지꽃**(Ttak-ji-kkot), 갯딱지, 당딱지꽃, 딱지 / (북한명) 딱지꽃, 호미초

영명: **East Asian cinquefoil**

Potentilla exaltata Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 24 1833
Potentilla chinensis Ser. var. *micrantha* Franch. & Sav., Enum. Pl. Jap. 2: 338 1879
Potentilla chinensis Ser. var. *isomera* Franch. & Sav., Enum. Pl. Jap. 2: 338 1879
Potentilla chinensis Ser. var. *latifida* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 179 1913
Potentilla chinensis Ser. var. *littoralis* Nakai, Rep. Veg. Diamond Mountains 202 1918
Potentilla isomera (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 24 1930
Potentilla chinensis Ser. var. *xerogens* Hand.-Mazz., Symb. Sin. 7: 512 1933
Potentilla chinensis Ser. subsp. *trigonodonta* Hand.-Mazz., Symb. Sin. 7: 512 1933

Potentilla chinensis Ser. var. ***chinensis***

Potentilla chinensis Ser. var. ***concolor*** Franch. & Sav., Enum. Pl. Jap. 2: 338 1879

국명: 털딱지꽃(Teol-ttak-ji-kkot)

영명: Hairy East Asian cinquefoil

Potentilla cryptotaeniae Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 162 1874

국명: 물양지꽃(Mul-yang-ji-kkot), 세잎딱지, 세잎물양지꽃 / (북한명) 물양지꽃

영명: Marsh cinquefoil

Potentilla cryptotaeniae Maxim. var. *obovata* Th.Wolf, Biblioth. Bot. 71: 406 1908

Potentilla aegopodiifolia H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 1909

Potentilla cryptotaeniae Maxim. var. *obtusata* Th.Wolf, Trudy Bot. Muz. Imp. Akad. Nauk 9: 109 1912

Potentilla dickinsii Franch. & Sav., Enum. Pl. Jap. 2: 337 1878

국명: 돌양지꽃(Dol-yang-ji-kkot), 바위양지꽃, 섬양지꽃, 참양지꽃 / (북한명) 돌양지꽃

영명: Korean cinquefoil

Potentilla ancistrifolia Bunge var. *dickinsii* (Franch. & Sav.) Koidz., Bot. Mag. (Tokyo) 23: 177 1909

Potentilla dickinsii Franch. & Sav. var. *breviseta* Nakai, Repert. Spec. Nov. Regni Veg. 13: 275 1914

Potentilla dickinsii Franch. & Sav. var. *glabrata* Nakai, Bot. Mag. (Tokyo) 32: 106 1918

Potentilla discolor Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 25 1833 ⑧

국명: 솜양지꽃(Som-yang-ji-kkot), 닦의발톱, 칠양지꽃 / (북한명) 솜양지꽃

영명: Discolor cinquefoil

Potentilla formosana Hance, Ann. Sci. Nat., Bot. 5: 212 1866

Potentilla discolor Bunge var. *formosana* Franch., Pl. Delavay. 212 1890

Potentilla flagellaris Willd. ex Schltl., Mag. Neuesten Entdeck. Gesammten Naturk. Ges. Naturf. Freunde Berlin 7: 291 1816

국명: 덩굴뱀딸기(Deong-gul-baem-ttal-gi), 줄뱀양지꽃 / (북한명) 줄뱀양지꽃

영명: Flagellar cinquefoil

Potentilla reptans L. var. *angustiloba* Ser., Prodr. (DC.) 2: 574 1825

Potentilla nemoralis Bunge, Fl. Altaic. 2: 256 1830

Potentilla fragarioides L., Sp. Pl. 1: 496 1753

국명: 양지꽃(Yang-ji-kkot), 소시랑개비, 애기양지꽃, 왕양지꽃, 좀양지꽃, 큰소시랑개비, 겹양지꽃 /

(북한명) 좀양지꽃

영명: Sunny-place cinquefoil

Potentilla sprenzeliana Lehm., Monogr. Potentill. (Lehmann) 49 1820

Potentilla japonica Blume, Bijdr. Fl. Ned. Ind. 17: 1105 1827

Potentilla fragarioides L. var. *major* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 95 1859

Potentilla fragarioides L. var. *sprengeliana* (Lehm.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 159 1873

Potentilla palczewskii Juz., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 17: 235 1955

Potentilla sahalinensis Juz., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 17: 234 1955

Potentilla fragarioides L. f. *bipetala* Y.N.Lee, Bull. Korea Pl. Res. 5: 11 2005

■ ROSACEAE 장미과

Potentilla freyniana Bornm., Mitth. Thüring. Bot. Vereins 20: 12 1904

국명: 세잎양지꽃(Se-ip-yang-ji-kkot), 우단양지꽃, 털세잎양지꽃, 털양지꽃 / (북한명) 세잎양지꽃

영명: Freyn's cinquefoil

Potentilla fragariooides L. var. *ternata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 159 1873

Potentilla longipetiolata H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 1909

Potentilla freyniana Bornm. var. *nitens* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 293 1910

Potentilla sutchuenica Cardot, Notul. Syst. (Paris) 3: 239 1914

Potentilla freyniana Bornm. var. *villosa* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 58 1952

Potentilla gageodoensis M.Kim, Korean J. Pl. Taxon. 44: 175 2014 ⓘ

국명: 가거양지꽃(Ga-geo-yang-ji-kkot)

Potentilla glabra Lodd. var. *glabra*

Potentilla glabra Lodd. var. *mandshurica* (Maxim.) Hand.-Mazz., Acta Horti Gothob. 13: 297 1939

국명: 흰풀싸리(Huin-mul-ssa-ri), 은물싸리

영명: Manchurian shrubby cinquefoil

Potentilla fruticosa L. var. *mandshurica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 158 1875

Potentilla davurica Nestl. var. *mandshurica* (Maxim.) Th.Wolf, Biblioth. Bot. 71: 61 1908

Dasiphora fruticosa (L.) Rydb. var. *coreana* Nakai, J. Jap. Bot. 15: 600 1939

Dasiphora fruticosa (L.) Rydb. var. *leucantha* (Makino) Nakai, J. Jap. Bot. 15: 600 1939

Potentilla fruticosa L. f. *mandshurica* (Maxim.) Rehder, Man. Cult. Trees ed. 2: 422 1940

Potentilla fruticosa L. var. *dahurica* Ser. ex Uyeki, Woody Pl. Distr. Chosen 48 1940

Dasiphora mandshurica (Maxim.) Juz., Fl. URSS 10: 73 1941

Potentilla longifolia Willd. ex Schltdl., Mag. Neuesten Entdeck. Gesammten Naturk. Ges. Naturf. Freunde Berlin 7: 287 1816

국명: 끈끈이딱지(Kkeun-kkeun-i-ttak-ji), 끈끈이딱지꽃 / (북한명) 끈끈이딱지꽃

영명: Viscous cinquefoil

Potentilla viscosa Donn ex Lehm. var. *macrophylla* Kom., Fl. Manschur. 2: 501 1904

Drymocallis viscosa Rydb., N. Amer. Fl. 22: 372 1908

! *Potentilla hispida* Nestl., Monogr. Potentilla (Nestler) 6 1816

Potentilla matsumurae Th.Wolf, Biblioth. Bot. 71: 508 1908

국명: 줌양지꽃(Jom-yang-ji-kkot), 긴양지꽃, 두메양지꽃 / (북한명) 두메양지꽃

영명: High mountain cinquefoil

Potentilla multifida L., Sp. Pl. 1: 496 1753

국명: 만주딱지꽃(Man-ju-ttak-ji-kkot), 눈양지꽃, 좁은잎딱지, 좁은잎딱지꽃

영명: **Divided cinquefoil**

- Potentilla multifida* L. var. *angustifolia* Lehm., Monogr. Potentill. (Lehmann) 64 1820
Potentilla tenella Turcz., Bull. Soc. Imp. Naturalistes Moscou 16: 620 1843
Potentilla hypoleuca Turcz., Bull. Soc. Imp. Naturalistes Moscou 16: 619 1843
Potentilla multifida L. var. *minor* Ledeb., Fl. Ross. (Ledeb.) 2: 43 1844
Potentilla multifida L. var. *hypoleuca* (Turcz.) Th.Wolf, Biblioth. Bot. 71: 155 1908
Potentilla plurijuga Hand.-Mazz., Acta Horti Gothob. 13: 315 1939
Potentilla multifida L. var. *sericea* A.I.Baranov & Skvortsov ex Liou, Clavis Pl. Chiae Bor.-Or. 150 1959
Potentilla multifida L. f. *angustifolia* (Lehm.) Kitag., Neolin. Fl. Manshur. 374 1979

***Potentilla niponica* Th.Wolf, Biblioth. Bot. 71: 182 1908**

국명: 원산딱지꽃(Won-san-ttak-ji-kkot), 넓은딱지, 넓은잎딱지, 넓은잎딱지꽃

영명: **Wonsan cinquefoil**

***Potentilla nivea* L., Sp. Pl. 1: 499 1753**

국명: 은양지꽃(Eun-yang-ji-kkot), 유구양지꽃, 은빛딱지 / (북한명) 은양지꽃

영명: **Snow cinquefoil**

- Potentilla macrantha* Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 542 1815
Potentilla nivea L. var. *camtschatica* Cham. & D.F.K.Schltdl., Linnaea 2: 21 1827
Potentilla nivea L. var. *vulgaris* Cham. & D.F.K.Schltdl., Linnaea 2: 21 1827
Potentilla nivea L. var. *macrantha* Ledeb., Fl. Ross. (Ledeb.) 2: 57 1844
Potentilla matsuokana Makino, Bot. Mag. (Tokyo) 16: 161 1902

***Potentilla rosulifera* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 1909**

국명: 민눈양지꽃(Min-nun-yang-ji-kkot), 섬양지꽃, 큰세잎양지꽃

영명: **Smooth silverweed**

- Potentilla freyniana* Bornm. var. *grandiflora* Th.Wolf, Biblioth. Bot. 71: 640 1908
Potentilla yokusaiana Makino, Bot. Mag. (Tokyo) 24: 142 1910
Potentilla quelpaertensis Cardot, Notul. Syst. (Paris) 3: 231 1914

***Potentilla squamosa* Soják, Preslia 74: 437 2002**

국명: 텔양지꽃(Teol-yang-ji-kkot)

! *Potentilla koreana* H.Ikeda & Im, J. Jap. Bot. 76(3): 125 2001

Potentilla stolonifera* Lehm. ex Ledeb. var. *stolonifera

***Potentilla stolonifera* Lehm. ex Ledeb. var. *quelpaertensis* Nakai, Repert. Spec. Nov. Regni Veg. 13: 276 1914**

국명: 제주양지꽃(Je-ju-yang-ji-kkot), 제주소사랑개비

영명: **Jeju cinquefoil**

- Potentilla japonica* Blume var. *quelpaertensis* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 58 1952

■ ROSACEAE 장미과

Potentilla supina L. var. *supina*

Potentilla supina L. var. *ternata* Peterm., Anal. Pfl.-Schluss. 125 1846

국명: 좀개소시랑개비(Jom-gae-so-si-rang-gae-bi), 좀개쇠스랑개비

Potentilla amurensis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 98 1859

Potentilla supina L. f. *ternata* Th.Wolf, Biblioth. Bot. 71: 392 1908

Potentilla supina L. var. *campestris* Cardot, Notul. Syst. (Paris) 3: 237 1914

Prinsepia Royle 빈추나무속

Prinsepia sinensis (Oliv.) Oliv. ex Bean, Bull. Misc. Inform. Kew 1909: 354 1909

국명: 빈추나무(Bin-chu-na-mu) / (북한명) 빈추나무

영명: Cherry prinsepia

Plagiospermum sinense Oliv., Hooker's Icon. Pl. 16: t. 1526 1886

Prinsepia chinensis Oliv. ex Kom., Opred. Rast. Dal'nevost. Kraia 2: 658 1932

Prunus L. 벚나무속

Prunus buergeriana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 92 1865

국명: 섬개벗나무(Seom-gae-beot-na-mu), 섬개벗나무 / (북한명) 섬개벗나무

영명: Amur cherry

Laurocerasus buergeriana (Miq.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 646 1906

Prunus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 1909

Prunus buergeriana Miq. var. *nudiuscula* Koehne, Pl. Wilson. 1: 60 1911

Prunus venosa Koehne, Pl. Wilson. 1: 60 1911

Prunus undulata Buch.-Ham. ex D.Don f. *venosa* Koehne, Bot. Jahrb. Syst. 52: 285 1915

Padus buergeriana (Miq.) Y.N.Yu & L.T.Lu, Fl. Reipubl. Popularis Sin. 38: 91 1986

Prunus choreiana Nakai ex Im, Korean J. Pl. Taxon. 36: 259 2006 Ⓟ ⓧ

국명: 복사앵도나무(Bok-sa-aeng-do-na-mu), 복사앵도 / (북한명) 복사앵두나무

영명: Peach-nanking cherry

Prunus davidiana (Carrière) Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 255 1883

국명: 산복사나무(San-bok-sa-na-mu), 산복성, 산복송아나무, 산복사 / (북한명) 산복송아나무

영명: Pere David's cherry

Amygdalus communis Bunge, Enum. Pl. Chin. Bor. 21 1833

Persica davidiana Carrière, Rev. Hort. 1872: 74 1872

Prunus persica (L.) Stokes var. *davidiana* (Carrière) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 81 1883

Prunus glandulosa Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 463 1784

국명: 산옥매(San-ok-mae), 옥매, 흥매

- Amygdalus pumila* L., Mant. Pl. 1: 74 1767
Persica pumila (L.) Borkh., Vers. Forstbot. Beschr. 205 1790
Prunus sinensis Pers., Syn. Pl. (Persoon) 2: 36 1806
Cerasus glandulosa (Thunb.) Loisel., Traité Arbr. Arbust. (Duhamel), nouv. éd. 5: 33 1812
Cerasus japonica (Thunb.) Loisel. var. *multiplex* Ser., Prodr. (DC.) 2: 539 1825
Microcerasus sinensis M.Roem., Fam. Nat. Syn. Monogr. 3: 95 1847
Microcerasus glandulosa (Thunb.) M.Roem., Fam. Nat. Syn. Monogr. 3: 95 1847
Prunus japonica Thunb. var. *albopleno* Lem., Ill. Hort. 5: t. 183 1858
Prunus japonica Thunb. var. *glandulosa* (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 94 1883
Prunus japonica Thunb. var. *multiplex* (Ser.) Makino, Bot. Mag. (Tokyo) 22: 72 1908
Prunus glandulosa Thunb. f. *albopleno* Koehne, Pl. Wilson. 1: 264 1912
Prunus glandulosa Thunb. f. *sinensis* (Pers.) Koehne, Pl. Wilson. 1: 265 1912
Prunus glandulosa Thunb. f. *sieboldiana* Koehne, Pl. Wilson. 1: 263 1912
Prunus glandulosa Thunb. var. *glabra* Koehne, Pl. Wilson. 1: 263 1912
Prunus glandulosa Thunb. var. *sinensis* (Pers.) Nakai, Chosen Shokubutsu 321 1914
Prunus glandulosa Thunb. var. *albopleno* (Koehne) Nakai, Bot. Mag. (Tokyo) 29: 144 1915
Cerasus japonica (Thunb.) Loisel. var. *glandulosa* (Thunb.) Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 657 1932

Prunus japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 463 1784 ⓘ

국명: 산이스라지(San-i-seu-ra-ji), 산앵두나무, 산이스라지나무 / (북한명) 산이스라치나무

영명: Mountain bush cherry

- Prunus ishidoyana* Nakai, Bot. Mag. (Tokyo) 33: 8 1919
Prunus nakaii H.Lév. var. *rufinervis* Nakai, J. Jap. Bot. 15: 678 1939
Prunus japonica Thunb. f. *rufinervis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 284 1966
Prunus nakaii H.Lév. var. *ishidoyana* (Nakai) H.S.Kim, Fl. Coreana (Kim) 3: 247 1974

Prunus japonica Thunb. var. *japonica*

Prunus japonica Thunb. var. *nakaii* (H.Lév.) Rehder, J. Arnold Arbor. 3: 29 1922

국명: 이스라지(I-seu-ra-ji), 물앵두, 산앵도, 산앵도나무, 오얏, 이스라지나무, 이스라지, 산앵두나무 / (북한명) 산앵두나무, 이스라치나무

영명: Oriental bush cherry

- Prunus nakaii* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 1909
Prunus nakaii H.Lév. var. *cordata* Uyeki, Chosen Sanrin Kaihō 219: 6 1944
Prunus pseudonakaii Uyeki, Chosen Sanrin Kaihō 219: 6 1944
Cerasus nakaii (H.Lév.) A.I.Baranov & Liou, Ill. Fl. Ligneous Pl. N. E. China 328 1955
Cerasus japonica (Thunb.) Loisel. var. *nakaii* (H.Lév.) T.T.Yu & C.L.Li, Fl. Reipubl. Popularis Sin. 38: 86 1986

Prunus linearipetalus Y.N.Lee, Korean J. Bot. 25: 176 1982

국명: 별벗꽃나무(Byeol-beot-kkot-na-mu)

Prunus maackii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 361 1857

국명: 개벗지나무(Gae-beot-ji-na-mu), 개벗나무, 개벗지나무 / (북한명) 별벗지나무, 개벗지나무

■ ROSACEAE 장미과

영명: Amur choke cherry

Prunus glandulifolia Rupr., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 421 1856

Laurocerasus maackii (Rupr.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 645 1906

Prunus diamantina H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 1909

Prunus maackii Rupr. var. *diamantina* (H.Lév.) Koehne, Repert. Spec. Nov. Regni Veg. 11: 134 1913

Padus maackii (Rupr.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 657 1932

Cerasus glandulifolia (Rupr.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 657 1932

***Prunus mandshurica* (Maxim.) Koehne, Deut. Dendrol. 318 1893**

국명: 개살구나무(Gae-sal-gu-na-mu), 개살구 / (북한명) 산살구나무, 개살구나무

영명: Manchurian cherry

Prunus armeniaca L. var. *mandshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 94 1883

Armeniaca mandshurica (Maxim.) Skvortsov, Trudy Prikl. Bot. Selekc. 22, 3: 223 1929

Prunus mandshurica (Maxim.) Koehne var. *glabra* Nakai, J. Jap. Bot. 15: 679 1939

Prunus mandshurica (Maxim.) Koehne var. *barbinervis* Nakai, J. Jap. Bot. 15: 679 1939

Armeniaca mandshurica (Maxim.) Skvortsov var. *glabra* (Nakai) T.T.Yu & L.T.Lu, Fl. Reipubl. Popularis Sin. 38: 31 1986

Prunus mandshurica (Maxim.) Koehne f. *barbinervis* (Nakai) W.T.Lee, Lineamenta Florae Koreae 503 1996

***Prunus maximowiczii* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 131 1856**

국명: 산개벗지나무(San-gae-beot-ji-na-mu), 산개벗나무, 산개벗지나무 / (북한명) 산개벗지나무

영명: Korean mountain cherry

Prunus bracteata Franch. & Sav., Enum. Pl. Jap. 2: 329 1877

Prunus meyeri Rehder, J. Arnold Arbor. 2: 122 1920

Cerasus maximowiczii (Rupr.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 657 1932

Padus maximowiczii (Rupr.) Sokoloff, Trees & Shrubs USSR 3: 760 1954

***Prunus padus* L., Sp. Pl. 1: 473 1753**

국명: 귀룡나무(Gwi-rung-na-mu), 귀룡나무, 녹털귀룡나무 / (북한명) 구름나무, 귀룡나무, 귀룡나무

영명: Bird cherry

Padus avium Mill., Gard. Dict. ed. 8: P. no., 0 1768

Prunus racemosa Lam., Fl. Franc. (Lamarck) 3: 107 1778

Padus racemosa (Lam.) Gilib., Fl. Lit. Inch. 2: 231 1782

Padus germanica Borkh., Arch. Bot. (Leipzig) 1, 2: 38 1797

Padus vulgaris Borkh., Theor. Prakt. Handb. Forstbot. 2: 1426 1803

Cerasus padus (L.) DC., Fl. Franc. (DC. & Lamarck) ed. 3 4: 580 1805

Druparia padus (L.) Clairv., Man. Herbor. Suisse 159 1811

Cerasus padus (L.) DC. var. *vulgaris* Ser., Prodr. (DC.) 2: 539 1825

Prunus padus L. var. *pubescens* Regel & Tiling, Nouv. Mem. Soc. Imp. Naturalistes Moscou 11: 79 1858

Padus racemosa (Lam.) Gilib. var. *pubescens* (Regel & Tiling) C.K.Schneid., Ill. Handb. Laubholzk. 1: 640 1906

Prunus diversifolia Koehne, Repert. Spec. Nov. Regni Veg. 7: 198 1909

Prunus seoulensis H.Lév., Repert. Spec. Nov. Regni Veg. 7: 198 1909

Prunus padus L. var. *pubescens* Regel & Tiling f. *purdomii* Koehne, Pl. Wilson. 1: 196 1912

Prunus padus L. var. *seoulensis* (H.Lév.) Nakai, Chosen Shokubutsu 324 1914

- Prunus padus* L. var. *glauca* Nakai, Bot. Mag. (Tokyo) 31: 98 1917
Prunus padus L. var. *rufoserruginea* Nakai ex Mori, Enum. Pl. Corea 209 1922
Padus asiatica Kom., Fl. URSS 10: 578 1941
Prunus padus L. f. *glauca* (Nakai) Kitag., Neolin. Fl. Manshur. 378 1979
Prunus padus L. f. *pubescens* (Regel & Tiling) Kitag., Neolin. Fl. Manshur. 379 1979
Prunus padus L. f. *seoulensis* (H.Lév.) W.T.Lee, Lineamenta Florae Koreae 505 1996
Prunus padus L. f. *rufoserruginea* (Nakai ex Mori) M.Kim, Korean Endemic Pl. 537 2017

Prunus salicina Lindl., Trans. Hort. Soc. London 7: 239 1828

국명: 자두나무(Ja-du-na-mu), 자도나무

- Prunus triflora* Roxb., Fl. Ind. ed. 1832 (Roxburgh) 2: 501 1832
Prunus botan André, Rev. Hort. 1895: 160 1895
Prunus ichangana C.K.Schneid., Repert. Spec. Nov. Regni Veg. 1: 50 1905
Prunus masu Koehne, Pl. Wilson. 1: 276 1912
Prunus triflora Roxb. var. *columellaris* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 19 1925
Prunus salicina Lindl. var. *columellaris* (Uyeki) Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 1934

Prunus quelpaertensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 276 1914

국명: 사옥(Sa-ok)

- Prunus serrulata* Lindl. var. *quelpaertensis* (Nakai) Uyeki, Woody Pl. Distr. Chosen 54 1940

Prunus sargentii Rehder, Mitt. Deutsch. Dendrol. Ges. 159 1908

국명: 산벚나무(San-beot-na-mu), 사젠텐벚나무, 산벗나무, 왕산벗나무, 홍산벗나무 / (북한명) 큰산벗나무

영명: Sargent's cherry

- Prunus pseudocerasus* Gray var. *sachalinensis* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 124 1868
Prunus pseudocerasus Gray var. *borealis* Makino, Bot. Mag. (Tokyo) 22: 99 1908
Prunus serrulata Lindl. var. *borealis* (Makino) Makino, Bot. Mag. (Tokyo) 23: 75 1909
Prunus jamasakura Siebold ex Koidz. var. *borealis* (Makino) Koidz., Bot. Mag. (Tokyo) 25: 187 1911
Prunus floribunda Koehne, Repert. Spec. Nov. Regni Veg. 11: 269 1912
Prunus sachalinensis (F.Schmidt) Koidz., Bot. Mag. (Tokyo) 26: 32 1912
Prunus sieboldii (Carrière) Koidz. var. *sachalinensis* (F.Schmidt) Makino, J. Jap. Bot. 7: 32 1931
Cerasus sargentii (Rehder) H.Ohba, J. Jap. Bot. 67: 279 1992
Prunus jamasakura Siebold ex Koidz. f. *densiflora* (Koehne) W.T.Lee, Lineamenta Florae Koreae 501 1996

Prunus sargentii Rehder var. *sargentii*

Prunus sargentii Rehder var. *vereecunda* (Koidz.) Chin S.Chang, Korean J. Pl. Taxon. 34: 238 2004

국명: 분홍벗나무(Bun-hong-beot-na-mu), 처진개벗나무

- Prunus jamasakura* Siebold ex Koidz. var. *elegans* subvar. *compta* Koidz., Bot. Mag. (Tokyo) 25: 186 1911
Prunus jamasakura Siebold ex Koidz. var. *vereecunda* Koidz., Bot. Mag. (Tokyo) 25: 188 1911
Prunus verecunda (Koidz.) Koehne, Pl. Wilson. 1: 250 1912
Prunus donarium Siebold subsp. *vereecunda* (Koidz.) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 277 1913

■ ROSACEAE 장미과

- Prunus serrulata* Lindl. var. *compta* (Koidz.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 53 1914
Prunus serrulata Lindl. var. *intermedia* Nakai, Bot. Mag. (Tokyo) 29: 141 1915
Prunus serrulata Lindl. var. *verecunda* (Koidz.) Nakai, Bot. Mag. (Tokyo) 29: 141 1915
Prunus verecunda (Koidz.) Koehne var. *compta* (Koidz.) Nakai, Bot. Mag. (Tokyo) 44: 12 1930
Prunus sargentii Rehder f. *compta* (Koidz.) Ohwi, Fl. Jap. (Ohwi) 658 1953

Prunus serrulata* Lindl. var. *serrulata

Prunus serrulata* Lindl. var. *pubescens (Makino) Nakai, Bot. Mag. (Tokyo) 29: 140 1915

국명: **잔털벗나무**(Jan-teol-beot-na-mu), 잔털벗나무, 수양벗나무, 만첩개벗나무, 꽃벗나무 / (북한명) 흰털벗나무

영명: **Mountain oriental cherry**

- Prunus pseudocerasus* Gray var. *jamasakura* subvar. *pubescens* Makino, Bot. Mag. (Tokyo) 22: 98 1908
Prunus jamasakura Siebold ex Koidz. var. *pubescens* (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 482 1911
Prunus leveilleana Koehne, Pl. Wilson. 1: 250 1912
Prunus jamasakura Siebold ex Koidz. var. *elegans* subvar. *pubescens* Koidz., Bot. Mag. (Tokyo) 24: 147 1912
Prunus pseudocerasus Gray var. *sieboldii* Matsum., Index Pl. Jap. 2: 1912
Prunus tenuiflora Koehne, Pl. Wilson. 1: 209 1912
Prunus tenuiflora Koehne var. *pubescens* (Makino) Koehne, Repert. Spec. Nov. Regni Veg. 11: 268 1912
Prunus veitchii Koehne, Pl. Wilson. 1: 257 1912
Prunus son>tagiae Koehne, Pl. Wilson. 1(2): 230 1912
Prunus donarium Siebold subsp. *elegans* (Koidz.) Koidz. var. *pubescens* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 269 1913
Prunus serrulata Lindl. var. *spontanea* subvar. *pubescens* Makino, Cat. Jap. Pl. 1: 222 1914
Prunus serrulata Lindl. var. *tomentella* Nakai, Bot. Mag. (Tokyo) 29: 140 1915
Prunus serrulata Lindl. var. *son>tagiae* (Koehne) Nakai, Fl. Sylv. Kor. 5: 29 1916
Prunus serrulata Lindl. var. *semiplena* Nakai ex T.Mori, Enum. Pl. Corea 210 1922
Prunus pudibunda Koidz., Fl. Symb. Orient.-Asiat. 72 1930
Prunus leveilleana Koehne var. *pendula* Nakai, Handb. Kor. Manch. For. 142 1937
Prunus verecunda (Koidz.) Nakai var. *son>tagiae* (Koehne) Nakai ex T.H.Chung, Kor. Pl. Comm. Nam. 94 1937
Prunus mutabilis Miyoshi var. *pubescens* (Makino) Nakai, Iconogr. Pl. Asiae Orient. 4-4: 435 1941
Prunus leveilleana Koehne var. *son>tagiae* (Koehne) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 60 1952
Prunus leveilleana Koehne var. *tomentella* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 60 1952
Prunus jamasakura Siebold ex Koidz. f. *pubescens* (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 76 1953
Prunus verecunda (Koidz.) Koehne f. *tomentella* (Nakai) Kubota & Morita, J. Geobot. 15: 39 1966
Prunus verecunda (Koidz.) Nakai var. *pendula* (Nakai) W.T.Lee, Bull. Kor. Ass. Con. Nat. 13: 39 1994
Prunus verecunda (Koidz.) Koehne f. *pendula* (Nakai) M.Kim, Korean Endemic Pl. 313 2004
Prunus verecunda (Koidz.) Koehne f. *semiplena* (Nakai ex T.Mori) M.Kim, Korean Endemic Pl. 537 2017
Prunus verecunda (Koidz.) Koehne f. *son>tagiae* (Koehne) M.Kim, Korean Endemic Pl. 538 2017
** *Prunus verecunda* (Koidz.) Nakai f. *son>tagiae* (Koehne) M.Kim, Korean Endemic Pl. 313 2004

Prunus serrulata* Lindl. f. *serrulata

Prunus serrulata* Lindl. f. *spontanea (E.H.Wilson) Chin S.Chang, Bot. J. Linn. Soc. 154: 48 2007

국명: **벗나무**(Beot-na-mu), 벗나무, 산벗나무, 참벗나무 / (북한명) 벗나무, 산벗나무, 개벗나무

영명: **Oriental flowering cherry**

- Prunus cerasus* L. var. *floresimplici* Thunb., Fl. Jap. (Thunberg) 201 1784
Prunus donarium Siebold, Verh. Batav. Genootsch. Kunsten 12: 68 1830
Cerasus montana Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 90 1865
Prunus puddum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 90 1865
Prunus pseudocerasus Gray var. *spontanea* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 102 1883
Prunus serrulata Lindl. var. *ungerii* Spreng., Gartenwelt 10: 89 1905
Prunus serratifolia Marshall var. *nageri* Spreng., Bull. Soc. Tosc. Ortic. 11: 178 1906
Prunus pseudocerasus Gray var. *jamasakura* Makino subvar. *glabra* Makino, Bot. Mag. (Tokyo) 22: 93 1908
Prunus jamasakura (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 482 1911
Prunus jamasakura Siebold ex Koidz. var. *elegans* f. *glabra* (Makino) Koidz., Bot. Mag. (Tokyo) 25: 185 1911
Prunus mume (Siebold) Siebold & Zucc. var. *crasseglandulosa* Miq., Pl. Wilson. 1: 249 1912
Prunus donarium Siebold subsp. *elegans* (Koidz.) Koidz. var. *glabra* (Makino) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 266 1913
Prunus densiflora Koehne, Repert. Spec. Nov. Regni Veg. 12: 15 1913
Prunus serrulata Lindl. var. *glabra* (Makino) Nakai, Bot. Mag. (Tokyo) 29: 139 1915
Prunus angustissima Nakai, Bot. Mag. (Tokyo) 29: 13 1915
Prunus serrulata Lindl. var. *spontanea* (Maxim.) E.H.Wilson, Cherries Japan 28 1916
Prunus mutabilis Miyoshi, J. Coll. Sci. Imp. Univ. Tokyo 34, 1: 35 1916
Prunus donarium Siebold var. *spontanea* (Maxim.) Makino, Ill. Fl. Nippon (Makino) 438 1940
Prunus serrulata Lindl. var. *densiflora* (Koehne) Uyeki, Woody Pl. Distr. Chosen 54 1940
Prunus mutabilis Miyoshi f. *glabra* (Makino) Nakai, Iconogr. Pl. Asiae Orient. 4-4: 434 1941
Prunus leveilleana Koehne var. *spontanea* (Maxim.) H.S.Kim, Fl. Coreana (Kim) 3: 245 1974
Prunus leveilleana Koehne var. *densiflora* (Koehne) H.S.Kim, Fl. Coreana (Kim) 3: 246 1974
Prunus leveilleana Koehne var. *koraiensis* (Koehne) H.S.Kim, Fl. Coreana (Kim) 3: 246 1974

***Prunus sibirica* L.**, Sp. Pl. 1: 474 1753

국명: 시베리아살구(Si-be-ri-a-sal-gu), 개살구, 시베리아살구나무 / (북한명) 북산살구나무

영명: **Siberian cherry**

- Armeniaca sibirica* (L.) Lam., Encycl. (Lamarck) 1: 3 1783
Prunus armeniaca L. var. *sibirica* (L.) K.Koch, Dendrologie 1: 88 1869
Armeniaca sibirica (L.) Lam. var. *pubescens* Kostina, Trudy Prikl. Bot., Ser. 8, Polodovye Jagodnye Kul't. 4: 28 1941
Prunus sibirica L. var. *pubescens* (Kostina) Kitag., Neolin. Fl. Manshur. 379 1979

Prunus spachiana* (Lavallée ex Ed.Otto) Kitam. f. *spachiana

***Prunus spachiana* (Lavallée ex Ed.Otto) Kitam. f. *ascendens* (Makino)** Kitam., Acta Phytotax. Geobot. 25: 3 1971

국명: 올벚나무(Ol-beot-na-mu), 밭강을벗나무, 붉은올벗나무, 올벗나무, 화엄벗나무

영명: **Wild-spring cherry**

- Cerasus spachiana* Lavallée ex Ed.Otto, Hamburger Garten- Blumenzeitung 35: 57 1879
Cerasus herincquiana Lavallée, Icon. Sel. Arb. 1: 117 1885
Prunus pendula (L.) Stokes var. *ascendens* Makino, Bot. Mag. (Tokyo) 7: 103 1893

■ ROSACEAE 장미과

- Prunus oblongifolia* Maxim. ex C.K.Schneid., Ill. Handb. Laubholzk. 1: 608 1906
Prunus itosakura Siebold var. *ascendens* (Makino) Makino, Bot. Mag. (Tokyo) 22: 114 1908
Prunus herincquiana (Lavallée) Koehne, Mitt. Deutsch. Dendrol. Ges. 18: 175 1909
Prunus herincquiana (Lavallée) Koehne f. *erecta* Koehne, Repert. Spec. Nov. Regni Veg. 11: 269 1912
Prunus microlepis Koehne, Pl. Wilson. 1: 256 1912
Prunus microlepis Koehne var. *ternata* Koehne, Pl. Wilson. 1: 256 1912
Prunus itosakura Siebold var. *rosea* Nakai, Bot. Mag. (Tokyo) 29: 142 1915
Prunus subhirtella Miq. var. *ascendens* (Makino) E.H.Wilson, Cherries Japan 10 1916
Prunus pendula (L.) Stokes f. *microlepis* Koehne, Mitt. Deutsch. Dendrol. Ges. 1917: 48 1918
Prunus aequinoctialis Miyoshi, Bot. Mag. (Tokyo) 34: 162 1920
Prunus koshiensis Koidz., Acta Phytotax. Geobot. 1: 14 1932
Prunus itosakura Siebold var. *ascendens* (Makino) Makino f. *rosea* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 61 1952
Prunus subhirtella Miq. var. *pendula* (Siebold ex Maxim.) Y.Tanaka f. *ascendens* (Makino) Ohwi, Fl. Jap. (Ohwi) 657 1953
Prunus pendula (L.) Stokes f. *ascendens* (Makino) Ohwi, J. Jap. Bot. 29: 363 1954
Prunus pendula (L.) Stokes var. *koshiensis* (Koidz.) Ohwi, J. Jap. Bot. 29: 363 1954
Prunus spachiana (Lavallée ex Ed.Otto) Kitam. var. *koshiensis* (Koidz.) Kitam., Acta Phytotax. Geobot. 25: 3 1971

Prunus takesimensis Nakai, Bot. Mag. (Tokyo) 32: 106 1918 

국명: 섬벚나무(Seom-beot-na-mu), 섬벚 / (북한명) 섬벚나무

영명: Ulleungdo flowering cherry

Prunus triloba Lindl. var. *triloba*

Prunus triloba Lindl. var. *truncata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 539 1904

국명: 풀또기(Pul-tto-gi) / (북한명) 풀또기

영명: Truncate flowering cherry

Prunus × nudiflora (Koehne) Koidz., Acta Phytotax. Geobot. 1: 178 1932 

국명: 제주왕벚나무(Je-ju-wang-beot-na-mu) / (북한명) 제주벗나무

영명: Jeju flowering cherry Jeju flowering cherry

Prunus × yedoensis Matsum. var. *nudiflora* Koehne, Repert. Spec. Nov. Regni Veg. 10: 507 1912

Prunus × yedoensis Matsum. f. *nudiflora* (Koehne) Rehder, Bibliogr. Cult. Trees 336 1949

***Pyrus* L. 배나무속**

Pyrus calleryana Decne. var. *calleryana*

Pyrus calleryana Decne. var. *fauriei* (C.K.Schneid.) Rehder, J. Arnold Arbor. 2: 61 1920

국명: 콩배나무(Kong-bae-na-mu), 돌배나무, 문배, 산돌배, 좀돌배나무, 황이 / (북한명) 콩배나무

영명: Korean sun pear

Pyrus fauriei C.K.Schneid., Ill. Handb. Laubholzk. 1: 666, fig. 363d 1906

Pyrus hakunensis Nakai, Bot. Mag. (Tokyo) 49: 346 1935 (E)

국명: 백운배나무(Baek-un-bae-na-mu)

영명: Baekun wild pear

Pyrus ussuriensis Maxim. ex Rupr. var. *hakunensis* (Nakai) M.Kim, Korean Endemic Pl. 202 2017

Pyrus pyrifolia (Burm.f.) Nakai, Bot. Mag. (Tokyo) 40: 564 1926

국명: 돌배나무(Dol-bae-na-mu), 꼭지돌배나무, 돌배, 산배나무 / (북한명) 산배나무, 돌배나무

영명: Sand pear

Ficus pyrifolia Burm.f., Fl. Ind. (N. L. Burman) 226 1768

Pyrus communis L. var. *autumnalis* Siebold, Verh. Batav. Genootsch. Kunsten 12, 1: 66 1830

Pyrus communis L. var. *sinensis* K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 248 1864

Pyrus sinensis (Thouin) Poir. var. *culta* Makino, Bot. Mag. (Tokyo) 22: 69 1908

Pyrus uyematsuana Makino, Bot. Mag. (Tokyo) 22: 68 1908

Pyrus serotina Rehder, Proc. Amer. Acad. Arts 50: 231 1915

Pyrus serotina Rehder var. *culta* (Makino) Rehder, Proc. Amer. Acad. Arts 50: 233 1915

Pyrus montana Nakai var. *rehderi* Nakai, Fl. Sylv. Kor. 6: 53 1916

Morus cathayana Hemsl. var. *japonica* Koidz., Bot. Mag. (Tokyo) 31: 39 1917

Pyrus cuneata Koidz., Bot. Mag. (Tokyo) 33: 125 1919

Pyrus incubacea Koidz., Bot. Mag. (Tokyo) 33: 124 1919

Pyrus lasiogyna Koidz., Bot. Mag. (Tokyo) 33: 125 1919

Pyrus uipongensis Uyeki, Journ. Chosen Agric. Soc. 16: 5 1921

Pyrus kiusiana Koidz., Bot. Mag. (Tokyo) 38: 88 1924

Pyrus sohayakiensis Koidz., Bot. Mag. (Tokyo) 38: 87 1924

Pyrus tambana Koidz., Bot. Mag. (Tokyo) 38: 90 1924

Pyrus tsuchiyana Koidz., Bot. Mag. (Tokyo) 39: 27 1925

Pyrus umemurana Koidz., Bot. Mag. (Tokyo) 39: 17 1925

Pyrus pseudocalleryana Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 15 1925

Pyrus pseudouipongensis Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 17 1925

Pyrus pyrifolia (Burm.f.) Nakai var. *montana* Nakai, Bot. Mag. (Tokyo) 40: 565 1926

Pyrus pyrifolia (Burm.f.) Nakai var. *culta* (Makino) Nakai, Bot. Mag. (Tokyo) 40: 564 1926

Pyrus autumnalis (Siebold) Koidz., Bot. Mag. (Tokyo) 43: 383 1929

Pyrus kleinhofiana Koidz., Bot. Mag. (Tokyo) 43: 384 1929

Pyrus babautiagi Koidz., Acta Phytotax. Geobot. 1: 12 1932

Pyrus higoensis Koidz., Acta Phytotax. Geobot. 1: 13 1932

Pyrus arakiana Koidz., Acta Phytotax. Geobot. 3: 40 1934

Pyrus tobishimensis Koidz., Acta Phytotax. Geobot. 5: 48 1936

Pyrus togashiana Koidz., Acta Phytotax. Geobot. 5: 48 1936

Pyrus tungusiana Koidz., Acta Phytotax. Geobot. 5: 49 1936

Pyrus asakeensis Koidz., Acta Phytotax. Geobot. 6: 215 1937

Pyrus yohrohensis Koidz., Acta Phytotax. Geobot. 6: 214 1937

Pyrus nehiyamadonis Koidz., Acta Phytotax. Geobot. 8: 190 1939

Pyrus saidaeana Koidz., Acta Phytotax. Geobot. 10: 60 1941

Pyrus tajimensis Koidz., Acta Phytotax. Geobot. 10: 59 1941

Pyrus takuhokuensis Koidz., Acta Phytotax. Geobot. 10: 60 1941

■ ROSACEAE 장미과

Pyrus ussuriensis Maxim. ex Rupr., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.2, 15: 132 1856

국명: 산돌배(San-dol-bae), 돌배, 산돌배나무 / (북한명) 산돌배나무, 돌배나무

영명: Ussuri pear

Pyrus simonii Carr, Rev. Hort. 1872: 28 1872

Pyrus sinensis (Thouin) Poir. var. *ussuriensis* Makino, Bot. Mag. (Tokyo) 22: 69 1908

Pyrus ferruginea Koidz., Bot. Mag. (Tokyo) 29: 158 1915

Pyrus rufoferruginea Koidz., Bot. Mag. (Tokyo) 29: 311 1915

Pyrus ovoidea Rehder, Proc. Amer. Acad. Arts 50: 228 1915

Pyrus acidula Nakai, Bot. Mag. (Tokyo) 30: 27 1916

Pyrus macrostipes Nakai, Bot. Mag. (Tokyo) 30: 28 1916

Pyrus aromaticata Kikuchi & Nakai, Bot. Mag. (Tokyo) 33: 33 1918

Pyrus crassipes Kikuchi & Nakai, Bot. Mag. (Tokyo) 32: 35 1918

Pyrus hondoensis Kikuchi & Nakai, Bot. Mag. (Tokyo) 32: 34 1918

Pyrus amoena Koidz., Bot. Mag. (Tokyo) 33: 124 1919

Pyrus insueta Koidz., Bot. Mag. (Tokyo) 33: 123 1919

Pyrus insula Koidz., Bot. Mag. (Tokyo) 33: 127 1919

Pyrus iwatensis Koidz., Bot. Mag. (Tokyo) 33: 127 1919

Pyrus jucunda Koidz., Bot. Mag. (Tokyo) 33: 128 1919

Pyrus longepedunculata Koidz., Bot. Mag. (Tokyo) 33: 126 1919

Pyrus nambuana Koidz., Bot. Mag. (Tokyo) 33: 128 1919

Pyrus obovoidea Koidz., Bot. Mag. (Tokyo) 33: 123 1919

Pyrus tremulans Koidz., Bot. Mag. (Tokyo) 33: 126 1919

Pyrus wayamana Koidz., Bot. Mag. (Tokyo) 33: 127 1919

Pyrus mikado Koidz., Bot. Mag. (Tokyo) 38: 89 1924

Pyrus sguarrosa Koidz., Bot. Mag. (Tokyo) 38: 89 1924

Pyrus zenskeana Koidz., Bot. Mag. (Tokyo) 38: 88 1924

Pyrus inutilis Koidz., Bot. Mag. (Tokyo) 39: 16 1925

Pyrus ussuriensis Maxim. var. *diamantica* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 14 1925

Pyrus insularis Koidz., Bot. Mag. (Tokyo) 43: 385 1929

Pyrus leiostachya Koidz., Fl. Bitchuensis 28 1929

Pyrus mayebarana Koidz., Acta Phytotax. Geobot. 1: 13 1932

Pyrus kunoriana Koidz., Acta Phytotax. Geobot. 3: 39 1934

Pyrus yukinourana Koidz., Acta Phytotax. Geobot. 4: 158 1935

Pyrus nankaiensis Nakai, Bot. Mag. (Tokyo) 49: 346 1935

Pyrus seoulensis Nakai, Bot. Mag. (Tokyo) 49: 348 1935

Pyrus invicibilis Koidz., Acta Phytotax. Geobot. 5: 50 1936

Pyrus oncocarpa Koidz., Acta Phytotax. Geobot. 5: 49 1936

Pyrus koshiensis Koidz., Acta Phytotax. Geobot. 8: 190 1939

Pyrus ugoensis Koidz., Acta Phytotax. Geobot. 8: 190 1939

Pyrus kumaensis Koidz., Acta Phytotax. Geobot. 10: 59 1941

Pyrus oblongolanceolata Koidz., Acta Phytotax. Geobot. 10: 59 1941

Pyrus ussuriensis Maxim. var. *acidula* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 275 1966

Pyrus ussuriensis Maxim. var. *macrostipes* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 275 1966

Rhaphiolepis Lindl. 다정큼나무속

Rhaphiolepis indica (L.) Lindl. ex Ker var. *indica*

Rhaphiolepis indica (L.) Lindl. ex Ker var. *liukiuensis* (Koidz.) Kitam., Acta Phytotax. Geobot. 26: 2 1974

국명: 긴잎다정큼(Gin-ip-da-jeong-keum), 긴잎다정큼나무 / (북한명) 가는잎다정큼

영명: Long-leaf Indian hawthorn

Rhaphiolepis umbellata (Thunb. ex Murray) Makino var. *liukiuensis* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 73 1913

Rhaphiolepis liukiuensis (Koidz.) Nakai, J. Arnold Arbor. 5: 63 1926

Rhaphiolepis umbellata (Thunb. ex Murray) Makino subsp. *liukiuensis* (Koidz.) Masam. & Yanagita, Trans. Nat. Hist. Soc. Taiwan 31: 274 1941

Rhaphiolepis indica (L.) Lindl. ex Ker subsp. *umbellata* (Thunb. ex Murray) var. *liukiuensis* (Koidz.) Hatus., Fl. Ryukyus 844 1971

Rhaphiolepis indica (L.) Lindl. ex Ker var. *umbellata* (Thunb. ex Murray) H.Ohashi, J. Jap. Bot. 63: 4 1988

국명: 다정큼나무(Da-jeong-keum-na-mu), 둥근잎다정큼나무, 쪽나무 / (북한명) 다정큼나무

영명: Whole-leaf Indian hawthorn

Laurus umbellata Thunb., Fl. Jap. (Thunberg) 175 1784

Mespilus sieboldi Blume, Bijdr. Fl. Ned. Ind. 17: 1102 1826

Rhaphiolepis integerrima Hook. & Arn., Bot. Beechey Voy. 263 1838

Rhaphiolepis japonica Siebold & Zucc., Fl. Jap. (Siebold) 1: 162 1841

Rhaphiolepis mertensii Siebold & Zucc., Fl. Jap. (Siebold) 1: 164 1841

Opa japonica Seem., J. Bot. 1: 281 1863

Rhaphiolepis japonica Siebold & Zucc. var. *integerrima* Hook.f. & Arn., Curtis's Bot. Mag. 91: t. 5510 1865

Rhaphiolepis ovata Briot, Rev. Hort. 343 1870

Rhaphiolepis umbellata (Thunb. ex Murray) Makino, Bot. Mag. (Tokyo) 16: 13 1902

Rhaphiolepis umbellata (Thunb. ex Murray) Makino var. *mertensii* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 16: 14 1902

Rhaphiolepis umbellata (Thunb. ex Murray) Makino f. *ovata* (Briot) C.K.Schneid., Ill. Handb. Laubholzk. 1: 706 1906

Rhaphiolepis integerrima Hook. & Arn. var. *mertensii* (Siebold & Zucc.) Makino ex Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 72 1913

Rhaphiolepis mertensii Siebold & Zucc. var. *ovata* (Briot) Nakai, Fl. Sylv. Kor. 6: 23 1916

Rhaphiolepis umbellata (Thunb. ex Murray) Makino f. *integerrima* (Hook. & Arn.) Rehder, Deut. Dendrol. 1915: 223 1916

Rhaphiolepis umbellata (Thunb. ex Murray) Makino subsp. *integerrima* (Hook. & Arn.) Masam., Trans. Nat. Hist. Soc. Taiwan 31: 274 1941

Rhaphiolepis umbellata (Thunb. ex Murray) Makino var. *integerrima* (Hook. & Arn.) Masam., Sci. Rep. Kanazawa Univ., Biol. 3: 111 1955

Rhaphiolepis indica (L.) Lindl. ex Ker subsp. *umbellata* (Thunb. ex Murray) Hatus., Mem. Fac. Agric. Kagoshima Univ. 7: 309 1970

Rhaphiolepis indica (L.) Lindl. ex Ker var. *integerrima* (Hook. & Arn.) Kitam., Acta Phytotax. Geobot. 26: 1 1974

Rhaphiolepis indica (L.) Lindl. ex Ker var. *integerrima* (Hook. & Arn.) f. *umbellata* (Thunb. ex Murray) Hatus., J. Geobot. 5: 126 1978

■ ROSACEAE 장미과

Rhodotypos Siebold & Zucc. 병아리꽃나무속

Rhodotypos scandens (Thunb.) Makino, Bot. Mag. (Tokyo) 27: 126 1913

국명: 병아리꽃나무(Byeong-a-ri-kkot-na-mu), 개함박꽃나무, 대대추나무, 병아리꽃, 이리화, 자마꽃, 죽도화 / (북한명) 병아리꽃나무

영명: Black jetbead

Corchorus scandens Thunb., Trans. Linn. Soc. London 2: 335 1794

Kerria tetrapetala Siebold, Verh. Batav. Genootsch. Kunsten 12, 1: 69 1830

Rhodotypos kerrioides Siebold & Zucc., Fl. Jap. (Siebold) 1: 187 1841

Rhodotypos tetrapetala (Siebold) Makino, Bot. Mag. (Tokyo) 17: 13 1903

Rosa L. 장미속

Rosa acicularis Lindl., Ros. Monogr. 44 1820

국명: 인가목(In-ga-mok), 관모인가목, 금강찔레, 둉근민동인가목, 민동인가목, 민인가목, 제주가시나무, 털민동인가목, 흰민동인가목, 흰인가목 / (북한명) 민동인가목

영명: Prickly rose

Rosa sayi Schwein., Narrat. Exped. St. Peter's River [Keating] 2: 388 1824

Rosa gmelini Bunge, Fl. Altaic. 2: 228 1829

Rosa carelica Fr., Summa Veg. Scand. (Fries) 1: 171 1846

Rosa acicularis Lindl. var. *gmelini* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 17 1849

Rosa stricta Macoun & Gibson, Trans. Bot. Soc. Edinburgh 12: 324 1875

Rosa acicularis Lindl. var. *carelica* Matsson, Sver. Fl. 372 1901

Rosa fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 1909

Rosa taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 1909

Rosa granulosa R.Keller, Bot. Jahrb. Syst. 44: 46 1910

Rosa korsakoviensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 378 1912

Rosa acicularis Lindl. var. *taquetii* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 30: 241 1916

Rosa suavis var. *taquetii* (Nakai) Uyeki, Woody Pl. Distr. Chosen 51 1940

Rosa suavis var. *gmelini* (Bunge) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 72 1952

Rosa davurica Pall., Fl. Ross. (Pallas) 1: 61 1789

국명: 생열귀나무(Saeng-yeol-gwi-na-mu), 가마귀밥나무, 뱀찔네, 범의찔레, 붉은인가목, 산붉은인가목, 생열귀장미, 좀붉은인가목, 해당화, 긴생열귀나무 / (북한명) 생열귀나무

영명: Amur rose

Rosa gmelinii Ledeb., Fl. Ross. (Ledeb.) 2: 75 1843

Rosa amblyotis C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 30 1847

Rosa cinnamomea Ledeb. var. *daurica* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt.

Sci. Nat. 6: 27 1849

Rosa cinnamomea Ledeb. var. *davurica* (Pall.) Rupr., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 239 1858

Rosa davurica Pall. var. *ellipsoidea* Nakai ex T.H.Chung, Handb. Kor. Manch. For. 134 1939

Rosa jacutica Juz., Fl. URSS 10: 460 1941

Rosa davurica Pall. var. *glabra* Liou, Ill. Fl. Ligneous Pl. N. E. China 314 1955

Rosa davurica Pall. var. *setaea* Liou, Ill. Fl. Ligneous Pl. N. E. China 314 1955

Rosa davurica Pall. f. *ellipsoidea* (Nakai ex T.H.Chung) M.Kim, Korean Endemic Pl. 314 2004

Rosa davurica* Pall. var. *davurica

Rosa davurica* Pall. var. *alpestris (Nakai) Kitag., Neolin. Fl. Manshur. 382 1979

국명: 붉은인가목(Bul-geun-in-ga-mok) / (북한명) 붉은인가목

Rosa willdenowii Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 547 1825

Rosa marretii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 1910

Rosa rubro-stipullata Nakai, Bot. Mag. (Tokyo) 30: 242 1916

Rosa rubro-stipullata Nakai var. *alpestris* Nakai, Bot. Mag. (Tokyo) 30: 242 1916

Rosa marretii H.Lév. var. *alpestris* (Nakai) Uyeki, Woody Pl. Distr. Chosen 51 1940

Rosa davurica* Pall. f. *davurica

Rosa davurica* Pall. f. *alba (Nakai) T.B.Lee, Ill. Woody Pl. Korea 279 1966

국명: 흰생열귀나무(Huin-saeng-yeol-gwi-na-mu), 흰생열귀, 흰생열귀장미, 흰해당화 / (북한명) 흰생열귀나무

영명: White Amur rose

Rosa davurica Pall. var. *alba* Nakai, Bot. Mag. (Tokyo) 30: 240 1916

Rosa jaluana Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 537 1904

국명: 국경찔레(Guk-gyeong-jjil-re) / (북한명) 압록가시나무

영명: Northern baby rose

Rosa koreana Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 434 1901 R

국명: 흰인가목(Huin-in-ga-mok) / (북한명) 흰인가목

영명: Korean rose

Rosa luciaeae Franch. & Rochebr. ex Crép., Bull. Soc. Roy. Bot. Belgique 10: 323 1871

국명: 돌가시나무(Dol-ga-si-na-mu), 긴돌가시나무, 대도가시나무, 대마도가시나무, 반돌가시나무, 붉은돌가시나무,

홍돌가시나무, 제주찔레, 흑산가시나무, 흑산가시 / (북한명) 돌가시나무, 긴돌가시나무

영명: Wichura's rose

Rosa wichurana Crép., Bull. Soc. Roy. Bot. Belgique 25: 189 1886

Rosa mokanensis H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 1909

Rosa taqueti H.Lév., Repert. Spec. Nov. Regni Veg. 7: 199 1909

Rosa luciaeae Franch. & Rochebr. ex Crép. var. *wichuraiana* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 234 1913

Rosa kokusanensis Nakai, Bot. Mag. (Tokyo) 36: 64 1922

■ ROSACEAE 장미과

- Rosa tsusimensis* Nakai, Bot. Mag. (Tokyo) 36: 64 1922
Rosa ampullicarpa Koidz., Bot. Mag. (Tokyo) 39: 25 1925
Rosa wichurana Crép. var. *rosiflora* Nakai, Bot. Mag. (Tokyo) 40: 573 1926
Rosa wichurana Crép. f. *ellipsoidea* Nakai, Bot. Mag. (Tokyo) 40: 573 1926
Rosa yokoscensis (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 26 1930
Rosa luciae Franch. & Rochebr. ex Crép. var. *taquetiana* Boulenger, Bull. Jard. Bot. Etat 9: 267 1933
Rosa wichurana Crép. var. *ampullicarpa* (Koidz.) Honda, Bot. Mag. (Tokyo) 52: 139 1938
Rosa maximowicziana Regel var. *kokusanensis* (Nakai) M.Kim, Korean Endemic Pl. 110 2004

Rosa maximowicziana Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 378 1878

국명: 용가시나무(Yong-ga-si-na-mu), 돌장미, 땅가시나무, 민줄들장미, 줄들장미, 찔이나무, 털용가시 /
(북한명) 용가시나무

영명: Maximowicz's rose

- Rosa luciae* Franch. & Rochebr. ex Crép. var. *aculeatissima* Crép. ex Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5:
378 1878
Rosa kelleri Baker, Rosa [E. A. Willmott] 75 1910
Rosa coreana R.Keller, Bot. Jahrb. Syst. 44: 47 1910
Rosa jackii Rehder, Mitt. Deutsch. Dendrol. Ges. 19: 251 1910
Rosa nakaiana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 432 1912
Rosa spinosissima L. var. *mandshurica* Y.Yabe, Enum. Pl. S. Manch. 70 1912
Rosa granulosa R.Keller var. *coreana* (R.Keller) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.]
53 1914
Rosa maximowicziana Regel f. *adenocalyx* Nakai, Bot. Mag. (Tokyo) 30: 236 1916
Rosa diversistyla Cardot, Notul. Syst. (Paris) 3: 266 1916
Rosa jackii Rehder var. *pilosa* Nakai, Bot. Mag. (Tokyo) 30: 236 1916
Rosa maximowicziana Regel f. *leiocalyx* Nakai, Bot. Mag. (Tokyo) 30: 235 1916
Rosa maximowicziana Regel var. *pilosa* (Nakai) Nakai, Fl. Sylv. Kor. 7: 27 1918
Rosa maximowicziana Regel var. *jackii* (Rehder) Rehder, J. Arnold Arbor. 3: 209 1922
Rosa maximowicziana Regel var. *adenocalyx* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 58 1952
Rosa maximowicziana Regel var. *coreana* (R.Keller) Kitag., Neolin. Fl. Manshur. 383 1979

Rosa multiflora Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 474 1784

국명: 찔레꽃(Jil-re-kkot), 가시나무, 들장미, 새버나무, 설날네나무, 질꾸나무, 질누나무, 찔레나무, 민찔레나무 /
(북한명) 찔레나무, 들장미

영명: Multiflora rose

- Rosa multiflora* Thunb. var. *platyphylla* Thory, Roses 2: 69, t. 69 1821
Rosa thunbergii Tratt., Rosac. Monogr. 1: 86 1823
Rosa polyantha Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 128 1846
Rosa intermedia Carr, Rev. Hort. 1868: 269 1868
Rosa thysiflora Leroy ex Déségl., Bull. Soc. Roy. Bot. Belgique 15: 204 1876
Rosa multiflora Thunb. var. *adenophora* Franch. & Sav., Enum. Pl. Jap. 2: 344 1877
Rosa dawsoniana Ellw. & Barry ex Rehder, Cycl. Amer. Hort. 1549 1902
Rosa quelpaertensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 378 1911

- Rosa multiflora* Thunb. var. *quelpaertensis* (H.Lév.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 53 1914
Rosa franchetii Koidz. var. *paniculigera* (Makino) Koidz., Bot. Mag. (Tokyo) 31: 131 1917
Rosa adenochaeta Koidz., Bot. Mag. (Tokyo) 32: 60 1918
Rosa polyantha Siebold & Zucc. var. *adenochaeta* (Koidz.) Nakai, Bot. Mag. (Tokyo) 40: 569 1926
Rosa polyantha Siebold & Zucc. var. *quelpaertensis* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 40: 569 1926
Rosa multiflora Thunb. var. *adenochaeta* (Koidz.) Ohwi, Fl. Jap. (Ohwi) 651 1953
Rosa multiflora Thunb. f. *inermis* M.Kim, Korean Endemic Pl. 313 2004

***Rosa rugosa* Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 473 1784**

국명: 해당화(Hae-dang-hwa) / (북한명) 해당화

영명: **Rugose rose**

- Rosa ferox* Lawrance, Collect. roses nat. 42 1799
Rosa kamatchatica Vent., Descr. Pl. Nouv. 67 1800
Rosa coruscans Waitz ex Link, Enum. Hort. Berol. Alt. 2: 57 1822
Rosa kamtchatica Vent. var. *nitens* Lindl., Bot. Reg. 10: t. 824 1828
Rosa kamtchatica Vent. var. *ferox* Van Geel, Sert. Bot. 4(cl. 13) 1832
Rosa cinnamomea Ledeb., Fl. Ross. (Ledeb.) 2: 76 1843
Rosa rugosa Thunb. var. *thunbergiana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 32 1849
Rosa rugosa Thunb. var. *chamissoniana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 34 1849
Rosa rugosa Thunb. var. *subinermis* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 36 1849
Rosa rugosa Thunb. var. *lindiana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 34 1849
Rosa rugosa Thunb. var. *ventenatiana* C.A.Mey., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 34 1849
Rosa regeliana Linden & André, Ill. Hort. 18: 11 1871
Rosa rugosa Thunb. var. *amurensis* Debeaux, Bull. Soc. Linn. Bordeaux 31: 152 1876
Rosa rugosa Thunb. var. *plena* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 310 1878
Rosa rugosa Thunb. var. *kamtschatica* (Vent.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 310 1878
Rosa rugosa Thunb. var. *regeliana* Wittm., Gartenflora 42: 539 1893
Rosa rugosa Thunb. var. *coruscans* (Waitz) Koehne, Deut. Dendrol. 298 1893
Rosa rugosa Thunb. var. *rubra* Rehder, Cycl. Amer. Hort. 4: 1556 1902
Rosa pubescens Baker, Rosa [E. A. Willmott] 2: 499 1914
Rosa rugosa Thunb. var. *rubroplena* Rehder, Stand. Cycl. Hort. 5: 2992 1916
Rosa rugosa Thunb. f. *plena* (Regel) Bijn., J. Arnold Arbor. 10: 98 1929

***Rosa spinosissima* L., Sp. Pl. 1: 491 1753**

국명: 둥근인가목(Dung-geun-in-ga-mok), 덩굴인가목, 동글인가목, 등굴인가목 / (북한명) 동굴인가목

영명: **Burnet rose**

■ ROSACEAE 장미과

Rosa taisensis Nakai, J. Jap. Bot. 19: 375 1943

국명: 대청가시나무(Dae-cheong-ga-si-na-mu)

Rosa wichurana Crép. var. *taisensis* (Nakai) M.Kim, Korean Endemic Pl. 500 2017

***Rubus* L. 산딸기속**

Rubus arcticus L., Sp. Pl. 1: 494 1753

국명: 합경딸기(Ham-gyeong-ttal-gi), 벌딸기, 천도딸기 / (북한명) 두메딸기, 천도딸기

영명: Arctic raspberry

Rubus buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 36 1867

국명: 겨울딸기(Gyeo-ul-ttal-gi), 겨울딸, 늘푸른줄딸기, 땅줄딸기, 왕딸 / (북한명) 겨울딸기

영명: Winter raspberry

Rubus bodinieri H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 97 1902

Rubus shimadai Hayata, Icon. Pl. Formosan. 3: 94 1913

Rubus pseudobuergeri Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 249 1931

Rubus chamaemorus L., Sp. Pl. 1: 494 1753

국명: 진들딸기(Jin-deul-ttal-gi), 장지딸기, 진도딸기

영명: Cloudberry

Chamaemorus morwegica Greene, Leafl. Bot. Observ. Crit. 1: 245 1905

Rubus pseudochamaemorus Tolm., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 16: 105 1954

Rubus corchorifolius L.f., Suppl. Pl. 263 1781

국명: 수리딸기(Su-ri-ttal-gi), 민수리딸, 청수리딸기 / (북한명) 수리딸기

영명: Jute-leaf raspberry

Rubus villosus Thunb., Fl. Jap. (Thunberg) 218 1784

Rubus oliveri Miq., Prolus. Fl. Jap. 223 1867

Rubus corchorifolius L.f. var. *oliveri* (Miq.) Focke, Bot. Jahrb. Syst. 29: 391 1900

Rubus corchorifolius L.f. var. *glaber* Matsum., Bot. Mag. (Tokyo) 15: 157 1901

Rubus kerriaefolius H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 100 1902

Rubus vaniotii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 280 1908

Rubus coreanus Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 34 1867

국명: 복분자딸기(Bok-bun-ja-ttal-gi), 곰딸, 곰의딸, 복분자, 복분자딸, 민복분자딸기, 푸른복분자딸기 / (북한명) 복분자딸기, 곰딸

영명: Bokbunjia (Korean blackberry)

Rubus tokkura Siebold, Verh. Batav. Genootsch. Kunsten 12: 65 1830

Rubus hiraseanus Makino, Bot. Mag. (Tokyo) 16: 444 1902

Rubus pseudosaxatilis H.Lév., Repert. Spec. Nov. Regni Veg. 5: 280 1908

Rubus quelpaertensis H.Lév., Repert. Spec. Nov. Regni Veg. 5: 280 1908

Rubus coreanus Miq. var. *nakaianus* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 358 1910

Rubus hoatiensis H.Lév., Repert. Spec. Nov. Regni Veg. 11: 32 1913

Rubus coreanus Miq. f. *inermis* M.Kim, Korean Endemic Pl. 315 2004

Rubus coreanus Miq. f. *viridicaulis* M.Kim, Korean Endemic Pl. 315 2004

Rubus coreanus* Miq. var. *coreanus

Rubus coreanus* Miq. var. *concolor Nakai ex J.Y.Yang, Novon 25: 117 2016 (E)

국명: 청복분자딸기(Cheong-bok-bun-ja-ttal-gi), 청복분자, 청복분자딸 / (북한명) 청복문자나무

영명: Glabrous-leaf bokbunja

Rubus crataegifolius Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 24 1833

국명: 산딸기(San-ttal-gi), 곰딸, 긴나무딸기, 긴잎나무딸기, 긴잎산딸기, 나무딸기, 산딸기나무, 참딸, 함박딸, 흰딸 / (북한명) 산딸기나무

영명: Korean raspberry

Rubus wrightii A.Gray, Mem. Amer. Acad. Arts ser. 2 6: 387 1858

Rubus ouensanensis H.Lév. & Vaniot, Bull. Soc. Agric. Sarthe 60: 62 1905

Rubus ampelophyllum H.Lév., Repert. Spec. Nov. Regni Veg. 5: 279 1908

Rubus itoensis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 358 1910

Rubus savatieri L.H.Bailey, Stand. Cycl. Hort. 5: 3026 1916

Rubus crataegifolius Bunge var. *wrightii* (A.Gray) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 1952

Rubus croceacanthus H.Lév., Repert. Spec. Nov. Regni Veg. 11: 33 1913

국명: 검은딸기(Geom-eun-ttal-gi), 검섬딸기, 섬딸 / (북한명) 검은딸기

영명: Hooked-thorn raspberry

Rubus rosifolius Sm. var. *tropicus* Makino, Bot. Mag. (Tokyo) 15: 49 1901

Rubus okinawaensis Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 140 1913

Rubus kiusianus Nakai, Bot. Mag. (Tokyo) 3: 224 1916

Rubus croceacanthus H.Lév. var. *glabra* Koidz., Fl. Symb. Orient.-Asiat. 65 1930

Rubus kinokuniensis Koidz., Fl. Symb. Orient.-Asiat. 67 1930

Rubus isensis Honda, Bot. Mag. (Tokyo) 48: 406 1934

Rubus hirsutus Thunb., Rubo 7 1813

국명: 장딸기(Jang-ttal-gi), 노랑장딸기, 땃딸기, 땅딸기, 노란장딸기 / (북한명) 장딸기

영명: Hirsute raspberry

Rubus thunbergii Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 246 1844

Rubus argyi H.Lév., Repert. Spec. Nov. Regni Veg. 4: 337 1907

Rubus talaikiaensis H.Lév., Repert. Spec. Nov. Regni Veg. 4: 334 1907

Rubus stephanandria H.Lév., Repert. Spec. Nov. Regni Veg. 8: 358 1910

Rubus thunbergii Siebold & Zucc. var. *argyi* (H.Lév.) Focke, Biblioth. Bot. 72: 160 1911

■ ROSACEAE 장미과

Rubus thunbergii Siebold & Zucc. var. *talaikiensis* (H.Lév.) Focke, Biblioth. Bot. 72: 160 1911

Rubus hirsutus Thunb. var. *argyi* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 44: 526 1930

Rubus hirsutus Thunb. var. *xanthocarpus* Nakai, Bot. Mag. (Tokyo) 44: 527 1930

Rubus hirsutus Thunb. f. *argyi* (H.Lév.) W.T.Lee, Lineamenta Florae Koreae 529 1996

Rubus hirsutus Thunb. f. *xanthocarpus* (Nakai) M.Kim, Korean Endemic Pl. 539 2017

Rubus hongnoensis Nakai, Repert. Spec. Nov. Regni Veg. 13: 277 1914 Ⓟ Ⓢ

국명: 가시딸기(Ga-si-ttal-gi), 가시딸, 섬가시딸기 / (북한명) 섬가시딸기, 가시딸기

영명: Hongno orange raspberry

Rubus idaeus L. var. *idaeus*

Rubus idaeus L. var. *microphyllus* Turcz., Fl. Baical.-dahur. 1: 370 1842

국명: 명덕딸기(Meong-deok-ttal-gi), 긴잎멍석딸기, 두메딸기, 멧딸기, 산멍덕딸기, 나무딸기기 / (북한명) 명덕딸기

영명: Asian red raspberry

Rubus idaeus L. var. *aculeatissimus* C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 11: 61 1846

Rubus idaeus L. subsp. *melanolasius* Dieck ex Focke, Abh. Naturwiss. Vereine Bremen 13: 472, 473 1896

Rubus melanolasius Focke, Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 484 1904

Rubus idaeus L. subsp. *inermis* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 136 1913

Rubus idaeus L. subsp. *melanolasius* Dieck ex Focke var. *hondoensis* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 136 1913

Rubus idaeus L. var. *coreanus* Nakai, Bot. Mag. (Tokyo) 30: 229 1916

Rubus idaeus L. var. *matsumurae* Nakai, Bot. Mag. (Tokyo) 30: 229 1916

Rubus sachalinensis H.Lév. var. *macrophyllus* Cardot, Bull. Mus. Hist. Nat. (Paris) 33: 310 1917

Rubus sachalinensis H.Lév. var. *coreanus* (Nakai) H.S.Kim, Fl. Coreana (Kim) 3: 162 1974

Rubus ikenensis H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 549 1906

국명: 오엽딸기(O-yeop-ttal-gi)

영명: Five-palmate-leaf raspberry

Rubus defensus Focke, Biblioth. Bot. 72: 26 1910

Rubus tschonoskii Proch., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 55 1924

Rubus matsumuranus H.Lév. & Vaniot var. *matsumuranus*

Rubus matsumuranus H.Lév. & Vaniot var. *concolor* (Komarov) Kitag., Neolin. Fl. Manshur. 384 1979

국명: 나무딸기(Na-mu-ttal-gi)

영명: Glabrous-red raspberry

Rubus nishimuranus Koidz., Bot. Mag. (Tokyo) 32: 254 1918

국명: 제주산딸기(Je-ju-san-ttal-gi)

영명: Jeju raspberry

Rubus palmatus Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 475 1784

국명: **긴잎단풍딸기**(Gin-ip-dan-pung-ttal-gi)

Rubus palmatus Thunb. var. *palmatus*

Rubus palmatus Thunb. var. *coryophyllus* (A.Gray) Kuntze, Meth. Sp.-Beschr. Rubus 95 1879 Ⓛ

국명: **단풍딸기**(Dan-pung-ttal-gi)

영명: **Palmate-leaf raspberry**

Rubus parvifolius L., Sp. Pl. 2: 1197 1753

국명: **멍석딸기**(Meong-seok-ttal-gi), 덤플딸기, 멍두딸, 멍딸기, 멍석딸, 번동딸나무, 사수딸기, 수리딸나무,
제주멍석, 사순딸기 / (북한명) 멍석딸기

영명: **Trailing raspberry**

Rubus triphyllus Thunb., Fl. Jap. (Thunberg) 215 1784

Rubus triphyllus Thunb. var. *concolor* Koidz., Bot. Mag. (Tokyo) 23: 178 1909

Rubus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 1909

Rubus triphyllus Thunb. var. *subconcolor* Cardot, Notul. Syst. (Paris) 3: 311 1914

Rubus parvifolius L. var. *subpinnata* Nakai, Veg. Apoi 11 1930

Rubus parvifolius L. var. *triphyllus* (Thunb.) Nakai, Veg. Apoi 11 1930

Rubus parvifolius L. var. *concolor* (Koidz.) Makino & Nemoto, Fl. Jap. Suppl. 352 1936

Rubus parvifolius L. var. *taquetii* (H.Lév.) Nemoto, Fl. Jap. Suppl. 352 1936

Rubus parvifolius L. f. *subpinnatus* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 59 1952

Rubus triphyllus Thunb. var. *taquetii* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 30: 227 1916

Rubus phoenicolasius Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.3, 17: 160 1872

국명: **곰딸기**(Gom-ttal-gi), 붉은가시딸기, 섬가시딸나무 / (북한명) 붉은가시딸기

Rubus trifidus Thunb. var. *tomentosus* Makino, Bot. Mag. (Tokyo) 15: 49 1901

Rubus phoenicolasius Maxim. var. *phoenicolasius*

Rubus phoenicolasius Maxim. var. *albiflorus* Nakai ex J.Y.Yang, Novon 25: 119 2016

국명: **흰곰딸기**(Huin-gom-ttal-gi)

영명: **White-flower wineberry**

Rubus pungens Cambess., Voy. Inde 4: 48 1844

국명: **줄딸기**(Jul-ttal-gi), 곰의딸, 동꼴딸기, 덤불딸기, 덩굴딸기, 애기오엽딸기 / (북한명) 덩굴딸기, 줄딸기,
덤불딸기, 곰의딸기, 동꼴딸기

영명: **Korean creeping raspberry**

Rubus oldhamii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 34 1867

Rubus pungens Cambess. var. *oldhamii* (Miq.) Maxim., Mélanges Biol. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg
8: 386 1872

■ ROSACEAE 장미과

Rubus pungens Cambess. var. *oldhamii* (Miq.) Maxim. f. *roseus* Nakai, Bot. Mag. (Tokyo) 30: 224 1916
Rubus oldhamii Miq. var. *roseus* (Nakai) H.Hara, J. Jap. Bot. 19: 127 1933

Rubus ribisoideus Matsum., Bot. Mag. (Tokyo) 15: 159 1901

국명: 섬딸기(Seom-ttal-gi), 팔장도딸기, 맥도딸기 / (북한명) 팔장도딸기, 맥도딸기

영명: **Thornless southern raspberry**

Rubus tozawae Nakai ex J.Y.Yang var. *longisepalus* J.Y.Yang, Novon 25: 122 2016

Rubus schizostylus H.Lév., Repert. Spec. Nov. Regni Veg. 5: 280 1908 **E**

국명: 가시복분자딸기(Ga-si-bok-bun-ja-ttal-gi), 가시복분자, 가시복분자딸 / (북한명) 가시복분자딸기

영명: **Creeping bokbunja**

Rubus sumatranus Miq., Fl. Nederl. Ind. Bot. Append. 1: 307 1860 **R**

국명: 거지딸기(Geo-ji-ttal-gi), 거지딸, 복딸기 / (북한명) 맛노랑딸기, 거지딸기

영명: **Sorbus-leaf yellow raspberry**

Rubus asper Wall. ex D.Don, Prodr. Fl. Nepal. 234 1825

Rubus sorbifolius Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 158 1871

Rubus rosifolius Sm. var. *sorbifolius* (Maxim.) Makino, Bot. Mag. (Tokyo) 15: 51 1901

Rubus myriadenus H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 207 1904

Rubus asper Wall. ex D.Don var. *myriadenus* Focke, Biblioth. Bot. 72: 158 1910

Rubus sorbifolius Maxim. var. *myriadenus* (Focke) T.B.Lee, Ill. Woody Pl. Korea 282 1966

Rubus takesimensis Nakai, Bot. Mag. (Tokyo) 32: 105 1918 **E**

국명: 섬나무딸기(Seom-na-mu-ttal-gi), 섬산딸기, 왕곰딸기 / (북한명) 섬나무딸기

영명: **Ulleungdo raspberry**

Rubus tozawae Nakai ex J.Y.Yang, Novon 25: 119 2016 **E R**

국명: 거제딸기(Geo-je-ttal-gi), 거문도딸, 거제문딸기 / (북한명) 거제딸기

영명: **Geoje raspberry**

** *Rubus tozawae* Nakai ex T.H.Chung, Ill. Manual Korean Trees Shrubs 346 1943

** *Rubus longisepalus* Nakai var. *tozawae* (Nakai ex T.H.Chung) T.B.Lee, Ill. Woody Pl. Korea 282 1966

** *Rubus longisepalus* Nakai f. *tozawae* (Nakai) M.Kim, Korean Endemic Pl. 316 2004

Rubus trifidus Thunb., Fl. Jap. (Thunberg) 217 1784

국명: 거문딸기(Geo-mun-ttal-gi), 꾸지딸기

***Sanguisorba* L. 오이풀속**

Sanguisorba argutidens Nakai, Bot. Mag. (Tokyo) 47: 249 1933 **E**

국명: 구름오이풀(Gu-reum-o-i-pul), 뒷오이풀, 큰흰오이풀 / (북한명) 뒷오이풀

영명: **High-mountain burnet**

Sanguisorba hakusanensis Makino, Bot. Mag. (Tokyo) 21: 140 1907

국명: 산오이풀(San-o-i-pul) / (북한명) 산오이풀

영명: Korean mountain burnet

Sanguisorba hakusanensis Makino var. *coreana* H.Hara, J. Jap. Bot. 10: 235 1934

Sanguisorba hakusanensis Makino f. *coreana* (H.Hara) M.Kim, Korean Endemic Pl. 317 2004

Sanguisorba longifolia Bertol., Mem. Reale Accad. Sci. Ist. Bologna 12: 234 1861

국명: 긴오이풀(Gin-o-i-pul), 긴잎오이풀, 이삭오이풀, 이삭지우초 / (북한명) 긴잎오이풀

영명: Long-leaf burnet

Sanguisorba rectispica Kitag., Bot. Mag. (Tokyo) 50: 135 1936

Sanguisorba officinalis L. var. *longifolia* (Bertol.) T.T.Yu & C.L.Li, Acta Phytotax. Sin. 17: 9 1979

Sanguisorba obtusa Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 14: 160 1874

국명: 두메오이풀(Du-me-o-i-pul) / (북한명) 두메오이풀

영명: Alpine burnet

Sanguisorba officinalis L., Sp. Pl. 1: 116 1753

국명: 오이풀(O-i-pul), 수박풀, 외순나물, 지우, 지우초 / (북한명) 오이풀

영명: Great burnet

Sanguisorba carnea Fisch., Enum. Hort. Berol. Alt. 1: 144 1822

Sanguisorba officinalis L. var. *carnea* (Fisch. ex Link) Regel ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 154 1877

Sanguisorba unsanensis Nakai, Report. Spec. Nov. Regni Veg. 13: 278 1914

Sanguisorba stipulata Raf. f. *alba* (Trautv. & C.A.Mey.) Kitam., Acta Phytotax. Geobot. 20: 199 1962

Sanguisorba stipulata Raf., Herb. Raf. 47 1833

국명: 큰오이풀(Keon-o-i-pul), 구름오이풀, 백두오이풀, 큰산오이풀, 큰흰지우초

영명: White burnet

Sanguisorba canadensis L. var. *latifolia* Hook., Fl. Bor.-Amer. (Hooker) 1: 198 1832

Sanguisorba sitchensis C.A.Mey., Fl. Ochot. Phaenog. 34 1856

Sanguisorba latifolia (Hook.) Coville, Contr. U. S. Natl. Herb. 3: 339 1896

Sanguisorba stipulata Raf. var. *latifolia* (Hook.) H.Hara, J. Jap. Bot. 23: 31 1949

Sanguisorba canadensis L. subsp. *latifolia* (Hook.) Calder & Roy L.Taylor, Canad. J. Bot. 43: 1395 1965

Sanguisorba × tenuifolia Fisch. ex Link, Enum. Hort. Berol. Alt. 1: 144 1821

국명: 가는오이풀(Ga-neun-o-i-pul), 애기오이풀, 붉은오이풀, 좁은잎오이풀, 흰오이풀 / (북한명) 흰가는오이풀

영명: Asian burnet

Sanguisorba × tenuifolia Fisch. ex Link var. *rubra* Fisch. ex Link., Enum. Pl. Hort. Ber. 144 1821

Sanguisorba × tenuifolia Fisch. ex Link var. *alba* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 35 1856

Sanguisorba × tenuifolia Fisch. ex Link var. *purpurea* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 35 1856

Sanguisorba parviflora (Maxim.) Takeda, J. Linn. Soc., Bot. 42: 462 1914

Sanguisorba × tenuifolia Fisch. ex Link f. *purpurea* (Trautv. & C.A.Mey.) W.T.Lee, Lineamenta Florae Koreae 538 1996

■ ROSACEAE 장미과

Sibbaldia L. 너도양지꽃속

Sibbaldia procumbens L., Sp. Pl. 1: 284 1753

국명: 너도양지꽃(Neo-do-yang-ji-kkot), 바위딸기, 백두금매화 / (북한명) 백두금매화

영명: Creeping sibbaldia

Sibbaldia octopetala Mill., Gard. Dict. ed. 8: n.2 1768

Potentilla procumbens (L.) Clairv., Man. Herbor. Suisse 166 1811

Potentilla sieboldii Haller f., Mus. Helv. Bot. 1: 51 1818

Dactylophyllum sibbaldia Spenn., Fl. Friburg. 3: 1034 1829

Potentilla sibbaldia Griess., Kl. Bot. Schrift. 1: 239 1836

Sibbaldia coreana Nakai, Sci. Knowl. 8: 41 1928

Sibbaldia macrophylla Turcz. ex Juz., Fl. URSS 10: 614 1941

Sibbaldia procumbens L. var. *coreana* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 11 1953

Sibbaldianthe Juz. 물싸리풀속

Sibbaldianthe semiglabra (Soják) Mosyakin & Shiyan, Phytotaxa 296(2): 111 2017

국명: 물싸리풀(Mul-ssa-ri-pul), 풀매화, 풀물싸리 / (북한명) 물싸리

영명: Glabrous forked-leaf cinquefoil

Potentilla bifurca L. var. *major* Ledeb., Sp. Pl. 1: 497 1753

Potentilla bifurca var. *glabrata* Lehmann, Rev. Potent. 33 1851

Schistophyllum bifurcum subsp. *semiglabrum* Soják, Notes on Potentilla XXI. 357 2008

Sorbaria (Ser.) A.Braun 쉬땅나무속

Sorbaria sorbifolia (L.) A.Braun var. *sorbifolia*

Sorbaria sorbifolia (L.) A.Braun var. *glandulifolia* J.H.Song & S.P.Hong, Phytotaxa 409(1): 40 2019 ⓘ

국명: 점쉬땅나무(Jeom-swi-ttang-na-mu)

Sorbaria sorbifolia (L.) A.Braun var. *stellipila* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 223 1879

국명: 쉬땅나무(Swi-ttang-na-mu), 개쉬땅나무, 마가목, 빙쉬나무, 쉬나무 / (북한명) 쉬땅나무

영명: False spiraea

Sorbaria stellipila (Maxim.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 489 1905

Sorbaria stellipila (Maxim.) C.K.Schneid. var. *incerta* C.K.Schneid., Ill. Handb. Laubholzk. 1: 489 1905

Sorbaria sorbifolia (L.) A.Braun f. *incerta* (C.K.Schneid.) Kitag., Lin. Fl. Manshur. 275 1939

Aria (Pers.) J.Jacq. ex Host 팥배나무속

Aria alnifolia (Siebold & Zucc.) Decne., Nouv. Arch. Mus. Hist. Nat. Paris 10: 166 1874

국명: 팥배나무(Pat-bae-na-mu), 긴팻배, 달피팥배나무, 둉근잎팥배나무, 둉근팻배나무, 물방치나무, 물앵도나무, 벌배나무, 산매자나무, 왕잎팻배, 왕팥배나무, 운향나무, 참팥배나무, 팻배, 팻배나무 / (북한명) 팥배나무

영명: Korean mountain ash

- Crataegus alnifolia* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 130 1845
Sorbus alnifolia (Siebold & Zucc.) K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 249 1864
Aria tiliifolia Decne., Nouv. Arch. Mus. Hist. Nat. Paris 10: 167 1874
Micromeles alnifolia (Siebold & Zucc.) Koehne, Gatt. Pomac. 21 1890
Micromeles tiliifolia (Decne.) Koehne, Gatt. Pomac. 21, t. 2, f. 14e 1890
Pyrus miyabei Sarg., Gard. Forum 6: 214 1893
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *tiliifolia* (Decne.) C.K.Schneid., Ill. Handb. Laubholzk. 1: 703, f. 386 e, 387 1906
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *macrophylla* Nakai, Bot. Mag. (Tokyo) 30: 21 1916
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *hirtella* Nakai, Bot. Mag. (Tokyo) 30: 21 1916
Micromeles alnifolia (Siebold & Zucc.) Koehne var. *lyciocarpa* Uyeki, J. Chosen Nat. Hist. Soc. 20: 17 1935
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *tiliifolia* (Decne.) Hisauti, J. Jap. Bot. 13: 47 1937
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *macrophylla* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 1952
Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *hirtella* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 62 1952
Sorbus alnifolia (Siebold & Zucc.) K.Koch f. *hirtella* (Nakai) W.T.Lee, Lineamenta Florae Koreae 541 1996

Sorbus L. 마가목속

Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *alnifolia*

Sorbus alnifolia (Siebold & Zucc.) K.Koch var. *lobulata* (Koidz.) Rehder, Pl. Wilson. 2: 275 1915

국명: 벌배나무(Beol-bae-na-mu), 가새팟배나무 / (북한명) 벌풀배나무

영명: Lobulate-leaf Korean mountain ash

- Micromeles alnifolia* (Siebold & Zucc.) Koehne var. *lobulata* Koidz., J. Coll. Sci. Imp. Univ. Tokyo 34: 69 1913

Sorbus commixta Hedl., Kongl. Svenska Vetensk. Acad. Handl. 35: 38 1901

국명: 마가목(Ma-ga-mok), 은빛마가목, 넓은잎당마가목, 차빛당마가목, 얇은털마가목, 잔털마가목 / (북한명) 마가목

영명: Silvery mountain ash

- Sorbus aucuparia* L. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 170 1874
Sorbus japonica (Maxim.) Koehne, Gartenflora 408 1901
Sorbus reflexipetala Koehne, Mitt. Deutsch. Dendrol. Ges. 58 1906
Sorbus commixta Hedl. var. *rufoferruginea* C.K.Schneid., Ill. Handb. Laubholzk. 1: 678 1906
Sorbus heterodonta Koehne, Repert. Spec. Nov. Regni Veg. 10: 506 1912
Sorbus pruinosa Koehne, Repert. Spec. Nov. Regni Veg. 10: 506 1912
Sorbus amurensis Koehne var. *lanata* Nakai, Bot. Mag. (Tokyo) 30: 17 1916
Sorbus commixta Hedl. var. *pilosa* Nakai, Fl. Sylv. Kor. 6: 23 1916
Sorbus commixta Hedl. var. *sachalinensis* Koidz., Bot. Mag. (Tokyo) 31: 137 1917
Pyrus micrantha Franch. & Sav. var. *macrophylla* Cardot, Notul. Syst. (Paris) 3: 355 1918
Sorbus amurensis Koehne var. *rufa* Nakai, Bot. Mag. (Tokyo) 33: 57 1919
Sorbus macrophylla (Cardot) Koidz., Fl. Symb. Orient.-Asiat. 55 1930
Sorbus yesoensis Nakai, Veg. Apoi 21 1930
Sorbus chionophylla Nakai, J. Jap. Bot. 15: 677 1939

■ ROSACEAE 장미과

Sorbus amurensis Koehne var. *latifoliolata* Nakai, J. Jap. Bot. 17: 192 1941

Sorbus amurensis Koehne f. *latifoliolata* (Nakai) W.T.Lee, Lineamenta Florae Koreae 541 1996

Sorbus commixta Hedl. f. *rufa* (Nakai) M.Kim, Korean Endemic Pl. 318 2004

Sorbus pohuashanensis (Hance) Hedl. f. *latifoliolata* (Nakai) M.Kim, Korean Endemic Pl. 540 2017

Sorbus pohuashanensis (Hance) Hedl. f. *rufa* (Nakai) M.Kim, Korean Endemic Pl. 540 2017

***Sorbus pohuashanensis* (Hance) Hedl.**, Kongl. Svenska Vetensk. Acad. Handl. 35: 33 1901

국명: **당마가목**(Dang-ma-ga-mok), 텔눈마가목, 텔순마가목 / (북한명) 당마가목

영명: **Amur mountain ash**

Pyrus pohuashanensis Hance, J. Bot. 13: 132 1875

Sorbus amurensis Koehne, Repert. Spec. Nov. Regni Veg. 10: 513 1912

Sorbus manshuriensis Kitag., J. Jap. Bot. 22: 175 1948

Sorbus pohuashanensis (Hance) Hedl. var. *amurensis* (Koehne) Y.L.Chou & S.L.Tung, Lignaceous Fl. Heilongjiang 335 1986

Sorbus pohuashanensis (Hance) Hedl. var. *manshuriensis* (Kitag.) Y.C.Chu, Pl. Medic. Chiae Bor.-orient. 558 1989

Sorbus sambucifolia* (Cham. & Schleidl.) M.Roem. var. *sambucifolia

***Sorbus sambucifolia* (Cham. & Schleidl.) M.Roem. var. *pseudogracilis* C.K.Schneid.**, Bull. Herb. Boissier 2, 6: 11 1906

국명: **산마가목**(San-ma-ga-mok), 두메마가목 / (북한명) 산마가목

영명: **Siberian mountain ash**

Sorbus pseudogracilis (C.K.Schneid.) Koehne, Repert. Spec. Nov. Regni Veg. 10: 504 1912

***Sorbus ulleungensis* Chin S.Chang, Harvard Pap. Bot. 18: 22 2014 E**

국명: **우산마가목**(U-san--ma-ga-mok)

Sorbus commixta Hedl. f. *rufa-hirtella* Nakai, Bot. Mag. (Tokyo) 32: 105 1918

Sorbus commixta Hedl. var. *ulleungensis* (Chin S.Chang) M.Kim, Korean Endemic Pl. 208 2017

Spiraea L. 조팝나무속

***Spiraea betulifolia* Pall., Fl. Ross. (Pallas) 1: 33, t.16 1789 R**

국명: **둥근잎조팝나무**(Dung-geun-ip-jo-pap-na-mu), 둥근조팝나무 / (북한명) 둥근잎조팝나무

영명: **White spiraea**

***Spiraea blumei* G.Don, Gen. Hist. 2: 518 1832**

국명: **산조팝나무**(San-jo-pap-na-mu), 개조팝나무, 긴잎산조팝나무, 넓은잎산조팝나무, 찰조팝나무 / (북한명) 산조팝나무, 긴잎산조팝나무

영명: **Montane spiraea**

Spiraea obtusa Nakai, Bot. Mag. (Tokyo) 31: 97 1917

Spiraea pseudocrenata Nakai, Bot. Mag. (Tokyo) 33: 56 1919

- Spiraea kinashii* Koidz., Bot. Mag. (Tokyo) 37: 45 1923
Spiraea ribisoidea Koidz., Bot. Mag. (Tokyo) 37: 45 1923
Spiraea tsusimensis Nakai, Bot. Mag. (Tokyo) 42: 466 1928
Spiraea amabilis Koidz., Fl. Satsum. 2: 102 1931
Spiraea hypoglauca Koidz., Fl. Satsum. 2: 100 1931
Spiraea sikokualpina × *glabra* Koidz., Acta Phytotax. Geobot. 3: 151 1934
Spiraea blumei G.Don var. *amabilis* (Koidz.) Kitam., Acta Phytotax. Geobot. 14: 153 1952
Spiraea blumei G.Don f. *amabilis* (Koidz.) Kitam., Acta Phytotax. Geobot. 26: 5 1974
Spiraea blumei G.Don var. *obtusa* (Nakai) Kitam., Acta Phytotax. Geobot. 26: 4 1974
Spiraea blumei G.Don var. *pseudocrenata* (Nakai) H.S.Kim, Fl. Coreana (Kim) 3: 110 1974
Spiraea blumei G.Don f. *pseudocrenata* (Nakai) M.Kim, Korean Endemic Pl. 541 2017

***Spiraea chamaedryfolia* L., Sp. Pl. 1: 489 1753**

국명: 인가목조팝나무(In-ga-mok-jo-pap-na-mu), 기장조팝나무, 인가목, 조팝나무, 철연죽, 텔인가목조팝나무,
털철연죽 / (북한명) 인가목조팝나무

영명: Elm-leaf spiraea

- Spiraea ulmifolia* Scop., Fl. Carniol. ed. 2 1: 349, 1 22 1772
Spiraea flexuosa Fisch. ex Cambess., Monogr. Silene 265 1824
Spiraea chamaedryfolia L. var. *flexuosa* (Fisch. ex Cambess.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 186 1879
Spiraea chamaedryfolia L. var. *ulmifolia* (Scop.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 186 1879
Spiraea ussuriensis Pojark., Fl. URSS 9: 292, 489 1 17, 1 10 1939
Spiraea chamaedryfolia L. var. *pubescens* H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3-6: 78 1952

Spiraea chamaedryfolia* L. var. *chamaedryfolia

Spiraea chamaedryfolia L. var. *pilosa* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3-6: 78 1952

국명: 텔인가목조팝나무(Teol-in-ga-mok-jo-pap-na-mu)

영명: Pilose elm-leaf spiraea

- Spiraea ulmifolia* Scop. var. *pilosa* Nakai, Bot. Mag. (Tokyo) 42: 467 1928

***Spiraea chartacea* Nakai, Bot. Mag. (Tokyo) 42: 467 1928**

국명: 아구장나무(A-gu-jang-na-mu), 떡조팝나무, 기장조팝나무, 떡잎조팝나무, 물참대, 아구장조팝나무,
설악조팝나무, 민들아구장나무, 설악아구장나무 / (북한명) 아구장나무, 기장조팝나무, 떡잎조팝나무,
물참대, 설악아구장조팝나무, 설악조팝나무

영명: Pubescent spiraea

- Spiraea lauchiana* Koehne, Mitt. Deutsch. Dendrol. Ges. 1899: 56 1899
Spiraea pubescens Turcz. var. *lasiocarpa* Nakai, Bot. Mag. (Tokyo) 42: 465 1928
Spiraea pubescens Turcz. var. *leiocarpa* Nakai, Bot. Mag. (Tokyo) 42: 466 1928
Spiraea nankaiensis Nakai, J. Jap. Bot. 19: 362 1943
Spiraea pubescens Turcz. f. *leiocarpa* (Nakai) Kitag., J. Jap. Bot. 41: 370 1966
Spiraea turczaninowii Businský, Phyton 58: 202 2019
! *Spiraea pubescens* Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 190 1832

■ ROSACEAE 장미과

Spiraea chinensis Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 193 1879

국명: 당조팝나무(Dang-jo-pap-na-mu) / (북한명) 당조팝나무

영명: Chinese spiraea

Spiraea daysyantha var. *angustifolia* Yatabe, Bot. Mag. (Tokyo) 6: 348 1892

Spiraea chinensis Maxim. var. *angustifolia* Koidz., Bot. Mag. (Tokyo) 29: 310 1915

Spiraea kiusiana Nakai, Bot. Mag. (Tokyo) 29: 228 1915

Spiraea yatabei Nakai, Bot. Mag. (Tokyo) 29: 227 1915

Spiraea yatabei Nakai var. *latifolia* Nakai, Bot. Mag. (Tokyo) 29: 228 1915

Spiraea yatabei Nakai subfor. *latifolia* (Nakai) Nakai ex T.Mori, Enum. Pl. Corea 36: 63 1922

Spiraea hayatai Koidz. var. *pubescens* Koidz., Bot. Mag. (Tokyo) 43: 404 1929

Spiraea nervosa Franch. & Sav. var. *chinensis* (Maxim.) Koidz., Bot. Mag. (Tokyo) 43: 403 1929

Spiraea nervosa Franch. & Sav. var. *chinensis* subvar. *angustifolia* (Yatabe) Koidz., Bot. Mag. (Tokyo) 43: 404 1929

Spiraea nervosa Franch. & Sav. var. *kiusiana* (Nakai) Koidz., Bot. Mag. (Tokyo) 43: 404 1929

Spiraea nervosa Franch. & Sav. var. *angustifolia* (Yatabe) Ohwi, Fl. Jap. (Ohwi) 625 1953

Spiraea fritschiana C.K.Schneid., Bull. Herb. Boissier ser. 2, 5: 347 1905

국명: 참조팝나무(Cham-jo-pap-na-mu), 고려조팝나무, 물조팝나무, 바위좀조팝나무, 애기바위조팝나무, 왕조팝나무, 좀조팝나무, 둥근잎참조팝나무 / (북한명) 참조팝나무

영명: Korean spiraea

Spiraea angulata C.K.Schneid., Ill. Handb. Laubholzk. 1: 477 1905

Spiraea koreana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 173 1909

Spiraea fritschiana C.K.Schneid. var. *angulata* (C.K.Schneid.) Rehder, Pl. Wilson. 1: 453 1913

Spiraea koreana Nakai var. *macrogyna* Nakai, Repert. Spec. Nov. Regni Veg. 13: 278 1914

Spiraea japonica L.f. var. *ovatifolia* Koidz. subvar. *angulata* (C.K.Schneid.) Koidz., Bot. Mag. (Tokyo) 43: 401 1929

Spiraea japonica L.f. var. *angulata* (C.K.Schneid.) Kitam., Acta Phytotax. Geobot. 14: 158 1952

Spiraea fritschiana C.K.Schneid. var. *obtusilolia* Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 57 1952

Spiraea fritschiana C.K.Schneid. var. *latifolia* Liou, Ill. Fl. Ligneous Pl. N. E. China 278, 563 t. 98(185) 1955

Spiraea fritschiana C.K.Schneid. var. *parvifolia* Liou, Ill. Fl. Ligneous Pl. N. E. China 279, 563 1955

Spiraea fritschiana C.K.Schneid. var. *koreana* (Nakai) N.K.Kim, Ill. Kor. Fl. 222 1988

Spiraea fritschiana C.K.Schneid. f. *obtusilolia* (Nakai) M.Kim, Korean Endemic Pl. 318 2004

Spiraea insularis (Nakai) H.C.Shin, Y.D.Kim & S.H.Oh, Novon 21: 374 2011 Ⓟ ⓘ

국명: 섬국수나무(Seom-guk-su-na-mu), 섬조팝나무 / (북한명) 섬국수나무

영명: Island ninebark

Opulaster insularis Nakai, Bot. Mag. (Tokyo) 32: 104 1918

Physocarpus insularis (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 56 1952

Spiraea japonica L.f., Suppl. Pl. 262 1781

국명: 일본조팝나무(Il-bon-jo-pap-na-mu)

Spiraea callosa Thunb., Fl. Jap. (Thunberg) 209 1784

Spiraea japonica L.f. var. *glabra* Koidz., Bot. Mag. (Tokyo) 23: 167 1909

Spiraea japonica L.f. subsp. *glabra* (Regel) Koidz., Bot. Mag. (Tokyo) 43: 402 1929

Spiraea media Schmidt, Oesterr. Allg. Baumz. 1: 53, Pl. 54 1792

국명: 긴잎조팝나무(Gin-ip-jo-pap-na-mu), 긴조팝나무, 정화조팝나무 / (북한명) 긴잎조팝나무

영명: *Oriental spiraea*

Spiraea oblongifolia Waldst. & Kit., Descr. Icon. Pl. Hung. 3: 261, t. 235 1812

Spiraea confusa Regel & Körn., Index Seminum [St.Petersburg (Petropolitanus)] 57 1857

Spiraea media Schmidt f. *oblongifolia* Beck, Icon. Fl. Germ. Helv. 5: 10, t. 149 1904

Spiraea media Schmidt var. *media*

Spiraea media Schmidt var. *sericea* (Turcz.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 189 1879

국명: 털긴잎조팝나무(Teol-gin-ip-jo-pap-na-mu), 정일조팝나무, 좀털긴잎조팝나무, 중국조팝나무, 털조팝나무 / (북한명) 털긴잎조팝나무

영명: *Silky oriental spiraea*

Spiraea sericea Turcz., Bull. Soc. Imp. Naturalistes Moscou 16: 591 1842

Spiraea confusa Regel & Körn. var. *sericea* (Turcz.) Regel, Tent. Fl.-Ussur. 53 1861

Spiraea monbetsensis Franch., Bull. Annuel Soc. Philom. Paris sér. 7, 12: 85 1888

Spiraea media Schmidt var. *monbetsuensis* (Franch.) Cardot, Notul. Syst. (Paris) 3 1918

Spiraea microgyna Nakai, Bot. Mag. (Tokyo) 29: 79 1915 ⓘ

국명: 좀조팝나무(Jom-jo-pap-na-mu) / (북한명) 좀조팝나무

영명: *Small spiraea*

Spiraea microgyna Nakai var. *velutina* Nakai, Bot. Mag. (Tokyo) 45: 119 1931

Spiraea miyabei Koidz., Bot. Mag. (Tokyo) 23: 166 1906

국명: 덤불조팝나무(Deom-bul-jo-pap-na-mu) / (북한명) 덤불조팝나무

영명: *Thin-leaf spiraea*

Spiraea sylvestris Nakai, Bot. Mag. (Tokyo) 29: 79 1915

Spiraea prunifolia Siebold & Zucc. f. *prunifolia*

Spiraea prunifolia Siebold & Zucc. f. *simpliciflora* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 172 1909

국명: 조팝나무(Jo-pap-na-mu), 훌조팝나무 / (북한명) 조팝나무

영명: *Simple bridalwreath spiraea*

Spiraea prunifolia Siebold & Zucc. var. *simpliciflora* (Nakai) Nakai, Bot. Mag. (Tokyo) 29: 74 1915

Spiraea simpliciflora (Nakai) Nakai, J. Jap. Bot. 12: 878 1936

Spiraea salicifolia L., Sp. Pl. 1: 489 1753

국명: 꼬리조팝나무(Kko-ri-jo-pap-na-mu), 개쥐땅나무, 붉은조록싸리 / (북한명) 꼬리조팝나무

영명: *Willow-leaf spiraea*

Spiraea salicifolia L. var. *lanceolata* Torr. & A.Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 415 1840

Spiraea ouensanensis H.Lév., Repert. Spec. Nov. Regni Veg. 7: 197 1909

■ ROSACEAE 장미과

Spiraea trichocarpa Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 173 1909

국명: 갈기조팝나무(Gal-gi-jo-pap-na-mu), 갈퀴조팝나무, 갈키조팝나무 / (북한명) 갈기조팝나무

영명: Korean meadow spiraea

Stephanandra Siebold & Zucc. 국수나무속

Stephanandra incisa (Thunb.) Zabel, Gart.-Zeitung (Berlin) 4: 510 1885

국명: 국수나무(Guk-su-na-mu), 거령방이나무, 고광나무, 뱃새더울 / (북한명) 국수나무

영명: Laceshrub

Spiraea incisa Thunb., Fl. Jap. (Thunberg) 213 1784

Stephanandra flexuosa Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 3: 740 1843

Stephanandra incisa (Thunb.) Zabel var. *incisa*

Stephanandra incisa (Thunb.) Zabel var. *quadrifissa* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 272 1966 ⑧

국명: 나비국수나무(Na-bi-guk-su-na-mu), 개국수나무, 호접국수나무 / (북한명) 나비국수나무

영명: Quadrifid-leaf laceshrub

Stephanandra quadrifissa Nakai, Bot. Mag. (Tokyo) 40: 170 1926

Stephanandra incisa (Thunb.) Zabel f. *quadrifissa* (Nakai) M.Kim, Korean Endemic Pl. 541 2017

Waldsteinia Willd. 나도양지꽃속

Waldsteinia ternata (Stephan) Fritsch, Oesterr. Bot. Z. 39: 277 1889

국명: 나도양지꽃(Na-do-yang-ji-kkot), 금강금매화, 딸기아재비 / (북한명) 금강금매화

영명: Siberian barren strawberry

Dalibarda ternata Stephan, Mém. Soc. Imp. Naturalistes Moscou 1: 129, t. 10 1806

Waldsteinia sibirica Tratt., Ros. Monogr. 3: 108 1823

Comaropsis sibirica (Tratt.) Ser., Prodr. (DC.) 2: 55 1825

FABACEAE 콩과

Aeschynomene L. 자귀풀속

Aeschynomene indica L., Sp. Pl. 2: 713 1753

국명: 자귀풀(Ja-gwi-pul) / (북한명) 자귀풀

영명: Indian jointvetch

Aeschynomene pumila L., Sp. Pl. (ed.2) 2: 1061 1763

Aeschynomene diffusa Willd., Sp. Pl. (ed. 4) 3: 1164 1802

Aeschynomene viscidula Willd., Enum. Pl. (Willdenow) 2: 776 1809
Smithia aspera Roxb., Hort. Bengal. 56 1814
Aeschynomene glaberrima Poir., Encycl. (Lamarck) Suppl. 4: 76 1816
Aeschynomene punctata Steud., Nomencl. Bot. (Steudel) 17 1821
Aeschynomene macropoda DC., Prodr. (DC.) 2: 320 1825
Aeschynomene subviscosa DC., Prodr. (DC.) 2: 321 1825
Aeschynomene roxburghii Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 322 1826
Aeschynomene quadrata Schumach., Beskr. Guin. Pl. 356 1827
Aeschynomene montana Span., Linnaea 15: 192 1841
Aeschynomene cachemiriana Cambess., Voy. Inde 4: 40 1844

***Albizia* Durazz.** 자귀나무속

Albizia julibrissin Durazz., Mag. Tosc. 3: 11 1772

국명: 자귀나무(Ja-gwi-na-mu) / (북한명) 자귀나무, 야합수

영명: Silk tree

Mimosa speciosa Thunb., Trans. Linn. Soc. London 2: 336 1794
Acacia julibrissin (Durazz.) Willd., Sp. Pl. (ed.4) 4: 1065 1806
Albizia nemu (Willd.) Benth., London J. Bot. 1: 527 1842

***Albizia kalkora* (Roxb.)** Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66: 511 1897 (R)

국명: 왕자귀나무(Wang-ja-gwi-na-mu), 왕자귀, 작윗대나무, 흰자위나무 / (북한명) 왕자귀나무, 자윗대나무

영명: Kalkora mimosa

Mimosa kalkora Roxb., Fl. Ind. ed. 1832 (Roxburgh) 2: 547 1832
Albizia esquirolii H.Lév., Fl. Kouy-Tchéou 224 1914
Albizia henryi Ricker, J. Wash. Acad. Sci. 8: 243 1918
Albizia coreana Nakai, Bot. Mag. (Tokyo) 33: 201 1919
Albizia kalkora (Roxb.) Prain var. *coreana* (Nakai) M.Kim, Korean Endemic Pl. 114 2004

***Amblyotropis* Kitag.** 팥애기자운속

***Amblyotropis verna* (Georgi)** Kitagawa var. *verna*

***Amblyotropis verna* (Georgi)** Kitagawa var. *longicarpa* (T.H.Chung) W.T.Lee, Lineamenta Florae Koreae 553 1996

국명: 팥애기자운(Pat-ae-gei-ja-un)

***Amphicarpaea* Elliott ex Nutt.** 새콩속

***Amphicarpaea bracteata* (L.)** Fernald subsp. *bracteata*

***Amphicarpaea bracteata* (L.)** Fernald subsp. *edgeworthii* (Benth.) H.Ohashi, Fl. E. Himalaya 139 1966

■ FABACEAE 콩과

국명: 새콩(Sae-kong) / (북한명) 새콩

영명: Edgeworth's hogpeanut

Amphicarpaea edgeworthii Benth., Pl. Jungh. 231 1851

Amphicarpaea edgeworthii Benth. var. *japonica* Oliv., J. Linn. Soc., Bot. 9: 164 1867

Shuteria trisperma Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 51 1867

Amphicarpaea trisperma Baker, Fl. Brit. Ind. 2: 181 1876

Falcata japonica (Oliv.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 630 1904

Shuteria anomala Pamp., Nuovo Giorn. Bot. Ital. ser 2. 17: 29 1910

Amphicarpaea edgeworthii Benth. f. *alba* M.H.Lee, Korean J. Pl. Taxon. 13: 109 1983

Astragalus L. 황기속

Astragalus dahuricus (Pall.) DC., Prodr. (DC.) 2: 285 1825 Ⓢ

국명: 자주황기(Ja-ju-hwang-gi), 자주꽃황기, 자지황기 / (북한명) 자주황기

영명: Dahurian milkvetch

Galega dahurica Pall., Reise Russ. Reich. 3: 742 1776

Astragalus laxmannii Jacq., Hort. Bot. Vindob. 3: 22, t. 37 1776

국명: 자주개황기(Ja-ju-gae-hwang-gi), 자주땅비수리, 탐나황기, 탐라황기, 텔황기 / (북한명) 자주땅비수리

영명: Rattle milkvetch

Astragalus adsurgens Pall., Sp. Astragal. P. 40 1800

Astragalus mongholicus Bunge var. *mongholicus*

Astragalus mongholicus Bunge var. *nakaianus* (Y.N.Lee) I.S.Chi & B.H.Chi, Korean J. Pl. Taxon. 43: 17 2013 Ⓣ Ⓢ

국명: 제주황기(Je-ju-hwang-gi), 한라황기, 멧땅비수리, 두메땅비수리

영명: Jeju membranous milkvetch

Astragalus nakaianus Y.N.Lee, Korean J. Bot. 24: 28 1981

Astragalus membranaceus Benge var. *nakaianus* (Y.N.Lee) Y.N.Lee, Fl. Korea (Lee) 738 1996

Astragalus penduliflorus Lam. var. *penduliflorus*

Astragalus penduliflorus Lam. var. *dahuricus* (DC.) X.Y. Zhu, Nordic J. Bot. 23: 289 2005

국명: 황기(Hwang-gi), 노랑황기, 단너삼, 도미황기, 흰황기 / (북한명) 황기

영명: Hwanggi (Mongolian milkvetch)

Phaca alpina L. var. *dahurica* DC., Prodr. 2: 273 1825

Astragalus mongholicus Bunge var. *dahuricus* (DC.) Podlech, Sendtnera 6: 172 1999

Astragalus membranaceus Benge f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1159 1996

Astragalus mongholicus Bunge f. *albiflorus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 541 2017

Astragalus schelichowii Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 68 1840

국명: 긴꽃대황기(Gin-kkot-dae-hwang-gi)

영명: Long-pedicel milkvetch

Astragalus setsureianus Nakai, Bot. Mag. (Tokyo) 33: 58 1919 ⓘ

국명: 설령황기(Seol-ryeong-hwang-gi)

영명: Alpine milkvetch

Astragalus sikokianus Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 15 1953

국명: 강화황기(Kang-hwa-hwang-gi), 갯황기, 정선황기

Astragalus koraiensis Y.N.Lee, Korean J. Bot. 24: 27 1981

Astragalus sikokianus Nakai var. *koraiensis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 115 2004

Astragalus uliginosus L., Sp. Pl. 2: 757 1753

국명: 개황기(Ja-ju-gae-hwang-gi), 애기황기, 좀황기

영명: Rattle milkvetch

Caesalpinia Plum. ex L. 실거리나무속

Caesalpinia decapetala (Roth) Alston, Handb. Fl. Ceylon 6: 89 1931

국명: 실거리나무(Sil-geo-ri-na-mu) / (북한명) 실거리나무, 띠거리나무

영명: Mysore thorn

Reichardia decapetala Roth, Nov. Pl. Sp. 212 1821

Caesalpinia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 117 1845

Caesalpinia decapetala (Roth) Alston var. *japonica* (Siebold & Zucc.) H.Ohashi, Fl. E. Himalaya 3rd. Rep.: 58 1975

Campylotropis Bunge 꽃싸리속

Campylotropis macrocarpa (Bunge) Rehder, Pl. Wilson. 2: 113 1914

국명: 꽃싸리(Kkot-ssa-ri) / (북한명) 꽃싸리

영명: False bush-clover

Lespedeza macrocarpa Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 18 1833

Canavalia DC. 해녀콩속

Canavalia lineata (Thunb.) DC., Prodr. (DC.) 2: 404 1825 ⓘ

국명: 해녀콩(Hae-nyeo-kong)

영명: Asian beach jackbean

Dolichos lineatus Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 658 1784

Caragana Lam. 골담초속

Caragana fruticosa (Pall.) Besser, Cat. Hort. Cremeneci 116 1816

국명: 참골담초(Cham-gol-dam-cho), 조선골담초

영명: Manchurian peashrub

Caragana microphylla Lam., Encycl. (Lamarck) 1: 615 1785

국명: 좀골담초(Jom-gol-dam-cho) / (북한명) 좀골담초

영명: Little-leaf peashrub

Caragana altagana Poir., Encycl. (Lamarck) Suppl. 2: 89 1811

Chamaecrista Moench 차풀속

Chamaecrista nomame (Makino) H.Ohashi, J. Jap. Bot. 64: 215 1989

국명: 차풀(Cha-pul), 눈차풀, 며느리감나물 / (북한명) 차풀, 며누리감나물

영명: Field sensitive pea

Cassia mimosoides L. var. *nomame* Makino, J. Jap. Bot. 1: 17 1917

Cassia nomame (Siebold) Honda, Rep. Inst. Sci. Res. Manchoukuo 3: 283 1939

Crotalaria L. 활나물속

Crotalaria sessiliflora L., Sp. Pl. (ed.2) 2: 1004 1763

국명: 활나물(Hwal-na-mul) / (북한명) 활나물

영명: Purple-flower rattlebox

Crotalaria anthylloides Lam., Encycl. (Lamarck) 2: 2 1786

Crotalaria eriantha Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 121 1845

Dalbergia L.f. 황단나무속

Dalbergia hupeana Hance, J. Bot. 20: 5 1882

국명: 황단나무(Hwang-dan-na-mu)

Desmodium Desv. 된장풀속

Desmodium caudatum (Thunb.) DC., Prodr. (DC.) 2: 337 1825 Ⓢ

국명: 된장풀(Doen-jang-pul), 쉬풀, 쉽싸리풀, 텔도둑놈의갈고리 / (북한명) 쉬풀나무

영명: Caudate tick clover

Hedysarum caudatum Thunb., Fl. Jap. (Thunberg) 286 1784

Hedysarum laburnifolium Poir., Encycl. (Lamarck) 6: 422 1805

Ohwia caudata (Thunb.) H.Ohashi, Sci. Rep. Tohoku Univ. Ser. 4, Biol. 40: 243 1999

Desmodium heterocarpon (L.) DC., Prodr. (DC.) 2: 337 1825

국명: 잔디갈고리(Jan-di-gal-go-ri), 개쉽싸리, 나도갈퀴리풀, 잔디갈구리, 좀도둑놈의갈고리

영명: Heterocarpous tick clover

Hedysarum heterocarpon L., Sp. Pl. 2: 747 1753

Desmodium buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 45 1867

Desmodium ovalifolium Wall. ex Ridl., Fl. Malay. Penin. 1: 610 1922

Dumasia DC. 비진도콩속

Dumasia truncata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 119 1845

국명: 비진도콩(Bi-jin-do-kong), 산흑두

영명: Bijindo bean

Dunbaria Wight & Arn. 여우팥속

Dunbaria villosa (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 35 1902

국명: 여우팥(Yeo-u-pat), 덩굴돌팥, 돌팥, 새돔부, 새콩, 여호팥 / (북한명) 여우팥

영명: Villous dunbaria

Glycine villosa Thunb., Fl. Jap. (Thunberg) 283 1784

Atylosia subrhombea Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 51 1867

Dunbaria subrhombea (Miq.) Hemsl., J. Bot. 14: 207 1876

Euchresta Benn. 만년콩속

Euchresta japonica Hook.f. ex Regel, Gartenflora 14: 321 1865 Ⓢ

국명: 만년콩(Man-nyeon-kong), 산두근

영명: East Asian euchresta

Gleditsia L. 주엽나무속

Gleditsia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 53 1867

국명: 주엽나무(Ju-yeop-na-mu), 주염나무 / (북한명) 주염나무

영명: Japanese honey locust

Gleditsia coccinea Koehne, Deut. Dendrol. 320 1893

Gleditsia japonica Miq. f. *inermis* Mayr, Fremdländ. Wald-Parkbäume 474 1906

Euchresta trifoliolata Merr., Philipp. J. Sci. 21: 496 1922

Gleditsia coccinea Koehne var. *inermis* (Mayr) Nakai, J. Jap. Bot. 13: 873 1937

Gleditsia japonica Miq. var. *koraiensis* Nakai, J. Jap. Bot. 27: 130 1952

Gleditsia japonica Miq. f. *japonica*

■ FABACEAE 콩과

Gleditsia japonica Miq. f. *inarmata* Nakai, J. Jap. Bot. 27: 130 1952

국명: 민주엽나무(Min-ju-yeop-na-mu), 민주염나무, 주염나무 / (북한명) 민주염나무

영명: Spineless Japanese honey locust

Glycine Willd. 콩속

Glycine max (L.) Merr. subsp. **max**

Glycine max (L.) Merr. subsp. *soja* (Siebold & Zucc.) H.Ohashi, J. Jap. Bot. 57: 30 1982

국명: 돌콩(Dol-kong) / (북한명) 돌콩

영명: Wild soybean

Glycine soja Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 119 1843

Glycine ussuriensis Regel & Maack, Tent. Fl.-Ussur. 50 1861

Rhynchosia argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12: No. 22, 15 1916

Glycine formosana Hosok., J. Soc. Trop. Agric. 4: 308 1932

Gueldenstaedtia Fisch. 애기자운속

Gueldenstaedtia verna (Georgi) Boriss., Spisok Rast. Gerb. Fl. SSSR Bot. Inst. Vsesojuzn. Akad. Nauk 12:

122 1953 (R)

국명: 애기자운(Ae-gi-ja-un), 텔새돌부, 텔새동부 / (북한명) 애기자운

영명: Spring gueldenstaedtia

Astragalus vernus Georgi, Reise Russ. Reich. 1: 226 1775

Astragalus pauciflorus Pall., Sp. Astragal. 81 1800

Astragalus brevicarinatus DC., Astragalologia 241 (ed. quarto), no. 138: t. 49 1802

Gueldenstaedtia pauciflora Fisch. ex DC., Prodr. (DC.) 2: 307 1825

Gueldenstaedtia mirpourensis Benth. ex Baker, Fl. Brit. Ind. 2: 118 1876

Gueldenstaedtia mirpourensis, Fl. Brit. Ind. 2: 118 1876

Gueldenstaedtia longiscapa (Franch.) H.Lév., Cat. Pl. Yun-Nan 155 1916

Amblytropis pauciflora (Pall.) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 87 1936

Amblytropis verna (Georgi) Kitag., J. Jap. Bot. 41: 367 1966

Amblytropis verna (Georgi) Kitag. var. *longiscarpa* (Franch.) W.T.Lee, Lineamenta Florae Koreae 553 1996

Hedysarum L. 뜻황기속

Hedysarum alpinum L., Sp. Pl. 2: 750 1753

국명: 뜻황기(Moet-hwang-gi), 멧황기, 시베리아황기, 자주나도황기 / (북한명) 자주나도황기

영명: Alpine sweetvetch

Hedysarum elongatum Fisch. ex Basiner, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 4: 311 1845

Hedysarum alpinum L. var. *chinense* B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 255 1902

Hedysarum alpinum L. var. *sibiricum* B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 257 1902

Hedysarum sibiricum Ledeb., Fl. Ross. (Ledeb.) 1: 707 1843

Hedysarum hedysaroides (L.) Schinz & Thell., Vierteljahrsschr. Naturf. Ges. Zürich 58: 70 1913

국명: 넓은뒷황기(Neol-beun-moet-hwang-gi)

영명: Alpine sainfoin sweetvetch

Astragalus hedysaroides L., Sp. Pl. (ed. 4) 3: 1264 1802

Hedysarum sibiricum Poir, Encycl. (Lamarck) Suppl. 5: 17 1817

Hedysarum vicioides Turcz. var. *vicioides*

Hedysarum vicioides Turcz. var. *japonicum* (B.Fedtsch.) B.H.Choi & H.Ohashi, J. Jap. Bot. 63: 60 1988

국명: 나도황기(Na-do-hwang-gi), 그물나도황기, 두메황기, 염주황기 / (북한명) 나도황기

영명: Asian vetch-like sweetvetch

Hedysarum alpinum L. var. *japonicum* B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 259 1902

Hedysarum ussuricense Schischk. & Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 11 1926

Astragalus membranaceus Bunge var. *manshuricus* Nakai, Fl. Paik-tu-san 66 1918

Hedysarum vicioides Turcz. f. *vicioides*

Hedysarum vicioides Turcz. f. *pilosum* (Ohwi) Kitag., J. Jap. Bot. 33: 163 1958

국명: 털나도황기(Teol-na-do-hwang-gi)

영명: Hairy vetch-like sweetvetch

Hedysarum alpinum L. var. *japonicum* B.Fedtsch. subvar. *pilosum* Ohwi, Bot. Mag. (Tokyo) 44: 573 1930

Hylodesmum H.Ohashi & R.R.Mill 도둑놈의갈고리속

Hylodesmum laxum (DC.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 178 2000

국명: 영주갈고리(Yeong-ju-gal-go-ri)

Desmodium laxum DC., Ann. Sci. Nat. (Paris) 4: 102 1825

Hylodesmum oldhamii (Oliv.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 180 2000

국명: 큰도둑놈의갈고리(Keun-do-duk-nom-ui-gal-go-ri), 큰갈구리풀, 큰도둑놈의갈구리 / (북한명) 큰갈구리풀

영명: Oldham's tick clover

Desmodium oldhamii Oliv., J. Linn. Soc., Bot. 9: 165 1865

Meibomia oldhamii Kuntze, Revis. Gen. Pl. 1: 198 1891

Podocarpium oldhamii (Oliv.) Y.C.Yang & P.H.Huang, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 4: 6 1979

Hylodesmum podocarpum (DC.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 181 2000

국명: 개도둑놈의갈고리(Gae-do-duk-nom-ui-gal-go-ri), 개도둑놈의갈구리, 등근잎갈구리풀, 민도둑놈의갈구, 민동갈구리풀, 털도둑놈의갈구리

영명: Common tick clover

Desmodium podocarpum DC., Ann. Sci. Nat. (Paris) 4: 102 1825

Hedysarum podocarpum (DC.) Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 317 1826

■ FABACEAE 콩과

Meibomia podocarpa (DC.) Kuntze, Revis. Gen. Pl. 1: 198 1891

Desmodium oxyphyllum DC. var. *villosum* Matsum., Bot. Mag. (Tokyo) 16: 77 1902

Desmodium maximowiczii Makino, Bot. Mag. (Tokyo) 26: 144 1912

Desmodium caudatum (Thunb.) DC. var. *latifolium* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 55 1914

Hylodesmum podocarpum* (DC.) H.Ohashi & R.R.Mill subsp. *podocarpum

Hylodesmum podocarpum* (DC.) H.Ohashi & R.R.Mill subsp. *fallax (Schindl.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 182 2000

국명: **긴도둑놈의갈고리**(Gin-do-duk-nom-ui-gal-go-ri), 넓은도둑갈구리, 넓은잎도둑놈의갈구리, 애기도둑놈의고리, 퍼진도둑놈의갈구리

영명: **Long-fruit tick clover**

Desmodium fallax Schindl., Bot. Jahrb. Syst. 54: 55 1916

Desmodium racemosum (Thunb.) DC. var. *dilatatum* (Nakai) Ohwi, Fl. Jap. (Ohwi) 683 1953

Desmodium podocarpum DC. subsp. *fallax* (Schindl.) H.Ohashi, Fl. E. Himalaya 2: 65 1971

***Hylodesmum podocarpum* (DC.) H.Ohashi & R.R.Mill subsp. *oxyphyllum* (DC.) H.Ohashi & R.R.Mill,** Edinburgh J. Bot. 57: 183 2000

국명: **도둑놈의갈고리**(Do-duk-nom-ui-gal-go-ri), 넓은도둑갈구리, 넓은잎도둑놈의갈구리, 애기도둑놈의갈고리, 퍼진도둑놈의갈구리

영명: **Big-leaf tick clover**

Hedysarum racemosum Thunb., Fl. Jap. (Thunberg) 285 1784

Desmodium oxyphyllum DC., Ann. Sci. Nat. (Paris) 4: 102 1825

Desmodium viticinum Wall., Numer. List 5709 1831

Desmodium japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 46 1867

Desmodium japonicum Miq. var. *angustifolium* Miq., Cat. Mus. Bot. Lugd.-Bat. 25 1870

Meibomia racemosa (DC.) Kuntze, Revis. Gen. Pl. 1: 198 1891

Desmodium podocarpum DC. var. *membranaceum* Matsum., Bot. Mag. (Tokyo) 16: 76 1902

Desmodium racemosum (Thunb.) DC. var. *ramosum* Nakai, Bot. Mag. (Tokyo) 44: 31 1930

Desmodium racemosum (Thunb.) DC. var. *pubescens* F.P.Metcalf, Lingnan Sci. J. 19: 605 1940

Desmodium podocarpum DC. var. *oxyphyllum* (DC.) H.Ohashi, Fl. E. Himalaya 2: 65 1971

Hylodesmum podocarpum* (DC.) H.Ohashi & R.R.Mill var. *podocarpum

Hylodesmum podocarpum* (DC.) H.Ohashi & R.R.Mill var. *mandshuricum (Maxim.) H.Ohashi & R.R.Mill, Edinburgh J. Bot. 57: 183 2000

국명: **애기도둑놈의갈고리**(Ae-gi-do-duk-nom-ui-gal-go-ri), 개도둑놈갈구리, 애기도둑놈의갈구리, 좀도둑놈의갈구리 / (북한명) 애기갈구리풀

영명: **Manchurian tick clover**

Desmodium podocarpum DC. var. *mandshuricum* Maxim., Mélanges Biol. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 440 1880

Desmodium mandshuricum (Maxim.) Schindl., Repert. Spec. Nov. Regni Veg. 21: 3 1925

Desmodium fallax Schindl. var. *mandshuricum* (Maxim.) Nakai, Bot. Mag. (Tokyo) 44: 32 1930

Desmodium racemosum (Thunb.) DC. var. *mandshuricum* (Maxim.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 77 1953

Desmodium oxyphyllum DC. var. *mandshuricum* (Maxim.) H.Ohashi, J. Jap. Bot. 41: 155 1966

***Indigofera* L. 땅비싸리속**

Indigofera grandiflora B.H.Choi & S.K.Cho, J. Pl. Biol. 39: 147 1996 ⓘ

국명: 큰꽃땅비싸리(Keun-kkot-ttang-bissa-ri)

영명: Large-flower indigo

Indigofera kirilowii Maxim. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 62, t. 4 1898

국명: 땅비싸리(Ttang-bi-ssa-ri), 논싸리, 땅비수리, 완도당비싸리, 젓밤나무, 큰땅비싸리 / (북한명) 땅비싸리

영명: Kirilow's indigo

Indigofera macrostachya Bunge, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 470 1859

Indigofera kirilowii Maxim. ex Palib. var. *coreana* Craib, Notes Roy. Bot. Gard. Edinburgh 8: 56 1913

Indigofera kirilowii Maxim. ex Palib. f. *albiflora* Uyeki, Woody Pl. Distr. Chosen 59 1940

Indigofera kirilowii Maxim. ex Palib. f. *coreana* (Craib) M.Kim, Korean Endemic Pl. 319 2004

Indigofera koreana Ohwi, J. Jap. Bot. 12: 328 1936 ⓘ

국명: 좀땅비싸리(Jom-Ttang-bi-ssa-ri), 민땅비싸리 / (북한명) 좀땅비싸리, 고려땅비싸리

Indigofera pseudotinctoria Matsum., Bot. Mag. (Tokyo) 16: 62 1902

국명: 낭아초(Nang-a-cho), 랑아초, 물깜싸리 / (북한명) 낭아땅비싸리, 개물감싸리

영명: Dwarf false-indigo

***Kummerowia* Schindl. 매듭풀속**

Kummerowia stipulacea (Maxim.) Makino, Bot. Mag. (Tokyo) 28: 107 1914

국명: 등근매듭풀(Dung-geun-mae-deup-pul), 등근매듭풀 / (북한명) 등근잎매듭풀

영명: Korean clover

Lespedeza stipulacea Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 85 1859

Lespedeza striata Hook. & Arn. var. *stipulacea* Debeaux, Fl. Tche-fou 144 1875

Microlespedeza stipulacea Makino, Bot. Mag. (Tokyo) 28: 183 1914

Kummerowia striata (Thunb.) Schindl., Repert. Spec. Nov. Regni Veg. 10: 403 1912

국명: 매듭풀(Mae-deup-pul) / (북한명) 매듭풀

영명: Japanese clover

Hedysarum striatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 675 1784

Lespedeza striata Hook. & Arn., Bot. Beechey Voy. 262 1838

Microlespedeza striata (Thunb.) Makino, Bot. Mag. (Tokyo) 28: 182 1914

Lathyrus L. 연리초속

Lathyrus davidi Hance, J. Bot. 9: 130 1871

국명: 활량나물(Hwal-ryang-na-mul)

영명: David's vetchling

Orobus davidi (Hance) Stank. & Roskov, Kew Bull. 53: 732 1998

Lathyrus humilis (Ser.) Spreng., Syst. Veg. (ed. 16) 3: 263 1826

국명: 애기완두(Ae-gi-wan-du) / (북한명) 애기완두, 산완두

영명: Short vetchling

Orobus humilis Ser., Prodr. (DC.) 2: 378 1825

Lathyrus altaicus Ledeb., Fl. Altaic. 3: 355 1831

Lathyrus japonicus Willd., Sp. Pl. (ed. 4) 3: 1092 1802

국명: 갯완두(Gaet-wan-du) / (북한명) 갯완두

영명: Beach vetchling

Pisum pubescens Hartm., Handb. Skand. Fl. ed. 2: 198 1832

Lathyrus japonicus Willd. var. *pubescens* (Hartm.) Karlsson, Svensk Bot. Tidskr. 91: 249 1998

Lathyrus japonicus Willd. var. *japonicus*

Lathyrus japonicus Willd. var. *aleuticus* (Greene ex T.G.White) Fernald, Rhodora 34: 178 1932

국명: 텔갯완두(Teol-gaet-wan-du)

영명: Hairy beach vetchling

Lathyrus komarovii Ohwi, J. Jap. Bot. 12: 329 1936

국명: 선연리초(Seon-yeon-ri-cho) / (북한명) 선연리초, 선완두, 선갈퀴완두

영명: Erect vetchling

Orobus alatus Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 83 1859

Orobus vernus L. var. *alatus* (Maxim.) Regel, Tent. Fl.-Ussur. 48 1861

Orobus komarovii (Ohwi) Stank. & Roskov, Kew Bull. 53: 732 1998

Lathyrus palustris L. subsp. *palustris*

Lathyrus palustris L. subsp. *pilosus* (Cham.) Hultén, Fl. Aleutian Isl. 236 1937 ⑧

국명: 텔연리초(Teol-yeon-ri-cho), 개완두 / (북한명) 왜연리초, 개완두, 북갈퀴완두

영명: Hairy marsh vetchling

Lathyrus pilosus Cham., Linnaea 6: 548 1831

Lathyrus palustris L. var. *pilosus* (Cham.) Ledeb., Fl. Ross. 1: 686 1842

Lathyrus quinquenervius (Miq.) Litv., Opred. Rast. Dal'nevost. Kraia 2: 683 1932

국명: **연리초**(Yeon-ri-cho) / (북한명) 연리초, 참연리초, 갈퀴완두

영명: **Five-vein vetchling**

Via quinquenervius Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 50 1867

Lathyrus vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 1909

국명: **산새콩**(San-sae-kong), 산갓완두, 산완두, 활량나물 / (북한명) 산완두

영명: **Korean mountain vetchling**

Lespedeza Michx. 쌩리속

Lespedeza bicolor Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 69 1840

국명: **쌩리**(Ssa-ri), 쌩리나무, 텔쌩리 / (북한명) 즈풀쌩리, 쌩리

영명: **Shrub lespedeza**

Lespedeza bicolor Turcz. f. *sericea* Matsum, Bot. Mag. (Tokyo) 16(181): 70 1902

Lespedeza bicolor Turcz. var. *sericea* Nakai, Lespedeza Japan & Korea 66 1927

Lespedeza setiloba Nakai, Lespedeza Japan & Korea 68 1927

Lespedeza intermedia Makino var. *alba* Nakai, Bot. Mag. (Tokyo) 37: 77 1935

Lespedeza tobae H.Koidz., J. Pl. Iwateken 2: 75 1937

Lespedeza ionocalyx Nakai, J. Jap. Bot. 15: 532 1939

Lespedeza bicolor Turcz. f. *alba* (Bean) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 77 1953

Lespedeza bicolor Turcz. f. *sericea* (Nakai) M.Kim, Korean Endemic Pl. 319 2004

Lespedeza cuneata (Dum.Cours.) G.Don, Gen. Hist. 2: 307 1832

국명: **비수리**(Bi-su-ri) / (북한명) 비수리

영명: **Sericea lespedeza**

Hedysarum sericeum Thunb., Fl. Jap. (Thunberg) 287 1784

Anthyllis cuneata Dum.Cours., Bot. Cult. (ed. 2) 6: 100 1811

Lespedeza sericea (Thunb.) Miq., Ann. Acad. (The Hague & Leiden) 3 1867

Lespedeza cyrtobotrya Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 48 1867

국명: **참싸리**(Chamssa-ri) / (북한명) 참싸리

영명: **Leafy lespedeza**

Lespedeza kawachiana Nakai, Lespedeza Japan & Korea 47 1927

Lespedeza anthobotrya Ricker, Amer. J. Bot. 33: 257 1946

Lespedeza cyrtobotrya Miq. f. *alba* (Bean) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 77 1953

Lespedeza davurica (Laxm.) Schindl., Repert. Spec. Nov. Regni Veg. 22: 274 1926

국명: **호비수리**(Ho-bi-su-ri) / (북한명) 호비수리

영명: **Dahurian lespedeza**

Trifolium dauricum Laxm., Novi Comment. Acad. Sci. Imp. Petrop. 15: 560 1771

Lespedeza medicaginoides Bunge, Enum. Pl. Chin. Bor. 19 1833

■ FABACEAE 콩과

Lespedeza fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 1909

Lespedeza feddeana Schindl., Repert. Spec. Nov. Regni Veg. 10: 405 1912

Lespedeza inschanica (Maxim.) Schindl., Bot. Jahrb. Syst. 49: 603 1913

국명: 청비수리(Cheong-bi-su-ri) / (북한명) 큰당비수리

영명: Greenish juncea lespedeza

Lespedeza juncea (L.f.) Pers. var. *inschanica* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 371 1873

Lespedeza intermixta Makino, Bot. Mag. (Tokyo) 27: 249 1913

국명: 난출비수리(Neon-chul-bi-su-ri), 덩굴비수리 / (북한명) 덩굴비수리

영명: Neonchul lespedeza

Lespedeza juncea (L.f.) Pers. var. *latifolia* Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 369 1873

Lespedeza juncea (L.f.) Pers. var. *sericea* Maxim. f. *latissima* Matsum., Bot. Mag. (Tokyo) 16: 71 1902

Lespedeza latissima (Matsum.) Nakai, Bot. Mag. (Tokyo) 26: 66 1922

Lespedeza prostrata Nakai, Bot. Mag. (Tokyo) 26: 66 1922

Lespedeza juncea (L.f.) Pers., Syn. Pl. 2: 318 1807

국명: 땅비수리(Ttang-bi-su-ri) / (북한명) 당비수리

영명: Juncea lespedeza

Hedysarum junceum L.f., Dec. Pl. Hort. Upsal. 1: 7 1762

Trifolium hedysaroides Pall., Reise Russ. Reich. 3: App. 751 1776

Lespedeza juncea (L.f.) Pers. f. *umbrosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 604 1903

Lespedeza juncea (L.f.) Pers. var. *subsericea* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 605 1904

Lespedeza cystoides Nakai, Lespedeza Japan & Korea 94 1927

Lespedeza hedysaroides (Pall.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3(App. 1): 288 1939

Lespedeza aitchisonii Ricker, Lingnan Sci. J. 20: 199 1942

Lespedeza juncea (L.f.) Pers. var. *umbrosa* (Kom.) T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 18 1965

Lespedeza macrovirgata Kitag., Bot. Mag. (Tokyo) 48: 100 1934

국명: 눈해변싸리(Nun-hae-byeonssa-ri), 눈개싸리, 왕좀싸리 / (북한명) 누운갯싸리, 눈갯싸리, 누운해변싸리

영명: Large wando lespedeza

Lespedeza maritima Nakai, Bot. Mag. (Tokyo) 37: 78 1923 ④

국명: 해변싸리(Hae-byeon-ssa-ri) / (북한명) 갯싸리, 해변싸리

영명: Coastal lespedeza

Lespedeza maximowiczii C.K.Schneid., Ill. Handb. Laubholzk. 2: 113 1907

국명: 조록싸리(Jo-rok-ssa-ri), 지리산싸리 / (북한명) 조록싸리

영명: Korean lespedeza

Lespedeza maximowiczii C.K.Schneid. f. *albiflora* Uyeki, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 194 1942

Lespedeza chiisanensis T.B.Lee, Bull. Seoul Natl. Univ. Forests 2: 11 1965

Lespedeza maximowiczii C.K.Schneid. var. *maximowiczii*

Lespedeza maximowiczii C.K.Schneid. var. *tomentella* (Nakai) Nakai, Lespedeza Japan & Korea 39 1927

국명: 털조록싸리(Teol-jo-rok-ssa-ri), 늦싸리 / (북한명) 긴잎조록싸리, 늦싸리

Lespedeza friebeana Schindl., Repert. Spec. Nov. Regni Veg. 9: 514 1911

Lespedeza oldhamii Miq. var. *tomentella* Nakai, Bot. Mag. (Tokyo) 33: 203 1919

Lespedeza maximowiczii C.K.Schneid. var. *elongata* Nakai, Lespedeza Japan & Korea 40 1927

Lespedeza maximowiczii C.K.Schneid. f. *tomentella* (Nakai) M.Kim, Korean Endemic Pl. 542 2017

Lespedeza maximowiczii C.K.Schneid. f. *tomentella* (Nakai) M.Kim, Korean Endemic Pl. 320 2004

Lespedeza maximowiczii f. *friebeana* (Schindl.) D.P.Jin, J.W.Park & B.H.Choi, Korean J. Pl. Taxon. 49(4): 313 2019

Lespedeza tricolor (Nakai) D.P.Jin, J.W.Park & B.H.Choi, Korean J. Pl. Taxon. 49(4): 314 2019 ⓘ

국명: 삼색싸리(Sam-saeck-ssa-ri), 삼색조록싸리 / (북한명) 삼색조록싸리, 삼색싸리

영명: Three-color Korean lespedeza

Lespedeza oldhamii Miq. var. *tricolor* Nakai, Bot. Mag. (Tokyo) 37: 78 1923

Lespedeza maximowiczii C.K.Schneid. var. *tricolor* (Nakai) Nakai, Lespedeza Japan & Korea 40 1927

Lespedeza buergeri Miq. var. *tricolor* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 9 1914

Lespedeza melanantha Nakai, Bot. Mag. (Tokyo) 37: 78 1923

국명: 검나무싸리(Geom-na-mu-ssa-ri), 쇠싸리, 흑싸리 / (북한명) 쇠싸리

영명: Black-flower lespedeza

Lespedeza bicolor Turcz. var. *higoensis* (T.Shimizu) Murata, Acta Phytotax. Geobot. 29: 95 1978

Lespedeza bicolor Turcz. var. *melanantha* (Nakai) Akiyama & H.Ohba, J. Jap. Bot. 59: 191 1984

Lespedeza pilosa (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 121 1845

국명: 괭이싸리(Gwaeng-i-ssa-ri), 긴괭이싸리 / (북한명) 괭이싸리

영명: Pilose lespedeza

Lespedeza nantchanensis Pamp., Nuovo Giorn. Bot. Ital. 17: 400 1910

Lespedeza pilosa (Thunb.) Siebold & Zucc. var. *pedunculata* T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 27 1965

Lespedeza schindleri T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 27 1965

국명: 잡싸리(Jap-ssa-ri)

영명: Schindler's lespedeza

Lespedeza tetraloba Nakai, J. Jap. Bot. 15: 680 1939

국명: 속리싸리(Sok-ri-ssa-ri) / (북한명) 속리산싸리

영명: Songni lespedeza

Lespedeza thunbergii Nakai subsp. *thunbergii*

Lespedeza thunbergii Nakai subsp. *formosa* (Vogel) H.Ohashi, Fl. Jap. (Iwatsuki et al., eds.) 2b: 262 2001

■ FABACEAE 콩과

국명: 풀싸리(Pulssa-ri), 중국풀싸리 / (북한명) 풀싸리

영명: Tall lespedeza

Meibomia formosa (Vogel) Kuntze, Revis. Gen. Pl. 1: 198 1891

Lespedeza japonica L.H. Bailey var. *intermedia* (Nakai) Nakai, Lespedeza Japan & Korea 23 1927

Lespedeza japonica L.H. Bailey var. *intermedia* (Nakai) Nakai f. *alba* (Nakai) T.B.Lee, Bull. Seoul Natl. Univ. Forests 2: 16 1965

Lespedeza japonica L.H. Bailey var. *intermedia* (Nakai) Nakai f. *retusa* (Nakai) T.B.Lee, Bull. Seoul Natl. Univ. Forests 2: 17 1965

Lespedeza hayatae Hatus., Mem. Fac. Agric. Kagoshima Univ. 6: 14 1967

Lespedeza tomentosa (Thunb.) Siebold ex Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 376 1873

국명: 개싸리(Gae-ssa-ri) / (북한명) 들싸리, 개싸리

영명: Woolly lespedeza

Hedysarum tomentosum Thunb., Fl. Jap. (Thunberg) 286 1784

Desmodium tomentosum (Thunb.) DC., Prodr. (DC.) 2: 337 1825

Meibomia tomentosa (Thunb.) Kuntze, Revis. Gen. Pl. 1: 198 1891

Lespedeza uekii Nakai, Bot. Mag. (Tokyo) 42: 457 1928

국명: 해안싸리(Hae-an-ssa-ri) / (북한명) 해변싸리

Lespedeza virgata (Thunb.) DC., Prodr. (DC.) 2: 350 1825

국명: 좀싸리(Jom-ssa-ri), 좀풀싸리 / (북한명) 좀싸리

영명: Wando lespedeza

Lespedeza × chiisanensis T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 8 1965

Lespedeza × nakaii T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 24 1965

Lespedeza × patentibicolor T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 25 1965

Lespedeza × patentihirta T.B.Lee, Bull. Seoul Natl. Univ. Arbor. 2: 26 1965

Lespedeza × robusta Nakai, Lespedeza Japan & Korea 72 1927

국명: 고양싸리(Go-yang-ssa-ri) / (북한명) 고양싸리

영명: Goyang lespedeza

Lotus L. 벌노랑이속

Lotus corniculatus L. var. *corniculatus*

Lotus corniculatus L. var. *japonica* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 23 1864

국명: 벌노랑이(Beol-no-rang-i)

영명: Asian birdsfoot-trefoil

Maackia Rupr. 다릅나무속

Maackia amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 128 1856

국명: **다릅나무**(Da-reup-na-mu), 개풀푸레나무, 개박달나무, 소터래나무, 쇠코들개나무, 쇠코뜨래나무, 좀실다무 / (북한명) 다릅나무

영명: **Amur maackia**

Cladrastis amurensis (Rupr.) Benth. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 400 1878

Cladrastis amurensis (Rupr.) Benth. ex Maxim. var. *vidalii* Franch. & Sav., Enum. Pl. Jap. 2: 327 1878

Maackia amurensis Rupr. var. *amurensis*

Maackia amurensis Rupr. var. *buergeri* (Maxim.) C.K.Schneid., Ill. Handb. Laubholzk. 2: 16 1907

국명: **개풀푸레나무**(Gae-mul-pu-re-na-mu), 잔털다릅나무, 털다릅나무, 털코뜨래나무 / (북한명) 긴열매다릅나무, 개다릅나무

영명: **Buerger's maackia**

Cladrastis amurensis (Rupr.) Benth. ex Maxim. var. *buergeri* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 400 1878

Maackia buergeri (Maxim.) Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 4 1939

Maackia amurensis Rupr. var. *stenocarpa* Nakai, J. Jap. Bot. 15: 681 1939

국명: **잔털다릅나무**(Jan-teol-da-reup-na-mu) / (북한명) 좁은열매다릅나무

Maackia fauriei (H.Lév.) Takeda, Notes Roy. Bot. Gard. Edinburgh 8: 101 1913 ⓘ

국명: **솔비나무**(Sol-bi-na-mu) / (북한명) 솔비나무

영명: **Jejudo maackia**

Cladrastis fauriei H.Lév., Report. Spec. Nov. Regni Veg. 7: 230 1909

Medicago L. 개자리속

Medicago ruthenica (L.) Ledeb., Fl. Ross. (Ledeb.) 1: 523 1842

국명: **노랑개자리**(N0-rang-gae-ja-ri) / (북한명) 노랑개자리

Trigonella ruthenica L., Sp. Pl. 2: 776 1753

Trigonella korshinskyi Grosssh., Fl. URSS 11: 127, t. 9 fig. 17 1945

Melilotoides ruthenica (L.) Soják, Sborn. Nár. Muz. Praze, Řada B, Přír. Vědy. 1982: 104 1982

Medicago korshinskyi (Grosssh.) Kamelin & Gubanov, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 97: 63 1992

Millettia Wight & Arn. 애기등속

Millettia japonica (Siebold & Zucc.) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 386 1857 ⓘ

국명: **애기등**(Ae-gi-deung), 등, 애기등나무

영명: **Summer-white oiltree**

Wisteria japonica Siebold & Zucc., Fl. Jap. (Siebold) 1: 88 1839

Oxytropis DC. 두메자운속

Oxytropis anertii Nakai ex Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 125 1935

국명: 두메자운(Du-me-ja-un) / (북한명) 두메자운

영명: Mountain locoweed

Oxytropis anertii var. *albiflora* Z.J. Zong, X.R. He, J. Liu & J.C. Zhang, Bull. Bot. Res., Harbin 13: 224 1993

Oxytropis anertii Nakai ex Kitag. f. *albiflora* (Z.J. Zong, X.R. He, J. Liu & J.C. Zhang) X.Y.Zhu & H.Ohashi, Cathaya 11: 123 2000

Oxytropis caerulea (Pall.) DC., Astragalologia 68 (ed. quarto), no.2 1802

국명: 관모두메자운(Gwan-mo-du-me-ja-un) / (북한명) 관모두메자운

영명: Blue locoweed

Astragalus caeruleus Pall., Reise Russ. Reich. 3: 293 1776

Oxytropis curviflora Turcz. ex Besser, Flora 17(1, Beibl.): 10 1834

Oxytropis chinensis Bunge, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 22: 35 1874

Oxytropis mandshurica Bunge f. *albiflora* H.C.Fu, Fl. Intramongol.(ed.2) 3: 673 1989

Oxytropis caerulea (Pall.) DC. f. *albiflora* (H.C.Fu) X.Y.Zhu & H.Ohashi, Cathaya 11-12: 137 2000

Oxytropis racemosa Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 187 1832

국명: 털두메자운(Teol-du-me-ja-un), 비단돔부, 털산돔부

영명: Racemose locoweed

Oxytropis gracillima Bunge, Linnaea 17: 5 1843

Oxytropis psammocharis Hance, J. Linn. Soc., Bot. 13: 78 1873

Oxytropis acutirostrata Ulbr., Bot. Jahrb. Syst. 36(5, Beibl. 82): 68 1905

Oxytropis tunliaoensis P.F.Fu & C.Y.Li, Fl. Pl. Herb. Chin. Bor.-Or. 2: 188 1959

Oxytropis strobilacea Bunge, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 22: 103 1874

국명: 시루산돔부(Si-ru-san-dom-bu) / (북한명) 시루산두메자운

영명: Siberian locoweed

Pueraria DC. 칡속

Pueraria lobata (Willd.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 16 1947

국명: 칡(Chik), 칙, 칙덤불 / (북한명) 칡

영명: East Asian arrow root

Dolichos lobatus Willd., Sp. Pl. (ed. 4) 3: 1047 1802

Pachyrhizus thunbergianus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 237 1846

Neustanthus chinensis Benth., Fl. Hongk. 86 1861

Pueraria thunbergiana (Siebold & Zucc.) Benth., J. Linn. Soc., Bot. 9: 122 1865

Pueraria argyi H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 426 1908

Pueraria bodinieri H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 425 1908

Pueraria caerulea H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 427 1908

Pueraria koten H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 426 1908

Pueraria volkensii Hosok., Trans. Nat. Hist. Soc. Taiwan 28: 62 1938

Pueraria montana (Lour.) Merr. var. *lobata* (Willd.) Maesen & S.M.Almeida ex Sanjappa & Predeep, Legumes Ind. 288 1992

***Rhynchosia* Lour. 여우콩속**

Rhynchosia acuminatifolia Makino, J. Jap. Bot. 2: 14 1920

국명: 큰여우콩(Keon-yeo-u-kong), 나도여우콩, 뾰족덩굴들콩, 뾰족여우콩 / (북한명) 뾰족여우콩

영명: Acuminate-leaf snoutbean

Rhynchosia volubilis Lour., Fl. Cochinch. 2: 460 1790

국명: 여우콩(Yeo-u-kong), 개녹각, 녹각, 덩굴들콩 / (북한명) 여우콩

영명: Winding snoutbean

***Sophora* L. 고삼속**

Sophora flavescens Aiton, Hort. Kew. 2: 43 1789

국명: 고삼(Go-sam), 너삼, 넓은잎능암, 느삼, 도둑놈의지팡이, 뱀의정자나무 / (북한명) 능암, 넓은잎능암

영명: Shrubby sophora

Sophora macroisperma DC., Prodr. (DC.) 2: 96 1825

Sophora angustifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 118 1845

Sophora tetragonocarpa Hayata, Icon. Pl. Formosan. 3: 83 1913

Sophora flavescens Aiton var. *angustifolia* (Siebold & Zucc.) Kitag., Lin. Fl. Manshur. 293 1939

Sophora koreensis Nakai, Bot. Mag. (Tokyo) 33: 8 1919 ⑤ ⑥

국명: 개느삼(Gae-neu-sam), 개너삼, 개능함, 개미풀, 느삼나무 / (북한명) 느삼나무, 개느삼

영명: Korean necklace pod

Echinosophora koreensis (Nakai) Nakai, Bot. Mag. (Tokyo) 37: 34 1923

***Thermopsis* R.Br. 갯활량나물속**

Thermopsis lupinoides (L.) Link, Enum. Hort. Berol. Alt. 1: 401 1821 ⑦

국명: 갯활량나물(Gaet-hwal-ryang-na-mul), 세잎완두, 잠두싸리, 천대싸리, 청진싸리 / (북한명) 잠두싸리

영명: Northeastern goldenbanner

Sophora lupinoides L., Sp. Pl. 1: 374 1753

Sophora fabacea Pall., Astragalologia 122 1800

Thermopsis fabacea (Pall.) DC., Prodr. (DC.) 2: 99 1825

***Trifolium* Tourn. ex L. 토끼풀속**

Trifolium lupinaster L., Sp. Pl. 2: 766 1753

■ FABACEAE 콩과

국명: 달구지풀(Dal-gu-ji-pul) / (북한명) 달구지풀

영명: **Lupine clover**

Trifolium albens Fisch. ex Loudon, Hort. Brit. (Loudon) 300 1830

Trifolium pacificum Bobrov, Yubil. Sbornik V. L. Komarov 140 1939

Trifolium baicalense Belyaeva & Sipliv., Bot. Zhurn. (Moscow & Leningrad) 60: 819 1975

Trifolium popovii (Roskov) Gubanov & Kamelin, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 97: 64 1992

***Vicia* L. 나비나물속**

Vicia amoena Fisch. ex Ser., Prodr. (DC.) 2: 355 1825

국명: 갈퀴나물(Gal-kwi-na-mul), 갈퀴덩굴, 갈키나물, 녹두두미, 말굴레풀, 참갈퀴, 큰갈퀴나물 / (북한명) 말굴레, 말굴레풀, 갈퀴나물

영명: **Cheder vetch**

Vicia rapunculus Debeaux, Actes Soc. Linn. Bordeaux 31: 144 1877

Vicia amurensis Oett., Trudy Bot. Sada Imp. Yur'evsk. Univ. 6: 143 1906

국명: 별완두(Beol-wan-du), 들등갈퀴덩굴, 들말굴레, 별완두, 섬갈퀴 / (북한명) 들말굴레, 별완두, 들등갈퀴덩굴, 섬갈퀴

영명: **Amur vetch**

Vicia vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 7: 232 1909

Vicia amurensis Oett. var. ***amurensis***

Vicia amurensis Oett. var. ***pallida*** (Turcz.) Kitag., Neolin. Fl. Manshur. 414 1979

국명: 숲갈퀴나물(Sup-gal-kwi-na-mul), 너른잎갈퀴

영명: **Pale Amur vetch**

Vicia pallida Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 789 1842

Vicia amurensis Oett. var. ***amurensis***

Vicia angustifolia L. var. ***minor*** (Bertol.) Ohwi, Acta Phytotax. Geobot. 12: 110 1943

국명: 가는갈퀴(Ga-neun-gal-kwi) / (북한명) 가는갈퀴나물, 가는말굴레, 덤불갈퀴나물, 가는갈퀴덩굴

영명: **Lesser narrow-leaf vetch**

Vicia bifolia Nakai, Bot. Mag. (Tokyo) 37: 15 1923

국명: 잔나비나물(Jan-na-bi-na-mul), 두잎갈퀴나물 / (북한명) 두잎말굴레, 두잎갈퀴나물, 두메나비나물, 신나비나물

영명: **Lesser two-leaf vetch**

Vicia bungei Ohwi, J. Jap. Bot. 12: 330 1936

국명: **들완두**(Deul-wan-du) / (북한명) 들완두

Vicia tridentata Bunge, Enum. Pl. Chin. Bor. 19 1833

Vicia chosenensis Ohwi, Acta Phytotax. Geobot. 5: 182 1936 (E)

국명: 노랑갈퀴(No-rang-gal-kwi), 노랑갈키, 노랑말굴레풀, 조선갈키나물, 참갈퀴덩굴 / (북한명) 조선말굴레, 조선갈퀴, 조선갈퀴나물, 참갈퀴덩굴

영명: Yellow-flower vetch

Vicia cracca L., Sp. Pl. 2: 735 1753

국명: 등갈퀴나물(Deung-gal-kwi-na-mul), 등갈키나물, 등말굴레, 등말굴레풀

영명: Turfed vetch

Vicia cracca L. f. *cracca*

Vicia cracca L. f. *leucantha* Nakai, Bot. Mag. (Tokyo) 25: 55 1911

국명: 노루목등갈퀴(No-ru-mok-deun-gal-kwi), 흰꽃말굴레 / (북한명) 흰꽃등말굴레, 흰꽃등갈퀴

Vicia hirsuta (L.) Gray, Nat. Arr. Brit. Pl. 2: 614 1821

국명: 새완두(Sae-wan-du), 털새완두 / (북한명) 새완두, 털새완두

영명: Hairy vetch

Ervum hirsutum L., Sp. Pl. 2: 738 1753

Vicia taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 11: 31 1913

Vicia coreana H.Lév., Bull. Acad. Int. Géogr. Bot. 25: 50 1915

Vicia hirticalycina Nakai, Bot. Mag. (Tokyo) 28: 329 1914 (E)

국명: 나래완두(Na-rae-wan-du), 가는갈퀴나물 / (북한명) 나래완두, 긴잎새완두

영명: Korean bird vetch

Lathyrus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 7: 230 1909

Vicia anguste-pinnata Nakai, Bot. Mag. (Tokyo) 28: 329 1914

Vicia hirticalycina Nakai f. *anguste-pinnata* (Nakai) M.Kim, Korean Endemic Pl. 320 2004

Vicia japonica A.Gray, Mem. Amer. Acad. Arts n.s. 6: 385 1857

국명: 넓은잎갈퀴(Neol-beun-ip-gal-kwi), 너른잎갈퀴, 넓은잎갈퀴덩굴, 넓은잎갈키, 넓은잎등갈퀴, 넓은잎말굴레풀 / (북한명) 넓은잎말굴레, 넓은잎갈퀴, 넓은잎갈퀴덩굴, 싸리덩굴

영명: Wide-leaf Asian vetch

Vicia nipponica Matsum., Bot. Mag. (Tokyo) 16: 81 1902

국명: 네잎갈퀴나물(Ne-ip-gal-kwi-na-mul), 네잎갈퀴, 네잎갈키, 네잎꽃갈퀴, 네잎말굴레풀 / (북한명) 네잎말굴레, 네잎갈퀴

영명: Four-leaf vetch

Orobus nipponicus (Matsum.) Stank. & Roskov, Kew Bull. 53: 732 1998

Vicia ohwiana Hosok., J. Soc. Trop. Agric. 5: 288 1933

■ FABACEAE 콩과

국명: 합경나비나물(Ham-gyeong-na-bi-na-mul) / (북한명) 합경나비나물

영명: Dense-flower two-leaf vetch

Vicia unijuga A.Braun var. *ohwiana* (Hosok.) Nakai, Bot. Mag. (Tokyo) 49: 349 1935

Vicia unijuga A.Braun var. *apoda* Maxim. f. *albiflora* Kitag., Lin. Fl. Manshur. 295 1939

Orobus ohwianus (Hosok.) Stank. & Roskov, Kew Bull. 53: 732 1998

Vicia unijuga A.Braun f. *venusta* (Nakai) Ohashi, Fl. Jap. (Iwatsuki et al., eds.) 2b: 229 2001

Vicia pseudoorobus Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 41 1835

국명: 큰등갈퀴(Keun-deung-gal-kwi), 큰갈퀴, 큰등갈키, 큰등말굴레풀 / (북한명) 큰등말굴레, 큰등갈퀴

영명: Large-leaf vetch

Vicia ramuliflora (Maxim.) Ohwi, J. Jap. Bot. 12: 331 1936

국명: 큰네잎갈퀴(Keun-ne-ip-gal-kwi), 긴네잎갈키, 좀네잎갈퀴, 좀네잎말굴레, 큰나래갈퀴 / (북한명) 들네잎말굴레, 개네잎갈퀴, 개등갈퀴덩굴, 큰네잎갈퀴, 큰나래갈퀴, 긴잎네잎갈퀴

영명: Northern meadow vetch

Orobus ramuliflorus Maxim., Mem. Acad. Imp Sci. St. Petersburg Divers Savans 9: 83 1859

Vicia venosa (Link) Maxim. var. *baicalensis* Turcz. ex Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 395 1873

Vicia pseudovenosa Nakai, Bot. Mag. (Tokyo) 37: 11 1923

Vicia venosa (Link) Maxim. var. *macrophylla* Nakai, Bot. Mag. (Tokyo) 45: 121 1931

Vicia baicalensis (Turcz.) B.Fedtsch., Fl. URSS 13: 424, t. 24, f. 3 1948

Orobus baicalensis (Turcz. ex Maxim.) Stank & Roskov, Kew Bull. 53: 732 1998

Vicia sativa L., Sp. Pl. 2: 736 1753

국명: 살갈퀴(Sal-gal-kwi)

영명: Infield narrow-leaf vetch

Vicia segetalis Thuill., Fl. Env. Paris ed. 2.: 367 1799

Vicia sativa L. subsp. *sativa*

Vicia sativa L. subsp. *nigra* Ehrh., Honnover. Mag. 18: 229 1780

국명: 가는살갈퀴(Ga-neun-sal-gal-kwi), 가는갈퀴나물, 가는갈키나물, 가는살갈키, 가는살말굴레, 산갈퀴, 좀산갈퀴 / (북한명) 가는살말굴레, 가는살갈퀴, 가는갈퀴나물

영명: Narrow-leaf vetch

Vicia angustifolia L., Amoen. Acad. 4: 105 1759

Vicia sativa var. *angustifolia* (L. ex Reichard) Wahlenb., Fl. Carpat. Princ. 218 1814

Vicia tenuifolia Roth, Tent. Fl. Germ. 1: 309 1788

국명: 가는등갈퀴(Ga-neun-deung-gal-kwi), 가는등갈키

영명: Fine-leaf vetch

Ervum tenuifolium (Roth) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 50 1875

Vicia cracca L. subsp. *tenuifolia* (Roth) Bonnier & Layens, Tabl. Syn. Pl. Vasc. France 86 1894

Vicia antiqua Grossh., Trudy Geobot. Obsl. Pastb. SSR Azerbajdzana, Ser. A, Zimn. Pastb. 4: 113 1929

Vicia tetrasperma (L.) Schreb., Spic. Fl. Lips. 26 1771

국명: 얼치기완두(Eol-chi-gi-wan-du), 새갈퀴 / (북한명) 얼치기완두, 얼치기갈퀴덩굴, 새갈퀴

영명: Lentil vetch

Ervum tetraspermum L., Sp. Pl. 2: 738 1753

Vicia unijuga A.Braun, Index Seminum Hort. Bot. Berol. 12 1853

국명: 나비나물(Na-bi-na-mul) / (북한명) 나비나물

영명: Two-leaf vetch

Vicia unijuga A.Braun f. *minor* Nakai, Bot. Mag. (Tokyo) 37: 16 1923

Vicia unijuga A.Braun subsp. *minor* (Nakai) Y.N.Lee, Fl. Korea (Lee) 390 1996

Vicia unijuga A.Braun var. *unijuga*

Vicia unijuga A.Braun var. *kausanensis* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 548 1913 ⓘ

국명: 애기나비나물(Ae-gi-na-bi-na-mul), 좀나비나물 / (북한명) 애기나비나물

영명: Hallasan two-leaf vetch

Vicia unijuga A.Braun var. *ouensanensis* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 548 1913

국명: 큰나비나물(Keun-na-bi-na-mul) / (북한명) 큰나비나물

영명: Large two-leaf vetch

Vicia unijuga A.Braun var. *ouensanensis* H.Lév. f. *ouensanensis*

Vicia unijuga A.Braun var. *ouensanensis* H.Lév. f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1159 1996

국명: 흰큰나비나물(Huin-keun-na-bi-na-mul)

영명: White two-leaf vetch

Vicia unijuga A.Braun var. *ulsaniana* M.Kim & H.Jo, Korean Endemic Pl. 221 2017 ⓘ

국명: 울산나비나물(Ul-san-na-bi-na-mul)

Vicia unijuga A.Braun var. *vesnusta* Nakai, Bot. Mag. (Tokyo) 49: 349 1935

국명: 광양나비나물(Gwang-yang-na-bi-na-mul) / (북한명) 광양나비나물

영명: Sweet two-leaf vetch

Vicia unijuga A.Braun f. *unijuga*

Vicia unijuga A.Braun f. *albiflora* Nakai, Bot. Mag. (Tokyo) 37: 17 1923

국명: 흰꽃나비나물(Huin-kkot-na-bi-na-mul), 흰가지나비나물, 흰나비나물 / (북한명) 흰나비나물

영명: White beautiful two-leaf vetch

■ FABACEAE 콩과

Vicia unijuga A.Braun f. *angustifolia* Makino ex Ohwi, Fl. Jap., revised ed., [Ohwi] 688 1965

국명: 긴잎나비나물(Gin-ip-na-bi-na-mul), 광양나비나물, 백운나비나물, 좁은잎나비나물 / (북한명) 긴잎나비나물

영명: Narrow two-leaf vetch

Vicia venosa (Link) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser. 3, 18: 395 1873

국명: 연리갈퀴(Yeon-ri-gal-kwi), 네잎갈퀴, 선나래갈퀴, 연리갈키, 좁은네잎말굴레풀 / (북한명) 좁은네잎말굴레, 좁은네잎갈퀴, 좁은잎네잎갈퀴, 선나래갈퀴, 연리갈퀴

영명: Venose vetch

Orobus venosus Willd. ex Link, Enum. Hort. Berol. Alt. 2: 236 1822

Orobus venosus Willd. ex Link var. *willdenowianus* Turcz., Fl. Baical.-dahur. 1: 352 1845

Vicia venosa (Link) Maxim. var. *willdenowiana* (Turcz.) Maxim., Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 395 1873

Vicia venosa (Link) Maxim. var. *venosa*

Vicia venosa (Link) Maxim. var. *cuspidata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 445 1886

국명: 광릉갈퀴(Gwang-reung-gal-kwi), 광능갈퀴, 광능갈키, 광릉갈퀴나물, 광릉말굴레풀, 선등갈키, 선등말굴 / (북한명) 광릉말굴레, 광릉갈퀴

영명: Gwangneung vetch

Vigna Savi 동부속

Vigna angularis (Willd.) Ohwi & H.Ohashi var. *nipponensis* (Ohwi) Ohwi & H.Ohashi, J. Jap. Bot. 44: 30 1969

국명: 새팥(Sae-pat), 돌팥 / (북한명) 새팥

영명: Wild red cowpea

Phaseolus nipponensis Ohwi, J. Jap. Bot. 13: 435 1937

Azukia angularis (Willd.) Ohwi var. *nipponensis* (Ohwi) Ohwi, Fl. Jap. (Ohwi) 691 1953

Vigna nakashimae (Ohwi) Ohwi & H.Ohashi, J. Jap. Bot. 44: 30 1969

국명: 좁돌팥(Jom-dol-pat) / (북한명) 돌팥

영명: Common Asian cowpea

Phaseolus nakashimae Ohwi, J. Jap. Bot. 13: 436 1937

Azukia nakashimae (Ohwi) Ohwi, Fl. Jap. (Ohwi) 691 1953

Vigna vexillata (L.) A.Rich. var. *vexillata*

Vigna vexillata (L.) A.Rich. var. *tsusimensis* Matsum., Bot. Mag. (Tokyo) 16: 93 1902

국명: 돌동부(Dol-dong-bu), 돌팥

영명: Seashore black-eye cowpea

Wisteria Nutt. 등속

Wisteria floribunda (Willd.) DC. f. *floribunda*

Wisteria floribunda (Willd.) DC. f. *alba* Rehder & E.H.Wilson, Pl. Wilson. 2: 512 1916

국명: 흰등(Huin-deung)

영명: White Japanese wisteria

OXALIDACEAE 괭이밥과

Oxalis L. 괭이밥속

Oxalis acetosella L., Sp. Pl. 1: 433 1753

국명: 애기괭이밥(Ae-gi-gwaeng-i-bap), 산괭이밥, 애기괭이밥풀, 큰선괭이밥 / (북한명) 애기괭이밥

영명: Common wood sorrel

Oxys acetosella (L.) Scop., Fl. Carniol. ed. 2 1: 326 1772

Oxalis montana Raf., Amer. Monthly Mag. & Crit. Rev. 266 1818

Oxalis taquetii R.Knuth, Notizbl. Bot. Gart. Berlin-Dahlem 7: 308 1919

Oxalis acetosella L. var. *purpurascens* Mart., Fl. URSS 14: 80 1949

Oxalis acetosella L. var. *rosea* Peterm., Fl. URSS 14: 80 1949

Oxalis obtriangulata Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 6: 260 1867

국명: 큰괭이밥(Keun-gwaeng-i-bap), 큰괭이밥풀 / (북한명) 큰괭이밥

영명: Large wood sorrel

Acetosella obtriangulata (Maxim.) Kuntze, Revis. Gen. Pl. 1: 91 1891

Oxalis japonica Franch. & Sav. var. *obtriangulata* (Maxim.) Makino, Ill. Fl. Nippon (Makino) 400 1940

Oxalis stricta L., Sp. Pl. 1: 435 1753

국명: 선괭이밥(Seon-gwaeng-i-bap), 곧은괭이밥풀, 왕괭이밥, 왕괭이밥풀, 왕시금초, 왜선괭이밥, 작은선괭이밥풀 / (북한명) 왜선괭이밥

영명: Yellow wood sorrel

Oxalis chinensis Haw. ex G.Don, Hort.Brit.(Loudon)(ed.2)1: 595 1832

Oxalis fontana Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 13 1833

Oxalis europaea Jord., Arch. Fl. France Allemagne 309 1854

Xanthoxalis stricta (L.) Small, Fl. S.E. U.S. [Small]. 667 1903

Oxalis shinanoensis T.Itô, Encycl. Jap. 2: 818 1909

Oxalis repens Thunb. var. *stricta* Hatus., Exp. Forest. Kyushu Imp. Univ. 4: 95 1933

GERANIACEAE 쥐손이풀과

Erodium L'Hér. ex Aiton 국화쥐손이속

Erodium stephanianum Willd., Sp. Pl. (ed. 4) 3: 625 1800

국명: 국화쥐손이(Guk-hwa-jwi-son-i), 갈래잎손잎풀, 구와쥐손이, 쥐손이아재비 / (북한명) 구와쥐손이풀, 구아쥐손이, 쥐손이아재비

영명: Stephan's filaree

Erodium stevenii M.Bieb., Fl. Taur.-Caucas. 2: 132 1808

Geranium stephanianum (Willd.) Poir., Encycl. (Lamarck) Suppl. 2: 741 1812

Geranium stevenii (M.Bieb.) Poir., Encycl. (Lamarck) Suppl. 2: 742 1812

Geranium Tourn. ex L. 쥐손이풀속

Geranium dahuricum DC., Prodr. (DC.) 1: 642 1824

국명: 산쥐손이(San-jwi-son-i), 다후리아쥐손이, 산손잎풀 / (북한명) 산쥐손이풀, 다후리아쥐손이

영명: Daurian cranesbill

Geranium pseudosibiricum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 71 1859

Geranium bifolium Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 467 1859

Geranium knuthii Nakai, Bot. Mag. (Tokyo) 26: 263 1912 (E)

국명: 큰세잎쥐손이(Keon-se-ip-jwi-son-i), 세잎쥐손이 / (북한명) 큰세잎쥐손이풀

영명: Giant cranesbill

Geranium koreanicum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 433 1901

국명: 둉근이질풀(Dung-geun-i-jil-pul), 긴이질풀, 둉근쥐손이, 산이질풀, 왕이질풀 / (북한명) 둉근쥐손이풀, 왕이질풀, 둉근이질풀, 긴이질풀

영명: Korean cranesbill

Geranium koreanicum Kom. var. ***koreanum***

Geranium koreanicum Kom. var. ***hirsutum*** Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 113 1909 (E)

국명: 털璥근이질풀(Teol-dung-geun-i-jil-pul), 털璥근쥐손이, 털이질풀 / (북한명) 털璥근쥐손이풀, 털璥근이질풀

영명: Hairy Korean cranesbill

Geranium koreanicum Kom. f. *hirsutum* (Nakai) M.Kim, Korean Endemic Pl. 548 2017

Geranium koreanicum Kom. f. ***koreanum***

Geranium koreanicum Kom. f. ***albidum*** Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 433 1901

국명: 흰璥근이질풀(Huin-dung-geun-i-jil-pul)

영명: White-flower Korean cranesbill

Geranium koraiense Nakai var. ***koraiense***

Geranium koraiense Nakai var. ***chejuense*** S.J.Park & K.J.Kim, Korean J. Pl. Taxon. 32: 3 2002

국명: 섬참이질풀(Seom-cham-i-jil-pul), 섬선이질풀 / (북한명) 참쥐손이풀, 참이질풀

영명: Jejudo cranesbill

Geranium krameri Franch. & Sav. var. *chejuense* (S.J.Park & K.J.Kim) M.Kim, Korean Endemic Pl. 239 2017

Geranium krameri Franch. & Sav., Enum. Pl. Jap. 2: 306 1878

국명: 선이질풀(Seon-i-jil-pul), 세잎쥐손이, 참이질풀, 털손잎풀 / (북한명) 선쥐손이풀, 선이질풀

영명: Upright cranesbill

Geranium sieboldii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 458 1880

Geranium koraiense Nakai, Bot. Mag. (Tokyo) 25: 54 1911

Geranium krameri Franch. & Sav. f. ***krameri***

Geranium krameri Franch. & Sav. f. ***adpressipilosum*** (H.Hara) H.Hara, J. Jap. Bot. 30: 21 1954

국명: 털선이질풀(Teol-seon-i-jil-pul)

영명: Downward-hair cranesbill

Geranium japonicum Franch. & Sav. var. *adpressipilosum* H.Hara, J. Jap. Bot. 22: 171 1949

Geranium lasiocaulon Nakai, Bot. Mag. (Tokyo) 49: 350 1935 ⑤

국명: 갈미쥐손이(Gal-mi-jwi-son-i) / (북한명) 갈미쥐손이풀, 천도쥐손이, 관모봉쥐손이

영명: Woolly-stem cranesbill

Geranium maximowiczii Regel & Maack, Tent. Fl.-Ussur. 39 1861

국명: 분홍쥐손이(Bun-hong-jwi-son-i), 분홍손잎풀, 분홍쥐손이풀 / (북한명) 분홍쥐손이풀

영명: Western purple cranesbill

Geranium hattae Nakai, Bot. Mag. (Tokyo) 26: 263 1912

Geranium wlassovianum Fisher ex Link var. *hattae* (Nakai) Z.H.Lu, Bull. Bot. Res., Harbin 14: 360 1994

Geranium wlassovianum Fisher ex Link var. *maximowiczii* (Regel & Maack) S.J.Park, Korean J. Pl. Taxon. 27: 213 1997

Geranium nepalense Sweet, Geraniaceae 1: t. 12 1820

국명: 산이질풀(San-i-jil-pul) / (북한명) 이질풀, 쥐손이풀, 개발초

영명: Nepalese cranesbill

Geranium lavergneanum H.Lév., Bull. Soc. Agric. Sarthe 39: 4 1904

Geranium lavergneanum H.Lév. var. *cinerascens* H.Lév., Bull. Soc. Agric. Sarthe 39: 319 1904

Geranium nepalense Sweet var. *pallidum* Nakai, Koryo Shikenrin Ippan 41 1932

Geranium nepalense Sweet var. *glabratum* H.Hara, Bot. Mag. (Tokyo) 49: 862 1935

Geranium fangii R.Knuth, Repert. Spec. Nov. Regni Veg. 4: 218 1936

Geranium nepalense Sweet f. *glabratum* (H.Hara) H.Hara, J. Jap. Bot. 22: 171 1948

■ GERANIACEAE 쥐손이풀과

Geranium platyanthum Duthie, Gard. Chron., ser. 3 39: 52 1906

국명: **꽃쥐손이**(Kkot-jwi-son-i), 낭림쥐소니, 털손잎풀, 털쥐손이, 흰털쥐손이 / (북한명) 털쥐손이풀

Geranium eriostemon Fisch. ex DC. var. *hypoleucum* Nakai, Bot. Mag. (Tokyo) 26: 256 1912

Geranium eriostemon Fisch. ex DC. var. *megalanthum* Nakai, Bot. Mag. (Tokyo) 26: 257 1912

! *Geranium eriostemon* Fisch. ex DC., Prodr. (DC.) 1: 641 1824

Geranium reinii Franch. & Sav., Enum. Pl. Jap. 2: 304 1878

국명: **부전쥐손이풀**(Bu-jeon-jwi-son-i-pul)

영명: **Glabrous cranesbill**

Geranium onoei Franch. & Sav., Enum. Pl. Jap. 2: 303 1878

Geranium eriostemon Fisch. ex DC. var. *glabrescens* Nakai ex H.Hara, J. Jap. Bot. 22: 171 1948

Geranium shikokianum Matsum., Bot. Mag. (Tokyo) 15: 123 1901

국명: **사국이질풀**(Sa-guk-i-jil-pul) / (북한명) 섬쥐손이풀

영명: **Shikoku marbled cranesbill**

Geranium shikokianum Matsum. var. ***shikokianum***

Geranium shikokianum Matsum. var. ***quelpaertense*** Nakai, Bot. Mag. (Tokyo) 26: 260 1912

국명: **섬쥐손이**(Seom-jwi-son-i), 한라쥐손이

영명: **Hallasan cranesbill**

Geranium sibiricum L., Sp. Pl. 2: 683 1753

국명: **쥐손이풀**(Jwi-son-i-pul), 손잎풀 / (북한명) 쥐손이풀, 긴꽃쥐손이

영명: **Siberian geranium**

Geranium acrocarphum Ledeb., Fl. Ross. (Ledeb.) 1: 471 1842

Geranium sibiricum L. f. *glabrius* H.Hara, J. Jap. Bot. 22: 171 1948

Geranium europaeum Popov, Fl. URSS 15: 46 1949

Geranium sibiricum L. var. *glabrius* (H.Hara) Ohwi, Fl. Jap. (Ohwi) 704 1953

Geranium soboliferum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 433 1901

국명: **삼쥐손이**(Sam-jwi-son-i), 가는잎손잎풀, 가는잎쥐소니, 가는잎쥐손이, 꽃이질풀, 삼쥐손이풀 / (북한명) 가는잎쥐손이풀

영명: **Hardy geranium**

Geranium hakusanense Matsum., Bot. Mag. (Tokyo) 15: 123 1901

Geranium hidaense Makino, J. Jap. Bot. 16: 729 1940

Geranium yezoense Franch. & Sav. var. *hakusanense* (Matsum.) Makino, Ill. Fl. Nippon (Makino) 398 1940

Geranium soboliferum Kom. var. *hakusanense* (Matsum.) Kitag., Neolin. Fl. Manshur. 419 1979

Geranium taebaekensis S.J.Park & Y.S.Kim, Korean J. Pl. Taxon. 27: 189 1997 ⓘ

국명: **태백이질풀**(Tae-baek-i-jil-pul)

영명: Taebaek cranesbill

Geranium thunbergii Siebold ex Lindl. & Paxton, Paxton's Fl. Gard. 1: 186 1851

국명: **이질풀**(I-jil-pul), 개발초, 거십초, 민들이질풀, 분홍이질풀, 붉은이질풀, 쥐손이풀 / (북한명) 이질풀,
쥐손이풀, 개발초

영명: Thunberg's geranium

Geranium nepalense Sweet f. *japoinca* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 454 1880

Geranium nepalense Sweet var. *thunbergii* (Siebold ex Lindl. & Paxton) Kudô, Medic. Pl. Hokk. 1: 55 1922

Geranium thunbergii Siebold ex Lindl. & Paxton var. *roseum* Nakai, Koryo Shikenrin Ippan 11 1932

Geranium thunbergii Siebold ex Lindl. & Paxton f. *plenum* (Iwata) H.Hara, J. Jap. Bot. 22: 172 1948

Geranium thunbergii Siebold ex Lindl. & Paxton f. *roseum* H.Hara, J. Jap. Bot. 22: 172 1948

Geranium nepalense Sweet subsp. *thunbergii* (Siebold ex Lindl. & Paxton) H.Hara, Fl. E. Himalaya 638 1966

Geranium thunbergii Siebold ex Lindl. & Paxton f. ***thunbergii***

Geranium thunbergii Siebold ex Lindl. & Paxton f. ***pallidum*** (Nakai ex H.Hara) Murata, Acta Phytotax.

Geobot. 17: 172

국명: **흰이질풀**(Huin-i-jil-pul), 쥐손이풀, 흰꽃이질풀 1958

영명: Pale-flower Thunberg's geranium

Geranium sibiricum L. f. *pallidum* (Nakai ex H.Hara) Murata, Acta Phytotax. Geobot. 17: 172 1958

Geranium tripartitum R.Knuth, Pflanzrenr. (Engler) IV. 129: 191 1912

국명: **좁쥐손이**(Jom-jwi-son-i), 섬쥐손이, 세갈래이질풀, 작은손잎풀, 작은쥐손이 / (북한명) 작은쥐손이풀,
세갈래이질풀

영명: Three-lobe cranesbill

Geranium wilfordii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 453 1880

국명: **세잎쥐손이**(Se-ip-jwi-son-i), 마디쥐소니, 세갈래쥐손이, 세잎손잎풀 / (북한명) 세잎쥐손이풀

영명: Wilford's cranesbill

Geranium hastatum Nakai, Bot. Mag. (Tokyo) 23: 100 1909

Geranium iinumai Nakai, Bot. Mag. (Tokyo) 23: 100 1909

Geranium krameri Franch. & Sav. var. *iinumai* (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 261 1912

Geranium tripartitum R.Knuth var. *hastatum* (Nakai) T.Yamaz., J. Jap. Bot. 68: 239 1993

Geranium wlassovianum Fisher ex Link, Enum. Hort. Berol. Alt. 2: 197 1822

국명: **우단쥐손이**(U-dan-jwi-son-i), 쥐털쥐손이 / (북한명) 쥐털쥐손이풀, 우단쥐손이

영명: Velvety cranesbill

ZYGOPHYLLACEAE 남가새과

Tribulus L. 남가새속

Tribulus terrestris L., Sp. Pl. 1: 387 1753 ⑧

국명: 남가새(Nam-ga-sae), 백질려 / (북한명) 백질려, 남가새

영명: Puncturevine

Tribulus lanuginosus L., Sp. Pl. 1: 387 1753

Tribulus maximus L. var. *roseus* Kuntze, Revis. Gen. Pl. 3: 30 1898

Tribulus terrestris L. var. *sericeus* Andersson ex Svenson, Amer. J. Bot. 33: 457 1946

LINACEAE 아마과

Linum L. 아마속

Linum stellaroides Planch., London J. Bot. 7: 178 1848

국명: 개아마(Gae-a-ma), 들아마 / (북한명) 들아마, 개아마

영명: Asian wild flax

Linum karo Freyn, Oesterr. Bot. Z. 52: 15 1902

EUPHORBIACEAE 대극과

Acalypha L. 깨풀속

Acalypha australis L., Sp. Pl. 2: 1004 1753

국명: 깨풀(Kkae-pul), 들깨풀 / (북한명) 깨풀

영명: Asian copperleaf

Euphorbia L. 대극속

Euphorbia ebracteolata Hayata, J. Coll. Sci. Imp. Univ. Tokyo 20: 71 1904

국명: 붉은대극(Bul-geun-dae-geuk), 민대극, 풍도대극 / (북한명) 풍도벼들옷

영명: Red spurge

Galarhoeus ebracteolatus (Hayata) H.Hara, J. Jap. Bot. 11: 384 1935

Euphorbia ebracteolata Hayata var. *coreana* Hurus., J. Jap. Bot. 16: 645 1940

Tithymalus ebracteolatus (Hayata) H.Hara, Enum. Sperm. Jap. 3: 53 1954

Euphorbia ebracteolata Hayata f. *magna* Y.N.Lee, Korean J. Pl. Taxon. 28: 28 1998

Euphorbia ebracteolata Hayata f. *coreana* (Hurus.) M.Kim, Korean Endemic Pl. 321 2004

***Euphorbia esula* L., Sp. Pl. 1: 461 1753**

국명: 흰대극(Huin-dae-geuk), 노랑대극, 노랑등대풀, 노랑벼들꽃, 흰벼들꽃, 가지대극, 제주대극 /
(북한명) 흰벼들꽃, 흰대극

영명: Leafy spurge

- Tithymalus esula* (L.) Hill, Hort. Kew. (Hill ed. 1: 172 1768
Euphorbia lunulata Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 59 1833
Keraselma esula (L.) Raf., Fl. Tellur. 4: 116 1838
Euphorbia maackii Meinch., Beitr. Kenntn. Russ. Reichen 26: 204 1871
Euphorbia octoradiata H.Lév. & Vaniot ex H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 1908
Euphorbia nakaiana H.Lév., Repert. Spec. Nov. Regni Veg. 12: 183 1913
Galarhoeus esula (L.) Rydb., Brittonia 1: 93 1931
Galarhoeus lunulatus (Bunge) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 30 1936
Euphorbia lunulata Bunge var. *obtusifolia* Hurus., J. Jap. Bot. 16: 397 1940
Galarhoeus octoradiatus (H.Lév. & Vaniot) Nakai ex H.Lév., Bull. Natl. Sci. Mus., Tokyo 31: 70 1952
Galarhoeus lunulatus (Bunge) Kitag. var. *obtusifolius* (Hurus.) Hurus., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6-6: 239 1954
Euphorbia esula L. f. *octoradiata* (H.Lév. & Vaniot) M.Kim, Korean Endemic Pl. 544 2017

***Euphorbia fauriei* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 281 1908 ⑤ ⑥**

국명: 두메대극(Du-me-dae-geuk), 제주대극 / (북한명) 두매벼들꽃, 두메대극

영명: Korean mountain spurge

- Euphorbia fauriei* H.Lév. & Vaniot var. *filiformis* H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 1908
Euphorbia pekinensis Rupr. var. *fauriei* (H.Lév. & Vaniot) Hurus., J. Jap. Bot. 16: 638 1940
Euphorbia hakutosanensis Hurus., J. Jap. Bot. 16: 582 1940
Galarhoeus fauriei (H.Lév. & Vaniot) Nakai ex H.Lév., Bull. Natl. Sci. Mus., Tokyo 31: 69 1952
Galarhoeus hakutosanensis (Hurus.) Hurus., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 261 1954

***Euphorbia fischeriana* Steud., Nomencl. Bot. ed. 2 (Steudel) 1: 611 1840 ⑥**

국명: 낭독(Nang-dok), 랑독, 큰대극, 팔라시대극 / (북한명) 오독도기, 오독도기, 랑독

영명: Fischer's spurge

- Euphorbia verticillata* Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 81 1812
Euphorbia pallasii Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 3: 565 1850
Tithymalus pallasii (Turcz.) Klotsch & Gärcke ex Klotsch, Abh. Königl. Akad. Wiss. Berlin 75 1860
Euphorbia pallasii Turcz. ex Ledeb. var. *pilosa* Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 128 1861
Galarhoeus fischerianus (Steud.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 296 1937
Euphorbia fischeriana Steud. var. *pilosa* (Regel) Kitag., Lin. Fl. Manshur. 303 1939
Euphorbia pallasii Turcz. ex Ledeb. f. *pilosa* (Regel) Kitag., Lin. Fl. Manshur. 303 1939
Galarhoeus fischerianus (Steud.) Kitag. var. *pilosus* (Regel) H.Hara, Enum. Sperm. Jap. 0 1948
Galarhoeus pallasii (Turcz.) Hatus. ex Hurus., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 238 1954

***Euphorbia helioscopia* L., Sp. Pl. 1: 459 1753**

국명: 등대풀(Deung-dae-pul), 등대대극, 등대초 / (북한명) 등대풀

영명: Madwoman's milk

■ EUPHORBIACEAE 대극과

Tithymalus helioscopius (L.) Hill, Hort. Kew. (Hill) 172: 3 1768
Galarhoeus helioscopius (L.) Haw., Syn. Pl. Succ. 152 1812

Euphorbia humifusa Willd. ex Schlehd., Enum. Pl. (Willdenow) Suppl. 27 1814

국명: 땅빈대(Ttang-bin-dae), 점박이풀 / (북한명) 땅빈대

영명: **Humifuse spurge**

Euphorbia pseudochamaesyce Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 9: 73 1842
Anisophyllum humifusum (Willd.) Klotsch & Garcke, Abh. Königl. Akad. Wiss. Berlin 21 1860
Tithymalus humifusus (Willd.) Bubani, Fl. Pyren. 1: 116 1897
Chamaesyce humifusa (Willd.) Prokh., Izv. Akad. Nauk SSSR Ser. 6: 195 1927

Euphorbia hyلونома Hand.-Mazz., Symb. Sin. 7: 230 1931

국명: 단주대극(Dan-ju-dae-geuk), 단주낭독

영명: **Short-style spurge**

Euphorbia jolkini Boiss., Cent. Euphorb. 32 1860

국명: 암대극(Am-dae-geuk), 갯대극, 갯바위대극, 바위대극, 바위벼들꽃 / (북한명) 바위벼들꽃

영명: **Jolkin's spurge**

Galarhoeus jolkini (Boiss.) H.Hara, J. Jap. Bot. 11: 385 1935
Tithymalus jolkini (Boiss.) H.Hara, Enum. Sperm. Jap. 3: 54 1954
Dichrophyllum jolkini (Boiss.) F.C.Ho, Trop. Pl. Taiwan in Colour 3: 34 1982

Euphorbia lucorum Rupr., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 239 1859

국명: 참대극(Cham-dae-geuk), 조선대극, 참등대풀, 참벼들꽃 / (북한명) 참벼들꽃, 참대극

영명: **Shiny spurge**

Euphorbia lucorum Rupr. var. *glabrata* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 11: 834 1883
Galarhoeus lucorum (Rupr.) Kitag., Bull. Inst. Sci. Res. Manchoukuo 1: 3 1936
Euphorbia lucorum Rupr. f. *glabrata* (Maxim.) Hurus., J. Jap. Bot. 16: 513 1940
Galarhoeus lucorum (Rupr.) Hatus. f. *glabratus* (Maxim.) Hurus., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 255 1954
Galarhoeus lucorum (Rupr.) Hatus. var. *glabrata* (Maxim.) Nakai, Neolin. Fl. Manshur. 585 1979

Euphorbia pekinensis Rupr., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 239 1859

국명: 대극(Dae-geuk), 능수벼들, 벼들꽃, 우독초, 목포대극 / (북한명) 벼들꽃, 대극

영명: **Common spurge**

Poinsettia pulcherrima Graham, Edinburgh New Philos. J. 20: 412 1836
Euphorbia lasiocaula Boiss., Prodr. [A.P.de Candolle] 15(2): 1266 1866
Galarhoeus pekinensis (Rupr.) H.Hara, J. Jap. Bot. 11: 386 1935
Euphorbia imaii Hurus., J. Jap. Bot. 16: 576 1940
Euphorbia barbellata Engelm. var. *imaiii* (Hurus.) Kitag., J. Jap. Bot. 16: 571 1940
Euphorbia subulatifolia Hurus., J. Jap. Bot. 16: 573 1940
Galarhoeus pekinensis (Rupr.) H.Hara subsp. *barbellata* Hurus var. *imaiii* (Hurus.) Hurus., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 259 1954

Tithymalus pekinensis (Rupr.) H.Hara, Enum. Sperm. Jap. 3: 55 1954

Euphorbia pekinensis Rupr. f. *subulatifolia* (Hurus.) M.Kim, Korean Endemic Pl. 544 2017

** *Euphorbia pekinensis* Rupr. f. *subulatifolia* (T.B.Lee) M.Kim, Korean Endemic Pl. 322 2004

***Euphorbia sieboldiana* Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 174 1836**

국명: **개감수**(Gae-gam-su), 감수, 능수버들, 산감수, 산개감수, 산참대극, 좀개감수, 참대극 / (북한명) 감수

영명: **Siebold's spurge**

Euphorbia togakusensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 20: 69 1904

Euphorbia taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 281 1908

Galarhoeus sieboldiana (Morren & Decne.) H.Hara, J. Jap. Bot. 11: 388 1935

Galarhoeus togakusensis (Hayata) H.Hara, J. Jap. Bot. 11: 389 1935

Tithymalus sieboldianus (Morren & Decne.) H.Hara, Enum. Sperm. Jap. 3: 56 1954

***Glochidion* J.R.Forst. & G.Forst. 조도만두나무속**

***Glochidion chodoense* J.S.Lee & Im, Korean J. Pl. Taxon. 24: 13 1994 Ⓟ Ⓢ**

국명: **조도만두나무**(Jo-do-man-du-na-mu)

영명: **Jodo cheesetree**

***Mallotus* Lour. 예덕나무속**

***Mallotus japonicus* (L.f.) Müll.Arg., Linnaea 34: 189 1865**

국명: **예덕나무**(Ye-deok-na-mu), 꽈잎나무, 비닥나무, 시닥나무, 예덕나무 / (북한명) 예덕나무

영명: **East Asian mallotus**

Croton japonicus L.f., Suppl. Pl. 422 1782

Rottlera japonica (L.f.) Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 878 1826

Mallotus oreophilus Müll.Arg. var. *ochraceoalbidus* Müll.Arg., Linnaea 34: 188 1865

Mallotus nepalensis Müll.Arg. var. *ochraceoalbidus* (Müll.Arg.) Pax, Pflanzenr. (Engler) IV. 7: 166 1914

***Mercurialis* L. 산쪽풀속**

***Mercurialis leiocarpa* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 145 1845**

국명: **산쪽풀**(San-jjok-pul), 산쪽 / (북한명) 산쪽풀

영명: **Glabrous-fruit mercury**

Mercurialis transmorrisonensis Hayata, Icon. Pl. Formosan. 5: 199 1915

Mercurialis leiocarpa Siebold & Zucc. var. *transmorrisonensis* (Hayata) H.Keng, J. Wash. Acad. Sci. 41: 204 1951

Mercurialis leiocarpa Siebold & Zucc. var. *trichocarpa* W.T.Wang, Acta Bot. Yunnan. 10: 39 1988

***Neoshirakia* Esser 사람주나무속**

***Neoshirakia japonica* (Siebold & Zucc.) Esser, Blumea 43: 129 1998**

국명: **사람주나무**(Sa-ram-ju-na-mu), 귀룽목, 쇠동백나무, 신방나무, 아구사리 / (북한명) 사람주나무

■ EUPHORBIACEAE 대극과

영명: **Tallow tree**

Stillingia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 145 1845

Sapium japonicum (Siebold & Zucc.) Pax & Hoffm., Pflanzenr. (Engler) IV. Euphorb. Hippom.: 252 1912

Sapium atrobadiomaculatum F.P.Metcalf, Lingnan Sci. J. 10: 490 1931

***Phyllanthus* L. 여우주머니속**

***Phyllanthus urinaria* L.**, Sp. Pl. 2: 982 1753

국명: **여우구슬**(Yeo-u-gu-seul) / (북한명) 여우구슬

영명: **Common leafflower**

Phyllanthus lepidocarpus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 143 1845

Phyllanthus hookeri Müll.Arg., Linnaea 32: 19 1863

Phyllanthus urinaria L. var. *hookeri* (Müll.Arg.) Hook.f., Fl. Brit. Ind. 5: 294 1887

***Phyllanthus ussuriensis* Rupr. & Maxim.**, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 222 1857

국명: **여우주머니**(Yeo-u-ju-meo-ni), 좀여우구슬 / (북한명) 여우주머니

영명: **Ussuri river leafflower**

Phyllanthus simplex Retz. var. *chinensis* Müll.Arg., Linnaea 32: 33 1863

Phyllanthus matsumurae Hayata ex Y.Yabe, Bot. Mag. (Tokyo) 18: 12 1904

Phyllanthus wilfordii Croizat & Metcalf, Lingnan Sci. J. 20: 194 1942

Phyllanthus virgatus G.Forst. var. *chinensis* (Müll.Arg.) G.L.Webster, J. Jap. Bot. 46: 68 1971

***Securinega* Comm. ex A.Juss. 광대싸리속**

***Securinega suffruticosa* (Pall.) Rehder**, J. Arnold Arbor. 13: 338 1932

국명: **광대싸리**(Gwang-daessa-ri), 고리비아리, 공정싸리, 구력싸리, 굴싸리, 싸리버들옻 광대싸리

영명: **Suffrutescent securinega**

Pharnaceum suffruticosum Pall., Reise Russ. Reich. 3: 716 1776

Xylophyllea ramiflora Aiton, Hort. Kew. (Hill) 1: 376 1789

Geblera suffruticosa (Pall.) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 28 1835

Xylophyllea parviflora Bellardi ex Colla, Herb. Pedem. 5: 106 1836

Flueggea suffruticosa (Pall.) Baill., Etude Euphorb. 592 1858

Phyllanthus fluggeoides Müll.Arg., Linnaea 32: 16 1863

Securinega ramiflora (Aiton) Müll.Arg., Prodr. (DC.) 15: 449 1866

Securinega japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 128 1867

Acidoton flueggeoides (Müll.Arg.) Kuntze, Revis. Gen. Pl. 2: 592 1891

Acidoton ramiflorus (Aiton) Kuntze, Revis. Gen. Pl. 2: 592 1891

Flueggea ussuriensis Pojark., Fl. URSS 14: 734 1949

DAPHNIPHYLLACEAE 굴거리나무과

***Daphniphyllum* Blume 굴거리나무속**

Daphniphyllum macropodum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 129 1867

국명: 굴거리나무(Gul-geo-ri-na-mu), 굴거리, 만병초, 청대동 / (북한명) 굴거리나무

영명: **Macropodus daphniphyllum**

Daphniphyllum humile Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 488 1878

Webera marchandii H.Lév., Repert. Spec. Nov. Regni Veg. 13: 178 1914

Daphniphyllum membranaceum Hayata, Icon. Pl. Formosan. 6: 41 1916

Daphniphyllum macropodum Miq. var. *viridipes* Nakai, Bot. Mag. (Tokyo) 36: 63 1922

Daphniphyllum marchandii (H.Lév.) Croizat & C.R.Metcalfe, Lingnan Sci. J. 20: 117 1941

Daphniphyllum macropodum Miq. subsp. *humile* (Maxim. ex Franch. & Sav.) Hurus., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 217 1954

Daphniphyllum himalaense (Benth.) Müll.Arg. subsp. *macropodum* (Miq.) T.C.Huang, Taiwania 12: 212 1966

Daphniphyllum teijsmannii Zoll. ex Teijsm. & Binn., Natuurk. Tijdschr. Ned.-Indië 27: 52 1864

국명: 좀굴거리나무(Jom-gul-geo-ri-na-mu), 애기굴거리나무, 좀굴거리 / (북한명) 좀굴거리나무

영명: **Common daphniphyllum**

Daphniphyllum buergeri Müll.Arg., Prodr. (DC.) 16: 3 1869

Daphniphyllum roxburghii Baill. ex Rosenthal, Pflanzenr. (Engler) IV. 147a: 9 1919

Daphniphyllum amamiense Hurus., J. Jap. Bot. 18: 273 1942

RUTACEAE 운향과

Dictamnus Zinn 백선속

Dictamnus dasycarpus Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 637 1842

국명: 백선(Baek-seon), 검화, 자래초 / (북한명) 검화, 백선

Dictamnus albus L. subsp. *dasycarpus* (Turcz.) N.A.Winter, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 159 1924

Dictamnus dasycarpus Turcz. var. *velutinus* Nakai, J. Jap. Bot. 13: 480 1937

Dictamnus albus L. var. *dasycarpus* (Turcz.) Liou & Y.H.Chang, Fl. Pl. Herb. Chin. Bor.-Or. 6: 24 1977

Dictamnus dasycarpus Turcz. f. *velutinus* (Nakai) W.T.Lee, Lineamenta Florae Koreae 640 1996

Orixa Thunb. 상산속

Orixa japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 58 1783

국명: 상산(Sang-san), 상산나무, 송장나무, 일본상산 / (북한명) 상산

영명: **East Asian orixa**

Othera orixa Lam., Encycl. (Lamarck) 1: 310 1791

Celastrus dilatatus Thunb., Trans. Linn. Soc. London 2: 332 1794

Ilex orixa (Lam.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 496 1824

Celastrus orixa (Lam.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 150 1846

Euodia ramiflora A.Gray, Mem. Amer. Acad. Arts ser. 2, 6: 383 1858

■ RUTACEAE 운향과

Celastrus japonicus (Thunb.) K.Koch, Dendrologie 1: 625 1869

Sabia feddei H.Lév., Repert. Spec. Nov. Regni Veg. 9: 456 1911

Sabia cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 9: 456 1911

Phellodendron Rupr. 황벽나무속

Phellodendron amurense Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 353 1857

국명: 황벽나무(Hwang-byek-na-mu), 황경나무, 황경피나무, 황병피나무 / (북한명) 황경피나무, 황벽, 황병피나무

영명: Amur corktree

Phellodendron amurense Rupr. var. *sachalinense* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 120 1868

Phellodendron sachalinense (F.Schmidt) Sarg., Trees & Shrubs 1: 199, t. 94 1905

Phellodendron insulare Nakai, Bot. Mag. (Tokyo) 32: 107 1918

Phellodendron molle Nakai, Bot. Mag. (Tokyo) 33: 58 1919

Phellodendron kodamanum Makino, J. Jap. Bot. 6: 5 1929

Phellodendron sachalinense (F.Schmidt) Sarg. var. *suberosum* H.Hara, Bot. Mag. (Tokyo) 49: 863 1935

Phellodendron amurense Rupr. var. *suberosum* (H.Hara) H.Hara, Sci. Res. Ozegahara Moor 446 1954

Phellodendron amurense Rupr. f. *insulare* (Nakai) H.S.Kim, Fl. Coreana (Kim) 4: 174 1976

Phellodendron amurense Rupr. f. *molle* (Nakai) W.T.Lee, Lineamenta Florae Koreae 642 1996

Tetradium Lour. 수나무속

Tetradium daniellii (Benn.) T.G.Hartley, Gard. Bull. Singapore 34: 105 1981

국명: 수나무(Swi-na-mu)

Zanthoxylum daniellii Benn., Ann. Mag. Nat. Hist. ser. 3, 10: 201 1862

Zanthoxylum bretschneideri Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 73 1884

Euodia danielii (Benn.) Hemsl., J. Linn. Soc., Bot. 23: 104 1886

Euodia henryi Dode, Bull. Soc. Bot. France 55: 706 1908

Euodia delavayi Dode, Bull. Soc. Bot. France 55: 707 1909

Euodia velutina Rehder & E.H.Wilson, Pl. Wilson. 2: 134 1914

Euodia baberi Rehder & E.H.Wilson, Pl. Wilson. 2: 131 1914

Zanthoxylum L. 초피나무속

Zanthoxylum ailanthoides Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 138 1845

국명: 머귀나무(Meo-gwi-na-mu), 매오동나무, 민머귀나무 / (북한명) 머귀나무

영명: Alianthus-like prickly-ash

Zanthoxylum emarginellum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 22 1867

Fagara ailanthoides (Siebold & Zucc.) Engl., Nat. Pflanzenfam. 3: 118 1897

Zanthoxylum hemsleyanum Makino, Bot. Mag. (Tokyo) 21: 86 1907

** *Zanthoxylum ailanthoides* Siebold & Zucc. var. *inermis* Nakai, Rep. Veg. Ooryongto 21: 68 1919

** *Zanthoxylum ailanthoides* Siebold & Zucc. f. *inermis* (Nakai) M.Kim, Korean Endemic Pl. 324 2004

Zanthoxylum armatum DC., Prodr. (DC.) 1: 727 1824

국명: **개산초**(Gae-san-cho), 개산초나무, 겨울사리좀피나무, 사철초피나무 / (북한명) 개산초나무, 사철초피나무
영명: **Winged prickly-ash**

Fagara armata Thunb., Prodr. Pl. Cap. 28 1794

Zanthoxylum planispinum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 138 1845

Zanthoxylum alatum Roxb. var. *subtrifoliatum* Franch., Pl. Delavay. 124 1889

Zanthoxylum alatum Roxb. var. *planispinum* (Siebold & Zucc.) Rehder & E.H.Wilson, Pl. Wilson. 2: 125 1914

Zanthoxylum arenosum Reeder & S.Y.Cheo, J. Arnold Arbor. 32: 70 1951

***Zanthoxylum fauriei* (Nakai)** Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 78 1953

국명: **좀머귀나무**(Jom-meo-gwi-na-mu) / (북한명) 좀머귀나무

영명: **Lesser alianthus-like prickly-ash**

Fagara fauriei Nakai, Bot. Mag. (Tokyo) 28: 305 1914

Fagara shikokiana Makino, Fl. Japan (Makino & Nemoto) 674 1925

***Zanthoxylum piperitum* (L.) DC.**, Prodr. (DC.) 1: 725 1824

국명: **초피나무**(Cho-pi-na-mu), 산초나무, 좀피나무 / (북한명) 초피나무

영명: **Chopi (Korean pepper)**

Fagara piperita L., Syst. Nat. ed. 10 2: 897 1759

Zanthoxylum piperitum (L.) DC. var. *pubescens* Nakai, Chosen Shokubutsu 27: 197 1914

Zanthoxylum piperitum (L.) DC. f. *pubescens* (Nakai) W.T.Lee, Lineamenta Florae Koreae 645 1996

***Zanthoxylum schinifolium* Siebold & Zucc.**, Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 137 1845

국명: **산초나무**(San-cho-na-mu), 분지나무, 산추나무, 상초나무, 민산초나무 / (북한명) 분지나무, 분디나무

영명: **Mastic-leaf prickly ash**

Zanthoxylum manschuricum Benn., Ann. Nat. Hist. 3: 200 1862

Fagara schinifolia (Siebold & Zucc.) Engl., Nat. Pflanzenfam. 3: 118 1897

Fagara schinifolia (Siebold & Zucc.) Engl. var. *inermis* Nakai, Bot. Mag. (Tokyo) 27: 130 1913

Fagara manschurica (Benn.) Honda, Bot. Mag. (Tokyo) 46: 634 1932

Fagara schinifolia (Siebold & Zucc.) Engl. var. *subinermis* Uyeki, J. Chosen Nat. Hist. Soc. 20: 16 1935

Fagara manschurica (Benn.) Honda var. *subinermis* (Uyeki) Uyeki, Woody Pl. Distr. Chosen 60 1940

Zanthoxylum schinifolium Siebold & Zucc. var. *inermis* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 298 1966

Zanthoxylum schinifolium Siebold & Zucc. var. *subinermis* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 298 1966

Zanthoxylum schinifolium Siebold & Zucc. f. *inerme* (Nakai) M.Kim, Korean Endemic Pl. 548 2017

** *Zanthoxylum schinifolium* Siebold & Zucc. f. *inerme* (Nakai) M.Kim, Korean Endemic Pl. 325 2004

***Zanthoxylum simulans* Hance**, Ann. Sci. Nat., Bot. ser. 5, 5: 208 1866

국명: **왕초피나무**(Wang-cho-pi-na-mu), 왕산초나무, 왕좀피나무, 왕초피 / (북한명) 왕초피나무

영명: **Large-leaflet prickly-ash**

Zanthoxylum setosum Hemsl., J. Linn. Soc., Bot. 23: 107 1886

Zanthoxylum podocarpum Hemsl., J. Linn. Soc., Bot. 23: 107 1886

Zanthoxylum bungei Planch. var. *zimmermannii* Rehder & E.H.Wilson, Pl. Wilson. 2: 122 1914

Zanthoxylum argyi H.Lév., Mem. Real Acad. Ci. Barcelona 12: 560 1916

Zanthoxylum coreanum Nakai, Proc. Third Pan-Pacific Sci. Congress Tokyo 1: 900 1928

SIMAROUBACEAE 소태나무과

Picrasma Blume 소태나무속

Picrasma quassoides (D.Don) Benn., Pl. Jav. Rar. 198 1844

국명: 소태나무(So-tae-na-mu), 쇠태 / (북한명) 소태나무

영명: Bitterwood

Simaba quassoides D.Don, Prodr. Fl. Nepal. 248 1825

Rhus ailanthoides Bunge, Enum. Pl. Chin. Bor. 15 1833

Picrasma ailanthoides (Bunge) Planch., London J. Bot. 5: 578 1846

Picrasma japonica A.Gray, Mem. Amer. Acad. Arts ser. 2 6: 383 1858

Picrasma quassoides (D.Don) Benn. var. *glabrescens* Pamp., Nuovo Giorn. Bot. Ital. 18: 171 1911

Picrasma quassoides (D.Don) Benn. f. *glabrescens* (Pamp.) Kitag., Neolin. Fl. Manshur. 424 1979

POLYGALACEAE 원지과

Polygala Tourn. ex L. 원지속

Polygala japonica Houtt., Handl. Pl. -Kruidk. 10: 89 1779

국명: 애기풀(Ae-gi-pul), 아기풀, 영신초 / (북한명) 애기풀, 영신초

영명: Dwarf milkwort

Polygala lourerii Gardner & Champ., Hooker's J. Bot. Kew Gard. Misc. 1: 242 1849

Polygala sibirica L. var. *japonica* (Houtt.) Ito, J. Coll. Sci. Imp. Univ. Tokyo 12: 311 1899

Polygala taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 181 1913

Polygala hondoensis Nakai, Bot. Mag. (Tokyo) 36: 21 1922

Polygala japonica Houtt. f. *virescens* Nakai, J. Jap. Bot. 5: 133 1950

Polygala sibirica L., Sp. Pl. 2: 702 1753

국명: 두메애기풀(Du-me-ae-gi-pul), 두메영신초, 조선영신초 / (북한명) 두메애기풀

영명: Asian milkwort

Polygala sibirica L. var. *latifolia* Ledeb., Fl. Ross. (Ledeb.) 1: 269 1842

Polygala sibirica L. var. *stricta* Debeaux, Actes Soc. Linn. Bordeaux 31: 123 1876

Polygala japonica Houtt. var. *cinerascens* Franch., Bull. Soc. Bot. France p. 33 1899

Polygala tatarinowii Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 523 1861

국명: 병아리풀(Byeong-a-ri-pul), 원지, 좀영신초 / (북한명) 병아리풀

영명: Oriental milkwort

Semeiocardium hamiltonii Hassk., Ann. Mus. Bot. Lugduno-Batavi 1: 151 1863

Polygala siboldiana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 260 1866

Salomonia martinii H.Lév., Bull. Soc. Bot. France 51: 290 1904

Polygala tenuifolia Willd., Sp. Pl. (ed. 4) 3: 879 1802 (R)

국명: 원지(Won-ji), 실영신초, 아기원지 / (북한명) 원지, 실령신초

영명: Thin-leaf milkwort

Polygala sibirica L. var. *angustifolia* Ledeb., Fl. Ross. (Ledeb.) 1: 269 1842

Polygala sibirica L. var. *tenuifolia* (Willd.) Chodat, Mém. Soc. Phys. Genève 31: 348 1893

Salomonia Lour. 병아리다리속

Salomonia ciliata (L.) DC., Prodr. (DC.) 1: 334 1824 (R)

국명: 병아리다리(Byeong-a-ri-da-ri), 원지 / (북한명) 병아리다리

영명: Oblong-leaf salomonia

Salomonia oblongifolia DC., Prodr. (DC.) 1: 334 1824

Salomonia stricta Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 152 1845

Salomonia ramosissima Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 352 1854

Salomonia cavaleriei H.Lév., Bull. Soc. Bot. France 51: 291 1904

ANACARDIACEAE 옻나무과

Rhus L. 불나무속

Rhus chinensis Mill., Gard. Dict. ed. 8: RHU no. 7 1768

국명: 불나무(Buk-na-mu), 굴나무, 불나무, 뿔나무, 오배자나무 / (북한명) 불나무

영명: Nutgall tree

Schinus indicus Burm.f., Fl. Ind. (N. L. Burman) 215 1768

Rhus semialata Murray, Commentat. Soc. Regiae Sci. Gott. 6: 27 1784

Rhus semialata Murray var. *osbeckii* DC., Prodr. (DC.) 2: 67 1825

Rhus osbeckii Decne. ex Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 452 1841

Toxicodendron semialatum (Murray) Kuntze, Revis. Gen. Pl. 1: 154 1891

Rhus javanica L. var. *chinensis* (Mill.) T.Yamaz., J. Jap. Bot. 68: 240 1993

Toxicodendron Mill. 옻나무속

Toxicodendron orientale Greene, Leafl. Bot. Observ. Crit. 1: 127 1905 (R)

국명: 덩굴옻나무(Deong-gul-ot-na-mu)

영명: Asian lacquer tree

Rhus ambigua Lavallée ex Dippel, Handb. Laubholzk. 2: 373 1892

Toxicodendron succedaneum (L.) Kuntze, Revis. Gen. Pl. 1: 154 1891

국명: 검양옻나무(Geom-yang-ot-na-mu), 검양옻나무 / (북한명) 검양옻나무

영명: Wax lacquer tree

Rhus succedanea L., Mant. Pl. 2: 221 1771

■ ANACARDIACEAE 옻나무과

Augia sinensis Lour., Fl. Cochinch. 1: 337 1790

Rhus pubigera Blume, Bijdr. Fl. Ned. Ind. 17: 1165 1826

Rhus succedanea L. var. *discolor* Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 245 1844

Rhus succedanea L. var. *japonica* Engl., Monogr. Phan. 4: 399 1883

Toxicodendron sylvestre (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 1: 154 1891

국명: 산검양옻나무(San-geom-yang-ot-na-mu), 산검양옻나무 / (북한명) 산검양옻나무

영명: Wood lacquer tree

Rhus sylvestris Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 140 1845

Toxicodendron trichocarpum (Miq.) Kuntze, Revis. Gen. Pl. 1: 154 1891

국명: 개옻나무(Gae-ot-na-mu), 개옻나무, 새옻나무, 털옻나무 / (북한명) 털옻나무, 개옻나무

영명: Fruit lacquer tree

Rhus trichocarpa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 84 1865

Rhus echinocarpa H.Lév., Repert. Spec. Nov. Regini Veg. 10: 475 1912

ACERACEAE 단풍나무과

Acer L. 단풍나무속

Acer barbinerve Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 227 1867

국명: 청시닥나무(Cheong-si-dak-na-mu), 개시닥나무, 민시닥나무, 산겨릅나무, 청여장, 털시닥나무, 푸른시닥나무 / (북한명) 청시닥나무

영명: Bearded maple

Acer diabolicum Blume ex K.Koch subsp. *barbinerve* (Maxim.) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 68 1890

Acer barbinerve Maxim. var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 28: 308 1914

Acer barbinerve Maxim. f. *glabrescens* (Nakai) W.T.Lee, Lineamenta Flora Korea 654 1996

Acer komarovii Pojark., Fl. URSS 14: 746 1949

국명: 시닥나무(Si-dak-na-mu), 단풍자리, 시당나무 단풍자리

영명: Red-twigs maple

Acer tschonoskii Maxim. var. *rubripes* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 736 1904

Acer tschonoskii Maxim. subsp. *koreanum* A.E.Murray, Kalmia 8: 11 1977

Acer mandshuricum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 228 1867

국명: 복장나무(Bok-jang-na-mu), 복박나무, 복작나무, 까치박달 / (북한명) 복작나무, 까침박달, 복박달나무

영명: Manchurian maple

Negundo mandshuricum (Maxim.) Budischschew ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 8: 171 1883

Crula mandshurica (Maxim.) Nieuwl., Amer. Midl. Naturalist 2: 141 1911

Acer palmatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 911 1784

국명: 단풍나무(Dan-pung-na-mu), 내장단풍, 산단풍나무 / (북한명) 단풍나무

영명: Palmate maple

Acer polymorphum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 158 1845

Acer polymorphum Siebold & Zucc. var. *palmatum* K.Koch, Hort. Dendrol. 89 1853

Acer palmatum Thunb. var. *quinquelobum* K.Koch, Ann. Mus. Bot. Lugduno-Batavi 1: 251 1864

Acer formosum Carrière, Rev. Hort. 39: 300 1867

Acer palmatum Thunb. var. *thunbergii* Pax, Bot. Jahrb. Syst. 7: 202 1886

Acer palmatum Thunb. var. *thunbergii* Pax subvar. *eupalmatum* Schwer., Gartenflora 42: 652 1893

Acer eupalmatum (Schwer.) Koidz., Bot. Mag. (Tokyo) 39: 316 1925

Acer roseomarginatum (Van Houtte) Koidz. var. *eupalmatum* (Schwer.) Koidz., Bot. Mag. (Tokyo) 43: 382 1929

Acer pictum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 912 1784

국명: 털고로쇠나무(Teol-go-ro-soe-na-mu), 산고로쇠나무, 산고로실나무, 털고로쇠, 털고리실 / (북한명) 털고로쇠나무

영명: Yellow-paint maple

Acer pictum Thunb. var. *marmoratum* G.Nicholson, Gard. Chron. ser.2, 16: 375 1881

Acer pictum Thunb. var. *savatieri* Pax, Bot. Jahrb. Syst. 7: 236 1886

Acer ambiguum Dippel, Ill. Handb. Laubholzk. 2: 457 1892

Acer pictum Thunb. f. *albomaculatum* Dippel, Handb. Laubholzk. 2: 455 1892

Acer pictum Thunb. var. *ambiguum* (Dippel) Pax, Bot. Jahrb. Syst. 16: 401 1892

Acer pictum Thunb. var. *paxii* Schwer., Gartenflora 42: 458 1893

Acer lobelii Ten. var. *platanoides* Miyabe, Bot. Mag. (Tokyo) 9: 349 1895

Acer platanoides L. subsp. *pictum* Gams, Ill. Fl. Mitt.-Eur. 5, 1: 282 1924

Acer platanoides L. subsp. *truncatum* Gams, Ill. Fl. Mitt.-Eur. 5, 1: 282 1924

Acer mono Maxim. var. *savatieri* (Pax) Nakai, Koryo Shikenrin Ippan 45 1932

Acer mono Maxim. f. *connivens* Rehder, J. Arnold Arbor. 19: 81 1938

Acer mono Maxim. f. *marmoratum* (Nichols) Rehder, J. Arnold Arbor. 19: 81 1938

Acer mono Maxim. f. *albomaculatum* (Dippel) Rehder, J. Arnold Arbor. 20: 417 1939

Acer mono Maxim. var. *ambiguum* (Pax) Rehder, Man. Cult. Trees ed. 2: 570 1940

Acer mono Maxim. var. *trichobasis* Nakai, J. Jap. Bot. 18: 611 1942

Acer mono Maxim. var. *horizontale* Nakai, J. Jap. Bot. 18: 613 1942

Acer lobulatum Nakai var. *rubripes* Nakai, J. Jap. Bot. 18: 609 1942

Acer mono Maxim. f. *dissectum* Rehder, Bibliogr. Cult. Trees 414 1949

Acer mono Maxim. subsp. *savatieri* (Pax) Kitam., Acta Phytotax. Geobot. 25: 41 1972

Acer mono Maxim. subsp. *ambiguum* (Pax) Kitam. ex Kitam. & Murata, Acta Phytotax. Geobot. 25: 41 1972

Acer mono Maxim. f. *horizontale* (Nakai) M.Kim, Korean Endemic Pl. 546 2017

** *Acer mono* Maxim. f. *horizontale* (Nakai) M.Kim, Korean Endemic Pl. 323 2004

Acer pictum Thunb. var. *pictum*

Acer pictum Thunb. var. *mono* (Maxim.) Maxim. ex Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 229 1883

국명: 고로쇠나무(Go-ro-soe-na-mu), 개고리실, 단풍나무, 섬고로쇠, 신나무, 우산고로쇠, 울릉단풍나무,

참고로실나무 / (북한명) 고로쇠나무

■ ACERACEAE 단풍나무과

- Acer mono* Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 126 1857
Acer hayatae H.Lév. & Vaniot var. *glabra* H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 590 1906
Acer okamotoi Nakai, Chosen Shokubutsu 224 1914
Acer okamotoanum Nakai, Bot. Mag. (Tokyo) 31: 28 1917
Acer mono Maxim. var. *acutissimum* Nakai, Veg. Apoi 22 1930
Acer mono Maxim. var. *glabrum* (H.Lév. & Vaniot) H.Hara, Enum. Sperm. Jap. 3: 105 1954
Acer mono Maxim. var. *glabrum* (H.Lév. & Vaniot) H.Hara f. *acutissimum* (Nakai) H.Hara, Enum. Sperm. Jap. 3: 105 1954
Acer truncatum Bunge subsp. *mono* (Maxim.) A.E.Murray, Kalmia 1: 17 1969
Acer cappadocicum Gled. subsp. *mono* (Maxim.) A.E.Murray, Kalmia 12: 17 1982
Acer mono Maxim. subsp. *glabrum* (H.Lév. & Vaniot) T.Z.Hsu, Guihaia 12: 231 1992
Acer pictum Thunb. subsp. *mono* (Maxim.) O.Hashi, J. Jap. Bot. 68: 321 1993

***Acer pseudosieboldianum* (Pax) Kom.**, Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 725 1904

국명: **당단풍나무**(Dang-dan-pung-na-mu), 고로쇠나무, 고로실나무, 넓은고로실나무, 단풍나무, 당단풍, 박달나무, 산단풍, 산단풍나무, 서울단풍, 서울단풍나무, 서울섬달나무, 섬단풍나무, 아기단풍, 애기단풍, 애기단풍나무, 왕단풍, 왕단풍나무, 좁은단풍, 털단풍, 털참단풍 / (북한명) 당단풍나무

영명: **Korean maple**

- Acer circumlobatum* Maxim. var. *pseudosieboldianum* Pax, Bot. Jahrb. Syst. 7: 200 1886
Acer sieboldianum Miq. var. *mandshurium* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 25 1886
Acer circumlobatum Maxim. f. *pseudosieboldianum* (Pax) Schwer., Gartenflora 42: 710 1893
Acer japonicum Thunb. var. *nudicarpum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 135 1909
Acer pseudosieboldianum (Pax) Kom. var. *koreanum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 29: 136 1909
Acer pseudosieboldianum (Pax) Kom. var. *ambiguum* Nakai, Bot. Mag. (Tokyo) 27: 130 1913
Acer pseudosieboldianum (Pax) Kom. var. *macrocarpum* Nakai, Bot. Mag. (Tokyo) 27: 130 1913
Acer ishidoyanum Nakai, Bot. Mag. (Tokyo) 29: 28 1913
Acer nudicarpum (Nakai) Nakai, Bot. Mag. (Tokyo) 29: 28 1915
Acer palmatum Thunb. var. *pilosum* Nakai, Bot. Mag. (Tokyo) 33: 59 1919
Acer micro-sieboldianum Nakai, Bot. Mag. (Tokyo) 45: 124 1931
Acer pseudosieboldianum (Pax) Kom. var. *lanuginosum* Nakai, Bot. Mag. (Tokyo) 45: 127 1931
Acer pseudosieboldianum (Pax) Kom. var. *nudicarpum* (Nakai) Nakai, Handb. Kor. Manch. For. 179 1939
Acer pseudosieboldianum (Pax) Kom. var. *ishidoyanum* (Nakai) Uyeki, Woody Pl. Distr. Chosen 69 1940
Acer pseudosieboldianum (Pax) Kom. f. *macrocarpum* (Nakai) S.L.Tung, Bull. Bot. Res., Harbin 5: 103 1985
Acer pseudosieboldianum (Pax) Kom. var. *micro-sieboldianum* (Nakai) S.L.Tung, Bull. Bot. Res., Harbin 5: 103 1985
Acer palmatum Thunb. f. *pilosum* (Nakai) M.Kim, Korean Endemic Pl. 323 2004
Acer pseudosieboldianum Kom. f. *ambiguum* (Nakai) M.Kim, Korean Endemic Pl. 323 2004
Acer pseudosieboldianum Kom. f. *ishidoyanum* (Nakai) M.Kim, Korean Endemic Pl. 547 2017
** *Acer pseudosieboldianum* Kom. f. *ishidoyanum* (Nakai) M.Kim, Korean Endemic Pl. 324 2004
** *Acer pseudosieboldianum* Kom. f. *lanuginosum* (Nakai) M.Kim, Korean Endemic Pl. 324 2004
Acer pseudosieboldianum (Pax) Kom. var. *micro-sieboldianum* (Nakai) M.Kim, Korean Endemic Pl. 503 2017

***Acer takesimense* Nakai**, Bot. Mag. (Tokyo) 32: 107 1918

국명: **섬단풍나무**(Seom-dan-pung-na-mu)

영명: **Ulleungdo maple**

- Acer pseudosieboldianum* (Pax) Kom. var. *takesimense* (Nakai) H.S.Kim, Fl. Coreana (Kim) 4: 241 1976
Acer pseudosieboldianum (Pax) Kom. subsp. *takesimense* (Nakai) P.C.de Jong, Maples of the World 121 1994

Acer tataricum* L. subsp. *tataricum

Acer tataricum* L. subsp. *ginnala (Maxim.) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 31 1890

국명: **신나무**(Sin-na-mu), 시닥나무, 시다기나무, 광리신나무, 곽지신나무, 광이신나무, 팽이신나무, 붉신나무,
전주신나무 / (북한명) 신나무, 시닥나무

영명: **Amur maple**

Acer ginnala Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 126 1857

Acer tataticum L. var. *laciniatum* Regel, Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 217 1857

Acer tataricum L. var. *ginnala* (Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 9: 67 1859

Acer ginnala Maxim. var. *euginnala* (Pax) Pax, Pflanzenr. (Engler) 163(Heft 8): 12 1902

Acer ginnala Maxim. f. *coccineum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 134 1909

Acer ginnala Maxim. f. *jeonjuana* M.Kim, Korean Endemic Pl. 545 2017

** *Acer ginnala* Maxim. var. *divaricatum* Nakai ex T.Mori, Enum. Pl. Corea 240 1922

** *Acer aidzuense* Franch. var. *divaricatum* Nakai ex Kawamoto, Handb. Kor. & Manch. Forestry 161 1939

** *Acer ginnala* Maxim. f. *divaricatum* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 305 1966

***Acer tegmentosum* Maxim.**, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 125 1856

국명: **산겨름나무**(San-gyeo-reup-na-mu), 산저름, 참겨름나무 / (북한명) 산겨름나무

영명: **East Asian stripe maple**

Acer tegmentosum Maxim. f. *subcoriacea* Kom., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 730 1856

Acer pensylvanicum L. var. *tegumentosum* (Maxim.) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 62 1890

***Acer triflorum* Kom.**, Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 430 1901

국명: **복자기**(Bok-ja-gi), 가슬박달, 개박달나무, 기슬박달, 까치박달, 나도박달, 산참대, 젓털복자기 /
(북한명) 복자기나무

영명: **Three-flower maple**

Crula triflorum (Kom.) Nieuwl., Amer. Midl. Naturalist 2: 141 1911

Acer triflorum Kom. f. *subcoriacea* (Kom.) S.L.Tung, Bull. Bot. Res., Harbin 5: 104 1985

***Acer truncatum* Bunge**, Enum. Pl. China Bor. [A.A. von Bunge] 10 1833

국명: **만주고로쇠**(Man-ju-go-ro-soe), 만주고리실, 메고로쇠나무 / (북한명) 민고로쇠나무, 만주고로쇠나무

영명: **Manchurian paint maple**

Acer laetum C.A.Mey. var. *truncatum* (Bunge) Regel, Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 217 1857

Acer lobelii Ten. subsp. *truncatum* (Bunge) Wesm., Bull. Soc. Roy. Bot. Belgique 29: 56 1890

Acer truncatum Bunge var. *platanoides* (Miyabe) Nakai, J. Jap. Bot. 18: 613 1942

Acer cappadocicum Gled. subsp. *truncatum* (Bunge) A.E.Murray, Kalmia 8: 5 1977

Acer pictum Thunb. var. *truncatum* (Bunge) Chin S.Chang, Korean J. Pl. Taxon. 31: 302 2001

Acer truncatum* Bunge f. *truncatum

Acer truncatum* Bunge f. *barbinerve (Nakai) M.Kim, Korean Endemic Pl. 547 2017

국명: **털만주고로쇠**(Teol-man-ju-go-ro-soe) / (북한명) 털만주고로쇠

영명: **Hairy Manchurian paint maple**

■ ACERACEAE 단풍나무과

Acer lobulatum Nakai var. *barbinerve* Nakai, J. Jap. Bot. 18: 610 1942

** *Acer truncatum* Bunge f. *barbinerve* (Nakai) M.Kim, Korean Endemic Pl. 324 2004

Acer ukurunduense Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 42 1856

국명: 부게꽃나무(Bu-ge-kkot-na-mu), 부개근나무, 부갸근나무, 산겨름나무, 청부개꽃나무, 털부개근나무,
털부가근나무 / (북한명) 부게꽃나무

영명: Candle-shape maple

Acer dedyle Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 125 1856

Acer spicatum Lam. var. *ukurunduense* (Trautv. & C.A.Mey.) Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers
Savans 9: 65 1859

Acer spicatum Lam. subsp. *ukurunduense* (Trautv. & C.A.Mey.) Pax, Bot. Jahrb. Syst. 7: 189 1886

Acer caudatum Wall. var. *ukurunduense* (Trautv. & C.A.Mey.) Rehder, Trees & Shrubs 1: 164 1905

Acer lasiocarpum H.Lév. & Vaniot, Bull. Soc. Bot. France 53: 591 1906

Acer ukurunduense Trautv. & C.A.Mey. var. *pilosum* Nakai, Bot. Mag. (Tokyo) 28: 308 1914

Acer ukurunduense Trautv. & C.A.Mey. var. *sachalinense* Nakai, Fl. Sylv. Kor. 1: 7 1915

Acer ukurunduense Trautv. & C.A.Mey. f. *pilosum* (Nakai) H.Hara, Enum. Sperm. Jap. 3: 117 1954

Acer caudatum Wall. subsp. *ukurunduense* (Trautv. & C.A.Mey.) E.Murray, Arbor. Bull., Washington 17: 51 1966

SAPINDACEAE 무환자나무과

Koelreuteria Laxm. 모감주나무속

Koelreuteria paniculata Laxm., Novi Comment. Acad. Sci. Imp. Petrop. 16: 561 1772 Ⓢ

국명: 모감주나무(Mo-gam-ju-na-mu), 염주나무 / (북한명) 모감주나무, 염주나무

영명: Goldenrain tree

Sapindus chinensis L., Syst. Veg. (ed. 13) 315 1774

Sapindus paniculata (Laxm.) Dum.Cours., Bot. Cult. 2: 769 1801

Koelreuteria chinensis (Murray) Hoffmanns., Verz. Pfl.-Kult. 70 1824

Koelreuteria apiculata Rehder & E.H.Wilson, Pl. Wilson. 2: 191 1914

Koelreuteria paniculata Laxm. var. *apiculata* (Rehder & E.H.Wilson) Rehder, J. Arnold Arbor. 20: 418 1939

SABIACEAE 나도밤나무과

Meliosma Blume 나도밤나무속

Meliosma myriantha Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 153 1845

국명: 나도밤나무(Na-do-bam-na-mu), 나도합나리나무 / (북한명) 나도밤나무

영명: Abundant-flower meliosma

Meliosma myriantha Siebold & Zucc. var. *discolor* Dunn, J. Linn. Soc., Bot. 38: 358 1908

Meliosma stewardii Merr., Philipp. J. Sci. 27: 164 1925

Meliosma myriantha Siebold & Zucc. var. *stewardii* (Merr.) Beusekom, Blumea 19: 439 1971

Meliosma pinnata* (Roxb.) Maxim. var. *pinnata

***Meliosma pinnata* (Roxb.) Maxim. var. *oldhamii* (Miq. ex Maxim.) Beusekom, Blumea 19: 499 1971**

국명: 합다리나무(Hap-da-ri-na-mu), 합대나무 / (북한명) 합다리나무

영명: Oldham's meliosma

Meliosma oldhamii Miq. ex Maxim. var. *glandulifera* Cufod., Oesterr. Bot. Z. 88: 253 1839

Meliosma oldhamii Miq. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 64 1867

Meliosma rhoifolia Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 63 1867

Fraxinus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 285 1910

Meliosma fauriei (L.f.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 62 1914

Rhus bofillii H.Lév., Mem. Real Acad. Ci. Barcelona 12: 562 1916

Meliosma sinensis Nakai, J. Arnold Arbor. 5: 80 1924

Meliosma oldhamii Miq. ex Maxim. var. *sinensis* Cufod., Oesterr. Bot. Z. 88: 253 1939

Meliosma rhoifolia Maxim. subsp. *barbulata* Cufod., Oesterr. Bot. Z. 88: 254 1939

Meliosma arnottiana (Wight) Walp. var. *oldhamii* (Miq. ex Maxim.) H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2c: 78 1999

BALSAMINACEAE 봉선화과

***Impatiens* Riv. ex L. 물봉선속**

***Impatiens atrosanguinea* (Nakai) B.U.Oh & Y.P.Hong, Kor. J. Pl. Taxon. 23: 243 1993 ⑤**

국명: 가야물봉선(Ga-ya-mul-bong-seon), 검물봉선, 검정물봉선

영명: Gaya touch-me-not

Impatiens textori Miq. var. *atrosanguinea* Nakai, J. Jap. Bot. 17: 192 1941

***Impatiens furcillata* Hemsl., J. Linn. Soc., Bot. 23: 101 1886 ⑤**

국명: 처진물봉선(Cheo-jin-mul-bong-seon), 거제물봉선, 밑물봉승아, 털물봉선 / (북한명) 산물봉승아

Impatiens kojeensis Y.N.Lee, J. Korean Pl. Taxon. 28: 25 1998

***Impatiens noli-tangere* L., Sp. Pl. 2: 938 1753**

국명: 노랑물봉선(No-rang-mul-bong-seon), 노랑물봉승, 미색물봉선 / (북한명) 노랑물봉승아, 노랑물봉선,
노란물봉승

영명: Western touch-me-not

Balsamina lutea Delarbre, Fl. Auvergn ed. 2: 504 1800

Impatiens noli-tangere L. f. *pallescens* Herman, Ill. Fl. Mitt.-Eur. 5: 316 1925

Impatiens noli-tangere L. f. *pallida* Herman ex Beger & E.Schmid., Ill. Fl. Mitt.-Eur. 5: 316 1925

Impatiens noli-tangere L. var. *pallescens* (Herman) Nakai, Tennen Kinenshutsu Chosahokoku 12: 51 1930

Impatiens komarovii Pobed., Bot. Zhurn. (Moscow & Leningrad) 34: 68 1949

Impatiens noli-tangere L. var. *pallida* (Herman ex Beger & E.Schmid.) M.Kim, Korean Endemic Pl. 131 2004

***Impatiens textorii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 76 1865**

■ BALSAMINACEAE 봉선화과

국명: 물봉선(Mul-bong-seon), 물봉송아, 불봉송 / (북한명) 물봉송아, 물봉선, 텔물봉송

영명: Field touch-me-not

Impatiens textori Miq. var. *textori*

Impatiens textori Miq. var. *koreana* (Nakai) Nakai, Rep. Veg. Diamond Mountains 195 1917

국명: 흰물봉선(Huin-mul-bong-seon), 흰물봉송 / (북한명) 흰물봉송아

영명: White field touch-me-not

Impatiens koreana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 110 1909

Impatiens violascens B.U.Oh & Y.Y. Kim, Korean J. Pl. Taxon. 40: 59 2010 (E)

국명: 꼬마물봉선(Ggo-ma-mul-bong-seon)

AQUIFOLIACEAE 감탕나무과

Ilex Tourn. ex L. 감탕나무속

Ilex cornuta Lindl. & Paxton, Paxton's Fl. Gard. 1: 43 1850 (R)

국명: 호랑가시나무(Ho-rang-ga-si-na-mu), 등근잎호랑가시, 묘아자, 묘아자나무, 범의발나무, 호랑이가시나무 / (북한명) 호랑가시나무

영명: Horned holly

Ilex crenata Thunb., Fl. Jap. (Thunberg) 78 1784

국명: 광꽝나무(Kkwang-kkwang-na-mu) / (북한명) 광꽝나무

영명: Box-leaf holly

Ilex furcata Lindl. ex Göpp., Gartenflora 1853: 322 1854

Ilex crenata Thunb. var. *luteovariegata* Regel, Gartenflora 13: 39 1864

Celastrus adenophylla Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 85 1865

Ilex elliptica Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 104 1867

Ilex crenata Thunb. var. *longifolia* Goldring, Garden(London)31: 129 1887

Ilex crenata Thunb. var. *microphylla* Maxim. ex Matsum., Nippon Shokubutsumei ed. 2: 149 1895

Ilex crenata Thunb. f. *luteovariegata* (Regel) Rehder, Mitt. Deutsch. Dendrol. Ges. 1908: 161 1908

Ilex crenata Thunb. f. *longifolia* (Goldring) Rehder, Mitt. Deutsch. Dendrol. Ges. 1908: 161 1908

Ilex crenata Thunb. f. *microphylla* Rehder, Mitt. Deutsch. Dendrol. Ges. 17: 160 1908

Ilex burfordii S.R.Howell, Descr. Cat. Howell Nurs. 19 1935

Ilex crenata Thunb. f. *helleri* (Craig) Rehder, J. Arnold Arbor. 20: 417 1939

Ilex cornuta Lindl. & Paxton f. *burfordii* (De France) Rehder, Bibliogr. Cult. Trees 400 1949

Ilex integra Thunb., Fl. Jap. (Thunberg) 77 1784

국명: 감탕나무(Gam-tang-na-mu), 끈제기나무, 떡가지나무 / (북한명) 감탕나무

영명: Elegance female holly

Othera japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 56 1783
Ilex asiatica Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 496 1824
Ilex othera Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 496 1824
Prinos integra Hook. & Arn., Bot. Beechey Voy. 261 1838
Ilex fortunei Lindl., Gard. Chron. 1857: 868 1857
Ilex cornuta Lindl. & Paxton var. *integra* Uyeki, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 39 1925
Ilex cornuta Lindl. & Paxton var. *fortunei* (Lindl.) S.Y.Hu, J. Arnold Arbor. 30: 356 1949

***Ilex macropoda* Miq.**, Ann. Mus. Bot. Lugduno-Batavi 3: 105 1867

국명: 대팻집나무(Dae-paet-jip-na-mu), 대패집나무, 물안포기나무 / (북한명) 대패집나무

Ilex costata Blume ex Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 29: 51 1881
Ilex dubia (G.Don) Trel. var. *macropoda* (Miq.) O.Loes., Nova Acta Acad. Caes. Leop.-Carol. German. Nat. Cur. 78: 487 1901
Ilex dubia (G.Don) Trel. var. *pseudomacropoda* Loes., Pl. Wilson. 1: 82 1911
Ilex monticola Tul. var. *macropoda* (Miq.) Rehder, Stand. Cycl. Hort. 4: 1640 1915
Ilex macropoda Miq. var. *pseudomacropoda* (Loes.) Nakai, Bot. Mag. (Tokyo) 44: 37 1930
Ilex macropoda Miq. var. *stenophylla* Koidz., Acta Phytotax. Geobot. 5: 41 1936
Ilex montana Torr. & A.Gray var. *macropoda* (Miq.) Fernald, Rhodora 41: 428 1939
Ilex macropoda Miq. f. *pseudomacropoda* (Loes.) H.Hara, Enum. Sperm. Jap. 3: 24 1952

***Ilex rotunda* Thunb.**, Fl. Jap. (Thunberg) 77 1784

국명: 먼나무(Meon-na-mu), 좀감탕나무 / (북한명) 좀감탕나무

영명: Round-leaf holly

Ilex microcarpa Lindl. ex Paxton, Paxton's Fl. Gard. 1: 43 1850
Ilex laevigata Blume ex Miq., Cat. Mus. Bot. Lugd.-Bat. 167 1870
Ilex koshunensis Yamam., Icon. Pl. Formosan. Suppl. 1: 36 1925
Ilex sasakii Yamam., Icon. Pl. Formosan. 1: 39, f. 19 1925

***Ilex × wandoensis* C.F.Mill. & M.Kim**, Korean J. Pl. Taxon. 32: 294 2002 ⓘ

국명: 완도호랑가시나무(Wan-do-ho-rang-ga-si-na-mu)

CELASTRACEAE 노박덩굴과

***Celastrus* L. 노박덩굴속**

***Celastrus flagellaris* Rupr.**, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 425 1857

국명: 품지나무(Pun-ji-na-mu), 분지나무, 청다래년출 / (북한명) 품지나무

영명: Hooked-spine bittersweet

Celastrus ciliidens Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 85 1865
Celastrus clemacanthus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 284 1910

***Celastrus orbiculatus* Thunb.**, Fl. Jap. (Thunberg) 42 1784

■ CELASTRACEAE 노박덩굴과

국명: 노박덩굴(No-bak-deong-gul), 노랑꽃나무, 노박따위나무, 노방덩굴, 노방패너울, 노파위나무, 노팡개나무, 노팡개더울, 놓방구덩굴 / (북한명) 노박덩굴, 등근잎노박덩굴

영명: Oriental bittersweet

Celastrus articulatus Thunb., Fl. Jap. (Thunberg) 97 1784

Celastrus tatarinowii Rupr., Bull. Acad. Imp. Sci. Saint-Pétersbourg ser.2, 15: 357 1857

Celastrus crispulus Regel, Gartenflora 9: 407, t. 312 1860

Celastrus lancifolius Nakai, Bot. Mag. (Tokyo) 37: 3 1923

Celastrus insularis Koidz., Bot. Mag. (Tokyo) 39: 22 1925

Celastrus articulatus Thunb. var. *papillosus* Nakai ex H.Hara, J. Jap. Bot. 10: 84 1934

Celastrus articulatus Thunb. var. *orbiculata* (Thunb.) Wang, Chin. J. Bot. 1: 62 1936

Celastrus orbiculatus Thunb. var. *papillosus* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 79 1953

Celastrus versicolor Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 16 1953

Celastrus orbiculatus Thunb. f. *papillosus* (Nakai) H.Hara, Enum. Sperm. Jap. 3: 80 1954

Celastrus orbiculatus Thunb. var. *punctata* (Thunb.) Rehder, Cycl. Amer. Hort. [L.H.Bailey] 1: 267 1900

국명: 해변노박덩굴(Hae-byeon-no-bak-deong-gul), 해변노방덩굴 / (북한명) 해변노박덩굴

영명: Coastal oriental bittersweet

Celastrus orbiculatus Thunb. var. *strigillosus* (Nakai) Makino, Genshoku yagai shokubutsu zufu 4: 305 1933

국명: 개노박덩굴(Gae-no-bak-deong-gul), 거친잎노방덩굴 / (북한명) 좀노박덩굴

영명: Bristle oriental bittersweet

Celastrus strigillosus Nakai, Bot. Mag. (Tokyo) 40: 492 1926

Celastrus stephanotifolius (Makino) Makino, J. Jap. Bot. 3: 46 1926

국명: 털노박덩굴(Teol-no-bak-deong-gul), 왕노방덩굴, 큰노방덩굴, 털노방덩굴 / (북한명) 털노박덩굴

영명: Hairy oriental bittersweet

Celastrus articulatus Thunb. var. *pubescens* Makino, Bot. Mag. (Tokyo) 7: 102 1893

Celastrus articulatus Thunb. var. *stephanotifolius* Makino, J. Jap. Bot. 3: 24 1926

Euonymus L. 화살나무속

Euonymus alatus (Thunb.) Siebold, Verh. Batav. Genootsch. Kunsten 12: 49 1830

국명: 화살나무(Hwa-sal-na-mu), 참빗나무, 참빗살나무, 챔빗나무, 흑잎나무, 흔립나무, 삼방회잎나무 / (북한명) 화살나무, 흘잎나무, 회잎나무, 참빗나무

영명: Burning bush spindletree

Celastrus alatus Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 38 1780

Euonymus subtriflorus Blume, Bijdr. Fl. Ned. Ind. 17: 1147 1826

Euonymus thunbergianus Blume, Bijdr. Fl. Ned. Ind. 1147 1827

Euonymus alatus (Thunb.) Siebold var. *subtriflorus* Blume, Bijdr. Fl. Ned. Ind. 1147 1827

Melanocarya alata (Thunb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 31: 453 1858

Euonymus alatus (Thunb.) Siebold var. *apterus* Regel, Tent. Fl.-Ussur. 41, t.7, f.2-3 1861

Euonymus alatus (Thunb.) Siebold var. *pubescens* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 453 1881

- Euonymus striatus* (Thunb.) Loes. ex Gilg & Loes., Bot. Jahrb. Syst. 34: 49 1904
Euonymus alatus (Thunb.) Siebold var. *striatus* Makino, Bot. Mag. (Tokyo) 21: 138 1907
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *alatus* (Thunb.) Makino, Bot. Mag. (Tokyo) 25: 230 1911
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *pubescens* Makino, Bot. Mag. (Tokyo) 25: 230 1911
Euonymus loeseneri Makino, Bot. Mag. (Tokyo) 25: 229 1911
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *rotundatus* Makino, Bot. Mag. (Tokyo) 25: 229 1911
Euonymus alatus (Thunb.) Siebold var. *apertus* O.Loes., Pl. Wilson. 1: 494 1913
Euonymus alatus (Thunb.) Siebold var. *latifolia* Nakai, Bot. Mag. (Tokyo) 37: 81 1923
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. subsp. *alata* (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 11 1925
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *hirta* Koidz., Bot. Mag. (Tokyo) 39: 11 1925
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *pilosus* Koidz., Bot. Mag. (Tokyo) 39: 11 1925
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. subsp. *alatus* (Thunb.) Koidz. var. *pilosus* Koidz., Bot. Mag. (Tokyo) 39: 11 1925
Euonymus alatus (Thunb.) Siebold var. *uncinatus* Nakai, Bot. Mag. (Tokyo) 45: 123 1931
Euonymus alatus (Thunb.) Siebold var. *microphyllus* Nakai, Koryo Shikenrin Ippan 44 1932
Euonymus alatus (Thunb.) Siebold var. *verus* Kitag., Lin. Fl. Manshur. 307 1939
Euonymus alatus (Thunb.) Siebold var. *verus* Kitag. subvar. *subtriflorus* Kitag., Lin. Fl. Manshur. 307 1939
Euonymus alatus (Thunb.) Siebold var. *apterus* O.Loes. subvar. *pilosus* Kitag., Lin. Fl. Manshur. 307 1939
Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. var. *cornucarpus* Koidz., Acta Phytotax. Geobot. 10: 56 1941
Euonymus alatus (Thunb.) Siebold var. *macrophyllus* Nakai, J. Jap. Bot. 19: 365 1943
Euonymus alatus (Thunb.) Siebold f. *apterus* (Regel) Rehder, Bibliogr. Cult. Trees 405 1949
Euonymus alatus (Thunb.) Siebold f. *striatus* Makino, Ill. Fl. Jap. Suppl. 362 1949
Euonymus alatus (Thunb.) Siebold f. *subtriflorus* Ohwi, Fl. Jap. (Ohwi) 738 1953
Euonymus alatus (Thunb.) Siebold var. *alatus* f. *microphyllus* (Nakai) H.Hara, Enum. Sperm. Jap. 3: 82 1954

Euonymus alatus* (Thunb.) Siebold f. *alatus

Euonymus alatus (Thunb.) Siebold f. *ciliato-dentatus* (Franch. & Sav.) Hiyama, J. Jap. Bot. 31: 14 1956

국명: 회잎나무(Hoe-ip-na-mu), 좀화살나무, 횃잎나무

영명: Winged burning bush spindletree

Euonymus alatus (Thunb.) Siebold var. *ciliato-dentatus* Franch. & Sav., Enum. Pl. Jap. 2: 311 1878

Euonymus striatus (Thunb.) Loes. ex Gilg & Loes. f. *ciliato-dentatus* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 21: 138 1907

Euonymus alatus (Thunb.) Siebold var. *ciliato-dentatus* Franch. & Sav. f. *compactus* Rehder, J. Arnold Arbor. 20: 418 1939

***Euonymus alatus* (Thunb.) Siebold f. *pilosus* (O.Loes. & Rehder) Ohwi, Fl. Jap. (Ohwi) 738 1953**

국명: 털화살나무(Teol-hwa-sal-na-mu)

영명: Hairy burning bush spindletree

Euonymus alatus (Thunb.) Siebold var. *pilosus* O.Loes. & Rehder, Pl. Wilson. 1: 494 1913

***Euonymus baekdusanensis* M.Kim, Korean J. Pl. Taxon. 43: 168 2013**

국명: 백두산화나무(Baek-du-san-hoe-na-mu)

■ CELASTRACEAE 노박덩굴과

Euonymus fortunei (Turcz.) Hand.-Mazz., Symb. Sin. 7: 660 1933

국명: 줄사철나무(Jom-sa-cheol-na-mu)

영명: Winter creeper spindletree

Euonymus hederaceus Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 3: 333 1851

Elaeodendron fortunei Turcz., Bull. Soc. Imp. Naturalistes Moscou 36: 603 1863

Euonymus gracilis Siebold, Cat. Rais. 1863: 33 1863

Euonymus repens Carrière, Rev. Hort. 1885: 296 1885

Euonymus kiautschovicus Loes., Bot. Jahrb. Syst. 30: 453 1901

Euonymus fortunei (Turcz.) Hand.-Mazz. var. *fortunei*

Euonymus fortunei (Turcz.) Hand.-Mazz. var. *radicans* (Siebold ex Miq.) Rehder, J. Arnold Arbor. 19: 77 1938

국명: 줄사철나무(Jul-sa-cheol-na-mu) / (북한명) 줄사철나무

영명: Radicans winter creeper spindletree

Euonymus japonicus Thunb. var. *radicans* Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 86 1865

Euonymus radicans Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 202 1876

Masakia radicans (Miq.) Nakai, J. Jap. Bot. 24: 12 1949

Euonymus hamiltonianus Wall., Fl. Ind. (Roxburgh) 2: 403 1824

국명: 참빗살나무(Cham-bit-sal-na-mu), 물뿌리나무, 화살나무 / (북한명) 참빗살나무

영명: Hamilton's spindletree

Euonymus sieboldianus Blume, Bijdr. Fl. Ned. Ind. 1147 1827

Euonymus majumi Siebold, Verh. Batav. Genootsch. Kunsten 12: 49 1830

Euonymus vidallii Franch. & Sav., Enum. Pl. Jap. 2: 312 1878

Euonymus lanceifolius Loes., Bot. Jahrb. Syst. 30: 462 1902

Euonymus hamiltonianus Wall. var. *sieboldianus* (Blume) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 22: 710 1904

Euonymus hians Koehne, Gartenflora 53: 33 1904

Euonymus yedoensis Koehne, Gartenflora 53: 31 1904

Euonymus semiexsertus Koehne, Repert. Spec. Nov. Regni Veg. 8: 54 1910

Euonymus sieboldianus Blume var. *sanguineus* Nakai, Bot. Mag. (Tokyo) 40: 493 1926

Euonymus nikoensis Nakai, Bot. Mag. (Tokyo) 40: 492 1926

Euonymus sieboldianus Blume var. *megaphyllus* H.Hara, Bot. Mag. (Tokyo) 50: 191 1936

Euonymus sieboldianus Blume var. *yedoensis* (Koehne) H.Hara, Bot. Mag. (Tokyo) 50: 191 1936

Euonymus sieboldianus Blume var. *sphaerocarpus* Nakai, J. Jap. Bot. 17: 635 1941

Euonymus hamiltonianus Wall. var. *hians* (Koehne) Blakelock, Kew Bull. 1951: 246 1951

Euonymus hamiltonianus Wall. var. *semiexsertus* (Koehne) Blakelock, Kew Bull. 1951: 246 1951

Euonymus hamiltonianus Wall. var. *yedoensis* (H.Hara) Blakelock, Kew Bull. 1951: 247 1951

Euonymus hamiltonianus Wall. subsp. *sieboldianus* (Blume) H.Hara, Fl. E. Himalaya 639 1966

Euonymus hamiltonianus Wall. var. *hamiltonianus*

***Euonymus hamiltonianus* Wall. var. *maackii* (Rupr.) Kom., Trudy Glavn. Bot. Sada 22: 710 1904**

국명: 좀참빗살나무(Cham-bit-sal-na-mu), 좀챔빗나무, 둉근잎참빗살나무, 벼들회나무 / (북한명) 좀참빗살나무

영명: Hamilton's spindletree

- Euonymus maackii* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 358 1857
Euonymus bungeanus Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 470 1859
Euonymus forbesii Hance, J. Bot. 259 1880
Euonymus coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 1910
Euonymus bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 13: 261 1914
Euonymus rugosus H.Lév., Repert. Spec. Nov. Regni Veg. 13: 261 1914
Euonymus trapococcus Nakai, Bot. Mag. (Tokyo) 28: 307 1914
Euonymus quelpaertensis Nakai, Bot. Mag. (Tokyo) 28: 307 1914
Euonymus maackii Rupr. f. *lanceolata* Rehder, J. Arnold Arbor. 22: 578 1941

***Euonymus japonicus* Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 1780**

국명: 사철나무(Sa-cheol-na-mu), 개동굴나무, 겨우사리나무, 긴잎사철나무, 넓은잎사철나무, 동청목, 들쭉나무,
들축나무, 무른나무, 무른사철나무, 푸른나무 / (북한명) 사철나무, 동청목

영명: Evergreen spindletree

- Euonymus japonicus* Thunb. var. *macrophylla* Regel, Gartenflora 1: 264 1866
Euonymus japonicus Thunb. var. *latifolia* André, Rev. Hort. 1883: 234 1883
Euonymus sinensis Carrière, Rev. Hort. 1883: 37 1883
Pragmotessara japonica Pierre, Fl. Forest. Cochinch. 4: t. 309, pt. 2 1894
Euonymus japonicus Thumb. f. *macrophylla* (Regel) Beissn., Handb. Laubholzben. 293 1903
Euonymus radicans Siebold ex Miq. var. *vegetus* Rehder, Trees & Shrubs [Sargent] 1: 129 1903
Euonymus yoshinagae Makino, J. Jap. Bot. 3: 3 1913
Euonymus japonicus Thumb. var. *acutus* Rehder, Pl. Wilson. 1: 485 1913
Euonymus boninensis Koidz., Bot. Mag. (Tokyo) 33: 250 1918
Euonymus japonicus Thumb. var. *longifolius* Nakai, Bot. Mag. (Tokyo) 42: 451 1928
Euonymus japonicus Thumb. var. *rugosus* Nakai, Bot. Mag. (Tokyo) 46: 165 1932
Masakia japonica (Thunb.) Nakai, J. Jap. Bot. 24: 11 1949
Masakia japonica (Thunb.) Nakai var. *latifolia* Nakai, J. Jap. Bot. 24: 11 1949
Masakia yoshinagae (Makino) Nakai, J. Jap. Bot. 24: 12 1949

***Euonymus macropterus* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 359 1857**

국명: 나래회나무(Na-rae-hoe-na-mu), 회나무, 회똑이나무 / (북한명) 나래회나무

- Euonymus ussuriensis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 27: 449 1881
Kalonymus macropterus (Rupr.) Prokhh., Fl. URSS 14: 573 1949
Turibana macroptera (Rupr.) Nakai, Acta Phytotax. Geobot. 24: 13 1949

***Euonymus nitidus* Benth., London J. Bot. 1: 483 1842 Ⓢ**

국명: 섬회나무(Seom-hoe-na-mu), 비전회나무 / (북한명) 비전회나무

- Euonymus chinensis* Lour. var. *nitidus* (Benth.) Loes., Bot. Jahrb. Syst. 30: 456 1902
Euonymus chibae Makino, Bot. Mag. (Tokyo) 27: 69 1913

■ CELASTRACEAE 노박덩굴과

Euonymus oxyphyllus Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 86 1865

국명: 참회나무(Cham-hoe-na-mu), 노랑회나무, 뽕회나무, 회나무, 회똥나무, 회똑이나무 / (북한명) 참회나무

영명: Korean spindletree

Euonymus latifolius (Scop.) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 384 1857

Euonymus nipponicus Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 447 1881

Euonymus yesoensis Koidz., Fl. Symb. Orient.-Asiat. 13 1930

Euonymus oxyphyllus Miq. var. *magna* Honda, Bot. Mag. (Tokyo) 49: 789 1935

Euonymus flavescens Nakai, J. Jap. Bot. 18: 605 1942

Kalonymus oxyphyllus (Miq.) Prokh., Fl. URSS 14: 568 1949

Kalonymus yesoensis (Koidz.) Prokh., Fl. URSS 14: 568 1949

Turibana nipponica (Maxim.) Nakai, J. Jap. Bot. 24: 12 1949

Turibana oxyphylla (Miq.) Nakai, J. Jap. Bot. 24: 13 1949

Turibana yesoensis (Koidz.) Nakai, J. Jap. Bot. 24: 12 1949

Euonymus oxyphyllus Miq. var. *nipponicus* (Maxim.) Blakelock, Kew Bull. 1951: 279 1951

Euonymus oxyphyllus Miq. var. *yesoensis* (Koidz.) Blakelock, Kew Bull. 1951: 279 1951

Euonymus yesoensis Koidz. f. *magnus* H.Hara, Enum. Sperm. Jap. 3: 89 1954

Euonymus pauciflorus Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 74 1859

국명: 회목나무(Hoe-mok-na-mu), 개개회나무, 개회나무, 실회나무 / (북한명) 실회나무

영명: Few-flower spindletree

Euonymus verrucosus Scop. var. *pauciflorus* (Maxim.) Regel, Tent. Fl.-Ussur. 41 1861

Euonymus oligospermus Ohwi, Acta Phytotax. Geobot. 5: 185 1936

Euonymus sachalinensis (F.Schmidt) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 446 1881

국명: 회나무(Hoe-na-mu), 나래회나무, 자주나래회나무, 좀나래회나무, 지이회나무 / (북한명) 좀나래회나무,

지이회나무, 자주나래회나무

영명: Siberian spindletree

Euonymus latifolius var. *sachalinensis* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 121 1868

Euonymus latifolius var. *planipes* Koehne, Gartenflora 53: 29 1904

Euonymus planipes (Koehne) Koehne, Mitt. Deutsch. Dendrol. Ges. 15: 62 1906

Euonymus robusta Nakai, Bot. Mag. (Tokyo) 28: 307 1914

Euonymus oxyphyllus Miq. var. *kuenburgii* Honda, Bot. Mag. (Tokyo) 47: 297 1933

Kalonymus maximowicziana Prokh., Fl. URSS 14: 570 1949

Turibana planipes (Koehne) Nakai, J. Jap. Bot. 24: 13 1949

Tripterygium Hook.f. 미역줄나무속

Tripterygium regelii Sprague & Takeda, Bull. Misc. Inform. Kew 1912: 223 1912

국명: 미역줄나무(Mi-yeok-jul-na-mu), 노방구덤불, 메역순나무, 미역순나무, 한삼덤굴 / (북한명) 메역순나무

영명: Regel's threewingnut

Tripterygium wilfordii Hook.f. var. *regelii* (Sprague & Takeda) Makino, Ill. Fl. Nippon (Makino) 360 1940

STAPHYLEACEAE 고추나무과

Euscaphis Siebold & Zucc. 말오줌때속

Euscaphis japonica (Thunb.) Kanitz, Anthophyta Jap. Legit Emanuel Weiss 24 1878

국명: 말오줌때(Mal-o-jum-ttae), 나도딱총나무, 말오줌나무 / (북한명) 나도딱총나무, 말오줌대

영명: Korean sweetheart tree

Sambucus japonica Thunb., Fl. Jap. (Thunberg) 125 1784

Euscaphis staphyleoides Siebold & Zucc., Fl. Jap. (Siebold) 1: 124 1840

Euscaphis simplicifolia Siebold & Zucc., Fl. Jap. (Siebold) 1: 124 1840

Euscaphis saponica Pax, Nat. Pflanzenfam. 3: 262 1893

Euscaphis chinensis Gagnep., Notul. Syst. (Paris) 13: 191 1948

Staphylea L. 고추나무속

Staphylea bumalda DC., Prodr. (DC.) 2: 2 1825

국명: 고추나무(Go-chu-na-mu), 개절초나무, 고치때나무, 까자귀나무, 넓은잎고추나무, 둉근잎고추나무, 매대나무, 미영꽃나무, 미영다래나무, 민고추나무, 반들잎고추나무, 쇠열나무, 철쭉잎 / (북한명) 고추나무

영명: Bumald's bladdernut

Staphylea bumalda DC. var. *latifolia* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 163 1909

Staphylea bumalda DC. var. *glabra* Nakai, J. Jap. Bot. 15: 683 1939

Staphylea bumalda DC. var. *latifolia* Nakai f. *rotundifolia* Nakai, J. Jap. Bot. 15: 683 1939

BUXACEAE 회양목과

Buxus L. 회양목속

Buxus sinica (Rehder & E.H.Wilson) M.Cheng var. *sinica*

Buxus sinica (Rehder & E.H.Wilson) M.Cheng var. *insularis* (Nakai) M.Cheng, Fl. Reipubl. Popularis Sin. 45(1): 38 1980

국명: 회양목(Hoe-yang-mok), 고양나무, 도장나무, 회양나무, 긴잎회양목, 섬회양목 / (북한명) 회양목, 고양나무

영명: Korean boxwood

Buxus sinica (Rehder & E.H.Wilson) M.Cheng var. *koreana* (Nakai ex Rehder) Q.L.Wang, Fl. Liaoningica 1: 1113 1988

Buxus microphylla Siebold & Zucc. var. *insularis* Nakai, Bot. Mag. (Tokyo) 36: 63 1922

Buxus microphylla Siebold & Zucc. var. *koreana* Nakai ex Rehder, J. Arnold Arbor. 7: 240 1926

Buxus koreana (Nakai ex Rehder) T.H.Chung, P.S.Toh, D.B.Lee & F.J.Lee, Common Names Korean Plants [Chosen Sikmul Hyangmyoung-jip] 107 1937

Buxus microphylla Siebold & Zucc. var. *elongata* Nakai, Handb. Kor. Manch. For. 155 1939

** *Buxus koreana* (Nakai ex Rehder) M.Kim f. *elongata* (Nakai) Y.S.Kim & J.H.Kim, Korean J. Pl. Taxon. 18(3): 214 1988

** *Buxus koreana* (Nakai ex Rehder) M.Kim f. *insularis* (Nakai) Y.S.Kim & J.H.Kim, Korean J. Pl. Taxon. 18(3): 214 1988

■ BUXACEAE 회양목과

Buxus koreana (Nakai ex Rehder) M.Kim, Korean Endemic Pl. 229 2017

Buxus koreana (Nakai ex Rehder) M.Kim f. *elongata* (Nakai) M.Kim, Korean Endemic Pl. 543 2017

Buxus koreana (Nakai ex Rehder) M.Kim f. *insularis* (Nakai) M.Kim, Korean Endemic Pl. 543 2017

RHAMNACEAE 갈매나무과

Berchemia Neck. ex DC. 망개나무속

Berchemia berchemiifolia (Makino) Koidz., Bot. Mag. (Tokyo) 39: 21 1925 (R)

국명: 망개나무 (Mang-gae-na-mu) / (북한명) 망개나무

영명: Asian Supplejack

Rhamnella berchemiifolia Makino, Bot. Mag. (Tokyo) 12: 49 1898

Berchemiella berchemiifolia (Makino) Nakai, Bot. Mag. (Tokyo) 37: 31 1923

Berchemiella koreana Nakai, Bull. Forest. Soc. Korea (Chosen Sanrin Kwaiho) 122: 26, 32 1935

Berchemia floribunda (Wall.) Brongn., Mém. Fam. Rhamnées 50 1826 (R)

국명: 먹년출 (Meok-neon-chul), 왕곰버들

영명: Large-leaf paniculous Supplejack

Ziziphus floribunda Wall., Fl. Ind. (Carey & Wallich ed.) 2: 368 1824

Berchemia racemosa Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 147 1845 (R)

국명: 청사조 (Cheong-sa-jo) / (북한명) 청사초

영명: Paniculous Supplejack

Berchemia racemosa Siebold & Zucc. var. *magna* Makino, Bot. Mag. (Tokyo) 6: 170 1892

Berchemia formosana C.K.Schneid., Pl. Wilson. 2: 220 1914

Berchemia magna (Makino) Koidz., Bot. Mag. (Tokyo) 30: 325 1916

Berchemia ohwii Kaneh. & Hatus. ex Kaneh., Formosan Trees ed. rev.: 420 1936

Berchemia kunitakei Uyeki, Chosen Sanrin Kaihô 213: 8 1943

Berchemia racemosa Siebold & Zucc. var. *formosana* (C.K.Schneid.) Kitam., Acta Phytotax. Geobot. 25: 41 1972

Hovenia Thunb. 헛개나무속

Hovenia dulcis Thunb., Nov. Gen. Pl. [Thunberg] 1: 8 1781

국명: 헛개나무 (Heot-gae-na-mu), 고려호리깨나무, 민헛개나무, 불개나무, 호리깨나무, 헛개나무 / (북한명) 헛개나무

영명: Oriental raisin tree

Hovenia acerba Lindl., Bot. Reg. 6: t. 501 1820

Hovenia pubescens Sweet, Hort. Brit. (Sweet) 91 1826

Hovenia dulcis Thunb. var. *glabra* Makino, Bot. Mag. (Tokyo) 28: 155 1914

Hovenia dulcis Thunb. var. *tomentella* Makino, Bot. Mag. (Tokyo) 28: 156 1914

Hovenia dulcis Thunb. var. *koreana* Nakai ex Y.Kimura, Bot. Mag. (Tokyo) 53: 476 1939

Hovenia dulcis Thunb. var. *latifolia* Nakai ex Y.Kimura, Bot. Mag. (Tokyo) 53: 476 1939

Paliurus Mill. 갯대추나무속

Paliurus ramosissimus (Lour.) Poir., Encycl. (Lamarck) Suppl. 4: 262 1816 Ⓢ

국명: 갯대추나무(Gaet-dae-chu-na-mu), 개대추나무, 갯대추 / (북한명) 갯대추나무

영명: Maritime jujuba

Aubletia ramosissima Lour., Fl. Cochinch. 283 1790

Ziziphus ramosissima (Lour.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 771 1824

Rhamnella Miq. 까마귀베개속

Rhamnella franguloides (Maxim.) Weberb., Nat. Pflanzenfam. 3: 406 1895

국명: 까마귀베개(Kka-ma-gwi-be-gae), 가마귀마개, 가마귀베개, 망개나무, 푸대추나무, 헛갈매나무 / (북한명) 까마귀베개

영명: Crow's pillow

Microrhamnus franguloides Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 10: 4 1866

Rhamnella japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 30 1867

Microrhamnus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 1910

Rhamnella obovalis C.K.Schneid., Pl. Wilson. 2: 223 1914

Rhamnus L. 갈매나무속

Rhamnus crenata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 146 1845

국명: 산황나무(San-hwang-na-mu) / (북한명) 산황나무

영명: Oriental buckthorn

Frangula crenata (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 32 1867

Rhamnus pseudofrangula H.Lév., Repert. Spec. Nov. Regni Veg. 10: 473 1912

Celastrus esquirolianus H.Lév., Fl. Kouy-Tchéou 69 1914

Celastrus kouytchensis H.Lév., Repert. Spec. Nov. Regni Veg. 13: 263 1914

Rhamnus davurica Pall., Reise Russ. Reich. 3: 721 1776

국명: 갈매나무(Gal-mae-na-mu), 참갈매나무 / (북한명) 갈매나무

영명: Dahurian buckthorn

Rhamnus cathartica L. var. *davurica* (Pall.) Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 10: 9 1866

Rhamnus davurica Pall. var. *japonica* Makino ex Nakai, Chosen Shokubutsu 212 1914

Rhamnus diamantiaca Nakai, Bot. Mag. (Tokyo) 31: 98 1917

국명: 신갈매나무(Sin-gal-mae-na-mu) / (북한명) 산갈매나무

영명: Geumgangsan buckthorn

Rhamnus koraiensis C.K.Schneid., Notizbl. Königl. Bot. Gart. Berlin 5: 77 1908

국명: 텔갈매나무(Teol-gal-mae-na-mu) / (북한명) 텔갈매나무

영명: Korean buckthorn

■ RHAMNACEAE 갈매나무과

Rhamnus parvifolia Bunge, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 2: 88 1835

국명: 돌갈매나무(Dol-gal-mae-na-mu), 산갈매나무 / (북한명) 돌갈매나무, 뒷갈매나무, 산갈매나무

영명: Little-leaf buckthorn

Rhamnus polymorphus Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 713 1842

Rhamnus virgata Roxb. var. *sylvestris* Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 10: 13 1866

Rhamnus tumetica Grubov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 129 1950

Rhamnus parvifolia Bunge var. *tumetica* (Grubov) E.W.Ma, Fl. Intramongol. 4: 74 1979

Rhamnus shozyoensis Nakai, Bot. Mag. (Tokyo) 27: 130 1913

국명: 연밥갈매나무(Yeon-bab-gal-mae-na-mu)

영명: Oblong-fruit buckthorn

Rhamnus taquetii (H.Lév. & Vaniot) H.Lév., Repert. Spec. Nov. Regni Veg. 10: 431 1912 ⓘ ⓘ

국명: 좀갈매나무(Jom-gal-mae-na-mu) / (북한명) 좀갈매나무

영명: Jejudo buckthorn

Prunus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 197 1909

Rhamnus globosa Bunge var. *taquetii* (H.Lév. & Vaniot) Nakai, Chosen Shokubutsu 213 1914

Rhamnus ussuriensis J.J.Vassil., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 8: 115 1940

국명: 참갈매나무(Cham-gal-mae-na-mu), 참갈매나무

영명: Ussuri buckthorn

Rhamnus yoshinoi Makino, Bot. Mag. (Tokyo) 18: 97 1904

국명: 짹자래나무(Jjak-ja-rae-na-mu), 갈매나무, 민연밥갈매, 만주갈매나무, 만주狎자래, 만주狎자래나무,
연밥갈매나무, 자래나무 / (북한명) 짹자래갈매나무

영명: Basally-pored-seed buckthorn

Rhamnus schneideri H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 6: 265 1909

Rhamnus globosa Bunge var. *glabra* Nakai, Bot. Mag. (Tokyo) 28: 309 1914

Rhamnus glabra (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 99 1917

Rhamnus glabra (Nakai) Nakai var. *manshurica* Nakai, Bot. Mag. (Tokyo) 31: 99 1917

Rhamnus schneideri H.Lév. & Vaniot var. *manshurica* (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 274 1917

Rhamnus yoshinoi Makino var. *manshurica* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 310 1966

Sageretia Brongn. 상동나무속

Sageretia thea (Osbeck) M.C.Johnst., J. Arnold Arbor. 49: 377 1968

국명: 상동나무(Sang-dong-na-mu) / (북한명) 상동나무

영명: Mock buckthorn

Rhamnus thea Osbeck, Dagb. Ostind. Resa 232 1757

Rhamnus theezans L., Mant. Pl. 2: 207 1771

Sageretia theezans (L.) Brongn., Ann. Sci. Nat. (Paris) 10: 360 1826

Ampelopsis chinensis Raf., Sylva Tellur. 33 1830

Sageretia theezans (L.) Brongn. var. *tomentosa* C.K.Schneid., Pl. Wilson. 2: 228 1914

Sageretia laetevirens (Kom.) Gontsch., Trudy Bot. Inst. Akad. Nauk S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 4: 269 1937

Sageretia theezans (L.) Brongn. f. *tomentosa* (C.K.Schneid.) H.Hara, Enum. Sperm. Jap. 3: 130 1954

Sageretia thea (Osbeck) M.C.Johnst. var. *tomentosa* (C.K.Schneid.) Y.L.Chen & P.K.Chou, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 5: 75 1979

Ziziphus Mill. 대추나무속

Ziziphus jujuba Mill. var. *jujuba*

Ziziphus jujuba Mill. var. *spinosa* (Bunge) Hu & C.H.Chow, Familiar Trees Hopei 307 1934

국명: 뒷대추나무(Moet-dae-chu-na-mu), 메대추, 뒷대추, 산대추, 산대추나무, 살매나무, 대추나무 /
(북한명) 뒷대추나무, 살매나무, 산대추나무

영명: **Jujube**

Ziziphus vulgaris Lam. var. *spinosus* Bunge, Enum. Pl. Chin. Bor. 14 1833

Ziziphus sativa Gaertn. var. *spinosa* (Bunge) C.K.Schneid., Ill. Handb. Laubholzk. 2: 261 1909

VITACEAE 포도과

Ampelopsis A.Rich. ex Michx. 개머루속

Ampelopsis brevipedunculata (Maxim.) Trautv. f. *brevipedunculata*

Ampelopsis brevipedunculata (Maxim.) Trautv. f. *ciliata* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 311 1966

국명: 텔개머루(Teol-gae-meo-ru)

영명: **Hairy porcelainberry**

Ampelopsis heterophylla (Thunb.) Siebold & Zucc. var. *ciliata* Nakai, Bot. Mag. (Tokyo) 35: 5 1921

Ampelopsis brevipedunculata (Maxim.) Trautv. f. *citrulloides* (Lebas) Rehder, J. Arnold Arbor. 2: 176 1921

국명: 가새잎개머루(Ga-sae-ip-gae-meo-ru)

영명: **Dissected-leaf porcelainberry**

Ampelopsis citrulloides Lebas, Rev. Hort. 47: 179 1875

Ampelopsis brevipedunculata (Maxim.) Trautv. var. *citrulloides* (Lebas) Rehder, Stand. Cycl. Hort. 1: 278 1914

Ampelopsis glandulosa (Wall.) Momiy var. *heterophylla* (Thunb.) Momiy. f. *citrulloides* (Lebas) Momiy., J. Jap. Bot. 52: 31 1977

Ampelopsis glandulosa (Wall.) Momiy var. *glandulosa*

Ampelopsis glandulosa (Wall.) Momiy var. *brevipedunculata* (Maxim.) Momiy, J. Jap. Bot. 52: 30 1977

■ VITACEAE 포도과

국명: **개머루**(Gae-meo-ru) / (북한명) 개머루, 돌머루

영명: **Porcelainberry**

Cissus brevipedunculata Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 68 1859

Ampelopsis brevipedunculata (Maxim.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 8: 176 1883

Vitis brevipedunculata (Maxim.) Dippel, Handb. Laubholzk. 2: 564 1892

Ampelopsis japonica (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 113 1903

국명: **가회톱**(Ga-hoe-top), 가위톱, 매염, 백염 / (북한명) 가위톱, 백령

영명: **East Asian peppervine**

Paullinia japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 380 1784

Ampelopsis serianifolia Bunge, Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 86 1833

Cissus serianifolia (Bunge) Walp., Repert. Bot. Syst. (Walpers) 1: 441 1842

Cissus viticifolia Siebold & Zucc. var. *pinnatifida* Siebold & Zucc. ex Regel, Gartenflora 16: 4 1867

Ampelopsis lucida Carrière, Rev. Hort. 40: 39 1868

Ampelopsis napiformis Carrière, Rev. Hort. 42: 16 1870

Ampelopsis tuberosa Carrière, Rev. Hort. 42: 16 1870

Vitis serianifolia (Bunge) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 149 1886

Ampelopsis dissecta Koehne, Deut. Dendrol. 400 1893

Ampelopsis mirabilis Diels & Gilg, Bot. Jahrb. Syst. 29: 465 1900

Vitis dunniana H.Lév., Repert. Spec. Nov. Regni Veg. 11: 297 1912

Cayratia Juss. 거지덩굴속

Cayratia japonica (Thunb.) Gagnep., Notul. Syst. (Paris) 1: 349 1911

국명: **거지덩굴**(Geo-ji-deong-gul), 새밭침덩굴, 새발덩굴, 울타리덩굴, 풀덩굴, 풀머루덩굴 / (북한명) 거지덩굴

영명: **Bushkiller**

Vitis japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 244 1784

Cissus japonica (Thunb.) Willd., Sp. Pl. (ed.4) 1: 659 1798

Cissus leucocarpa Blume, Bijdr. Fl. Ned. Ind. 4: 189 1825

Vitis tenuifolia Wight & Arn., Prodr. Fl. Ind. Orient. 129 1834

Causonia japonica (Thunb.) Raf., Sylva Tellur. 87 1838

Cissus cyanocarpa Miq., Fl. Ned. Ind. 1: 603 1859

Cissus japonica (Thunb.) Willd. var. *dentata* Makino, Bot. Mag. (Tokyo) 23: 249 1909

Cayratia tenuifolia (Wight & Arn.) Gagnep., Notul. Syst. (Paris) 1: 348 1911

Cissus tenuifolia (Wight & Arn.) B.Heyne ex Planch. var. *cinerea* Gagnep., Notul. Syst. (Paris) 1: 349 1911

Columella tenuifolia (Wight & Arn.) Gagnep., Notul. Syst. (Paris) 1: 348 1911

Vitis leucocarpa (Blume) Hayata, Icon. Pl. Formosan. 3: 63 1913

Columella japonica (Thunb.) Merr., Philipp. J. Sci. 13: 145 1918

Columella japonica (Thunb.) Merr. var. *dentata* (Makino) Masam., J. Soc. Trop. Agric. 2: 50 1930

Cayratia japonica (Thunb.) Gagnep. var. *dentata* (Makino) Honda, Nom. Pl. Japonic. 210 1939

Parthenocissus Planch. 담쟁이덩굴속

Parthenocissus tricuspidata (Siebold & Zucc.) Planch., Monogr. Phan. 5: 452 1887

국명: 담쟁이덩굴(Dam-jaeng-i-deong-gul), 담장넝쿨, 담장이덩굴, 돌담장이 / (북한명) 담장이덩굴
영명: Boston ivy

- Ampelopsis tricuspidata* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 196 1845
Cissus thunbergii Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 195 1845
Vitis inconstans Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 91 1863
Acer nikoense (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 12: 227 1868
Psedera tricuspidata (Siebold & Zucc.) Rehder, Rhodora 10: 29 1908
Vitis taquetii H.Lév., Bull. Acad. Int. Géogr. Bot. 20: 11 1910
Psedera thunbergii (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 35: 2 1921
Parthenocissus thunbergii (Siebold & Zucc.) Nakai, J. Jap. Bot. 6: 254 1930

Vitis L. 포도속

Vitis amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 266 1857

국명: 왕머루(Wang-meo-ru), 머래순, 머루, 멀구덩굴, 잔털왕머루, 제주새머루, 털새머루 / (북한명) 머루
영명: Amur grapevine

- Vitis vinifera* L. var. *amurensis* (Rupr.) Regel, Gartenflora 10: 312, Pl. 339 1861
Vitis vulpina L. var. *amurensis* (Rupr.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 394 1873
Vitis shiragae Makino, J. Jap. Bot. 1: 105 1917
Vitis choii Hatus., J. Jap. Bot. 16: 530 1940
Vitis amurensis Rupr. var. *shiragai* (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 1440 1965
Vitis flexuosa Thunb. var. *choii* (Hatus.) T.B.Lee, Ill. Woody Pl. Korea 313 1966

Vitis coignetiae Pulliat ex Planch., Vigne Amer. Vitic. Eur. 7: 186 1883

국명: 머루(Meo-ru), 산머루, 산포도

영명: Crimson grapevine

- Vitis kaempferi* K.Koch, Hort. Dendrol. 47: no. 6 1853
Vitis labrusca L. var. *grandifolia* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 395 1873
Vitis coignetii var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 32: 108 1918
Vitis amurensis Rupr. var. *glabrescens* (Nakai) Nakai, Bot. Mag. (Tokyo) 35: 9 1921
Vitis amurensis Rupr. var. *coignetii* (Pulliat) Nakai, Bot. Mag. (Tokyo) 35: 9 1921
Vitis kaempferi K.Koch var. *glabrescens* (Nakai) Rehder, J. Arnold Arbor. 7: 31 1926
Vitis austrokoreense Hatus., J. Jap. Bot. 16: 530 1940
Vitis coignetiae Pulliat ex Planch. f. *glabrescens* (Nakai) H.Hara, Enum. Sperm. Jap. 3: 138 1954

Vitis ficifolia Bunge f. *ficifolia*

Vitis ficifolia Bunge f. *glabrata* (Nakai) W.Lee, Lineamenta Florae Koreae 696 1996

국명: 청까마귀머루(Cheong-kka-ma-gwi-meo-ru)

영명: Smooth mulberry-leaf grapevine

- Vitis ficifolia* Bunge var. *glabrata* Nakai, Bot. Mag. (Tokyo) 35: 7 1899

■ VITACEAE 포도과

Vitis flexuosa Thunb., Trans. Linn. Soc. London 2: 332 1793

국명: 새머루(Sae-meo-ru), 산포도 / (북한명) 새머루

영명: Creeping grapevine

Vitis parvifolia Roxb., Hort. Bengal. 18 1814

Vitis wallichii DC., Prodr. (DC.) 1: 634 1824

Vitis purani Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 188 1825

Vitis vulpina L. var. *parvifolia* (Roxb.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 394 1873

Vitis flexuosa Thunb. f. *parvifolia* (Roxb.) Planch., Monogr. Phan. 5: 348 1887

Vitis flexuosa Thunb. var. *chinensis* H.J.Veitch, J. Hort. Soc. London 28: 393 1904

Vitis cavaleriei H.Lév., Bull. Soc. Agric. Sarthe 40: 36 1905

Vitis flexuosa Thunb. var. *parvifolia* (Roxb.) Gagnep., Pl. Wilson. 1: 103 1911

Vitis heyneana Roem. & Schult. subsp. *heyneana*

Vitis heyneana Roem. & Schult. subsp. *ficifolia* (Bunge) C.L.Li, Chin. J. Appl. Environm. Biol. 2: 250 1996

국명: 까마귀머루(Kka-ma-gwi-meo-ru), 가마귀머루, 가새머루, 돌머루, 모래나무, 새멸구, 참멸구 /

(북한명) 가마귀머루, 청가마귀멸구

영명: Sinuate mulberry-leaf grapevine

Vitis ficifolia Bunge, Enum. Pl. Chin. Bor. 12 1833

Vitis thunbergii Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 198 1845

Vitis labrusca L. var. *ficifolia* (Bunge) Regel, Gartenflora 22: 203 1873

Vitis labrusca L. var. *sinuata* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 2: 396 1873

Vitis ficifolia Bunge var. *thunbergii* (Siebold & Zucc.) Lavallée, Énum. Arbres 36 1877

Vitis thunbergii Siebold & Zucc. var. *partita* Makino, J. Jap. Bot. 1: 32 1918

Vitis thunbergii Siebold & Zucc. var. *sinuata* (Regel) Rehder, J. Arnold Arbor. 3: 222 1922

Vitis ficifolia Bunge var. *sinuata* (Regel) H.Hara, Enum. Sperm. Jap. 3: 138 1954

ELAEOCARPACEAE 담팔수과

Elaeocarpus Burm. ex L. 담팔수속

Elaeocarpus sylvestris (Lour.) Poir. var. *sylvestris*

Elaeocarpus sylvestris (Lour.) Poir. var. *ellipticus* (Thunb.) H.Hara, J. Jap. Bot. 26: 93 1951 Ⓡ

국명: 담팔수(Dam-pal-su), 담팔수 / (북한명) 담팔수나무

영명: Wild dampalsu trees

Prunus elliptica Thunb., Fl. Jap. (Thunberg) 199 1784

Elaeocarpus ellipticus (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 67 1904

TILIACEAE 피나무과

Corchoropsis Siebold & Zucc. 까치깨속

Corchoropsis intermedia Nakai, Bot. Mag. (Tokyo) 28: 311 1914 ⓘ

국명: 암까치깨(Am-kka-chi-kkae), 청산까치깨 / (북한명) 암까치깨

영명: Intermediate corchoropsis

Corchoropsis crenata Siebold & Zucc. var. *intermedia* (Nakai) M.Kim, Korean Endemic Pl. 136 2017

Corchoropsis tomentosa (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 11 1903

국명: 수까치깨(Su-kka-chi-kkae), 민까치깨, 암까치깨, 참까치깨, 푸른까치깨 / (북한명) 수까치깨

영명: Tomentose corchoropsis

Corchoropsis tomentosa (Thunb.) Makino var. *tomentosa*

Corchoropsis tomentosa (Thunb.) Makino var. *psilocarpa* (Harms & Loes. ex Gilg & Loes.) C.Y.Wu & Y.Tang, Acta

국명: 까치깨(Kka-chi-kkae) / (북한명) 까치깨 Phytotax. Sin. 32: 256 1994

영명: Glabrous-fruit corchoropsis

Corchoropsis psilocarpa Harms & Loes. ex Gilg & Loes., Bot. Jahrb. Syst. 34: 51 1904

Grewia L. 장구밥나무속

Grewia biloba G.Don, Gen. Hist. 1: 549 1831

국명: 장구밥나무(Jang-gu-bap-na-mu) / (북한명) 장구밤나무

영명: Bilobed grewia

Grewia parviflora Bunge, Enum. Pl. Chin. Bor. 9 1833

Grewia glabrescens Benth., Fl. Hongk. 42 1861

Rubus umbellifer H.Lév., Repert. Spec. Nov. Regni Veg. 6: 111 1908

Grewia chanetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 147 1911

Grewia parviflora Bunge var. *velutina* Pamp., Nuovo Giorn. Bot. Ital. n.s. 18: 128 1911

Grewia parviflora Bunge var. *glabrescens* (Benth.) Rehder & E.H.Wilson, Pl. Wilson. 2: 371 1916

Grewia biloba G.Don var. *parviflora* (Bunge) Hand.-Mazz., Symb. Sin. 7: 612 1933

Grewia biloba G.Don var. *parviflora* (Bunge) Hand.-Mazz. f. *angusta* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 313 1966

Grewia parviflora Bunge f. *angusta* (Nakai) W.T.Lee, Lineamenta Florae Koreae 700 1996

Tilia L. 피나무속

Tilia amurensis Rupr., Fl. Caucasi 253 1869

국명: 피나무(Pi-na-mu), 꽃피나무, 달피, 달피나무, 참피나무, 텁피나무 / (북한명) 피나무, 참피나무, 달피나무

영명: Amur linden

■ TILIACEAE 피나무과

- Tilia cordata* (Mill.) Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 62 1859
Tilia cordata (Mill.) Maxim. var. *manshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 434 1880
Tilia distans Nath., Vega-Exped. Vetensk. Iakttag. 2: 195 1882
Tilia amurensis Rupr. var. *acuminatissima* f. *polyantha* V.Engl., Monogr. Tilia 84 1909
Tilia amurensis Rupr. var. *oligantha* V.Engl., Monogr. Tilia 84 1909
Tilia glabrata Nakai, Chosen Shokubutsu 174 1914
Tilia amurensis Kom. var. *glabrata* Nakai, Bot. Mag. (Tokyo) 33: 60 1919
Tilia amurensis Rupr. var. *rufa* Nakai, Bot. Mag. (Tokyo) 33: 61 1919
Tilia amurensis Rupr. var. *oligantha* V.Engl. f. *polyantha* (Engl.) Nakai, Bot. Mag. (Tokyo) 35: 12 1921
Tilia amurensis Rupr. var. *grosseserrata* Nakai, Fl. Sylv. Kor. 12: 39 1922
Tilia rufa Nakai, Bot. Mag. (Tokyo) 12: 40 1922
Tilia amurensis Rupr. var. *kryloviana* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 4: 13 1926
Tilia amurensis Rupr. f. *polyantha* (Engl.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 76 1952
Tilia amurensis Rupr. var. *tricuspidata* Liou & S.X.Li, Ill. Man. Woody Pl. N.-E. Prov. 565 1955

Tilia insularis Nakai, Bot. Mag. (Tokyo) 31: 27 1917 ⓘ

국명: **섬피나무**(Seom-pi-na-mu) / (북한명) 섬피나무

영명: **Ulleungdo linden**

Tilia koreana Nakai, Chosen Shokubutsu 174 1914 ⓘ

국명: **연밥피나무**(Yeon-bap-pi-na-mu) / (북한명) 연밥피나무

영명: **Korean linden**

Tilia amurensis Rupr. var. *koreana* (Nakai) Nakai, Bot. Mag. (Tokyo) 33: 61 1919

Tilia mandshurica Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 124 1856

국명: **찰피나무**(Chal-pi-na-mu), 금강피나무, 설악보리수, 염주보리수 / (북한명) 찰피나무

영명: **Manchurian lime**

Tilia peckinensis Rupr. & Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 469 1859

Tilia argentea DC. var. *manshurica* Regel, Tent. Fl.-Ussur. 30 1861

Tilia megaphylla Nakai f. *subintegra* Nakai, Bot. Mag. (Tokyo) 35: 14 1921

Tilia mandshurica Rupr. & Maxim. var. *depressa* Nakai, J. Jap. Bot. 19: 367 1943

Tilia mandshurica Rupr. & Maxim. var. *villicarpa* Nakai, J. Jap. Bot. 19: 367 1943

Tilia mandshurica Rupr. & Maxim. var. *fusiformis* (Nakai) H.S.Kim, Fl. Coreana (Kim) 4: 315 1975

Tilia mandshurica Rupr. & Maxim. f. *depressa* (Nakai) W.T.Lee, Lineamenta Florae Koreae 702 1996

Tilia mandshurica Rupr. & Maxim. f. *villicarpa* (Nakai) W.T.Lee, Lineamenta Florae Koreae 702 1996

Tilia mandshurica Rupr. & Maxim. var. ***mandshurica***

Tilia mandshurica Rupr. & Maxim. var. ***megaphylla*** (Nakai) Liou & A.J.Li, Ill. Man. Woody Pl. N.-E. Prov. 418 1955

국명: **염주나무**(Yeom-ju-na-mu), 구슬피나무, 둉근염주나무, 찰피나무 / (북한명) 염주나무

영명: **Beads linden**

Tilia megaphylla Nakai, Chosen Shokubutsu 173 1914

Tilia mandshurica Rupr. & Maxim. var. *ovalis* (Nakai) Liou & S.X.Li, Ill. Fl. Ligneous Pl. N. E. China 418 1955

국명: 용기피나무(Ung-gi-pi-na-mu), 금강피나무, 설악보리수, 염주보리수, 찰피나무

영명: Oval-fruit linden

Tilia ovalis Nakai, Bot. Mag. (Tokyo) 35: 15 1921

Tilia semicostata Nakai, Chosen Shokubutsu 173 1914 ⓘ

국명: 개염주나무(Gae-yeom-ju-na-mu) / (북한명) 좀염주나무, 개염주나무

영명: Bibaldo seashore linden

Tilia taquetii C.K.Schneid., Repert. Spec. Nov. Regni Veg. 7: 200 1909

국명: 뽕잎피나무(Ppong-ip-pi-na-mu), 뽕피나무 / (북한명) 뽕피나무

영명: Mulberry-leaf linden

Tilia amurensis Rupr. var. *glabrata* f. *taquetii* (C.K.Schneid.) Nakai, Bot. Mag. (Tokyo) 33: 60 1919

Tilia amurensis Rupr. var. *taquetii* (C.K.Schneid.) Liou & S.X.Li, Ill. Man. Woody Pl. N.-E. Prov. 420 1955

***Triumfetta* Plum. ex L. 고슴도치풀속**

Triumfetta japonica Makino, Bot. Mag. (Tokyo) 27: 245 1913

국명: 고슴도치풀(Go-seum-do-chi-pul), 피나무풀 / (북한명) 고슴도치풀

영명: Japanese burbark

Triumfetta trichoclada Franch. & Sav., Enum. Pl. Jap. 1: 66 1873

MALVACEAE 아욱과

***Hibiscus* L. 무궁화속**

Hibiscus hamabo Siebold & Zucc., Fl. Jap. (Siebold) 1: 176 1841 ⓘ

국명: 황근(Hwang-geun), 갯부용, 갯아욱 / (북한명) 갯아욱, 황근

영명: Yellow rosemallow

Hibiscus tiliaceus L. var. *hamabo* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 20 1886

Pariti hamabo (Siebold & Zucc.) Nakai, Fl. Sylv. Kor. 21: 99 1936

Talipariti hamabo (Siebold & Zucc.) Fryxell, Contr. Univ. Michigan Herb. 23: 246 2001

THYMELAEACEAE 팥꽃나무과

***Daphne* Tourn. ex L. 팥꽃나무속**

■ THYMELAEACEAE 팥꽃나무과

Daphne genkwa Siebold & Zucc., Fl. Jap. (Siebold) 1: 137 1840

국명: 팥꽃나무(Pat-kkot-na-mu), 넓은이팝나무, 넓은잎이팝나무, 넓은잎팥꽃나무, 니팝나무, 이팝나무, 팥꽃나무 / (북한명) 팥꽃나무, 이팝나무, 서향

영명: **Lilac daphne**

Daphne fortunei Lindl., J. Hort. Soc. London 1: 147 1846

Daphne genkwa Siebold & Zucc. var. *fortunei* (Lindl.) Franch., Pl. David. 1: 259 1884

Wikstroemia genkwa (Siebold & Zucc.) Domke, Notizbl. Bot. Gart. Berlin-Dahlem 11: 363 1932

Daphne genkwa Siebold & Zucc. f. *taitoensis* Hamaya, J. Jap. Bot. 30: 11 1955

Daphne jejudoensis M.Kim, Korean J. Pl. Taxon. 43: 95 2013 (E)

국명: 제주백서향(Je-Ju-baek-seo-hyang)

Daphne kiusiana Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 134 1867 (R)

국명: 백서향(Baek-seo-hyang), 개서향나무, 개후초, 백서향나무, 흰서향나무 / (북한명) 흰서향나무, 백서향나무, 개서향나무

영명: **White daphne**

Daphne odora Thunb. var. *kiusiana* (Miq.) Keissl., Bot. Jahrb. Syst. 25: 89 1898

Daphne cannabina Lour. var. *kiusiana* (Miq.) Makino, Phan. Pter. Jap. Icon. 1: 1 1899

Daphne odora Thunb. var. *fasciata* T.Itô, Encycl. Jap. 7: 149 1916

Daphne kiusiana Miq. var. *fasciata* (T.Itô) Honda, Nom. Pl. Japonica. 232 1939

Daphne pseudomezereum A.Gray var. *pseudomezereum*

Daphne pseudomezereum A.Gray var. *koreana* (Nakai) Hamaya, Bull. Tokyo Univ. Forest 55: 72 1959 (R)

국명: 두메닥나무(Du-me-dak-na-mu), 백서향나무, 조선닥나무, 화태닥나무 / (북한명) 조선닥나무, 화태닥나무, 두메닥나무

영명: **Mountain daphne**

Daphne koreana Nakai, J. Jap. Bot. 13: 880 1937

Diarthron Turcz. 아마풀속

Diarthron linifolium Turcz., Bull. Soc. Imp. Naturalistes Moscou 5: 204 1832 (R)

국명: 아마풀(A-ma-pul), 개아마 / (북한명) 아마풀, 개아마

영명: **Flax-leaf diarthron**

Stellera L. 피뿌리풀속

Stellera chamaejasme L., Sp. Pl. 1: 559 1753 (R)

국명: 피뿌리풀(Pi-ppu-ri-pul), 서흥닥나무, 처녀풀, 피뿌리꽃 / (북한명) 처녀꽃, 서흥처녀꽃, 피뿌리꽃, 서흥닥나무

영명: **Bloody-root stellera**

Passerina stelleri Wikstr., Kongl. Vetensk. Acad. Handl. 321 1818

Stellera rosea Nakai, Bot. Mag. (Tokyo) 33: 147 1920

Wikstroemia chamaejasme (L.) Domke, Notizbl. Bot. Gart. Berlin-Dahlem 11: 362 1932

Wikstroemia Endl. 산닥나무속

Wikstroemia ganpi (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 99 1887 ®

국명: 거문도닥나무(Geo-mun-do-dak-na-mu)

영명: Geomundo false ohelo

Passerina ganpi Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 201 1846

Wikstroemia canescens (Wall.) Meisn. var. *ganpi* (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 134 1867

Diplomorpha ganpi (Siebold & Zucc.) Nakai, J. Jap. Bot. 13: 881 1937

Wikstroemia trichotoma (Thunb.) Makino, Bot. Mag. (Tokyo) 11: 71 1897 ®

국명: 산닥나무(San-dak-na-mu), 강화산닥나무 / (북한명) 산닥나무

영명: Montane false ohelo

Queria trichotoma Thunb., Trans. Linn. Soc. London 2: 329 1794

Stellera japonica Siebold, Verh. Batav. Genootsch. Kunsten 12: 22 1830

Passerina japonica (Siebold) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 200 1846

Wikstroemia japonica (Siebold) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 134 1867

Diplomorpha trichotoma (Thunb.) Nakai, Fl. Sylv. Kor. 17: 45 1928

Diplomorpha ellipsocarpa (Maxim.) Nakai, J. Jap. Bot. 13: 881 1937

ELAEAGNACEAE 보리수나무과

Elaeagnus Tourn. ex L. 보리수나무속

Elaeagnus glabra Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 163 1784

국명: 보리장나무(Bo-ri-jang-na-mu), 덩굴보리수나무, 덩굴볼레나무, 볼네나무 / (북한명) 보리장나무

영명: Autumn-flower oleaster

Elaeagnus tenuiflora Benth., Hooker's J. Bot. Kew Gard. Misc. 5: 197 1853

Elaeagnus glabra Thunb. subsp. *euglabra* Servett., Bull. Herb. Boissier ser.2, 8: 386 1908

Elaeagnus glabra Thunb. subsp. *crassifolia* Servett., Beih. Bot. Centralbl. 2, 25: 75 1909

Elaeagnus glabra Thunb. var. *lanceolata* Nakai, Bot. Mag. (Tokyo) 32: 223 1918

Elaeagnus buisanensis Hayata, Icon. Pl. Formosan. 9: 87 1920

Elaeagnus daibuensis Hayata, Icon. Pl. Formosan. 9: 88 1920

Elaeagnus oiawakensis Hayata, Icon. Pl. Formosan. 9: 92 1920

Elaeagnus paucilepidota Hayata, Icon. Pl. Formosan. 9: 92 1920

Elaeagnus glabra Thunb. var. *glabra*

Elaeagnus glabra Thunb. var. *oxyphylla* (Servett.) Nakai, Fl. Sylv. Kor. 17: 15 1928

■ ELAEAGNACEAE 보리수나무과

국명: 줍은잎보리장나무 (*Jop-eun-ip-bo-ri-jang*)

영명: Narrow-leaf autumn-flower oleaster

Elaeagnus glabra Thunb. subsp. *oxyphylla* Servett., Bull. Herb. Boissier ser.2, 8: 386 1908

Elaeagnus glabra Thunb. f. *oxyphylla* (Servett.) W.T.Lee, Lineamenta Florae Koreae 714 1996

Elaeagnus kotoensis Hayata, Icon. Pl. Formosan. 9: 90 1920

Elaeagnus umbellata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 164 1784

국명: 보리수나무 (*Bo-ri-su-na-mu*), 보리똥나무, 보리장나무, 보리화주나무, 볼네나무, 산보리수나무 /
(북한명) 보리수나무

영명: Autumn oleaster

Elaeagnus crispa Thunb., Fl. Jap. (Thunberg) 66 1784

Elaeagnus parvifolia Wall. ex Royle, Ill. Bot. Himal. Mts. 323 1836

Elaeagnus salicifolia Don ex Loudon, Arbor. Frutic. Brit. 3: 1324 1838

Elaeagnus umbellata Thunb. subsp. *parvifolia* (Wall. ex Royle) Servett., Bull. Herb. Boissier ser.2, 8: 383 1908

Elaeagnus umbellata Thunb. subsp. *euumbellata* Servett., Bull. Herb. Boissier ser.2, 8: 383 1908

Elaeagnus umbellata Thunb. subsp. *euumbellata* Servett., Beih. Bot. Centralbl. 2: 53 1909

Elaeagnus umbellata Thunb. subsp. *euumbellata* Servett., Beih. Bot. Centralbl. 2: 53 1909

Elaeagnus umbellata Thunb. subsp. *euumbellata* Servett., var. *cylindrica* Servett., Beih. Bot. Centralbl. 2: 53 1909

Elaeagnus umbellata Thunb. subsp. *euumbellata* Servett., var. *globosa* Servett., Beih. Bot. Centralbl. 2: 53 1909

Elaeagnus umbellata Thunb. var. *parvifolia* (Wall. ex Royle) C.K.Schneid., Ill. Handb. Laubholzk. 2: 411 1909

Elaeagnus crispa Thunb. var. *parvifolia* (Wall. ex Royle) Nakai, Fl. Sylv. Kor. 17: 11 1928

Elaeagnus crispa Thunb. var. *subcoriacea* Nakai & Masam., Bot. Mag. (Tokyo) 43: 443 1929

Elaeagnus crispa Thunb. var. *longicarpa* Uyeki, J. Chosen Nat. Hist. Soc. 17: 53 1934

Elaeagnus crispa Thunb. var. *praematura* Koidz., Acta Phytotax. Geobot. 8: 191 1939

Elaeagnus umbellata Thunb. var. *prematura* (Koidz.) T.B.Lee, Ill. Woody Pl. Korea 319 1966

Elaeagnus umbellata Thunb. var. ***umbellata***

Elaeagnus umbellata Thunb. var. ***coreana*** (H.Lév.) H.Lév., Cat. Pl. Yun-Nan 83 1915

국명: 왕보리수나무 (*Wang-bo-ri-su-na-mu*)

영명: Korean autumn oleaster

Elaeagnus coreana H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 1913

Elaeagnus crispa Thunb. var. *coreana* (H.Lév.) Nakai, Fl. Sylv. Kor. 17: 12 1928

Elaeagnus × maritima Koidz., Bot. Mag. (Tokyo) 31: 133 1917

국명: 녹보리똥나무 (*Nok-bo-ri-ttong-na-mu*) / (북한명) 록보리수나무

영명: Coastal oleaster

Elaeagnus × hisauchii Makino ex Nakai, Bot. Mag. (Tokyo) 32: 223 1918

Elaeagnus × liukiensis Rehder, J. Arnold Arbor. 1: 181 1920

Elaeagnus × submacrophylla Servett., Beih. Bot. Centralbl. 25: 84 1909

국명: 큰보리장나무 (*Keun-bo-ri-jang-na-mu*), 왕보리수나무, 왕보리장나무, 왕볼네나무 / (북한명) 왕보리장나무

영명: Hybrid broad-leaf oleaster

Elaeagnus × nikaii Nakai, Bot. Mag. (Tokyo) 32: 224 1918

FLACOURTIACEAE 이나무과

Idesia Maxim. 이나무속

Idesia polycarpa Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 485 1866

국명: 이나무(I-na-mu), 위나무, 의나무, 팔피나무 / (북한명) 의나무

영명: *Idesia*

Polycarpa maximowiczii Linden ex Carrière, Rev. Hort. 330, f. 36 1868

Idesia polycarpa Maxim. var. *latifolia* Diels, Bot. Jahrb. Syst. 29: 478 1900

Idesia polycarpa Maxim. var. *intermedia* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 673 1910

Cathayeia polycarpa (Maxim.) Ohwi, Fl. Austro-Higoensis 86 1931

Xylosma G.Forst. 산유자나무속

Xylosma japonica (Thunb.) A.Gray ex H.Ohashi, Fl. Jap. (Iwatsuki et al., eds.) 2c: 160 1999 ©

국명: 산유자나무(San-yu-ja-na-mu) / (북한명) 산수유자나무

영명: *Shiny xylosma*

Apactis japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 66 1783

Croton congestus Lour., Fl. Cochinch. 582 1790

Hisingera racemosa Siebold & Zucc., Fl. Jap. (Siebold) 1: 169 1841

Flacourtie japonica Walp., Repert. Bot. Syst. (Walpers) 1: 205 1842

Hisingera japonica (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 168 1845

Flacourtie chinensis Clos, Ann. Sci. Nat., Bot. 8: 219 1857

Xylosma racemosa (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 155 1865

Casearia subrhombea Hance, J. Bot. 23: 323 1885

Myroxylon racemosum (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 1: 44 1891

Myroxylon japonicum (Thunb.) Makino, Bot. Mag. (Tokyo) 18: 53 1904

Xylosma congesta (Lour.) Merr., Philipp. J. Sci. 15: 247 1920

Xylosma apactis (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 316 1925

VIOLACEAE 제비꽃과

Viola L. 제비꽃속

Viola acuminata Ledeb., Fl. Ross. (Ledeb.) 1: 252 1842

국명: 줄방제비꽃(Jol-bang-je-bi-kkot), 줄방나물, 민줄방제비꽃 / (북한명) 줄방제비꽃, 줄방나물

영명: Long-stem violet

Viola laciniosa A.Gray, Narr. Exped. China Japan 2: 308 1857

Viola canina L. var. *acuminata* (Ledeb.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 247 1861

Viola acuminata Ledeb. subsp. *austroussuriensis* W.Becker, Fl. Aziat. Ross. 8: 49 1915

Viola acuminata Ledeb. var. *dentata* W.Becker, Fl. Aziat. Ross. 8: 49 1915

■ VIOLACEAE 제비꽃과

Viola acuminata Ledeb. var. *intermedia* Nakai, Bot. Mag. (Tokyo) 30: 280 1916

Viola austroussuriensis (W.Becker) Kom., Opred. Rast. Dal'nevost. Kraia 2: 767 1932

Viola turczaninowii Juz., Fl. URSS 15: 935 1949

Viola acuminata Ledeb. f. *glaberrima* H.Hara, Acta Phytotax. Geobot. 20: 196 1962

Viola acuminata Ledeb. var. *austroussuriensis* (W.Becker) Kitag., Neolin. Fl. Manshur. 451 1979

Viola acuminata Ledeb. var. *brevistipulata* (W.Becker) Kitag., Neolin. Fl. Manshur. 451 1979

Viola albida Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 17: 30 1899 (R)

국명: 태백제비꽃(Tae-baek-je-bi-kkot), 사향씨름꽃, 태백씨름꽃, 태백오랑캐, 오골제비꽃 / (북한명) 태백제비꽃

영명: Taebaek violet

Viola dissecta Ledeb. var. *albida* (Palib.) Nakai, Icon. Pl. Koisikav 1: 93, Pl. 47 1912

Viola dissecta Ledeb. var. *chaerophylloides* (Regel) Makino subvar. *albida* (Palib.) Makino, Bot. Mag. (Tokyo) 26: 155 1912

Viola albida Palib. var. *rugata* Y.N.Lee, Bull. Korea Pl. Res. 5: 16 2005

Viola albida Palib. f. *rugata* (Y.N.Lee) M.Kim, Korean Endemic Pl. 528 2017

Viola albida Palib. var. *albida*

Viola albida Palib. var. *chaerophylloides* (Regel) F.Mack. ex H.Hara, Enum. Sperm. Jap. 3: 195 1954

국명: 남산제비꽃(Nam-san-je-bi-kkot), 남산오랑캐, 녹색남산제비꽃 / (북한명) 남산제비꽃

영명: Namsan violet

Viola pinnata L. var. *chaerophylloides* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 222 1861

Viola chaerophylloides (Regel) W.Becker, Bull. Herb. Boissier ser.2, 2: 856 1902

Viola dissecta Ledeb. var. *chaerophylloides* (Regel) Makino, Bot. Mag. (Tokyo) 26: 153 1912

Viola dissecta Ledeb. var. *chaerophylloides* (Regel) Makino subvar. *simplicifolia* Makino, Bot. Mag. (Tokyo) 26: 155 1912

Viola sieboldiana (Maxim.) Makino var. *chaerophylloides* (Regel) Nakai, Bot. Mag. (Tokyo) 32: 226 1918

Viola albida Palib. f. *viridis* Y.N.Lee, Bull. Korea Pl. Res. 6: 4 2006

Viola chaerophylloides (Regel) W.Becker f. *viridis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 528 2017

Viola albida Palib. var. *takahashii* (Makino) Nakai, Bot. Mag. (Tokyo) 30: 286 1916

국명: 단풍제비꽃(Dan-pung-je-bi-kkot), 단풍씨름꽃, 단풍오랑캐 / (북한명) 단풍제비꽃

영명: Maple-leaf violet

Viola dissecta Ledeb. var. *chaerophylloides* (Regel) Makino subvar. *takahashii* Makino, Bot. Mag. (Tokyo) 26: 154 1912

Viola dessecta Ledeb. var. *takahashii* (Makino) Nakai, Icon. Pl. Koisikav 1: 94 1912

Viola albida Palib. f. *takahashii* (Makino) Kitag., Neolin. Fl. Manshur. 452 1979

Viola arcuata Blume, Bijdr. Fl. Ned. Ind. 2: 58 1825

국명: 콩제비꽃(Kong-je-bi-kkot), 콩오랑캐, 조개나물, 조갑지나물, 좀턱제비꽃 / (북한명) 콩제비꽃

영명: Hidden violet

Viola verecunda A.Gray, Mem. Amer. Acad. Arts n.s. 6: 382 1858

Viola excisa Hance, J. Bot. 6: 296 1868

Viola japonica (A.Gray) A.Gray var. *decumbens* Franch. & Sav., Enum. Pl. Jap. 2: 287 1878

Viola japonica Langsd. ex DC. var. *pusilla* Franch. & Sav., Enum. Pl. Jap. 2: 287 1878

Viola japonica Langsd. ex DC. var. *subaequiloba* Franch. & Sav., Enum. Pl. Jap. 2: 287 1878

Viola verecunda A.Gray var. *excisa* (Hance) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 750 1886

Viola verecunda A.Gray f. *radicans* Makino, Bot. Mag. (Tokyo) 27: 153 1913

Viola alata Burgesd. subsp. *verecunda* (A.Gray) W.Becker, Beih. Bot. Centralbl. 34: 227 1916

Viola arcuata Blume subsp. *verecunda* (A.Gray) W.Becker, Beih. Bot. Centralbl. 34: 227 1916

Viola arcuata Blume var. *verecunda* (A.Gray) Nakai, Bot. Mag. (Tokyo) 36: 88 1922

Viola arcuata Blume var. *verecunda* (A.Gray) Nakai f. *radicans* Nakai, Bot. Mag. (Tokyo) 36: 88 1922

Viola excisa Hance var. *subaequiloba* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 36: 85 1922

Viola subaequiloba Nakai, Bot. Mag. (Tokyo) 36: 88 1922

Viola verecunda A.Gray var. *subaequiloba* (Franch. & Sav.) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 221 1954

Viola betonicifolia* Sm. var. *betonicifolia

Viola betonicifolia* Sm. var. *albescens (Nakai) F.Maek. & T.Hashim, J. Jap. Bot. 43: 162 1968

국명: 흰들제비꽃(Huin-deul-je-be-kkot)

Viola mandshurica W.Becker var. *albescens* Nakai, Bot. Mag. (Tokyo) 36: 60 1922

***Viola biflora* L., Sp. Pl. 2: 936 1753 (R)**

국명: 장백제비꽃(Jang-baek-je-bi-kkot), 장백노랑제비꽃, 장백오랑캐 / (북한명) 장백제비꽃

영명: Arctic yellow violet

Viola tayemonii Hayata, Icon. Pl. Formosan. 5: 3 1916

***Viola blandaeformis* Nakai, Bull. Soc. Bot. France 72: 192 1925**

국명: 엷은잎제비꽃(Yeol-beun-ip-je-bi-kkot), 얇은제비꽃

영명: Thin-leaf violet

***Viola boissieuana* Makino, Bot. Mag. (Tokyo) 17: 127 1902 (R)**

국명: 각시제비꽃(Gak-si-je-bi-kkot), 각씨제비꽃, 뒷오랑캐 / (북한명) 각씨제비꽃, 뒷제비꽃

영명: Delicate violet

Viola pseudoselkirki Nakai, Bull. Soc. Bot. France 72: 195 1925

Viola sieboldii Maxim. subsp. *boissieuana* (Makino) F.Maek. & Hashim., J. Jap. Bot. 43: 162 1968

***Viola breviflora* J.S.Lee & M.Kim, Korean J. Pl. Taxon. 44: 84 2014 (E)**

국명: 방울제비꽃(Bang-ul-je-bi-kkot), 흰방울제비꽃

Viola breviflora J.S.Lee & M.Kim f. *albiflora* M.Kim, Korean Endemic Pl. 529 2017

Viola brevistipulata* W.Becker var. *brevistipulata

Viola brevistipulata* W.Becker var. *minor Nakai, Bot. Mag. (Tokyo) 47: 260 1933

국명: 텔노랑제비꽃(Teol-no-rang-je-bi-kkot), 누름꽃오랑캐, 큰노랑제비꽃, 큰산오랑캐, 텔누른오랑캐, 텔대제비꽃

■ VIOLACEAE 제비꽃과

영명: Hairy yellow violet

Viola kishidai Nakai, Bot. Mag. (Tokyo) 31: 69 1922

Viola brevistipulata W.Becker subsp. *brevistipulata* var. *minor* Nakai, Bot. Mag. (Tokyo) 47: 260 1933

Viola flaviflora Nakai, J. Jap. Bot. 15: 401 1939

Viola brevistipulata W.Becker subsp. *brevistipulata* var. *kishidai* (Nakai) F.Maek. & Hashim., J. Jap. Bot. 43: 161 1968

Viola brevistipulata W.Becker subsp. *minor* (Nakai) F.Maek. & Hashim., J. Jap. Bot. 43: 161 1968

Viola collina Besser, Enum. Pl. (Besser) 10 1822

국명: 둥근털제비꽃(Dung-geun-teol-je-bi-kkot), 둥근털오랑캐, 둉글제비꽃 / (북한명) 둥근털제비꽃

영명: Hill violet

Viola hirta L. var. *alpina* Ging., Prodr. (DC.) 2: 295 1824

Viola hirta L. var. *collina* (Besser) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 481 1861

Viola crassa Makino, Bot. Mag. (Tokyo) 19: 87 1905

국명: 구름제비꽃(Gu-reum-je-bi-kkot), 구름노랑제비꽃, 구름털제비꽃, 큰장백오랑캐 / (북한명) 구름제비꽃

영명: Alpine violet

Viola biflora L. var. *crassifolia* Makino, Bot. Mag. (Tokyo) 16: 139 1902

Viola crassa Makino var. *vegeta* Nakai, Bot. Mag. (Tokyo) 42: 565 1928

Viola crassa Makino var. *shikkensis* Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 133 1938

Viola diamantiaca Nakai, Bot. Mag. (Tokyo) 33: 205 1919 ⑧

국명: 금강제비꽃(Geum-gang-je-bi-kkot), 민금강제비꽃, 금강산제비꽃, 금강오랑캐 / (북한명) 금강제비꽃

영명: Geumgang violet

Viola diamantiaca Nakai var. *glabrior* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 1, Pl. Nov. Jehol.: 123 1934

Viola diamantiaca Nakai f. *glabrior* (Kitag.) Kitag., Neolin. Fl. Manshur. 453 1979

Viola dissecta Ledeb., Fl. Altaic. 1: 255 1829

국명: 간도제비꽃(Gan-do-je-bi-kkot), 갈래잎제비꽃

Viola epipsiloides A.Löve & D.Löve, Bot. Not. 128: 516 1975

국명: 누운제비꽃(Nu-un-je-bi-kkot), 누운오랑캐, 누은오랑캐, 누은제비꽃, 보홍제비꽃 / (북한명) 누운제비꽃

영명: Dwarf marsh violet

Viola epipsila Ledeb. subsp. *repens* W.Becker, Beih. Bot. Centralbl. 34: 406 1916

! *Viola repens* Turcz. ex Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 18 1856

Viola grypoceras A.Gray, Narr. Exped. China Japan 2: Append. 308 1856

국명: 낚시제비꽃(Nak-si-je-bi-kkot), 낚시오랑캐, 낚시오랑캐 / (북한명) 낚시제비꽃

영명: Creeping Korean violet

Viola sylvestris Lam. var. *grypoceras* (A.Gray) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 330 1877

Viola leveillei H.Boissieu, Bull. Acad. Int. Géogr. Bot. 11: 91 1902

Viola grypoceras A.Gray var. *barbata* W.Becker, Repert. Spec. Nov. Regni Veg. Beih. 12: 440 1922

Viola grypoceras A.Gray var. *grypoceras*

Viola grypoceras A.Gray var. *exilis* (Miq.) Nakai, Bot. Mag. (Tokyo) 36: 55 1922

국명: 좀낚시제비꽃(Jom-nak-si-je-bi-kkot), 흰좀낚시제비꽃, 애기낚시제비꽃, 흰애기낚시제비꽃 / (북한명) 왜낚시제비꽃, 흰왜낚시제비꽃

Viola sylvestris Lam. var. *exilis* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 154 1865

Viola coreana H.Boissieu, Bull. Soc. Bot. France 58: 213 1911

Viola grypoceras A.Gray f. *albiflora* Nakai, Bot. Mag. (Tokyo) 30: 281 1916

Viola grypoceras A.Gray var. *exilis* f. *albiflora* Nakai, Bot. Mag. (Tokyo) 36: 55 1922

Viola krugiana W.Becker, Repert. Spec. Nov. Regni Veg. 21: 261 1925

Viola pruniflora Nakai, Bot. Mag. (Tokyo) 42: 563 1928

Viola grypoceras A.Gray f. *chionantha* F.Maek., Enum. Sperm. Jap. 3: 202 1954

Viola grypoceras A.Gray var. *pubescens* Nakai, Bot. Mag. (Tokyo) 36: 55 1922

국명: 털낚시제비꽃(Teol-nak-si-je-bi-kkot)

영명: Hairy creeping violet

Viola hirtipes S.Moore, J. Linn. Soc., Bot. 17: 379, t. 16, f. 6 1879

국명: 흰털제비꽃(Huin-teol-je-bi-kkot), 광능오랑캐, 광릉제비꽃, 솜제비꽃, 흰털오랑캐 / (북한명) 흰털제비꽃

영명: White-hair violet

Viola miyabei Makino, Bot. Mag. (Tokyo) 16: 124 1902

Viola phalacrocarpa Maxim. var. *pallida* Yatabe, Bot. Mag. (Tokyo) 16: 102 1902

Viola hirtipes S.Moore var. *lanata* Nakai, Chosen Shokubutsu 125 1914

Viola hirtipes S.Moore var. *grisea* Nakai, Bot. Mag. (Tokyo) 30: 284 1916

Viola kamibayashii Nakai, Bot. Mag. (Tokyo) 30: 287 1916

Viola hirtipedoides W.Becker, Repert. Spec. Nov. Regni Veg. 17: 73 1921

Viola hirtipes S.Moore var. *miyabei* (Makino) Nakai, Bot. Mag. (Tokyo) 36: 85 1922

Viola hirtipes S.Moore f. *grisea* (Nakai) Hiyama, J. Jap. Bot. 28: 94 1953

Viola hondoensis W.Becker & H.Boissieu, Bull. Herb. Boissier ser. 2, 8: 739 1908

국명: 아욱제비꽃(A-uk-je-bi-kkot)

영명: Chinese mallow-leaf violet

Viola teshioensis Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 14: 187 1936

Viola ibukiana Makino, Bot. Mag. (Tokyo) 19: 106 1902 Ⓢ

국명: 화엄제비꽃(Hwa-eom-je-bi-kkot), 화엄오랑캐 / (북한명) 화엄제비꽃

영명: Hwaeom violet

Viola japonica Langsd. ex DC., Prodr. (DC.) 1: 295 1824

국명: 왜제비꽃(Wae-je-bi-kkot), 알록오랑캐, 얼룩왜제비꽃, 왜오랑캐, 작은제비꽃, 좀제비꽃, 주걱오랑캐 / (북한명) 왜제비꽃

■ VIOLACEAE 제비꽃과

영명: **Japanese violet**

Viola meta-japonica Nakai, Bull. Soc. Bot. France 72: 192 1925

Viola japonica Langsd. ex DC. var. *variegata* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 132 1934

Viola japonica Langsd. ex DC. f. *variegata* (Hatus.) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 205 1954

***Viola kapsanensis* Nakai**, Bot. Mag. (Tokyo) 36: 35 1922 **E R**

국명: **갑산제비꽃**(Gap-san-je-bi-kkot), 갑산오랑캐 / (북한명) 갑산제비꽃

영명: **Gapsan violet**

***Viola keiskei* Miq.**, Ann. Mus. Bot. Lugduno-Batavi 2: 153 1865

국명: **잔털제비꽃**(Jan-teol-je-bi-kkot), 등근잔털제비꽃, 등근잎제비꽃, 잔털오랑캐, 털등근잎제비꽃 / (북한명) 등근잎제비꽃

영명: **Short-hair violet**

Viola keiskei Miq. var. *okuboi* Makino, Bot. Mag. (Tokyo) 16: 133 1902

Viola okuboi (Makino) Makino, Bot. Mag. (Tokyo) 17: 85 1903

Viola okuboi (Makino) Makino var. *glabra* Makino, Bot. Mag. (Tokyo) 17: 86 1903

Viola hirta L. f. *keiskei* (Miq.) Makino, Bot. Mag. (Tokyo) 17: 86 1903

Viola keiskei Miq. var. *glabra* W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 252 1916

Viola keiskei Miq. f. *glaberrima* Becker, Beih. Bot. Centralbl. Abt. 2, 40: 155 1923

Viola keiskei Miq. f. *okuboi* (Makino) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 205 1954

***Viola kusanoana* Makino**, Bot. Mag. (Tokyo) 26: 173 1912

국명: **큰졸방제비꽃**(Keun-jol-bang-je-bi-kkot), 섬오랑캐, 섬제비꽃, 왕졸방나물, 죽도오랑캐, 죽도제비꽃 / (북한명) 큰졸방제비꽃

영명: **Northern long-stem violet**

Viola silvestriformis W.Becker, Beih. Bot. Centralbl. 34: 242 1916

Viola kusanoana Makino var. *glabra* Nakai, Bot. Mag. (Tokyo) 36: 57 1922

Viola dageletiana Nakai, Bull. Soc. Bot. France 72: 195 1925

! *Viola insularis* Nakai, Bot. Mag. (Tokyo) 32: 108 1918

***Viola lactiflora* Nakai**, Bot. Mag. (Tokyo) 28: 329 1914

국명: **흰젖제비꽃**(Huin-jeot-je-bi-kkot), 흰꽃오랑캐, 흰애기제비꽃, 흰젓오랑캐, 흰젖제비꽃 / (북한명) 흰젖제비꽃

영명: **Milky-white violet**

Viola limprichtiana W.Becker, Bot. Jahrb. Syst. 54: 184 1917

***Viola mandshurica* W.Becker**, Bot. Jahrb. Syst. 54: 179 1917

국명: **제비꽃**(Je-bi-kkot), 가락지꽃, 민오랑캐꽃, 병아리꽃, 씨름꽃, 앉은뱅이꽃, 오랑캐꽃, 옥녀제비꽃, 외나물, 장수꽃, 참제비꽃, 참털제비꽃, 큰제비꽃, 거문도제비꽃, 거문제비꽃 / (북한명) 제비꽃, 오랑캐꽃

영명: **Manchurian violet**

Viola patrinii DC. ex Ging. var. *macrantha* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 48 1859

Viola chinensis (G.Don) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 446 1911

- Viola chinensis* (G.Don) Nakai var. *media* Nakai, Bot. Mag. (Tokyo) 30: 284 1916
Viola chinensis (G.Don) Nakai var. *transitica* Nakai, Bot. Mag. (Tokyo) 30: 283 1916
Viola mandshurica W.Becker var. *ciliata* Nakai, Bot. Mag. (Tokyo) 36: 60 1922
Viola mandshurica W.Becker var. *glabra* Nakai, Bot. Mag. (Tokyo) 36: 60 1922
Viola albida Palib. subsp. *marginata* W.Becker, Beih. Bot. Centralbl. 40: 141 1924
Viola oldhamiana Nakai, Bot. Mag. (Tokyo) 42: 559 1928
Viola oblongosagittata Nakai f. *ishizakii* Yamam., J. Soc. Trop. Agric. 5: 352 1933
Viola mandshurica W.Becker f. *macrantha* (Maxim.) Nakai ex Kitag., Lin. Fl. Manshur. 321 1939
Viola mandshurica W.Becker var. *media* (Nakai) Hiyama, J. Jap. Bot. 28: 93 1953
Viola mandshurica W.Becker var. *glabripetala* Hiyama, J. Jap. Bot. 28: 93 1953
Viola mandshurica W.Becker f. *ciliata* (Nakai) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 207 1954
Viola mandshurica W.Becker f. *glabra* (Nakai) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 208 1954
Viola hsinganensis Taken., Sci. Contr. Northeast Norm. Univ. 1: 81 1955
Viola patrinii DC. ex Ging. var. *gmeliniana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 152 1965

Viola mirabilis L., Sp. Pl. 2: 936 1753 (R)

국명: 넓은잎제비꽃(Neol-beun-ip-je-bi-kkot), 넓은잎오랑캐, 넓은제비꽃, 참넓은잎제비꽃 / (북한명) 넓은잎제비꽃
영명: Wonder violet

- Viola apetala* Gilib., Fl. Lit. Inch. 2: 124 1782
Viola mirabilis L. var. *subglabra* Ledeb., Fl. Ross. (Ledeb.) 1: 251 1842
Viola mirabilis L. var. *vulgaris* Ledeb., Fl. Ross. (Ledeb.) 1: 251 1842
Viola brachysepala Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 50 1859
Viola mirabilis L. var. *brachysepala* (Maxim.) Regel, Bull. Soc. Imp. Naturalistes Moscou 4: 450 1861
Viola mirabilis L. var. *kusnetzoffii* Regel, Bull. Soc. Imp. Naturalistes Moscou 4: 450 1861
Viola mirabilis L. var. *subglabra* Ledeb. f. *strigosa* W.Becker, Fl. Aziat. Ross. 8: 29 1915
Viola mirabilis L. var. *glaberrima* W.Becker, Beih. Bot. Centralbl. 24: 237 1916
Viola mirabilis L. var. *brevicalcarata* Nakai, Bot. Mag. (Tokyo) 33: 9 1919
Viola mirabilis L. var. *platysepala* Kitag., Bot. Mag. (Tokyo) 48: 103 1934

Viola mongolica Franch., Pl. David. 1: 42 1884

국명: 경성제비꽃(Gyeong-seong-je-bi-kkot)

영명: Gyeongseong violet

- Viola yamatsutae* Ishid., J. Chosen Nat. Hist. Soc. 8: 38 1929

Viola muehldorffii Kiss, Bot. Közlem. 19: 92 1921

국명: 텔대제비꽃(Teol-dae-je-bi-kkot)

- Viola lasiostipes* Nakai, Bot. Mag. (Tokyo) 36: 32 1922

Viola obtusa (Makino) Makino, Bot. Mag. (Tokyo) 26: 151 1912

국명: 사향제비꽃(Sa-hyang-je-bi-kkot) / (북한명) 사향제비꽃

영명: Musky violet

- Viola ovato-oblonga* (Miq.) Makino var. *obtusa* Makino, Bot. Mag. (Tokyo) 26: 151 1912

■ VIOLACEAE 제비꽃과

***Viola orientalis* (Maxim.) W.Becker, Fl. Aziat. Ross. 8: 95 1915**

국명: 노랑제비꽃(No-rang-je-bi-kkot), 노랑오랑캐, 노랑오랑캐꽃 / (북한명) 노랑제비꽃

영명: Oriental yellow violet

Viola uniflora L. var. *orientalis* Maxim., Enum. Pl. Mongolia 1: 81 1889

Viola orientalis (Maxim.) W.Becker var. *conferta* W.Becker, Beih. Bot. Centralbl. 36: 50 1918

Viola conferta (W.Becker) Nakai, Bot. Mag. (Tokyo) 36: 31 1922

Viola xanthopetala Nakai, Bot. Mag. (Tokyo) 36: 29 1922

***Viola ovato-oblonga* (Miq.) Makino, Bot. Mag. (Tokyo) 21: 59 1907**

국명: 긴잎제비꽃(Gin-ip-je-bi-kkot), 제주오랑캐 / (북한명) 긴잎제비꽃

영명: Long-leaf violet

Viola sylvestris Lam. f. *ovato-oblonga* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 154 1865

Viola sylvestris Lam. var. *montana* Yatabe, Bot. Mag. (Tokyo) 6: 131 1892

Viola sylvestris Lam. var. *ovato-oblonga* (Miq.) Makino, Bot. Mag. (Tokyo) 16: 137 1902

Viola grypoceras A.Gray var. *ovato-oblonga* (Makino) W.Becker, Beih. Bot. Centralbl. Abt. 2, 40: 41 1923

Viola ovato-oblonga* (Miq.) Makino f. *ovato-oblonga

***Viola ovato-oblonga* (Miq.) Makino f. *pubescens* F.Mack., Enum. Sperm. Jap. 3: 211 1954**

국명: 털긴잎제비꽃(Teol-gin-ip-je-bi-kkot)

영명: Hairy long-leaf violet

***Viola patrinii* DC. ex Ging., Prodr. (DC.) 1: 293 1824**

국명: 흰제비꽃(Huin-je-bi-kkot), 민흰제비꽃, 털대흰제비꽃, 털흰씨름꽃, 털흰제비꽃, 흰씨름꽃, 흰오랑캐 / (북한명) 흰제비꽃

영명: White-flower violet

Viola primulifolia L. var. *glabra* Nakai, Bull. Soc. Bot. France 72: 190 1925

Viola patrinii DC. ex Ging. var. *glabra* (Nakai) F.Mack. ex H.Hara, Enum. Sperm. Jap. 3: 212 1954

***Viola phalacrocarpa* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 726 1876**

국명: 털제비꽃(Teol-je-bi-kkot), 민동제비꽃, 이시도야오랑캐, 이시도야제비꽃, 털씨름꽃, 털오랑캐 / (북한명) 털제비꽃

영명: Red-flower violet

Viola hirta L. var. *glabella* Regel, Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 4: 77 1861

Viola prionantha Bunge var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 153 1865

Viola coniliifera Franch. & Sav., Enum. Pl. Jap. 2: 285 1878

Viola ishidoyana Nakai, Bot. Mag. (Tokyo) 30: 288 1916

Viola oudemansii W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 422 1916

Viola pseudoprionantha W.Becker, Beih. Bot. Centralbl. 34: 423 1917

Viola phalacrocarpa Maxim. var. *ishidoyana* (Nakai) Nakai, Bot. Mag. (Tokyo) 36: 85 1922

Viola phalacrocarpa Maxim. f. *phalacrocarpa*

Viola phalacrocarpa Maxim. f. *glaberrima* (W.Becker) F.Mack. ex H.Hara, Enum. Sperm. Jap. 3: 213 1954

국명: 민동제비꽃(Min-dung-je-bi-kkot), 대둔산오랑캐, 민동산제비꽃, 털제비꽃 / (북한명) 민동제비꽃

영명: Glabrous red-flower violet

Viola nipponica Makino, Bot. Mag. (Tokyo) 21: 56 1907

Viola phalacrocarpoides Makino, Bot. Mag. (Tokyo) 23: 136 1909

Viola phalacrocarpa Maxim. var. *glaberrima* W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 246 1916

Viola reichii W.Becker, Beih. Bot. Centralbl. 34: 422 1917

Viola philippica Cav., Icon. (Cavanilles) 6: 19 1801

국명: 호제비꽃(Ho-je-bi-kkot), 들오랑캐, 들제비꽃 / (북한명) 들제비꽃, 호제비꽃

영명: Field purple-flower violet

Viola microphylla Phil., Linnaea 28: 611 1857

Viola yedoensis Makino, Bot. Mag. (Tokyo) 26: 148 1912

Viola philippica Cav. subsp. *munda* W.Becker, Bot. Jahrb. Syst. 54: 175 1917

Viola alisoviana Kiss, Bot. Közlem. 19: 93 1921

Viola raddeana Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 463 1861 ⓘ

국명: 선제비꽃(Seon-je-bi-kkot), 선씨름꽃, 선오랑캐 / (북한명) 선제비꽃

영명: Erect violet

Viola deltoidea Yatabe, Bot. Mag. (Tokyo) 5: 318 1891

Viola raddeana Regel var. *japonica* Makino, Bot. Mag. (Tokyo) 6: 50 1892

Viola ramiflora K.O.Yoo, Korean J. Pl. Taxon. 49(2): 140 2019 ⓘ

국명: 가지제비꽃(Ga-ji-je-bi-kkot)

Viola rossii Hemsl., J. Linn. Soc., Bot. 23: 54 1886

국명: 고깔제비꽃(Go-kkal-je-bi-kkot), 고깔오랑캐 / (북한명) 고깔제비꽃

영명: Conical-leaf violet

Viola pachyrhiza Franch., Bull. Soc. Bot. France 26: 84 1879

Viola franchetii H.Boissieu, Bull. Soc. Bot. France 47: 321 1900

Viola matsumurae Makino, Bot. Mag. (Tokyo) 16: 134 1902

Viola saccharinensis H.Boissieu, Bull. Soc. Bot. France 57: 188 1910

국명: 왜줄방제비꽃(Wae-jol-bang-je-bi-kkot), 북줄방제비꽃, 사하린오랑캐, 왕줄방제비꽃, 참줄방나물,

참줄방제비꽃 / (북한명) 참줄방제비꽃

영명: Sakhalin violet

Viola canina L. var. *kamtschatica* Ging., Linnaea 1: 407 1826

Viola komarovii W.Becker, Beih. Bot. Centralbl. 34: 237 1916

Viola koraiensis Nakai, Bot. Mag. (Tokyo) 30: 281 1916

■ VIOLACEAE 제비꽃과

Viola mutsuensis W.Becker, Beih. Bot. Centralbl. 34: 241 1916

Viola sacchalinensis H.Baissieu var. *alpina* P.Y.Fu & Y.C.Teng, Fl. Pl. Herb. Chin. Bor.-Or. 6: 291 1977

Viola selkirkii Pursh ex Goldie, Edinburgh Philos. J. 6: 324 1822

국명: **뫼제비꽃**(Moe-je-bi-kkot), 메오랑캐, 메제비꽃, 멧제비꽃, 뫠오랑캐, 뮛오랑캐, 산제비꽃, 알록뫼제비꽃, 알록메제비꽃, 흰뫼제비꽃, 흰메제비꽃 / (북한명) 뫠제비꽃, 흰메제비꽃

영명: **Great-spur violet**

Viola hirta L. var. *umbrosa* Wahlenb., Fl. Suec. [Wahlenberg] 1: 543 1826

Viola kamtschatica Ging., Linnaea 1: 406 1826

Viola imberbis Ledeb., Fl. Altaic. 1: 257 1828

Viola umbrosa Fr., Novit. Fl. Suec. Alt. ed. 2: 271 1828

Viola borealis Weinm., Linnaea 10: 66 1835

Viola kamtschatica Ging. var. *umbrosa* Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 227 1861

Viola selkirkii Pursh ex Goldie var. *subglabra* W.Becker, Fl. Aziat. Ross. 8: 73 1915

Viola selkirkii Pursh ex Goldie var. *angustistipulata* W.Becker, Beih. Bot. Centralbl. 34: 245 1917

Viola selkirkii Pursh ex Goldie var. *brevicalcarata* W.Becker, Beih. Bot. Centralbl. 34: 414 1917

Viola selkirkii Pursh ex Goldie var. *albiflora* Nakai, Bot. Mag. (Tokyo) 33: 9 1919

Viola selkirkii Pursh ex Goldie var. *variegata* Nakai, Bot. Mag. (Tokyo) 36: 37 1922

Viola selkirkii Pursh ex Goldie var. *glabrescens* W.Becker & Hultén, Ark. Bot. 22: A-3 1928

Viola selkirkii Pursh ex Goldie f. *albiflora* (Nakai) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 217 1954

Viola selkirkii Pursh ex Goldie f. *subglabra* (W.Becker) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 217 1954

Viola selkirkii Pursh ex Goldie f. *variegata* (Nakai) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 217 1954

Viola seoulensis Nakai, Bot. Mag. (Tokyo) 32: 218 1918 **E**

국명: **서울제비꽃**(Seo-ul-je-bi-kkot), 서울오랑캐 / (북한명) 서울제비꽃, 긴털제비꽃

영명: **Seoul violet**

Viola takesimana Nakai, Bot. Mag. (Tokyo) 36: 34 1922

국명: **섬제비꽃**(Seom-je-bi-kkot)

영명: **Ulleungdo violet**

Viola tenuicornis W.Becker, Beih. Bot. Centralbl. 34: 248 1916

국명: **자주알록제비꽃**(Ja-ju-al-rok-je-bi-kkot) / (북한명) 자주알록제비꽃

영명: **Purple variegated-leaf violet**

Viola variegata Fisch. ex Link var. *chinensis* Bunge ex Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 226 1861

Viola variegata Fisch. ex Link var. *nipponica* Makino, Bot. Mag. (Tokyo) 16: 159 1902

Viola tenuicornis W.Becker subsp. *trichosepala* W.Becker, Beih. Bot. Centralbl. 34: 248 1916

Viola trichosepala (W.Becker) Juz., Fl. URSS 15: 416 1949

Viola variegata Fisch. ex Link f. *nipponica* (Makino) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 220 1954

Viola thibaudieri Franch. & Sav., Enum. Pl. Jap. 2: 290 1878 **R**

국명: **여뀌잎제비꽃**(Yeo-kkwi-ip-je-bi-kkot)

영명: **Persicaria-leaf violet**

Violaceae Makino var. *tokubuchiana*

Violaceae Makino var. *takedana* (Makino) F.Maek., Enum. Sperm. Jap. 3: 28 1954

국명: 민둥뫼제비꽃(Min-dung-moe-je-bi-kkot), 거친털제비꽃, 민둥메제비꽃, 성긴털제비꽃, 양지오랑캐,
양지제비꽃, 조선씨름꽃, 줄민둥뫼제비꽃 / (북한명) 민둥뫼제비꽃

영명: Sunny violet

Violaceae Makino, Bot. Mag. (Tokyo) 21: 57 1907

Violaceae Nakai, Bot. Mag. (Tokyo) 28: 312 1914

Violaceae Makino var. *tenuicornis* Nakai, Bot. Mag. (Tokyo) 36: 60 1922

Violaceae Makino var. *takedana* (Makino) F.Maek. f. *variegata* (Nakai) Makino, Ill. F. Nippon 314 1940

Violaceae Makino var. *tenuicornis* (Nakai) F.Maek. ex Hashim., J. Jap. Bot. 43: 162 1968

Violaceae Makino var. *tenuicornis* (Nakai) F.Maek. ex Hashim. f. *takedana* (Makino) F.Maek. ex Hashim., J. Jap. Bot. 43: 162 1968

Violaceae Makino var. *scabrida* (Nakai) M.Kim, Korean Endemic Pl. 142 2017

Violaceae M.Kim & J.S.Lee, Korean J. Pl. Taxon. 42: 203 2012 (E)

국명: 울릉제비꽃(Ul-reung-je-bi-kkot) / (북한명) 울릉제비꽃

Violaceae M.Kim & J.S.Lee f. *ulleungdoensis*

Violaceae M.Kim & J.S.Lee f. *albiflora* M.Kim, Korean J. Pl. Taxon. 42: 204 2012

국명: 흰울릉제비꽃(Huin-ul-reung-je-bi-kkot)

Violaceae Fisch. ex Link, Enum. Hort. Berol. Alt. 1: 240 1821

국명: 알록제비꽃(Al-rok-je-bi-kkot), 알록오랑캐, 얼룩오랑캐, 청알록제비꽃, 청자오랑캐 / (북한명) 알록제비꽃

영명: Variegated-leaf violet

Violaceae Turcz., Bull. Soc. Imp. Naturalistes Moscou 15: 298 1842

Violaceae Fisch. ex Link var. *ircutiana* (Turcz.) Regel, Bull. Soc. Imp. Naturalistes Moscou 34: 226 1861

Violaceae umemurae Makino, Bot. Mag. (Tokyo) 16: 131 1902

Violaceae Fisch. ex Link f. *glaberrima* W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 247 1916

Violaceae baicalensis W.Becker, Beih. Bot. Centralbl. 34: 250 1917

Violaceae tenuicornis W.Becker subsp. *baicalensis* (W.Becker), Beih. Bot. Centralbl. 34: 251 1917

Violaceae tenuicornis W.Becker subsp. *primorskajensis* W.Becker, Beih. Bot. Centralbl. 34: 250 1917

Violaceae variegata Fisch. ex Link var. *viridis* Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 264 1937

Violaceae variegata Fisch. ex Link f. *ircutiana* (Turcz.) F.Maek. ex H.Hara, Enum. Sperm. Jap. 3: 220 1954

Violaceae variegata Fisch. ex Link f. *viridis* (Kitag.) P.Y.Fu & Y.C.Teng, Fl. Pl. Herb. Chin. Bor.-Or. 6: 105 1977

Violaceae A.Gray var. *verecunda*

Violaceae A.Gray var. *semilunaris* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 335 1877

국명: 반달콩제비꽃(Ban-dal-kong-je-bi-kkot) / (북한명) 반달콩제비꽃

■ VIOLACEAE 제비꽃과

영명: Semilunar-leaf violet

Viola semilunaris (Maxim.) W.Becker, Beih. Bot. Centralbl. Abt. 2, 34: 231 1916

Viola violacea Makino, Ill. Fl. Japan 1: t. 67 1891

국명: 자주잎제비꽃(Ja-ju-ip-je-bi-kkot), 오랑캐제비꽃, 자주등제비꽃, 자주잎오랑캐, 자주제비꽃 /
(북한명) 제주제비꽃, 오랑캐제비꽃

영명: Purple-leaf violet

Viola makinoi H.Boissieu, Bull. Soc. Bot. France 47: 320 1900

Viola obtusosagitta Koidz., Bot. Mag. (Tokyo) 39: 29 1925

Viola sacraricola Nakai, Bot. Mag. (Tokyo) 42: 561 1928

Viola websteri Hemsl., J. Linn. Soc., Bot. 23: 56 1886 Ⓢ

국명: 왕제비꽃(Wang-je-bi-kkot), 왕오랑캐 / (북한명) 왕제비꽃

Viola woosanensis Y.N.Lee & J.G.Kim, Korean J. Pl. Taxon. 28: 30 1998 Ⓣ

국명: 우산제비꽃(U-san-je-bi-kkot)

영명: Ulleungdo sweet violet

Viola yazawana Makino, Bot. Mag. (Tokyo) 16: 158 1902

국명: 애기금강제비꽃(Ae-gi-geum-gang-je-bi-kkot)

영명: Dwarf Geumgang violet

Viola × chejuensis Y.N.Lee & Y.C.Oh, Bull. Korea Pl. Res. 5: 13 2005

국명: 제주제비꽃(Je-ju-je-bi-kkot)

Viola × jindoensis M.Kim, Korean Endemic Pl. 149 2017

국명: 진도제비꽃(Jin-do-je-bi-kkot)

Viola × palatina Y.N.Lee, Bull. Korea Pl. Res. 5: 15 2005

국명: 창덕제비꽃(Chang-deok-je-bi-kkot)

Viola × wansanensis Y.N.Lee, Bull. Korea Pl. Res. 4: 19 2004

국명: 완산제비꽃(Wan-san-je-bi-kkot)

ELATINACEAE 물별과

Elatine L. 물별속

Elatine ambigua Wight, Bot. Misc. 2: 103 1831

국명: 물별(Mul-byeo) / (북한명) 참물별

영명: Pedicellate three-stamen waterwort

Elatine triandra Schkuhr var. *pedicellata* Krylov, Fl. Altai Gov. Tomsk 1: 181 1901

Elatine triandra Schkuhr, Bot. Handb. 1: 345 1791

국명: 물벼룩이자리(Mul-byeo-ruk-i-ja-ri), 물별, 개물별꽃 / (북한명) 물별

영명: Three-stamen waterwort

Alsinastrum triandrum (Schkuhr) Rupr., Fl. Ingr. [Ruprecht] 197 1860

Elatine tetrandra Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 32: 484 1888

Potamopitys triandra (Schkuhr) Kuntze, Revis. Gen. Pl. 1: 58 1891

Elatine orientalis Makino, Bot. Mag. (Tokyo) 12: 196 1898

Elatine triandra Schkuhr var. *orientalis* (Makino) Makino, J. Jap. Bot. 5: 17 1928

Elatine oryzetorum Kom., Izv. Bot. Sada Akad. Nauk S.S.R 30: 206 1931

CUCURBITACEAE 박과

Actinostemma Griff. 뚜껑덩굴속

Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 175 1875

국명: 뚜껑덩굴(Ttu-kkeong-deong-gul), 개뚜껑덩굴, 단풍잎뚝껑덩굴, 합자초 / (북한명) 단풍잎뚜껑덩굴

영명: Lobed actinostemma

Mitrosicyos lobata Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 112 1859

Mitrosicyos racemosa Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 112 1859

Actinostemma japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 188 1867

Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *japonicum* Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 175 1873

Actinostemma racemosum Maxim. ex Cogn., Monogr. Phan. 3: 922 1881

Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *palmatum* Makino, Bot. Mag. (Tokyo) 20: 26 1906

Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *subintegrum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 548 1907

Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. var. *longilobum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 548 1907

Actinostemma lobatum (Maxim.) Maxim. ex Franch. & Sav. f. *subintegrum* (Kom.) Kitag., Neolin. Fl. Manshur. 598 1979

Gynostemma Blume 돌외속

Gynostemma pentaphyllum (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 179 1902

국명: 돌외(Dol-oe), 덩굴차, 물외 / (북한명) 돌외

영명: Five-leaf gynostemma

Vitis pentaphylla Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 244 1784

Gynostemma pedatum Blume, Bijdr. Fl. Ned. Ind. 1: 23 1825

Enkylia digyna Griff., Account Bot. Coll. Cantor 27 1845

■ CUCURBITACEAE 박과

Enkylia trigyna Griff., Account Bot. Coll. Cantor 27 1845
Alsomitra cissoides M.Roem., Fam. Nat. Syn. Monogr. 2: 118 1846
Pestalozzia pedata (Blume) Zoll. & Moritzi, Syst. Verz. (Moritzi et al.) 31 1846
Zanonia pedata (Blume) Miq., Fl. Ned. Ind. 1: 683 1856
Vitis quelpaertensis H.Lév., Repert. Spec. Nov. Regni Veg. 10: 351 1911
Gynostemma siamicum Craib, Bull. Misc. Inform. Kew 1918: 362 1918

***Melothria* L. 새박속**

Melothria japonica (Thunb.) Maxim. ex Cogn., Monogr. Phan. 3: 599 1881 ⓤ

국명: 새박(Sae-bak) / (북한명) 새박

영명: Bird's egg cucumber

Bryonia japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 870 1784

Zehneria japonica (Thunb.) H.Y. Liu, Bull. Natl. Mus. Nat. Sci. (Taichung) 1: 40 1989

***Schizopepon* Maxim. 산외속**

Schizopepon bryoniifolius Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 111 1859

국명: 산외(San-oe), 노랑하늘타리 / (북한명) 산외

영명: Cracking melon

Schizopepon bryoniifolius Maxim. var. *japonicus* Cogn., Monogr. Phan. 3: 917 1881

Schizopepon bryoniifolius Maxim. var. *paniculatus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 550 1907

***Thladiantha* Bunge 왕과속**

Thladiantha dubia Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 29 1833 ⓤ

국명: 왕과(Wang-gwa), 주먹외, 큰새박 / (북한명) 쥐참외, 왕과

***Trichosanthes* L. 하늘타리속**

Trichosanthes cucumeroides (Ser.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 1: 172 1873

국명: 붉은하늘타리(Bul-geun-ha-neul-ta-ri)

Trichosanthes kirilowii Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 482 1859

국명: 하늘타리(Ha-neul-ta-ri), 자주꽃하늘수박, 쥐참외, 하늘수박, 하늘수박 / (북한명) 하늘타리, 하늘수박

영명: Mongolian snakegourd

Trichosanthes kirilowii* Maxim. var. *kirilowii

Trichosanthes kirilowii* Maxim. var. *japonica Kitam., J. Jap. Bot. 19: 29 1943

국명: 노랑하늘타리(No-rang-ha-neul-ta-ri), 섬하늘타리, 쥐참외, 흰꽃하늘수박

영명: Yellow Mongolian snakegourd

Gymnopetalum japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 82 1865

LYTHRACEAE 부처꽃과

Ammannia L. 좀부처꽃속

Ammannia multiflora Roxb., Fl. Ind. (Carey & Wall. ed.) 1: 447 1820

국명: 좀부처꽃(Jom-bu-cheo-kkot), 각시마디꽃

영명: Many-flower ammannia

Ammannia parviflora DC., Prodr. (DC.) 3: 77 1828

Ammannia australasica F.Muell., Trans. Philos. Soc. Victoria 1: 41 1855

Suffrenia dichotoma Miq., Fl. Ned. Ind. 1: 616 1855

Ammannia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 261 1866

Ammannia multiflora Roxb. var. *parviflora* (DC.) Koehne, Bot. Jahrb. Syst. 1: 248 1880

Lythrum L. 부처꽃속

Lythrum salicaria L., Sp. Pl. 1: 446 1753

국명: 텔부처꽃(Teol-bu-cheo-kkot), 좀부처꽃, 참부처꽃, 텔두렁꽃 / (북한명) 텔부처꽃

영명: Hairy purple loosestrife

Lythrum salicaria L. subsp. *salicaria*

Lythrum salicaria L. subsp. *anceps* (Koehne) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 86 1952

국명: 부처꽃(Bu-cheo-kkot), 두렁꽃 / (북한명) 부처꽃

영명: Purple loosestrife

Lythrum salicaria L. var. *anceps* Koehne, Pflanzenr. (Engler) IV. 216: 76 1903

Lythrum anceps (Koehne) Makino, Bot. Mag. (Tokyo) 22: 169 1908

Rotala L. 마디꽃속

Rotala indica (Willd.) Koehne, Bot. Jahrb. Syst. 1: 172 1880

국명: 마디꽃(Ma-di-kkot), 개마디꽃, 마디풀, 새마디꽃, 새마디풀, 참마디꽃 / (북한명) 마디꽃

영명: Indian rotala

Peplis indica Willd., Sp. Pl. (ed.5) 2: 244 1799

Ameletia uliginosa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 261 1866

Rotala indica (Willd.) Koehne var. *uliginosa* (Miq.) Koehne, Bot. Jahrb. Syst. 1: 173 1880

Rotala densiflora Koehne var. *formosana* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 22: 149 1906

Rotala indica (Willd.) Koehne var. *koreana* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 236 1909

■ LYTHRACEAE 부처꽃과

Rotala elatinomorpha Makino, Bot. Mag. (Tokyo) 24: 100 1910

Rotala koreana (Nakai) T.Mori, Enum. Pl. Corea 261 1922

Rotala uliginosa (Miq.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 80 1952

***Rotala mexicana* Cham. & Schltdl., Linnaea 5: 67 1830**

국명: **가는마디꽃**(Ga-neun-ma-di-kkot), 가는마디풀, 물솔잎 / (북한명) 가는마디꽃, 가는물마디꽃

영명: **Diminutive rotala**

Rotala pusilla Tul., Ann. Sci. Nat., Bot. ser. 4, 6: 128 1856

Ammannia littorea Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 261 1864

Ammannia pygmaea Kurz, J. Bot. 5: 376 1867

Hypobrichia spruceana Benth., Gen. Pl. 1: 777 1867

Rotala leptopetala var. *littorea* (Miq.) Koehne, Bot. Jahrb. Syst. 1: 162 1880

Rotala mexicana Cham. & Schltdl. var. *spruceana* (Benth.) Koehne, Bot. Jahrb. Syst. 1: 151 1881

Rotala mexicana Cham. & Schltdl. subsp. *pusilla* (Tul.) Koehne, Pflanzenr. (Engler) IV, 17: 30 1903

Rotala littorea (Miq.) Nakai, Chosen Shokubutsu 359 1914

***Rotala rosea* (Poir.) C.D.K.Cook ex H.Hara, Enum. Fl. Pl. Nepal 2: 173 1979**

국명: **물마디꽃**(Mul-ma-di-kkot), 개마디꽃, 물마디풀 / (북한명) 물마디꽃

Ammannia rosea Poir., Encycl. Suppl. 1: 329 1810

TRAPACEAE 마름과

***Trapa* L. 마름속**

***Trapa incisa* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 134 1846**

국명: **애기마름**(Ae-gi-ma-reum), 마름, 좀마름 / (북한명) 애기마름

영명: **Tiny water-chestnut**

Trapa bispinosa Roxb. var. *incisa* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 171 1875

Trapa natans L. var. *incisa* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 22: 172 1908

***Trapa japonica* Flerow, Izv. Glavn. Bot. Sada RSFSR 24: 39 1925**

국명: **마름**(Ma-reum), 골뱅이 / (북한명) 마름, 골뱅이

영명: **East Asian water-chestnut**

***Trapa natans* L., Sp. Pl. 1: 120 1753**

국명: **네마름**(Ne-ma-reum), 만주애기마름, 유전마름

영명: **Common water-chestnut**

Trapa bicornis Osbeck, Dagb. Ostind. Resa 191 1757

Trapa quadrifispinosa Roxb., Hort. Bengal. 11 1814

Trapa bispinosa Roxb., Pl. Coromandel 3: 29 1815

- Trapa maximowiczii* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 336 1892
Trapa antennifera H.Lév., Bull. Acad. Int. Géogr. Bot. 8: 229 1899
Trapa natans L. f. *quadrispionsa* (Roxb.) Makino, Bot. Mag. (Tokyo) 22: 172 1908
Trapa natans L. var. *rubeola* Makino, Bot. Mag. (Tokyo) 27: 251 1913
Trapa bispinosa Roxb. var. *jinumae* Nakano, Bot. Jaarb. 50: 455 1913
Trapa amurensis Flerow, Izv. Glavn. Bot. Sada RSFSR 24: 34 1925
Trapa chinensis Lour. var. *fлерови* Skvortsov, Izv. Glavn. Bot. Sada SSSR 26: 628 1927
Trapa natans L. var. *bispinosa* (Roxb.) Makino, Fl. Japan (ed. 2) [Makino & Nemoto] 814 1931
Trapa natans L. var. *amurensis* (Flerow) Kom., Opred. Rast. Dal'nevost. Kraia 2: 779 1932
Trapa komarovii V.N.Vassil., Fl. URSS 15: 647, 693 t. 32 fig. 4 1949
Trapa bicornis Osbeck var. *iwasakii* (Nakano) Nakano, Bot. Mag. (Tokyo) 77: 165 1964
Trapa natans L. var. *pumila* Nakano, Bot. Mag. (Tokyo) 77: 166 1964
Trapa bicornis Osbeck var. *jinumae* (Nakano) Nakano, Bot. Mag. (Tokyo) 77: 165 1964

Trapa natans* L. var. *natans

Trapa natans* L. var. *japonica Nakai, J. Jap. Bot. 18: 429 1942

국명: **포평마름**(Po-pyeong-ma-reum)

영명: **Popyeong water-chestnet**

Trapa pseudoincisa Nakai, J. Jap. Bot. 18: 436 1942

국명: **물마름**(Mul-ma-reum)

영명: **Small water-chestnut**

ONAGRACEAE 바늘꽃과

***Circaeа* L. 털이슬속**

***Circaeа alpina* L.**, Sp. Pl. 1: 9 1753

국명: **쥐털이슬**(Jwi-teol-i-seul), 두메털이슬, 큰쥐털이슬 / (북한명) 쥐털이슬

영명: **Alpine enchanter's nightshade**

Circaeа minima L., Mant. Pl. 2: 316 1771

Circaeа lutetiana L. var. *alpestris* Schur, Enum. Pl. Transsilv. 214 1866

Circaeа lutetiana L. subsp. *alpina* (L.) H.Lév., Monde Pl. 7: 71 1898

Carlostephania minor Bubani, Fl. Pyren. 2: 660 1899

Circaeа alpina L. var. *rosulata* H.Hara, J. Jap. Bot. 10: 591 1934

Circaeа caulescens (Kom.) Nakai ex H.Hara var. *glabra* H.Hara, J. Jap. Bot. 10: 590 1934

Circaeа alpina* L. subsp. *alpina

Circaeа alpina* L. subsp. *caulescens (Kom.) Tatew., Rep. Veg. Is. Shikotan 44 1940

■ ONAGRACEAE 바늘꽃과

국명: **개털이슬**(Gae-teol-i-seul), **말털이슬**, **털이슬** / (북한명) **큰쥐털이슬**

영명: **Pilose enchanter's nightshade**

Circaeа alpina L. var. *caulescens* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 99 1907

Circaeа caulescens (Kom.) Nakai ex H.Hara var. *pilosula* H.Hara, J. Jap. Bot. 10: 589 1934

Circaeа caulescens (Kom.) Nakai ex H.Hara, J. Jap. Bot. 10: 388 1934

Circaeа caulescens (Kom.) Nakai ex H.Hara var. *robusta* Nakai ex H.Hara, J. Jap. Bot. 10: 589 1934

Circaeа alpina L. var. *pilosula* (H.Hara) H.Hara, J. Jap. Bot. 20: 326 1944

Circaeа alpina L. f. *pilosula* (H.Hara) Kitag., Neolin. Fl. Manshur. 467 1979

Circaeа cordata Royle, Ill. Bot. Himal. Mts. 211 1834

국명: **쇠털이슬**(Soe-teol-i-seul) / (북한명) **쇠털이슬**

영명: **Cordata enchanter's nightshade**

Circaeа cardiophylla Makino, Bot. Mag. (Tokyo) 20: 42 1906

Circaeа bondinieri H.Lév., Bull. Acad. Int. Géogr. Bot. 22: 224 1912

Circaeа hybrica Hand.-Mazz., Symb. Sin. 7: 605 1933

Circaeа kitagawae H.Hara, J. Jap. Bot. 10: 595 1935

Circaeа erubescens Franch. & Sav., Enum. Pl. Jap. 2: 370 1878

국명: **붉은털이슬**(Bul-geun-teol-i-seul) / (북한명) **붉은털이슬**

영명: **Red-hair enchanter's nightshade**

Circaeа delavayi H.Lév., Repert. Spec. Nov. Regni Veg. 8: 138 1910

Circaeа kawakamii Hayata, Icon. Pl. Formosan. 5: 71 1915

Circaeа lutetiana L. subsp. ***lutetiana***

Circaeа lutetiana L. subsp. ***quadrисulcata*** (Maxim.) Asch. & Magnus, Bot. Zeitung (Berlin) 28: 287 1870

국명: **말털이슬**(Mal-teol-i-seul), **산털이슬**, **털이슬**, **푸른말털이슬** / (북한명) **털이슬**

영명: **Four-angle enchanter's nightshade**

Circaeа lutetiana L. f. *quadrисulcata* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 106 1859

Circaeа quadrисulcata (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 169 1873

Circaeа mollis Siebold & Zucc. var. *maximowiczii* H.Lév., Bull. Acad. Int. Géogr. Bot. 22: 223 1912

Circaeа maximowiczii (H.Lév.) H.Hara, J. Bot. 10: 596 1934

Circaeа maximowiczii (H.Lév.) H.Hara var. *viridicalyx* H.Hara, J. Jap. Bot. 10: 600 1934

Circaeа quadrисulcata (Maxim.) Franch. & Sav. f. *viridicalyx* (H.Hara) Kitag., Lin. Fl. Manshur. 328 1939

Circaeа canadensis (L.) Hill var. *quadrисulcata* (Maxim.) Boufford, Harvard Pap. Bot. 9: 256 2005

Circaeа mollis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 134 1847

국명: **털이슬**(Teol-i-seul), **말털이슬** / (북한명) **말털이슬**

영명: **South enchanter's nightshade**

Circaeа coreana H.Lév., Repert. Spec. Nov. Regni Veg. 4: 226 1907

Circaeа coreana H.Lév. var. *sinensis* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 1909

Circaeа lutetiana L. var. *taguetii* H.Lév., Repert. Spec. Nov. Regni Veg. 7: 340 1909

Epilobium Dill. ex L. 바늘꽃속

Epilobium amurense Hausskn., Oesterr. Bot. Z. 29: 55 1879

국명: **호바늘꽃**(Ho-ba-neul-kkot), 두메바늘꽃, 북바늘꽃, 아물바늘꽃 / (북한명) 등근잎바늘꽃, 아무르바늘꽃,
호바늘꽃

영명: Amur willowherb

Epilobium organifolium var. *pubescens* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 105 1859

Epilobium nepalense Hausskn., Oesterr. Bot. Z. 29: 53 1879

Epilobium laetum Wall. ex Hausskn., Monogr. Epilobium 218 1884

Epilobium foucaudianum H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 211 1900

Epilobium angulatum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 432 1901

Epilobium yabei H.Lév., Bull. Soc. Agric. Sarthe 40: 72 1905

Epilobium gansuense H.Lév., Bull. Herb. Boissier ser. 2, 7: 590 1907

Epilobium miyabei H.Lév., Repert. Spec. Nov. Regni Veg. 5: 8 1908

Epilobium ovale Takeda, J. Linn. Soc., Bot. 42: 466 1914

Epilobium amurense Hausskn. subsp. *laetum* (Wall. ex Hausskn.) P.H.Raven, Bull. Brit. Mus. (Nat. Hist.), Bot. 2: 367 1962

Epilobium amurense Hausskn. subsp. *amurense*

Epilobium amurense Hausskn. subsp. *cephalostigma* (Hausskn.) C.J.Chen & Hoch & P.H.Raven, Syst. Bot. Monogr. 34: 127 1992

국명: **돌바늘꽃**(Dul-ba-neul-kkot), 금강바늘꽃, 참바늘꽃, 흰털바늘꽃 / (북한명) 돌바늘꽃, 흰털바늘꽃, 원산바늘꽃

Epilobium cephalostigma Hausskn., Oesterr. Bot. Z. 29: 57 1879

Epilobium calycinum Hausskn., Monogr. Epilobium 196 1884

Epilobium nudicarpum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 432 1901

Epilobium coreanum H.Lév., Bull. Herb. Boissier ser. 2, 7: 590 1907

Epilobium cylindrostigma Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 95 1907

Epilobium consimile Hausskn. var. *japonicum* Nakai, Bot. Mag. (Tokyo) 25: 148 1911

Epilobium sugaharae Koidz., Acta Phytotax. Geobot. 5: 121 1936

Epilobium cephalostigma Hausskn. f. *leucanthum* Honda, Bot. Mag. (Tokyo) 54: 2 1940

Epilobium cephalostigma Hausskn. var. *nudicarpum* (Kom.) H.Hara, J. Jap. Bot. 18: 234 1942

Epilobium angustifolium L., Sp. Pl. 1: 347 1753 ®

국명: **분홍바늘꽃**(Bun-hong-ba-neul-kkot), 벼들잎바늘꽃, 큰바늘꽃 / (북한명) 분홍바늘꽃, 벼들잎바늘꽃

영명: Rosebay willowherb

Epilobium spicatum Lam., Fl. Franc. (Lamarck) 3: 482 1779

Epilobium gesneri Vill., Prosp. Hist. Pl. Dauphine 45 1779

Epilobium persicifolium Vill., Hist. Pl. Dauphine 1: 328 1786

Epilobium antonianum Pers., Syn. Pl. (Persoon) 1: 409 1805

Epilobium salicifolium Stokes, Bot. Mat. Med. 2: 351 1812

Epilobium variabile Lucé, Topogr. Nachr. Oesel 187 1823

Chamaenerion angustifolium (L.) Schur, Enum. Pl. Transsilv. 213 1866

Epilobium angustifolium L. var. *pleniflorum* Nakai, Bot. Mag. (Tokyo) 22: 75 1908

■ ONAGRACEAE 바늘꽃과

Epilobium ciliatum Raf., Med. Repos. 2: 361 1808

국명: 줄바늘꽃(Jul-ba-neul-kkot), 멍울바늘꽃, 몽울바늘꽃

영명: Northern Asian willowherb

Epilobium maximowiczii Hausskn., Oesterr. Bot. Z. 29: 57 1879

Epilobium glandulosum Lehm. f. *brveifolia* Hausskn., Monogr. Epilobium 273 1884

Epilobium punctatum H.Lév., Bull. Acad. Int. Géogr. Bot. 11: 316 1902

Epilobium glandulosum Lehm. var. *asiaticum* H.Hara, J. Jap. Bot. 18: 241 1942

Epilobium glandulosum Lehm. var. *brevifolium* (Hausskn.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 81 1952

Epilobium fastigiato-ramosum Nakai, Bot. Mag. (Tokyo) 33: 9 1919

국명: 회령바늘꽃(Hoe-ryeong-ba-neul-kkot), 가지바늘꽃, 벼들잎바늘꽃 / (북한명) 가지바늘꽃, 벼들바늘꽃

영명: Fastigiate-branch willowherb

Epilobium baicalense Popov, Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 18: 6 1957

Epilobium hirsutum L., Sp. Pl. 1: 347 1753 (R)

국명: 큰바늘꽃(Keun-ba-neul-kkot), 산바늘꽃 / (북한명) 큰바늘꽃

영명: Great hairy willowherb

Chamaenerion hirsutum (L.) Scop., Fl. Carniol. ed. 2: 270 1772

Chamaenerion grandiflorum (Weber) Moench, Methodus (Moench) 677 1794

Epilobium villosum Thunb., Prodr. Pl. Cap. 75 1794

Epilobium tomentosum Vent., Descr. Pl. Nouv. 90 1802

Epilobium hirsutum L. var. *tomentosum* (Vent.) Boiss., Fl. Orient. 2: 746 1872

Epilobium hirsutum L. var. *laetum* Wall. ex C.B.Clarke, Fl. Brit. Ind. 2: 584 1879

Epilobium hirsutum L. var. *villosum* Hausskn., Monogr. Epilobium 53 1884

Epilobium velutinum Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 312 1937

Epilobium palustre L., Sp. Pl. 1: 348 1753 (R)

국명: 벼들바늘꽃(Beo-deul-ba-neul-kkot), 구름바늘꽃, 좀벼들바늘꽃 / (북한명) 벼들바늘꽃

영명: Marsh willowherb

Epilobium rhynchocarpum Boissieu, Diagn. Pl. Orient. II, 2: 53 1856

Epilobium palustre L. var. *majus* C.B.Clarke, Fl. Brit. Ind. 2: 585 1879

Epilobium palustre L. var. *minimum* C.B.Clarke, Fl. Brit. Ind. 2: 585 1879

Epilobium palustre L. var. *lavandulifolium* Lecoq & Lamotte ex Hausskn., Monogr. Epilobium 133 1884

Epilobium fischerianum Pavlov, Bull. Soc. Imp. Naturalistes Moscou n.s. 38: 105 1929

Epilobium palustre L. var. *palustre*

Epilobium palustre L. var. ***fischerianum*** Hausskn., Monogr. Epilobium 132 1884

국명: 애기바늘꽃(Ae-gi-ba-neul-kkot), 좀벼들바늘꽃 / (북한명) 좀벼들바늘꽃, 애기바늘꽃

영명: Small marsh willowherb

Epilobium platystigmatosum C.B.Rob., Philipp. J. Sci. 3: 210 1908

국명: 가는민바늘꽃(Ga-neun-ba-neul-kkot)

Epilobium pyrricholophum Franch. & Sav., Enum. Pl. Jap. 2: 370 1878

국명: 바늘꽃(Ba-neul-kkot) / (북한명) 바늘꽃, 북바늘꽃

영명: Long-seed willowherb

Epilobium tetragonum var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 94 1867

Epilobium japonicum (Miq.) Hausskn., Oesterr. Bot. Z. 29: 56 1879

Epilobium japonicum (Miq.) Hausskn. var. *glandulosopubescens* Hausskn., Oesterr. Bot. Z. 29: 56 1879

Epilobium oligodontum Hausskn., Oesterr. Bot. Z. 29: 58 1879

Epilobium rouyeanum H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 210 1900

Epilobium rouyanum H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 210 1900

Epilobium hakkodense H.Lév., Bull. Acad. Int. Géogr. Bot. 10: 34 1901

Epilobium quadrangulum H.Lév., Bull. Soc. Agric. Sarthe 40: 72 1905

Epilobium makinoense H.Lév., Bull. Acad. Int. Géogr. Bot. 40: 73 1905

Epilobium arcuatum H.Lév., Bull. Herb. Boissier ser. 2, 7: 589 1907

Epilobium chrysocoma H.Lév., Bull. Herb. Boissier ser. 2, 7: 589 1907

Epilobium prostratum H.Lév., Bull. Soc. Bot. France 54: 522 1907

Epilobium kiusianum Nakai, Bot. Mag. (Tokyo) 22: 84 1908

Epilobium pyrricholophum Franch. & Sav. var. *anoleucophyllum* H.Lév., Repert. Spec. Nov. Regni Veg. 6: 330 1909

Epilobium nakaianum H.Lév., Iconogr. Epilobium 166 1910

Epilobium pyrricholophum Franch. & Sav. f. *japonicum* (Miq.) Nakai, Bot. Mag. (Tokyo) 25: 150 1911

Epilobium pyrricholophum Franch. & Sav. f. *macrocarpum* Nakai, Bot. Mag. (Tokyo) 25: 150 1911

Epilobium pyrricholophum Franch. & Sav. f. *kiusianum* Nakai, Bot. Mag. (Tokyo) 25: 150 1911

Epilobium axillare Franch. ex Koidz., Fl. Symb. Orient.-Asiat. 85 1930

Epilobium myokoense Koidz., Fl. Symb. Orient.-Asiat. 86 1930

Epilobium pyrricholophum Franch. & Sav. var. *curvatopilosum* H.Hara, J. Jap. Bot. 18: 237 1942

Epilobium pyrricholophum Franch. & Sav. var. *japonicum* (Miq.) H.Hara, J. Jap. Bot. 18: 236 1942

Epilobium tenue Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 95 1907

국명: 좀바늘꽃(Jom-ba-neul-kkot)

영명: Slender willowherb

Epilobium ulleungensis J. M. Chung, Korean J. Pl. Taxon. 47: 102 2017 ⓘ

국명: 울릉바늘꽃(Ul-reung-ba-neul-kkot)

Ludwigia L. 여뀌바늘속

Ludwigia ovalis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 95 1867

국명: 눈여뀌바늘(Nun-yeo-kkwi-ba-neul), 개물풀, 나도범의귀, 물별꽃, 물별꽃아재비 / (북한명) 물여뀌바늘꽃, 개물풀, 물별꽃아재비

영명: Oval ludwigia

Ludwigia palustris (L.) Elliott var. *ovalis* (Miq.) H.Lév., Bull. Acad. Int. Géogr. Bot. 9: 212 1900

■ ONAGRACEAE 바늘꽃과

Ludwigia prostrata Roxb., Fl. Ind. 1: 441 1820

국명: 여뀌바늘(Yeo-kkwi-ba-neul), 개좆방망이, 물풀, 여뀌바늘꽃 / (북한명) 여뀌바늘꽃, 여뀌바늘, 물풀

영명: Climbing seedbox

Ludwigia diffusa Buch.-Ham., Trans. Linn. Soc. London 14: 301 1824

Ludwigia fruticulosa Blume, Bijdr. Fl. Ned. Ind. 17: 1133 1826

Nematopyxis fruticulosa (Blume) Miq., Fl. Ned. Ind. 1: 630 1855

Nematopyxis prostrata (Roxb.) Miq., Fl. Ned. Ind. 1: 630 1855

Nematopyxis pusilla Miq., Fl. Ned. Ind. 1: 636 1855

Ludwigia epiloboides Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 104 1859

Nematopyxis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 95 1867

Isnardia prostrata (Roxb.) Kuntze, Revis. Gen. Pl. 1: 250 1891

Jussiaea fauriei H.Lév., Monde Pl. 6: 51 1897

Jussiaea japonica H.Lév., Monde Pl. 6: 51 1897

Jussiaea pamentieri H.Lév., Monde Pl. 6: 51 1897

Jussiaea philippiana H.Lév., Monde Pl. 6: 51 1897

Jussiaea prostrata (Roxb.) H.Lév., Repert. Spec. Nov. Regni Veg. 8: 138 1910

HALORAGACEAE 개미탑과

Haloragis J.R.Forst. & G.Forst. 개미탑속

Haloragis micrantha (Thunb.) R.Br. ex Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss.

4: 133 1845

국명: 개미탑(Gae-mi-tap), 개미탑풀 / (북한명) 개미탑

영명: Small-flower seaberry

Gonocarpus micranthus Thunb., Nov. Gen. Pl. [Thunberg] 3: 55 1783

Gonatocarpus micranthus (Thunb.) Willd., Sp. Pl. (ed.4) 1: 690 1798

Goniocarpus micranthus (Thunb.) K.D.Koenig, Ann. Bot. (König & Sims) 1: 546 1805

Haloragis tenella Brongn., Voy. Monde, Phan. 68 1831

Goniocarpus citriodorus A.Cunn., Ann. Nat. Hist. 3: 30 1839

Goniocarpus rubricaulis Griff., Not. Pl. Asiat. 4: 688 1854

Myriophyllum Ponted. ex L. 물수세미속

Myriophyllum oguraense Miki, Bot. Mag. (Tokyo) 48: 335 1934

국명: 긴동아물수세미(Gin-dong-a-mul-su-se-mi)

Myriophyllum spicatum L., Sp. Pl. 2: 992 1753

국명: 이삭물수세미(I-sak-mul-su-se-mi), 봉어마름, 이삭물수셉이 / (북한명) 이삭물수세미

영명: Eurasian water-milfoil

Myriophyllum ussuriense (Regel) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 18 1873

국명: 선물수세미(Seon-mul-su-se-mi), 선물수세미

영명: Ussuri water-milfoil

Myriophyllum verticillatum L. var. *ussuriense* Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 60, Pl. 4, f. 2-5 1861

Myriophyllum isoetophilum Kom., Repert. Spec. Nov. Regni Veg. 13: 168 1914

Myriophyllum verticillatum L., Sp. Pl. 2: 992 1753

국명: 물수세미(Mul-su-se-mi), 금붕어풀, 붕어풀 물수세미

영명: Whorled water-milfoil

Myriophyllum pectinatum DC., Fl. Franc. (DC. & Lamarck) ed. 3 6: 529 1815

Myriophyllum limosum Hectot ex DC., Fl. Franc. (DC. & Lamarck) ed. 3 6: 530 1815

Myriophyllum siculum Guss., Fl. Sicul. Syn. 2: 599 1844

HIPPURIDACEAE 쇠뜨기말풀과

Hippuris L. 쇠뜨기말풀속

Hippuris vulgaris L., Sp. Pl. 1: 4 1753

국명: 쇠뜨기말풀(Soe-tteu-gi-mal-pul), 쇠뜨기말 / (북한명) 쇠뜨기말

영명: Common mare's-tail

ALANGIACEAE 박쥐나무과

Alangium Lam. 박쥐나무속

Alangium platanifolium (Siebold & Zucc.) Harms, Nat. Pflanzenfam. 3: 261 1898 ®

국명: 단풍박쥐나무(Dan-pung-bak-jwi-na-mu), 개박쥐나무, 단풍잎박쥐나무 / (북한명) 단풍나무

영명: Palmate-leaf alangium

Marlea platanifolia Siebold & Zucc., Abh. Bayer. Akad. Wiss., Math.-Naturwiss. Abt. 2: 134 1845

Alangium platanifolium (Siebold & Zucc.) Harms var. *macrophyllum* (Siebold & Zucc.) Wangerin, Pflanzenr. (Engler) IV: 22 1910

Alangium platanifolium (Siebold & Zucc.) Harms var. *macrophyllum* (Siebold & Zucc.) Wangerin f. *velutina* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 319 1966

Alangium platanifolium (Siebold & Zucc.) Harms var. *platanifolium*

Alangium platanifolium (Siebold & Zucc.) Harms var. *trilobum* (Miq.) Ohwi, Fl. Jap. (revised ed.) 943, 1437 1965

국명: 박쥐나무(Bak-jwi-na-mu), 누른대나무, 털박쥐나무 / (북한명) 박쥐나무

■ ALANGIACEAE 박쥐나무과

영명: **Trilobed-leaf alangium**

Marlea platanifolia Siebold & Zucc. var. *triloba* Miq., Ann. Mus. Bot. Luggduno-Batavi 2: 159 1866
Alangium platanifolium (Siebold & Zucc.) Harms var. *ogurae* Yanagita, J. Jap. Bot. 12: 424 1936

CORNACEAE 층층나무과

Aucuba Thunb. 식나무속

Aucuba japonica Thunb., Nov. Gen. Pl. [Thunberg] 3: 62 1783

국명: **식나무**(Sik-na-mu), 넓적나무, 넓적나무, 청목 / (북한명) 넓적나무, 식나무

영명: **Spotted laurel**

Eubasis dichotoma Salisb., Prodr. Stirp. Chap. Allerton 68 1796

Aucuba japonica Thunb. var. *variegata* Dombrain, Fl. Mag. (London) 5: t. 277 1866

Aucuba japonica Thunb. var. *maculata* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 96 1867

Aucuba japonica Thunb. var. *concolor* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 97 1867

Aucuba japonica Thunb. var. *punctata* K.Koch, Dendrologie 1: 697 1869

Aucuba japonica Thunb. var. *ovoidea* Koidz., Fl. Austro-Higoensis 43 1931

Aucuba japonica Thunb. f. *variegata* (Dombrain) Rehder, Bibliogr. Cult. Trees 495 1949

Cornus L. 층층나무속

Cornus alba L., Mant. Pl. 1: 40 1767

국명: **흰말채나무**(Huin-mal-chae-na-mu), 붉은말채, 아라사말채나무 / (북한명) 흰말채나무

영명: **Red-bark dogwood**

Cornus tatarica Mill., Gard. Dict. ed. 8: n. 7, 0 1768

Cornus alba L. var. *sibirica* Lodd. ex Loudon, Arbor. Frutic. Brit. 2: 1012 1838

Cornus purpurea Tausch, Flora 21: 781 1838

Cornus tatarica Mill. var. *sibirica* Koehne, Deut. Dendrol. 436 1893

Cornus hessei Koehne, Gartenflora 1899: 340 1899

Cornus pumila Koehne, Mitt. Deutsch. Dendrol. Ges. 1903: 46 1903

Cornus alba L. subsp. *tatarica* (Mill.) Wangerin, Pflanzenr. (Engler) IV, 229(Heft 41): 55 1910

Cornus subumbellata Komatsu, Icon. Pl. Koisikav 2: 57 1914

Cornus alba L. var. *rutokensis* Miyabe & Miyake, Fl. Saghalin 205 1915

Thelycrania alba (L.) Pojark., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 12: 272 1950

Cornus canadensis L., Sp. Pl. 1: 118 1753

국명: **풀산딸나무**(Pul-san-ttal-na-mu), 풀산딸 / (북한명) 풀산딸나무

영명: **Bunchberry dogwood**

Cornus herbacea L. var. *canadensis* (L.) Pall., Fl. Ross. (Pallas) 1: 52 1784

Cornus × unalaschkensis Ledeb., Fl. Ross. (Ledeb.) 2: 378 1844

Chamaepericlymenum canadense (L.) Asch. & Graebn., Fl. Nordostdeut. Flachl. 539 1898

Cornella canadensis (L.) Rydb., Bull. Torrey Bot. Club 33: 147 1906

Arctocrenia canadensis (L.) Nakai, Bot. Mag. (Tokyo) 23: 40 1909

Cornus fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 281 1910

Mesomora canadensis (L.) Nieuwl. ex Lunell, Amer. Midl. Naturalist 4: 487 1916

Cornus controversa Hemsl., Bot. Mag. 135: t. 8261 1909

국명: 층층나무(Cheung-cheung-na-mu), 꺼그령나무, 말채나무, 물깨금나무 / (북한명) 층층나무

영명: Wedding cake tree

Cornus controversa Hemsl. var. *alpina* Wangerin, Pflanzenr. (Engler) IV, 229: 50 1810

Bothrocaryum controversum (Hemsl.) Pojark., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 170 1950

Swida controversa (Hemsl.) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 10 1960

Cornus kousa Burger ex Hance, J. Linn. Soc., Bot. 13: 105 1873

국명: 산딸나무(San-ttal-na-mu), 굳은산딸나무, 들메나무, 미영꽃나무, 박달나무, 소리딸나무, 쇠박달나무,
애기산딸나무, 준딸나무 / (북한명) 산딸나무

영명: Korean dogwood

Benthamia japonica Siebold & Zucc., Fl. Jap. (Siebold) 1: 38 1836

Benthamia kousa (Burger ex Hance) Nakai, Bot. Mag. (Tokyo) 23: 41 1909

Benthamia japonica Siebold & Zucc. var. *exsucca* Nakai, Bot. Mag. (Tokyo) 28: 315 1914

Benthamia viridis Nakai, Bot. Mag. (Tokyo) 28: 314 1914

Cynoxylon japonica (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 31: 148 1917

Cynoxylon kousa (Burger ex Hance) Nakai ex T.Mori, Enum. Pl. Corea 275 1922

Dendrobenthamia japonica (Siebold & Zucc.) Hutch., Ann. Bot. (Oxford) n.s. 6: 93 1942

Cornus macrophylla Wall., Fl. Ind. (Carey & Wall. ed.) 1: 433 1820

국명: 곰의말채나무(Gom-ui-mal-chae-na-mu), 곰말채나무, 곰의말채

영명: Large-leaf dogwood

Cornus brachypoda C.A.Mey., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 7: 223 1845

Cornus thelycanis Lebas, Rev. Hort. 394 1875

Cornus crispula Hance, J. Bot. 19: 216 1881

Cornus corynostylis Koehne, Gartenflora 45: 286 1896

Cornus longipetiolata Hayata, Icon. Pl. Formosan. 4: 11 1914

Cornus taiwanensis Kaneh., Formosan Trees 282 1917

Thelycrania brachypoda (C.A.Mey.) Pojark., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 12: 172 1950

Cornus alpina W.P.Fang & W.K.Hu, J. Sichuan Univ., Nat. Sci. Ed. 1980: 160 1980

Cornus walteri Wangerin, Repert. Spec. Nov. Regni Veg. 6: 99 1908

국명: 말채나무(Mal-chae-na-mu), 말채목 / (북한명) 말채나무

영명: Walter's dogwood

Cornus coreana Wangerin, Repert. Spec. Nov. Regni Veg. 6: 99 1908

Cornus henryi Hemsl. ex Wangerin, Pflanzenr. (Engler) IV, 229(Heft. 41): 90 1910

Cornus yunnanensis H.L.Li, J. Arnold Arbor. 25: 312 1944

Swida coreana (Wangerin) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 10 1960

ARALIACEAE 두릅나무과

Aralia L. 두릅나무속

Aralia cordata Thunb., Fl. Jap. (Thunberg) 127 1784

국명: 땅두릅(Ttang-du-reup), 독활, 땃두릅, 토당귀 / (북한명) 땅두릅나무, 개두릅나무

Aralia edulis Siebold & Zucc., Fl. Jap. (Siebold) 1: 57 1837

Dimorphanthus edulis (Siebold & Zucc.) Miq., Comm. Phytogr. 96 1840

Aralia nutans Franch. & Sav., Enum. Pl. Jap. 2: 376 1877

Aralia taiwaniana Y.C.Liu & F.Y.Lu, Quart. J. Chin. Forest. 9: 136 1976

Aralia cordata Thunb. var. *cordata*

Aralia cordata Thunb. var. *continentalis* (Kitag.) Y.C.Chu, Pl. Medic. Chinae Bor.-orient. 787 1989

국명: 독활(Dok-hwal), 땃두릅

영명: Manchurian angelica

Aralia continentalis Kitag., Bot. Mag. (Tokyo) 49: 228 1935

Aralia elata (Miq.) Seem., J. Bot. 6: 134 1868

국명: 두릅나무(Du-reup-na-mu), 둉근잎두릅, 둉근잎두릅나무, 드릅나무, 참드릅, 애기두릅나무, 민두릅나무 / (북한명) 두릅나무

영명: Korean angelica tree

Dimorphanthus elatus Miq., Comm. Phytogr. 95 1840

Aralia canescens Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 94 1845

Aralia mandshurica Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 134 1857

Dimorphanthus mandshuricus (Rupr. & Maxim.) Rupr. & Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans vol. 9: 133 1859

Aralia spinosa L. var. *glabrescens* Franch. & Sav., Enum. Pl. Jap. 1: 191 1873

Aralia spinosa L. var. *canescens* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 102 1875

Aralia chinensis L. var. *canescens* (Siebold & Zucc.) Lavallée, Énum. Arbres 125 1877

Aralia chinensis L. var. *glabrescens* (Franch. & Sav.) C.K.Schneid., Ill. Handb. Laubholzk. 2: 431 1911

Aralia elata (Miq.) Seem. var. *canescens* (Siebold & Zucc.) Nakai, J. Arnold Arbor. 5: 31 1924

Aralia elata (Miq.) Seem. var. *subinermis* Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 80 1953

Aralia elata (Miq.) Seem. f. *subinermis* (Ohwi) Jotani, J. Jap. Bot. 67: 365 1992

Aralia elata (Miq.) Seem. f. *inermis* M.Kim, Korean Endemic Pl. 326 2004

Dendropanax Decne. & Planch. 황칠나무속

Dendropanax trifidus (Thunb.) Makino ex H.Hara, J. Jap. Bot. 16: 260 1940

국명: 황칠나무(Hwang-chil-na-mu) / (북한명) 황칠나무

영명: Korean dendropanax

Acer trifidum Thunb., Syst. Nat. ed. 14: 912 1784

Hedera japonica Jungh., Tijdschr. Natuurl. Gesch. Physiol. 7: 307 1840

Dendropanax morbiferus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 1910

Gilibertia morbifera (H.Lév.) Nakai, J. Arnold Arbor. 5: 22 1924

Textoria morbifera (H.Lév.) Nakai, Fl. Sylv. Kor. 16: 41 1927

Dendropanax trifidus (Thunb.) Makino ex H.Hara var. *morbifera* (H.Lév.) M.Kim, Korean Endemic Pl. 132 2004

Dendropanax trifidus (Thunb.) Makino ex H.Hara var. *morbifera* (H.Lév.) M.Kim, Korean Endemic Pl. 244 2017

***Eleutherococcus* Maxim. 오갈피나무속**

***Eleutherococcus divaricatus* (Siebold & Zucc.) S.Y.Hu, J. Arnold Arbor. 61: 109 1980**

국명: 텔오갈피나무(Teol-o-gal-pi-na-mu), 개가시오갈피나무, 개오갈피나무, 차빗오갈피, 차빗오갈피나무,
차색오갈피, 텔오갈피

영명: Spreading-hair eleuthero

Panax divaricatus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 200 1845

Kalopanax divaricatus (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 17 1863

Acanthopanax divaricatus (Siebold & Zucc.) Seem., J. Bot. 5: 239 1867

Acanthopanax divaricatus (Siebold & Zucc.) Seem. var. *inermis* Nakai, J. Arnold Arbor. 5: 6 1924

Acanthopanax rufinervis Nakai, Fl. Sylv. Kor. 16: 27 1927

Acanthopanax divaricatus (Siebold & Zucc.) Seem. f. *inermis* (Nakai) H.Hara, Enum. Sperm. Jap. 3: 277 1954

Eleutherococcus rufinervis (Nakai) S.Y.Hu, J. Arnold Arbor. 61: 109 1980

Eleutherococcus divaricatus (Siebold & Zucc.) S.Y.Hu f. *inermis* (Nakai) H.Ohashi, J. Jap. Bot. 62: 356 1987

Eleutherococcus divaricatus* (Siebold & Zucc.) S.Y.Hu var. *divaricatus

***Eleutherococcus divaricatus* (Siebold & Zucc.) S.Y.Hu var. *chiisanensis* (Nakai) C.H.Kim & B.Y.Sun,**
Novon 10: 209 2000 Ⓛ ⓘ

국명: 지리산오갈피(Ji-ri-san-o-gal-pi), 지리산오갈피나무, 지리오갈피, 지이산오갈피, 지이산오갈피나무,
지이오갈피

영명: Jirisan spreading-hair eleuthero

Acanthopanax chiisanensis Nakai, J. Arnold Arbor. 5: 5 1924

***Eleutherococcus gracilistylus* (W.W.Sm.) S.Y.Hu, J. Arnold Arbor. 61: 109 1980 ⓘ**

국명: 섬오갈피나무(Seom-o-gal-pi-na-mu), 섬오갈피 / (북한명) 섬오갈피

영명: Hairy-style eleuthero

Acanthopanax gracilistylus W.W.Sm., Notes Roy. Bot. Gard. Edinburgh 5: 6 1917

Acanthopanax koreanus Nakai, J. Arnold Arbor. 5: 3 1924

Eleutherococcus gracilistylus (W.W.Sm.) S.Y.Hu f. *koreanus* (Nakai) M.Kim, Korean Endemic Pl. 326 2004

Eleutherococcus nodiflorus (Dunn) S.Y.Hu var. *koreanus* (Nakai) M.Kim, Korean Endemic Pl. 245 2017

***Eleutherococcus senticosus* (Rupr. & Maxim.) Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers
Savans 9: 132**

국명: 가시오갈피(Ga-si-o-gal-pi), 가시오갈피나무, 민가시오갈피, 왕가시오갈피, 왕가시오갈피나무 1859 ⓘ

■ ARALIACEAE 두릅나무과

영명: Devil's bush

- Hedera senticosa* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 134 1856
Eleutherococcus senticosus (Rupr. & Maxim.) Maxim. f. *subinermis* Regel, Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 4: 73 1861
Acanthopanax asperatus Franch. & Sav., Enum. Pl. Jap. 2: 378 1878
Eleutherococcus asperulatus Franch., Nouv. Arch. Mus. Hist. Nat. 2: 146 1884
Acanthopanax senticosus (Rupr. & Maxim.) Harms, Nat. Pflanzenfam. 3: 50 1897
Acanthopanax senticosus (Rupr. & Maxim.) Harms f. *inermis* (Kom.) Harms, Mitt. Deutsch. Dendrol. Ges. 27: 8 1918
Eleutherococcus asperatus (Franch. & Sav.) Koidz., Acta Phytotax. Geobot. 8: 52 1939
Acanthopanax senticosus (Rupr. & Maxim.) Harms var. *subinermis* (Regel) Kitag., Neolin. Fl. Manshur. 471 1979

Eleutherococcus sessiliflorus (Rupr. & Maxim.) S.Y.Hu, J. Arnold Arbor. 61: 109 1980

국명: 오갈피나무(O-gal-pi-na-mu), 서울오갈피, 서울오갈피나무, 오갈피 / (북한명) 오갈피나무

영명: Stalkless-flower eleuthero

- Panax sessiliflorus* Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 133 1856
Acanthopanax sessiliflorus (Rupr. & Maxim.) Seem., J. Bot. 5: 239 1867
Cephalopanax sessiliflorus (Rupr. & Maxim.) Baill., Adansonia 12: 149 1879
Acanthopanax sessiliflorus (Rupr. & Maxim.) Seem. var. *parviceps* Rehder, Mitt. Deutsch. Dendrol. Ges. 21: 192 1912
Acanthopanax seoulense Nakai, Fl. Sylv. Kor. 16: 24 1927
Eleutherococcus seoulensis (Nakai) S.Y.Hu, J. Arnold Arbor. 61: 109 1980
Eleutherococcus sessiliflorus (Rupr. & Maxim.) S.Y.Hu var. *parviceps* (Rehder) S.Y.Hu, J. Arnold Arbor. 61: 110 1980

Fatsia Decne. & Planch. 팔손이속

Fatsia japonica (Thunb.) Decne. & Planch., Rev. Hort. ser. 4, 3: 105 1854

국명: 팔손이(Palсон-i), 팔각금반, 팔손이나무 / (북한명) 팔손이나무

영명: Glossy-leaf paper plant

- Aralia japonica* Thunb., Fl. Jap. (Thunberg) 128 1784
Dimorphanthus japonicus (Thunb.) Endl., Cat. Horti Vindob. 2: 176 1842
Aralia sieboldii K.Koch, Wochenschr. Gartnerei Pflanzenk. 2: 407 1858
Echinopanax japonicus (Thunb.) Kuntze, Revis. Gen. Pl. 1: 271 1891

Hedera L. 송악속

Hedera rhombea (Miq.) Siebold & Zucc. ex Bean, Trees & Shrubs Brit. Isles 1: 609 1914

국명: 송악(Song-ak), 담장나무, 큰잎담장나무 / (북한명) 담장나무, 송악

영명: Songak (Songak ivy)

- Hedera helix* L. var. *rhombea* Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 13 1863
Hedera tobleri Nakai, Fl. Sylv. Kor. 16: 34 1927

Kalopanax Miq. 음나무속

Kalopanax septemlobus (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 306 1925

국명: 음나무(Eum-na-mu), 개두릅나무, 텔음나무, 가는잎음나무, 당엄나무, 당음나무, 멍구나무, 엄나무, 엉개나무, 민음나무 / (북한명) 엄나무

영명: Prickly castor oil tree

- Acer septemlobum* Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 912 1784
Panax ricinifolius Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 199 1845
Tetrapanax ricinifolius (Siebold & Zucc.) K.Koch, Wochenschr. Gartnerei Pflanzenk. 2: 371 1859
Kalopanax ricinifolius (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 16 1863
Acanthopanax ricinifolius (Siebold & Zucc.) Seem., J. Bot. 6: 140 1868
Kalopanax ricinifolius (Siebold & Zucc.) Miq. var. *magnificus* Zabel, Gartenwelt 11: 535 1907
Kalopanax ricinifolius (Siebold & Zucc.) Miq. var. *chinense* Nakai, J. Arnold Arbor. 5: 13 1924
Acanthopanax septemlobus (Thunb.) Koidz. ex Rehder, Man. Cult. Trees 859 1927
Kalopanax pictus (Thunb.) Nakai, Fl. Sylv. Kor. 16: 34 1927
Kalopanax pictus (Thunb.) Nakai var. *magnificus* (Zabel) Nakai, Fl. Sylv. Kor. 16: 36 1927
Kalopanax septemlobus (Thunb.) Koidz. var. *magnificus* (Zabel) Hand.-Mazz., Symb. Sin. 7: 699 1933
Acanthopanax septemlobus (Thunb.) Koidz. ex Rehder var. *magnificus* (Zabel) W.C.Cheng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 204 1934
Kalopanax pictus (Thunb.) Nakai f. *inermis* M.Kim, Korean Endemic Pl. 327 2004

Kalopanax septemlobus (Thunb.) Koidz. f. *septemlobus*

Kalopanax septemlobus (Thunb.) Koidz. f. *maximowiczii* (Van Houtte) H.Ohashi, J. Jap. Bot. 69: 29 1994

국명: 가는잎음나무(Ga-neun-ip-eum-na-mu)

영명: Narrow-leaf prickly castor oil tree

- Aralia maximowiczii* Van Houtte, Fl. Serres Jard. Paris II, 20: 39 1874
Acanthopanax ricinifolius (Siebold & Zucc.) Seem. var. *maximowiczi* (Van Houtte) C.K.Schneid., Handb. Laubholzk. 2: 429 1909
Kalopanax ricinifolius (Siebold & Zucc.) Miq. var. *maximowiczi* (Van Houtte) Nakai, J. Arnold Arbor. 5: 13 1924
Kalopanax septemlobus (Thunb.) Koidz. var. *maximowiczi* (Van Houtte) Hand.-Mazz., Symb. Sin. 7: 699 1933
Acanthopanax septemlobus (Thunb.) Koidz. ex Rehder var. *maximowiczi* (Van Houtte) W.C.Cheng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 9: 204 1934
Kalopanax pictus (Thunb.) Nakai f. *maximoiczi* (Van Houtte) H.Hara, Bot. Mag. (Tokyo) 50: 365 1936
Kalopanax pictus (Thunb.) Nakai var. *maximowiczi* (Van Houtte) H.Hara ex S.X.Li, Sargentia 2: 92 1942

Oplopanax (Torr. & A.Gray) Miq. 땃두릅나무속

Oplopanax elatus (Nakai) Nakai, Fl. Sylv. Kor. 16: 38 1927 ⑧

국명: 땃두릅나무(Ttat-du-reup-na-mu), 따두릅나무, 따드릅나무, 땅드릅나무, 바늘드릅나무 / (북한명) 뛰두릅, 땃두릅

영명: Tall oplopanax

- Echinopanax elatus* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 276 1909
Oplopanax horridus subsp. *elatus* (Nakai) H.Hara, J. Jap. Bot. 30: 71 1955

■ ARALIACEAE 두릅나무과

Panax L. 인삼속

Panax ginseng C.A.Mey., Repert. Pharm. Prakt. Chem. Russ. 7: 524 1842 ®

국명: 인삼(In-sam), 산삼 / (북한명) 인삼

영명: Korean ginseng

Panax chin-seng Nees, Icon. Pl. Med. Suppl. 5: t. 16A-A 3, d-f 1833

Aralia quinquefolia (L.) Decne. & Planch. var. *ginseng* (C.A.Mey.) Regel & Maack ex Makino, Bot. Mag. (Tokyo) 8: 225 1859

Panax quinquefolius L. var. *ginseng* (C.A.Mey.) Regel & Maack, Tent. Fl.-Ussur. 72 1861

Aralia ginseng (C.A.Mey.) Baill., Hist. Pl. (Baillon) 7: 152 1880

APIACEAE 산형과

Aegopodium L. 산미나리속

Aegopodium alpestre Ledeb., Fl. Altaic. 1: 354 1829

국명: 왜방풍(Wae-bang-pung), 개미나리, 개방풍, 북방풍 / (북한명) 왜방풍

영명: Alpine goutweed

Carum alpestre (Ledeb.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 199 1915

Aegopodium podagraria L., Sp. Pl. 1: 263 1753

국명: 산미나리(San-mi-na-ri), 왜방풍 / (북한명) 산미나리

영명: Goutweed

Angelica L. 당귀속

Angelica anomala Avé-Lall., Index Seminum [St.Petersburg (Petropolitanus)] 9: 57 1843

국명: 개구릿대(Gae-gu-rit-dae), 구릿대, 좁은잎구릿대, 지리강활 / (북한명) 토당귀

영명: Eumenol angelica

Angelica montana Brot. var. *angustifolia* Ledeb., Fl. Ross. (Ledeb.) 2: 295 1846

Angelica refracta F.Schmidt var. *glaucophylla* Koidz., Bot. Mag. (Tokyo) 31: 32 1917

Angelica cartilaginomarginata (Makino ex Y.Yabe) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 269 1909

국명: 처녀바디(Cheo-nyeo-ba-di), 개백지, 손바디나물, 애기백지, 좀바디나물, 처녀백지, 흰바디, 흰바디나물, 흰사약채 / (북한명) 처녀바디

영명: Bristly-margin angelica

Peucedanum cartilaginoserratum Makino ex Nakagawa, Bot. Mag. (Tokyo) 13: 54 1899

Peucedanum cartilaginomarginatum Makino ex Y.Yabe, J. Coll. Sci. Imp. Univ. Tokyo 16: 100 1902

Sium matsumurae H.Boissieu, Bull. Herb. Boissier ser. 2, 3: 95 1903

Angelica crucifolia Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 170 1907

Angelica boissieuana Nakai, Bot. Mag. (Tokyo) 27: 32 1913

Angelica confusa Nakai, Icon. Pl. Koisikav 1: 133 1913

Angelica callososerrata Nakai, Chosen Shokubutsu 406 1914

Pimpinella cartilaginomarginata (Makino ex Y.Yabe) H.Wolff, Pflanzenr. (Engler) 90, 4: 287 1927

Angelica cartilaginomarginata (Makino ex Y.Yabe) Nakai var. *makinoi* (Nakai) Kitag., J. Jap. Bot. 12: 243 1935

Angelica cartilaginomarginata (Makino ex Y.Yabe) Nakai var. *matsumurae* (H.Boissieu) Kitag., J. Jap. Bot. 12: 244 1936

Angelica cartilaginomarginata (Makino ex Y.Yabe) Nakai var. *matsumurae* (H.Boissieu) Kitag. f. *latipinna* Kitag., J. Jap. Bot. 12: 245 1936

Angelica cartilaginomarginata (Makino ex Y.Yabe) Nakai var. *distans* (Nakai) Kitag., J. Jap. Bot. 12: 245 1936

국명: 흰바디나물(Huin-ba-di-na-mul)

영명: White bristly-margin angelica

Angelica distans Nakai, Pl. Kor. 1: 406 1914

Angelica czernaevia (Fisch. & C.A.Mey.) Kitag., J. Jap. Bot. 12: 241 1936

국명: 잔잎바디(Jan-ip-ba-di), 가는잎바디, 개강활, 선바디나물 / (북한명) 선바디나물

영명: Diverse-petal angelica

Conioselinum czernaevia Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 2: 33 1836

Czernaevia laevigata Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 740 1844

Angelica laevigata (Fisch.) Franch., Pl. David. 1: 143 1884

Angelica flaccida Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 431 1901

Angelica dahurica (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 187 1873

국명: 구릿대(Gu-rit-dae), 구리대, 구리때, 구릿때, 백지, 구릿대

영명: Dahurian angelica

Callisace dahurica Fisch. ex Hoffm., Gen. Pl. Umbell. ed. 2: 170 1816

Angelica porphyrocaulis Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 1, Pl. Nov. Jehol.: 33 1934

Angelica decursiva (Miq.) Franch. & Sav., Enum. Pl. Jap. 1: 187 1873

국명: 바디나물(Ba-di-na-mul), 사약채, 흰꽃바디나물, 흰바디나물, 흰사약채 / (북한명) 바디나물

영명: Purple-flower angelica

Porphyroscias decursiva Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 62 1867

Peucedanum decursivum Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 472 1886

Peucedanum decursivum Maxim. var. *albiflorum* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 473 1886

Peucedanum decursivum Maxim. f. *albiflorum* (Maxim.) Y.Yabe, Rev. Umbell. Jap. 97 1902

Peucedanum porphyroscias Makino, Bot. Mag. (Tokyo) 18: 65 1904

Peucedanum porphyroscias Makino var. *albiflorum* (Maxim.) Makino, Bot. Mag. (Tokyo) 18: 66 1904

Peucedanum porphyroscias Makino f. *albiflorum* (Maxim.) Matsum., Index Pl. Jap. 2: 440 1912

Angelica decursiva (Miq.) Franch. & Sav. var. *albiflora* (Maxim.) Nakai, Chosen Shokubutsu 407 1914

Angelica florenti Franch. & Sav. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 274 1873

■ APIACEAE 산형과

국명: 두메당근(Du-me-dang-geun)

영명: Montane angelica

Ostericum florenti (Franch. & Sav. ex Maxim.) Kitag., J. Jap. Bot. 12: 237 1936

Angelica genuflexa Nutt. ex Torr. & A. Gray, Fl. N. Amer. (Torr. & A. Gray) 1: 620 1840

국명: 왜천궁(Wae-cheon-gung), 돼지천궁 / (북한명) 왜천궁

영명: Kneeling angelica

Angelica refracta F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 138 1868

Angelica yabeana Makino, Somoku-Dzusetsu (ed. 3) 347 1907

Angelica caudata Franch. ex H.Boissieu, Bull. Soc. Bot. France 56: 355 1909

Angelica refracta F.Schmidt var. *yabeana* (Makino) Koidz., Bot. Mag. (Tokyo) 31: 32 1917

Angelica genuflexa Nutt. ex Torr. & A. Gray subsp. *refracta* (F.Schmidt) M.Hiroe, Acta Phytotax. Geobot. 12: 176 1950

Angelica gigas Nakai, Bot. Mag. (Tokyo) 31: 100 1917

국명: 참당귀(Cham-dang-gwi), 조선당귀, 당귀 / (북한명) 참당귀

영명: Korean angelica

Angelica jaluana Nakai, Bot. Mag. (Tokyo) 28: 314 1914

국명: 삼수구릿대(Sam-su-gu-rit-dae)

영명: Amrokgang angelica

Angelica japonica A.Gray, Mem. Amer. Acad. Arts n.s. 6: 390 1857

국명: 갯강활(Gaet-gang-hwal), 왜당귀 / (북한명) 갯강활

영명: Japanese angelica

Angelica kiusiana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 18: 284 1873

Angelica nakaiana (Kitag.) Pimenov, Feddes Repert. 110: 482 1999

국명: 부전바디(Bu-jeon-ba-di), 복수백산백지

영명: Bujeon angelica

Homopteryx nakaiana Kitag., Bot. Mag. (Tokyo) 51: 808 1937

Coelopleurum nakaianum (Kitag.) Kitag., J. Jap. Bot. 43: 427 1968

Angelica polymorpha Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 185 1873

국명: 궁궁이(Gung-gung-i), 개강활, 백봉천궁, 제주사약채, 천궁, 토천궁 / (북한명) 궁궁이, 천궁

영명: Polymorphic angelica

Selinum coreanum H.Boissieu, Bull. Herb. Boissier ser 2, 3: 956 1903

Angelica fallax H.Boissieu, Bull. Soc. Bot. France 59: 199 1912

Rompelia polymorpha (Maxim.) Kosso-Pol., Bull. Soc. Imp. Naturalistes Moscou 2, 29: 125 1916

Peucedanum taquetii H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 245 1925

Angelica wolffiana Fedde ex H.Wolff, Repert. Spec. Nov. Regni Veg. 28: 110 1930

Conioselinum wolffianum (Fedde ex H.Wolff) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 87 1952

Angelica polymorpha Maxim. var. *fallax* (Boiss.) Kitag., Neolin. Fl. Manshur. 476 1979

Angelica purpuraefolia T.H.Chung, Korean Flora 1: 456 1956 (E)

국명: **자리강활**(Ji-ri-gang-hwal) / (북한명) 개구릿대

Angelica anomala Avé-Lall. var. *purpuraefolia* (T.H.Chung) M.Kim, Korean Endemic Pl. 134 2004

Angelica reflexa B.Y.Lee, J. Spec. Reser. 2: 245 2013 (E)

국명: **강활**(Gang-hwal), 강호리 / (북한명) 강활

Angelica tenuissima Nakai, Bot. Mag. (Tokyo) 33: 10 1919

국명: **고본**(Go-bon), 고번 / (북한명) 고본

영명: **Korean gobon (Slender angelica)**

Ligusticum tenuissimum (Nakai) Kitag., J. Jap. Bot. 17: 562 1941

Angelica saxatilis Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 296 1844

국명: **고산바다**(Go-san-ba-di)

영명: **High-mountain angelica**

Physolophium saxatile (Turcz. ex Ledeb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 729 1844

Coelopleurum saxatile (Turcz. ex Ledeb.) Drude, Nat. Pflanzenfam. 3: 213 1898

Coelopleurum alpinum Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 156 1941

Angelica gmelinii (DC.) Pimenov subsp. *saxatilis* (Turcz. ex Ledeb.) Vorosch., Florist. issl. v razn. Raionakh SSSR 184 1985

Anthriscus Pers. 전호속

Anthriscus sylvestris (L.) Hoffm., Gen. Pl. Umbell. 40 1814

국명: **전호**(Jeon-ho), 동지, 반들전호, 사약채, 생치나물, 큰전호 / (북한명) 전호, 물생치, 생치나물

영명: **Wild chervil**

Chaerophyllum sylvestre L., Sp. Pl. 1: 258 1753

Cerefolium sylvestre (L.) Bubani, Fl. Pyren. 2: 410 1899

Anthriscus sylvestris (L.) Hoffm. var. *sylvestris*

Anthriscus sylvestris (L.) Hoffm. var. *hirtiructus* (Ohwi) H.Hara, Enum. Sperm. Jap. 3: 300 1954

국명: **털전호**(Teol-jeon-ho), 애기전호, 좀전호 / (북한명) 털전호, 털풀생치

영명: **Hairy wild chervil**

Anthriscus nemorosa (M.Bieb.) Spreng. var. *hirtifructus* Ohwi, Fl. Jap. (Ohwi) 843 1953

Anthriscus aemula (Woronow) Schischk. f. *hirtifructa* (Ohwi) Kitag., Neo-Lineam. Fl. Manshur. 477 1979

Anthriscus sylvestris (L.) Hoffm. f. *hirtifructus* (Ohwi) H.Ohba, Fl. Jap. (Iwatsuki et al., eds.) 2c: 278 1999

Bupleurum L. 시호속

Bupleurum chinense DC., Prodr. (DC.) 4: 128 1830

■ APIACEAE 산형과

국명: 두메시호(Du-me-si-ho)

Bupleurum octoradiatum Bunge, Enum. Pl. Chin. Bor. 32 1833

Bupleurum euphorbioides Nakai, Bot. Mag. (Tokyo) 28: 313 1914 (R)

국명: 등대시호(Deung-dae-si-ho), 등때시호 / (북한명) 등대시호

영명: Big-bract hare's ear

Bupleurum euphorbioides Nakai var. *alpestre* Sakata, J. Jap. Bot. 33: 30 1958

Bupleurum tatudintze V.I.Baranov, Clavis Pl. Chineae Bor.-Or. 254 1959

Bupleurum komarovianum Lincz., Fl. URSS 16: 319 1950 (R)

국명: 시호(Si-ho), 큰일시호 / (북한명) 시호

Bupleurum falcatum L. subsp. *komarovianum* (Lincz.) Vorosch., Florist. Issl. Razn. Raionakh SSSR 183 1985

Bupleurum chinense DC. var. *komarovianum* (Lincz.) Liou & Huang, Fl. Plant. Herb. Chineae Bor.-Or. 6: 200 1977

Bupleurum latissimum Nakai, Bot. Mag. (Tokyo) 31: 28 1917 (E) (R)

국명: 섬시호(Seom-si-ho) / (북한명) 섬시호

영명: Ulleungdo hare's ear

Bupleurum longiradiatum Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 719 1844

국명: 개시호(Gae-si-ho), 큰시호, 좀시호 / (북한명) 갯시호

영명: Big-leaf hare's ear

Bupleurum leveillei H.Boissieu, Bull. Soc. Bot. France 57: 413 1910

Bupleurum longiradiatum Turcz. var. *leveillei* (H.Boissieu) Kitag., Bull. Natl. Sci. Mus., Tokyo 5: 11 1960

Bupleurum longiradiatum Turcz. f. *leveillei* (H.Boissieu) Kitag., J. Jap. Bot. 36: 241 1961

Bupleurum scorzonerifolium Willd., Enum. Pl. (Willdenow) Suppl. 30 1814

국명: 참시호(Cham-si-ho), 가는시호, 시호 / (북한명) 참시호

영명: Sickle-leaf hare's ear

Bupleurum falcatum L. var. *scorzonerifolium* (Willd.) Ledeb., Fl. Ross. (Ledeb.) 2: 267 1844

Bupleurum falcatum L. subsp. *eufalcatum* var. *scorzonerifolium* (Willd.) C.F.Wolff, Pflanzenr. (Engler) IV: 132 1910

Bupleurum falcatum L. subsp. *scorzonerifolium* (Willd.) Koso-Pol., Trudy Imp. S.-Peterburgsk. Bot. Sada 30: 219 1913

Bupleurum scorzonerifolium Willd. var. *stenophyllum* Nakai, J. Jap. Bot. 13: 487 1937

Bupleurum stenophyllum (Nakai) Kitag., J. Jap. Bot. 21: 99 1948

Carlesia Dunn 돌방풍속

Carlesia sinensis Dunn, Hooker's Icon. Pl. ser. 4, 28: t. 2739 1902 (R)

국명: 돌방풍(Dol-bang-pung), 바위방풍, 복승미나리 / (북한명) 복승미나리

영명: Rock carlesia

Centella L. 병풀속

Centella asiatica (L.) Urb., Fl. Bras. (Martius) 11: 287 1879

국명: 병풀(Byeong-pul), 말굽풀, 조개풀 / (북한명) 병풀

영명: Asian pennywort

Hydrocotyle asiatica L., Sp. Pl. 1: 234 1753

Hydrocotyle reniformis Walter, Fl. Carol. 113 1788

Hydrocotyle lunata Lam., Encycl. (Lamarck) 3: 152 1789

Trisanthus cochinchinensis Lour., Fl. Cochinch. 1: 176 1790

Hydrocotyle biflora P.Vell., Fl. Flumin. 3: t. 93 1825

Hydrocotyle inaequipes DC., Prodr. (DC.) 4: 63 1830

Hydrocotyle pallida DC., Prodr. (DC.) 4: 63 1830

Hydrocotyle tussilaginifolia Baker, J. Linn. Soc., Bot. 20: 151 1883

Hydrocotyle filicaulis Baker, J. Linn. Soc., Bot. 21: 348 1884

Centella boninensis Nakai ex Tuyama, Bot. Mag. (Tokyo) 50: 31, f. 23 1936

Cicuta L. 독미나리속

Cicuta virosa L., Sp. Pl. 1: 255 1753 ⓤ

국명: 독미나리(Dok-mi-na-ri), 개발나물아재비, 가는잎독미나리 / (북한명) 독미나리

영명: Northern water hemlock

Cicutaria aquatica Lam., Fl. Franc. (Lamarck) 3: 445 1779

Sium cicuta F.H.Wigg., Prim. Fl. Holsat. 24 1780

Cicuta angustifolia Kit., Oestr.Fl.(ed.2)1: 515 1814

Cicuta tenuifolia Schrank, Denkschr. Königl. Akad. Wiss. München 7: 56 1818

Cicuta virosa L. var. *stricta* K.F.Schultz, Prodr. Fl. Starg. Suppl. 17 1819

Cicuta virosa L. var. *angustisecta* Čelak., Prodr. Fl. Bohmen 563 1875

Cicuta niponica Franch., Bull. Soc. Bot. France 26: 84 1879

Cicuta virosa L. f. *angustifolia* (Kit.) Schube, Verbreit. Gefässpfl. Schles. 233 1903

Cnidium Cusson ex Juss. 갯사상자속

Cnidium dauricum (Jacq.) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 2: 33 1836

국명: 사동미나리(Sa-dong-mi-nari), 다우리아미나리, 다후리아벌사상자, 상동미나리 / (북한명) 북사상자,
다후리아사상자

영명: Dahurian snowparsley

Laserpitium dahuricum Jacq., Hort. Bot. Vindob. 3: 22 1776

Cnidium japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 60 1867

국명: 갯사상자(Gaet-sa-sang-ja), 개사상자, 갯미나리 / (북한명) 갯사상자

영명: Seashore snowparsley

Selinum japonicum (Miq.) Franch. & Sav., Enum. Pl. Jap. 1: 186 1873

Oenanthe japonica (Miq.) Nakai ex T.Mori, Enum. Pl. Corea 272 1922

■ APIACEAE 산형과 —

Cnidium monnierii (L.) Cusson, Mém. Soc. Linn. Paris 1782: 280 1787

국명: 벌사상자(Beol-sa-sang-ja), 개사상자, 돌사상자, 산미나리 / (북한명) 벌사상자

영명: Monnier's snowparsley

Selinum monnierii L., Cent. Pl. I. 9 1755

Conioselinum Fisch. ex Hoffm. 산천궁속

Conioselinum filicinum (H.Wolff) H.Hara, J. Jap. Bot. 18: 28 1942

국명: 두메천궁(Du-me-cheon-gung)

Peucedanum filicinum H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 246 1925

Conioselinum kamtschaticum Rupr., Beitr. Pflanzenk. Russ. Reiches 11: 22 1859

국명: 산천궁(San-cheon-gung)

영명: Kamchatka hemlock parsley

Cryptotaenia DC. 파드득나물속

Cryptotaenia japonica Hassk., Retzia 1: 113 1855

국명: 파드득나물(Pa-deu-deuk-na-mul), 반디나물, 반디나물, 참나물 / (북한명) 파드득나물

영명: East Asian wildparsley

Cryptotaenia canadensis (L.) DC. var. *japonica* (Hassk.) Makino, Somoku-Dzusetsu (ed. 3) 379 1907

Deringa japonica (Hassk.) Koso-Pol., Vestn. Tiflissk. Bot. Sada 11: 139 1916

Cryptotaenia canadensis (L.) DC. subsp. *japonica* (Hassk.) Hand.-Mazz., Symb. Sin. 7: 713 1933

Cymopterus Raf. 큰참나물속

Cymopterus melanotilingia (H.Boissieu) C.Y.Yoon, Korean J. Pl. Taxon. 31: 258 2001

국명: 큰참나물(Keun-cham-na-mul), 자주참나물, 제주참나물, 큰기름나물, 큰반디나물

영명: Big springparsley

Selinum melanotilingia H.Boissieu, Bull. Herb. Boissier ser. 2, 3: 956 1903

Peucedanum melanotilingia (H.Boissieu) H.Boissieu, Bull. Herb. Boissier ser 2, 8: 642 1908

Pimpinella crassa Nakai, Bot. Mag. (Tokyo) 31: 102 1917

Halosciastrum crassum (Nakai) Koidz., Acta Phytotax. Geobot. 10: 54 1941

Ostericum melanotilingia (H.Boissieu) Kitag., J. Jap. Bot. 17: 561 1941

Cymopterus crassus (Koidz.) M.Hiroe, Umbelliferae Asia 143 1958

Ostericum crassum (Nakai) Kitag., J. Jap. Bot. 34: 361 1959

Daucus L. 당근속

Daucus carota L. subsp. *carota*

Daucus carota L. subsp. *maritimus* (Lam.) Batt., Fl. Algérie Dicot. 382 1889

국명: 선당근(Seon-dang-geun)

Daucus littoralis Sm., Fl. Graec. 3: 65 1821

국명: 갯당근(Gaet-dang-geun) / (북한명) 갯당근

영명: Seashore carrot

Dystaenia Kitag. 섬바디속

Dystaenia takesimana (Nakai) Kitag., Bot. Mag. (Tokyo) 51: 807 1937 ⓘ

국명: 섬바디(Seom-ba-di), 돼지풀, 울릉강활 / (북한명) 섬바디

영명: Ulleungdo dystaenia

Angelica takesimana Nakai, Bot. Mag. (Tokyo) 32: 219 1919

Ligusticum takeshimanum (Nakai) M.Hiroe, Acta Phytotax. Geobot. 18: 19 1959

Glehnia F.Schmidt ex Miq. 갯방풍속

Glehnia littoralis F.Schmidt ex Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 61 1867 ⓘ

국명: 갯방풍(Gaet-bang-pung), 갯향미나리 / (북한명) 갯방풍, 방풍나물

영명: Beach silvertop

Phellopterus littoralis (F.Schmidt ex Miq.) Benth., Gen. Pl. (Bentham & Hooker) 1: 905 1867

Heracleum L. 어수리속

Heracleum moellendorffii Hance, J. Bot. 16: 12 1878

국명: 어수리(Eo-su-ri), 개독활 / (북한명) 어수리

영명: East Asian hogweed

Heracleum microcarpum Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 6: 24 1883

Heracleum microcarpum Franch. var. *subbipinnatum* Franch., Pl. David. 1: 144 1884

Heracleum moellendorffii Hance f. *subbipinnatum* (Franch.) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuriae: 276 1935

Heracleum morifolium H.Wolff var. *angustum* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 36 1936

Heracleum nipponicum Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 274 1938

Heracleum moellendorffii Hance var. *subbipinnatum* (Franch.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 157 1941

Heracleum moellendorffii Hance f. *angustum* (Kitag.) Kitag., J. Jap. Bot. 55: 268 1980

Heracleum dissectum Ledeb. subsp. *moellendorffii* (Hance) Vorosch., Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s., 95: 92 1990

Hydrocotyle Tourn. ex L. 피막이속

Hydrocotyle javanica Thunb., Hydrocotyle 17 1798

■ APIACEAE 산형과

국명: **큰피막이풀**(Keun-pi-mak-i-pul), 단풍잎피막이풀, 큰잎피막이, 큰잎피막이풀, 큰피막이 / (북한명) 큰피막이

영명: **Nepalese pennywort**

Hydrocotyle nepalensis Hook., Exot. Fl. 1: t. 30 1822

Hydrocotyle hirsuta Blume, Bijdr. Fl. Ned. Ind. 15: 884 1826

Hydrocotyle heyneana Wall., Numer. List 563 1829

Hydrocotyle polycephala Wight & Arn., Prodr. Fl. Ind. Orient. 1: 366 1834

Hydrocotyle javanica Thunb. var. *laxa* Masam., J. Soc. Trop. Agric. 4: 301 1932

Hydrocotyle maritima Honda, Bot. & Zool. 2: 1825 1934

국명: **선피막이**(Seon-pi-mak-i), 개피막이, 갯피막이, 들피막이, 들피막이풀, 선피막이풀, 장밧대 / (북한명) 갯피막이

영명: **Asian dwarf pennywort**

Hydrocotyle ramiflora Maxim. var. *maritima* (Honda) M.Hiroe, Acta Phytotax. Geobot. 14: 40 1950

Hydrocotyle ramiflora Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 46 1886

국명: **큰피막이**(Keun-pi-mak-i), 선피막이, 산피막이풀, 큰산피막이풀 / (북한명) 선피막이

영명: **Long-pedicel pennywort**

Hydrocotyle sibthorpioides Lam., Encycl. (Lamarck) 3: 153 1789

국명: **피막이**(Pi-mak-i)

영명: **Lawn marsh pennywort**

Hydrocotyle ranunculoides L.f. var. *sibthorpioides* (Lam.) Spreng., Syst. Veg. (ed.16) [Sprengel] 6: 349 1820

Hydrocotyle nitidula A.Rich., Ann. Gen. Sci. Phys. 4: 200 1820

Hydrocotyle tenella Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 183 1825

Hydrocotyle zollingeri Molk., Pl. Jungh. 91 1851

Hydrocotyle perexigua Hance, Ann. Bot. Syst. 2: 691 1852

Hydrocotyle puncticulata Miq., Fl. Ned. Ind. 1: 732 1856

Hydrocotyle monticola Hook.f., J. Linn. Soc., Bot. 7: 194 1864

Hydrocotyle yabei Makino, Bot. Mag. (Tokyo) 24: 243 1910

국명: **제주피막이**(Je-ju-pi-mak-i), 산피막이풀, 큰피막이, 피막이풀 / (북한명) 피막이풀, 큰잎피막이

영명: **Jeju pennywort**

Hydrocotyle japonica Makino, J. Jap. Bot. 3: 47 1926

Kitagawia Pimenov 가는기름나물속

Kitagawia komarovii Pimenov, Bot. Zhurn. (Moscow & Leningrad) 71: 948 1986

국명: **가는기름나물**(Ga-neun-gi-reum-na-mul), 가는잎기름나물

영명: **Elegant hogfennel**

! *Peucedanum elegans* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 430 1901

Libanotis Hill 털기름나물속

Libanotis coreana (H.Wolff) Kitag., Bot. Mag. (Tokyo) 51: 657 1937

국명: 털기름나물(Teol-gi-reum-na-mul), 제주방풍 / (북한명) 제주털기름나물

영명: Korean libanotis

Seseli libanotis (L.) Koch var. *japonicum* Boiss., Bull. Soc. Bot. France 56: 354 1909

Seseli coreanum H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 244 1925

Libanotis seseloides (Fisch. & C.A.Mey. ex Turcz.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 725 1844

국명: 가는잎방풍(Ga-neun-ip-bang-pung) / (북한명) 털기름나물, 털기름나물

영명: Sesel-like libanotis

Ligusticum seseloides Fisch. & C.A.Mey. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 530 1838

Seseli seseloides (Fisch. & C.A.Mey. ex Turcz.) M.Hiroe, Umbelliferae Asia 1: 135 1958

Ligusticum L. 기름당귀속

Ligusticum scoticum L. subsp. *scoticum*

Ligusticum scoticum L. subsp. *hultenii* (Fernald) Calder & Roy L.Taylor, Canad. J. Bot. 43: 1396 1965

국명: 기름당귀(Gi-reum-dang-gwi), 개당귀, 갯당귀 / (북한명) 갯당귀

영명: Hulten's licorice-root

Ligusticum hultenii Fernald, Rhodora 32: 7 1930

Angelica hultenii (Fernald) M.Hiroe, Acta Phytotax. Geobot. 14: 29 1949

Ligusticum tachiroei (Franch. & Sav.) M.Hiroe & Constance, Univ. Calif. Publ. Bot. 30: 74 1958 ⓘ

국명: 개회향(Gae-hoe-hyang), 돌회향, 산회향

영명: Rocky licorice-root

Seseli tachiroei Franch. & Sav., Enum. Pl. Jap. 2: 373 1878

Cnidium tachiroei (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 20: 94 1906

Tilingia tachiroei (Franch. & Sav.) Kitag., Bot. Mag. (Tokyo) 51: 656 1937

Rupiphila tachiroei (Franch. & Sav.) Pimenov & Lavrova, Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 91: 97 1986

Oenanthe L. 미나리속

Oenanthe javanica (Blume) DC., Prodr. (DC.) 4: 138 1830

국명: 미나리(Mi-na-ri), 잔잎미나리 / (북한명) 미나리

영명: Java water-dropwort

Osmorrhiza Raf. 긴사상자속

Osmorrhiza aristata (Thunb.) Rydb., Bot. Surv. Nebraska 3: 37 1894

■ APIACEAE 산형과

국명: **긴사상자**(Gin-sa-sang-ja), 개사상자, 짧은사상자, 진득미나리 / (북한명) 긴사상자

영명: **Aristate sweetroot**

Chaerophyllum aristatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 288 1784

Myrrhis aristata (Thunb.) Spreng., Sp. Umbell. 133 1818

Osmorrhiza japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 203 1845

Uraspermum aristatum (Thunb.) Kuntze, Revis. Gen. Pl. 1: 270 1891

Scandix aristata (Thunb.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 143 1916

Osmorrhiza aristata (Thunb.) Rydb. var. *montana* Makino, J. Jap. Bot. 2: 7 1918

Osmorrhiza montana (Makino) Makino, J. Jap. Bot. 5: 28 1928

***Ostericum* Hoffm. 뒷미나리속**

***Ostericum grosseserratum* (Maxim.) Kitag.**, J. Jap. Bot. 12: 233 1935

국명: **신감채**(Sin-gam-chae), 강활, 당귀, 승엄초, 신가삼 / (북한명) 신감채

영명: **Deeply-serrate-leaf ostericum**

Angelica grosseserrata Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 19: 275 1873

Angelica koreana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 31: 51 1887

Ostericum koreanum (Maxim.) Kitag., J. Jap. Bot. 12: 235 1936

***Ostericum maximowiczii* (F.Schmidt) Kitag.**, J. Jap. Bot. 12: 232 1936

국명: **가는바디**(Ga-neun-ba-di), 가는멧미나리, 가는잎바디나물 / (북한명) 가는바디

영명: **Maximowicz's ostericum**

Gomphopetalum maximowiczii F.Schmidt, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 126 1859

Angelica maximowiczii (F.Schmidt) Benth. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 19: 274 1874

***Ostericum sieboldii* (Miq.) Nakai**, J. Jap. Bot. 18: 219 1942

국명: **뒷미나리**(Moet-mi-na-ri), 메미나리, 멧미나리 / (북한명) 뒷미나리

영명: **East Asian ostericum**

Peucedanum sieboldii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 63 1867

Angelica miquelianiana Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 19: 276 1873

Peucedanum miquelianum (Maxim.) H.Wolff, Repert. Spec. Nov. Regni Veg. 21: 248 1925

Ostericum miquelianum (Maxim.) Kitag., J. Jap. Bot. 12: 236 1936

***Peucedanum* L. 기름나물속**

***Peucedanum chujaense* K.Kim, S.H.Oh, Chan S.Kim & C.W.Park**, Phytoxata 403(2): 92 2017 **⑤**

국명: **갈기기름나물**(Gal-gi-gi-reum-na-mul)

***Peucedanum coreanum* Nakai**, Bot. Mag. (Tokyo) 31: 100 1917 **⑤**

국명: **두메기름나물**(Du-me-gi-reum-na-mul)

영명: **Korean hogfennel**

Ligusticum coreanum (Nakai) M.Hiroe, Umbelliferae Asia 1: 103 1958

Peucedanum hakuunense Nakai, J. Jap. Bot. 15: 740 1939 ®

국명: 백운기름나물(Baek-un-gi-reum-na-mul)

영명: Baekun hogfennel

Peucedanum terebinthaceum (Fisch. ex Trevir.) Fisch. ex Turcz. var. *hakuunense* (Nakai) M.Kim, Korean Endemic Pl. 255 2017

Peucedanum japonicum Thunb., Fl. Jap. (Thunberg) 117 1784

국명: 갯기름나물(Gaet-gi-reum-na-mul), 개기름나물, 목단방풍, 보안기름나물 / (북한명) 갯기름나물

영명: Coastal hogfennel

Anethum japonicum (Thunb.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 117 1915

Peucedanum litorale Vorosch. & Gorovoj, Bull. Princ. Bot. Gard. Acad. Sci. URSS 41: 80 1961

국명: 섬기름나물(Seom-gi-reum-na-mul)

Peucedanum terebinthaceum (Fisch. ex Trevir.) Fisch. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 743 1844

국명: 기름나물(Gi-reum-na-mul), 참기름나물, 두메방풍 / (북한명) 기름나물

영명: Terebinthaceous hogfennel

Selinum terebinthaceum Fisch. ex Trevir., Index Sem. (Breslau) 3: 3 1821

Peucedanum paishanense Nakai, Bot. Mag. (Tokyo) 31: 101 1917

Peucedanum terebinthaceum (Fisch. ex Trevir.) Fisch. ex Turcz. var. *terebinthaceum*

Peucedanum terebinthaceum (Fisch. ex Trevir.) Fisch. ex Turcz. var. *deltoidium* (Makino ex K.Yabe) Makino, Bot. Mag. (Tokyo) 22: 173 1908

국명: 산기름나물(San-gi-reum-na-mul), 두메기름나물, 두메방풍 / (북한명) 산기름나물

영명: Mountain hogfennel

Peucedanum deltoideum Makino ex Y.Yabe, J. Coll. Sci. Imp. Univ. Tokyo 16: 99 1902

Pimpinella L. 참나물속

Pimpinella brachycarpa (Kom.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 261 1909

국명: 참나물(Cham-na-mul), 겹참나물, 노루참나물, 산노루참나물 / (북한명) 참나물

영명: Chamnamul (Short-fruit pimpinella)

Pimpinella calycina Maxim. var. *brachycarpa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 145 1907

Pimpinella gustavohegiana Koidz., Fl. Austrohigo. 84 1930

Spuriopimpinella brachycarpa (Kom.) Kitag., J. Jap. Bot. 17: 559 1941

Pimpinella brachycarpa (Kom.) Nakai var. *brachycarpa*

■ APIACEAE 산형과 —

Pimpinella brachycarpa (Kom.) Nakai var. ***uchiyamana*** (Y.Yabe) W.T.Lee & G.J.Jang, Lineamenta Florae Koreae 805 1996 (E)

국명: 그늘참나물(Geu-neul-cham-na-mul) / (북한명) 그늘참나물

영명: Shady short-fruit pimpinella

Pimpinella koreana (Y.Yabe) Nakai var. *uchiyamana* Nakai, Fl. Kor. 1: 262 1909

Pimpinella nikoensis Y.Yabe var. *uchiyamana* Y.Yabe, Fl. Kor. 1: 262 1909

Spuriopimpinella koreana (Y.Yabe) Kitag. f. *uchiyamana* (Y.Yabe) Kitag., Bull. Natl. Sci. Mus., Tokyo 5: 33 1960

Pimpinella calycina Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 9: 182 1873

국명: 큰산참나물(Keun-san-cham-na-mul)

Pimpinella hallaisanensis (W.T.Lee & C.G.Jang) C.G.Jang, W.K.Paik & W.T.Lee, Korean J. Pl. Taxon. 29: 163 1999 (E)

국명: 한라참나물(Han-ra-cham-na-mul)

영명: Halla pimpinella

Pimpinella brachycarpa (Kom.) Nakai var. *hallaisanensis* W.T.Lee & C.G.Jang, Korean J. Pl. Taxon. 25: 8 1995

Pimpinella komarovii (Kitag.) R.H.Shan & F.T.Pu, Fl. Reipubl. Popularis Sin. 55(2): 111 1985

국명: 노루참나물(No-ru-cham-na-mul)

영명: Roe-buck pimpinella

Spuriopimpinella komarovii Kitag., J. Jap. Bot. 17: 560 1941

Pimpinella koreana (Y.Yabe) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 261 1909

국명: 가는참나물(Ga-neun-cham-na-mul), 그늘참나물

영명: Korean pimpinella

Pimpinella nikoensis Y.Yabe var. *koreana* Y.Yabe, Bot. Mag. (Tokyo) 17: 106 1903

Spuriopimpinella koreana (Y.Yabe) Kitag., J. Jap. Bot. 17: 560 1941

Pimpinella brachycarpa (Kom.) Nakai var. *koreana* (Y.Yabe) M.Kim, Korean Endemic Pl. 257 2017

Pleurospermum Hoffm. 누룩치속

Pleurospermum uralense Hoffm., Gen. Pl. Umbell. 180 1814

국명: 왜우산풀(Wae-u-san-pul), 개반디, 개우산풀, 누룩치, 누리대, 왕우산바디, 왜우산나물, 우산풀 / (북한명) 왜우산풀

영명: Kamchatka pleurospermum

Pleurospermum camtschaticum Hoffm., Gen. Pl. Umbell. 10 1814

Pternopetalum Franch. 반디미나리속

Pternopetalum tanakae (Franch. & Sav.) Hand.-Mazz., Symb. Sin. 7: 719 1933

국명: **반디미나리**(Ban-di-mi-na-ri), 바위미나리, 바디미나리, 산바디, 산바디미나리, 실바디미나리 /
(북한명) 바위미나리

영명: **Linear-leaf pternopetalum**

Carum tanakae Franch. & Sav., Enum. Pl. Jap. 2: 371 1878

Pterygopleurum Kitag. 서울개발나물속

***Pterygopleurum neurophyllum* (Maxim.) Kitag.**, Bot. Mag. (Tokyo) 51: 655 1937 Ⓢ

국명: **서울개발나물**(Seo-ul-gae-bal-na-mul), 나도감자가락잎, 나도감자개발나물, 실바디, 지촌인삼, 털분지 /
(북한명) 나도감자개발나물

영명: **Nerved-leaf pterygopleurum**

Edosima neurophyllum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 285 1873

Carum neurophyllum (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 180 1873

Sium neurophyllum (Maxim.) H.Hara, Enum. Sperm. Jap. 3: 323 1954

Sanicula L. 참반디속

***Sanicula chinensis* Bunge**, Enum. Pl. China Bor. [A.A. von Bunge] 32 1833

국명: **참반디**(Cham-ban-di)

영명: **East Asian sanicle**

Sanicula europaea L. var. *chinensis* (Bunge) Diels, Bot. Jahrb. Syst. 29: 491 1900

Sanicula elata Buch.-Ham. ex D.Don var. *chinensis* (Bunge) Koidz., Bot. Mag. (Tokyo) 44: 95 1910

Sanicula europaea L. subsp. *chinensis* (Bunge) Hultén, Kungl. Svenska Vetenskapsakad. Handl. 13: 363 1971

***Sanicula rubriflora* F.Schmidt ex Maxim.**, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 123 1859

국명: **붉은참반디**(Bul-geun-cham-ban-di), 붉은참바디, 붉은참반듸 / (북한명) 붉은참반디

영명: **Red-flower sanicle**

***Sanicula tuberculata* Maxim.**, Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 431 1867

국명: **애기참반디**(Ae-gi-cham-ban-di), 애기참바디 / (북한명) 애기참반디

영명: **Dwarf sanicle**

Saposhnikovia Schischk. 방풍속

***Saposhnikovia divaricata* (Turcz.) Schischk.**, Fl. URSS 17: 54 1951

국명: **방풍**(Bang-pung)

Trinia dahurica Turcz. ex Besser, Flora 17(1, Beibl.): 14 1834

Stenocoelium divaricatum Turcz., Bull. Soc. Imp. Naturalistes Moscou 17: 734 1844

Siler divaricatum (Turcz.) Benth. & Hook.f., Gen. Pl. (Bentham & Hooker) 1: 909 1867

Sillaphyton Pimenov 덕우기름나물속

Sillaphyton podagraria (H.Boissieu) Pimenov, Botanica Pacifica 5: 7 2016 (E)

국명: 덕우기름나물(Deok-u-gi-reum-na-mul)

영명: Deokwoo hogfennel

Peucedanum podagraria H.Boissieu, Bull. Herb. Boissier II, 3: 957 1903

Peucedanum insolens Kitag., J. Jap. Bot. 47: 355 1972

Sium L. 개발나물속

Sium ninsi L., Sp. Pl. 1: 251 1753

국명: 감자개발나물(Gam-ja-gae-bal-na-mul), 감자가락잎풀, 무강개발나물, 알개발나물 / (북한명) 섬개발나물

영명: Tuberous water parsnip

Sium diversifolium H.Wolff, Repert. Spec. Nov. Regni Veg. 17: 172 1921

! *Sium ninsi* Thunb., Fl. Jap. (Thunberg) 118 1784

Sium suave Walter, Fl. Carol. 115 1788

국명: 개발나물(Gae-bal-na-mul), 가는개발나물, 가락잎풀, 당개발나물 / (북한명) 개발나물

영명: Hemlock water parsnip

Sium suave Walter var. *suave*

Sium suave Walter var. *nipponicum* (Maxim.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 95 1952

국명: 물개발나물(Mul-gae-bal-na-mul), 넓은잎개발나물 / (북한명) 물개발나물

Sium nipponeum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 268 1873

Sium tenue Kom., Bull. Jard. Bot. Petersb. 16: 174 1916

국명: 대암개발나물(Dae-am-gae-bal-na-mul)

영명: Heterophyllous water parsnip

! *Sium heterophyllum* Y.N.Lee, Korean J. Pl. Taxon. 23: 263 1993

Sium ternifolium B.Y.Lee & S.C.Ko, Korean J. Pl. Taxon. 39: 130 2009 (E)

국명: 세잎개발나물(Se-ip-gae-bal-na-mul)

영명: Ternate-leaf water parsnip

Sphallerocarpus Besser ex DC. 무산상자속

Sphallerocarpus gracilis (Besser ex Trevir.) Koso-Pol., Bull. Soc. Imp. Naturalistes Moscou 29: 202 1916

국명: 무산상자(Mu-san-sang-ja)

영명: Thin sphallerocarpus

Chaerophyllum gracile Besser ex Trevir., Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 13: 172 1826
Conopodium cyninum Benth. & Hook.f., Gen. Pl. (Bentham & Hooker) 1: 896 1867

Tilingia Regel & Tiling 대마참나물속

Tilingia tsusimensis (Y.Yabe) Kitag., J. Jap. Bot. 40: 134 1965

국명: 대마참나물(Dae-ma-cham-na-mul), 노루참나물, 속리참나물 / (북한명) 세잎개회향, 세잎갯당귀

영명: South tilingia

Ligusticum tsusimense Y.Yabe, Bot. Mag. (Tokyo) 18: 30 1904

Ostericum tsusimense (Y.Yabe) Kitag., J. Jap. Bot. 27: 203 1952

Pimpinella tsusimensis (Y.Yabe) M.Hiroe & Constance, Univ. Calif. Publ. Bot. 30: 41 1958

Tilingia nakaiana Kitag., J. Jap. Bot. 43: 186 1968

Torilis Regel & Tiling 사상자속

Torilis japonica (Houtt.) DC., Prodr. (DC.) 4: 219 1830

국명: 사상자(Sa-sang-ja), 뱀도랏, 진들개미나리 / (북한명) 뱀도랏

영명: Erect hedgeparsley

Caucalis japonica Houtt., Handl. Pl. -Kruidk. 8: 42 1779

Torilis anthriscus (L.) Gaertn. var. *japonica* (Houtt.) H.Boissieu, Bull. Herb. Boissier ser.2, 3: 856 1903

Torilis scabra (Thunb.) DC., Prodr. (DC.) 4: 219 1830

국명: 개사상자(Gae-sa-sang-ja), 긴사상자, 큰사상자 / (북한명) 큰뱀도랏

영명: Rough hedgeparsley

Chaerophyllum scabrum Thunb., Fl. Jap. (Thunberg) 119 1784

Caucalis scabra (Thunb.) Makino, Bot. Mag. (Tokyo) 7: 44 1893

Torilis henryi C.Norman, J. Bot. 67: 147 1929

CLETHRACEAE 매화오리나무과

Clethra L. 매화오리나무속

Clethra barbinervis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 128 1846 ®

국명: 매화오리나무(Mae-hwa-o-ri-na-mu), 까치수염꽃나무, 매화오리 / (북한명) 령볍, 까치수염꽃나무

영명: Tree clethra

Clethra kawadana Yanagita, Ill. Seedl. For. Tr. 3 1927

Clethra barbinervis Siebold & Zucc. var. *kawadana* (Yanagita) H.Hara, Enum. Sperm. Jap. 1: 74 1948

Clethra stolonifera Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 19 1953

DIAPENSIACEAE 암매과

Diapensia L. 암매속

Diapensia lapponica L. var. *lapponica*

Diapensia lapponica L. var. *obovata* F.Schmidt, Reis. Amur-Land., Bot. 161 1868 Ⓢ

국명: 암매(Am-mae), 돌매화나무 / (북한명) 암매

영명: Pincushion plant

Diapensia japonica J.F.Gmel., Syst. Nat. ed. 13[bis]: 1539 1792

Diapensia lapponica L. var. *asiatica* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 488 1872

Diapensia obovata (F.Schmidt) Nakai, Trees Shrubs Japan 1: 194 1922

Diapensia lapponica L. subsp. *obovata* (F.Schmidt) Hultén, Acta Univ. Lund. n.s. 44: 1265 1948

ERICACEAE 진달래과

Andromeda L. 장지석남속

Andromeda polifolia L., Sp. Pl. 1: 393 1753

국명: 애기석남(Ae-gi-seok-nam), 각시석남, 애기진달래 / (북한명) 각씨석남, 각시석남

영명: Common bog rosemary

Andromeda grandiflora Steud., Nomencl. Bot. ed. 2 (Steudel) 1: 88 1840

Andromeda polifolia L. f. *polifolia*

Andromeda polifolia L. f. *acerosa* C.Hartm., Handb. Skand. Fl. ed. 11: 319 1879

국명: 장지석남(Jang-ji-seok-nam), 대택석남, 사할석남, 선애기리진달래, 화태석남

영명: Needle-leaf bog rosemary

Arctous Nied. 홍월귤속

Arctous rubra (Rehder & E.H.Wilson) Nakai, Trees Shrubs Japan 1: 156 1922 Ⓢ

국명: 홍월귤(Hong-wol-gyul) / (북한명) 홍월귤나무

영명: Red-fruit bearberry

Arctous alpinus (L.) Nied. var. *ruber* Rehder & E.H.Wilson, Pl. Wilson. 1: 556 1913

Arctostaphylos rubra (Rehder & E.H.Wilson) Fernald, Rhodora 16: 32 1914

Arctostaphylos alpina (L.) Spreng. subsp. *rubra* (Rehder & E.H.Wilson) Hultén, Fl. Alaska Yukon 8: 1245 1948

***Chamaedaphne* Moench 진퍼리꽃나무속**

***Chamaedaphne calyculata* (L.) Moench, Methodus (Moench) 457 1794**

국명: 진퍼리꽃나무(Jin-peo-ri-kkot-na-mu), 진퍼리진달래 / (북한명) 진퍼리꽃나무

영명: Leatherleaf

Andromeda calyculata L., Sp. Pl. 1: 394 1753

Andromeda calyculata L. var. *ventricosa* Aiton, Hortus Kew. 2: 70 1789

Lyonia calyculata (L.) Rchb., Fl. Germ. Excurs. 414 1831

Cassandra calyculata (L.) D.Don, Edinburgh New Philos. J. 17: 158 1834

***Chimaphila* Pursh 매화노루발속**

***Chimaphila japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 165 1866**

국명: 매화노루발(Mae-hwa-no-ru-bal), 풀차 / (북한명) 매화노루발, 차풀

영명: Asian prince's pine

Chimaphila astyla Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 11: 434 1867

Chimaphila fukuyamai Masam., Trans. Nat. Hist. Soc. Taiwan 23: 206 1933

***Empetrum* Tourn. ex L. 시로미속**

Empetrum nigrum* L. subsp. *nigrum

***Empetrum nigrum* L. subsp. *asiaticum* (Nakai ex H.Itô) Kuvaev, Bot. Zhurn. (Moscow & Leningrad) 81: 113 1996 ®**

국명: 시로미(Si-ro-mi) / (북한명) 시로미

영명: Korean crowberry

Empetrum nigrum L. var. *japonicum* Siebold & Zucc. ex K.Koch, Hort. Dendrol. 89 1853

Empetrum nigrum L. var. *asiaticum* Nakai ex H.Itô, Bot. Mag. (Tokyo) 47: 895 1933

Empetrum asiaticum (Nakai ex H.Itô) Nakai, Fl. Sylv. Kor. 21: 110 1936

***Ledum* Ruppius ex L. 백산차속**

Ledum palustre* L. subsp. *palustre

***Ledum palustre* L. subsp. *groenlandicum* (Oeder) Hultén, Fl. Alaska Yukon 8: 1219 1948**

국명: 함경백산차(Ham-gyeong-bae-san-cha) / (북한명) 천도백산차

영명: Greenland labrador tea

Ledum groenlandicum Oeder, Fl. Dan. 4: 5 1771

Ledum palustre L. var. *groenlandicum* (Oeder) Rosenv., Meddel. Gronland 3: 692 1892

Ledum palustre* L. var. *palustre

***Ledum palustre* L. var. *decumbens* Aiton, Hort. Kew. 2: 65 1789**

■ ERICACEAE 진달래과

국명: 줍은백산차(Jop-eun-baek-san-cha), 가는잎백산차, 애기백산차 / (북한명) 가는잎백산차

영명: Narrow-leaf labrador tea

Ledum decumbens (Aiton) Lodd. ex Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 20 1841

Ledum palustre L. subsp. *decumbens* (Aiton) Hultén, Fl. Kamtschatka 4: 8 1930

Ledum palustre L. f. *decumbens* (Aiton) Y.L.Chou & S.L.Tung, Ligneous Fl. Heilongjiang 486 1986

Ledum palustre* L. var. *diversipilosum Nakai, Bot. Mag. (Tokyo) 31: 102 1917

국명: 백산차(Baek-san-cha), 북백산차, 털백산차, 왕백산차 / (북한명) 백산차

영명: Hairy labrador tea

Ledum palustre L. var. *maximum* Nakai, Bot. Mag. (Tokyo) 31: 102 1917

Ledum palustre L. var. *yesoense* Nakai, Trees Shrubs Japan ed. 1: 13 1922

Ledum palustre L. f. *diversipilosum* (Nakai) Makino & Tanaka, Man. Fl. Nippon 421 1927

Ledum palustre L. subsp. *diversipilosum* (Nakai) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 351 1956

***Moneses* Salisb. ex Gray 홀꽃노루발속**

***Moneses uniflora* (L.) A.Gray**, Manual (Gray) 273 1848

국명: 홀꽃노루발(Hol-kkot-no-ru-bal), 맷노루발, 백두산노루발, 홀꽃노루발풀 / (북한명) 홀꽃노루발풀, 백두산 노루발풀

영명: Single delight

Pyrola uniflora L., Sp. Pl. 1: 397 1753

Monanthium uniflorum (L.) House, Amer. Midl. Naturalist 6: 206 1920

***Monotropa* L. 수정난풀속**

***Monotropa hypopithys* L.**, Sp. Pl. 1: 357 1753 **(R)**

국명: 구상난풀(Gu-sang-nan-pul), 구상란풀, 나도수정초, 대홍란, 석장풀, 석장화, 수정초 / (북한명) 석장풀, 석장초

영명: Yellow Indian pipe

Monotropa hypopithys L. var. *glaberrima* H.Hara, J. Jap. Bot. 14: 427 1938

***Monotropa uniflora* L.**, Sp. Pl. 1: 387 1753 **(R)**

국명: 수정난풀(Su-jeong-nan-pul), 석장초, 수정란, 수정란풀, 수정초 / (북한명) 수정란

영명: Indian pipe

***Monotropastrum* Andres 나도수정초속**

***Monotropastrum humile* (D.Don)** H.Hara, J. Jap. Bot. 36: 78 1961 **(R)**

국명: 나도수정초(Na-do-su-jeong-cho), 수정난풀, 수정란풀

영명: Ghost plant

Monotropa humile D.Don, Prodr. Fl. Nepal. 151 1825

Monotropastrum globosum Andres ex H.Hara, J. Jap. Bot. 14: 426 1938

***Orthilia* Raf. 새끼노루발속**

***Orthilia secunda* (L.) House**, Amer. Midl. Naturalist 7: 134 1921

국명: 새끼노루발(Sae-kki-no-ru-bal), 좀노루발

영명: Sidebells wintergreen

Pyrola secunda L., Sp. Pl. 1: 396 1753

Orthilia parvifolia Raf., Autik. Bot. 104 1840

Ramischia secundiflora Opiz, Seznam 82 1852

Actinocyclus secundus (L.) Klotzsch, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1857: 14 1857

Ramischia secunda (L.) Gärcke, Fl. N. Mitt.-Deutschland ed. 4 2: 222 1858

***Phyllodoce* Salisb. 가솔송속**

***Phyllodoce caerulea* (L.) Bab.**, Man. Brit. Bot. 194 1843

국명: 가솔송(Ga-sol-song), 흰가솔송 / (북한명) 가솔송

영명: Blue mountain-heath

Andromeda caerulea L., Sp. Pl. 1: 393 1753

Erica caerulea (L.) Willd., Sp. Pl. (ed.5) 2: 393 1799

Erica arctica Waitz, Beschr. Gatt. Art. Heid. 1: 189 1805

Menziesia caerulea (L.) Sw., Trans. Linn. Soc. London 10: 377 1811

Menziesia taxifolia (Salisb.) Robbins ex Wood, Class-book Bot. (ed. 10) 373: 373 1849

Bryanthus taxifolius (Wood) Gray, Proc. Amer. Acad. Arts 7: 368 1868

Bryanthus caeruleus (L.) Dippel, Handb. Laubholzk. 1: 385 1889

Phyllodoce caerulea (L.) Bab. f. *albida* Uyeki, Rimtzang 10: 35 1939

***Pyrola* L. 노루발속**

Pyrola asarifolia* Michx. subsp. *asarifolia

***Pyrola asarifolia* Michx. subsp. *incarnata* (DC.) Haber & Hir.Takah.**, Bot. Mag. (Tokyo) 101: 492 1988

국명: 분홍노루발(Bun-hong-no-ru-bal), 분홍노루발풀 / (북한명) 분홍노루발풀

영명: Pink-flower wintergreen

Pyrola rotundifolia L. var. *incarnata* DC., Prodr. (DC.) 7: 773 1839

Pyrola asarifolia Michx. var. *incarnata* (DC.) Fernald, Rhodora 6: 178 1904

Pyrola incarnata (DC.) Fisch. ex Kom., Trudy Glavn. Bot. Sada 5: 195 1907

Pyrola rotundifolia L. subsp. *incarnata* (DC.) Krylov, Fl. Zapadnoi Sibiri 9: 2097 1937

***Pyrola dahurica* (Andres)**, Kom., Trudy Glavn. Bot. Sada 39: 36 1923

국명: 호노루발(Ho-no-ru-bal), 북노루발, 북노루발풀, 조선노루발, 호누루발풀 / (북한명) 북노루발풀, 호노루발풀

영명: Dahirian wintergreen

Pyrola americana Sweet var. *dahurica* Andres, Deutsche Bot. Monatsschr. 22: 50 1911

Pyrola rotundifolia L. subsp. *dahurica* (Andres) Andres, Oesterr. Bot. Z. 64: 233 1914

Pyrola incarnata (DC.) Fisch. ex Kom. subsp. *dahurica* (Andres) Krísa, Novit. Bot. Univ. Carol. 31 1967

■ ERICACEAE 진달래과

Pyrola denticulata Koidz., Bot. Mag. 30: 80 1916

국명: 애기노루발(Ae-gi-no-ru-bal), 애기노루발풀

영명: Tooth-margine wintergreen

Pyrola japonica Klenze ex Alef., Linnaea 28: 57 1856

국명: 노루발(No-ru-bal), 노루발풀 / (북한명) 노루발풀

영명: East Asian wintergreen

Pyrola incarnata (DC.) Fisch. ex Kom. var. *japonica* (Klenze ex Alef.) Koidz., Fl. Symb. Orient.-Asiat. 74 1930

Pyrola japonica Klenze ex Alef. var. *japonica*

Pyrola japonica Klenze ex Alef. var. *subaphylla* (Maxim.) Andres, Oesterr. Bot. Z. 64: 245 1914

국명: 훌잎노루발(Hol-ip-no-ru-bal), 훌잎노루발풀, 훌잎노루발 / (북한명) 훌잎노루발풀

영명: Single-leaf wintergreen

Pyrola subaphylla Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 433 1867

Pyrola rotundifolia L. var. *incarnata* DC. f. *subaphylla* (Maxim.) Makino, Bot. Mag. (Tokyo) 27: 24 1913

Pyrola japonica Klenze ex Alef. f. *subaphylla* (Maxim.) Ohwi, Fl. Jap. (Ohwi) 875 1953

Pyrola minor L., Sp. Pl. 1: 396 1753

국명: 주걱노루발(Ju-geok-no-ru-bal), 주걱노루발풀 / (북한명) 주걱노루발

영명: Lesser wintergreen

Pyrola renifolia Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 190 1859

국명: 콩팥노루발(Kong-pat-no-ru-bal), 콩노루발, 콩팥노루발풀 / (북한명) 콩팥노루발풀

영명: Kidney-leaf wintergreen

Pyrola soldanellifolia Andres, Deutsche Bot. Monatsschr. 22: 18 1910

Rhododendron L. 진달래속

Rhododendron aureum Georgi, Reise Russ. Reich. 1: 214 1775 ⑧

국명: 노랑만병초(No-rang-man-byeong-cho), 노랑꽃만병초, 노랑똑같나무, 들쭉나무, 만병초 / (북한명) 노란뚜깔나무, 노란만병초

영명: Yellow-flower rosebay

Rhododendron chrysanthum Pall., Reise Russ. Reich. 3: 729 1776

Rhododendron officinale Salisb., Parad. Lond 80 1807

Azalea chrysanthum (Pall.) Kuntze, Revis. Gen. Pl. 2: 387 1891

Rhododendron brachycarpum D.Don ex G.Don, Gen. Hist. 3: 843 1834 ⑧

국명: 만병초(Man-byeong-cho), 들쭉나무, 똑같나무, 붉은만병초, 큰만병초, 홍뚜갈나무, 홍만병초, 흰만병초 / (북한명) 홍뚜깔나무

영명: Short-fruit rosebay

Rhododendron brachycarpum D.Don ex G.Don var. *roseum* Koidz., Bot. Mag. (Tokyo) 30: 77 1916

Rhododendron brachycarpum D.Don ex G.Don subsp. *tigerstedtii* Nitz., Deutsche Baumschule 7: 207 1970

Rhododendron brachycarpum D.Don ex G.Don var. *tigerstedtii* (Nitz.) Davidian, Rhododendron Sp. vol. 3: 157 1992

***Rhododendron dauricum* L., Sp. Pl. 1: 392 1753 (R)**

국명: 산진달래(San-jin-dal-rae), 산진달내, 산진달래나무 / (북한명) 산진달래

영명: **Dahurian rhododendron**

Rhododendron dauricum L. var. *roseum* DC., Prodr. (DC.) 7: 757 1839

Azalea dahurica (L.) K.Koch, Dendrologie 3: 1872

Rhododendron keiskei* Miq. var. *keiskei

Rhododendron keiskei* Miq. var. *hypoglaucum Sutô & Suzuki, Trans. Nat. Hist. Soc. Formos. 22: 23 1932

국명: 섬진달래(Seom-jin-dal-rae)

Rhododendron lapponicum* (L.) Wahlenb. subsp. *lapponicum

Rhododendron lapponicum* (L.) Wahlenb. subsp. *parvifolium (Adams) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 1996

국명: 황산차(Hwang-san-cha), 황산참꽃, 흰황산참꽃, 담자리참꽃, 흰황산차 / (북한명) 황산참꽃

영명: **Lapland rosebay**

Rhododendron parvifolium Adams, Nouv. Mem. Soc. Imp. Naturalistes Moscou 9: 237 1834

Rhododendron palustre Turcz. ex DC., Prodr. (DC.) 7: 724 1839

Azalea parvifolia (Adams) Kuntze, Revis. Gen. Pl. 2: 387 1891

Rhododendron confertissimum Nakai, Bot. Mag. (Tokyo) 31: 239 1917

Rhododendron lapponicum (L.) Wahlenb. subsp. *parvifolium* (Adams) T.Yamaz. f. *albiflorum* (Herder ex Maxim.) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 17 1996

Rhododendron lapponicum (L.) Wahlenb. subsp. *parvifolium* (Adams) T.Yamaz. var. *alpinu* (Glehn) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 18 1996

***Rhododendron micranthum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 155 1837 (R)**

국명: 꼬리진달래(Kko-ri-jin-dal-rae), 겨우사리참꽃, 겨우사리참꽃나무, 꼬리진달내, 참꽃나무겨우사리, 참꽃나무겨우살이 / (북한명) 꼬리진달래

영명: **Spike rosebay**

***Rhododendron mucronulatum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 155 1837**

국명: 진달래(Jin-dal-rae), 왕진달래, 진달내, 진달래나무, 참꽃나무 / (북한명) 진달래나무

영명: **Korean rhododendron**

Rhododendron dauricum L. var. *mucronulatum* (Turcz.) Maxim., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 16: 44 1870

Rhododendron mucronulatum Turcz. var. *albiflorum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 76 1911

Rhododendron mucronulatum Turcz. var. *latifolium* Nakai, Bot. Mag. (Tokyo) 36: 70 1922

■ ERICACEAE 진달래과

Rhododendron mucronulatum Turcz. var. *acuminatum* Hutchison, Sp. Rhodod. 227 1930
Rhododendron mucronulatum Turcz. f. *albiflorum* (Nakai) Okuy., J. Jap. Bot. 30: 43 1955

Rhododendron mucronulatum* Turcz. var. *mucronulatum

Rhododendron mucronulatum* Turcz. var. *ciliatum Nakai, Bot. Mag. (Tokyo) 31: 241 1917

국명: 털진달래(Teol-jin-dal-rae), 진달래나무, 참꽃나무, 털진달내, 털진달래나무 / (북한명) 털진달래

영명: Hairy Korean rhododendron

Rhododendron mucronulatum* Turcz. var. *lucidum Nakai, J. Jap. Bot. 19: 375 1942

국명: 반들진달래(Ban-deul-jin-dal-rae), 반들진달래나무, 진달래, 흰진달래

영명: Shiny-leaf Korean rhododendron

Rhododendron mucronulatum Turcz. f. *lucidum* (Nakai) M.Kim, Korean Endemic Pl. 306 2004

Rhododendron mucronulatum* Turcz. var. *taquetii Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl.

Quelpaert Isl.] 71 1914

국명: 한라산진달래(Han-ra-san-jin-dal-rae), 타퀘진달래

영명: Slender-fruit Korean rhododendron

Rhododendron redowskianum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 189 1859

국명: 좀참꽃(Jom-cham-kkot), 두메참꽃나무, 멧참꽃나무, 뒷참꽃나무, 좀참꽃나무

영명: Cute azalea

Azalea redowskiana (Makino) Kuntze, Revis. Gen. Pl. 2: 387 1891

Therorhodion redowskianum (Maxim.) Hutch., Bull. Misc. Inform. Kew 1921: 204 1921

Rhododendron schlippenbachii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 226 1871

국명: 철쭉(Cheol-jjuk), 개꽃나무, 참철쭉, 철쭉꽃, 철쭉나무, 흰철쭉, 함박꽃 / (북한명) 철죽나무

영명: Royal azalea

Azalea schlippenbachii (Maxim.) Kuntze, Revis. Gen. Pl. 2: 387 1891

Rhododendron sobayakiense* Y.Watan. & T.Yukawa var. *sobayakiense

Rhododendron sobayakiense* Y.Watan. & T.Yukawa var. *koreanum Y.Watan. & T.Yukawa, Bull. Acad. Imp.

Sci. Saint-Pétersbourg 15: 230 1871 R

국명: 흰참꽃나무(Huin-cham-kkot-na-mu), 십자참꽃, 십자참꽃나무, 흰참꽃 / (북한명) 흰참꽃나무

영명: White chick azalea

Rhododendron trinerve Franch. ex H.Boissieu, Bull. Herb. Boissier 5: 920 1897

국명: 세잎참꽃(Se-ip-cham-kkot)

영명: Three-leaf white chick azalea

Rhododendron tschonoskii Maxim. var. *trinerve* (Franch. ex H.Boissieu) Makino, Bot. Mag. (Tokyo) 18: 66 1904
Rhododendron tschonoskii Maxim. subsp. *trinerve* (Franch. ex H.Boissieu) Kitam., Col. Ill. Woody Pl. Jap. 1: 68 1971

***Rhododendron weyrichii* Maxim.**, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 16: 26, t. 2, f.106 1870

국명: 참꽃나무(Cham-kkot-na-mu), 섬분홍참꽃나무, 신달위, 제주분홍참꽃나무, 제주참꽃나무, 텔참꽃나무,
한라산참꽃 / (북한명) 제주참꽃나무

영명: Weyrich's azalea

Azalea weyrichii (Maxim.) Kuntze, Revis. Gen. Pl. 2: 387 1891

Rhododendron shikokianum Makino, Bot. Mag. (Tokyo) 6: 53 1892

Rhododendron weyrichii Maxim. var. *psilotylum* Nakai, Bot. Mag. (Tokyo) 40: 487 1926

Rhododendron shikokianum Makino var. *nudistemon* Koidz., Acta Phytotax. Geobot. 7: 122 1938

***Rhododendron yedoense* Maxim.**, Gartenflora 35: 565, t. 1233 a & b 1886

국명: 겹산철쭉(Gyeop -san-cheol-jjuk)

영명: Multipetalous Korean azalea

Rhododendron yedoense* Maxim. f. *yedoense

Rhododendron yedoense* Maxim. f. *poukhanense (H.Lév.) Sugim. ex T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 1: 44 1996

국명: 산철쭉(San-cheol-jjuk), 개꽃나무, 물철쭉 / (북한명) 산철죽

영명: Korean azalea

Rhododendron poukhanense H.Lév., Repert. Spec. Nov. Regni Veg. 5: 100 1908

Rhododendron coreanum Rehder, Mitt. Deutsch. Dendrol. Ges. 22: 259 1913

Rhododendron hallaisanense H.Lév., Repert. Spec. Nov. Regni Veg. 12: 101 1913

Rhododendron poukhanense H.Lév. var. *plenum* Nakai, Bot. Mag. (Tokyo) 31: 245 1917

Rhododendron matsumurae Komatsu, Bot. Mag. (Tokyo) 32: 13 1918

Rhododendron yedoense Maxim. var. *poukhanense* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 34: 274 1920

Rhododendron yedoense Maxim. f. *albiflora* H.T.Chang, Seikyu 32: 80 1938

Rhododendron yedoense Maxim. var. *poukhanense* (H.Lév.) Nakai f. *leucanthum* Nakai, J. Jap. Bot. 15: 535 1939

Rhododendron yedoense Maxim. var. *hallaisanense* (H.Lév.) T.Yamaz., J. Jap. Bot. 62: 260 1987

Rhododendron yedoense Maxim. f. *plenum* (Nakai) T.Yamaz., Revis. Gen. Rhododendron Japan, Taiwan, Korea & Sakhalin 0 1996

***Vaccinium* L. 산앵도나무속**

Vaccinium bracteatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 363 1784

국명: 모새나무(Mo-sae-na-mu) / (북한명) 모새나무

영명: Sea blueberry

Acosta spicata Lour., Fl. Cochinch. 276 1790

Vaccinium spicatum (Lour.) Poir., Encycl. (Lamarck) Suppl. 1: 280 1810

Andromeda chinensis Lodd., Bot. Cab. 17 1830

■ ERICACEAE 진달래과

- Vaccinium malaccense* Wight, Calcutta J. Nat. Hist. 8: 172 1847
Vaccinium chinense Champ., Hooker's J. Bot. Kew Gard. Misc. 4: 297 1852
Vaccinium buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 29 1863
Vaccinium donianum var. *ellipticua* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 161 1865
Vaccinium idusroei Franch. & Sav., Enum. Pl. Jap. 2: 425 1878
Pieris divaricata H.Lév., Bull. Acad. Int. Géogr. Bot. 12: 252 1903
Pieris ovalifolia (Wall.) D.Don var. *denticulata* H.Lév., Bull. Soc. Bot. France 51: 291 1904
Pieris lucida H.Lév., Bull. Soc. Bot. France 53: 207 1906
Pieris coreana H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 1908
Pieris fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 5: 281 1908
Vaccinium bracteatum Thunb. var. *longitubum* Hayata, Icon. Pl. Formosan. 3: 126 1913
Vaccinium taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 182 1913

Vaccinium hirtum* Thunb. var. *hirtum

Vaccinium hirtum* Thunb. var. *koreanum (Nakai) Kitam., Acta Phytotax. Geobot. 25: 36 1972

국명: 산앵도나무(San-aeng-do-na-mu), 팽나무, 물앵도나무, 물앵두나무 / (북한명) 물앵두나무

영명: Korean blueberry

- Vaccinium koreanum* Nakai, Trees Shrubs Japan 1: 191 1922
Vaccinium usunoki Nakai, Trees Shrubs Japan Revis. Ed. 2: 250 1927

***Vaccinium japonicum* Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 28 1863**

국명: 산매자나무(San-mae-ja-na-mu) / (북한명) 산매자나무

영명: Mountain blueberry

- Oxycoccus japonicus* (Miq.) Makino, Bot. Mag. (Tokyo) 18: 18 1904
Oxycoccoides japonicus (Miq.) Nakai, Bot. Mag. (Tokyo) 31: 247 1917
Hugeria japonica (Miq.) Nakai, Trees Shrubs Japan Revis. Ed. 2: 227 1927
Hugeria incisa F.Maek., Bot. Mag. (Tokyo) 47: 614 1933
Vaccinium japonicum Miq. var. *fauriei* Sleumer, Bot. Jahrb. Syst. 71: 490 1941
Vaccinium japonicum Miq. var. *incisum* (F.Maek.) Sleumer, Bot. Jahrb. Syst. 71: 490 1941
Vaccinium japonicum Miq. f. *incisa* (F.Maek.) H.Hara, Enum. Sperm. Jap. 1: 16 1948

Vaccinium japonicum* Miq. var. *japonicum

Vaccinium japonicum* Miq. var. *ciliaris (Matsum. ex Komatsu) Nakai, Trees Shrubs Japan Revis. ed. 1: 229 1927

국명: 털매자(Teol-mae-ja)

영명: Hairy mountain blueberry

- Vaccinium japonicum* Miq. var. *ciliare* Matsum. ex Komatsu, Icon. Pl. Koisikav 1: 57 1912
Oxycoccoides japonicus (Miq.) Nakai var. *ciliaris* Koidz., Bot. Mag. (Tokyo) 32: 57 1918
Oxycoccus japonicus (Miq.) Makino var. *ciliaris* (Matsum. ex Komatsu) Makino & Nemoto, Fl. Japan (Makino & Nemoto) 409 1925
Oxycoccus japonicus (Miq.) Makino f. *ciliaris* (Matsum. ex Komatsu) Makino & Tanaka, Man. Fl. Nippon 435 1927

***Vaccinium oldhamii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 161 1866**

국명: 정금나무(Jeong-geum-na-mu), 조가리나무, 종가리나무, 지포나무 / (북한명) 정금나무

영명: Oldham's blueberry

Vaccinium ciliatum Thunb. var. *glaucum* Nakai, Bot. Mag. (Tokyo) 31: 250 1917

Vaccinium oldhamii Miq. var. *glaucum* (Nakai) Koidz., Acta Phytotax. Geobot. 5: 124 1936

Vaccinium oldhamii Miq. var. *glaucinum* (Nakai) Okuy., J. Jap. Bot. 13: 35 1937

Vaccinium oldhamii Miq. f. *glaucinum* (Nakai) Kitam., Acta Phytotax. Geobot. 25: 35 1972

***Vaccinium oxycoccus* L., Sp. Pl. 1: 351 1753**

국명: 넌출월귤(Neon-chul-wol-gyul), 덤불월귤, 덩굴월귤 / (북한명) 덩굴월귤

영명: Swamp blueberry

Oxycoccus quadripetalus Gilib., Fl. Lit. Inch. 1: 5 1782

Schollera oxycoccus (L.) Roth, Tent. Fl. Germ. 1: 170 1788

Oxycoccus palustris Pers., Syn. Pl. (Persoon) 1: 419 1805

Oxycoccus vulgaris Pursh, Fl. Amer. Sept. (Pursh) 1: 263 1814

Schollera paludosa Baumg., Enum. Stirp. Transsilv. 1: 331 1816

Oxycoccus europaeus Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 251 1818

Schollera europaea Steud., Nomencl. Bot. (Steudel) 746 1821

Oxycoca vulgaris Raf., Med. Fl. 2: 49 1830

Oxycoccus palustris Pers. var. *vulgaris* Blytt, Norges Fl. 2: 837 1874

Vaccinium oxycoccus L. var. *intermedium* A.Gray, Syn. Fl. N. Amer. (ed.2) 396: 396 1886

Oxycoccus oxycoccus (L.) MacMill., Bull. Torrey Bot. Club 19: 15 1892

Vaccinium oxycoccus L. subsp. *vulgare* Blytt, Haandb. Norges Fl. 561 1906

Oxycoccus quadripetalus Gilib. subsp. *vulgaris* (Blytt) Braun-Blanq., Ill. Fl. Mitt.-Eur. 5, 3: 1687 1926

Vaccinium oxycoccus* L. subsp. *oxycoccus

***Vaccinium oxycoccus* L. subsp. *microcarpus* (Turcz.) Kitam., Acta Phytotax. Geobot. 25: 35 1972**

국명: 애기월귤(Ae-gi-wol-gyul), 좀월귤, 굵은들쭉나무 긴들쭉나무 / (북한명) 애기월귤

영명: Small blueberry

Oxycoccus palustris Pers. var. *pusillus* Dunal, Prodri. (DC.) 7: 577 1839

Oxycoccus microcarpus Turcz. ex Rupr., Beitr. Pflanzenk. Russ. Reiches 4: 56 1845

Vaccinium microcarpum (Turcz. ex Rupr.) Schmalh., Trudy S.-Peterburgsk. Obshch. Estestvoisp. 2: 149 1871

Vaccinium oxycoccus L. var. *microcarpum* (Turcz. ex Rupr.) B.Fedtsch. & Flerow, Fl. Eur. Ross. 728 1911

Oxycoccus pusillus (Dunal) Nakai, Bot. Mag. (Tokyo) 31: 246 1917

Oxycoccus quadripetalus Gilib. subsp. *microcarpus* (Turcz. ex Rupr.) Braun-Blanq., Ill. Fl. Mitt.-Eur. 5, 3: 1687 1926

Vaccinium uliginosum L. f. *depressum* Nakai ex Uyeki, Woody Pl. Distr. Chosen 85 1940

Vaccinium uliginosum L. f. *ellipticum* Nakai ex Uyeki, Woody Pl. Distr. Chosen 85 1940

***Vaccinium uliginosum* L., Sp. Pl. 1: 350 1753 ⑧**

국명: 들쭉나무(Deul-jjuk-na-mu), 산들쭉나무, 맷들쭉나무, 뒷들쭉나무, 산들쭉, 애기들쭉나무 / (북한명) 들쭉나무

영명: Bog blueberry

■ ERICACEAE 진달래과

- Vaccinium ciliatum* Gilib., Excerc. Phyt. 1: 11 1792
Vaccinium gaultherioides Bigelow, New England J. Med. Surg. 5: 535 1816
Vaccinium pubescens Wormsk. ex Hornem., Fl. Dan. 9: 4 1818
Vaccinium uliginosum L. var. *alpinum* Bigelow, Fl. Boston. ed. 2: 153 1824
Myrtillus uliginosus Drejer, Fl. Excurs. Hafn. 147 1838
Vaccinium uliginosum L. var. *kruhsianum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 320 1872
Vaccinium uliginosum L. subsp. *microphyllum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 320 1872
Vaccinium uliginosum L. var. *microphyllum* Lange, Conspl. Fl. Groenland. 91 1880
Myrtillus grandis Bubani, Fl. Pyren. 2: 17 1900
Vaccinium fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 12: 182 1913
Vaccinium uliginosum L. f. *alpinum* Nakai, Fl. Sylv. Kor. 8: 62 1919

***Vaccinium vitis-idaea* L., Sp. Pl. 1: 351 1753 (R)**

국명: 월귤(Wol-gyul), 땃들쭉, 땅들쭉나무, 월귤나무, 큰잎월귤나무 / (북한명) 월귤나무

영명: Cowberry

- Vaccinium punctatum* Lam., Fl. Franc. (Lamarck) 3: 396 1779
Vaccinium rubrum Gilib., Fl. Lit. Inch. 1: 4 1782
Vaccinium vitis-idaea L. var. *minus* Lodd. & G.Lodd. & W.Lodd., Bot. Cab. 11: Pl. 1023 1825
Vaccinium vitis-idaea L. var. *pumilum* Hornem., Fors. Oecon. Plantel. ed. 3 2: 177 1835
Vaccinium jesoense Miq., Ann. Mus. Bot. Lugduno-Batavi 1: 28 1863
Vaccinium vitis-idaea L. var. *microphyllum* Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 313 1872
Myrtillus exigua Bubani, Fl. Pyren. 2: 16 1899
Vaccinium vitis-idaea L. subsp. *minus* (Lodd.) Hultén, Fl. Aleutian Isl. 268 1937
Vaccinium vitis-idaea L. f. *minus* (Lodd.) Nakai, J. Jap. Bot. 17: 11 1941

MYRSINACEAE 자금우과

***Ardisia* Sw. 자금우속**

***Ardisia crenata* Sims, Bot. Mag. 45: Pl. 1950 1817**

국명: 왕백량금(Wang-baek-ryang-geum) / (북한명) 백량금

- Ardisia lentiginosa* Ker Gawl., Bot. Reg. 7: t. 533 1821
Ardisia macrocarpa Roxb., Fl. Ind. (Roxburgh) 2: 277 1824
Icacorea crenata Baill., Hist. Pl. (Baillon) 11: 309 1892
Ardisia crispa (Thunb.) A.DC. var. *taquetii* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 374 1911
Ardisia labordei H.Lév., Repert. Spec. Nov. Regni Veg. 10: 373 1912
Ardisia konishii Hayata, Icon. Pl. Formosan. 5: 89 1915
Ardisia kuskusensis Hayata, Icon. Pl. Formosan. 5: 90 1915
Bladhia lentiginosa (Ker Gawl.) Nakai, Trees Shrubs Japan Revis. Ed. 2: 283 1927
Bladhia lentiginosa (Ker Gawl.) Nakai var. *taquetii* (H.Lév.) Nakai, Indian J. Agric. Sci. 1: 283 1927
Ardisia mouretii Pit., Fl. Indo-Chine 3: 864 1930
Ardisia lentiginosa Ker Gawl. var. *rectangularis* Hatus., J. Jap. Bot. 13: 681 1937

Bladhia lentiginosa (Ker Gawl.) Nakai var. *lanceolata* Masam., Trans. Nat. Hist. Soc. Taiwan 29: 344 1939
Bladhia crenata (Sims) H.Hara, Enum. Sperm. Jap. 1: 75 1948

***Ardisia crispa* (Thunb.) A.DC., Trans. Linn. Soc. London 17: 124 1834 ®**

국명: 백량금(Baek-ryang-geum)

영명: Coralberry

Bladhia crispa Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 237 1784

***Ardisia japonica* (Thunb.) Blume, Bijdr. Fl. Ned. Ind. 13: 690 1826**

국명: 자금우(Ja-geum-u) / (북한명) 자금우

영명: Marlberry

Bladhia japonica Thunb., Nov. Gen. Pl. [Thunberg] 1: 7 1781

Ardisia glabra A.DC., Trans. Linn. Soc. London 17: 123 1834

Ardisia odontophylla Lindl., Bot. Reg. 22: t. 1892 1836

Ardisia japonica (Thunb.) Blume var. *montana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 263 1866

Tinus japonica (Thunb.) Kuntze, Revis. Gen. Pl. 2: 405 1891

Tinus montana Kuntze, Revis. Gen. Pl. 2: 974 1891

Bladhia montana Nakai, Trees Shrubs Japan 1: 203 1922

***Ardisia pusilla* A.DC., Trans. Linn. Soc. London, Bot. 17: 126 1834**

국명: 산호수(San-ho-su), 털자금우 / (북한명) 털자금우, 산호수

영명: Tiny ardisia

Bladhia villosa Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 237 1784

Bladhia villosa Thunb. var. *liukiuensis* Nakai, Trees Shrubs Japan Revis. Ed. 2: 283 1927

Ardisia villosa Roxb. var. *liukiuensis* (Nakai) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 901 1931

! *Ardisia villosa* (Thunb.) Mez, Pflanzenr. (Engler) 236(Heft 9): 152 1902

***Maesa* Forssk. 빌레나무속**

***Maesa japonica* (Thunb.) Moritzi & Zoll., Syst. Verz. (Zollinger) 3: 61 1855**

국명: 빌레나무(Bil-re-na-mu)

영명: Broad flat-rock tree

Doraena japonica Thunb., Nov. Gen. Pl. 59 1783

Maesa doraena Blume ex Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 138 1846

Maesa coriacea Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 300 1852

Maesa coriacea Champ. ex Benth. var. *gracilis* Benth., Fl. Hongk. 204 1861

Baeobotrys japonica (Thunb.) Zipp. ex Scheff., Comm. Myrs. Archip. Ind. 18 1867

Pieris oligodonta H. Lév., Bull. Soc. Bot. France 54: 369 1907

Maesa cavaleriei H. Lév., Repert. Spec. Nov. Regni Veg. 9: 462 1911

Maesa dunniana H. Lév., Repert. Spec. Nov. Regni Veg. 9: 463 1911

Maesa esquirolii H. Lév., Repert. Spec. Nov. Regni Veg. 9: 462 1911

Maesa laborei H. Lév., Repert. Spec. Nov. Regni Veg. 9: 462 1911

Maesa randaiensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 177 1911

■ MYRSINACEAE 자금우과

Myrsine esquirolii H. Lév., Repert. Spec. Nov. Regni Veg. 12: 186 1913

Maesa taiheizensis Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 252 1931

Maesa japonica (Thunb.) Moritzi & Zoll. f. *gracilis* Nakai, Nov. Fl. Jap. 9: 9 1943

PRIMULACEAE 앵초과

Anagallis L. 뚜껑별꽃속

Anagallis arvensis L., Sp. Pl. 1: 148 1753

국명: 뚜껑별꽃(Ttu-kkeong-byeol-kkot), 개봄마지, 개봄맞이, 개봄맞이꽃, 뚜껑별꽃, 별봄맞이꽃, 보라별꽃 / (북한명) 별봄맞이, 개봄맞이

영명: Blue-scarlet pimpernel

Anagallis latifolia L., Sp. Pl. 1: 148 1753

Anagallis verticillata All., Fl. Pedem. 1: 87 1785

Anagallis carnea Schrank, Baier. Fl. 1: 461 1789

Anagallis repens DC., Fl. Franc. (DC. & Lamarck) ed. 3 5: 381 1805

Anagallis parviflora Loisel., Mém. Soc. Linn. Paris 6: 491 1827

Anagallis arabica Duby, Prodr. (DC.) 8: 69 1844

Anagallis arvensis L. f. *coerulea* (Schreb.) Arechav., Anales Mus. Nac. Montevideo 7: 31 1909

Anagallis hadidii Chrtk & Osb.-Kos., Folia Geobot. Phytotax. 21: 413 1986

Androsace L. 봄맞이꽃속

Androsace cortusifolia Nakai, Bot. Mag. (Tokyo) 31: 104 1917 Ⓟ ⓧ

국명: 금강봄맞이(Geum-gang-bom-mat-i), 금강봄마지, 금강봄맞이꽃 / (북한명) 금강봄맞이

영명: Geumgang rockjasmine

Androsace filiformis Retz., Observ. Bot. (Retzius) 2: 10 1781

국명: 애기봄맞이(Ae-gi-bom-mat-i), 애기봄마지, 애기봄맞이꽃 / (북한명) 애기봄맞이

영명: Filiform rockjasmine

Androsace fasciculata Willd. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 786 1819

Androsace neglecta Clerc, Bull. Soc. Imp. Naturalistes Moscou 45: 430 1872

Primula filiformis (Retz.) Kuntze, Revis. Gen. Pl. 2: 400 1891

Androsace asprella Greene, Pittonia 4: 150 1900

Androsace gormanii Greene, Pittonia 4: 149 1900

Androsace filiformis Retz. var. *glandulosa* Krylov, Fl. Altaic. 3: 819 1904

Androsace filiformis Retz. f. *glandulosa* (Krylov) Kitag., J. Jap. Bot. 34: 7 1959

Androsace lehmanniana Spreng., Isis (Oken) 1: 1289, t. 9 1817

국명: 고산봄맞이(Go-san-bom-mat-i), 백두산봄마지, 큰산봄맞이꽃 / (북한명) 고산봄맞이, 백두산봄맞이, 증산봄맞이

영명: **Dry rockjasmine**

- Androsace triflora* Adans., Mém. Soc. Imp. Naturalistes Moscou 5: 89 1817
Androsace capitata Willd. ex Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 786 1819
Androsace friesii Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 7 1884
Androsace arguta Greene, Pittonia 4: 148 1900
Androsace hirsuta R.Knuth, Pflanzenr. (Engler) IV. 237: 190 1905
Androsace bungeana Schischk. & Bobrov, Fl. URSS 18: 231 1952

Androsace septentrionalis L., Sp. Pl. 1: 142 1753

국명: 명천봄맞이(Myeong-cheon-bom-mat-i), 명천봄마지, 북봄맞이

영명: **Northern rockjasmine**

- Androsace multiflora* Lam., Fl. Franc. (Lamarck) 2: 252 1778
Androsace linearis Graham, Edinburgh New Philos. J. Apr.-June: 179 1829
Androsace lactiflora Kar. & Kir., Bull. Soc. Imp. Naturalistes Moscou 14: 728 1841
Androsace acaulis Duby, Prodr. (DC.) 8: 52 1844
Androsace subumbellata Small, Bull. Torrey Bot. Club 25: 319 1898
Androsace pinetorum Greene, Pittonia 4: 149 1900

Androsace umbellata (Lour.) Merr., Philipp. J. Sci. 15: 239 1919

국명: 봄맞이(Bom-mat-i), 봄마지꽃, 봄맞이꽃 / (북한명) 봄맞이

영명: **Umbelled rockjasmine**

- Drosera umbellata* Lour., Fl. Cochinch. 186 1790
Androsace rotundifolia Sm., Exot. Botany 2: 107 1807
Androsace orbicularis Roem. & Schult., Syst. Veg. (ed.16) [Roemer & Schultes] 4: 816 1819
Androsace saxifragifolia Bunge, Enum. Pl. Chin. Bor. 53 1833
Androsace carnosula Duby, Prodr. (DC.) 8: 54 1844
Androsace patens C.Wright ex A.Gray, Mem. Amer. Acad. Arts n.s. 6: 401 1859
Androsace minutiflora Forrest, Notes Roy. Bot. Gard. Edinburgh 4: 219, Pl. 29B 1908
Primula umbellata (Lour.) Bentv., Fl. Malesiana Ser. 1, Spermatoph. 6: 19 1963

Lysimachia Tourn. ex L. 참좁쌀풀속

Lysimachia acroadenia Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 70 1867

국명: 섬까치수염(Seom-kka-chi-su-yeom), 곧은까치수염, 곧은꽃꼬리풀, 두메까치수염, 섬까치수영, 점백이까치수염 / (북한명) 곧은까치수염, 점백이까치수염

영명: **Jejudo glandular loosestrife**

- Lysimachia keiskeana* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 120 1867
Lysimachia decurrens G.Forst. var. *acroadenia* (Maxim.) Makino, Ill. Fl. Nippon (Makino) 230 1940

Lysimachia barystachys Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 53 1833

국명: 까치수염(Kka-chi-su-yeom), 까치수영, 꽂꼬리풀 / (북한명) 까치수염, 개꼬리풀

영명: **Manchurian yellow loosestrife**

■ PRIMULACEAE 앵초과

Lysimachia clethroides Duby, Prodr. (DC.) 8: 61 1844

국명: 큰까치수염(Keun-kka-chi-su-yeom), 민까치수염, 큰까치수영, 큰꽃꼬리풀 / (북한명) 큰까치수염

영명: Gooseneck loosestrife

Lysimachia sororia Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 120 1867

Lysimachia clethroides Duby var. *sororia* (Miq.) Kunth, Pflanzenr. (Engler) IV 22: 291 1905

Lysimachia coreana Nakai, Bot. Mag. (Tokyo) 23: 106 1909 (E) (R)

국명: 참좁쌀풀(Cham-jop-ssal-pul), 고려까치수염, 고려꽃꼬리풀, 조선까치수염, 참까치수염, 참좁쌀까치수염 / (북한명) 고려까치수염, 참좁쌀풀, 참까치수염

영명: Korean loosestrife

Lysimachia fortunei Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 68 1868 (R)

국명: 진퍼리까치수염(Jin-peo-ri-kka-chi-su-yeom), 넓은잎물까치수염, 진퍼리까치수영, 진펄까치수염, 진펄꽃꼬리풀 / (북한명) 진펄까치수염, 넓은잎물까치수염

영명: Fortune's loosestrife

Lysimachia fortunei Maxim. var. *pubescens* Pamp., Nuovo Giorn. Bot. Ital. n.s. 18: 132 1911

Lysimachia chikungensis Bailey, Gentes Herb. 1: 40 1920

Lysimachia fortunei Maxim. f. *suboppositifolia* Honda, Bot. Mag. (Tokyo) 35: 100 1939

Lysimachia japonica Thunb., Fl. Jap. (Thunberg) 83 1784

국명: 좀가지풀(Jom-ga-ji-pul), 금좀쌀풀, 둘좀쌀풀, 좀가지꽃 / (북한명) 좀가지풀, 금좀쌀풀, 둘좀쌀풀

영명: Small loosestrife

Lysimachia japonica Thunb. var. *subsessilis* Maek., Enum. Sperm. Jap. 1: 87 1948

Lysimachia japonica Thunb. f. *subsessilis* (Maek.) Murata, Acta Phytotax. Geobot. 17: 12 1957

Lysimachia leucantha Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 121 1867 (R)

국명: 물까치수염(Mul-kka-chi-su-yeom), 물까치수영, 물꽃꼬리풀, 불까치수염, 좁은잎물까치수염 / (북한명) 물까치수염, 좁은잎물까치수염

영명: Swamp-white loosestrife

Lysimachia candida Lindl. var. *leucantha* (Miq.) Makino, Bot. Mag. (Tokyo) 21: 162 1907

Lysimachia maritima (L.) Galasso & Banfi & Soldano, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 146: 229

국명: 갯봄맞이(Gaet-bom-mat-i), 갯봄마지, 갯봄맞이꽃, 바다솔잎 / (북한명) 갯봄맞이 2005 (R)

영명: Blunt-leaf sea milkwort

Glaux maritima L., Sp. Pl. 1: 207 1753

Glaux maritima L. var. *obtusifolia* Fernald, Rhodora 4: 215 1902

Glaucoidea maritima L. var. *obtusifolia* (Fernald) Lunell, Amer. Midl. Naturalist 5: 97 1917

Lysimachia mauritiana Lam., Encycl. (Lamarck) 3: 592 1789

국명: **갓까치수염**(Gaet-kka-chi-su-yeom), 갓까치수영, 갓꽃꼬리풀, 갓좁쌀풀 / (북한명) 갓까치수염, 갓좁쌀풀
영명: **Spoon-leaf yellow loosestrife**

Lysimachia lineariloba Hook. & Arn., Bot. Beechey Voy. 268 1838

Lysimachia lubinoides Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 140 1846

Lubinia lineariloba (Hook. & Arn.) Pax, Nat. Pflanzenfam. 4: 112 1890

Lubinia lubinoides (Siebold & Zucc.) Pax, Nat. Pflanzenfam. 4: 112 1890

Lysimachia nebeliana Gilg, Bot. Jahrb. Syst. 34: 57 1904

Lysimachia pentapetala Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 53 1833 (R)

국명: **홍도까치수염**(Hong-do-kka-chi-su-yeom), 쇠까치수염, 쇠꽃꼬리풀

영명: **Five-petal loosestrife**

Apochoris pentapetala (Bunge) Duby, Prodr. (DC.) 8: 67 1844

Lysimachia unguiculata Diels, Bot. Jahrb. Syst. 29: 524 1901

Lysimachia quelpaertensis K.H.Tae & J.S.Lee, Korean J. Pl. Taxon. 40: 109 2010 (E)

국명: **탐라까치수염**(Tam-ra-kka-chi-su-yeom)

Lysimachia barystachys Bunge var. *quelpaertensis* (K.H.Tae & J.S.Lee) M.Kim, Korean Endemic Pl. 172 2017

Lysimachia thrysiflora L., Sp. Pl. 1: 147 1753

국명: **버들까치수염**(Beo-deul-kka-chi-su-yeom), 땅까치수염, 버들개꼬리풀, 버들까치수영, 버들잎까치수염,
버들잎꼬리풀 / (북한명) 버들까치수염

영명: **Tufted loosestrife**

Naumburgia guttata Moench, Suppl. Meth. (Moench) 23 1802

Naumburgia thrysiflora (L.) Rchb., Fl. Germ. Excurs. 1: 410 1830

Nummularia thrysiflora (L.) Kuntze, Revis. Gen. Pl. 2: 398 1891

Lysimachia kamtschatica Gaud., Bull. Soc. Bot. France 65: 58 1918

Lysimachia vulgaris L. var. ***vulgaris***

Lysimachia vulgaris L. var. ***davurica*** (Ledeb.) R.Knuth, Pflanzenr. (Engler) IV. 22: 304 1905

국명: **좁쌀풀**(Jop-ssal-pul), 가는좁쌀풀, 노란꽃꼬리풀, 큰좁쌀풀, 분홍좁쌀풀 / (북한명) 노란까치수염, 좁쌀풀

영명: **Dahurian loosestrife**

Lysimachia davurica Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 523 1814

Lysimachia dauriensis Baudo, Ann. Sci. Nat., Bot. ser. 2, 20: 348 1843

Lysimachia vulgaris L. subsp. *davurica* (Ledeb.) Tatew., Trans. Sapporo Nat. Hist. Soc. 16: 160 1940

***Primula* L. 앵초속**

Primula jesoana Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 119 1867

국명: **큰앵초**(Keun-aeng-cho), 털큰앵초 / (북한명) 큰앵초

■ PRIMULACEAE 앵초과

영명: **Yalu river primrose**

- Primula jesoana* Miq. f. *glabra* Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 84 1913
Primula jesoana Miq. f. *pubescens* Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 86 1913
Primula hondoensis Nakai & Kitag. ex Kitag., Bot. Mag. (Tokyo) 50: 139 1936
Primula jesoana Miq. var. *glabra* (Takeda) Takeda & H.Hara, Bot. Mag. (Tokyo) 50: 569 1936
Primula jesoana Miq. var. *pubescens* (Takeda) Takeda & H.Hara, Bot. Mag. (Tokyo) 50: 569 1936
Primula hallaisanensis Nakai ex Kitag., Bot. Mag. (Tokyo) 50: 194 1936
Primula jesoana Miq. var. *pubescens* (Takeda) Takeda & H.Hara f. *mudiuscula* (Nakai & Kitag.) H.Hara, Bot. Mag. (Tokyo) 50: 596 1936
Primula yesomontana Nakai & Kitag. var. *nudiuscula* Nakai & Kitag., Bot. Mag. (Tokyo) 50: 141 1936
Primula yesomontana Nakai & Kitag., Bot. Mag. (Tokyo) 50: 140 1936
Primula loeseneri Kitag., Bot. Mag. (Tokyo) 50: 137 1936
Primula tyoseniana Nakai & Kitag. ex Kitag., Bot. Mag. (Tokyo) 50: 137 1936
Primula jesoana Miq. subsp. *pubescens* (Takeda) Kitam., Acta Phytotax. Geobot. 17: 13 1957
Auganthus jesoanus (Miq.) Soják, Cas. Nár. Mus., Odd. Prír. 148: 208 1979

Primula matthioli* (L.) V.A.Richt. subsp. *matthioli

***Primula matthioli* (L.) V.A.Richt. subsp. *pekinensis* (V.A.Richt.) Kovt.**, Bot. Zhurn. (Moscow & Leningrad) 96: 963

국명: 종다리꽃(Jong-da-ri-kkot)2011

영명: **Dentate-lobe alpine bell**

Cortusa matthioli L. f. *pekinensis* V.A.Richt., Termesz. Fuzet. 17: 190 1894

Primula modesta* Bisset & S.Moore var. *modesta

***Primula modesta* Bisset & S.Moore var. *hannasanensis* T.Yamaz.**, Fl. Jap. (Iwatsuki et al., eds.) 3a: 92 1993 **(E)**

국명: 한라설앵초(Han-ra-seol-aeng-cho) / (북한명) 한나앵초, 한나깨풀

***Primula modesta* Bisset & S.Moore var. *koreana* T.Yamaz.**, J. Jap. Bot. 78: 298 2003 **(E) (R)**

국명: 설앵초(Seol-aeng-cho), 눈깨풀, 분취란화, 애기눈깨풀, 좀분취란화, 좀설앵초 / (북한명) 눈깨풀, 설앵초

영명: **Alpine modest primrose**

***Primula saxatilis* Kom.**, Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 429 1901

국명: 돌앵초(Dol-aeng-cho), 바위깨풀, 바위취란화 / (북한명) 돌앵초

영명: **Rock primrose**

***Primula sieboldii* E.Morren**, Belgique Hort. 23: 971 1873

국명: 앵초(Aeng-cho), 깨풀, 연앵초, 취란화 / (북한명) 앵초, 깨풀

영명: **East Asian primrose**

Primula patens Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 99 1838

Primula cortusoides L. var. *patens* Turcz., Bull. Soc. Imp. Naturalistes Moscou 22: 291 1849

Primula cortusoides var. *sieboldii* (E.Morren) G.Nicholson, Ill. Dict. Gard. 3: 219 1886

Primula sieboldii E.Morren f. *spontanea* Takeda, Notes Roy. Bot. Gard. Edinburgh 37: 84 1913

Primula sieboldii E.Morren f. *patens* (Turcz.) Kitag., Lin. Fl. Manshur. 353 1939

Primula sieboldii E.Morren var. *patens* (Turcz.) Kitag., Neolin. Fl. Manshur. 507 1979

***Stimpsonia* C.Wright ex A.Gray 이삭봄맞이속**

***Stimpsonia chamaedrioides* C.Wright ex A.Gray, Mem. Amer. Acad. Arts n.s. 6: 401 1858** ⓘ

국명: **이삭봄맞이**(I-sak-bom-mat-i), 꼬리취란화 / (북한명) 이삭봄맞이

영명: **Common stimpsonia**

Primula veronicoides Petitm., Bull. Herb. Boissier ser.2, 8: 108 1908

***Trientalis* Ruppius ex L. 기생꽃속**

***Trientalis europaea* L.**, Sp. Pl. 1: 344 1753

국명: **참기생꽃**(Cham-gi-saeng-kkot), 기생꽃, 기생초, 참꽃, 큰기생초 / (북한명) 참기생꽃

영명: **European starflower**

Lysimachia trientalis Klatt, Linnaea 37: 499 1872

Trientalis europaea* L. var. *europaea

Trientalis europaea* L. var. *arctica (Fisch. ex Hook.) Ledeb., Fl. Ross. (Ledeb.) 3: 25 1847 ⓘ

국명: **기생꽃**(Gi-saeng-kkot), 기생초, 좀기생초 / (북한명) 기생꽃, 애기참꽃

영명: **Arctic starflower**

Trientalis arctica Fisch. ex Hook., Fl. Bor.-Amer. (Hooker) 2: 121 1840

Trientalis europaea L. subsp. *arctica* (Fisch. ex Hook.) Hultén, Fl. Kamtschatka 4: 56 1930

Trientalis europaea L. var. *aleutica* Tatew. & S.Kobay., J. Fac. Agric. Hokkaido Imp. Univ. 36: 74 1934

PLUMBAGINACEAE 갯질경과

***Limonium* Mill. 갯질경속**

***Limonium tetragonum* (Thunb.) Bullock, Kew Bull. 3: 368 1949**

국명: **갯질경**(Gaet-jil-gyeong), 갯길경, 갯길경이, 갯질갱이, 갯질겅이, 갯질경이, 근대아재비 / (북한명) 갯길경이, 근대아재비

영명: **Square-stem statice**

Statice tetragona Thunb., Prodr. Pl. Cap. 54 1794

Statice japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 72 1846

Limonium japonicum (Siebold & Zucc.) Kuntze, Revis. Gen. Pl. 2: 395 1891

EBENACEAE 감나무과

Diospyros L. 감나무속

Diospyros lotus L., Sp. Pl. 2: 1057 1753

국명: 고욤나무(Go-yom-na-mu), 고양나무, 민고욤나무 / (북한명) 고욤나무

영명: Date-plum

Dactylus trapezuntinus Forssk., Fl. Aegypt.-Arab. 36 1775

Diospyros kaki Thunb. var. *glabra* A.DC., Prodr. (DC.) 8: 229 1844

Diospyros kaki Thunb. f. *ellipsoidea* Makino, Bot. Mag. (Tokyo) 26: 397 1912

Diospyros kaki Thunb. f. *ovoidea* Makino, Bot. Mag. (Tokyo) 26: 397 1912

Diospyros kaki Thunb. f. *globosa* Makino, Bot. Mag. (Tokyo) 26: 396 1912

Diospyros lotus L. var. *glabra* (A.DC.) Makino, Bot. Mag. (Tokyo) 26: 396 1912

STYRACACEAE 때죽나무과

Styrax L. 때죽나무속

Styrax japonicus Siebold & Zucc., Fl. Jap. (Siebold) 1: 53 1837

국명: 때죽나무(Ttae-juk-na-mu), 노가나무, 때죽나무, 왕때죽나무, 족나무 / (북한명) 때죽나무

영명: Snowbell tree

Styrax bodinieri H.Lév., Repert. Spec. Nov. Regni Veg. 4: 332 1907

Styrax obassis Siebold & Zucc., Fl. Jap. (Siebold) 1: 93, t. 46 1839

국명: 쪽동백나무(Jjok-dong-baek-na-mu), 개동백나무, 때죽나무, 물박달, 물박달나무, 산아즈까리나무, 왕때죽나무, 정나무, 쪽동백 / (북한명) 쪽동백나무

영명: Fragrant snowbell

Styrax shiraianus Makino, Bot. Mag. (Tokyo) 12: 50 1898

국명: 좀쪽동백나무(Jom-jjok-dong-baek-na-mu), 좀쪽동백, 흰잎쪽동백, 흰좀쪽동백, 흰좀쪽동백나무 / (북한명) 좀쪽동백나무

영명: Jirisan snowbell

Strigilia shiraiana (Makino) Nakai, Trees Shrubs Japan ed. 1: 256 1922

SYMPLOCACEAE 노린재나무과

Symplocos Jacq. 노린재나무속

Symplocos sawafutagi Nagam., Contr. Biol. Lab. Kyoto Univ. 28: 199 1993

국명: 노린재나무(No-rin-jae-na-mu), 흰노린재나무 / (북한명) 노린재나무

영명: Asian sweetleaf

- Symplocos paniculata* (Thunb.) Miq. var. *leucocarpa* Nakai, Bot. Mag. (Tokyo) 32: 227 1918
Palura paniculata (Thunb.) Nakai var. *leucocarpa* (Nakai) Nakai, Fl. Sylv. Kor. 13: 33 1923
Palura paniculata (Thunb.) Nakai var. *pilosa* Nakai, Trees Shrubs Japan Revis. Ed. 2: 309 1927
Symplocos crataegoides Buch.-Ham. ex D.Don var. *leucocarpa* (Nakai) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 918 1931
Palura chinensis (Lour.) Koidz. var. *pilosa* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 774 1934
Palura chliata Nakai ex H.Hara, J. Jap. Bot. 10: 322 1934
Palura chinensis (Lour.) Koidz. var. *pilosa* (Nakai) Nakai f. *leucocarpa* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 774 1934
Palura chinensis (Lour.) Koidz. var. *leucocarpa* (Nakai) H.Hara, Enum. Sperm. Jap. 1: 108 1948
Symplocos chinensis Druce f. *pilosa* (Nakai) Ohwi, Fl. Jap. (Ohwi) 931 1953
Symplocos chinensis Druce var. *leucocarpa* (Nakai) Ohwi, Fl. Jap. (Ohwi) 931 1953
Symplocos chinensis Druce subsp. *pilosa* (Nakai) Kitag., Neolin. Fl. Manshur. 509 1979

Symplocos coreana (H.Lév.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 83 1953

국명: 섬노린재나무(Seom-no-rin-jae-na-mu), 섬노린재

영명: Korean sweetleaf

- Symplocos crataegoides* Buch.-Ham. ex D.Don f. *major* Franch. & Sav., Enum. Pl. Jap. 2: 433 1878
Cotoneaster coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 11: 64 1913
Symplocos argutidens Nakai, Bot. Mag. (Tokyo) 32: 228 1918
Palura argutidens (Nakai) Nakai, Trees Shrubs Japan 231 1922
Palura coreana (H.Lév.) Nakai, Bot. Mag. (Tokyo) 48: 773 1934

Symplocos prunifolia Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 133 1846 ®

국명: 검은재나무(Geom-eun-jae-na-mu) / (북한명) 검은재나무

영명: Cherry-leaf sweetleaf

- Bobua prunifolia* (Siebold & Zucc.) Miers, J. Linn. Soc., Bot. 17: 306 1879
Symplocos prunifolia Siebold & Zucc. var. *paucistaminosa* Gontsch., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 5: 104 1924
Symplocos prunifolia Siebold & Zucc. var. *uiae* Makino, J. Jap. Bot. 3: 10 1926
Bobua prunifolia (Siebold & Zucc.) Miers var. *uiae* (Makino) Nakai, Trees Shrubs Japan Revis. Ed. 2: 319 1927
Bobua uiae (Makino) Nakai, Bot. Mag. (Tokyo) 43: 448 1929
Dicalyx prunifolia (Siebold & Zucc.) H.Hara, Enum. Sperm. Jap. 1: 107 1948
Dicalyx prunifolia (Siebold & Zucc.) H.Hara var. *uiae* (Makino) H.Hara, Enum. Sperm. Jap. 1: 107 1948
Symplocos prunifolia Siebold & Zucc. f. *uiae* (Makino) Ohwi, Fl. Jap., revised ed., [Ohwi] 727 1965

Symplocos tanakana Nakai, Bot. Mag. (Tokyo) 32: 227 1918

국명: 검노린재나무(Geom-no-rin-jae-na-mu), 검노린재 / (북한명) 검은노린재나무

영명: Black sweetleaf

- Palura tanakana* Nakai, Fl. Sylv. Kor. 13: 34 1923
Palura paniculata (Thunb.) Nakai var. *pubescens* (Nakai) Nakai, Trees Shrubs Japan Revis. Ed. 2: 309 1927
Palura chinensis (Lour.) Koidz. var. *pubescens* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 774 1934
Symplocos paniculata (Thunb.) Miq. var. *pubescens* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 83 1953

■ SYMPLOCACEAE 노린재나무과

Symplocos lucida (Thunb.) Siebold & Zucc., Fl. Jap. (Siebold) 1: 55 1837

국명: 사철검은재나무(Sa-cheol-geom-eun-jae-na-mu)

영명: Thick sweetleaf

Laurus lucidus Thunb., Fl. Jap. 174, 383 1784

OLEACEAE 물푸레나무과

Abeliophyllum Nakai 미선나무속

Abeliophyllum distichum Nakai, Bot. Mag. (Tokyo) 33: 153 1919 Ⓟ Ⓢ

국명: 미선나무(Mi-seon-na-mu), 분홍미선나무, 분홍미선 / (북한명) 미선나무

영명: Miseonnamu (Korean abeliophyllum)

Abeliophyllum distichum Nakai f. *lilacinum* Nakai, Bot. Mag. (Tokyo) 36: 26 1922

Abeliophyllum distichum Nakai f. *albiflorum* Nakai, Bot. Mag. (Tokyo) 36: 26 1922

Chionanthus L. 이팝나무속

Chionanthus retusus Lindl. & Paxton, Paxton's Fl. Gard. 3: 85 1852 Ⓢ

국명: 이팝나무(I-pap-na-mu), 니암나무, 뺏나무, 긴이팝나무 / (북한명) 이팝나무

영명: Retusa fringe tree

Linociera chinensis Fisch. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 474 1859

Chionanthus chinensis Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 393 1875

Chionanthus coreanus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 280 1910

Chionanthus retusus Lindl. & Paxton var. *fauriei* H.Lév., Repert. Spec. Nov. Regni Veg. 11: 297 1912

Chionanthus serrulatus Hayata, Icon. Pl. Formosan. 3: 150 1913

Chionanthus duclouxii Hickel, Bull. Soc. Dendrol. France 31: 72 1914

Chionanthus retusus Lindl. & Paxton var. *mairei* H.Lév., Repert. Spec. Nov. Regni Veg. 13: 175 1914

Chionanthus retusus Lindl. & Paxton var. *coreanus* (H.Lév.) Nakai, Bot. Mag. (Tokyo) 32: 115 1918

Chionanthus retusus Lindl. & Paxton var. *serrulatus* (Hayata) Koidz., Bot. Mag. (Tokyo) 39: 5 1925

Chionanthus retusus Lindl. & Paxton f. *coreanus* (H.Lév.) M.Kim, Korean Endemic Pl. 555 2017

** *Chionanthus retusus* Lindl. & Paxton f. *coreanus* (H.Lév.) M.Kim, Korean Endemic Pl. 335 2004

Forsythia Vahl 개나리속

Forsythia koreana (Rehder) Nakai, Bot. Mag. (Tokyo) 40: 471 1926 Ⓟ

국명: 개나리(Gae-na-ri), 가을개나리, 개나리꽃나무, 개나리나무, 서리개나리, 신리화, 어사리 / (북한명) 개나리꽃나무

영명: Gaenari (Korean goldenbell tree)

Forsythia viridissima Lindl. var. *koreana* Rehder, J. Arnold Arbor. 5: 134 1924

Rangium koreanum (Nakai) Ohwi, Acta Phytotax. Geobot. 1: 140 1932

Forsythia koreana (Rehder) Nakai var. *autumnalis* Uyeki, Acta Phytotax. Geobot. 7: 17 1938

Rangium koreanum (Nakai) Ohwi var. *autumnalis* (Uyeki) Uyeki, Woody Pl. Distr. Chosen 90 1940

Forsythia koreana (Rehder) Nakai f. *autumnalis* (Uyeki) Nakai, Iconogr. Pl. Asiae Orient. 4: 388 1942
Forsythia koreana (Rehder) Nakai f. *pilosa* Nakai, Iconogr. Pl. Asiae Orient. 4: 388 1942

***Forsythia nakaii* (Uyeki) T.B.Lee, Ill. Woody Pl. Korea 330 1966 E**

국명: 장수만리화(Jang-su-man-ri-hwa), 장수개나리 / (북한명) 장수만리화

영명: Hairy forsythia

Rangium nakaii Uyeki, Woody Pl. Distr. Chosen 1: 90 1940

Forsythia velutina Nakai, Iconogr. Pl. Asiae Orient. 4: 385 1942

***Forsythia ovata* Nakai, Bot. Mag. (Tokyo) 31: 104 1917 E R**

국명: 만리화(Man-ri-hwa), 금강개나리 / (북한명) 만리화

영명: Early forsythia

Forsythia densiflora Nakai, Bot. Mag. (Tokyo) 44: 28 1930

Rangium ovatum (Nakai) Ohwi, Acta Phytotax. Geobot. 1: 140 1932

***Forsythia saxatilis* (Nakai) Nakai, Fl. Sylv. Kor. 10: 21 1921 E R**

국명: 산개나리(San-gae-na-ri), 긴산개나리, 털산개나리

영명: Rocky forsythia

Forsythia japonica Makino var. *saxatilis* Nakai, Bot. Mag. (Tokyo) 33: 10 1919

Forsythia japonica Makino f. *saxatilis* (Nakai) Markgr., Repert. Spec. Nov. Regni Veg. 33: 45 1934

Rangium saxatilis (Nakai) Uyeki, Woody Pl. Distr. Chosen 1: 90 1940

Forsythia saxatilis (Nakai) Nakai var. *lanceolata* S.T.Lee, Korean J. Pl. Taxon. 14: 91 1984

Forsythia saxatilis (Nakai) Nakai var. *pilosa* S.T.Lee, Korean J. Pl. Taxon. 14: 92 1984

***Fraxinus* Tourn. ex L. 물푸레나무속**

***Fraxinus chiisanensis* Nakai, Bot. Mag. (Tokyo) 43: 446 1929 E**

국명: 물들메나무(Mul-deul-me-na-mu), 긴잎물푸레들메나무, 긴잎지이물푸래, 긴지리산물푸레나무,
 물푸레들메나무, 지리산물푸레나무, 지이산물푸래 / (북한명) 물푸레들매나무

영명: Jirisan ash

Fraxinus chiisanensis Nakai var. *stenophylla* Nakai, J. Jap. Bot. 14: 631 1938

***Fraxinus mandshurica* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 371 1857**

국명: 들메나무(Deul-me-na-mu), 떡물푸레 / (북한명) 들매나무

영명: Manchurian ash

Fraxinus mandshurica Rupr. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 7: 395 1874

Fraxinus elatior Thunb. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 155 1901

Fraxinus nigra Marshall var. *mandshurica* (Rupr.) Lingelsh., Bot. Jahrb. Syst. 40: 223 1907

Fraxinus nigra Marshall subsp. *mandschurica* (Rupr.) S.S.Sun, Bull. Bot. Res., Harbin 5: 60 1985

Fraxinus mandshurica Rupr. subsp. *brevipedicellata* S.Z.Qu & T.C.Cui, Acta Bot. Boreal.-Occid. Sin. 8: 130 1988

■ OLEACEAE 물푸레나무과

Fraxinus rhynchophylla Hance, J. Bot. 7: 164 1869

국명: 물푸레나무(Mul-pu-re-na-mu), 광능물푸레나무, 떡물푸레나무, 민물푸레나무, 쉬청나무 / (북한명) 물푸레나무

영명: East Asian ash

Fraxinus japonica Blume ex K.Koch, Dendrologie 2: 239 1872

Fraxinus ornus L. var. *bungeana* Hance, J. Bot. 13: 133 1875

Fraxinus chinensis Roxb. var. *rhynchophylla* (Hance) Hemsl., J. Linn. Soc., Bot. 26: 86 1889

Fraxinus densata Nakai, Bot. Mag. (Tokyo) 45: 130 1931

Fraxinus chinensis Roxb. subsp. *rhynchophylla* (Hance) A.E.Murray, Kalmia 13: 6 1983

Fraxinus sieboldiana Blume, Mus. Bot. 1: 311 1850

국명: 쇠물푸레나무(Soe-mul-pu-re-na-mu), 계룡쇠물푸레, 좀쇠물푸레나무, 쇠물푸레, 백운쇠물푸레나무,
백운쇠물푸레 / (북한명) 쇠물푸레나무

영명: Asian flowering ash

Fraxinus sieboldiana Blume var. *angusta* Blume, Mus. Bot. 1: 311 1850

Fraxinus longicuspis Siebold & Zucc. var. *sieboldiana* (Blume) Lingelsh., Bot. Jahrb. Syst. 15: 214 1907

Fraxinus sieboldiana Blume var. *subintegra* Koidz., Bot. Mag. (Tokyo) 28: 286 1914

Fraxinus longicuspis Siebold & Zucc. f. *lancea* Nakai, Fl. Sylv. Kor. 10: 40 1921

Fraxinus sieboldiana Blume var. *serrata* Nakai, Trees Shrubs Japan Revis. Ed. 2: 391, f. 186 1927

Fraxinus tobana Honda, Bot. Mag. (Tokyo) 46: 677 1932

Fraxinus sieboldiana Blume f. *tobana* (Honda) Koidz., Acta Phytotax. Geobot. 3: 41 1934

Fraxinus angustata (Blume) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 152 1934

Fraxinus quadrijuga Nakai, Bot. Mag. (Tokyo) 49: 419 1935

Fraxinus sieboldiana Blume var. *trijuga* Nakai, Bot. Mag. (Tokyo) 49: 421 1935

Fraxinus sieboldiana Blume var. *pensanensis* Uyeki, Chosen Sanrin Kaihô 208: 4 1942

Fraxinus sieboldiana Blume f. *latifolia* Uyeki, Chosen Sanrin Kaihô 208: 4 1942

Fraxinus sieboldiana Blume var. *barbinervis* Nakai, Tennen Kinenbutsu Chosahokoku 19: 43 1942

Fraxinus sieboldiana Blume f. *quadrijuga* (Nakai) M.Kim, Korean Endemic Pl. 555 2017

***Ligustrum* L. 주똥나무속**

Ligustrum foliosum Nakai, Bot. Mag. (Tokyo) 32: 121 1918 ⓘ

국명: 섬쥐똥나무(Seom-jwi-ttong-na-mu) / (북한명) 섬쥐똥나무

영명: Korean privet

Ligustrum foliosum Nakai f. *foliosum*

Ligustrum foliosum Nakai f. *ovale* Nakai, Bot. Mag. (Tokyo) 32: 121 1918

국명: 등근잎섬쥐똥나무(Dung-geun-ip-seom-jwi-ttong-na-mu), 등근잎쥐똥나무 / (북한명) 등근잎섬쥐똥나무

영명: Oval-leaf Korean privet

Ligustrum japonicum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 207 1780

국명: 광나무(Gwang-na-mu) / (북한명) 광나무

영명: **Wax-leaf privet**

- Ligustridium japonicum* (Thunb.) Spach, Hist. Nat. Veg. (Spach) 8: 272 1839
Ligustrum japonicum Thunb. var. *ovalifolium* Blume, Mus. Bot. 1: 313 1850
Ligustrum kellerianum Vis., Atti Reale Ist. Veneto Sci. Lett. Arti 3, 1: 300 1855
Ligustrum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 378 1911
Ligustrum japonicum Thunb. var. *pubescens* Koidz., Bot. Mag. (Tokyo) 30: 82 1916
Ligustrum micranthum Zucc. var. *pubescens* Koidz., Bot. Mag. (Tokyo) 30: 82 1916
Ligustrum rotundifolium var. *pubescens* (Koidz.) Hatus., J. Jap. Bot. 24: 83 1949
Ligustrum japonicum Thunb. f. *pubescens* (Koidz.) Murata, Acta Phytotax. Geobot. 25: 35 1972

Ligustrum japonicum* Thunb. var. *japonicum

Ligustrum japonicum* Thunb. var. *rotundifolium Blume, Mus. Bot. 1: 313 1850

국명: **둥근잎광나무**(Dung-geun-ip-gwang-na-mu), 가녀정, 여광나무

영명: **Round wax-leaf privet**

- Ligustrum coriaceum* Carrière, Rev. Hort. 1874: 417 1874
Ligustrum lucidum W.T.Aiton var. *coriaceum* (Carrière) Decne., Fl. Serres Jard. Eur. 22: 8 1877

***Ligustrum leucanthum* (S.Moore) P.S.Green, Kew Bull. 50: 384 1995**

국명: **산동쥐똥나무**(San-dong-jwi-ttong-na-mu), 산쥐똥나무

영명: **Sharp-leaf privet**

- Phlyarodoxa leucantha* S.Moore, J. Bot. 13: 229 1875
Ligustrum molliculum Hance, J. Bot. 20: 291 1882
Ligustrum acutissimum Koehne, Festschr. Ascherson 192 1904

***Ligustrum lucidum* W.T.Aiton, Hort. Kew. ed. 2, 1: 19 1810**

국명: **당광나무**(Dang-gwang-na-mu), 광나무, 제주광나무, 참여정실

영명: **Glossy privet**

- Phillyrea paniculata* Roxb., Fl. Ind. (Roxburgh) 1: 100 1820
Ligustrum nepalense Wall. var. *glabrum* Hook., Curtis's Bot. Mag. 56: t. 2921 1829
Olea clavata G.Don, Gen. Hist. 4: 48 1837
Visiania paniculata (Roxb.) DC., Prodr. (DC.) 8: 289 1844
Ligustrum roxburghii Blume, Mus. Bot. 1: 315 1850
Ligustrum wallichii Vis., Atti Reale Ist. Veneto Sci. Lett. Arti ser. 3, 4: 318 1858
Ligustrum sinense Lour. var. *latifolium* T.Moore, Gard. Chron. n. s. 10: 752 1878
Chionanthus terminalis Roxb. ex Hemsl., J. Linn. Soc., Bot. 26: 92 1889
Ligustrum magnoliifolium Dippel, Handb. Laubholzk. 1: 129 1889
Ligustrum japonicum Thunb. var. *macrophyllum* C.K.Schneid., Ill. Handb. Laubholzk. 2: 797 1911

***Ligustrum obtusifolium* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 168 1846**

국명: **쥐똥나무**(Jwi-ttong-na-mu), 개쥐똥나무, 검정알나무, 귀똥나무, 남정실, 백당나무, 싸리버들 /
 (북한명) 검정알나무

■ OLEACEAE 물푸레나무과

영명: **Border privet**

Ligustrum ibota Siebold, Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 167 1846

Ligustrum ciliatum Siebold ex Blume var. *spathulatum* Blume, Mus. Bot. 1: 312 1850

Ligustrum ibota Siebold f. *angustifolium* (Blume) Nakai, Bot. Mag. (Tokyo) 32: 123 1918

Ligustrum ibota Siebold f. *tschonoskii* Nakai, Bot. Mag. (Tokyo) 32: 124 1918

Ligustrum obtusifolium* Siebold & Zucc. subsp. *obtusifolium

Ligustrum obtusifolium* Siebold & Zucc. subsp. *microphyllum (Nakai) P.S.Green, Kew Bull. 50: 385 1995

국명: **줌털쥐똥나무**(Jom-teol-jwi-ttong-na-mu), 청쥐똥나무, 털쥐똥나무, 푸른쥐똥나무, 줌쥐똥나무 /

(북한명) 청쥐똥나무

Ligustrum ibota Siebold var. *microphyllum* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 73 1914

Ligustrum ibota Siebold f. *microphyllum* (Nakai) Nakai, Bot. Mag. (Tokyo) 32: 124 1918

Ligustrum ciliatum Siebold ex Blume var. *microphyllum* (Nakai) Nakai, Trees Shrubs Japan 1: 278 1922

Ligustrum obtusifolium* Siebold & Zucc. var. *obtusifolium

Ligustrum obtusifolium* Siebold & Zucc. var. *regelianum Rehder, Möller's Deutsche Gärtn.-Zeitung 14: 218 1899

국명: **털쥐똥나무**(Teol-jwi-ttong-na-mu), 큰쥐똥나무

영명: **Hairy border privet**

Ligustrum ibota Siebold var. *regelianum* (Koehne) Siebold ex Beissn., Handb. Laubholzben. 418 1903

Ligustrum ibota Siebold var. *diabolicum* Koidz., Bot. Mag. (Tokyo) 30: 82 1916

***Ligustrum ovalifolium* Hassk.**, Cat. Hort. Bot. Bogor. (Hassk.) 1: 119 1844

국명: **왕쥐똥나무**(Wang-jwi-ttong-na-mu) / (북한명) 왕쥐똥나무

영명: **Oval-leaf privet**

Ligustrum japonicum Thunb. var. *ovalifolium* (Hassk.) Blume, Mus. Bot. 1: 313 1850

Ligustrum ciliatum Siebold ex Blume var. *heterophyllum* Blume, Mus. Bot. 1: 313 1850

Ligustrum medium Franch. & Sav., Enum. Pl. Jap. 2: 437 1878

Ligustrum ovalifolium Hassk. var. *floribundum* Hoefker, Mitt. Deutsch. Dendrol. Ges. 24: 55 1915

Ligustrum hisauchii Makino, J. Jap. Bot. 1: 3 1916

Ligustrum ovalifolium Hassk. var. *heterophyllum* (Blume) Nakai, Trees Shrubs Japan 1: 282 1922

Ligustrum tsusimense Nakai, Trees Shrubs Japan Revis. Ed. 2: 377 1927

Ligustrum ovalifolium Hassk. f. *heterophyllum* (Blume) Murata, Acta Phytotax. Geobot. 25: 34 1971

Ligustrum quihoui* Carrière var. *quihoui

Ligustrum quihoui* Carrière var. *latifolium Nakai, Bot. Mag. (Tokyo) 36: 26 1922

국명: **상동잎쥐똥나무**(Sang-dong-ip-jwi-ttong-na-mu), 넓은상동잎쥐똥나무 / (북한명) 생동잎쥐똥나무

영명: **Quihoui privet**

Ligustrum salicinum (Nakai) Nakai, Bot. Mag. (Tokyo) 32: 122 1918

국명: **벼들쥐똥나무**(Beo-deul-jwi-ttong-na-mu), 벼들잎쥐똥 / (북한명) 벼들쥐똥나무

영명: Willow-leaf privet

Ligustrum ciliatum Siebold ex Blume var. *salicinum* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 73 1914

Ligustrum mayebaranum Koidz., Bot. Mag. (Tokyo) 39: 22 1925

Osmanthus Lour. 목서속

Osmanthus insularis Koidz., Bot. Mag. (Tokyo) 28: 150 1914 ⑧

국명: **박달목서**(Bak-dal-mok-seo), 목서나무, 박달암계목, 살마목세 / (북한명) 목서나무

영명: Island devilwood

Osmanthus zentaroanus Makino, J. Jap. Bot. 3-2: 8 1926

Osmanthus hachijoensis Nakai, Trees Shrubs Japan Revis. Ed. 2: 350 1927

Syringa L. 수수꽃다리속

Syringa fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 285 1910

국명: **벼들개화나무**(Beo-deul-gae-hoe-na-mu)

영명: Willow-leaf Manchurian lilac

Ligustrina fauriei (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 92 1952

Syringa formosissima Nakai var. *formosissima*

Syringa formosissima Nakai var. *hirsuta* (Nakai) Nakai, Fl. Sylv. Kor. 10: 56 1921

국명: **털꽃개화나무**(Teol-kkot-gae-hoe-na-mu)

영명: Wolf's lilac

Syringa hirsuta Nakai, Bot. Mag. (Tokyo) 32: 132 1918

Syringa oblata Lindl. var. *oblata*

Syringa oblata Lindl. var. *dilatata* (Nakai) Rehder, J. Arnold Arbor. 7: 34 1926

국명: **수수꽃다리**(Su-su-kkot-da-ri), 개똥나무, 넓은잎정향나무 / (북한명) 수수꽃다리나무

영명: Korean early lilac

Syringa dilatata Nakai, Bot. Mag. (Tokyo) 32: 128 1918

Syringa oblata Lindl. subsp. *dilatata* (Nakai) P.S.Green & M.C.Chang, Novon 5: 329 1995

Syringa patula (Palib.) Nakai var. *patula*

Syringa patula (Palib.) Nakai var. *venosa* (Nakai) M.Kim, Korean Endemic Pl. 152 2004

■ OLEACEAE 물푸레나무과

국명: 섬개회나무(Seom-gae-hoe-na-mu), 흰섬개회나무

영명: Ulleungdo Miss Kim lilac

Syringa venosa Nakai, Bot. Mag. (Tokyo) 32: 130 1918

Syringa velutina Kom. var. *venosa* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 1966

Syringa patula (Palib.) Nakai var. *venosa* (Nakai) M.Kim, Korean Endemic Pl. 152 2004

Syringa pubescens Turcz. var. *venosa* (Nakai) M.Kim, Korean Endemic Pl. 281 2017

Syringa pubescens Turcz. subsp. *pubescens*

Syringa pubescens Turcz. subsp. *patula* (Palib.) M.C.Chang & X.L.Chen, Invest. Stud. Nat. 10: 34 1990

국명: 털개회나무(Teol-gae-hoe-na-mu), 가는잎정향나무, 둥근정향나무, 암개회나무, 정향나무, 흰정향나무 / (북한명) 털개회나무

영명: Miss Kim lilac

Ligustrum patulum Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 156 1901

Syringa velutina Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 428 1901

Syringa venosa Nakai var. *lactea* Nakai, Bot. Mag. (Tokyo) 22: 130 1908

Syringa koehneana C.K.Schneid., Ill. Handb. Laubholzk. 2: 1063 1912

Syringa palibiniana Nakai, Bot. Mag. (Tokyo) 27: 32 1913

Syringa villosa Nakai var. *lactea* Nakai, Bot. Mag. (Tokyo) 28: 330 1914

Syringa micrantha Nakai, Bot. Mag. (Tokyo) 32: 129 1918

Syringa kamibayashii Nakai, Bot. Mag. (Tokyo) 32: 130 1918

Syringa palibiniana Nakai var. *kamibayashii* (Nakai) Nakai, Fl. Sylv. Kor. 10: 52 1921

Syringa patula (Palib.) Nakai, J. Jap. Bot. 27: 32 1938

Syringa velutina Kom. var. *kamibayashii* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 1966

Syringa velutina Kom. f. *lactea* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 1966

Syringa velutina Kom. var. *venosa* (Nakai) T.B.Lee f. *lactea* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 1966

Syringa patula (Palib.) Nakai var. *kamibayashii* (Nakai) M.Kim, Korean Endemic Pl. 152 2004

Syringa patula (Palib.) Nakai f. *lactea* (Nakai) M.Kim, Korean Endemic Pl. 152 2004

Syringa pubescens Turcz. var. *kamibayashii* (Nakai) M.Kim, Korean Endemic Pl. 280 2017

Syringa pubescens Turcz. var. *patula* (Palib.) M.Kim, Korean Endemic Pl. 281 2017

Syringa pubescens Turcz. f. *lactea* (Nakai) M.Kim, Korean Endemic Pl. 556 2017

Syringa reticulata (Blume) H.Hara, J. Jap. Bot. 17: 21 1941

국명: 개회나무(Gae-hoe-na-mu), 개구름나무, 개정향나무, 시계나무 / (북한명) 개회나무

영명: Manchurian lilac

Ligustrum reticulatum Blume, Mus. Bot. 1: 313 1851

Syringa amurensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 371 1857

Ligustrina amurensis (Rupr.) Rupr., Beitr. Pflanzenk. Russ. Reiches 11: 72 1859

Ligustrina amurensis (Rupr.) Rupr. var. *mandshurica* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 432 1859

Syringa ligustrina Leroy, Cat. [Leroy] 1: 99 1868

Ligustrina amurensis (Rupr.) Rupr. var. *japonica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 432 1875

- Syringa amurensis* Rupr. var. *japonica* (Maxim.) Franch. & Sav., Enum. Pl. Jap. 2: 435 1877
Syringa rotundifolia Decne., Nouv. Ann. Mus. Hist. Nat. Paris ser. 2, 2: 44 1878
Syringa japonica (Maxim.) Decne., Nouv. Arch. Mus. Hist. Nat. 2, 2: 44 1879
Syringa amurensis Rupr. var. *mandshurica* (Maxim.) Maxim. ex Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 369 1893
Ligustrina japonica (Maxim.) L.Henry, Jardin 8: 102 1894
Syringa amurensis Rupr. f. *bracteata* Nakai, Bot. Mag. (Tokyo) 31: 105 1917
Syringa reticulata (Blume) H.Hara var. *mandshurica* (Maxim.) H.Hara, J. Jap. Bot. 17: 22 1941
Ligustrina reticulata (Blume) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 91 1952
Ligustrina reticulata (Blume) Nakai var. *mandshurica* (Maxim.) Nakai f. *bracteata* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 91 1952
Ligustrina reticulata (Blume) Nakai var. *mandshurica* (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 91 1952
Syringa reticulata (Blume) H.Hara f. *bracteata* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 333 1966
Syringa reticulata (Blume) H.Hara var. *amurensis* (Rupr.) J.S.Pringle, Phytologia 52: 67 1983

Syringa villosa* Vahl subsp. *villosa

***Syringa villosa* Vahl subsp. *wolfii* (C.K.Schneid.) Y.Chen & D.Y.Hong, Acta Phytotax. Sin. 45: 860 2007 ®**

국명: 꽃개회나무(Kkot-gae-hoe-na-mu), 짹자래, 짹짜에나무, 텸꽃개회나무 / (북한명) 꽃정향나무

영명: Beautiful Wolf's lilac

- Syringa wolfii* C. K. Schneid., Repert. Spec. Nov. Regni Veg. 9: 81 1910
Syringa formoisissima Nakai, Bot. Mag. (Tokyo) 31: 105 1917
Syringa hirsuta Nakai var. *formoisissima* Nakai, Bot. Mag. (Tokyo) 32: 133 1918
Syringa robusta Nakai, Fl. Sylv. Kor. 10: 57 1921
Syringa robusta Nakai f. *subhirsuta* Nakai, Fl. Sylv. Kor. 10: 58 1921
Syringa robusta Nakai f. *glabra* Nakai, Fl. Sylv. Kor. 10: 58 1921

LOGANIACEAE 마전과

***Gardneria* Wall. 영주치자속**

***Gardneria nutans* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 165 1846**

국명: 영주치자(Yeong-ju-chi-ja), 영주덩굴, 금오치자 / (북한명) 영주덩굴, 영주치자

영명: Island *gardneria*

- Gardneria insularis* Nakai, Bot. Mag. (Tokyo) 32: 219 1918

***Mitrasacme* Labill. 벼룩아재비속**

***Mitrasacme indica* Wight, Icon. Pl. Ind. Orient. (Wight) 4: 15 1850 ®**

국명: 벼룩아재비(Byeo-ruk-a-jae-bi), 벼룩풀, 실종풀꽃, 애기벼룩아재비 / (북한명) 벼룩아재비

영명: Annual mitrewort

- Mitrasacme alsinoides* R.Br., Prodr. Fl. Nov. Holland. 1: 453 1810

■ LOGANIACEAE 마전과

Mitrasacme alsinoides R.Br. var. *indica* (Wight) H.Hara, J. Jap. Bot. 30: 24 1955

Oldenlandia brachyphylla Merr. var. *indica* (Wight) H.Hara, J. Jap. Bot. 30: 24 1955

Mitrasacme pygmaea R.Br., Prodr. Fl. Nov. Holland. 453 1810

국명: 큰벼룩아재비(Keun-byeo-ruk-a-jae-bi) / (북한명) 큰실좀꽃풀, 큰벼룩아재비

영명: Pygmy mitrewort

Mitrasacme capillaris Wall. ex Roxb., Fl. Ind. (Roxburgh) ed. 1820, 1: 420 1820

Mitrasacme nudicaulis Reinw. ex Blume, Bijdr. Fl. Ned. Ind. 14: 849 1826

Mitrasacme chinensis Griseb., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19: 51 1843

Mitrasacme lutea H.Lév., Repert. Spec. Nov. Regni Veg. 4: 331 1907

Mitrasacme galiiifolia Masam. & Syozi, Acta Phytotax. Geobot. 12: 202 1943

Mitrasacme malaccensis Wight, Icon. Pl. Ind. Orient. (Wight) t. 1601 1950

Mitrasacme pygmaea R.Br. var. *malaccensis* (Wight) H.Hara, J. Jap. Bot. 30: 24 1955

GENTIANACEAE 용담과

Anagallidium Griseb. 대성쓴풀속

Anagallidium dichotomum (L.) Griseb., Gen. Sp. Gent. 312 1839 ⑧

국명: 대성쓴풀(Dae-seong-sseun-pul)

영명: Dichotomous swertia

Swertia dichotoma L., Sp. Pl. 1: 227 1753

Gentiana Tourn. ex L. 용담속

Gentiana algida Pall., Fl. Ross. (Pallas) 1: 107 1789

국명: 산용담(San-yong-dam), 당약용담, 산룡담 / (북한명) 산룡담, 당량룡담, 산과남풀

영명: Whitish gentian

Gentiana frigida var. *algida* (Pall.) Froel., Gentiana 39 1796

Pneumonanthe algida (Pall.) F.W.Schmidt, Arch. Bot. (Leipzig) 1: 10 1796

Gentiana frigida var. *algida* (Pall.) Griseb., Prodr. (DC.) 9: 111 1845

Gentiana algida Pall. var. *sibirica* Kusn., Trudy Imp. S.-Peterburgsk. Obshch. Estestvoisp., Vyp. 2., Otd. Bot. 24: 114 1894

Gentianodes algida (Pall.) Á.Löve & D.Löve, Bot. Not. 125: 256 1972

Gentiana chosenica Okuy., J. Jap. Bot. 19: 131 1943 ⑨

국명: 흰그늘용담(Huin-geu-neul-yong-dam), 산구슬봉이, 심산구슬봉이, 좀구실봉이, 흰구슬봉이, 흰구실봉이 / (북한명) 흰구슬용담, 흰그늘룡담, 그늘룡담, 그늘과남풀

영명: Choseon gentian

***Gentiana jamesii* Hemsl., J. Linn. Soc., Bot. 26: 128 1890 Ⓡ**

국명: **비로용담**(Bi-ro-yong-dam), 비로과남풀, 비로봉용담 / (북한명) 비로룡담, 비로과남풀

영명: **Biro gentian**

Gentiana nipponica Maxim. var. *kawakamii* Makino, Bot. Mag. (Tokyo) 17: 212 1903

Gentiana kawakamii (Makino) Makino, Bot. Mag. (Tokyo) 18: 67 1904

Gentiana jamesii Hemsl. var. *kawakamii* (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 93 1952

Gentiana kurilensis Grossh., Fl. URSS 18: 750 1952

Gentiana jamesii* Hemsl. f. *jamesii

***Gentiana jamesii* Hemsl. f. *albiflora* (Nakai) Toyok., Acta Phytotax. Geobot. 16: 116 1956**

국명: **흰비로용담**(Huin-bi-ro-yong-dam)

영명: **White-flower Biro gentian**

Gentiana jamesii Hemsl. var. *albiflora* Nakai, Icon. Pl. Koisikav 3: 25 1916

***Gentiana nipponica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 32: 507 1888**

국명: **멧용담**(Met-yong-dam)

영명: **Alpine-snowbed gentian**

***Gentiana scabra* Bunge, Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 543 1835**

국명: **용담**(Yong-dam), 과남풀, 룽담, 선용담, 섬용담, 초룡담, 초용담 / (북한명) 초룡담, 룽담, 거친과남풀

영명: **Korean gentian**

Gentiana fortunei Hook., Bot. Mag. 1854: 48 1854

Gentiana buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 124 1867

Gentiana scabra Bunge var. *buergeri* (Miq.) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 449 1878

Gentiana scabra Bunge var. *intermedia* Kusn., Trudy Imp. S.-Peterburgsk. Obshch. Estestvoisp., Vyp. 2., Otd. Bot. 24: 77 1894

Dasystephana scabra (Bunge) Soják, Cas. Nár. Mus., Odd. Prír. 148: 200 1979

Gentiana scabra* Bunge f. *scabra

***Gentiana scabra* Bunge f. *stenophylla* (H.Hara) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 83 1953 Ⓡ**

국명: **진퍼리용담**(Jin-peo-ri-yong-dam)

영명: **Linear-leaf Korean gentian**

Gentiana scabra Bunge var. *stenophylla* H.Hara, Enum. Sperm. Jap. 1: 134 1948

Gentiana scabra Bunge f. *stenophylla* (H.Hara) W.K.Paik & W.T.Lee, Korean J. Pl. Taxon. 25: 161 1995

***Gentiana squarrosa* Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 527 1812**

국명: **구슬봉이**(Gu-seul-bung-i), 구실봉이, 구실봉이, 민구슬봉이 / (북한명) 구슬봉이

영명: **Squarrose-leaf gentian**

■ GENTIANACEAE 용담과

Gentiana aquatica L., Fl. Jap. (Thunberg) 115 1784

Varasia squarrosa (Ledeb.) Soják, Cas. Nár. Mus., Odd. Prír. 148: 202 1979

Gentiana squarrosa* Ledeb. var. *squarrosa

Gentiana squarrosa* Ledeb. var. *microphylla Nakai, Bot. Mag. (Tokyo) 28: 330 1914 (E)

국명: 좀구슬봉이(Jom-gu-seul-bung-i), 좀구슬봉이 / (북한명) 좀구슬봉이

영명: Small squarrose-leaf gentian

***Gentiana takahashii* T.Mori**, J. Chosen Nat. Hist. Soc. 4: 24 1927 (E)

국명: 백두산구슬봉이(Baek-du-san-gu-seul-bung-i)

영명: Baekdusan gentian

***Gentiana thunbergii* (G.Don)** Griseb., Prodr. (DC.) 9: 108 1845

국명: 봄구슬봉이(Bom-gu-seul-bung-i), 긴구실봉이, 봄구실봉이 / (북한명) 키다리구슬봉이, 키다리구슬봉이

영명: Early-blooming gentian

Ericala thunbergii G.Don, Gen. Hist. 4: 192 1838

Gentiana lactea Nakai, Bot. Mag. (Tokyo) 28: 330 1914

Gentiana thunbergii (G.Don) Griseb. f. *grandis* Nakai, J. Jap. Bot. 23: 99 1949

Varasia thunbergii (Griseb.) Soják, Cas. Nár. Mus., Odd. Prír. 148: 202 1979

Gentiana triflora* Pall. var. *triflora

Gentiana triflora* Pall. var. *japonica (Kusn.) H.Hara, Enum. Sperm. Jap. 1: 136 1948 (R)

국명: 과남풀(Gwa-nam-pul), 긴잎용담, 북과남풀, 초롱담, 칼잎룡담, 칼잎용담, 큰용담, 큰잎룡담, 큰초롱담 / (북한명) 룽담, 과남풀

영명: East Asian clustered gentian

Gentiana rigescens Franch. ex Hemsl. var. *japonica* Kusn., Trudy Imp. S.-Peterburgsk. Bot. Sada 13: 60 1893

Gentiana triflora* Pall. var. *japonica* (Kusn.) H.Hara f. *japonica

Gentiana triflora* Pall. var. *japonica* (Kusn.) H.Hara f. *alboviolacea W.K.Paik & W.T.Lee, Korean J. Pl. Taxon. 25: 19

국명: 연보라과남풀(Yeon-bo-ra-gwa-nam-pul)1995

영명: Lilac clustered gentian

Gentiana wootchuliana W.K.Paik, Korean J. Pl. Taxon. 25: 2 1995 (E)

국명: 고산구슬봉이(Go-san-gu-seul-bung-i), 고산구슬봉이

영명: Korean alpine gentian

Gentiana zollingeri Fawc., J. Bot. 21: 183 1883

국명: 큰구슬봉이(Keun-gu-seul-bung-i), 큰구실봉이, 큰구실봉이 / (북한명) 큰구슬봉이

영명: Zollinger's gentian

Gentiana aomorensis H.Lév., Bull. Soc. Bot. France 53: 648 1906

Gentiana zollingeri Fawc. f. *zollingeri*

Gentiana zollingeri Fawc. f. *albiflora* Tuyama, J. Jap. Bot. 16: 502 1940

국명: 흰큰구슬봉이(Huin-keun-gu-seul-bung-i)

영명: White-flower Zollinger's gentian

Gentianopsis Ma 수염용담속

Gentianopsis barbata (Froel.) Ma, Acta Phytotax. Sin. 1: 8 1951

국명: 수염용담(Su-yeom-yong-dam), 수염과남풀 / (북한명) 수염룡담, 수염과남풀

영명: Bearded fringe gentian

Gentiana detonsa Rottb., Skr. Kiøbenhavnske Selsk. Laerd. Elsk. 10: 435 1770

Gentiana barbata Froel., Gentiana 114 1796

Gentiana detonsa Rottb. var. *barbata* (Froel.) Griseb., Gen. Sp. Gent. 257 1839

Gentianopsis contorta (Royle) Ma, Acta Phytotax. Sin. 1: 14 1951

국명: 고인용담(Kko-in-yong-dam)

영명: Contorted fringe gentian

Gentiana contorta Royle, Ill. Bot. Himal. Mts. 278 1835

Gentiana yamatsutae Kitag., Bot. Mag. (Tokyo) 48: 104 1934

Gentianella contorta (Royle) Harry Sm., Symb. Sin. 7: 979 1936

Gentianopsis contorta (Royle) Ma var. *wui* Ma, Acta Phytotax. Sin. 1: 15 1951

Halenia Borkh. 닻꽃속

Halenia coreana S.M.Han, H.Won & C.E.Lim, Phytotaxa 403(2): 92 2019 ⓘ

국명: 참닻꽃(Cham-dat-kkot), 닻꽃, 닻꽃용담, 닻꽃풀 / (북한명) 닻꽃풀

Pterygocalyx Maxim. 좁은잎덩굴용담속

Pterygocalyx volubilis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 198 1859 ⓘ

국명: 좁은잎덩굴용담(Jop-eun-ip-deong-gul-yong-dam), 가는잎덩굴용담, 가는잎덩굴룡담, 덩굴용담 / (북한명) 가는잎덩굴룡담, 덩굴룡담

영명: Twining pterygocalyx

Crawfurdia pterygocalyx Hemsl., J. Linn. Soc., Bot. 26: 123 1890

Crawfurdia volubilis (Maxim.) Makino, Bot. Mag. (Tokyo) 4: 86 1890

Swertia L. 쓴풀속

Swertia diluta (Turcz.) Benth. & Hook.f. var. ***tosaensis*** (Makino) H.Hara, J. Jap. Bot. 25: 89 1950 Ⓡ

국명: 개쓴풀(Gae-sseun-pul), 나도쓴풀, 좀쓴풀 / (북한명) 좀쓴풀, 개쓴풀, 나도쓴풀

영명: **Diluted swertia**

Swertia chinensis Franch. var. *tosaensis* Makino, Bot. Mag. (Tokyo) 6: 53 1892

Swertia tosaensis Makino, Bot. Mag. (Tokyo) 17: 54 1903

Frasera diluta (Turcz.) Toyok. var. *tosaensis* (Makino) Toyok., Symb. Asahikaw. 1: 155 1965

Swertia erythrosticta Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 503 1881

국명: 점박이별꽃풀(Jeom-bak-i-byeo-kkot-pul), 별쓴풀, 붉은별쓴풀, 점백이별꽃풀, 키다리쓴풀 / (북한명) 점백이쓴풀, 점백이별꽃풀

영명: **Red-spot swertia**

Swertia japonica (Schult.) Makino, Bot. Mag. (Tokyo) 24: 294 1910

국명: 쓴풀(Sseun-pul), 쓴풀 / (북한명) 당약

영명: **East Asian swertia**

Gentiana japonica Schult., Syst. Veg. 6: 174 1820

Swertia japonica (Schult.) Makino f. *chionantha* F.Mack., J. Jap. Bot. 12: 140 1939

Frasera japonica (Schult.) Toyok., Symb. Asahikaw. 1: 156 1965

Swertia pseudochinensis H.Hara, J. Jap. Bot. 25: 89 1950

국명: 자주쓴풀(Ja-ju-sseun-pul), 텸쓴풀, 흰자주쓴풀 / (북한명) 자주쓴풀

영명: **False Chinese swertia**

Frasera pseudochinensis (H.Hara) Toyok., Symb. Asahikaw. 1: 156 1965

Swertia tetrapetala Pall., Fl. Ross. (Pallas) 1: 99 1789

국명: 네귀쓴풀(Ne-gwi-sseun-pul) / (북한명) 네귀쓴풀

영명: **Lesser tetrapetal swertia**

Anagallidium tetrapetalum (Pall.) Griseb., Gen. Sp. Gent. 312 1838

Swertia pallasii G.Don, Gen. Hist. 4: 176 1838

Rellesta cyanea Turcz., Bull. Soc. Imp. Naturalistes Moscou 22: 337 1849

Ophelia papillosa Franch. & Sav., Enum. Pl. Jap. 2: 450 1878

Ophelia yesoensis Franch. & Sav., Enum. Pl. Jap. 2: 451 1878

Swertia yesoensis (Franch. & Sav.) Matsum., Nippon Shokubutsumeii ed. 2: 287 1895

Swertia tetrapetala Pall. f. *albiflora* Tatew., J. Fac. Agric. Hokkaido Imp. Univ. 29: 234 1933

Swertia tetrapetala Pall. f. *variegata* Tatew., J. Fac. Agric. Hokkaido Imp. Univ. 29: 234 1933

Swertia tetrapetala Pall. f. *papillosa* (Franch. & Sav.) H.Hara, Bot. Mag. (Tokyo) 51: 19 1937

Swertia bissetii Moore & Burkhill, J. Asiatic. Soc. Bengal, Pt. 2, Nat. Hist. 2: 329 1906

Ophelia tetrapetala (Pall.) Grosssh., Fl. URSS 18: 627 1952

Frasera tetrapetala (Pall.) Toyok., Symb. Asahikaw. 1: 155 1965

Swertia veratroides Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 276 1907

국명: 별꽃풀(Byeo-lkkot-pul), 별꽃쓴풀, 큰별쓴풀, 별풀 / (북한명) 별꽃쓴풀, 별꽃풀

영명: Spatulate-leaf swertia

Swertia wilfordii (A.Kern.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 274 1907 (R)

국명: 큰잎쓴풀(Keun-ip-sseun-pul), 산쓴풀, 큰자주쓴풀 / (북한명) 산쓴풀, 큰잎쓴풀, 큰자주쓴풀

영명: Large tetrapetal swertia

Ophelia wilfordii A.Kern., Ber. Naturwiss.-Med. Vereins Innsbruck 1: 102 1870

Swertia anomala Nakai, Bot. Mag. (Tokyo) 28: 331 1914

Tripterospermum Blume 덩굴용담속

Tripterospermum japonicum (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 435 1875 (R)

국명: 덩굴용담(Deong-gul-yong-dam), 덩굴룡담, 흰덩굴용담 / (북한명) 덩굴룡담, 큰덩굴룡담

영명: Climbing gentian

Crawfurdia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 160 1846

Golowninia japonica (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 4: 252 1862

Crawfurdia trinervis (Thunb.) Makino, Bot. Mag. (Tokyo) 16: 171 1902

Gentiana golowninia C.Marquand, Bull. Misc. Inform. Kew 1931: 70 1931

Crawfurdia japonica Siebold & Zucc. var. *tenuis* Masam., J. Soc. Trop. Agric. 4: 76 1932

Gentiana trinervia (Thunb.) C.Marquand, Bull. Misc. Inform. Kew 1937: 157 1937

Tripterospermum japonicum (Siebold & Zucc.) Maxim. var. *tenue* (Masam.) Honda, Nom. Pl. Japonic. 282 1939

Tripterospermum japonicum (Siebold & Zucc.) Maxim. f. *albiflorum* Honda, J. Jap. Bot. 30: 170 1955

Tripterospermum japonicum (Siebold & Zucc.) Maxim. f. *leucocarpum* Honda, J. Jap. Bot. 30: 170 1955

Tripterospermum japonicum (Siebold & Zucc.) Maxim. var. *albiflorum* (Honda) Y.N.Lee, Korean J. Bot. 1: 29 1981

Tripterospermum involucrile N.Yonez., J. Phytogeogr. Taxon. 36: 9 1988

MENYANTHACEAE 조름나물과

Menyanthes L. 조름나물속

Menyanthes trifoliata L., Sp. Pl. 1: 145 1753 (R)

국명: 조름나물(Jo-reum-na-mul) / (북한명) 조름나물

영명: Buckbean

Nymphoides Ség. 어리연꽃속

Nymphoides coreana (H.Lév.) H.Hara, J. Jap. Bot. 13: 26 1937 (R)

국명: 좀어리연꽃(Jom-eo-ri-yeon-kkot), 애기어리연, 애기어리연꽃, 좀어리연, 친어리연꽃, 흰어리연꽃 / (북한명) 좀어리연꽃

■ MENYANTHACEAE 조름나물과

영명: **East Asian floatingheart**

Limnanthemum coreanum H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 1910

Nymphoides indica (L.) Kuntze, Revis. Gen. Pl. 2: 429 1891

국명: 어리연꽃(Eo-ri-yeon-kkot), 금은연, 어리연 / (북한명) 어리연꽃

영명: **Floatingheart**

Menyanthes indica L., Sp. Pl. 1: 154 1753

Limnanthemum indicum (L.) Griseb., Gen. Sp. Gent. 343 1839

Nymphoides peltata (S.G.Gmel.) Kuntze, Revis. Gen. Pl. 2: 429 1891

국명: 노랑어리연꽃(No-rang-eo-ri-yeon-kkot), 노랑어리연 / (북한명) 노랑어린연꽃

영명: **Yellow floatingheart**

Limnanthemum nymphoides Hoffmanns. & Link, Fl. Portug. 1: 314 1809

Limnanthemum parvifolium Griseb., Prodr. (DC.) 4: 141 1845

APOCYNACEAE 협죽도과

Amsonia Walter 정향풀속

Amsonia elliptica (Thunb.) Roem. & Schult., Syst. Veg. (ed.16) [Roemer & Schultes] 4: 432 1819 Ⓡ

국명: **정향풀**(Jeong-hyang-pul), 수감초 / (북한명) 정향풀

영명: **Asian bluestar**

Tabernaemontana elliptica Thunb., Fl. Jap. (Thunberg) 111 1784

Ansonia elliptica (Thunb.) Raf., New Fl. (Rafinesque) 4: 58 1838

Apocynum L. 수궁초속

Apocynum lancifolium Russanov, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 167

1933 Ⓡ

국명: **개정향풀**(Gae-jeong-hyang-pul)

영명: **Sword-leaf dogbane**

Trachomitum lancifolium (Russanov) Pobed., Fl. URSS 18: 658 1952

Trachomitum venetum (L.) Woodson var. *lancifolium* (Russanov) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 365 1956

Cynanchum L. 백미꽃속

Cynanchum amplexicaule (Siebold & Zucc.) Hemsl., J. Linn. Soc., Bot. 26: 104 1889 Ⓡ

국명: **솜아마존**(Som-a-ma-jon), 들협두, 합장소, 검은솜아마존 / (북한명) 솜아마존

영명: **Amplexicaul swallow-wort**

Vincetoxicum amplexicaule Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 162 1846

Vincetoxicum brandtii Franch. & Sav., Enum. Pl. Jap. 2: 440 1877

Cynanchum brandtii (Franch. & Sav.) Matsum., Index Pl. Jap. 2: 509 1912

Antitoxicum amplexicaule (Siebold & Zucc.) Pobed., Fl. URSS 18: 705 1952

Alexitoxicon amplexicaule (Siebold & Zucc.) Pobed., Taxon 11: 174 1962

Cynanchum amplexicaule (Siebold & Zucc.) Hemsl. f. *castaneum* (Makino) C.Y.Li, Clavis Pl. Chineae Bor.-Or. (ed. 2) 529 1995

Cynanchum ascyrifolium (Franch. & Sav.) Matsum., Index Pl. Jap. 2: 509 1912

국명: 민백미꽃(Min-baek-mi-kkot), 개백미, 민백미, 흰백미 / (북한명) 흰백미, 민백미, 개백미

영명: Asian white swallow-wort

Vincetoxicum ascyrifolium Franch. & Sav., Enum. Pl. Jap. 2: 441 1877

Cynanchum acuminatifolium Hemsl., J. Linn. Soc., Bot. 26: 104 1889

Cynanchum atratum Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 45 1833

국명: 백미꽃(Baek-mi-kkot), 백미, 아마존, 텸개백미, 텸백미 / (북한명) 백미, 텸백미, 텸개백미

영명: Black-end swallow-wort

Vincetoxicum atratum (Bunge) Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 17 1836

Antitoxicum atratum (Bunge) Pobed., Fl. URSS 18: 704 1952

Alexitoxicon atratum (Bunge) Pobed., Taxon 11: 174 1962

Cynanchum chinense R.Br., Mem. Wern. Nat. Hist. Soc. 1: 44 1809

국명: 가는털백미(Ga-neun-teol-back-mi), 좀박주가리, 가는털백미꽃 / (북한명) 가는털백미

영명: Hairy swallow-wort

Cynanchum pubescens Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 44 1833

Cynanchum deltoideum Hance, Ann. Sci. Nat., Bot. V, 5: 228 1866

Vincetoxicum pubescens (Bunge) Kuntze, Revis. Gen. Pl. 2: 423 1891

Cynanchum inamoenum (Maxim.) Loes. ex Gilg & Loes., Bot. Jahrb. Syst. 34: 60 1904 Ⓛ

국명: 선백미꽃(Seon-baek-mi-kkot), 금강박주가리 / (북한명) 선백미, 금강박주가리

영명: Upright Asian swallow-wort

Vincetoxicum inamoenum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 23: 364 1877

Vincetoxicum macrophyllum Siebold & Zucc. var. *nikoensis* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 792 1876

Antitoxicum inamoenum (Maxim.) Pobed., Fl. URSS 18: 707 1952

Alexitoxicon inamoenum (Maxim.) Pobed., Taxon 11: 174 1962

! *Vincetoxicum nikoense* (Maxim.) Kitag., J. Jap. Bot. 34: 364 1959

Cynanchum japonicum (C.Morren & Decne.) Hemsl., J. Linn. Soc., Bot. 26: 107 1889 Ⓛ

국명: 덩굴민백미꽃(Deong-gul-min-back-mi-kkot), 갯덩굴백미, 갯덩굴백미꽃, 덩굴백미, 왜백미, 참새백미꽃 / (북한명) 왜백미, 갯덩굴백미

영명: Japanese swallow-wort

■ APOCYNACEAE 협죽도과

Vincetoxicum japonicum C.Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 1: 17 1836
Cynanchum grayanum (Maxim.) Koidz., Fl. Symb. Orient.-Asiat. 83 1930

Cynanchum nipponicum Matsum., Bot. Mag. (Tokyo) 12: 39 1898

국명: **덩굴박주가리**(Deong-gul-bak-ju-ga-ri) / (북한명) **덩굴박주가리**

영명: **Climbing swallow-wort**

Vincetoxicum nipponicum (Matsum.) Kitag., J. Jap. Bot. 34: 365 1959

Cynanchum nipponicum Matsum. var. ***nipponicum***

Cynanchum nipponicum Matsum. var. ***glabrum*** (Nakai) H.Hara, Enum. Sperm. Jap. 1: 150 1948

국명: **흑박주가리**(Heuk-bak-ju-ga-ri), 검정박주가리 / (북한명) **흑박주가리**, 검정박주가리

영명: **Black climbing swallow-wort**

Cynanchum glabrum Nakai, Bot. Mag. (Tokyo) 28: 331 1914

Vincetoxicum glabrum (Nakai) Kitag., J. Jap. Bot. 34: 363 1959

Cynanchum paniculatum (Bunge) Kitag. ex H.Hara, Enum. Sperm. Jap. 1: 153 1948

국명: **산해박**(San-hae-bak), 산새박, 신해박 / (북한명) **산해박**, 서장경

영명: **Paniculate swallow-wort**

Asclepias paniculata Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 43 1833

Pycnostelma chinense Bunge ex Decne., Prodr. (DC.) 8: 512 1844

Pycnostelma paniculata (Bunge) K.Schum., Nat. Pflanzenfam. 4: 243 1895

Cynanchum purpureum (Pall.) K.Schum., Nat. Pflanzenfam. 4: 253 1895

국명: **자주박주가리**(Ja-ju-bak-ju-ga-ri) / (북한명) **자주박주가리**

영명: **Purple swallow-wort**

Asclepias purpurea Pall., Reise Russ. Reich. 3: 260 1776

Asclepias davurica Willd., Sp. Pl. (ed.4) 1: 1272 1798

Cynanchum roseum R.Br., Mem. Wern. Nat. Hist. Soc. 1: 47 1809

Cynoctonum roseum (R.Br.) Decne., Prodr. (DC.) 8: 532 1844

Vincetoxicum purpureum (Pall.) Kuntze, Revis. Gen. Pl. 2: 424 1891

Cynoctonum purpureum (Pall.) Pobed., Fl. URSS 18: 709 1952

Cynanchum thesioides (Freyn) K.Schum., Nat. Pflanzenfam. 4: 252 1895

국명: **양반풀**(Yang-ban-pul), 가는잎새박, 긴잎선백미꽃, 버들박주가리, 조자화 / (북한명) **버들박주가리**, 량박줄, 량반풀

영명: **Siberian swallow-wort**

Vincetoxicum thesioides Freyn, Oesterr. Bot. Z. 40: 124 1890

Cynanchum volubile (Maxim.) Hemsl., J. Linn. Soc., Bot. 26: 109 1889

국명: **세포큰조롱**(Se-po-keun-jo-rong), 큰은조롱 / (북한명) **큰은조롱**

영명: **Twining swallow-wort**

Vincetoxicum volubile Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 195 1859
Antitoxicum volubile (Maxim.) Pobed., Fl. URSS 18: 703 1952

***Cynanchum wilfordii* (Maxim.) Hemsl., J. Linn. Soc., Bot. 26: 109 1889**

국명: 큰조롱(Keun-jo-rong), 은조롱, 새박, 새박풀, 하수오 / (북한명) 은조롱, 하수오, 백하수오, 큰조롱, 박새풀
영명: Wilford's swallow-wort

Cynoctonum wilfordii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 23: 369 1877
Vincetoxicum wilfordii (Maxim.) Franch. & Sav., Enum. Pl. Jap. 2: 445 1877
Seutera wilfordii (Maxim.) Pobed., Fl. URSS 18: 713 1952

***Marsdenia* R.Br. 나도은조롱속**

***Marsdenia tomentosa* C.Morren & Decne., Bull. Acad. Roy. Sci. Bruxelles 3: 172 1836 (R)**

국명: 나도은조롱(Na-do-eun-jo-rong), 소젖덩굴, 영주치자아재비 / (북한명) 소젖덩굴, 나도은조롱, 영주치자아재비
영명: Tomentose condor-vine

***Metaplexis* R.Br. 박주가리속**

***Metaplexis japonica* (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 27 1903**

국명: 박주가리(Bak-ju-ga-ri) / (북한명) 박주가리
영명: Rough potato

Pergularia japonica Thunb., Fl. Jap. (Thunberg) 11 1784
Metaplexis stauntonii Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 6: 111 1820
Urostelma chinense Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 44 1833
Metaplexis chinensis (Bunge) Decne., Prodr. (DC.) 8: 511 1844
Metaplexis rostellata Turcz., Bull. Soc. Imp. Naturalistes Moscou 21: 253 1848

***Trachelospermum* Lem. 마삭줄속**

***Trachelospermum asiaticum* (Siebold & Zucc.) Nakai, Bot. Mag. (Tokyo) 36: 22 1922**

국명: 마삭줄(Ma-sak-jul), 겨우사리덩굴, 마삭나무, 마삭덩굴, 마삭풀, 민마삭나무, 민마삭줄, 왕마삭나무,
왕마삭줄, 조선마삭나무, 백화등 / (북한명) 마삭덩굴, 마삭줄
영명: Asian jasmine

Malouetia asiatica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 163 1846
Parechites thunbergii A.Gray, Mem. Amer. Acad. Arts 6: 403 1859
Trachelospermum crocostomum Stapf, Bull. Misc. Inform. Kew 1906: 74 1906
Trachelospermum majus Nakai, Trees Shrubs Japan 1: 308 1922
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *glabrum* Nakai, Fl. Sylv. Kor. 14: 13 1923
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *intermedium* Nakai, Trees Shrubs Japan Revis. Ed. 2: 419 1927
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *ob lanceolata* Nakai, Trees Shrubs Japan Revis. Ed. 2: 419 1927
Trachelospermum asiaticum (Siebold & Zucc.) Nakai var. *majus* (Nakai) Ohwi, Fl. Jap. (Ohwi) 962 1953

■ APOCYNACEAE 협죽도과

Trachelospermum jasminoides (Lindl.) Lem. var. *pubescens* Makino, Bot. Mag. (Tokyo) 26: 122 1912

국명: 텔마삭줄(Teol-ma-sak-jul), 텔마삭나무 / (북한명) 텔마삭덩굴, 텔마삭줄

영명: Hairy star jasmine

Tylophora R.Br. 왜박주가리속

Tylophora floribunda Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 128 1865 ⑧

국명: 왜박주가리(Wae-bak-ju-ga-ri), 나도박주가리, 양반박주가리, 양반풀, 좀양반풀 / (북한명) 나도박주가리, 양반박주가리, 왜박주가리

영명: Many-flower tylophora

Vincetoxicum floribundum (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 444 1877

Vincetoxicum nikoense Franch. & Sav., Enum. Pl. Jap. 2: 445 1878

Tylophora shikokiana Matsum. ex Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 91 1911

Tylophora nikoensis (Franch. & Sav.) Matsum., Index Pl. Jap. 2: 515 1912

Tylophora argyi Schltr. ex H.Lév., Mem. Real Acad. Ci. Barcelona 12: 544 1916

RUBIACEAE 꼭두서니과

Adina Salisb. 구슬꽃나무속

Adina rubella Hance, J. Bot. 6: 114 1868

국명: 구슬꽃나무(Gu-seul-kkot-na-mu), 머리꽃나무, 중대가리나무, 청중대가리나무, 푸른중대가리나무 / (북한명) 중대가리나무

영명: Glossy adina

Adina fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 1930

Nauclea rubella (Hance) Nakai, J. Jap. Bot. 18: 216 1942

Nauclea rubella (Hance) Nakai f. *rubescens* Nakai, J. Jap. Bot. 18: 216 1942

Nauclea rubella (Hance) Nakai f. *viridis* (Nakai) Nakai, J. Jap. Bot. 18: 216 1942

Asperula L. 갈퀴아재비속

Asperula lasiantha Nakai, J. Jap. Bot. 14: 120 1938 ⑨

국명: 갈퀴아재비(Gal-kwi-a-jae-bi) / (북한명) 조선갈퀴아재비

영명: Korean woodruff

Asperula platygallum Maxim. var. *pratensis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 284 1874

Galium lasiantha (Nakai) M.Kim, Korean Endemic Pl. 309 2017

Damnacanthus C.F.Gaertn. 호자나무속

Damnacanthus indicus C.F.Gaertn., Suppl. Carp. 18: t. 182, f. 7 1805

국명: 호자나무(Ho-ja-na-mu), 화자나무 / (북한명) 호자나무

영명: Indian damnacanthus

Damnacanthus indicus C.F.Gaertn. var. *formosanus* Nakai, Trees Shrubs Japan 407 1922

Damnacanthus formosanus (Nakai) Koidz., Acta Phytotax. Geobot. 2: 225 1933

Damnacanthus indicus C.F.Gaertn. subsp. *major* (Siebold & Zucc.) T.Yamaz., J. Phytogeogr. Taxon. 35: 74 1987

Damnacanthus major Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 177 1846

국명: 수정목(Su-jeong-mok), 수정나무 / (북한명) 수정목, 수정호자나무

영명: Big-leaf damnacanthus

Damnacanthus indicus C.F.Gaertn. var. *major* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 11: 279 1897

Damnacanthus indicus C.F.Gaertn. var. *intermedius* Matsum., Bot. Mag. (Tokyo) 15: 16 1901

Damnacanthus indicus C.F.Gaertn. var. *latifolius* Nakai, Trees Shrubs Japan 1: 408, f. 212 1922

***Galium* L. 갈퀴덩굴속**

Galium boreale L., Sp. Pl. 1: 108 1753 ⑧

국명: 긴잎갈퀴(Gin-ip-gal-kwi), 개꽃갈퀴, 꽃갈퀴, 대홍긴잎갈퀴, 부전꽃갈퀴, 넓은긴잎갈퀴, 털긴잎갈퀴 / (북한명) 꽃갈퀴, 부전꽃갈퀴

영명: Northern bedstraw

Galium boreale L. var. *scabrum* DC., Prodr. (DC.) 4: 601 1830

Galium boreale L. var. *latifolium* Turcz., Bull. Soc. Imp. Naturalistes Moscou 18: 315 1845

Galium boreale L. var. *vulgare* Turcz., Bull. Soc. Imp. Naturalistes Moscou 18: 315 1845

Galium boreale L. var. *kamtschaticum* (Maxim.) Nakai, Bot. Mag. (Tokyo) 23: 103 1909

Galium boreale L. var. *ciliatum* Nakai, J. Jap. Bot. 15: 340 1939

Galium boreale L. var. *koreanum* Nakai, J. Jap. Bot. 15: 340 1939

Galium amurense Pobed., Fl. URSS 23: 716 1958

Galium schilkense Popov, Fl. Centr. Sibir. 2: 685 1959

Galium boreale L. var. *amurense* (Pobed.) Kitag., Neolin. Fl. Manshur. 581 1979

Galium boreale* L. var. *boreale

Galium boreale* L. var. *lanceolatum Nakai, J. Jap. Bot. 15: 340 1939

국명: 민긴잎갈퀴(Min-gin-ip-gal-kwi)

영명: Long-leaf northern bedstraw

Galium bungei Steud. var. *bungei*

Galium bungei Steud. var. *miltorrhizum* (Hance) Jeong & Pak, Kor. J. Pl. Taxon. 47: 23 2017

국명: 동근네잎갈퀴(Dung-geun-ne-ip-gal-kwi), 네잎갈퀴나물, 네잎갈키, 네잎꽃갈퀴, 넷잎갈퀴덩굴 / (북한명) 네일갈퀴, 애기네잎갈퀴

Galium miltorrhizum Hance, J. Bot. 6: 114 1868

Galium gracile Wallr. var. *miltorrhizum* (Hance) Loes., B.B.C.-Bl. 37: 182 1920

■ RUBIACEAE 꼈두서니과

Galium trachyspermum A.Gray var. *nudicarpum* Honda, Bot. Mag. (Tokyo) 53: 385 1939

Galium trachyspermum A.Gray var. *miltorrhizum* (Hance) T. Yamazaki., J. Jap. Bot. 66: 51 1991

Galium bungei Steud. var. ***trachyspermum*** (A.Gray) Cufod., Oesterr. Bot. Z. 89: 221 1940

국명: 네잎갈퀴(Ne-ip-gal-kwi), 네잎갈퀴나물, 네잎갈키, 네잎꽃갈퀴, 넷잎갈퀴덩굴 / (북한명) 네일갈퀴, 애기네잎갈퀴

영명: **Rough-seed bedstraw**

Galium trachyspermum A.Gray, Narr. Exped. China Japan 2: 313 1857

Galium dahuricum Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 409 1844

국명: 큰잎갈퀴(Keun-ip-gal-kwi) / (북한명) 큰잎갈퀴덩굴

영명: **Dahurian bedstraw**

Galium asprellum Michx. var. *dahuricum* (Turcz. ex Ledeb.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 262 1873

Galium dahuricum Turcz. ex Ledeb. var. *leiocarpum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 498 1911

Galium trachyspermum A.Gray var. *hispidum* (Matsuda) Kitag., Bot. Mag. (Tokyo) 48: 617 1934

Galium gracilens (A.Gray) Makino, Bot. Mag. (Tokyo) 17: 74 1904

국명: 좀네잎갈퀴(Jom-ne-ip-gal-kwi), 좀잎갈키덩굴, 참갈퀴 / (북한명) 좀네잎갈퀴

영명: **Slender-leaf bedstraw**

Galium trachyspermum A.Gray var. *gracilens* A.Gray, Mem. Amer. Acad. Arts ser. 2 6: 393 1858

Galium kamtschaticum Steller ex Roem. & Schult. var. ***kamtschaticum***

Galium kamtschaticum Steller ex Roem. & Schult. var. ***yakusimense*** (Masam.) T.Yamaz., J. Jap. Bot. 58: 305

국명: 털둥근갈퀴(Teol-dung-geun-gal-kwi), 둉근갈퀴, 둉근갈키, 둉근잎갈퀴, 민심산갈퀴, 심산갈퀴, 큰네잎갈퀴, 큰넷잎갈퀴덩굴, 큰산꽃갈퀴, 털네잎갈퀴 / (북한명) 털네잎갈퀴 1983

영명: **Kamchatka bedstraw**

Galium kikumugura Ohwi, Acta Phytotax. Geobot. 6: 149 1937

국명: 국화갈퀴(Guk-hwa-gal-kwi), 구와갈퀴, 덩굴갈키, 둉근네잎갈퀴, 둉글잎갈퀴 / (북한명) 구와갈퀴

영명: **Chrysanthemum bedstraw**

Galium brachypodium Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 280 1874

Galium kinuta Nakai & H.Hara, J. Jap. Bot. 9: 518 1933

국명: 검은개선갈퀴(Geom-eun-gae-seon-gal-kwi), 개선갈퀴, 민둥갈퀴, 민둥산갈퀴, 민줄기갈퀴, 참갈퀴

영명: **Black bedstraw**

Galium boreale L. var. *japonica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 264 1873

Galium japonicum (Maxim.) Makino & Nakai var. *viridescens* Makino & Nakai, Bot. Mag. (Tokyo) 22: 152 1908

Galium japonicum (Maxim.) Makino & Nakai var. *bracteatum* Nakai, Bot. Mag. (Tokyo) 23: 104 1909

Galium kinuta Nakai & H.Hara var. *bracteatum* (Nakai) Nakai & H.Hara, J. Jap. Bot. 9: 520 1933

Galium kinuta Nakai & H.Hara var. *viridescens* (Makino & Nakai) Matsum. & Nakai, J. Jap. Bot. 9: 518 1933

Galium koreanum (Nakai) Nakai, Bot. Mag. (Tokyo) 25: 55 1911 (E)

국명: 참갈퀴덩굴(Cham-gal-kwi-deong-gul), 개갈퀴, 참갈퀴, 참갈키덩굴, 참갈퀴나물 / (북한명) 참갈퀴, 참갈퀴덩굴

영명: Korean lady's bedstraw

Galium setuliflorum (A.Gray) Makino var. *koreanum* Nakai, Fl. Korea 1: 298 1909

Galium linearifolium Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 152 1837

국명: 실갈퀴(Sil-gal-kwi), 살갈퀴, 실갈키덩굴 / (북한명) 실갈퀴

영명: Linear-leaf bedstraw

Galium maximowiczii (Kom.) Pobed., Novosti Sist. Vyssh. Rast. 7: 277 1970

국명: 개갈퀴(Gae-gal-kwi), 갈퀴아재비, 개갈퀴아재비, 수레갈퀴아재비

영명: Maximowicz's woodruff

Asperula maximowiczii Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 39: 109 1923

Asperula maximowiczii Kom. var. *latifolia* Nakai, J. Jap. Bot. 14: 119 1938

Asperula maximowiczii Kom. f. *latifolia* (Nakai) W.T.Lee, Lineamenta Florae Koreae 893 1996

Galium odoratum (L.) Scop., Fl. Carniol. ed. 2, 1: 105 1771

국명: 선갈퀴(Seon-gal-kwi), 건갈퀴아재비, 선갈퀴아재비, 수레갈퀴아재비

영명: Sweet woodruff

Asperula odorata L., Sp. Pl. 1: 103 1753

Chlorostemma odoratum (L.) Fourr., Ann. Soc. Linn. Lyon 16: 398 1868

Asperula eugeniae K.Richt., Abh. K.K. Zool.-Bot. Ges. Wien 38: 219 1888

Galium paradoxum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 281 1874

국명: 두메갈퀴(Du-me-gal-kwi), 두메갈퀴, 산갈퀴 / (북한명) 두메갈퀴

영명: Montane bedstraw

Galium stellarifolium Franch. & Sav., Enum. Pl. Jap. 2: 392 1878

Galium platygalium (Maxim.) Pobed., Novosti Sist. Vyssh. Rast. 7: 277 1970

국명: 산개갈퀴(San-gae-gal-kwi)

영명: Asian montane woodruff

Rubia gracilis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 111 1867

Asperula platygalium Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 284 1874

Asperula platygalium Maxim. var. *alpina* Maxim., Neolin. Fl. Manshur. 585 1979

Galium pagonanthum Franch. & Sav., Enum. Pl. Jap. 1: 175 1873

국명: 산갈퀴(San-gal-kwi), 산갈퀴덩굴, 산갈퀴, 산갈키덩굴 / (북한명) 산갈퀴, 산갈퀴덩굴

영명: Mountain bedstraw

Galium pogananthum Franch. & Sav. var. ***pogananthum***

Galium pogananthum Franch. & Sav. var. ***nudiflorum*** (Makino) H.Hara, J. Jap. Bot. 13: 386 1937

국명: **민산갈퀴**(Min-san-gal-kwi)

영명: **Glabrous-flower mountain bedstraw**

Galium pseudoasprellum Makino, Bot. Mag. (Tokyo) 17: 110 1903

국명: **갈고리네잎갈퀴**(Gal-go-ri-ne-ip-gal-kwi)

영명: **Four-leaf bedstraw**

Galium asprellum Michx. var. *fructohispidum* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 140 1859

Galium asprellum Michx. var. *lasiocarpum* Makino, Bot. Mag. (Tokyo) 17: 76 1903

Galium dahuricum Turcz. ex Ledeb. var. *lasiocarpum* (Makino) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 498 1911

Galium pseudoasprellum Makino var. *densiflorum* Cufod., Oesterr. Bot. Z. 89: 237 1940

Galium spurium L., Sp. Pl. 1: 106 1753

국명: **갈퀴덩굴**(Gal-kwi-deong-gul), 가시랑쿠, 갈키덩굴, 수레갈퀴 / (북한명) 갈퀴덩굴, 민갈퀴, 가시랑쿠

영명: **Stickwilly**

Galium vaillantii DC., Fl. Franç. 4: 263 1805

Galium strigosum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 141, t. 4. f. 1 1815

Galium spurium L. subsp. *vaillantii* (DC.) Gaudin, Fl. Helv. 1: 442 1828

Galium aparine L. var. *spurium* (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 330 1835

Galium spurium L. var. *echinospermum* (Wallr.) Desp., Fl. Sarthe 118 1838

Galium spurium L. var. *vaillantii* (DC.) Gren. & Godr., Fl. France (Grenier) 2: 44 1850

Galium hongnoense H.Lév., Repert. Spec. Nov. Regni Veg. 10: 438 1912

Galium spurium L. f. *strigosum* (Thunb.) Kitag., J. Geobot. 19: 92 1971

Galium tokyoense Makino, Bot. Mag. (Tokyo) 17: 72 1903

국명: **흰갈퀴**(Huin-gal-kwi), 꽃갈퀴, 왜차꽃갈퀴 / (북한명) 왜참갈퀴

영명: **White Dahurian bedstraw**

Galium asprellum Michx. var. *tokoense* (Makino) Nakai, Bot. Mag. (Tokyo) 23: 105 1909

Galium dahuricum Turcz. ex Ledeb. var. *tokoense* (Makino) Cufod., Oesterr. Bot. Z. 89: 243 1940

Galium dahuricum Turcz. ex Ledeb. f. *tokoense* (Makino) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 92 1940

Galium trifidum L., Sp. Pl. 1: 105 1753

국명: **가는네잎갈퀴**(Ga-neun-ne-ip-gal-kwi), 가는네잎갈키, 가는넷잎갈키덩굴, 가는잎갈퀴

영명: **Three-petal bedstraw**

Galium trifidum L. var. *europaeum* Rupr., Fl. Samejed. Cisural. 38 1846

Galium triflorum Michx. f. *europaeum* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 144 1868

Rubia linnaeana Baill., Hist. Pl. (Baillon) 7: 374 1880

Galium baicalense Pobed., Fl. URSS 23: 714 1958

Galium ruprechtii Pobed., Fl. URSS 23: 713 1958

Galium trifidum* L. subsp. *trifidum

Galium trifidum* L. subsp. *columbianum (Rydb.) Hultén, Fl. Aleutian Isl. 367 1937

국명: 네잎갈퀴아재비(Ne-ip-gla-kwi-a-jae-bi)

Galium trifidum L. var. *brevipedunculatum* Regel, Tent. Fl.-Ussur. 77 1861

Galium trifidum L. var. *pacificum* Wiegand, Bull. Torrey Bot. Club 24: 400 1897

Galium taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 438 1912

Galium trifidum L. subsp. *pacificum* (Wiegand) Piper & Beattie, Fl. N.W. Coast [Piper & Beattie] 336 1915

Galium columbianum Rydb., Fl. Rocky Mts. 808: 1066 1917

***Galium trifloriforme* Kom.**, Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 428 1901

국명: 개선갈퀴(Gae-seon-gal-kwi), 달구지갈퀴, 산갈퀴, 삼화갈퀴, 조선수레갈퀴 / (북한명) 조선수레갈퀴, 개선갈퀴

영명: Three-flower bedstraw

Galium trifloriforme Kom. var. *nipponicum* (Makino) Nakai ex T.Mori, Enum. Pl. Corea 324 1922

Galium japonicum (Maxim.) Makino & Nakai var. *trifloriformis* (Kom.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 106 1952

***Galium verum* L.**, Sp. Pl. 1: 107 1753

국명: 솔나물(Sol-na-mul), 큰솔나물, 털솔나물, 흰털솔나물, 개솔나물, 털잎솔나물 / (북한명) 솔나물, 큰솔나물

영명: Asian yellow spring bedstraw

Galium verum L. var. *trachyphyllum* Wallr., Sched. Crit. 56 1822

Galium verum L. var. *trachycarpum* DC., Prodr. (DC.) 4: 603 1830

Galium verum L. var. *intermedium* Nakai, Rep. Veg. Diamond Mountains 185 1918

Galium verum L. var. *trachycarpum* DC. f. *intermedium* Nakai, Bot. Mag. (Tokyo) 34: 51 1920

Galium verum L. f. *album* Nakai, J. Jap. Bot. 15: 343 1939

Galium verum L. var. *rosmarinifolium* Bunge f. *intermedium* H.Hara, Neolin. Fl. Manshur. 585 1979

Galium verum* L. var. *verum

Galium verum* L. var. *hallaensis K.S.Jeong & K.Choi, Phytotaxa 302: 95 2017 ⓘ

국명: 애기솔나물(Ae-gi-sol-na-mul), 바위갈키

영명: Small yellow spring bedstraw

! *Galium verum* L. var. *hallasanense* M.Kim, Korean Endemic Pl. 312 2017

Galium verum* L. var. *trachycarpum* DC. f. *trachycarpum

Galium verum* L. var. *trachycarpum* DC. f. *nikkoense (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 86 1953

국명: 흰솔나물(Huin-sol-na-mul), 꼬리솔나물, 흰솔나무 / (북한명) 흰솔나물

영명: White-flower lady's bedstraw

Galium verum L. var. *nikkoense* Nakai, J. Jap. Bot. 15: 347 1939

Lasianthus Jack 무주나무속

Lasianthus japonicus Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 110 1867 (R)

국명: 무주나무(Mu-ju-na-mu)

영명: Japanese lasianthus

Mitchella L. 호자덩굴속

Mitchella undulata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 175 1846

국명: 호자덩굴(Ho-ja-deong-gul), 덩굴호자나무 / (북한명) 호자덩굴

영명: Asian mitchella

Mitchella repens L. var. *undulata* (Siebold & Zucc.) Makino, Bot. Mag. (Tokyo) 23: 69 1909

Mitchella undulata Siebold & Zucc. var. *minor* Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 420 1934

Mitchella repens L. subsp. *undulata* (Siebold & Zucc.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 4-b: 381 1956

Neanotis W.H.Lewis 탐라풀속

Neanotis hirsuta (L.f.) W.H.Lewis, Ann. Missouri Bot. Gard. 53: 38 1966

국명: 탐라풀(Tam-ra-pul)

영명: Tamra starviolet

Oldenlandia hirsuta L.f., Suppl. Pl. 127 1782

Oldenlandia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 109 1867

Neanotis hirsuta (L.f.) W.H.Lewis var. *glabrior* (Miq.) W.H.Lewis, Ann. Missouri Bot. Gard. 53: 38 1966

Oldenlandia L. 백운풀속

Oldenlandia brachypoda DC., Prodr. (DC.) 4: 424 1830

국명: 제주백운풀(Je-ju-baek-un-pul)

영명: Sprawling dickwort

Hedyotis brachypoda (DC.) Sivar. & Biju, Taxon 39: 672 1990

Oldenlandia diffusa (Willd.) Roxb., Hort. Bengal. 11 1814

국명: 백운풀(Baek-un-pul), 긴잎치자풀, 두잎갈퀴, 실낚시돌풀, 쌍낚시풀, 치자풀 / (북한명) 쌍낚시돌풀

영명: Snake-tongue starviolet

Hedyotis diffusa Willd., Sp. Pl. (ed.4) 1: 566 1798

Oldenlandia angustifolia (Michx.) A.Gray var. *pedicellata* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 108 1867

Hedyotis diffusa Willd. var. *longipes* Nakai, Bot. Mag. (Tokyo) 25: 152 1911

Oldenlandia strigulosa Bartl. ex DC., Prodr. (DC.) 4: 427 1830 (R)

국명: 낚시돌풀(Nak-si-dol-pul), 갯치자풀, 낚시돌꽃 / (북한명) 낚시돌풀

영명: Seashore rock starviolet

Oldenlandia crassifolia DC., Prodr. (DC.) 4: 427 1830

Hedyotis biflora (L.) Lam. var. *parvifolia* Hook. & Arn., Bot. Beechey Voy. 264 1838

Oldenlandia paniculata L. var. *parvifolia* A.Gray ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 164 1883

Hedyotis strigulosa (Bartl. ex DC.) Fosberg, Smithsonian Contr. Bot. 45: 28 1980

Hedyotis strigulosa (Bartl. ex DC.) Fosberg var. *parvifolia* (Hook. & Arn.) T.Yamaz., J. Jap. Bot. 58: 284 1983

Oldenlandia tenelliflora (Blume) Kuntze, Revis. Gen. Pl. 1: 292 1891

국명: 수염치자풀(Su-yeom-chi-ja-pul)

영명: Delicate starviolet

Hedyotis tenelliflora Blume, Fl. Ned. Ind. 16: 971 1826

Paederia L. 계요등속

Paederia foetida L., Mant. Pl. 1: 52 1767

국명: 계요등(Gye-yo-deung) / (북한명) 계뇨등

영명: Skunk vine

Paederia tomentosa Blume, Bijdr. Fl. Ned. Ind. 968 1826

Paederia tomentosa Blume var. *glabra* Kurz, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 47-2: 139 1877

Paederia chinensis Hance, J. Bot. 7: 228 1878

Paederia tomentosa Blume f. *tenuissima* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 145 1911

Paederia wilasonii Hesse, Mitt. Deutsch. Dendrol. Ges. 22: 268 1913

Paederia tomentosa Blume var. *mairei* H.Lév., Cat. Pl. Yun-Nan 247 1917

Paederia scandens (Lour.) Merr., Contr. Arnold Arbor. 8: 163 1934

Paederia chinensis Hance f. *tenuissima* Masam., Short Fl. Formos. 205 1936

Paederia scandens (Lour.) Merr. f. *mairei* (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 22: 28 1948

Paederia scandens (Lour.) Merr. var. *mairei* (H.Lév.) H.Hara, Enum. Sperm. Jap. 2: 24 1952

Paederia scandens (Lour.) Merr. var. *scandens*

Paederia scandens (Lour.) Merr. var. *angustifolia* (Nakai) S.S.Ying, Mem. Coll. Agric. Natl. Taiwan Univ. 29: 51 1989

국명: 좁은잎계요등(Jop-eun-ip-gye-yo-deung), 가는잎계뇨등, 좁은잎계뇨등, 털계요등

영명: Narrow-leaf skunk vine

Paederia tomentosa Blume f. *angustifolia* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 83 1914

Paederia chinensis Hance var. *angustifolia* Nakai, Trees Shrubs Japan 1: 398 1922

Paederia chinensis Hance f. *microphylla* Honda, Bot. Mag. (Tokyo) 43: 193 1929

Paederia scandens (Lour.) Merr. var. *mairei* (H.Lév.) H.Hara f. *microphylla* (Honda) H.Hara, Enum. Sperm. Jap. 2: 25 1952

Paederia scandens (Lour.) Merr. var. *velutina* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 29: 97 1950

국명: 털계요등(Teol-gye-yo-deung)

영명: Hairy skunk vine

Paederia chinensis Hance var. *velutina* Nakai, Fl. Sylv. Kor. 14: 92 1923

Rubia L. 꼭두서니속

***Rubia argyi* (H.Lév. & Vaniot) H.Hara ex Lauener, Notes Roy. Bot. Gard. Edinburgh 32: 114 1972**

국명: 꼭두서니(Kkok-du-seo-ni), 가삼자리, 꼭두선이 / (북한명) 꼭두선이, 가삼자리

영명: Asian madder

Galium argyi H.Lév. & Vaniot, Bull. Soc. Bot. France 55: 58 1908

Rubia akane Nakai, J. Jap. Bot. 13: 783 1937

***Rubia chinensis* Regel & Maack, Tent. Fl.-Ussur. 76 1861**

국명: 큰꼭두서니(Keun-kkok-du-seo-ni), 큰꼭두선이, 민꼭두서니 / (북한명) 큰꼭두선이

영명: Erect Asian madder

Rubia mitis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 112 1867

Rubia mitis Miq. f. *glabrescens* Nakai, J. Jap. Bot. 14: 115 1938

Rubia pedicellata Nakai, J. Jap. Bot. 14: 116 1938

Rubia chinensis Regel & Maack var. *glabrescens* (Nakai) Kitag., Lin. Fl. Manshur. 406 1939

Rubia chinensis Regel & Maack var. *pedicellata* (Nakai) H.Hara, Enum. Sperm. Jap. 2: 29 1950

Rubia chinensis Regel & Maack f. *glabrescens* (Nakai) Kitag., Neolin. Fl. Manshur. 585 1979

Rubia chinensis Regel & Maack var. *glabrescens* (Nakai) Kitag. f. *mitis* (Miq.) Kitag., Neolin. Fl. Manshur. 585 1979

***Rubia cordifolia* L., Syst. Nat. ed. 12, 2: 229 1767**

국명: 갈퀴꼭두서니(Gal-kwi-kkok-du-seo-ni), 갈퀴꼭두선이, 갈키꼭두선이, 큰갈키꼭두선이 / (북한명) 갈퀴꼭두선이

영명: Heart-leaf Indian madder

Rubia cordifolia L. var. *pratensis* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 139 1859

Rubia pratensis (Maxim.) Nakai, J. Jap. Bot. 13: 783 1937

Rubia cordifolia L. subsp. *pratensis* (Maxim.) Kitag., Acta Phytotax. Geobot. 17: 7 1957

Rubia cordifolia L. f. *pratensis* (Maxim.) Kitag., Neolin. Fl. Manshur. 586 1979

***Rubia hexaphylla* (Makino) Makino, J. Jap. Bot. 4: 9 1927**

국명: 가지꼭두서니(Ga-ji-kkok-du-seo-ni), 가지꼭두선이, 네잎꼭두선이, 여섯잎꼭두서니, 왕꼭두서니 / (북한명) 왕꼭두선이

영명: Six-leaf madder

Rubia cordifolia L. var. *hexaphylla* Makino, Bot. Mag. (Tokyo) 18: 144 1904

Rubia cordifolia L. subsp. *hexaphylla* (Makino) Kitag., Acta Phytotax. Geobot. 17: 7 1957

***Rubia jesoenensis* (Miq.) Miyabe & Miyake, Fl. Hokkaido 291 1915**

국명: 너도꼭두서니(Neo-do-kkok-du-seo-ni), 너도꼭두선이 / (북한명) 꼭두선이아재비

영명: Four-leaf madder

Galium jesense Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 112 1867

***Rubia pubescens* Nakai, J. Jap. Bot. 13: 783 1937 ⑤**

국명: 우단꼭두서니(U-dan-kkok-du-seo-ni), 우단꼭두선이, 텔갈키꼭두선이, 텔갈키덩굴, 텔꼭두서리 / (북한명) 텔꼭두선이

영명: Hairy madder

Rubia argyi (Levl. & Van.) Hara ex Lauener var. *pubescens* (Nakai) M.Kim, Korean Endemic Pl. 316 2017

Rubia sylvatica (Maxim.) Nakai, J. Jap. Bot. 13: 783 1937

국명: 덤불꼭두서니(Deom-bul-kkok-du-seo-ni), 갈기꼭두선이, 덤불꼭두선이, 숲안꼭두서니

영명: Shrubby Indian madder

Rubia cordifolia L. var. *sylvatica* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 140 1859

***Polemonium* L. 꽃고비속**

Polemonium racemosum Kitam., Acta Phytotax. Geobot. 10: 180 1941

국명: 꽃고비(Kkot-go-bi), 함영꽃고비, 흰꽃고비 / (북한명) 꽃고비

영명: Racemose Jacob's ladder

** *Polemonium kiushianum* Kitam. f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1160 1996

** *Polemonium caeruleum* L. subsp. *kiushianum* (Kitam.) Hara f. *albiflorum* (Y.N.Lee) M.Kim, Korean Endemic Pl. 330 2004

CONVOLVULACEAE 메꽃과

***Calystegia* R.Br. 메꽃속**

Calystegia hederacea Wall., Fl. Ind. (Roxburgh) 2: 94 1824

국명: 애기메꽃(Ae-gi-me-kkot), 좀메꽃 / (북한명) 애기메꽃

영명: Ivy morning glory

Convolvulus wallichianus Spreng., Syst. Veg. (ed.16) [Sprengel] 4(2, Cur. Post.): 61 1827

Convolvulus loureiri G.Don, Gen. Hist. 4: 290 1836

Convolvulus acetosifolius Turcz., Bull. Soc. Imp. Naturalistes Moscou 14: 73 1840

Convolvulus calystegioides Choisy, Prodr. (DC.) 9: 413 1845

Volvulus hederaceus (Wall.) Kuntze, Revis. Gen. Pl. 2: 447 1891

Calystegia acetosifolia (Turcz.) Turcz., Fl. Baical.-dahur. 2: 347 1892

Calystegia hederacea Wall. var. *elongata* Liou & Ling, Fl. Ill. Nord Chine 1: 25 1931

Calystegia pellita (Ledeb.) G.Don, Gen. Hist. 4: 296 1837

국명: 선메꽃(Seon-me-kkot), 텔메꽃 / (북한명) 텔메꽃, 선메꽃

영명: Dahurian morning glory

Convolvulus dahuricus Herb., Bot. Mag. 53: t. 2609 1826

Convolvulus pellitus Ledeb., Fl. Altaic. 1: 223 1829

Calystegia dahurica (Herb.) Choisy, Prodr. (DC.) 9: 433 1845

Calystegia dahurica (Herb.) Choisy var. *pellita* (Ledeb.) Choisy, Prodr. (DC.) 9: 433 1845

Calystegia sepium (L.) R.Br. var. *dahurica* (Herb.) Choisy, Prodr. (DC.) 9: 433 1845

■ CONVOLVULACEAE 메꽃과

Calystegia pubescens Lindl., J. Hort. Soc. London 1: 70 1846

국명: 메꽃(Me-kkot), 가는메꽃, 가는잎메꽃, 메, 좁은잎메꽃 / (북한명) 메꽃, 메

영명: Short-hairy morning glory

Calystegia japonica Choisy, Syst. Verz. (Zollinger) 2: 130 1854

Calystegia sepium (L.) R.Br. var. *japonicum* (Choisy) Makino f. *angustifolia* Nakai, Bot. Mag. (Tokyo) 23: 107 1909

Calystegia japonica Choisy var. *albiflora* Makino, J. Jap. Bot. 3: 1 1923

Calystegia japonica Choisy var. *elongata* Liou & Ling, Contr. Lab. Bot. Natl. Acad. Peiping 1: 25 1931

Calystegia subvolubilis Liou & Ling f. *angustifolia* (Nakai) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 972 1931

Calystegia subvolubilis Liou & Ling, Fl. Ill. Nord Chine 21: Pl. 6 1931

Calystegia subvolubilis Liou & Ling var. *albiflora* Makino & Nemoto ex Nemoto, Fl. Jap. Suppl. 611 1936

Calystegia japonica Choisy f. *angustifolia* Makino ex H.Hara, Bot. Mag. (Tokyo) 51: 48 1937

Calystegia japonica Choisy f. *albiflora* (Makino) H.Hara, Enum. Sperm. Jap. 1: 160 1948

Calystegia sepium (L.) R.Br. var. *japonicum* (Choisy) Makino f. *albiflora* (Makino) T.Yamaz., Fl. Jap. (Iwatsuki et al., eds.) 3a: 199 1993

Calystegia sepium (L.) R.Br., Prodr. Fl. Nov. Holland. 483 1810

국명: 큰메꽃(Keun-me-kkot), 넓은잎메꽃, 음양곽메꽃 / (북한명) 큰메꽃, 음양곽메꽃

영명: Wild morning glory

Convolvulus sepium L., Sp. Pl. 1: 153 1753

Convolvulus sepium L. var. *americanus* Sims, Bot. Mag. 19: Pl. 732 1804

Convolvulus americanus (Sims) Greene, Pittonia 3: 328 1900

Calystegia americana (Sims) Daniels, Univ. Missouri Stud., Sci. Ser. 1: 337 1907

Calystegia sepium (L.) R.Br. var. *americana* (Sims) Matsuda, Bot. Mag. (Tokyo) 33: 145 1919

Calystegia sepium (L.) R.Br. var. *integrifolia* Liou, Contr. Lab. Bot. Natl. Acad. Peiping 1: 24 1931

Convolvulus sepium L. var. *communis* Tryon, Rhodora 41: 419 1939

Calystegia sepium (L.) R.Br. var. *communis* (Tryon) H.Hara, J. Jap. Bot. 17: 395 1941

Calystegia soldanella (L.) R.Br., Prodr. Fl. Nov. Holland. 484 1810

국명: 갯메꽃(Gaet-me-kkot), 개메꽃, 해안메꽃 / (북한명) 갯메꽃

영명: Beach morning glory

Convolvulus soldanella L., Sp. Pl. 1: 159 1753

Convolvulus maritimus Lam., Fl. Franc. (Lamarck) 2: 265 1778

Calystegia asarifolius Salisb., Prodr. Stirp. Chap. Allerton 125 1796

Calystegia reniformis R.Br., Prodr. Fl. Nov. Holland. 484 1810

Volvulus soldanella (L.) Junger, Oesterr. Bot. Z. 41: 134 1891

Cuscuta L. 새삼속

Cuscuta australis R.Br., Prodr. Fl. Nov. Holland. 491 1810

국명: 실새삼(Sil-sae-sam) / (북한명) 실새삼

영명: Australian dodder

Cuscuta millettii Hook. & Arn., Bot. Beechey Voy. 201 1837

Cuscuta rogowitschiana Trautv., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 285 1855
Cuscuta obtusiflora Kunth var. *australis* (R.Br.) Engelm., Trans. Acad. Sci. St. Louis 1: 492 1860
Cuscuta obtusiflora Kunth var. *breviflora* Engelm., Trans. Acad. Sci. St. Louis 1: 493 1860
Cuscuta hygrophilae Person, Hooker's Icon. Pl. 28: 1901
Cuscuta kawakamii Hayata, Icon. Pl. Formosan. 5: 125 1915
Cuscuta sojagena Makino, Ill. Fl. Nippon (Makino) 197 1940
Cuscuta somaxacola Makino, Genshoku yagai shokubutsu zufu 2: 209 1941

***Cuscuta chinensis* Lam.**, Encycl. (Lamarck) 2: 229 1786

국명: 갯실새삼(Gaet-sil-sae-sam), 갯새삼, 실새삼 / (북한명) 갯실새삼

영명: Chinese dodder

Cuscuta carinata R.Br., Prodr. 491 1810
Cuscuta ciliaris Hohen. ex Boiss., Diagn. Pl. Orient. ser.2, 3: 129 1856
Cuscuta fimbriata Bunge ex Engelm., Trans. Acad. Sci. St. Louis 1: 480 1859
Cuscuta chinensis Lam. var. *carinata* (R.Br.) Engelm., Trans. Acad. Sci. St. Louis 1: 480 1859

***Cuscuta japonica* Choisy**, Syst. Verz. (Zollinger) 2: 130 1854

국명: 새삼(Sae-sam) / (북한명) 새삼

영명: Japanese dodder

Cuscuta reflexa Roxb. var. *densiflora* Benth., Hooker's J. Bot. Kew Gard. Misc. 5: 57 1853
Cuscuta japonica Choisy var. *thyroidea* Engelm., Trans. Acad. Sci. St. Louis 1: 517 1859
Cuscuta japonica Choisy var. *paniculata* Engelm., Trans. Acad. Sci. St. Louis 1: 517 1859
Cuscuta systyla Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 200 1859
Cuscuta colorans Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 201 1859
Monogynella japonica (Choisy) Hada & Chrtk, Folia Geobot. Phytotax. 5: 444 1970

BORAGINACEAE 지치과

***Argusia* Boehm.** 모래지치속

***Argusia sibirica* (L.) Dandy**, Bot. J. Linn. Soc. 65: 256 1972

국명: 모래지치(Mo-rae-ji-chi), 갯모래지치 / (북한명) 모래지치

영명: Siberian sea rosemary

Tournefortia sibirica L., Sp. Pl. 1: 141 1753
Messerschmidia arguzia L., Mant. Pl. 1: 42 1767
Messerschmidia sibirica (L.) L., Mant. alt. 334 1771
Tournefortia arguzia (L.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 4: 540 1819
Argusia repens Raf., Sylva Tellur. 167 1838
Tournefortia arguzia (L.) Roem. & Schult. var. *latifolia* A.DC., Prodr. (DC.) 9: 514 1845
Messerschmidia sibirica (L.) L. var. *latifolia* (DC.) H.Hara, Enum. Sperm. Jap. 1: 178 1948

Bothriospermum Bunge 꽃받이속

Bothriospermum secundum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 202 1859

국명: 참꽃받이(Cham-kkot-bat-i), 왕꽃마리, 왕꽃받이, 참꽃마리, 참꽃바지, 참꽃받이풀, 큰꽃마리, 평양꽃바지 / (북한명) 참꽃받이

영명: Many-bract bothriospermum

Bothriospermum imaii Nakai, Bot. Mag. (Tokyo) 23: 189 1909

Lithospermum secundum Nakai, Bot. Mag. (Tokyo) 23: 107 1909

Bothriospermum secundum Maxim. f. *albiflorum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 105 1911

Bothriospermum tenellum (Hornem.) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)]

1: 24 1835

국명: 꽃받이(Kkot-bat-i), 나도꽃마리, 꽃마리, 꽃바지 / (북한명) 꽃받이, 나도꽃마리

영명: Leaf between flower

Anchusa tenella Hornem., Hort. Bot. Hafn. 1: 176 1813

Cynoglossum prostratum Ham. ex D.Don, Prodr. Fl. Nepal. 100 1825

Bothriospermum perenne Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 95 1865

Bothriospermum tenellum (Hornem.) Fisch. & C.A.Mey. var. *asperugoides* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 455 1872

Brachybotrys Maxim. ex Oliv. 당개지치속

Brachybotrys paridiformis Maxim. ex Oliv., Hooker's Icon. Pl. ser. 2, 13: 43 1878

국명: 당개지치(Dang-gae-ji-chi) / (북한명) 당개지치

영명: Drooping bell flower

Cynoglossum L. 섬꽃마리속

Cynoglossum aspernum Nakai, Bot. Mag. (Tokyo) 37: 6 1923

국명: 왕꽃마리(Wang-kkot-ma-ri), 섬꽃마리, 왕꽃말이, 제주꽃마리 / (북한명) 큰꽃마리, 왕꽃마리, 해남꽃마리

영명: Rough-hair hound's tongue

Cynoglossum aspernum Nakai var. *yesoense* Nakai, Bot. Mag. (Tokyo) 37: 7 1923

Cynoglossum tosaense Nakai, Bot. Mag. (Tokyo) 37: 5 1923

Cynoglossum aspernum Nakai var. *tosaense* (Nakai) H.Hara, Enum. Sperm. Jap. 1: 172 1948

Paracynoglossum aspernum (Nakai) Popov, Fl. URSS 19: 679 1953

Cynoglossum zeylanicum (Sw. ex Lehm.) Thunb. ex Brand, Repert. Spec. Nov. Regni Veg. 13: 546 1915 ⑧

국명: 섬꽃마리(Seom-kkot-ma-ri), 남왕꽃말이, 민꽃말이, 잔섬꽃마리, 제주꽃말이, 큰꽃마리, 큰꽃말이 / (북한명) 섬꽃마리

영명: Ceylon hound's tongue

Myosotis zeylanica Sw. ex Lehm., Neue Schriften Naturf. Ges. Halle 3: 20 1817

Cynoglossum furcatum Wall. ex Roxb., Fl. Ind. (Roxburgh) 2: 6 1824

Cynoglossum villosulum Nakai, Bot. Mag. (Tokyo) 37: 6 1923

Cynoglossum zeylanicum (Vahl ex Hornem.) Thunb. ex Lehm. var. *vilosulum* (Nakai) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 84 1953

***Ehretia* P.Browne 송양나무속**

Ehretia acuminata R.Br., Prodr. Fl. Nov. Holland. 147 1810

국명: 송양나무(Song-yang-na-mu) / (북한명) 송양나무

영명: Oboval-leaf ehretia

Ehretia serrata Roxb. var. *obovata* Lindl., Bot. Reg. 13: t. 1097 1827

Ehretia ovalifolia Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 137 1844

Cordia thrysiflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 26 1846

Ehretia thrysiflora (Siebold & Zucc.) Nakai, Trees Shrubs Japan 327 1922

Ehretia taiwaniana Nakai, J. Arnold Arbor. 5: 38 1924

Ehretia acuminata R.Br. var. *obovata* (Lindl.) I.M.Johnst., J. Arnold Arbor. 32: 21 1951

***Eritrichium* Schrad. ex Gaudin 산지치속**

Eritrichium sichotense Popov, Fl. URSS 19: 711 1953

국명: 산지치(San-ji-chi), 둘지치 / (북한명) 산지치

영명: East Asian alpine forget-me-not

***Hackelia* Opiz 뚝지치속**

Hackelia deflexa (Wahlenb.) Opiz, Oekon.-techn. Fl. Bohm. 2: 147 1838

국명: 뚝지치(Ttuk-ji-chi), 산개지치, 산들지치, 뚝돌지치, 북개지치 / (북한명) 뚝돌지치, 산개지치, 북개지치, 뚝지치

영명: Nodding stickseed

Myosotis deflexa Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 31: 113 1810

Echinospermum deflexum (Wahlenb.) Lehm., Pl. Asperif. Nucif. 120 1818

Lappula deflexa (Lehm.) Garske, Fl. N. Mitt.-Deutschland ed. 6: 275 1863

Echinospermum matsudairai Makino, Bot. Mag. (Tokyo) 17: 52 1903

Lappula matsudairai (Makino) Drude, Rep. Bot. Exch. Club 1916, Suppl. 2: 630 1917

Eritrichium deflexum (Wahlenb.) Y.S.Lian & J.Q.Wang, Fl. Reipubl. Popularis Sin. 64: 139 1989

***Lappula* Moench 들지치속**

Lappula squarrosa (Retz.) Dumort., Fl. Belg. 40 1827

국명: 들지치(Deul-ji-chi), 뚝지치, 텸개지치

영명: European stickseed

Myosotis squarrosa Retz., Observ. Bot. 2: 9 1781

Myosotis lappula L., Sp. Pl. 1: 131 1753

Echinospermum lappula (L.) Lehm., Pl. Asperif. Nucif. 121 1818

■ BORAGINACEAE 지치과

Lappula heteracantha (Ledeb.) Gürke, Nat. Pflanzenfam. 4: 107 1893

국명: 둘지치(Dol-ji-chi) / (북한명) 둘지치

영명: Spiny stickseed

Echinospermum heteracanthum Ledeb., Index Seminum [Tartu] 1823: 3 1823

Lappula echinata (L.) Gilib. var. *heteracantha* (Ledeb.) Kuntze, Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 214 1887

***Lithospermum* L. 지치속**

Lithospermum arvense L., Sp. Pl. 1: 132 1753 (R)

국명: 개지치(Gae-ji-chi), 들지치 / (북한명) 들지치, 개지치

영명: Corn gromwell

Aegonychon arvense (L.) Gray, Nat. Arr. Brit. Pl. 2: 354 1821

Rhytispermum arvense (L.) Link, Handbuch [Link] 1: 579 1829

Lithospermum sibthoripianum Griseb., Spic. Fl. Rume. 2: 86 1844

Buglossoides arvensis (L.) I.M.Johnst., J. Arnold Arbor. 35: 42 1954

Lithospermum erythrorhizon Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 149 1846

국명: 지치(Ji-chi), 자초, 지초, 지추 / (북한명) 지치, 지초 (R)

영명: Red-root gromwell

Lithospermum officinale L. var. *japonicum* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 94 1865

Lithospermum officinale L. var. *erythrorhizon* (Siebold & Zucc.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 8: 541 1872

Lithospermum officinale L. subsp. *erythrorhizon* (Siebold & Zucc.) Hand.-Mazz., Symb. Sin. 7: 817 1936

Lithospermum zollingeri A.DC., Prodr. (DC.) 10: 587 1846

국명: 반디지치(Ban-di-ji-chi), 깔깔이풀, 억센털개지치 / (북한명) 반디지치, 깔깔이풀

영명: Star-flower gromwell

Lithospermum japonicum A.Gray, Narr. Exped. China Japan 2: 316 1857

Lithospermum confertiflorum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 95 1865

Plagiobothrys zollingeri (A.DC.) I.M.Johnst., Contr. Gray Herb. 73: 68 1924

Buglossoides zollingeri (A.DC.) I.M.Johnst., J. Arnold Arbor. 35: 42 1954

***Mertensia* Roth 갯지치속**

Mertensia maritima (L.) Gray subsp. *asiatica* Takeda, J. Bot. 49: 222 1911 (R)

국명: 갯지치(Gaet-ji-chi) / (북한명) 갯지치

영명: Beach bluebell

Mertensia asiatica (Takeda) J.F.Macbr., Contr. Gray Herb. 2: 53 1916

Mertensia maritima (L.) Gray var. *asiatica* (Takeda) Kitag., Neolin. Fl. Manshur. 534 1979

***Myosotis* L. 개꽃마리속**

Myosotis laxa Lehm., Pl. Asperif. Nucif. 1: 83 1818

국명: **개꽃마리**(Gae-kkot-ma-ri), 꽃마리아재비 / (북한명) 꽃마리아재비

영명: **Small-flower forget-me-not**

Myosotis caespitosa Schultz var. *laxa* (Lehm.) A.DC., Prodr. (DC.) 10: 105 1846

Myosotis palustris (L.) Nathh. var. *laxa* (Lehm.) A.Gray, Manual (Gray) ed. 2: 324 1856

Myosotis sylvatica Ehrh. ex Hoffm., Deutschl. Fl. 1: 61 1791

국명: **왜지치**(Wae-ji-chi), 숲꽃마리, 숲물망초 / (북한명) 왜지치, 숲꽃마리

영명: **Woodland forget-me-not**

Myosotis perennis Moench var. *sylvatica* (Ehrh. ex Hoffm.) DC., Fl. Franc. (DC. & Lamarck) ed. 3: p. 629 1805

***Omphalodes* Mill. 자반풀속**

Omphalodes krameri Franch. & Sav., Enum. Pl. Jap. 2: 452 1878 ②

국명: **자반풀**(Ja-ban-pul), 털개지치

영명: **Kramer's navelwort**

***Thyrocarpus* Hance 대청지치속**

Thyrocarpus glochidiatus Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 499 1880

국명: **대청지치**(Dae-cheong-ji-chi)

영명: **Curved-tooth thyrocarpus**

***Trigonotis* Steven 꽃마리속**

Trigonotis peduncularis (Trevis.) Benth. ex Baker & S.Moore, J. Linn. Soc., Bot. 17: 384 1879

국명: **꽃마리**(Kkot-ma-ri), 꽃따지, 꽃말이, 잣냉이 / (북한명) 꽃마리

영명: **Common Asian trigonotis**

Myosotis peduncularis Trevir., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 7: 147 1816

Eritrichium pedunculare (Trevir.) A.DC., Prodr. (DC.) 10: 128 1846

Myosotis chinensis A.DC., Prodr. (DC.) 10: 106 1846

Eritrichium japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 96 1865

Trigonotis radicans (Turcz.) Steven, Bull. Soc. Imp. Naturalistes Moscou 24: 603 1851 ②

국명: **거센털꽃마리**(Geo-sen-teol-kkot-ma-ri), 거세털개지치 / (북한명) 털개지치, 거친털개지치

영명: **Rooting trigonotis**

Myosotis radicans Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 258 1840

Eritrichium radicans (Turcz.) A.DC., Prodr. (DC.) 10: 128 1846

Trigonotis radicans* (Turcz.) Steven var. *radican

***Trigonotis radicans* (Turcz.) Steven var. *sericea* (Maxim.) H.Hara, J. Jap. Bot. 17: 637 1941**

■ BORAGINACEAE 지치과

국명: 참꽃마리(Cham-kkot-ma-ri), 뿌리꽃마리, 왕꽃마리, 조선꽃마리, 좀꽃마리, 참꽃말이, 텔꽃마리 /
(북한명) 참꽃마리

영명: Korean trigonotis

Omphalodes sericea Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 453 1872

Omphalodes aquatica Brand, Repert. Spec. Nov. Regni Veg. 13: 545 1915

Trigonotis coreana Nakai, Bot. Mag. (Tokyo) 31: 218 1917

Trigonotis sericea Ohwi, J. Jap. Bot. 12: 328 1936

Trigonotis nakaii H.Hara, J. Jap. Bot. 17: 635 1941

VERBENACEAE 마편초과

Callicarpa L. 작살나무속

Callicarpa dichotoma (Lour.) Raeusch. ex K.Koch, Dendrologie 2: 336 1872

국명: 좀작살나무(Jom-jak-sal-na-mu) / (북한명) 좀작살나무

영명: Purple beautyberry

Porphyra dichotoma Lour., Fl. Cochinch. 1: 70 1790

Callicarpa purpurea Juss., Ann. Mus. Natl. Hist. Nat. 7: 67 1806

Callicarpa gracilis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 154 1846

Callicarpa jamamurasaki Siebold & Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 98 1865

Callicarpa sieboldii Zippel ex H.J.Lam, Verbenaceae Malayan Archipel. 85 1919

Callicarpa japonica Thunb. var. *dichotoma* (Lour.) Bakh., Bull. Jard. Bot. Buitenzorg ser.3, 3: 26 1921

Callicarpa japonica Thunb., Fl. Jap. (Thunberg) 60 1784

국명: 작살나무(Jak-sal-na-mu), 송금나무, 조팝나무, 민작살나무, 흰작살나무 / (북한명) 작살나무

영명: East Asian beautyberry

Amictonis japonica (Thunb.) Raf., Sylva Tellur. 161 1838

Callicarpa longifolia Lam. var. *subglabra* Schauer, Prodr. (DC.) 11: 645 1847

Callicarpa japonica Thunb. f. *parvifolia* Miq., Cat. Mus. Bot. Lugd.-Bat. 70 1870

Callicarpa japonica Thunb. f. *latifolia* Miq., Cat. Mus. Bot. Lugd.-Bat. 70 1870

Callicarpa japonica Thunb. f. *rugosior* Miq., Cat. Mus. Bot. Lugd.-Bat. 70 1870

Callicarpa japonica Thunb. var. *angustifolia* Sav., Livr. Kwa-wi 78 1873

Callicarpa taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 182 1913

Callicarpa japonica Thunb. var. *taquetii* (H.Lév.) Nakai, Trees Shrubs Japan 1: 336 1922

Callicarpa japonica Thunb. var. *glabra* Nakai, J. Jap. Bot. 14: 640 1938

Callicarpa japonica Thunb. f. *taquetii* (H.Lév.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 84 1953

Callicarpa japonica Thunb. var. *japonica*

Callicarpa japonica Thunb. var. *luxurians* Rehder, Pl. Wilson. 3: 369 1916

국명: 왕작살나무(Wang-jak-sal-na-mu), 왕작살 / (북한명) 큰작살나무, 왕작살나무

영명: **Robust beautyberry**

Callicarpa japonica Thunb. subsp. *luxurianus* (Rehder) Masam. & Yanagih., Trans. Nat. Hist. Soc. Taiwan 31: 323 1941

Callicarpa mollis Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 155 1846

국명: **새비나무**(Sae-bi-na-mu), 텔작살나무, 좀새비나무 / (북한명) 텔작살나무, 새비나무

Callicarpa mollis Siebold & Zucc. var. *microphylla* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 156 1846

Callicarpa zollingeriana Schauer, Prodr. (DC.) 11: 640 1847

Callicarpa farinosa Siebold ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 99 1865

Callicarpa mollis Siebold & Zucc. var. *ramosissima* Nakai, Trees Shrubs Japan Revis. Ed. 2: 458 1927

Callicarpa mollis Siebold & Zucc. f. *ramosissima* (Nakai) W.T.Lee, Lineamenta Florae Koreae 932 1996

Callicarpa mollis Siebold & Zucc. var. ***mollis***

Callicarpa mollis Siebold & Zucc. var. ***chejuensis*** (Y.H.Chung & H.Kim) M.Kim, Korean Endemic Pl. 263 2017 (E)

국명: **제주새비나무**(Je-ju-sae-bi-na-mu)

영명: **Jejudo beautyberry**

Callicarpa chejuensis Y.H.Chung & H.Kim, Korean J. Pl. Taxon. 19(1): 21 1989

Callicarpa × *shiraswana* Makino, Bot. Mag. (Tokyo) 24: 28 1910

국명: **개새비나무**(Gae-sae-bi-na-mu), 새새비나무 / (북한명) 참털작살나무, 개새비나무

영명: **Hybrid beautyberry**

Caryopteris Bunge 층꽃나무속

Caryopteris incana (Thunb. ex Houtt.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 97 1865

국명: **층꽃나무**(Cheung-kkot-na-mu), 난향초, 층꽃풀, 흰층꽃나무 / (북한명) 층꽃풀, 난향초

영명: **Common bluebeard**

Nepeta incana Thunb. ex Houtt., Nat. Hist. (Houttuyn) 9: 307 1778

Barbula sinesis Lour., Fl. Cochinch. 2: 367 1790

Mastacanthus sinensis (Lour.) Endl., Repert. Bot. Syst. (Walpers) 4: 3 1845

Caryopteris mastacanthus Schauer, Prodr. (DC.) 11: 114 1847

Caryopteris ovata Miq., J. Bot. Néerl. 1: 114 1861

Caryopteris sinensis (Lour.) Dippel, Handb. Laubholzk. 1: 59 1889

Caryopteris incana (Thunb. ex Houtt.) Miq. var. *candida* C.K.Schneid., Ill. Handb. Laubholzk. 2: 596 1911

Caryopteris incana (Thunb. ex Houtt.) Miq. f. *candida* (C.K.Schneid.) H.Hara, Enum. Sperm. Jap. 1: 187 1948

Clerodendrum L. 누리장나무속

Clerodendrum trichotomum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 201 1780

■ VERBENACEAE 마편초과

국명: 누리장나무(Nu-ri-jang-na-mu), 개나무, 개똥나무, 구린내나무, 구릿대나무, 깨타리, 노나무, 누기개나무, 누룬나무, 누르나무, 이라리나무 / (북한명) 누리장나무, 개똥나무

영명: Harlequin glorybower

Clerodendrum fargesii Dode, Bull. Soc. Dendrol. France 1907: 207 1907

Clerodendrum trichotomum Thunb. var. *fargesii* (Dode) Rehder, Pl. Wilson. 3: 376 1916

Clerodendrum koshunense Hayata, J. Coll. Sci. Imp. Univ. Tokyo 1: 217 1917

Siphonanthus trichotomus (Thunb.) Nakai, Bot. Mag. (Tokyo) 36: 24 1922

Siphonanthus trichotomus (Thunb.) Nakai var. *fargesii* (Dode) Nakai, Trees Shrubs Japan 1: 346 1922

Clerodendrum trichotomum* Thunb. var. *trichotomum

Clerodendrum trichotomum* Thunb. var. *esculentum Makino, J. Jap. Bot. 1: 29 1917

국명: 섬누리장나무(Seom-nu-ri-jang-na-mu), 거문누리장나무 / (북한명) 좀누리장나무, 개누리장나무

영명: Glabrous harlequin glorybower

Siphonanthus trichotomus (Thunb.) Nakai var. *esculenta* (Makino) Nakai, Trees Shrubs Japan 1: 346 1922

Clerodendrum trichotomum* Thunb. var. *ferrugineum Nakai, Bot. Mag. (Tokyo) 31: 109 1917

국명: 털누리장나무(Teol-nu-ri-jang-na-mu), 비로도누리장나무, 털개나무 / (북한명) 털누리장나무

영명: Hairy harlequin glorybower

Siphonanthus trichotomus (Thunb.) Nakai var. *ferrugineum* Nakai, Fl. Sylv. Kor. 14: 35 1923

Clerodendrum trichotomum Thunb. var. *tomentosum* Moldenke, Geogr. Distr. Avicenn. 38 1939

Clerodendrum trichotomum Thunb. f. *ferrugineum* (Nakai) Ohwi, Fl. Jap. (Ohwi) 992 1953

Clerodendrum trichotomum Thunb. var. *villosum* Hus, Observ. Fl. Hwangshan. 168 1965

***Tripora* P.D.Cantino 누린내풀속**

Tripora divaricata (Maxim.) P.D.Cantino, Syst. Bot. 23: 382 1998

국명: 누린내풀(Nu-rin-nae-pul), 구령내풀, 노린재풀 / (북한명) 누린내풀

영명: Odor bluebeard

Caryopteris divaricata Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 390 1877

***Verbena* L. 마편초속**

Verbena officinalis L., Sp. Pl. 1: 20 1753

국명: 마편초(Ma-pyeon-cho), 말초리풀 / (북한명) 마편초, 말초리풀

영명: Common verbena

Verbena spuria L., Sp. Pl. 1: 20 1753

Verbena sororia D.Don, Prodr. Fl. Nepal. 104 1825

Verbena officinalis L. var. *ramosa* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 440 1912

Vitex L. 순비기나무속

Vitex negundo L. var. *negundo*

Vitex negundo L. var. *incisa* (Lam.) C.B.Clarke, Fl. Brit. Ind. 4: 584 1885

국명: 좀목형(Jom-mok-hyeong), 좀순비기나무, 풀목향 / (북한명) 좀목형

영명: Five-leaf chastetree

Vitex chinensis Mill., Gard. Dict. ed. 8: 0 1768

Vitex incisa Lam., Encycl. (Lamarck) 2: 612 1788

Vitex incisa Lam. var. *heterophylla* Franch., Nouv. Arch. Mus. Hist. Nat. Paris ser. 2, 6: 112 1883

Vitex negundo L. var. *heterophylla* (Franch.) Rehder, J. Arnold Arbor. 28: 258 1947

Vitex rotundifolia L.f., Suppl. Pl. 294 1781

국명: 순비기나무(Sun-bi-gi-na-mu), 만형, 만형자, 만형자나무, 풍나무 / (북한명) 순비기나무, 풍나무, 만형자나무

영명: Beach vitex

Vitex ovata Thunb., Fl. Jap. (Thunberg) 257 1784

Vitex trifolia L. var. *simplicifolia* Cham., Linnaea 7: 107 1832

Vitex repens Blanco, Fl. Filip. 513 1837

Vitex trifolia L. var. *unifoliolata* Schauer, Prodr. (DC.) 11: 683 1847

Vitex trifolia L. var. *obovata* Benth., Fl. Austral. 5: 67 1870

Vitex agnuscastus L. var. *ovata* (Thunb.) Kuntze, Revis. Gen. Pl. 2: 511 1891

Vitex trifolia L. var. *ovata* (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 92 1903

Vitex trifolia L. var. *repens* (Blanco) Ridl., Fl. Malay. Penin. 2: 63 1923

Vitex trifolia L. subsp. *litoralis* Steenis, Blumea 8: 516 1957

LAMIACEAE 꿀풀과

Agastache Clayton ex Gronov. 배초향속

Agastache rugosa (Fisch. & C.A.Mey.) Kuntze, Revis. Gen. Pl. 2: 511 1891

국명: 배초향(Bae-cho-hyang), 방아잎, 방아풀, 방애잎, 방랫잎, 증개풀 / (북한명) 배초향, 방아풀, 깨풀, 토과향

영명: Korean mint

Lophanthus rugosus Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 31 1835

Cedronella japonica Hassk., Acta Soc. Regiae Sci. Indo-Neerl. 1: 37 1856

Lophanthus rugosus Fisch. & C.A.Mey. var. *hypoleuca* Maxim. ex Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 4 1887

Agastache lophanthus Kuntze, Revis. Gen. Pl. 2: 511 1891

Elsholtzia monostachya H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 424 1910

Lophanthus argyi H.Lév., Repert. Spec. Nov. Regni Veg. 12: 181 1913

Lophanthus formosanus Hayata, Icon. Pl. Formosan. 8: 87 1919

Agastache rugosa (Fisch. & C.A.Mey.) Kuntze var. *hypoleuca* (Maxim.) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 18-8: 16 1921

Agastache rugosa (Fisch. & C.A.Mey.) Kuntze f. *hypoleuca* (Kudô) H.Hara, Bot. Mag. (Tokyo) 51: 53 1937

Agastache rugosa (Fisch. & C.A.Mey.) Kuntze f. *alba* Y.N.Lee, Bull. Korea Pl. Res. 5: 24 2005

Ajuga L. 조개나물속

Ajuga decumbens Thunb., Fl. Jap. (Thunberg) 243 1784

국명: **금창초**(Geum-chang-cho), 가지조개나물, 금란초, 내장금란초, 섬자란초 / (북한명) 가지조개나물, 금란초

영명: **Decumbent bugle**

Ajuga decumbens Thunb. var. *sinuata* Franch. & Sav., Enum. Pl. Jap. 1: 382 1875

Ajuga decumbens Thunb. var. *glabrescens* Franch. & Sav., Bull. Acad. Imp. Sci. Saint-Pétersbourg 2: 466 1877

Ajuga devestita H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 1910

Ajuga fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 1910

Ajuga decumbens Thunb. var. *rosa* Y.N.Lee, Korean J. Bot. 25: 177 1982

Ajuga decumbens Thunb. var. *rosa* (Y.N.Lee) M.Kim, Korean Endemic Pl. 330 2004

Ajuga multiflora Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 51 1833

국명: **조개나물**(Jo-gae-na-mul), 흰조개나물, 붉은조개나물, 조개나물

영명: **Korean pyramid bugle**

Ajuga amurica Freyn, Oesterr. Bot. Z. 1902: 408 1902

Ajuga multiflora Bunge var. *leucantha* Nakai, Chosen Sanrin Kaihô 186: 29 1940

Ajuga multiflora Bunge var. *brevispicata* C.Y.Wu & C.Chen, Acta Phytotax. Sin. 12: 26 1974

Ajuga multiflora Bunge f. *rosea* Y.N.Lee, Korean J. Bot. 17: 35 1974

Ajuga nipponensis Makino, Bot. Mag. (Tokyo) 23: 67 1909

국명: **분홍꽃조개나물**(Bun-hong-kkot-jo-gae-na-mul)

Ajuga spectabilis Nakai, Bot. Mag. (Tokyo) 30: 290 1916 **E**

국명: **자란초**(Ja-ran-cho), 자난초, 큰잎조개나무 / (북한명) 큰잎조개나물, 자란초

영명: **Korean bugle**

Amethystea L. 개차즈기속

Amethystea caerulea L., Sp. Pl. 1: 21 1753

국명: **개차즈기**(Gae-cha-jeu-gi), 개차조기, 개차주기, 개차즈개, 개차즈키, 보랏빛차즈기 / (북한명) 보라빛차즈기, 개차즈기

영명: **Blue amethystea**

Amethystea trifida Hill, Veg. Syst. 17: 44 1770

Amethystea corymbosa Pers., Syn. Pl. (Persoon) 1: 24 1805

Lycopus amethystinus Steven, Mém. Soc. Imp. Naturalistes Moscou 5: 314 1814

Clinopodium L. 층층이꽃속

Clinopodium chinense (Benth.) Kuntze var. *chinense*

Clinopodium chinense (Benth.) Kuntze var. *grandiflorum* (Maxim.) H.Hara, J. Jap. Bot. 12: 39 1936

국명: 꽃층층이꽃(Kkot-cheung-cheung-i-kkot), 자주층꽃, 층층이꽃

영명: Large-flower Asian calamint

- Calamintha chinensis* Benth. var. *grandiflora* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 217 1859
Calamintha clinopodium Spenn. var. *urticifolia* Hance, Ann. Sci. Nat., Bot. ser. 5, 5: 235 1866
Calamintha coreana H.Lév., Repert. Spec. Nov. Regni Veg. 9: 246 1911
Calamintha urticifolia (Hance) Hand.-Mazz., Acta Horti Gothob. 9: 83, 86 1934
Clinopodium chinense (Benth.) Kuntze subsp. *grandiflorum* (Maxim.) H.Hara, J. Jap. Bot. 12: 39 1936
Satureja coreana (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99 1952
Clinopodium urticifolium (Hance) C.Y.Wu & S.J.Hsuan ex H.W.Li, Acta Phytotax. Sin. 12: 219 1974

Clinopodium chinense (Benth.) Kuntze var. *parviflorum* (Kudô) H.Hara, J. Jap. Bot. 12: 41 1936

국명: 층층이꽃(Cheung-cheung-i-kkot), 층꽃, 층층꽃 / (북한명) 층층이꽃

영명: Small-flower Asian calamint

- Satureja chinensis* (Benth.) Briq. var. *parviflora* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 38 1921
Clinopodium polycephalum (Vaniot) C.Y.Wu & S.J.Hsuan ex P.S.Hsu, Observ. Fl. Hwangshan. 169 1965

Clinopodium chinense (Benth.) Kuntze var. *shibetichense* (H.Lév.) Koidz., Bot. Mag. (Tokyo) 43: 387 1929

국명: 산층층이(San-cheung-cheung-i) / (북한명) 산층층이꽃

영명: Mountain Asian calamint

- Calamintha umbrosa* var. *shibetichensis* H.Lév., Repert. Spec. Nov. Regni Veg. 9: 322 1911
Clinopodium japonicum Makino, J. Jap. Bot. 3: 30 1926
Satureja makinoi Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 105 1929
Satureja ussuriensis Kudô var. *glabrescens* Nakai, Bot. Mag. (Tokyo) 45: 133 1931
Clinopodium chinense (Benth.) Kuntze var. *glabrescens* (Nakai) H.Hara, J. Jap. Bot. 12: 43 1936
Satureja chinensis Briq. subsp. *glabrescens* (Nakai) H.Hara, J. Jap. Bot. 12: 43 1936

Clinopodium fauriei (H.Lév. & Vaniot) H.Hara, J. Jap. Bot. 11: 106 1935

국명: 개탑꽃(Gae-tap-kkot)

- Calamintha fauriei* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 259 1910

Clinopodium gracile (Benth.) Kuntze, Revis. Gen. Pl. 2: 514 1891

국명: 애기탑꽃(Ae-gi-tap-kkot), 실층층이꽃, 탑꽃, 탑풀

영명: Slender wild calamint

- Calamintha gracilis* Benth., Prodr. (DC.) 12: 232 1848
Calamintha confinis Hance, J. Bot. 6: 331 1868
Clinopodium confine (Hance) Kuntze, Revis. Gen. Pl. 2: 515 1891
Calamintha radicans Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 182 1904
Satureja gracilis (Benth.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 149 1911
Satureja confinis (Hance) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 100 1929

Clinopodium micranthum (Regel) H.Hara, J. Jap. Bot. 16: 156 1940

■ LAMIACEAE 꿀풀과

국명: 두메총총이(Du-me-cheung-cheung-i), 개탑꽃, 개탑풀, 두메총총꽃, 두메총총이꽃 / (북한명) 두메총총이꽃, 개탑꽃

영명: Small-flower mountain calamint

- Hedeoma micrantha* Regel, Gartenflora 13: 357 1864
Calamintha umbrosa (M.Bieb.) Rchb. f. *robustior* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 106 1865
Calamintha umbrosa (M.Bieb.) Rchb. var. *japonica* Franch. & Sav., Enum. Pl. Jap. 2: 106 1877
Clinopodium umbrosum var. *japonica* Matsum., Index Pl. Jap. 2: 538 1912
Satureja sachalinensis (F.Schmidt) Kudô var. *japonica* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 19: 35 1921
Satureja umbrosa var. *japonica* Matsum. & Kudô ex Kudô, J. Coll. Sci. Imp. Univ. Tokyo 19: 35 1921
Clinopodium fauriei (H.Lév. & Vaniot) H.Hara var. *japonicum* (Franch. & Sav.) H.Hara, J. Jap. Bot. 11: 106 1935
Clinopodium fauriei (H.Lév. & Vaniot) H.Hara f. *albiflorum* Honda, Bot. Mag. (Tokyo) 54: 3 1940
Clinopodium micranthum (Regel) H.Hara f. *albiflorum* Honda, Bot. Mag. (Tokyo) 54: 224 1940
Clinopodium omuranum Honda, Bot. Mag. (Tokyo) 54: 224 1940
Satureja micrantha (Regel) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99 1952

***Clinopodium multicaule* (Maxim.) Kuntze, Revis. Gen. Pl. 2: 515 1891**

국명: 탑꽃(Tap-kkot), 산탑꽃, 산탑풀, 섬탑풀 / (북한명) 산탑꽃

영명: Many-stem wild calamint

- Calamintha multicaulis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 466 1875
Calamintha taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 423 1910
Satureja multicaulis (Maxim.) Nakai, Bot. Mag. (Tokyo) 35: 194 1921
Clinopodium multicaule (Maxim.) Kuntze var. *taquetti* (H.Lév. & Vaniot) H.Hara, J. Jap. Bot. 11: 104 1935
Satureja multicaulis (Maxim.) Nakai var. *taquetti* (H.Lév. & Vaniot) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 99 1952
Clinopodium gracile (Benth.) Kuntze var. *multicaule* (Maxim.) Ohwi, Fl. Jap., revised ed., [Ohwi] 1438 1965

***Clinopodium sachalinense* (F.Schmidt) Koidz., Bot. Mag. (Tokyo) 43: 387 1929**

국명: 두메탑풀(Du-me-tap-pul), 두메탑꽃

영명: Alpine calamint

- Calamintha umbrosa* (M.Bieb.) Rchb. var. *sachalinensis* F.Schmidt, Reis. Amur-Land., Bot. 164 1868
Clinopodium gracile (Benth.) Kuntze var. *sachalinense* (F.Schmidt) Ohwi, Fl. Jap. 1167, 1438 1965
Clinopodium micranthum (Regel) H.Hara var. *sachalinense* (F.Schmidt) T.Yamaz. & Murata, Fl. Jap. (Iwatsuki et al., eds.) 3a: 285 1993

Dracocephalum L. 용머리속

***Dracocephalum argunense* Fisch. ex Link, Enum. Hort. Berol. Alt. 2: 118 1822 ®**

국명: 용머리(Yong-meo-ri) / (북한명) 용머리

영명: Fischer's dragonhead

- Dracocephalum ruyschiana* DC. var. *speciosum* Ledeb., Fl. Ross. (Ledeb.) 3: 390 1848
Dracocephalum ruyschiana DC. var. *japonicum* A.Gray, Proc. Amer. Acad. Arts n.s. 6: 403 1859
Ruyschiana speciosa (Ledeb.) Ledeb., Gartenflora 29: 376 1880
Dracocephalum ruyschiana DC. var. *argunense* (Fisch. ex Link) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 150 1911
Dracocephalum japonicum (A.Gray) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 20 1921

Dracocephalum rupestre Hance, J. Bot. 7: 166 1869 (R)

국명: 벌깨풀(Beol-kkae-pul), 바위용머리 / (북한명) 바위용머리

영명: Rupestrine dragonhead

Elsholtzia Willd. 향유속

Elsholtzia angustifolia (Loes.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 265 1937 (R)

국명: 가는잎향유(Ga-neun-ip-hyang-yu), 가는향유, 애기향유 / (북한명) 가는잎꽃향유

영명: Narrow-leaf mint

Elsholtzia cristata Willd. var. *angustifolia* Loes., Beih. Bot. Centralbl. 37: 176 1919

Elsholtzia pseudocristata H.Lév. & Vaniot var. *angustifolia* (Loes.) P.Y.Fu, Fl. Pl. Herb. Chin. Bor.-Or. 7: 243 1981

Elsholtzia byeonsanensis M.Kim, Korean J. Pl. Taxon. 42: 198 2012 (E)

국명: 변산향유(Byeon-san-hyang-yu)

Elsholtzia ciliata (Thunb.) Hyl., Bot. Not. 1941: 129 1941

국명: 향유(Hyang-yu), 노야기, 애기향유 / (북한명) 향유

영명: Crested late-summer mint

Sideritis ciliata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 532 1784

Elsholtzia serotina Kom., Izv. Glavn. Bot. Sada SSSR 30: 210 1932

Elsholtzia saxatilis (Kom.) Nakai ex Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 266 1937

Elsholtzia minima Nakai, Bot. Mag. (Tokyo) 29: 1 1915 (E)

국명: 줌향유(Jom-hyang-yu), 각씨향유, 애기향유

영명: Smallest mint

Elsholtzia cristata Willd. var. *minima* Nakai, Bot. Mag. (Tokyo) 35: 172 1921

Elsholtzia pseudocristata H.Lév. & Vaniot f. *minima* (Nakai) Kitag., J. Jap. Bot. 34: 3 1959

Elsholtzia splendens Nakai ex Maekawa, Bot. Mag. (Tokyo) 48: 50 1934

국명: 꽃향유(Kkot-hyang-yu), 붉은향유 / (북한명) 꽃향유

영명: Shiny mint

Elsholtzia pseudocristata H.Lév. & Vaniot var. *splendens* (Nakai ex Maekawa) Kitag., J. Jap. Bot. 3: 43 1959

Elsholtzia haichowensis Y.Z.Sun, Acta Phytotax. Sin. 11: 47 1966

Elsholtzia lungtangensis Y.Z.Sun, Acta Phytotax. Sin. 11: 48 1966

Elsholtzia splendens Nakai ex Maekawa f. *albiflora* Y.N.Lee, Korean J. Pl. Taxon. 28: 31 1998

Elsholtzia splendens Nakai ex Maekawa f. *roseola* Y.N.Lee, Bull. Korea Pl. Res. 1: 50 2000

Elsholtzia splendens Nakai ex Maekawa f. *albiflora* (Y.N.Lee) M.Kim, Korean Endemic Pl. 552 2017

Elsholtzia splendens Nakai ex F.Maek. var. *splendens*

Elsholtzia splendens Nakai ex F.Mack. var. *fasciflora* N.S.Lee, M.S.Chung & C.S.Lee, Korean J. Pl. Taxon. 40: 263 2010 (E)

국명: **다발꽃향유**(Da-bal-kkot-hyang-yu)

Elsholtzia splendens Nakai ex Maekawa var. *hallasanensis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 266 2017

국명: **한라꽃향유**(Han-ra-kkot-hyang-yu) (E)

영명: **Halla mint**

Elsholtzia hallasanensis Y.N.Lee, Bull. Korea Pl. Res. 1: 51 2000

Elsholtzia hallasanensis Y.N.Lee f. *albiflora* Y.N.Lee, Bull. Korea Pl. Res. 5: 53 2005

***Galeopsis* L. 털향유속**

Galeopsis bifida Boenn., Prodr. Fl. Monast. Westphal. 178 1824

국명: **털향유**(Teol-hyang-yu), 큰광대수염, 털광대수염 / (북한명) 털광대수염, 털향유

영명: **Split-lip hempnettle**

Galeopsis tetrahit L. subsp. *eutetrahit* var. *bifida* Syme, Engl. Bot. ed. 3B 7: 67 1867

Galeopsis tetrahit L. subsp. *bifida* (Boenn.) Nyman, Consp. Fl. Eur. 576 1881

Galeopsis bifida Boenn. var. *emarginata* Nakai, Bot. Mag. (Tokyo) 35: 173 1921

Galeopsis tetrahit L. var. *parviflora* Benth., Labiat. Gen. Spec. 524 1932

***Glechoma* L. 긴병꽃풀속**

Glechoma longituba (Nakai) Kuprian., Bot. Zhurn. (Moscow & Leningrad) 33: 236 1948

국명: **긴병꽃풀**(Gin-byeong-kkot-pul), 둉굴광대수염, 조선광대수염, 참덩굴광대수염 / (북한명) 긴병꽃풀

영명: **Ground ivy**

Glechoma hederacea L. var. *longituba* Nakai, Bot. Mag. (Tokyo) 35: 173 1921

Glechoma grandis (A.Gray) Kuprian. var. *longituba* (Nakai) Kitag., Neolin. Fl. Manshur. 543 1979

***Isodon* (Schrad. ex Benth.) Spach 산박하속**

Isodon excisus (Maxim.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 133 1929

국명: **오리방풀**(O-ri-bang-pul), 등근오리방풀, 지리오리방풀, 흰오리방풀 / (북한명) 오리방풀

영명: **Tailed-leaf isodon**

Plectranthus excisus Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 213 1859

Stachys polygonatum H.Lév., Repert. Spec. Nov. Regni Veg. 9: 449 1911

Amethystanthus excisus (Maxim.) Nakai, Bot. Mag. (Tokyo) 48: 787 1934

Amethystanthus excisus (Maxim.) Nakai f. *coreanus* Nakai, Bot. Mag. (Tokyo) 48: 788 1934

Amethystanthus excisus (Maxim.) Nakai var. *chiisanensis* Nakai, Bot. Mag. (Tokyo) 48: 788 1934

Amethystanthus excisus (Maxim.) Nakai var. *leucanthus* Murata, Fl. Miyagi-Pref. 108 1935

Amethystanthus excisus (Maxim.) Nakai f. *albiflorus* Sakata, Acta Phytotax. Geobot. 7: 16 1938

Isodon excisus (Maxim.) Kudô f. *albiflorus* (Sakata) H.Hara, Enum. Sperm. Jap. 1: 205 1948

Rabdosia excisa (Maxim.) H.Hara, J. Jap. Bot. 47: 195 1972

Rabdosia umbrosa (Maxim.) H.Hara var. *coreanus* Y.N.Lee, Fl. Korea (Lee) 1: 696 1996

***Isodon inflexus* (Thunb.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 127 1929**

국명: 산박하(San-bak-ha), 깻잎나물, 깻잎오리방풀, 애잎나을, 깨나물, 흰산박하 / (북한명) 깨잎오리방풀, 깨잎나물, 산박하

영명: Mountain isodon

Ocimum inflexum Thunb., Fl. Jap. (Thunberg) 249 1784

Plectranthus dubius Vahl, Labiat. Gen. Spec. 711 1835

Plectranthus inflexus (Thunb.) Vahl ex Benth., Labiat. Gen. Spec. 711 1835

Plectranthus inflexus (Thunb.) Vahl ex Benth. var. *macrophyllus* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 425 1875

Amethystanthus inflexus (Thunb.) Nakai, Bot. Mag. (Tokyo) 48: 786 1934

Amethystanthus inflexus (Thunb.) Nakai var. *macrophyllus* (Maxim.) Nakai, Bot. Mag. (Tokyo) 48: 787 1934

Rabdosia inflexa (Thunb.) H.Hara, J. Jap. Bot. 47: 196 1972

Isodon inflexus (Thunb.) Kudô var. *macrophyllus* (Maxim.) Kitag., Neolin. Fl. Manshur. 551 1979

** *Rabdosia inflexa* (Thunb.) H.Hara f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1160 1996

** *Isodon inflexus* (Thunb.) Kudô f. *albiflora* (Y.N.Lee) M.Kim, Korean Endemic Pl. 332 2004

** *Isodon inflexus* (Thunb.) Kudô f. *albiflora* (Y.N.Lee) M.Kim, Korean Endemic Pl. 553 2017

Isodon inflexus* (Thunb.) Kudô var. *inflexus

***Isodon inflexus* (Thunb.) Kudô var. *canescens* (Nakai) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 129 1929**

국명: 털산박하(Teol-san-bak-ha) / (북한명) 회백깨잎오리방풀 ④

영명: Hairy-leaf mountain isodon

Plectranthus inflexus (Thunb.) Vahl ex Benth. var. *canescens* Nakai, Bot. Mag. (Tokyo) 35: 191 1921

Amethystanthus inflexus (Thunb.) Nakai var. *canescens* (Nakai) Nakai, Bot. Mag. (Tokyo) 48: 786 1934

***Isodon inflexus* (Thunb.) Kudô var. *microphyllus* Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 127 1929**

국명: 영도산박하(Yeong-do-san-bak-ha) / (북한명) 작은깨잎오리방풀, 탑산박하, 좀산박하

영명: Small-leaf mountain isodon

***Isodon inflexus* (Thunb.) Kudô var. *transticus* Matsum. & Kudô, Bot. Mag. (Tokyo) 26: 302 1912**

국명: 긴잎산박하(Gin-ip-san-bak-ha), 쇠산박하 / (북한명) 긴깨잎오리방풀, 수산박하, 왜산박하

영명: Long-leaf mountain isodon

Amethystanthus inflexus (Thunb.) Nakai var. *transticus* (Matsum. & Kudô) Nakai, Bot. Mag. (Tokyo) 48: 787 1934

Rabdosia inflexa (Thunb.) H.Hara var. *transticus* (Matsum. & Kudô) Y.N.Lee, Fl. Korea (Lee) 695 1996

***Isodon japonicus* (Burm.f.) H.Hara, Enum. Sperm. Jap. 1: 206 1948**

국명: 방아풀(Bang-a-pul), 회채화 / (북한명) 방아오리방풀, 회채화, 방아풀

영명: Bangahpul (East Asian soup-mint)

■ LAMIACEAE 꿀풀과

- Scutellaria japonica* Burm.f., Fl. Indica 130 1768
Ocymum rugosum Thunb., Fl. Jap. (Thunberg) 249 1784
Plectranthus buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 101 1865
Plectranthus maximowiczii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 101 1865
Plectranthus glaucocalyx Maxim. var.*japonicus* (Burm.f.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 426 1875
Plectranthus japonicus Koidz., Bot. Mag. (Tokyo) 43: 386 1929
Isodon glaucocalyx (Maxim.) Kudô var.*japonicus* (Burm.f.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 127 1929
Amethystanthus japonicus (Burm.f.) Nakai, Bot. Mag. (Tokyo) 48: 788 1934
Rebdesia japonica (Burm.f.) H.Hara, J. Jap. Bot. 47: 196 1972

Isodon serra (Maxim.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 125 1929

국명: 자주방아풀(Ja-ju-bang-a-pul), 자주회채화, 자지회채화 / (북한명) 자주오리방풀, 자주회채화

영명: Purple-leaf bangahpul

- Plectranthus serra* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 426 1875
Amethystanthus serra (Maxim.) Nemoto, Fl. Jap. Suppl. 630 1936
Rabdosia serra (Maxim.) H.Hara, J. Jap. Bot. 47: 200 1972

***Lagopsis* (Bunge ex Benth.) Bunge 흰꽃광대나물속**

Lagopsis supina (Stephan) Ikonn.-Gal., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.R. 7: 45 1937
국명: 흰꽃광대나물(Huin-kkot-gwang-dae-na-mul), 나도광대나물, 층꽃나물, 흰광대나물 / (북한명) 흰꽃광대나물
영명: White-flower lagopsis

- Leonurus supinus* Stephan, Sp. Pl. (ed. 4) 3: 116 1801
Marrubium incisum Benth., Labiat. Gen. Spec. 586 1834
Marrubium supinum (Steph. ex Willd.) Hu ex C.P'ei, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 10: 53 1935

***Lamium* L. 광대수염속**

Lamium album L., Sp. Pl. 2: 579 1753

국명: 왜광대수염(Wae-gwang-dae-su-yeom), 광대수염, 긴잎털광대수염, 말광대수염 / (북한명) 긴잎광대수염,
왜광대수염

영명: White deadnettle

Lamium album* L. subsp. *album

Lamium album L. subsp. ***barbatum*** (Siebold & Zucc.) Mennema, Leiden Bot. Ser. 11: 70 1989

국명: 광대수염(Gwang-dae-su-yeom), 꽃수염풀, 산광대 / (북한명) 광대수염

영명: Beard white deadnettle

- Lamium petiolatum* Royle ex Benth., Hooker's J. Bot. Kew Gard. Misc. 3: 381 1833

- Lamium barbatum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 34 1845

Lamium maculatum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 221 1859

Lamium album L. var. *barbatum* (Siebold & Zucc.) Franch. & Sav., Enum. Pl. Jap. 1: 383 1875

Lamium album L. var. *petiolatum* (Royle ex Benth.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 154 1911

***Lamium amplexicaule* L., Sp. Pl. 2: 579 1753**

국명: **광대나물**(Gwang-dae-na-mul), 긴잎광대수염, 작은잎꽃수염풀 / (북한명) 작은잎광대수염, 광대나물

영명: **Henbit deadnettle**

Pollichia amplexicaulis (L.) Willd., Fl. Berol. Prodr. 198 1787

Galeobdolon amplexicaule (L.) Moench, Methodus (Moench) 394 1794

Lamiopsis amplexicaulis (L.) Opiz, Seznam 56 1852

***Lamium takesimense* Nakai, Rep. Veg. Ooryongto 40 1919 E R**

국명: **섬광대수염**(Seom-gwang-dae-su-yeom), 섬광대나물, 율릉광대수염, 큰광대수염 / (북한명) 율릉광대수염

영명: **Ulleungdo deadnettle**

Lamium album L. var. *takesimense* (Nakai) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 201 1929

***Leonurus* (Pers.) R.Br. 익모초속**

***Leonurus japonicus* Houtt., Nat. Hist. (Houttuyn) 9: 366 1778**

국명: **익모초**(Ik-mo-cho), 개방아, 임모초 / (북한명) 익모초

영명: **Oriental motherwort**

Stachys artemisia Lour., Fl. Cochinch. 365 1790

Leonurus heterophyllum Sweet, Brit. Fl. Gard. 1: 197 1823

Leonurus altissimus Bunge ex Benth., Labiat. Gen. Spec. 521 1834

Cardiochilum heterophyllum (Sweet) Krecz. & Kuprian., Fl. URSS 21: 156 1954

Leonurus artemisia (Lour.) S.Y.Hu, J. Chin. Univ. Hong Kong 2: 381 1974

***Leonurus macranthus* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 476 1859**

국명: **송장풀**(Song-jang-pul), 개방앳잎, 개속단, 산익모초 / (북한명) 산익모초, 개속단, 송장풀

영명: **Large-flower motherwort**

***Lycopus* L. 쉽싸리속**

***Lycopus charkevicii* Prob., Sosud. Rast. Sovet. Dal'nego Vostoka 7: 351 1995**

국명: **산쉽싸리**(San-swip-ssa-ri)

***Lycopus coreanus* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 423 1910**

국명: **개쉽싸리**(Gae-swip-ssa-ri), 개쉽싸리, 개택란, 고려쉽싸리, 섬쉽싸리, 쉽싸리, 제주쉽싸리, 조선쉽싸리,
좀개쉽싸리 / (북한명) 주쉽싸리, 좀개쉽싸리, 개쉽싸리

영명: **Korean bugleweed**

Lycopus maackianus (Maxim. ex Herder) Makino var. *ramosissimus* Makino, Bot. Mag. (Tokyo) 12: 117 1898

■ LAMIACEAE 꿀풀과

Lycopus cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 423 1910

Lycopus ramosissimus (Makino) Makino, J. Jap. Bot. 1: 14 1917

Lycopus coreanus H.Lév. var. *ramosissimus* (Makino) Nakai, Bot. Mag. (Tokyo) 35: 176 1921

Lycopus japonicus Matsum. & Kudô ex Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 46 1921

Lycopus ramosissimus (Makino) Makino var. *japonicus* (Matsum. & Kudô ex Kudô) Kitam., Acta Phytotax. Geobot. 17: 10 1957

Lycopus coreanus H.Lév. var. *cavaleriei* (H.Lév.) C.Y.Wu & H.W.Li, Fl. Yunnan. 1: 708 1977

Lycopus lucidus Turcz. ex Benth., Prodr. (DC.) 12: 179 1848

국명: **쉽싸리**(Swip-ssa-ri)

Lycopus formosanus Sasaki, Trans. Nat. Hist. Soc. Taiwan 18: 171 1928

Lycopus lucidus Turcz. ex Benth. var. *formosanus* Hayata, Icon. Pl. Formosan. 8: 102 1930

Lycopus lucidus Turcz. ex Benth. var. ***lucidus***

Lycopus lucidus Turcz. ex Benth. var. ***hirtus*** Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 115 1861

국명: **큰쉽싸리**(Keun-swip-ssa-ri)

Lycopus lucidus Turcz. ex Benth. f. *hirtus* (Regel) Kitag., Neolin. Fl. Manshur. 546 1979

Lycopus maackianus (Maxim. ex Herder) Makino, Bot. Mag. (Tokyo) 11: 382 1897

국명: **애기쉽싸리**(Ae-gi-swip-ssa-ri), 애기쉽사리, 애기택란 / (북한명) 애기쉽싸리

영명: **Maack's bugleweed**

Lycopus lucidus Turcz. ex Benth. var. *maackianus* Maxim. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 61: 131 1885

Lycopus angustus Makino, Bot. Mag. (Tokyo) 12: 105 1898

Lycopus uniflorus Michx., Fl. Bor.-Amer. (Michaux) 1: 14 1803

국명: **털쉽싸리**(Teol-swip-ssa-ri), 뭉치쉽싸리, 택란아재비, 털쉽사리, 흑쉽싸리 / (북한명) 털쉽싸리

영명: **Northern bugleweed**

Euhemis uniflorus (Michx.) Raf., Autik. Bot. 115 1840

Lycopus parviflorus Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 216 1859

Lycopus uniflorus Michx. var. *parviflorus* (Maxim.) Kitag., Neolin. Fl. Manshur. 547 1979

Meehania Britton 벌깨덩굴속

Meehania urticifolia (Miq.) Makino, Bot. Mag. (Tokyo) 13: 159 1899

국명: **벌깨덩굴**(Beol-kkae-deong-gul), 벌개덩굴, 흰벌깨덩굴

영명: **Nettle-leaf mint**

Dracocephalum urticifolium Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 109 1865

Dracocephalum sinense S.Moore, J. Linn. Soc., Bot. 17: 386 1879

Cedronella urticifolia (Miq.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 528 1886

Nepeta urticifolia (Miq.) H.Lév., Repert. Spec. Nov. Regni Veg. 9: 245 1911

Meehania urticifolia (Miq.) Makino f. *pedunculata* Matsum. & Kudô, Bot. Mag. (Tokyo) 26: 296 1912

- Glechoma urticifolia* (Miq.) Makino, Bot. Mag. (Tokyo) 27: 153 1913
Dracocephalum urticifolium Miq. f. *nomalis* Dunn, Notes Roy. Bot. Gard. Edinburgh 6: 170 1915
Meehania urticifolia (Miq.) Makino f. *leucantha* H.Hara, J. Jap. Bot. 11: 671 1935
Meehania urticifolia (Miq.) Makino f. *normalis* (Dunn) Hand.-Mazz., Symb. Sin. 7: 916 1936
Meehania urticifolia (Miq.) Makino f. *rosea* J.Ohara, J. Phytogeogr. Taxon. 33: 72 1985

***Mentha* L. 박하속**

Mentha arvensis* L. var. *arvensis

Mentha arvensis* L. var. *barbata (Nakai) W. T. Lee., Lin. Fl. Kor. 955 1996

국명: 털박하(Teol-bak-ha)

영명: Bearded wildmint

Mentha haplocalyx Briq. var. *barbata* Nakai, Bot. Mag. (Tokyo) 35: 178 1921

Mentha arvensis* L. var. *piperascens Malinv. ex Holmes, Pharm. J. Trans. III, 13: 381 1882

국명: 박하(Bak-ha) / (북한명) 박하

영명: Bakha (East Asian wild mint)

Mentha arvensis L. var. *sachalinensis* Briq., Bull. Herb. Boissier 2: 708 1894

Mentha arvensis L. subsp. *haplocalyx* (Briq.) Briq. var. *sachalinensis* (Briq.) Briq., Nat. Pflanzenfam. 4(3a): 319 1897

Mentha cinnadensis var. *sachalinensis* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43-8: 47 1921

Mentha sachalinensis (Briq.) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 47 1921

Mentha haplocalyx Briq. var. *sachalinensis* Briq. ex Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 87 1929

Mentha sachalinensis (Briq.) Kudô f. *pilosa* H.Hara, Bot. Mag. (Tokyo) 51: 90 1937

Mentha canadensis L. var. *piperascens* f. *pilosa* (H.Hara) H.Hara, Enum. Sperm. Jap. 1: 214 1948

Mentha canadensis L. var. *piperascens* (Malinv. ex Holmes) H.Hara, Enum. Sperm. Jap. 1: 213 1948

Mentha arvensis L. subsp. *piperascens* (Malinv. ex Holmes) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 368 1956

***Mosla* (Benth.) Buch.-Ham. ex Maxim. 쥐깨풀속**

***Mosla chinensis* Maxim.**, Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 177 1883 ®

국명: 가는잎산들깨(Ga-neun-ip-san-deul-kkae), 가는잎깨풀, 신산들깨 / (북한명) 가는잎산들깨

영명: East Asian dwarf mosla

Mosla fordii Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 525 1886

Calamintha clipeata Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 184 1904

Mosla japonica (Benth.) Maxim. var. *angustifolia* Makino, Bot. Mag. (Tokyo) 21: 157 1907

Mosla coreana H.Lév., Repert. Spec. Nov. Regni Veg. 10: 248 1911

Mosla angustifolia (Makino) Makino, J. Jap. Bot. 2: 24 1922

Orthodon chinense (Maxim.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 75 1929

Orthodon japonicum Benth. ex Oliv. var. *angustifolium* (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 76 1929

Orthodon angustifolium (Makino) Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 391 1934

Orthodon fordii (Maxim.) Hand.-Mazz., Acta Horti Gothob. 9: 39 1934

Orthodon coreanum (H.Lév.) Honda, Nom. Pl. Japonic. 297 1939

Mosla dianthera (Buch.-Ham. ex Roxb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 457 1865

국명: 쥐깨풀(Jwi-kkiae-pul), 좀산들깨, 쥐깨, 참산들깨

영명: Miniature mosla

Orthodon tenuicaule Koidz., Acta Phytotax. Geobot. 5: 47 1936

Orthodon mayabaranus Handa, Bot. Mag. (Tokyo) 53: 50 1939

Orthodon hirtum H.Hara, Neolin. Fl. Manshur. 585 1979

Mosla dianthera (Buch.-Ham. ex Roxb.) Maxim. var. *dianthera*

Mosla dianthera (Buch.-Ham. ex Roxb.) Maxim. var. *nana* (H.Hara) Ohwi, Fl. Jap., revised ed., [Ohwi] 780 1965

국명: 털쥐깨(Teol-jwi-kkiae), 섬들깨, 제주산들깨, 털쥐깨풀

영명: Hairy miniature mosla

Orthodon grosseserratus (Maxim.) Kudô var. *nanum* H.Hara, J. Jap. Bot. 14: 75 1938

Mosla japonica (Benth. ex Oliv.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 461 1875 ®

국명: 산들깨(San-deul-kkiae), 푸른산들깨 / (북한명) 산들깨

영명: Large-bract mosla

Orthodon japonicum Benth. ex Oliv., J. Linn. Soc., Bot. 9: 167 1865

Micromeria perforata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 106 1865

Mosla nakaii Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 78 1929

Orthodon leucanthum (Nakai) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 78 1929

Mosla perforata (Miq.) Koidz., Fl. Symb. Orient.-Asiat. 15 1930

Orthodon perforatum (Miq.) Ohwi, Acta Phytotax. Geobot. 5: 56 1936

Orthodon nakaii (Kudô) Okuy., J. Jap. Bot. 15: 564 1939

Mosla japonica (Benth.) Maxim. var. *robusta* Ohwi, Fl. Jap., revised ed., [Ohwi] 1164 1965

Mosla japonica (Benth.) Maxim. f. *japonica*

Mosla japonica (Benth.) Maxim. f. *thymolifera* (Makino) T.Yamaz. & Murata, Fl. Jap. (Iwatsuki et al., eds.)

3a: 287 1993 ®

국명: 섬쥐깨풀(Seom-jwi-kkiae-pul), 한라산들깨

영명: Island large-bract mosla

Mosla thymolifera Makino, J. Jap. Bot. 3: 28 1926

Orthodon thymoliferum (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 77 1929

Orthodon japonicum Benth. ex Oliv. var. *thymoliferum* (Makino) Ohwi, Fl. Jap. (Ohwi) 1013 1953

* *Mosla thymolifera* Makino, J. Jap. Bot. 2: 24 1922

Mosla scabra (Thunb.) C.Y.Wu & H.W.Li, Acta Phytotax. Sin. 12: 230 1974

국명: 들깨풀(Deul-kkiae-pul), 개향유, 들깨 / (북한명) 들깨풀

영명: Purplish field mosla

Ocimum punctulatum J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 917 1792

Ocimum scabrum Thunb., Trans. Linn. Soc. London 2: 338 1794

Perilla lanceolata Benth., Prodr. (DC.) 12: 164 1848

Mosla lanceolata (Benth.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 434 1879

Calamintha argyi H.Lév., Repert. Spec. Nov. Regini Veg. 8: 423 1910

Mosla punctulata (J.F.Gmel.) Nakai, Bot. Mag. (Tokyo) 42: 475 1928

Orthodon lanceolatus (Benth.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 80 1929

Orthodon scaber (Thunb.) Hand.-Mazz., Symb. Sin. 7: 933 1933

Orthodon punctulatum (J.F.Gmel.) Ohwi, Acta Phytotax. Geobot. 4: 68 1935

Nepeta L. 개박하속

Nepeta cataria L., Sp. Pl. 2: 570 1753 ⓘ

국명: 개박하(Gae-bak-ha), 둘박하, 맙들깨 / (북한명) 개박하

영명: Catnip

Nepeta minor Mill., Gard. Dict. ed. 8: Nep. no. 0 1768

Nepeta vulgaris Lam., Fl. Franc. (Lamarck) 2: 398 1778

Cataria tomentosa Gilib., Fl. Lit. Inch. 1: 78 1782

Cataria vulgaris Moench, Methodus (Moench) 387 1794

Nepeta macrura Ledeb. ex Spreng., Syst. Veg. (ed.16) [Sprengel] 2: 729 1825

Glechoma cataria Kuntze, Revis. Gen. Pl. 1: 518 1891

Calamintha albiflora Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 181 1904

Nepeta bodinieri Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 172 1904

Nepeta multifida L., Sp. Pl. 2: 572 1753

국명: 개형개(Gae-hyeong-gae), 맙들깨 / (북한명) 맙들깨

영명: Multifidous-leaf catnip

Nepeta lavandulacea L.f., Suppl. Pl. 272 1781

Nepeta lobata Rudolph ex Steud., Nomencl. Bot. (Steudel) 552 1821

Lophanthus multifidus (L.) Benth., Bot. Reg. 15: sub. t. 1281 1829

Schizonepeta multifida (L.) Briq., Nat. Pflanzenfam. 4(3a): 235 1897

Nepeta stewartiana Diels, Notes Roy. Bot. Gard. Edinburgh 5: 237 1912

국명: 간장풀(Gan-jang-pul), 쥐깨풀 / (북한명) 간장풀

영명: Stewart's catnip

Dracocephalum stewartianum (Diels) Dunn, Notes Roy. Bot. Gard. Edinburgh 8: 168, 172 1915

Nepeta koreana Nakai, Bot. Mag. (Tokyo) 31: 105 1917

Paraphlomis Prain 속단아재비속

Paraphlomis koreana S.C.Ko & G.Y.Chung, Phytotaxa 175: 51 2014 ⓘ

국명: 속단아재비(Sok-dan-a-jae-bi)

***Phlomis* L. 속단속**

Phlomis koraiensis Nakai, Rep. Veg. Mt. Waigalbon 37 1916

국명: 산속단(San-sok-dan), 두매속단, 맷속단, 뒷속단 / (북한명) 산속단

영명: Korean Jerusalem sage

Phlomoides koraiensis (Nakai) Kamelin & Makhm., Bot. Zhurn. (Moscow & Leningrad) 75: 248 1990

Phlomis maximowiczii Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 9: 594, t. 10, f. 18 1884

국명: 큰속단(Keun-sok-dan), 속단 / (북한명) 속단

영명: Maximowicz's Jerusalem sage

Phlomis umbrosa Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 76 1840

국명: 속단(Sok-dan) / (북한명) 속단

영명: Shady Jerusalem sage

***Pogostemon* Desf. 물꼬리풀속**

Pogostemon stellatus (Lour.) Kuntze, Revis. Gen. Pl. 2: 429 1891 Ⓢ

국명: 물꼬리풀(Mul-kko-ri-pul), 왕로리풀

영명: Water star

Mentha stellata Lour., Fl. Cochinch. 2: 361 1790

Mentha verticillata Roxb., Hort. Bengal. 44 1814

Dysophylla stellata (Lour.) Benth., Pl. Asiat. Rar. 1: 30 1830

Dysophylla verticillata (Roxb.) Benth., Pl. Asiat. Rar. 1: 30 1830

Eusteralis pumila Raf., Fl. Tellur. 2: 95 1836

Dysophylla japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 102 1865

Dysophylla benthamiana Hance, Ann. Sci. Nat., Bot. 5: 234 1866

Pogostemon benthamianus (Hance) Kuntze, Revis. Gen. Pl. 2: 530 1891

Dysophylla fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 9: 248 1911

Dysophylla esquirolii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 476 1912

Eusteralis stellata (Lour.) Murata, S. E. Asian Stud. 14: 1840 1976

Pogostemon verticillatus (Roxb.) Bhatti & Ingr., Bull. Nat. Hist. Mus. London, Bot. 27: 115 1997

Pogostemon yatabeanus (Makino) Press, Bull. Brit. Mus. (Nat. Hist.), Bot. 10: 74 1982 Ⓢ

국명: 전주물꼬리풀(Jeon-ju-mul-kko-ri-pul), 꼬리풀, 물꼬리풀 / (북한명) 물범꼬리풀

영명: Jeonju pogostemon

Dysophylla yatabeana Makino, Bot. Mag. (Tokyo) 12: 55 1898

Dysophylla martini Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 178 1904

Dysophylla linearis Benth., Notes Roy. Bot. Gard. Edinburgh 6: 147 1915

Dysophylla lythroides Diels, Notizbl. Bot. Gart. Berlin-Dahlem 9: 1031 1926

Dysophylla linearis Benth. var. *yatabeana* (Makino) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 48 1929

Eusteralis yatabeana (Makino) Panigrahi, Phytologia 32: 478 1976

Prunella L. 꿀풀속

Prunella intermedia Link, Ann. Naturgesch. 1: 32 1791

국명: 갈래꿀풀(Gal-rae-kkul-pul)

Prunella vulgaris L. subsp. *vulgaris*

Prunella vulgaris L. subsp. *asiatica* (Nakai) H.Hara, Enum. Sperm. Jap. 1: 220 1948

국명: 꿀풀(Kkul-pul), 가지골나무, 꿀방망이, 붉은꿀풀 / (북한명) 두메꿀풀

영명: Lilac self-heal

Prunella officinalis Crantz, Stirp. Austr. Fasc. ed. 2, 4: 279 1763

Prunella caerulea Gueldenst. ex Ledeb., Fl. Ross. (Ledeb.) 3: 393 1849

Prunella purpurea Gueldenst. ex Ledeb., Fl. Ross. (Ledeb.) 3: 393 1849

Prunella vulgaris L. var. *lilacina* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 148 1911

Prunella japonica Makino, Bot. Mag. (Tokyo) 28: 158 1914

Prunella vulgaris L. var. *japonica* (Makino) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 23 1921

Prunella vulgaris L. var. *yedoensis* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 23 1921

Prunella vulgaris L. var. *elongata* Benth. f. *lilacina* Nakai, Bot. Mag. (Tokyo) 35: 192 1921

Prunella asiatica Nakai, Bot. Mag. (Tokyo) 44: 19 1930

Prunella asiatica Nakai var. *pilosa* Nakai, Bot. Mag. (Tokyo) 44: 21 1930

Prunella vulgaris L. f. *lilacina* (Nakai) Kitag., Lin. Fl. Manshur. 384 1939

Prunella vulgaris L. subsp. *asiatica* (Nakai) H.Hara var. *lilacina* (Nakai) H.Hara, Enum. Sperm. Jap. 1: 221 1948

Prunella vulgaris L. var. *aleutica* Fernald, Rhodora 15: 185 1913

국명: 두메꿀풀(Du-me-kkul-pul)

영명: Alpine self-heal

Prunella vulgaris L. f. *vulgaris*

Prunella vulgaris L. f. *albiflora* Nakai, Bot. Mag. (Tokyo) 35: 192 1921

국명: 흰꿀풀(Huin-kkul-pul)

영명: White-flower self-heal

Prunella asiatica Nakai var. *albiflora* (Nakai) Nakai, Bot. Mag. (Tokyo) 44: 21 1930

Prunella asiatica Nakai f. *albiflora* (Nakai) Kitag., Lin. Fl. Manshur. 384 1939

Salvia L. 배암차즈기속

Salvia chanryoenica Nakai, Bot. Mag. (Tokyo) 23: 190 1909 Ⓛ Ⓜ

국명: 참배암차즈기(Cham-bae-am-cha-jeu-gi), 토단삼 / (북한명) 참뱀차즈기

영명: Korean snake sage

■ LAMIACEAE 꿀풀과

Salvia japonica Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 40 1783

국명: 둉근배암차즈기(Dung-geun-bae-am-cha-jeu-gi), 개배암배추, 개뱀배추, 둉근잎배암차즈기, 둉근잎뱀차조기,
여름배암배추 / (북한명) 둉근잎뱀차즈기

영명: East Asian sage

Sobiso japonica (Thunb.) Raf., Fl. Tellur. 3: 94 1837

Salvia fortunei Benth., Prodr. (DC.) 12: 354 1848

Salvia diversifolia Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 108 1865

Salvia japonica Thunb. var. *integrifolia* Franch. & Sav., Enum. Pl. Jap. 1: 371 1875

Salvia japonica Thunb. var. *ternata* Franch., Pl. David. 1: 237 1883

Salvia fushimiana Koidz., Bot. Mag. (Tokyo) 37: 41 1923

Salvia japonica Thunb. var. *fortunei* (Benth.) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 172 1929

Salvia tsusimensis Nakai, Bot. Mag. (Tokyo) 44: 531 1930

Salvia plebeia R.Br., Prodr. Fl. Nov. Holland. 501 1810

국명: 배암차즈기(Bae-am-cha-jeu-gi), 배암배추, 배암차즈키, 뱀배추, 뱀차조기 / (북한명) 뱀차즈기

영명: Plebeian sage

Ocimum virgatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 14: 546 1784

Salvia brachiata Roxb., Fl. Ind. (Roxburgh) 1: 146 1820

Ocimum fastigiatum Roth, Nov. Pl. Sp. 277 1821

Lumnitzera fastigiata (Roth) Spreng., Syst. Veg. (ed. 16) [Sprengel] 2: 687 1825

Salvia minutiflora Bunge, Enum. Pl. Chin. Bor. 50 1835

Salvia plebeia R.Br. var. *latifolia* E.Peter, Acta Horti Gothob. 9: 141 1934

***Scutellaria* L. 골무꽃속**

Scutellaria asperiflora Nakai, Bot. Mag. (Tokyo) 35: 194 1921 ⓘ

국명: 다발골무꽃(Da-bal-gol-mu-kkot), 무데기골무꽃

영명: Scattered-flower skullcap

Scutellaria barbata D.Don, Prodr. Fl. Nepal. 109 1825

국명: 창골무꽃(Chang-gol-mu-kkot), 진퍼리골무꽃, 반지련

Scutellaria dependens Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 217 1859

국명: 애기골무꽃(Ae-gi-gol-mu-kkot) / (북한명) 애기골무꽃

영명: Delicate skullcap

Scutellaria oldhamii Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 197 1867

Scutellaria nipponica Franch., Enum. Pl. Jap. 1: 377 1875

Scutellaria fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 401 1910

국명: 그늘골무꽃(Geu-neul-gol-mu-kkot)

영명: Understory skullcap

Scutellaria indica L., Sp. Pl. 2: 600 1753

국명: 골무꽃(Gol-mu-kkot), 연지골무꽃, 좀골무꽃, 우단골무꽃, 털골무꽃, 떡잎골무꽃, 두꺼운골무꽃, 수골무꽃, 즘골무꽃 / (북한명) 골무꽃, 우단골무꽃, 두꺼운골무꽃

영명: Indian skullcap

Scutellaria japonica Burm., Fl. Ind. (N. L. Burman) 130 1768

Scutellaria indica L. f. *parvifolia* Matsum. & Kudô, Bot. Mag. (Tokyo) 26: 296 1912

Scutellaria microflora F.P.Metcalf, Lingnan Sci. J. 13: 136 1934

Scutellaria indica L. var. *indica*

Scutellaria indica L. var. *alba* S.T.Kim & S.T.Lee, Korean J. Pl. Taxon. 24: 74 1994

국명: 비바리골무꽃(Bi-ba-ri-gol-mu-kkot)

Scutellaria indica L. f. *alba* (S.T.Kim & S.T.Lee) M.Kim, Korean Endemic Pl. 554 2017

Scutellaria indica L. var. *coccinea* S.T.Kim & S.T.Lee, Korean J. Pl. Taxon. 24: 74 1994 ⓘ

국명: 연지골무꽃(Yeon-ji-gol-mu-kkot)

영명: Pink Indian skullcap

Scutellaria indica L. f. *coccinea* (S.T.Kim & S.T.Lee) M.Kim, Korean Endemic Pl. 554 2017

Scutellaria indica L. var. *parvifolia* (Makino) Makino, Iinuma, Somoku-Dzusetsu ed. 3: 846 1912

국명: 좀골무꽃(Jom-gol-mu-kkot)

영명: Dwarf Indian skullcap

Scutellaria indica L. var. *japonica* f. *parvifolia* Makino, Bot. Mag. (Tokyo) 18: 71 1904

Scutellaria parvifolia (Makino) Koidz., Bot. Mag. (Tokyo) 38: 92 1924

Scutellaria parvifolia (Makino) Koidz. var. *vulgaris* H.Hara, J. Jap. Bot. 14: 52 1938

Scutellaria indica L. var. *tsusimensis* (H.Hara) Ohwi, Fl. Jap., revised ed., [Ohwi] 1150 1965

국명: 떡잎골무꽃(Tteok-ip-gol-mu-kkot)

영명: Thick-leaf Indian skullcap

Scutellaria tsusimensis H.Hara, J. Jap. Bot. 13: 601 1937

Scutellaria insignis Nakai, Bot. Mag. (Tokyo) 29: 2 1915 ⓘ ⓘ

국명: 광릉골무꽃(Gwang-reung-gol-mu-kkot), 광능골무꽃, 숲골무꽃 / (북한명) 광릉골무꽃

영명: Gwangneung skullcap

Scutellaria moniliorhiza Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 346 1907

국명: 구슬골무꽃(Gu-seul-gol-mu-kkot) / (북한명) 구슬골무꽃

영명: Moniliform skullcap

Scutellaria orthocalyx Hand.-Mazz., Acta Horti Gothob. 9: 75 1934

국명: 소황금(So-hwang-geum)

Scutellaria pekinensis Maxim. var. *pekinensis*

Scutellaria pekinensis Maxim. var. *maxima* S.T.Kim & S.T.Lee, Korean J. Pl. Taxon. 25: 28 1995 ⓘ

국명: 왕골무꽃(Wang-gol-mu-kkot)

Scutellaria pekinensis Maxim. var. *transitra* (Makino) H.Hara, Enum. Sperm. Jap. 1: 229 1948

국명: 산골무꽃(San-gol-mu-kkot), 각씨골무꽃, 광릉골무꽃, 그늘골무꽃 / (북한명) 산골무꽃

영명: Mountain skullcap

Scutellaria transitra Makino, Bot. Mag. (Tokyo) 18: 70 1904

Scutellaria ussuriensis (Regel) Kudô var. *transitra* (Makino) Nakai, Bot. Mag. (Tokyo) 35: 199 1921

Scutellaria ussuriensis (Regel) Kudô var. *tomentosa* Koidz., Bot. Mag. (Tokyo) 38: 92 1924

Scutellaria dentata H.Lév. var. *tomentosa* (Koidz.) Nemoto, Fl. Jap. Suppl. 644 1936

Scutellaria pekinensis Maxim. var. *ussuriensis* (Regel) Hand.-Mazz., Acta Horti Gothob. 13: 339 1939

국명: 호골무꽃(Ho-gol-mu-kkot), 개골무꽃, 북해골무꽃, 산골무꽃 / (북한명) 북해골무꽃, 호골무꽃

영명: Ussuri skullcap

Scutellaria japonica Burm. var. *ussuriensis* Regel, Tent. Fl.-Ussur. 118 1861

Scutellaria indica L. var. *ussuriensis* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 34 1907

Scutellaria ussuriensis (Regel) Kudô, Rep. Veg. Tomakomai Forest 53 1916

Scutellaria umbrosa Nakai, Rep. Veg. Daisetsu Mts. 13 1930

Scutellaria transitra Makino var. *ussuriensis* (Regel) H.Hara, Bot. Mag. (Tokyo) 51: 142 1937

Scutellaria regeliana Nakai, Bot. Mag. (Tokyo) 35: 197 1921

국명: 가는골무꽃(Ga-neun-gol-mu-kkot), 가는잎골무꽃, 레게리고무꽃, 레켈리골무꽃 / (북한명) 가는잎골무꽃

영명: Slender-leaf skullcap

Scutellaria galericulata L. var. *angustifolia* Regel, Tent. Fl.-Ussur. 118 1861

Scutellaria angustifolia (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 344 1907

Scutellaria strigillosa Hemsl., J. Linn. Soc., Bot. 26: 297 1890

국명: 참골무꽃(Cham-gol-mu-kkot), 민골무꽃, 큰골무꽃, 흰참골무꽃, 왜골무꽃 / (북한명) 참골무꽃

영명: Sandy skullcap

Scutellaria taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 402 1910

Scutellaria scordifolia var. *puberula* Takeda, J. Linn. Soc., Bot. 42: 482 1914

Scutellaria yezoensis Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 12 1921

Scutellaria tuberifera C.Y.Wu & C.Chen, Fl. Yunnan. 1: 566 1977

국명: 제주골무꽃(Je-ju-gol-mu-kkot)

Stachys L. 석잠풀속

Stachys oblongifolia Benth., Pl. Asiat. Rar. 1: 64 1830

국명: 우단석잠풀(U-dan-seok-jam-pul), 명율곽향, 우단석잠꽃, 털석잠풀

영명: *Velvety woundwort*

Stachys modica Hance, J. Bot. 20: 292 1882

Stachys martini Vaniot, Bull. Acad. Int. Géogr. Bot. 14: 187 1904

Stachys imaii Nakai, Bot. Mag. (Tokyo) 26: 169 1912

Stachys leptopoda Hayata, Icon. Pl. Formosan. 8: 93 1919

Stachys strbargentea Hayata, Icon. Pl. Formosan. 8: 94 1919

Stachys palustris L. var. *imaii* Nakai, Bot. Mag. (Tokyo) 34: 48 1920

Stachys oblongifolia Benth. f. *leptopoda* (Hayata) Kudô, Mem. Fac. Sci. Taihoku Imp. Univ. 2: 188 1929

Stachys riederi* Cham. var. *riederi

***Stachys riederi* Cham. var. *hispidula* (Regel) H.Hara, Bot. Mag. (Tokyo) 41: 144 1937**

국명: 털석잠풀(Teol-seok-jam-pul), 개배암배추, 거센털석잠풀, 좀털석잠풀, 털뱀배추

영명: *Bristle woundwort*

Stachys palustris L. var. *hispidula* Regel, Tent. Fl.-Ussur. 119 1861

***Stachys riederi* Cham. var. *japonica* (Miq.) H.Hara, Bot. Mag. (Tokyo) 51: 144 1937**

국명: 석잠풀(Seok-jam-pul), 민석잠풀, 배암배추, 뱀배추 / (북한명) 석잠풀

영명: *Hairless woundwort*

Stachys baicalensis Fisch. ex Benth., Labiat. Gen. Spec. 543 1834

Stachys japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 111 1865

Stachys aspera Michx. var. *japonica* (Miq.) Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 45 1879

Stachys baicalensis Fisch. ex Benth. var. *japonica* (Miq.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 371 1907

Stachys aspera Michx. f. *glabrata* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 147 1911

Stachys japonica Miq. var. *chinensis* Maxim. f. *glabrata* (Nakai) Matsum. & Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 30 1921

Stachys japonica Miq. f. *villosa* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 48: 31 1921

Stachys baicalensis Fisch. ex Benth. var. *angustifolia* Honda, Bot. Mag. (Tokyo) 46: 374 1932

Stachys japonica Miq. var. *villosa* (Kudô) Ohwi, Fl. Jap. (Ohwi) 1008 1953

Stachys riederi Cham. var. *villosa* (Kudô) Kitam., Acta Phytotax. Geobot. 17: 10 1957

***Teucrium* L. 곽향속**

***Teucrium japonicum* Houtt., Nat. Hist. (Houttuyn) 9: 282 1778**

국명: 개곽향(Gae-gwak-hyang), 가지개곽향, 좀곽향 / (북한명) 개곽향

영명: *Spike-flower germander*

Teucrium nepetoides H.Lév., Repert. Spec. Nov. Regni Veg. 8: 450 1910

Teucrium brevispicum Nakai, Bot. Mag. (Tokyo) 34: 48 1920

***Teucrium veronicoides* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 388 1877**

국명: 곽향(Gwak-hyang), 털개곽향, 좀개곽향 / (북한명) 털개곽향

영명: Mountain germander

Teucrium nipponicum Makino ex Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 8 1921

Teucrium viscidum Blume, Bijdr. Fl. Ned. Ind. 14: 827 1826

국명: 섬곽향(Seom-gwak-hyang), 좀덩굴개곽향, 덩굴개곽향 / (북한명) 애기개곽향

영명: Sticky germander

Teucrium stoloniferum Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 3 1832

Teucrium viscidum Blume var. ***viscidum***

Teucrium viscidum Blume var. ***miquelianum*** (Maxim.) H.Hara, Bot. Mag. (Tokyo) 51: 145 1937

국명: 덩굴곽향(Deong-gul-gwak-hyang), 덩굴개곽향, 덩굴곽양, 샘털개곽향, 털굴개곽향

영명: Procumbent sticky germander

Teucrium stoloniferum Roxb. var. *miquelianum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 23: 387 1877

Teucrium miquelianum (Maxim.) Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 8 1921

***Thymus* L. 백리향속**

Thymus quinquecostatus Čelak., Oesterr. Bot. Z. 39: 263 1889 **R**

국명: 백리향(Baek-ri-hyang), 산백리향 / (북한명) 백리향

영명: Five-rib thyme

Thymus serpyllum L. var. *przewalskii* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 379 1907

Thymus przewalskii (Kom.) Nakai, Bot. Mag. (Tokyo) 35: 202 1921

Thymus serpyllum L. var. *ibukiensis* Kudô, J. Coll. Sci. Imp. Univ. Tokyo 43: 40 1921

Thymus prczewalskii (Kom.) Nakai var. *laxus* Nakai, Trees Shrubs Japan 1: 306 1922

Thymus quinquecostatus Čelak. var. *przewalskii* (Kom.) Ronniger, Acta Horti Gothob. 9: 100 1934

Thymus quinquecostatus Čelak. var. *laxus* (Nakai) H.Hara, Bot. Mag. (Tokyo) 51: 147 1937

Thymus quinquecostatus Čelak. var. *japonicus* H.Hara, Bot. Mag. (Tokyo) 51: 145 1937

Thymus quinquecostatus Čelak. var. *ibukiensis* (Kudô) H.Hara, Enum. Sperm. Jap. 1: 233 1948

Thymus japonicus (H.Hara) Kitag., J. Jap. Bot. 27: 205 1952

Thymus serpyllum L. subsp. *quinquecostatus* (Čelak.) Kitam., Fauna Fl. Nepal Himalaya 216 1955

Thymus quinquecostatus Čelak. var. ***quinquecostatus***

Thymus quinquecostatus Čelak. var. ***magnus*** (Nakai) Kitam., Acta Phytotax. Geobot. 14: 118 1952 **E** **R**

국명: 섬백리향(Seom-baek-ri-hyang)

영명: Ulleungdo thyme

Thymus przewalskii (Kom.) Nakai var. *magnus* Nakai, Bot. Mag. (Tokyo) 35: 203 1921

Thymus magnus (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 100 1952

Thymus quinquecostatus Čelak. f. *magnus* (Nakai) M.Kim, Korean Endemic Pl. 554 2017

** *Thymus quinquecostatus* Čelak. f. *magnus* (Nakai) M.Kim, Korean Endemic Pl. 333 2004

SOLANACEAE 가지과

Physaliastrum Makino 가시꽈리속

Physaliastrum echinatum (Yatabe) Makino, Bot. Mag. (Tokyo) 28: 21 1914

국명: 가시꽈리(Ga-si-kkwa-ri), 가시꼬아리

영명: East Asian physaliastrum

Chamaesaracha echinata Yatabe, Bot. Mag. (Tokyo) 5: 355 1891

Scopolia Jacq. 미치광이풀속

Scopolia parviflora (Dunn) Nakai, Bot. Mag. (Tokyo) 47: 263 1933 ⓘ ⓘ

국명: 미치광이풀(Mi-chi-gwang-i-pul), 광대작약, 낭탕, 독뿌리풀, 미치광이, 미친풀, 초우성, 노랑미치광이풀, 왕방울미치광이풀, 새미치광이풀, 광덕미치광이풀 / (북한명) 미치광이풀

영명: Korean scopolia

Scopolia japonica Maxim. var. *parviflora* Dunn, Bull. Misc. Inform. Kew 1912: 109 1912

Scopolia lutescens Y.N.Lee, Korean J. Pl. Taxon. 23: 264 1993

Scopolia kwangdokensis Y.N.Lee, Bull. Korea Pl. Res. 5: 22 2005

Scopolia parviflora (Dunn) Nakai var. *grandiflora* Y.N.Lee, Bull. Korea Pl. Res. 6: 7 2006

Scopolia neoparviflora Y.N.Lee, Bull. Korea Pl. Res. 7: 6 2007

Scopolia parviflora (Dunn) Nakai f. *grandiflora* (Y.N.Lee) M.Kim, Korean Endemic Pl. 550 2017

Scopolia parviflora (Dunn) Nakai f. *neoparviflora* (Y.N.Lee) M.Kim, Korean Endemic Pl. 551 2017

Scopolia parviflora (Dunn) Nakai f. *lutescens* (Y.N.Lee) M.Kim, Korean Endemic Pl. 551 2017

Scopolia parviflora (Dunn) Nakai f. *kwangdokensis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 551 2017

Solanum L. 가지속

Solanum japonense Nakai, Fl. Sylv. Kor. 14: 58 1923

국명: 줍은잎배풍등(Jop-eun-ip-bae-pung-deung), 곰의꼬아리, 곰의꽈리, 산꽈리 / (북한명) 산꽈리

영명: Narrow-leaf nightshade

Solanum dulcamara L. var. *heterophyllum* Makino, Bot. Mag. (Tokyo) 24: 19 1910

Solanum nippone Makino, J. Jap. Bot. 3: 20 1926

Solanum takaoyamense Makino, J. Jap. Bot. 3: 78 1926

Solanum japonense Nakai var. *takaoyamense* (Makino) H.Hara, Enum. Sperm. Jap. 1: 241 1948

Solanum lyratum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 224 1784

국명: 배풍등(Bae-pung-deung), 배풍등나무 / (북한명) 배풍등

영명: Lyre-leaf nightshade

Solanum dulcamara L. var. *pubescens* Blume, Bijdr. Fl. Ned. Ind. 13: 698 1825

Solanum dichotomum Vand. var. *lyrata* (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 147 1846

Solanum dulcamara L. var. *chinense* Dunal, Prodr. (DC.) 13: 79 1852

■ SOLANACEAE 가지과

Solanum lyratum Thunb. var. *leucanthum* Nakai, Bot. Mag. (Tokyo) 44: 533 1930

Solanum cathayanum C.Y.Wu & S.C.Huang, Fl. Reipubl. Popularis Sin. 67: 84, Pl. 20, f. 5-7 1978

Solanum megacarpum Koidz., Acta Phytotax. Geobot. 4: 159 1935

국명: 왕배풍등(Wang-bae-pung-deung) / (북한명) 제주큰곰의꽈리

영명: Big nightshade

Tubocapsicum Makino 알꽈리속

Tubocapsicum anomalam (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 22: 19 1908

국명: 알꽈리(Al-kkwa-ri), 민꼬아리, 민꽈리, 산꽈리 / (북한명) 알꽈리

영명: Naked ground berry

Capsicum anomalum Franch. & Sav., Enum. Pl. Jap. 2: 452 1878

Solanum anodontum H.Lév. & Vaniot, Monde Pl. ser. 2, 10: 37 1908

Solanum philippinense Merr., Philipp. J. Sci. 7: 351 1912

Tubocapsicum anomalam (Franch. & Sav.) Makino var. *obtusum* Makino, J. Jap. Bot. 3: 7 1926

Tubocapsicum obtusum (Makino) Kitam., Acta Phytotax. Geobot. 6: 18 1937

SCROPHULARIACEAE 현삼과

Centranthera R.Br. 성주풀속

Centranthera cochinchinensis (Lour.) Merr. var. *cochinchinensis*

Centranthera cochinchinensis (Lour.) Merr. var. *lutea* (H.Hara) H.Hara, Enum. Sperm. Jap. 1: 246 1948 Ⓢ

국명: 성주풀(Seong-ju-pul), 가시나물, 나도깨풀

영명: Yellow-swamp foxglove

Centranthera cochinchinensis (Lour.) Merr. subsp. *lutea* (H.Hara) T.Yamaz., J. Jap. Bot. 57: 213 1982

Deinostema T.Yamaz. 진땅고추풀속

Deinostema adenocaulum (Maxim.) T.Yamaz., J. Jap. Bot. 28: 132 1953

국명: 둥근잎고추풀(Dung-geun-ip-go-chu-pul), 둉근고추풀, 둉글잎등에풀 / (북한명) 둉근고추풀

영명: Ovate-leaf deinostema

Gratiola adenocaula Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 32: 513 1888

Gratiola violacea Maxim. var. *adenocaula* (Maxim.) Makino, Phan. Pter. Jap. Icon. 3: 74 1902

Deinostema violacea (Maxim.) T.Yamaz., J. Jap. Bot. 28: 132 1953

국명: 진땅고추풀(Jin-ttang-go-chu-pul), 긴잎고추풀, 물벼룩알, 자주등에풀 / (북한명) 진땅고추풀

영명: Violet deinostema

Gratiola violacea Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 20: 440 1875
Ilysianthes saginoides Franch. & Sav., Enum. Pl. Jap. 1: 346 1875
Gratiola violacea Maxim. var. *saginoides* Franch. & Sav., Enum. Pl. Jap. 2: 456 1878
Gratiola axillaris Nakai, Bot. Mag. (Tokyo) 23: 190 1909
Gratiola saginoides (Franch. & Sav.) Matsum., Index Pl. Jap. 2: 560 1912
Gratiola saginoides (Franch. & Sav.) Matsum. var. *violacea* (Maxim.) Matsum., Index Pl. Jap. 2: 560 1912

***Dopatrium* Buch.-Ham. ex Benth. 등에풀속**

***Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth., Scroph. Ind. 31 1835 ⑧**

국명: 등에풀(Deung-e-pul), 방울조풀 / (북한명) 등에풀

영명: Horsefly's eye

Gratiola juncea Roxb., Pl. Coromandel 2: 16 1799
Morgania juncea (Roxb.) Spreng., Syst. Veg. (ed.16) [Sprengel] 2: 803 1825
Dopatrium aristatum (Blanco) Hassk., Flora 47: 56 1864
Dopatrium japonicum Franch. & Sav., Enum. Pl. Jap. 1: 345 1875
Didymocarpus aristatus (Blanco) Fern.-Vill., Nov. App. 150 1880

***Euphrasia* L. 줍쌀풀속**

***Euphrasia coreana* W.Becker, Repert. Spec. Nov. Regni Veg. 17: 126 1921 ⑨ ⑧**

국명: 깔끔줄쌀풀(Kkal-kkeum-jop-ssal-pul), 깔끔깨풀 / (북한명) 깔끔줄쌀풀

영명: Korean eyebright

***Euphrasia coreanalpina* Nakai ex Y.Kimura, J. Jap. Bot. 17: 530 1941 ⑨**

국명: 애기줄쌀풀(Ae-gi-jop-ssal-pul), 고려깨풀, 등근잎깨풀, 산줄쌀풀, 아기줄쌀풀, 조선줄쌀풀 / (북한명) 고려줄쌀풀

영명: Korean alpine eyebright

***Euphrasia hirtella* Jord. ex Reut., Compt. Rend. Trav. Soc. Helv. Sci. Nat. 4: 120 1854**

국명: 큰산줄쌀풀(Keun-san-jop-ssal-pul), 잔털줄쌀풀, 짧은털줄쌀풀, 털깨풀 / (북한명) 짧은털줄쌀풀

영명: Long-glandular eyebright

Euphrasia nemorosa (Pers.) Wallr. var. *pectinata* Rchb., Fl. Germ. Excurs. 358 1830

Euphrasia brandisii Freyn & Brandis, Verh. K.K. Zool.-Bot. Ges. Wien 38: 622 1888

Euphrasia officinalis L. var. *hirtella* (Journ.) Krylov, Fl. Altaic. 4: 956 1904

Euphrasia hirtella Jord. ex Reut. var. *paupera* (Nakai) T.Yamaz., Acta Phytotax. Geobot. 19: 167 1963

Euphrasia paupera Nakai, Acta Phytotax. Geobot. 19: 167 1963

***Euphrasia maximowiczii* Wettst. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 14: 133 1895**

국명: 얇은줄쌀풀(An-jeun-jop-ssal-pul), 기생깨풀, 선줄쌀풀, 줍쌀풀 / (북한명) 선줄쌀풀

영명: Maximowicz's eyebright

■ SCROPHULARIACEAE 현삼과

Euphrasia mucronulata Nakai ex Y.Kimura, J. Jap. Bot. 17: 530 1941 ⓘ

국명: 산좁쌀풀(San-jop-ssal-pul) / (북한명) 산좁쌀풀

Euphrasia retrotricha Nakai ex T.Yamaz., Acta Phytotax. Geobot. 19: 166 1963 ⓘ

국명: 털좁쌀풀(Teol-jop-ssal-pul), 잔털좁쌀풀, 흰털좁쌀풀 / (북한명) 털좁쌀풀

영명: Downward-hair eyebright

Gratiola L. 큰고추풀속

Gratiola japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 117 1865

국명: 큰고추풀(Keun-go-chu-pul), 등에고추풀, 큰등에풀, 큰물벼룩알풀 / (북한명) 등에고추풀

영명: Asian hedgehyssop

Gratiola micrantha Franch. & Sav., Enum. Pl. Jap. 2: 456 1878

Limnophila R.Br. 구와말속

Limnophila aromatica (Lam.) Merr., Interpr. Herb. Amboin. 466 1917

국명: 소엽풀(So-yeop-pul), 소향풀, 참소엽풀 / (북한명) 소엽풀

영명: Rice paddy marshweed

Ambuli aromatica Lam., Encycl. (Lamarck) 1: 128 1783

Antirrhinum aquaticum Lour., Fl. Cochinch. 2: 384 1790

Gratiola aromatica Pers., Syn. Pl. (Persoon) 1: 14 1805

Limnophila gratissima Blume, Bijdr. Fl. Ned. Ind. 14: 750 1826

Limnophila punctata Blume, Bijdr. Fl. Ned. Ind. 14: 750 1826

Limnophila punctata Blume var. *subracemosa* Benth., Prodr. (DC.) 10: 388 1846

Terebinthina aromatica (Lam.) Kuntze, Revis. Gen. Pl. 2: 467 1891

Ambuli gratissima (Blume) Nakai ex Furumi, Bot. Mag. (Tokyo) 30: 111 1916

Limnophila chinensis (Osbeck) Merr. subsp. *aromatica* (Lam.) T.Yamaz., J. Jap. Bot. 53: 313 1978

Limnophila indica (L.) Druce, Rep. Bot. Exch. Club Brit. Isl. 3: 420 1914 ⓘ

국명: 민구와말(Min-gu-wa-mal), 민논말, 애기구와말, 좀마름 / (북한명) 좀논구와말

영명: Indian marshweed

Hottonia indica L., Sp. Pl. (ed.2) 1: 208 1762

Gratiola trifida Willd., Sp. Pl. (ed.4) 1: 104 1797

Limnophila gratioloides R.Br., Prodr. Fl. Nov. Holland. 442 1810

Terebinthina indica (L.) Kuntze, Revis. Gen. Pl. 2: 467 1891

Ambuli trichophylla Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 429 1901

Ambuli indica (L.) W.Wight ex Saff., Contr. U. S. Natl. Herb. 9: 181 1905

Limnophila trichophylla (Kom.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 421 1907

Ambuli stipitata Hayata, Icon. Pl. Formosan. 9: 76 1920

Limnophila stipitata (Hayata) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 1060 1931

Limnophila sessiliflora (Vahl) Blume, Bijdr. Fl. Ned. Ind. 14: 749 1826

국명: 구와말(Gu-wa-mal), 논말 / (북한명) 구와말

영명: Asian marshweed

Hottonia sessiliflora Vahl, Symb. Bot. (Vahl) 2: 36 1791

Ambuli sessiliflora (Vahl) Baill. ex Wettst., Nat. Pflanzenfam. 4-3b: 73 1891

Terebinthina sessiliflora (Vahl) Kuntze, Revis. Gen. Pl. 2: 468 1891

Limosella L. 등포풀속

Limosella aquatica L., Sp. Pl. 2: 631 1753 ⓘ

국명: 등포풀(Deung-po-pul), 거미줄풀, 난나풀, 란나풀 / (북한명) 란나풀

영명: Water mudwort

Linaria Mill. 해란초속

Linaria japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 115 1865

국명: 해란초(Hae-ran-cho), 꼬리풀, 꽁지꽃, 운난초, 운란초 / (북한명) 운란초, 해란초

영명: Seashore toadflax

Linaria geminiflora F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 161 1868

Linaria japonica Miq. var. *geminiflora* (F.Schmidt) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 117 1911

Lindernia All. 밭뚝외풀속

Lindernia antipoda (L.) Alston, Handb. Fl. Ceylon 6: 214 1931

국명: 참새외풀(Cham-sae-oe-pul)

Ruellia antipoda L., Sp. Pl. 2: 635 1753

Lindernia crustacea (L.) F.Muell., Syst. Census Austral. Pl. 97 1882

국명: 외풀(Oe-pul), 나도고추풀, 풀고추 / (북한명) 외풀

영명: Brittle false pimpernel

Capraria crustacea L., Mant. Pl. 1: 87 1767

Hornemannia ovata Link & Otto, Icon. Pl. Select. 1 1820

Torenia crustacea (L.) Cham. & Schldl., Linnaea 2: 570 1827

Vandellia crustacea (L.) Benth., Scroph. Ind. 35 1835

Lindernia micrantha D.Don, Prodr. Fl. Nepal. 85 1825

국명: 논뚝외풀(Non-ttuk-oe-pul), 고추풀, 드렁고추 / (북한명) 논뚝외풀

영명: Small-flower false pimpernel

Tittmannia angustifolia Benth., Numer. List 3951 1831

Vandellia angustifolia (Benth.) Benth., Scroph. Ind. 37 1835

Vandellia cymulosa Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 117 1865

■ SCROPHULARIACEAE 현삼과

Lindernia angustifolia (Benth.) Wettst., Nat. Pflanzenfam. 4(3b): 79 1891

Pyxidaria cymulosa (Miq.) Kuntze, Revis. Gen. Pl. 2: 464 1891

Lindernia cymulosa (Miq.) Matsum., Index Pl. Jap. 2: 562 1912

Lindernia procumbens (Krock.) Philcox, Taxon 14: 30 1965

국명: 밭뚝외풀(Bat-ttuk-oe-pul), 개고추풀, 밭뚝외풀 / (북한명) 밭뚝외풀, 밭뚝외풀

영명: Prostrate false pimpernel

Anagalloides procumbens Krock., Fl. Siles. 2: 398 1790

Vandellia erecta Benth., Scroph. Ind. 36 1835

Torenia quinquenervis Llanos, Fragm. Pl. Filip. 76 1851

Vandellia pyxidaria Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 20: 449 1875

Lindernia erecta (Benth.) Bonati, Fl. Gen. Indo-Chine 4: 420 1927

Mazus Lour. 주름잎속

Mazus miquelii Makino, Bot. Mag. (Tokyo) 26: 162 1902

국명: 누운주름잎(Nu-un-ju-reum-ip), 누은담배풀, 누은주름잎, 담배풀, 퍼진고추풀

영명: Miquel's mazus

Mazus rugosus Lour. var. *stolonifer* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 402 1874

Mazus rugosus Lour. var. *macranthus* Franch. & Sav., Enum. Pl. Jap. 1: 344 1875

Mazus rugosus Lour. var. *rotundifolia* Franch. & Sav., Enum. Pl. Jap. 1: 344 1875

Mazus englerianus Bonati, Bull. Herb. Boissier ser. 2, 8: 536 1908

Mazus stolonifer (Maxim.) Makino, Iinuma, Somoku-Dzusetsu ed. 3 3: 868 1912

Mazus rotundus Furumi, Bot. Mag. (Tokyo) 30: 113 1916

Mazus rotundifolia (Franch. & Sav.) Koidz., Fl. Symb. Orient.-Asiat. 31 1930

Mazus miquelii Makino var. *rotundifolius* (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 48: 782 1934

Mazus miquelii Makino var. *stolonifer* (Maxim.) Nakai, Bot. Mag. (Tokyo) 48: 783 1934

Mazus pumilus (Burm.f.) Steenis, Nova Guinea n.s. 9: 31 1958

국명: 주름잎(Ju-reum-ip), 고초풀, 담배깡랭이, 담배풀, 선담배풀, 주름잎풀 / (북한명) 주름잎

영명: Asian mazus

Lobelia pumila Burm.f., Fl. Ind. (N. L. Burman) 186 1768

Lindernia japonica Thunb., Fl. Jap. (Thunberg) 253 1786

Mazus rugosus Lour., Fl. Cochinch. 2: 385 1790

Hornemannia bicolor Willd., Enum. Pl. (Willdenow) 654 1809

Tittmannia obovata Bunge, Enum. Pl. Chin. Bor. 49 1833

Vandellia obovata Walp., Repert. Bot. Syst. (Walpers) 3: 294 1844

Mazus vandelliooides Hance ex Hemsl., Ann. Bot. Syst. 3: 193 1852

Mazus japonicus (Thunb.) Kuntze, Revis. Gen. Pl. 2: 462 1891

Mazus stachydifolius (Turcz.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg

9: 404 1875

국명: 선주름잎(Seon-ju-reum-ip), 곧은담배풀, 선고초풀, 선담배풀 / (북한명) 선주름잎

영명: Betony-leaf mazus

Titmannia stachydifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 156 1837

Vandellia stachydifolia (Turcz.) Walp., Repert. Bot. Syst. (Walpers) 3: 294 1844

Mazus villosus Hemsl., J. Bot. 14: 209 1876

Mazus simada Matsum., Trans. Nat. Hist. Soc. Taiwan 30: 35 1940

Melampyrum L. 꽃며느리밥풀속

Melampyrum koreanum K.J.Kim & S.-M.Yun, Phytotaxa 42: 48 2012 ⓘ

국명: 긴꽃며느리밥풀(Gin-kkot-myeo-neu-ri-bap-pul)

영명: Korean cow-wheat

Melampyrum roseum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 210 1859

국명: 꽃며느리밥풀(Kkot-myeo-neu-ri-bap-pul), 꽃며느리바풀, 꽃새애기풀, 돌꽃며느리밥풀, 민꽃며느리밥풀,
털며느리밥풀 / (북한명) 꽃새애기풀

영명: Rosy cow-wheat

Melampyrum jedoense Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 122 1866

Melampyrum roseum Maxim. subsp. *euroseum* Beauverd, Mém. Soc. Phys. Genève 29: 546 1916

Melampyrum roseum Maxim. var. *hirsutum* Beauverd, Mém. Soc. Phys. Genève 38: 548 1916

Melampyrum roseum Maxim. subsp. *hirsutum* (Beauverd) Soó, J. Bot. 45: 143 1927

Melampyrum roseum Maxim. f. *glabrescens* Tuyama, J. Jap. Bot. 17: 81 1941

Melampyrum roseum Maxim. f. *pubescens* Tuyama, J. Jap. Bot. 17: 81 1941

Melampyrum roseum Maxim. var. *roseum*

Melampyrum roseum Maxim. var. *japonicum* Franch. & Sav., Enum. Pl. Jap. 2: 461 1873

국명: 수염며느리밥풀(Su-yeom-myeo-neu-ri-bap-pul), 며느리바풀, 며느리밥풀, 새애기풀

영명: Bearded cow-wheat

Melampyrum roseum Maxim. subsp. *japonicum* (Franch. & Sav.) Nakai var. *sendaiense* Beauverd, Mém. Soc. Phys. Genève 39: 548 1916

Melampyrum ciliare Miq. var. *japonicum* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 10: 11 1941

Melampyrum roseum Maxim. var. *ovalifolium* (Nakai) Nakai ex Beauverd, Mém. Soc. Phys. Genève 38: 584 1916

국명: 알며느리밥풀(Al-myeo-neu-ri-bap-pul), 둥근잎며느리밥풀, 둥근잎밥풀, 둥근잎새애기풀, 알며느리바풀

영명: Oval-leaf cow-wheat

Melampyrum ovalifolium Nakai, Bot. Mag. (Tokyo) 23: 7 1909

Melampyrum roseum Maxim. subsp. *ovalifolium* (Nakai) Beauverd, Mém. Soc. Phys. Genève 39: 549 1916

Melampyrum roseum Maxim. var. *ovalifolium* (Nakai) Nakai ex Beauverd f. *albiflorum* (Nakai) T.B.Lee, Bull. Kwanak Arbor. 4: 43 1983

■ SCROPHULARIACEAE 현삼과

Melampyrum roseum Maxim. var. ***japonicum*** Franch. & Sav. f. ***japonicum***

Melampyrum roseum Maxim. var. ***japonicum*** Franch. & Sav. f. ***leucanthum*** Nakai, Bot. Mag. (Tokyo) 23: 9 1909

국명: 흰수염며느리밥풀(Hein-su-yeom-myeo-neu-ri-bap-pul), 흰꽃며느리밥풀, 흰바꽃

Melampyrum setaceum (Maxim. ex Palib.) Nakai, Bot. Mag. (Tokyo) 23: 9 1909

국명: 애기며느리밥풀(Ae-gi-myeo-neu-ri-bap-pul), 가는잎며느리밥풀, 구름며느리밥풀, 금강산애기며느리밥풀, 맘며느리바풀, 백두산꽃며느리밥풀, 백두산바풀, 애기며느리밥풀, 애기며느리바풀, 원산며느리밥풀, 원산바풀, 작은새애기풀, 큰애기며느리밥풀, 큰애기바풀 / (북한명) 작은새애기풀

영명: Lanceolate-leaf cow-wheat

Melampyrum roseum Maxim. var. *setaceum* Maxim. ex Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 168 1901

Melampyrum setaceum (Maxim. ex Palib.) Nakai var. *latifolium* Nakai, Bot. Mag. (Tokyo) 23: 9 1909

Melampyrum setaceum (Maxim. ex Palib.) Nakai f. *latifolium* (Nakai) Soó, J. Bot. 45: 143 1927

Melampyrum nakaianum Tuyama var. *latifolium* (Nakai) Tuyama, J. Jap. Bot. 17: 85 1941

Melampyrum setaceum (Maxim. ex Palib.) Nakai var. ***setaceum***

Melampyrum setaceum (Maxim. ex Palib.) Nakai var. ***nakaianum*** (Tuyama) T.Yamaz., J. Jap. Bot. 29: 105 1954 ⑥

국명: 새며느리밥풀(Sae-myeo-neu-ri-bap-pul), 새며누리바풀, 새며느리바풀

영명: Big bristled-leaf cow-wheat

Melampyrum nakaianum Tuyama, J. Jap. Bot. 17: 85 1941

Melampyrum roseum Maxim. var. *nakaianum* (Tuyama) M.Kim, Korean Endemic Pl. 504 2017

Microcarpaea R.Br. 진흙풀속

Microcarpaea minima (K.D.Koenig ex Retz.) Merr., Philipp. J. Sci. 7: 100 1912

국명: 진흙풀(Jin-heuk-pul), 새고추 / (북한명) 새고추풀

영명: Chickweed sparrow

Paederota minima K.D.Koenig ex Retz., Observ. Bot. (Retzius) 5: 10 1789

Microcarpaea muscosa R.Br., Prodr. Fl. Nov. Holland. 435 1810

Microcarpaea alterniflora Blume, Bijdr. Fl. Ned. Ind. 14: 744 1826

Mimulus L. 물꽈리아재비속

Mimulus tenellus Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 49 1833 ⑧

국명: 애기물꽈리아재비(Ae-gi-mul-kkwa-ri-a-jae-bi), 애기물꼬아리, 애기물꽈리, 좀물꽈리아재비 / (북한명) 애기물꽈리아재비

영명: Tender monkey-flower

Mimulus tenellus* Bunge var. *tenellus

Mimulus tenellus* Bunge var. *nepalensis (Benth.) P.C.Tsoong, Fl. Reipubl. Popularis Sin. 67: 171 1979

국명: 물꽈리아재비(Mul-kkwa-ri-a-jae-bi), 물꼬리아재비 / (북한명) 물꽈리아재비

영명: Nepalese monkey-flower

Mimulus nepalensis Benth., Scroph. Ind. 29 1835

Mimulus nepalensis Benth. var. *japonica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 116 1865

Torenia inflata Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 192 1867

Mimulus inflatus (Miq.) Nakai, Bot. Mag. (Tokyo) 33: 209 1919

Mimulus formosana Hayata, Icon. Pl. Formosan. 9: 79 1920

Torenia arisanensis Sasaki, Trans. Nat. Hist. Soc. Taiwan 21: 222 1931

Mimulus tenellus Bunge var. *japonicus* (Miq.) Hand.-Mazz., Symb. Sin. 7: 833 1936

Mimulus tenellus Bunge subsp. *nepalensis* (Benth.) D.Y.Hong, Iconogr. Cormophyt. Sin. 4: 13 1975

***Omphalotrix* Maxim. 쌀파도풀속**

***Omphalotrix longipes* Maxim.**, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 209 1859

국명: 쌀파도풀(Ssal-pa-do-pul), 눈송이풀, 배꼽풀 / (북한명) 쌀파도풀

영명: Long omphalotrix

***Paulownia* Siebold & Zucc. 오동나무속**

***Paulownia coreana* Uyeki**, Bull. Agric. Forest. Coll. Suigen (Suwon) 1: 20 1925 ⓘ

국명: 오동나무(O-dong-na-mu), 오동 / (북한명) 오동나무

영명: Korean paulownia

***Pedicularis* L. 송이풀속**

***Pedicularis adunca* M.Bieb. ex Steven**, Mém. Soc. Imp. Naturalistes Moscou 6: 29 1823

국명: 부전송이풀(Bu-jeon-song-i-pul), 싸할송이풀 / (북한명) 늬송이풀

영명: Hooked big-flower lousewort

***Pedicularis apodochila* Maxim.**, Bull. Acad. Imp. Sci. Saint-Pétersbourg 32: 611 1888

국명: 큰산송이풀(Keun-san-song-i-pul), 등대꽃송이풀 / (북한명) 큰산송이풀

영명: Big-flower alpine lousewort

***Pedicularis grandiflora* Fisch.**, Mém. Soc. Imp. Naturalistes Moscou 3: 60 1812

국명: 큰송이풀(Keun-song-i-pul) / (북한명) 큰송이풀

영명: Big-flower lousewort

***Pedicularis hallaisanensis* Hurus.**, Bot. Mag. (Tokyo) 60: 74 1947 ⓘ ⓘ

■ SCROPHULARIACEAE 현삼과

국명: 한라송이풀(Han-ra-song-i-pul), 섬송이풀, 제주송이풀

영명: Halla lousewort

Pedicularis taquetii P.C.Tsoong, Kew Bull. 9: 447 1954

Pedicularis ishidoyana Koidz. & Ohwi, Acta Phytotax. Geobot. 6: 291 1937 Ⓛ ⓘ

국명: 애기송이풀(Ae-gi-song-i-pul), 천마송이풀 / (북한명) 천마송이풀

영명: Radical-flower lousewort

Pedicularis artelsaeri Maxim. var. *koraiensis* Hurus., J. Jap. Bot. 22: 71 1948

Pedicularis lunaris Nakai, Bot. Mag. (Tokyo) 34: 49 1920 Ⓛ

국명: 칼송이풀(Kal-song-i-pul), 칼송이풀

Pedicularis mandshurica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 1: 79 1877 ⓘ

국명: 만주송이풀(Man-ju-song-i-pul), 텔만주송이풀 / (북한명) 만주송이풀

영명: Manchurian lousewort

Pedicularis coreana Bonati, Bull. Soc. Bot. France 54: 374 1907

Pedicularis mandshurica Maxim. var. *coreana* (Bonati) Hurus., J. Jap. Bot. 22: 74 1948

Pedicularis nigrescens Nakai, Bot. Mag. (Tokyo) 30: 145 1916 Ⓛ

국명: 바위송이풀(Ba-wi-song-i-pul), 검정송이풀 / (북한명) 바위송이풀

영명: Rocky lousewort

Pedicularis resupinata L., Sp. Pl. 2: 608 1753

국명: 송이풀(Song-i-pul), 가지송이풀, 그늘송이풀, 도시락나물, 마주잎송이풀, 수송이풀, 마주송이풀, 명천송이풀,
이삭송이풀, 잔털송이풀, 칠보송이풀 / (북한명) 텔송이풀, 송이풀

영명: Resupinate lousewort

Pedicularis resupinata L. var. *oppositifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 122 1865

Pedicularis resupinata L. f. *albiflora* Nakai, Rep. Veg. Diamond Mountains 202 1918

Pedicularis resupinata L. var. *gigantea* Nakai, Fl. Sylv. Kor. 14: 68 1923

Pedicularis resupinata L. var. *spicata* Nakai, Fl. Sylv. Kor. 14: 68 1923

Pedicularis resupinata L. var. *resupinata*

Pedicularis resupinata L. var. *umbrosa* (Kom.) Nakai, Fl. Sylv. Kor. 14: 68 1923 Ⓛ

국명: 그늘송이풀(Geu-neul-song-i-pul), 구슬송이풀, 멍울송이풀

영명: Shady lousewort

Pedicularis resupinata L. f. *umbrosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 449 1907

Pedicularis sceptrumcarolinum L., Sp. Pl. 2: 608 1753

국명: 대송이풀(Dae-song-i-pul), 민송이풀 / (북한명) 대송이풀

영명: **Moor king lousewort**

Pedicularis scepriumcarolinum L. var. *pubescens* Bunge, Fl. Ross. (Ledeb.) 3: 303 1847

Pedicularis scepriumcarolinum L. f. *pubescens* (Bunge) Kitag., Neolin. Fl. Manshur. 568 1979

Pedicularis spicata Pall., Reise Russ. Reich. 3: 738 1776 Ⓢ

국명: 이삭송이풀(I-sak-song-i-pul), 꼭지송이풀 / (북한명) 이삭송이풀, 꼭지송이풀

영명: **Spicate lousewort**

Pedicularis spicata Pall. var. *sesinowii* Bonati, Bull. Soc. Bot. Genève ser.2, 1: 328 1912

Pedicularis verticillata L., Sp. Pl. 2: 608 1753 Ⓢ

국명: 구름송이풀(Gu-reum-song-i-pul), 고산송이풀, 올송이풀 / (북한명) 구름송이풀

영명: **Whorled-leaf lousewort**

Pediculariopsis verticillata (L.) Á.Löve & D.Löve, Bot. Not. 128: 519 1975

Phtheirospermum Bunge ex Fisch. & C.A.Mey. 나도송이풀속

Phtheirospermum japonicum (Thunb.) Kanitz, Anthophyta Jap. Legit Emanuel Weiss 12 1878

국명: **나도송이풀**(Na-do-song-i-pul)

영명: **Sticky phtheirospermum**

Gerardia japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 553 1784

Phtheirospermum chinense Bunge, Index Seminum [St.Petersburg (Petropolitanus)] 1: 35 1835

Pseudolysimachion Opiz 꼬리풀속

Pseudolysimachion dauricum (Steven) Holub, Folia Geobot. Phytotax. 2: 424 1967

국명: 구와꼬리풀(Gu-wa-kko-ri-pul), 가새꼬리풀, 난퇴꼬리풀, 털구와꼬리풀

영명: **Dahurian spike speedwell**

Veronica daurica Steven, Mém. Soc. Imp. Naturalistes Moscou 5: 339 1817

Pseudolysimachion kiusianum (Furumi) Holub, Folia Geobot. Phytotax. 2: 424 1967

국명: 넓은잎꼬리풀(Neol-beun-ip-kko-ri-pul), 여우꼬리풀, 여호꼬리풀, 큰꼬리풀, 큰산꼬리풀, 털넓은잎꼬리풀 / (북한명) 여우꼬리풀

영명: **Long-hairy spike speedwell**

Veronica kiusiana Furumi, Bot. Mag. (Tokyo) 30: 122 1916

Pseudolysimachion kiusianum (Furumi) Holub var. *villosum* (Furumi) T.Yamaz., J. Jap. Bot. 43: 410 1968

Pseudolysimachion kiusianum (Furumi) Holub subsp. ***kiusianum*** var. ***kiusianum***

Pseudolysimachion kiusianum (Furumi) Holub subsp. ***kiusianum*** var. ***diamantiacum*** (Nakai) T.Yamaz., J.

Jap. Bot. 43: 409 1968 Ⓣ Ⓢ

■ SCROPHULARIACEAE 현삼과

국명: 봉래꼬리풀(Bong-rae-kko-ri-pul), 좀꼬리풀

영명: Geumgangsan spike speedwell

Veronica diamantiaca Nakai, Bot. Mag. (Tokyo) 31: 29 1917

Veronica kiusiana Furumi var. *diamantiaca* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 136 1957

Pseudolysimachion ovatum (Nakai) T.Yamaz. var. *diamantiacum* (Nakai) T.Yamaz., Korean Endemic Pl. 158 2004

Pseudolysimachion diamantiacum (Nakai) M.Kim, Korean Endemic Pl. 289 2017

Pseudolysimachion kiusianum* (Furumi) Holub var. *kiusianum

***Pseudolysimachion kiusianum* (Furumi) Holub var. *glabrifolium* (Kitag.) T.Yamaz.**, Bull. Kwanak Arbor. 4: 55 1983

국명: 큰산꼬리풀(Keun-san-kko-ri-pul)

영명: Smooth-leaf spike speedwell

Veronica glabrifolia Kitag., J. Jap. Bot. 17: 238 1941

Veronica luxuriana Ledeb. var. *glabrifolia* (Kitag.) Nakai, J. Jap. Bot. 19: 16 1943

Veronica kiusiana Furumi var. *glabrifolia* (Kitag.) Kitag., Neolin. Fl. Manshur. 572 1979

***Pseudolysimachion linariifolium* (Pall. ex Link) Holub, Folia Geobot. Phytotax. 2: 423 1967**

국명: 꼬리풀(Kko-ri-pul), 가는잎꼬리풀, 자주꼬리풀 / (북한명) 가는잎꼬리풀

영명: Linear-leaf spike speedwell

Veronica linariifolia Pall. ex Link, Jahrb. Gewachsk. 1: 35 1820

Pseudolysimachion linariifolium* (Pall. ex Link) Holub var. *linariifolium

***Pseudolysimachion linariifolium* (Pall. ex Link) Holub var. *dilatatum* (Nakai & Kitag.) Y.N.Lee, Gen. Vasc. Pl. Korea 878 2007**

국명: 큰꼬리풀(Keun-kko-ri-pul)

영명: Large linear-leaf spike speedwell

Veronica linariifolia Pall. ex Link var. *dilatata* (Nakai & Kitag.) Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 45 1936

Pseudolysimachion linariifolium (Pall. ex Link) Holub subsp. *dilatatum* (Nakai & Kitag.) D.Y.Hong, Vasc. Pl. Hengduan Mount. 2: 1767 1994

***Pseudolysimachion linariifolium* (Pall. ex Link) Holub var. *vilosulum* (Furumi) T.Yamaz.**, Bull. Kwanak Arbor. 4: 57 1983

국명: 털꼬리풀(Teol-kko-ri-pul)

Veronica villosula Nakai, Bot. Mag. (Tokyo) 29: 4 1915

Veronica linariifolia Pall. ex Link var. *villosula* (Nakai) T.B.Lee, Ill. Fl. Kor. 675 1980

***Pseudolysimachion longifolium* (L.) Opiz, Seznam 80 1852**

국명: **간산꼬리풀**(Gin-san-kko-ri-pul), 가는산꼬리풀, 가는잎꼬리풀, 가는잎산꼬리풀, 산꼬리풀, 좀꼬리풀 /
(북한명) 간산꼬리풀, 싸할꼬리풀

영명: **Long-leaf spike speedwell**

Veronica longifolia L., Sp. Pl. 1: 10 1753

Pseudolysimachion nakaianum (Ohwi) T.Yamaz., J. Jap. Bot. 43: 411 1968 Ⓟ

국명: **섬꼬리풀**(Seom-kko-ri-pul) / (북한명) 섬꼬리풀

영명: **Ulleungdo spike speedwell**

Veronica nakaiana Ohwi, Acta Phytotax. Geobot. 7: 29 1938

! *Veronica insularis* Nakai, Bot. Mag. (Tokyo) 31: 29 1917

! *Pseudolysimachion insulare* (Nakai) T.Yamaz., Bull. Kwanak Arbor. 4: 58 1983

Pseudolysimachion ovatum (Nakai) T.Yamaz., J. Jap. Bot. 43: 409 1968

국명: **넓은산꼬리풀**(Neol-beun-san-kko-ri-pul), 넓은잎탐나꼬리풀, 여우꼬리풀, 제주꼬리풀, 탐나꼬리풀,
탐라꼬리풀 / (북한명) 넓은잎산꼬리풀

영명: **Jejudo spike speedwell**

Veronica ovata Nakai, Bot. Mag. (Tokyo) 29: 3 1915

Pseudolysimachion pusanensis (Y.N.Lee) Y.N.Lee, Bull. Korea Pl. Res. 5: 55 2005 Ⓟ ⓚ

국명: **부산꼬리풀**(Bu-san-kko-ri-pul)

Veronica pusanensis Y.N.Lee, Bull. Korea Pl. Res. 4: 16 2004

Pseudolysimachion pyrethrinum (Nakai) T.Yamaz., J. Jap. Bot. 43: 410 1968 Ⓟ ⓚ

국명: **큰구와꼬리풀**(Keun-gu-wa-kko-ri-pul), 가새잎꼬리풀 / (북한명) 가새잎꼬리풀

영명: **Large spike speedwell**

Veronica pyrethrina Nakai, J. Jap. Bot. 19: 160 1943

Pseudolysimachion pyrethrinum (Nakai) T.Yamaz. var. ***pyrethrinum***

Pseudolysimachion pyrethrinum (Nakai) T.Yamaz. var. ***gasanensis*** M.Kim & H.Jo, Korean Endemic Pl. 293

국명: **애기구와꼬리풀**(Ae-gi-gu-wa-kko-ri-pul) 2017 Ⓟ

Pseudolysimachion rotundum (Nakai) Holub, Folia Geobot. Phytotax. 2: 423 1967

국명: **둥근산꼬리풀**(Dung-geun-san-kko-ri-pul), 가야꼬리풀, 둉근꼬리풀, 둉글잎꼬리풀, 지리산꼬리풀 /
(북한명) 둉굴잎꼬리풀

영명: **Round-leaf spike speedwell**

Veronica rotunda Nakai, Bot. Mag. (Tokyo) 29: 3 1915

Pseudolysimachion rotundum (Nakai) Holub var. ***rotundum***

■ SCROPHULARIACEAE 현삼과

Pseudolysimachion rotundum (Nakai) Holub var. ***coreanum*** (Nakai) T.Yamaz., J. Jap. Bot. 43: 411 1968

국명: **지리산고리풀**(Ji-ri-san-kko-ri-pul)

영명: **Korean spike speedwell**

Veronica coreana Nakai, Bot. Mag. (Tokyo) 32: 228 1918

Veronica rotunda Nakai var. *coreana* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 142 1957

Pseudolysimachion rotundum (Nakai) Holub var. ***subintegrum*** (Nakai) T.Yamaz., J. Jap. Bot. 43: 411 1968

국명: **산고리풀**(San-kko-ri-pul)

영명: **Mountain spike speedwell**

Veronica spuria L. var. *subintegra* Nakai, Bot. Mag. (Tokyo) 25: 62 1911

Veronica subsessilis Furumi var. *subintegra* (Nakai) Nakai, J. Jap. Bot. 19: 86 1943

Veronica rotunda Nakai var. *subintegra* (Nakai) T.Yamaz., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 142 1957

Scrophularia Tourn. ex L. 현삼속

Scrophularia alata A.Gray, Mem. Amer. Acad. Arts n.s. 6: 401 1859

국명: **개현삼**(Gae-hyeon-sam), **설령개현삼** / (북한명) 돌현삼

영명: **Gray's figwort**

Scrophularia borealikoreana Nakai, J. Jap. Bot. 14: 632 1938

Scrophularia grayana Maxim. ex Kom. var. *borealikoreana* (Nakai) T.Yamaz., J. Jap. Bot. 37: 264 1962

Scrophularia alata A.Gray var. *borealikoreana* (Nakai) Kitag., Neolin. Fl. Manshur. 570 1979

! *Scrophularia grayana* Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 416 1907

Scrophularia buergeriana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 166 1865

국명: **현삼**(Hyeon-sam) / (북한명) 현삼

영명: **Buerger's figwort**

Scrophularia oldhamii Oliv., J. Linn. Soc., Bot. 9: 167 1867

Scrophularia cephalantha Nakai, J. Jap. Bot. 14: 634 1938 ⑤

국명: **몽울토현삼**(Mong-ul-to-hyeon-sam), **몽울개현삼**, **미륵개현삼**, **통영현삼** / (북한명) 몽울돌현삼

영명: **Headed-flower figwort**

Scrophularia kakudensis Franch., Bull. Soc. Bot. France 26: 87 1879

국명: **큰개현삼**(Keun-gae-hyeon-sam), **큰돌현삼**, **큰현삼**, **일월토현삼**, **좀현삼**, **작은잎현삼**, **제주현삼** / (북한명) **큰돌현삼**, **작은잎큰돌현삼**

영명: **Mountain figwort**

Scrophularia latisepala Kitag., Bot. Mag. (Tokyo) 49: 230 1935

Scrophularia koraiensis Nakai var. *velutina* Sakata, Acta Phytotax. Geobot. 7: 16 1938

Scrophularia pilosa Nakai, J. Jap. Bot. 14: 633 1938

Scrophularia kakudensis Franch. var. *microphylla* Nakai, J. Jap. Bot. 14: 637 1938

Scrophularia buergeriana Miq. var. *quelpartensis* T.Yamaz., J. Jap. Bot. 23: 85 1948

Scrophularia kakudensis Franch. var. *latisepala* (Kitag.) Kitag., J. Jap. Bot. 25: 44 1950

Scrophularia toyamae Hatus. ex T.Yamaz., J. Jap. Bot. 25: 215 1950

***Scrophularia koraiensis* Nakai, Bot. Mag. (Tokyo) 23: 189 1909 (E) (R)**

국명: 토현삼(To-hyeon-sam) / (북한명) 토현삼

영명: Korean figwort

Scrophularia erecta Stiefelh., Bot. Jahrb. Syst. 44: 458 1910

Scrophularia maximowiczii Gorschk., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 14: 441 1951

***Scrophularia takesimensis* Nakai, J. Jap. Bot. 14: 635 1938 (E) (R)**

국명: 섬현삼(Seom-hyeon-sam), 섬개현삼 / (북한명) 섬현삼

영명: Ulleungdo figwort

Scrophularia grayana Maxim. ex Kom. var. *takesimensis* (Nakai) T.Yamaz., J. Jap. Bot. 37: 264 1962

***Siphonostegia* Benth. 절국대속**

***Siphonostegia chinensis* Benth., Bot. Beechey Voy. 203 1837**

국명: 절국대(Jeol-guk-dae), 절굿대, 절굿때 / (북한명) 절국대

영명: Asian siphonostegia

***Veronica* L. 개불알풀속**

Veronica serpyllifolia* L. subsp. *serpyllifolia

***Veronica serpyllifolia* L. subsp. *humifusa* (Dicks.) Syme, Engl. Bot. ed. 3B 6: 158 1866**

국명: 방패꽃(Bang-pae-kkot)

영명: Bright-blue speedwell

Veronica humifusa Dicks., Trans. Linn. Soc. London 2: 288 1795

Veronica serpyllifolia L. var. *humifusa* (Dicks.) Vahl, Enum. Pl. (Vahl) 1: 65 1805

Veronica stelleri* Pall. ex Link var. *stelleri

***Veronica stelleri* Pall. ex Link var. *longistyla* Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 127 1942**

국명: 두메투구꽃(Du-me-tu-gu-kkot), 덩굴꼬리풀, 두메꼬리풀, 두메투구풀, 방패꽃 / (북한명) 두메꼬리풀

영명: High-mountain speedwell

Veronica tenella All., Fl. Pedem. 1: 75, Pl. 22, f. 1 1785

Veronica stelleri Pall. ex Link var. *longistyla* Kitag. f. *rufescens* Y.N.Lee, Fl. Korea (Lee) 1161 1996

***Veronica tubiflora* Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 2: 53 1836**

■ SCROPHULARIACEAE 현삼과

국명: 벼들잎꼬리풀(Beo-deul-ip-kko-ri-pul) / (북한명) 벼들잎꼬리풀

영명: Willow-leaf veronicastrum

Paederota angustifolia Turcz. ex Besser, Flora 17(1, Beibl.): 1 1834

Leptandra tubiflora (Fisch. & C.A.Mey.) Fisch. & C.A.Mey., Ann. Sci. Nat., Bot. ser. 2, 5: 301 1836

Leptandra meyeri G.Don, Gen. Hist. 4: 579 1837

Paederota tubiflora (Fisch. & C.A.Mey.) Walp., Ann. Bot. Syst. 3: 370 1848

Veronicastrum tubiflorum (Fisch. & C.A.Mey.) H.Hara, J. Jap. Bot. 16: 53 1940

Veronica undulata Wall., Fl. Ind. (Carey & Wall. ed.) 1: 147 1820

국명: 물칭개나물(Mul-ching-gae-na-mul), 물꼬리풀

영명: Undulate speedwell

Veronicastrum Heist. ex Fabr. 냉초속

Veronicastrum sibiricum (L.) Pennell, Acad. Nat. Sci. Philadelphia Monogr. 1: 321 1935

국명: 냉초(Naeng-cho), 민냉초, 민들냉초, 숨위나물, 시베리아냉초, 좁은잎냉초, 털냉초 / (북한명) 냉초

영명: Siberian veronicastrum

Veronica sibirica L., Sp. Pl. (ed.2) 1: 12 1762

Eustachya japonica Raf., Ann. Gen. Sci. Phys. 6: 97 1820

Leptandra japonica (Raf.) Raf., Med. Fl. 2: 21 1830

Leptandra sibiricus (L.) Nutt. ex G.Don, Gen. Hist. 4: 579 1837

Veronica japonica (Raf.) Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 757 1841

Veronica virginica L. var. *japonica* Nakai, Bot. Mag. (Tokyo) 26: 170 1912

Veronica virginica L. var. *sibirica* (L.) Nakai, Bot. Mag. (Tokyo) 26: 170 1912

Veronica virginica L. var. *zuccarinii* Koidz., Bot. Mag. (Tokyo) 44: 112 1930

Veronicastrum sibiricum (L.) Pennell var. *japonicum* (Nakai) H.Hara, J. Jap. Bot. 16: 160 1940

Veronicastrum sibiricum (L.) Pennell var. *yezoense* H.Hara, J. Jap. Bot. 16: 161 1940

Veronicastrum sibiricum (L.) Pennell var. *zuccarinii* (Koidz.) H.Hara, J. Jap. Bot. 16: 160 1940

Veronica sibirica L. var. *glabra* Nakai, J. Jap. Bot. 19: 5 1943

Veronica sibirica L. var. *zuccarinii* (Koidz.) Nakai, J. Jap. Bot. 19: 9 1943

Veronicastrum sibiricum (L.) Pennell f. *albiflorum* N.Yonez., J. Phytogeogr. Taxon. 32: 126 1984

Veronicastrum japonicum (Nakai) T.Yamaz. f. *albiflorum* (Akasawa) T.Yamaz., Fl. Jap. (Iwatsuki et al., eds.) 3a: 347 1993

ACANTHACEAE 줘꼬리망초과

Hygrophila R.Br. 물잎풀속

Hygrophila ringens (L.) R.Br. ex Spreng., Syst. Veg. (ed. 16) 2: 828 1825

국명: 물잎풀(Mul-ip-pul)

영명: Erect hygrophila

Ruellia ringens L., Sp. Pl. 2: 635 1753

Justicia lancea Thunb., Trans. Linn. Soc. London 2: 338 1794

Ruellia salicifolia Vahl, Symb. Bot. (Vahl) 3: 84 1794

Hygrophila salicifolia (Vahl) Nees, Pl. Asiat. Rar. 3: 81 1832

Hygrophila lancea (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 123 1866

***Justicia* L. 주꼬리망초속**

***Justicia procumbens* L.**, Sp. Pl. 1: 15 1753

국명: 주꼬리망초(Jwi-kko-ri-mang-cho), 무릎꼬리풀, 주꼬리망풀

영명: Oriental water-willow

Justicia japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 63 1784

Justicia procumbens L. var. *leucantha* Honda, Bot. Mag. (Tokyo) 44: 669 1930

Justicia procumbens L. var. *leucantha* Honda f. *japonica* (Thunb.) H.Hara, Enum. Sperm. Jap. 1: 294 1948

***Peristrophe* Nees 입술망초속**

***Peristrophe japonica* (Thunb.) Bremek.**, Boissiera 7: 194 1943

국명: 입술망초(Ip-sul-mang-cho)

영명: Small magenta plant

Dianthera japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 64 1784

Justicia crinita Thunb., Fl. Jap. (Thunberg) 20 1784

Dicliptera crinita (Thunb.) Nees, Prodr. (DC.) 11: 485 1847

Dicliptera japonica (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 90 1903

Dicliptera japonica (Thunb.) Makino var. *subrotunda* Matsuda, Bot. Mag. (Tokyo) 31: 295 1917

Peristrophe japonica (Thunb.) Bremek. var. *subrotunda* (Matsuda) Murata & Terao, Acta Phytotax. Geobot. 48: 89 1981

***Strobilanthes* Blume 방울꽃속**

***Strobilanthes oliganthus* Miq.**, Ann. Mus. Bot. Lugduno-Batavi 2: 124 1865

국명: 방울꽃(Bang-ul-kkot), 광대나물아재비, 자운채, 자주구름꽃

영명: Few-flower conehead

Strobilanthes coreana H.Lév., Repert. Spec. Nov. Regni Veg. 12: 19 1913

Championella oligantha (Miq.) Bremek., Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk. Tweede Sect. 2, 41: 150 1944

Championella coreana (H.Lév.) E.Hossain, Notes Roy. Bot. Gard. Edinburgh 32: 405 1973

PEDALIACEAE 참깨과

***Trapella* Oliv. 수염마름속**

***Trapella sinensis* Oliv.**, Hooker's Icon. Pl. ser. 3, 16: t. 1595 1887

국명: 세수염마름(Se-su-yeom-ma-reum), 수염마름 / (북한명) 수염마름

■ PEDALIACEAE 참깨과

영명: Three-appendage trapella

Trapella sinensis Oliv. var. *sinensis*

Trapella sinensis Oliv. var. *antennifera* (H.Lév.) H.Hara, J. Jap. Bot. 17: 382 1941 Ⓢ

국명: 수염마름(Su-yeom-ma-reum)

영명: Five-appendage trapella

Trapella antennifera (H.Lév.) Glück, Bot. Jahrb. Syst. 70: 149 1939

OROBANCHACEAE 열당과

Aeginetia L. 0고속

Aeginetia indica L., Sp. Pl. 2: 632 1753 Ⓢ

국명: 야고(Ya-go), 담배대더부살이

영명: Indian broomrape

Orobanche aeginetia L., Sp.Pl. (ed.2) 2: 883 1763

Phelipaea indica (L.) Spreng. ex Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 318 1842

Aeginetia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 341 1846

Aeginetia boninensis Nakai, Bot. Mag. (Tokyo) 45: 134 1931

Boschniakia C.A.Mey. 오리나무더부살이속

Boschniakia rossica (Cham. & Schltl.) B.Fedtsch., Fl. Eur. Ross. 896 1910

국명: 오리나무더부살이(O-ri-na-mu-deo-bu-sal-i), 오리나무더부사리, 육종용 / (북한명) 오리더부살이

영명: Northern groundcone

Orobanche rossica Cham. & Schltl., Linnaea 3: 132 1828

Boschniakia glabra C.A.Mey. ex Bong., Mem. Acad. Imp. Sci. St.-Petersbourg, Ser. 6, Sci. Math., Seconde Pt. Sci. Nat. 2: 157 1833

Orobanche glabra (C.A.Mey. ex Bong.) Hook., Fl. Bor.-Amer. (Hooker) 2: 91 1840

Lathraea L. 개종용속

Lathraea japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 205 1867 Ⓢ

국명: 개종용(Gae-jong-yong), 산더부사리, 산더부살이 / (북한명) 산더부살이

영명: Mountain toothwort

Lathraea miquelianana Franch. & Sav., Enum. Pl. Jap. 2: 461 1879

Lathraea nakaharae Makino, Bot. Mag. (Tokyo) 28: 156 1914

Lathraea chinfushanica Hu & T.Tang, Bull. Fan Mem. Inst. Biol. Bot. 5: 315 1934

Lathraea japonica Miq. var. *miquelianana* (Franch. & Sav.) Ohwi, Fl. Jap., revised ed., [Ohwi] 811 1965

***Monochasma* Maxim. ex Franch. & Sav. 치자풀속**

Monochasma sheareri (S. Moore) Maxim. ex Franch. & Sav., Enum. Pl. Jap. 2: 458 1876

국명: 치자풀(Chi-ja-pul-sok), 변산불살이풀

Bungea sheareri S. Moore, J. Bot. 13: 22 1875

Monochasma japonicum (Maxim.) Makino, J. Jap. Bot. 7: 29 1931

***Orobanche* L. 초종용속**

Orobanche coerulescens Stephan, Sp. Pl. (ed. 4) 3: 349 1800 ®

국명: 초종용(Cho-jong-yong), 개더부사리, 갯더부살이, 사철더부살이, 사철쑥더부살이, 쑥더부살이, 열당 /
(북한명) 갯더부살이, 초종용

영명: Skyblue broomrape

Orobanche ammophila C.A. Mey., Fl. Altaic. 2: 454 1830

Orobanche canescens Bunge, Enum. Pl. Chin. Bor. 50 1831

Orobanche coerulescens Stephan f. *pekinensis* Beck, Monogr. Orobanche 138 1890

Orobanche bodinieri H. Lév., Repert. Spec. Nov. Regni Veg. 9: 451 1911

Orobanche mairei H. Lév., Repert. Spec. Nov. Regni Veg. 12: 285 1913

Orobanche nipponica Makino, J. Jap. Bot. 5: 40 1928

Orobanche japonensis Makino, J. Jap. Bot. 6: 9 1929

Orobanche pycnostachya Hance var. *yunnanensis* Beck, Pflanzenr. (Engler) IV. 261(Heft 96): 118 1930

Orobanche akiana Honda, Bot. Mag. (Tokyo) 46: 676 1932

Orobanche korshinskyi Novopokr., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.R. 13: 311 1950

Orobanche coerulescens Stephan f. *korshinskyi* (Novopokr.) Ma, Fl. Intramongol. 5: 309 1980

Orobanche filicicola Nakai ex J.O. Hyun, Novon 13: 64 2003 E ®

국명: 백양더부살이(Baek-yang-deo-bu-sal-i), 쑥더부사리

영명: Baekyang broomrape

Orobanche pycnostachya Hance, J. Linn. Soc., Bot. 13: 84 1873

국명: 황종용(Hwang-jong-yong), 노랑개더부사리, 노랑갯더부살이, 노랑쑥더부사리, 노랑쑥더부살이 /
(북한명) 노랑갯더부사리

영명: Yellow-flower broomrape

Orobanche pycnostachya Hance var. *pycnostachya*

Orobanche pycnostachya Hance var. *amurensis* Beck, Monogr. Orobanche 141 1890

국명: 압록더부살이(Ap-rok-deo-bu-sal-i), 더부살이, 아무르더부살이, 조선더부사리

Orobanche amurensis (Beck) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 469 1907

Orobanche ussuriensis Novopokr., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 12: 274 1950

■ OROBANCHACEAE 열당과

Phacellanthus Siebold & Zucc. 가지더부살이속

Phacellanthus tubiflorus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 141 1846

국명: 가지더부살이(Ga-ji-deo-bu-sal-i), 가지더부사리, 노랑더부살이, 횡통화 / (북한명) 가지더부사리

영명: *Tubiflorous phacellanthus*

Phacellanthus continentalis Kom., Bull. Acad. Imp. Sci. Saint-Pétersbourg 7: 273 1930

Tienmuia triandra Hu, Bull. Fan Mem. Inst. Biol. Bot. 9: 6 1939

LENTIBULARIACEAE 통발과

Pinguicula L. 벌레잡이속

Pinguicula villosa L., Sp. Pl. 1: 17 1753

국명: 털잡이제비꽃(Teol-jap-i-je-bi-kkot), 벌레오랑캐

영명: Hairy butterwort

Pinguicula vulgaris L. var. *vulgaris*

Pinguicula vulgaris L. var. *macroceras* (Pall. ex Link) Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 380 1873

국명: 벌레잡이제비꽃(Beol-re-jap-i-je-bi-kkot), 벌레오랑캐, 벌레잡이오랑캐 / (북한명) 벌레잡이제비꽃

영명: California butterwort

Pinguicula macroceras Pall. ex Link, Jahrb. Gewachsk. 1: 54 1820

Pinguicula vulgaris L. subsp. *macroceras* (Pall. ex Link) Calder & Roy L. Taylor, Canad. J. Bot. 43: 1399 1965

Utricularia L. 땅귀개속

Utricularia aurea Lour., Fl. Cochinch. 1: 26 1790 Ⓢ

국명: 들통발(Deul-tong-bal), 들통말

영명: Asian golden bladderwort

Utricularia flexuosa Vahl, Enum. Pl. (Vahl) 1: 198 1804

Utricularia fasciculata Roxb., Hort. Bengal. 4 1814

Utricularia confervifolia Jacks. & D.Don, Prodr. Fl. Nepal. 84 1825

Utricularia macrocarpa Wall., Numer. List 1429 1829

Utricularia flexuosa Vahl var. *blumei* A.DC., Prodr. (DC.) 8: 24 1844

Utricularia inaequalis Benj., Linnaea 20: 304 1847

Utricularia calumpitensis Llanos, Fragm. Pl. Filip. 11 1851

Utricularia extensa Hance, Ann. Bot. Syst. 3: 3 1852

Utricularia reclinata Hassk., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. 4: 161 1855

Utricularia blumei (A.DC.) Miq., Fl. Ned. Ind. 2: 997 1859

Utricularia vulgaris Nakai var. *pilosa* Makino, Bot. Mag. (Tokyo) 9: 111 1895

Utricularia pilosa (Makino) Makino, Bot. Mag. (Tokyo) 11: 70 1897

***Utricularia bifida* L., Sp. Pl. 1: 18 1753 ⑧**

국명: 땅귀개(Ttang-gwi-gae), 땅귀이개 / (북한명) 땅귀개

영명: **Bifid bladderwort**

Utricularia recurva Lour., Fl. Cochinch. 1: 26 1790

Utricularia humilis Vahl, Enum. Pl. (Vahl) 1: 203 1804

Utricularia antirrhinoides Wall., Numer. List. 1498 1829

Utricularia alata Benj., Bot. Zeitung (Berlin) 3: 212 1845

Utricularia brevicaulis Benj., Linnaea 2: 303 1847

Utricularia sumatrana Miq., Fl. Ned. Ind. 2: 998 1859

***Utricularia caerulea* L., Sp. Pl. 1: 18 1753 ⑧**

국명: 이삭귀개(I-sak-gwi-gae), 이삭귀이개, 수원땅귀개, 수원땅귀이개 / (북한명) 이삭귀개

영명: **Dense-flower bladderwort**

Utricularia racemosa Wall. ex Walp., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. Suppl. 1, 19: 401 1843

Calpidisca takenakai Nakai, J. Jap. Bot. 17: 193 1941

***Utricularia intermedia* Hayne, J. Bot. (Schrader) 1: 18 1800**

국명: 개통발(Gae-tong-bal), 개통말, 깨통발, 애기통발 / (북한명) 애기통발

영명: **Flat-leaf bladderwort**

Utricularia alpina Georgi, Beschr. Nation. Russ. Reich 4: 655 1800

Utricularia media Schumach., Enum. Pl. (Schumacher) 1: 9 1801

Utricularia millefolium Nutt. ex Tuck., Amer. J. Sci. Arts 14: 28 1843

Utricularia grafiana Koch, Flora 30: 265 1847

Lentibularia intermedia (Hayne) Nieuwl. & Lunell, Amer. Midl. Naturalist 5: 9 1917

***Utricularia japonica* Makino, Bot. Mag. (Tokyo) 28: 28 1914 ⑧**

국명: 통발(Tong-bal) / (북한명) 통발

영명: **Common bladderwort**

Utricularia vulgaris Nakai var. *japonica* (Makino) T.Yamanaka, Acta Phytotax. Geobot. 15: 32 1953

***Utricularia minor* L., Sp. Pl. 1: 18 1753**

국명: 실통발(Sil-tong-bal), 좀통발

영명: **Lesser bladderwort**

Utricularia rogersiana Lace, Bull. Misc. Inform. Kew 1915: 404 1915

Utricularia minor L. var. *multispinosa* Miki, Bot. Mag. (Tokyo) 48: 337 1934

Utricularia multispinosa (Miki) Miki, Water Phaner. Jap. 109 1937

Utricularia nepalensis Kitam., Acta Phytotax. Geobot. 15: 133 1954

***Utricularia ochroleuca* R.W.Hartm., Bot. Not. 1857: 30 1857 ⑧**

■ LENTIBULARIACEAE 통발과

국명: 북통발(Buk-tong-bal)

영명: Yellowish-white bladderwort

Utricularia tenuicaulis Miki, Bot. Mag. (Tokyo) 49: 847 1935

국명: 참통발(Cham-tong-bal)

Utricularia uliginosa Vahl, Enum. Pl. (Vahl) 1: 203 1804 Ⓢ

국명: 자주땅귀개(Ja-ju-ttang-gwi-gae), 자주땅귀이개 / (북한명) 자주땅귀개

영명: Purple-flower bladderwort

Utricularia yakusimensis Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 4: 409 1934

PHRYMACEAE 파리풀과

Phryma L. 파리풀속

Phryma leptostachya L. var. *leptostachya*

Phryma leptostachya L. var. *oblongifolia* (Koidz.) Honda, Bot. Mag. (Tokyo) 50: 608 1936

국명: 파리풀(Pa-ri-pul), 꼬리창풀 / (북한명) 파리풀, 파리잡이풀

영명: Asian lopseed

Phryma oblongifolia Koidz., Bot. Mag. (Tokyo) 43: 400 1929

Phryma humilis Koidz., Acta Phytotax. Geobot. 8: 192 1939

Phryma nana Koidz., Acta Phytotax. Geobot. 8: 191 1939

Phryma leptostachya L. var. *asiatica* H.Hara, Enum. Sperm. Jap. 1: 297 1948

Phryma leptostachya L. var. *humilis* (Koidz.) H.Hara, Enum. Sperm. Jap. 1: 297 1948

Phryma leptostachya L. var. *nana* (Koidz.) H.Hara, Enum. Sperm. Jap. 1: 297 1948

Phryma leptostachya L. subsp. *asiatica* (H.Hara) Kitam., Acta Phytotax. Geobot. 17: 7 1957

PLANTAGINACEAE 질경이과

Callitricha L. 별이끼속

Callitricha japonica Engelm. ex Hegelm., Verh. Bot. Vereins Prov. Brandenburg 10: 113 1868

국명: 별이끼(Byeol-i-kki), 개구리자리풀, 마당자리풀

영명: Oriental water-starwort

Callitricha nana B.C.Ho & Vo, Floribunda. Sisipan 2: 59 2003

Callitricha palustris L., Sp. Pl. 2: 969 1753

국명: 물별이끼(Mul-byeol-i-kki), 긴잎별이끼, 물자리풀 / (북한명) 물별이끼

영명: Vernal water-starwort

Callitrichie verna L., Fl. Suec. (ed. 2) 3 1755

Callitrichie dubia Hoffm. ex Roth, Tent. Fl. Germ. 1: 389 1788

Callitrichie tenuifolia Thuill. ex Pers., Syn. Pl. (Persoon) 1: 6 1805

Callitrichie pallens Goldb., Mém. Soc. Imp. Naturalistes Moscou 5: 118 1817

Callitrichie vernalis Kütz., Linnaea 7: 175 1832

Callitrichie fallax Petrov, Izv. Glavn. Bot. Sada SSSR 27: 360 1928

Callitrichie verna L. var. *fallax* (Petrov) H.Hara, Bot. Mag. (Tokyo) 49: 866 1935

Plantago L. 질경이속

Plantago asiatica L., Sp. Pl. 1: 113 1753

국명: 질경이(Jil-gyeong-i), 길경, 길장구, 배부장이, 배합조개, 빠부쟁이, 빠뿌쟁이, 빠부장, 톱니질경이 / (북한명) 질경이

영명: Asian plantain

Plantago major L. var. *asiatica* (L.) Decne., Prodr. (DC.) 13: 694 1852

Plantago taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 283 1910

Plantago coreana H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 1910

Plantago alata Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 82 1914

Plantago asiatica L. var. *densiuscula* Pilg., Notizbl. Bot. Gart. Berlin-Dahlem 8: 108 1922

Plantago asiatica L. var. *lobulata* Pilg., Notizbl. Bot. Gart. Berlin-Dahlem 8: 109 1922

Plantago yezoensis Pilg., Notizbl. Bot. Gart. Berlin-Dahlem 8: 105 1922

Plantago formosana Tateishi & Masam., J. Soc. Trop. Agric. 4: 192 1932

Plantago asiatica L. var. *yezoensis* (Pilg.) H.Hara, Enum. Sperm. Jap. 1: 299 1948

Plantago asiatica L. f. *asiatica*

Plantago asiatica L. f. *yakusimensis* (Masam.) N.Ishik., J. Pl. Res. 119: 394 2006

국명: 섬질경이(Seom-jil-kyeong-i)

Plantago yakusimensis Masam., Bot. Mag. (Tokyo) 44: 220 1930

Plantago camtschatica Cham. ex Link, Enum. Hort. Berol. Alt. 1: 120 1821

국명: 개질경이(Gae-jil-gyeong-i), 갯질경이

영명: Kamchatka plantain

Plantago arctica Decne., Prodr. (DC.) 13: 700 1852

Plantago villifera Franch., Bull. Soc. Bot. France 26: 87 1879

Plantago depressa Willd. subsp. *camtschatica* (Link) Pilg., Repert. Spec. Nov. Regni Veg. 20: 16 1924

Plantago depressa Willd., Enum. Pl. (Willdenow) Suppl. 8 1814

국명: 털질경이(Teol-jil-gyeong-i), 긴잎질경이, 긴질경이, 누운털질경이 / (북한명) 털질경이

■ PLANTAGINACEAE 질경이과

영명: Depressed plantain

Plantago sibirica Poir., Encycl. (Lamarck) Suppl. 4: 433 1816

Plantago leptostachys Ledeb., Fl. Ross. (Ledeb.) 3: 479 1847

Plantago paludosa Turcz. ex Decne., Fl. Ross. (Ledeb.) 3: 478 1849

Plantago asiatica L. var. *decumbens* Turcz., Fl. Baical.-dahur. 2, 1: 12 1856

Plantago depressa Willd. var. *turczaninowii* Ganesch., Trudy Bot. Muz. Imp. Akad. Nauk 13: 193 1915

Plantago major L. var. *major*

Plantago major L. var. *japonica* (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 2: 532 1891

국명: 왕질경이(Wang-jil-gyeong-i), 큰질경이 / (북한명) 왕질경이

영명: Giant plantain

Plantago japonica Franch. & Sav., Enum. Pl. Jap. 2: 469 1878

Plantago major L. f. *major*

Plantago major L. f. *yezomaritima* (Koidz.) Ohwi, Fl. Jap. (Ohwi) 1077 1953

국명: 갯질경이(Gaet-jil-gyeong-i), 반짝잎개질경이, 벌질경이 / (북한명) 갯질경이

영명: Coastal glossy plantain

Plantago yezomaritima Koidz., Acta Phytotax. Geobot. 10: 142 1941

Plantago japonica Franch. & Sav. var. *yezomaritima* (Koidz.) H.Hara, Enum. Sperm. Jap. 1: 300 1948

Plantago multistachya S.H.Oh, Fl. Korea (Park) 6a: 132 2018

국명: 가지질경이(Ga-ji-jil-gyeong-i), 가지왕질경이, 섬질경이

영명: Island plantain

Plantago japonica Franch. & Sav. f. *polystachya* Makino, Bot. Mag. (Tokyo) 21: 158 1907

Plantago asiatica L. f. *polystachya* (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 105 1952

Plantago major L. var. *japonica* (Franch. & Sav.) Kuntze f. *polystachya* (Makino) T.Yamaz., Fl. Jap. (Iwatsuki et al., eds.)

3a: 385 1993

! *Plantago polystachya* (Makino) Y.Kim, Korea Univ. J. Sci. Tech. 16: 40 1975

CAPRIFOLIACEAE 인동과

Abelia R.Br. 댕강나무속

Abelia biflora Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 152 1837

국명: 텔댕강나무(Teol-daeng-gang-na-mu), 섬댕강나무 / (북한명) 텔댕강나무

Pedunculate abelia

Abelia shikokiana Makino, Bot. Mag. (Tokyo) 6: 55 1892

Abelia coreana Nakai, Bot. Mag. (Tokyo) 32: 108 1918

- Abelia insularis* Nakai, Bot. Mag. (Tokyo) 32: 109 1918
Zabelia shikokiana (Makino) Makino, Ill. Fl. Jap. Suppl. 1078 1950
Zabelia insularis (Nakai) Hirzel & H.Hara, J. Jap. Bot. 29: 143 1954
Zabelia coreana (Nakai) Hisauti & H.Hara, J. Jap. Bot. 29: 144 1954
Zabelia biflora (Turcz.) Makino var. *coreana* (Nakai) H.Hara, Ginkgoana 5: 132 1983
Zabelia biflora (Turcz.) Makino f. *insularis* (Nakai) H.Hara, Ginkgoana 5: 132 1983
Abelia coreana Nakai var. *insularis* (Nakai) W.T.Lee & W.K.Paik, Korean J. Pl. Taxon. 19: 11 1989
Abelia biflora Turcz. var. *insularis* (Nakai) M.Kim, Korean Endemic Pl. 322 2017
Zabelia biflora (Turcz.) Makino f. *insularis* (Nakai) M.Kim, Korean Endemic Pl. 339 2004

***Abelia densipila* (M.-P.Hong, Y.C.Kim & B.Y.Lee) M.Kim, Korean Endemic Pl. 323 2017 ⑤**

국명: 긴털댕강나무(Gin-teol-daeng-gang-na-mu)

Zabelia densipila M.-P.Hong, Y.C.Kim & B.Y.Lee, J. Spec. Reser. 1: 1 2012

***Abelia integrifolia* Koidz., Bot. Mag. (Tokyo) 29: 312 1915 ⑥**

국명: 바위댕강나무(Ba-wi-daeng-gang-na-mu)

영명: Entire-leaf abelia

Zabelia integrifolia (Koidz.) Makino ex Ikuse & S.Kuros., J. Jap. Bot. 29: 110 1954

***Abelia serrata* Siebold & Zucc., Fl. Jap. (Siebold) 1: 76 1839 ⑦**

국명: 좀댕강나무(Jom-daeng-gang-na-mu)

영명: Dwarf abelia

Linnaea buchwaldii Graebn., Bot. Jahrb. Syst. 29: 133 1900
Linnaea serrata (Siebold & Zucc.) Graebn., Bot. Jahrb. Syst. 29: 133 1900
Abelia buchwaldii (Graebn.) Rehder, Pl. Wilson. 1: 125 1911
Abelia serrata Siebold & Zucc. var. *congesta* Nakai, Trees Shrubs Japan Revis. Ed. 2: 622 1927
Abelia serrata Siebold & Zucc. var. *glaberrima* Nakai, Trees Shrubs Japan Revis. Ed. 2: 624 1927
Abelia serrata Siebold & Zucc. var. *buchwaldii* (Graebn.) Nakai, Trees Shrubs Japan Revis. Ed. 2: 622 1927
Abelia serrata Siebold & Zucc. var. *viridiramea* Makino, Ill. Fl. Nippon (Makino) 103 1940
Abelia serrata Siebold & Zucc. var. *viridis* Makino, Jissai-engei 26: 103 1940
Abelia serrata Siebold & Zucc. f. *colorata* Hiyama, J. Jap. Bot. 35: 160 1960

***Abelia spathulata* Siebold & Zucc., Fl. Jap. (Siebold) 1: 77 1839 ⑧**

국명: 주걱댕강나무(Ju-geok-daeng-gang-na-mu)

영명: Spatulate-leaf abelia

Abelia spathulata Siebold & Zucc. var. *elliptica* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 269 1866
Linnaea spathulata (Siebold & Zucc.) Graebn., Bot. Jahrb. Syst. 29: 142 1900
Linnaea spathulata (Siebold & Zucc.) Graebn. var. *elliptica* (Miq.) Matsum., Index Pl. Jap. 2: 598 1912
Abelia spathulata Siebold & Zucc. var. *micrantha* Nakai, Bot. Mag. (Tokyo) 41: 504 1927
Abelia spathulata Siebold & Zucc. f. *lucida* Makino, Genshoku yagai shokubutsu zufu 4: 255 1933

***Abelia tyaihyonii* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 58 1921 ⑨ ⑩**

■ CAPRIFOLIACEAE 인동과

국명: 줄댕강나무(Jul-daeng-gang-na-mu), 댕강나무 / (북한명) 줄댕강나무

영명: Taihyun's abelia

Zabelia tyaihyonii (Nakai) Hisauti & H.Hara, J. Jap. Bot. 29: 143 1954

Abelia mosanensis T.H.Chung ex Nakai, Bot. Mag. (Tokyo) 40: 171 1926

Zabelia mosanensis (T.H.Chung ex Nakai) Hisauti & H.Hara, J. Jap. Bot. 29: 143 1954

Abelia tyaihyonii Nakai var. *mosanensis* (T.H.Chung ex Nakai) M.Kim, Korean Endemic Pl. 324 2017

Linnaea Gronov. ex L. 린네풀속

Linnaea borealis L., Sp. Pl. 2: 631 1753

국명: 린네풀(Rin-ne-pul), 린네덩굴 / (북한명) 린네풀

영명: Twinflower

Linnaea borealis L. f. *arctica* Wittr., Acta Horti Berg. 4: 159 1907

Linnaea serpyllifolia Rydb., J. New York Bot. Gard. 8: 135 1907

Lonicera L. 인동속

Lonicera caerulea L., Sp. Pl. 1: 174 1753 ②

국명: 댕댕이나무(Daeng-daeng-i-na-mu), 개들쭉나무, 가는잎댕댕이, 넓은잎댕댕이, 둥근잎댕댕이, 마저지나무, 수염댕댕이, 넓은잎댕댕이, 넓은잎댕댕이나무, 둥근잎댕댕이, 둥근잎댕댕이나무, 애기댕댕이, 둥근잎마저지나무 / (북한명) 개들쭉, 마저지나무, 둥근잎마저지나무

영명: Edible deepblue honeysuckle

Lonicera edulis Turcz. ex Freyn, Fl. Baical.-dahur. 1: 524 1845

Lonicera reticulata Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 167 1852

Lonicera caerulea L. var. *edulis* Turcz. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 37: 205, 207 1864

Lonicera venulosa Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 542 1880

Caprifolium venulosum (Maxim.) Kuntze, Revis. Gen. Pl. 1: 274 1891

Lonicera caerulea L. var. *venulosa* (Maxim.) Rehder, Rep. (Annual) Missouri Bot. Gard. 14: 71 1903

Lonicera caerulea L. var. *emphylolocalyx* (Maxim.) Nakai, Trees Shrubs Japan Revis. ed. 1: 665, f. 300 1927

Lonicera caerulea L. subsp. *edulis* (Turcz.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 8: 144 1930

Lonicera caerulea L. var. *longibracteata* f. *ovata* H.Hara, Bot. Mag. (Tokyo) 51: 843 1937

Lonicera chrysanthra Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 388 1844

국명: 각시괴불나무(Gak-si-goe-bul-na-mu), 산괴불나무, 산괴불, 산아귀꽃나무, 절초나무 / (북한명) 산괴불나무

영명: Chrysanthia honeysuckle

Xylosteon gibbiflorum Rupr., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 430 1856

Lonicera xylosteum L. var. *chrysanthra* (Turcz.) Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 221 1857

Lonicera chrysanthra Turcz. ex Ledeb. var. *longipes* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 24: 44 1878

Lonicera gibbiflora (Rupr.) Dippel, Handb. Laubholzk. 1: 237 1889

Caprifolium chrysanthum (Turcz.) Kuntze, Revis. Gen. Pl. 1: 274 1891

Caprifolium gibbiflorum (Rupr.) Kuntze, Revis. Gen. Pl. 1: 274 1891

Lonicera chrysanthra Turcz. ex Ledeb. f. *villoa* Rehder, Rep. (Annual) Missouri Bot. Gard. 14: 140 1903

Lonicera chrysantha Turcz. ex Ledeb. var. *crassipes* Nakai, Trees Shrubs Japan Revis. ed. 1: 642, f. 288 1927

Lonicera longipes (Maxim.) Pojark., Fl. URSS 23: 555 1958

Lonicera chrysantha Turcz. ex Ledeb. subsp. *gibbipora* (Rupr.) Kitag., Neolin. Fl. Manshur. 587 1979

***Lonicera harae* Makino**, Bot. Mag. (Tokyo) 28: 123 1914

국명: 길마가지나무(Gil-ma-ga-ji-na-mu), 길마기나무, 숫명다래나무 / (북한명) 길마가지

영명: Early-blooming ivory honeysuckle

Lonicera coreana Nakai, Bot. Mag. (Tokyo) 29: 6 1915

Lonicera harae Makino var. *tashiroi* Nakai, Fl. Sylv. Kor. 11: 94 1921

Lonicera harae Makino var. *coreana* (Nakai) M.Kim, Korean Endemic Pl. 505 2017

***Lonicera insularis* Nakai**, Bot. Mag. (Tokyo) 31: 30 1917 ●

국명: 섬괴불나무(Seom-goe-bul-na-mu), 물앵도나무, 우단괴불나무 / (북한명) 섬괴불나무

영명: Ulleungdo honeysuckle

Lonicera morowii A.Gray var. *insularis* (Nakai) M.Kim, Korean Endemic Pl. 166 2004

***Lonicera japonica* Thunb.**, Syst. Veg. (ed. 14) [J. A. Murray] 216 1784

국명: 인동덩굴(In-dong-deong-gul), 금은화, 능박나무, 섬인동, 우단인동, 우단인동덩굴, 인동, 털인동덩굴 / (북한명) 인동덩굴

영명: Golden-and-silver honeysuckle

Lonicera flexuosa Thunb., Trans. Linn. Soc. London 2: 330 1794

Caprifolium japonicum (Thunb.) Dum.Cours., Bot. Cult. (ed. 2) 7: 209 1814

Xylosteon flexuosum Dum.Cours., Bot. Cult. (ed. 2) 7: 208 1814

Lonicera chinensis P.Watson, Dendrol. Brit. 2: t. 117 1825

Nントooa japonica (Thunb.) Sweet, Hort. Brit. (Sweet) (ed. 2) 258 1830

Lonicera brachypoda DC., Prodr. (DC.) 4: 335 1830

Lonicera repens Zippel ex Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 116 1844

Lonicera brachypoda DC. var. *repens* Siebold, Jaarb. Kon. Ned. Maatsch. Tuinb. 1844: 34 1844

Lonicera diversifolia Carrière, Rev. Hort. 1866: 99 1866

Lonicera japonica Thunb. var. *chinensis* (P.Watson) Baker, Refug. Bot. 4: Pl. 224 1871

Lonicera longiflora Carrière, Rev. Hort. 248 1873

Caprifolium brachypodium Gordon, Garden(London1871-1927)11: 88 1877

Lonicera flexuosa Thunb. var. *halleana* Dippel, Handb. Laubholzk. 1: 217 1889

Caprifolium japonicum (Thunb.) D.Don f. *subverticillare* Kuntze, Revis. Gen. Pl. 1: 273 1891

Lonicera japonica Thunb. var. *hallinna* (Dippel) W.A.Nicholson, Hand-list Trees & Shrubs Arb. 2: 17 1896

Lonicera japonica Thunb. var. *flexuosa* (Thunb.) W.A.Nicholson, Hand-list Trees & Shrubs Arb. 2: 17 1896

Lonicera japonica Thunb. f. *flexuosa* (Thunb.) Zabel, Handb. Laubholzben. 451 1903

Lonicera fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 100 1908

Lonicera japonica Thunb. var. *sempervillosa* Hayata, Icon. Pl. Formosan. 9: 48 1920

Lonicera shintenensis Hayata, Icon. Pl. Formosan. 9: 48 1920

Lonicera japonica Thunb. var. *repens* (Siebold) Rehder, J. Arnold Arbor. 7: 36 1926

Lonicera japonica Thunb. var. *brachypoda* Nakai, Trees Shrubs Japan Revis. Ed. 2: 635 1927

Lonicera japonica Thunb. f. *purpurella* Honda, J. Jap. Bot. 14: 148 1938

■ CAPRIFOLIACEAE 인동과

Lonicera japonica Thunb. f. *chinensis* (P.Watson) H.Hara, Enum. Sperm. Jap. 2: 44 1952

Lonicera japonica Thunb. var. *japonica* f. *halleana* (Dippel) H.Hara, Enum. Sperm. Jap. 2: 44 1952

***Lonicera maackii* (Rupr.) Maxim.**, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 136 1859

국명: **괴불나무**(Goe-bul-na-mu), 아귀꽃나무, 절초나무, 괴불나무

영명: **Amur honeysuckle**

Xylosteon maackii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 369 1857

Caprifolium maackii (Rupr.) Kuntze, Revis. Gen. Pl. 1: 274 1891

Lonicera maackii (Rupr.) Maxim. var. *japonica* Nakai, J. Jap. Bot. 14: 366 1938

***Lonicera maximowiczii* (Rupr.) Regel**, Gartenflora 6: 107 1857

국명: **홍괴불나무**(Hong-goe-bul-na-mu)

영명: **Reddish honeysuckle**

Xylosteon maximowiczii Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 136 1856

Lonicera maximowiczii (Rupr.) Regel. var. *sachalinensis* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 142 1868

Caprifolium maximowiczii (Rupr.) Kuntze, Revis. Gen. Pl. 1: 274 1891

Lonicera sachalinensis (F.Schmidt) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 160 1921

Lonicera okamotoana Ohwi, J. Jap. Bot. 13: 340 1937

Lonicera sachalinensis (F.Schmidt) Nakai var. *barbinervis* Nakai, J. Jap. Bot. 14: 366 1938

Lonicera maximowiczii (Rupr.) Regel. subsp. *sachalinensis* (F.Schmidt) Nedol., Bot. Zhurn. (Moscow & Leningrad) 69: 368 1984

Lonicera maximowiczii* (Rupr.) Regel. var. *maximowiczii

***Lonicera maximowiczii* (Rupr.) Regel. var. *latifolia* (Ohwi)** H.Hara, Ginkgoana 5: 71 1983 ⑤

국명: **흰등괴불나무**(Huin-deung-goe-bul-na-mu)

영명: **Wide-leaf honeysuckle**

Lonicera okamotoana Ohwi var. *latifolia* Ohwi, J. Jap. Bot. 13: 341 1937

***Lonicera monantha* Nakai**, J. Coll. Sci. Imp. Univ. Tokyo 42: 91 1921

국명: **볼레괴불나무**(Bol-re-goe-bul-na-mu), 볼네괴불나무, 볼레괴불나무 / (북한명) 볼레괴불나무

영명: **Single-flower honeysuckle**

Lonicera nigra* L. var. *nigra

***Lonicera nigra* L. var. *barbinervis* (Kom.) Nakai**, Fl. Sylv. Kor. 11: 82 1921

국명: **암괴불나무**(Am-goe-bul-na-mu)

영명: **Black honeysuckle**

Lonicera barbinervis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 426 1901

Lonicera praeflorens Batalin, Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 169 1892

국명: 올괴불나무(Ol-goe-bul-na-mu), 올아귀꽃나무 / (북한명) 올괴불나무

영명: Early-blooming honeysuckle

Lonicera kaiensis Nakai, J. Jap. Bot. 14: 363 1938

Lonicera ruprechtiana Regel, Gartenflora 19: 68 1870

국명: 물앵도나무(Mul-aeng-do-na-mu), 물괴불나무, 털괴불나무, 털괴뿔 / (북한명) 물괴불나무

영명: Manchurian honeysuckle

Xylosteon gibbiflorum Rupr. var. *subtomentosum* Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 369 1857

Lonicera chrysantha Turcz. ex Ledeb. var. *subtomentosa* (Rupr.) Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 136 1859

Caprifolium ruprechtianum (Regel) Kuntze, Revis. Gen. Pl. 1: 274 1891

Lonicera ghiesbreghtiana Rehder, Rep. (Annual) Missouri Bot. Gard. 14: 136 1903

Lonicera subhispida Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 92 1921

국명: 털괴불나무(Teol-goe-bul-na-mu), 볼레괴불나무, 불네괴불, 불네괴불나무, 털아귀꽃나무 / (북한명) 털괴불나무

영명: Bristle honeysuckle

Lonicera subsessilis Rehder, J. Arnold Arbor. 2: 126 1920 ⓘ

국명: 청괴불나무(Cheong-goe-bul-na-mu), 푸른괴불나무, 푸른아귀꽃나무 / (북한명) 청괴불나무

영명: Smooth-leaf honeysuckle

Lonicera diamantica Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 100 1921

Lonicera tatarinowii Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 138 1859

국명: 흰괴불나무(Huin-goe-bul-na-mu), 괴불나무, 왕괴불나무, 은털괴불나무, 흰아귀꽃나무, 흰왕괴불나무 / (북한명) 흰괴불나무

영명: Tatarinow's honeysuckle

Lonicera leptantha Rehder, Repert. Spec. Nov. Regni Veg. 6: 274 1909

Lonicera hypoleuca Nakai, Bot. Mag. (Tokyo) 29: 6 1915

Lonicera tatarinowii Maxim. var. *leptantha* (Rehder) Nakai, Fl. Sylv. Kor. 11: 81 1921

Lonicera vesicaria Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 427 1901

국명: 구슬댕댕이(Gu-seul-daeng-daeng-i), 구슬댕댕이나무, 단간목 / (북한명) 구슬댕댕이나무

영명: Wavy-leaf honeysuckle

Lonicera vidalii Franch. & Sav., Enum. Pl. Jap. 2: 386 1877

국명: 왕괴불나무(Wang-goe-bul-na-mu), 지리괴불나무, 지이산괴불나무 / (북한명) 왕괴불나무

영명: Vidal's mountain honeysuckle

Caprifolium vidalii (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 1: 274 1891

Lonicera cerasoides Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 99 1921

Lonicera vidalii Franch. & Sav. var. *cerasoides* (Nakai) M.Kim, Korean Endemic Pl. 505 2017

Sambucus L. 딱총나무속

Sambucus racemosa L. subsp. *racemosa*

Sambucus racemosa L. subsp. *kamtschatica* (E.Wolf) Hultén, Fl.Kamtschatka 4: 139 1930

국명: 지령쿠나무(Ji-reong-ku-na-mu), 개똥나무, 딱총나무, 넓은잎딱총나무 / (북한명) 지령쿠나무

영명: Kamchatka red elder

Sambucus racemosa L. var. *glabra* Miq., Cat. Mus. Bot. Lugd.-Bat. 56 1870

Sambucus racemosa L. subsp. *pubescens* var. *pubescens* Schwer., Mitt. Deutsch. Dendrol. Ges. 18: 47 1909

Sambucus racemosa L. var. *miquelii* Nakai, Bot. Mag. (Tokyo) 31: 214 1917

Sambucus latipinna Nakai var. *miquelii* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 11 1921

Sambucus kamschatica E.Wolf, Mitt. Deutsch. Dendrol. Ges. 33: 34 1923

Sambucus buergeriana Blume ex Nakai, Bot. Mag. (Tokyo) 40: 474 1926

Sambucus buergeriana Blume ex Nakai var. *miquelii* (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 474 1926

Sambucus velutina Nakai, Bot. Mag. (Tokyo) 40: 478 1926

Sambucus miquelii (Nakai) Kom., Opred. Rast. Dal'nevost. Kraia 2: 962 1932

Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *miquelii* (Nakai) H.Hara, J. Jap. Bot. 26: 280 1951

Sambucus sachalinensis Pojark., Fl. URSS 23: 439 & 726 1958

Sambucus williamsii Hance var. *miquelii* (Nakai) Y.C.Tang, Fl. Reipubl. Popularis Sin. 3: 11 1988

Sambucus latipinna Nakai f. *velutina* (Nakai) U.C.La, Fl. Coreana (U.C.La) 8: 51 2000

Sambucus racemosa L. subsp. *pendula* (Nakai) H.I.Lim & Chin S.Chang, Korean J. Pl. Taxon. 39: 190 2009 **E**

국명: 말오줌나무(Mal-o-jum-na-mu), 말오줌때, 말오줌나무, 울릉딱총나무, 울릉말오줌대, 울릉말오줌때

영명: Ulleungdo elder

Sambucus pendula Nakai, Bot. Mag. (Tokyo) 31: 212 1917

Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *pendula* (Nakai) T.B.Lee, Ill. Woody Pl. Korea 342 1966

Sambucus racemosa L. var. *pendula* (Nakai) M.Kim, Korean Endemic Pl. 320 2017

Sambucus racemosa L. subsp. *sieboldiana* (Blume ex Miq.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot.

6: 383 1956

국명: 덧나무(Deot-na-mu), 개덧나무, 민들딱총, 일본딱총나무, 딱총나무 / (북한명) 덧나무

영명: Siebold's red elder

Sambucus racemosa L. var. *sieboldiana* Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 265 1866

Sambucus sieboldiana (Blume ex Miq.) Blume ex Graebn., Bot. Jahrb. Syst. 29: 584 1901

Sambucus sieboldiana (Blume ex Miq.) Blume ex Graebn. var. *glabrescens* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 10 1921

Sambucus glabrescens (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 479 1926

Sambucus sieboldiana (Blume ex Miq.) Blume ex Graebn. var. *latifolia* Nakai, Bot. Mag. (Tokyo) 40: 473 1926

Sambucus sieboldiana (Blume ex Miq.) Blume ex Graebn. var. *glaberrima* Nakai, Trees Shrubs Japan Revis. Ed. 2, 1: 572 1927

Sambucus sieboldiana (Blume ex Miq.) Blume ex Graebn. f. *glaberrima* (Nakai) H.Hara, Enum. Sperm. Jap. 2: 51 1952

Sambucus sieboldiana (Blume ex Miq.) Blume ex Graebn. f. *latifolia* (Nakai) H.Hara, Enum. Sperm. Jap. 2: 51 1952

Sambucus williamsii Hance, Ann. Sci. Nat., Bot. ser. 4, 5: 217 1866

국명: 딱총나무(Ttak-chong-na-mu), 넓은잎딱총나무, 너른잎땅총나무, 넓은잎땅총, 말오좀나무, 오른재나무,
자반나무 / (북한명) 딱총나무, 넓은잎딱총나무

영명: Northeast Asian red elder

Sambucus latipinna Nakai, Bot. Mag. (Tokyo) 30: 290 1916

Sambucus sieboldiana (Miq.) Blume ex Graebn. var. *coreana* Nakai, Bot. Mag. (Tokyo) 31: 213 1917

Sambucus latipinna Nakai var. *coreana* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 11 1921

Sambucus williamsii Hance var. *coreana* (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 477 1926

Triosteum L. 꿨미풀속

Triosteum sinuatum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 373 1871

국명: 꿨미풀(Kkwe-mi-pul)

Viburnum L. 산분꽃나무속

Viburnum burejaeticum Regel & Herder, Gartenflora 11: 407, t. 384 1862 Ⓢ

국명: 산분꽃나무(San-bun-kkot-na-mu), 산붓꽃나무, 순북꽃나무, 순분꽃나무 / (북한명) 산분꽃나무

영명: Manchurian viburnum

Viburnum arcuatum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 427 1901

Viburnum carlesii Hemsl., J. Linn. Soc., Bot. 23: 350 1888

국명: 분꽃나무(Bun-kkot-na-mu), 가막살나무, 붓꽃나무, 섬분꽃나무 / (북한명) 분꽃나무

영명: Korean spice viburnum

Solenolantana carlesii (Hemsl.) Nakai, J. Jap. Bot. 24: 14 1949

Viburnum carlesii Hemsl. var. *carlesii*

Viburnum carlesii Hemsl. var. *bitchiuense* (Makino) Nakai, Bot. Mag. (Tokyo) 28: 295 1914

국명: 섬분꽃나무(Seom-bun-kkot-na-mu) / (북한명) 섬분꽃나무

Viburnum bitchiuense Makino, Bot. Mag. (Tokyo) 16: 156 1902

Viburnum carlesii Hemsl. var. *syringiflora* Hutchison, Bull. Misc. Inform. Kew 1919: 454 1919

Solnenolantana carlesii var. *bitchiuense* (Makino) Nakai, J. Jap. Bot. 24: 14 1949

Viburnum dilatatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 295 1784

국명: 가막살나무(Ga-mak-sal-na-mu), 텔가막살나무 / (북한명) 가막살나무

영명: Linden viburnum

Viburnum dilatatum Thunb. var. *radiata* A.Gray, Mem. Amer. Acad. Arts ser. 2 6: 393 1858

Viburnum dilatatum Thunb. f. *hispidum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 35 1921

Viburnum dilatatum Thunb. f. *pilosum* Nakai, Trees Shrubs Japan Revis. Ed. 2: 603 1927

Viburnum dilatatum Thunb. var. *macrophyllum* P.S.Hsu, Acta Phytotax. Sin. 11: 78 1966

■ CAPRIFOLIACEAE 인동과

Viburnum erosum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 295 1784

국명: 덜꿩나무(Deol-kkwong-na-mu), 가새백당나무, 긴잎가막살나무, 긴잎덜꿩나무, 털덩꿩나무 / (북한명) 덜꿩나무

영명: Leather-leaf viburnum

Viburnum erosum Thunb. var. *punctatum* Franch. & Sav., Enum. Pl. Jap. 2: 380 1876

Viburnum ichangense Rehder, Trees & Shrubs 2: 150 1908

Viburnum erosum Thunb. var. *exstipulatum* Koidz., Bot. Mag. (Tokyo) 29: 158 1915

Viburnum matsudai Hayata, Icon. Pl. Formosan. 9: 41 1920

Viburnum erosum Thunb. var. *lanceum* Nakai, Trees Shrubs Japan Revis. Ed. 2: 610 1927

Viburnum sikokianum Koidz., Acta Phytotax. Geobot. 1: 176 1932

Viburnum erosum Thunb. var. *vegetum* Nakai, J. Jap. Bot. 14: 643 1938

Viburnum erosum Thunb. var. *osumianum* Hayata, J. Jap. Bot. 31: 224 1956

Viburnum erosum Thunb. var. *punctatum* Franch. & Sav. f. *sikokianum* (Koidz.) H.Hara, Ginkgoana 5: 246 1983

Viburnum erosum* Thunb. var. *erosum

Viburnum erosum Thunb. var. *taquetii* (H.Lév.) Rehder, Pl. Wilson. 1: 311 1912

국명: 가새덜꿩나무(Ga-sae-deol-kkwong-na-mu)

영명: Dissected-leaf viburnum

Viburnum taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 9: 443 1911

Viburnum furcatum Blume ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 483 1880

국명: 분단나무(Bun-dan-na-mu), 분단 / (북한명) 분단나무

영명: Forked viburnum

***Viburnum japonicum* (Thunb.) Spreng., Syst. Veg. (ed. 16) 1: 934 1825**

국명: 푸른가막살(Pu-reun-ga-mak-sal)

영명: Wax-leaf viburnum

***Viburnum koreanum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 42 1921**

국명: 배암나무(Bae-am-na-mu) / (북한명) 배암나무

영명: Korean viburnum

Viburnum odoratissimum* Ker Gawl. ex Rümpler var. *odoratissimum

***Viburnum odoratissimum* Ker Gawl. ex Rümpler var. *awabuki* (K.Koch) Zabel, Ill. Gart.-Lexc. (Rümpler) ed. 3: 877 1902**

국명: 아왜나무(A-wae-na-mu) / (북한명) 아왜나무

영명: Sweet viburnum

Viburnum awabuki K.Koch, Wochenschr. Gartnerei Pflanzenk. 10: 108 1867

Viburnum arboricola Hayata, Icon. Pl. Formosan. 4: 12, t. 1 1914

Viburnum odoratissimum Ker Gawl. ex Rümpler var. *arboricola* (Hayata) Yamam., J. Soc. Trop. Agric. 8: 69 1936

Viburnum opulus* L. var. *opus

Viburnum opulus* L. var. *calvescens (Rehder) H.Hara, J. Coll. Sci. Imp. Univ. Tokyo 6: 385 1956

국명: 백당나무(Baek-dang-na-mu), 개불두화, 까마귀밥나무, 민백당나무, 불두화, 접시꽃나무, 청백당나무 / (북한명) 백당나무

영명: Smooth-cranberrybush viburnum

Viburnum lobatum Lam., Fl. Franc. (Lamarck) 3: 363 1778

Viburnum pubinerve Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 265 1866

Viburnum sargentii Koehne, Gartenflora 48: 341 1899

Viburnum sargentii Koehne var. *clavescens* Rehder, Mitt. Deutsch. Dendrol. Ges. 12: 125 1903

Viburnum sargentii Koehne f. *puberula* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 511 1907

Viburnum sargentii Koehne f. *glabra* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 511 1907

Viburnum opulus L. var. *sargenti* (Koehne) Takeda, Bot. Mag. (Tokyo) 25: 25 1911

Viburnum pubinerve Blume ex Miq. f. *lutescens* Nakai, Bot. Mag. (Tokyo) 33: 123 1919

Viburnum pubinerve Blume ex Miq. f. *hydrangeoides* Nakai, Bot. Mag. (Tokyo) 33: 213 1919

Viburnum pubinerve Blume ex Miq. f. *puberulum* (Kom.) Nakai, Bot. Mag. (Tokyo) 33: 212 1919

Viburnum pubinerve Blume ex Miq. f. *calvescens* (Rehder) Nakai, Bot. Mag. (Tokyo) 33: 213 1919

Viburnum pubinerve Blume ex Miq. f. *intermedium* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 42 1921

Viburnum opulus L. var. *sterile* Makino, J. Jap. Bot. 5: 24 1928

Viburnum sterile (Makino) Honda, Nom. Pl. Japonic. 521 1939

Viburnum sargentii Koehne var. *puberulum* (Kom.) Kitag., Lin. Fl. Manshur. 410 1939

Viburnum opulus L. var. *pubinerve* Makino f. *sterile* Makino, Ill. Fl. Nippon (Makino) 106 1940

Viburnum opulus L. var. *pubinerve* Makino, Ill. Fl. Nippon (Makino) 106 1940

Viburnum sargentii Koehne var. *intermedium* (Nakai) Kitag., Rep. Inst. Sci. Res. Manchoukuo 5: 157 1941

Viburnum sargentii Koehne f. *hydrangeoides* (Nakai) Uyeki, Woody Pl. Distr. Chosen 376 1943

Viburnum sargentii Koehne f. *lutescens* (Nakai) Uyeki, Woody Pl. Distr. Chosen 376 1943

Viburnum sargentii Koehne f. *calvescens* (Rehder) Rehder, Bibliogr. Cult. Trees 608 1949

Viburnum sargentii Koehne f. *intermedium* (Nakai) H.Hara, Enum. Sperm. Jap. 2: 60 1952

Viburnum sterile (Makino) Honda f. *hydrangeoides* (Nakai) Pojark., Fl. URSS 23: 456 1958

Viburnum opulus L. f. *hydrangeoides* (Nakai) H.Hara, Ginkgoana 5: 272 1983

***Viburnum wrightii* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 267 1866**

국명: 산가막살나무(San-ga-mak-sal-na-mu), 뒷가막살나무, 무점가막살나무 / (북한명) 산가막살나무

영명: Wright's viburnum

Viburnum wrightii Miq. var. *stipellatum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 287 1909

Viburnum wrightii Miq. var. *sylvestre* Koidz., Bot. Mag. (Tokyo) 29: 159 1915

Viburnum wrightii Miq. var. *eglandulosum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42: 36 1921

Viburnum wrightii Miq. var. *minus* Nakai, Trees Shrubs Japan Revis. Ed. 2: 605 1927

■ CAPRIFOLIACEAE 인동과

- Viburnum wrightii* Miq. var. *lucidum* Hatus., Acta Phytotax. Geobot. 4: 207 1935
Viburnum wrightii Miq. var. *pilosum* H.Hara, Bot. Mag. (Tokyo) 51: 892 1937
Viburnum wrightii Miq. f. *sylvestre* (Koidz.) Hiyama, J. Jap. Bot. 31: 224 1956
Viburnum wrightii Miq. f. *eglandulosum* (Nakai) Hiyama, Neolin. Fl. Manshur. 585 1979
Viburnum wrightii Miq. f. *kaiense* Hiyama, Neolin. Fl. Manshur. 585 1979

Weigela Thunb. 병꽃나무속

Weigela florida (Bunge) A.DC., Ann. Sci. Nat., Bot. 11: 241 1839

국명: 붉은병꽃나무(Bul-geun-byeong-kkot-na-mu), 당병꽃나무, 물병꽃나무, 병꽃나무, 조선병꽃나무, 좀병꽃나무, 참병꽃나무, 통영병꽃나무, 팻꽃나무, 소영도리나무, 산소영도리나무, 털병꽃나무, 두메소영도리나무 / (북한명) 붉은병꽃나무, 소영도리나무, 두메소영도리나무

영명: Old-fashion weigela

- Calysphyrum floridum* Bunge, Enum. Pl. Chin. Bor. 34 1833
Diervilla florida (Bunge) Siebold & Zucc., Fl. Jap. (Siebold) 1: 75 1837
Diervilla pauciflora A.DC., Ann. Sci. Nat., Bot. ser. 2, 11: 241 1839
Weigela rosea Lindl., J. Hort. Soc. London 1: 65, 189 1846
Diervilla rosea (Lindl.) Walp., Ann. Bot. Syst. 1: 365 1848
Calysphyrum roseum (Lindl.) C.A.Mey., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 13: 220 1855
Diervilla florida (Bunge) Siebold & Zucc. var. *venusta* Rehder, J. Arnold Arbor. 1: 24 1913
Diervilla brevicalycina Nakai, Bot. Mag. (Tokyo) 29: 5 1915
Diervilla florida (Bunge) Siebold & Zucc. var. *pilosa* Nakai, Bot. Mag. (Tokyo) 32: 299 1918
Diervilla florida (Bunge) Siebold & Zucc. f. *brevicalycina* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 42, art. 2: 114 1921
Diervilla florida (Bunge) Siebold & Zucc. var. *venusta* Rehder f. *brevicalycina* (Nakai) Nakai, Fl. Sylv. Kor. 11: 88 1921
Diervilla venustn (Rehder) Staph, Bot. Mag. 151: t. 9080 1925
Weigela venusta (Rehder) Bailey, Gentes Herb. 2 fasc. 1: 54 1929
Weigela florida (Bunge) A.DC. f. *albida* Nakai, J. Jap. Bot. 12: 10 1936
Weigela florida (Bunge) A.DC. f. *leucantha* Nakai, J. Jap. Bot. 12: 10 1936
Weigela florida (Bunge) A.DC. var. *glabra* Nakai, J. Jap. Bot. 12: 9 1936
Weigela florida (Bunge) A.DC. var. *pauciflora* (A.DC.) Nakai, J. Jap. Bot. 12: 1936
Weigela florida (Bunge) A.DC. var. *venusta* (Rehder) Nakai, J. Jap. Bot. 12: 1936
Weigela florida (Bunge) A.DC. f. *subtricolor* Nakai, J. Jap. Bot. 12: 11 1936
Weigela praecox (Lemoine) L.H.Bailey var. *pilosa* (Nakai) Nakai, J. Jap. Bot. 12: 12 1936
Diervilla praecox Lemoine var. *tomentosa* Nakai, J. Jap. Bot. 12: 12 1936
Weigela toensis Nakai, J. Jap. Bot. 12: 12 1936
Weigela florida (Bunge) A.DC. f. *alba* (Carrière) Rehder, J. Arnold Arbor. 20: 431 1939
Weigela florida (Bunge) A.DC. f. *candida* (Voss) Rehder, J. Arnold Arbor. 20: 431 1939
Weigela florida (Bunge) A.DC. f. *toensis* (Nakai) M.Kim, Korean Endemic Pl. 339 2004

Weigela praecox (Lemoine) L.H.Bailey, Gentes Herb. 2-1: 54 1929

국명: 소영도리나무(So-yeong-do-ri-na-mu)

영명: Early-blooming weigela

- Diervilla praecox* Lemoine, Gartenflora 46: 393 1897

Weigela subsessilis (Nakai) L.H.Bailey, Gentes Herb. 2: 51 1929 ⓘ

국명: 병꽃나무(Byeong-kkot-na-mu), 흰털병꽃나무 / (북한명) 병꽃나무

영명: Korean weigela

Diervilla subsessilis Nakai, Bot. Mag. (Tokyo) 32: 229 1918

Diervilla subsessilis Nakai var. *mollis* Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 1934

Weigela subsessilis (Nakai) L.H.Bailey var. *mollis* (Uyeki) Uyeki, Woody Pl. Distr. Chosen 100 1940

Weigela subsessilis (Nakai) L.H.Bailey f. *mollis* (Uyeki) M.Kim, Korean Endemic Pl. 339 2004

ADOXACEAE 연복초과

Adoxa L. 연복초속

Adoxa moschatellina L., Sp. Pl. 1: 367 1753

국명: 연복초(Yeon-bok-cho) / (북한명) 련복초

영명: Muskroot

Moschatellina fumariifolia Gilib., Fl. Lit. Inch. 1: 61 1782

Moschatellina tetragona Moench, Methodus (Moench) 478 1794

Adoxa tuberosa Gray, Nat. Arr. Brit. Pl. 2: 493 1821

Adoxa moschata Dulac, Fl. Hautes-Pyrénées 462 1867

Adoxa moschatellina L. var. *inodora* Falc. ex C.B.Clarke, Fl. Brit. Ind. 3: 2 1880

Moschatellina generalis E.H.L.Krause, Deutschl. Fl. (Sturm) ed. 2 12: 222 1904

Adoxa moschatellina L. f. *japonica* (H.Hara) H.Hara, Ginkgoana 5: 305 1983

Adoxa orientalis Nepomn., Bot. Zhurn. (Moscow & Leningrad) 69: 260 1984

Adoxa insularis Nepomn., Bot. Zhurn. (Moscow & Leningrad) 70: 524 1985

VALERIANACEAE 마타리과

Patrinia Juss. 마타리속

Patrinia monandra C.B.Clarke, Fl. Brit. India [J. D. Hooker] 3: 210 1881

국명: 긴뚝갈(Gin-ttuk-gal)

Patrinia rupestris (Pall.) Juss., Ann. Mus. Natl. Hist. Nat. 10: 311 1807

국명: 돌마타리(Dol-ma-ta-ri) / (북한명) 돌마타리

영명: Rocky golden lace

Valeriana rupestris Pall., Reise Russ. Reich. 3: 266 1776

Fedia rupestris (Pall.) Vahl, Enum. Pl. (Vahl) 2: 22 1805

Patrinia saniculifolia Hemsl., J. Linn. Soc., Bot. 23: 397 1888 ⓘ ⓘ

■ VALERIANACEAE 마타리과

국명: **금마타리**(Geum-ma-ta-ri), 향마타리 / (북한명) 금마타리

영명: **Sanicula-leaf golden lace**

Fedia saniculifolia (Hemsl.) Kuntze, Revis. Gen. Pl. 1: 302 1891

Patrinia scabiosifolia Fisch. ex Trevir., Index Sem. Hort. Veratcl. App. 2: 2 1820

국명: **마타리**(Ma-ta-ri), 가양취, 가양취, 미역취 / (북한명) 마타리

영명: **Golden lace**

Fedia serratulifolia Trevir., Index Sem. (Breslau) 2 1820

Fedia scabiosifolia (Fisch.) Trevir., Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 13: 165 1826

Patrinia serratulifolia (Trevir.) Fisch. ex DC., Prodr. (DC.) 4: 634 1830

Patrinia hispida Bunge, Pl. Mongholico-Chin. 1: 25 1835

Patrinia parviflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 195 1846

Patrinia japonica Miq., Arch. Neerl. Sci. Exact. Nat. 5: 96 1870

Patrinia scabiosifolia Fisch. ex Trevir. var. *hispida* (Bunge) Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2, 5: 38 1883

Patrinia scabiosifolia Fisch. ex Trevir. f. *glabra* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 538 1907

Patrinia scabiosifolia Fisch. ex Trevir. f. *hispida* (Bunge) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 538 1907

Patrinia scabiosifolia Fisch. ex Trevir. var. *nantcianensis* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 729 1910

Patrinia villosa (Thunb.) Juss., Ann. Mus. Natl. Hist. Nat. 10: 311 1807

국명: **똑갈**(Ttuk-gal), 뚝깔, 똑깔, 흰미역취 / (북한명) 똑갈

영명: **White-flower golden lace**

Valeriana villosa Thunb., Fl. Jap. (Thunberg) 32 1784

Patrinia ovata Bunge, Pl. Mongholico-Chin. 1: 23 1835

Patrinia graveolens Hance, Ann. Sci. Nat., Bot. ser. 4, 15: 224 1861

Patrinia dielsii Graebn., Bot. Jahrb. Syst. 29: 597 1901

Patrinia dielsii Graebn. var. *erosa* Graebn., Bot. Jahrb. Syst. 29: 589 1901

Patrinia dielsii Graebn. var. *shensiensis* Graebn., Bot. Jahrb. Syst. 29: 589 1901

Patrinia dielsii Graebn. var. *palustris* Pamp., Nuovo Giorn. Bot. Ital. n.s. 17: 728 1910

Patrinia villosa (Thunb.) Juss. var. *ambigua* Pamp., Nuovo Giorn. Bot. Ital. 17: 728 1910

Patrinia villosa (Thunb.) Juss. var. *japonica* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 439 1912

Patrinia villosa (Thunb.) Juss. var. *sinensis* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 439 1912

Patrinia sinensis (H.Lév.) Koidz., Bot. Mag. (Tokyo) 43: 390 1929

Valeriana L. 주오줌풀속

Valeriana amurensis P.A.Smirn. ex Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 214 1932

국명: **설령주오줌풀**(Seol-ryeong-jwi-o-jum-pul), 텔주오줌풀 / (북한명) 텔주오줌풀

영명: **Amur valerian**

Valeriana officinalis L., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 142 1859

Valeriana officinalis L. var. *incisa* (Rupr.) Nakai f. *pubescens* Regel, Tent. Fl.-Ussur. 79 1861

Valeriana officinalis L. var. *exaltata* Herder, Bull. Soc. Imp. Naturalistes Moscou 55: 38 1880

Valeriana officinalis L. var. *incisa* (Rupr.) Nakai ex T.Mori, Enum. Pl. Corea 333 1922

Valeriana amurensis P.A.Smirn. ex Kom. f. *leiocarpa* H.Hara, J. Jap. Bot. 17: 127 1941

Valeriana sambucifolia J.C.Mikan ex Pohl subsp. *amurensis* (P.A.Smirn. ex Kom.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 387 1956

Valeriana dageletiana Nakai ex F.Maek. var. *integra* (Nakai) Nakai ex F.Maek., Bot. Mag. (Tokyo) 47: 618 1933

국명: 긴잎쥐오줌풀(Gin-ip-jwi-o-jum-pul)

영명: Long-leaf valerian

Valeriana officinalis L. var. *integra* Nakai, Bot. Mag. (Tokyo) 32: 109 1918

Valeriana dageletiana Nakai ex F.Maek. f. *integra* (Nakai) S.H.Park, J. Korean Pl. Taxon. 3: 26 1971

Valeriana fauriei Briq., Annuaire Conserv. Jard. Bot. Geneve 17: 327 1914

국명: 쥐오줌풀(Jwi-o-jum-pul), 긴잎쥐오줌, 길초, 바구니나물, 은댕가리, 줄댕가리, 광릉쥐오줌풀, 좀쥐오줌풀,
간도쥐오줌풀 / (북한명) 쥐오줌풀

영명: Korean valerian

Valeriana coreana Briq., Annuaire Conserv. Jard. Bot. Geneve 17: 326 1914

Valeriana pulchra Nakai, Index Sem. (TI) 36 1940

Valeriana fauriei Briq. f. *coreana* (Briq.) H.Hara, J. Jap. Bot. 17: 125 1941

Valeriana fauriei Briq. var. *dasyarpa* H.Hara, J. Jap. Bot. 17: 126 1941

Valeriana sambucifolia J.C.Mikan ex Pohl var. *dasyarpa* (H.Hara) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 387 1956

Valeriana sambucifolia J.C.Mikan ex Pohl var. *fauriei* (Briq.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 387 1956

Valeriana sambucifolia J.C.Mikan ex Pohl, Tent. Fl. Bohem. 1: 41 1809 ⓘ

국명: 넓은잎쥐오줌풀(Neol-eun-ip-jwi-o-jum-pul), 넓은잎바구니나물, 섬오줌풀, 섬쥐오줌풀, 세잎쥐손이풀,
긴잎쥐오줌풀 / (북한명) 섬쥐오줌풀

영명: Wide-leaf valerian

Valeriana officinalis L. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 114 1867

Valeriana dageletiana Nakai ex F.Maek., Bot. Mag. (Tokyo) 47: 618 1933

Valeriana sambucifolia J.C.Mikan ex Pohl f. *dageletiana* (Nakai ex F.Maek.) H.Hara, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 6: 387 1956

Valeriana dageletiana Nakai ex F.Maek. var. *verticillata* S.H.Park, J. Korean Pl. Taxon. 3: 26 1971

DIPSACACEAE 산토끼꽃과

Dipsacus L. 산토끼꽃속

Dipsacus japonicus Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 83 1867 ⓘ

국명: 산토끼꽃(San-to-kki-kkot), 산토끼풀 / (북한명) 산토끼풀

영명: East Asian teasel

Dipsacus gmelinii Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 472 1859

Scabiosa L. 체꽃속

Scabiosa comosa Fisch. ex Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 3: 84 1818

국명: 솔체꽃(Sol-che-kkot), 체꽃, 민둥체꽃 / (북한명) 솔체꽃

영명: Northeastern scabious

Scabiosa fischeri DC. var. *caerulea* f. *pubescens* Nakai, Bot. Mag. (Tokyo) 23: 54 1909

Scabiosa fischeri DC. var. *caerulea* f. *glabra* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 26: 304 1909

Scabiosa tschiliensis Grüning, Repert. Spec. Nov. Regni Veg. 12: 311 1913

Scabiosa japonica Miq. var. *acutiloba* H.Hara, J. Jap. Bot. 16: 161 1940

Scabiosa mansenensis Nakai, J. Jap. Bot. 19: 270 1943

Scabiosa japonica Miq. subsp. *tschiliensis* (Grüning) Hurus., J. Jap. Bot. 16: 90 1951

Scabiosa japonica Miq. subsp. *tschiliensis* (Grüning) Hurus. var. *mansenensis* (Nakai) Hurus., J. Jap. Bot. 16: 90 1951

Scabiosa tschiliensis Grüning f. *tschiliensis*

Scabiosa tschiliensis Grüning f. *alpina* (Nakai) W.T.Lee, Lineamenta Floraee Koreae 1057 1996 Ⓢ

국명: 구름체꽃(Gu-reum-che-kkot)

영명: Alpine scabious

Scabiosa fischeri DC. var. *alpina* Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 84 1914

Scabiosa mansenensis Nakai f. *alpina* Nakai, J. Jap. Bot. 19: 272 1942

Scabiosa tschiliensis Grüning f. *pinnata* (Nakai) W.T.Lee, Lineamenta Floraee Koreae 1058 1996

국명: 체꽃(Che-kkot)

영명: Pinnate-leaf scabious

Scabiosa mansenensis Nakai f. *pinnata* Nakai, J. Jap. Bot. 19: 273 1942

Scabiosa tschiliensis Grüning f. *zuikoensis* (Nakai) W.T.Lee, Lineamenta Floraee Koreae 1058 1996

국명: 민둥체꽃(Min-dung-che-kkot)

영명: Glabrous-leaf scabious

Scabiosa zuikoensis Nakai, J. Jap. Bot. 19: 274 1943

Scabiosa japonica Miq. subsp. *tschiliensis* (Grüning) Hurus. f. *zuikoensis* (Nakai) Hurus., J. Jap. Bot. 16: 90 1951

CAMPANULACEAE 초롱꽃과

Adenophora Fisch. 잔대속

Adenophora coronopifolia (Fisch.exSchult.) Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 167 1823

국명: 둥근잔대(Dung-geun-jan-dae)

영명: Round-leaf ladybell

Campanula coronopifolia Fisch. ex Roem.& Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 5: 157 1819

Adenophora polymorpha Ledeb. var. *coronopifolia* (Fisch. ex Schult.) Trautv. ex Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 309 1872

Adenophora communis Fisch. var. *coronopifolia* (Fisch. ex Schult.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 98 1879

Adenophora curvidens Nakai, Bot. Mag. (Tokyo) 26: 6 1915

국명: 톱잔대(Top-jan-dae)

영명: Serrate ladybell

Adenophora pereskiiifolia (Fisch. ex Schult.) G.Don var. *curvidens* (Nakai) Kitam., Lin. Fl. Manshur. 417 1939

Adenophora divaricata Franch. & Sav., Enum. Pl. Jap. 2: 423 1877

국명: 넓은잔대(Neol-beun-jan-dae), 넓은잎잔대, 넙적잔대, 넓적잔대, 덩굴잔대, 북잔대, 큰모시나물 /
(북한명) 덩굴잔대

영명: Spreading-branch ladybell

Adenophora polymorpha Ledeb. var. *divaricata* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 12: 57 1898

Adenophora manshurica Nakai, Veg. Apoi 13 1930

Adenophora divaricata Franch. & Sav. var. *manshurica* (Nakai) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 106 1935

Adenophora divaricata Franch. & Sav. f. *manshurica* (Nakai) Kitag., Neolin. Fl. Manshur. 600 1979

Adenophora erecta S.T.Lee, J.K.Lee & S.T.Kim, J. Pl. Res. 110: 77 1997 ⑥

국명: 선모시대(Seon-mo-si-dae)

영명: Erect ladybell

Adenophora gmelinii (Biehler) Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 167 1823

국명: 솔잎잔대(Sol-ip-jan-dae), 둥근잔대 / (북한명) 솔잎잔대

영명: Narrow-leaf ladybell

Campanula gmelinii Biehler, Pl. Nov. Herb. Spreng. 17 1807

Campanula erysimoides Vest, Syst. Veg. (ed.15) [Roemer & Schultes] 5: 102 1819

Campanula rabelaisiana Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 5: 158 1819

Adenophora pomponiifolia Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 167 1823

Campanula fischeriana Spreng., Syst. Veg. (ed. 16) [Sprengel] 4(2, Cur. Post.): 77 1827

Adenophora rabelaisiana (Schult.) G. Don, Hort. Brit. 75 1830

Campanula monadelpha Pall. ex A.DC., Monogr. Campan. 363 1830

Campanula salicifolia Juss. ex Ledeb., Fl. Ross. 2: 894 1846

Adenophora taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 22 1913

Adenophora pachyphylla Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 297 1938

Adenophora erysimoides (Vest) Nakai ex Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 298 1938

Adenophora grandiflora Nakai, Bot. Mag. (Tokyo) 23: 188 1909 ⑧

국명: 도라지모시대(Do-ra-ji-mo-si-dae), 도라지모시나물, 도라지모싯대, 도라지잔대, 큰잔대 / (북한명) 큰잔대

영명: Big-flower ladybell

■ CAMPANULACEAE 초롱꽃과

Adenophora fusifolia Y.N.Lee, Bull. Korea Pl. Res. 4: 10 2004 ⓘ

국명: 백두모시대(Baek-du-mo-si-dae)

Adenophora kayasanensis Kitam., Acta Phytotax. Geobot. 5: 247 1936 ⓘ

국명: 가야산잔대(Ga-ya-san-jan-dae), 가야산모시나물, 가야잔대 / (북한명) 가야산잔대, 가야산모시나물

영명: Gayasan ladybell

Adenophora koreana Kitam., Acta Phytotax. Geobot. 5: 205 1936 ⓘ

국명: 꽃잔대(Kkot-jan-dae), 꽃모시나물, 큰꽃잔대, 큰잔대 / (북한명) 꽃잔대

영명: Korean ladybell

Adenophora lamarckii Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 168 1823

국명: 두메잔대(Du-me-jan-dae) / (북한명) 두메잔대

영명: Lamark's ladybell

Adenophora polymorpha Ledeb. var. *lamarckii* (Fisch.) Herder, Trudy Imp. S.-Peterburgsk. Bot. Sada 1: 309 1872

Adenophora communis Fisch. var. *lamarckii* (Fisch.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 98 1879

Adenophora liliifolia (L.) A.DC. var. *lamarckii* (Fisch.) Krylov, Fl. Altai Gov. Tomsk 3: 782 1904

Campanula lamarckii (Fisch.) Borbás, Magyar Bot. Lapok 3: 192 1904

Adenophora liliifolia (L.) A.DC., Monogr. Campan. 358 1830

국명: 나리잔대(Na-ri-jan-dae), 가는잎잔대, 산모싯대, 흰나리잔대 / (북한명) 가는잎잔대

영명: Lily-leaf ladybell

Campanula liliifolia L., Sp. Pl. 1: 165 1753

Adenophora communis Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 168 1823

Adenophora stylosa (Lam.) Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 168 1823

Adenophora liliifolia (L.) A.DC. var. *alba* Nakai, Fl. M't. Paik-Tu-San 59 1918

Adenophora liliifolia (L.) A.DC. f. *alba* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1061 1996

Adenophora palustris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 426 1901 ⓘ

국명: 진퍼리잔대(Jin-peo-ri-jan-dae), 선모시나물, 흰진퍼리잔대 / (북한명) 진퍼리잔대

영명: Marsh ladybell

Adenophora palustris Kom. f. *leucantha* Nakai ex Matsum., Nippon Shokubutsumeii ed. 9 2: 83 1916

Adenophora palustris Kom. var. *leucantha* (Nakai ex Matsum.) Nakai ex T.Mori, Enum. Pl. Corea 337 1922

Adenophora pereskiiifolia (Fisch. ex Schult.) G.Don, Hort. Brit. (Loudon) 74 1830

국명: 만주잔대(Man-ju-jan-dae), 만주모시나물, 왕잔대, 잔대, 짧은잔대, 참잔대

영명: Manchurian ladybell

Campanula pereskiiifolia Fisch. ex Schult., Syst. Veg. 5: 116 1819

Adenophora polyantha Nakai, Bot. Mag. (Tokyo) 23: 188 1909

국명: 수원잔대(Su-won-jan-dae), 개모싯대, 개잔대, 관악잔대, 긴털꽃잔대, 깔끔잔대, 꽃잔대, 깔끔모싯대, 돌잔대,
수모시나물, 잔털잔대, 좀꽃모시나물, 좀꽃잔대, 지리모시나물, 지리산잔대 / (북한명) 깔끔잔대

영명: Many-flower ladybell

Adenophora scabridula Nannf., Acta Horti Gothob. 5: 20 1929

Adenophora polyantha Nakai var. *media* Nakai & Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 1, Pl. Nov. Jehol.: 57 1934

Adenophora polyantha Nakai var. *contracta* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 112 1935

Adenophora polyantha Nakai var. *glabricalyx* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 111 1935

Adenophora polyantha Nakai var. *glabricalyx* Kitag. f. *eriocaulis* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 111 1935

Adenophora polyantha Nakai var. *media* Nakai & Kitag. f. *densipila* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 112 1935

Adenophora polyantha Nakai var. *scabricalyx* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 2, Contr. Cogn. Fl. Manshuricae: 112 1935

Adenophora obovata Kitam., Acta Phytotax. Geobot. 5: 247 1936

Adenophora racemosa J.K.Lee & S.T.Lee, Korean J. Pl. Taxon. 20: 122 1990 ⓘ

국명: 외대잔대(Oe-dae-jan-dae)

영명: Racemose ladybell

Adenophora remotidens Hemsl., J. Linn. Soc., Bot. 26: 12 1889 ⓘ

국명: 인천잔대(In-cheon-jan-dae)

영명: Incheon ladybell

Adenophora remotiflora (Siebold & Zucc.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 193 1866

국명: 모시대(Mo-si-dae), 모시때, 모싯대, 흰모시대 / (북한명) 모시잔대, 모시대, 게루기, 몽아지

영명: Scattered ladybell

Campanula remotiflora Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 180 1846

Adenophora tracheloides Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 186 1859

Adenophora remotiflora (Siebold & Zucc.) Miq. f. *longifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 557 1907

Adenophora remotiflora (Siebold & Zucc.) Miq. f. *leucantha* Honda, Bot. Mag. (Tokyo) 47: 674 1943

Adenophora remotiflora (Siebold & Zucc.) Miq. var. *remotiflora*

Adenophora remotiflora (Siebold & Zucc.) Miq. var. *hirticalyx* S.T.Lee, Korean J. Pl. Taxon. 20: 192 1990 ⓘ

국명: 그늘모시대(Geu-neul-mo-si-dae)

Adenophora stricta Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 129 1866

국명: 당잔대(Dang-jan-dae), 당모싯대, 둉근잎잔대, 살구잔대, 털모싯대 / (북한명) 둉근잎잔대, 당잔대

영명: Upright ladybell

- Adenophora sinensis* A.DC. var. *pilosa* A.DC., Monogr. Campan. 354 1830
Adenophora polymorpha Ledeb. var. *stricta* (Miq.) Makino, Bot. Mag. (Tokyo) 12: 57 1898
Adenophora axilliflora Borbás, Magyar Bot. Lapok 3: 192 1904
Adenophora argyi H.Lév., Bull. Acad. Int. Géogr. Bot. 23: 292 1914
Adenophora rotundifolia H.Lév., Bull. Acad. Int. Géogr. Bot. 23: 292 1914

Adenophora stricta* Miq. var. *stricta

Adenophora stricta* Miq. var. *lancifolia Honda, Bot. Mag. (Tokyo) 50: 608 1936

국명: **긴당잔대**(Gin-dang-jan-dae)

영명: **Sword-leaf upright ladybell**

***Adenophora tashiroi* (Makino & Nakai)** Makino & Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 66 1911 Ⓣ ⓒ

국명: **섬잔대**(Seom-jan-dae), 개딱주 / (북한명) 섬잔대

영명: **Jejudo ladybell**

Adenophora polymorpha Ledeb. var. *tashiroi* Makino & Nakai, Bot. Mag. (Tokyo) 23: 21 1909

***Adenophora triphylla* (Thunb.) A.DC.**, Monogr. Campan. 365 1830

국명: **층층잔대**(Cheung-cheung-jan-dae), 좀층층잔대, 가는층층잔대, 가는잎잔대, 금강잔대 / (북한명) 잔대, 층층잔대

영명: **Whorled-leaf ladybell**

Campanula triphylla Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 211 1784

Campanula tetraphylla Thunb., Fl. Jap. (Thunberg) 87 1784

Adenophora verticillata Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 167 1823

Adenophora tetraphylla (Thunb.) Fisch., Mém. Soc. Imp. Naturalistes Moscou 6: 167 1823

Adenophora verticillata Fisch. var. *angustifolia* Regel, Tent. Fl.-Ussur. 100 1861

Adenophora verticillata Fisch. var. *latifolia* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 192 1866

Adenophora verticillata Fisch. var. *canescens* Franch. & Sav., Enum. Pl. Jap. 2: 422 1879

Adenophora verticillata Fisch. var. *pilosissima* Engl., Bot. Jahrb. Syst. 6: 68 1885

Adenophora verticillata Fisch. f. *alternifolia* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 20: 39 1906

Adenophora verticillata Fisch. var. *linearis* Hayata, Fl. Mont. Formos. 148 1908

Adenophora verticillata Fisch. f. *linearis* (Hayata) Matsum., Index Pl. Jap. 2: 614 1912

Adenophora thunbergiana Kudô, Medic. Pl. Hokk. 1: 91 1922

Adenophora thunbergiana Kudô var. *lancifolia* H.Hara, J. Jap. Bot. 10: 371 1934

Adenophora pulchra Kitam., Acta Phytotax. Geobot. 5: 204 1936

Adenophora thunbergiana Kudô f. *lancifolia* (H.Hara) H.Hara, Bot. Mag. (Tokyo) 51: 896 1937

Adenophora thunbergiana Kudô f. *angustifolia* (Regel) Makino, Bot. Mag. (Tokyo) 51: 896 1937

Adenophora triphylla (Thunb.) A.DC. var. *tetraphylla* (Thunb.) Makino, Ill. Fl. Nippon (Makino) 83 1940

Adenophora triphylla (Thunb.) A.DC. var. *angustifolia* (Regel) Kitam., Acta Phytotax. Geobot. 10: 308 1941

Adenophora triphylla (Thunb.) A.DC. var. *kuriensis* (Nakai) Kitam. f. *pilosissima* (Engl.) Kitam., Acta Phytotax. Geobot. 10: 311 1941

Adenophora triphylla (Thunb.) A.DC. f. *lancifolia* (H.Hara) Kitam., Acta Phytotax. Geobot. 10: 310 1941

Adenophora triphylla (Thunb.) A.DC. f. *linearis* (Hayata) Kitam., Acta Phytotax. Geobot. 10: 308 1941
Adenophora triphylla (Thunb.) A.DC. subsp. *aperticampanula* Kitam., Acta Phytotax. Geobot. 10: 309 1941
Adenophora radiatifolia Nakai var. *angustifolia* (Regel) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 110 1952

Adenophora triphylla* (Thunb.) A.DC. var. *triphylla

***Adenophora triphylla* (Thunb.) A.DC. var. *japonica* (Regel)** H.Hara, J. Jap. Bot. 26: 281 1951

국명: **잔대**(Jan-dae), 가는잎딱주, 갯딱주, 흰잔대, 층층잔대

영명: **Three-leaf ladybell**

Adenophora pereskiiifolia (Fisch. ex Schult.) G.Don var. *japonica* Regel, Index Seminum [St.Petersburg (Petropolitanus)] 17 1865
Adenophora triphylla (Thunb.) A.DC. var. *japonica* (Regel) H.Hara f. *albiflora* Y.N.Lee, Fl. Korea (Lee) 1161 1996

Adenophora verticillata* Fisch. var. *verticillata

Adenophora verticillata* Fisch. var. *abbreviata H.Lév., Repert. Spec. Nov. Regni Veg. 12: 22 1913 (E)

국명: **좁층층잔대**(Jom-cheung-cheung-jan-dae)

영명: **Hallasan ladybell**

Adenophora radiatifolia Nakai var. *abbreviata* (H.Lév.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 110 1952

Adenophora verticillata* Fisch. var. *hirsuta F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 155 1891

국명: **털잔대**(Teol-jan-dae)

영명: **Hairy whorled-leaf ladybell**

Adenophora verticillata Fisch. f. *hirsuta* (F.Schmidt) Makino, Bot. Mag. (Tokyo) 20: 39 1906
Adenophora thunbergiana Kudô f. *hirsuta* (F.Schmidt) Kudô, Rep. Veg. N. Saghalien 225 1924
Adenophora triphylla (Thunb.) A.DC. f. *hirsuta* (F.Schmidt) Kitam., Acta Phytotax. Geobot. 10: 308 1941
Adenophora radiatifolia Nakai var. *hirsuta* (F.Schmidt) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 111 1952

***Asyneuma* Griseb. & Schenk 영아자속**

***Asyneuma japonicum* (Miq.) Briq.**, Candollea 4: 335 1931

국명: **영아자**(Yeong-a-ja), 여마자, 염마자, 염아자 / (북한명) 염아자, 미나리싹

영명: **East Asian harebell**

Phyteuma japonicum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 192 1866
Campanula japonica (Miq.) Vatke, Linnaea 39: 705 1874

***Campanula* L. 초롱꽃속**

Campanula glomerata* L. subsp. *glomerata

■ CAMPANULACEAE 초롱꽃과

Campanula glomerata L. subsp. *speciosa* (Hornem. ex Spreng.) Domin, Preslia 13: 222 1936 ⓑ

국명: 자주꽃방망이(Ja-ju-kkot-bang-mang-i), 꽃방망이, 꽂방맹이, 자주꽃방맹이, 자지꽃방맹이 /
(북한명) 자주꽃방망이

영명: **Dahurian clustered bellflower**

Campanula glomerata L. var. *dahurica* Fisch. ex Ker Gawl., Bot. Reg. 8: t. 620 1822

Campanula glomerata L. var. *speciosa* Hornem. ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 731 1824

Campanula glomerata L. var. *alba* Nakai, Fl. M't. Paik-Tu-San 59 1918

Campanula punctata Lam., Encycl. (Lamarck) 1: 586 1785

국명: 초롱꽃(Cho-rong-kkot) / (북한명) 초롱꽃

영명: **Spotted bellflower**

Campanula takesimana Nakai, Rep. Veg. Ooryongto 42 1919 ⓕ ⓑ

국명: 섬초롱꽃(Seom-cho-rong-kkot) / (북한명) 섬초롱꽃

영명: **Korean bellflower**

Campanula punctata Lam. var. *takesimana* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1161 1996

***Codonopsis* Wall. 더덕속**

Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 46 1879

국명: 더덕(Deo-deok), 참더덕 / (북한명) 더덕

영명: **Deodeok (Lance Asiabell, Bonnet bellflower)**

Campanumoea lanceolata Siebold & Zucc., Fl. Jap. (Siebold) 1: 174 1841

Glosocoma hortensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 209 1857

Glosocoma lanceolata (Siebold & Zucc.) Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 223 1857

Campanumoea japonica Siebold & Morren, Belgique Hort. 337 1863

Codonopsis yesoensis Nakai, Rep. Veg. Daisetsu Mts. 57 1930

Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Hance var. *emaculata* Honda, Bot. Mag. (Tokyo) 50: 436 1936

Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Hance f. *emaculata* (Honda) H.Hara, Enum. Sperm. Jap. 2: 98 1952

Codonopsis ussuriensis (Rupr. & Maxim.) Hemsl. f. *viridiflora* J.Ohara, J. Phytogeogr. Taxon. 33: 72 1985

Codonopsis minima Nakai, Bot. Mag. (Tokyo) 29: 7 1915 ⓕ ⓑ

국명: 애기더덕(Ae-gi-deo-deok), 섬더덕, 애기소경불알 / (북한명) 애기더덕

영명: **Sweet bonnet bellflower**

Codonopsis pilosula (Franch.) Nannf., Acta Horti Gothob. 5: 29 1929 ⓑ

국명: 만삼(Man-sam) / (북한명) 만삼

영명: **Pilose bellflower**

Campanumoea pilosula Franch., Pl. David. 1: 192 1884

Codonopsis silvestris Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 425 1901

Codonopsis modesta Nannf., Acta Horti Gothob. 5: 26 1930

Codonopsis volubilis Nannf., Symb. Sin. 7: 1079 1936

Codonopsis handeliana Nannf., Symb. Sin. 7: 1078 1936

***Codonopsis ussuriensis* (Rupr. & Maxim.) Hemsl., J. Linn. Soc., Bot. 26: 6 1889**

국명: 소경불알(So-gyeong-bul-al), 만삼아재비, 소경불알더덕, 알더덕 / (북한명) 만삼아재비

영명: Ussuri bellflower

Glosocoma lanceolata (Siebold & Zucc.) Rupr. var. *obtusa* Regel, Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 223 1857

Glosocoma ussuriensis Rupr. & Maxim., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 15: 209 1857

Codonopsis lanceolata (Siebold & Zucc.) Benth. & Hook.f. ex Hance var. *ussuriensis* (Rupr. & Maxim.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 6: 47 1879

Glosocoma lanceolata (Siebold & Zucc.) Rupr. var. *ussuriensis* (Rupr. & Maxim.) Regel, Index Seminum [St.Petersburg (Petropolitanus)] 92 1886

***Hanabusaya* Nakai 금강초롱꽃속**

***Hanabusaya asiatica* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 62 1911 ⑤ ⑥**

국명: 금강초롱꽃(Geum-gang-cho-rong-kkot), 금강초롱, 화방초 / (북한명) 금강초롱, 화방초

영명: Geumgangchoronkkot (Geumgang bluebell)

Symphyandra asiatica Nakai, Bot. Mag. (Tokyo) 23: 188 1909

Keumkangsania asiatica (Nakai) H.S.Kim, Fl. Coreana (Kim) 6: 94 1976

***Hanabusaya latisepala* Nakai, Bot. Mag. (Tokyo) 35: 147 1921 ⑤**

국명: 검산초롱꽃(Geom-san-cho-rong-kkot), 검산초롱 / (북한명) 검산초롱

영명: Wide-sepal geumgangchoronkkot (Wide-sepal Geumgang bluebell)

Keumkangsania latisepala (Nakai) H.S.Kim, Fl. Coreana (Kim) 6: 95 1976

***Lobelia* Plum. ex L. 숫잔대속**

***Lobelia chinensis* Lour., Fl. Cochinch. 2: 514 1790**

국명: 수염가래꽃(Su-yeom-ga-rae-kkot), 수염가래, 세수염가래꽃 / (북한명) 수염가래

영명: Asian lobelia

Lobelia erinus Thunb., Fl. Jap. (Thunberg) 325 1784

Lobelia radicans Thunb., Trans. Linn. Soc. London 2: 330 1793

Lobelia caespitosa Blume, Bijdr. Fl. Ned. Ind. 729 1826

Rapuntium chinense (Lour.) C.Presl, Prodr. Monogr. Lobel. 13 1836

Isolobus campanuloides (Thunb.) A.DC., Prodr. (DC.) 7: 353 1839

Isolobus kerii A.DC., Prodr. (DC.) 7: 353 1839

■ CAMPANULACEAE 초롱꽃과

Isolobus roxburghianus A.DC., Prodr. (DC.) 7: 353 1839

Lobelia roxburgiana (A.DC.) Heynh., Nom. Bot. Hort. 1: 471 1840

** *Lobelia chinensis* Lour. var. *tetrapetala* Y.N.Lee, Fl. Korea (Lee) 1161 1996

** *Lobelia chinensis* Lour. f. *tetrapetala* (Y.N.Lee) M.Kim, Korean Endemic Pl. 338 2004

Lobelia sessilifolia Lamb., J. Linn. Soc., Bot. 10: 260 1811

국명: **숫잔대**(Sut-jan-dae), 습잔대, 잔대아재비, 진들도라지 / (북한명) 습잔대, 수잔대

영명: **Sessile lobelia**

Lobelia saligna Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 65 1812

Lobelia camtschatica Pall. ex Roem. & Schult., Syst. Veg. (ed. 16) [Sprengel] 1: 712 1824

Rapuntium kamtschaticum C.Presl, Prodr. Monogr. Lobel. 24 1836

Lobelia salicifolia Fisch. ex Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 8: 557 1883

Peracarpa Hook.f. & Thomson 흥노도라지속

Peracarpa carnosa Hook.f. & Thomson var. *carnosa*

Peracarpa carnosa Hook.f. & Thomson var. *circaeoides* (F.Schmidt ex Miq.) Makino, Ill. Fl. Nippon (Makino) 82: 245 1940

국명: **흥노도라지**(Hong-no-do-ra-ji), 골도라지, 골좀도라지

영명: **Fleshy peracarpa**

Campanula circaeoides F.Schmidt ex Miq., Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 154 1862

Peracarpa circaeoides (F.Schmidt ex Miq.) Feer, Bot. Jahrb. Syst. 12: 621 1890

Platycodon A.DC. 도라지속

Platycodon grandiflorus (Jacq.) A.DC., Monogr. Campan. 125 1830

국명: **도라지**(Do-ra-ji), 길경, 약도라지, 겹도라지, 흰겹도라지, 백도라지 / (북한명) 도라지

영명: **Balloon-flower**

Campanula grandiflora Jacq., Hort. Bot. Vindob. 3: 4 1777

Platycodon grandiflorus (Jacq.) A.DC. var. *glaucus* (Thunb.) Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 179 1846

Platycodon autumnalis Decne., Rev. Hort. ser. 3, 2: 361 1848

Platycodon chinensis Lindl. & Paxton, Paxton's Fl. Gard. 2: 121 1852

Platycodon grandiflorus (Jacq.) A.DC. var. *candolleanus* Franch., Mem. Soc. Sci. Nat. Cherbourg 1: 231 1882

Platycodon grandiflorus (Jacq.) A.DC. var. *albus* Stubenrauch, Cycl. Amer. Hort. 1370 1901

Platycodon grandiflorus (Jacq.) A.DC. var. *duplex* Makino, Bot. Mag. (Tokyo) 22: 157 1908

Platycodon glaucus (Thunb.) Nakai, Bot. Mag. (Tokyo) 38: 301 1924

Platycodon glaucus (Thunb.) Nakai var. *duplex* (Makino) Nakai, Bot. Mag. (Tokyo) 38: 301 1924

Platycodon glaucus (Thunb.) Nakai var. *albus* Makino, J. Jap. Bot. 3: 43 1926

Platycodon glaucus (Thunb.) Nakai var. *duplex* (Makino) Nakai f. *albus* Makino, J. Jap. Bot. 3: 43 1926

Platycodon graucus (Thunb.) Nakai var. *duplex* (Makino) Nakai f. *violaceus* Makino, J. Jap. Bot. 3: 44 1926

Platycodon graucus (Thunb.) Nakai f. *albiflorus* Honda, Bot. Mag. (Tokyo) 51: 858 1937

Platycodon grandiflorus (Jacq.) A.DC. var. *subasepalus* (Honda) Nakai, J. Jap. Bot. 15: 186 1939

Platycodon grandiflorus (Jacq.) A.DC. f. *subasepalus* (Honda) H.Hara, Enum. Sperm. Jap. 2: 101 1952

Platycodon grandiflorus (Jacq.) A.DC. f. *albiflorus* (Honda) H.Hara, Enum. Sperm. Jap. 2: 101 1952

Platycodon grandiflorus (Jacq.) A.DC. var. *duplex* Makino f. *leucanthum* H.Hara, Enum. Sperm. Jap. 2: 102 1952

Platycodon grandiflorus (Jacq.) A.DC. f. *monanthus* (Nakai) H.S.Kim, Fl. Coreana (Kim) 6: 97 1976

Wahlenbergia Schrad. ex Roth 애기도라지속

Wahlenbergia marginata (Thunb.) A.DC., Monogr. Campan. 143 1830

국명: 애기도라지(Ae-gi-do-ra-ji), 아기도라지, 좀도라지, 하늘도라지 / (북한명) 애기도라지

영명: Southern rockbell

Campanula marginata Thunb., Fl. Jap. (Thunberg) 89 1784

Lobelia campanuloides Thunb., Trans. Linn. Soc. London 2: 331 1794

Campanula dehiscens Roxb., Fl. Ind. (Roxburgh) 1: 505 1820

Campanula agrestis Wall., Fl. Ind. (Roxburgh) 2: 97 1824

Campanula lavandulifolia Reinw. ex Blume, Bijdr. Fl. Ned. Ind. 726 1826

Wahlenbergia indica A.DC., Monogr. Campan. 146 1830

Campanula indica (A.DC.) D.Dietr., Syn. Pl. (D. Dietrich) 1: 753 1839

Wahlenbergia gracilis (G.Forst.) A.DC. var. *misera* Hemsl., J. Linn. Soc., Bot. 26: 4 1889

ASTERACEAE 국화과

Achillea L. 텁풀속

Achillea alpina L., Sp. Pl. 2: 899 1753

국명: 텁풀(Top-pul), 가새풀, 배암세, 배암채 / (북한명) 텁풀

영명: Alpine yarrow

Achillea cristata Willd., Sp. Pl. (ed.5) 3: 2192 1789

Achillea angustifolia Salisb., Prodr. Stirp. Chap. Allerton 204 1796

Achillea sibirica Ledeb., Index Sem. (Dorpat) 0 1811

Achillea mongolica Fisch. ex Spreng., Novi Provent. 3 1818

Achillea subcartilaginea (Heimerl) Heimerl, Acta Horti Gothob. 12: 254 1938

Achillea alpina L. subsp. *alpina*

Achillea alpina L. subsp. *pulchra* (Koidz.) Kitam., Acta Phytotax. Geobot. 23: 4 1968

국명: 갓텅풀(Gaet-top-pul)

Achillea pulchra Koidz., Bot. Mag. (Tokyo) 32: 59 1918

Achillea alpina L. subsp. *rhodoptarmica* (Nakai) Kitam., Acta Phytotax. Geobot. 23: 3 1968 ⓘ

국명: 붉은텅풀(Bul-geun-top-pul), 각시텅풀, 좀가새풀, 좀텅풀 / (북한명) 각시텅풀

영명: **Reddish alpine yarrow**

Achillea rhodoptarmica Nakai, Bot. Mag. (Tokyo) 34: 52 1920

Achillea rhodoptarmica Nakai var. *rosea* (Nakai) H.S.Pak, Fl. Coreana (H.S.Park) 7: 140 1999

Achillea alpina L. var. *rhodoptarmica* (Nakai) M.Kim, Korean Endemic Pl. 327 2017

Achillea alpina* L. var. *alpina

Achillea alpina L. var. ***discoidea*** (Regel) Kitam., Acta Phytotax. Geobot. 23: 3 1968

국명: 산톱풀(San-top-pul), 산가새톱, 산가새풀, 자루가새풀, 자주톱풀 / (북한명) 산톱풀

영명: **Discoid-involucrate alpine yarrow**

Achillea ptarmicoides Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 154 1859

Achillea sibirica Ledeb. var. *discoidea* Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 87 1861

Achillea ptarmica* L. var. *ptarmica

Achillea ptarmica L. var. ***acuminata*** (Ledeb.) Heimerl, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 48: 173

국명: 큰톱풀(Keun-top-pul), 당가새풀, 두메가새풀, 흘잎배암새 / (북한명) 잔톱풀

영명: **Acute-leaf sneezewort yarrow** 1884

Ptarmica acuminata Ledeb., Fl. Ross. (Ledeb.) 2: 529 1845

Achillea acuminata (Ledeb.) Sch.Bip., Flora 38: 15 1885

***Adenocaulon* Hook. 멸가치속**

Adenocaulon himalaicum Edgew., Trans. Linn. Soc. London 20: 64 1846

국명: **멸가치**(Myeol-ga-chi), 개머위, 명가지, 옹취, 총취 / (북한명) 멸가치

영명: **Asian trailplant**

Adenocaulon adhaerescens Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 152 1859

***Adenostemma* J.R.Forst. & G.Forst. 물머위속**

***Adenostemma lavenia* (L.) Kuntze**, Revis. Gen. Pl. 1: 304 1891

국명: **물머위**(Mul-meo-wi), 진득찰아재비 / (북한명) 물머위

영명: **Common adenostemma**

Verbesina lavenia L., Sp. Pl. 2: 902 1753

Adenostemma aquaticum D.Don, Prodr. Fl. Nepal. 81 1825

Lavenia fastigiata Blume, Bijdr. Fl. Ned. Ind. 15: 905 1826

Adenostemma microcephalum DC., Prodr. (DC.) 5: 111 1836

Adenostemma rivale Dalzell, Hooker's J. Bot. Kew Gard. Misc. 3: 231 1851

Adenostemma flintii R.M.King & H.Rob., Phytologia 54: 29 1983

Adenostemma madurensense DC., Wight Contrib. Bot., Ind. 9 1834

국명: 산물머위(San-mul-meo-wi)

Adenostemma lavenia (L.) Kuntze var. *madurensense* (DC.) Panigrahi, Kew Bull. 30: 654 1975

Ainsliaea DC. 단풍취속

Ainsliaea acerifolia Sch.Bip., Jahresber. Pollichia 18: 188 1861

국명: 단풍취(Dan-pung-chwi), 좀단풍취, 괴발딱지, 괴발땅취, 장이나물 / (북한명) 단풍취, 좀단풍취

영명: Maple-leaf ainsliaea

Ainsliaea affinis Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 187 1866

Ainsliaea acerifolia Sch.Bip. var. *affinis* (Miq.) Kitam., J. Jap. Bot. 14: 305 1938

Ainsliaea acerifolia Sch.Bip. var. *acerifolia*

Ainsliaea acerifolia Sch.Bip. var. *subapoda* Nakai, Bot. Mag. (Tokyo) 30: 290 1916

국명: 가야단풍취(Ga-ya-dan-pung-chwi)

영명: Shallow maple-leaf ainsliaea

Ainsliaea apiculata Sch.Bip., Jahresber. Pollichia 18: 188 1861

국명: 좀딱취(Jom-ttak-chwi), 좀땅취, 털괴발딱지, 털괴발딱취 / (북한명) 좀딱취

영명: Small maple-leaf ainsliaea

Ainsliaea apiculata Sch.Bip. var. *minor* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 187 1866

Ainsliaea apiculata Sch.Bip. var. *rotundifolia* Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 455 1934

Ajania Poljakov 솔인진속

Ajania pallasiana (Fisch. ex Besser) Poljakov, Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 17: 420 1955

국명: 솔인진(Sol-in-jin) / (북한명) 솔인진

영명: Northeast Asian ajania

Artemisia pallasiana Fisch. ex Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 61 1834

Pyrethrum pallasianum (Fisch. ex Besser) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 423 1872

Chrysanthemum pallasianum (Fisch. ex Besser) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 645 1907

Dendranthema pallasianum (Fisch. ex Besser) Vorosch., Byull. Glavn. Bot. Sada 49: 57 1963

Anaphalis DC. 다복떡쑥속

Anaphalis margaritacea (L.) Benth. & Hook.f., Gen. Pl. (Bentham & Hooker) 2: 203 1873

국명: 산떡쑥(San-teok-ssuk), 개고쑥, 산고쑥 / (북한명) 산고쑥

영명: Pearly everlasting

Gnaphalium margaritaceum L., Sp. Pl. 2: 850 1753

Antennaria plantaginea Sweet, Hort. Brit. (Sweet) 221 1826

Anaphalis japonica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 480 1881

Anaphalis sierrae A.Heller, Muhlenbergia 1: 147 1906

Anaphalis margaritacea (L.) Benth. & Hook.f. var. *angustior* (Miq.) Nakai, Bot. Mag. (Tokyo) 40: 148 1926

Anaphalis margaritacea (L.) Benth. & Hook.f. subsp. *angustior* (Miq.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 243 1937

***Anaphalis sinica* Hance, J. Bot. 12: 261 1874 ②**

국명: **다북떡쑥**(Da-buk-tteok-ssuk), 구름떡쑥, 개고쑥, 다북산떡쑥 / (북한명) **다북산고쑥**

영명: **Asian pearly everlasting**

Gnaphalium pterocaulon Franch. & Sav., Enum. Pl. Jap. 2: 405 1878

Anaphalis pterocaulon (Franch. & Sav.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 27: 478 1881

Anaphalis possietica Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 218 1932

Anaphalis pterocaulon (Franch. & Sav.) Maxim. var. *sinica* (Hance) Hand.-Mazz., Acta Horti Gothob. 12: 241 1938

Anaphalis sinica* Hance var. *sinica

***Anaphalis sinica* Hance var. *morii* (Nakai) Ohwi, Fl. Jap. (Ohwi) 1137 1953 ②**

국명: **구름떡쑥**(Gu-reum-tteok-ssuk), 개고쑥, 두메떡쑥, 한라떡쑥 / (북한명) **구름산고쑥**

영명: **Alpine pearly everlasting**

Anaphalis morii Nakai, Bot. Mag. (Tokyo) 26: 326 1912

Anaphalis pterocaulon (Franch. & Sav.) Maxim. subsp. *morii* (Nakai) Kitam., Acta Phytotax. Geobot. 5: 149 1936

Anaphalis sinica Hance subsp. *morii* (Nakai) Kitam., Acta Phytotax. Geobot. 12: 100 1943

***Antennaria* Gaertn. 백두산떡쑥속**

***Antennaria dioica* (L.) Gaertn., Fruct. Sem. Pl. 2: 410, t. 167. f. 3 1791**

국명: **백두산떡쑥**(Baek-du-san-tteok-ssuk), 고쑥, 두메떡쑥, 백두떡쑥, 화태떡쑥 / (북한명) **고쑥**

영명: **Mountain everlasting**

Gnaphalium dioicum L., Sp. Pl. 2: 850 1753

Antennaria montana Gray, Nat. Arr. Brit. Pl. 2: 458 1821

Gnaphalium boreale Turcz. ex DC., Prodr. (DC.) 6: 270 1838

Gnaphalium hyperboreum Winch ex DC., Prodr. (DC.) 6: 270 1838

Antennaria dioica (L.) Gaertn. var. *australis* Gris, Spic. Fl. Rumel. 2: 198 1845

Antennaria insularis Greene, Pittonia 3: 276 1898

Antennaria hibernica Braun-Blanq., Vegetatio 3: 298 1952

Antennaria zosonia H.S.Pak, Fl. Coreana (H.S.Park) 7: 380 1999

Antennaria foenina H.S.Pak, Fl. Coreana (H.S.Park) 7: 381 1999

Antennaria nigritella H.S.Pak, Fl. Coreana (H.S.Park) 7: 381 1999

Antennaria insulensis H.S.Pak, Fl. Coreana (H.S.Park) 7: 382 1999

Artemisia L. 쑥속

Artemisia angustissima Nakai, Bot. Mag. (Tokyo) 29: 8 1915

국명: 실제비쑥(Sil-je-bi-ssuk), 실잎쑥 / (북한명) 실제비쑥

영명: Narrow oriental wormwood

Artemisia japonica Thunb. var. *angustissima* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 386 1940

Artemisia annua L., Sp. Pl. 2: 847 1753

국명: 개똥쑥(Gae-ttong-ssuk), 개땅쑥, 개땅쑥비쑥, 잔잎쑥 / (북한명) 잔잎쑥, 개똥쑥

영명: Sweet wormwood

Artemisia argyi H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 138 1910

국명: 황해쑥(Hwang-hae-ssuk), 모기쑥, 좀황해쑥 / (북한명) 황새쑥

영명: Silvery wormwood

Artemisia vulgaris L. var. *incana* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 160 1859

Artemisia vulgaris L. var. *incanescens* Franch., Pl. David. 1: 165 1884

Artemisia nutans Nakai, Bot. Mag. (Tokyo) 23: 187 1923

Artemisia argyi H.Lév. & Vaniot var. *incana* (Maxim.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 453 1930

Artemisia argyi H.Lév. & Vaniot var. *gracilis* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 453 1930

Artemisia nutantiflora Nakai ex Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 451 1930

Artemisia argyi H.Lév. & Vaniot f. *microcephala* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 453 1930

Artemisia aurata Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 422 1901

국명: 금쑥(Geum-ssuk), 헌쑥, 흰쑥 / (북한명) 금쑥

영명: Golden-yellow wormwood

Artemisia palustris L. var. *aurata* (Kom.) Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 648 1927

Artemisia borealis Pall., Reise 3: 755 1776

국명: 증산쑥(Jeung-san-ssuk), 비단쑥, 아라이도쑥 / (북한명) 증산쑥

영명: Northern wormwood

Artemisia borealis Pall. var. *ledebourii* Besser, Bull. Soc. Imp. Naturalistes Moscou 8: 83 1835

Artemisia insularis Kitam., Acta Phytotax. Geobot. 5: 93 1935

Artemisia brachyphylla Kitam., Acta Phytotax. Geobot. 5: 97 1936

국명: 비로봉쑥(Bi-ro-bong-ssuk), 금강쑥

영명: Short-leaf wormwood

Artemisia pronutans Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 126 1942

Artemisia capillaris Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 209 1780

국명: 사철쑥(Sa-cheol-ssuk), 애땅쑥 / (북한명) 사철쑥

영명: Capillary wormwood

■ ASTERACEAE 국화과

Artemisia capillaris Thunb. var. *arbuscula* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 175 1866

Artemisia capillaris Thunb. var. *sericea* Nakai, Bot. Mag. (Tokyo) 26: 99 1912

Oligosporus capillaris (Thunb.) Poljakov, Trudy Inst. Bot. Akad. Nauk Kazakhst. SSR 11: 167 1961

Artemisia caruifolia Buch.-Ham. ex Roxb., Fl. Ind. (Roxburgh) 3: 422 1832

국명: **개사철쑥**(Gae-sa-cheol-ssuk), 갯사철쑥 / (북한명) 갯사철쑥

Artemisia apiacea Hance, Ann. Bot. Syst. 2: 895 1852

Artemisia carvifolia Buch.-Ham. ex Roxb. var. *apiacea* (Hance) Pamp., Nuovo Giorn. Bot. Ital. 34: 648 1927

Artemisia codonocephala Diels, Notes Roy. Bot. Gard. Edinburgh 5: 186 1912

국명: **참쑥**(Cham-ssuk), 광대쑥, 몽고쑥, 부엉다리쑥, 분쑥, 산분쑥, 인도쑥 / (북한명) 참쑥

영명: **True wormwood**

Artemisia vulgaris L. var. *umbrosa* Turcz. ex Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 52 1834

Artemisia lavandulifolia DC., Prodr. (DC.) 6: 110 1838

Artemisia selengensis Turcz. ex Besser var. *umbrosa* Ledeb., Fl. Ross. (Ledeb.) 2: 584 1846

Artemisia grisea Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 454 1930

Artemisia shansiensis Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 454 1930

Artemisia araneosa Kitam., Acta Phytotax. Geobot. 2: 171 1933

Artemisia fauriei Nakai, Bot. Mag. (Tokyo) 29: 7 1915

국명: **애기비쑥**(Ae-gi-bi-ssuk)

영명: **Incheon wormwood**

Artemisia nakaii Pamp., Nuovo Giorn. Bot. Ital. 34: 682 1927

Artemisia fukudo Makino var. *mokpensis* Pamp., Nuovo Giorn. Bot. Ital. 34: 656 1927

Artemisia haichowensis Chang, Bull. Fan Mem. Inst. Biol. Bot. 7: 158 1936

Artemisia fukudo Makino, Bot. Mag. (Tokyo) 23: 146 1909

국명: **큰비쑥**(Keun-bi-ssuk), 갯쑥, 눈쑥, 바다가쑥, 산쑥, 후구도쑥 / (북한명) 바다가쑥

영명: **Asian coastal wormwood**

Artemisia hallaisanensis Nakai, Bot. Mag. (Tokyo) 29: 7 1915 **E**

국명: **섬쑥**(Seom-ssuk), 섬제비쑥, 한라산쑥, 한라쑥, 할라산쑥, 한나산쑥

영명: **Hallasan wormwood**

Artemisia japonica Thunb. var. *hallaisanensis* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 386 1940

Artemisia indica Willd., Sp. Pl. (ed. 4) 3: 1846 1803

국명: **쑥**(Ssuk), 바로쑥, 사재발쑥, 약쑥, 타래쑥 / (북한명) 쑥

영명: **Korean wormwood**

Artemisia vulgaris L. var. *parviflora* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 160 1859

Artemisia scoparia Waldst. & Kit. f. *villosa* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 352 1893

Artemisia scoparia Waldst. & Kit. f. *sericea* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 653 1907

- Artemisia vulgaris* L. var. *integerrima* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 637 1907
Artemisia vulgaris L. var. *indica* (Willd.) Hassk. f. *nipponica* Nakai, Bot. Mag. (Tokyo) 26: 104 1912
Artemisia vulgaris L. var. *maximowiczii* Nakai, Bot. Mag. (Tokyo) 26: 104 1912
Artemisia scopariiformis Popov, Descr. Pl. Nov. Turkestan. [Korovin, Kultiasow & Popov] 1: 50 1915
Artemisia scopariooides Gross, Trudy Geobot. Obsl. Pastb. SSR Azerbajdzana, Ser. A, Zimn. Pastb. 2: 69 1929
Artemisia princeps Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 444 1930
Artemisia lavandulifolia DC. var. *maximowiczii* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 464 1930
Artemisia pleiocephala Pamp. var. *maximowiczii* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 464 1930
Artemisia asiatica Nakai, Koryo Shikenrin Ippan 61 1932
Artemisia vulgaris L. var. *indica* (Willd.) Hassk. subvar. *glabricaulis* (Honda) Nemoto, Fl. Jap. Suppl. 735 1936
Artemisia selengensis Turcz. ex Besser f. *subintegra* (Pamp.) Kitag., Neolin. Fl. Manshur. 622 1979

***Artemisia integrifolia* L., Sp. Pl. 2: 848 1753**

국명: 큰외잎쑥(Keon-oe-ip-ssuk)

Artemisia vulgaris L. var. *integrifolia* (L.) Ledeb., Fl. Ross. 2: 585 1844

***Artemisia japonica* Thunb., Fl. Jap. (Thunberg) 310 1784**

국명: 제비쑥(Je-bi-ssuk), 가는제비쑥, 자불쑥, 큰제비쑥 / (북한명) 제비쑥, 자불쑥

영명: Oriental wormwood

Chrysanthemum japonicum Thunb., Fl. Jap. (Thunberg) 321 1784

Artemisia japonica Thunb. f. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 656 1907

Artemisia manshurica (Kom.) Kom., Opred. Rast. Dal'nevost. Kraia 2: 1035 1932

Oligosporus japonicus (Thunb.) Poljakov, Trudy Inst. Bot. Akad. Nauk Kazakhst. SSR 9: 167 1961

Artemisia japonica Thunb. var. *manshurica* (Kom.) Kitag., Neolin. Fl. Manshur. 617 1979

***Artemisia keiskeana* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 176 1866**

국명: 맑은대쑥(Mal-geun-dae-ssuk), 개쑥, 개제비쑥, 국화잎쑥 / (북한명) 맑은대쑥

영명: False wormwood

Artemisia keiskeana Miq. f. *hirtella* Nakai, Bot. Mag. (Tokyo) 26: 101 1912

***Artemisia koidzumii* Nakai, Bot. Mag. (Tokyo) 25: 56 1911**

국명: 울무쑥(Yul-mu-ssuk), 구실쑥, 백두산쑥 / (북한명) 울무쑥

영명: Job's tears wormwood

***Artemisia lagocephala* (Fisch. ex Besser) DC., Prodr. (DC.) 6: 122 1837**

국명: 비단쑥(Bi-dan-ssuk), 산비단쑥 / (북한명) 비단쑥

영명: White-mountain wormwood

Absinthium lagocephalum Fisch. ex Besser, Bull. Soc. Imp. Naturalistes Moscou 1: 233 1829

Artemisia chinensis Besser, Linnaea 15: 92 1841

Artemisia besseriana Ledeb., Fl. Ross. (Ledeb.) 2: 590 1845

Artemisia besseriana Ledeb. var. *triloba* Ledeb., Fl. Ross. (Ledeb.) 2: 582 1846

Artemisia lithophila Turcz., Fl. Baical.-dahur. 2, 1: 69 1856

■ ASTERACEAE 국화과

Artemisia lagocephala (Fisch. ex Besser) DC. var. *triloba* (Ledeb.) Herder, Bull. Soc. Imp. Naturalistes Moscou 40: 118 1867
Artemisia lagocephala (Fisch. ex Besser) DC. f. *triloba* (Ledeb.) Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 45 1927
Artemisia condensata (Korobkov) A.P.Khokhr., Analiz Fl. Kolymskogo Nagor'ya 76 1989

Artemisia lancea Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 500 1903

국명: 뻣쑥(Ppaeng-ssuk), 뻣대쑥 / (북한명) 뻣쑥

영명: Fedde's wormwood

Artemisia sacrorum Ledeb. var. *minor* Ledeb. f. *vestita* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 664 1907
Artemisia feddei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 138 1910
Artemisia minutiflora Nakai, Bot. Mag. (Tokyo) 25: 56 1911
Artemisia parvula Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 460 1930
Artemisia lavandulifolia DC. var. *feddei* (H.Lév. & Vaniot) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 467 1930
Artemisia lavandulifolia DC. var. *lancea* (Vaniot) Pamp., Nuovo Giorn. Bot. Ital. n.s. 36: 469 1930
Artemisia vestita Wall. ex Besser var. *discolor* (Kom.) Kitam. f. *hololeuca* Kitag., Lin. Fl. Manshur. 434 1939

Artemisia littoricola Kitam., Acta Phytotax. Geobot. 5: 94 1936

국명: 갓제비쑥(Gaet-je-bi-ssuk), 개제비쑥, 섬제비쑥 / (북한명) 갓제비쑥

영명: Seashore oriental wormwood

Artemisia japonica Thunb. subsp. *littoricola* (Kitam.) Kitam., Acta Phytotax. Geobot. 17: 6 1957
Oligosporus littoricola (Kitam.) Poljakov, Trudy Inst. Bot. Akad. Nauk Kazakhst. SSR 11: 167 1961

Artemisia montana (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 461 1930

국명: 산쑥(San-ssuk), 뜰쑥, 왕쑥 / (북한명) 산쑥

Artemisia vulgaris L. var. *indica* (Willd.) Hassk. f. *montana* Nakai, Bot. Mag. (Tokyo) 26: 104 1912
Artemisia vulgaris L. var. *yezoana* Kudô, Medic. Pl. Hokk. 0 1922
Artemisia montana (Nakai) Pamp. f. *septentrionalis* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 464 1930
Artemisia montana (Nakai) Pamp. var. *latiloba* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 461 1930
Artemisia nipponica (Nakai) Pamp. var. *electa* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 464 1930
Artemisia gigantea Kitam., Acta Phytotax. Geobot. 2: 172 1933
Artemisia shikotanensis Kitam., Acta Phytotax. Geobot. 3: 128 1934
Artemisia gigantea Kitam. f. *electa* (Pamp.) H.Hara, Bot. Mag. (Tokyo) 52: 4 1938
Artemisia gigantea Kitam. f. *montana* (Nakai) H.Hara, Bot. Mag. (Tokyo) 52: 4 1938
Artemisia gigantea Kitam. f. *shikotanensis* (Kitam.) H.Hara, Bot. Mag. (Tokyo) 52: 4 1938
Artemisia gigantea Kitam. var. *shikotanensis* (Kitam.) Tatew., Rep. Veg. Is. Shikotan 21 1940

Artemisia orthobotrys Kitam., Rep. Inst. Sci. Res. Manchoukuo 6: 123 1942

국명: 산개쑥(San-gae-ssuk)

영명: High-mountain wormwood

Artemisia rubripes Nakai, Bot. Mag. (Tokyo) 31: 112 1917

국명: 덤불쑥(Deom-bul-ssuk), 왕참쑥, 큰몽고쑥, 텔쑥 / (북한명) 덤불쑥

영명: Red-foot wormwood

- Artemisia mongolica* (Fisch. ex Besser) Fisch. ex Nakai var. *pseudovulgaris* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 413 1930
- Artemisia nipponica* (Nakai) Pamp. var. *rubripes* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 463 1930
- Artemisia venusta* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 470 1930
- Artemisia nipponica* (Nakai) Pamp. var. *glabricaulis* Honda, Bot. Mag. (Tokyo) 45: 43 1931
- Artemisia mongolica* (Fisch. ex Besser) Fisch. ex Nakai subsp. *parviflora* (Maxim.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 108 1940

Artemisia sacrorum Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 571 1815

국명: 텔산쑥(Teol-san-ssuk), 흰분쑥 / (북한명) 텔산쑥

영명: Hairy Freyn's wormwood

- Artemisia messerschmidtiana* Besser, Nouv. Mouv Soc. Imp. Naturalistes Moscou 3: 27 1834
- Artemisia sacrorum* Ledeb. var. *minor* Ledeb. f. *discolor* Kom., Fl. Manschur. 3: 664 1907
- Artemisia gmelini* Besser var. *discolor* (Kom.) Nakai, Fl. Kor. 2: 31 1911
- Artemisia sacrorum* Ledeb. subsp. *manshurica* Kitam., Acta Phytotax. Geobot. 7: 66 1938
- Artemisia freyniana* (Pamp.) Krasch. f. *discolor* (Kom.) Kitag., J. Jap. Bot. 41: 367 1966
- Artemisia sacrorum* Ledeb. var. *messerschmidtiana* (Besser) Y.R.Ling, Bull. Bot. Res., Harbin 8: 13 1988

Artemisia sacrorum Ledeb. var. *sacrorum*

Artemisia sacrorum Ledeb. var. *incana* (Besser) Y.R.Ling, Bull. Bot. Res., Harbin 8: 13 1988

국명: 흰산쑥(Huin-san-ssuk), 눈산쑥, 흰털산쑥 / (북한명) 흰산쑥

영명: Whithish Freyn's wormwood

- Artemisia messerschmidtiana* Besser var. *incana* Besser, Nouv. Mouv Soc. Imp. Naturalistes Moscou 3: 27 1834
- Artemisia sacrorum* Ledeb. f. *vestita* Kom., Fl. Manschur. 3: 664 1907
- Artemisia gmelini* Besser var. *vestita* (Kom.) Nakai, Fl. Kor. 2: 31 1911
- Artemisia gmelinii* Fisch. ex Besser var. *vestita* (Kom.) Nakai ex T.Mori, Enum. Pl. Corea 343 1922
- Artemisia sacrorum* Ledeb. var. *vestita* (Kom.) Kitam., Acta Phytotax. Geobot. 7: 66 1938
- Artemisia freyniana* (Pamp.) Krasch. f. *vestita* (Kom.) Kitag., J. Jap. Bot. 41: 367 1966
- Artemisia gmelinii* Fisch. ex Besser var. *incana* (Besser) H.C.Fu, Fl. Intramongol. 6: 152 1982
- Artemisia sacrorum* Ledeb. subsp. *manshurica* Kitam. var. *vestita* (Kom.) Kitam., Neolin. Fl. Manshur. 585 1979

Artemisia sacrorum Ledeb. var. *iwayomogi* (Kitam.) M.S.Park & G.Y.Chung, Korean J. Pl. Taxon. 46: 180 2016

국명: 더위지기(Deo-wi-ji-gi), 부덕쑥, 사철쑥, 산쑥, 생댕쑥, 애기바위쑥, 인진고, 흰더위지기, 흰사철쑥 / (북한명) 더위지기, 생당쑥

영명: Gmelin's wormwood

- Artemisia messerschmidtiana* Besser f. *laxiflora* Nakai, 2: 31 1911
- Artemisia iwayomogi* Kitam., Acta Phytotax. Geobot. 7: 65 1938
- Artemisia sacrorum* Ledeb. subsp. *laxiflora* (Nakai) Kitag., Neo-Lineam. Fl. Mansh. 431 1979
- Artemisia sacrorum* Ledeb. subsp. *iwayomogi* (Kitam.) Vorosch., Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. 102: 68 1997

■ ASTERACEAE 국화과

Artemisia saitoana Kitam., Acta Phytotax. Geobot. 7: 63 1938

국명: 명천쑥(Myeong-cheon-ssuk) / (북한명) 명천쑥

영명: Myeongcheon wormwood

Artemisia scoparia Waldst. & Kit., Descr. Icon. Pl. Hung. 1: 66 1802

국명: 비쑥(Bi-ssuk)

영명: Virgate wormwood

Artemisia selengensis Turcz. ex Besser, Tent. Abrot. 50 1834

국명: 물쑥(Mul-ssuk), 뿔쑥 / (북한명) 물쑥

영명: Riverside wormwood

Artemisia vulgaris L. var. *selengensis* (Turcz. ex Besser) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 8: 536 1872

Artemisia vulgaris L. var. *selengensis* (Turcz. ex Besser) Maxim. f. *serratifolia* (Regel) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 673 1907

Artemisia cannabifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 12: 184 1913

Artemisia selengensis Turcz. ex Besser var. *simplicifolia* Nakai ex T.Mori, Enum. Pl. Corea 345 1922

Artemisia selengensis Turcz. ex Besser f. *serratifolia* (Kom.) Nakai, Fl. Sylv. Kor. 14: 102 1923

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* (H.Lév. & Vaniot) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 476 1930

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* (H.Lév. & Vaniot) Pamp. f. *integerrima* (Kom.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 477 1930

Artemisia selengensis Turcz. ex Besser var. *cannabifolia* (H.Lév. & Vaniot) Pamp. f. *simplicifolia* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 477 1930

Artemisia selengensis Turcz. ex Besser f. *subintegra* Pamp., Nuovo Giorn. Bot. Ital. n.s. 36: 476 1930

Artemisia selengensis Turcz. ex Besser f. *integerrima* (Kom.) Kitag., Lin. Fl. Manshur. 432 1939

Artemisia sieversiana Ehrh. ex Willd., Sp. Pl. (ed. 4) 3: 1845 1803 Ⓢ

국명: 산흰쑥(San-huin-ssuk), 섬쑥, 흰개쑥, 흰쑥 / (북한명) 산흰쑥

영명: Sievers' wormwood

Absinthium sieversiana (Ehrh.) Ehrh. ex Besser, Bull. Soc. Imp. Naturalistes Moscou 1: 259 1829

Artemisia koreana Nakai, Bot. Mag. (Tokyo) 23: 186 1909

Artemisia stelleriana Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 79 1834

국명: 흰쑥(Huin-ssuk), 산흰쑥, 눈빛쑥 / (북한명) 흰쑥

영명: Beach wormwood

Artemisia stelleriana Besser var. *vesiculosa* Franch. & Sav., Enum. Pl. Jap. 2: 403 1878

Artemisia stelleriana Besser var. *sachalinensis* Nakai, Bot. Mag. (Tokyo) 23: 102 1912

Artemisia stolonifera (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 676 1907

국명: 넓은잎외잎쑥(Neol-beun-ip-oe-ip-ssuk), 너른외잎쑥, 넓은외잎쑥, 넓은잎외대쑥 / (북한명) 넓은외대쑥, 넓은외잎쑥

영명: Stolon-bearing wormwood

Artemisia vulgaris L. var. *stolonifera* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 161 1859
Artemisia megalobotrys Nakai, Bot. Mag. (Tokyo) 31: 111 1917
Artemisia vulgaris L. var. *kiusiana* Makino, J. Jap. Bot. 1: 25 1917
Artemisia stolonifera (Maxim.) Kom. var. *lacinata* Nakai, Bot. Mag. (Tokyo) 34: 53 1920
Artemisia nipponica (Nakai) Pamp. var. *megalobotrys* (Nakai) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 463 1930
Artemisia integrifolia L. var. *stolonifera* (Maxim.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 481 1930
Artemisia koidzumii Nakai var. *mandshurica* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 483 1930
Artemisia integrifolia L. var. *stolonifera* (Maxim.) Pamp. subfor. *dissecta* Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 482 1930
Artemisia stolonifera (Maxim.) Kom. f. *dissecta* (Pamp.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 422 1940

Artemisia subulata Nakai, Bot. Mag. (Tokyo) 29: 8 1915

국명: 가는잎쑥(Ga-neun-ip-ssuk) / (북한명) 가는잎쑥

영명: Slender-leaf wormwood

Artemisia stenophylla Kitam., Acta Phytotax. Geobot. 5: 97 1936

Artemisia integrifolia L. f. *subulata* (Nakai) Kitag., Neolin. Fl. Manshur. 616 1979

Artemisia sylvatica Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 161 1859

국명: 그늘쑥(Geu-neul-ssuk) / (북한명) 그늘쑥

영명: Woodland wormwood

Artemisia ussuriensis Poljakov, Fl. URSS 26: 446 1961

Artemisia tanacetifolia L., Sp. Pl. 2: 848 1753

국명: 구와쑥(Gu-wa-ssuk)

영명: Siberian wormwood

Artemisia lacinata Will., Sp. Pl. (ed. 4) 3: 1843 1803

Artemisia latifolia Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 569 1815

Artemisia punctata Besser var. *stricta* Besser, Nouv. Mem. Soc. Imp. Naturalistes Moscou 3: 43 1834

Artemisia lacinata Will. var. *glabriuscula* Ledeb., Fl. Ross. (Ledeb.) 2: 582 1846

Artemisia laciniana Will. var. *latifolia* (Ledeb.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 530 1872

Artemisia lacinata Will. var. *glabriuscula* Ledeb. f. *dissecta* Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 672 1927

Artemisia laciniana Will. var. *latifolia* (Ledeb.) Maxim. f. *stricta* (Besser) Pamp., Nuovo Giorn. Bot. Ital. n.s. 34: 673 1927

Artemisia tanacetifolia L. var. *glabriuscula* (Ledeb.) Kitam., Acta Phytotax. Geobot. 12: 141 1943

Artemisia viridissima (Kom.) Pamp., Nuovo Giorn. Bot. Ital. ser 2. 36: 484 1930 Ⓢ

국명: 외잎쑥(Oe-ip-ssuk), 큰외잎쑥 / (북한명) 외잎쑥

영명: Green wormwood

Artemisia vulgaris L. var. *viridissima* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 673 1907

Aster L. 참취속

Aster ageratoides Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 154 1837

■ ASTERACEAE 국화과

국명: 까실쑥부쟁이(Kka-sil-ssuk-bu-jaeng-i), 곰의수해, 껌큼취, 까실쑥부장이, 산쑥부쟁이, 흰까실쑥부쟁이 / (북한명) 까실쑥부장이

영명: Rough-surface aster

- Aster leiophyllus* Franch. & Sav., Enum. Pl. Jap. 2: 395 1878
Aster quelpaertensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 140 1909
Aster trinervius Roxb. var. *adustus* Maxim., Bot. Mag. 1: 97 1910
Aster trinervius Roxb. var. *holophyllus* Maxim., Index Pl. Jap. 2: 628 1912
Aster trinervius Roxb., Iimura, Somoku-Dzusetsu ed. 4: 1091 1913
Aster trinervius Roxb. var. *robustus* Koidz., Bot. Mag. 29: 159 1915
Aster ageratoides Turcz. var. *adustus* Nakai f. *leucanthus* Honda, Bot. Mag. 44: 670 1930
Aster leiophyllus Franch. & Sav. var. *purpurascens* Honda, Bot. Mag. 44: 668 1930
Aster ageratoides Turcz. var. *robustus* (Koidz.) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 1194 1931
Aster ageratoides Turcz. var. *semiamplexicaulis* (Makino) Ohwi, Fl. Japan (ed. 2) [Makino & Nemoto] 1194 1931
Aster leiophyllus Franch. & Sav. var. *oligocephalus* Nakai ex H.Hara, J. Jap. Bot. 10: 431 1934
Aster ageratoides Turcz. subsp. *leiophyllus* (Franch. & Sav.) Kitam. var. *harae* (Makino) Kitam., J. Jap. Bot. 12: 645 1936
Aster ageratoides Turcz. subsp. *megarocephalus* Kitam., J. Jap. Bot. 12: 646 1936
Aster ageratoides Turcz. subsp. *ovatus* (Franch. & Sav.) Kitam. f. *leucanthus* Honda, J. Jap. Bot. 12: 648 1936
Aster ageratoides Turcz. var. *leiophyllus* (Franch. & Sav.) Kitam., J. Jap. Bot. 12: 644 1936
Aster trinervius Roxb. var. *oligocephalus* (Nakai) Nemoto, Fl. Jap. Suppl. 742 1936
Aster trinervius Roxb. var. *purpurascens* (Honda) Nemoto, Fl. Jap. Suppl. 742 1936
Aster ageratoides Turcz. subsp. *leiophyllus* (Franch. & Sav.) Kitam. f. *purpurascens* (Honda) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 348 1937
Aster ageratoides Turcz. subsp. *leiophyllus* (Franch. & Sav.) Kitam. var. *stenophyllus* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 348 1937
Aster leiophyllus Franch. & Sav. f. *purellus* H.Hara, Enum. Sperm. Jap. 2: 133 1952
Aster leiophyllus Franch. & Sav. var. *harae* (Makino) H.Hara, Enum. Sperm. Jap. 2: 133 1952
Aster leiophyllus Franch. & Sav. var. *stenophyllus* (Kitam.) H.Hara, Enum. Sperm. Jap. 2: 133 1952
Aster ageratoides Turcz. var. *harae* (Makino) Kitam. f. *stenophyllus* (Kitam.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 88 1953
Aster trinervius Roxb. subsp. *ageratoides* (Turcz.) Grierson, Notes Roy. Bot. Gard. Edinburgh 26: 102 1964
Aster trinervius Roxb. subsp. *leiophyllus* (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 21: 127 1965
Aster trinervius Roxb. subsp. *leiophyllus* (Franch. & Sav.) Kitam. f. *purpurascens* Kitam., Acta Phytotax. Geobot. 21: 127 1965
Aster trinervius Roxb. subsp. *leiophyllus* (Franch. & Sav.) Kitam. var. *harae* (Makino) Makino ex Kitam., Acta Phytotax. Geobot. 21: 127 1965
Aster trinervius Roxb. subsp. *leiophyllus* (Franch. & Sav.) Kitam. var. *megarocephalus* Kitam., Acta Phytotax. Geobot. 21: 127 1965
Aster trinervius Roxb. subsp. *leiophyllus* (Franch. & Sav.) Kitam. var. *stenophyllus* Kitam., Acta Phytotax. Geobot. 21: 127 1965
Aster ageratoides Turcz. var. *spiraifolius* H.S.Pak, Fl. Coreana (H.S.Park) 7: 383 1999

Aster arenarius (Kitam.) Nemoto, Fl. Jap. Suppl. 736 1936

국명: 섬갓쑥부쟁이(Seom-gaet-ssuk-bu-jaeng-i), 갯쑥부장이, 긴털갓쑥부쟁이, 섬개쑥부쟁이, 섬국화, 제수쑥부쟁이, 주걱쑥부쟁이, 흥자섬갓쑥부쟁이 / (북한명) 갯구계쑥부장이

영명: Beach-sand aster

- Heteropappus arenarius* Kitam., Acta Phytotax. Geobot. 2: 43 1933
Heteropappus hispidus (Thunb.) Less. subsp. *arenarius* (Kitam.) Kitam., Acta Phytotax. Geobot. 17: 6 1957
Heteropappus hispidus (Thunb.) Less. var. *arenarius* (Kitam.) Kitam. ex Ohwi, Fl. Jap., revised ed., [Ohwi] 1314 1965
Heteropappus hispidus (Thunb.) Less. f. *albiflorus* Y.N.Lee , Bull. Korea Pl. Res. 6: 9 2006
Heteropappus hispidus (Thunb.) Less. f. *purpurascens* Y.N.Lee , Bull. Korea Pl. Res. 6: 10 2006
Aster arenarius (Kitam.) Nemoto f. *albiflorus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 560 2017
Aster arenarius (Kitam.) Nemoto f. *purpurascens* (Y.N.Lee) M.Kim, Korean Endemic Pl. 560 2017

***Aster fastigiatus* Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 77 1812 R**

국명: 옹긋나물(Ong-gut-na-mul), 옹긋나물 / (북한명) 옹긋나물

영명: Highly-branch aster

- Turczaninovia fastigiatus* (Fisch.) DC., Prodr. (DC.) 5: 238 1836
Kalimeris japonicus Sch.Bip., Syst. Verz. (Zollinger) 126 1854
Aster micranthus H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 140 1909
Aster micranthus H.Lév. & Vaniot var. *achilleiformis* H.Lév., Repert. Spec. Nov. Regni Veg. 8: 449 1910

***Aster hayatae* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 143 1910 E**

국명: 눈갯쑥부쟁이(Nun-gae-ssuk-bu-jaeng-i) / (북한명) 갯쑥부장이

영명: Korean montane aster***Aster hispidus* Thunb., Fl. Jap. (Thunberg) 315 1784**

국명: 갯쑥부쟁이(Gaet-ssuk-bu-jaeng-i), 개쑥부장이, 개쑥부쟁이, 구계쑥부쟁이, 들쑥부쟁이, 둑국화, 흰개쑥부장이, 제주국화 / (북한명) 구계쑥부장이

영명: Bristle-hair aster

- Heteropappus hispidus* (Thunb.) Less., Syn. Gen. Compos. 189 1832
Calimeris hispida (Thunb.) Nees, Gen. Sp. Aster. 227 1833
Heteropappus incisus Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 182 1846
Heteropappus rigens Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 184 1846
Heteropappus decipiens Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 148 1859
Heteropappus hispidus (Thunb.) Less. var. *decipiens* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 587 1907
Aster fusanensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 139 1909
Aster rupicola H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 142 1909
Aster batakensis Hayata, Icon. Pl. Formosan. 8: 48 1919
Aster omerophyllus Hayata, Icon. Pl. Formosan. 8: 48 1919
Aster rufopappus Hayata, Icon. Pl. Formosan. 8: 47 1919
Heteropappus pinetorum Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 216 1932
Heteropappus saxomarinus Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 217 1932
Heteropappus rupicola (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 1: 146 1932
Heteropappus chejuensis Kitam., Acta Phytotax. Geobot. 3: 172 1934
Aster chejuensis (Kitam.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 113 1952
** *Heteropappus hispidus* (Thunb.) Less. f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1162 1996
** *Aster hispidus* Thunb. f. *albiflorus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 341 2004

Aster hispidus Thunb. var. ***hispidus***

Aster hispidus Thunb. var. ***leptocephalus*** (Makino) Ito & Soejima, Fl. Jap. (Iwatsuki et al., eds.) 3b: 62 1995

국명: **긴쑥부쟁이**(Gin-ssuk-bu-jaeng-i)

Aster leptocladus Makino, Bot. Mag. (Tokyo) 12: 69 1898

Aster incisus Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 76 1812

국명: **가새쑥부쟁이**(Ga-sae-ssuk-bu-jaeng-i), 가새쑥부장이 / (북한명) 가새쑥부장이

영명: **Incised-leaf aster**

Grindelia incisa (Fisch.) Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 575 1826

Kalimeris platycephala Cass., Dict. Sci. Nat. ed. 2 21: 325 1826

Kalimeris incisa (Fisch.) DC., Prodr. (DC.) 5: 258 1836

Boltonia incisa (Fisch.) Benth., Fl. Hongk. 175 1861

Aster macrodon H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 141 1909

Aster pinnatifidus (Matsum.) Makino f. *robustus* Makino, Bot. Mag. 27: 115 1913

Asteromoea incisa (Fisch.) Koidz., Bot. Mag. (Tokyo) 37: 56 1923

Kalimeris incisa (Fisch.) DC. var. *robustus* (Makino) Kitag., Neolin. Fl. Manshur. 653 1979

Aster koraiensis Nakai, Bot. Mag. (Tokyo) 23: 186 1909 **E**

국명: **별개미취**(Beol-gae-mi-chwi) / (북한명) 별개미취

영명: **Korean aster**

Asteromoea koraiensis (Nakai) Kitam., Acta Phytotax. Geobot. 2: 37 1933

Gymnaster koraiensis (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 303 1937

Miyamayomena koraiensis (Nakai) Kitam., Acta Phytotax. Geobot. 33: 409 1982

Aster latureanus (Debeaux) Franch., Pl. David. 1: 160 1884

국명: **산쑥부쟁이**(San-ssuk-bu-jaeng-i), 산쑥부장이 / (북한명) 산쑥부장이

영명: **Mountain aster**

Kalimeris incisa (Fisch.) DC. var. *holophyllus* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 146 1859

Boltonia latureana Debeaux, Actes Soc. Linn. Bordeaux 31: 215 1876

Kalimeris latureana (Debeaux) Kitam., Acta Phytotax. Geobot. 6: 22 1937

Aster associatus Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 299 1938

Asteromoea latureana (Debeaux) Hand.-Mazz., Acta Horti Gothob. 12: 224 1938

Kalimeris associata (Kitag.) Kitag., Neolin. Fl. Manshur. 652 1979

Aster maackii Regel, Tent. Fl.-Ussur. 81 1861

국명: **좁개미취**(Jom-gae-mi-chwi), 괴쑥부쟁이 / (북한명) 좁개미취

영명: **Maack's aster**

Aster koidzumizana Makino, Bot. Mag. 21: 16 1907

Aster horridifolius H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 141 1909

Aster micromaaackii Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 26 1953

Aster magnus Y.N.Lee & C.S.Kim, Korean J. Pl. Taxon. 28: 31 1998 (E)

국명: 왕갓쑥부쟁이(Wang-gaet-ssuk-bu-jaeng-i), 왕갓쑥부장이, 흰왕갓쑥부쟁이

영명: Magnus aster

Aster magnus Y.N.Lee & C.S.Kim f. *albiflorus* Y.N.Lee & C.S.Kim, Korean J. Pl. Taxon. 28: 33 1998

Aster meyendorffii (Regel & Maack) Voss, Vilm. Blumengaertn. ed. 3, 1: 469 1894

국명: 개쑥부쟁이(Gae-ssuk-bu-jaeng-i) / (북한명) 산갓쑥부장이

영명: Meyendorf's aster

Galatella meyendorffii Regel & Maack, Tent. Fl.-Ussur. 81 1861

Heteropappus hispidus (Thunb.) Less. var. *longeradiatus* Kom., Trudy Glavn. Bot. Sada 5: 587 1907

Aster depauperatus H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 142 1909

Heteropappus meyendorffii (Regel & Maack) Kom. & Aliss., Opred. Rast. Dal'nevost. Kraia 2: 1010 1932

Aster ciliosus Kitam., Acta Phytotax. Geobot. 3: 98 1934

Aster mongolicus Franch., Nouv. Arch. Mus. Hist. Nat. ser. 2 6: 41, t. 13 1883

국명: 민쑥부쟁이(Min-ssuk-bu-jaeng-i), 민쑥부장이

영명: Connected aster

Kalimeris mongolica (Franch.) Kitam., Acta Phytotax. Geobot. 6: 21 1937

Aster pekinensis (Hance) F.H.Chen, Bull. Fan Mem. Inst. Biol. Bot. 5: 41 1934

국명: 가는쑥부쟁이(Ga-neun-ssuk-bu-jaeng-i), 가는쑥부장이 / (북한명) 가는잎쑥부장이

영명: Thick-stem aster

Kalimeris integrifolia Turcz. ex DC., Prodr. (DC.) 5: 259 1836

Aster integrifolius (Turcz. ex DC.) Franch., Trans. Amer. Philos. Soc. ser. 2, 7: 291 1840

Asteromoea pekinensis Hance, Ann. Sci. Nat., Bot. ser. 4, 15: 225 1861

Boltonia pekinensis (Hance) Hance, J. Bot. 5: 370 1867

Aster holophyllus Hemsl., J. Linn. Soc., Bot. 23: 412 1888

Aster franchetianus H.Lév., Cat. Pl. Yun-Nan 40 1915

Aster pseudoglehni Y.Lim, J. Jap. Bot. 78: 203 2003 (E)

국명: 섬쑥부쟁이(Seom-ssuk-bu-jaeng-i), 구메리나물, 부지깽이나물, 북녘쑥부쟁이, 섬쑥부장이, 텔부지깽이나물 / (북한명) 섬쑥부장이

영명: Ulleungdo aster

Aster scaber Thunb., Fl. Jap. (Thunberg) 316 1784

국명: 참취(Cham-chwi), 나물취, 암취, 작은참취, 취, 한라참취 / (북한명) 참취

영명: Edible aster

Doellingeria scaber (Thunb.) Nees, Gen. Sp. Aster. 183 1832

Biotia discolor Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 146 1859

Aster komarovii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 142 1909

Aster scaber Thunb. var. *minor* Yabe ex Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 114 1952

Aster scaber Thunb. f. *minor* (Yabe ex Nakai) M.Kim, Korean Endemic Pl. 341 2004

■ ASTERACEAE 국화과

Aster spathulifolius Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 16: 216 1871

국명: 해국(Hae-guk), 왕해국, 흰해국 / (북한명) 해국

영명: Seashore spatulate aster

Aster feddei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 1910

Aster oharae Nakai, Bot. Mag. (Tokyo) 32: 110 1918

Heteropappus oharae (Nakai) Kitam., Acta Phytotax. Geobot. 2: 44 1933

Erigeron feddei (H.Lév. & Vaniot) Botsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 389 1954

Erigeron oharae (Nakai) Botsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 389 1954

Aster spathulifolius Maxim. var. *oharae* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1162 1996

Erigeron spathulifolius (Maxim.) H.S.Pak, Fl. Coreana (H.S.Park) 7: 297 1999

Aster spathulifolius Maxim. f. *oharae* (Nakai) M.Kim, Korean Endemic Pl. 341 2004

Aster tataricus L.f., Suppl. Pl. 373 1781

국명: 개미취(Gae-mi-chwi), 들개미취, 애기개미취, 자원 / (북한명) 개미취

영명: Tatarinow's aster

Aster trinervius Roxb. var. *longifolia* Franch. & Sav., Enum. Pl. Jap. 1: 222 1875

Aster tataricus L.f. var. *minor* Makino, Bot. Mag. 22: 166 1908

Aster fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 102 1909

Aster nakaii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 140 1909

Aster tataricus L.f. var. *fauriei* (H.Lév. & Vaniot) Kitam., Compos. Nov. Jap. 19 1931

Aster tataricus L.f. var. *nakaii* (H.Lév. & Vaniot) Kitam., Compos. Nov. Jap. 20 1931

Aster tataricus L.f. var. *hortensis* Nakai, J. Jap. Bot. 17: 682 1941

Aster tataricus L.f. var. *robustus* Nakai, J. Jap. Bot. 17: 683 1941

Aster tataricus L.f. var. *vernalis* Nakai, J. Jap. Bot. 17: 682 1941

Aster tripolium L., Sp. Pl. 2: 872 1753

국명: 갯개미취(Gaet-gae-mi-chwi), 개개미취, 갯자원 / (북한명) 갯개미취

영명: Seashore aster

Aster pannonicus Jacq., Hort. Bot. Vindob. 1: 3 1770

Aster palustris Lam., Fl. Franc. (Lamarck) 2: 143 1779

Aster maritimus Salisb., Prodr. Stirp. Chap. Allerton 198 1796

Tripolium vulgare Nees, Gen. Sp. Aster. 153 1832

Aster papposissimus H.Lév., Repert. Spec. Nov. Regni Veg. 8: 282 1910

Aster tripolium L. var. *integerrifolium* Miyabe & Kudô, Fl. Hokkaido 240 1915

Tripolium pannonicum subsp. *tripolium* (L.) Greuter, Willdenowia 33: 47 2003

Aster uchiyamai (Kitam.) Nakai, J. Jap. Bot. 17: 684 1941 Ⓣ Ⓥ

국명: 단양쑥부쟁이(Dan-yang-ssuk-bu-jaeng-i), 단양쑥부장이, 솔잎국화

영명: Danyang aster

Aster altaicus Willd. var. *uchiyamai* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 347 1937

Aster yomena (Kitam.) Honda, Siebold Kenkyu 586 1938

국명: 쑥부쟁이(Ssuk-bu-jaeng-i), 권영초, 쑥부장이 / (북한명) 쑥부장이

영명: **Field aster**

Kalimeris incisa (Fisch.) DC. var. *yomena* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 311 1937
Kalimeris yomena Kitam., Acta Phytotax. Geobot. 6: 51 1937

Aster × chusanensis Y.S.Lim, Hyun, Y.D.Kim & H.C.Shin, J. Pl. Biol. 48: 479, f. 1 2005 ⓘ

국명: **추산쑥부쟁이**(Chu-san-ssuk-bu-jaeng-i)

Atractylodes DC. 삽주속

Atractylodes koreana (Nakai) Kitam., Acta Phytotax. Geobot. 4: 178 1935

국명: **당삽주**(Dang-sap-ju), 용원삽주, 조선삽주, 핵삽주, 창출, 큰삽주 / (북한명) 조선삽주, 작디싹

영명: **Korean atractylodes**

Atractylis koreana Nakai, Bot. Mag. (Tokyo) 42: 478 1928
Atractylodes lancea (Thunb.) DC. var. *simplicifolia* Kitam., J. Jap. Bot. 20: 196 1944
Atractylis chinensis var. *coreana* (Nakai) Y.C.Chu, Fl. Pl. Herb. Chin. Bor.-Or. 2: 193 1959

Atractylodes ovata (Thunb.) DC., Prodr. (DC.) 7: 48 1838

국명: **삽주**(Sap-ju), 백출, 창출 / (북한명) 삽주, 창출

영명: **Ovate-leaf atractylodes**

Atractylis ovata Thunb., Fl. Jap. (Thunberg) 306 1784
Atractylodes lyrata Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 193 1846
Atractylis ovata Thunb. var. *amuensis* f. *pinnatifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 716 1907
Atractylis ovata Thunb. var. *ternata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 716 1907
Atractylis ovata Thunb. f. *ternata* Kom., Opred. Rast. Dal'nevost. Kraia 25: 716 1907
Atractylis lancea Thunb. var. *ovata* f. *lyrata* Makino, Iinuma, Somoku-Dzusetsu ed. 3: 1055 1912
Atractylis lyrata (Siebold & Zucc.) Hand.-Mazz. f. *ternata* (Kom.) Nakai, Bot. Mag. (Tokyo) 42: 478 1928
Atractylis lyrata (Siebold & Zucc.) Hand.-Mazz. var. *ternata* (Kom.) Koidz., Fl. Symb. Orient.-Asiat. 5 1930
Atractylodes japonica Koidz. ex Kitam., Acta Phytotax. Geobot. 4: 178 1935
Atractylis japonica (Koidz. ex Kitam.) Kitag., Lin. Fl. Manshur. 439 1939

Bidens L. 도깨비바늘속

Bidens bipinnata L., Sp. Pl. 2: 832 1753

국명: **도깨비바늘**(Do-kkae-bi-ba-neul), 좀도개비바늘, 좀도깨비바늘, 좀독개비바늘 / (북한명) 털가막사리,
 도깨비바늘

영명: **Spanish needle**

Bidens elongata Tausch, Flora 19: 395 1836
Bidens decomposita Wall. ex DC., Prodr. (DC.) 5: 602 1836
Kerneria bipinnata (L.) Gren. & Godr., Fl. France (Grenier) 2: 169 1850
Bidens pilosa L. var. *bipinnata* (L.) Hook.f., Fl. Brit. Ind. 3: 309 1881
Bidens pilosa L. var. *decomposita* (Wall. ex DC.) Hook.f., Fl. Brit. Ind. 3: 310 1881
Bidens myrrhidifolia Tausch, Flora 19: 394 1936

***Bidens biternata* (Lour.) Merr. & Sherff ex Sherff, Bot. Gaz. 88: 293 1929**

국명: 털도깨비바늘(Teol-do-kkae-bi-ba-neul), 넓은잎가막사리, 누른독개비바늘, 도깨비바늘, 독개비바늘, 참귀사리 / (북한명) 넓은잎털가막사리, 누런도깨비바늘

영명: Yellow-flower spanish needle

Bidens pilosa L. var. *chinensis* L., Mant. Pl. 2: 316 1771

Coreopsis biternata Lour., Fl. Cochinch. 508 1790

Bidens chinensis (L.) Willd., Sp. Pl. (ed. 4) 3: 1719 1803

Bidens kotschyi Sch.Bip., Repert. Bot. Syst. (Walpers) 6: 168 1846

Bidens robertianifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 1910

***Bidens cernua* L., Sp. Pl. 2: 832 1753**

국명: 좁은잎가막사리(Jop-eun-ip-ga-mak-sa-ri), 가는잎가막사리, 가는잎가막살, 긴잎가막살이 / (북한명) 가는잎가막사리

영명: Nodding beggartick

Coreopsis bidens L., Sp. Pl. 2: 908 1753

Bidens minima Huds., Fl. Angl. (Hudson) 310 1762

Bidens cernua L. var. *radiata* Roth, Tent. Fl. Germ. 1: 351 1788

Bidens macounii Greene, Pittonia 4: 256 1901

Bidens prionophylla Greene, Pittonia 4: 256 1901

Bidens cusickii Greene, Pittonia 4: 259 1901

Bidens filamentosa Rydb., Brittonia 1: 104 1931

***Bidens parviflora* Willd., Enum. Pl. (Willdenow) 2: 848 1809**

국명: 까치발(Kka-chi-bal), 가는도깨비바늘, 가는도깨비바늘까치발, 가는독개비바늘, 두가래도깨비바늘, 잔잎가막사리 / (북한명) 잔잎가막사리, 가는도깨비바늘

영명: Small-flower beggartick

Bidens pauciflora Poir., Encycl. (Lamarck) Suppl. 1: 630 1811

Bidens messerschmidii Turcz. ex DC., Fl. Ross. (Ledeb.) 2: 518 1845

***Bidens radiata* Thuill., Fl. Env. Paris ed. 2: 422 1799**

국명: 삼잎구와가막사리(Sam-ip-gu-wa-ga-mak-sa-ri)

영명: Radiate beggartick

Bidens radiata* Thuill. var. *radiata

***Bidens radiata* Thuill. var. *pinnatifida* (Turcz. ex DC.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 16: 273 1942**

국명: 구와가막사리(Gu-wa-ga-mak-sa-ri), 가새가막살, 개차람, 구와가막살, 국화잎가막사리

영명: Pinnatifid-radiate beggartick

Bidens tripartita L. var. *pinnatifida* Turcz. ex DC., Prodr. (DC.) 5: 594 1836

Bidens tripartita L. f. *pinnatifida* (Turcz. ex DC.) Beck, Fl. Nied.-Oesterr 2: 1191 1893

Bidens tripartita L., Sp. Pl. 2: 831 1753

국명: 가막사리(Ga-mak-sa-ri), 가막살, 제주가막사리, 털가막살이 / (북한명) 가막사리

영명: Three-lobe beggartick

Bidens connata Muhl. ex Willd. var. *comosa* A.Gray, Manual (Gray) ed. 5: 261 1867

Bidens orientalis Velen., Sitzungsber. Königl. Böhm. Ges. Wiss. Prag, Math.-Naturwiss. Cl. 1888: 48 1888

Bidens acuta (Wiegand) Britton, Man. Fl. N. States (Britton) 1001 1901

Bidens tripartita L. var. *hebecarpa* Nakai, J. Jap. Bot. 15: 3 1939

Bidens tripartita L. var. ***tripartita***

Bidens tripartita L. var. ***repens*** (D.Don) Sherff, Bot. Gaz. 81: 45 1926

국명: 눈가막사리(Nun-ga-mak-sa-ri), 애기막사리, 애기가막살, 좀가막사리 / (북한명) 애기가막살이

영명: Creeping three-lobe beggartick

Bidens repens D.Don, Prodr. Fl. Nepal. 180 1825

Bidens trifida Buch.-Ham. ex Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 411 1832

Bidens minuscula H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 3 1910

Breea Less. 조뱅이속

Breea segeta (Bunge) Kitam., Acta Phytotax. Geobot. 18: 79 1959

국명: 조뱅이(Jo-baeng-i), 자라귀, 조바리, 조병이, 지칭개 / (북한명) 조뱅이

영명: Common breea

Cirsium segetum Bunge, Enum. Pl. Chin. Bor. 36 1833

Cnicus segetum (Bunge) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 511 1874

Carduus segetum (Bunge) Franch., Pl. David. 1: 178 1884

Cirsium segetum f. *lactiflora* Nakai, Bot. Mag. (Tokyo) 26: 356 1912

Cephalonoplos segetum (Bunge) Kitam., Acta Phytotax. Geobot. 3: 8 1934

Cephalonoplos segetum (Bunge) Kitam. f. *lactiflora* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.

13: 24 1937

Breea segeta (Bunge) Kitam. f. *lactiflora* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1110 1996

Breea setosa (Willd.) Kitam., Acta Phytotax. Geobot. 18: 79 1959

국명: 큰조뱅이(Keun-jo-baeng-i), 개지칭개, 엉겅퀴아재비, 풀가시엉겅퀴 / (북한명) 센털조뱅이, 개지칭개

영명: Big breea

Serratula setosa Willd., Sp. Pl. (ed. 4) 3: 1645 1803

Cnicus setosus (Willd.) Besser, Prim. Fl. Galiciae Austriac. 2: 172 1809

Cirsium setosum (Willd.) M.Bieb., Fl. Taur.-Caucas. 3: 560 1819

Cirsium setosum (Willd.) M.Bieb. var. *subulatum* Ledeb., Fl. Altaic. 4: 10 1833

Cirsium arvense (L.) Scop. var. *integrifolium* K.Koch, Syn. Pl. Germ. ed. 1: 400 1837

Cirsium arguense DC., Prodr. (DC.) 6: 644 1838

Cirsium arvense (L.) Scop. var. *setosum* (Willd.) Ledeb., Fl. Ross. (Ledeb.) 2: 735 1846

Cnicus arvensis (L.) Roth var. *setosus* (Willd.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 511 1874

Carduus arvensis (L.) Robson var. *setosus* (Willd.) Franch., Pl. David. 1: 178 1884

Cephalonoplos setosum (Willd.) Kitam., Acta Phytotax. Geobot. 3: 8 1934

***Callistephus* Cass. 과꽃속**

***Callistephus chinensis* (L.) Nees, Gen. Sp. Aster. 222 1832**

국명: 과꽃(Gwa-kkot), 벽남국 / (북한명) 과꽃

Aster chinensis L., Sp. Pl. 2: 877 1753

Amellus speciosus Gaterau, Descr. Pl. Montauban 146 1789

Aster regalis Salisb., Prodr. Stirp. Chap. Allerton 198 1796

Callistephus hortense Cass., Dict. Sci. Nat. ed. 2 6(Suppl): 45 1817

Aster laciniatus Borbás, Magyar Bot. Lapok 3: 50 1904

***Carpesium* L. 담배풀속**

***Carpesium abrotanoides* L., Sp. Pl. 2: 860 1753**

국명: 담배풀(Dam-bae-pul), 담배나풀, 학술 / (북한명) 담배풀

영명: Common carpesium

Carpesium wulfenianum Schreb. ex DC., Prodr. (DC.) 6: 282 1838

Carpesium thunbergianum Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 187 1846

Carpesium abrotanoides L. var. *thunbergianum* (Siebold & Zucc.) Makino, J. Jap. Bot. 2: 22 1922

***Carpesium cernuum* L., Sp. Pl. 2: 859 1753**

국명: 좀담배풀(Jom-dam-bae-pul), 여우담배풀 / (북한명) 좀담배풀

영명: Drooping carpesium

Carpesium taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 170 1910

Carpesium glossophyllum Nakai, Bot. Mag. (Tokyo) 29: 9 1915

Carpesium cernuum L. var. *queenslandica* Domin, Biblioth. Bot. 89: 678 1930

***Carpesium divaricatum* Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 187 1846**

국명: 긴담배풀(Gin-dam-bae-pul), 천일초 / (북한명) 긴담배풀

영명: Divaricate carpesium

Carpesium divaricatum Siebold & Zucc. var. *pygmaea* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 179 1866

Carpesium atkinsonianum Hemsl., Bull. Misc. Inform. Kew 79: 157 1893

Carpesium erythrolepis H.Lév., Repert. Spec. Nov. Regni Veg. 8: 170 1910

***Carpesium glossophyllum* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 475 1874**

국명: 천일담배풀(Cheon-il-dam-bae-pul), 주걱담배풀 / (북한명) 천일담배풀

영명: Glossy-leaf carpesium

Carpesium hieracioides H.Lév., Repert. Spec. Nov. Regni Veg. 8: 170 1910

Carpesium macrocephalum Franch. & Sav., Enum. Pl. Jap. 2: 408 1878

국명: 여우오줌(Yeo-u-o-jum), 왕담배풀 / (북한명) 왕담배풀

영명: Big-head carpesium

Carpesium eximium C.Winkl., Trudy Imp. S.-Peterburgsk. Bot. Sada 14: 58 1895

Carpesium rosulatum Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 179 1866 Ⓢ

국명: 애기담배풀(Ae-gi-dam-bae-pul) / (북한명) 애기담배풀

영명: Rosette carpesium

Carpesium triste Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 14: 479 1874

국명: 두메담배풀(Du-me-dam-bae-pul), 산담배풀, 왕담배풀 / (북한명) 두메담배풀

영명: Alpine carpesium

Carpesium manshuricum Kitam., Acta Phytotax. Geobot. 4: 71 1935

Carpesium triste Maxim. var. *manshuricum* (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 280 1937

Centipeda Lour. 중대가리풀속

Centipeda minima (L.) A.Braun & Asch., Index Seminum Hort. Bot. Berol. 6 1867

국명: 중대가리풀(Jung-dae-ga-ri-pul), 땅과리, 토방풀 / (북한명) 토방풀

영명: Spreading sneezeweed

Artemisia minima L., Sp. Pl. 2: 849 1753

Cotula minuta G.Forst., Fl. Ins. Austr. 57 1786

Centipeda orbicularis Lour., Fl. Cochinch. 2: 602 1790

Cotula minima (L.) Willd., Sp. Pl. (ed. 4) 3: 2170 1803

Artemisia sternutatoria Roxb., Hort. Bengal. 61 1814

Myriogyne minuta (G.Forst.) Less., Linnaea 6: 219 1831

Myriogyne minuta (G.Forst.) Less. var. *lanuginosa* DC., Prodr. (DC.) 6: 139 1838

Sphaeromorphaea russelliana DC. var. *glabrata* DC., Prodr. (DC.) 6: 140 1838

Dichrocephala schmidii Wight, Icon. Pl. Ind. Orient. (Wight) 6: 1610 1850

Myriogyne minima (L.) Less. ex Seem., Bonplandia 9: 257 1861

Chrysanthemum L. 쑥갓속

Chrysanthemum boreale (Makino) Makino, Bot. Mag. (Tokyo) 23: 20 1909

국명: 산국(San-guk), 감국, 개국화, 나는개국화, 들국 / (북한명) 기린국화

영명: Northern dendranthemum

Chrysanthemum indicum L. var. *boreale* Makino, Bot. Mag. (Tokyo) 16: 89 1902

Dendranthema boreale (Makino) Ling ex Kitam., Acta Phytotax. Geobot. 29: 167 1978

Chrysanthemum indicum L., Sp. Pl. 2: 889 1753

국명: 감국(Gam-guk), 국화, 들국화, 선감국, 황국, 흰감국, 가는잎감국, 조선감국 / (북한명) 감국

영명: **Indian dendranthema**

- Dendranthema indicum* (L.) Des Moul., Actes Soc. Linn. Bordeaux 10: 561 1855
Chrysanthemum indicum L. var. *procumbens* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 25 1911
Chrysanthemum indicum L. var. *coreanum* H.Lév., Repert. Spec. Nov. Regni Veg. 10: 351 1912
Chrysanthemum indicum L. var. *acutum* Uyeki, Suigen Gakuho 21: 14 1928
Chrysanthemum makinoi Matsum. & Nakai, Bot. Mag. (Tokyo) 42: 462 1928
Chrysanthemum indicum L. var. *dibescens* Makino, J. Jap. Bot. 6: 10 1929
Chrysanthemum indicum L. var. *tokschonense* Uyeki, J. Chosen Nat. Hist. Soc. 17: 54 1934
Chrysanthemum indicum L. subsp. *albescens* (Makino) Kitam., Compos. Jap. 130 1940
Dendranthema makinoi (Matsum. & Nakai) Y.N.Lee, Fl. Korea (Lee) 820 1996

***Cirsium* Mill.** 엉겅퀴속

Cirsium chanroenicum (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 368 1912

국명: 정영엉겅퀴(Jeong-yeong-eong-geong-kwi), 가는정영엉겅퀴

영명: **Jeongyeong thistle**

- Cirsium buergeri* Miq. var. *chanroenicum* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 47 1911
Cirsium chanroenicum (Nakai) Nakai var. *lanceolata* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 90 1937
Cirsium setidens (Dunn) Nakai var. *chanroenicum* (Nakai) M.Kim, Korean Endemic Pl. 178 2004
Cirsium setidens (Dunn) Nakai f. *lanceolata* (Kitam.) M.Kim, Korean Endemic Pl. 342 2004

Cirsium japonicum Fisch. ex DC., Prodr. (DC.) 6: 640 1838

국명: **개엉겅퀴(Gae-eong-geong-kwi)**, 가시꽃엉겅퀴

영명: **Japanese thistle**

- Cnicus japonicus* (Fisch. ex DC.) Maxim. var. *intermedium* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 505 1874
Carduus japonicum (Fisch. ex DC.) Franch., Pl. David. 1: 178 1884
Cnicus taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 1910
Cirsium japonicum Fisch. ex DC. var. *vulkani* Nakai, Bot. Mag. (Tokyo) 25: 59 1911
Cirsium japonicum Fisch. ex DC. var. *horridum* Nakai, Bot. Mag. (Tokyo) 25: 59 1911
Cirsium maackii Maxim. var. *taquetii* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 109 1911
Cirsium japonicum Fisch. ex DC. var. *intermedium* (Maxim.) Matsum., Index Pl. Jap. 2: 640 1912
Cirsium laciniatum Nakai, Bot. Mag. (Tokyo) 26: 376 1912
Cirsium maackii Maxim. var. *horridum* (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 375 1912
Cirsium maackii Maxim. var. *intermedium* (Maxim.) Nakai, Bot. Mag. (Tokyo) 26: 376 1912
Cirsium maackii Maxim. var. *vulkani* Nakai, Bot. Mag. (Tokyo) 26: 376 1912
Cirsium taquetii (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 26: 373 1912
Cirsium ibukicense Nakai, Bot. Mag. (Tokyo) 46: 623 1932
Cirsium maackii Maxim. var. *kiusianum* Nakai, Bot. Mag. (Tokyo) 46: 624 1932
Cirsium senile Nakai, Bot. Mag. (Tokyo) 46: 623 1932
Cirsium japonicum Fisch. ex DC. var. *kiusianum* (Nakai) Nemoto, Fl. Jap. Suppl. 761 1936
Cirsium japonicum Fisch. ex DC. var. *ibukienese* (Nakai) Nakai ex Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 66 1937
Cirsium kitagoense Nakai, J. Jap. Bot. 25: 134 1950

Cirsium japonicum Fisch. ex DC. var. *japonicum*

Cirsium japonicum Fisch. ex DC. var. *maackii* (Maxim.) Matsum., Index Pl. Jap. 2: 641 1912

국명: 엉겅퀴(Eong-geong-kwi), 가시엉겅퀴

영명: Ussuri thistle

Cirsium maackii Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 172 1859

Cirsium littorale var. *ussuriense* Regel, Tent. Fl.-Ussur. 102 1861

Cnicus japonicum var. *maackii* (Maxim.) Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 506 1874

Cirsium maackii Maxim. var. *koraiensis* Nakai, Bot. Mag. (Tokyo) 23: 99 1909

Cirsium japonicum Fisch. ex DC. subsp. *maackii* (Maxim.) Nakai, Bot. Mag. (Tokyo) 25: 61 1911

Cirsium maackii Maxim. f. *koraiensis* (Nakai) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 47 1911

Cirsium maackii Maxim. var. *nakaii* (H.Lév.) Nakai ex T.Mori, Enum. Pl. Corea 354 1922

Cirsium japonicum Fisch. ex DC. var. *amurensis* Kitam., Cirsium Nov. Or.-Asiat. 1: 12 1931

Cirsium xanthacanthum Nakai, Bot. Mag. (Tokyo) 46: 619 1932

Cirsium asperum Nakai, Bot. Mag. (Tokyo) 46: 618 1932

Cirsium japonicum Fisch. ex DC. var. *ussuriense* (Regel) Kitam. ex Ohwi, Fl. Jap., revised ed., [Ohwi] 1376 1965

Cirsium japonicum Fisch. ex DC. var. *spinosissimum* Kitam., J. Jap. Bot. 20: 198 1944

국명: 가시엉겅퀴(Ga-si-eong-geong-kwi)

영명: Spined Japanese thistle

Cirsium japonicum Fisch. ex DC. f. *japonicum*

Cirsium japonicum Fisch. ex DC. f. *nakaianum* (H.Lév. & Vaniot) W.T.Lee, Lineamenta Florae Koreae 1130 1996

국명: 줄은잎엉겅퀴(Jop-eun-ip-eong-geong-kwi)

영명: Narrow-leaf Japanese thistle

Cnicus nakaianus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 1910

Cirsium maackii Maxim. var. *nakaianum* (H.Lév. & Vaniot) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 109 1911

Cirsium nakaianum (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 26: 378 1912

Cirsium japonicum Fisch. ex DC. var. *nakaianum* (H.Lév. & Vaniot) Kitam., Cirsium Nov. Or.-Asiat. 1: 12 1931

Cirsium lineare (Thunb.) Sch.Bip., Linnaea 19: 335 1847 Ⓢ

국명: 벼들잎엉겅퀴(Beo-deul-ip-eong-geong-kwi), 넓은잎벼들엉겅퀴, 솔엉겅퀴, 제주엉겅퀴 / (북한명) 솜엉겅퀴

영명: Linear-leaf thistle

Carduus linearis Thunb., Fl. Jap. (Thunberg) 305 1784

Spanioptilon lineare (Thunb.) Less., Syn. Gen. Compos. 10 1832

Cirsium chinense Gardner & Cham., Hooker's J. Bot. Kew Gard. Misc. 1: 323 1849

Cirsium oreithales Hance, Ann. Bot. Syst. 2: 944 1852

Cnicus chinensis (Gardner & Champ.) Benth., Gen. Pl. (Bentham & Hooker) 2: 468 1863

Cnicus linearis (Thunb.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 261 1873

Cnicus sinensis Clarke, Compos. Ind. 219 1876

Cnicus uninervius H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 169 1910

- Cirsium coreanum* Nakai, Bot. Mag. (Tokyo) 26: 372 1912
Cirsium moekchangense Nakai, Bot. Mag. (Tokyo) 29: 9 1915
Cnicus chanroenica Nakai, Bot. Mag. (Tokyo) 23: 187 1923
Cirsium uninervium Nakai, Fl. Sylv. Kor. 14: 110 1923
Cirsium lineare (Thunb.) Sch.Bip. var. *discolor* Nakai, Bot. Mag. (Tokyo) 46: 626 1932
Cirsium lineare (Thunb.) Sch.Bip. var. *linearifolium* f. *viride* Petr., Repert. Spec. Nov. Regni Veg. 43: 280 1938
Cirsium tsoongianum Ling, Contr. Bot. Surv. NorthW. China 1: 36 1939
Cirsium lineare (Thunb.) Sch.Bip. var. *franchetii* Kitam. f. *pallidum* Kitam., J. Jap. Bot. 20: 199 1944
Cirsium lineare (Thunb.) Sch.Bip. var. *pallidum* (Kitam.) Ling, Contr. Inst. Bot. Natl. Acad. Peiping 6: 102 1949
Cirsium lineare (Thunb.) Sch.Bip. var. *tsoongianum* (Ling) Ling, Contr. Inst. Bot. Natl. Acad. Peiping 6: 102 1949

***Cirsium nipponicum* (Maxim.) Makino**, Bot. Mag. (Tokyo) 19: 155 1905 Ⓢ

국명: 물엉겅퀴(Mul-eong-geong-kwi), 섬엉겅퀴, 울릉엉겅퀴 / (북한명) 울릉엉겅퀴

영명: Island thistle

- Cnicus nipponicus* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 496 1874
Cirsium psudopensulum Nakai, Bot. Mag. (Tokyo) 25: 61 1911
Cirsium sendaicum Nakai, Bot. Mag. (Tokyo) 44: 536 1930
Cirsium matsusimense Kitam., Cirsium Nov. Or.-Asiat. 1: 16 1931
Cirsium nipponicum (Maxim.) Makino var. *lanuginosum* Nakai, Bot. Mag. (Tokyo) 46: 621 1932
Cirsium sendaicum Nakai var. *amplexicaule* Nakai, Bot. Mag. (Tokyo) 46: 628 1932
Cirsium nipponicum (Maxim.) Makino f. *lanuginosum* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 81 1937
Cirsium nipponicum (Maxim.) Makino var. *amplexicaule* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 109 1937
Cirsium nipponicum (Maxim.) Makino var. *sendaicum* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 108 1937
Cirsium nipponicum (Maxim.) Makino var. *alpestre* Kitam., Acta Phytotax. Geobot. 25: 1 1971

***Cirsium pendulum* Fisch. ex DC.**, Prodr. (DC.) 6: 650 1838

국명: 큰엉겅퀴(Keon-eong-geong-kwi), 장수엉겅퀴 / (북한명) 큰엉겅퀴

영명: Pendulous thistle

- Cirsium falcatum* Turcz. ex DC., Prodr. (DC.) 6: 650 1838
Cnicus pendulus (Fisch. ex DC.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 510 1874
Cnicus hilgendorffii Fisch. & Sav., Enum. Pl. Jap. 2: 410 1878
Cnicus provostii Franch., J. Bot. (Morot) 11: 23 1897
Cirsium hilgendorffii (Fisch. & Sav.) Makino, Bot. Mag. (Tokyo) 19: 299 1905
Cirsium pendulum Fisch. ex DC. var. *albiflorum* Makino, J. Jap. Bot. 3: 42 1926
Cirsium pendulum Fisch. ex DC. f. *albiflorum* (Makino) Kitam., Mem. Coll. Sci. Kyoto Univ. ser. B 13: 39 1937
Cirsium provostii (Franch.) Petr., Repert. Spec. Nov. Regni Veg. 44: 52 1938

***Cirsium rhinoceros* (H.Lév. & Vaniot)** Nakai, Bot. Mag. (Tokyo) 26: 364 1912 Ⓣ Ⓢ

국명: 바늘엉겅퀴(Ba-neul-eong-geong-kwi) / (북한명) 바늘엉겅퀴

영명: **Korean prickly thistle**

Cnicus rhinoceros H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 168 1910

Cirsium rhinoceros (H.Lév. & Vaniot) Nakai f. *albiflorum* Sakata, J. Chosen Nat. Hist. Soc. 20: 20 1935

Cirsium schantarensse Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 58 1856

국명: **도깨비엉겅퀴**(Do-kkae-bi-eong-geong-kwi), 부전엉겅퀴, 수그린엉겅퀴, 큰엉겅퀴 / (북한명) 거친엉겅퀴,
도깨비엉겅퀴

영명: **Woodland thistle**

Cirsium pendulum Fisch. ex DC. var. *oligocephalum* Regel & Tiling, Fl. Ajan. 107 1859

Cnicus japonicus (Fisch. ex DC.) Maxim. var. *schantarensis* (Trautv. & C.A.Mey.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 326 1874

Cnicus diamicatus Nakai, Bot. Mag. (Tokyo) 23: 99 1909

Cirsium diamanticum (Nakai) Nakai, Bot. Mag. (Tokyo) 26: 363 1912

Cirsium maackii Maxim. var. *spiniferum* Nakai, Bot. Mag. (Tokyo) 46: 624 1932

Cirsium fusenense Nakai, J. Jap. Bot. 16: 70 1940

Cirsium setidens (Dunn) Nakai, Bot. Mag. (Tokyo) 34: 54 1920 ⓘ

국명: **고려엉겅퀴**(Go-ryeo-eong-geong-kwi), 곤드래, 구멍이, 도깨비엉겅퀴, 독깨비엉겅퀴, 흰잎고려엉겅퀴 /
(북한명) 고려엉겅퀴

영명: **Gondre (Korean thistle)**

Cirsium yoshinoi Nakai, Fl. Sylv. Kor. 14: 111 1923

Saussurea setidens Dunn, J. Bot. 45: 403 1937

Cirsium setidens (Dunn) Nakai var. *pinnatifolium* Y.N.Lee, Bull. Korea Pl. Res. 4: 8 2004

Cirsium setidens (Dunn) Nakai var. *setidens*

Cirsium setidens (Dunn) Nakai var. *niveo-araneum* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 109 1937 ⓘ

국명: **흰잎고려엉겅퀴**(Huin-ip-go-ryeo-eong-geong-kwi)

영명: **White-leaf Korean thistle**

Cirsium setidens (Dunn) Nakai f. *niveo-araneum* (Kitam.) M.Kim, Korean Endemic Pl. 343 2004

Cirsium toraiense Nakai ex Kitam., Acta Phytotax. Geobot. 5: 31 1936 ⓘ

국명: **동래엉겅퀴**(Dong-rae-eong-geong-kwi), 동내엉겅퀴

영명: **Dongrae thistle**

Cirsium vlassovianum Fisch. ex DC., Prodr. (DC.) 6: 635 1837

국명: **흰잎엉겅퀴**(Huin-ip-eong-geong-kwi), 흰꽃잎엉겅퀴, 민흰잎엉겅퀴 / (북한명) 흰잎엉겅퀴

영명: **Vlassoviana thistle**

Cirsium vlassovianum Fisch. ex DC. var. *bracteatum* Ledeb., Fl. Ross. (Ledeb.) 2: 741 1845

Cnicus vlassovianum (Fisch. ex DC.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 509 1874

- Cirsium vlassovianum* Fisch. ex DC. var. *salicifolium* Kitag., Bot. Mag. (Tokyo) 48: 112 1934
Cirsium vlassovianum Fisch. ex DC. f. *leucanthum* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 88 1937
Cirsium vlassovianum Fisch. ex DC. var. *album* Kitam., Compos. Nov. Jap. 1: 88 1937
Cirsium vlassovianum Fisch. ex DC. f. *album* (Kitam.) M.Kim, Korean Endemic Pl. 343 2004

Cirsium zenii Nakai, J. Jap. Bot. 16: 71 1940 (E)

국명: 점봉산엉겅퀴(Jeom-bong-san-eong-geong-kwi)

영명: Jeombongsan thistle

***Crepidiastrum* Moench 고들빼기속**

Crepidiastrum chelidoniiifolium (Makino) J.H.Pak & Kawano, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 15: 56 1992

국명: 까치고들빼기(Kka-chi-go-deul-ppae-gi), 까치고들빼이 / (북한명) 까치고들빼기

영명: Pinnate-compound crepidiastrum

- Lactuca chelidoniiifolia* Makino, Bot. Mag. (Tokyo) 12: 47 1898
Lactuca senecio H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 1910
Paraixeris chelidoniiifolium (Makino) Nakai, Bot. Mag. (Tokyo) 34: 156 1920
Ixeris chelidoniiifolia (Makino) Stebbins, J. Bot. 75: 46 1937
Youngia chelidoniiifolium (Makino) Kitam., Acta Phytotax. Geobot. 11: 128 1942

Crepidiastrum denticulatum (Houtt.) J.H.Pak & Kawano, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 15: 56 1992

국명: 이고들빼기(I-go-deul-ppae-gi), 강화고들빼기, 고들빼기, 고들빼이, 깃고들빼기, 꽂고들빼기 /
(북한명) 이고들빼기, 고들빼기

영명: Teeth-margin crepidiastrum

- Prenanthes denticulata* Houtt., Nat. Hist. (Houttuyn) 27: 385 1779
Prenanthes hastata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 715 1784
Youngia hastata (Thunb.) DC., Prodr. (DC.) 7: 194 1838
Dubyaea ramosissima Hance ex Walp., Ann. Bot. Syst. 2: 1028 1852
Ixeris ramosissima (Benth.) A.Gray, Mem. Amer. Acad. Arts 6: 397 1859
Youngia chrysantha Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 181 1859
Lactuca denticulata (Houtt.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 529 1874
Lactuca denticulata (Houtt.) Maxim. f. *pinnatipartita* Makino, Bot. Mag. (Tokyo) 12: 48 1898
Ixeris denticulata (Houtt.) Nakai, Bot. Mag. (Tokyo) 34: 155 1920
Paraixeris denticulata (Houtt.) Nakai, Bot. Mag. (Tokyo) 34: 156 1920
Paraixeris denticulata (Houtt.) Nakai f. *pinnatipartita* (Makino) Nakai, Bot. Mag. (Tokyo) 34: 157 1920
Ixeris denticulata (Houtt.) Nakai f. *pinnatipartita* (Makino) Stebbins, J. Bot. 75: 47 1937
Youngia denticulata (Houtt.) Kitam., Acta Phytotax. Geobot. 11: 128 1942
Paraixeris denticulata (Houtt.) Nakai f. *pallescens* Momiy. & Tuyama, J. Jap. Bot. 21: 235 1948
Youngia denticulata (Houtt.) Kitam. f. *pallescens* (Momiy. & Tuyama) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 22: 126 1955
Paraixeris denticulata (Houtt.) Nakai var. *dilatata* H.S.Pak, Fl. Coreana (H.S.Park) 7: 383 1999

Crepidiastrum hallaisanense (H.Lév.) J.H.Pak, Korean J. Pl. Taxon. 31: 316 2001 ⓘ

국명: 한라고들빼기(Han-ra-go-deul-ppae-gi)

영명: Halla lettuce

Lactuca hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 1913

Ixeris chinensis (Thunb.) Nakai subsp. *hallaisanensis* (H.Lév.) Kitag., J. Jap. Bot. 36: 244 1961

Crepidiastrum koidzumianum (Kitam.) J.H.Pak & Kawano, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 15: 57

1992 ⓘ

국명: 지리고들빼기(Ji-ri-go-deul-ppae-gi), 지이산고들빼기

영명: Jiri crepidiastrum

Youngia koidzumiana Kitam., Acta Phytotax. Geobot. 11: 127 1942

Crepidiastrum lanceolatum (Houtt.) Nakai, Bot. Mag. (Tokyo) 34: 150 1920

국명: 갓고들빼기(Gaet-go-deul-ppae-gi), 긴갓고들빼기

영명: Sword-leaf crepidiastrum

Prenanthes lanceolata Houtt., Nat. Hist. (Houttuyn) 28: 383 1779

Prenanthes integra Thunb., Fl. Jap. (Thunberg) 300 1784

Chondrilla lanceolata (Houtt.) Poir., Encycl. (Lamarck) Suppl. 2: 329 1811

Youngia lanceolata (Houtt.) DC., Prodr. (DC.) 7: 193 1838

Youngia integra (Thunb.) A.Gray, Mem. Amer. Acad. Arts 6: 396 1859

Crepis integra (Thunb.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 190 1866

Crepis tanegana Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 198 1866

Hieraciodes integrum (Thunb.) Kuntze, Revis. Gen. Pl. 1: 345 1891

Crepis lanceolata Kit. var. *pinnatiflora* (Maxim.) Makino, Bot. Mag. (Tokyo) 17: 88 1903

Lactuca quercus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 1910

Lactuca lanceolata (Houtt.) Makino, Bot. Mag. (Tokyo) 27: 257 1913

Crepis koshunense Hayata, Icon. Pl. Formosan. 8: 79 1919

Crepidiastrum koshunense (Hayata) Nakai, Bot. Mag. (Tokyo) 34: 149 1920

Crepidiastrum lanceolatum (Houtt.) Nakai f. *pinnatifolium* (Maxim.) Nakai, Bot. Mag. (Tokyo) 34: 151 1920

Crepidiastrum quercus (H.Lév. & Vaniot) Nakai, Bot. Mag. (Tokyo) 34: 152 1920

Lactuca lanceolatum var. *batakanense* Kitam., Acta Phytotax. Geobot. 2: 45 1933

Crepidiastrum lanceolatum (Houtt.) Nakai var. *batakanense* (Kitam.) Nemoto, Fl. Jap. Suppl. 770 1936

Ixeris koshunensis (Hayata) Stebbins, J. Bot. 75: 45 1937

Ixeris lanceolata (Houtt.) Stebbins, J. Bot. 75: 46 1937

Ixeris quercus (H.Lév. & Vaniot) Stebbins, J. Bot. 75: 46 1937

Crepidiastrum lanceolatum (Houtt.) Nakai f. *batakanense* (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 22: 108 1955

Crepidiastrum platyphyllum (Franch. & Sav.) Kitam., Acta Phytotax. Geobot. 6: 235 1937

국명: 절영풀(Jeol-yeong-pul), 갓고들빼기, 어미갓고들빼기

영명: Broad-leaf crepidiastrum

- Crepis integra* (Thunb.) Miq. var. *platyphylla* Franch. & Sav., Enum. Pl. Jap. 1: 272 1875
Lactuca lanceolata (Houtt.) Makino var. *platyphylla* (Franch. & Sav.) Makino, Bot. Mag. (Tokyo) 27: 258 1913
Lactuca platyphylla (Franch. & Sav.) Makino, J. Jap. Bot. 3: 10 1926
Crepidiastrum lanceolatum (Houtt.) Nakai var. *platyphyllum* (Franch. & Sav.) Tuyama, Bot. Mag. (Tokyo) 50: 37 1936
Ixeris lanceolata (Houtt.) Stebbins subsp. *platyphylla* (Franch. & Sav.) Stebbins, J. Bot. 75: 46 1937

***Crepidiastrum sonchifolium* (Maxim.) J.H.Pak & Kawano, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 15: 58 1992**

국명: 고들빼기(Go-deul-ppae-gi), 빗치개씀바귀, 씬나물, 애기볕줄씀바귀, 좀두메고들빼기, 참꼬들빼이

영명: Sonchus-leaf crepidiastrum

- Youngia serotina* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 180 1859
Youngia sonchifolia Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 180 1859
Ixeris sonchifolia (Maxim.) Hance, J. Linn. Soc., Bot. 13: 108 1873
Lactuca denticulata (Houtt.) Maxim. var. *sonchifolia* (Maxim.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 360 1874
Lactuca sonchifolia (Maxim.) Benth. & Hook. ex Debeaux, Actes Soc. Linn. Bordeaux 31: 229 1876
Lactuca bungeana Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 56 1911
Ixeris serotina (Maxim.) Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 95 1936
Ixeris denticulata (Houtt.) Nakai subsp. *sonchifolia* (Bunge) Stebbins, J. Bot. 75: 48 1937
Ixeris sonchifolia Hance var. *serotina* (Maxim.) Kitag., Lin. Fl. Manshur. 455 1939
Paraixeris serotina (Maxim.) Tzvelev, Fl. URSS 29: 399 1964
Paraixeris sonchifolia (Maxim.) Tzvelev, Fl. URSS 29: 399 1964
Paraixeris sonchifolia (Maxim.) Tzvelev var. *serotina* (Maxim.) Kitag., Neolin. Fl. Manshur. 664 1979

***Crepidiastrum × nakaii* H.Ohashi & K.Ohashi, J. Jap. Bot. 82(6): 339 2007**

국명: 홍도고들빼기(Hong-do-go-deul-ppae-gi), 갯고들빼기, 꽂고들배기, 매가꼬들빼이

영명: Hongdo crepidiastrixerus

- ** *Lactuca × denticulato-platypulla* Makino, J. Jap. Bot. 1: 11 1917
** *Paraixeris denticulato-platypulla* (Makino) Nakai, Bot. Mag. (Tokyo) 34: 157 1920
** *Crepidiastrixerus denticulato-platypylla* (Makino) Kitam., Acta Phytotax. Geobot. 6: 235 1937

Dendranthema (DC.) Des Moul. 구절초속

***Dendranthema coreanum* (H.Lév. & Vaniot) Vorosch., Bull. Princ. Bot. Gard. Acad. Sci. URSS 49: 57 1963 E R**

국명: 한라구절초(Han-ra-gu-jeol-cho)

영명: Halla dendranthema

- Matricaria coreana* H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 169 1910
Chrysanthemum coreanum (H.Lév. & Vaniot) Nakai ex T.Mori, Enum. Pl. Corea 352 1922
Chrysanthemum zawadskii Herbich var. *coreanum* (H.Lév. & Vaniot) M.Kim, Korean Endemic Pl. 337 2017

***Dendranthema jeongseonensis* M.Kim & H.Jo, Korean Endemic Pl. 341 2017 E**

국명: 정선국화(Jeong-seon-guk-hwa)

Dendranthema oreastrum (Hance) Y.Ling, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 6: 4 1980

국명: 바위구절초(Ba-wi-gu-jeol-cho), 산구절초 / (북한명) 바위구절초

영명: Rocky dendranthema

Chrysanthemum oreastrum Hance, J. Bot. 16: 108 1878

Chrysanthemum sibiricum Fisch. ex Turcz. var. *alpinum* Nakai, Bot. Mag. (Tokyo) 31: 109 1917

Chrysanthemum zawadskii Herbich var. *alpinum* (Nakai) Kitam., Acta Phytotax. Geobot. 7: 210 1938

Chrysanthemum indicum L. var. *leucanthum* Nakai, Bot. Mag. (Tokyo) 42: 459 1938

Dendranthema sichotense Tzvelev, Fl. URSS 26: 380 1961

Chrysanthemum zawadskii Herbich var. *acutilobum* f. *alpinum* (Nakai) Kitam., J. Jap. Bot. 41: 190 1966

Chrysanthemum zawadskii Herbich var. *sichotense* (Tzvelev) M.Kim, Korean Endemic Pl. 339 2017

Dendranthema zawadskii (Herbich) Tzvelev, Fl. URSS 26: 376 1961

국명: 산구절초(San-gu-jeol-cho), 가는잎구절초, 구절초, 선모초, 한라구절초

영명: Korean dendranthema

Chrysanthemum zawadskii Herbich, Addit. Fl. Galic. 1: 44 1831

Chrysanthemum sibiricum Fisch. ex Turcz. var. *acutilobum* (DC.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 642 1907

Chrysanthemum leiophyllum Nakai, Bot. Mag. (Tokyo) 35: 147 1921

Chrysanthemum arcticum L. subsp. *maekawanum* Kitam., Acta Phytotax. Geobot. 4: 37 1935

Chrysanthemum zawadskii Herbich subsp. *zawadskii* var. *acutilobum* (DC.) Sealy, J. Roy. Hort. Soc. 43: 269 1938

Chrysanthemum zawadskii Herbich subsp. *acutilobum* Kitag., Lin. Fl. Manshur. 444 1939

Dendranthema zawadskii (Herbich) Tzvelev var. *zawadskii*

Dendranthema zawadskii (Herbich) Tzvelev var. *leiophyllum* (Nakai) M.Kim, Korean Endemic Pl. 339 2017

국명: 구절초(Gu-jeol-cho), 낙동구절초, 넓은잎구절초, 서흥구절초, 선모초, 큰구절초, 한라구절초 / (북한명) 구절초

영명: White-lobe Korean dendranthema

Leucanthemum sibiricum DC. var. *latilobum* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 156 1859

Chrysanthemum naktongensis Nakai, Bot. Mag. (Tokyo) 23: 186 1909

Chrysanthemum leiophyllum Nakai, Bot. Mag. (Tokyo) 35: 147 1921

Chrysanthemum zawadskii Herbich var. *latilobum* (Maxim.) Kitam., Acta Phytotax. Geobot. 7: 210 1938

Dendranthema zawadskii (Herbich) Tzvelev var. *naktongensis* (Nakai) M.Kim, Korean Endemic Pl. 339 2017

Dendranthema zawadskii (Herbich) Tzvelev var. *lucida* (Nakai) Pak, Gen. Vasc. Pl. Korea 1025 2007 Ⓟ Ⓥ

국명: 울릉국화(Ul-reung-guk-hwa), 섬들국화, 울릉국화, 울릉구절초

영명: Ulleung dendranthema

Chrysanthemum lucidum Nakai, Bot. Mag. (Tokyo) 32: 110 1918

Chrysanthemum zawadskii Herbich subsp. *lucidum* (Nakai) Y.N.Lee, Fl. Korea (Lee) 1162 1996

Dendranthema zawadskii (Herbich) Tzvelev var. *sinchangense* (Uyeki) M.Kim, Korean Endemic Pl. 339 2017 Ⓟ

국명: 신창구절초(Sin-chang-gu-jeol-cho), 흰감국, 신창국화

영명: Sinchang dendranthema

Chrysanthemum sinchangense Uyeki, Suigen Gakuho 21: 13 1928

Tanacetum sinchangense (Uyeki) Kitam., Acta Phytotax. Geobot. 29: 167 1978

Dendranthema sinchangense (Uyeki) Kitam., Acta Phytotax. Geobot. 29: 167 1978

Dendranthema zawadskii (Herbich) Tzvelev var. ***tenuisectum*** (Nakai) Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 129 1942

국명: **포천구절초**(Po-cheon-gu-jeol-cho), 가는잎구절초, 포천가는잎구절초

영명: **Pocheon dendranthema**

Chrysanthemum zawadskii Herbich subsp. *acutilobum* Kitag. var. *tenuisectum* (Nakai) Kitag., Rep. Inst. Sci. Res. Manchoukuo 6: 129 1942

Chrysanthemum zawadskii Herbich subsp. *latilobum* Kitag. f. *tenuisectum* (Nakai) Kitag., J. Jap. Bot. 41: 191 1966

Dendranthema zawadskii (Herbich) Tzvelev var. ***yezoense*** (Mack.) M.Kim, Korean Endemic Pl. 340 2017

국명: **남구절초**(Nam-gu-jeol-cho)

Chrysanthemum arcticum L. var. *yeyoense* Mack., Trans. Sapporo Nat. Hist. Soc. 8: 14 1921

Chrysanthemum zawadskii Herbich subsp. *yeyoense* (Mack.) Y.N.Lee, Fl. Korea (Lee) 1162 1996

Chrysanthemum arcticum L. subsp. *yeyoense* (Mack.) H.Ohashi & Yonek., J. Jap. Bot. 79(3): 187 2004

***Echinops* L. 절굿대속**

Echinops latifolius Tausch, Flora 11: 486 1828 **®**

국명: **큰절굿대**(Keun-jeol-gut-dae), 절구대, 큰분취아재비

영명: **Broad-leaf globe thistle**

Echinops dahuricus Fisch. ex DC., Prodr. (DC.) 6: 523 1837

Echinops dahuricus Fisch. ex DC. var. *angustilobus* DC., Prodr. (DC.) 6: 523 1838

Echinops dahuricus Fisch. ex DC. var. *latilobus* DC., Prodr. (DC.) 6: 523 1838

Sphaerocephalus latifolius (Tausch) Kuntze Sphaerocephalus, Revis. Gen. Pl. 1: 366 1891

Echinops setifer Iljin, Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 4: 108 1923

국명: **절굿대**(Jeol-gut-dae), 개수리취, 등등방망이, 분취아재비, 절구대, 절구때 / (북한명) 분취아재비

영명: **Purple globe thistle**

***Erigeron* L. 개망초속**

Erigeron acris L., Sp. Pl. 2: 863 1753

국명: **민망초**(Min-mang-cho), 개망초, 만주망초, 민들망초, 민망풀, 민잔꽃풀, 벼들망초, 산민망초

영명: **Bitter fleabane**

Erigeron corymbosus Wallr., Erst. Beitr. Fl. Hercyn. 272 1840

Erigeron orientalis Boiss., Diagn. Pl. Orient. ser.2, 3: 7 1856

Erigeron shepardii Post, Bull. Herb. Boissier 1: 22 1893

Erigeron nelsonii Greene, Pittonia 3: 294 1898

Erigeron crispulus Borbás, Balaton Tavanak Partmellekenek Novenyfoldr. 1: 345 1900
Erigeron zosonius H.S.Pak, Fl. Coreana (H.S.Park) 7: 383 1999

Erigeron acris* L. var. *acris

Erigeron acris L. var. *kamtschaticus* (DC.) Herder, Bulletin de la societe imperiale des naturalistes de Moscou 38: 392 1865

국명: 산민망초(San-min-mang-cho)

영명: Kamchatka fleabane

***Erigeron alpicola* (Makino) Makino, Bot. Mag. (Tokyo) 28: 339 1914**

국명: 구름국화(Gu-reum-guk-hwa), 구름금잔화, 산망초, 큰산금전화, 흰구름국화 / (북한명) 구름국화

영명: Korean alpine fleabane

Erigeron dubius (Thunb.) Makino var. *alpicola* Makino, Alp. Fl. Japan [Miyoshi & Makino] 1: t. 21 1906

Erigeron komarovii Botsch., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.S.R. 16: 390 1954

Erigeron thunbergii A.Gray subsp. *komarovii* (Botsch.) A.Löve & D.Löve, Bot. Not. 128: 521 1976

** *Erigeron thunbergii* A.Gray f. *albiflorus* Y.N.Lee, Fl. Korea (Lee) 1162 1996

** *Erigeron thunbergii* A.Gray var. *glabratum* A.Gray f. *albiflorus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 343 2004

***Euchiton* Cass. 풀솜나물속**

***Euchiton japonicus* (Thunb.) Holub, Folia Geobot. Phytotax. 9: 271 1974**

국명: 풀솜나물(Pul-som-na-mul), 창떡쑥, 푸솜나물 / (북한명) 풀솜나물

영명: Father-and-child plant

Gnaphalium japonicum Thunb., Fl. Jap. (Thunberg) 311 1784

Gnaphalium asteroides Balb., Cat. Stirp. 1: 38 1813

Gnaphalium willdenowii DC., Prodr. (DC.) 6: 236 1838

Gnaphalium glomeratum DC., Prodr. (DC.) 6: 236 1838

***Eupatorium* L. 등골나물속**

***Eupatorium fortunei* Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 170 1851**

국명: 새등골나물(Sae-deung-gol-na-mul)

***Eupatorium japonicum* Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 737 1784**

국명: 등골나물(Deung-gol-na-mul), 민등골나물, 갈래등골나물, 벌등골나물, 새등골나물 / (북한명) 등골나물

영명: Fragrant eupatorium

Eupatorium japonicum Thunb. var. *dissectum* Makino, Bot. Mag. (Tokyo) 23: 90 1909

Eupatorium japonicum Thunb. var. *tripartitum* Makino f. *angustatum* Makino, Bot. Mag. (Tokyo) 27: 80 1913

Eupatorium fortunei Turcz. var. *simplicifolium* Nakai, Bot. Mag. (Tokyo) 41: 511 1927

- Eupatorium fortunei* Turcz. var. *angustatum* (Makino) Nakai, Bot. Mag. (Tokyo) 41: 512 1927
Eupatorium fortunei Turcz. var. *dissectum* (Makino) Nakai, Bot. Mag. (Tokyo) 41: 511 1927
Eupatorium laciniatum Kitam. var. *dissectum* (Makino) Kitam., J. Jap. Bot. 12: 245 1936
Eupatorium japonicum Thunb. var. *angustatum* (Makino) Kitam., J. Jap. Bot. 12: 102 1943
Eupatorium chinense L. var. *simplicifolium* (Makino) Kitam., J. Jap. Bot. 24: 79 1949
Eupatorium chinense L. var. *angustatum* (Makino) H.Hara, Enum. Sperm. Jap. 2: 200 1952
Eupatorium chinense L. var. *dissectum* (Makino) H.Hara, Enum. Sperm. Jap. 2: 200 1952

***Eupatorium lindleyanum* DC.**, Prodr. (DC.) 5: 180 1836

국명: 골등골나물(Gol-deung-gol-na-mul), 띄등골나물, 별등골나물, 새골등골나물, 샘등골나물, 세별등골나물 / (북한명) 골등골나물

영명: Lindley's eupatorium

- Eupatorium kirilowii* Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 153 1837
Eupatorium subtetragonum Miq., J. Bot. Néerl. 1: 99 1861
Eupatorium lindleyanum DC. var. *trifoliolatum* Makino, Bot. Mag. (Tokyo) 27: 80 1913
Eupatorium lindleyanum DC. f. *aureoreticulatum* Makino, J. Jap. Bot. 2: 5 1918

Eupatorium makinoi* Kawah. & Yahara var. *makinoi

Eupatorium makinoi* Kawah. & Yahara var. *oppositifolium (Koidz.) Kawah. & Yahara, Fl. Jap. (Iwatsuki et al., eds.) 3b: 113 1995

국명: 별등골나물(Beol-deung-gol-na-mul), 새등골나물, 향등골나물 / (북한명) 별들공나물

영명: Opposite-leaf eupatorium

- Eupatorium sachalinense* (F.Schmidt) Makino var. *oppositifolium* Koidz., Fl. Symb. Orient.-Asiat. 17 1930
Eupatorium chinense L. var. *oppositifolium* (Koidz.) Murata & H.Koyama, Acta Phytotax. Geobot. 33: 293 1982

***Eupatorium tripartitum* (Makino)** Murata & H.Koyama, Acta Phytotax. Geobot. 33: 297 1982

국명: 향등골나물(Hyang-deung-gol-na-mul)

영명: Triparted-leaf eupatorium

- Eupatorium japonicum* Thunb. var. *tripartitum* Makino, Bot. Mag. (Tokyo) 23: 90 1909
Eupatorium fortunei Turcz. var. *tripartitum* (Makino) Nakai, Bot. Mag. (Tokyo) 41: 512 1927
Eupatorium chinense L. f. *tripartitum* (Makino) H.Hara, Enum. Sperm. Jap. 2: 201 1952

***Farfugium* Lindl. 텔머위속**

***Farfugium japonicum* (L.)** Kitam., Acta Phytotax. Geobot. 8: 268 1939

국명: 텔머위(Teol-meo-wi), 갯머위, 넓은잎말곰취, 말곰취

영명: Leopard plant

- Tussilago japonicum* L., Mant. Pl. 1: 113 1767
Ligularia tussilaginea Makino, Bot. Mag. (Tokyo) 18: 52 1904
Farfugium tussilagineum Kitam., Acta Phytotax. Geobot. 8: 268 1939

Filifolium Kitam. 실쑥속

Filifolium sibiricum (L.) Kitam., Acta Phytotax. Geobot. 9: 157 1940

국명: 실쑥(Sil-ssuk), 누른시베리아쑥, 솔잎쑥, 시베리아쑥 / (북한명) 실쑥

영명: **Siberian filifolium**

Tanacetum sibiricum L., Sp. Pl. 2: 844 1753

Artemisia sibirica (L.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 524 1872

Chrysanthemum trinoides Hand.-Mazz., Acta Horti Gothob. 12: 273 1938

Gnaphalium L. 왜떡쑥속

Gnaphalium uliginosum L., Sp. Pl. 2: 856 1753

국명: 왜떡쑥(Wae-tteok-ssuk), 솜떡쑥 / (북한명) 왜떡쑥

영명: **Marsh cudweed**

Gnaphalium ramosum Lam., Fl. Franc. (Lamarck) 2: 65 1779

Gnaphalium uliginosum L. var. *lasiocarpum* Ledeb., Fl. Ross. (Ledeb.) 2: 609 1845

Gnaphalium uliginosum L. var. *leiocarpum* Ledeb., Fl. Ross. (Ledeb.) 2: 609 1845

Gnaphalium wirtgenii Nyman, Conspl. Fl. Eur. 2: 382 1879

Gnaphalium transschelii Kirp. & Kuprian. ex Kirp., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 19: 352 1959

Gnaphalium kasachstanicum Kirp. & Kuprian. ex Kirp., Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk S.S.R. 20: 305 1960

Gnaphalium mandshuricum Kirp. & Kuprian. ex Kirp., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 20: 298 1960

Gnaphalium ruricolum H.S.Pak, Fl. Coreana (H.S.Park) 7: 380 1999

Hemistepta Bunge ex Fisch. & C.A.Mey. 지칭개속

Hemistepta lyrata (Bunge) Bunge, Dorpater Jahrb. Litt. 1: 221 1833

국명: 지칭개(Ji-ching-gae), 지칭개나물 / (북한명) 지칭개

영명: **Lyre-shape hemistepta**

Serratula carthamoides Buch.-Ham. ex Roxb., Hort. Bengal. 60 1814

Cirsium lyratum Bunge, Enum. Pl. Chin. Bor. 36 1833

Saussurea affinis Spreng. ex DC., Prodr. (DC.) 6: 539 1838

Aplotaxis bungei DC., Prodr. (DC.) 6: 539 1838

Aplotaxis carthamoides Ham. ex DC., Prodr. (DC.) 6: 539 1838

Cnicus multicaulis Wall. ex DC., Prodr. (DC.) 6: 540 1838

Saussurea carthamoides Buch.-Ham. ex DC., Prodr. (DC.) 6: 540 1838

Saussurea stricta Spreng. ex DC., Prodr. (DC.) 6: 540 1838

Aplotaxis multicaulis DC., Icon. Select. Pl. vol. 4: 4. t. 68 1840

Haplotaxis australasica F.Muell., Fragm. (Mueller) 1: 36 1858

Haplotaxis bungei (DC.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 255 1875

Saussurea bungei (DC.) Benth. & Hook.f. ex Franch. & Sav., Enum. Pl. Jap. 1: 255 1875
Hemistepta carthamoides (DC.) Kuntze, Revis. Gen. Pl. 1: 344 1891

***Hieracium* L. 조밥나물속**

Hieracium coreanum Nakai, Bot. Mag. (Tokyo) 29: 9 1915

국명: **껄껄이풀**(Kkeol-kkeol-i-pul), 고려조밥나물, 고려조팝나물 / (북한명) 고려조밥나물

영명: **Korean hawkweed**

Crepis coreana (Nakai) H.S.Pak, Fl. Coreana (H.S.Park) 7: 378 1999

Crepis coreana (Nakai) H.S.Pak f. *glabriuscula* H.S.Pak, Fl. Coreana (H.S.Park) 7: 384 1999

! *Crepis coreana* (Nakai) Sennikov, Bot. Zhurn. (Moscow & Leningrad) 86(3): 57 2001

Hieracium umbellatum L., Sp. Pl. 2: 804 1753

국명: **조밥나물**(Jo-bap-na-mul), 벼들나물, 조팝나물 / (북한명) 조밥나물

영명: **Narrow-leaf hawkweed**

Hieracium kalmii L., Sp. Pl. 2: 804 1753

Hieracium serotinum Host, Fl. Austriac. 2: 419 1831

Hieracium firmum Jord., Cat. Graines Jard. Dijon 1: 22 1848

Hieracium umbellatum L. var. *commune* Fr., Nova Acta Regiae Soc. Sci. Upsal. 14: 178 1850

Hieracium arrectum Boreau, Fl. Centre France ed. 3, 2: 394 1857

Hieracium pervagum Jord. ex Boreau, Fl. Centre France ed. 3, 2: 388 1857

Hieracium columbianum Rydb., Bull. Torrey Bot. Club 28: 513 1901

Hieracium sinense Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 502 1903

Hieracium umbellatum L. var. *serotinum* (DC.) Koidz., Bot. Mag. (Tokyo) 24: 95 1910

Hieracium umbellatum L. var. *linearifolium* (DC.) Matsum., Index Pl. Jap. 2: 651 1912

Hieracium umbellatum L. var. *japonicum* H.Hara, Bot. Mag. (Tokyo) 52: 72 1938

***Hololeion* Kitam. 깨목속**

Hololeion maximowiczii Kitam., Acta Phytotax. Geobot. 10: 303 1941 Ⓢ

국명: **깨목**(Kke-muk), 긴깨목, 껍데기, 실쇠채나물 / (북한명) 깨목

영명: **Maximowicz's hololeion**

Hieracium hololeion Maxim., Prim. Fl. Amur. 182 1859

Hieracium sparsum Friv. subsp. *hololeion* (Maxim.) Zahn, Pflanzenr. (Engler) 4: 1019 1922

Prenanthes hololeion (Maxim.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 23: 159 1956

Hololeion maximowiczii Kitam. var. ***maximowiczii***

Hololeion maximowiczii Kitam. var. ***fauriei*** (H.Lév. & Vaniot) J.H.Pak, Gen. Vasc. Pl. Korea 971 2007 Ⓣ

국명: **좁깨목**(Jom-kke-muk) / (북한명) 숲깨목, 만주깨목

영명: **Small Maximowicz's hololeion**

Prenanthes fauriei H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 144 1909

Hololeion fauriei (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 10: 304 1941

Hieracium fauriei (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 10: 225 1941

Hypochaeris L. 금흔초속

Hypochaeris ciliata (Thunb.) Makino, Bot. Mag. (Tokyo) 22: 37 1908

국명: 금흔초(Geum-hon-cho), 금은초 / (북한명) 금흔초

영명: Ciliate cat's ear

Arnica ciliata Thunb., Fl. Jap. (Thunberg) 318 1784

Achyrophorus aurantiacus DC., Prodr. (DC.) 7: 93 1838

Amblachaenium aurantiacum Turcz. ex DC., Prodr. (DC.) 7: 94 1838

Hypochaeris aurantiaca Turcz. ex DC., Prodr. (DC.) 7: 94 1838

Oreophila sibirica C.A.Mey. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 95 1838

Achyrophorus grandiflorus Ledeb., Fl. Ross. (Ledeb.) 2: 777 1844

Achyrophorus ciliatus (Thunb.) Sch.Bip., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 1: 128 1845

Hypochaeris grandiflora (Ledeb.) Ledeb., Fl. Altaic. 4: 164 1933

Inula L. 금불초속

Inula britannica L. var. *britannica*

Inula britannica L. var. *ramosa* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 626 1907

국명: 가지금불초(Ga-ji-geum-bul-cho) / (북한명) 가지금불초

영명: Branching British yellowhead

Inula japonica Thunb., Fl. Jap. (Thunberg) 318 1784

국명: 금불초(Geum-bul-cho), 들국화, 옷풀, 하국 / (북한명) 금불초

영명: Oriental yellowhead

Inula chinensis Rupr. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 149 1859

Inula britannica L. var. *chinensis* Regel, Tent. Fl.-Ussur. 84 1861

Inula britannica L. var. *japonica* (Thunb.) Franch. & Sav., Enum. Pl. Jap. 2: 401 1878

Inula britannica L. subsp. *japonica* (Thunb.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 263 1937

Inula linariifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 154 1837

국명: 가는금불초(Ga-neun-geum-bul-cho), 가는잎금불초, 좁은잎금불초 / (북한명) 가는잎금불초

영명: Linear-leaf British yellowhead

Inula britannica L. var. *linariifolia* (Turcz.) Regel, Tent. Fl.-Ussur. 85 1861

Inula japonica Thunb. var. *linariifolia* Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 1240 1931

Inula britannica L. subsp. *linariifolia* (Turcz.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 265 1937

***Inula salicina* L., Sp. Pl. 2: 882 1753 (R)**

국명: 벼들금불초(Beo-deul-geum-bul-cho), 벼들잎금불초 / (북한명) 벼들금불초

영명: Asian willow-leaf yellowhead

Inula involucrata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 171 1866

Inula salicina L. var. *asiatica* Kitam., Acta Phytotax. Geobot. 2: 44 1933

Inula kitamurana Tatew. ex Honda, Nom. Pl. Japonic. 360 1939

Inula salicina L. subsp. *asiatica* (Kitam.) Kitag., Lin. Fl. Manshur. 253 1939

***Ixeridium* (A.Gray) Tzvelev 씀바귀속**

***Ixeridium dentatum* (Thunb.) Tzvelev, Fl. URSS 29: 392 1964**

국명: 씀바귀(Sseum-ba-gwi), 꽃씀바귀, 싸랑부리, 쓴귀풀, 씀바기, 씀배나물 / (북한명) 씀바귀아재비

영명: Toothed ixeridium

Prenanthes dentata Thunb., Fl. Jap. (Thunberg) 301 1784

Chondrilla dentata (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2: 328 1811

Youngia dentata (Thunb.) DC., Prodr. (DC.) 7: 193 1838

Ixeris thunbergii A.Gray, Narr. Exped. China Japan 2: 397 1856

Ixeris albiflora A.Gray, Mem. Amer. Acad. Arts 6: 397 1859

Lactuca thunbergii (A.Gray) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 530 1874

Lactuca thunbergii (A.Gray) Maxim. var. *flaviflora* Makino, Bot. Mag. (Tokyo) 12: 48 1898

Lactuca dentata (Thunb.) C.B.Rob., Philipp. J. Sci. C. 3: 218 1908

Lactuca dentata (Thunb.) C.B.Rob. var. *flaviflora* subvar. *thunbergii* (Maxim.) Makino, Bot. Mag. (Tokyo) 24: 75 1910

Lactuca dentata (Thunb.) C.B.Rob. var. *thunbergii* Makino, Bot. Mag. (Tokyo) 27: 29 1913

Ixeris dentata (Thunb.) Nakai, Fl. Sylv. Kor. 14: 114 1923

Ixeris dentata (Thunb.) Nakai var. *lobata* Nakai, Fl. Sylv. Kor. 14: 114 1923

Ixeris dentata (Thunb.) Nakai var. *occtoradiata* Nakai, Fl. Sylv. Kor. 14: 114 1923

Ixeris dentata (Thunb.) Nakai var. *atropurpurea* Nakai, Bot. Mag. (Tokyo) 42: 16 1928

Ixeris dentata (Thunb.) Nakai var. *occtoradiata* Nakai f. *leucantha* H.Hara, J. Jap. Bot. 11: 435 1934

Ixeris dentata (Thunb.) Nakai subsp. *nikoensis* Kitam., Bot. Mag. (Tokyo) 49: 286 1935

Ixeris dentata (Thunb.) Nakai var. *amplifolia* Kitam., Bot. Mag. (Tokyo) 49: 285 1935

Ixeris dentata (Thunb.) Nakai var. *stolonifera* Nemoto, Fl. Jap. Suppl. 783 1936

Ixeris dentata (Thunb.) Nakai var. *amplifolia* Kitam. f. *leucantha* (H.Hara) Kitam., Acta Phytotax. Geobot. 6: 237 1937

Ixeris dentata (Thunb.) Nakai var. *leucantha* H.Hara, Bot. Mag. (Tokyo) 52: 121 1938

Ixeris dentata (Thunb.) Nakai subsp. *stolonifera* Kitam., Acta Phytotax. Geobot. 9: 116 1940

Ixeris dentata (Thunb.) Nakai var. *kiusiana* Nakai, J. Jap. Bot. 5: 135 1950

Ixeris dentata (Thunb.) Nakai f. *atropurpurea* (Nakai) H.Hara, Enum. Sperm. Jap. 2: 214 1952

Ixeris dentata (Thunb.) Nakai f. *amplifolia* (Kitam.) Hiyama, J. Jap. Bot. 28: 217 1953

Ixeridium dentatum* (Thunb.) Tzvelev f. *dentatum

***Ixeridium dentatum* (Thunb.) Tzvelev f. *albiflora* (Makino) H.Hara, Enum. Sperm. Jap. 2: 214 1952**

국명: 흰씀바귀(Huin-sseum-ba-gwi)

영명: White toothed ixeridium

Lactuca thunbergii (A.Gray) Maxim. var. *albiflora* Makino, Bot. Mag. (Tokyo) 12: 48 1898
Ixeris dentata (Thunb.) Nakai var. *albiflora* (Makino) Nakai, Fl. Sylv. Kor. 14: 114 1923

Ixeris (Cass.) Cass. 선씀바귀속

Ixeris chinensis (Thunb.) Nakai, Bot. Mag. (Tokyo) 34: 152 1920

국명: 노랑선씀바귀(No-rang-seon-sseum-ba-gwi) / (북한명) 선씀바귀

영명: Yellow bristle-hair ixeris

- Prenanthes chinensis* Thunb., Fl. Jap. (Thunberg) 301 1784
Chondrilla chinensis (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2: 331 1811
Prenanthes graminea Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 67 1812
Crepis graminifolia Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 558 1814
Lagoseris versicolor Fisch. ex Link, Enum. Hort. Berol. Alt. 2: 289 1822
Barkhausia versicolor (Fisch. ex Link) Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 651 1826
Prenanthes versicolor (Fisch. ex Link) Fisch. ex Bunge, Enum. Pl. Chin. Bor. 40 1833
Lactuca chinensis Yamam. f. *graminea* Ling, Contr. Inst. Bot. Natl. Acad. Peiping 3: 192 1835
Youngia chinensis (Thunb.) DC., Prodr. (DC.) 7: 194 1838
Crepis versicolor Fisch. ex DC., Prodr. (DC.) 7: 151 1838
Lactuca fischeriana DC., Prodr. (DC.) 7: 135 1838
Lactuca versicolor (Fisch. ex Link) Sch.Bip. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 43: 109 1870
Ixeris scaposa Freyn, Oesterr. Bot. Z. 40: 44 1890
Lactuca rubrolutea Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 317 1903
Lactuca taitoensis Hayata, Icon. Pl. Formosan. 8: 76 1919
Lactuca flavissima Hayata, Icon. Pl. Formosan. 8: 78 1919
Lactuca lacerrima Hayata, Icon. Pl. Formosan. 8: 71 1919
Lactuca lacerrima Hayata f. *flavissima* (Hayata) Kitam., Acta Phytotax. Geobot. 1: 152 1932
Lactuca lacerrima Hayata var. *saxatilis* Kitam., Acta Phytotax. Geobot. 1: 152 1932
Ixeris chinensis (Thunb.) Nakai var. *purpurascens* (Freyn) Kitag., Bot. Mag. (Tokyo) 48: 114 1934
Ixeris chinensis (Thunb.) Nakai var. *saxatilis* (Kitam.) Kitam., Bot. Mag. (Tokyo) 49: 283 1935
Ixeris chinensis (Thunb.) Nakai subsp. *versicolor* (Fisch. ex Link) Kitam., Bot. Mag. (Tokyo) 49: 283 1935
Ixeris chinensis (Thunb.) Nakai f. *taitoensis* (Hayata) Yamam., J. Soc. Trop. Agric. 8: 352 1936
Ixeris chinensis (Thunb.) Nakai f. *lacerrima* (Hayata) Yamam., J. Soc. Trop. Agric. 8: 351 1936
Lactuca chinensis Yamam., J. Soc. Trop. Agric. 8: 351 1936
Ixeris graminifolia Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 95 1936
Ixeris chinensis (Thunb.) Nakai subsp. *chrysantha* (Freyn) Kitag., Lin. Fl. Manshur. 453 1939
Ixeris chinensis (Thunb.) Nakai subsp. *graminifolia* Kitag., Lin. Fl. Manshur. 453 1939
Ixeris chinensis (Thunb.) Nakai subsp. *versicolor* (Fisch. ex Link) Kitam. var. *intermedia* Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 87 1940
Ixeris lacerrima (Hayata) Kitag., J. Jap. Bot. 36: 277 1961
Ixeridium gramineum (Fisch.) Tzvelev, Fl. URSS 29: 391 1964

Ixeris debilis (Thunb.) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 397 1857

■ ASTERACEAE 국화과

국명: 벌음씀바귀(Beot-eum-sseum-ba-gwi), 덩굴씀바귀, 벌은씀바귀, 벌줄씀바귀, 뱀을씀바귀, 뱀음씀바귀,
큰덩굴씀바귀 / (북한명) 뻔은씀바귀

영명: **Weak ikeris**

Prenanthes debilis Thunb., Fl. Jap. (Thunberg) 300 1784

Chondrilla debilis (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2: 332 1811

Youngia debilis (Thunb.) DC., Prodr. (DC.) 7: 194 1838

Lactuca debilis (Thunb.) Benth. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 365 1874

Lactuca debilis (Thunb.) Benth. ex Maxim. f. *sinuata* (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 1: 349 1891

Ikeris japonica (Burm.f.) Nakai f. *dissecta* Nakai, Bot. Mag. (Tokyo) 40: 576 1926

Ikeris polycephala Cass., Dict. Sci. Nat. ed. 2 1: 50 1822

국명: 벌씀바귀(Beol-sseum-ba-gwi), 가새벌씀바귀, 가새씀바귀, 들씀바귀, 벌씀바기 / (북한명) 벌씀바귀

영명: **Many-head ikeris**

Lactuca polycephala (Cass.) Benth., Gen. Pl. (Bentham & Hooker) 2: 526 1873

Lactuca matsumurae Makino, Bot. Mag. (Tokyo) 6: 56 1892

Lactuca biauriculata H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 143 1909

Lactuca matsumurae Makino var. *dissecta* Makino, Bot. Mag. (Tokyo) 24: 252 1910

Ikeris matsumurae (Makino) Nakai, Bot. Mag. (Tokyo) 34: 153 1920

Ikeris polycephala Cass. var. *dissecta* (Makino) Nakai, Bot. Mag. (Tokyo) 34: 265 1920

Crepis bonii Gagnep., Bull. Soc. Bot. France 68: 47 1921

Ikeris polycephala Cass. f. *dissecta* (Makino) Ohwi, Fl. Jap. (Ohwi) 1246 1953

Ikeris dissecta (Makino) C.Shih, Acta Phytotax. Sin. 31: 536 1993

Ikeris repens (L.) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 397 1857

국명: 갯씀바귀(Gaet-sseum-ba-gwi), 개씀바귀, 갯씀바기 / (북한명) 갯씀바귀

영명: **Creeping beach ikeris**

Prenanthes repens L., Sp. Pl. 2: 798 1753

Chorisis repens (L.) DC., Prodr. (DC.) 7: 178 1838

Nabalus repens (L.) Ledeb., Fl. Ross. (Ledeb.) 2: 840 1846

Lactuca repens (L.) Benth. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 364 1874

Ikeris stolonifera A.Gray, Mem. Amer. Acad. Arts n.s. 6: 396 1857

국명: 좀씀바귀(Jom-sseum-ba-gwi), 둉굴잎씀바귀, 둉근잎씀바기 / (북한명) 좀씀바귀

영명: **Creeping ikeris**

Lactuca stolonifera (A.Gray) Benth. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 9: 364 1874

Lactuca nummularifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 421 1910

Lactuca stolonifera (A.Gray) Benth. ex Maxim. var. *sinuata* Makino, J. Jap. Bot. 3: 42 1926

Ikeris capillaris Nakai, Report. Veget. Kamikochi 41 1928

Ikeris stolonifera A.Gray subsp. *capillaris* (Nakai) Kitam., Bot. Mag. (Tokyo) 49: 287 1935

Ikeris stolonifera A.Gray f. *capillaris* (Nakai) Ohwi, Fl. Jap. (Ohwi) 1246 1953

Ikeris stolonifera A.Gray f. *sinuata* (Makino) Ohwi, Fl. Jap. (Ohwi) 1246 1953

Ixeris strigosa (H.Lév. & Vaniot) J.H.Pak & Kawano, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 15: 34 1992

국명: 선씀바귀(Seon-sseum-ba-gwi)

영명: Short bristle-like-hair ixeris

Lactuca strigosa H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 144 1909

Ixeris chinensis (Thunb.) Nakai subsp. *strigosa* (H.Lév. & Vaniot) Kitam., Bot. Mag. (Tokyo) 49: 283 1935

Ixeris chinensis (Thunb.) Nakai var. *srtigosa* (H.Lév. & Vaniot) Ohwi, Fl. Jap. (Ohwi) 1246 1953

Ixeris chinensis (Thunb.) Nakai subsp. *versicolor* (Fisch. ex Link) Kitam. f. *strigosa* (H.Lév. & Vaniot) Kitag., J. Jap. Bot. 36: 244 1961

Ixeridium strigosa (H.Lév. & Vaniot) Tzvelev, Fl. URSS 29: 390 1964

Ixeris tamagawaensis (Makino) Kitam., Acta Phytotax. Geobot. 10: 24 1941 Ⓢ

국명: 냇씀바귀(Naet-sseum-ba-gwi), 모래땅씀바귀, 모새씀바귀, 사지씀바귀

영명: Stream-bank ixeris

Lactuca tamagawaensis Makino, Bot. Mag. (Tokyo) 6: 56 1892

Ixeris × chinodebilis Kitam., Acta Phytotax. Geobot. 11: 132 1942 Ⓣ

국명: 합흥씀바귀(Ham-heung-sseum-ba-gwi)

영명: Hamheung ixeris

Klasea Cass. 잔잎산비장이속

Klasea centauroides (L.) Cass. subsp. *centauroides*

Klasea centauroides (L.) Cass. subsp. *komarovii* (Iljin) L.Martins, Bot. J. Linn. Soc. 152: 457 2006

국명: 잔잎산비장이(Jan-ip-san-bi-jang-i)

영명: Minute sawwort

Serratula komarovii Iljin, Izv. Glavn. Bot. Sada SSSR 27: 89 1928

Klasea hayatae (Nakai) Kitag., J. Jap. Bot. 21: 140 1947

국명: 잔톱비장이(Jan-top-bi-jang-i)

영명: Serrate sawwort

Serratula hayatae Nakai, Bot. Mag. (Tokyo) 25: 56 1911

Lactuca L. 왕고들빼기속

Lactuca indica L., Mant. Pl. 2: 278 1771

국명: 왕고들빼기(Wang-go-deul-ppae-gi) / (북한명) 왕고들빼기

영명: Indian lettuce

Prenanthes laciniata Houtt., Handl. Pl. -Kruidk. 10: 381 1779

Prenanthes squarrosa Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 715 1784

- Chondrilla squarrosa* (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2: 232 1811
Lactuca mauritiana Poir., Encycl. (Lamarck) Suppl. 3: 292 1813
Lactuca brevirostris Champ. ex Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 237 1852
Lactuca bialata Griff., Not. Pl. Asiat. 4: 246 1854
Lactuca amurensis Regel & Maxim., Index Seminum [St.Petersburg (Petropolitanus)] 42 1857
Lactuca laciniata (Houtt.) Makino, Bot. Mag. (Tokyo) 17: 88 1903
Lactuca laciniata (Houtt.) Makino f. *indivisa* Makino, Bot. Mag. (Tokyo) 17: 88 1903
Lactuca cavaleriei H.Lév., Repert. Spec. Nov. Regni Veg. 53: 450 1910
Lactuca kouyangensis H.Lév., Repert. Spec. Nov. Regni Veg. 8: 450 1910
Lactuca dracoglossa Makino, J. Jap. Bot. 7: 23 1931
Lactuca indica L. var. *indivisa* (Makino) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 201 1934
Lactuca indica L. var. *laciniata* (Houtt.) H.Hara, Enum. Sperm. Jap. 2: 220 1952
Prenanthes indica (L.) C.Shih, Acta Phytotax. Sin. 26: 387 1988
Pterocypsela indivisa (Makino) H.S.Pak, Fl. Coreana (H.S.Park) 7: 349 1999

Lactuca indica* L. var. *laciniata* (Houtt.) H.Hara f. *laciniata

***Lactuca indica* L. var. *laciniata* (Houtt.) H.Hara f. *indivisa* (Maxim.) H.Hara, Enum. Sperm. Jap. 2: 220 1952**

국명: 가는잎왕고들빼기(Ga-neun-ip-wang-go-deul-ppae-gi)

영명: Slender-leaf Indian lettuce

Lactuca squarrosa Miq. f. *indivisa* Maxim., Bulletin de l'Academie Imperiale des Sciences de St-Petersbourg 19: 526 1874

***Lactuca raddeana* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 526 1874**

국명: 산씀바귀(San-sseum-ba-gwi), 산고들빼기, 산꼬들백이, 산왕고들빼기 / (북한명) 산왕고들빼기

영명: Hairy-vein lettuce

Lactuca elata Hemsl., J. Linn. Soc., Bot. 23: 481 1888
Lactuca nakaiana H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 141 1910
Lactuca alliariifolia H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 141 1910
Prenanthes hieraciifolia H.Lév., Repert. Spec. Nov. Regni Veg. 11: 305 1912
Lactuca vaniotii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 1913
Lactuca raddeana Maxim. var. *elata* (Hemsl.) Kitam., J. Jap. Bot. 21: 52 1947
Pterocypsela raddeana (Maxim.) C.Shih, Acta Phytotax. Sin. 26: 386 1988
Pterocypsela elata (Hemsl.) C.Shih, Acta Phytotax. Sin. 26: 385 1988

***Lactuca sibirica* (L.) Benth. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 528 1874**

국명: 자주방가지똥(Ja-ju-bang-ga-ji-ttong), 자주고들빼기, 자주방가지, 자주씀바귀

영명: Siberian lettuce

Sonchus sibiricus L., Sp. Pl. 2: 795 1753
Mulgedium sibiricum (L.) Less., Syn. Gen. Compos. 142 1832
Mulgedium kamtschaticum Ledeb., Denkschr. Bayer. Bot. Ges. Regensburg 3: 65 1841
Lagedium sibiricum (L.) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 34 1961

Lactuca triangulata Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 177 1859

국명: 두메고들빼기(Du-me-go-deul-ppae-gi), 두메왕고들빼기, 산씀바귀 / (북한명) 두메왕고들빼기

영명: **Triangular lettuce**

Pterocypsela triangulata (Maxim.) C.Shih, Acta Phytotax. Sin. 26: 386 1988

***Lapsanastrum* Pak & K.Bremer 개보리뺑이속**

Lapsanastrum apogonoides (Maxim.) J.H.Pak & K.Bremer, Taxon 44: 19 1995

국명: 개보리뺑이(Gae-bo-ri-ppaeng-i), 개보리뱅이, 똑갈나풀, 애기보리뱅이 / (북한명) 보리뺑풀

영명: **Common nipplewort**

Lapsana apogonoides Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 288 1873

Lapsanastrum humile (Thunb.) J.H.Pak & K.Bremer, Taxon 44: 19 1995

국명: 그늘보리뺑이(Geu-neul-bo-ri-ppaeng-i), 남개보리뱅이, 된장똑같, 숲보리뱅이, 숲보리뺑풀

영명: **Shady nipplewort**

Prenanthes humilis Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 715 1784

Youngia humilis (Thunb.) DC., Prodr. (DC.) 7: 194 1838

Lapsana parviflora A.Gray, Mem. Amer. Acad. Arts n.s. 6: 396 1859

Lapsana humilis (Thunb.) Makino, Bot. Mag. (Tokyo) 17: 87 1903

Lapsana musashiensis Hiyama, J. Jap. Bot. 26: 224 1951

***Leibnitzia* Cass. 솜나물속**

Leibnitzia anandria (L.) Turcz., Ukaz. Otkryt. 8: 404 1831

국명: 솜나물(Som-na-mul), 까치취, 부시깃나물 / (북한명) 솜나물, 까치취

영명: **Gebera anandra**

Tussilago anandria L., Sp. Pl. 2: 865 1753

Perdicium tomentosum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 769 1784

Gerbera anandria (L.) Sch.Bip., Flora 27: 782 1844

***Leontopodium* R.Br. ex Cass. 솜다리속**

Leontopodium coreanum Nakai, Bot. Mag. (Tokyo) 31: 109 1917 Ⓟ Ⓢ

국명: 솜다리(Som-da-ri) / (북한명) 솜다리

영명: **Korean edelweiss**

Leontopodium leiolepis Nakai var. *curvicollum* H.S.Pak, Fl. Coreana (H.S.Park) 7: 382 1999

Leontopodium leiolepis Nakai var. *crinulosum* H.S.Pak, Fl. Coreana (H.S.Park) 7: 382 1999

Leontopodium coreanum Nakai var. *coreanum*

Leontopodium coreanum Nakai var. *hallaisanense* (Hand.-Mazz.) D.H.Lee & B.H.Chi, Korean J. Pl.

Taxon. 46: 155 2016 Ⓟ Ⓢ

■ ASTERACEAE 국화과

국명: 한라솜다리(Han-ra-som-da-ri)

영명: Halla edelweiss

Leontopodium hallaisanense Hand.-Mazz., Beih. Bot. Centralbl. 44: 72 1928

Leontopodium leiolepis Nakai, Icon. Pl. Koisikav 4: 75, t. 250 1920 Ⓟ Ⓢ

국명: 산솜다리(San-som-da-ri), 참솜다리, 설악솜다리 / (북한명) 참솜다리

영명: Bristle-tip edelweiss

Leontopodium seorakensis Y.S.Lim, J.O.Hyun, Y.D.Kim & H.C.Shin, Korean J. Pl. Taxon. 42: 157 2012

Leontopodium leontopodioides (Willd.) Beauverd, Bull. Soc. Bot. Genève ser.2, 1: 371 1909 Ⓢ

국명: 들떡쑥(Deul-tteok-ssuk), 들고쑥, 들솜다리, 산푸솜나물

영명: Northern edelweiss

Filago leontopodioides Willd., Phytographia 12 1794

Gnaphalium leontopodioides (Willd.) Willd., Sp. Pl. (ed. 4) 3: 1893 1803

Leontopodium sibiricum Cass., Dict. Sci. Nat. ed. 2 25: 475 1822

Gnaphalium leontopodium L. var. *sibiricum* Franch., Bull. Soc. Bot. France 39: 131 1892

Leontopodium alpinum Cass. var. *depauperatum* Beauverd, Bull. Soc. Bot. Genève ser.2, 1: 196 1909

Leontopodium alpinum Cass. f. *gracile* Beauverd, Bull. Soc. Bot. Genève ser.2, 1: 376 1909

Leontopodium leontopodioides (Willd.) Beauverd var. *humile* Beauverd, Bull. Soc. Bot. Genève ser.2, 4: 19 1912

Antennaria leontopodioides (Willd.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 112 1952

Leucanthemella Tzvelev 키큰산국속

Leucanthemella linearis (Matsum.) Tzvelev, Fl. URSS 26: 139 1961 Ⓢ

국명: 키큰산국(Ki-keun-san-guk), 어리국화, 키다리국화, 키큰국화 / (북한명) 키큰산국

영명: Linear-leaf leucantheme

Chrysanthemum lineare Matsum., Bot. Mag. (Tokyo) 13: 83 1899

Chrysanthemum lineare Matsum. var. *manshuricum* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 822 1907

Tanacetum lineare (Matsum.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 350 1940

Leucanthemum lineare (Matsum.) Vorosch., Byull. Glavn. Bot. Sada 49: 58 1963

Ligularia Cass. 곱취속

Ligularia fischeri (Ledeb.) Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 95 1838

국명: 곱취(Gom-chwi), 왕곱취, 큰곱취, 부전곱취, 이삭곱취 / (북한명) 곱취, 이삭곱취

영명: Fischer's ragwort

Cineraria fischeri Ledeb., Index Sem. (Dorpat) 17 1820

Cineraria speciosa Schrad. ex Link, Enum. Hort. Berol. Alt. 2: 334 1822

Ligularia racemosa DC., Prodr. (DC.) 6: 314 1838

Ligularia speciosa (Schrad. ex Link) Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 5: 38 1839

Senecio ligularia Hook.f., Fl. Brit. Ind. 3: 349 1881

Senecio splendens H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 139 1910

Senecillis fischerii (Ledeb.) Kitam., Acta Phytotax. Geobot. 8: 82 1939
Ligularia glabrescens Vorosch., Byull. Glavn. Bot. Sada 60: 41 1965

Ligularia fischeri* (Ledeb.) Turcz. var. *fischeri

Ligularia fischeri* (Ledeb.) Turcz. var. *spiciformis Nakai, J. Jap. Bot. 20: 138 1943 (E)

국명: **한대리곰취**(Han-dae-ri-gom-chwi)

영명: **Handaeri ragwort**

Ligularia fischeri (Ledeb.) Turcz. f. *spiciformis* (Nakai) M.Kim, Korean Endemic Pl. 562 2017

***Ligularia intermedia* Nakai, Bot. Mag. (Tokyo) 31: 125 1917**

국명: **어리곤달비**(Eo-ri-gon-dal-bi), 어리곰취 / (북한명) 어리곰취

영명: **Narrow-bract ragwort**

Ligularia sibirica Cass. var. *stenoloba* Diels, Bot. Jahrb. Syst. 29: 621 1901

Ligularia intermedia Nakai var. *stenopetala* Nakai, Bot. Mag. (Tokyo) 40: 579 1926

Ligularia sinica Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 95 1936

Senecillis intermedia (Nakai) Kitam., Acta Phytotax. Geobot. 8: 82 1939

***Ligularia jaluensis* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 420 1901**

국명: **긴잎곰취**(Gin-ip-gom-chwi), 세뿔곰취, 조선곰취 / (북한명) 조선곰취

영명: **Jalu ragwort**

Ligularia jaluensis Kom. var. *ruminifolia* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 696 1907

Ligularia deltoidea Nakai, Bot. Mag. (Tokyo) 31: 126 1917

Ligularia pulchra Nakai, Bot. Mag. (Tokyo) 31: 126 1917

Senecillis jaluensis (Kom.) Kitam., Acta Phytotax. Geobot. 8: 82 1939

Ligularia leucocoma Nakai, J. Jap. Bot. 20: 139 1944

***Ligularia jamesii* (Hemsl.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 697 1907**

국명: **화살곰취**(Hwa-sal-gom-chwi) / (북한명) 화살곰취

영명: **Arrowhead-leaf ragwort**

Senecio jamesii Hemsl., J. Linn. Soc., Bot. 23: 453 1888

Senecillis jamesii (Hemsl.) Kitam., Acta Phytotax. Geobot. 8: 82 1939

***Ligularia japonica* (Thunb.) Less., Syn. Gen. Compos. 390 1832**

국명: **무산곰취**(Mu-san-gom-chwi), 가새곰취, 왕가새곰취, 큰단풍잎곰취, 새곰취 / (북한명) 살곰취

영명: **Musan ragwort**

Arnica japonica Thunb., Fl. Jap. (Thunberg) 319 1784

Senecio japonica (Thunb.) Sch.Bip., Flora 28: 50 1845

Erythrochaete palmatifida Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 188 1846

Senecio macranthus C.B.Clarke, Compos. Ind. 205 1876

Senecio palmatifidus (Siebold & Zucc.) Wittr. & Juel, Acta Horti Berg. 1: 86 1891

Ligularia coreana Nakai, Bot. Mag. (Tokyo) 29: 10 1915

Senecio japonicus Thunb. var. *scaberrimus* Hayata, Icon. Pl. Formosan. 6: 40 1916

Ligularia japonica (Thunb.) Less. var. *scaberrima* (Hayata) Hayata, Icon. Pl. Formosan. 8: 63 1919

Senecillis japonica (Thunb.) Kitam., Acta Phytotax. Geobot. 8: 83 1939

***Ligularia schmidtii* (Maxim.) Makino**, Bot. Mag. (Tokyo) 17: 191 1903

국명: **개담배**(Gae-dam-bae), 쇠곰취 / (북한명) 산담배풀

영명: **Schmidt's ragwort**

Senecillis schmidtii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 16: 222 1871

Senecio schmidtii (Maxim.) Franch. & Sav., Enum. Pl. Jap. 1: 246 1875

Cyathocephalum schmidtii (Maxim.) Nakai, Bot. Mag. (Tokyo) 29: 11 1915

***Ligularia stenocephala* (Maxim.) Matsum. & Koidz.**, Bot. Mag. (Tokyo) 24: 149 1910

국명: **곤달비**(Gon-dal-bi), 곱달유, 곱취 / (북한명) 곤달비

영명: **Narrow-head ragwort**

Senecio stenocephala Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 16: 218 1871

Ligularia stenocephala (Maxim.) Matsum. & Koidz. f. *quinquebracteata* Yamam., Icon. Pl. Formosan. Suppl. 4: 24 1928

***Ligularia taquetii* (H.Lév. & Vaniot)** Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.]

90 1914 **㊎ ②**

국명: **깻취**(Gaet-chwi) / (북한명) 섬곰취

영명: **Jejudo ragwort**

Senecio taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 139 1910

Ligularia mongolica (Turcz.) DC. var. *taquetii* (H.Lév. & Vaniot) H.Koyama, Mem. Fac. Sci. Kyoto Univ., Ser. Biol. 2: 50 1968

***Matricaria* L. 족제비쑥속**

***Matricaria limosa* (Maxim.) Kudô**, J. Coll. Agric. Hokkaido Imp. Univ. 12: 58 1923

국명: **개꽃**(Gae-kkot)

Chamaemelum limosum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 156 1859

Tripleurospermum inodorum (L.) Sch.Bip. var. *limosum* (Maxim.) Regel ex Herder, Bull. Soc. Imp. Naturalistes Moscou 40: 43 1867

Matricaria maritima subsp. *limosa* (Maxim.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 335 1940

Tripleurospermum limosum (Maxim.) Pobed., Fl. URSS 26: 177, t. 6 1961

***Matricaria tetragonosperma* (F. Schmidt)** H.Hara & Kitam., Mem. Coll. Sci. Kyoto Univ. ser. B. 15: 336 1940

국명: **개족제비쑥**(Gae-jok-je-bi-ssuk)

Chamaemelum tetragonospermum f. *Schmidt*, Fl. Sach. 148 1868

***Parasenecio* W.W.Sm. & J.Small 박쥐나물속**

***Parasenecio adenostyloides* (Franch. & Sav. ex Maxim.) H.Koyama**, Fl. Jap. (Iwatsuki et al., eds.) 3b: 50 1995 **㊎**

국명: **개박쥐나물**(Ge-bak-jwi-na-mul), **개박쥐나물** / (북한명) 계박쥐나물

영명: **Glandular-style Indian plantain**

Senecio adenostyloides Franch. & Sav. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 486 1874

Cacalia adenostyloides (Franch. & Sav. ex Maxim.) Matsum. & Koidz., Bot. Mag. (Tokyo) 24: 152 1910

***Parasenecio auriculatus* (DC.) J.R.Grant, Novon 3: 154 1993 ®**

국명: **귀박쥐나물**(Gwi-bak-jwi-na-mul), **박쥐나물**, **산귀박쥐나물**, **산박쥐나물**, **좀귀박쥐나물**, **좀쥐박쥐나물** / (북한명) **귀박쥐나물**

영명: **Eared Indian plantain**

Cacalia auriculata DC., Prodr. (DC.) 6: 329 1838

Cacalia auriculata DC. var. *ochotensis* (Maxim.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 688 1907

Parasenecio auriculatus* (DC.) J.R.Grant var. *auriculatus

***Parasenecio auriculatus* (DC.) J.R.Grant var. *kamtschatica* (Maxim.) H.Koyama, Fl. Jap. (Iwatsuki et al.,**

국명: **나래박쥐나물**(Na-rae-bak-jwi-na-mul), **귀박쥐나물**, **자주박쥐나물**, **지느러미박쥐나물**, **참박쥐나물** / (북한명) **나래박쥐나물**(eds.) 3b: 50 1995

영명: **Kamchatka Indian plantain**

Senecio dahuricus Sch.Bip. var. *kamtschatica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 486 1874

Cacalia auriculata DC. var. *kamtschatica* (Maxim.) Koidz., J. Coll. Sci. Imp. Univ. Tokyo 27(Art.13): 121 1910

Cacalia kamtschatica (Maxim.) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 12: 60 1923

***Parasenecio auriculatus* (DC.) J.R.Grant var. *matsumurana* (Nakai) M.Kim, Korean Endemic Pl. 506 2017**

국명: **박쥐나물**(Bak-jwi-na-mul), **산귀박쥐나물**

영명: **Mountain Indian plantain**

Cacalia auriculata DC. var. *matsumurana* Nakai, Bot. Mag. (Tokyo) 23: 187 1909

***Parasenecio firmus* (Kom.) Y.L.Chen, Fl. Reipubl. Popularis Sin. 77: 26 1999 ®**

국명: **병풍쌈**(Byeong-pung-ssam), **병풍**, **큰병풍**

영명: **Firm Indian plantain**

Cacalia firma Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 420 1901

Miricacalia firma (Kom.) Nakai, J. Jap. Bot. 14: 642 1938

Koyamacalia firma (Kom.) Robins & Brettell, Phytologia 27: 272 1973

***Parasenecio hastatus* (L.) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 52 1995**

국명: **털박쥐나물**(Teol-bak-jwi-na-mul) / (북한명) **털박쥐나물**

영명: **Spearhead Indian plantain**

Cacalia hastata L., Sp. Pl. 2: 835 1753

Parasenecio hastatus* (L.) H.Koyama var. *hastatus

Parasenecio hastatus (L.) H.Koyama var. *orientalis* (Kitam.) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 52 1995

국명: 민박쥐나물(Min-bak-jwi-na-mul), 박쥐나물, 큰박쥐나물 / (북한명) 민박쥐나물

영명: **Oriental Indian plantain**

Cacalia hastata L. subsp. *orientalis* Kitam., Acta Phytotax. Geobot. 7: 244 1938

Cacalia hastata L. var. *orientalis* (Kitam.) Ohwi, Fl. Jap. (Ohwi) 1177 1953

Parasenecio hastatus (L.) H.Koyama var. *ramosa* (Kitam.) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 52 1995

국명: 가지민박쥐(Ga-ji-min-bak-jwi)

영명: **Branched Indian plantain**

Parasenecio pseudotaimingasa (Nakai) B.U.Oh, Endemic Vascular Plants in the Korean Peninsula 74 2005 Ⓟ Ⓢ

국명: 어리병풀(Eo-ri-byeong-pung) / (북한명) 어리병풀

영명: **Smaller Indian plantain**

Cacalia pseudotaimingasa Nakai, Bot. Mag. (Tokyo) 29: 8 1915

Miricacalia pseudotaimingasa (Nakai) Nakai, J. Jap. Bot. 14: 643 1938

Cacalia firma Kom. var. *pseudotaimingasa* (Nakai) M.Kim, Korean Endemic Pl. 175 2004

Parasenecio firma (Kom.) Y.L.Chen var. *pseudotaimingasa* (Nakai) M.Kim, Korean Endemic Pl. 349 2017

Petasites Mill. 머위속

Petasites japonicus (Siebold & Zucc.) Maxim., Award 34th Demidovian Prize 1: 212 1866

국명: 머위(Meo-wi), 머구 / (북한명) 머위

영명: **Giant butterbur**

Nardosmia japonica Siebold & Zucc., Abh. Math.-Phys. Cl. Königl. Bayer. Akad. Wiss. 4: 181 1846

Petasites albus A.Gray, Narr. Exped. China Japan 2: 314 1857

Petasites spurius Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 168 1866

Petasites liukiuensis Kitam., Acta Phytotax. Geobot. 2: 178 1933

Petasites rubellus (J.F.Gmel.) M.Toman, Folia Geobot. Phytotax. 7: 391 1972

국명: 개머위(Gae-meo-wi), 산머위 / (북한명) 산머위, 개머위

영명: **Reddish butterbur**

Tussilago rubella J.F.Gmel., Syst. Nat. ed. 13[bis] 2: 1225 1792

Nardosmia saxatilis Turcz., Bull. Soc. Imp. Naturalistes Moscou 1: 94 1838

Petasites saxatilis (Turcz.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 684 1907

Picris L. 쇠서나물속

Picris hieracioides L. subsp. *hieracioides*

Picris hieracioides L. subsp. *japonica* (Thunb.) Hand.-Mazz., Symb. Sin. 7: 1177 1936

국명: 쇠서나물(Soe-seo-na-mul), 모련채, 조선모련채, 참모련채, 텔쇠서나물

영명: Korean hawkweed ox-tongue

Picris japonica Thunb., Fl. Jap. (Thunberg) 299 1784

Picris hieracioides L. subsp. *kaimensis* (Kitam.) Kitam., Acta Phytotax. Geobot. 8: 127 1939

국명: 개마쇠서나물(Gae-ma-soe-seo-na-mul)

영명: Gaema hawkweed ox-tongue

Picris kaimensis Kitam., Acta Phytotax. Geobot. 2: 45 1933

Picris japonica Thunb. var. *koreana* Kitam., Acta Phytotax. Geobot. 2: 46 1933

Picris koreana (Kitam.) Vorosch., Byull. Glavn. Bot. Sada 49: 58 1963

Prenanthes L. 왕씀배속

Prenanthes ochroleuca (Maxim.) Hemsl., J. Linn. Soc., Bot. 23: 486 1888 ⓘ

국명: 왕씀배(Wang-sseum-bae), 씀바귀아재비, 왕씀바귀아재비, 호랑이씀바귀 / (북한명) 왕씀바귀아재비

영명: Yellow-white rattlesnake-root

Nabalus ochroleuca Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 376 1871

Lactuca ochroleuca (Maxim.) Franch., J. Bot. (Morot) 9: 293 1895

Lactuca blinii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 100 1913

Prenanthes maximowiczii Kirp., Fl. URSS 29: 269 1964

Prenanthes blinii (H.Lév.) Kitag., J. Jap. Bot. 45: 125 1970

Prenanthes tatarinowii Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 474 1859

국명: 개씀배(Gae-sseum-bae), 나도씀배, 쇠씀배기, 씀배아재비 / (북한명) 씀바귀아재비

영명: Tatarinow's rattlesnake-root

Lactuca tatarinowii (Maxim.) Franch., J. Bot. (Morot) 4: 293 1895

Nabalus tatarinowii (Maxim.) Nakai, Fl. Sylv. Kor. 14: 116 1923

Pseudognaphalium Kirp. 떡쑥속

Pseudognaphalium affine (D.Don) Anderb., Opera Bot. 104: 146 1991

국명: 떡쑥(Tteok-ssuk), 괴쑥, 솜쑥, 흰떡쑥 / (북한명) 떡쑥

영명: Jersey cudweed

Gnaphalium affine D.Don, Prodr. Fl. Nepal. 173 1825

Gnaphalium multiceps Wall. ex DC., Prodr. (DC.) 6: 222 1837

Gnaphalium javanicum DC., Prodr. (DC.) 6: 222 1838

Gnaphalium ramigerum DC., Prodr. (DC.) 6: 222 1838

Gnaphalium luteoalbum L. var. *multiceps* (Wall. ex DC.) Hook.f., Fl. Brit. Ind. 3: 288 1881

Gnaphalium luteoalbum L. var. *affine* (D.Don) Kuntze, Revis. Gen. Pl. 1: 340 1891

Gnaphalium luteoalbum L. subsp. *affine* (D.Don) J.Kost., Blumea 4: 484 1941

Pseudognaphalium luteoalbum (L.) Hilliard & B.L.Burtt subsp. *affine* (D.Don) Hilliard & B.L.Burtt, Bot. J. Linn. Soc. 82: 206 1981

Pseudognaphalium hypoleucum (DC.) Hilliard & B.L.Burtt, Bot. J. Linn. Soc. 82: 205 1981 (R)

국명: 금떡쑥(Geum-tteok-ssuk), 가을푸솜나물, 가지떡쑥, 불떡쑥, 푸른떡쑥 / (북한명) 금떡쑥

영명: Autumn cudweed

Gnaphalium hypoleucum DC., Contr. Bot. India 21 1834

Gnaphalium confertum Benth., London J. Bot. 1: 488 1842

Rhynchospermum Reinw. 추분취속

Rhynchospermum verticillatum Reinw. ex Reinw., Syll. Pl. Nov. 2: 8 1828

국명: 추분취(Chu-bun-chwi), 나도담배풀, 참추분씀바귀, 추분씀바귀

영명: Verticillate rhynchospermum

Leptocoma racemosa Less., Linnaea 6: 130 1831

Zollingeria scandens Sch.Bip., Flora 37: 275 1854

Carpesium scandens Schult.f. ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 172 1866

Saussurea DC. 취나물속

Saussurea amurensis Turcz. ex DC., Prodr. (DC.) 6: 534 1838

국명: 벼들취(Beo-deul-chwi), 바늘분취, 벼들분취, 벼들잎분취, 아물분취 / (북한명) 벼들취

영명: Amur saussurea

Saussurea denticulata Ledeb., Icon. Pl. (Ledebour) 1: 18 1829

Saussurea odontophylla Freyn, Oesterr. Bot. Z. 52: 282 1902

Saussurea stenophylla Freyn, Oesterr. Bot. Z. 52, 7: 280 1902

Saussurea amurensis Turcz. ex DC. var. *stenophylla* (Freyn) Nakai, Bot. Mag. (Tokyo) 45: 513 1931

Saussurea amurensis Turcz. ex DC. subsp. *stenophylla* (Freyn) Kitam., Acta Phytotax. Geobot. 4: 6 1935

Saussurea calcicola Nakai, Bot. Mag. (Tokyo) 45: 513 1931 (E)

국명: 사창분취(Sa-chang-bun-chwi), 사창취, 큰비단분취

영명: Northern saussurea

Saussurea chabyoungsanica Im, J. Pl. Biol. 40: 288 1997 (E)

국명: 자병취(Ja-byeong-chwi)

영명: Jabyeong saussurea

Saussurea chinnampoensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 145 1910

국명: 남포분취(Nam-po-bun-chwi), 진남취, 진남포분취

영명: Jinnampo saussurea

Saussurea peipingensis F.H.Chen, Bull. Fan Mem. Inst. Biol. 5: 87 1934

Theodorea chinnampoensis (H.Lév. & Vaniot) Soják, Novit. Bot. Select. Seminum Horti Bot. Univ. Carol. Prag. 1962: 49 1962

Saussurea conandrifolia Nakai, Bot. Mag. (Tokyo) 29: 196 1915 (E)

국명: 담배취(Dam-bae-chwi), 강계분취, 담배분취

영명: Tobacco-leaf saussurea

Saussurea diamantica Nakai, Bot. Mag. (Tokyo) 23: 185 1909 (E)

국명: 금강분취(Geum-gang-bun-chwi), 긴잎금강분취 / (북한명) 금강분취

영명: Geumgang saussurea

Saussurea diamantica Nakai var. *longifolia* Nakai, Bot. Mag. (Tokyo) 29: 196 1915

Saussurea diamantica Nakai f. *longifolia* (Nakai) M.Kim, Korean Endemic Pl. 562 2017

Saussurea eriophylla Nakai, Bot. Mag. (Tokyo) 27: 35 1913 (E)

국명: 솜분취(Som-bun-chwi) / (북한명) 솜분취

영명: Woolly-leaf saussurea

Saussurea gracilis Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 518 1874

국명: 은분취(Eun-bun-chwi), 가야산은분취, 남분취, 참서덜취 / (북한명) 남분취

영명: Silvery-hair saussurea

Saussurea bisolor H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 20: 145 1909

Saussurea pseudogracilis Kitam., Acta Phytotax. Geobot. 5: 246 1936

Saussurea gracilis Maxim. f. *pseudogracilis* (Kitam.) M.Kim, Korean Endemic Pl. 563 2017

Saussurea grandicapitula W.T.Lee & Im, Korean J. Pl. Taxon. 37: 389 2007 (E)

국명: 태백취(Tae-baek-chwi)

영명: Big-head saussurea

Saussurea grandifolia Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 169 1859

국명: 서덜취(Seo-deol-chwi), 갈포령서덜취, 너을취, 숲송나물, 큰서덜취, 큰잎분취 / (북한명) 큰서덜취

영명: Large-flower saussurea

Saussurea grandifolia Maxim. var. *asperifolia* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 16 1868

Saussurea grandifolia Maxim. var. *coarctata* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 16 1868

Saussurea grandifolia Maxim. var. *tenuior* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 16 1869

Saussurea grandifolia Maxim. var. *microcephala* Nakai, Bot. Mag. (Tokyo) 29: 204 1915

Saussurea coarctata (Herder) Kitam., Iconogr. Pl. Asiae Orient. 5, 1: 461, tab. CXLII 1950

Saussurea grandifolia Maxim. f. *microcephala* (Nakai) M.Kim, Korean Endemic Pl. 563 2017

Saussurea insularis Kitam., Acta Phytotax. Geobot. 4: 75 1935

국명: 백운취(Baek-un-chwi)

영명: Baekun saussurea

Saussurea japonica (Thunb.) DC., Ann. Mus. Natl. Hist. Nat. 16: 203, t. 13 1810

■ ASTERACEAE 국화과

국명: **큰각시취**(Keun-gak-si-chwi), 각시분취, 섬갯분취, 좀솜나물, 탐라갓분취, 해변취, 허각시취, 훌각시취 / (북한명) 큰각시취

영명: **East Asian saussurea**

Serratula japonica Thunb., Fl. Jap. (Thunberg) 305 1784

Saussurea chinensis Sch.Bip., Flora 35, 3: 48 1852

Saussurea linearis Champ. & Benth., Hooker's J. Bot. Kew Gard. Misc. 4: 235 1852

Saussurea pulchella (Fisch.) Fisch. ex Colla var. *japonica* (Thunb.) Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 51 1868

Saussurea intermedia Freyn, Oesterr. Bot. Z. 52, 7: 280 1902

Saussurea taquetii H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 8: 169 1910

Saussurea taquetii H.Lév. & Vaniot var. *paniculata* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 8: 169 1910

Saussurea japonica (Thunb.) DC. var. *maritima* Kitag., J. Jap. Bot. 25, 3-4: 41 1950

Saussurea koidzumiana Kitam., Acta Phytotax. Geobot. 4: 75 1935 ⓘ

국명: **경성서덜취**(Gyeong-seong-seo-deol-chwi), 도정당분취

영명: **Gyeongseong saussurea**

Saussurea komaroviana Lipsch., Novosti Sist. Vyssh. Rast. 8: 249 1971 ⓘ

국명: **비단분취**(Bi-dan-bun-chwi), 실벼들분취, 털분취 / (북한명) 비단분취

영명: **Komarov's saussurea**

Saussurea saxatilis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 422 1901

Saussurea gigantifolia H.S.Pak & Y.P.Hong, Fl. Coreana (H.S.Park) 7: 86 1999

Saussurea macrolepis (Nakai) Kitam., Acta Phytotax. Geobot. 2: 180 1933 ⓘ

국명: **각시서덜취**(Gak-si-seo-deol-chwi), 톱날분취, 화살서덜취 / (북한명) 각시서덜취

영명: **Serrate-leaf saussurea**

Saussurea grandifolia Maxim. var. *nipponica* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 43 1911

Saussurea grandifolia Maxim. var. *macrolepis* Nakai, Bot. Mag. (Tokyo) 29: 204 1915

Saussurea nipponica Miq. var. *macrolepis* (Nakai) Nakai, Bot. Mag. (Tokyo) 45: 517 1931

Saussurea pennata Koidz. subsp. *macrolepis* (Nakai) Kitam., Acta Phytotax. Geobot. 2: 180 1933

Saussurea manshurica Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 424 1901

국명: **덤불취**(Deom-bul-chwi), 만주솜나물, 민서덜취, 깃덤불취 / (북한명) 덤불취

영명: **Manchurian saussurea**

Saussurea manshurica Kom. var. *pinnatifida* Nakai, Bot. Mag. (Tokyo) 29: 205 1915

Saussurea triangulata Trautv. & C.A.Mey. subsp. *manshurica* (Kom.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 201 1937

Saussurea triangulata Trautv. & C.A.Mey. var. *pinnatifida* (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 201 1937

Saussurea manshurica Kom. f. *pinnatifida* (Nakai) M.Kim, Korean Endemic Pl. 563 2017

Saussurea maximowiczii Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 14 1868

국명: **벼들분취**(Beo-deul-bun-chwi), 각시벼들분취, 개분취, 톱날분취, 톱분취, 한라분취, 한라벼들분취 /
(북한명) 벼들분취

영명: **Maximowicz's saussurea**

Saussurea triceps H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 169 1910

Saussurea maximowiczii Herder var. *serrata* Nakai, Bot. Mag. (Tokyo) 29: 202 1915

Saussurea maximowiczii Herder f. *serrata* (Nakai) Kitam., Acta Phytotax. Geobot. 4: 199 1937

Saussurea maximowiczii Herder var. *triceps* (H.Lév. & Vaniot) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 199 1937

Saussurea maximowiczii Herder f. *triceps* (H.Lév. & Vaniot) M.Kim, Korean Endemic Pl. 563 2017

***Saussurea mongolica* (Franch.) Franch.**, Bull. Herb. Boissier 5: 539 1897

국명: **복분취**(Buk-bun-chwi)

영명: **Mongolian saussurea**

Saussurea ussuriensis Maxim. var. *mongolica* Franch., Nouv. Arch. Mus. Hist. Nat. Paris 2 ser. 6: 61 1883

Saussurea matsumurae Nakai, Bot. Mag. (Tokyo) 29: 206 1915

Saussurea sinuata Kom. var. *shansiensis* F.H.Chen, Bull. Fan Mem. Inst. Biol. Bot. 5: 84 1934

Saussurea mongolica (Franch.) Franch. f. *shansiensis* (F.H.Chen) Ling, Contr. Inst. Bot. Natl. Acad. Peiping 3, 4: 170 1935

Saussurea mongolica (Franch.) Franch. var. *rigidor* Hand.-Mazz., Acta Horti Gothob. 12: 321 1938

***Saussurea myokoensis* Kitam.**, Acta Phytotax. Geobot. 5: 246 1936 ●

국명: **묘향분취**(Myo-hyang-bun-chwi), 묘향산분취

영명: **Myohyang saussurea**

Saussurea pectinata var. *amurensis* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 171 1859

Saussurea aspera Hand.-Mazz., Acta Horti Gothob. 12: 319 1938

***Saussurea neoserrata* Nakai**, Bot. Mag. (Tokyo) 45: 519 1931

국명: **산골취**(San-gol-chwi), 산골분취, 실벼들분취, 털분취 / (북한명) 산골취

영명: **Elliptic-leaf saussurea**

Saussurea serrata DC. var. *amurensis* Herder, Bull. Soc. Imp. Naturalistes Moscou 41, 3: 19 1868

Saussurea parviflora var. *amurensis* (Herder) Hu, Quart. J. Taiwan Mus. 21: 5 1968

Saussurea nipponica* Miq. subsp. *nipponica

Saussurea nipponica* Miq. subsp. *higomontana (Honda) Im, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 14: 261 1989

국명: **무등취**(Mu-deung-chwi)

영명: **Mudeung saussurea**

Saussurea higomontana Honda, Bot. Mag. (Tokyo) 44: 408 1930

***Saussurea nomurae* Kitam.**, Acta Phytotax. Geobot. 4: 77 1935

국명: **너을취**(Neo-ul-chwi), 숲송나물

영명: **Hogusan saussurea**

■ ASTERACEAE 국화과

Saussurea odontolepis (Herder) Sch.Bip. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 176 1883

국명: 빗살서덜취(Bit-sal-seo-deol-chwi), 구와각시취, 구와잎각시취, 국화잎각시분취, 왕분취 /
(북한명) 국화잎각시분취

영명: Deeply-lobe saussurea

Saussurea ussuriensis Maxim. var. *odontolepis* Herder, Bull. Soc. Imp. Naturalistes Moscou 41, 3: 13 1868

Saussurea polylepis Nakai, Bot. Mag. (Tokyo) 45: 522 1931 E R

국명: 흥도서덜취(Hong-do-seo-deol-chwi), 매가도분취, 매가도취, 섬취

영명: Hongdo saussurea

Saussurea pulchella (Fisch.) Fisch. ex Colla, Herb. Pedem. 3: 234 1834

국명: 각시취(Gak-si-chwi), 가는각시취, 고려솜나물, 나래솜나물, 나래취, 민각시취, 참솜나물, 큰잎솜나물,
흘각시취 / (북한명) 각시분취

영명: Maiden saussurea

Heterotrichum pulchellum Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 71 1812

Serratula pulchella (Fisch.) Sims, Bot. Mag. 52: t. 2589 1825

Theodorea pulchella (Fisch.) Cass., Dict. Sci. Nat. ed. 2 53: 465 1828

Saussurea dissecta Ledeb., Icon. Pl. (Ledeboeur) 1: 16 1829

Saussurea koraiensis Nakai, Bot. Mag. (Tokyo) 23: 185 1909

Saussurea japonica (Thunb.) DC. var. *lineariloba* Nakai, Bot. Mag. (Tokyo) 25: 58 1911

Saussurea pulchella (Fisch.) Fisch. ex Colla var. *koraiensis* (Nakai) Nakai, Bot. Mag. (Tokyo) 46: 617 1932

Saussurea pulchella (Fisch.) Fisch. ex Colla var. *lineariloba* (Nakai) Nakai, Bot. Mag. (Tokyo) 46: 616 1932

Theodorea koraiensis (Nakai) Soják, Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. 1962: 49 1962

Saussurea pulchella (Fisch.) Fisch. ex Colla f. ***pulchella***

Saussurea pulchella (Fisch.) Fisch. ex Colla f. ***albiflora*** (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 145 1937

국명: 흰각시취(Huin-gak-si-chwi)

영명: White beautiful-flower saussurea

Saussurea pulchella (Fisch.) Fisch. ex Colla var. *albiflora* (Kitam.) Nemoto, Fl. Jap. Suppl. 800 1936

Saussurea japonica (Thunb.) DC. var. *albiflora* Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 145 1937

Saussurea rectinervis Nakai, Bot. Mag. (Tokyo) 46: 618 1932 E

국명: 백설취(Baek-seol-chwi), 눈분취, 백설분취

영명: Snow-white saussurea

Saussurea recurvata (Maxim.) Lipsch., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 21: 374 1961

국명: 긴분취(Gin-bun-chwi), 백두산분취, 백두산서덜취, 긴잎벼들분취 / (북한명) 긴잎벼들분취

영명: Recurved-leaf saussurea

Saussurea polypodiifolia DC., Ann. Mus. Natl. Hist. Nat. 14: 201 1810

Saussurea elongata DC. var. *polypodiifolia* (DC.) DC., Prodr. (DC.) 6: 534 1837

Saussurea elongata DC., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 167 1859

Saussurea elongata DC. var. *recurvata* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 176 1859

Saussurea elongata DC. var. *pectinata* Herder, Bull. Soc. Imp. Naturalistes Moscou 41: 12 1868

Saussurea elongata DC. var. *glehniana* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 514 1874

Saussurea parasclerolepis A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 19: 163 1966

***Saussurea rorinsanensis* Nakai, Bot. Mag. (Tokyo) 36: 72 1922** ⓘ

국명: 털분취(Teol-bun-chwi), 낭림산분취, 낭림취, 랑림취

영명: Nangrimsan saussurea

***Saussurea seoulensis* Nakai, Bot. Mag. (Tokyo) 25: 58 1911** ⓘ

국명: 분취(Bun-chwi), 서울분취 / (북한명) 분취

영명: Seoul saussurea

Saussurea triangulata Trautv. & C.A.Mey. var. *elatior* Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 44 1911

***Saussurea sinuata* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 735 1907**

국명: 물골취(Mul-gol-chwi), 쇠분취

영명: Woolly-hair saussurea

Saussurea stenolepis Nakai, Bot. Mag. (Tokyo) 29: 207 1915

Saussurea aristata Lipsch., Bot. Mater. Otd. Sporov. Rast. Bot. Inst. Komarova Akad. Nauk SSSR 21: 363 1961

***Saussurea subtriangulata* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 18 1926**

국명: 꼬리서덜취(Kko-ri-seo-deol-chwi) / (북한명) 두메서덜취

영명: Tailed calyx-lobe saussurea

Saussurea eriolepis Bunge ex DC. var. *caudata* Herder, Bull. Soc. Imp. Naturalistes Moscou 41 3: 32 1868

Saussurea grandifolia Maxim. var. *caudata* (Herder) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 727 1907

***Saussurea tanakae* Franch. & Sav. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 516 1874**

국명: 당분취(Dang-bun-chwi), 숙은분취, 큰꽃수리취, 키다리분취

영명: Tall woolly saussurea

Saussurea tanakae Franch. & Sav. ex Maxim. var. *pycnocephalis* Franch., Bull. Herb. Boissier 5 7: 544 1897

Saussurea nutans Nakai, Bot. Mag. (Tokyo) 31: 110 1917

***Saussurea tomentosa* Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 2: 135 1921**

국명: 두메분취(Du-me-bun-chwi), 두메은분취, 멧분취, 뒷분취, 뒷솜분취

영명: Montane woolly saussurea

Saussurea eriophylla Nakai var. *alpina* Nakai, Bot. Mag. (Tokyo) 29: 196 1915

Saussurea alpicola Kitam., Acta Phytotax. Geobot. 2: 46 1933

Saussurea triangulata Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 58 1856

국명: 두메취(Du-me-chwi), 높산분취, 뽕끌분취, 뽕분취, 세뽕두메취, 좀두메취, 큰분취, 큰산분취 / (북한명) 두메취

영명: Highland saussurea

Saussurea derbecki Kom., Bull. Jard. Bot. Petersb. 10: 119 1910

Saussurea hoasii Nakai, Bot. Mag. (Tokyo) 29: 10 1915

Saussurea triangulata Trautv. & C.A.Mey. var. *alpina* Nakai, Bot. Mag. (Tokyo) 29: 203 1915

Saussurea schischkinii Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 17 1926

Saussurea uchiyamana Nakai, Bot. Mag. (Tokyo) 29: 167 1915 ④

국명: 그늘취(Geu-neul-chwi), 그늘분취, 산수리취 / (북한명) 그늘취

영명: Shady saussurea

Saussurea umbrosa Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 423 1901

국명: 산각시취(San-gak-si-chwi), 골분취, 그늘취 / (북한명) 산각시취

영명: Mountain maiden saussurea

Saussurea karoii Freyn, Oesterr. Bot. Z. 52, 7: 279, in clave 1902

Saussurea umbrosa Kom. var. *umbrosa*

Saussurea umbrosa Kom. var. *herbicola* Nakai, Bot. Mag. (Tokyo) 29: 201 1915 ④

국명: 긴산취(Gin-san-chwi), 긴산각시취

영명: Long mountain maiden saussurea

Saussurea umbrosa Kom. f. *herbicola* (Nakai) M.Kim, Korean Endemic Pl. 564 2017

Saussurea ussuriensis Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 167 1859

국명: 구와취(Gu-wa-chwi), 각시서덜취, 북서덜취, 쇠수리취, 참수리취 / (북한명) 구와취

영명: Ussuri saussurea

Saussurea ussuriensis Maxim. var. *incisa* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 167 1859

Saussurea ussuriensis Maxim. var. *pinnatifida* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 167 1859

Saussurea grandifolioides Nakai, Bot. Mag. (Tokyo) 27: 35 1913

***Scorzonera* L. 쇠채속**

Scorzonera albicaulis Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 40 1833 ④

국명: 쇠채(Soe-chae), 미역꽃, 쇄채 / (북한명) 쇠채

영명: White-stem serpentroot

Piptopogon macrospermus C.A.Mey. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 95 1838

Scorzonera macrosperma Turcz. ex DC., Prodr. (DC.) 7: 121 1838

Achyroseris macrospermum Sch.Bip., Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 2: 165 1845

Scorzonera macrosperma Turcz. ex DC. f. *angustifolia* Debeaux, Actes Soc. Linn. Bordeaux 31: 227 1876

Scorzonera radiata (Fisch.) Y.Yabe var. *linearifolia* H.Lév., Fl. Kouy-Tchéou 703 1914
Scorzonera albicaulis Bunge var. *macrosperma* (Turcz.) Kitag., Lin. Fl. Manshur. 467 1939

***Scorzonera austriaca* Willd., Sp. Pl. (ed. 4) 3: 1498 1803 R**

국명: **멱쇠채**(Myeok-soe-chae), 누은쇠채, 눈쇠채, 미역쇠채, 애기쇠채, 좀쇠채

영명: **Single-flower serpentroot**

Scorzonera glabra Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 11 1845
Scorzonera austriaca Willd. var. *glabra* Rupr., Fl. Bor.-Ural. 12&40 1856
Scorzonera austriaca Willd. var. *longifolia* Debeaux, Fl. Tche-fou 227 1876
Scorzonera radiata (Fisch.) Y.Yabe, Enum. Pl. S. Manch. 140 1912
Scorzonera sinensis Lipsch. & Krasch. ex Lipsch. var. *plantaginifolia* Kitag., Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 39 1935
Scorzonera austriaca Willd. subsp. *glabra* (Rupr.) Lipsch. & Krasch. ex Lipsch., Fragm. monogr. *Scorzonera* 121 1935
Scorzonera ruprechtiana Lipsch. & Krasch. ex Lipsch., Fragm. monogr. *Scorzonera* 121 1935

***Senecio* L. 금방망이속**

***Senecio ambraceus* Turcz. ex DC., Prodr. (DC.) 6: 348 1838**

국명: **큰쑥방망이**(Keun-ssuk-bang-mang-i), 민쑥방망이

Senecio ambraceus Turcz. ex DC. var. *glaber* Kitam., Acta Phytotax. Geobot. 6: 275 1937

***Senecio argunensis* Turcz., Bull. Soc. Imp. Naturalistes Moscou 20: 18 1847 R**

국명: **쑥방망이**(Ssuk-bang-mang-i), 가는잎쑥방망이, 쑥방맹이, 털쑥방망이 / (북한명) 쑥방망이

영명: **Argun groundsel**

Senecio jacobaea L. var. *grandiflora* Turcz. ex DC., Prodr. (DC.) 6: 350 1838
Senecio praecultus Bertol. f. *angustifolius* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 706 1907
Senecio praecultus Bertol. f. *latifolius* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 706 1907
Senecio blinii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 138 1910
Senecio argunensis Turcz. var. *blinii* (H.Lév.) Hand.-Mazz., Acta Horti Gothob. 12: 288 1938
Senecio argunensis Turcz. var. *tenuisectus* Nakai, J. Jap. Bot. 18: 607 1942
Senecio argunensis Turcz. f. *pilosa* (Kitam.) Neolin. Fl. Manshur. 677 1979

***Senecio cannabifolius* Less., Linnaea 6: 242 1831**

국명: **삼잎방망이**(Sam-ip-bang-mang-i), 삼잎나물 / (북한명) 삼잎방망이

영명: **Aleutian groundsel**

Senecio palmatus Pall. ex Ledeb., Fl. Ross. (Pallas) 2: 636 1845
Senecio palmatus Pall. ex Ledeb. f. *davuricus* Herder, Bull. Soc. Imp. Naturalistes Moscou 40: 434 1867
Senecio palmatus Pall. ex Ledeb. var. *cannabifolius* (Less.) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 12: 60 1923
Senecio cannabifolius Less. var. *davuricus* (Herder) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3: 3 1939

***Senecio nemorensis* L., Sp. Pl. 2: 870 1753 R**

■ ASTERACEAE 국화과

국명: 금방망이(Geum-bang-mang-i), 대륙금망이, 산쑥방맹이 / (북한명) 금방망이

영명: Shady groundsel

Senecio sarracenicus L., Sp. Pl. 2: 871 1753

Senecio octoglossus DC., Prodr. (DC.) 6: 354 1838

Senecio flaviatilis Wallr., Linnaea 14: 646 1841

Senecio kematiogensis Vaniot, Bull. Acad. Int. Géogr. Bot. 41: 847 1902

Senecio ganpinensis Vaniot, Bull. Acad. Int. Géogr. Bot. 41: 19 1903

Senecio nemorensis L. var. *turczaninowii* (DC.) Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 25: 708 1907

Senecio taiwanensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 157 1911

Senecio tozanensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 158 1911

Senecio pseudoarnica Less., Linnaea 6: 242 1831

국명: 웅기솜나물(Ung-gi-som-na-mul) / (북한명) 웅기솜나물

영명: Seaside groundsel

Arnica maritima L., Sp. Pl. 2: 884 1753

Arnica doronicum Pursh, Fl. Amer. Sept. (Pursh) 2: 528 1813

Senecio pseudoarnica Less. var. *rollandii* Vict., Proc. & Trans. Roy. Soc. Canada ser. 3, 19: 87, tab. 4 1925

Senecio rollandii (Vict.) Vict., Contr. Lab. Bot. Univ. Montréal 13: 26 1929

Serratula L. 산비장이속

Serratula coronata L. subsp. *coronata*

Serratula coronata L. subsp. *insularis* (Iljin) Kitam., Acta Phytotax. Geobot. 12: 105 1943

국명: 산비장이(San-bi-jang-i), 한라산비장이 / (북한명) 산비장이

영명: Mountain coroneate sawwort

Serratula insularis Iljin, Izv. Glavn. Bot. Sada SSSR 27: 86 1928

Klasea insularis (Iljin) J.Holub, Preslia 70: 106 1998

Serratula coronata L. f. *alpina* (Nakai) W.T.Lee, Lineamenta Florae Koreae 1199 1996

Sigesbeckia L. 진득찰속

Sigesbeckia glabrescens (Makino) Makino, J. Jap. Bot. 1: 25 1917

국명: 진득찰(Jin-deuk-chal), 민진득찰, 진동찰, 찐득찰, 희첨 / (북한명) 진득찰

영명: Hair-stalk St. Paul's wort

Sigesbeckia orientalis L. f. *glabrescens* Makino, Bot. Mag. (Tokyo) 18: 100 1904

Sigesbeckia glabrescens (Makino) Makino var. *leucoclada* Nakai, Bot. Mag. (Tokyo) 45: 137 1931

Sigesbeckia formosana Kitam., Acta Phytotax. Geobot. 6: 87 1937

Sigesbeckia orientalis L. subsp. *glabrescens* (Makino) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 263 1942

Sigesbeckia orientalis L., Sp. Pl. 2: 900 1753

국명: 제주진득찰(Je-ju-jin-deuk-chal), 동방진득찰, 진득찰, 찐득찰 / (북한명) 동방진득찰

영명: Common St. Paul's wort

Sigesbeckia iberica Willd., Sp. Pl. (ed. 4) 3: 2220 1804

Sigesbeckia brachiata Roxb., Hort. Bengal. 62 1814

Sigesbeckia gracilis DC., Prodr. (DC.) 5: 496 1836

Sigesbeckia microcephala DC., Prodr. (DC.) 5: 496 1836

Sigesbeckia orientalis L. f. *angustifolia* Makino, Bot. Mag. (Tokyo) 18: 100 1904

Sigesbeckia orientalis L. var. *angustifolia* (Makino) Makino, Iinuma, Somoku-Dzusetsu ed. 4: 1092 1913

Sigesbeckia humilis Koidz., Bot. Mag. (Tokyo) 39: 24 1925

Sigesbeckia orientalis* L. subsp. *orientalis

Sigesbeckia orientalis* L. subsp. *pubescens (Makino) H.Koyama, Fl. Jap. (Iwatsuki et al., eds.) 3b: 32 1995

국명: 털진득찰(Teol-jin-deuk-chal) / (북한명) 털진득찰

영명: Glandular-stalk St. Paul's wort

Sigesbeckia orientalis L. f. *pubescens* Makino, Bot. Mag. (Tokyo) 18: 100 1904

Sigesbeckia orientalis L. var. *pubescens* (Makino) Makino, Iinuma, Somoku-Dzusetsu ed. 4: 1092 1913

Sigesbeckia pubescens (Makino) Makino, J. Jap. Bot. 1: 24 1917

Sigesbeckia pubescens (Makino) Makino f. *eglandulosa* Ling & X.L.Huang, Fl. Reipubl. Popularis Sin. 75: 341, 343 1979

***Solidago* L. 미역취속**

***Solidago virgaurea* L.**, Sp. Pl. 2: 880 1753

국명: 산미역취(San-mi-yeok-chwi)

영명: European goldenrod

Amphirhapis leiocarpa Benth., London J. Bot. 1: 488 1842

Solidago virgaurea L. var. *leiocarpa* (Benth.) A.Gray, Mem. Amer. Acad. Arts n.s., 6: 395 1859

Solidago virgaurea* L. subsp. *virgaurea

Solidago virgaurea* L. subsp. *asiatica Kitam. ex H.Hara, Enum. Sperm. Jap. 2: 260 1952

국명: 미역취(Mi-yeok-chwi) / (북한명) 미역취, 나래미역취

영명: Asian goldenrod

Solidago japonica Kitam., Acta Phytotax. Geobot. 1: 286 1932

Solidago virgaurea* L. subsp. *gigantea (Nakai) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 24:

56 1957

국명: 울릉미역취(Ul-reung-mi-yeok-chwi), 뒷미역취, 큰미역취 / (북한명) 큰미역취

영명: Ulleung goldenrod

Solidago virgaurea L. var. *gigantea* Nakai, Bot. Mag. (Tokyo) 42: 17 1928

Solidago mirabilis Kitam., Acta Phytotax. Geobot. 3: 140 1934

Solidago pacifica Juz., Fl. URSS 25: 576 1959

Solidago virgaurea* L. var. *virgaurea

Solidago virgaurea* L. var. *coreana Nakai, Bot. Mag. (Tokyo) 31: 110 1917

국명: 나래미역취(Na-rae-mi-yeok-chwi)

영명: Korean goldenrod

Solidago coreana (Nakai) H.S.Pak, Fl. Coreana (H.S.Park) 7: 321 1999

Solidago coreana (Nakai) H.S.Pak var. *spathulifolia* H.S.Pak, Fl. Coreana (H.S.Park) 7: 383 1999

***Sonchus* L. 방가지똥속**

***Sonchus brachyotus* DC.**, Prodr. (DC.) 7: 186 1838

국명: 사데풀(Sa-de-pul), 사데나물, 삼비물, 서덜채, 석쿠리, 시투리 / (북한명) 사데풀

영명: Seashore sowthistle

Sonchus shzucinianus Turcz. ex Herder, Bull. Soc. Imp. Naturalistes Moscou 43, 1: 189 1870

Sonchus fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 102 1909

Sonchus taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 141 1910

Sonchus arvensis L. subsp. *brachyotus* (DC.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 23: 148 1956

Sonchus arvensis L. f. *brachyotus* (DC.) Kirp., Fl. URSS 29: 253 1964

***Stemmacantha* Cass. 빠꾹채속**

***Stemmacantha uniflora* (L.) Dittrich**, Candollea 39: 49 1984

국명: 빠꾹채(Ppeo-kkuk-chae), 빠국채 / (북한명) 빠꾹채

영명: Uniflower swisscentaury

Cnicus uniflorus L., Mant. Pl. 2: 572 1771

Centaurea monantha Georgi, Reise Russ. Reich. 1: 231 1775

Centaurea grandiflora Pall., Reise Russ. Reich. 3: 237 1776

Centaurea membranacea Lam., Encycl. (Lamarck) 1: 666 1783

Rhaponticum uniflorum (L.) DC., Diss. Comp. 33: 1890 1810

Serratula uniflora (L.) Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 388 1826

Leuzea dahurica Bunge, Enum. Pl. Chin. Bor. 37 1833

Rhaponticum dahuricum (Bunge) Turcz., Bull. Soc. Imp. Naturalistes Moscou 11: 95 1838

Rhaponticum monanthum (Georgi) Vorosch., Seed List State Bot. Gard. Acad. Sci. URSS 8: 28 1953

***Sympyllocarpus* Maxim. 개중대가리속**

***Sympyllocarpus exilis* Maxim.**, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 151 1859

국명: 개중대가리(Gae-jung-dae-ga-ri), 개미밥

영명: Common symphyllocarpus

***Syneilesis* Maxim. 우산나물속**

***Syneilesis aconitifolia* (Bunge)** Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 165 1859 **(R)**

국명: 애기우산나물(Ae-gi-u-san-na-mul), 애기삿갓나물 / (북한명) 애기우산나물

영명: Shredded umbrella plant

Cacalia aconitifolia Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 37 1833

Senecio aconitifolius (Bunge) Turcz., Bull. Soc. Imp. Naturalistes Moscou 10: 155 1837

Syneilesis palmata (Thunb.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 19: 488 1874

국명: 우산나물(U-san-na-mul), 대청우산나물, 삿갓나물, 섬우산나물 / (북한명) 우산나물

영명: Palmate shredded umbrella plant

Arnica palmata Thunb., Fl. Jap. (Thunberg) 319 1784

Syneilesis palmata (Thunb.) Maxim. var. *subconcolor* Nakai, J. Jap. Bot. 14: 462 1938

Syneilesis palmata (Thunb.) Maxim. f. *subconcolor* (Nakai) M.Kim, Korean Endemic Pl. 344 2004

***Synurus* Iljin 수리취속**

Synurus deltoides (Aiton) Nakai, Koryo Shikenrin Ippan 64 1932

국명: 수리취(Su-ri-chwi), 개취, 다후리아수리취, 조선수리취 / (북한명) 수리취

영명: Deltoid synurus

Onopordon deltoides Aiton, Hort. Kew. (Hill ed. 31: 146 1789

Cirsium ficifolium Fisch., Mém. Soc. Imp. Naturalistes Moscou 3: 69 1812

Carduus atriplicifolius Fisch. ex Trevir., Index Sem. (Breslau) 1820(App. 2): 1 1821

Silybum atriplicifolium (Trevir.) Fisch., Ind. Pl. Hort. Petrop. 64 1824

Serratula atriplicifolia (Trevis.) Benth. & Hook., Gen. Pl. (Bentham & Hooker) 2: 475 1837

Rhaponticum atriplicifolium (Trevis.) DC., Prodr. (DC.) 6: 663 1838

Stephanocoma atriplicifolia (Trevis.) Turcz. ex Ledeb., Fl. Ross. (Ledeb.) 2: 751 1845

Centaurea atriplicifolia Matsum., Nippon Shokubutsumei ed. 2: 72 1895

Serratula deltoides (Aiton) Makino, Bot. Mag. (Tokyo) 24: 247 1910

Serratula atriplicifolia (Trevis.) Benth. & Hook. var. *incisolobata* (DC.) Miyabe & Miyake, Fl. Saghalin 281 1915

Synurus atriplicifolius (Trevis.) Iljin, Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 6: 35 1926

Synurus deltoides (Aiton) Nakai var. *incisolobata* (DC.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 27 1937

Synurus excelsus (Makino) Kitam., Acta Phytotax. Geobot. 2: 48 1933

국명: 큰수리취(Keon-su-ri-chwi), 산수리취 / (북한명) 산수리취

영명: Large deltoid synurus

Serratula atriplicifolia (Trevis.) Benth. & Hook. var. *excelsa* Makino, Bot. Mag. (Tokyo) 10: 319 1896

Serratula excelsa (Makino) Makino, Bot. Mag. (Tokyo) 24: 249 1910

Serratula pungens Poir. var. *excelsa* Makino, Bot. Mag. (Tokyo) 24: 249 1910

Synurus palmatopinnatifidus (Makino) Kitam., Acta Phytotax. Geobot. 2: 48 1933

국명: 국화수리취(Guk-hwa-su-ri-chwi)

영명: Chrysanthemum-leaf synurus

Serratula deltoides (Aiton) Makino var. *palmatopinnatifida* Makino, Bot. Mag. (Tokyo) 24: 248 1910

Synurus palmatopinnatifidus* (Makino) Kitam. var. *palmatopinnatifidus

***Synurus palmatopinnatifidus* (Makino) Kitam. var. *indivisus* (Makino) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 13: 24 1937**

국명: 민국화수리취(Min-guk-hwa-su-ri-chwi), 개취, 국화수리취, 수리취, 분취

영명: Undivided chrysanthemum-leaf synurus

***Tanacetum* L. 쑥국화속**

***Tanacetum vulgare* L., Sp. Pl. 2: 844 1753**

국명: 쑥국화(Ssuk-guk-hwa) / (북한명) 쑥국화

영명: Tansy

Tanacetum officinarum Crantz, Inst. Rei Herb. 1: 273 1776

Chrysanthemum vulgare (L.) Bernh., Syst. Verz. (Bernhardi) 114 1800

Tanacetum crispum Steud., Nomencl. Bot. (Steudel) 825 1821

Tanacetum boreale Fisch. ex DC., Prodr. (DC.) 6: 128 1838

Chrysanthemum tanacetum Vis., Fl. Dalmat. 2: 84 1847

Tanacetum vulgare L. var. *boreale* (Fisch. & DC.) Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 54 1856

Pyrethrum vulgare (L.) Boiss., Fl. Orient. 3: 352 1875

Chrysanthemum boreale (Fisch. & DC.) Makino, Bot. Mag. (Tokyo) 23: 20 1909

Chrysanthemum vulgare (L.) Bernh. var. *boreale* (Fisch. & DC.) Makino ex Makino, Fl. Japan (Makino & Nemoto) 43 1925

***Taraxacum* F.H.Wigg. 민들레속**

***Taraxacum coreanum* Nakai, Bot. Mag. (Tokyo) 46: 62 1932**

국명: 흰민들레(Huin-min-deul-re) / (북한명) 흰민들레

영명: White-flowering Korean dandelion

Taraxacum pseudoalbidum Kitag., Bot. Mag. (Tokyo) 47: 831 1933

Taraxacum pseudoalbidum Kitag. var. *lutescens* Kitag., Bot. Mag. (Tokyo) 47: 833 1933

Taraxacum glabrisquamum Nakai ex Koidz., Bot. Mag. (Tokyo) 50: 87 1936

Taraxacum taquetii Koidz., Bot. Mag. (Tokyo) 50: 86 1936

Taraxacum pseudoalbidum Kitag. f. *lutescens* (Kitag.) Kitag., J. Jap. Bot. 36: 23 1961

***Taraxacum hallasanense* Nakai, Bot. Mag. (Tokyo) 29: 11 1915 Ⓣ ⓚ**

국명: 좀민들레(Jom-min-deul-re), 한라민들레, 할라산민들레 / (북한명) 좀민들레

영명: Hallasan small dandelion

***Taraxacum mongolicum* Hand.-Mazz., Monogr. Taraxacum 67 1907**

국명: 텔민들레(Teol-min-deul-re), 큰민들레, 영도민들레, 민들레

영명: Mongolian dandelion

Taraxacum liaotungense Kitag., Bot. Mag. (Tokyo) 47: 825 1933
Taraxacum formosanum Kitam., Acta Phytotax. Geobot. 2: 48 1933
Taraxacum quelpaertense Kitam., Acta Phytotax. Geobot. 2: 184 1933
Taraxacum mongolicum Hand.-Mazz. var. *formosanum* (Kitam.) Kitam., Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 24: 42 1957
Taraxacum kansuense Nakai ex Koidz., Bot. Mag. (Tokyo) 50: 91 1936
Taraxacum pseudodissectum Nakai & Koidz., Bot. Mag. (Tokyo) 50: 92 1936

Taraxacum ohwianum Kitam., Acta Phytotax. Geobot. 2: 124 1933

국명: 산민들레(San-min-deul-re), 노랑민들레 / (북한명) 산민들레

영명: Montane dandelion

Taraxacum junpeianum Kitam., Acta Phytotax. Geobot. 4: 103 1935
Taraxacum mandshuricum Nakai ex Koidz., Bot. Mag. (Tokyo) 50: 89 1936

Taraxacum platypecidum Diels, Repert. Spec. Nov. Regni Veg. Beih. 12: 515 1922

국명: 흰털민들레(Huin-teol-min-deul-re), 북녘민들레, 북방민들레, 사칼린민들레, 흰변두리민들레 /
 (북한명) 흰변두리민들레

영명: White-hair dandelion

Taraxacum officinale F.H.Wigg. var. *lividum* Koch ex A.Gray, Fl. Saghalin 285 1915
Taraxacum imbricatum Koidz., J. Jap. Bot. 9: 358 1933
Taraxacum saxatile Koidz., Bot. Mag. (Tokyo) 48: 594 1934
Taraxacum albomarginatum Kitam., Acta Phytotax. Geobot. 4: 103 1935
Taraxacum multisectum Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 310 1938

***Tephroseris* (Rchb.) Rchb. 산솜방망이속**

Tephroseris flammea (Turcz. ex DC.) Holub, Folia Geobot. Phytotax. 8: 173 1973 Ⓢ

국명: 산솜방망이(San-som-bang-mang-i), 두메솜방망이, 산솜방맹이

영명: Scarlet groundsel

Cineraria flammea Turcz. ex DC., Prodr. (DC.) 6: 362 1838
Senecio flammeus Turcz. ex DC., Prodr. (DC.) 6: 362 1838
Senecio longiligulatus H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 139 1910
Senecio flammeus Turcz. ex DC. f. *glabrescens* H.Hara, J. Jap. Bot. 10: 437 1934

Tephroseris flammea* (Turcz. ex DC.) Holub var. *flammea

***Tephroseris flammea* (Turcz. ex DC.) Holub var. *glabrifolia* (Cufod.) K.J.Kim, Gen. Vasc. Pl. Korea 1037 2007**

국명: 민솜방망이(Min-som-bang-mang-i)

영명: Smooth-leaf scarlet groundsel

Senecio flammeus Turcz. ex DC. var. *glabrifolius* Cufod., Repert. Spec. Nov. Regni Veg. Beih. 70: 90 1933

■ ASTERACEAE 국화과

Tephroseris kirilowii (Turcz. ex DC.) Holub, Folia Geobot. Phytotax. 12: 429 1977

국명: 솜방망이(Som-bang-mang-i), 구설초, 들솜쟁이, 산방망이, 소곰쟁이

영명: East Asian groundsel

Senecio kirilowii Turcz. ex DC., Prodr. (DC.) 6: 361 1838

Senecio aurantiacus Less. var. *spathulata* Miq., Ann. Mus. Bot. Lugd.-Bat. 2: 181 1866

Senecio fauriei H.Lév., Repert. Spec. Nov. Regni Veg. 8: 139 1910

Senecio integrifolius (L.) Clairv. subsp. *fauriei* (H.Lév. & Vaniot) Kitam., Acta Phytotax. Geobot. 6: 272 1937

Senecio integrifolius (L.) Clairv. subsp. *kirilowii* Kitag., Lin. Fl. Manshur. 469 1939

Senecio integrifolius (L.) Clairv. var. *spathulatus* (Miq.) H.Hara, Enum. Sperm. Jap. 2: 254 1952

Tephroseris integrifolia (L.) Holub subsp. *kirilowii* (Turcz.) Nord. ex DC., Opera Bot. 44: 45 1978

Tephroseris koreana (Kom.) B.Nord. & Pelser, Compositae Newslett. 49: 5 2011 ⑧

국명: 국화방망이(Guk-hwa-bang-mang-i), 고려쑥방망이, 파방망이

Senecio koreanus Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 421 1901

Sinosenecio koreanus (Kom.) B.Nord., Opera Bot. 44: 50 1978

Tephroseris phaeantha (Nakai) C.Jeffrey & Y.L.Chen, Kew Bull. 39: 279 1984 ⑧

국명: 바위솜나물(Ba-wi-som-na-mul), 두메솜나물, 백두산솜나물, 금강솜방망이

영명: Rocky alpine groundsel

Senecio phaeanthus Nakai, Bot. Mag. (Tokyo) 31: 110 1917

Senecio birubonensis Kitam., Acta Phytotax. Geobot. 6: 270 1937

Senecio kawakamii Kitam., Acta Phytotax. Geobot. 6: 270 1937

Senecio aurantiacus Less. var. *leiocarpus* Boissieu, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 15: 238 1942

Tephroseris birubonensis (Kitam.) B.Nord., Opera Bot. 44: 44 1978

Tephroseris pierotii (Miq.) Holub, Folia Geobot. Phytotax. 8: 174 1973

국명: 솜쑥방망이(Som-ssuk-bang-mang-i), 물솜방망이, 쑥방망이 / (북한명) 물방이

Senecio pierotii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 182 1866

Senecio subdentatus (Bunge) Turcz. var. *pierotii* (Miq.) Cufod., Repert. Spec. Nov. Regni Veg. Beih. 70: 82 1933

Wedelia Jacq. 갯금불초속

Wedelia calendulacea (L.) Less., Syn. Gen. Compos. 222 1832 ⑧

국명: 긴갓금불초(Gin-gaet-geum-bul-cho), 개금불초, 곰의국화 / (북한명) 갯불금초

영명: Chinese wedelia

Verbesina calendulacea L., Sp. Pl. 2: 902 1753

Solidago chinensis Osbeck, Dagb. Ostind. Resa 241 1757

Wedelia chinensis (Osbeck) Merr., Philipp. J. Sci. 12: 111 1917

Sphagneticola calendulacea (L.) Pruski, Novon 6: 411 1996

Wedelia prostrata Hemsl., J. Linn. Soc., Bot. 23: 434 1888 ⑧

국명: 갯금불초(Gaet-geum-bul-cho), 모래덮쟁이, 텔개금불초

영명: Beach prostrating wedelia

Eclipta dentata H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 11 1910

***Youngia* Cass. 뾰리뱅이속**

***Youngia japonica* (L.) DC., Prodr. (DC.) 7: 194 1838**

국명: 뾰리뱅이(Ppo-ri-baeng-i), 박조가리나물, 박주가리나물, 보리뱅이 / (북한명) 뾰리뱅이

영명: Oriental false hawksbeard

Prenanthes japonica L., Mant. Pl. 1: 107 1767

Prenanthes multiflora Thunb., Fl. Jap. (Thunberg) 303 1784

Chondrilla japonica (L.) Lam., Encycl. (Lamarck) 2: 79 1786

Chondrilla lyrata Poir., Encycl. (Lamarck) Suppl. 2: 332 1811

Chondrilla multiflora (Thunb.) Poir., Encycl. (Lamarck) Suppl. 2: 332 1811

Prenanthes striata Blume, Bijdr. Fl. Ned. Ind. 15: 885 1825

Prenanthes fastigiata Blume, Bijdr. Fl. Ned. Ind. 14: 836 1826

Youngia integrifolia Cass., Ann. Sci. Nat. (Paris) 23: 89 1831

Lactuca napifolia DC., Contr. Bot. India 27 1834

Youngia ambigua DC., Prodr. (DC.) 7: 193 1838

Youngia fastigiata (Blume) DC., Prodr. (DC.) 7: 193 1838

Youngia mauritiana DC., Prodr. (DC.) 7: 192 1838

Youngia multiflora (Thunb.) DC., Prodr. (DC.) 7: 194 1838

Youngia napifolia (DC.) DC., Prodr. (DC.) 7: 194 1838

Youngia poosia DC., Prodr. (DC.) 7: 193 1838

Youngia runcinata DC., Prodr. (DC.) 7: 192 1838

Youngia striata (Blume) DC., Prodr. (DC.) 7: 193 1838

Youngia thunbergiana DC., Prodr. (DC.) 7: 192 1838

Crepis japonica (L.) Benth., Fl. Hongk. 194 1861

Ixeris lyrata Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 190 1866

Lactuca taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 140 1910

Lactuca taraxacum H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 8: 141 1910

Youngia japonica (L.) DC. subsp. *longiflora* Babc. & Stebbins, Publ. Carnegie Inst. Wash. 484: 96 1937

국가표준식물목록 (자생식물)
Checklist of Vascular Plants in Korea (Native Plants)

ANGIOSPERMS
피자식물

MONOCOTYLEDON
단자엽식물

ALISMATACEAE 택사과

Alisma L. 택사속

Alisma canaliculatum A.Braun & C.D.Bouché, Index Seminum Hort. Bot. Berol. 4 1867

국명: 택사(Taek-sa), 물택사, 쇠대나물, 쇠태나물 / (북한명) 택사

영명: Channelled water plantain

Alisma plantago-aquatica L. var. *canaliculatum* (A.Braun & C.D.Bouché) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 101 1931

Alisma rariflorum Sam., Ark. Bot. 24A: 32 1932

Alisma orientale (Sam.) Juz., Fl. URSS 1: 281 1934

국명: 질경이택사(Jil-gyeong-i-taek-sa) / (북한명) 질경이택사

영명: Asian water plantain

Alisma plantago-aquatica L. var. *orientale* Sam., Acta Horti Gothob. 2: 84 1926

Alisma plantago-aquatica L. subsp. *orientale* (Sam.) Sam., Ark. Bot. 24A: 16 1932

Caldesia Parl. 둥근잎택사속

Caldesia parnassifolia (Bassi ex L.) Parl., Fl. Ital. 3: 599 1860 ⑧

국명: 둥근잎택사(Dung-geun-ip-taek-sa)

영명: Parnassus-leaf caldesia

Alisma parnassifolium Bassi ex L., Syst. Nat. ed. 12 2: 230 1767

Sagittaria Ruppius ex L. 보풀속

Sagittaria aginashii Makino, Bot. Mag. (Tokyo) 15: 104 1901

국명: 보풀(Bo-pul) / (북한명) 보풀

영명: Narrow-leaf arrowhead

Sagittaria natans Pall., Reise Russ. Reich. 3: 757 1776

국명: 대택소구나물(Dae-taek-so-gwi-na-mul), 대택자고 / (북한명) 대택보불, 대택쇠기나물, 대택자고

영명: Floating arrowhead

Sagittaria alpina Willd., Sp. Pl. (ed.5) 4: 408 1805

Sagittaria pygmaea Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 138 1866

국명: 올미(Ol-mi) / (북한명) 올미

영명: Pygmy arrowhead

Sagittaria sagittifolia L. var. *pygmaea* (Miq.) Makino, Bot. Mag. (Tokyo) 16: 106 1902

Hydrolyrion coreanum H.Lév., Repert. Spec. Nov. Regni Veg. 11: 67 1912

■ ALISMATACEAE 택사과

Sagittaria trifolia L., Sp. Pl. 2: 993 1753 (R)

국명: 벗풀(Beot-pul), 가는보풀, 택사, 소귀나물 / (북한명) 벗풀

영명: Three-leaf arrowhead

Sagittaria edulis Schleidl., Linnaea 18: 432 1844

Sagittaria sagittifolia L. var. *leucopetala* Miq., Ill. Fl. Archip. Ind. 2: 49 1870

Sagittaria sagittifolia L. subsp. *leucopetala* (Miq.) Hartog, Fl. Malesiana Ser. 1, Spermatoph. 5: 332 1957

Sagittaria sagittifolia L. subsp. *leucopetala* (Miq.) Hartog var. *edulis* (Schleidl.) Rataj, Annot. Zool. Bot. 76: 22 1972

Sagittaria trifolia L. subsp. *leucopetala* (Miq.) Q.F.Wang, Fl. China 23: 85 2010

HYDROCHARITACEAE 자라풀과

Blyxa Noronha ex Thouars 올챙이자리속

Blyxa aubertii Rich., Mem. Cl. Sci. Math. Inst. Natl. France 12: 19, 77, t. 4 1814

국명: 올챙이자리(Ol-chaeng-i-ja-ri), 올챙이풀, 큰올챙이자리 / (북한명) 올챙이자리

영명: Round-fruit blyxa

Blyxa ecaudata Hayata, Icon. Pl. Formosan. 5: 208, f. 77 c-d 1915

Blyxa muricata Koidz., Bot. Mag. (Tokyo) 31: 258 1917

Blyxa echinosperma (C.B.Clarke) Hook.f., Fl. Brit. Ind. 5: 661 1888

국명: 올챙이풀(Ol-chaeng-i-pul)

영명: Linear-fruit blyxa

Hydrotrophus echinospermus C.B.Clarke, J. Linn. Soc., Bot. 14: 8 1873

Blyxa aubertii Rich. var. *echinosperma* (C.B.Clarke) C.D.K.Cook & Luond, Aquatic Bot. 15: 14 1983

Blyxa japonica (Miq.) Maxim. ex Asch. & Gürke, Nat. Pflanzenfam. 2: 253 1889

국명: 올챙이솔(Ol-chaeng-i-sol), 올챙이풀 / (북한명) 올챙이솔

영명: Oriental bamboo plant

Hydrilla japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 271 1866

Blyxa caulescens Maxim. ex Makino, Bot. Mag. (Tokyo) 4: 173 1890

Halophila Thouars 해호말속

Halophila nipponica J.Kuo, Acta Phytotax. Geobot. 57: 141 2006

국명: 해호말(Hae-ho-mal)

영명: Sea loving seagrass

Hydrilla Rich. 검정말속

Hydrilla verticillata (L.f.) Royle, Ill. Bot. Himal. Mts. 1: 376 1839

국명: **검정말**(Geom-jeong-mal) / (북한명) 검정말

영명: **Perfect aquatic weed**

Serpicula verticillata L.f., Suppl. Pl. 416 1782

Udora verticillata (L.f.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 170 1824

Vallisneria verticillata (L.f.) Roxb., Fl. Ind. ed. 1832 (Roxburgh) 3: 751 1832

Elodea verticillata (L.f.) F.Muell., Key Syst. Vict. Pl. 1: 423 1888

***Hydrocharis* L. 자라풀속**

Hydrocharis dubia (Blume) Backer, Handb. Fl. Java 1: 64 1925 Ⓢ

국명: **자라풀**(Ja-ra-pul), 수련아재비 / (북한명) 자라풀

영명: **Frogbit**

Pontederia dubia Blume, Enum. Pl. Javae 1: 33 1827

Hydrocharis asiatica Miq., Fl. Ned. Ind. 3: 239 1855

Hydrocharis morsus-ranae L. var. *asiatica* (Miq.) Makino, Bot. Mag. (Tokyo) 28: 26 1914

***Ottelia* Pers. 물질경이속**

Ottelia alismoides (L.) Pers., Syn. Pl. 1: 400 1805 Ⓢ

국명: **물질경이**(Mul-jil-gyeong-i), 물배추 / (북한명) 물질경이

영명: **Duck lettuce**

Stratiotes alismoides L., Sp. Pl. 1: 535 1753

Ottelia alismoides (L.) Pers. f. *oryzetorum* Kom., Izv. Imp. S.-Peterburgsk. Bot. Sada 10: 122 1910

Ottelia alismoides (L.) Pers. var. *oryzetorum* (Kom.) Kitag., Neolin. Fl. Manshur. 63 1979

***Vallisneria* P.Micheli ex L. 나사말속**

Vallisneria natans (Lour.) H.Hara, J. Jap. Bot. 49: 136 1974

국명: **나사말**(Na-sa-mal) / (북한명) 나사말

영명: **Asian tape grass**

Physkium natans Lour., Fl. Cochinch. 663 1790

Vallisneria spinulosa S.Z.Yan, J. Sci. Med. Jinan Univ. 6: 161 1982

국명: **낙동나사말**(Nak-dong-na-sa-mal)

영명: **Spinulose tape grass**

JUNCAGINACEAE 지채과

***Triglochin* Riv. ex L. 지채속**

Triglochin maritima L., Sp. Pl. 1: 339 1753

■ JUNCAGINACEAE 지채과

국명: **지채**(Ji-chae)

영명: **Sea arrowgrass**

Triglochin maritima L. subsp. *asiatica* Kitag., Lin. Fl. Manshur. 55 1939

Triglochin maritima L. var. *asiatica* (Kitag.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 66 1953

Triglochin asiatica (Kitag.) Á.Löve & D.Löve, Naturaliste Canad. 85: 159 1958

Triglochin palustris L., Sp. Pl. 1: 339 1753

국명: **물지채**(Mul-ji-chae)

영명: **Marsh arrowgrass**

Junago palustris (L.) Moench, Methodus (Moench) 644 1794

Tristemon palustris (L.) Raf., Amer. Monthly Mag. & Crit. Rev. 1: 192 1819

Abbotia palustris (L.) Raf., New Fl. (Rafinesque) 1: 37 1836

SCHEUCHZERIACEAE 장지채과

Scheuchzeria L. 장지채속

Scheuchzeria palustris L., Sp. Pl. 1: 338 1753

국명: **장지채**(Jang-ji-chae), 진들장포 / (북한명) 장지채

영명: **Pod grass**

POTAMOGETONACEAE 가래과

Potamogeton L. 가래속

Potamogeton alpinus Balb., Misc. Bot. (Balbis) 13 1803

국명: **좁은잎말**(Jop-eun-ip-mal)

영명: **Alpine pondweed**

Potamogeton crispus L., Sp. Pl. 1: 126 1753

국명: **말쯤**(Mal-jeum) / (북한명) 말쯤

영명: **Curled pondweed**

Potamogeton cristatus Regel & Maack, Tent. Fl.-Ussur. 139 1861

국명: **가는가래**(Ga-neun-ga-rae), 좀가래 / (북한명) 가는가래

영명: **Little-leaf pondweed**

Potamogeton distinctus A.Benn., J. Bot. 42: 72 1904

국명: **가래**(Ga-rae), 긴잎가래 / (북한명) 가래

영명: **Pondweed**

Potamogeton franchetii A.Benn., J. Bot. 45: 234 1907

Potamogeton longipetiolatus E.G.Camus, Notul. Syst. (Paris) 1: 88 1909

Potamogeton fryeri A.Benn., J. Bot. 45: 234 1907

국명: **선가래**(Seon-ga-rae) / (북한명) 굵은가래

영명: **Fryer's pondweed**

Potamogeton subsessilifolius A.Camus, Notul. Syst. (Paris) 1: 86 1909

Potamogeton heterophyllus Schreb., Spic. Fl. Lips. 21 1771

국명: **얇은가래**(An-jeun-ga-rae), 왜가래, 좀가래 / (북한명) 왜가래

영명: **Variegated-leaf pondweed**

Potamogeton gramineus L. var. *heterophyllus* (Schreb.) Fr., Novit. Fl. Suec. Alt. ed. 2: 36 1828

Potamogeton maackianus A.Benn., J. Bot. 42: 74 1904

국명: **새우가래**(Sae-u-ga-rae) / (북한명) 새우가래

영명: **Maack's pondweed**

Potamogeton robbinsii Oakes var. *japonicus* A.Benn., Bull. Herb. Boissier 4: 549 1896

Potamogeton natans L., Sp. Pl. 1: 126 1753

국명: **큰가래**(Keun-ga-rae), 대동가래 / (북한명) 큰가래

영명: **Floating-leaf pondweed**

Potamogeton morongii A.Benn., J. Bot. 42: 145 1904

Potamogeton octandrus Poir., Encycl. (Lamarck) Suppl. 4: 534 1816

국명: **애기가래**(Ae-gi-ga-rae)

영명: **Little pondweed**

Potamogeton javanicus Hassk., Acta Soc. Regiae Sci. Indo-Neerl. 1: 26 1856

Potamogeton numasakianus A.Benn., Annaire Conserv. Jard. Bot. Geneve 4: 104 1905

Potamogeton octandrus Poir. var. *octandrus*

Potamogeton octandrus Poir. var. ***mizuhikimo*** (Makino) H.Hara, J. Jap. Bot. 20: 331 1944

국명: **등포잎가래**(Deung-po-ip-ga-rae), 란나잎가래

영명: **Eight-stamen pondweed**

Potamogeton mizuhikimo Makino, Ill. Fl. Japan 1: 9 1891

Potamogeton asiaticus A.Benn., Annaire Conserv. Jard. Bot. Geneve 9: 104 1905

Potamogeton oxyphyllus Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 161 1867

국명: **말**(Mal), 버들말증, 버들잎가래 / (북한명) 말

영명: **Acuminate-leaf pondweed**

■ POTAMOGETONACEAE 가래과

Potamogeton pectinatus L., Sp. Pl. 1: 127 1753

국명: 솔잎가래(Sol-ip-ga-rae) / (북한명) 솔잎가래

영명: Sago pondweed

Potamogeton pectinatus L. var. *scoparius* Wallr., Sched. Crit. 1: 68 1822

Stuckenia pectinata (L.) Börner, Fl. Deut. Volk 713 1912

Potamogeton perfoliatus L., Sp. Pl. 1: 126 1753

국명: 넓은잎말(Neol-beun-ip-mal), 넓은잎마름 / (북한명) 넓은잎말증

영명: Clasping-leaf pondweed

Peltopsis perfoliata (L.) Raf., J. Phys. Chim. Hist. Nat. Arts 89: 103 1819

Potamogeton pusillus L., Sp. Pl. 1: 127 1753

국명: 실말(Sil-mal), 실가래 / (북한명) 실말

영명: Small pondweed

Spirillus pusillus (L.) Nieuwl., Amer. Midl. Naturalist 3: 18 1913

Potamogeton wrightii Morong, Bull. Torrey Bot. Club 13: 158 1886

국명: 대가래(Dae-ga-rae), 새우말 / (북한명) 대잎가래

영명: Bamboo-leaf pondweed

Potamogeton × anguillanus Koidz., Bot. Mag. (Tokyo) 43: 398 1929

국명: 엘치기대가래(Eol-chi-gi-dae-ga-rae)

Potamogeton × intortusifolius J.B.He., L.Y.Zhou & H.Q.Wang, Bull. Bot. Res. Sin., Harbin 8(3): 125 1988

Zannichellia P.Micheli ex L. 뿔말속

Zannichellia palustris L. subsp. *palustris*

Zannichellia palustris L. subsp. *pedicellata* (Wahlenb. & Rosén) Hook.f., Fl. Brit. Ind. 6: 568 1892

국명: 뿔말(Ppul-mal)

영명: Horned pondweed

Zannichellia palustris var. *pedicellata* Wahlenb. & Rosén, Nova Acta Regiae Soc. Sci. Upsal. 8: 254 1821

Zannichellia gibberosa Rchb., Fl. Germ. Excurs. 1: 7 1830

Zannichellia pedicellata (Wahlenb. & Rosén) Fr., Novit. Fl. Suec. Mant. 1: 18 1832

Zannichellia pedunculata Rchb.f., Handb. Gewächsk. (ed. 2) 3: 1591 1835

Zannichellia palustris L. var. *pedunculata* (Rchb.f.) A.Gray, Manual (Gray) ed. 2: 432 1856

RUPPIACEAE 줄말과

Ruppia L. 줄말속

Ruppia cirrhosa (Petagna) Grande, Bull. Orto Bot. Regia Univ. Napoli 5: 58 1918

국명: 나사줄말(Na-sa-jul-mal)

영명: Spiral widgeon grass

Buccaferrera cirrhosa Petagna, Inst. Bot. 5: 1826 1787

Ruppia spiralis Dumort., Fl. Belg. 164 1827

Ruppia maritima L. var. *spiralis* (Dumort.) Moris, Stirp. Sard. Elench. 1: 43 1827

Ruppia maritima L. var. *pedunculata* Hartm. ex Ledeb., Fl. Ross. (Ledeb.) 4: 21 1853

Ruppia maritima L. subsp. *spiralis* (Dumort.) Asch. & Graebn., Syn. Mitteleur. Fl. 1: 356 1897

Ruppia maritima L., Sp. Pl. 1: 127 1753

국명: 줄말(Jul-mal), 나도바다말, 바다말, 바다줄말 / (북한명) 해변줄말

영명: Widgeon grass

Ruppia maritima L. var. *rostrata* C. Agardh, Physiogr. Sallsk. Arsberatt. 6: 37 1823

Ruppia rostellata W.D.J. Koch ex Rchb., Iconogr. Bot. Pl. Crit. 2: 66 1824

Ruppia maritima L. subsp. *rostellata* (W.D.J. Koch ex Rchb.) Asch. & Graebn., Syn. Mitteleur. Fl. 1: 357 1897

Ruppia maritima L. var. *longipes* Hagstr., Bot. Not. 1911: 138 1911

Ruppia taquetii H. Lév., Repert. Spec. Nov. Regni Veg. 9: 323 1911

Ruppia maritima L. var. *pacifica* H. St. John & Fosberg, Occas. Pap. Bernice Pauahi Bishop Mus. 15: 176 1939

ZOSTERACEAE 거머리말과

Phyllospadix Hook. 새우말속

Phyllospadix iwatensis Makino, J. Jap. Bot. 7: 15 1931

국명: 새우말(Sae-u-mal)

영명: Surfgrass

Phyllospadix japonicus Makino, Bot. Mag. (Tokyo) 11: 137 1897

국명: 게바다말(Ge-ba-da-mal) / (북한명) 옥해말

영명: Asian surfgrass

Zostera L. 거머리말속

Zostera asiatica Miki, Bot. Mag. (Tokyo) 46: 776 1932

국명: 왕거머리말(Wang-geo-meo-ri-mal), 부들말 / (북한명) 왕거머리말

영명: Asian eelgrass

Zostera caespitosa Miki, Bot. Mag. (Tokyo) 46: 780 1932

국명: 포기거머리말(Po-gi-geo-meo-ri-mal), 가는거머리말, 가는부들말 / (북한명) 가는부들말

영명: Tufted eelgrass

▪ ZOSTERACEAE 거머리말과

Zostera caulescens Miki, Bot. Mag. (Tokyo) 46: 779 1932

국명: 수거머리말(Su-geo-meo-ri-mal), 선부들말, 선부들말

영명: Northeastern eelgrass

Zostera geojeensis H.Shin, Cho & Y.S.Oh, Algae 17: 71 2002 (E)

국명: 좀마디거머리말(Jom-ma-di-geo-meo-ri-mal)

영명: Sub-nod eelgrass

Zostera japonica Asch. & Graebn., Pflanzenr. (Engler) 31: 32 1907

국명: 애기거머리말(Ae-gi-geo-meo-ri-mal), 좀부들말 / (북한명) 애기거머리말

영명: Dwarf eelgrass

Nanozostera japonica (Asch. & Graebn.) Toml. & Posl., Taxon 50: 432 2001

Zostera marina L., Sp. Pl. 2: 968 1753

국명: 거머리말(Geo-meo-ri-mal), 애기부들말

영명: Common eelgrass

NAJADACEAE 나자스말과

Najas L. 나자스말속

Najas gracillima (A.Braun ex Engelm.) Magnus, Beitr. Kenntn. Naja 23 1870

국명: 실나자스말(Sil-na-ja-seu-mal)

영명: Slender water-nymph

Najas indica (Willd.) Cham. var. *gracillima* A.Braun ex Engelm., Manual ed. 5: 681 1867

Najas graminea Delile, Descr. Egypte, Hist. Nat. 2: 282 1813

국명: 나자스말(Na-ja-seu-mal), 가는마디말 / (북한명) 가는잎줄기말

영명: Ricefield water-nymph

Najas serristipula Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 12: 70 1868

Najas graminea Delile var. *serristipula* (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 275 1911

Caulinia serristipula (Maxim.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 123 1952

Najas marina L., Sp. Pl. 2: 1015 1753

국명: 민나자스말(Min-na-ja-seu-mal), 가시말, 큰마디말 / (북한명) 가시말

영명: Spiny water-nymph

Najas major All., Fl. Pedem. 2: 221 1785

Najas fluviatilis Poir., Encycl. (Lamarck) 4: 416 1798

Najas minor All., Auct. Syn. Stirp. Hort. Taur. 3 1773

국명: 톱니나자스말(Top-ni-na-ja-seu-mal), 마디말, 줄기말 / (북한명) 줄기말

영명: Brittle water-nymph

Caulinia fragilis Willd., Mem. Acad. Roy. Sci. Hist. (Berlin) 1798: 87 1801

Caulinia minor (All.) Coss. & Germ., Fl. Descr. Anal. Paris 575 1845

Najas oguraensis Miki, Bot. Mag. (Tokyo) 46: 775 1935

국명: 큰톱니나자스말(Keun-top-ni-na-ja-seu-mal)

영명: Serrate-leaf water-nymph

Caulinia oguraensis (Miki) Nakai, Ord. Fam. Trib. Gen. Sect. nov. ed. 212 1943

Najas orientalis Triest & Uotila, Ann. Bot. Fenn. 23: 169 1986

국명: 동아나자스말(Dong-a-na-ja-seu-mal)

영명: Asian water-nymph

LILIACEAE 백합과

Aletris L. 주꼬리풀속

Aletris foliata (Maxim.) Makino & Nemoto, Fl. Japan (Makino & Nemoto) ed. 2 1534 1931 Ⓢ

국명: 곤적주꼬리풀(Kkeun-jeok-jwi-kko-ri-pul)

영명: Sticky colicroot

Metanarthecium foliatum Maxim., Dec. Pl. Nov. 10 1882

Aletris glabra Bureau & Franch., J. Bot. (Morot) 5: 156 1891 Ⓢ

국명: 여우꼬리풀(Yeo-u-kko-ri-pul), 산끈끈이난초 / (북한명) 넓은잎속심풀

영명: Glabrous colicroot

Aletris sikkimensis Hook.f., Fl. Brit. Ind. 6: 265 1892

Aletris foliosa (Maxim.) Bureau & Franch. var. *sikkimensis* (Hook.f.) Franch., J. Bot. (Morot) 10: 198 1896

Metanarthecium formosanum Hayata, Icon. Pl. Formosan. 9: 142 1920

Aletris formosana (Hayata) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 1534 1931

Aletris foliata (Maxim.) Makino & Nemoto var. *glabra* (Bureau & Franch.) Yamam., J. Soc. Trop. Agric. 10: 121 1938

Aletris spicata (Thunb.) Franch., J. Bot. (Morot) 10: 199 1896

국명: 주꼬리풀(Jwi-kko-ri-pul), 속심풀, 분좌난 / (북한명) 속심풀

영명: Spike colicroot

Hypoxis spicata Thunb., Fl. Jap. (Thunberg) 136 1784

Hypoxis farinosa Thunb., Fl. Jap. (Thunberg) 233 1784

Aletris spicata (Thunb.) Franch. var. *microantha* Satake, J. Jap. Bot. 17: 725 1941

Allium L. 부추속

Allium anisopodium Ledeb., Fl. Ross. (Ledeb.) 4: 183 1853 Ⓢ

국명: 실부추(Sil-bu-chu), 가는잎달래, 실달래, 쥐달래 / (북한명) 쥐달래

영명: Thread-leaf chive

Allium tenuissimum L. var. *anisopodium* (Ledeb.) Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 157 1875

Allium tchefouense Debeaux, Actes Soc. Linn. Bordeaux 32: 25 1878

Allium anisopodium Ledeb. var. *anisopodium*

Allium anisopodium Ledeb. var. *zimmermannianum* (Gilg) F.T.Wang & T.Tang, Contr. Inst. Bot. Natl. Acad.

국명: 털실부추(Teol-sil-bu-chu)Peiping 2: 260 1934

영명: Hairy thread-leaf chive

Allium zimmermannianum Gilg, Bot. Jahrb. Syst. 34: 23 1904

Allium tenuissimum L. f. *zimmermannianum* (Gilg) Q.S.Sun, Fl. Liaoningica 2: 717 1992

Allium baekdusanense Y.N.Lee, Bull. Korea Pl. Res. 5: 28 2005

국명: 백두부추(Baek-du-bu-chu)

Allium condensatum Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 121 1854

국명: 노랑부추(No-rang-bu-chu), 노랑달래, 누른꽃염, 맷염, 뒷염, 압록강부추 / (북한명) 노랑부추

영명: Oriental yellow chive

Allium jaluanum Nakai, Bot. Mag. (Tokyo) 27: 214 1913

Allium koreanum H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 34: 76 2004 Ⓣ

국명: 돌부추(Dol-bu-chu)

영명: Korean rocky chive

Allium linearifolium H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 34: 72 2004 Ⓣ

국명: 선부추(Seon-bu-chu)

영명: Linear-leaf chive

Allium longistylum Baker, J. Bot. 12: 294 1874 Ⓢ

국명: 강부추(Gang-bu-chu)

영명: Riverside chive

Allium macrostemon Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 65 1833

국명: 산달래(San-dal-rae), 달래, 달룽게, 돌달래, 들달래, 원산부추, 큰달래 / (북한명) 들달래

영명: Long-stamen chive

Allium nereidum Hance, Ann. Sci. Nat., Bot. 5: 244 1866

Allium grayi Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 125 1875

Allium nipponicum Franch. & Sav., Enum. Pl. Jap. 2: 527 1878

Allium uratense Franch., Pl. David. 1: 304 1884

Allium chanetii H.Lév., Repert. Spec. Nov. Regni Veg. 12: 184 1913

Allium ouensanense Nakai, Bot. Mag. (Tokyo) 27: 215 1913

Allium macrostemon Bunge var. *uratense* (Franch.) Airy Shaw, Notes Roy. Bot. Gard. Edinburgh 16: 136 1931

Allium maximowiczii Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 3: 153 1875 Ⓢ

국명: 산파(San-pa), 뒷파

영명: **Oriental chive**

Allium schoenoprasum L. var. *orientale* Regel, Trudy Imp. S.-Peterburgsk. Bot. Sada 30: 80 1875

Allium microdictyon Prokh., Trudy Prikl. Bot. 24: 174 1929 Ⓢ

국명: 산마늘(San-ma-neul)

영명: **Alpine broad-leaf allium**

Allium minus (S.O.Yu, S.T.Lee & W.T.Lee) H.J.Chi & B.U.Oh, Brittonia 62: 200 2010 Ⓣ

국명: 좀부추(Jom-bu-chu)

영명: **Manchurian aging chive**

Allium senescens L. var. *minus* S.O.Yu, S.T.Lee & W.T.Lee, Korean J. Pl. Taxon. 11: 32 1981

Allium monanthum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 109 1887

국명: 달래(Dal-rae), 들달래, 쇠달래, 애기달래 / (북한명) 애기달래

영명: **Korean wild chive**

Allium biflorum Nakai, Bot. Mag. (Tokyo) 27: 214 1913

Allium monanthum Maxim. var. *floribundum* Z.J.Zhong & X.T.Huang, Bull. Bot. Res., Harbin 17: 53 1997

Allium pseudojaponicum Makino, Bot. Mag. (Tokyo) 24: 30 1910

국명: 갯부추(Gaet-bu-chu)

영명: **Coastal chive**

Allium scorodoprasum L. var. *scorodoprasum*

Allium scorodoprasum L. var. *multibillosum* Y.N.Lee, Bull. Korea Pl. Res. 1: 3 2000

국명: 조선마늘(Jo-seon-ma-neul), 마늘

영명: **Korean pickled-peel garlic**

Allium senescens L., Sp. Pl. 1: 299 1753 Ⓢ

국명: 두메부추(Du-me-bu-chu), 두메달래, 설령파 / (북한명) 두메부추

영명: **Aging chive**

■ LILIACEAE 백합과

Allium spirale Willd., Enum. Pl. (Willdenow) Suppl. 17 1814

국명: **참두메부추**(Cham-du-me-bu-chu)

영명: **Korean aging chive**

Allium splendens Willd. ex Schult. & Schult.f., Syst. Veg. (ed. 15) 7: 1025 1830

국명: **가는산부추**(Ga-neun-san-bu-chu), 고산달래, 돌부추 / (북한명) 가는산부추

영명: **Glittering chive**

Allium taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 1908 ⓘ

국명: **한라부추**(Han-ra-bu-chu), 섬산파, 흰한라부추

영명: **Halla chive**

Allium thunbergii G.Don, Mem. Wern. Nat. Hist. Soc. 6: 84 1827

국명: **산부추**(San-bu-chu), 산달래, 맹산부추, 왕정구지, 참산부추, 산부추, 산부치, 세모부추, 세모산부추, 한라세모부추 / (북한명) 산부추

영명: **Thunberg's chive**

Allium sacciferum Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 281 1859

Allium ophiopogon H.Lév., Repert. Spec. Nov. Regni Veg. 12: 184 1913

Allium komarovianum Vved., Byull. Sredne-Aziatsk. Gosud. Univ. 19: 119 1934

Allium sacciferum Maxim. var. *viviparum* Sakata, Acta Phytotax. Geobot. 7: 16 1938

Allium cyaneum Regel var. *deltoides* S.O.Yu, S.T.Lee & W.T.Lee, Korean J. Pl. Taxon. 11: 29 1981

Allium yuchuanii Y.Z.Zhao & J.Y.Chao, Acta Sci. Nat. Univ. Intramongol. 20: 241 1989

Allium thunbergii G.Don var. *deltoides* (S.O.Yu, S.T.Lee & W.T.Lee) H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 33: 351 2003

Allium deltoidefistulosum S.O.Yu, S.Lee & W.Lee ex M.Kim, Korean Endemic Pl. 405 2017

Allium thunbergii G.Don var. *thunbergii*

Allium thunbergii G.Don var. *teretifolium* H.J.Choi & B.U.Oh, Korean J. Pl. Taxon. 34: 79 2004 ⓘ

국명: **둥근산부추**(Dung-geun-san-bu-chu)

영명: **Terete-leaf Thunberg's chive**

Allium ulleungense H.J.Choi & N.Friesen, Korean J. Pl. Taxon. 49(4): 294 2019 ⓘ

국명: **울릉산마늘**(Ul-reung-san-ma-neul), 망부추, 맹이풀, 서수레, 얼룩산마늘 / (북한명) 서수레, 산마늘

영명: **Myeongyi**

Anticlea Kunth 나도여로속

Anticlea sibirica (L.) Kunth, Enum. Pl. 4: 191 1843 ⓘ

국명: **나도여로**(Na-do-yeo-ro), 시베리아바위풀 / (북한명) 나도여로

영명: **Siberian death camas**

Melanthium sibiricum L., Sp. Pl. 1: 339 1753

Anthericum gmelinianum Schult. & Schult.f., Syst. Veg. 7: 481 1829
Leimanthium sibiricum (L.) Schult. & Schult.f., Syst. Veg. 7: 1551 1830
Zigadenus sibiricus (L.) A.Gray, Ann. Lyceum Nat. Hist. New York 4: 112 1837
Zigadenus makinoanus Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 5: 39 1914
Anticlea japonica Makino, Bot. Mag. (Tokyo) 28: 108 1914

Asparagus Tourn. ex L. 비짜루속

Asparagus brachyphyllus Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 78 1840

국명: 갯천문동(Gaet-cheon-mun-dong) / (북한명) 갯천문동

영명: Short-leaf asparagus

Asparagus trichophyllus Bunge var. *trachyphyllus* Bong. & C.A.Mey., Verz. Saisang-nor Pfl. 74 1841

Asparagus cochinchinensis (Lour.) Merr., Philipp. J. Sci. 15: 230 1919

국명: 천문동(Cheon-mun-dong), 부지깽나물, 호라지赳 / (북한명) 천문동, 부지깽나무, 훌아비꽃

영명: Lucid asparagus

Melanthium cochinchinensis Lour., Fl. Cochinch. 216 1790

Asparagus lucidus Lindl., Edward's Bot. Reg. 30: 29 1844

Asparagus gaudichaudianus Kunth, Enum. Pl. (Kunth) 5: 71 1850

Asparagopsis sinica Miq., J. Bot. Néerl. 1: 90 1861

Asparagus insularis Hance, Ann. Sci. Nat., Bot. 5, 5: 245 1866

Asparagus sinicus (Miq.) C.H.Wright, J. Linn. Soc., Bot. 36: 103 1903

Asparagus dauricus Fisch. ex Link, Enum. Hort. Berol. Alt. 1: 348 1821

국명: 망적천문동(Mang-jeok-cheon-mun-dong), 다후리아비짜루, 북선천문동

영명: Dahurian asparagus

Asparagus gibbus Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 65 1833

Asparagus tuberculatus Bunge ex Iljin, Fl. URSS 4: 747 1935

Asparagus oligoclonos Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 286 1859

국명: 방울비짜루(Bang-ul-bi-jja-ru), 방울비자루, 새방울비짜루, 참빗짜루 / (북한명) 방울비자루

영명: Few-twigs asparagus

Asparagus tamaboki Yatabe, Bot. Mag. (Tokyo) 7: 61 1893

Asparagus schoberioides Kunth, Enum. Pl. (Kunth) 5: 70 1850

국명: 비짜루(Bi-jja-ru), 낚의비짜루, 덩굴비짜루, 비자루, 빗자루 / (북한명) 비자루

영명: Schoberia-like asparagus

Asparagus parviflorus Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 130 1854

Asparagus sieboldii Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 287 1859

Asparagus wrightii A.Gray, Mem. Amer. Acad. Arts n.s. 6: 413 1859

Asparagus schoberioides Kunth var. *subsetaceus* Franch., Nouv. Arch. Mus. Hist. Nat. 2, 7: 112 1884

Asparagus sessiliflorus Oett., Trudy Bot. Sada Imp. Yur'evsk. Univ. 6: 83 1905

■ LILIACEAE 백합과

Asparagus rigidulus Nakai, Bot. Mag. (Tokyo) 27: 213 1913

국명: 노간주비짜루(No-gan-ju-bi-jja-ru), 노간주비짜루, 노간주빗자루

***Barnardia* Lindl. 무릇속**

Barnardia japonica (Thunb.) Schult.f., Syst.Veg. (ed.15) [Roemer & Schultes] 7: 555 1829

국명: 무릇(Mu-reut), 물구, 물구지, 물굿 / (북한명) 물구지

영명: East Asian squill

Ornithogalum japonicum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 209 1780

Ornithogalum sinense Lour., Fl. Cochinch. 206 1790

Barnardia scilloides Lindl., Bot. Reg. 12: t. 1029 1826

Scilla scilloides (Lindl.) Druce, Rep. Bot. Exch. Club Brit. Isl. 4: 646 1917

Scilla sinensis (Lour.) Merr., Philipp. J. Sci. 15: 229 1919

Scilla thunbergii Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 8: 1921

Scilla bispatha Hand.-Mazz., Symb. Sin. 7: 1202 1936

Scilla thunbergii Miyabe & Kudô var. *pulchella* Kitag., Rep. Inst. Sci. Res. Manchoukuo 2: 289 1938

Scilla scilloides (Lindl.) Druce var. *pulchella* (Kitag.) Kitag., J. Jap. Bot. 26: 16 1951

Barnardia japonica* (Thunb.) Schult.f. f. *japonica

Barnardia japonica (Thunb.) Schult.f. f. *albiflora* (Satake) Yonek., J. Jap. Bot. 86: 237 2011

국명: 흰무릇(Huin-mu-reut)

영명: White-flower squill

Scilla scilloides (Lindl.) Druce var. *albiflora* Satake, J. Jap. Bot. 19: 46 1943

Scilla scilloides (Lindl.) Druce f. *albiflora* (Satake) Satake & Okuy., J. Jap. Bot. 30: 42 1955

***Chamaelirium* Willd. 실꽃풀속**

Chamaelirium japonica (Willd.) N.Tanaka, Taiwania 62: 163 2017 Ⓢ

국명: 실꽃풀(Sil-kkot-pul), 실마리꽃 / (북한명) 실꽃풀

영명: White stringflower

Melanthium japonicum Willd., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk. 2: 22 1808

Siraitos aquaticus Raf., Fl. Tellur. 4: 27 1838

Chionographis japonica (Willd.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 436 1867

Chamaelirium japonica* (Willd.) N.Tanaka subsp. *yakusimense* (Masam.) N.Tanaka var. *yakusimense

Chamaelirium japonica (Willd.) N.Tanaka subsp. *yakusimense* (Masam.) N.Tanaka var. *koreanum* (F.T.Wang & T.Tang) N.Tanaka, Taiwania 62: 164 2017 Ⓣ

국명: 제주실꽃풀(Je-ju-sil-kkot-pul)

Chionographis koreana F.T.Wang & T.Tang, Bull. Fan Mem. Inst. Biol. 7: 82 1936

Chionographis japonica (Willd.) Maxim. var. *koreana* (F.T.Wang & T.Tang) Okuy., J. Jap. Bot. 19: 130 1943

Siraitos koreanus (F.T.Wang & T.Tang) F.T.Wang & T.Tang, Contr. Inst. Bot. Natl. Acad. Peiping 6: 109 1949

Clintonia Raf. 나도옥잠화속

Clintonia udensis Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 92, t. 30 1856 Ⓢ

국명: 나도옥잠화(Na-do-ok-jam-hwa), 당나귀나물, 두메옥잠화, 제비옥잠 / (북한명) 두메옥잠화

영명: Common bluebead lily

Convallaria L. 은방울꽃속

Convallaria keiskei Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 148 1867

국명: 은방울꽃(Eun-bang-ul-kkot), 비비추, 영란, 초롱꽃 / (북한명) 은방울꽃

영명: Lily of the valley

Convallaria majalis L. var. *manshurica* Kom., Mal. Opred. Rast. Dal'nevost. Kraia 385 1925

Convallaria manschurica (Kom.) Knorring, Fl. URSS 4: 468 1935

Convallaria majalis L. var. *keiskei* (Miq.) Makino, Ill. Fl. Nippon (Makino) 731 1948

Disporum Salisb. 애기나리속

Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f., Prodr. Fl. Nepal. 50 1825

국명: 윤판나물아재비(Yun-pan-na-mul-a-jae-bi) / (북한명) 대애기나리

영명: Common fairybell

Uvularia sessilis Thunb., Fl. Jap. 135 1784

Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *stenorhizum* Franch. & Sav., Enum. Pl. Jap. 2: 52 1877

Tovaria hallaisanensis H.Lév., Repert. Spec. Nov. Regni Veg. 6: 264 1908

Disporum hallaisanense (H.Lév.) Ohwi, Acta Phytotax. Geobot. 1: 142 1932

Disporum smilacinum A.Gray, Narr. Exped. China Japan 2: 231 1854

국명: 애기나리(Ae-gi-na-ri), 가지애기나리 / (북한명) 애기나리, 흰애기나리

영명: Star-flower fairybell

Disporum smilacinum A.Gray var. *album* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 215 1884

Disporum smilacinum A.Gray var. *ramosum* Nakai, Bot. Mag. (Tokyo) 45: 107 1931

Disporum uniflorum Baker, J. Bot. 13: 230 1875

국명: 윤판나물(Yun-pan-na-mul), 금윤판나물, 대애기나리, 큰가지애기나리

영명: Korean fairybell

Disporum flavens Kitag., Bot. Mag. (Tokyo) 48: 92 1934

Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *pachyrrhizum* Hand.-Mazz., Symb. Sin. 7: 1207 1936

Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. subsp. *flavens* (Kitag.) Kitag., Lin. Fl. Manshur. 135 1939

Disporum sessile (Thunb.) D.Don ex Schult. & Schult.f. var. *flavens* (Kitag.) H.S.Kim, Fl. Coreana (Kim) 7: 537 1976

Disporum viridescens (Maxim.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 246 1911

국명: 큰애기나리(Keun-ae-gi-na-ri), 중애기나리 / (북한명) 큰애기나리

■ LILIACEAE 백합과

영명: **Green fairybell**

Uvularia viridescens Maxim., Prim. Fl. Amur. 273 1859

Prosartes viridescens (Maxim.) Regel, Tent. Fl.-Ussur. 148 1861

Disporum smilacinum A.Gray var. *viridescens* (Maxim.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 215 1883

***Erythronium* L. 얼레지속**

Erythronium japonicum Decne., Rev. Hort. ser. 4, 3: 284 1854

국명: **얼레지**(Eol-re-ji), 가재무릇 / (북한명) 얼레지, 얼레기, 가제무릇

영명: **Asian fawnlily**

Erythronium dens-canis L. var. *japonicum* (Decne.) Baker, J. Linn. Soc., Bot. 14: 297 1874

***Fritillaria* Tourn. ex L. 패모속**

Fritillaria ussuriensis Maxim., Diagn. Pl. Nov. Asiat. 1: 9 1877

국명: **패모**(Pae-mo), 검나리, 검정나리, 조선패모 / (북한명) 패모, 조선패모

영명: **Ussuri fritillary**

***Gagea* Salisb. 중의무릇속**

Gagea hiensis Pascher, Lotos 52: 125 1904

국명: **애기중의무릇**(Ae-gi-jung-ui-mu-reut), 애기중무릇, 작은애기풀구지 / (북한명) 애기중의무릇

영명: **Small gagea**

Gagea terracianoana Pascher, Repert. Spec. Nov. Regni Veg. 2: 58 1906

***Gagea lutea* (L.) Ker Gawl.**, Bot. Mag. 30: t. 1200 1809

국명: **중의무릇**(Jung-ui-mu-reut)

영명: **Oriental yellow gagea**

Ornithogalum luteum L., Sp. Pl. 1: 506 1753

Ornithogalum sylvaticum Pers., Ann. Bot. (Usteri) 11: 7 1794

***Heloniopsis* A.Gray 처녀치마속**

Heloniopsis koreana Fuse, N.S.Lee & M.N.Tamura, Taxon 53: 956 2004 ⓘ

국명: **처녀치마**(Cheo-nyeo-chi-ma), 차맛자락풀, 치마풀 / (북한명) 처녀치마

영명: **Korean swamppink**

Heloniopsis orientalis* (Thunb.) Tanaka var. *orientalis

***Heloniopsis orientalis* (Thunb.) Tanaka var. *flavida* (Nakai)** Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 68 1953

국명: **흰처녀치마**(Huin-cheo-nyeo-chi-ma)

영명: **White oriental swamppink**

Sugerokia nipponica Ohwi, Bot. Mag. (Tokyo) 44: 566 1930

Heloniopsis japonica (Thunb.) Maxim. var. *flavida* Nakai, Bot. Mag. (Tokyo) 47: 243 1933

Heloniopsis japonica (Thunb.) Maxim. var. *albiflora* Honda, Bot. & Zool. 6: 1678 1938

Heloniopsis japonica (Thunb.) Maxim. var. *tessellata* Honda, Bot. & Zool. 6: 1679 1938

Heloniopsis tubiflora Fuse, N.S.Lee & M.N.Tamura, Taxon 53: 954 2004 ⓘ

국명: **숙은처녀치마**(Suk-eun-cheo-nyeo-chi-ma), 처녀치마

영명: **Tubular-flower swamppink**

***Hemerocallis* L. 원추리속**

Hemerocallis coreana Nakai, Bot. Mag. (Tokyo) 46: 123 1932

국명: **골잎원추리**(Gol-ip-won-chu-ri), 골잎님나물 / (북한명) 골잎원추리, 골잎님나물

영명: **Citron daylily**

Hemerocallis flava (L.) L. var. *coreana* (Nakai) M.Hotta, Acta Phytotax. Geobot. 22: 40 1966

Hemerocallis dumortieri C.Morren, Hort. Belge 2: 195, t. 43 1835

국명: **각시원추리**(Gak-si-won-chu-ri), 가지원추리, 각씨님나물, 꽃대원추리 / (북한명) 각시원추리, 각시님나물

영명: **Dumortier's daylily**

Hemerocallis hakuunensis Nakai, J. Jap. Bot. 19: 315 1943 ⓘ

국명: **백운산원추리**(Baek-un-san-won-chu-ri), 원추리

영명: **Baekunsan daylily**

Hemerocallis micrantha Nakai, J. Jap. Bot. 19: 315 1943

Hemerocallis hongdoensis M.G.Chung & S.S.Kang, Novon 4: 94 1994 ⓘ

국명: **홍도원추리**(Hong-do-won-chu-ri)

영명: **Hongdo daylily**

Hemerocallis middendorffii Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 94 1856

국명: **큰원추리**(Keun-won-chu-ri), 겹님나물, 겹원추리, 금원추리 / (북한명) 겹원추리, 겹님나물

영명: **Amur daylily**

Hemerocallis dumortieri C.Morren var. *middendorffii* (Trautv. & C.A.Mey.) Kitam., Acta Phytotax. Geobot. 22: 41 1966

Hemerocallis minor Mill., Gard. Dict. ed. 8: HEM no. 2 1768

국명: **애기원추리**(Ae-gi-won-chu-ri), 애기님나물, 참칼원추리 / (북한명) 애기원추리, 애기님나물

영명: **Small daylily**

Hemerocallis graminea Andrews, Bot. Repos. 4: t. 244 1802

Hemerocallis flava (L.) L. var. *minor* (Mill.) M.Hotta, Acta Phytotax. Geobot. 22: 40 1966

■ LILIACEAE 백합과

Hemerocallis taeanensis S.S.Kang & M.G.Chung, Syst. Bot. 22: 428 1997 ⓘ

국명: 태안원추리(Tae-an-won-chu-ri)

영명: Tae'an daylily

Hemerocallis thunbergii Baker, Gard. Chron. ser.3, 8: 94 1890

국명: 노랑원추리(No-rang-won-chu-ri), 골잎원추리 / (북한명) 저녁원추리, 저녁님나물

영명: Thunberg's daylily

Hosta Tratt. 바비추속

Hosta capitata (Koidz.) Nakai, Bot. Mag. (Tokyo) 44: 514 1930

국명: 일월비비추(Il-wol-bi-bi-chu), 방울비비추, 비녀비비추, 산지보

영명: Ilwol hosta

Hosta caerulea Jacq. var. *capitata* Koidz., Bot. Mag. (Tokyo) 30: 326 1916

Hosta nakaiana F.Maek., J. Jap. Bot. 11: 687 1935

Hosta clausa Nakai, Bot. Mag. (Tokyo) 44: 27 1930

국명: 주걱비비추(Ju-geok-bi-bi-chu), 참비비추, 꽃비비추, 주걱비비추 / (북한명) 꽃비비추, 이삭비비추

영명: Closed-flower hosta

Hosta japonica Tratt. var. *normalis* Nakai, Rep. Veg. Diamond Mountains 167 1918

Hosta japonica var. *lanceifolia* Nakai, Rep. Veg. Diamond Mountains 167 1918

Hosta clausa Nakai var. *normalis* F.Maek., J. Jap. Bot. 13: 899 1937

Hosta ensata F.Maek., J. Jap. Bot. 13: 900 1937

Hosta clausa Nakai var. *ensata* (F.Maek.) W.G.Schmid, Gen. Hosta 316 1991

Hosta clausa Nakai var. *clausa*

Hosta clausa Nakai var. *geumgangensis* M.Kim & H.Jo, Korean J. Pl. Taxon. 46: 307 2016 ⓘ

국명: 금강비비추(Geum-gang-bi-bi-chu)

Hosta japonica Tratt. var. *japonica*

Hosta japonica Tratt. var. *latifolia* Nakai, Rep. Veg. Diamond Mountains 167 1918

국명: 넓은옥잠화(Neol-beun-ok-jam-hwa)

영명: Wide-leaf hosta

Hosta jonesii M.G.Chung, Ann. Missouri Bot. Gard. 76: 920 1989 ⓘ

국명: 다도해비비추(Da-do-hae-bi-bi-chu)

영명: Dadohae hosta

Hosta longipes* (Franch. & Sav.) Matsum. var. *longipes

***Hosta longipes* (Franch. & Sav.) Matsum. var. *gracillima* (F.Maek.) N.Fujita, Acta Phytotax. Geobot. 27: 82 1976**

국명: **돌산비비추**(Dal-san-bi-bi-chu)

Hosta gracillima F.Maek., Iconogr. Pl. Asiae Orient. 1: 72 1936

***Hosta longissima* F.Maek., J. Jap. Bot. 13: 894 1937**

국명: **산옥잠화**(San-ok-jam-hwa), 금산비비추, 물비비추, 봉화비비추

영명: **Narrow-leaf hosta**

Hosta japonica Tratt. var. *longifolia* Honda, Bot. Mag. (Tokyo) 44: 410 1930

Hosta lancifolia (Thunb.) Engl. var. *angustifolia* Koidz., Acta Phytotax. Geobot. 5: 38 1936

Hosta longissima F.Maek. var. *brevifolia* F.Maek., J. Jap. Bot. 13: 894 1937

***Hosta minor* (Baker) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 251 1911 (E)**

국명: **좀비비추**(Jom-bi-bi-chu), 작은비비추, 조선비비추, 흰좀비비추, 흰꽃좀비비추, 흰지보 / (북한명) 좀비비추, 흰좀비비추

영명: **Minor hosta**

Funkia ovata Spreng. var. *minor* Baker, J. Linn. Soc., Bot. 11: 368 1870

Hosta minor (Baker) Nakai var. *alba* Nakai, Rep. Veg. Diamond Mountains 201 1918

Hosta minor (Baker) Nakai f. *alba* (Nakai) F.Maek., J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 5: 418 1940

***Hosta venusta* F.Maek., J. Jap. Bot. 11: 245 1935 (E)**

국명: **한라비비추**(Han-ra-bi-bi-chu)

영명: **Halla hosta**

Funkia subcordata Spreng. var. *taquetii* H.Lév., Repert. Spec. Nov. Regni Veg. 9: 322 1911

Hosta venusta F.Maek. var. *decurrens* F.Maek., J. Jap. Bot. 13: 897 1937

Hosta taquetii (H.Lév.) M.G.Chung & J.W.Kim, Sida 14: 415 1991

***Hosta yingeri* S.B.Jones, Ann. Missouri Bot. Gard. 76: 504 1989 (E) (R)**

국명: **흑산도비비추**(Heuk-san-do-bi-bi-chu), 잉거비비추

영명: **Heuksando hosta**

***Lilium* Tourn. ex L. 백합속**

***Lilium amabile* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 113 1901**

국명: **털종나리**(Teol-jung-na-ri), 털종나리, 광릉털종나리 / (북한명) 털종나리

영명: **Friendly lily**

Lilium fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 1908

Lilium amabile Palib. var. *kwangnengensis* Y.Kim & W.B.Lee, Syst. Lilium Kor. 97 1989

Lilium amabile Palib. var. *flavum* Y.N.Lee, Bull. Korea Pl. Res. 2: 9 2002

■ LILIACEAE 백합과

Lilium amabile Palib. f. *kwangnengensis* (Y.Kim & W.B.Lee) M.Kim, Korean Endemic Pl. 348 2004

Lilium callosum Siebold & Zucc., Fl. Jap. (Siebold) 1: 86 1839 Ⓢ

국명: 땅나리(Ttang-na-ri), 애기중나리, 작은중나리 / (북한명) 땅나리

영명: Slim-stem lily

Lilium pomponicum Thunb., Fl. Jap. (Thunberg) 134 1784

Lilium tenuifolium Fisch. ex Hook.f. var. *stenophyllum* Baker, J. Linn. Soc., Bot. 14: 251 1874

Lilium talanense Hayata, Icon. Pl. Formosan. 6: 98 1916

Lilium mandshuricum Gand., Bull. Soc. Bot. France 19: 292 1919

Lilium cernuum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 461 1901 Ⓢ

국명: 솔나리(Sol-na-ri), 검솔잎나리, 솔잎나리, 흰솔나리 / (북한명) 솔나리

영명: Nodding lily

Lilium graminifolium H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 1908

Lilium palibinianum Y.Yabe, Bot. Mag. (Tokyo) 17: 134 1908

Lilium cernuum Kom. var. *atropurpureum* Nakai, Bot. Mag. (Tokyo) 31: 5 1917

Lilium cernuum Kom. var. *candidum* Nakai, Bot. Mag. (Tokyo) 31: 5 1917

Lilium concolor Salisb., Parad. Lond. 1: t. 47 1806

국명: 하늘나리(Ha-neul-na-ri) / (북한명) 하늘나리

영명: Morning-star lily

Lilium sinicum Lindl. & Paxton, Paxton's Fl. Gard. 2: 115 1851

Lilium partheneion Siebold & de Vriese, Tuinb.-Fl. 2: 340 cum t. 1855

Lilium coridion Siebold & de Vriese, Tuinb.-Fl. 2: 341 cum t. 1855

Lilium concolor Salisb. var. *coridion* (Siebold & de Vriese) Baker, Gard. Chron. 1871: 1035 1871

Lilium concolor Salisb. var. *partheneion* (Siebold & de Vriese) Baker, Gard. Chron. 1871: 1035 1871

Lilium mairei H.Lév., Repert. Spec. Nov. Regni Veg. 11: 303 1912

Lilium concolor Salisb. var. *pulchellum* (Fisch.) Baker f. *parthenion* (Siebold & de Vries) Wilson, Lilies East. Asia 58 1925

Lilium concolor Salisb. var. *partheneion* f. *coridion* (Siebold & de Vries) Kitag., Lin. Fl. Manshur. 138 1939

Lilium concolor Salisb. var. *concolor*

Lilium concolor Salisb. var. ***megalanthum*** F.T.Wang & T.Tang, Fl. Reipubl. Popularis Sin. 14: 283 1980

국명: 큰하늘나리(Keun-ha-neul-na-ri)

영명: Big-flower morning-star lily

Lilium megalanthum (F.T.Wang & T.Tang) Q.S.Sun, Bull. Bot. Res., Harbin 9: 135 1989

Lilium distichum Nakai ex Kamib., Chosen Yuri Dzukai t. 7 1916 Ⓢ

국명: 말나리(Mal-na-ri), 왜말나리

영명: Manchurian turk's-cap lily

Lilium hansonii Leichtlin ex D.D.T.Moore, Rural New Yorker 24: 60 1871 ⓘ ⓘ

국명: 섬말나리(Seom-mal-na-ri), 섬나리, 성인봉나리 / (북한명) 섬말나리

영명: Ulleungdo turk's-cap lily

Lilium medeoloides A.Gray var. *obovatum* Franch. & Sav., Enum. Pl. Jap. 2: 63 1876

Lilium lancifolium Thunb., Trans. Linn. Soc. London 2: 333 1794

국명: 참나리(Cham-na-ri), 나리, 백합, 알나리 / (북한명) 참나리

영명: Tiger lily

Lilium tigrinum Ker Gawl., Bot. Mag. 31: t. 1237 1810

Lilium leichtlinii Hook.f. var. *leichtlinii*

Lilium leichtlinii Hook.f. var. *maximowiczii* (Regel) Baker, Gard. Chron. 1871: 1422 1871

국명: 중나리(Jung-na-ri), 단나리 / (북한명) 중나리

영명: Lesser tiger lily

Lilium maximowiczii Regel, Index Seminum (LE) 1866(Suppl.): 26 1867

Lilium pseudotigrinum Carrière, Rev. Hort. 1867: 411 1867

Lilium maximowiczii Regel var. *tigrinum* Regel, Gartenflora 19: 290 1870

Lilium leichtlinii Hook.f. var. *pseudotigrinum* (Carrière) Baker, J. Hort. Soc. London n.s. 4: 47 1877

Lilium maximowiczii Regel var. *bakeri* Elwes, Monogr. Lilium 0 1880

Lilium maximowiczii Regel var. *pseudotigrinum* (Carrière) Elwes, Monogr. Lilium 0 1880

Lilium maximowiczii Regel var. *regelii* Elwes, Monogr. Lilium 0 1880

Lilium leichtlinii Hook.f. var. *tigrinum* (Regel) G.Nicholson, Ill. Dict. Gard. 2: 271 1887

Lilium leichtlinii Hook.f. f. *pseudotigrinum* (Carrière) H.Hara & Kitam., Acta Phytotax. Geobot. 36: 93 1985

Lilium pennsylvanicum Ker Gawl., Bot. Mag. 22: t. 872 1805 ⓘ

국명: 날개하늘나리(Nal-gae-ha-neul-na-ri) / (북한명) 날개하늘나리

영명: Siberian lily

Lilium dauricum Ker Gawl., Curtis's Bot. Mag. 30: t. 1210 1809

Lilium bulbiferum L. subsp. *dauricum* (Ker Gawl.) Baker, Gard. Chron. 1871: 1034 1871

Lilium pseudododuricum M.Fedoss. & S.Fedoss., Del. Hort. Jur. 45 1899

Lilium maculatum Thunb. subsp. *dauricum* (Ker Gawl.) H.Hara, J. Jap. Bot. 38: 249 1963

Lilium maculatum Thunb. var. *dauricum* (Ker Gawl.) Ohwi, Fl. Jap., revised ed., [Ohwi] 1438 1965

Lilium tenuifolium Fisch. ex Hook.f. f. *tenuifolium*

Lilium tenuifolium Fisch. ex Hook.f., Bot. Mag. 126: t. 7715 1900 ⓘ

국명: 큰솔나리(Keun-sol-na-ri), 큰솔잎나리, 큰종나리 / (북한명) 큰솔나리

영명: Fine-leaf lily

■ LILIACEAE 백합과

Lilium tenuifolium Fisch. ex Hook.f. f. *chrysanthum* (Nakai & F.Maek.) M.Kim, Korean Endemic Pl. 568 2017

국명: 금나리(Geum-na-ri)

Lilium chrysanthum Nakai & F.Maek., J. Jap. Bot. 11: 244 1934

Lilium tenuifolium Fisch. ex Hook.f. var. *chrysanthum* (Nakai & F.Maek.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 147 1952

** *Lilium tenuifolium* Fisch. ex Hook.f. f. *chrysanthum* (Nakai & F.Maek.) M.Kim, Korean Endemic Pl. 348 2004

Lilium tsingtauense Gilg, Bot. Jahrb. Syst. 34: 24 1904

국명: 하늘말나리(Ha-neul-mal-na-ri), 우산말나리, 누른하늘말나리 / (북한명) 하늘말나리

영명: Twilight lily

Lilium miquelianum Makino, Bot. Mag. (Tokyo) 24: 301 1910

Lilium miquelianum Makino var. *flavum* Makino, Bot. Mag. (Tokyo) 24: 301 1910

Lilium carneum Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 1914

Lilium tsingtauense Gilg var. *carneum* (Nakai) Nakai, Bot. Mag. (Tokyo) 31: 9 1917

Liriope Lour. 맥문동속

Liriope minor (Maxim.) Makino, Bot. Mag. (Tokyo) 7: 323 1893

국명: 좀맥문동(Jom-maek-mun-dong) / (북한명) 좀맥문동, 개맥문동

영명: Lesser lilyturf

Ophiopogon spicatus (Lour.) Ker Gawl. var. *minor* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 85 1871

Liriope graminifolia (L.) Baker var. *minor* (Maxim.) Baker, J. Linn. Soc., Bot. 17: 500 1879

Liriope muscari (Decne.) L.H.Bailey, Gentes Herb. 2: 35 1929

국명: 맥문동(Maek-mun-dong), 넓은잎맥문동, 알꽃맥문동 / (북한명) 맥문동

영명: Big blue lilyturf

Ophiopogon muscari Decne., Fl. Serres 17: 181 1867

Ophiopogon spicatus (Lour.) Ker Gawl. var. *communis* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 85 1871

Liriope graminifolia (L.) Baker var. *densifolia* Maxim. ex Baker, J. Linn. Soc., Bot. 17: 500 1879

Liriope spicata (Thunb.) Lour. var. *latifolia* Franch., Pl. David. 1: 298 1884

Liriope spicata (Thunb.) Lour. var. *densifolia* (Maxim. ex Baker) C.H.Wright, J. Linn. Soc., Bot. 36: 79 1903

Liriope muscari (Decne.) L.H.Bailey var. *communis* (Maxim.) Nakai, Bot. Mag. (Tokyo) 43: 776 1934

Liriope platyphylla F.T.Wang & T.Tang, Acta Phytotax. Sin. 1: 331 1951

Liriope spicata (Thunb.) Lour., Fl. Cochinch. 201 1790

국명: 개맥문동(Gae-maek-mun-dong) / (북한명) 좀맥문동, 개맥문동

영명: Creeping lilyturf

Convallaria spicata Thunb., Fl. Jap. (Siebold) 141 1845

Ophiopogon spicatus Gawl. var. *koreanus* Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 6 1901

Ophiopogon fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 1908

Liriope graminifolia (L.) Baker var. *koreana* (Palib.) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 239 1911

Liriope koreana (Palib.) Nakai, Rep. Veg. Chiisan Mts. 26 1915

Mondo fauriei (H.Lév. & Vaniot) Farw., Amer. Midl. Naturalist 7: 43 1921
Mondo koreanum (Palib.) Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 231 1934
Ophiopogon koreanus (Palib.) Masam., Sci. Rep. Kanazawa Univ., Biol. 5: 111 1957
Liriope spicata (Thunb.) Lour. f. *koreana* (Palib.) H.Hara, J. Jap. Bot. 59: 38 1984

***Lloydia* Salisb. ex Rchb. 개감채속**

***Lloydia serotina* (L.) Rchb.**, Fl. Germ. Excurs. 102 1830 (R)

국명: 개감채(Gae-gam-chae), 두메, 산무릇 / (북한명) 두메무릇

영명: **Snowdon alplily**

Bulbocodium serotinum L., Sp. Pl. 1: 294 1753
Ornithogalum altaicum Laxm., Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 18: 530 1774
Ornithogalum striatum Willd., Sp. Pl. (ed.5) 2: 112 1799
Lloydia alpina Salisb., Trans. Hort. Soc. London 1: 328 1812
Gagea serotina (L.) Ker Gawl., J. Sci. Arts (London) 1: 180 1816
Nectarobothrium redowskianum Cham., Linnaea 6: 585 1831
Lloydia serotina (L.) Rchb. var. *unifolia* Franch., J. Bot. (Morot) 12: 192 1898

***Lloydia triflora* (Ledeb.) Baker**, J. Linn. Soc., Bot. 14: 300 1874 (R)

국명: 나도개감채(Na-do-gae-gam-chae), 가는잎두메무릇, 꽃개감채, 산무릇 / (북한명) 가는잎두메무릇

영명: **Striation-flower alplily**

Ornithogalum triflorum Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 529 1812
Gagea triflora (Ledeb.) Schult. & Schult.f., Syst. Veg. (ed. 16) [Roemer & Schultes] 7: 542 1829

***Maianthemum* F.H.Wigg. 두루미꽃속**

***Maianthemum bicolor* (Nakai)** Cubey, Plantsman n.s., 4: 219 2005 (E) (R)

국명: 자주솜대(Ja-ju-som-dae), 자주솜때, 자주지장보살, 차색솜죽대 / (북한명) 자주솜대

영명: **Purple-flower solomon's seal**

Smilacina bicolor Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 1914
Vagnera bicolor (Nakai) Makino, J. Jap. Bot. 6: 31 1929
Smilacina bicolor Nakai var. *flavovirens* N.S.Lee & J.Y.Kim, J. Pl. Biol. 41: 56 1998

***Maianthemum bifolium* (L.) F.W.Schmidt**, Fl. Boem. Cent. 4: 55 1794

국명: 두루미꽃(Du-ru-mi-kkot), 좀두루미꽃 / (북한명) 두루미꽃

영명: **Two-leaf beaddruby**

Convallaria bifolia L., Sp. Pl. 1: 316 1753
Smilacina bifolia (L.) Desf., Ann. Mus. Natl. Hist. Nat. 9: 54 1807

***Maianthemum dahuricum* (Turcz. ex Fisch. & C.A.Mey.) LaFrankie**, Taxon 35: 588 1986

국명: 민솜대(Min-som-dae), 가는잎솜죽대, 민솜때, 민지장보살 / (북한명) 민솜대

■ LILIACEAE 백합과

영명: **Smooth solomon's seal**

Smilacina dahurica Turcz. ex Fisch. & C.A.Mey., Index Seminum [St.Petersburg (Petropolitanus)] 1: 38 1835

Asteranthemum dahuricum (Turcz. ex Fisch. & C.A.Mey.) Kunth, Enum. Pl. (Kunth) 5: 153 1850

Tovaria dahurica (Turcz. ex Fisch. & C.A.Mey.) Baker, J. Linn. Soc., Bot. 14: 567 1875

Vagnera dahurica (Turcz. ex Fisch. & C.A.Mey.) Makino, J. Jap. Bot. 6: 31 1929

***Maianthemum dilatatum* (A.W.Wood) A.Nelson & J.F.Macbr.**, Bot. Gaz. 61: 30 1916

국명: **큰두루미꽃**(Keun-du-ru-mi-kkot) / (북한명) 큰두루미꽃

영명: **False lily of the valley**

Convallaria bifolia L. var. *kamtschatica* J.F.Gmel., Linnaea 6: 587 1831

Smilacina bifolia (L.) Desf. var. *kamtschatica* (J.F.Gmel.) Ledeb., Fl. Ross. (Ledeb.) 4: 127 1854

Maianthemum bifolium (L.) F.W.Schmidt var. *kamtschaticum* (J.F.Gmel.) Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 92 1856

Maianthemum bifolium (L.) F.W.Schmidt var. *dilatatum* A.W.Wood, Proc. Acad. Nat. Sci. Philadelphia 20: 174 1868

Unifolium dilatatum (A.W.Wood) Greene, Man. Bot. San Francisco 316 1894

Maianthemum kamtschaticum (J.F.Gmel.) Nakai, Bot. Mag. (Tokyo) 31: 282 1917

***Maianthemum japonicum* (A.Gray) LaFrankie**, Taxon 35: 588 1986

국명: **풀솜대**(Pul-som-dae), 솜대, 솜때, 솜죽대, 왕솜대, 지장보살, 품솜대, 큰솜죽대, 황금풀솜대 / (북한명) 솜대

영명: **Snowy false lily of the valley**

Smilacina japonica A.Gray, Narr. Exped. China Japan 2: 321 1857

Smilacina hirta Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 276 1859

Tovaria japonica (A.Gray) Baker, J. Linn. Soc., Bot. 14: 570 1875

Tovaria rossii Baker, J. Linn. Soc., Bot. 17: 387 1880

Smilacina japonica A.Gray var. *mandshurica* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 2: 857 1883

Smilacina trinervis Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 332 1932

Smilacina japonica A.Gray var. *lute-carpa* Y.N.Lee, Korean J. Pl. Taxon. 23(4): 264 1993

Smilacina japonica A.Gray f. *lute-carpa* (Y.N.Lee) M.Kim, Korean Endemic Pl. 349 2004

***Maianthemum robustum* (Makino & Honda) LaFrankie**, Taxon 35: 589 1986

국명: **큰솜대**(Keun-som-dae)

Smilacina robusta Makino & Honda, J. Jap. Bot. 11: 569 1935

***Maianthemum trifolium* (L.) Sloboda**, Rostlinnictvi 192 1852

국명: **세잎솜대**(Se-ip-som-dae), 벌솜죽대, 세잎솜때 / (북한명) 벌솜죽대

영명: **Three-leaf false lily of the valley**

Convallaria trifolia L., Sp. Pl. 1: 316 1753

Smilacina trifolia (L.) Desf., Ann. Mus. Natl. Hist. Nat. 9: 52 1807

Asteranthemum trifolium (L.) Kunth, Enum. Pl. (Kunth) 5: 153 1850

Unifolium trifolium (L.) Greene, Bull. Torrey Bot. Club 15: 287 1888

Vagnera trifolia (L.) Morong, Mem. Torrey Bot. Club 5: 114 1894

***Metanarthecium* Maxim. 칠보치마속**

Metanarthecium luteoviride Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 11: 438 1867 (R)

국명: 칠보치마(Chil-bo-chi-ma)

영명: **Chilbo metanarthecium**

Aletris luteoviridis (Maxim.) Franch., J. Bot. (Morot) 10: 201 1896

***Ophiopogon* Ker Gawl. 맥문아재비속**

Ophiopogon jaburan (Siebold) Lodd., Bot. Cab. 1876 1818

국명: 맥문아재비(Mack-mun-a-jae-bi), 왕맥문동 / (북한명) 맥문아재비

영명: **Wild lilyturf**

Convallaria japonica var. *major* Thunb., Fl. Jap. (Thunberg) 159 1786

Slateria jaburan Siebold, Verh. Batav. Genootsch. Kunsten 12: 15 1830

Mondo jaburan (Siebold) L.H.Bailey var. *major* (Thunb.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 144 1952

Ophiopogon japonicus (Thunb.) Ker Gawl., Bot. Mag. 27: 1063 1807

국명: 소엽맥문동(So-yeop-maeck-mun-dong), 겨우사리맥문동, 긴잎맥문동, 좁은맥문동 / (북한명) 좁은잎맥문동

영명: **Dwarf lilyturf**

Convallaria japonica Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 1780

Convallaria japonica L.f. var. *minor* Thunb., Fl. Jap. (Thunberg) 253 1786

Slateria japonica (Thunb.) Desv., J. Bot. (Desvaux) 1: 244 1808

Ophiopogon gracilis Kunth, Enum. Pl. (Kunth) 5: 298 1850

Ophiopogon stolonifer H.Lév. & Vaniot, Liliac. & c. Chine 16 1905

Mondo japonicum (Thunb.) Farw., Amer. Midl. Naturalist 7: 42 1921

Mondo gracile (Kunth) Koidz., Acta Phytotax. Geobot. 3: 138 1934

Mondo gracile (Kunth) Koidz. var. *brevipedicellatum* Koidz., Acta Phytotax. Geobot. 3: 148 1934

Mondo longifolium Ohwi, Repert. Spec. Nov. Regni Veg. 36: 45 1934

Ophiopogon gracilis Kunth var. *brevipedicellatum* (Koidz.) Nemoto, Fl. Jap. Suppl. 1067 1936

Ophiopogon ohwii Okuy., J. Jap. Bot. 13: 15 1937

Ophiopogon japonicus (L.f.) Ker Gawl. var. ***japonicus***

Ophiopogon japonicus (L.f.) Ker Gawl. var. ***umbrosus*** Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 7: 327 1869

국명: 실맥문동(Sil-maeck-mun-dong)

영명: **Shady dwarf lilyturf**

***Paris* L. 삿갓나물속**

Paris tetraphylla A.Gray, Mem. Amer. Acad. Arts n.s. 6: 412 1857

■ LILIACEAE 백합과

국명: 네잎삿갓나물(Ne-ip-sat-gat-na-mul)

영명: Four-leaf paris

Paris verticillata M.Bieb., Fl. Taur.-Caucas. 3: 287 1819

국명: 삿갓나물(Sat-gat-na-mul), 삿갓풀, 자루삿갓풀, 자주삿갓나물, 검은삿갓나물 / (북한명) 삿갓풀

영명: Verticillate paris

Paris obovata Ledeb., Icon. Pl. (Lebedour) 1: t. 16 1829

Paris hexaphylla Cham., Linnaea 6: 586 1831

Paris dahurica Fisch. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 27: 105 1854

Paris quadrifolia L. var. *dahurica* (Fisch. ex Turcz.) Franch., Nouv. Arch. Mus. Hist. Nat. Paris ser. 2, 10: 96 1888

Paris quadrifolia L. var. *obovata* (Ledeb.) Regel & Tiling, Bull. Annuel Soc. Philom. Paris 24: 282 1888

Paris quadrifolia L. var. *hexaphylla* (Cham.) B.Fedtsch., Trudy Imp. S.-Peterburgsk. Bot. Sada 31: 121 1912

Paris manshurica Kom., Opred. Rast. Dal'nevost. Kraia 1: 385 1931

Paris hexaphylla Cham. f. *purpurea* Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 137 1938

Paris verticillata M.Bieb. var. *nigra* Y.N.Lee , Fl. Korea (Lee) 1163 1996

Paris verticillata M.Bieb. f. *nigra* (Y.N.Lee) M.Kim , Korean Endemic Pl. 348 2004

Polygonatum Mill. 등굴레속

Polygonatum acuminatifolium Kom., Izv. Glavn. Bot. Sada RSFSR 16: 157 1916

국명: 종등굴레(Jong-dung-gul-re)

영명: Sharp-tipped-leaf solomon's seal

Polygonatum quinquefolium Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 79 1940

Polygonatum cryptanthum H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 1908

국명: 목포용등굴레(Mok-po-yong-dung-gul-re), 누른용등굴레 / (북한명) 누른용등굴레

영명: Mokpo wide-bract solomon's seal

Polygonatum fauriei H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 1908

Polygonatum falcatum A.Gray, Mem. Amer. Acad. Arts n.s. 6: 414 1857

국명: 진황정(Jin-hwang-jeong), 대잎등굴레, 좁은등굴레 / (북한명) 대잎등굴레

영명: Moniliform-rhizome solomon's seal

Polygonatum falcatum A.Gray f. *robustum* Makino, Iinuma, Somoku-Dzusetsu ed. 2: 450 1910

Polygonatum stenanthum Nakai, Bot. Mag. (Tokyo) 27: 34 1913

Polygonatum tenuiflorum Koidz., Bot. Mag. (Tokyo) 33: 112 1919

Polygonatum grandicaule Y.S.Kim, B.U.Oh & C.G.Jang, Korean J. Pl. Taxon. 28: 41 1998 Ⓣ Ⓥ

국명: 선등굴레(Seon-dung-gul-re)

영명: Upright solomon's seal

Polygonatum humile Fisch. ex Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 275 1859

국명: 각시둥굴레(Gak-si-dung-gul-re), 각씨둥굴레, 둉굴레아재비, 애기둥글레, 한라각시둥굴레 /
(북한명) 각시둥굴레

영명: **Dwarf solomon's seal**

Polygonatum officinale Miq. var. *humile* (Fisch. ex Maxim.) Baker, J. Linn. Soc., Bot. 14: 554 1875

Polygonatum humillimum Nakai, Repert. Spec. Nov. Regni Veg. 13: 248 1914

Polygonatum humile Fisch. ex Maxim. f. *humillimum* (Nakai) M.Kim, Korean Endemic Pl. 569 2017

** *Polygonatum humile* Fisch. ex Maxim. f. *humillimum* (Nakai) M.Kim, Korean Endemic Pl. 349 2004

Polygonatum inflatum Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 442 1901

국명: 통둥굴레(Tung-dung-gul-re), 통둥굴레, 통통굴레 / (북한명) 통둥굴레

영명: **Inflated solomon's seal**

Polygonatum nipponicum Makino, Bot. Mag. (Tokyo) 17: 51 1903

Polygonatum virens Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 1914

Polygonatum inflatum Kom. var. *rotundifolium* Hatus., Exp. Forest. Kyushu Imp. Univ. 5: 232 1934

Polygonatum infundiflorum Y.S.Kim, B.U.Oh & C.G.Jang, Korean J. Pl. Taxon. 28: 209 1998 ⓘ ⓘ

국명: 늦둥굴레(Neut-dung-gul-re)

영명: **Late-blooming solomon's seal**

Polygonatum involucratum (Franch. & Sav.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 205 1884

국명: 용둥굴레(Yong-dung-gul-re) / (북한명) 용둥굴레

영명: **Wide-bract solomon's seal**

Periballanthus involucratum Franch. & Sav., Enum. Pl. Jap. 2: 524 1878

Polygonatum ibukiense (Makino) Makino, Bot. Mag. (Tokyo) 21: 139 1907

Polygonatum lasianthum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 209 1883

국명: 죽대(Juk-dae), 큰대잎둥굴레, 큰댓잎둥굴레 / (북한명) 큰대잎둥굴레, 죽대

영명: **Korean solomon's seal**

Polygonatum taquetii H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 282 1908

Polygonatum petiolatum H.Lév., Repert. Spec. Nov. Regni Veg. 11: 33 1912

Polygonatum lasianthum Maxim. var. *coreanum* Nakai, Repert. Spec. Nov. Regni Veg. 13: 247 1914

Polygonatum odoratum (Mill.) Druce, Ann. Scott. Nat. Hist. 226 1906

국명: 풍도둥굴레(Pung-do-dung-gul-re)

영명: **Pungdo solomon's seal**

Convallaria polygonatum L., Sp. Pl. 1: 315 1753

Convallaria odorata Mill., Gard. Dict. ed. 8: 4 1768

Convallaria angulosa Lam., Fl. Franç. 3: 268 1779

Polygonatum officinale All., Fl. Pedem. 1: 131 1785

Polygonatum anceps Moench, Methodus 637 1794

Polygonatum vulgare Desf., Ann. Mus. Natl. Hist. Nat. 9: 49 1807

■ LILIACEAE 백합과

Convallaria parviflora Poir., Encycl. Suppl. 4: 29 1816

Polygonatum obtusifolium Weinm., Elench. Pl. Hort. Pawlowsk. 175 1824

Convallaria obtusifolia Günther ex Steud., Nomencl. Bot ed. 2, 1: 406 1840

Convallaria compressa Steud., Nomencl. Bot ed. 2, 1: 406 1840

Polygonatum simizui Kitag., J. Jap. Bot. 22: 176 1948

Polygonatum odoratum* (Mill.) Druce var. *odoratum

***Polygonatum odoratum* (Mill.) Druce var. *pluriflorum* (Miq.) Ohwi**, Bull. Natl. Sci. Mus., Tokyo 26: 7 1949

국명: 등굴레(Dung-gul-re), 맥도등굴레, 애기등굴레, 제주등굴레, 좀등굴레 / (북한명) 등굴레

영명: Lesser solomon's seal

Polygonatum officinale All. var. *pluriflorum* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 148 1867

Polygonatum vulgare Desf. var. *macranthum* Hook.f., Bot. Mag. 100: t. 6133 1874

Polygonatum odoratum (Mill.) Druce var. *macranthum* (Hook.f.) H.Hara, J. Jap. Bot. 6: 395 1892

Polygonatum officinale All. var. *macranthum* (Hook.f.) Hua, J. Bot. (Morot) 6: 395 1892

Polygonatum japonicum C.Morren & Decne. var. *variegatum* Nakai, Bot. Mag. (Tokyo) 38: 299 1924

Polygonatum quelpaertense Ohwi, J. Jap. Bot. 13: 443 1937

Polygonatum odoratum (Mill.) Druce var. *quelpaertense* (Ohwi) H.Hara, J. Jap. Bot. 20: 99 1943

Polygonatum planifolium Kitag. & Hir.Takah., J. Jap. Bot. 46: 307 1971

***Polygonatum robustum* (Korsh.) Nakai, Bot. Mag. (Tokyo) 31: 282 1917 ⑧**

국명: 왕등굴레(Wang-dung-gul-re), 큰등굴레 / (북한명) 왕등굴레

영명: Robust solomon's seal

Polygonatum officinale All. f. *robustum* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 401 1892

***Polygonatum sibiricum* F.Delaroche, Liliac. 6: t. 315 1811**

국명: 층층갈고리등굴레(Cheung-cheung-gal-go-ri-dung-gul-re)

Convallaria sibirica (F.Delaroche) Ker, J. Sci. Arts (London) 1: 182 1816

Polygonatum chinense Kunth, Enum. Pl. 5: 146 1850

***Polygonatum stenophyllum* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 274 1859 ⑧**

국명: 층층등굴레(Cheung-cheung-dung-gul-re), 수레등굴레 / (북한명) 층층등글레

영명: Narrow-leaf solomon's seal

Polygonatum verticillatum (L.) All. var. *stenophyllum* (Maxim.) Baker, J. Linn. Soc., Bot. 14: 561 1875

***Polygonatum thunbergii* C.Morren & Decne., Ann. Sci. Nat., Bot. II, 2: 312 1834**

국명: 산등굴레(San-dung-gul-re), 산통등굴레

영명: Thunberg's solomon's seal

Polygonatum japonicum C.Morren & Decne., Ann. Sci. Nat., Bot. II, 2: 311 1834

Polygonatum officinale All. var. *japonicum* (C.Morren & Decne.) Miq., Prolus. Fl. Jap. 312 1867

Polygonatum vulgare Desf. var. *japonicum* (C.Morren & Decne.) Franch. & Sav., Enum. Pl. Jap. 2: 54 1877
Polygonatum odoratum (Mill.) Druce var. *japonicum* (C.Morren & Decne.) H.Hara, J. Jap. Bot. 20: 98 1943

Polygonatum* × *desoulavyi Kom., Opred. Rast. Dal'nevost. Kraia 1: 378 1931

국명: 안면용등굴레(An-myeon-yong-dung-gul-re), 금강용등굴레, 안민용등굴레, 조선용등굴레 /
 (북한명) 금강용등굴레

영명: **Anmyeon wide-bract solomon's seal**

Polygonatum × *mediobracteatum* Ohwi, J. Jap. Bot. 13: 443 1937

Polygonatum × *mediobractarum* Ohwi var. *yessoense* Miyabe & Tatew., Trans. Sapporo Nat. Hist. Soc. 15: 47 1937

Polygonatum × *desoulavyi* Kom. var. *mediobractarum* (Ohwi) Satake, J. Jap. Bot. 18: 36 1942

Polygonatum × *desoulavyi* Kom. var. *yessoense* (Miyabe & Tatew.) Satake, J. Jap. Bot. 19: 46 1943

***Smilax* L. 청미래덩굴속**

Smilax china L., Sp. Pl. 2: 1029 1753

국명: 청미래덩굴(Cheong-mi-rae-deong-gul), 망개나무, 매발톱가시, 명감, 명감나무, 섬명감나무, 좀명감나무,
 좀청미래, 종가시나무, 청열매덤불, 팔청미래 / (북한명) 청미래덩굴, 팔청미래덩굴

영명: **East Asian greenbrier**

Coprosmanthus japonicus Kunth, Enum. Pl. (Kunth) 5: 268 1850

Smilax japonica (Kunth) A.Gray, Mem. Amer. Acad. Arts n.s. 6: 412 1857

Smilax pteropus Miq., J. Bot. Néerl. 1: 89 1861

Smilax taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 10: 372 1912

Smilax taiheiensis Hayata, Icon. Pl. Formosan. 9: 134 1920

Smilax china L. var. *taiheiensis* (Hayata) T.Koyama, Quart. J. Taiwan Mus. 10: 9 1957

Smilax nipponica Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 87 1807

국명: 선밀나물(Seon-mil-na-mul), 새밀 / (북한명) 선밀나물

영명: **White back greenbrier**

Smilax higoensis Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. II, 2: 88 1868

Smilax herbacea L. var. *nipponica* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 174 1872

Smilax herbacea L. var. *intermedia* C.H.Wright, J. Linn. Soc., Bot. 36: 97 1903

Smilax herbacea L. var. *oblonga* C.H.Wright, J. Linn. Soc., Bot. 36: 98 1903

Smilax oblonga (C.H.Wright) Norton ex Bailey, Gentes Herb. 1: 15 1920

Coprosmanthus nipponicus (Miq.) Koidz., Acta Phytotax. Geobot. 8: 260 1939

Smilax simadai Masam., Trans. Nat. Hist. Soc. Taiwan 29: 270 1939

Coprosmanthus simadai (Masam.) Masam., Trans. Nat. Hist. Soc. Taiwan 29: 342 1939

Smilax riparia A.DC., Monogr. Phan. 1: 55 1878

국명: 밀나물(Mil-na-mul) / (북한명) 밀나물

영명: **Riparian greenbrier**

Smilax excelsa L. var. *ussuriensis* Regel, Tent. Fl.-Ussur. 150 1861

■ LILIACEAE 백합과

- Smilax oldhamii* Miq. var. *ussuriensis* (Regel) A.DC., Monogr. Phan. 1: 54 1878
Smilax flaccida C.H.Wright, Bull. Misc. Inform. Kew 1895: 118 1895
Smilax herbacea L. var. *daibuensis* Hayata, Icon. Pl. Formosan. 9: 131 1920
Smilax ovatorotunda Hayata, Icon. Pl. Formosan. 9: 133 1920
Smilax takaoensis Hayata, Icon. Pl. Formosan. 9: 135 1920
Smilax maximowiczii Koidz., Fl. Symb. Orient.-Asiat. 10 1930
Coprosmanthus oldhamii (Miq.) Masam. var. *daibuensis* (Hayata) Masam., Trans. Nat. Hist. Soc. Taiwan 29: 325 1939
Coprosmanthus pseudochina Masam. var. *daibuensis* (Hayata) Masam., Trans. Nat. Hist. Soc. Taiwan 29: 342 1939
Smilax higoensis Miq. var. *maximowiczii* (Koidz.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 103 1940
Smilax higoensis Miq. var. *ussuriensis* (Regel) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 103 1940
Smilax sadoensis Honda, Bot. Mag. (Tokyo) 65: 168 1952
Smilax oldhamii Miq. var. *daibuensis* (Hayata) T.Koyama, Quart. J. Taiwan Mus. 10: 6 1957
Smilax ovatorotunda Hayata var. *ussuriensis* (Regel) H.Hara, J. Jap. Bot. 33: 151 1958
Smilax ovatorotunda Hayata var. *ussuriensis* (Regel) H.Hara f. *maximowiczii* (Koidz.) H.Hara, J. Jap. Bot. 33: 151 1958
Smilax ovatorotunda Hayata var. *ussuriensis* (Regel) H.Hara f. *stenophylla* H.Hara, J. Jap. Bot. 33: 151 1958
Smilax riparia A.DC. var. *ussuriensis* (Regel) H.Hara & T.Koyama, Quart. J. Taiwan Mus. 13: 41 1960
Smilax riparia A.DC. var. *ussuriensis* (Regel) H.Hara & T.Koyama f. *stenophylla* (H.Hara) T.Koyama, J. Taiwan Mus. 13: 42 1960
Smilax riparia A.DC. subsp. *ussuriensis* (Regel) Kitag., Neolin. Fl. Manshur. 182 1979

Smilax sieboldii Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. ser. 2, 2: 87 1868

국명: 청가시덩굴(Cheong-ga-si-deong-gul), 종가시나무, 청가시나무, 청가시덤불, 청경개까시나무, 청미래, 청밀개덤불, 청열매덤불 / (북한명) 청가시덩굴

영명: Siebold's greenbrier

Smilax oldhamii Miq., Verslagen Meded. Afd. Natuurk. Kon. Akad. Wetensch. II, 2: 86 1868

Smilax herbacea L. var. *oldhamii* (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 17: 174 1872

Smilax nebelii Gilg, Bot. Jahrb. Syst. 34: 26 1904

Smilax sieboldii Miq. var. *formosana* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 363 1911

Smilax formosana (Hayata) Hayata, Icon. Pl. Formosan. 9: 127 1920

Smilax sieboldii Miq. f. ***sieboldii***

Smilax sieboldii Miq. f. ***inermis*** (Nakai ex T.Mori) H.Hara, J. Jap. Bot. 33: 151 1958

국명: 민청가시덩굴(Min-cheong-ga-si-deong-gul)

영명: Smooth Siebold's greenbrier

Smilax sieboldii Miq. var. *inermis* Nakai ex T.Mori, Enum. Pl. Corea 94 1922

Streptopus Michx. 죽대아재비속

Streptopus amplexifolius (L.) DC., Fl. Franç. ed. 3, 3: 174 1805 ⑧

국명: 죽대아재비(Juk-dae-a-jae-bi), 큰섬죽대, 큰잎죽대

영명: Clasping-leaf twisted-stalk

Uvularia amplexifolia L., Sp. Pl. 1: 304 1753

Streptopus amplexifolius DC. var. *papillatus* Ohwi, Bot. Mag. (Tokyo) 45: 185 1931

***Streptopus koreanus* (Kom.) Ohwi, Bot. Mag. (Tokyo) 45: 189 1931 (R)**

국명: 왕죽대아재비(Wang-juk-dae-a-jae-bi), 왕섬죽대, 왕섬죽대아재비, 좀죽대아재비, 큰잎죽대아재비, 큰죽대 / (북한명) 죽대아재비, 왕섬죽대아재비

영명: Korean twisted-stalk

Streptopus ajanensis Tiling ex Maxim. var. *koreanus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 476 1901

Streptopus streptopoides (Ledeb.) Frye & Rigg var. *koreanus* (Kom.) Kitam., Acta Phytotax. Geobot. 22: 68 1966

***Streptopus ovalis* (Ohwi) F.T.Wang & Y.C.Tang, Fl. Reipubl. Popularis Sin. 15: 49 1978 (R)**

국명: 금강애기나리(Geum-gang-ae-gi-na-ri), 진부애기나리, 흰금강애기나리 / (북한명) 금강애기나리

영명: Geumgang twisted-stalk

Disporum ovale Ohwi, Bot. Mag. (Tokyo) 45: 385 1931

Disporum ovale Ohwi var. *albiflorum* Y.N.Lee & N.S.Lee, Korean J. Pl. Taxon. 9: 79 1979

Disporum ovale Ohwi f. *albiflorum* (Y.N.Lee & N.S.Lee) H.Hara, Bull. Univ. Mus. Univ. Tokyo 31: 205 1988

Prosartes ovalis (Ohwi) M.N.Tamura, Fam. & Gen. Vasc. Pl. (ed. K.Kubitzki) 3: 171 1998

** *Streptopus ovalis* (Ohwi) F.T.Wang & Y.C.Tang var. *albus* Y.N.Lee, Fl. Korea (Lee) 1163 1996

** *Disporum ovale* Ohwi f. *albus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 347 2004

***Tofieldia* Huds. 꽃장포속**

***Tofieldia coccinea* Richardson, Narr. Journey Polar Sea. 736 1823**

국명: 숙은꽃장포(Suk-eun-kkot-jang-po), 숙은꽃장포풀, 숙은돌창포, 애기바위장포

영명: Northern asphodel

Tofieldia nutans Willd. ex Schult.f., Syst. Veg. (ed. 16) [Roemer & Schultes] 7: 1573 1830

Tofieldia fusca Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 5: 75 1913

Tofieldia nutans Willd. ex Schult.f. var. *fusca* (Miyabe & Kudô) Koidz., Bot. Mag. (Tokyo) 31: 138 1917

Tofieldia fusca Miyabe & Kudô f. *rishiriensis* Miyabe & Kudô, Fl. Symb. Orient.-Asiat. 37 1930

Tofieldia coccinea Rich. var. *fusca* (Miyabe & Kudô) H.Hara, J. Jap. Bot. 36: 392 1961

Tofieldia coccinea* Richardson var. *coccinea

***Tofieldia coccinea* Richardson var. *fauriei* T.Yamaz., J. Jap. Bot. 77: 302 2002 (R)**

국명: 한라꽃장포(Han-ra-kkot-jang-po), 한라꽃장포, 한라돌창포 / (북한명) 한나꽃장포

영명: Halla asphodel

Tofieldia taqueti H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 283 1908

***Tofieldia ulleungensis* H.Jo, Koran J. Pl. Taxon. 50(3): 346 2020 (E)**

국명: 울릉꽃장포(Ul-leung-kkot-jang-po)

영명: Ulleung asphodel

■ LILIACEAE 백합과

Tofieldia yoshiihana Makino var. *yoshiihana*

Tofieldia yoshiihana Makino var. *koreana* (Ohwi) M.N.Tamura, Fuse & N.S.Lee, Acta Phytotax. Geobot. 64: 39 2013 (E) (R)

국명: 꽃장포(Kkot-jang-po), 꽃바위장포, 꽃장포풀, 꽃창포, 돌창포 / (북한명) 꽃장포

영명: White-flower rock asphodel

Tofieldia nuda Maxim. var. *koreana* Ohwi, Bot. Mag. (Tokyo) 45: 189 1931

Tofieldia coccinea Richardson var. *kanwonensis* T.Yamaz., J. Jap. Bot. 77: 302 2002

Tofieldia yoshiihana Makino var. *kanwonensis* (T.Yamaz.) M.N.Tamura, Fuse & N.S.Lee, Taxon 60: 1347 2011

Tricyrtis Wall. 빼꽃나리속

Tricyrtis macropoda Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 155 1867 (R)

국명: 빼꽃나리(Ppeo-kkuk-na-ri) / (북한명) 빼꽃나리

영명: Toad lily

Compsoa macropoda (Miq.) Kuntze, Revis. Gen. Pl. 2: 708 1891

Tricyrtis dilatata Nakai, Repert. Spec. Nov. Regni Veg. 13: 248 1914

Tricyrtis macropoda Miq. var. *glabrescens* Koidz., Bot. Mag. (Tokyo) 38: 97 1924

Tricyrtis macropoda Miq. var. *hirsuta* Koidz., Bot. Mag. (Tokyo) 38: 97 1924

Tricyrtis macropoda Miq. f. *hirsuta* (Koidz.) Masam., J. Soc. Trop. Agric. 2: 44 1930

Tricyrtis macropoda Miq. f. *glabrescens* (Koidz.) Masam., J. Soc. Trop. Agric. 2: 44 1930

Trillium L. 연영초속

Trillium camschatcense Ker Gawl., Bot. Mag. 22: sub t. 855 1805 (R)

국명: 연영초(Yeon-yeong-cho), 연령초, 왕삿갓나물, 큰꽃삿갓풀, 큰연령초, 큰연영초 / (북한명) 큰연령초

영명: Kamchatka trillium

Trillium kamtschaticum Pall. ex Pursh, Fl. Amer. Sept. (Pursh) 1: 246 1814

Trillium pallasii Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 252 1927

Trillium tschonoskii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 29: 218 1884 (R)

국명: 큰연영초(Keun-yeon-yeong-cho), 연령초, 연영초, 큰연령초흰삿갓나물, 흰삿갓풀 / (북한명) 연령초

영명: Pointed-petal trillium

Trillium morii Hayata, Icon. Pl. Formosan. 7: 41 1918

Trillium camschatcense Ker Gawl. var. *tschonoskii* (Maxim.) Vorosch., Florist. issl. v razn. Raionakh SSSR 159 1985

Tulipa L. 산자고속

Tulipa edulis (Miq.) Baker, J. Linn. Soc., Bot. 14: 295 1874

국명: 산자고(San-ja-go), 까치무릇, 물구, 물긋 / (북한명) 까치무릇

영명: Edible tulip

Orithyia edulis Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 158 1867

Tulipa graminifolia Baker, J. Bot. 13: 230 1875

Amana edulis (Miq.) Honda, Bull. Biogeogr. Soc. Japan 6: 20 1935

Amana graminifolia (Baker) A.D.Hall, Gen. Tulipa 145 1940

Veratrum L 여로속

Veratrum bohnhoefii O.Loes. var. *bohnhoefii*

Veratrum bohnhoefii O.Loes. var. *latifolium* Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 336 1937

국명: 삼수여로(Sam-su-yeo-ro)

영명: Samsu false-hellebore

Veratrum maackii Regel var. *latifolium* (Nakai) M.Kim, Korean Endemic Pl. 423 2017

Veratrum coreanum O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 143 1926

국명: 한라여로(Han-ra-yeo-ro), 섬여로

영명: Halla false-hellebore

Veratrum maximowiczii Baker var. *coreanum* (O.Loes.) Nakai, J. Jap. Bot. 13: 644 1937

Veratrum versicolor Nakai f. *coreanum* (O.Loes.) M.Kim & H.Jo, Korean Endemic Pl. 569 2017

Veratrum dahuricum (Turcz.) O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 134 1926

국명: 관모박새(Gwan-mo-bak-sae), 두메박새, 산박새

영명: Dahurian false-hellebore

Veratrum album L. var. *dahuricum* Turcz., Bull. Soc. Imp. Naturalistes Moscou 28: 295 1855

Veratrum dolichopetalum O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 134 1926

국명: 푸른박새(Pu-reun-bak-sae) / (북한명) 푸른박새

영명: Long-petal false-hellebore

Veratrum calyciflorum Kom., Fl. URSS 4: 733 1935

Veratrum maackii Regel, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 4: 154 1861

국명: 긴잎여로(Gin-ip-yeo-ro), 여로, 큰꽃긴잎여로, 큰박새, 털여로 / (북한명) 긴잎여로, 털여로

영명: Korean meadow false-hellebore

Veratrum mandschuricum O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 140 1926

Veratrum maackioides O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 144 1926

Veratrum oblongum L. var. *macranthum* O.Loes., Repert. Spec. Nov. Regni Veg. 24: 68 1927

Veratrum maackii Regel var. *macranthum* (O.Loes.) Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 339 1937

Veratrum maackii Regel f. *macranthum* (O.Loes.) T.Shimizu, Acta Phytotax. Geobot. 18: 167 1960

Veratrum maackii Regel subsp. *maackioides* (O.Loes.) Zimm., Lloydia 24: 10 1961

Veratrum nigrum L. subsp. *maackii* (Regel) Kitam., Acta Phytotax. Geobot. 22: 71 1966

Veratrum maackii Regel var. *maackioides* (O.Loes.) H.Hara, J. Jap. Bot. 59: 231 1983

■ LILIACEAE 백합과

Veratrum maackii* Regel var. *maackii

Veratrum maackii* Regel var. *japonicum (Baker) Shimizu, Acta Phytotax. Geobot. 18: 167 1960

국명: 여로(Yeo-ro) / (북한명) 여로

영명: Hairy false-hellebore

Veratrum nigrum L. var. *japonicum* Baker, J. Linn. Soc., Bot. 17: 472 1879

Veratrum japonicum (Baker) O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 141 1926

Veratrum nigrum L. var. *reymondianum* O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 164 1926

Veratrum japonicum (Baker) O.Loes. var. *reymondianum* (O.Loes.) O.Loes., Repert. Spec. Nov. Regni Veg. 24: 70 1927

Veratrum sadoense Nakai, J. Jap. Bot. 13: 644 1937

Veratrum maackii Regel var. *reymondianum* (O.Loes.) H.Hara, Sci. Res. Ozegahara Moor 476 1954

Veratrum maackii Regel subsp. *japonicum* (Baker) Zimm., Lloydia 24: 10 1961

Veratrum maackii Regel subsp. *reymondianum* (O.Loes.) Zimm., Lloydia 24: 10 1961

Veratrum maackii Regel var. *parviflorum* (Maxim. ex Miq.) H.Hara f. *japonicum* (Baker) H.Hara, J. Jap. Bot. 59: 229 1984

***Veratrum maackii* Regel var. *parviflorum* (Maxim. ex Miq.) H.Hara, Sci. Res. Ozegahara Moor 476 1954**

국명: 파란여로(Pa-ran-yeo-ro), 섬여로, 푸른여로, 한라여로

영명: Blue false-hellebore

Veratrum album L. var. *parviflorum* Maxim. ex Miq., Arch. Neerl. Sci. Exact. Nat. 5: 90 1870

Veratrum maximowiczii Baker, J. Linn. Soc., Bot. 17: 472 1879

Veratrum angustipetalum O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 141 1926

Veratrum maximowiczii Baker var. *angustipetalum* (O.Loes.) Nakai, J. Jap. Bot. 13: 643 1937

Veratrum maackii Regel subsp. *maximowiczii* (Baker) Zimm., Lloydia 24: 10 1961

Veratrum nigrum L. subsp. *maackii* Kitam. var. *parviflorum* (Maxim. ex Miq.) Kitam., J. Jap. Bot. 13: 71 1966

Veratrum nigrum* L. var. *nigrum

Veratrum nigrum* L. var. *ussuriense O.Loes., Repert. Spec. Nov. Regni Veg. 24: 70 1927

국명: 참여로(Cham-yeo-ro), 검정여로, 큰여로

영명: Black false-hellebore

Veratrum ussuriense (O.Loes.) Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 335 1937

Veratrum oxysepalum Turcz., Bull. Soc. Imp. Naturalistes Moscou 13: 79 1840

국명: 박새(Bak-sae), 꽃박새, 넓은잎박새, 뒷박새 / (북한명) 박새

영명: East Asian white false-hellebore

Veratrum album L. var. *oxysepalum* (Turcz.) Miyabe & Kudô, Fl. Saghalin 484 1915

Veratrum patulum O.Loes., Verh. Bot. Vereins Prov. Brandenburg 68: 134 1926

Veratrum album L. subsp. *oxysepalum* (Turcz.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 233 1927

Veratrum sikokianum Nakai, J. Jap. Bot. 13: 638 1937

Veratrum versicolor Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 341 1937

국명: 흰여로(Huin-yeo-ro), 백여로, 파란여로 / (북한명) 흰여로

영명: White false-hellebore

Veratrum versicolor Nakai f. *versicolor*

Veratrum versicolor Nakai f. *brunneum* Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 341 1937

국명: 붉은여로(Bul-geun-yeo-ro) / (북한명) 암홍여로

영명: Reddish-flower false-hellebore

Veratrum versicolor Nakai f. *viride* Nakai, Rep. Inst. Sci. Res. Manchoukuo 1: 342 1937

국명: 푸른여로(Pu-reun-yeo-ro) / (북한명) 푸른여로

영명: Greenish-flower false-hellebore

AMARYLLIDACEAE 수선화과

Crinum L. 문주란속

Crinum asiaticum L. var. *asiaticum*

Crinum asiaticum L. var. *japonicum* Baker, Handb. Amaryll. 75 1888 Ⓢ

국명: 문주란(Mun-ju-ran), 문주화 / (북한명) 문주화

영명: Poison-bulb

Lycoris Herb. 상사화속

Lycoris albiflora Koidz., Bot. Mag. (Tokyo) 38: 100 1924

국명: 흰상사화(Huin-sang-sa-hwa), 흰가재무릇 / (북한명) 흰상사화

영명: White-flower surprise lily

Lycoris chinensis Traub var. *chinensis*

Lycoris chinensis Traub var. *sinuolata* K.Tae & S.C.Ko ex K.Tae & S.C.Ko, Korean J. Pl. Taxon. 33: 389

2003 Ⓣ Ⓢ

국명: 진노랑상사화(Jin-no-rang-sang-sa-hwa)

영명: Yellow surprise lily

** *Lycoris chinensis* Traub var. *sinuolata* K.Tae & S.C.Ko, Korean J. Pl. Taxon. 23: 234 1993

■ AMARYLLIDACEAE 수선화과

Lycoris flavescens M.Kim & S.T.Lee, Korean J. Pl. Taxon. 34: 13 2004 (E)

국명: **붉노랑상사화**(Buk-no-rang-sang-sa-hwa), 가마귀마늘, 개상사화, 흰상사화, 연노랑상사화

영명: **Reddish-yellow surprise lily**

** *Lycoris flavescens* M.Kim & S.Lee, Korean J. Pl. Taxon. 21: 127 1991

Lycoris sanguinea Maxim. var. **koreana** (Nakai) T.Koyama, Baileya 7: 6 1959 (E) (R)

국명: **백양꽃**(Baek-yang-kkot), 가을가재무릇, 가재무릇, 백양상사화

영명: **Orange-flower surprise lily**

Lycoris koreana Nakai, Bot. Mag. (Tokyo) 44: 516 1930

Lycoris uydoensis M.Kim, Korean J. Pl. Taxon. 34: 14 2004 (E) (R)

국명: **위도상사화**(Wi-do-sang-sa-hwa), 흰상사화

영명: **Uydo surprise lily**

** *Lycoris flavescens* M.Kim & S.Lee var. *uydoensis* M.Kim, Korean J. Pl. Taxon. 26: 263 1996

Lycoris × chejuensis K.H.Tae & S.C.Ko, Korean J. Pl. Taxon. 23: 234 1993 (E) (R)

국명: **제주상사화**(Je-ju-sang-sa-hwa)

영명: **Jeju surprise lily**

HYPOXIDACEAE 노란별수선과

Hypoxis L. 노란별수선속

Hypoxis aurea Lour., Fl. Cochinch. 1: 200 1790

국명: **노란별수선**(No-ran-byeol-su-seon)

DIOSCOREACEAE 마과

Dioscorea Plum. ex L. 마속

Dioscorea coreana (Prain & Burkhill) R.Knuth, Pflanzenr. 4, 4: 175 1924 (E)

국명: **푸른마**(Pu-reun-ma)

Dioscorea villosa L. var. *coreana* Prain & Burkhill, J. Proc. Asiatic Soc. Bengal 10: 15 1914

Dioscorea japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 889 1784

국명: **참마**(Cham-ma), 마 / (북한명) 참마

영명: **East Asian mountain yam**

Dioscorea nipponica Makino, Ill. Fl. Japan 1: 2, t. 45 1891

국명: **부채마**(Bu-chae-ma), 단풍잎마, 박추마, 텔단풍잎마, 텔부채마 / (북한명) 부채마

영명: **Fan-leaf mountain yam**

Dioscorea nipponica Makino var. *jamesii* Prain & Burkhill, J. Proc. Asiatic Soc. Bengal 10: 14 1914

Dioscorea giralddii R.Knuth, Pflanzenr. (Engler) IV. 43: 315 1924

Dioscorea nipponica Makino f. *jamesii* (Prain & Burkhill) Kitag., J. Jap. Bot. 40: 138 1965

Dioscorea polystachya Turcz., Bull. Soc. Imp. Naturalistes Moscou 7: 158 1837

국명: **마**(Ma), 당마, 참마 / (북한명) 마

영명: **Chinese yam**

Dioscorea batatas Decne., Rev. Hort. ser. 4, 3: 243 1854

Dioscorea quinquelobata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 889 1784

국명: **단풍마**(Dan-pung-ma), 국화마 / (북한명) 단풍마

영명: **Maple-leaf mountain yam**

Dioscorea septemloba Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 889 1784

국명: **국화마**(Guk-hwa-ma), 단풍마, 산약 / (북한명) 국화마

영명: **Chrysanthemum-leaf mountain yam**

Dioscorea tenuipes Franch. & Sav., Enum. Pl. Jap. 2: 523 1878

국명: **각시마**(Gak-si-ma), 애기마 / (북한명) 애기마

영명: **Sweet mountain yam**

Dioscorea tokoro Makino ex Miyabe, Bot. Mag. (Tokyo) 3: 112 1889

국명: **도꼬로마**(Do-kko-ro-ma) / (북한명) 큰마

영명: **Tokoro mountain yam**

Dioscorea yokusae Prain & Burkhill, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 73(Suppl.): 10 1904

PONTEDERIACEAE 물옥잠과

Monochoria C.Presl 물옥잠속

Monochoria korsakowii Regel & Maack, Reliq. Haenk. 1: 127 1827

국명: **물옥잠**(Mul-ok-jam) / (북한명) 물옥잠

영명: **Korsakow's monochoria**

Monochoria vaginalis (Burm.f.) C.Presl var. *korsakowii* (Regel & Maack) Solms, Monogr. Phan. 4: 524 1883

Monochoria vaginalis (Burm.f.) C.Presl var. ***vaginalis***

■ PONTEDERIACEAE 물옥잠과

Monochoria vaginalis (Burm.f.) C.Presl var. *angustifolia* G.X.Wang, Acta Phytotax. Sin. 41: 569 2003
국명: 가는물달개비(Ga-neun-mul-dal-gae-bi)

Monochoria vaginalis (Burm.f.) C.Presl var. *plantaginea* (Roxb.) Solms, Monogr. Phan. 4: 524 1883
국명: 물달개비(Mul-dal-gae-bi), 물닭개비 / (북한명) 물닭개비
영명: Sheathed monochoria

Pontederia plantaginea Roxb., Fl. Ind. 2: 123 1824

Monochoria plantaginea (Roxb.) Kunth, Enum. Pl. (Kunth) 4: 135 1843

IRIDACEAE 붓꽃과

Iris Tourn. ex L. 붓꽃속

Iris dichotoma Pall., Reise Russ. Reich. 3: 712 1776 Ⓢ

국명: 대청부채(Dae-cheong-bu-chae), 대청붓꽃, 부채붓꽃, 얼이벌부채, 참부채붓꽃 / (북한명) 참부채붓꽃
영명: Vesper iris

Pardanthus dichotoma (Pall.) Ledeb., Fl. Ross. (Ledeb.) 4: 106 1853

Iris pomeridiana Fisch. ex Klatt, Linnaea 34: 612 1866

Evansia dichotoma (Pall.) Decne., Bull. Soc. Bot. France 20: 302 1873

Evansia vespertina Decne., Bull. Soc. Bot. France 20: 302 1873

Pardanthopsis dichotoma (Pall.) L.W.Lenz, Aliso 7: 403 1972

Iris domestica (L.) Goldblatt & Mabb., Novon 15: 129 2005 Ⓢ

국명: 범부채(Beom-bu-chae), 사간 / (북한명) 범부채

영명: Leopard lily

Ixia chinensis L., Sp. Pl. 1: 36 1753

Epidendrum domesticum L., Sp. Pl. 2: 952 1753

Moraea chinensis (L.) Thunb., Nova Acta Regiae Soc. Sci. Upsal. 4: 39 1783

Pardanthus chinensis (L.) Ker Gawl., Ann. Bot. (König & Sims) 1: 247 1804

Belamcanda chinensis (L.) Redouté, Liliac. 3: 121 1805

Gemmigia chinensis (L.) Kuntze, Revis. Gen. Pl. 2: 701 1891

Iris ensata Thunb. var. *ensata*

Iris ensata Thunb. var. *spontanea* (Makino) Nakai, Veg. Apoi 78 1930 Ⓢ

국명: 꽃창포(Kkot-chang-po), 꽃장포, 들꽃장포, 들꽃창포 / (북한명) 들꽃창포, 참꽃창포

영명: Beautiful-flower water iris

Iris kaempferi Siebold ex Lem. var. *spontanea* Makino, Bot. Mag. (Tokyo) 23: 94 1909

Iris koreana Nakai, Repert. Spec. Nov. Regni Veg. 13: 248 1914 Ⓣ Ⓢ

국명: 노랑붓꽃(No-rang-but-kkot) / (북한명) 노랑붓꽃

영명: Dwarf woodland Korean iris

Limniris koreana (Nakai) Rodion., Bot. Zhurn. (Moscow & Leningrad) 92: 553 2007

Iris lactea* Pall. var. *lactea

Iris lactea* Pall. var. *chinensis (Fisch.) Koidz., Bot. Mag. (Tokyo) 39: 300 1925

국명: 타래붓꽃(Ta-rae-but-kkot) / (북한명) 타래붓꽃

영명: Winding-leaf iris

Iris pallasii Fisch. ex Trevir. var. *chinensis* Fisch., Bot. Mag. 49: t. 2331 1832

Iris oxypetala Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 63 1833

Iris ensata Thunb. var. *chinensis* (Fisch.) Maxim., Gartenflora 161: 1011 1880

Iris lactea Pall. subsp. *chinensis* (Fisch.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 4: 115 1940

***Iris laevigata* Fisch., Index Seminum [St.Petersburg (Petropolitanus)] 5: 36 1839 (R)**

국명: 제비붓꽃(Je-bi-but-kkot), 푸른붓꽃 / (북한명) 제부붓꽃, 푸른붓꽃

영명: Rabbit's-ear iris

Iris maackii Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 26: 542 1880

***Iris mandshurica* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 724 1880**

국명: 만주붓꽃(Man-ju-but-kkot) / (북한명) 쌍노랑붓꽃, 만주붓꽃

영명: Manchurian iris

***Iris minutoaurea* Makino, J. Jap. Bot. 5: 17 1928 (R)**

국명: 금붓꽃(Geum-but-kkot), 누른붓꽃, 애기노랑붓꽃 / (북한명) 금붓꽃, 누른붓꽃, 애기노랑붓꽃

영명: Grassy-leaf yellow iris

Limniris minutoaurea (Makino) Rodion., Bot. Zhurn. (Moscow & Leningrad) 92: 553 2007

***Iris neoensata* Y.N.Lee, Bull. Korea Pl. Res. 5: 30 2005**

국명: 신꽃창포(Sin-kkot-chang-po)

***Iris neosetosa* Y.N.Lee, Alp. Flow. Korea 477 2000**

국명: 신부채붓꽃(Sin-bu-chae-but-kkot)

영명: New wild flag iris

***Iris odaesanensis* Y.N.Lee, Korean J. Bot. 17: 33 1974 (E) (R)**

국명: 노랑무늬붓꽃(No-rang-mu-nui-but-kkot), 흰노랑붓꽃

영명: Odaesan iris

■ IRIDACEAE 붓꽃과

Iris rossii Baker, Gard. Chron. 8: 809 1877

국명: 각시붓꽃(Gak-si-but-kkot), 애기붓꽃, 각시붓꽃, 애기붓꽃

영명: Long-tail iris

Iris rossii Baker f. *albiflora* Sakata ex Uyeki, Veg. Kwa-san Hill Suigen 14 1936

Iris rossii Baker f. *alba* Y.N.Lee, Korean J. Bot. 17: 35 1974

Iris rossii Baker var. *album* (Y.N.Lee) Y.N.Lee, Ill. Encyl. Fauna & Flora of Korea 18: 165 1976

Iris rossii Baker var. *purpurascens* Y.N.Lee, Bull. Korea Pl. Res. 5: 35 2005

Iris rossii Baker var. *rossii*

Iris rossii Baker var. *latifolia* J.K.Sim & Y.S.Kim, Korean J. Pl. Taxon. 22: 1 1992 ⓘ

국명: 넓은잎각시붓꽃(Neol-beun-ip-gak-si-but-kkot)

영명: Broad-leaf long-tail iris

Iris rossii Baker f. *latifolia* (J.K.Sim & Y.S.Kim) M.Kim, Korean Endemic Pl. 570 2017

** *Iris rossii* Baker f. *latifolia* (J.K.Sim & Y.S.Kim) M.Kim, Korean Endemic Pl. 350 2004

Iris ruthenica Ker Gawl., Curtis's Bot. Mag. 27: t. 1123 1808 ⓘ

국명: 솔붓꽃(Sol-but-kkot), 가는붓꽃, 애기붓꽃 / (북한명) 솔붓꽃, 가는붓꽃, 애기붓꽃

영명: Beardless iris

Iris ruthenica Ker Gawl. var. *nana* Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 705 1880

Iris sanguinea Donn ex Hornem., Hort. Bot. Hafn. 1: 58 1813

국명: 붓꽃(But-kkot), 한국붓꽃, 비단붓꽃 / (북한명) 붓꽃, 란초

영명: Blood iris

Xiphion orientale Schrank, Flora 7(2, Beibl.): 19 1824

Iris nertschinskia Lodd., Bot. Cab. 19: t. 1843 1832

Iris sibirica L. var. *sanguinea* (Donn ex Hornem.) Ker Gawl., Curtis's Bot. Mag. t. 1604 1814

Iris sibirica L. var. *orientalis* (Schrank) Baker, J. Linn. Soc., Bot. 16: 139 1877

Iris extremorientalis Koidz., Bot. Mag. (Tokyo) 40: 330 1926

Iris sanguinea Donn ex Hornem. f. *albiflora* Makino, J. Jap. Bot. 6: 32 1930

Iris sanguinea Donn ex Hornem. var. *coronalis* Y.N.Lee, Bull. Korea Pl. Res. 5: 32 2005

Iris sanguinea Donn ex Hornem. f. *sericiflora* Y.N.Lee, Bull. Korea Pl. Res. 5: 34 2005

Iris sanguinea Donn ex Hornem. var. *sanguinea*

Iris sanguinea Donn ex Hornem. var. *violacea* Makino, J. Jap. Bot. 6: 32 1929

국명: 진보라붓꽃(Jin-bo-ra-but-kkot)

영명: Violet blood iris

Limniris sanguinea (Donn ex Hornem.) Rodion. var. *violacea* (Makino) M.B.Crespo, Mart.-Azorín & Mavrodiev,

Phytotaxa 232: 57 2015

Iris setosa Pall. ex Link, Jahrb. Gewachsk. 1: 71 1820 Ⓢ

국명: 부채붓꽃(Bu-chae-but-kkot) / (북한명) 부채붓꽃

영명: Wild flag iris

Iris brachycuspis Fisch. ex Sims, Bot. Mag. 49: 2326 1824

Xiphion brachycuspis (Fisch. ex Sims) Alef., Bot. Zeitung (Berlin) 21: 297 1863

Xyridion setosum (Pall. ex Link) Klatt, Bot. Zeitung (Berlin) 30: 500 1872

Iris arctica Eastw., Bot. Gaz. 33: 132 1902

Iris tectorum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 15: 380 1871

국명: 연미붓꽃(Yeon-mi-but-kkot)

Iris chinensis Bunge, Enum. Pl. Chin. Bor. 64 1833

Iris tomiolopha Hance, J. Bot. 10: 229 1872

Evansia tectorum (Maxim.) Klatt, Abh. Naturf. Ges. Halle 15: 373 1882

Iris rosthornii Diels, Bot. Jahrb. Syst. 29: 261 1900

Iris uniflora Pall. ex Link var. *uniflora*

Iris uniflora Pall. ex Link var. *caricina* Kitag., Bot. Mag. (Tokyo) 49: 232 1935 Ⓢ

국명: 난장이붓꽃(Nan-jang-i-but-kkot), 난쟁이붓꽃 / (북한명) 난쟁이붓꽃

영명: Single-flower iris

Iris uniflora Pall. ex Link f. *caricina* (Kitag.) P.Y.Fu & Y.A.Chen, Fl. Pl. Herb. Chin. Bor.-Or. 12: 213 1998

BURMANNIACEAE 벼어먼초과

Burmannia L. 벼어먼초속

Burmannia championii Thwaites, Enum. Pl. Zeyl. 325 1864 Ⓢ

국명: 애기벼어먼초(Ae-gi-beo-eo-meon-cho)

영명: Champion's bluethread

Burmannia cryptopetala Makino, Bot. Mag. (Tokyo) 27: 3 1913 Ⓢ

국명: 벼어먼초(Beo-eo-meon-cho)

영명: Hidden-petal bluethread

JUNCACEAE 골풀과

Juncus L. 골풀속

■ JUNCACEAE 골풀과

Juncus alatus Franch. & Sav., Enum. Pl. Jap. 2: 98 1879

국명: 날개골풀(Nal-gae-gol-pul), 날개골 / (북한명) 날개골풀

영명: Winged-stem rush

Juncus bufonius L., Sp. Pl. 1: 328 1753

국명: 애기골풀(Ae-gi-gol-pul), 애기비녀골, 애기비녀골풀 / (북한명) 애기비녀골풀

영명: Toad rush

Juncus castaneus Sm. subsp. *castaneus*

Juncus castaneus Sm. subsp. *triceps* (Rostk.) Novikov, Novosti Sist. Vyssh. Rast. 15: 92 1979

국명: 설령골풀(Seol-ryeong-gol-pul), 검정비녀골, 검정비녀골풀, 신흥골풀 / (북한명) 설령골풀

영명: Triceps chestnut rush

Juncus triceps Rostk., Junc. 48 1801

Juncus castaneus Sm. var. *koreanus* Ohwi, Bot. Mag. (Tokyo) 45: 189 1931

Juncus triceps Rostk. var. *koreanus* (Ohwi) Satake, Nov. Fl. Jap. 1: 68 1938

Juncus stakei Kitag., J. Jap. Bot. 26: 11 1951

Juncus decipiens (Buchenau) Nakai, Report. Veget. Kamikochi 35 1928

국명: 골풀(Gol-pul) / (북한명) 골풀, 등심초

영명: Golpul (Common rush)

Juncus effusus L. var. *decipiens* Buchenau, Bot. Jahrb. Syst. 12: 229 1890

Juncus effusus L. subsp. *decipiens* (Buchenau) Weim., Svensk Bot. Tidskr. 40: 143 1946

Juncus diastrophanthus Buchenau, Bot. Jahrb. Syst. 12: 309 1890

국명: 별날개골풀(Byeol-nal-gae-gol-pul), 넓은비녀골, 넓은잎비녀골, 넓은잎비녀골풀 / (북한명) 넓은잎비녀골풀

영명: Narrow-winged-stem rush

Juncus fauriei H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 292 1904

국명: 검정납작골풀(Geom-jeong-nap-jak-gol-pul)

Juncus filiformis L., Sp. Pl. 1: 326 1753

국명: 참골풀(Cham-gol-pul), 조선골 / (북한명) 참골풀

영명: High mountain rush

Juncus gracillimus (Buchenau) V.I.Krecz. & Gontsch., Fl. URSS 3: 528 1935

국명: 물골풀(Mul-gol-pul), 개골풀 / (북한명) 물골풀

영명: Slender-stem rush

Juncus compressus Jacq. var. *gracillimus* Buchenau, Pflanzenr. (Engler) IV. 36: 112 1906

Juncus haenkei* E.Mey., Syn. Junc. 10 1822**국명: **갓골풀**(Gaet-gol-pul), 갓골 / (북한명) 갓골풀영명: **Haenke's rushJuncus compressus* Jacq. var. *haenkei* (E.Mey.) Laharpe, Essai Monogr. Junc. 26 1825*Juncus arcticus* Willd. var. *sitchensis* Engelm., Trans. Acad. Sci. St. Louis 2: 491 1868*Juncus balticus* Willd. var. *haenkei* (E.Mey.) Buchenau, Bot. Jahrb. Syst. 12: 215 1890*Juncus balticus* Willd. subsp. *sitchensis* (Engelm.) Hultén, Acta Univ. Lund. n.s. 39: 420 1943***Juncus krameri* Franch. & Sav., Enum. Pl. Jap. 2: 99 1879**국명: **비녀골풀**(Bi-nyeo-gol-pul), 비녀골 / (북한명) 비녀골풀, 비녀골영명: **Kramer's rush*****Juncus maximowiczii* Buchenau, Bot. Jahrb. Syst. 12: 394 1890**국명: **실비녀골풀**(Sil-bi-nyeo-gol-pul), 실골풀 / (북한명) 실골풀영명: **Maximowicz's rush***Juncus cupreus* H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 292 1904***Juncus papillosum* Franch. & Sav., Enum. Pl. Jap. 2: 98 1876**국명: **청비녀골풀**(Cheong-bi-nyeo-gol-pul), 실골, 푸른비녀골풀 / (북한명) 청비녀골풀영명: **Papillose rush***Juncus nipponensis* Buchenau, Bot. Jahrb. Syst. 12: 340 1890*Juncus umbellifer* H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 292 1904***Juncus potaninii* Buchenau, Bot. Jahrb. Syst. 12: 394 1890**국명: **백두실골풀**(Baek-du-sil-gol-pul), 산골풀, 왜실골풀 / (북한명) 왜실골풀영명: **Potanin's rush***Juncus luzuliformis* Franch. var. *potaninii* (Buchenau) Buchenau ex Diels, Bot. Jahrb. Syst. 37, Beibl. 82: 15 1905***Juncus prismatocarpus* R.Br. subsp. *prismatocarpus******Juncus prismatocarpus* R.Br. subsp. *leschenaultii* (Gay ex Laharpe) Kirschner, Preslia 74: 249 2002**국명: **참비녀골풀**(Cham-bi-nyeo-gol-pul), 개비녀골 / (북한명) 씨눈비녀풀영명: **Prism-fruit rush***Juncus leschenaultii* Gay ex Laharpe, Essai Monogr. Junc. 49 1825*Juncus leschenaultii* Gay ex Laharpe var. *radicans* Franch. & Sav., Enum. Pl. Jap. 2: 533 1879*Juncus prismatocarpus* R.Br. var. *leschenaultii* (Gay ex Laharpe) Buchenau subvar. *pluritubulosus* Buchenau, Bot. Jahrb. Syst. 12: 311 1890***Juncus setchuensis* Buchenau, Bot. Jahrb. Syst. 82: 17 1905**국명: **푸른갓골풀**(Pu-reun-gaet-gol-pul), 구슬비녀골, 좀갓골풀영명: **Pale-green stem rush***Juncus setchuensis* Buchenau var. *effusoides* Buchenau, Bot. Jahrb. Syst. 82: 18 1905

■ JUNCACEAE 골풀과

Juncus stygius* L. subsp. *stygius

Juncus stygius L. subsp. *americanus* (Buchenau) Hultén, Fl. Alaska Yukon 3: 430 1943

국명: 대택비녀골풀(Dae-taeck-bi-nyeo-gol-pul), 가는실골, 가는실골풀, 김의골풀

영명: Moor rush

Juncus stygius L. var. *americanus* Buchenau, Bot. Jahrb. Syst. 12: 393 1890

Juncus baekdusanensis M.Kim, Korean J. Pl. Taxon. 44: 239 2014

***Juncus tenuis* Willd., Sp. Pl. 2: 214 1799**

국명: 길골풀(Gil-gol-pul), 풀골

영명: Field rush

***Juncus triglumis* L., Sp. Pl. 1: 328 1753**

국명: 구름골풀(Gu-reum-gol-pul), 바늘비녀골 / (북한명) 구름골풀

영명: Three-hull rush

***Juncus wallichianus* J.Gay ex Laharpe, Essai Monogr. Junc. 51 1825**

국명: 눈비녀골풀(Nun-bi-nyeo-gol-pul), 산비녀골, 누운비녀골풀, 누은비녀골풀

영명: Wallich's rush

***Luzula* DC. 꿩의밥속**

Luzula arcuata* (Wahlenb.) Sw. subsp. *arcuata

Luzula arcuata (Wahlenb.) Sw. subsp. *unalaschkensis* (Buchenau) Hultén, Ark. Bot. a.s. 7(1): 32 1968

국명: 좀꿩의밥(Jom-kkwong-ui-bap), 구름꿩밥, 좀꿩의밥풀 / (북한명) 좀꿩의밥, 구름꿩밥

영명: Reindeer woodrush

Luzula arcuata (Wahlenb.) Sw. var. *unalaschkensis* Buchenau, Bot. Jahrb. Syst. 12: 124 1890

***Luzula capitata* (Miq. ex Franch. & Sav.) Kom., Fl. Kamtschatka 1: 288 1927**

국명: 꿩의밥(Kkwong-ui-bap), 꿩밥, 꿩의밥풀 / (북한명) 꿩의밥

영명: Sweep's woodrush

Luzula campestris (L.) DC. var. *capitata* Miq. ex Franch. & Sav., Enum. Pl. Jap. 2: 97 1879

***Luzula multiflora* (Ehrh.) Lej., Fl. Spa. 1: 169 1811**

국명: 산꿩의밥(San-kkwong-ui-bap), 산꿩의밥풀 / (북한명) 산꿩의밥, 산꿩밥

영명: Common woodrush

Juncus campestris L. var. *multiflorus* Ehrh., Beitr. Naturk. 5: 14 1790

Juncus multiflorus (Ehrh.) Ehrh., Pl. Cryptog. Linn. 127 1794

Juncus intermedium Thuill., Fl. Env. Paris (ed. 2) 178 1800

Luzula campestris (L.) DC. subsp. *multiflora* (Ehrh.) Schübl. & G. Martens, Fl. Würtemberg (ed. 1) 230 1834

Luzula campestris (L.) DC. var. *multiflora* (Ehrh.) Čelak., Prodr. Fl. Bohmen 85 1867

Cyperella campestris (L.) MacMill. var. *multiflora* (Ehrh.) MacMill., Metasp. Minnesota Valley 143 1892

Luzula plumosa E.Mey., Linnaea 22: 387 1849

국명: 오대산새밥(O-dae-san-sae-bap)

Luzula odaesanensis Y.N.Lee & Y.Chae ex M.Kim, Korean Endemic Pl. 372 2017

Luzula oligantha Sam., Fl. Kamtschatka 1: 227 1927

국명: 구름꿩의밥(Gu-reum-kkwong-ui-bap), 구름꿩의다리, 높은산꿩의밥, 높은산꿩의밥풀, 두메꿩의밥, 산새밥, 수꿩밥, 암꿩밥, 암꿩의밥, 좀산새밥 / (북한명) 높은산꿩의밥, 구름꿩의밥, 수꿩밥

영명: High-mountain woodrush

Luzula campestris (L.) DC. var. *pauciflora* Buchenau, Pflanzenr. (Engler) IV. 36: 88 1906

Luzula sudetica DC. var. *pauciflora* (Buchenau) Nakai, Rep. Veg. Daisetsu Mts. 60 1930

Luzula sudetica DC. var. *microstachya* Satake, Nov. Fl. Jap. 1: 40 1938

Luzula pallescens SW., Summa Veg. Scand. 13 1814

국명: 산새밥(San-sae-bap), 메추리꿩의밥풀, 메추리밥 / (북한명) 메추리밥

영명: Eurasian woodrush

Luzula pallidula Kirschner, Taxon 39: 106 1990

Luzula rufescens Fisch. ex E.Mey., Linnaea 22: 385 1849

국명: 새밥(Sae-bap), 검은꿩의밥풀 / (북한명) 검은꿩의밥, 새밥

영명: Rufous woodrush

Juncoides rufescens (Fisch. ex E.Mey.) Kuntze, Revis. Gen. Pl. 2: 725 1891

Luzula pilosa (L.) Willd. var. *rufescens* (Fisch. ex E.Mey.) B.Boivin, Naturaliste Canad. 94: 526 1967

Luzula rufescens Fisch. ex E.Mey. var. *rufescens*

Luzula rufescens Fisch. ex E.Mey. var. *macrocarpa* Buchenau, Pflanzenr. IV. 36: 47 1906

국명: 별꿩의밥(Byeol-kkwong-ui-bap), 별꿩의밥풀, 별꿩의밥, 제주꿩밥

영명: Small-star woodrush

Luzula nipponica (Satake) Kirschner & Miyam., Taxon 50: 1110 2001

국명: 두메꿩의밥(Du-me-kkwong-ui-bap) / (북한명) 두메꿩의밥, 산새밥

영명: Montane woodrush

Luzula yakusimensis (Masam.) Masam., Bull. Soc. Bot. France 83: 696 1936

Luzula sudetica DC. var. *nipponica* Satake, Nov. Fl. Jap. 1: 40 1938

COMMELINACEAE 닭의장풀과

Aneilema R.Br. 사마귀풀속

Aneilema keisak Hassk., Commelin. Ind. 31 1870

국명: 사마귀풀(Sa-ma-gwi-pul), 애기달개비, 애기닭의밀씻개

영명: Marsh dewflower

Aneilema oliganthum Franch. & Sav., Enum. Pl. Jap. 2: 522 1878

Phaeneilema oliganthum (Franch. & Sav.) Brückn., Notizbl. Bot. Gart. Berlin-Dahlem 10: 56 1927

Murdannia keisak (Hassk.) Hand.-Mazz., Symb. Sin. 7: 1243 1936

Commelina Plum. ex L 닭의장풀속

Commelina communis L., Sp. Pl. 1: 40 1753

국명: 닭의장풀(Dak-ui-jang-pul), 닭개비, 닭기씻개비, 닭의꼬꼬, 닭의밀씻개, 닭의발씻개

영명: Asian dayflower

Commelina coreana H.Lév., Repert. Spec. Nov. Regni Veg. 8: 284 1910

Commelina communis L. var. *communis*

Commelina communis L. var. *angustifolia* Nakai, Bot. Mag. (Tokyo) 23: 191 1909

국명: 좀닭의장풀(Jom-dak-ui-jang-pul), 흰꽃좀닭의장풀

영명: Narrow-flower Asian dayflower

Commelina communis L. var. *angustifolia* Nakai f. *leucantha* Nakai, Bot. Mag. (Tokyo) 49: 421 1935

Commelina coreana H.Lév. & Vaniot f. *leucantha* (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 127 1952

Commelina communis L. var. *hortensis* Makino, Bot. Mag. (Tokyo) 15: 64 1901

국명: 큰닭의장풀(Keun-dak-ui-jang-pul)

영명: Garden Asian dayflower

Commelina minor Y.N.Lee & Y.C.Oh, Korean J. Bot. 24: 28 1981 Ⓟ

국명: 애기닭의장풀(Ae-gi-dak-ui-jang-pul)

영명: Minute blue dayflower

Commelina communis L. f. *minor* (Y.N.Lee & Y.C.Oh) M.Kim, Korean Endemic Pl. 565 2017

Pollia Thunb. 나도생강속

Pollia japonica Thunb., Nov. Gen. Pl. [Thunberg] 1: 12 1781 Ⓢ

국명: 나도생강(Na-do-saeng-gang)

영명: East Asian pollia

***Streptolirion* Edgew. 덩굴닭의장풀속**

Streptolirion volubile Edgew., Proc. Linn. Soc. London 1: 254 1845

국명: **덩굴닭의장풀**(Deong-gul-dak-ui-jang-pul)

영명: **Twining streptolirion**

Tradescantia cordifolia Griff., J. Trav. 208 1847

Streptolirion cordifolium (Griff.) Kuntze, Revis. Gen. Pl. 2: 722 1891

ERIOCAULACEAE 곡정초과

***Eriocaulon* L. 곡정초속**

Eriocaulon alpestre Hook.f. & Thomson ex Körn., Ann. Mus. Bot. Lugduno-Batavi 3(6): 163 1867

국명: **넓은잎개수염**(Neol-beun-ip-gae-su-yeom), 넓은별수염풀, 넓은잎곡정초, 넓은잎별수염풀 /
(북한명) 넓은잎고위끼람, 넓은잎개수염, 넓은잎곡정초

영명: **Robust pipewort**

Eriocaulon robustum (Maxim.) Makino, J. Jap. Bot. 3: 26 1926

Eriocaulon alpestre Hook.f. & Thomson ex Körn. var. *robustum* Maxim., Diagn. Pl. Nov. Asiat. 9: 25 1892

Eriocaulon atrum Nakai, Repert. Spec. Nov. Regni Veg. 9: 466 1911

국명: **검은곡정초**(Geom-eun-gok-jeong-cho), 검정곡정초, 검정별수염풀, 제주검정곡정초 / (북한명) 검정고위끼람,
검정개수염, 검정곡정초

영명: **Dark-flower pipewort**

Eriocaulon glaberrimum Miyabe & Satake, Acta Phytotax. Geobot. 13: 280 1943

Eriocaulon buergerianum Körn., Ann. Mus. Bot. Lugduno-Batavi 3: 163 1992

국명: **장흥곡정초**(Jang-heung-gok-jeong-cho), 장흥개수염

영명: **Buerger's pipewort**

Eriocaulon pachypetalum Hayata, Icon. Pl. Formosan. 5: 52 1921

Eriocaulon cinereum R.Br., Prodr. Fl. Nov. Holl. 254 1810

국명: **곡정초**(Gok-jeong-cho), 별수염풀 / (북한명) 고위끼람, 고위깃듬, 별수염풀

영명: **Ashy pipewort**

Eriocaulon sieboldianum Siebold & Zucc. ex Steud., Syn. Pl. Glumac. 2: 272 1855

Eriocaulon cinereum R.Br. var. *sieboldianum* (Siebold & Zucc. ex Steud.) T.Koyama, Fl. Taiwan 5: 182 1978

Eriocaulon decemflorum Maxim., Diagn. Pl. Nov. Asiat. 8: 7 1893

국명: **좁개수염**(Jom-gae-su-yeom), 가는곡정초, 강아지별수염풀, 강아지수염, 섬강아지수염, 양주좁개수염,
털강아지수염 / (북한명) 강아지고위끼람, 강아지수염, 실고위끼람, 실개수염

■ ERIOCAULACEAE 곡정초과

영명: Small pipewort

Eriocaulon nipponicum Maxim., Diagn. Pl. Nov. Asiat. 8: 9 1893

Eriocaulon coreanum Lecomte, Notul. Syst. (Paris) 1: 191 1910

Eriocaulon decemflorum Maxim. f. *coreanum* (Lecomte) Nakai, J. Coll. Sci. Imp. Univ. Tokyo 31: 108 1911

Eriocaulon decemflorum Maxim. var. *nipponicum* (Maxim.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl.

Quelpaert Isl.] 28 1914

Eriocaulon decemflorum Maxim. var. *coreanum* (Lecomte) Nakai ex T.Mori, Enum. Pl. Corea 80 1922

Eriocaulon miquelianum Körn., Ann. Mus. Bot. Lugduno-Batavi 3: 162 1867

국명: **개수염**(Gae-su-yeom), 큰강아지별수염풀, 흰개수염, 흰고위까람, 흰별수염풀 / (북한명) 큰강아지고위까람, 개고위까람, 개수염, 흰고위까람, 흰개수염

영명: Miquel's pipewort

Eriocaulon sikokianum Maxim., Diagn. Pl. Nov. Asiat. 8: 16 1892

Eriocaulon parvum Körn., Ann. Mus. Bot. Lugduno-Batavi 3(6): 163 1867

국명: **검은개수염**(Geom-eun-gae-su-yeom), 검은곡정초, 검은별수염풀 / (북한명) 검은고위까람

영명: Black pipewort

Eriocaulon sachalinense Miyabe & Nakai, Bot. Mag. (Tokyo) 42: 479 1928 **E**

국명: **애기곡정초**(Ae-gi-gok-jeong-cho), 애기고위까람, 이끼개수염, 이끼곡정초

영명: Moss-like pipewort

Eriocaulon taquetii Lecomte, Notul. Syst. (Paris) 1: 192 1910

국명: **큰개수염**(Keun-gae-su-yeom), 왜고위까람, 큰별수염풀 / (북한명) 왜고위까람, 큰개수염

영명: Big pipewort

Eriocaulon hondoense Satake, Bot. Mag. (Tokyo) 51: 288, f. 3 1937

Eriocaulon hondoense Satake var. *stellatum* Satake, Bot. Mag. (Tokyo) 51: 290 1937

Eriocaulon tenuissimum Nakai, Bot. Mag. (Tokyo) 31: 97 1917 **E**

국명: **가는개수염**(Ga-neun-gae-su-yeom), 가는곡정초, 가는잎고위까람, 가는잎곡정초, 가는잎별수염풀, 강아지수염, 개수염 / (북한명) 가는잎고위까람, 가는개수염, 가는곡정초

영명: Slender pipewort

Eriocaulon miquelianum Körn. var. *tenuissimum* (Nakai) Satake, J. Jap. Bot. 27: 267 1952

POACEAE 벼과

Achnatherum P.Beauv. 나래새속

Achnatherum coreanum (Honda) Ohwi, J. Jap. Bot. 17: 404 1941

국명: 참나래새(Cham-na-rae-sae), 참나리새, 큰나래새, 큰수염풀 / (북한명) 큰나래새

영명: Korean needlegrass

Stipa coreana Honda, Koryo Shikenrin Ippan 80 1932

Patis coreana (Honda) Ohwi ex Nakai, Acta Phytotax. Geobot. 11: 181 1942

Orthoraphium coreanum (Honda) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 66 1953

Achnatherum coreanum* (Honda) Ohwi var. *coreanum

Achnatherum coreanum* (Honda) Ohwi var. *kengii Ohwi, J. Jap. Bot. 17: 404 1941

국명: 제주나래새(Je-ju-na-rae-sae), 개나래새, 개나리새, 넓은잎수염새 / (북한명) 넓은잎나래새

영명: Jeju needlegrass

***Achnatherum pekinense* (Hance) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 66 1953**

국명: 나래새(Na-rae-sae), 수염새아재비

영명: Chinese needlegrass

Stipa pekinensis Hance, J. Bot. 15: 268 1877

***Achnatherum pubicalyx* (Ohwi) Keng ex Y.C.Kuo, Fl. Tsinling. 1: 153 1976**

국명: 털나래새(Teol-na-rae-sae), 털수염새 / (북한명) 털겨나래새

Stipa pubicalyx Ohwi, J. Jap. Bot. 17: 401 1941

***Achnatherum sibiricum* (L.) Keng ex Tzvelev, Probl. Ekol. Geobot. Bot. Geogr. Florist. 140 1977**

국명: 가는나래새(Ga-neun-na-rae-sae), 가는잎나래새, 시베리아수염새, 털나래새 / (북한명) 가는나래새

영명: Needlegrass

Avena sibirica L., Sp. Pl. 1: 79 1753

Stipa sibirica (L.) Lam., Tabl. Encycl. 1: 158 1791

***Agropyron* Gaertn. 광릉개밀속**

Agropyron yezoense* Honda var. *yezoense

Agropyron yezoense* Honda var. *koryoense (Honda) Osada, Acta Phytotax. Geobot. 11: 109 1942

국명: 광릉개밀(Gwang-reung-gae-mil), 광능개밀, 자주개밀 / (북한명) 조선개밀

영명: Gwangneung wheatgrass

Agropyron koryoense Honda, Koryo Shikenrin Ippan 78 1932

***Agrostis* L. 겨이삭속**

***Agrostis canina* L., Sp. Pl. 1: 62 1753**

국명: 검은겨이삭(Geon-eun-gyeo-i-sak), 가문겨이삭, 겨이삭, 민메기이삭 / (북한명) 검은겨이삭

영명: **Velvety bentgrass**

Trichodium caninum (L.) Schrad., Fl. Germ. (Schrader) 1: 198 1806

Agraulis caninus (L.) P.Beauv., Ess. Agrostogr. 5 1812

Agrostis canina L. var. *mutica* Gaudin, Fl. Helv. 1: 172 1828

Agrostis wightii Nees ex Steud., Syn. Pl. Glumac. 1: 168 1854

Agrostis clavata Trin., Neue Entdeck. Pflanzenk. 2: 55 1821

국명: 산겨이삭(San-gyeo-i-sak), 겨이삭, 메겨이삭, 맷겨이삭, 뒷겨이삭 / (북한명) 겨이삭

Agrostis valvata Steud., Syn. Pl. Glumac. 1: 171 1854

Agrostis exarata Trin. subsp. *clavata* (Trin.) T.Koyama, Grasses Japan Neighb. Reg. 484 1987

Agrostis macrothyrsa Hack., Repert. Spec. Nov. Regni Veg. 7: 318 1909

Agrostis clavata Trin. var. *clavata*

Agrostis clavata Trin. var. ***nukabo*** Ohwi, Bot. Mag. (Tokyo) 55: 356 1941

국명: 겨이삭(Gyeo-i-sak) / (북한명) 참겨이삭

영명: **Asian bentgrass**

Agrostis dimorpholemma Ohwi, Bot. Mag. (Tokyo) 55: 351 1941

국명: 큰겨이삭(Keun-gyeo-i-sak)

Agrostis divaricatissima Mez, Repert. Spec. Nov. Regni Veg. 18: 4 1922

국명: 엉성겨이삭(Eong-seong-gyeo-i-sak), 너울겨이삭, 누운겨이삭, 버들겨이삭

영명: **Many-fold sequence bentgrass**

Agrostis flaccida Hack., Bull. Herb. Boissier 7: 649 1899

국명: 검정겨이삭(Geom-jeong-gyeo-i-sak), 검은겨이삭, 두메겨이삭

영명: **Trin's bentgrass**

Agrostis gigantea Roth, Tent. Fl. Germ. 1: 31 1788

국명: 흰겨이삭(Huin-gyeo-i-sak), 고려겨이삭, 애기겨이삭, 외겨이삭 / (북한명) 누운겨이삭

영명: **Redtop bentgrass**

Agrostis scabra Willd., Sp. Pl. (ed.4) 1: 370 1797

국명: 긴겨이삭(Gin-gyeo-i-sak), 개겨이삭

영명: **Rough bentgrass**

Alopecurus L. 뚝새풀속

Alopecurus aequalis Sobol., Fl. Petrop. 16 1799

국명: **독새풀**(Ttuk-sae-pul), 개풀, 독개풀, 독새, 독새기, 독새풀, 둑새풀, 산독새풀 / (북한명) 둑새풀

영명: **Short-awn foxtail grass**

Alopecurus amurensis Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 151 1916

Alopecurus fulvus Sm. var. *amurensis* (Kom.) Kom., Trudy Glavn. Bot. Sada 39: 193 1927

Alopecurus aequalis Sobol. subsp. *amurensis* (Kom.) Hultén, Circumpol. Pl. 1: 105 1954

Anthoxanthum L. 향기풀속

Anthoxanthum odoratum L. subsp. *odoratum*

Anthoxanthum odoratum L. subsp. *furumii* (Honda) T.Koyama, Grasses Japan 486 1987

국명: **포태향기풀**(Po-tae-hyang-gi-pul), 민향기풀, 선향기풀, 후루미향기풀

영명: **Alpine vernalgrass**

Anthoxanthum nipponicum Honda var. *furumii* Honda, Bot. Mag. (Tokyo) 40: 318 1926

Anthoxanthum odoratum L. subsp. *nipponicum* (Honda) Tzvelev, Spisok Rast. Gerb. Fl. S.S.S.R. Bot. Inst.

Vsesojuzn. Akad. Nauk 17: 31 1967

국명: **까락향기풀**(Kka-rak-hyang-gi-pul)

영명: **Awned vernalgrass**

Anthoxanthum alpinum Á.Löve & D.Löve, Rep. Univ. Inst. Appl. Sci., Reykjavik, Dept. Agric. Ser. B 3: 105 1948

Anthoxanthum nipponicum Honda, Bot. Mag. (Tokyo) 40: 317 1926

Anthoxanthum nipponicum Honda var. *aristatum* Y.N.Lee, Man. Korean Grasses 128 1966

Anthoxanthum odoratum L. var. *nipponicum* (Honda) Tzvelev, Spisok Rast. Gerb. Fl. S.S.S.R. Bot. Inst. Vsesojuzn. Akad. Nauk 17: 31 1967

Arthraxon P.Beauv. 조개풀속

Arthraxon hispidus (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 214 1912

국명: **조개풀**(Jo-gae-pul) / (북한명) 조개풀

영명: **Small carpetgrass**

Phalaris hispida Thunb., Fl. Jap. (Thunberg) 44 1784

Arthraxon ciliaris P.Beauv., Ess. Agrostogr. 111 1812

Pleuroplitis langsdorffii Trin., Fund. Agrost. 175 1820

Arthraxon langsdorffii (Trin.) Hochst., Flora 39: 188 1856

Pleuroplitis langsdorffii Trin. var. *brevisets* Regel, Bull. Acad. Imp. Sci. Saint-Pétersbourg 10: 374 1866

Arthraxon ciliaris P.Beauv. subsp. *langsdorffii* (Trin.) Hack., Monogr. Phan. 6: 355 1889

Arthraxon kobuna Honda, Bot. Mag. (Tokyo) 49: 697 1935

Arthraxon hispidus (Thunb.) Makino var. *brevisetus* (Regel) H.Hara, Bot. Mag. (Tokyo) 52: 186 1938

Arundinaria Michx. 해장죽속

Arundinaria munsuensis Y.N.Lee, Korean J. Pl. Taxon. 28: 33 1998 ⓘ

국명: 문수조릿대(Mun-su-jo-rit-dae)

영명: *Munsu bamboo*

Arundinella Raddi 텸새속

Arundinella hirta (Thunb.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 208 1925

국명: 텸새(Teol-sae), 참털새, 털야고초, 무늬새 / (북한명) 텸새, 야고초

영명: *Hairy arundinella*

Poa hirta Thunb., Fl. Jap. (Thunberg) 49 1784

Arundinella hirta (Thunb.) Tanaka f. *variegata* M.Kim, Korean Endemic Pl. 345 2004

Arundinella hirta (Thunb.) Tanaka var. *hirta*

Arundinella hirta (Thunb.) Tanaka var. *ciliata* (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 303 1925

국명: 새(Sae), 야고초, 애기새 / (북한명) 새, 새풀, 털야고초

영명: *Ciliate hairy arundinella*

Agrostis ciliata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 111 1784

Arundinella hirta (Thunb.) Tanaka var. *hondana* Koidz., Bot. Mag. (Tokyo) 39: 303 1925

국명: 이삭털새(I-sak-teol-sae)

Beckmannia Host 개피속

Beckmannia syzigachne (Steud.) Fernald, Rhodora 30: 27 1928

국명: 개피(Gae-pi), 늙피, 물피 / (북한명) 개피

영명: *American sloughgrass*

Panicum syzigachne Steud., Flora 29: 19 1846

Beckmannia eruciformis (L.) Host var. *uniflora* Scribn. ex A.Gray, Manual (Gray) ed. 6: 628 1890

Beckmannia eruciformis (L.) Host var. *baicalensis* Kusn., Trudy Bjuro Prikl. Bot. 6: 584 1913

Beckmannia baicalensis (Kusn.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 119 1927

Beckmannia eruciformis (L.) Host subsp. *syzigachne* (Steud.) Breitung, Amer. Midl. Naturalist 58: 10 1957

Beckmannia syzigachne (Steud.) Fernald subsp. *baicalensis* (Kusn.) T.Koyama & Kawano, Canad. J. Bot. 42: 879 1964

Beckmannia syzigachne (Steud.) Fernald var. *uniflora* (Scribn. ex A.Gray) B.Boivin, Naturaliste Canad. 94: 521 1967

Bothriochloa Kuntze 바랭이새속

Bothriochloa ischaemum (L.) Keng, Contr. Biol. Lab. Chin. Assoc. Advancem. Sci., Sect. Bot. 10: 201 1936

국명: 바랭이새(Ba-raeng-i-sae), 바랭이새, 부들수염새, 부리풀 / (북한명) 바랭이새

영명: *Yellow bluestem*

Andropogon ischaemum L., Sp. Pl. 2: 1047 1753

Sorghum ischaemum (L.) Kuntze, Revis. Gen. Pl. 2: 792 1891

Brachyelytrum P.Beauv. 담상이삭풀속

Brachyelytrum japonicum (Hack.) Matsum. ex Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 210 1930

국명: 담상이삭풀(Dam-sang-i-sak-pul), 단포새

영명: East Asian shorthusk

Brachyelytrum erectum Hack. var. *japonicum* Hack., Bull. Herb. Boissier 7: 647 1899

Brachypodium P.Beauv. 숲개밀속

Brachypodium sylvaticum (Huds.) P.Beauv., Ess. Agrostogr. 101, 155 1812

국명: 숲개밀(Sup-gae-mil), 산개밀 / (북한명) 숲개밀

영명: False brome

Festuca sylvatica Huds., Fl. Angl. (Hudson) 38 1762

Bromus sylvaticus (Huds.) Lyons, Fasc. Pl. Cantab. 15 1763

Triticum sylvaticum (Huds.) Moench, Enum. Pl. Hass. 54 1777

Brachypodium sylvaticum (Huds.) P.Beauv. var. *sylvaticum*

Brachypodium sylvaticum (Huds.) P.Beauv. var. *miserum* (Thunb.) Koidz., Fl. Symb. Orient.-Asiat. 80 1930

국명: 민숲개밀(Min-sup-gae-mil)

Festuca misera Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 119 1784

Polypogon miser (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 214 1912

Brachypodium miserum (Thunb.) Koidz., Bot. Mag. (Tokyo) 39: 303 1925

Bromus L. 참새귀리속

Bromus ciliatus L., Sp. Pl. 1: 76 1753

국명: 빙새귀리(Bip-sae-gwi-ri) / (북한명) 새귀리

영명: Fringed brome

Bromus yezoensis Ohwi, Acta Phytotax. Geobot. 2: 30 1933

Bromus canadensis Michx. subsp. *yezoensis* (Ohwi) Vorosch., Byull. Moskovsk. Obshch. Isp. Prir. Otd. Biol. n.s, 95: 91 1990

Bromus japonicus Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 119 1784

국명: 참새귀리(Cham-sae-gwi-ri), 참새귀밀 / (북한명) 참새귀리

영명: Common brome

Bromus patulus Mert. & W.D.J.Koch, Deutschl. Fl. (Mertens & W. D. J. Koch) ed. 3 1: 685 1823

Bromus abolinii Drobow, Repert. Spec. Nov. Regni Veg. 21: 40 1925

Bromus remotiflorus (Steud.) Ohwi, Acta Phytotax. Geobot. 4: 58 1935

■ POACEAE 벼과

국명: **꼬리새**(Kko-ri-sae), 두메귀리, 새귀리, 이삭참새귀리 / (북한명) 여우꼬리새

영명: **Few-flower brome**

Festuca pauciflora Thunb. ex Murray, Fl. Jap. (Thunberg) 52 1784

Festuca remotiflora Steud., Syn. Pl. Glumac. 1: 315 1854

Schedonorus pauciflorus (Thunb. ex Murray) Miq., Prolus. Fl. Jap. 171 1866

Stenofestuca pauciflora (Thunb. ex Murray) Nakai, J. Jap. Bot. 25: 7 1950

Schedonorus remotiflorus (Steud.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 283 1866

Bromus richardsonii Link, Hort. Berol. (Link) 2: 281 1833

국명: **개립새귀리**(Gae-bip-sae-gwi-ri), 빙새귀리, 산새귀리 / (북한명) 산새귀리

영명: **Richardson's brome**

Zerna richardsonii (Link) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ. Ser. 8b, Bot. 17: 17 1934

Bromus ciliatus L. var. *richardsonii* (Link) B.Boivin, Naturaliste Canad. 94: 521 1967

Zerna canadensis (Michx.) Tzvelev subsp. *richardsonii* (Link) Tzvelev, Novosti Sist. Vyssh. Rast. 7: 54 1970

Bromopsis richardsonii (Link) Holub, Folia Geobot. Phytotax. 8: 168 1973

Bromopsis canadensis (Michx.) Holub subsp. *richardsonii* (Link) Tzvelev, Zlaki SSSR 214 1976

***Calamagrostis* Adans. 산새풀속**

Calamagrostis angustifolia Kom., Bot. Mater. Gerb. Glavn. Bot. Sada SSSR 6: 192 1926 **㊣**

국명: **백산새풀**(Baek-san-sae-pul), 백두산돌피, 백두산새풀 / (북한명) 백두산새풀

영명: **Narrow-leaf reedgrass**

Calamagrostis paishanensis Nakai, Bot. Mag. (Tokyo) 40: 491 1926

Calamagrostis canadensis subsp. *langsdorffii* (Link) Hultén, Fl. Alaska Yukon 161 1942

***Calamagrostis arundinacea* (L.) Roth**, Tent. Fl. Germ. 1: 33 1788

국명: **실새풀**(Sil-sae-pul), 다람쥐꼬리새풀, 메뛰기피, 새풀, 자주메뛰기피

영명: **Purple reedgrass**

Agrostis arundinacea L., Sp. Pl. 1: 61 1753

Calamagrostis arundinacea* (L.) Roth var. *arundinacea

Calamagrostis arundinacea* (L.) Roth var. *inaequigata Hack., Bot. Mag. (Tokyo) 40: 441 1926

국명: **제주새풀**(Je-ju-sae-pul)

영명: **Jeju purple reedgrass**

Calamagrostis bungeana Petrov, Fl. Iakut. 1: 209 1930

국명: **봉겐새풀**(Bung-gen-sae-pul)

영명: **Bunge's reedgrass**

Calamagrostis epigejos (L.) Roth, Tent. Fl. Germ. 1: 34 1788

국명: 산조풀(San-jo-pul), 돌서숙, 돌조풀, 산서숙 / (북한명) 산조풀

영명: Wood small reed

Arundo epigejos L., Sp. Pl. 1: 81 1753

Calamagrostis georica K.Koch, Linnaea 21: 387 1848

Calamagrostis thrysoidea K.Koch, Linnaea 21: 388 1848

Calamagrostis macrolepis Litv., Bot. Mater. Gerb. Glavn. Bot. Sada RSFSR 2: 125 1921

Calamagrostis heterogluma (Nakai) Honda, Bot. Mag. (Tokyo) 40: 441 1926

국명: 들새풀(Deul-sae-pul), 금강개미피 / (북한명) 들새풀

영명: Heteroglumous reedgrass

Calamagrostis langsdorffii (Link) Trin. var. *langsdorffii*

Calamagrostis langsdorffii (Link) Trin. var. *ramosa* (Nakai) Nakai, Bot. Mag. (Tokyo) 40: 490 1926

국명: 큰산새풀(Keun-san-sae-pul)

Calamagrostis villosa (Chaix) J.F.Gmel. var. *ramosa* Nakai, Bot. Mag. (Tokyo) 35: 139 1921

Calamagrostis lapponica (Wahlenb.) Hartm., Gen. Gram. 1: 5 1819

국명: 라프랜드새풀(Ra-peu-raen-deu-sae-pul)

영명: Lapland reedgrass

Arundo lapponica Wahlenb., Fl. Lapp. 27 1812

Calamagrostis monticola Petrov ex Kom., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 197 1932

국명: 북선메뛰기피(Buk-seon-me-ttwi-gi-pi), 북메뛰기풀, 북새풀 / (북한명) 북새풀

영명: Alpine reedgrass

Calamagrostis neglecta (Ehrh.) P.Gaertn. & B.Mey. & Schreb. var. *neglecta*

Calamagrostis neglecta (Ehrh.) P.Gaertn. & B.Mey. & Schreb. var. *aculeolata* (Hack.) Miyabe & Kudô, J.

Fac. Agric. Hokkaido Imp. Univ. 26: 140 1931

국명: 야지피(Ya-ji-pi), 북산새풀, 야지산새풀, 야자피 / (북한명) 야지산새풀

영명: Slim-stem reedgrass

Calamagrostis stricta (Timm) Koeler var. *aculeolata* Hack., Bull. Herb. Boissier 7: 652 1899

Calamagrostis neglecta (Ehrh.) P.Gaertn. & B.Mey. & Schreb. subsp. *aculeolata* (Hack.) T.Koyama, Grasses Japan 496 1987

Calamagrostis pseudophragmites (Haller f.) Koeler, Descr. Gram. [Koeler] 106 1802

국명: 갯조풀(Gaet-jo-pul), 다북산새풀, 땅개비피 / (북한명) 다북산새풀

영명: Coastal small reedgrass

■ POACEAE 벼과

Arundo pseudophragmites Haller f., Arch. Bot. (Leipzig) 1: 11 1796

Calamagrostis purpurea (Trin.) Trin., Gram. Unifl. Sesquifl. [Trinius] 219 1824

국명: 산새풀(San-sae-pul), 가지산새풀, 산메뚜기풀, 산메뚜기피, 큰산새풀 / (북한명) 산새풀

영명: Langsdorf's reedgrass

Arundo purpurea Trin., Neue Entd. 2: 52 1821

Arundo langsdorffii Link, Enum. Hort. Berol. Alt. 1: 74 1821

Calamagrostis langsdorffii (Link) Trin., Gram. Unifl. Sesquifl. [Trinius] 225 1824

Calamagrostis sachalinensis F.Schmidt, Reis. Amur-Land., Bot. 202, t. 8, f. 8-14 1868

국명: 사할린새풀(Sa-hal-rin-sae-pul)

영명: Sakhalin reedgrass

Calamagrostis subacrochaeta Nakai, Bot. Mag. (Tokyo) 40: 490 1926 ⓘ

국명: 낭림새풀(Nang-rim-sae-pul), 낭임메뚜기피, 랑림산새풀 / (북한명) 랑림산새풀

영명: Nangrim reedgrass

Capillipedium Stapf 나도기름새속

Capillipedium parviflorum (R.Br.) Stapf, Fl. Trop. Afr. 9: 169 1917

국명: 나도기름새(Na-do-gi-reum-sae), 소염새, 수염새

영명: Small-flower scented-top

Holcus parviflora R.Br., Prodr. Fl. Nov. Holland. 199 1810

Chrysopogon parviflorus (R.Br.) Nees, London J. Bot. 2: 411 1843

Bothriochloa parviflora (R.Br.) Ohwi, Acta Phytotax. Geobot. 11: 166 1942

Cinna L. 나도딸기광이속

Cinna latifolia (Trevir. ex Göpp.) Griseb., Fl. Ross. (Ledeb.) 4: 435 1853

국명: 나도딸기광이(Na-do-ttal-gi-gwang-i), 이삭새, 이삭조

영명: Drooping woodreed

Agrostis latifolia Trevir ex Göpp., Beschr. Bot. Gaert. Breslau 82 1830

Muhlenbergia pendula Trin., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math. 2: 172 1832

Cinna expansa Link, Hort. Berol. [Link] 2: 236 1833

Cinna pendula (Trin.) Trin., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 280 1845

Cinna arundinacea L. var. *pendula* (Trin.) A.Gray, Manual (Gray) ed. 2: 545 1856

Agrostis alba L. var. *koreensis* Nakai, Bot. Mag. (Tokyo) 33: 1 1919

Cleistogenes Keng 대새풀속

Cleistogenes hackelii (Honda) Honda, Bot. Mag. (Tokyo) 50: 437 1936

국명: 대새풀(Dae-sae-pul), 두루미피 / (북한명) 대세풀, 두루미피

영명: Hackel's cleistogenes

Diplachne hackelii Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 112 1930

Cleistogenes hackelii* (Honda) Honda var. *hackelii

Cleistogenes hackelii (Honda) Honda var. *nakaii* (Keng) Ohwi, Bot. Mag. (Tokyo) 55: 309 1941

국명: 수염대새풀(Su-yeom-dae-sae-pul), 넓은잎대새풀, 넓은잎두루미피, 수두루미피 / (북한명) 넓은잎대새풀

영명: Beard Hackel's cleistogenes

Cleistogenes serotina (L.) Keng var. *nakaii* Keng, Sinensis 5: 151 1934

Cleistogenes nakaii (Keng) Honda, Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 99 1936

***Coelachne* R.Br. 좀조개풀속**

Coelachne japonica Hack., Bull. Herb. Boissier 7: 701 1899

국명: 좀조개풀(Jom-jo-gae-pul)

영명: East Asian basketgrass

***Crypsis* Aiton 갯풀무속**

Crypsis aculeata (L.) Aiton, Hort. Kew. 1: 48 1789

국명: 갯풀무(Gaet-yul-mu), 은화풀 / (북한명) 은화풀, 은화초

영명: Common prickleglass

Schoenus aculeatus L., Sp. Pl. 1: 42 1753

Anthoxanthum aculeatum (L.) L.f., Suppl. Pl. 89 1782

***Cymbopogon* Spreng. 개술새속**

Cymbopogon goeringii (Steud.) A.Camus, Rev. Bot. Appl. Agric. Colon. 1: 286 1921

국명: 개술새(Gae-sol-sae), 향슬새 / (북한명) 개술새

영명: Georing's lemon grass

Andropogon goeringii Steud., Flora 29: 22 1846

Andropogon nardus L. var. *goeringii* (Steud.) Hack., Monogr. Phan. 6: 607 1889

Cymbopogon tortilis (Presl) Hitchc. var. *goeringii* (Steud.) Hand.-Mazz., Symb. Sin. 5: 1314 1936

***Cynodon* Rich. 우산잔디속**

Cynodon dactylon (L.) Pers., Syn. Pl. 1: 85 1805

국명: 우산잔디(U-san-jan-di), 우산대바랭이, 우산대잔듸, 우산대잔디 / (북한명) 우산잔디

영명: Bermuda grass

Panicum dactylon L., Sp. Pl. 1: 58 1753

■ POACEAE 벼과

Paspalum dactylon (L.) Lam., Encycl. (Lamarck) 1: 176 1791
Capriola dactylon (L.) Kuntze, Revis. Gen. Pl. 2: 764 1891

Deschampsia P.Beauv. 좀새풀속

Deschampsia cespitosa (L.) P.Beauv. subsp. ***cespitoso***

Deschampsia cespitosa (L.) P.Beauv. subsp. ***orientalis*** Hultén, Kongl. Svenska Vetensk. Acad. Handl. 5: 109, Pl. 5, f. a-b 1927

국명: 좀새풀(Jom-sae-pul), 두메잔새, 산우산대잔듸, 잔새 / (북한명) 쌀새

영명: Tufted hairgrass

Diarrhena P.Beauv. 용수염속

Diarrhena fauriei (Hack.) Ohwi, Acta Phytotax. Geobot. 10: 135 1941

국명: 광릉용수염(Gwang-reung-yong-su-yeom), 광능용수염풀, 광릉개율미, 광릉나비염풀, 넓은잎진퍼리새 / (북한명) 넓은잎용수염풀, 넓은잎진퍼리새

영명: Gwangneung breakgrain

Molinia fauriei Hack., Bull. Herb. Boissier ser. 2, 3: 504 1903

Neomolinia fauriei (Hack.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 110 1930

Diarrhena koryoensis Honda, Koryo Shikenrin Ippan 79 1932

Diarrhena nekka-montana Honda, Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 62 1936

Diarrhena yabeana Kitag., Bot. Mag. (Tokyo) 51: 150 1937

Neomolinia koryoensis (Honda) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 140 1952

Diarrhena fauriei (Hack.) Ohwi var. *koryoensis* (Honda) I.C.Chung, J. Wash. Acad. Sci. 45: 215 1955

Diarrhena japonica (Franch. & Sav.) Franch. & Sav., Enum. Pl. Jap. 2: 603 1879

국명: 용수염(Yong-su-yeom), 개율미, 나비염풀, 용수염풀 / (북한명) 용수염풀

영명: East Asian breakgrain

Onoea japonica Franch. & Sav., Enum. Pl. Jap. 2: 178 1877

Neomolinia japonica (Franch. & Sav.) Prob., Sosud. Rast. Sovet. Dal'nego Vostoka 1: 343 1985

Diarrhena mandshurica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 32: 628 1888

국명: 껍질용수염(Kkeop-jil-yong-su-yeom), 껍질용수염풀, 만주용수염풀 / (북한명) 만주용수염풀

영명: Manchurian breakgrain

Neomolinia mandshurica (Maxim.) Honda, Bot. Mag. (Tokyo) 46: 2 1932

Digitaria Haller 바랭이속

Digitaria ciliaris (Retz.) Koeler, Descr. Gram. [Koeler] 27 1802

국명: **바랭이**(Ba-raeng-i), 바랑이, 텔바랑이 / (북한명) 바랭이, 바랑이

영명: **Southern crabgrass**

Panicum ciliare Retz., Observ. Bot. (Retzius) 4: 16 1786

Panicum adscendens Kunth, Nov. Gen. Sp. [Kunth] 1: 97 1816

Digitaria chinensis Hornem., Suppl. Hort. Bot. Hafn. 8 1819

Digitaria adscendens (Kunth) Henrard, Blumea 1: 92 1934

***Digitaria radicosa* (J.Presl)** Miq., Fl. Ned. Ind. 3: 437 1855

국명: **좀바랭이**(Jom-ba-raeng-i), 애기바랭이

영명: **Trailing crabgrass**

Panicum radicosum J.Presl, Reliq. Haenk. 1: 297 1830

Panicum timorense Kunth, Enum. Pl. (Kunth) 1: 83 1833

Digitaria timorensis (Kunth) Balansa, J. Bot. (Morot) 4: 138 1890

Digitaria formosana Rendle, J. Linn. Soc., Bot. 36: 323 1904

***Digitaria violascens* Link**, Hort. Berol. (Link) 1: 229 1827

국명: **민바랭이**(Min-ba-raeng-i), 민바랑이 / (북한명) 민바랭이

영명: **Violet crabgrass**

Panicum violascens (Link) Kunth, Revis. Gramin. 1: 33 1829

Digitaria violascens* Link var. *violascens

Digitaria violascens* Link var. *intersita (Ohwi) Ohwi, Fl. Jap. (Ohwi) 67 1953

국명: **서울민바랭이**(Seo-ul-min-ba-raeng-i)

영명: **Seoul violet crabgrass**

Digitaria ischaemum (Schreb.) Muhl. var. *intersita* Ohwi, Acta Phytotax. Geobot. 11: 32 1942

Digitaria violascens* Link var. *lasiophylla (Honda) Tuyama, J. Jap. Bot. 18: 15 1942

국명: **탐라민바랭이**(Tam-ra-min-ba-raeng-i)

영명: **Jeju violet crabgrass**

Syntherisma ischaemum (Schreb.) Nash var. *lasiophylla* Honda, Bot. Mag. (Tokyo) 38: 126 1924

***Dimeria* R.Br. 잔디바랭이속**

Dimeria ornithopoda Trin., Fund. Agrost. 167 1820

국명: **잔디바랭이**(Jan-di-ba-raeng-i), 가지바랭이, 잔디바랑이, 잔디바랑이새 / (북한명) 잔디바랭이, 잔디바랑이

영명: **Birdleg dimeria**

Dimeria tenera Trin., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math. 2: 335 1833

Andropogon stipiformis Steud., Syn. Pl. Glumac. 1: 377 1854

Dimeria stipiformis (Steud.) Miq., Prolus. Fl. Jap. 176 1867

Dimeria ornithopoda Trin. var. *tenera* (Trin.) Hack., Monogr. Phan. 6: 80 1889

Dimeria higoensis Honda, Bot. Mag. (Tokyo) 40: 108 1926

Dimeria mikii Honda, Bot. Mag. (Tokyo) 46: 634 1932

Dimeria ornithopoda* Trin. subsp. *ornithopoda

Dimeria ornithopoda* Trin. subsp. *subrobusta (Hack.) S.L.Chen & G.Y.sheng, Fl. Reipubl. Popularis Sin. 10: 172 1997

국명: **갓바랭이**(Gaet-ba-raeng-i)

영명: **Coastal dimeria**

Dimeria ornithopoda Trin. var. *subrobusta* Hack., Monogr. Phan. 6: 82 1889

***Echinochloa* P.Beauv. 편속**

***Echinochloa crus-galli* (L.) P.Beauv.**, Ess. Agrostogr. 53, 161 1812

국명: **돌피**(Dol-pi) / (북한명) 돌피

영명: **Barnyard grass**

Panicum crus-galli L., Sp. Pl. 1: 56 1753

Echinochloa crus-galli (L.) P.Beauv. var. *formosensis* Ohwi, Acta Phytotax. Geobot. 11: 37 1942

Echinochloa crus-galli* (L.) P.Beauv. var. *crus-galli

Echinochloa crus-galli* (L.) P.Beauv. var. *echinatum (Willd.) Honda, Bot. Mag. (Tokyo) 37: 120 1923

국명: **풀피**(Mul-pi)

Panicum echinatum Willd., Enum. Pl. 1032 1809

Panicum crus-galli L. var. *echinatum* (Willd.) Döll, Fl. Bras. (Martius) 2: 143 1877

Echinochloa echinata (Willd.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 137 1952

Echinochloa crus-galli* (L.) P.Beauv. var. *praticola Ohwi, Acta Phytotax. Geobot. 11: 37 1942

국명: **좁돌피**(Jom-dol-pi) / (북한명) 돌피

영명: **Meadow barnyard grass**

***Echinochloa esculenta* (A.Braun) H.Scholz, Taxon 41: 523 1992**

국명: **피**(Pi)

영명: **Esculent barnyard grass**

Panicum esculentum A.Braun, Index Seminum (B) 1855(App.): 3 1861

Echinochloa utilis Ohwi & Yabuno, Acta Phytotax. Geobot. 20: 50 1962

Echinochloa crus-galli (L.) P.Beauv. var. *utilis* (Ohwi & Yabuno) Kitag., Acta Phytotax. Geobot. 36: 93 1985

***Echinochloa glabrescens* Munro ex Hook.f., Fl. Brit. Ind. 7: 31 1897**

국명: 대만피(Dae-man-pi)

영명: Hairless barnyard grass

Echinochloa oryzicola (Vasinger) Vasinger, Fl. URSS 2: 33 1934

국명: 논피(Non-pi)

영명: Early barnyard grass

Panicum oryzicola Vasinger, Trudy Prikl. Bot. 25: 125 1931

Echinochloa crus-galli (L.) P.Beauv. var. *oryzicola* (Vasinger) Ohwi, Acta Phytotax. Geobot. 11: 38 1942

Echinochloa oryzoides (Ard.) Fritsch, Verh. K.K. Zool.-Bot. Ges. Wien 41: 742 1891

국명: 나도논피(Na-do-non-pi)

Echinochloa crus-galli (L.) P.Beauv. var. *riukiensis* Ohwi, Acta Phytotax. Geobot. 11: 37 1942

Eleusine Gaertn. 왕바랭이속

Eleusine indica (L.) Gaertn., Fruct. Sem. Pl. 1: 8 1788

국명: 왕바랭이(Wang-ba-raeng-i), 길잡이풀, 왕바랑이, 왕바래기 / (북한명) 왕바랭이

영명: Indian goosegrass

Cynosurus indicus L., Sp. Pl. 1: 72 1753

Cynodon indicus (L.) Raspail, Ann. Sci. Nat. (Paris) 5: 303 1825

Eleusine distachya Trin. Ex Steud., Nomencl. Bot ed. 2, 1: 549 1840

Eleusine japonica Steud., Syn. Pl. Glumac. 1: 211 1854

Elymus L. 갓보리속

Elymus ciliaris (Trin. ex Bunge) Tzvelev, Novosti Sist. Vyssh. Rast. 9: 61 1972

국명: 속털개밀(Sok-teol-gae-mil), 텔개밀

영명: Ciliate wheatgrass

Triticum ciliare Trin. ex Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 146 1831

Brachypodium ciliare (Trin. ex Bunge) Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 71 1879

Agropyron ciliare (Trin. ex Bunge) Franch., Pl. David. 1: 341 1884

Agropyron semicostatum Nees ex Steud. var. *ciliare* (Trin. ex Bunge) Hack., Bull. Herb. Boissier 2, 3: 506 1903

Roegneria ciliaris (Trin. ex Bunge) Nevski, Trudy Bot. Inst. Akad. Nauk S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 14 1933

Agropyron ciliare (Trin. ex Bunge) Franch. var. *hackelianum* (Honda) Ohwi, Acta Phytotax. Geobot. 10: 971 1941

Roegneria hackeliana (Honda) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 141 1952

Roegneria japonensis (Honda) Keng ex Keng & S.L.Chen var. *hackeliana* (Honda) Keng, Clav. Gen. Sp. Gram. Prim. Sin. 71: 186 1957

Agropyron ciliare (Trin. ex Bunge) Franch. f. *hackelianum* (Honda) Y.N.Lee, Man. Korean Grasses 100 1966

Roegneria racemifera (Steud.) Kitag. var. *hackeliana* (Honda) Kitag., J. Jap. Bot. 42: 221 1967

Elymus racemifer (Steud.) Tzvelev, Novosti Sist. Vyssh. Rast. 11: 72 1974

■ POACEAE 벼과

Elymus ciliaris (Trin. ex Bunge) Tzvelev var. *ciliaris*

Elymus ciliaris (Trin. ex Bunge) Tzvelev var. *hackelianus* G.Zhu & S.L.Chen, Fl. China 22: 409 2006

국명: 가는개밀(Ga-neun-gae-mil), 가는잎개밀, 가는잎털개밀 / (북한명) 가는잎개밀

영명: Slender wheatgrass

Elymus dahuricus Turcz. ex Griseb., Fl. Ross. (Ledeb.) 4: 331 1852

국명: 갯보리(Gaet-bo-ri), 애기갯보리, 좀갯보리, 큰갯보리 / (북한명) 갯보리

영명: Dahurian wheatgrass

Elymus dahuricus Turcz. ex Griseb. var. *cylindricus* Franch., Pl. David. 1: 342 1883

Clinelymus dahuricus (Turcz. ex Griseb.) Nevski ex Griseb., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 645 1932

Clinelymus cylindricus (Franch.) Honda, Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 1 1936

Elymus franchetii Kitag., J. Jap. Bot. 43: 189 1968

Elymus dahuricus Turcz. ex Griseb. var. *dahuricus*

Elymus dahuricus Turcz. ex Griseb. var. *villosulus* (Ohwi) Ohwi, Acta Phytotax. Geobot. 10: 101 1941

국명: 산갯보리(San-gaet-bo-ri)

영명: Velvet Dahurian wheatgrass

Elymus villosulus Ohwi, Bot. Mag. (Tokyo) 45: 183 1931

Elymus gmelinii (Ledeb.) Tzvelev, Rast. Tsentral. Azii 4: 216 1968

국명: 털개밀(Teol-gae-mil), 북개밀 / (북한명) 털개밀

영명: Hairy wheatgrass

Triticum caninum L. var. *gmelinii* Ledeb., Icon. Pl. (Lebedour) 3: 16, t. 248 1831

Agropyron gmelinii (Ledeb.) Scribn. & J.G.Sm., Bull. Div. Agrostol., U.S.D.A. 4: 30 1897

Agropyron turczaninovii Drobow, Trudy Bot. Muz. Imp. Akad. Nauk 12: 47 1914

Roegneria turczaninovii (Drobow) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ. Ser. 8b, Bot. 17: 68 1934

Roegneria gmelini (Ledeb.) Kitag., Lin. Fl. Manshur. 91 1939

Agropyron turczaninovii Drobow var. *tenuisetum* Ohwi, Acta Phytotax. Geobot. 10: 97 1941

Elymus nipponicus Jaaska, Izv. Akad. Nauk Estonsk. SSR, Ser. Biol. 23: 6 1974

국명: 자주개밀(Ja-ju-gae-mil), 금강개밀

영명: Purplish wheatgrass

Agropyron yezoense Honda, Bot. Mag. (Tokyo) 43: 292 1929

Agropyron tashiroi Ohwi, J. Jap. Bot. 13: 333 1937

Agropyron yezoense Honda var. *tashiroi* (Ohwi) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 1953

Elymus sibiricus L., Sp. Pl. 1: 83 1753

국명: 개보리(Gae-bo-ri), 갯보리, 나도개밀 / (북한명) 갯개보리, 나도개밀

영명: Siberian wheatgrass

Clinelymus sibiricus (L.) Nevski, Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 641 1932
Elymus krascheninnikovi Roshev., Izv. Bot. Sada Akad. Nauk S.S.S.R 30: 780 1932
Elymus pendulosus H.J.Hodgs., Rhodora 58: 144 1956

Elymus tsukushiensis* Honda var. *tsukushiensis

Elymus tsukushiensis* Honda var. *transiens (Hack.) K.Osada, J. Jap. Bot. 65: 266 1990

국명: 개밀(Gae-mil), 들밀, 수염개밀 / (북한명) 개밀

영명: Wheatgrass

Agropyron semicostatum Nees ex Steud. var. *transiens* Hack., Bull. Herb. Boissier ser.2, 3: 507 1903
Agropyron kamoji Ohwi, Acta Phytotax. Geobot. 11: 179 1942
Roegneria kamoji (Ohwi) Ohwi, Bull. Natl. Sci. Mus., Tokyo 11: 179 1942
Agropyron tsukushense (Honda) Ohwi var. *transiens* (Hack.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 1953

***Eragrostis* Wolf 참새그령속**

***Eragrostis ciliaris* (All.) Vignolo ex Janch.**, Malpighia 18: 386 1904

국명: 참새그령(Cham-sae.geu-ryeong)

영명: Lovegrass

Briza eragrostis L., Sp. Pl. 1: 70 1753
Poa ciliaris All., Fl. Pedem. 2: 246 1785
Eragrostis megastachya (Koeler) Link, Hort. Berol. [Link] 1: 187 1827

***Eragrostis ferruginea* (Thunb.) P.Beauv.**, Ess. Agrostogr. 71 1812

국명: 그령(Geu-ryeong), 꾸부령, 암크령 / (북한명) 암크령

영명: Korean lovegrass

Poa ferruginea Thunb., Fl. Jap. (Thunberg) 50 1784
Poa barbata Thunb., Fl. Jap. (Thunberg) 50 1784

***Eragrostis japonica* (Thunb.) Trin.**, Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math. 1: 405 1830

국명: 각시그령(Gak-si-geu-ryeong), 각씨그령, 자주암크령 / (북한명) 각시크령

영명: Pond lovegrass

Poa japonica Thunb., Fl. Jap. (Thunberg) 51 1784
Eragrostis tenella (L.) P.Beauv. ex Roem. & Schult. var. *japonica* (Thunb.) Roem. & Schult., Syst.Veg. (ed.16) [Roemer & Schultes] 2: 576 1817
Eragrostis aurea Steud., Syn. Pl. Glumac. 1: 267 1854
Diandrochloa japonica (Thunb.) A.N.Henry, Bull. Bot. Surv. India 9: 290 1968
Roshevitzia japonica (Thunb.) Tzvelev, Novosti Sist. Vyssh. Rast. 7: 50 1970

***Eragrostis minor* Host**, Fl. Austriaca 1: 135 1827

■ POACEAE 벼과

국명: 좀새그령(Jom-sae-geu-ryeong), 섬비노리 / (북한명) 좀새크령

영명: Little lovegrass

Poa eragrostis L., Sp. Pl. 1: 68 1753

Eragrostis multicaulis Steud., Syn. Pl. Glumac. 1: 426 1854

국명: 비노리(Bi-no-ri) / (북한명) 비노리

영명: Multi-stem lovegrass

Eragrostis pilosa (L.) P.Beauv. f. *multicaulis* (Steud.) I.C.Chung, Korean Grasses 118 1965

Eragrostis pilosa (L.) P.Beauv., Ess. Agrostogr. 71 1812

국명: 큰비노리(Keun-bi-no-ri) / (북한명) 큰비노리

영명: Indian lovegrass

Poa pilosa L., Sp. Pl. 1: 68 1753

Eragrostis multispicula Kitag., J. Jap. Bot. 39: 250 1964

Eriochloa Kunth 나도개피속

Eriochloa villosa (Thunb.) Kunth, Revis. Gramin. 1: 30 1829

국명: 나도개피(Na-do-gae-pi), 가는잎개피, 개피, 새피 / (북한명) 나도개피

영명: Hairy cupgrass

Paspalum villosum Thunb., Fl. Jap. (Thunberg) 45 1784

Helopuss villosus (Thunb.) Nees ex Steud., Nomencl. Bot. ed. 2 (Steudel) 1: 747 1840

Eulalia Kunth 개억새속

Eulalia quadrinervis (Hack.) Kuntze, Revis. Gen. Pl. 2: 775 1891

국명: 털개억새(Teol-gae-eok-sae), 유드기아재비, 좀개억새 / (북한명) 유드기아재비

영명: Four-nerve eulalia

Pollinia quadrinervis Hack., Monogr. Phan. 6: 158 1889

Pseudopogonatherum quadrinerve (Hack.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 3 1947

Eulalia speciosa (Debeaux) Kuntze, Revis. Gen. Pl. 2: 775 1891

국명: 개억새(Gae-eok-sae), 유드기 / (북한명) 유드기

영명: Beautiful eulalia

Erianthus speciosus Debeaux, Actes Soc. Linn. Bordeaux 32: 53 1878

Pollinia speciosa (Debeaux) Hack., Monogr. Phan. 6: 159 1889

Pseudopogonatherum speciosum (Debeaux) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 3 1947

Festuca Tourn. ex L. 김의털속

Festuca extremiorientalis Ohwi, Bot. Mag. (Tokyo) 45: 194 1931

국명: **왕김의털아재비**(Wang-gim-ui-teol-a-jae-bi)

영명: **Asian subulate fescue**

Festuca subulata Bong. var. *japonica* Hack., Bull. Herb. Boissier 7: 713 1899

Festuca iwamotoi Honda, Bot. Mag. (Tokyo) 47: 435 1933

Festuca japonica Makino, Bot. Mag. (Tokyo) 20: 83 1906

국명: **산목새**(San-muk-sae), 산김의털아재비 / (북한명) 산김의털아재비

영명: **Oriental fescue**

Festuca fauriei Hack., Bull. Acad. Int. Géogr. Bot. 18: 348 1908

Festuca ovina L., Sp. Pl. 1: 73 1753

국명: **김의털**(Gim-ui-teol), 산거울 / (북한명) 김의털

영명: **Sheep's fescue**

Bromus ovinus (L.) Scop., Fl. Carniol. ed. 2 1: 77 1771

Avena ovina (L.) Salisb., Prodr. Stirp. Chap. Allerton 22 1796

Festuca ovina L. var. *sulcifera* Ohwi, Acta Phytotax. Geobot. 10: 111 1941

Festuca ovina L. var. ***ovina***

Festuca ovina L. var. ***chiisanensis*** Ohwi, Acta Phytotax. Geobot. 10: 111 1941

국명: **자리산김의털**(Ji-ri-san-gim-ui-teol), 자이산김의털 / (북한명) 자리산김의털

영명: **Jirisan sheep's fescue**

Festuca ovina L. var. ***chosonica*** Ohwi, Acta Phytotax. Geobot. 10: 111 1941 ⓘ

국명: **수염김의털**(Su-yeom-gim-ui-teol) / (북한명) 수염김의털

영명: **Choseon sheep's fescue**

Festuca ovina L. var. ***coreana*** (St.-Yves) St.-Yves, Candollea 3: 333 1928

국명: **참김의털**(Cham-gim-ui-teol), 고려김의털

영명: **Korean sheep's fescue**

Festuca ovina L. var. ***duriuscula*** (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 812 1837

국명: **서울김의털**(Seo-ul-gim-ui-teol), 애기김의털, 이삭김의털

영명: **Seoul sheep's fescue**

Festuca duriuscula L., Sp. Pl. 1: 74 1753

Festuca ovina L. var. ***koreanoalpina*** Ohwi, Acta Phytotax. Geobot. 10: 111 1941 ⓘ

국명: **두메김의털**(Du-me-gim-ui-teol), 산김의털, 큰산김의털 / (북한명) 산김의털

영명: **Alpine sheep's fescue**

■ POACEAE 벼과

Festuca parviflora Steud., Syn. Pl. Glumac. 1: 305 1854

국명: 김의털아재비(Gim-ui-teol-a-jae-bi), 쇠목새 / (북한명) 김의털아재비

영명: Small-glum fescue

Festuca rubra L., Sp. Pl. 1: 74 1753

국명: 왕김의털(Wang-gim-ui-teol), 쇠털골 / (북한명) 왕김의털

영명: Red fescue

Festuca rubra L. var. *baicalensis* Griseb., Fl. Ross. (Lebed.) 4: 352 1852

Festuca rubra L. var. *muramatsui* Ohwi, Acta Phytotax. Geobot. 1: 66 1932

Festuca takedana Ohwi, Acta Phytotax. Geobot. 4: 33 1935

국명: 개목새(Gae-muk-sae), 큰산목새

영명: Smooth Asian fescue

Glyceria R.Br. 미꾸리광이속

Glyceria acutiflora Torr. subsp. *acutiflora*

Glyceria acutiflora Torr. subsp. *japonica* (Steud.) T.Koyama & Kawano, Canad. J. Bot. 42: 869 1964

국명: 육절보리풀(Yuk-jeol-bo-ri-pul)

영명: Creeping mannagrass

Hemibromus japonicus Steud., Syn. Pl. Glumac. 1: 317 1854

Glyceria alnasteretum Kom., Repert. Spec. Nov. Regni Veg. 13: 87 1914

국명: 두메미꾸리꽝이(Du-me-mi-kku-ri-gwang-i), 두메미꾸리꽝이, 두메미꾸리꿰미, 산진들피 / (북한명) 산진들피

영명: Aleutian mannagrass

Glyceria remota (Forselles) Fr. var. *japonica* Hack., Bull. Herb. Boissier 7: 712 1899

Glyceria arundinacea Kunth, Revis. Gramin. 1: 118 1829

국명: 긴진들피(Gin-jin-deul-pi)

영명: Spreading mannagrass

Glyceria aquatica (L.) J.Presl & C.Presl var. *triflora* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 418 1892

Glyceria arundinacea Kunth subsp. *triflora* (Korsh.) Tzvelev, Novosti Sist. Vyssh. Rast. 8: 81 1971

Glyceria debilior (Trin. ex F.Schmidt) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 11: 74 1922

국명: 검정진들피(Geom-jeong-jin-deul-pi)

영명: Waxy mannagrass

Glyceria aquatica (L.) J.Presl & C.Presl var. *debilior* Trin. ex F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér.

7 12: 201 1868

Glyceria ischyronoeura Steud., Syn. Pl. Glumac. 1: 427 1854

국명: 진들피(Jin-deul-pi), 미꾸리꽝이, 미꾸리꽝이, 미꾸리꿰미 / (북한명) 진들피

영명: **Protruding mannagrass**

Glyceria tonglensis C.B.Clarke var. *honshiana* Kelso, Rhodora 37: 263 1935

Glyceria leptolepis Ohwi, Bot. Mag. (Tokyo) 45: 381 1931

국명: 왕미꾸리꽝이(Wang-mi-kku-ri-gwang-i), 넓은잎진들피, 왕미꾸리꽝기, 왕미꾸리꽝이, 왕진들피 / (북한명) 왕진들피

영명: **Broad-leaf mannagrass**

Glyceria lithuanica (Gorski) Gorski, Icon. Bot. Char. Cyp. Gram. Lith. t. 20 1849

국명: 총전꽝이(Chong-jeon-gwang-i), 사할진들피, 검정진들피, 총전꽝이 / (북한명) 북진들피, 싸할린들피

영명: **Lithuania mannagrass**

Poa lithuanica Gorski, Skizze 117 1830

Glyceria orientalis Kom., Repert. Spec. Nov. Regni Veg. 13: 162 1914

Glyceria spiculosa (F.Schmidt) Roshev. ex B.Fedtsch., Fl. Transbaical. 1: 85 1929

국명: 대택꽝이(Dae-taek-gwang-i), 쇠진들피, 대택꽝이 / (북한명) 이삭진들피

영명: **Fine-point mannagrass**

Scolochloa spiculosa F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 201 1868

Fluminia spiculosa (F.Schmidt) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 66 1930

Hemarthria R.Br. 소치기풀속

Hemarthria sibirica (Gand.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 18: 1 1947

국명: 소치기풀(Soe-chi-gi-pul) / (북한명) 소치기풀

영명: **Siberian jointgrass**

Rottboellia compressa L.f. var. *japonica* Hack., Monogr. Phan. 6: 288 1889

Rottboellia sibirica Gand., Bull. Soc. Bot. France 66: 302 1919

Rottboellia japonica (Hack.) Honda, Bot. Mag. (Tokyo) 41: 8 1927

Hemarthria compressa (L.f.) R.Br. var. *japonica* (Hack.) Ohwi, Acta Phytotax. Geobot. 11: 177 1942

Hierochloe R.Br. 향모속

Hierochloe alpina (Sw. ex Willd.) Roem. & Schult., Syst.Veg. (ed.15) [Roemer & Schultes] 2: 515 1817

국명: 산향모(San-hyang-mo), 산기름새 / (북한명) 산향모

영명: **Alpine sweetgrass**

Holcus alpinus Sw. ex Willd., Sp. Pl. (ed.5) 4: 937 1806

Holcus monticola Bigelow, New England J. Med. Surg. 5: 334 1816

Dimesia monticola (Bigelow) Raf., Amer. Monthly Mag. & Crit. Rev. 1: 442 1817

■ POACEAE 벼과

Hierochloe glabra Trin., Neue Entd. 2: 66 1821

국명: 애기향모(Ae-gi-hyang-mo)

Hierochloe odorata (L.) P.Beauv., Ess. Agrostogr. 62, 164 1812

국명: 향모(Hyang-mo)

영명: Sweetgrass

Holcus odoratus L., Sp. Pl. 2: 1048 1753

Hystrix Moench 수염개밀속

Hystrix coreana (Honda) Ohwi, J. Jap. Bot. 12: 653 1936

국명: 고려개보리(Go-ryeo-gae-bo-ri)

영명: Korean wheatgrass

Elymus coreanus Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 17 1930

Hystrix longe-aristata (Hack.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 14 1930

국명: 수염개밀(Su-yeom-gae-mil), 수염마양초 / (북한명) 수염마양초

영명: Long-beard porcupine

Asperella sibirica Trautv. var. *longe-aristata* Hack., Bull. Herb. Boissier 7: 715 1899

Asperella longi-aristata (Hack.) Ohwi, Acta Phytotax. Geobot. 10: 103 1941

Imperata Cirillo 땅속

Imperata cylindrica (L.) Raeusch., Nomenc. Bot. ed. 3: 10 1797

국명: 땅(Tti), 띠, 빠비, 뻘기 / (북한명) 땅, 땅풀

영명: Blady grass

Lagurus cylindricus L., Syst. Nat. ed. 10 2: 878 1759

Saccharum koenigii Retz., Observ. Bot. (Retzius) 5: 16 1789

Imperata koenigii (Retz.) P.Beauv., Ess. Agrostogr. 165 1812

Imperata arundinacea Cirillo var. *koenigii* (Retz.) Benth., Fl. Hongk. 419 1861

Imperata cylindrica (L.) Raeusch. var. *koenigii* (Retz.) Pilg., Fragm. Pl. Filip. 137 1904

Isachne R.Br. 기장대풀속

Isachne globosa (Thunb.) Kuntze, Revis. Gen. Pl. 2: 778 1891

국명: 기장대풀(Gi-jang-dae-pul), 애기을미 / (북한명) 기장대풀

영명: Swamp bloodgrass

Milium globosum Thunb., Fl. Jap. (Thunberg) 49 1784

Isachne australis R.Br., Prodr. Fl. Nov. Holland. 196 1810

Isachne nipponensis Ohwi, Acta Phytotax. Geobot. 4: 30 1955

국명: 누운기장대풀(Nu-un-gi-jang-dae-pul), 누은기장대풀, 누운애기풀미 / (북한명) 누운기장대풀, 누운애기풀미
영명: Spreading swamp bloodgrass

***Ischaemum* L. 쇠보리속**

Ischaemum anthephoroides (Steud.) Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 193 1867

국명: 갯쇠보리(Gaet-soe-bo-ri), 개쇠보리, 털쇠보리 / (북한명) 털쇠보리, 갯쇠보리

영명: Asian murainagrass

Rottboellia anthephoroides Steud., Flora 29: 22 1846

Andropogon anthephoroides (Steud.) Steud., Syn. Pl. Glumac. 1: 375 1854

Ischaemum eriostachyum Hack., Monogr. Phan. 6: 281 1889

Ischaemum anthephoroides (Steud.) Miq. var. *eriostachyum* (Hack.) Honda, Bot. Mag. (Tokyo) 41: 378 1927

Ischaemum anthephoroides* (Steud.) Miq. f. *anthephoroides

Ischaemum anthephoroides* (Steud.) Miq. f. *coreanum (Nakai ex Honda) Y.N.Lee, Man. Korean Grasses 74 1966

국명: 참쇠보리(Cham-soe-bo-ri), 서울갯쇠보리, 조선쇠보리 / (북한명) 참쇠보리

영명: Korean murainagrass

Ischaemum coreanum Nakai ex Honda, Bot. Mag. (Tokyo) 38: 52 1924

Ischaemum aristatum* L. var. *aristatum

Ischaemum aristatum* L. var. *glaucum (Honda) T.Koyama, J. Jap. Bot. 37: 239 1962

국명: 쇠보리(Soe-bo-ri)

영명: Toco grass

Ischaemum crassipes (Steud.) Thell. var. *glaucum* Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 355 1930

***Koeleria* Pers. 도랭이피속**

Koeleria macrantha (Ledeb.) Schult., Mant. 2: 345 1824

국명: 도랭이피(Do-raeng-i-pi), 도랑이피

영명: Prairie junegrass

Aira macrantha Ledeb., Mém. Acad. Imp. Sci. St. Pétersbourg Hist. Acad. 5: 515 1812

***Leersia* Sw. 겨풀속**

Leersia japonica (Makino ex Honda) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 7 1930

국명: 나도겨풀(Na-do-gyeo-pul), 거신텔피, 겨풀, 물겨풀

영명: East Asian cutgrass

Homalocenchrus japonicus Makino ex Honda, Bot. Mag. (Tokyo) 39: 37 1925

■ POACEAE 벼과

***Leersia oryzoides* (L.) Sw., Prodr. 21 1788**

국명: 좀겨풀(Jom-gyeo-pul), 개빔새피, 겨풀, 쌀겨풀 / (북한명) 참벼겨풀

영명: Rice cutgrass

Phalaris oryzoides L., Sp. Pl. 1: 55 1753

Asprella oryzoides (L.) P.Beauv., Ess. Agrostogr. 153 1812

Oryza oryzoides (L.) Brand & W.D.J.Koch, Syn. Deut. Schweiz. Fl. ed. 3 3: 2704 1905

***Leersia sayanuka* Ohwi, Acta Phytotax. Geobot. 7: 36 1938**

국명: 겨풀(Gyeo-pul), 개겨풀, 개조풀, 벼겨풀, 빙새풀 / (북한명) 벼겨풀

영명: Gyeopul (Asian cutgrass)

Leersia oryzoides (L.) Sw. var. *japonica* Hack., Bot. Mag. (Tokyo) 11: 443 1897

Homalocenchrus oryzoides Mieg ex Pollich var. *japonicus* (Hack.) Honda, Bot. Mag. (Tokyo) 39: 35 1925

***Leptochloa* P.Beauv. 드렁새속**

***Leptochloa chinensis* (L.) Nees, Syll. Pl. Nov. 1: 4 1824**

국명: 드렁새(Deu-reong-sae)

영명: Asian sprangletop

Poa chinensis L., Sp. Pl. 1: 69 1753

***Leymus* Hochst. 개밀아재비속**

***Leymus chinensis* (Trin.) Tzvelev, Rast. Tsentral. Azii 4: 205 1968**

국명: 개밀아재비(Gae-mil-a-jae-bi)

영명: False wheatgrass

Triticum chinense Trin., Enum. Pl. China Bor. [A.A. von Bunge] 146 1831

Triticum pseudoagropyrum Trin. ex Griseb., Fl. Ross. (Ledeb.) 4: 343 1852

Elymus psedoagropyron (Trin. ex Griseb.) Trin. ex Turcz., Bull. Soc. Imp. Naturalistes Moscou 29: 63 1865

Agropyron pseudoagropyrum (Trin. ex Griseb.) Franch., Pl. David. 1: 340 1884

Aneurolepidium pseudoagropyrum (Trin. ex Griseb.) Nevski, Trudy Bot. Inst. Akad. Nauk S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 1: 25 1933

Agropyron chinense (Trin.) Ohwi, Acta Phytotax. Geobot. 6: 150 1937

Aneurolepidium chinense (Trin.) Kita, Rep. Inst. Sci. Res. Manchoukuo 2: 281 1938

Elymus chinensis (Trin.) Keng, Sunyatsenia 6: 66 1941

***Leymus mollis* (Trin.) Pilg., Bot. Jahrb. Syst. 74: 6 1949**

국명: 갓그령(Gaet-geu-ryeong)

영명: Sea wheatgrass

Elymus mollis Trin., Neue Entdeck. Pflanzenk. 2: 72 1821

Elymus arenarius L. var. *villosum* E.Mey., Pl. Labrador. 20 1830

Elymus arenarius L. var. *coreensis* Hack., Bull. Herb. Boissier ser 2, 3: 507 1903

Elymus mollis Trin. var. *coreensis* (Hack.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 21 1930

Leymus mollis (Trin.) Pilg. var. *coreensis* (Hack.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 21 1930

***Lophatherum* Brongn. 조릿대풀속**

Lophatherum gracile Brongn., Voy. Monde, Phan. 2: 50 1831

국명: 조릿대풀(Jo-rit-dae-pul), 그늘새, 애기그늘새, 조리대풀 / (북한명) 조릿대풀, 담죽엽

영명: Common lophatherum

Lophatherum elatum Zoll. & Moritzi, Syst. Verz. (Moritzi et al.) 102 1845

Acroelytrum japonicum Steud., Flora 29: 21 1846

Lophatherum japonicum (Steud.) Steud., Syn. Pl. Glumac. 1: 300 1854

Lophatherum multiflorum Steud., Syn. Pl. Glumac. 1: 300 1854

Lophatherum humile Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 282 1866

Lophatherum sinense Rendle, J. Linn. Soc., Bot. 36: 421 1904

국명: 털조릿대풀(Teol-jo-rit-dae-pul), 개그늘새, 개조릿대풀 / (북한명) 개조릿대풀

영명: Hairy lophatherum

***Melica* L. 쌀새속**

Melica grandiflora Koidz., Bot. Mag. (Tokyo) 39: 17 1925

국명: 청쌀새(Cheong-ssal-sae)

Melica nutans L., Sp. Pl. 1: 66 1753

국명: 왕쌀새(Wang-ssal-sae), 청쌀새, 큰껍질새, 큰반쪽쌀새, 흰껍질새 / (북한명) 왕쌀새

영명: Mountain melic

Aira nutans (L.) Weber, Prim. Fl. Holsat. 7 1780

Melica onoei Franch. & Sav., Enum. Pl. Jap. 2: 603 1879

국명: 쌀새(Ssal-sae), 껍질새 / (북한명) 쌀새

영명: Broad-spike melic

Melica matsumurae Hack., Bull. Herb. Boissier 7: 706 1899

Melica kumana Honda, Bot. Mag. (Tokyo) 46: 1 1932

Melica scabrosa Trin., Enum. Pl. China Bor. [A.A. von Bunge] 72 1833

국명: 참쌀새(Cham-ssal-sae), 개껍질새, 참껍질새 / (북한명) 참쌀새

영명: Rough melic

Melica turczaninowiana Ohwi, Acta Phytotax. Geobot. 1: 142 1932

국명: 큰껍질새(Keon-kkeop-jil-sae), 큰껍질쌀새, 큰쌀새 / (북한명) 큰껍질쌀새, 큰껍질새

영명: Turczaninov's melic

Microstegium Nees 민바랭이새속

Microstegium japonicum (Miq.) Koidz., Bot. Mag. (Tokyo) 43: 394 1929

국명: 민바랭이새(Min-ba-raeng-i-sae)

영명: East Asian glabrate browntop

Pollinia japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 290 1866

Leptatherum japonicum (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 608 1878

Microstegium vimineum (Trin.) A.Camus, Ann. Soc. Linn. Lyon ser. 2, 68: 201 1921

국명: 나도바랭이새(Na-do-ba-raeng-i-sae), 대잎바랭이새, 맷잎새, 민바랭이, 애기나도바랭이새 /
(북한명) 대잎바랭이새

영명: Nepalese browntop

Microstegium vimineum (Trin.) A.Camus var. *imberbe* (Nees ex Steud.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 408 1930

Andropogon vimineus Trin., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math. 2: 268 1832

Microstegium willdenowianum Nees ex Lindl., Intr. Nat. Syst. Bot. (Amer. ed.) 2: 447 1836

Pollinia imberbis Nees ex Steud., Syn. Pl. Glumac. 1: 410 1854

Pollinia imberbis Nees ex Steud. var. *willdenowiana* (Nees ex Lindl.) Hack., Monogr. Phan. 6: 178 1889

Eulalia viminea (Trin.) Kuntze, Revis. Gen. Pl. 2: 775 1891

Microstegium vimineum (Trin.) A.Camus var. *willdenowianum* (Nees ex Lindl.) A.Camus, Fl. Indo-Chine 7: 260 1922

Microstegium vimineum (Trin.) A.Camus var. ***vimineum***

Microstegium vimineum (Trin.) A.Camus var. ***polystachyum*** (Franch. & Sav.) Ohwi, Acta Phytotax. Geobot. 11: 156 1942

국명: 큰듬성이삭새(Keun-deum-seong-i-sak-sae)

영명: Loose-spike browntop

Pollinia japonica Miq. var. *polystachya* Franch. & Sav., Enum. Pl. Jap. 2: 190 1877

Milium L. 나도겨이삭속

Milium effusum L., Sp. Pl. 1: 61 1753

국명: 나도겨이삭(Na-do-gyeo-i-sak), 빙새울무, 빙새울미, 조풀 / (북한명) 나도겨이삭

영명: Wood milletgrass

Agrostis effusa (L.) Lam., Encycl. (Lamarck) 1: 59 1783

Melica effusa (L.) Salisb., Prodr. Stirp. Chap. Allerton 20 1796

Paspalum effusum (L.) Raspail, Ann. Sci. Nat. (Paris) 5: 301 1825

Miscanthus Andersson 억새속

Miscanthus changii Y.N.Lee, J. Jap. Bot. 39: 115 1964 ⓘ

국명: 장억새(Jang-eok-sae)

영명: Silvergrass

Miscanthus longiberbis (Hack.) Nakai var. *changii* (Y.N.Lee) Ibaragi & H.Ohashi, J. Jap. Bot. 79: 15 2004

Miscanthus condensatus* Hack f. *condensatus

Miscanthus condensatus* Hack f. *purpurascens (Y.N.Lee) M.Kim, Korean Endemic Pl. 565 2017

국명: 자주해변억새(Ja-ju-hae-byeon-eok-sae)

Miscanthus condensatus Hack var. *purpurascens* Y.N.Lee, Bull. Korea Pl. Res. 6: 19 2006

***Miscanthus sacchariflorus* (Maxim.) Benth. & Hool.f. ex Franch., Nouv. Arch. Mus. Hist. Nat. sér. 2, 7: 137 1884**

국명: 물억새(Mul-eok-sae), 큰억새 / (북한명) 물억새

영명: Amur silvergrass

Imperata sacchariflora Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 331 1859

Triarrhenes sacchariflora (Maxim.) Nakai, J. Jap. Bot. 25: 7 1950

Miscanthus sacchariflorus* (Maxim.) Benth. & Hool.f. ex Franch. var. *sacchariflorus

Miscanthus sacchariflorus* (Maxim.) Benth. & Hool.f. ex Franch. var. *gracilis Y.N.Lee, J. Jap. Bot. 39: 123 1964

국명: 가는잎물억새(Ga-neun-ip-mul-eok-sae)

영명: Narrow-leaf Amur silvergrass

Miscanthus sacchariflorus* (Maxim.) Benth. & Hool.f. ex Franch. f. *sacchariflorus

Miscanthus sacchariflorus* (Maxim.) Benth. & Hool.f. ex Franch. f. *latifolius Adachi, Bull. Fac. Agr. Mie Univ. 17: 59 1958

국명: 넓은잎물억새(Neol-beun-ip-mul-eok-sae)

영명: Wide-leaf Amur silvergrass

***Miscanthus sinensis* Andersson, Ofvers. Forh. Kongl. Svenska Vetensk.-Akad. 12: 136 1856**

국명: 참억새(Cham-eok-sae), 고려억새, 참진억새, 흑산억새, 연두억새 / (북한명) 억새, 참억새

영명: Maiden silvergrass

Saccharum japonicum Thunb., Trans. Linn. Soc. London 2: 328 1794

Eulalia japonica (Thunb.) Trin., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math. 2: 333 1832

Miscanthus sinensis Andersson var. *viridis* Y.N.Lee, Bull. Korea Pl. Res. 6: 16 2006

Miscanthus sinensis Andersson f. *viridis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 566 2017

Miscanthus sinensis* Andersson var. *sinensis

Miscanthus sinensis* Andersson var. *albiflorus Y.N.Lee, Bull. Korea Pl. Res. 2: 23 2002

■ POACEAE 벼과

국명: 흰억새(Huin-eok-sae)

영명: White maiden silvergrass

Miscanthus sinensis Andersson f. *albiflorus* (Y.N.Lee) M.Kim, Korean Endemic Pl. 566 2017

Miscanthus sinensis Andersson var. *gracillimus* Hitchc., Cycl. Amer. Hort. 3: 1021 1901

국명: 가는잎억새(Ga-neun-ip-eok-sae), 털억새

영명: Delicate maiden silvergrass

Miscanthus sinensis Andersson f. *gracillimus* (Hitchc.) Ohwi, Acta Phytotax. Geobot. 11: 149 1942

Miscanthus sinensis Andersson var. *ionandros* (Nakai) Y.N.Lee, J. Jap. Bot. 39: 293 1964

국명: 뒷억새(Moet-eok-sae) / (북한명) 뒷억새, 깔끔억새

영명: Mountain maiden silvergrass

Miscanthus ionandros Nakai, Bot. Mag. (Tokyo) 31: 13 1917

Miscanthus sinensis Andersson var. *keumunensis* Y.N.Lee, J. Jap. Bot. 39: 119 1964

국명: 거문억새(Geo-mun-eok-sae)

영명: Geomun maiden silvergrass

Miscanthus sinensis Andersson var. *nakaianus* (Honda) I.C.Chung, J. Wash. Acad. Sci. 45: 215 1955

국명: 중정억새(Jung-jeong-eok-sae)

영명: Smooth maiden silvergrass

Miscanthus nakaianus Honda, Bot. Mag. (Tokyo) 42: 130 1928

Miscanthus sinensis Andersson var. *purpurascens* (Andersson) Matsum., Nippon Shokubutsumeii ed. 2:

189 1895

국명: 억새(Eok-sae), 자주억새 / (북한명) 자주억새

영명: Purple maiden silvergrass

Miscanthus purpurascens Andersson, Ofvers. Forh. Kongl. Svenska Vetensk.-Akad. 12: 167 1855

Miscanthus sinensis Andersson f. *purpurascens* (Andersson) Nakai, Bot. Mag. (Tokyo) 31: 16 1917

Miscanthus sinensis Andersson var. *sunanensis* Y.N.Lee, J. Jap. Bot. 39: 119 1964

국명: 순안억새(Sun-an-eok-sae)

영명: Sunan maiden silvergrass

Miscanthus sinensis Andersson f. *sinensis*

Miscanthus sinensis Andersson f. *chejuensis* (Y.N.Lee) M.Kim, Korean Endemic Pl. 566 2017 Ⓣ Ⓥ

국명: 금억새(Geum-eok-sae)

Miscanthus chejuensis Y.N.Lee, Korean J. Bot. 17(2): 85 1974

Miscanthus sinensis Andersson var. *chejuensis* (Y.N.Lee) Y.N.Lee, Fl. Korea (Lee) 1164 1996

Miscanthus sinensis Andersson f. *variegatus* Nakai, Bot. Mag. (Tokyo) 31: 15 1917

국명: 얼룩억새(Eol-ruk-eok-sae), 섬억새

영명: Variegated maiden silvergrass

Miscanthus × longiberbis (Hack.) Nakai, Bot. Mag. (Tokyo) 31: 12 1917

국명: 억새아재비(Eok-sae-a-jae-bi)

영명: Small Japanese silvergrass

Miscanthus matsumurae Hack. var. *longiberbis* Hack., Bull. Herb. Boissier II, 4: 532 1904

Molinia Schrank 진퍼리새속

Molinia japonica Hack., Bull. Herb. Boissier 7: 704 1899

국명: 진퍼리새(Jin-peo-ri-sae-sok) / (북한명) 진퍼리새

영명: Moorgrass

Moliniopsis japonica (Hack.) Hayata, Bot. Mag. (Tokyo) 36: 258 1925

Graphephorum nipponicum Honda, J. Jap. Bot. 10: 694 1934

Moliniopsis nipponica (Honda) Honda, Bot. Mag. (Tokyo) 50: 669 1936

Muhlenbergia Schreb. 주꼬리새속

Muhlenbergia hakonensis (Hack. ex Matsum.) Makino, J. Jap. Bot. 1: 13 1917

국명: 선주꼬리새(Seon-jwi-kko-ri-sae), 선주꼬리풀 / (북한명) 선주꼬리새

영명: Erect muhly

Muhlenbergia japonica Steud. var. *hakonensis* Hack. ex Matsum., Bot. Mag. (Tokyo) 11: 444 1897

Muhlenbergia huegelii Trin., Mém. Acad. Imp. Sci. Saint Pétersbourg, Sér. 6, Sci. Math., Seconde Pt. Sci. Nat. 6: 293 1841

국명: 큰주꼬리새(Keun-jwi-kko-ri-sae), 큰주꼬리풀 / (북한명) 큰주꼬리새

영명: Big muhly

Muhlenbergia longistolon Ohwi, Bull. Natl. Sci. Mus., Tokyo 26: 3 1949

Muhlenbergia japonica Steud., Syn. Pl. Glumac. 1: 422 1854

국명: 주꼬리새(Jwi-kko-ri-sae), 주꼬리풀, 초리새 / (북한명) 주꼬리새

영명: Purple-awn muhly

Muhlenbergia ramosa (Hack. ex Matsum.) Makino, J. Jap. Bot. 1: 13 1917

국명: 가지주꼬리새(Ga-ji-jwi-kko-ri-sae)

Muhlenbergia japonica Steud. var. *ramosa* Hack. ex Matsum., Bot. Mag. (Tokyo) 11: 444 1897

Oplismenus P.Beauv. 주름조개풀속

Oplismenus burmanni (Retz.) P.Beauv., Ess. Agrostogr. 54 1812

국명: 민주름조개풀(Min-ju-reum-jo-gae-pul)

영명: Smooth wavy-leaf basketgrass

Panicum burmanni Retz., Observ. Bot. 3: 10 1783

Panicum japonicum Steud., Flora 1: 18 1846

Oplismenus japonicus (Steud.) Honda, Bot. Mag. (Tokyo) 38: 189 1924

Oplismenus undulatifolius (Ard.) P.Beauv. var. *japonicus* (Steud.) Koidz., Bot. Mag. (Tokyo) 39: 302 1925

Oplismenus compositus (L.) P.Beauv., Ess. Agrostogr. 54 1812

국명: 가지주름조개풀(Ga-ji-ju-reum-jo-gae-pul), 가지주름새 / (북한명) 가지주름조개풀

영명: Running mountain basketgrass

Panicum compositum L., Sp. Pl. 1: 57 1753

Oplismenus undulatifolius (Ard.) P.Beauv., Ess. Agrostogr. 54 1812

국명: 주름조개풀(Ju-reum-jo-gae-pul), 명들내, 털주름풀 / (북한명) 주름조개풀

영명: Wavy-leaf basketgrass

Panicum undulatifolium Ard., Animadv. Bot. Spec. Alt. 14 1764

Orthopogon undulatifolius (Ard.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 306 1824

Oplismenus undulatifolius (Ard.) P.Beauv. var. *elongatus* Honda, Koryo Shikenrin Ippan 80 1932

국명: 참주름조개풀(Cham-ju-reum-jo-gae-pul), 진주름풀

영명: Elongate wavy-leaf basketgrass

Oplismenus undulatifolius (Ard.) P.Beauv. f. *elongatus* (Honda) Y.N.Lee, Man. Korean Grasses 30 1966

Oplismenus undulatifolius (Ard.) P.Beauv. var. *undulatifolius*

Oplismenus undulatifolius (Ard.) P.Beauv. var. *microphyllus* (Honda) Ohwi, Bot. Mag. (Tokyo) 55: 546 1941

국명: 애기주름조개풀(Ae-gi-ju-reum-jo-gae-pul)

영명: Small wavy-leaf basketgrass

Oplismenus microphyllus Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 274 1930

Panicum L. 기장속

Panicum bisulcatum Thunb., Nova Acta Regiae Soc. Sci. Upsal. 7: 141 1815

국명: 개기장(Gae-gi-jang), 둘기장 / (북한명) 개기장

영명: Chaff panicgrass

Panicum acroanthum Steud., Syn. Pl. Glumac. 1: 87 1854

***Paspalum* L. 참새피속**

Paspalum thunbergii Kunth ex Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 273 1841

국명: 참새피(Cham-sae-pi), 납작털피, 납작피, 털피 / (북한명) 참새피

영명: Asian crownglass

Paspalum mollipilum Steud., Syn. Pl. Glumac. 1: 20 1852

Paspalum scrobiculatum L. var. *thunbergii* (Kunth) Makino, Bot. Mag. (Tokyo) 10: 60 1896

***Pennisetum* Rich. 수크령속**

***Pennisetum alopecuroides* (L.) Spreng., Syst. Veg. (ed. 16) 1: 303 1824**

국명: 수크령(Su-keu-ryeong), 길갱이 / (북한명) 수크령

영명: Foxtail fountaingrass

Panicum alopecuroides L., Sp. Pl. 1: 55 1753

Pennisetum compressum R.Br., Prodr. Fl. Nov. Holland. 195 1810

Pennisetum japonicum Trin. ex Spreng., Neue Entdeck. Pflanzenk. 2: 76 1821

Gymnotrix japonica (Spreng.) Kunth var. *viridescens* Miq., Ann. Mus. Bot. Lugduno-Batavi 3: 164 1867

Pennisetum compressum R.Br. var. *viridescens* (Miq.) Rendle, J. Linn. Soc., Bot. 36: 339 1904

Pennisetum purpurascens (Thunb.) Kunth var. *viridescens* (Miq.) Makino, Bot. Mag. (Tokyo) 26: 294 1912

Pennisetum alopecuroides (L.) Spreng. var. *erythrochaetum* Ohwi, Acta Phytotax. Geobot. 4: 59 1935

Pennisetum alopecuroides (L.) Spreng. var. *viridescens* (Miq.) Ohwi, Acta Phytotax. Geobot. 4: 59 1935

Pennisetum alopecuroides (L.) Spreng. f. *erythrochaetum* (Ohwi) Ohwi, Acta Phytotax. Geobot. 10: 247 1941

Pennisetum alopecuroides (L.) Spreng. f. *viridescens* (Miq.) Ohwi, Acta Phytotax. Geobot. 10: 247 1941

Pennisetum alopecuroides (L.) Spreng. var. *albiflorum* Y.N.Lee, Bull. Korea Pl. Res. 2: 23 2002

***Phacelurus* Griseb. 모새달속**

***Phacelurus latifolius* (Steud.) Ohwi, Acta Phytotax. Geobot. 4: 59 1935 ⑧**

국명: 모새달(Mo-sae-dal) / (북한명) 모새달, 갈대쇠치기

영명: Broad-leaf phacelurus

Rottboellia latifolia Steud., Flora 29: 21 1846

Ischaemum latifolium (Steud.) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 291 1866

Manisuris latifolia (Steud.) Kuntze, Revis. Gen. Pl. 2: 780 1891

Pseudophacelurus latifolius (Steud.) A.Camus, Bull. Mus. Natl. Hist. Nat. 27: 371 1921

Phacelurus angustifolius (Debeaux) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 140 1952

Phacelurus latifolius* (Steud.) Ohwi var. *latifolius

***Phacelurus latifolius* (Steud.) Ohwi var. *angustifolius* (Debeaux) Kitag., Rep. Inst. Sci. Res. Manchoukuo 3: 85 1839**

국명: 가는잎모새달(Ga-neun-ip-mo-sae-dal), 좁은모새달 / (북한명) 좁은잎모새달, 갯달

영명: Slender-leaf phacelurus

■ POACEAE 벼과

Rottboellia latifolia Steud. var. *angustifolia* Debeaux, Actes Soc. Linn. Bordeaux 30: 123 1875
Phacelurus latifolius (Steud.) Ohwi f. *angustifolius* (Debeaux) Kitag., J. Jap. Bot. 41: 368 1966

***Phaenosperma* Munro ex Benth. 기장풀속**

***Phaenosperma globosum* Munro ex Benth.**, J. Linn. Soc., Bot. 19: 59 1881

국명: 산기장(San-gi-jang), 산기장풀, 황새피 / (북한명) 산기장

영명: *Globose phaenosperma*

Garnotia japonica Hack., Oesterr. Bot. Z. 52: 55 1902

***Phalaris* L. 갈풀속**

***Phalaris arundinacea* L.**, Sp. Pl. 1: 55 1753

국명: 갈풀(Gal-pul), 달, 흰줄갈풀, 흰갈풀 / (북한명) 갈풀

영명: Reed canary grass

Phalaris arundinacea L. var. *picta* L., Sp. Pl. 1: 55 1753

Typhoides arundinacea (L.) Moench, Methodus (Moench) 202 1794

Digraphis arundinacea (L.) Trin., Fund. Agrost. 127 1820

Baldingera arundinacea (L.) Dumort., Observ. Gramin. Belg. 130 1824

Phalaris japonica Steud., Syn. Pl. Glumac. 1: 11 1853

***Phleum* L. 산조아재비속**

***Phleum alpinum* L.**, Sp. Pl. 1: 59 1753

국명: 산조아재비(San-jo-a-jae-bi), 두메산조아재비, 산돌조 / (북한명) 두메산조아재비, 산조아재비,
두메득새풀아재비, 산돌조

영명: Alpine timothy

Phleum pratense L. var. *alpinum* (L.) Schreb., Beschr. Gras. 1: 103 1769

Phleum commutatum Gaudich., Alpina 3: 4 1808

Plantinia alpina (L.) Bubani, Fl. Pyren. 4: 272 1901

***Phragmites* Adans. 갈대속**

***Phragmites australis* (Cav.) Trin. ex Steud., Nomencl. Bot. ed. 2 (Steudel) 2: 324 1841**

국명: 갈대(Gal-dae), 갈, 갈때, 달, 북달

영명: Common reed

Arundo phragmites L., Sp. Pl. 1: 81 1753

Arundo australis Cav., Anales Hist. Nat. 1: 100 1799

Phragmites communis Trin., Fund. Agrost. 134 1820

Phragmites longivalvis Steud., Syn. Pl. Glumac. 1: 196 1854

***Phragmites japonicus* Steud., Syn. Pl. Glumac. 1: 196 1854**

국명: 달뿌리풀(Dal-ppu-ri-pul), 달, 덩굴달 / (북한명) 달뿌리풀, 다리갈

영명: Runner reed

Phragmites serotinus Kom., Fl. URSS 2: 305, 751 1934

Phragmites karka (Retz.) Trin. ex Steud., Nomencl. Bot. ed. 2 (Steudel) 1: 144 1840

국명: 큰달뿌리풀(Keun-dal-ppu-ri-pul), 왕갈, 큰달 / (북한명) 왕갈

영명: Tall reed

Arundo karka Retz., Observ. Bot. (Retzius) 4: 21 1786

Sericura japonica Steud., Flora 29: 20 1846

Oxyanthe japonica (Steud.) Steud., Syn. Pl. Glumac. 1: 197 1854

Phragmites prostratus Makino, Bot. Mag. (Tokyo) 26: 237 1912

Phyllostachys Siebold & Zucc. 왕대속

Phyllostachys nigra (Lodd. ex Lindl.) Munro var. *nigra*

Phyllostachys nigra (Lodd. ex Lindl.) Munro var. *henonis* (Mitford) Stapf ex Rendle, J. Linn. Soc., Bot. 36: 443 1904

국명: 솜대(Som-dae), 담죽, 분검정대, 분죽

Phyllostachys henonis Mitford, Bamb. Gard. 149 1896

Phyllostachys nigra (Lodd. ex Lindl.) Munro var. *henonis* (Mitford) Stapf ex Rendle f. *henonis*

Phyllostachys nigra (Lodd. ex Lindl.) Munro var. *henonis* (Mitford) Stapf ex Rendle f. *punctata* Nakai, J. Linn. Soc., Bot. 36: 442 1904

국명: 반죽(Ban-jug) / (북한명) 반죽

Poa L. 포아풀속

Poa acroleuca Steud., Syn. Pl. Glumac. 1: 256 1854

국명: 실포아풀(Sil-po-a-pul), 꾸레미풀, 실꿰미풀 / (북한명) 실꿰미풀

영명: White-top bluegrass

Poa familiaris Steud., Syn. Pl. Glumac. 1: 426 1854

Poa psilocalvis Steud., Syn. Pl. Glumac. 1: 256 1854

Poa acroleuca Steud. var. *acroleuca*

Poa acroleuca Steud. var. *submoniliformis* Makino, Bot. Mag. (Tokyo) 27: 116 1913

국명: 마디포아풀(Ma-di-po-a-pul), 섬꾸Leaks이풀 / (북한명) 구슬실꿰미풀

영명: Swollen-node white-top bluegrass

■ POACEAE 벼과

Poa acroleuca Steud. f. *submoniliformis* (Makino) T.Koyama, Grasses Japan 523 1987

Poa annua L., Sp. Pl. 1: 68 1753

국명: 새포아풀(Sae-po-a-pul), 개꾸Leaks이풀, 새꿰미풀 / (북한명) 새꿰미풀

영명: Annual bluegrass

Poa deschampsiooides Ohwi, Bot. Mag. (Tokyo) 45: 195 1931 (E)

국명: 좀새포아풀(Jom-sae-po-a-pul) / (북한명) 뒷꿰미풀

영명: Korean bluegrass

Poa glauca Vahl, Fl. Dan. 6: 3, t. 964 1790

국명: 자주포아풀(Ja-ju-po-a-pul), 구름꿰미풀, 주름꾸Leaks이풀 / (북한명) 구름꿰미풀

영명: Glaucous bluegrass

Poa extremiorientalis Ohwi, Acta Phytotax. Geobot. 7: 132 1928

Poa hisauchii Honda, Bot. Mag. (Tokyo) 42: 132 1928

국명: 구내풀(Gu-nae-pul), 꾸Leaks이풀, 도랑꿰미풀, 히사우지풀, 히사우찌포아풀 / (북한명) 도랑꿰미풀

영명: Ditch bluegrass

Poa komarovii Roshev., Izv. Glavn. Bot. Sada SSSR 26: 286 1927

국명: 코마로브포아풀(Ko-ma-ro-beu-po-a-pul) / (북한명) 두메꿰미풀

영명: Komarov's bluegrass

Poa kumgangsanii Ohwi, Acta Phytotax. Geobot. 4: 62 1935 (E)

국명: 금강포아풀(Geum-gang-po-a-pul), 금강꾸Leaks이풀, 금강꿰미풀 / (북한명) 금강꿰미풀

영명: Geumgang bluegrass

Poa nemoralis L. var. *kumgangsanii* (Ohwi) H.S.Kim, Fl. Coreana (Kim) 7: 167 1976

Poa matsumurae Hack., Bull. Herb. Boissier 7: 709 1899

국명: 가는포아풀(Ga-neun-po-a-pul), 가는꾸Leaks이풀 / (북한명) 가는꿰미풀

영명: Slender kentucky bluegrass

Poa tomentosa Koidz., Bot. Mag. (Tokyo) 31: 255 1917

Poa chosenensis Ohwi, Acta Phytotax. Geobot. 4: 59 1935

Poa iwateana Ohwi, Acta Phytotax. Geobot. 4: 60 1935

Poa iwayae Honda, Bot. Mag. (Tokyo) 53: 51 1939

Poa malacantha Kom. var. *malacantha*

Poa malacantha Kom. var. *shinanoana* (Ohwi) Ohwi, Fl. Jap. (revised ed.) 1439 1965

국명: 두메포아풀(Du-me-po-a-pul) / (북한명) 두메포아풀

영명: Mountain bluegrass

Poa shinanoana Ohwi, Acta Phytotax. Geobot. 2: 31 1933

Poa nemoralis L., Sp. Pl. 1: 69 1753

국명: 선포아풀(Seon-po-a-pul), 선꾸Leaks이풀, 선꿰미풀 / (북한명) 선꿰미풀

영명: Wood bluegrass

Paneion nemoralis (L.) Lunell, Amer. Midl. Naturalist 4: 222 1915

Poa nipponica Koidz., Bot. Mag. (Tokyo) 31: 256 1917

국명: 큰꾸러미풀(Keun-kku-reo-mi-pul), 질긴포아풀, 큰꿰미풀, 큰꿰미풀 / (북한명) 큰꿰미풀

영명: Thick bluegrass

Poa annua L. f. *maxima* Hack. ex Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 77 1930

Poa nepalensis (Wall. ex Griseb.) Duthie var. *nipponica* (Koidz.) Soreng & G.Zhu, Fl. China 22: 289 2006

Poa palustris L., Syst. Nat. ed. 10, 2: 874 1759

국명: 눈포아풀(Nun-po-a-pul), 뜰꾸Leaks이풀, 뜰포아풀, 물포아풀, 진퍼리꿰미풀 / (북한명) 진퍼리꿰미풀

영명: Fowl bluegrass

Poa serotina Ehrh. ex Hoffm., Deutschl. Fl., Jahrgang 3 (Hoffm.) 3: 42 1800

Poa radula Franch. & Sav., Enum. Pl. Jap. 2: 602 1878

국명: 좀꾸러미풀(Jom-kku-reo-mi-pul), 좀꾸Leaks이풀

영명: Mountain ridge bluegrass

Poa sibirica Roshev., Izv. Imp. S.-Peterburgsk. Bot. Sada 12: 121 1912

국명: 시베리아포아풀(Si-be-ri-a-po-a-pul)

영명: Siberian bluegrass

Poa trivialis L. var. *altaica* Griseb., Fl. Ross. 4: 380 1852

Poa insignis Litv., Fl. URSS 2: 753 1934

Poa sphondyloides Trin., Enum. Pl. China Bor. [A.A. von Bunge] 71 1833

국명: 포아풀(Po-a-pul), 꿰미풀, 선꾸Leaks이풀, 쇠꾸Leaks이풀, 숲꾸Leaks이풀, 키다리포아풀 / (북한명) 꿰미풀

영명: Hard bluegrass

Poa takesimana Honda, Bot. Mag. (Tokyo) 42: 133 1928 ⓘ

국명: 섬포아풀(Seom-po-a-pul), 울릉꾸Leaks이풀, 울릉꿰미풀

영명: Island bluegrass

Poa matsumurae Hack. var. *takesimana* (Honda) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 1953

Poa tuberifera Faurie ex Hack., Oesterr. Bot. Z. 52: 451 1902

국명: 성진포아풀(Seong-gin-po-a-pul)

■ POACEAE 벼과

Poa ullungdoensis I.C.Chung, J. Wash. Acad. Sci. 45: 212 1955 ⓘ

국명: 올릉포아풀(Ul-reung-po-a-pul)

영명: Ulleung bluegrass

Poa ussuriensis Roshev., Fl. URSS 2: 754 1934

국명: 갑산포아풀(Gap-san-po-a-pul) / (북한명) 북제미풀

영명: Ussuri bluegrass

Poa urssulensis Trin. var. *urssulensis*

Poa urssulensis Trin. var. *kanboensis* (Ohwi) Olonova & G.Zhu, Fl. China 22: 203 2006

국명: 관모포아풀(Gwan-mo-po-a-pul), 갈미꾸ием이풀, 갈미제미풀

영명: Gwanmo bluegrass

Poa kanboensis Ohwi, Acta Phytotax. Geobot. 10: 125 1941

Poa viridula Palib., Trudy Imp. S.-Peterburgsk. Bot. Sada 19: 134 1901

국명: 청포아풀(Cheong-po-a-pul), 푸른꾸ием이풀, 푸른제미풀 / (북한명) 푸른제미풀

영명: Greenish bluegrass

***Polypogon* Desf. 쇠돌피속**

Polypogon fugax Nees ex Steud., Syn. Pl. Glumac. 1: 184 1854

국명: 쇠돌피(Soe-dol-pi), 올릉쇠돌피, 피아재비 / (북한명) 쇠돌피

영명: Asian minor rabbit's-foot grass

Polypogon demissus Steud., Syn. Pl. Glumac. 1: 422 1854

Polypogon higegaweri Steud., Syn. Pl. Glumac. 1: 422 1854

Polypogon monspeliensis (L.) Desf., Fl. Atlant. 1: 66 1798

국명: 갯쇠돌피(Gaet-soe-dol-pi), 갯피아재비, 갯돌피, 개쇠돌피 / (북한명) 갯쇠돌피

영명: Annual rabbit's-foot grass

Alopecurus monspeliensis L., Sp. Pl. 1: 61 1753

Polypogon flavescent J.Presl, Reliq. Haenk. 1: 235 1830

***Pseudoraphis* Griff. ex Pilg. 물잔디속**

Pseudoraphis sordida (Thwaites) S.M.Phillips & S.L.Chen, Novon 13: 469 2003 ⓘ

국명: 물잔디(Mul-jan-di), 선물잔디 / (북한명) 물잔디

영명: East Asian mudgrass

Panicum sordidum Thwaites, Enum. Pl. Zeyl. 443 1864

Pseudoraphis ukishiba Ohwi, Acta Phytotax. Geobot. 10: 273 1941

Pseudosasa Makino ex Nakai 이대속

Pseudosasa japonica (Siebold & Zucc. ex Steud.) Makino ex Nakai, J. Jap. Bot. 2: 15 1920

국명: 이대(I-dae)

Arundinaria japonica Siebold & Zucc. ex Steud., Syn. Pl. Glumac. 1: 334 1854

Sasa japonica (Siebold & Zucc. ex Steud.) Makino, Bot. Mag. (Tokyo) 26: 13 1912

Pseudosasa japonica (Siebold & Zucc. ex Steud.) Makino ex Nakai var. *purpurascens* Nakai, Fl. Sylv. Kor. 20: 20 1933

Pseudosasa japonica (Siebold & Zucc. ex Steud.) Makino ex Nakai f. *purpurascens* (Nakai) M.Kim, Korean Endemic Pl. 566 2017

Puccinellia Parl. 각시미꾸리광이속

Puccinellia chinampoensis Ohwi, Acta Phytotax. Geobot. 4: 31 1935

국명: 각시미꾸리광이(Gak-si-mi-kku-ri-gwang-i), 처린미꾸리광이 / (북한명) 남포미꾸리꿰미풀

영명: *Jinnampo* alkaligrass

Puccinellia coreensis Hack. ex Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 57 1930

국명: 갯겨이삭(Gaet-gyeo-i-sak), 고려꾸Leaks이풀, 남꾸Leaks이풀, 조선미꾸리꿰미, 참겨이삭 / (북한명) 조선미꾸리꿰미풀

영명: Korean alkaligrass

Puccinellia nipponica Ohwi, Bot. Mag. (Tokyo) 45: 379 1931

국명: 갯꾸러미풀(Gaet-kku-reo-mi-pul), 개미꾸리꿰미풀, 갯꾸Leaks이풀 / (북한명) 갯미꾸리꿰미풀

영명: Seashore alkaligrass

Puccinellia adpressa Ohwi, Bot. Mag. (Tokyo) 45: 380 1931

Puccinellia pumila (Vasey) Hitchc., Amer. J. Bot. 21: 129 1934

국명: 천도미꾸리광이(Cheon-do-mi-kku-ri-gwang-i)

Atropis kuriensis Takeda, J. Linn. Soc., Bot. 42: 497 1914

Puccinellia paupercula (Holm) Fernald & Weath., Rhodora 18: 18 1916

Puccinellia kuriensis (Takeda) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 59 1930

Puccinellia distans (Jacq.) Parl. var. *minor* (S.Watson) B.Boivin, Naturaliste Canad. 94: 527 1967

Sacciolepis Nash 좀물뚝새속

Sacciolepis indica (L.) Chase, Proc. Biol. Soc. Wash. 21: 8 1908

국명: 좀물뚝새(Jom-mul-ttuk-sae), 물뚝새, 이삭피 / (북한명) 좀물뚝새, 미끄등피, 이삭피

영명: Glenwoodgrass

Aira indica L., Sp. Pl. 1: 63 1753

Panicum indicum (L.) L., Mant. Pl. 2: 184 1771

Panicum phalaroides Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 452 1817

Sacciolepis spicata (L.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 261 1930

Sacciolepis indica (L.) Chase var. *indica*

Sacciolepis indica (L.) Chase var. *oryzetorum* (Makino) Ohwi, Fl. Jap. (Ohwi) 144 1953

국명: 물뚝새(Mul-ttuk-sae), 물뚝새풀, 큰이삭피 / (북한명) 큰이삭피, 물뚝새풀, 선미끄등

영명: Paddy field glenwoodgrass

Panicum indicum (L.) L. var. *oryzetorum* Makino, Bot. Mag. (Tokyo) 27: 28 1913

Sacciolepis oryzetorum (Makino) Honda, Bot. Mag. (Tokyo) 37: 118 1923

Sasa Makino & Shibata 조릿대속

Sasa borealis (Hack.) Makino & Shibata, Bot. Mag. (Tokyo) 15: 24 1901

국명: 조릿대(Jo-rit-dae), 고주조릿대, 기주조릿대, 산대, 산죽, 신우대, 조리대 / (북한명) 조릿대

영명: Northern bamboo

Arundinaria purpurascens Hack., Bull. Herb. Boissier 7: 716 1899

Bambusa borealis Hack., Bull. Herb. Boissier 7: 720 1899

Arundinaria borealis (Hack.) Makino, Bot. Mag. (Tokyo) 14: 20 1900

Sasa spiculosa (J.A.Schmidt) Makino, Bot. Mag. (Tokyo) 26: 12 1912

Sasa purpurascens (Hack.) E.G.Camus, Bambusees (Camus) 19 1913

Pseudosasa spiculosa (J.A.Schmidt) Makino, J. Jap. Bot. 2: 16 1920

Sasa spiculosa (J.A.Schmidt) Makino f. *angustior* Makino, J. Jap. Bot. 5: 9 1928

Pseudosasa spiculosa (J.A.Schmidt) Makino f. *angustior* (Makino) Makino, J. Jap. Bot. 5: 16 1928

Sasa spiculosa (J.A.Schmidt) Makino var. *subpubescens* Makino & Uchida, J. Jap. Bot. 6: 24 1929

Sasamorpha purpurascens (Hack.) Nakai, J. Fac. Agric. Hokkaido Imp. Univ. 26: 181 1931

Sasamorpha borealis (Hack.) Nakai, J. Fac. Agric. Hokkaido Imp. Univ. 26: 181 1931

Sasamorpha amabilis Nakai, Bot. Mag. (Tokyo) 46: 37 1932

Sasamorpha purpurascens (Hack.) Nakai var. *angustior* (Makino) Nakai, Bot. Mag. (Tokyo) 46: 42 1932

Sasamorpha purpurascens (Hack.) Nakai var. *borealis* (Hack.) Nakai, Bot. Mag. (Tokyo) 46: 41 1932

Sasamorpha purpurascens (Hack.) Nakai var. *macrochaeta* (Nakai) Nakai, J. Jap. Bot. 11: 75 1935

Sasamorpha purpurascens (Hack.) Nakai var. *hidakana* Tatew. & Yoshim., Goryorin 138 1939

Neosasamorpha tobaeana (Makino & Uchida) Tatew., Trans. Hokkaido For. Soc. 38: 10 1940

Pseudosasa purpurascens (Hack.) Makino, Ill. Fl. Nippon (Makino) 876 1940

Sasamorpha tobaeana (Makino & Uchida) Uchida ex Koidz., Acta Phytotax. Geobot. 10: 317 1941

Sasamorpha borealis (Hack.) Nakai var. *amabilis* (Nakai) Hiyama, J. Jap. Bot. 28: 154 1953

Sasamorpha borealis (Hack.) Nakai var. *purpurascens* (Hack.) Hiyama, J. Jap. Bot. 28: 154 1953

Sasamorpha borealis (Hack.) Nakai var. *chiisanensis* (Nakai) I.C.Chung, J. Wash. Acad. Sci. 45: 216 1955

Sasa chiisanensis (Nakai) Y.N.Lee, Fl. Korea (Lee) 1164 1996

국명: 갓대(Gat-dae)

영명: Jirisan bamboo

Sasamorpha borealis (Hack.) Nakai var. *angustior* (Makino) Sad.Suzuki, J. Jap. Bot. 50: 137 1975

Sasamorpha chiisanensis Nakai, Bot. Mag. (Tokyo) 46: 37 1932

Sasa coreana Nakai, Bot. Mag. (Tokyo) 31: 4 1917 ⑩

국명: **신이대**(Sin-i-dae), 고려조릿대 / (북한명) 신의대

영명: **Korean bamboo**

Sasa kurilensis (Rupr.) Makino & Shibata, Bot. Mag. (Tokyo) 15: 27 1901

국명: **섬조릿대**(Seom-jo-rit-dae), 섬대, 성인죽 / (북한명) 섬대

영명: **Kuril bamboo**

Arundinaria kurilensis Rupr., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 121 1850

Bambusa kurilensis (Rupr.) Miyabe, Mem. Boston Soc. Nat. Hist. 4: 271 1890

Pseudosasa kurilensis (Rupr.) Makino, J. Jap. Bot. 5: 15 1928

Sasa yezo-alpina Nakai, Tennen Kinenbutsu Chosahokoku 12: 58 1930

Sasa capillaris Nakai, J. Jap. Bot. 10: 555 1934

Sasa koidzumii Makino ex Koidz., Acta Phytotax. Geobot. 3: 189 1934

Sasa ramosissima Koidz., Acta Phytotax. Geobot. 7: 116 1938

Sasa quelpaertensis Nakai, Fl. Sylv. Kor. 20: 40 1933 ⓘ

국명: **제주조릿대**(Je-ju-jo-rit-dae), 산죽, 탐나산죽 / (북한명) 제주조릿대, 담나산죽, 제주산대

영명: **Broad-leaf bamboo**

Schizachne Hack. 호오리새속

Schizachne purpurascens (Torr.) Swallen subsp. ***purpurascens***

Schizachne purpurascens (Torr.) Swallen subsp. ***callosa*** (Turcz. ex Griseb.) T.Koyama & Kawano, Canad. J. Bot. 42: 862 1964

국명: **호오리새**(Ho-o-ri-sae), 각씨귀리, 휘오리새

영명: **False melic grass**

Avena callosa Turcz. ex Griseb., Fl. Ross. 4: 416 1852

Schizachyrium Nees 쇠풀속

Schizachyrium brevifolium (Sw.) Nees ex Büse, Pl. Jungh. 3: 359 1854

국명: **쇠풀**(Soe-pul) / (북한명) 쇠풀

영명: **Short-leaf bluestemgrass**

Andropogon brevifolius Sw., Prodr. (Swartz) 26 1788

Pollinia brevifolia (Sw.) Spreng., Pl. Min. Cogn. Pug. 2: 13 1815

Sorghum brevifolium (Sw.) Kuntze, Revis. Gen. Pl. 2: 791 1891

Setaria P.Beauv. 강아지풀속

Setaria chondrachne (Steud.) Honda, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 3: 234 1930

국명: **조아재비**(Jo-a-jae-bi), 댕기머리새, 제주개피 / (북한명) 조아재비

영명: **Hard bristlegrass**

Panicum chondrachne Steud., Syn. Pl. Glumac. 1: 51 1852

Chaetochloa chondrachne (Steud.) Honda, Bot. Mag. (Tokyo) 38: 193 1924

Setaria faberi R.A.W.Herrm., Beitr. Biol. Pflanzen 10: 51 1910

국명: **가을강아지풀**(Ga-eul-gang-a-ji-pul)

Setaria autumnalis Ohwi, Acta Phytotax. Geobot. 7: 129 1938

Setaria glauca* (L.) P.Beauv. var. *glauca

Setaria glauca* (L.) P.Beauv. var. *dura (I.C.Chung) I.C.Chung, Korean Grasses 142 1965

국명: **주름금강아지풀**(Ju-reum-geum-gang-a-ji-pul)

영명: **Wrinkled-glume yellow bristlegrass**

Setaria lutescens (Weigel) F.T.Hubb. var. *dura* I.C.Chung, J. Wash. Acad. Sci. 45: 213 1955

***Setaria pumila* (Poir.) Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 2: 891 1817**

국명: **금강아지풀**(Geum-gang-a-ji-pul), **금가라지풀** / (북한명) **금강아지풀**

영명: **Yellow bristlegrass**

Panicum pumilum Poir., Encycl. Suppl. 4: 273 1816

Setaria pumila* (Poir.) Roem. & Schult. subsp. *pumila

Setaria pumila* (Poir.) Roem. & Schult. subsp. *pallidifusca (Schumach.) B.K.Simon, Austrobaileya 2: 22 1984

국명: **가는금강아지풀**(Ga-neun-geum-gang-a-ji-pul)

영명: **Cattail bristlegrass**

Panicum pallidifuscum Schumach., Beskr. Guin. Pl. 58 1827

***Setaria viridis* (L.) P.Beauv., Ess. Agrostogr. 51 1812**

국명: **강아지풀**(Gang-a-ji-pul), **개꼬리풀**, **자주강아지풀**, **제주개피**

Panicum viride L., Syst. Nat. ed. 10 2: 870 1759

Setaria viridis* (L.) P.Beauv. subsp. *viridis

Setaria viridis* (L.) P.Beauv. subsp. *pycnocoma (Steud.) Tzvelev, Novosti Sist. Vyssh. Rast. 5: 19 1968

국명: **수강아지풀**(Su-gang-a-ji-pul)

영명: **Dense-flower bristlegrass**

Panicum pycnocomum Steud., Syn. Pl. Glumac. 1: 462 1854

Setaria viridis* (L.) P.Beauv. var. *viridis

Setaria viridis (L.) P.Beauv. var. *pachystachys* (Franch. & Sav.) Masamura & Nemoto, Fl. Japan 1499 1925

국명: 갯강아지풀(Gaet-gang-a-ji-pul), 강아지풀, 좀강아지풀 / (북한명) 갯강아지풀

영명: Coastal green bristlegrass

Panicum pachystachys Franch. & Sav., Enum. Pl. Jap. 2: 594 1878

Setaria pachystachys (Franch. & Sav.) Matsum., Bot. Mag. (Tokyo) 10: 443 1897

Chaetochloa viridis (L.) Scribn. var. *pachystachys* (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 38: 198 1924

Sorghum Moench 수수새속

Sorghum nitidum (Vahl) Pers., Syn. Pl. 1: 101 1805 ®

국명: 수수새(Su-su-sae), 기장새, 마디털새 / (북한명) 수수새

영명: Shining sorghum

Andropogon serratus Thunb., Fl. Jap. (Thunberg) 41 1784

Holcus nitidus Vahl, Symb. Bot. (Vahl) 2: 102 1791

Sorghum nitidum (Vahl) Pers. var. *majus* (Hack.) Ohwi, Fl. Jap. (Ohwi) 158 1953

Spodiopogon Trin. 기름새속

Spodiopogon cotulifer (Thunb.) Hack., Monogr. Phan. 6: 187 1889

국명: 기름새(Gi-reum-sae) / (북한명) 기름새

영명: Articulation-bearing spodiopogon

Andropogon cotuliferum Thunb., Fl. Jap. (Thunberg) 41 1784

Misanthus cotulifer (Thunb.) Benth., J. Linn. Soc., Bot. 19: 65 1881

Eccioilopus cotulifer (Thunb.) A.Camus, Ann. Soc. Linn. Lyon 70: 92 1923

Spodiopogon sibiricus Trin., Fund. Agrost. 192 1820

국명: 큰기름새(Keun-gi-reum-sae), 이들메기 / (북한명) 큰기름새, 아들메기

영명: Siberian spodiopogon

Andropogon sibiricus (Trin.) Steud., Syn. Pl. Glumac. 1: 398 1854

Sporobolus R.Br. 주꼬리새풀속

Sporobolus fertilis (Steud.) Clayton, Kew Bull. 19: 291 1965

국명: 주꼬리새풀(Jwi-kko-ri-sae-pul-sok), 꼬리새, 주꼬리새, 주꼬리풀, 회초리풀

영명: Sacaton grasses

Agrostis fertilis Steud., Syn. Pl. Glumac. 1: 170 1854

Sporobolus piliferus (Trin.) Kunth, Enum. Pl. (Kunth) 1: 211 1833

국명: 나도잔디(Na-do-jan-di), 텔잔디, 잔디주꼬리

영명: Barundi sacaton grass

Agrostis japonicus Steud., Syn. Pl. Glumac. 1: 171 1854

■ POACEAE 벼과

Sporobolus ciliatus J.Presl var. *japonicus* (Steud.) Hack., Bull. Herb. Boissier 7: 648 1899
Sporobolus japonicus (Steud.) Maxim. ex Rendle, J. Linn. Soc., Bot. 36: 388 1904

Stipa L. 수염풀속

Stipa mongholica Turcz. ex Trin., Bull. Sci. Acad. Imp. Sci. Saint-Pétersbourg 1: 67 1836

국명: 수염풀(Su-yeom-pul), 꼬지기름새 / (북한명) 수염풀

영명: Mongolian false needlegrass

Lasiagrostis mongholica (Turcz.) Trin. & Rupr., Sp. Gram. Stipac. 87 1842

Ptilagrostis mongholica (Turcz.) Griseb., Fl. Ross. (Ledeb.) 4: 447 1852

Stipa czechanovskii Petrov, Fl. Iakut. 1: 136 1930

Achnatherum mongolicum (Turcz.) Ohwi, J. Jap. Bot. 17: 403 1941

Themedea Forssk. 솔새속

Themedea triandra Forssk., Fl. Aegypt.-Arab. 178 1775

국명: 솔새(Sol-sae), 솔줄, 솔풀 / (북한명) 솔새

영명: Solsae (Brush grass)

Stipa arguens L. var. *japonica* Houtt., Linn. Pfl. Syst. 12: 455 1785

Anthistiria japonica Willd., Sp. Pl. (ed.5) 4: 901 1806

Themedea triandra Forssk. var. *japonica* (Houtt.) Makino, Bot. Mag. (Tokyo) 26: 213 1912

Themedea japonica (Willd.) Tanaka, Bult. Sci. Fak. Terk. Kjusu. Imp. Univ. 1: 194 1925

Torreochloa Church 좀미꾸리꽝이속

Torreochloa pallida (Torr.) Church, Amer. J. Bot. 36: 164 1949

국명: 좀미꾸리꽝이(Jom-mi-kku-ri-gwang-i), 좀미꾸리꽝이

영명: Pale false mannagrass

Windsoria pallida Torr., Cat. Pl. New York 91 1819

Tripogon Roem. & Schult. 갯잠자리피속

Tripogon chinensis (Franch.) Hack., Bull. Herb. Boissier ser. 2, 3: 503 1903

국명: 갯잠자리피(Gaet-jam-ja-ri-pi), 좀쥐잔디

Nardurus filiformis Franch. var. *chinensis* Franch., Pl. David. 1: 339 1884

Tripogon chinensis (Franch.) Hack. var. *coreensis* Hack., Bull. Herb. Boissier ser. 2, 3: 503 1903

Tripogon coreensis (Hack.) Ohwi, Bot. Mag. (Tokyo) 55: 310 1941

Tripogon longiaristatus Hack. ex Honda, Bot. Mag. (Tokyo) 41: 11 1927

국명: 교래잠자리피(Gyo-rae-jam-ja-ri-pi), 긴수염쥐잔디, 교래잠자리피 / (북한명) 긴수염쥐잔디

영명: Gyraea fiveminute grass

Tripogon longiaristatus Hack. ex Honda var. *japonicus* Honda, Bot. Mag. (Tokyo) 41: 12 1927
Tripogon japonicus (Honda) Ohwi, Acta Phytotax. Geobot. 4: 63 1935

***Trisetum* Pers. 잠자리피속**

Trisetum bifidum (Thunb.) Ohwi, Bot. Mag. (Tokyo) 45: 191 1931

국명: 잠자리피(Jam-ja-ri-pi), 섬잠자리피, 제주잠자리피 / (북한명) 잠자리피

영명: Spike oatgrass

Bromus bifidus Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 119 1784

Trisetum flavescent (L.) P.Beauv. var. *bifidum* (Thunb.) Makino, Bot. Mag. (Tokyo) 26: 215 1912

Trisetum taquetii Hack., Repert. Spec. Nov. Regni Veg. 12: 386 1913

Trisetum biaristatum Nakai, Bot. Mag. (Tokyo) 35: 150 1921

Trisetum sibiricum Rupr., Beitr. Pflanzenk. Russ. Reiches 2: 65 1845

국명: 시베리아잠자리피(Si-be-ri-a-jam-ja-ri-pi) / (북한명) 북잠자리피

영명: Siberian oatgrass

Trisetum flavescent (L.) P.Beauv. var. *sibiricum* (Rupr.) Ohwi, Bot. Mag. (Tokyo) 45: 192 1931

Trisetum spicatum (L.) K.Richt., Pl. Eur. 1: 59 1890

국명: 산잠자리피(San-jam-ja-ri-pi), 두메잠자리피, 이삭잠자리피 / (북한명) 두메잠자리피, 산잠자리피

영명: Two-fork oatgrass

Aira spicata L., Sp. Pl. 1: 63 1753

***Zizania* L. 줄속**

Zizania latifolia (Griseb.) Turcz. ex Stapf, Bull. Misc. Inform. Kew 1909: 385 1909

국명: 줄(Jul) / (북한명) 줄풀, 줄

영명: Manchurian wild rice

Hydropyrum latifolium Griseb., Fl. Ross. (Ledeb.) 4: 466 1853

Zizania dahurica Turcz. ex Steud., Syn. Pl. Glumac. 1: 4 1853

***Zoysia* Willd. 잔디속**

Zoysia japonica Steud., Syn. Pl. Glumac. 1: 414 1854

국명: 잔디(Jan-di), 푸른잔디 / (북한명) 잔디

영명: Korean lawnglass

Osterdamia japonica (Steud.) Hitchc., Bull. U.S.D.A. 772: 166 1920

Zoysia koreana Mez, Repert. Spec. Nov. Regni Veg. 17: 146 1921

Zoysia japonica Steud. var. *japonica*

Zoysia japonica Steud. var. *pallida* Honda, Koryo Shikenrin Ippan 22 1932

■ POACEAE 벼과

국명: 푸른잔디(Pu-reun-jan-di)

영명: Pale Korean lawnglass

Zoysia macrostachya Franch. & Sav., Enum. Pl. Jap. 2: 608 1873

국명: 왕잔디(Wang-jan-di), 큰잔디

영명: Big-spike lawnglass

Osterdamia macrostachya (Franch. & Sav.) Honda, Bot. Mag. (Tokyo) 36: 114 1922

Zoysia sinica Hance, J. Bot. 7: 168 1869

국명: 갯잔디(Gaet-jan-di), 개잔디 / (북한명) 갯잔디

영명: Seaside lawnglass

Osterdamia sinica (Hance) Kuntze, Revis. Gen. Pl. 2: 781 1891

Osterdamia liukuensis Honda, Bot. Mag. (Tokyo) 36: 114 1922

Zoysia liukuensis (Honda) Honda, Bot. Mag. (Tokyo) 40: 109 1926

Zoysia sinica Hance var. *nipponica* Ohwi, Acta Phytotax. Geobot. 10: 269 1941

Zoysia sinica Hance subsp. *nipponica* (Ohwi) T.Koyama, Grasses Japan 534 1987

ARACEAE 천남성과

Acorus L. 창포속

Acorus calamus L., Sp. Pl. 1: 324 1753 Ⓢ

국명: 창포(Chang-po), 왕창포, 장포, 향포 / (북한명) 창포

영명: Common sweet flag

Orontium cochinchinense Lour., Fl. Cochinch. 208 1790

Acorus cochinchinensis (Lour.) Schott, Melet. Bot. 22 1832

Acorus calamus L. var. *angustatus* Besser, Flora 17(1, Beibl.): 30 1834

Acorus tatarinowii Schott, Oesterr. Bot. Z. 9: 101 1859

Acorus spurius Schott, Ann. Mus. Bot. Lugduno-Batavi 1: 284 1863

Acorus asiaticus Nakai, Rep. Exped. Manchoukuo Sect. IV. Pt. 4, Index Fl. Jeholensis: 105 1936

Acorus gramineus Aiton, Hort. Kew. 1: 474 1789

국명: 석창포(Seok-chang-po), 바위석창포, 석장포, 석향포, 애기석창포, 창포 / (북한명) 석창포

영명: Grass-leaf sweet flag

Acorus gramineus Aiton var. *japonica* M.Hotta, Prodr. Stirp. Chap. Allerton 263 1796

Acorus pusillus Siebold, Verh. Batav. Genootsch. Kunsten 12: 2 1830

Acorus gramineus Aiton var. *pusillus* (Siebold) Engl., Monogr. Phan. 2: 217 1879

Arisaema anatinum Brugg. 천남성속

Arisaema amurense Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 264 1859

국명: 둥근잎천남성(Dung-geun-ip-cheon-nam-seong), 남산둥근잎천남성, 남산천남성, 너른잎천남성,
넓은잎천남성, 아물천남성, 자주천남성 / (북한명) 아물천남성

영명: Amur jack-in-the-pulpit

Arisaema amurense Maxim. f. *amurense*

Arisaema amurense Maxim. f. *serratum* (Nakai) Kitag., Lin. Fl. Manshur. 124 1939

국명: 천남성(Cheon-nam-seong), 가새천남성, 청사두초, 톱이아물천남성 / (북한명) 톱이아물천남성

영명: Serrate Amur jack-in-the-pulpit

Arisaema amurense Maxim. var. *robustum* Engl., Monogr. Phan. 2: 550 1879

Arisaema amurense Maxim. f. *denticulatum* Makino, Bot. Mag. (Tokyo) 15: 132 1901

Arisaema amurense Maxim. var. *denticulatum* (Makino) Engl., Pflanzenr. (Engler) IV. 23F: 204 1920

Arisaema amurense Maxim. var. *violaceum* Engl., Pflanzenr. (Engler) IV. 23F: 204 1920

Arisaema amurense Maxim. var. *serratum* Nakai, Bot. Mag. (Tokyo) 43: 530 1929

Arisaema robustum (Engl.) Nakai, Bot. Mag. (Tokyo) 43: 531 1929

Arisaema robustum (Engl.) Nakai var. *purpureum* Nakai, J. Jap. Bot. 16: 3 1940

Arisaema robustum (Engl.) Nakai f. *purpureum* (Nakai) H.Ohashi, Sci. Rep. Tohoku Imp. Univ. Ser. 4, Biol. 29: 433 1963

Arisaema amurense Maxim. subsp. *robustum* (Engl.) H.Ohashi & J.Murata, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 12: 292 1980

Arisaema amurense Maxim. f. *violaceum* (Engl.) Y.S.Kim & S.C.Ko, Korean J. Pl. Taxon. 15: 76 1985

Arisaema heterophyllum Blume, Rumphia 1: 110 1835 ▪

국명: 두루미천남성(Du-ru-mi-cheon-nam-seong), 개천남성, 새깃사두초 / (북한명) 두루미천남성

영명: Diverse-leaf jack-in-the-pulpit

Arisaema thunbergii Blume var. *heterophyllum* (Blume) Engl., Monogr. Phan. 2: 546 1879

Arisaema heterophyllum Blume var. *nigropunctatum* Makino, Bot. Mag. (Tokyo) 25: 228 1910

Arisaema koreanum Engl., Pflanzenr. (Engler) IV. 23F: 186 1920

Heteroarisaema heterophyllum (Blume) Nakai, J. Jap. Bot. 25: 6 1950

Heteroarisaema koreanum (Engl.) Nakai, J. Jap. Bot. 25: 6 1950

Heteroarisaema manshuricum Nakai, J. Jap. Bot. 25: 6 1950

Arisaema ringens (Thunb.) Schott, Melet. Bot. 17 1832

국명: 큰천남성(Keun-cheon-nam-seong), 왕사두초, 자주큰천남성, 푸른천남성 / (북한명) 큰천남성, 푸른천남성

영명: Ringen's jack-in-the-pulpit

Arum ringens Thunb., Trans. Linn. Soc. London 2: 337 1794

Arisaema praecox de Vriese ex K.Koch, Allg. Gartenzeitung (Otto & Dietrich) 25: 85 1857

Arisaema sieboldii de Vriese ex K.Koch, Allg. Gartenzeitung (Otto & Dietrich) 25: 85 1857

Arisaema ringens (Thunb.) Schott var. *praecox* (de Vriese ex K.Koch) Engl., Monogr. Phan. 2: 535 1879

Arisaema ringens (Thunb.) Schott var. *sieboldii* (de Vriese ex K.Koch) Engl., Monogr. Phan. 3: 534 1879

Arisaema ringens (Thunb.) Schott var. *glaucescens* Nakai, Bot. Mag. (Tokyo) 45: 106 1931

Arisaema glaucescens (Nakai) Nakai, Iconogr. Pl. Asiae Orient. 3: 202 1939

Ringentiarum glaucescens (Nakai) Nakai, J. Jap. Bot. 25: 6 1950

■ ARACEAE 천남성과

Ringentiarum ringens (Thunb.) Nakai, J. Jap. Bot. 25: 6 1950

Ringentiarum ringens (Thunb.) Nakai var. *sieboldii* (de Vriese & K.Koch) Nakai, J. Jap. Bot. 25: 6 1950

Arisaema serratum (Thunb.) Schott, Melet. Bot. 17 1832

국명: 점박이천남성(Jeom-bak-i-cheon-nam-seong), 무늬점박이천남성, 반잎사두초, 알룩이천남성, 양덕사두초, 양덕천남성, 얼룩이천남성, 자주점박이천남성, 자주천남성, 점박이사두초, 점백이천남성, 포대점박이천남성, 눌맥이천남성 / (북한명) 점백이천남성

영명: Variegated jack-in-the-pulpit

Arum serratum Thunb., Trans. Linn. Soc. London 2: 338 1794

Arisaema convolutum Nakai, Bot. Mag. (Tokyo) 43: 534 1929

Arisaema peninsulae Nakai, Bot. Mag. (Tokyo) 43: 537 1929

Arisaema peninsulae Nakai var. *atropurpureum* Nakai, Bot. Mag. (Tokyo) 43: 538 1929

Arisaema peninsulae Nakai var. *caespitosum* Nakai, Bot. Mag. (Tokyo) 43: 538 1929

Arisaema angustatum Franch. & Sav. var. *peninsulae* Nakai ex Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 283 1932

Arisaema peninsulae Nakai var. *attenuatum* Nakai ex F.Mack., Bot. Mag. (Tokyo) 48: 49 1934

Arisaema japonicum Blume var. *atropurpureum* (Nakai) Kitag., Acta Phytotax. Geobot. 22: 73 1966

Arisaema amurense Maxim. var. *peninsulae* (Nakai) Nakai, Veg. Mt. Dairiyong 14 1975

Arisaema peninsulae Nakai f. *convolutum* (Nakai) Y.S.Kim & S.C.Ko, Korean J. Pl. Taxon. 15: 80 1985

Arisaema takesimense Nakai, Bot. Mag. (Tokyo) 43: 538 1929 Ⓟ ⓚ

국명: 섬남성(Seom-nam-seong), 섬사두초, 섬정백이, 섬천남성, 성남성, 우산천남성 / (북한명) 섬천남성

영명: Ulleungdo jack-in-the-pulpit

Arisaema thunbergii Blume, Rumphia 1: 105 1835

국명: 무늬천남성(Mu-nui-cheon-nam-seong), 대둔천남성, 두메천남성 / (북한명) 꼬리천남성

영명: Asian jack-in-the-pulpit

Arisaema thunbergii Blume var. *pictum* Nakai, Rep. Turusima 38 1927

Flagellarisema thunbergii (Blume) Nakai, J. Jap. Bot. 25: 1 1950

Flagellarisema thunbergii (Blume) Nakai var. *corniculatum* Sakata, J. Jap. Bot. 33: 29 1958

Arisaema thunbergii Blume subsp. *thunbergii*

Arisaema thunbergii Blume subsp. *geomundoense* S.C.Ko, Korean J. Pl. Taxon. 36: 213 2006 Ⓟ

국명: 거문천남성(Geo-mun-cheon-nam-seong)

영명: Geomun jack-in-the-pulpit

Arisaema thunbergii Blume f. *geomundoense* (S.C.Ko) M.Kim, Korean Endemic Pl. 564 2017

Calla L. 산부채속

Calla palustris L., Sp. Pl. 2: 968 1753

국명: 산부채(San-bu-chae), 진펄앉은부채

영명: Water-arum

Pinellia Ten. 반하속

Pinellia ternata (Thunb.) Makino, Bot. Mag. (Tokyo) 15: 135 1901

국명: 반하(Ban-ha), 까무릇, 지리반하 / (북한명) 끼무릇, 반하

영명: Crow dipper

Arum ternatum Thunb., Fl. Jap. (Thunberg) 233 1784

Arum macrourum Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 67 1833

Arisaema loureiroi Blume, Rumphia 1: 108 1836

Pinellia koreana K.H.Tae & J.H.Kim, Novon 15: 484 2005

Pinellia tripartita (Blume) Schott, Syn. Aroid. 5 1856

국명: 대반하(Dae-ban-ha)

영명: Green dragon

Atherurus tripartitus Blume, Rumphia 1: 137 1837

Arisaema tripartitum (Blume) Engl., Monogr. Phan. 2: 544 1879

Symplocarpus Salisb. ex W.P.C.Barton 앗은부채속

Symplocarpus nipponicus Makino, J. Jap. Bot. 5: 24 1928

국명: 애기앉은부채(Ae-gi-an-jeun-bu-chae), 작은삿부채, 작은삿부채, 애기앉은부채

영명: East Asian skunk cabbage

Spathyema nipponica (Makino) Makino, J. Jap. Bot. 6: 33 1929

Symplocarpus renifolius Schott ex Tzvelev, Nov. Syst. Vyssh. Rast. 28: 28 1991

국명: 앗은부채(An-jeun-bu-chae), 산부채풀, 삿부채

영명: Oriental skunk cabbage

Symplocarpus foetidus (L.) Salisb. ex W.P.C.Barton var. *latissima* Makino ex H.Hara, J. Jap. Bot. 17: 631 1941

Symplocarpus foetidus (L.) Salisb. ex W.P.C.Barton f. *latissima* (Makino ex H.Hara) Makino, Ill. Pl. Jap. 810 1961

LEMNACEAE 개구리밥과

Lemna L. 좀개구리밥속

Lemna perpusilla Torr., Fl. New York 1: 245 1843

국명: 좀개구리밥(Jom-gae-gu-ri-bap), 개구리밥, 푸른개구리밥 / (북한명) 개구리밥, 좀개구리밥, 청개구리밥

영명: Minute duckweed

Hydrophace perpusilla (Torr.) Lunell, Amer. Midl. Naturalist 4: 237 1915

■ LEMNACEAE 개구리밥과

Spirodela Schleid. 개구리밥속

Spirodela polyrrhiza (L.) Schleid., Linnaea 13: 392 1839

국명: 개구리밥(Gae-gu-ri-bap), 머구리밥, 부평초 / (북한명) 머구리밥, 부평초

영명: Great duckmeat

Lemna polyrrhiza L., Sp. Pl. 2: 970 1753

Lenticula polyrrhiza (L.) Lam., Fl. Franc. (Lamarck) 2: 189 1779

TYPHACEAE 부들과

Sparganium L. 흑삼릉속

Sparganium coreanum H.Lév., Repert. Spec. Nov. Regni Veg. 10: 441 1912

국명: 조선흑삼릉(Jo-seon-heuk-sam-reung)

Sparganium eurycarpum subsp. *coreanum* (H.Lév.) C.D.K.Cook & M.S.Nicholls, Bot. Helv. 97: 28 1987

Sparganium fallax Graebn., Pflanzenr. (Engler) IV. 10: 15 1900

국명: 남흑삼릉(Nam-heuk-sam-reung)

영명: Twisted bur-reed

Sparganium glomeratum (Laest. Ex Beurl.) Beurl., Arsberätt. Bot. Arbeten Upptäckter 1851: 221 1855

국명: 두메흑삼릉(Du-mae-heuk-sam-reung)

Sparganium erectum L. var. *glomeratum* Laest. ex Beurl., Arsberätt. Bot. Arbeten Upptäckter 1850(Bih. 1): 2 1853

Sparganium glehnii Meinh., Bull. Acad. Imp. Sci. Saint Pci. Saint- 36: 34 1895

Sparganium glomeratum (Laest. Ex Beurl.) Beurl. var. *angustifolium* Graebn., Pflanzenr. IV 10: 20 1900

Sparganium manshuricum D.Yu, Bull. Bot. Res., Harbin 12: 255 1992

Sparganium hyperboreum Laest. ex Beurl., Ofvers. Forh. Kongl. Svenska Vetensk.-Akad. 9: 192 1853 ⑧

국명: 좁은잎흑삼릉(Jop-eun-ip-heuk-sam-reung), 물가래, 잎흑삼릉, 장지흑삼릉, 좁은잎흑삼릉

영명: Northern bur-reed

Sparganium natans L. var. *submuticum* Hartm., Handb. Skand. Fl. ed. 5: 8 1849

Sparganium submuticum (Hartm.) Neumann, Handb. Skand. Fl. ed. 12: 108 1889

Sparganium affine Schnizl. var. *zosterifolium* Neuman, Handb. Skand. Fl. ed. 12: 110 1889

Sparganium japonicum Rothert, Fl. Aziat. Ross. 1: 26 1913 ⑧

국명: 긴흑삼릉(Gin-heuk-sam-reung), 긴흑삼릉, 호흑삼릉 / (북한명) 큰애기흑삼릉

영명: Long-stem bur-reed

Sparganium stoloniferum (Graebn.) Buch.-Ham. ex Juz., Fl. URSS 1: 219 1934 ⑧

국명: 흑삼릉(Heuk-sam-reung), 호흑삼릉, 흑삼릉 / (북한명) 흑삼릉

영명: Simple-stem bur-reed

Sparganium ramosum Huds. subsp. *stoloniferum* Graebn., Pflanzenr. (Engler) IV. 10: 14 1900

Sparganium erectum L. subsp. *stoloniferum* (Graebn.) H.Hara, J. Jap. Bot. 51: 228 1976

Sparganium subglobosum Morong, Bull. Torrey Bot. Club 15: 81 1888

국명: 가는흑삼릉(Ga-neun-heuk-sam-reung)

Typha L. 부들속

Typha angustifolia L., Sp. Pl. 2: 971 1753

국명: 애기부들(Ae-gi-bu-deul), 좀부들 / (북한명) 잘피부들

영명: Lesser cattail

Massula angustifolia (L.) Dulac, Fl. Hautes-Pyrénées 47 1867

Typha latifolia L., Sp. Pl. 2: 971 1753

국명: 큰잎부들(Keun-ip-bu-deul), 개부들, 넓은잎부들, 부들, 참부들, 큰부들 / (북한명) 큰부들

영명: Broad-leaf cattail

Massula latifolia (L.) Dulac, Fl. Hautes-Pyrénées 47 1867

Typha laxmannii Lepech., Nova Acta Acad. Sci. Imp. Petrop. Hist. Acad. 12: 335 1801

국명: 꼬마부들(Kko-ma-bu-deul) / (북한명) 좀부들

영명: Slender cattail

Typha stenophylla Fisch. & C.A.Mey., Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 3: 209 1845

Typha veresczagini Krylov & Schischk., Sist. Zametki Mater. Gerb. Krylova Tomsk. Gosud. Univ. Kujbyseva 1: 1 1927

Typha orientalis C.Presl, Epimel. Bot. 239 1849

국명: 부들(Bu-deul), 좀부들 / (북한명) 부들

영명: Oriental cattail

Typha latifolia L. var. *orientalis* (C.Presl) Rohrb., Verh. Bot. Vereins Prov. Brandenburg 11: 80 1869

Typha shuttleworthii W.D.J.Koch & Sond. subsp. *orientalis* (C.Presl) Graebn., Nat. Pflanzenfam. 4: 10 1900

TRIURIDACEAE 영주풀과

Sciaphila Blume 영주풀속

Sciaphila nana Blume, Mus. Bot. 1: 322 1851

국명: 영주풀(Yeong-ju-pul)

CYPERACEAE 사초과

Bolboschoenus (Asch.) Palla 매자기속

Bolboschoenus fluviatilis (Torr.) Soják, Cas. Nár. Mus., Odd. Prír. 141: 62 1972

국명: 큰매자기(Keun-mae-ja-gi)

영명: River bulrush

Scirpus maritimus L. var. *fluviatilis* Torr., Ann. Lyceum Nat. Hist. New York 3: 324 1836

Scirpus fluviatilis (Torr.) A.Gray, Manual (Gray) ed. 2: 500 1856

Bolboschoenus maritimus (L.) Palla, Syn. Deut. Schweiz. Fl. 3: 2531 1905

국명: 매자기(Mae-ja-gi)

영명: Sea club rush

Scirpus maritimus L., Sp. Pl. 1: 51 1753

Bolboschoenus planiculmis (F.Schmidt) T.V.Egorova, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist.

Vyssh. Rast. 3: 20 1967

국명: 좀매자기(Jom-mae-ja-gi), 새섬매자기

영명: Flat-stalk bulrush

Scirpus planiculmis F.Schmidt, Reis. Amur-Land., Bot. 190 1868

Scirpus biconcavus Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 109 1944

Bulbostylis Kunth 모기골속

Bulbostylis barbata (Rottb.) C.B.Clarke, Fl. Brit. Ind. 6: 651 1893

국명: 모기골(Mo-gi-gol), 모기풀 / (북한명) 모기골

영명: Watergrass

Scirpus barbatus Rottb., Descr. Icon. Rar. Pl. 1: 52 1773

Isolepis barbata (Rottb.) R.Br., Prodr. Fl. Nov. Holland. 212 1810

Cyperus barbata (Rottb.) Poir., Encycl. (Lamarck) Suppl. 5: 186 1817

Isolepis cumingii Steud., Syn. Pl. Glumac. 2: 101 1855

Fimbristylis barbata (Rottb.) Benth., Fl. Austral. 7: 321 1878

Bulbostylis densa (Wall.) Hand.-Mazz., Vegetationsbilder 20: 16 1930

국명: 꽃하늘지기(Kkot-ha-neul-ji-gi), 꽃하늘직이, 꽃하늘직이, 실하늘지기, 실하늘직이 / (북한명) 꽃하늘지기

영명: Dense watergrass

Scirpus densus Wall., Fl. Ind. (Roxburgh) 1: 231 1820

Isolepis densa (Wall.) Schult., Mant. 2 (Schultes) 2: 70 1824

Isolepis trifida Nees, Contr. Bot. India 108 1834

Bulbostylis trifida Kunth, Enum. Pl. (Kunth) 2: 213 1837

Isolepis capillaris Roem. & Schult. var. *trifida* (Kunth) Miq., Prolus. Fl. Jap. 75 1867

Scirpus trifidus (Kunth) Hance, J. Bot. 16: 112 1878

Bulbostylis capillaris (L.) Kunth ex C.B.Clarke var. *trifida* (Nees) C.B.Clarke, Fl. Brit. Ind. 6: 652 1893

Fimbristylis densa (Wall.) T.Koyama & T.I.Chuang, Quart. J. Taiwan Mus. 13: 229 1960

Fimbristylis capillaris (L.) A.Gray var. *trifida* (Nees) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 103 1961

Bulbostylis densa* (Wall.) Hand.-Mazz. var. *densa

***Bulbostylis densa* (Wall.) Hand.-Mazz. var. *caspitata* (Miq.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 40 1944**

국명: 실하늘지기(Sil-ha-neul-ji-gi)

Isolepis capillaris Roem. & Schult. var. *capitata* Miq., Prolus. Fl. Jap. 75 1867

Bulbostylis japonica C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 27 1908

***Carex* L. 사초속**

***Carex acerescens* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 255 1931**

국명: 경성사초(Gyeong-seong-sa-cho), 까락사초, 연한빛사초 / (북한명) 연한빛사초, 까락사초

영명: Seoul sedge

Carex siccata Dewey subsp. *pallida* (C.A.Mey.) Kük. ex Matsum., Index Pl. Jap. 2: 132 1905

Carex accrescens Ohwi var. *sylvipaludosa* Luchnik, Vestn. Dal'nevost. Fil. Akad. Nauk S.S.R. 31: 126 1938

***Carex aequialta* Kük., Pflanzenr. (Engler) IV. 20: 354 1909**

국명: 물꼬리사초(Mul-kko-ri-sa-cho)

***Carex alterniflora* Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 51 1895**

국명: 선사초(Seon-sa-cho)

영명: Alternate-flower thread sedge

Carex duvaliana Franch. & Sav. var. *alterniflora* (Franch.) Kük. ex Matsum., Index Pl. Jap. 2: 108 1905

Carex sachalinensis F.Schmidt var. *alterniflora* (Franch.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 67 1953

Carex pisiformis Boott var. *alterniflora* (Franch.) T.Koyama, Bot. Mag. (Tokyo) 74: 329 1961

Carex sachalinensis F.Schmidt subsp. *alterniflora* (Franch.) T.Koyama, Fl. Taiwan 5: 336 1978

Carex alterniflora* Franch. var. *alterniflora

***Carex alterniflora* Franch. var. *rubrovaginata* J.Oda & Nagam., Acta Phytotax. Geobot. 60: 157 2010**

국명: 녹빛실사초(Nok-bit-sil-sa-cho)

영명: Green thread sedge

***Carex aphanolepis* Franch. & Sav., Enum. Pl. Jap. 2: 580 1878**

국명: 골사초(Gol-sa-cho), 조리사초 / (북한명) 골사초

■ CYPERACEAE 사초과

영명: Nerved-scale sedge

Carex japonica Thunb. var. *humilis* Franch., Nouv. Arch. Mus. Hist. Nat. III, 10: 77 1898

Carex vernicosa Franch., Kew Bull., Addit. Ser. 8: 85 1908

Carex japonica Thunb. var. *aphanolepis* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV. 20: 620 1909

Carex appendiculata (Trautv. & C.A.Mey.) Kük., Bull. Herb. Boissier ser.2, 4: 54 1904

국명: 뚝사초(Ttuk-sa-cho)

영명: Appendicular sedge

Carex acuta L. var. *appendiculata* Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 100 1856

Carex thunbergii Steud. var. *appendiculata* (Trautv. & C.A.Mey.) Ohwi, J. Jap. Bot. 11: 409 1935

Carex arenicola F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 191 1868

국명: 진퍼리사초(Jin-peo-ri-sa-cho), 개구리사초, 모래사초 / (북한명) 모래사초, 진퍼리사초

영명: Wet-sand sedge

Carex chaetorhiza Franch. & Sav., Enum. Pl. Jap. 2: 552 1878

Carex arnellii Christ ex Scheutz, Kongl. Svenska Vetensk. Acad. Handl. 22: 177 1888

국명: 무산사초(Mu-san-sa-cho), 풍경사초 / (북한명) 왜사초, 아넬사초

영명: Musan sedge

Carex sylvatica Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 312 1859

Carex turczaninowiana Meinh. ex Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 411 1892

Carex subconcolor Kitag., Bot. Mag. (Tokyo) 48: 20 1934

Carex atrata L., Sp. Pl. 2: 976 1753

국명: 감동사초(Gam-dung-sa-cho), 검동사초, 검정사초, 백산흑사초 / (북한명) 검동사초

영명: Black-spike sedge

Carex paishanensis Nakai, Bot. Mag. (Tokyo) 28: 301 1914

Carex atrata L. var. *japonalpina* T.Koyama, J. Jap. Bot. 30: 313 1955

Carex japoноalpina (T.Koyama) T.Koyama, Acta Phytotax. Geobot. 16: 154 1956

Carex austustinowiczii Meinh. ex Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 411 1892

국명: 북사초(Buk-sa-cho), 북바위사초, 지리사초 / (북한명) 북바위사초

영명: Augustinowicz's sedge

Carex eleusinoides Turcz. ex Kunth var. *flaccidior* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 196 1868

Carex bidentula Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 41 1895

Carex soyaensis Kük., Bull. Herb. Boissier ser.2, 4: 53 1904

Carex curtiglumis C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 77 1908

Carex infirma C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 78 1908

Carex flaccidior (F.Schmidt) Miyabe & Kudô, Trans. Sapporo Nat. Hist. Soc. 7: 28 1918

Carex austustinowiczii Meinh. var. *macrogyna* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 261 1931

Carex autumnalis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 251 1930

국명: 논두렁사초(Non-du-reong-sa-cho)

영명: Autumnal sand sedge

Carex benkei Tak. Shimizu, Acta Phytotax. Geobot. 60: 41 2009

국명: 긴화살사초(Gin-hwa-sal-sa-cho)

Carex bigelowii Torr. ex Schwein., Ann. Lyceum Nat. Hist. New York 1: 67 1824

국명: 갈미사초(Gal-mi-sa-cho), 백산흑사초 / (북한명) 갈미사초, 백산흑사초

영명: Gwanmo sedge

Carex biwensis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 28 1895

국명: 솔잎사초(Sol-ip-sa-cho) / (북한명) 솔잎사초

영명: Pine-leaf sedge

Carex rara Boott var. *biwensis* (Franch.) Kük. ex Matsum., Index Pl. Jap. 2: 130 1905

Carex rara Boott subsp. *biwensis* (Franch.) T.Koyama, Col. Ill. Herb. Pl. Jap. 3: 284 1964

Carex blepharicarpa Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 46 1895

국명: 여우꼬리사초(Yeo-u-kko-ri-sa-cho), 붓꼬리사초, 섬사초 / (북한명) 여우꼬리사초

영명: Ciliated-fruit sedge

Carex sadae H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 33 1909

Carex blepharicarpa Franch. var. *insularis* Nakai, Bot. Mag. (Tokyo) 31: 281 1917

Carex yezo-montana Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 1: 62 1931

Carex bohemica Schreb., Beschr. Gras. 2: 52 1772

국명: 냇사초(Naet-sa-cho)

Vignea bohemica (Schreb.) Soják, Cas. Nár. Mus., Odd. Prír. 148: 194 1979

Carex boottiana Hook. & Arn., Bot. Beechey Voy. 273 1838

국명: 밀사초(Mil-sa-cho), 갯사초, 수염사초 / (북한명) 수염사초

영명: Coastal rock sedge

Carex bongardii Boott, Trans. Linn. Soc. London 20: 144 1846

Carex wahuensis C.A.Mey. var. *robusta* Franch. & Sav., Enum. Pl. Jap. 2: 563 1878

Carex stupenda H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 195 1901

Carex wilfordii C.B.Clarke, J. Linn. Soc., Bot. 36: 318 1904

Carex oahuensis Hillebr. var. *boottiana* (Hook. & Arn.) Kük., Pflanzenr. (Engler) IV. 20: 632 1909

Carex reflexistyla Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 392 1911

Carex boninensis Koidz., Bot. Mag. (Tokyo) 32: 55 1918

Carex stupenda H.Lév. & Vaniot var. *robusta* (Franch. & Sav.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 131 1952

■ CYPERACEAE 사초과

Carex bostrychostigma Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 118 1887

국명: 길뚝사초(Gil-ttuk-sa-cho), 길뚝사초 / (북한명) 길뚝사초

영명: Curled-stigma sedge

Carex expansa Kük., Bull. Herb. Boissier ser 2, 2: 1017 1902

Carex stenantha C.B.Clarke, J. Linn. Soc., Bot. 36: 311 1904

Carex breviculmis R.Br., Prodr. Fl. Nov. Holl. 242 1810

국명: 청사초(Cheong-sa-cho), 두메사초, 이삼사초, 풀사초

영명: Short-stem sedge

Carex leucochlora Bunge, Enum. Pl. China Bor. 68 1833

Carex breviculmis R.Br. var. ***breviculmis***

Carex breviculmis R.Br. var. ***fibrillosa*** (Franch. & Sav.) Matsum. & Hayata, Enum. Pl. Formosa 493 1906

국명: 갯청사초(Gaet-cheong-sa-cho)

영명: Fibrillose short-stem sedge

Carex fibrillosa Franch. & Sav., Enum. Pl. Jap. 2: 564 1878

Carex breviculmis R.Br. f. *fibrillosa* Kük., Pflanzenr. (Engler) IV. 20: 470 1909

Carex breviculmis R.Br. var. *pluricostata* Kük., Pflanzenr. (Engler) IV. 20: 470 1909

Carex tosaensis Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 3(5): 267 1935

Carex leucochlora Bunge var. *fibrillosa* (Franch. & Sav.) T.Koyama, Acta Phytotax. Geobot. 16: 10 1955

Carex breviculmis R.Br. subsp. *fibrillosa* (Franch. & Sav.) T.Koyama, Fl. Taiwan 5: 336 1978

Carex brevispicula G.H.Nam & G.Y.Chung, Korean J. Pl. Taxon. 50(4): 396 2020

국명: 줌목포사초(Jom-mok-po-sa-cho)

영명: Brown's sedge

Carex nippisinica Ohwi, Acta Phytotax. Geobot. 11: 255 1942

Carex buxbaumii Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 163 1803

국명: 늄사초(Neup-sa-cho), 북스바우미사초

영명: Marsh sedge

Carex oligandra F.Muell. ex Boott, Ill. Carex 4: 136 1867

Carex picea Franch., Bull. Annuel Soc. Philom. Paris VIII, 7: 39 1895

Carex holmiana Mack., Bull. Torrey Bot. Club 36: 481 1909

Carex candelleana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 273 1901

국명: 두메청사초(Du-mae-cheong-sa-cho)

Carex canescens L., Sp. Pl. 2: 974 1753

국명: 산사초(San-sa-cho)

영명: **Silvery sedge**

Vignea canescens (L.) Rehb., Handb. Gewächsk. (ed. 2) 3: 1612 1830

Caricina canescens (L.) St.-Lag., Étude Fl ed. 8, 2: 877 1889

***Carex capillacea* Boott, Ill. Gen. Carex 1: 44, t. 110 1858**

국명: **잔솔잎사초**(Jan-sol-ip-sa-cho), **끈사초** / (북한명) **잔솔잎사초**, **끈사초**

영명: **Tiny sedge**

Carex ontakensis Franch. & Sav., Enum. Pl. Jap. 1: 550 1875

Carex simplicissima F.Muell., Fragm. 9: 191 1875

Carex capillacea Boott var. *yunnanensis* Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 198 1896

Carex rara Boott var. *capillacea* (Boott) Kük., Pflanzenr. (Engler) IV. 20: 102 1909

Carex rara Boott subsp. *capillacea* (Boott) Kük., Pflanzenr. (Engler) IV. 20: 102 1909

Carex wallii Petrie, Trans. & Proc. New Zealand Inst. 53: 371 1921

Carex capillacea Boott var. *linzensis* Y.C.Yang, Fl. Xizangica 5: 442 1987

Carex capillacea* Boott var. *capillacea

***Carex capillacea* Boott var. *sachalinensis* (F.Schmidt) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11: 442 1936**

국명: **노끈사초**(No-kkeun-sa-cho), **긴잔솔잎사초** / (북한명) **노끈사초**

영명: **Sakhalin tiny sedge**

Carex uda Maxim. var. *sachalinensis* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 191 1868

Carex aomorensis Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 198 1896

Carex rara Boott subsp. *capillacea* var. *nana* (Boott) Kük., Pflanzenr. (Engler) IV. 20: 103 1909

Carex capillacea Boott var. *aomorensis* (Franch.) Ohwi, Acta Phytotax. Geobot. 2: 272 1933

***Carex capillaris* L., Sp. Pl. 2: 977 1753**

국명: **뫼풀사초**(Moet-pul-sa-cho), **메풀사초**, **뫼풀사초** / (북한명) **뫼풀사초**

영명: **Hair-like sedge**

Trasus capillaris (L.) Gray, Nat. Arr. Brit. Pl. 2: 66 1821

Loxotrema capillaris (L.) Raf., Good Book 25 1840

Carex saskatschewana Boeckeler, Linnaea 41: 159 1877

Carex tiogana D.W.Taylor & J.D.Mastrog., Novon 9: 120 1999

***Carex capricornis* Meinh. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 119 1887 (R)**

국명: **양뿔사초**(Yang-ppul-sa-cho), **산양사초**, **홍등사초** / (북한명) **산양사초**

영명: **Capricornis sedge**

Carex pseudocyperus L. var. *brachystachya* Regel & Maack, Tent. Fl.-Ussur. 165 1861

Carex brachystachya (Regel & Maack) Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 2: 219 1932

Carex caryophyllea* Latourr. var. *caryophyllea

■ CYPERACEAE 사초과

Carex caryophyllea Latourr. var. *microtricha* (Franch.) Kük., Pflanzenr. (Engler) IV. 20: 466 1909

국명: 갈색사초(Gal-saek-sa-cho)

영명: Short-hair spring sedge

Carex microtricha Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 189 1897

Carex squamoidea Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 1: 61 1931

Carex verna Lam. var. *microtricha* (Franch.) Ohwi, J. Jap. Bot. 11: 410 1935

Carex cespitosa L., Sp. Pl. 2: 978 1753

국명: 포기사초(Po-gi-sa-cho) / (북한명) 포기사초

영명: Turfy sedge

Carex erecta J.F.Gmel., Syst. Nat. 2: 145 1791

Carex ferax J.F.Gmel., Syst. Nat. 2: 146 1791

Carex pacifica Drejer, Fl. Excurs. Hafn. 292 1838

Carex drejeri O.Lang, Flora 25: 548 1842

Carex fridrichsthaliana Steud., Syn. Pl. Glumac. 2: 211 1855

Carex cespitosa L. var. *rubra* (H.Lév. & Vaniot) H.Lév., Repert. Spec. Nov. Regni Veg. 7: 104 1909

Carex rubra H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 33 1909

Carex glabella Pabréa ex C.Regel, Scripta Horti Bot. Univ. Vytauti Magni 2: 32 1932

Carex chordorrhiza L.f., Suppl. Pl. 414 1782 ⑧

국명: 대암사초(Dae-am-sa-cho), 긴뿌리사초, 바늘사초 / (북한명) 긴뿌리사초

영명: Creeping sedge

Carex funiformis Clairv., Man. Herbor. Suisse 287 1811

Vignea chordorrhiza (L.f.) Rchb., Handb. Gewächsk. (ed. 2) 3: 1608 1830

Carex fulvicoma Dewey, Amer. J. Sci. Arts 29: 249 1836

Carex fischeriana J.Gay, Ann. Sci. Nat., Bot. II, 10: 286 1838

Caricina chordorrhiza (L.f.) St.-Lag., Étude Fl ed. 8, 2: 874 1889

Carex chosenica Ohwi, Acta Phytotax. Geobot. 1: 73 1932

국명: 조선사초(Jo-seon-sa-cho) / (북한명) 조선사초

영명: Korean sedge

Carex dahurica Kük. subsp. *chosenica* (Ohwi) T.V.Egorova, Novosti Sist. Vyssh. Rast. 22: 61 1985

Carex chungii Z.P.Wang, J. Nanjing Univ. (Biol.) 1962: 45 1962

국명: 큰청사초(Keun-cheong-sa-cho), 좀목포사초

Carex kamagariensis K.Okamoto, Bull. Okayama Coll. Sci. 1: 66 1965

Carex ciliato-marginata Nakai, Repert. Spec. Nov. Regni Veg. 13: 244 1914

국명: 털대사초(Teol-dae-sa-cho) / (북한명) 털대사초

영명: Hairy creeping broad-leaf sedge

Carex siderosticta Hance var. *pilosa* H.Lév. ex T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 233 1962

Carex cinerascens Kük., Bull. Herb. Boissier ser 2, 2: 1017 1902

국명: 회색사초(Hoe-saeck-sa-cho), 즙쌀사초 / (북한명) 즙쌀사초

영명: Ashgrey sedge

Carex ouensanensis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 262 1931

Carex cheilungkiangnica A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 225 1965

Carex conica Boott, Narr. Exped. China Japan (Perry) 2: 325 1857

국명: 애기사초(Ae-gi-sa-cho), 둥글사초, 흰사초 / (북한명) 애기사초, 둥글사초

영명: Miniature sedge

Carex excisa Boott, Narr. Exped. China Japan 2: 326 1857

Carex naumanniana Boeckeler, Bot. Jahrb. Syst. 5: 518 1884

Carex discolor Boeckeler, Bot. Jahrb. Syst. 5: 519 1884

Carex digama Nakai, Bot. Mag. (Tokyo) 28: 326 1914

Carex doiana Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 1: 59 1931

Carex yoshinoi Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 265 1931

Carex okushirensis Akiyama, Trans. Sapporo Nat. Hist. Soc. 14: 108 1935

Carex dickinsii Franch. & Sav., Enum. Pl. Jap. 2: 581 1878

국명: 도깨비사초(Do-kkae-bi-sa-cho), 독개비사초, 뿔사초 / (북한명) 뿔사초, 도깨비사초

영명: Dickins' sedge

Carex coreana L.H.Bailey, Mem. Torrey Bot. Club 8 1889

Carex dimorpholepis Steud., Syn. Pl. Glumac. 2: 214 1855

국명: 이삭사초(I-sak-sa-cho), 방울사초 / (북한명) 이삭사초, 방울사초

영명: Dimorphous-spike sedge

Carex rubescens Boeckeler, Flora 65: 60 1882

Carex schkuhriana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 59 1902

Carex dispalata Boott, Narr. Exped. China Japan (Perry) 2: 325 1857

국명: 삿갓사초(Sat-gat-sa-cho), 삿갓사초 / (북한명) 삿갓사초, 동줄삿갓사초

영명: Curved-utricule sedge

Carex subanceps Boeckeler, Bot. Jahrb. Syst. 5: 520 1898

Carex pollens C.B.Clarke, J. Linn. Soc., Bot. 36: 305 1904

Carex coronata H.Lév., Repert. Spec. Nov. Regni Veg. 11: 66 1913

Carex disperma Dewey, Amer. J. Sci. Arts 8: 266 1824

국명: 가는사초(Ga-neun-sa-cho) / (북한명) 가는사초

영명: Two-seed sedge

Carex blyttii F.Nyl., Spic. Pl. Fenn. 2: 35 1844

Carex tenella Schkuhr var. *misera* Franch., Nouv. Arch. Mus. Hist. Nat. 3, Ser. 8: 224 1896

Carex nakaii H.Lév., Bull. Acad. Int. Géogr. Bot. 19: 33 1909

■ CYPERACEAE 사초과

Carex tenella Schkuhr var. *nakaii* (H.Lév. & Vaniot) H.Lév., Repert. Spec. Nov. Regni Veg. 7: 130 1919

Carex doniana Spreng., Syst. Veg. (ed. 16) 3: 825 1826

국명: 흰사초(Huin-sa-cho), 흰사초 / (북한명) 흰사초

영명: Don's sedge

Carex alopecuroides D.Don ex Tilloch & Taylor var. *chlorostachys* C.B.Clarke, J. Linn. Soc., Bot. 36: 271 1903

Carex japonica Thunb. var. *chlorostachys* (C.B.Clarke) Kük., Pflanzenr. (Engler) IV. 20: 620 1909

Carex japonica Thunb. subsp. *chlorostachys* (C.B.Clarke) T.Koyama, Fl. E. Himalaya 382 1966

Carex drymophila Turcz. ex Steud., Syn. Pl. Glumac. 2: 238 1855

국명: 숲이삭사초(Sup-i-sak-sa-cho), 곱슬사초, 숲이삭초 / (북한명) 숲이삭사초

영명: Forest-live sedge

Carex orthostachys C.A.Mey var. *drymophila* (Turcz. ex Steud.) Maxim., Prim. Fl. Amur. 316 1859

Carex drymophila Turcz. var. *reducta* Kük., Pflanzenr. (Engler) IV. 20: 755 1909

Carex drymophila Turcz. ex Steud. var. *drymophila*

Carex drymophila Turcz. ex Steud. var. *pilifera* Kük., Pflanzenr. (Engler) IV. 20: 756 1909

국명: 모래사초(Mo-rae-sa-cho), 곱슬사초, 털잎사초 / (북한명) 민숲이삭사초, 민곱슬사초

영명: Hairy forest-live sedge

Carex fedia Nees var. *pilifera* (Kük.) T.Koyama, Bot. Mag. (Tokyo) 72: 305 1959

Carex duriuscula C.A.Mey., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 1: 214 1831

국명: 들사초(Deul-sa-cho) / (북한명) 들좀사초

영명: Needle-leaf sedge

Carex stenophylla Wahlenb. var. *duriuscula* (C.A.Mey.) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 10: 537 1888

Vignea duriuscula (C.A.Mey.) Soják, Cas. Nár. Mus., Odd. Prír. 148: 195 1980

Carex echinata Murray, Prodr. Stirp. Gott. 76 1770

국명: 함북사초(Ham-buk-sa-cho), 겹개구리사초, 북개구리사초, 북선시내사초, 항개구리사초

영명: Star sedge

Carex leersii Willd., Fl. Berol. Prodr. 28 1787

Carex stellulata Gooden., Trans. Linn. Soc. London 2: 144 1794

Carex basilata Ohwi, Acta Phytotax. Geobot. 11: 258 1942

Carex eleusinoides Turcz. ex Kunth, Enum. Pl. (Kunth) 2: 407 1837

국명: 엷은갈미사초(Yeol-beun-gal-mi-sa-cho) / (북한명) 좀시내사초

영명: Goosegrass sedge

Carex kokrinensis A.E.Porsild, Rhodora 41: 206 1939

Carex eleusinoides Turcz. ex Kunth var. *subalpina* Y.L.Chou, Bull. Bot. Lab. N.E. Forest. Inst., Harbin 1: 14 1959

Carex erythrobasis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 240 1908 (E)

국명: **한라사초**(Han-ra-sa-cho), 제주사초, 한나사초 / (북한명) 한나사초

영명: **Red-based leaf sedge**

Carex hallaisanensis H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 240 1908

Carex pedunculata Muhl. ex Willd. var. *erythrobasis* (H.Lév. & Vaniot) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 177 1962

Carex pedunculata Muhl. ex Willd. subsp. *erythrobasis* (H.Lév. & Vaniot) A.Haines, Stantec Bot. Notes 13(Add.): 3 2010

Carex fernaldiana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 276 1901

국명: **실사초**(Sil-sa-cho), 새사초 / (북한명) 실사초

영명: **Thread sedge**

Carex filipes Franch. & Sav., Enum. Pl. Jap. 2: 576 1878

국명: **낚시사초**(Nak-si-sa-cho), 드문사초, 보리알사초, 작은구슬사초, 큰초롱사초

영명: **Fishing-rod-like sedge**

Carex filipes Franch. & Sav. var. *filipes*

Carex filipes Franch. & Sav. var. *oligostachys* (Meinsh. ex Maxim.) Kük., Pflanzenr. (Engler) IV. 20: 641 1909

국명: **나래사초**(Na-rae-sa-cho), 쇠낚시사초

Carex oligostachys Meinsh. ex Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 117 1887

Carex rouyana Franch., Bull. Annuel Soc. Philom. Paris VIII, 7: 51 1895

Carex egena H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 4: 227 1907

Carex filipes Franch. & Sav. var. *rouyana* (Franch.) Kük., Pflanzenr. (Engler) IV. 20: 640 1909

Carex filipes Franch. & Sav. subsp. *oligostachys* (Meinsh. ex Maxim.) T.Koyama, J. Jap. Bot. 29: 42 1954

Carex flabellata H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 111 1902

국명: **후라벨라타사초**(Hu-ra-bel-ra-ta-sa-cho), 헐라벨라타사초

영명: **Flabellate sedge**

Carex forficula Franch. & Sav., Enum. Pl. Jap. 2: 557 1878

국명: **산뚝사초**(San-ttuk-sa-cho), 갯뚝사초, 산꼬랑사초, 산뚝사초, 금강산뚝사초 / (북한명) 갯뚝사초, 산꼬랑사초

영명: **Scissors-like sedge**

Carex diamantina H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 4: 226 1907

Carex forficula Franch. & Sav. var. *scabrida* Kük., Pflanzenr. (Engler) IV. 20: 342 1909

Carex formosensis H.Lév. & Vaniot, Mem. Soc. Sci. Nat. Cherbourg 5: 31 1908

국명: **긴목포사초**(Gin-mok-po-sa-cho), 대만사초, 풀끈사초

영명: **Long Mokpo sedge**

Carex ligata Boott var. *formosensis* (H.Lév. & Vaniot) Kük., Pflanzenr. (Engler) IV. 20: 474 1909

■ CYPERACEAE 사초과

Carex fusanensis Ohwi, Acta Phytotax. Geobot. 1: 74 1932 (E)

국명: 부산사초(Bu-san-sa-cho), 애기감동사초

영명: Black-tiny sedge

Carex genkaiensis Ohwi, Acta Phytotax. Geobot. 7: 34 1938

국명: 목포사초(Mok-po-sa-cho) / (북한명) 목포사초

영명: Mokpo sedge

Carex mitrata Franch. var. *vigens* Kük., Pflanzenr. (Engler) IV. 20: 471 1909

Carex gibba Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 148 1803

국명: 나도별사초(Na-do-byeol-sa-cho), 나도별사초, 쇠메기사초 / (북한명) 쇠메기사초, 나도별사초

영명: Gibbous sedge

Carex pteroloma Kunze ex Steud., Syn. Pl. Glumac. 2: 242 1855

Carex leucocarpa Boeckeler, Bot. Jahrb. Syst. 5: 515 1884

Carex alta Boott var. *brevior* H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 126 1901

Carex gifuensis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 47 1895

국명: 애기감동사초(Ae-gi-gam-dung-sa-cho), 검정사초, 부산사초 / (북한명) 부산사초, 애기감동사초, 검정사초

Carex argyrostachys H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 27 1902

Carex gifuensis Franch. f. *argyrostachys* (H.Lév. & Vaniot) Kük., J. Coll. Sci. Imp. Univ. Tokyo 31: 316 1911

Carex gifuensis Franch. var. *koreana* Nakai, Bot. Mag. (Tokyo) 26: 46 1912

Carex glabrescens (Kük.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 245 1931

국명: 곱슬사초(Gop-seul-sa-cho), 모래사초, 민숲이삭사초 / (북한명) 곱슬사초, 텔잎사초

영명: Glabrate sedge

Carex wallichiana Spreng. f. *glabrescens* Kük., Pflanzenr. (Engler) IV. 20: 749 1909

Carex drymophila Turcz. var. *glabrescens* (Kük.) Kitag., Lin. Fl. Manshur. 100 1939

Carex glauciformis Meinh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 389 1901

국명: 쌀사초(Ssal-sa-cho), 가는사초, 쌀낫사초 / (북한명) 쌀삿갓사초, 가는사초, 쌀낫사초

영명: Pseudo-glaucous sedge

Carex globularis L., Sp. Pl. 2: 976 1753

국명: 진들사초(Jin-deul-sa-cho), 방울사초, 북녘사초 / (북한명) 방울사초, 진들사초, 북녘사초

영명: Globular-spike sedge

Onkerma globularis (L.) Raf., Good Book 27 1840

Carex mitsriokensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 33 1909

Carex globularis L. var. *mitsriokensis* (H.Lév. & Vaniot) H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 7: 104 1909

Carex gmelinii Hook. & Arn., Bot. Beechey Voy. 118 1832

국명: 덕진사초(Deok-jin-sa-cho), 구메린사초, 모래검둥사초 / (북한명) 그멜린사초

영명: Gmelin's sedge

Carex acrolepis Ledeb., Denkschr. Königl.-Baier. Bot. Ges. Regensburg 3: 56 1841

Carex laticuspis Franch., Bull. Annuel Soc. Philom. Paris VIII, 7: 58 1895

Carex gotoi Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 248 1930

국명: 회령사초(Hoe-ryeong-sa-cho) / (북한명) 회령사초

영명: Two-toothed-beak sedge

Carex sukaczovii V.I.Krecz., Fl. Transbaical. 2: 136 1931

Carex songorica Kar. & Kir. subsp. *gotoi* (Ohwi) Popov, Spisok Rast. Gerb. Fl. SSSR Bot. Inst. Vsesojuzn. Akad. Nauk 13: 6 1955

Carex hakonensis Franch. & Sav., Enum. Pl. Jap. 2: 550 1878

국명: 애기바늘사초(Ae-gi-ba-neul-sa-cho), 애기바늘사초 / (북한명) 애기바늘사초

영명: Small-needle sedge

Carex krameri Franch. & Sav., Enum. Pl. Jap. 1: 551 1875

Carex onoei (Franch. & Sav.) Kük. var. *krameri* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV. 20: 101 1909

Carex hancockiana Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 66 1879

국명: 해산사초(Hae-san-sa-cho), 검은깃사초, 검피사초, 무산사초, 한코키야사초 / (북한명) 검은깃사초, 검피사초, 한코키야사초

영명: Hancock's sedge

Carex alpina Schrank var. *longipedunculata* Kük., Russk. Bot. Zhurn. 3-6: 101 1911

Carex komaroviana A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 229 1965

Carex heterolepis Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 69 1833

국명: 산비늘사초(San-bi-neul-sa-cho), 비늘사초, 비늘사초, 산시내사초 / (북한명) 산시내사초

영명: Different-scale sedge

Carex trappistarum Franch., J. Bot. (Morot) 4: 320 1890

Carex marginaria Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 40 1895

Carex periculosa Honda, Bot. Mag. (Tokyo) 44: 408 1930

Carex tobae Honda, Bot. Mag. (Tokyo) 44: 409 1930

Carex heterostachya Bunge, Enum. Pl. China Bor. [A.A. von Bunge] 69 1833

국명: 인제사초(In-je-sa-cho), 모개사초, 잔디대사초, 평양사초 / (북한명) 평양사초

영명: Different-spike sedge

Carex bungeana Debeaux, Actes Soc. Linn. Bordeaux 33: 68 1879

Carex haematochrys H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 305 1902

Carex hondoensis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 252 1930

국명: 일본사초(Il-bon-sa-cho)

■ CYPERACEAE 사초과

영명: **Hondo sedge**

Carex humbertiana Ohwi, Acta Phytotax. Geobot. 2: 102 1933 (E)

국명: 큰뚝사초(Keun-ttuk-sa-cho), 굽실사초 / (북한명) 큰뚝사초

영명: **Humbert's sedge**

Carex humilis Leyss. var. **humilis**

Carex humilis Leyss. var. **nana** (H.Lév. & Vaniot) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol.

국명: 가는잎그늘사초(Ga-neun-ip-geu-neul-sa-cho), 그늘사초, 김의털, 산거울, 좀그늘사초 / (북한명) 좀그늘사초,

산거울, 애기그늘사초 11: 399 1936

영명: **Low sedge**

Carex lanceolata Boott var. **nana** H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 269 1901

Carex nanella Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 263 1930

Carex callitrichos V.I.Krecz. var. **nana** (H.Lév. & Vaniot) S.Yun Liang, L.K.Dai & Y.C.Tang, Fl. Reipubl. Popularis Sin. 12: 186 2000

Carex idzuroei Franch. & Sav., Enum. Pl. Jap. 2: 583 1878 (R)

국명: 좀도깨비사초(Jom-do-kkae-bi-sa-cho)

영명: **Small Dickins' sedge**

Carex pseudovesicaria H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 180 1902

Carex incisa Boott, Narr. Exped. China Japan 2: 327 1856

국명: 바랭이사초(Ba-raeng-i-sa-cho), 바랑이사초, 시내차사초 / (북한명) 바랭이사초, 시내사초

영명: **Digitaria-like sedge**

Carex textorii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 151 1866

Carex ischnostachya Steud., Syn. Pl. Glumac. 2: 222 1855 (R)

국명: 염주사초(Yeom-ju-sa-cho), 올미사초, 올미사초, 출구슬사초 / (북한명) 염주사초, 올미사초

영명: **Thin-spiculate sedge**

Carex ringgoldiana Boott, Mem. Amer. Acad. Arts n.s. 6: 419 1859

Carex nagasakensis C.B.Clarke, Kew Bull., Addit. Ser. 8: 88 1908

Carex jackiana Boott var. **jackiana**

Carex jackiana Boott var. **macroglossa** (Franch. & Sav.) Kük. ex Matsum., Pflanzenr. IV. 20: 638 1909

국명: 보리사초(Bo-ri-sa-cho), 애기염주사초

영명: **Big-tongue jack sedge**

Carex macroglossa Franch. & Sav., Enum. Pl. Jap. 2: 576 1878

Carex parciflora Boott var. **macroglossa** (Franch. & Sav.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 290 1930

Carex jaluensis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 369 1901

국명: 참삿갓사초(Cham-sat-gat-sa-cho), 꼬리사초, 참삿갓사초 / (북한명) 참삿갓사초

영명: Amrokgang sedge

Carex dineuros C.B.Clarke, J. Linn. Soc., Bot. 36: 283 1903

Carex japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 845 1784

국명: 개찌버리사초(Gae-jji-beo-ri-sa-cho) / (북한명) 개찌버리사초

영명: East Asian sedge

Carex japonica Thunb. var. *minor* Boott, Ill. Gen. Carex 2: 88 1860

Carex motoskei Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 248 1866

Carex trichostyles Franch. & Sav., Enum. Pl. Jap. 2: 581 1878

Carex tokioensis Boeckeler, Flora 65: 63 1882

Carex japonica Thunb. var. *gracilis* Franch., Nouv. Arch. Mus. Hist. Nat. III, 10: 78 1898

Carex kirganica Kom., Repert. Spec. Nov. Regni Veg. 13: 164 1914

국명: 서수라사초(Seo-su-ra-sa-cho), 가는줄기주름사초 / (북한명) 가는줄기주름사초

영명: Seosura sedge

Carex kobomugi Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 281 1930

국명: 통보리사초(Tong-bo-ri-sa-cho), 보리사초, 큰보리대가리 / (북한명) 보리사초, 통보리사초

영명: Asian sand sedge

Carex macrocephala Willd. ex Spreng. & Link var. *kobomugi* (Ohwi) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 221 1931

Carex macrocephala Willd. ex Spreng. & Link f. *kobomugi* (Ohwi) Makino, Ill. Fl. Nippon (Makino) 738 1940

Vignea kobomugi (Ohwi) Soják, Cas. Nár. Mus., Odd. Prír. 148: 195 1979

Carex korshinskyi Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 394 1901

국명: 유성사초(Yu-seong-sa-cho), 양지사초 / (북한명) 양지사초

영명: Korshinsky's sedge

Carex supina Willd. ex Wahlenb. var. *costata* Meinsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 392 1901

Carex supina Willd. ex Wahlenb. var. *korshinskyi* (Kom.) Kük., Pflanzenr. (Engler) IV. 20: 457 1909

Carex kujuzana Ohwi, Acta Phytotax. Geobot. 1: 298 1932

국명: 장성사초(Jang-seong-sa-cho), 가는잎보리사초, 낙시사초

영명: Jangseong sedge

Carex dissitispicula Ohwi, Acta Phytotax. Geobot. 7: 35 1938

Carex kunioi T.Koyama, J. Jap. Bot. 30: 131 1955

Carex kujuzana Ohwi var. *dissitispicula* (Ohwi) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 227 1962

Carex lachenalii Schkuhr, Beschr. Riedgräs. 1: 51 1801

국명: 산타래사초(San-ta-ræ-sa-cho) / (북한명) 산타래사초

■ CYPERACEAE 사초과

영명: **Two-tip sedge**

Carex tripartita All., Fl. Pedem. 2: 265 1785

Carex lagopina Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 145 1803

Carex laevissima Nakai, Repert. Spec. Nov. Regni Veg. 13: 245 1914

국명: 애팽이사초(Ae-gwaeng-i-sa-cho), 애광이사초, 좀팽이사초 / (북한명) 애팽이사초

영명: **Small nerved-fruit sedge**

Carex lanceolata Boott, Narr. Exped. China Japan (Perry) 2: 326 1857

국명: 그늘사초(Geu-neul-sa-cho), 실사초 / (북한명) 그늘사초

영명: **Lanceolate sedge**

Carex longisquamata Meinh. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 399 1901

Carex delicatula C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 79 1908

Carex yesoensis Koidz., Bot. Mag. (Tokyo) 32: 55 1918

Carex humilis Leyss. subsp. *lanceolata* (Boott) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 176 1962

Carex lasiocarpa Ehrh., Hannover. Mag. 22: 132 1784

국명: 벌사초(Beol-sa-cho)

영명: **Woolly-fruit sedge**

Carex lasiolepis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 46 1895

국명: 난사초(Nan-sa-cho), 거신텔사초 / (북한명) 난사초

영명: **Woolly-scale sedge**

Carex adumana Makino, Bot. Mag. (Tokyo) 9: 258 1895

Carex lasiolepis Franch. var. *lata* Ohwi, Acta Phytotax. Geobot. 1: 74 1932

Carex holotricha Ohwi, Acta Phytotax. Geobot. 7: 131 1938

Carex laticeps C.B.Clarke ex Franch., Nouv. Arch. Mus. Hist. Nat. ser. 3, 9: 178 1897

국명: 갯보리사초(Gaet-bo-ri-sa-cho), 개보리사초, 걸보리사초 / (북한명) 갯보리사초

영명: **Bent-beak sedge**

Carex hancei C.B.Clarke, J. Linn. Soc., Bot. 36: 288 1903

Carex cavaleriei H.Lév. & Vaniot, Bull. Soc. Agric. Sarthe 1905: 79 1905

Carex latisquamea Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 447 1901

국명: 털잎사초(Teol-ip-sa-cho), 넓은잎사초, 넓적잎사초, 털사초 / (북한명) 넓은잎사초

영명: **Woolly-leaf sedge**

Carex villosa Boott var. *wrightii* Franch. & Sav., Enum. Pl. Jap. 2: 567 1879

Carex villosa Boott var. *latisquamea* (Kom.) Kük., Pflanzenr. (Engler) IV. 20: 641 1909

Carex laxa Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 156 1803

국명: 실이삭사초(Sil-i-sak-sa-cho) / (북한명) 실이삭사초

영명: **Loosely-spike sedge**

Carex macrochlamys Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 49 1895

Carex lehmannii Drejer, Symb. Caric. 13 184

국명: 레만사초(Re-man-sa-cho), 설령사초 / (북한명) 송이사초, 레만사초

영명: Lehman's sedge

Carex leiorhyncha C.A.Mey., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 1: 217 1831

국명: 산괭이사초(San-gwaeng-i-sa-cho), 살괭이사초 / (북한명) 산괭이사초, 삶괭이사초

영명: Mountain cat-tail sedge

Carex setariiformis Turcz. ex Boott, Ill. Gen. Carex 4: 189 1867

Carex lenta D.Don, Trans. Linn. Soc. London 14: 327 1824

국명: 줄사초(Jul-sa-cho), 제주줄사초, 흥노줄사초 / (북한명) 줄사초

영명: Sluggish sedge

Carex ligulata Nees, Contr. Bot. India 127 1834 ⑧

국명: 갈사초(Gal-sa-cho), 남사초, 백양사초, 이삼사초 / (북한명) 백양사초, 갈사초

영명: Ligulate sedge

Carex keiskei Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 148 1866

Carex bakanensis H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 203 1904

Carex hebecarpa (C.A.Mey.) Matsum. var. *ligulata* (Nees) Kük., Pflanzenr. (Engler) IV. 20: 745 1909

Carex austrokoreensis Ohwi, Acta Phytotax. Geobot. 5: 54 1936

Carex ligulata Nees var. *austrokoreensis* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11: 506 1936

Carex limosa L., Sp. Pl. 2: 977 1753

국명: 대택사초(Dae-taek-sa-cho), 사칼린사초, 싸할사초, 진펄사초, 진펄이사초 / (북한명) 진펄사초, 싸할사초

영명: Mud sedge

Carex elegans Willd., Fl. Berol. Prodr. 34 1787

Carex limosa L. var. *fuscocuprea* Kük., Pflanzenr. (Engler) IV. 20: 505 1909

Carex fuscocuprea (Kük.) V.I.Krecz., Fl. URSS 3: 244 1935

Carex lithophila Turcz., Bull. Soc. Imp. Naturalistes Moscou 28: 328 1855

국명: 바위사초(Ba-wi-sa-cho) / (북한명) 바위사초

영명: Rock-loving sedge

Carex distichoidea H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 108 1901

Carex disticha Huds. subsp. *lithophila* (Turcz.) Hämet-Ahti, Ann. Bot. Fenn. 7: 272 1970

Vignea lithophila (Turcz.) Soják, Cas. Nár. Mus., Odd. Prír. 148: 196 1979

Carex livida (Wahlenb.) Willd., Sp. Pl. (ed.4) 4: 285 1805

■ CYPERACEAE 사초과

국명: 동백사초(Dong-back-sa-cho), 밀사초 / (북한명) 밀사초

영명: **Livid sedge**

Carex limosa L. var. *livida* Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 162 1803

Carex fujitae Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 11: 82 1922

Carex fujimakii M.Kikuchi, Rep. (Annual) Gakugei Fac. Iwate Univ. 13: 47 1958

***Carex loliacea* L.**, Sp. Pl. 2: 974 1753

국명: 호밀사초(Ho-mil-sa-cho), 북사초, 한호사초 / (북한명) 북사초

영명: **Ryegrass sedge**

Carex sibirica Willd. ex Kunth, Enum. Pl. (Kunth) 2: 406 1837

***Carex longirostrata* C.A.Mey.**, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 1: 220 1831

국명: 피사초(Pi-sa-cho) / (북한명) 피사초, 여름피사초

영명: **Long-rostrate sedge**

Carex bispicata Hook. & Arn., Bot. Beechey Voy. 118 1832

Carex camtschatcense Kunth, Enum. Pl. (Kunth) 2: 477 1837

Carex longirostrata C.A.Mey. var. *recurvifolia* Kük., Pflanzenr. (Engler) IV. 20: 636 1909

Carex nodaeana A.I.Baranov & Skvortsov, Quart. J. Taiwan Mus. 18: 225 1965

Carex longirostrata* C.A.Mey. var. *longirostrata

Carex longirostrata* C.A.Mey. var. *pallida (Kitag.) Ohwi, Acta Phytotax. Geobot. 4: 43 1935

국명: 실플사초(Sil-pi-sa-cho), 여름피사초, 여튼피사초 / (북한명) 피사초, 여름피사초

영명: **Pallid long-rostrate sedge**

***Carex lyngbyei* Hornem.**, Fl. Dan. 11: 6, t. 1888 1827

국명: 산이삭사초(San-i-sak-sa-cho)

영명: **Lyngbye's sedge**

Carex cryptocarpa C.A.Mey., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 1: 226 1831

Carex prionocarpa Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 87 1895

Carex lyngbyei Hornem. var. *prionocarpa* (Franch.) Kük., Pflanzenr. (Engler) IV. 20: 364 1909

Carex riabushinskii Kom., Repert. Spec. Nov. Regni Veg. 13: 163 1914

Carex lyngbyei Hornem. subsp. *cryptocarpa* (C.A.Mey.) Hultén, Kongl. Svenska Vetensk. Acad. Handl. 3, 5: 188 1927

Carex lyngbyei Hornem. var. *cryptocarpa* (C.A.Mey.) Hultén, Fl. Kamtschatka 1: 188 1927

Carex lyngbyei Hornem. subsp. *phenocarpa* Akiyama, Bot. Mag. (Tokyo) 47: 69 1933

***Carex maackii* Maxim.**, Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 308 1859

국명: 타래사초(Ta-rae-sa-cho) / (북한명) 타래사초

영명: **Maack's sedge**

Carex nipponica Franch., Bull. Soc. Bot. N. France 26: 89 1879

Carex calcitrapa Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 30 1895

Carex maackii Maxim. var. *nipponica* (Franch.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 280 1930

Carex mackenziei V.I.Krecz., Fl. URSS 3: 183 1935

국명: 큰산사초(Keun-san-sa-cho)

영명: Mackenzie's sedge

Carex macrandrolepis H.Lév., Repert. Spec. Nov. Regni Veg. 5: 241 1908

국명: 청피사초(Cheong-pi-sa-cho), 제주사초, 푸른피사초, 할라사초 / (북한명) 푸른피사초, 청피사초

영명: Big male-scale sedge

Carex distantiflora Nakai, Repert. Spec. Nov. Regni Veg. 13: 245 1914

Carex sharyotensis Hayata, Icon. Pl. Formosan. 10: 69 1921

Carex maculata Boott, Trans. Linn. Soc. London 20: 128 1846

국명: 무늬사초(Mu-nui-sa-cho), 문이사초, 얼룩사초 / (북한명) 무늬사초

영명: Maculate sedge

Carex micans Boott, Mem. Amer. Acad. Arts ser. 2 6: 419 1858

Carex malacocarpa H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 200 1901

Carex acrogyna H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 201 1901

Carex chilosaccia C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 82 1908

Carex latitans H.Lév. & Vaniot, Repert. Spec. Nov. Regni Veg. 5: 240 1908

Carex makinoensis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 47 1895

국명: 바위포기사초(Ba-wi-po-gi-sa-cho)

영명: Tufted rock-living sedge

Carex mandshurica Meinh., Bot. Centralbl. 55: 197 1893

국명: 만주사초(Man-ju-sa-cho) / (북한명) 북방사초, 만주사초

영명: Manchurian sedge

Carex matsumurae Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 50 1895

국명: 왕밀사초(Wang-mil-sa-cho), 섬사초, 타퀘사초 / (북한명) 섬사초, 겨우사리사초, 왕밀사초

영명: Big-wheat sedge

Carex taquetii H.Lév., Repert. Spec. Nov. Regni Veg. 8: 426 1910

Carex viridissima Nakai, Bot. Mag. (Tokyo) 31: 281 1917

Carex chinensis Roxb. var. *variegata* Makino, J. Jap. Bot. 6: 38 1929

Carex maximowiczii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 150 1866

국명: 왕비늘사초(Wang-bi-neul-sa-cho), 왕비늘사초, 풍경사초 / (북한명) 왕비늘사초, 풍경사초

영명: Maximowicz's sedge

Carex pruinosa Boott subsp. *maximowiczii* (Miq.) Kük., Pflanzenr. (Engler) IV. 20: 253 1909

Carex maximowiczii* Miq. var. *maximowiczii

Carex maximowiczii* Miq. var. *levisaccus Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 277 1930

국명: 별풍경사초(Byeol-pung-gyeong-sa-cho)

영명: Smooth Maximowicz's sedge

Carex pruinosa Boott var. *levisaccus* (Ohwi) Makino & Nemoto, Fl. Japan (ed. 2) [Makino & Nemoto] 1446 1931

***Carex meridiana* (Akiyama) Akiyama, J. Jap. Bot. 13: 652 1937**

국명: 갯바위청사초(Gaet-ba-wi-cheong-sa-cho)

Carex leucochlora Bunge var. *meridiana* Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. ser. 5, Bot. 3: 268 1935

***Carex metallica* H.Lév., Repert. Spec. Nov. Regni Veg. 5: 239 1908**

국명: 흰이삭사초(Huin-i-sak-sa-cho), 흰이삭사초 / (북한명) 흰이삭사초

영명: White-spike sedge

Carex pachinensis Hayata, Icon. Pl. Formosan. 10: 58 1921

***Carex meyeriana* Kunth, Enum. Pl. (Kunth) 2: 438 1837**

국명: 진들검정사초(Jin-deul-geom-jeong-sa-cho), 진들검정사초, 큰검정사초 / (북한명) 진들검정사초

영명: Meyer's sedge

Carex crassinervia Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 37 1895

Carex funicularis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 37 1895

Carex putjatini Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 154 1916

***Carex micrantha* Kük., Bull. Herb. Boissier ser 2, 2: 1018 1902**

국명: 줄쌀사초(Jop-ssal-sa-cho)

영명: Small-flower sedge

***Carex mira* Kük., Bull. Herb. Boissier ser.2, 5: 1161 1905**

국명: 꼬랑사초(Kko-rang-sa-cho) / (북한명) 꼬랑사초

영명: Remarkable sedge

***Carex misandra* R.Br., Chlor. Melvill. 25 1823**

국명: 얼룩사초(Eol-ruk-sa-cho)

영명: Short-leaf sedge

Carex fuliginosa Schkuhr var. *misandra* (R.Br.) O.Lang, Linnaea 24: 597 1851

***Carex mitrata* Franch., Bull. Annuel Soc. Philom. Paris 8, 7: 88 1895**

국명: 겨사초(Gyeo-sa-cho), 겨이삭사초, 풀사초 / (북한명) 겨사초, 겨이삭사초, 풀사초

영명: Mitra sedge

Carex kingiana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 277 1901

Carex breviculmis R.Br. var. *kingiana* (H.Lév. & Vaniot) Kük., Pflanzenr. (Engler) IV. 20: 470 1909

Carex mitrata Franch. var. ***mitrata***

Carex mitrata Franch. var. ***aristata*** Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 269 1930

국명: 까락겨사초(Kka-rak-gyeo-sa-cho), 겨락겨사초

영명: Aristate mitra sedge

Carex mitrata Franch. subsp. *aristata* (Ohwi) T.Koyama, Fl. Taiwan 5: 334 1978

Carex miyabei Franch., Bull. Annuel Soc. Philom. Paris ser. 8, 7: 52 1895

국명: 융단사초(Yung-dan-sa-cho)

Carex mollicula Boott, Ill. Gen. Carex 4: 192 1867

국명: 애기흰사초(Ae-gi-huin-sa-cho), 자리사초 / (북한명) 애기흰사초

영명: Small mucronate sedge

Carex arcuata Franch., Bull. Annuel Soc. Philom. Paris sér. 7, 10: 106 1896

Carex mollissima Christ ex Scheutz, Kongl. Svenska Vetensk. Acad. Handl. 22: 181 1888

국명: 염낭사초(Yeom-nang-sa-cho)

영명: Softest sedge

Carex multifolia Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. v. No. 3: 264 1930

국명: 흰밀사초(Huin-mil-sa-cho)

Carex nakasimae Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 171 1944 ⓘ

국명: 화산사초(Hwa-san-sa-cho)

Carex nervata Franch. & Sav., Enum. Pl. Jap. 2: 566 1878

국명: 양지사초(Yang-ji-sa-cho), 잔듸사초, 잔디사초 / (북한명) 잔디사초

영명: Nerved-mitra sedge

Carex vidalii Franch. & Sav., Enum. Pl. Jap. 2: 365 1878

Carex homoiolepis Franch. & Sav., Enum. Pl. Jap. 2: 567 1878

Carex caryophyllea Latourr. subsp. *nervata* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV. 20: 465 1909

Carex neurocarpa Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 306 1859

국명: 팽이사초(Gwaeng-i-sa-cho), 수염사초, 참보리사초 / (북한명) 팽이사초

영명: Nerved-fruit sedge

Carex norvegica Retz., Fl. Scand. Prodr. 179 1779

국명: 검정타래사초(Geon-jeong-ta-rae-sa-cho), 큰산사초 / (북한명) 큰산사초

영명: Norway sedge

Vignea norvegica (Retz.) Rchb., Handb. Gewächsk. (ed. 2) 3: 1610 1830

Carex nubigena* D.Don ex Tilloch & Taylor var. *nubigena

Carex nubigena* D.Don ex Tilloch & Taylor var. *albata (Boott ex Franch.) Kük. ex Matsum., Index Pl. Jap. 2: 123 1905

국명: 도랭이사초(Do-raeng-i-sa-cho)

Carex albata Boott ex Franch., Nouv. Arch. Mus. Hist. Nat. III, 8: 216 1896

Carex nubigena D.Don ex Tilloch & Taylor subsp. *albata* (Boott ex Franch. & Sav.) T.Koyama, Bot. Mag. (Tokyo) 72: 306 1959

***Carex ochrochlamys* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 240 1931**

국명: 애기이삭사초(Ae-gi-i-sak-sa-cho) / (북한명) 애기이삭사초

영명: Yellow-mantle sedge

Vignea ochrochlamys (Ohwi) Soják, Cas. Nár. Mus., Odd. Prír. 148: 196 1979

***Carex okamotoi* Ohwi, Acta Phytotax. Geobot. 5: 53 1936**

국명: 지리대사초(Ji-ri-dae-sa-cho), 지이대사초 / (북한명) 지리대사초

영명: Creeping narrow-leaf sedge

***Carex oligosperma* Michx., Fl. Bor.-Amer. (Michaux) 2: 174 1803**

국명: 물사초(Mul-sa-cho) / (북한명) 물사초

영명: Round sedge

***Carex omiana* Franch. & Sav., Enum. Pl. Jap. 2: 126, 554 1879**

국명: 수원사초(Su-won-sa-cho)

영명: Suwon sedge

***Carex onoei* Franch. & Sav., Enum. Pl. Jap. 2: 551 1878**

국명: 바늘사초(Ba-neul-sa-cho), 음알바늘사초, 좀바늘사초 / (북한명) 바늘사초, 음달바늘사초

영명: Needle sedge

Carex capituliformis Meinh. ex Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 563 1887

Carex hakonensis Franch. & Sav. var. *onoei* (Franch. & Sav.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 285 1930

Carex hakonensis Franch. & Sav. var. *capituliformis* (Meinh. ex Maxim.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 242 1931

Carex onoei (Franch. & Sav.) Kük. var. *capituliformis* (Meinh.) Kitam., Neolin. Fl. Manshur. 133 1979

***Carex oxyandra* (Franch. & Sav.) Kudô, Rep. Veg. N. Saghalien 72 1924**

국명: 언덕사초(Eon-deok-sa-cho)

영명: Hill sedge

Carex montana L. var. *oxyandra* Franch. & Sav., Enum. Pl. Jap. 2: 141 1877

Carex papulosa Boott, Mem. Amer. Acad. Arts n.s. 6: 418 1859

국명: 쇠낙시사초(Soe-nak-si-sa-cho), 쇠낙시사초 / (북한명) 쇠낙시사초

영명: Papillose sedge

Carex flectens Boott, Ill. Gen. Carex 4: 171 1867

Carex grandisquama Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 51 1895

Carex sekimotoi Honda, Bot. Mag. (Tokyo) 43: 543 1929

Carex pauciflora Lightf., Fl. Scot. 2: 543 1777

국명: 산바늘사초(San-ba-neul-sa-cho) / (북한명) 대택사초, 산바늘사초

영명: Few-flower sedge

Carex leucoglochin L.f., Suppl. Pl. 413 1782

Trasus pauciflorus (Lightf.) Gray, Nat. Arr. Brit. Pl. 2: 56 1821

Leucoglochin pauciflorus (Lightf.) Heuff., Flora 27: 528 1844

Caricinella pauciflora (Lightf.) St.-Lag., Étude Fl ed. 8, 2: 881 1889

Carex paxii Kük., Pflanzenr. (Engler) IV. 20: 765 1909 (R)

국명: 대구사초(Dae-gu-sa-cho), 기장사초, 팍시사초 / (북한명) 기장사초

영명: Pax's sedge

Carex succedanea Nakai, Repert. Spec. Nov. Regni Veg. 13: 244 1914

Carex kengii Kük., Repert. Spec. Nov. Regni Veg. 27: 108 1929

Carex paxii Kük. var. *succedanea* (Nakai) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 283 1930

Carex pediformis C.A.Mey., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 1: 219 1831

국명: 넓은잎그늘사초(Neol-beun-ip-geu-neul-sa-cho) / (북한명) 넓은잎그늘사초

영명: Wide-leaf low sedge

Carex obliqua Turcz., Bull. Soc. Imp. Naturalistes Moscou 1838: 104 1838

Carex kirilovii Turcz., Bull. Soc. Imp. Naturalistes Moscou 28: 340 1855

Carex pellucida Turcz. ex Boott, Ill. Gen. Carex 4: 196 1867

Carex chamissoi Boeckeler, Linnaea 41: 145 1877

Carex pediformis C.A.Mey. var. *floribunda* Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 409 1892

Carex rhizodes Blytt ex Boott var. *abbreviata* Meinh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 404 1901

Carex sutchanensis Kom., Izv. Imp. Bot. Sada Petra Velikago 16: 155 1916

Carex macroura Meinh. subsp. *kirilovii* (Turcz.) Malyshev, Fl. Sibiriae 3: 123 1990

Carex pediformis C.A.Mey. var. *pediformis*

Carex pediformis C.A.Mey. var. *pedunculata* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 310 1859

국명: 왕그늘사초(Wang-geu-neul-sa-cho), 큰그늘사초 / (북한명) 왕그늘사초, 신갈사초, 큰그늘사초

영명: Peduncled wide-leaf low sedge

■ CYPERACEAE 사초과

Carex peiktusanii Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 445 1901 Ⓢ

국명: 백두사초(Baek-du-sa-cho), 늄산사초, 백두산사초 / (북한명) 백두사초, 백두산사초

영명: Baekdu sedge

Carex hancockiana Maxim. var. *peiktusanii* (Kom.) Kük., Pflanzenr. (Engler) IV. 20: 395 1909

Carex phacota Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 826 1826

국명: 비늘사초(Bi-neul-sa-cho), 바늘사초, 쥐방울사초 / (북한명) 비늘사초, 긴이삭사초, 긴자루사초, 긴꼬리사초, 쥐방울사초

영명: Lentoid sedge

Carex gracilipes Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 151 1866

Carex fauriae Franch., Bull. Soc. Bot. France 26: 89 1879

Carex cincta Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 33 1895

Carex lepidopristis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 198 1901

Carex cincta Franch. var. *subphacota* Kük., Pflanzenr. (Engler) IV. 20: 353 1909

Carex subphacota (Kük.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 24 1914

Carex shichiseitensis Hayata, Icon. Pl. Formosan. 10: 58 1921

Carex phacota Spreng. var. *shichiseitensis* (Hayata) Ohwi, J. Jap. Bot. 7: 199 1934

Carex phacota Spreng. var. *cincta* (Franch.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11: 297 1936

Carex phaeothrix Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 239 1931 Ⓣ

국명: 조이삭사초(Jo-i-sak-sa-cho)

영명: Brown-spike sedge

Carex pilosa Scop., Fl. Carniol. ed. 2, 2: 226 1772

국명: 텔사초(Teol-sa-cho) / (북한명) 텔사초, 좀개구리사초, 북해도사초

영명: Pilose-leaf sedge

Carex nemorensis J.F.Gmel., Syst. Nat. ed. 13[bis]: 143 1791

Carex auriculata Franch., Bull. Annuel Soc. Philom. Paris sér. 7, 10: 106 1886

Carex planiculmis Kom., Trudy Glavn. Bot. Sada 17: 448 1899

국명: 그늘흰사초(Geu-neul-huin-sa-cho), 가지삿갓사초, 개자리사초 / (북한명) 그늘흰사초, 가지삿갓사초, 개자리사초

영명: Shady mucronate sedge

Carex japonica Thunb. var. *naipianguensis* H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 206 1904

Carex paniculigera Nakai, Repert. Spec. Nov. Regni Veg. 13: 244 1914

Carex macromollicula Nakai ex Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 2: 198 1932

Carex poculiflora Kük., Repert. Spec. Nov. Regni Veg. 27: 111 1929

국명: 장군대사초(Jang-gun-dae-sa-cho)

영명: Bowl-shape-scale sedge

Carex polyschoena H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 12: 9 1903

국명: 가지청사초(Ga-ji-cheong-sa-cho), 뜻꼬리사초, 양지흰꼬리사초 / (북한명) 뜻꼬리사초

영명: Sakhalin mitra sedge

Carex pisiformis Boott f. *polyschoena* (H.Lév. & Vaniot) Kük., Pflanzenr. (Engler) IV. 20: 477 1909

Carex pseudochinensis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 306 1902 E R

국명: 햇사초(Haet-sa-cho), 해변사초 / (북한명) 햇사초, 해변사초

영명: False Chinese sedge

Carex pseudocuraica F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 12: 67 1868

국명: 덩굴사초(Deong-gul-sa-cho) / (북한명) 덩굴사초

영명: Creeper-like sedge

Carex chordorrhiza L.f. var. *major* Boeckeler, Linnaea 39: 54 1875

Carex chordorrhiza L.f. var. *pseudocuraica* (F.Schmidt) Trautv., Trudy Imp. S.-Peterburgsk. Bot. Sada 5: 123 1877

Carex puberula Boott, Narr. Exped. China Japan [Perry] 2: 324 1857

국명: 가는청사초(Ga-neun-cheong-sa-cho)

Carex breviculmis R.Br. var. *puberula* (Boott) Makino, Bot. Mag. (Tokyo) 10: 320 1896

Carex pumila Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 846 1784

국명: 좀보리사초(Jom-bo-ri-sa-cho), 모래사초 / (북한명) 좀보리사초

영명: Dwarf sand sedge

Carex littorea Labill., Nov. Holl. Pl. 2: 69 1806

Carex nutans J.F.Gmel. var. *pumila* (Thunb.) Boeckeler, Linnaea 41: 298 1877

Carex platyrhyncha Franch. & Sav., Enum. Pl. Jap. 2: 582 1878

Carex sepulta Phil., Anales Univ. Chile 93: 494 1896

Carex pumila Thunb. subsp. *littorea* (Labill.) Kük., Bot. Jahrb. Syst. 27: 551 1899

Carex nutans J.F.Gmel. var. *platyrhyncha* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV. 20: 740 1909

Carex quadriflora (Kük.) Ohwi, Acta Phytotax. Geobot. 1: 74 1932

국명: 녹빛사초(Nok-bit-sa-cho) / (북한명) 녹빛사초

영명: Four-flower sedge

Carex digitata L. var. *pallida* Meinh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 401 1901

Carex digitata L. subsp. *quadriflora* Kük., Pflanzenr. (Engler) IV. 20: 497 1909

Carex raddei Kük., Bot. Centralbl. 77: 97 1899

국명: 화산곱슬사초(Hwa-san-gop-seul-sa-cho), 녹모사초, 라떼사초, 연한털사초 / (북한명) 연한털사초

영명: Radde's sedge

Carex aristata Honck. subsp. *raddei* (Kük.) Kük., Pflanzenr. (Engler) IV. 20: 755 1909

■ CYPERACEAE 사초과

Carex remotiuscula Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 147 1803

국명: 층실사초(Cheung-sil-sa-cho), 호랭이사초 / (북한명) 호랑이사초, 층실사초

영명: Minute-gibbous sedge

Carex remotiformis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 444 1901

Carex remota L. var. *remotiformis* (Kom.) Kük., Pflanzenr. (Engler) IV. 20: 235 1909

Carex rochebrunii Franch. & Sav. var. *remotiformis* (Kom.) Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 2: 82 1932

Carex rhizopoda Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 114 1887

국명: 뿌리대사초(Ppu-ri-dae-sa-cho)

Carex rhynchophysa Fisch., C.A.Mey. & Avé-Lall., Index Seminum [St.Petersburg (Petropolitanus)] 9(Suppl.): 9 1843

국명: 왕삿갓사초(Wang-sat-gat-sa-cho), 왕삭삿사초 / (북한명) 왕삿갓사초

영명: Large-spike sedge

Carex rigescens (Franch.) V.I.Krecz., Fl. URSS 3: 592 1935

국명: 진남포사초(Jin-nam-po-sa-cho) / (북한명) 들사초

영명: Rigescient sedge

Carex stenophylla Wahlenb. var. *rigescens* Franch., Pl. David. 1: 318 1884

Carex duriuscula C.A.Mey subsp. *rigescens* (Franch.) S.Yun Liang & Y.C.Tang, Acta Phytotax. Sin. 28: 155 1990

Carex rostrata Stokes, Bot. Arr. Brit. Pl. (ed. 2) 2: 1059 1787

국명: 큰물삿갓사초(Keun-mul-sa-gat-sa-cho)

영명: Beak sedge

Carex rostrata Stokes var. *rostrata*

Carex rostrata Stokes var. *borealis* (Hartm.) Kük., Pflanzenr. (Engler) IV. 20: 723 1909

국명: 물삿갓사초(Mul-sat-gat-sa-cho), 물사갓사초 / (북한명) 함경삿갓사초

영명: Northern beak sedge

Carex ampullacea Gooden. var. *borealis* Hartm., Handb. Skand. Fl. 39 1820

Carex rugata Ohwi, Acta Phytotax. Geobot. 1: 76 1932

국명: 주름청사초(Ju-reum-cheong-sa-cho)

Carex rugulosa Kük., Bull. Herb. Boissier ser. 2, 4: 58 1904

국명: 큰천일사초(Keun-cheon-il-sa-cho), 주름사초 / (북한명) 주름사초

영명: Thick-nerve sedge

Carex riparia Curtis var. *rugulosa* (Kük.) Kük., Pflanzenr. (Engler) IV. 20: 736 1909

Carex rugulosa* Kük. var. *rugulosa

Carex rugulosa* Kük. var. *graciliculmis (Ohwi) Kitag., Bot. Mag. (Tokyo) 48: 31 1934

국명: 주름사초(Ju-reum-sa-cho), 가는줄기구름사초

영명: Slender-culm thick-nerve sedge

Carex graciliculmis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 264 1931

***Carex rupestris* All., Fl. Pedem. 2: 264 1785**

국명: 눈사초(Nun-sa-cho) / (북한명) 눈사초

영명: Curly sedge

Carex petraea Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 1: 139 1803

Carex dufourei Lapeyr., Hist. Pl. Pyrenees Suppl. 140 1818

Carex attenuata R.Br., Bot. App. (Richardson) 750 1823

Carex drummondiana Dewey, Amer. J. Sci. Arts 29: 251 1836

Caricinella rupestris (All.) St.-Lag., Étude Fl ed. 8, 2: 882 1889

***Carex sabynensis* Less. ex Kunth, Enum. Pl. (Kunth) 2: 440 1837**

국명: 실청사초(Sil-cheong-sa-cho), 부리사초 / (북한명) 부리사초

영명: Narrow mitra sedge

Carex pediformis C.A.Mey. var. *obliqua* Turcz., Fl. Baical.-dahur. n. 1252 1855

Carex pediformis C.A.Mey. var. *caespitosa* F.Schmidt, Mém. Acad. Imp. Sci. Saint Pétersbourg Sér. 7 18: 127 1872

Carex brenneri Christ ex Scheutz, Kongl. Svenska Vetensk. Acad. Handl. n.s. 22: 178 1888

Carex kamikawensis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 48 1895

Carex eriandrolepis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 19: 34 1909

Carex umbrosa Host subsp. *sabynensis* (Less. ex Kunth) Kük., Pflanzenr. (Engler) IV. 20: 468 1909

Carex sabynensis* Less. ex Kunth var. *sabynensis

Carex sabynensis* Less. ex Kunth var. *leiosperma Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11: 353 1936 ③

국명: 지리실청사초(Ji-ri-sil-cheong-sa-cho), 민부리사초 / (북한명) 민부리사초

영명: Smooth-fruit narrow mitra sedge

Carex sabynensis* Less. ex Kunth var. *rostrata (Maxim.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 11: 353 1936

국명: 부리실청사초(Bu-ri-sil-cheong-sa-cho), 덩굴망사초, 덩굴부리사초 / (북한명) 덩굴망사초, 덩굴부리사초

영명: Beaked-fruit narrow mitra sedge

Carex pediformis C.A.Mey. var. *rostrata* Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 310 1859

Carex umbrosa Host var. *stolonifera* Kük., Pflanzenr. (Engler) IV. 20: 468 1909

Carex pisiformis Boott var. *subebractea* Kük., Pflanzenr. (Engler) IV. 20: 477 1909

Carex praestabilis Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 262 1931

■ CYPERACEAE 사초과

Carex scabrifolia Steud., Syn. Pl. Glumac. 2: 237 1855

국명: 천일사초(Cheon-il-sa-cho), 갯갓사초 / (북한명) 갯갓사초, 천일사초, 자오락

영명: Scabrous-leaf sedge

Carex pierotii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 148 1866

Carex suberea Boott, Ill. Gen. Carex 4: 165 1867

Carex malinvaldii H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 204 1904

Carex yabei H.Lév. & Vaniot, Bull. Soc. Agric. Sarthe 1905: 79 1905

Carex schmidtii Meinh., Beitr. Kenntn. Russ. Reiches 26: 224 1871

국명: 참뚝사초(Cham-ttuk-sa-cho), 슈미트사초, 참뚝사초 / (북한명) 참뚝사초

영명: Schmidt's sedge

Carex lineolata Cham. ex Meinh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 338 1901

Carex subvaginata Meinh. ex C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 70 1908

Carex vladimiroviensis H.Lév., Bull. Acad. Int. Géogr. Bot. 19: 34 1909

Carex sedakowii C.A.Mey. ex Meinh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 360 1901

국명: 난쟁이사초(Nan-jaeng-i-sa-cho) / (북한명) 난쟁이사초

영명: Sedakov's sedge

Carex sendaica Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 42 1895

국명: 홍노줄사초(Hong-no-jul-sa-cho)

Carex franchetiana H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 10: 268 1901

Carex brunnea Thunb. var. *sendaica* (Franch.) Kük., Pflanzenr. (Engler) IV. 20: 601 1909

Carex lenta D.Don var. *sendaica* (Franch.) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 166 1962

Carex shimidzensis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 33 1895

국명: 산꼬리사초(San-kko-ri-sa-cho), 산이삭사초, 섬방울사초, 성인봉사초, 참뚝사초 / (북한명) 산꼬리사초, 울릉사초, 산이삭사초

영명: Long-tail-spike sedge

Carex nervulosa Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 120 1897

Carex sorachensis H.Lév. & Vaniot, Bull. Soc. Bot. France 51: 205 1904

Carex shimidzensis Franch. var. *nervulosa* (Franch.) Kük., Pflanzenr. (Engler) IV. 20: 357 1909

Carex takeshimensis Nakai, Bot. Mag. (Tokyo) 31: 281 1917

Carex siderosticta Hance, J. Linn. Soc., Bot. 13: 89 1873

국명: 대사초(Dae-sa-cho) / (북한명) 대사초

영명: Creeping broad-leaf sedge

Pseudocarex plantaginea Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 146 1866

Carex platyphylla Franch., Bull. Annuel Soc. Philom. Paris VIII, 7: 50 1895

Carex siderosticta Hance var. *bracteosa* Franch., Nouv. Arch. Mus. Hist. Nat. 3, 9: 196 1897

Carex siderosticta Hance var. *variegata* Akiyama, J. Fac. Sci. Hokkaido Imp. Univ. Ser. 5, Bot. 3: 268 1935

Carex siroumensis Koidz., Bot. Mag. (Tokyo) 32: 54 1918

국명: 포태사초(Po-tae-sa-cho), 시로맨시스사초, 시로우마사초, 포태산사초 / (북한명) 포태산사초

영명: Potae sedge

Carex sordida Van Heurck & Müll.Arg., Observ. Bot. Descript. Pl. Nov. Herb. Van Heurckiani 1: 33 1870

국명: 민숲이삭사초(Min-sup-i-sak-sa-cho)

영명: Short forest-live sedge

Carex splendentissima U.Kang & J.M.Chung, J. Jap. Bot. 87: 314 2012 ⓘ

국명: 반들대사초(Ban-deul-dae-sa-cho)

Carex stipata Muhl. ex Willd., Sp. Pl. (ed.4) 4: 233 1805

국명: 양덕사초(Yang-deok-sa-cho) / (북한명) 큰개구리사초

영명: Awl-fruit sedge

Vignea stipata (Muhl. ex Willd.) Rchb., Handb. Gewächsk. (ed. 2) 3: 1620 1830

Loncoperis stipata (Muhl. ex Willd.) Raf., Good Book 27 1840

Carex subspathacea Wormsk. ex Hornem., Fl. Dan. 9: 4, t. 1530 1816

국명: 애기천일사초(Ae-gi-cheon-il-sa-cho), 긴자루사초

영명: Hoppner's sedge

Carex salina Wahlenb. var. *minor* Boott, Ill. Gen. Carex 4: 160 1867

Carex subumbellata Meinh. var. *subumbellata*

Carex subumbellata Meinh. var. *koreana* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 6: 261 1931 ⓘ

국명: 구름사초(Gu-reum-sa-cho), 설령사초, 조산구름사초 / (북한명) 구름사초

영명: Subumbellate sedge

Carex suifunensis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 445 1901

국명: 가는비늘사초(Ga-neun-bi-neul-sa-cho), 쇠풍경사초

영명: Narrow-scale sedge

Carex pruinosa Boott var. *suifunensis* (Kom.) Kük., Pflanzenr. (Engler) IV. 20: 353 1909

Carex maximowiczii Miq. var. *suifunensis* (Kom.) Nakai, Saishu-to Kuan-to Shokubutsu Hokoku-sho [Fl. Quelpaert Isl.] 18 1914

Carex maximowiczii Miq. subsp. *suifunensis* (Kom.) Vorosch., Florist. issl. v razn. Raionakh SSSR 155 1985

Carex taihokuensis Hayata, Icon. Pl. Formosan. 10: 70 1921

국명: 진도사초(Jin-do-sa-cho)

■ CYPERACEAE 사초과

Carex tarumensis Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 86 1895

국명: 검은꼬리사초(Geom-eun-kko-ri-sa-cho)

Carex tegulata H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 306 1902

국명: 구슬사초(Gu-seul-sa-cho)

영명: Orbicular sedge

Carex teinogyna Boott, Ill. Gen. Carex 1: 60, t. 158 1858

국명: 폭이사초(Pok-i-sa-cho)

영명: Slender-pedicel sedge

Carex teinogyna Boott var. *scabriculmis* Kük., Pflanzenr. (Engler) IV. 20: 502 1909

Carex scabriculmis (Kük.) Ohwi, Acta Phytotax. Geobot. 2: 27 1933

Carex tenuiflora Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 147 1803

국명: 별사초(Byeoil-sa-cho), 외대사초 / (북한명) 별사초

영명: Sparse-flower sedge

Carex leucolepis Turcz. ex Steud., Nomencl. Bot. ed. 2 (Steudel) 1: 292 1840

Carex arrhyncha Franch., Bull. Annuel Soc. Philom. Paris sér. 8, 7: 30 1895

Carex tenuiflora Wahlenb. var. *arrhyncha* (Franch.) Kük., Pflanzenr. (Engler) IV. 20: 224 1909

Carex tenuiformis H.Lév. & Vaniot, Bull. Acad. Int. Géogr. Bot. 11: 104 1902

국명: 나도그늘사초(Na-do-geu-neul-sa-cho) / (북한명) 나도그늘사초, 고려사초

영명: Shadow sedge

Carex tenuiformis H.Lév. & Vaniot var. *tenuiformis*

Carex tenuiformis H.Lév. & Vaniot var. *neofilipes* (Nakai) Ohwi ex Hatus., Exp. Forest. Kyushu Imp. Univ.

5: 223 1934

국명: 그늘실사초(Geu-neul-sil-sa-cho), 시골색시사초, 실사초 / (북한명) 두메실사초

영명: Slender shadow sedge

Carex neofilipes Nakai, Repert. Spec. Nov. Regni Veg. 13: 243 1914

Carex tenuiformis H.Lév. & Vaniot subsp. *neofilipes* (Nakai) Á.Löve, D.Löve & Raymond, Canad. J. Bot. 35: 746 1957

Carex toyoshimae Tuyama, Bot. Mag. (Tokyo) 49: 367 1935

국명: 가는밀사초(Ga-neun-mil-sa-cho)

Carex transversa Boott, Narr. Exped. China Japan (Perry) 2: 324 1857

국명: 화살사초(Hwa-sal-sa-cho), 연약사초 / (북한명) 화살사초, 연약사초

영명: Transverse Brown's sedge

Carex brownii Tuck. subsp. *transversa* (Boott) J.Kern, Fl. Males. 9: 163 1979

Carex brownii Tuck. var. *transversa* (Boott) Kük., Pflanzenr. (Engler) IV. 20: 614 1909

Carex tristachya Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 845 1784

국명: 반들사초(Ban-deul-sa-cho), 세가래사초 / (북한명) 세가래사초, 반들사초, 애기세가래사초

영명: Shiny-spike sedge

Carex monadelpha Boott, Narr. Exped. China Japan 2: 323 1856

Carex tristachya Thunb. var. ***tristachya***

Carex tristachya Thunb. var. ***pocilliformis*** (Boott) Kük., Pflanzenr. (Engler) IV. 20: 473 1909

국명: 애기반들사초(Ae-gi-ban-deul-sa-cho), 세가래사초, 애기세레사초

영명: Small shiny-spike sedge

Carex pocilliformis Boott, Bull. Acad. Int. Géogr. Bot. 12: 504 1903

Carex tristachya Thunb. subsp. *pocilliformis* (Boott) T.Koyama, Fl. Taiwan 5: 337 1978

Carex tsushimensis (Ohwi) Ohwi, Acta Phytotax. Geobot. 1: 67 1932

국명: 바늘청사초(Ba-neul-cheong-sa-cho)

Carex chinensis Retz. var. *tsushimensis* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 5: 263 1930

Carex tuminensis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 444 1901

국명: 중삿갓사초(Jung-sat-gat-sa-cho), 독바늘사초 / (북한명) 중삿갓사초, 독바늘사초

영명: Dumangang sedge

Carex uda Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 303 1859

국명: 개바늘사초(Gae-ba-neul-sa-cho), 개바늘사초, 잔바늘사초 / (북한명) 잔바늘사초, 개바늘사초

영명: Uda needle sedge

Carex ulobasis V.I.Krecz., Fl. URSS 3: 608 1935

국명: 산양지사초(San-yang-ji-sa-cho) / (북한명) 산양지사초

영명: Montane sedge

Carex montana L. var. *manchuriensis* Kom., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 396 1901

Carex ussuriensis Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 443 1901

국명: 싸라기사초(Ssa-ra-gi-sa-cho), 싸래기사초, 좁쌀사초 / (북한명) 싸래기사초

영명: Ussuri sedge

Carex alba Scop. subsp. *ussuriensis* (Kom.) Kük., Pflanzenr. (Engler) IV. 20: 500 1909

Carex alba Scop. var. *ussuriensis* (Kom.) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 173 1962

Carex vaginata Tausch, Flora 4: 557 1821

국명: 집사초(Jip-sa-cho)

■ CYPERACEAE 사초과

영명: Sheathed sedge

Carex sparsiflora var. *borealis* Andersson, Pl. Scand. Cyper. 1: 34 1849

Carex van-heurckii Müll.Arg., Observ. Bot. (Van Heurck) 30 1870

국명: 망사초(Mang-sa-cho), 그물사초 / (북한명) 그물사초, 망사초

영명: Northern meadow sedge

Carex amblyolepis Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 99 1856

Carex pensylvanica Lam. var. *amblyolepis* (Trautv. & C.A.Mey.) Kük., Oefvers. Forh. Finska Vetensk.-Soc. 45: 8 1903

Carex pseudowrightii Honda, Bot. Mag. (Tokyo) 18: 291 1929

Carex vesicaria L., Sp. Pl. 2: 979 1753

국명: 새방울사초(Sae-bang-ul-sa-cho), 둥글레사초, 큰방울사초 / (북한명) 둥글레사초, 새방울사초

영명: Blister sedge

Carex vesicaria L. var. *calcifoenum* Laest., Loca Parall. 88 1831

Carex monile Tuck., Enum. Meth. Caric. 20 1843

Carex vesicaria L. var. *monile* (Tuck.) Boeckeler, Linnaea 41: 320 1877

Carex xiphium Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 446 1901

국명: 넓은잎피사초(Neol-beun-ip-pi-sa-cho), 민곱슬사초 / (북한명) 넓은잎피사초

영명: Sword-like sedge

Cladium P.Browne 층층고랭이속

Cladium chinense Nees, Linnaea 9: 301 1835

국명: 층층고랭이(Cheung-cheung-go-raeng-i), 맷돼지새 / (북한명) 층층이삭

영명: Strata fen-sedge

Cladium mariscus Benth., Fl. Hongk. 397 1861

Cladium jamaicense C.B. Clarke, J. Linn. Soc., Bot. 36: 262 1903

Cyperus L. 방동사니속

Cyperus amuricus Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 296 1859

국명: 방동사니(Bang-dong-sa-ni), 검정방동산이, 방동산이, 차방동사니, 큰차방동사니 / (북한명) 방동사니

영명: Asian flatsedge

Cyperus krameri Franch. & Sav., Enum. Pl. Jap. 2: 104, 539 1877

Cyperus amuricus Maxim. var. *pterygorrachis* (H.Lév.) Ohwi, Bot. Mag. (Tokyo) 45: 184 1931

Cyperus cyperoides (L.) Kuntze, Revis. Gen. Pl. 3: 333 1898

국명: 방동사니아재비(Bang-dong-sa-ni-a-jae-bi), 개방동사니, 방동산이아재비 / (북한명) 방동사니아재비

영명: Pacific island flatsedge

Scirpus cyperoides L., Mant. Pl. 2: 181 1771

Kyllinga sumatrensis Retz., Observ. Bot. (Retzius) 4: 13 1786
Mariscus siebermanus Nees ex C.B.Clarke, Fl. Brit. Ind. 6: 622 1893
Mariscus sumatrensis (Retz.) J.Raynal, Adansonia 15: 110 1975

***Cyperus difformis* L.**, Cent. Pl. 2: 6 1756

국명: 알방동사니(Al-bang-dong-sa-ni), 알방동산이 / (북한명) 알방동사니

영명: **Deformed flatsedge**

Cyperus oryzetorum Steud., Syn. Pl. Glumac. 2: 24 1854

***Cyperus glomeratus* L.**, Cent. Pl. 2: 5 1756

국명: 물방동사니(Mul-bang-dong-sa-ni), 물방동산이, 진들방동사니, 흐리방동사니 / (북한명) 물방동사니

영명: **Glomerate flatsedge**

Chlorocyperus glomeratus (L.) Palla, Allg. Bot. Z. Syst. 6: 201 1900

***Cyperus hakonensis* Franch. & Sav.**, Enum. Pl. Jap. 2: 104, 538 1877

국명: 병아리방동사니(Byeong-a-ri-bang-dong-sa-ni), 병아리방동산이, 줄방동사니 / (북한명) 병아리방동사니,
꽃방동사니

영명: **Small flatsedge**

***Cyperus haspan* L.**, Sp. Pl. 1: 45 1753

국명: 모기방동사니(Mo-gi-bang-dong-sa-ni), 모기방동산이, 애기방동사니, 연줄방동사니 / (북한명) 애기방동사니

영명: **Haspan flatsedge**

Cyperus haspan L. var. *tuberiferus* T.Koyama, J. Jap. Bot. 30: 136 1955

***Cyperus iria* L.**, Sp. Pl. 1: 45 1753

국명: 참방동사니(Cham-bang-dong-sa-ni), 참방동산이 / (북한명) 참방동사니

영명: **Ricefield flatsedge**

Cyperus santonici Rottb., Descr. Icon. Rar. Pl. 41 1773

Cyperus paniciformis Franch. & Sav., Enum. Pl. Jap. 2: 537 1878

Cyperus iria L. var. *paniciformis* (Franch. & Sav.) C.B.Clarke, Fl. Brit. Ind. 6: 607 1893

***Cyperus microiria* Steud.**, Syn. Pl. Glumac. 2: 23 1855

국명: 금방동사니(Geum-bang-dong-sa-ni), 금방동산이, 방동사니, 방동산이 / (북한명) 금방동사니

영명: **Awned rice flatsedge**

Cyperus textorii Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 141 1865

Cyperus amuricus Maxim. var. *textorii* (Miq.) Kük., Sinensis 3: 80 1933

***Cyperus nipponicus* Franch. & Sav.**, Enum. Pl. Jap. 2: 537 1878

국명: 푸른방동사니(Pu-reun-bang-dong-sa-ni), 나도방동사니, 나도방동산이, 푸른방동산이 / (북한명) 나도방동사니,
푸른방동사니

영명: **White-scale flatsedge**

Juncellus nipponicus (Franch. & Sav.) C.B.Clarke, Bull. Acad. Int. Géogr. Bot. 14: 202 1904

Dichostylis nipponica (Franch. & Sav.) Palla, Monde Pl. 12: 40 1910

Cyperus michelianus var. *nipponicus* (Franch. & Sav.) Kük., Pflanzenr. (Engler) IV. 20: 314 1936

***Cyperus orthostachyus* Franch. & Sav., Enum. Pl. Jap. 2: 539 1878**

국명: 쇠방동사니(Soe-bang-dong-sa-ni), 쇠방동산이 / (북한명) 쇠방동사니

영명: **Upright-spike flatsedge**

Cyperus truncatus A.Rich. var. *orthostachyus* (Franch. & Sav.) C.B.Clarke, J. Linn. Soc., Bot. 36: 218 1903

Cyperus truncatus A.Rich. var. *robustus* Nakai, Bot. Mag. (Tokyo) 40: 146 1926

Cyperus orthostachyus Franch. & Sav. var. *dahuricus* H.Hara, J. Jap. Bot. 14: 339 1938

Cyperus orthostachyus Franch. & Sav. var. *robustus* (Nakai) H.Hara, J. Jap. Bot. 14: 339 1938

***Cyperus pacificus* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 150 1944**

국명: 흰방동사니(Huin-bang-dong-sa-ni), 서울방동사니, 흰방동사니, 흰방동산이 / (북한명) 흰방동사니

영명: **White flatsedge**

Cyperus michelianus Link var. *pacificus* Ohwi, Acta Phytotax. Geobot. 7: 137 1933

Dichostylis pacificus (Ohwi) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 132 1952

***Cyperus pygmaeus* Rottb., Descr. Icon. Rar. Pl. 20 1773**

국명: 애기방동사니(Ae-gi-bang-dong-sa-ni)

Cyperus michelianus (L.) Delile subsp. *pygmaeus* (Rottb.) Asch. & Graebn., Syn. Mitteleur. Fl. 2: 273 1904

***Cyperus rotundus* L., Sp. Pl. 1: 45 1753**

국명: 향부자(Hyang-bu-ja), 갯뿌리방동사니, 약방동사니 / (북한명) 향부자, 갯뿌리방동사니

영명: **Nutgrass flatsedge**

Cyperus laevissimus Steud., Syn. Pl. Glumac. 2: 32 1854

Chlorocyperus rotundus (L.) Palla, Allg. Bot. Z. Syst. 6: 61 1900

Cyperus rotundus L. var. *quimoyensis* L.K.Dai, Fl. Reipubl. Popularis Sin. 11: 231 1961

***Cyperus serotinus* Rottb., Descr. Icon. Rar. Pl. 31 1773**

국명: 너도방동사니(Neo-do-bang-dong-sa-ni), 너도방동산이, 까치밥, 까치방동사니, 꽃방동사니, 꽃방동산이 / (북한명) 너도방동사니, 꽃방동사니

영명: **Tidal-marsh flatsedge**

Cyperus monti L.f., Suppl. Pl. 102 1781

Cyperus krebsei Boeckeler, Beitr. Cyper. 2: 2 1890

Juncellus serotinus (Rottb.) C.B.Clarke, Fl. Brit. Ind. 6: 594 1893

Chlorocyperus serotinus (Rottb.) Palla, Allg. Bot. Z. Syst. 6: 201 1900

Duval-jouvea serotina (Rottb.) Palla, Syn. Deut. Schweiz. Fl. ed. 3 3: 2556 1905

Cyperus makinoi Nakai, Bot. Mag. (Tokyo) 26: 187 1912

Cyperus tenuisepica Steud., Syn. Pl. Glumac. 2: 11 1854

국명: 우산방동사니(U-san-bang-dong-sa-ni), 우산방동산이 / (북한명) 우산방동사니

영명: Narrow-spiculate flatsedge

Cyperus pseudohaspan Makino, Bot. Mag. (Tokyo) 6: 47 1892

***Diplacrum* R.Br. 애기개울미속**

Diplacrum caricinum R.Br., Prodr. Fl. Nov. Holland. 241 1810

국명: 애기개울미(Ae-gi-gae-ol-mi)

***Eleocharis* R.Br. 바늘골속**

Eleocharis acicularis (L.) Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 2: 154 1817

국명: 원산쇠털골(Won-san-soe-teol-gol) / (북한명) 소털골, 쇠털골

영명: Wonsan spikerush

Scirpus acicularis L., Sp. Pl. 1: 48 1753

Eleocharis acicularis (L.) Roem. & Schult. var. *acicularis*

Eleocharis acicularis (L.) Roem. & Schult. var. *longisetia* Svenson, Rhodora 31: 189 1929

국명: 쇠털골(Soe-teol-gol)

영명: Needle spikerush

Eleocharis acicularis (L.) Roem. & Schult. f. *longisetia* (Svenson) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 88 1961

Eleocharis attenuata (Franch. & Sav.) Palla f. *attenuata*

Eleocharis attenuata (Franch. & Sav.) Palla f. *laeviseta* (Nakai) H.Hara, J. Jap. Bot. 32: 140 1957

국명: 참바늘골(Cham-ba-neul-gol)

영명: True needle spikerush

Eleocharis laeviseta Nakai, Repert. Spec. Nov. Regni Veg. 13: 246 1914

Eleocharis chanchaensis Y.C.Oh & J.Y.Lee, Korean Cyperaceae (exception of Carex) 98 2000

국명: 돌기네모골(Dol-gi-ne-mo-gol)

Eleocharis congesta D.Don, Prodr. Fl. Nepal. 41 1825

국명: 바늘골(Ba-neul-gol), 물바늘골 / (북한명) 바늘골, 물바늘골

영명: Dense-flower spikerush

Scirpus congestus (D.Don) Buch.-Ham. ex D.Don, Prodr. Fl. Nepal. 41 1825

■ CYPERACEAE 사초과

Eleocharis dulcis (Burm.f.) Trin. ex Hensch., Vita Rumphii 186 1833

국명: **남방개**(Nam-bang-gae), 남을방개 / (북한명) 남을방개, 개을방개

영명: **Water chestnut**

Scirpus plantaginoides Rottb., Descr. Icon. Rar. Pl. 45 1773

Scirpus plantagineus Retz., Observ. Bot. (Retzius) 5: 14 1788

Eleocharis plantaginea (Retz.) Roem. & Schult., Syst. Veg. (ed.16) [Roemer & Schultes] 2: 150 1817

Eleocharis equisetiformis (Meinsh.) B.Fedtsch., Rastitel'n. Turkestana 165 1915

국명: **까락골**(Kka-rak-gol) / (북한명) 줄바늘골, 까락골

영명: **Horsetail-like spikerush**

Scirpus equisetiformis Meinsh., Trudy Glavn. Bot. Sada 18: 261 1901

Eleocharis kamtschatica (C.A.Mey.) Kom., Fl. Pen. Kamtschatka 1: 207 1927

국명: **올방개아재비**(Ol-bang-gae-a-jae-bi), 검바늘골, 검은바늘골, 골풀아재비, 물골, 석냥골 / (북한명) 검은바늘골

영명: **Bristleless spikerush**

Scirpus kamtschaticus C.A.Mey., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 1: 193 1831

Eleocharis mitrata Makino, Bot. Mag. (Tokyo) 8: 380 1894

Scirpus sachalinensis Meinsh., Trudy Glavn. Bot. Sada 18: 260 1900

Eleocharis savatieri C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 21 1908

Eleocharis sachalinensis (Meinsh.) Kom., Opred. Rast. Dal'nevost. Kraia 1: 266 1931

Eleocharis komarovii Zinserv., Fl. URSS 3: 81 1934

Eleocharis kamtschatica (C.A.Mey.) Kom. f. **kamtschatica**

Eleocharis kamtschatica (C.A.Mey.) Kom. f. **reducta** (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 45 1944

국명: **무화피올방개아재비**(Mu-hwa-pi-ol-bang-gae-a-jae-bi), 민검은바늘골 / (북한명) 민검은바늘골

영명: **Non-perianth bristleless spikerush**

Eleocharis kamtschatica (C.A.Mey.) Kom. var. *reducta* Ohwi, Bot. Mag. (Tokyo) 45: 185 1931

Eleocharis kuroguwai Ohwi, J. Jap. Bot. 12: 654 1936

국명: **올방개**(Ol-bang-gae), 올메, 올미장대 / (북한명) 올방개, 올메, 올미장대

영명: **East Asian spikerush**

Eleocharis mamillata L.f. var. **mamillata**

Eleocharis mamillata L.f. var. *cyclocarpa* Kitag., Lin. Fl. Manshur. 119 1939

국명: **물꼬챙이골**(Mul-kko-chaeng-i-gol), 물꼬챙이, 큰바늘골

영명: **Ussuri spikerush**

Eleocharis margaritacea (Hultén) Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 210 1931

국명: 흰바늘골(Huin-ba-neul-gol)

영명: Margaric spikerush

Scirpus margaritaceus Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 167 1927

Eleocharis maximowiczii Zinserl., Fl. URSS 3: 88, 588 1935

국명: 원산바늘골(Won-san-ba-neul-gol)

영명: Pellucid spikerush

Eleocharis pellucida J.Presl & C.Presl var. *maximiwiczii* (Zinserl.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 41 1944

Eleocharis ovata (Roth) Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 2: 152 1817

국명: 둥근검바늘골(Dung-geun-geom-ba-neul-gol), 둥근바늘골

영명: Ovate spikerush

Scirpus ovatus Roth, Tent. Fl. Germ. 2: 562 1793

Scirpus soloniensis Dubois, Meth. Eprouv. 295 1803

Bulbostylis ovata (Roth) Steven, Mém. Soc. Imp. Naturalistes Moscou 5: 355 1817

Eleocharis ovata (Roth) Roem. & Schult. var. *nipponica* H.Hara, J. Jap. Bot. 14: 338 1938

Eleocharis soloniensis (Dubois) H.Hara, J. Jap. Bot. 14: 338 1938

Eleocharis obtusa (Willd.) Schult. var. *ovata* (Roth) Drapalik & Mohlenbr., Amer. Midl. Naturalist 44: 341 1960

Eleocharis parvinux Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 47 1944

국명: 가는물꼬챙이골(Ga-neun-mul-kko-chaeng-i-gol)

Eleocharis parvula (Roem. & Schult.) Link ex Bluff, Comp. Fl. German. ed. 2, 1: 93 1836

국명: 갯바늘골(Gaet-ba-neul-gol)

Scirpus parvulus Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 2: 124 1817

Eleocharis tetraquetra Nees, Contr. Bot. India 113 1834

국명: 네모골(Ne-mo-gol) / (북한명) 네모골

영명: Square-stem spikerush

Eleocharis erythroclyamus Miq., Fl. Ned. Ind. 3: 30 1855

Eleocharis wichurae Boeckeler, Linnaea 36: 448 1870

국명: 좀네모골(Jom-ne-mo-gol), 네모골 / (북한명) 네모골

영명: Small-square spikerush

Scirpus hakonensis Franch. & Sav., Enum. Pl. Jap. 2: 110 1877

Scirpus petasatus Maxim., Bull. Soc. Imp. Naturalistes Moscou 54: 64 1879

Eleocharis tetraquetra Nees var. *wichurae* (Boeckeler) Makino, Bot. Mag. (Tokyo) 19: 16 1905

Eleocharis petasata (Maxim.) Zinserl., Fl. URSS 3: 589 1935

Eleocharis wichurae Boeckeler f. *petasata* (Maxim.) H.Hara, Bot. Mag. (Tokyo) 52: 396 1938

***Eriophorum* L. 황새풀속**

Eriophorum angustifolium Honck., Verz. Gew. Teutschl. 1: 153 1782

국명: **참황새풀**(Cham-hwang-sae-pul), 가는예자풀, 두메예자풀, 애기황새풀, 예자풀, 참예자풀

영명: **Common cottongrass**

Eriophorum polystachion L. var. *angustifolium* (Honck.) A.Gray, Manual (Gray) ed. 2: 502 1856

Eriophorum alpicola Schur, Enum. Pl. Transsilv. 695 1866

Scirpus angustifolius (Honck.) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 356 1958

Eriophorum brachyantherum Trautv. & C.A.Mey., Fl. Ochot. Phaenog. 98 1856

국명: **설령황새풀**(Seol-ryeong-hwang-sae-pul) / (북한명) 설령황새풀

영명: **Northland cottongrass**

Eriophorum vaginatum L. var. *opacum* Bjornstr., Grunddr. Piteå Lappm. Växtfys. 35 1856

Eriophorum vaginatum L. var. *brachyantherum* (Trautv. & C.A.Mey.) Krylov, Fl. Altai Gov. Tomsk 3: 1437 1904

Eriophorum opacum (Bjornstr.) Fernald, Rhodora 7: 85 1905

Scirpus brachyantherus (Trautv. & C.A.Mey.) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 359 1958

Eriophorum gracile Koch, Catal. Bot. 2(Add.): 259 1799 **R**

국명: **작은황새풀**(Jak-eun-hwang-sae-pul), 조선예자풀, 조선황새풀, 참황새풀 / (북한명) 조선황새풀

영명: **Slender cottongrass**

Eriophorum coreanum Palla, Oesterr. Bot. Z. 59: 190 1909

Eriophorum gracile Koch subsp. *coreanum* (Palla) Hultén, Kongl. Svenska Vetensk. Acad. Handl. ser. 3, 5: 160 1927

Eriophorum gracile Koch var. *coreanum* (Palla) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 88 1944

Scirpus ardea T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 354 1958

Scirpus ardea T.Koyama var. *coreanus* (Palla) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 355 1958

Eriophorum japonicum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 111 1887

국명: **두메황새풀**(Du-me-hwang-sae-pul)

영명: **Mountain cottongrass**

Eriophorum latifolium Hoppe, Bot. Taschenb. Anfanger Wiss. Apothekerkunst 11: 108 1800

국명: **큰황새풀**(Keun-hwang-sae-pul), 가는황새풀, 가지예자풀, 넓은잎황새풀 / (북한명) 넓은잎황새풀, 큰황새풀, 가지예자풀

영명: **Broad-leaf cottongrass**

Eriophorum vulgare Pers., Syn. Pl. (Persoon) 1: 70 1805

Eriophorum polystachyon L. var. *latifolium* (Hoppe) A.Gray, Manual (Gray) ed. 2: 502 1856

Scirpus angustifolius (Honck.) T.Koyama subsp. *latifolius* (Hoppe) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 356 1958

Eriophorum vaginatum L., Sp. Pl. 1: 52 1753

국명: **황새풀**(Hwang-sae-pul), 타래예자풀 / (북한명) 황새풀

영명: **Tussock cottongrass**

Eriophorum fauriei E.G.Camus, Notul. Syst. (Paris) 1: 249 1910

Eriophorum scabridum Ohwi, Bot. Mag. (Tokyo) 45: 187 1931

Scirpus faurie (E.G.Camus) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 358 1958

Eriophorum vaginatum L. subsp. *fauriei* (E.G.Camus) Love & Love, Univ. Colorado Stud. Ser. Biol. 17: 13 1965

Eriophorum vaginatum L. var. *fauriei* (E.G.Camus) Kitag., Neolin. Fl. Manshur. 150 1979

Fimbristylis Vahl 하늘지기속

Fimbristylis aestivalis (Retz.) Vahl, Enum. Pl. (Vahl) 2: 288 1805

국명: 좀민하늘지기(Jom-min-ha-neul-ji-gi), 여름하늘지기, 하늘직이 / (북한명) 여름하늘지기

영명: Summer fimbristylis

Scirpus aestivalis Retz., Observ. Bot. (Retzius) 4: 12 1786

Fimbristylis leiocarpa Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 301 1859

Fimbristylis tokyoensis Makino, Bot. Mag. (Tokyo) 6: 47 1892

Fimbristylis autumnalis (L.) Roem. & Schult., Syst. Veg. (ed.15) [Roemer & Schultes] 2: 97 1817

국명: 애기하늘지기(Ae-gi-ha-neul-ji-gi), 각시하늘지기, 애기하늘직이, 좀하늘지기, 한들하늘지기

영명: Puerto Rico fimbristylis

Fimbristylis complanata (Retz.) Link f. *complanata*

Fimbristylis complanata (Retz.) Link f. *exaltata* T.Koyama, Bull. Arts Sci. Div. Ryukyu Univ. 3: 70 1959

국명: 어른지기(Eo-reun-ji-gi)

Fimbristylis complanata (Retz.) Link var. *exaltata* (T.Koyama) Y.C.Tang ex S.R.Zhang & T.Koyama, Fl. China 23: 205 2010

Fimbristylis exaltata (T.Koyama) Y.F.Deng, Fl. Hong Kong 4: 98 2011

Fimbristylis cymosa R.Br., Prodr. 228 1810

국명: 바다지기(Ba-da-ji-gi), 바다직이

영명: Tropical fimbristylis

Scirpus cymosus Lam., Tabl. Encycl. 1: 141 1796

Fimbristylis glomerata (Schrad. ex Schult) Nees, Linnaea 9: 290 1834

Fimbristylis dichotoma (L.) Vahl, Enum. Pl. (Vahl) 2: 287 1806

국명: 하늘지기(Ha-neul-ji-gi), 고려하늘직이, 텔하늘직이, 하늘직이, 하늘직이 / (북한명) 하늘지기

영명: Two-leaf fimbristylis

Scirpus dichotomus L., Sp. Pl. 1: 50 1753

Scirpus annuus All., Fl. Pedem. 2: 277 1785

Scirpus diphylloides Retz., Observ. Bot. (Retzius) 5: 15 1789

Fimbristylis diphylla (Retz.) Vahl, Enum. Pl. (Vahl) 2: 289 1805

Fimbristylis laxa Vahl, Enum. Pl. (Vahl) 2: 292 1805

Fimbristylis annua (All.) Roem. & Schult., Syst. Veg. (ed. 16) [Roemer & Schultes] 2: 95 1817

Fimbristylis communis Kunth, Enum. Pl. (Kunth) 2: 234 1837

Fimbristylis goeringiana Steud., Syn. Pl. Glumac. 2: 118 1855

Fimbristylis polymorpha Boeckeler, Linnaea 37: 15 1871

Fimbristylis tikushiensis Hayata, Icon. Pl. Formosan. 6: 113 1916

Fimbristylis annua (All.) Roem. & Schult. var. *diphylla* (Retz.) Kük., Acta Horti Gothob. 5: 109 1929

Fimbristylis dichotoma (L.) Vahl f. *annua* (All.) Ohwi, J. Jap. Bot. 14: 577 1938

Fimbristylis dichotoma (L.) Vahl var. *annua* (All.) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 111 1961

Fimbristylis dichotoma* (L.) Vahl f. *dichotoma

***Fimbristylis dichotoma* (L.) Vahl f. *depauperata* (R.Br.) Ohwi, J. Jap. Bot. 14: 578 1938**

국명: 가는하늘지기(Ga-neun-ha-neul-ji-gi) / (북한명) 가는잎하늘지기

영명: Slender two-leaf fimbristylis

Fimbristylis depauperata R.Br., Prodr. Fl. Nov. Holl. 227 1810

Fimbristylis diphylla (Retz.) Vahl var. *depauperata* (R.Br.) C.B.Clarke, Fl. Brit. Ind. 6: 637 1893

Fimbristylis dichotoma (L.) Vahl subsp. *depauperata* (R.Br.) J.Kern, Fl. Males. 7: 576 1974

***Fimbristylis dichotoma* (L.) Vahl f. *floribunda* (Miq.) Ohwi, J. Jap. Bot. 14: 577 1938**

국명: 남하늘지기(Nam-ha-neul-ji-gi) / (북한명) 남하늘지기, 털하늘지기

영명: Many-flower fimbristylis

Fimbristylis diphylla (Retz.) Vahl var. *floribunda* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 144 1865

Fimbristylis dichotoma (L.) Vahl var. *floribunda* (Miq.) T.Koyama, J. Jap. Bot. 63: 90 1988

***Fimbristylis dichotoma* (L.) Vahl f. *tomentosa* (Vahl) Ohwi, J. Jap. Bot. 14: 577 1938**

국명: 털하늘지기(Teol-ha-neul-ji-gi) / (북한명) 털하늘지기

영명: Hairy two-leaf fimbristylis

Fimbristylis tomentosa Vahl, Enum. Pl. (Vahl) 2: 290 1805

Fimbristylis diphylla (Retz.) Vahl var. *tomentosa* (Vahl) Benth., Fl. Hongk. 392 1861

***Fimbristylis diphylloides* Makino, Fl. Japan (Makino & Nemoto) 1389 1925**

국명: 검정하늘지기(Geom-jeong-ha-neul-ji-gi), 검정하늘직이 / (북한명) 검정하늘지기

영명: Setaceous-bract fimbristylis

Fimbristylis campylophylla Tuyama, J. Jap. Bot. 11: 248 1935

Fimbristylis brevicollis Kük., Mitth. Thüring. Bot. Vereins 50: 9 1943

***Fimbristylis dipsacea* (Rottb.) C.B.Clarke, Fl. Brit. Ind. 6: 635 1893**

국명: 푸른하늘지기(Pu-reun-ha-neul-ji-gi)

영명: Verrucolose fimbristylis

Scirpus dipsaceus Rottb., Descr. Icon. Rar. Pl. 56 1773

***Fimbristylis drizae* J.H.Kim & M.Kim, Korean J. Pl. Taxon. 45: 9 2015 ⓘ**

국명: 물하늘지기(Mul-ha-neul-ji-gi)

***Fimbristylis ferruginea* (L.) Vahl**, Enum. Pl. (Vahl) 2: 291 1805

국명: **깻하늘지기**(Gaet-ha-neul-ji-gi)

영명: **Rusty fimbristylis**

Scirpus ferrugineus L., Sp. Pl. 1: 50 1753

Iria ferruginea (L.) Kuntze, Revis. Gen. Pl. 2: 752 1891

Fimbristylis ferruginea (L.) Vahl var. *sieboldii* (Miq.) Ohwi, J. Jap. Bot. 14: 576 1938

***Fimbristylis fimbriystloides* (F.Muell.) Druce**, Rep. Bot. Soc. Exch. Club Brit. Isles 4: 623 1917

국명: **바람개비하늘지기**(Ba-ram-gae-bi-ha-neul-ji-gi)

Abildgaardia fimbriystloides F.Muell., Fragm. 8: 273 1874

Iria fimbriystloides (F.Muell.) Kuntze, Revis. Gen. Pl. 2: 753 1891

***Fimbristylis hookeriana* Boeckeler**, Linnaea 37: 22 1871

국명: **바위하늘지기**(Ba-wi-ha-neul-ji-gi)

***Fimbristylis jindoensis* J.H.Kim & M.Kim**, Korean J. Pl. Taxon. 45: 319 2015 ⓘ

국명: **진도하늘지기**(Jin-do-ha-neul-ji-gi)

***Fimbristylis littoralis* Gaudich.**, Voy. Uranie, Bot. 413 1829

국명: **바람하늘지기**(Ba-ram-ha-neul-ji-gi)

영명: **Lesser fimbristylis**

***Fimbristylis longispica* Steud.**, Syn. Pl. Glumac. 2: 118 1855

국명: **큰하늘지기**(Keun-ha-neul-ji-gi), 조선하늘직이, 큰하늘직이, 큰하늘직이 / (북한명) 큰하늘지기, 조선하늘지기

영명: **Long-spike fimbristylis**

Fimbristylis buergeri Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 144 1865

Fimbristylis dietrichsenii Boeckeler, Bot. Jahrb. Syst. 5: 505 1884

Fimbristylis koreensis H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 199 1904

Fimbristylis dichotoma (L.) Vahl subsp. *longispica* (Steud.) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 112 1961

***Fimbristylis ovata* (Burm.f.) J.Kern**, Blumea 15: 126 1967

국명: **쇠하늘지기**(Soe-ha-neul-ji-gi)

영명: **Uni-spikelet fimbristylis**

Carex ovata Burm.f., Fl. Ind. (N. L. Burman) 194 1768

Cyperus monostachyos L., Mant. Pl. 2: 180 1771

Abildgaardia monostachya (L.) Vahl, Enum. Pl. (Vahl) 2: 296 1805

Fimbristylis monostachyos (L.) Hassk., Pl. Jav. Rar. 61 1848

***Fimbristylis pierotii* Miq.**, Ann. Mus. Bot. Lugduno-Batavi 2: 145 1865

국명: **들하늘지기**(Deul-ha-neul-ji-gi), 들하늘직이, 들하늘직이, 벌하늘지기, 어른지기, 해남하늘직이 /

(북한명) 들하늘지기

영명: **Field flat fimbriostylis**

Iria pierotii (Miq.) Kuntze, Revis. Gen. Pl. 2: 753 1891
Fimbristylis pinetorum Merr., Philipp. J. Sci. C 9: 266 1914

***Fimbristylis schoenoides* (Retz.) Vahl, Enum. Pl. (Vahl) 2: 286 1806**

국명: 제주하늘지기(Je-ju-ha-neul-ji-gi), 각시하늘지기, 해남하늘직이 / (북한명) 각시꼴하늘지기

영명: **Few-spikelet fimbriostylis**

Scirpus schoenoides Retz., Observ. Bot. (Retzius) 5: 14 1789
Fimbristylis kagiensis Hayata, Icon. Pl. Formosan. 6: 110 1916

***Fimbristylis sericea* R.Br., Prodr. Fl. Nov. Holland. 228 1810**

국명: 털잎하늘지기(Teol-ip-ha-neul-ji-gi), 남하늘지기, 털하늘지기, 털하늘직이

영명: **Silky-hair fimbriostylis**

Fimbristylis decora Nees & Meyen, Contr. Bot. India 101 1834
Iria sericea (R.Br.) Kuntze, Revis. Gen. Pl. 2: 753 1891
Fimbristylis velutina Franch., Bull. Soc. Bot. France 26: 88 1979

***Fimbristylis squarrosa* Vahl, Enum. Pl. (Vahl) 2: 289 1805**

국명: 민하늘지기(Min-ha-neul-ji-gi), 논뜨기, 논뚝하늘지기, 뚝하늘지기, 민하늘직이 / (북한명) 논뚝하늘지기, 민하늘지기

영명: **Curved-awn fimbriostylis**

Scirpus squarrosa (Vahl) Poir., Encycl. (Lamarck) Suppl. 5: 100 1817
Pogonostylis squarrosa (Vahl) Bertol., Fl. Ital. (Bertoloni) 1: 312 1833
Fimbristylis aestivalis (Retz.) Vahl var. *squarrosa* (Vahl) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 116 1961

Fimbristylis squarrosa* Vahl var. *squarrosa

***Fimbristylis squarrosa* Vahl var. *esquarensis* Makino, Bot. Mag. (Tokyo) 17: 47 1903**

국명: 암하늘지기(Am-ha-neul-ji-gi), 암하늘직이 / (북한명) 암하늘지기

영명: **Straight-awn fimbriostylis**

Fimbristylis velata R.Br., Prodr. Fl. Nov. Holland. 227 1810
Iria velata (R.Br.) Kuntze, Revis. Gen. Pl. 2: 753 1891
Fimbristylis makinoana Ohwi, J. Jap. Bot. 14: 578 1938
Fimbristylis squarrosa Vahl subsp. *esquarensis* (Makino) T.Koyama, Fl. Taiwan 5: 247 1978

***Fimbristylis stauntonii* Debeaux & Franch., Actes Soc. Linn. Bordeaux 31: Pl. 3 1877**

국명: 밭하늘지기(Bat-ha-neul-ji-gi), 밭하늘직이 / (북한명) 밭하늘지기

영명: **Yentai fimbriostylis**

Fimbristylis tristachya* R.Br. var. *tristachya

Fimbristylis tristachya R.Br. var. *subbispicata* (Nees & Meyen) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 8: 114 1961

국명: 꽃하늘지기(Kkol-ha-neul-ji-gi), 골하늘직이, 꼴하늘직이, 꿀하늘직이

영명: Two-spikelet *fimbristylis*

Fimbristylis subbispicata Nees & Meyen, Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. Suppl. 1, 19: 75 1843

Fimbristylis japonica Siebold & Zucc. ex Steud., Syn. Pl. Glumac. 2: 107 1855

Fimbristylis gynophora C.B.Clarke, Bull. Acad. Int. Géogr. Bot. 16: 60 1906

Fimbristylis umbellaris (Lam.) Vahl, Enum. Pl. (Vahl) 2: 291 1805

국명: 둥근하늘지기(Dung-geun-ha-neul-ji-gi)

영명: Globose *fimbristylis*

Scirpus umbellaris Lam., Tabl. Encycl. 1: 141 1791

Fimbristylis globulosa var. *austrojaponica* Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 71 1944

***Fuirena* Rottb. 검정방동사니속**

Fuirena ciliaris (L.) Roxb., Hort. Bengal. 81 1814

국명: 검정방동사니(Geom-jeong-bang-dong-sa-ni), 검정방동산이 / (북한명) 검정방동사니

영명: Ciliate *fiureka*

Scirpus ciliaris L., Mant. alt. 182 1771

Fuirena glomerata Lam., Encycl. (Lamarck) 1: 150 1791

***Kobresia* Willd. 좀바늘사초속**

Kobresia myosuroides (Vill.) Fiori, Fl. Italia 1: 125 1896 ⓐ

국명: 좀바늘사초(Jom-ba-neul-sa-cho)

영명: Bellard's *kobresia*

Carex myosuroides Vill., Prosp. Hist. Pl. Dauphine 17 1779

Carex bellardii All., Fl. Pedem. 2: 264 1785

Kobresia scirpina Willd., Sp. Pl. (ed. 5) 4: 205 1805

Kobresia bellardii (All.) Degl. ex Loisel., Fl. Gall. 2: 626 1807

Elyna bellardii (All.) C.Koch, Linnaea 21: 616 1848

Elyna myosuroides (Vill.) Fritsch ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5: 110 1907

***Kyllinga* Rottb. 파대가리속**

Kyllinga brevifolia Rottb., Descr. Icon. Rar. Pl. 13 1773

국명: 가시파대가리(Ga-si-pa-dae-ga-ri), 가시파대가리, 큰송이방동산이, 파송이골 / (북한명) 파대가리

Cyperus brevifolius (Rottb.) Hassk., Cat. Hort. Bot. Bogor. (Hassk.) 1: 24 1844

Kyllinga brevifolia Rottb. var. *brevifolia*

■ CYPERACEAE 사초과

Kyllinga brevifolia Rottb. var. ***leiolepis*** (Franch. & Sav.) H.Hara, J. Jap. Bot. 14: 339 1938

국명: **파대가리**(Pa-dae-ga-ri), 가시파대가리, 큰송이방동산이, 파송이골 / (북한명) 파대가리

영명: **Short-leaf spikesedge**

Kyllinga monocephala var. *leiolepis* Franch. & Sav., Enum. Pl. Jap. 2: 108 1877

Cyperus brevifolia var. *leiolepis* (Franch. & Sav.) T.Koyama, J. Jap. Bot. 30: 126 1955

Cyperus brevifolia subsp. *leiolepis* (Franch. & Sav.) T.Koyama, Fl. E. Himalaya 385 1966

Kyllinga brevifolia Rottb. subsp. *leiolepis* (Franch. & Sav.) T.Koyama, Enum. Fl. Pl. Nepal 1: 115 1978

Kyllinga kamschatica Meinh., Trudy Imp. S.-Peterburgsk. Bot. Sada 18: 229 1901

국명: **북파대가리**(Buk-pa-dae-ga-ri)

Kyllinga brevifolia Rottb. subsp. *kamtschatica* (Meinh.) Vorosch., Florist. Issl. Razn. Raionakh SSSR 152 1985

Lipocarpha R.Br. 세대가리속

Lipocarpha microcephala (R.Br.) Kunth, Enum. Pl. (Kunth) 2: 268 1837

국명: **세대가리**(Se-dae-ga-ri), 세송이골 / (북한명) 세대가리

영명: **Small-head lipocarpha**

Hypaelyptum microcephalum R.Br., Prodr. Fl. Nov. Holland. 220 1810

Pycreus P.Beauv. 드렁방동사니속

Pycreus diaphanus (Schrad. ex Roem. & Schult.) S.S.Hooper & T.Koyama, J. Jap. Bot. 51: 316 1976

국명: **껄끔방동사니**(Kkeol-kkeum-bang-dong-sa-ni), 깔끔방동산이, 깔끔방동산이, 선방동사니

영명: **Diaphanous flatsedge**

Cyperus diaphanus Schrad. ex Roem. & Schult., Mant. 2 (Schultes) 2: 477 1824

Pycreus flavidus (Retz.) T.Koyama, J. Jap. Bot. 51: 316 1976

국명: **드렁방동사니**(Deu-reong-bang-dong-sa-ni), 드렁방동산이

영명: **Yellow flatsedge**

Cyperus flavidus Retz., Observ. Bot. (Retzius) 5: 13 1788

Pycreus globosus Rchb., Fl. Germ. Excurs. 2: 140 1830

Cyperus trachyrhachis Steud., Syn. Pl. Glumac. 2: 3 1854

Pycreus capillaris (J.König ex Roxb.) Nees ex C.B.Clarke, Fl. Brit. Ind. 6: 591 1893

Pycreus polystachyos (Rottb.) P.Beauv., Fl. Oware 2: 48 1816

국명: **갓방동사니**(Gaet-bang-dong-sa-ni), 종방동산이

영명: **Many-spike flatsedge**

Cyperus polystachyos Rottb., Descr. Icon. Rar. Pl. 39 1773

Cyperus teretifructus Steud., Syn. Pl. Glumac. 2: 3 1854

Chlorocyperus polystachyus (Rottb.) Rikli, Jahrb. Wiss. Bot. 27: 563 1895

Pycreus sanguinolentus (Vahl) Nees, Linnaea 9: 283 1834

국명: 방동사니대가리(Bang-dong-sa-ni-dae-ga-ri), 방동산이대가리

영명: Purple-glume flatsedge

Cyperus sanguinolentus Vahl, Enum. Pl. (Vahl) 2: 351 1805

Pycreus eragrostis (Vahl) Palla, Ann. K. K. Naturhist. Hofmus. 23: 204 1909

Pycreus rubromarginatus E.G.Camus, Notul. Syst. (Paris) 1: 240 1910

Rhynchospora Vahl 골풀아재비속

Rhynchospora alba (L.) Vahl, Enum. Pl. (Vahl) 2: 236 1805

국명: 흰고양이수염(Huin-go-yang-i-su-yeom), 흰골풀아재비 / (북한명) 흰골풀아재비, 흰고양이수염

영명: White beaksedge

Schoenus albus L., Sp. Pl. 1: 44 1753

Rhynchospora alba (L.) Vahl var. *kiushiana* Makino, Bot. Mag. (Tokyo) 17: 198 1903

Rhynchospora chinensis Nees & Meyen ex Nees, Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. Suppl. 1, 19: 108 1843

국명: 고양이수염(Go-yang-i-su-yeom), 개골풀아재비, 개수염사초, 괭이수염, 밤송이골풀아재비, 왜골풀아재비 / (북한명) 왜골풀아재비, 고양이수염

영명: Spiked beaksedge

Rhynchospora laxa Benth., Fl. Hongk. 397 1861

Rhynchospora glauca C.B.Clarke var. *chinensis* (Nees & C.A.Mey. ex Nees) C.B.Clarke, Fl. Brit. Ind. 6: 672 1893

Rhynchospora japonica Makino, Bot. Mag. (Tokyo) 17: 184 1903

Rhynchospora longisetigera Hayata, Icon. Pl. Formosan. 6: 116 1916

Rhynchospora faberi C.B.Clarke, J. Linn. Soc., Bot. 36: 259 1903

국명: 골풀아재비(Gol-pul-a-jae-bi), 도둑고양이수염, 수고양이수염, 원산고양이수염, 원산괭이수염 / (북한명) 골풀아재비

영명: Bulrush-like beaksedge

Rhynchospora breviseta Palla, Oesterr. Bot. Z. 59: 187 1909

Rhynchospora fauriei Franch., Bull. Acad. Int. Géogr. Bot. 14: 197 1904

국명: 큰고양이수염(Keun-go-yang-i-su-yeom), 큰골풀아재비 / (북한명) 큰골풀아재비, 큰고양이수염

영명: Big beaksedge

Rhynchospora fujiana Makino, Bot. Mag. (Tokyo) 17: 183 1903

국명: 좀고양이수염(Jom-go-yang-i-su-yeom), 새골풀아재비, 새끼고양이수염, 새캐미수염, 좀괭이수염 / (북한명) 새골풀아재비, 새캐미수염

영명: Small beaksedge

Rhynchospora franchetiana C.B.Clarke ex H.Lév., Bull. Acad. Int. Géogr. Bot. 14: 197 1904

Rhynchospora coreana Palla, Oesterr. Bot. Z. 59: 186 1909

■ CYPERACEAE 사초과

Rhynchospora malasica C.B.Clarke, Fl. Brit. Ind. 6: 670 1893

국명: **한라골풀아재비**(Han-ra-gol-pul-a-jae-bi), 개골풀아재비, 물밤송이 / (북한명) 물골풀아재비, 개골풀아재비, 물밤송이

영명: **Halla beaksedge**

Rhynchospora nipponica Makino, Bot. Mag. (Tokyo) 18: 145 1904

Rhynchospora rubra (Lour.) Makino, Bot. Mag. (Tokyo) 17: 180 1903 **⑧**

국명: **붉은골풀아재비**(Bul-geun-gol-pul-a-jae-bi), 송이골풀아재비, 송이방동사니 / (북한명) 송이골풀아재비, 송이방동사니

영명: **Red-spike beaksedge**

Schoenus ruber Lour., Fl. Cochinch. 1: 52 1790

***Schoenoplectiella* Lye 송이고랭이속**

Schoenoplectiella hotarui (Ohwi) J.Jung & H.K.Chi, J. Pl. Biol. 53: 230 2010

국명: **ombok을챙이골**(Jom-ol-chaeng-i-gol)

Scirpus hotarui Ohwi, Repert. Spec. Nov. Regni Veg. 36: 44 1934

Scirpus juncoides Roxb. var. *hotarui* (Ohwi) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 114 1944

Schoenoplectus hotarui (Ohwi) Holub, Folia Geobot. Phytotax. 11: 83 1976

Schoenoplectiella komarovii (Roshev.) J.Jung & H.K.Chi, J. Pl. Biol. 53: 230 2010

국명: **광릉골**(Gwang-reung-gol), 광능골

영명: **Komarov's bulrush**

Scirpus supinus L. var. *leiocarpus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 345 1901

Scirpus hondoensis Ohwi var. *leiocarpus* (Kom.) Ohwi, Acta Phytotax. Geobot. 3: 116 1934

Scirpus komarovii Roshev., Fl. URSS 3: 54, 579 1935

Scirpus okuyamae Ohwi, Acta Phytotax. Geobot. 4: 64 1935

Scirpus sasakii Hayata var. *leiocarpus* (Kom.) Kitag., Rep. Inst. Sci. Res. Manchoukuo 1: 320 1937

Hymenochaeta okuyamae (Ohwi) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 1952

Scirpus smithii A.Gray var. *leiocarpus* (Kom.) T.Koyama, Canad. J. Bot. 40: 919 1962

Schoenoplectus komarovii (Roshev.) Soják, Cas. Nár. Mus., Odd. Prír. 140: 127 1972

Schoenoplectiella lineolata (Franch. & Sav.) J.Jung & H.K.Chi, J. Pl. Biol. 53: 230 2010

국명: **제주을챙이골**(Je-ju-ol-chaeng-i-gol)

영명: **Jeju rush-like bulrush**

Scirpus lineolatus Franch. & Sav., Enum. Pl. Jap. 2: 545 1878

Scirpus forsythii Kük., Repert. Spec. Nov. Regni Veg. 12: 94 1913

Schoenoplectus lineolatus (Franch. & Sav.) T.Koyama, Fl. Taiwan 5: 215 1978

Schoenoplectiella mucronata (L.) J.Jung & H.K.Chi, J. Pl. Biol. 53: 230 2010

국명: **좀송이고랭이**(Jom-song-i-go-raeng-i)

영명: **Bog bulrush**

Scirpus mucronatus L., Sp. Pl. 1: 50 1753

Scirpus cognatus Hance, Ann. Sci. Nat., Bot. ser. 4, 15: 228 1861

Scirpus mucronatus L. var. *robustus* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 143 1865

Scirpus preslii A.Dietr., Sp. Pl. 2: 175 1883

Schoenoplectus mucronatus (L.) Palla, Bot. Jahrb. Syst. 10: 299 1888

Schoenoplectus preslii (A.Dietr.) Ohwi, Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B, Biol. 18: 116 1944

Hymenochaeta preslii (A.Dietr.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 1952

Scirpus mucronatus L. subsp. *robustus* T.Koyama, Quart. J. Taiwan Mus. 14: 194 1961

Schoenoplectus mucronatus (L.) Palla subsp. *robustus* (Miq.) T.Koyama, Fl. Taiwan 5: 214 1978

***Schoenoplectiella triangulata* (Roxb.) J.D.Jung & H.K.Choi, J. Pl. Biol. 53: 230 2010**

국명: 송이고랭이(Song-i-go-raeng-i)

영명: **Big bog bulrush**

Scirpus triangulatus Roxb., Fl. Ind. 1: 219 1820

Schoenoplectus triangulatus (Roxb.) Soják, Cas. Nár. Mus., Odd. Prír. 141: 62 1972

***Schoenoplectiella wallichii* (Nees) Lye, Lidia 6: 27 2003**

국명: 수원고랭이(Su-won-go-raeng-i)

영명: **Wallich's bulrush**

Scirpus wallichii Nees, Contr. Bot. India 112 1834

Scirpus sasakii Hayata, Icon. Pl. Formosan. 6: 115 1916

Scirpus erectus Nakai var. *angustus* Makino, J. Jap. Bot. 8: 46 1933

Scirpus erectus Nakai var. *wallichii* (Nees) Beetle, Amer. J. Bot. 29: 654 1942

Hymenochaeta wallichii (Nees) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 134 1952

Schoenoplectus wallichii (Nees) T.Koyama, Fl. Taiwan 5: 210 1978

***Schoenoplectiella* × *trapezoidea* (Koidz.) J.Jung & H.K.Choi, Korean J. Pl. Taxon. 41: 27 2011**

국명: 나도송이고랭이(Na-do-song-i-go-raeng-i)

Scirpus trapezoideus Koidz., Bot. Mag. (Tokyo) 39: 26 1925

***Schoenoplectus* (Rchb.) Palla 올챙이고랭이속**

***Schoenoplectus juncoides* (Roxb.) Palla, Bot. Jahrb. Syst. 10: 299 1888**

국명: 올챙이고랭이(Ol-chaeng-i-go-raeng-i)

영명: **Rush-like bulrush**

Scirpus juncoides Roxb., Fl. Ind. 1: 218 1820

Schoenoplectiella juncoides (Roxb.) Lye, Lidia 6: 25 2003

***Schoenoplectus nipponicus* (Makino) Soják, Cas. Nár. Mus., Odd. Prír. 140: 127 1972**

국명: 물고랭이(Mul-go-raeng-i)

영명: **Stalked-spike bulrush**

Scirpus nipponicus Makino, Bot. Mag. (Tokyo) 9: 311 1895

Scirpus etuberculatus (Steud.) Kuntze subsp. *nipponicus* (Makino) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 328 1958

***Schoenoplectus tabernaemontani* (C.C.Gmel.) Palla, Bot. Jahrb. Syst. 10: 299 1888**

국명: **큰고랭이**(Keun-go-raeng-i)

영명: **Soft-stem bulrush**

Scirpus tabernaemontani C.C.Gmel., Fl. Bad. 1: 101 1805

Scirpus validus Vahl, Enum. Pl. (Vahl) 2: 268 1837

Scirpus lacustris L. var. *tabernaemontani* (J.G.Gmel.) Döll, Rhein. Fl. 165 1843

Scirpus lacustris L. subsp. *tabernaemontani* (J.G.Gmel.) Syme, Engl. Bot. ed. 3B 10: 64 1870

Scirpus validus Vahl var. *creber* Fernald, Rhodora 45: 283 1943

Hymenochaeta tabernaemontani (C.C.Gmel.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 133 1952

Scirpus lacustris L. var. *creber* (Fernald) T.Koyama, Fl. Jap. (revised ed.) 204 1965

***Schoenoplectus triquetter* (L.) Palla, Bot. Jahrb. Syst. 10: 299 1888**

국명: **세모고랭이**(Se-mo-go-raeng-i)

영명: **Triangular bulrush**

Scirpus triquetter L., Mant. Pl. 1: 29 1767

Scirpus trigonus Roth, Neue Beytr. Bot. 1: 90 1802

Scirpus pollichii Godr. & Gren., Fl. France (Grenier) 3: 374 1856

Hymenochaeta triquetter (L.) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 134 1952

***Schoenoplectus × uzenensis* (Ohwi ex T.Koyama) Hayasaka & H.Ohashi, J. Jap. Bot. 75: 224 2000**

국명: **고창고랭이**(Go-chang-go-raeng-i)

Scirpus × uzenensis Ohwi ex T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 363 1958

Schoenoplectiella × uzenensis (Ohwi ex T.Koyama) Hayasaka, J. Jap. Bot. 87: 184 2012

***Scirpus* Tourn. ex L. 고랭이속**

***Scirpus furenooides* Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 42: 109 1887**

국명: **촘솔방울고랭이**(Jom-sol-bang-ul-go-raeng-i), 드문솔방울, 방울꼴, 애기방울고랭이

영명: **Lesser oriental bulrush**

***Scirpus karuisawensis* Makino, Bot. Mag. (Tokyo) 18: 119 1904**

국명: **솔방울고랭이**(Sol-bang-ul-go-raeng-i), 꽃방울꼴, 나도고랭이, 방울꼴, 솔방울꼴 / (북한명) 솔방울꼴,
솔방울고랭이, 꽃방울꼴

영명: **Oriental bulrush**

Scirpus furenooides Maxim. var. *jaluanus* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 342 1901

Scirpus coreanus Palla, Oesterr. Bot. Z. 59: 188 1909

Scirpus jaluanus (Kom.) Nakai ex T.Mori, Enum. Pl. Corea 77 1922

Scirpus fuiarenoides Maxim. var. *karuizawensis* (Makino) H.Hara, J. Jap. Bot. 9: 125 1933

Scirpus cyperinus (L.) Kunth f. *karuizawensis* (Makino) Makino, Ill. Fl. Nippon (Makino) 812 1940

Scirpus maximowiczii C.B.Clarke, Bull. Misc. Inform. Kew, Addit. Ser. 8: 30 1908

국명: 황새고랭이(Hwang-sae-go-raeng-i), 개조리골, 솜예자풀, 솜황새풀 / (북한명) 솜골, 솜황새풀

영명: Few-spike bulrush

Eriophorum maximowiczii (C.B.Clarke) Beetle, Amer. J. Bot. 33: 663 1946

Scirpus mitsukurianus Makino, Bot. Mag. (Tokyo) 17: 7 1903

국명: 솔방울골(Sol-bang-ul-gol), 솔방울고랭이, 잔방울골 / (북한명) 잔방울골

영명: Pine-cone bulrush

Scirpus orientalis Ohwi, Acta Phytotax. Geobot. 1: 76 1932 Ⓢ

국명: 검은도루박이(Geom-eun-do-ru-bak-i)

영명: Oriental woodland bulrush

Scirpus sylvaticus L. var. *maximowiczii* Regel, Tent. Fl.-Ussur. 161 1861

Scirpus radicans Schkuhr, Ann. Bot. (Usteri) 4: 49 1793

국명: 도루박이(Do-ru-bak-i), 먼검정골, 민검정골, 줄검정골

영명: Rooting bulrush

Scirpus sylvaticus var. *radicans* (Schkuhr) Willd., Sp. Pl. 1: 308 1798

Seidlia radicans (Schkuhr) Opiz, Naturalientausch 11: 349 1826

Nemocharis radicans (Schkuhr) Reuling, Bot. Not. 53 1853

Scirpus hokkaidoensis Beetle, Amer. J. Bot. 33: 662 1946

Scirpus wichurae Boeck., Linnaea 36: 729 1870

국명: 방울고랭이(Bang-ul-go-raeng-i), 개왕골, 방울골, 왕굴아재비 / (북한명) 방울골

영명: Long pine-cone bulrush

Scirpus wichurae Boeck. f. *wichurae*

Scirpus wichurae Boeck. f. *cylindricus* (Makino) Nemoto, Fl. Jap. Suppl. 1023 1936

국명: 긴방울고랭이(Gin-bang-ul-go-raeng-i)

Scirpus cyperinus (L.) Kunth f. *cylindricus* Makino, J. Jap. Bot. 8: 46 1932

Scirpus lineatus Michx. f. *cylindricus* (Makino) T.Koyama, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 7: 341 1958

Scirpus juncoides* × *S. wallichii T.Tang & F.T.Wang ex Y.C.Oh, Fl. China 11: 1961

국명: 고성골(Go-seong-gol)

영명: Goseong hybrid bulrush

Scleria P.J.Bergius 너도고랭이속

Scleria levis Retz., Observ. Bot. [Retzius] 4: 13 1786

국명: 구실개울미(Gu-sil-gae-ol-mi)

Scleria mutoensis Nakai, J. Jap. Bot. 18: 421 1942 Ⓣ Ⓥ

국명: 무등풀(Mu-deung-pul), 무등고랭이, 무등율무꽃 / (북한명) 무등산개울무

영명: Mudeung nutrush

Scleria parvula Steud., Syn. Pl. Glumac. 2: 174 1855

국명: 너도고랭이(Neo-do-go-raeng-i), 구슬율무꽃, 문채개울미, 율무골, 율무꽃 / (북한명) 개울무, 문채개울무

영명: Small nutrush

Scleria fenestrata Franch. & Sav., Enum. Pl. Jap. 2: 549 1878

Scleria coreana Palla ex Nakai, Bot. Mag. (Tokyo) 30: 274 1916

Scleria pergracilis (Nees) Kunth, Enum. Pl. 2: 354 1837

국명: 애기덕산풀(Ae-gi-deok-san-pul)

영명: Fine-stalk nutrush

Hypoporum pergracile Nees, Edinburgh New Philos. J. 1834: 267 1834

Scleria rugosa R.Br., Prodr. Fl. Nov. Holland. 240 1810

국명: 가시개울미(Ga-si-gae-ol-mi)

Scleria rugosa R.Br. var. **rugosa**

Scleria rugosa R.Br. var. **onoei** (Franch. & Sav.) Yonek., J. Jap. Bot. 80: 332 2005

국명: 덕산풀(Deok-san-pul)

Scleria onoei Franch. & Sav., Enum. Pl. Jap. 2: 549 1878

Trichophorum Pers. 애기황새풀속

Trichophorum alpinum (L.) Pers., Syn. Pl. (Persoon) 1: 70 1805

국명: 애기황새풀(Ae-gi-hwang-sae-pul)

영명: Alpine bulrush

Eriophorum alpinum L., Sp. Pl. 1: 53 1753

Linagrostis alpina (L.) Scop., Fl. Carniol. ed. 2 1: 48 1771

Eriophorum hudsonianum Michx., Fl. Bor.-Amer. (Michaux) 1: 34 1803

Trichophorum hudsonianum (Michx.) Pers., Syn. Pl. (Persoon) 1: 36 1818

Limnochloa alpina (L.) Drejer, Fl. Excurs. Hafn. 18 1838

Scirpus trichophorum Asch. & Graebn., Syn. Mitteleur. Fl. 2: 301 1904

Scirpus hudsonianus (Michx.) Fernald, Rhodora 8: 161 1906

Trichophorum polygamum D.C.Son & K.S.Chang, Phytotaxa 418(1): 115 2019 ⓘ

국명: 동강고랭이(Dong-gang-go-raeng-i)

Neoscirpus dioicus Y.N.Lee & Y.Oh, Bull. Korea Pl. Res. 6: 25 2006

! *Scirpus dioicus* Y.N.Lee & Y.C.Oh, New Fl. Korea (Lee) 2: 614 2006

Trichophorum dioicum (Y.N.Lee & Y.Oh) M.Kim, Korean Endemic Pl. 392 2017

ORCHIDACEAE 난초과

Amitostigma Schltr. 병아리난초속

Amitostigma gracile (Blume) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 93 1919

국명: 병아리난초(Byeong-a-ri-nan-cho), 바위난초, 병아리란 / (북한명) 병아리란

영명: Delicate amitostigma

Mitostigma gracile Blume, Mus. Bot. 2: 190 1856

Gymnadenia gracilis (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 207 1866

Gymnadenia tryphiformis Rchb.f., J. Bot. 14: 209 1876

Cynorkis gracilis (Blume) Kraenzl., Orchid. Gen. Sp. 1: 488 1898

Orchis gracilis (Blume) Soó, Ann. Hist.-Nat. Mus. Natl. Hung. 26: 348 1929

Bletilla Rchb.f. 자란속

Bletilla striata (Thunb.) Rchb.f., Bot. Zeitung (Berlin) 36: 75 1878 ⓘ

국명: 자란(Ja-ran), 대암풀, 대왕풀, 백급

영명: Hyacinth orchid

Limodorum striatum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 816 1784

Cymbidium striatum (Thunb.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 77 1799

Cymbidium hyacinthinum Sm., Exot. Botany 1: 117 1805

Bletia hyacinthina (Sm.) Aiton, HortusKew.(ed.2) 5: 206 1813

Bulbophyllum Thouars 콩짜개란속

Bulbophyllum drymoglossum Maxim. ex Ökubo, Bot. Mag. (Tokyo) 1: 14 1887 ⓘ

국명: 콩짜개란(Kong-jja-gae-ran), 덩굴난초, 콩짜개난 / (북한명) 콩짜개란

영명: Small-bean-like orchid

Bulbophyllum inconspicuum Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 102 1887 ⓘ

국명: 흑난초(Hok-nan-cho), 보리난초, 흑란 / (북한명) 흑란

영명: Barley-like orchid

Calanthe R.Br. 새우난초속

Calanthe aristulifera Rchb.f., Bot. Zeitung (Berlin) 36: 74 1878

국명: 신안새우난초(Sin-an-sae-u-nan-cho)

영명: Sinan calanthe

Calanthe discolor Lindl., Sert. Orchid. t. 9 1838 Ⓢ

국명: 새우난초(Sae-u-nan-cho), 새우란, 섬새우난초 / (북한명) 새우란

영명: Common calanthe

Calanthe coreana Nakai, Repert. Spec. Nov. Regni Veg. 13: 249 1914

Calanthe discolor Lindl. var. *coreana* (Nakai) M.Kim, Korean Endemic Pl. 431 2017

Calanthe insularis S.H.Oh, Phytotaxa 218: 69 2015 ⓘ

국명: 다도새우난초(Da-do-sae-u-nan-cho)

Calanthe reflexa Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 18: 68 1873 Ⓢ

국명: 여름새우난초(Yeo-reum-sae-u-nan-cho), 여름새우난, 여름새우란 / (북한명) 여름새우란

영명: Summer-flowering calanthe

Alismorchis reflexa (Maxim.) Kuntze, Revis. Gen. Pl. 2: 650 1891

Paracalanthe reflexa (Maxim.) Kudô, J. Soc. Trop. Agric. 2: 235 1930

Calanthe rubra S.H.Oh, Phytotaxa 218: 69 2015 ⓘ

국명: 붉은새우난초(Bul-geun-sae-u-nan-cho)

Calanthe sieboldii Decne. ex Regel, Index Seminum [St.Petersburg (Petropolitanus)] 80 1868 Ⓢ

국명: 금새우난초(Geum-sae-u-nan-cho), 금새우난, 금새우란, 노랑새우난초 / (북한명) 금새우란

영명: Island golden calanthe

Calanthe striata R.Br. ex Lindl. var. *sieboldii* (Decne. ex Regel) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 8: 644 1873

Calanthe discolor Lindl. f. *sieboldii* (Decne. ex Regel) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 1953

Calanthe striata R.Br. ex Lindl. f. *sieboldii* (Decne. ex Regel) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 70 1953

Calanthe striata R.Br. ex Lindl., Gen. Sp. Orchid. Pl. 251 1833

국명: 한라새우난초(Han-ra-sae-u-nan-cho)

Calanthe bicolor Lindl., Sert. Orch. sub t. 9 1838

Calypso Salisb. 풍선난초속

Calypso bulbosa (L.) Oakes, Cat. Vermont Pl. 28 1842

국명: 풍선난초(Pung-seon-nan-cho), 애기숙갈난초, 주걱난초, 풍선란 / (북한명) 풍선란

영명: **Fairy-slipper orchid**

Cypripedium bulbosum L., Sp. Pl. 2: 951 1753

Cytherea bulbosa (L.) House, Bull. Torrey Bot. Club 32: 382 1905

***Cephalanthera* Rich. 은대난초속**

***Cephalanthera erecta* (Thunb.) Blume, Coll. Orchid. 188 1858**

국명: **은난초**(Eun-nan-cho), 은란 / (북한명) 은란

영명: **Erect cephalanthera**

Serapias erecta Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 816 1784

Cephalanthera erecta* (Thunb.) Blume var. *erecta

***Cephalanthera erecta* (Thunb.) Blume var. *oblanceolata* N.Pearce & P.J.Cribb, Edinburgh J. Bot. 58: 110 2001**

국명: **민은난초**(Min-eun-nan-cho)

영명: **Oblanceolate erect cephalanthera**

Cephalanthera erecta* (Thunb.) Blume f. *erecta

***Cephalanthera erecta* (Thunb.) Blume f. *subaphylla* (Miyabe & Kudô) Hiroë, Orchid Flowers 2: 63 1971 ⑧**

국명: **꼬마은난초**(Kko-ma-eun-nan-cho)

영명: **Short erect cephalanthera**

Cephalanthera subaphylla Miyabe & Kudô, J. Fac. Agric. Hokkaido Imp. Univ. 26: 373 1932

Cephalanthera erecta (Thunb.) Blume var. *subaphylla* (Miyabe & Kudô) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 69 1953

***Cephalanthera falcata* (Thunb.) Blume, Coll. Orchid. 187 1859**

국명: **금난초**(Geum-nan-cho), 금란, 금란초

영명: **Golden cephalanthera**

Serapias falcata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 816 1784

Epipactis falcata (Thunb.) Sw., Neues J. Bot. 1: 66 1805

Cephalanthera platycheila Rchb.f., Bot. Zeitung (Berlin) 3: 335 1845

Cephalanthera japonica A.Gray, Narr. Exped. China Japan 2: 319 1856

***Cephalanthera longibracteata* Blume, Coll. Orchid. 188 1859**

국명: **은대난초**(Eun-dae-nan-cho), 은대난, 은대란, 댅잎은난초 / (북한명) 은대란

영명: **Long-bract cephalanthera**

Cephalanthera ensifolia Rich. var. *longibracteata* (Blume) Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 209 1866

Epipactis longibracteata (Blume) Wettst., Bot. Zeitung (Berlin) 39: 424 1889

Limodorum longibracteatum (Blume) Kuntze, Revis. Gen. Pl. 2: 671 1891

Serapias longibracteata (Blume) A.A.Eaton, Proc. Biol. Soc. Wash. 21: 67 1908

■ ORCHIDACEAE 난초과

Cephalanthera longifolia (L.) Fritsch, Oesterr. Bot. Z. 38: 81 1888

국명: 김의난초(Gim-ui-nan-cho)

Serapias helleborine L. var. *longifolia* L., Sp. Pl. 2: 950 1753

Chamaegastrodia Makino & F.Maek. 애기천마속

Chamaegastrodia shikokiana Makino & F.Maek., Bot. Mag. (Tokyo) 49: 596 1935 Ⓡ

국명: 애기천마(Ae-gi-cheon-ma)

영명: Sweet cheonma

Hetaeria shikokiana (Makino & F.Maek.) Tuyama, J. Jap. Bot. 25: 172 1950

Corallorrhiza Gagnebin 산호란속

Corallorrhiza trifida Châtel., Spec. Inaug. Corallorrhiza 8 1760

국명: 산호란(San-ho-ran), 나도애기무엽란

영명: Early coralroot

Corallorrhiza neottia Scop., Fl. Carniol. ed. 2 2: 207 1772

Corallorrhiza innata R.Br., Hortus Kew. (ed. 2) 5: 309 1813

Cremastra Lindl. 약난초속

Cremastra variabilis (Blume) Nakai, Rep. Veg. Daisetsu Mts. 27 1930 Ⓡ

국명: 약난초(Yak-nan-cho), 약란, 정화난초, 흰약난초

영명: Single-leaf cremastra

Hyacinthorchis variabilis Blume, Mus. Bot. 1: 48 1849

Cymbidium appendiculata D.Don var. *variabilis* (Blume) I.D.Lund, Nord. J. Bot. 8: 201 1988

Cremastra appendiculata (D.Don) Makino f. *albiflora* B.S.Gil & Y.N.Lee, Bull. Korea Pl. Res. 4: 6 2004

Cremastra unguiculata (Finet) Finet, Bull. Soc. Bot. France 44: 235 1897 Ⓡ

국명: 두잎약난초(Du-ip-yak-nan-cho), 종덕이난초

영명: Two-leaf cremastra

Oreorchis unguiculata Finet, Bull. Soc. Bot. France 43: 698 1896

Aplectrum unguiculatum (Finet) F.Maek., Wild Orch. Jap. Col. 380 1971

Cymbidium Sw. 보춘화속

Cymbidium ensifolium (L.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 77 1799

국명: 소란(So-ran)

영명: Four-season orchid

Epidendrum ensifolium L., Sp. Pl. 2: 954 1753

Cymbidium koran Makino, Iinuma, Somoku-Dzusetsu ed. 3: 1179 1912

Cymbidium goeringii (Rchb.f.) Rchb.f., Ann. Bot. Syst. 3: 547 1852

국명: 보춘화(Bo-chun-hwa), 보춘란, 춘란 / (북한명) 보춘화

영명: Goering's cymbidium

Maxillaria goeringii Rchb.f., Bot. Zeitung (Berlin) 3: 334 1845

Cymbidium virens Rchb.f., Ann. Bot. Syst. 6: 626 1861

Cymbidium kanran Makino, Bot. Mag. (Tokyo) 16: 10 1902 Ⓢ

국명: 한란(Han-ran)

영명: Hanran

Cymbidium oreophyllum Hayata, Icon. Pl. Formosan. 4: 80 1914

Cymbidium purpureohiemale Hayata, Icon. Pl. Formosan. 4: 81 1914

Cymbidium tosyaense Masam., Trans. Nat. Hist. Soc. Taiwan 5: 14 1935

Cymbidium lancifolium Hook., Exot. Botany 1: 51 1823 Ⓢ

국명: 죽백란(Juk-back-ran), 돋란, 주걱란

영명: White bamboo-leaf orchid

Cymbidium javanicum Blume, Bijdr. 380 1825

Cymbidium nagifolium Masam., Bot. Mag. (Tokyo) 44: 220 1930

Cymbidium lancifolium Hook. var. *lancifolium*

Cymbidium lancifolium Hook. var. *aspidistrifolium* (Fukuy.) S.S.Ying, Coloured Ill. Indig. Orchids Taiwan 1: 439 1977

국명: 녹화죽백란(Nok-hwa-juk-back-ran)

영명: Green-flower bamboo-leaf orchid

Cymbidium aspidistrifolium Fukuy., Bot. Mag. (Tokyo) 48: 438 1934

Cymbidium javanicum Blume var. *aspidistrifolium* (Fukuy.) F.Mack., J. Jap. Bot. 33: 320 1958

Cymbidium lancifolium Hook. f. *aspidistrifolium* (Fukuy.) T.P.Lin, Native Orchids Taiwan 2: 122 1977

Cymbidium macrorhizon Lindl., Gen. Sp. Orchid. Pl. 162 1833 Ⓢ

국명: 대흉란(Dae-heung-ran), 두륜란 / (북한명) 대흉란

영명: Big-root cymbidium

Bletia nipponica Franch. & Sav., Enum. Pl. Jap. 2: 511 1878

Cymbidium nipponicum (Franch. & Sav.) Rolfe, Orchid Rev. 3: 39 1895

Yoania aberrans Finet, Bull. Soc. Bot. France 47: 274 1900

Cymbidium aberrans (Finet) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 264 1919

Pachyrhizanthe macrorhizos (Lindl.) Nakai, Bot. Mag. (Tokyo) 45: 109 1931

Pachyrhizanthe nipponicum (Franch. & Sav.) Nakai, Bot. Mag. (Tokyo) 45: 109 1931

Pachyrhizanthe aberrans (Finet) Nakai, Bot. Mag. (Tokyo) 45: 110 1931

Cypripedium L. 복주머니란속

Cypripedium agnicapitatum Y.N.Lee, Bull. Korea Pl. Res. 2: 28 2002

국명: 양머리복주머니란(Yang-meo-ri-bok-ju-meo-ni-ran)

Cypripedium calceolus L., Sp. Pl. 2: 951 1753

국명: 노랑복주머니란(No-rang-bok-ju-meo-ni-ran), 노랑개불알꽃, 노랑요강꽃, 누른요강꽃, 큰개불알꽃, 큰작란화 /
(북한명) 큰작란화

영명: Lady's slipper orchid

Cypripedium guttatum Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 251 1800 Ⓡ

국명: 털복주머니란(Teol-bok-ju-meo-ni-ran), 애기작란화, 조선요강꽃, 털개불알꽃, 분홍털복주머니란,
흰털개불알풀 / (북한명) 애기작란화

영명: Spotted lady's slipper

Cypripedium guttatum Sw. f. *punicum* Y.N.Lee, Bull. Korea Pl. Res. 5: 63 2005

** *Cypripedium guttatum* Sw. f. *albiflorum* Y.N.Lee, Fl. Korea (Lee) 1164 1996

** *Cypripedium guttatum* Sw. f. *albiflorum* (Y.N.Lee) M.Kim, Korean Endemic Pl. 571 2017

Cypripedium japonicum Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 817 1784 Ⓡ

국명: 광릉요강꽃(Gwang-reung-yo-gang-kkot), 광능요강꽃, 광릉복주머니란, 광릉요강, 부채잎작란화,
치마난초, 큰복주머니, 큰복주머니란 / (북한명) 부채잎작란화

영명: Korean lady's slipper

Cypripedium macranthos Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 251 1800 Ⓡ

국명: 복주머니란(Bok-ju-meo-ni-ran), 개불알꽃, 복주머니, 복주머니꽃, 요강꽃, 작란화, 포대작란화, 작란화,
흰복주머니란 레분복주머니란

영명: Big-flower lady's slipper

Sacodon macranthum (Sw.) Raf., Fl. Tellur. 4: 45 1836

Cypripedium thunbergii Blume, Coll. Orchid. 1: 169 1859

Cypripedium speciosum Rolfe, Kew Bull. 1911: 207 1911

Cypripedium rebunense Kudô, J. Jap. Bot. 2: 251 1925

Cypripedium macranthos Sw. var. *albiflorum* Makino, J. Jap. Bot. 3: 27 1926

Cypripedium macranthos Sw. var. *speciosum* (Rolfe) Koidz., Bot. Mag. (Tokyo) 40: 336 1926

Cypripedium macranthos Sw. f. *albiflorum* (Makino) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 69 1953

Cypripedium macranthos Sw. f. *rebunense* (Kudô) Ohwi, Fl. Jap. 342 1953

Cypripedium neoparviflorum Y.N.Lee, Bull. Korea Pl. Res. 2: 31 2002

Cypripedium shanxiense S.C.Chen, Acta Phytotax. Sin. 21: 343 1983

국명: 산서복주머니란(San-seo-bok-ju-meo-ni-ran)

Cypripedium × ventricosum Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 251 1800

국명: 얼치기복주머니란(Eol-chi-gi-bok-ju-meo-ni-ran), 자주복주머니란, 장밋빛복주머니란, 겨자복주머니란
영명: Eolchigi lady's slipper

Cypripedium × sinapoides Y.N.Lee, Bull. Korea Pl. Res. 2: 30 2002

Cypripedium × morinanthum Y.N.Lee, Bull. Korea Pl. Res. 2: 31 2002

Cypripedium × roseum Y.N.Lee, Bull. Korea Pl. Res. 2: 32 2002

Cyrtosia Blume 으름난초속

Cyrtosia septentrionalis (Rchb.f.) Garay, Bot. Mus. Leafl. 30: 233 1986 Ⓢ

국명: 으름난초(Eu-reum-nan-cho), 개천마, 으름란

영명: Akebian-fruit orchid

Galeola septentrionalis Rchb.f., Xenia Orchid. 2: 78 1865

Dactylorhiza Neck. ex Nevski 개제비란속

Dactylorhiza aristata (Fisch. ex Lindl.) Soó, Nom. Nov. Gen. Dactylorhiza 5 1962

국명: 손바닥나비난초(Son-ba-dak-na-bi-nan-cho) / (북한명) 꽃나비란초

영명: Spiked dactylorhiza

Orchis latifolia L. var. *beeringiana* Cham., Linnaea 3: 26 1828

Orchis aristata Fisch. ex Lindl., Gen. Sp. Orchid. Pl. 262 1835

Orchis beeringiana (Cham.) Kudô, J. Coll. Agric. Hokkaido Imp. Univ. 11: 94 1922

Orchis aristata Fisch. ex Lindl. f. *punctata* Tatew., Trans. Sapporo Nat. Hist. Soc. 9: 10 1927

Orchis aristata Fisch. ex Lindl. var. *maculata* Makino, J. Jap. Bot. 8: 6 1932

Dactylorhiza viridis (L.) R.M.Bateman & Pridgeon & M.W.Chase, Lindleyana 12: 129 1997

국명: 개제비란(Gae-je-bi-nan), 몽울난초, 몽울란초, 큰몽울란, 큰용울란

영명: Frog orchid

Satyrium viride L., Sp. Pl. 2: 944 1753

Dactylorhiza viridis (L.) R.M.Bateman var. *viridis*

Dactylorhiza viridis (L.) R.M.Bateman var. *coreana* (Nakai) N.S.Lee, Illustrated Flora of Korean Orchids 100 2011

국명: 포태제비란(Po-tae-je-bi-nan)

영명: Korean frog orchid

Orchis coreana Nakai, Bot. Mag. (Tokyo) 28: 302 1914

Platanthera coreana (Nakai) Nakai, Fl. M't. Paik-Tu-San 57 1918

Coeloglossum coreanum (Nakai) Schltr., Repert. Spec. Nov. Regni Veg. 16: 374 1920

Coeloglossum viride (L.) Hartm. subsp. *coreanum* (Nakai) Satomi, J. Jap. Bot. 44: 127 1969

Dendrobium Sw. 석곡속

Dendrobium moniliforme (L.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 4: 85 1799 ⓤ

국명: 석곡(Seok-gok), 석곡란 / (북한명) 석곡

영명: Seokgok

Epidendrum moniliforme L., Sp. Pl. 2: 954 1753

Dendrobium heishanense Hayata, Icon. Pl. Formosan. 4: 40 1914

Epipactis Zinn 닭의난초속

Epipactis papillosa Franch. & Sav., Enum. Pl. Jap. 2: 519 1878 ⓤ

국명: 청닭의난초(Cheong-dak-ui-nan-cho), 파란닭의란, 푸른닭의난초 / (북한명) 파란닭의란

영명: Green-flower helleborine

Epipactis latifolia (L.) All. var. *papillosa* (Franch. & Sav.) Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 523 1901

Helleborine papillosa (Franch. & Sav.) Druce, Bull. Torrey Bot. Club 36: 547 1909

Epipactis papillosa Franch. & Sav. var. *papillosa*

Epipactis papillosa Franch. & Sav. var. *imkoeensis* Y.N.Lee & K.S.Lee, Bull. Korea Pl. Res. 2: 38 2002

국명: 임계청닭의난초(Im-gye-cheong-dak-ui-nan-cho)

영명: Imgae helleborine

Epipactis thunbergii A.Gray, Narr. Exped. China Japan 2: 319 1856

국명: 닭의난초(Dak-ui-nan-cho), 닭의란 / (북한명) 닭의란

영명: Thunberg's helleborine

Limodorum thunbergii Kuntze, Revis. Gen. Pl. 2: 671 1891

Epipactis gigantea Douglas ex Hook. var. *manshurica* Maxim. ex Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 524 1901

Helleborine thunbergii (A.Gray) Druce, Bull. Torrey Bot. Club 36: 547 1909

Epipogium Borkh. 유령란속

Epipogium aphyllum Sw., Summa Veg. Scand. 32 1814

국명: 유령란(Yu-ryeong-ran), 개난초, 위령란, 유령난, 육란, 호설란

영명: Leafless epipogium

Satyrium epipogium L., Fl. Carniol. ed. 2 2: 207 1772

Limodorum epipogium (L.) Sw., Nova Acta Regiae Soc. Sci. Upsal. 6: 80 1799

Epipogium aphyllum Sw. f. *albiflorum* Y.N.Lee & K.S.Lee, Bull. Korea Pl. Res. 4: 5 2004

Galearis Raf. 나도제비란속

Galearis camtschatica (Cham.) X.H.Jin, Molec. Phylogen. Evol. 77: 50 2014 ⓤ

국명: 주름제비란(Ju-reum-je-bi-ran), 노랑난초 / (북한명) 주름제비란

영명: Wrinkled-margin gymnandenia

Orchis camtschatica Cham., Linnaea 3: 27 1828

Platanthera decipiens Lindl., Gen. Sp. Orchid. Pl. 290 1830

Gymnadenia vidalii Franch. & Sav., Enum. Pl. Jap. 2: 512 1878

Neolindleya decipiens (Lindl.) Kraenzl., Orchid. Gen. Sp. 1: 651 1899

Gymnadenia camtschatica (Cham.) Miyabe & Kudô, Fl. Saghalin 545 1915

Neolindleya camtschatica (Cham.) Nevski, Fl. URSS 4: 646 1935

Galearis cyclochila (Franch. & Sav.) Soó, Ann. Univ. Sci. Budapest. Rolando Eotvos, Sect. Biol. 11: 72 1969 Ⓢ

국명: 나도제비란(Na-do-je-bi-ran), 방울난초, 차일봉무엽란, 큰홀잎난초

영명: Circular-lip galearis

Habenaria cyclochila Franch. & Sav., Enum. Pl. Jap. 2: 516 1878

Orchis cyclochila (Franch. & Sav.) Maxim., Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 12: 548 1886

Gymnadenia cyclochila (Franch. & Sav.) Korsh., Trudy Imp. S.-Peterburgsk. Bot. Sada 12: 396 1893

Gastrochilus D.Don 금자란속

Gastrochilus japonicus (Makino) Schltr., Repert. Spec. Nov. Regni Veg. 12: 315 1913 Ⓢ

국명: 탐라란(Tam-ra-ran)

영명: Tamra gastrochilus

Saccolabium japonicum Makino, Ill. Fl. Japan 1: 3 1891

Gastrochilus matsuran (Makino) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 289 1919 Ⓢ

국명: 금자란(Geum-ja-ran), 금산자주난초, 금산자주란초, 금자난

영명: Purple-spotted gastrochilus

Saccolabium matsuran Makino, Bot. Mag. (Tokyo) 6: 48 1892

Gastrodia R.Br. 천마속

Gastrodia elata Blume, Mus. Bot. 2: 174 1856 Ⓢ

국명: 천마(Cheon-ma), 수자해꽃, 푸른천마 / (북한명) 천마

영명: Cheonma (Tall gastrodia)

Gastrodia viridis Makino, Bot. Mag. (Tokyo) 16: 178 1902

Gastrodia mairei Schltr., Repert. Spec. Nov. Regni Veg. 12: 105 1913

Gastrodia elata Blume var. *gracilis* Pamp., Nuovo Giorn. Bot. Ital. n.s. 22: 271 1915

Gastrodia elata Blume var. *viridis* (Makino) Makino, J. Jap. Bot. 1: 10 1916

Gastrodia elata Blume var. *pallens* Kitag., Lin. Fl. Manshur. 151 1939

Gastrodia elata Blume f. *viridis* (Makino) Makino, Ill. Fl. Nippon (Makino) 692 1940

Gastrodia elata Blume f. *pilifera* Tuyama, J. Jap. Bot. 17: 582 1941

■ ORCHIDACEAE 난초과

Gastrodia pubilabiata Sawa, Res. Rep. Kochi Univ. 29: 60 1980 Ⓡ

국명: **한라천마**(Han-ra-cheon-ma)

영명: **Halla cheonma (Warty tall gastrodia)**

Goodyera R.Br. 사철란속

Goodyera biflora (Lindl.) Hook.f., Fl. Brit. Ind. 6: 114 1890

국명: **붉은사철란**(Bul-geun-sa-cheol-ran)

영명: **Reddish rattlesnake plantain**

Georchis biflora Lindl., Gen. Sp. Orchid. Pl. 496 1840

Goodyera macrantha Maxim., Gartenflora 16: 36 1867

Epipactis macrantha (Maxim.) A.A.Eaton, Proc. Biol. Soc. Wash. 21: 64 1908

Perarium macranthum (Maxim.) Makino, J. Jap. Bot. 6: 35 1929

Goodyera biflora (Lindl.) Hook.f. var. *macrantha* (Maxim.) T.Hashim., Proc. World Orchid Conf. 12: 122 1987

Goodyera foliosa (Lindl.) Benth. ex C.B.Clarke var. *maximowicziana* (Makino) S.S.Ying, Coloured Ill. Indig. Orchids Taiwan 2: 535 1990

Goodyera henryi Rolfe, Bull. Misc. Inform. Kew 1896: 201 1896

국명: **섬사철란**(Seom-sa-cheol-ran), 산닭의난초, 줄사철란 / (북한명) 섬사철란

영명: **Short-raceme rattlesnake plantain**

Goodyera maximowicziana Makino, Bot. Mag. (Tokyo) 23: 137 1909

Perarium maximowiczianum (Makino) Makino, J. Jap. Bot. 6: 36 1929

Goodyera repens (L.) R.Br., Hort. Kew. ed. 2, 5: 198 1813 Ⓡ

국명: **애기사철란**(Ae-gi-sa-cheol-ran), 산알록난초, 산얼록난초 / (북한명) 애기사철란

영명: **Lesser rattlesnake plantain**

Satyrium repens L., Sp. Pl. 2: 945 1753

Perarium repens (L.) Salisb., Trans. Hort. Soc. London 1: 301 1812

Tussaca repens (L.) Raf., Precis Decouv. Somiol. 43 1819

Goodyera marginata Lindl., Gen. Sp. Orchid. Pl. 493 1840

Orchiodes repens (L.) Kuntze, Revis. Gen. Pl. 2: 674 1891

Goodyera nantoensis Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 343 1911

Goodyera mairei Schltr., Repert. Spec. Nov. Regni Veg. 17: 65 1921

Goodyera brevis Schltr. ex Limpr., Repert. Spec. Nov. Regni Veg. Beih. 12: 345 1922

Goodyera repens (L.) R.Br. var. *marginata* (Lindl.) T.Tang & F.T.Wang, Acta Phytotax. Geobot. 1: 33 & 68 1951

Goodyera repens (L.) R.Br. var. *japonica* Nakai, Bull. Natl. Sci. Mus., Tokyo 33: 30 1953

Goodyera rosulacea Y.N.Lee, Bull. Korea Pl. Res. 4: 2 2004 Ⓡ

국명: **한국사철란**(Han-guk-sa-cheol-ran), 로젯사철란, 로제트사철란

Goodyera schlechtendaliana Rchb.f., Linnaea 22: 861 1850 Ⓡ

국명: **사철란**(Sa-cheol-ran), 알록난초 / (북한명) 사철란

영명: Schlechtendal's rattlesnake plantain

Orchiodes schlechtendaliana (Rchb.f.) Kuntze, Revis. Gen. Pl. 2: 675 1891

Epipactis schlechtendaliana (Rchb.f.) Eaton, Proc. Biol. Soc. Wash. 21: 66 1908

Perarium schlechtendalianum (Rchb.f.) Makino, J. Jap. Bot. 6: 37 1929

Goodyera schlechtendaliana* Rchb.f. f. *schlechtendaliana

Goodyera schlechtendaliana* Rchb.f. f. *similis (Blume) Makino, Bot. Mag. (Tokyo) 19: 15 1905

국명: 청사철란(Cheong-sa-cheol-ran) / (북한명) 청사철란

영명: Spotless Schlechtendal's rattlesnake plantain

Goodyera similis Blume, Coll. Orchid. 39 1858

Perarium schlechtendaliana (Rchb.f.) Makino f. *similis* (Blume) Makino, J. Jap. Bot. 6: 37 1929

***Goodyera velutina* Maxim. ex Regel**, Gartenflora 16: 38 1867

국명: 털사철란(Teol-sa-cheol-ran), 병아리난초, 자주사철란, 흰줄사철란 / (북한명) 털사철란

영명: Velutinous rattlesnake plantain

Orchiodes velutinum (Maxim. ex Regel) Kuntze, Revis. Gen. Pl. 2: 675 1891

Epipactis velutinua (Maxim. ex Regel) A.A.Eaton, Proc. Biol. Soc. Wash. 21: 65 1908

Goodyera morrisonicola Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 343 1911

Perarium velutinum (Maxim. ex Regel) Makino, J. Jap. Bot. 6: 37 1929

***Goodyera × tamnaensis* N.S.Lee, K.S. Lee, S.H. Yeau & C.S.Lee**, Korean J. Pl. Taxon. 40: 252 2010 ⓘ

국명: 탐라사철란(Tam-ra-sa-cheol-ran)

***Gymnadenia* R.Br. 손바닥난초속**

***Gymnadenia conopsea* (L.) R.Br.**, Hort. Kew. ed. 2, 5: 191 1813 ⓘ

국명: 손바닥난초(Son-ba-dak-nan-cho), 뿌리난초, 손바닥난, 손바닥란, 손뿌리난초 / (북한명) 손바닥란

영명: Fragrant orchid

Orchis conopsea L., Sp. Pl. 2: 942 1753

Gymnadenia sibirica Turcz. ex Lindl., Gen. Sp. Orchid. Pl. 277 1835

Gymnadenia conopsea (L.) R.Br. var. *ussuriensis* Regel, Tent. Fl.-Ussur. 474 1861

Platanthera conopsea (L.) Schltr. ex Matsum., Index Pl. Jap. 2: 258 1905

Gymnadenia ibukiensis Makino, Iinuma, Somoku-Dzusetsu ed. 3: 1215 1912

Gymnadenia conopsea (L.) R.Br. f. *albiflora* Moldenke, Lloydia 13: 222 1950

***Habenaria* Willd. 해오라비난초속**

***Habenaria chejuensis* Y.N.Lee & K.S.Lee**, Korean J. Pl. Taxon. 28: 34 1998 ⓘ

국명: 제주방울란(Je-ju-bang-ul-ran), 제주방울난초

영명: Jeju habenaria

▪ ORCHIDACEAE 난초과

Habenaria cruciformis Ohwi, J. Jap. Bot. 26: 235 1951 (E)

국명: **개잠자리난초**(Gae-jam-ja-ri-nan-cho)

영명: **Cruciform habenaria**

Habenaria dentata (Sw.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 125 1919

국명: **큰해오라비난초**(Keun-hae-o-ra-bi-nan-cho)

Orchis dentata Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 207 1800

Habenaria iyoensis (Ohwi) Ohwi ex Chin S.Chang, Prov. Checkl. Vasc. Pl. Korea 144 2014

국명: **애기방울난초**(Ae-gi-bang-ul-nan-cho)

Peristylus iyoensis Ohwi, J. Jap. Bot. 12: 382 1936

Habenaria linearifolia Maxim., Mém. Acad. Imp. Sci. St.-Pétersbourg, Divers Savans 9: 269 1859

국명: **잠자리난초**(Jam-ja-ri-nan-cho), 십자란, 큰잠자리난초, 해오라비아재비, 해오래비난초, 민잠자리난초 / (북한명) 십자란

영명: **Linear-leaf habenaria**

Habenaria linearifolia Maxim. f. *integrifolia* Ohwi, Acta Phytotax. Geobot. 2: 157 1933

Fimbrorchis linearifolia (Maxim.) Szlach., Orchidee (Hamburg) 55: 492 2004

Habenaria radiata (Thunb.) Spreng., Syst. Veg. (ed. 16) 3: 693 1826 (R)

국명: **해오라비난초**(Hae-o-ra-bi-nan-cho), 해오라기란, 해오래비난초, 해오리란 / (북한명) 해오리란

영명: **White-egret flower**

Orchis radiata Thunb., Trans. Linn. Soc. London 2: 326 1794

Platanthera radiata (Thunb.) Lindl., Gen. Sp. Orchid. Pl. 296 1835

Pecteilis radiata (Thunb.) Raf., Fl. Tellur. 2: 38 1837

Hemihabenaria radiata (Thunb.) Finet, Rev. Gen. Bot. 13: 533 1902

Herminium L. 씨눈난초속

Herminium lanceum (Thunb. ex Sw.) Vuijk var. *lanceum*

Herminium lanceum (Thunb. ex Sw.) Vuijk var. *longicrure* (C.Wright ex A.Gray) H.Hara, J. Jap. Bot. 44: 60 1969 (R)

국명: **씨눈난초**(Ssi-nun-nan-cho), 구슬난초, 씨눈란, 흑뿌리난초 / (북한명) 씨눈란

영명: **Bead-root orchid**

Aceras longicrure C.Wright ex A.Gray, Mem. Amer. Acad. Arts Ser 2, 6: 411 1859

Aceras angustifolium Lindl. var. *longicrure* (C.Wright ex A.Gray) Miq., Prolus. Fl. Jap. 139 1866

Herminium angustifolium (Lindl.) Ridl. var. *longicruris* (C.Wright ex A.Gray) Makino, Bot. Mag. (Tokyo) 10: 109 1896

Herminium longicrure (C.Wright ex A.Gray) F.T.Wang & T.Tang, Acta Phytotax. Sin. 1: 61 1951

Herminium monorchis (L.) R.Br., Hort. Kew. ed. 2, 5: 191 1813 (R)

국명: 나도씨눈란(Na-do-ssi-nun-ran), 진들난초 / (북한명) 나도씨눈란

영명: Musk orchid

Ophrys monorchis L., Sp. Pl. 2: 947 1753

Orchis monorchis (L.) Crantz, Stirp. Austr. Fasc. ed. 2, 6: 478 1769

Herminium pusillum Ohwi & Fukuy., Bot. Mag. (Tokyo) 48: 430 1934

국명: 수림란(Su-rim-ran)

Androcorys pusillus (Ohwi & Fukuy.) Masam., Hokuriko J. Bot. 12: 88 1963

***Kuhlhasseltia* J.J.Sm. 백운란속**

Kuhlhasseltia nakaiana (F.Maek.) Ormerod, Lindleyana 17: 209 2002 ⑧

국명: 백운란(Baek-un-ran), 백운난초, 백운란초, 백운산난초 / (북한명) 백운란초

영명: Baekun kuhlhasseltia orchid

Vexillarium nakaianum F.Maek., J. Jap. Bot. 11: 458 1935

Vexillarium fissum F.Maek. ex Nakai, Iconogr. Pl. Asiae Orient. 2: 107 1937

Vexillarium inamii Ohwi, J. Jap. Bot. 31: 135 1956

Vexillarium yakusimense (Yamam.) F.Maek. var. *nakaianum* (F.Maek.) T.B.Lee, Korean J. Pl. Taxon. 6: 18 1975

***Lecanorchis* Blume 무엽란속**

Lecanorchis japonica Blume, Mus. Bot. 2: 188 1856 ⑧

국명: 무엽란(Mu-yeop-ran) / (북한명) 덧꽃울란

영명: Leafless lecanorchis

Lecanorchis japonica Blume var. *japonica*

Lecanorchis japonica Blume var. *insularis* S.-W.Seo, M.-S.Jung, Y.-S.Jung & S.-H.Oh, Korean J. Pl. Taxon.

50(4): 415 2020

국명: 영주무엽란(Young-ju-mu-yeop-nan)

Lecanorchis kiusiana Tuyama, J. Jap. Bot. 30: 182 1955

국명: 제주무엽란(Je-ju-mu-yeop-ran)

영명: Jeju leafless lecanorchis

Lecanorchis kiusiana Tuyama var. *kiusiana*

Lecanorchis kiusiana Tuyama var. *suginoana* (Tuyama) T.Hashim., Ann. Tsukuba Bot. Gard. 9: 18 1990

국명: 노랑제주무엽란(No-rang-je-ju-mu-yeop-ran)

Lecanorchis japonica Blume var. *suginoana* Tuyama, J. Jap. Bot. 57: 211 1982

Liparis Rich. 나리난초속

Liparis auriculata Blume ex Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 203 1865 Ⓡ

국명: 한라옥잠난초(Han-ra-ok-jam-nan-cho), 구름나리란

영명: Auricled widelip orchid

Leptorchis auriculata (Blume) Kuntze ex Miq., Revis. Gen. Pl. 2: 667 1891

Liparis yakushimensis Masam., Bot. Mag. (Tokyo) 43: 250 1929

Liparis fujisanensis F.Maek. ex Konta & S.Matsumoto, Ann. Tsukuba Bot. Gard. 16: 11 1997

국명: 유명난초(You-myeong-nan-cho)

Liparis japonica (Miq.) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 31: 102 1887

국명: 키다리난초(Ki-da-ri-nan-cho), 나리란, 카다리란, 큰옥잠난초 / (북한명) 키다리란

영명: Tall widelip orchid

Microstylis japonica Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 203 1866

Liparis koreana (Nakai) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 151 1952 Ⓡ

국명: 참나리난초(Cham-na-ri-nan-cho), 참나나벌이난초, 참나리란 / (북한명) 참나리란

영명: Korean widelip orchid

Liparis makinoana Schltr. var. *koreana* Nakai, Bot. Mag. (Tokyo) 45: 107 1931

Liparis koreojaponica Tsutsui, Acta Phytotax. Geobot. 59: 214 2008

국명: 큰꽃옥잠난초(Keun-kkot-ok-jam-nan-cho)

영명: Large-flower widelip orchid

Liparis krameri Franch. & Sav., Enum. Pl. Jap. 2: 509 1878

국명: 나나벌이난초(Na-na-beol-i-nan-cho), 나나니난초, 나나리란, 애기벌난초 / (북한명) 나나리란

영명: Kramer's widelip orchid

Leptorchis krameri (Franch. & Sav.) Kuntze, Revis. Gen. Pl. 2: 671 1891

Liparis krameri Franch. & Sav. var. *viridis* Makino, J. Jap. Bot. 3: 21 1926

Liparis kumokiri F.Maek., J. Jap. Bot. 12: 95 1936

국명: 옥잠난초(Ok-jam-nan-cho), 구름나리란 / (북한명) 구름나리란

영명: Large widelip orchid

Liparis makinoana Schltr., Report. Spec. Nov. Regni Veg. Beih. 4: 63 1919

국명: 나리난초(Na-ri-nan-cho), 나리란, 풍경벌레난초 / (북한명) 나리란

영명: Miniature widelip orchid

Liparis nervosa (Thunb.) Lindl., Gen. Sp. Orchid. Pl. 26 1830 Ⓡ

국명: 흑난초(Heuk-nan-cho)

영명: Black-flower widelip orchid

Ophrys nervosa Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 814 1784

Liparis pterosepala N.S.Lee, C.S.Lee & K.S.Lee, J. Pl. Biol. 53: 196 2010 ⓘ

국명: 날개옥잠난초(Nal-gae-ok-jam-nan-cho)

Liparis yongnoana N.S.Lee, C.S.Lee & K.S.Lee, J. Pl. Biol. 53: 195 2010 ⓘ

국명: 계우옥잠난초(Gyeo-u-ok-jam-nan-cho)

Malaxis Sol. ex Sw. 이삭단엽란속

Malaxis monophyllos (L.) Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 234 1800 ⓘ

국명: 이삭단엽란(I-sak-dan-yeop-ran), 쌍잎난초, 이삭두잎난, 이삭쌍잎란, 이삭쌍엽난, 이삭홀잎란, 큰이삭란, 훌잎난초 / (북한명) 큰이삭란, 이삭홀잎란, 이삭두잎란

영명: White adder's mouth

Ophrys monophyllos L., Sp. Pl. 2: 947 1753

Microstylis monophyllos (L.) Lindl., Gen. Sp. Orchid. Pl. 19 1830

Myrmecoris Blume 개미난초속

Myrmecoris japonica (Rchb.f.) Rolfe, J. Linn. Soc., Bot. 36: 44 1903

국명: 개미난초(Gae-mi-nan-cho), 개미란 / (북한명) 개미란

영명: Japanese myrmecoris

Rhamphidium japonica Rchb.f., Bot. Zeitung (Berlin) 36: 75 1878

Neofinetia Hu 풍란속

Neofinetia falcata (Thunb.) Hu, Rhodora 27: 107 1925 ⓘ

국명: 풍란(Pung-ran), 꼬리난초 / (북한명) 풍란

영명: Sickle neofinetia

Orchis falcata Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 811 1784

Angraecum falcatum (Thunb.) Lindl., Coll. Bot. (Lindley) 1: 15 1821

Vanda falcata (Thunb.) Beer, Prakt. Stud. Orchid. 317 1854

Oeceoclades lindleyana Regel, Index Seminum [St.Petersburg (Petropolitanus)] 43 1865

Angraecopsis falcata (Thunb.) Schltr., Orchideen (Schlechter) 601 1914

Finetia falcata (Thunb.) Schltr., Beih. Bot. Centralbl. 36: 140 1918

Nipponorchis falcata (Thunb.) Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 592 1934

Neottia Guett. 새둥지란속

Neottia acuminata Schltr., Acta Horti Gothob. 1: 141 1924

국명: 애기무엽란(Ae-gi-mu-yeop-ran), 무엽난초, 무엽란초, 좀무엽란

영명: Asian leafless bird's nest orchid

Neottia asiatica Ohwi, Bot. Mag. (Tokyo) 45: 384 1931

Neottia japonica (Blume) Szlach., Fragm. Florist. Geobot. Suppl. 3: 117 1995

국명: 아기쌍잎난초(A-gi-ssang-ip-nan-cho)

Listera japonica Blume, Coll. Orchid. 136 1859

Neottia kiusiana T.Hashim. & Hatus., Ann. Tsukuba Bot. Gard. 10: 41 1991

국명: 한라새둥지란(Han-ra-sae-dung-ji-ran)

영명: Halla leafless bird's nest orchid

Neottia nipponica (Makino) Szlach., Fragm. Florist. Geobot. Suppl. 3: 118 1995

국명: 털쌍잎난초(Teol-ssang-ip-nan-cho)

영명: Hairy twin-leaf twayblade

Listera nipponica Makino, Bot. Mag. (Tokyo) 19: 9 1905

Ophrys nipponica (Makino) Makino, J. Jap. Bot. 6: 34 1929

Listera brevidens Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. 2: 113 1936

Listera cordata (L.) R.Br. var. *nipponica* (Makino) M.Hiroe, Orchid Flowers 2: 66 1971

Neottia papilligera Schltr., Repert. Spec. Nov. Regni Veg. 16: 356 1920

국명: 새둥지란(Sae-dung-ji-ran), 흥산무엽란 / (북한명) 새둥지란

영명: Manchurian bird's nest orchid

Neottia nidus-avis (L.) Rich. var. *manshurica* Kom., Trudy Imp. S.-Peterburgsk. Bot. Sada 20: 528 1901

Neottia puberula (Maxim.) Szlach., Fragm. Florist. Geobot. Suppl. 3: 118 1995

국명: 쌍잎난초(Ssang-ip-nan-cho), 두잎난초, 두잎란

영명: Twin-leaf twayblade

Listera puberula Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 29: 204 1884

Listera yatabei Makino, Bot. Mag. (Tokyo) 19: 8 1905

Listera major Nakai, Bot. Mag. (Tokyo) 28: 327 1914

Ophrys yatabei (Makino) Makino, J. Jap. Bot. 6: 34 1929

Neottia yatabei (Makino) Szlach., Fragm. Florist. Geobot. Suppl. 3: 119 1995

Nervilia Comm. ex Gaudich. 영아리난초속

Nervilia nipponica Makino, Bot. Mag. (Tokyo) 23: 138 1909

국명: 영아리난초(Yeong-a-ri-nan-cho)

영명: East Asian nervilia

Oberonia Lindl. 차걸이란속

Oberonia japonica (Maxim.) Makino, Ill. Fl. Japan 1: t. 41 1891 (R)

국명: 차걸이란(Cha-geol-i-ran), 나도제비난, 나도제비란, 이삭란초, 차걸이난 / (북한명) 이삭란초

영명: East Asian fairy orchid

Malaxis japonica Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg 3, 22: 257 1877

Oberonia formosana Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 309 1911

Oberonia makinoi Masam., Mem. Fac. Sci. Taihoku Imp. Univ. 11: 583 1934

Oreorchis Lindl. 감자난초속

Oreorchis patens (Lindl.) Lindl., J. Proc. Linn. Soc., Bot. 3: 27 1858

국명: 감자난초(Gam-ja-nan-cho), 감자난, 감자란, 맷잎새우난초, 잠자리난초 / (북한명) 감자란

영명: Common oreorchis

Corallorrhiza patens Lindl., Gen. Sp. Orchid. Pl. 535 1835

Oreorchis gracilis Franch. & Sav., Enum. Pl. Jap. 2: 27 1877

Oreorchis lancifolia A.Gray, Mem. Amer. Acad. Arts n.s. 6: 410 1859

Oreorchis patens (Lindl.) Lindl. var. *gracilis* (Franch. & Sav.) Makino ex Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 224 1919

Oreorchis patens (Lindl.) Lindl. subsp. *patens*

Oreorchis patens (Lindl.) Lindl. subsp. *coreana* (Finet) Y.N.Lee, Fl. Korea (Lee) 1194 1996 (E) (R)

국명: 두잎감자난초(Du-ip-gam-ja-nan-cho), 잠자리란아재비, 한라감자난초

영명: Two-leaf oreorchis

Oreorchis coreana Finet, Bull. Soc. Bot. France 55: 337 1908

Diplolabellum coreanum (Finet) F.Maeck., J. Jap. Bot. 11: 306 1935

Oreorchis patens (Lindl.) Lindl. var. *coreana* (Finet) M.Kim, Korean Endemic Pl. 217 2004

Pelatantheria Ridl. 지네발란속

Pelatantheria scolopendrifolia (Makino) Aver., Bot. Zhurn. (Moscow & Leningrad) 73: 432 1988 (R)

국명: 지네발란(Ji-ne-bal-ran), 지네난초 / (북한명) 지네발란

영명: Centipede's foot orchid

Sarcanthus scolopendrifolius Makino, Ill. Fl. Japan 1: 40 1891

Cleisostoma scolopendrifolium (Makino) Garay, Bot. Mus. Leafl. 23: 174 1972

Peristylus Blume 방울난초속

Peristylus densus (Lindl.) Santapau & Kapadia, J. Bombay Nat. Hist. Soc. 57: 128 1960 (R)

국명: 방울난초(Bang-ul-nan-cho), 흑십자란 / (북한명) 흑십자란

영명: Black crucifera habenaria

■ ORCHIDACEAE 난초과

Coeloglossum densum Lindl., Gen. Sp. Orchid. Pl. 302 1835

Coeloglossum flagelliferum Maxim. ex Makino, Bot. Mag. (Tokyo) 16: 89 1902

Peristylus hiugensis Ohwi, J. Jap. Bot. 12: 381 1936

Peristylus satsumanus Ohwi, J. Jap. Bot. 12: 383 1936

Peristylus flagellifer (Makino) Ohwi, Fl. Jap. (Ohwi) 344 1953

***Phalaenopsis* Blume 나도풍란속**

***Phalaenopsis japonica* (Rchb.f.) Kocyan & Schuit., Phytotaxa 161: 67 2014 ®**

국명: **나도풍란**(Na-do-pung-ran), 노란나비난초, 대엽풍란, 대풍란 / (북한명) 나도풍란, 대풍란

영명: **Nadopungran (East Asian aerides)**

Aerides japonicum Rchb.f., Hamburger Garten- Blumenzeitung 19: 210 1863

Sedirea japonica (Rchb.f.) Garay & H.R.Sweet, Orchids S. Ryukyu Islands 149 1974

***Platanthera* Rich. 제비난초속**

***Platanthera brevicalcarat* Hayata, J. Coll. Sci. Imp. Univ. Tokyo 30: 350 1911**

국명: **영주제비란**(Yeong-ju-je-bi-ran)

***Platanthera chlorantha* Custer ex Rchb., Handb. Gewächsk. (ed. 2) 2: 1565 1829**

국명: **제비난초**(Je-bi-nan-cho), 쌍두제비란, 제비난, 향난초

영명: **Greater platanthera**

***Platanthera chorisiana* (Cham.) Rchb.f., Icon. Fl. Germ. Helv. 13-14: 128 1851**

국명: **고산제비란**(Go-san-je-bi-ran)

Habenaria chorisiana Cham., Linnaea 3: 31 1828

***Platanthera fuscescens* (L.) Kraenzl., Orchid. Gen. Sp. 1: 637 1899**

국명: **넓은잎잠자리란**(Neol-beun-ip-jam-ja-ri-ran), 나도잠자리난, 넓은잎나도잠자리란, 잠자리란 / (북한명) 넓은잠자리란

영명: **Asian platanthera**

Orchis fuscescens L., Sp. Pl. 2: 943 1753

Perularia fuscescens (L.) Lindl., Gen. Sp. Orchid. Pl. 281 1835

Tulotis fuscescens (L.) Raf. ex Czerep., Svod Dopol. Izmen. Fl. SSSR 622 1973

***Platanthera hologlottis* Maxim., Prim. Fl. Amur. 268 1859**

국명: **흰제비란**(Huin-je-bi-ran), 흰난초 / (북한명) 흰잠자리란

영명: **White Asian platanthera**

Habenaria neuropetala Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 207 1866

Platanthera neuropetala (Miq.) Franch. & Sav., Enum. Pl. Jap. 2: 33 1877

Limnorchis hologlottis (Maxim.) Nevski, Fl. URSS 4: 666 1935

***Platanthera japonica* (Thunb.) Lindl., Gen. Sp. Orchid. Pl. 290 1835 ⑧**

국명: 갈매기난초(Gal-mae-gi-nan-cho), 제비란, 갈매기란

영명: East Asian platanthera

Orchis japonica Thunb., Syst. Veg. (ed. 14) [J. A. Murray] 811 1784

Platanthera manubriata Kraenzl. ex Diels, Bot. Jahrb. Syst. 29: 265 1900

***Platanthera mandarinorum* Rchb.f., Linnaea 25: 226 1852**

국명: 산제비란(San-je-bi-ran), 산제비난, 산제비난초, 짧은산제비난

영명: Common Korean platanthera

Platanthera oreades Franch. & Sav. var. *brachycentron* Franch. & Sav., Enum. Pl. Jap. 2: 514 1878

Platanthera mandarinorum Rchb.f. var. *brachycentron* (Franch. & Sav.) Koidz. ex K.Inoue, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 183 1982

***Platanthera maximowicziana* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 114 1919**

국명: 애기제비란(Ae-gi-je-bi-ran), 두메제비난초, 제비난초, 제비란 / (북한명) 제비란

영명: Baby Asian platanthera

Platanthera mandarinorum Rchb.f. subsp. *maximowicziana* (Schltr.) K.Inoue, J. Fac. Sci. Univ. Tokyo Sect. 3, Bot. 13: 186 1982

Platanthera mandarinorum Rchb.f. var. *maximowicziana* (Schltr.) Ohwi, Bull. Natl. Sci. Mus., Tokyo 33: 69 1953

***Platanthera minor* (Miq.) Rchb.f., Bot. Zeitung (Berlin) 35: 75 1878 ⑧**

국명: 한라잠자리란(Han-ra-jam-ja-ri-ran), 큰잎제비란, 한라제비란 / (북한명) 큰잎제비란

영명: Little platanthera

Habenaria japonica (Thunb.) A.Gray var. *minor* Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 207 1866

***Platanthera neglecta* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 43 1919**

국명: 하늘산제비란(Ha-neul-san-je-bi-ran)

Platanthera mandarinorum Rchb.f. var. *neglecta* (Schltr.) F.Maek., Wild Orch. Jap. Col. 163 1971

***Platanthera ophrydioides* F.Schmidt, Reis. Amur-Land., Bot. 182 1868**

국명: 구름제비란(Gu-reum-je-bi-ran), 구름제비꽃, 구름제비난 / (북한명) 구름제비란

영명: Cloud Asian platanthera

Platanthera reinii Franch. & Sav., Enum. Pl. Jap. 2: 513 1878

***Platanthera sachalinensis* F.Schmidt, Reis. Amur-Land., Bot. 181 1868**

국명: 큰제비란(Keun-je-bi-ran), 큰제비난 / (북한명) 큰제비란

영명: Big Asian platanthera

***Platanthera ussuriensis* (Regel & Maack) Maxim., Bull. Acad. Imp. Sci. Saint-Pétersbourg III 31: 107 1886**

국명: 나도잠자리란(Na-do-jam-ja-ri-ran), 나도제비난, 색기잠자리난초, 잠자리난초, 잠자리란, 제비잠자리난, 나도잠자리난초

■ ORCHIDACEAE 난초과

영명: *Ussuri river platanthera*

Platanthera tipuloides (L.f.) Lindl. var. *ussuriensis* Regel & Maack, Tent. Fl.-Ussur. 157 1861

Habenaria ussurienis (Regel & Maack) Miyabe, Mem. Boston Soc. Nat. Hist. 4-7: 262 1890

Perularia ussuriensis (Regel & Maack) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 99 1919

Tulotis ussuriensis (Regel & Maack) H.Hara, J. Jap. Bot. 30: 72 1955

***Pogonia* Juss. 방울새란속**

***Pogonia japonica* Rchb.f.**, Linnaea 25: 228 1852 Ⓡ

국명: 큰방울새란(Keun-bang-ul-sae-ran), 큰방울비란, 큰방울새난초 / (북한명) 큰방울새란

영명: *Asian pogonia*

Pogonia similis Blume, Coll. Orchid. 148 1858

Pogonia ophioglossoides (L.) Ker Gawl. var. *japonica* (Rchb.f.) Finet, Bull. Soc. Bot. France 47: 273 1900

Pogonia kungii T.Tang & F.T.Wang, Contr. Inst. Bot. Natl. Acad. Peiping 2: 135 1934

***Pogonia minor* (Makino)** Makino, Bot. Mag. (Tokyo) 23: 137 1909 Ⓡ

국명: 방울새란(Bang-ul-sae-ran), 방울새난, 방울새난초 / (북한명) 방울새란

영명: *Minor pogonia*

Pogonia japonica Rchb.f. var. *minor* Makino, Bot. Mag. (Tokyo) 12: 103 1898

***Ponerorchis* Rchb.f. 나비난초속**

***Ponerorchis cucullata* (L.) X.H.Jin**, Molec. Phylogen. Evol. 77: 51 2014 Ⓡ

국명: 구름병아리난초(Gu-reum-byeong-a-ri-nan-cho), 구름병아리란, 산나사난초, 타래난초, 점박이구름병아리난초 / (북한명) 구름병아리란

영명: *Cucullate neottianthe orchid*

Orchis cucullata L., Sp. Pl. 2: 939 1753

Gymnadenia cucullata (L.) Rich., De Orchid. Eur. 35 1817

Himantoglossum cucullatum (L.) Rchb., Fl. Germ. Excurs. 120 1830

Neottianthe cucullata (L.) Schltr., Repert. Spec. Nov. Regni Veg. 16: 292 1919

** *Gymnadenia cucullata* (L.) Rich. var. *variegata* Y.N.Lee, Fl. Korea (Lee) 1164 1996

** *Neottianthe cucullata* (L.) Schltr. f. *variegata* (Y.N.Lee) M.Kim, Korean Endemic Pl. 571 2017

***Ponerorchis graminifolia* Rchb.f.**, Linnaea 25: 228 1852

국명: 나비난초(Na-bi-nan-cho), 나비란, 나비란초 / (북한명) 나비란초, 나도잠자리난초

영명: *Grass-like-leaf ponerorchis*

Gymnadenia rupestris Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 206 1866

Gymnadenia graminifolia (Rchb.f.) Rchb.f., Bot. Zeitung (Berlin) 36: 75 1878

Orchis rupestris (Miq.) Schltr., Repert. Spec. Nov. Regni Veg. 4: 90 1919

Orchis graminifolia (Rchb.f.) T.Tang & F.T.Wang, Bull. Fan Mem. Inst. Biol. 10: 25 1940

Ponerorchis joo-iokiana (Makino) Nakai, Bull. Natl. Sci. Mus., Tokyo 31: 152 1952

Ponerorchis joo-iokiana (Makino) Soó, Acta Bot. Acad. Sci. Hung. 12: 352 1966 (R)

국명: 너도제비란(Neo-do-je-bi-ran), 이삭난초, 향이삭난초, 호접란 / (북한명) 향제비란

영명: Baekdusan ponerorchis

Orchis joo-iokiana Makino, Bot. Mag. (Tokyo) 16: 57 1902

Orchis matsumurana Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 41 1919

Orchis joo-iokiana Makino var. *coreana* Ohwi, Acta Phytotax. Geobot. 5: 145 1936

Ponerorchis pauciflora (Lindl.) Ohwi var. *jooiokiana* (Makino) Ohwi, Acta Phytotax. Geobot. 5: 145 1936

Spiranthes Rich. 타래난초속

Spiranthes sinensis (Pers.) Ames, Orchidaceae (Ames) 2: 53 1908

국명: 타래난초(Ta-rae-nan-cho), 타래란 / (북한명) 타래란

영명: Ladies' tresse

Aristotelea spiralis Lour., Fl. Cochinch. 522 1790

Neottia sinensis Pers., Syn. Pl. (Persoon) 2: 511 1807

Neottia australis R.Br., Prodr. Fl. Nov. Holland. 319 1810

Neottia flexuosa Sm., Cycl. (Rees) 24: 9 1813

Neottia amoena M.Bieb., Fl. Taur.-Caucas. 3: 606 1819

Spiranthes australis (R.Br.) Lindl., Bot. Reg. 10: sub. t. 823 1824

Spiranthes congesta Lindl., Bot. Reg. 10: t. 823 1824

Spiranthes amoena (M.Bieb.) Spreng., Syst. Veg. (ed.16) [Sprengel] 3: 708 1826

Gyrostachys amoena (M.Bieb.) Blume, Coll. Orchid. 129 1858

Gyrostachys australis (R.Br.) Blume var. *amoena* (M.Bieb.) Blume, Coll. Orchid. 129 1859

Gyrostachys australis (R.Br.) Blume var. *flexuosa* (Sm.) Blume, Coll. Orchid. 130 1859

Spiranthes australis (R.Br.) Lindl. var. *suishaensis* Hayata, Icon. Pl. Formosan. 6: 86 1916

Spiranthes suishaensis (Hayata) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 161 1919

Spiranthes suishaensis (Hayata) Hayata, Icon. Pl. Formosan. 10: 33 1921

Spiranthes sinensis (Pers.) Ames subsp. *australis* (R.Br.) Kitam., Acta Phytotax. Geobot. 21: 23 1964

Spiranthes sinensis (Pers.) Ames var. *amoena* (M.Bieb.) H.Hara, J. Jap. Bot. 44: 59 1969

Spiranthes sinensis (Pers.) Ames var. *australis* (R.Br.) H.Hara & Kitam., Acta Phytotax. Geobot. 36: 93 1985

Taeniophyllum Blume 거미난초속

Taeniophyllum glandulosum Blume, Bijdr. Fl. Ned. Ind. 8: 356 1825 (R)

국명: 거미란(Geo-mi-ran), 거머리란, 거미난, 거미란초, 구름난초, 구름란초 / (북한명) 거미란초, 구름란초

영명: Glandular taeniophyllum

Thrixspermum Lour. 비자란속

Thrixspermum japonicum (Miq.) Rchb.f., Bot. Zeitung (Berlin) 36: 75 1878 (R)

국명: 비자란(Bi-ja-ran)

영명: East Asian thrixspermum

Sarcochilus japonicus Miq., Ann. Mus. Bot. Lugduno-Batavi 2: 206 1866

Tipularia Nutt. 비비추난초속

Tipularia japonica Matsum., Bot. Mag. (Tokyo) 15: 87 1901 Ⓢ

국명: 비비추난초(Bi-bi-chu-nan-cho)

영명: Hosta-leaf orchid

국가표준식물목록 (자생식물)
Checklist of Vascular Plants in Korea (Native Plants)

REFERENCE
참고문헌

참고문헌

- Bridson, G.D.R., Townsend, S.T., Polen, E.A. and E.R. Smith. 2004. BPH-2: Periodicals with botanical content; Constituting a second edition of Botanico-Periodicum-Huntianum, 2 vols. Pittsburgh: Hunt Institute for Botanical Documentation, Carnegie Mellon University. 1,470 pp
- Brummitt, R.K. and C.E. Powell. (Eds.) 1992. Authors of Plant Names. A list of authors of scientific names of plants, with recommended standard form of their names including abbreviations. Royal Botanical Garden, Kew. 732 pp.
- Chang, C.-S., Kim, H. and K.S. Chang. 2014. Provisional Checklist of Vascular Plants for the Korea Peninsula Flora (KPF) (Version1.0). 660 pp.
- Christenhusz, M.J.M., Zhang, X.-C. and H. Schneider. 2011. A linear sequence of extant lycophytes and ferns. *Phytotaxa* 19: 7–54.
- Chung, G.Y., Chang, K.S., Chung, J.M., Choi, H.J., Pail, W.K. and J.O. Hyun. 2017. A checklist of endemic plants on the Korean Peninsula. *Korean Journal of Plant Taxonomy* 47(3): 264–288.
- Flora of Korea Editorial Committee. 2018. The Genera of Vascular Plants of Korea. Hongreung Publishing Co., Seoul. 1,934 pp. (in Korean)
- Im, R.J. 1996. Flora Coreana 1. The Science and Technology Publishing House. Pyeongyang. 359 pp. (in Korean)
- Im, R.J. 1996. Flora Coreana 2. The Science and Technology Publishing House. Pyeongyang. 311 pp. (in Korean)
- Im, R.J. 1997. Flora Coreana 3. The Science and Technology Publishing House. Pyeongyang. 383 pp. (in Korean)
- Im, R.J. 1998. Flora Coreana 4. The Science and Technology Publishing House. Pyeongyang. 402 pp. (in Korean)

- Im, R.J. 1998. *Flora Coreana 5*. The Science and Technology Publishing House. Pyeongyang. 367 pp. (in Korean)
- Im, R.J. 1999. *Flora Coreana 6*. The Science and Technology Publishing House. Pyeongyang. 387 pp. (in Korean)
- Im, R.J. 1999. *Flora Coreana 7*. The Science and Technology Publishing House. Pyeongyang. 403 pp. (in Korean)
- Im, R.J. 2000. *Flora Coreana 8*. The Science and Technology Publishing House. Pyeongyang. 428 pp. (in Korean)
- Im, R.J. 2000. *Flora Coreana 9*. The Science and Technology Publishing House. Pyeongyang. 378 pp. (in Korean)
- IPNI. 2020. International Plant Names Index. Published on the Internet; available from <http://www.ipni.org/>
- Kim, M.Y. 2004. *Korean Endemic Plants*. Solkwahak, Seoul. 408 pp.
- Kim, M.Y. 2017. *Korean Endemic Plants*. Haejin Media Co. LTD, Seoul. 654 pp.
- Kim, T.Y. and J.S. Kim. 2018. *Woody Plants of Korean Peninsula*. Dolbegyae, Paju. 715 pp. (in Korean)
- Korea National Arboretum. 2007. *A Synonymic List of Vascular Plants in Korea*. Korea National Arboretum, Pocheon. 534 pp. (in Korean)
- Korea National Arboretum. 2015. *English Names for Korean Native Plants*. Korea National Arboretum, Pocheon. 760 pp. (in Korean)
- Korea National Arboretum. 2017. *Checklist of Vascular Plants in Korea*. Korea National Arboretum, Pocheon. 1,000 pp.
- Lee, C.S. and K.H. Lee. 2018. *Pteridophytes of Korea: Lycophytes and Ferns*. 2nd Edition. Geobook, Seoul. 491 pp. (in Korean)
- Lee, T.B. 1980. *Illustrated Flora of Korea*. Hyangmunsa Publishing Co., Seoul. 990 pp. (in Korean)

- Lee, T.B. 2003a. Coloured Flora of Korea. Vol. I . Hyangmunsa Publishing Co., Seoul. 914 pp. (in Korean)
- Lee, T.B. 2003b. Coloured Flora of Korea. Vol. II . Hyangmunsa Publishing Co., Seoul. 910 pp. (in Korean)
- Lee, W.T. 1996a. Lineamenta Flora Korea. Academy Press, Seoul. 1,567 pp. (in Korean)
- Lee, W.T. 1996b. Standard Illustrations of Korean Plants. Academy Press, Seoul. 1,688 pp. (in Korean)
- Lee, Y.N. 1996. Flora of Korea. Kyohaksa, Seoul. 1,247 pp. (in Korean)
- Lee, Y.N. 2006a. New Flora of Korea (I). Kyohaksa, Seoul. 975 pp. (in Korean)
- Lee, Y.N. 2006b. New Flora of Korea (II). Kyohaksa, Seoul. 885 pp. (in Korean)
- Melchior, H. 1964. A Engler's Syllabus der Pflanzenfamilien 12. Angiospermen 2. 666 pp.
- Melchior, H. and E Werderman. 1954. A Engler's Syllabus der Pflanzenfamilien, Gebruder Borntraeger. Berlin, Germany 367 pp.
- National Institute of Biological Resources. 2019. National Species list of Korea, vol. 1. Plants, Fungi, Algae, Prokaryotes, Designzip, Seoul. 924 pp.
- Royal Botanic Gardens, Kew. 1980. Draft index of author abbreviations / compiled at the herbarium, Royal Botanic Garden, Kew. 269 pp.
- The Plant List. 2020. Version 1.1. Published on the Internet; available from <http://www.theplantlist.org>
- Tropicos.org. 2020. Tropicos, Missouri Botanical Garden, Saint Louis, Missouri. Published on the Internet; available from <http://www.tropicos.org/home>
- Turland, N.J., Wiersema, J.H., Barrie, F.R., Greuter, W., Hawksworth, D.L., Herendeen, P.S., Knapp, S., Kusber, W.-H., Li, D.-Z., Marhold, K., May, T.W., McNeill, J., Monro, A.M., Prado, J., Price, M.J. & G.F. Smith. (Eds.). 2018. International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code) adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017. [Regnum Vegetabile 159]. Glashütten: Koeltz Botanical Books, 254 pp.

국가표준식물목록 (자생식물)
Checklist of Vascular Plants in Korea (Native Plants)

INDEX 색인

학명 찾아보기 / 747

영명 찾아보기 / 922

국명 찾아보기 / 946

학명 찾아보기

(A)

Abacopteris penangiana / 28
Abbotia palustris / 576
Abelia / 484
Abelia biflora / 484
Abelia biflora var. *insularis* / 485
Abelia buchwaldii / 485
Abelia coreana / 484
Abelia coreana var. *insularis* / 485
Abelia densipila / 485
Abelia insularis / 485
Abelia integrifolia / 485
Abelia mosanensis / 486
Abelia serrata / 485
Abelia serrata f. *colorata* / 485
Abelia serrata var. *buchwaldii* / 485
Abelia serrata var. *congesta* / 485
Abelia serrata var. *glaberrima* / 485
Abelia serrata var. *viridiramea* / 485
Abelia serrata var. *viridis* / 485
Abelia shikokiana / 484
Abelia spathulata / 485
Abelia spathulata f. *lucida* / 485
Abelia spathulata var. *elliptica* / 485
Abelia spathulata var. *micrantha* / 485
Abelia tyaihyonii / 485, 486
Abelia tyaihyonii var. *mosanensis* / 486
Abelicea acuminata / 99
Abelicea davidii / 97
Abelicea herta / 99
Abelicea keaki / 99
Abelicea serrata / 99
Abeliophyllum / 404
Abeliophyllum distichum / 404
Abeliophyllum distichum f. *albiflorum* / 404
Abeliophyllum distichum f. *lilacinum* / 404
Abie / 63
Abies ajanensis / 64
Abies holophylla / 63
Abies jezoensis / 64
Abies koreana / 63
Abies koreana f. *chlorocarpa* / 63

Abies koreana f. *nigrocarpa* / 63
Abies koreana f. *rubrocarpa* / 63
Abies microsperma / 64
Abies nephrolepis / 63
Abies nephrolepis f. *chlorocarpa* / 63
Abies sibirica var. *nephrolepis* / 63
Abies veitchii var. *nephrolepis* / 63
Abildgaardia jimbristyloides / 707
Abildgaardia monostachya / 707
Absinthium lagocephalum / 513
Absinthium sieversiana / 516
Acacia julibrissin / 275
Acalypha / 302
Acalypha australis / 302
ACANTHACEAE / 476
Acanthopanax asperatus / 366
Acanthopanax chiisanensis / 365
Acanthopanax divaricatus / 365
Acanthopanax divaricatus f. *inermis* / 365
Acanthopanax divaricatus var. *inermis* / 365
Acanthopanax gracilistylus / 365
Acanthopanax koreanus / 365
Acanthopanax ricinifolius / 367
Acanthopanax ricinifolius var. *maximowiczi* / 367
Acanthopanax rufinervis / 365
Acanthopanax senticosus / 366
Acanthopanax senticosus f. *inermis* / 366
Acanthopanax senticosus var. *subinermis* / 366
Acanthopanax seoulense / 366
Acanthopanax septemlobus / 367
Acanthopanax septemlobus var. *magnificus* / 367
Acanthopanax septemlobus var. *maximowiczi* / 367
Acanthopanax sessiliflorus / 366
Acanthopanax sessiliflorus var. *parviceps* / 366
Acer / 312
Acer aidzuense var. *divaricatum* / 315
Acer ambiguum / 313
Acer barbinerve / 312
Acer barbinerve f. *glabrescens* / 312
Acer barbinerve var. *glabrescens* / 312
Acer cappadocicum subsp. *mono* / 314
Acer cappadocicum subsp. *truncatum* / 315

■ Scientific name Index

- Acer caudatum* subsp. *ukurunduense* / 316
Acer caudatum var. *ukurunduense* / 316
Acer circumlobatum f. *pseudosieboldianum* / 314
Acer circumlobatum var. *pseudosieboldianum* / 314
Acer delyle / 316
Acer diabolicum subsp. *barbinerve* / 312
Acer eupalmatum / 313
Acer formosum / 313
Acer ginnala / 315
Acer ginnala f. *coccineum* / 315
Acer ginnala f. *divaricatum* / 315
Acer ginnala f. *jeonjuana* / 315
Acer ginnala var. *divaricatum* / 315
Acer ginnala var. *euginnala* / 315
Acer hayatae var. *glabra* / 314
Acer ishidoyanum Naka / 314
Acer japonicum var. *nudicarpum* / 314
Acer komarovii / 312
Acer laetum var. *truncatum* / 315
Acer lasiocarpum / 316
Acer lobelii subsp. *truncatum* / 315
Acer lobelii var. *platanoides* / 313
Acer lobulatum var. *barbinerve* / 316
Acer lobulatum var. *rubripes* / 313
Acer mandshuricum / 312
Acer micro-sieboldianum / 314
Acer mono / 314
Acer mono f. *albomaculatum* / 313
Acer mono f. *connivens* / 313
Acer mono f. *dissectum* / 313
Acer mono f. *horizontale* / 313
Acer mono f. *marmoratum* / 313
Acer mono subsp. *ambiguum* / 313
Acer mono subsp. *glabrum* / 314
Acer mono subsp. *savatieri* / 313
Acer mono var. *acutissimum* / 314
Acer mono var. *ambiguum* / 313
Acer mono var. *glabrum* / 314
Acer mono var. *glabrum* f. *acutissimum* / 314
Acer mono var. *horizontale* / 313
Acer mono var. *savatieri* / 313
Acer mono var. *trichobasis* / 313
Acer nikoense / 331
Acer nudicarpum / 314
Acer okamotoanum / 314
Acer okamotoi / 314
Acer palmatum / 313
Acer palmatum f. *pilosum* / 314
- Acer palmatum* var. *pilosum* / 314
Acer palmatum var. *quinquelobum* / 313
Acer palmatum var. *thunbergii* / 313
Acer palmatum var. *thunbergii* subvar. *eupalmatum* / 313
Acer pensylvanicum var. *tegmentosum* / 315
Acer pictum / 313
Acer pictum f. *albomaculatum* / 313
Acer pictum subsp. *mono* / 314
Acer pictum var. *ambiguum* / 313
Acer pictum var. *marmoratum* / 313
Acer pictum var. *mono* / 313
Acer pictum var. *paxii* / 313
Acer pictum var. *pictum* / 313
Acer pictum var. *savatieri* / 313
Acer pictum var. *truncatum* / 315
Acer platanoides subsp. *pictum* / 313
Acer platanoides subsp. *truncatum* / 313
Acer polymorphum / 313
Acer polymorphum var. *palmatum* / 313
Acer pseudosieboldianum / 314
Acer pseudosieboldianum f. *ambiguum* / 314
Acer pseudosieboldianum f. *ishidoyanum* / 314
Acer pseudosieboldianum f. *lanuginosum* / 314
Acer pseudosieboldianum f. *macrocarpum* / 314
Acer pseudosieboldianum subsp. *takesimense* / 314
Acer pseudosieboldianum var. *ambiguum* / 314
Acer pseudosieboldianum var. *ishidoyanum* / 314
Acer pseudosieboldianum var. *koreanum* / 314
Acer pseudosieboldianum var. *lanuginosum* / 314
Acer pseudosieboldianum var. *macrocarpum* / 314
Acer pseudosieboldianum var. *micro-sieboldianum* / 314
Acer pseudosieboldianum var. *nudicarpum* / 314
Acer pseudosieboldianum var. *takesimense* / 314
Acer roseomarginatum var. *eupalmatum* / 313
Acer septemlobum / 367
Acer sieboldianum var. *mandshurium* / 314
Acer spicatum subsp. *ukurunduense* / 316
Acer spicatum var. *ukurunduense* / 316
Acer takesimense / 314
Acer tataricum subsp. *ginnala* / 315
Acer tataricum subsp. *tataricum* / 315
Acer tataricum var. *ginnala* / 315
Acer tataricum var. *laciniatum* / 315
Acer tegmentosum / 315
Acer tegmentosum f. *subcoriacea* / 315
Acer trifidum / 364
Acer triflorum / 315
Acer triflorum f. *subcoriacea* / 315

<i>Acer truncatum</i> / 315	<i>Achnatherum pubicalyx</i> / 621
<i>Acer truncatum</i> f. <i>barbinerve</i> / 315, 316	<i>Achnatherum sibiricum</i> / 621
<i>Acer truncatum</i> f. <i>truncatum</i> / 315	<i>Achudemia</i> / 102
<i>Acer truncatum</i> subsp. <i>mono</i> / 314	<i>Achudemia insignis</i> / 102
<i>Acer truncatum</i> var. <i>platanoides</i> / 315	<i>Achudemia japonica</i> / 102
<i>Acer tschonoskii</i> subsp. <i>koreanum</i> / 312	<i>Achyranthes</i> / 146
<i>Acer tschonoskii</i> var. <i>rubripes</i> / 312	<i>Achyranthes bidentata</i> / 147
<i>Acer ukurunduense</i> / 316	<i>Achyranthes bidentata</i> var. <i>bidentata</i> / 147
<i>Acer ukurunduense</i> f. <i>pilosum</i> / 316	<i>Achyranthes bidentata</i> var. <i>japonica</i> / 147
<i>Acer ukurunduense</i> var. <i>pilosum</i> / 316	<i>Achyranthes chinensis</i> / 147
<i>Acer ukurunduense</i> var. <i>sachalinense</i> / 316	<i>Achyranthes fauriei</i> / 147
ACERACEAE / 312	<i>Achyranthes fauriei</i> var. <i>japonica</i> / 147
<i>Aceras angustifolium</i> var. <i>longicrure</i> / 728	<i>Achyranthes fruticosa</i> / 147
<i>Aceras longicrure</i> / 728	<i>Achyranthes hispida</i> / 147
<i>Aceriphyllum rossii</i> / 224	<i>Achyranthes japonica</i> / 147
<i>Acetosa pratensis</i> / 126	<i>Achyranthes longifolia</i> / 147
<i>Acetosella obtangulata</i> / 297	<i>Achyranthes mollicula</i> / 147
<i>Achillea</i> / 507	<i>Achyranthes ryukyuensis</i> / 147
<i>Achillea acuminata</i> / 508	<i>Achyrophorus aurantiacus</i> / 541
<i>Achillea alpina</i> / 507	<i>Achyrophorus ciliatus</i> / 541
<i>Achillea alpina</i> subsp. <i>alpina</i> / 507	<i>Achyrophorus grandiflorus</i> / 541
<i>Achillea alpina</i> subsp. <i>pulchra</i> / 507	<i>Achyroseris macrospermum</i> / 560
<i>Achillea alpina</i> subsp. <i>rhodoptarmica</i> / 507	<i>Acidoton flueggeoides</i> / 306
<i>Achillea alpina</i> var. <i>alpina</i> / 508	<i>Acidoton ramiflorus</i> / 306
<i>Achillea alpina</i> var. <i>discoidea</i> / 508	<i>Aconitum</i> / 152
<i>Achillea alpina</i> var. <i>rhodoptarmica</i> / 508	<i>Aconitum alboviolaceum</i> / 152
<i>Achillea angustifolia</i> / 507	<i>Aconitum alboviolaceum</i> f. <i>albiflorum</i> / 153
<i>Achillea cristata</i> / 507	<i>Aconitum alboviolaceum</i> f. <i>purpurascens</i> / 153
<i>Achillea mongolica</i> / 507	<i>Aconitum alboviolaceum</i> var. <i>purpurascens</i> / 152
<i>Achillea ptarmica</i> var. <i>acuminata</i> / 508	<i>Aconitum ambiguum</i> / 153
<i>Achillea ptarmica</i> var. <i>ptarmica</i> / 508	<i>Aconitum arciatum</i> / 154
<i>Achillea ptarmicoides</i> / 508	<i>Aconitum austrokoreense</i> / 153
<i>Achillea pulchra</i> / 507	<i>Aconitum barbatum</i> var. <i>barbatum</i> / 153
<i>Achillea rhodoptarmica</i> / 508	<i>Aconitum barbatum</i> var. <i>hispidum</i> / 153
<i>Achillea rhodoptarmica</i> var. <i>rosea</i> / 508	<i>Aconitum carmichaeli</i> var. <i>carmichaeli</i> / 153
<i>Achillea sibirica</i> / 507	<i>Aconitum carmichaeli</i> var. <i>truppelianum</i> / 153
<i>Achillea sibirica</i> var. <i>discoidea</i> / 508	<i>Aconitum chiisanense</i> / 153
<i>Achillea subcartilaginea</i> / 507	<i>Aconitum ciliare</i> / 153
<i>Achlys</i> / 177	<i>Aconitum coreanum</i> / 153
<i>Achlys japonica</i> / 177	<i>Aconitum delavayi</i> var. <i>coreanum</i> / 154
<i>Achlys triphylla</i> subsp. <i>japonica</i> / 177	<i>Aconitum fischeri</i> f. <i>pilocarpum</i> / 154
<i>Achlys triphylla</i> var. <i>japonica</i> / 177	<i>Aconitum fischeri</i> var. <i>arcuatum</i> / 154
<i>Achnatherum</i> / 620	<i>Aconitum fischeri</i> var. <i>fischeri</i> / 154
<i>Achnatherum coreanum</i> / 620	<i>Aconitum flaccidum</i> / 156
<i>Achnatherum coreanum</i> var. <i>coreanum</i> / 621	<i>Aconitum hispidum</i> / 153
<i>Achnatherum coreanum</i> var. <i>kengii</i> / 621	<i>Aconitum jaluense</i> / 154
<i>Achnatherum mongolicum</i> / 660	<i>Aconitum jaluense</i> var. <i>triphyllum</i> / 156
<i>Achnatherum pekinense</i> / 621	<i>Aconitum japonicum</i> subsp. <i>japonicum</i> / 154

■ Scientific name Index

Aconitum japonicum subsp. *napiforme* / 154
Aconitum japonicum var. *truppelianum* / 153
Aconitum kirinense / 154
Aconitum kitagawai / 153
Aconitum komarovii / 154
Aconitum kusnezoffii / 154
Aconitum kusnezoffii var. *crispulum* / 154
Aconitum kusnezoffii var. *nutans* / 154
Aconitum kusnezoffii var. *tenuisectum* / 154
Aconitum liaotungense / 153
Aconitum longecassidatum / 155
Aconitum lycoctonum f. *umbrosum* / 156
Aconitum macrorhynchum / 155
Aconitum monanthum / 155
Aconitum napellus / 156
Aconitum napiforme / 154
Aconitum napiforme var. *albiflorum* / 154
Aconitum napiforme var. *latifolium* / 154
Aconitum neotortuosum / 156
Aconitum paishanense / 156
Aconitum phragmitincola / 156
Aconitum possieticum / 156
Aconitum pseudolaeve / 155
Aconitum pseudolaeve var. *quelpaertense* / 155
Aconitum pteropus / 155
Aconitum puchonroenicum / 155
Aconitum pulcherrimum / 154
Aconitum quelpaertense / 155
Aconitum raddeanum / 155
Aconitum ranunculoides subsp. *umbrosum* / 156
Aconitum recognitum / 156
Aconitum szukinii / 155
Aconitum sibiricum / 153
Aconitum takahashii / 153
Aconitum tortuosum / 156
Aconitum triphyloides / 154
Aconitum triphyllum / 156
Aconitum triphyllum var. *manshuricum* / 154
Aconitum umbrosum / 156
Aconitum villosum / 156
Aconitum volubile / 156
Aconitum volubile var. *latisectum* / 156
Aconitum volubile var. *pulcherrimum* / 154
Aconitum volubile var. *villosum* / 156
Aconitum yamatsutae / 154
Aconogonon / 110
Aconogonon ajanense / 110
Aconogonon alpinum / 110

Aconogonon brachytricum / 110
Aconogonon divaricatum / 111
Aconogonon limosum / 111
Aconogonon microcarpum / 111
Aconogonon mollifolium / 111
Acorus / 662
Acorus asiaticus / 662
Acorus calamus / 662
Acorus calamus var. *angustatus* / 662
Acorus cochinchinensis / 662
Acorus gramineus / 662
Acorus gramineus var. *japonica* / 662
Acorus gramineus var. *pusillus* / 662
Acorus pusillus / 662
Acorus spurius / 662
Acorus tatarinowii / 662
Acosta spicata / 391
Acroelytrum japonicum / 643
Acrostichum hastatum / 58
Acrostichum ilvense / 32
Acrostichum lingua / 58
Acrostichum septentrionale / 25
Actaea / 156
Actaea acuminata subsp. *asiatica* / 157
Actaea asiatica / 156
Actaea austrokoreana / 157
Actaea bifida / 157
Actaea biternata / 157
Actaea cimicifuga / 157
Actaea cimicifuga var. *simplex* / 158
Actaea dahurica / 157
Actaea dioica / 235
Actaea erythrocarpa / 158
Actaea heracleifolia / 158
Actaea japonica / 158
Actaea pterosperma / 157
Actaea rubra / 158
Actaea simplex / 158
Actaea spicata var. *asiatica* / 156
Actaea spicata var. *erythrocarpa* / 158
Actaea spicata var. *rubra* / 158
Actinidia / 187
Actinidia arguta / 187
Actinidia arguta f. *platiphylla* / 188
Actinidia arguta f. *rufinervis* / 188
Actinidia arguta var. *cordifolia* / 188
Actinidia arguta var. *platiphylla* / 188
Actinidia arguta var. *rufa* / 189

<i>Actinidia arguta</i> var. <i>rufinervis</i> / 188	<i>Adenophora divaricata</i> / 499
<i>Actinidia callosa</i> var. <i>arguta</i> / 188	<i>Adenophora divaricata</i> f. <i>manshurica</i> / 499
<i>Actinidia callosa</i> var. <i>rufa</i> / 189	<i>Adenophora divaricata</i> var. <i>manshurica</i> / 499
<i>Actinidia cordifolia</i> / 188	<i>Adenophora erecta</i> / 499
<i>Actinidia gagnepainii</i> / 188	<i>Adenophora erysimoides</i> / 499
<i>Actinidia inflammans</i> / 188	<i>Adenophora fusifolia</i> / 500
<i>Actinidia japonica</i> / 188	<i>Adenophora gmelinii</i> / 499
<i>Actinidia kiusiana</i> / 189	<i>Adenophora grandiflora</i> / 499
<i>Actinidia kolomikta</i> / 188	<i>Adenophora kayasanensis</i> / 500
<i>Actinidia kolomikta</i> var. <i>gagnepainii</i> / 188	<i>Adenophora koreana</i> / 500
<i>Actinidia lecomtei</i> / 188	<i>Adenophora lamarckii</i> / 500
<i>Actinidia longicauda</i> / 188	<i>Adenophora liliifolia</i> / 500
<i>Actinidia megalocarpa</i> / 188	<i>Adenophora liliifolia</i> f. <i>alba</i> / 500
<i>Actinidia platyphylla</i> / 188	<i>Adenophora liliifolia</i> var. <i>alba</i> / 500
<i>Actinidia polygama</i> / 188	<i>Adenophora liliifolia</i> var. <i>lamarckii</i> / 500
<i>Actinidia polygama</i> var. <i>latifolia</i> / 188	<i>Adenophora manshurica</i> / 499
<i>Actinidia polygama</i> var. <i>lecomtei</i> / 188	<i>Adenophora obovata</i> / 501
<i>Actinidia repanda</i> / 188	<i>Adenophora pachyphylla</i> / 499
<i>Actinidia rufa</i> / 188	<i>Adenophora palustris</i> / 500
<i>Actinidia rufa</i> var. <i>arguta</i> / 188	<i>Adenophora palustris</i> f. <i>leucantha</i> / 500
<i>Actinidia rufa</i> var. <i>dulcissima</i> / 189	<i>Adenophora palustris</i> var. <i>leucantha</i> / 500
<i>Actinidia volubilis</i> / 188	<i>Adenophora pereskiiifolia</i> / 500
ACTINIDIACEAE / 187	<i>Adenophora pereskiiifolia</i> var. <i>curvidens</i> / 499
<i>Actinocyclus secundus</i> / 387	<i>Adenophora pereskiiifolia</i> var. <i>japonica</i> / 503
<i>Actinodaphne</i> / 149	<i>Adenophora polyantha</i> / 500
<i>Actinodaphne lancifolia</i> / 149	<i>Adenophora polyantha</i> var. <i>contracta</i> / 501
<i>Actinospora dahurica</i> / 157	<i>Adenophora polyantha</i> var. <i>glabricalyx</i> / 501
<i>Actinostemma</i> / 351	<i>Adenophora polyantha</i> var. <i>glabricalyx</i> f. <i>eriocaulis</i> / 501
<i>Actinostemma japonicum</i> / 351	<i>Adenophora polyantha</i> var. <i>media</i> / 501
<i>Actinostemma lobatum</i> / 351	<i>Adenophora polyantha</i> var. <i>media</i> f. <i>densipila</i> / 501
<i>Actinostemma lobatum</i> f. <i>subintegrum</i> / 351	<i>Adenophora polyantha</i> var. <i>scabricalyx</i> / 501
<i>Actinostemma lobatum</i> var. <i>japonicum</i> / 351	<i>Adenophora polymorpha</i> var. <i>coronopifolia</i> / 499
<i>Actinostemma lobatum</i> var. <i>longilobum</i> / 351	<i>Adenophora polymorpha</i> var. <i>divaricata</i> / 499
<i>Actinostemma lobatum</i> var. <i>palmatum</i> / 351	<i>Adenophora polymorpha</i> var. <i>lamarckii</i> / 500
<i>Actinostemma lobatum</i> var. <i>subintegrum</i> / 351	<i>Adenophora polymorpha</i> var. <i>stricta</i> / 502
<i>Actinostemma racemosum</i> / 351	<i>Adenophora polymorpha</i> var. <i>tashiroi</i> / 502
<i>Adenocaulon</i> / 508	<i>Adenophora pomponiifolia</i> / 499
<i>Adenocaulon adhaerescens</i> / 508	<i>Adenophora pulchra</i> / 502
<i>Adenocaulon himalaicum</i> / 508	<i>Adenophora rabelaisiana</i> / 499
<i>Adenopa anglica</i> / 194	<i>Adenophora racemosa</i> / 501
<i>Adenophora</i> / 498	<i>Adenophora radiatifolia</i> var. <i>abbreviata</i> / 503
<i>Adenophora argyi</i> / 502	<i>Adenophora radiatifolia</i> var. <i>angustifolia</i> / 503
<i>Adenophora axilliflora</i> / 502	<i>Adenophora radiatifolia</i> var. <i>hirsuta</i> / 503
<i>Adenophora communis</i> / 500	<i>Adenophora remotidens</i> / 501
<i>Adenophora communis</i> var. <i>coronopifolia</i> / 499	<i>Adenophora remotiflora</i> / 501
<i>Adenophora communis</i> var. <i>lamarckii</i> / 500	<i>Adenophora remotiflora</i> f. <i>leucantha</i> / 501
<i>Adenophora coronopifolia</i> / 498	<i>Adenophora remotiflora</i> f. <i>longifolia</i> / 501
<i>Adenophora curvidens</i> / 499	<i>Adenophora remotiflora</i> var. <i>hirticalyx</i> / 501

■ Scientific name Index

- Adenophora remotiflora* var. *remotiflora* / 501
Adenophora rotundifolia / 502
Adenophora scabridula / 501
Adenophora sinensis var. *pilosa* / 502
Adenophora stricta / 501
Adenophora stricta var. *lancifolia* / 502
Adenophora stricta var. *stricta* / 502
Adenophora stylosa / 500
Adenophora taquetii / 499
Adenophora tashiroi / 502
Adenophora tetraphylla / 502
Adenophora thunbergiana / 502
Adenophora thunbergiana f. *angustifolia* / 502
Adenophora thunbergiana f. *hirsuta* / 503
Adenophora thunbergiana f. *lancifolia* / 502
Adenophora thunbergiana var. *lancifolia* / 502
Adenophora tracheliooides / 501
Adenophora triphylla / 502
Adenophora triphylla f. *hirsuta* / 503
Adenophora triphylla f. *lancifolia* / 502
Adenophora triphylla f. *linearis* / 503
Adenophora triphylla subsp. *aperticampanula* / 503
Adenophora triphylla var. *angustifolia* / 502
Adenophora triphylla var. *japonica* / 503
Adenophora triphylla var. *japonica* f. *albiflora* / 503
Adenophora triphylla var. *kurilensis* f. *pilosissima* / 502
Adenophora triphylla var. *tetraphylla* / 502
Adenophora triphylla var. *triphylla* / 503
Adenophora verticillata / 502
Adenophora verticillata f. *alternifolia* / 502
Adenophora verticillata f. *hirsuta* / 503
Adenophora verticillata f. *linearis* / 502
Adenophora verticillata var. *abbreviata* / 503
Adenophora verticillata var. *angustifolia* / 502
Adenophora verticillata var. *canescens* / 502
Adenophora verticillata var. *hirsuta* / 503
Adenophora verticillata var. *latifolia* / 502
Adenophora verticillata var. *linearis* / 502
Adenophora verticillata var. *pilosissima* / 502
Adenophora verticillata var. *verticillata* / 503
Adenostemma / 508
Adenostemma aquaticum / 508
Adenostemma flintii / 508
Adenostemma lavenia / 508
Adenostemma lavenia var. *madurensense* / 509
Adenostemma madurensense / 509
Adenostemma microcephalum / 508
Adenostemma rivale / 508
- Adiantopsis fordii* / 21
Adiantum / 19
Adiantum capillus-junonis / 19
Adiantum chusanum / 17
Adiantum coreanum / 19
Adiantum monochlamys / 20
Adiantum pedatum / 20
Adiantum venustum var. *monochlamys* / 20
Adicea peploides / 107
Adina / 422
Adina fauriei / 422
Adina rubella / 422
Adlumia / 195
Adlumia asiatica / 195
Adonis / 159
Adonis amurensis / 159
Adonis amurensis f. *algentatus* / 159
Adonis amurensis f. *nanus* / 159
Adonis amurensis f. *viridescensicalyx* / 159
Adonis amurensis subsp. *multiflora* / 159
Adonis amurensis subsp. *nanus* / 159
Adonis amurensis var. *angustiloba* / 159
Adonis amurensis var. *dissectipetalis* / 159
Adonis amurensis var. *pseudoamurensis* / 159
Adonis amurensis var. *puberula* / 159
Adonis amurensis var. *uniflora* / 159
Adonis multiflora / 159
Adonis multiflora f. *algentatus* / 159
Adonis pseudoamurensis / 159
Adonis pseudoamurensis f. *dissectipetalis* / 159
Adonis pseudoamurensis f. *viridescensicalyx* / 159
Adonis vernalis var. *amurensis* / 159
Adoxa / 495
Adoxa insularis / 495
Adoxa moschata / 495
Adoxa moschatellina / 495
Adoxa moschatellina f. *japonica* / 495
Adoxa moschatellina var. *inodora* / 495
Adoxa orientalis / 495
Adoxa tuberosa / 495
ADOXACEAE / 495
Aeginetia / 478
Aeginetia boninensis / 478
Aeginetia indica / 478
Aeginetia japonica / 478
Aegonychon arvense / 436
Aegopodium / 368
Aegopodium alpestre / 368

Aegopodium podagraria / 368
Aerides japonicum / 734
Aeschynomene / 274
Aeschynomene cachemiriana / 275
Aeschynomene diffusa / 274
Aeschynomene glaberrima / 275
Aeschynomene indica / 274
Aeschynomene macropoda / 275
Aeschynomene montana / 275
Aeschynomene pumila / 274
Aeschynomene punctata / 275
Aeschynomene quadrata / 275
Aeschynomene roxburghii / 275
Aeschynomene subviscosa / 275
Aeschynomene viscidula / 275
Aetopteron aculeatum var. *coraiense* / 53
Agastache / 441
Agastache lophanthus / 441
Agastache rugosa / 441
Agastache rugosa f. *alba* / 441
Agastache rugosa f. *hypoleuca* / 441
Agastache rugosa var. *hypoleuca* / 441
Agraulus caninus / 622
Agrimonia / 233
Agrimonia coreana / 233
Agrimonia coreana f. *pilosella* / 233
Agrimonia davurica / 234
Agrimonia gorovoii / 233
Agrimonia japonica / 234
Agrimonia nipponica / 233
Agrimonia pilosa / 233
Agrimonia pilosa f. *bracteata* / 234
Agrimonia pilosa f. *davurica* / 234
Agrimonia pilosa f. *nipponica* / 233
Agrimonia pilosa subsp. *japonica* / 234
Agrimonia pilosa var. *coreana* / 233
Agrimonia pilosa var. *japonica* / 234
Agrimonia pilosa var. *nipponica* / 233
Agrimonia tokatiensis / 233
Agrimonia velutina / 233
Agrimonia viscidula var. *japonica* / 234
Agropyron / 621
Agropyron chinense / 642
Agropyron ciliare / 633
Agropyron ciliare f. *hackelianum* / 633
Agropyron ciliare var. *hackelianum* / 633
Agropyron gmelinii / 634
Agropyron kamojii / 635

Agropyron koryoense / 621
Agropyron pseudoagropyrum / 642
Agropyron semicostatum var. *ciliare* / 633
Agropyron semicostatum var. *transiens* / 635
Agropyron tashiroi / 634
Agropyron tsukushense var. *transiens* / 635
Agropyron turczaninovii / 634
Agropyron turczaninovii var. *tenuisetum* / 634
Agropyron yezoense / 634
Agropyron yezoense var. *koryoense* / 621
Agropyron yezoense var. *tashiroi* / 634
Agropyron yezoense var. *yezoense* / 621
Agrostis / 621
Agrostis alba var. *koreensis* / 628
Agrostis arundinacea / 626
Agrostis canina / 621
Agrostis canina var. *mutica* / 622
Agrostis ciliata / 624
Agrostis clavata / 622
Agrostis clavata var. *clavata* / 622
Agrostis clavata var. *nukabo* / 622
Agrostis dimorpholemma / 622
Agrostis divaricatissima / 622
Agrostis effusa / 644
Agrostis exarata subsp. *clavata* / 622
Agrostis fertilis / 659
Agrostis flaccida / 622
Agrostis gigantea / 622
Agrostis japonicus / 659
Agrostis latifolia / 628
Agrostis macrothyrsa / 622
Agrostis scabra / 622
Agrostis valvata / 622
Agrostis wightii / 622
Ainsliaea / 509
Ainsliaea acerifolia / 509
Ainsliaea acerifolia var. *acerifolia* / 509
Ainsliaea acerifolia var. *affinis* / 509
Ainsliaea acerifolia var. *subapoda* / 509
Ainsliaea affinis / 509
Ainsliaea apiculata / 509
Ainsliaea apiculata var. *minor* / 509
Ainsliaea apiculata var. *rotundifolia* / 509
Aira indica / 655
Aira macrantha / 641
Aira nutans / 643
Aira spicata / 661
AIZOACEAE / 128

■ Scientific name Index

<i>Aizopsis zokuriense</i> / 218	
<i>Ajania</i> / 509	<i>Aletris</i> / 581
<i>Ajania pallasiana</i> / 509	<i>Aletris foliata</i> / 581
<i>Ajuga</i> / 442	<i>Aletris foliata</i> var. <i>glabra</i> / 581
<i>Ajuga amurica</i> / 442	<i>Aletris foliosa</i> var. <i>sikkimensis</i> / 581
<i>Ajuga decumbens</i> / 442	<i>Aletris formosana</i> / 581
<i>Ajuga decumbens</i> var. <i>glabrescens</i> / 442	<i>Aletris glabra</i> / 581
<i>Ajuga decumbens</i> var. <i>rosa</i> / 442	<i>Aletris luteoviridis</i> / 597
<i>Ajuga decumbens</i> var. <i>sinuata</i> / 442	<i>Aletris sikkimensis</i> / 581
<i>Ajuga devestita</i> / 442	<i>Aletris spicata</i> / 581
<i>Ajuga fauriei</i> / 442	<i>Aletris spicata</i> var. <i>microantha</i> / 581
<i>Ajuga multiflora</i> / 442	<i>Aleuritopteris argentea</i> / 20
<i>Ajuga multiflora</i> f. <i>rosea</i> / 442	<i>Aleuritopteris kuhnii</i> / 21
<i>Ajuga multiflora</i> var. <i>brevispicata</i> / 442	<i>Alexitoxicum amplexicaule</i> / 419
<i>Ajuga multiflora</i> var. <i>leucantha</i> / 442	<i>Alexitoxicum atratum</i> / 419
<i>Ajuga nipponensis</i> / 442	<i>Alexitoxicum inamoenum</i> / 419
<i>Ajuga spectabilis</i> / 442	<i>Alisma</i> / 573
<i>Akebia</i> / 179	<i>Alisma canaliculatum</i> / 573
<i>Akebia micrantha</i> / 179	<i>Alisma orientale</i> / 573
<i>Akebia quinata</i> / 179	<i>Alisma parnassifolium</i> / 573
<i>Akebia quinata</i> f. <i>albiflora</i> / 179	<i>Alisma plantago-aquatica</i> subsp. <i>orientale</i> / 573
<i>Akebia quinata</i> f. <i>polyphylla</i> / 179	<i>Alisma plantago-aquatica</i> var. <i>canaliculatum</i> / 573
<i>Akebia quinata</i> f. <i>viridiflora</i> / 179	<i>Alisma plantago-aquatica</i> var. <i>orientale</i> / 573
<i>Akebia quinata</i> var. <i>diplochlamys</i> / 179	<i>Alisma rariflorum</i> / 573
<i>Akebia quinata</i> var. <i>polyphylla</i> / 179	<i>ALISMATACEAE</i> / 573
<i>ALANGIACEAE</i> / 361	<i>Alismorchis reflexa</i> / 718
<i>Alangium</i> / 361	<i>Allantodia chinensis</i> / 40
<i>Alangium platanifolium</i> / 361	<i>Allantodia hachijoensis</i> / 40
<i>Alangium platanifolium</i> var. <i>macrophyllum</i> / 361	<i>Allantodia metteniana</i> / 40
<i>Alangium platanifolium</i> var. <i>macrophyllum</i> f. <i>velutina</i> / 361	<i>Allantodia nipponica</i> / 40
<i>Alangium platanifolium</i> var. <i>ogurae</i> / 362	<i>Allantodia okudairai</i> / 40
<i>Alangium platanifolium</i> var. <i>platanifolium</i> / 361	<i>Allantodia squamigera</i> / 41
<i>Alangium platanifolium</i> var. <i>trilobum</i> / 361	<i>Allantodia wichurae</i> / 41
<i>Albizia</i> / 275	<i>Alliaria wasabi</i> / 209
<i>Albizia coreana</i> / 275	<i>Allium</i> / 582
<i>Albizia esquirolii</i> / 275	<i>Allium anisopodium</i> / 582
<i>Albizia henryi</i> / 275	<i>Allium anisopodium</i> var. <i>anisopodium</i> / 582
<i>Albizia julibrissin</i> / 275	<i>Allium anisopodium</i> var. <i>zimmermannianum</i> / 582
<i>Albizia kalkora</i> / 275	<i>Allium baekdusanense</i> / 582
<i>Albizia kalkora</i> var. <i>coreana</i> / 275	<i>Allium biflorum</i> / 583
<i>Albizia nemu</i> / 275	<i>Allium chonetii</i> / 583
<i>Aldrovanda</i> / 194	<i>Allium condensatum</i> / 582
<i>Aldrovanda generalis</i> / 194	<i>Allium cyaneum</i> var. <i>deltoides</i> / 584
<i>Aldrovanda verticillata</i> / 194	<i>Allium deltoideifistulosum</i> / 584
<i>Aldrovanda vesiculosa</i> / 194	<i>Allium grayi</i> / 583
<i>Aldrovanda vesiculosa</i> var. <i>australis</i> / 194	<i>Allium jaluanum</i> / 582
<i>Aldrovanda vesiculosa</i> var. <i>duriaei</i> / 194	<i>Allium komarovianum</i> / 584
<i>Aldrovanda vesiculosa</i> var. <i>verticillata</i> / 194	<i>Allium koreanum</i> / 582
	<i>Allium linearifolium</i> / 582

<i>Allium longistylum</i> / 582	<i>Alnus fruticosa</i> var. <i>pubescens</i> / 83
<i>Allium macrostemon</i> / 582	<i>Alnus fruticosa</i> var. <i>rufinervis</i> / 83
<i>Allium macrostemon</i> var. <i>uratense</i> / 583	<i>Alnus hirsuta</i> / 83
<i>Allium maximowiczii</i> / 583	<i>Alnus hirsuta</i> var. <i>vulgaris</i> / 83
<i>Allium microdictyon</i> / 583	<i>Alnus incana</i> subsp. <i>hirsuta</i> / 83
<i>Allium minus</i> / 583	<i>Alnus incana</i> subsp. <i>incana</i> / 83
<i>Allium monanthum</i> / 583	<i>Alnus incana</i> subsp. <i>tchangbokii</i> / 83
<i>Allium monanthum</i> var. <i>floribundum</i> / 583	<i>Alnus incana</i> var. <i>glauca</i> / 83
<i>Allium nereidum</i> / 582	<i>Alnus incana</i> var. <i>hirsuta</i> / 83
<i>Allium nipponicum</i> / 583	<i>Alnus incana</i> var. <i>tinctoria</i> / 83
<i>Allium ophiopogon</i> / 584	<i>Alnus japonica</i> / 83
<i>Allium ouensanense</i> / 583	<i>Alnus japonica</i> f. <i>arguta</i> / 84
<i>Allium pseudojaponicum</i> / 583	<i>Alnus japonica</i> f. <i>serrata</i> / 84
<i>Allium sacculiferum</i> / 584	<i>Alnus japonica</i> var. <i>arguta</i> / 84
<i>Allium sacculiferum</i> var. <i>viviparum</i> / 584	<i>Alnus japonica</i> var. <i>koreana</i> / 84
<i>Allium schoenoprasum</i> var. <i>orientale</i> / 583	<i>Alnus japonica</i> var. <i>latifolia</i> / 84
<i>Allium scorodoprasum</i> var. <i>multibilosum</i> / 583	<i>Alnus japonica</i> var. <i>reginosa</i> / 84
<i>Allium scorodoprasum</i> var. <i>scorodoprasum</i> / 583	<i>Alnus japonica</i> var. <i>serrata</i> / 84
<i>Allium senescens</i> / 583	<i>Alnus mandshurica</i> / 83
<i>Allium senescens</i> var. <i>minus</i> / 583	<i>Alnus mandshurica</i> f. <i>barbinervis</i> / 83
<i>Allium spirale</i> / 584	<i>Alnus mandshurica</i> f. <i>pubescens</i> / 83
<i>Allium splendens</i> / 584	<i>Alnus mandshurica</i> var. <i>pubescens</i> / 83
<i>Allium taquetii</i> / 584	<i>Alnus martima</i> var. <i>arguta</i> / 84
<i>Allium tchесouense</i> / 582	<i>Alnus martima</i> var. <i>japonica</i> / 84
<i>Allium tenuissimum</i> f. <i>zimmermannianum</i> / 582	<i>Alnus maximowiczii</i> / 83
<i>Allium tenuissimum</i> var. <i>anisopodium</i> / 582	<i>Alnus paniculata</i> / 83
<i>Allium thunbergii</i> / 584	<i>Alnus sibirica</i> var. <i>hirsuta</i> / 83
<i>Allium thunbergii</i> var. <i>deltoides</i> / 584	<i>Alnus sinuata</i> var. <i>kamtschatica</i> / 83
<i>Allium thunbergii</i> var. <i>teretifolium</i> / 584	<i>Alnus tinctoria</i> / 83
<i>Allium thunbergii</i> var. <i>thunbergii</i> / 584	<i>Alnus tinctoria</i> var. <i>glabra</i> / 83
<i>Allium ulleungense</i> / 584	<i>Alnus tinctoria</i> var. <i>velutina</i> / 83
<i>Allium uratense</i> / 583	<i>Alnus vermicularis</i> / 83
<i>Allium yuchuanii</i> / 584	<i>Alnus viridis</i> subsp. <i>fruticosa</i> / 83
<i>Allium zimmermannianum</i> / 582	<i>Alnus ×borealis</i> / 84
<i>Allosorus argenteus</i> / 20	<i>Alnus ×borealis</i> var. <i>latifolia</i> / 84
<i>Alnaster fruticosus</i> / 82	<i>Alnus ×mayrii</i> / 84
<i>Alnaster maximowiczii</i> / 83	<i>Alnus ×mayrii</i> var. <i>glabrescens</i> / 84
<i>Alnus</i> / 82	<i>Alopecurus</i> / 622
<i>Alnus alnobetula</i> subsp. <i>alnobetula</i> / 82	<i>Alopecurus aequalis</i> / 622
<i>Alnus alnobetula</i> subsp. <i>fruticosa</i> / 82	<i>Alopecurus aequalis</i> subsp. <i>amurensis</i> / 623
<i>Alnus alnobetula</i> var. <i>fruticosa</i> / 83	<i>Alopecurus amurensis</i> / 623
<i>Alnus fruticosa</i> / 82	<i>Alopecurus fulvus</i> var. <i>amurensis</i> / 623
<i>Alnus fruticosa</i> f. <i>pubescens</i> / 83	<i>Alopecurus monspeliensis</i> / 654
<i>Alnus fruticosa</i> f. <i>rufinervis</i> / 83	<i>Alsinanthus lateriflorus</i> / 134
<i>Alnus fruticosa</i> var. <i>mandshurica</i> / 83	<i>Alsinastrum triandrum</i> / 351
<i>Alnus fruticosa</i> var. <i>mandshurica</i> f. <i>barbinervis</i> / 83	<i>Alsine arctica</i> / 133
<i>Alnus fruticosa</i> var. <i>mandshurica</i> f. <i>pubescens</i> / 83	<i>Alsine laricina</i> / 134
<i>Alnus fruticosa</i> var. <i>mandshurica</i> f. <i>rufinervis</i> / 83	<i>Alsine macrocarpa</i> var. <i>koreana</i> / 134

- | | |
|---|--|
| <i>Alsine neglecta</i> / 141 | <i>Ammannia</i> / 353 |
| <i>Alsine pilifera</i> / 134 | <i>Ammannia australasica</i> / 353 |
| <i>Alsine verna</i> var. <i>coreana</i> / 134 | <i>Ammannia japonica</i> / 353 |
| <i>Alsinopsis arctica</i> / 133 | <i>Ammannia littorea</i> / 354 |
| <i>Alsomitria cissoides</i> / 352 | <i>Ammannia multiflora</i> / 353 |
| <i>Amana edulis</i> / 605 | <i>Ammannia multiflora</i> var. <i>parviflora</i> / 353 |
| <i>Amana graminifolia</i> / 605 | <i>Ammannia parviflora</i> / 353 |
| AMARANTHACEAE / 146 | <i>Ammannia pygmaea</i> / 354 |
| AMARYLLIDACEAE / 607 | <i>Ammannia rosea</i> / 354 |
| <i>Amblachaeum aurantiacum</i> / 541 | <i>Ammodenia oblongifolia</i> / 132 |
| <i>Amblyotropis</i> / 275 | <i>Ampelopsis chinensis</i> / 329 |
| <i>Amblyotropis verna</i> var. <i>longicarpa</i> / 275 | <i>Ampelopsis</i> / 329 |
| <i>Amblyotropis verna</i> var. <i>verna</i> / 275 | <i>Ampelopsis brevipedunculata</i> / 330 |
| <i>Amblytropis pauciflora</i> / 280 | <i>Ampelopsis brevipedunculata</i> f. <i>brevipedunculata</i> / 329 |
| <i>Amblytropis verna</i> / 280 | <i>Ampelopsis brevipedunculata</i> f. <i>ciliata</i> / 329 |
| <i>Amblytropis verna</i> var. <i>longiscarpa</i> / 280 | <i>Ampelopsis brevipedunculata</i> f. <i>citrulloides</i> / 329 |
| <i>Ambuli aromatica</i> / 464 | <i>Ampelopsis brevipedunculata</i> var. <i>citrulloides</i> / 329 |
| <i>Ambuli gratissima</i> / 464 | <i>Ampelopsis citrulloides</i> / 329 |
| <i>Ambuli indica</i> / 464 | <i>Ampelopsis dissecta</i> / 330 |
| <i>Ambuli sessiliflora</i> / 465 | <i>Ampelopsis glandulosa</i> var. <i>brevipedunculata</i> / 329 |
| <i>Ambuli stipitata</i> / 464 | <i>Ampelopsis glandulosa</i> var. <i>glandulosa</i> / 329 |
| <i>Ambuli trichophylla</i> / 464 | <i>Ampelopsis glandulosa</i> var. <i>heterophylla</i> f. <i>citrulloides</i> / 329 |
| <i>Amelanchier</i> / 234 | <i>Ampelopsis heterophylla</i> var. <i>ciliata</i> / 329 |
| <i>Amelanchier asiatica</i> / 234 | <i>Ampelopsis japonica</i> / 330 |
| <i>Amelanchier canadensis</i> var. <i>asiatica</i> / 234 | <i>Ampelopsis lucida</i> / 330 |
| <i>Amelanchier canadensis</i> var. <i>japonica</i> / 234 | <i>Ampelopsis mirabilis</i> / 330 |
| <i>Amelanchier japonica</i> / 234 | <i>Ampelopsis napiformis</i> / 330 |
| <i>Ameletia uliginosa</i> / 353 | <i>Ampelopsis serianifolia</i> / 330 |
| <i>Amellus speciosus</i> / 526 | <i>Ampelopsis tricuspidata</i> / 331 |
| <i>Amesium ruta-muraria</i> / 25 | <i>Ampelopsis tuberosa</i> / 330 |
| <i>Amethystanthus excisus</i> / 446 | <i>Ampelygonum perfoliatum</i> / 121 |
| <i>Amethystanthus excisus</i> f. <i>albiflorus</i> / 446 | <i>Amphicarpaea</i> / 275 |
| <i>Amethystanthus excisus</i> f. <i>coreanus</i> / 446 | <i>Amphicarpaea bracteata</i> subsp. <i>bracteata</i> / 275 |
| <i>Amethystanthus excisus</i> var. <i>chiisanensis</i> / 446 | <i>Amphicarpaea bracteata</i> subsp. <i>edgeworthii</i> / 275 |
| <i>Amethystanthus excisus</i> var. <i>leucanthus</i> / 446 | <i>Amphicarpaea edgeworthii</i> / 276 |
| <i>Amethystanthus inflexus</i> / 447 | <i>Amphicarpaea edgeworthii</i> f. <i>alba</i> / 276 |
| <i>Amethystanthus inflexus</i> var. <i>canescens</i> / 447 | <i>Amphicarpaea edgeworthii</i> var. <i>japonica</i> / 276 |
| <i>Amethystanthus inflexus</i> var. <i>macrophyllus</i> / 447 | <i>Amphicarpaea trisperma</i> / 276 |
| <i>Amethystanthus inflexus</i> var. <i>transsticus</i> / 447 | <i>Amphirhapis leiocarpa</i> / 563 |
| <i>Amethystanthus japonicus</i> / 448 | <i>Amsonia</i> / 418 |
| <i>Amethystanthus serra</i> / 448 | <i>Amsonia elliptica</i> / 418 |
| <i>Amethystea</i> / 442 | <i>Amygdalus communis</i> / 248 |
| <i>Amethystea caerulea</i> / 442 | <i>Amygdalus pumila</i> / 249 |
| <i>Amethystea corymbosa</i> / 442 | <i>Anacampseros spectabilis</i> / 214 |
| <i>Amethystea trifida</i> / 442 | ANACARDIACEAE / 311 |
| <i>Amictonitis japonica</i> / 438 | <i>Anagallidium</i> / 412 |
| <i>Amitostigma</i> / 717 | <i>Anagallidium dichotomum</i> / 412 |
| <i>Amitostigma gracile</i> / 717 | <i>Anagallidium tetrapetalum</i> / 416 |

<i>Anagallis</i> / 396	<i>Androsace</i> / 396
<i>Anagallis arabica</i> / 396	<i>Androsace acaulis</i> / 397
<i>Anagallis arvensis</i> / 396	<i>Androsace arguta</i> / 397
<i>Anagallis arvensis</i> f. <i>coerulea</i> / 396	<i>Androsace asprella</i> / 396
<i>Anagallis carnea</i> / 396	<i>Androsace bungeana</i> / 397
<i>Anagallis hadidii</i> / 396	<i>Androsace capitata</i> / 397
<i>Anagallis latifolia</i> / 396	<i>Androsace carnosula</i> / 397
<i>Anagallis parviflora</i> / 396	<i>Androsace cortusifolia</i> / 396
<i>Anagallis repens</i> / 396	<i>Androsace fasciculata</i> / 396
<i>Anagallis verticillata</i> / 396	<i>Androsace filiformis</i> / 396
<i>Anagalloides procumbens</i> / 466	<i>Androsace filiformis</i> f. <i>glandulosa</i> / 396
<i>Anaphalis</i> / 509	<i>Androsace filiformis</i> var. <i>glandulosa</i> / 396
<i>Anaphalis japonica</i> / 510	<i>Androsace friesii</i> / 397
<i>Anaphalis margaritacea</i> / 509	<i>Androsace gormanii</i> / 396
<i>Anaphalis margaritacea</i> subsp. <i>angustior</i> / 510	<i>Androsace hirsuta</i> / 397
<i>Anaphalis margaritacea</i> var. <i>angustior</i> / 510	<i>Androsace lactiflora</i> / 397
<i>Anaphalis morii</i> / 510	<i>Androsace lehmanniana</i> / 396
<i>Anaphalis possietica</i> / 510	<i>Androsace linearis</i> / 397
<i>Anaphalis pterocaulon</i> / 510	<i>Androsace minutiflora</i> / 397
<i>Anaphalis pterocaulon</i> subsp. <i>morii</i> / 510	<i>Androsace multiflora</i> / 397
<i>Anaphalis pterocaulon</i> var. <i>sinica</i> / 510	<i>Androsace neglecta</i> / 396
<i>Anaphalis sierrae</i> / 510	<i>Androsace orbicularis</i> / 397
<i>Anaphalis sinica</i> / 510	<i>Androsace patens</i> / 397
<i>Anaphalis sinica</i> subsp. <i>morii</i> / 510	<i>Androsace pinetorum</i> / 397
<i>Anaphalis sinica</i> var. <i>morii</i> / 510	<i>Androsace rotundifolia</i> / 397
<i>Anaphalis sinica</i> var. <i>sinica</i> / 510	<i>Androsace saxifragifolia</i> / 397
<i>Anchusa tenella</i> / 434	<i>Androsace septentrionalis</i> / 397
<i>Andreoskia dentata</i> / 208	<i>Androsace subumbellata</i> / 397
<i>Androcorys pusillus</i> / 729	<i>Androsace triflora</i> / 397
<i>Andromeda</i> / 384	<i>Androsace umbellata</i> / 397
<i>Andromeda caerulea</i> / 387	<i>Aneilema</i> / 618
<i>Andromeda calyculata</i> / 385	<i>Aneilema keisak</i> / 618
<i>Andromeda calyculata</i> var. <i>ventricosa</i> / 385	<i>Aneilema oliganthum</i> / 618
<i>Andromeda chinensis</i> / 391	<i>Anemone</i> / 159
<i>Andromeda grandiflora</i> / 384	<i>Anemone aconitifolia</i> / 160
<i>Andromeda polifolia</i> / 384	<i>Anemone amurensis</i> / 159
<i>Andromeda polifolia</i> f. <i>acerosa</i> / 384	<i>Anemone baicalensis</i> / 159
<i>Andromeda polifolia</i> f. <i>polifolia</i> / 384	<i>Anemone baicalensis</i> subsp. <i>glabrata</i> / 160
<i>Andropogon anthephoroides</i> / 641	<i>Anemone baicalensis</i> subsp. <i>glabrata</i> var. <i>rossii</i> / 160
<i>Andropogon brevifolius</i> / 657	<i>Anemone baicalensis</i> var. <i>baicalensis</i> / 160
<i>Andropogon cotuliferum</i> / 659	<i>Anemone baicalensis</i> var. <i>glabrata</i> / 160
<i>Andropogon goeringii</i> / 629	<i>Anemone baicalensis</i> var. <i>litoralis</i> / 160
<i>Andropogon ischaemum</i> / 624	<i>Anemone cernua</i> / 170
<i>Andropogon nardus</i> var. <i>goeringii</i> / 629	<i>Anemone cernua</i> var. <i>koreana</i> / 170
<i>Andropogon serratus</i> / 659	<i>Anemone chinensis</i> / 170
<i>Andropogon sibiricus</i> / 659	<i>Anemone dahurica</i> / 170
<i>Andropogon stipiformis</i> / 631	<i>Anemone dichotoma</i> / 160
<i>Andropogon vimineus</i> / 644	<i>Anemone flaccida</i> / 160

■ Scientific name Index

Anemone glabrata / 160
Anemone hepatica var. *asiatica* / 169
Anemone hepatica var. *japonica* / 169
Anemone irregularis / 160
Anemone koraiensis / 160
Anemone laxmannii / 160
Anemone maxima / 169
Anemone narcissiflora / 160
Anemone narcissiflora var. *umbellifera* / 160
Anemone nemorosa subsp. *amurensis* / 159
Anemone nemorosa var. *kamtschatica* / 159
Anemone nikoensis / 160
Anemone pendulisepala / 161
Anemone pennsylvanica / 160
Anemone pennsylvanica var. *laxmannii* / 160
Anemone pseudoaltaica / 161
Anemone raddeana / 161
Anemone raddeana subsp. *villosa* / 161
Anemone raddeana var. *glabrata* / 161
Anemone reflexa / 161
Anemone reflexa f. *lineiloba* / 161
Anemone reflexa var. *lineiloba* / 161
Anemone rossii / 160
Anemone siuzevi / 161
Anemone stolonifera / 161
Anemone stolonifera var. *quelpaertensis* / 161
Anemone umbrosa / 161
Anemonidium dichotomum / 160
Anemonoides amurensis subsp. *kamtschatica* / 159
Anemonoides glabrata / 160
Anemonoides nikoensis / 160
Anemonoides reflexa / 161
Anemonoides stolonifera / 161
Anemonoides umbrosa / 161
Anethum japonicum / 379
Aneurolepidium chinense / 642
Aneurolepidium pseudoagropyrum / 642
Angelica / 368
Angelica anomala / 368
Angelica anomala var. *purpureaefolia* / 371
Angelica boissieuana / 369
Angelica callososerrata / 369
Angelica cartilaginomarginata / 368
Angelica cartilaginomarginata var. *distans* / 369
Angelica cartilaginomarginata var. *makinoi* / 369
Angelica cartilaginomarginata var. *matsumurae* / 369
Angelica cartilaginomarginata var. *matsumurae* f. *latipinna* / 369
Angelica caudata / 370

Angelica confusa / 369
Angelica crucifolia / 368
Angelica czernaevia / 369
Angelica dahurica / 369
Angelica decursiva / 369
Angelica decursiva var. *albiflora* / 369
Angelica distans / 369
Angelica fallax / 370
Angelica flaccida / 369
Angelica florenti / 369
Angelica genuflexa / 370
Angelica genuflexa subsp. *refracta* / 370
Angelica gigas / 370
Angelica gmelinii subsp. *saxatilis* / 371
Angelica grosseserrata / 378
Angelica hultenii / 377
Angelica jaluana / 370
Angelica japonica / 370
Angelica kiusiana / 370
Angelica koreana / 378
Angelica laevigata / 369
Angelica maximowiczii / 378
Angelica miqueliana / 378
Angelica montana var. *angustifolia* / 368
Angelica nakaiana / 370
Angelica polymorpha / 370
Angelica polymorpha var. *fallax* / 370
Angelica porphyrocaulis / 369
Angelica purpureaefolia / 371
Angelica reflexa / 371
Angelica refracta / 370
Angelica refracta var. *glaucophylla* / 368
Angelica refracta var. *yabeana* / 370
Angelica saxatilis / 371
Angelica takesimana / 375
Angelica tenuissima / 371
Angelica wolffiana / 370
Angelica yabeana / 370
Angraecopsis falcata / 731
Angraecum falcatum / 731
Anisocampium niponicum / 35
Anisocampium sheareri / 35
Anisophyllum humifusum / 304
Anneslea spinosa / 181
Ansonia elliptica / 418
Antennaria / 510
Antennaria dioica / 510
Antennaria dioica var. *australis* / 510

Antennaria foenina / 510
Antennaria hibernica / 510
Antennaria insularis / 510
Antennaria insulensis / 510
Antennaria leontopodioides / 548
Antennaria montana / 510
Antennaria nigritella / 510
Antennaria plantaginea / 510
Antennaria zosonia / 510
Antenor filiforme / 117
Antenor filiforme f. *albiflorum* / 117
Antenor filiforme f. *amabile* / 117
Antenor filiforme f. *smaragdinum* / 117
Antenor filiforme f. *trichorachis* / 117
Antenor neofiliforme / 120
Anthericum gmelinianum / 585
Anthistiria japonica / 660
Anthoxanthum / 623
Anthoxanthum aculeatum / 629
Anthoxanthum alpinum / 623
Anthoxanthum nipponicum / 623
Anthoxanthum nipponicum var. *aristatum* / 623
Anthoxanthum nipponicum var. *furumii* / 623
Anthoxanthum odoratum subsp. *furumii* / 623
Anthoxanthum odoratum subsp. *nipponicum* / 623
Anthoxanthum odoratum subsp. *odoratum* / 623
Anthoxanthum odoratum var. *nipponicum* / 623
Anthriscus / 371
Anthriscus aemula f. *hirtiflucta* / 371
Anthriscus nemorosa var. *hirtifluctus* / 371
Anthriscus sylvestris / 371
Anthriscus sylvestris f. *hirtifluctus* / 371
Anthriscus sylvestris var. *hirtiructus* / 371
Anthriscus sylvestris var. *sylvestris* / 371
Anthyllis cuneata / 285
Anticlea / 584
Anticlea japonica / 585
Anticlea sibirica / 584
Antidesma sandens / 102
Antirrhinum aquaticum / 464
Antitoxicum amplexicaule / 419
Antitoxicum atratum / 419
Antitoxicum inamoenum / 419
Antitoxicum volubile / 421
Antrophyum / 20
Antrophyum obovatum / 20
Apactis japonica / 339
Aphananthe / 95

Aphananthe aspera / 95
APIACEAE / 368
Pinus koraiensis / 65
Aplectrum unguiculatum / 720
Apotaxis bungei / 539
Apotaxis carthamoides / 539
Apotaxis multicaulis / 539
Apochoris pentapetala / 399
APOCYNACEAE / 418
Apocynum / 418
Apocynum lancifolium / 418
AQUIFOLIACEAE / 318
Aquilegia / 161
Aquilegia adoxoides / 174
Aquilegia buergeriana var. *buergeriana* / 161
Aquilegia buergeriana var. *oxysepala* / 161
Aquilegia japonica / 162
Aquilegia oxysepala / 162
Aquilegia vulgaris var. *oxysepala* / 162
Arabidopsis / 200
Arabidopsis halleri subsp. *gummifera* / 200
Arabidopsis halleri subsp. *halleri* / 200
Arabidopsis lyrata / 200
Arabidopsis lyrata subsp. *kamchatica* / 201
Arabidopsis thaliana / 201
Arabis / 201
Arabis alpina var. *japonica* / 202
Arabis axillaris / 203
Arabis boissieuana / 201
Arabis boissieuana var. *nikoensis* / 201
Arabis cebennensis var. *coreana* / 205
Arabis columnaris / 213
Arabis coronata / 200
Arabis erecta / 201
Arabis gemmifera / 200
Arabis glabra / 213
Arabis glabra f. *columnalis* / 213
Arabis glauca / 201
Arabis hallaisanensis / 201
Arabis hirsuta / 201
Arabis hirsuta subsp. *nipponica* / 201
Arabis hirsuta var. *nipponica* / 201
Arabis japonica / 202
Arabis japonica var. *macrocarpa* / 202
Arabis japonica var. *stenocarpa* / 202
Arabis kamtschatica / 200
Arabis kelung-insularis / 202
Arabis ligulifolia / 208

■ Scientific name Index

- Arabis lithophila* / 202
Arabis longifolia / 201
Arabis lyrata / 200
Arabis lyrata subsp. *kamtschatica* / 201
Arabis lyrata var. *kamtschatica* / 200
Arabis lyrata var. *occidentalis* / 201
Arabis morrisonensis / 201
Arabis nipponica / 201
Arabis oxyota / 208
Arabis patrianiana / 207
Arabis pendula / 207
Arabis pendula var. *hypoglauca* / 208
Arabis pendula var. *pypoglauca* / 208
Arabis petraea var. *kamtschatica* / 200
Arabis piasezkii / 203
Arabis pubicalyx / 201
Arabis sagittata / 201
Arabis sagittata var. *nipponica* / 201
Arabis serrata / 201
Arabis serrata var. *glabrescens* / 202
Arabis serrata var. *glaucia* / 202
Arabis serrata var. *hallaisanensis* / 201
Arabis serrata var. *platycarpa* / 201
Arabis stelleri / 202
Arabis stelleri var. *japonica* / 202
Arabis stelleri var. *macrocarpa* / 202
Arabis stelleri var. *stenocarpa* / 202
Arabis subpendula / 208
Arabis takesimana / 202
Arabis takesimana f. *lancea* / 202
Arabis takesimana f. *latifolia* / 202
Arabis thaliana / 201
Arabis thaliana var. *pubicalyx* / 201
Arabis yokoscensis / 202
ARACEAE / 662
Arachniodes / 42
Arachniodes amabilis / 42
Arachniodes borealis / 42
Arachniodes chiensis var. *japonica* / 42
Arachniodes chinensis / 42
Arachniodes exilis / 42
Arachniodes maximowiczii / 49
Arachniodes miqueliania / 42
Arachniodes mutica / 42
Arachniodes simplicior / 43
Arachniodes sporadosora / 43
Arachniodes standishii / 43
Aralia / 364
Aralia canescens / 364
Aralia chinensis var. *canescens* / 364
Aralia chinensis var. *glabrescens* / 364
Aralia continentalis / 364
Aralia cordata / 364
Aralia cordata var. *continentalis* / 364
Aralia cordata var. *cordata* / 364
Aralia edulis / 364
Aralia elata / 364
Aralia elata f. *inermis* / 364
Aralia elata f. *subinermis* / 364
Aralia elata var. *canescens* / 364
Aralia elata var. *subinermis* / 364
Aralia ginseng / 368
Aralia japonica / 366
Aralia mandshurica / 364
Aralia maximowiczii / 367
Aralia nutans / 364
Aralia quinquefolia var. *ginseng* / 368
Aralia sieboldii / 366
Aralia spinosa var. *canescens* / 364
Aralia spinosa var. *glabrescens* / 364
Aralia taiwaniana / 364
ARALIACEAE / 364
Arctocrenia canadensis / 363
Arctostaphylos alpina subsp. *rubra* / 384
Arctostaphylos rubra / 384
Arctous / 384
Arctous alpinus var. *ruber* / 384
Arctous rubra / 384
Ardisia / 394
Ardisia crenata / 394
Ardisia crispa / 395
Ardisia crispa var. *taquetii* / 394
Ardisia glabra / 395
Ardisia japonica / 395
Ardisia japonica var. *montana* / 395
Ardisia konishii / 394
Ardisia kuskusensis / 394
Ardisia labordei / 394
Ardisia lentiginosa / 394
Ardisia lentiginosa var. *rectangularis* / 394
Ardisia macrocarpa / 394
Ardisia mouretii / 394
Ardisia odontophylla / 395
Ardisia pusilla / 395
Ardisia villosa / 395
Ardisia villosa var. *liukiensis* / 395

<i>Arenaria</i> / 129	<i>Arisaema amurense</i> var. <i>peninsulae</i> / 664
<i>Arenaria alpicola</i> / 129	<i>Arisaema amurense</i> var. <i>robustum</i> / 663
<i>Arenaria arctica</i> / 133	<i>Arisaema amurense</i> var. <i>serratum</i> / 663
<i>Arenaria arctica</i> var. <i>minor</i> / 133	<i>Arisaema amurense</i> var. <i>violaceum</i> / 663
<i>Arenaria buxifolia</i> / 134	<i>Arisaema angustatum</i> var. <i>peninsulae</i> / 664
<i>Arenaria capillaris</i> / 132	<i>Arisaema convolutum</i> / 664
<i>Arenaria capillaris</i> var. <i>glabrata</i> / 132	<i>Arisaema glaucescens</i> / 663
<i>Arenaria crassifolia</i> / 129	<i>Arisaema heterophyllum</i> / 663
<i>Arenaria dahurica</i> / 132	<i>Arisaema heterophyllum</i> var. <i>nigropunctatum</i> / 663
<i>Arenaria grandiflora</i> / 133	<i>Arisaema japonicum</i> var. <i>atropurpureum</i> / 664
<i>Arenaria haenkeana</i> / 134	<i>Arisaema koreanum</i> / 663
<i>Arenaria juncea</i> / 132	<i>Arisaema loureiroi</i> / 665
<i>Arenaria laricifolia</i> / 133	<i>Arisaema peninsulae</i> / 664
<i>Arenaria larinicina</i> / 134	<i>Arisaema peninsulae</i> f. <i>convolutum</i> / 664
<i>Arenaria lateriflora</i> / 134	<i>Arisaema peninsulae</i> var. <i>atropurpureum</i> / 664
<i>Arenaria macrocarpa</i> var. <i>koreana</i> / 134	<i>Arisaema peninsulae</i> var. <i>attenuatum</i> / 664
<i>Arenaria marina</i> / 140	<i>Arisaema peninsulae</i> var. <i>caespitosum</i> / 664
<i>Arenaria maritima</i> / 129	<i>Arisaema praecox</i> / 663
<i>Arenaria peploides</i> var. <i>major</i> / 132	<i>Arisaema ringens</i> / 663
<i>Arenaria pumilio</i> / 133	<i>Arisaema ringens</i> var. <i>glaucescens</i> / 663
<i>Arenaria rubra</i> var. <i>marina</i> / 140	<i>Arisaema ringens</i> var. <i>praecox</i> / 663
<i>Arenaria salina</i> / 140	<i>Arisaema ringens</i> var. <i>sieboldii</i> / 663
<i>Arenaria sedifolia</i> / 133	<i>Arisaema robustum</i> / 663
<i>Arenaria serpyllifolia</i> / 129	<i>Arisaema robustum</i> f. <i>purpureum</i> / 663
<i>Arenaria sibirica</i> / 132	<i>Arisaema robustum</i> var. <i>purpureum</i> / 663
<i>Arenaria stenopetala</i> / 133	<i>Arisaema serratum</i> / 664
<i>Arenaria subulata</i> var. <i>glabrata</i> / 132	<i>Arisaema sieboldii</i> / 663
<i>Arenaria tonsa</i> / 132	<i>Arisaema takesimense</i> / 664
<i>Arenaria viscosa</i> / 129	<i>Arisaema thunbergii</i> / 664
<i>Arenaria wallichiana</i> / 129	<i>Arisaema thunbergii</i> f. <i>geomundoense</i> / 664
<i>Argentina</i> / 234	<i>Arisaema thunbergii</i> subsp. <i>geomundoense</i> / 664
<i>Argentina anserina</i> subsp. <i>egedi</i> / 234	<i>Arisaema thunbergii</i> subsp. <i>thunbergii</i> / 664
<i>Argentina anserina</i> subsp. <i>groenlandica</i> / 234	<i>Arisaema thunbergii</i> var. <i>heterophyllum</i> / 663
<i>Argentina egedii</i> / 234	<i>Arisaema thunbergii</i> var. <i>pictum</i> / 664
<i>Argusia</i> / 433	<i>Arisaema tripartitum</i> / 665
<i>Argusia repens</i> / 433	<i>Aristolochia</i> / 184
<i>Argusia sibirica</i> / 433	<i>Aristolochia contorta</i> / 184
<i>Aria</i> / 268	<i>Aristolochia manshuriensis</i> / 184
<i>Aria alnifolia</i> / 268	<i>Aristolochia nipponica</i> / 184
<i>Aria tiliifolia</i> / 269	ARISTOLOCHIACEAE / 184
<i>Arisaema</i> / 662	<i>Aristolochia spiralis</i> / 737
<i>Arisaema amurense</i> / 662	<i>Armeniaca mandshurica</i> / 250
<i>Arisaema amurense</i> f. <i>amurense</i> / 663	<i>Armeniaca mandshurica</i> var. <i>glabra</i> / 250
<i>Arisaema amurense</i> f. <i>denticulatum</i> / 663	<i>Armeniaca sibirica</i> / 253
<i>Arisaema amurense</i> f. <i>serratum</i> / 663	<i>Armeniaca sibirica</i> var. <i>pubescens</i> / 253
<i>Arisaema amurense</i> f. <i>violaceum</i> / 663	<i>Arnica ciliata</i> / 541
<i>Arisaema amurense</i> subsp. <i>robustum</i> / 663	<i>Arnica doronicum</i> / 562
<i>Arisaema amurense</i> var. <i>denticulatum</i> / 663	<i>Arnica japonica</i> / 549

- | | |
|---|---|
| <i>Arnica maritima</i> / 562 | <i>Artemisia integrifolia</i> / 513 |
| <i>Arnica palmata</i> / 565 | <i>Artemisia integrifolia</i> f. <i>subulata</i> / 517 |
| <i>Aronia asiatica</i> / 234 | <i>Artemisia integrifolia</i> var. <i>stolonifera</i> / 517 |
| <i>Artemisia</i> / 511 | <i>Artemisia integrifolia</i> var. <i>stolonifera</i> subfor. <i>dissecta</i> / 517 |
| <i>Artemisia angustissima</i> / 511 | <i>Artemisia iwayomogi</i> / 515 |
| <i>Artemisia annua</i> / 511 | <i>Artemisia japonica</i> / 513 |
| <i>Artemisia apiacea</i> / 512 | <i>Artemisia japonica</i> f. <i>manshurica</i> / 513 |
| <i>Artemisia araneosa</i> / 512 | <i>Artemisia japonica</i> subsp. <i>littoricola</i> / 514 |
| <i>Artemisia argyi</i> / 511 | <i>Artemisia japonica</i> var. <i>angustissima</i> / 511 |
| <i>Artemisia argyi</i> f. <i>microcephala</i> / 511 | <i>Artemisia japonica</i> var. <i>hallaisanensis</i> / 512 |
| <i>Artemisia argyi</i> var. <i>gracilis</i> / 511 | <i>Artemisia japonica</i> var. <i>manshurica</i> / 513 |
| <i>Artemisia argyi</i> var. <i>incana</i> / 511 | <i>Artemisia keiskeana</i> / 513 |
| <i>Artemisia asiatica</i> / 513 | <i>Artemisia keiskeana</i> f. <i>hirtella</i> / 513 |
| <i>Artemisia aurata</i> / 511 | <i>Artemisia koidzumii</i> / 513 |
| <i>Artemisia besseriana</i> / 513 | <i>Artemisia koidzumii</i> var. <i>mandshurica</i> / 517 |
| <i>Artemisia besseriana</i> var. <i>triloba</i> / 513 | <i>Artemisia koreana</i> / 516 |
| <i>Artemisia borealis</i> / 511 | <i>Artemisia laciniana</i> var. <i>latifolia</i> / 517 |
| <i>Artemisia borealis</i> var. <i>ledebourii</i> / 511 | <i>Artemisia laciniana</i> var. <i>latifolia</i> f. <i>stricta</i> / 517 |
| <i>Artemisia brachyphylla</i> / 511 | <i>Artemisia laciniata</i> / 517 |
| <i>Artemisia cannabifolia</i> / 516 | <i>Artemisia laciniata</i> var. <i>glabriuscula</i> / 517 |
| <i>Artemisia capillaris</i> / 511 | <i>Artemisia laciniata</i> var. <i>glabriuscula</i> f. <i>dissecta</i> / 517 |
| <i>Artemisia capillaris</i> var. <i>arbuscula</i> / 512 | <i>Artemisia lagocephala</i> / 513 |
| <i>Artemisia capillaris</i> var. <i>sericea</i> / 512 | <i>Artemisia lagocephala</i> f. <i>triloba</i> / 514 |
| <i>Artemisia caruifolia</i> / 512 | <i>Artemisia lagocephala</i> var. <i>triloba</i> / 514 |
| <i>Artemisia carvifolia</i> var. <i>apiacea</i> / 512 | <i>Artemisia lancea</i> / 514 |
| <i>Artemisia chinensis</i> / 513 | <i>Artemisia latifolia</i> / 517 |
| <i>Artemisia codonocephala</i> / 512 | <i>Artemisia lavandulifolia</i> / 512 |
| <i>Artemisia condensata</i> / 514 | <i>Artemisia lavandulifolia</i> var. <i>seddei</i> / 514 |
| <i>Artemisia fauriei</i> / 512 | <i>Artemisia lavandulifolia</i> var. <i>lancea</i> / 514 |
| <i>Artemisia feddei</i> / 514 | <i>Artemisia lavandulifolia</i> var. <i>maximowiczii</i> / 513 |
| <i>Artemisia freyniana</i> f. <i>discolor</i> / 515 | <i>Artemisia lithophila</i> / 513 |
| <i>Artemisia freyniana</i> f. <i>vestita</i> / 515 | <i>Artemisia littoricola</i> / 514 |
| <i>Artemisia fukudo</i> / 512 | <i>Artemisia manshurica</i> / 513 |
| <i>Artemisia fukudo</i> var. <i>mokpensis</i> / 512 | <i>Artemisia megalobotrys</i> / 517 |
| <i>Artemisia gigantea</i> / 514 | <i>Artemisia messerschmidtiana</i> / 515 |
| <i>Artemisia gigantea</i> f. <i>electa</i> / 514 | <i>Artemisia messerschmidtiana</i> f. <i>laxiflora</i> / 515 |
| <i>Artemisia gigantea</i> f. <i>montana</i> / 514 | <i>Artemisia messerschmidtiana</i> var. <i>incana</i> / 515 |
| <i>Artemisia gigantea</i> f. <i>shikotanensis</i> / 514 | <i>Artemisia minima</i> / 527 |
| <i>Artemisia gigantea</i> var. <i>shikotanensis</i> / 514 | <i>Artemisia minutiflora</i> / 514 |
| <i>Artemisia gmelini</i> var. <i>discolor</i> / 515 | <i>Artemisia mongolica</i> subsp. <i>parviflora</i> / 515 |
| <i>Artemisia gmelini</i> var. <i>vestita</i> / 515 | <i>Artemisia mongolica</i> var. <i>pseudovulgaris</i> / 515 |
| <i>Artemisia gmelinii</i> var. <i>incana</i> / 515 | <i>Artemisia montana</i> / 514 |
| <i>Artemisia gmelinii</i> var. <i>vestita</i> / 515 | <i>Artemisia montana</i> f. <i>septentrionalis</i> / 514 |
| <i>Artemisia grisea</i> / 512 | <i>Artemisia montana</i> var. <i>latiloba</i> / 514 |
| <i>Artemisia haichowensis</i> / 512 | <i>Artemisia nakaii</i> / 512 |
| <i>Artemisia hallaisanensis</i> / 512 | <i>Artemisia nipponica</i> var. <i>electa</i> / 514 |
| <i>Artemisia indica</i> / 512 | <i>Artemisia nipponica</i> var. <i>glabricalis</i> / 515 |
| <i>Artemisia insularis</i> / 511 | <i>Artemisia nipponica</i> var. <i>megalobotrys</i> / 517 |

- | | |
|---|--|
| <i>Artemisia nipponica</i> var. <i>rubripes</i> / 515 | <i>Artemisia sternutatoria</i> / 527 |
| <i>Artemisia nutans</i> / 511 | <i>Artemisia stolonifera</i> / 516 |
| <i>Artemisia nutantiflora</i> / 511 | <i>Artemisia stolonifera</i> f. <i>dissecta</i> / 517 |
| <i>Artemisia orthobotrys</i> / 514 | <i>Artemisia stolonifera</i> var. <i>laciiniata</i> / 517 |
| <i>Artemisia pallasiana</i> / 509 | <i>Artemisia subulata</i> / 517 |
| <i>Artemisia palustris</i> var. <i>aurata</i> / 511 | <i>Artemisia sylvatica</i> / 517 |
| <i>Artemisia parvula</i> / 514 | <i>Artemisia tanacetifolia</i> / 517 |
| <i>Artemisia pleiocephala</i> var. <i>maximowiczii</i> / 513 | <i>Artemisia tanacetifolia</i> var. <i>glabriuscula</i> / 517 |
| <i>Artemisia princeps</i> / 513 | <i>Artemisia ussuriensis</i> / 517 |
| <i>Artemisia pronutans</i> / 511 | <i>Artemisia venusta</i> / 515 |
| <i>Artemisia punctata</i> var. <i>stricta</i> / 517 | <i>Artemisia vestita</i> var. <i>discolor</i> f. <i>hololeuca</i> / 514 |
| <i>Artemisia rubripes</i> / 514 | <i>Artemisia viridissima</i> / 517 |
| <i>Artemisia sacrorum</i> / 515 | <i>Artemisia vulgaris</i> var. <i>incana</i> / 511 |
| <i>Artemisia sacrorum</i> f. <i>vestita</i> / 515 | <i>Artemisia vulgaris</i> var. <i>incanescens</i> / 511 |
| <i>Artemisia sacrorum</i> subsp. <i>iwayomogi</i> / 515 | <i>Artemisia vulgaris</i> var. <i>indica</i> f. <i>montana</i> / 514 |
| <i>Artemisia sacrorum</i> subsp. <i>laxiflora</i> / 515 | <i>Artemisia vulgaris</i> var. <i>indica</i> f. <i>nipponica</i> / 513 |
| <i>Artemisia sacrorum</i> subsp. <i>manshurica</i> / 515 | <i>Artemisia vulgaris</i> var. <i>indica</i> subvar. <i>glabricalis</i> / 513 |
| <i>Artemisia sacrorum</i> subsp. <i>manshurica</i> var. <i>vestita</i> / 515 | <i>Artemisia vulgaris</i> var. <i>integerrima</i> / 513 |
| <i>Artemisia sacrorum</i> var. <i>incana</i> / 515 | <i>Artemisia vulgaris</i> var. <i>integrifolia</i> / 513 |
| <i>Artemisia sacrorum</i> var. <i>iwayomogi</i> / 515 | <i>Artemisia vulgaris</i> var. <i>kiusiana</i> / 517 |
| <i>Artemisia sacrorum</i> var. <i>messerschmidtiana</i> / 515 | <i>Artemisia vulgaris</i> var. <i>maximowiczii</i> / 513 |
| <i>Artemisia sacrorum</i> var. <i>minor</i> f. <i>discolor</i> / 515 | <i>Artemisia vulgaris</i> var. <i>parviflora</i> / 512 |
| <i>Artemisia sacrorum</i> var. <i>minor</i> f. <i>vestita</i> / 514 | <i>Artemisia vulgaris</i> var. <i>selengensis</i> / 516 |
| <i>Artemisia sacrorum</i> var. <i>sacrorum</i> / 515 | <i>Artemisia vulgaris</i> var. <i>selengensis</i> f. <i>serratifolia</i> / 516 |
| <i>Artemisia sacrorum</i> var. <i>vestita</i> / 515 | <i>Artemisia vulgaris</i> var. <i>stolonifera</i> / 517 |
| <i>Artemisia saitoana</i> / 516 | <i>Artemisia vulgaris</i> var. <i>umbrosa</i> / 512 |
| <i>Artemisia scoparia</i> / 516 | <i>Artemisia vulgaris</i> var. <i>viridissima</i> / 517 |
| <i>Artemisia scoparia</i> f. <i>sericea</i> / 512 | <i>Artemisia vulgaris</i> var. <i>yezoana</i> / 514 |
| <i>Artemisia scoparia</i> f. <i>villosa</i> / 512 | <i>Arthraxon</i> / 623 |
| <i>Artemisia scopariiformis</i> / 513 | <i>Arthraxon ciliaris</i> / 623 |
| <i>Artemisia scopariooides</i> / 513 | <i>Arthraxon ciliaris</i> subsp. <i>langsdorffii</i> / 623 |
| <i>Artemisia selengensis</i> / 516 | <i>Arthraxon hispidus</i> / 623 |
| <i>Artemisia selengensis</i> f. <i>integerrima</i> / 516 | <i>Arthraxon hispidus</i> var. <i>brevisetus</i> / 623 |
| <i>Artemisia selengensis</i> f. <i>serratifolia</i> / 516 | <i>Arthraxon kobuna</i> / 623 |
| <i>Artemisia selengensis</i> f. <i>subintegra</i> / 513, 516 | <i>Arthraxon langsdorffii</i> / 623 |
| <i>Artemisia selengensis</i> var. <i>cannabifolia</i> / 516 | <i>Arum macrorhizum</i> / 665 |
| <i>Artemisia selengensis</i> var. <i>cannabifolia</i> f. <i>integerrima</i> / 516 | <i>Arum ringens</i> / 663 |
| <i>Artemisia selengensis</i> var. <i>cannabifolia</i> f. <i>simplicifolia</i> / 516 | <i>Arum serratum</i> / 664 |
| <i>Artemisia selengensis</i> var. <i>simplicifolia</i> / 516 | <i>Arum ternatum</i> / 665 |
| <i>Artemisia selengensis</i> var. <i>umbrosa</i> / 512 | <i>Aruncus</i> / 234 |
| <i>Artemisia shansiensis</i> / 512 | <i>Aruncus aethusifolius</i> / 234 |
| <i>Artemisia shikotanensis</i> / 514 | <i>Aruncus dioicus</i> / 235 |
| <i>Artemisia sibirica</i> / 539 | <i>Aruncus dioicus</i> var. <i>aethusifolius</i> / 234 |
| <i>Artemisia sieversiana</i> / 516 | <i>Aruncus dioicus</i> var. <i>asiaticus</i> / 235 |
| <i>Artemisia stelleriana</i> / 516 | <i>Aruncus dioicus</i> var. <i>kamtschaticus</i> / 235 |
| <i>Artemisia stelleriana</i> var. <i>sachalinensis</i> / 516 | <i>Aruncus dioicus</i> var. <i>tenuifolius</i> / 235 |
| <i>Artemisia stelleriana</i> var. <i>vesiculosus</i> / 516 | <i>Aruncus kamtschaticus</i> / 235 |
| <i>Artemisia stenophylla</i> / 517 | <i>Aruncus kamtschaticus</i> var. <i>tomentosa</i> / 235 |

■ Scientific name Index

- Aruncus kyusianus* / 235
Aruncus sylvester / 235
Aruncus sylvester var. *kamtschaticus* / 235
Aruncus sylvester var. *tenuifolius* / 235
Aruncus sylvester var. *tomentosa* / 235
Aruncus tomentosus / 235
Aruncus vulgaris var. *americanus* / 235
Aruncus vulgaris var. *tomentosus* / 235
Arundinaria / 623
Arundinaria borealis / 656
Arundinaria japonica / 655
Arundinaria kurilensis / 657
Arundinaria munsuensis / 623
Arundinaria purpurascens / 656
Arundinella / 624
Arundinella hirta / 624
Arundinella hirta f. *variegata* / 624
Arundinella hirta var. *ciliata* / 624
Arundinella hirta var. *hirta* / 624
Arundinella hirta var. *hondana* / 624
Arundo australis / 650
Arundo epigejos / 627
Arundo karka / 651
Arundo langsdorffii / 628
Arundo lapponica / 627
Arundo phragmites / 650
Arundo pseudophragmites / 628
Arundo purpurea / 628
Asarum / 185
Asarum heterotropoides var. *mandshuricum* / 185
Asarum heterotropoides var. *seoulense* / 185
Asarum koreanum / 185
Asarum maculatum / 185
Asarum maculatum f. *non-maculatum* / 185
Asarum maculatum f. *viride* / 185
Asarum maculatum var. *non-maculatum* / 185
Asarum mandshuricum / 185
Asarum mandshuricum f. *seoulense* / 185
Asarum mandshuricum f. *viride* / 185
Asarum mandshuricum var. *mandshuricum* / 185
Asarum mandshuricum var. *seoulense* / 185
Asarum misandrum / 186
Asarum patens / 186
Asarum sieboldii / 186
Asarum sieboldii f. *cornutum* / 186
Asarum sieboldii f. *koreanum* / 185
Asarum sieboldii f. *maculatum* / 185
Asarum sieboldii f. *non-maculatum* / 185
Asarum sieboldii f. *seoulensis* / 185
Asarum sieboldii f. *sonunsanense* / 186
Asarum sieboldii f. *viride* / 185
Asarum sieboldii var. *cornutum* / 186
Asarum sieboldii var. *maculatum* / 185
Asarum sieboldii var. *mandshuricum* / 185
Asarum sieboldii var. *mandshuricum* f. *viride* / 185
Asarum sieboldii var. *seoulensis* / 185
Asarum sieboldii var. *sieboldii* / 186
Asarum sieboldii var. *sonunsanense* / 186
Asarum sieboldii var. *viridiluteolum* / 186
Asarum sonunsanense / 186
Asarum versicolor / 186
Asarum versicolor f. *non-versicolor* / 186
Asarum versicolor var. *non-versicolo* / 186
Asarum yeonbyeonense / 186
Asarum yeonbyeonense var. *viridiluteolum* / 186
Asclepias davurica / 420
Asclepias paniculata / 420
Asclepias purpurea / 420
Ascyrum humifusum / 192
Asiasarum heterotropoides f. *mandshuricum* / 185
Asiasarum heterotropoides var. *mandshuricum* / 185
Asiasarum heterotropoides var. *seoulense* / 185
Asiasarum koreanum / 185
Asiasarum maculatum / 185
Asiasarum patens / 186
Asiasarum sieboldii / 186
Asiasarum sieboldii var. *versicolor* / 186
Asparagopsis sinica / 585
Asparagus / 585
Asparagus brachyphyllus / 585
Asparagus cochinchinensis / 585
Asparagus dauricus / 585
Asparagus gaudichaudianus / 585
Asparagus gibbus / 585
Asparagus insularis / 585
Asparagus lucidus / 585
Asparagus oligoclonos / 585
Asparagus parviflorus / 585
Asparagus rigidulus / 586
Asparagus schoberioides / 585
Asparagus schoberioides var. *subsetaceus* / 585
Asparagus sessiliflorus / 585
Asparagus sieboldii / 585
Asparagus sinicus / 585
Asparagus tamaboki / 585
Asparagus trichophyllus var. *trachyphyllus* / 585

Asparagus tuberculatus / 585
Asparagus wrightii / 585
Asperella longi-aristata / 640
Asperella sibirica var. *longe-aristata* / 640
Asperula / 422
Asperula eugeniae / 425
Asperula lasiantha / 422
Asperula maximowiczii / 425
Asperula maximowiczii f. *latifolia* / 425
Asperula maximowiczii var. *latifolia* / 425
Asperula odorata / 425
Asperula platygallum / 425
Asperula platygallum var. *alpina* / 425
Asperula platygallum var. *pratensis* / 422
Aspidium aculeatum var. *japonicum* / 53
Aspidium alpestre / 34
Aspidium amabile / 42
Aspidium angustifrons / 29
Aspidium aristatum var. *simplicior* / 43
Aspidium atratum / 45
Aspidium braunii / 51
Aspidium championi / 45
Aspidium craspedosorum / 51
Aspidium cycadinum / 46
Aspidium cystolepidotum / 52
Aspidium decipiens / 46
Aspidium dickinsii / 46
Aspidium erythrosorum / 46
Aspidium exile / 42
Aspidium falcatum / 44
Aspidium falcatum var. *fortunei* / 44
Aspidium fargesii / 42
Aspidium filix-mas var. *erythrosorum* / 46
Aspidium filix-mas var. *lacerum* / 48
Aspidium formosanum / 47
Aspidium fuscipes / 54
Aspidium glanduligerum / 29
Aspidium goeringianum / 47
Aspidium gongylodes / 27
Aspidium gracilescens var. *glanduligerum* / 29
Aspidium lacerum / 48
Aspidium laxum / 29
Aspidium lepidocaulon / 52
Aspidium maximowiczianum / 44
Aspidium miquelianum / 42
Aspidium monticola / 49
Aspidium muticum / 42
Aspidium nipponicum / 30

Aspidium opacum / 51
Aspidium palustre / 31
Aspidium parasiticum / 28
Aspidium polyblepharum / 53
Aspidium polylepis / 49
Aspidium sabaei / 50
Aspidium spinulosum var. *amurense* / 45
Aspidium sporadosorum / 43
Aspidium subexaltatum / 50
Aspidium tripteron / 53
Aspidium tsus-simense / 54
Aspidium varium / 51
ASPLENIACEAE / 23
Asplenidictyum curtidens / 26
Asplenium / 23
Asplenium anceps var. *proliferum* / 26
Asplenium anogrammoides / 25
Asplenium antiquum / 23
Asplenium boreale / 24
Asplenium castaneoviride / 24
Asplenium chinense / 40
Asplenium coniliifera / 37
Asplenium curtidens / 26
Asplenium hondoense / 26
Asplenium incisum / 24
Asplenium japonicum / 37
Asplenium japonicum var. *oldhamii* / 38
Asplenium kobayashii / 24
Asplenium lanceum / 38
Asplenium melanolepis / 35
Asplenium mesosorum / 40
Asplenium mettenianum / 40
Asplenium niponicum / 35
Asplenium normale / 24
Asplenium normale var. *boreale* / 24
Asplenium oligophlebium / 24
Asplenium otophorum / 35
Asplenium pekinense / 24
Asplenium petersenii / 38
Asplenium prolongatum / 24
Asplenium ritoense / 24
Asplenium ruprechtii / 24
Asplenium ruta-muraria / 25
Asplenium sarelii / 25
Asplenium sarelii var. *anogrammoides* / 25
Asplenium sarelii var. *pekinense* / 24
Asplenium sarelii var. *sarelii* / 25
Asplenium scolopendrium / 25

■ Scientific name Index

- | | |
|---|--|
| <i>Asplenium septentrionale</i> / 25 | <i>Aster chinensis</i> / 526 |
| <i>Asplenium shikokianum</i> / 25 | <i>Aster ciliosus</i> / 521 |
| <i>Asplenium sibiricum</i> / 40 | <i>Aster depauperatus</i> / 521 |
| <i>Asplenium squamigerum</i> / 41 | <i>Aster fastigiatus</i> / 519 |
| <i>Asplenium subsinuatum</i> / 38 | <i>Aster fauriei</i> / 522 |
| <i>Asplenium tenerum</i> / 25 | <i>Aster feddei</i> / 522 |
| <i>Asplenium tenuicaule</i> / 25 | <i>Aster franchetianus</i> / 521 |
| <i>Asplenium trichomanes</i> / 26 | <i>Aster fusanensis</i> / 519 |
| <i>Asplenium trichomanes</i> subsp. <i>quadrivalens</i> / 26 | <i>Aster hayatae</i> / 519 |
| <i>Asplenium trichomanes</i> subsp. <i>tripteropus</i> / 26 | <i>Aster hispidus</i> / 519 |
| <i>Asplenium tripertorus</i> / 26 | <i>Aster hispidus</i> f. <i>albiflorus</i> / 519 |
| <i>Asplenium vidalii</i> / 36 | <i>Aster hispidus</i> var. <i>hispidus</i> / 520 |
| <i>Asplenium virescens</i> / 41 | <i>Aster hispidus</i> var. <i>leptocephalus</i> / 520 |
| <i>Asplenium wardii</i> / 36 | <i>Aster holophyllus</i> / 521 |
| <i>Asplenium wichurae</i> / 41 | <i>Aster horridifolius</i> / 520 |
| <i>Asplenium wilfordii</i> / 26 | <i>Aster incisus</i> / 520 |
| <i>Asplenium wilfordii</i> var. <i>curtipes</i> / 26 | <i>Aster integrifolius</i> / 521 |
| <i>Asplenium wrightii</i> / 26 | <i>Aster koidzumizana</i> / 520 |
| <i>Asplenium wrightii</i> var. <i>shikokianum</i> / 25 | <i>Aster komarovii</i> / 521 |
| <i>Asplenium yokoscense</i> / 36 | <i>Aster koraiensis</i> / 520 |
| <i>Asplenium yoshinagae</i> / 26 | <i>Aster laciniatus</i> / 526 |
| <i>Asplenium</i> × <i>akaishiense</i> / 26 | <i>Aster lautureanus</i> / 520 |
| <i>Asplenium</i> × <i>bimixtum</i> / 23 | <i>Aster leiophyllus</i> / 518 |
| <i>Asplenium</i> × <i>kitazawai</i> / 26 | <i>Aster leiophyllus</i> f. <i>purpurellus</i> / 518 |
| <i>Asplenium</i> × <i>montanum</i> / 24 | <i>Aster leiophyllus</i> var. <i>harae</i> / 518 |
| <i>Asplenium</i> × <i>uiryeongse</i> / 26 | <i>Aster leiophyllus</i> var. <i>oligocephalus</i> / 518 |
| <i>Asplenosorus castaneoviridis</i> / 24 | <i>Aster leiophyllus</i> var. <i>purpurascens</i> / 518 |
| <i>Asprella oryzoides</i> / 642 | <i>Aster leiophyllus</i> var. <i>stenophyllus</i> / 518 |
| <i>Aster</i> / 517 | <i>Aster leptocladus</i> / 520 |
| <i>Aster ageratoides</i> / 517 | <i>Aster maackii</i> / 520 |
| <i>Aster ageratoides</i> subsp. <i>leiophyllus</i> f. <i>purpurascens</i> / 518 | <i>Aster macrodon</i> / 520 |
| <i>Aster ageratoides</i> subsp. <i>leiophyllus</i> var. <i>harae</i> / 518 | <i>Aster magnus</i> / 521 |
| <i>Aster ageratoides</i> subsp. <i>leiophyllus</i> var. <i>stenophyllus</i> / 518 | <i>Aster magnus</i> f. <i>albiflorus</i> / 521 |
| <i>Aster ageratoides</i> subsp. <i>megarocephalus</i> / 518 | <i>Aster maritimus</i> / 522 |
| <i>Aster ageratoides</i> subsp. <i>ovatus</i> f. <i>leucanthus</i> / 518 | <i>Aster meyendorffii</i> / 521 |
| <i>Aster ageratoides</i> var. <i>adustus</i> f. <i>leucanthus</i> / 518 | <i>Aster micranthus</i> / 519 |
| <i>Aster ageratoides</i> var. <i>harae</i> f. <i>stenophyllus</i> / 518 | <i>Aster micranthus</i> var. <i>achilleiformis</i> / 519 |
| <i>Aster ageratoides</i> var. <i>leiophyllus</i> / 518 | <i>Aster micromaaackii</i> / 520 |
| <i>Aster ageratoides</i> var. <i>robustus</i> / 518 | <i>Aster mongolicus</i> / 521 |
| <i>Aster ageratoides</i> var. <i>semiamplexicaulis</i> / 518 | <i>Aster nakaii</i> / 522 |
| <i>Aster ageratoides</i> var. <i>spiraefolius</i> / 518 | <i>Aster oharae</i> / 522 |
| <i>Aster altaicus</i> var. <i>uchiyamai</i> / 522 | <i>Aster omerophyllus</i> / 519 |
| <i>Aster arenarius</i> / 518 | <i>Aster palustris</i> / 522 |
| <i>Aster arenarius</i> f. <i>albiflorus</i> / 519 | <i>Aster pannonicus</i> / 522 |
| <i>Aster arenarius</i> f. <i>purpurascens</i> / 519 | <i>Aster papposissimus</i> / 522 |
| <i>Aster associatus</i> / 520 | <i>Aster pekinensis</i> / 521 |
| <i>Aster batakensis</i> / 519 | <i>Aster pinnatifidus</i> f. <i>robustus</i> / 520 |
| <i>Aster chejuensis</i> / 519 | <i>Aster pseudolehni</i> / 521 |

- | | |
|--|---|
| <i>Aster queelpaertensis</i> / 518 | <i>Astilbe chinensis</i> var. <i>seoulensis</i> / 221 |
| <i>Aster regalis</i> / 526 | <i>Astilbe chinensis</i> var. <i>taquetii</i> / 221 |
| <i>Aster rufopappus</i> / 519 | <i>Astilbe davidii</i> / 221 |
| <i>Aster rupicola</i> / 519 | <i>Astilbe divaricata</i> / 221 |
| <i>Aster scaber</i> / 521 | <i>Astilbe koreana</i> / 221 |
| <i>Aster scaber</i> f. <i>minor</i> / 521 | <i>Astilbe odontophylla</i> / 221 |
| <i>Aster scaber</i> var. <i>minor</i> / 521 | <i>Astilbe podophylla</i> / 225 |
| <i>Aster spathulifolius</i> / 522 | <i>Astilbe rubra</i> f. <i>albiflora</i> / 221 |
| <i>Aster spathulifolius</i> f. <i>oharae</i> / 522 | <i>Astilbe rubra</i> var. <i>divaricata</i> / 221 |
| <i>Aster spathulifolius</i> var. <i>oharae</i> / 522 | <i>Astilbe rubra</i> var. <i>rubra</i> / 221 |
| <i>Aster tataricus</i> / 522 | <i>Astilbe rubra</i> var. <i>taquetii</i> / 221 |
| <i>Aster tataricus</i> var. <i>fauriei</i> / 522 | <i>Astilbe simplicifolia</i> / 221 |
| <i>Aster tataricus</i> var. <i>hortensis</i> / 522 | <i>Astilbe taquetii</i> / 221 |
| <i>Aster tataricus</i> var. <i>minor</i> / 522 | <i>Astilbe thunbergii</i> var. <i>aethusifolia</i> / 234 |
| <i>Aster tataricus</i> var. <i>nakaii</i> / 522 | <i>Astilbe thunbergii</i> var. <i>taquetii</i> / 221 |
| <i>Aster tataricus</i> var. <i>robustus</i> / 522 | <i>Astilbe uljinensis</i> / 221 |
| <i>Aster tataricus</i> var. <i>vernalis</i> / 522 | <i>Astilboides</i> / 221 |
| <i>Aster trinervius</i> / 518 | <i>Astilboides tabularis</i> / 221 |
| <i>Aster trinervius</i> subsp. <i>ageratoides</i> / 518 | <i>Astragalus</i> / 276 |
| <i>Aster trinervius</i> subsp. <i>leiophyllum</i> / 518 | <i>Astragalus adsurgens</i> / 276 |
| <i>Aster trinervius</i> subsp. <i>leiophyllum</i> f. <i>purpurascens</i> / 518 | <i>Astragalus brevicarinatus</i> / 280 |
| <i>Aster trinervius</i> subsp. <i>leiophyllum</i> var. <i>harae</i> / 518 | <i>Astragalus caeruleus</i> / 290 |
| <i>Aster trinervius</i> subsp. <i>leiophyllum</i> var. <i>megarocephalus</i> / 518 | <i>Astragalus dahuricus</i> / 276 |
| <i>Aster trinervius</i> subsp. <i>leiophyllum</i> var. <i>stenophyllum</i> / 518 | <i>Astragalus hedysaroides</i> / 281 |
| <i>Aster trinervius</i> var. <i>adustus</i> / 518 | <i>Astragalus koraiensis</i> / 277 |
| <i>Aster trinervius</i> var. <i>holophyllum</i> / 518 | <i>Astragalus laxmannii</i> / 276 |
| <i>Aster trinervius</i> var. <i>longifolia</i> / 522 | <i>Astragalus membranaceus</i> f. <i>albiflorus</i> / 276 |
| <i>Aster trinervius</i> var. <i>oligocephalus</i> / 518 | <i>Astragalus membranaceus</i> var. <i>manshuricus</i> / 281 |
| <i>Aster trinervius</i> var. <i>purpurascens</i> / 518 | <i>Astragalus membranaceus</i> var. <i>nakaianus</i> / 276 |
| <i>Aster trinervius</i> var. <i>robustus</i> / 518 | <i>Astragalus mongholicus</i> f. <i>albiflorus</i> / 276 |
| <i>Aster tripolium</i> / 522 | <i>Astragalus mongholicus</i> var. <i>dahuricus</i> / 276 |
| <i>Aster tripolium</i> var. <i>integrifolium</i> / 522 | <i>Astragalus mongholicus</i> var. <i>mongholicus</i> / 276 |
| <i>Aster uchiyamai</i> / 522 | <i>Astragalus mongholicus</i> var. <i>nakaianus</i> / 276 |
| <i>Aster yomena</i> / 522 | <i>Astragalus nakaianus</i> / 276 |
| ASTERACEAE / 507 | <i>Astragalus pauciflorus</i> / 280 |
| <i>Asteranthemum dahuricum</i> / 596 | <i>Astragalus penduliflorus</i> var. <i>dahuricus</i> / 276 |
| <i>Asteranthemum trifolium</i> / 596 | <i>Astragalus penduliflorus</i> var. <i>penduliflorus</i> / 276 |
| <i>Asteromoea incisa</i> / 520 | <i>Astragalus schelichowii</i> / 277 |
| <i>Asteromoea koraiensis</i> / 520 | <i>Astragalus setsureianus</i> / 277 |
| <i>Asteromoea latureana</i> / 520 | <i>Astragalus sikokianus</i> / 277 |
| <i>Asteromoea pekinensis</i> / 521 | <i>Astragalus sikokianus</i> var. <i>koraiensis</i> / 277 |
| <i>Aster</i> × <i>chusanensis</i> / 523 | <i>Astragalus uliginosus</i> / 277 |
| <i>Astilbe</i> / 220 | <i>Astragalus vernus</i> / 280 |
| <i>Astilbe chinensis</i> / 220 | <i>Asyneuma</i> / 503 |
| <i>Astilbe chinensis</i> var. <i>davidii</i> / 221 | <i>Asyneuma japonicum</i> / 503 |
| <i>Astilbe chinensis</i> var. <i>davidii</i> f. <i>albiflora</i> / 221 | <i>Ataxipteris sinii</i> / 43 |
| <i>Astilbe chinensis</i> var. <i>divaricata</i> / 221 | <i>Atherurus tripartitus</i> / 665 |
| <i>Astilbe chinensis</i> var. <i>koreana</i> / 221 | ATHYRIACEAE / 33 |

- | | |
|---|---|
| <i>Athyriopsis conili / 37</i> | <i>Athyrium virescens / 41</i> |
| <i>Athyriopsis dimorphophylla / 37</i> | <i>Athyrium viridifrons / 39</i> |
| <i>Athyriopsis japonica / 37</i> | <i>Athyrium wardii / 36</i> |
| <i>Athyriopsis oldhamii / 38</i> | <i>Athyrium yokoscense / 36</i> |
| <i>Athyriopsis petersenii / 38</i> | <i>Atractylis chinensis var. coreana / 523</i> |
| <i>Athyriorumohra maximowiczii / 49</i> | <i>Atractylis japonica / 523</i> |
| <i>Athyrium / 33</i> | <i>Atractylis koreana / 523</i> |
| <i>Athyrium acutipinnulum / 33</i> | <i>Atractylis lancea var. ovata f. lyrata / 523</i> |
| <i>Athyrium alpestre / 34</i> | <i>Atractylis lyrata f. ternata / 523</i> |
| <i>Athyrium brevifrons / 34</i> | <i>Atractylis lyrata var. ternata / 523</i> |
| <i>Athyrium clivicola / 34</i> | <i>Atractylis ovata / 523</i> |
| <i>Athyrium concinnum / 34</i> | <i>Atractylis ovata f. ternata / 523</i> |
| <i>Athyrium conili / 37</i> | <i>Atractylis ovata var. amuensis f. pinnatifolia / 523</i> |
| <i>Athyrium coreanum / 37</i> | <i>Atractylis ovata var. ternata / 523</i> |
| <i>Athyrium crenatum var. glabrum / 41</i> | <i>Atractylodes / 523</i> |
| <i>Athyrium crenulatoserrulatum / 36</i> | <i>Atractylodes japonica / 523</i> |
| <i>Athyrium crenulatoserrulatum f. hakonense / 36</i> | <i>Atractylodes koreana / 523</i> |
| <i>Athyrium cystopterooides / 29</i> | <i>Atractylodes lancea var. simplicifolia / 523</i> |
| <i>Athyrium decurrenti-alatum / 36</i> | <i>Atractylodes lyrata / 523</i> |
| <i>Athyrium decurrenti-alatum var. pilosella / 37</i> | <i>Atractylodes ovata / 523</i> |
| <i>Athyrium deltoidofrons / 34</i> | <i>Atragene alpina var. ochotensis / 163</i> |
| <i>Athyrium dimorphophyllum / 37</i> | <i>Atragene alpina var. platysepala / 163</i> |
| <i>Athyrium distentifolium / 34</i> | <i>Atragene koreana / 165</i> |
| <i>Athyrium epirachis / 34</i> | <i>Atragene nobilis / 163</i> |
| <i>Athyrium excelsius / 34</i> | <i>Atragene ochotensis / 163</i> |
| <i>Athyrium fallaciosum / 34</i> | <i>Atragene ochotensis subsp. coerulescens / 163</i> |
| <i>Athyrium fauriei / 34</i> | <i>Atragene platysepala / 163</i> |
| <i>Athyrium hachijoense / 40</i> | <i>Atriplex / 142</i> |
| <i>Athyrium henri var. viridifrons / 39</i> | <i>Atriplex amaranthoides / 142</i> |
| <i>Athyrium iseannum / 35</i> | <i>Atriplex angustifolia var. obtusa / 142</i> |
| <i>Athyrium japonicum / 37</i> | <i>Atriplex gmelinii / 142</i> |
| <i>Athyrium japonicum var. dimorphophylla / 37</i> | <i>Atriplex gmelinii subsp. dilatata / 142</i> |
| <i>Athyrium kiusianum / 38</i> | <i>Atriplex gmelinii var. zosterifolia / 142</i> |
| <i>Athyrium melanolepis / 35</i> | <i>Atriplex littoralis var. dilatata / 142</i> |
| <i>Athyrium mesosorum / 40</i> | <i>Atriplex patula var. obtusa / 142</i> |
| <i>Athyrium multifidum var. deltoideum / 34</i> | <i>Atriplex prostrata / 142</i> |
| <i>Athyrium nakaii / 47</i> | <i>Atriplex subcordata / 142</i> |
| <i>Athyrium niponicum / 35</i> | <i>Atriplex zosterifolia / 142</i> |
| <i>Athyrium okuboanum / 38</i> | <i>Atropis kuriensis / 655</i> |
| <i>Athyrium okudairai / 40</i> | <i>Atylosia subrhombaea / 279</i> |
| <i>Athyrium otophorum / 35</i> | <i>Aubletia ramosissima / 327</i> |
| <i>Athyrium pterorachis / 39</i> | <i>Aucuba / 362</i> |
| <i>Athyrium pycnosorum / 39</i> | <i>Aucuba japonica / 362</i> |
| <i>Athyrium reflexipinnum / 35</i> | <i>Aucuba japonica f. variegata / 362</i> |
| <i>Athyrium sheareri / 35</i> | <i>Aucuba japonica var. concolor / 362</i> |
| <i>Athyrium spinulosum / 35</i> | <i>Aucuba japonica var. maculata / 362</i> |
| <i>Athyrium squamigerum / 41</i> | <i>Aucuba japonica var. ovoidea / 362</i> |
| <i>Athyrium vidalii / 35</i> | <i>Aucuba japonica var. punctata / 362</i> |

Aucuba japonica var. *variegata* / 362
Auganthurus jesuoanus / 400
Augia sinensis / 312
Avena callosa / 657
Avena ovina / 637
Avena sibirica / 621
Axyris / 142
Axyris amaranthoides / 142
Axyris koreana / 142
Azalea chrysanthum / 388
Azalea dahurica / 389
Azalea parvifolia / 389
Azalea redowskiana / 390
Azalea schlippenbachii / 390
Azalea weyrichii / 391
Azolla / 15
Azolla imbricata / 15
Azolla japonica / 15
Azolla pinnata var. *imbricata* / 15
Azukia angularis var. *nipponensis* / 296
Azukia nakashimae / 296

(B)

Baeobotrys japonica / 395
Baldingera arundinacea / 650
Balsamina lutea / 317
BALSAMINACEAE / 317
Bambusa borealis / 656
Bambusa kurilensis / 657
Barbarea / 202
Barbarea americana / 202
Barbarea cochlearifolia / 202
Barbarea hondoensis / 202
Barbarea orthoceras / 202
Barbarea patens / 202
Barbarea pinnatifida / 202
Barbarea sibirica / 202
Barbarea vulgaris var. *orthoceras* / 202
Barbarea vulgaris var. *sibirica* / 202
Barbula sinesis / 439
Barkhausia versicolor / 543
Barnardia / 586
Barnardia japonica / 586
Barnardia japonica f. *albiflora* / 586
Barnardia japonica f. *japonica* / 586
Barnardia scilloides / 586
Batrachium kazusense / 172
Batrachium yezoense / 173

Beckmannia / 624
Beckmannia baicalensis / 624
Beckmannia eruciformis subsp. *syzigachne* / 624
Beckmannia eruciformis var. *baicalensis* / 624
Beckmannia eruciformis var. *uniflora* / 624
Beckmannia syzigachne / 624
Beckmannia syzigachne subsp. *baicalensis* / 624
Beckmannia syzigachne var. *uniflora* / 624
Belamcanda chinensis / 610
Benthamia japonica / 363
Benthamia japonica var. *exsucca* / 363
Benthamia kousa / 363
Benthamia viridis / 363
Benzoin angustifolium var. *glabrum* / 150
Benzoin cercidifolium / 150
Benzoin erythrocarpum / 150
Benzoin glaucum / 150
Benzoin glaucum var. *kawakamii* / 150
Benzoin obtusilobum / 150
Benzoin obtusilobum f. *ovatum* / 150
Benzoin obtusilobum f. *quinquelobum* / 151
Benzoin obtusilobum f. *villosum* / 151
Benzoin salicifolium / 150
Benzoin sericeum / 151
Benzoin umbellatum var. *sericeum* / 151
BERBERIDACEAE / 177
Berberis / 177
Berberis amurensis / 177
Berberis amurensis f. *brevifolia* / 178
Berberis amurensis f. *latifolia* / 178
Berberis amurensis var. *amurensis* / 178
Berberis amurensis var. *brevifolia* / 177
Berberis amurensis var. *japonica* / 177
Berberis amurensis var. *latifolia* / 178
Berberis amurensis var. *quelpaertensis* / 178
Berberis chinensis / 178
Berberis koreana / 178
Berberis koreana f. *angustifolia* / 178
Berberis koreana f. *elliptoides* / 178
Berberis koreana var. *angustifolia* / 178
Berberis koreana var. *elliptoides* / 178
Berberis koreana var. *koreana* / 178
Berberis poiretii / 178
Berberis poiretii var. *angustifolia* / 178
Berberis quelpaertensis / 178
Berberis sinensis var. *angustifolia* / 178
Berchemia / 326
Berchemia berchemiifolia / 326

- | | |
|--|--|
| <i>Berchemia floribunda</i> / 326 | <i>Betula exalata</i> / 84 |
| <i>Berchemia formosana</i> / 326 | <i>Betula fruticosa</i> / 85 |
| <i>Berchemia kunitakei</i> / 326 | <i>Betula fruticosa</i> var. <i>paishanensis</i> / 85 |
| <i>Berchemia magna</i> / 326 | <i>Betula fruticosa</i> var. <i>ruprechtiana</i> / 85 |
| <i>Berchemia ohwii</i> / 326 | <i>Betula fusanensis</i> / 85 |
| <i>Berchemia racemosa</i> / 326 | <i>Betula humilis</i> var. <i>ovalifolia</i> / 85 |
| <i>Berchemia racemosa</i> var. <i>formosana</i> / 326 | <i>Betula humilis</i> var. <i>reticulata</i> / 85 |
| <i>Berchemia racemosa</i> var. <i>magna</i> / 326 | <i>Betula japonica</i> / 84, 86 |
| <i>Berchemiella berchemiifolia</i> / 326 | <i>Betula japonica</i> var. <i>mandshurica</i> / 86 |
| <i>Berchemiella koreana</i> / 326 | <i>Betula japonica</i> var. <i>pluricostata</i> / 86 |
| <i>Bergenia</i> / 222 | <i>Betula japonica</i> var. <i>rockii</i> / 86 |
| <i>Bergenia cordifolia</i> / 222 | <i>Betula japonica</i> var. <i>tauschii</i> / 86 |
| <i>Bergenia coreana</i> / 222 | <i>Betula latifolia</i> / 86 |
| <i>Bergenia crassifolia</i> / 222 | <i>Betula liaotungensis</i> / 84 |
| <i>Berteroella</i> / 202 | <i>Betula maackii</i> / 85 |
| <i>Berteroella maximowiczii</i> / 202 | <i>Betula mandshurica</i> / 86 |
| <i>Betula</i> / 84 | <i>Betula mandshurica</i> var. <i>japonica</i> / 86 |
| <i>Betula alba</i> subsp. <i>latifolia</i> / 86 | <i>Betula maximowiczii</i> / 85 |
| <i>Betula alba</i> subsp. <i>latifolia</i> var. <i>tauschii</i> / 86 | <i>Betula microphylla</i> var. <i>coreana</i> / 85 |
| <i>Betula alba</i> subsp. <i>mandshurica</i> / 86 | <i>Betula ovalifolia</i> / 85 |
| <i>Betula alba</i> subsp. <i>tauschii</i> / 86 | <i>Betula paishanensis</i> / 85 |
| <i>Betula alba</i> var. <i>japonica</i> / 86 | <i>Betula pendula</i> / 86 |
| <i>Betula bhojpattra</i> var. <i>japonica</i> / 85 | <i>Betula pendula</i> var. <i>japonica</i> / 86 |
| <i>Betula chinensis</i> / 84 | <i>Betula pendula</i> var. <i>mandshurica</i> / 86 |
| <i>Betula chinensis</i> f. <i>lancifolia</i> / 84 | <i>Betula pendula</i> var. <i>tauschii</i> / 86 |
| <i>Betula chinensis</i> f. <i>linearisquama</i> / 84 | <i>Betula platyphylla</i> / 86 |
| <i>Betula chinensis</i> var. <i>angusticarpa</i> / 84 | <i>Betula platyphylla</i> subsp. <i>mandshurica</i> / 86 |
| <i>Betula chinensis</i> var. <i>collina</i> / 84 | <i>Betula platyphylla</i> var. <i>japonica</i> / 86 |
| <i>Betula chinensis</i> var. <i>lancifolia</i> / 84 | <i>Betula platyphylla</i> var. <i>mandshurica</i> / 86 |
| <i>Betula collina</i> / 84 | <i>Betula punctata</i> / 86 |
| <i>Betula costata</i> / 84 | <i>Betula reticulata</i> / 85 |
| <i>Betula costata</i> var. <i>pubescens</i> / 84 | <i>Betula rosae</i> / 85 |
| <i>Betula cyclophylla</i> / 85 | <i>Betula saitoana</i> / 85 |
| <i>Betula dahurica</i> var. <i>maximowicziana</i> / 85 | <i>Betula schmidtii</i> / 86 |
| <i>Betula davurica</i> / 85 | <i>Betula schmidtii</i> f. <i>lancea</i> / 86 |
| <i>Betula dioica</i> / 85 | <i>Betula schmidtii</i> var. <i>angustifolia</i> / 86 |
| <i>Betula ermanii</i> / 85 | <i>Betula schmidtii</i> var. <i>lancea</i> / 86 |
| <i>Betula ermanii</i> subvar. <i>saitoana</i> / 85 | <i>Betula tauschii</i> / 86 |
| <i>Betula ermanii</i> var. <i>acutifolia</i> / 85 | <i>Betula ulmifolia</i> var. <i>costata</i> / 84 |
| <i>Betula ermanii</i> var. <i>communis</i> / 85 | <i>Betula ulmifolia</i> var. <i>glandulosa</i> / 85 |
| <i>Betula ermanii</i> var. <i>costata</i> / 84 | <i>Betula verrucosa</i> var. <i>japonica</i> / 86 |
| <i>Betula ermanii</i> var. <i>ganjuensis</i> / 85 | <i>Betula verrucosa</i> var. <i>platiphylla</i> / 86 |
| <i>Betula ermanii</i> var. <i>incisa</i> / 85 | <i>Betula vulcani</i> / 85 |
| <i>Betula ermanii</i> var. <i>japonica</i> / 85 | <i>Betula wutaica</i> / 85 |
| <i>Betula ermanii</i> var. <i>lanata</i> / 85 | BETULACEAE / 82 |
| <i>Betula ermanii</i> var. <i>nipponica</i> / 85 | <i>Bidens</i> / 523 |
| <i>Betula ermanii</i> var. <i>parvifolia</i> / 85 | <i>Bidens acuta</i> / 525 |
| <i>Betula ermanii</i> var. <i>saitoana</i> / 85 | <i>Bidens bipinnata</i> / 523 |

<i>Bidens biternata</i> / 524	<i>Bistorta incana</i> / 111
<i>Bidens cernua</i> / 524	<i>Bistorta majanthemifolia</i> / 112
<i>Bidens cernua</i> var. <i>radiata</i> / 524	<i>Bistorta major</i> var. <i>japonica</i> / 112
<i>Bidens chinensis</i> / 524	<i>Bistorta major</i> var. <i>pacifica</i> / 112
<i>Bidens connata</i> var. <i>comosa</i> / 525	<i>Bistorta ochotensis</i> / 112
<i>Bidens cusickii</i> / 524	<i>Bistorta officinalis</i> / 112
<i>Bidens decomposita</i> / 523	<i>Bistorta officinalis</i> subsp. <i>japonica</i> / 112
<i>Bidens elongata</i> / 523	<i>Bistorta officinalis</i> subsp. <i>officinalis</i> / 112
<i>Bidens filamentosa</i> / 524	<i>Bistorta pacifica</i> / 112
<i>Bidens kotschyii</i> / 524	<i>Bistorta pacifica</i> f. <i>velutina</i> / 112
<i>Bidens macounii</i> / 524	<i>Bistorta suffulta</i> / 112
<i>Bidens messerschmidii</i> / 524	<i>Bistorta tenuicaulis</i> / 112
<i>Bidens minima</i> / 524	<i>Bistorta tenuicaulis</i> var. <i>nanum</i> / 113
<i>Bidens minuscula</i> / 525	<i>Bistorta vivipara</i> / 113
<i>Bidens myrrhidifolia</i> / 523	<i>Bistorta vivipara</i> f. <i>roessleri</i> / 113
<i>Bidens orientalis</i> / 525	<i>Bistorta vivipara</i> var. <i>angustifolia</i> / 113
<i>Bidens parviflora</i> / 524	<i>Bistorta vivipara</i> var. <i>roessleri</i> / 113
<i>Bidens pauciflora</i> / 524	<i>Bistorta vulgaris</i> var. <i>angustifolia</i> / 111
<i>Bidens pilosa</i> var. <i>bipinnata</i> / 523	<i>Bistorta vulgaris</i> var. <i>pacifica</i> / 112
<i>Bidens pilosa</i> var. <i>chinensis</i> / 524	<i>Bladzhia crenata</i> / 395
<i>Bidens pilosa</i> var. <i>decomposita</i> / 523	<i>Bladzhia crispa</i> / 395
<i>Bidens prionophylla</i> / 524	<i>Bladzhia glabra</i> / 184
<i>Bidens radiata</i> / 524	<i>Bladzhia japonica</i> / 395
<i>Bidens radiata</i> var. <i>pinnatifida</i> / 524	<i>Bladzhia lentiginosa</i> / 394
<i>Bidens radiata</i> var. <i>radiata</i> / 524	<i>Bladzhia lentiginosa</i> var. <i>lanceolata</i> / 395
<i>Bidens repens</i> / 525	<i>Bladzhia lentiginosa</i> var. <i>taquetii</i> / 394
<i>Bidens robertianifolia</i> / 524	<i>Bladzhia montana</i> / 395
<i>Bidens trifida</i> / 525	<i>Bladzhia villosa</i> / 395
<i>Bidens tripartita</i> / 525	<i>Bladzhia villosa</i> var. <i>liukiensis</i> / 395
<i>Bidens tripartita</i> f. <i>pinnatifida</i> / 524	BLECHNACEAE / 33
<i>Bidens tripartita</i> var. <i>hebecarpa</i> / 525	<i>Blechnum japonicum</i> / 33
<i>Bidens tripartita</i> var. <i>pinnatifida</i> / 524	<i>Bletia hyacinthina</i> / 717
<i>Bidens tripartita</i> var. <i>repens</i> / 525	<i>Bletia nipponica</i> / 721
<i>Bidens tripartita</i> var. <i>tripartita</i> / 525	<i>Bletilla</i> / 717
<i>Bifaria fasciculata</i> / 109	<i>Bletilla striata</i> / 717
<i>Bifaria japonica</i> / 109	<i>Blyxa</i> / 574
<i>Bilderdykia dentatoalata</i> / 113	<i>Blyxa aubertii</i> / 574
<i>Bilderdykia dumetorum</i> / 113	<i>Blyxa aubertii</i> var. <i>echinosperma</i> / 574
<i>Bilderdykia pauciflora</i> / 114	<i>Blyxa caulescens</i> / 574
<i>Bilderdykia scandens</i> var. <i>dentatoalata</i> / 113	<i>Blyxa ecaudata</i> / 574
<i>Biota orientalis</i> / 68	<i>Blyxa echinosperma</i> / 574
<i>Biotia discolor</i> / 521	<i>Blyxa japonica</i> / 574
<i>Bistorta</i> / 111	<i>Blyxa muricata</i> / 574
<i>Bistorta alopecuroides</i> / 111	<i>Bobua prunifolia</i> / 403
<i>Bistorta bulbifera</i> / 113	<i>Bobua prunifolia</i> var. <i>uiae</i> / 403
<i>Bistorta constans</i> / 112	<i>Bobua uiae</i> / 403
<i>Bistorta franchetiana</i> / 112	<i>Boehmeria</i> / 103
<i>Bistorta globispica</i> / 111	<i>Boehmeria bodinieri</i> / 103

■ Scientific name Index

- Boehmeria fruticosa* / 106
Boehmeria grandifolia / 103
Boehmeria grandissima var. *serrulata* / 104
Boehmeria hirtella / 104
Boehmeria japonica / 103
Boehmeria japonica var. *platanifolia* / 103
Boehmeria japonica var. *tricuspidis* / 104
Boehmeria longispica / 103
Boehmeria longispica var. *appendiculata* / 103
Boehmeria longispica var. *platanifolia* / 103
Boehmeria longispica var. *tricuspidis* / 104
Boehmeria maximowiczii / 103
Boehmeria nakaiana / 104
Boehmeria nippononivea / 103
Boehmeria nivea / 103
Boehmeria nivea subsp. *nippononivea* / 103
Boehmeria nivea var. *nippononivea* / 103
Boehmeria nivea var. *nivea* / 103
Boehmeria pannosa / 103
Boehmeria platanifolia / 103
Boehmeria platanifolia var. *sylvestrii* / 103
Boehmeria platanifolia var. *tricuspidis* / 104
Boehmeria platyphylla var. *sieboldiana* / 104
Boehmeria platyphylla var. *tricuspidis* / 104
Boehmeria pseudosieboldiana / 104
Boehmeria quelpaertensis / 104
Boehmeria sieboldiana / 104
Boehmeria sieboldiana f. *hirtella* / 104
Boehmeria sieboldiana f. *nakatana* / 104
Boehmeria sieboldiana f. *taquetii* / 104
Boehmeria sieboldiana var. *scabra* / 104
Boehmeria spicata / 104
Boehmeria spicata var. *microphylla* / 104
Boehmeria taquetii / 104
Boehmeria tricuspidis / 104
Boehmeria tricuspidis var. *tricuspidis* / 105
Boehmeria tricuspidis var. *unicuspis* / 105
Boehmeriopsis pallida / 100
Bolboschoenus / 668
Bolboschoenus fluvialis / 668
Bolboschoenus maritimus / 668
Bolboschoenus planiculmis / 668
Boltonia incisa / 520
Boltonia lautureana / 520
Boltonia pekinensis / 521
BORAGINACEAE / 433
Boschniakia / 478
Boschniakia glabra / 478
- Boschniakia rossica* / 478
Bothriochloa / 624
Bothriochloa ischaemum / 624
Bothriochloa parviflora / 628
Bothriospermum / 434
Bothriospermum imaii / 434
Bothriospermum perenne / 434
Bothriospermum secundum / 434
Bothriospermum secundum f. *albiflorum* / 434
Bothriospermum tenellum / 434
Bothriospermum tenellum var. *asperugoides* / 434
Bothrocaryum controversum / 363
Botrychium / 8
Botrychium atrovirens / 8
Botrychium boreale / 9
Botrychium daucifolium var. *japonicum* / 9
Botrychium japonicum / 9
Botrychium lunaria / 9
Botrychium microphyllum / 9
Botrychium multifidum var. *robustum* / 9
Botrychium nipponicum / 9
Botrychium ramosum / 9
Botrychium robustum / 9
Botrychium rutifolium var. *robustum* / 9
Botrychium simplex / 10
Botrychium strictum / 10
Botrychium tenebrosum / 10
Botrychium ternatum / 10
Botrychium virginianum / 10
Botrypus lunaria / 9
Botrypus strictus / 10
Botrypus virginicus / 10
Brachybotrys / 434
Brachybotrys paridiformis / 434
Brachelytrum / 625
Brachelytrum erectum var. *japonicum* / 625
Brachelytrum japonicum / 625
Brachypodium / 625
Brachypodium ciliare / 633
Brachypodium miserum / 625
Brachypodium sylvaticum / 625
Brachypodium sylvaticum var. *miserum* / 625
Brachypodium sylvaticum var. *sylvaticum* / 625
Brasenia / 182
Brasenia hydropeltis / 182
Brasenia nymphoides / 182
Brasenia purpurea / 182
Brasenia schreberi / 182

BRASSICACEAE / 200	
<i>Brathys japonica</i> / 192	<i>Bulbocodium serotinum</i> / 595
<i>Brathys laxa</i> / 193	<i>Bulbophyllum</i> / 717
<i>Braya</i> / 203	<i>Bulbophyllum drymoglossum</i> / 717
<i>Braya humilis</i> / 203	<i>Bulbophyllum inconspicuum</i> / 717
<i>Breea</i> / 525	<i>Bulbostylis</i> / 668
<i>Breea segeta</i> / 525	<i>Bulbostylis barbata</i> / 668
<i>Breea segeta</i> f. <i>lactiflora</i> / 525	<i>Bulbostylis capillaris</i> var. <i>trifida</i> / 669
<i>Breea setosa</i> / 525	<i>Bulbostylis densa</i> / 668
<i>Briza eragrostis</i> / 635	<i>Bulbostylis densa</i> var. <i>caspitata</i> / 669
<i>Bromopsis canadensis</i> subsp. <i>richardsonii</i> / 626	<i>Bulbostylis densa</i> var. <i>densa</i> / 669
<i>Bromopsis richardsonii</i> / 626	<i>Bulbostylis japonica</i> / 669
<i>Bromus</i> / 625	<i>Bulbostylis ovata</i> / 703
<i>Bromus abolinii</i> / 625	<i>Bulbostylis trifida</i> / 668
<i>Bromus bifidus</i> / 661	<i>Bungea sheareri</i> / 479
<i>Bromus canadensis</i> subsp. <i>yezoensis</i> / 625	<i>Bupleurum</i> / 371
<i>Bromus ciliatus</i> / 625	<i>Bupleurum chinense</i> / 371
<i>Bromus ciliatus</i> var. <i>richardsonii</i> / 626	<i>Bupleurum chinense</i> var. <i>komarovianum</i> / 372
<i>Bromus japonicus</i> / 625	<i>Bupleurum euphorbioides</i> / 372
<i>Bromus ovinus</i> / 637	<i>Bupleurum euphorbioides</i> var. <i>alpestre</i> / 372
<i>Bromus patulus</i> / 625	<i>Bupleurum falcatum</i> subsp. <i>eufalcatum</i> var. <i>scorzonerifolium</i> / 372
<i>Bromus remotiflorus</i> / 625	<i>Bupleurum falcatum</i> subsp. <i>komarovianum</i> / 372
<i>Bromus richardsonii</i> / 626	<i>Bupleurum falcatum</i> subsp. <i>scorzonerifolium</i> / 372
<i>Bromus sylvaticus</i> / 625	<i>Bupleurum komarovianum</i> / 372
<i>Bromus yezoensis</i> / 625	<i>Bupleurum latissimum</i> / 372
<i>Broussonetia</i> / 99	<i>Bupleurum leveillei</i> / 372
<i>Broussonetia cordata</i> / 100	<i>Bupleurum longiradiatum</i> / 372
<i>Broussonetia monoica</i> / 99	<i>Bupleurum longiradiatum</i> f. <i>leveillei</i> / 372
<i>Broussonetia papyrifera</i> / 99	<i>Bupleurum longiradiatum</i> var. <i>leveillei</i> / 372
<i>Broussonetia papyrifera</i> f. <i>oppositifolia</i> / 100	<i>Bupleurum octoradiatum</i> / 372
<i>Broussonetia papyrifera</i> var. <i>japonica</i> / 100	<i>Bupleurum scorzonerifolium</i> / 372
<i>Broussonetia papyrifera</i> var. <i>lucida</i> / 100	<i>Bupleurum scorzonerifolium</i> var. <i>stenophyllum</i> / 372
<i>Broussonetia papyrifera</i> var. <i>normalis</i> / 99	<i>Bupleurum stenophyllum</i> / 372
<i>Broussonetia sieboldii</i> / 99	<i>Bupleurum tatudintze</i> / 372
<i>Broussonetia</i> × <i>hanjiana</i> / 100	<i>Burmannia</i> / 613
<i>Broussonetia</i> × <i>kazinoki</i> / 99	<i>Burmannia championii</i> / 613
<i>Broussonetia</i> × <i>kazinoki</i> f. <i>humilis</i> / 99	<i>Burmannia cryptopetala</i> / 613
<i>Broussonetia</i> × <i>kazinoki</i> f. <i>kazinoki</i> / 99	BURMANNIACEAE / 613
<i>Broussonetia</i> × <i>kazinoki</i> f. <i>koreana</i> / 99	BUXACEAE / 325
<i>Broussonetia</i> × <i>kazinoki</i> var. <i>australis</i> / 99	<i>Buxus</i> / 325
<i>Broussonetia</i> × <i>kazinoki</i> var. <i>humilis</i> / 99	<i>Buxus koreana</i> / 325, 326
<i>Bryanthus caeruleus</i> / 387	<i>Buxus koreana</i> f. <i>elongata</i> / 325, 326
<i>Bryanthus taxifolius</i> / 387	<i>Buxus koreana</i> f. <i>insularis</i> / 325, 326
<i>Bryodesma sibiricum</i> / 7	<i>Buxus microphylla</i> var. <i>elongata</i> / 325
<i>Bryonia japonica</i> / 352	<i>Buxus microphylla</i> var. <i>insularis</i> / 325
<i>Buccaferra cirrhosa</i> / 579	<i>Buxus microphylla</i> var. <i>koreana</i> / 325
<i>Buglossoides arvensis</i> / 436	<i>Buxus sinica</i> var. <i>insularis</i> / 325
<i>Buglossoides zollingeri</i> / 436	<i>Buxus sinica</i> var. <i>koreana</i> / 325

Buxus sinica var. *sinica* / 325

Byrsopteris amabilis / 42

Byrsopteris standishii / 43

(C)

CABOMBACEAE / 182

Cacalia aconitifolia / 565

Cacalia adenostyloides / 551

Cacalia auriculata / 551

Cacalia auriculata var. *kamtschatica* / 551

Cacalia auriculata var. *matsumurana* / 551

Cacalia auriculata var. *ochotensis* / 551

Cacalia firma / 551

Cacalia firma var. *pseudotaimingasa* / 552

Cacalia hastata / 551

Cacalia hastata subsp. *orientalis* / 552

Cacalia hastata var. *orientalis* / 552

Cacalia kamtschatica / 551

Cacalia pseudotaimingasa / 552

Caesalpinia / 277

Caesalpinia decapetala / 277

Caesalpinia decapetala var. *japonica* / 277

Caesalpinia japonica / 277

Calamagrostis / 626

Calamagrostis angustifolia / 626

Calamagrostis arundinacea / 626

Calamagrostis arundinacea var. *arundinacea* / 626

Calamagrostis arundinacea var. *inaequata* / 626

Calamagrostis bungeana / 626

Calamagrostis canadensis subsp. *langsдорffii* / 626

Calamagrostis epigejos / 627

Calamagrostis georica / 627

Calamagrostis heterogluma / 627

Calamagrostis langsdorffii / 628

Calamagrostis langsdorffii var. *langsdorffii* / 627

Calamagrostis langsdorffii var. *ramosa* / 627

Calamagrostis lapponica / 627

Calamagrostis macrolepis / 627

Calamagrostis monticola / 627

Calamagrostis neglecta subsp. *aculeolata* / 627

Calamagrostis neglecta var. *aculeolata* / 627

Calamagrostis neglecta var. *neglecta* / 627

Calamagrostis paishanensis / 626

Calamagrostis pseudophragmites / 627

Calamagrostis purpurea / 628

Calamagrostis sachalinensis / 628

Calamagrostis stricta var. *aculeolata* / 627

Calamagrostis subacrochaeta / 628

Calamagrostis thrysoidea / 627

Calamagrostis villosa var. *ramosa* / 627

Calamintha albiflora / 453

Calamintha argyi / 453

Calamintha chinensis var. *grandiflora* / 443

Calamintha clinopodium var. *urticifolia* / 443

Calamintha clipeata / 451

Calamintha confinis / 443

Calamintha coreana / 443

Calamintha fauriei / 443

Calamintha gracilis / 443

Calamintha multicaulis / 444

Calamintha radicans / 443

Calamintha taquetii / 444

Calamintha umbrosa f. *robustior* / 444

Calamintha umbrosa var. *japonica* / 444

Calamintha umbrosa var. *sachalinensis* / 444

Calamintha umbrosa var. *shibetensis* / 443

Calamintha urticifolia / 443

Calanthe / 718

Calanthe aristulifera / 718

Calanthe bicolor / 718

Calanthe coreana / 718

Calanthe discolor / 718

Calanthe discolor f. *sieboldii* / 718

Calanthe discolor var. *coreana* / 718

Calanthe insularis / 718

Calanthe reflexa / 718

Calanthe rubra / 718

Calanthe sieboldii / 718

Calanthe striata / 718

Calanthe striata f. *sieboldii* / 718

Caldesia / 573

Caldesia parnassifolia / 573

Calimeris hispida / 519

Calla / 664

Calla palustris / 664

Callianthemum / 162

Callianthemum insigne / 162

Callicarpa / 438

Callicarpa chejuensis / 439

Callicarpa dichotoma / 438

Callicarpa farinosa / 439

Callicarpa gracilis / 438

Callicarpa jamamurasaki / 438

Callicarpa japonica / 438

Callicarpa japonica f. *latifolia* / 438

Callicarpa japonica f. *parvifolia* / 438
Callicarpa japonica f. *rugosior* / 438
Callicarpa japonica f. *taquetii* / 438
Callicarpa japonica subsp. *luxurianus* / 439
Callicarpa japonica var. *angustifolia* / 438
Callicarpa japonica var. *dichotoma* / 438
Callicarpa japonica var. *glabra* / 438
Callicarpa japonica var. *japonica* / 438
Callicarpa japonica var. *luxurians* / 438
Callicarpa japonica var. *taquetii* / 438
Callicarpa longifolia var. *subglabra* / 438
Callicarpa mollis / 439
Callicarpa mollis f. *ramosissima* / 439
Callicarpa mollis var. *chejuensis* / 439
Callicarpa mollis var. *microphylla* / 439
Callicarpa mollis var. *mollis* / 439
Callicarpa mollis var. *ramosissima* / 439
Callicarpa purpurea / 438
Callicarpa sieboldii / 438
Callicarpa taquetii / 438
Callicarpa zollingeriana / 439
Callicarpa × *shiraswana* / 439
Callisace dahurica / 369
Callistephus / 526
Callistephus chinensis / 526
Callistephus hortense / 526
Callitricha / 482
Callitricha dubia / 483
Callitricha fallax / 483
Callitricha japonica / 482
Callitricha nana / 482
Callitricha pallens / 483
Callitricha palustris / 482
Callitricha tenuifolia / 483
Callitricha verna / 483
Callitricha verna var. *fallax* / 483
Callitricha vernalis / 483
Calpidisca takenakai / 481
Caltha / 162
Caltha arctica subsp. *sibirica* / 162
Caltha membranacea f. *erecta* / 162
Caltha minor / 162
Caltha natans / 162
Caltha palustris / 162
Caltha palustris var. *nipponica* / 162
Caltha palustris var. *sibirica* f. *erecta* / 162
Calypso / 718
Calypso bulbosa / 718

Calyptranthe petiolaris var. *cordifolia* / 228
Calyptranthe petiolaris var. *ovalifolia* / 228
Calysphyrum floridum / 494
Calysphyrum roseum / 494
Calystegia / 431
Calystegia acetosifolia / 431
Calystegia americana / 432
Calystegia asarifolius / 432
Calystegia dahurica / 431
Calystegia dahurica var. *pellita* / 431
Calystegia hederacea / 431
Calystegia hederacea var. *elongata* / 431
Calystegia japonica / 432
Calystegia japonica f. *albiflora* / 432
Calystegia japonica var. *angustifolia* / 432
Calystegia japonica var. *albiflora* / 432
Calystegia japonica var. *elongata* / 432
Calystegia pellita / 431
Calystegia pubescens / 432
Calystegia reniformis / 432
Calystegia sepium / 432
Calystegia sepium var. *americana* / 432
Calystegia sepium var. *communis* / 432
Calystegia sepium var. *dahurica* / 431
Calystegia sepium var. *integrifolia* / 432
Calystegia sepium var. *japonicum* f. *albiflora* / 432
Calystegia sepium var. *japonicum* f. *angustifolia* / 432
Calystegia soldanella / 432
Calystegia subvolubilis / 432
Calystegia subvolubilis f. *angustifolia* / 432
Calystegia subvolubilis var. *albiflora* / 432
Camellia / 189
Camellia florida / 189
Camellia japonica / 189
Camellia japonica f. *albipetala* / 189
Camellia japonica subsp. *hortensis* / 189
Camellia mutabilis / 189
Camellia tsubakki / 189
Campanula / 503
Campanula agrestis / 507
Campanula circaeoides / 506
Campanula coronopifolia / 498
Campanula dehiscens / 507
Campanula erysimoides / 499
Campanula fischeriana / 499
Campanula glomerata subsp. *glomerata* / 503
Campanula glomerata subsp. *speciosa* / 504
Campanula glomerata var. *alba* / 504

■ Scientific name Index

<i>Campanula glomerata</i> var. <i>dahurica</i> / 504	<i>Capriola dactylon</i> / 630
<i>Campanula glomerata</i> var. <i>speciosa</i> / 504	<i>Capsella</i> / 203
<i>Campanula gmelinii</i> / 499	<i>Capsella bursa</i> / 203
<i>Campanula grandiflora</i> / 506	<i>Capsella bursa-pastoris</i> / 203
<i>Campanula indica</i> / 507	<i>Capsella bursa-pastoris</i> var. <i>auriculata</i> / 203
<i>Campanula japonica</i> / 503	<i>Capsella bursa-pastoris</i> var. <i>coreana</i> / 203
<i>Campanula lamarckii</i> / 500	<i>Capsella bursa-pastoris</i> var. <i>pinnata</i> / 203
<i>Campanula lavandulifolia</i> / 507	<i>Capsella bursa-pastoris</i> var. <i>triangulagis</i> / 203
<i>Campanula liliifolia</i> / 500	<i>Capsella furcata</i> / 203
<i>Campanula marginata</i> / 507	<i>Capsella longiracemosa</i> / 203
<i>Campanula monadelpha</i> / 499	<i>Capsella pastoralis</i> / 203
<i>Campanula pereskifolia</i> / 500	<i>Capsella polymorpha</i> / 203
<i>Campanula punctata</i> / 504	<i>Capsicum anomalum</i> / 462
<i>Campanula punctata</i> var. <i>takesimana</i> / 504	<i>Caragana</i> / 278
<i>Campanula rabelaisiana</i> / 499	<i>Caragana altagana</i> / 278
<i>Campanula remotiflora</i> / 501	<i>Caragana fruticosa</i> / 278
<i>Campanula salicifolia</i> / 499	<i>Caragana microphylla</i> / 278
<i>Campanula takesimana</i> / 504	<i>Cardamine</i> / 203
<i>Campanula tetraphylla</i> / 502	<i>Cardamine acaulis</i> / 206
<i>Campanula triphylla</i> / 502	<i>Cardamine amariformis</i> / 203
CAMPANULACEAE / 498	<i>Cardamine angulata</i> var. <i>kamtschatica</i> / 207
<i>Campanumoea japonica</i> / 504	<i>Cardamine anhuiensis</i> / 204
<i>Campanumoea lanceolata</i> / 504	<i>Cardamine apetala</i> / 204
<i>Campanumoea pilosula</i> / 505	<i>Cardamine arakiana</i> / 204
<i>Campe orthoceras</i> var. <i>dolichocarpa</i> / 202	<i>Cardamine argyi</i> / 205
<i>Camphora officinarum</i> / 149	<i>Cardamine bellidifolia</i> / 203
<i>Camphora vera</i> / 149	<i>Cardamine borealis</i> / 206
<i>Campylotropis</i> / 277	<i>Cardamine buchtormensis</i> / 206
<i>Campylotropis macrocarpa</i> / 277	<i>Cardamine cathayensis</i> / 205
<i>Canavalia</i> / 277	<i>Cardamine changbaiana</i> / 204
<i>Canavalia lineata</i> / 277	<i>Cardamine chelidonioides</i> / 207
CANNABACEAE / 102	<i>Cardamine dasycarpa</i> / 205
<i>Capillipedium</i> / 628	<i>Cardamine dasyloba</i> / 205
<i>Capillipedium parviflorum</i> / 628	<i>Cardamine dentipetala</i> / 207
<i>Capnoides bungeana</i> / 196	<i>Cardamine fallax</i> / 204
<i>Capnoides decumbens</i> / 196	<i>Cardamine flexuosa</i> / 204
<i>Capraria crustacea</i> / 465	<i>Cardamine flexuosa</i> f. <i>microphylla</i> / 204
CAPRIFOLIACEAE / 484	<i>Cardamine flexuosa</i> subsp. <i>fallax</i> / 204
<i>Caprifolium brachypodium</i> / 487	<i>Cardamine flexuosa</i> var. <i>fallax</i> / 204
<i>Caprifolium chrysanthum</i> / 486	<i>Cardamine flexuosa</i> var. <i>latifolia</i> / 207
<i>Caprifolium gibbiflorum</i> / 486	<i>Cardamine flexuosa</i> var. <i>manshurica</i> / 207
<i>Caprifolium japonicum</i> / 487	<i>Cardamine flexuosa</i> var. <i>petiolulata</i> / 204
<i>Caprifolium japonicum</i> f. <i>subverticillare</i> / 487	<i>Cardamine flexuosa</i> var. <i>regeliania</i> / 207
<i>Caprifolium maackii</i> / 488	<i>Cardamine fontinalis</i> / 206
<i>Caprifolium maximowiczii</i> / 488	<i>Cardamine fragilis</i> / 206
<i>Caprifolium ruprechtianum</i> / 489	<i>Cardamine gemmifera</i> / 200
<i>Caprifolium venulosum</i> / 486	<i>Cardamine glandulosa</i> / 212
<i>Caprifolium vidalii</i> / 489	<i>Cardamine glechomifolia</i> / 204

Cardamine grandiflora / 206
Cardamine hirsuta subsp. *flexuosa* / 204
Cardamine hirsuta subsp. *sylvatica* / 204
Cardamine hirsuta var. *flaccida* / 204
Cardamine hirsuta var. *flexuosa* / 204
Cardamine hirsuta var. *formosana* / 204
Cardamine hirsuta var. *regeliana* / 207
Cardamine hirsuta var. *sylvatica* / 204
Cardamine impatiens / 204
Cardamine impatiens f. *apetala* / 205
Cardamine impatiens f. *macropetala* / 205
Cardamine impatiens f. *obtusifolia* / 205
Cardamine impatiens var. *elongata* / 205
Cardamine impatiens var. *eriocarpa* / 205
Cardamine impatiens var. *fumaria* / 206
Cardamine impatiens var. *obutusifolia* / 205
Cardamine jinshaensis / 204
Cardamine komarovii / 205
Cardamine koreana / 205
Cardamine leucantha / 205
Cardamine leucantha f. *koreana* / 205
Cardamine leucantha f. *toensis* / 205
Cardamine leucantha var. *koreana* / 205
Cardamine lyrata / 205
Cardamine macrophylla / 205
Cardamine macrophylla subsp. *polyphylla* / 206
Cardamine macrophylla var. *paryiflora* / 205
Cardamine macrophylla var. *polyphylla* / 206
Cardamine manshurica / 206
Cardamine millsiana / 207
Cardamine miyabei / 205
Cardamine morii / 204
Cardamine nakaiana / 206
Cardamine parviflora var. *manshurica* / 206
Cardamine pentaphylla / 206
Cardamine pilosa / 206
Cardamine polyphylla / 206
Cardamine pratensis / 206
Cardamine pratensis var. *prorepens* / 207
Cardamine praticola / 206
Cardamine prorepens / 206
Cardamine prorepens var. *hebecarpa* / 207
Cardamine pseudowasabi / 210
Cardamine pubescens / 206
Cardamine regeliana / 207
Cardamine regeliana var. *manshurica* / 207
Cardamine resedifolia var. *morii* / 204
Cardamine sachalinensis / 206

Cardamine saxatilis / 205
Cardamine schulziana / 207
Cardamine scutata / 207
Cardamine scutata subsp. *fallax* / 204
Cardamine scutata subsp. *flexuosa* / 204
Cardamine scutata subsp. *regeliana* / 207
Cardamine scutata var. *formosana* / 204
Cardamine senanensis / 205
Cardamine stolonifera / 206
Cardamine sublyrata / 212
Cardamine sutata var. *manshurica* / 207
Cardamine sylvatica / 204
Cardamine tanakae / 207
Cardamine tangutorum / 206
Cardamine taquetii / 204
Cardamine toensis / 205
Cardamine tomentella / 205
Cardamine ullepiciiana / 206
Cardamine urbaniana / 206
Cardamine yezoensis / 207
Cardamine yezoensis var. *roseiflora* / 207
Cardaminopsis kamtschatica / 201
Cardaminopsis lyra / 201
Cardiochilum heterophyllum / 449
Carduus arvensis var. *setosus* / 526
Carduus atriplicifolius / 565
Carduus japonicum / 528
Carduus linearis / 529
Carduus segetum / 525
Carex / 669
Carex acerascens / 669
Carex accrescens var. *sylvipaludosa* / 669
Carex acrogyna / 685
Carex acrolepis / 679
Carex acuta var. *appendiculata* / 670
Carex adumana / 682
Carex aequialta / 669
Carex alba subsp. *ussuriensis* / 697
Carex alba var. *ussuriensis* / 697
Carex albata / 688
Carex alopecuroides var. *chlorostachys* / 676
Carex alpina var. *longipedunculata* / 679
Carex alta var. *brevior* / 678
Carex alterniflora / 669
Carex alterniflora var. *alterniflora* / 669
Carex alterniflora var. *rubrovaginata* / 669
Carex amblyolepis / 698
Carex ampullacea var. *borealis* / 692

■ Scientific name Index

- | | |
|--|---|
| <p><i>Carex aomorensis</i> / 673
<i>Carex aphanolepis</i> / 669
<i>Carex appendiculata</i> / 670
<i>Carex arcuata</i> / 687
<i>Carex arenicola</i> / 670
<i>Carex argyrostachys</i> / 678
<i>Carex aristata</i> subsp. <i>raddei</i> / 691
<i>Carex arnellii</i> / 670
<i>Carex arrhyncha</i> / 696
<i>Carex atrata</i> / 670
<i>Carex atrata</i> var. <i>japonalpina</i> / 670
<i>Carex attenuata</i> / 693
<i>Carex austustinowiczii</i> / 670
<i>Carex austustinowiczii</i> var. <i>macrogyna</i> / 670
<i>Carex auriculata</i> / 690
<i>Carex austrokoreensis</i> / 683
<i>Carex autumnalis</i> / 671
<i>Carex bakanensis</i> / 683
<i>Carex basilata</i> / 676
<i>Carex bellardii</i> / 709
<i>Carex benkei</i> / 671
<i>Carex bidentula</i> / 670
<i>Carex bigelowii</i> / 671
<i>Carex bispicata</i> / 684
<i>Carex biwensis</i> / 671
<i>Carex blepharicarpa</i> / 671
<i>Carex blepharicarpa</i> var. <i>insularis</i> / 671
<i>Carex blyttii</i> / 675
<i>Carex bohemica</i> / 671
<i>Carex bongardii</i> / 671
<i>Carex boninensis</i> / 671
<i>Carex boottiana</i> / 671
<i>Carex bostrychostigma</i> / 672
<i>Carex brachystachya</i> / 673
<i>Carex brenneri</i> / 693
<i>Carex breviculmis</i> / 672
<i>Carex breviculmis</i> f. <i>fibrillosa</i> / 672
<i>Carex breviculmis</i> subsp. <i>fibrillosa</i> / 672
<i>Carex breviculmis</i> var. <i>breviculmis</i> / 672
<i>Carex breviculmis</i> var. <i>fibrillosa</i> / 672
<i>Carex breviculmis</i> var. <i>kingiana</i> / 686
<i>Carex breviculmis</i> var. <i>pluricostata</i> / 672
<i>Carex breviculmis</i> var. <i>puberula</i> / 691
<i>Carex brevispicula</i> / 672
<i>Carex brownii</i> subsp. <i>transversa</i> / 696
<i>Carex brownii</i> var. <i>transversa</i> / 697
<i>Carex brunnea</i> var. <i>sendaica</i> / 694
<i>Carex bungeana</i> / 679</p> | <p><i>Carex buxbaumii</i> / 672
<i>Carex calcitrapa</i> / 685
<i>Carex callitrichos</i> var. <i>nana</i> / 680
<i>Carex camtschatcense</i> / 684
<i>Carex candelleana</i> / 672
<i>Carex canescens</i> / 672
<i>Carex capillacea</i> / 673
<i>Carex capillacea</i> var. <i>aomorensis</i> / 673
<i>Carex capillacea</i> var. <i>capillacea</i> / 673
<i>Carex capillacea</i> var. <i>linzensis</i> / 673
<i>Carex capillacea</i> var. <i>sachalinensis</i> / 673
<i>Carex capillacea</i> var. <i>yunnanensis</i> / 673
<i>Carex capillaris</i> / 673
<i>Carex capituliformis</i> / 688
<i>Carex capricornis</i> / 673
<i>Carex caryophyllea</i> subsp. <i>nervata</i> / 687
<i>Carex caryophyllea</i> var. <i>caryophyllea</i> / 673
<i>Carex caryophyllea</i> var. <i>microtricha</i> / 674
<i>Carex cavaleriei</i> / 682
<i>Carex cespitosa</i> / 674
<i>Carex cespitosa</i> var. <i>rubra</i> / 674
<i>Carex chaetorhiza</i> / 670
<i>Carex chamissoi</i> / 689
<i>Carex cheilungkiangnica</i> / 675
<i>Carex chilosacca</i> / 685
<i>Carex chinensis</i> var. <i>tsushimensis</i> / 697
<i>Carex chinensis</i> var. <i>variegata</i> / 685
<i>Carex chordorrhiza</i> / 674
<i>Carex chordorrhiza</i> var. <i>major</i> / 691
<i>Carex chordorrhiza</i> var. <i>pseudocuraica</i> / 691
<i>Carex chosenica</i> / 674
<i>Carex chungii</i> / 674
<i>Carex ciliato-marginata</i> / 674
<i>Carex cincta</i> / 690
<i>Carex cincta</i> var. <i>subphacota</i> / 690
<i>Carex cinerascens</i> / 675
<i>Carex conica</i> / 675
<i>Carex coreana</i> / 675
<i>Carex coronata</i> / 675
<i>Carex crassinervia</i> / 686
<i>Carex cryptocarpa</i> / 684
<i>Carex curtiglumis</i> / 670
<i>Carex dahurica</i> subsp. <i>chosenica</i> / 674
<i>Carex delicatula</i> / 682
<i>Carex diamantina</i> / 677
<i>Carex dickinsii</i> / 675
<i>Carex digama</i> / 675
<i>Carex digitata</i> subsp. <i>quadriflora</i> / 691</p> |
|--|---|

<i>Carex digitata</i> var. <i>pallida</i> / 691	<i>Carex forficula</i> / 677
<i>Carex dimorpholepis</i> / 675	<i>Carex forficula</i> var. <i>scabrida</i> / 677
<i>Carex dineuros</i> / 681	<i>Carex formosensis</i> / 677
<i>Carex discolor</i> / 675	<i>Carex franchetiana</i> / 694
<i>Carex dispalata</i> / 675	<i>Carex fridrichsthaliana</i> / 674
<i>Carex disperma</i> / 675	<i>Carex fujimakii</i> / 684
<i>Carex dissitispicula</i> / 681	<i>Carex fujitae</i> / 684
<i>Carex distantiflora</i> / 685	<i>Carex fuliginosa</i> var. <i>misandra</i> / 686
<i>Carex disticha</i> subsp. <i>lithophila</i> / 683	<i>Carex fulvicoma</i> / 674
<i>Carex distichoidea</i> / 683	<i>Carex funicularis</i> / 686
<i>Carex doiana</i> / 675	<i>Carex funiformis</i> / 674
<i>Carex doniana</i> / 676	<i>Carex fusanensis</i> / 678
<i>Carex drejeri</i> / 674	<i>Carex fuscocuprea</i> / 683
<i>Carex drummondiana</i> / 693	<i>Carex genkaiensis</i> / 678
<i>Carex drymophila</i> / 676	<i>Carex gibba</i> / 678
<i>Carex drymophila</i> var. <i>drymophila</i> / 676	<i>Carex gifuensis</i> / 678
<i>Carex drymophila</i> var. <i>glabrescens</i> / 678	<i>Carex gifuensis</i> f. <i>argyrostachys</i> / 678
<i>Carex drymophila</i> var. <i>pilifera</i> / 676	<i>Carex gifuensis</i> var. <i>koreana</i> / 678
<i>Carex drymophila</i> var. <i>reducta</i> / 676	<i>Carex glabella</i> / 674
<i>Carex dufourei</i> / 693	<i>Carex glabrescens</i> / 678
<i>Carex duriuscula</i> / 676	<i>Carex glauciformis</i> / 678
<i>Carex duriuscula</i> subsp. <i>rigescens</i> / 692	<i>Carex globularis</i> / 678
<i>Carex duvaliana</i> var. <i>alterniflora</i> / 669	<i>Carex globularis</i> var. <i>mitsuriokensis</i> / 678
<i>Carex echinata</i> / 676	<i>Carex gmelinii</i> / 678
<i>Carex egena</i> / 677	<i>Carex gotoi</i> / 679
<i>Carex elegans</i> / 683	<i>Carex graciliculmis</i> / 693
<i>Carex eleusinoides</i> / 676	<i>Carex gracilipes</i> / 690
<i>Carex eleusinoides</i> var. <i>flaccidior</i> / 670	<i>Carex grandisquama</i> / 689
<i>Carex eleusinoides</i> var. <i>subalpina</i> / 676	<i>Carex haematochrys</i> / 679
<i>Carex erecta</i> / 674	<i>Carex hakonensis</i> / 679
<i>Carex eriandrolepis</i> / 693	<i>Carex hakonensis</i> var. <i>capituliformis</i> / 688
<i>Carex erythrobasis</i> / 677	<i>Carex hakonensis</i> var. <i>onoei</i> / 688
<i>Carex excisa</i> / 675	<i>Carex hallaisanensis</i> / 677
<i>Carex explens</i> / 672	<i>Carex hancei</i> / 682
<i>Carex fauriae</i> / 690	<i>Carex hancockiana</i> / 679
<i>Carex fedia</i> var. <i>pilifera</i> / 676	<i>Carex hancockiana</i> var. <i>peiktusanii</i> / 690
<i>Carex ferax</i> / 674	<i>Carex hebecarpa</i> var. <i>ligulata</i> / 683
<i>Carex fernaldiana</i> / 677	<i>Carex heterolepis</i> / 679
<i>Carex fibrillosa</i> / 672	<i>Carex heterostachya</i> / 679
<i>Carex filipes</i> var. <i>filipes</i> / 677	<i>Carex holmiana</i> / 672
<i>Carex filipes</i> var. <i>oligostachys</i> / 677	<i>Carex holotricha</i> / 682
<i>Carex filipes</i> / 677	<i>Carex homoiolepis</i> / 687
<i>Carex filipes</i> subsp. <i>oligostachys</i> / 677	<i>Carex hondoensis</i> / 679
<i>Carex filipes</i> var. <i>rouyanii</i> / 677	<i>Carex humbertiana</i> / 680
<i>Carex fischeriana</i> / 674	<i>Carex humilis</i> subsp. <i>lanceolata</i> / 682
<i>Carex flabellata</i> / 677	<i>Carex humilis</i> var. <i>humilis</i> / 680
<i>Carex flaccidior</i> / 670	<i>Carex humilis</i> var. <i>nana</i> / 680
<i>Carex flectens</i> / 689	<i>Carex idzuroei</i> / 680

■ Scientific name Index

Carex incisa / 680
Carex infirma / 670
Carex ischnostachya / 680
Carex jackiana var. *jackiana* / 680
Carex jackiana var. *macroglossa* / 680
Carex jaluensis / 681
Carex japonica / 681
Carex japonica subsp. *chlorostachys* / 676
Carex japonica var. *aphanolepis* / 670
Carex japonica var. *chlorostachys* / 676
Carex japonica var. *gracilis* / 681
Carex japonica var. *humilis* / 670
Carex japonica var. *minor* / 681
Carex japonica var. *naipianguensis* / 690
Carex japonoalpina / 670
Carex kamagariensis / 674
Carex kamikawensis / 693
Carex keiskei / 683
Carex kengii / 689
Carex kingiana / 686
Carex kirganica / 681
Carex kirilovii / 689
Carex kobomugi / 681
Carex kokrinensis / 676
Carex komaroviana / 679
Carex korshinskyi / 681
Carex krameri / 679
Carex kujuzana / 681
Carex kujuzana var. *dissitispicula* / 681
Carex kunioi / 681
Carex lachenalii / 681
Carex laevissima / 682
Carex lagopina / 682
Carex lanceolata / 682
Carex lanceolata var. *nana* / 680
Carex lasiocarpa / 682
Carex lasiolepis / 682
Carex lasiolepis var. *lata* / 682
Carex laticeps / 682
Carex laticuspis / 679
Carex latisquamea / 682
Carex latitans / 685
Carex laxa / 682
Carex leersii / 676
Carex lehmannii / 683
Carex leiorhyncha / 683
Carex lenta / 683
Carex lenta var. *sendaica* / 694

Carex lepidopristsis / 690
Carex leucocarpa / 678
Carex leucochlora / 672
Carex leucochlora var. *fibrillosa* / 672
Carex leucochlora var. *meridiana* / 686
Carex leucoglochin / 689
Carex leucolepis / 696
Carex ligata var. *formosensis* / 677
Carex ligulata / 683
Carex ligulata var. *austrokoreensis* / 683
Carex limosa / 683
Carex limosa var. *fuscocuprea* / 683
Carex limosa var. *livida* / 684
Carex lineolata / 694
Carex lithophila / 683
Carex littorea / 691
Carex livida / 683
Carex loliacea / 684
Carex longirostrata / 684
Carex longirostrata var. *longirostrata* / 684
Carex longirostrata var. *pallida* / 684
Carex longirostrata var. *recurvifolia* / 684
Carex longisquamata / 682
Carex lyngbyei / 684
Carex lyngbyei subsp. *cryptocarpa* / 684
Carex lyngbyei subsp. *phenocarpa* / 684
Carex lyngbyei var. *cryptocarpa* / 684
Carex lyngbyei var. *prionocarpa* / 684
Carex maackii / 684
Carex maackii var. *nipponica* / 685
Carex mackenziei / 685
Carex macrandrolepsis / 685
Carex macrocephala f. *kobomugi* / 681
Carex macrocephala var. *kobomugi* / 681
Carex macrochlamys / 683
Carex macroglossa / 680
Carex macromollicula / 690
Carex macroura subsp. *kirilovii* / 689
Carex maculata / 685
Carex makinoensis / 685
Carex malacocarpa / 685
Carex malinvaldii / 694
Carex mandshurica / 685
Carex marginaria / 679
Carex matsumurae / 685
Carex maximowiczii / 685
Carex maximowiczii subsp. *suifunensis* / 695
Carex maximowiczii var. *levisaccus* / 686

Carex maximowiczii var. *maximowiczii* / 686
Carex maximowiczii var. *suifunensis* / 695
Carex meridiana / 686
Carex metallica / 686
Carex meyeriana / 686
Carex micans / 685
Carex micrantha / 686
Carex microtricha / 674
Carex mira / 686
Carex misandra / 686
Carex mitrata / 686
Carex mitrata subsp. *aristata* / 687
Carex mitrata var. *aristata* / 687
Carex mitrata var. *mitrata* / 687
Carex mitrata var. *vigens* / 678
Carex mitsuriokensis / 678
Carex miyabei / 687
Carex mollicula / 687
Carex mollissima / 687
Carex monadelpha / 697
Carex monile / 698
Carex montana var. *manchuriensis* / 697
Carex montana var. *oxyandra* / 688
Carex motoskei / 681
Carex multifolia / 687
Carex myosuroides / 709
Carex nagasakensis / 680
Carex nakaii / 675
Carex nakasimae / 687
Carex nanella / 680
Carex naumanniana / 675
Carex nemorensis / 690
Carex neofilipes / 696
Carex nervata / 687
Carex nervulosa / 694
Carex neurocarpa / 687
Carex nipponica / 684
Carex nipposinica / 672
Carex nodaeana / 684
Carex norvegica / 687
Carex nubigena subsp. *albata* / 688
Carex nubigena var. *albata* / 688
Carex nubigena var. *nubigena* / 688
Carex nutans var. *platyrhyncha* / 691
Carex nutans var. *pumila* / 691
Carex oahuensis var. *boottiana* / 671
Carex obliqua / 689
Carex ochrochlamys / 688

Carex okamotoi / 688
Carex okushirensis / 675
Carex oligandra / 672
Carex oligosperma / 688
Carex oligostachys / 677
Carex omiana / 688
Carex onoei / 688
Carex onoei var. *capituliformis* / 688
Carex onoei var. *krameri* / 679
Carex ontakensis / 673
Carex orthostachys var. *drymophila* / 676
Carex ouensanensis / 675
Carex ovata / 707
Carex oxyandra / 688
Carex pachinensis / 686
Carex pacifica / 674
Carex paishanensis / 670
Carex paniculigera / 690
Carex papulosa / 689
Carex parciflora var. *macroglossa* / 680
Carex pauciflora / 689
Carex paxii / 689
Carex paxii var. *succedanea* / 689
Carex pediformis / 689
Carex pediformis var. *caespitosa* / 693
Carex pediformis var. *floribunda* / 689
Carex pediformis var. *obliqua* / 693
Carex pediformis var. *pediformis* / 689
Carex pediformis var. *pedunculata* / 689
Carex pediformis var. *rostrata* / 693
Carex pedunculata subsp. *erythrobasis* / 677
Carex pedunculata var. *erythrobasis* / 677
Carex peiktusanii / 690
Carex pellucida / 689
Carex pensylvanica var. *amblyolepis* / 698
Carex periculosa / 679
Carex petraea / 693
Carex phacota / 690
Carex phacota var. *cincta* / 690
Carex phacota var. *shichiseitensis* / 690
Carex phaeothrix / 690
Carex picea / 672
Carex pierotii / 694
Carex pilosa / 690
Carex pisiformis f. *polyschoena* / 691
Carex pisiformis var. *alterniflora* / 669
Carex pisiformis var. *subebractea* / 693
Carex planiculmis / 690

■ Scientific name Index

- Carex platyphylla* / 694
Carex platyrhyncha / 691
Carex pocilliformis / 697
Carex poulisquama / 690
Carex pollens / 675
Carex polyschoena / 691
Carex praestabilis / 693
Carex prionocarpa / 684
Carex pruinosa subsp. *maximowiczii* / 685
Carex pruinosa var. *levisaccus* / 686
Carex pruinosa var. *suifunensis* / 695
Carex pseudochinensis / 691
Carex pseudocuraica / 691
Carex pseudocyperus var. *brachystachya* / 673
Carex pseudovesicaria / 680
Carex pseudowrightii / 698
Carex pteroloma / 678
Carex puberula / 691
Carex pumila / 691
Carex pumila subsp. *littorea* / 691
Carex putjatini / 686
Carex quadriflora / 691
Carex raddei / 691
Carex rara subsp. *bivensis* / 671
Carex rara subsp. *capillacea* / 673
Carex rara subsp. *capillacea* var. *nana* / 673
Carex rara var. *bivensis* / 671
Carex rara var. *capillacea* / 673
Carex reflexistylo / 671
Carex remota var. *remotiformis* / 692
Carex remotiformis / 692
Carex remotiuscula / 692
Carex rhizodes var. *abbreviata* / 689
Carex rhizopoda / 692
Carex rhynchophysa / 692
Carex riabushinskii / 684
Carex rigescens / 692
Carex ringgoldiana / 680
Carex riparia var. *rugulosa* / 692
Carex rochebrunii var. *remotiformis* / 692
Carex rostrata / 692
Carex rostrata var. *borealis* / 692
Carex rostrata var. *rostrata* / 692
Carex rouyana / 677
Carex rubescens / 675
Carex rubra / 674
Carex rugata / 692
Carex rugulosa / 692
- Carex rugulosa* var. *graciliculmis* / 693
Carex rugulosa var. *rugulosa* / 693
Carex rupestris / 693
Carex sabynensis / 693
Carex sabynensis var. *leiosperma* / 693
Carex sabynensis var. *rostrata* / 693
Carex sabynensis var. *sabynensis* / 693
Carex sachalinensis subsp. *alterniflora* / 669
Carex sachalinensis var. *alterniflora* / 669
Carex sadae / 671
Carex salina var. *minor* / 695
Carex saskatschewana / 673
Carex seabrigulmis / 696
Carex seabrifolia / 694
Carex schkuhriana / 675
Carex schmidii / 694
Carex sedakowii / 694
Carex sekimotoi / 689
Carex sendaica / 694
Carex sepulta / 691
Carex setariiformis / 683
Carex sharyotensis / 685
Carex shichiseitensis / 690
Carex shimidzensis / 694
Carex shimidzensis var. *nervulosa* / 694
Carex sibirica / 684
Carex siccata subsp. *pallida* / 669
Carex siderosticta / 694
Carex siderosticta var. *bracteosa* / 694
Carex siderosticta var. *pilosa* / 674
Carex siderosticta var. *variegata* / 694
Carex simplicissima / 673
Carex siroumensis / 695
Carex songorica subsp. *gotoi* / 679
Carex sorachensis / 694
Carex sordida / 695
Carex soyaeensis / 670
Carex sparsiflora var. *borealis* / 698
Carex splendentissima / 695
Carex squamoidea / 674
Carex stellulata / 676
Carex stenantha / 672
Carex stenophylla var. *duriuscula* / 676
Carex stenophylla var. *rigescens* / 692
Carex stipata / 695
Carex stupenda / 671
Carex stupenda var. *robusta* / 671
Carex subanceps / 675

<i>Carex subconcolor</i> / 670	<i>Carex uda</i> var. <i>sachalinensis</i> / 673
<i>Carex suberea</i> / 694	<i>Carex ulobasis</i> / 697
<i>Carex subphacota</i> / 690	<i>Carex umbrosa</i> subsp. <i>sabynensis</i> / 693
<i>Carex subspathacea</i> / 695	<i>Carex umbrosa</i> var. <i>stolonifera</i> / 693
<i>Carex subumbellata</i> var. <i>koreana</i> / 695	<i>Carex ussuriensis</i> / 697
<i>Carex subumbellata</i> var. <i>subumbellata</i> / 695	<i>Carex vaginata</i> / 697
<i>Carex subvaginata</i> / 694	<i>Carex van-heurckii</i> / 698
<i>Carex succedanea</i> / 689	<i>Carex verna</i> Lam. var. <i>microtricha</i> / 674
<i>Carex suifunensis</i> / 695	<i>Carex vernicosa</i> / 670
<i>Carex sukaczovii</i> / 679	<i>Carex vesicaria</i> / 698
<i>Carex supina</i> var. <i>costata</i> / 681	<i>Carex vesicaria</i> var. <i>calcifoenum</i> / 698
<i>Carex supina</i> var. <i>korshinskyi</i> / 681	<i>Carex vesicaria</i> var. <i>monile</i> / 698
<i>Carex sutchanensis</i> / 689	<i>Carex vidalii</i> / 687
<i>Carex sylvatica</i> / 670	<i>Carex villosa</i> var. <i>latisquamea</i> / 682
<i>Carex taihokuensis</i> / 695	<i>Carex villosa</i> var. <i>wrightii</i> / 682
<i>Carex takeshimensis</i> / 694	<i>Carex viridissima</i> / 685
<i>Carex taquetii</i> / 685	<i>Carex vladimiroviensis</i> / 694
<i>Carex tarumensis</i> / 696	<i>Carex wahuensis</i> var. <i>robusta</i> / 671
<i>Carex tegulata</i> / 696	<i>Carex wallichiana</i> f. <i>glabrescens</i> / 678
<i>Carex teinogyna</i> / 696	<i>Carex wallii</i> / 673
<i>Carex teinogyna</i> var. <i>scabriculmis</i> / 696	<i>Carex wilfordii</i> / 671
<i>Carex tenella</i> var. <i>misera</i> / 675	<i>Carex xiphium</i> / 698
<i>Carex tenella</i> var. <i>nakaii</i> / 676	<i>Carex yabei</i> / 694
<i>Carex tenuiflora</i> / 696	<i>Carex yesoensis</i> / 682
<i>Carex tenuiflora</i> var. <i>arrhyncha</i> / 696	<i>Carex yezo-montana</i> / 671
<i>Carex tenuiformis</i> / 696	<i>Carex yoshinoi</i> / 675
<i>Carex tenuiformis</i> subsp. <i>neofilipes</i> / 696	<i>Caricina canescens</i> / 673
<i>Carex tenuiformis</i> var. <i>neofilipes</i> / 696	<i>Caricina chordorrhiza</i> / 674
<i>Carex tenuiformis</i> var. <i>tenuiformis</i> / 696	<i>Caricinella pauciflora</i> / 689
<i>Carex textorii</i> / 680	<i>Caricinella rupestris</i> / 693
<i>Carex thunbergii</i> var. <i>appendiculata</i> / 670	<i>Carlesia</i> / 372
<i>Carex tiogana</i> / 673	<i>Carlesia sinensis</i> / 372
<i>Carex tobae</i> / 679	<i>Carlostephania minor</i> / 355
<i>Carex tokioensis</i> / 681	<i>Carpesium</i> / 526
<i>Carex tosaensis</i> / 672	<i>Carpesium abrotanoides</i> / 526
<i>Carex toyoshimae</i> / 696	<i>Carpesium abrotanoides</i> var. <i>thunbergianum</i> / 526
<i>Carex transversa</i> / 696	<i>Carpesium atkinsonianum</i> / 526
<i>Carex trappistarum</i> / 679	<i>Carpesium cernuum</i> / 526
<i>Carex trichostyles</i> / 681	<i>Carpesium cernuum</i> var. <i>queenslandica</i> / 526
<i>Carex tripartita</i> / 682	<i>Carpesium divaricatum</i> / 526
<i>Carex tristachya</i> / 697	<i>Carpesium divaricatum</i> var. <i>pygmaea</i> / 526
<i>Carex tristachya</i> subsp. <i>pocilliformis</i> / 697	<i>Carpesium erythrolepis</i> / 526
<i>Carex tristachya</i> var. <i>pocilliformis</i> / 697	<i>Carpesium eximum</i> / 527
<i>Carex tristachya</i> var. <i>tristachya</i> / 697	<i>Carpesium glossophylloides</i> / 526
<i>Carex tsushimensis</i> / 697	<i>Carpesium glossophyllum</i> / 526
<i>Carex tuminensis</i> / 697	<i>Carpesium hieracioides</i> / 526
<i>Carex turczaninowiana</i> / 670	<i>Carpesium macrocephalum</i> / 527
<i>Carex uda</i> / 697	<i>Carpesium manshuricum</i> / 527

■ Scientific name Index

<i>Carpesium rosulatum</i> / 527	<i>Caryopteris</i> / 439
<i>Carpesium scandens</i> / 554	<i>Caryopteris divaricata</i> / 440
<i>Carpesium taquetii</i> / 526	<i>Caryopteris incana</i> / 439
<i>Carpesium thunbergianum</i> / 526	<i>Caryopteris incana</i> f. <i>candida</i> / 439
<i>Carpesium triste</i> / 527	<i>Caryopteris incana</i> var. <i>candida</i> / 439
<i>Carpesium triste</i> var. <i>manshuricum</i> / 527	<i>Caryopteris mastacanthus</i> / 439
<i>Carpesium wulfenianum</i> / 526	<i>Caryopteris ovata</i> / 439
<i>Carpinus</i> / 86	<i>Caryopteris sinensis</i> / 439
<i>Carpinus chowii</i> / 88	<i>Casearia subrhombea</i> / 339
<i>Carpinus cordata</i> / 86	<i>Cassandra calyculata</i> / 385
<i>Carpinus coreana</i> / 88	<i>Cassia mimosoides</i> var. <i>nomame</i> / 278
<i>Carpinus coreana</i> var. <i>major</i> / 88	<i>Cassia nomame</i> / 278
<i>Carpinus coreensis</i> / 87	<i>Castalia pygmaea</i> / 182
<i>Carpinus erosa</i> / 86	<i>Castalia tetragona</i> / 182
<i>Carpinus eximia</i> / 87	<i>Castanea</i> / 89
<i>Carpinus fauriei</i> / 87	<i>Castanea bungeana</i> / 89
<i>Carpinus laxiflora</i> / 87	<i>Castanea crenata</i> / 89
<i>Carpinus laxiflora</i> f. <i>macrophylla</i> / 87	<i>Castanea crenata</i> var. <i>dulcis</i> / 89
<i>Carpinus laxiflora</i> var. <i>chartacea</i> / 87	<i>Castanea crenata</i> var. <i>kusakuri</i> / 89
<i>Carpinus laxiflora</i> var. <i>laxiflora</i> / 87	<i>Castanea duclouxii</i> / 89
<i>Carpinus laxiflora</i> var. <i>longispica</i> / 87	<i>Castanea formosana</i> / 89
<i>Carpinus laxiflora</i> var. <i>macrophylla</i> / 87	<i>Castanea hupehensis</i> / 89
<i>Carpinus laxiflora</i> var. <i>macrothyrsa</i> / 87	<i>Castanea japonica</i> / 89
<i>Carpinus obovatifolia</i> / 87	<i>Castanea japonica</i> var. <i>kusakuri</i> / 89
<i>Carpinus paoshingensis</i> / 87	<i>Castanea kusakuri</i> / 89
<i>Carpinus paxii</i> / 87	<i>Castanea mollissima</i> / 89
<i>Carpinus stipulata</i> / 87	<i>Castanea pubinervis</i> / 89
<i>Carpinus tanakaena</i> / 87	<i>Castanea sativa</i> var. <i>mollissima</i> / 89
<i>Carpinus tschonoskii</i> / 87	<i>Castanea sativa</i> var. <i>pubinervis</i> / 89
<i>Carpinus tschonoskii</i> f. <i>brevicalycina</i> / 87	<i>Castanea stricta</i> / 89
<i>Carpinus tschonoskii</i> f. <i>eximia</i> / 87	<i>Castanea vulgaris</i> var. <i>elongata</i> / 89
<i>Carpinus tschonoskii</i> var. <i>brevicalycina</i> / 87	<i>Castanea vulgaris</i> var. <i>japonica</i> / 89
<i>Carpinus tschonoskii</i> var. <i>eximia</i> / 87	<i>Castanea vulgaris</i> var. <i>kusakuri</i> / 89
<i>Carpinus tschonoskii</i> var. <i>subintegra</i> / 87	<i>Castanea vulgaris</i> var. <i>subdentata</i> / 89
<i>Carpinus turezaninovii</i> / 87	<i>Castanopsis</i> / 89
<i>Carpinus turezaninovii</i> f. <i>coreana</i> / 88	<i>Castanopsis cuspidata</i> / 89
<i>Carpinus turezaninovii</i> var. <i>chungnanensis</i> / 88	<i>Castanopsis cuspidata</i> f. <i>latifolia</i> / 90
<i>Carpinus turezaninovii</i> var. <i>coreana</i> / 88	<i>Castanopsis cuspidata</i> var. <i>sieboldii</i> / 90
<i>Carpinus turezaninovii</i> var. <i>stipulata</i> / 87	<i>Castanopsis cuspidata</i> var. <i>thunbergii</i> / 90
<i>Carpinus yedoensis</i> / 87	<i>Castanopsis cuspidata</i> var. <i>thunbergii</i> f. <i>latifolia</i> / 90
<i>Carpinus yedoensis</i> var. <i>jablonszkyi</i> / 87	<i>Castanopsis sieboldii</i> / 90
<i>Carpinus yedoensis</i> var. <i>serratiauriculata</i> / 87	<i>Castanopsis thunbergii</i> / 90
<i>Carpogynnia jessoensis</i> / 19	<i>Cataria tomentosa</i> / 453
<i>Carum alpestre</i> / 368	<i>Cataria vulgaris</i> / 453
<i>Carum neurophyllum</i> / 381	<i>Cathayea polycarpa</i> / 339
<i>Carum tanakae</i> / 381	<i>Catolobus</i> / 207
<i>Carya cordiformis</i> / 73	<i>Catolobus pendulus</i> / 207
CARYOPHYLLACEAE / 129	<i>Caucalis japonica</i> / 383

<i>Caucalis scabra</i> / 383	
<i>Caulinia fragilis</i> / 581	
<i>Caulinia minor</i> / 581	
<i>Caulinia oguraensis</i> / 581	
<i>Caulinia serristipula</i> / 580	
<i>Caulophyllum</i> / 178	
<i>Caulophyllum robustum</i> / 178	
<i>Caulophyllum thalictroides</i> subsp. <i>robustum</i> / 179	
<i>Causonia japonica</i> / 330	
<i>Cayratia</i> / 330	
<i>Cayratia japonica</i> / 330	
<i>Cayratia japonica</i> var. <i>dentata</i> / 330	
<i>Cayratia tenuifolia</i> / 330	
<i>Cedronella japonica</i> / 441	
<i>Cedronella urticifolia</i> / 450	
CELASTRACEAE / 319	
<i>Celastrus</i> / 319	
<i>Celastrus adenophylla</i> / 318	
<i>Celastrus alatus</i> / 320	
<i>Celastrus articulatus</i> / 320	
<i>Celastrus articulatus</i> var. <i>orbiculata</i> / 320	
<i>Celastrus articulatus</i> var. <i>papillosum</i> / 320	
<i>Celastrus articulatus</i> var. <i>pubescens</i> / 320	
<i>Celastrus articulatus</i> var. <i>stephanotifolius</i> / 320	
<i>Celastrus cilioides</i> / 319	
<i>Celastrus clemacanthus</i> / 319	
<i>Celastrus crispulus</i> / 320	
<i>Celastrus dilatatus</i> / 307	
<i>Celastrus esquirolianus</i> / 327	
<i>Celastrus flagellaris</i> / 319	
<i>Celastrus insularis</i> / 320	
<i>Celastrus japonicus</i> / 308	
<i>Celastrus kouytchensis</i> / 327	
<i>Celastrus lancifolius</i> / 320	
<i>Celastrus orbiculatus</i> / 319	
<i>Celastrus orbiculatus</i> f. <i>papillosum</i> / 320	
<i>Celastrus orbiculatus</i> var. <i>papillosum</i> / 320	
<i>Celastrus orbiculatus</i> var. <i>punctata</i> / 320	
<i>Celastrus orbiculatus</i> var. <i>strigillosus</i> / 320	
<i>Celastrus orixa</i> / 307	
<i>Celastrus stephanotifolius</i> / 320	
<i>Celastrus strigillosus</i> / 320	
<i>Celastrus tatarinowii</i> / 320	
<i>Celastrus versicolor</i> / 320	
<i>Celtis</i> / 95	
<i>Celtis aphanothoides</i> / 96	
<i>Celtis aurantiaca</i> / 95	
<i>Celtis biondii</i> / 95	
	<i>Celtis biondii</i> var. <i>cavalieriei</i> / 95
	<i>Celtis biondii</i> var. <i>heterophylla</i> / 95
	<i>Celtis biondii</i> var. <i>insularis</i> / 95
	<i>Celtis bungeana</i> / 95
	<i>Celtis bungeana</i> var. <i>heterophylla</i> / 95
	<i>Celtis bungeana</i> var. <i>jessoensis</i> / 96
	<i>Celtis choseniana</i> / 96
	<i>Celtis cordifolia</i> / 96
	<i>Celtis davidiana</i> / 96
	<i>Celtis edulis</i> / 96
	<i>Celtis hashimotoi</i> / 96
	<i>Celtis japonica</i> / 96
	<i>Celtis japonica</i> f. <i>magnifica</i> / 96
	<i>Celtis japonica</i> f. <i>purpurascens</i> / 96
	<i>Celtis japonica</i> f. <i>rotundata</i> / 96
	<i>Celtis jessoensis</i> / 96
	<i>Celtis jessoensis</i> var. <i>angustifolia</i> / 96
	<i>Celtis koraiensis</i> / 96
	<i>Celtis koraiensis</i> var. <i>arguta</i> / 96
	<i>Celtis koraiensis</i> var. <i>aurantiaca</i> / 95
	<i>Celtis koraiensis</i> var. <i>holophylla</i> / 96
	<i>Celtis leveillei</i> / 95
	<i>Celtis leveillei</i> var. <i>heterophylla</i> / 95
	<i>Celtis leveillei</i> var. <i>holophylla</i> / 95
	<i>Celtis muku</i> / 95
	<i>Celtis sinensis</i> / 96
	<i>Celtis sinensis</i> var. <i>japonica</i> / 96
	<i>Celtis sinensis</i> var. <i>japonica</i> f. <i>magnifica</i> / 96
	<i>Celtis sinensis</i> var. <i>japonica</i> f. <i>purpurascens</i> / 96
	<i>Celtis sinensis</i> var. <i>japonica</i> f. <i>rotunda</i> / 96
	<i>Celtis taihynchungii</i> / 96
	<i>Centaurea atriplicifolia</i> / 565
	<i>Centaurea grandiflora</i> / 564
	<i>Centaurea membranacea</i> / 564
	<i>Centaurea monantha</i> / 564
	<i>Centella</i> / 373
	<i>Centella asiatica</i> / 373
	<i>Centella boninensis</i> / 373
	<i>Centipeda</i> / 527
	<i>Centipeda minima</i> / 527
	<i>Centipeda orbicularis</i> / 527
	<i>Centranthera</i> / 462
	<i>Centranthera cochinchinensis</i> subsp. <i>lutea</i> / 462
	<i>Centranthera cochinchinensis</i> var. <i>cochininchinensis</i> / 462
	<i>Centranthera cochinchinensis</i> var. <i>lutea</i> / 462
	<i>Centrostachys bidentata</i> / 147
	<i>Cephalanthera</i> / 719
	<i>Cephalanthera ensifolia</i> var. <i>longibracteata</i> / 719

■ Scientific name Index

- | | |
|--|---|
| <p><i>Cephalanthera erecta</i> / 719
<i>Cephalanthera erecta</i> f. <i>erecta</i> / 719
<i>Cephalanthera erecta</i> f. <i>subaphylla</i> / 719
<i>Cephalanthera erecta</i> var. <i>erecta</i> / 719
<i>Cephalanthera erecta</i> var. <i>oblanceolata</i> / 719
<i>Cephalanthera erecta</i> var. <i>subaphylla</i> / 719
<i>Cephalanthera falcata</i> / 719
<i>Cephalanthera japonica</i> / 719
<i>Cephalanthera longibracteata</i> / 719
<i>Cephalanthera longifolia</i> / 720
<i>Cephalanthera platycheila</i> / 719
<i>Cephalanthera subaphylla</i> / 719
<i>Cephalonoplos segetum</i> / 525
<i>Cephalonoplos segetum</i> f. <i>lactiflora</i> / 525
<i>Cephalonoplos setosum</i> / 526
<i>Cephalopanax sessiliflorus</i> / 366
CEPHALOTAXACEA / 69
<i>Cephalotaxu</i> / 69
<i>Cephalotaxus drupacea</i> var. <i>koreana</i> / 69
<i>Cephalotaxus drupacea</i> var. <i>nana</i> / 69
<i>Cephalotaxus harringtonii</i> / 69
<i>Cephalotaxus harringtonii</i> subsp. <i>koreana</i> / 69
<i>Cephalotaxus harringtonii</i> var. <i>nana</i> / 69
<i>Cephalotaxus koreana</i> / 69
<i>Cephalotaxus nana</i> / 69
<i>Cerastium</i> / 129
<i>Cerastium alpinum</i> var. <i>fischerianum</i> / 129
<i>Cerastium aquaticum</i> / 140
<i>Cerastium fischerianum</i> / 129
<i>Cerastium fischerianum</i> var. <i>macrocarpum</i> / 129
<i>Cerastium fischerianum</i> var. <i>molle</i> / 129
<i>Cerastium fontanum</i> subsp. <i>hallaisanense</i> / 130
<i>Cerastium fontanum</i> subsp. <i>vulgare</i> / 129
<i>Cerastium furcatum</i> var. <i>koreanum</i> / 130
<i>Cerastium holosteoides</i> / 129
<i>Cerastium holosteoides</i> subsp. <i>holosteoides</i> / 129
<i>Cerastium holosteoides</i> subsp. <i>vulgare</i> / 129
<i>Cerastium holosteoides</i> var. <i>hallaisanense</i> / 129
<i>Cerastium holosteoides</i> var. <i>holosteoides</i> / 129
<i>Cerastium koreanum</i> / 130
<i>Cerastium ledebourianum</i> / 130
<i>Cerastium oxalidiflorum</i> / 130
<i>Cerastium pauciflorum</i> / 130
<i>Cerastium pauciflorum</i> var. <i>amurense</i> / 130
<i>Cerastium pauciflorum</i> var. <i>oxalidiflorum</i> / 130
<i>Cerastium pauciflorum</i> var. <i>pauciflorum</i> / 130
<i>Cerastium pilosum</i> f. <i>amurense</i> / 130
<i>Cerastium pilosum</i> var. <i>amurense</i> / 130</p> | <p><i>Cerastium rishirens</i> / 129
<i>Cerastium robustum</i> / 129
<i>Cerastium rubescens</i> var. <i>koreanum</i> / 130
<i>Cerastium rubescens</i> var. <i>rubescens</i> / 130
<i>Cerastium schmidtianum</i> / 129
<i>Cerastium vulgare</i> / 129
<i>Cerastium vulgatum</i> var. <i>glandulosum</i> / 129
<i>Cerastium vulgatum</i> var. <i>hallaisanense</i> / 130
<i>Cerastium vulgatum</i> var. <i>macrocarpum</i> / 129
<i>Cerasus glandulifolia</i> / 250
<i>Cerasus glandulosa</i> / 249
<i>Cerasus herincquiana</i> / 253
<i>Cerasus japonica</i> var. <i>glandulosa</i> / 249
<i>Cerasus japonica</i> var. <i>multiplex</i> / 249
<i>Cerasus japonica</i> var. <i>nakaii</i> / 249
<i>Cerasus maximowiczii</i> / 250
<i>Cerasus montana</i> / 253
<i>Cerasus nakaii</i> / 249
<i>Cerasus padus</i> / 250
<i>Cerasus padus</i> var. <i>vulgaris</i> / 250
<i>Cerasus sargentii</i> / 251
<i>Cerasus spachiana</i> / 253
CERATOPHYLLACEAE / 182
<i>Ceratophyllum</i> / 182
<i>Ceratophyllum demersum</i> / 182
<i>Ceratophyllum demersum</i> f. <i>quadrispinum</i> / 183
<i>Ceratophyllum demersum</i> var. <i>demersum</i> / 183
<i>Ceratophyllum demersum</i> var. <i>pentacorne</i> / 183
<i>Ceratophyllum demersum</i> var. <i>quadrispinum</i> / 183
<i>Ceratophyllum oryzetorum</i> / 183
<i>Ceratophyllum platyacanthum</i> subsp. <i>oryzetorum</i> / 183
<i>Ceratopteris</i> / 20
<i>Ceratopteris gaudichaudii</i> var. <i>gaudichaudii</i> / 20
<i>Ceratopteris gaudichaudii</i> var. <i>vulgaris</i> / 20
<i>Cerefolium sylvestre</i> / 371
<i>Chaerophyllum aristatum</i> / 378
<i>Chaerophyllum gracile</i> / 383
<i>Chaerophyllum scabrum</i> / 383
<i>Chaerophyllum sylvestre</i> / 371
<i>Chaetochloa chondrachne</i> / 658
<i>Chaetochloa viridis</i> var. <i>pachystachys</i> / 659
<i>Chamaecrista</i> / 278
<i>Chamaecrista nomame</i> / 278
<i>Chamaedaphne</i> / 385
<i>Chamaedaphne calyculata</i> / 385
<i>Chamaegastrodia</i> / 720
<i>Chamaegastrodia shikokiana</i> / 720
<i>Chamaelirium</i> / 586</p> |
|--|---|

<i>Chamaelirium japonica</i> / 586	<i>Chenopodium acuminatum</i> var. <i>japonicum</i> / 143
<i>Chamaelirium japonica</i> subsp. <i>yakusimense</i> var. <i>koreanum</i> / 586	<i>Chenopodium acuminatum</i> var. <i>ovatum</i> / 142
<i>Chamaelirium japonica</i> subsp. <i>yakusimense</i> var. <i>yakusimense</i> / 586	<i>Chenopodium acuminatum</i> var. <i>vachelii</i> / 142
<i>Chamaemelum limosum</i> / 550	<i>Chenopodium acuminatum</i> var. <i>virgatum</i> / 143
<i>Chamaemelum tetragonospermum</i> f. <i>Schmidt</i> / 550	<i>Chenopodium album</i> var. <i>album</i> / 143
<i>Chamaemorus morwegica</i> / 262	<i>Chenopodium album</i> var. <i>centrorubrum</i> / 143
<i>Chamaenerion angustifolium</i> / 357	<i>Chenopodium album</i> var. <i>stenophyllum</i> / 143
<i>Chamaenerion grandiflorum</i> / 358	<i>Chenopodium aristatum</i> / 144
<i>Chamaenerion hirsutum</i> / 358	<i>Chenopodium bryoniifolium</i> / 143
<i>Chamaepericlymenum canadense</i> / 362	<i>Chenopodium centrorubrum</i> / 143
<i>Chamaerhodos</i> / 235	<i>Chenopodium koraiense</i> / 143
<i>Chamaerhodos erecta</i> / 235	<i>Chenopodium maritimum</i> / 146
<i>Chamaerhodos erecta</i> var. <i>adscensens</i> / 235	<i>Chenopodium serotinum</i> / 146
<i>Chamaerhodos erecta</i> var. <i>stricta</i> / 235	<i>Chenopodium sinense</i> / 144
<i>Chamaerhodos micrantha</i> / 235	<i>Chenopodium stenophyllum</i> / 143
<i>Chamaerhodos songarica</i> / 235	<i>Chenopodium virgatum</i> / 143
<i>Chamaesaracha echinata</i> / 461	<i>Chienia honanensis</i> / 167
<i>Chamaesyce humifusa</i> / 304	<i>Chimaphila</i> / 385
<i>Championella coreana</i> / 477	<i>Chimaphila astyla</i> / 385
<i>Championella oligantha</i> / 477	<i>Chimaphila fukuyamai</i> / 385
<i>Cheilanthes</i> / 20	<i>Chimaphila japonica</i> / 385
<i>Cheilanthes argentea</i> / 20	<i>Chionanthus</i> / 404
<i>Cheilanthes argentea</i> f. <i>argentea</i> / 20	<i>Chionanthus chinensis</i> / 404
<i>Cheilanthes argentea</i> f. <i>obscura</i> / 20	<i>Chionanthus coreanus</i> / 404
<i>Cheilanthes argentea</i> var. <i>obscura</i> / 20	<i>Chionanthus duclouxii</i> / 404
<i>Cheilanthes chusana</i> / 20	<i>Chionanthus retusus</i> / 404
<i>Cheilanthes fordii</i> / 21	<i>Chionanthus retusus</i> f. <i>coreanus</i> / 404
<i>Cheilanthes kuhnii</i> / 21	<i>Chionanthus retusus</i> var. <i>coreanus</i> / 404
<i>Cheilanthes kuhnii</i> f. <i>gracilis</i> / 21	<i>Chionanthus retusus</i> var. <i>fauriei</i> / 404
<i>Cheilanthes kuhnii</i> f. <i>kuhnii</i> / 21	<i>Chionanthus retusus</i> var. <i>mairei</i> / 404
<i>Cheilosoria chusana</i> / 21	<i>Chionanthus retusus</i> var. <i>serrulatus</i> / 404
<i>Cheiranthus apicus</i> var. <i>trichosepalus</i> / 208	<i>Chionanthus serrulatus</i> / 404
<i>Cheiranthus aurantiacus</i> / 209	<i>Chionanthus terminalis</i> / 407
<i>Chelidonium</i> / 195	<i>Chionographis japonica</i> / 586
<i>Chelidonium asiaticum</i> / 195	<i>Chionographis japonica</i> var. <i>koreana</i> / 586
<i>Chelidonium hylomeconoides</i> / 195	<i>Chionographis koreana</i> / 586
<i>Chelidonium majus</i> subsp. <i>asiaticum</i> / 195	<i>Chlamidobalanus cuspidata</i> / 90
<i>Chelidonium majus</i> subsp. <i>majus</i> / 195	CHLORANTHACEAE / 183
<i>Chelidonium majus</i> var. <i>asiaticum</i> / 195	<i>Chloranthus</i> / 183
<i>Chelidonium majus</i> var. <i>hirsutum</i> / 195	<i>Chloranthus esquirolii</i> / 184
<i>Chelidonium vernale</i> / 200	<i>Chloranthus fortunei</i> / 183
CHENOPodiACEAE / 142	<i>Chloranthus fortunei</i> var. <i>koreanus</i> / 184
<i>Chenopodina filiformis</i> / 146	<i>Chloranthus glaber</i> / 184
<i>Chenopodium</i> / 142	<i>Chloranthus japonicus</i> / 184
<i>Chenopodium acuminatum</i> / 142	<i>Chloranthus koreanus</i> / 184
<i>Chenopodium acuminatum</i> f. <i>ovatum</i> / 143	<i>Chloranthus serratus</i> / 184
<i>Chenopodium acuminatum</i> subsp. <i>acuminatum</i> / 143	<i>Chlorocyperus glomeratus</i> / 699
<i>Chenopodium acuminatum</i> subsp. <i>virgatum</i> / 143	<i>Chlorocyperus polystachyus</i> / 710

- | | |
|--|---|
| <i>Chlorocyperus rotundus</i> / 700 | <i>Chrysanthemum sibiricum</i> var. <i>acutilobum</i> / 535 |
| <i>Chlorocyperus serotinus</i> / 700 | <i>Chrysanthemum sibiricum</i> var. <i>alpinum</i> / 535 |
| <i>Chlorostemma odoratum</i> / 425 | <i>Chrysanthemum sinchangense</i> / 536 |
| <i>Chondrilla chinensis</i> / 543 | <i>Chrysanthemum tanacetum</i> / 566 |
| <i>Chondrilla debilis</i> / 544 | <i>Chrysanthemum trinioides</i> / 539 |
| <i>Chondrilla dentata</i> / 542 | <i>Chrysanthemum vulgare</i> / 566 |
| <i>Chondrilla japonica</i> / 569 | <i>Chrysanthemum vulgare</i> var. <i>boreale</i> / 566 |
| <i>Chondrilla lanceolata</i> / 533 | <i>Chrysanthemum zawadskii</i> / 535 |
| <i>Chondrilla lyrata</i> / 569 | <i>Chrysanthemum zawadskii</i> subsp. <i>acutilobum</i> / 535 |
| <i>Chondrilla multiflora</i> / 569 | <i>Chrysanthemum zawadskii</i> subsp. <i>acutilobum</i> var. <i>tenuisectum</i> / 536 |
| <i>Chondrilla squarrosa</i> / 546 | <i>Chrysanthemum zawadskii</i> subsp. <i>latilobum</i> f. <i>tenuisectum</i> / 536 |
| <i>Choris repens</i> / 544 | <i>Chrysanthemum zawadskii</i> subsp. <i>lucidum</i> / 535 |
| <i>Chosenia</i> / 74 | <i>Chrysanthemum zawadskii</i> subsp. <i>yezoense</i> / 536 |
| <i>Chosenia arbutifolia</i> / 74 | <i>Chrysanthemum zawadskii</i> subsp. <i>zawadskii</i> var. <i>acutilobum</i> / 535 |
| <i>Chosenia arbutifolia</i> f. <i>adenantha</i> / 74 | <i>Chrysanthemum zawadskii</i> var. <i>acutilobum</i> f. <i>alpinum</i> / 535 |
| <i>Chosenia bracteosa</i> / 74 | <i>Chrysanthemum zawadskii</i> var. <i>alpinum</i> / 535 |
| <i>Chosenia bracteosa</i> f. <i>adenantha</i> / 74 | <i>Chrysanthemum zawadskii</i> var. <i>coreanum</i> / 534 |
| <i>Chosenia eucalyptoides</i> / 74 | <i>Chrysanthemum zawadskii</i> var. <i>latilobum</i> / 535 |
| <i>Chosenia macrolepis</i> / 74 | <i>Chrysanthemum zawadskii</i> var. <i>sichotense</i> / 535 |
| <i>Chosenia macrolepis</i> f. <i>adenatha</i> / 74 | <i>Chrysocyathus amurensis</i> / 159 |
| <i>Chosenia splendida</i> / 74 | <i>Chrysocyathus multiflorus</i> / 159 |
| <i>Christella acuminata</i> / 27 | <i>Chrysopogon parviflorus</i> / 628 |
| <i>Christella dentata</i> / 27 | <i>Chrysosplenium</i> / 222 |
| <i>Christella parasitica</i> / 28 | <i>Chrysosplenium alternifolium</i> f. <i>iowense</i> / 223 |
| <i>Chrysanthemum</i> / 527 | <i>Chrysosplenium alternifolium</i> subsp. <i>sibiricum</i> / 223 |
| <i>Chrysanthemum arcticum</i> subsp. <i>maekawanum</i> / 535 | <i>Chrysosplenium alternifolium</i> var. <i>japonicum</i> / 223 |
| <i>Chrysanthemum arcticum</i> subsp. <i>yezoense</i> / 536 | <i>Chrysosplenium alternifolium</i> var. <i>papillosum</i> / 223 |
| <i>Chrysanthemum arcticum</i> var. <i>yezoense</i> / 536 | <i>Chrysosplenium alternifolium</i> var. <i>sibiricum</i> / 223 |
| <i>Chrysanthemum boreale</i> / 527, 566 | <i>Chrysosplenium aureobracteatum</i> / 222 |
| <i>Chrysanthemum coreanum</i> / 534 | <i>Chrysosplenium barbatum</i> / 222 |
| <i>Chrysanthemum indicum</i> / 527 | <i>Chrysosplenium crenulatum</i> / 223 |
| <i>Chrysanthemum indicum</i> subsp. <i>albescens</i> / 528 | <i>Chrysosplenium crenulatum</i> var. <i>atrodiscum</i> / 223 |
| <i>Chrysanthemum indicum</i> var. <i>acutum</i> / 528 | <i>Chrysosplenium crenulatum</i> var. <i>microphyllum</i> / 223 |
| <i>Chrysanthemum indicum</i> var. <i>boreale</i> / 527 | <i>Chrysosplenium discolor</i> / 223 |
| <i>Chrysanthemum indicum</i> var. <i>coreanum</i> / 528 | <i>Chrysosplenium epigealum</i> / 222 |
| <i>Chrysanthemum indicum</i> var. <i>dibescens</i> / 528 | <i>Chrysosplenium flagelliferum</i> / 222 |
| <i>Chrysanthemum indicum</i> var. <i>leucanthum</i> / 535 | <i>Chrysosplenium flaviflorum</i> / 222 |
| <i>Chrysanthemum indicum</i> var. <i>procumbens</i> / 528 | <i>Chrysosplenium grayanum</i> / 222 |
| <i>Chrysanthemum indicum</i> var. <i>tokschonense</i> / 528 | <i>Chrysosplenium hallaisanense</i> / 222 |
| <i>Chrysanthemum japonicum</i> / 513 | <i>Chrysosplenium japonicum</i> / 222 |
| <i>Chrysanthemum leiophyllum</i> / 535 | <i>Chrysosplenium komarovii</i> / 222 |
| <i>Chrysanthemum lineare</i> / 548 | <i>Chrysosplenium macropermum</i> / 223 |
| <i>Chrysanthemum lineare</i> var. <i>manshuricum</i> / 548 | <i>Chrysosplenium macrostemon</i> / 223 |
| <i>Chrysanthemum lucidum</i> / 535 | <i>Chrysosplenium microphyllum</i> / 223 |
| <i>Chrysanthemum makinoi</i> / 528 | <i>Chrysosplenium pilosum</i> var. <i>aureobracteatum</i> / 222 |
| <i>Chrysanthemum nakdongensis</i> / 535 | <i>Chrysosplenium pilosum</i> var. <i>barbatum</i> / 222 |
| <i>Chrysanthemum oreastrum</i> / 535 | <i>Chrysosplenium pilosum</i> var. <i>flaviflorum</i> / 222 |
| <i>Chrysanthemum pallasianum</i> / 509 | <i>Chrysosplenium pilosum</i> var. <i>valdepilosum</i> / 223 |

<i>Chrysosplenium pseudofauriei</i> / 224	<i>Cimicifuga macrophylla</i> / 158
<i>Chrysosplenium ramosissimum</i> / 223	<i>Cimicifuga obtusiloba</i> / 157
<i>Chrysosplenium ramosum</i> / 223	<i>Cimicifuga peltata</i> / 158
<i>Chrysosplenium ramosum</i> var. <i>atrodiscum</i> / 223	<i>Cimicifuga simplex</i> / 158
<i>Chrysosplenium ramosum</i> var. <i>atrodiscum f. microphyllum</i> / 223	<i>Cimicifuga simplex</i> var. <i>matsumurai</i> / 158
<i>Chrysosplenium ramosum</i> var. <i>atrodiscum f. viridiflorum</i> / 223	<i>Cimicifuga simplex</i> var. <i>yezoensis</i> / 158
<i>Chrysosplenium serreanum</i> / 223	<i>Cimicifuga ussuriensis</i> / 158
<i>Chrysosplenium sibiricum</i> / 223	<i>Cimicifuga yesoensis</i> / 158
<i>Chrysosplenium sinicum</i> / 223	<i>Cineraria fischeri</i> / 548
<i>Chrysosplenium valdepilosum</i> / 223	<i>Cineraria flammea</i> / 567
<i>Chrysosplenium yezoense</i> / 223	<i>Cineraria speciosa</i> / 548
<i>Chulusium fluitans</i> / 116	<i>Cinna</i> / 628
<i>Chylocalyx perfoliatus</i> / 121	<i>Cinna arundinacea</i> var. <i>pendula</i> / 628
<i>Chylocalyx senticosus</i> / 123	<i>Cinna expansa</i> / 628
<i>Cichlanthus yadoriki</i> / 109	<i>Cinna latifolia</i> / 628
<i>Cicuta</i> / 373	<i>Cinna pendula</i> / 628
<i>Cicuta angustifolia</i> / 373	<i>Cinnamomum</i> / 149
<i>Cicuta niponica</i> / 373	<i>Cinnamomum camphora</i> / 149
<i>Cicuta tenuifolia</i> / 373	<i>Cinnamomum camphora</i> f. <i>cyclophyllum</i> / 150
<i>Cicuta virosa</i> / 373	<i>Cinnamomum camphora</i> var. <i>cyclophyllum</i> / 149
<i>Cicuta virosa</i> f. <i>angustifolia</i> / 373	<i>Cinnamomum camphora</i> var. <i>glaucescens</i> / 149
<i>Cicuta virosa</i> var. <i>angustisecta</i> / 373	<i>Cinnamomum camphora</i> var. <i>linaloolifera</i> / 150
<i>Cicuta virosa</i> var. <i>stricta</i> / 373	<i>Cinnamomum camphora</i> var. <i>rotundifolia</i> / 149
<i>Cicutaria aquatica</i> / 373	<i>Cinnamomum camphoroides</i> / 149
<i>Cimicifuga acerina</i> / 158	<i>Cinnamomum nominale</i> / 149
<i>Cimicifuga acerina</i> var. <i>intermedia</i> / 158	<i>Cinnamomum pedunculatum</i> var. <i>nervosum</i> / 150
<i>Cimicifuga acerina</i> var. <i>macrophylla</i> / 158	<i>Cinnamomum taquetii</i> / 149
<i>Cimicifuga acerina</i> var. <i>peltata</i> / 158	<i>Cinnamomum yabunikkei</i> / 150
<i>Cimicifuga austrokoreana</i> / 157	<i>Circaeae</i> / 355
<i>Cimicifuga bifida</i> / 157	<i>Circaeae alpina</i> / 355
<i>Cimicifuga biternata</i> / 157	<i>Circaeae alpina</i> f. <i>pilosula</i> / 356
<i>Cimicifuga chinensis</i> / 158	<i>Circaeae alpina</i> subsp. <i>alpina</i> / 355
<i>Cimicifuga dahurica</i> / 157	<i>Circaeae alpina</i> subsp. <i>caulescens</i> / 355
<i>Cimicifuga dahurica</i> f. <i>mascula</i> / 157	<i>Circaeae alpina</i> var. <i>caulescens</i> / 356
<i>Cimicifuga dahurica</i> var. <i>fertilis</i> / 157	<i>Circaeae alpina</i> var. <i>pilosula</i> / 356
<i>Cimicifuga dahurica</i> var. <i>mascula</i> / 157	<i>Circaeae alpina</i> var. <i>rosulata</i> / 355
<i>Cimicifuga dahurica</i> var. <i>tschonoskii</i> / 158	<i>Circaeae bondinieri</i> / 356
<i>Cimicifuga foetida</i> / 157	<i>Circaeae canadensis</i> var. <i>quadrifalcata</i> / 356
<i>Cimicifuga foetida</i> var. <i>intermedia</i> / 158	<i>Circaeae cardiophylla</i> / 356
<i>Cimicifuga foetida</i> var. <i>matsumurai</i> / 158	<i>Circaeae caulescens</i> / 356
<i>Cimicifuga foetida</i> var. <i>simplex</i> / 158	<i>Circaeae caulescens</i> var. <i>glabra</i> / 355
<i>Cimicifuga heracleifolia</i> / 158	<i>Circaeae caulescens</i> var. <i>pilosula</i> / 356
<i>Cimicifuga heracleifolia</i> var. <i>bifida</i> / 157	<i>Circaeae caulescens</i> var. <i>robusta</i> / 356
<i>Cimicifuga japonica</i> / 158	<i>Circaeae cordata</i> / 356
<i>Cimicifuga japonica</i> var. <i>acerina</i> / 158	<i>Circaeae coreana</i> / 356
<i>Cimicifuga japonica</i> var. <i>biternata</i> / 157	<i>Circaeae coreana</i> var. <i>sinensis</i> / 356
<i>Cimicifuga japonica</i> var. <i>macrophylla</i> / 158	<i>Circaeae delavayi</i> / 356
<i>Cimicifuga japonica</i> var. <i>obtusiloba</i> / 157	<i>Circaeae erubescens</i> / 356

Circaeа hybrica / 356
Circaeа kawakamii / 356
Circaeа kitagawawe / 356
Circaeа lutetiana f. *quadrисulcata* / 356
Circaeа lutetiana subsp. *alpina* / 355
Circaeа lutetiana subsp. *lutetiana* / 356
Circaeа lutetiana subsp. *quadrисulcata* / 356
Circaeа lutetiana var. *alpestris* / 355
Circaeа lutetiana var. *taguetii* / 356
Circaeа maximowiczii / 356
Circaeа maximowiczii var. *viridicalyx* / 356
Circaeа minima / 355
Circaeа mollis / 356
Circaeа mollis var. *maximowiczii* / 356
Circaeа quadrисulcata / 356
Circaeа quadrисulcata f. *viridicalyx* / 356
Cirsium / 528
Cirsium arguense / 525
Cirsium arvense var. *integrifolium* / 525
Cirsium arvense var. *setosum* / 525
Cirsium asperum / 529
Cirsium buergeri var. *chanroenicum* / 528
Cirsium chanroenicum / 528
Cirsium chanroenicum var. *lanceolata* / 528
Cirsium chinense / 529
Cirsium coreanum / 530
Cirsium diamanticum / 531
Cirsium falcatum / 530
Cirsium ficifolium / 565
Cirsium fusenense / 531
Cirsium hilgendorfii / 530
Cirsium ibukiense / 528
Cirsium japonicum / 528
Cirsium japonicum f. *japonicum* / 529
Cirsium japonicum f. *nakaianum* / 529
Cirsium japonicum subsp. *maackii* / 529
Cirsium japonicum var. *amurensis* / 529
Cirsium japonicum var. *horridum* / 528
Cirsium japonicum var. *ibukienese* / 528
Cirsium japonicum var. *intermedium* / 528
Cirsium japonicum var. *japonicum* / 529
Cirsium japonicum var. *kiusianum* / 528
Cirsium japonicum var. *maackii* / 529
Cirsium japonicum var. *nakaianum* / 529
Cirsium japonicum var. *spinossimum* / 529
Cirsium japonicum var. *ussuriense* / 529
Cirsium japonicum var. *vulkani* / 528
Cirsium kitagoense / 528

Cirsium laciniatum / 528
Cirsium lineare / 529
Cirsium lineare var. *discolor* / 530
Cirsium lineare var. *franchetii* f. *pallidum* / 530
Cirsium lineare var. *linearifolium* f. *viride* / 530
Cirsium lineare var. *pallidum* / 530
Cirsium lineare var. *tsoongianum* / 530
Cirsium littorale var. *ussuriense* / 529
Cirsium lyratum / 539
Cirsium maackii / 529
Cirsium maackii f. *koraiensis* / 529
Cirsium maackii var. *horridum* / 528
Cirsium maackii var. *intermedium* / 528
Cirsium maackii var. *kiusianum* / 528
Cirsium maackii var. *koraiensis* / 529
Cirsium maackii var. *nakaianum* / 529
Cirsium maackii var. *nakaii* / 529
Cirsium maackii var. *spiniferum* / 531
Cirsium maackii var. *taguetii* / 528
Cirsium maackii var. *vulkani* / 528
Cirsium matsusimense / 530
Cirsium moekchangense / 530
Cirsium nakaianum / 529
Cirsium nipponicum / 530
Cirsium nipponicum f. *lanuginosum* / 530
Cirsium nipponicum var. *alpestre* / 530
Cirsium nipponicum var. *amplexicaule* / 530
Cirsium nipponicum var. *lanuginosum* / 530
Cirsium nipponicum var. *sendaicum* / 530
Cirsium oreithales / 529
Cirsium pendulum / 530
Cirsium pendulum f. *albiflorum* / 530
Cirsium pendulum var. *albiflorum* / 530
Cirsium pendulum var. *oligocephalum* / 531
Cirsium provostii / 530
Cirsium psudopensulum / 530
Cirsium rhinoceros / 530
Cirsium rhinoceros f. *albiflorum* / 531
Cirsium schantarense / 531
Cirsium segetum / 525
Cirsium segetum f. *lactiflora* / 525
Cirsium sendaicum / 530
Cirsium sendaicum var. *amplexicaule* / 530
Cirsium senile / 528
Cirsium setidens / 531
Cirsium setidens f. *lanceolata* / 528
Cirsium setidens f. *niveo-araneum* / 531
Cirsium setidens var. *chanroenicum* / 528

Cirsium setidens var. *niveo-araneum* / 531
Cirsium setidens var. *pinnatifolium* / 531
Cirsium setidens var. *setidens* / 531
Cirsium setosum / 525
Cirsium setosum var. *subulatum* / 525
Cirsium taquetii / 528
Cirsium toraiense / 531
Cirsium tsoongianum / 530
Cirsium uninervium / 530
Cirsium vlassovianum / 531
Cirsium vlassovianum f. *album* / 532
Cirsium vlassovianum f. *leucanthum* / 532
Cirsium vlassovianum var. *album* / 532
Cirsium vlassovianum var. *bracteatum* / 531
Cirsium vlassovianum var. *salicifolium* / 532
Cirsium xanthacanthum / 529
Cirsium yoshinoi / 531
Cirsium zenii / 532
Cissus brevipedunculata / 330
Cissus cyanocarpa / 330
Cissus japonica / 330
Cissus japonica var. *dentata* / 330
Cissus leucocarpa / 330
Cissus serianifolia / 330
Cissus tenuifolia var. *cinerea* / 330
Cissus thunbergii / 331
Cissus viticifolia var. *pinnatifida* / 330
Cladium / 698
Cladium chinense / 698
Cladium jamaicense / 698
Cladium mariscus / 698
Cladrasitis amurensis / 289
Cladrasitis amurensis var. *buergeri* / 289
Cladrasitis amurensis var. *vidalii* / 289
Cladrasitis fauriei / 289
Clausia / 208
Clausia aprica var. *trichosepala* / 208
Clausia trichosepala / 208
Clausia ussuriensis / 208
Cleisostoma scolopendrifolium / 733
Cleistogenes / 628
Cleistogenes hakeleii / 628
Cleistogenes hakeleii var. *hakeleii* / 629
Cleistogenes hakeleii var. *nakaii* / 629
Cleistogenes nakaii / 629
Cleistogenes serotina var. *nakaii* / 629
Clematis / 162
Clematis alpina subsp. *ochotensis* / 163

Clematis alpina var. *alpina* / 162
Clematis alpina var. *carunculosa* / 165
Clematis alpina var. *koreana* / 165
Clematis alpina var. *ochotensis* / 162
Clematis angustifolia f. *breviloba* / 165
Clematis angustifolia f. *dissecta* / 165
Clematis angustifolia var. *dissecta* / 165
Clematis angustifolia var. *longiloba* / 165
Clematis apiifolia / 163
Clematis apiifolia subsp. *franchetii* / 163
Clematis apiifolia subsp. *nipponensis* / 163
Clematis azurea / 166
Clematis brachyura / 163
Clematis brachyura f. *hexasepala* / 163
Clematis brachyura var. *hexasepala* / 163
Clematis brevicaudata / 163
Clematis calcicola / 163
Clematis chiisanensis / 165
Clematis chiisanensis var. *carunculosa* / 165
Clematis coerulea / 166
Clematis coreana / 164
Clematis crassipespala / 163
Clematis davidiana / 164
Clematis dioscoreifolia var. *robusta* / 167
Clematis flabellata / 164
Clematis flammula var. *robusta* / 166
Clematis fusca / 164
Clematis fusca subsp. *violacea* / 164
Clematis fusca var. *amurensis* / 164
Clematis fusca var. *coreana* / 164
Clematis fusca var. *flabellata* / 164
Clematis fusca var. *fusca* / 164
Clematis fusca var. *mandshurica* / 164
Clematis fusca var. *violacea* / 164
Clematis heracleifolia / 164
Clematis heracleifolia f. *rosea* / 165
Clematis heracleifolia var. *davidiana* / 164
Clematis heracleifolia var. *tubulosa* / 164
Clematis heracleifolia var. *urticifolia* / 165
Clematis hexapetala / 165
Clematis hexapetala f. *breviloba* / 165
Clematis hexapetala f. *dissecta* / 165
Clematis hexapetala f. *longiloba* / 165
Clematis hexapetala var. *longiloba* / 165
Clematis hexapetala var. *smithiana* / 165
Clematis ianthina / 164
Clematis ianthina var. *amurensis* / 164
Clematis ianthina var. *mandsurica* / 164

■ Scientific name Index

Clematis ianthina var. *violacea* / 164
Clematis intricata var. *serrata* / 166
Clematis intricata var. *wilfordii* / 166
Clematis kamtschatica / 164
Clematis komaroviana / 165
Clematis koreana / 165
Clematis koreana f. *biternata* / 165
Clematis koreana f. *chiisanensis* / 165
Clematis koreana f. *umbrosa* / 165
Clematis koreana var. *biternata* / 165
Clematis koreana var. *carunculosa* / 165
Clematis koreana var. *crassispala* / 164
Clematis koreana var. *umbrosa* / 165
Clematis liaotungensis / 167
Clematis mandshurica / 167
Clematis mandshurica f. *lancifolia* / 167
Clematis mandshurica var. *lancifolia* / 167
Clematis maximowicziana / 166
Clematis nobilis / 163
Clematis ochotensis / 163
Clematis ochotensis subsp. *coeruleascens* / 163
Clematis ochotensis var. *subtriternata* / 163
Clematis ochotensis var. *tenuifolia* / 163
Clematis ochotensis var. *triphylla* / 165
Clematis oligantha / 163
Clematis orientalis var. *serrata* / 166
Clematis orientalis var. *wilfordii* / 166
Clematis paniculata f. *maximowicziana* / 166
Clematis paniculata var. *denticulata* / 166
Clematis papuligera / 167
Clematis parviflora subsp. *pierottii* / 166
Clematis parviflora var. *maximowicziana* / 166
Clematis patens / 166
Clematis pierottii / 166
Clematis recta subsp. *terniflora* / 166
Clematis recta var. *koreana* / 167
Clematis recta var. *mandshurica* / 167
Clematis serrata / 166
Clematis serratifolia / 166
Clematis serratifolia f. *wilfordii* / 166
Clematis sibiricoides / 166
Clematis spectabilis / 163
Clematis subtriternata / 163
Clematis subtriternata var. *tenuifolia* / 163
Clematis taeguensis / 166
Clematis takedana / 166
Clematis terniflora / 166
Clematis terniflora f. *maximowicziana* / 166

Clematis terniflora var. *koreana* / 167
Clematis terniflora var. *mandshurica* / 167
Clematis terniflora var. *mandshurica* f. *koreana* / 167
Clematis terniflora var. *robusta* / 167
Clematis terniflora var. *terniflora* / 167
Clematis trichotoma / 167
Clematis triphylla / 165
Clematis tubulosa / 164
Clematis tubulosa var. *davidiana* / 164
Clematis tubulosa var. *rosea* / 165
Clematis umbrosa / 165
Clematis urticifolia / 165
Clematis urticifolia var. *carnea* / 164
Clematis urticifolia var. *rosea* / 165
Clematis viorna var. *violacea* / 164
Clematis vitalba subsp. *brevicaudata* / 163
Clematis wilfordii / 166
Clerodendrum / 439
Clerodendrum fargesii / 440
Clerodendrum koshunense / 440
Clerodendrum trichotomum / 439
Clerodendrum trichotomum f. *ferrugineum* / 440
Clerodendrum trichotomum var. *esculentum* / 440
Clerodendrum trichotomum var. *fargesii* / 440
Clerodendrum trichotomum var. *ferrugineum* / 440
Clerodendrum trichotomum var. *tomentosum* / 440
Clerodendrum trichotomum var. *trichotomum* / 440
Clerodendrum trichotomum var. *villosum* / 440
Clethra / 383
Clethra barbinervis / 383
Clethra barbinervis var. *kawadana* / 383
Clethra kawadana / 383
Clethra stolonifera / 383
CLETHRACEAE / 383
Cleyera / 189
Cleyera fortunei / 189
Cleyera gymnanthera / 191
Cleyera japonica / 189
Cleyera japonica var. *kaempferiana* / 189
Cleyera ochnacea / 189
Cleyera ochnacea var. *lushia* / 189
Clinelymus cylindricus / 634
Clinelymus dahuricus / 634
Clinelymus sibiricus / 635
Clinopodium / 442
Clinopodium chinense subsp. *grandiflorum* / 443
Clinopodium chinense var. *chinense* / 442
Clinopodium chinense var. *glabrescens* / 443

Clinopodium chinense var. *grandiflorum* / 442
Clinopodium chinense var. *parviflorum* / 443
Clinopodium chinense var. *shibetichense* / 443
Clinopodium confine / 443
Clinopodium fauriei / 443
Clinopodium fauriei f. *albiflorum* / 444
Clinopodium fauriei var. *japonicum* / 444
Clinopodium gracile / 443
Clinopodium gracile var. *multicaule* / 444
Clinopodium gracile var. *sachalinense* / 444
Clinopodium japonicum / 443
Clinopodium micranthum / 443
Clinopodium micranthum f. *albiflorum* / 444
Clinopodium micranthum var. *sachalinense* / 444
Clinopodium multicaule / 444
Clinopodium multicaule var. *taquetii* / 444
Clinopodium omuranum / 444
Clinopodium polycephalum / 443
Clinopodium sachalinense / 444
Clinopodium umbrosum var. *japonica* / 444
Clinopodium urticifolium / 443
Clintonia / 587
Clintonia udensis / 587
CLUSIACEAE / 191
Cnicus arvensis var. *setosus* / 526
Cnicus chanroenica / 530
Cnicus chinensis / 529
Cnicus diamaticus / 531
Cnicus hilgendorfii / 530
Cnicus japonicum var. *maackii* / 529
Cnicus japonicus var. *intermedium* / 528
Cnicus japonicus var. *schantarensis* / 531
Cnicus linearis / 529
Cnicus multicaulis / 539
Cnicus nakaianus / 529
Cnicus nipponicus / 530
Cnicus pendulus / 530
Cnicus provostii / 530
Cnicus rhinoceros / 531
Cnicus segetum / 525
Cnicus setosus / 525
Cnicus sinensis / 529
Cnicus taquetii / 528
Cnicus uniflorus / 564
Cnicus uninervius / 529
Cnicus vlassovianum / 531
Cnidium / 373
Cnidium dauricum / 373

Cnidium japonicum / 373
Cnidium monnierii / 374
Cnidium tachiroei / 377
Cocculus / 180
Cocculus diversifolius / 180
Cocculus japonicus / 181
Cocculus orbiculatus / 180
Cocculus thunbergii / 180
Cocculus trilobus / 180
Cochlearia globosa / 211
Codonopsis / 504
Codonopsis handeliana / 505
Codonopsis lanceolata / 504
Codonopsis lanceolata f. *emaculata* / 504
Codonopsis lanceolata var. *emaculata* / 504
Codonopsis lanceolata var. *ussuriensis* / 505
Codonopsis minima / 504
Codonopsis modesta / 505
Codonopsis pilosula / 504
Codonopsis silvestris / 505
Codonopsis ussuriensis / 505
Codonopsis ussuriensis f. *viridiflora* / 504
Codonopsis volubilis / 505
Codonopsis yesoensis / 504
Coelachne / 629
Coelachne japonica / 629
Coeloglossum coreanum / 723
Coeloglossum densum / 734
Coeloglossum flagelliferum / 734
Coeloglossum viride subsp. *coreanum* / 723
Coelopleurum alpinum / 371
Coelopleurum nakaianum / 370
Coelopleurum saxatile / 371
Columella japonica / 330
Columella japonica var. *dentata* / 330
Columella tenuifolia / 330
Colysis elliptica / 56
Colysis wrightii / 56
Colysis × *shintenensis* / 56
Colysis × *simplicifrons* / 56
Comaropsis sibirica / 274
Comarum / 235
Comarum palustre / 235
Comarum palustre var. *villosum* / 235
Commelina / 618
Commelina communis / 618
Commelina communis f. *minor* / 618
Commelina communis var. *angustifolia* / 618

■ Scientific name Index

- Commelina communis* var. *angustifolia* f. *leucantha* / 618
Commelina communis var. *communis* / 618
Commelina communis var. *hortensis* / 618
Commelina coreana / 618
Commelina coreana f. *leucantha* / 618
Commelina minor / 618
COMMELINACEAE / 618
Compsoa macropoda / 604
Coniogramme / 21
Coniogramme fraxinea var. *intermedia* / 21
Coniogramme intermedia / 21
Coniogramme japonica / 21
Coniogramme japonica var. *fauriei* / 21
Coniogramme × *fauriei* / 21
Conioselinum / 374
Conioselinum czernaevia / 369
Conioselinum filicinum / 374
Conioselinum kamtschaticum / 374
Conioselinum wolffianum / 370
Conopodium cyninum / 383
Convallaria / 587
Convallaria angulosa / 599
Convallaria bifolia / 595
Convallaria bifolia var. *kamtschatica* / 596
Convallaria compressa / 600
Convallaria japonica / 597
Convallaria japonica var. *major* / 597
Convallaria japonica var. *minor* / 597
Convallaria keiskei / 587
Convallaria majalis var. *keiskei* / 587
Convallaria majalis var. *mansurica* / 587
Convallaria manschurica / 587
Convallaria obtusifolia / 600
Convallaria odorata / 599
Convallaria parviflora / 600
Convallaria polygonatum / 599
Convallaria sibirica / 600
Convallaria spicata / 594
Convallaria trifolia / 596
CONVOLVULACEAE / 431
Convolvulus acetosifolius / 431
Convolvulus americanus / 432
Convolvulus calystegioides / 431
Convolvulus dahuricus / 431
Convolvulus loureiri / 431
Convolvulus maritimus / 432
Convolvulus pellitus / 431
Convolvulus sepium / 432
Convolvulus sepium var. *americanus* / 432
Convolvulus sepium var. *communis* / 432
Convolvulus soldanella / 432
Convolvulus wallichianus / 431
Coprosma *thunbergii* / 601
Coprosma *nipponicus* / 601
Coprosma *oldhamii* var. *daibuensis* / 602
Coprosma *pseudochina* var. *daibuensis* / 602
Coprosma *simadai* / 601
Coprodipteris wilfordii / 17
Corallorrhiza / 720
Corallorrhiza innata / 720
Corallorrhiza neottia / 720
Corallorrhiza patens / 733
Corallorrhiza trifida / 720
Corchoropsis / 333
Corchoropsis crenata var. *intermedia* / 333
Corchoropsis intermedia / 333
Corchoropsis psilocarpa / 333
Corchoropsis tomentosa / 333
Corchoropsis tomentosa var. *psilocarpa* / 333
Corchoropsis tomentosa var. *tomentosa* / 333
Corchorus hirtus / 98
Corchorus scandens / 258
Corchorus serratus / 99
Cordia thrysiflora / 435
Coreanomecon / 195
Coreanomecon hylomeconoides / 195
Coreopsis bidens / 524
Coreopsis biaternata / 524
Corispermum / 143
Corispermum chinganicum / 143
Corispermum declinatum / 143
Corispermum elongatum / 143
Corispermum elongatum var. *tenuifolium* / 144
Corispermum platypteron / 144
Corispermum puberulum f. *lissocarpum* / 144
Corispermum puberulum var. *lissocarpum* / 144
Corispermum puberulum var. *puberulum* / 144
Corispermum sibiricum subsp. *amurense* / 144
Corispermum stauntonii / 144
CORNACEAE / 362
Cornella canadensis / 362
Cornopteris / 36
Cornopteris christenseniana / 36
Cornopteris coreana / 36
Cornopteris crenulatoserrulata / 36
Cornopteris crenulatoserrulata f. *coreana* / 36

<i>Cornopteris decurrenti-alata</i> / 36	<i>Corydalis bungeana</i> var. <i>odontopetala</i> / 196
<i>Cornopteris decurrenti-alata</i> var. <i>decurrenti-alata</i> / 36	<i>Corydalis buschii</i> / 196
<i>Cornopteris decurrenti-alata</i> var. <i>pilosella</i> / 37	<i>Corydalis caudata</i> / 196
<i>Cornopteris hakonensis</i> / 36	<i>Corydalis chosenensis</i> / 196
<i>Cornopteris pterorachis</i> / 39	<i>Corydalis cornupetala</i> / 196
<i>Cornopteris viridifrons</i> / 39	<i>Corydalis decumbens</i> / 196
<i>Cornus</i> / 362	<i>Corydalis filistipes</i> / 196
<i>Cornus alba</i> / 362	<i>Corydalis gigantea</i> / 196
<i>Cornus alba</i> subsp. <i>tatarica</i> / 362	<i>Corydalis gigantea</i> var. <i>amurensis</i> / 196
<i>Cornus alba</i> var. <i>rutokensis</i> / 362	<i>Corydalis gigantea</i> var. <i>macrantha</i> / 196
<i>Cornus alba</i> var. <i>sibirica</i> / 362	<i>Corydalis grandicalyx</i> / 197
<i>Cornus alpina</i> / 363	<i>Corydalis hallaisanensis</i> / 197
<i>Cornus brachypoda</i> / 363	<i>Corydalis heterocarpa</i> / 197
<i>Cornus canadensis</i> / 362	<i>Corydalis heterocarpa</i> var. <i>japonica</i> / 198
<i>Cornus controversa</i> / 363	<i>Corydalis hirtipes</i> / 197
<i>Cornus controversa</i> var. <i>alpina</i> / 363	<i>Corydalis humilis</i> / 197
<i>Cornus coreana</i> / 363	<i>Corydalis incisa</i> / 197
<i>Cornus corynostylis</i> / 363	<i>Corydalis klungenii</i> / 196
<i>Cornus crispula</i> / 363	<i>Corydalis maculata</i> / 197
<i>Cornus fauriei</i> / 363	<i>Corydalis maximowicziana</i> / 199
<i>Cornus henryi</i> / 363	<i>Corydalis misandra</i> / 197
<i>Cornus herbacea</i> var. <i>canadensis</i> / 362	<i>Corydalis nakaii</i> / 199
<i>Cornus hessei</i> / 362	<i>Corydalis namdoensis</i> / 197
<i>Cornus kousa</i> / 363	<i>Corydalis ochotensis</i> / 198
<i>Cornus longipetiolata</i> / 363	<i>Corydalis ochotensis</i> f. <i>raddeana</i> / 198
<i>Cornus macrophylla</i> / 363	<i>Corydalis ochotensis</i> var. <i>raddeana</i> / 198
<i>Cornus pumila</i> / 362	<i>Corydalis ohii</i> / 198
<i>Cornus purpurea</i> / 362	<i>Corydalis pallida</i> / 198
<i>Cornus subumbellata</i> / 362	<i>Corydalis pallida</i> var. <i>japonica</i> / 198
<i>Cornus taiwanensis</i> / 363	<i>Corydalis pallida</i> var. <i>platycarpa</i> / 198
<i>Cornus tatarica</i> / 362	<i>Corydalis pallida</i> var. <i>speciosa</i> / 199
<i>Cornus tatarica</i> var. <i>sibirica</i> / 362	<i>Corydalis pauciovulata</i> / 198
<i>Cornus thelycanis</i> / 363	<i>Corydalis platycarpa</i> / 198
<i>Cornus walteri</i> / 363	<i>Corydalis pterophora</i> / 199
<i>Cornus yunnanensis</i> / 363	<i>Corydalis raddeana</i> / 198
<i>Cornus × unalaschkensis</i> / 362	<i>Corydalis remota</i> / 198
<i>Cortusa matthioli</i> f. <i>pekinensis</i> / 400	<i>Corydalis remota</i> f. <i>albiflora</i> / 198
<i>Corydalis</i> / 195	<i>Corydalis remota</i> f. <i>linearis</i> / 198
<i>Corydalis alata</i> / 195	<i>Corydalis remota</i> f. <i>pectinata</i> / 198
<i>Corydalis albipetala</i> / 195	<i>Corydalis remota</i> var. <i>ternata</i> / 199
<i>Corydalis ambigua</i> / 195	<i>Corydalis speciosa</i> / 198
<i>Corydalis ambigua</i> f. <i>fumariifolia</i> / 196	<i>Corydalis speciosa</i> var. <i>pterophora</i> / 199
<i>Corydalis ambigua</i> f. <i>pectinata</i> / 196	<i>Corydalis spectabilis</i> / 199
<i>Corydalis ambigua</i> f. <i>rotundiloba</i> / 196	<i>Corydalis ternata</i> / 199
<i>Corydalis ambigua</i> var. <i>amurensis</i> / 195	<i>Corydalis turtschaninovii</i> / 199
<i>Corydalis aurea</i> var. <i>speciosa</i> / 199	<i>Corydalis turtschaninovii</i> var. <i>ternata</i> / 199
<i>Corydalis bulbosa</i> f. <i>ternata</i> / 199	<i>Corydalis wandoensis</i> / 199
<i>Corydalis bungeana</i> / 196	<i>Corydalis wilfordii</i> / 197

■ Scientific name Index

- | | |
|--|--|
| <p><i>Corydalis wilfordii</i> var. <i>japonica</i> / 198
<i>Corylopsis</i> / 213
<i>Corylopsis coreana</i> / 213
<i>Corylopsis gotoana</i> var. <i>coreana</i> / 213
<i>Corylus</i> / 88
<i>Corylus avellana</i> var. <i>davurica</i> / 88
<i>Corylus brevirostris</i> / 88
<i>Corylus hallaisanensis</i> / 88
<i>Corylus hasibani</i> / 88
<i>Corylus heterophylla</i> / 88
<i>Corylus heterophylla</i> var. <i>japonica</i> / 88
<i>Corylus heterophylla</i> var. <i>sieboldiana</i> / 88
<i>Corylus heterophylla</i> var. <i>thunbergii</i> / 88
<i>Corylus heterophylla</i> var. <i>yezoensis</i> / 88
<i>Corylus mandshurica</i> / 88
<i>Corylus mongolica</i> / 88
<i>Corylus rostrata</i> var. <i>mandshurica</i> / 88
<i>Corylus rostrata</i> var. <i>mitis</i> / 88
<i>Corylus rostrata</i> var. <i>sieboldiana</i> / 88
<i>Corylus sieboldiana</i> / 88
<i>Corylus sieboldiana</i> var. <i>brevirostris</i> / 88
<i>Corylus sieboldiana</i> var. <i>hallaisanensis</i> / 88
<i>Corylus sieboldiana</i> var. <i>mandshurica</i> / 88
<i>Corylus sieboldiana</i> var. <i>mitis</i> / 88
<i>Corylus sieboldiana</i> var. <i>sieboldiana</i> / 88
<i>Corylus tetraphylla</i> / 88
<i>Corylus yezoensis</i> / 88
<i>Cotoneaster</i> / 235
<i>Cotoneaster coreanus</i> / 403
<i>Cotoneaster integrifolius</i> / 235
<i>Cotoneaster integrifolius</i> var. <i>erythrocarpa</i> / 236
<i>Cotoneaster vulgaris</i> / 236
<i>Cotoneaster vulgaris</i> var. <i>erythrocarpa</i> / 236
<i>Cotoneaster vulgaris</i> var. <i>haematocarpa</i> / 236
<i>Cotoneaster wilsonii</i> / 236
<i>Cotula minima</i> / 527
<i>Cotula minuta</i> / 527
<i>Cotyledon filifera</i> / 216
<i>Cotyledon iwarenge</i> / 215
<i>Cotyledon japonica</i> / 215
<i>Cotyledon malacophylla</i> / 216
<i>Cotyledon minuta</i> / 216
<i>Cotyledon polyccephala</i> / 215
<i>Cotyledon saxatillis</i> / 216
<i>Cotyledon sikokiana</i> / 215
<i>Crassula</i> / 213
<i>Crassula aquatica</i> / 213
CRASSULACEAE / 213</p> | <p><i>Crataegus</i> / 236
<i>Crataegus alnifolia</i> / 269
<i>Crataegus altaica</i> var. <i>villosa</i> / 236
<i>Crataegus coreana</i> / 236
<i>Crataegus coreanus</i> / 236
<i>Crataegus komarovii</i> / 241
<i>Crataegus korolkowii</i> / 236
<i>Crataegus laevis</i> / 243
<i>Crataegus maximowiczii</i> / 236
<i>Crataegus oxyacantha</i> var. <i>pinnatifida</i> / 236
<i>Crataegus pinnatifida</i> / 236
<i>Crataegus pinnatifida</i> f. <i>bracteata</i> / 236
<i>Crataegus pinnatifida</i> f. <i>partita</i> / 237
<i>Crataegus pinnatifida</i> f. <i>psilosa</i> / 237
<i>Crataegus pinnatifida</i> var. <i>korolkowi</i> / 236
<i>Crataegus pinnatifida</i> var. <i>major</i> / 236
<i>Crataegus pinnatifida</i> var. <i>partita</i> / 237
<i>Crataegus pinnatifida</i> var. <i>pilosa</i> / 237
<i>Crataegus pinnatifida</i> var. <i>pinnatifida</i> / 237
<i>Crataegus pinnatifida</i> var. <i>songarica</i> / 236
<i>Crataegus pomasae</i> / 226
<i>Crataegus sanguinea</i> / 236
<i>Crataegus sanguinea</i> var. <i>villosa</i> / 236
<i>Crataegus tatarica</i> / 236
<i>Crataegus tenuifolia</i> / 241
<i>Crataegus villosa</i> / 242
<i>Crawfurdia japonica</i> / 417
<i>Crawfurdia japonica</i> var. <i>tenuis</i> / 417
<i>Crawfurdia pterygocalyx</i> / 415
<i>Crawfurdia trinervis</i> / 417
<i>Crawfurdia volubilis</i> / 415
<i>Cremastra</i> / 720
<i>Cremastra appendiculata</i> f. <i>albiflora</i> / 720
<i>Cremastra unguiculata</i> / 720
<i>Cremastra variabilis</i> / 720
<i>Crepidiastrix eris denticulato-platiphylla</i> / 534
<i>Crepidiastrum</i> / 532
<i>Crepidiastrum chelidoniifolium</i> / 532
<i>Crepidiastrum denticulatum</i> / 532
<i>Crepidiastrum hallaisanense</i> / 533
<i>Crepidiastrum koidzumianum</i> / 533
<i>Crepidiastrum koshunense</i> / 533
<i>Crepidiastrum lanceolatum</i> / 533
<i>Crepidiastrum lanceolatum</i> f. <i>batakanende</i> / 533
<i>Crepidiastrum lanceolatum</i> f. <i>pinnatilobum</i> / 533
<i>Crepidiastrum lanceolatum</i> var. <i>batakanense</i> / 533
<i>Crepidiastrum lanceolatum</i> var. <i>platiphyllum</i> / 534
<i>Crepidiastrum platiphyllum</i> / 533</p> |
|--|--|

<i>Crepidiastrum quercus</i> / 533	<i>Cucubalus baccifer</i> var. <i>japonicus</i> f. <i>atropurpurea</i> / 138
<i>Crepidiastrum sonchifolium</i> / 534	<i>Cucubalus japonicus</i> / 138
<i>Crepidiastrum</i> × <i>nakaii</i> / 534	CUCURBITACEAE / 351
<i>Crepidomanes</i> / 12	<i>Cudrania</i> / 100
<i>Crepidomanes amabile</i> / 13	<i>Cudrania tricuspidata</i> / 100
<i>Crepidomanes birmanicum</i> / 14	<i>Cudrania triloba</i> / 100
<i>Crepidomanes insigne</i> / 12	CUPRESSACEA / 66
<i>Crepidomanes latealatum</i> / 12	<i>Cuscuta</i> / 432
<i>Crepidomanes minutum</i> / 12	<i>Cuscuta australis</i> / 432
<i>Crepidomanes schmidtianum</i> / 12	<i>Cuscuta carinata</i> / 433
<i>Crepis bonii</i> / 544	<i>Cuscuta chinensis</i> / 433
<i>Crepis coreana</i> / 540	<i>Cuscuta chinensis</i> var. <i>carinata</i> / 433
<i>Crepis coreana</i> f. <i>glabriuscula</i> / 540	<i>Cuscuta ciliaris</i> / 433
<i>Crepis graminifolia</i> / 543	<i>Cuscuta colorans</i> / 433
<i>Crepis integra</i> / 533	<i>Cuscuta fimbriata</i> / 433
<i>Crepis integra</i> var. <i>platyphylla</i> / 534	<i>Cuscuta hygrophilae</i> / 433
<i>Crepis japonica</i> / 569	<i>Cuscuta japonica</i> / 433
<i>Crepis koshunense</i> / 533	<i>Cuscuta japonica</i> var. <i>paniculata</i> / 433
<i>Crepis lanceolata</i> var. <i>pinnatiflora</i> / 533	<i>Cuscuta japonica</i> var. <i>thyroidea</i> / 433
<i>Crepis tanegana</i> / 533	<i>Cuscuta kawakamii</i> / 433
<i>Crepis versicolor</i> / 543	<i>Cuscuta millettii</i> / 432
<i>Crinum</i> / 607	<i>Cuscuta obtusiflora</i> var. <i>australis</i> / 433
<i>Crinum asiaticum</i> var. <i>asiaticum</i> / 607	<i>Cuscuta obtusiflora</i> var. <i>breviflora</i> / 433
<i>Crinum asiaticum</i> var. <i>japonicum</i> / 607	<i>Cuscuta reflexa</i> var. <i>densiflora</i> / 433
<i>Crotalaria</i> / 278	<i>Cuscuta rogowschiana</i> / 433
<i>Crotalaria anthylloides</i> / 278	<i>Cuscuta sojagena</i> / 433
<i>Crotalaria eriantha</i> / 278	<i>Cuscuta somaxacola</i> / 433
<i>Crotalaria sessiliflora</i> / 278	<i>Cuscuta systyla</i> / 433
<i>Croton congestus</i> / 339	<i>Cyathocephalum schmidti</i> / 550
<i>Croton japonicus</i> / 305	<i>Cyclobalanopsis acuta</i> / 91
<i>Crula mandshurica</i> / 312	<i>Cyclobalanopsis acuta</i> f. <i>albivena</i> / 91
<i>Crula triflorum</i> / 315	<i>Cyclobalanopsis gilva</i> / 91
<i>Crypsinus engleri</i> / 59	<i>Cyclobalanopsis glauca</i> / 92
<i>Crypsinus hastatus</i> / 59	<i>Cyclobalanopsis hunanensis</i> / 91
<i>Crypsis</i> / 629	<i>Cyclobalanopsis myrsinifolia</i> / 93
<i>Crypsis aculeata</i> / 629	<i>Cyclobalanopsis stenophylla</i> / 93
<i>Cryptogramma</i> / 21	<i>Cyclobalanopsis stenophylla</i> var. <i>stenophylloides</i> / 93
<i>Cryptogramma crispa</i> / 21	<i>Cyclobalanopsis stenophylloides</i> / 93
<i>Cryptotaenia</i> / 374	<i>Cyclogramma omeiensis</i> / 27
<i>Cryptotaenia canadensis</i> subsp. <i>japonica</i> / 374	<i>Cyclophorus linearifolius</i> / 58
<i>Cryptotaenia canadensis</i> var. <i>japonica</i> / 374	<i>Cyclophorus lingua</i> / 58
<i>Cryptotaenia japonica</i> / 374	<i>Cyclophorus petiolosus</i> / 58
<i>Ctenitis</i> / 43	<i>Cyclosorus</i> / 27
<i>Ctenitis maximowicziana</i> / 44	<i>Cyclosorus acuminatus</i> / 27
<i>Ctenitis sinii</i> / 43	<i>Cyclosorus dentatus</i> / 27
<i>Ctenitopsis sinii</i> / 43	<i>Cyclosorus interruptus</i> / 27
<i>Cucubalus baccifer</i> / 138	<i>Cyclosorus omeiensis</i> / 27
<i>Cucubalus baccifer</i> var. <i>japonicus</i> / 138	<i>Cyclosorus parasiticus</i> / 28

■ Scientific name Index

- Cyclosorus penangianus* / 28
Cymbidium / 720
Cymbidium aberrans / 721
Cymbidium appendiculata var. *variabilis* / 720
Cymbidium aspidistrifolium / 721
Cymbidium ensifolium / 720
Cymbidium goeringii / 721
Cymbidium hyacinthinum / 717
Cymbidium javanicum / 721
Cymbidium javanicum var. *aspidistrifolium* / 721
Cymbidium kanran / 721
Cymbidium koran / 720
Cymbidium lancifolium / 721
Cymbidium lancifolium f. *aspidistrifolium* / 721
Cymbidium lancifolium var. *aspidistrifolium* / 721
Cymbidium lancifolium var. *lancifolium* / 721
Cymbidium macrorhizon / 721
Cymbidium nagifolium / 721
Cymbidium nipponicum / 721
Cymbidium oreophyllum / 721
Cymbidium purpureohiemale / 721
Cymbidium striatum / 717
Cymbidium tosyaense / 721
Cymbidium virens / 721
Cymbopogon / 629
Cymbopogon goeringii / 629
Cymbopogon tortilis var. *goeringii* / 629
Cymopterus / 374
Cymopterus crassus / 374
Cymopterus melanotilingia / 374
Cynanchum / 418
Cynanchum acuminatifolium / 419
Cynanchum amplexicaule / 418
Cynanchum amplexicaule f. *castaneum* / 419
Cynanchum ascyrifolium / 419
Cynanchum atratum / 419
Cynanchum brandtii / 419
Cynanchum chinense / 419
Cynanchum deltoideum / 419
Cynanchum glabrum / 420
Cynanchum grayanum / 420
Cynanchum inamoenum / 419
Cynanchum japonicum / 419
Cynanchum nipponicum / 420
Cynanchum nipponicum var. *glabrum* / 420
Cynanchum nipponicum var. *nipponicum* / 420
Cynanchum paniculatum / 420
Cynanchum pubescens / 419
Cynanchum purpureum / 420
Cynanchum roseum / 420
Cynanchum thesioides / 420
Cynanchum volubile / 420
Cynanchum wilfordii / 421
Cynoctonum purpureum / 420
Cynoctonum roseum / 420
Cynoctonum wilfordii / 421
Cynodon / 629
Cynodon dactylon / 629
Cynodon indicus / 633
Cynoglossum / 434
Cynoglossum aspernum / 434
Cynoglossum aspernum var. *tosaense* / 434
Cynoglossum aspernum var. *yosoense* / 434
Cynoglossum furcatum / 434
Cynoglossum prostratum / 434
Cynoglossum tosaense / 434
Cynoglossum villosulum / 435
Cynoglossum zeylanicum / 434
Cynoglossum zeylanicum var. *vilosulum* / 435
Cynorkis gracilis / 717
Cynosurus indicus / 633
Cynoxylon japonica / 363
Cynoxylon kousa / 363
CYPERACEAE / 668
Cyperella campestris var. *multiflora* / 617
Cyperus / 698
Cyperus amuricus / 698
Cyperus amuricus var. *pterygorrachis* / 698
Cyperus amuricus var. *textorii* / 699
Cyperus barbata / 668
Cyperus brevifolia subsp. *leiolepis* / 710
Cyperus brevifolia var. *leiolepis* / 710
Cyperus brevifolius / 709
Cyperus cyperoides / 698
Cyperus diaphanus / 710
Cyperus difformis / 699
Cyperus flavidus / 710
Cyperus glomeratus / 699
Cyperus hakonensis / 699
Cyperus haspan / 699
Cyperus haspan var. *tuberiferus* / 699
Cyperus iria / 699
Cyperus iria var. *paniciformis* / 699
Cyperus krameri / 698
Cyperus krebsii / 700
Cyperus laevissimus / 700

Cyperus makinoi / 700
Cyperus michelianus subsp. *pygmaeus* / 700
Cyperus michelianus var. *nipponicus* / 700
Cyperus michelianus var. *pacificus* / 700
Cyperus microiria / 699
Cyperus monostachyos / 707
Cyperus monti / 700
Cyperus nipponicus / 699
Cyperus orthostachyus / 700
Cyperus orthostachyus var. *dahuricus* / 700
Cyperus orthostachyus var. *robustus* / 700
Cyperus oryzetorum / 699
Cyperus pacificus / 700
Cyperus paniciformis / 699
Cyperus polystachyos / 710
Cyperus pseudohaspan / 701
Cyperus pygmaeus / 700
Cyperus rotundus / 700
Cyperus rotundus var. *quimoyensis* / 700
Cyperus sanguinolentus / 711
Cyperus santonici / 699
Cyperus serotinus / 700
Cyperus tenuispica / 701
Cyperus teretifructus / 710
Cyperus textorii / 699
Cyperus trachyrhachis / 710
Cyperus truncatus var. *orthostachyus* / 700
Cyperus truncatus var. *robustus* / 700
Cypripedium / 722
Cypripedium agnicapitatum / 722
Cypripedium bulbosum / 719
Cypripedium calceolus / 722
Cypripedium guttatum / 722
Cypripedium guttatum f. *albiflorum* / 722
Cypripedium guttatum f. *punicum* / 722
Cypripedium japonicum / 722
Cypripedium macranthos / 722
Cypripedium macranthos f. *albiflorum* / 722
Cypripedium macranthos f. *rebunense* / 722
Cypripedium macranthos var. *albiflorum* / 722
Cypripedium macranthos var. *speciosum* / 722
Cypripedium neoparviflorum / 722
Cypripedium rebunense / 722
Cypripedium shanxiense / 722
Cypripedium speciosum / 722
Cypripedium thunbergii / 722
Cypripedium × *morinanthum* / 723
Cypripedium × *roseum* / 723

Cypripedium × *sinapoides* / 723
Cypripedium × *ventricosum* / 722
Cyrtomidictyum lepidocaulon / 52
Cyrtomium / 43
Cyrtomium caryotideum var. *caryotideum* / 43
Cyrtomium caryotideum var. *coreanum* / 43
Cyrtomium devexiscapulae / 43
Cyrtomium falcatum / 44
Cyrtomium falcatum var. *devexiscapulae* / 44
Cyrtomium fortunei / 44
Cyrtomium fortunei f. *laetevirens* / 44
Cyrtomium fortunei var. *clivicola* / 44
Cyrtomium fortunei var. *fortunei* / 44
Cyrtomium fortunei var. *intermedium* / 44
Cyrtomium laetevirens / 44
Cyrtomium yamamotoi / 44
Cyrtosia / 723
Cyrtosia septentrionalis / 723
CYSTOPTERIDACEAE / 19
Cystopteris / 19
Cystopteris fragilis / 19
Cystopteris spinulosa / 35
Cystopteris sudetica / 19
Cytherea bulbosa / 719
Czernaevia laevigata / 369

(D)

Dactylophyllum sibbaldia / 268
Dactylorhiza / 723
Dactylorhiza aristata / 723
Dactylorhiza viridis / 723
Dactylorhiza viridis var. *coreana* / 723
Dactylorhiza viridis var. *viridis* / 723
Dactylus trapezuntinus / 402
Dalbergia / 278
Dalbergia hupeana / 278
Dalibarda ternata / 274
Damnacanthus / 422
Damnacanthus formosanus / 423
Damnacanthus indicus / 422
Damnacanthus indicus subsp. *major* / 423
Damnacanthus indicus var. *formosanus* / 423
Damnacanthus indicus var. *intermedius* / 423
Damnacanthus indicus var. *latifolius* / 423
Damnacanthus indicus var. *major* / 423
Damnacanthus major / 423
Daphne / 335
Daphne cannabina var. *kiusiana* / 336

■ Scientific name Index

- Daphne fortunei* / 336
Daphne genkwa / 336
Daphne genkwa f. *taitoensis* / 336
Daphne genkwa var. *fortunei* / 336
Daphne jejuensis / 336
Daphne kiusiana / 336
Daphne kiusiana var. *fasciata* / 336
Daphne koreana / 336
Daphne odora var. *fasciata* / 336
Daphne odora var. *kiusiana* / 336
Daphne pseudomezereum var. *koreana* / 336
Daphne pseudomezereum var. *pseudomezereum* / 336
DAPHNIPHYLLACEAE / 306
Daphniphyllum / 306
Daphniphyllum amamiense / 307
Daphniphyllum buergeri / 307
Daphniphyllum himalaense subsp. *macropodum* / 307
Daphniphyllum humile / 307
Daphniphyllum macropodum / 307
Daphniphyllum macropodum subsp. *humile* / 307
Daphniphyllum macropodum var. *viridipes* / 307
Daphniphyllum marchandii / 307
Daphniphyllum membranaceum / 307
Daphniphyllum roxburghii / 307
Daphniphyllum teijsmannii / 307
Darea tenera / 25
Dasiphora / 237
Dasiphora fruticosa / 237
Dasiphora fruticosa var. *coreana* / 246
Dasiphora fruticosa var. *leucantha* / 246
Dasiphora mandshurica / 246
Dasiphora riparia / 237
Dasystephana scabra / 413
Daucus / 374
Daucus carota subsp. *carota* / 374
Daucus carota subsp. *maritimus* / 375
Daucus littoralis / 375
Davallia / 54
Davallia biflora / 17
Davallia hirsuta / 17
Davallia mariesii / 54
Davallia stenolepis / 54
Davallia strigosa / 18
Davallia wilfordii / 17
DAVALLIACEAE / 54
Deinostema / 462
Deinostema adenocaulum / 462
Deinostema violacea / 462
- Delphinastrum grandiflorum* / 167
Delphinium / 167
Delphinium grandiflorum / 167
Delphinium grandiflorum var. *chinense* / 167
Delphinium maackianum / 167
Delphinium maackianum f. *albiflorum* / 167
Delphinium maackianum f. *album* / 167
Delphinium maackianum f. *lasiocarpum* / 167
Delphinium maackianum var. *album* / 167
Delphinium maackianum var. *lasiocarpum* / 167
Delphinium maackianum var. *lasiophyllum* / 167
Delphinium sinense / 167
Demidovia tetragonoides / 128
Dendranthema / 534
Dendranthema boreale / 527
Dendranthema coreanum / 534
Dendranthema indicum / 528
Dendranthema jeongseonensis / 534
Dendranthema makinoi / 528
Dendranthema oreastrum / 535
Dendranthema pallasianum / 509
Dendranthema sichotense / 535
Dendranthema sinchangense / 536
Dendranthema zawadskii / 535
Dendranthema zawadskii var. *leiophyllum* / 535
Dendranthema zawadskii var. *lucida* / 535
Dendranthema zawadskii var. *nakdongensis* / 535
Dendranthema zawadskii var. *sinchangense* / 535
Dendranthema zawadskii var. *tenuisectum* / 536
Dendranthema zawadskii var. *yezoense* / 536
Dendranthema zawadskii var. *zawadskii* / 535
Dendrobenthamia japonica / 363
Dendrobium / 724
Dendrobium heishanense / 724
Dendrobium moniliforme / 724
Dendropanax / 364
Dendropanax morbiferus / 365
Dendropanax trifidus / 364
Dendropanax trifidus var. *morbifera* / 365
Dennstaedtia / 17
Dennstaedtia hirsuta / 17
Dennstaedtia scabra / 17
Dennstaedtia strigosa / 18
Dennstaedtia wilfordii / 17
DENNSTAEDTIACEAE / 17
Dense-flower elatostema / 105
Dentaria dasyloba / 205
Dentaria gmelinii / 206

- | | |
|---|--|
| <i>Dentaria leucantha</i> / 205 | <i>Desmodium podocarpum</i> subsp. <i>fallax</i> / 282 |
| <i>Dentaria macrophylla</i> / 206 | <i>Desmodium podocarpum</i> var. <i>mandshuricum</i> / 282 |
| <i>Dentaria macrophylla</i> var. <i>dasyloba</i> / 205 | <i>Desmodium podocarpum</i> var. <i>membranaceum</i> / 282 |
| <i>Dentaria wallichii</i> / 206 | <i>Desmodium podocarpum</i> var. <i>oxyphyllum</i> / 282 |
| <i>Dentaria willdenowii</i> / 206 | <i>Desmodium racemosum</i> var. <i>dilatatum</i> / 282 |
| <i>Deparia</i> / 37 | <i>Desmodium racemosum</i> var. <i>mandshuricum</i> / 283 |
| <i>Deparia albosquamata</i> / 39 | <i>Desmodium racemosum</i> var. <i>pubescens</i> / 282 |
| <i>Deparia coniliifera</i> / 37 | <i>Desmodium racemosum</i> var. <i>ramosum</i> / 282 |
| <i>Deparia coniliifera</i> var. <i>angustata</i> / 39 | <i>Desmodium tomentosum</i> / 288 |
| <i>Deparia coreana</i> / 37 | <i>Desmodium viticinum</i> / 282 |
| <i>Deparia dimorphophylla</i> / 37 | <i>Deutzia</i> / 226 |
| <i>Deparia dimorphophylla</i> var. <i>kiusiana</i> / 38 | <i>Deutzia amurensis</i> / 227 |
| <i>Deparia japonica</i> / 37 | <i>Deutzia baroniana</i> / 226 |
| <i>Deparia kiusiana</i> / 37 | <i>Deutzia coreana</i> / 227 |
| <i>Deparia lancea</i> / 38 | <i>Deutzia coreana</i> var. <i>tozawae</i> / 227 |
| <i>Deparia okuboana</i> / 38 | <i>Deutzia coreana</i> var. <i>triradiata</i> / 227 |
| <i>Deparia oldhamii</i> / 38 | <i>Deutzia corymbosa</i> var. <i>parviflora</i> / 227 |
| <i>Deparia orientalis</i> / 39 | <i>Deutzia fauriei</i> / 226 |
| <i>Deparia petersenii</i> / 38 | <i>Deutzia glaberrima</i> / 226 |
| <i>Deparia pseudoconiliifera</i> / 38 | <i>Deutzia glabrata</i> / 226 |
| <i>Deparia pterorachis</i> / 38 | <i>Deutzia grandiflora</i> var. <i>baroniana</i> / 226 |
| <i>Deparia pycnosora</i> / 39 | <i>Deutzia grandiflora</i> var. <i>grandiflora</i> / 226 |
| <i>Deparia pycnosora</i> var. <i>albosquamata</i> / 39 | <i>Deutzia hamata</i> / 226 |
| <i>Deparia pycnosora</i> var. <i>pycnosora</i> / 39 | <i>Deutzia hamata</i> f. <i>latifolia</i> / 226 |
| <i>Deparia viridifrons</i> / 39 | <i>Deutzia kongoa</i> / 227 |
| <i>Deparia</i> × <i>angustata</i> / 39 | <i>Deutzia obscula</i> / 227 |
| <i>Deringa japonica</i> / 374 | <i>Deutzia paniculata</i> / 226 |
| <i>Deschampsia</i> / 630 | <i>Deutzia parviflora</i> / 227 |
| <i>Deschampsia cespitosa</i> subsp. <i>cespitosa</i> / 630 | <i>Deutzia parviflora</i> f. <i>barvinervis</i> / 227 |
| <i>Deschampsia cespitosa</i> subsp. <i>orientalis</i> / 630 | <i>Deutzia parviflora</i> f. <i>obscura</i> / 227 |
| <i>Desmodium</i> / 278 | <i>Deutzia parviflora</i> f. <i>pilosa</i> / 227 |
| <i>Desmodium buergeri</i> / 279 | <i>Deutzia parviflora</i> var. <i>amurensis</i> / 227 |
| <i>Desmodium caudatum</i> / 278 | <i>Deutzia parviflora</i> var. <i>barvinervis</i> / 227 |
| <i>Desmodium caudatum</i> var. <i>latifolium</i> / 282 | <i>Deutzia parviflora</i> var. <i>bungei</i> / 227 |
| <i>Desmodium fallax</i> / 282 | <i>Deutzia parviflora</i> var. <i>monogolica</i> / 227 |
| <i>Desmodium fallax</i> var. <i>mandshuricum</i> / 283 | <i>Deutzia parviflora</i> var. <i>musaei</i> / 227 |
| <i>Desmodium heterocarpon</i> / 279 | <i>Deutzia parviflora</i> var. <i>obscura</i> / 227 |
| <i>Desmodium japonicum</i> / 282 | <i>Deutzia parviflora</i> var. <i>ovatifolia</i> / 227 |
| <i>Desmodium japonicum</i> var. <i>angustifolium</i> / 282 | <i>Deutzia parviflora</i> var. <i>pilosa</i> / 227 |
| <i>Desmodium laxum</i> / 281 | <i>Deutzia prunifolia</i> / 226 |
| <i>Desmodium mandshuricum</i> / 283 | <i>Deutzia prunifolia</i> var. <i>latifolia</i> / 226 |
| <i>Desmodium maximowiczii</i> / 282 | <i>Deutzia tozawae</i> / 227 |
| <i>Desmodium oldhamii</i> / 281 | <i>Deutzia triradiata</i> / 227 |
| <i>Desmodium ovalifolium</i> / 279 | <i>Deutzia uniflora</i> / 227 |
| <i>Desmodium oxyphyllum</i> / 282 | <i>Diacalpe manchuriensis</i> / 32 |
| <i>Desmodium oxyphyllum</i> var. <i>mandshuricum</i> / 283 | <i>Diandrochloa japonica</i> / 635 |
| <i>Desmodium oxyphyllum</i> var. <i>villosum</i> / 282 | <i>Dianthera japonica</i> / 477 |
| <i>Desmodium podocarpum</i> / 281 | <i>Dianthus</i> / 130 |

■ Scientific name Index

<i>Dianthus amurensis</i> / 130	<i>Diarrhena yabeana</i> / 630
<i>Dianthus chinensis</i> / 130	<i>Diarthron</i> / 336
<i>Dianthus chinensis</i> subsp. <i>repens</i> / 131	<i>Diarthron linifolium</i> / 336
<i>Dianthus chinensis</i> var. <i>amurensis</i> / 130	<i>Dicalyx prunifolia</i> / 403
<i>Dianthus chinensis</i> var. <i>morii</i> / 130	<i>Dicalyx prunifolia</i> var. <i>uiae</i> / 403
<i>Dianthus chinensis</i> var. <i>serpens</i> / 130	<i>Dicentra</i> / 199
<i>Dianthus contortus</i> / 131	<i>Dicentra spectabilis</i> / 199
<i>Dianthus ellipticus</i> / 131	<i>Dichostylis nipponica</i> / 700
<i>Dianthus fimbriatus</i> / 131	<i>Dichostylis pacificus</i> / 700
<i>Dianthus japonicus</i> / 131	<i>Dichotophyllum demersum</i> / 183
<i>Dianthus japonicus</i> f. <i>albiflorus</i> / 131	<i>Dichrocephala schmidii</i> / 527
<i>Dianthus koreanus</i> / 131	<i>Dichrophyllum jolkini</i> / 304
<i>Dianthus longicalyx</i> / 131	<i>Dicksonia scabra</i> / 17
<i>Dianthus morii</i> / 130	<i>Didiaptera crinita</i> / 477
<i>Dianthus nipponicus</i> / 131	<i>Didiaptera japonica</i> / 477
<i>Dianthus oreadum</i> / 131	<i>Didiaptera japonica</i> var. <i>subrotunda</i> / 477
<i>Dianthus pineticola</i> / 130	<i>Dicranopteris</i> / 14
<i>Dianthus repens</i> / 131	<i>Dicranopteris laevissima</i> / 14
<i>Dianthus repens</i> var. <i>scabripilosus</i> / 131	<i>Dicranopteris linearis</i> / 14
<i>Dianthus revolutus</i> / 131	<i>Dicranopteris pedata</i> / 15
<i>Dianthus subulifolius</i> / 130	<i>Dictamnus</i> / 307
<i>Dianthus superbus</i> / 131	<i>Dictamnus albus</i> subsp. <i>dasyacarpus</i> / 307
<i>Dianthus superbus</i> f. <i>longicalycinus</i> / 131	<i>Dictamnus albus</i> var. <i>dasyacarpus</i> / 307
<i>Dianthus superbus</i> subsp. <i>longicalycinus</i> / 131	<i>Dictamnus dasycarpus</i> / 307
<i>Dianthus superbus</i> var. <i>alpestris</i> / 131	<i>Dictamnus dasycarpus</i> f. <i>velutinus</i> / 307
<i>Dianthus superbus</i> var. <i>longicalycinus</i> / 131	<i>Dictamnus dasycarpus</i> var. <i>velutinus</i> / 307
<i>Dianthus superbus</i> var. <i>monticola</i> / 131	<i>Dictyogramme japonica</i> / 21
<i>Dianthus superbus</i> var. <i>pycnophyllum</i> / 131	<i>Didymocarpus aristatus</i> / 463
<i>Dianthus superbus</i> var. <i>speciosus</i> / 131	<i>Didymoglossum insigne</i> / 12
<i>Dianthus superbus</i> var. <i>superbus</i> / 131	<i>Didymoglossum latealatum</i> / 12
<i>Dianthus szechuanensis</i> / 131	<i>Dielytra spectabilis</i> / 199
<i>Dianthus taiwanensis</i> / 131	<i>Diervilla brevicalycina</i> / 494
<i>Dianthus tataricus</i> / 130	<i>Diervilla florida</i> / 494
<i>Diapensia</i> / 384	<i>Diervilla florida</i> f. <i>brevicalycina</i> / 494
<i>Diapensia japonica</i> / 384	<i>Diervilla florida</i> var. <i>pilosa</i> / 494
<i>Diapensia lapponica</i> subsp. <i>obovata</i> / 384	<i>Diervilla florida</i> var. <i>venusta</i> / 494
<i>Diapensia lapponica</i> var. <i>asiatica</i> / 384	<i>Diervilla florida</i> var. <i>venusta</i> f. <i>brevicalycina</i> / 494
<i>Diapensia lapponica</i> var. <i>lapponica</i> / 384	<i>Diervilla pauciflora</i> / 494
<i>Diapensia lapponica</i> var. <i>obovata</i> / 384	<i>Diervilla praecox</i> / 494
<i>Diapensia obovata</i> / 384	<i>Diervilla praecox</i> var. <i>tomentosa</i> / 494
DIAPENSIACEAE / 384	<i>Diervilla rosea</i> / 494
<i>Diarrhena</i> / 630	<i>Diervilla subsessilis</i> / 495
<i>Diarrhena fauriei</i> / 630	<i>Diervilla subsessilis</i> var. <i>mollis</i> / 495
<i>Diarrhena fauriei</i> var. <i>koryoensis</i> / 630	<i>Diervilla venusta</i> / 494
<i>Diarrhena japonica</i> / 630	<i>Digitaria</i> / 630
<i>Diarrhena koryoensis</i> / 630	<i>Digitaria adscendens</i> / 631
<i>Diarrhena mandshurica</i> / 630	<i>Digitaria chinensis</i> / 631
<i>Diarrhena nekka-montana</i> / 630	<i>Digitaria ciliaris</i> / 630

- | | |
|--|---|
| <i>Digitaria formosana</i> / 631 | <i>Diphasiastrum sitchense</i> var. <i>nikoense</i> / 5 |
| <i>Digitaria ischaemum</i> var. <i>intersita</i> / 631 | <i>Diphasium alpinum</i> / 4 |
| <i>Digitaria radicosa</i> / 631 | <i>Diphasium nikoense</i> / 5 |
| <i>Digitaria timorensis</i> / 631 | <i>Diplachne hackelii</i> / 629 |
| <i>Digitaria violascens</i> / 631 | <i>Diplacrum</i> / 701 |
| <i>Digitaria violascens</i> var. <i>intersita</i> / 631 | <i>Diplacrum caricinum</i> / 701 |
| <i>Digitaria violascens</i> var. <i>lasiophylla</i> / 631 | <i>Diplazium</i> / 39 |
| <i>Digitaria violascens</i> var. <i>violascens</i> / 631 | <i>Diplazium chinense</i> / 39 |
| <i>Digraphis arundinacea</i> / 650 | <i>Diplazium christensenianum</i> / 36 |
| <i>Dimeria</i> / 631 | <i>Diplazium conilii</i> / 37 |
| <i>Dimeria higoensis</i> / 632 | <i>Diplazium dimorphophyllum</i> / 37 |
| <i>Dimeria mikii</i> / 632 | <i>Diplazium epirachis</i> / 34 |
| <i>Dimeria ornithopoda</i> / 631 | <i>Diplazium hachijoense</i> / 40 |
| <i>Dimeria ornithopoda</i> subsp. <i>ornithopoda</i> / 632 | <i>Diplazium japonicum</i> / 37 |
| <i>Dimeria ornithopoda</i> subsp. <i>subrobusta</i> / 632 | <i>Diplazium kiusianum</i> / 38 |
| <i>Dimeria ornithopoda</i> var. <i>subrobusta</i> / 632 | <i>Diplazium mesosorum</i> / 40 |
| <i>Dimeria ornithopoda</i> var. <i>tenera</i> / 632 | <i>Diplazium mettenianum</i> / 40 |
| <i>Dimeria stipiformis</i> / 631 | <i>Diplazium nipponicum</i> / 40 |
| <i>Dimeria tenera</i> / 631 | <i>Diplazium okudairai</i> / 40 |
| <i>Dimesia monticola</i> / 639 | <i>Diplazium otophorum</i> / 35 |
| <i>Dimorphanthus edulis</i> / 364 | <i>Diplazium sibiricum</i> / 40 |
| <i>Dimorphanthus elatus</i> / 364 | <i>Diplazium sibiricum</i> var. <i>glabrum</i> / 40 |
| <i>Dimorphanthus japonicus</i> / 366 | <i>Diplazium sibiricum</i> var. <i>sibiricum</i> / 40 |
| <i>Dimorphanthus mandshuricus</i> / 364 | <i>Diplazium squamigerum</i> / 41 |
| <i>Dioscorea</i> / 608 | <i>Diplazium subsinuatum</i> / 38 |
| <i>Dioscorea batatas</i> / 609 | <i>Diplazium taquetii</i> / 41 |
| <i>Dioscorea coreana</i> / 608 | <i>Diplazium thunbergii</i> var. <i>angustatum</i> / 39 |
| <i>Dioscorea giraldii</i> / 609 | <i>Diplazium virescens</i> / 41 |
| <i>Dioscorea japonica</i> / 608 | <i>Diplazium wichurae</i> / 41 |
| <i>Dioscorea nipponica</i> / 609 | <i>Diplolabellum coreanum</i> / 733 |
| <i>Dioscorea nipponica</i> f. <i>jamesii</i> / 609 | <i>Diplomorpha ellipsocarpa</i> / 337 |
| <i>Dioscorea nipponica</i> var. <i>jamesii</i> / 609 | <i>Diplomorpha ganpi</i> / 337 |
| <i>Dioscorea polystachya</i> / 609 | <i>Diplomorpha trichotoma</i> / 337 |
| <i>Dioscorea quinquelobata</i> / 609 | <i>Dipterygium</i> / 14 |
| <i>Dioscorea septemloba</i> / 609 | <i>Dipterygium glaucum</i> / 14 |
| <i>Dioscorea tenuipes</i> / 609 | <i>Dipterygium laevissimum</i> / 14 |
| <i>Dioscorea tokoro</i> / 609 | DIPSACACEAE / 497 |
| <i>Dioscorea villosa</i> var. <i>coreana</i> / 608 | <i>Dipsacus</i> / 497 |
| <i>Dioscorea yokusae</i> / 609 | <i>Dipsacus gmelinii</i> / 497 |
| DIOSCOREACEAE / 608 | <i>Dipsacus japonicus</i> / 497 |
| <i>Diospyros</i> / 402 | <i>Disporum</i> / 587 |
| <i>Diospyros kaki</i> f. <i>ellipsoidea</i> / 402 | <i>Disporum flavens</i> / 587 |
| <i>Diospyros kaki</i> f. <i>globosa</i> / 402 | <i>Disporum hallaisanense</i> / 587 |
| <i>Diospyros kaki</i> f. <i>ovoidea</i> / 402 | <i>Disporum ovale</i> / 603 |
| <i>Diospyros kaki</i> var. <i>glabra</i> / 402 | <i>Disporum ovale</i> f. <i>albiflorum</i> / 603 |
| <i>Diospyros lotus</i> / 402 | <i>Disporum ovale</i> f. <i>albus</i> / 603 |
| <i>Diospyros lotus</i> var. <i>glabra</i> / 402 | <i>Disporum ovale</i> var. <i>albiflorum</i> / 603 |
| <i>Diphasiastrum alpinum</i> / 4 | <i>Disporum sessile</i> / 587 |

Disporum sessile subsp. *flavens* / 587
Disporum sessile var. *flavens* / 587
Disporum sessile var. *pachyrrhizum* / 587
Disporum sessile var. *stenophyllum* / 587
Disporum smilacinum / 587
Disporum smilacinum var. *album* / 587
Disporum smilacinum var. *ramosum* / 587
Disporum smilacinum var. *viridescens* / 588
Disporum uniflorum / 587
Disporum viridescens / 587
Distegocarpus cordata / 86
Distegocarpus erosa / 86
Distegocarpus laxiflora / 87
Distylium / 213
Distylium racemosum / 213
Doellingeria scaber / 521
Dolichos lineatus / 277
Dolichos lobatus / 290
Dontostemon / 208
Dontostemon dentatus / 208
Dontostemon dentatus var. *glandulosus* / 208
Dontostemon dentatus var. *pilosus* / 208
Dontostemon eglandulosus / 208
Dontostemon hispidus / 208
Dontostemon oblongifolius / 208
Dopatrium / 463
Dopatrium aristatum / 463
Dopatrium japonicum / 463
Dopatrium junceum / 463
Doraena japonica / 395
Doryopteris argentea / 20
Draba / 208
Draba daurica var. *ramosa* / 208
Draba glabella / 208
Draba lutea / 209
Draba mongolica / 209
Draba nemoralis var. *hebecarpa* / 209
Draba nemorosa / 209
Draba nemorosa f. *leiocarpa* / 209
Draba nemorosa var. *hebecarpa* / 209
Draba nemorosa var. *leiocarpa* / 209
Draba nipponica / 209
Draba sakuraii / 209
Dracamine pratensis / 206
Dracocephalum / 444
Dracocephalum argunense / 444
Dracocephalum japonicum / 444
Dracocephalum rupestre / 445

Dracocephalum ruyschiana var. *argunense* / 444
Dracocephalum ruyschiana var. *japonicum* / 444
Dracocephalum ruyschiana var. *speciosum* / 444
Dracocephalum sinense / 450
Dracocephalum stewartianum / 453
Dracocephalum urticifolium / 450
Dracocephalum urticifolium f. *nomalis* / 451
Drosera / 194
Drosera anglica / 194
Drosera anglica var. *subuniflora* / 194
Drosera longifolia / 194
Drosera nipponica / 194
Drosera peltata var. *nipponica* / 194
Drosera peltata var. *peltata* / 194
Drosera rotundifolia / 194
Drosera spatulata / 194
Drosera umbellata / 397
DROSERACEAE / 194
Druparia padus / 250
Dryas / 237
Dryas ajanensis / 237
Dryas nervosa / 237
Dryas octopetala f. *asiatica* / 237
Dryas octopetala subsp. *ajanensis* / 237
Dryas octopetala subsp. *nervosa* / 237
Dryas octopetala subsp. *tschonoskii* / 237
Dryas octopetala var. *asiatica* / 237
Dryas octopetala var. *octopetala* / 237
Dryas tschonoskii / 237
Drymocallis viscosa / 246
Drymoglossum carnosum var. *obovatum* / 55
Drymoglossum nobukoanum / 55
Drymoglossum obovatum / 55
Drynaria hastata / 59
Dryoathyrium okuboanum / 38
Dryoathyrium pterorachis / 39
Dryoathyrium viridifrons / 39
Dryoathyrium viridifrons var. *okuboanum* / 38
Dryopsis / 44
Dryopsis maximowicziana / 44
DRYOPTERIDACEAE / 42
Dryopteris / 45
Dryopteris amabilis / 42
Dryopteris amurensis / 45
Dryopteris atrata / 45
Dryopteris austriaca var. *austriaca* / 45
Dryopteris austriaca var. *subopposita* / 45
Dryopteris bissetiana / 45

Dryopteris bissetiana var. *sacrosancta* / 50
Dryopteris bullatipaleacea / 45
Dryopteris caudipinna / 45
Dryopteris championii / 45
Dryopteris championii var. *tenuifrons* / 48
Dryopteris changii / 45
Dryopteris chinensis / 46
Dryopteris commixta / 46
Dryopteris coreano-montana / 46
Dryopteris crassirhizoma / 46
Dryopteris crassirhizoma var. *setosa* / 46
Dryopteris crenulatoserrulata / 36
Dryopteris cycadina / 46
Dryopteris decipiens / 46
Dryopteris dentata / 27
Dryopteris dickinsii / 46
Dryopteris dickinsii var. *namegatae* / 49
Dryopteris erythrosora / 46
Dryopteris erythrosora f. *erythrosora* / 47
Dryopteris erythrosora f. *viridisora* / 47
Dryopteris erythrosora var. *cavaleriei* / 45
Dryopteris erythrosora var. *viridisora* / 47
Dryopteris expansa / 47
Dryopteris falcata / 44
Dryopteris filix-mas var. *setosa* / 46
Dryopteris formosana / 47
Dryopteris fragrans / 47
Dryopteris fragrans var. *remotiuscula* / 47
Dryopteris fuscipes / 47
Dryopteris glanduligera / 29
Dryopteris goeringiana / 47
Dryopteris gongylodes / 27
Dryopteris gracilescens var. *glanduligera* / 30
Dryopteris gymnophylla / 48
Dryopteris hangchowensis / 48
Dryopteris hattori / 29
Dryopteris hayatae / 50
Dryopteris hikonensis / 48
Dryopteris hololepis / 51
Dryopteris hondoensis / 48
Dryopteris indusiata var. *paleacea* / 49
Dryopteris infrahirtella / 45
Dryopteris integrifinnula / 48
Dryopteris interrupta / 27
Dryopteris jessoensis / 19
Dryopteris kinkiensis / 48
Dryopteris labordei f. *paleacea* / 49
Dryopteris lacera / 48

Dryopteris laeta / 47
Dryopteris lepidocaulis / 52
Dryopteris lingii / 51
Dryopteris longirostrata / 45
Dryopteris matsuzoana / 51
Dryopteris maximowiczii / 48
Dryopteris medioxima / 49
Dryopteris monticola / 49
Dryopteris namegatae / 49
Dryopteris neofuscipes / 45
Dryopteris nipponeensis / 49
Dryopteris nipponica / 30
Dryopteris nipponica var. *borealis* / 30
Dryopteris ogawai / 51
Dryopteris okuboanum / 38
Dryopteris paomowanensis / 49
Dryopteris parafuscipes / 47
Dryopteris parasitica / 28
Dryopteris penangiana / 28
Dryopteris phegopteris / 30
Dryopteris polylepis / 49
Dryopteris pseudoerythrosora / 45
Dryopteris punctata / 18
Dryopteris purpurella / 49
Dryopteris quelpartensis / 31
Dryopteris sabaei / 49
Dryopteris sacrosancta / 50
Dryopteris saxifraga / 50
Dryopteris saxifraga var. *deltoides* / 50
Dryopteris saxifragivaria / 50
Dryopteris sheareri / 35
Dryopteris simasakii var. *paleacea* / 49
Dryopteris sinovaria / 51
Dryopteris subexaltata / 50
Dryopteris tenuissima / 51
Dryopteris tenuissima f. *serrata* / 51
Dryopteris tenuissima var. *serrata* / 51
Dryopteris thunbergii / 45
Dryopteris tokyoensis / 50
Dryopteris uniformis / 50
Dryopteris uniformis f. *coreana* / 50
Dryopteris uniformis var. *coreana* / 50
Dryopteris varia / 51
Dryopteris varia var. *hikonensis* / 48
Dryopteris varia var. *sacrosanta* / 50
Dryopteris varia var. *saxifraga* / 50
Dryopteris woodsiisora / 51
Dryopteris yabei / 51

Dryopteris yabei f. *ogawai* / 51
Dryopteris yabei var. *hololepis* / 51
Dryopteris yabei var. *ogawai* / 51
Dubrueilia peploides / 107
Dubyaea ramosissima / 532
Duchesnea / 237
Duchesnea chrysanthia / 238
Duchesnea formosana / 238
Duchesnea indica / 238
Duchesnea indica var. *major* / 238
Duchesnea major / 238
Duchesnea wallichiana / 238
Dumasia / 279
Dumasia truncata / 279
Dunbaria / 279
Dunbaria subrhombea / 279
Dunbaria villosa / 279
Duretia hirtella / 104
Duretia longispica / 103
Duretia nakaiana / 104
Duretia pannosa / 103
Duretia platanifolia / 103
Duretia quelpaertensis / 104
Duretia sieboldiana / 104
Duretia spicata / 104
Duretia taquetii / 104
Duretia tricuspis / 104
Duval-jouvea serotina / 700
Dysophylla benthamiana / 454
Dysophylla esquirolii / 454
Dysophylla fauriei / 454
Dysophylla japonica / 454
Dysophylla linearis / 454
Dysophylla linearis var. *yatabeana* / 454
Dysophylla lythroides / 454
Dysophylla martini / 454
Dysophylla stellata / 454
Dysophylla verticillata / 454
Dysophylla yatabeana / 454
Dysphania / 144
Dysphania aristata / 144
Dystaenia / 375
Dystaenia takesimana / 375

(E)

EBENACEAE / 402
Eccioilopus cotulifer / 659
Echinocaulon perfoliatum / 121

Echinochloa / 632
Echinochloa crus-galli / 632
Echinochloa crus-galli var. *crus-galli* / 632
Echinochloa crus-galli var. *echinatum* / 632
Echinochloa crus-galli var. *formosensis* / 632
Echinochloa crus-galli var. *oryzicola* / 633
Echinochloa crus-galli var. *praticola* / 632
Echinochloa crus-galli var. *riukiensis* / 633
Echinochloa crus-galli var. *utilis* / 632
Echinochloa echinata / 632
Echinochloa esculenta / 632
Echinochloa glabrescens / 632
Echinochloa oryzicola / 633
Echinochloa oryzoides / 633
Echinochloa utilis / 632
Echinopanax elatus / 367
Echinopanax japonicus / 366
Echinops / 536
Echinops dahuricus / 536
Echinops dahuricus var. *angustilobus* / 536
Echinops dahuricus var. *latilobus* / 536
Echinops latifolius / 536
Echinops setiger / 536
Echinosophora koreensis / 291
Echinospermum deflexum / 435
Echinospermum heteracanthum / 436
Echinospermum lappula / 435
Echinospermum matsudairai / 435
Eclipta dentata / 569
Edosima neurophyllum / 381
Ehretia / 435
Ehretia acuminata / 435
Ehretia acuminata var. *obovata* / 435
Ehretia ovalifolia / 435
Ehretia serrata var. *obovata* / 435
Ehretia taiwaniana / 435
Ehretia thrysiflora / 435
ELAEAGNACEAE / 337
Elaeagnus / 337
Elaeagnus buisanensis / 337
Elaeagnus coreana / 338
Elaeagnus crispa / 338
Elaeagnus crispa var. *coreana* / 338
Elaeagnus crispa var. *longicarpa* / 338
Elaeagnus crispa var. *parvifolia* / 338
Elaeagnus crispa var. *praematura* / 338
Elaeagnus crispa var. *subcordiacea* / 338
Elaeagnus daibuensis / 337

<i>Elaeagnus glabra</i> / 337	<i>Elatostema japonicum</i> / 105
<i>Elaeagnus glabra</i> f. <i>oxyphylla</i> / 338	<i>Elatostema laetevirens</i> / 105
<i>Elaeagnus glabra</i> subsp. <i>crassifolia</i> / 337	<i>Elatostema nipponicum</i> / 105
<i>Elaeagnus glabra</i> subsp. <i>euglabra</i> / 337	<i>Elatostema pellionifolium</i> / 107
<i>Elaeagnus glabra</i> subsp. <i>oxyphylla</i> / 338	<i>Elatostema scabrum</i> / 107
<i>Elaeagnus glabra</i> var. <i>glabra</i> / 337	<i>Elatostema taquetii</i> / 105
<i>Elaeagnus glabra</i> var. <i>lanceolata</i> / 337	<i>Elatostema umbellata</i> / 105
<i>Elaeagnus glabra</i> var. <i>oxyphylla</i> / 337	<i>Elatostema webbianum</i> / 105
<i>Elaeagnus kotoensis</i> / 338	<i>Eleocharis</i> / 701
<i>Elaeagnus oiawakensis</i> / 337	<i>Eleocharis acicularis</i> / 701
<i>Elaeagnus parvifolia</i> / 338	<i>Eleocharis acicularis</i> f. <i>longiseta</i> / 701
<i>Elaeagnus paucilepidota</i> / 337	<i>Eleocharis acicularis</i> var. <i>acicularis</i> / 701
<i>Elaeagnus salicifolia</i> / 338	<i>Eleocharis acicularis</i> var. <i>longiseta</i> / 701
<i>Elaeagnus tenuiflora</i> / 337	<i>Eleocharis attenuata</i> f. <i>attenuata</i> / 701
<i>Elaeagnus umbellata</i> / 338	<i>Eleocharis attenuata</i> f. <i>laeviseta</i> / 701
<i>Elaeagnus umbellata</i> subsp. <i>euumbellata</i> / 338	<i>Eleocharis chanchaensis</i> / 701
<i>Elaeagnus umbellata</i> subsp. <i>euumbellata</i> var. <i>crassifolia</i> / 338	<i>Eleocharis congesta</i> / 701
<i>Elaeagnus umbellata</i> subsp. <i>euumbellata</i> var. <i>cylindrica</i> / 338	<i>Eleocharis dulcis</i> / 702
<i>Elaeagnus umbellata</i> subsp. <i>euumbellata</i> var. <i>globosa</i> / 338	<i>Eleocharis equisetiformis</i> / 702
<i>Elaeagnus umbellata</i> subsp. <i>parvifolia</i> / 338	<i>Eleocharis erythrochlamys</i> / 703
<i>Elaeagnus umbellata</i> var. <i>coreana</i> / 338	<i>Eleocharis kamtschatica</i> / 702
<i>Elaeagnus umbellata</i> var. <i>parvifolia</i> / 338	<i>Eleocharis kamtschatica</i> f. <i>kamtschatica</i> / 702
<i>Elaeagnus umbellata</i> var. <i>prematura</i> / 338	<i>Eleocharis kamtschatica</i> f. <i>reducta</i> / 702
<i>Elaeagnus umbellata</i> var. <i>umbellata</i> / 338	<i>Eleocharis kamtschatica</i> var. <i>reducta</i> / 702
<i>Elaeagnus</i> × <i>hisauchii</i> / 338	<i>Eleocharis komarovii</i> / 702
<i>Elaeagnus</i> × <i>liukiuensis</i> / 338	<i>Eleocharis kuroguwai</i> / 702
<i>Elaeagnus</i> × <i>maritima</i> / 338	<i>Eleocharis laeviseta</i> / 701
<i>Elaeagnus</i> × <i>nikaii</i> / 338	<i>Eleocharis mamillata</i> var. <i>cyclocarpa</i> / 702
<i>Elaeagnus</i> × <i>submacrophylla</i> / 338	<i>Eleocharis mamillata</i> var. <i>mamillata</i> / 702
ELAEOCARPACEAE / 332	<i>Eleocharis margaritacea</i> / 703
<i>Elaeocarpus</i> / 332	<i>Eleocharis maximowiczii</i> / 703
<i>Elaeocarpus ellipticus</i> / 332	<i>Eleocharis mitrata</i> / 702
<i>Elaeocarpus sylvestris</i> var. <i>ellipticus</i> / 332	<i>Eleocharis obtusa</i> var. <i>ovata</i> / 703
<i>Elaeocarpus sylvestris</i> var. <i>sylvestris</i> / 332	<i>Eleocharis ovata</i> / 703
<i>Elaeodendron fortunei</i> / 322	<i>Eleocharis ovata</i> var. <i>nipponica</i> / 703
ELATINACEAE / 350	<i>Eleocharis parvinux</i> / 703
<i>Elatine</i> / 350	<i>Eleocharis parvula</i> / 703
<i>Elatine ambigua</i> / 350	<i>Eleocharis pellucida</i> var. <i>maximiwiczii</i> / 703
<i>Elatine orientalis</i> / 351	<i>Eleocharis petasata</i> / 703
<i>Elatine oryzetorum</i> / 351	<i>Eleocharis plantaginea</i> / 702
<i>Elatine tetrandra</i> / 351	<i>Eleocharis sachalinensis</i> / 702
<i>Elatine triandra</i> / 351	<i>Eleocharis savatieri</i> / 702
<i>Elatine triandra</i> var. <i>orientalis</i> / 351	<i>Eleocharis soloniensis</i> / 703
<i>Elatine triandra</i> var. <i>pedicellata</i> / 351	<i>Eleocharis tetraquetra</i> / 703
<i>Elatostema</i> / 105	<i>Eleocharis tetraquetra</i> var. <i>wichurae</i> / 703
<i>Elatostema approximatum</i> / 105	<i>Eleocharis wichurae</i> / 703
<i>Elatostema cuneatum</i> / 105	<i>Eleocharis wichurae</i> f. <i>petasata</i> / 703
<i>Elatostema densiflorum</i> / 105	<i>Eleusine</i> / 633

■ Scientific name Index

Eleusine distachya / 633
Eleusine indica / 633
Eleusine japonica / 633
Eleutherococcus / 365
Eleutherococcus asperatus / 366
Eleutherococcus asperulatus / 366
Eleutherococcus divaricatus / 365
Eleutherococcus divaricatus f. inermis / 365
Eleutherococcus divaricatus var. chiisanensis / 365
Eleutherococcus divaricatus var. divaricatus / 365
Eleutherococcus gracilistylus / 365
Eleutherococcus gracilistylus f. koreanus / 365
Eleutherococcus nodiflorus var. *koreanus* / 365
Eleutherococcus rufinervis / 365
Eleutherococcus senticosus / 365
Eleutherococcus senticosus f. subinermis / 366
Eleutherococcus seoulensis / 366
Eleutherococcus sessiliflorus / 366
Eleutherococcus sessiliflorus var. *parviceps* / 366
Elodea crassifolia / 193
Elodea japonica / 193
Elodea verticillata / 575
Elsholtzia / 445
Elsholtzia angustifolia / 445
Elsholtzia byeonanensis / 445
Elsholtzia ciliata / 445
Elsholtzia cristata var. *angustifolia* / 445
Elsholtzia cristata var. *minima* / 445
Elsholtzia haichowensis / 445
Elsholtzia hallasanensis / 446
Elsholtzia hallasanensis f. albiflora / 446
Elsholtzia lungtangensis / 445
Elsholtzia minima / 445
Elsholtzia monostachya / 441
Elsholtzia pseudocristata f. *minima* / 445
Elsholtzia pseudocristata var. *angustifolia* / 445
Elsholtzia pseudocristata var. *splendens* / 445
Elsholtzia saxatilis / 445
Elsholtzia serotina / 445
Elsholtzia splendens / 445
Elsholtzia splendens f. albiflora / 445
Elsholtzia splendens f. roseola / 445
Elsholtzia splendens var. *fasciflora* / 446
Elsholtzia splendens var. *hallasanensis* / 446
Elsholtzia splendens var. *splendens* / 445
Elymus / 633
Elymus arenarius var. *coreensis* / 642
Elymus arenarius var. *vilosus* / 642

Elymus chinensis / 642
Elymus ciliaris / 633
Elymus ciliaris var. *ciliaris* / 634
Elymus ciliaris var. *hackelianus* / 634
Elymus coreanus / 640
Elymus dahuricus / 634
Elymus dahuricus var. *cylindricus* / 634
Elymus dahuricus var. *dahuricus* / 634
Elymus dahuricus var. *vilosulus* / 634
Elymus franchetii / 634
Elymus gmelinii / 634
Elymus krascheninnikovi / 635
Elymus mollis / 642
Elymus mollis var. *coreensis* / 642
Elymus nipponicus / 634
Elymus pendulosus / 635
Elymus psedoagropyron / 642
Elymus racemifer / 633
Elymus sibiricus / 634
Elymus tsukushiensis var. *transiens* / 635
Elymus tsukushiensis var. *tsukushiensis* / 635
Elymus villosulus / 634
Elyna bellardii / 709
Elyna myosuroides / 709
Empetrum / 385
Empetrum asiaticum / 385
Empetrum nigrum subsp. *asiaticum* / 385
Empetrum nigrum subsp. *nigrum* / 385
Empetrum nigrum var. *asiaticum* / 385
Empetrum nigrum var. *japonicum* / 385
Enemion / 168
Enemion leveilleanum / 168
Enemion raddeanum / 168
Enemion raddeanum var. *japonicum* / 168
Enkylia digyna / 351
Enkylia trigyna / 352
Epidendrum domesticum / 610
Epidendrum ensifolium / 720
Epidendrum moniliforme / 724
Epilobium / 357
Epilobium amurense / 357
Epilobium amurense subsp. *amurense* / 357
Epilobium amurense subsp. *cephalostigma* / 357
Epilobium amurense subsp. *laetum* / 357
Epilobium angulatum / 357
Epilobium angustifolium / 357
Epilobium angustifolium var. *pleniflorum* / 357
Epilobium antonianum / 357

<i>Epilobium arcuatum</i> / 359	<i>Epilobium punctatum</i> / 358
<i>Epilobium axillare</i> / 359	<i>Epilobium pyrricholophum</i> / 359
<i>Epilobium baicalense</i> / 358	<i>Epilobium pyrricholophum f. japonicum</i> / 359
<i>Epilobium calycinum</i> / 357	<i>Epilobium pyrricholophum f. kiusianum</i> / 359
<i>Epilobium cephalostigma</i> / 357	<i>Epilobium pyrricholophum f. macrocarpum</i> / 359
<i>Epilobium cephalostigma f. leucanthum</i> / 357	<i>Epilobium pyrricholophum var. anoleucolophum</i> / 359
<i>Epilobium cephalostigma</i> var. <i>nudicarpum</i> / 357	<i>Epilobium pyrricholophum var. curvatopilosum</i> / 359
<i>Epilobium chrysocoma</i> / 359	<i>Epilobium pyrricholophum var. japonicum</i> / 359
<i>Epilobium ciliatum</i> / 358	<i>Epilobium quadrangulum</i> / 359
<i>Epilobium consimile</i> var. <i>japonicum</i> / 357	<i>Epilobium rhynchocarpum</i> / 358
<i>Epilobium coreanum</i> / 357	<i>Epilobium rouyanum</i> / 359
<i>Epilobium cylindrostigma</i> / 357	<i>Epilobium rouyeanum</i> / 359
<i>Epilobium fastigiato-ramosum</i> / 358	<i>Epilobium salicifolium</i> / 357
<i>Epilobium fischerianum</i> / 358	<i>Epilobium spicatum</i> / 357
<i>Epilobium foucaudianum</i> / 357	<i>Epilobium sugaharae</i> / 357
<i>Epilobium gansuense</i> / 357	<i>Epilobium tenue</i> / 359
<i>Epilobium gesneri</i> / 357	<i>Epilobium tetragonum</i> var. <i>japonica</i> / 359
<i>Epilobium glandulosum</i> f. <i>brveifolia</i> / 358	<i>Epilobium tomentosum</i> / 358
<i>Epilobium glandulosum</i> var. <i>asiaticum</i> / 358	<i>Epilobium ulleungensis</i> / 359
<i>Epilobium glandulosum</i> var. <i>brevifolium</i> / 358	<i>Epilobium variabile</i> / 357
<i>Epilobium hakkodense</i> / 359	<i>Epilobium velutinum</i> / 358
<i>Epilobium hirsutum</i> / 358	<i>Epilobium villosum</i> / 358
<i>Epilobium hirsutum</i> var. <i>laetum</i> / 358	<i>Epilobium yabei</i> / 357
<i>Epilobium hirsutum</i> var. <i>tomentosum</i> / 358	<i>Epipactis</i> / 724
<i>Epilobium hirsutum</i> var. <i>villosum</i> / 358	<i>Epipactis falcata</i> / 719
<i>Epilobium japonicum</i> / 359	<i>Epipactis gigantea</i> var. <i>manshurica</i> / 724
<i>Epilobium japonicum</i> var. <i>glandulosopubescens</i> / 359	<i>Epipactis latifolia</i> var. <i>papillosa</i> / 724
<i>Epilobium kiusianum</i> / 359	<i>Epipactis longibracteata</i> / 719
<i>Epilobium laetum</i> / 357	<i>Epipactis macrantha</i> / 726
<i>Epilobium makinoense</i> / 359	<i>Epipactis papillosa</i> / 724
<i>Epilobium maximowiczii</i> / 358	<i>Epipactis papillosa</i> var. <i>imkoeensis</i> / 724
<i>Epilobium miyabei</i> / 357	<i>Epipactis papillosa</i> var. <i>papillosa</i> / 724
<i>Epilobium myokoense</i> / 359	<i>Epipactis schlechtendaliana</i> / 727
<i>Epilobium nakaianum</i> / 359	<i>Epipactis thunbergii</i> / 724
<i>Epilobium nepalense</i> / 357	<i>Epipactis velutinua</i> / 727
<i>Epilobium nudicarpum</i> / 357	<i>Epipogium</i> / 724
<i>Epilobium oligodontum</i> / 359	<i>Epipogium aphyllum</i> / 724
<i>Epilobium organifolium</i> var. <i>pubescens</i> / 357	<i>Epipogium aphyllum</i> f. <i>albiflorum</i> / 724
<i>Epilobium ovale</i> / 357	EQUISETACEAE / 7
<i>Epilobium palustre</i> / 358	<i>Equisetum</i> / 7
<i>Epilobium palustre</i> var. <i>fischerianum</i> / 358	<i>Equisetum arvense</i> / 7
<i>Epilobium palustre</i> var. <i>lavandulifolium</i> / 358	<i>Equisetum arvense</i> subsp. <i>boreale</i> / 7
<i>Epilobium palustre</i> var. <i>majus</i> / 358	<i>Equisetum arvense</i> var. <i>boreale</i> / 7
<i>Epilobium palustre</i> var. <i>minimum</i> / 358	<i>Equisetum boreale</i> / 7
<i>Epilobium palustre</i> var. <i>palustre</i> / 358	<i>Equisetum fluviatile</i> / 8
<i>Epilobium persicifolium</i> / 357	<i>Equisetum heleocharis</i> / 8
<i>Epilobium platystigmatosum</i> / 359	<i>Equisetum hyemale</i> / 7
<i>Epilobium prostratum</i> / 359	<i>Equisetum limosum</i> / 8

■ Scientific name Index

- Equisetum palustre* / 8
Equisetum palustre var. *americanum* / 8
Equisetum palustre var. *japonicum* / 8
Equisetum pratense / 8
Equisetum ramosissimum / 8
Equisetum ramosissimum var. *japonicum* / 8
Equisetum ramosissimum var. *taikankense* / 8
Equisetum scirpoides / 8
Equisetum sylvaticum / 8
Eragrostis / 635
Eragrostis aurea / 635
Eragrostis cilianensis / 635
Eragrostis ferruginea / 635
Eragrostis japonica / 635
Eragrostis megastachya / 635
Eragrostis minor / 635
Eragrostis multicaulis / 636
Eragrostis multispicula / 636
Eragrostis pilosa / 636
Eragrostis pilosa f. *multicaulis* / 636
Eragrostis tenella var. *japonica* / 635
Eranthis byunsanensis / 168
Eranthis byunsanensis f. *pungdoensis* / 168
Eranthis pungdoensis / 168
Eranthis stellata / 168
Eranthis uncinata var. *puberula* / 168
Eranthis vaniotiana / 168
Eremogone / 132
Eremogone capillaris / 132
Eremogone juncea / 132
Eremogone subulata / 132
Erianthus speciosus / 636
Erica arctica / 387
Erica caerulea / 387
ERICACEAE / 384
Ericala thunbergii / 414
Erigeron / 536
Erigeron acris / 536
Erigeron acris var. *acris* / 537
Erigeron acris var. *kamtschaticus* / 537
Erigeron alpicola / 537
Erigeron corymbosus / 536
Erigeron crispulus / 537
Erigeron dubius var. *alpicola* / 537
Erigeron feddei / 522
Erigeron komarovii / 537
Erigeron nelsonii / 536
Erigeron oharae / 522
Erigeron orientalis / 536
Erigeron shepardii / 536
Erigeron spathulifolius / 522
Erigeron thunbergii f. *albiflorus* / 537
Erigeron thunbergii subsp. *komarovii* / 537
Erigeron thunbergii var. *glabratus* f. *albiflorus* / 537
Erigeron zosonius / 537
ERIOCAULACEAE / 619
Eriocaulon / 619
Eriocaulon alpestre / 619
Eriocaulon alpestre var. *robustius* / 619
Eriocaulon atrum / 619
Eriocaulon buergerianum / 619
Eriocaulon cinereum / 619
Eriocaulon cinereum var. *sieboldianum* / 619
Eriocaulon coreanum / 620
Eriocaulon decemflorum / 619
Eriocaulon decemflorum f. *coreanum* / 620
Eriocaulon decemflorum var. *coreanum* / 620
Eriocaulon decemflorum var. *nipponicum* / 620
Eriocaulon glaberrimum / 619
Eriocaulon hondoense / 620
Eriocaulon hondoense var. *stellatum* / 620
Eriocaulon miquelianum / 620
Eriocaulon miquelianum var. *tenuissimum* / 620
Eriocaulon nipponicum / 620
Eriocaulon pachypetalum / 619
Eriocaulon parvum / 620
Eriocaulon robustium / 619
Eriocaulon sachalinense / 620
Eriocaulon sieboldianum / 619
Eriocaulon sikokianum / 620
Eriocaulon taquetii / 620
Eriocaulon tenuissimum / 620
Eriochloa / 636
Eriochloa villosa / 636
Eriophorum / 704
Eriophorum alpicola / 704
Eriophorum alpinum / 716
Eriophorum angustifolium / 704
Eriophorum brachyantherum / 704
Eriophorum coreanum / 704
Eriophorum fauriei / 705
Eriophorum gracile / 704
Eriophorum gracile subsp. *coreanum* / 704
Eriophorum gracile var. *coreanum* / 704
Eriophorum hudsonianum / 716
Eriophorum japonicum / 704

<i>Eriophorum latifolium</i> / 704	<i>Eulalia</i> / 636
<i>Eriophorum maximowiczii</i> / 715	<i>Eulalia japonica</i> / 645
<i>Eriophorum opacum</i> / 704	<i>Eulalia quadrinervis</i> / 636
<i>Eriophorum polystachion</i> var. <i>angustifolium</i> / 704	<i>Eulalia speciosa</i> / 636
<i>Eriophorum polystachyon</i> var. <i>latifolium</i> / 704	<i>Eulalia viminea</i> / 644
<i>Eriophorum scabridum</i> / 705	<i>Euodia baberi</i> / 308
<i>Eriophorum vaginatum</i> / 704	<i>Euodia daniellii</i> / 308
<i>Eriophorum vaginatum</i> subsp. <i>fauriei</i> / 705	<i>Euodia delavayi</i> / 308
<i>Eriophorum vaginatum</i> var. <i>brachantherum</i> / 704	<i>Euodia henryi</i> / 308
<i>Eriophorum vaginatum</i> var. <i>fauriei</i> / 705	<i>Euodia ramiflora</i> / 307
<i>Eriophorum vaginatum</i> var. <i>opacum</i> / 704	<i>Euodia velutina</i> / 308
<i>Eriophorum vulgare</i> / 704	<i>Euonymus</i> / 320
<i>Eritrichium</i> / 435	<i>Euonymus alatus</i> / 320
<i>Eritrichium deflexum</i> / 435	<i>Euonymus alatus</i> f. <i>alatus</i> / 321
<i>Eritrichium japonicum</i> / 437	<i>Euonymus alatus</i> f. <i>apterus</i> / 321
<i>Eritrichium pedunculare</i> / 437	<i>Euonymus alatus</i> f. <i>ciliato-dentatus</i> / 321
<i>Eritrichium radicans</i> / 437	<i>Euonymus alatus</i> f. <i>pilosus</i> / 321
<i>Eritrichium sitchensense</i> / 435	<i>Euonymus alatus</i> f. <i>striatus</i> / 321
<i>Erodium</i> / 298	<i>Euonymus alatus</i> f. <i>subtriflorus</i> / 321
<i>Erodium stephanianum</i> / 298	<i>Euonymus alatus</i> var. <i>alatus</i> f. <i>microphyllus</i> / 321
<i>Erodium stenovii</i> / 298	<i>Euonymus alatus</i> var. <i>apertus</i> / 321
<i>Eroteum ochnaceum</i> / 189	<i>Euonymus alatus</i> var. <i>apterus</i> / 320
<i>Ervum hirsutum</i> / 293	<i>Euonymus alatus</i> var. <i>apterus</i> subvar. <i>pilosus</i> / 321
<i>Ervum tenuifolium</i> / 294	<i>Euonymus alatus</i> var. <i>ciliato-dentatus</i> / 321
<i>Ervum tetraspermum</i> / 295	<i>Euonymus alatus</i> var. <i>ciliato-dentatus</i> f. <i>compactus</i> / 321
<i>Erysimum</i> / 209	<i>Euonymus alatus</i> var. <i>latifolia</i> / 321
<i>Erysimum amurense</i> / 209	<i>Euonymus alatus</i> var. <i>macrophyllus</i> / 321
<i>Erysimum amurense</i> subsp. <i>bungei</i> / 209	<i>Euonymus alatus</i> var. <i>microphyllus</i> / 321
<i>Erysimum amurense</i> var. <i>bungei</i> / 209	<i>Euonymus alatus</i> var. <i>pilosus</i> / 321
<i>Erysimum aurantiacum</i> / 209	<i>Euonymus alatus</i> var. <i>pubescens</i> / 320
<i>Erysimum bungei</i> / 209	<i>Euonymus alatus</i> var. <i>striatus</i> / 321
<i>Erysimum glabrum</i> / 213	<i>Euonymus alatus</i> var. <i>subtriflorus</i> / 320
<i>Erysimum lyratum</i> / 200	<i>Euonymus alatus</i> var. <i>uncinatus</i> / 321
<i>Erysimum macilentum</i> / 209	<i>Euonymus alatus</i> var. <i>verus</i> / 321
<i>Erysimum pendulum</i> / 208	<i>Euonymus alatus</i> var. <i>verus</i> subvar. <i>subtriflorus</i> / 321
<i>Erysimum perofskianum</i> / 209	<i>Euonymus baekdusanensis</i> / 321
<i>Erythrocraete palmatifida</i> / 549	<i>Euonymus bodinieri</i> / 323
<i>Erythronium</i> / 588	<i>Euonymus boninensis</i> / 323
<i>Erythronium dens-canis</i> var. <i>japonicum</i> / 588	<i>Euonymus bungeanus</i> / 323
<i>Erythronium japonicum</i> / 588	<i>Euonymus chibae</i> / 323
<i>Eubasis dichotoma</i> / 362	<i>Euonymus chinensis</i> var. <i>nitidus</i> / 323
<i>Eucapnos spectabilis</i> / 199	<i>Euonymus coreanus</i> / 323
<i>Euchiton</i> / 537	<i>Euonymus flavescens</i> / 324
<i>Euchiton japonicus</i> / 537	<i>Euonymus forbesii</i> / 323
<i>Euchresta</i> / 279	<i>Euonymus fortunei</i> / 322
<i>Euchresta japonica</i> / 279	<i>Euonymus fortunei</i> var. <i>fortunei</i> / 322
<i>Euchresta trifoliolata</i> / 279	<i>Euonymus fortunei</i> var. <i>radicans</i> / 322
<i>Euhemus uniflorus</i> / 450	<i>Euonymus gracilis</i> / 322

■ Scientific name Index

- Euonymus hamiltonianus* / 322
Euonymus hamiltonianus subsp. *sieboldianus* / 322
Euonymus hamiltonianus var. *hamiltonianus* / 322
Euonymus hamiltonianus var. *hians* / 322
Euonymus hamiltonianus var. *maackii* / 323
Euonymus hamiltonianus var. *semiexsertus* / 322
Euonymus hamiltonianus var. *sieboldianus* / 322
Euonymus hamiltonianus var. *yedoensis* / 322
Euonymus hederaceus / 322
Euonymus hians / 322
Euonymus japonicus / 323
Euonymus japonicus f. *macrophylla* / 323
Euonymus japonicus var. *acutus* / 323
Euonymus japonicus var. *latifolia* / 323
Euonymus japonicus var. *longifolius* / 323
Euonymus japonicus var. *macrophylla* / 323
Euonymus japonicus var. *radicans* / 322
Euonymus japonicus var. *rugosus* / 323
Euonymus kiautschovicus / 322
Euonymus lanceifolius / 322
Euonymus latifolius / 324
Euonymus latifolius var. *planipes* / 324
Euonymus latifolius var. *sachalinensis* / 324
Euonymus loeseneri / 321
Euonymus maackii / 323
Euonymus maackii f. *lanceolata* / 323
Euonymus macropterus / 323
Euonymus majumi / 322
Euonymus nikoensis / 322
Euonymus nipponicus / 324
Euonymus nitidus / 323
Euonymus oligospermus / 324
Euonymus oxyphyllus / 324
Euonymus oxyphyllus var. *kuenburgii* / 324
Euonymus oxyphyllus var. *magna* / 324
Euonymus oxyphyllus var. *nipponicus* / 324
Euonymus oxyphyllus var. *yesoensis* / 324
Euonymus pauciflorus / 324
Euonymus planipes / 324
Euonymus quelpaertensis / 323
Euonymus radicans / 322
Euonymus radicans var. *vegetus* / 323
Euonymus repens / 322
Euonymus robusta / 324
Euonymus rugosus / 323
Euonymus sachalinensis / 324
Euonymus semiexsertus / 322
Euonymus sieboldianus / 322
Euonymus sieboldianus var. *megaphyllus* / 322
Euonymus sieboldianus var. *sanguineus* / 322
Euonymus sieboldianus var. *sphaerocarpus* / 322
Euonymus sieboldianus var. *yedoensis* / 322
Euonymus sinensis / 323
Euonymus striatus / 321
Euonymus striatus f. *ciliato-dentatus* / 321
Euonymus striatus subsp. *alata* / 321
Euonymus striatus subsp. *alatus* var. *pilosus* / 321
Euonymus striatus var. *alatus* / 321
Euonymus striatus var. *cornucarpus* / 321
Euonymus striatus var. *hirta* / 321
Euonymus striatus var. *pilosus* / 321
Euonymus striatus var. *pubescens* / 321
Euonymus striatus var. *rotundatus* / 321
Euonymus subtriflorus / 320
Euonymus thunbergianus / 320
Euonymus tobira / 233
Euonymus trapococcus / 323
Euonymus ussuriensis / 323
Euonymus verrucosus var. *pauciflorus* / 324
Euonymus vidallii / 322
Euonymus yedoensis / 322
Euonymus yesoensis / 324
Euonymus yesoensis f. *magnus* / 324
Euonymus yoshinagae / 323
Eupatorium / 537
Eupatorium chinense f. *tripartitum* / 538
Eupatorium chinense var. *angustatum* / 538
Eupatorium chinense var. *dissectum* / 538
Eupatorium chinense var. *oppositifolium* / 538
Eupatorium chinense var. *simplicifolium* / 538
Eupatorium fortunei / 537
Eupatorium fortunei var. *angustatum* / 538
Eupatorium fortunei var. *dissectum* / 538
Eupatorium fortunei var. *simplicifolium* / 537
Eupatorium fortunei var. *tripartitum* / 538
Eupatorium japonicum / 537
Eupatorium japonicum var. *angustatum* / 538
Eupatorium japonicum var. *dissectum* / 537
Eupatorium japonicum var. *tripartitum* / 538
Eupatorium japonicum var. *tripartitum* f. *angustatum* / 537
Eupatorium kirilowii / 538
Eupatorium laciniatum var. *dissectum* / 538
Eupatorium lindleyanum / 538
Eupatorium lindleyanum f. *aureoreticulatum* / 538
Eupatorium lindleyanum var. *trifoliolatum* / 538
Eupatorium makinoi var. *makinoi* / 538

Eupatorium makinoi var. *oppositifolium* / 538
Eupatorium sachalinense var. *oppositifolium* / 538
Eupatorium subtetragonum / 538
Eupatorium tripartitum / 538
Euphorbia / 302
Euphorbia barbellata var. *imaii* / 304
Euphorbia ebracteolata / 302
Euphorbia ebracteolata f. *coreana* / 302
Euphorbia ebracteolata f. *magna* / 302
Euphorbia ebracteolata var. *coreana* / 302
Euphorbia esula / 303
Euphorbia esula f. *octoradiata* / 303
Euphorbia fauriei / 303
Euphorbia fauriei var. *filiformis* / 303
Euphorbia fischeriana / 303
Euphorbia fischeriana var. *pilosa* / 303
Euphorbia hakutosanensis / 303
Euphorbia helioscopia / 303
Euphorbia humifusa / 304
Euphorbia hyلونoma / 304
Euphorbia imaii / 304
Euphorbia jolkinii / 304
Euphorbia lasiocaula / 304
Euphorbia lucorum / 304
Euphorbia lucorum f. *glabrata* / 304
Euphorbia lucorum var. *glabrata* / 304
Euphorbia lunulata / 303
Euphorbia lunulata var. *obtusifolia* / 303
Euphorbia maackii / 303
Euphorbia nakaiana / 303
Euphorbia octoradiata / 303
Euphorbia pallasii / 303
Euphorbia pallasii f. *pilosa* / 303
Euphorbia pallasii var. *pilosa* / 303
Euphorbia pekinensis / 304
Euphorbia pekinensis f. *subulatifolia* / 305
Euphorbia pekinensis var. *fauriei* / 303
Euphorbia pseudochamaesyce / 304
Euphorbia sieboldiana / 305
Euphorbia subulatifolia / 304
Euphorbia taquetii / 305
Euphorbia togakusensis / 305
Euphorbia verticillata / 303
EUPHORBIACEAE / 302
Euphrasia / 463
Euphrasia brandisii / 463
Euphrasia coreana / 463
Euphrasia coreanalpina / 463

Euphrasia hirtella / 463
Euphrasia hirtella var. *paupera* / 463
Euphrasia maximowiczii / 463
Euphrasia mucronulata / 464
Euphrasia nemorosa var. *pectinata* / 463
Euphrasia officinalis var. *hirtella* / 463
Euphrasia paupera / 463
Euphrasia retrotricha / 464
Eurya / 190
Eurya emarginata / 190
Eurya emarginata var. *microphylla* / 190
Eurya japonica / 190
Eurya japonica f. *aurescens* / 190
Eurya japonica f. *integra* / 190
Eurya japonica var. *angustifolia* / 190
Eurya japonica var. *aurescens* / 190
Eurya japonica var. *australis* / 190
Eurya japonica var. *hortensis* / 190
Eurya japonica var. *integra* / 190
Eurya japonica var. *japonica* / 190
Eurya japonica var. *montana* / 190
Eurya japonica var. *multiflora* / 190
Eurya japonica var. *normalis* / 190
Eurya japonica var. *ovata* / 190
Eurya japonica var. *pusilla* / 190
Eurya japonica var. *thunbergii* / 190
Eurya japonica var. *uniflora* / 190
Eurya littoralis / 190
Eurya minutissima / 190
Eurya multiflora / 190
Eurya ochnacea / 189
Eurya ochnacea var. *contracta* / 189
Eurya pubicalyx / 190
Euryale / 181
Euryale ferox / 181
Euryale indica / 181
Euscaphis / 325
Euscaphis chinensis / 325
Euscaphis japonica / 325
Euscaphis saponica / 325
Euscaphis simplicifolia / 325
Euscaphis staphyleoides / 325
Eustachya japonica / 476
Eusteralis pumila / 454
Eusteralis stellata / 454
Eusteralis yatabeanana / 454
Eutrema / 209
Eutrema japonicum / 209

Eutrema okinosimense / 210
Eutrema wasabi / 209
Evansia dichotoma / 610
Evansia tectorum / 613
Evansia vespertina / 610
Exochorda / 238
Exochorda racemosa subsp. *serratifolia* / 238
Exochorda serratifolia / 238
Exochorda serratifolia f. *oligantha* / 238
Exochorda serratifolia var. *oligantha* / 238
Exochorda serratifolia var. *serratifolia* / 238

(F)

FABACEAE / 274
FAGACEAE / 89
Fagara ailanthoides / 308
Fagara armata / 309
Fagara fauriei / 309
Fagara mantschurica / 309
Fagara mantschurica var. *subinermis* / 309
Fagara piperita / 309
Fagara schinifolia / 309
Fagara schinifolia var. *inermis* / 309
Fagara schinifolia var. *subinermis* / 309
Fagara shikokiana / 309
Fagopyrum dumetorum / 113
Fagopyrum pauciflorum / 114
Fagopyrum perfoliatum / 121
Fagopyrum scandens var. *dentatoalatum* / 113
Fagus / 90
Fagus japonica var. *multinervis* / 90
Fagus multinervis / 90
Falcata japonica / 276
Fallopia / 113
Fallopia ciliinervis / 113
Fallopia dentatoalata / 113
Fallopia dumetorum / 113
Fallopia forbesii / 114
Fallopia japonica / 114
Fallopia japonica var. *compacta* / 114
Fallopia japonica var. *uzenensis* / 114
Fallopia koreana / 115
Fallopia multiflora var. *ciliinervis* / 113
Fallopia pauciflora / 114
Fallopia sachalinensis / 115
Farfugium / 538
Farfugium japonicum / 538
Farfugium tussilagineum / 538

Fatoua / 100
Fatoua aspera / 100
Fatoua cordata / 100
Fatoua japonica / 100
Fatoua lanceolata / 100
Fatoua pilosa / 100
Fatoua villosa / 100
Fatsia / 366
Fatsia japonica / 366
Fedia rupestris / 495
Fedia saniculifolia / 496
Fedia scabiosifolia / 496
Fedia serratulifolia / 496
Festuca / 636
Festuca duriuscula / 637
Festuca extremiorientalis / 636
Festuca fauriei / 637
Festuca iwamotoi / 637
Festuca japonica / 637
Festuca misera / 625
Festuca ovina / 637
Festuca ovina var. *chiisanensis* / 637
Festuca ovina var. *chosenica* / 637
Festuca ovina var. *coreana* / 637
Festuca ovina var. *duriuscula* / 637
Festuca ovina var. *koreanoalpina* / 637
Festuca ovina var. *ovina* / 637
Festuca ovina var. *sulcifera* / 637
Festuca parvigluma / 638
Festuca pauciflora / 626
Festuca remotiflora / 626
Festuca rubra / 638
Festuca rubra var. *baicalensis* / 638
Festuca rubra var. *muramatsui* / 638
Festuca subulata var. *japonica* / 637
Festuca sylvatica / 625
Festuca takedana / 638
Ficus / 100
Ficus beecheyana / 100
Ficus erecta / 100
Ficus erecta f. *erecta* / 101
Ficus erecta f. *sieboldii* / 101
Ficus erecta var. *sieboldii* / 101
Ficus fauriei / 101
Ficus foveolata var. *nipponica* / 101
Ficus foveolata var. *thunbergii* / 101
Ficus hederifolia / 101
Ficus japonica / 100

<i>Ficus nipponica</i> / 101	<i>Fimbristylis complanata</i> f. <i>complanata</i> / 705
<i>Ficus oxyphylla</i> / 101	<i>Fimbristylis complanata</i> f. <i>exaltata</i> / 705
<i>Ficus pseudopiriformis</i> / 100	<i>Fimbristylis complanata</i> var. <i>exaltata</i> / 705
<i>Ficus pumila</i> / 101	<i>Fimbristylis cymosa</i> / 705
<i>Ficus pyrifolia</i> / 255	<i>Fimbristylis decora</i> / 708
<i>Ficus sarmentosa</i> subsp. <i>nipponica</i> / 101	<i>Fimbristylis densa</i> / 669
<i>Ficus sarmentosa</i> var. <i>nipponica</i> / 101	<i>Fimbristylis depauperata</i> / 706
<i>Ficus sarmentosa</i> var. <i>thunbergii</i> / 101	<i>Fimbristylis dichotoma</i> / 705
<i>Ficus scandens</i> / 101	<i>Fimbristylis dichotoma</i> f. <i>annua</i> / 706
<i>Ficus sieboldii</i> / 101	<i>Fimbristylis dichotoma</i> f. <i>depauperata</i> / 706
<i>Ficus stipulata</i> / 101	<i>Fimbristylis dichotoma</i> f. <i>dichotoma</i> / 706
<i>Ficus taquetii</i> / 100	<i>Fimbristylis dichotoma</i> f. <i>floribunda</i> / 706
<i>Ficus thunbergii</i> / 101	<i>Fimbristylis dichotoma</i> f. <i>tomentosa</i> / 706
<i>Ficus vestita</i> / 101	<i>Fimbristylis dichotoma</i> subsp. <i>depauperata</i> / 706
<i>Filago leontopodioides</i> / 548	<i>Fimbristylis dichotoma</i> subsp. <i>longispica</i> / 707
<i>Filifolium</i> / 539	<i>Fimbristylis dichotoma</i> var. <i>annua</i> / 706
<i>Filifolium sibiricum</i> / 539	<i>Fimbristylis dichotoma</i> var. <i>floribunda</i> / 706
<i>Filipendula</i> / 238	<i>Fimbristylis dietrichsenii</i> / 707
<i>Filipendula camtschatica</i> / 238	<i>Fimbristylis diphylla</i> / 705
<i>Filipendula camtschatica</i> subsp. <i>glaberrima</i> / 239	<i>Fimbristylis diphylla</i> var. <i>depauperata</i> / 706
<i>Filipendula camtschatica</i> var. <i>glaberrima</i> / 239	<i>Fimbristylis diphylla</i> var. <i>floribunda</i> / 706
<i>Filipendula formosa</i> / 239	<i>Fimbristylis diphylla</i> var. <i>tomentosa</i> / 706
<i>Filipendula glaberrima</i> / 239	<i>Fimbristylis diphyloides</i> / 706
<i>Filipendula glabra</i> / 239	<i>Fimbristylis dipsacea</i> / 706
<i>Filipendula koreana</i> / 239	<i>Fimbristylis drizae</i> / 706
<i>Filipendula koreana</i> f. <i>alba</i> / 239	<i>Fimbristylis exaltata</i> / 705
<i>Filipendula multijuga</i> / 239	<i>Fimbristylis ferruginea</i> / 707
<i>Filipendula multijuga</i> var. <i>alba</i> / 239	<i>Fimbristylis ferruginea</i> var. <i>sieboldii</i> / 707
<i>Filipendula multijuga</i> var. <i>koreana</i> / 239	<i>Fimbristylis fimbriystyloides</i> / 707
<i>Filipendula nuda</i> / 239	<i>Fimbristylis globulosa</i> var. <i>austrojaponica</i> / 709
<i>Filipendula palmata</i> / 239	<i>Fimbristylis glomerata</i> / 705
<i>Filipendula palmata</i> f. <i>nuda</i> / 239	<i>Fimbristylis goeringiana</i> / 706
<i>Filipendula palmata</i> var. <i>glabra</i> / 239	<i>Fimbristylis gynophora</i> / 709
<i>Filipendula rufinervis</i> / 239	<i>Fimbristylis hookeriana</i> / 707
<i>Filipendula yezoensis</i> / 239	<i>Fimbristylis japonica</i> / 709
<i>Filipendula yezoensis</i> f. <i>alba</i> / 239	<i>Fimbristylis jindoensis</i> / 707
<i>Fimbristylis</i> / 705	<i>Fimbristylis kagiensis</i> / 708
<i>Fimbristylis aestivalis</i> / 705	<i>Fimbristylis koreensis</i> / 707
<i>Fimbristylis aestivalis</i> var. <i>squarrosa</i> / 708	<i>Fimbristylis laxa</i> / 705
<i>Fimbristylis annua</i> / 705	<i>Fimbristylis leiocarpa</i> / 705
<i>Fimbristylis annua</i> var. <i>diphylla</i> / 706	<i>Fimbristylis littoralis</i> / 707
<i>Fimbristylis autumnalis</i> / 705	<i>Fimbristylis longispica</i> / 707
<i>Fimbristylis barbata</i> / 668	<i>Fimbristylis makinoana</i> / 708
<i>Fimbristylis brevicollis</i> / 706	<i>Fimbristylis monostachyos</i> / 707
<i>Fimbristylis buergeri</i> / 707	<i>Fimbristylis ovata</i> / 707
<i>Fimbristylis campylophylla</i> / 706	<i>Fimbristylis pierotii</i> / 707
<i>Fimbristylis capillaris</i> var. <i>trifida</i> / 669	<i>Fimbristylis pinetorum</i> / 708
<i>Fimbristylis communis</i> / 705	<i>Fimbristylis polymorpha</i> / 706

■ Scientific name Index

- Fimbristylis schoenoides* / 708
Fimbristylis sericea / 708
Fimbristylis squarrosa / 708
Fimbristylis squarrosa subsp. *esquarrosa* / 708
Fimbristylis squarrosa var. *esquarrosa* / 708
Fimbristylis squarrosa var. *squarrosa* / 708
Fimbristylis stauntonii / 708
Fimbristylis subbispicata / 709
Fimbristylis tikushiensis / 706
Fimbristylis tokyoensis / 705
Fimbristylis tomentosa / 706
Fimbristylis tristachya var. *subbispicata* / 709
Fimbristylis tristachya var. *tristachya* / 708
Fimbristylis umbellaris / 709
Fimbristylis velata / 708
Fimbristylis velutina / 708
Fimbrorchis linearifolia / 728
Finetia falcata / 731
Fiwa japonica / 151
Flacourtia chinensis / 339
Flacourtia japonica / 339
FLACOURTIACEAE / 339
Flagellarisaema thunbergii / 664
Flagellarisaema thunbergii var. *corniculatum* / 664
Fleurya bulbifera / 105
Flueggea suffruticosa / 306
Flueggea ussuriensis / 306
Fluminia spiculosa / 639
Forsythia / 404
Forsythia densiflora / 405
Forsythia japonica f. *saxatilis* / 405
Forsythia japonica var. *saxatilis* / 405
Forsythia koreana / 404
Forsythia koreana f. *autumnalis* / 405
Forsythia koreana f. *pilosa* / 405
Forsythia koreana var. *autumnalis* / 404
Forsythia nakaii / 405
Forsythia ovata / 405
Forsythia saxatilis / 405
Forsythia saxatilis var. *lanceolata* / 405
Forsythia saxatilis var. *pilosa* / 405
Forsythia velutina / 405
Forsythia viridissima var. *koreana* / 404
Fortunaea chinensis / 74
Fragaria / 240
Fragaria chrysanthra / 238
Fragaria indica / 238
Fragaria indica var. *wallichii* / 238
Fragaria mandshurica / 240
Fragaria nipponica subsp. *chejuensis* / 240
Fragaria nipponica subsp. *nipponica* / 240
Fragaria nipponica var. *mandshurica* / 240
Fragaria nipponica var. *yezoensis* / 240
Fragaria palustris / 235
Fragaria yezoensis / 240
Frangula crenata / 327
Frasera diluta var. *tosaensis* / 416
Frasera japonica / 416
Frasera pseudochinensis / 416
Frasera tetrapetala / 416
Fraxinus / 405
Fraxinus angustata / 406
Fraxinus chiisanensis / 405
Fraxinus chiisanensis var. *stenophylla* / 405
Fraxinus chinensis subsp. *rhynchophylla* / 406
Fraxinus chinensis var. *rhynchophylla* / 406
Fraxinus densata / 406
Fraxinus elatior / 405
Fraxinus fauriei / 317
Fraxinus japonica / 406
Fraxinus longicuspis f. *lancea* / 406
Fraxinus longicuspis var. *sieboldiana* / 406
Fraxinus mandshurica / 405
Fraxinus mandshurica subsp. *brevipedicellata* / 405
Fraxinus mandshurica var. *japonica* / 405
Fraxinus nigra subsp. *mandschurica* / 405
Fraxinus nigra var. *mandshurica* / 405
Fraxinus ormus var. *bungeana* / 406
Fraxinus quadrifuga / 406
Fraxinus rhynchophylla / 406
Fraxinus sieboldiana / 406
Fraxinus sieboldiana f. *latifolia* / 406
Fraxinus sieboldiana f. *quadrijuga* / 406
Fraxinus sieboldiana f. *tobana* / 406
Fraxinus sieboldiana var. *angusta* / 406
Fraxinus sieboldiana var. *barbinervis* / 406
Fraxinus sieboldiana var. *pensanensis* / 406
Fraxinus sieboldiana var. *serrata* / 406
Fraxinus sieboldiana var. *subintegra* / 406
Fraxinus sieboldiana var. *trijuga* / 406
Fraxinus tobana / 406
Freziera ochnacea / 189
Fritillaria / 588
Fritillaria ussuriensis / 588
Fuirena / 709
Fuirena ciliaris / 709

Fuirena glomerata / 709
Fumaria decumbens / 196
Fumaria incisa / 197
Fumaria spectabilis / 199
Funkia ovata var. *minor* / 591
Funkia subcordata var. *taquetii* / 591

(G)

Gagea / 588
Gagea hiensis / 588
Gagea lutea / 588
Gagea serotina / 595
Gagea terracianoana / 588
Gagea triflora / 595
Galarhoeus ebracteolatus / 302
Galarhoeus esula / 303
Galarhoeus fauriei / 303
Galarhoeus fischerianus var. *pilosus* / 303
Galarhoeus fischerianus / 303
Galarhoeus hakutosanensis / 303
Galarhoeus helioscopius / 304
Galarhoeus jolkinii / 304
Galarhoeus lucorum / 304
Galarhoeus lucorum f. *glabratus* / 304
Galarhoeus lucorum var. *glabratra* / 304
Galarhoeus lunulatus / 303
Galarhoeus lunulatus var. *obtusifolius* / 303
Galarhoeus octoradiatus / 303
Galarhoeus pallasii / 303
Galarhoeus pekinensis / 304
Galarhoeus pekinensis subsp. *barbellata* var. *imaii* / 304
Galarhoeus sieboldiana / 305
Galarhoeus togakusensis / 305
Galatella meyendorffii / 521
Galearis / 724
Galearis camtschatica / 724
Galearis cyclochila / 725
Galega dahurica / 276
Galeobdolon amplexicaule / 449
Galeola septentrionalis / 723
Galeopsis / 446
Galeopsis bifida / 446
Galeopsis bifida Boenn. var. *emarginata* / 446
Galeopsis tetrahit subsp. *bifida* / 446
Galeopsis tetrahit subsp. *eutetrahitz* var. *bifida* / 446
Galeopsis tetrahit var. *parviflora* / 446
Galium / 423

Galium amurense / 423
Galium aparine var. *spurium* / 426
Galium argyi / 430
Galium asprellum var. *dahuricum* / 424
Galium asprellum var. *fructohispidum* / 426
Galium asprellum var. *lasiocarpum* / 426
Galium asprellum var. *tokyoense* / 426
Galium baicalense / 426
Galium boreale / 423
Galium boreale var. *amurense* / 423
Galium boreale var. *boreale* / 423
Galium boreale var. *ciliatum* / 423
Galium boreale var. *japonica* / 424
Galium boreale var. *kamtschaticum* / 423
Galium boreale var. *koreanum* / 423
Galium boreale var. *lanceolatum* / 423
Galium boreale var. *latifolium* / 423
Galium boreale var. *scabrum* / 423
Galium boreale var. *vulgare* / 423
Galium brachypodium / 424
Galium bungei var. *bungei* / 423
Galium bungei var. *miltorrhizum* / 423
Galium bungei var. *trachyspermum* / 424
Galium columbianum / 427
Galium dahuricum / 424
Galium dahuricum f. *tokyoense* / 426
Galium dahuricum var. *lasiocarpum* / 426
Galium dahuricum var. *leiocarpum* / 424
Galium dahuricum var. *tokyoense* / 426
Galium gracile var. *miltorrhizum* / 423
Galium gracilens / 424
Galium hongnoense / 426
Galium japonicum var. *bracteatum* / 424
Galium japonicum var. *trifloriformis* / 427
Galium japonicum var. *viridescens* / 424
Galium jesonense / 430
Galium kamtschaticum var. *kamtschaticum* / 424
Galium kamtschaticum var. *yakusimense* / 424
Galium kikumugura / 424
Galium kinuta / 424
Galium kinuta var. *bracteatum* / 425
Galium kinuta var. *viridescens* / 425
Galium koreanum / 425
Galium lasiantha / 422
Galium linearifolium / 425
Galium maximowiczii / 425
Galium miltorrhizum / 423
Galium odoratum / 425

■ Scientific name Index

Galium paradoxum / 425
Galium platygalium / 425
Galium pogananthum / 425
Galium pogananthum var. *nudiflorum* / 426
Galium pogananthum var. *pogananthum* / 426
Galium pseudoasprellum / 426
Galium pseudoasprellum var. *densiflorum* / 426
Galium ruprechtii / 426
Galium schilkense / 423
Galium setuliflorum var. *koreanum* / 425
Galium spurium / 426
Galium spurium f. *strigosum* / 426
Galium spurium subsp. *vaillantii* / 426
Galium spurium var. *echinospermum* / 426
Galium spurium var. *vaillantii* / 426
Galium stellarifolium / 425
Galium strigosum / 426
Galium taquetii / 427
Galium tokyoense / 426
Galium trachyspermum / 424
Galium trachyspermum var. *gracilem* / 424
Galium trachyspermum var. *hispidum* / 424
Galium trachyspermum var. *miltorrhizum* / 424
Galium trachyspermum var. *nudicarpum* / 424
Galium trifidum / 426
Galium trifidum subsp. *columbianum* / 427
Galium trifidum subsp. *pacificum* / 427
Galium trifidum subsp. *trifidum* / 427
Galium trifidum var. *brevipedunculatum* / 427
Galium trifidum var. *europaeum* / 426
Galium trifidum var. *pacificum* / 427
Galium trifloriforme / 427
Galium trifloriforme var. *nipponicum* / 427
Galium triflorum f. *europaeum* / 426
Galium vaillantii / 426
Galium verum / 427
Galium verum f. *album* / 427
Galium verum var. *hallaensis* / 427
Galium verum var. *hallasanense* / 427
Galium verum var. *intermedium* / 427
Galium verum var. *nikkoense* / 427
Galium verum var. *rosmarinifolium* f. *intermedium* / 427
Galium verum var. *trachycarpum* / 427
Galium verum var. *trachycarpum* f. *intermedium* / 427
Galium verum var. *trachycarpum* f. *nikkoense* / 427
Galium verum var. *trachycarpum* f. *trachycarpum* / 427
Galium verum var. *trachiphyllum* / 427
Galium verum var. *verum* / 427

Gardneria / 411
Gardneria insularis / 411
Gardneria nutans / 411
Garnotia japonica / 650
Gastrochilus / 725
Gastrochilus japonicus / 725
Gastrochilus matsuran / 725
Gastrodia / 725
Gastrodia elata / 725
Gastrodia elata f. *pilifera* / 725
Gastrodia elata f. *viridis* / 725
Gastrodia elata var. *gracilis* / 725
Gastrodia elata var. *pallens* / 725
Gastrodia elata var. *viridis* / 725
Gastrodia mairei / 725
Gastrodia pubilabiata / 726
Gastrodia viridis / 725
Geblera suffruticosa / 306
Gemnigia chinensis / 610
Gentiana / 412
Gentiana algida / 412
Gentiana algida var. *sibirica* / 412
Gentiana aomorensis / 415
Gentiana aquatica / 414
Gentiana barbata / 415
Gentiana buergeri / 413
Gentiana chosenica / 412
Gentiana contorta / 415
Gentiana detonsa / 415
Gentiana detonsa var. *barbata* / 415
Gentiana fortunei / 413
Gentiana frigida var. *algida* / 412
Gentiana golowninia / 417
Gentiana jamesii / 413
Gentiana jamesii f. *albiflora* / 413
Gentiana jamesii f. *jamesii* / 413
Gentiana jamesii var. *albiflora* / 413
Gentiana jamesii var. *kawakamii* / 413
Gentiana japonica / 416
Gentiana kawakamii / 413
Gentiana kurilensis / 413
Gentiana lactea / 414
Gentiana nipponica / 413
Gentiana nipponica var. *kawakamii* / 413
Gentiana rigescens var. *japonica* / 414
Gentiana scabra / 413
Gentiana scabra f. *scabra* / 413
Gentiana scabra f. *stenophylla* / 413

- | | |
|--|---|
| <i>Gentiana scabra</i> var. <i>buergeri</i> / 413 | <i>Geranium koreanum</i> / 298 |
| <i>Gentiana scabra</i> var. <i>intermedia</i> / 413 | <i>Geranium koreanum</i> f. <i>albidum</i> / 298 |
| <i>Gentiana scabra</i> var. <i>stenophylla</i> / 413 | <i>Geranium koreanum</i> f. <i>hirsutum</i> / 298 |
| <i>Gentiana squarrosa</i> / 413 | <i>Geranium koreanum</i> f. <i>koreanum</i> / 298 |
| <i>Gentiana squarrosa</i> var. <i>microphylla</i> / 414 | <i>Geranium koreanum</i> var. <i>hirsutum</i> / 298 |
| <i>Gentiana squarrosa</i> var. <i>squarrosa</i> / 414 | <i>Geranium koreanum</i> var. <i>koreanum</i> / 298 |
| <i>Gentiana takahashii</i> / 414 | <i>Geranium krameri</i> / 299 |
| <i>Gentiana thunbergii</i> / 414 | <i>Geranium krameri</i> f. <i>adpressipilosum</i> / 299 |
| <i>Gentiana thunbergii</i> f. <i>grandis</i> / 414 | <i>Geranium krameri</i> f. <i>krameri</i> / 299 |
| <i>Gentiana triflora</i> var. <i>japonica</i> / 414 | <i>Geranium krameri</i> var. <i>chejuense</i> / 299 |
| <i>Gentiana triflora</i> var. <i>japonica</i> f. <i>alboviolacea</i> / 414 | <i>Geranium krameri</i> var. <i>iinumai</i> / 301 |
| <i>Gentiana triflora</i> var. <i>japonica</i> f. <i>japonica</i> / 414 | <i>Geranium lasiocaulon</i> / 299 |
| <i>Gentiana triflora</i> var. <i>triflora</i> / 414 | <i>Geranium lavergneanum</i> / 299 |
| <i>Gentiana trinervia</i> / 417 | <i>Geranium lavergneanum</i> var. <i>cinerascens</i> / 299 |
| <i>Gentiana wootchuliana</i> / 414 | <i>Geranium maximowiczii</i> / 299 |
| <i>Gentiana yamatsutae</i> / 415 | <i>Geranium nepalense</i> / 299 |
| <i>Gentiana zollingeri</i> / 415 | <i>Geranium nepalense</i> f. <i>glabratum</i> / 299 |
| <i>Gentiana zollingeri</i> f. <i>albiflora</i> / 415 | <i>Geranium nepalense</i> f. <i>japoinca</i> / 301 |
| <i>Gentiana zollingeri</i> f. <i>zollingeri</i> / 415 | <i>Geranium nepalense</i> subsp. <i>thunbergii</i> / 301 |
| GENTIANACEAE / 412 | <i>Geranium nepalense</i> var. <i>glabratum</i> / 299 |
| <i>Gentianella contorta</i> / 415 | <i>Geranium nepalense</i> var. <i>pallidum</i> / 299 |
| <i>Gentianodes algida</i> / 412 | <i>Geranium nepalense</i> var. <i>thunbergii</i> / 301 |
| <i>Gentianopsis</i> / 415 | <i>Geranium onoei</i> / 300 |
| <i>Gentianopsis barbata</i> / 415 | <i>Geranium platyanthum</i> / 300 |
| <i>Gentianopsis contorta</i> / 415 | <i>Geranium pseudosibiricum</i> / 298 |
| <i>Gentianopsis contorta</i> var. <i>wui</i> / 415 | <i>Geranium reinii</i> / 300 |
| <i>Georchis biflora</i> / 726 | <i>Geranium shikokianum</i> / 300 |
| GERANIACEAE / 298 | <i>Geranium shikokianum</i> var. <i>quelpaertense</i> / 300 |
| <i>Geranium</i> / 298 | <i>Geranium shikokianum</i> var. <i>shikokianum</i> / 300 |
| <i>Geranium acrocarphum</i> / 300 | <i>Geranium sibiricum</i> / 300 |
| <i>Geranium bifolium</i> / 298 | <i>Geranium sibiricum</i> f. <i>glabrius</i> / 300 |
| <i>Geranium dahuricum</i> / 298 | <i>Geranium sibiricum</i> f. <i>pallidum</i> / 301 |
| <i>Geranium eriostemon</i> / 300 | <i>Geranium sibiricum</i> var. <i>glabrius</i> / 300 |
| <i>Geranium eriostemon</i> var. <i>glabrescens</i> / 300 | <i>Geranium sieboldii</i> / 299 |
| <i>Geranium eriostemon</i> var. <i>hypoleucum</i> / 300 | <i>Geranium soboliferum</i> / 300 |
| <i>Geranium eriostemon</i> var. <i>megalanthum</i> / 300 | <i>Geranium soboliferum</i> var. <i>hakusanense</i> / 300 |
| <i>Geranium europaeum</i> / 300 | <i>Geranium stephanianum</i> / 298 |
| <i>Geranium fangii</i> / 299 | <i>Geranium stevenii</i> / 298 |
| <i>Geranium hakusanense</i> / 300 | <i>Geranium taebaekensis</i> / 300 |
| <i>Geranium hastatum</i> / 301 | <i>Geranium thunbergii</i> / 301 |
| <i>Geranium hattae</i> / 299 | <i>Geranium thunbergii</i> f. <i>pallidum</i> / 301 |
| <i>Geranium hidaense</i> / 300 | <i>Geranium thunbergii</i> f. <i>plenum</i> / 301 |
| <i>Geranium iinumai</i> / 301 | <i>Geranium thunbergii</i> f. <i>roseum</i> / 301 |
| <i>Geranium japonicum</i> var. <i>adpressipilosum</i> / 299 | <i>Geranium thunbergii</i> f. <i>thunbergii</i> / 301 |
| <i>Geranium knuthii</i> / 298 | <i>Geranium thunbergii</i> var. <i>roseum</i> / 301 |
| <i>Geranium koraiense</i> / 299 | <i>Geranium tripartitum</i> / 301 |
| <i>Geranium koraiense</i> var. <i>chejuense</i> / 299 | <i>Geranium tripartitum</i> var. <i>hastatum</i> / 301 |
| <i>Geranium koraiense</i> var. <i>koraiense</i> / 299 | <i>Geranium wilfordii</i> / 301 |

■ Scientific name Index

- Geranium wlassovianum* / 301
Geranium wlassovianum var. *hattae* / 299
Geranium wlassovianum var. *maximowiczii* / 299
Geranium yezoense var. *hakusanense* / 300
Gerardia japonica / 471
Gerbera anandria / 547
Geum / 240
Geum aleppicum / 240
Geum aleppicum var. *bipinnatum* / 240
Geum iyoanum / 240
Geum japonicum / 240
Geum potaninii / 240
Geum sachalinense / 240
Geum strictum / 240
Geum vitalii / 240
Ghinia impatiens / 205
Gilibertia morbifera / 365
Girardinia cuspidata / 106
Glaphyropteris omeiensis / 27
Glaucoides maritima var. *obtusifolia* / 398
Glaux maritima / 398
Glaux maritima var. *obtusifolia* / 398
Glechoma / 446
Glechoma cataria / 453
Glechoma grandis var. *longituba* / 446
Glechoma hederacea var. *longituba* / 446
Glechoma longituba / 446
Glechoma urticifolia / 451
Gleditsia / 279
Gleditsia coccinea / 279
Gleditsia coccinea var. *inermis* / 279
Gleditsia japonica / 279
Gleditsia japonica f. *inarmata* / 280
Gleditsia japonica f. *inermis* / 279
Gleditsia japonica f. *japonica* / 279
Gleditsia japonica var. *koraiensis* / 279
Glehnia / 375
Glehnia littoralis / 375
Gleichenia dichotoma / 15
Gleichenia japonica / 14
Gleichenia laevissima / 14
Gleichenia linearis / 15
GLEICHENIACEAE / 14
Glochidion / 305
Glochidion chodoense / 305
Glosocomia hortensis / 504
Glosocomia lanceolata / 504
Glosocomia lanceolata var. *obtusa* / 505
Glosocomia lanceolata var. *ussuriensis* / 505
Glosocomia ussuriensis / 505
Glyceria / 638
Glyceria acutiflora subsp. *acutiflora* / 638
Glyceria acutiflora subsp. *japonica* / 638
Glyceria alnasteretum / 638
Glyceria aquatica var. *debilior* / 638
Glyceria aquatica var. *triflora* / 638
Glyceria arundinacea / 638
Glyceria arundinacea subsp. *triflora* / 638
Glyceria debilior / 638
Glyceria ischyronoeura / 639
Glyceria leptolepis / 639
Glyceria lithuanica / 639
Glyceria orientalis / 639
Glyceria remota var. *japonica* / 638
Glyceria spiculosa / 639
Glyceria tonglensis var. *honshuana* / 639
Glycine / 280
Glycine formosana / 280
Glycine max subsp. *max* / 280
Glycine max subsp. *soja* / 280
Glycine soja / 280
Glycine ussuriensis / 280
Glycine villosa / 279
Gnaphalium / 539
Gnaphalium affine / 553
Gnaphalium asterooides / 537
Gnaphalium boreale / 510
Gnaphalium confertum / 554
Gnaphalium dioicum / 510
Gnaphalium glomeratum / 537
Gnaphalium hyperboreum / 510
Gnaphalium hypoleucum / 554
Gnaphalium japonicum / 537
Gnaphalium javanicum / 553
Gnaphalium kasachstanicum / 539
Gnaphalium leontopodioides / 548
Gnaphalium leontopodium var. *sibiricum* / 548
Gnaphalium luteoalbum subsp. *affine* / 553
Gnaphalium luteoalbum var. *affine* / 553
Gnaphalium luteoalbum var. *multiceps* / 553
Gnaphalium mandshuricum / 539
Gnaphalium margaritaceum / 510
Gnaphalium multiceps / 553
Gnaphalium pterocaulon / 510
Gnaphalium ramigerum / 553
Gnaphalium ramosum / 539

- | | |
|---|---|
| <i>Gnaphalium ruricolum</i> / 539 | <i>Gratiola saginoides</i> / 463 |
| <i>Gnaphalium tranzschelii</i> / 539 | <i>Gratiola saginoides</i> var. <i>violaces</i> / 463 |
| <i>Gnaphalium uliginosum</i> / 539 | <i>Gratiola trifida</i> / 464 |
| <i>Gnaphalium uliginosum</i> var. <i>lasiocarpum</i> / 539 | <i>Gratiola violacea</i> / 463 |
| <i>Gnaphalium uliginosum</i> var. <i>leiocarpum</i> / 539 | <i>Gratiola violacea</i> var. <i>adenocaule</i> / 462 |
| <i>Gnaphalium willdenowii</i> / 537 | <i>Gratiola violacea</i> var. <i>saginoides</i> / 463 |
| <i>Gnaphalium wirtgenii</i> / 539 | <i>Grewia</i> / 333 |
| <i>Golowninia japonica</i> / 417 | <i>Grewia biloba</i> / 333 |
| <i>Gomphopetalum maximowiczii</i> / 378 | <i>Grewia biloba</i> var. <i>parviflora</i> / 333 |
| <i>Gonatocarpus micranthus</i> / 360 | <i>Grewia biloba</i> var. <i>parviflora</i> f. <i>angusta</i> / 333 |
| <i>Goniocarpus citriodorus</i> / 360 | <i>Grewia chanetii</i> / 333 |
| <i>Goniocarpus micranthus</i> / 360 | <i>Grewia glabrescens</i> / 333 |
| <i>Goniocarpus rubricaulis</i> / 360 | <i>Grewia parviflora</i> / 333 |
| <i>Goniopteris penangiana</i> / 28 | <i>Grewia parviflora</i> f. <i>angusta</i> / 333 |
| <i>Gonocarpus micranthus</i> / 360 | <i>Grewia parviflora</i> var. <i>glabrescens</i> / 333 |
| <i>Gonocormus minutus</i> / 12 | <i>Grewia parviflora</i> var. <i>velutina</i> / 333 |
| <i>Gononcus undulatus</i> / 110 | <i>Grindelia incisa</i> / 520 |
| <i>Goodyera</i> / 726 | <i>Grossularia burejensis</i> / 230 |
| <i>Goodyera biflora</i> / 726 | <i>GROSSULARIACEAE</i> / 230 |
| <i>Goodyera biflora</i> var. <i>macrantha</i> / 726 | <i>Gueldenstaedtia</i> / 280 |
| <i>Goodyera brevis</i> / 726 | <i>Gueldenstaedtia longiscapa</i> / 280 |
| <i>Goodyera foliosa</i> var. <i>maximowicziana</i> / 726 | <i>Gueldenstaedtia mirpoure</i> / 280 |
| <i>Goodyera henryi</i> / 726 | <i>Gueldenstaedtia mirpourensis</i> / 280 |
| <i>Goodyera macrantha</i> / 726 | <i>Gueldenstaedtia pauciflora</i> / 280 |
| <i>Goodyera mairei</i> / 726 | <i>Gueldenstaedtia verna</i> / 280 |
| <i>Goodyera marginata</i> / 726 | <i>Gymnadenia</i> / 727 |
| <i>Goodyera maximowicziana</i> / 726 | <i>Gymnadenia camtschatica</i> / 725 |
| <i>Goodyera morrisonicola</i> / 727 | <i>Gymnadenia conopsea</i> / 727 |
| <i>Goodyera nantoensis</i> / 726 | <i>Gymnadenia conopsea</i> f. <i>albiflora</i> / 727 |
| <i>Goodyera repens</i> / 726 | <i>Gymnadenia conopsea</i> var. <i>ussuriensis</i> / 727 |
| <i>Goodyera repens</i> var. <i>japonica</i> / 726 | <i>Gymnadenia cucullata</i> / 736 |
| <i>Goodyera repens</i> var. <i>marginata</i> / 726 | <i>Gymnadenia cucullata</i> var. <i>variegata</i> / 736 |
| <i>Goodyera rosulacea</i> / 726 | <i>Gymnadenia cyclochila</i> / 725 |
| <i>Goodyera schlechtendaliana</i> / 726 | <i>Gymnadenia gracilis</i> / 717 |
| <i>Goodyera schlechtendaliana</i> f. <i>schlechtendaliana</i> / 727 | <i>Gymnadenia graminifolia</i> / 736 |
| <i>Goodyera schlechtendaliana</i> f. <i>similis</i> / 727 | <i>Gymnadenia ibukiensis</i> / 727 |
| <i>Goodyera similis</i> / 727 | <i>Gymnadenia rupestris</i> / 736 |
| <i>Goodyera velutina</i> / 727 | <i>Gymnadenia sibirica</i> / 727 |
| <i>Goodyera</i> × <i>tamnaensis</i> / 727 | <i>Gymnadenia tryphiiiformis</i> / 717 |
| <i>Grammitis decurrens</i> / 56 | <i>Gymnadenia vidalii</i> / 725 |
| <i>Graphephorum nipponicum</i> / 647 | <i>Gymnaster koraiensis</i> / 520 |
| <i>Gratiola</i> / 464 | <i>Gymnocarpium</i> / 19 |
| <i>Gratiola adenocaula</i> / 462 | <i>Gymnocarpium dryopteris</i> / 19 |
| <i>Gratiola aromatica</i> / 464 | <i>Gymnocarpium jessoense</i> / 19 |
| <i>Gratiola axillaris</i> / 463 | <i>Gymnogramma decurrenti-alata</i> / 36 |
| <i>Gratiola japonica</i> / 464 | <i>Gymnogramma elliptica</i> / 56 |
| <i>Gratiola juncea</i> / 463 | <i>Gymnogramma grammitoides</i> / 57 |
| <i>Gratiola micrantha</i> / 464 | <i>Gymnogramma japonica</i> / 21 |

<i>Gymnogramma makinoi</i> / 57	<i>Haloragis tenella</i> / 360
<i>Gymnogramma mollissima</i> / 28	<i>Halosciastrum crassum</i> / 374
<i>Gymnogramma salicifolia</i> / 57	HAMAMELIDACEAE / 213
<i>Gymnogramma wrightii</i> / 56	<i>Hanabusaya</i> / 505
<i>Gymnopetalum japonicum</i> / 353	<i>Hanabusaya asiatica</i> / 505
<i>Gymnopyrenum vulgare</i> / 236	<i>Hanabusaya latisepala</i> / 505
<i>Gymnospermium</i> / 179	<i>Haplopteris</i> / 22
<i>Gymnospermium microrrhynchum</i> / 179	<i>Haplopteris flexuosa</i> / 22
<i>Gymnotrix japonica</i> var. <i>viridescens</i> / 649	<i>Haplopteris zosterifolia</i> / 22
<i>Gynostemma</i> / 351	<i>Haplotaxis australasica</i> / 539
<i>Gynostemma pedatum</i> / 351	<i>Haplotaxis bungei</i> / 539
<i>Gynostemma pentaphyllum</i> / 351	<i>Hecatonia palustris</i> / 173
<i>Gynostemma siamicum</i> / 352	<i>Hecatonia pilosa</i> / 171
<i>Gypsophila</i> / 132	<i>Hedeoma micrantha</i> / 444
<i>Gypsophila oldhamiana</i> / 132	<i>Hedera</i> / 366
<i>Gypsophila pacifica</i> / 132	<i>Hedera helix</i> var. <i>rhombea</i> / 366
<i>Gypsophila perfoliata</i> var. <i>latifolia</i> / 132	<i>Hedera japonica</i> / 365
<i>Gyrostachys amoena</i> / 737	<i>Hedera rhombea</i> / 366
<i>Gyrostachys australis</i> var. <i>amoena</i> / 737	<i>Hedera senticosa</i> / 366
<i>Gyrostachys australis</i> var. <i>flexuosa</i> / 737	<i>Hedera tobleri</i> / 366
(H)	
<i>Habenaria</i> / 727	<i>Hedycapnos spectabilis</i> / 199
<i>Habenaria chejuensis</i> / 727	<i>Hedyotis biflora</i> var. <i>parvifolia</i> / 429
<i>Habenaria chorisiana</i> / 734	<i>Hedyotis brachypoda</i> / 428
<i>Habenaria cruciformis</i> / 728	<i>Hedyotis diffusa</i> / 428
<i>Habenaria cyclochila</i> / 725	<i>Hedyotis diffusa</i> var. <i>longipes</i> / 428
<i>Habenaria dentata</i> / 728	<i>Hedyotis strigulosa</i> / 429
<i>Habenaria iyoensis</i> / 728	<i>Hedyotis strigulosa</i> var. <i>parvifolia</i> / 429
<i>Habenaria japonica</i> / 735	<i>Hedyotis tenelliflora</i> / 429
<i>Habenaria japonica</i> var. <i>minor</i> / 735	<i>Hedysarum</i> / 280
<i>Habenaria linearifolia</i> / 728	<i>Hedysarum alpinum</i> / 280
<i>Habenaria linearifolia</i> f. <i>integrifolia</i> / 728	<i>Hedysarum alpinum</i> var. <i>chinense</i> / 280
<i>Habenaria neuropetala</i> / 734	<i>Hedysarum alpinum</i> var. <i>japonicum</i> / 281
<i>Habenaria radiata</i> / 728	<i>Hedysarum alpinum</i> var. <i>japonicum</i> subvar. <i>pilosum</i> / 281
<i>Habenaria ussurienis</i> / 736	<i>Hedysarum alpinum</i> var. <i>sibiricum</i> / 280
<i>Hackelia</i> / 435	<i>Hedysarum caudatum</i> / 278
<i>Hackelia deflexa</i> / 435	<i>Hedysarum elongatum</i> / 280
<i>Halenia</i> / 415	<i>Hedysarum hedysaroides</i> / 281
<i>Halenia coreana</i> / 415	<i>Hedysarum heterocarpon</i> / 279
<i>Halerpestes</i> / 168	<i>Hedysarum junceum</i> / 286
<i>Halerpestes salsuginosa</i> / 168	<i>Hedysarum laburnifolium</i> / 278
<i>Halerpestes sarmentosa</i> / 168	<i>Hedysarum podocarpum</i> / 281
<i>Halophila</i> / 574	<i>Hedysarum racemosum</i> / 282
<i>Halophila nipponica</i> / 574	<i>Hedysarum sericeum</i> / 285
HALORAGACEAE / 360	<i>Hedysarum sibiricum</i> / 280, 281
<i>Haloragis</i> / 360	<i>Hedysarum striatum</i> / 283
<i>Haloragis micrantha</i> / 360	<i>Hedysarum tomentosum</i> / 288
	<i>Hedysarum ussuriense</i> / 281
	<i>Hedysarum vicioides</i> f. <i>pilosum</i> / 281

<i>Hedysarum vicioides</i> f. <i>vicioides</i> / 281	<i>Hepatica asiatica</i> f. <i>yuseongii</i> / 169
<i>Hedysarum vicioides</i> var. <i>japonicum</i> / 281	<i>Hepatica asiatica</i> var. <i>yuseongii</i> / 169
<i>Hedysarum vicioides</i> var. <i>vicioides</i> / 281	<i>Hepatica insularis</i> / 169
<i>Helleborine papillosa</i> / 724	<i>Hepatica maxima</i> / 169
<i>Helleborine thunbergii</i> / 724	<i>Hepatica nobilis</i> var. <i>asiatica</i> / 169
<i>Helleborus fumarioides</i> / 169	<i>Hepatica nobilis</i> var. <i>japonica</i> / 169
<i>Heloniopsis</i> / 588	<i>Heracleum</i> / 375
<i>Heloniopsis japonica</i> var. <i>albiflora</i> / 589	<i>Heracleum dissectum</i> subsp. <i>moellendorffii</i> / 375
<i>Heloniopsis japonica</i> var. <i>flavida</i> / 589	<i>Heracleum microcarpum</i> / 375
<i>Heloniopsis japonica</i> var. <i>tessellata</i> / 589	<i>Heracleum microcarpum</i> var. <i>subbipinnatum</i> / 375
<i>Heloniopsis koreana</i> / 588	<i>Heracleum moellendorffii</i> / 375
<i>Heloniopsis orientalis</i> var. <i>flavida</i> / 588	<i>Heracleum moellendorffii</i> f. <i>angustum</i> / 375
<i>Heloniopsis orientalis</i> var. <i>orientalis</i> / 588	<i>Heracleum moellendorffii</i> f. <i>subbipinnatum</i> / 375
<i>Heloniopsis tubiflora</i> / 589	<i>Heracleum moellendorffii</i> var. <i>subbipinnatum</i> / 375
<i>Helopus villosus</i> / 636	<i>Heracleum morifolium</i> var. <i>angustum</i> / 375
<i>Helxine arifolia</i> / 123	<i>Heracleum nipponicum</i> / 375
<i>Helxine dumetorum</i> / 114	<i>Herminium</i> / 728
<i>Helxine sagittatum</i> / 122	<i>Herminium angustifolium</i> var. <i>longicruris</i> / 728
<i>Hemarthria</i> / 639	<i>Herminium lanceum</i> var. <i>lanceum</i> / 728
<i>Hemarthria compressa</i> var. <i>japonica</i> / 639	<i>Herminium lanceum</i> var. <i>longicrure</i> / 728
<i>Hemarthria sibirica</i> / 639	<i>Herminium longicrure</i> / 728
<i>Hemerocallis</i> / 589	<i>Herminium monorchis</i> / 728
<i>Hemerocallis coreana</i> / 589	<i>Herminium pusillum</i> / 729
<i>Hemerocallis dumortieri</i> / 589	<i>Hesperis dahurica</i> / 212
<i>Hemerocallis dumortieri</i> var. <i>middendorffii</i> / 589	<i>Hesperis limprichtii</i> / 208
<i>Hemerocallis flava</i> var. <i>coreana</i> / 589	<i>Hesperis limprichtii</i> var. <i>violacea</i> / 208
<i>Hemerocallis flava</i> var. <i>minor</i> / 589	<i>Hesperis lutea</i> / 212
<i>Hemerocallis graminea</i> / 589	<i>Hesperis trichosepala</i> / 208
<i>Hemerocallis hakuunensis</i> / 589	<i>Hetaeria shikokiana</i> / 720
<i>Hemerocallis hongdoensis</i> / 589	<i>Heteroarisaema heterophyllum</i> / 663
<i>Hemerocallis micrantha</i> / 589	<i>Heteroarisaema koreanum</i> / 663
<i>Hemerocallis middendorffii</i> / 589	<i>Heteroarisaema manshuricum</i> / 663
<i>Hemerocallis minor</i> / 589	<i>Heteropappus arenarius</i> / 519
<i>Hemerocallis taeanensis</i> / 590	<i>Heteropappus chejuensis</i> / 519
<i>Hemerocallis thunbergii</i> / 590	<i>Heteropappus decipiens</i> / 519
<i>Hemibromus japonicus</i> / 638	<i>Heteropappus hispidus</i> / 519
<i>Hemihabenaria radiata</i> / 728	<i>Heteropappus hispidus</i> f. <i>albiflorus</i> / 519
<i>Hemionitis japonica</i> / 21	<i>Heteropappus hispidus</i> f. <i>purpurascens</i> / 519
<i>Hemiptelea</i> / 97	<i>Heteropappus hispidus</i> subsp. <i>arenarius</i> / 519
<i>Hemiptelea davidii</i> / 97	<i>Heteropappus hispidus</i> var. <i>arenarius</i> / 519
<i>Hemistepha</i> / 539	<i>Heteropappus hispidus</i> var. <i>decipiens</i> / 519
<i>Hemistepha carthamooides</i> / 540	<i>Heteropappus hispidus</i> var. <i>longeradiatus</i> / 521
<i>Hemistepha lyrata</i> / 539	<i>Heteropappus incisus</i> / 519
<i>Hepatica</i> / 168	<i>Heteropappus meyendorffii</i> / 521
<i>Hepatica asiatica</i> / 169	<i>Heteropappus oharae</i> / 522
<i>Hepatica asiatica</i> f. <i>acutiloba</i> / 169	<i>Heteropappus pinetorum</i> / 519
<i>Hepatica asiatica</i> f. <i>asiatica</i> / 169	<i>Heteropappus rigens</i> / 519
<i>Hepatica asiatica</i> f. <i>obtusiloba</i> / 169	<i>Heteropappus rupicola</i> / 519

■ Scientific name Index

- Heteropappus saxomarinus* / 519
Heterotrichum pulchellum / 558
Hibiscus / 335
Hibiscus hamabo / 335
Hibiscus tiliaceus var. *hamabo* / 335
Hicriopteris glauca / 14
Hicriopteris laevissima / 14
Hieraciodes integrum / 533
Hieracium / 540
Hieracium arrectum / 540
Hieracium columbianum / 540
Hieracium coreanum / 540
Hieracium fauriei / 541
Hieracium firmum / 540
Hieracium hololeion / 540
Hieracium kalmii / 540
Hieracium pervagum / 540
Hieracium serotinum / 540
Hieracium sinense / 540
Hieracium sparsum subsp. *hololeion* / 540
Hieracium umbellatum / 540
Hieracium umbellatum var. *commune* / 540
Hieracium umbellatum var. *japonicum* / 540
Hieracium umbellatum var. *linearifolium* / 540
Hieracium umbellatum var. *serotinum* / 540
Hierochloe / 639
Hierochloe alpina / 639
Hierochloe glabra / 640
Hierochloe odorata / 640
Hippochaete hyemalis / 8
Hippochaete ramosissima / 8
Hippochaete scirpoides / 8
HIPPURIDACEAE / 361
Hippuris / 361
Hippuris vulgaris / 361
Hisingera japonica / 339
Hisingera racemosa / 339
Hocquratia manshuriensis / 184
Holcus alpinus / 639
Holcus monticola / 639
Holcus nitidus / 659
Holcus odoratus / 640
Holcus parviflora / 628
Hololeion / 540
Hololeion fauriei / 541
Hololeion maximowiczii / 540
Hololeion maximowiczii var. *fauriei* / 540
Hololeion maximowiczii var. *maximowiczii* / 540
Homalocenchrus japonicus / 641
Homalocenchrus oryzoides var. *japonicus* / 642
Homoiooceltis aspera / 95
Homopteryx nakaiana / 370
Honckenya / 132
Honckenya oblongifolia / 132
Honckenya peploides subsp. *major* / 132
Honckenya peploides var. *major* / 132
Honckenya peploides var. *oblongifolia* / 132
Honckenya peploides var. *peploides* / 132
Hornemannia bicolor / 466
Hornemannia ovata / 465
Hosta / 590
Hosta caerulea var. *capitata* / 590
Hosta capitata / 590
Hosta clausa / 590
Hosta clausa var. *clausa* / 590
Hosta clausa var. *ensata* / 590
Hosta clausa var. *geumgangensis* / 590
Hosta clausa var. *normalis* / 590
Hosta ensata / 590
Hosta gracillima / 591
Hosta japonica var. *japonica* / 590
Hosta japonica var. *lancifalia* / 590
Hosta japonica var. *latifolia* / 590
Hosta japonica var. *longifolia* / 591
Hosta japonica var. *normalis* / 590
Hosta jonesii / 590
Hosta lancifolia var. *angustifolia* / 591
Hosta longipes var. *gracillima* / 591
Hosta longipes var. *longipes* / 591
Hosta longissima / 591
Hosta longissima var. *brevifolia* / 591
Hosta minor / 591
Hosta minor f. *alba* / 591
Hosta minor var. *alba* / 591
Hosta nakaiana / 590
Hosta taquetii / 591
Hosta venusta / 591
Hosta venusta var. *decurrens* / 591
Hosta yingeri / 591
Hoteia chinensis / 221
Hottonia indica / 464
Hottonia sessiliflora / 465
Hovenia / 326
Hovenia acerba / 326
Hovenia dulcis / 326
Hovenia dulcis var. *glabra* / 326

<i>Hovenia dulcis</i> var. <i>koreana</i> / 326	<i>Hydrangea serrata</i> var. <i>acuminata</i> f. <i>pubescens</i> / 228
<i>Hovenia dulcis</i> var. <i>latifolia</i> / 326	<i>Hydrangea serrata</i> var. <i>coreana</i> / 228
<i>Hovenia dulcis</i> var. <i>tomentella</i> / 326	<i>Hydrangea taquetii</i> / 229
<i>Hovenia pubescens</i> / 326	HYDRANGEACEAE / 226
<i>Hugeria incisa</i> / 392	<i>Hydrilla</i> / 574
<i>Hugeria japonica</i> / 392	<i>Hydrilla japonica</i> / 574
<i>Humulus</i> / 102	<i>Hydrilla verticillata</i> / 574
<i>Humulus japonicus</i> / 102	<i>Hydrocharis</i> / 575
<i>Humulus japonicus</i> var. <i>minor</i> / 102	<i>Hydrocharis asiatica</i> / 575
<i>Humulus scandens</i> / 102	<i>Hydrocharis dubia</i> / 575
<i>Humulus scandens</i> var. <i>variegatus</i> / 102	<i>Hydrocharis morsus-ranae</i> var. <i>asiatica</i> / 575
<i>Huperzia</i> / 3	HYDROCHARITACEAE / 574
<i>Huperzia asiatica</i> / 3	<i>Hydrocotyle</i> / 375
<i>Huperzia cryptomeriana</i> / 3	<i>Hydrocotyle asiatica</i> / 373
<i>Huperzia javanica</i> / 3	<i>Hydrocotyle biflora</i> / 373
<i>Huperzia jejuensis</i> / 3	<i>Hydrocotyle filicaulis</i> / 373
<i>Huperzia longipetiolata</i> / 3	<i>Hydrocotyle heyneana</i> / 376
<i>Huperzia lucidula</i> var. <i>asiatica</i> / 3	<i>Hydrocotyle hirsuta</i> / 376
<i>Huperzia miyoshiana</i> / 3	<i>Hydrocotyle inaequipes</i> / 373
<i>Huperzia miyoshiana</i> var. <i>coreana</i> / 3	<i>Hydrocotyle japonica</i> / 376
<i>Huperzia selago</i> / 4	<i>Hydrocotyle javanica</i> / 375
<i>Huperzia serrata</i> / 4	<i>Hydrocotyle javanica</i> var. <i>laxa</i> / 376
<i>Huperzia serrata</i> f. <i>longipetiolata</i> / 3	<i>Hydrocotyle lunata</i> / 373
<i>Huperzia sieboldii</i> / 4	<i>Hydrocotyle maritima</i> / 376
<i>Hyacinthorchis variabilis</i> / 720	<i>Hydrocotyle monticola</i> / 376
<i>Hydrangea</i> / 227	<i>Hydrocotyle nepalensis</i> / 376
<i>Hydrangea acuminata</i> / 228	<i>Hydrocotyle nitidula</i> / 376
<i>Hydrangea anomala</i> subsp. <i>petiolaris</i> / 228	<i>Hydrocotyle pallida</i> / 373
<i>Hydrangea bracteata</i> / 228	<i>Hydrocotyle peregrina</i> / 376
<i>Hydrangea cordifolia</i> / 228	<i>Hydrocotyle polyccephala</i> / 376
<i>Hydrangea coreana</i> / 228	<i>Hydrocotyle puncticulata</i> / 376
<i>Hydrangea liukiuensis</i> / 227	<i>Hydrocotyle ramiflora</i> / 376
<i>Hydrangea macrophylla</i> subsp. <i>macrophylla</i> / 227	<i>Hydrocotyle ramiflora</i> var. <i>maritima</i> / 376
<i>Hydrangea macrophylla</i> subsp. <i>serrata</i> / 227	<i>Hydrocotyle ranunculoides</i> var. <i>sibthorpioides</i> / 376
<i>Hydrangea macrophylla</i> subsp. <i>serrata</i> f. <i>acuminata</i> / 228	<i>Hydrocotyle reniformis</i> / 373
<i>Hydrangea opuloides</i> var. <i>acuminata</i> / 228	<i>Hydrocotyle sibthorpioides</i> / 376
<i>Hydrangea petiolaris</i> / 228	<i>Hydrocotyle tenella</i> / 376
<i>Hydrangea petiolaris</i> var. <i>cordifolia</i> / 228	<i>Hydrocotyle tussilaginifolia</i> / 373
<i>Hydrangea petiolaris</i> var. <i>ovalifolia</i> / 228	<i>Hydrocotyle yabei</i> / 376
<i>Hydrangea scandens</i> / 228	<i>Hydrocotyle zollingeri</i> / 376
<i>Hydrangea scandens</i> subsp. <i>liukiuensis</i> / 227	<i>Hydroglossum japonicum</i> / 15
<i>Hydrangea scandens</i> var. <i>petiolaris</i> / 228	<i>Hydrolyrion coreanum</i> / 573
<i>Hydrangea serrata</i> / 228	<i>Hydropeltis pulla</i> / 182
<i>Hydrangea serrata</i> f. <i>acuminata</i> / 228	<i>Hydropeltis purpurea</i> / 182
<i>Hydrangea serrata</i> f. <i>coreana</i> / 228	<i>Hydrophace perpusilla</i> / 665
<i>Hydrangea serrata</i> f. <i>fertilis</i> / 228	<i>Hydropodium latifolium</i> / 661
<i>Hydrangea serrata</i> f. <i>serrata</i> / 228	<i>Hydrotrophus echinospermus</i> / 574
<i>Hydrangea serrata</i> var. <i>acuminata</i> / 228	<i>Hygrophila</i> / 476

■ Scientific name Index

- Hygrophila lancea* / 477
Hygrophila ringens / 476
Hygrophila salicifolia / 477
Hylodesmum / 281
Hylodesmum laxum / 281
Hylodesmum oldhamii / 281
Hylodesmum podocarpum / 281
Hylodesmum podocarpum subsp. *fallax* / 282
Hylodesmum podocarpum subsp. *oxyphyllum* / 282
Hylodesmum podocarpum subsp. *podocarpum* / 282
Hylodesmum podocarpum var. *mandshuricum* / 282
Hylodesmum podocarpum var. *podocarpum* / 282
Hylomecon / 199
Hylomecon hylomeconoides / 195
Hylomecon vernalis / 199
Hylotelephium / 213
Hylotelephium erythrostictum / 213
Hylotelephium eupatrorioides / 214
Hylotelephium pallescens / 214
Hylotelephium spectabile / 214
Hylotelephium ussuriense / 214
Hylotelephium verticillatum / 214
Hylotelephium viridescens / 214
Hylotelephium viviparum / 214
Hymenophyllum / 26
Hymenophyllum hondoense / 26
Hymenocharaeta okuyamae / 712
Hymenocharaeta preslii / 713
Hymenocharaeta tabernaemontani / 714
Hymenocharaeta triquetra / 714
Hymenocharaeta wallichii / 713
HYMENOPHYLLACEAE / 12
Hymenophyllum / 12
Hymenophyllum barbatum / 12
Hymenophyllum coreanum / 13
Hymenophyllum oligosorum / 13
Hymenophyllum polyanthos / 13
Hymenophyllum wrightii / 13
Hymenophyllum wrightii Bosch f. *serratum* / 13
Hymenophyllum wrightii Bosch f. *wrightii* / 13
Hypaelyptum microcephalum / 710
Hypericum / 191
Hypericum ascyron / 191
Hypericum ascyron var. *angustifolium* / 191
Hypericum ascyron var. *brevistylum* / 191
Hypericum ascyron var. *giraldii* / 191
Hypericum ascyron var. *longistylum* / 191
Hypericum ascyron var. *macrosepalmum* / 191
Hypericum ascyron var. *micropetalum* / 191
Hypericum ascyron var. *punctatostriatum* / 191
Hypericum ascyron var. *umbellatum* / 191
Hypericum ascyron var. *vilmorinii* / 191
Hypericum attenuatum / 191
Hypericum attenuatum var. *confertissimum* / 192
Hypericum breviflorum / 193
Hypericum cavaleriei / 192
Hypericum chejuense / 191
Hypericum confertissimum / 192
Hypericum dielsii / 192
Hypericum erectum / 191
Hypericum erectum Thunb. f. *debile* / 192
Hypericum erectum var. *angustifolium* / 192
Hypericum erectum var. *caespitosum* / 192
Hypericum erectum var. *erectum* / 192
Hypericum erectum var. *erectum* f. *angustifolium* / 192
Hypericum erectum var. *obtusifolium* / 192
Hypericum fauriei / 193
Hypericum fujisanense / 192
Hypericum gebleri / 191
Hypericum hemsleyanum / 191
Hypericum japonicum / 192
Hypericum japonicum var. *maximowiczii* / 192
Hypericum japonicum var. *thunbergii* / 192
Hypericum jeongjocksanense / 192
Hypericum laxum / 192
Hypericum longifolium / 191
Hypericum macrosepalmum / 191
Hypericum makinoi / 193
Hypericum matsumurae / 192
Hypericum obtusifolioum / 192
Hypericum oliganthum / 193
Hypericum otaruense / 192
Hypericum perforatum var. *confertiflorum* / 192
Hypericum pusillum / 192
Hypericum sagittifolium / 191
Hypericum scallanii / 191
Hypericum similans / 193
Hypericum taquetii / 192
Hypericum thunbergii / 192
Hypericum vaniotii / 192
Hypericum virginicum var. *asiaticum* / 193
Hypericum virginicum var. *japonicum* / 193
Hypericum yabei / 192
Hyphear tanakae / 109
Hypobrichia spruceana / 354
Hypochaeris / 541

Hypochaeris aurantiaca / 541
Hypochaeris ciliata / 541
Hypochaeris grandiflora / 541
HYPODEMATIACEAE / 41
Hypodematum / 41
Hypodematum angustifolium / 41
Hypodematum fauriei f. *glandulos-pilosum* / 41
Hypodematum glandulos-pilosum / 41
Hypodematum squamuloso-pilosum / 41
Hypolepis / 17
Hypolepis punctata / 17
Hypoporum pergracile / 716
HYPOXIDACEAE / 608
Hypoxis / 608
Hypoxis aurea / 608
Hypoxis farinosa / 581
Hypoxis spicata / 581
Hystrix / 640
Hystrix coreana / 640
Hystrix longe-aristata / 640

(I)

Icacorea crenata / 394
Idesia / 339
Idesia polycarpa / 339
Idesia polycarpa var. *intermedia* / 339
Idesia polycarpa var. *latifolia* / 339
Ilex / 318
Ilex asiatica / 319
Ilex burfordii / 318
Ilex cornuta / 318
Ilex cornuta f. *burfordii* / 318
Ilex cornuta var. *fortunei* / 319
Ilex cornuta var. *integra* / 319
Ilex costata / 319
Ilex crenata / 318
Ilex crenata f. *helleri* / 318
Ilex crenata f. *longifolia* / 318
Ilex crenata f. *luteovariegata* / 318
Ilex crenata f. *microphylla* / 318
Ilex crenata var. *longifolia* / 318
Ilex crenata var. *luteovariegata* / 318
Ilex crenata var. *microphylla* / 318
Ilex dubia var. *macropoda* / 319
Ilex dubia var. *pseudomacropoda* / 319
Ilex elliptica / 318
Ilex emarginata / 190
Ilex fortunei / 319

Ilex furcata / 318
Ilex integra / 318
Ilex koshunensis / 319
Ilex laevigata / 319
Ilex macropoda / 319
Ilex macropoda f. *pseudomacropoda* / 319
Ilex macropoda var. *pseudomacropoda* / 319
Ilex macropoda var. *stenophylla* / 319
Ilex microcarpa / 319
Ilex montana var. *macropoda* / 319
Ilex monticola var. *macropoda* / 319
Ilex orixa / 307
Ilex othera / 319
Ilex rotunda / 319
Ilex sasakii / 319
Ilex × wandoensis / 319
ILLICIACEAE / 149
Illicium / 149
Illicium anisatum / 149
Illicium masa-ogatae / 149
Illicium religiosum / 149
Illicium religiosum var. *masa-ogatae* / 149
Ilysanthes saginoides / 463
Impatiens / 317
Impatiens atrosanguinea / 317
Impatiens furcillata / 317
Impatiens kojeensis / 317
Impatiens komarovii / 317
Impatiens koreana / 318
Impatiens noli-tangere / 317
Impatiens noli-tangere f. *pallescens* / 317
Impatiens noli-tangere f. *pallida* / 317
Impatiens noli-tangere var. *pallescens* / 317
Impatiens noli-tangere var. *pallida* / 317
Impatiens textori var. *atrosanguinea* / 317
Impatiens textori var. *koreana* / 318
Impatiens textori var. *textori* / 318
Impatiens textorii / 317
Impatiens violascens / 318
Imperata / 640
Imperata arundinacea var. *koenigii* / 640
Imperata cylindrica / 640
Imperata cylindrica var. *koenigii* / 640
Imperata koenigii / 640
Imperata sacchariflora / 645
Indigofera / 283
Indigofera grandiflora / 283
Indigofera kirilowii / 283

■ Scientific name Index

- Indigofera kirilowii* f. *albiflora* / 283
Indigofera kirilowii f. *coreana* / 283
Indigofera kirilowii var. *coreana* / 283
Indigofera koreana / 283
Indigofera macrostachya / 283
Indigofera pseudotinctoria / 283
Inula / 541
Inula britannica subsp. *japonica* / 541
Inula britannica subsp. *linariifolia* / 541
Inula britannica var. *britannica* / 541
Inula britannica var. *chinensis* / 541
Inula britannica var. *japonica* / 541
Inula britannica var. *linariifolia* / 541
Inula britannica var. *ramosa* / 541
Inula chinensis / 541
Inula involucrata / 542
Inula japonica / 541
Inula japonica var. *linariifolia* / 541
Inula kitamurana / 542
Inula linariifolia / 541
Inula salicina / 542
Inula salicina subsp. *asiatica* / 542
Inula salicina var. *asiatica* / 542
Iozoste lancifolia / 149
Ipomoea kadsura / 183
Iria ferruginea / 707
Iria fimbriystyloides / 707
Iria pierottii / 708
Iria sericea / 708
Iria velata / 708
IRIDACEAE / 610
Iris / 610
Iris arctica / 613
Iris brachycuspis / 613
Iris chinensis / 613
Iris dichotoma / 610
Iris domestica / 610
Iris ensata var. *chinensis* / 611
Iris ensata var. *ensata* / 610
Iris ensata var. *spontanea* / 610
Iris extremorientalis / 612
Iris kaempferi var. *spontanea* / 610
Iris koreana / 610
Iris lactea subsp. *chinensis* / 611
Iris lactea var. *chinensis* / 611
Iris lactea var. *lactea* / 611
Iris laevigata / 611
Iris maackii / 611
- Iris mandshurica* / 611
Iris minutoaurea / 611
Iris neoensata / 611
Iris neosetosa / 611
Iris nertschinskia / 612
Iris odaesanensis / 611
Iris oxypetala / 611
Iris pallasii var. *chinensis* / 611
Iris pomeridiana / 610
Iris rossii / 612
Iris rossii f. *alba* / 612
Iris rossii f. *albiflora* / 612
Iris rossii f. *latifolia* / 612
Iris rossii var. *album* / 612
Iris rossii var. *latifolia* / 612
Iris rossii var. *purpurascens* / 612
Iris rossii var. *rossii* / 612
Iris rosthornii / 613
Iris ruthenica / 612
Iris ruthenica var. *nana* / 612
Iris sanguinea / 612
Iris sanguinea f. *albiflora* / 612
Iris sanguinea f. *sericiflora* / 612
Iris sanguinea var. *coronalis* / 612
Iris sanguinea var. *sanguinea* / 612
Iris sanguinea var. *violacea* / 612
Iris setosa / 613
Iris sibirica var. *orientalis* / 612
Iris sibirica var. *sanguinea* / 612
Iris tectorum / 613
Iris tomiolopha / 613
Iris uniflora f. *caricina* / 613
Iris uniflora var. *caricina* / 613
Iris uniflora var. *uniflora* / 613
Isachne / 640
Isachne australis / 640
Isachne globosa / 640
Isachne nipponensis / 640
Isatis / 210
Isatis alpina / 210
Isatis bannatica / 210
Isatis campestris / 210
Isatis ciesielskii / 210
Isatis indigotica / 210
Isatis japonica / 210
Isatis kamienskii / 210
Isatis koelzii / 210
Isatis macrocarpa / 210

- Isatis maritima* / 210
Isatis oblongata var. *yedoensis* / 210
Isatis reticulata / 210
Isatis sibirica / 210
Isatis taurica / 210
Isatis tinctoria / 210
Isatis tinctoria subsp. *japonica* / 210
Isatis tinctoria var. *indigotica* / 210
Isatis tinctoria var. *yedoensis* / 210
Isatis transsilvanica / 210
Isatis vermia / 210
Isatis villarsii / 210
Isatis yedoensis / 210
Ischaemum / 641
Ischaemum anthephoroides / 641
Ischaemum anthephoroides f. *anthephoroides* / 641
Ischaemum anthephoroides f. *coreanum* / 641
Ischaemum anthephoroides var. *eriostachyum* / 641
Ischaemum aristatum var. *aristatum* / 641
Ischaemum aristatum var. *glaucum* / 641
Ischaemum coreanum / 641
Ischaemum crassipes var. *glaucum* / 641
Ischaemum eriostachyum / 641
Ischaemum latifolium / 649
Isnardia prostrata / 360
Isodon / 446
Isodon excisus / 446
Isodon excisus f. *albiflorus* / 446
Isodon glaucocalyx var. *japonicus* / 448
Isodon inflexus / 447
Isodon inflexus f. *albiflora* / 447
Isodon inflexus var. *canescens* / 447
Isodon inflexus var. *inflexus* / 447
Isodon inflexus var. *macrophyllus* / 447
Isodon inflexus var. *microphyllus* / 447
Isodon inflexus var. *transticus* / 447
Isodon japonicus / 447
Isodon serra / 448
ISOETACEAE / 5
Isoetes / 5
Isoetes coreana / 5
Isoetes hallasanensis / 6
Isoetes japonica / 5
Isoetes jejuensis / 6
Isoetes sinensis / 5
Isoetes sinensis var. *coreana* / 5
Isolepis barbata / 668
Isolepis capillaris var. *capitata* / 669
Isolepis capillaris var. *trifida* / 668
Isolepis cumingii / 668
Isolepis densa / 668
Isolepis trifida / 668
Isolobus campanuloides / 505
Isolobus kerrii / 505
Isolobus roxburghianus / 506
Isopyrum / 169
Isopyrum adoxoides / 173
Isopyrum fumarioides / 169
Isopyrum insigne / 162
Isopyrum japonicum / 174
Isopyrum leveilleanum / 168
Isopyrum manshuricum / 169
Isopyrum multipeltatum / 175
Isopyrum raddeanum / 168
Isopyrum tuberosum / 174
Isopyrum yamatsutanum / 169
Isotrema manshuriensis / 184
Ixeridium / 542
Ixeridium dentatum / 542
Ixeridium dentatum f. *albiflora* / 542
Ixeridium dentatum f. *dentatum* / 542
Ixeridium gramineum / 543
Ixeridium strigosa / 545
Ikeris / 543
Ikeris albiflora / 542
Ikeris capillaris / 544
Ikeris chelidoniifolia / 532
Ikeris chinensis / 543
Ikeris chinensis f. *lacerrima* / 543
Ikeris chinensis f. *taitoensis* / 543
Ikeris chinensis subsp. *chrysantha* / 543
Ikeris chinensis subsp. *graminifolia* / 543
Ikeris chinensis subsp. *hallaisanensis* / 533
Ikeris chinensis subsp. *strigosa* / 545
Ikeris chinensis subsp. *versicolor* var. *intermedia* / 543
Ikeris chinensis subsp. *versicolor* / 543
Ikeris chinensis subsp. *versicolor* f. *strigosa* / 545
Ikeris chinensis var. *purpurascens* / 543
Ikeris chinensis var. *saxatilis* / 543
Ikeris chinensis var. *strigosa* / 545
Ikeris debilis / 543
Ikeris dentata / 542
Ikeris dentata f. *amplifolia* / 542
Ikeris dentata f. *atropurpurea* / 542
Ikeris dentata subsp. *nikoensis* / 542
Ikeris dentata subsp. *stolonifera* / 542

■ Scientific name Index

<i>Ixeris dentata</i> var. <i>albiflora</i> / 543	JUGLANDACEAE / 73
<i>Ixeris dentata</i> var. <i>amplifolia</i> / 542	<i>Juglans</i> / 73
<i>Ixeris dentata</i> var. <i>amplifolia</i> f. <i>leucantha</i> / 542	<i>Juglans cathayensis</i> / 73
<i>Ixeris dentata</i> var. <i>atropurpurea</i> / 542	<i>Juglans cathayensis</i> var. <i>formosana</i> / 73
<i>Ixeris dentata</i> var. <i>kiusiana</i> / 542	<i>Juglans collapsa</i> / 73
<i>Ixeris dentata</i> var. <i>leucantha</i> / 542	<i>Juglans cordiformis</i> / 73
<i>Ixeris dentata</i> var. <i>lobata</i> / 542	<i>Juglans draconis</i> / 73
<i>Ixeris dentata</i> var. <i>octoradiata</i> / 542	<i>Juglans formosana</i> / 73
<i>Ixeris dentata</i> var. <i>octoradiata</i> f. <i>leucantha</i> / 542	<i>Juglans mandshurica</i> / 73
<i>Ixeris dentata</i> var. <i>stolonifera</i> / 542	<i>Juglans mandshurica</i> f. <i>sieboldiana</i> / 73
<i>Ixeris denticulata</i> / 532	<i>Juglans mandshurica</i> var. <i>mandshurica</i> f. <i>stenocarpa</i> / 73
<i>Ixeris denticulata</i> f. <i>pinnatipartita</i> / 532	<i>Juglans mandshurica</i> var. <i>sieboldiana</i> / 73
<i>Ixeris denticulata</i> subsp. <i>sonchifolia</i> / 534	<i>Juglans mandshurica</i> var. <i>stenocarpa</i> / 73
<i>Ixeris dissecta</i> / 544	<i>Juglans sieboldiana</i> / 73
<i>Ixeris graminifolia</i> / 543	<i>Juglans stenocarpa</i> / 73
<i>Ixeris japonica</i> f. <i>dissecta</i> / 544	<i>Junago palustris</i> / 576
<i>Ixeris koshunensis</i> / 533	JUNCACEAE / 613
<i>Ixeris lacerrima</i> / 543	JUNCAGINACEAE / 575
<i>Ixeris lanceolata</i> / 533	<i>Juncellus nipponicus</i> / 700
<i>Ixeris lanceolata</i> subsp. <i>platyphylla</i> / 534	<i>Juncellus serotinus</i> / 700
<i>Ixeris lyrata</i> / 569	<i>Juncoides rufescens</i> / 617
<i>Ixeris matsumurae</i> / 544	<i>Juncus</i> / 613
<i>Ixeris polyccephala</i> / 544	<i>Juncus alatus</i> / 614
<i>Ixeris polyccephala</i> f. <i>dissecta</i> / 544	<i>Juncus arcticus</i> var. <i>sitchensis</i> / 615
<i>Ixeris polyccephala</i> var. <i>dissecta</i> / 544	<i>Juncus baekdusanensis</i> / 616
<i>Ixeris quercus</i> / 533	<i>Juncus balticus</i> subsp. <i>sitchensis</i> / 615
<i>Ixeris ramosissima</i> / 532	<i>Juncus balticus</i> var. <i>haenkei</i> / 615
<i>Ixeris repens</i> / 544	<i>Juncus bufonius</i> / 614
<i>Ixeris scaposa</i> / 543	<i>Juncus campestris</i> var. <i>multiflorus</i> / 616
<i>Ixeris serotina</i> / 534	<i>Juncus castaneus</i> subsp. <i>castaneus</i> / 614
<i>Ixeris sonchifolia</i> / 534	<i>Juncus castaneus</i> subsp. <i>triceps</i> / 614
<i>Ixeris sonchifolia</i> var. <i>serotina</i> / 534	<i>Juncus castaneus</i> var. <i>koreanus</i> / 614
<i>Ixeris stolonifera</i> / 544	<i>Juncus compressus</i> var. <i>gracillimus</i> / 614
<i>Ixeris stolonifera</i> f. <i>capillaris</i> / 544	<i>Juncus compressus</i> var. <i>haenkei</i> / 615
<i>Ixeris stolonifera</i> f. <i>sinuata</i> / 544	<i>Juncus cupreus</i> / 615
<i>Ixeris stolonifera</i> subsp. <i>capillaris</i> / 544	<i>Juncus decipiens</i> / 614
<i>Ixeris strigosa</i> / 545	<i>Juncus diastrophanthus</i> / 614
<i>Ixeris tamagawaensis</i> / 545	<i>Juncus effusus</i> subsp. <i>decipiens</i> / 614
<i>Ixeris thunbergii</i> / 542	<i>Juncus effusus</i> var. <i>decipiens</i> / 614
<i>Ixeris</i> × <i>chinodebilis</i> / 545	<i>Juncus fauriei</i> / 614
<i>Ixia chinensis</i> / 610	<i>Juncus filiformis</i> / 614
(J)	<i>Juncus gracillimus</i> / 614
<i>Japanobotrychium strictum</i> / 10	<i>Juncus haenkei</i> / 615
<i>Japanobotrychium virginianum</i> / 10	<i>Juncus intermedius</i> / 616
<i>Jeffersonia</i> / 179	<i>Juncus krameri</i> / 615
<i>Jeffersonia dubia</i> / 179	<i>Juncus leschenaultii</i> / 615
<i>Jeffersonia manchuriensis</i> / 179	<i>Juncus leschenaultii</i> var. <i>radicans</i> / 615
	<i>Juncus luzuliformis</i> var. <i>potaninii</i> / 615

<i>Juncus maximowiczii</i> / 615	<i>Juniperus rigida</i> f. <i>modesta</i> / 67
<i>Juncus multiflorus</i> / 616	<i>Juniperus rigida</i> var. <i>conferta</i> / 68
<i>Juncus nipponensis</i> / 615	<i>Juniperus rigida</i> var. <i>coreana</i> / 68
<i>Juncus papillosum</i> / 615	<i>Juniperus rigida</i> var. <i>modesta</i> / 67
<i>Juncus potaninii</i> / 615	<i>Juniperus rigida</i> var. <i>rigida</i> / 67
<i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> / 615	<i>Juniperus sabina</i> var. <i>davurica</i> / 67
<i>Juncus prismatocarpus</i> subsp. <i>prismatocarpus</i> / 615	<i>Juniperus sargentii</i> / 66
<i>Juncus prismatocarpus</i> var. <i>leschenaultii</i> subvar. <i>pluritubulosus</i> / 615	<i>Juniperus seoulensis</i> / 67
<i>Juncus setchuensis</i> / 615	<i>Juniperus sibirica</i> / 67
<i>Juncus setchuensis</i> var. <i>effusoides</i> / 615	<i>Juniperus thunbergii</i> / 66
<i>Juncus stakei</i> / 614	<i>Juniperus utilis</i> / 67
<i>Juncus stygius</i> subsp. <i>americanus</i> / 616	<i>Jussiaea fauriei</i> / 360
<i>Juncus stygius</i> subsp. <i>stygius</i> / 616	<i>Jussiaea japonica</i> / 360
<i>Juncus stygius</i> var. <i>americanus</i> / 616	<i>Jussiaea pamentieri</i> / 360
<i>Juncus tenuis</i> / 616	<i>Jussiaea philippiana</i> / 360
<i>Juncus triceps</i> / 614	<i>Jussiaea prostrata</i> / 360
<i>Juncus triceps</i> var. <i>koreanus</i> / 614	<i>Justicia</i> / 477
<i>Juncus triglumis</i> / 616	<i>Justicia crinita</i> / 477
<i>Juncus umbellifer</i> / 615	<i>Justicia japonica</i> / 477
<i>Juncus wallichianus</i> / 616	<i>Justicia lancea</i> / 477
<i>Juniperus</i> / 66	<i>Justicia procumbens</i> / 477
<i>Juniperus cernua</i> / 66	<i>Justicia procumbens</i> var. <i>leucantha</i> / 477
<i>Juniperus chinensis</i> / 66	<i>Justicia procumbens</i> var. <i>leucantha</i> f. <i>japonica</i> / 477
<i>Juniperus chinensis</i> subsp. <i>sargentii</i> / 67	
<i>Juniperus chinensis</i> var. <i>chinensis</i> / 66	
<i>Juniperus chinensis</i> var. <i>horizontalis</i> / 66	
<i>Juniperus chinensis</i> var. <i>procumbens</i> / 66	
<i>Juniperus chinensis</i> var. <i>sargentii</i> / 66	
<i>Juniperus communis</i> subsp. <i>alpina</i> / 67	
<i>Juniperus communis</i> subsp. <i>saxatilis</i> / 67	
<i>Juniperus communis</i> var. <i>alpina</i> / 67	
<i>Juniperus communis</i> var. <i>communis</i> / 67	
<i>Juniperus communis</i> var. <i>montana</i> / 67	
<i>Juniperus communis</i> var. <i>saxatilis</i> / 67	
<i>Juniperus communis</i> var. <i>sibirica</i> / 67	
<i>Juniperus conferta</i> / 68	
<i>Juniperus coreana</i> / 68	
<i>Juniperus coreana</i> var. <i>rigida</i> / 67	
<i>Juniperus davurica</i> / 67	
<i>Juniperus davurica</i> subsp. <i>maritima</i> / 67	
<i>Juniperus davurica</i> var. <i>maritima</i> / 67	
<i>Juniperus foetida</i> var. <i>davurica</i> / 67	
<i>Juniperus oblonga</i> / 67	
<i>Juniperus procumbens</i> / 66	
<i>Juniperus pygmaea</i> / 67	
<i>Juniperus rebunensis</i> / 67	
<i>Juniperus rigida</i> / 67	
	(K)
	<i>Kadsura</i> / 148
	<i>Kadsura chinensis</i> / 148
	<i>Kadsura japonica</i> / 148
	<i>Kadsura matsudae</i> / 148
	<i>Kalimeris associata</i> / 520
	<i>Kalimeris incisa</i> / 520
	<i>Kalimeris incisa</i> var. <i>holophyllus</i> / 520
	<i>Kalimeris incisa</i> var. <i>robustus</i> / 520
	<i>Kalimeris incisa</i> var. <i>yomena</i> / 523
	<i>Kalimeris integrifolia</i> / 521
	<i>Kalimeris japonicus</i> / 519
	<i>Kalimeris latureana</i> / 520
	<i>Kalimeris mongolica</i> / 521
	<i>Kalimeris platycephala</i> / 520
	<i>Kalimeris yomena</i> / 523
	<i>Kalonymus macropterus</i> / 323
	<i>Kalonymus maximowicziana</i> / 324
	<i>Kalonymus oxyphyllus</i> / 324
	<i>Kalonymus yesoensis</i> / 324
	<i>Kalopanax</i> / 366
	<i>Kalopanax divaricatus</i> / 365
	<i>Kalopanax pictus</i> / 367

■ Scientific name Index

Kalopanax pictus f. *inermis* / 367
Kalopanax pictus f. *maximoiczi* / 367
Kalopanax pictus var. *magnificus* / 367
Kalopanax pictus var. *maximowiczii* / 367
Kalopanax ricinifolius / 367
Kalopanax ricinifolius var. *chinense* / 367
Kalopanax ricinifolius var. *magnificus* / 367
Kalopanax ricinifolius var. *maximowiczii* / 367
Kalopanax septemlobus / 366
Kalopanax septemlobus f. *maximowiczii* / 367
Kalopanax septemlobus f. *septemlobus* / 367
Kalopanax septemlobus var. *magnificus* / 367
Kalopanax septemlobus var. *maximowiczii* / 367
Keraselma esula / 303
Kerneria bipinnata / 523
Kerria tetrapetala / 258
Keumkangsania asiatica / 505
Keumkangsania latisepala / 505
Kirengeshoma / 228
Kirengeshoma koreana / 228
Kirengeshoma palnata var. *koreana* / 229
Kitagawia / 376
Kitagawia komarovii / 376
Klasea / 545
Klasea centauroides subsp. *centauroides* / 545
Klasea centauroides subsp. *komarovii* / 545
Klasea hayatae / 545
Klasea insularis / 562
Knorrtingia / 115
Knorrtingia sibirica / 115
Kobresia / 709
Kobresia bellardii / 709
Kobresia myosuroides / 709
Kobresia scirpina / 709
Kochia / 144
Kochia littorea / 145
Kochia scoparia f. *littorea* / 145
Kochia scoparia var. *littorea* / 144
Kochia scoparia var. *scoparia* / 144
Koeleria / 641
Koeleria macrantha / 641
Koelreuteria / 316
Koelreuteria apiculata / 316
Koelreuteria chinensis / 316
Koelreuteria paniculata / 316
Koelreuteria paniculata var. *apiculata* / 316
Kolomikta mandshurica / 188
Korthalsella / 109

Korthalsella fasciculata / 109
Korthalsella japonica / 109
Korthalsella moniliformis / 109
Koyamacalia firma / 551
Krascheninikovia bulbosa / 135
Krascheninikovia coreana / 135
Krascheninikovia davidii / 135
Krascheninikovia heterophylla / 135
Krascheninikovia japonica / 135
Krascheninikovia maximowicziana var. *davidii* / 135
Krascheninikovia palibiniana / 136
Krascheninikovia palibiniana var. *polymera* / 136
Krascheninikovia rhaphanorrhiza / 135
Krascheninikovia sylvatica / 136
Kuhlhasseltia / 729
Kuhlhasseltia nakaiana / 729
Kummerowia / 283
Kummerowia stipulacea / 283
Kummerowia striata / 283
Kyllinga / 709
Kyllinga brevifolia / 709
Kyllinga brevifolia subsp. *kamtschatica* / 710
Kyllinga brevifolia subsp. *leiolepis* / 710
Kyllinga brevifolia var. *brevifolia* / 709
Kyllinga brevifolia var. *leiolepis* / 710
Kyllinga kamschatICA / 710
Kyllinga monocephala var. *leiolepis* / 710
Kyllinga sumatrensis / 699

(L)

Lacosteopsis orientalis / 14
Lactuca / 545
Lactuca alliariifolia / 546
Lactuca amurensis / 546
Lactuca bialata / 546
Lactuca biauriculata / 544
Lactuca blinii / 553
Lactuca brevirostris / 546
Lactuca bungeana / 534
Lactuca cavaleriei / 546
Lactuca chelidonifolia / 532
Lactuca chinensis / 543
Lactuca chinensis f. *graminea* / 543
Lactuca debilis / 544
Lactuca debilis f. *sinuata* / 544
Lactuca dentata / 542
Lactuca dentata var. *flaviflora* subvar. *thunbergii* / 542
Lactuca dentata var. *thunbergii* / 542

Lactuca denticulata / 532
Lactuca denticulata f. *pinnatifida* / 532
Lactuca denticulata var. *sonchifolia* / 534
Lactuca dracoglossa / 546
Lactuca elata / 546
Lactuca fischeriana / 543
Lactuca flavissima / 543
Lactuca hallaisanensis / 533
Lactuca indica / 545
Lactuca indica var. *indivisa* / 546
Lactuca indica var. *laciniata* / 546
Lactuca indica var. *laciniata* f. *indivisa* / 546
Lactuca indica var. *laciniata* f. *laciniata* / 546
Lactuca kouyangensis / 546
Lactuca lacerrima / 543
Lactuca lacerrima f. *flavissima* / 543
Lactuca lacerrima var. *saxatilis* / 543
Lactuca laciniata / 546
Lactuca laciniata f. *indivisa* / 546
Lactuca lanceolata / 533
Lactuca lanceolata var. *platyphylla* / 534
Lactuca lanceolatum var. *batakanense* / 533
Lactuca matsumurae / 544
Lactuca matsumurae var. *dissecta* / 544
Lactuca mauritiana / 546
Lactuca nakaiana / 546
Lactuca napifolia / 569
Lactuca nummularifolia / 544
Lactuca ochroleuca / 553
Lactuca platyphylla / 534
Lactuca polycephala / 544
Lactuca quercus / 533
Lactuca raddeana / 546
Lactuca raddeana var. *elata* / 546
Lactuca repens / 544
Lactuca rubrolutea / 543
Lactuca senecio / 532
Lactuca sibirica / 546
Lactuca sonchifolia / 534
Lactuca squarrosa f. *indivisa* / 546
Lactuca stolonifera / 544
Lactuca stolonifera var. *sinuata* / 544
Lactuca strigosa / 545
Lactuca taitoensis / 543
Lactuca tamagawaensis / 545
Lactuca taquetii / 569
Lactuca taraxacum / 569
Lactuca tatarinowii / 553

Lactuca thunbergii / 542
Lactuca thunbergii var. *albiflora* / 543
Lactuca thunbergii var. *flaviflora* / 542
Lactuca triangulata / 547
Lactuca vaniotii / 546
Lactuca versicolor / 543
Lactuca × *denticulato-platypulla* / 534
Lagedium sibiricum / 546
Lagopsis / 448
Lagopsis supina / 448
Lagoseris versicolor / 543
Lagurus cylindricus / 640
LAMIACEAE / 441
Lamiopsis amplexicaulis / 449
Lamium / 448
Lamium album / 448
Lamium album subsp. *album* / 448
Lamium album subsp. *barbatum* / 448
Lamium album var. *barbatum* / 449
Lamium album var. *petiolatum* / 449
Lamium album var. *takesimense* / 449
Lamium amplexicaule / 449
Lamium barbatum / 448
Lamium maculatum / 449
Lamium petiolatum / 448
Lamium takesimense / 449
Lamprocapsos spectabilis / 199
Lapathum acetosa / 126
Lapathum alpestre / 126
Lapathum aquaticum / 126
Lapathum aureum / 127
Lapathum digynum / 115
Lapathum maritimum / 127
Lapathum minus / 127
Lapathum pratense / 126
Laportea / 105
Laportea bulbifera / 105
Laportea bulbifera var. *sinensis* / 105
Laportea cuspidata / 106
Laportea grossedentata / 106
Laportea macrostachya / 106
Laportea oleracea / 105
Laportea sinensis / 105
Laportea terminalis / 105
Lappula / 435
Lappula deflexa / 435
Lappula echinata var. *heteracantha* / 436
Lappula heteracantha / 436

- Lappula matsudairai* / 435
Lappula squarrosa / 435
Lapsana apogonoides / 547
Lapsana humilis / 547
Lapsana musashiensis / 547
Lapsana parviflora / 547
Lapsanastrum / 547
Lapsanastrum apogonoides / 547
Lapsanastrum humile / 547
LARDIZABALACEAE / 179
Lari / 63
Larix amurensis / 63
Larix dahurica f. *viridis* / 63
Larix gmelinii f. *viridis* / 64
Larix gmelinii var. *gmelinii* / 63
Larix gmelinii var. *koreana* / 63
Larix gmelinii var. *olgensis* / 63
Larix koreana / 63
Larix olgensis / 63
Larix olgensis f. *viridis* / 63
Larix olgensis var. *amurensis* / 64
Larix olgensis var. *changpaeiensis* / 64
Larix olgensis var. *koreana* / 63
Laserpitium dahuricum / 373
Lasiagrostis mongholica / 660
Lasianthus / 428
Lasianthus japonicus / 428
Lastrea beddomei / 29
Lastrea erythrosora / 46
Lastrea glanduligera / 29
Lastrea lacera / 48
Lastrea nipponica / 30
Lastrea omeiensis / 27
Lastrea opaca / 51
Lastrea quelpaertensis / 31
Lastrea standishii / 43
Lastrea subochthodes / 31
Lastrea varia / 51
Lastrea viridifrons / 28
Lathraea / 478
Lathraea chinfushanica / 478
Lathraea japonica / 478
Lathraea japonica var. *miquelianana* / 478
Lathraea miquelianana / 478
Lathraea nakaharae / 478
Lathyrus / 284
Lathyrus altaicus / 284
Lathyrus davidii / 284
Lathyrus fauriei / 293
Lathyrus humilis / 284
Lathyrus japonicus / 284
Lathyrus japonicus var. *aleuticus* / 284
Lathyrus japonicus var. *japonicus* / 284
Lathyrus japonicus var. *pubescens* / 284
Lathyrus komarovii / 284
Lathyrus palustris subsp. *palustris* / 284
Lathyrus palustris subsp. *pilosus* / 284
Lathyrus palustris var. *pilosus* / 284
Lathyrus pilosus / 284
Lathyrus quinquenervius / 284
Lathyrus vaniotii / 285
LAURACEAE / 149
Laurocerasus buergeriana / 248
Laurocerasus maackii / 250
Laurus camphora / 149
Laurus lucidus / 404
Laurus sericea / 152
Laurus umbellata / 257
Lavenia fastigiata / 508
Lecanocarpus aristatus / 144
Lecanorchis / 729
Lecanorchis japonica / 729
Lecanorchis japonica var. *insularis* / 729
Lecanorchis japonica var. *japonica* / 729
Lecanorchis japonica var. *suginoana* / 729
Lecanorchis kiusiana / 729
Lecanorchis kiusiana var. *kiusiana* / 729
Lecanorchis kiusiana var. *suginoana* / 729
Ledum / 385
Ledum decumbens / 386
Ledum groenlandicum / 385
Ledum palustre f. *decumbens* / 386
Ledum palustre f. *diversiplosum* / 386
Ledum palustre subsp. *decumbens* / 386
Ledum palustre subsp. *diversiplosum* / 386
Ledum palustre subsp. *groenlandicum* / 385
Ledum palustre subsp. *palustre* / 385
Ledum palustre var. *decumbens* / 385
Ledum palustre var. *diversiplosum* / 386
Ledum palustre var. *groenlandicum* / 385
Ledum palustre var. *maximum* / 386
Ledum palustre var. *palustre* / 385
Ledum palustre var. *yesoense* / 386
Leersia / 641
Leersia japonica / 641
Leersia oryzoides / 642

Leersia oryzoides var. *japonica* / 642*Leersia sayanuka* / 642*Leibnitzia* / 547*Leibnitzia anandria* / 547*Leimanthium sibiricum* / 585*Lemmaphyllum* / 54*Lemmaphyllum microphyllum* / 55*Lemmaphyllum microphyllum* var. *microphyllum* / 55*Lemmaphyllum microphyllum* var. *nobukoanum* / 55*Lemmaphyllum microphyllum* var. *ovatum* / 55*Lemna* / 665*Lemna perpusilla* / 665*Lemna polystachya* / 666*LEMNACEAE* / 665*Lentibularia intermedia* / 481*LENTIBULARIACEAE* / 480*Lenticula polyrrhiza* / 666*Leontice microrrhyncha* / 179*Leontice robusta* / 179*Leontopodium* / 547*Leontopodium alpinum* f. *gracile* / 548*Leontopodium alpinum* var. *depauperatum* / 548*Leontopodium coreanum* / 547*Leontopodium coreanum* var. *coreanum* / 547*Leontopodium coreanum* var. *hallaisanense* / 547*Leontopodium hallaisanense* / 548*Leontopodium leiolepis* / 548*Leontopodium leiolepis* var. *crinulosum* / 547*Leontopodium leiolepis* var. *curvicollum* / 547*Leontopodium leontopodioides* / 548*Leontopodium leontopodioides* var. *humile* / 548*Leontopodium seorakensis* / 548*Leontopodium sibiricum* / 548*Leonurus* / 449*Leonurus altissimus* / 449*Leonurus artemisia* / 449*Leonurus heterophyllus* / 449*Leonurus japonicus* / 449*Leonurus macranthus* / 449*Leonurus supinus* / 448*Lepidium* / 210*Lepidium cordatum* / 210*Lepidium latifolium* subsp. *sibiricum* / 210*Lepidium sibiricum* / 210*Lepidomicrosorum superficiale* / 57*Lepidotis alpina* / 4*Lepidotis annotina* / 4*Lepidotis cernua* / 4*Lepidotis complanata* / 5*Lepisorus* / 55*Lepisorus annuifrons* / 55*Lepisorus onoei* / 55*Lepisorus thunbergianus* / 55*Lepisorus ussuriensis* / 55*Leptandra japonica* / 476*Leptandra meyeri* / 476*Leptandra sibiricus* / 476*Leptandra tubiflora* / 476*Leptatherum japonicum* / 644*Leptochilus* / 56*Leptochilus ellipticus* / 56*Leptochilus neopothifolia* / 56*Leptochilus wrightii* / 56*Leptochilus × shintenensis* / 56*Leptochilus × simplicifrons* / 56*Leptochloa* / 642*Leptochloa chinensis* / 642*Leptocionium barbatum* / 12*Leptocoma racemosa* / 554*Leptogramma* / 28*Leptogramma mollissima* / 28*Leptogramma omeiensis* / 27*Leptogramma pozoi* subsp. *mollisima* / 28*Leptogramma pozoi* subsp. *pozoi* / 28*Leptopyrum* / 169*Leptopyrum fumarioides* / 169*Leptorchis auriculata* / 730*Leptorchis krameri* / 730*Leptorumohra fargesii* / 42*Leptorumohra miqueliana* / 42*Leptorumohra mutica* / 43*Lespedeza* / 285*Lespedeza aitchisonii* / 286*Lespedeza anthobotrya* / 285*Lespedeza bicolor* / 285*Lespedeza bicolor* f. *alba* / 285*Lespedeza bicolor* f. *sericea* / 285*Lespedeza bicolor* var. *higoensis* / 287*Lespedeza bicolor* var. *melanantha* / 287*Lespedeza bicolor* var. *sericea* / 285*Lespedeza buergeri* var. *tricolor* / 287*Lespedeza chiisanensis* / 286*Lespedeza cuneata* / 285*Lespedeza cyrtobotrya* / 285*Lespedeza cyrtobotrya* f. *alba* / 285*Lespedeza cystoides* / 286

■ Scientific name Index

Lespedeza davurica / 285
Lespedeza f. friebeana / 287
Lespedeza fauriei / 286
Lespedeza feddeana / 286
Lespedeza friebeana / 287
Lespedeza hayatae / 288
Lespedeza hedsyaroidea / 286
Lespedeza inschanica / 286
Lespedeza intermedia var. *alba* / 285
Lespedeza intermixta / 286
Lespedeza ionocalyx / 285
Lespedeza japonica var. *intermedia* / 288
Lespedeza japonica var. *intermedia* f. *alba* / 288
Lespedeza japonica var. *intermedia* f. *retusa* / 288
Lespedeza juncea / 286
Lespedeza juncea f. *umbrosa* / 286
Lespedeza juncea var. *inschanica* / 286
Lespedeza juncea var. *latifolia* / 286
Lespedeza juncea var. *sericea* f. *latissima* / 286
Lespedeza juncea var. *subsericea* / 286
Lespedeza juncea var. *umbrosa* / 286
Lespedeza kawachiana / 285
Lespedeza latissima / 286
Lespedeza macrocarpa / 277
Lespedeza macrovirgata / 286
Lespedeza maritima / 286
Lespedeza maximowiczii / 286
Lespedeza maximowiczii f. *albiflora* / 286
Lespedeza maximowiczii f. *tomentella* / 287
Lespedeza maximowiczii var. *elongata* / 287
Lespedeza maximowiczii var. *maximowiczii* / 287
Lespedeza maximowiczii var. *tomentella* / 287
Lespedeza maximowiczii var. *tricolor* / 287
Lespedeza medicaginoides / 285
Lespedeza melanantha / 287
Lespedeza nantianensis / 287
Lespedeza oldhamii var. *tomentella* / 287
Lespedeza oldhamii var. *tricolor* / 287
Lespedeza pilosa / 287
Lespedeza pilosa var. *pedunculata* / 287
Lespedeza prostrata / 286
Lespedeza schindleri / 287
Lespedeza sericea / 285
Lespedeza setiloba / 285
Lespedeza stipulacea / 283
Lespedeza striata / 283
Lespedeza striata var. *stipulacea* / 283
Lespedeza tetraloba / 287

Lespedeza thunbergii subsp. *formosa* / 287
Lespedeza thunbergii subsp. *thunbergii* / 287
Lespedeza tobae / 285
Lespedeza tomentosa / 288
Lespedeza tricolor / 287
Lespedeza uekii / 288
Lespedeza virgata / 288
Lespedeza × chisanensis / 288
Lespedeza × nakaii / 288
Lespedeza × patentibicolor / 288
Lespedeza × patentihirta / 288
Lespedeza × robusta / 288
Leucanthemella / 548
Leucanthemella linearis / 548
Leucanthemum lineare / 548
Leucanthemum sibiricum var. *latilobum* / 535
Leucogolchin pauciflorus / 689
Leuzea dahurica / 564
Leymus / 642
Leymus chinensis / 642
Leymus mollis / 642
Leymus mollis var. *coreensis* / 642
Libanotis / 377
Libanotis coreana / 377
Libanotis seselooides / 377
Ligularia / 548
Ligularia coreana / 549
Ligularia deltoidea / 549
Ligularia fischeri / 548
Ligularia fischeri f. *spiciformis* / 549
Ligularia fischeri var. *fischeri* / 549
Ligularia fischeri var. *spiciformis* / 549
Ligularia glabrescens / 549
Ligularia intermedia / 549
Ligularia intermedia var. *stenopetala* / 549
Ligularia jaluensis / 549
Ligularia jaluensis var. *ruminifolia* / 549
Ligularia jamesii / 549
Ligularia japonica / 549
Ligularia japonica var. *scaberrima* / 550
Ligularia leucocoma / 549
Ligularia mongolica var. *taquetii* / 550
Ligularia pulchra / 549
Ligularia racemosa / 548
Ligularia schmidii / 550
Ligularia sibirica var. *stenoloba* / 549
Ligularia sinica / 549
Ligularia speciosa / 548

- | | |
|---|--|
| <i>Ligularia stenocephala</i> / 550 | <i>Ligustrum kellerianum</i> / 407 |
| <i>Ligularia stenocephala</i> f. <i>quinquebracteata</i> / 550 | <i>Ligustrum leucanthum</i> / 407 |
| <i>Ligularia taquetii</i> / 550 | <i>Ligustrum lucidum</i> / 407 |
| <i>Ligularia tussilaginea</i> / 538 | <i>Ligustrum lucidum</i> var. <i>coriaceum</i> / 407 |
| <i>Ligusticum</i> / 377 | <i>Ligustrum magnoliifolium</i> / 407 |
| <i>Ligustum coreanum</i> / 378 | <i>Ligustrum mayebaranum</i> / 409 |
| <i>Ligustum hultenii</i> / 377 | <i>Ligustrum medium</i> / 408 |
| <i>Ligustum scoticum</i> subsp. <i>hultenii</i> / 377 | <i>Ligustrum micranthum</i> var. <i>pubescens</i> / 407 |
| <i>Ligustum scoticum</i> subsp. <i>scoticum</i> / 377 | <i>Ligustrum molliculum</i> / 407 |
| <i>Ligustum seseloides</i> / 377 | <i>Ligustrum nepalense</i> var. <i>glabrum</i> / 407 |
| <i>Ligustum tachiroei</i> / 377 | <i>Ligustrum obtusifolium</i> / 407 |
| <i>Ligustum takeshimanum</i> / 375 | <i>Ligustrum obtusifolium</i> subsp. <i>microphyllum</i> / 408 |
| <i>Ligustum tenuissimum</i> / 371 | <i>Ligustrum obtusifolium</i> subsp. <i>obtusifolium</i> / 408 |
| <i>Ligustum tsusimense</i> / 383 | <i>Ligustrum obtusifolium</i> var. <i>obtusifolium</i> / 408 |
| <i>Ligustridium japonicum</i> / 407 | <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> / 408 |
| <i>Liguistrina amurensis</i> / 410 | <i>Ligustrum ovalifolium</i> / 408 |
| <i>Liguistrina amurensis</i> var. <i>japonica</i> / 410 | <i>Ligustrum ovalifolium</i> f. <i>heterophyllum</i> / 408 |
| <i>Liguistrina amurensis</i> var. <i>mandshurica</i> / 410 | <i>Ligustrum ovalifolium</i> var. <i>floribundum</i> / 408 |
| <i>Liguistrina fauriei</i> / 409 | <i>Ligustrum ovalifolium</i> var. <i>heterophyllum</i> / 408 |
| <i>Liguistrina japonica</i> / 411 | <i>Ligustrum patulum</i> / 410 |
| <i>Liguistrina reticulata</i> / 411 | <i>Ligustrum quihoui</i> var. <i>latifolium</i> / 408 |
| <i>Liguistrina reticulata</i> var. <i>mandshurica</i> / 411 | <i>Ligustrum quihoui</i> var. <i>quihoui</i> / 408 |
| <i>Liguistrina reticulata</i> var. <i>mandshurica</i> f. <i>bracteata</i> / 411 | <i>Ligustrum reticulatum</i> / 410 |
| <i>Ligustrum</i> / 406 | <i>Ligustrum rotundifolium</i> var. <i>pubescens</i> / 407 |
| <i>Ligustrum acutissimum</i> / 407 | <i>Ligustrum roxburghii</i> / 407 |
| <i>Ligustrum ciliatum</i> var. <i>heterophyllum</i> / 408 | <i>Ligustrum salicinum</i> / 409 |
| <i>Ligustrum ciliatum</i> var. <i>microphyllum</i> / 408 | <i>Ligustrum sinense</i> var. <i>latifolium</i> / 407 |
| <i>Ligustrum ciliatum</i> var. <i>salicinum</i> / 409 | <i>Ligustrum taquetii</i> / 407 |
| <i>Ligustrum ciliatum</i> var. <i>spathulatum</i> / 408 | <i>Ligustrum tsusimense</i> / 408 |
| <i>Ligustrum coriaceum</i> / 407 | <i>Ligustrum wallichii</i> / 407 |
| <i>Ligustrum foliosum</i> / 406 | LILIACEAE / 581 |
| <i>Ligustrum foliosum</i> f. <i>foliosum</i> / 406 | <i>Lilium</i> / 591 |
| <i>Ligustrum foliosum</i> Nakai f. <i>ovale</i> / 406 | <i>Lilium amabile</i> / 591 |
| <i>Ligustrum hisauchii</i> / 408 | <i>Lilium amabile</i> f. <i>kwangnengensis</i> / 592 |
| <i>Ligustrum ibota</i> / 408 | <i>Lilium amabile</i> var. <i>flavum</i> / 591 |
| <i>Ligustrum ibota</i> f. <i>angustifolium</i> / 408 | <i>Lilium amabile</i> var. <i>kwangnengensis</i> / 591 |
| <i>Ligustrum ibota</i> f. <i>microphyllum</i> / 408 | <i>Lilium bulbiferum</i> subsp. <i>dauricum</i> / 593 |
| <i>Ligustrum ibota</i> f. <i>tschonoskii</i> / 408 | <i>Lilium callosum</i> / 592 |
| <i>Ligustrum ibota</i> var. <i>diabolicum</i> / 408 | <i>Lilium carneum</i> / 594 |
| <i>Ligustrum ibota</i> var. <i>microphyllum</i> / 408 | <i>Lilium cernuum</i> / 592 |
| <i>Ligustrum ibota</i> var. <i>regelianum</i> / 408 | <i>Lilium cernuum</i> var. <i>atropurpureum</i> / 592 |
| <i>Ligustrum japonicum</i> / 406 | <i>Lilium cernuum</i> var. <i>candidum</i> / 592 |
| <i>Ligustrum japonicum</i> f. <i>pubescens</i> / 407 | <i>Lilium chrysanthum</i> / 594 |
| <i>Ligustrum japonicum</i> var. <i>japonicum</i> / 407 | <i>Lilium concolor</i> / 592 |
| <i>Ligustrum japonicum</i> var. <i>macrophyllum</i> / 407 | <i>Lilium concolor</i> var. <i>concolor</i> / 592 |
| <i>Ligustrum japonicum</i> var. <i>ovalifolium</i> / 407, 408 | <i>Lilium concolor</i> var. <i>coridion</i> / 592 |
| <i>Ligustrum japonicum</i> var. <i>pubescens</i> / 407 | <i>Lilium concolor</i> var. <i>megalanthum</i> / 592 |
| <i>Ligustrum japonicum</i> var. <i>rotundifolium</i> / 407 | <i>Lilium concolor</i> var. <i>partheneion</i> / 592 |

■ Scientific name Index

Lilium concolor var. *partheneion* f. *coridion* / 592
Lilium concolor var. *pulchellum* f. *parthenion* / 592
Lilium coridion / 592
Lilium dauricum / 593
Lilium distichum / 592
Lilium fauriei / 591
Lilium graminifolium / 592
Lilium hansonii / 593
Lilium lancifolium / 593
Lilium leichtlinii f. *pseudotigrinum* / 593
Lilium leichtlinii var. *leichtlinii* / 593
Lilium leichtlinii var. *maximowiczii* / 593
Lilium leichtlinii var. *pseudotigrinum* / 593
Lilium leichtlinii var. *tigrinum* / 593
Lilium maculatum subsp. *dauricum* / 593
Lilium maculatum var. *dauricum* / 593
Lilium mairei / 592
Lilium mandshuricum / 592
Lilium maximowiczii / 593
Lilium maximowiczii var. *bakeri* / 593
Lilium maximowiczii var. *pseudotigrinum* / 593
Lilium maximowiczii var. *regelii* / 593
Lilium maximowiczii var. *tigrinum* / 593
Lilium medeoloides var. *obovatum* / 593
Lilium megalanthum / 592
Lilium miquelianum / 594
Lilium miquelianum var. *flavum* / 594
Lilium palibinianum / 592
Lilium partheneion / 592
Lilium pennsylvanicum / 593
Lilium pomponicum / 592
Lilium pseudodahuricum / 593
Lilium pseudotigrinum / 593
Lilium sinicum / 592
Lilium talanense / 592
Lilium tenuifolium / 593
Lilium tenuifolium f. *chrysanthum* / 594
Lilium tenuifolium f. *tenuifolium* / 593
Lilium tenuifolium var. *chrysanthum* / 594
Lilium tenuifolium var. *stenophyllum* / 592
Lilium tigrinum / 593
Lilium tsingtauense / 594
Lilium tsingtauense var. *carneum* / 594
Limnanthemum coreanum / 418
Limnanthemum indicum / 418
Limnanthemum nymphoides / 418
Limnanthemum parvifolium / 418
Limniris koreana / 611

Limniris minutoaurea / 611
Limniris sanguinea var. *violacea* / 612
Limnochloa alpina / 716
Limnophila / 464
Limnophila aromatica / 464
Limnophila chinensis subsp. *aromatica* / 464
Limnophila gratioloides / 464
Limnophila gratissima / 464
Limnophila indica / 464
Limnophila punctata / 464
Limnophila punctata var. *subracemosa* / 464
Limnophila sessiliflora / 465
Limnophila stipitata / 464
Limnophila trichophylla / 464
Limnorchis hologlottis / 734
Limodorum epipogium / 724
Limodorum longibracteatum / 719
Limodorum striatum / 717
Limodorum thunbergii / 724
Limonium / 401
Limonium japonicum / 401
Limonium tetragonum / 401
Limosella / 465
Limosella aquatica / 465
LINACEAE / 302
Linagrostis alpina / 716
Linaria / 465
Linaria geminiflora / 465
Linaria japonica / 465
Linaria japonica var. *geminiflora* / 465
Lindera / 150
Lindera angustifolia / 150
Lindera cercidifolia / 150
Lindera erythrocarpa / 150
Lindera erythrocarpa var. *longipes* / 150
Lindera glauca / 150
Lindera glauca var. *kawakamii* / 150
Lindera glauca var. *salicifolia* / 150
Lindera henanensis / 150
Lindera mollis / 150
Lindera nakaiana / 150
Lindera obtusiloba / 150
Lindera obtusiloba f. *quinqueloba* / 151
Lindera obtusiloba f. *villosa* / 151
Lindera obtusiloba var. *praetermissa* / 151
Lindera obtusiloba var. *villosa* / 150
Lindera praetermissa / 151
Lindera sericea / 151

<i>Lindera umbellata</i> var. <i>sericea</i> / 151	<i>Liriope koreana</i> / 594
<i>Lindernia</i> / 465	<i>Liriope minor</i> / 594
<i>Lindernia angustifolia</i> / 466	<i>Liriope muscari</i> / 594
<i>Lindernia antipoda</i> / 465	<i>Liriope muscari</i> var. <i>communis</i> / 594
<i>Lindernia crustacea</i> / 465	<i>Liriope platyphylla</i> / 594
<i>Lindernia cymulosa</i> / 466	<i>Liriope spicata</i> / 594
<i>Lindernia erecta</i> / 466	<i>Liriope spicata</i> f. <i>koreana</i> / 595
<i>Lindernia japonica</i> / 466	<i>Liriope spicata</i> var. <i>densifolia</i> / 594
<i>Lindernia micrantha</i> / 465	<i>Liriope spicata</i> var. <i>latifolia</i> / 594
<i>Lindernia procumbens</i> / 466	<i>Listera brevidens</i> / 732
<i>Lindsaea cultrata</i> var. <i>japonica</i> / 16	<i>Listera cordata</i> var. <i>nipponica</i> / 732
<i>Lindsaea japonica</i> / 16	<i>Listera japonica</i> / 732
<i>Lindsaea odorata</i> / 16	<i>Listera major</i> / 732
<i>Lindsaea odorata</i> var. <i>japonica</i> / 16	<i>Listera nipponica</i> / 732
LINDSÆACEAE / 16	<i>Listera puberula</i> / 732
<i>Linnaea</i> / 486	<i>Listera yatabei</i> / 732
<i>Linnaea borealis</i> / 486	<i>Lithocarpus cuspidata</i> / 90
<i>Linnaea borealis</i> f. <i>arctica</i> / 486	<i>Lithocarpus cuspidata</i> var. <i>sieboldii</i> / 90
<i>Linnaea buchwaldii</i> / 485	<i>Lithocarpus sieboldii</i> / 90
<i>Linnaea serpyllifolia</i> / 486	<i>Lithospermum</i> / 436
<i>Linnaea serrata</i> / 485	<i>Lithospermum arvense</i> / 436
<i>Linnaea spathulata</i> / 485	<i>Lithospermum confertiflorum</i> / 436
<i>Linnaea spathulata</i> var. <i>elliptica</i> / 485	<i>Lithospermum erythrorhizon</i> / 436
<i>Linociera chinensis</i> / 404	<i>Lithospermum japonicum</i> / 436
<i>Linum</i> / 302	<i>Lithospermum officinale</i> subsp. <i>erythrorhizon</i> / 436
<i>Linum karoi</i> / 302	<i>Lithospermum officinale</i> var. <i>erythrorhizon</i> / 436
<i>Linum stelleroides</i> / 302	<i>Lithospermum officinale</i> var. <i>japonicum</i> / 436
<i>Liparis</i> / 730	<i>Lithospermum secundum</i> / 434
<i>Liparis auriculata</i> / 730	<i>Lithospermum sibthoripianum</i> / 436
<i>Liparis fujisanensis</i> / 730	<i>Lithospermum zollingeri</i> / 436
<i>Liparis japonica</i> / 730	<i>Litsea</i> / 151
<i>Liparis koreana</i> / 730	<i>Litsea aciculata</i> / 152
<i>Liparis koreojaponica</i> / 730	<i>Litsea coreana</i> / 149
<i>Liparis krameri</i> / 730	<i>Litsea foliosa</i> / 152
<i>Liparis krameri</i> var. <i>viridis</i> / 730	<i>Litsea glauca</i> / 152
<i>Liparis kumokiri</i> / 730	<i>Litsea japonica</i> / 151
<i>Liparis makinoana</i> / 730	<i>Litsea orientalis</i> / 149
<i>Liparis makinoana</i> var. <i>koreana</i> / 730	<i>Lloydia</i> / 595
<i>Liparis nervosa</i> / 730	<i>Lloydia alpina</i> / 595
<i>Liparis pterosepala</i> / 731	<i>Lloydia serotina</i> / 595
<i>Liparis yakushimensis</i> / 730	<i>Lloydia serotina</i> var. <i>unifolia</i> / 595
<i>Liparis yongnoana</i> / 731	<i>Lloydia triflora</i> / 595
<i>Lipocarpha</i> / 710	<i>Lobaria cernua</i> / 225
<i>Lipocarpha microcephala</i> / 710	<i>Lobelia</i> / 505
<i>Liriope</i> / 594	<i>Lobelia caespitosa</i> / 505
<i>Liriope graminifolia</i> var. <i>densifolia</i> / 594	<i>Lobelia campanuloides</i> / 507
<i>Liriope graminifolia</i> var. <i>koreana</i> / 594	<i>Lobelia camtschatICA</i> / 506
<i>Liriope graminifolia</i> var. <i>minor</i> / 594	<i>Lobelia chinensis</i> / 505

■ Scientific name Index

- Lobelia chinensis* f. *tetrapetala* / 506
Lobelia chinensis var. *tetrapetala* / 506
Lobelia erinus / 505
Lobelia pumila / 466
Lobelia radicans / 505
Lobelia roxburgiana / 506
Lobelia salicifolia / 506
Lobelia saligna / 506
Lobelia sessilifolia / 506
LOGANIACEAE / 411
Lomaria euphlebia / 16
Loncoperis stipata / 695
Lonicera / 486
Lonicera barbinervis / 488
Lonicera brachypoda / 487
Lonicera brachypoda var. *repens* / 487
Lonicera caerulea / 486
Lonicera caerulea subsp. *edulis* / 486
Lonicera caerulea var. *edulis* / 486
Lonicera caerulea var. *emphyllocalyx* / 486
Lonicera caerulea var. *longibracteata* f. *ovata* / 486
Lonicera caerulea var. *venulosa* / 486
Lonicera cerasoides / 489
Lonicera chinensis / 487
Lonicera chrysantha / 486
Lonicera chrysantha f. *villoa* / 486
Lonicera chrysantha subsp. *gibbipora* / 487
Lonicera chrysantha var. *crassipes* / 487
Lonicera chrysantha var. *longipes* / 486
Lonicera chrysantha var. *subtomentosa* / 489
Lonicera coreana / 487
Lonicera diamantica / 489
Lonicera diversifolia / 487
Lonicera edulis / 486
Lonicera fauriei / 487
Lonicera flexuosa / 487
Lonicera flexuosa var. *halleana* / 487
Lonicera ghiesbreghtiana / 489
Lonicera gibbiflora / 486
Lonicera harae / 487
Lonicera harae var. *coreana* / 487
Lonicera harae var. *tashiroi* / 487
Lonicera hypoleuca / 489
Lonicera insularis / 487
Lonicera japonica / 487
Lonicera japonica f. *chinensis* / 488
Lonicera japonica f. *flexuosa* / 487
Lonicera japonica f. *purpurella* / 487
Lonicera japonica var. *brachypoda* / 487
Lonicera japonica var. *chinensis* / 487
Lonicera japonica var. *flexuosa* / 487
Lonicera japonica var. *hallinna* / 487
Lonicera japonica var. *japonica* f. *halleana* / 488
Lonicera japonica var. *repens* / 487
Lonicera japonica var. *semperfervillosa* / 487
Lonicera kaiensis / 489
Lonicera leptantha / 489
Lonicera longiflora / 487
Lonicera longipes / 487
Lonicera maackii / 488
Lonicera maackii var. *japonica* / 488
Lonicera maximowiczii / 488
Lonicera maximowiczii subsp. *sachalinensis* / 488
Lonicera maximowiczii var. *latifolia* / 488
Lonicera maximowiczii var. *maximowiczii* / 488
Lonicera maximowiczii var. *sachalinensis* / 488
Lonicera monantha / 488
Lonicera morowii var. *insularis* / 487
Lonicera nigra var. *barbinervis* / 488
Lonicera nigra var. *nigra* / 488
Lonicera okamotoana / 488
Lonicera okamotoana var. *latifolia* / 488
Lonicera praeflorens / 489
Lonicera repens / 487
Lonicera reticulata / 486
Lonicera ruprechtiana / 489
Lonicera sachalinensis / 488
Lonicera sachalinensis var. *barbinervis* / 488
Lonicera shintenensis / 487
Lonicera subhispida / 489
Lonicera subsessilis / 489
Lonicera tatarinowii / 489
Lonicera tatarinowii var. *leptantha* / 489
Lonicera venulosa / 486
Lonicera vesicaria / 489
Lonicera vidalii / 489
Lonicera vidalii var. *cerasoides* / 489
Lonicera xylosteum var. *chrysantha* / 486
Lophanthus argyi / 441
Lophanthus formosanus / 441
Lophanthus multifidus / 453
Lophanthus rugosus / 441
Lophanthus rugosus var. *hypoleuca* / 441
Lophatherum / 643
Lophatherum elatum / 643
Lophatherum gracile / 643

<i>Lophatherum humile</i> / 643	<i>Luzula campestris</i> var. <i>pauciflora</i> / 617
<i>Lophatherum japonicum</i> / 643	<i>Luzula capitata</i> / 616
<i>Lophatherum multiflorum</i> / 643	<i>Luzula multiflora</i> / 616
<i>Lophatherum sinense</i> / 643	<i>Luzula nipponica</i> / 617
LORANTHACEAE / 108	<i>Luzula odaesanensis</i> / 617
<i>Loranthus</i> / 108	<i>Luzula oligantha</i> / 617
<i>Loranthus tanakae</i> / 108	<i>Luzula pallescens</i> / 617
<i>Loranthus yadoriki</i> / 109	<i>Luzula pallidula</i> / 617
<i>Lotus</i> / 288	<i>Luzula pilosa</i> var. <i>rufescens</i> / 617
<i>Lotus corniculatus</i> var. <i>corniculatus</i> / 288	<i>Luzula plumosa</i> / 617
<i>Lotus corniculatus</i> var. <i>japonica</i> / 288	<i>Luzula rufescens</i> / 617
<i>Loxogramme</i> / 56	<i>Luzula rufescens</i> var. <i>macrocarpa</i> / 617
<i>Loxogramme duclouxii</i> / 56	<i>Luzula rufescens</i> var. <i>rufescens</i> / 617
<i>Loxogramme fauriei</i> / 57	<i>Luzula sudetica</i> var. <i>microstachya</i> / 617
<i>Loxogramme grammoides</i> / 56	<i>Luzula sudetica</i> var. <i>nipponica</i> / 617
<i>Loxogramme salicifolia</i> / 57	<i>Luzula sudetica</i> var. <i>pauciflora</i> / 617
<i>Loxogramme saziran</i> / 56	<i>Luzula yakusimensis</i> / 617
<i>Loxotrema capillaris</i> / 673	<i>Lychnis</i> / 133
<i>Lubinia lineariloba</i> / 399	<i>Lychnis cognata</i> / 133
<i>Lubinia lubinioides</i> / 399	<i>Lychnis cognata</i> f. <i>albiflora</i> / 133
<i>Ludwigia</i> / 359	<i>Lychnis fulgens</i> / 133
<i>Ludwigia diffusa</i> / 360	<i>Lychnis fulgens</i> f. <i>glabra</i> / 133
<i>Ludwigia epilobioidea</i> / 360	<i>Lychnis fulgens</i> var. <i>cognata</i> / 133
<i>Ludwigia fruticulosa</i> / 360	<i>Lychnis fulgens</i> var. <i>glabra</i> / 133
<i>Ludwigia ovalis</i> / 359	<i>Lychnis fulgens</i> var. <i>wilfordii</i> / 133
<i>Ludwigia palustris</i> var. <i>ovalis</i> / 359	<i>Lychnis kiusiana</i> / 133
<i>Ludwigia prostrata</i> / 360	<i>Lychnis wilfordii</i> / 133
<i>Lumnitzera fastigiata</i> / 456	<i>Lycocotonum alboviolaceum</i> / 152
<i>Lunaria japonica</i> / 209	<i>Lycocotonum alboviolaceum</i> var. <i>fuscescens</i> / 153
<i>Lunathyrium conili</i> / 37	<i>Lycocotonum alboviolaceum</i> var. <i>purpurascens</i> / 152
<i>Lunathyrium coreanum</i> / 37	<i>Lycocotonum longicassidatum</i> / 155
<i>Lunathyrium dimorphophyllum</i> / 37	<i>Lycocotonum pseudolaeve</i> / 155
<i>Lunathyrium japonicum</i> / 37	<i>Lycocotonum pseudolaeve</i> var. <i>flexuosum</i> / 155
<i>Lunathyrium lasiopteris</i> var. <i>kiusianum</i> / 38	<i>Lycocotonum pseudolaeve</i> var. <i>volutile</i> / 155
<i>Lunathyrium okuboanum</i> / 38	<i>Lycocotonum pteropus</i> / 155
<i>Lunathyrium orientale</i> / 39	<i>Lycocotonum quelpaertense</i> / 155
<i>Lunathyrium petersenii</i> / 38	<i>Lycocotonum umbrosum</i> / 156
<i>Lunathyrium pseudoconili</i> / 38	LYCOPODIACEAE / 3
<i>Lunathyrium pterorachis</i> / 39	<i>Lycopodiella cernua</i> / 4
<i>Lunathyrium pycnosorum</i> / 39	<i>Lycopodioides remotifolia</i> / 7
<i>Lunathyrium viridifrons</i> / 39	<i>Lycopodium</i> / 4
<i>Luzula</i> / 616	<i>Lycopodium alpinum</i> / 4
<i>Luzula arcuata</i> subsp. <i>arcuata</i> / 616	<i>Lycopodium annotinum</i> / 4
<i>Luzula arcuata</i> subsp. <i>unalaschkensis</i> / 616	<i>Lycopodium aristatum</i> var. <i>robustius</i> / 5
<i>Luzula arcuata</i> var. <i>unalaschkensis</i> / 616	<i>Lycopodium cernuum</i> / 4
<i>Luzula campestris</i> subsp. <i>multiflora</i> / 617	<i>Lycopodium clavatum</i> / 5
<i>Luzula campestris</i> var. <i>capitata</i> / 616	<i>Lycopodium clavatum</i> var. <i>nipponicum</i> / 5
<i>Luzula campestris</i> var. <i>multiflora</i> / 617	<i>Lycopodium clavatum</i> var. <i>robustius</i> / 5

- Lycopodium complanatum* / 5
Lycopodium comptonioides / 5
Lycopodium cryptomerianum / 3
Lycopodium helveticum / 6
Lycopodium involvens / 6
Lycopodium javanicum / 3
Lycopodium miyoshianum / 3
Lycopodium miyoshianum var. *coreanum* / 3
Lycopodium nikoense / 5
Lycopodium nudum / 11
Lycopodium obscurum / 5
Lycopodium selago / 4
Lycopodium selago var. *miyoshianum* / 3
Lycopodium serratum / 4
Lycopodium serratum var. *javanicum* / 3
Lycopodium serratum var. *longipetiolatum* / 3
Lycopodium serratum var. *thunbergi* / 4
Lycopodium sieboldii / 4
Lycopus / 449
Lycopus amethystinus / 442
Lycopus angustus / 450
Lycopus cavaleriei / 450
Lycopus charkeviczii / 449
Lycopus coreanus / 449
Lycopus coreanus var. *cavaleriei* / 450
Lycopus coreanus var. *ramosissimus* / 450
Lycopus formosanus / 450
Lycopus japonicus / 450
Lycopus lucidus / 450
Lycopus lucidus f. *hirtus* / 450
Lycopus lucidus var. *formosanus* / 450
Lycopus lucidus var. *hirtus* / 450
Lycopus lucidus var. *lucidus* / 450
Lycopus lucidus var. *maackianus* / 450
Lycopus maackianus / 450
Lycopus maackianus var. *ramosissimus* / 449
Lycopus parviflorus / 450
Lycopus ramosissimus / 450
Lycopus ramosissimus var. *japonicus* / 450
Lycopus uniflorus / 450
Lycopus uniflorus var. *parviflorus* / 450
Lycoris / 607
Lycoris albiflora / 607
Lycoris chinensis var. *chinensis* / 607
Lycoris chinensis var. *sinuolata* / 607
Lycoris flavescens / 608
Lycoris flavescens var. *uydoensis* / 608
Lycoris koreana / 608
Lycoris sanguinea var. *koreana* / 608
Lycoris uydoensis / 608
Lycoris × chejuensis / 608
LYGODIACEAE / 15
Lygodium / 15
Lygodium japonicum / 15
Lyonia calyculata / 385
Lysimachia / 397
Lysimachia acroadenia / 397
Lysimachia barystachys / 397
Lysimachia barystachys var. *quelpaertensis* / 399
Lysimachia candida var. *leucantha* / 398
Lysimachia chikungensis / 398
Lysimachia clethroides / 398
Lysimachia clethroides var. *sororia* / 398
Lysimachia coreana / 398
Lysimachia dauriensis / 399
Lysimachia davurica / 399
Lysimachia decurrens var. *acroadenia* / 397
Lysimachia fortunei / 398
Lysimachia fortunei f. *suboppositifolia* / 398
Lysimachia fortunei var. *pubescens* / 398
Lysimachia japonica / 398
Lysimachia japonica f. *subsessilis* / 398
Lysimachia japonica var. *subsessilis* / 398
Lysimachia kamtschatica / 399
Lysimachia keiskeana / 397
Lysimachia leucantha / 398
Lysimachia lineariloba / 399
Lysimachia lubiniodes / 399
Lysimachia maritima / 398
Lysimachia mauritiana / 398
Lysimachia nebeliana / 399
Lysimachia pentapetala / 399
Lysimachia quelpaertensis / 399
Lysimachia sororia / 398
Lysimachia thyrsiflora / 399
Lysimachia trientalis / 401
Lysimachia unguiculata / 399
Lysimachia vulgaris subsp. *davurica* / 399
Lysimachia vulgaris var. *davurica* / 399
Lysimachia vulgaris var. *vulgaris* / 399
LYTHRACEAE / 353
Lythrum / 353
Lythrum anceps / 353
Lythrum salicaria / 353
Lythrum salicaria subsp. *anceps* / 353
Lythrum salicaria subsp. *salicaria* / 353

Lythrum salicaria var. *anceps* / 353

(M)

Maackia / 289
Maackia amurensis / 289
Maackia amurensis var. *amurensis* / 289
Maackia amurensis var. *buergeri* / 289
Maackia amurensis var. *stenocarpa* / 289
Maackia buergeri / 289
Maackia fauriei / 289
Machilus / 151
Machilus arisanensis / 151
Machilus arisanensis var. *nanshoensis* / 152
Machilus japonica / 151
Machilus kusanoi / 151
Machilus kwashotensis / 151
Machilus macrophylla var. *arisanensis* / 151
Machilus nanshoensis / 152
Machilus puseudolongifolia / 151
Machilus thunbergii / 151
Machilus thunbergii var. *japonica* / 151
Machilus thunbergii var. *obovata* / 152
Machilus thunbergii var. *trochodendroides* / 152
Maclura tricuspidata / 100
Macrothelypteris / 28
Macrothelypteris torresiana var. *calvata* / 28
Macrothelypteris torresiana var. *torresiana* / 28
Macrothelypteris viridifrons / 28
Maesa / 395
Maesa cavaleriei / 395
Maesa coriacea / 395
Maesa coriacea var. *gracilis* / 395
Maesa doraena / 395
Maesa dunniana / 395
Maesa esquirolii / 395
Maesa japonica / 395
Maesa japonica f. *gracilis* / 396
Maesa labordei / 395
Maesa randaiensis / 395
Maesa taiheizensis / 396
Magnolia / 147
Magnolia borealis / 147
Magnolia compressa / 147
Magnolia kobus / 147
Magnolia kobushi / 147
Magnolia oyama / 148
Magnolia parviflora / 148

Magnolia sieboldii / 147
Magnolia tomentosa / 147
Magnolia verecunda / 148
MAGNOLIACEAE / 147
Maianthemum / 595
Maianthemum bicolor / 595
Maianthemum bifolium / 595
Maianthemum bifolium var. *dilatatum* / 596
Maianthemum bifolium var. *kamtschaticum* / 596
Maianthemum dahuricum / 595
Maianthemum dilatatum / 596
Maianthemum japonicum / 596
Maianthemum kamtschaticum / 596
Maianthemum robustum / 596
Maianthemum trifolium / 596
Malachium aquaticum / 140
Malapoenna aciculata / 152
Malapoenna japonica / 151
Malapoenna sieboldii / 152
Malaxis / 731
Malaxis japonica / 733
Malaxis monophyllos / 731
Mallotus / 305
Mallotus japonicus / 305
Mallotus nepalensis var. *ochraceoalbidus* / 305
Mallotus oreophilus var. *ochraceoalbidus* / 305
Malouetia asiatica / 421
Malus / 240
Malus baccata / 240
Malus baccata f. *jackii* / 241
Malus baccata f. *minor* / 241
Malus baccata subsp. *toringo* / 242
Malus baccata var. *leiostyla* / 241
Malus baccata var. *mandshurica* / 241
Malus baccata var. *mandshurica* f. *jackii* / 241
Malus baccata var. *mandshurica* f. *latifolia* / 241
Malus baccata var. *sibirica* / 241
Malus cerasifera / 240
Malus komarovii / 241
Malus mandshurica / 241
Malus microcarpa / 242
Malus microcarpa var. *baccata* / 241
Malus microcarpa var. *kaido* / 241
Malus micromalus / 241
Malus pallasiana / 241
Malus rossica / 240
Malus sargentii / 242
Malus sibirica / 240

■ Scientific name Index

- Malus sieboldii* var. *koringo* / 242
Malus sieboldii var. *koringo* subvar. *incisa* / 242
Malus spectabilis var. *micromalus* / 241
Malus toringo / 241
Malus toringo var. *koringo* subvar. *sargentii* / 242
Malus toringo var. *rosea* / 242
Malus toringo var. *sargentii* / 242
MALVACEAE / 335
Manisuris latifolia / 649
Mankyua / 10
Mankyua chejuense / 10
Mariscus sieberianus / 699
Mariscus sumatrensis / 699
Marlea platanifolia / 361
Marlea platanifolia var. *triloba* / 362
Marrubium incisum / 448
Marrubium supinum / 448
Marsdenia / 421
Marsdenia tomentosa / 421
Marsilea / 15
Marsilea natans / 16
Marsilea quadrifolia / 15
MARSILEACEAE / 15
Masakia japonica / 323
Masakia japonica var. *latifolia* / 323
Masakia radicans / 322
Masakia yoshinagae / 323
Massula angustifolia / 667
Massula latifolia / 667
Mastacanthus sinensis / 439
Matricaria / 550
Matricaria coreana / 534
Matricaria limosa / 550
Matricaria maritima subsp. *limosa* / 550
Matricaria tетragonosperma / 550
Matteuccia / 32
Matteuccia orientalis / 33
Matteuccia struthiopteris / 33
Maxillaria goeringii / 721
Maximowiczia amurensis / 148
Maximowiczia chinensis / 148
Maximowiczia japonica / 148
Maximowiczia nigra / 148
Maximowiczia sinensis / 148
Mazus / 466
Mazus englerianus / 466
Mazus japonicus / 466
Mazus miquelii / 466
Mazus miquelii var. *rotundifolius* / 466
Mazus miquelii var. *stolonifer* / 466
Mazus pumilus / 466
Mazus rotundifolia / 466
Mazus rotundus / 466
Mazus rugosus / 466
Mazus rugosus var. *macranthus* / 466
Mazus rugosus var. *rotundifolia* / 466
Mazus rugosus var. *stolonifer* / 466
Mazus simada / 467
Mazus stachydisfolius / 466
Mazus stolonifer / 466
Mazus vandelliooides / 466
Mazus villosus / 467
Mecodium coreanum / 13
Mecodium olygosorum / 13
Mecodium polyanthos / 13
Mecodium wrightii / 13
Medicago / 289
Medicago korshinskyi / 289
Medicago ruthenica / 289
Meehania / 450
Meehania urticifolia / 450
Meehania urticifolia f. *leucantha* / 451
Meehania urticifolia f. *normalis* / 451
Meehania urticifolia f. *pedunculata* / 450
Meehania urticifolia f. *rosea* / 451
Megaleranthis / 170
Megaleranthis saniculifolia / 170
Meibomia formosa / 288
Meibomia oldhamii / 281
Meibomia podocarpa / 282
Meibomia racemosa / 282
Meibomia tomentosa / 288
Melampyrum / 467
Melampyrum ciliare var. *japonicum* / 467
Melampyrum jedoense / 467
Melampyrum koreanum / 467
Melampyrum nakaianum / 468
Melampyrum nakaianum var. *latifolium* / 468
Melampyrum ovalifolium / 467
Melampyrum roseum / 467
Melampyrum roseum f. *glabrescens* / 467
Melampyrum roseum f. *pubescens* / 467
Melampyrum roseum subsp. *euroseum* / 467
Melampyrum roseum subsp. *hirsutum* / 467
Melampyrum roseum subsp. *japonicum* var. *sendaiense* / 467
Melampyrum roseum subsp. *ovalifolium* / 467

- | | |
|---|--|
| <i>Melampyrum roseum</i> var. <i>hirsutum</i> / 467 | <i>Meliosma rhoifolia</i> subsp. <i>barbulata</i> / 317 |
| <i>Melampyrum roseum</i> var. <i>japonicum</i> / 467 | <i>Meliosma sinensis</i> / 317 |
| <i>Melampyrum roseum</i> var. <i>japonicum</i> f. <i>japonicum</i> / 468 | <i>Meliosma stewardii</i> / 316 |
| <i>Melampyrum roseum</i> var. <i>japonicum</i> f. <i>leucanthum</i> / 468 | <i>Melothria</i> / 352 |
| <i>Melampyrum roseum</i> var. <i>nakaianum</i> / 468 | <i>Melothria japonica</i> / 352 |
| <i>Melampyrum roseum</i> var. <i>ovalifolium</i> / 467 | MENISPERMACEAE / 180 |
| <i>Melampyrum roseum</i> var. <i>ovalifolium</i> f. <i>albiflorum</i> / 467 | <i>Menispermum</i> / 180 |
| <i>Melampyrum roseum</i> var. <i>roseum</i> / 467 | <i>Menispermum acutum</i> / 180 |
| <i>Melampyrum roseum</i> var. <i>setaceum</i> / 468 | <i>Menispermum chinense</i> / 180 |
| <i>Melampyrum setaceum</i> / 468 | <i>Menispermum dauricum</i> / 180 |
| <i>Melampyrum setaceum</i> f. <i>latifolium</i> / 468 | <i>Menispermum dauricum</i> f. <i>dauricum</i> / 180 |
| <i>Melampyrum setaceum</i> var. <i>latifolium</i> / 468 | <i>Menispermum dauricum</i> f. <i>pilosum</i> / 180 |
| <i>Melampyrum setaceum</i> var. <i>nakaianum</i> / 468 | <i>Menispermum dauricum</i> var. <i>pilosum</i> / 180 |
| <i>Melampyrum setaceum</i> var. <i>setaceum</i> / 468 | <i>Menispermum diversifolium</i> / 180 |
| <i>Melandrium apricum</i> / 137 | <i>Menispermum diversifolium</i> var. <i>molle</i> / 180 |
| <i>Melandrium apricum</i> subsp. <i>oldhamianum</i> / 137 | <i>Menispermum japonicum</i> / 181 |
| <i>Melandrium apricum</i> var. <i>firmum</i> / 138 | <i>Menispermum miersii</i> / 180 |
| <i>Melandrium apricum</i> var. <i>firmum</i> f. <i>pubescens</i> / 138 | <i>Menispermum orbiculatum</i> / 180 |
| <i>Melandrium capitatum</i> / 138 | <i>Menispermum trilobum</i> / 180 |
| <i>Melandrium firmum</i> / 138 | <i>Mentha</i> / 451 |
| <i>Melandrium seoulense</i> var. <i>ramosum</i> / 140 | <i>Mentha arvensis</i> subsp. <i>haploalyx</i> var. <i>sachalinensis</i> / 451 |
| <i>Melandrium umbellatum</i> / 139 | <i>Mentha arvensis</i> subsp. <i>piperascens</i> / 451 |
| <i>Melanocarya alata</i> / 320 | <i>Mentha arvensis</i> var. <i>arvensis</i> / 451 |
| <i>Melanthium cochinchinensis</i> / 585 | <i>Mentha arvensis</i> var. <i>barbata</i> / 451 |
| <i>Melanthium japonicum</i> / 586 | <i>Mentha arvensis</i> var. <i>piperascens</i> / 451 |
| <i>Melanthium sibiricum</i> / 584 | <i>Mentha arvensis</i> var. <i>sachalinensis</i> / 451 |
| <i>Melica</i> / 643 | <i>Mentha canadensis</i> var. <i>piperascens</i> f. <i>pilosa</i> / 451 |
| <i>Melica effusa</i> / 644 | <i>Mentha canadensis</i> var. <i>piperascens</i> / 451 |
| <i>Melica grandiflora</i> / 643 | <i>Mentha cinnadensis</i> var. <i>sachalinensis</i> / 451 |
| <i>Melica kumana</i> / 643 | <i>Mentha haploalyx</i> var. <i>barbata</i> / 451 |
| <i>Melica matsumurae</i> / 643 | <i>Mentha haploalyx</i> var. <i>sachalinensis</i> / 451 |
| <i>Melica nutans</i> / 643 | <i>Mentha sachalinensis</i> / 451 |
| <i>Melica onoei</i> / 643 | <i>Mentha sachalinensis</i> f. <i>pilosa</i> / 451 |
| <i>Melica scabrosa</i> / 643 | <i>Mentha stellata</i> / 454 |
| <i>Melica turczaninowiana</i> / 643 | <i>Mentha verticillata</i> / 454 |
| <i>Melilotoides ruthenica</i> / 289 | MENYANTHACEAE / 417 |
| <i>Meliosma</i> / 316 | <i>Menyanthes</i> / 417 |
| <i>Meliosma arnottiana</i> var. <i>oldhamii</i> / 317 | <i>Menyanthes indica</i> / 418 |
| <i>Meliosma fauriei</i> / 317 | <i>Menyanthes peltata</i> / 182 |
| <i>Meliosma myriantha</i> / 316 | <i>Menyanthes trifoliata</i> / 417 |
| <i>Meliosma myriantha</i> var. <i>discolor</i> / 316 | <i>Menziesia caerulea</i> / 387 |
| <i>Meliosma myriantha</i> var. <i>stewardii</i> / 316 | <i>Menziesia taxifolia</i> / 387 |
| <i>Meliosma oldhamii</i> / 317 | <i>Mercurialis</i> / 305 |
| <i>Meliosma oldhamii</i> var. <i>glandulifera</i> / 317 | <i>Mercurialis leiocarpa</i> / 305 |
| <i>Meliosma oldhamii</i> var. <i>sinensis</i> / 317 | <i>Mercurialis leiocarpa</i> var. <i>transmorrisonensis</i> / 305 |
| <i>Meliosma pinnata</i> var. <i>oldhamii</i> / 317 | <i>Mercurialis leiocarpa</i> var. <i>trichocarpa</i> / 305 |
| <i>Meliosma pinnata</i> var. <i>pinnata</i> / 317 | <i>Mercurialis transmorrisonensis</i> / 305 |
| <i>Meliosma rhoifolia</i> / 317 | <i>Mertensia</i> / 436 |

■ Scientific name Index

- Mertensia asiatica* / 436
Mertensia linearis / 15
Mertensia maritima subsp. *asiatica* / 436
Mertensia maritima var. *asiatica* / 436
Mesomora canadensis / 363
Mespilus cotoneaster / 236
Mespilus korolkowi / 236
Mespilus laevis / 242
Mespilus pentagyna var. *pinnatifida* / 236
Mespilus pinnatifida / 236
Mespilus pinnatifida var. *songarica* / 236
Mespilus sieboldi / 257
Mespilus sanguinea var. *villosa* / 236
Messerschmidia arguzia / 433
Messerschmidia sibirica / 433
Messerschmidia sibirica var. *latifolia* / 433
Metanarthecium / 597
Metanarthecium foliatum / 581
Metanarthecium formosanum / 581
Metanarthecium luteoviride / 597
Metaplexis / 421
Metaplexis chinensis / 421
Metaplexis japonica / 421
Metaplexis rostellata / 421
Metaplexis stauntonii / 421
Metathelypteris / 29
Metathelypteris hattorii / 29
Metathelypteris laxa / 29
Meterostachys / 215
Meterostachys sikokianus / 215
Michelia compressa / 147
Michelia compressa var. *formosana* / 147
Michelia formosana / 147
Micranthes / 224
Micranthes furumii / 225
Micranthes laciniata / 225
Micranthes manchuriensis var. *octopetala* / 224
Micranthes nelsoniana / 226
Micranthes octopetala / 224
Microcarpaea / 468
Microcarpaea alterniflora / 468
Microcarpaea minima / 468
Microcarpaea muscosa / 468
Microcerasus glandulosa / 249
Microcerasus sinensis / 249
Microlepia / 18
Microlepia marginata / 18
Microlepia marginata var. *bipinnata* / 18
Microlepia marginata var. *marginata* / 18
Microlepia pseudostrigosa / 18
Microlepia strigosa / 18
Microlepia wilfordii / 17
Microlepia × bipinnata / 18
Microlespedeza stipulacea / 283
Microlespedeza striata / 283
Micromeles alnifolia / 269
Micromeles alnifolia var. *hirtella* / 269
Micromeles alnifolia var. *lobulata* / 269
Micromeles alnifolia var. *lyciocarpa* / 269
Micromeles alnifolia var. *macrophylla* / 269
Micromeles alnifolia var. *tiliifolia* / 269
Micromeles tiliifolia / 269
Micromeria perforata / 452
Micropodium lanceum / 38
Microrhamnus franguloides / 327
Microrhamnus taquetii / 327
Microsorium ensatum / 57
Microsorum / 57
Microsorum masaskei / 57
Microsorum superficiale / 57
Microstegium / 644
Microstegium japonicum / 644
Microstegium vimineum / 644
Microstegium vimineum var. *imberbe* / 644
Microstegium vimineum var. *polystachyum* / 644
Microstegium vimineum var. *vimineum* / 644
Microstegium vimineum var. *willdenowianum* / 644
Microstegium willdenowianum / 644
Microstylis japonica / 730
Microstylis monophyllos / 731
Milium / 644
Milium effusum / 644
Milium globosum / 640
Millettia / 289
Millettia japonica / 289
Mimosa kalkora / 275
Mimosa speciosa / 275
Mimulus / 468
Mimulus formosana / 469
Mimulus inflatus / 469
Mimulus nepalensis / 469
Mimulus nepalensis var. *japonica* / 469
Mimulus tenellus / 468
Mimulus tenellus subsp. *nepalensis* / 469
Mimulus tenellus var. *japonicus* / 469
Mimulus tenellus var. *nepalensis* / 469

Mimulus tenellus var. *tenellus* / 469
Minuartia / 133
Minuartia arctica / 133
Minuartia imbricata var. *koreana* / 134
Minuartia laricina / 133
Minuartia macrocarpa var. *koreana* / 134
Minuartia macrocarpa var. *macrocarpa* / 134
Minuartia verna var. *coreana* / 134
Minuartia verna var. *leptophylla* / 134
Minuartia verna var. *verna* / 134
Miricacalia firma / 551
Miricacalia pseudotaimingasa / 552
Mirmau selago / 4
Misanthus / 644
Misanthus changii / 644
Misanthus chejuensis / 646
Misanthus condensatus f. *condensatus* / 645
Misanthus condensatus f. *purpurascens* / 645
Misanthus condensatus var. *purpurascens* / 645
Misanthus cotulifer / 659
Misanthus ionandros / 646
Misanthus longiberbis var. *changii* / 645
Misanthus matsumurae var. *longiberbis* / 647
Misanthus nakaianus / 646
Misanthus purpurascens / 646
Misanthus sacchariflorus / 645
Misanthus sacchariflorus f. *latifolius* / 645
Misanthus sacchariflorus f. *sacchariflorus* / 645
Misanthus sacchariflorus var. *gracilis* / 645
Misanthus sacchariflorus var. *sacchariflorus* / 645
Misanthus sinensis / 645
Misanthus sinensis f. *albiflorus* / 646
Misanthus sinensis f. *chejuensis* / 646
Misanthus sinensis f. *gracillimus* / 646
Misanthus sinensis f. *purpurascens* / 646
Misanthus sinensis f. *sinensis* / 646
Misanthus sinensis f. *variegatus* / 647
Misanthus sinensis f. *viridis* / 645
Misanthus sinensis var. *albiflorus* / 645
Misanthus sinensis var. *chejuensis* / 646
Misanthus sinensis var. *gracillimus* / 646
Misanthus sinensis var. *ionandros* / 646
Misanthus sinensis var. *keumunensis* / 646
Misanthus sinensis var. *nakaianus* / 646
Misanthus sinensis var. *purpurascens* / 646
Misanthus sinensis var. *sinensis* / 645
Misanthus sinensis var. *sunanensis* / 646
Misanthus sinensis var. *viridis* / 645

Misanthus × *longiberbis* / 647
Misopetalum cernuum / 225
Mitchella / 428
Mitchella repens subsp. *undulata* / 428
Mitchella repens var. *undulata* / 428
Mitchella undulata / 428
Mitchella undulata var. *minor* / 428
Mitella / 224
Mitella cordifolia / 224
Mitella nuda / 224
Mitella reniformis / 224
Mitostigma gracile / 717
Mitrasacme / 411
Mitrasacme alsinoides / 411
Mitrasacme alsinoides var. *indica* / 412
Mitrasacme capillaris / 412
Mitrasacme chinensis / 412
Mitrasacme galiifolia / 412
Mitrasacme indica / 411
Mitrasacme lutea / 412
Mitrasacme malaccensis / 412
Mitrasacme nudicaulis / 412
Mitrasacme pygmaea / 412
Mitrasacme pygmaea var. *malaccensis* / 412
Mitrosicyos lobata / 351
Mitrosicyos racemosa / 351
Miyamayomena koraiensis / 520
Moehringia / 134
Moehringia lateriflora / 134
Molinia / 647
Molinia fauriei / 630
Molinia japonica / 647
Moliniopsis japonica / 647
Moliniopsis nipponica / 647
MOLLUGINACEAE / 128
Mollugo / 128
Mollugo pentaphylla / 128
Monanthium uniflorum / 386
Mondo fauriei / 595
Mondo gracile / 597
Mondo gracile var. *brevipedicellatum* / 597
Mondo jaburan var. *major* / 597
Mondo japonicum / 597
Mondo koreanum / 595
Mondo longifolium / 597
Moneses / 386
Moneses uniflora / 386
Monochasma / 479

■ Scientific name Index

Monochasma japonicum / 479
Monochasma sheareri / 479
Monochoria / 609
Monochoria korsakowii / 609
Monochoria plantaginea / 610
Monochoria vaginalis var. *angustifolia* / 610
Monochoria vaginalis var. *korsakowii* / 609
Monochoria vaginalis var. *plantaginea* / 610
Monochoria vaginalis var. *vaginalis* / 609
Monogynella japonica / 433
Monotropa / 386
Monotropa humile / 386
Monotropa hypopithys / 386
Monotropa hypopithys var. *glaberrima* / 386
Monotropa uniflora / 386
Monopteris / 386
Monopteris globosum / 386
Monopteris humile / 386
MORACEAE / 99
Moraea chinensis / 610
Morella rubra / 73
Morgania juncea / 463
Morus / 101
Morus alba var. *mongolica* / 102
Morus australis / 101
Morus australis var. *maritima* / 102
Morus bombycina / 101
Morus bombycina f. *dissecta* / 102
Morus bombycina var. *caudatifolia* / 101
Morus cathayana / 102
Morus cathayana var. *japonica* / 102, 255
Morus caudatifolia / 101
Morus integrifolia / 100
Morus kagayamae / 101
Morus mongolica / 102
Morus mongolica var. *diabolica* / 102
Morus papyrifera / 99
Morus rubra var. *japonica* / 102
Morus tiliifolia / 102
Moschatellina fumariifolia / 495
Moschatellina generalis / 495
Moschatellina tetragona / 495
Mosla / 451
Mosla angustifolia / 451
Mosla chinensis / 451
Mosla coreana / 451
Mosla dianthera / 452
Mosla dianthera var. *dianthera* / 452

Mosla dianthera var. *nana* / 452
Mosla fordii / 451
Mosla japonica / 452
Mosla japonica f. *japonica* / 452
Mosla japonica f. *thymolifera* / 452
Mosla japonica var. *angustifolia* / 451
Mosla japonica var. *robusta* / 452
Mosla lanceolata / 453
Mosla nakaii / 452
Mosla perforata / 452
Mosla punctulata / 453
Mosla scabra / 452
Mosla thymolifera / 452
Muhlenbergia / 647
Muhlenbergia hakonensis / 647
Muhlenbergia huegelii / 647
Muhlenbergia japonica / 647
Muhlenbergia japonica var. *hakonensis* / 647
Muhlenbergia japonica var. *ramosa* / 647
Muhlenbergia longistolon / 647
Muhlenbergia pendula / 628
Muhlenbergia ramosa / 647
Mukdenia / 224
Mukdenia acanthifolia / 224
Mukdenia rossii / 224
Mukdenia rossii f. *multiloba* / 224
Mukdenia rossii var. *multiloba* / 224
Mulgedium kamtschaticum / 546
Mulgedium sibiricum / 546
Murdannia keisak / 618
Myosotis / 436
Myosotis caespitosa var. *laxa* / 437
Myosotis chinensis / 437
Myosotis deflexa / 435
Myosotis lappula / 435
Myosotis laxa / 436
Myosotis palustris var. *laxa* / 437
Myosotis peduncularis / 437
Myosotis perennis var. *sylvatica* / 437
Myosotis radicans / 437
Myosotis squarrosa / 435
Myosotis sylvatica / 437
Myosotis zeylanica / 434
Myosoton aquaticum / 140
Myrica / 73
Myrica rubra / 73
Myrica rubra var. *acuminata* / 73
MYRICACEAE / 73

- | | |
|--|--|
| <i>Myriogyne minima</i> / 527 | <i>Nardosmia saxatilis</i> / 552 |
| <i>Myriogyne minuta</i> / 527 | <i>Nardurus filiformis</i> var. <i>chinensis</i> / 660 |
| <i>Myriogyne minuta</i> var. <i>lanuginosa</i> / 527 | <i>Nasturtium atrovirens</i> / 211 |
| <i>Myriophyllum</i> / 360 | <i>Nasturtium cantonniense</i> / 211 |
| <i>Myriophyllum isoetophilum</i> / 361 | <i>Nasturtium cordatum</i> / 210 |
| <i>Myriophyllum limosum</i> / 361 | <i>Nasturtium globosum</i> / 211 |
| <i>Myriophyllum oguraense</i> / 360 | <i>Nasturtium globosum</i> f. <i>bivalvis</i> / 211 |
| <i>Myriophyllum pectinatum</i> / 361 | <i>Nasturtium globosum</i> var. <i>brachypetalum</i> / 211 |
| <i>Myriophyllum siculum</i> / 361 | <i>Nasturtium heterophyllum</i> / 212 |
| <i>Myriophyllum spicatum</i> / 360 | <i>Nasturtium indicum</i> / 212 |
| <i>Myriophyllum ussuricense</i> / 361 | <i>Nasturtium microspermum</i> / 211 |
| <i>Myriophyllum verticillatum</i> / 361 | <i>Nasturtium microspermum</i> var. <i>vegetius</i> / 211 |
| <i>Myriophyllum verticillatum</i> var. <i>ussuriense</i> / 361 | <i>Nasturtium montanum</i> / 212 |
| <i>Myrmecis</i> / 731 | <i>Nasturtium montanum</i> var. <i>nipponicum</i> / 212 |
| <i>Myrmecis japonica</i> / 731 | <i>Nasturtium montanum</i> var. <i>obtusulum</i> / 212 |
| <i>Myroxylon japonicum</i> / 339 | <i>Nasturtium obtusulum</i> / 212 |
| <i>Myroxylon racemosum</i> / 339 | <i>Nasturtium palustre</i> / 212 |
| <i>Myrrhis aristata</i> / 378 | <i>Nasturtium semipinnatifidum</i> / 212 |
| MYRSINACEAE / 394 | <i>Nasturtium sikokianum</i> / 211 |
| <i>Myrsine esquirolii</i> / 396 | <i>Nasturtium sikokianum</i> var. <i>axillare</i> / 211 |
| <i>Myrtillus exigua</i> / 394 | <i>Nasturtium sinapis</i> / 212 |
| <i>Myrtillus grandis</i> / 394 | <i>Nauclea rubella</i> / 422 |
| <i>Myrtillus uliginosus</i> / 394 | <i>Nauclea rubella</i> f. <i>rubescens</i> / 422 |
| <i>Myrtus laevis</i> / 242 | <i>Nauclea rubella</i> f. <i>viridis</i> / 422 |
| (N) | |
| <i>Nabalus ochroleuca</i> / 553 | <i>Naumburgia guttata</i> / 399 |
| <i>Nabalus repens</i> / 544 | <i>Naumburgia thyrsiflora</i> / 399 |
| <i>Nabalus tatarinowii</i> / 553 | <i>Neanotis</i> / 428 |
| NAJADACEAE / 580 | <i>Neanotis hirsuta</i> / 428 |
| <i>Najas</i> / 580 | <i>Neanotis hirsuta</i> var. <i>glabrior</i> / 428 |
| <i>Najas fluviatilis</i> / 580 | <i>Nectarobothrium redowskianum</i> / 595 |
| <i>Najas gracillima</i> / 580 | <i>Negundo mandshuricum</i> / 312 |
| <i>Najas graminea</i> / 580 | <i>Neillia</i> / 242 |
| <i>Najas graminea</i> var. <i>serristipula</i> / 580 | <i>Neillia millsii</i> / 242 |
| <i>Najas indica</i> var. <i>gracillima</i> / 580 | <i>Neillia uekii</i> / 242 |
| <i>Najas major</i> / 580 | <i>Nematopyxis fruticulosa</i> / 360 |
| <i>Najas marina</i> / 580 | <i>Nematopyxis japonica</i> / 360 |
| <i>Najas minor</i> / 581 | <i>Nematopyxis prostrata</i> / 360 |
| <i>Najas oguraensis</i> / 581 | <i>Nematopyxis pusilla</i> / 360 |
| <i>Najas orientalis</i> / 581 | <i>Nemocharis radicans</i> / 715 |
| <i>Najas serristipula</i> / 580 | <i>Neoathyrium crenulatoserrulatum</i> / 36 |
| <i>Nanocnide</i> / 106 | <i>Neocheiropteris ensata</i> / 57 |
| <i>Nanocnide closii</i> / 102 | <i>Neocheiropteris superficialis</i> / 57 |
| <i>Nanocnide dichotoma</i> / 106 | <i>Neofinetia</i> / 731 |
| <i>Nanocnide japonica</i> / 106 | <i>Neofinetia falcata</i> / 731 |
| <i>Nanozostera japonica</i> / 580 | <i>Neolepisorus</i> / 57 |
| <i>Nardosmia japonica</i> / 552 | <i>Neolepisorus ensatus</i> / 57 |
| | <i>Neolindleya camtschatica</i> / 725 |
| | <i>Neolindleya decipiens</i> / 725 |

■ Scientific name Index

- Neolitsea* / 152
Neolitsea aciculata / 152
Neolitsea acutotrinervia / 152
Neolitsea boninense / 152
Neolitsea cuneifolia / 152
Neolitsea glauca / 152
Neolitsea ohbana / 152
Neolitsea sericea / 152
Neolitsea sericea f. *koreana* / 152
Neolitsea sieboldii / 152
Neomolinia fauriei / 630
Neomolinia japonica / 630
Neomolinia koryoensis / 630
Neomolinia mandshurica / 630
Neosasamorpha tobaeana / 656
Neoscirpus dioicus / 717
Neoshirakia / 305
Neoshirakia japonica / 305
Neottia / 732
Neottia acuminata / 732
Neottia amoena / 737
Neottia asiatica / 732
Neottia australis / 737
Neottia flexuosa / 737
Neottia japonica / 732
Neottia kiusiana / 732
Neottia nidus-avis var. *manshurica* / 732
Neottia nipponica / 732
Neottia papilligera / 732
Neottia puberula / 732
Neottia sinensis / 737
Neottia yatabei / 732
Neottianthe cucullata / 736
Neottianthe cucullata f. *variegata* / 736
Neoptopteris antiqua / 23
NEPENTHACEAE / 193
Nepenthes / 193
Nepenthes hemsleyana / 193
Nepenthes hookeriana / 193
Nepenthes rafflesiana / 193
Nepenthes sanderiana / 193
Nepeta / 453
Nepeta bodinieri / 453
Nepeta cataria / 453
Nepeta incana / 439
Nepeta koreana / 453
Nepeta lavandulacea / 453
Nepeta lobata / 453
Nepeta macrura / 453
Nepeta minor / 453
Nepeta multifida / 453
Nepeta stewartiana / 453
Nepeta urticifolia / 450
Nepeta vulgaris / 453
Nephrodium beddomei / 29
Nephrodium bissetianum / 45
Nephrodium chinense / 46
Nephrodium decipiens / 46
Nephrodium dentatum / 27
Nephrodium dickinsii / 46
Nephrodium dryopteris / 19
Nephrodium erythrosorum / 46
Nephrodium expansum / 47
Nephrodium fauriei / 34
Nephrodium filix-mas var. *erythrosorum* / 47
Nephrodium filix-mas var. *polylepis* / 49
Nephrodium fragrans / 47
Nephrodium fragrans var. *remotiusculum* / 47
Nephrodium glanduligerum / 29
Nephrodium gongyloides / 27
Nephrodium gracilescens var. *glanduligera* / 29
Nephrodium gymnophyllum / 48
Nephrodium japonicum / 30
Nephrodium lacerum / 48
Nephrodium lacerum var. *uniforme* / 50
Nephrodium laetum / 47
Nephrodium maximowiczii / 48
Nephrodium monticola / 49
Nephrodium polylepis / 49
Nephrodium sabaei / 50
Nephrodium setigerum var. *calvatum* / 28
Nephrodium sheareri / 35
Nephrodium tokyoense / 50
Nephrodium varium / 51
NEPHROLEPIDACEAE / 54
Nephrolepis / 54
Nephrolepis cordifolia / 54
Nervilia / 732
Nervilia nipponica / 732
Neustanthus chinensis / 290
Nigrina serrata / 184
Nintooa japonica / 487
Niphobolus linearifolius / 58
Niphobolus lingua / 58
Niphobolus petiolosa / 58
Nipponorchis falcata / 731

Notogramme japonica / 21
Nummularia thrysiflora / 399
Nuphar / 181
Nuphar japonica / 181
Nuphar oguraensis / 181
Nuphar oguraensis var. *akiensis* / 181
Nuphar oguraensis var. *oguraensis* / 181
Nuphar pumila subsp. *oguraensis* / 181
Nuphar subintegerrima / 181
Nymphaea / 181
Nymphaea acutiloba / 182
Nymphaea alba subsp. *tetragon* / 182
Nymphaea fennica / 182
Nymphaea pygmaea / 181
Nymphaea pygmaea var. *mimima* / 182
Nymphaea tetragona / 182
Nymphaea tetragona var. *crassifolia* / 182
Nymphaea tetragona var. *minima* / 182
Nymphaea tetragona var. *tetragona* / 182
NYMPHAEACEAE / 181
Nymphoides / 417
Nymphoides coreana / 417
Nymphoides indica / 418
Nymphoides peltata / 418
Nymphaeanthus japonicus / 181

(O)

Oberonia / 733
Oberonia formosana / 733
Oberonia japonica / 733
Oberonia makinoi / 733
Ocimum fastigiatum / 456
Ocimum inflexum / 447
Ocimum punctulatum / 452
Ocimum scabrum / 453
Ocimum virgatum / 456
Ocymum rugosum / 448
Odontosoria / 17
Odontosoria biflora / 17
Odontosoria chinensis / 17
Oeceoclades lindleyana / 731
Oenanthe / 377
Oenanthe japonica / 373
Oenanthe javanica / 377
Ohwia caudata / 278
Oldenlandia / 428
Oldenlandia angustifolia var. *pedicellata* / 428
Oldenlandia brachyphylla var. *indica* / 412

Oldenlandia brachypoda / 428
Oldenlandia crassifolia / 429
Oldenlandia diffusa / 428
Oldenlandia hirsuta / 428
Oldenlandia japonica / 428
Oldenlandia paniculata var. *parvifolia* / 429
Oldenlandia strigulosa / 428
Oldenlandia tenelliflora / 429
Olea clavata / 407
OLEACEAE / 404
Oligosporus capillaris / 512
Oligosporus japonicus / 513
Oligosporus littoricola / 514
Omphalodes / 437
Omphalodes aquatica / 438
Omphalodes krameri / 437
Omphalodes sericea / 438
Omphalotrix / 469
Omphalotrix longipes / 469
ONAGRACEAE / 355
Onkerma globularis / 678
Onoclea / 33
Onoclea interrupta / 33
Onoclea orientalis / 33
Onoclea sensibilis var. *interrupta* / 33
ONOCLEACEAE / 32
Onoea japonica / 630
Onopordon deltoides / 565
Onychium / 22
Onychium japonicum / 22
Opa japonica / 257
Ophelia papillosa / 416
Ophelia tetrapetala / 416
Ophelia wilfordii / 417
Ophelia yesoensis / 416
Ophioderma pendulum / 10
OPHIOGLOSSACEAE / 8
Ophioglossum / 10
Ophioglossum japonicum / 15
Ophioglossum nipponicum / 11
Ophioglossum pendulum / 10
Ophioglossum petiolatum / 11
Ophioglossum pycnostichum / 11
Ophioglossum thermale / 11
Ophioglossum vulgatum / 11
Ophioglossum vulgatum var. *pycnostichum* / 11
Ophiopogon / 597
Ophiopogon fauriei / 594

■ Scientific name Index

- Ophiopogon gracilis* / 597
Ophiopogon gracilis var. *brevipedicellatum* / 597
Ophiopogon jaburan / 597
Ophiopogon japonicus / 597
Ophiopogon japonicus var. *japonicus* / 597
Ophiopogon japonicus var. *umbrosus* / 597
Ophiopogon koreanus / 595
Ophiopogon muscari / 594
Ophiopogon ohwii / 597
Ophiopogon spicatus var. *communis* / 594
Ophiopogon spicatus var. *koreanus* / 594
Ophiopogon spicatus var. *minor* / 594
Ophiopogon stolonifer / 597
Ophrys monophyllos / 731
Ophrys monorchis / 729
Ophrys nervosa / 731
Ophrys nipponica / 732
Ophrys yatabei / 732
Oplismenus / 648
Oplismenus burmanni / 648
Oplismenus compositus / 648
Oplismenus japonicus / 648
Oplismenus microphyllus / 648
Oplismenus undulatifolius / 648
Oplismenus undulatifolius f. *elongatus* / 648
Oplismenus undulatifolius var. *elongatus* / 648
Oplismenus undulatifolius var. *japonicus* / 648
Oplismenus undulatifolius var. *microphyllus* / 648
Oplismenus undulatifolius var. *undulatifolius* / 648
Oplopanax / 367
Oplopanax elatus / 367
Oplopanax horridus subsp. *elatus* / 367
Opulaster amurensis / 243
Opulaster insularis / 272
ORCHIDACEAE / 717
Orchiodes repens / 726
Orchiodes schlechtendaliana / 727
Orchiodes velutinum / 727
Orchis aristata / 723
Orchis aristata f. *punctata* / 723
Orchis aristata var. *maculata* / 723
Orchis beeringiana / 723
Orchis camtschatica / 725
Orchis conopsea / 727
Orchis coreana / 723
Orchis cucullata / 736
Orchis cyclochila / 725
Orchis dentata / 728
- Orchis falcata* / 731
Orchis fuscescens / 734
Orchis gracilis / 717
Orchis graminifolia / 736
Orchis japonica / 735
Orchis joo-iokiana / 737
Orchis joo-iokiana var. *coreana* / 737
Orchis latifolia var. *beeringiana* / 723
Orchis matsumurana / 737
Orchis monorchis / 729
Orchis radiata / 728
Orchis rupestris / 736
Oreocnide / 106
Oreocnide frutescens / 106
Oreocnide fruticosa / 106
Oreophila sibirica / 541
Oreopteris quelpaertensis / 31
Oreorchis / 733
Oreorchis coreana / 733
Oreorchis gracilis / 733
Oreorchis lancifolia / 733
Oreorchis patens / 733
Oreorchis patens subsp. *coreana* / 733
Oreorchis patens subsp. *patens* / 733
Oreorchis patens var. *coreana* / 733
Oreorchis patens var. *gracilis* / 733
Oreorchis unguiculata / 720
Orithya edulis / 605
Orixa / 307
Orixa japonica / 307
Ornithogalum altaicum / 595
Ornithogalum japonicum / 586
Ornithogalum luteum / 588
Ornithogalum sinense / 586
Ornithogalum striatum / 595
Ornithogalum sylvaticum / 588
Ornithogalum triflorum / 595
OROBANCHACEAE / 478
Orobanche / 479
Orobanche aeginetia / 478
Orobanche akiana / 479
Orobanche ammophila / 479
Orobanche amurensis / 479
Orobanche bodinieri / 479
Orobanche canescens / 479
Orobanche coerulescens / 479
Orobanche coerulescens f. *korshinskyi* / 479
Orobanche coerulescens f. *pekinensis* / 479

Orobanche filicicola / 479
Orobanche glabra / 478
Orobanche japonensis / 479
Orobanche korshinskyi / 479
Orobanche mairei / 479
Orobanche nipponica / 479
Orobanche pycnostachya / 479
Orobanche pycnostachya var. *amurensis* / 479
Orobanche pycnostachya var. *pycnostachya* / 479
Orobanche pycnostachya var. *yunnanensis* / 479
Orobanche rossica / 478
Orobanche ussuriensis / 479
Orobus alatus / 284
Orobus baicalensis / 294
Orobus davidii / 284
Orobus humilis / 284
Orobus komarovii / 284
Orobus nipponicus / 293
Orobus ohwianus / 294
Orobus ramuliflorus / 294
Orobus venosus / 296
Orobus venosus var. *willdenowianus* / 296
Orobus vernus var. *alatus* / 284
Orontium cochininchinense / 662
Orostachys / 215
Orostachys chongsunensis / 215
Orostachys erubescens var. *japonicus* / 215
Orostachys filifera / 216
Orostachys iwarenge / 215
Orostachys iwarenge var. *chongsunensis* / 215
Orostachys japonica / 215
Orostachys japonica f. *japonica* / 215
Orostachys japonica f. *polycephala* / 215
Orostachys kanboensis / 216
Orostachys latielliptica / 216
Orostachys linearifolia / 216
Orostachys malacophylla / 216
Orostachys malacophylla var. *ramosa* / 216
Orostachys margaritifolia / 216
Orostachys minutia / 216
Orostachys ramosa / 216
Orostachys saxatilis / 216
Orostachys sikokiana / 215
Orostachys spinosa / 217
Orthilia / 387
Orthilia parvifolia / 387
Orthilia secunda / 387
Orthodon angustifolium / 451

Orthodon chinense / 451
Orthodon coreanum / 451
Orthodon fordii / 451
Orthodon grosseserratus var. *nanum* / 452
Orthodon hirtum / 452
Orthodon japonicum / 452
Orthodon japonicum var. *angustifolium* / 451
Orthodon japonicum var. *thymoliferum* / 452
Orthodon lanceolatus / 453
Orthodon leucanthum / 452
Orthodon mayabaranus / 452
Orthodon nakaii / 452
Orthodon perforatum / 452
Orthodon punctulatum / 453
Orthodon scaber / 453
Orthodon tenuicaule / 452
Orthodon thymoliferum / 452
Orthopogon undulatifolius / 648
Orthoraphium coreanum / 621
Oryza oryzoides / 642
Osmanthus / 409
Osmanthus hachijoensis / 409
Osmanthus insularis / 409
Osmanthus zentaroanus / 409
Osmolindsaea / 16
Osmolindsaea japonica / 16
Osmolindsaea odorata / 16
Osmorhiza / 377
Osmorhiza aristata / 377
Osmorhiza aristata var. *montana* / 378
Osmorhiza japonica / 378
Osmorhiza montana / 378
Osmunda / 11
Osmunda biformis / 12
Osmunda cinnamomea / 11
Osmunda claytoniana / 11
Osmunda crispa / 22
Osmunda japonica / 12
Osmunda lunaria / 9
Osmunda nipponica / 12
Osmunda ramosa / 9
Osmunda regalis subsp. *japonica* / 12
Osmunda regalis var. *biflormis* / 12
Osmunda regalis var. *japonica* / 12
Osmunda struthiopteris / 33
Osmunda ternata / 10
Osmunda virginiana / 10
OSMUNDACEAE / 11

- | | |
|---|--|
| <i>Osmundastrum cinnamomeum</i> / 11 | <i>Oxycocca vulgaris</i> / 393 |
| <i>Osmundastrum claytonianum</i> / 11 | <i>Oxycoccoides japonicus</i> / 392 |
| <i>Osmundastrum japonicum</i> / 12 | <i>Oxycoccoides japonicus</i> var. <i>ciliaris</i> / 392 |
| <i>Osmundopteris stricta</i> / 10 | <i>Oxycoccus europaeus</i> / 393 |
| <i>Osterdamia japonica</i> / 661 | <i>Oxycoccus japonicus</i> / 392 |
| <i>Osterdamia liukuensis</i> / 662 | <i>Oxycoccus japonicus</i> f. <i>ciliaris</i> / 392 |
| <i>Osterdamia macrostachya</i> / 662 | <i>Oxycoccus microcarpus</i> / 393 |
| <i>Osterdamia sinica</i> / 662 | <i>Oxycoccus oxycoccus</i> / 393 |
| <i>Ostericum</i> / 378 | <i>Oxycoccus palustris</i> / 393 |
| <i>Ostericum crassum</i> / 374 | <i>Oxycoccus palustris</i> var. <i>pusillus</i> / 393 |
| <i>Ostericum florenti</i> / 370 | <i>Oxycoccus palustris</i> var. <i>vulgaris</i> / 393 |
| <i>Ostericum grosseserratum</i> / 378 | <i>Oxycoccus pusillus</i> / 393 |
| <i>Ostericum koreanum</i> / 378 | <i>Oxycoccus quadripetalus</i> / 393 |
| <i>Ostericum maximowiczii</i> / 378 | <i>Oxycoccus quadripetalus</i> subsp. <i>microcarpus</i> / 393 |
| <i>Ostericum melanotilingia</i> / 374 | <i>Oxycoccus quadripetalus</i> subsp. <i>vulgaris</i> / 393 |
| <i>Ostericum miquelianum</i> / 378 | <i>Oxycoccus vulgaris</i> / 393 |
| <i>Ostericum sieboldii</i> / 378 | <i>Oxyria</i> / 115 |
| <i>Ostericum tsusimense</i> / 383 | <i>Oxyria digyna</i> / 115 |
| <i>Ostinia cotoneaster</i> / 236 | <i>Oxyria elatior</i> / 115 |
| <i>Ostrya</i> / 89 | <i>Oxyria reniformis</i> / 115 |
| <i>Ostrya japonica</i> / 89 | <i>Oxys acetosella</i> / 297 |
| <i>Ostrya japonica</i> var. <i>homochaeta</i> / 89 | <i>Oxytropis</i> / 290 |
| <i>Ostrya liana</i> / 89 | <i>Oxytropis acutirostrata</i> / 290 |
| <i>Ostrya mandshurica</i> / 86 | <i>Oxytropis anertii</i> / 290 |
| <i>Ostrya ostrya</i> var. <i>japonica</i> / 89 | <i>Oxytropis anertii</i> f. <i>albiflora</i> / 290 |
| <i>Ostrya virginiana</i> var. <i>japonica</i> / 89 | <i>Oxytropis anertii</i> var. <i>albiflora</i> / 290 |
| <i>Othera japonica</i> / 319 | <i>Oxytropis caerulea</i> / 290 |
| <i>Othera orixa</i> / 307 | <i>Oxytropis caerulea</i> f. <i>albiflora</i> / 290 |
| <i>Ottelia</i> / 575 | <i>Oxytropis chinensis</i> / 290 |
| <i>Ottelia alismoides</i> / 575 | <i>Oxytropis curviflora</i> / 290 |
| <i>Ottelia alismoides</i> f. <i>oryzetorum</i> / 575 | <i>Oxytropis gracillima</i> / 290 |
| <i>Ottelia alismoides</i> var. <i>oryzetorum</i> / 575 | <i>Oxytropis mandshurica</i> f. <i>albiflora</i> / 290 |
| OXALIDACEAE / 297 | <i>Oxytropis psammocharis</i> / 290 |
| <i>Oxalis</i> / 297 | <i>Oxytropis racemosa</i> / 290 |
| <i>Oxalis acetosella</i> / 297 | <i>Oxytropis strobilacea</i> / 290 |
| <i>Oxalis acetosella</i> var. <i>purpurascens</i> / 297 | <i>Oxytropis tunliaoensis</i> / 290 |
| <i>Oxalis acetosella</i> var. <i>rosea</i> / 297 | <i>Oyama sieboldii</i> / 148 |
| <i>Oxalis chinensis</i> / 297 | |
| <i>Oxalis europaea</i> / 297 | |
| <i>Oxalis fontana</i> / 297 | (P) |
| <i>Oxalis japonica</i> var. <i>obtriangulata</i> / 297 | <i>Pachyrhizanthe aberrans</i> / 721 |
| <i>Oxalis montana</i> / 297 | <i>Pachyrhizanthe macrorhizos</i> / 721 |
| <i>Oxalis obtriangulata</i> / 297 | <i>Pachyrhizanthe nipponicum</i> / 721 |
| <i>Oxalis repens</i> var. <i>stricta</i> / 297 | <i>Pachyrhizus thunbergianus</i> / 290 |
| <i>Oxalis shinanoensis</i> / 297 | <i>Padus asiatica</i> / 251 |
| <i>Oxalis stricta</i> / 297 | <i>Padus avium</i> / 250 |
| <i>Oxalis taquetii</i> / 297 | <i>Padus buergeriana</i> / 248 |
| <i>Oxyanthe japonica</i> / 651 | <i>Padus germanica</i> / 250 |

<i>Padus maackii</i> / 250	<i>Paeonia yui</i> / 187
<i>Padus maximowiczii</i> / 250	PAEONIACEAE / 186
<i>Padus racemosa</i> / 250	<i>Paliurus</i> / 327
<i>Padus racemosa</i> var. <i>pubescens</i> / 250	<i>Paliurus ramosissimus</i> / 327
<i>Padus vulgaris</i> / 250	<i>Palura argutidens</i> / 403
<i>Paederia</i> / 429	<i>Palura chinensis</i> var. <i>leucocarpa</i> / 403
<i>Paederia chinensis</i> / 429	<i>Palura chinensis</i> var. <i>pilosa</i> / 403
<i>Paederia chinensis</i> f. <i>microphylla</i> / 429	<i>Palura chinensis</i> var. <i>pubescens</i> / 403
<i>Paederia chinensis</i> f. <i>tenuissima</i> / 429	<i>Palura chihiata</i> / 403
<i>Paederia chinensis</i> var. <i>angustifolia</i> / 429	<i>Palura coreana</i> / 403
<i>Paederia chinensis</i> var. <i>velutina</i> / 429	<i>Palura paniculata</i> var. <i>leucocarpa</i> / 403
<i>Paederia foetida</i> / 429	<i>Palura paniculata</i> var. <i>pilosa</i> / 403
<i>Paederia scandens</i> / 429	<i>Palura paniculata</i> var. <i>pubescens</i> / 403
<i>Paederia scandens</i> f. <i>mairei</i> / 429	<i>Palura tanakana</i> / 403
<i>Paederia scandens</i> var. <i>angustifolia</i> / 429	<i>Panax</i> / 368
<i>Paederia scandens</i> var. <i>mairei</i> / 429	<i>Panax chin-seng</i> / 368
<i>Paederia scandens</i> var. <i>mairei</i> f. <i>microphylla</i> / 429	<i>Panax divaricatus</i> / 365
<i>Paederia scandens</i> var. <i>scandens</i> / 429	<i>Panax ginseng</i> / 368
<i>Paederia scandens</i> var. <i>velutina</i> / 429	<i>Panax quinquefolius</i> var. <i>ginseng</i> / 368
<i>Paederia tomentosa</i> / 429	<i>Panax ricinifolius</i> / 367
<i>Paederia tomentosa</i> f. <i>angustifolia</i> / 429	<i>Panax sessiliflorus</i> / 366
<i>Paederia tomentosa</i> f. <i>tenuissima</i> / 429	<i>Paneion nemoralis</i> / 653
<i>Paederia tomentosa</i> var. <i>glabra</i> / 429	<i>Panicum</i> / 648
<i>Paederia tomentosa</i> var. <i>mairei</i> / 429	<i>Panicum acroanthum</i> / 648
<i>Paederia wilsonii</i> / 429	<i>Panicum adscendens</i> / 631
<i>Paederota angustifolia</i> / 476	<i>Panicum alopecuroides</i> / 649
<i>Paederota minima</i> / 468	<i>Panicum bisulcatum</i> / 648
<i>Paederota tubiflora</i> / 476	<i>Panicum burmanni</i> / 648
<i>Paeonia</i> / 186	<i>Panicum chondrachne</i> / 658
<i>Paeonia albiflora</i> / 187	<i>Panicum ciliare</i> / 631
<i>Paeonia albiflora</i> f. <i>nuda</i> / 187	<i>Panicum compositum</i> / 648
<i>Paeonia albiflora</i> f. <i>pilosella</i> / 187	<i>Panicum crus-galli</i> / 632
<i>Paeonia albiflora</i> var. <i>pubescens</i> / 187	<i>Panicum crus-galli</i> var. <i>echinatum</i> / 632
<i>Paeonia albiflora</i> var. <i>tricocarpa</i> / 187	<i>Panicum dactylon</i> / 629
<i>Paeonia japonica</i> / 187	<i>Panicum echinatum</i> / 632
<i>Paeonia japonica</i> var. <i>glabra</i> / 187	<i>Panicum esculentum</i> / 632
<i>Paeonia japonica</i> var. <i>japonica</i> / 187	<i>Panicum indicum</i> / 655
<i>Paeonia japonica</i> var. <i>pillosa</i> / 187	<i>Panicum indicum</i> var. <i>oryzetorum</i> / 656
<i>Paeonia lactiflora</i> / 187	<i>Panicum japonicum</i> / 648
<i>Paeonia lactiflora</i> f. <i>nuda</i> / 187	<i>Panicum oryzicola</i> / 633
<i>Paeonia lactiflora</i> f. <i>pilosella</i> / 187	<i>Panicum pachystachys</i> / 659
<i>Paeonia lactiflora</i> var. <i>hirta</i> / 187	<i>Panicum pallidifuscum</i> / 658
<i>Paeonia lactiflora</i> var. <i>trichocarpa</i> / 187	<i>Panicum phalaroides</i> / 655
<i>Paeonia obovata</i> / 187	<i>Panicum pumilum</i> / 658
<i>Paeonia obovata</i> f. <i>oreogoton</i> / 187	<i>Panicum pycnocomum</i> / 658
<i>Paeonia obovata</i> var. <i>glabra</i> / 187	<i>Panicum radicosum</i> / 631
<i>Paeonia obovata</i> var. <i>japonica</i> / 187	<i>Panicum sordidum</i> / 654
<i>Paeonia oreogeton</i> / 187	

- Panicum syzigachne* / 624
Panicum timorense / 631
Panicum undulatifolium / 648
Panicum violascens / 631
Panicum viride / 658
Papaver / 200
Papaver amurense / 200
Papaver coreanum / 200
Papaver nudicaule subsp. *amurense* / 200
Papaver pseudo-radicatum / 200
Papaver radicatum f. *dissectipetalum* / 200
Papaver radicum var. *dissectipetalum* / 200
Papaver radicum var. *pseudo-radicatum* / 200
PAPAVERACEAE / 195
Papyrius japonica / 99
Paracalanthe reflexa / 718
Paracynoglossum aspernum / 434
Paraixeris chelidonifolium / 532
Paraixeris denticulata / 532
Paraixeris denticulata f. *pallescens* / 532
Paraixeris denticulata f. *pinnatipartita* / 532
Paraixeris denticulata var. *dilatata* / 532
Paraixeris denticulato-platyphulla / 534
Paraixeris serotina / 534
Paraixeris sonchifolia / 534
Paraixeris sonchifolia var. *serotina* / 534
Paraphlomis / 453
Paraphlomis koreana / 453
Parasenecio / 550
Parasenecio adenostyloides / 550
Parasenecio auriculatus / 551
Parasenecio auriculatus var. *auriculatus* / 551
Parasenecio auriculatus var. *kamtschatica* / 551
Parasenecio auriculatus var. *matsumurana* / 551
Parasenecio firma var. *pseudotaimingasa* / 552
Parasenecio firmus / 551
Parasenecio hastatus / 551
Parasenecio hastatus var. *hastatus* / 551
Parasenecio hastatus var. *orientalis* / 552
Parasenecio hastatus var. *ramosa* / 552
Parasenecio pseudotaimingasa / 552
Parathelypteris / 29
Parathelypteris angustifrons / 29
Parathelypteris beddomei / 29
Parathelypteris cystopterooides / 29
Parathelypteris glanduligera / 29
Parathelypteris japonica / 30
Parathelypteris japonica var. *glabrata* / 30
Parathelypteris japonica var. *japonica* / 30
Parathelypteris nipponica / 30
Parathelypteris nipponica var. *borealis* / 30
Parathelypteris nipponica var. *nipponica* / 30
Pardanthopsis dichotoma / 610
Pardanthus chinensis / 610
Pardanthus dichotoma / 610
Parechites thunbergii / 421
Parietaria / 106
Parietaria coreana / 106
Parietaria debilis / 106
Parietaria debilis var. *micrantha* / 106
Parietaria lusitanica subsp. *chersonensis* var. *micrantha* / 106
Parietaria micrantha / 106
Parietaria micrantha var. *coreana* / 106
Parietaria micrantha var. *micrantha* / 106
Paris / 597
Paris dahurica / 598
Paris hexaphylla / 598
Paris hexaphylla f. *purpurea* / 598
Paris manshurica / 598
Paris obovata / 598
Paris quadrifolia var. *dahurica* / 598
Paris quadrifolia var. *hexaphylla* / 598
Paris quadrifolia var. *obovata* / 598
Paris tetraphylla / 597
Paris verticillata / 598
Paris verticillata f. *nigra* / 598
Paris verticillata var. *nigra* / 598
Pariti hamabo / 335
Parnassia / 230
Parnassia alpicola / 230
Parnassia alpicola f. *simplex* / 230
Parnassia alpicola var. *simplex* / 230
Parnassia mucronata / 230
Parnassia multiseta / 230
Parnassia palustris / 230
Parnassia palustris f. *ussuriensis* / 230
Parnassia palustris var. *multiseta* / 230
Parnassia palustris var. *syukorankeiensis* / 230
Parnassia simplex / 230
PARNASSIACEAE / 230
Parthenocissus / 330
Parthenocissus thunbergii / 331
Parthenocissus tricuspidata / 330
Pasania cuspidata / 90
Pasania cuspidata var. *sieboldii* / 90
Pasania cuspidata var. *thunbergii* / 90

- | | |
|---|--|
| <i>Pasania sieboldii</i> / 90 | <i>Pedicularis apodochila</i> / 469 |
| <i>Pasania variabilis</i> / 93 | <i>Pedicularis artselaeri</i> var. <i>koraiensis</i> / 470 |
| <i>Pasaniopsis cuspidata</i> / 90 | <i>Pedicularis coreana</i> / 470 |
| <i>Pasaniopsis sieboldii</i> / 90 | <i>Pedicularis grandiflora</i> / 469 |
| <i>Paspalum</i> / 649 | <i>Pedicularis hallasanensis</i> / 469 |
| <i>Paspalum dactylon</i> / 630 | <i>Pedicularis ishidoyana</i> / 470 |
| <i>Paspalum effusum</i> / 644 | <i>Pedicularis lunaris</i> / 470 |
| <i>Paspalum mollipilum</i> / 649 | <i>Pedicularis mandshurica</i> / 470 |
| <i>Paspalum scrobiculatum</i> var. <i>thunbergii</i> / 649 | <i>Pedicularis mandshurica</i> var. <i>coreana</i> / 470 |
| <i>Paspalum thunbergii</i> / 649 | <i>Pedicularis nigrescens</i> / 470 |
| <i>Paspalum villosum</i> / 636 | <i>Pedicularis resupinata</i> / 470 |
| <i>Passerina ganpi</i> / 337 | <i>Pedicularis resupinata</i> f. <i>albiflora</i> / 470 |
| <i>Passerina japonica</i> / 337 | <i>Pedicularis resupinata</i> f. <i>umbrosa</i> / 470 |
| <i>Passerina stellieri</i> / 336 | <i>Pedicularis resupinata</i> var. <i>gigantea</i> / 470 |
| <i>Patania scabra</i> / 17 | <i>Pedicularis resupinata</i> var. <i>oppositifolia</i> / 470 |
| <i>Patis coreana</i> / 621 | <i>Pedicularis resupinata</i> var. <i>resupinata</i> / 470 |
| <i>Patrinia</i> / 495 | <i>Pedicularis resupinata</i> var. <i>spicata</i> / 470 |
| <i>Patrinia dielsii</i> / 496 | <i>Pedicularis resupinata</i> var. <i>umbrosa</i> / 470 |
| <i>Patrinia dielsii</i> var. <i>erosa</i> / 496 | <i>Pedicularis sceptrumcarolinum</i> / 470 |
| <i>Patrinia dielsii</i> var. <i>palustris</i> / 496 | <i>Pedicularis sceptrumcarolinum</i> f. <i>pubescens</i> / 471 |
| <i>Patrinia dielsii</i> var. <i>shensiensis</i> / 496 | <i>Pedicularis sceptrumcarolinum</i> var. <i>pubescens</i> / 471 |
| <i>Patrinia graveolens</i> / 496 | <i>Pedicularis spicata</i> / 471 |
| <i>Patrinia hispida</i> / 496 | <i>Pedicularis spicata</i> var. <i>sesinowii</i> / 471 |
| <i>Patrinia japonica</i> / 496 | <i>Pedicularis taquetii</i> / 470 |
| <i>Patrinia monandra</i> / 495 | <i>Pedicularis verticillata</i> / 471 |
| <i>Patrinia ovata</i> / 496 | <i>Pelatantheria</i> / 733 |
| <i>Patrinia parviflora</i> / 496 | <i>Pelatantheria scolopendrifolia</i> / 733 |
| <i>Patrinia rupestris</i> / 495 | <i>Pellionia</i> / 107 |
| <i>Patrinia saniculifolia</i> / 495 | <i>Pellionia scabra</i> / 107 |
| <i>Patrinia scabiosifolia</i> / 496 | <i>Pellionia scabra</i> subvar. <i>pedunculata</i> / 107 |
| <i>Patrinia scabiosifolia</i> f. <i>glabra</i> / 496 | <i>Pellionia umbellata</i> / 105 |
| <i>Patrinia scabiosifolia</i> f. <i>hispida</i> / 496 | <i>Peltopsis perfoliata</i> / 578 |
| <i>Patrinia scabiosifolia</i> var. <i>hispida</i> / 496 | <i>Pennisetum</i> / 649 |
| <i>Patrinia scabiosifolia</i> var. <i>nantcianensis</i> / 496 | <i>Pennisetum alopecuroides</i> / 649 |
| <i>Patrinia serratulifolia</i> / 496 | <i>Pennisetum alopecuroides</i> f. <i>erythrochaetum</i> / 649 |
| <i>Patrinia sinensis</i> / 496 | <i>Pennisetum alopecuroides</i> f. <i>viridescens</i> / 649 |
| <i>Patrinia villosa</i> / 496 | <i>Pennisetum alopecuroides</i> var. <i>albiflorum</i> / 649 |
| <i>Patrinia villosa</i> var. <i>ambigua</i> / 496 | <i>Pennisetum alopecuroides</i> var. <i>erythrochaetum</i> / 649 |
| <i>Patrinia villosa</i> var. <i>japonica</i> / 496 | <i>Pennisetum alopecuroides</i> var. <i>viridescens</i> / 649 |
| <i>Patrinia villosa</i> var. <i>sinensis</i> / 496 | <i>Pennisetum compressum</i> / 649 |
| <i>Paullinia japonica</i> / 330 | <i>Pennisetum compressum</i> var. <i>viridescens</i> / 649 |
| <i>Paulownia</i> / 469 | <i>Pennisetum japonicum</i> / 649 |
| <i>Paulownia coreana</i> / 469 | <i>Pennisetum purpurascens</i> var. <i>viridescens</i> / 649 |
| <i>Pecteilis radiata</i> / 728 | <i>Pentactina</i> / 242 |
| PEDALIACEAE / 477 | <i>Pentactina rupicola</i> / 242 |
| <i>Pediculariopsis verticillata</i> / 471 | <i>Pentaphylloides fruticosa</i> / 237 |
| <i>Pedicularis</i> / 469 | <i>Pentarhizidium</i> / 33 |
| <i>Pedicularis adunca</i> / 469 | <i>Pentarhizidium orientale</i> / 33 |

■ Scientific name Index

- PENTHORACEAE / 220
Penthorum / 220
Penthorum chinense / 220
Penthorum humile / 220
Penthorum intermedium / 220
Penthorum sedoides f. *angustifolium* / 220
Penthorum sedoides subsp. *chinense* / 220
Penthorum sedoides var. *chinense* / 220
Peplis indica / 353
Peracarpa / 506
Peracarpa carnosa var. *carnosa* / 506
Peracarpa carnosa var. *circaeoides* / 506
Peracarpa circaeoides / 506
Peramium macranthum / 726
Peramium maximowiczianum / 726
Peramium repens / 726
Peramium schlechtendaliana f. *similis* / 727
Peramium schlechtendalianum / 727
Peramium velutinum / 727
Perdicium tomentosum / 547
Pergularis japonica / 421
Periballanthus involucratum / 599
Perilla lanceolata / 453
Peristrophe / 477
Peristrophe japonica / 477
Peristrophe japonica var. *subrotunda* / 477
Peristylus / 733
Peristylus densus / 733
Peristylus flagellifer / 734
Peristylus hiugensis / 734
Peristylus iyoensis / 728
Peristylus satsumanus / 734
Persea arisanensis / 152
Persea camphora / 149
Persea japonica / 151
Persea kusanoi / 151
Persea puseudolongifolia / 151
Persea thunbergii / 152
Persica davidiana / 248
Persica pumila / 249
Persicaria / 115
Persicaria aestiva / 122
Persicaria alata / 121
Persicaria alpina / 110
Persicaria amphibia / 115
Persicaria amphibia var. *amurensis* / 116
Persicaria anguillana / 122
Persicaria blumei / 119
Persicaria breviochreata / 116
Persicaria bungeana / 116
Persicaria chinensis / 116
Persicaria conspicua / 116
Persicaria debilis / 116
Persicaria dichopodum / 124
Persicaria dissitiflora / 117
Persicaria dissitiflora var. *fauriei* / 117
Persicaria divaricata / 111
Persicaria erecto-minor var. *trigonocarpa* / 124
Persicaria erectominor var. *erectominor* / 117
Persicaria erectominor var. *koreensis* / 117
Persicaria fauriei / 117
Persicaria filiformis / 117
Persicaria foliosa / 118
Persicaria foliosa var. *foliosa* / 118
Persicaria foliosa var. *paludicola* / 118
Persicaria glandulosa / 119
Persicaria hastatoauriculata / 121
Persicaria hastatosagittata / 118
Persicaria hydropiper / 118
Persicaria hydropiper f. *angustissima* / 118
Persicaria hydropiper f. *hydropiper* / 118
Persicaria hydropiper var. *fastigiata* / 118
Persicaria japonica / 118
Persicaria koreensis / 117
Persicaria lapathifolia / 119
Persicaria lapathifolia f. *alba* / 119
Persicaria lapathifolia var. *incana* / 119
Persicaria lapathifolia var. *lapathifolia* / 119
Persicaria lapathifolia var. *salicifolia* / 119
Persicaria longiseta / 119
Persicaria longiseta f. *breviseta* / 119
Persicaria lyrata / 121
Persicaria maackiana / 119
Persicaria makinoi / 124
Persicaria minutula / 123
Persicaria muricata / 120
Persicaria neofiliformis / 120
Persicaria nepalensis / 120
Persicaria nippensis / 120
Persicaria nipponica / 120
Persicaria nodosa / 119
Persicaria paludicola / 118
Persicaria perfoliata / 121
Persicaria posumbu / 121
Persicaria posumbu var. *laxiflora* / 121
Persicaria praetermissa / 121

<i>Persicaria pseudojaponicum</i> / 119	<i>Petasites spurius</i> / 552
<i>Persicaria pseudonodosa</i> / 119	<i>Petrophiloides strobilacea</i> / 74
<i>Persicaria pubescens</i> / 121	<i>Petrophiloides strobilacea</i> var. <i>kawakamii</i> / 74
<i>Persicaria ramosa</i> / 116	<i>Peucedanum</i> / 378
<i>Persicaria sagittata</i> / 122	<i>Peucedanum cartilaginomarginatum</i> / 368
<i>Persicaria sagittata</i> var. <i>sibirica</i> f. <i>aestiva</i> / 122	<i>Peucedanum cartilaginoserratum</i> / 368
<i>Persicaria sagittata</i> var. <i>sibirica</i> f. <i>sericea</i> / 123	<i>Peucedanum chujaense</i> / 378
<i>Persicaria sagittata</i> var. <i>sieboldii</i> / 122	<i>Peucedanum coreanum</i> / 378
<i>Persicaria senticosa</i> / 123	<i>Peucedanum decursivum</i> / 369
<i>Persicaria sericea</i> / 122	<i>Peucedanum decursivum</i> f. <i>albiflorum</i> / 369
<i>Persicaria sibirica</i> / 115	<i>Peucedanum decursivum</i> var. <i>albiflorum</i> / 369
<i>Persicaria sieboldii</i> / 122	<i>Peucedanum deltoideum</i> / 379
<i>Persicaria sieboldii</i> var. <i>paludosa</i> / 122	<i>Peucedanum elegans</i> / 376
<i>Persicaria sieboldii</i> var. <i>sericea</i> / 122	<i>Peucedanum filicinum</i> / 374
<i>Persicaria sieboldii</i> var. <i>sieboldii</i> / 122	<i>Peucedanum hakuunense</i> / 379
<i>Persicaria sieboldii</i> var. <i>tomentosa</i> / 122	<i>Peucedanum insolens</i> / 382
<i>Persicaria stellato-tomentosa</i> / 123	<i>Peucedanum japonicum</i> / 379
<i>Persicaria sterilis</i> / 116	<i>Peucedanum litorale</i> / 379
<i>Persicaria taquetii</i> / 123	<i>Peucedanum melanotilingia</i> / 374
<i>Persicaria tenuifolia</i> / 119	<i>Peucedanum miquelianum</i> / 378
<i>Persicaria thunbergii</i> / 123	<i>Peucedanum paishanense</i> / 379
<i>Persicaria thunbergii</i> var. <i>oreophila</i> / 123	<i>Peucedanum podagraria</i> / 382
<i>Persicaria thunbergii</i> var. <i>stolonifera</i> / 123	<i>Peucedanum porphyroscias</i> / 369
<i>Persicaria triangularis</i> / 117	<i>Peucedanum porphyroscias</i> f. <i>albiflorum</i> / 369
<i>Persicaria trigonocarpa</i> / 124	<i>Peucedanum porphyroscias</i> var. <i>albiflorum</i> / 369
<i>Persicaria truellum</i> / 123	<i>Peucedanum sieboldii</i> / 378
<i>Persicaria umbellata</i> / 116	<i>Peucedanum taquetii</i> / 370
<i>Persicaria undulata</i> / 110	<i>Peucedanum terebinthaceum</i> / 379
<i>Persicaria vaniotiana</i> / 119	<i>Peucedanum terebinthaceum</i> var. <i>deltoideum</i> / 379
<i>Persicaria vernalis</i> / 118	<i>Peucedanum terebinthaceum</i> var. <i>hakuunense</i> / 379
<i>Persicaria viscosa</i> / 124	<i>Peucedanum terebinthaceum</i> var. <i>terebinthaceum</i> / 379
<i>Persicaria viscosa</i> var. <i>robusta</i> / 124	<i>Phaca alpina</i> var. <i>dahurica</i> / 276
<i>Persicaria viscosa</i> var. <i>viscosa</i> / 124	<i>Phacellanthus</i> / 480
<i>Persicaria viscosa</i> / 124	<i>Phacellanthus continentalis</i> / 480
<i>Persicaria vivipara</i> / 113	<i>Phacellanthus tubiflorus</i> / 480
<i>Persicaria vulgaris</i> / 124	<i>Phaelurus</i> / 649
<i>Persicaria yokusaiana</i> / 121	<i>Phaelurus angustifolius</i> / 649
<i>Persicaria yokusaiana</i> var. <i>laxiflora</i> / 121	<i>Phaelurus latifolius</i> / 649
<i>Persicaria yokusaianum</i> / 121	<i>Phaelurus latifolius</i> f. <i>angustifolius</i> / 650
<i>Perularia fuscescens</i> / 734	<i>Phaelurus latifolius</i> var. <i>angustifolius</i> / 649
<i>Perularia ussuriensis</i> / 736	<i>Phaelurus latifolius</i> var. <i>latifolius</i> / 649
<i>Pestalozzia pedata</i> / 352	<i>Phaeneilema oliganthum</i> / 618
<i>Petasites</i> / 552	<i>Phaenosperma</i> / 650
<i>Petasites albus</i> / 552	<i>Phaenosperma globosum</i> / 650
<i>Petasites japonicus</i> / 552	<i>Phalaenopsis</i> / 734
<i>Petasites liukiuensis</i> / 552	<i>Phalaenopsis japonica</i> / 734
<i>Petasites rubellus</i> / 552	<i>Phalaris</i> / 650
<i>Petasites saxatilis</i> / 552	<i>Phalaris arundinacea</i> / 650

■ Scientific name Index

- Phalaris arundinacea* var. *picta* / 650
Phalaris hispida / 623
Phalaris japonica / 650
Phalaris oryzoides / 642
Phanerophlebia falcata var. *devexiscapulae* / 44
Phanerophlebia fortunei var. *clivicola* / 44
Pharnaceum suffruticosum / 306
Phaseolus nakashimae / 296
Phaseolus nippensis / 296
Phedimus / 217
Phedimus aizoon / 217
Phedimus aizoon var. *aizoon* / 217
Phedimus aizoon var. *latifolius* / 217
Phedimus kamtschaticus / 217
Phedimus lativalfolius / 217
Phedimus middendorffianus / 217
Phedimus selskianus / 218
Phedimus takesimensis / 218
Phedimus zokuriensis / 218
Phegopteris / 30
Phegopteris connectilis / 30
Phegopteris crenulatoserrulata / 36
Phegopteris decursive-pinnata / 31
Phegopteris dryopteris / 19
Phegopteris koreana / 31
Phegopteris punctata / 18
Phelipaea indica / 478
Phellodendron / 308
Phellodendron amurense / 308
Phellodendron amurense f. *insulare* / 308
Phellodendron amurense f. *molle* / 308
Phellodendron amurense var. *sachalinense* / 308
Phellodendron amurense var. *suberosum* / 308
Phellodendron insulare / 308
Phellodendron kodamanum / 308
Phellodendron molle / 308
Phellodendron sachalinense / 308
Phellodendron sachalinense var. *suberosum* / 308
Phellopterus littoralis / 375
Philadelphus / 229
Philadelphus coronarius var. *mandshuricus* / 229
Philadelphus coronarius var. *tenuifolius* / 229
Philadelphus koreanus / 229
Philadelphus koreanus f. *robustus* / 229
Philadelphus koreanus var. *robustus* / 229
Philadelphus lasiogynus / 229
Philadelphus mandshuricus / 229
Philadelphus robustus / 229
Philadelphus scaber / 229
Philadelphus schrenkii / 229
Philadelphus schrenkii f. *lasiogynus* / 229
Philadelphus schrenkii f. *longipedicellatus* / 229
Philadelphus schrenkii var. *jackii* / 229
Philadelphus schrenkii var. *lasiogynus* / 229
Philadelphus schrenkii var. *mandshuricus* / 229
Philadelphus seoulensis / 229
Philadelphus tenuifolius / 229
Philadelphus tenuifolius f. *koreanus* / 229
Philadelphus tenuifolius f. *seoulensis* / 229
Philadelphus tenuifolius var. *schrenkii* / 229
Phillyrea paniculata / 407
Phlegmariurus cryptomerianus / 3
Phlegmariurus sieboldii / 4
Phleum / 650
Phleum alpinum / 650
Phleum commutatum / 650
Phleum pratense var. *alpinum* / 650
Phlomis / 454
Phlomis koraiensis / 454
Phlomis maximowiczii / 454
Phlomis umbrosa / 454
Phlomoides koraiensis / 454
Phylarodoxa leucantha / 407
Phorolobus crispus / 22
Photinia arguta / 243
Photinia arguta var. *laevis* / 243
Photinia laevis / 243
Photinia variabilis / 243
Photinia villosa / 242
Photinia villosa var. *brunnea* / 243
Photinia villosa var. *laevis* / 243
Photinia villosa var. *zollingeri* / 243
Phragmites / 650
Phragmites australis / 650
Phragmites communis / 650
Phragmites japonicus / 650
Phragmites karka / 651
Phragmites longivalvis / 650
Phragmites prostratus / 651
Phragmites serotinus / 651
Phryma / 482
Phryma humilis / 482
Phryma leptostachya subsp. *asiatica* / 482
Phryma leptostachya var. *asiatica* / 482
Phryma leptostachya var. *humilis* / 482
Phryma leptostachya var. *leptostachya* / 482

<i>Phryma leptostachya</i> var. <i>nana</i> / 482	<i>Picea</i> / 64
<i>Phryma leptostachya</i> var. <i>oblongifolia</i> / 482	<i>Picea ajanensis</i> / 64
<i>Phryma nana</i> / 482	<i>Picea holophylla</i> / 63
<i>Phryma oblongifolia</i> / 482	<i>Picea intercedens</i> / 64
PHRYMACEAE / 482	<i>Picea intercedens</i> var. <i>glabra</i> / 64
<i>Phtheirospermum</i> / 471	<i>Picea jezoensis</i> / 64
<i>Phtheirospermum chinense</i> / 471	<i>Picea jezoensis</i> f. <i>rubrilepis</i> / 64
<i>Phtheirospermum japonicum</i> / 471	<i>Picea jezoensis</i> var. <i>microsperma</i> / 64
<i>Phtheirotheca cyanosperma</i> / 179	<i>Picea koraiensis</i> / 64
<i>Phyllanthus</i> / 306	<i>Picea koraiensis</i> subsp. <i>tonaiensis</i> / 64
<i>Phyllanthus fluggeoides</i> / 306	<i>Picea koraiensis</i> var. <i>intercedens</i> / 64
<i>Phyllanthus hookeri</i> / 306	<i>Picea koraiensis</i> var. <i>pungsanensis</i> / 64
<i>Phyllanthus lepidocarpus</i> / 306	<i>Picea koraiensis</i> var. <i>tonaiensis</i> / 64
<i>Phyllanthus matsumurae</i> / 306	<i>Picea koyamae</i> var. <i>koraiensis</i> / 64
<i>Phyllanthus simplex</i> var. <i>chinensis</i> / 306	<i>Picea pungsanensis</i> / 64
<i>Phyllanthus urinaria</i> / 306	<i>Picea tonaiensis</i> / 64
<i>Phyllanthus urinaria</i> var. <i>hookeri</i> / 306	<i>Pichisermollodes veitchii</i> / 59
<i>Phyllanthus ussuriensis</i> / 306	<i>Picrasma</i> / 310
<i>Phyllanthus virgatus</i> var. <i>chinensis</i> / 306	<i>Picrasma ailanthoides</i> / 310
<i>Phyllanthus wilfordii</i> / 306	<i>Picrasma japonica</i> / 310
<i>Phylldoce</i> / 387	<i>Picrasma quassiodoides</i> / 310
<i>Phylldoce caerulea</i> / 387	<i>Picrasma quassiodoides</i> f. <i>glabrescens</i> / 310
<i>Phylldoce caerulea</i> f. <i>albida</i> / 387	<i>Picrasma quassiodoides</i> var. <i>glabrescens</i> / 310
<i>Phyllospadix</i> / 579	<i>Picris</i> / 552
<i>Phyllospadix iwatensis</i> / 579	<i>Picris hieracioides</i> subsp. <i>hieracioides</i> / 552
<i>Phyllospadix japonicus</i> / 579	<i>Picris hieracioides</i> subsp. <i>japonica</i> / 552
<i>Phyllostachys</i> / 651	<i>Picris hieracioides</i> subsp. <i>kaimensis</i> / 553
<i>Phyllostachys henonis</i> / 651	<i>Picris japonica</i> / 553
<i>Phyllostachys nigra</i> var. <i>henonis</i> / 651	<i>Picris japonica</i> var. <i>koreana</i> / 553
<i>Phyllostachys nigra</i> var. <i>henonis</i> f. <i>henonis</i> / 651	<i>Picris kaimensis</i> / 553
<i>Phyllostachys nigra</i> var. <i>henonis</i> f. <i>punctata</i> / 651	<i>Picris koreana</i> / 553
<i>Phyllostachys nigra</i> var. <i>nigra</i> / 651	<i>Pieris coreana</i> / 392
<i>Phymatodes engleri</i> / 59	<i>Pieris divaricata</i> / 392
<i>Phymatodes masaskei</i> / 57	<i>Pieris fauriei</i> / 392
<i>Physaliastrum</i> / 461	<i>Pieris lucida</i> / 392
<i>Physaliastrum echinatum</i> / 461	<i>Pieris oligodonta</i> / 395
<i>Physematum polystichoides</i> / 32	<i>Pieris ovalifolia</i> var. <i>denticulata</i> / 392
<i>Physkium natans</i> / 575	<i>Pilea</i> / 107
<i>Physocarpus</i> / 243	<i>Pilea hamaoi</i> / 107
<i>Physocarpus amurensis</i> / 243	<i>Pilea japonica</i> / 102
<i>Physocarpus insularis</i> / 272	<i>Pilea mongolica</i> / 107
<i>Physocarpus ribesifolia</i> / 243	<i>Pilea oligantha</i> / 107
<i>Physolopium saxatile</i> / 371	<i>Pilea peploides</i> / 107
<i>Phyteuma japonicum</i> / 503	<i>Pilea peploides</i> var. <i>major</i> / 107
<i>Phytolacca</i> / 127	<i>Pilea pumila</i> / 107
<i>Phytolacca acinosa</i> f. <i>insularis</i> / 128	<i>Pilea pumila</i> var. <i>hamaoi</i> / 107
<i>Phytolacca insularis</i> / 127	<i>Pilea pumila</i> var. <i>pumila</i> / 107
PHYTOLACCACEAE / 127	<i>Pilea taquetii</i> / 107

■ Scientific name Index

- Pilea viridissima* / 107
Pimpinella / 379
Pimpinella brachycarpa / 379
Pimpinella brachycarpa var. *brachycarpa* / 379
Pimpinella brachycarpa var. *hallaisanensis* / 380
Pimpinella brachycarpa var. *koreana* / 380
Pimpinella brachycarpa var. *uchiyamana* / 380
Pimpinella calycina / 380
Pimpinella calycina var. *brachycarpa* / 379
Pimpinella cartilaginomarginata / 369
Pimpinella crassa / 374
Pimpinella gustavohegiana / 379
Pimpinella hallaisanensis / 380
Pimpinella komarovii / 380
Pimpinella koreana / 380
Pimpinella koreana var. *uchiyamana* / 380
Pimpinella nikoensis var. *koreana* / 380
Pimpinella nikoensis var. *uchiyamana* / 380
Pimpinella tsusimensis / 383
PINACEA / 63
Pinellia / 665
Pinellia koreana / 665
Pinellia ternata / 665
Pinellia tripartita / 665
Pinguicula / 480
Pinguicula macroceras / 480
Pinguicula villosa / 480
Pinguicula vulgaris subsp. *macroceras* / 480
Pinguicula vulgaris var. *macroceras* / 480
Pinguicula vulgaris var. *vulgaris* / 480
Pinu / 64
Pinus cembra subsp. *pumila* / 65
Pinus cembra var. *mandschurica* / 65
Pinus cembra var. *pumila* / 65
Pinus cembra var. *pygmaea* / 65
Pinus densiflora / 64
Pinus densiflora f. *aggregata* / 65
Pinus densiflora f. *brevifolia* / 65
Pinus densiflora f. *congesta* / 65
Pinus densiflora f. *erecta* / 65
Pinus densiflora f. *multicaulis* / 65
Pinus densiflora f. *pendula* / 64
Pinus densiflora f. *vittata* / 65
Pinus densiflora var. *brevifolia* / 65
Pinus densiflora var. *funebris* / 65
Pinus densiflora var. *liaotungensis* / 65
Pinus funebris / 64
Pinus himekomatsu / 65
Pinus holophylla / 63
Pinus koraiensis / 65
Pinus koraiensis subsp. *prokoraiensis* / 65
Pinus mandschurica / 65
Pinus mukdensis / 65
Pinus nephrolepis / 63
Pinus parviflora / 65
Pinus prokoraiensis / 65
Pinus pumila / 65
Pinus scopifera / 64
Pinus tabuliformis var. *mukdensis* / 65
Pinus tabuliformis var. *tabuliformis* / 65
Pinus thunbergii / 65
Pinus thunbergii f. *multicaulis* / 66
Piper / 183
Piper futokadsura / 183
Piper kadsura / 183
PIPERACEAE / 183
Piptopogon macrospermus / 560
Pistolochia buschii / 196
Pisum pubescens / 284
PITTOSPORACEAE / 233
Pittosporum / 233
Pittosporum tobira / 233
Pittosporum tobira var. *lanntum* / 233
Pittosporum tobira var. *macrophyllum* / 233
Pityroperma binternatum / 157
Pityroperma obtusilobum / 157
Plagiobothrys zollingeri / 436
Plagiogyria / 16
Plagiogyria euphlebia / 16
Plagiogyria japonica / 16
Plagiogyria japonica var. *pseudojaponica* / 16
Plagiogyria pseudojaponica / 16
PLAGIODYRIACEAE / 16
Plagiorhegma dubium / 179
Plagiospermum sinense / 248
Plananthus selago / 4
Planera acuminata / 99
Planera davidii / 97
Planera japonica / 99
Planera keaki / 99
PLANTAGINACEAE / 482
Plantago / 483
Plantago alata / 483
Plantago arctica / 483
Plantago asiatica / 483
Plantago asiatica f. *asiatica* / 483

<i>Plantago asiatica</i> f. <i>polystachya</i> / 484	<i>Platanthera maximowicziana</i> / 735
<i>Plantago asiatica</i> f. <i>yakusimensis</i> / 483	<i>Platanthera minor</i> / 735
<i>Plantago asiatica</i> var. <i>decumbens</i> / 484	<i>Platanthera neglecta</i> / 735
<i>Plantago asiatica</i> var. <i>densiusecula</i> / 483	<i>Platanthera neuropetala</i> / 734
<i>Plantago asiatica</i> var. <i>lobulata</i> / 483	<i>Platanthera ophrydioides</i> / 735
<i>Plantago asiatica</i> var. <i>yezoensis</i> / 483	<i>Platanthera oreades</i> var. <i>brachycentron</i> / 735
<i>Plantago camtschatica</i> / 483	<i>Platanthera radiata</i> / 728
<i>Plantago coreana</i> / 483	<i>Platanthera reinii</i> / 735
<i>Plantago depressa</i> / 483	<i>Platanthera sachalinensis</i> / 735
<i>Plantago depressa</i> subsp. <i>camtschatica</i> / 483	<i>Platanthera tipuloides</i> var. <i>ussuriensis</i> / 736
<i>Plantago depressa</i> var. <i>turczaninowii</i> / 484	<i>Platanthera ussuriensis</i> / 735
<i>Plantago formosana</i> / 483	<i>Platycarya</i> / 74
<i>Plantago japonica</i> / 484	<i>Platycarya longipes</i> / 74
<i>Plantago japonica</i> f. <i>polystachya</i> / 484	<i>Platycarya simplicifolia</i> / 74
<i>Plantago japonica</i> var. <i>yezomaritima</i> / 484	<i>Platycarya simplicifolia</i> var. <i>ternata</i> / 74
<i>Plantago leptostachys</i> / 484	<i>Platycarya sinensis</i> / 74
<i>Plantago major</i> f. <i>major</i> / 484	<i>Platycarya strobilacea</i> / 74
<i>Plantago major</i> f. <i>yezomaritima</i> / 484	<i>Platycarya strobilacea</i> f. <i>coreana</i> / 74
<i>Plantago major</i> var. <i>asiatica</i> / 483	<i>Platycarya strobilacea</i> var. <i>coreana</i> / 74
<i>Plantago major</i> var. <i>japonica</i> / 484	<i>Platycarya strobilacea</i> var. <i>kawakamii</i> / 74
<i>Plantago major</i> var. <i>japonica</i> f. <i>polystachya</i> / 484	<i>Platycladus</i> / 68
<i>Plantago major</i> var. <i>major</i> / 484	<i>Platycladus orientalis</i> / 68
<i>Plantago multistachya</i> / 484	<i>Platycladus stricta</i> / 68
<i>Plantago paludosa</i> / 484	<i>Platycodon</i> / 506
<i>Plantago polystachya</i> / 484	<i>Platycodon autumnalis</i> / 506
<i>Plantago sibirica</i> / 484	<i>Platycodon chinensis</i> / 506
<i>Plantago taquetii</i> / 483	<i>Platycodon glaucus</i> / 506
<i>Plantago villifera</i> / 483	<i>Platycodon glaucus</i> var. <i>albus</i> / 506
<i>Plantago yakusimensis</i> / 483	<i>Platycodon glaucus</i> var. <i>duplex</i> / 506
<i>Plantago yezoensis</i> / 483	<i>Platycodon glaucus</i> var. <i>duplex</i> f. <i>albus</i> / 506
<i>Plantago yezomaritima</i> / 484	<i>Platycodon grandiflorus</i> / 506
<i>Plantinia alpina</i> / 650	<i>Platycodon grandiflorus</i> f. <i>albiflorus</i> / 507
<i>Platanthera</i> / 734	<i>Platycodon grandiflorus</i> f. <i>monanthus</i> / 507
<i>Platanthera brevicalcarat</i> / 734	<i>Platycodon grandiflorus</i> f. <i>subasepalus</i> / 507
<i>Platanthera chlorantha</i> / 734	<i>Platycodon grandiflorus</i> var. <i>albus</i> / 506
<i>Platanthera chorisiana</i> / 734	<i>Platycodon grandiflorus</i> var. <i>candolleanus</i> / 506
<i>Platanthera conopsea</i> / 727	<i>Platycodon grandiflorus</i> var. <i>duplex</i> / 506
<i>Platanthera coreana</i> / 723	<i>Platycodon grandiflorus</i> var. <i>duplex</i> f. <i>leucanthum</i> / 507
<i>Platanthera decipiens</i> / 725	<i>Platycodon grandiflorus</i> var. <i>glaucus</i> / 506
<i>Platanthera fuscescens</i> / 734	<i>Platycodon grandiflorus</i> var. <i>subasepalus</i> / 507
<i>Platanthera hologlottis</i> / 734	<i>Platycodon graucus</i> f. <i>albiflorus</i> / 506
<i>Platanthera japonica</i> / 735	<i>Platycodon graucus</i> var. <i>duplex</i> f. <i>violaceus</i> / 506
<i>Platanthera mandarinorum</i> / 735	<i>Plectranthus buergeri</i> / 448
<i>Platanthera mandarinorum</i> subsp. <i>maximowicziana</i> / 735	<i>Plectranthus dubius</i> / 447
<i>Platanthera mandarinorum</i> var. <i>brachycentron</i> / 735	<i>Plectranthus excisus</i> / 446
<i>Platanthera mandarinorum</i> var. <i>maximowicziana</i> / 735	<i>Plectranthus glaucocalyx</i> var. <i>japonicus</i> / 448
<i>Platanthera mandarinorum</i> var. <i>neglecta</i> / 735	<i>Plectranthus inflexus</i> / 447
<i>Platanthera manubriata</i> / 735	<i>Plectranthus inflexus</i> var. <i>canescens</i> / 447

■ Scientific name Index

Plectranthus inflexus var. *macrophyllus* / 447
Plectranthus japonicus / 448
Plectranthus maximowiczii / 448
Plectranthus serra / 448
Pleopeltis ensata / 57
Pleopeltis thunbergianus / 55
Pleopeltis ussuriensis / 55
Pleuroptilis langsdorffii / 623
Pleuroptilis langsdorffii var. *brevisets* / 623
Pleuropteropyrum ajanense / 110
Pleuropteropyrum divaricatum / 111
Pleuropteropyrum jeholense / 110
Pleuropteropyrum limosum / 111
Pleuropteropyrum microcarpum / 111
Pleuropteropyrum mollifolium / 111
Pleuropteropyrum sibiricum / 115
Pleuropterus ciliinervis / 113
Pleuropterus cuspidatus / 114
Pleuropterus sachalinensis / 115
Pleuropterus zuccarinii / 114
Pleurosoriopsis / 57
Pleurosoriopsis makinoi / 57
Pleurospermum / 380
Pleurospermum camtschaticum / 380
Pleurospermum uralense / 380
PLUMBAGINACEAE / 401
Pneumonanthe algida / 412
Poa / 651
Poa acroleuca / 651
Poa acroleuca f. *submoniliformis* / 652
Poa acroleuca var. *acroleuca* / 651
Poa acroleuca var. *submoniliformis* / 651
Poa annua / 652
Poa annua f. *maxima* / 653
Poa barbata / 635
Poa chinensis / 642
Poa chosensis / 652
Poa cilianensis / 635
Poa deschampsiodes / 652
Poa eragrostis / 636
Poa extremiorientalis / 652
Poa familiaris / 651
Poa ferruginea / 635
Poa glauca / 652
Poa hirta / 624
Poa hisauchii / 652
Poa insignis / 653
Poa iwayana / 652

Poa iwayae / 652
Poa japonica / 635
Poa kanboensis / 654
Poa komarovii / 652
Poa kumgansanii / 652
Poa lithuanica / 639
Poa malacantha var. *malacantha* / 652
Poa malacantha var. *shinanoana* / 652
Poa matsumurae / 652
Poa matsumurae var. *takeshimana* / 653
Poa nemoralis / 653
Poa nemoralis var. *kumgansanii* / 652
Poa nepalensis var. *nipponica* / 653
Poa nipponica / 653
Poa palustris / 653
Poa pilosa / 636
Poa psilocaulis / 651
Poa radula / 653
Poa serotina / 653
Poa shinanoana / 653
Poa sibirica / 653
Poa sphondyloides / 653
Poa takeshimana / 653
Poa tomentosa / 652
Poa trivialis var. *altaica* / 653
Poa tuberifera / 653
Poa ullungdoensis / 654
Poa urssulensis var. *kanboensis* / 654
Poa urssulensis var. *urssulensis* / 654
Poa ussuriensis / 654
Poa viridula / 654
POACEAE / 620
PODOCARPACEA / 68
Podocarpium oldhamii / 281
Podocarpus / 68
Podocarpus forrestii / 68
Podocarpus macrophyllum / 68
Podocarpus verticillatus / 68
Pogonia / 736
Pogonia japonica / 736
Pogonia japonica var. *minor* / 736
Pogonia kungii / 736
Pogonia minor / 736
Pogonia ophioglossoides var. *japonica* / 736
Pogonia similis / 736
Pogonostylis squarrosa / 708
Pogostemon / 454
Pogostemon benthamianus / 454

<i>Pogostemon stellatus</i> / 454	<i>Polygonatum humile</i> / 598
<i>Pogostemon verticillatus</i> / 454	<i>Polygonatum humile</i> f. <i>humillimum</i> / 599
<i>Pogostemon yatabeanus</i> / 454	<i>Polygonatum humillimum</i> / 599
<i>Poinsettia pulcherrima</i> / 304	<i>Polygonatum ibukiense</i> / 599
<i>Polemonium</i> / 431	<i>Polygonatum inflatum</i> / 599
<i>Polemonium caeruleum</i> subsp. <i>kiushianum</i> f. <i>albiflorum</i> / 431	<i>Polygonatum inflatum</i> var. <i>rotundifolium</i> / 599
<i>Polemonium kiushianum</i> f. <i>albiflorum</i> / 431	<i>Polygonatum infundiflorum</i> / 599
<i>Polemonium racemosum</i> / 431	<i>Polygonatum involucratum</i> / 599
<i>Pollia</i> / 618	<i>Polygonatum japonicum</i> / 600
<i>Pollia japonica</i> / 618	<i>Polygonatum japonicum</i> var. <i>variegatum</i> / 600
<i>Polluchia amplexicaulis</i> / 449	<i>Polygonatum lasianthum</i> / 599
<i>Pollinia brevifolia</i> / 657	<i>Polygonatum lasianthum</i> var. <i>coreanum</i> / 599
<i>Pollinia imberbis</i> / 644	<i>Polygonatum nipponicum</i> / 599
<i>Pollinia imberbis</i> var. <i>willdenowiana</i> / 644	<i>Polygonatum obtusifolium</i> / 600
<i>Pollinia japonica</i> / 644	<i>Polygonatum odoratum</i> / 599
<i>Pollinia japonica</i> var. <i>polystachya</i> / 644	<i>Polygonatum odoratum</i> var. <i>japonicum</i> / 601
<i>Pollinia quadrinervis</i> / 636	<i>Polygonatum odoratum</i> var. <i>macranthum</i> / 600
<i>Pollinia speciosa</i> / 636	<i>Polygonatum odoratum</i> var. <i>odoratum</i> / 600
<i>Polycampium lingua</i> / 58	<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> / 600
<i>Polycarpa maximowiczii</i> / 339	<i>Polygonatum odoratum</i> var. <i>quelpaertense</i> / 600
<i>Polychroa scabra</i> / 107	<i>Polygonatum officinale</i> / 599
<i>Polygala</i> / 310	<i>Polygonatum officinale</i> f. <i>robustum</i> / 600
<i>Polygala hondoensis</i> / 310	<i>Polygonatum officinale</i> var. <i>humile</i> / 599
<i>Polygala japonica</i> / 310	<i>Polygonatum officinale</i> var. <i>japonicum</i> / 600
<i>Polygala japonica</i> f. <i>virescens</i> / 310	<i>Polygonatum officinale</i> var. <i>macranthum</i> / 600
<i>Polygala japonica</i> var. <i>cinerascens</i> / 310	<i>Polygonatum officinale</i> var. <i>pluriflorum</i> / 600
<i>Polygala lourerii</i> / 310	<i>Polygonatum petiolatum</i> / 599
<i>Polygala sibirica</i> / 310	<i>Polygonatum planifolium</i> / 600
<i>Polygala sibirica</i> var. <i>angustifolia</i> / 311	<i>Polygonatum quelpaertense</i> / 600
<i>Polygala sibirica</i> var. <i>japonica</i> / 310	<i>Polygonatum quinquefolium</i> / 598
<i>Polygala sibirica</i> var. <i>latifolia</i> / 310	<i>Polygonatum robustum</i> / 600
<i>Polygala sibirica</i> var. <i>stricta</i> / 310	<i>Polygonatum sibiricum</i> / 600
<i>Polygala sibirica</i> var. <i>tenuifolia</i> / 311	<i>Polygonatum simizui</i> / 600
<i>Polygala siboldiana</i> / 310	<i>Polygonatum stenanthum</i> / 598
<i>Polygala taquetii</i> / 310	<i>Polygonatum stenophyllum</i> / 600
<i>Polygala tatarinowii</i> / 310	<i>Polygonatum taquetii</i> / 599
<i>Polygala tenuifolia</i> / 311	<i>Polygonatum tenuiflorum</i> / 598
POLYGALACEAE / 310	<i>Polygonatum thunbergii</i> / 600
POLYGONACEAE / 110	<i>Polygonatum verticillatum</i> var. <i>stenophyllum</i> / 600
<i>Polygonatum</i> / 598	<i>Polygonatum virens</i> / 599
<i>Polygonatum acuminatifolium</i> / 598	<i>Polygonatum vulgare</i> / 599
<i>Polygonatum anceps</i> / 599	<i>Polygonatum vulgare</i> var. <i>japonicum</i> / 601
<i>Polygonatum chinense</i> / 600	<i>Polygonatum vulgare</i> var. <i>macranthum</i> / 600
<i>Polygonatum cryptanthum</i> / 598	<i>Polygonatum</i> × <i>desoulavyi</i> / 601
<i>Polygonatum falcatum</i> / 598	<i>Polygonatum</i> × <i>desoulavyi</i> var. <i>mediobractarum</i> / 601
<i>Polygonatum falcatum</i> f. <i>robustum</i> / 598	<i>Polygonatum</i> × <i>desoulavyi</i> var. <i>yessoense</i> / 601
<i>Polygonatum fauriei</i> / 598	<i>Polygonatum</i> × <i>mediobractarum</i> var. <i>yessoense</i> / 601
<i>Polygonatum grandicaule</i> / 598	<i>Polygonatum</i> × <i>mediobracteatum</i> / 601

■ Scientific name Index

- Polygonum* / 124
Polygonum ajanense / 110
Polygonum alatum / 120
Polygonum alatum var. *nepalense* / 120
Polygonum alopecuroides / 111
Polygonum alpinum / 110
Polygonum amphibium / 115
Polygonum amphibium f. *terrestris* / 116
Polygonum amphibium var. *amurense* / 116
Polygonum amphibium var. *terestre* / 115
Polygonum amphibium var. *vestitum* / 116
Polygonum amurense / 116
Polygonum anguillanum / 122
Polygonum arcticum / 115
Polygonum arenastrum / 124
Polygonum argenteum / 125
Polygonum asperulum / 120
Polygonum auriculatum / 121
Polygonum aviculare / 125
Polygonum aviculare var. *aviculare* / 125
Polygonum aviculare var. *fusco-ochreatum* / 125
Polygonum aviculare var. *vegetum* / 125
Polygonum awstiva / 122
Polygonum babingtonii / 123
Polygonum bellardii / 125
Polygonum bellardii var. *effusum* / 125
Polygonum belophyllum / 122
Polygonum benguetense / 120
Polygonum bioritsuense / 119
Polygonum birmanicum / 121
Polygonum bistorta var. *graminifolium* / 111
Polygonum bistorta var. *incana* / 112
Polygonum bistorta var. *longifolium* / 111
Polygonum blumei / 119
Polygonum brachytrichum / 110
Polygonum breviochreatum / 116
Polygonum bulbiferum / 113
Polygonum bungeanum / 116
Polygonum caespitosum subsp. *yokusaiyanum* / 121
Polygonum caespitosum var. *laxiflorum* / 121
Polygonum calcatum / 125
Polygonum cavaleriei / 118
Polygonum chanetii / 116
Polygonum chinense var. *thunbergianum* / 116
Polygonum chinensis / 116
Polygonum ciliinerve / 113
Polygonum coccineum / 115
Polygonum compactum / 114
Polygonum conspicuum / 116
Polygonum constans / 112
Polygonum cuspidatum / 114
Polygonum cuspidatum f. *compactum* / 114
Polygonum cuspidatum var. *compactum* / 114
Polygonum debile / 116
Polygonum debile var. *hastatum* / 123
Polygonum dentatoalatum / 113
Polygonum dichopodium / 124
Polygonum diffusum / 110
Polygonum dissitiflorum / 117
Polygonum divaricatum / 111
Polygonum divaricatum var. *limosum* / 111
Polygonum dumetorum / 113
Polygonum erecto-minus var. *trigonocarpum* / 124
Polygonum fauriei / 117
Polygonum filiforme / 117
Polygonum filiforme subsp. *neofiliforme* / 120
Polygonum filiforme var. *neofiliforme* / 120
Polygonum filiforme var. *smaragdinum* / 117
Polygonum flaccidum / 122
Polygonum foliosum / 118
Polygonum foliosum var. *paludicolum* / 118
Polygonum forbesii / 114
Polygonum fusco-ochreatum / 125
Polygonum glanduliferum / 117
Polygonum glandulosum / 119
Polygonum globispica / 111
Polygonum guttuliferum / 120
Polygonum gymnopus / 125
Polygonum hastatoauriculatum / 121
Polygonum hastatosagittatum / 118
Polygonum hastatosagittatum var. *latifolium* / 120
Polygonum hastatotrilobum / 123
Polygonum heterophyllum / 125
Polygonum humifusum / 125
Polygonum hydropiper / 118
Polygonum hydropiper subsp. *megalocarpum* / 118
Polygonum hydropiper var. *acuminatum* / 122
Polygonum hydropiper var. *vulgare* / 118
Polygonum japonicum / 119
Polygonum japonicum var. *conspicuum* / 116
Polygonum japonicum var. *densiflorum* / 119
Polygonum japonicum var. *salicifolium* / 119
Polygonum kirinense / 120
Polygonum koreense / 117
Polygonum lanatum / 119
Polygonum lapathifolium / 119

- Polygonum lapathifolium* subsp. *nodosum* / 119
Polygonum limosum / 111
Polygonum limprichtii / 112
Polygonum longisetum / 119
Polygonum lyratum / 121
Polygonum maackianum / 120
Polygonum makinoi / 124
Polygonum mandshuricum / 125
Polygonum marrettii / 112
Polygonum minus f. *trigonocarpa* / 124
Polygonum minutulum / 123
Polygonum monspeliacum / 125
Polygonum muhlenbergii / 116
Polygonum multiflorum var. *ciliinerve* / 113
Polygonum muricatum / 120
Polygonum muricatum var. *auriculatum* / 121
Polygonum natans / 116
Polygonum neofiliforme / 120
Polygonum nepalense / 120
Polygonum nepalense var. *adenothrix* / 120
Polygonum nipponense / 120
Polygonum nodosum / 119
Polygonum ochotense / 112
Polygonum oliganthum / 120
Polygonum oreophilum / 123
Polygonum pacificum / 112
Polygonum pacificum f. *velutinum* / 112
Polygonum paludicolum / 118
Polygonum paludosum / 122
Polygonum pauciflorum / 114
Polygonum perfoliatum / 121
Polygonum persicaria / 124
Polygonum persicaria var. *incanum* / 119
Polygonum planum / 125
Polygonum plebeium / 125
Polygonum polymorphum / 110
Polygonum polymorphum var. *ajanense* / 110
Polygonum polyneuron / 125
Polygonum possumbu / 121
Polygonum praetermissum / 121
Polygonum pseudojaponicum / 119
Polygonum pteropus / 123
Polygonum pubescens / 121
Polygonum pusporium / 115
Polygonum quadrifidum / 120
Polygonum reynoutria / 114
Polygonum reynoutria f. *colorans* / 114
Polygonum reynoutria var. *compactum* / 114
Polygonum reynoutria var. *ellipticum* / 114
Polygonum reynoutria var. *humilis* / 114
Polygonum sachalinense / 115
Polygonum sagittatum / 122
Polygonum sagittatum var. *aestivum* / 122
Polygonum sagittatum var. *americanum* / 122
Polygonum sagittatum var. *boreale* / 122
Polygonum sagittatum var. *gracilentum* / 122
Polygonum sagittatum var. *hallaisanense* / 122
Polygonum sagittatum var. *ovalifolium* / 122
Polygonum sagittatum var. *paludosum* / 122
Polygonum sagittatum var. *sericeum* / 123
Polygonum sagittatum var. *sibiricum* f. *aestivum* / 122
Polygonum sagittatum var. *sibiricum* / 122
Polygonum sagittatum var. *sibiricum* f. *aestivum* / 122
Polygonum sagittatum var. *sieboldii* / 122
Polygonum sagittatum var. *ussuriense* / 118
Polygonum scabrum / 119
Polygonum scandens var. *dentatoalatum* / 113
Polygonum scandens var. *dumetorum* / 114
Polygonum senticosum / 123
Polygonum sibiricum / 115
Polygonum sieboldii var. *aestivum* / 122
Polygonum sieboldii var. *compactum* / 114
Polygonum stans / 125
Polygonum stoloniferum / 123
Polygonum strigosum var. *benguetense* / 120
Polygonum strigosum var. *hastatosagittatum* / 118
Polygonum suffultum / 112
Polygonum taquetii / 123
Polygonum tenuicaule / 113
Polygonum tenuifolium / 119
Polygonum thunbergii / 123
Polygonum thunbergii var. *coreana* / 116
Polygonum thunbergii var. *hastatotrilobum* / 123
Polygonum thunbergii var. *maackianum* / 120
Polygonum thunbergii var. *oreophilum* / 123
Polygonum thunbergii var. *spicatum* / 120
Polygonum thunbergii var. *stoloniferum* / 123
Polygonum tomentosum / 119
Polygonum trigonocarpum / 124
Polygonum truellum / 123
Polygonum typhonifolium / 123
Polygonum undulatum / 110
Polygonum virginianum f. *glabratum* / 117
Polygonum virginianum var. *filiforme* / 117
Polygonum viscoferum / 124
Polygonum viscoferum subsp. *robustum* / 124

■ Scientific name Index

Polygonum viscoferum var. *robustum* / 124
Polygonum viscosum / 124
Polygonum viviparum / 113
Polygonum viviparum f. *roessleri* / 113
Polygonum weyrichii var. *alpinum* / 110
Polygonum yamatutae / 125
Polygonum yunnanense / 114
Polygonum zuccarinii / 114
POLYPODIACEAE / 54
Polypodium / 57
Polypodium acuminatum / 27
Polypodium annuifrons / 55
Polypodium connectile / 30
Polypodium cordifolium / 54
Polypodium decursive-pinnatum / 31
Polypodium dentatum / 27
Polypodium dichotomum / 15
Polypodium dryopteris / 19
Polypodium ellipticum / 56
Polypodium ellipticum var. *simplicifrons* / 56
Polypodium engleri / 59
Polypodium ensatum / 57
Polypodium falcatum / 44
Polypodium fauriei / 57
Polypodium fragile / 19
Polypodium fragrans / 47
Polypodium glaucum / 14
Polypodium hastatum / 59
Polypodium lacerum / 48
Polypodium lineare / 14
Polypodium lineare var. *onoei* / 55
Polypodium lineare var. *thunbergianum* / 55
Polypodium lineare var. *ussuriense* / 55
Polypodium linearifolium / 58
Polypodium lingua / 58
Polypodium marginatum / 18
Polypodium omeiense / 27
Polypodium onoei / 55
Polypodium parasiticum / 28
Polypodium pedatum / 15
Polypodium penangianum / 28
Polypodium petiolosum / 58
Polypodium phegopteris / 30
Polypodium punctatum / 18
Polypodium sibiricum / 58
Polypodium superficiale / 57
Polypodium thunbergianum / 55
Polypodium tricuspe / 58

Polypodium ussuricense / 55
Polypodium varium / 51
Polypodium veitchii / 59
Polypodium vulgare / 58
Polypodium yakushimae / 57
Polypodium × *shintenense* / 56
Polypogon / 654
Polypogon demissus / 654
Polypogon flavescent / 654
Polypogon fugax / 654
Polypogon higegaweri / 654
Polypogon miser / 625
Polypogon monspeliensis / 654
Polystichopsis mutica / 42
Polystichopsis standishii / 43
Polystichum / 51
Polystichum aculeatum var. *coraiense* / 53
Polystichum aculeatum var. *fibrilloso-paleaceum* / 52
Polystichum aculeatum var. *makinoi* / 52
Polystichum aculeatum var. *ovatopaleaceum* / 52
Polystichum aculeatum var. *pinfaense* / 52
Polystichum aculeatum var. *retrosopaleaceum* / 53
Polystichum amabile var. *chinense* / 42
Polystichum bissetianum / 45
Polystichum braunii / 51
Polystichum caryotideum var. *clivicolum* / 44
Polystichum craspedosorum / 51
Polystichum cystolepidotum / 51
Polystichum devexiscapulae / 44
Polystichum fibrilloso-paleaceum / 52
Polystichum fortunei / 44
Polystichum hololepis / 51
Polystichum hololepis var. *hikonensis* / 48
Polystichum japonicaum / 53
Polystichum lepidocaulon / 52
Polystichum longifrons / 52
Polystichum makinoi / 52
Polystichum mayebarae / 52
Polystichum ovatopaleaceum / 52
Polystichum ovatopaleaceum var. *coraiense* / 52
Polystichum ovatopaleaceum var. *ovatopaleaceum* / 52
Polystichum platychlamys / 53
Polystichum polyblepharum / 53
Polystichum pseudoaristatum / 43
Polystichum pseudomakinoi / 53
Polystichum pseudomakinoi var. *ambiguum* / 53
Polystichum retrosopaleaceum / 53
Polystichum retrosopaleaceum var. *coraiense* / 53

<i>Polystichum retrosopaleaceum</i> var. <i>ovatopaleaceum</i> / 52	
<i>Polystichum rigens</i> / 53	
<i>Polystichum sacrosanctum</i> / 50	
<i>Polystichum simplicius</i> / 43	
<i>Polystichum tagawanum</i> / 53	
<i>Polystichum tripterion</i> / 53	
<i>Polystichum tripterion</i> f. <i>subpinnatum</i> / 53	
<i>Polystichum tripterion</i> f. <i>tripteron</i> / 53	
<i>Polystichum tsus-simense</i> / 54	
<i>Polystichum tsus-simense</i> var. <i>mayebarae</i> / 52	
<i>Polystichum varium</i> / 51	
<i>Ponerorchis</i> / 736	
<i>Ponerorchis cucullata</i> / 736	
<i>Ponerorchis graminifolia</i> / 736	
<i>Ponerorchis joo-iokiana</i> / 736, 737	
<i>Ponerorchis pauciflora</i> var. <i>jooiokiana</i> / 737	
<i>Pontederia dubia</i> / 575	
<i>Pontederia plantaginea</i> / 610	
PONTEDERIACEAE / 609	
<i>Populus</i> / 74	
<i>Populus davidiana</i> / 75	
<i>Populus davidiana</i> f. <i>laticuneata</i> / 75	
<i>Populus davidiana</i> f. <i>tomentella</i> / 75	
<i>Populus davidiana</i> var. <i>tomentella</i> / 75	
<i>Populus jezoensis</i> / 75	
<i>Populus koreana</i> / 74	
<i>Populus laurifolia</i> var. <i>simonii</i> / 75	
<i>Populus maximowiczii</i> / 75	
<i>Populus maximowiczii</i> var. <i>barbinervis</i> / 75	
<i>Populus simonii</i> / 75	
<i>Populus suaveolens</i> / 75	
<i>Populus suaveolens</i> subsp. <i>maximowiczii</i> / 75	
<i>Populus tremula</i> var. <i>davidiana</i> / 75	
<i>Populus tremula</i> var. <i>davidiana</i> f. <i>tomentella</i> / 75	
<i>Populus tremula</i> var. <i>tremula</i> / 75	
<i>Populus ussuriensis</i> / 75	
<i>Populus wutaica</i> / 75	
<i>Populus</i> × <i>tomentiglandulosa</i> / 75	
<i>Porphyra dichotoma</i> / 438	
<i>Porphyroscias decursiva</i> / 369	
<i>Portulaca</i> / 128	
<i>Portulaca consanguinea</i> / 128	
<i>Portulaca fosbergii</i> / 128	
<i>Portulaca marginata</i> / 128	
<i>Portulaca oleracea</i> / 128	
<i>Portulaca olitoria</i> / 128	
<i>Portulaca parvifolia</i> / 128	
<i>Portulaca retusa</i> / 128	
	<i>Portulaca sylvestris</i> / 128
	PORTULACACEAE / 128
	<i>Potamogeton</i> / 576
	<i>Potamogeton alpinus</i> / 576
	<i>Potamogeton asiaticus</i> / 577
	<i>Potamogeton crispus</i> / 576
	<i>Potamogeton cristatus</i> / 576
	<i>Potamogeton distinctus</i> / 576
	<i>Potamogeton franchetii</i> / 577
	<i>Potamogeton fryeri</i> / 577
	<i>Potamogeton gramineus</i> var. <i>heterophyllus</i> / 577
	<i>Potamogeton heterophyllus</i> / 577
	<i>Potamogeton javanicus</i> / 577
	<i>Potamogeton longipetiolatus</i> / 577
	<i>Potamogeton maackianus</i> / 577
	<i>Potamogeton mizuhikimo</i> / 577
	<i>Potamogeton morongii</i> / 577
	<i>Potamogeton natans</i> / 577
	<i>Potamogeton numasakianus</i> / 577
	<i>Potamogeton octandrus</i> / 577
	<i>Potamogeton octandrus</i> var. <i>mizuhikimo</i> / 577
	<i>Potamogeton octandrus</i> var. <i>octandrus</i> / 577
	<i>Potamogeton oxyphyllus</i> / 577
	<i>Potamogeton pectinatus</i> / 578
	<i>Potamogeton pectinatus</i> var. <i>scoparius</i> / 578
	<i>Potamogeton perfoliatus</i> / 578
	<i>Potamogeton pusillus</i> / 578
	<i>Potamogeton robbinsii</i> var. <i>japonicus</i> / 577
	<i>Potamogeton subsessilifolius</i> / 577
	<i>Potamogeton wrightii</i> / 578
	POTAMOGETONACEAE / 576
	<i>Potamogeton</i> × <i>anguillanus</i> / 578
	<i>Potamogeton</i> × <i>intortusifolius</i> / 578
	<i>Potamopitys triandra</i> / 351
	<i>Potentilla</i> / 243
	<i>Potentilla aegopodiifolia</i> / 245
	<i>Potentilla aemulans</i> / 244
	<i>Potentilla amurensis</i> / 248
	<i>Potentilla ancistrifolia</i> / 244
	<i>Potentilla ancistrifolia</i> var. <i>dickinsii</i> / 245
	<i>Potentilla ancistrifolia</i> var. <i>rugulosa</i> / 244
	<i>Potentilla anemonifolia</i> / 243
	<i>Potentilla anserina</i> subsp. <i>egedii</i> / 234
	<i>Potentilla anserina</i> var. <i>egedii</i> / 234
	<i>Potentilla anserina</i> var. <i>groenlandica</i> / 234
	<i>Potentilla arbuscula</i> / 237
	<i>Potentilla baekdusanensis</i> / 244
	<i>Potentilla bifurca</i> var. <i>glabrata</i> / 268

■ Scientific name Index

Potentilla bifurca var. *major* / 268
Potentilla bodinieri / 244
Potentilla centigrana / 244
Potentilla centigrana var. *japonica* / 244
Potentilla centigrana var. *mandshurica* / 244
Potentilla chinensis / 244
Potentilla chinensis subsp. *trigonodonta* / 244
Potentilla chinensis var. *chinensis* / 244
Potentilla chinensis var. *concolor* / 244
Potentilla chinensis var. *isomera* / 244
Potentilla chinensis var. *latifida* / 244
Potentilla chinensis var. *littoralis* / 244
Potentilla chinensis var. *micrantha* / 244
Potentilla chinensis var. *xerogens* / 244
Potentilla comarum / 235
Potentilla cryptotaeniae / 245
Potentilla cryptotaeniae var. *obovata* / 245
Potentilla cryptotaeniae var. *obtusata* / 245
Potentilla davurica var. *mandshurica* / 246
Potentilla denticulosa / 238
Potentilla dickinsii / 245
Potentilla dickinsii var. *breviseta* / 245
Potentilla dickinsii var. *glabrata* / 245
Potentilla discolor / 245
Potentilla discolor var. *formosana* / 245
Potentilla egedii / 234
Potentilla egedii var. *groenlandica* / 234
Potentilla exaltata / 244
Potentilla flagellaris / 245
Potentilla formosana / 245
Potentilla fragarioides / 245
Potentilla fragarioides f. *bipetala* / 245
Potentilla fragarioides var. *major* / 245
Potentilla fragarioides var. *sprengeliana* / 245
Potentilla fragarioides var. *ternata* / 246
Potentilla freyniana / 246
Potentilla freyniana var. *grandiflora* / 247
Potentilla freyniana var. *nitens* / 246
Potentilla freyniana var. *villosa* / 246
Potentilla fruticosa / 237
Potentilla fruticosa f. *mandshurica* / 246
Potentilla fruticosa var. *arbuscula* / 237
Potentilla fruticosa var. *dahurica* / 246
Potentilla fruticosa var. *leucantha* / 237
Potentilla fruticosa var. *mandshurica* / 246
Potentilla fruticosa var. *rigida* / 237
Potentilla gageodoensis / 246
Potentilla glabra var. *glabra* / 246

Potentilla glabra var. *mandshurica* / 246
Potentilla hispida / 246
Potentilla hypoleuca / 247
Potentilla indica / 238
Potentilla indica var. *serrulata* / 238
Potentilla indica var. *wallichii* / 238
Potentilla isomera / 244
Potentilla japonica / 245
Potentilla japonica var. *quelpaertensis* / 247
Potentilla kleiniana subsp. *anemonefolia* / 244
Potentilla kleiniana var. *anemonefolia* / 244
Potentilla kleiniana var. *robusta* / 244
Potentilla koreana / 247
Potentilla longepetiolata / 244
Potentilla longifolia / 246
Potentilla longipetiolata / 246
Potentilla macrantha / 247
Potentilla matsumurae / 246
Potentilla matsuokana / 247
Potentilla multifida / 246
Potentilla multifida f. *angustifolia* / 247
Potentilla multifida var. *angustifolia* / 247
Potentilla multifida var. *hypoleuca* / 247
Potentilla multifida var. *minor* / 247
Potentilla multifida var. *sericea* / 247
Potentilla nemoralis / 245
Potentilla niponica / 247
Potentilla nivea / 247
Potentilla nivea var. *camtschatica* / 247
Potentilla nivea var. *macrantha* / 247
Potentilla nivea var. *vulgaris* / 247
Potentilla palczewskii / 245
Potentilla palustris / 235
Potentilla plurijuga / 247
Potentilla procumbens / 268
Potentilla quelpaertensis / 247
Potentilla reptans var. *angustiloba* / 245
Potentilla reptans var. *trifoliata* / 244
Potentilla rigida / 237
Potentilla rosulifera / 247
Potentilla rugulosa / 244
Potentilla sahalinensis / 245
Potentilla semiglabra / 237
Potentilla sibbaldia / 268
Potentilla sieboldii / 268
Potentilla sprengeliana / 245
Potentilla squamosa / 247
Potentilla stolonifera var. *quelpaertensis* / 247

<i>Potentilla stolonifera</i> var. <i>stolonifera</i> / 247	<i>Prenanthes integra</i> / 533
<i>Potentilla sundaica</i> var. <i>robusta</i> / 244	<i>Prenanthes japonica</i> / 569
<i>Potentilla supina</i> f. <i>ternata</i> / 248	<i>Prenanthes laciniata</i> / 545
<i>Potentilla supina</i> var. <i>campestris</i> / 248	<i>Prenanthes lanceolata</i> / 533
<i>Potentilla supina</i> var. <i>supina</i> / 248	<i>Prenanthes maximowiczii</i> / 553
<i>Potentilla supina</i> var. <i>ternata</i> / 248	<i>Prenanthes multiflora</i> / 569
<i>Potentilla sutchuenica</i> / 246	<i>Prenanthes ochroleuca</i> / 553
<i>Potentilla tenella</i> / 247	<i>Prenanthes repens</i> / 544
<i>Potentilla viscosa</i> var. <i>macrophylla</i> / 246	<i>Prenanthes squarrosa</i> / 545
<i>Potentilla wallichiana</i> / 238	<i>Prenanthes striata</i> / 569
<i>Potentilla wallichiana</i> f. <i>robusta</i> / 238	<i>Prenanthes tatarinowii</i> / 553
<i>Potentilla wallichiana</i> var. <i>anemonefolia</i> / 238	<i>Prenanthes versicolor</i> / 543
<i>Potentilla wallichiana</i> var. <i>minor</i> / 238	<i>Primula</i> / 399
<i>Potentilla wallichiana</i> var. <i>robusta</i> / 238	<i>Primula cortusoides</i> var. <i>patens</i> / 401
<i>Potentilla yokusaiana</i> / 247	<i>Primula cortusoides</i> var. <i>sieboldii</i> / 401
<i>Pourthiae</i> / 242	<i>Primula filiformis</i> / 396
<i>Pourthiae coreana</i> / 243	<i>Primula hallaisanensis</i> / 400
<i>Pourthiae cotoneaster</i> / 243	<i>Primula hondoensis</i> / 400
<i>Pourthiae laevis</i> / 243	<i>Primula jesoana</i> / 399
<i>Pourthiae laevis</i> var. <i>villosa</i> / 243	<i>Primula jesoana</i> f. <i>glabra</i> / 400
<i>Pourthiae laevis</i> var. <i>zollingeri</i> / 243	<i>Primula jesoana</i> f. <i>pubescens</i> / 400
<i>Pourthiae longipes</i> / 243	<i>Primula jesoana</i> subsp. <i>pubescens</i> / 400
<i>Pourthiae oldhamii</i> / 243	<i>Primula jesoana</i> var. <i>glabra</i> / 400
<i>Pourthiae thunburgii</i> / 243	<i>Primula jesoana</i> var. <i>pubescens</i> / 400
<i>Pourthiae variabilis</i> / 243	<i>Primula jesoana</i> var. <i>pubescens</i> f. <i>mudiuscula</i> / 400
<i>Pourthiae villosa</i> / 242	<i>Primula loeseneri</i> / 400
<i>Pourthiae villosa</i> var. <i>brunnea</i> / 243	<i>Primula matthioli</i> subsp. <i>matthioli</i> / 400
<i>Pourthiae villosa</i> var. <i>coreana</i> / 243	<i>Primula matthioli</i> subsp. <i>pekinensis</i> / 400
<i>Pourthiae villosa</i> var. <i>laevis</i> / 243	<i>Primula modesta</i> var. <i>hannasanensis</i> / 400
<i>Pourthiae villosa</i> var. <i>longipes</i> / 243	<i>Primula modesta</i> var. <i>koreana</i> / 400
<i>Pourthiae villosa</i> var. <i>yokohamensis</i> / 243	<i>Primula modesta</i> var. <i>modesta</i> / 400
<i>Pourthiae villosa</i> var. <i>zollingeri</i> / 243	<i>Primula patens</i> / 400
<i>Pourthiae zollingeri</i> / 243	<i>Primula saxatilis</i> / 400
<i>Pragmotessara japonica</i> / 323	<i>Primula sieboldii</i> / 400
<i>Prenanthes</i> / 553	<i>Primula sieboldii</i> f. <i>patens</i> / 401
<i>Prenanthes blinii</i> / 553	<i>Primula sieboldii</i> f. <i>spontanea</i> / 401
<i>Prenanthes chinensis</i> / 543	<i>Primula sieboldii</i> var. <i>patens</i> / 401
<i>Prenanthes debilis</i> / 544	<i>Primula tyoseniana</i> / 400
<i>Prenanthes dentata</i> / 542	<i>Primula umbellata</i> / 397
<i>Prenanthes denticulata</i> / 532	<i>Primula veronicoides</i> / 401
<i>Prenanthes fastigiata</i> / 569	<i>Primula yesomontana</i> / 400
<i>Prenanthes fauriei</i> / 541	<i>Primula yesomontana</i> var. <i>nudiuscula</i> / 400
<i>Prenanthes graminea</i> / 543	PRIMULACEAE / 396
<i>Prenanthes hastata</i> / 532	<i>Prinos integrifolia</i> / 319
<i>Prenanthes hieraciifolia</i> / 546	<i>Prinsepia</i> / 248
<i>Prenanthes hololeion</i> / 540	<i>Prinsepia chinensis</i> / 248
<i>Prenanthes humilis</i> / 547	<i>Prinsepia sinensis</i> / 248
<i>Prenanthes indica</i> / 546	<i>Procris umbellata</i> / 105

■ Scientific name Index

- Pronephrium penangianum* / 28
Prosartes ovalis / 603
Prosartes viridescens / 588
Protowoodsia manchuriensis / 32
Prunella / 455
Prunella asiatica / 455
Prunella asiatica f. *albiflora* / 455
Prunella asiatica var. *albiflora* / 455
Prunella asiatica var. *pilosa* / 455
Prunella caerulea / 455
Prunella intermedia / 455
Prunella japonica / 455
Prunella officinalis / 455
Prunella purpurea / 455
Prunella vulgaris f. *albiflora* / 455
Prunella vulgaris f. *lilacina* / 455
Prunella vulgaris f. *vulgaris* / 455
Prunella vulgaris subsp. *asiatica* / 455
Prunella vulgaris subsp. *asiatica* var. *lilacina* / 455
Prunella vulgaris subsp. *vulgaris* / 455
Prunella vulgaris var. *aleutica* / 455
Prunella vulgaris var. *elongata* f. *lilacina* / 455
Prunella vulgaris var. *japonica* / 455
Prunella vulgaris var. *lilacina* / 455
Prunella vulgaris var. *yezoensis* / 455
Prunus / 248
Prunus aequinoctialis / 254
Prunus angustissima / 253
Prunus armeniaca var. *mandshurica* / 250
Prunus armeniaca var. *sibirica* / 253
Prunus aspera / 95
Prunus botan / 251
Prunus bracteata / 250
Prunus buergeriana / 248
Prunus buergeriana var. *nudiuscula* / 248
Prunus cerasus var. *floresimplici* / 253
Prunus choreiana / 248
Prunus davidiana / 248
Prunus densiflora / 253
Prunus diamantina / 250
Prunus diversifolia / 250
Prunus donarium / 253
Prunus donarium subsp. *elegans* var. *glabra* / 253
Prunus donarium subsp. *elegans* var. *pubescens* / 252
Prunus donarium subsp. *vereecunda* / 251
Prunus donarium var. *spontanea* / 253
Prunus elliptica / 332
Prunus fauriei / 248
- Prunus floribunda* / 251
Prunus glandulifolia / 250
Prunus glandulosa / 248
Prunus glandulosa f. *albiplena* / 249
Prunus glandulosa f. *sieboldiana* / 249
Prunus glandulosa f. *sinensis* / 249
Prunus glandulosa var. *albiplena* / 249
Prunus glandulosa var. *glabra* / 249
Prunus glandulosa var. *sinensis* / 249
Prunus herincquiana / 254
Prunus herincquiana f. *erecta* / 254
Prunus ichangana / 251
Prunus ishidoyana / 249
Prunus itosakura var. *ascendens* / 254
Prunus itosakura var. *ascendens* f. *rosea* / 254
Prunus itosakura var. *rosea* / 254
Prunus jamasakura / 253
Prunus jamasakura f. *pubescens* / 252
Prunus jamasakura f. *densiflora* / 251
Prunus jamasakura var. *borealis* / 251
Prunus jamasakura var. *elegans* f. *glabra* / 253
Prunus jamasakura var. *elegans* subvar. *pubescens* / 252
Prunus jamasakura var. *elegans* subvar. *compta* / 251
Prunus jamasakura var. *pubescens* / 252
Prunus jamasakura var. *vereecunda* / 251
Prunus japonica / 249
Prunus japonica f. *rufinervis* / 249
Prunus japonica var. *albopleno* / 249
Prunus japonica var. *glandulosa* / 249
Prunus japonica var. *japonica* / 249
Prunus japonica var. *multiplex* / 249
Prunus japonica var. *nakaii* / 249
Prunus kolomikta / 188
Prunus koshiensis / 254
Prunus leveilleana / 252
Prunus leveilleana var. *densiflora* / 253
Prunus leveilleana var. *koraiensis* / 253
Prunus leveilleana var. *pendula* / 252
Prunus leveilleana var. *sontagiae* / 252
Prunus leveilleana var. *spontanea* / 253
Prunus leveilleana var. *tomentella* / 252
Prunus linearipetalus / 249
Prunus maackii / 249
Prunus maackii var. *diamantina* / 250
Prunus mandshurica / 250
Prunus mandshurica f. *barbinervis* / 250
Prunus mandshurica var. *barbinervis* / 250
Prunus mandshurica var. *glabra* / 250

<i>Prunus masu</i> / 251	<i>Prunus serratifolia</i> var. <i>nageri</i> / 253
<i>Prunus maximowiczii</i> / 250	<i>Prunus serrulata</i> f. <i>serrulata</i> / 252
<i>Prunus meyeri</i> / 250	<i>Prunus serrulata</i> f. <i>spontanea</i> / 252
<i>Prunus microlepis</i> / 254	<i>Prunus serrulata</i> var. <i>borealis</i> / 251
<i>Prunus microlepis</i> var. <i>ternata</i> / 254	<i>Prunus serrulata</i> var. <i>compta</i> / 252
<i>Prunus mume</i> var. <i>crasseglandulosa</i> / 253	<i>Prunus serrulata</i> var. <i>densiflora</i> / 253
<i>Prunus mutabilis</i> / 253	<i>Prunus serrulata</i> var. <i>glabra</i> / 253
<i>Prunus mutabilis</i> f. <i>glabra</i> / 253	<i>Prunus serrulata</i> var. <i>intermedia</i> / 252
<i>Prunus mutabilis</i> var. <i>pubescens</i> / 252	<i>Prunus serrulata</i> var. <i>pubescens</i> / 252
<i>Prunus nakaii</i> / 249	<i>Prunus serrulata</i> var. <i>quelpaertensis</i> / 251
<i>Prunus nakaii</i> var. <i>cordata</i> / 249	<i>Prunus serrulata</i> var. <i>semiplena</i> / 252
<i>Prunus nakaii</i> var. <i>ishidoyana</i> / 249	<i>Prunus serrulata</i> var. <i>serrulata</i> / 252
<i>Prunus nakaii</i> var. <i>rufinervis</i> / 249	<i>Prunus serrulata</i> var. <i>sontagiae</i> / 252
<i>Prunus oblongifolia</i> / 254	<i>Prunus serrulata</i> var. <i>spontanea</i> / 253
<i>Prunus padus</i> / 250	<i>Prunus serrulata</i> var. <i>spontanea</i> subvar. <i>pubescens</i> / 252
<i>Prunus padus</i> f. <i>glauca</i> / 251	<i>Prunus serrulata</i> var. <i>tomentella</i> / 252
<i>Prunus padus</i> f. <i>pubescens</i> / 251	<i>Prunus serrulata</i> var. <i>ungerii</i> / 253
<i>Prunus padus</i> f. <i>rufoserruginea</i> / 251	<i>Prunus serrulata</i> var. <i>vereucunda</i> / 252
<i>Prunus padus</i> f. <i>seoulensis</i> / 251	<i>Prunus sibirica</i> / 253
<i>Prunus padus</i> var. <i>glauca</i> / 251	<i>Prunus sibirica</i> var. <i>pubescens</i> / 253
<i>Prunus padus</i> var. <i>pubescens</i> / 250	<i>Prunus sieboldii</i> var. <i>sachalinensis</i> / 251
<i>Prunus padus</i> var. <i>pubescens</i> f. <i>purdomii</i> / 250	<i>Prunus sinensis</i> / 249
<i>Prunus padus</i> var. <i>rufoserruginea</i> / 251	<i>Prunus sontagiae</i> / 252
<i>Prunus padus</i> var. <i>seoulensis</i> / 250	<i>Prunus spachiana</i> f. <i>ascendens</i> / 253
<i>Prunus pendula</i> f. <i>ascendens</i> / 254	<i>Prunus spachiana</i> f. <i>spachiana</i> / 253
<i>Prunus pendula</i> f. <i>microlepis</i> / 254	<i>Prunus spachiana</i> var. <i>koshiensis</i> / 254
<i>Prunus pendula</i> var. <i>ascendens</i> / 253	<i>Prunus subhirtella</i> var. <i>ascendens</i> / 254
<i>Prunus pendula</i> var. <i>koshiensis</i> / 254	<i>Prunus subhirtella</i> var. <i>pendula</i> f. <i>ascendens</i> / 254
<i>Prunus persica</i> var. <i>davidiana</i> / 248	<i>Prunus takesimensis</i> / 254
<i>Prunus pseudocerasus</i> var. <i>borealis</i> / 251	<i>Prunus taquetii</i> / 328
<i>Prunus pseudocerasus</i> var. <i>jamasakura</i> subvar. <i>glabra</i> / 253	<i>Prunus tenuiflora</i> / 252
<i>Prunus pseudocerasus</i> var. <i>jamasakura</i> subvar. <i>pubescens</i> / 252	<i>Prunus tenuiflora</i> var. <i>pubescens</i> / 252
<i>Prunus pseudocerasus</i> var. <i>sachalinensis</i> / 251	<i>Prunus triflora</i> / 251
<i>Prunus pseudocerasus</i> var. <i>sieboldii</i> / 252	<i>Prunus triflora</i> var. <i>columnaris</i> / 251
<i>Prunus pseudocerasus</i> var. <i>spontanea</i> / 253	<i>Prunus triloba</i> var. <i>triloba</i> / 254
<i>Prunus pseudonakaii</i> / 249	<i>Prunus triloba</i> var. <i>truncata</i> / 254
<i>Prunus puddum</i> / 253	<i>Prunus undulata</i> f. <i>venosa</i> / 248
<i>Prunus pudibunda</i> / 252	<i>Prunus veitchii</i> / 252
<i>Prunus quelpaertensis</i> / 251	<i>Prunus venosa</i> / 248
<i>Prunus racemosa</i> / 250	<i>Prunus verecunda</i> / 251
<i>Prunus sachalinensis</i> / 251	<i>Prunus verecunda</i> f. <i>pendula</i> / 252
<i>Prunus salicina</i> / 251	<i>Prunus verecunda</i> f. <i>semiplena</i> / 252
<i>Prunus salicina</i> var. <i>columellaris</i> / 251	<i>Prunus verecunda</i> f. <i>sontagiae</i> / 252
<i>Prunus sargentii</i> / 251	<i>Prunus verecunda</i> f. <i>tomentella</i> / 252
<i>Prunus sargentii</i> f. <i>compta</i> / 252	<i>Prunus verecunda</i> var. <i>compta</i> / 252
<i>Prunus sargentii</i> var. <i>sargentii</i> / 251	<i>Prunus verecunda</i> var. <i>pendula</i> / 252
<i>Prunus sargentii</i> var. <i>vereucunda</i> / 251	<i>Prunus verecunda</i> var. <i>sontagiae</i> / 252
<i>Prunus seoulensis</i> / 250	<i>Prunus × yedoensis</i> var. <i>nudiflora</i> / 254

■ Scientific name Index

- Prunus × nudiflora* / 254
Prunus × yedoensis f. *nudiflora* / 254
Psedera thunbergii / 331
Psedera tricuspidata / 331
Pseudathyrium crenulatoserrulatum / 36
Pseudixis japonicus / 109
Pseudocarex plantaginea / 694
Pseudocyclosorus subochthodes / 31
Pseudocystopteris spinulosa / 35
Pseudognaphalium / 553
Pseudognaphalium affine / 553
Pseudognaphalium hypoleucum / 554
Pseudognaphalium luteoalbum subsp. *affine* / 553
Pseudolysimachion / 471
Pseudolysimachion dauricum / 471
Pseudolysimachion diamantiacum / 472
Pseudolysimachion insulare / 473
Pseudolysimachion kiusianum / 471
Pseudolysimachion kiusianum subsp. *kiusianum* var. *diamantiacum* / 471
Pseudolysimachion kiusianum subsp. *kiusianum* var. *kiusianum* / 471
Pseudolysimachion kiusianum var. *glabrifolium* / 472
Pseudolysimachion kiusianum var. *kiusianum* / 472
Pseudolysimachion kiusianum var. *villosum* / 471
Pseudolysimachion linariifolium / 472
Pseudolysimachion linariifolium subsp. *dilatatum* / 472
Pseudolysimachion linariifolium var. *dilatatum* / 472
Pseudolysimachion linariifolium var. *linariifolium* / 472
Pseudolysimachion linariifolium var. *villosum* / 472
Pseudolysimachion longifolium / 472
Pseudolysimachion nakaianum / 473
Pseudolysimachion ovatum / 473
Pseudolysimachion ovatum var. *diamantiacum* / 472
Pseudolysimachion pusanensis / 473
Pseudolysimachion pyrethrinum / 473
Pseudolysimachion pyrethrinum var. *gasanensis* / 473
Pseudolysimachion pyrethrinum var. *pyrethrinum* / 473
Pseudolysimachion rotundum / 473
Pseudolysimachion rotundum var. *coreanum* / 474
Pseudolysimachion rotundum var. *rotundum* / 473
Pseudolysimachion rotundum var. *subintegrum* / 474
Pseudophacelurus latifolius / 649
Pseudopogonatherum quadrinerve / 636
Pseudopogonatherum speciosum / 636
Pseudoraphis / 654
Pseudoraphis sordida / 654
Pseudoraphis ukishiba / 654
Pseudosasa / 655
Pseudosasa japonica / 655
Pseudosasa japonica f. *purpurascens* / 655
Pseudosasa japonica var. *purpurascens* / 655
Pseudosasa kurilensis / 657
Pseudosasa purpurascens / 656
Pseudosasa spiculosa / 656
Pseudosasa spiculosa f. *angustior* / 656
Pseudostellaria / 134
Pseudostellaria baekdusanensis / 134
Pseudostellaria bulbosa / 135
Pseudostellaria coreana / 134
Pseudostellaria davidi / 135
Pseudostellaria davidi × *P. palibiniana* / 136
Pseudostellaria heterophylla / 135
Pseudostellaria heterophylla var. *puberula* / 135
Pseudostellaria heterophylla × *P. palibin* / 136
Pseudostellaria japonica / 135
Pseudostellaria longipedicellata / 135
Pseudostellaria monantha / 135
Pseudostellaria okamotoi / 135
Pseudostellaria okamotoi f. *longipedicellata* / 135
Pseudostellaria okamotoi var. *longipedicellata* f. *daegwallyeongensis* / 135
Pseudostellaria okamotoi var. *longipedicellata* f. *palgongmolongiana* / 135
Pseudostellaria palibiniana / 136
Pseudostellaria palibiniana f. *hallasanensis* / 136
Pseudostellaria palibiniana f. *oreumiana* / 136
Pseudostellaria palibiniana var. *gageodoensis* / 136
Pseudostellaria rhaphanorrhiza / 135
Pseudostellaria setulosa / 136
Pseudostellaria sylvatica / 136
Pseudostellaria × *biseulsanensis* / 136
Pseudostellaria × *bohyeonsanensis* / 136
Pseudostellaria × *segeolsanensis* / 136
Pseudostellaria × *seoraksanensis* / 136
PSILOTACEAE / 11
Psilotum / 11
Psilotum nudum / 11
Ptarmica acuminata / 508
PTERIDACEAE / 19
Pteridium / 18
Pteridium aquilinum subsp. *latiusculum* / 18
Pteridium aquilinum var. *aquilinum* / 18
Pteridium aquilinum var. *latiusculum* / 18
Pterinodes orientalis / 33
Pterinodes struthiopteris / 33

<i>Pteris</i> / 22	<i>Pueraria lobata</i> / 290
<i>Pteris argentea</i> / 20	<i>Pueraria montana</i> var. <i>lobata</i> / 291
<i>Pteris cretica</i> / 22	<i>Pueraria thunbergiana</i> / 290
<i>Pteris cretica</i> subsp. <i>nipponica</i> / 23	<i>Pueraria volkensii</i> / 291
<i>Pteris dispar</i> / 22	<i>Pulsatilla</i> / 170
<i>Pteris excelsa</i> Gaudich. var. <i>excelsa</i> / 22	<i>Pulsatilla cernua</i> / 170
<i>Pteris excelsa</i> var. <i>fauriei</i> / 22	<i>Pulsatilla cernua</i> var. <i>koreana</i> / 170
<i>Pteris excelsa</i> var. <i>inaequalis</i> / 23	<i>Pulsatilla chinensis</i> / 170
<i>Pteris excelsa</i> var. <i>simplicior</i> / 22	<i>Pulsatilla dahurica</i> / 170
<i>Pteris fauriei</i> / 23	<i>Pulsatilla koreana</i> / 170
<i>Pteris inaequalis</i> / 23	<i>Pulsatilla koreana</i> f. <i>flava</i> / 170
<i>Pteris inaequalis</i> var. <i>simplicior</i> / 23	<i>Pulsatilla nivalis</i> / 170
<i>Pteris inaequalis</i> var. <i>aequata</i> / 23	<i>Pulsatilla</i> × <i>tongkangensis</i> / 170
<i>Pteris interrupta</i> / 27	<i>Pulsatilla</i> × <i>tongkangensis</i> f. <i>alba</i> / 170
<i>Pteris latiuscula</i> / 18	<i>Pulsatilla</i> × <i>tongkangensis</i> f. <i>disepala</i> / 171
<i>Pteris linearis</i> var. <i>fauriri</i> / 23	<i>Pulsatilla</i> × <i>tongkangensis</i> f. <i>longisepala</i> / 171
<i>Pteris multifida</i> / 23	<i>Pulsatilla</i> × <i>tongkangensis</i> f. <i>rosa</i> / 171
<i>Pteris nipponica</i> / 23	<i>Pulsatilla</i> × <i>yanbianensis</i> / 171
<i>Pteris semipinnata</i> / 23	<i>Pycnodoria multifida</i> / 23
<i>Pteris semipinnata</i> var. <i>aequata</i> / 23	<i>Pycnostelma chinense</i> / 420
<i>Pteris semipinnata</i> var. <i>dispar</i> / 22	<i>Pycnostelma paniculata</i> / 420
<i>Pteris semipinnata</i> var. <i>fauriei</i> / 22	<i>Pycreus</i> / 710
<i>Pteris terminalis</i> / 23	<i>Pycreus capillaris</i> / 710
<i>Pternopetalum</i> / 380	<i>Pycreus diaphanus</i> / 710
<i>Pternopetalum tanakae</i> / 380	<i>Pycreus eragrostis</i> / 711
<i>Pterocypsela elata</i> / 546	<i>Pycreus flavidus</i> / 710
<i>Pterocypsela indivisa</i> / 546	<i>Pycreus globosus</i> / 710
<i>Pterocypsela raddeana</i> / 546	<i>Pycreus polystachyos</i> / 710
<i>Pterocypsela triangulata</i> / 547	<i>Pycreus rubromarginatus</i> / 711
<i>Pterygocalyx</i> / 415	<i>Pycreus sanguinolentus</i> / 711
<i>Pterygocalyx volubilis</i> / 415	<i>Pyrethrum pallasianum</i> / 509
<i>Pterygopleurum</i> / 381	<i>Pyrethrum vulgare</i> / 566
<i>Pterygopleurum neurophyllum</i> / 381	<i>Pyrola</i> / 387
<i>Ptilagrostis mongholica</i> / 660	<i>Pyrola americana</i> var. <i>dahurica</i> / 387
<i>Puccinellia</i> / 655	<i>Pyrola asarifolia</i> subsp. <i>asarifolia</i> / 387
<i>Puccinellia adpressa</i> / 655	<i>Pyrola asarifolia</i> subsp. <i>incarnata</i> / 387
<i>Puccinellia chinamponensis</i> / 655	<i>Pyrola asarifolia</i> var. <i>incarnata</i> / 387
<i>Puccinellia coreensis</i> / 655	<i>Pyrola dahurica</i> / 387
<i>Puccinellia distans</i> var. <i>minor</i> / 655	<i>Pyrola denticulata</i> / 388
<i>Puccinellia kurilensis</i> / 655	<i>Pyrola incarnata</i> / 387
<i>Puccinellia nipponica</i> / 655	<i>Pyrola incarnata</i> subsp. <i>dahurica</i> / 387
<i>Puccinellia paupercula</i> / 655	<i>Pyrola incarnata</i> var. <i>japonica</i> / 388
<i>Puccinellia pumila</i> / 655	<i>Pyrola japonica</i> / 388
<i>Pueraria</i> / 290	<i>Pyrola japonica</i> f. <i>subaphylla</i> / 388
<i>Pueraria argyi</i> / 290	<i>Pyrola japonica</i> var. <i>japonica</i> / 388
<i>Pueraria bodinieri</i> / 290	<i>Pyrola japonica</i> var. <i>subaphylla</i> / 388
<i>Pueraria caerulea</i> / 291	<i>Pyrola minor</i> / 388
<i>Pueraria koten</i> / 291	

■ Scientific name Index

Pyrola renifolia / 388
Pyrola rotundifolia subsp. *dahurica* / 387
Pyrola rotundifolia subsp. *incarnata* / 387
Pyrola rotundifolia var. *incarnata* / 387
Pyrola rotundifolia var. *incarnata* f. *subaphylla* / 388
Pyrola secunda / 387
Pyrola soldanellifolia / 388
Pyrola subaphylla / 388
Pyrola uniflora / 386
Pyrrosia / 58
Pyrrosia hastata / 58
Pyrrosia linearifolia / 58
Pyrrosia lingua / 58
Pyrrosia petiolosa / 58
Pyrrosia tricuspis / 58
Pyrrosia × *nipponica* / 59
Pyrus / 254
Pyrus acidula / 256
Pyrus amoena / 256
Pyrus arakiana / 255
Pyrus aromatica / 256
Pyrus asakeensis / 255
Pyrus autumnalis / 255
Pyrus babauttiagi / 255
Pyrus baccata / 240
Pyrus baccata var. *mandshurica* / 241
Pyrus baccata var. *sibirica* / 241
Pyrus brunnea / 243
Pyrus calleryana var. *calleryana* / 254
Pyrus calleryana var. *fauriei* / 254
Pyrus communis var. *autumnalis* / 255
Pyrus communis var. *sinensis* / 255
Pyrus crassipes / 256
Pyrus cuneata / 255
Pyrus fauriei / 254
Pyrus ferruginea / 256
Pyrus hakunensis / 255
Pyrus higoensis / 255
Pyrus hondoensis / 256
Pyrus incubacea / 255
Pyrus insueta / 256
Pyrus insula / 256
Pyrus insularis / 256
Pyrus inutilis / 256
Pyrus invicibilis / 256
Pyrus iwatensis / 256
Pyrus jucunda / 256
Pyrus kaido / 241

Pyrus kiusiana / 255
Pyrus kleinhofiana / 255
Pyrus koshiensis / 256
Pyrus kumaensis / 256
Pyrus kunoriana / 256
Pyrus lasiogyna / 255
Pyrus leiostachya / 256
Pyrus longepedunculata / 256
Pyrus macrostipes / 256
Pyrus mayebarana / 256
Pyrus mengo / 242
Pyrus micrantha var. *macrophylla* / 269
Pyrus microcarpa / 241
Pyrus micromalus / 241
Pyrus mikado / 256
Pyrus miyabei / 269
Pyrus montana var. *rehderi* / 255
Pyrus nambuana / 256
Pyrus nankaiensis / 256
Pyrus nehiyamadonis / 255
Pyrus oblongolanceolata / 256
Pyrus obovoidea / 256
Pyrus oncocarpa / 256
Pyrus ovoidea / 256
Pyrus pohuashanensis / 270
Pyrus prunifolia / 241
Pyrus pseudocalleryana / 255
Pyrus pseudouipongensis / 255
Pyrus pyrifolia / 255
Pyrus pyrifolia var. *culta* / 255
Pyrus pyrifolia var. *montana* / 255
Pyrus ringo var. *kaido* / 241
Pyrus rivularis / 242
Pyrus rivularis var. *toringo* / 242
Pyrus rufoserruginea / 256
Pyrus saidaeana / 255
Pyrus seoulensis / 256
Pyrus serotina / 255
Pyrus serotina var. *culta* / 255
Pyrus sguarrosa / 256
Pyrus sieboldii / 242
Pyrus simonii / 256
Pyrus sinensis var. *culta* / 255
Pyrus sinensis var. *ussuriensis* / 256
Pyrus sohayakiensis / 255
Pyrus spectabilis var. *albescens* / 243
Pyrus spectabilis var. *kaido* / 241
Pyrus tajimensis / 255

Pyrus takuhokuensis / 255
Pyrus tambana / 255
Pyrus taquetii / 234
Pyrus tobishimensis / 255
Pyrus togashiana / 255
Pyrus toringo / 242
Pyrus toringo var. *incisa* / 242
Pyrus tremulans / 256
Pyrus tuchiyana / 255
Pyrus tungusiana / 255
Pyrus ugoensis / 256
Pyrus uipongensis / 255
Pyrus umemurana / 255
Pyrus ussuriensis / 256
Pyrus ussuriensis var. *acidula* / 256
Pyrus ussuriensis var. *diamantica* / 256
Pyrus ussuriensis var. *hakunensis* / 255
Pyrus ussuriensis var. *macrostipes* / 256
Pyrus uyematsuana / 255
Pyrus vaniotii / 234
Pyrus wayamana / 256
Pyrus yohohensis / 255
Pyrus yukinourana / 256
Pyrus zenskeana / 256
Pyxidaria cymulosa / 466

(Q)

Quercus / 90
Quercus acuta / 90
Quercus acuta var. *acutiformis* / 91
Quercus acutissima / 91
Quercus acutissima × *Q. variabilis* / 93
Quercus aliena / 91
Quercus aliena f. *heterophylla* / 91
Quercus aliena f. *monstrosa* / 91
Quercus aliena var. *acuteserrata* / 91
Quercus aliena var. *acuteserrata* f. *calvescens* / 91
Quercus aliena var. *acuticarpa* / 91
Quercus aliena var. *pellucida* / 91
Quercus aliena var. *rubripes* / 91
Quercus amamiana / 92
Quercus bambusifolia / 93
Quercus buergeri / 90
Quercus bungeana / 93
Quercus canescens / 93
Quercus canescens var. *urticifolia* / 93
Quercus chinensis / 93
Quercus crispula / 92

Quercus crispula var. *grosseserrata* / 92
Quercus crispula var. *mandshurica* / 92
Quercus crispula var. *sachalinensis* / 92
Quercus crispuloides / 92
Quercus cuspidata / 90
Quercus daimio / 91
Quercus dentata / 91
Quercus dentata var. *fallax* / 91
Quercus dentata var. *grandifolia* / 91
Quercus dentata var. *mccormickii* / 94
Quercus dentata var. *pinnatifida* / 91
Quercus dentata var. *wrightii* / 91
Quercus donarium / 94
Quercus gilva / 91
Quercus glandulifera / 93
Quercus glandulifera var. *brevipetiolata* / 93
Quercus glauca / 91
Quercus glauca f. *nudata* / 92
Quercus glauca var. *linearifolia* / 92
Quercus glauca var. *nudata* / 92
Quercus glauca var. *stenophylla* / 93
Quercus glauca var. *stricta* / 92
Quercus griffithii var. *glandulifera* / 93
Quercus grosseserrata / 92
Quercus hunanensis / 91
Quercus lacera / 92
Quercus laevigata / 90
Quercus liaotungensis / 92
Quercus major / 94
Quercus major var. *latifolia* / 95
Quercus marginata / 91
Quercus mongolica / 92
Quercus mongolica subsp. *crispula* / 92
Quercus mongolica var. *crispula* / 92
Quercus mongolica var. *grosseserrata* / 92
Quercus mongolica var. *laciniata* / 94
Quercus mongolica var. *liaotungensis* / 92
Quercus mongolica var. *liaotungensis* f. *funebris* / 92
Quercus mongolica var. *liaotungensis* f. *glabra* / 92
Quercus mongolica var. *mandshurica* / 92
Quercus mongolica var. *mongolica* / 92
Quercus mourei / 93
Quercus myrsinifolia / 92
Quercus myrsinifolia var. *sacifolia* / 93
Quercus neglecta / 93
Quercus neogladulosa var. *ovata* / 95
Quercus neoglandulifera / 95
Quercus neostuxbergii / 92

■ Scientific name Index

- Quercus nipponica* / 94
Quercus nipponica var. *koreana* / 94
Quercus obovata / 91
Quercus paucilepis / 94
Quercus pseudodentata / 94
Quercus salicina / 93
Quercus salicina f. *latifolia* / 93
Quercus sasakii / 92
Quercus serrata / 93
Quercus serrata f. *longicarpa* / 95
Quercus serrata Murray var. *brevipetiola* / 93
Quercus serrata var. *donarium* / 95
Quercus serrata var. *latifolia* / 95
Quercus serrata var. *longicarpa* / 95
Quercus serrata var. *pseudovariabilis* / 95
Quercus sessiliflora var. *mongolica* / 92
Quercus stenophylla / 93
Quercus stenophylla var. *latifolia* / 93
Quercus stenophylla var. *stenophylloides* / 93
Quercus stenophylloides / 93
Quercus tarokoensis / 94
Quercus uchiyamana / 91
Quercus urticifolia var. *brevipetiola* / 93
Quercus vaniotii / 92
Quercus variabilis / 93
Quercus vibrayeana / 92
Quercus × alienoides / 94
Quercus × alienoides var. *longissima* / 94
Quercus × alienoserratoidea / 94
Quercus × angustelepidota / 94
Quercus × angustelepipoda f. *brevisquamosa* / 94
Quercus × dentato-mongolica / 94
Quercus × faberi / 94
Quercus × koreana / 94
Quercus × mccormickii / 94
Quercus × mccormickii var. *koreana* / 94
Quercus × mongolicidentata / 94
Quercus × mongolicidentata var. *longifolia* / 94
Quercus × pongtungensis / 94
Quercus × serratoidea / 92
Quercus × serratoidea var. *ovata* / 92
Quercus × urticifolia / 94
Queria trichotoma / 337
- (R)
Rabdosia excisa / 447
Rabdosia inflexa / 447
Rabdosia inflexa f. *albiflora* / 447
- Rabdosia inflexa* var. *transticus* / 447
Rabdosia serra / 448
Rabdosia umbrosa var. *coreanus* / 447
Radicula indica / 212
Radicula montana / 212
Radicula palustris / 212
Rajania hexaphylla / 179
Rajania quinata / 179
Ramischia secunda / 387
Ramischia secundiflora / 387
Rangium koreanum / 404
Rangium koreanum var. *autumnalis* / 404
Rangium nakaii / 405
Rangium ovatum / 405
Rangium saxatilis / 405
RANUNCULACEAE / 152
Ranunculus / 171
Ranunculus acris subsp. *acris* / 171
Ranunculus acris subsp. *japonicus* / 172
Ranunculus acris subsp. *novus* / 171
Ranunculus acris var. *japonicus* / 172
Ranunculus brachyrhynchus / 171
Ranunculus cantoniensis / 171
Ranunculus cantoniensis subsp. *tachiroei* / 173
Ranunculus chinensis / 171
Ranunculus crucilobus / 171
Ranunculus crucilobus var. *chrysotrichus* / 172
Ranunculus crucilobus var. *glabratus* / 171
Ranunculus cymbalaria subsp. *sarmentosus* / 168
Ranunculus cymbalaria subsp. *subsimilis* / 168
Ranunculus diffusus / 171
Ranunculus extorris / 173
Ranunculus fauriei / 172
Ranunculus franchetii / 172
Ranunculus franchetii var. *hallasanensis* / 172
Ranunculus gmelinii / 172
Ranunculus grandis / 172
Ranunculus grandis var. *austrokurilensis* / 172
Ranunculus hakkodensis var. *quelpaertensis* / 173
Ranunculus japonicus / 172
Ranunculus japonicus f. *hirsutus* / 171
Ranunculus japonicus f. *latissimus* / 172
Ranunculus japonicus subsp. *japonicus* var. *chrysotrichus* / 172
Ranunculus japonicus var. *crucilobus* / 172
Ranunculus japonicus var. *latissimus* / 172
Ranunculus kadzusensis / 172
Ranunculus labordei / 172
Ranunculus langsdorffii / 172

<i>Ranunculus novus</i> / 171	<i>RHAMNACEAE</i> / 326
<i>Ranunculus paishanensis</i> / 172	<i>Rhamnella</i> / 327
<i>Ranunculus pensylvanicus</i> var. <i>chinensis</i> / 171	<i>Rhamnella berchemiifolia</i> / 326
<i>Ranunculus polyccephalus</i> / 171	<i>Rhamnella franguloides</i> / 327
<i>Ranunculus polyrhizos</i> var. <i>major</i> / 172	<i>Rhamnella japonica</i> / 327
<i>Ranunculus pusillus</i> / 172	<i>Rhamnella obovalis</i> / 327
<i>Ranunculus quelpaertensis</i> / 172	<i>Rhamnus</i> / 327
<i>Ranunculus repens</i> / 173	<i>Rhamnus cathartica</i> var. <i>davurica</i> / 327
<i>Ranunculus repens</i> var. <i>brevistylus</i> / 173	<i>Rhamnus crenata</i> / 327
<i>Ranunculus repens</i> var. <i>major</i> / 173	<i>Rhamnus davurica</i> / 327
<i>Ranunculus repens</i> var. <i>quelpaertensis</i> / 173	<i>Rhamnus davurica</i> var. <i>japonica</i> / 327
<i>Ranunculus salsuginosus</i> / 168	<i>Rhamnus diamantiaca</i> / 327
<i>Ranunculus sarmentosus</i> / 168	<i>Rhamnus glabra</i> / 328
<i>Ranunculus sceleratiformis</i> / 171	<i>Rhamnus glabra</i> var. <i>manshurica</i> / 328
<i>Ranunculus sceleratus</i> / 173	<i>Rhamnus globosa</i> var. <i>glabra</i> / 328
<i>Ranunculus silerifolius</i> / 171	<i>Rhamnus globosa</i> var. <i>taquetii</i> / 328
<i>Ranunculus subsimilis</i> / 168	<i>Rhamnus koraiensis</i> / 327
<i>Ranunculus tachiroei</i> / 173	<i>Rhamnus parvifolia</i> / 328
<i>Ranunculus tachiroei</i> f. <i>glabrescens</i> / 173	<i>Rhamnus parvifolia</i> var. <i>tumetica</i> / 328
<i>Ranunculus ternatus</i> / 173	<i>Rhamnus polymorphus</i> / 328
<i>Ranunculus ternatus</i> var. <i>hirsutus</i> / 171	<i>Rhamnus pseudofrangula</i> / 327
<i>Ranunculus ternatus</i> var. <i>quelpaertensis</i> / 173	<i>Rhamnus schneideri</i> / 328
<i>Ranunculus ussuriensis</i> / 172	<i>Rhamnus schneideri</i> var. <i>manshurica</i> / 328
<i>Ranunculus vernyi</i> var. <i>hirsutus</i> / 171	<i>Rhamnus shozyoensis</i> / 328
<i>Ranunculus vernyi</i> var. <i>japonicus</i> / 171	<i>Rhamnus taquetii</i> / 328
<i>Ranunculus vernyi</i> var. <i>quelpaertensis</i> / 173	<i>Rhamnus thea</i> / 328
<i>Ranunculus yezoensis</i> / 173	<i>Rhamnus theezans</i> / 328
<i>Ranunculus zuccarinii</i> / 173	<i>Rhamnus tumetica</i> / 328
<i>Raphanus</i> / 211	<i>Rhamnus ussuriensis</i> / 328
<i>Raphanus sativus</i> var. <i>hortensis</i> f. <i>hortensis</i> / 211	<i>Rhamnus virgata</i> var. <i>sylvestris</i> / 328
<i>Raphanus sativus</i> var. <i>hortensis</i> f. <i>rapanistroides</i> / 211	<i>Rhamnus yoshinoi</i> / 328
<i>Rapantium chinense</i> / 505	<i>Rhamnus yoshinoi</i> var. <i>manshurica</i> / 328
<i>Rapantium kamtschaticum</i> / 506	<i>Rhamphidia japonica</i> / 731
<i>Rebdesia japonica</i> / 448	<i>Rhaphiolepis</i> / 257
<i>Reichardia decapetala</i> / 277	<i>Rhaphiolepis indica</i> subsp. <i>umbellata</i> / 257
<i>Rellesta cyanea</i> / 416	<i>Rhaphiolepis indica</i> subsp. <i>umbellata</i> var. <i>liukiuensis</i> / 257
<i>Reynoutria cilinervis</i> / 113	<i>Rhaphiolepis indica</i> var. <i>indica</i> / 257
<i>Reynoutria compacta</i> / 114	<i>Rhaphiolepis indica</i> var. <i>integerrima</i> / 257
<i>Reynoutria elliptica</i> / 114	<i>Rhaphiolepis indica</i> var. <i>integerrima</i> f. <i>umbellata</i> / 257
<i>Reynoutria forbesii</i> / 114	<i>Rhaphiolepis indica</i> var. <i>liukiuensis</i> / 257
<i>Reynoutria japonica</i> / 114	<i>Rhaphiolepis indica</i> var. <i>umbellata</i> / 257
<i>Reynoutria japonica</i> var. <i>compacta</i> / 114	<i>Rhaphiolepis integerrima</i> / 257
<i>Reynoutria japonica</i> var. <i>humilis</i> / 114	<i>Rhaphiolepis integerrima</i> var. <i>mertensii</i> / 257
<i>Reynoutria japonica</i> var. <i>uzenensis</i> / 114	<i>Rhaphiolepis japonica</i> / 257
<i>Reynoutria sachalinensis</i> / 115	<i>Rhaphiolepis japonica</i> var. <i>integerrima</i> / 257
<i>Reynoutria scandens</i> var. <i>dumetorum</i> / 114	<i>Rhaphiolepis liukiuensis</i> / 257
<i>Reynoutria uzenensis</i> / 114	<i>Rhaphiolepis mertensii</i> / 257
<i>Rhachidosorus mesosorus</i> / 40	<i>Rhaphiolepis mertensii</i> var. <i>ovata</i> / 257

■ Scientific name Index

- Rhaphiolepis ovata* / 257
Rhaphiolepis umbellata / 257
Rhaphiolepis umbellata f. *integerrima* / 257
Rhaphiolepis umbellata f. *ovata* / 257
Rhaphiolepis umbellata subsp. *integerrima* / 257
Rhaphiolepis umbellata subsp. *liukiuensis* / 257
Rhaphiolepis umbellata var. *integerrima* / 257
Rhaphiolepis umbellata var. *liukiuensis* / 257
Rhaphiolepis umbellata var. *mertensii* / 257
Rhaponticum atriplicifolium / 565
Rhaponticum dahuricum / 564
Rhaponticum monanthum / 564
Rhaponticum uniflorum / 564
Rheum / 125
Rheum coreanum / 125
Rhodiola / 218
Rhodiola angusta / 218
Rhodiola elongata / 218
Rhodiola komarovii / 218
Rhodiola ramosa / 218
Rhodiola rosea / 219
Rhododendron / 388
Rhododendron aureum / 388
Rhododendron brachycarpum / 388
Rhododendron brachycarpum subsp. *tigerstedtii* / 389
Rhododendron brachycarpum var. *roseum* / 389
Rhododendron brachycarpum var. *tigerstedtii* / 389
Rhododendron chrysanthum / 388
Rhododendron confertissimum / 389
Rhododendron coreanum / 391
Rhododendron dauricum / 389
Rhododendron dauricum var. *mucronulatum* / 389
Rhododendron dauricum var. *roseum* / 389
Rhododendron hallaisanense / 391
Rhododendron keiskei var. *hypoglaucum* / 389
Rhododendron keiskei var. *keiskei* / 389
Rhododendron lapponicum subsp. *lapponicum* / 389
Rhododendron lapponicum subsp. *parvifolium* / 389
Rhododendron lapponicum subsp. *parvifolium* f. *albiflorum* / 389
Rhododendron lapponicum subsp. *parvifolium* var. *alpinu* / 389
Rhododendron matsumurae / 391
Rhododendron micranthum / 389
Rhododendron mucronulatum / 389
Rhododendron mucronulatum f. *albiflorum* / 390
Rhododendron mucronulatum f. *lucidum* / 390
Rhododendron mucronulatum var. *acuminatum* / 390
Rhododendron mucronulatum var. *albiflorum* / 389
Rhododendron mucronulatum var. *ciliatum* / 390
Rhododendron mucronulatum var. *latifolium* / 389
Rhododendron mucronulatum var. *lucidum* / 390
Rhododendron mucronulatum var. *mucronulatum* / 390
Rhododendron mucronulatum var. *taquetii* / 390
Rhododendron officinale / 388
Rhododendron palustre / 389
Rhododendron parvifolium / 389
Rhododendron poukhanense / 391
Rhododendron poukhanense var. *plenum* / 391
Rhododendron redowskianum / 390
Rhododendron schlippenbachii / 390
Rhododendron shikokianum / 391
Rhododendron shikokianum var. *nudistemon* / 391
Rhododendron sobayakienense var. *koreanum* / 390
Rhododendron sobayakienense var. *sobayakienense* / 390
Rhododendron trinerve / 390
Rhododendron tschonoskii subsp. *trinerve* / 391
Rhododendron tschonoskii var. *trinerve* / 391
Rhododendron weyrichii / 391
Rhododendron weyrichii var. *psilotylum* / 391
Rhododendron yedoense / 391
Rhododendron yedoense f. *albiflora* / 391
Rhododendron yedoense f. *plenum* / 391
Rhododendron yedoense f. *poukhanense* / 391
Rhododendron yedoense f. *yedoense* / 391
Rhododendron yedoense var. *hallaisanense* / 391
Rhododendron yedoense var. *poukhanense* / 391
Rhododendron yedoense var. *poukhanense* f. *leucanthum* / 391
Rhodotypos / 258
Rhodotypos kerrioides / 258
Rhodotypos scandens / 258
Rhodotypos tetrapetala / 258
Rhus / 311
Rhus ailanthoides / 310
Rhus ambigua / 311
Rhus bofillii / 317
Rhus chinensis / 311
Rhus echinocarpa / 312
Rhus javanica var. *chinensis* / 311
Rhus osbeckii / 311
Rhus pubigera / 312
Rhus semialata / 311
Rhus semialata var. *osbeckii* / 311
Rhus succedanea / 311
Rhus succedanea var. *discolor* / 312
Rhus succedanea var. *japonica* / 312
Rhus sylvestris / 312
Rhus trichocarpa / 312

Rhynchosia / 291
Rhynchosia acuminatifolia / 291
Rhynchosia argyi / 280
Rhynchosia volubilis / 291
Rhynchospermum / 554
Rhynchospermum verticillatum / 554
Rhynchospora / 711
Rhynchospora alba / 711
Rhynchospora alba var. *kiushiana* / 711
Rhynchospora breviseta / 711
Rhynchospora chinensis / 711
Rhynchospora coreana / 711
Rhynchospora faberi / 711
Rhynchospora fauriei / 711
Rhynchospora franchetiana / 711
Rhynchospora fujiana / 711
Rhynchospora glauca var. *chinensis* / 711
Rhynchospora japonica / 711
Rhynchospora laxa / 711
Rhynchospora longisetigera / 711
Rhynchospora malasica / 712
Rhynchospora nipponica / 712
Rhynchospora rubra / 712
Rhytispernum arvense / 436
Ribes / 230
Ribes albinervium / 232
Ribes alpinum var. *mandshuricum* / 232
Ribes billiardii / 231
Ribes burejense / 230
Ribes chifuense / 231
Ribes ciliosum / 232
Ribes diacanthum / 230
Ribes distans var. *breviracemum* / 231
Ribes distans var. *mandshuricum* / 232
Ribes fasciculatum / 230
Ribes fasciculatum var. *chinense* / 231
Ribes fasciculatum var. *fasciculatum* / 231
Ribes fasciculatum var. *japonicum* / 230
Ribes grossularioides / 230
Ribes horridum / 231
Ribes japonicum / 230
Ribes komarovii / 231
Ribes komarovii f. *breviracemum* / 231
Ribes komarovii var. *breviracemum* / 231
Ribes komarovii var. *komarovii* / 231
Ribes lacustre var. *horridum* / 231
Ribes latifolium / 231
Ribes macrocalyx / 230

Ribes mandshuricum / 231
Ribes mandshuricum f. *subglabrum* / 232
Ribes mandshuricum var. *mandshuricum* / 232
Ribes mandshuricum var. *subglabrum* / 232
Ribes mandshuricum var. *villosum* / 232
Ribes maximowiczianum / 232
Ribes maximowiczianum var. *saxatile* / 231
Ribes maximowiczianum var. *umbrosum* / 232
Ribes maximowiczii / 232
Ribes melancholicum / 232
Ribes multiflorum var. *mandshuricum* / 231
Ribes nigrum var. *pauciflorum* / 232
Ribes pauciflorum / 232
Ribes petraeum var. *mongolicum* / 232
Ribes procumbens / 232
Ribes propinquum / 232
Ribes rubrum / 232
Ribes rubrum var. *gabella* / 232
Ribes rubrum var. *propinquum* / 232
Ribes tricuspe / 232
Ribes triste / 232
Ribes ussuricense / 233
Ricotia cantoniensis / 211
Ringentiarum glaucescens / 663
Ringentiarum ringens / 664
Ringentiarum ringens var. *sieboldii* / 664
Rodgersia / 224
Rodgersia japonica / 225
Rodgersia podophylla / 224
Rodgersia tabularis / 221
Roegneria ciliaris / 633
Roegneria gmelini / 634
Roegneria hackeliana / 633
Roegneria japonensis var. *hackeliana* / 633
Roegneria kamoji / 635
Roegneria racemifera var. *hackeliana* / 633
Roegneria turczaninovii / 634
Rompelia polymorpha / 370
Rorella longifolia / 194
Rorella rotundifolia / 194
Rorippa / 211
Rorippa apetala / 211
Rorippa atrovirens / 212
Rorippa cantoniensis / 211
Rorippa globosa / 211
Rorippa indica / 211
Rorippa microsperma / 211
Rorippa microsperma var. *vegetior* / 211

■ Scientific name Index

Rorippa montata / 212
Rorippa palustris / 212
Rorippa sinapis / 212
Rorippa sublyrata / 212
Rosa / 258
Rosa acicularis / 258
Rosa acicularis var. *carellica* / 258
Rosa acicularis var. *gmelini* / 258
Rosa acicularis var. *taquetii* / 258
Rosa adenochaeta / 261
Rosa amblyotis / 258
Rosa ampullicarpa / 260
Rosa carelica / 258
Rosa cinnamomea / 261
Rosa cinnamomea var. *daurica* / 258
Rosa cinnamomea var. *davurica* / 258
Rosa coreana / 260
Rosa coruscans / 261
Rosa davurica / 258
Rosa davurica f. *alba* / 259
Rosa davurica f. *davurica* / 259
Rosa davurica f. *ellipsoidea* / 259
Rosa davurica var. *alba* / 259
Rosa davurica var. *alpestris* / 259
Rosa davurica var. *davurica* / 259
Rosa davurica var. *ellipsoidea* / 259
Rosa davurica var. *glabra* / 259
Rosa davurica var. *setaea* / 259
Rosa dawsoniana / 260
Rosa diversistyla / 260
Rosa fauriei / 258
Rosa ferox / 261
Rosa franchetii var. *paniculigera* / 261
Rosa gmelini / 258
Rosa gmelinii / 258
Rosa granulosa / 258
Rosa granulosa var. *coreana* / 260
Rosa intermedia / 260
Rosa jackii / 260
Rosa jackii var. *pilosa* / 260
Rosa jacutica / 259
Rosa jaluana / 259
Rosa kamatchatica / 261
Rosa kamchatica var. *ferox* / 261
Rosa kamchatica var. *nitens* / 261
Rosa kelleri / 260
Rosa kokusanensis / 259
Rosa koreana / 259

Rosa korsakoviensis / 258
Rosa lucieae / 259
Rosa lucieae var. *aculeatissima* / 260
Rosa lucieae var. *taquetiana* / 260
Rosa lucieae var. *wichuraiana* / 259
Rosa marretii / 259
Rosa marretii var. *alpestris* / 259
Rosa maximowicziana / 260
Rosa maximowicziana f. *adenocalyx* / 260
Rosa maximowicziana f. *leiocalyx* / 260
Rosa maximowicziana var. *adenocalyx* / 260
Rosa maximowicziana var. *coreana* / 260
Rosa maximowicziana var. *jackii* / 260
Rosa maximowicziana var. *kokusanensis* / 260
Rosa maximowicziana var. *pilosa* / 260
Rosa mokanensis / 259
Rosa multiflora / 260
Rosa multiflora f. *inermis* / 261
Rosa multiflora var. *adenochaeta* / 261
Rosa multiflora var. *adenophora* / 260
Rosa multiflora var. *platyphylla* / 260
Rosa multiflora var. *quelpaertensis* / 261
Rosa nakaiana / 260
Rosa polyantha / 260
Rosa polyantha var. *adenochaeta* / 261
Rosa polyantha var. *quelpaertensis* / 261
Rosa pubescens / 261
Rosa quelpaertensis / 260
Rosa regeliana / 261
Rosa rubro-stipullata / 259
Rosa rubro-stipullata var. *alpestris* / 259
Rosa rugosa / 261
Rosa rugosa f. *plena* / 261
Rosa rugosa var. *amurensis* / 261
Rosa rugosa var. *chamissoniana* / 261
Rosa rugosa var. *coruscans* / 261
Rosa rugosa var. *kamtschatica* / 261
Rosa rugosa var. *lindiana* / 261
Rosa rugosa var. *plena* / 261
Rosa rugosa var. *regeliana* / 261
Rosa rugosa var. *rubra* / 261
Rosa rugosa var. *rubroplena* / 261
Rosa rugosa var. *subinermis* / 261
Rosa rugosa var. *thunbergiana* / 261
Rosa rugosa var. *ventenatiana* / 261
Rosa sayi / 258
Rosa spinosissima / 261
Rosa spinosissima var. *mandshurica* / 260

<i>Rosa stricta</i> / 258	<i>Rubia chinensis</i> f. <i>glabrescens</i> / 430
<i>Rosa suavis</i> var. <i>gmelini</i> / 258	<i>Rubia chinensis</i> var. <i>glabrescens</i> / 430
<i>Rosa suavis</i> var. <i>taquetii</i> / 258	<i>Rubia chinensis</i> var. <i>glabrescens</i> f. <i>mitis</i> / 430
<i>Rosa taisensis</i> / 262	<i>Rubia chinensis</i> var. <i>pedicellata</i> / 430
<i>Rosa taquetii</i> / 259	<i>Rubia cordifolia</i> / 430
<i>Rosa taquetii</i> / 258	<i>Rubia cordifolia</i> f. <i>pratensis</i> / 430
<i>Rosa thunbergii</i> / 260	<i>Rubia cordifolia</i> subsp. <i>hexaphylla</i> / 430
<i>Rosa thrysiflora</i> / 260	<i>Rubia cordifolia</i> subsp. <i>pratensis</i> / 430
<i>Rosa tsusimensis</i> / 260	<i>Rubia cordifolia</i> var. <i>hexaphylla</i> / 430
<i>Rosa wichurana</i> / 259	<i>Rubia cordifolia</i> var. <i>pratensis</i> / 430
<i>Rosa wichurana</i> f. <i>ellipsoidea</i> / 260	<i>Rubia cordifolia</i> var. <i>sylvatica</i> / 431
<i>Rosa wichurana</i> var. <i>ampullicarpa</i> / 260	<i>Rubia gracilis</i> / 425
<i>Rosa wichurana</i> var. <i>rosiflora</i> / 260	<i>Rubia hexaphylla</i> / 430
<i>Rosa wichurana</i> var. <i>taisensis</i> / 262	<i>Rubia jesoensis</i> / 430
<i>Rosa willdenowii</i> / 259	<i>Rubia linnaeana</i> / 426
<i>Rosa yokoscensis</i> / 260	<i>Rubia mitis</i> / 430
ROSACEAE / 233	<i>Rubia mitis</i> f. <i>glabrescens</i> / 430
<i>Roscyna ascryon</i> / 191	<i>Rubia pedicellata</i> / 430
<i>Roscyna japonica</i> / 191	<i>Rubia pratensis</i> / 430
<i>Roshevitzia japonica</i> / 635	<i>Rubia pubescens</i> / 430
<i>Rossolis rotundifolia</i> / 194	<i>Rubia sylvatica</i> / 431
<i>Rotala</i> / 353	RUBIACEAE / 422
<i>Rotala densiflora</i> var. <i>formosana</i> / 353	<i>Rubus</i> / 262
<i>Rotala elatinomorpha</i> / 354	<i>Rubus ampelophyllum</i> / 263
<i>Rotala indica</i> / 353	<i>Rubus arcticus</i> / 262
<i>Rotala indica</i> var. <i>koreana</i> / 353	<i>Rubus argyi</i> / 263
<i>Rotala indica</i> var. <i>uliginosa</i> / 353	<i>Rubus asper</i> / 266
<i>Rotala koreana</i> / 354	<i>Rubus asper</i> var. <i>myriadenus</i> / 266
<i>Rotala leptopetala</i> var. <i>littorea</i> / 354	<i>Rubus bodinieri</i> / 262
<i>Rotala littorea</i> / 354	<i>Rubus buergeri</i> / 262
<i>Rotala mexicana</i> / 354	<i>Rubus chamaemorus</i> / 262
<i>Rotala mexicana</i> subsp. <i>pusilla</i> / 354	<i>Rubus corchorifolius</i> / 262
<i>Rotala mexicana</i> var. <i>spruceana</i> / 354	<i>Rubus corchorifolius</i> var. <i>glaber</i> / 262
<i>Rotala pusilla</i> / 354	<i>Rubus corchorifolius</i> var. <i>oliveri</i> / 262
<i>Rotala rosea</i> / 354	<i>Rubus coreanus</i> / 262
<i>Rotala uliginosa</i> / 354	<i>Rubus coreanus</i> f. <i>inermis</i> / 263
<i>Rottboellia anthephoroidea</i> / 641	<i>Rubus coreanus</i> f. <i>viridicaulis</i> / 263
<i>Rottboellia compressa</i> var. <i>japonica</i> / 639	<i>Rubus coreanus</i> var. <i>concolor</i> / 263
<i>Rottboellia japonica</i> / 639	<i>Rubus coreanus</i> var. <i>coreanus</i> / 263
<i>Rottboellia latifolia</i> / 649	<i>Rubus coreanus</i> var. <i>nakaianus</i> / 263
<i>Rottboellia latifolia</i> var. <i>angustifolia</i> / 650	<i>Rubus crataegifolius</i> / 263
<i>Rottboellia sibirica</i> / 639	<i>Rubus crataegifolius</i> var. <i>wrightii</i> / 263
<i>Rottlera japonica</i> / 305	<i>Rubus croceacanthus</i> / 263
<i>Rubia</i> / 430	<i>Rubus croceacanthus</i> var. <i>glabra</i> / 263
<i>Rubia akane</i> / 430	<i>Rubus defensus</i> / 264
<i>Rubia argyi</i> / 430	<i>Rubus hiraseanus</i> / 262
<i>Rubia argyi</i> var. <i>pubescens</i> / 431	<i>Rubus hirsutus</i> / 263
<i>Rubia chinensis</i> / 430	<i>Rubus hirsutus</i> f. <i>argyi</i> / 264

■ Scientific name Index

Rubus hirsutus f. *xanthocarpus* / 264

Rubus hirsutus var. *argyi* / 264

Rubus hirsutus var. *xanthocarpus* / 264

Rubus hoatiensis / 263

Rubus hongnoensis / 264

Rubus idaeus subsp. *inermis* / 264

Rubus idaeus subsp. *melanolasius* / 264

Rubus idaeus subsp. *melanolasius* var. *hondoensis* / 264

Rubus idaeus var. *aculeatissimus* / 264

Rubus idaeus var. *coreanus* / 264

Rubus idaeus var. *idaeus* / 264

Rubus idaeus var. *matsumurae* / 264

Rubus idaeus var. *microphyllus* / 264

Rubus ikenoensis / 264

Rubus isensis / 263

Rubus itoensis / 263

Rubus kerriafolius / 262

Rubus kinokuniensis / 263

Rubus kiusianus / 263

Rubus longisepalus f. *tozawae* / 266

Rubus longisepalus var. *tozawae* / 266

Rubus matsumuranus var. *concolor* / 264

Rubus matsumuranus var. *matsumuranus* / 264

Rubus melanolasius / 264

Rubus myriadenum / 266

Rubus nishimuranus / 264

Rubus okinawaensis / 263

Rubus oldhamii / 265

Rubus oldhamii var. *roseus* / 266

Rubus oliveri / 262

Rubus ouensanensis / 263

Rubus palmatus / 265

Rubus palmatus var. *coptophyllus* / 265

Rubus palmatus var. *palmatus* / 265

Rubus parvifolius / 265

Rubus parvifolius f. *subpinnatus* / 265

Rubus parvifolius var. *concolor* / 265

Rubus parvifolius var. *subpinnata* / 265

Rubus parvifolius var. *taquetii* / 265

Rubus parvifolius var. *triphyllus* / 265

Rubus phoenicolasius / 265

Rubus phoenicolasius var. *albiflorus* / 265

Rubus phoenicolasius var. *phoenicolasius* / 265

Rubus pseudobuergeri / 262

Rubus pseudochamaemorus / 262

Rubus pseudosaxatilis / 262

Rubus pungens / 265

Rubus pungens var. *oldhamii* / 265

Rubus pungens var. *oldhamii* f. *roseus* / 266

Rubus quelpaertensis / 263

Rubus ribisoideus / 266

Rubus rosifolius var. *sorbifolius* / 266

Rubus rosifolius var. *tropicus* / 263

Rubus sachalinensis var. *coreanus* / 264

Rubus sachalinensis var. *macrophyllus* / 264

Rubus savatieri / 263

Rubus schizostylus / 266

Rubus shimadai / 262

Rubus sorbifolius / 266

Rubus sorbifolius var. *myriadenus* / 266

Rubus stephanandra / 263

Rubus sumatratus / 266

Rubus takesimensis / 266

Rubus talaikiaensis / 263

Rubus taquetii / 265

Rubus thunbergii / 263

Rubus thunbergii var. *argyi* / 263

Rubus thunbergii var. *talaikiensis* / 264

Rubus tokkura / 262

Rubus tozawae / 266

Rubus tozawae var. *longisepalus* / 266

Rubus trifidus / 266

Rubus trifidus var. *tomentosus* / 265

Rubus triphyllus / 265

Rubus triphyllus var. *concolor* / 265

Rubus triphyllus var. *subconcolor* / 265

Rubus triphyllus var. *taquetii* / 265

Rubus tschonoskii / 264

Rubus umbellifer / 333

Rubus vaniotii / 262

Rubus villosus / 262

Rubus wrightii / 263

Ruellia antipoda / 465

Ruellia ringens / 476

Ruellia salicifolia / 477

Rumex / 126

Rumex acetosa / 126

Rumex acetosa subsp. *alpestris* / 126

Rumex acetosa subsp. *auriculatus* / 126

Rumex acetosa subsp. *pratensis* / 126

Rumex acetosa var. *pratensis* / 126

Rumex acetosa var. *vulgaris* / 126

Rumex acidus / 126

Rumex alpestris / 126

Rumex amurensis / 127

Rumex aquaticus / 126

- Rumex aquaticus* var. *kolaensis* / 126
Rumex aureus / 127
Rumex biformis / 127
Rumex crispus subsp. *japonicus* / 127
Rumex crispus var. *dentatus* / 127
Rumex crispus var. *japonicus* / 127
Rumex digynus / 115
Rumex domesticus / 127
Rumex gmelinii / 126
Rumex hadrocarpus / 127
Rumex hippolapathum / 127
Rumex hippolapathum var. *domesticus* / 127
Rumex hippolapathum var. *palustris* / 126
Rumex japonicus / 126
Rumex japonicus var. *yedoensis* / 127
Rumex latifolius / 126
Rumex longifolius / 127
Rumex maritimus / 127
Rumex micranthus / 126
Rumex montanus / 126
Rumex nikkoensis / 127
Rumex obtusifolius var. *cristatus* / 127
Rumex ochotikius / 127
Rumex odontocarpus / 127
Rumex odontocarpus var. *japonicus* / 127
Rumex palustris / 127
Rumex pratensis / 126
Rumex protractus / 126
Rumex regelii / 127
Rumex reniformis / 115
Rumex stenophyllus / 127
Rumex stenophyllus var. *ussuriensis* / 127
Rumex suzukianus / 127
Rumex umbellatus / 116
Rumex ussuriensis / 127
Rumex yezoensis / 127
Rumohra amabilis / 42
Rumohra maximowiczii / 49
Rumohra miqueliania / 42
Rumohra mutica / 42
Rumohra pseudoaristata / 43
Rumohra standishii / 43
Rupiphila tachiroei / 377
Ruppia / 578
Ruppia cirrhosa / 579
Ruppia maritima / 579
Ruppia maritima subsp. *rostellata* / 579
Ruppia maritima subsp. *spiralis* / 579
Ruppia maritima var. *longipes* / 579
Ruppia maritima var. *pacifica* / 579
Ruppia maritima var. *pedunculata* / 579
Ruppia maritima var. *rostrata* / 579
Ruppia maritima var. *spiralis* / 579
Ruppia rostellata / 579
Ruppia spiralis / 579
Ruppia taquetii / 579
RUPPIACEAE / 578
RUTACEAE / 307
Ruyschiiana speciosa / 444

(S)

- Sabia cavaleriei* / 308
Sabia feddei / 308
SABIACEAE / 316
Sabina chinensis / 66
Sabina chinensis var. *procumbens* / 66
Sabina chinensis var. *sargentii* / 67
Sabina davurica / 67
Sabina pacifica / 66
Sabina procumbens / 66
Sabina sargentii / 67
Saccharum japonicum / 645
Saccharum koenigii / 640
Sacciolepis / 655
Sacciolepis indica / 655
Sacciolepis indica var. *indica* / 656
Sacciolepis indica var. *oryzetorum* / 656
Sacciolepis oryzetorum / 656
Sacciolepis spicata / 655
Saccolabium japonicum / 725
Saccolabium matsuran / 725
Sacodon macranthum / 722
Sageretia / 328
Sageretia laetevirens / 329
Sageretia thea / 328
Sageretia thea var. *tomentosa* / 329
Sageretia theezans / 329
Sageretia theezans f. *tomentosa* / 329
Sageretia theezans var. *tomentosa* / 329
Sagina / 136
Sagina crassicaulis / 137
Sagina crassicaulis var. *littorea* / 137
Sagina echinosperma / 137
Sagina japonica / 136
Sagina linnaei / 137
Sagina linnaei var. *maxima* / 137

■ Scientific name Index

<i>Sagina linnaei</i> var. <i>maxima</i> f. <i>maritima</i> / 137	<i>Salix brayi</i> / 76
<i>Sagina litoralis</i> / 137	<i>Salix caprea</i> / 76
<i>Sagina maxima</i> / 137	<i>Salix caprea</i> f. <i>caprea</i> / 76
<i>Sagina maxima</i> f. <i>crassicaulis</i> / 137	<i>Salix caprea</i> f. <i>elongata</i> / 76
<i>Sagina maxima</i> f. <i>littorea</i> / 137	<i>Salix caprea</i> var. <i>ishidoyana</i> / 78
<i>Sagina maxima</i> var. <i>crassicaulis</i> / 137	<i>Salix caprea</i> var. <i>orbicularis</i> / 76
<i>Sagina maxima</i> var. <i>littorea</i> / 137	<i>Salix cardiophylla</i> / 76
<i>Sagina saginoides</i> / 137	<i>Salix chaenomeloides</i> / 77
<i>Sagina sinensis</i> / 137	<i>Salix chaenomeloides</i> f. <i>pilosa</i> / 77
<i>Sagittaria</i> / 573	<i>Salix chaenomeloides</i> var. <i>chaenomeloides</i> / 77
<i>Sagittaria aginashii</i> / 573	<i>Salix chaenomeloides</i> var. <i>pilosa</i> / 77
<i>Sagittaria alpina</i> / 573	<i>Salix cinerascens</i> / 82
<i>Sagittaria edulis</i> / 574	<i>Salix coeruleascens</i> / 80
<i>Sagittaria natans</i> / 573	<i>Salix dasyclados</i> subsp. <i>stipularis</i> / 81
<i>Sagittaria pygmaea</i> / 573	<i>Salix dependens</i> / 77
<i>Sagittaria sagittifolia</i> subsp. <i>leucopetala</i> / 574	<i>Salix divaricata</i> / 77
<i>Sagittaria sagittifolia</i> subsp. <i>leucopetala</i> var. <i>edulis</i> / 574	<i>Salix divaricata</i> var. <i>divaricata</i> / 77
<i>Sagittaria sagittifolia</i> var. <i>leucopetala</i> / 574	<i>Salix divaricata</i> var. <i>metaformosa</i> / 77
<i>Sagittaria sagittifolia</i> var. <i>pygmaea</i> / 573	<i>Salix divaricata</i> var. <i>orthostemma</i> / 77
<i>Sagittaria trifolia</i> / 574	<i>Salix eucalyptoides</i> / 74
<i>Sagittaria trifolia</i> subsp. <i>leucopetala</i> / 574	<i>Salix feddei</i> / 79
<i>Sakaria ochnacea</i> / 189	<i>Salix floderusii</i> / 82
<i>Sakaria ochnacea</i> var. <i>contorta</i> / 189	<i>Salix floderusii</i> var. <i>fuscescens</i> / 82
SALICACEAE / 74	<i>Salix floderusii</i> var. <i>glabra</i> / 82
<i>Salicornia</i> / 145	<i>Salix gilgiana</i> / 77
<i>Salicornia acetaria</i> / 145	<i>Salix glandulosa</i> / 77
<i>Salicornia annua</i> / 145	<i>Salix glandulosa</i> var. <i>glabra</i> / 77
<i>Salicornia biennis</i> / 145	<i>Salix glandulosa</i> var. <i>pilosa</i> / 77
<i>Salicornia brachystachya</i> / 145	<i>Salix glauca</i> var. <i>sericea</i> / 81
<i>Salicornia europaea</i> / 145	<i>Salix graciliglans</i> / 78
<i>Salicornia europaea</i> var. <i>herbacea</i> / 145	<i>Salix gracilistyla</i> / 78
<i>Salicornia herbacea</i> / 145	<i>Salix gracilistyloides</i> / 78
<i>Salicornia patula</i> / 145	<i>Salix hallaisanensis</i> / 78
<i>Salicornia stricta</i> / 145	<i>Salix hallaisanensis</i> var. <i>hallaisanensis</i> / 78
<i>Salix</i> / 75	<i>Salix hallaisanensis</i> var. <i>longifolia</i> / 78
<i>Salix ackschewitziana</i> var. <i>roridaformis</i> / 80	<i>Salix hallaisanensis</i> var. <i>orbicularis</i> / 78
<i>Salix acutifolia</i> / 80	<i>Salix hallaisanensis</i> var. <i>orbicularis</i> f. <i>elongata</i> / 76
<i>Salix amygdalina</i> var. <i>nipponica</i> / 81	<i>Salix hamatidens</i> / 81
<i>Salix arbutifolia</i> / 74	<i>Salix hultenii</i> / 76
<i>Salix aurigerana</i> f. <i>angustibolia</i> / 76	<i>Salix hultenii</i> var. <i>angustifolia</i> / 76
<i>Salix berberifolia</i> / 75	<i>Salix hultenii</i> var. <i>elongata</i> / 76
<i>Salix berberifolia</i> var. <i>berberifolia</i> / 76	<i>Salix integra</i> / 78
<i>Salix berberifolia</i> var. <i>brayi</i> / 76	<i>Salix ishidoyana</i> / 78
<i>Salix berberifolia</i> var. <i>leiocarpa</i> / 75	<i>Salix kangensis</i> / 78
<i>Salix bicarpa</i> / 77	<i>Salix kimurana</i> / 75
<i>Salix blinii</i> / 76	<i>Salix koreensis</i> / 79
<i>Salix brachypoda</i> / 76	<i>Salix koriyanagi</i> / 79
<i>Salix bracteosa</i> / 74	<i>Salix koriyanagi</i> f. <i>rubra</i> / 79

- Salix lackschewitziana* / 80
Salix linearis / 80
Salix livida var. *cinerascens* / 82
Salix longifolia / 80
Salix macrolepis / 74
Salix maximowiczii / 77
Salix metaformosa / 77
Salix miyabeana / 79
Salix monandra / 79
Salix multinervis / 78
Salix myrtilloides / 79
Salix myrtilloides var. *manshurica* / 79
Salix nakaii / 78
Salix nipponica / 81
Salix nummularia / 79
Salix oblongifolia / 81
Salix opaca / 81
Salix orotchonorum / 82
Salix orthostemma / 77
Salix pentandra subsp. *pseudopentandra* / 80
Salix pentandra var. *intermedia* / 80
Salix pierottii / 79
Salix pogonandra / 79
Salix polyadenia / 79
Salix pseudolasioygne / 79
Salix pseudolinearis / 80
Salix pseudopentandra / 79
Salix purpurea f. *rubra* / 79
Salix purpurea subsp. *gymnolepis* / 78
Salix purpurea subsp. *purpurea* var. *sericea* / 78
Salix purpurea var. *gracilis* / 79
Salix purpurea var. *japonica* / 79
Salix purpurea var. *japonica* f. *rubra* / 79
Salix purpurea var. *monandra* / 79
Salix purpurea var. *smithiana* / 79
Salix repens subsp. *rosmarinifolia* var. *flavicans* / 76
Salix repens var. *brachypoda* / 76
Salix repens var. *flavicans* / 76
Salix repens var. *subopposita* / 81
Salix retusa var. *rotundifolia* / 79
Salix rorida / 80
Salix rorida var. *eglandulosa* / 80
Salix rorida var. *rorida* / 80
Salix rorida var. *roridiformis* / 80
Salix roridiformis / 80
Salix rosmarinifolia var. *flavicans* / 76
Salix savatieri / 78
Salix schwerinii / 80
Salix sericeo-cinerea / 80
Salix sericeo-cinerea f. *lanata* / 80
Salix sericeo-cinerea var. *lanata* / 80
Salix serpyllifolia / 79
Salix sibirica var. *brachypoda* / 76
Salix sibirica var. *subopposita* / 81
Salix siuzevii / 80
Salix splendida / 74
Salix starkeana var. *cinerascens* / 82
Salix stipularis / 81
Salix subfragilis / 81
Salix subopposita / 80
Salix taquetii / 76
Salix taraikensis / 81
Salix thunbergiana / 78
Salix triandra subsp. *nipponica* / 81
Salix triandra subsp. *triandra* / 81
Salix triandra var. *nipponica* / 81
Salix tschanbaischanica / 79
Salix udensis / 81
Salix vagans f. *manshurica* / 82
Salix verivinalis / 80
Salix viminalis var. *abbreviata* / 81
Salix viminalis var. *angustifolia* / 80
Salix viminalis var. *linnaeana* / 81
Salix viminalis var. *viminalis* / 81
Salix vulcani / 79
Salix xerophila / 81
Salix xerophila f. *glabra* / 82
Salix xerophila f. *manshurica* / 82
Salix xerophila f. *xerophila* / 82
Salix xerophila var. *fuscescens* / 82
Salix xerophila var. *xerophila* / 82
Salomonia / 311
Salomonia cavaleriei / 311
Salomonia ciliata / 311
Salomonia martinii / 310
Salomonia oblongifolia / 311
Salomonia ramosissima / 311
Salomonia stricta / 311
Salsola / 145
Salsola asparagoides / 146
Salsola chinensis / 145
Salsola collina / 145
Salsola dichracantha / 145
Salsola erubescens / 145
Salsola kali subsp. *collina* / 145
Salsola kali subsp. *kali* / 145

- | | |
|--|---|
| <i>Salsola kali</i> subsp. <i>ruthenica</i> / 145 | <i>Sambucus sieboldiana</i> var. <i>glaberrima</i> / 490 |
| <i>Salsola kali</i> var. <i>angustifolia</i> / 145 | <i>Sambucus sieboldiana</i> var. <i>glabrescens</i> / 490 |
| <i>Salsola komarovii</i> / 145 | <i>Sambucus sieboldiana</i> var. <i>latifolia</i> / 490 |
| <i>Salsola ruthenica</i> / 145 | <i>Sambucus sieboldiana</i> var. <i>miquelii</i> / 490 |
| <i>Salvia</i> / 455 | <i>Sambucus sieboldiana</i> var. <i>pendula</i> / 490 |
| <i>Salvia brachiatia</i> / 456 | <i>Sambucus velutina</i> / 490 |
| <i>Salvia chanryoenica</i> / 455 | <i>Sambucus williamsii</i> / 491 |
| <i>Salvia diversifolia</i> / 456 | <i>Sambucus williamsii</i> var. <i>coreana</i> / 491 |
| <i>Salvia fortunei</i> / 456 | <i>Sambucus williamsii</i> var. <i>miquelii</i> / 490 |
| <i>Salvia fushimiana</i> / 456 | <i>Sanguisorba</i> / 266 |
| <i>Salvia japonica</i> / 456 | <i>Sanguisorba argutidens</i> / 266 |
| <i>Salvia japonica</i> var. <i>fortunei</i> / 456 | <i>Sanguisorba canadensis</i> subsp. <i>latifolia</i> / 267 |
| <i>Salvia japonica</i> var. <i>integrifolia</i> / 456 | <i>Sanguisorba canadensis</i> var. <i>latifolia</i> / 267 |
| <i>Salvia japonica</i> var. <i>ternata</i> / 456 | <i>Sanguisorba carnea</i> / 267 |
| <i>Salvia minutiflora</i> / 456 | <i>Sanguisorba hakusanensis</i> / 267 |
| <i>Salvia plebeia</i> / 456 | <i>Sanguisorba hakusanensis</i> f. <i>coreana</i> / 267 |
| <i>Salvia plebeia</i> var. <i>latifolia</i> / 456 | <i>Sanguisorba hakusanensis</i> var. <i>coreana</i> / 267 |
| <i>Salvia tsusimensis</i> / 456 | <i>Sanguisorba latifolia</i> / 267 |
| <i>Salvinia</i> / 16 | <i>Sanguisorba longifolia</i> / 267 |
| <i>Salvinia imbricata</i> / 15 | <i>Sanguisorba obtusa</i> / 267 |
| <i>Salvinia natans</i> / 16 | <i>Sanguisorba officinalis</i> / 267 |
| SALVINIACEAE / 15 | <i>Sanguisorba officinalis</i> var. <i>carnea</i> / 267 |
| <i>Sambucus</i> / 490 | <i>Sanguisorba officinalis</i> var. <i>longifolia</i> / 267 |
| <i>Sambucus buergeriana</i> / 490 | <i>Sanguisorba parviflora</i> / 267 |
| <i>Sambucus buergeriana</i> var. <i>miquelii</i> / 490 | <i>Sanguisorba rectispica</i> / 267 |
| <i>Sambucus glabrescens</i> / 490 | <i>Sanguisorba sitchensis</i> / 267 |
| <i>Sambucus japonica</i> / 325 | <i>Sanguisorba stipulata</i> / 267 |
| <i>Sambucus kamschatica</i> / 490 | <i>Sanguisorba stipulata</i> f. <i>alba</i> / 267 |
| <i>Sambucus latipinna</i> / 491 | <i>Sanguisorba stipulata</i> var. <i>latifolia</i> / 267 |
| <i>Sambucus latipinna</i> f. <i>velutina</i> / 490 | <i>Sanguisorba unsanensis</i> / 267 |
| <i>Sambucus latipinna</i> var. <i>coreana</i> / 491 | <i>Sanguisorba</i> × <i>tenuifolia</i> / 267 |
| <i>Sambucus latipinna</i> var. <i>miquelii</i> / 490 | <i>Sanguisorba</i> × <i>tenuifolia</i> f. <i>purpurea</i> / 267 |
| <i>Sambucus miquelii</i> / 490 | <i>Sanguisorba</i> × <i>tenuifolia</i> var. <i>alba</i> / 267 |
| <i>Sambucus pendula</i> / 490 | <i>Sanguisorba</i> × <i>tenuifolia</i> var. <i>purpurea</i> / 267 |
| <i>Sambucus racemosa</i> subsp. <i>kamtschatica</i> / 490 | <i>Sanguisorba</i> × <i>tenuifolia</i> var. <i>rubra</i> / 267 |
| <i>Sambucus racemosa</i> subsp. <i>pendula</i> / 490 | <i>Sanicula</i> / 381 |
| <i>Sambucus racemosa</i> subsp. <i>pubescens</i> var. <i>pubescens</i> / 490 | <i>Sanicula chinensis</i> / 381 |
| <i>Sambucus racemosa</i> subsp. <i>racemosa</i> / 490 | <i>Sanicula elata</i> var. <i>chinensis</i> / 381 |
| <i>Sambucus racemosa</i> subsp. <i>sieboldiana</i> / 490 | <i>Sanicula europaea</i> subsp. <i>chinensis</i> / 381 |
| <i>Sambucus racemosa</i> var. <i>glabra</i> / 490 | <i>Sanicula europaea</i> var. <i>chinensis</i> / 381 |
| <i>Sambucus racemosa</i> var. <i>miquelii</i> / 490 | <i>Sanicula rubriflora</i> / 381 |
| <i>Sambucus racemosa</i> var. <i>pendula</i> / 490 | <i>Sanicula tuberculata</i> / 381 |
| <i>Sambucus racemosa</i> var. <i>sieboldiana</i> / 490 | SAPINDACEAE / 316 |
| <i>Sambucus sachalinensis</i> / 490 | <i>Sapindus chinensis</i> / 316 |
| <i>Sambucus sieboldiana</i> / 490 | <i>Sapindus paniculata</i> / 316 |
| <i>Sambucus sieboldiana</i> f. <i>glaberrima</i> / 490 | <i>Sapium atrobadiomaculatum</i> / 306 |
| <i>Sambucus sieboldiana</i> f. <i>latifolia</i> / 490 | <i>Sapium japonicum</i> / 306 |
| <i>Sambucus sieboldiana</i> var. <i>coreana</i> / 491 | <i>Saposhnikovia</i> / 381 |

<i>Saposhnikovia divaricata</i> / 381	<i>Satyrium epipogium</i> / 724
<i>Sarcandra</i> / 184	<i>Satyrium repens</i> / 726
<i>Sarcandra glabra</i> / 184	<i>Satyrium viride</i> / 723
<i>Sarcanthus scolopendrifolius</i> / 733	SAURURACEAE / 183
<i>Sarcochilus japonicus</i> / 737	<i>Sauruopsis chinensis</i> / 183
<i>Sarothra japonica</i> / 192	<i>Saururus</i> / 183
<i>Sarothra laxa</i> / 193	<i>Saururus chinensis</i> / 183
<i>Sasa</i> / 656	<i>Saussurea</i> / 554
<i>Sasa borealis</i> / 656	<i>Saussurea affinis</i> / 539
<i>Sasa capillaris</i> / 657	<i>Saussurea alpicola</i> / 559
<i>Sasa chiisanensis</i> / 656	<i>Saussurea amurensis</i> / 554
<i>Sasa coreana</i> / 656	<i>Saussurea amurensis</i> subsp. <i>stenophylla</i> / 554
<i>Sasa japonica</i> / 655	<i>Saussurea amurensis</i> var. <i>stenophylla</i> / 554
<i>Sasa koidzumii</i> / 657	<i>Saussurea aristata</i> / 559
<i>Sasa kurilensis</i> / 657	<i>Saussurea aspera</i> / 557
<i>Sasa purpurascens</i> / 656	<i>Saussurea bisolor</i> / 555
<i>Sasa quelpaertensis</i> / 657	<i>Saussurea bungei</i> / 540
<i>Sasa ramosissima</i> / 657	<i>Saussurea calcicola</i> / 554
<i>Sasa spiculosa</i> / 656	<i>Saussurea carthamoides</i> / 539
<i>Sasa spiculosa</i> f. <i>angustior</i> / 656	<i>Saussurea chabyoungsanica</i> / 554
<i>Sasa spiculosa</i> var. <i>subpubescens</i> / 656	<i>Saussurea chinensis</i> / 556
<i>Sasa yezo-alpina</i> / 657	<i>Saussurea chinnampoensis</i> / 554
<i>Sasamorpha amabilis</i> / 656	<i>Saussurea coarctata</i> / 555
<i>Sasamorpha borealis</i> / 656	<i>Saussurea conandrifolia</i> / 555
<i>Sasamorpha borealis</i> var. <i>amabilis</i> / 656	<i>Saussurea denticulata</i> / 554
<i>Sasamorpha borealis</i> var. <i>angustior</i> / 656	<i>Saussurea derbecki</i> / 560
<i>Sasamorpha borealis</i> var. <i>chiisanensis</i> / 656	<i>Saussurea diamantica</i> / 555
<i>Sasamorpha borealis</i> var. <i>purpurascens</i> / 656	<i>Saussurea diamantica</i> f. <i>longifolia</i> / 555
<i>Sasamorpha chiisanensis</i> / 656	<i>Saussurea diamantica</i> var. <i>longifolia</i> / 555
<i>Sasamorpha purpurascens</i> / 656	<i>Saussurea dissecta</i> / 558
<i>Sasamorpha purpurascens</i> var. <i>angustior</i> / 656	<i>Saussurea elongata</i> / 559
<i>Sasamorpha purpurascens</i> var. <i>borealis</i> / 656	<i>Saussurea elongata</i> var. <i>glehniana</i> / 559
<i>Sasamorpha purpurascens</i> var. <i>hidakana</i> / 656	<i>Saussurea elongata</i> var. <i>pectinata</i> / 559
<i>Sasamorpha purpurascens</i> var. <i>macrochaeta</i> / 656	<i>Saussurea elongata</i> var. <i>polypodiifolia</i> / 559
<i>Sasamorpha tobaeana</i> / 656	<i>Saussurea elongata</i> var. <i>recurvata</i> / 559
<i>Satureja chinensis</i> subsp. <i>glabrescens</i> / 443	<i>Saussurea eriolepis</i> var. <i>caudata</i> / 559
<i>Satureja chinensis</i> var. <i>parviflora</i> / 443	<i>Saussurea eriophylla</i> / 555
<i>Satureja confinis</i> / 443	<i>Saussurea eriophylla</i> var. <i>alpina</i> / 559
<i>Satureja coreana</i> / 443	<i>Saussurea gigantifolia</i> / 556
<i>Satureja gracilis</i> / 443	<i>Saussurea gracilis</i> / 555
<i>Satureja makinoi</i> / 443	<i>Saussurea gracilis</i> f. <i>pseudogracilis</i> / 555
<i>Satureja micrantha</i> / 444	<i>Saussurea grandicapitula</i> / 555
<i>Satureja multicaulis</i> / 444	<i>Saussurea grandifolia</i> / 555
<i>Satureja multicaulis</i> var. <i>taquetti</i> / 444	<i>Saussurea grandifolia</i> f. <i>microcephala</i> / 555
<i>Satureja sachalinensis</i> var. <i>japonica</i> / 444	<i>Saussurea grandifolia</i> var. <i>asperifolia</i> / 555
<i>Satureja umbrosa</i> var. <i>japonica</i> / 444	<i>Saussurea grandifolia</i> var. <i>caudata</i> / 559
<i>Satureja ussuriensis</i> var. <i>glabrescens</i> / 443	<i>Saussurea grandifolia</i> var. <i>coarctata</i> / 555
	<i>Saussurea grandifolia</i> var. <i>macrolepis</i> / 556

■ Scientific name Index

Saussurea grandifolia var. *microcephala* / 555
Saussurea grandifolia var. *nipponica* / 556
Saussurea grandifolia var. *tenuior* / 555
Saussurea grandifolioides / 560
Saussurea higomontana / 557
Saussurea hoasii / 560
Saussurea insularis / 555
Saussurea intermedia / 556
Saussurea japonica / 555
Saussurea japonica var. *albiflora* / 558
Saussurea japonica var. *lineariloba* / 558
Saussurea japonica var. *maritima* / 556
Saussurea karoi / 560
Saussurea koidzumiana / 556
Saussurea komaroviana / 556
Saussurea koraiensis / 558
Saussurea linearis / 556
Saussurea macrolepis / 556
Saussurea manshurica / 556
Saussurea manshurica f. *pinnatifida* / 556
Saussurea manshurica var. *pinnatifida* / 556
Saussurea matsumurae / 557
Saussurea maximowiczii / 556
Saussurea maximowiczii f. *serrata* / 557
Saussurea maximowiczii f. *triceps* / 557
Saussurea maximowiczii var. *serrata* / 557
Saussurea maximowiczii var. *triceps* / 557
Saussurea mongolica / 557
Saussurea mongolica f. *shansiensis* / 557
Saussurea mongolica var. *rigidor* / 557
Saussurea myokoensis / 557
Saussurea neoserrata / 557
Saussurea nipponica subsp. *higomontana* / 557
Saussurea nipponica subsp. *nipponica* / 557
Saussurea nipponica var. *macrolepis* / 556
Saussurea nomurae / 557
Saussurea nutans / 559
Saussurea odontolepis / 558
Saussurea odontophylla / 554
Saussurea parasclerolepis / 559
Saussurea parviflora var. *amurensis* / 557
Saussurea pectinata var. *amurensis* / 557
Saussurea peipingensis / 554
Saussurea pennata subsp. *macrolepis* / 556
Saussurea polylepis / 558
Saussurea polypodiifolia / 559
Saussurea pseudogracilis / 555
Saussurea pulchella / 558

Saussurea pulchella f. *albiflora* / 558
Saussurea pulchella f. *pulchella* / 558
Saussurea pulchella var. *albiflora* / 558
Saussurea pulchella var. *japonica* / 556
Saussurea pulchella var. *koraiensis* / 558
Saussurea pulchella var. *lineariloba* / 558
Saussurea rectinervis / 558
Saussurea recurvata / 558
Saussurea rorinsanensis / 559
Saussurea saxatilis / 556
Saussurea schischkinii / 560
Saussurea seoulensis / 559
Saussurea serrata var. *amurensis* / 557
Saussurea setidens / 531
Saussurea sinuata / 559
Saussurea sinuata var. *shansiensis* / 557
Saussurea stenolepis / 559
Saussurea stenophylla / 554
Saussurea stricta / 539
Saussurea subtriangulata / 559
Saussurea tanakae / 559
Saussurea tanakae var. *pycnocephalis* / 559
Saussurea taquetii / 556
Saussurea taquetii var. *paniculata* / 556
Saussurea tomentosa / 559
Saussurea triangulata / 560
Saussurea triangulata subsp. *manshurica* / 556
Saussurea triangulata var. *alpina* / 560
Saussurea triangulata var. *elatior* / 559
Saussurea triangulata var. *pinnatifida* / 556
Saussurea triceps / 557
Saussurea uchiyamana / 560
Saussurea umbrosa / 560
Saussurea umbrosa f. *herbicola* / 560
Saussurea umbrosa var. *herbicola* / 560
Saussurea umbrosa var. *umbrosa* / 560
Saussurea ussuriensis / 560
Saussurea ussuriensis var. *incisa* / 560
Saussurea ussuriensis var. *mongolica* / 557
Saussurea ussuriensis var. *odontolepis* / 558
Saussurea ussuriensis var. *pinnatifida* / 560
Saxifraga / 225
Saxifraga cernua / 225
Saxifraga cernua var. *linnaeana* / 225
Saxifraga cernua var. *simplicissima* / 225
Saxifraga crassifolia / 222
Saxifraga fortunei / 225
Saxifraga fortunei f. *pilosissima* / 225

- | | |
|---|---|
| <i>Saxifraga fortunei</i> var. <i>alpina</i> / 225 | <i>Scheuchzeria palustris</i> / 576 |
| <i>Saxifraga fortunei</i> var. <i>pilosissima</i> / 225 | SCHEUCHZERIACEAE / 576 |
| <i>Saxifraga furumii</i> / 225 | <i>Schinus indicus</i> / 311 |
| <i>Saxifraga laciniata</i> / 225 | <i>Schisandra</i> / 148 |
| <i>Saxifraga laciniata</i> var. <i>takedana</i> / 225 | <i>Schisandra chinensis</i> / 148 |
| <i>Saxifraga manshuriensis</i> / 225 | <i>Schisandra chinensis</i> var. <i>glabrata</i> / 148 |
| <i>Saxifraga nelsoniana</i> / 225 | <i>Schisandra chinensis</i> var. <i>leucocarpa</i> / 148 |
| <i>Saxifraga oblongifolia</i> / 226 | <i>Schisandra discolor</i> / 148 |
| <i>Saxifraga octopetala</i> / 224 | <i>Schisandra japonica</i> / 148 |
| <i>Saxifraga punctata</i> subsp. <i>nelsoniana</i> / 226 | <i>Schisandra nigra</i> / 148 |
| <i>Saxifraga punctata</i> var. <i>manshuriensis</i> / 225 | <i>Schisandra nigra</i> f. <i>viridicarpa</i> / 148 |
| <i>Saxifraga punctata</i> var. <i>nelsoniana</i> / 226 | <i>Schisandra nigra</i> var. <i>hypoleuca</i> / 148 |
| <i>Saxifraga rossii</i> / 224 | <i>Schisandra repanda</i> / 148 |
| <i>Saxifraga simulata</i> / 225 | <i>Schisandra repanda</i> f. <i>hypoleuca</i> / 148 |
| <i>Saxifraga tabularis</i> / 221 | <i>Schisandra repanda</i> f. <i>viridicarpa</i> / 149 |
| <i>Saxifraga takedana</i> / 225 | <i>Schisandra viridicarpa</i> / 149 |
| SAXIFRAGACEAE / 220 | SCHISANDRACEAE / 148 |
| <i>Scabiosa</i> / 498 | <i>Schistophyllum bifurcum</i> subsp. <i>semiglabrum</i> / 268 |
| <i>Scabiosa comosa</i> / 498 | <i>Schizachne</i> / 657 |
| <i>Scabiosa fischeri</i> var. <i>alpina</i> / 498 | <i>Schizachne purpurascens</i> subsp. <i>callosa</i> / 657 |
| <i>Scabiosa fischeri</i> var. <i>caerulea</i> f. <i>glabra</i> / 498 | <i>Schizachne purpurascens</i> subsp. <i>purpurascens</i> / 657 |
| <i>Scabiosa fischeri</i> var. <i>caerulea</i> f. <i>pubescens</i> / 498 | <i>Schizachyrium</i> / 657 |
| <i>Scabiosa japonica</i> subsp. <i>tschiliensis</i> / 498 | <i>Schizachyrium brevifolium</i> / 657 |
| <i>Scabiosa japonica</i> subsp. <i>tschiliensis</i> f. <i>zuikoensis</i> / 498 | <i>Schizonepeta multifida</i> / 453 |
| <i>Scabiosa japonica</i> subsp. <i>tschiliensis</i> var. <i>mansenensis</i> / 498 | <i>Schizopepon</i> / 352 |
| <i>Scabiosa japonica</i> var. <i>acutiloba</i> / 498 | <i>Schizopepon bryoniifolius</i> / 352 |
| <i>Scabiosa mansenensis</i> / 498 | <i>Schizopepon bryoniifolius</i> var. <i>japonicus</i> / 352 |
| <i>Scabiosa mansenensis</i> f. <i>alpina</i> / 498 | <i>Schizopepon bryoniifolius</i> var. <i>paniculatus</i> / 352 |
| <i>Scabiosa mansenensis</i> f. <i>pinnata</i> / 498 | <i>Schizophragma</i> / 229 |
| <i>Scabiosa tschiliensis</i> / 498 | <i>Schizophragma hydrangeoides</i> / 229 |
| <i>Scabiosa tschiliensis</i> f. <i>alpina</i> / 498 | <i>Schoberia glauca</i> / 146 |
| <i>Scabiosa tschiliensis</i> f. <i>pinnata</i> / 498 | <i>Schoenoplectiella</i> / 712 |
| <i>Scabiosa tschiliensis</i> f. <i>tschiliensis</i> / 498 | <i>Schoenoplectiella hotarui</i> / 712 |
| <i>Scabiosa tschiliensis</i> f. <i>zuikoensis</i> / 498 | <i>Schoenoplectiella juncoidea</i> / 713 |
| <i>Scabiosa zuikoensis</i> / 498 | <i>Schoenoplectiella komarovii</i> / 712 |
| <i>Scandix aristata</i> / 378 | <i>Schoenoplectiella lineolata</i> / 712 |
| <i>Sceptridium atrovirens</i> / 9 | <i>Schoenoplectiella mucronata</i> / 712 |
| <i>Sceptridium japonicum</i> / 9 | <i>Schoenoplectiella triangulata</i> / 713 |
| <i>Sceptridium microphyllum</i> / 9 | <i>Schoenoplectiella wallichii</i> / 713 |
| <i>Sceptridium multifidum</i> subsp. <i>robustum</i> / 10 | <i>Schoenoplectiella</i> × <i>trapezoidea</i> / 713 |
| <i>Sceptridium multifidum</i> var. <i>robustum</i> / 10 | <i>Schoenoplectiella</i> × <i>uzenensis</i> / 714 |
| <i>Sceptridium nipponicum</i> / 9 | <i>Schoenoplectus</i> / 713 |
| <i>Sceptridium robustum</i> / 9 | <i>Schoenoplectus hotarui</i> / 712 |
| <i>Sceptridium ternatum</i> / 10 | <i>Schoenoplectus juncoides</i> / 713 |
| <i>Sceptrocnide macrostachya</i> / 106 | <i>Schoenoplectus komarovii</i> / 712 |
| <i>Schedonorus pauciflorus</i> / 626 | <i>Schoenoplectus lineolatus</i> / 712 |
| <i>Schedonorus remotiflorus</i> / 626 | <i>Schoenoplectus mucronatus</i> / 713 |
| <i>Scheuchzeria</i> / 576 | <i>Schoenoplectus mucronatus</i> subsp. <i>robustus</i> / 713 |

- Schoenoplectus nipponicus* / 713
Schoenoplectus preslii / 713
Schoenoplectus tabernaemontani / 714
Schoenoplectus triangulatus / 713
Schoenoplectus triquetus / 714
Schoenoplectus wallichii / 713
Schoenoplectus × uzenensis / 714
Schoenus aculeatus / 629
Schoenus albus / 711
Schoenus ruber / 712
Schollera europaea / 393
Schollera oxycoccus / 393
Schollera paludosa / 393
Sciaphila / 667
Sciaphila nana / 667
Scilla bispatha / 586
Scilla scilloides / 586
Scilla scilloides f. *albiflora* / 586
Scilla scilloides var. *albiflora* / 586
Scilla scilloides var. *pulchella* / 586
Scilla sinensis / 586
Scilla thunbergii / 586
Scilla thunbergii var. *pulchella* / 586
Scirpus / 714
Scirpus aciculatus / 701
Scirpus aestivalis / 705
Scirpus angustifolius / 704
Scirpus angustifolius subsp. *latifolius* / 704
Scirpus annuus / 705
Scirpus ardea / 704
Scirpus ardea var. *coreanus* / 704
Scirpus barbatus / 668
Scirpus biconcavus / 668
Scirpus brachyantherus / 704
Scirpus ciliaris / 709
Scirpus cognatus / 713
Scirpus congestus / 701
Scirpus coreanus / 714
Scirpus cymosus / 705
Scirpus cyperinus f. *cylindricus* / 715
Scirpus cyperinus f. *karuizawensis* / 715
Scirpus cyperoides / 698
Scirpus densus / 668
Scirpus dichotomus / 705
Scirpus dioicus / 717
Scirpus diphyllos / 705
Scirpus dipsaceus / 706
Scirpus equisetiformis / 702
Scirpus erectus var. *angustus* / 713
Scirpus erectus var. *wallichii* / 713
Scirpus etuberculatus subsp. *nipponicus* / 714
Scirpus faurie / 705
Scirpus ferrugineus / 707
Scirpus fluviatilis / 668
Scirpus forsythii / 712
Scirpus fuirenoides / 714
Scirpus fuirenoides var. *jaluanus* / 714
Scirpus fuirenoides var. *karuizawensis* / 715
Scirpus hakonensis / 703
Scirpus hokkaidensis / 715
Scirpus hondoensis var. *leiocarpus* / 712
Scirpus hotarui / 712
Scirpus hudsonianus / 716
Scirpus jaluanus / 714
Scirpus juncoides / 713
Scirpus juncoides var. *hotarui* / 712
Scirpus juncoides × *S. wallichii* / 715
Scirpus kamtschaticus / 702
Scirpus karuizawensis / 714
Scirpus komarovii / 712
Scirpus lacustris subsp. *tabernaemontani* / 714
Scirpus lacustris var. *creber* / 714
Scirpus lacustris var. *tabernaemontani* / 714
Scirpus lineatus f. *cylindricus* / 715
Scirpus lineolatus / 712
Scirpus margaritaceus / 703
Scirpus maritimus / 668
Scirpus maritimus var. *fluviatilis* / 668
Scirpus maximowiczii / 715
Scirpus mitsukuriensis / 715
Scirpus mucronatus / 713
Scirpus mucronatus subsp. *robustus* / 713
Scirpus mucronatus var. *robustus* / 713
Scirpus nipponicus / 714
Scirpus okuyamae / 712
Scirpus orientalis / 715
Scirpus ovatus / 703
Scirpus parvulus / 703
Scirpus petasatus / 703
Scirpus planiculmis / 668
Scirpus plantagineus / 702
Scirpus plantaginoides / 702
Scirpus pollichii / 714
Scirpus preslii / 713
Scirpus radicans / 715
Scirpus sachalinensis / 702

- | | |
|--|---|
| <i>Scirpus sasakii</i> / 713 | <i>Scorzonera albicaulis</i> / 560 |
| <i>Scirpus sasakii</i> var. <i>leiocarpus</i> / 712 | <i>Scorzonera albicaulis</i> var. <i>macrosperma</i> / 561 |
| <i>Scirpus schoenoides</i> / 708 | <i>Scorzonera austriaca</i> / 561 |
| <i>Scirpus smithii</i> var. <i>leiocarpus</i> / 712 | <i>Scorzonera austriaca</i> subsp. <i>glabra</i> / 561 |
| <i>Scirpus soloniensis</i> / 703 | <i>Scorzonera austriaca</i> var. <i>glabra</i> / 561 |
| <i>Scirpus squarrosa</i> / 708 | <i>Scorzonera austriaca</i> var. <i>longifolia</i> / 561 |
| <i>Scirpus supinus</i> var. <i>leiocarpus</i> / 712 | <i>Scorzonera glabra</i> / 561 |
| <i>Scirpus sylvaticus</i> var. <i>maximowiczii</i> / 715 | <i>Scorzonera macrosperma</i> / 560 |
| <i>Scirpus sylvaticus</i> var. <i>radicans</i> / 715 | <i>Scorzonera macrosperma</i> f. <i>angustifolia</i> / 560 |
| <i>Scirpus tabernaemontani</i> / 714 | <i>Scorzonera radiata</i> / 561 |
| <i>Scirpus trapezoides</i> / 713 | <i>Scorzonera radiata</i> var. <i>linearifolia</i> / 561 |
| <i>Scirpus triangulatus</i> / 713 | <i>Scorzonera ruprechtiana</i> / 561 |
| <i>Scirpus trichophorum</i> / 716 | <i>Scorzonera sinensis</i> var. <i>plantaginifolia</i> / 561 |
| <i>Scirpus trifidus</i> / 669 | <i>Scrophularia</i> / 474 |
| <i>Scirpus trigonus</i> / 714 | <i>Scrophularia alata</i> / 474 |
| <i>Scirpus triquetter</i> / 714 | <i>Scrophularia alata</i> var. <i>borealikoreana</i> / 474 |
| <i>Scirpus umbellaris</i> / 709 | <i>Scrophularia borealikoreana</i> / 474 |
| <i>Scirpus validus</i> / 714 | <i>Scrophularia buergeriana</i> / 474 |
| <i>Scirpus validus</i> var. <i>creber</i> / 714 | <i>Scrophularia buergeriana</i> var. <i>quelpartensis</i> / 475 |
| <i>Scirpus wallichii</i> / 713 | <i>Scrophularia cephalantha</i> / 474 |
| <i>Scirpus wickhurae</i> / 715 | <i>Scrophularia erecta</i> / 475 |
| <i>Scirpus wickhurae</i> f. <i>cylindricus</i> / 715 | <i>Scrophularia grayana</i> / 474 |
| <i>Scirpus wickhurae</i> f. <i>wickhurae</i> / 715 | <i>Scrophularia grayana</i> var. <i>borealikoreana</i> / 474 |
| <i>Scirpus</i> × <i>uzenensis</i> / 714 | <i>Scrophularia grayana</i> var. <i>takesimensis</i> / 475 |
| <i>Scleria</i> / 716 | <i>Scrophularia kakudensis</i> / 474 |
| <i>Scleria coreana</i> / 716 | <i>Scrophularia kakudensis</i> var. <i>latisepala</i> / 475 |
| <i>Scleria fenestrata</i> / 716 | <i>Scrophularia kakudensis</i> var. <i>microphylla</i> / 474 |
| <i>Scleria levis</i> / 716 | <i>Scrophularia koraiensis</i> / 475 |
| <i>Scleria mutoensis</i> / 716 | <i>Scrophularia koraiensis</i> var. <i>velutina</i> / 474 |
| <i>Scleria onoei</i> / 716 | <i>Scrophularia latisepala</i> / 474 |
| <i>Scleria parvula</i> / 716 | <i>Scrophularia maximowiczii</i> / 475 |
| <i>Scleria pergracilis</i> / 716 | <i>Scrophularia oldhamii</i> / 474 |
| <i>Scleria rugosa</i> / 716 | <i>Scrophularia pilosa</i> / 474 |
| <i>Scleria rugosa</i> var. <i>onoei</i> / 716 | <i>Scrophularia takesimensis</i> / 475 |
| <i>Scleria rugosa</i> var. <i>rugosa</i> / 716 | <i>Scrophularia toyamae</i> / 475 |
| <i>Scolochloa spiculosa</i> / 639 | SCROPHULARIACEAE / 462 |
| <i>Scopolia</i> / 461 | <i>Scurrula yadoriki</i> / 109 |
| <i>Scopolia japonica</i> var. <i>parviflora</i> / 461 | <i>Scutellaria</i> / 456 |
| <i>Scopolia kwangdokensis</i> / 461 | <i>Scutellaria angustifolia</i> / 458 |
| <i>Scopolia lutescens</i> / 461 | <i>Scutellaria asperiflora</i> / 456 |
| <i>Scopolia neoparviflora</i> / 461 | <i>Scutellaria barbata</i> / 456 |
| <i>Scopolia parviflora</i> / 461 | <i>Scutellaria dentata</i> var. <i>tomentosa</i> / 458 |
| <i>Scopolia parviflora</i> f. <i>grandiflora</i> / 461 | <i>Scutellaria dependens</i> / 456 |
| <i>Scopolia parviflora</i> f. <i>kwangdokensis</i> / 461 | <i>Scutellaria fauriei</i> / 456 |
| <i>Scopolia parviflora</i> f. <i>lutescens</i> / 461 | <i>Scutellaria galericulata</i> var. <i>angustifolia</i> / 458 |
| <i>Scopolia parviflora</i> f. <i>neoparviflora</i> / 461 | <i>Scutellaria indica</i> / 457 |
| <i>Scopolia parviflora</i> var. <i>grandiflora</i> / 461 | <i>Scutellaria indica</i> f. <i>alba</i> / 457 |
| <i>Scorzonera</i> / 560 | <i>Scutellaria indica</i> f. <i>coccinea</i> / 457 |

■ Scientific name Index

- Scutellaria indica* f. *parvifolia* / 457
Scutellaria indica var. *alba* / 457
Scutellaria indica var. *coccinea* / 457
Scutellaria indica var. *indica* / 457
Scutellaria indica var. *japonica* f. *parvifolia* / 457
Scutellaria indica var. *parvifolia* / 457
Scutellaria indica var. *tsusimensis* / 457
Scutellaria indica var. *ussuriensis* / 458
Scutellaria insignis / 457
Scutellaria japonica / 448, 457
Scutellaria japonica var. *ussuriensis* / 458
Scutellaria microflora / 457
Scutellaria moniliorhiza / 457
Scutellaria nipponica / 456
Scutellaria oldhamii / 456
Scutellaria orthocalyx / 457
Scutellaria parvifolia / 457
Scutellaria parvifolia var. *vulgaris* / 457
Scutellaria pekinensis var. *maxima* / 458
Scutellaria pekinensis var. *pekinensis* / 458
Scutellaria pekinensis var. *transitria* / 458
Scutellaria pekinensis var. *ussuriensis* / 458
Scutellaria regeliana / 458
Scutellaria scordifolia var. *puberula* / 458
Scutellaria strigillosa / 458
Scutellaria taquetii / 458
Scutellaria transitria / 458
Scutellaria transitria var. *ussuriensis* / 458
Scutellaria tsusimensis / 457
Scutellaria tuberifera / 458
Scutellaria umbrosa / 458
Scutellaria ussuriensis / 458
Scutellaria ussuriensis var. *tomentosa* / 458
Scutellaria ussuriensis var. *transitria* / 458
Scutellaria yezoensis / 458
Securinega / 306
Securinega japonica / 306
Securinega ramiflora / 306
Securinega suffruticosa / 306
Sedirea japonica / 734
Sedum / 219
Sedum aizoon / 217
Sedum aizoon subsp. *kamtschaticum* / 217
Sedum aizoon var. *latifolium* / 217
Sedum aizoon var. *middendorffianum* / 217
Sedum aizoon var. *selskianum* / 218
Sedum albiflorum / 214
Sedum alboroseum / 214
Sedum alfredii / 219
Sedum alfredii var. *bulbiferum* / 219
Sedum angustum / 218
Sedum aizoon var. *austromanshuricum* / 217
Sedum austromanshuricum / 217
Sedum bulbiferum / 219
Sedum chrysanthemum / 219
Sedum ellacombeanum / 217
Sedum elongatum / 218
Sedum erubescens var. *japonicum* / 215
Sedum erythrostictum / 214
Sedum eupatorioides / 214
Sedum fenzlii / 218
Sedum formosanum / 219
Sedum iwarenge / 215
Sedum japonicola / 215
Sedum japonicum / 219
Sedum kamtschaticum / 217
Sedum kamtschaticum f. *zokuriense* / 218
Sedum kiangnanense / 219
Sedum komarovii / 218
Sedum kouyangense / 220
Sedum lativalifolium / 217
Sedum lepidopodium / 219
Sedum leveilleanum / 215
Sedum lineare var. *contractum* / 220
Sedum lineare var. *floribundum* / 219
Sedum malacophyllum / 216
Sedum middendorffianum / 217
Sedum middendorffianum var. *diffusum* / 217
Sedum ohbae / 218
Sedum okuyamae / 214
Sedum oriento-asiaticum / 215
Sedum oryzifolium / 219
Sedum pallescens / 214
Sedum polytrichoides / 219
Sedum purpureum / 217
Sedum rhodiola var. *elongatum* / 218
Sedum roseum / 219
Sedum roseum var. *elongatum* / 218
Sedum rosulato-bulbosum / 219
Sedum sarmentosum / 220
Sedum selskianum / 218
Sedum sheareri / 220
Sedum spectabile / 214
Sedum subtile var. *obovatum* / 219
Sedum takesimense / 218
Sedum taquetii / 220

Sedum telephium subsp. *alboroseum* / 214
Sedum telephium subsp. *verticillatum* / 214
Sedum telephium subsp. *viriparum* / 215
Sedum telephium var. *albiforum* / 214
Sedum telephium var. *eupatorioides* / 214
Sedum telephium var. *kirinense* / 214
Sedum telephium var. *pallescens* / 214
Sedum tosaense / 220
Sedum uniflorum subsp. *oryzifolium* / 219
Sedum ussuricense / 214
Sedum verticillatum / 214
Sedum viridescens / 214
Sedum viviparum / 215
Sedum yabeanum / 220
Sedum zokuriense / 218
Seidlia radicans / 715
Selaginella / 6
Selaginella hachijoense / 6
Selaginella helvetica / 6
Selaginella heterostachys / 6
Selaginella involvens / 6
Selaginella japonica / 7
Selaginella mongholica var. *rossii* / 7
Selaginella nipponica / 6
Selaginella pseudoinvolutens / 7
Selaginella recurvifolia / 6
Selaginella remotifolia / 6
Selaginella remotifolia var. *japonica* / 7
Selaginella rossii / 7
Selaginella rupestris f. *sibirica* / 7
Selaginella rupestris var. *shakotanensis* / 7
Selaginella savatieri / 6
Selaginella shakotanensis / 7
Selaginella sibirica / 7
Selaginella stauntoniana / 7
Selaginella tamariscina / 6
SELAGINELLACEAE / 6
Selinum coreanum / 370
Selinum japonicum / 373
Selinum melanotilingia / 374
Selinum monnierii / 374
Selinum terebinthaceum / 379
Selliguea / 59
Selliguea engleri / 59
Selliguea graminoides / 57
Selliguea hastata / 59
Selliguea veitchii / 59
Semeiocardium hamiltonii / 310

Semiaquilegia / 173
Semiaquilegia adoxoides / 173
Semiaquilegia manshurica / 169
Semiaquilegia quelpaertensis / 174
Senecillis fischerii / 549
Senecillis intermedia / 549
Senecillis jaluensis / 549
Senecillis jamesii / 549
Senecillis japonica / 550
Senecillis schmidii / 550
Senecio / 561
Senecio aconitifolius / 565
Senecio adenostyloides / 551
Senecio ambraceus / 561
Senecio ambraceus var. *glaber* / 561
Senecio argunensis / 561
Senecio argunensis f. *pilosa* / 561
Senecio argunensis var. *blinii* / 561
Senecio argunensis var. *tenuisectus* / 561
Senecio aurantiacus var. *leiocarpus* / 568
Senecio aurantiacus var. *spathulata* / 568
Senecio birubonensis / 568
Senecio blinii / 561
Senecio cannabifolius / 561
Senecio cannabifolius var. *davuricus* / 561
Senecio dahuricus var. *kamtschatica* / 551
Senecio fauriei / 568
Senecio flammeus / 567
Senecio flammeus f. *glabrescens* / 567
Senecio flammeus var. *glabrifolius* / 567
Senecio fluvialis / 562
Senecio ganpinensis / 562
Senecio integrifolius subsp. *fauriei* / 568
Senecio integrifolius subsp. *kirilowii* / 568
Senecio integrifolius var. *spathulatus* / 568
Senecio jacobaea var. *grandiflora* / 561
Senecio jamesii / 549
Senecio japonica / 549
Senecio japonicus var. *scaberrimus* / 550
Senecio kawakamii / 568
Senecio kematongensis / 562
Senecio kirilowii / 568
Senecio koreanus / 568
Senecio ligularia / 548
Senecio longiligulatus / 567
Senecio macranthus / 549
Senecio nemorensis / 561
Senecio nemorensis var. *turczaninowii* / 562

■ Scientific name Index

- Senecio octoglossus* / 562
Senecio palmatifidus / 549
Senecio palmatus / 561
Senecio palmatus f. *davuricus* / 561
Senecio palmatus var. *cannabifolius* / 561
Senecio phaeanthus / 568
Senecio pierotii / 568
Senecio praealtus f. *angustifolius* / 561
Senecio praealtus f. *latifolius* / 561
Senecio pseudoarnica / 562
Senecio pseudoarnica var. *rollandii* / 562
Senecio rollandii / 562
Senecio sarracenicus / 562
Senecio schmidtii / 550
Senecio splendens / 548
Senecio stenocephala / 550
Senecio subdentatus var. *pierotii* / 568
Senecio taiwanensis / 562
Senecio taquetii / 550
Senecio tozanensis / 562
Serapias erecta / 719
Serapias falcata / 719
Serapias helleborine var. *longifolia* / 720
Serapias longibracteata / 719
Sericura japonica / 651
Serpicula verticillata / 575
Serratula / 562
Serratula atriplicifolia / 565
Serratula atriplicifolia var. *excelsa* / 565
Serratula atriplicifolia var. *incisolobata* / 565
Serratula carthamoides / 539
Serratula coronata f. *alpina* / 562
Serratula coronata subsp. *coronata* / 562
Serratula coronata subsp. *insularis* / 562
Serratula deltoides / 565
Serratula deltoides var. *palmatopinnatifida* / 565
Serratula excelsa / 565
Serratula hayatae / 545
Serratula insularis / 562
Serratula japonica / 556
Serratula komarovii / 545
Serratula pulchella / 558
Serratula pungens var. *excelsa* / 565
Serratula setosa / 525
Serratula uniflora / 564
Seseli coreanum / 377
Seseli libanotis var. *japonicum* / 377
Seseli seseloides / 377
Seseli tachiroei / 377
Setaria / 657
Setaria autumnalis / 658
Setaria chondrachne / 657
Setaria faberi / 658
Setaria glauca var. *dura* / 658
Setaria glauca var. *glauca* / 658
Setaria lutescens var. *dura* / 658
Setaria pachystachys / 659
Setaria pumila / 658
Setaria pumila subsp. *pallidefusca* / 658
Setaria pumila subsp. *pumila* / 658
Setaria viridis / 658
Setaria viridis subsp. *pycnocoma* / 658
Setaria viridis subsp. *viridis* / 658
Setaria viridis var. *pachystachys* / 659
Setaria viridis var. *viridis* / 658
Seutera wilfordii / 421
Shibateranthis stellata / 168
Shia cuspidata / 90
Shia sieboldii / 90
Shuteria anomala / 276
Shuteria trisperma / 276
Sibbaldia / 268
Sibbaldia coreana / 268
Sibbaldia erecta / 235
Sibbaldia macrophylla / 268
Sibbaldia octopetala / 268
Sibbaldia polygyna / 235
Sibbaldia procumbens / 268
Sibbaldia procumbens var. *coreana* / 268
Sibbaldianthe / 268
Sibbaldianthe semiglabra / 268
Sideritis ciliata / 445
Sigesbeckia / 562
Sigesbeckia brachiata / 563
Sigesbeckia formosana / 562
Sigesbeckia glabrescens / 562
Sigesbeckia glabrescens var. *leucoclada* / 562
Sigesbeckia gracilis / 563
Sigesbeckia humilis / 563
Sigesbeckia iberica / 563
Sigesbeckia microcephala / 563
Sigesbeckia orientalis / 562
Sigesbeckia orientalis f. *angustifolia* / 563
Sigesbeckia orientalis f. *glabrescens* / 562
Sigesbeckia orientalis f. *pubescens* / 563
Sigesbeckia orientalis subsp. *glabrescens* / 562

- | | |
|--|---|
| <i>Sigesbeckia orientalis</i> subsp. <i>orientalis</i> / 563 | <i>Silene tatarica</i> var. <i>macrostyla</i> / 139 |
| <i>Sigesbeckia orientalis</i> subsp. <i>pubescens</i> / 563 | <i>Silene wilfordii</i> / 133 |
| <i>Sigesbeckia orientalis</i> var. <i>angustifolia</i> / 563 | <i>Siler divaricatum</i> / 381 |
| <i>Sigesbeckia orientalis</i> var. <i>pubescens</i> / 563 | <i>Sillaphyton</i> / 382 |
| <i>Sigesbeckia pubescens</i> / 563 | <i>Sillaphyton podagraria</i> / 382 |
| <i>Sigesbeckia pubescens</i> f. <i>eglandulosa</i> / 563 | <i>Silybum atriplicifolium</i> / 565 |
| <i>Silene</i> / 137 | <i>Simaba quassoides</i> / 310 |
| <i>Silene aprica</i> / 137 | SIMAROUBACEAE / 310 |
| <i>Silene aprica</i> subsp. <i>oldhamiana</i> / 137 | <i>Sinomalus komarovii</i> / 241 |
| <i>Silene aprica</i> var. <i>apraca</i> / 137 | <i>Sinomalus tenuifolia</i> / 241 |
| <i>Silene aprica</i> var. <i>oldhamiana</i> / 137 | <i>Sinomenium</i> / 180 |
| <i>Silene baccifera</i> / 138 | <i>Sinomenium acutum</i> / 180 |
| <i>Silene baccifera</i> f. <i>atropurpurea</i> / 138 | <i>Sinomenium acutum</i> var. <i>cinereum</i> / 180 |
| <i>Silene baccifera</i> var. <i>baccifera</i> / 138 | <i>Sinomenium diversifolium</i> / 180 |
| <i>Silene baccifera</i> var. <i>japonicus</i> / 138 | <i>Sinosenecio koreanus</i> / 568 |
| <i>Silene capitata</i> / 138 | <i>Siphonanthus trichotomus</i> / 440 |
| <i>Silene cognata</i> / 133 | <i>Siphonanthus trichotomus</i> var. <i>esculenta</i> / 440 |
| <i>Silene fasciculata</i> / 138 | <i>Siphonanthus trichotomus</i> var. <i>fargesii</i> / 440 |
| <i>Silene fauriei</i> / 139 | <i>Siphonanthus trichotomus</i> var. <i>ferrugineum</i> / 440 |
| <i>Silene firma</i> / 138 | <i>Siphonostegia</i> / 475 |
| <i>Silene firma</i> f. <i>firma</i> / 138 | <i>Siphonostegia chinensis</i> / 475 |
| <i>Silene firma</i> subsp. <i>pubescens</i> / 138 | <i>Siraitos aquaticus</i> / 586 |
| <i>Silene foliosa</i> / 139 | <i>Siraitos koreanus</i> / 586 |
| <i>Silene foliosa</i> var. <i>macrostyla</i> / 139 | <i>Sisymbrium</i> / 212 |
| <i>Silene foliosa</i> var. <i>mongolica</i> / 139 | <i>Sisymbrium amphibium</i> var. <i>palustre</i> / 212 |
| <i>Silene hallasanensis</i> / 138 | <i>Sisymbrium atrovirens</i> / 212 |
| <i>Silene jenisseia</i> / 138 | <i>Sisymbrium brassicoides</i> / 212 |
| <i>Silene jenisseensis</i> / 139 | <i>Sisymbrium dahuricum</i> / 212 |
| <i>Silene koreana</i> / 139 | <i>Sisymbrium dubium</i> / 211 |
| <i>Silene macrostyla</i> / 139 | <i>Sisymbrium heteromallum</i> / 212 |
| <i>Silene maximowicziana</i> / 139 | <i>Sisymbrium heteromallum</i> f. <i>dahuricum</i> / 212 |
| <i>Silene melandriformis</i> / 138 | <i>Sisymbrium heteromallum</i> f. <i>glabrum</i> / 212 |
| <i>Silene melandriiformis</i> / 137 | <i>Sisymbrium heteromallum</i> var. <i>dahuricum</i> / 212 |
| <i>Silene myongcheonensis</i> / 139 | <i>Sisymbrium humile</i> / 203 |
| <i>Silene oldhamiana</i> / 137 | <i>Sisymbrium indicum</i> / 211 |
| <i>Silene oligantha</i> / 139 | <i>Sisymbrium luteum</i> / 212 |
| <i>Silene pauciflora</i> / 138 | <i>Sisymbrium maximowiczii</i> / 203 |
| <i>Silene purpurata</i> / 139 | <i>Sisymbrium palustre</i> / 212 |
| <i>Silene repens</i> / 139 | <i>Sisymbrium sinapis</i> / 211 |
| <i>Silene repens</i> var. <i>angustifolia</i> / 139 | <i>Sisymbrium thalianum</i> / 201 |
| <i>Silene repens</i> var. <i>australis</i> / 139 | <i>Sium</i> / 382 |
| <i>Silene repens</i> var. <i>glandulosa</i> / 139 | <i>Sium cicuta</i> / 373 |
| <i>Silene repens</i> var. <i>sinensis</i> / 139 | <i>Sium diversifolium</i> / 382 |
| <i>Silene scouleri</i> var. <i>costata</i> / 139 | <i>Sium heterophyllum</i> / 382 |
| <i>Silene seoulensis</i> / 140 | <i>Sium matsumurae</i> / 368 |
| <i>Silene takeshimensis</i> / 140 | <i>Sium neurophyllum</i> / 381 |
| <i>Silene taquetii</i> / 137 | <i>Sium ninsi</i> / 382 |
| <i>Silene tatarica</i> var. <i>foliosa</i> / 139 | <i>Sium nipponicum</i> / 382 |

■ Scientific name Index

- Sium suave* / 382
Sium suave var. *nipponicum* / 382
Sium suave var. *suave* / 382
Sium temne / 382
Sium ternifolium / 382
Slateria jaburan / 597
Slateria japonica / 597
Smilacina bicolor / 595
Smilacina bicolor var. *flavovirens* / 595
Smilacina bifolia / 595
Smilacina bifolia var. *kamtschatica* / 596
Smilacina dahurica / 596
Smilacina hirta / 596
Smilacina japonica / 596
Smilacina japonica f. *lute-carpa* / 596
Smilacina japonica var. *lute-carpa* / 596
Smilacina japonica var. *mandshurica* / 596
Smilacina robusta / 596
Smilacina trifolia / 596
Smilacina trinervis / 596
Smilax / 601
Smilax china / 601
Smilax china var. *taiheiensis* / 601
Smilax excelsa var. *ussuriensis* / 601
Smilax flaccida / 602
Smilax formosana / 602
Smilax herbacea var. *daibuensis* / 602
Smilax herbacea var. *intermedia* / 601
Smilax herbacea var. *nipponica* / 601
Smilax herbacea var. *oblonga* / 601
Smilax herbacea var. *oldhamii* / 602
Smilax higoensis / 601
Smilax higoensis var. *maximowiczii* / 602
Smilax higoensis var. *ussuriensis* / 602
Smilax japonica / 601
Smilax maximowiczii / 602
Smilax nebelii / 602
Smilax nipponica / 601
Smilax oblonga / 601
Smilax oldhamii / 602
Smilax oldhamii var. *daibuensis* / 602
Smilax oldhamii var. *ussuriensis* / 602
Smilax ovatorotunda / 602
Smilax ovatorotunda var. *ussuriensis* / 602
Smilax ovatorotunda var. *ussuriensis* f. *maximowiczii* / 602
Smilax ovatorotunda var. *ussuriensis* f. *stenophylla* / 602
Smilax pteropus / 601
Smilax riparia / 601
Smilax riparia subsp. *ussuriensis* / 602
Smilax riparia var. *ussuriensis* / 602
Smilax riparia var. *ussuriensis* f. *stenophylla* / 602
Smilax sadoensis / 602
Smilax sieboldii / 602
Smilax sieboldii f. *inermis* / 602
Smilax sieboldii f. *sieboldii* / 602
Smilax sieboldii var. *formosana* / 602
Smilax sieboldii var. *inermis* / 602
Smilax simadai / 601
Smilax taiheiensis / 601
Smilax takaoensis / 602
Smilax taquetii / 601
Smithia aspera / 275
Sobiso japonica / 456
SOLANACEAE / 461
Solanum / 461
Solanum anodontum / 462
Solanum cathayanum / 462
Solanum dichotomum var. *lyrata* / 461
Solanum dulcamara var. *chinense* / 461
Solanum dulcamara var. *heterophyllum* / 461
Solanum dulcamara var. *pubescens* / 461
Solanum japonense / 461
Solanum japonense var. *takaoyamense* / 461
Solanum lyratum / 461
Solanum lyratum var. *leucanthum* / 462
Solanum megacarpum / 462
Solanum nipponense / 461
Solanum philippinense / 462
Solanum takaoyamense / 461
Solenolantana carlesii / 491
Solidago / 563
Solidago chinensis / 568
Solidago coreana / 564
Solidago coreana var. *spathulifolia* / 564
Solidago japonica / 563
Solidago mirabilis / 563
Solidago pacifica / 563
Solidago virgaurea / 563
Solidago virgaurea subsp. *asiatica* / 563
Solidago virgaurea subsp. *gigantea* / 563
Solidago virgaurea subsp. *virgaurea* / 563
Solidago virgaurea var. *coreana* / 564
Solidago virgaurea var. *gigantea* / 563
Solidago virgaurea var. *leiocarpa* / 563
Solidago virgaurea var. *virgaurea* / 564
Solenolantana carlesii var. *bitchiuense* / 491

<i>Sonchus</i> / 564	<i>Sorbus macrophylla</i> / 269
<i>Sonchus arvensis</i> f. <i>brachyotus</i> / 564	<i>Sorbus manshuriensis</i> / 270
<i>Sonchus arvensis</i> subsp. <i>brachyotus</i> / 564	<i>Sorbus pohuashanensis</i> / 270
<i>Sonchus brachyotus</i> / 564	<i>Sorbus pohuashanensis</i> f. <i>latifoliolata</i> / 270
<i>Sonchus fauriei</i> / 564	<i>Sorbus pohuashanensis</i> f. <i>rufa</i> / 270
<i>Sonchus shzucinianus</i> / 564	<i>Sorbus pohuashanensis</i> var. <i>amurensis</i> / 270
<i>Sonchus sibiricus</i> / 546	<i>Sorbus pohuashanensis</i> var. <i>manshuriensis</i> / 270
<i>Sonchus taquetii</i> / 564	<i>Sorbus pruinosa</i> / 269
<i>Sophora</i> / 291	<i>Sorbus pseudogracilis</i> / 270
<i>Sophora angustifolia</i> / 291	<i>Sorbus reflexipetala</i> / 269
<i>Sophora fabacea</i> / 291	<i>Sorbus sambucifolia</i> var. <i>pseudogracilis</i> / 270
<i>Sophora flavescens</i> / 291	<i>Sorbus sambucifolia</i> var. <i>sambucifolia</i> / 270
<i>Sophora flavescens</i> var. <i>angustifolia</i> / 291	<i>Sorbus toringo</i> / 242
<i>Sophora koreensis</i> / 291	<i>Sorbus ulleungensis</i> / 270
<i>Sophora lupinoides</i> / 291	<i>Sorbus yesoensis</i> / 269
<i>Sophora macrosperma</i> / 291	<i>Sorghum</i> / 659
<i>Sophora tetragonocarpa</i> / 291	<i>Sorghum brevifolium</i> / 657
<i>Sorbaria</i> / 268	<i>Sorghum ischaemum</i> / 624
<i>Sorbaria sorbifolia</i> f. <i>incerta</i> / 268	<i>Sorghum nitidum</i> / 659
<i>Sorbaria sorbifolia</i> var. <i>glandulifolia</i> / 268	<i>Sorghum nitidum</i> var. <i>majus</i> / 659
<i>Sorbaria sorbifolia</i> var. <i>sorbifolia</i> / 268	<i>Spanioptilon lineare</i> / 529
<i>Sorbaria sorbifolia</i> var. <i>stellipila</i> / 268	<i>Sparganium</i> / 666
<i>Sorbaria stellipila</i> / 268	<i>Sparganium affine</i> var. <i>zosterifolium</i> / 666
<i>Sorbaria stellipila</i> var. <i>incerta</i> / 268	<i>Sparganium coreanum</i> / 666
<i>Sorbus</i> / 269	<i>Sparganium erectum</i> subsp. <i>stoloniferum</i> / 667
<i>Sorbus alnifolia</i> / 269	<i>Sparganium erectum</i> var. <i>glomeratum</i> / 666
<i>Sorbus alnifolia</i> f. <i>hirtella</i> / 269	<i>Sparganium eurycarpum</i> subsp. <i>coreanum</i> / 666
<i>Sorbus alnifolia</i> var. <i>alnifolia</i> / 269	<i>Sparganium fallax</i> / 666
<i>Sorbus alnifolia</i> var. <i>hirtella</i> / 269	<i>Sparganium glehnii</i> / 666
<i>Sorbus alnifolia</i> var. <i>lobulata</i> / 269	<i>Sparganium glomeratum</i> / 666
<i>Sorbus alnifolia</i> var. <i>macrophylla</i> / 269	<i>Sparganium glomeratum</i> var. <i>angustifolium</i> / 666
<i>Sorbus alnifolia</i> var. <i>tiliifolia</i> / 269	<i>Sparganium hyperboreum</i> / 666
<i>Sorbus amurensis</i> / 270	<i>Sparganium japonicum</i> / 666
<i>Sorbus amurensis</i> f. <i>latifoliolata</i> / 270	<i>Sparganium manshuricum</i> / 666
<i>Sorbus amurensis</i> var. <i>lanata</i> / 269	<i>Sparganium natans</i> var. <i>submuticum</i> / 666
<i>Sorbus amurensis</i> var. <i>latifoliolata</i> / 270	<i>Sparganium ramosum</i> subsp. <i>stoloniferum</i> / 667
<i>Sorbus amurensis</i> var. <i>rufa</i> / 269	<i>Sparganium stoloniferum</i> / 666
<i>Sorbus aucuparia</i> var. <i>japonica</i> / 269	<i>Sparganium subglobosum</i> / 667
<i>Sorbus chionophylla</i> / 269	<i>Sparganium submuticum</i> / 666
<i>Sorbus commixta</i> / 269	<i>Spathium chinense</i> / 183
<i>Sorbus commixta</i> f. <i>rufa</i> / 270	<i>Spathyema nipponica</i> / 665
<i>Sorbus commixta</i> f. <i>rufo-hirtella</i> / 270	<i>Spergula coreana</i> / 140
<i>Sorbus commixta</i> var. <i>pilosa</i> / 269	<i>Spergula japonica</i> / 137
<i>Sorbus commixta</i> var. <i>rufoserruginea</i> / 269	<i>Spergula laricina</i> / 134
<i>Sorbus commixta</i> var. <i>sachalinensis</i> / 269	<i>Spergula marina</i> / 140
<i>Sorbus commixta</i> var. <i>ulleungensis</i> / 270	<i>Spergula saginoides</i> / 137
<i>Sorbus heterodonta</i> / 269	<i>Spergula salina</i> / 140
<i>Sorbus japonica</i> / 269	<i>Spergula saxatilis</i> / 137

■ Scientific name Index

- Spergularia* / 140
Spergularia marina / 140
Spergularia marina var. *asiatica* / 140
Spergularia salina / 140
Spergularia salina var. *asiatica* / 140
Sphaerocephalus latifolius / 536
Sphaeromorphaea russelliana var. *glabrata* / 527
Sphagnicola calendulacea / 568
Sphallerocarpus / 382
Sphallerocarpus gracilis / 382
Sphenomeris biflora / 17
Sphenomeris chinensis / 17
Sphenomeris chusana / 17
Spiraea / 270
Spiraea amabilis / 271
Spiraea amurensis / 243
Spiraea angulata / 272
Spiraea betulifolia / 270
Spiraea blumei / 270
Spiraea blumei f. *amabilis* / 271
Spiraea blumei f. *pseudocrenata* / 271
Spiraea blumei var. *amabilis* / 271
Spiraea blumei var. *obtusa* / 271
Spiraea blumei var. *pseudocrenata* / 271
Spiraea callosa / 272
Spiraea camtschatica / 239
Spiraea chamaedryfolia / 271
Spiraea chamaedryfolia var. *chamaedryfolia* / 271
Spiraea chamaedryfolia var. *flexuosa* / 271
Spiraea chamaedryfolia var. *pilosa* / 271
Spiraea chamaedryfolia var. *pubescens* / 271
Spiraea chamaedryfolia var. *ulmifolia* / 271
Spiraea chartacea / 271
Spiraea chinensis / 272
Spiraea chinensis var. *angustifolia* / 272
Spiraea confusa / 273
Spiraea confusa var. *sericea* / 273
Spiraea daysyantha var. *angustifolia* / 272
Spiraea digitata / 239
Spiraea flexuosa / 271
Spiraea fritschiana / 272
Spiraea fritschiana f. *obtusilolia* / 272
Spiraea fritschiana var. *angulata* / 272
Spiraea fritschiana var. *koreana* / 272
Spiraea fritschiana var. *latifolia* / 272
Spiraea fritschiana var. *obtusilolia* / 272
Spiraea fritschiana var. *parvifolia* / 272
Spiraea hayatai var. *pubescens* / 272
Spiraea hypoglauca / 271
Spiraea incisa / 274
Spiraea insularis / 272
Spiraea japonica / 272
Spiraea japonica subsp. *glabra* / 272
Spiraea japonica var. *angulata* / 272
Spiraea japonica var. *glabra* / 272
Spiraea japonica var. *ovatifolia* subvar. *angulata* / 272
Spiraea kinashii / 271
Spiraea kiusianna / 272
Spiraea koreana / 272
Spiraea koreana var. *macrogyna* / 272
Spiraea laucheana / 271
Spiraea media / 273
Spiraea media f. *oblongifolia* / 273
Spiraea media var. *media* / 273
Spiraea media var. *monbetsuensis* / 273
Spiraea media var. *sericea* / 273
Spiraea microgyna / 273
Spiraea microgyna var. *velutina* / 273
Spiraea miyabei / 273
Spiraea monbetsuensis / 273
Spiraea nankaiensis / 271
Spiraea nervosa var. *angustifolia* / 272
Spiraea nervosa var. *chinensis* / 272
Spiraea nervosa var. *chinensis* subvar. *angustifolia* / 272
Spiraea nervosa var. *kiusiana* / 272
Spiraea oblongifolia / 273
Spiraea obtusa / 270
Spiraea ouensanensis / 273
Spiraea palmata / 239
Spiraea prunifolia f. *prunifolia* / 273
Spiraea prunifolia f. *simpliciflora* / 273
Spiraea prunifolia var. *simpliciflora* / 273
Spiraea pseudocrenata / 270
Spiraea pubescens / 271
Spiraea pubescens f. *leiocarpa* / 271
Spiraea pubescens var. *leiocarpa* / 271
Spiraea pubescens var. *leiocarpa* / 271
Spiraea ribisoidea / 271
Spiraea salicifolia / 273
Spiraea salicifolia var. *lanceolata* / 273
Spiraea sericea / 273
Spiraea sikokualpina × *glabra* / 271
Spiraea simpliciflora / 273
Spiraea sylvestris / 273
Spiraea trichocarpa / 274
Spiraea tsusimensis / 271

<i>Spiraea turczaninowii</i> / 271	<i>Stachys leptopoda</i> / 459
<i>Spiraea ulmifolia</i> / 271	<i>Stachys martini</i> / 459
<i>Spiraea ulmifolia</i> var. <i>pilosa</i> / 271	<i>Stachys modica</i> / 459
<i>Spiraea ussuriensis</i> / 271	<i>Stachys oblongifolia</i> / 458
<i>Spiraea yatabei</i> / 272	<i>Stachys oblongifolia</i> f. <i>leptopoda</i> / 459
<i>Spiraea yatabei</i> subfor. <i>latifolia</i> / 272	<i>Stachys palustris</i> var. <i>hispidula</i> / 459
<i>Spiraea yatabei</i> var. <i>latifolia</i> / 272	<i>Stachys palustris</i> var. <i>imaii</i> / 459
<i>Spiranthes</i> / 737	<i>Stachys polygonatum</i> / 446
<i>Spiranthes amoena</i> / 737	<i>Stachys riederi</i> var. <i>hispidula</i> / 459
<i>Spiranthes australis</i> / 737	<i>Stachys riederi</i> var. <i>japonica</i> / 459
<i>Spiranthes australis</i> var. <i>suishaensis</i> / 737	<i>Stachys riederi</i> var. <i>riederi</i> / 459
<i>Spiranthes congesta</i> / 737	<i>Stachys riederi</i> var. <i>villosa</i> / 459
<i>Spiranthes sinensis</i> / 737	<i>Stachys strbargentea</i> / 459
<i>Spiranthes sinensis</i> subsp. <i>australis</i> / 737	<i>Staphylea</i> / 325
<i>Spiranthes sinensis</i> var. <i>amoena</i> / 737	<i>Staphylea bumalda</i> / 325
<i>Spiranthes sinensis</i> var. <i>australis</i> / 737	<i>Staphylea bumalda</i> var. <i>glabra</i> / 325
<i>Spiranthes suishaensis</i> / 737	<i>Staphylea bumalda</i> var. <i>latifolia</i> / 325
<i>Spirillus pusillus</i> / 578	<i>Staphylea bumalda</i> var. <i>latifolia</i> f. <i>rotundifolia</i> / 325
<i>Spirodela</i> / 666	STAPHYLEACEAE / 325
<i>Spirodela polyrrhiza</i> / 666	<i>Statice japonica</i> / 401
<i>Spodiopogon</i> / 659	<i>Statice tetragona</i> / 401
<i>Spodiopogon cotulifer</i> / 659	<i>Stauntonia</i> / 179
<i>Spodiopogon sibiricus</i> / 659	<i>Stauntonia hexaphylla</i> / 179
<i>Sponia nudiflora</i> / 95	<i>Stegnogramma pozoi</i> subsp. <i>mollissima</i> / 28
<i>Sporobolus</i> / 659	<i>Stellaria</i> / 140
<i>Sporobolus ciliatus</i> var. <i>japonicus</i> / 660	<i>Stellaria alsine</i> var. <i>phaenopetala</i> / 141
<i>Sporobolus fertilis</i> / 659	<i>Stellaria alsine</i> var. <i>undulata</i> / 141
<i>Sporobolus japonicus</i> / 660	<i>Stellaria aquatica</i> / 140
<i>Sporobolus piliferus</i> / 659	<i>Stellaria bungeana</i> / 140
<i>Spuriopimpinella brachycarpa</i> / 379	<i>Stellaria davidii</i> / 135
<i>Spuriopimpinella komarovii</i> / 380	<i>Stellaria diandra</i> / 141
<i>Spuriopimpinella koreana</i> / 380	<i>Stellaria diffusa</i> / 141
<i>Spuriopimpinella koreana</i> f. <i>uchiyamana</i> / 380	<i>Stellaria diversiflora</i> / 140
<i>Stachygynandrum alpinum</i> / 4	<i>Stellaria diversiflora</i> var. <i>diandra</i> / 141
<i>Stachygynandrum complanatum</i> / 5	<i>Stellaria fauriei</i> / 141
<i>Stachygynandrum tamariscinum</i> / 6	<i>Stellaria filicaulis</i> / 141
<i>Stachys</i> / 458	<i>Stellaria filicaulis</i> f. <i>jaluana</i> / 141
<i>Stachys artemisia</i> / 449	<i>Stellaria filipes</i> / 141
<i>Stachys aspera</i> f. <i>glabrata</i> / 459	<i>Stellaria friesiana</i> / 141
<i>Stachys aspera</i> var. <i>japonica</i> / 459	<i>Stellaria heterophylla</i> / 135
<i>Stachys baicalensis</i> / 459	<i>Stellaria jaluana</i> / 141
<i>Stachys baicalensis</i> var. <i>angustifolia</i> / 459	<i>Stellaria japonica</i> / 141
<i>Stachys baicalensis</i> var. <i>japonica</i> / 459	<i>Stellaria longifolia</i> / 141
<i>Stachys imaii</i> / 459	<i>Stellaria longifolia</i> var. <i>legitima</i> / 141
<i>Stachys japonica</i> / 459	<i>Stellaria mosquensis</i> / 141
<i>Stachys japonica</i> f. <i>villosa</i> / 459	<i>Stellaria neglecta</i> / 141
<i>Stachys japonica</i> var. <i>chinensis</i> f. <i>glabrata</i> / 459	<i>Stellaria neopalustris</i> / 141
<i>Stachys japonica</i> var. <i>villosa</i> / 459	<i>Stellaria radians</i> / 141

■ Scientific name Index

Stellaria rhaphanorrhiza / 135
Stellaria sessiliflora / 141
Stellaria sylvatica / 136
Stellaria uliginosa / 141
Stellaria uliginosa var. *undulata* / 141
Stellaria undulata / 141
Stellera / 336
Stellera chamaejasme / 336
Stellera japonica / 337
Stellera rosea / 337
Stemmacantha / 564
Stemmacantha uniflora / 564
Stenocoelium divaricatum / 381
Stenofestuca pauciflora / 626
Stenophragma thaliana / 201
Stephanandra / 274
Stephanandra flexuosa / 274
Stephanandra incisa / 274
Stephanandra incisa f. *quadrifissa* / 274
Stephanandra incisa var. *incisa* / 274
Stephanandra incisa var. *quadrifissa* / 274
Stephanandra quadrifissa / 274
Stephania / 180
Stephania japonica / 180
Stephanocoma atriplicifolia / 565
Stevenia axillaris / 203
Stewartia / 190
Stewartia koreana / 190
Stewartia pseudocamellia var. *koreana* / 190
Stillingia japonica / 306
Stimpsonia / 401
Stimpsonia chamaedrioides / 401
Stipa / 660
Stipa arguens var. *japonica* / 660
Stipa coreana / 621
Stipa czeckanovskii / 660
Stipa mongholica / 660
Stipa pekinensis / 621
Stipa pubicalyx / 621
Stipa sibirica / 621
Stranvaesia digyna / 243
Stratiotes alismoides / 575
Streblus cordatus / 99
Streptolirion / 619
Streptolirion cordifolium / 619
Streptolirion volubile / 619
Streptopus / 602
Streptopus ajanensis var. *koreanus* / 603

Streptopus amplexifolius / 602
Streptopus amplexifolius var. *papillatus* / 603
Streptopus koreanus / 603
Streptopus ovalis / 603
Streptopus ovalis var. *albus* / 603
Streptopus streptopoides var. *koreanus* / 603
Strigilia shiratana / 402
Strobilanthes / 477
Strobilanthes coreana / 477
Strobilanthes oliganthus / 477
Strobus koraiensis / 65
Strobus parviflora / 65
Struthiopteris cinnamomea / 11
Struthiopteris orientalis / 33
Stuckenia pectinata / 578
STYRACACEAE / 402
Styrax / 402
Styrax bodinieri / 402
Styrax japonicus / 402
Styrax obassis / 402
Styrax shiraianus / 402
Suaeda / 145
Suaeda asparagoides / 146
Suaeda australis / 145
Suaeda glauca / 146
Suaeda heteroptera / 146
Suaeda japonica / 146
Suaeda malacosperma / 146
Suaeda maritima / 146
Suaeda maritima subsp. *asiatica* / 146
Suaeda maritima subsp. *salsa* / 146
Suaeda maritima var. *australis* / 146
Suaeda nudiflora / 146
Suaeda salsa / 146
Suaeda stauntonii / 146
Suaeda ussuriensis / 146
Suffrenia dichotoma / 353
Sugerokia nipponica / 589
Sunania filiformis / 117
Sunania filiformis f. *albiflora* / 117
Sunania filiformis f. *smaragdina* / 117
Sunania filiformis f. *trichorachis* / 117
Sunania neofiliformis / 120
Swertia / 416
Swertia anomala / 417
Swertia bissetti / 416
Swertia chinensis var. *tosaensis* / 416
Swertia dichotoma / 412

<i>Swertia diluta</i> var. <i>tosaensis</i> / 416	<i>Syneilesis palmata</i> var. <i>subconcolor</i> / 565
<i>Swertia erythrosticta</i> / 416	<i>Syntherisma ischaemum</i> var. <i>lasiophylla</i> / 631
<i>Swertia japonica</i> / 416	<i>Synurus</i> / 565
<i>Swertia japonica</i> f. <i>chionantha</i> / 416	<i>Synurus atriplicifolius</i> / 565
<i>Swertia pallasii</i> / 416	<i>Synurus deltoides</i> / 565
<i>Swertia pseudochinensis</i> / 416	<i>Synurus deltoides</i> var. <i>incisolobata</i> / 565
<i>Swertia tetrapetala</i> / 416	<i>Synurus excelsus</i> / 565
<i>Swertia tetrapetala</i> f. <i>albiflora</i> / 416	<i>Synurus palmatopinnatifidus</i> / 565
<i>Swertia tetrapetala</i> f. <i>papillosa</i> / 416	<i>Synurus palmatopinnatifidus</i> var. <i>indivisus</i> / 566
<i>Swertia tetrapetala</i> f. <i>variegata</i> / 416	<i>Synurus palmatopinnatifidus</i> var. <i>palmatopinnatifidus</i> / 566
<i>Swertia tosaensis</i> / 416	<i>Syringa</i> / 409
<i>Swertia veratroides</i> / 417	<i>Syringa amurensis</i> / 410
<i>Swertia wilfordii</i> / 417	<i>Syringa amurensis</i> f. <i>bracteata</i> / 411
<i>Swertia yesoensis</i> / 416	<i>Syringa amurensis</i> var. <i>japonica</i> / 411
<i>Swida controversa</i> / 363	<i>Syringa amurensis</i> var. <i>mandshurica</i> / 411
<i>Swida coreana</i> / 363	<i>Syringa dilatata</i> / 409
<i>Symphyandra asiatica</i> / 505	<i>Syringa fauriei</i> / 409
<i>Sympyllocarpus</i> / 564	<i>Syringa formosissima</i> / 411
<i>Sympyllocarpus exilis</i> / 564	<i>Syringa formosissima</i> var. <i>formosissima</i> / 409
SYMPLOCACEAE / 402	<i>Syringa formosissima</i> var. <i>hirsuta</i> / 409
<i>Symplocarpus</i> / 665	<i>Syringa hirsuta</i> / 409
<i>Symplocarpus foetidus</i> f. <i>latissima</i> / 665	<i>Syringa hirsuta</i> var. <i>formosissima</i> / 411
<i>Symplocarpus foetidus</i> var. <i>latissima</i> / 665	<i>Syringa japonica</i> / 411
<i>Symplocarpus nipponicus</i> / 665	<i>Syringa kamibayashii</i> / 410
<i>Symplocarpus renifolius</i> / 665	<i>Syringa koehneana</i> / 410
<i>Symplocos</i> / 402	<i>Syringa ligustrina</i> / 410
<i>Symplocos argutidens</i> / 403	<i>Syringa micrantha</i> / 410
<i>Symplocos chinensis</i> f. <i>pilosa</i> / 403	<i>Syringa oblata</i> subsp. <i>dilatata</i> / 409
<i>Symplocos chinensis</i> subsp. <i>pilosa</i> / 403	<i>Syringa oblata</i> var. <i>dilatata</i> / 409
<i>Symplocos chinensis</i> var. <i>leucocarpa</i> / 403	<i>Syringa oblata</i> var. <i>oblata</i> / 409
<i>Symplocos coreana</i> / 403	<i>Syringa palibiniana</i> / 410
<i>Symplocos crataegoides</i> f. <i>major</i> / 403	<i>Syringa palibiniana</i> var. <i>kamibayashii</i> / 410
<i>Symplocos crataegoides</i> var. <i>leucocarpa</i> / 403	<i>Syringa patula</i> / 410
<i>Symplocos lucida</i> / 404	<i>Syringa patula</i> f. <i>lactea</i> / 410
<i>Symplocos paniculata</i> var. <i>leucocarpa</i> / 403	<i>Syringa patula</i> var. <i>kamibayashii</i> / 410
<i>Symplocos paniculata</i> var. <i>pubescens</i> / 403	<i>Syringa patula</i> var. <i>patula</i> / 409
<i>Symplocos prunifolia</i> / 403	<i>Syringa patula</i> var. <i>venosa</i> / 409, 410
<i>Symplocos prunifolia</i> f. <i>uiae</i> / 403	<i>Syringa pubescens</i> f. <i>lactea</i> / 410
<i>Symplocos prunifolia</i> var. <i>paucistaminosa</i> / 403	<i>Syringa pubescens</i> subsp. <i>patula</i> / 410
<i>Symplocos prunifolia</i> var. <i>uiae</i> / 403	<i>Syringa pubescens</i> subsp. <i>pubescens</i> / 410
<i>Symplocos sawafutagi</i> / 402	<i>Syringa pubescens</i> var. <i>kamibayashii</i> / 410
<i>Symplocos tanakana</i> / 403	<i>Syringa pubescens</i> var. <i>patula</i> / 410
<i>Synaedrys cuspidata</i> / 90	<i>Syringa pubescens</i> var. <i>venosa</i> / 410
<i>Synaedrys sieboldii</i> / 90	<i>Syringa reticulata</i> / 410
<i>Syneilesis</i> / 564	<i>Syringa reticulata</i> f. <i>bracteata</i> / 411
<i>Syneilesis aconitifolia</i> / 564	<i>Syringa reticulata</i> var. <i>amurensis</i> / 411
<i>Syneilesis palmata</i> / 565	<i>Syringa reticulata</i> var. <i>mandshurica</i> / 411
<i>Syneilesis palmata</i> f. <i>subconcolor</i> / 565	<i>Syringa robusta</i> / 411

- Syringa robusta* f. *glabra* / 411
Syringa robusta f. *subhirsuta* / 411
Syringa rotundifolia / 411
Syringa velutina / 410
Syringa velutina f. *lactea* / 410
Syringa velutina var. *kamibayashii* / 410
Syringa velutina var. *venosa* / 410
Syringa velutina var. *venosa* f. *lactea* / 410
Syringa venosa / 410
Syringa venosa var. *lactea* / 410
Syringa villosa subsp. *villosa* / 411
Syringa villosa subsp. *wolfii* / 411
Syringa villosa var. *lactea* / 410
Syringa wolfii / 411
- (T)
- Tabernaemontana elliptica* / 418
Taeniophyllum / 737
Taeniophyllum glandulosum / 737
Talipariti hamabo / 335
Tanacetum / 566
Tanacetum boreale / 566
Tanacetum crispum / 566
Tanacetum lineare / 548
Tanacetum officinarum / 566
Tanacetum sibiricum / 539
Tanacetum sinchangense / 536
Tanacetum vulgare / 566
Tanacetum vulgare var. *boreale* / 566
Tarachia wilfordii / 26
Taraxacum / 566
Taraxacum albomarginatum / 567
Taraxacum coreanum / 566
Taraxacum formosanum / 567
Taraxacum glabrisquamum / 566
Taraxacum hallaisanense / 566
Taraxacum imbricatum / 567
Taraxacum junpeianum / 567
Taraxacum kansuense / 567
Taraxacum liaotungense / 567
Taraxacum mandshuricum / 567
Taraxacum mongolicum / 566
Taraxacum mongolicum var. *formosanum* / 567
Taraxacum multisectum / 567
Taraxacum officinale var. *lividum* / 567
Taraxacum ohwianum / 567
Taraxacum platycepidum / 567
Taraxacum pseudoalbidum / 566
- Taraxacum pseudoalbidum* f. *lutescens* / 566
Taraxacum pseudoalbidum var. *lutescens* / 566
Taraxacum pseudodissectum / 567
Taraxacum quelpaertense / 567
Taraxacum saxatile / 567
Taraxacum taquetii / 566
TAXACEA / 69
Taxillus / 109
Taxillus yadoriki / 109
Taxu / 69
Taxus baccata subsp. *cuspidata* / 69
Taxus baccata subsp. *cuspidata* var. *latifolia* / 69
Taxus baccata var. *latifolia* / 69
Taxus baccata var. *microcarpa* / 69
Taxus caespitosa / 69
Taxus caespitosa var. *angustifolia* / 69
Taxus caespitosa var. *latifolia* / 69
Taxus cuspidata / 69
Taxus cuspidata var. *caespitosa* / 69
Taxus cuspidata var. *latifolia* / 69
Taxus cuspidata var. *microcarpa* / 69
Taxus harringtonii / 69
Taxus macrophylla / 68
Taxus nucifera / 70
Taxus umbraculifera var. *microcarpa* / 69
Tectaria / 54
Tectaria fuscipes / 54
Tectaria sinii / 43
- TECTARIACEAE** / 54
- Teloxys aristata* / 144
Tenorea heterophylla / 101
Tephroseris / 567
Tephroseris birubonensis / 568
Tephroseris flammea / 567
Tephroseris flammea var. *flammea* / 567
Tephroseris flammea var. *glabrifolia* / 567
Tephroseris integrifolia subsp. *kirilowii* / 568
Tephroseris kirilowii / 568
Tephroseris koreana / 568
Tephroseris phaeantha / 568
Tephroseris pierottii / 568
Terebinthina aromatica / 464
Terebinthina indica / 464
Terebinthina sessiliflora / 465
Ternstroemia / 191
Ternstroemia gymnanthera / 191
Ternstroemia lushia / 189
Tetradenia acutotrinervia / 152

<i>Tetradenia glauca</i> / 152	<i>Thalictrum ichangense</i> / 175
<i>Tetradium</i> / 308	<i>Thalictrum ichangense</i> var. <i>coreanum</i> / 175
<i>Tetradium daniellii</i> / 308	<i>Thalictrum ichangense</i> var. <i>ichangense</i> / 175
<i>Tetragonia</i> / 128	<i>Thalictrum kemense</i> / 175
<i>Tetragonia borealis</i> / 128	<i>Thalictrum kemense</i> var. <i>hypoleucum</i> / 175
<i>Tetragonia expansa</i> / 128	<i>Thalictrum kemense</i> var. <i>stipellatum</i> / 175
<i>Tetragonia tetragonoides</i> / 128	<i>Thalictrum minus</i> subsp. <i>kemense</i> / 175
<i>Tetraptera japonica</i> / 151	<i>Thalictrum minus</i> var. <i>amplissimum</i> / 175
<i>Tetrapanax ricinifolius</i> / 367	<i>Thalictrum minus</i> var. <i>hypoleucum</i> / 175
<i>Teucrium</i> / 459	<i>Thalictrum minus</i> var. <i>minus</i> / 175
<i>Teucrium brevispicum</i> / 459	<i>Thalictrum multipeltatum</i> / 175
<i>Teucrium japonicum</i> / 459	<i>Thalictrum osmorrhizoides</i> / 175
<i>Teucrium miquelianum</i> / 460	<i>Thalictrum petaloideum</i> / 176
<i>Teucrium nepetoides</i> / 459	<i>Thalictrum petaloideum</i> var. <i>latifoliolatum</i> / 176
<i>Teucrium nipponicum</i> / 460	<i>Thalictrum punctatum</i> / 176
<i>Teucrium stoloniferum</i> / 460	<i>Thalictrum purdomii</i> / 175
<i>Teucrium stoloniferum</i> var. <i>miquelianum</i> / 460	<i>Thalictrum raphanorbizon</i> / 176
<i>Teucrium veronicoides</i> / 459	<i>Thalictrum richardsonii</i> / 176
<i>Teucrium viscidum</i> / 460	<i>Thalictrum rochebrunnianum</i> / 176
<i>Teucrium viscidum</i> var. <i>miquelianum</i> / 460	<i>Thalictrum rochebrunnianum</i> var. <i>grandisepalum</i> / 176
<i>Teucrium viscidum</i> var. <i>viscidum</i> / 460	<i>Thalictrum sachalinense</i> / 176
<i>Textoria morbilosa</i> / 365	<i>Thalictrum simplex</i> var. <i>brevipes</i> / 176
<i>Thacla natans</i> / 162	<i>Thalictrum simplex</i> var. <i>simplex</i> / 176
<i>Thalictrodes binternatum</i> / 157	<i>Thalictrum sparsiflorum</i> / 176
<i>Thalictrodes japonicum</i> / 158	<i>Thalictrum stramineum</i> / 176
<i>Thalictrodes obtusilobum</i> / 157	<i>Thalictrum tenerum</i> / 176
<i>Thalictrum</i> / 174	<i>Thalictrum thunbergii</i> / 175
<i>Thalictrum actaeifolium</i> / 174	<i>Thalictrum thunbergii</i> var. <i>condensatum</i> / 175
<i>Thalictrum actaeifolium</i> var. <i>brevistylum</i> / 174	<i>Thalictrum thunbergii</i> var. <i>hypoleucum</i> / 175
<i>Thalictrum acutifolium</i> / 174	<i>Thalictrum thunbergii</i> var. <i>majus</i> / 175
<i>Thalictrum akanense</i> / 176	<i>Thalictrum tripeltatum</i> / 175
<i>Thalictrum aquilegiifolium</i> subsp. <i>asiaticum</i> / 174	<i>Thalictrum tuberiferum</i> / 176
<i>Thalictrum aquilegiifolium</i> var. <i>aquilegiifolium</i> / 174	<i>Thalictrum tuberiferum</i> var. <i>tenerum</i> / 176
<i>Thalictrum aquilegiifolium</i> var. <i>asiaticum</i> / 174	<i>Thalictrum uchiyamae</i> / 177
<i>Thalictrum aquilegiifolium</i> var. <i>sibiricum</i> / 174	<i>Thalictrum yamamotoi</i> / 175
<i>Thalictrum atropurpureum</i> / 174	<i>Thea camellia</i> / 189
<i>Thalictrum baicalense</i> / 174	<i>Thea japonica</i> / 189
<i>Thalictrum baicalense</i> var. <i>japonicum</i> / 174	<i>Thea japonica</i> var. <i>hortensis</i> / 189
<i>Thalictrum clavatum</i> var. <i>acutifolium</i> / 174	<i>Thea japonica</i> var. <i>spontanea</i> / 189
<i>Thalictrum clavatum</i> var. <i>filamentosum</i> / 174	THEACEAE / 189
<i>Thalictrum contortum</i> / 174	<i>Thelycrania alba</i> / 362
<i>Thalictrum coreanum</i> / 175	<i>Thelycrania brachypoda</i> / 363
<i>Thalictrum filamentosum</i> / 174	THELYPTERIDACEAE / 27
<i>Thalictrum filamentosum</i> var. <i>tenerum</i> / 176	<i>Thelypteris</i> / 31
<i>Thalictrum franchetii</i> / 174	<i>Thelypteris acuminata</i> / 27
<i>Thalictrum giraldii</i> / 174	<i>Thelypteris angustifrons</i> / 29
<i>Thalictrum grandisepalum</i> / 176	<i>Thelypteris beddomei</i> / 29
<i>Thalictrum hypoleucum</i> / 175	<i>Thelypteris dentata</i> / 27

■ Scientific name Index

- Thelypteris dryopteris* / 19
Thelypteris glanduligera / 30
Thelypteris gongyloides / 27
Thelypteris hattori / 29
Thelypteris interrupta / 27
Thelypteris japonica var. *glabrata* / 30
Thelypteris nipponica / 30
Thelypteris nipponica var. *borealis* / 30
Thelypteris palustris / 31
Thelypteris quelpaertensis / 31
Thelypteris subochthodes / 31
Thelypteris viridifrons / 28
Themeda / 660
Themeda japonica / 660
Themeda triandra / 660
Themeda triandra var. *japonica* / 660
Theodorea chinnampoensis / 554
Theodorea koraiensis / 558
Theodorea pulchella / 558
Thermopsis / 291
Thermopsis fabacea / 291
Thermopsis lupinoides / 291
Therorhodion redowskianum / 390
Thladiantha / 352
Thladiantha dubia / 352
Thlaspi bursa-pastoris / 203
Thrixspermum / 737
Thrixspermum japonicum / 737
Thuja / 68
Thuja chengii / 68
Thuja decora / 68
Thuja kongoensis / 68
Thuja koraiensis / 68
Thuja orientalis / 68
Thuja orientalis f. *sieboldii* / 68
Thuja orientalis var. *argyi* / 68
Thuja orientalis var. *sieboldii* / 68
THYMELAEACEAE / 335
Thymus / 460
Thymus japonicus / 460
Thymus magnus / 460
Thymus przewalskii var. *laxus* / 460
Thymus przewalskii / 460
Thymus przewalskii var. *magnus* / 460
Thymus quinquecostatus var. *ibukensis* / 460
Thymus quinquecostatus / 460
Thymus quinquecostatus f. *magnus* / 460
Thymus quinquecostatus var. *japonicus* / 460
Thymus quinquecostatus var. *laxus* / 460
Thymus quinquecostatus var. *magnus* / 460
Thymus quinquecostatus var. *przewalskii* / 460
Thymus quinquecostatus var. *quinquecostatus* / 460
Thymus serphyllum subsp. *quinquecostatus* / 460
Thymus serphyllum var. *ibukensis* / 460
Thymus serphyllum var. *przewalskii* / 460
Thyrocarpus / 437
Thyrocarpus glochidiatus / 437
Tiarella / 226
Tiarella polyphylla / 226
Tiarella unifolia / 224
Tienmuia triandra / 480
Tilia / 333
Tilia amurensis / 333
Tilia amurensis f. *polyantha* / 334
Tilia amurensis var. *acuminatissima* f. *polyantha* / 334
Tilia amurensis var. *glabrata* / 334
Tilia amurensis var. *glabrata* f. *taquetii* / 335
Tilia amurensis var. *grosseserrata* / 334
Tilia amurensis var. *koreana* / 334
Tilia amurensis var. *kryloviana* / 334
Tilia amurensis var. *oligantha* / 334
Tilia amurensis var. *oligantha* f. *polyantha* / 334
Tilia amurensis var. *rufa* / 334
Tilia amurensis var. *taquetii* / 335
Tilia amurensis var. *tricuspidata* / 334
Tilia argentea var. *manshurica* / 334
Tilia cordata / 334
Tilia cordata var. *manshurica* / 334
Tilia distans / 334
Tilia glabrata / 334
Tilia insularis / 334
Tilia koreana / 334
Tilia mandshurica / 334
Tilia mandshurica f. *depressa* / 334
Tilia mandshurica f. *villicarpa* / 334
Tilia mandshurica var. *depressa* / 334
Tilia mandshurica var. *fusiformis* / 334
Tilia mandshurica var. *mandshurica* / 334
Tilia mandshurica var. *megaphylla* / 334
Tilia mandshurica var. *ovalis* / 335
Tilia mandshurica var. *villicarpa* / 334
Tilia megaphylla / 335
Tilia megaphylla f. *subintegra* / 334
Tilia ovalis / 335
Tilia peckinensis / 334
Tilia rufa / 334

<i>Tilia semicostata</i> / 335	<i>Tomex japonica</i> / 151
<i>Tilia taquetii</i> / 335	<i>Torenia arisanensis</i> / 469
<i>TILIACEAE</i> / 333	<i>Torenia crustacea</i> / 465
<i>Tilingia</i> / 383	<i>Torenia inflata</i> / 469
<i>Tilingia nakaiana</i> / 383	<i>Torenia quinquenervis</i> / 466
<i>Tilingia tachiroei</i> / 377	<i>Torilis</i> / 383
<i>Tilingia tsusimensis</i> / 383	<i>Torilis anthriscus</i> var. <i>japonica</i> / 383
<i>Tillaea aquatica</i> / 213	<i>Torilis henryi</i> / 383
<i>Tiniaria dumetorum</i> / 114	<i>Torilis japonica</i> / 383
<i>Tiniaria japonica</i> / 114	<i>Torilis scabra</i> / 383
<i>Tiniaria pauciflora</i> / 114	<i>Torrey</i> / 70
<i>Tiniaria sachalinensis</i> / 115	<i>Torreya fruticosa</i> / 70
<i>Tiniaria scandens</i> var. <i>dentatoalata</i> / 113	<i>Torreya macrosperma</i> / 70
<i>Tinus japonica</i> / 395	<i>Torreya nucifera</i> / 70
<i>Tinus montana</i> / 395	<i>Torreyochloa</i> / 660
<i>Tipularia</i> / 738	<i>Torreyochloa pallida</i> / 660
<i>Tipularia japonica</i> / 738	<i>Torularia humilis</i> / 203
<i>Tissa coreana</i> / 140	<i>Torularia maximowiczii</i> / 203
<i>Tissa fauriei</i> / 140	<i>Torularia piasezkii</i> / 203
<i>Tissa salina</i> / 140	<i>Tournefortia arguzia</i> / 433
<i>Tithymalus ebracteolatus</i> / 302	<i>Tournefortia arguzia</i> var. <i>latifolia</i> / 433
<i>Tithymalus esula</i> / 303	<i>Tournefortia sibirica</i> / 433
<i>Tithymalus helioscopius</i> / 304	<i>Tovara filiformis</i> / 117
<i>Tithymalus humifusus</i> / 304	<i>Tovara filiformis</i> f. <i>albiflora</i> / 117
<i>Tithymalus jolkinii</i> / 304	<i>Tovara filiformis</i> f. <i>amabilis</i> / 117
<i>Tithymalus pallasii</i> / 303	<i>Tovara filiformis</i> f. <i>trichorachis</i> / 117
<i>Tithymalus pekinensis</i> / 305	<i>Tovara filiformis</i> var. <i>neofiliformis</i> / 120
<i>Tithymalus siebodianus</i> / 305	<i>Tovara neofiliformis</i> / 120
<i>Tittmannia angustifolia</i> / 465	<i>Tovara ryukyuensis</i> / 117
<i>Tittmannia obovata</i> / 466	<i>Tovara smaragdina</i> / 117
<i>Tittmannia stachydifolia</i> / 467	<i>Tovara virginiana</i> var. <i>filiformis</i> / 117
<i>Tofieldia</i> / 603	<i>Tovaria dahurica</i> / 596
<i>Tofieldia coccinea</i> / 603	<i>Tovaria hallaisanensis</i> / 587
<i>Tofieldia coccinea</i> var. <i>coccinea</i> / 603	<i>Tovaria japonica</i> / 596
<i>Tofieldia coccinea</i> var. <i>fauriei</i> / 603	<i>Tovaria rossii</i> / 596
<i>Tofieldia coccinea</i> var. <i>fusca</i> / 603	<i>Toxicodendron</i> / 311
<i>Tofieldia coccinea</i> var. <i>kanwonensis</i> / 604	<i>Toxicodendron orientale</i> / 311
<i>Tofieldia fusca</i> / 603	<i>Toxicodendron semialatum</i> / 311
<i>Tofieldia fusca</i> f. <i>rishiriensis</i> / 603	<i>Toxicodendron succedaneum</i> / 311
<i>Tofieldia nuda</i> var. <i>koreana</i> / 604	<i>Toxicodendron sylvestre</i> / 312
<i>Tofieldia nutans</i> / 603	<i>Toxicodendron trichocarpum</i> / 312
<i>Tofieldia nutans</i> var. <i>fusca</i> / 603	<i>Tracaulon hastatotrilobum</i> / 123
<i>Tofieldia taquetii</i> / 603	<i>Tracaulon maackianum</i> / 120
<i>Tofieldia ulleungensis</i> / 603	<i>Tracaulon perfoliatum</i> / 121
<i>Tofieldia yoshiana</i> var. <i>kanwonensis</i> / 604	<i>Tracaulon praetermissum</i> / 121
<i>Tofieldia yoshiana</i> var. <i>koreana</i> / 604	<i>Tracaulon sagittatum</i> / 122
<i>Tofieldia yoshiana</i> var. <i>yoshiana</i> / 604	<i>Tracaulon sibiricum</i> / 122
<i>Toisusu cardiophylla</i> var. <i>maximowiczii</i> / 77	<i>Tracaulon sieboldii</i> / 122

- Tracaulon thunbergii* / 123
Trachelospermum / 421
Trachelospermum asiaticum / 421
Trachelospermum asiaticum var. *glabrum* / 421
Trachelospermum asiaticum var. *intermedium* / 421
Trachelospermum asiaticum var. *majus* / 421
Trachelospermum asiaticum var. *ob lanceolata* / 421
Trachelospermum crocostomum / 421
Trachelospermum jasminoides var. *pubescens* / 422
Trachelospermum majus / 421
Trachomitum lancifolium / 418
Trachomitum venetum var. *lancifolium* / 418
Tradescantia cordifolia / 619
Trapa / 354
Trapa amurensis / 355
Trapa antennifera / 355
Trapa bicornis / 354
Trapa bicornis var. *iwasakii* / 355
Trapa bicornis var. *jinumae* / 355
Trapa bispinosa / 354
Trapa bispinosa var. *incisa* / 354
Trapa bispinosa var. *jinumae* / 355
Trapa chinensis var. *flerovi* / 355
Trapa incisa / 354
Trapa japonica / 354
Trapa komarovii / 355
Trapa maximowiczii / 355
Trapa natans / 354
Trapa natans f. *quadrispiona* / 355
Trapa natans var. *amurensis* / 355
Trapa natans var. *bispinosa* / 355
Trapa natans var. *incisa* / 354
Trapa natans var. *japonica* / 355
Trapa natans var. *natans* / 355
Trapa natans var. *pumila* / 355
Trapa natans var. *rubeola* / 355
Trapa pseudoincisa / 355
Trapa quadrispinosa / 354
TRAPACEAE / 354
Trapella / 477
Trapella antennifera / 478
Trapella sinensis / 477
Trapella sinensis var. *antennifera* / 478
Trapella sinensis var. *sinensis* / 478
Trasus capillaris / 673
Trasus pauciflorus / 689
Triadenum / 193
Triadenum asiaticum / 193
Triadenum breviflorum / 193
Triadenum crassifolium / 193
Triadenum crassifolium f. *augustifolium* / 193
Triadenum japonicum / 193
Triadenum japonicum f. *augustifolium* / 193
Triadenum japonicum var. *augustifolium* / 193
Triarrhena sacchariflora / 645
Tribulus / 302
Tribulus lanuginosus / 302
Tribulus maximus var. *roseus* / 302
Tribulus terrestris / 302
Tribulus terrestris var. *sericeus* / 302
Tricercandra fortunei / 184
Tricercandra japonica / 184
Tricercandra quadrifolia / 184
Trichodium caninum / 622
Tricholepidium superficiale / 57
Trichomanes amabile / 13
Trichomanes bipunctatum var. *insigne* / 12
Trichomanes bipunctatum var. *latealatum* / 12
Trichomanes birmanicum / 13
Trichomanes bonincola / 12
Trichomanes chinense / 17
Trichomanes japonicum / 22
Trichomanes kalamocarpum / 14
Trichomanes minutum / 12
Trichomanes nipponicum / 13
Trichomanes orientale / 14
Trichomanes polyanthos / 13
Trichomanes quelpaertense / 14
Trichomanes radicans var. *birmanicum* / 14
Trichomanes schmidtianum / 12
Trichomanes stenosiphon / 14
Trichomanes strigosum / 18
Trichophorum / 716
Trichophorum alpinum / 716
Trichophorum diocicum / 717
Trichophorum hudsonianum / 716
Trichophorum polygamum / 717
Trichosanthes / 352
Trichosanthes cucumeroides / 352
Trichosanthes kirilowii / 352
Trichosanthes kirilowii var. *japonica* / 352
Trichosanthes kirilowii var. *kirilowii* / 352
Tricyrtis / 604
Tricyrtis dilatata / 604
Tricyrtis macropoda / 604
Tricyrtis macropoda f. *glabrescens* / 604

<i>Tricyrtis macropoda</i> f. <i>hirsuta</i> / 604	<i>Tripogon chinensis</i> / 660
<i>Tricyrtis macropoda</i> var. <i>glabrescens</i> / 604	<i>Tripogon chinensis</i> var. <i>coreensis</i> / 660
<i>Tricyrtis macropoda</i> var. <i>hirsuta</i> / 604	<i>Tripogon coreensis</i> / 660
<i>Trientalis</i> / 401	<i>Tripogon japonicus</i> / 661
<i>Trientalis arctica</i> / 401	<i>Tripogon longiaristatus</i> / 660
<i>Trientalis europaea</i> / 401	<i>Tripogon longiaristatus</i> var. <i>japonicus</i> / 661
<i>Trientalis europaea</i> subsp. <i>arctica</i> / 401	<i>Tripolium pannonicum</i> subsp. <i>tripolium</i> / 522
<i>Trientalis europaea</i> var. <i>aleutica</i> / 401	<i>Tripolium vulgare</i> / 522
<i>Trientalis europaea</i> var. <i>arctica</i> / 401	<i>Tripora</i> / 440
<i>Trientalis europaea</i> var. <i>europaea</i> / 401	<i>Tripora divaricata</i> / 440
<i>Trifolium</i> / 291	<i>Tripterospermum</i> / 417
<i>Trifolium albens</i> / 292	<i>Tripterospermum involubile</i> / 417
<i>Trifolium baicalense</i> / 292	<i>Tripterospermum japonicum</i> / 417
<i>Trifolium dauricum</i> / 285	<i>Tripterospermum japonicum</i> f. <i>albiflorum</i> / 417
<i>Trifolium hedysaroides</i> / 286	<i>Tripterospermum japonicum</i> f. <i>leucocarpum</i> / 417
<i>Trifolium lupinaster</i> / 291	<i>Tripterospermum japonicum</i> var. <i>albiflorum</i> / 417
<i>Trifolium pacificum</i> / 292	<i>Tripterospermum japonicum</i> var. <i>tenue</i> / 417
<i>Trifolium popovii</i> / 292	<i>Tripterygium</i> / 324
<i>Triglochin</i> / 575	<i>Tripterygium regelii</i> / 324
<i>Triglochin asiatica</i> / 576	<i>Tripterygium wilfordii</i> var. <i>regelii</i> / 324
<i>Triglochin maritima</i> / 575	<i>Trisanthus cochinchinensis</i> / 373
<i>Triglochin maritima</i> subsp. <i>asiatica</i> / 576	<i>Trisetum</i> / 661
<i>Triglochin maritima</i> var. <i>asiatica</i> / 576	<i>Trisetum biaristatum</i> / 661
<i>Triglochin palustris</i> / 576	<i>Trisetum bifidum</i> / 661
<i>Trigonella korshinskyi</i> / 289	<i>Trisetum flavescens</i> var. <i>bifidum</i> / 661
<i>Trigonella rutenica</i> / 289	<i>Trisetum flavescens</i> var. <i>sibiricum</i> / 661
<i>Trigonotis</i> / 437	<i>Trisetum sibiricum</i> / 661
<i>Trigonotis coreana</i> / 438	<i>Trisetum spicatum</i> / 661
<i>Trigonotis nakaii</i> / 438	<i>Trisetum taquetii</i> / 661
<i>Trigonotis peduncularis</i> / 437	<i>Tristemon palustris</i> / 576
<i>Trigonotis radicans</i> / 437	<i>Tristylium ochnaceum</i> / 189
<i>Trigonotis radicans</i> var. <i>radican</i> / 437	<i>Triticum caninum</i> var. <i>gmelinii</i> / 634
<i>Trigonotis radicans</i> var. <i>sericea</i> / 437	<i>Triticum chinense</i> / 642
<i>Trigonotis sericea</i> / 438	<i>Triticum ciliare</i> / 633
<i>Trillium</i> / 604	<i>Triticum pseudoagropyrum</i> / 642
<i>Trillium camschatcense</i> / 604	<i>Triticum sylvaticum</i> / 625
<i>Trillium camschatcense</i> var. <i>tschonoskii</i> / 604	<i>Triumfetta</i> / 335
<i>Trillium kamtschaticum</i> / 604	<i>Triumfetta japonica</i> / 335
<i>Trillium morii</i> / 604	<i>Triumfetta trichoclada</i> / 335
<i>Trillium pallottini</i> / 604	TRIURIDACEAE / 667
<i>Trillium tschonoskii</i> / 604	<i>Trochostigma arguta</i> / 188
<i>Trilophus ampelisagria</i> / 180	<i>Trochostigma kolomikta</i> / 188
<i>Trinia dahurica</i> / 381	<i>Trochostigma polygama</i> / 188
<i>Triosteum</i> / 491	<i>Trochostigma repandum</i> / 148
<i>Triosteum sinuatum</i> / 491	<i>Trochostigma rufum</i> / 188
<i>Tripleurospermum inodorum</i> var. <i>limosum</i> / 550	<i>Trochostigma volubilie</i> / 188
<i>Tripleurospermum limosum</i> / 550	<i>Trollius</i> / 177
<i>Tripogon</i> / 660	<i>Trollius akiyamae</i> / 177

Trollius chinensis / 177
Trollius chinensis subsp. *macropetalus* / 177
Trollius chosenensis / 170
Trollius hondoensis / 177
Trollius japonicus / 177
Trollius ledebourii / 177
Trollius ledebourii var. *macropetalus* / 177
Trollius macropetalus / 177
Truellum benguetense / 120
Truellum breviochreatum / 116
Truellum debile / 117
Truellum hastatosagittatum / 118
Truellum maackianum / 120
Truellum nipponense / 120
Truellum oreophilum / 124
Truellum perfoliatum / 121
Truellum praetermissum / 121
Truellum sagittatum / 122
Truellum senticosum / 123
Truellum sibiricum / 122
Truellum sieboldii / 122
Truellum thunbergii / 124
Tsug / 66
Tsuga ulleungensis / 66
Tubocapsicum / 462
Tubocapsicum anomalum / 462
Tubocapsicum anomalum var. *obtusum* / 462
Tubocapsicum obtusum / 462
Tulipa / 604
Tulipa edulis / 604
Tulipa graminifolia / 605
Tulotis fuscescens / 734
Tulotis ussuriensis / 736
Turczaninovia fastigiatus / 519
Turibana macroptera / 323
Turibana nipponica / 324
Turibana oxyphylla / 324
Turibana planipes / 324
Turibana yesoensis / 324
Turrita pendula / 208
Turritis / 213
Turritis glabra / 213
Turritis hirsuta / 201
Tussaca repens / 726
Tussilago anandria / 547
Tussilago japonicum / 538
Tussilago rubella / 552
Tylophora / 422

Tylophora argyi / 422
Tylophora floribunda / 422
Tylophora nikoensis / 422
Tylophora shikokiana / 422
Typha / 667
Typha angustifolia / 667
Typha latifolia / 667
Typha latifolia var. *orientalis* / 667
Typha laxmannii / 667
Typha orientalis / 667
Typha shuttleworthii subsp. *orientalis* / 667
Typha stenophylla / 667
Typha veresczagini / 667
TYPHACEAE / 666
Typhane verna var. *leptophylla* / 134
Typhoides arundinacea / 650

(U)

Udora verticillata / 575
ULMACEAE / 95
Ulmaria palmata / 239
Ulmus / 97
Ulmus campestris var. *japonica* / 97
Ulmus campestris var. *pumila* / 98
Ulmus coreana / 98
Ulmus coreana var. *cycloptera* / 98
Ulmus coreana var. *lanceolata* / 98
Ulmus davidiana / 97
Ulmus davidiana f. *suberosa* / 97
Ulmus davidiana var. *davidiana* / 97
Ulmus davidiana var. *japonica* / 97
Ulmus davidiana var. *japonica* f. *levigata* / 97
Ulmus davidiana var. *japonica* f. *suberosa* / 97
Ulmus davidiana var. *levigata* / 97
Ulmus davidiana var. *mandshurica* / 97
Ulmus davidiana var. *pubescens* / 97
Ulmus davidiana var. *suberosa* / 97
Ulmus japonica / 98
Ulmus japonica var. *levigata* / 97
Ulmus keaki / 99
Ulmus laciniata / 97
Ulmus laciniata f. *holophylla* / 97
Ulmus macrocarpa / 98
Ulmus macrocarpa f. *macrophylla* / 98
Ulmus macrocarpa f. *major* / 98
Ulmus macrocarpa var. *macrophylla* / 98
Ulmus macrocarpa var. *mandshurica* / 98
Ulmus macrocarpa var. *suberosa* / 98

<i>Ulmus macrophylla</i> / 98	<i>Urtica sikokiana</i> / 108
<i>Ulmus major</i> var. <i>heterophylla</i> / 97	<i>Urtica silvatica</i> / 108
<i>Ulmus manshurica</i> / 98	<i>Urtica spicata</i> / 104
<i>Ulmus montana</i> var. <i>laciniata</i> / 97	<i>Urtica thunbergiana</i> / 108
<i>Ulmus parvifolia</i> / 98	<i>Urtica villosa</i> / 100
<i>Ulmus parvifolia</i> var. <i>coreana</i> / 98	URTICACEAE / 102
<i>Ulmus parvifolia</i> var. <i>coreana</i> f. <i>cycloptera</i> / 98	<i>Utricularia</i> / 480
<i>Ulmus parvifolia</i> var. <i>coreana</i> f. <i>lanceolata</i> / 98	<i>Utricularia alata</i> / 481
<i>Ulmus parvifolia</i> var. <i>cycloptera</i> / 98	<i>Utricularia alpina</i> / 481
<i>Ulmus parvifolia</i> var. <i>lanceolata</i> / 98	<i>Utricularia antirrhinoides</i> / 481
<i>Ulmus propinqua</i> / 97	<i>Utricularia aurea</i> / 480
<i>Ulmus pumila</i> / 98	<i>Utricularia bifida</i> / 481
<i>Ulmus pumila</i> var. <i>microphylla</i> / 98	<i>Utricularia blumei</i> / 480
<i>Ulmus turkestanica</i> / 98	<i>Utricularia brevicaulis</i> / 481
<i>Ulmus wilsoniana</i> / 97	<i>Utricularia caerulea</i> / 481
<i>Ulmus wilsoniana</i> var. <i>psilophylla</i> / 97	<i>Utricularia calumpitensis</i> / 480
<i>Ulmus</i> × <i>mesocarpa</i> / 98	<i>Utricularia confervifolia</i> / 480
<i>Umbilicus malacophyllum</i> / 216	<i>Utricularia extensa</i> / 480
<i>Unifolium dilatatum</i> / 596	<i>Utricularia fasciculata</i> / 480
<i>Unifolium trifolium</i> / 596	<i>Utricularia flexuosa</i> / 480
<i>Uraspermum aristatum</i> / 378	<i>Utricularia flexuosa</i> var. <i>blumei</i> / 480
<i>Urostachys coreanus</i> / 3	<i>Utricularia graffiana</i> / 481
<i>Urostachys cryptomerianus</i> / 3	<i>Utricularia humilis</i> / 481
<i>Urostachys ihwangensis</i> / 6	<i>Utricularia inaequalis</i> / 480
<i>Urostachys javanicus</i> / 3	<i>Utricularia intermedia</i> / 481
<i>Urostachys miyoshiana</i> var. <i>coreanus</i> / 3	<i>Utricularia japonica</i> / 481
<i>Urostachys selago</i> / 4	<i>Utricularia macrocarpa</i> / 480
<i>Urostachys sieboldii</i> / 4	<i>Utricularia media</i> / 481
<i>Urostelma chinense</i> / 421	<i>Utricularia millefolium</i> / 481
<i>Urtica</i> / 108	<i>Utricularia minor</i> / 481
<i>Urtica angustifolia</i> / 108	<i>Utricularia minor</i> var. <i>multispinosa</i> / 481
<i>Urtica angustifolia</i> var. <i>angustifolia</i> / 108	<i>Utricularia multispinosa</i> / 481
<i>Urtica angustifolia</i> var. <i>sikokiana</i> / 108	<i>Utricularia nepalensis</i> / 481
<i>Urtica bulbifera</i> / 105	<i>Utricularia ochroleuca</i> / 481
<i>Urtica dentata</i> / 108	<i>Utricularia pilosa</i> / 481
<i>Urtica dioica</i> var. <i>angustifolia</i> / 108	<i>Utricularia racemosa</i> / 481
<i>Urtica dioica</i> var. <i>sikokiana</i> / 108	<i>Utricularia reclinata</i> / 480
<i>Urtica foliosa</i> / 108	<i>Utricularia recurva</i> / 481
<i>Urtica frutescens</i> / 106	<i>Utricularia rogersiana</i> / 481
<i>Urtica japonica</i> / 100, 103	<i>Utricularia sumatrana</i> / 481
<i>Urtica laetevirens</i> / 108	<i>Utricularia tenuicaulis</i> / 482
<i>Urtica laetevirens</i> var. <i>laetevirens</i> / 108	<i>Utricularia uliginosa</i> / 482
<i>Urtica laetevirens</i> var. <i>robusta</i> / 108	<i>Utricularia vulgaris</i> var. <i>japonica</i> / 481
<i>Urtica macrophylla</i> / 103	<i>Utricularia vulgaris</i> var. <i>pilosa</i> / 480
<i>Urtica macrorrhiza</i> / 108	<i>Utricularia yakusimensis</i> / 482
<i>Urtica nivea</i> / 103	<i>Uvaria japonica</i> / 148
<i>Urtica pachyrrhachis</i> / 108	<i>Uvularia amplexifolia</i> / 602
<i>Urtica peploides</i> / 107	<i>Uvularia sessilis</i> / 587

■ Scientific name Index

Uvularia viridescens / 588

(V)

Vaccinium / 391

Vaccinium bracteatum / 391

Vaccinium bracteatum var. *longitubum* / 392

Vaccinium buergeri / 392

Vaccinium chinense / 392

Vaccinium ciliatum / 394

Vaccinium ciliatum var. *glaucum* / 393

Vaccinium donianum var. *ellipticua* / 392

Vaccinium fauriei / 394

Vaccinium gaultherioides / 394

Vaccinium hirtum var. *hirtum* / 392

Vaccinium hirtum var. *koreanum* / 392

Vaccinium idusuroei / 392

Vaccinium japonicum / 392

Vaccinium japonicum f. *incisa* / 392

Vaccinium japonicum var. *ciliare* / 392

Vaccinium japonicum var. *ciliaris* / 392

Vaccinium japonicum var. *fauriei* / 392

Vaccinium japonicum var. *incisum* / 392

Vaccinium japonicum var. *japonicum* / 392

Vaccinium jesoense / 394

Vaccinium koreanum / 392

Vaccinium malaccense / 392

Vaccinium microcarpum / 393

Vaccinium oldhamii / 393

Vaccinium oldhamii f. *glaucinum* / 393

Vaccinium oldhamii var. *glaucinum* / 393

Vaccinium oldhamii var. *glaucum* / 393

Vaccinium oxycoccus / 393

Vaccinium oxycoccus subsp. *vulgare* / 393

Vaccinium oxycoccus subsp. *microcarpus* / 393

Vaccinium oxycoccus subsp. *oxycoccus* / 393

Vaccinium oxycoccus var. *intermedium* / 393

Vaccinium oxycoccus var. *microcarpum* / 393

Vaccinium pubescens / 394

Vaccinium punctatum / 394

Vaccinium rubrum / 394

Vaccinium spicatum / 391

Vaccinium taquetii / 392

Vaccinium uliginosum / 393

Vaccinium uliginosum f. *alpinum* / 394

Vaccinium uliginosum f. *depressum* / 393

Vaccinium uliginosum f. *ellipticum* / 393

Vaccinium uliginosum subsp. *microphyllum* / 394

Vaccinium uliginosum var. *alpinum* / 394

Vaccinium uliginosum var. *kruhsianum* / 394

Vaccinium uliginosum var. *microphyllum* / 394

Vaccinium usunoki / 392

Vaccinium vitis-idaea / 394

Vaccinium vitis-idaea f. *minus* / 394

Vaccinium vitis-idaea subsp. *minus* / 394

Vaccinium vitis-idaea var. *microphyllum* / 394

Vaccinium vitis-idaea var. *minus* / 394

Vaccinium vitis-idaea var. *pumilum* / 394

Vagnera bicolor / 595

Vagnera dahurica / 596

Vagnera trifolia / 596

Valeriana / 496

Valeriana amurensis / 496

Valeriana amurensis f. *leiocarpa* / 497

Valeriana coreana / 497

Valeriana dageletiana / 497

Valeriana dageletiana f. *integra* / 497

Valeriana dageletiana var. *integra* / 497

Valeriana dageletiana var. *verticillata* / 497

Valeriana fauriei / 497

Valeriana fauriei f. *coreana* / 497

Valeriana fauriei var. *dasyarpa* / 497

Valeriana officinalis / 496

Valeriana officinalis var. *exaltata* / 496

Valeriana officinalis var. *incisa* / 496

Valeriana officinalis var. *incisa* f. *pubescens* / 496

Valeriana officinalis var. *integra* / 497

Valeriana officinalis var. *latifolia* / 497

Valeriana pulchra / 497

Valeriana rupestris / 495

Valeriana sambucifolia / 497

Valeriana sambucifolia f. *dageletiana* / 497

Valeriana sambucifolia subsp. *amurensis* / 497

Valeriana sambucifolia var. *dasyarpa* / 497

Valeriana sambucifolia var. *fauriei* / 497

Valeriana villosa / 496

VALERIANACEAE / 495

Vallisneria / 575

Vallisneria natans / 575

Vallisneria spinulosa / 575

Vallisneria verticillata / 575

Vanda falcata / 731

Vandellia angustifolia / 465

Vandellia crustacea / 465

Vandellia cymulosa / 465

Vandellia erecta / 466

Vandellia obovata / 466

- | | |
|--|--|
| <i>Vandellia pyxidaria</i> / 466 | <i>Veratrum nigrum</i> var. <i>japonicum</i> / 606 |
| <i>Vandellia stachydifolia</i> / 467 | <i>Veratrum nigrum</i> var. <i>nigrum</i> / 606 |
| <i>Vandenboschia</i> / 13 | <i>Veratrum nigrum</i> var. <i>reymondianum</i> / 606 |
| <i>Vandenboschia amabilis</i> / 13 | <i>Veratrum nigrum</i> var. <i>ussuriense</i> / 606 |
| <i>Vandenboschia birmanica</i> / 13 | <i>Veratrum oblongum</i> var. <i>macranthum</i> / 605 |
| <i>Vandenboschia kalamocarpa</i> / 14 | <i>Veratrum oxysepalum</i> / 606 |
| <i>Vandenboschia nipponica</i> / 13 | <i>Veratrum patulum</i> / 606 |
| <i>Vandenboschia orientalis</i> / 14 | <i>Veratrum sadoense</i> / 606 |
| <i>Vandenboschia radicans</i> var. <i>orientalis</i> / 14 | <i>Veratrum sikokianum</i> / 606 |
| <i>Vandenboschia</i> × <i>quelpaertensis</i> / 14 | <i>Veratrum subsp. <i>reymondianum</i></i> / 606 |
| <i>Vandenboschia</i> × <i>stenosiphon</i> / 14 | <i>Veratrum ussurense</i> / 606 |
| <i>Vanieria tricuspidata</i> / 100 | <i>Veratrum versicolor</i> / 607 |
| <i>Varasia squarrosa</i> / 414 | <i>Veratrum versicolor</i> f. <i>brunneum</i> / 607 |
| <i>Varasia thunbergii</i> / 414 | <i>Veratrum versicolor</i> f. <i>coreamum</i> / 605 |
| <i>Veratrum</i> / 605 | <i>Veratrum versicolor</i> f. <i>versicolor</i> / 607 |
| <i>Veratrum album</i> subsp. <i>oxysepalum</i> / 606 | <i>Veratrum versicolor</i> f. <i>viride</i> / 607 |
| <i>Veratrum album</i> var. <i>dahuricum</i> / 605 | <i>Verbena</i> / 440 |
| <i>Veratrum album</i> var. <i>oxysepalum</i> / 606 | <i>Verbena officinalis</i> / 440 |
| <i>Veratrum album</i> var. <i>parviflorum</i> / 606 | <i>Verbena officinalis</i> var. <i>ramosa</i> / 440 |
| <i>Veratrum angustipetalum</i> / 606 | <i>Verbena sororia</i> / 440 |
| <i>Veratrum bohnhoftii</i> var. <i>bohnhoftii</i> / 605 | <i>Verbena spuria</i> / 440 |
| <i>Veratrum bohnhoftii</i> var. <i>latifolium</i> / 605 | VERBENACEAE / 438 |
| <i>Veratrum calyciflorum</i> / 605 | <i>Verbesina calendulacea</i> / 568 |
| <i>Veratrum coreanum</i> / 605 | <i>Verbesina lavenia</i> / 508 |
| <i>Veratrum dahuricum</i> / 605 | <i>Veronica</i> / 475 |
| <i>Veratrum dolichopetalum</i> / 605 | <i>Veronica coreana</i> / 474 |
| <i>Veratrum japonicum</i> / 606 | <i>Veronica daurica</i> / 471 |
| <i>Veratrum japonicum</i> var. <i>reymondianum</i> / 606 | <i>Veronica diamantiaca</i> / 472 |
| <i>Veratrum maackii</i> / 605 | <i>Veronica glabrifolia</i> / 472 |
| <i>Veratrum maackii</i> f. <i>macranthum</i> / 605 | <i>Veronica humifusa</i> / 475 |
| <i>Veratrum maackii</i> subsp. <i>japonicum</i> / 606 | <i>Veronica insularis</i> / 473 |
| <i>Veratrum maackii</i> subsp. <i>maackioides</i> / 605 | <i>Veronica japonica</i> / 476 |
| <i>Veratrum maackii</i> subsp. <i>maximowiczii</i> / 606 | <i>Veronica kiusiana</i> / 471 |
| <i>Veratrum maackii</i> var. <i>japonicum</i> / 606 | <i>Veronica kiusiana</i> var. <i>diamantiaca</i> / 472 |
| <i>Veratrum maackii</i> var. <i>latifolium</i> / 605 | <i>Veronica kiusiana</i> var. <i>glabrifolia</i> / 472 |
| <i>Veratrum maackii</i> var. <i>maackii</i> / 606 | <i>Veronica linariifolia</i> / 472 |
| <i>Veratrum maackii</i> var. <i>maackioides</i> / 605 | <i>Veronica linariifolia</i> var. <i>dilatata</i> / 472 |
| <i>Veratrum maackii</i> var. <i>macranthum</i> / 605 | <i>Veronica linariifolia</i> var. <i>villosula</i> / 472 |
| <i>Veratrum maackii</i> var. <i>parviflorum</i> / 606 | <i>Veronica longifolia</i> / 473 |
| <i>Veratrum maackii</i> var. <i>parviflorum</i> f. <i>japonicum</i> / 606 | <i>Veronica luxuriana</i> var. <i>glabrifolia</i> / 472 |
| <i>Veratrum maackii</i> var. <i>reymondianum</i> / 606 | <i>Veronica nakaiana</i> / 473 |
| <i>Veratrum maackioides</i> / 605 | <i>Veronica ovata</i> / 473 |
| <i>Veratrum mandschuricum</i> / 605 | <i>Veronica pusanensis</i> / 473 |
| <i>Veratrum maximowiczii</i> / 606 | <i>Veronica pyrethrina</i> / 473 |
| <i>Veratrum maximowiczii</i> var. <i>angustipetalum</i> / 606 | <i>Veronica rotunda</i> / 473 |
| <i>Veratrum maximowiczii</i> var. <i>coreamum</i> / 605 | <i>Veronica rotunda</i> var. <i>coreana</i> / 474 |
| <i>Veratrum nigrum</i> subsp. <i>maackii</i> / 605 | <i>Veronica rotunda</i> var. <i>subintegra</i> / 474 |
| <i>Veratrum nigrum</i> subsp. <i>maackii</i> var. <i>parviflorum</i> / 606 | <i>Veronica serpyllifolia</i> subsp. <i>humifusa</i> / 475 |

- Veronica serpyllifolia* subsp. *serpyllifolia* / 475
Veronica serpyllifolia var. *humifusa* / 475
Veronica sibirica / 476
Veronica sibirica var. *glabra* / 476
Veronica sibirica var. *zuccarinii* / 476
Veronica spuria var. *subintegra* / 474
Veronica stellieri var. *longistyla* / 475
Veronica stellieri var. *longistyla* f. *rufescens* / 475
Veronica stellieri var. *stelleri* / 475
Veronica subsessilis var. *subintegra* / 474
Veronica tenella / 475
Veronica tubiflora / 475
Veronica undulata / 476
Veronica villosula / 472
Veronica virginica var. *japonica* / 476
Veronica virginica var. *sibirica* / 476
Veronica virginica var. *zuccarinii* / 476
Veronicastrum / 476
Veronicastrum japonicum f. *albiflorum* / 476
Veronicastrum sibiricum / 476
Veronicastrum sibiricum f. *albiflorum* / 476
Veronicastrum sibiricum var. *japonicum* / 476
Veronicastrum sibiricum var. *yezoense* / 476
Veronicastrum sibiricum var. *zuccarinii* / 476
Veronicastrum tubiflorum / 476
Vexillabium fissum / 729
Vexillabium inamii / 729
Vexillabium nakaianum / 729
Vexillabium yakusimense var. *nakaianum* / 729
Viburnum / 491
Viburnum arboricola / 493
Viburnum arcuatum / 491
Viburnum awabuki / 493
Viburnum bitchiuense / 491
Viburnum burejaeticum / 491
Viburnum carlesii / 491
Viburnum carlesii var. *bitchiuense* / 491
Viburnum carlesii var. *carlesii* / 491
Viburnum carlesii var. *syringiflora* / 491
Viburnum dilatatum / 491
Viburnum dilatatum f. *hispidum* / 491
Viburnum dilatatum f. *pilosum* / 491
Viburnum dilatatum var. *macrophyllum* / 491
Viburnum dilatatum var. *radiata* / 491
Viburnum erosum / 492
Viburnum erosum var. *erosum* / 492
Viburnum erosum var. *exstipulatum* / 492
Viburnum erosum var. *lanceum* / 492
Viburnum erosum var. *osumianum* / 492
Viburnum erosum var. *punctatum* / 492
Viburnum erosum var. *punctatum* f. *sikokianum* / 492
Viburnum erosum var. *taquetii* / 492
Viburnum erosum var. *vegetum* / 492
Viburnum furcatum / 492
Viburnum ichangense / 492
Viburnum japonicum / 492
Viburnum koreanum / 492
Viburnum lobatum / 493
Viburnum matsudai / 492
Viburnum odoratissimum var. *arboricola* / 493
Viburnum odoratissimum var. *awabuki* / 492
Viburnum odoratissimum var. *odoratissimum* / 492
Viburnum opulus f. *hydrangeoides* / 493
Viburnum opulus var. *calvescens* / 493
Viburnum opulus var. *opulus* / 493
Viburnum opulus var. *pubinerve* / 493
Viburnum opulus var. *pubinerve* f. *sterile* / 493
Viburnum opulus var. *sargentii* / 493
Viburnum opulus var. *sterile* / 493
Viburnum pubinerve / 493
Viburnum pubinerve f. *calvescens* / 493
Viburnum pubinerve f. *hydrangeoides* / 493
Viburnum pubinerve f. *intermedium* / 493
Viburnum pubinerve f. *lutescens* / 493
Viburnum pubinerve f. *puberulum* / 493
Viburnum sargentii / 493
Viburnum sargentii f. *calvescens* / 493
Viburnum sargentii f. *glabra* / 493
Viburnum sargentii f. *hydrangeoides* / 493
Viburnum sargentii f. *intermedium* / 493
Viburnum sargentii f. *lutescens* / 493
Viburnum sargentii f. *puberula* / 493
Viburnum sargentii var. *clavescens* / 493
Viburnum sargentii var. *intermedium* / 493
Viburnum sargentii var. *puberulum* / 493
Viburnum serratum / 228
Viburnum sikokianum / 492
Viburnum sterile / 493
Viburnum sterile f. *hydrangeoides* / 493
Viburnum taquetii / 492
Viburnum wrightii / 493
Viburnum wrightii f. *eglandulosum* / 494
Viburnum wrightii f. *kaiense* / 494
Viburnum wrightii f. *sylvestre* / 494
Viburnum wrightii var. *eglandulosum* / 493
Viburnum wrightii var. *lucidum* / 494

- | | |
|--|--|
| <i>Viburnum wrightii</i> var. <i>minus</i> / 493 | <i>Vicia unijuga</i> f. <i>venusta</i> / 294 |
| <i>Viburnum wrightii</i> var. <i>pilosum</i> / 494 | <i>Vicia unijuga</i> subsp. <i>minor</i> / 295 |
| <i>Viburnum wrightii</i> var. <i>stipellatum</i> / 493 | <i>Vicia unijuga</i> var. <i>apoda</i> f. <i>albiflora</i> / 294 |
| <i>Viburnum wrightii</i> var. <i>sylvestre</i> / 493 | <i>Vicia unijuga</i> var. <i>kausanensis</i> / 295 |
| <i>Vicia</i> / 292 | <i>Vicia unijuga</i> var. <i>ohwiana</i> / 294 |
| <i>Vicia amoena</i> / 292 | <i>Vicia unijuga</i> var. <i>ouensanensis</i> / 295 |
| <i>Vicia amurensis</i> / 292 | <i>Vicia unijuga</i> var. <i>ouensanensis</i> f. <i>albiflora</i> / 295 |
| <i>Vicia amurensis</i> var. <i>amurensis</i> / 292 | <i>Vicia unijuga</i> var. <i>ouensanensis</i> f. <i>ouensanensis</i> / 295 |
| <i>Vicia amurensis</i> var. <i>pallida</i> / 292 | <i>Vicia unijuga</i> var. <i>ulsaniana</i> / 295 |
| <i>Vicia anguste-pinnata</i> / 293 | <i>Vicia unijuga</i> var. <i>unijuga</i> / 295 |
| <i>Vicia angustifolia</i> / 294 | <i>Vicia unijuga</i> var. <i>vesnusta</i> / 295 |
| <i>Vicia angustifolia</i> var. <i>minor</i> / 292 | <i>Vicia vaniotii</i> / 292 |
| <i>Vicia antiqua</i> / 294 | <i>Vicia venosa</i> / 296 |
| <i>Vicia baicalensis</i> / 294 | <i>Vicia venosa</i> var. <i>baicalensis</i> / 294 |
| <i>Vicia bifolia</i> / 292 | <i>Vicia venosa</i> var. <i>cuspidata</i> / 296 |
| <i>Vicia bungei</i> / 292 | <i>Vicia venosa</i> var. <i>macrophylla</i> / 294 |
| <i>Vicia chosenensis</i> / 293 | <i>Vicia venosa</i> var. <i>venosa</i> / 296 |
| <i>Vicia coreana</i> / 293 | <i>Vicia venosa</i> var. <i>willdenowiana</i> / 296 |
| <i>Vicia cracca</i> / 293 | <i>Vigna</i> / 296 |
| <i>Vicia cracca</i> f. <i>cracca</i> / 293 | <i>Vigna angularis</i> var. <i>nipponensis</i> / 296 |
| <i>Vicia cracca</i> f. <i>leucantha</i> / 293 | <i>Vigna nakashimae</i> / 296 |
| <i>Vicia cracca</i> subsp. <i>tenuifolia</i> / 294 | <i>Vigna vexillata</i> var. <i>tsusimensis</i> / 296 |
| <i>Vicia hirsuta</i> / 293 | <i>Vigna vexillata</i> var. <i>vexillata</i> / 296 |
| <i>Vicia hirticalycina</i> / 293 | <i>Vignea bohemica</i> / 671 |
| <i>Vicia hirticalycina</i> f. <i>anguste-pinnata</i> / 293 | <i>Vignea canescens</i> / 673 |
| <i>Vicia japonica</i> / 293 | <i>Vignea chordorrhiza</i> / 674 |
| <i>Vicia nipponica</i> / 293 | <i>Vignea duriuscula</i> / 676 |
| <i>Vicia ohwiana</i> / 293 | <i>Vignea kobomugi</i> / 681 |
| <i>Vicia pallida</i> / 292 | <i>Vignea lithophila</i> / 683 |
| <i>Vicia pseudoorobus</i> / 294 | <i>Vignea norvegica</i> / 687 |
| <i>Vicia pseudovenosa</i> / 294 | <i>Vignea ochrochlamys</i> / 688 |
| <i>Vicia quinquenervius</i> / 285 | <i>Vignea stipata</i> / 695 |
| <i>Vicia ramuliflora</i> / 294 | <i>Villebrunea fruticosa</i> / 106 |
| <i>Vicia rapunculus</i> / 292 | <i>Vincetoxicum amplexicaule</i> / 419 |
| <i>Vicia sativa</i> / 294 | <i>Vincetoxicum ascyrifolium</i> / 419 |
| <i>Vicia sativa</i> subsp. <i>nigra</i> / 294 | <i>Vincetoxicum atratum</i> / 419 |
| <i>Vicia sativa</i> subsp. <i>sativa</i> / 294 | <i>Vincetoxicum brandtii</i> / 419 |
| <i>Vicia sativa</i> var. <i>angustifolia</i> / 294 | <i>Vincetoxicum floribundum</i> / 422 |
| <i>Vicia segetalis</i> / 294 | <i>Vincetoxicum glabrum</i> / 420 |
| <i>Vicia taquetii</i> / 293 | <i>Vincetoxicum inamoenum</i> / 419 |
| <i>Vicia tenuifolia</i> / 294 | <i>Vincetoxicum japonicum</i> / 420 |
| <i>Vicia tetrasperma</i> / 295 | <i>Vincetoxicum macrophyllum</i> var. <i>nikoensis</i> / 419 |
| <i>Vicia tridentata</i> / 292 | <i>Vincetoxicum nikense</i> / 419, 422 |
| <i>Vicia unijuga</i> / 295 | <i>Vincetoxicum nipponicum</i> / 420 |
| <i>Vicia unijuga</i> f. <i>albiflora</i> / 295 | <i>Vincetoxicum pubescens</i> / 419 |
| <i>Vicia unijuga</i> f. <i>angustifolia</i> / 296 | <i>Vincetoxicum purpureum</i> / 420 |
| <i>Vicia unijuga</i> f. <i>minor</i> / 295 | <i>Vincetoxicum thesioides</i> / 420 |
| <i>Vicia unijuga</i> f. <i>unijuga</i> / 295 | <i>Vincetoxicum volubile</i> / 421 |

■ Scientific name Index

<i>Vincetoxicum wilfordii</i> / 421	<i>Viola chinensis</i> var. <i>transitica</i> / 345
<i>Viola</i> / 339	<i>Viola collina</i> / 342
<i>Viola acuminata</i> / 339	<i>Viola conferta</i> / 346
<i>Viola acuminata</i> f. <i>glaberrima</i> / 340	<i>Viola coniliifolia</i> / 346
<i>Viola acuminata</i> subsp. <i>austroussuriensis</i> / 339	<i>Viola coreana</i> / 343
<i>Viola acuminata</i> var. <i>austroussuriensis</i> / 340	<i>Viola crassa</i> / 342
<i>Viola acuminata</i> var. <i>brevistipulata</i> / 340	<i>Viola crassa</i> var. <i>shikkensis</i> / 342
<i>Viola acuminata</i> var. <i>dentata</i> / 339	<i>Viola crassa</i> var. <i>vegeta</i> / 342
<i>Viola acuminata</i> var. <i>intermedia</i> / 340	<i>Viola dageletiana</i> / 344
<i>Viola alata</i> subsp. <i>verecunda</i> / 341	<i>Viola deltoidea</i> / 347
<i>Viola albida</i> / 340	<i>Viola dessecta</i> var. <i>takahashii</i> / 340
<i>Viola albida</i> f. <i>rugata</i> / 340	<i>Viola diamantiaca</i> / 342
<i>Viola albida</i> f. <i>takahashii</i> / 340	<i>Viola diamantiaca</i> f. <i>glabrior</i> / 342
<i>Viola albida</i> f. <i>viridis</i> / 340	<i>Viola diamantiaca</i> var. <i>glabrior</i> / 342
<i>Viola albida</i> subsp. <i>marginata</i> / 345	<i>Viola dissecta</i> / 342
<i>Viola albida</i> var. <i>albida</i> / 340	<i>Viola dissecta</i> var. <i>albida</i> / 340
<i>Viola albida</i> var. <i>chaerophylloides</i> / 340	<i>Viola dissecta</i> var. <i>chaerophylloides</i> / 340
<i>Viola albida</i> var. <i>rugata</i> / 340	<i>Viola dissecta</i> var. <i>chaerophylloides</i> subvar. <i>albida</i> / 340
<i>Viola albida</i> var. <i>takahashii</i> / 340	<i>Viola dissecta</i> var. <i>chaerophylloides</i> subvar. <i>simplicifolia</i> / 340
<i>Viola alisoviana</i> / 347	<i>Viola dissecta</i> var. <i>chaerophylloides</i> subvar. <i>takahashii</i> / 340
<i>Viola apetala</i> / 345	<i>Viola epipsila</i> subsp. <i>repens</i> / 342
<i>Viola arcuata</i> / 340	<i>Viola epipsiloidea</i> / 342
<i>Viola arcuata</i> subsp. <i>verecunda</i> / 341	<i>Viola excisa</i> / 340
<i>Viola arcuata</i> var. <i>verecunda</i> / 341	<i>Viola excisa</i> var. <i>subaequiloba</i> / 341
<i>Viola arcuata</i> var. <i>verecunda</i> f. <i>radicans</i> / 341	<i>Viola flaviflora</i> / 342
<i>Viola austroussuriensis</i> / 340	<i>Viola franchetii</i> / 347
<i>Viola baicalensis</i> / 349	<i>Viola grypoceras</i> / 342
<i>Viola betonicifolia</i> var. <i>albescens</i> / 341	<i>Viola grypoceras</i> f. <i>albiflora</i> / 343
<i>Viola betonicifolia</i> var. <i>betonicifolia</i> / 341	<i>Viola grypoceras</i> f. <i>chionantha</i> / 343
<i>Viola biflora</i> / 341	<i>Viola grypoceras</i> var. <i>barbata</i> / 342
<i>Viola biflora</i> var. <i>crassifolia</i> / 342	<i>Viola grypoceras</i> var. <i>exilis</i> / 343
<i>Viola blandaeformis</i> / 341	<i>Viola grypoceras</i> var. <i>grypoceras</i> / 343
<i>Viola boissieuana</i> / 341	<i>Viola grypoceras</i> var. <i>ovato-oblonga</i> / 346
<i>Viola borealis</i> / 348	<i>Viola grypoceras</i> var. <i>pubescens</i> / 343
<i>Viola brachysepala</i> / 345	<i>Viola hirta</i> f. <i>keiskei</i> / 344
<i>Viola breviflora</i> / 341	<i>Viola hirta</i> var. <i>alpina</i> / 342
<i>Viola breviflora</i> f. <i>albiflora</i> / 341	<i>Viola hirta</i> var. <i>collina</i> / 342
<i>Viola brevistipulata</i> subsp. <i>brevistipulata</i> var. <i>kishidai</i> / 342	<i>Viola hirta</i> var. <i>glabella</i> / 346
<i>Viola brevistipulata</i> subsp. <i>brevistipulata</i> var. <i>minor</i> / 342	<i>Viola hirta</i> var. <i>umbrosa</i> / 348
<i>Viola brevistipulata</i> subsp. <i>minor</i> / 342	<i>Viola hirtipedoides</i> / 343
<i>Viola brevistipulata</i> var. <i>brevistipulata</i> / 341	<i>Viola hirtipes</i> / 343
<i>Viola brevistipulata</i> var. <i>minor</i> / 341	<i>Viola hirtipes</i> f. <i>grisea</i> / 343
<i>Viola canina</i> var. <i>acuminata</i> / 339	<i>Viola hirtipes</i> var. <i>grisea</i> / 343
<i>Viola canina</i> var. <i>kamtschatica</i> / 347	<i>Viola hirtipes</i> var. <i>lanata</i> / 343
<i>Viola chaerophylloides</i> / 340	<i>Viola hirtipes</i> var. <i>miyabei</i> / 343
<i>Viola chaerophylloides</i> f. <i>viridis</i> / 340	<i>Viola hondoensis</i> / 343
<i>Viola chinensis</i> / 344	<i>Viola hsinganensis</i> / 345
<i>Viola chinensis</i> var. <i>media</i> / 345	<i>Viola ibukiana</i> / 343

Viola imberbis / 348
Viola insularis / 344
Viola ircutiana / 349
Viola ishidoyana / 346
Viola japonica / 343
Viola japonica f. *variegata* / 344
Viola japonica var. *decumbens* / 340
Viola japonica var. *pusilla* / 340
Viola japonica var. *subaeifolia* / 341
Viola japonica var. *variegata* / 344
Viola kamibayashii / 343
Viola kamschatica / 348
Viola kamschatica var. *umbrosa* / 348
Viola kapsanensis / 344
Viola keiskei / 344
Viola keiskei f. *glaberrima* / 344
Viola keiskei f. *okuboi* / 344
Viola keiskei var. *glabra* / 344
Viola keiskei var. *okuboi* / 344
Viola kishidae / 342
Viola komarovii / 347
Viola koraiensis / 347
Viola krugiana / 343
Viola kusanoana / 344
Viola kusanoana var. *glabra* / 344
Viola laciniosa / 339
Viola lactiflora / 344
Viola lasiostipes / 345
Viola leveillei / 342
Viola limprichtiana / 344
Viola makinoi / 350
Viola mandshurica / 344
Viola mandshurica f. *ciliata* / 345
Viola mandshurica f. *glabra* / 345
Viola mandshurica f. *macrantha* / 345
Viola mandshurica var. *albescens* / 341
Viola mandshurica var. *ciliata* / 345
Viola mandshurica var. *glabra* / 345
Viola mandshurica var. *glabripetala* / 345
Viola mandshurica var. *media* / 345
Viola matsumurae / 347
Viola meta-japonica / 344
Viola microphylla / 347
Viola mirabilis / 345
Viola mirabilis var. *brachysepala* / 345
Viola mirabilis var. *brevicalcarata* / 345
Viola mirabilis var. *glaberrima* / 345
Viola mirabilis var. *kusnetzoffii* / 345

Viola mirabilis var. *platysepala* / 345
Viola mirabilis var. *subglabra* / 345
Viola mirabilis var. *subglabra* f. *strigosa* / 345
Viola mirabilis var. *vulgaris* / 345
Viola miyabei / 343
Viola mongolica / 345
Viola muehldorffii / 345
Viola mutsuensis / 348
Viola nipponica / 347
Viola oblongosagittata f. *ishizakii* / 345
Viola obtusa / 345
Viola obtusosagitta / 350
Viola okuboi / 344
Viola okuboi var. *glabra* / 344
Viola oldhamiana / 345
Viola orientalis / 346
Viola orientalis var. *conferta* / 346
Viola oudemansii / 346
Viola ovato-oblonga / 346
Viola ovato-oblonga f. *ovato-oblonga* / 346
Viola ovato-oblonga f. *pubescens* / 346
Viola ovato-oblonga var. *obtusa* / 345
Viola pachyrhiza / 347
Viola patrinii / 346
Viola patrinii var. *glabra* / 346
Viola patrinii var. *gmeliniana* / 345
Viola patrinii var. *macrantha* / 344
Viola phalacrocarpa / 346
Viola phalacrocarpa f. *glaberrima* / 347
Viola phalacrocarpa f. *phalacrocarpa* / 347
Viola phalacrocarpa var. *glaberrima* / 347
Viola phalacrocarpa var. *ishidoyana* / 346
Viola phalacrocarpa var. *pallida* / 343
Viola phalacrocarpoidea / 347
Viola philippica / 347
Viola philippica subsp. *munda* / 347
Viola pinnata var. *chaerophylloides* / 340
Viola primulifolia var. *glabra* / 346
Viola prionantha var. *latifolia* / 346
Viola pruniflora / 343
Viola pseudopriionantha / 346
Viola pseudoselkirki / 341
Viola raddeana / 347
Viola raddeana var. *japonica* / 347
Viola ramiflora / 347
Viola reichii / 347
Viola repens / 342
Viola rossii / 347

■ Scientific name Index

- Viola sacchalinensis* / 347
Viola sacchalinensis var. *alpicola* / 348
Viola sacraricola / 350
Viola scabrida / 349
Viola selkirkii / 348
Viola selkirkii f. *albiflora* / 348
Viola selkirkii f. *subglabra* / 348
Viola selkirkii f. *variegata* / 348
Viola selkirkii var. *albiflora* / 348
Viola selkirkii var. *angustistipulata* / 348
Viola selkirkii var. *brevicalcarata* / 348
Viola selkirkii var. *glabrescens* / 348
Viola selkirkii var. *subglabra* / 348
Viola selkirkii var. *variegata* / 348
Viola semilunaris / 350
Viola seoulensis / 348
Viola sieboldiana var. *chaerophylloides* / 340
Viola sieboldii subsp. *boissieuana* / 341
Viola silvestriformis / 344
Viola subaequiloba / 341
Viola sylvestris f. *ovato-oblonga* / 346
Viola sylvestris var. *exilis* / 343
Viola sylvestris var. *grypoceras* / 342
Viola sylvestris var. *montana* / 346
Viola sylvestris var. *ovato-oblonga* / 346
Viola takedana / 349
Viola takedana var. *tenuicornis* / 349
Viola takesimana / 348
Viola tayemonii / 341
Viola tenuicornis / 348
Viola tenuicornis subsp. *baicalensis* / 349
Viola tenuicornis subsp. *primorskajensis* / 349
Viola tenuicornis subsp. *trichosepala* / 348
Viola teshioensis / 343
Viola thibaudieri / 348
Viola tokubuchiana var. *scabrida* / 349
Viola tokubuchiana var. *takedana* / 349
Viola tokubuchiana var. *takedana* f. *variegata* / 349
Viola tokubuchiana var. *tenuicornis* / 349
Viola tokubuchiana var. *tenuicornis* f. *takedana* / 349
Viola tokubuchiana var. *tokubuchiana* / 349
Viola trichosepala / 348
Viola turczaninowii / 340
Viola ulleungdoensis / 349
Viola ulleungdoensis f. *albiflora* / 349
Viola ulleungdoensis f. *ulleungdoensis* / 349
Viola umbrosa / 348
Viola umemurae / 349
Viola uniflora var. *orientalis* / 346
Viola variegata / 349
Viola variegata f. *glaberrima* / 349
Viola variegata f. *ircutiana* / 349
Viola variegata f. *nipponica* / 348
Viola variegata f. *viridis* / 349
Viola variegata var. *chinensis* / 348
Viola variegata var. *ircutiana* / 349
Viola variegata var. *nipponica* / 348
Viola variegata var. *viridis* / 349
Viola verecunda / 340
Viola verecunda f. *radicans* / 341
Viola verecunda var. *excisa* / 341
Viola verecunda var. *semilunaris* / 349
Viola verecunda var. *subaequiloba* / 341
Viola verecunda var. *verecunda* / 349
Viola violacea / 350
Viola websteri / 350
Viola woosanensis / 350
Viola xanthopetala / 346
Viola yamatsutae / 345
Viola yazawana / 350
Viola yedoensis / 347
VIOLACEAE / 339
Viola × *chejuensis* / 350
Viola × *jindoensis* / 350
Viola × *palatina* / 350
Viola × *wansanensis* / 350
VISCACEAE / 109
Viscum / 109
Viscum album f. *album* / 110
Viscum album f. *rubroauranticum* / 110
Viscum album subsp. *coloratum* / 109
Viscum album subsp. *coloratum* f. *lutescens* / 110
Viscum album var. *album* / 109
Viscum album var. *coloratum* / 110
Viscum album var. *coloratum* f. *rubroaurantiacum* / 110
Viscum album var. *lutescens* / 109
Viscum album var. *rubroaurantiacum* / 110
Viscum coloratum / 109, 110
Viscum coloratum f. *lutescens* / 109
Viscum coloratum f. *rubroaurantiacum* / 110
Viscum coloratum var. *lutescens* / 109
Viscum coloratum var. *rubroaurantiacum* / 110
Viscum japonicum / 109
Viscum moniliforme / 109
Visiania paniculata / 407
VITACEAE / 329

- | | |
|---|---|
| <i>Vitex</i> / 441 | <i>Vitis labrusca</i> var. <i>grandifolia</i> / 331 |
| <i>Vitex agnuscastus</i> var. <i>ovata</i> / 441 | <i>Vitis labrusca</i> var. <i>sinuata</i> / 332 |
| <i>Vitex chinensis</i> / 441 | <i>Vitis leucocarpa</i> / 330 |
| <i>Vitex incisa</i> / 441 | <i>Vitis parvifolia</i> / 332 |
| <i>Vitex incisa</i> var. <i>heterophylla</i> / 441 | <i>Vitis pentaphylla</i> / 351 |
| <i>Vitex negundo</i> var. <i>heterophylla</i> / 441 | <i>Vitis purani</i> / 332 |
| <i>Vitex negundo</i> var. <i>incisa</i> / 441 | <i>Vitis quelpaertensis</i> / 352 |
| <i>Vitex negundo</i> var. <i>negundo</i> / 441 | <i>Vitis serianiiifolia</i> / 330 |
| <i>Vitex ovata</i> / 441 | <i>Vitis shiragae</i> / 331 |
| <i>Vitex repens</i> / 441 | <i>Vitis taquetii</i> / 331 |
| <i>Vitex rotundifolia</i> / 441 | <i>Vitis tenuifolia</i> / 330 |
| <i>Vitex trifolia</i> subsp. <i>litoralis</i> / 441 | <i>Vitis thunbergii</i> / 332 |
| <i>Vitex trifolia</i> var. <i>obovata</i> / 441 | <i>Vitis thunbergii</i> var. <i>partita</i> / 332 |
| <i>Vitex trifolia</i> var. <i>ovata</i> / 441 | <i>Vitis thunbergii</i> var. <i>sinuata</i> / 332 |
| <i>Vitex trifolia</i> var. <i>repens</i> / 441 | <i>Vitis vinifera</i> var. <i>amurensis</i> / 331 |
| <i>Vitex trifolia</i> var. <i>simplicifolia</i> / 441 | <i>Vitis vulpina</i> var. <i>amurensis</i> / 331 |
| <i>Vitex trifolia</i> var. <i>unifoliolata</i> / 441 | <i>Vitis vulpina</i> var. <i>parvifolia</i> / 332 |
| <i>Vitis</i> / 331 | <i>Vitis wallichii</i> / 332 |
| <i>Vitis amurensis</i> / 331 | <i>Vittaria flexuosa</i> / 22 |
| <i>Vitis amurensis</i> var. <i>coignetii</i> / 331 | <i>Vittaria zosterifolia</i> / 22 |
| <i>Vitis amurensis</i> var. <i>glabrescens</i> / 331 | <i>Volvulus hederaceus</i> / 431 |
| <i>Vitis amurensis</i> var. <i>shiragai</i> / 331 | <i>Volvulus soldanella</i> / 432 |
| <i>Vitis austrokoreense</i> / 331 | |
| <i>Vitis brevipedunculata</i> / 330 | |
| <i>Vitis cavaleriei</i> / 332 | |
| <i>Vitis choii</i> / 331 | |
| <i>Vitis coignetiae</i> / 331 | |
| <i>Vitis coignetiae</i> f. <i>glabrescens</i> / 331 | |
| <i>Vitis coignetii</i> var. <i>glabrescens</i> / 331 | |
| <i>Vitis dunniana</i> / 330 | |
| <i>Vitis ficifolia</i> / 332 | |
| <i>Vitis ficifolia</i> f. <i>ficifolia</i> / 331 | |
| <i>Vitis ficifolia</i> f. <i>glabrata</i> / 331 | |
| <i>Vitis ficifolia</i> var. <i>glabrata</i> / 331 | |
| <i>Vitis ficifolia</i> var. <i>sinuata</i> / 332 | |
| <i>Vitis ficifolia</i> var. <i>thunbergii</i> / 332 | |
| <i>Vitis flexuosa</i> / 332 | |
| <i>Vitis flexuosa</i> f. <i>parvifolia</i> / 332 | |
| <i>Vitis flexuosa</i> var. <i>chinensis</i> / 332 | |
| <i>Vitis flexuosa</i> var. <i>choii</i> / 331 | |
| <i>Vitis flexuosa</i> var. <i>parvifolia</i> / 332 | |
| <i>Vitis heyneana</i> subsp. <i>ficifolia</i> / 332 | |
| <i>Vitis heyneana</i> subsp. <i>heyneana</i> / 332 | |
| <i>Vitis inconstans</i> / 331 | |
| <i>Vitis japonica</i> / 330 | |
| <i>Vitis kaempferi</i> / 331 | |
| <i>Vitis kaempferi</i> var. <i>glabrescens</i> / 331 | |
| <i>Vitis labrusca</i> var. <i>ficifolia</i> / 332 | |

(W)

- Wagneriopteris japonica* / 30
Wahlenbergia / 507
Wahlenbergia gracilis var. *misera* / 507
Wahlenbergia indica / 507
Wahlenbergia marginata / 507
Waldsteinia / 274
Waldsteinia sibirica / 274
Waldsteinia ternata / 274
Wasabia japonica / 209
Wasabia koreana / 210
Wasabia pungens / 209
Webera marchandii / 307
Wedelia / 568
Wedelia calendulacea / 568
Wedelia chinensis / 568
Wedelia prostrata / 568
Weigela / 494
Weigela florida / 494
Weigela florida f. *alba* / 494
Weigela florida f. *albida* / 494
Weigela florida f. *candida* / 494
Weigela florida f. *leucantha* / 494
Weigela florida f. *subtricolor* / 494
Weigela florida f. *toensis* / 494

■ Scientific name Index

Weigela florida var. *glabra* / 494
Weigela florida var. *pauciflora* / 494
Weigela florida var. *venusta* / 494
Weigela praecox / 494
Weigela praecox var. *pilosa* / 494
Weigela rosea / 494
Weigela subsessilis / 495
Weigela subsessilis f. *mollis* / 495
Weigela subsessilis var. *mollis* / 495
Weigela toensis / 494
Weigela venusta / 494
Wikstroemia / 337
Wikstroemia canescens var. *ganpi* / 337
Wikstroemia chamaejasme / 337
Wikstroemia ganpi / 337
Wikstroemia genkwa / 336
Wikstroemia japonica / 337
Wikstroemia trichotoma / 337
Windsoria pallida / 660
Wisteria / 297
Wisteria floribunda f. *alba* / 297
Wisteria floribunda f. *floribunda* / 297
Wisteria japonica / 289
Woodsia / 31
Woodsia alpina var. *gabella* / 31
Woodsia glabella / 31
Woodsia hancockii / 31
Woodsia hyperborea var. *gabella* / 31
Woodsia ilvensis / 32
Woodsia intermedia / 32
Woodsia macrochlaena / 32
Woodsia manchuriensis / 32
Woodsia microsora / 32
Woodsia polystichoides / 32
Woodsia polystichoides f. *sinuata* / 32
Woodsia polystichoides var. *sinuata* / 32
Woodsia pseudoilvensis / 32
Woodsia saitoana / 32
Woodsia subcordata / 32
WOODSIACEAE / 31
Woodwardia / 33
Woodwardia japonica / 33

(X)

Xanthoxalis stricta / 297
Xiphion brachycuspis / 613
Xiphion orientale / 612
Xylophyllea parviflora / 306

Xylophyllea ramiflora / 306
Xylosma / 339
Xylosma apactis / 339
Xylosma congesta / 339
Xylosma japonica / 339
Xylosma racemosa / 339
Xylosteon flexuosum / 487
Xylosteon gibbiflorum / 486
Xylosteon gibbiflorum var. *subtomentosum* / 489
Xylosteon maackii / 488
Xylosteon maximowiczii / 488
Xyridion setosum / 613

(Y)

Yoania aberrans / 721
Youngia / 569
Youngia ambigua / 569
Youngia chelidoniifolium / 532
Youngia chinensis / 543
Youngia chrysantha / 532
Youngia debilis / 544
Youngia dentata / 542
Youngia denticulata / 532
Youngia denticulata f. *pallescens* / 532
Youngia fastigiata / 569
Youngia hastata / 532
Youngia humilis / 547
Youngia integra / 533
Youngia integrifolia / 569
Youngia japonica / 569
Youngia japonica subsp. *longiflora* / 569
Youngia koidzumiana / 533
Youngia lanceolata / 533
Youngia mauritiana / 569
Youngia multiflora / 569
Youngia napifolia / 569
Youngia poosia / 569
Youngia runcinata / 569
Youngia serotina / 534
Youngia sonchifolia / 534
Youngia striata / 569
Youngia thunbergiana / 569
Yulania kous / 147

(Z)

Zabelia biflora f. *insularis* / 485
Zabelia biflora var. *coreana* / 485
Zabelia coreana / 485

<i>Zabelia densipila</i> / 485	<i>Zelkova hirta</i> / 99
<i>Zabelia insularis</i> / 485	<i>Zelkova keaki</i> / 99
<i>Zabelia integrifolia</i> / 485	<i>Zelkova serrata</i> / 98
<i>Zabelia mosanensis</i> / 486	<i>Zelkova serrata</i> var. <i>longifolia</i> / 99
<i>Zabelia shikokiana</i> / 485	<i>Zelkova stipulacea</i> / 99
<i>Zabelia tyaihyonii</i> / 486	<i>Zerna canadensis</i> subsp. <i>richardsonii</i> / 626
<i>Zannichellia</i> / 578	<i>Zerna richardsonii</i> / 626
<i>Zannichellia gibberosa</i> / 578	<i>Zigadenus makinoanus</i> / 585
<i>Zannichellia palustris</i> subsp. <i>palustris</i> / 578	<i>Zigadenus sibiricus</i> / 585
<i>Zannichellia palustris</i> subsp. <i>pedicellata</i> / 578	<i>Zizania</i> / 661
<i>Zannichellia palustris</i> var. <i>pedicellata</i> / 578	<i>Zizania dahurica</i> / 661
<i>Zannichellia palustris</i> var. <i>pedunculata</i> / 578	<i>Zizania latifolia</i> / 661
<i>Zannichellia pedicellata</i> / 578	<i>Ziziphus</i> / 329
<i>Zannichellia pedunculata</i> / 578	<i>Ziziphus floribunda</i> / 326
<i>Zanonia pedata</i> / 352	<i>Ziziphus jujuba</i> var. <i>jujuba</i> / 329
<i>Zanthoxylum</i> / 308	<i>Ziziphus jujuba</i> var. <i>spinosa</i> / 329
<i>Zanthoxylum ailanthoides</i> / 308	<i>Ziziphus ramosissima</i> / 327
<i>Zanthoxylum ailanthoides</i> f. <i>inermis</i> / 308	<i>Ziziphus sativa</i> var. <i>spinosa</i> / 329
<i>Zanthoxylum ailanthoides</i> var. <i>inermis</i> / 308	<i>Ziziphus vulgaris</i> var. <i>spinosus</i> / 329
<i>Zanthoxylum alatum</i> var. <i>planispinum</i> / 309	<i>Zollingeria scandens</i> / 554
<i>Zanthoxylum alatum</i> var. <i>subtrifoliatum</i> / 309	<i>Zostera</i> / 579
<i>Zanthoxylum arenosum</i> / 309	<i>Zostera asiatica</i> / 579
<i>Zanthoxylum argyi</i> / 309	<i>Zostera caespitosa</i> / 579
<i>Zanthoxylum armatum</i> / 308	<i>Zostera caulescens</i> / 580
<i>Zanthoxylum bretschneideri</i> / 308	<i>Zostera geojeensis</i> / 580
<i>Zanthoxylum bungei</i> var. <i>zimmermannii</i> / 309	<i>Zostera japonica</i> / 580
<i>Zanthoxylum coreanum</i> / 309	<i>Zostera marina</i> / 580
<i>Zanthoxylum daniellii</i> / 308	ZOSTERACEAE / 579
<i>Zanthoxylum emarginellum</i> / 308	<i>Zoysia</i> / 661
<i>Zanthoxylum fauriei</i> / 309	<i>Zoysia japonica</i> / 661
<i>Zanthoxylum hemsleyanum</i> / 308	<i>Zoysia japonica</i> var. <i>japonica</i> / 661
<i>Zanthoxylum mantschuricum</i> / 309	<i>Zoysia japonica</i> var. <i>pallida</i> / 661
<i>Zanthoxylum piperitum</i> / 309	<i>Zoysia koreana</i> / 661
<i>Zanthoxylum piperitum</i> f. <i>pubescens</i> / 309	<i>Zoysia liukiuensis</i> / 662
<i>Zanthoxylum piperitum</i> var. <i>pubescens</i> / 309	<i>Zoysia macrostachya</i> / 662
<i>Zanthoxylum planispinum</i> / 309	<i>Zoysia sinica</i> / 662
<i>Zanthoxylum podocarpum</i> / 309	<i>Zoysia sinica</i> subsp. <i>nipponica</i> / 662
<i>Zanthoxylum schinifolium</i> / 309	<i>Zoysia sinica</i> var. <i>nipponica</i> / 662
<i>Zanthoxylum schinifolium</i> f. <i>inerme</i> / 309	ZYGOPHYLLACEAE / 302
<i>Zanthoxylum schinifolium</i> var. <i>inermis</i> / 309	
<i>Zanthoxylum schinifolium</i> var. <i>subinermis</i> / 309	
<i>Zanthoxylum setosum</i> / 309	
<i>Zanthoxylum simulans</i> / 309	
<i>Zehneria japonica</i> / 352	
<i>Zelkova</i> / 98	
<i>Zelkova acuminata</i> / 99	
<i>Zelkova davidii</i> / 97	
<i>Zelkova formosana</i> / 99	

영명 찾아보기

**(A)**

Abundant-flower meliosma / 316
Acuminate goosefoot / 142
Acuminate-leaf pondweed / 577
Acuminate-leaf snoutbean / 291
Acute-leaf sneezewort yarrow / 1884 / 508
Acute-tip adonis / 159
Aging chive / 583
Aizoon stonecrop / 217
Akebian-fruit orchid / 723
Alaska knotweed / 125
Aleutian groundsel / 561
Aleutian mannagrass / 638
Alianthus-like prickly-ash / 308
Alpine bistort / 113
Alpine bittercress / 203
Alpine broad-leaf allium / 583
Alpine buckler fern / 47
Alpine bulrush / 716
Alpine burnet / 267
Alpine calamint / 444
Alpine carpesium / 527
Alpine clubmoss / 4
Alpine enchanter's nightshade / 355
Alpine goutweed / 368
Alpine juniper / 67
Alpine knotweed / 110
Alpine milkvetch / 277
Alpine modest primrose / 400
Alpine monk'shood / 155
Alpine pearlwort / 137
Alpine pearly everlasting / 510
Alpine pink / 131
Alpine pondweed / 576
Alpine reedgrass / 627
Alpine sainfoin sweetvetch / 281
Alpine scabious / 498
Alpine self-heal / 455
Alpine sheep's fescue / 637
Alpine sweetgrass / 639
Alpine sweetvetch / 280
Alpine timothy / 650

Alpine vernalgrass / 623
Alpine violet / 342
Alpine willow / 75
Alpine yarrow / 507
Alpine-snowbed gentian / 413
Alternate-flower thread sedge / 669
American sloughgrass / 624
American yellowrocket / 202
Amplexicaul swallow-wort / 418
Amrokgang angelica / 370
Amrokgang sedge / 681
Amur adonis / 159
Amur anemone / 159
Amur barberry / 177
Amur cherry / 248
Amur choke cherry / 250
Amur corktree / 308
Amur daylily / 589
Amur grapevine / 331
Amur honeysuckle / 488
Amur jack-in-the-pulpit / 663
Amur linden / 333
Amur maackia / 289
Amur maple / 315
Amur mountain ash / 270
Amur mouse-ear chickweed / 130
Amur ninebark / 243
Amur poppy / 200
Amur rose / 258
Amur saussurea / 554
Amur silvergrass / 645
Amur valerian / 496
Amur vetch / 292
Amur wallflower / 209
Amur willowherb / 357
Amur wood fern / 45
Anemone cinquefoil / 243
Aniseed tree / 149
Anmyeon wide-bract solomon's seal / 601
Annual bluegrass / 652
Annual mitrewort / 411
Annual rabbit's-foot grass / 654
Appendicular sedge / 670
Apricot fern / 51
Arabidopsis / 201
Arching hollyfern / 44
Arctic raspberry / 262
Arctic starflower / 401
Arctic stitchwort / 133
Arctic yellow violet / 341
Argun groundsel / 561
Aristate goosefoot / 144
Aristate mitra sedge / 687
Aristate sweetroot / 378
Arrowhead-leaf ragwort / 549
Arrow-leaf smartweed / 122
Articulation-bearing spodiopogon / 659
Ashgrey sedge / 675
Ashy pipewort / 619
Asian baneberry / 156
Asian beach jackbean / 277
Asian beaked hazel / 88
Asian bentgrass / 622
Asian birdsfoot-trefoil / 288
Asian bistort / 112
Asian bittercress / 205
Asian black birch / 85
Asian blue cohosh / 179
Asian bluestar / 418
Asian burnet / 267
Asian buttercup / 171
Asian chain fern / 33
Asian coastal wormwood / 512
Asian common ladyfern / 36
Asian common seepweed / 146
Asian copperleaf / 302
Asian crownglass / 649
Asian dayflower / 618
Asian dwarf pennywort / 376
Asian eelgrass / 579
Asian eight-petal dryas / 237
Asian fawnlily / 588
Asian flatsedge / 698
Asian flowering ash / 406

Asian golden bladderwort / 480	Asian tape grass / 575	Bamboo-leaf oak / 92
Asian goldenrod / 563	Asian tearthumb / 121	Bamboo-leaf pondweed / 578
Asian greater celandine / 195	Asian trailplant / 508	Bangahpul (East Asian soup-mint) / 447
Asian hairy-scale hollyfern / 42	Asian twinleaf / 179	Barley-like orchid / 717
Asian hazel / 88	Asian twinsorus fern / 40	Barnyard grass / 632
Asian hedgehyssop / 464	Asian vetch-like sweetvetch / 281	Barundi sacaton grass / 659
Asian herb bennet / 240	Asian walking fern / 25	Basally-pored-seed buckthorn / 328
Asian hornbeam / 87	Asian water plantain / 573	Beach bluebell / 436
Asian jack-in-the-pulpit / 664	Asian water-nymph / 581	Beach morning glory / 432
Asian jasmine / 421	Asian white swallow-wort / 419	Beach prostrating wedelia / 569
Asian knotweed / 114	Asian wild flax / 302	Beach sandwort / 132
Asian lacquer tree / 311	Asian willow-leaf yellowhead / 542	Beach silvertop / 375
Asian leafless bird's nest orchid / 732	Asian yellow spring bedstraw / 427	Beach vetchling / 284
Asian liverleaf / 169	Asymmetric spleenwort / 26	Beach vitex / 441
Asian lizard's tail / 183	Attenuate St. Johnswort / 191	Beach wormwood / 516
Asian lobelia / 505	Attractive hollyfern / 42	Beach-sand aster / 519
Asian lopseed / 482	Augustinowicz's sedge / 670	Bead selaginella / 7
Asian madder / 430	Auricled widelip orchid / 730	Beaded yellow corydalis / 197
Asian marshweed / 465	Australian dodder / 432	Bead-root orchid / 728
Asian mazus / 466	Autumn cudweed / 554	Beads linden / 334
Asian milkwort / 310	Autumn fern / 46	Beak sedge / 692
Asian minor rabbit's-foot grass / 654	Autumn oleaster / 338	Beak willow / 82
Asian mitchella / 428	Autumnal sand sedge / 671	Beaked-fruit narrow mitra sedge / 693
Asian montane woodruff / 425	Autumn-flower oleaster / 337	Beard filmy fern / 12
Asian moonseed / 180	Awl-fruit sedge / 695	Beard Hackel's cleistogenes / 629
Asian mountain fringe / 195	Awned rice flatsedge / 699	Beard white deadnettle / 448
Asian murainagrass / 641	Awned vernalgrass / 623	Bearded cow-wheat / 467
Asian oak fern / 19	(B)	Bearded fringe gentian / 415
Asian pearlwort / 137	Baby Asian platanthera / 735	Bearded maple / 312
Asian pearly everlasting / 510	Baby buckler fern / 50	Bearded wildmint / 451
Asian pennywort / 373	Baby-saw autumn fern / 48	Beardless iris / 612
Asian plantain / 483	Baekdu sedge / 690	Beautiful corydalis / 199
Asian platanthera / 734	Baekdusan bittercress / 204	Beautiful eulalia / 636
Asian pogonia / 736	Baekdusan gentian / 414	Beautiful Wolf's lilac / 411
Asian prince's pine / 385	Baekdusan globe-flower / 177	Beautiful woodland bittercress / 203
Asian red raspberry / 264	Baekdusan ponerochis / 737	Beautiful-flower water iris / 610
Asian royal fern / 12	Baekun hogfennel / 379	Bellard's kobresia / 709
Asian sand sedge / 681	Baekun kuhlhasseltia orchid / 729	Bent-beak sedge / 682
Asian seashore saltbush / 142	Baekun saussurea / 555	Bermuda grass / 629
Asian serviceberry / 234	Baekun wild pear / 255	Berry catchfly / 138
Asian single-sorus spleenwort / 24	Baekunsan daylily / 589	Betony-leaf mazus / 467
Asian siphonostegia / 475	Baekyang broomrape / 479	Bibaldo seashore linden / 335
Asian sprangletop / 642	Baical meadow-rue / 174	Bifid bladderwort / 481
Asian spring stitchwort / 134	Bakdal birch / 86	Biflorate wedgelet fern / 17
Asian subulate fescue / 637	Bakha (East Asian wild mint) / 451	Big Asian platanthera / 735
Asian Supplejack / 326	Balloon-flower / 506	Big autumn fern / 47
Asian surfgrass / 579	Bamboo fern / 21	Big beaksedge / 711
Asian sweetleaf / 403		Big blue lilyturf / 594

Big bog bulrush / 713	Black bedstraw / 424	Branching rhodiola / 218
Big breea / 525	Black climbing swallow-wort / 420	Branching rock pine / 216
Big bristled-leaf cow-wheat / 468	Black crucifera habenaria / 733	Braun's holly fern / 51
Big buckler fern / 48	Black false-hellebore / 606	Bride corydalis / 197
Big clubmoss / 3	Black honeysuckle / 488	Bright-blue speedwell / 475
Big cross holly fern / 54	Black jetbead / 258	Brilliant campion / 133
Big male-scale sedge / 685	Black pine / 66	Bristle dontostemon / 208
Big muhly / 647	Black pipewort / 620	Bristle honeysuckle / 489
Big nightshade / 462	Black sweetleaf / 403	Bristle oriental bittersweet / 320
Big pipewort / 620	Black-berry magnolia vine / 148	Bristle woundwort / 459
Big shaggy wood fern / 46	Black-end swallow-wort / 419	Bristled false-starwort / 136
Big springparsley / 374	Black-flower Korean clematis / 164	Bristle-hair aster / 519
Big sticky smartweed / 124	Black-flower lespedeza / 287	Bristleless spikerush / 702
Big twinsorus fern / 40	Black-flower widelip orchid / 731	Bristle-tip edelweiss / 548
Big unequal-lobe brake fern / 23	Black-fruit hackberry / 96	Bristly-margin angelica / 368
Big-bract hare's ear / 372	Black-scale holly fern / 52	Brittle false pimpernel / 465
Big-bract monk'shood / 155	Black-scale ladyfern / 35	Brittle water-nymph / 581
Big-caudate hollyfern / 42	Black-spike sedge / 670	Broad arrow-head smartweed / 120
Big-ear spleenwort / 24	Black-tiny sedge / 678	Broad flat-rock tree / 395
Big-ear twinsorus fern / 41	Bladderfern / 19	Broad-leaf bamboo / 657
Big-flower alpine lousewort / 469	Blady grass / 640	Broad-leaf cattail / 667
Big-flower bittercress / 207	Bleeding heart / 199	Broad-leaf cottonsedge / 704
Big-flower clematis / 166	Blister sedge / 698	Broad-leaf crepidiastrum / 533
Big-flower lady's slipper / 722	Blood iris / 612	Broad-leaf currant / 231
Big-flower ladybell / 499	Bloody-root stellera / 336	Broad-leaf globe thistle / 536
Big-flower lousewort / 469	Blue amethystea / 442	Broad-leaf long-tail iris / 612
Big-flower morning-star lily / 592	Blue false-hellebore / 606	Broad-leaf mannagrass / 639
Big-head carpesium / 527	Blue locoweed / 290	Broad-leaf phacelurus / 649
Big-head saussurea / 555	Blue mountain-heath / 387	Broad-spike melic / 643
Big-leaf damnacanthus / 423	Blue-scarlet pimpernel / 396	Broad-wing bugseed / 144
Big-leaf golden saxifrage / 223	Blunt-leaf sandwort / 134	Brown's sedge / 672
Big-leaf hare's ear / 372	Blunt-leaf sea milkwort / 398	Brownish beak willow / 82
Big-leaf tick clover / 282	Blunt-lobe spicebush / 150	Brown-spike sedge / 690
Big-root cymbidium / 721	Bog blueberry / 393	Buckbean / 417
Big-spike lawngrass / 662	Bog bulrush / 713	Budding rockcress / 200
Big-tongue jack sedge / 680	Bog chickweed / 141	Buerger's figwort / 474
Big-wheat sedge / 685	Bog yellowcress / 212	Buerger's maackia / 289
Bijindo bean / 279	Bokbunja (Korean blackberry) / 262	Buerger's pipewort / 619
Bilobed grewia / 333	Bongdongcham oak (<i>Aliena</i> × <i>mongolica</i> oak) / 94	Bujeon angelica / 370
Biond's hackberry / 95	Border privet / 408	Bulbiferous woodnettle / 105
Bipinnate lace fern / 18	Boston ivy / 331	Bulbil stonecrop / 215
Bird cherry / 250	Bowl-shape-scale sedge / 690	Bulbose stonecrop / 219
Bird's egg cucumber / 352	Box-leaf holly / 318	Bull's-horn corydalis / 196
Bird's-nest fern / 23	Brackish zone seepweed / 146	Bulrush-like beaksedge / 711
Birdleg dimeria / 631	Branched horsetail / 8	Bumald's bladdernut / 325
Biro gentian / 413	Branched Indian plantain / 552	Bunchberry dogwood / 362
Bitter fleabane / 536	Branching British yellowhead / 541	Bunge's corydalis / 196
Bitterwood / 310		Bunge's hackberry / 96

Bunge's reedgrass / 626	Chinese wedelia / 568	Common Asian cowpea / 296
Burman bristle fern / 13	Chinese winter-berry currant / 231	Common Asian trigonotis / 437
Burnet rose / 261	Chinese yam / 609	Common astilboides / 221
Burning bush spindletree / 320	Chingan mountain bugseed / 143	Common bistort / 112
Busch's corydalis / 196	Chopi (Korean pepper) / 309	Common bladderwort / 481
Bushkiller / 330	Choseon gentian / 412	Common bluebead lily / 587
Byeonsan winter aconite / 168	Choseon sheep's fescue / 637	Common bluebeard / 439
(C)	Chrysantha honeysuckle / 486	Common bog rosemary / 384
California butterwort / 480	Chrysanthemum anemone / 161	Common breea / 525
Camphor tree / 149	Chrysanthemum bedstraw / 424	Common brome / 625
Candle-shape maple / 316	Chrysanthemum-leaf mountain yam / 609	Common calanthe / 718
Canton buttercup / 171	Chrysanthemum-leaf synurus / 565	Common camellia / 189
Capillary wormwood / 511	Ciliate cat's ear / 541	Common carpesium / 526
Capricornis sedge / 673	Ciliate fiureka / 709	Common corydalis / 198
Carrot fern / 22	Ciliate hairy arundinella / 624	Common cotoneaster / 236
Catchfly / 138	Ciliate wheatgrass / 633	Common cottonsedge / 704
Catclaw buttercup / 173	Ciliated-fruit sedge / 671	Common daphniphyllum / 307
Catnip / 453	Ciliate-petal chickweed / 141	Common eelgrass / 580
Cattail bristlegrass / 658	Cinnamon fern / 11	Common fairybell / 587
Caudate autumn fern / 45	Circular-lip galearis / 725	Common Korean currant / 232
Caudate hollyfern / 43	Citron daylily / 589	Common Korean platanthera / 735
Caudate tick clover / 278	Clasping-leaf pondweed / 578	Common leafflower / 306
Caudate-leaf hackberry / 96	Clasping-leaf twisted-stalk / 602	Common leptopyrum / 169
Celery-leaf buttercup / 173	Climbing fig / 101	Common lophatherum / 643
Centipede's foot orchid / 733	Climbing gentian / 417	Common mare's-tail / 361
Ceylon hound's tongue / 434	Climbing hydrangea / 228	Common moonwort / 9
Chaff panicgrass / 648	Climbing seedbox / 360	Common mouse-ear chickweed / 129
Chamnamul (Short-fruit pimpinella) / 379	Climbing swallow-wort / 420	Common nipplewort / 547
Champion's autumn fern / 45	Closed-flower hosta / 590	Common oreorchis / 733
Champion's bluethread / 613	Cloud Asian platanthera / 735	Common polypody / 58
Channelled water plantain / 573	Cloudberry / 262	Common pricklegrass / 629
Cheder vetch / 292	Coastal chive / 583	Common reed / 650
Cheonma (Tall gastrodia) / 725	Coastal dimeria / 632	Common spurge / 304
Cherry prinsepia / 248	Coastal glossy plantain / 484	Common St. Paul's wort / 563
Cherry-leaf sweetleaf / 403	Coastal green bristlegrass / 659	Common stimpsonia / 401
Chestnut-leaf colysis fern / 56	Coastal hogfennel / 379	Common sweet flag / 662
Chestnut-leaf fern / 57	Coastal lespedeza / 286	Common symphyllocarpus / 564
Chickweed sparrow / 468	Coastal mock-cypress / 144	Common tetragonia / 128
Chilbo metanarthecium / 597	Coastal moss-like stonecrop / 219	Common tick clover / 281
Chinese barberry / 178	Coastal oleaster / 338	Common verbena / 440
Chinese castanea / 89	Coastal oriental bittersweet / 320	Common water-chestnut / 354
Chinese dodder / 433	Coastal rock sedge / 671	Common willow / 80
Chinese juniper / 66	Coastal rockcress / 202	Common wood sorrel / 297
Chinese mallow-leaf violet / 343	Coastal small reedgrass / 627	Common woodrush / 616
Chinese mulberry / 102	Coastal stringy stonecrop / 219	Compressed michelia / 147
Chinese needlegrass / 621	Coloured grapefern / 9	Conical-leaf violet / 347
Chinese spiraea / 272	Coloured wildginger / 186	Connected aster / 521
	Common adenostemma / 508	Conspicuous smartweed / 116

Contorted fringe gentian / 415	Dahurian buckthorn / 327	Deokwoo hogfennel / 382
Coon's tail / 183	Dahurian bugbane / 157	Depressed plantain / 484
Coralberry / 395	Dahurian clustered bellflower / 504	Devil's bush / 366
Cordata enchanter's nightshade / 356	Dahurian cranesbill / 298	Diaphanous flatsedge / 710
Corn gromwell / 436	Dahurian false-hellebore / 605	Dichotomous anemone / 160
Cowberry / 394	Dahurian juniper / 67	Dichotomous swertia / 412
Cracking melon / 352	Dahurian larch / 63	Dickins' sedge / 675
Creeper-like sedge / 691	Dahurian lespedeza / 285	Different-scale sedge / 679
Creeping beach ikeris / 544	Dahurian loosestrife / 399	Different-spike sedge / 679
Creeping bokbunja / 266	Dahurian milkvetch / 276	Difformed flatsedge / 699
Creeping broad-leaf sedge / 694	Dahurian morning glory / 431	Digitaria-like sedge / 680
Creeping buttercup / 173	Dahurian pasque-flower / 170	Diluted swertia / 416
Creeping catchfly / 139	Dahurian rhododendron / 389	Diminutive rotala / 354
Creeping grapevine / 332	Dahurian snowparsley / 373	Dimorphous-spike sedge / 675
Creeping ikeris / 544	Dahurian spike speedwell / 471	Discoid-involucrue alpine yarrow / 508
Creeping Korean violet / 342	Dahurian wheatgrass / 634	Discolor cinquefoil / 245
Creeping lilyturf / 594	Dahurian wintergreen / 387	Dissected-leaf monk'shoo / 156
Creeping mannagrass / 638	Danyang aster / 522	Dissected-leaf porcelainberry / 329
Creeping narrow-leaf sedge / 688	Dark-bark spruce / 64	Dissected-leaf viburnum / 492
Creeping rose-gold pussy willow / 78	Dark-flower pipewort / 619	Dissected-leaf yellow corydalis / 198
Creeping sedge / 674	Date-plum / 402	Ditch bluegrass / 652
Creeping sibbaldia / 268	David's elm / 97	Divaricate carpesium / 526
Creeping smartweed / 116	David's vetchling / 284	Diverse-flower chickweed / 141
Creeping three-lobe beggartick / 525	Declinate bugseed / 143	Diverse-leaf jack-in-the-pulpit / 663
Crested late-summer mint / 445	Decumbent bugle / 442	Diverse-petal angelica / 369
Cretan brake fern / 22	Decumbent corydalis / 196	Divided cinquefoil / 247
Crimson grapevine / 331	Decurrent colysis fern / 56	Don's sedge / 676
Cross holly fern / 53	Deeply-lobe saussurea / 558	Donggang pasque-flower / 170
Crow dipper / 665	Deeply-serrate-leaf ostericum / 378	Dongrae thistle / 531
Crow's pillow / 327	Delicate amitostigma / 717	Dooryard dock / 127
Cruciform habenaria / 728	Delicate maiden silvergrass / 646	Dotted beadfern / 18
Cucullate neottianthe orchid / 736	Delicate skullcap / 456	Dotted rockfoil / 226
Curled pondweed / 576	Delicate starviolet / 429	Downward-hair cranesbill / 299
Curled-stigma sedge / 672	Delicate violet / 341	Downward-hair eyebright / 464
Curly sedge / 693	Deltoid synurus / 565	Downward-leaf ladyfern / 35
Curly willow / 80	Dense watergrass / 668	Downy East Asian alder / 84
Curve monk'shoo / 154	Dense-flower bladderwort / 481	Downy shield-fern / 27
Curved-awn fimbriystylis / 708	Dense-flower bristlegrass / 658	Drooping carpesium / 526
Curved-tooth thyrocarpus / 437	Dense-flower elatostema / 105	Drooping woodreed / 628
Curved-utricule sedge / 675	Dense-flower spikerush / 701	Drooping-fruit hedge mustard / 212
Cuspidate girardinia / 106	Dense-flower two-leaf vetch / 294	Dropping bell flower / 434
Cute azalea / 390	Dense-leaf selarginella / 7	Dry rockjasmine / 397
(D)	Dentata × aliena hybrid oak / 94	Duck lettuce / 575
Dadobae hosta / 590	Dentata × mongolica hybrid oak / 94	Dumangang sedge / 697
Daegu clematis / 166	Dentate dontostemon / 208	Dumortier's daylily / 589
Dahurian angelica / 369	Dentate-lobe alpine bell / 400	Dwarf abelia / 485
Dahurian asparagus / 585	Deodeok (Lance Asiabell, Bonnet bellflower) / 504	Dwarf bittercress / 207
Dahurian bedstraw / 424		Dwarf bog birch / 85

Dwarf corydalis / 197	East Asian euchresta / 279	East Asian white birch / 86
Dwarf eelgrass / 580	East Asian eurya / 190	East Asian white false-hellebore / 606
Dwarf false-indigo / 283	East Asian fairy orchid / 733	East Asian wildparsley / 374
Dwarf false-starwort / 135	East Asian false rue anemone / 168	East Asian willow smartweed / 118
Dwarf Geumgang violet / 350	East Asian false-starwort / 135	East Asian wintergreen / 388
Dwarf horsetail / 8	East Asian floatingheart / 418	East Asian wood fern / 48
Dwarf Indian skullcap / 457	East Asian glabrate browntop / 644	East Asian yellow water-lily / 181
Dwarf juniper / 66	East Asian gland fern / 30	East Indian hollyfern / 42
Dwarf Korean plum yew / 69	East Asian grapefern / 9	Eastern brakenfern / 18
Dwarf lilyturf / 597	East Asian greenbrier / 601	Eastern marsh fern / 31
Dwarf marsh violet / 342	East Asian groundsel / 568	Edgeworth's hogpeanut / 276
Dwarf milkwort / 310	East Asian hackberry / 96	Edible aster / 521
Dwarf rock pine / 215	East Asian harebell / 503	Edible deepblue honeysuckle / 486
Dwarf sand sedge / 691	East Asian hogweed / 375	Edible tulip / 604
Dwarf sanicle / 381	East Asian hophornbeam / 89	Eight-stamen pondweed / 577
Dwarf Siberian pine / 65	East Asian loosely-leaf marsh fern / 29	Elegance female holly / 318
Dwarf small-leaf birch / 84	East Asian low meadow-rue / 175	Elegant hogfennel / 376
Dwarf smartweed / 117	East Asian mallotus / 305	Elegant ladyfern / 34
Dwarf solomon's seal / 599	East Asian monk'shoo / 154	Elliptic colysis fern / 56
Dwarf spikemoss / 6	East Asian mountain yam / 608	Elliptic-leaf saussurea / 557
Dwarf willow / 77	East Asian mudgrass / 654	Elongate bean fern / 55
Dwarf woodland Korean iris / 611	East Asian necklace fern / 16	Elongate wavy-leaf basketgrass / 648
Dyer's woad / 210	East Asian nervilia / 732	Elongate-fruit Korean barberry / 178
(E)		
Eared Indian plantain / 551	East Asian nettle / 108	Elongate-leaf bugseed / 144
Eared ladyfern / 35	East Asian orixa / 307	Elongate-leaf goat willow / 76
Early barnyard grass / 633	East Asian ostericum / 378	Elongate-leaf rhodiola / 218
Early coralroot / 720	East Asian peppervine / 330	Emarginate eurya / 190
Early forsythia / 405	East Asian physaliastrum / 461	Engler's beech / 90
Early-blooming bistort / 113	East Asian platanthera / 735	Engler's selliquea fern / 59
Early-blooming gentian / 414	East Asian pollia / 618	English sundew / 194
Early-blooming honeysuckle / 489	East Asian primrose / 400	Entire-leaf abelia / 485
Early-blooming ivory honeysuckle / 487	East Asian sage / 456	Entire-leaf false goat's beard / 221
Early-blooming weigela / 494	East Asian sanicle / 381	Eolchigi lady's slipper / 723
East Asian alder / 84	East Asian saussurea / 556	Erect Asian madder / 430
East Asian alpine forget-me-not / 435	East Asian sedge / 681	Erect cephalanthera / 719
East Asian arrow root / 290	East Asian seepweed / 146	Erect fig / 100
East Asian ash / 406	East Asian shield sundew / 194	Erect hedgeparsley / 383
East Asian basketgrass / 629	East Asian shorthusk / 625	Erect hygrophila / 476
East Asian beakgrain / 630	East Asian skunk cabbage / 665	Erect ladybell / 499
East Asian beautyberry / 438	East Asian slender smartweed / 124	Erect muhly / 647
East Asian buttercup / 172	East Asian spikerush / 702	Erect selaginella / 6
East Asian cinquefoil / 244	East Asian squill / 586	Erect St. Johnswort / 192
East Asian clustered gentian / 414	East Asian stripe maple / 315	Erect vetchling / 284
East Asian cutgrass / 641	East Asian swertia / 416	Erect violet / 347
East Asian deer's foot / 177	East Asian teasel / 497	Erect willow / 81
East Asian dwarf mosla / 451	East Asian thrixspermum / 737	Erman's birch / 85
	East Asian twinsorus fern / 40	Esculent barnyard grass / 632
	East Asian water-chestnut / 354	Eumenol angelica / 368

Eurasian mouse-ear chickweed / 129	Field flat fimbriostylis / 708	Fortune's hollyfern / 44
Eurasian water-milfoil / 360	Field horsetail / 7	Fortune's loosestrife / 398
Eurasian woodrush / 617	Field purple-flower violet / 347	Four-angle enchanter's nightshade / 356
European goldenrod / 563	Field rush / 616	Four-flower sedge / 691
European starflower / 401	Field sensitive pea / 278	Four-leaf bedstraw / 426
European stickseed / 435	Field touch-me-not / 318	Four-leaf clover / 15
Evergreen spindletree / 323	Filamentous meadow-rue / 174	Four-leaf madder / 430
Evergreen spleenwort / 24	Filiform rockjasmine / 396	Four-leaf paris / 598
Evergreen witch hazel / 213	Fin maiden spleenwort / 26	Four-leaf vetch / 293
(F)	Fine-leaf lily / 593	Four-nerve eulalia / 636
Fabre's oak / 94	Fine-leaf vetch / 294	Four-season orchid / 720
Fairy-slipper orchid / 719	Fine-point mannagrass / 639	Four-spin coon's tail / 183
False bittercress / 204	Fine-stalk nutrush / 716	Fowl bluegrass / 653
False brome / 625	Fir clubmoss / 4	Foxtail fountaingrass / 649
False bush-clover / 277	Firm Indian plantain / 551	Fragile fern / 19
False Chinese sedge / 691	Fischer's dragonhead / 444	Fragrant eupatorium / 537
False Chinese swertia / 416	Fischer's mouse-ear chickweed / 129	Fragrant fern / 47
False goat's beard / 220	Fischer's ragwort / 548	Fragrant necklace fern / 16
False ladyfern / 34	Fischer's spurge / 303	Fragrant orchid / 727
False lily of the valley / 596	Fishing-rod-like sedge / 677	Fragrant snowbell / 402
False melic grass / 657	Five-appendage trapella / 478	Franchet's buttercup / 172
False scraggy lace fern / 18	Five-flavor magnolia vine / 148	Freyn's cinquefoil / 246
False spiraea / 268	Five-leaf carpetweed / 128	Friendly lily / 591
False spleenwort / 37	Five-leaf chastetree / 441	Fringed brome / 625
False wheatgrass / 642	Five-leaf chocolate vine / 179	Frog orchid / 723
False winnow willow / 78	Five-leaf gynostemma / 351	Frogbit / 575
False winnow willow / 79	Five-palmette-leaf raspberry / 264	Fruit lacquer tree / 312
False wormwood / 513	Five-petal loosestrife / 399	Fryer's pondweed / 577
Fan-leaf mountain yam / 609	Five-rib thyme / 460	(G)
Fastigiate wetland smartweed / 118	Five-vein vetchling / 285	Gaema hawkweed oxtongue / 553
Fastigiate-branch willowherb / 358	Flabellate sedge / 677	Gaenari (Korean goldenbell tree) / 404
Father-and-child plant / 537	Flagellar cinquefoil / 245	Galcham oak (Oriental white oak) / 91
Faurie's bamboo fern / 21	Flat-leaf bladderwort / 481	Galjolcham oak (<i>Aliena</i> × <i>serrata</i> oak) / 94
Feather-like-unequal-lobe brake fern / 23	Flat-stalk bulrush / 668	Ganggye clearweed / 107
Fedde's wormwood / 514	Flax-leaf diarthron / 336	Ganggye willow / 78
Few-flower brome / 626	Fleshy peracarpa / 506	Gapsan violet / 344
Few-flower conehead / 477	Floating arrowhead / 573	Garden Asian dayflower / 618
Few-flower currant / 232	Floating marsh marygold / 162	Garden dock / 126
Few-flower sedge / 689	Floating watermoss / 16	Garden stonecrop / 213
Few-flower spindletree / 324	Floatingheart / 418	Gaya touch-me-not / 317
Few-flower St. Johnswort / 193	Floating-leaf pondweed / 577	Gayasan ladybell / 500
Few-spike bulrush / 715	Foam flower / 226	Gebera anandra / 547
Few-spikelet fimbriostylis / 708	Foetid's bugbane / 157	Geoje raspberry / 266
Few-twig asparagus / 585	Forbes' knotweed / 114	Geomun jack-in-the-pulpit / 664
Few-vein marsh fern / 28	Ford's clockfern / 21	Geomun maiden silvergrass / 646
Fibrillose short-stem sedge / 672	Forest-live sedge / 676	Geomundo false ohelo / 337
Field aster / 523	Forked fern / 14	Georing's lemon grass / 629
	Forked viburnum / 492	

Geumgang bluegrass / 652	Glandular-style Indian plantain / 551	Green autumn fern / 47
Geumgang rockjasmine / 396	Glaucous bluegrass / 652	Green bean fern / 55
Geumgang saussurea / 555	Glenwoodgrass / 655	Green dragon / 665
Geumgang twisted-stalk / 603	Glittering chive / 584	Green fairybell / 588
Geumgang violet / 342	Globe yellowcress / 211	Green tapping glade fern / 39
Geumgang woodsia / 32	Globose fimbriostylis / 709	Green thread sedge / 669
Geumgangchoronkkot (Geumgang bluebell) / 505	Globose phaenosperma / 650	Green twinsorus fern / 41
Geumgangsan buckthorn / 327	Globose-spike bistort / 111	Green wormwood / 517
Geumgangsan rockfoil / 226	Globular-spike sedge / 678	Green-flower bamboo-leaf orchid / 721
Geumgangsan spike speedwell / 472	Glomerate flatsedge / 699	Green-flower helleborine / 724
Ghost plant / 386	Glossy adina / 422	Green-flower stonecrop / 214
Giant butterbur / 552	Glossy privet / 407	Greenish bluegrass / 654
Giant chickweed / 140	Glossy-leaf carpesium / 526	Greenish juncea lespedeza / 286
Giant corydalis / 196	Glossy-leaf paper plant / 366	Greenish-flower false-hellebore / 607
Giant cranesbill / 298	Gmelin's buttercup / 172	Greenland cinquefoil / 234
Giant dock / 126	Gmelin's saltbush / 142	Greenland labrador tea / 385
Giant false-starwort / 136	Gmelin's sedge / 679	Green-leaf marsh fern / 28
Giant knotweed / 115	Gmelin's wormwood / 515	Ground ivy / 446
Giant meadowsweet / 239	Goat willow / 76	Ground little rose / 235
Giant plantain / 484	Goering's cymbidium / 721	Ground pine / 5
Giant pussy willow / 77	Goering's wood fern / 47	Gwangneung beakgrain / 630
Giant tapping glade fern / 39	Golden buckler fern / 48	Gwangneung buckler fern / 50
Gibbous sedge / 678	Golden cephalanthera / 719	Gwangneung skullcap / 457
Glabrate sedge / 678	Golden hair fern / 41	Gwangneung vetch / 296
Glabrate wildginger / 186	Golden lace / 496	Gwangneung wheatgrass / 621
Glabrous Baical anemone / 160	Golden-and-silver honeysuckle / 487	Gwanmo bluegrass / 654
Glabrous beak willow / 82	Goldenrain tree / 316	Gwanmo rock pine / 216
Glabrous colicroot / 581	Golden-yellow wormwood / 511	Gwanmo sedge / 671
Glabrous cranesbill / 300	Golpul (Common rush) / 614	Gyeongseong saussurea / 556
Glabrous deutzia / 226	Gondre (Korean thistle) / 531	Gyeongseong violet / 345
Glabrous forked-leaf cinquefoil / 268	Goosegrass sedge / 676	Gyeopul (Asian cutgrass) / 642
Glabrous harlequin glorybower / 440	Gooseneck loosestrife / 398	Gyorae fiveminute grass / 660
Glabrous monk'shood / 153	Goseong hybrid bulrush / 715	(H)
Glabrous red-flower violet / 347	Goutweed / 368	Hackel's cleistogenes / 629
Glabrous sarcandra herb / 184	Goyang lespedeza / 288	Haenke's rush / 615
Glabrous-flower mountain bedstraw / 426	Grass-leaf sweet flag / 662	Hairless barnyard grass / 633
Glabrous-fruit corchoropsis / 333	Grass-like-leaf ponerorchis / 736	Hairless woundwort / 459
Glabrous-fruit mercury / 305	Grassy-leaf yellow iris / 611	Hair-like sedge / 673
Glabrous-leaf bokbunja / 263	Gray willow / 80	Hair-stalk St. Paul's wort / 562
Glabrous-leaf scabious / 498	Gray's figwort / 474	Hairy agrimony / 234
Glabrous-red raspberry / 264	Gray's golden saxifrage / 222	Hairy arundinella / 624
Glabrous-ternate grapefern / 10	Gray-blue spicebush / 150	Hairy Asian moonseed / 180
Glandless pruina-shoot willow / 80	Great burnet / 267	Hairy beach vetchling / 284
Glandular ladyfern / 34	Great duckmeat / 666	Hairy bistort / 112
Glandular taeniophyllum / 737	Great hairy willowherb / 358	Hairy border privet / 408
Glandular wood fern / 51	Great St. Johnswort / 191	Hairy burning bush spindletree / 321
Glandular-stalk St. Paul's wort / 563	Greater platanthera / 734	Hairy butterwort / 480
	Great-spur violet / 348	

Hairy catchfly / 138	Hairy whitlow-grass / 209	Harlequin glorybower / 440
Hairy corydalis / 197	Hairy whorled-leaf ladybell / 503	Hart's-tongue fern / 25
Hairy crabweed / 100	Hairy wild chervil / 371	Haspan flatsedge / 699
Hairy creeping broad-leaf sedge / 674	Hairy woodland peony / 187	Hastate-leaf smartweed / 117
Hairy creeping violet / 343	Hairy yellow violet / 342	Headed-flower figwort / 474
Hairy cupgrass / 636	Hairy-leaf mountain isodon / 447	Heart-leaf hornbeam / 86
Hairy East Asian cinquefoil / 245	Hairy-sepal clausia / 208	Heart-leaf Indian madder / 430
Hairy false spleenwort / 38	Hairy-style eleuthero / 365	Heart-leaf peppergrass / 210
Hairy false-hellebore / 606	Hairy-vein knotweed / 113	Heart-shape walnut / 73
Hairy forest-live sedge / 676	Hairy-vein lettuce / 546	Hemiptelea / 97
Hairy forsythia / 405	Halla asphodel / 603	Hemlock water parsnip / 382
Hairy Freyn's wormwood / 515	Halla beaksedge / 712	Henbit deadnettle / 449
Hairy harlequin glorybower / 440	Halla catchfly / 138	Herbaceous seepweed / 146
Hairy hayscented fern / 17	Halla cheonma (Warty tall gastrodia) / 726	Hermitgold clematis / 166
Hairy holly fern / 52	Halla chive / 584	Heterocarpous tick clover / 279
Hairy horn fern / 37	Halla dendranthema / 534	Heteroglumous reedgrass / 627
Hairy knotweed / 110	Halla edelweiss / 548	Heterophylous water parsnip / 382
Hairy Korean cranesbill / 298	Halla false goat's beard / 221	Heterophylly false-starwort / 135
Hairy Korean hawthorn / 237	Halla false-hellebore / 605	Heuksando hosta / 591
Hairy Korean pearl bush / 238	Halla hosta / 591	Hidden violet / 340
Hairy Korean rhododendron / 390	Halla leafless bird's nest orchid / 732	Hidden-petal bluethread / 613
Hairy labrador tea / 386	Halla lettuce / 533	High mountain cinquefoil / 246
Hairy long-leaf violet / 346	Halla lousewort / 470	High mountain rush / 614
Hairy lophatherum / 643	Halla mint / 446	Highland saussurea / 560
Hairy madder / 431	Halla monk'shoo / 155	Highly-branch aster / 519
Hairy Manchurian currant / 232	Halla pimpinella / 380	High-mountain angelica / 371
Hairy Manchurian paint maple / 315	Halla quilwort / 6	High-mountain burnet / 266
Hairy marsh vetchling / 284	Hallasan bittercress / 204	High-mountain ladyfern / 35
Hairy miniature mosla / 452	Hallasan buttercup / 171	High-mountain speedwell / 475
Hairy monk'shoo / 153	Hallasan corydalis / 197	High-mountain woodrush / 617
Hairy mountain blueberry / 392	Hallasan cranesbill / 300	High-mountain wormwood / 514
Hairy mouse-ear chickweed / 130	Hallasan falsenettle / 104	Hill sedge / 688
Hairy oriental bittersweet / 320	Hallasan ladybell / 503	Hill violet / 342
Hairy porcelainberry / 329	Hallasan marsh parnassus / 230	Hirsute raspberry / 263
Hairy purple loosestrife / 353	Hallasan small dandelion / 566	Hogusan saussurea / 557
Hairy rockcress / 201	Hallasan two-leaf vetch / 295	Hollyfern woodsia / 32
Hairy Siberian crabapple / 241	Hallasan willow / 78	Hollyfern / 44
Hairy Siebold's smartweed / 123	Hallasan wormwood / 512	Hondo sedge / 680
Hairy skunk vine / 429	Hamheung ixeris / 545	Hongdo daylily / 589
Hairy spicebush / 151	Hamilton's spindletree / 322	Hongdo saussurea / 558
Hairy star jasmine / 422	Hamilton's spindletree / 323	Hongno orange raspberry / 264
Hairy swallow-wort / 419	Hancock's sedge / 679	Hooked big-flower lousewort / 469
Hairy thread-leaf chive / 582	Handaeri ragwort / 549	Hooked-spine bittersweet / 319
Hairy twin-leaf twayblade / 732	Hanran / 721	Hooked-thorn raspberry / 263
Hairy two-leaf fimbriystylis / 706	Hard bluegrass / 653	Hoppner's sedge / 695
Hairy vetch / 293	Hard bristlegrass / 658	Horizontal Chinese juniper / 66
Hairy vetch-like sweetvetch / 281	Hardy geranium / 300	Horn fern / 36
Hairy wheatgrass / 634	Hardy kiwi / 187	Horned holly / 318

Horned pondweed / 578	Island large-bract mosla / 452	Jeju spear colysis fern / 56
Horsetail-like spikerush / 702	Island ninebark / 272	Jeju surprise lily / 608
Hosan catchfly / 139	Island plantain / 484	Jeju violet crabgrass / 631
Hosta-leaf orchid / 738	Island pokeweed / 128	Jejoclubmoss / 3
Hulten's licorice-root / 377	Island ramie / 103	Jejudo barberry / 178
Humbert's sedge / 680	Island single-leaf fern / 22	Jejudo beautyberry / 439
Humifuse spurge / 304	Island small-leaf nettle / 108	Jejudo buckthorn / 328
Hwaeom violet / 343	Island thistle / 530	Jejudo bugbane / 158
Hwanggi (Mongolian milkvetch) / 276	Ivy morning glory / 431	Jejudo buttercup / 173
Hyacinth orchid / 717	(J)	Jejudo cranesbill / 299
Hybrid beautyberry / 439	Jabyeong saussurea / 554	Jejudo glandular loosestrife / 397
Hybrid broad-leaf oleaster / 338	Jalu ragwort / 549	Jejudo hydrangea / 228
Hybrid false spleenwort / 39	Jangseong sedge / 681	Jejudo ladybell / 502
Hybrid spleenwort / 24	Japanese angelica / 370	Jejudo maackia / 289
(I)	Japanese burbark / 335	Jejudo ragwort / 550
Idesia / 339	Japanese camphor tree / 150	Jejudo spike speedwell / 473
Ilwol hosta / 590	Japanese chinquapin / 90	Jejudo twinsorus fern / 40
Imgye helleborine / 724	Japanese cleyera / 189	Jejudo unequal-lobe brake fern / 22
Incheon ladybell / 501	Japanese clover / 283	Jeombongsan thistle / 532
Incheon wormwood / 512	Japanese dodder / 433	Jeongreungcham oak (<i>Acuti variabilis</i> oak) / 93
Incised corydalis / 197	Japanese honey locust / 279	Jeongseon rock pine / 215
Incised-leaf aster / 520	Japanese lasianthus / 428	Jeongyeong thistle / 528
Indian broomrape / 478	Japanese myrmecis / 731	Jeonju pogostemon / 454
Indian damnacanthus / 423	Japanese quillwort / 5	Jersey cudweed / 553
Indian dendranthema / 528	Japanese shield fern / 49	Jinnampo alkaligrass / 655
Indian goosegrass / 633	Japanese swallow-wort / 419	Jinnampo saussurea / 554
Indian jointvetch / 274	Japanese thistle / 528	Jiri crepidiastrum / 533
Indian lettuce / 545	Japanese violet / 344	Jiri holly fern / 52
Indian lovegrass / 636	Java water-dropwort / 377	Jiri meadowsweet / 239
Indian marshweed / 464	Jeju cinquefoil / 247	Jiri monk'shood / 153
Indian pipe / 386	Jeju clearweed / 107	Jirisan ash / 405
Indian rotala / 353	Jeju falsenettle / 104	Jirisan bamboo / 656
Indian skullcap / 457	Jeju flowering cherry Jeju flowering cherry / 254	Jirisan false-starwort / 136
Infield narrow-leaf vetch / 294	Jeju habenaria / 727	Jirisan horn fern / 36
Inflated solomon's seal / 599	Jeju holly fern / 52	Jirisan ladyfern / 34
Insignificant bristle fern / 12	Jeju knotweed / 125	Jirisan sheep's fescue / 637
Intermediate corchoropsis / 333	Jeju leafless lecanorichis / 729	Jirisan snowbell / 402
Intermediate fringed pink / 131	Jeju membranous milkvetch / 276	Jirisan spreading-hair eleuthero / 365
Intermediate woodsia / 32	Jeju mountain willow / 76	Job's tears wormwood / 513
Interrupted fern / 11	Jeju narrow-leaf bittercress / 206	Jodo cheesetree / 305
Irregular-streak newlitsea / 152	Jeju needlegrass / 621	Jolcham oak (Konara oak) / 93
Island bluegrass / 653	Jeju pennywort / 376	Jolkin's spurge / 304
Island corydalis / 196	Jeju purple reedgrass / 626	Jujube / 329
Island devilwood / 409	Jeju quillwort / 6	Jumping holly fern / 51
Island gardneria / 411	Jeju raspberry / 264	Juncea lespedeza / 286
Island golden calanthe / 718	Jeju rush-like bulrush / 712	Junos-hair fern / 19
		Jute-leaf raspberry / 262

(K)

Kadsura pepper / 183
 Kadsura vine / 148
 Kalkora mimosa / 275
 Kamchatka bedstraw / 424
 Kamchatka fleabane / 537
 Kamchatka goatsbeard / 235
 Kamchatka hemlock parsely / 374
 Kamchatka Indian plantain / 551
 Kamchatka plantain / 483
 Kamchatka pleurospermum / 380
 Kamchatka red elder / 490
 Kamchatka trillium / 604
 Kelp-leaf weeping fern / 55
 Khingan fir / 63
 Kidney-leaf wintergreen / 388
 King wood fern / 49
 Kirilow's indigo / 283
 Kneeling angelica / 370
 Knotweed / 125
 Komarov's bluegrass / 652
 Komarov's bugbane / 158
 Komarov's bulrush / 712
 Komarov's currant / 231
 Komarov's hawthorn / 241
 Komarov's saussurea / 556
 Korean aging chive / 584
 Korean agrimony / 233
 Korean alkaligrass / 655
 Korean alpine eyebright / 463
 Korean alpine fleabane / 537
 Korean alpine gentian / 414
 Korean anemone / 160
 Korean angelica tree / 364
 Korean angelica / 370
 Korean arborvitae / 68
 Korean aspen / 75
 Korean aster / 520
 Korean atracylodes / 523
 Korean autumn oleaster / 338
 Korean azalea / 391
 Korean bamboo / 657
 Korean barberry / 178
 Korean bellflower / 504
 Korean big-fruit stitchwort / 134
 Korean birch / 84
 Korean bird vetch / 293
 Korean black currant / 233

Korean blueberry / 392
 Korean bluegrass / 652
 Korean boxwood / 325
 Korean buckthorn / 327
 Korean bugle / 442
 Korean bugleweed / 449
 Korean castanea / 89
 Korean cinquefoil / 245
 Korean clover / 283
 Korean corydalis / 199
 Korean cow-wheat / 467
 Korean cranesbill / 298
 Korean creeping raspberry / 265
 Korean crowberry / 385
 Korean dendranthema / 535
 Korean dendropanax / 364
 Korean deutzia / 227
 Korean dogwood / 363
 Korean early lilac / 409
 Korean edelweiss / 547
 Korean elephant-ear / 222
 Korean eyebright / 463
 Korean fairybell / 587
 Korean false goat's beard / 221
 Korean false-starwort / 135
 Korean figwort / 475
 Korean filmy fern / 13
 Korean fir / 63
 Korean forest poppy / 195
 Korean frog orchid / 723
 Korean gentian / 413
 Korean ginseng / 368
 Korean goatsbeard / 234
 Korean gobon (Slender angelica) / 371
 Korean goldenrod / 564
 Korean hackberry / 96
 Korean hawkweed oxtongue / 553
 Korean hawkweed / 540
 Korean hogfennel / 378
 Korean holly fern / 53
 Korean hornbeam / 87
 Korean hydrangea / 228
 Korean Jerusalem sage / 454
 Korean kirengeshoma / 229
 Korean knotweed / 115
 Korean lady's bedstraw / 425
 Korean lady's slipper / 722
 Korean ladybell / 500

Korean lawngrass / 661
 Korean lespedeza / 286
 Korean libanotis / 377
 Korean linden / 334
 Korean loosestrife / 398
 Korean lovegrass / 635
 Korean maidenhair fern / 19
 Korean maple / 314
 Korean meadow false-hellebore / 605
 Korean meadow spiraea / 274
 Korean meadow-rue / 175
 Korean meadowsweet / 239
 Korean mint / 441
 Korean mistletoe / 109
 Korean mock orange / 229
 Korean monk'shood / 154
 Korean montane aster / 519
 Korean mountain ash / 269
 Korean mountain burnet / 267
 Korean mountain cherry / 250
 Korean mountain magnolia / 148
 Korean mountain spurge / 303
 Korean mountain vetchling / 285
 Korean mouse-ear chickweed / 130
 Korean mulberry / 101
 Korean murainagrass / 641
 Korean necklace pod / 291
 Korean needlegrass / 621
 Korean oak / 91
 Korean pasque-flower / 170
 Korean paulownia / 469
 Korean pearl bush / 238
 Korean pentactina / 242
 Korean pickled-peel garlic / 583
 Korean pigweed / 142
 Korean pigweed / 142
 Korean pimpinella / 380
 Korean pine / 65
 Korean poplar / 75
 Korean prickly thistle / 531
 Korean privet / 406
 Korean pyramid bugle / 442
 Korean quillwort / 5
 Korean red pine / 64
 Korean rhododendron / 389
 Korean rhubarb / 126
 Korean rock fern / 54
 Korean rocky chive / 582

Korean rose / 259	Lance colysis fern / 56	Lehman's sedge / 683
Korean scopolia / 461	Lanceolate sedge / 682	Lentil vetch / 295
Korean sedge / 674	Lanceolate-leaf cow-wheat / 468	Lentoid sedge / 690
Korean sheep's fescue / 637	Langsdorf's reedgrass / 628	Leopard lily / 610
Korean small-flower pellitory / 106	Lapland reedgrass / 627	Leopard plant / 538
Korean snake sage / 455	Lapland rosebay / 389	Lesser alianthus-like prickly-ash / 309
Korean solomon's seal / 599	Larch-like stitchwort / 134	Lesser bladderwort / 481
Korean spice viburnum / 491	Large clearweed / 107	Lesser cattail / 667
Korean spike speedwell / 474	Large deltoid synurus / 565	Lesser fimbristylis / 707
Korean spindletree / 324	Large false spleenwort / 37	Lesser lilyturf / 594
Korean spiraea / 272	Large Jejudo twinsorus fern / 40	Lesser narrow-leaf vetch / 292
Korean spreading yew / 69	Large linear-leaf spike speedwell / 472	Lesser oriental bulrush / 714
Korean spruce / 64	Large spike speedwell / 473	Lesser rattlesnake plantain / 726
Korean stewartia / 190	Large tetrapetal swertia / 417	Lesser solomon's seal / 600
Korean sun pear / 254	Large two-leaf vetch / 295	Lesser tetrapetal swertia / 416
Korean swamppink / 588	Large wando lespedeza / 286	Lesser tiger lily / 593
Korean sweetheart tree / 325	Large widelip orchid / 730	Lesser two-leaf vetch / 292
Korean sweetleaf / 403	Large wood sorrel / 297	Lesser wintergreen / 388
Korean tappering glade fern / 37	Large-bract mosla / 452	Leveille's swamp fern / 27
Korean trigonotis / 438	Large-flower Asian calamint / 443	Ligulate sedge / 683
Korean twisted-stalk / 603	Large-flower deutzia / 226	Lilac clustered gentian / 414
Korean valerian / 497	Large-flower indigo / 283	Lilac daphne / 336
Korean viburnum / 492	Large-flower motherwort / 449	Lilac self-heal / 455
Korean weigela / 495	Large-flower saussurea / 555	Lily of the valley / 587
Korean wheatgrass / 640	Large-flower widelip orchid / 730	Lily-leaf ladybell / 500
Korean widelip orchid / 730	Large-fruit elm / 98	Limelight wood fern / 47
Korean wild chive / 583	Large-leaf dogwood / 363	Linden viburnum / 491
Korean willow / 79	Large-leaf falsenettle / 103	Lindley's eupatorium / 538
Korean winter hazel / 213	Large-leaf paniculous Supplejack / 326	Linear arrow-head smartweed / 121
Korean woodruff / 422	Large-leaf vetch / 294	Linear-fruit blyxa / 574
Korean wormwood / 512	Large-leaflet prickly-ash / 309	Linear-leaf bedstraw / 425
Korsakow's monochoria / 609	Larger red autumn fern / 48	Linear-leaf British yellowhead / 541
Korshinsky's sedge / 681	Large-sepal corydalis / 197	Linear-leaf chive / 582
Kramer's navelwort / 437	Large-spike sedge / 692	Linear-leaf habenaria / 728
Kramer's rush / 615	Late-blooming solomon's seal / 599	Linear-leaf Korean gentian / 413
Kramer's widelip orchid / 730	Laurel willow / 80	Linear-leaf leucantheme / 548
Kuril bamboo / 657	Lawn marsh pennywort / 376	Linear-leaf pternopetalum / 381
Kusnezoff's monk'shooed / 154	Leaf between flower / 434	Linear-leaf spike speedwell / 472
(L)		
Lacebark elm / 98	Leafless epipogium / 724	Linear-leaf thistle / 529
Laceshrub / 274	Leafless lecanorichis / 729	Linear-leaf willow / 81
Laciniate rockfoil / 225	Leafy lespedeza / 285	Linear-sorus lance fern / 56
Laciniate-flower campion / 133	Leafy spurge / 303	Lineate-leaf felt fern / 58
Ladder-shape gland fern / 29	Least water-lily / 181	Lithuanian managrass / 639
Ladies' tresse / 737	Least willow / 79	Little club-moss / 6
Lady's slipper orchid / 722	Leather-leaf viburnum / 492	Little lovegrass / 636
Lamark's ladybell / 500	Leatherleaf / 385	Little moonwort / 10
	Leathery holly fern / 52	Little platanthera / 735
	Leathery wood fern / 48	Little pondweed / 577

Little shaggy shield fern / 46	Long-stamen chive / 582	Manchurian beakgrain / 630
Little-beak gymnospermium / 179	Long-stem bur-reed / 666	Manchurian bird's nest orchid / 732
Little-leaf buckthorn / 328	Long-stem violet / 339	Manchurian buttercup / 172
Little-leaf peashrub / 278	Long-style catchfly / 139	Manchurian cherry / 250
Little-leaf pondweed / 576	Long-tail iris / 612	Manchurian clematis / 167
Livid sedge / 684	Long-tail spleenwort / 24	Manchurian currant / 231
Lobed actinostemma / 351	Long-tail-spike sedge / 694	Manchurian elm / 97
Lobulate-leaf Korean mountain ash / 269	Loose St. Johnswort / 193	Manchurian honeysuckle / 489
Long arrow-head smartweed / 118	Loose-flower hornbeam / 87	Manchurian iris / 611
Long beech fern / 30	Loose-leaf selaginella / 7	Manchurian isopyrum / 169
Long false spleenwort / 38	Loosely-leaf marsh fern / 29	Manchurian ladybell / 500
Long loose-flower hornbeam / 87	Loosely-spike sedge / 683	Manchurian lilac / 410
Long Mokpo sedge / 677	Loose-spike browntop / 644	Manchurian lime / 334
Long mountain maiden saussurea / 560	Loose-spike smartweed / 117	Manchurian lousewort / 470
Long narrow-leaf nettle / 108	Lotus rock pine / 215	Manchurian maple / 312
Long omphalotrix / 469	Lovegrass / 635	Manchurian paint maple / 315
Long pine-cone bulrush / 715	Low sedge / 680	Manchurian peashrub / 278
Long-beak buttercup / 173	Low torularia / 203	Manchurian pipevine / 184
Long-beard porcupine / 640	Lucid asparagus / 585	Manchurian poplar / 75
Long-bract cephalanthera / 719	Lupine clover / 292	Manchurian red pine / 65
Long-calyx pink / 131	Lusterless holly fern / 53	Manchurian rockfoil / 225
Long-frond holly fern / 52	Lyngbye's sedge / 684	Manchurian saussurea / 556
Long-fruit tick clover / 282	Lyrate-leaf rockcress / 200	Manchurian sedge / 685
Long-glandular eyebright / 463	Lyre-leaf nightshade / 461	Manchurian shrubby cinquefoil / 246
Long-hair filmy fern / 13	Lyre-shape hemistepa / 539	Manchurian smartweed / 118
Long-hairy spike speedwell / 471	 (M)	Manchurian tick clove / 282
Long-leaf alpine willow / 76	Maack's aster / 520	Manchurian turk's-cap lily / 592
Long-leaf Asian hollyfern / 44	Maack's bugleweed / 450	Manchurian viburnum / 491
Long-leaf bay-tree / 151	Maack's larkspur / 167	Manchurian violet / 344
Long-leaf beak willow / 82	Maack's pondweed / 577	Manchurian walnut / 73
Long-leaf burnet / 267	Maack's sedge / 684	Manchurian wild rice / 661
Long-leaf chickweed / 141	Mackenzie's sedge / 685	Manchurian wildginger / 185
Long-leaf Hallasan willow / 78	Macropodous daphniphyllum / 307	Manchurian woodsia / 32
Long-leaf Indian hawthorn / 257	Maculate sedge / 685	Manchurian yellow loosestrife / 397
Long-leaf knotweed / 110	Madwoman's milk / 303	Mankuya / 10
Long-leaf mountain isodon / 447	Maehwamareum (Korean water crowfoot) / 172	Many-bract bothriospermum / 434
Long-leaf northern bedstraw / 423	Magnus aster / 521	Many-branch golden saxifrage / 223
Long-leaf spike speedwell / 473	Maiden chloranthus / 184	Many-flower ammannia / 353
Long-leaf valerian / 497	Maiden saussurea / 558	Many-flower fimbriystylis / 706
Long-leaf violet / 346	Maiden silvergrass / 645	Many-flower ladybell / 501
Long-pedicel milkvetch / 277	Maidenhair spleenwort / 26	Many-flower tylophora / 422
Long-pedicel pennywort / 376	Manchurian aging chive / 583	Many-fold sequence bentgrass / 622
Long-petal false-hellebore / 605	Manchurian alder / 83	Many-head ikeris / 544
Long-petal globe-flower / 177	Manchurian angelica / 364	Many-head rock pine / 215
Long-rostrate sedge / 684	Manchurian ash / 405	Many-sepal anemone / 161
Long-seed willowherb / 359	Manchurian baby's-breath / 132	Many-spike flatsedge / 710
Long-spike fimbriystylis / 707		Many-stem wild calamint / 444
Long-stalk low meadow-rue / 175		Maple-leaf ainsliaea / 509

Maple-leaf mountain yam / 609	Minor pogonia / 736	Mosquitofern / 15
Maple-leaf mukdenia / 224	Minute bittercress / 206	Moss-like pipewort / 620
Maple-leaf violet / 340	Minute blue dayflower / 618	Moss-like stonecrop / 220
Margaric leaf rock pine / 216	Minute duckweed / 665	Mountain Asian calamint / 443
Margaric spikerush / 703	Minute rock pine / 216	Mountain aster / 520
Maritime jujuba / 327	Minute sawwort / 545	Mountain bedstraw / 425
Marlberry / 395	Minute-gibbous sedge / 692	Mountain blueberry / 392
Marsh arrowgrass / 576	Miquel's mazus / 466	Mountain bluegrass / 653
Marsh cinquefoil / 245	Miquel's pipewort / 620	Mountain buckler fern / 45
Marsh cudweed / 539	Miseonnamu (<i>Korean abeliophyllum</i>) / 404	Mountain bush cherry / 249
Marsh dewflower / 618	Miss Kim lilac / 410	Mountain cat-tail sedge / 683
Marsh false spleenwort / 38	Mitra sedge / 686	Mountain clubmoss / 5
Marsh grass-of-parnassus / 230	Mock buckthorn / 328	Mountain coronate sawwort / 562
Marsh horsetail / 8	Mockstrawberry cinquefoil / 244	Mountain cottonsedge / 704
Marsh ladybell / 500	Modemipul (<i>Sanicle-leaf megaleranthis</i>) / 170	Mountain daphne / 336
Marsh marigold / 162	Mokpo sedge / 678	Mountain everlasting / 510
Marsh sedge / 672	Mokpo wide-bract solomon's seal / 598	Mountain false-starwort / 135
Marsh willowherb / 358	Mokryeon (<i>Kobus magnolia</i>) / 147	Mountain figwort / 474
Marshfire glasswort / 145	Mongolian clearweed / 107	Mountain germander / 460
Mastic-leaf prickly ash / 309	Mongolian dandelion / 566	Mountain golden saxifrage / 223
Maximowicz's berteroella / 203	Mongolian deutzia / 227	Mountain hawthorn / 236
Maximowicz's eyebright / 463	Mongolian false needlegrass / 660	Mountain hogfennel / 379
Maximowicz's hawthorn / 236	Mongolian mulberry / 102	Mountain hydrangea / 227
Maximowicz's hololeion / 540	Mongolian oak / 92	Mountain Indian plantain / 551
Maximowicz's Jerusalem sage / 454	Mongolian saussurea / 557	Mountain isodon / 447
Maximowicz's ostericum / 378	Mongolian snakegourd / 352	Mountain knotweed / 111
Maximowicz's rose / 260	Moniliform skullcap / 457	Mountain ladyfern / 34
Maximowicz's rush / 615	Moniliform-rhizome solomon's seal / 598	Mountain leathery grapefern / 9
Maximowicz's saussurea / 557	Monk'shood / 154	Mountain locoweed / 290
Maximowicz's sedge / 685	Monnier's snowparsley / 374	Mountain maiden saussurea / 560
Maximowicz's willow / 76	Mono-sorus maidenhair fern / 20	Mountain maiden silvergrass / 646
Maximowicz's woodruff / 425	Montane angelica / 370	Mountain meadow buttercup / 171
Meadow adder's tongue / 11	Montane bedstraw / 425	Mountain melic / 643
Meadow barnyard grass / 632	Montane buckler fern / 50	Mountain oriental cherry / 252
Meadow catchfly / 137	Montane clearweed / 102	Mountain pasque-flower / 170
Meadow horsetail / 8	Montane dandelion / 567	Mountain ridge bluegrass / 653
Meadow little willow / 81	Montane dock / 126	Mountain rock pine / 216
Meadow monk'shood / 156	Montane false ohelo / 337	Mountain skullcap / 458
Medium-fruit elm / 98	Montane ladyfern / 34	Mountain sorrel / 115
Meyendorf's aster / 521	Montane poppy / 200	Mountain spike speedwell / 474
Meyer's sedge / 686	Montane sedge / 697	Mountain toothwort / 478
Midget crabapple / 241	Montane woodrush / 617	Mountain twinsorus fern / 40
Milky-white violet / 344	Montane woolly saussurea / 559	Mud sedge / 683
Miniature mosla / 452	Moor king lousewort / 471	Mudeung nutrush / 716
Miniature sedge / 675	Moor rush / 616	Mudeung saussurea / 557
Miniature stonecrop / 217	Moorgrass / 647	Mulberry-leaf linden / 335
Miniature widelip orchid / 730	Morning-star lily / 592	Mulcham oak (<i>Wavy Mongolian oak</i>) / 92
Minor hosta / 591		Multiciliate holly fern / 53

Multifidous-leaf catnip / 453	Narrow-leaf campion / 133	Nodding beggartick / 524
Multiflora rose / 260	Narrow-leaf dock / 127	Nodding lily / 592
Multi-lobe selliquea fern / 59	Narrow-leaf erect fig / 101	Nodding saxifrage / 225
Multipetalous Korean azalea / 391	Narrow-leaf false-starwort / 136	Nodding stickseed / 435
Multi-ridge meadowsweet / 239	Narrow-leaf goosefoot / 143	Non-cuspidate falsenettle / 105
Multi-stem lovegrass / 636	Narrow-leaf hawkweed / 540	Non-perianth bristleless spikerush / 702
Munsu bamboo / 624	Narrow-leaf hosta / 591	Nonspicy smartweed / 121
Musan ragwort / 549	Narrow-leaf Japanese thistle / 529	Northeast Asian ajania / 509
Musan sedge / 670	Narrow-leaf knotweed / 125	Northeast Asian alder / 82
Musk orchid / 729	Narrow-leaf labrador tea / 386	Northeast Asian curly dock / 126
Muskroot / 495	Narrow-leaf ladybell / 499	Northeast Asian neillia / 242
Muskroot-like semiaquilegia / 173	Narrow-leaf ladyfern / 35	Northeast Asian red elder / 491
Musky violet / 345	Narrow-leaf mint / 445	Northeast Asian wild strawberry / 240
Myeongcheon catchfly / 139	Narrow-leaf nettle / 108	Northeastern eelgrass / 580
Myeongcheon wormwood / 516	Narrow-leaf nightshade / 461	Northeastern goldenbanner / 291
Myeongyi / 584	Narrow-leaf pasque-flower / 170	Northeastern scabious / 498
Myohyang saussurea / 557	Narrow-leaf prickly castor oil tree / 367	Northern Asian willowherb / 358
Mysore thorn / 277	Narrow-leaf reedgrass / 626	Northern asphodel / 603
(N)		
Nadopungran (East Asian aerides) / 734	Narrow-leaf skunk vine / 429	Northern baby rose / 259
Naejang twinsorus fern / 41	Narrow-leaf solomon's seal / 600	Northern bamboo / 656
Naengi (Shepherd's purse) / 203	Narrow-leaf vetch / 294	Northern beak sedge / 692
Naked ground berry / 462	Narrow-lobe corydalis / 198	Northern bedstraw / 423
Naked miterwort / 224	Narrow-saline seepweed / 146	Northern bugleweed / 450
Naked-anther ternstroemia / 191	Narrow-scale sedge / 695	Northern bur-reed / 666
Namdo corydalis / 197	Narrow-spiculate flatsedge / 701	Northern dendranthema / 527
Nampotaesan rockfoil / 225	Narrow-winged-stem rush / 614	Northern edelweiss / 548
Namsan violet / 340	Needle fir / 63	Northern groundcone / 478
Nangrim reedgrass / 628	Needle juniper / 67	Northern lipfern / 21
Nangrimsan saussurea / 559	Needle sedge / 688	Northern long-stem violet / 344
Narcissus anemone / 160	Needle spikerush / 701	Northern maidenhair fern / 20
Narrow arrow-head smartweed / 116	Needlegrass / 621	Northern meadow bittercress / 206
Narrow gland fern / 29	Needle-leaf bog rosemary / 384	Northern meadow sedge / 698
Narrow mitra sedge / 693	Needle-leaf sedge / 676	Northern meadow vetch / 294
Narrow oriental wormwood / 511	Neonchul lespedeza / 286	Northern moonwort / 9
Narrow quillwort / 5	Nepalese brown top / 644	Northern mountain bittercress / 207
Narrow sword fern / 54	Nepalese cranesbill / 299	Northern pink / 131
Narrow three-leaf clematis / 165	Nepalese monkey-flower / 469	Northern pipevine / 184
Narrow two-leaf vetch / 296	Nepalese pennywort / 376	Northern rockjasmine / 397
Narrow-bract ragwort / 549	Nepalese smartweed / 120	Northern saussurea / 554
Narrow-flower Asian dayflower / 618	Nerved-fruit sedge / 687	Northern shield fern / 46
Narrow-head ragwort / 550	Nerved-leaf pterygoleurum / 381	Northern spleenwort / 24
Narrow-leaf Amur silvergrass / 645	Nerved-mitra sedge / 687	Northern tall marsh fern / 30
Narrow-leaf arrowhead / 573	Nerved-scale sedge / 670	Northern upside-down fern / 42
Narrow-leaf autumn-flower oleaster / 338	Netted adder's tongue / 11	Northern water hemlock / 373
Narrow-leaf bittercress / 204	Nettle-leaf mint / 450	Northern wormwood / 511
Narrow-leaf buckler fern / 46	New spike smartweed / 120	Northland cottonsedge / 704
	New wild flag iris / 611	Norway sedge / 687
		Nut-bearing torreya / 70

Nutgall tree / 311	Oriental smartweed / 119	Paniculous Supplejack / 326	
Nutgrass flatsedge / 700	Oriental spiraea / 273	Paper mulberry / 99	
(O)			
Oak fern / 19	Oriental vining fig / 101	Papilloose rush / 615	
Oblanceolate erect cephalanthera / 719	Oriental waterfern / 20	Papilloose sedge / 689	
Oblong-fruit buckthorn / 328	Oriental water-starwort / 482	Parasitic maiden fern / 28	
Oblong-leaf salomonia / 311	Oriental water-willow / 477	Parnassus-leaf caldesia / 573	
Oblong-sorus lance fern / 57	Oriental woodland bulrush / 715	Parsley fern / 21	
Oboval-leaf ehrertia / 435	Oriental wormwood / 513	Pax's sedge / 689	
Odaesan iris / 611	Oriental yellow chive / 582	Peach-nanking cherry / 248	
Odor bluebeard / 440	Oriental yellow gagea / 588	Pearly everlasting / 509	
Old world adder's tongue / 10	Oriental yellow violet / 346	Pedicellate three-stamen waterwort / 351	
Old world forked fern / 14	Oriental yellowhead / 541	Peduncled wide-leaf low sedge / 689	
Old-fashion weigela / 494	Orientvine / 180	Pedunculate abelia / 484	
Oldham's blueberry / 393	Oval ludwigia / 359	Pellucid spikerush / 703	
Oldham's meliosma / 317	Oval-fruit linden / 335	Pendulous rockcress / 207	
Oldham's tick clover / 281	Oval-leaf cow-wheat / 467	Pendulous thistle / 530	
Opposite-leaf eupatorium / 538	Oval-leaf knotweed / 125	Pere David's cherry / 248	
Orange campion / 133	Oval-leaf Korean privet / 406	Perfect aquatic weed / 575	
Orange stonecrop / 217	Oval-leaf privet / 408	Persicaria-leaf violet / 348	
Orange-flower surprise lily / 608	Ovate spikerush / 703	Petaloid meadow-rue / 176	
Orange-fruit hackberry / 95	Ovate-leaf atracylodes / 523	Petaloid meadow-rue / 176	
Orbicular sedge / 696	Ovate-leaf bistort / 112	Petersen's false spleenwort / 38	
Oriental arborvitae / 68	Ovate-leaf deinostema / 462	Petiolate tongue fern / 58	
Oriental bamboo fern / 21	(P)		
Oriental bamboo plant / 574	Pacific firmoss / 3	Petiole pheasant's tail fern / 16	
Oriental bittersweet / 320	Pacific island clearweed / 107	Pheasant's tail fern / 16	
Oriental buckthorn / 327	Pacific island flatsedge / 698	Pilose bellflower / 504	
Oriental bulrush / 714	Pacific mosquitofern / 15	Pilose elm-leaf spiraea / 271	
Oriental cattail / 667	Paddy bittercress / 205	Pilose enchanter's nightshade / 356	
Oriental chaff flower / 147	Paddy field glenwoodgrass / 656	Pilose lespedeza / 287	
Oriental chive / 583	Paired-fruit willow / 77	Pilosel giant pussy willow / 77	
Oriental columbine / 162	Pala'a lace fern / 17	Pilose-leaf sedge / 690	
Oriental cork oak / 93	Pale Amur vetch / 292	Pincushion plant / 384	
Oriental false hawksbeard / 569	Pale false mannagrass / 660	Pine-cone bulrush / 715	
Oriental fescue / 637	Pale Korean lawnglass / 662	Pine-leaf sedge / 671	
Oriental flowering cherry / 253	Pale smartweed / 119	Pink baby's-breath / 132	
Oriental Indian plantain / 552	Pale-flower Thunberg's geranium / 301	Pink catchfly / 138	
Oriental korthal mistletoe / 109	Pale-green stem rush / 615	Pink corydalis / 199	
Oriental ladyfern / 35	Pale-yellow corydalis / 198	Pink Indian skullcap / 457	
Oriental milkwort / 310	Pallid long-rostrate sedge / 684	Pink-flower marsh St.Johnswort / 193	
Oriental motherwort / 449	Pallid lotus-leaf meadow-rue / 175	Pink-flower wintergreen / 387	
Oriental ostrich fern / 33	Palmate maple / 313	Pinnate-compound crepidiastrum / 532	
Oriental penthorum / 220	Palmate shredded umbrella plant / 565	Pinnate-leaf scabious / 498	
Oriental photinia / 242	Palmate-leaf alangium / 361	Pinnate-lobe bristle fern / 13	
Oriental raisin tree / 326	Palmate-leaf raspberry / 265	Pinnatifid-radiate beggartick / 524	
Oriental skunk cabbage / 665	Paniculate Korean deutzia / 226	Plebeian sage / 456	
	Paniculate swallow-wort / 420	Plum yew / 69	
		Pocheon dendranthema / 536	
		Pod grass / 576	

Pointed-petal trillium / 604	Purple-glume flatsedge / 711	Reddish-flower false-hellebore / 607
Poison-bulb / 607	Purple-leaf bangahpul / 448	Reddish-yellow surprise lily / 608
Polymorphic angelica / 370	Purple-leaf violet / 350	Red-flower sanicle / 381
Pond lovegrass / 635	Purple-spotted gastrochilus / 725	Red-flower violet / 346
Pondweed / 577	Purple-stem berry catchfly / 138	Red-foot wormwood / 515
Popyeong water-chestnet / 355	Purplish field mosla / 452	Red-fruit bearberry / 384
Porcelainberry / 330	Purplish wheatgrass / 634	Red-fruit spicebush / 150
Potae sedge / 695	Purslane / 128	Red-hair enchanter's nightshade / 356
Potanin's rush / 615	Pygmy arrowhead / 573	Red-root gromwell / 436
Prairie junegrass / 641	Pygmy mitrewort / 412	Red-spike beaksedge / 712
Pretty pygmy water-lily / 182	Pygmy water-lily / 182	Red-spot swertia / 416
Prickled-vine smartweed / 123	(Q)	Red-stem spikemoss / 7
Prickly castor oil tree / 367	Quadrifid-leaf laceshrub / 274	Redtop bentgrass / 622
Prickly rose / 258	Quihoui privet / 408	Red-twig maple / 312
Prickly smartweed / 116	(R)	Red-wood evergreen oak / 90
Prickly waterlily / 181	Rabbit's-ear iris / 611	Reed canary grass / 650
Prism-fruit rush / 615	Racemose Jacob's ladder / 431	Reflexed-margine single-leaf fern / 22
Procumbens Chinese juniper / 66	Racemose ladybell / 501	Reflex-flower anemone / 161
Procumbent sticky germander / 460	Racemose locoweed / 290	Regel's threewingnut / 324
Prostrate corydalis / 198	Radde's sedge / 691	Reindeer woodrush / 616
Prostrate false pimpernel / 466	Radiate beggartick / 524	Remarkable callianthemum / 162
Protruding mannagrass / 639	Radical-flower lousewort / 470	Remarkable sedge / 686
Protruding spleenwort / 24	Radicans winter creeper spindletree / 322	Resupinate lousewort / 470
Prunia-shoot willow / 80	Rainbow pink / 130	Retusa fringetree / 404
Pseudo-glaucous sedge / 678	Rainforest spleenwort / 24	Rhombic-leaf goosefoot / 143
Pubescent spiraea / 271	Ramie / 103	Rice cutgrass / 642
Puerto Rico fimbristylis / 705	Rare clubmoss / 5	Rice paddy marshweed / 464
Puncturevine / 302	Rattle milkvetch / 276	Ricefield flatsedge / 699
Pungdo solomon's seal / 599	Rattle milkvetch / 277	Ricefield water-nymph / 580
Pungdo winter aconite / 168	Rattlesnake fern / 10	Richardson's brome / 626
Pungsan spruce / 64	Recurved-leaf saussurea / 558	Rigescent sedge / 692
Purple alpine clematis / 163	Red baneberry / 158	Rigid lace fern / 18
Purple autumn fern / 49	Red fescue / 638	Rigid-branch yew / 69
Purple beautyberry / 438	Red Korean meadowsweet / 239	Ring-cup oak / 91
Purple globe thistle / 536	Red least water-lily / 181	Ringen's jack-in-the-pulpit / 663
Purple hyacinth-flower clematis / 164	Red spurge / 302	Riparian Choseon-willow / 74
Purple loosestrife / 353	Red-bark dogwood / 362	Riparian greenbrier / 601
Purple maiden silvergrass / 646	Red-bark oak / 91	River bulrush / 668
Purple marshlocks / 235	Red-based leaf sedge / 677	Riverside chive / 582
Purple reedgrass / 626	Red-center goosefoot / 143	Riverside wormwood / 516
Purple swallow-wort / 420	Reddish alpine yarrow / 508	Robust beautyberry / 439
Purple variegated-leaf violet / 348	Reddish butterbur / 552	Robust pipewort / 619
Purple-awn muhly / 647	Reddish honeysuckle / 488	Robust solomon's seal / 600
Purple-flower angelica / 369	Reddish marsh smartweed / 124	Rock buckler fern / 50
Purple-flower bladderwort / 482	Reddish rattlesnake plantain / 726	Rock carlesia / 372
Purple-flower rattlebox / 278	Reddish-brown hardy kiwi / 188	Rock clematis / 163
Purple-flower solomon's seal / 595		Rock lace fern / 18
Purple-flower stonecrop / 214		Rock pine / 215

Rock polypody / 58	Rush sandwort / 132	Seashore oriental wormwood / 514
Rock primrose / 400	Rush-like bulrush / 713	Seashore pink / 131
Rock whitlow-grass / 208	Russian thistle / 145	Seashore rock starviolet / 428
Rock-loving sedge / 683	Rusty fimbriostylis / 707	Seashore snowparsley / 373
Rocky alpine groundsel / 568	Rusty woodsia / 32	Seashore sowthistle / 564
Rocky dendranthema / 535	Ryegrass sedge / 684	Seashore spatulate aster / 522
Rocky forsythia / 405	(S)	Seashore toadflax / 465
Rocky golden lace / 495	Sacaton grasses / 659	Seashore yellow corydalis / 198
Rocky hydrangea vine / 229	Sago pondweed / 578	Seaside groundsel / 562
Rocky licorice-root / 377	Sail fern / 27	Seaside lawnglass / 662
Rocky lousewort / 470	Sakhalin mitra sedge / 691	Seaside liverleaf / 169
Rocky moss-rose stoncrop / 219	Sakhalin reedgrass / 628	Sedakov's sedge / 694
Rodger's bronze leaf / 224	Sakhalin tiny sedge / 673	Semilunar-leaf violet / 350
Roe-buck pimpinella / 380	Sakhalin violet / 347	Sensitive fern / 33
Rooting bulrush / 715	Salt sandspurry / 140	Seokgok / 724
Rooting trigonotis / 437	Samsu false-hellebore / 605	Seosura sedge / 681
Rosebay willowherb / 357	Sand pear / 255	Seoul catchfly / 140
Rose-gold pussy willow / 78	Sandy skullcap / 458	Seoul meadow-rue / 177
Rose-root rhodiola / 219	Sanicula-leaf golden lace / 496	Seoul saussurea / 559
Rosette carpesium / 527	Sargent's cherry / 251	Seoul sedge / 669
Rosy cow-wheat / 467	Sawleaf zelkova / 98	Seoul sheep's fescue / 637
Rough bentgrass / 622	Sawtooth oak / 91	Seoul violet crabgrass / 631
Rough hayscented fern / 17	Scabrous aphananthe / 95	Seoul violet / 348
Rough hedgeparsley / 383	Scabrous-leaf sedge / 694	Seoul wildginger / 185
Rough melic / 643	Scaly holly fern / 53	Sericea lespedeza / 285
Rough pellonia / 107	Scarlet groundsel / 567	Sericeous newlitsea / 152
Rough potato / 421	Scattered ladybell / 501	Serrate Amur jack-in-the-pulpit / 663
Rough-hair hound's tongue / 434	Scattered-flower skullcap / 456	Serrate ladybell / 499
Rough-seed bedstraw / 424	Schindler's lespedeza / 287	Serrate nanocnide / 106
Rough-surface aster / 518	Schlechtendal's rattlesnake plantain / 727	Serrate sawwort / 545
Round rockfoil / 224	Schmidt's ragwort / 550	Serrate-leaf chloranthus / 184
Round sedge / 688	Schmidt's sedge / 694	Serrate-leaf rockcress / 201
Round wax-leaf privet / 407	Schoberia-like asparagus / 585	Serrate-leaf saussurea / 556
Round-fruit blyxa / 574	Schulz's bittercress / 207	Serrate-leaf water-nymph / 581
Round-leaf holly / 319	Scissors-like sedge / 677	Serrate-petal rockfoil / 225
Round-leaf hylotelephium / 214	Scouringrush horsetail / 8	Sesel-like libanotis / 377
Round-leaf ladybell / 498	Sea arrowgrass / 576	Sessile lobelia / 506
Round-leaf mukdenia / 224	Sea blueberry / 391	Setaceous-bract fimbriostylis / 706
Round-leaf spike speedwell / 473	Sea club rush / 668	Shadow sedge / 696
Round-leaf sundew / 194	Sea loving seagrass / 574	Shady anemone / 161
Royal azalea / 390	Sea wheatgrass / 642	Shady dwarf lilyturf / 597
Ruderal chaff flower / 147	Seashore alkaligrass / 655	Shady groundsel / 562
Rufous woodrush / 617	Seashore aster / 522	Shady horn fern / 36
Rugose rose / 261	Seashore black-eye cowpea / 296	Shady Jerusalem sage / 454
Runner reed / 651	Seashore carrot / 375	Shady ladyfern / 34
Running clubmoss / 5	Seashore catchfly / 137	Shady lousewort / 470
Running mountain basketgrass / 648	Seashore falsenettle / 103	Shady meadow-rue / 176
Rupestrine dragonhead / 445		Shady mucronate sedge / 690

Shady nipplewort / 547	Shrubby oreocnide / 106	Silverberry-like taxillus / 109
Shady saussurea / 560	Shrubby sophora / 291	Silvergrass / 645
Shady short-fruit pimpernel / 380	Shuttlecock fern / 33	Silvery sedge / 673
Shaggy shield fern / 45	Siberian barren strawberry / 274	Silvery wormwood / 511
Shallow maple-leaf ainsliaea / 509	Siberian bluegrass / 653	Silvery-hair saussurea / 555
Shallow-teeth spleenwort / 25	Siberian cherry / 253	Simon's poplar / 75
Shallow-tooth ladyfern / 35	Siberian crabapple / 240	Simple bridalwreath spiraea / 273
Sharp-leaf privet / 407	Siberian currant / 230	Simple bugbane / 158
Sharp-tipped-leaf solomon's seal / 598	Siberian death camas / 584	Simple stonecrop / 219
Sheathed monochoria / 610	Siberian elm / 98	Simple unequal-lobe brake fern / 23
Sheathed sedge / 698	Siberian filifolium / 539	Simple-leaf false spleenwort / 38
Sheep's fescue / 637	Siberian geranium / 300	Simple-stem bur-reed / 667
Shield fern / 46	Siberian jointgrass / 639	Sinan calanthe / 718
Shikoku marbled cranesbill / 300	Siberian knorringia / 115	Sinchang dendranthema / 535
Shining sorghum / 659	Siberian larkspur / 167	Single delight / 386
Shiny autumn fern / 49	Siberian lettuce / 546	Single-flower anemone / 160
Shiny mint / 445	Siberian lily / 593	Single-flower honeysuckle / 488
Shiny spurge / 304	Siberian locoweed / 290	Single-flower iris / 613
Shiny xylosma / 339	Siberian meadowsweet / 239	Single-flower serpentroot / 561
Shiny-leaf Korean rhododendron / 390	Siberian monkshood / 153	Single-leaf cremastra / 720
Shiny-spike sedge / 697	Siberian mountain ash / 270	Single-leaf felt fern / 59
Shore juniper / 68	Siberian oatgrass / 661	Single-leaf wintergreen / 388
Short Asian beaked hazel / 88	Siberian peppergrass / 210	Single-spike chloranthus / 184
Short bristle-like-hair ikeris / 545	Siberian sea rosemary / 433	Sinuate mulberry-leaf grapevine / 332
Short erect cephalanthera / 719	Siberian spikemoss / 7	Six-leaf madder / 430
Short forest-live sedge / 695	Siberian spindletree / 324	Skunk vine / 429
Short plumous clematis / 163	Siberian spodiopogon / 659	Skyblue broomrape / 479
Short vetchling / 284	Siberian swallow-wort / 420	Slender bistort / 111
Short-awn foxtail grass / 623	Siberian veronicastrum / 476	Slender catchfly / 139
Short-fruit rosebay / 388	Siberian wheatgrass / 635	Slender cattail / 667
Short-hair spring sedge / 674	Siberian wormwood / 517	Slender chickweed / 141
Short-hair violet / 344	Sickle neofinetia / 731	Slender cottonsedge / 704
Short-hairy morning glory / 432	Sickle-leaf hare's ear / 372	Slender kentucky bluegrass / 652
Short-leaf asparagus / 585	Sidebells wintergreen / 387	Slender mountain sandwort / 132
Short-leaf bluestemgrass / 657	Siebold's chinquapin / 90	Slender pipewort / 620
Short-leaf sedge / 686	Siebold's clubmoss / 4	Slender Russian thistle / 145
Short-leaf spikesedge / 710	Siebold's falsenettle / 104	Slender shadow sedge / 696
Short-leaf wormwood / 511	Siebold's greenbrier / 602	Slender two-leaf fimbriostylis / 706
Short-petal globe-flower / 177	Siebold's red elder / 490	Slender water-nymph / 580
Short-raceme rattlesnake plantain / 726	Siebold's spurge / 305	Slender wheatgrass / 634
Short-rhizome hollyfern / 43	Sievers' wormwood / 516	Slender wild calamint / 443
Short-stalk oriental smartweed / 120	Silk tree / 275	Slender willowherb / 359
Short-stem sedge / 672	Silkworm thorn / 100	Slender-culm thick-nerve sedge / 693
Short-style spurge / 304	Silky oriental spiraea / 273	Slender-fruit Korean rhododendron / 390
Showy stonecrop / 214	Silky-hair fimbriostylis / 708	Slender-leaf bedstraw / 424
Shredded umbrella plant / 565	Silver clockfern / 20	Slender-leaf Indian lettuce / 546
Shrub lespedeza / 285	Silver meadow-rue / 174	Slender-leaf marsh fern / 29
Shrubby Indian madder / 431	Silver vine / 188	Slender-leaf mock orange / 229

Slender-leaf phacelurus / 649	Small-flower false pimpernel / 465	Songak (Songak ivy) / 366
Slender-leaf skullcap / 458	Small-flower forget-me-not / 437	Songni lespedeza / 287
Slender-leaf wormwood / 517	Small-flower mountain calamint / 444	Songni stonecrop / 218
Slender-pedicel sedge / 696	Small-flower pellitory / 106	Sorbus-leaf yellow raspberry / 266
Slender-racemose currant / 231	Small-flower scented-top / 628	South enchanter's nightshade / 356
Slender-stem rush / 614	Small-flower seaberry / 360	South tilingia / 383
Slightly-asymmetric spleenwort / 25	Small-flower sedge / 686	Southern adder's tongue / 11
Slim-stem lily / 592	Small-fruit knotweed / 111	Southern bugbane / 157
Slim-stem reedgrass / 627	Small-glum fescue / 638	Southern crabgrass / 631
Sluggish sedge / 683	Small-head lipocarpha / 710	Southern lacefern / 43
Small beaksedge / 711	Small-leaf mountain isodon / 447	Southern rockbell / 507
Small blueberry / 393	Small-leaf nettle / 108	Southern seepweed / 146
Small carpetgrass / 623	Small-needle sedge / 679	Southern shaggy shield fern / 48
Small corydalis / 195	Small-seed yellowcress / 211	Spanish needle / 523
Small daylily / 589	Small-square spikerush / 703	Sparse-flower sedge / 696
Small Dickins' sedge / 680	Small-star woodrush / 617	Spatulate rock pine / 216
Small false spleenwort / 37	Smith's purple willow / 79	Spatulate-leaf abelia / 485
Small flatsedge / 699	Smooth Asian fescue / 638	Spatulate-leaf stonecrop / 220
Small gagea / 588	Smooth filmy fern / 13	Spatulate-leaf swertia / 417
Small gland fern / 29	Smooth forked fern / 14	Spear star fern / 57
Small hairy agrimony / 233	Smooth gland fern / 30	Spearhead Indian plantain / 551
Small Japanese silvergrass / 647	Smooth maiden silvergrass / 646	Spear-leaf selliquea fern / 59
Small loosestrife / 398	Smooth Maximowicz's sedge / 686	Spicate falsenettle / 104
Small magenta plant / 477	Smooth mountain twinsorus fern / 41	Spicate lousewort / 471
Small maple-leaf ainsliaea / 509	Smooth mulberry-leaf grapevine / 331	Spider brake fern / 23
Small marsh willowherb / 358	Smooth Siebold's greenbrier / 602	Spike colicroot / 581
Small Maximowicz's hololeion / 540	Smooth silverweed / 247	Spike mulberry mistletoe / 109
Small moss-like fern / 57	Smooth solomon's seal / 596	Spike oatgrass / 661
Small mucronate sedge / 687	Smooth water crowfoot / 173	Spike rosebay / 389
Small nerved-fruit sedge / 682	Smooth wavy-leaf basketgrass / 648	Spiked beaksedge / 711
Small nutrush / 716	Smooth woodsia / 31	Spiked dactylorhiza / 723
Small paper mulberry / 99	Smooth-cranberrybush viburnum / 493	Spike-flower germander / 459
Small pipewort / 620	Smooth-fruit narrow mitra sedge / 693	Spined Japanese thistle / 529
Small pondweed / 578	Smooth-leaf honeysuckle / 489	Spineless Japanese honey locust / 280
Small shiny-spike sedge / 697	Smooth-leaf scarlet groundsel / 567	Spinose rock pine / 217
Small spiraea / 273	Smooth-leaf spike speedwell / 472	Spinulose tape grass / 575
Small squarrose-leaf gentian / 414	Snake vine / 181	Spiny stickseed / 436
Small stone-wall spleenwort / 25	Snake-tongue starviolet / 428	Spiny water-nymph / 580
Small virgin's-bower clematis / 166	Snow cinquefoil / 247	Spiral polypody / 58
Small water-chestnut / 355	Snowbell tree / 402	Spiral widgeon grass / 579
Small wavy-leaf basketgrass / 648	Snowdon alplily / 595	Split-lip hempnettle / 446
Small willow / 81	Snow-white saussurea / 558	Spoon-leaf yellow loosestrife / 399
Small yellow spring bedstraw / 427	Snowy false lily of the valley / 596	Spotless Schlechtendal's rattlesnake plantain / 727
Small-bean-like orchid / 717	Softest sedge / 687	Spotted bellflower / 504
Smaller Indian plantain / 552	Soft-hair swamp fern / 28	Spotted corydalis / 197
Smallest mint / 445	Soft-stem bulrush / 714	Spotted lady's slipper / 722
Small-flower Asian calamint / 443	Solsae (Brush grass) / 660	Spotted laurel / 362
Small-flower beggartick / 524	Sonchus-leaf crepidiastrum / 534	

Spotted wildginger / 185	Striation-flower alplily / 595	Tailed calyx-lobe saussurea / 559
Sprawling dickwort / 428	Stringy stonecrop / 218	Tailed corydalis / 196
Spreading knotweed / 111	Stringy stonecrop / 220	Tailed-leaf isodon / 446
Spreading mannagrass / 638	Subcordate woodsia / 32	Tall bugseed / 144
Spreading sneezeweed / 527	Sub-nod eelgrass / 580	Tall lespedeza / 288
Spreading swamp bloodgrass / 641	Subumbellate sedge / 695	Tall marsh fern / 30
Spreading wildginger / 186	Suffrutescent securinega / 306	Tall oplanax / 367
Spreading willow / 77	Summer fimbri stylis / 705	Tall reed / 651
Spreading-branch ladybell / 499	Summer-flowering calanthe / 718	Tall smartweed / 121
Spreading-hair eleuthero / 365	Summer-white oiltree / 289	Tall widelip orchid / 730
Spring gueldenstaedtia / 280	Sunan maiden silvergrass / 646	Tall woolly saussurea / 559
Spring smartweed / 124	Sunny violet / 349	Tall-helmet monk'shoo d / 155
Square-stem spikerush / 703	Surfgrass / 579	Tallow tree / 306
Square-stem statice / 401	Suwon sedge / 688	Tamra gastrochilus / 725
Squarrose-leaf gentian / 413	Swallow-tail marsh fern / 31	Tamra starviolet / 428
Squirrel's-foot fern / 54	Swamp bloodgrass / 640	Tansy / 566
Staghorn clubmoss / 4	Swamp blueberry / 393	Tappering glade fern / 39
Stalked-spike bulrush / 714	Swamp red currant / 232	Taquet's smartweed / 123
Stalkless-flower eleuthero / 366	Swamp shield-fern / 27	Tatarinow's aster / 522
Stanavoi clematis 덩굴 / 164	Swamp silky willow / 76	Tatarinow's honeysuckle / 489
Star sedge / 676	Swamp willow / 79	Tatarinow's rattlesnake-root / 553
Star-flower fairybell / 587	Swamp-white loosestrife / 398	Teeth-margin crepidiastrum / 532
Star-flower gromwell / 436	Sweep's woodrush / 616	Tender monkey-flower / 468
Staunton's bugseed / 144	Sweet autumn clematis / 166	Terebinthaceous hogfennel / 379
Stauntonia vine / 179	Sweet bonnet bellflower / 504	Terete-leaf Thunberg's chive / 584
Stephan's filaree / 298	Sweet cheonma / 720	Ternate-leaf water parsnip / 382
Stewart's catnip / 453	Sweet hydrangea / 227	Thick bluegrass / 653
Stickwilly / 426	Sweet mountain yam / 609	Thick sweetleaf / 404
Sticky catchfly / 139	Sweet two-leaf vetch / 295	Thick-leaf Indian skullcap / 457
Sticky colicroot / 581	Sweet viburnum / 492	Thick-nerve sedge / 692
Sticky germander / 460	Sweet woodruff / 425	Thick-sepal clematis / 164
Sticky pithieirospermum / 471	Sweet wormwood / 511	Thick-stem aster / 521
Sticky smartweed / 124	Sweetgrass / 640	Thin autumn fern / 48
Sticky-stem pearlwort / 137	Swollen-node white-top bluegrass / 651	Thin northern lipfern / 21
Stiff clubmoss / 4	Sword-leaf crepidiastrum / 533	Thin sphallerocarpus / 382
Stiff holly fern / 53	Sword-leaf dogbane / 418	Thin-leaf knotweed / 111
Stiff shrubby cinquefoil / 237	Sword-leaf litsea / 149	Thin-leaf milkwort / 311
Stinky black currant / 230	Sword-leaf upright ladybell / 502	Thin-leaf spiraea / 273
Stipulate willow / 81	Sword-leaf wood fern / 50	Thin-leaf violet / 341
Stolon golden saxifrage / 222	Sword-like sedge / 698	Thin-spiculate sedge / 680
Stolon water crowfoot / 168	Sycamore-leaf falsenettle / 103	Thornless southern raspberry / 266
Stolon-bearing anemone / 161	(T)	Thorny currant / 231
Stolon-bearing wormwood / 516	Taean daylily / 590	Thread sedge / 677
Stone-wall spleenwort / 25	Taebaek cranesbill / 301	Thread-leaf chive / 582
Straight fern / 10	Taebaek stonecrop / 217	Three-appendage trapella / 478
Straight-awn fimbri stylis / 708	Taebaek violet / 340	Three-color Korean lespedeza / 287
Strata fen-sedge / 698	Taihyun's abelia / 486	Three-finger tongue fern / 58
Stream-bank ikeris / 545		Three-flower bedstraw / 427

Three-flower Korean clematis / 167	Tree spikemoss / 6	Two-toothed-beak sedge / 679
Three-flower maple / 315	Triangular bulrush / 714	(U)
Three-hull rush / 616	Triangular lettuce / 547	Uda needle sedge / 697
Three-leaf arrowhead / 574	Triangular-leaf ladyfern / 34	Uljin false goat's beard / 221
Three-leaf clematis / 163	Triceps chestnut rush / 614	Ulleung asphodel / 603
Three-leaf false lily of the valley / 596	Tricuspidate falsenettle / 104	Ulleung bluegrass / 654
Three-leaf Komarov's bugbane / 157	Trilobe monk'shoo / 153	Ulleung catchfly / 140
Three-leaf ladybell / 503	Trilobed-leaf alangium / 362	Ulleung dendranthema / 535
Three-leaf monk'shoo / 156	Trin's bentgrass / 622	Ulleung goldenrod / 563
Three-leaf white chick azalea / 390	Triparted-leaf eupatorium / 538	Ulleungdo aster / 521
Three-lobe beggartick / 525	Tri-wing maidenhair spleenwort / 26	Ulleungdo barberry / 178
Three-lobe crabapple / 242	Tropical fimbriostylis / 705	Ulleungdo cotoneaster / 236
Three-lobe cranesbill / 301	True autumn fern / 49	Ulleungdo deadnettle / 449
Three-petal bedstraw / 426	True needle spikerush / 701	Ulleungdo dystenia / 375
Three-stamen waterwort / 129	True wormwood / 512	Ulleungdo elder / 490
Three-stamen waterwort / 351	Truncate flowering cherry / 254	Ulleungdo figwort / 475
Thunberg's bay-tree / 151	Tuberous water parsnip / 382	Ulleungdo flowering cherry / 254
Thunberg's chive / 584	Tuberous-rooted meadow-rue / 176	Ulleungdo hare's ear / 372
Thunberg's daylily / 590	Tubiflorous phacellanthus / 480	Ulleungdo hemlock / 66
Thunberg's geranium / 301	Tubular-flower swamppink / 589	Ulleungdo honeysuckle / 487
Thunberg's helleborine / 724	Tuft St. Johnswort / 192	Ulleungdo jack-in-the-pulpit / 664
Thunberg's smartweed / 123	Tufted eelgrass / 579	Ulleungdo ladyfern / 33
Thunberg's solomon's seal / 600	Tufted hairgrass / 630	Ulleungdo linden / 334
Tidal-marsh flatsedge / 700	Tufted loosestrife / 399	Ulleungdo liverleaf / 169
Tiger lily / 593	Tufted rock-living sedge / 685	Ulleungdo maple / 314
Tiny ardisia / 395	Turczaninov's melic / 643	Ulleungdo Miss Kim lilac / 410
Tiny bristle fern / 12	Turfed vetch / 293	Ulleungdo raspberry / 266
Tiny moonwort / 9	Turfy sedge / 674	Ulleungdo rockcress / 202
Tiny sedge / 673	Tussock cottonsedge / 704	Ulleungdo spike speedwell / 473
Tiny St. Johnswort / 192	Twilight lily / 594	Ulleungdo stonecrop / 218
Tiny water-chestnut / 354	Twin-flower anemone / 159	Ulleungdo sweet violet / 350
Tiny weeping fern / 55	Twinflower / 486	Ulleungdo thyme / 460
Toad lily / 604	Twining monk'shoo / 156	Ulleungdo turk's-cap lily / 593
Toad rush / 614	Twining pterygocalyx / 415	Ulleungdo violet / 348
Tobacco-leaf saussurea / 555	Twining streptolirion / 619	Ulleungdo white pine / 65
Toco grass / 641	Twining swallow-wort / 420	Ulleungdo willow / 78
Tokoro mountain yam / 609	Twin-leaf twayblade / 732	Umbelled rockjasmine / 397
Tomentose condor-vine / 421	Twisted bur-reed / 666	Umbrella elatostema / 105
Tomentose corchoropsis / 333	Two-color-scale holly fern / 53	Understory skullcap / 456
Tongue fern / 58	Two-fork oatgrass / 661	Undivided chrysanthemum-leaf synurus / 566
Toothed clubmoss / 4	Two-leaf beadruby / 595	Undulate speedwell / 476
Toothed ixeridium / 542	Two-leaf cremastra / 720	Unequal-lobe brake fern / 22
Tooth-margined wintergreen / 388	Two-leaf fimbriostylis / 705	Unifloral clematis / 163
Tower rockcress / 213	Two-leaf oreorchis / 733	Uniflower swisscentaury / 564
Trailing crabgrass / 631	Two-leaf vetch / 295	Uniform wood fern / 50
Trailing raspberry / 265	Two-seed sedge / 675	Uni-spikelet fimbriostylis / 707
Transverse Brown's sedge / 696	Two-spikelet fimbriostylis / 709	
Tree clethra / 383	Two-tip sedge / 682	

Upright Asian swallow-wort / 419	Villous dumbaria / 279	Whisk fern / 11
Upright cranesbill / 299	Vine-like fern / 15	White adder's mouth / 731
Upright golden saxifrage / 224	Violet blood iris / 612	White Amur rose / 259
Upright ladybell / 501	Violet crabgrass / 631	White Asian platanthera / 734
Upright monk's-hood / 155	Violet deinostema / 462	White back greenbrier / 601
Upright solomon's seal / 598	Violet Stanavoi clematis / 164	White bamboo-leaf orchid / 721
Upright yellow corydalis / 198	Virgate wormwood / 516	White beaksedge / 711
Upright-spike flatsedge / 700	Viscous cinquefoil / 246	White beautiful two-leaf vetch / 295
Upside-down hollyfern / 43	Vlassoviana thistle / 531	White beautiful-flower saussurea / 558
Ussuri bellflower / 505		White bistort / 112
Ussuri bluegrass / 654	(W)	White bristly-margin angelica / 369
Ussuri buckthorn / 328	Wallich's bulrush / 713	White burnet / 267
Ussuri fritillary / 588	Wallich's rush / 616	White catchfly / 139
Ussuri pear / 256	Wall-rue / 25	White chick azalea / 390
Ussuri river leafflower / 306	Walter's dogwood / 363	White Dahurian bedstraw / 426
Ussuri river platanthera / 736	Wando corydalis / 199	White daphne / 336
Ussuri saussurea / 560	Wando lespedeza / 288	White deadnettle / 448
Ussuri sedge / 697	Water chestnut / 702	White false-hellebore / 607
Ussuri skulcap / 458	Water horsetail / 8	White field touch-me-not / 318
Ussuri spikerush / 702	Water mudwort / 465	White flatsedge / 700
Ussuri thistle / 529	Water pepper / 118	White Japanese wisteria / 297
Ussuri water-milfoil / 361	Water pygmyweed / 213	White maiden silvergrass / 646
Ussuri weeping fern / 55	Water smartweed / 115	White oriental swamppink / 589
Uydo surprise lily / 608	Water star / 454	White snowdrop / 168
	Water-arum / 665	White spiraea / 270
(V)	Watergrass / 668	White stringflower / 586
Valley wood fern / 50	Watershield / 182	White tapping glade fern / 39
Variable spleenwort / 25	Waterwheel plant / 194	White toothed ikeridium / 543
Variable-leaf yellowcress / 211	Wavy bittercress / 204	White two-leaf vetch / 295
Variegated cretan brake fern / 23	Wavy-leaf basketgrass / 648	White wild strawberry / 240
Variegated jack-in-the-pulpit / 664	Wavy-leaf honeysuckle / 489	White woodland peony / 187
Variegated maiden silvergrass / 647	Wax lacquer tree / 311	White-egret flower / 728
Variegated-leaf hardy kiwi / 188	Waxberry tree / 73	White-flower Biro gentian / 413
Variegated-leaf pondweed / 577	Wax-leaf privet / 407	White-flower bittercress / 205
Variegated-leaf violet / 349	Wax-leaf viburnum / 492	White-flower corydalis / 195
Velutinous rattlesnake plantain / 727	Waxy managrass / 638	White-flower golden lace / 496
Velvety bentgrass / 622	Weak ikeris / 544	White-flower Korean cranesbill / 298
Velvety cranesbill / 301	Weak smartweed / 116	White-flower lady's bedstraw / 427
Velvety Dahurian wheatgrass / 634	Wedding cake tree / 363	White-flower lagopsis / 448
Velvety woundwort / 459	Weeping fern / 55	White-flower rock asphodel / 604
Venose vetch / 296	Weeping willow / 77	White-flower self-heal / 455
Vernal water-starwort / 483	Western dock / 126	White-flower smartweed / 119
Verrucolose firmitistylis / 706	Western purple cranesbill / 299	White-flower squill / 586
Verticillate paris / 598	Western touch-me-not / 317	White-flower surprise lily / 607
Verticillate rhynchospermum / 554	Wet-sand sedge / 670	White-flower violet / 346
Vesper iris / 610	Weyrich's azalea / 391	White-flower wineberry / 265
Vidal's ladyfern / 36	Wheatgrass / 635	White-flower Zollinger's gentian / 415
Vidal's mountain honeysuckle / 489	Whipcord eyelash fern / 52	White-flowering Korean dandelion / 566

White-hair dandelion / 567	Wilford's hay-scented fern / 17	Wright's filmy fern / 13
White-hair golden saxifrage / 222	Wilford's spleenwort / 26	Wright's viburnum / 493
White-hair violet / 343	Wilford's swallow-wort / 421	Wrinkled cinquefoil / 244
White-leaf Korean thistle / 531	Willow / 78	Wrinkled mock strawberry / 238
White-lobe Korean dendranthema / 535	Willow-leaf evergreen oak / 93	Wrinkled-glume yellow bristlegrass / 658
White-mountain wormwood / 513	Willow-leaf lance fern / 57	Wrinkled-margin gymnanenia / 725
White-scale flatsedge / 700	Willow-leaf Manchurian lilac / 409	
White-scale wood fern / 44	Willow-leaf privet / 409	(Y)
White-spike sedge / 686	Willow-leaf spicebush / 150	Yalu river primrose / 400
White-stem serpentroot / 560	Willow-leaf spiraea / 273	Yellow avens / 240
White-top bluegrass / 651	Willow-leaf veronicastrum / 476	Yellow bluestem / 624
Whitish Freyn's wormwood / 515	Willow-leaf white-flower smartweed / 119	Yellow bristlegrass / 658
Whitish gentian / 412	Wilson's elm / 97	Yellow bristle-hair ikeris / 543
Whitish-purple monk's-hood / 152	Winding snoutbean / 291	Yellow East Asian eurya / 190
Whole-leaf Indian hawthorn / 257	Winding-leaf iris / 611	Yellow flatsedge / 710
Whorled water-milfoil / 361	Wing monk's-hood / 155	Yellow floatingheart / 418
Whorled-leaf ladybell / 502	Winged beech fern / 31	Yellow golden saxifrage / 222
Whorled-leaf lousewort / 471	Winged burning bush spindletree / 321	Yellow Indian pipe / 386
Whorled-leaf stonecrop / 214	Winged corydalis / 195	Yellow Mongolian snakegourd / 353
Wichura's rose / 259	Winged prickly-ash / 309	Yellow rosemallow / 335
Wide-blade woodsia / 32	Winged-fruit Russian thistle / 145	Yellow surprise lily / 607
Wide-bract solomon's seal / 599	Winged-stem rush / 614	Yellow water-lily / 181
Wide-elliptic rock pine / 216	Winter creeper spindletree / 322	Yellow wood sorrel / 297
Wide-leaf aizoon stonecrop / 217	Winter raspberry / 262	Yellow-filamentous meadow-rue / 176
Wide-leaf Amur silvergrass / 645	Winter-berry currant / 230	Yellow-flower broomrape / 479
Wide-leaf Asian vetch / 293	Wolf's lilac / 409	Yellow-flower hedge mustard / 212
Wide-leaf honeysuckle / 488	Wonder violet / 345	Yellow-flower rosebay / 388
Wide-leaf hosta / 590	Wonsan cinquefoil / 247	Yellow-flower spanish needle / 524
Wide-leaf ladyfern / 36	Wonsan spikerush / 701	Yellow-flower vetch / 293
Wide-leaf low sedge / 689	Wood bluegrass / 653	Yellow-fruit hackberry / 96
Wide-leaf monk's-hood / 156	Wood lacquer tree / 312	Yellowish velvety-leaf litsea / 151
Wide-leaf valerian / 497	Wood milletgrass / 644	Yellowish-white bladderwort / 482
Wide-sepal geumgangchoronkkot (Wide-sepal Geumgang bluebell) / 505	Wood small reed / 627	Yellow-mantle sedge / 688
Widgeon grass / 579	Woodland chickweed / 140	Yellow-paint maple / 313
Wild chervil / 371	Woodland forget-me-not / 437	Yellow-swamp foxglove / 462
Wild dampalsu trees / 332	Woodland horsetail / 8	Yellow-white rattlesnake-root / 553
Wild flag iris / 613	Woodland peony / 187	Yentai fimbriostylis / 708
Wild hop / 102	Woodland thistle / 531	
Wild lilyturf / 597	Woodland whitlow-grass / 209	(Z)
Wild morning glory / 432	Woodland wormwood / 517	Zollinger's gentian / 415
Wild red cowpea / 296	Woolly lespedeza / 288	
Wild soybean / 280	Woolly-fruit sedge / 682	
Wild wasabi / 209	Woolly-hair saussurea / 559	
Wildginger / 186	Woolly-leaf saussurea / 555	
Wild-spring cherry / 253	Woolly-leaf sedge / 682	
Wilford's cranesbill / 301	Woolly-scale sedge / 682	
	Woolly-stem cranesbill / 299	

국명 찾아보기

(ㄱ)	
가거개별꽃 / 136	가는네잎갈기 / 426
가거꼬리고사리 / 26	가는넷잎갈기덩굴 / 426
가거애기닥나무 / 99	가는눈괴불주머니 / 198
가거양지꽃 / 246	가는능쟁이 / 143
가나무 / 91	가는다리장구채 / 139
가녀정 / 407	가는대나물 / 132
가는가래 / 576	가는도깨비바늘 / 524
가는각시취 / 558	가는도깨비바늘 / 524
가는갈퀴 / 292	가는도깨비바늘까치발 / 524
가는갈퀴나풀 / 292, 293, 294	가는독개비바늘 / 524
가는갈퀴덩굴 / 292	가는돌꽃 / 218
가는갈키나풀 / 294	가는돌찌귀 / 156
가는개관중 / 51	가는동자꽃 / 133
가는개밀 / 634	가는등갈퀴 / 294
가는개박달 / 84	가는등갈키 / 294
가는개박달나무 / 84	가는마디꽃 / 354
가는개발나풀 / 382	가는마디말 / 580
가는개별꽃 / 136	가는마디풀 / 354
가는개수염 / 620	가는말굴레 / 292
가는개여뀌 / 124	가는매꽃 / 432
가는깻능쟁이 / 142	가는멧미나리 / 378
가는거머리말 / 579	가는명아주 / 143
가는고비 / 12	가는물개암나무 / 88
가는곡정초 / 619, 620	가는물꼬챙이꼴 / 703
가는꼴무꽃 / 458	가는물달개비 / 610
가는괴불주머니 / 198	가는물마디꽃 / 354
가는금강아지풀 / 658	가는물부추 / 5
가는금불초 / 541	가는미꾸라지낚시 / 121
가는기름나풀 / 376	가는민바늘꽃 / 359
가는기름나풀속 / 376	가는밀사초 / 696
가는기린초 / 217	가는바디 / 378
가는꽃장대 / 208	가는범꼬리 / 111
가는꾸Leaks이풀 / 652	가는범의꼬리 / 111
가는꿩의비름 / 217	가는보풀 / 574
가는꿰미풀 / 652	가는부들말 / 579
가는나래새 / 621	가는붓꽃 / 612
가는나문재 / 146	가는비늘사초 / 695
가는나문재나풀 / 146	가는사초 / 675, 678
가는네잎갈퀴 / 426	가는산꼬리풀 / 473
	가는살갈퀴 / 294
	가는살갈기 / 294
	가는살말굴례 / 294
	가는쇠고비 / 42
	가는쇠고사리 / 42
	가는시호 / 372
	가는실꼴 / 616
	가는실꼴풀 / 616
	가는쐐기풀 / 108
	가는쑥부장이 / 521
	가는쑥부쟁이 / 521
	가는쑥부지깽이 / 209
	가는여뀌 / 118
	가는예자풀 / 704
	가는오이풀 / 267
	가는잎가막사리 / 524
	가는잎가막살 / 524
	가는잎갈퀴 / 426
	가는잎감국 / 527
	가는잎개고사리 / 35
	가는잎개구리낚시돌여뀌 / 117
	가는잎개밀 / 634
	가는잎개별꽃 / 136
	가는잎개여뀌 / 124
	가는잎개피 / 636
	가는잎계뇨등 / 429
	가는잎고위끼 / 620
	가는잎고추나물 / 193
	가는잎곡정초 / 620
	가는잎골무꽃 / 458
	가는잎구절초 / 535, 536
	가는잎그늘사초 / 680
	가는잎금불초 / 541
	가는잎금렬고사리 / 41
	가는잎기름나풀 / 376
	가는잎기린초 / 217
	가는잎ヶ풀 / 451
	가는잎꼬리풀 / 472, 473
	가는잎꽃향유 / 445
	가는잎나래새 / 621
	가는잎다정큼 / 257
	가는잎달래 / 582
	가는잎달나풀 / 132
	가는잎당맹이 / 486
	가는잎덩굴 / 415
	가는잎덩굴용담 / 415
	가는잎독미나리 / 373
	가는잎돌꽃 / 218
	가는잎두메무릇 / 595
	가는잎들별꽃 / 136
	가는잎狎주 / 503
	가는잎매자나무 / 178
	가는잎메꽃 / 432
	가는잎면느리밥풀 / 468
	가는잎명아주 / 143
	가는잎모란풀 / 165
	가는잎모새달 / 649
	가는잎목단풀 / 165
	가는잎물억새 / 645
	가는잎미치팡이 / 136
	가는잎바꽃 / 155, 156
	가는잎바다 / 369
	가는잎바다나풀 / 378
	가는잎바위솔 / 216
	가는잎방풍 / 377
	가는잎백산차 / 386
	가는잎뱉고사리 / 35
	가는잎별수염풀 / 620
	가는잎보리사초 / 681
	가는잎사위질빵 / 165
	가는잎산꼬리풀 / 473
	가는잎산들깨 / 451
	가는잎새박 / 420
	가는잎소루쟁이 / 127
	가는잎소리쟁이 / 127
	가는잎손잎풀 / 300
	가는잎송죽대 / 595
	가는잎송구지 / 127
	가는잎쇠스랑개비 / 243
	가는잎쐐기풀 / 108
	가는잎쪽 / 517
	가는잎쪽방망이 / 561
	가는잎쪽부장이 / 521

가는잎억새 / 646	가락잎풀 / 382	가새뽕나무 / 101	가시파대가리 / 709, 710
가는잎왕고들빼기 / 546	가락지꽃 / 344	가새사스래 / 85	가야꼬리풀 / 473
가는잎음나무 / 367	가락지나물 / 243	가새사시나무 / 85	가야단풍취 / 509
가는잎잔대 / 500, 502	가락풀 / 174	가새쑥부쟁이 / 520	가야풀봉선 / 317
가는잎첫꼭지나무 / 101	가락풀나물 / 178	가새쑥부쟁이 / 520	가야산모시나물 / 500
가는잎정향나무 / 410	가랑잎 / 90	가새啄바귀 / 544	가야산은분취 / 555
가는잎죽제비고사리 / 46	가랑잎나무 / 91	가새잎개머루 / 329	가야산잔대 / 500
가는잎종덩굴 / 162	가랑잎나무 / 90, 91	가새잎꼬리풀 / 473	가야잔대 / 500
가는잎줄기말 / 580	가래 / 576	가새잎돌단풍 / 224	가얌취 / 496
가는잎쥐소니 / 300	가래고사리 / 30	가새잎산나무 / 236	가양취 / 496
가는잎쥐손이 / 300	가래과 / 576	가새천남성 / 663	가위고사리 / 43
가는잎쥐손이풀 / 300	가래기나무 / 91	가새팻배나무 / 269	가위톱 / 330
가는잎처녀고사리 / 29	가래나무 / 73	가새풀 / 507	가을가재무릇 / 608
가는잎천선과 / 101	가래나무과 / 73	가솔송 / 387	가을강아지풀 / 658
가는잎털개밀 / 634	가래나무속 / 73	가솔송속 / 387	가을개나리 / 404
가는잎하늘지기 / 706	가래바람꽃 / 160	가슬박달 / 315	가을마디풀 / 125
가는잎할미꽃 / 170	가래속 / 576	가시개관중 / 53	가을푸솜나물 / 554
가는잎향유 / 445	가래추나무 / 73	가시개울미 / 716	가재무릇 / 588, 608
가는잎현호색 / 198	가마귀마개 / 327	가시까치밥나무 / 230	가재무릇 / 588
가는장구채 / 140	가마귀마늘 / 608	가시꼬아리 / 461	가좀진고사리 / 38
가는장대 / 208	가마귀머루 / 332	가시꽃영경퀴 / 528	가지가는장구채 / 140
가는장대속 / 208	가마귀밥 / 231	가시파리 / 461	가지개곽향 / 459
가는장때 / 208	가마귀밥나무 / 258	가시파리속 / 461	가지고비 / 21
가는정영경퀴 / 528	가마귀밥여름나무 / 230, 231	가시나무 / 91, 92, 260	가지고비고사리 / 21
가는제비쑥 / 513	가마귀배개 / 327	가시나물 / 462	가지고사리 / 21
가는좁쌀풀 / 399	가마귀쪽나무 / 151	가시덩굴여뀌 / 123	가지꼴나무 / 455
가는줄기구름사초 / 693	가막까치밥나무 / 233	가시돌나물 / 213	가지과 / 461
가는줄기주름사초 / 681	가막덩굴 / 180	가시딸기 / 264	가지괭이눈 / 223
가는줄덜찌귀풀 / 156	가막바늘까치밥나무 / 231	가시랑쿠 / 426	가지금불초 / 541
가는줄돌찌귀 / 156	가막사리 / 525	가시련 / 181	가지기린초 / 217
가는참나물 / 380	가막살 / 525	가시밀 / 580	가지꼭두서니 / 430
가는청사초 / 691	가막살나무 / 491	가시명아주 / 144	가지꼭두선이 / 430
가는충충잔대 / 502	가문거이삭 / 621	가시목 / 149	가지대극 / 303
가는털백미 / 419	가문비나무 / 64	가시복분자 / 266	가지대나물 / 139
가는털백미꽃 / 419	가문비나비 / 64	가시복분자딸기 / 266	가지더부사리 / 480
가는포아풀 / 652	가물고사리 / 32	가시봉어말 / 183	가지더부살이 / 480
가는하늘지기 / 706	가물고사리아재비 / 32	가시솔나물 / 145	가지더부살이속 / 480
가는할미꽃 / 170	가삼자리 / 430	가시엉겅퀴 / 529	가지돌꽃 / 218
가는향나무 / 66	가새가막살 / 524	가시여뀌 / 116, 117	가지둥근바위술 / 216
가는향유 / 445	가새곰취 / 549	가시연 / 181	가지떡쑥 / 554
가는홍지네고사리 / 45	가새꼬리풀 / 471	가시연꽃 / 181	가지민박쥐 / 552
가는황새풀 / 704	가새나무 / 90	가시연속 / 181	가지바늘꽃 / 358
가는회리바람꽃 / 161	가새덜꿩나무 / 492	가시오갈피 / 365	가지바랭이 / 631
가는흑삼릉 / 667	가새머루 / 332	가시오갈피나무 / 365	가지바위술 / 216
가독나무 / 91	가새목 / 190	가시잎꽃 / 224	가지별꽃 / 141
가독나무 / 93	가새백당나무 / 492		가지부처손 / 7
가라목 / 69	가새벌총바귀 / 544		

가지산새풀 / 628	각시죽제비고사리 / 50	갈미꿩의다리 / 176	감탕나무속 / 318
가지삿갓사초 / 690	각시취 / 558	갈미꿰미풀 / 654	감태나무 / 150
가지속 / 461	각시크령 / 635	갈미바위솔 / 216	감산오랑캐 / 344
가지송이풀 / 470	각시톱지네고사리 / 48	갈미범의꼬리 / 111	감산제비꽃 / 344
가지애기나리 / 587	각시톱풀 / 507	갈미사초 / 671	감산포아풀 / 654
가지예자풀 / 704	각시통접나도나풀 / 130	갈미석죽 / 131	갓냉이 / 211
가지왕질경이 / 484	각시투구꽃 / 155	갈미취손이 / 299	갓대 / 656
가지원추리 / 589	각시하늘지기 / 705, 708	갈미취손이풀 / 299	갓황새냉이 / 207
가지제비꽃 / 347	각시현호색 / 197	갈비고사리 / 33	강가는쟁이 / 143
가지조개나물 / 442	각씨골무꽃 / 458	갈사초 / 683	강계버드나무 / 78
가지주름새 / 648	각씨귀리 / 657	갈색사초 / 674	강계버들 / 78
가지주름조개풀 / 648	각씨그령 / 635	갈줄참나무 / 93, 94	강계분취 / 555
가지취꼬리새 / 647	각씨기린초 / 217	갈참나무 / 91	강계큰물통이 / 107
가지질경이 / 484	각씨념나물 / 589	갈참떡갈나무 / 94	강계터리풀 / 239
가지창고사리 / 56	각씨동굴레 / 599	갈퀴꼭두선이 / 430	강댑싸리 / 144
가지청사초 / 691	각씨바위돌꽃 / 218	갈퀴나풀 / 292	강부추 / 582
가지털꽝이눈 / 223	각씨석남 / 384	갈퀴덩굴 / 292, 426	강아지고위까람 / 619
가지해송 / 66	각씨수련 / 182	갈퀴덩굴속 / 423	강아지별수염풀 / 619
가침박달 / 238	각씨제비꽃 / 341	갈퀴아재비 / 422, 425	강아지수염 / 619, 620
가침박달속 / 238	각씨투구꽃 / 155	갈퀴아재비속 / 422	강아지풀 / 658, 659
가회톱 / 330	각씨향유 / 445	갈퀴완두 / 285	강원고사리 / 47
각시고사리 / 28	간도제비꽃 / 342	갈퀴조팝나무 / 274	강호리 / 371
각시고사리속 / 28	간도쥐오줌풀 / 497	갈퀴현호색 / 197	강화고들빼기 / 532
각시괴불나무 / 486	간은닢사위질빵 / 165	갈키꼭두선이 / 430, 431	강화산단나무 / 337
각시기린초 / 215	간자목 / 150	갈키나풀 / 292	강화황기 / 277
각시꼴하늘지기 / 708	간장풀 / 453	갈키덩굴 / 426	강활 / 371, 378
각시나도나풀 / 130	갈고리네잎갈퀴 / 426	갈키조팝나무 / 274	개가시나무 / 91
각시넘나물 / 589	갈기기름나물 / 378	갈포령셔델취 / 555	개가시오갈피나무 / 365
각시돌나물 / 213	갈기복수초 / 159	갈풀 / 650	개가지고비고사리 / 21
각시둥굴레 / 599	갈기조팝나무 / 274	갈풀속 / 650	개가지고사리 / 21
각시마 / 609	갈내바람꽃 / 160	감국 / 527	개갈퀴 / 425
각시마다꽃 / 353	갈대 / 650	감나무과 / 402	개갈퀴아재비 / 425
각시미꾸리꽝이 / 655	갈대속 / 650	감나무속 / 402	개갈끼 / 425
각시미꾸리꽝이속 / 655	갈대쇠치기 / 649	감동사초 / 670	개감수 / 305
각시바위돌꽃 / 218	갈래꿀풀 / 455	감비나무 / 64	개감채 / 595
각시벼들분취 / 557	갈래두메양귀비 / 200	감수 / 305	개갓 / 210
각시분취 / 556, 558	갈래등골나물 / 537	감자가락잎풀 / 382	개갓냉이 / 211
각시붓꽃 / 612	갈래바람꽃 / 160	감자난 / 733	개갓냉이속 / 211
각시비늘이끼 / 6	갈래잎손잎풀 / 298	감자난초 / 733	개갓냉이 / 211
각시서덜취 / 556, 560	갈래잎제비꽃 / 342	감자난초속 / 733	개강활 / 369, 370
각시석남 / 384	갈레세잎종덩굴 / 165	감자란 / 733	개개미취 / 522
각시수련 / 182	갈매기란 / 735	감절대 / 114	개개회나무 / 324
각시우드풀 / 32	갈매나무 / 327, 328	감제풀 / 114	개겨이삭 / 622
각시원추리 / 589	갈매나무과 / 326	감탕나무 / 318	개겨풀 / 642
각시제비꽃 / 341	갈매나무속 / 327	감탕나무과 / 318	개고리버들 / 78
각시족도리풀 / 186	갈미꾸Leaks이풀 / 654		

개고리실 / 313	개나리나무 / 404	개망초 / 536	개반디 / 380
개고비 / 11	개나리새 / 621	개망초속 / 536	개발나물 / 382
개고사리 / 35	개나리속 / 404	개매미꽃 / 195	개발나물속 / 382
개고사리과 / 33	개나무 / 440	개맥문동 / 594	개발나물아재비 / 373
개고사리속 / 33	개난초 / 724	개머루 / 330	개발초 / 299, 301
개고위끼름 / 620	개너샵 / 291	개머루속 / 329	개발동사니 / 698
개고추풀 / 466	개네잎갈퀴 / 294	개머위 / 508, 552	개발방아 / 449
개꼴무꽃 / 458	개노박덩굴 / 320	개메꽃 / 432	개발방앗잎 / 449
개꼴풀 / 614	개녹각 / 291	개면마 / 33, 39	개발방풍 / 368
개꼴풀아재비 / 711, 712	개누리장나무 / 440	개면마속 / 33	개발암배추 / 456, 459
개곽향 / 459	개느샵 / 291	개모시풀 / 103	개발백미 / 419
개관중 / 53	개능함 / 291	개모싯대 / 501	개발백지 / 368
개괴불주머니 / 197	개다래 / 188	개목새 / 638	개발백배추 / 456
개괴쑥 / 509, 510	개다래나무 / 188	개물감싸리 / 283	개발벼머리 / 166
개구름나무 / 410	개다름덩굴 / 188	개물별꽃 / 351	개발벼나무 / 249, 252
개구리갓 / 173	개다름나무 / 289	개물쇠뜨기 / 8	개발벗지나무 / 249
개구리낙시 / 115	개다리나무 / 188	개물통이 / 106	개발벗지나무 / 249
개구리망 / 173	개담배 / 550	개물통이속 / 106	개발벼룩 / 134
개구리미나리 / 173	개당귀 / 377	개물푸레나무 / 289	개발벼룩속 / 134
개구리발톱 / 173	개당주나무 / 230	개물풀 / 359	개발벼룩이자리 / 134
개구리발톱속 / 173	개대짜리 / 144	개미꾸리꿰매풀 / 655	개발별꽃 / 135
개구리밥 / 665, 666	개대추나무 / 327	개미나리 / 368	개발별꽃속 / 134
개구리밥과 / 665	개대황 / 127	개미나물 / 136	개발병풍 / 221
개구리밥속 / 666	개더부사리 / 479	개미난초 / 731	개발병풍속 / 221
개구리사초 / 670	개덧나무 / 490	개미난초속 / 731	개발보리 / 634
개구리연 / 181	개도독놈갈코리 / 282	개미란 / 731	개발보리뱅이 / 547
개구리자리 / 173	개도둑놈의갈고리 / 281	개미바늘 / 140	개발보리뱅이 / 547
개구리자리풀 / 482	개도둑놈의갈구리 / 281	개미밥 / 564	개발보리뱅이속 / 547
개구릿대 / 368, 371	개독활 / 375	개미자리 / 136	개발보리사초 / 682
개국수나무 / 274	개돌나물 / 219, 220	개미자리속 / 136	개발복수초 / 159
개국화 / 527	개동굴나무 / 323	개미취 / 522	개발봄마지 / 396
개귀타리나무 / 241	개동백나무 / 150, 402	개미답 / 360	개발봄맞이 / 396
개그늘새 / 643	개두릅나무 / 364, 367	개미답과 / 360	개발봄맞이꽃 / 396
개금불초 / 568	개들쭉 / 486	개미답속 / 360	개발부들 / 667
개기름나물 / 379	개들쭉나무 / 486	개미답풀 / 360	개발부싯깃고사리 / 20
개기장 / 648	개등갈퀴덩굴 / 294	개미풀 / 291	개발부처손 / 7
개껍질새 / 643	개딱주 / 502	개밀 / 635	개발분취 / 557
개꼬리풀 / 397, 658	개땅쑥 / 511	개밀아재비 / 642	개발불두화 / 493
개꽃 / 550	개땅쑥비쑥 / 511	개밀아재비속 / 642	개발불알꽃 / 722
개꽃갈퀴 / 423	개떡갈나무 / 94	개바늘사초 / 697	개발불알풀속 / 475
개꽃나무 / 390, 391	개똥나무 / 409, 440, 490	개바늘사초 / 697	개발비녀골 / 615
개꽃마리 / 437	개똥쑥 / 511	개박달 / 84	개발비늘고사리 / 51
개꽃마리속 / 436	개뚜껑덩굴 / 351	개박달나무 / 84, 289, 315	개발비머리 / 166
개꾸Leaks / 652	개련꽃 / 181	개박쥐나무 / 361	개발비자나무 / 69
개나래새 / 621	개마디꽃 / 353, 354	개박쥐나물 / 551	개발밉새귀리 / 626
개나리 / 404	개마쇠서나물 / 553	개박하 / 453	개발밉새피 / 642
개나리꽃나무 / 404	개말발도리 / 227	개박하속 / 453	

개사상자 / 373, 374, 378, 383	개아그배 / 241	개족두리풀 / 185	개황기 / 277
개사스레피나무 / 190	개아그배나무 / 241	개족제비쑥 / 550	개회나무 / 324, 410
개사철쭉 / 512	개아마 / 302, 336	개졸참나무 / 94	개회향 / 377
개산꿩의다리 / 176	개암나무 / 88	개좀진고사리 / 39	개후초 / 336
개산초 / 309	개암나무속 / 88	개좆방망이 / 360	갯갓 / 210
개산초나무 / 309	개앵도나무 / 232	개종용 / 478	갯갓사초 / 694
개살구 / 250, 253	개야광나무 / 236	개종용속 / 478	갯강아지풀 / 659
개살구나무 / 250	개암나무 / 88	개중대가리 / 564	갯강활 / 370
개살지구엽초 / 176	개역새 / 636	개중대가리속 / 564	갯개미자리 / 140
개상사화 / 608	개역새속 / 636	개쥐땅나무 / 273	갯개미자리속 / 140
개새비나무 / 439	개엉겅퀴 / 528	개쥐똥나무 / 407	갯개미취 / 522
개서나무 / 87	개여뀌 / 119	개지치 / 436	갯개보리 / 634
개서어나무 / 87	개여뀌덩굴 / 113	개지칭개 / 525	갯겨이삭 / 655
개서향나무 / 336	개연 / 181	개진고사리 / 38	갯고들빼기 / 533, 534
개석송 / 4	개연꽃 / 181	개질경이 / 483	갯골 / 615
개선갈퀴 / 424, 427	개연꽃속 / 181	개찌버리사초 / 681	갯골풀 / 615
개소리나무 / 94	개염주나무 / 335	개차고사리 / 24, 26	갯괴불주머니 / 197, 198
개속단 / 449	개오갈피나무 / 365	개차꼬리고사리 / 26	갯구계쑥부장이 / 518
개속새 / 8	개오미자 / 148	개차람 / 524	갯그령 / 642
개솔나물 / 427	개을방개 / 702	개차조기 / 442	갯금불초 / 568
개솔새 / 629	개웃나무 / 312	개차주기 / 442	갯금불초속 / 568
개솔새속 / 629	개옻나무 / 312	개차즈개 / 442	갯기름나물 / 379
개쇠돌피 / 654	개완두 / 284	개차즈기 / 442	갯길경 / 401
개쇠뜨기 / 8	개왕골 / 715	개차즈기속 / 442	갯길경이 / 401
개쇠보리 / 641	개왕벼들 / 79	개차즈키 / 442	갯까치수염 / 399
개수련 / 182	개우산풀 / 380	개천남성 / 663	갯까치수영 / 399
개수리취 / 536	개율무 / 716	개천마 / 723	갯꽃꼬리풀 / 399
개수양벼들 / 77	개율미 / 630	개취 / 565, 566	갯꾸러미풀 / 655
개수염 / 620	개음양곽 / 178	개키벼들 / 78	갯꾸렙이풀 / 655
개수염사초 / 711	개응달고사리 / 36	개탑꽃 / 443, 444	갯나문재 / 146
개쉬땅나무 / 268	개자리사초 / 690	개탑풀 / 444	갯노간주 / 68
개쉽사리 / 449	개자리속 / 289	개택란 / 449	갯는쟁이 / 142
개쉽싸리 / 279, 449	개잔대 / 501	개털이슬 / 356	갯는쟁이속 / 142
개승마 / 157, 158	개잔디 / 662	개톱고사리 / 40	갯능쟁이 / 142
개승마속 / 234	개잠자리난초 / 728	개톱날고사리 / 35	갯달 / 649
개승애 / 111	개절초나무 / 325	개통말 / 481	갯담초 / 198
개시닥나무 / 312	개정향나무 / 410	개통발 / 481	갯당귀 / 377
개시호 / 372	개정향풀 / 418	개평풍 / 221	갯당근 / 375
개실사리 / 7	개제비란 / 723	개풀 / 623	갯대극 / 304
개짜리 / 288	개제비란속 / 723	개피 / 624, 636	갯대짜리 / 144
개싹눈바꽃 / 154	개제비쑥 / 513, 514	개피막이 / 376	갯대추 / 327
개쑥 / 513	개조리꼴 / 715	개피속 / 624	갯대추나무 / 327
개쑥부장이 / 519	개조릿대풀 / 643	개함박꽃나무 / 258	갯댑싸리 / 144
개쑥부쟁이 / 519, 521	개조팝나무 / 270	개향유 / 452	갯댑싸리속 / 144
개啐풀 / 416	개조풀 / 642	개현삼 / 474	갯더부살이 / 479
개啐바귀 / 544	개족도리 / 185	개현호색 / 196, 197, 198	갯덩굴백미 / 419
개啐배 / 553	개족도리풀 / 185	개형개 / 453	

깻명굴백미꽃 / 419	깻실새삼 / 433	깻황기 / 277	거친털개지치 / 437
깻돌나물 / 219	깻싸리 / 286	거꾸리개고사리 / 35	거친털제비꽃 / 349
깻돌피 / 654	깻쑥 / 512	거령방이나무 / 274	걱일엽초 / 56
깻딱주 / 503	깻쑥부장이 / 518, 519	거머리란 / 737	검갈퀴아재비 / 425
깻딱지 / 244	깻쑥부쟁이 / 519	거머리말 / 580	검구상나무 / 63
깻똥 / 233	깻啐바귀 / 544	거머리말과 / 579	검나리 / 588
깻똥나무 / 233	깻啐바기 / 544	거머리말속 / 579	검나무싸리 / 287
깻똑사초 / 677	깻아욱 / 335	거문누리장나무 / 440	검노린재 / 403
깻마디풀 / 124	깻완두 / 284	거문도개미자리 / 137	검노린재나무 / 403
깻며위 / 538	깻율무 / 629	거문도닥나무 / 337	검동사초 / 670
깻매꽃 / 432	깻율무속 / 629	거문도팔 / 266	검등사초 / 670
깻모래지치 / 433	깻이끼고사리 / 17	거문도제비꽃 / 344	검물봉선 / 317
깻무 / 211	깻자원 / 522	거문팔기 / 266	검바늘꼴 / 702
깻미꾸리꿰미풀 / 655	깻잔디 / 662	거문소사나무 / 87	검산초롱꽃 / 505
깻미나리 / 373	깻잠자리피 / 660	거문억새 / 646	검섬딸기 / 263
깻바늘꼴 / 703	깻잠자리피속 / 660	거문제비꽃 / 344	검솔잎나리 / 592
깻바랭이 / 632	깻장구채 / 137	거문천남성 / 664	검양웃나무 / 311
깻바위고사리 / 17	깻장대 / 202	거미고사리 / 25	검양웃나무 / 311
깻바위대극 / 304	깻장때 / 202	거미꼬리고사리 / 24	검오미자 / 148
깻바위청사초 / 686	깻제비쑥 / 514	거미난 / 737	검은개선갈퀴 / 424
깻바위패랭이꽃 / 131	깻조풀 / 627	거미난초속 / 737	검은개수염 / 620
깻방동사나 / 710	깻좁쌀풀 / 399	거미돌담고사리 / 26	검은것사초 / 679
깻방풍 / 375	깻주머니 / 198	거미란 / 737	검은겨이삭 / 621, 622
깻방풍속 / 375	깻줄고사리 / 11	거미란초 / 737	검은고위끼람 / 620
깻벼들 / 78	깻쥐똥나무 / 190	거미사철고사리 / 26	검은곡정초 / 619, 620
깻별꽃 / 132	깻지치 / 436	거미애기꼬리고사리 / 26	검은꼬리사초 / 696
깻별꽃속 / 132	깻지치속 / 436	거미일엽초 / 25	검은꽃낳아초 / 235
깻보리 / 634	깻질갱이 / 401	거미줄풀 / 465	검은꿩의밥 / 617
깻보리사초 / 682	깻질갱이 / 401	거복꼬리 / 104	검은꿩의밥풀 / 617
깻보리속 / 633	깻질경 / 401	거북꼬리 / 104	검은낭아초 / 235
깻봄마지 / 398	깻질경파 / 401	거세털개지치 / 437	검은낭아초속 / 235
깻봄맞이 / 398	깻질경속 / 401	거센털꽃마리 / 437	검은노린재나무 / 403
깻봄맞이꽃 / 398	깻질경이 / 401, 483, 484	거센털석잠풀 / 459	검은도루박이 / 715
깻부용 / 335	깻채송화 / 219	거신텔사초 / 682	검은딸기 / 263
깻부추 / 583	깻천문동 / 585	거신텔피 / 641	검은바늘꼴 / 702
깻불금초 / 568	깻청사초 / 672	거십초 / 301	검은별고사리 / 27
깻뿌리방동사나 / 700	깻취 / 550	거제딸기 / 266	검은별수염풀 / 620
깻사상자 / 373	깻치자풀 / 428	거제문딸기 / 266	검은분비 / 63
깻사상자속 / 373	깻톱풀 / 507	거제물봉선 / 317	검은삿갓나물 / 598
깻사스레피나무 / 190	깻패랭이꽃 / 131	거제수나무 / 84	검은솜아마존 / 418
깻사철쑥 / 512	깻피막이 / 376	거지덩굴 / 330	검은오미자 / 148
깻사초 / 671	깻피아재비 / 654	거지덩굴속 / 330	검은재나무 / 403
깻새삼 / 433	깻하늘지기 / 707	거지딸 / 266	검은종덩굴 / 164
깻솔나물 / 146	깻향미나리 / 375	거지딸기 / 266	검정개관중 / 54
깻쇠돌피 / 654	깻현호색 / 197, 198	거친과남풀 / 413	검정개수염 / 619
깻쇠보리 / 641	깻활랑나물 / 291	거친엉겅퀴 / 531	검정겨이삭 / 622
깻시호 / 372	깻활랑나물속 / 291	거친잎노방덩굴 / 320	

검정고위까람 / 619	겨울딸 / 262	고란초과 / 54	고사리삼과 / 8
검정곡정초 / 619	겨울딸기 / 262	고란초속 / 59	고사리삼속 / 8
검정괭이눈 / 223	겨울사리좀피나무 / 309	고랭이속 / 714	고사리속 / 18
검정나리 / 588	겨이삭 / 621, 622	고려개보리 / 640	고산구슬봉이 / 414
검정납작꼴풀 / 614	겨이삭사초 / 686	고려겨이삭 / 622	고산구슬봉이 / 414
검정말 / 575	겨이삭속 / 621	고려공작고사리 / 19	고산달래 / 584
검정말속 / 574	겨이삭아재비 / 118	고려김의털 / 637	고산바디 / 371
검정물봉선 / 317	겨이삭여뀌 / 118, 123	고려까치수염 / 398	고산봄맞이 / 396
검정박주가리 / 420	겨자냉이 / 209	고려깨풀 / 463	고산송이풀 / 471
검정방동사니 / 709	겨자복주머니란 / 723	고려꽃꼬리풀 / 398	고산제비란 / 734
검정방동사니속 / 709	겨장대여뀌 / 123	고려꾸렙이풀 / 655	고삼 / 291
검정방동산이 / 698, 709	겨풀 / 641, 642	고려꿩의비름 / 217	고삽속 / 291
검정별수염풀 / 619	겨풀속 / 641	고려땅비짜리 / 283	고성골 / 715
검정비녀골 / 614	겹개구리사초 / 676	고려뱀고사리 / 37	고슴도치풀 / 335
검정비녀골풀 / 614	겹금매화 / 177	고려사초 / 696	고슴도치풀속 / 335
검정비늘고사리 / 41	겹넘나물 / 589	고려솜나물 / 558	고싱아대 / 110
검정사초 / 670, 678	겹도라지 / 506	고려쉽싸리 / 449	고양나무 / 325, 402
검정송이풀 / 470	겹돌잔고사리 / 18	고려쑥방뱅이 / 568	고양짜리 / 288
검정알나무 / 407	겹동강할미꽃 / 170	고려억새 / 645	고양이수염 / 711
검정여로 / 606	겹산종덩굴 / 162	고려엉겅퀴 / 531	고욤나무 / 402
검정진들파 / 638, 639	겹산철쭉 / 391	고려점나도나물 / 130	고위깃돔 / 619
검정탁래사초 / 687	겹양지꽃 / 245	고려조릿대 / 657	고유 / 97
검정털고사리 / 51	겹원추리 / 589	고려조밥나물 / 540	고창고랭이 / 714
검정풀매화 / 235	겹종덩굴 / 162	고려조밥나무 / 272	고채목 / 85
검정하늘지기 / 706	겹참나물 / 379	고려조밥나물 / 540	고초냉이 / 207, 209
검정하늘직이 / 706	경목 / 69	고려좁쌀풀 / 463	고초풀 / 466
검종덩굴 / 164	경복 / 69	고려종덩굴 / 162	고추나무 / 325
검팽나무 / 96	경성사초 / 669	고려하늘직이 / 705	고추나무과 / 325
검피사초 / 679	경성서델취 / 556	고려호리깨나무 / 326	고추나무속 / 325
검화 / 307	경성제비꽃 / 345	고로보이짚신나물 / 233	고추나물 / 191
곁보리사초 / 682	경천 / 213	고로쇠나무 / 313, 314	고추냉이 / 209
계루기 / 501	계곡고사리 / 50	고로쇠생강나무 / 150	고추냉이속 / 209
계바다말 / 579	계뇨등 / 429	고로실나무 / 314	고추풀 / 465
계박쥐나물 / 551	계룡쇠물풀례 / 406	고리버들 / 79	고치대꽃 / 163
겨락겨사초 / 687	계박쥐나물 / 551	고리비아리 / 306	고치대풀 / 163
겨사초 / 686	계수나무 / 63	고마리 / 123	고치때나무 / 325
겨여뀌 / 123	계요등 / 429	고만이 / 123	곡정초 / 619
겨우사리 / 109	계요등속 / 429	고만잇대 / 123	곡정초과 / 619
겨우사리나무 / 323	계우옥잠난초 / 731	고변 / 371	곡정초속 / 619
겨우사리덩굴 / 421	고광나무 / 229, 274	고본 / 371	곤드비 / 550
겨우사리백문동 / 597	고광나무속 / 229	고비 / 12	곤드래 / 531
겨우사리사초 / 685	고깔오랑캐 / 347	고비고사리 / 21	곧은팽이밥풀 / 297
겨우사리참꽃 / 389	고깔제비꽃 / 347	고비고사리속 / 21	곧은까치수염 / 397
겨우사리참꽃나무 / 389	고들빼기 / 532, 534	고비과 / 11	곧은꽃꼬리풀 / 397
겨우살이 / 109	고들빼기속 / 532	고비속 / 11	곧은담배풀 / 467
겨우살이과 / 109	고들빼이 / 532	고사리 / 18	곧은별꽃 / 141
겨우살이속 / 109	고란초 / 59	고사리삼 / 9, 10	

골개고사리 / 35	공작고사리속 / 19	광릉골 / 712	구름꽃다지 / 209
골고사리 / 25	공작지네고사리 / 46	광릉골무꽃 / 457, 458	구름꿩밥 / 616
골담초속 / 278	공정싸리 / 306	광릉나비염풀 / 630	구름꿩의다리 / 617
골도라지 / 506	과꽃 / 526	광릉말굴레 / 296	구름꿩의밥 / 617
골등골나물 / 538	과꽃속 / 526	광릉말굴레풀 / 296	구름꿰미풀 / 652
골매발톱꽃 / 162	과남풀 / 413, 414	광릉복주머니란 / 722	구름나리란 / 730
골무꽃 / 457	곽자신나무 / 315	광릉요강 / 722	구름나무 / 250
골무꽃속 / 456	곽향 / 459	광릉요강꽃 / 722	구름난초 / 737
골뱅이 / 354	곽향속 / 459	광릉용수염 / 630	구름노랑제비꽃 / 342
골병풍 / 221	관모개미자리 / 132	광릉제비꽃 / 343	구름딱쑥 / 510
골분취 / 560	관모개미자리속 / 132	광릉족제비고사리 / 50	구름란초 / 737
골사초 / 669	관모두메자운 / 290	광릉쥐오줌풀 / 497	구름며느리밥풀 / 468
골여뀌 / 120	관모박새 / 605	광릉털중나리 / 591	구름미나리아재비 / 171
골잎님나물 / 589	관모봉쥐손이 / 299	광리신나무 / 315	구름바구지 / 171
골잎원추리 / 589, 590	관모여뀌 / 120	광양나비나물 / 295, 296	구름바늘꽃 / 358
골좁도라지 / 506	관모인가목 / 258	꽝이신나무 / 315	구름범꼬리풀 / 111
골평풍 / 221	관모포아풀 / 654	팽이 / 687	구름범의귀 / 225
골풀 / 614	관악잔대 / 501	팽이눈 / 222	구름범의귀풀 / 225
골풀과 / 613	관증 / 46	팽이눈속 / 222	구름병아리난초 / 736
골풀속 / 613	관증과 / 42	팽이밥과 / 297	구름병아리란 / 736
골풀아재비 / 702, 711	관증속 / 45	팽이밥속 / 297	구름사초 / 695
골풀아재비속 / 711	광개고사리 / 40	팽이사초 / 687	구름산괴쑥 / 510
골하늘작이 / 709	광나무 / 406, 407	팽이수염 / 711	구름송이풀 / 471
곰고사리 / 48, 50	광능갈퀴 / 296	팽이신나무 / 315	구름술때랭이꽃 / 131
곰달유 / 550	광능갈기 / 296	팽이싸리 / 287	구름오이풀 / 266, 267
곰딸 / 262, 263	광능개밀 / 621	괴발딱지 / 509	구름제비꽃 / 342, 735
곰딸기 / 265	광능골 / 712	괴발땅취 / 509	구름제비난 / 735
곰말채나무 / 363	광능골무꽃 / 457	괴불나무 / 488, 489	구름제비란 / 735
곰반송 / 66	광능물푸레나무 / 406	괴불이끼 / 12, 13	구름처녀이끼 / 13
곰병나무 / 95	광능오랑캐 / 343	괴불이끼속 / 12	구름체꽃 / 498
곰비늘고사리 / 49, 50	광능요강꽃 / 722	괴불주머니 / 198	구름털제비꽃 / 342
곰솔 / 66	광능용수염풀 / 630	괴승아 / 126	구름패랭이꽃 / 131
곰의국화 / 568	광대나물 / 449	괴승애 / 126	구리대 / 369
곰의꼬아리 / 461	광대나물아재비 / 477	괴싱아 / 126	구리때 / 369
곰의꽈리 / 461	광대수염 / 448	괴쑥 / 510, 553	구린내나무 / 440
곰의딸 / 262, 265	광대수염속 / 448	괴쑥부쟁이 / 520	구릿대 / 368, 369
곰의딸기 / 265	광대싸리 / 306	교래잠자리피 / 660	구릿대나무 / 440
곰의말채 / 363	광대싸리속 / 306	구계쑥부장이 / 519	구릿때 / 369
곰의말채나무 / 363	광대쑥 / 512	구계쑥부쟁이 / 519	구명이 / 531
곰의수해 / 518	광대작약 / 461	구내풀 / 652	구메리나물 / 521
곰취 / 548, 550	광덕미치광이풀 / 461	구도토리나무 / 93	구메린사초 / 679
곰취속 / 548	광릉갈퀴 / 296	구력싸리 / 306	구베리미나리아재비 / 172
곱새고사리 / 37	광릉갈퀴나물 / 296	구령내풀 / 440	구상나무 / 63
곱슬사초 / 676, 678	광릉개고사리 / 34	구례종덩굴 / 165	구상난풀 / 386
곱향나무 / 67	광릉개밀 / 621	구름골풀 / 616	구상란풀 / 386
곳섬찬고사리 / 40	광릉개밀속 / 621	구름국화 / 537	구설초 / 568
공작고사리 / 20	광릉개울미 / 630	구름금잔화 / 537	구슬갓냉이 / 211

구슬갓냉이 / 211	구와잎각시취 / 558	귀룡나무 / 250	금강봄마지 / 396
구슬개갓냉이 / 211	구와쥐손이 / 298	귀룽나무 / 250	금강봄맞이 / 396
구슬개고사리 / 34	구와쥐손이풀 / 298	귀룽목 / 305	금강봄맞이꽃 / 396
구슬골무꽃 / 457	구와취 / 560	귀목 / 98	금강분취 / 555
구슬꽃나무 / 422	구절창포 / 161	귀박쥐나물 / 551	금강비비추 / 590
구슬꽃나무속 / 422	구절초 / 535	귀신나무 / 147	금강산뚝사초 / 677
구슬꽃대나물 / 138	구절초속 / 534	규목 / 98	금강산애기며느리밥풀 / 468
구슬난초 / 728	구지뽕나무 / 100	그늘고사리 / 19, 39	금강산제비꽃 / 342
구슬냉이 / 203, 211	구체고사리 / 33	그늘골무꽃 / 456, 458	금강산처녀이끼 / 13
구슬댕댕이 / 489	구화바람꽃 / 161	그늘과남풀 / 412	금강소나무 / 64
구슬댕댕이나무 / 489	국경찔레 / 259	그늘꿩의다리 / 176	금강솜방망이 / 568
구슬바위취 / 224	국수나무 / 274	그늘들썩귀 / 154	금강쑥 / 511
구슬범의귀 / 224	국수나무속 / 274	그늘룡담 / 412	금강아지풀 / 658
구슬봉이 / 413	국화 / 527	그늘모시대 / 501	금강애기나리 / 603
구슬봉이 / 413	국화갈퀴 / 424	그늘바람꽃 / 161	금강오랑캐 / 342
구슬비녀풀 / 615	국화과 / 507	그늘별꽃 / 141	금강용등굴레 / 601
구슬사리 / 7	국화마 / 609	그늘보리뱅이 / 547	금강인가목 / 242
구슬사초 / 696	국화바람꽃 / 161	그늘분취 / 560	금강인가목속 / 242
구슬살이 / 7	국화방망이 / 568	그늘사초 / 680, 682	금강일엽초 / 55
구슬속속이풀 / 211	국화수리취 / 565, 566	그늘새 / 643	금강잔대 / 502
구슬송이풀 / 470	국화으아리 / 166	그늘송이풀 / 470	금강제비꽃 / 342
구슬실꿰미풀 / 651	국화잎가막사리 / 524	그늘실사초 / 696	금강찔레 / 258
구슬율무꽃 / 716	국화잎각시분취 / 558	그늘쑥 / 517	금강처녀이끼 / 13
구슬잣밤나무 / 90	국화잎쑥 / 513	그늘암고사리 / 39	금강초롱 / 505
구슬피나무 / 334	국화쥐손이 / 298	그늘침나물 / 380	금강초롱꽃속 / 505
구슬황새냉이 / 203	국화쥐손이속 / 298	그늘취 / 560	금강포아풀 / 652
구실개울미 / 716	굳은산딸나무 / 363	그늘한들고사리 / 19	금강피나무 / 334, 335
구실냉이 / 211	굴거리 / 307	그늘흰사초 / 690	금괭이눈 / 223
구실바위취 / 224	굴거리나무 / 307	그령 / 635	금꿩의다리 / 176
구실바위취속 / 224	굴거리나무과 / 306	그멜린사초 / 679	금나리 / 594
구실봉이 / 413	굴거리나무속 / 306	그풀나도황기 / 281	금난초 / 719
구실봉이 / 413	굴나무 / 311	그풀사초 / 698	금낭화 / 199
구실사리 / 7	굴밤나무 / 93	근대아재비 / 401	금낭화속 / 199
구실쑥 / 513	굴짜리 / 306	금가라지풀 / 658	금떡쑥 / 554
구실잣밤나무 / 90	굴참나무 / 93	금가락풀 / 176	금란 / 719
구실잣밤나무 / 90	굴태나무 / 74	금강가물고사리 / 32	금란초 / 442, 719
구아쥐손이 / 298	굴피나무 / 74	금강개나리 / 405	금마타리 / 496
구와가막사리 / 524	굴피나무속 / 74	금강개미피 / 627	금매화 / 177
구와가막살 / 524	굴황피나무 / 74	금강개밀 / 634	금매화속 / 177
구와각시취 / 558	굵실사초 / 680	금강개박달 / 84	금매화아재비 / 170
구와갈퀴 / 424	굵은가래 / 577	금강고사리 / 45, 55	금방동사니 / 699
구와꼬리풀 / 471	굵은들쭉나 / 393	금강국수나무 / 242	금방동산이 / 699
구와말 / 465	굽은노란장대 / 212	금강금매화 / 274	금방망이 / 562
구와말속 / 464	굿가시나무 / 100	금강꾸렙이풀 / 652	금방망이속 / 561
구와바람꽃 / 161	궁궁이 / 370	금강꿰미풀 / 652	금불초 / 541
구와쑥 / 517	권영초 / 522	금강바늘꽃 / 357	금불초속 / 541
구와으아리 / 166	귀뚱나무 / 407	금강백주가리 / 419	

금붓꽃 / 611	기린초 / 217	진동강할미꽃 / 170	긴잎꿩의다리 / 176
금붕어풀 / 361	기린초속 / 217	진동아물수세미 / 360	긴잎끈끈이주걱 / 194
금빛고사리 / 41	기생깨풀 / 463	긴들쭉나무 / 393	긴잎나무딸기 / 263
금산비비추 / 591	기생꽃 / 401	긴뚝갈 / 495	긴잎나비나물 / 296
금산자주난초 / 725	기생꽃속 / 401	긴매자잎벼들 / 76	긴잎네잎갈퀴 / 294
금산자주란초 / 725	기생여뀌 / 124	긴명울풀 / 105	긴잎느티나무 / 98
금새우난 / 718	기생초 / 401	긴목포사초 / 677	긴잎다정큼 / 257
금새우난초 / 718	기수초 / 146	긴물레나물 / 191	긴잎다정큼나무 / 257
금새우란 / 718	기슬박달 / 315	긴미꾸라지낚시 / 118	긴잎단풍딸기 / 265
금소루장이 / 127	기슬고사리 / 18	긴미꾸리 / 118	긴잎덜찧나무 / 492
금소루쟁이 / 127	기장대풀 / 640	긴미꾸리낚시 / 118, 121	긴잎도깨비고비 / 43
금소리쟁이 / 127	기장대풀속 / 640	긴방울고랭이 / 715	긴잎떡벼들 / 78
금송구지 / 127	기장사초 / 689	긴병꽃풀 / 446	긴잎련꽃 / 181
금수목 / 190	기장새 / 659	긴분취 / 558	긴잎매자벼들 / 76
금쑥 / 511	기장속 / 648	긴뿌리사초 / 674	긴잎백문동 / 597
금역새 / 646	기장조팝나무 / 271	긴사상자 / 378, 383	긴잎명석딸기 / 264
금오돌또기 / 153	기장풀속 / 650	긴사상자속 / 377	긴잎모시풀 / 104
금오오돌또기 / 153	기주조릿대 / 656	긴산각시취 / 560	긴잎물푸레들메나무 / 405
금오족도리풀 / 186	긴가래나무 / 73	긴산개나리 / 405	긴잎미꾸리낚시 / 118
금오치자 / 411	긴개관중 / 53	긴산꼬리풀 / 473	긴잎박달 / 84
금원추리 / 589	긴개별꽃 / 135	긴산취 / 560	긴잎벼들분취 / 558
금윤판나물 / 587	긴개싱아 / 110	긴생열귀나무 / 258	긴잎범의꼬리 / 111
금은연 / 418	긴갯고들빼기 / 533	긴서나무 / 87	긴잎별꽃 / 141
금은초 / 541	긴갯금불초 / 568	긴서어나무 / 87	긴잎별이끼 / 483
금은화 / 487	긴겨이삭 / 622	긴수염취잔디 / 660	긴잎사시나무 / 75
금자난 / 725	긴고채목 / 85	긴쐐기풀 / 108	긴잎사철나무 / 323
금자란 / 725	긴괭이짜리 / 287	긴쑥부쟁이 / 520	긴잎산딸기 / 263
금자란속 / 725	긴괴불주머니 / 198	긴양지꽃 / 246	긴잎산박하 / 447
금족제비고사리 / 48	긴구실봉이 / 414	긴여름꽃고사리 / 10	긴잎산조팝나무 / 270
금좁쌀풀 / 398	긴깨잎오리방풀 / 447	긴열매다릅나무 / 289	긴잎새완두 / 293
금창초 / 442	긴깨묵 / 540	긴오이풀 / 267	긴잎서나무 / 87
금털고사리 / 41	긴꼬리사초 / 690	긴윤노리나무 / 242	긴잎선백미꽃 / 420
금렬고사리과 / 41	긴꼬리쐐기풀 / 108	긴이삭사초 / 690	긴잎송구지 / 127
금렬고사리속 / 41	긴꼭지좀꿩의다리 / 175	긴이삭서어나무 / 87	긴잎여로 / 605
금렬미나리아재비 / 171	긴꼭지천선과 / 100	긴이질풀 / 298	긴잎여우벼들 / 82
금흔초 / 541	긴꽃고사리 / 10	긴이팝나무 / 404	긴잎오이풀 / 267
금흔초속 / 541	긴꽃고사리삼 / 10	긴잎가래 / 576	긴잎용담 / 414
괴주조릿대 / 656	긴꽃대황기 / 277	긴잎가막살나무 / 492	긴잎으아리 / 167
기는팽이눈 / 222	긴꽃며느리밥풀 / 467	긴잎가막살이 / 524	긴잎장다리풀 / 144
기는미나리아재비 / 173	긴꽃쥐손이 / 300	긴잎갈퀴 / 423	긴잎제비꽃 / 346
기름나물 / 379	긴나무딸기 / 263	긴잎개박달나무 / 84	긴잎조록싸리 / 287
기름나물속 / 378	긴네잎갈퀴 / 294	긴잎고사리 / 57	긴잎조팝나무 / 273
기름당귀 / 377	긴다람쥐꼬리 / 3	긴잎고추풀 / 462	긴잎쥐오줌 / 497
기름당귀속 / 377	긴담배풀 / 526	긴잎곰취 / 549	긴잎쥐오줌풀 / 497
기름새 / 659	긴당잔대 / 502	긴잎광대수염 / 448, 449	긴잎지이풀푸래 / 405
기름새속 / 659	긴도둑놈의갈고리 / 282	긴돌가시나무 / 255	긴잎질경이 / 483
기린국화 / 527			

긴잎치자풀 / 428	깃덤불취 / 556	깔끔억새 / 646	꼬리쇠고사리 / 43
긴잎털광대수염 / 448	깃돌잔고사리 / 18	깔끔잔대 / 501	꼬리쐐기풀 / 108
긴잎풍계나무 / 96	깃반쪽고사리 / 23	깔끔좁쌀풀 / 463	꼬리조팝나무 / 273
긴잎화살여뀌 / 116	깃신갈나무 / 92	깔큼깨풀 / 463	꼬리죽제비고사리 / 47
긴잎황새냉이 / 204	깃웃신갈 / 94	깨금나무 / 88	꼬리진달내 / 389
긴잎회양목 / 325	깃웃신갈나무 / 92	깨나물 / 447	꼬리진달래 / 389
긴자루사초 / 690, 695	깃주름고사리 / 40	깻잎나물 / 447	꼬리창풀 / 482
긴잔솔잎사초 / 673	깃참나무 / 92	깻잎오리방풀 / 447	꼬리천남성 / 664
긴조팝나무 / 273	까락겨사초 / 687	깻타리 / 440	꼬리취란화 / 401
긴주걱고사리 / 20	까락골 / 702	깻통발 / 481	꼬리풀 / 454, 465, 472
긴쥐방울 / 184	까락사초 / 669	깻풀 / 302, 400, 441	꼬리풀속 / 471
긴지리산물푸레나무 / 405	까락향기풀 / 623	깻풀속 / 302	꼬리호모초 / 144
긴진들피 / 638	까마귀머루 / 332	깻목 / 540	꼬마냉이 / 207
긴질경이 / 483	까마귀밥여름나무 / 230, 231, 493	깻잎나물 / 447	꼬마돌찌귀 / 155
긴콩짜개덩굴 / 55	까마귀밥여름나무 / 230, 231	깻잎오리방풀 / 447	꼬마동의나물 / 162
긴털갯쑥부쟁이 / 518	까마귀배개 / 327	깽깽이냉이 / 207	꼬마리 / 123
긴털꽃잔대 / 501	까마귀배개속 / 327	깽깽이풀 / 179	꼬마물봉선 / 318
긴털댕강나무 / 485	까마귀배개 / 327	깽깽이풀속 / 179	꼬마부들 / 667
긴털제비꽃 / 348	까마귀쪽나무 / 151	깽이풀 / 179	꼬마수련 / 182
긴팟배 / 268	까마귀쪽나무속 / 151	꺼그렁나무 / 363	꼬마은난초 / 719
긴펴진고사리 / 47	까막까치밥나무 / 233	껄껄이풀 / 540	꼬인용담 / 415
긴호모초 / 143	까막바늘까치밥나무 / 231	깰끔모싯대 / 501	꼭두서니 / 430
긴화살미꾸라지낚시 / 116	까무릇 / 665	깰끔방동사니 / 710	꼭두서니과 / 422
긴화살사초 / 671	까실쑥부쟁이 / 518	깰끔방동산이 / 710	꼭두서니속 / 430
긴화살여뀌 / 116	까실쑥부쟁이 / 518	깰끔잔대 / 501	꼭두선이 / 430
긴흑삼능 / 666	까자귀나무 / 325	깰큼방동산이 / 710	꼭두선이아재비 / 430
긴흑삼름 / 666	까치고들빼기 / 532	깰큼취 / 518	꼭지돌배나무 / 255
길갱이 / 649	까치고들빼이 / 532	껍질새 / 643	꼭지송이풀 / 471
길경 / 483, 506	까치깨 / 333	껍질용수염 / 630	꼭지연잎꿩의다리 / 175
길꼴풀 / 616	까치깨속 / 333	껍질용수염풀 / 630	꼭지윤노리 / 242
길독사초 / 672	까치다리 / 195	께목 / 540	꼭지윤노리나무 / 242
길독사초 / 672	까치무릇 / 604	께목속 / 540	꼭지윤여리 / 242
길마가지 / 487	까치박달 / 86, 312, 315	꼬랑사초 / 686	꼭지천선과 / 100
길마가지나무 / 487	까치발 / 524	꼬리겨우사리 / 109	꼴하늘직이 / 709
길마기나무 / 487	까치밥 / 700	꼬리겨우살이 / 109	꼴하늘지기 / 709
길잡이풀 / 633	까치밥나무 / 231	꼬리겨우살이과 / 108	꽁지기름새 / 660
길장구 / 483	까치밥나무과 / 230	꼬리겨우살이속 / 108	꽁지꽃 / 465
길초 / 497	까치밥나무속 / 230	꼬리고사리 / 24	꽃갈퀴 / 423, 426
김꼭지꿩의다리 / 175	까치방동사니 / 700	꼬리고사리과 / 23	꽃개감채 / 595
김의골풀 / 616	까치수염 / 397	꼬리고사리속 / 23	꽃개회나무 / 411
김의난초 / 720	까치수염꽃나무 / 383	꼬리까치밥나무 / 231	꽃고들배기 / 534
김의털 / 637, 680	까치수영 / 114, 397	꼬리난초 / 731	꽃고들빼기 / 532
김의털속 / 636	까치오줌요강 / 184	꼬리말발도리 / 226	꽃고비 / 431
김의털아재비 / 638	까치취 / 547	꼬리사초 / 681	꽃고비속 / 431
깃고들빼기 / 532	까치취 / 547	꼬리새 / 626, 659	꽃금매화 / 177
깃고사리 / 24	까침박달 / 238, 312	꼬리서털취 / 559	꽃꼬리풀 / 397
깃대나물 / 213	깔깔이풀 / 436	꼬리솔나물 / 427	

꽃꿩의다리 / 176	꽃쥐순이 / 300	끈끈이대나물 / 139	나도냉이속 / 202
꽃나물 / 199	꽃창포 / 604, 610	끈끈이딱지 / 246	나도넉줄고사리 / 42
꽃나비란초 / 723	꽃충총이꽃 / 443	끈끈이딱지꽃 / 246	나도논피 / 633
꽃냉이 / 206	꽃패랭 / 130	끈끈이여뀌 / 124	나도담배풀 / 554
꽃다지 / 209	꽃패랭이꽃 / 130, 131	끈끈이장구채 / 139	나도대싸리 / 142
꽃다지속 / 208	꽃피나무 / 333	끈끈이장구채속 / 137	나도랩싸리 / 142
꽃대 / 184	꽃하늘직이 / 668	끈끈이주걱 / 194	나도랩싸리속 / 142
꽃대냉이 / 202	꽃하늘직이 / 668	끈사초 / 673	나도딱총나무 / 325
꽃대원추리 / 589	꽃향유 / 445	끈적쥐꼬리풀 / 581	나도딸기꽝이 / 628
꽃따지 / 437	꽃황새냉이 / 203, 206	끈제기나무 / 318	나도딸기꽝이속 / 628
꽃마리 / 434, 437	꽝꽝나무 / 318	꽃비듯초 / 180	나도마름아재비 / 168
꽃마리속 / 437	꽤잎나무 / 305	끼멸가리 / 158	나도마름아재비속 / 168
꽃마리아재비 / 437	쨍나무 / 392	끼멸가리 / 158	나도물통이 / 106
꽃말이 / 437	꾸레미풀 / 651	끼무릇 / 665	나도물통이속 / 106
꽃며느리바풀 / 467	꾸Leaks이풀 / 652	(L)	나도미꾸리 / 120
꽃며느리밥풀 / 467	꾸부령 / 635	나나니난초 / 730	나도미꾸리낚시 / 120
꽃며느리밥풀속 / 467	꾸정나무 / 74	나나리란 / 730	나도바다말 / 579
꽃모시나물 / 500	꾸경나무 / 74	나나별이난초 / 730	나도바람꽃 / 168
꽃바위장포 / 604	꾸지나무 / 99	나는개국화 / 527	나도바람꽃속 / 168
꽃바지 / 434	꾸지딸기 / 266	나도갈퀴리풀 / 279	나도바랭이새 / 644
꽃박새 / 606	꾸지뽕나무 / 100	나도감자がら잎 / 381	나도박달 / 315
꽃받이 / 434	꾸지뽕나무속 / 100	나도감자개발나물 / 381	나도박주가리 / 422
꽃방동사니 / 699, 700	꿀방망이 / 455	나도개감채 / 595	나도밤나무 / 86, 316
꽃방동산이 / 700	꿀풀 / 455	나도개관종 / 53	나도밤나무과 / 316
꽃방망이 / 504	꿀풀과 / 441	나도개미자리 / 133	나도밤나무속 / 316
꽃방맹이 / 504	꿀풀속 / 455	나도개미자리속 / 133	나도방동사니 / 699
꽃방울꼴 / 714	꿩고비 / 11	나도개밀 / 634	나도방동산이 / 699
꽃벼들 / 81	꿩고사리 / 16	나도개피 / 636	나도별사초 / 678
꽃벼무리 / 166	꿩고사리과 / 16	나도개피속 / 636	나도별의귀 / 224, 359
꽃벗나무 / 252	꿩고사리속 / 16	나도겨이삭 / 644	나도별의귀속 / 224
꽃비비추 / 590	꿩밥 / 616	나도겨이삭속 / 644	나도별꽃 / 140
꽃산수국 / 227	꿩의다리 / 174	나도겨풀 / 641	나도별사초 / 678
꽃새애기풀 / 467	꿩의다리속 / 174	나도고랭이 / 714	나도생강 / 618
꽃수염풀 / 448	꿩의다리아재비속 / 174, 178	나도고마리 / 120	나도생강속 / 618
꽃술旆래이꽃 / 131	꿩의바람꽃 / 161	나도고사리삼 / 11	나도송이고랭이 / 713
꽃싸리 / 277	꿩의밥 / 616	나도고사리삼속 / 10	나도송이풀 / 471
꽃싸리속 / 277	꿩의밥속 / 616	나도고추풀 / 465	나도송이풀속 / 471
꽃啐바귀 / 542	꿩의밥풀 / 616	나도광대나물 / 448	나도쇠고사리 / 42, 54
꽃여뀌 / 116, 121	꿩의비름 / 213	나도국수나무 / 242	나도수영 / 115
꽃이질풀 / 300	꿩의비름속 / 213	나도국수나무속 / 242	나도수영속 / 115
꽃잔대 / 500, 501	꿰미풀 / 491, 653	나도그늘사초 / 696	나도수정초 / 386
꽃장대 / 202, 208	꿰미풀속 / 491	나도기름새 / 628	나도수정초속 / 386
꽃장포 / 604, 610	끈끈이귀개 / 194	나도기름새속 / 628	나도승마 / 228
꽃장포속 / 603	끈끈이귀개과 / 194	나도깨풀 / 462	나도승마속 / 228
꽃장포풀 / 604	끈끈이귀개속 / 194	나도꽃마리 / 434	나도싱아 / 115
꽃정향나무 / 411		나도냉이 / 202	나도쓴풀 / 416
			나도씨눈란 / 729

나도애기무엽란 / 720	나문재속 / 145	난쟁이붓꽃 / 613	남정실 / 407
나도양지꽃 / 274	나물승마 / 158	난쟁이사초 / 694	남포미꾸리꿰미풀 / 655
나도양지꽃속 / 274	나물취 / 521	난쟁이현호색 / 197	남포박달 / 84
나도여로 / 584	나비국수나무 / 274	난초과 / 717	남포분취 / 554
나도여로속 / 584	나비나물 / 295	난퇴꼬리풀 / 471	남하늘지기 / 706, 708
나도여우콩 / 291	나비나물속 / 292	난퇴물개암나무 / 88	남활미꽃 / 170
나도옥잠화속 / 587	나비난초 / 736	난티나무 / 97	남흑삼릉 / 666
나도우드풀 / 58	나비난초속 / 736	난티느릅나무 / 97	남작털피 / 649
나도은조롱 / 421	나비란 / 736	난티잎개암나무 / 88	남판나무 / 213
나도은조롱속 / 421	나비란초 / 736	난향초 / 439	낫쇠고사리 / 43
나도잔디 / 659	나비염풀 / 630	날개골 / 614	낭독 / 303
나도잠자리난 / 734	나사고사리 / 58	날개골풀 / 614	낭립산분취 / 559
나도잠자리난초 / 735, 736	나사말 / 575	날개반쪽고사리 / 22	낭립새풀 / 628
나도잠자리란 / 735	나사말속 / 575	날개수송나물 / 145	낭립취소니 / 300
나도제비난 / 733, 735	나사미역고사리 / 58	날개옥잠난초 / 731	낭립취 / 559
나도제비란 / 725, 733	나사줄말 / 579	날개진범 / 155	낭아땅비싸리 / 283
나도제비란속 / 724	나생이 / 203	날개하늘나리 / 593	낭아초 / 283
나도좁진고사리 / 38	나승개 / 203	날개현호색 / 195	낭임메뛰기피 / 628
나도진퍼리고사리 / 27	나자스말 / 580	남가새 / 302	낭탕 / 461
나도톱지네고사리 / 46	나자스말과 / 580	남가새과 / 302	내버들 / 77
나도파초일엽 / 25	나자스말속 / 580	남가새속 / 302	내생이 / 203
나도풍란 / 734	나제승마 / 157	남개보리뱅이 / 547	내장고사리 / 41
나도풍란속 / 734	나한송 / 68	남개연 / 181	내장금란초 / 442
나도하수오 / 113	낙동구절초 / 535	남개연꽃 / 181	내장단풍 / 313
나도합나리나무 / 316	낙동나사말 / 575	남구절초 / 536	냇버들 / 77
나도황기 / 281	낙시사초 / 681	남꾸Leaks이풀 / 655	냇사초 / 671
나도히초미 / 53	낙시오랑캐 / 342	남도톱지네고사리 / 48	냇씀바귀 / 545
나래미역취 / 563, 564	낙지다리 / 220	남도현호색 / 197	냉이 / 203
나래박쥐나물 / 551	낙지다리과 / 220	남모시 / 103	냉이속 / 203
나래반쪽고사리 / 22	낙지다리속 / 220	남바람꽃 / 160	냉초 / 476
나래사초 / 677	낙지다리풀 / 220	남방개 / 702	냉초속 / 476
나래새 / 621	낙시고사리 / 51	남방고사리 / 43, 57	너도개미자리 / 133
나래새속 / 620	낙시돌꽃 / 428	남방고사리속 / 43	너도고랭이 / 716
나래솜나물 / 558	낙시돌풀 / 428	남방꿩의다리 / 174	너도고랭이속 / 716
나래수송나물 / 145	낙시사초 / 677	남방바람꽃 / 160	너도꼭두서니 / 430
나래완두 / 293	낙시오랑캐 / 342	남방별꽃 / 138	너도꼭두선이 / 430
나래취 / 558	낙시제비꽃 / 342	남분취 / 555	너도바람꽃 / 168
나래회나무 / 323, 324	난나풀 / 465	남사초 / 683	너도밥나무 / 90
나리 / 593	난사초 / 682	남산동근잎천남성 / 663	너도밥나무속 / 90
나리난초 / 730	난장이고사리삼 / 9	남산오랑캐 / 340	너도방동사니 / 700
나리난초속 / 730	난장이벼들 / 77	남산제비꽃 / 340	너도방동산이 / 700
나리란 / 730	난장이붓꽃 / 613	남산천남성 / 663	너도양지꽃 / 268
나리잔대 / 500	난장이이끼 / 13	남오미자 / 148	너도양지꽃속 / 268
나무딸기 / 263, 264	난장이현호색 / 197	남오미자속 / 148	너도제비란 / 737
나무딸기기 / 264	난쟁이마디풀 / 125	남을방개 / 702	너도히초미 / 53
나문재 / 146	난쟁이바위솔 / 215	남왕꽃말이 / 434	너른넓잔털오리나무 / 83
	난쟁이바위솔속 / 215	남은재나물 / 146	

너른외잎쑥 / 516	넓은잎꼬리풀 / 471	넓은잎수염새 / 621	네잎말굴레 / 293
너른잎갈퀴 / 292, 293	넓은잎나도잠자리란 / 734	넓은잎싱아 / 110	네잎말굴레풀 / 293
너른잎땅총나무 / 491	넓은잎나래새 / 621	넓은잎오독도기 / 156	네잎삿갓나물 / 598
너른잎천남성 / 663	넓은잎노랑투구꽃 / 153	넓은잎오돌도기 / 156	넷잎갈퀴덩굴 / 423, 424
너삼 / 291	넓은잎능암 / 291	넓은잎오랑캐 / 345	노가나무 / 402
너울겨이삭 / 622	넓은잎다래나무 / 188	넓은잎외대쑥 / 516	노가리나무 / 69
너울취 / 555, 557	넓은잎당마가목 / 269	넓은잎외잎쑥 / 516	노가주나무 / 67
넉줄고사리 / 54	넓은잎대새풀 / 629	넓은잎용수염풀 / 630	노가지나무 / 67, 190
넉줄고사리과 / 54	넓은잎댕댕이 / 486	넓은잎이팝나무 / 336	노가지향나무 / 67
넉줄고사리속 / 54	넓은잎댕댕이나무 / 486	넓은잎잔대 / 499	노각나무 / 190
년출비수리 / 286	넓은잎도둑놈의갈구리 / 282	넓은잎잡자리란 / 734	노간주나무 / 67
년출수국 / 228	넓은잎돌찌기 / 156	넓은잎정향나무 / 409	노간주비짜루 / 586
년출월귤 / 393	넓은잎두루미피 / 629	넓은잎제비꽃 / 345	노간주벗자루 / 586
넓은가는기른초 / 217	넓은잎등갈퀴 / 293	넓은잎쥐오줌풀 / 497	노간주향 / 67
넓은가는기린초 / 217	넓은잎딱지 / 247	넓은잎지붕지기 / 215	노고초 / 170
넓은고로실나무 / 314	넓은잎딱지꽃 / 247	넓은잎진교 / 155	노끈사초 / 673
넓은긴잎갈퀴 / 423	넓은잎딱총나무 / 490, 491	넓은잎진들피 / 639	노나무 / 440
넓은노랑투구꽃 / 153	넓은잎땅총 / 491	넓은잎진퍼리새 / 630	노란까치수염 / 399
넓은도둑갈구리 / 282	넓은잎마름 / 578	넓은잎참가시나무 / 93	노란꽃꼬리풀 / 399
넓은딱지 / 247	넓은잎말 / 578	넓은잎천남성 / 663	노란나비난초 / 734
넓은뭣황기 / 281	넓은잎말곱취 / 538	넓은잎초오 / 156	노란돌찌귀 / 153
넓은별수염풀 / 619	넓은잎말굴레 / 293	넓은잎탐나꼬리풀 / 473	노란뚜깔나무 / 388
넓은비녀골 / 614	넓은잎말굴레풀 / 293	넓은잎털가막사리 / 524	노란만병초 / 388
넓은산꼬리풀 / 473	넓은잎말발도리 / 226	넓은잎팥꽃나무 / 336	노란물봉송 / 317
넓은상동잎쥐똥나무 / 408	넓은잎말즙 / 578	넓은잎피사초 / 698	노란별수선 / 608
넓은옥잠화 / 590	넓은잎맥문동 / 594	넓은잎황새풀 / 704	노란별수선과 / 608
넓은외대쑥 / 516	넓은잎메꽃 / 432	넓은잔대 / 499	노란별수선속 / 608
넓은외잎쑥 / 516	넓은잎물까치수염 / 398	넓은잠자리란 / 734	노란장대 / 212
넓은이팝나무 / 336	넓은잎물여새 / 645	넓은제비꽃 / 345	노란장딸기 / 263
넓은잎가는기린초 / 217	넓은잎미끄러낚시 / 120	넓적나무 / 362	노랑갈퀴 / 293
넓은잎가막사리 / 524	넓은잎바구니나물 / 497	넓적잎사초 / 682	노랑갈기 / 293
넓은잎각시붓꽃 / 612	넓은잎바위밀발도리 / 226	넓적잔대 / 499	노랑개더부사리 / 479
넓은잎갈퀴 / 293	넓은잎바위솔 / 215	넓적나무 / 362	노랑개불알꽃 / 722
넓은잎갈퀴덩굴 / 293	넓은잎박새 / 606	넓적잔대 / 499	노랑개자리 / 289
넓은잎갈기 / 293	넓은잎뱀고사리 / 36	네가래 / 15	노랑갯더부사리 / 479
넓은잎개고사리 / 36	넓은잎버들엉겅퀴 / 529	네가래과 / 15	노랑갯더부살이 / 479
넓은잎개발나물 / 382	넓은잎범고리 / 112	네가래속 / 15	노랑팽이눈 / 223
넓은잎개수염 / 619	넓은잎별수염풀 / 619	네귀쓴풀 / 416	노랑꽃나무 / 320
넓은잎고꽝나무 / 229	넓은잎부들 / 667	네마름 / 354	노랑꽃만병초 / 388
넓은잎고위까람 / 619	넓은잎비녀골 / 614	네모골 / 703	노랑난초 / 725
넓은잎고추나무 / 325	넓은잎비녀골풀 / 614	네일갈퀴 / 423, 424	노랑달래 / 582
넓은잎곡정초 / 619	넓은잎사철나무 / 323	네잎갈퀴 / 293, 296, 424	노랑대극 / 303
넓은잎구절초 / 535	넓은잎사초 / 682	네잎갈퀴아재비 / 427	노랑더부살이 / 480
넓은잎그늘사초 / 689	넓은잎산꼬리풀 / 473	네잎갈키 / 293, 423, 424	노랑등대풀 / 303
넓은잎기린초 / 217, 219	넓은잎산조팝나무 / 270	네잎꼭두선이 / 430	노랑똑갈나무 / 388
넓은잎까치밥 / 231	넓은잎속심풀 / 581	네잎꽃갈퀴 / 293, 423, 424	노랑만병초 / 388
넓은잎까치밥나무 / 231	넓은잎송구지 / 126		

노랑말굴레풀 / 293	노루참나물 / 379, 380, 383	높산분취 / 560	누운얘기울미 / 641
노랑매미꽃 / 199	노루풀 / 220	높은산꿩의밥 / 617	누운얘기울미 / 641
노랑무늬붓꽃 / 611	노린재나무 / 403	높은산꿩의밥풀 / 617	누운양지꽃 / 234
노랑물봉선 / 317	노린재나무과 / 402	높은산꿩이 / 204	누운오랑캐 / 342
노랑물봉송 / 317	노린재나무속 / 402	높은산장대 / 201	누운잣나무 / 65
노랑물봉송아 / 317	노린재풀 / 440	뇌성나무 / 150	누운제비꽃 / 342
노랑미치광이풀 / 461	노박덩굴 / 320	뇌성목 / 150	누운좀비자나무 / 69
노랑민들레 / 567	노박덩굴과 / 319	농암 / 291	누운주름잎 / 466
노랑버들 / 74, 76	노박덩굴속 / 319	누기개나무 / 440	누운측백 / 68
노랑버들옻 / 303	노박따위나무 / 320	누런도깨비바늘 / 524	누운측백나무 / 68
노랑복주머니란 / 722	노방구덤불 / 324	누룩치 / 380	누운털질경이 / 483
노랑부추 / 582	노방덩굴 / 320	누룩치속 / 380	누운패랭이 / 130
노랑붓꽃 / 611	노방페너울 / 320	누룬나무 / 440	누운해변싸리 / 286
노랑새우난초 / 718	노송나무 / 66	누르나무 / 440	누운향나무 / 66
노랑선씀바귀 / 543	노야기 / 445	누른괭이눈 / 222	누은기장대풀 / 641
노랑승마 / 228	노파위나무 / 320	누른꽃바위솔 / 217	누은까치밥나무 / 232
노랑쑥더부사리 / 479	노팡개나무 / 320	누른꽃염 / 582	누은담배풀 / 466
노랑쑥더부살이 / 479	노팡개더울 / 320	누른대나무 / 361	누은동의나물 / 162
노랑어리연꽃 / 418	녹각 / 291	누른독개비바늘 / 524	누은비녀골풀 / 616
노랑어리연꽃 / 418	녹나무과 / 149	누른붓꽃 / 611	누은산냉이 / 206
노랑어린연꽃 / 418	녹나무속 / 149	누른시베리아쑥 / 539	누은쇠채 / 561
노랑오랑캐 / 346	녹다래나무 / 187	누른요강꽃 / 722	누은오랑캐 / 342
노랑오랑캐꽃 / 346	녹두두미 / 292	누른용동굴례 / 598	누은제비꽃 / 342
노랑요강꽃 / 722	녹모사초 / 691	누른종덜굴 / 165	누은주름잎 / 466
노랑원추리 / 590	녹보리똥나무 / 338	누른종명굴 / 165	눈가막사리 / 525
노랑장대 / 212	녹빛사초 / 691	누른털고사리 / 46	눈개비자나무 / 69
노랑장대속 / 212	녹빛실사초 / 669	누른하늘말나리 / 594	눈개승마 / 235
노랑장딸기 / 263	녹색남산제비꽃 / 340	누름꽃오랑캐 / 341	눈개싸리 / 286
노랑제비꽃 / 346	녹연변족도리풀 / 186	누리대 / 380	눈갯벼들 / 78
노랑제주무엽란 / 729	녹털귀룡나무 / 250	누리장나무 / 440	눈갯싸리 / 286
노랑참식나무 / 152	녹화죽백란 / 721	누리장나무속 / 439	눈갯쑥부쟁이 / 519
노랑투구꽃 / 153	논냉이 / 205	누린내풀 / 440	눈괴불주머니 / 198
노랑팽나무 / 96	논두렁사초 / 671	누린내풀속 / 440	눈까치밥나무 / 232
노랑하늘타리 / 352	논둑외풀 / 465	누운개미자리 / 134	눈꺼풀 / 400
노랑황기 / 276	논둑하늘지기 / 708	누운개비자나무 / 69	눈꺼비자나무 / 69
노랑희나무 / 324	논뚝외풀 / 465	누운깻싸리 / 286	눈동의나물 / 162
노루귀 / 169	논뚝하늘지기 / 708	누운겨이삭 / 622	눈범꼬리 / 112
노루귀속 / 168	논뜨기 / 708	누운괴불이끼 / 13	눈분취 / 558
노루귀풀 / 169	논말 / 465	누운괴불이끼속 / 13	눈비녀골풀 / 616
노루목등갈퀴 / 293	논싸리 / 283	누운괴불주머니 / 198	눈비자나무 / 69
노루발 / 388	논피 / 633	누운기장대풀 / 641	눈빛승마 / 157
노루벌속 / 387	논현호색 / 199	누운까치밥나무 / 232	눈빛쑥 / 516
노루발풀 / 388	논황새냉이 / 205	누운노가지나무 / 68	눈사초 / 693
노루삼 / 156	놉방구덩굴 / 320	누운노간주 / 68	눈산벼들 / 77
노루삼속 / 156	놋동이 / 172	누운딱지꽃 / 234	눈산쑥 / 515
노루오줌 / 220	놋동이풀 / 173	누운바구지 / 173	눈상나무 / 66
노루오줌속 / 220	놋젓가락나물 / 153	누운비녀골풀 / 616	눈색이속 / 159

눈송이풀 / 469	니팝나무 / 336	닭장버들 / 76	닭의덩굴속 / 113
눈쇠채 / 561		단간목 / 489	닭의란 / 724
눈썹고사리 / 26	(ㄷ)	단감주나무 / 96	닭의밑씻개 / 618
눈쑥 / 512	다닥냉이속 / 210	단나리 / 593	닭의발씻개 / 618
눈양지꽃 / 234, 246	다닥좀꿩의다리 / 175	단녀삼 / 276	닭의발톱 / 245
눈양지꽃속 / 234	다도새우난초 / 718	단양쑥부쟁이 / 522	닭의비짜루 / 585
눈여뀌바늘 / 359	다도해비비추 / 590	단양쑥부쟁이 / 522	닭의장풀 / 618
눈잣나무 / 65	다람쥐꼬리 / 3	단주낭독 / 304	닭의장풀과 / 618
눈주목 / 69	다람쥐꼬리새풀 / 626	단주대극 / 304	닭의장풀속 / 618
눈차풀 / 278	다래 / 187	단천향나무 / 67	담나산죽 / 657
눈측백 / 68	다래나무 / 187	단포새 / 625	담배깡랭이 / 466
눈포아풀 / 653	다래나무과 / 187	단풍고사리삽 / 9	담배나물 / 526
눈해변짜리 / 286	다래나무속 / 187	단풍나무 / 313, 314, 361	담배대더부살이 / 478
눈향나무 / 66	다래너출 / 187	단풍나무과 / 312	담배분취 / 555
눌맥이천남성 / 664	다래년출 / 187	단풍나무속 / 312	담배취 / 555
눌매기고사리 / 50	다래넝쿨 / 187	단풍딸기 / 265	담배풀 / 466, 526
농박나무 / 487	다릅나무 / 289	단풍마 / 609	담배풀속 / 526
느러진장대 / 207	다릅나무속 / 289	단풍박쥐나무 / 361	담상이삭풀 / 625
느러진장대속 / 207	다리갈 / 651	단풍씨름꽃 / 340	담색바꽃 / 153
느러진장때 / 207	다발골무꽃 / 456	단풍오랑캐 / 340	담색조회풀 / 165
느릅나무 / 97, 98	다발꽃향유 / 446	단풍잎뚜껑덩굴 / 351	담자리꽃 / 237
느릅나무과 / 95	다부돌담고사리 / 26	단풍잎마 / 609	담자리꽃나무 / 237
느릅나무속 / 97	다북고추나물 / 192	단풍잎박쥐나무 / 361	담자리꽃나무속 / 237
느리미고사리 / 50	다북돌담고사리 / 26	단풍잎피막이풀 / 376	담자리참꽃 / 389
느삼 / 291	다북떡쑥 / 510	단풍자래 / 312	담장나무 / 366
느삼나무 / 291	다북떡쑥속 / 509	단풍제비꽃 / 340	담장넝쿨 / 331
느티나무 / 98	다북바위솔 / 215	단풍취 / 509	담장이덩굴 / 331
느티나무속 / 98	다북산괴쑥 / 510	단풍취속 / 509	담쟁이덩굴속 / 330
는장이냉이 / 205	다북산떡쑥 / 510	단풍터리 / 239	담죽 / 651
는쟁이 / 143	다북산새풀 / 627	단풍터리풀 / 239	담죽엽 / 643
는쟁이냉이 / 205	다브리카향나무 / 67	달 / 650, 651	담팔수 / 332
늘어진장대 / 207	다섯가시봉어말 / 183	달구지고사리 / 26	담팔수과 / 332
늘푸른줄딸기 / 262	다시마고사리 / 10	달구지풀 / 292	담팔수나무 / 332
능수버들 / 79, 304, 305	다시마고사리삽 / 10	달래 / 582, 583	담팔수속 / 332
능수쇠뜨기 / 8	다시마일엽초 / 55	달룽계 / 582	담팔수 / 332
능쟁이 / 143	다우리아미나리 / 373	달뿌리풀 / 651	닻꽃 / 415
늦고사리삽 / 10	다우리아향나무 / 67	달주나무 / 96	당가새풀 / 508
늦동굴레 / 599	다정큼나무 / 257	달피 / 333	당개발나물 / 382
늦싸리 / 287	다정큼나무속 / 257	달피나무 / 333	당개서어나무 / 87
늪바구지 / 173	다화개별꽃 / 135	달피팥배나무 / 268	당개지치 / 434
늪벼들 / 76	다후리아별사상자 / 373	닭개비 / 618	당개지치속 / 434
늪사초 / 672	다후리아비짜루 / 585	닭기씻개비 / 618	당고리버들 / 79
늪산사초 / 690	다후리아사상자 / 373	닭의꼬꼬 / 618	당광나무 / 407
늪송이풀 / 469	다후리아수리취 / 565	닭의난초 / 724	당귀 / 370, 378
늪쇠뜨기 / 8	다후리아쥐순이 / 298	닭의난초속 / 724	닭귀버들 / 79
늪피 / 624	닭나무 / 99, 100	닭의덩굴 / 113	
니암나무 / 404	닭나무속 / 99		

당귀속 / 368	대백쇠기나물 / 573	덧꽃울란 / 729
당근속 / 374	대륙금방이 / 562	덧나무 / 490
당나귀나물 / 587	대륙꽃버들 / 80	덩굴갈기 / 424
당느릅나무 / 97	대륙솜버들 / 80	덩굴개곽향 / 460
당단풍 / 314	대마도가시나무 / 259	덩굴개별꽃 / 135
당단풍나무 / 314	대마참나물 / 383	덩굴곽양 / 460
당딱지꽃 / 244	대마참나물속 / 383	덩굴곽향 / 460
당량통담 / 412	대마채송화 / 220	덩굴광대수염 / 446
당마 / 609	대만사초 / 677	덩굴괭이눈 / 222
당마가목 / 270	대만피 / 633	덩굴괴불주머니 / 198
당매자나무 / 178	대문자꽃잎풀 / 225	덩굴꼬리풀 / 475
당모싯대 / 501	대반하 / 665	덩굴난초 / 717
당벼들 / 75	대사초 / 694	덩굴달 / 651
당병꽃나무 / 494	대새풀 / 629	덩굴닭의장풀 / 619
당분취 / 559	대새풀속 / 628	덩굴돌팔 / 279
당비수리 / 286	대성쓴풀 / 412	덩굴들별꽃 / 135
당삽주 / 523	대성쓴풀속 / 412	덩굴들콩 / 291
당아그배나무 / 240	대세풀 / 629	덩굴딸기 / 265
당약 / 416	대송이풀 / 470	덩굴통담 / 415, 417
당약용담 / 412	대스암 / 158	덩굴망사초 / 693
당양지꽃 / 244	대승마 / 158	덩굴며느리주머니 / 195
당엄나무 / 367	대암개발나물 / 382	덩굴모밀 / 116
당음나무 / 367	대암사초 / 674	덩굴미나리아재비 / 173
당잔대 / 501	대암풀 / 717	덩굴미치광이 / 135
당재잘나무 / 93	대애기나리 / 587	덩굴민백미꽃 / 419
당조팝나무 / 272	대엽풍란 / 734	덩굴박주가리 / 420
당키비들 / 79	대왕풀 / 717	덩굴백미 / 419
닻꽃속 / 415	대잎가래 / 578	덩굴뱀딸기 / 245
닻꽃용담 / 415	대잎동굴레 / 598	덩굴별꽃 / 138, 140
닻꽃풀 / 415	대잎바랭이새 / 644	덩굴보리수나무 / 337
대가래 / 578	대잎현호색 / 198	덩굴볼레나무 / 337
대관령제비꽃 / 135	대청 / 210	덩굴부리사초 / 693
대구돌나물 / 213	대청가시나무 / 262	덩굴비수리 / 286
대구돌나물속 / 213	대청부채 / 610	덩굴비짜루 / 585
대구사초 / 689	대청붓꽃 / 610	덩굴사초 / 691
대구으아리 / 166	대청속 / 210	덩굴수국 / 228
대극 / 304	대청우산나물 / 565	덩굴啐바귀 / 544
대극과 / 302	대청지치 / 437	덩굴옻나무 / 311
대극속 / 302	대청지치속 / 437	덩굴용담 / 415, 417
대나물 / 132	대추나무 / 329	덩굴용담속 / 417
대나물속 / 132	대추나무속 / 329	덩굴월귤 / 393
대대추나무 / 258	대택꽝이 / 639	덩불자작나무 / 85
대도가시나무 / 259	대택꽝이 / 639	덩불재작이 / 85
대동가래 / 577	대택보불 / 573	덩불조팝나무 / 273
대동여뀌 / 117	대택비녀골풀 / 616	덩불취 / 556
대둔산오랑캐 / 347	대택사초 / 683, 689	덩풀딸기 / 265
대둔천남성 / 664	대택석남 / 384	덩풀매화 / 224

덩굴호자나무 / 428	독활 / 364	돌잔고사리속 / 18	동희조희풀 / 165
덩굴화점초응달 / 106	돈나무 / 233	돌잔대 / 501	돼지천궁 / 370
덩이뿌리개별꽃 / 135	돈나무과 / 233	돌장미 / 260	돼지풀 / 125, 128, 375
도깨비고비 / 44	돈나무속 / 233	돌조풀 / 627	되범꼬리 / 112
도깨비바늘 / 523, 524	돈나물 / 220	돌좀고사리 / 25	된장뚝갈 / 547
도깨비바늘속 / 523	돈란 / 721	돌좁쌀풀 / 398	된장풀 / 278
도깨비부채 / 224	돈잎꿩의다리 / 175	돌종가시나무 / 91	된장풀속 / 278
도깨비부채속 / 224	돌가시나무 / 91, 259	돌지치 / 435, 436	두 / 336
도깨비사초 / 675	돌갈매나무 / 328	돌참나무 / 92	두가래도깨비바늘 / 524
도깨비쇠고비 / 44	돌기네모풀 / 701	돌창포 / 604	두건일엽 / 56
도깨비엉겅퀴 / 531	돌기장 / 648	돌채송화 / 219	두꺼운골무꽃 / 457
도꼬로마 / 609	돌꽃 / 218	돌콩 / 280	두령꽃 / 353
도둑고양이수염 / 711	돌꽃며느리밥풀 / 467	돌토끼고사리 / 18	두루미꽃 / 595
도둑놈의갈고리 / 282	돌꽃속 / 217, 218	돌팥 / 279, 296	두루미꽃속 / 595
도둑놈의갈고리속 / 281	돌나리 / 224	돌피 / 632	두루미천남성 / 663
도둑놈의지팡이 / 291	돌나물 / 220	돌현삼 / 474	두루미피 / 629
도라지 / 506	돌나물과 / 213	돌회향 / 377	두륜란 / 721
도라지모시나물 / 499	돌나물속 / 219	동강고랭이 / 717	두릅나무 / 364
도라지모시대 / 499	돌단풍 / 224	동강할미꽃 / 170	두릅나무과 / 364
도라지모싯대 / 499	돌단풍속 / 224	동굴인가목 / 261	두릅나무속 / 364
도라지속 / 506	돌달래 / 582	동굴장구채 / 140	두매벼들꽃 / 303
도라지잔대 / 499	돌담고사리 / 25	동근매듭풀 / 283	두매 / 595
도랑꿰미풀 / 652	돌담장이 / 331	동글인가목 / 261	두메가새풀 / 508
도랑이피 / 641	돌동부 / 296	동꿀딸기 / 265	두메갈퀴 / 425
도랭이사초 / 688	돌마타리 / 495	동내엉겅퀴 / 531	두메갈기 / 425
도랭이피 / 641	돌매화나무 / 384	동래엉겅퀴 / 531	두메개고사리 / 35
도랭이피속 / 641	돌머루 / 330, 332	동방진득찰 / 562	두메개미자리 / 133
도루박이 / 715	돌바늘꽃 / 357	동배 / 236	두메겨이삭 / 622
도미황기 / 276	돌바람꽃 / 160	동배나무 / 240, 241	두메고들빼기 / 547
도밤나무 / 90	돌박하 / 453	동백 / 189	두메고란 / 59
도시락나물 / 470	돌방풍 / 372	동백겨우사리 / 109	두메고사리 / 40
도장나무 / 325	돌방풍속 / 372	동백나무 / 150, 189	두메고사리삼 / 9
도정당분취 / 556	돌배 / 255, 256	동백나무겨우사리 / 109	두메괴불이기 / 12
도토리나무 / 91	돌배나무 / 240, 254, 255, 256	동백나무겨우살이 / 109	두메귀리 / 626
독개비바늘 / 524	돌부채 / 222	동백나무겨우살이속 / 109	두메기름나물 / 378, 379
독개비부채 / 224	돌부채속 / 222	동백나무속 / 189	두메김의털 / 637
독개비사초 / 675	돌부채손 / 224	동백사초 / 684	두메까치수염 / 397
독개풀 / 623	돌부추 / 582, 584	동부속 / 296	두메꼬리풀 / 475
독깨비엉겅퀴 / 531	돌뽕나무 / 102	동아나자스팔 / 581	두메꼴풀 / 455
독미나리 / 373	돌사상자 / 374	동의나물 / 162	두메꿩의밥 / 617
독미나리속 / 373	돌산비비추 / 591	동의나물속 / 162	두메꿰미풀 / 652
독바늘사초 / 697	돌서숙 / 627	동의목단풀 / 165	두메나비나물 / 292
독뿌리풀 / 461	돌앵초 / 400	동자꽃 / 133	두메냉이 / 204
독새 / 623	돌양지꽃 / 245	동자꽃속 / 133	두메닥나무 / 336
독새기 / 623	돌외 / 351	동줄삿갓사초 / 675	두메달래 / 583
독새풀 / 623	돌외속 / 351	동지 / 371	두메담배풀 / 527
독요나무 / 234	돌잔고사리 / 18	동청목 / 323	두메당근 / 370

두메대극 / 303	두메청사초 / 672	둥근벌꼬리 / 111	둥근잎제비꽃 / 344
두메득새풀아재비 / 650	두메취 / 560	둥근산꼬리풀 / 473	둥근잎조팝나무 / 270
두메딸기 / 262, 264	두메총총꽃 / 444	둥근산부추 / 584	둥근잎쥐똥나무 / 406
두메땅비수리 / 276	두메총총이 / 444	둥근솟곱고사리 / 50	둥근잎참빗살나무 / 323
두메떡쑥 / 510	두메총총이꽃 / 444	둥근애기고추나물 / 192	둥근잎참조팝나무 / 272
두메마가목 / 270	두메탑꽃 / 444	둥근염주나무 / 334	둥근잎천남성 / 663
두메마디나물 / 132	두메탑풀 / 444	둥근오리방풀 / 446	둥근잎택사 / 573
두메무릇 / 595	두메털이슬 / 355	둥근왕팽나무 / 96	둥근잎풀배나무 / 268
두메미꾸리꽝이 / 638	두메투구꽃 / 475	둥근이질풀 / 298	둥근잎팽나무 / 96
두메미꾸리꽝이 / 638	두메투구풀 / 475	둥근인가목 / 261	둥근잎팽이눈 / 223
두메미꾸리꿰미 / 638	두메포아풀 / 652	둥근잎갈구리풀 / 281	둥근잎현호색 / 198
두메바늘꽃 / 357	두메황기 / 281	둥근잎갈기 / 424	둥근잎호랑가시 / 318
두메박새 / 605	두메황새냉이 / 204	둥근잎개야광 / 236	둥근잔대 / 498, 499
두메방풍 / 379	두메황새풀 / 704	둥근잎고추나무 / 325	둥근잔털제비꽃 / 344
두메부추 / 583	두메흑삼릉 / 666	둥근잎고추풀 / 462	둥근정향나무 / 410
두메분취 / 559	두사람꽃대 / 184	둥근잎곰고사리 / 50	둥근조팝나무 / 270
두메사초 / 672	두잎갈퀴 / 428	둥근잎광나무 / 407	둥근쥐손이 / 298
두메산조아재비 / 650	두잎갈퀴나물 / 292	둥근잎구실잣밤나무 / 90	둥근쥐손이풀 / 298
두메서덜취 / 559	두잎감자난초 / 733	둥근잎깨풀 / 463	둥근지네고사리 / 47
두메소영도리나무 / 494	두잎난초 / 732	둥근잎꿩의비름 / 214	둥근참느릅 / 98
두메속단 / 454	두잎란 / 732	둥근잎노박덩굴 / 320	둥근잎눈까치밥나무 / 98
두메솜나물 / 568	두잎말굴레 / 292	둥근잎눈까치밥나무 / 232	둥근털오랑캐 / 342
두메솜방망이 / 567	두잎약난초 / 720	둥근잎느티나무 / 98	둥근털제비꽃 / 342
두메시호 / 372	두턴부처손 / 6	둥근잎다정큼나무 / 257	둥근팻배나무 / 268
두메실사초 / 696	독새벌꼬리풀 / 111	둥근잎댕댕이 / 486	둥근하늘지기 / 709
두메아편꽃 / 200	독새풀 / 623	둥근잎댕댕이나무 / 486	둥글레사초 / 698
두메애기풀 / 310	독새풀벌꼬리 / 111	둥근잎두릅 / 364	둥글사초 / 675
두메양귀비 / 200	등굴례 / 600	둥근잎마저지나무 / 486	둥글잎갈퀴 / 424
두메양지꽃 / 246	등굴례사초 / 698	둥근잎매듭풀 / 283	둥글잎고리풀 / 473
두메영신초 / 310	등굴례속 / 598	둥근잎며느리밥풀 / 467	둥글잎등에풀 / 462
두메예자풀 / 704	등굴례아재비 / 599	둥근잎명아주 / 142	둥글제비꽃 / 342
두메오리나무 / 82	등굴별꽃 / 138	둥근잎미치광이 / 135	둥둥방망이 / 536
두메오이풀 / 267	등굴인가목 / 261	둥근잎바늘꽃 / 357	드령고추 / 465
두메옥잠화 / 587	등굴잎고리풀 / 473	둥근잎밥풀 / 467	드령방동사니 / 710
두메왕고들빼기 / 547	등굴잎씀바귀 / 544	둥근잎배암차즈기 / 456	드령방동사니속 / 710
두메우두풀 / 32	둥근갈퀴 / 424	둥근잎뱀차조기 / 456	드령방동산이 / 710
두메우드풀 / 32	둥근갈기 / 424	둥근잎뱀차조기 / 456	드령새 / 642
두메은분취 / 559	둥근검바늘꼴 / 703	둥근잎새애기풀 / 467	드령새속 / 642
두메자운 / 290	둥근고추풀 / 462	둥근잎생강나무 / 150	드릅나무 / 364
두메자운속 / 290	둥근꼬리풀 / 473	둥근잎섬쥐똥나무 / 406	드문고사리 / 29
두메잔대 / 500	둥근난티나무 / 97	둥근잎심아 / 115	드문고사리속 / 29
두메잔새 / 630	둥근네잎갈퀴 / 423, 424	둥근잎啐바기 / 544	드문나도히초미 / 52
두메잠자리피 / 661	둥근매듭풀 / 283	둥근잎애기고추나물 / 192	드문사초 / 677
두메제비난초 / 735	둥근민둥인가목 / 258	둥근잎왕팽나무 / 96	드문솔방울 / 714
두메참꽃나무 / 390	둥근바늘꼴 / 703	둥근잎잔대 / 501	들개미취 / 522
두메천궁 / 374	둥근바위솔 / 216	둥근잎잣밤나무 / 90	들고추나물 / 193
두메천남성 / 664	둥근배암차즈기 / 456		

들괴쑥 / 548	들하늘직이 / 707	땅파리 / 527	뚜껑별꽃 / 396
들국 / 527	들하늘지기 / 707	땅귀개 / 481	뚜껑별꽃속 / 396
들국화 / 527, 541	들하늘직이 / 707	땅귀개속 / 480	똑갈 / 496
들깨 / 452	들현호색 / 199	땅귀이개 / 481	똑갈나무 / 388
들깨풀 / 302, 452	들협두 / 418	땅까치수염 / 399	똑갈나물 / 547
들꽃다자 / 208	등 / 289	땅나리 / 592	똑개박달나무 / 84
들꽃장포 / 610	등갈퀴나물 / 293	땅두릅 / 364	똑깔 / 496
들꽃창포 / 610	등갈키나물 / 293	땅두릅나무 / 364	똑나무 / 97
들네잎말굴레 / 294	등골나물 / 537	땅드릅나무 / 367	똑돌지치 / 435
들달래 / 582, 583	등골나물속 / 537	땅들쭉 / 394	똑벼들 / 79
들대황 / 127	등골짚신나물 / 234	땅들쭉나무 / 394	똑사초 / 670
들등갈퀴덩굴 / 292	등대꽃송이풀 / 469	땅딸기 / 263	똑새풀 / 623
들떡쑥 / 548	등대대극 / 303	땅비수리 / 283, 286	똑새풀속 / 622
들말굴레 / 292	등대시호 / 372	땅비싸리 / 283	똑지치 / 435
들매나무 / 405	등대초 / 303	땅비싸리속 / 283	똑지치속 / 435
들매나무 / 363, 405	등대풀 / 303	땅빈대 / 304	똑하늘지기 / 708
들명아주 / 143	등때시호 / 372	땅석송 / 4	똑향나무 / 66
들밀 / 635	등말굴레 / 293	땅줄딸기 / 262	뜰꾸렙이풀 / 653
들바람꽃 / 159	등말굴레풀 / 293	땅채송화 / 219	뜰동백나무 / 189
들배나무 / 240	등모란 / 199	때죽나무 / 402	뜰포아풀 / 653
들벼들 / 81	등속 / 297	때죽나무과 / 402	뜸쑥 / 514
들별꽃 / 135, 141	등수국 / 228	때죽나무속 / 402	띄등골나물 / 538
들뽕나무 / 102	등심초 / 614	때쪽나무 / 402	띠 / 640
들사초 / 676, 692	등에고추풀 / 464	떡가지나무 / 318	띠거리나무 / 277
들새풀 / 627	등에풀 / 463	떡갈나무 / 91	띠속 / 640
들솜다리 / 548	등에풀속 / 463	떡갈참나무 / 94	띠풀 / 640
들솜쟁이 / 568	등칙 / 184	떡느릅나무 / 97	
들싸리 / 288	등칡 / 184	떡물푸레 / 405	(=)
들쑥부쟁이 / 519	등포잎가래 / 577	떡물푸레나무 / 406	라떼사초 / 691
들씁바귀 / 544	등포풀 / 465	떡벼들 / 78	라프랜드새풀 / 627
들아마 / 302	등포풀속 / 465	떡사스레피 / 190	라한송 / 68
들오랑캐 / 347	따두릅나무 / 367	떡사스레피나무 / 190	란나잎가래 / 577
들완두 / 292	따드릅나무 / 367	떡속소리나무 / 94	란나풀 / 465
들으아리 / 167	따딸기 / 240	떡신갈나무 / 94	란초 / 612
들장미 / 260	딱지 / 244	떡쑥 / 553	랑독 / 303
들제비꽃 / 347	딱지꽃 / 244	떡운노리나무 / 242	랑림산새풀 / 628
들좀사초 / 676	딱총나무 / 490, 491	떡잎골무꽃 / 457	랑림취 / 559
들좁쌀풀 / 398	딱총나무속 / 490	떡잎산수국 / 228	랑아 / 234
들지치 / 435, 436	딸기속 / 240	떡잎윤노리나무 / 242	랑아초 / 283
들지치속 / 435	딸기아재비 / 274	떡잎조팝나무 / 271	랑박줄 / 420
들쭉나무 / 323, 388, 393	땃두릅 / 364, 367	떡조팝나무 / 271	량반박주가리 / 422
들축나무 / 323	땃두릅나무 / 367	떡졸참나무 / 94	량반풀 / 420
들통말 / 480	땃두릅나무속 / 367	뚜경별꽃 / 396	레게리고무꽃 / 458
들통발 / 480	땃들쭉 / 394	뚜깥 / 496	레만사초 / 683
들피 / 632	땃딸기 / 240, 263	뚜껑덩굴 / 351	레분복주머니란 / 722
들피막이 / 376	땅가시나무 / 260	뚜껑덩굴속 / 351	레켈리꼴무꽃 / 458
들피막이풀 / 376	땅개비피 / 627		련복초 / 495

련잎꿩의다리 / 175	마주잎송이풀 / 470	만주우드풀 / 32	망개나무속 / 326
령볍 / 383	마타리 / 496	만주이깔나무 / 63	망부추 / 584
령신초 / 310	마타리과 / 495	만주자작나무 / 86	망사초 / 698
로제트사철란 / 726	마타리속 / 495	만주잔대 / 500	망적천문동 / 585
로젯사철란 / 726	마편초 / 440	만주재작이 / 86	매가꼬들백이 / 534
록보리수나무 / 338	마편초과 / 438	만주족도리풀 / 185, 186	매가도분취 / 558
롱아초 / 234	마편초속 / 440	만주작자래 / 328	매가도취 / 558
뇌성나무 / 150	만년석송 / 5	만주작자래나무 / 328	매대나무 / 325
료동신갈나무 / 92	만년초 / 219	만주흑송 / 65	매대체 / 191
룡담 / 413, 414	만년콩 / 279	만첩개벚나무 / 252	매듭풀 / 125, 283
룩지꽃버들 / 80	만년콩속 / 279	만첩산종덩굴 / 162	매듭풀속 / 283
린네덩굴 / 486	만리화 / 405	만형 / 441	매미꽃 / 195, 199
린네풀 / 486	만병초 / 307, 388	만형자 / 441	매미꽃속 / 195
린네풀속 / 486	만사조 / 165	만형자나무 / 441	매발톱 / 162
(▣)	만사초 / 165	말 / 577	매발톱가시 / 601
마 / 608, 609	만삼 / 504	말갈구 / 149	매발톱꽃 / 162
마가목 / 268, 269	만삼아재비 / 505	말곰취 / 538	매발톱나무 / 177
마가목속 / 269	만주가물고사리 / 32	말광대수염 / 448	매발톱속 / 161
마파 / 608	만주갈매나무 / 328	말굴레 / 292	매염 / 330
마눌 / 583	만주겨이삭 / 118	말굴레풀 / 292	매오동나무 / 308
마당자리풀 / 482	만주고로쇠 / 315	말굽풀 / 373	매운냉이 / 209
마도령 / 184	만주고로쇠나무 / 315	말나리 / 592	매운여뀌 / 118
마디꽃 / 353	만주고리실 / 315	말냉이 / 206	매운황새냉이 / 206
마디꽃속 / 353	만주고사리 / 32	말다래 / 188	매자기 / 668
마디나물 / 132	만주곰솔 / 65	말다래나무 / 188	매자기속 / 668
마디말 / 581	만주께묵 / 540	말들깨 / 453	매자나무 / 178
마디쥐소니 / 301	만주꿩의비름 / 217	말똥비름 / 219	매자나무과 / 177
마디털새 / 659	만주논냉이 / 207	말발도리 / 227	매자나무속 / 177
마디포아풀 / 651	만주덤불오리나무 / 82	말발도리나무 / 227	매자잎버드나무 / 75
마디풀 / 125, 353	만주딱지꽃 / 246	말발도리속 / 226	매자잎버들 / 75
마디풀과 / 110	만주망초 / 536	말오줌나무 / 491	매화노루발 / 385
마디풀속 / 124	만주모시나물 / 500	말오줌나무 / 325, 490	매화노루발속 / 385
마른잎버들 / 81	만주미나리아재비 / 172	말오줌대 / 325	매화마름 / 172
마름 / 354	만주바람꽃 / 169	말오줌때 / 325, 490	매화말발도리 / 227
마름과 / 354	만주범꼬리 / 112	말오줌때속 / 325	매화바람꽃 / 162
마름속 / 354	만주범의꼬리 / 112	말오줌나무 / 490	매화바람꽃속 / 162
마삭나무 / 421	만주붓꽃 / 611	말즘 / 576	매화오리 / 383
마삭덩굴 / 421	만주사초 / 685	말채나무 / 363	매화오리나무 / 383
마삭줄 / 421	만주솜나물 / 556	말채목 / 363	매화오리나무과 / 383
마삭줄속 / 421	만주송이풀 / 470	말초리풀 / 440	매화오리나무속 / 383
마삭풀 / 421	만주신갈나무 / 92	말털이슬 / 356	맥도동굴레 / 600
마속 / 608	만주아그배나무 / 241	말통비름 / 219	맥도딸기 / 266
마저지나무 / 486	만주애기마름 / 354	말황새냉이 / 206	맥문 / 594
마전과 / 411	만주여뀌 / 118	맑은대쑥 / 513	맥문동속 / 594
마주나도히초미 / 54	만주용수염풀 / 630	맛노랑딸기 / 266	맥문아재비 / 597
마주송이풀 / 470		맛며느리바풀 / 468	맥문아재비속 / 597
		망개나무 / 326, 327, 601	맵쟁이 / 118

맹산부추 / 584	메추리밥 / 617	명천봄맞이 / 397	목서나무 / 409
머구 / 552	메풀사초 / 673	명천송이풀 / 470	목서속 / 409
머구리밥 / 666	멧겨이삭 / 622	명천쑥 / 516	목통 / 179
머귀나무 / 308	멧꿩의다리 / 176	명천장구채 / 139	목포대극 / 304
머래순 / 331	멧노루발 / 386	모감주나무 / 316	목포사초 / 678
머루 / 331	멧돼지새 / 698	모감주나무속 / 316	목포용등굴례 / 598
머리꽃나무 / 422	멧들쭉나무 / 393	모개사초 / 679	못죽다래나무 / 188
머위 / 552	멧딸기 / 264	모기골 / 668	못죽다래나무 / 188
머위속 / 552	멧땅비수리 / 276	모기골속 / 668	몽고봉나무 / 102
먹년출 / 326	멧미나리 / 378	모기방동사니 / 699	몽고쑥 / 512
면검정꼴 / 715	멧바위취 / 225	모기방동산이 / 699	몽골봉나무 / 102
면나무 / 319	멧분취 / 559	모기쑥 / 511	몽아지 / 501
멸구넝쿨 / 331	멧속단 / 454	모기풀 / 668	몽을바늘꽃 / 358
멸굴 / 179	멧수영 / 126	모데미풀 / 170	몽을개현삼 / 474
멸꿀 / 179	멧술파랭이꽃 / 131	모데미풀속 / 170	몽울난초 / 723
멸꽃나무 / 179	멧염 / 582	모란바위솔 / 216	몽울돌현삼 / 474
멸꽃속 / 179	멧용담 / 413	모람 / 101	몽울란초 / 723
명구나무 / 367	멧장대 / 200	모래검동사초 / 679	몽울토현삼 / 474
명덕딸기 / 264	멧제비꽃 / 348	모래나무 / 332	몽울풀 / 105
명두딸 / 265	멧참꽃나무 / 390	모래덮쟁이 / 568	뫼가락풀 / 176
명딸기 / 265	멧황기 / 280	모래땅慈悲바귀 / 545	뫼미나리 / 378
명석딸 / 265	멩이풀 / 584	모래사초 / 670, 676, 678, 691	뫼산사나무 / 236
명석딸기 / 265	며누리감나물 / 278	모래속새 / 8	뫼석송 / 4, 5
명율과향 / 459	며누리밀씻개 / 123	모래지치 / 433	뫼오랑캐 / 348
명율물통이 / 105	며누리배꼽 / 121	모래지치속 / 433	뫼제비꽃 / 348
명율바늘꽃 / 358	며느리감나물 / 278	모련채 / 553	뫼족제비고사리 / 49
명율송이풀 / 470	며느리밀씻개 / 123	메밀잣밤나무 / 90	뫼젤광나무 / 236
명율풀 / 105	며느리바풀 / 467	메밀잣밤나무속 / 89	뫼젤광나무 / 236
명율풀속 / 105	며느리밥풀 / 467	모새나무 / 391	뫼풀사초 / 673
메 / 432	며느리배꼽 / 121	모새달 / 649	뫼풀사초 / 673
메가물고사리 / 32	며느리주머니 / 199	모새달속 / 649	뭣가막살나무 / 493
메감자 / 179	멱쇠채 / 561	모새대짜리 / 144	뭣갈매나무 / 328
메겨이삭 / 622	면마 / 46	모새댑짜리 / 144	뭣거자수 / 85
메고로쇠나무 / 315	면모고사리 / 32	모새啄바귀 / 545	뭣겨이삭 / 622
메고사리삼 / 9, 11	멸가치 / 508	모시대 / 501	뭣고사리삼 / 9
메꽃 / 432	멸가치속 / 508	모시때 / 501	뭣꿩의다리 / 176
메꽃과 / 431	명가지 / 508	모시물통이 / 107	뭣꿩의비름 / 217
메꽃속 / 431	명감 / 601	모시잔대 / 501	뭣꿰미풀 / 652
메대추 / 329	명감나무 / 601	모시풀 / 103	뭣대추 / 329
메뛰기피 / 626	명들내 / 648	모시풀속 / 103	뭣대추나무 / 329
메미나리 / 378	명아자여뀌 / 119	모싯대 / 501	뭣두릅 / 367
메밀잣밤나무 / 90	명아주 / 143	목단방풍 / 379	뭣들쭉나무 / 393
메석송 / 4	명아주과 / 142	목단풀 / 164	뭣미나리 / 378
메역순나무 / 324	명아주속 / 142	목란 / 147	뭣미나리속 / 378
메오랑캐 / 348	명아주여뀌 / 119	목련 / 147	뭣미나리아재비 / 171
메제비꽃 / 348	명자순 / 232	목련과 / 147	뭣미역취 / 563
메추리핑의밥풀 / 617	명천봄마지 / 397	목련속 / 147	뭣박달나무 / 86

뭣박새 / 606	무산사초 / 670, 679	물고추나물속 / 193	물방이 / 568
뭣뱀고사리 / 41	무산상자 / 382	물꼴 / 702	물방치나무 / 268
뭣분취 / 559	무산상자속 / 382	물골취 / 559	물배추 / 575
뭣불오리 / 82	무속 / 211	물골풀 / 614	물뱀고사리 / 34
뭣삼잎석송 / 4	무엽난초 / 732	물골풀아재비 / 712	물범꼬리풀 / 454
뭣석송 / 4	무엽란 / 729	물괴불나무 / 489	물벼룩알 / 462
뭣속단 / 454	무엽란속 / 729	물구 / 586, 604	물벼룩이자리 / 351
뭣속새 / 8	무엽란초 / 732	물구지 / 586	물별 / 351
뭣솜분취 / 559	무재작이 / 84	물굿 / 586, 604	물별과 / 350
뭣억새 / 646	무점가막살나무 / 493	물까지수염 / 398	물별꽃 / 359
뭣염 / 582	무주나무 / 428	물까지수영 / 398	물별꽃아재비 / 359
뭣오랑캐 / 341, 348	무주나무속 / 428	물깜싸리 / 283	물별속 / 350
뭣오이풀 / 266	무치리기나무 / 190	물깨금나무 / 88, 363	물별이끼 / 483
뭣장대 / 200	무화과나무속 / 100	물꼬리사초 / 669	물병개암나무 / 88
뭣제비꽃 / 341	무화피을방개아재비 / 702	물꼬리아재비 / 469	물병꽃나무 / 494
뭣참꽃나무 / 390	무환자나무과 / 316	물꼬리풀 / 454, 476	물봉선 / 318
뭣파 / 583	목개대황 / 126	물꼬리풀속 / 454	물봉선속 / 317
뭣풀사초 / 673	목국화 / 519	물꼬챙이 / 702	물봉송아 / 318
뭣할미꽃 / 170	목다래나무 / 188	물꼬챙이골 / 702	물부추 / 5
뭣황기 / 280	목오리나 / 82	물꽃꼬리풀 / 398	물부추과 / 5
뭣황기속 / 280	문배 / 254	물꽈리아재비 / 469	물부추속 / 5
묘아자 / 318	문수조릿대 / 624	물꽈리아재비속 / 468	물비비추 / 591
묘아자나무 / 318	문이사초 / 685	물달개비 / 610	물뿌리나무 / 322
묘향분취 / 557	문주란 / 607	물닭개비 / 610	물사갓사초 / 692
묘향산분취 / 557	문주란속 / 607	물들메나무 / 405	물사초 / 688
무강개발나물 / 382	문주화 / 607	물뚝새 / 655, 656	물삿갓사초 / 692
무강범의꼬리 / 113	문채개울미 / 716	물뚝새풀 / 656	물생치 / 371
무궁화속 / 335	문채개울무 / 716	물레나물 / 129, 191	물석송 / 4
무궁화종등굴 / 164	물가래 / 666	물레나물과 / 191	물속새 / 8
무늬사초 / 685	물가리 / 92	물레나물속 / 191	물솔 / 5
무늬새 / 624	물가리나무 / 92	물레나물아재비 / 193	물솔잎 / 354
무늬접박이천남성 / 664	물가리참나무 / 92	물마디꽃 / 354	물솜방망이 / 568
무늬죽도리풀 / 186	물갈나무 / 92	물마디풀 / 354	물송구지 / 126
무늬좀꿩의다리 / 175	물갈참나무 / 93	물마름 / 355	물쇠뜨기 / 8
무늬천남성 / 664	물개고사리 / 35	물매화 / 230	물수세미 / 361
무데기골무꽃 / 456	물개구리밥 / 15	물매화과 / 230	물수세미속 / 360
무등고랭이 / 716	물개구리밥속 / 15	물매화속 / 230	물신갈나무 / 92
무등산개울무 / 716	물개구리연 / 181	물매화풀 / 230	물싸리 / 237, 268
무등율무꽃 / 716	물개발나물 / 382	물며위 / 508	물싸리속 / 237
무등취 / 557	물개암나무 / 88	물며위속 / 508	물싸리풀 / 268
무등풀 / 716	물캡나무 / 83	물미나리아재비 / 172	물싸리풀속 / 268
무른나무 / 323	물캡달나무 / 88	물바늘꼴 / 701	물쑥 / 516
무른사철나무 / 323	물겨풀 / 641	물박달 / 84, 86, 402	물안포기나무 / 319
무릇 / 586	물고랭이 / 713	물박달나무 / 85, 86, 402	물앵도나무 / 268, 392, 487, 489
무릇속 / 586	물고사리 / 20	물밤송이 / 712	물앵두 / 249
무릎꼬리풀 / 477	물고사리속 / 20	물방동사니 / 699	물앵두나무 / 392
무산곰취 / 549	물고추나물 / 193	물방동산이 / 699	

물양지꽃 / 245	미꾸리낚시 / 122	민고음나무 / 402	민망초 / 536
물여새 / 645	미꾸리낚시 / 122	민고추나무 / 325	민망풀 / 536
물엉겅퀴 / 530	미끄蹬피 / 655	민골무꽃 / 458	민매화마름 / 173
물여뀌 / 115	미나리 / 377	민곱슬사초 / 676, 698	민며느리나무 / 308
물여뀌바늘꽃 / 359	미나리냉이 / 205	민구슬봉이 / 413	민메기이삭 / 621
물오리나무 / 83	미나리마름 / 172	민구와말 / 464	민멧고사리 / 41
물옥잠 / 609	미나리말 / 172	민국화수리취 / 566	민무늬족도리풀 / 186
물옥잠과 / 609	미나리바구지 / 173	민금강제비꽃 / 342	민물푸레나무 / 406
물옥잠속 / 609	미나리속 / 377	민긴잎갈퀴 / 423	민바꽃 / 153
물외 / 351	미나리싹 / 503	민 кач지깨 / 333	민바랑이 / 631
물잎풀 / 476	미나리아재비 / 172	민 кач지수염 / 398	민바랭이 / 631, 644
물잎풀속 / 476	미나리아재비과 / 152	민꼬아리 / 462	민바랭이새속 / 644
물자리풀 / 483	미나리아재비속 / 171	민꼭두서니 / 430	민바위미나리아재비 / 171
물자작나무 / 84	미나리황새냉이 / 205	민꽃말이 / 434	민백쥐나풀 / 552
물잔디 / 654	미늘창고사리과 / 54	민꽃며느리밥풀 / 467	민백당나무 / 493
물잔디속 / 654	미늘창고사리속 / 54	민파리 / 462	민백미 / 419
물조팝나무 / 272	미륵개현삼 / 474	민나자스말 / 580	민백미꽃 / 419
물지채 / 576	미색물봉선 / 317	민냉초 / 476	민뱀딸기 / 238
물질경이 / 575	미색바꽃 / 153	민논말 / 464	민복분자딸기 / 262
물질경이속 / 575	미선나무 / 404	민눈양지꽃 / 247	민부리사초 / 693
물참나무 / 92	미선나무속 / 404	민대극 / 302	민산갈퀴 / 426
물참대 / 226, 271	미역가물고사리 / 31	민덩굴바꽃 / 156	민산승애 / 111
물철쭉 / 391	미역고사리 / 58	민도둑놈의갈구리 / 281	민산작약 / 187
물청개나물 / 476	미역고사리속 / 57	민돌잔고사리 / 18	민산초나무 / 309
물백사 / 573	미역꽃 / 560	민두릅나무 / 364	민새고사리 / 40, 41
물통이 / 107	미역쇠채 / 561	민두메고사리 / 41	민새발고사리 / 41
물통이속 / 107	미역순나무 / 324	민동갈구리풀 / 281	민서덜취 / 556
물통이 / 107	미역줄나무 / 324	민동갈퀴 / 424	민석잡풀 / 459
물포아풀 / 653	미역줄나무속 / 324	민동메제비꽃 / 349	민세신 / 186
물푸레나무 / 406	미역취 / 496, 563	민동뫼제비꽃 / 349	민솜대 / 595
물푸레나무과 / 404	미역취속 / 563	민동산갈퀴 / 424	민솜때 / 595
물푸레나무속 / 405	미영꽃나무 / 325, 363	민동산제비꽃 / 347	민솜방망이 / 567
물푸레들매나무 / 405	미영다래나무 / 325	민동인가목 / 258	민송이풀 / 470
물푸레들매나무 / 405	미치광이 / 461	민동제비꽃 / 346, 347	민수리풀 / 262
물풀 / 360	미치광이풀 / 135, 461	민동체꽃 / 498	민수양버들 / 77
물풀뎅이 / 107	미치광이풀속 / 461	민들냉초 / 476	민숲개밀 / 625
물피 / 624, 632	미친풀 / 461	민들딱총 / 490	민숲이삭사초 / 676, 678, 695
물하늘지기 / 706	민가시오갈피 / 365	민들레 / 566	민시닥나무 / 312
물황철 / 75	민각시취 / 558	민들레속 / 566	민심산갈퀴 / 424
물황철나무 / 75	민갈퀴 / 426	민들망초 / 536	민쑥방망이 / 561
뭇꼬리사초 / 691	민개고사리 / 41	민들아구장나무 / 271	민쑥부장이 / 521
뭉치쉽싸리 / 450	민개별꽃 / 136	민들이질풀 / 301	민쑥부쟁이 / 521
미꾸라지낚시 / 122	민개죽도리 / 185	민등골나물 / 537	민연밥갈매 / 328
미꾸리꽝이 / 639	민개죽도리풀 / 185	민땅비싸리 / 283	민오랑캐꽃 / 344
미꾸리꽝이속 / 638	민검은바늘꼴 / 702	민마삭나무 / 421	민윤노리나무 / 242
미꾸리꽝이 / 639	민검정꼴 / 715	민마삭줄 / 421	민은난초 / 719
미꾸리꿰미 / 639	민고로쇠나무 / 315	민말똥비름 / 219	

민음나무 / 367	바늘돌나물 / 213	바위난초 / 717	바이칼꿩의다리 / 174
민옹달고사리 / 36	바늘드릅나무 / 367	바위대극 / 304	바이칼바람꽃 / 160
민인가목 / 258	바늘명아주 / 144	바위댕강나무 / 485	박과 / 351
민작살나무 / 438	바늘별꽃 / 140	바위돌꽃 / 218, 219	박달 / 86
민잔꽃풀 / 536	바늘분취 / 554	바위딸기 / 268	박달나무 / 85, 86, 314, 363
민잠자리난초 / 728	바늘사초 / 688, 690	바위떡풀 / 225	박달목서 / 409
민족도리풀 / 186	바늘엉겅퀴 / 530	바위말발도리 / 226	박달서나무 / 86
민족두리풀 / 185, 186	바늘여뀌 / 116	바위면모고사리 / 32	박달암계목 / 409
민줄방제비꽃 / 339	바늘청사초 / 697	바위모시 / 106	박새 / 606
민좀자작나무 / 85	바다가쑥 / 512	바위모시속 / 106	박새풀 / 421
민좁쌀냉이 / 204	바다말 / 579	바위미나리 / 381	박조가리나물 / 569
민종가시나무 / 91	바다솔잎 / 398	바위미나리아재비 / 171	박주가리 / 421
민주름조개풀 / 648	바다줄말 / 579	바위방풍 / 372	박주가리나물 / 569
민주엽나무 / 280	바다지기 / 705	바위뱀딸기 / 244	박주가리속 / 421
민주엽나무 / 280	바다직이 / 705	바위뱀무 / 244	박쥐나무 / 361
민줄기갈퀴 / 424	바디고사리 / 26, 33	바위벼들옻 / 304	박쥐나무과 / 361
민줄들장미 / 260	바디나물 / 369	바위범의귀 / 229	박쥐나무속 / 361
민지네고사리 / 30	바디미나리 / 381	바위부시짓고사리 / 21	박쥐나물 / 551, 552
민지장보살 / 595	바디풀 / 169	바위부채 / 222	박쥐나물속 / 550
민진득찰 / 562	바디풀속 / 169	바위부처손 / 7	박추마 / 609
민찔레나무 / 260	바람개비하늘지기 / 707	바위비늘이끼 / 7	박하 / 451
민참작약 / 187	바람고사리 / 19	바위사초 / 683	박하속 / 451
민청가시덩굴 / 602	바람꽃 / 160	바위석창포 / 662	반달콩제비꽃 / 349
민터리풀 / 239	바람꽃속 / 159	바위손 / 6	반들가시나무 / 259
민하늘지기 / 708	바람등칡 / 183	바위솔 / 215	반들고사리 / 49
민하늘직이 / 708	바람하늘지기 / 707	바위솔속 / 215	반들깃고사리 / 24
민향기풀 / 623	바랑이 / 631	바위솜나물 / 568	반들느릅나무 / 97
민혔개나무 / 326	바랑이사초 / 680	바위송이풀 / 470	반들대사초 / 695
민흰잎영겅퀴 / 531	바랑이새 / 624	바위수국 / 229	반들사초 / 697
민흰제비꽃 / 346	바랭이 / 631	바위수국속 / 229	반들산쇠고비 / 44
밀나물 / 601	바랭이사초 / 680	바위양지꽃 / 244, 245	반들잎고추나무 / 325
밀사초 / 671, 684	바랭이새 / 624	바위연꽃 / 215	반들전호 / 371
밀물봉승아 / 317	바랭이새속 / 624	바위용머리 / 445	반들죽도리풀 / 186
(ㅂ)			
바구니나물 / 497	바로쑥 / 512	바위장대 / 201	반들지네고사리 / 49
바구지 / 172	바보여뀌 / 121	바위장때 / 201	반들진달래나무 / 390
바늘돌나물 / 213	바위갈기 / 427	바위젓가락나물 / 171	반듸나물 / 374
바늘비녀풀 / 616	바위고사리 / 17	바위죽제비고사리 / 50	반디나물 / 374
바늘사초 / 674	바위고사리속 / 17	바위좁고사리 / 25	반디미나리 / 381
바늘골 / 701	바위공작고사리 / 19	바위좁조팝나무 / 272	반디미나리속 / 380
바늘골속 / 701	바위괭이눈 / 223	바위종덩굴 / 163	반디지치 / 436
바늘까치밥나무 / 230	바위괭이눈풀 / 223	바위채송화 / 220	반잎사두초 / 664
바늘꽃 / 359	바위구절초 / 535	바위취 / 225, 226	반죽 / 651
바늘꽃과 / 355	바위귀 / 226	바위취란화 / 400	반지련 / 456
바늘꽃속 / 357	바위까치밥나무 / 232	바위틈고사리 / 47	반짝벼들 / 80
바늘능쟁이 / 144	바늘깨풀 / 400	바위포기사초 / 685	반짝잎개질경이 / 484
	바늘꼬리고사리 / 25	바위하늘지기 / 707	반쪽고사리 / 22

반하 / 665	방울새란 / 736	백두산고사리삼 / 9	백양더부살이 / 479
반하속 / 665	방울새란속 / 736	백두산구슬봉이 / 414	백양목 / 75
발각고사리 / 14	방울제비꽃 / 341	백두산꽃며느리밥풀 / 468	백양사초 / 683
발갓구 / 149	방울조풀 / 463	백두산노루발 / 386	백양상사화 / 608
발강을벗나무 / 253	방울풀 / 184	백두산노루발풀 / 386	백여로 / 607
발래나무 / 75	방폐꽃 / 475	백두산돌피 / 626	백염 / 330
발톱꿩의다리 / 176	방풍 / 381	백두산떡쑥 / 510	백운기름나물 / 379
발풀고사리 / 14	방풍나물 / 375	백두산떡쑥속 / 510	백운나비나물 / 296
발풀고사리속 / 14	방풍속 / 381	백두산바풀 / 468	백운난초 / 729
밤나무 / 89	발뚝외풀 / 466	백두산봄마지 / 396	백운란 / 729
밤나무속 / 89	발뚝외풀 / 466	백두산봄맞이 / 396	백운란속 / 729
밤송이골풀아재비 / 711	발뚝외풀속 / 465	백두산분취 / 558	백운란초 / 729
밤일엽 / 57	발하늘지기 / 708	백두산사초 / 690	백운배나무 / 255
밤일엽속 / 57	발하늘직이 / 708	백두산새풀 / 626	백운산난초 / 729
밤잎아재비 / 57	배꼽풀 / 469	백두산서덜취 / 558	백운산원추리 / 589
밤잎고사리 / 56, 57	배나무속 / 254	백두산솜나물 / 568	백운쇠물푸레 / 406
밤잎일엽 / 57	배부장이 / 483	백두산쑥 / 513	백운쇠물푸레나무 / 406
방가지똥속 / 564	배암꼬리고사리 / 37	백두산양지꽃 / 244	백운승마 / 228
방기 / 180	배암나무 / 492	백두산자작나무 / 85	백운취 / 555
방기과 / 180	배암딸기 / 238	백두산회나무 / 321	백운풀 / 428
방기속 / 180	배암무 / 240	백두실그풀 / 615	백운풀속 / 428
방동사니 / 698, 699	배암배추 / 456, 459	백두오이풀 / 267	백작약 / 187
방동사니대가리 / 711	배암세 / 507	백량금 / 394, 395	백지 / 369
방동사니속 / 698	배암차즈기 / 456	백렴 / 330	백질려 / 302
방동사니아재비 / 698	배암차즈기속 / 455	백록고사리 / 54	백출 / 523
방동산이 / 698, 699	배암차즈키 / 456	백리향 / 460	백하수오 / 421
방동산이대가리 / 711	배암채 / 507	백리향속 / 460	백합 / 593
방동산이아재비 / 698	배암톱 / 4	백미 / 419	백합과 / 581
방석나물 / 146	배초향 / 441	백미꽃 / 419	백합속 / 591
방아오리방풀 / 447	배초향속 / 441	백미꽃속 / 418	백화등 / 421
방아잎 / 441	배추과 / 200	백봉천궁 / 370	램고사리 / 36
방아풀 / 441, 447	배풍등 / 461	백부자 / 153	램꼬리고사리 / 37
방애잎 / 441	배풍등나무 / 461	백산버들 / 82	램도랏 / 383
방앳잎 / 441	배합조개 / 483	백산새풀 / 626	램딸기 / 238
방울고랭이 / 715	백가시나무 / 93	백산차 / 386	램딸기속 / 237
방울꼴 / 714, 715	백급 / 717	백산차속 / 385	램무 / 240
방울괭이눈 / 224	백당나무 / 407, 493	백산흑사초 / 670, 671	램무속 / 240
방울꽃 / 477	백도라지 / 506	백서향 / 336	램밥 / 7
방울꽃속 / 477	백동백 / 150	백서향나무 / 336	램매추 / 456, 459
방울난초 / 725, 733	백동백나무 / 150	백선 / 307	램의정자나무 / 291
방울난초속 / 733	백두금매화 / 268	백선속 / 307	램찔네 / 258
방울비비추 / 590	백두다람쥐꼬리 / 3	백설분취 / 558	램차조기 / 456
방울비자루 / 585	백두떡쑥 / 510	백설취 / 558	램차즈기 / 456
방울비짜루 / 585	백두모시대 / 500	백송 / 63	램톱 / 4
방울사초 / 675, 678	백두뱀톱 / 3	백양 / 75	램톱속 / 3
방울새난 / 736	백두부추 / 582	백양꽃 / 608	램새더울 / 274
방울새난초 / 736	백두사초 / 690	백양나무 / 75	버드나무 / 77, 79

벼드나무과 / 74	변은미나리아재비 / 173	벗풀 / 574	병아리꽃나무 / 258
벼드나무속 / 75	변은啐바귀 / 544	벗나무 / 252	병아리꽃나무속 / 258
벼들 / 79	변음啐바귀 / 544	벗나무속 / 248	병아리난초 / 717, 727
벼들개꼬리풀 / 399	변줄啐바귀 / 544	벼거풀 / 642	병아리난초속 / 717
벼들개회나무 / 409	별개덩굴 / 450	벼과 / 620	병아리다리 / 311
벼들개이삭 / 118, 622	별개미취 / 520	벼룩나물 / 141	병아리다리속 / 311
벼들개이삭여뀌 / 118	별개냉이 / 204	벼룩별꽃 / 141	병아리란 / 717
벼들금불초 / 542	별개덩굴 / 450	벼룩아재비 / 411	병아리방동사니 / 699
벼들까치수염 / 399	별개덩굴속 / 450	벼룩아재비속 / 411	병아리방동산이 / 699
벼들까치수영 / 399	별개풀 / 445	벼룩이울타리 / 132	병아리풀 / 310
벼들나무 / 79	별노랑이 / 288	벼룩이자리 / 129	병조이풀 / 165
벼들나물 / 540	별노랑이속 / 288	벼룩이자리속 / 129	병조희풀 / 165
벼들능쟁이 / 142	별들공나물 / 538	벼룩풀 / 411	병풀 / 373
벼들말즘 / 577	별등골나물 / 537, 538	벽남국 / 526	병풀속 / 373
벼들망초 / 536	별딸기 / 262	변산바람꽃 / 168	병풍 / 551
벼들명아주 / 142, 143	별레먹이너구리말 / 194	변산불살이풀 / 479	병풍쌈 / 551
벼들바늘꽃 / 358	별레먹이말 / 194	변산일엽 / 25	보라별꽃 / 396
벼들박주가리 / 420	별레먹이말속 / 194	변산향유 / 445	보랏빛차즈기 / 442
벼들분취 / 554, 557	별레오랑캐 / 480	별개미취 / 520	보랏빛차즈기 / 442
벼들여뀌 / 118	별레잡이속 / 480	별고사리 / 27	보리난초 / 717
벼들옻 / 304	별레잡이오랑캐 / 480	별고사리속 / 27	보리똥나무 / 338
벼들일엽 / 57	별레잡이제비꽃 / 480	별꽃속 / 140	보리뱅이 / 141, 569
벼들일엽초 / 57	별레잡이풀 / 193	별꽃쓴풀 / 417	보리뻥풀 / 547
벼들잎가래 / 577	별레잡이풀과 / 193	별꽃풀 / 417	보리사초 / 680, 681
벼들잎겨이삭 / 118	별레잡이풀속 / 193	별꿩의밥 / 617	보리수나무 / 338
벼들잎고사리 / 16, 57	별배나무 / 268, 269	별꿩의밥풀 / 617	보리수나무과 / 337
벼들잎금불초 / 542	별사상자 / 374	별날개골풀 / 614	보리수나무속 / 337
벼들잎까치수염 / 399	별사초 / 682	별마디풀 / 116	보리알사초 / 677
벼들잎꼬리풀 / 399, 476	별솜죽대 / 596	별벗꽃나무 / 249	보리장나무 / 337, 338
벼들잎능쟁이 / 142	별啐바귀 / 544	별벗지나무 / 249	보리화주나무 / 338
벼들잎바늘꽃 / 357, 358	별啐바기 / 544	별봄맞이 / 396	보안기름나물 / 379
벼들잎분취 / 554	별완두 / 292	별봄맞이꽃 / 396	보안목 / 150
벼들잎엉겅퀴 / 529	별질경이 / 484	별사초 / 696	보춘란 / 721
벼들잎쥐꼬리 / 16	별팥배나무 / 269	별수염풀 / 619	보춘화 / 721
벼들잎쥐뚱 / 409	별하늘지기 / 707	별쓴풀 / 416	보춘화속 / 720
벼들쥐똥나무 / 409	별꼬리 / 112	별여뀌 / 117	보춤나무 / 91
벼들참빗 / 38	별꼬리속 / 111	별완두 / 292	보태기여뀌 / 119
벼들취 / 554	별부채 / 610	별이끼 / 482	보태면마 / 46
벼들회나무 / 323	별상덩굴 / 102	별이끼속 / 482	보풀 / 573
벼어먼초 / 613	별승아 / 114	별풀 / 417	보풀속 / 573
벼어먼초과 / 613	별의귀 / 225	별풍경사초 / 686	보현개별꽃 / 136
벼어먼초속 / 613	별의귀과 / 220	병개암나무 / 88	보홍제비꽃 / 342
번동딸나무 / 265	별의귀속 / 225	병꽃나무 / 494	복딸기 / 266
번행초 / 128	별의귀풀 / 225	병꽃나무 / 495	복박나무 / 312
번행초과 / 128	별의발나무 / 318	병꽃나무속 / 494	복박달나무 / 312
번행초속 / 128	별의찔레 / 258	병모란풀 / 165	복분자 / 262
번향 / 128	벗나무 / 252	병아리꽃 / 258, 344	복분자딸 / 262

복분자딸기 / 262	부들말 / 579	북개지치 / 435	북선점나도나물 / 130
복사앵도 / 248	부들속 / 667	북고사리 / 18	북선천문동 / 585
복사앵도나무 / 248	부들수염새 / 624	북고사리삼 / 9	북수백산백지 / 370
복사앵두나무 / 248	부리사초 / 693	북과남풀 / 414	북스바우미사초 / 672
복수초 / 159	부리실청사초 / 693	북관중 / 46	북오미자 / 148
복수초속 / 159	부리풀 / 624	북괭이눈 / 222	북잔대 / 499
복승미나리 / 372	부산꼬리풀 / 473	북까마귀밥여름나무 / 230	북잠자리피 / 661
복자기 / 315	부산마디풀 / 125	북꽃장대 / 208	북접나도나물 / 129
복자기나무 / 315	부산사초 / 678	북꿩의다리 / 174	북竽방제비꽃 / 347
복작나무 / 312	부시깃나물 / 547	북꿰미풀 / 654	북진들피 / 639
복장나무 / 312	부싯깃고사리 / 20	북녘사초 / 678	복짚신나물 / 234
복주머니 / 722	부싯깃고사리속 / 20	북녘민들레 / 567	복참으아리 / 167
복주머니꽃 / 722	부싯깃꼬리고사리 / 21	북녘사초 / 678	복천물통이 / 105
복주머니란 / 722	부업나무 / 93	북녘쑥부쟁이 / 521	북통발 / 482
복주머니란속 / 722	부엉다리쑥 / 512	북노루발 / 387	북투구꽃 / 154
복천률통이 / 105	부전곰취 / 548	북노루발풀 / 387	복파대가리 / 710
복풀 / 159	부전꽃갈퀴 / 423	북다닥냉이 / 210	복해골무꽃 / 458
볼개나무 / 326	부전바디 / 370	북도실사리 / 7	복해도사초 / 690
볼네나무 / 337, 338	부전송이풀 / 469	북동자꽃 / 133	분검정대 / 651
볼레괴불나무 / 488, 489	부전영경퀴 / 531	북말발도리 / 227	분꽃나무 / 491
봄구슬봉이 / 414	부전자작나무 / 85	북메뚜기풀 / 627	분단 / 492
봄구슬봉이 / 414	부전자작오리나무 / 85	북미나리야재비 / 172	분단나무 / 492
봄꼬리풀 / 112	부전재작이 / 85	북바늘꽃 / 357, 359	분디나무 / 309
봄느릅나무 / 97	부전쥐손이풀 / 300	북바위고사리 / 21	분벼들 / 80
봄마지꽃 / 397	부전투구꽃 / 155	북바위고사리속 / 21	분비나무 / 63
봄맞이 / 397	부지깽나무 / 585	북방민들레 / 567	분쑥 / 512
봄맞이꽃 / 397	부지깽나물 / 585	북방사초 / 685	분좌난 / 581
봄맞이꽃속 / 396	부지깽이나물 / 209, 521	북방풍 / 368	분죽 / 651
봄매미꽃 / 199	부채괴불이끼 / 12	북백산차 / 386	분지나무 / 309, 319
봄볍꼬리 / 112	부채마 / 609	북범꼬리풀 / 112	분취 / 559, 566
봄여뀌 / 124	부채붓꽃 / 610, 613	북범의꼬리 / 112	분취란화 / 400
봄나무 / 86	부채잎작란화 / 722	북봄맞이 / 397	분취아재비 / 536
봉동참나무 / 94	부처꽃 / 353	북부고시겠고사리 / 21	분홍꽃장구채 / 139
봉두신갈나무 / 94	부처꽃과 / 353	북부식짓고사리 / 21	분홍꽃조개나물 / 442
봉래꼬리풀 / 472	부처꽃속 / 353	북분취 / 557	분홍노루발 / 387
봉선화과 / 317	부처손 / 6, 224	북사상자 / 373	분홍노루발풀 / 387
봉성바람꽃 / 160	부처손과 / 6	북사초 / 670, 684	분홍동강할미꽃 / 170
봉의꼬리과 / 23	부처손속 / 6	북산살구나무 / 253	분홍미선 / 404
봉의꼬리과 / 19	부추속 / 582	북산새풀 / 627	분홍바늘꽃 / 357
봉의꼬리속 / 22	부평초 / 666	북새발고사리 / 35	분홍벚나무 / 251
봉화비비추 / 591	복가락풀 / 174	북새풀 / 627	분홍손잎풀 / 299
부개근나무 / 316	복가마귀밥여름나무 / 231	북서털취 / 560	분홍이질풀 / 301
부갸근나무 / 316	복가시나무 / 90	복선메뛰기피 / 627	분홍장구채 / 138
부개꽃나무 / 316	복갈퀴완두 / 284	복선시내사초 / 676	분홍좁쌀풀 / 399
부덕쑥 / 515	복개구리사초 / 676	복선야광나무 / 236	분홍쥐손이 / 299
부들 / 667	복개밀 / 634	복개연 / 181	
부들과 / 666			

분홍쥐손이풀 / 299	붉은털오리나무 / 82	비로봉쑥 / 511	뻐꾹나리 / 604
분홍털복주머니란 / 722	붉은털이슬 / 356	비로봉용담 / 413	뻐꾹나리속 / 604
분홍할미꽃 / 170	붉은톱풀 / 507	비로용담 / 413	뻐꾹채 / 564
불가리나무 / 92	붉은하늘타리 / 352	비름과 / 146	뻐꾹채속 / 564
불까치수염 / 398	붉은향유 / 445	비목나무 / 150	뻑국채 / 564
불나무 / 311	붓꼬리사초 / 671	비바리골무꽃 / 457	뻗은啐바귀 / 544
불네괴불 / 489	붓꽃 / 612	비비추 / 587	뻗을啐바귀 / 544
불네괴불나무 / 488, 489	붓꽃과 / 610	비비추난초속 / 738	뻗음啐바귀 / 544
불두화 / 493	붓꽃나무 / 491	비비추속 / 590	뻣나무 / 404
불떡쑥 / 554	붓꽃속 / 610	비수리 / 285	뽀리뱅이 / 569
불레괴불나무 / 488	붓나무 / 86	비술나무 / 98	뽀리뱅이속 / 569
불봉송 / 318	붓순 / 149	비슬개별꽃 / 136	뽀족여우콩 / 291
붉가시나무 / 90	붓순나무 / 149	비쑥 / 516	뽕나무 / 101
붉나무 / 311	붓순나무속 / 149	비양나무 / 106	뽕나무과 / 99
붉나무속 / 311	봉겐새풀 / 626	비위채송화 / 214	뽕나무속 / 101
붉노랑상사화 / 608	봉어마름 / 182, 360	비자나무 / 70	뽕모시풀 / 100
붉신나무 / 315	봉어마름과 / 182	비자란 / 737	뽕모시풀속 / 100
붉은가시풀기 / 265	봉어마름속 / 182	비자란속 / 737	뽕잎풀 / 100
붉은겨우살이 / 110	봉어풀 / 361	비자루 / 585	뽕잎피나무 / 335
붉은골풀아재비 / 712	비고사리 / 16	비전회나무 / 323	뾰족노루귀 / 169
붉은구상 / 63	비고사리과 / 16	비진도콩 / 279	뾰족덩굴들콩 / 291
붉은구상나무 / 63	비녀골 / 615	비진도콩속 / 279	뾰족여우콩 / 291
붉은꿀풀 / 455	비녀골풀 / 615	비짜루 / 585	뾰족잎오리나무 / 83
붉은노루삼 / 158	비녀비비추 / 590	비짜루속 / 585	뿌리꽃마리 / 438
붉은대극 / 302	비노리 / 636	비쭈기나무 / 189	뿌리난초 / 727
붉은대동여뀌 / 124	비늘가문비 / 64	비쭈기나무속 / 189	뿌리대사초 / 692
붉은돌가시나무 / 259	비늘고사리 / 48	빈추나무 / 248	뿔개암나무 / 88
붉은만병초 / 388	비늘사초 / 679	빈추나무속 / 248	뿔고사리 / 25, 36
붉은말채 / 362	비늘가문비 / 64	빌레나무 / 395	뿔고사리속 / 36
붉은별쓰풀 / 416	비늘개관중 / 53	빌레나무속 / 395	뿔끌분취 / 560
붉은병꽃나무 / 494	비늘고사리 / 48	핍새귀리 / 625, 626	뿔나무 / 311
붉은사철란 / 726	비늘관중 / 53	핍새울무 / 644	뿔말 / 578
붉은새우난초 / 718	비늘봉의고사리 / 22	핍새울미 / 644	뿔말속 / 578
붉은여로 / 607	비늘사초 / 679, 690	핍새풀 / 642	뿔분취 / 560
붉은오이풀 / 267	비늘석송 / 5	핍쇠나무 / 268	뿔사초 / 675
붉은율벗나무 / 253	비늘이끼 / 6	빗살서덜취 / 558	뿔쑥 / 516
붉은이삭여뀌 / 120	비단나무 / 305	빗살현호색 / 198	뿔왜고사리 / 36
붉은이질풀 / 301	비단나무 / 190	빗자루 / 585	뿔족도리풀 / 186
붉은인가목 / 258, 259	비단돔부 / 290	빗죽이나무 / 189	뿔회나무 / 324
붉은잎능쟁이 / 143	비단분취 / 556	빗치개啐바귀 / 534	뻐비 / 640
붉은잎명아주 / 143	비단붓꽃 / 612	빛느릅나무 / 97	뗄기 / 640
붉은조개나물 / 442	비단쑥 / 511, 513	빠부쟁이 / 483	(ㅅ)
붉은조록싸리 / 273	비로과남풀 / 413	빼부장 / 483	사간 / 610
붉은참바디 / 381	비로도누리장나무 / 440	뺑대쑥 / 514	사과나무속 / 240
붉은참반디 / 381	비로룡담 / 413	뺑쑥 / 514	사광이아재비 / 123

사광이풀 / 121	사하린오랑캐 / 347	산골무꽃 / 458	산닥나무 / 337
사국이질풀 / 300	사할린새풀 / 628	산골뱀고사리 / 36	산닥나무속 / 337
사다리고사리 / 29	사할석남 / 384	산골분취 / 557	산단풍 / 314
사다리고사리속 / 29	사할진들피 / 639	산골취 / 557	산단풍나무 / 313, 314
사데나물 / 564	사향씨름꽃 / 340	산골풀 / 615	산달래 / 582, 584
사데풀 / 564	사향제비꽃 / 345	산과님풀 / 412	산닭의난초 / 726
사동미나리 / 373	삭갓사초 / 675	산광대 / 448	산담배풀 / 527, 550
사람주나무 / 305	산가락풀 / 176	산괭이눈 / 222	산대 / 656
사람주나무속 / 305	산가막살나무 / 493	산괭이밥 / 297	산대추 / 329
사마귀풀 / 618	산가새톱 / 508	산괭이사초 / 683	산대추나무 / 329
사마귀풀속 / 618	산가새풀 / 508	산괴불 / 486	산더부사리 / 478
사상자 / 383	산가죽나무 / 74	산괴불나무 / 486	산더부살이 / 478
사상자속 / 383	산각시취 / 560	산괴불이끼 / 13	산渟굴메밀 / 113
사송 / 63	산갈매나무 / 327, 328	산괴불주머니 / 199	산渟굴여뀌 / 113
사수딸기 / 265	산갈퀴 / 294, 425, 427	산괴쑥 / 509	산渟굴역귀 / 113
사스래나무 / 85	산갈퀴덩굴 / 425	산구슬봉이 / 412	산독새풀 / 623
사스레피나무 / 190	산갈키 / 425	산구절초 / 535	산돌배 / 254, 256
사스레피나무속 / 190	산갈기덩굴 / 425	산국 / 527	산돌배나무 / 256
사순딸기 / 265	산감수 / 305	산국수나무 / 243	산돌조 / 650
사시나무 / 75	산개갈퀴 / 425	산국수나무속 / 243	산동백나무 / 150
사시나무속 / 74	산개감수 / 305	산귀박쥐나풀 / 551	산동의나풀 / 162
사시버들 / 75	산개고사리 / 35	산금매화 / 177	산동쥐똥나무 / 407
사시황철 / 75	산개나리 / 405	산기름나물 / 379	산두근 / 279
사실버들 / 75	산개미자리 / 133	산기름새 / 639	산독사초 / 677
사실황철 / 75	산개밀 / 625	산기장 / 650	산동굴례 / 600
사약채 / 369, 371	산개벗나무 / 250	산기장풀 / 650	산들깨 / 452
사옥 / 251	산개벗지나무 / 250	산김의털 / 637	산들지치 / 435
사위질빵 / 163	산개벗지나무 / 250	산김의털아재비 / 637	산들쭉 / 393
사재발쑥 / 512	산개별꽃 / 135	산까지밥나무 / 232	산들쭉나무 / 393
사젠틴벗나무 / 251	산개쑥 / 514	산꼬들백이 / 546	산딸기 / 263
사지씀바귀 / 545	산개지치 / 435	산꼬랑사초 / 677	산딸기나무 / 263
사창분취 / 554	산갯보리 / 634	산꼬리고사리 / 24	산딸기속 / 262
사창취 / 554	산갯쑥부장이 / 521	산꼬리사초 / 694	산딸나무 / 363
사철검은재나무 / 404	산갯완두 / 285	산꼬리풀 / 473, 474	산딸딸기 / 240
사철고사리 / 24	산거울 / 637, 680	산꽃고사리삼 / 9	산떡쑥 / 509
사철나무 / 323	산검양웃나무 / 312	산꽃다지 / 208	산뚝사초 / 677
사철더부살이 / 479	산검양웃나무 / 312	산꽃여뀌 / 116	산룡담 / 412
사철란 / 726	산겨릅나무 / 312, 315, 316	산파리 / 461, 462	산마가목 / 270
사철란속 / 726	산겨이삭 / 622	산꿩밥 / 616	산마늘 / 583, 584
사철쑥 / 511, 515	산고들빼기 / 546	산꿩의다리 / 174, 176	산망초 / 537
사철쑥더부살이 / 479	산고로쇠나무 / 313	산꿩의밥 / 616	산매발톱꽃 / 162
사철잔고사리 / 17	산고로실나무 / 313	산꿩의밥풀 / 616	산매자나무 / 268, 392
사철초피나무 / 309	산고사리 / 18, 34	산끈끈이난초 / 581	산며루 / 331
사초과 / 668	산고사리삼 / 9	산나도히초미 / 53	산며위 / 552
사초속 / 669	산고추나물 / 192	산나사난초 / 736	산명덕딸기 / 264
사칼린민들레 / 567	산고추냉이 / 207	산냉이 / 202, 206	산메뚜기풀 / 628
사칼린사초 / 683	산골개고사리 / 36	산노루참나물 / 379	산메뛰기피 / 628

산모밀 / 120	산부채풀 / 665	산수유자나무 / 339	산자고속 / 604
산모싯대 / 500	산부추 / 584	산숙 / 512	산작약 / 187
산목란 / 147	산불이 / 584	산속부장이 / 520	산잠자리피 / 661
산뫼밀 / 120	산복승아나무 / 248	산쉽싸리 / 449	산장대 / 200, 202
산무릇 / 595	산분꽃나무 / 491	산승마 / 157, 158	산저름 / 315
산목새 / 637	산분꽃나무속 / 491	산시내사초 / 679	산접나도나물 / 130
산물머위 / 509	산분쑥 / 512	산쑥 / 514, 515	산젓가락나물 / 171
산물봉승아 / 317	산붉은인가목 / 258	산쑥방맹이 / 562	산제비고깔 / 167
산물통이 / 102	산붓꽃나무 / 491	산쑥부장이 / 520	산제비꽃 / 348
산물통이속 / 102	산비녀골 / 616	산쑥부쟁이 / 518, 520	산제비난 / 735
산물통이 / 102	산비늘고사리 / 49	산쓴풀 / 417	산제비난초 / 735
산미나리 / 368, 374	산비늘사초 / 679	산啐바귀 / 546, 547	산조아재비 / 650
산미나리속 / 368	산비단쑥 / 513	산아귀꽃나무 / 486	산조아재비속 / 650
산미나리아재비 / 171	산비름 / 102	산아즈까리나무 / 402	산조팝나무 / 270
산미역취 / 563	산비장이 / 562	산알록난초 / 726	산조풀 / 627
산민들레 / 567	산비장이속 / 562	산앵도 / 249	산족제비고사리 / 45
산민망초 / 536, 537	산뽕나무 / 101	산앵도나무 / 249, 392	산좁쌀풀 / 463, 464
산바늘꽃 / 358	산사 / 236	산앵두나무 / 249	산종명굴 / 162
산바늘사초 / 689	산사나무 / 236	산약 / 609	산죽 / 656, 657
산바디 / 381	산사나무속 / 236	산양귀비 / 200	산중개고사리 / 34
산바디미나리 / 381	산사시나무 / 75	산양사초 / 673	산쥐똥나무 / 407
산바위귀 / 226	산사초 / 672	산양지사초 / 697	산쥐손이 / 298
산바위승아 / 111	산산사나무 / 236	산얼룩난초 / 726	산쥐손이풀 / 298
산바위승아 / 111	산살구나무 / 250	산여뀌 / 120	산지보 / 590
산바위싱아 / 111	산삼 / 368	산오리나무 / 83	산지치 / 435
산박새 / 605	산새귀리 / 626	산오이풀 / 267	산지치속 / 435
산박쥐나풀 / 551	산새박 / 420	산옥매 / 248	산진달내 / 389
산박하 / 447	산새밥 / 617	산옥잡화 / 591	산진달래 / 389
산박하속 / 446	산새콩 / 285	산완두 / 284, 285	산진달래나무 / 389
산방망이 / 568	산새풀 / 628	산왕고들빼기 / 546	산진들피 / 638
산배나무 / 255	산새풀속 / 626	산외 / 352	산집신나풀 / 233, 234
산백리향 / 460	산서나무 / 87	산외속 / 352	산짚신나풀 / 233
산뱀고사리 / 34	산서복주머니란 / 722	산용담 / 412	산쪽 / 305
산뱀딸기 / 238	산서숙 / 627	산우두풀 / 32	산쪽풀 / 305
산버들 / 79, 81	산서어나무 / 87	산우드풀 / 32	산쪽풀속 / 305
산벗나무 / 251, 252	산석송 / 4	산우산대잔듸 / 630	산참대 / 315
산벗나무 / 251	산소영도리나무 / 494	산유자나무 / 339	산참대극 / 305
산별꽃 / 140	산속단 / 454	산유자나무속 / 339	산천궁 / 374
산보리수나무 / 338	산손잎풀 / 298	산이삭사초 / 684, 694	산천궁속 / 374
산복사 / 248	산솔자리풀 / 133	산이스라지 / 249	산철죽 / 391
산복사나무 / 248	산솜다리 / 548	산이스라지나무 / 249	산철쭉 / 391
산복성 / 248	산솜방망이 / 567	산이스라치나무 / 249	산초나무 / 309
산복승아나무 / 248	산솜방망이속 / 567	산이질풀 / 298, 299	산초풀 / 107
산부시풀 / 211	산솜방맹이 / 567	산익모초 / 449	산촛대승마 / 158
산부싯깃고사리 / 21	산쇠고비 / 44	산일엽초 / 55	산추나무 / 73, 309
산부채 / 665	산수국 / 227	산자고 / 604	산추자나무 / 73
산부채속 / 664	산수리취 / 560, 565		

산총총이 / 443	삼도하수오 / 115	새귀리 / 625, 626	새삼속 / 432
산총총이꽃 / 443	삼박달나무 / 86	새깃고사리 / 16	새새비나무 / 439
산타래사초 / 681	삼방회잎나무 / 320	새깃고사리속 / 16	새섬매자기 / 668
산탑꽃 / 444	삼백초 / 183	새깃사두초 / 663	새수리나무 / 85
산탑풀 / 444	삼백초과 / 183	새깃아재비 / 33	새애기풀 / 467
산털이슬 / 356	삼백초속 / 183	새깃아재비과 / 33	새양벼들 / 74
산토끼고사리 / 19	삼비풀 / 564	새깃아재비속 / 33	새양벼들속 / 74
산토끼꽃 / 497	삼색싸리 / 287	새꿰미풀 / 652	새웃나무 / 312
산토끼꽃과 / 497	삼색조록싸리 / 287	새끼거북꼬리 / 104	새완두 / 293
산토끼꽃속 / 497	삼송 / 63, 64	새끼고양이수염 / 711	새우가래 / 577
산토끼풀 / 497	삼수개미자리 / 134	새끼꿩의비름 / 214	새우나무 / 89
산톱풀 / 508	삼수구릿대 / 370	새끼노루귀 / 169	새우나무속 / 89
산통등굴레 / 600	삼수여로 / 605	새끼노루발 / 387	새우난초 / 718
산파 / 583	삼엽매지나무 / 241	새끼노루발속 / 387	새우난초속 / 718
산패랭이꽃 / 131	삼잎구와가막사리 / 524	새납풀 / 224	새우란 / 718
산팽나무 / 95	삼잎나물 / 561	새녁이 / 152	새우말 / 578, 579
산포도 / 331, 332	삼잎방망이 / 561	새돌부 / 279	새우말속 / 579
산푸솜나물 / 548	삼잎석송 / 4	새동지란 / 732	새이삭여뀌 / 120
산풀고사리 / 39	삼쥐순이 / 300	새동지란속 / 732	새캐미수염 / 711
산피막이풀 / 376	삼쥐순이풀 / 300	새등골나물 / 537, 538	새콩 / 276, 279
산할미꽃 / 170	삼지말발도리 / 227	새마디꽃 / 353	새콩속 / 275
산합박꽃 / 187	삼화갈퀴 / 427	새마디풀 / 353	새팥 / 296
산해박 / 420	삽주 / 523	새머루 / 332	새포아풀 / 652
산해주머니 / 198	삽주속 / 523	새멸구 / 332	새풀 / 624, 626
산향모 / 639	삿갓나물 / 565, 598	새며느리비풀 / 468	새피 / 636
산현호색 / 195	삿갓나물속 / 597	새며느리밥풀 / 468	색기곰고사리 / 50
산형과 / 368	삿갓사초 / 675	새모래덩굴 / 180	색기잠자리난초 / 735
산호란 / 720	삿갓풀 / 598	새모래덩굴속 / 180	샘등골나물 / 538
산호란속 / 720	삿부채 / 665	새미치광이풀 / 461	샘털개곽향 / 460
산호수 / 395	상동나무 / 328	새밀 / 601	생강나무 / 150
산황나무 / 327	상동나무속 / 328	새박 / 352, 421	생강나무속 / 150
산황새냉이 / 206	상동미나리 / 373	새박속 / 352	생달나무 / 150
산회향 / 377	상동잎쥐똥나무 / 408	새박풀 / 421	생당쑥 / 515
산흑두 / 279	상사화속 / 607	새받침덩굴 / 330	생댕쑥 / 515
산흰쑥 / 516	상산 / 307	새발고사리 / 31	생동잎쥐똥나무 / 408
살갈퀴 / 294	상산나무 / 307	새발덩굴 / 330	생열귀나무 / 258
살갈키 / 425	상산속 / 307	새밥 / 617	생열귀장미 / 258
살곰취 / 549	상수리나무 / 91	새방울비찌루 / 585	생이가래 / 16
살구잔대 / 501	상초나무 / 309	새방울사초 / 698	생이가래과 / 15
살릭스글라우카 / 77	새 / 624	새버나무 / 260	생이가래속 / 16
살마목세 / 409	새갈퀴 / 295	새불잣밤나무 / 90	생치나물 / 371
살매나무 / 329	새고비 / 35, 36	새블잣밤나무 / 90	서나무 / 87
살쾡이사초 / 683	새고추 / 468	새비나무 / 439	서털채 / 564
삶팽이사초 / 683	새고추풀 / 468	새사스레나무 / 85	서털취 / 555
삶과 / 102	새골등골나물 / 538	새사초 / 677	서리개나리 / 404
삶나물 / 235	새골풀아재비 / 711	새삼 / 433	서수라사초 / 681
삶도일엽 / 23	새곰취 / 549		서수례 / 584

서어나무 / 87	석향포 / 662	선부들말 / 580	설악보리수 / 334, 335
서어나무속 / 86	선가래 / 577	선부추 / 582	설악솜다리 / 548
서울개발나물 / 381	선갈퀴 / 425	선비늘이끼 / 6	설악아구장나무 / 271
서울개발나물속 / 381	선갈퀴아재비 / 425	선사초 / 669	설악아구장조팝나무 / 271
서울갯쇠보리 / 641	선갈퀴완두 / 284	선속속이풀 / 211	설악조팝나무 / 271
서울고광나무 / 229	선감국 / 527	선씀바귀 / 543, 545	설앵초 / 400
서울김의털 / 637	선갯장대 / 201	선씀바귀속 / 543	섬가시딸기 / 264
서울단풍 / 314	선고초풀 / 467	선씨름꽃 / 347	섬가시딸나무 / 265
서울단풍나무 / 314	선괭이눈 / 224	선애기리진달래 / 384	섬갈퀴 / 292
서울민바랭이 / 631	선괭이눈풀 / 224	선연리초 / 284	섬강개갓냉이 / 211
서울방동사니 / 700	선괭이밥 / 297	선오돌포기 / 156	섬강아지수염 / 619
서울분취 / 559	선괴불주머니 / 198	선오랑캐 / 347	섬개구리망 / 173
서울섬달나무 / 314	선구슬이끼 / 6	선완두 / 284	섬개모시풀 / 104
서울오갈피 / 366	선꾸Leaks이풀 / 653	선용담 / 413	섬개발나물 / 382
서울오갈피나무 / 366	선꿰미풀 / 653	선운족도리풀 / 186	섬개벗나무 / 248
서울오랑캐 / 348	선나래갈퀴 / 296	선이질풀 / 299	섬개벗나무 / 248
서울제비꽃 / 348	선녀고사리 / 25	선점나도나물 / 130	섬개별꽃 / 134
서울죽도리풀 / 185	선단배풀 / 466, 467	선제비꽃 / 347	섬개서나무 / 87
서장경 / 420	선당근 / 375	선좁쌀풀 / 463	섬개쑥부쟁이 / 518
서향 / 336	선덩굴바꽃 / 153, 155	선종덩굴 / 164	섬개야광 / 236
서홍구절초 / 535	선덩굴오돌도기 / 155	선주름잎 / 467	섬개야광나무 / 236
서홍닥나무 / 336	선돌바꽃 / 155	선줄바꽃 / 155	섬개야광나무속 / 235
서홍처녀꽃 / 336	선둥굴레 / 598	선쥐꼬리새 / 647	섬개현삼 / 475
석곡 / 724	선등갈끼 / 296	선쥐꼬리풀 / 647	섬개회나무 / 410
석곡란 / 724	선등말굴레풀 / 296	선쥐손이풀 / 299	섬갯분취 / 556
석곡속 / 724	선떡갈나무 / 91	선털황새냉이 / 204	섬갯쑥부쟁이 / 518
석냥골 / 702	선매미꽃 / 199	선투구꽃 / 154, 156	섬갯장대 / 202
석류풀 / 128	선매꽃 / 431	선포아풀 / 653	섬거복꼬리 / 202
석류풀과 / 128	선모란풀 / 164	선피막이 / 376	섬거복꼬리 / 104
석류풀속 / 128	선모시나물 / 500	선피막이풀 / 376	섬거복꼬리 / 104
석소리 / 91	선모시대 / 499	선향기풀 / 623	섬고광나무 / 229
석송 / 5	선모초 / 535	선헌호색 / 198	섬고뢰쇠 / 313
석송과 / 3	선목단풀 / 164, 165	선�惶새냉이 / 204	섬고사리 / 33
석송속 / 4	선물수세미 / 361	설플네나무 / 260	섬고추냉이 / 209
석위 / 58	선물잔디 / 654	설플개현삼 / 474	섬곰취 / 550
석위속 / 58	선미끄등 / 656	설플꼴풀 / 614	섬공작고사리 / 20
석잠풀 / 459	선미치꽝이풀 / 136	설플사초 / 683, 695	섬곽향 / 460
석잠풀속 / 458	선밀나물 / 601	설플오리나무 / 82	섬광대나물 / 449
석장초 / 386	선바꽃 / 155	설플쥐오줌풀 / 496	섬광대수염 / 449
석장포 / 662	선바더나물 / 369	설플파 / 583	섬괴불나무 / 487
석장풀 / 386	선바위고사리 / 22	설플황기 / 277	섬국수나무 / 272
석장화 / 386	선바위고사리속 / 22	설플황새풀 / 704	섬국화 / 518
석죽 / 130	선방동사니 / 710	설플고사리 / 31	섬기름나물 / 379
석죽과 / 129	선백미 / 419	설플고사리속 / 30	섬기린초 / 218
석죽화 / 130	선백미꽃 / 419	설플가라목 / 69	섬깃반쪽고사리 / 23
석장포 / 662	선버드나무 / 81	설플개별꽃 / 136	섬까치수염 / 397
석쿠리 / 564	선벼들 / 81	설플눈주목 / 69	섬까치수영 / 397

섬고리풀 / 473	섬사스레미나무 / 190	섬장대 / 202	성주풀 / 462
섬꽃마리 / 434	섬사철란 / 726	섬장때 / 202	성주풀속 / 462
섬꽃마리속 / 434	섬사초 / 671, 685	섬젓가락나물 / 172	세가래사초 / 697
섬꾸ием이풀 / 651	섬산딸기 / 266	섬정백이 / 664	세갈래이질풀 / 301
섬꿩고사리 / 16	섬산장구채 / 138	섬제비꽃 / 344, 348	세갈래쥐손이 / 301
섬꿩의비름 / 214	섬산파 / 584	섬제비쑥 / 512, 514	세닢종덩굴 / 165
섬나도히초미 / 52	섬상록 / 128	섬조릿대 / 657	세대가리 / 710
섬나리 / 593	섬새우난초 / 718	섬조팝나무 / 272	세대가리속 / 710
섬나무딸기 / 266	섬선이질풀 / 299	섬족도리 / 185	세명아주 / 143
섬나물 / 213	섬세신 / 185	섬족도리풀 / 185	세모고랭이 / 714
섬남성 / 664	섬소사나무 / 87	섬족두리풀 / 185	세모부추 / 584
섬노루귀 / 169	섬속소리나무 / 94	섬쥐깨풀 / 452	세모산부추 / 584
섬노린재 / 403	섬송이풀 / 470	섬쥐똥나무 / 190, 406	세바람꽃 / 161
섬노린재나무 / 403	섬수국 / 228	섬쥐손이 / 300, 301	세별등골나물 / 538
섬누리장나무 / 440	섬쉽쌍리 / 449	섬쥐손이풀 / 300	세복수초 / 159
섬다래 / 188	섬승마 / 158	섬쥐오줌풀 / 497	세뿔곰취 / 549
섬다래나무 / 188	섬시호 / 372	섬진달래 / 389	세뿔꽃여뀌 / 116
섬단풍나무 / 314	섬신진 / 104	섬진벌 / 155	세뿔두메취 / 560
섬대 / 657	섬쐐기풀 / 108	섬질경이 / 483, 484	세뿔산여뀌 / 116
섬맹강나무 / 484	섬쑥 / 512, 516	섬참이질풀 / 299	세뿔석위 / 58
섬더덕 / 504	섬쑥부쟁이 / 521	섬천남성 / 664	세뿔여뀌 / 116
섬돌담고사리 / 26	섬쑥부쟁이 / 521	섬초롱꽃 / 504	세뿔투구꽃 / 153
섬들국화 / 535	섬야광나무 / 236	섬촛대승마 / 158	세송이꼴 / 710
섬들깨 / 452	섬양지꽃 / 245, 247	섬취 / 558	세송이바람꽃 / 160, 161
섬뜰 / 263	섬억새 / 647	섬탑풀 / 444	세수염가래꽃 / 505
섬뜰기 / 266	섬엄나무 / 233	섬투구꽃 / 154	세수염마름 / 477
섬말나리 / 593	섬엉겅퀴 / 530	섬팽나무 / 96	세신 / 186
섬매발톱나무 / 178	섬여로 / 605, 606	섬포아풀 / 653	세잎개발나물 / 382
섬매자나무 / 178	섬오갈피 / 365	섬피나무 / 334	세잎개회향 / 383
섬명감나무 / 601	섬오갈피나무 / 365	섬하늘타리 / 352	세잎깻당귀 / 383
섬모시풀 / 103, 104	섬오돌도기 / 155	섬향나무 / 66	세잎꿩의비름 / 214
섬물통이 / 107	섬오랑캐 / 344	섬향수꽃 / 173	세잎돌찌귀 / 154, 156
섬바디 / 375	섬오리나무 / 83	섬향수풀 / 173	세잎딱지 / 245
섬바디속 / 375	섬오줌풀 / 497	섬현삼 / 475	세잎물양지꽃 / 245
섬바위떡풀 / 225	섬용담 / 413	섬현호색 / 196	세잎손잎풀 / 301
섬바위장대 / 201	섬우산나물 / 565	섬회나무 / 323	세잎솜대 / 596
섬바위장때 / 201	섬음나무 / 233	섬회양목 / 325	세잎솜때 / 596
섬방울사초 / 694	섬인동 / 487	섬섬고사리 / 23	세잎승마 / 157
섬백리향 / 460	섬일엽아재비 / 22	섬섬일엽 / 23	세잎양지꽃 / 246
섬벼들 / 78	섬자란초 / 442	성긴좀꿩의다리 / 175	세잎완두 / 291
섬벗 / 254	섬자리공 / 128	성긴털제비꽃 / 349	세잎종덩굴 / 165
섬벗나무 / 254	섬잔고사리 / 40	성진포아풀 / 653	세잎쥐손이 / 298, 299, 301
섬봉의꼬리 / 53, 54	섬잔대 / 502	성남성 / 664	세잎쥐손이풀 / 301, 497
섬분꽃나무 / 491	섬잠자리피 / 661	성널수국 / 227	세잎참꽃 / 390
섬분홍참꽃나무 / 391	섬잣나무 / 65	성인봉나리 / 593	세잎풀 / 177
섬비노리 / 636	섬장구채 / 138	성인봉사초 / 694	세잎풀속 / 177
섬사두초 / 664	섬장녹 / 128	성인죽 / 657	세잎활미꽃 / 170

세포큰조롱 / 420	속새 / 7	솔장다리 / 145	송장풀 / 449
세푸랑나무 / 190	속새과 / 7	솔줄 / 660	쇄무릅풀 / 147
센달나무 / 151	속새속 / 7	솔체꽃 / 498	쇄채 / 560
센털조뱅이 / 525	속소리나무 / 93, 94	솔풀 / 660	쇠가시나무 / 93
셋꽃으아리 / 167	속속냉이 / 212	솜꼴 / 715	쇠개암나무 / 88
셔나무 / 87	속속이풀 / 212	솜꼬리까치밥나무 / 231	쇠고비 / 44
소경불알 / 505	속심풀 / 581	솜나물 / 547	쇠고비속 / 43
소경불알더덕 / 505	속털개밀 / 633	솜나물속 / 547	쇠고사리 / 42
소곰쟁이 / 568	손고비 / 56	솜다리속 / 547	쇠고사리속 / 42
소귀나무 / 73	손고비속 / 56	솜대 / 596, 651	쇠고채목 / 85
소귀나무과 / 73	손바닥나비난초 / 723	솜때 / 596	쇠곰취 / 550
소귀나무속 / 73	손바닥난 / 727	솜떡쑥 / 539	쇠까치수염 / 399
소귀나물 / 574	손바닥난초 / 727	솜방망이 / 568	쇠꽃꼬리풀 / 399
소나무 / 63, 64	손바닥난초속 / 727	솜버들 / 81	쇠꾸Leaks이풀 / 653
소란 / 720	손바닥란 / 727	솜분취 / 555	쇠낚시사초 / 689
소루장이 / 126	손바디나물 / 368	솜쑥 / 553	쇠냉이 / 211
소루쟁이 / 126	손뿌리난초 / 727	솜쑥방망이 / 568	쇠달래 / 583
소리나무 / 92, 93	손잎풀 / 300	솜아마존 / 418	쇠대나물 / 573
소리떨나무 / 363	솔 / 64	솜양지꽃 / 245	쇠돌피 / 654
소리쟁이 / 126	솔나리 / 592	솜영경퀴 / 529	쇠돌피속 / 654
소리쟁이속 / 126	솔나무 / 64	솜예자풀 / 715	쇠동백나무 / 305
소사나무 / 87	솔나물 / 427	솜제비꽃 / 343	쇠뜨기 / 7
소스랑개비 / 243	솔방울고랭이 / 714, 715	솜죽대 / 596	쇠뜨기말 / 361
소시랑개비 / 245	솔방울골 / 714, 715	솜털가물고사리 / 32	쇠뜨기말풀 / 361
소엽새 / 628	솔붓꽃 / 612	솜털고사리 / 32	쇠뜨기말풀속 / 361
소엽맥문동 / 597	솔비나무 / 289	솜털벼들 / 78	쇠메기사초 / 678
소엽풀 / 464	솔새 / 660	솜황새풀 / 715	쇠무릅 / 147
소엽현호색 / 199	솔새속 / 660	솜흰여뀌 / 119	쇠무릅 / 147
소영도리나무 / 494	솔석송 / 5	송광꽃나무 / 213	쇠무릅속 / 146
소젖덩굴 / 421	솔속새 / 8	송광납판나무 / 213	쇠목새 / 638
소태나무 / 310	솔송나무 / 66	송광납판화 / 213	쇠물푸레 / 406
소태나무과 / 310	솔쇠뜨기 / 8	송금나무 / 438	쇠박달나무 / 363
소태나무속 / 310	솔엉겅퀴 / 529	송악 / 366	쇠방동사니 / 700
소터래나무 / 289	솔인진 / 509	송악속 / 366	쇠방동산이 / 700
소털골 / 701	솔인진속 / 509	송양나무 / 435	쇠별꽃 / 140
소향풀 / 464	솔잎가래 / 578	송양나무속 / 435	쇠보리 / 641
소황금 / 457	솔잎고사리 / 25	송엽란 / 11	쇠보리속 / 641
속나무 / 73	솔잎국화 / 522	송이고랭이 / 713	쇠분취 / 559
속단 / 454	솔잎나리 / 592	송이고랭이속 / 712	쇠비름 / 128
속단속 / 454	솔잎난 / 11	송이골풀아재비 / 712	쇠비름과 / 128
속단아재비 / 453	솔잎란 / 11	송이비꽃 / 153	쇠비름속 / 128
속단아재비속 / 453	솔잎란과 / 11	송이방동사니 / 712	쇠뿔현호색 / 196
속리기린초 / 218	솔잎란속 / 11	송이사초 / 683	쇠산박하 / 447
속리말발도리 / 227	솔잎말 / 182	송이풀 / 470	쇠서나물 / 553
속리산싸리 / 287	솔잎사초 / 671	송이풀속 / 469	
속리싸리 / 287	솔잎쑥 / 539	송장나무 / 307	
속리참나물 / 383	솔잎잔대 / 499		

쇠서나물속 / 552	수리딸기 / 262	수우물오리 / 83	숲개별꽃 / 136
쇠수리취 / 560	수리딸나무 / 265	수원고랭이 / 713	숲고사리 / 36
쇠스랑개비 / 243	수리취 / 565, 566	수원땅귀개 / 481	숲고사리삼 / 9
쇠짜리 / 287	수리취속 / 565	수원땅귀이개 / 481	숲골무꽃 / 457
쇠慈悲기 / 553	수립란 / 729	수원사초 / 688	숲께목 / 540
쇠열나무 / 325	수모시나물 / 501	수원잔대 / 501	숲꽃마리 / 437
쇠영꽃나무 / 229	수박풀 / 267	수자해꽃 / 725	숲꾸름이풀 / 653
쇠젓가래 / 188	수비늘개관중 / 53	수정나무 / 423	숲물망초 / 437
쇠젓다래 / 188	수산박하 / 447	수정난풀 / 386	숲바람꽃 / 161
쇠진들피 / 639	수선화과 / 607	수정난풀속 / 386	숲박달 / 84
쇠채 / 560	수송나물 / 145	수정란 / 386	숲보리뱅이 / 547
쇠채속 / 560	수송나물속 / 145	수정란풀 / 386	숲보리뻥풀 / 547
쇠치기풀 / 639	수송이풀 / 470	수정목 / 423	숲솜나물 / 555, 557
쇠치기풀속 / 639	수수고사리 / 26	수정초 / 386	숲안꼭두서니 / 431
쇠코돌개나무 / 289	수수꽃다리 / 409	수정호자나무 / 423	숲이삭사초 / 676
쇠코드래나무 / 289	수수꽃다리나무 / 409	수캐면마 / 39	숲이삭초 / 676
쇠태 / 310	수수꽃다리속 / 409	수개미자리 / 136	쉬나무 / 268, 308
쇠태나물 / 573	수수새 / 659	수크령 / 649	쉬나무속 / 308
쇠털꼴 / 638, 701	수수새속 / 659	수크령속 / 649	쉬땅나무 / 268
쇠털이슬 / 356	수양벚나무 / 252	수패랭이꽃 / 131	쉬땅나무속 / 268
쇠풀 / 657	수양장구채 / 140	숙은꽃장포 / 603	쉬젓가래 / 188
쇠풀속 / 657	수염가래 / 505	숙은꽃장포풀 / 603	쉬청나무 / 406
쇠풍경사초 / 695	수염가래꽃 / 505	숙은노루오줌 / 221	쉬풀 / 278
쇠하늘지기 / 707	수염개밀 / 635, 640	숙은돌창포 / 603	쉬풀나무 / 278
수감초 / 418	수염개밀속 / 640	숙은분취 / 559	쉽사리 / 449
수강아지풀 / 658	수염과남풀 / 415	숙은처녀치마 / 589	쉽싸리 / 450
수거머리말 / 580	수염김의털 / 637	숙은촛대승마 / 157	쉽싸리속 / 449
수고양이수염 / 711	수염대새풀 / 629	순복꽃나무 / 491	쉽싸리풀 / 278
수골무꽃 / 457	수염맹뎅이 / 486	순분꽃나무 / 491	슈미트사초 / 694
수국과 / 226	수염룡담 / 415	순비기나무 / 441	스무나무 / 97
수국속 / 227	수염마름 / 477, 478	순비기나무속 / 441	스미쓰키버들 / 79
수궁초속 / 418	수염마름속 / 477	순안억새 / 646	습잔대 / 506
수그린엉겅퀴 / 531	수염마양초 / 640	순채 / 182	습지고사리 / 39
수까치끼 / 333	수염며느리밥풀 / 467	순채속 / 182	승마 / 157, 158
수깔고사리 / 57	수염뿌리미치광이 / 136	순가락냉이 / 205	승마냉이 / 205
수꿩밥 / 617	수염사초 / 671, 687	순가락황새냉이 / 205	승아 / 110
수돌담고사리 / 24	수염새 / 628	순갈일엽 / 56	승애 / 110
수두루미피 / 629	수염새아재비 / 621	술파랭이꽃 / 131	승엄초 / 378
수레갈퀴 / 426	수염용담 / 415	술위나물 / 476	시계나무 / 410
수레갈퀴아재비 / 425	수염용담속 / 415	솟곰고사리 / 50	시골색시사초 / 696
수레갈기아재비 / 425	수염이끼 / 12	솟돌담고사리 / 24	시금초 / 126
수레둥굴레 / 600	수염종덩굴 / 164	솟명다래나무 / 487	시내버들 / 77
수레부채 / 224	수염치자풀 / 429	솟잔대 / 506	시내사초 / 680
수련 / 182	수염풀 / 660	솟잔대속 / 505	시내차사조 / 680
수련과 / 181	수염풀속 / 660	숲갈퀴나물 / 292	시다기나무 / 315
수련속 / 181	수염현호색 / 196	숲개밀 / 625	시탁나무 / 305, 312, 315
수련아재비 / 575	수영 / 126	숲개밀속 / 625	시당나무 / 312

시로맨시스사초 / 695	신안새우난초 / 718	실이삭사초 / 682	쌀새 / 630, 643
시로미 / 385	신우대 / 656	실잎쑥 / 511	쌀새속 / 643
시로미속 / 385	신유 / 97	실젓가락나물 / 172	쌀파도풀 / 469
시로우마사초 / 695	신의대 / 657	실제비쑥 / 511	쌀파도풀속 / 469
시루산돌부 / 290	신이대 / 657	실좀풀꽃 / 411	쌍꽃대 / 184
시루산두메자운 / 290	신진 / 104	실청사초 / 693	쌍낚시돌풀 / 428
시무나무 / 97	신창구절초 / 535	실충총이꽃 / 443	쌍낚시풀 / 428
시무나무속 / 97	신창국화 / 535	실통발 / 481	쌍노랑붓꽃 / 611
시베리아팽이눈 / 223	신해박 / 420	실포아풀 / 651	쌍동꽃대 / 184
시베리아냉초 / 476	신흥골풀 / 614	실피사초 / 684	쌍동바람꽃 / 159
시베리아다닥냉이 / 210	실가래 / 578	실하늘지기 / 668, 669	쌍등이바람꽃 / 159
시베리아매발탑꽃 / 162	실갈퀴 / 425	실하늘직이 / 668	쌍두제비란 / 734
시베리아바위풀 / 584	실갈키덩굴 / 425	실회나무 / 324	쌍등꽃대 / 184
시베리아살구 / 253	실개수염 / 619	심산갈퀴 / 424	쌍등바람꽃 / 159
시베리아살구나무 / 253	실거리나무 / 277	십산구슬봉이 / 412	쌍등벼들 / 77
시베리아수염새 / 621	실거리나무속 / 277	십자고사리 / 53	쌍등이바람꽃 / 159
시베리아쑥 / 539	실고비 / 12	십자고사리속 / 51	쌍실벼들 / 77
시베리아여뀌 / 115	실고사리 / 15	십자란 / 728	쌍잎난초 / 731, 732
시베리아여뀌속 / 115	실고사리과 / 15	십자참꽃 / 390	쐐기풀 / 108
시베리아잠자리피 / 661	실고사리속 / 15	십자참꽃나무 / 390	쐐기풀과 / 102
시베리아장대 / 202	실고위끼람 / 619	싱아 / 110, 114	쐐기풀속 / 108
시베리아포아풀 / 653	실꼴 / 615	싱아속 / 110	쑥 / 512
시베리아황기 / 280	실꼴풀 / 615	싸라기사초 / 697	쑥갓속 / 527
시베리야장대 / 202	실꽃풀 / 586	싸랑부리 / 542	쑥국화 / 566
시볼드모시풀 / 104	실꽃풀속 / 586	싸래기사초 / 697	쑥국화속 / 566
시볼드아그배나무 / 241	실꿰미풀 / 651	싸리 / 285	쑥더부사리 / 479
시투리 / 564	실나자스말 / 580	싸리나무 / 285	쑥더부살이 / 479
시호 / 372	실낚시돌풀 / 428	싸리냉이 / 204	쑥방망이 / 561
시호속 / 371	실달래 / 582	싸리덩굴 / 293	쑥방망이 / 561, 568
식나무 / 152, 362	실령신초 / 311	싸리버들 / 407	쑥부장이 / 522
식나무속 / 362	실마리꽃 / 586	싸리버들꽃 / 306	쑥부쟁이 / 522
신가삼 / 378	실말 / 578	싸리속 / 285	쑥부지깽이 / 209
신갈나무 / 92	실맥문동 / 597	싸리황새냉이 / 204	쑥부지깽이속 / 209
신갈매나무 / 327	실바디 / 381	싸할꼬리풀 / 473	쑥속 / 511
신갈사초 / 689	실바디미나리 / 381	싸할린들피 / 639	쫀귀풀 / 542
신갈졸참나무 / 94	실버들분취 / 556, 557	싸할사초 / 683	쫀풀 / 416
신감채 / 378	실별꽃 / 141	싸할송이풀 / 469	쫀풀속 / 416
신꽃창포 / 611	실부추 / 582	싹고사리 / 52	씀바귀 / 542
신나무 / 313, 315	실비녀골풀 / 615	싹눈꿩의비름 / 214	씀바귀속 / 542
신나비나물 / 292	실사리 / 7	싹눈돌나물 / 219	씀바귀아재비 / 542, 553
신달위 / 391	실사초 / 677, 682, 696	싹눈바꽃 / 154	씀바기 / 542
신떡갈나무 / 94	실새삶 / 432, 433	싹눈바위취 / 225	씀배아재비 / 553
신리화 / 404	실새풀 / 626	싹리냉이 / 204	씨눈난초 / 728
신방나무 / 305	실쇠채나물 / 540	쌀겨풀 / 642	씨눈난초속 / 728
신부채붓꽃 / 611	실쑥 / 539	쌀낫사초 / 678	씨눈란 / 728
신산들깨 / 451	실쑥속 / 539	쌀사초 / 678	씨눈바위취 / 225
신신무 / 150	실영신초 / 311	쌀삿갓사초 / 678	씨눈범의귀 / 225

씨눈비녀풀 / 615	안면용등굴레 / 601	암매 / 384	애기그늘사초 / 680
씨름꽃 / 344	안민용등굴레 / 601	암매과 / 384	애기그늘새 / 643
씨범꼬리 / 113	안성바꽃 / 153	암매속 / 384	애기금강제비꽃 / 350
씨범꼬리풀 / 113	앉은가래 / 577	암뱀고사리 / 34	애기금매화 / 177
씨비리다닥냉이 / 210	앉은꽃속속이풀 / 211	암채송화 / 219	애기기린초 / 217
씨아퐁 / 195	앉은뱅이꽃 / 344	암취 / 521	애기김의털 / 637
씬나물 / 534	앉은부채 / 665	암크령 / 635	애기꼬리고사리 / 25
씹배나물 / 542	앉은부채속 / 665	암풀고사리 / 14	애기꽃금매화 / 177
(o)	앉은속속이풀 / 211	암하늘지기 / 708	애기꿩의비름 / 217
아가위나무 / 236, 240, 241	앉은잎다닥냉이 / 210	암하늘작이 / 708	애기나도바랭이새 / 644
아광나무 / 236	앉은잎키비들 / 78	암홍여로 / 607	애기나리 / 587
아구사리 / 150, 305	앉은좁쌀풀 / 463	압록가시나무 / 259	애기나리속 / 587
아구장나무 / 271	앉은향나무 / 66	압록강부추 / 582	애기나비나물 / 295
아구장조팝나무 / 271	알개발나물 / 382	압록더부살이 / 479	애기낚시제비꽃 / 343
아귀꽃나무 / 488	알꽃액문동 / 594	애광나무 / 236	애기냉이 / 203
아귀나무 / 150	알꽈리 / 462	애광이사초 / 682	애기념나물 / 589
아그배나무 / 236, 240, 241	알꽈리속 / 462	애괭이사초 / 682	애기네잎갈퀴 / 423, 424
아기단풍 / 314	알나리 / 593	애기기래 / 577	애기노랑붓꽃 / 611
아기도라지 / 507	알더덕 / 505	애기기막살이 / 525	애기노루귀 / 169
아기며느리밥풀 / 468	알돌나물 / 219	애기기막살 / 525	애기노루발 / 388
아기쇠스랑개비 / 243	알락죽두리풀 / 185	애기기물고사리 / 31	애기노루발풀 / 388
아기쌍잎난초 / 732	알록뫼제비꽃 / 348	애기기새고사리 / 42	애기눈깨풀 / 400
아기쐐기풀 / 108	알록봉의꼬리 / 23	애기갈구리풀 / 282	애기능쟁이 / 142
아기원지 / 311	알록오랑캐 / 343, 349	애기감동사초 / 678	애기닥나무 / 99
아기좁쌀풀 / 463	알록제비꽃 / 349	애기개곽향 / 460	애기단풍 / 314
아기풀 / 310	알록큰봉의꼬리 / 23	애기개뫼밀 / 120	애기달개비 / 618
아넬사초 / 670	알룩난초 / 726	애기개미취 / 522	애기달래 / 583
이들메기 / 659	알룩메제비꽃 / 348	애기개별꽃 / 134	애기닭의밀셋개 / 618
아라사말채나무 / 362	알룩세신 / 185	애기개울미 / 701	애기닭의장풀 / 618
아라이도쑥 / 511	알룩이천남성 / 664	애기개울미속 / 701	애기담배풀 / 527
아마과 / 302	알며느리바풀 / 467	애기갯보리 / 634	애기대나물 / 138
아마속 / 302	알며느리밥풀 / 467	애기거머리말 / 580	애기댕댕이 / 486
아마존 / 419	알방동사니 / 699	애기거이삭 / 622	애기더덕 / 504
아마풀 / 336	알방동산이 / 699	애기고사리삽 / 9	애기덕산풀 / 716
아마풀속 / 336	알산승애 / 111	애기고위카람 / 620	애기도둑놈의갈고리 / 282
아무르고사리 / 45	알쐐기풀 / 105	애기고추나물 / 192	애기도둑놈의갈구리 / 282
아무르더부살이 / 479	암캐회나무 / 410	애기곡정초 / 620	애기도라지 / 507
아무르바늘꽃 / 357	암고사리 / 39	애기꼴무꽃 / 456	애기도라지속 / 507
아물고사리 / 45	암공작고사리 / 19	애기꼴풀 / 614	애기동의나물 / 162
아물바늘꽃 / 357	암괴불나무 / 488	애기꿩이눈 / 222	애기두릅나무 / 364
아물분취 / 554	암괴불주머니 / 199	애기꿩이눈풀 / 222	애기동굴레 / 600
아물천남성 / 663	암까치깨 / 333	애기꿩이밥 / 297	애기동그리나물 / 599
아시아꿩의다리 / 174	암꿩고사리 / 16	애기꿩이밥풀 / 297	애기들쭉나무 / 393
아왜나무 / 492	암꿩밥 / 617	애기구와꼬리풀 / 473	애기등 / 289
아욱과 / 335	암꿩의밥 / 617	애기구와밭 / 464	애기등나무 / 289
아욱제비꽃 / 343	암대극 / 304	애기굴거리나무 / 307	애기등속 / 289

애기똥풀 / 195	애기비쑥 / 512	애기젓가락풀 / 171	야고초 / 624
애기똥풀속 / 195	애기사철란 / 726	애기젖가락풀 / 171	야광나무 / 236, 240
애기마 / 609	애기사초 / 675	애기제비란 / 735	야그배나무 / 241
애기마디풀 / 125	애기산딸나무 / 363	애기죽제비고사리 / 46, 50	야산고비 / 33
애기마름 / 354	애기삿갓나물 / 565	애기좀고사리 / 25	야산고비과 / 32
애기메꽃 / 431	애기새 / 624	애기좁쌀풀 / 463	야산고비속 / 33
애기며느리바풀 / 468	애기석남 / 384	애기주름조개풀 / 648	야산고사리 / 33
애기며느리밥풀 / 468	애기석송 / 5	애기중나리 / 592	야자피 / 627
애기명아주 / 144	애기석위 / 58	애기중무릇 / 588	야지산새풀 / 627
애기모람 / 101	애기석창포 / 662	애기지네고사리 / 48	야지피 / 627
애기무엽란 / 732	애기세가래사초 / 697	애기진고사리 / 37	야합수 / 275
애기물꼬아리 / 468	애기세례사초 / 697	애기진달래 / 384	약난초 / 720
애기물꽈리 / 468	애기소경불알 / 504	애기질빵 / 166	약난초속 / 720
애기물꽈리아재비 / 468	애기솔나물 / 427	애기짚신나물 / 235	약도라지 / 506
애기물레나물 / 191	애기송이풀 / 470	애기쪽제비고사리 / 50	약란 / 720
애기물매화 / 230	애기쇠채 / 561	애기참꽃 / 401	약밤 / 89
애기물매화풀 / 230	애기수련 / 182	애기참바디 / 381	약밤나무 / 89
애기물통이 / 106	애기수염이끼 / 13	애기천마 / 720	약방동사니 / 700
애기바늘사초 / 679	애기숙갈난초 / 718	애기천마속 / 720	약쑥 / 512
애기바늘꽃 / 358	애기순갈고사리 / 56	애기천일사초 / 695	얇은개싱아 / 111
애기바늘사초 / 679	애기쉽사리 / 450	애기탑꽃 / 443	얇은잎개싱아 / 111
애기바랭이 / 631	애기쉽싸리 / 450	애기택란 / 450	얇은잎고광나무 / 229
애기바위솔 / 216	애기쐐기풀 / 108	애기톱지네고사리 / 46	얇은잎싱아 / 111
애기바위쑥 / 515	애기씨볍꼬리 / 113	애기통발 / 481	양귀비과 / 195
애기바위장포 / 603	애기앉은부채 / 665	애기풀 / 310	양귀비속 / 200
애기바위조팝나무 / 272	애기양지꽃 / 245	애기풀딸 / 244	양꽃주머니 / 195
애기반들사초 / 697	애기어리연 / 417	애기풀매화 / 230	양덕고광나무 / 229
애기방동사니 / 699, 700	애기어리연꽃 / 417	애기하늘지기 / 705	양덕사두초 / 664
애기방울고랭이 / 714	애기염주사초 / 680	애기하늘직이 / 705	양덕사초 / 695
애기방울난초 / 728	애기오엽딸기 / 265	애기할미꽃 / 170	양덕천남성 / 664
애기백산차 / 386	애기오이풀 / 267	애기향모 / 640	양머리복주머니란 / 722
애기백지 / 368	애기완두 / 284	애기향유 / 445	양면고사리 / 43
애기벼어먼초 / 613	애기우드풀 / 31	애기현호색 / 198	양명아주속 / 144
애기변줄씀바귀 / 534	애기우산나물 / 565	애기황기 / 277	양반박주가리 / 422
애기벌난초 / 730	애기울미 / 640	애기황새냉이 / 206	양반풀 / 420, 422
애기벼룩아재비 / 411	애기원추리 / 589	애기황새풀 / 704, 716	양뿔사초 / 673
애기보리뱅이 / 547	애기월귤 / 393	애기황새풀속 / 716	양주좀개수염 / 619
애기복수초 / 159	애기이삭사초 / 688	애기흰사초 / 687	양지고사리 / 17
애기봄마지 / 396	애기일엽초 / 55	애땅쑥 / 511	양지꽃 / 245
애기봄맞이 / 396	애기자운 / 280	애잎나풀 / 447	양지꽃속 / 243
애기봄맞이꽃 / 396	애기자운속 / 280	앵초 / 400	양지사초 / 681, 687
애기부들 / 667	애기작란화 / 722	앵초과 / 396	양지오랑캐 / 349
애기부들말 / 580	애기장구채 / 137	앵초속 / 399	양지제비꽃 / 349
애기붓꽃 / 612	애기장대 / 201	야고 / 478	양지흰꼬리사초 / 691
애기비녀골 / 614	애기장대속 / 200	야고속 / 478	양행종덩굴 / 165
애기비녀골풀 / 614	애기전호 / 371		어른지기 / 705, 707
애기비단풀 / 169	애기젓가락바구지 / 171		

어리곤달비 / 549	여뀌바늘꽃 / 360	연밥피나무 / 334	영선큰개별꽃 / 136
어리곰취 / 549	여뀌바늘속 / 359	연밥갈매나무 / 328	영신초 / 310
어리국화 / 548	여뀌속 / 115	연밥매자 / 178	영아리난초 / 732
어리목단풀 / 165	여뀌아재비 / 120	연밥매자나무 / 178	영아리난초속 / 732
어리병풀 / 552	여뀌잎제비꽃 / 348	연밥피나무 / 334	영아자 / 503
어리병풍 / 552	여로 / 605, 606	연변족도리풀 / 186	영아자속 / 503
어리연 / 418	여로속 / 605	연변할미꽃 / 171	영종족도리풀 / 185
어리연꽃 / 418	여름고사리삼 / 10	연보라과남풀 / 414	영주갈고리 / 281
어리연꽃속 / 417	여름꽃고사리 / 10	연복초 / 495	영주덩굴 / 411
어리조회풀 / 165	여름매미꽃 / 195	연복초과 / 495	영주무엽란 / 729
어미갯고들빼기 / 533	여름배암배추 / 456	연복초속 / 495	영주제비란 / 734
어사리 / 166, 404	여름새우난 / 718	연앵초 / 400	영주치자 / 411
어수리 / 375	여름새우난초 / 718	연약사초 / 696	영주치자속 / 411
어수리속 / 375	여름새우란 / 718	연영초 / 604	영주치자아재비 / 421
어항마름과 / 182	여름피사초 / 684	연영초속 / 604	영주풀 / 667
억새 / 645, 646	여름하늘지기 / 705	연잎가락풀 / 175	영주풀과 / 667
억새속 / 644	여마자 / 503	연잎꿩의다리 / 175	영주풀속 / 667
억새아재비 / 647	여섯잎꼭두서니 / 430	연줄방동사니 / 699	예덕나무 / 305
억센털개지치 / 436	여송 / 64	연지골무꽃 / 457	예덕나무속 / 305
언경퀴 / 102	여우구슬 / 306	연한빛사초 / 669	예자풀 / 704
언덕사초 / 688	여우꼬리사초 / 671	연한잎개싱아 / 111	오갈피 / 366
얼레기 / 588	여우꼬리새 / 626	연한털사초 / 691	오갈피나무 / 366
얼레지 / 588	여우꼬리풀 / 471, 473, 581	연화바위솔 / 215	오갈피나무속 / 365
얼레지속 / 588	여우담배풀 / 526	열당 / 479	오골제비꽃 / 340
얼룩산마늘 / 685, 686	여우버들 / 81	열당과 / 478	오대산팽이눈 / 223
얼룩산마늘 / 584	여우오줌 / 527	엷은갈미사초 / 676	오대산새밥 / 617
얼룩여새 / 647	여우주머니 / 306	엷은개승애 / 111	오독도기 / 303
얼룩오랑캐 / 349	여우주머니속 / 306	엷은잎고광나무 / 229	오동 / 469
얼룩왜제비꽃 / 343	여우콩 / 291	엷은잎제비꽃 / 341	오동나무 / 469
얼룩이천남성 / 664	여우콩속 / 291	엷은잎지네고사리 / 48	오동나무속 / 469
얼룩함박꽃나무 / 147	여우팥 / 279	엷은지네고사리 / 48	오득도기 / 303
얼이범부채 / 610	여우팥속 / 279	엷은털마가목 / 269	오랑캐꽃 / 344
얼치기갈퀴덩굴 / 295	여튼피사초 / 684	염낭사초 / 687	오랑캐대나물 / 139
얼치기대가래 / 578	여호꼬리풀 / 471	염마자 / 503	오랑캐장구채 / 139
얼치기복주머니란 / 723	여호버들 / 81	염아자 / 503	오랑캐제비꽃 / 350
얼치기완두 / 295	여호팥 / 279	염주개 / 203	오랑캐꽃 / 344
엄나무 / 367	연노랑팽이눈 / 222	염주괴불주머니 / 197, 199	오른재나무 / 491
엉개나무 / 367	연노랑복수초 / 159	염주나무 / 316, 334	오름짓고사리 / 23
엉겅퀴 / 529	연노랑상사화 / 608	염주냉이 / 203	오리나무 / 83
엉겅퀴속 / 528	연두역새 / 645	염주냉이속 / 203	오리나무더부사리 / 478
엉겅퀴아재비 / 525	연령초 / 604	염주보리수 / 334, 335	오리나무더부살이 / 478
엉성겨이삭 / 622	연리갈퀴 / 296	염주사초 / 680	오리나무더부살이속 / 478
에게잎 / 199	연리갈키 / 296	염주황기 / 281	오리나무속 / 82
여팡나무 / 407	연리초 / 285	엽초 / 55	오리더부살이 / 478
여뀌 / 118, 119	연리초속 / 284	영도민들레 / 566	오리목 / 83
여뀌덩굴 / 113	연미붓꽃 / 613	영도산박하 / 447	오리방풀 / 446
여뀌바늘 / 360	연밤매자나무 / 178	영란 / 587	

오미자 / 148	완도호랑가시나무 / 319	왕동굴례 / 600	왕섬죽대 / 603
오미자과 / 148	완산제비꽃 / 350	왕딸 / 262	왕섬죽대아재비 / 603
오미자나무 / 148	왕가래나무 / 73	왕때죽나무 / 402	왕세잎종덩굴 / 165
오미자속 / 148	왕가새곰취 / 549	왕떡갈 / 91	왕소사나무 / 87
오배자나무 / 311	왕가시오갈피 / 365	왕로리풀 / 454	왕솔 / 66
오성붕어마름 / 183	왕가시오갈피나무 / 365	왕마삭나무 / 421	왕솜대 / 596
오송 / 215	왕갈 / 651	왕마삭줄 / 421	왕승마 / 157
오얏 / 249	왕감제풀 / 115	왕매발톱나무 / 178	왕시금초 / 297
오엽딸기 / 264	왕개서나무 / 87	왕맥문동 / 597	왕싱아 / 111
오이순 / 229	왕개서어나무 / 87	왕머루 / 331	왕쌀새 / 643
오이풀 / 267	왕개승아 / 111	왕메밀덩굴 / 113	왕쑥 / 514
오이풀속 / 266	왕갯쑥부장이 / 521	왕모람 / 101	왕씀바귀아재비 / 553
오현호색 / 198	왕갯쑥부쟁이 / 521	왕모밀덩굴 / 113	왕씀배 / 553
옥녀꽃대 / 184	왕거머리말 / 579	왕모시풀 / 103	왕씀배속 / 553
옥녀제비꽃 / 344	왕고광나무 / 229	왕미꾸리꽝이 / 639	왕양지꽃 / 245
옥매 / 248	왕고들빼기 / 545	왕미꾸리꽝기 / 639	왕오랑캐 / 350
옥매듭 / 125	왕고들빼기속 / 545	왕미꾸리꽝이 / 639	왕우산바디 / 380
옥매듭풀 / 125	왕고사리 / 39	왕밀사초 / 685	왕으아리 / 166
옥잔난초 / 730	왕골무꽃 / 458	왕바꽃 / 154	왕이노리나무 / 241
옥해말 / 579	왕곰딸기 / 266	왕바랑이 / 633	왕이질풀 / 298
을괴불나무 / 489	왕곰버들 / 326	왕바래기 / 633	왕잎팟배 / 268
을메 / 702	왕곰취 / 548	왕바랭이 / 633	왕자귀 / 275
을미 / 573	왕과 / 352	왕바랭이속 / 633	왕자귀나무 / 275
을미사초 / 680	왕과속 / 352	왕방울미치광이풀 / 461	왕작살 / 438
을미장대 / 702	왕괭이밥 / 297	왕백풀등 / 462	왕작살나무 / 438
을방개 / 702	왕괭이밥풀 / 297	왕백량금 / 394	왕잔대 / 500
을방개아재비 / 702	왕괴불나무 / 489	왕백산차 / 386	왕잔디 / 662
을벗나무 / 253	왕굴아재비 / 715	왕버들 / 77	왕젓가락나물 / 171
을벗나무 / 253	왕그늘사초 / 689	왕별꽃 / 141	왕정구지 / 584
을송이풀 / 471	왕김의털 / 638	왕보리수나무 / 338	왕제비꽃 / 350
을아귀꽃나무 / 489	왕김의털아재비 / 637	왕보리장나무 / 338	왕조팝나무 / 272
을챙이고랭이 / 713	왕꼭두서니 / 430	왕볼네나무 / 338	왕졸방나풀 / 344
을챙이고랭이속 / 713	왕꼭두선이 / 430	왕분취 / 558	왕졸방제비꽃 / 347
을챙이솔 / 574	왕꽃마리 / 434, 438	왕불류행 / 138	왕좀싸리 / 286
을챙이자리 / 574	왕꽃말이 / 434	왕비늘사초 / 685	왕좀피나무 / 309
을챙이자리속 / 574	왕꽃받이 / 434	왕비늘사초 / 685	왕죽대아재비 / 603
을챙이풀 / 574	왕꿩의비름 / 217	왕봉나무 / 102	왕쥐똥나무 / 408
웃풀 / 541	왕노루귀 / 169	왕사두초 / 663	왕지nego사리 / 49
옹굿나풀 / 519	왕노루오줌 / 220	왕사스래 / 85	왕진달래 / 389
옹굿나풀 / 519	왕노방덩굴 / 320	왕사시나무 / 75	왕진들피 / 639
옹취 / 508	왕느릅나무 / 98	왕삭삿사초 / 692	왕질경이 / 484
옻나무과 / 311	왕다람쥐꼬리 / 3	왕산벚나무 / 251	왕참쑥 / 514
옻나무속 / 311	왕단풍 / 314	왕산초나무 / 309	왕창포 / 662
와송 / 215	왕단풍나무 / 314	왕삿갓나풀 / 604	왕초피 / 309
와살고사리 / 42	왕담배풀 / 527	왕삿갓사초 / 692	왕초피나무 / 309
완도당비사리 / 283	왕대속 / 651	왕서나무 / 87	왕팔배나무 / 268
완도현호색 / 199	왕대황 / 126	왕서어나무 / 87	왕팽나무 / 96

왕해국 / 522	왜차꽃갈퀴 / 426	우드풀속 / 31	울릉산마늘 / 584
왕호장 / 115	왜참갈퀴 / 426	우묵사스레피 / 190	울릉솔송나무 / 66
왕호장근 / 115	왜천궁 / 370	우묵사스레피나무 / 190	울릉쇠돌피 / 654
왕후박나무 / 151	왜현호색 / 195	우산고로쇠 / 313	울릉영경퀴 / 530
왜가래 / 577	외가지창고사리 / 56	우산나물 / 565	울릉장구채 / 140
왜갓냉이 / 207	외겨이삭 / 622	우산나물속 / 564	울릉제비꽃 / 349
왜갓황새냉이 / 207	외나물 / 344	우산대바랭이 / 629	울릉포아풀 / 654
왜개승애 / 111	외대고사리 / 26	우산대잔듸 / 629	울미사초 / 680
왜개승애 / 111	외대바람꽃 / 160	우산대잔디 / 629	울산나비나물 / 295
왜개싱아 / 111	외대사초 / 696	우산마가목 / 270	울진노루오줌 / 221
왜개연 / 181	외대으아리 / 163	우산말나리 / 594	울타리덩굴 / 330
왜개연꽃 / 181	외대잔대 / 501	우산물통이 / 105	옹긋나물 / 519
왜고위끼름 / 620	외순나물 / 267	우산방동사니 / 701	옹기개박달 / 84
왜끌무꽃 / 458	외잎승마 / 221	우산방동산이 / 701	옹기솜나물 / 562
왜끌풀아재비 / 711	외잎쑥 / 517	우산잔디 / 629	옹기오리나무 / 83
왜꽝대수염 / 448	외잎현호색 / 199	우산잔디속 / 629	옹기자작나무 / 84
왜구슬살이 / 6	외틀이미치광이풀 / 135	우산제비꽃 / 350	옹기피나무 / 335
왜구실사리 / 6	외풀 / 465	우산천남성 / 664	옹달불통이 / 106
왜낚시제비꽃 / 343	요강꽃 / 722	우산풀 / 380	옹달화점초 / 106
왜당귀 / 370	요강나물 / 164	우수리까치밥나무 / 233	원산고양이수염 / 711
왜동자꽃 / 133	용가시나무 / 260	우수리미꾸리낚시 / 118	원산딱지꽃 / 247
왜떡쑥 / 539	용담 / 413	우슬 / 147	원산며느리밥풀 / 468
왜떡쑥속 / 539	용담과 / 412	운난초 / 465	원산바늘꽃 / 703
왜말나리 / 592	용담속 / 412	운란초 / 465	원산바늘꽃 / 357
왜모시풀 / 103	용동굴례 / 599	운봉금매화 / 170	원산바풀 / 468
왜미나리아재비 / 172	용머리 / 444	운향과 / 307	원산부추 / 582
왜박주가리 / 422	용머리냉이 / 206	운향나무 / 268	원산쇠털골 / 701
왜박주가리속 / 422	용머리속 / 444	율능국화 / 535	원승이도의나물 / 162
왜방풍 / 368	용수염 / 630	율릉가는기린초 / 218	원지 / 310, 311
왜백미 / 419	용수염속 / 630	율릉강활 / 375	원지과 / 310
왜사시나무 / 75	용수염풀 / 630	율릉고사리 / 33	원지속 / 310
왜사초 / 670	용원삽주 / 523	율릉광대수염 / 449	원추리 / 589
왜산박하 / 447	우단꼴무꽃 / 457	율릉구절초 / 535	원추리속 / 589
왜선괭이밥 / 297	우단괴불나무 / 487	율릉국화 / 535	월귤 / 394
왜승마 / 157, 158, 228	우단꼭두서니 / 430	율릉기린초 / 218	월귤나무 / 394
왜실골풀 / 615	우단꼭두선이 / 430	율릉꽃장포 / 603	위나무 / 339
왜실사리 / 7	우단석잠꽃 / 459	율릉꾸렙이풀 / 653	위도상사화 / 608
왜연리초 / 284	우단석잠풀 / 459	율릉꿰미풀 / 653	위령란 / 724
왜오랑캐 / 343	우단양지꽃 / 246	율릉단풍나무 / 313	위령선 / 167
왜우드풀 / 32	우단인동 / 487	율릉대나물 / 139, 140	유가래나무 / 82
왜우산나물 / 380	우단인동덩굴 / 487	율릉딱총나무 / 490	유구양지꽃 / 247
왜우산풀 / 380	우단일엽 / 58	율릉밀오줌대 / 490	유드기 / 636
왜젓가락나물 / 171, 172	우단쥐손이 / 301	율릉밀오줌때 / 490	유드기아재비 / 636
왜젓가락풀 / 172	우독초 / 304	율릉미역취 / 563	유령난 / 724
왜제비꽃 / 343	우두풀 / 32	율릉바늘꽃 / 359	유령란 / 724
왜졸방제비꽃 / 347	우드풀 / 32	율릉버들 / 78	유령란속 / 724
왜지치 / 437	우드풀과 / 31	율릉사초 / 694	

유명난초 / 730	은분취 / 555	이삭귀이개 / 481	인동 / 487
유성노루귀 / 169	은빛딱지 / 247	이삭김의털 / 637	인동과 / 484
유성사초 / 681	은빛마가목 / 269	이삭까치밥나무 / 231	인동덩굴 / 487
유전마름 / 354	은빛바람꽃 / 160	이삭난초 / 737	인동속 / 486
육란 / 724	은빛복수초 / 159	이삭단엽란 / 731	인삼 / 368
육박나무 / 149	은사시나무 / 75	이삭단엽란속 / 731	인삼속 / 368
육박나무속 / 149	은송 / 64	이삭두잎난 / 731	인제사초 / 679
육송 / 64	은수원사시나무 / 75	이삭두잎란 / 731	인진고 / 515
육절보리풀 / 638	은시호 / 132	이삭란초 / 733	인천잔대 / 501
육종용 / 478	은양지꽃 / 247	이삭마디풀 / 124, 125	일본까치밥나무 / 232
육지괭이눈 / 223	은조롱 / 421	이삭말발도리 / 226	일본딱총나무 / 490
육지꽃버들 / 80	온틸괴불나무 / 489	이삭물수세미 / 360	일본사초 / 679
육지버들 / 80	온화초 / 629	이삭물수셉이 / 360	일본상산 / 307
윤개관중 / 52	온화풀 / 629	이삭바꽃 / 154	일본조팝나무 / 272
윤노리나무 / 242	음나무 / 233, 367	이삭봄맞이 / 401	일본할미꽃 / 170
윤노리나무속 / 242	음나무속 / 366	이삭봄맞이속 / 401	일색고사리 / 43
윤쇠고비 / 44	음달바늘사초 / 688	이삭비비추 / 590	일엽아재비 / 22
윤여리나무 / 150	음달증덩굴 / 165	이삭사초 / 675	일엽아재비속 / 22
윤판나물 / 587	음등덩굴 / 166	이삭새 / 628	일엽초 / 55
윤판나물아재비 / 587	음알바늘사초 / 688	이삭송이풀 / 470, 471	일엽초속 / 55
율무골 / 716	음양고비 / 11	이삭쌍엽난 / 731	일월비비추 / 590
율무꽃 / 716	음양꽈메꽃 / 432	이삭쌍잎란 / 731	일월산별꽃 / 140
율무쑥 / 513	음지가락풀 / 174	이삭여뀌 / 117	일월토현삼 / 474
율미사초 / 680	음지꿩의다리 / 176	이삭오이풀 / 267	임계청닭의난초 / 724
용단사초 / 687	응달고사리 / 36	이삭잠자리피 / 661	임모초 / 449
으름 / 179	응달바위솔 / 216	이삭조 / 628	입술망초 / 477
으름난초 / 723	응달숲고사리 / 36	이삭지우초 / 267	입술망초속 / 477
으름난초속 / 723	응달증덩굴 / 165	이삭진들피 / 639	잉거비비추 / 591
으름덩굴 / 179	옹아리 / 167	이삭참새귀리 / 626	잎갈나무 / 63
으름덩굴과 / 179	의나무 / 339	이삭털새 / 624	잎꽃돌나물 / 219
으름덩굴속 / 179	이고들빼기 / 532	이삭피 / 655	잎대나물 / 139
으름란 / 723	이깥나무 / 63	이삭호모초 / 143	잎벼레혹나무 / 213
으아리 / 167	이끈노루오줌 / 221	이삭홀잎란 / 731	잎새바위솔 / 217
으아리꽃 / 166	이끼개수염 / 620	이삼사초 / 672, 683	잎흑삼능 / 666
으아리속 / 162	이끼꼭정초 / 620	이스라지 / 249	(☒)
은가락풀 / 174	이나무 / 339	이스라지나무 / 249	자귀나무 / 275
은꿩의다리 / 174	이나무과 / 339	이스라치나무 / 249	자귀나무속 / 275
은난초 / 719	이나무속 / 339	이시도야오랑캐 / 346	자귀풀 / 274
은대난 / 719	이노리나무 / 241	이시도야제비꽃 / 346	자귀풀속 / 274
은대난초 / 719	이대 / 655	이질풀 / 299, 301	자금우 / 395
은대난초속 / 719	이대속 / 655	이팝나무 / 336, 404	자금우과 / 394
은대란 / 719	이들메기 / 659	이팝나무속 / 404	자금우속 / 394
은댕가리 / 497	이라리나무 / 440	익모초 / 449	자도나무 / 251
은란 / 719	이른범꼬리 / 112	익모초속 / 449	자두나무 / 251
은물싸리 / 246	이리화 / 258	인가목 / 258, 271	자라귀 / 525
은방울꽃 / 587	이삭곰취 / 548	인가목조팝나무 / 271	자라풀 / 575
은방울꽃속 / 587	이삭귀개 / 481	인도쑥 / 512	

자라풀과 / 574	자주땅귀개 / 482	자지조희풀 / 164, 165	잔디갈고리 / 279
자라풀속 / 575	자주땅귀이개 / 482	자지종덩굴 / 162	잔디갈구리 / 279
자란 / 717	자주땅비수리 / 276	자지황기 / 276	잔디대사초 / 679
자란속 / 717	자주메뛰기피 / 626	자지희채화 / 448	잔디바랑이 / 631
자란초 / 442	자주모란풀 / 164	자초 / 436	잔디바랑이새 / 631
자래나무 / 328	자주목단풀 / 164	작디싹 / 523	잔디바랭이 / 631
자래초 / 172, 307	자주몽울풀 / 105	작란화 / 722	잔디바랭이속 / 631
자루가새풀 / 508	자주박주가리 / 420	작살나무 / 438	잔디사초 / 687
자루나도고사리삼 / 11	자주박쥐나물 / 551	작살나무속 / 438	잔디속 / 661
자루몽울풀 / 105	자주방가지 / 546	작약 / 187	잔디쥐꼬리 / 659
자루삿갓풀 / 598	자주방가지똥 / 546	작약과 / 186	잔비늘사초 / 697
자리공과 / 127	자주방아풀 / 448	작약속 / 186	잔방울골 / 715
자리공속 / 127	자주복주머니란 / 723	작윗대나무 / 275	잔새 / 630
자리사초 / 687	자주사철란 / 727	작은구슬사초 / 677	잔섬꽃마리 / 434
자리산김의털 / 637	자주삿갓나물 / 598	작은깨잎오리방풀 / 447	잔솔잎사초 / 673
자마꽃 / 258	자주솜대 / 595	작은비비추 / 591	잔잎가막사리 / 524
자반나무 / 491	자주솜때 / 595	작은사위질빵 / 166	잔잎고추나물 / 192
자반풀 / 437	자주쇠스랑개비 / 235	작은산꿩의다리 / 174	잔잎미나리 / 377
자반풀속 / 437	자주쓴풀 / 416	작은삿부채 / 665	잔잎바디 / 369
자병취 / 554	자주씀바귀 / 546	작은새얘기풀 / 468	잔잎산비장이 / 545
자불쑥 / 513	자주알록제비꽃 / 348	작은선괭이밥풀 / 297	잔잎산비장이속 / 545
자오락 / 694	자주암크령 / 635	작은손잎풀 / 301	잔잎쑥 / 511
자운채 / 477	자주억새 / 646	작은애기풀구지 / 588	잔잎여뀌 / 118
자원 / 522	자주오리방풀 / 448	작은잎가락지나물 / 243	잔자목 / 150
자윗대나무 / 275	자주잎오랑캐 / 350	작은잎광대수염 / 449	잔털다辱나무 / 289
자작나무 / 84, 86	자주잎제비꽃 / 350	작은잎꽃수염풀 / 449	잔털드문고사리 / 29
자작나무과 / 82	자주점박이천남성 / 664	작은잎쐐기풀 / 108	잔털마가목 / 269
자작나무속 / 84	자주제비꽃 / 350	작은잎큰돌현삼 / 474	잔털벗나무 / 252
자주가락풀 / 177	자주조희풀 / 164	작은젖가락나물 / 171	잔털벗나무 / 252
자주강아지풀 / 658	자주죽도리풀 / 185	작은제비꽃 / 343	잔털송이풀 / 470
자주개밀 / 621, 634	자주종덩굴 / 162	작은종나리 / 592	잔털오랑캐 / 344
자주개황기 / 276	자주지네고사리 / 49	작은쥐순이 / 301	잔털오리나무 / 83, 84
자주고들빼기 / 546	자주지장보살 / 595	작은쥐순이풀 / 301	잔털왕머루 / 331
자주괴불주머니 / 197	자주참나물 / 374	작은질빵풀 / 163	잔털윤노리나무 / 242
자주구름꽃 / 477	자주천남성 / 663, 664	작은참취 / 521	잔털잔대 / 501
자주꼬리풀 / 472	자주총꽃 / 443	작은황새풀 / 704	잔털제비꽃 / 344
자주꽃방망이 / 504	자주큰천남성 / 663	잔고사리 / 17, 24	잔털좁쌀풀 / 463, 464
자주꽃방망이 / 504	자주톱풀 / 508	잔고사리과 / 17	잔톱비장이 / 545
자주꽃하늘수박 / 352	자주땡나무 / 96	잔고사리속 / 17	잔톱풀 / 508
자주꽃황기 / 276	자주포아풀 / 652	잔나비나물 / 292	잘록산꿩의다리 / 174
자주꿩의다리 / 177	자주해변역새 / 645	잔눈썹고사리 / 25	잘피부들 / 667
자주꿩의비름 / 214	자주현호색 / 197	잔대 / 500, 502, 503	잠두싸리 / 291
자주나도황기 / 280	자주황기 / 276	잔대속 / 498	잠자리난초 / 728, 733, 735
자주나래희나무 / 324	자주희채화 / 448	잔대아재비 / 506	잠자리란 / 734, 735
자주덩굴별꽃 / 138	자지괴불주머니 / 197	잔디사초 / 687	잠자리란아재비 / 733
자주등에풀 / 462	자지꽃방망이 / 504	잔디 / 661	잠자리피 / 661
자주등제비꽃 / 350			잠자리피속 / 661

잡싸리 / 287	장홍개수염 / 619	점백이천남성 / 664	제비옥잠 / 587
잣나무 / 65	장홍곡정초 / 619	점봉산영경퀴 / 532	제비잡자리난 / 735
잣냉이 / 437	재라리나무 / 92	점쇠땅나무 / 268	제수쑥부쟁이 / 518
장구밤나무 / 333	재랑나무 / 93	점현호색 / 197	제주가막사리 / 525
장구밥나무 / 333	재리알 / 93	접비나무 / 64	제주가시나무 / 258
장구밥나무속 / 333	재잘나무 / 91, 93	접시꽃나무 / 493	제주개관중 / 51
장구채 / 138	재질나무 / 91	젓가락나물 / 171, 172	제주개피 / 657, 658
장군대사초 / 690	저녁님나물 / 590	젓가락풀 / 171	제주검정곡정초 / 619
장군풀 / 126	저녁원추리 / 590	젓꼭지나무 / 101	제주고사리 / 39
장기아그배나무 / 241	저목 / 69	젓나무 / 63	제주고사리삼 / 10
장다리나물 / 144	저수리 / 63	젓밤나무 / 283	제주고사리삼속 / 10
장다리풀 / 144	적목 / 69	젓털복자기 / 315	제주고추나물 / 191
장대 / 213	적백송 / 69	정가시나무 / 92	제주골무꽃 / 458
장대나물 / 213	적송 / 64	정금나무 / 393	제주광나무 / 407
장대나물속 / 213	적은꽃풀통이 / 107	정나무 / 402	제주괭이눈 / 222
장대냉이 / 202	적작약 / 187	정능참나무 / 93	제주괴불이끼 / 14
장대냉이속 / 202	전나무 / 63	정릉참나무 / 93	제주국화 / 519
장대여뀌 / 121	전주물꼬리풀 / 454	정선국화 / 534	제주기린초 / 219
장딸기 / 263	전주신나무 / 315	정선바위솔 / 215	제주긴잎모시풀 / 104
장때냉이 / 202	전호 / 371	정선연화바위솔 / 215	제주꼬리풀 / 473
장미과 / 233	전호속 / 371	정선흥기 / 277	제주꽃마리 / 434
장미속 / 258	절구대 / 536	정영개별꽃 / 136	제주꽃말이 / 434
장밋빛복주머니란 / 723	절구때 / 536	정영영경퀴 / 528	제주꿩밥 / 617
장밧대 / 376	절국대 / 475	정일조팝나무 / 273	제주꿩의비름 / 214
장백노랑제비꽃 / 341	절국대속 / 475	정자나무 / 98	제주나래새 / 621
장백오랑캐 / 341	절굿대 / 475, 536	정족산고추나물 / 192	제주대극 / 303
장백제비꽃 / 341	절굿대속 / 536	정향나무 / 410	제주대나물 / 138
장백徘羸이꽃 / 131	절굿때 / 475	정향풀 / 418	제주동굴례 / 600
장성사초 / 681	절벽고사리 / 32	정향풀속 / 418	제주명석 / 265
장수개나리 / 405	절분초 / 168	정화난초 / 720	제주모시풀 / 104
장수고사리 / 51	절영풀 / 533	정화조팝나무 / 273	제주무엽란 / 729
장수꽃 / 344	절초나무 / 486, 488	젖꼭지나무 / 101	제주물부추 / 6
장수만리화 / 405	점거북꼬리 / 104	젖풀 / 195	제주물풀뎅이 / 107
장수엉겅퀴 / 530	점고사리 / 18	제부붓꽃 / 611	제주방울난초 / 727
장수팽나무 / 96	점고사리속 / 17	제비고깔 / 167	제주방울란 / 727
장억새 / 645	점나도나물 / 129	제비고깔속 / 167	제주방풍 / 377
장이나물 / 509	점나도나물속 / 129	제비고리고사리 / 31	제주백서향 / 336
장장포 / 224	점박이구름병아리난초 / 736	제비꽃 / 344	제주백운풀 / 428
장지딸기 / 262	점박이별꽃풀 / 416	제비꽃과 / 339	제주법꼬리 / 112
장지석남 / 384	점박이사두초 / 664	제비꽃속 / 339	제주법꼬리풀 / 112
장지석남속 / 384	점박이여뀌 / 121	제비난 / 734	제주벗나무 / 254
장지채 / 576	점박이천남성 / 664	제비난초 / 734, 735	제주분홍참꽃나무 / 391
장지채과 / 576	점박이풀 / 304	제비난초속 / 734	제주사약채 / 370
장지채속 / 576	점백이까치수염 / 397	제비동자꽃 / 133	제주사초 / 677, 685
장지흑삼릉 / 666	점백이별꽃풀 / 416	제비란 / 735	제주산대 / 657
장팽나무 / 96	점백이쓴풀 / 416	제비붓꽃 / 611	제주산들깨 / 452
장포 / 662		제비쑥 / 513	제주산딸기 / 264

제주산버들 / 76	조개풀 / 373, 623	조선납판화 / 213	조풀 / 644
제주상사화 / 608	조개풀속 / 623	조선노간주 / 68	조황련 / 179
제주새고사리 / 41	조도만두나무 / 305	조선노루발 / 387	조희풀 / 165
제주새며루 / 331	조도만두나무속 / 305	조선다나무 / 336	죽나무 / 402
제주새비나무 / 439	조령으아리 / 163	조선당귀 / 370	죽도리 / 186
제주새풀 / 626	조록나무 / 213	조선대극 / 304	죽도리풀 / 186
제주소시랑개비 / 247	조록나무과 / 213	조선대황 / 126	죽도리풀속 / 185
제주송이풀 / 470	조록나무속 / 213	조선더부사리 / 479	죽두리 / 186
제주쉽싸리 / 449	조록싸리 / 286	조선마늘 / 583	죽두리풀 / 186
제주신진 / 104	조름나물 / 417	조선마삭나무 / 421	죽제비고사리 / 45, 51
제주실풀풀 / 586	조름나물과 / 417	조선말굴레 / 293	죽제비쑥속 / 550
제주싸리냉이 / 206	조름나물속 / 417	조선모련채 / 553	줄방나물 / 339
제주아그배 / 241	조리대 / 656	조선물레나물 / 193	줄방동사니 / 699
제주암고사리 / 41	조리대풀 / 643	조선미꾸리꿰미 / 655	줄방제비꽃 / 339
제주양지꽃 / 247	조리사초 / 669	조선미꾸리꿰미풀 / 655	줄참나무 / 93, 94
제주영경퀴 / 529	조리풀 / 186	조선바람꽃 / 160	줄팽나무 / 95
제주오랑캐 / 346	조릿대 / 656	조선병꽃나무 / 494	좀가락풀 / 175
제주을챙이꽃 / 712	조릿대속 / 656	조선비비추 / 591	좀가래 / 576, 577
제주왁살고사리 / 42	조릿대풀 / 643	조선사초 / 674	좀가막사리 / 525
제주왕벚나무 / 254	조릿대풀속 / 643	조선삽주 / 523	좀가물고가리 / 32
제주잠자리피 / 661	조바리 / 525	조선섬야광나무 / 236	좀가새풀 / 507
제주장대 / 201	조밥나물 / 540	조선쇠보리 / 641	좀가위고사리 / 42
제주젓가락나물 / 172	조밥나물속 / 540	조선수레갈퀴 / 427	좀가지꽃 / 398
제주젓가락풀 / 172	조뱅이 / 525	조선수리취 / 565	좀가지풀 / 398
제주제비꽃 / 350	조뱅이속 / 525	조선쉽싸리 / 449	좀갈매나무 / 328
제주조릿대 / 657	조병이 / 525	조선씨름꽃 / 349	좀감탕나무 / 319
제주줄사초 / 683	조산구름사초 / 695	조선야광나무 / 236	좀갓냉이 / 211
제주지네고사리 / 45	조선갈퀴 / 293	조선영신초 / 310	좀강아지풀 / 659
제주진득찰 / 562	조선갈퀴나물 / 293	조선예자풀 / 704	좀개감수 / 305
제주찔레 / 259	조선갈퀴아재비 / 422	조선요강꽃 / 722	좀개갓냉이 / 211
제주참꽃나무 / 391	조선갈기나물 / 293	조선용동굴레 / 601	좀개갓냉이 / 211
제주참나물 / 374	조선감국 / 527	조선좁쌀풀 / 463	좀개고사리 / 35
제주창고사리 / 56	조선개미자리 / 134	조선패모 / 588	좀개곽향 / 459
제주큰곰의파리 / 462	조선개밀 / 621	조선팽나무 / 96	좀개구리밥 / 665
제주큰물통이 / 107	조선개야팡나무 / 236	조선하늘지기 / 707	좀개구리밥속 / 665
제주큰옥매듭풀 / 125	조선골 / 614	조선하늘직이 / 707	좀개구리사초 / 690
제주털기름나물 / 377	조선골담초 / 278	조선현호색 / 199	좀개미자리 / 137
제주피막이 / 376	조선곰취 / 549	조선흥새풀 / 704	좀개미취 / 520
제주하늘지기 / 708	조선공작고사리 / 19	조선흑삼릉 / 666	좀개소시랑개비 / 248
제주현삼 / 474	조선광대수염 / 446	조아재비 / 657	좀개쇠스랑개비 / 248
제주현호색 / 196	조선괴불주머니 / 199	조이삭사초 / 690	좀개수염 / 619
제주홍지네고사리 / 49	조선까치밥나무 / 232	조자화 / 420	좀개쉽싸리 / 449
제주황기 / 276	조선까치수염 / 398	조장나무 / 151	좀개승아 / 111
제주황새냉이 / 204	조선꼬마리 / 123	조팝나무 / 271, 273, 438	좀개억새 / 636
조가리나무 / 393	조선꽃대 / 184	조팝나무속 / 270	좀깻골풀 / 615
조개나물 / 442	조선꽃마리 / 438	조팝나무아재비 / 242	좀깻보리 / 634
조개나물속 / 442	조선납판나무 / 213	조팝나물 / 540	좀겨풀 / 642

좀고사리 / 35, 43, 57	좀네모골 / 703	좀물파리아재비 / 468	좀산박하 / 447
좀고사리삼 / 9, 10	좀네잎갈퀴 / 294, 424	좀물뚝새 / 655	좀산새밥 / 617
좀고사리속 / 57	좀네잎말굴레 / 294	좀물뚝새속 / 655	좀산승애 / 111
좀고양이수염 / 711	좀노루발 / 387	좀물레나풀 / 191	좀새고사리 / 35
좀고채목 / 85	좀노박덩굴 / 320	좀물통이 / 107	좀새그령 / 636
좀고추나물 / 192	좀눈구와말 / 464	좀물통이 / 106	좀새깃고사리 / 16
좀골담초 / 278	좀누리장나무 / 440	좀물풍뎅이 / 107	좀새비나무 / 439
좀골무꽃 / 457	좀능쟁이 / 143	좀미꾸리꽝이 / 660	좀새우나무 / 89
좀과향 / 459	좀다람쥐꼬리 / 4	좀미꾸리꽝이속 / 660	좀새크령 / 636
좀괭이사초 / 682	좀단풍취 / 509	좀미꾸리꽝이 / 660	좀새포아풀 / 652
좀괭이수염 / 711	좀닭의장풀 / 618	좀미나리아재비 / 173	좀새풀 / 630
좀괴불이끼 / 13	좀답배풀 / 526	좀미역고사리 / 58	좀서어나무 / 87
좀괴불주머니 / 198	좀대청 / 210	좀민들레 / 566	좀설앵초 / 400
좀구슬갓냉이 / 211	좀댕강나무 / 485	좀민하늘지기 / 705	좀섬개별꽃 / 135
좀구슬봉이 / 414	좀덩굴개과향 / 460	좀바늘꽃 / 359	좀속새 / 8
좀구슬봉이 / 414	좀도개비바늘 / 523	좀바늘사초 / 688, 709	좀솔방울고랭이 / 714
좀구실봉이 / 412	좀도깨비바늘 / 523	좀바디나물 / 368	좀솜나물 / 556
좀구실사리 / 6	좀도깨비사초 / 680	좀바람꽃 / 160	좀송이고랭이 / 712
좀굴거리 / 307	좀도둑놈의갈고리 / 279	좀바랭이 / 631	좀쇠고사리 / 43
좀굴거리나무 / 307	좀도둑놈의갈구리 / 282	좀바위고사리 / 42	좀쇠물푸레나무 / 406
좀귀박쥐나풀 / 551	좀도라지 / 507	좀바위솔 / 216	좀쇠채 / 561
좀그늘사초 / 680	좀독개비바늘 / 523	좀박달나무 / 84	좀순비기나무 / 441
좀기생초 / 401	좀돌배나무 / 254	좀박주가리 / 419	좀시내사초 / 676
좀까치밥나무 / 232	좀돌팔 / 296	좀벼들비늘꽃 / 358	좀시호 / 372
좀깨잎나무 / 104	좀돌피 / 632	좀벼룩이자리 / 132	좀실다辱나무 / 289
좀깨목 / 540	좀동의나물 / 162	좀병꽃나무 / 494	좀싸리 / 288
좀꼬리까치밥나무 / 230, 231	좀두루미꽃 / 595	좀보리사초 / 691	좀쓴풀 / 416
좀꼬리풀 / 472, 473	좀두메고들빼기 / 534	좀부들 / 667	좀씀바귀 / 544
좀꽃마리 / 438	좀두메취 / 560	좀부들말 / 580	좀아그배나무 / 241
좀꽃모시나풀 / 501	좀등굴레 / 600	좀부지깽이 / 209	좀양반풀 / 422
좀꽃버들 / 81	좀딱취 / 509	좀부처꽃 / 353	좀양지꽃 / 245, 246
좀꽃잔대 / 501	좀딸기 / 244	좀부처꽃속 / 353	좀어리연 / 417
좀꾸러미풀 / 653	좀땅비싸리 / 283	좀부추 / 583	좀어리연꽃 / 417
좀꾸Leaks이풀 / 653	좀땅취 / 509	좀분버들 / 78, 80	좀여우구슬 / 306
좀꿩의다리 / 175	좀마디거머리말 / 580	좀분취란화 / 400	좀연잎꿩의다리 / 175
좀꿩의밥 / 616	좀마름 / 354, 464	좀붉은인가목 / 258	좀염주나무 / 335
좀꿩의밥풀 / 616	좀매자기 / 668	좀비늘이끼 / 6	좀영신초 / 310
좀끈끈이주걱 / 194	좀매자나무 / 178	좀비비추 / 591	좀을챙이풀 / 712
좀나도고사리삼 / 11	좀맥문동 / 594	좀비자나무 / 69	좀왕팽나무 / 95
좀나도히초미 / 51	좀머귀나무 / 309	좀사다리고사리 / 29	좀우드풀 / 32
좀나래회나무 / 324	좀메꽃 / 431	좀사위질빵 / 163, 165	좀월귤 / 393
좀나비나풀 / 295	좀면모고사리 / 32	좀사철고사리 / 25	좀으아리 / 167
좀낚시제비꽃 / 343	좀명감나무 / 601	좀사철나무 / 322	좀이깔나무 / 63
좀낭마초 / 235	좀목포사초 / 672, 674	좀산갈퀴 / 294	좀잎갈기덩굴 / 424
좀낭마초 / 235	좀목형 / 441	좀산개미자리 / 134	좀자작나무 / 85
좀낭아초 / 235	좀무엽란 / 732	좀산들깨 / 452	좀작살나무 / 438
좀낭아초속 / 235	좀물개암나무 / 88		

좀전호 / 371	좀황해쑥 / 511	좁은잎사위질빵 / 165	주름잎 / 466
좀젓가락나풀 / 171	좁살냉이 / 204	좁은잎영경퀴 / 529	주름잎속 / 466
좀제비꽃 / 343	좁쌀고사리 / 32	좁은잎오이풀 / 267	주름잎풀 / 466
좀조개풀 / 629	좁쌀냉이 / 204	좁은잎육지꽃벼들 / 81	주름제비란 / 725
좀조개풀속 / 629	좁쌀사초 / 675, 686, 697	좁은잎종덩굴 / 162	주름조개풀 / 648
좀조팝나무 / 272, 273	좁쌀여뀌 / 117	좁은잎찔꽝나무 / 237	주름조개풀속 / 648
좀죽제비고사리 / 50	좁쌀우드풀 / 32	좁은잎천선과 / 101	주름청사초 / 692
좀종덩굴 / 163	좁쌀풀 / 399, 463	좁은잎천선과나무 / 101	주며외 / 352
좀죽대아재비 / 603	좁쌀풀속 / 463	좁은잎합복종덩굴 / 162	주목 / 69
좀줄고사리 / 11	좁쌀황새냉이 / 204	좁은잎황철나무 / 75	주쉽싸리 / 449
좀쥐똥나무 / 408	좁은네잎갈퀴 / 296	좁은잎흑삼능 / 666	주엽나무 / 279, 280
좀쥐박쥐나풀 / 551	좁은네잎말굴레 / 296	좁은잎흑삼릉 / 666	주엽나무 / 279
좀쥐손이 / 301	좁은네잎말굴레풀 / 296	좁은진고사리 / 39	주엽나무속 / 279
좀쥐오줌풀 / 497	좁은단풍 / 314	좁은해홍나풀 / 146	주저리고사리 / 47
좀쥐잔디 / 660	좁은동굴레 / 598	종가리나무 / 393	주적냉이 / 205
좀진고사리 / 37	좁은맥문동 / 597	종가시 / 91	죽대 / 599
좀짚신나풀 / 233	좁은모새달 / 649	종가시나무 / 91, 601, 602	죽대아재비 / 602, 603
좀쪽동백 / 402	좁은백산자 / 386	종국조팝나무 / 273	죽대아재비속 / 602
좀쪽동백나무 / 402	좁은열매다릅나무 / 289	종다리꽃 / 400	죽도오랑캐 / 344
좀참꽃 / 390	좁은잎가막사리 / 524	종덕이난초 / 720	죽도제비꽃 / 344
좀참꽃나무 / 390	좁은잎개별꽃 / 136	종덩굴 / 164, 165	죽도화 / 258
좀참느릅 / 98	좁은잎깻능쟁이 / 142	종동굴레 / 598	죽백란 / 721
좀참느릅나무 / 98	좁은잎계뇨등 / 429	종비나무 / 64	죽절나무 / 184
좀참빗살나무 / 323	좁은잎계요등 / 429	주걱고사리속 / 20	죽절초 / 184
좀챔빗나무 / 323	좁은잎구릿대 / 368	주걱끈끈이주걱 / 194	죽절초속 / 184
좀처녀이끼 / 13	좁은잎금불초 / 541	주걱난초 / 718	죽토자 / 235
좀청미래 / 601	좁은잎나비나물 / 296	주걱냉이 / 205	준딸나무 / 363
좀총총잔대 / 502, 503	좁은잎냉초 / 476	주걱노루발 / 388	줄 / 661
좀털긴잎조팝나무 / 273	좁은잎네잎갈퀴 / 296	주걱노루발풀 / 388	줄검정골 / 715
좀털석잠풀 / 459	좁은잎댕강목 / 227	주걱담배풀 / 526	줄고만이 / 123
좀털쥐똥나무 / 408	좁은잎덩굴용담 / 415	주걱댕강나무 / 485	줄고사리 / 11, 54
좀톱풀 / 507	좁은잎덩굴용담속 / 415	주걱란 / 721	줄고사리과 / 54
좀통발 / 481	좁은잎돌꽃 / 218	주걱비름 / 220	줄고사리삼 / 11
좀땡나무 / 95	좁은잎딱지 / 246	주걱비비추 / 590	줄고사리속 / 54
좀편백고사리 / 24	좁은잎딱지꽃 / 246	주걱쑥부쟁이 / 518	줄기말 / 581
좀풀딸 / 244	좁은잎말 / 576	주걱오랑캐 / 343	줄기잎나물 / 178
좀풀싸리 / 285, 288	좁은잎말발도리 / 227	주걱일엽 / 56	줄꽃주머니 / 195
좀풍계나무 / 95	좁은잎매자나무 / 178	주걱일엽속 / 56	줄꽃주머니속 / 195
좀피나무 / 309	좁은잎맥문동 / 597	주걱잎겟비름 / 219	줄댕가리 / 497
좀하늘지기 / 705	좁은잎메꽃 / 432	주걱잎범의귀 / 225	줄댕강나무 / 486
좀향유 / 445	좁은잎모새달 / 649	주걱장대 / 207	줄들장미 / 260
좀현삼 / 474	좁은잎물까치수염 / 398	주름고사리 / 41	줄딸기 / 265
좀현호색 / 196	좁은잎미끄러낚시 / 121	주름고사리속 / 39	줄말 / 579
좀호랑벼들 / 76	좁은잎미나리냉이 / 207	주름금강아지풀 / 658	줄말과 / 578
좀화살나무 / 321	좁은잎박달나무 / 86	주름꾸ием이풀 / 652	줄말속 / 578
좀환삼덩굴 / 102	좁은잎배풍등 / 461	주름사초 / 692, 693	줄민동뫼제비꽃 / 349
좀황기 / 277	좁은잎보리장나무 / 338	주름으아리 / 166	줄바꽃 / 152, 155

줄바늘꽃 / 702	쥐똥나무속 / 406	지리산바꽃 / 153	지칭개속 / 539
줄바늘꽃 / 358	쥐방울 / 184	지리산바위떡풀 / 225	지포나무 / 393
줄뱀양지꽃 / 245	쥐방울덩굴 / 184	지리산숲고사리 / 36	진고사리 / 37
줄비늘석송 / 4	쥐방울덩굴과 / 184	지리산싸리 / 286	진고사리속 / 37
줄사철나무 / 322	쥐방울덩굴속 / 184	지리산오갈피 / 365	진교 / 155
줄사철란 / 726	쥐방울사초 / 690	지리산잔대 / 501	진남취 / 554
줄사초 / 683	쥐손이아재비 / 298	지리산터리풀 / 239	진남포분취 / 554
줄석송 / 4	쥐손이풀 / 299, 300, 301	지리숲고사리 / 36	진남포사초 / 692
줄속 / 661	쥐손이풀과 / 298	지리실청사초 / 693	진노랑상사화 / 607
줄속속이풀 / 211	쥐손이풀속 / 298	지리오갈피 / 365	진달내 / 389
줄여뀌 / 121	쥐오줌풀 / 497	지리오리방풀 / 446	진달래 / 389, 390
줄오독도기 / 155	쥐오줌풀속 / 496	지리티리풀 / 239	진달래과 / 384
줄진범 / 152	쥐참외 / 352	지붕작이 / 215	진달래나무 / 389, 390
줄풀 / 661	쥐털이슬 / 355	지우 / 267	진도딸기 / 262
줄현호색 / 196	쥐털쥐손이 / 301	지우초 / 267	진도사초 / 695
증개풀 / 441	증나래회나무 / 324	지이고추나물 / 192	진도제비꽃 / 350
증국물부추 / 5	증나무 / 63	지이관중 / 52	진도하늘지기 / 707
증국풀싸리 / 288	증산봄맞이 / 396	지이대사초 / 688	진돌썩귀 / 154
증국활미꽃 / 170	증산쑥 / 511	지이말발도리 / 227	진동족도리풀 / 186
증나리 / 593	지네고사리 / 30	지이미치광이풀 / 135	진동찰 / 562
증느릅나무 / 98	지네난초 / 733	지이바꽃 / 153	진득미나리 / 378
증대가리나무 / 422	지네발란 / 733	지이산개고사리 / 47	진득찰 / 562
증대가리풀 / 527	지네발란속 / 733	지이산괴불나무 / 489	진득찰속 / 562
증대가리풀속 / 527	지느러미고사리 / 26	지이산김의털 / 637	진득찰아재비 / 508
증방등산이 / 710	지느러미고사리속 / 26	지이산꼬들빼이 / 533	진들개미나리 / 383
증삿갓사초 / 697	지느러미박쥐나물 / 551	지이산떡풀 / 225	진들검정사초 / 686
증애기나리 / 587	지느러미진교 / 155	지이산물푸레 / 405	진들검정사초 / 686
증의무릇 / 588	지령쿠나무 / 490	지이산바위떡풀 / 225	진들난초 / 729
증의무릇속 / 588	지리강활 / 368, 371	지이산오갈피 / 365	진들대황 / 126
증정억새 / 646	지리개관종 / 47, 52	지이산오갈피나무 / 365	진들도라지 / 506
쥐깨 / 452	지리고들빼기 / 533	지이산접나도나물 / 130	진들딸기 / 262
쥐깨풀 / 452, 453	지리괴불나무 / 489	지이오갈피 / 365	진들방동사나 / 699
쥐깨풀속 / 451	지리대사초 / 688	지이점나도나물 / 130	진들벼들 / 79
쥐꼬리망초 / 477	지리말발도리 / 227	지이회나무 / 324	진들사초 / 678
쥐꼬리망초과 / 476	지리모시나물 / 501	지장보살 / 596	진들장포 / 576
쥐꼬리망초속 / 477	지리바꽃 / 153	지채 / 576	진들피 / 639
쥐꼬리망풀 / 477	지리반하 / 665	지채과 / 575	진땅고추풀 / 462
쥐꼬리새 / 647, 659	지리사초 / 670	지채속 / 575	진땅고추풀속 / 462
쥐꼬리새속 / 647	지리산개고사리 / 47	지초 / 436	진범 / 155
쥐꼬리새풀 / 659	지리산개별꽃 / 135	지촌인삼 / 381	진보라붓꽃 / 612
쥐꼬리새풀속 / 659	지리산고사리 / 34	지추 / 436	진부애기나리 / 603
쥐꼬리풀 / 581, 647, 659	지리산김의털 / 637	지치 / 436	진저리고사리 / 48
쥐꼬리풀속 / 581	지리산꼬리풀 / 473, 474	지치과 / 433	진주고추나물 / 193
쥐다래 / 188	지리산들별꽃 / 135	지치속 / 436	진주름풀 / 648
쥐다래나무 / 188	지리산물풀나무 / 405	지칭개 / 525, 539	진주바위솔 / 216
쥐달래 / 582		지칭개나물 / 539	진펴리개고사리 / 38
쥐똥나무 / 407			

진퍼리고사리 / 28, 47	짧은사상자 / 378	참갈퀴 / 424, 425	참나리난초 / 730
진퍼리고사리속 / 28	짧은산재비난 / 735	참갈퀴나물 / 425	참나리란 / 730
진퍼리골무꽃 / 456	짧은잔대 / 500	참갈퀴덩굴 / 293, 425	참나리새 / 621
진퍼리까치수염 / 398	짧은털좁쌀풀 / 463	참갈퀴덩굴 / 425	참나무 / 91, 92
진퍼리까치수영 / 398	째작나무 / 85	참개미자리 / 134	참나무겨우사리 / 109
진퍼리꽃나무 / 385	찌른꿩의다리 / 174	참개별꽃 / 134	참나무겨우살이 / 109
진퍼리꽃나무속 / 385	쪽가래나무 / 73	참개승아 / 111	참나무겨우살이속 / 109
진퍼리꿰마풀 / 653	쪽나무 / 257	참개싱아 / 111	참나무과 / 89
진퍼리노루오줌 / 221	쪽동백 / 402	참개암나무 / 88	참나무속 / 90
진퍼리버들 / 79	쪽동백나무 / 402	참개연꽃 / 181	참나물 / 374, 379
진퍼리사초 / 670	쪽벼들 / 76, 79	참겨름나무 / 315	참나물속 / 379
진퍼리새 / 647	쪽잔고사리 / 24	참겨이삭 / 622, 655	참넓은잎제비꽃 / 345
진퍼리새속 / 647	쪽제비고사리 / 51	참고로실나무 / 313	참느릅나무 / 97, 98
진퍼리용담 / 413	쪽벼들 / 76	참고비고사리 / 21	참능쟁이 / 142
진퍼리잔대 / 500	쩐득찰 / 562	참고사리 / 18	참다래 / 187
진퍼리진달래 / 385	찔꽝나무 / 236	참고추냉이 / 205	참다래나무 / 187
진펄까치수염 / 398	찔구배나무 / 236	참골담초 / 278	참당귀 / 370
진펄꽃꼬리풀 / 398	찔레꽃 / 260	참골무꽃 / 458	참닻꽃 / 415
진펄사초 / 683	찔레나무 / 260	참골풀 / 614	참대극 / 304, 305
진펄앉은부채 / 665	찔이나무 / 260	참곰비늘고사리 / 50	참더덕 / 504
진펄이사초 / 683	찝빵나무 / 68	참구슬냉이 / 211	참덩굴광대수염 / 446
진펄현호색 / 196	(*)	참귀사리 / 524	참돌꽃 / 219
진황정 / 598	차걸이난 / 733	참기름나물 / 379	참동의나물 / 162
진흙풀 / 468	차걸이란 / 733	참기생꽃 / 401	참동자꽃 / 133
진흙풀속 / 468	차걸이란속 / 733	참김의털 / 637	참두메부추 / 584
질경이 / 483	차꼬리고사리 / 26	참까치깨 / 333	참독사초 / 694
질경이과 / 482	차나무과 / 189	참까치밥나무 / 232	참드름 / 364
질경이속 / 483	차맛자락풀 / 588	참까치수염 / 398	참등대풀 / 304
질경이택사 / 573	차방동사니 / 698	참깨과 / 477	참딸 / 263
질긴포아풀 / 653	차벳오갈피 / 365	참깨금 / 88	참똑사초 / 694
질꾸나무 / 260	차벳오갈피나무 / 365	참껍질새 / 643	참마 / 608, 609
질누나무 / 260	차빛당마가목 / 269	참꼬들빼이 / 534	참마디꽃 / 353
질배나무 / 236	차색솜죽대 / 595	참꽃 / 401	참멸구 / 332
질빵풀 / 163	차색오갈피 / 365	참꽃나무 / 389, 390, 391	참명아주 / 142, 143
집사초 / 697	차일봉개미자리 / 134	참꽃나무겨우살이 / 389	참모련채 / 553
집신나물 / 234	차일봉무엽란 / 725	참꽃나리 / 434, 438	참물별 / 351
집우지기 / 217	차풀 / 278, 385	참꽃말이 / 438	참물부추 / 5
지붕지기 / 215	차풀속 / 278	참꽃바지 / 434	참물솔 / 5
짚신나물 / 234	찰조팝나무 / 270	참꽃받이 / 434	참물통이 / 107
짚신나물속 / 233	찰풀나무 / 91	참꽃받이풀 / 434	참바늘꽃 / 701
狎자래 / 411	찰피나무 / 334, 335	참꽃창포 / 610	참바늘꽃 / 357
狎자래갈매나무 / 328	찰가락풀 / 174	참꿩의다리 / 174	참바위취 / 226
狎자래나무 / 328	참가시나무 / 92, 93	참나나벌이난초 / 730	참박달나무 / 84, 86
狎작이 / 84	참가시덩굴여뀌 / 121	참나도히초미 / 52, 53	참박쥐나물 / 551
狎작에나무 / 411	참갈귀 / 292	참나래새 / 621	참반디 / 381
찔룩대나물 / 139	참갈매나무 / 327, 328	참나리 / 593	참반디속 / 381

참방동사나 / 699	참술패랭이꽃 / 131	참털뽕나무 / 102	천남성 / 663
참방동산이 / 699	참시호 / 372	참털새 / 624	천남성과 / 662
참배암차즈기 / 455	참식나무 / 152	참털작살나무 / 439	천남성속 / 662
참뱀차즈기 / 455	참식나무속 / 152	참털제비꽃 / 344	천대싸리 / 291
참벼들꽃 / 304	참싱아 / 111	참통발 / 482	천도딸기 / 262
참벼꼬리 / 112	참짜리 / 285	참풀배나무 / 268	천도미꾸리꽝이 / 655
참벼꼬리풀 / 112	참쌀새 / 643	참풀나무 / 91	천도백산차 / 385
참벼의꼬리 / 112	참쑥 / 512	참피나무 / 333	천도쥐손이 / 299
참벗나무 / 252	참양지꽃 / 245	참향나무 / 66	천리송 / 65, 68
참벼겨풀 / 642	참여새 / 645	참황새풀 / 704	천마 / 725
참병꽃나무 / 494	참여로 / 606	참회나무 / 324	천마괭이눈 / 223
참보리사초 / 687	참여정실 / 407	찹삽추 / 523	천마속 / 725
참부들 / 667	참연리초 / 285	창갯는쟁이 / 142	천마송이풀 / 470
참부채꽃 / 610	참예자풀 / 704	창갯능쟁이 / 142	천문동 / 585
참부처꽃 / 353	참오글잎벼들 / 80	창고사리 / 56	천선과 / 100
참비녀골풀 / 615	참오리나무 / 83	창골무꽃 / 456	천선과나무 / 100
참비비추 / 590	참왕지네고사리 / 49	창끌고사리 / 56	천식약풀 / 226
참빗나무 / 320	참왜고사리 / 36	창덕제비꽃 / 350	천일담배풀 / 526
참빗살나무 / 320, 322	참외고사리 / 36	창떡쑥 / 537	천일사초 / 694
참빗짜루 / 585	참우두풀 / 32	창밤잎고사리 / 56	천일초 / 526
참뿔고사리 / 36	참우드풀 / 32	창일엽 / 57	천지괭이눈 / 223
참산들깨 / 452	참윤여리 / 242	창일엽속 / 57	철고사리 / 26
참산부추 / 584	참으아리 / 166	창출 / 523	철연죽 / 271
참삼잎석송 / 4	참이질풀 / 299	창포 / 662	철죽나무 / 390
참삿갓사초 / 681	참작약 / 187	창포속 / 662	철쭉 / 390
참삿갓사초 / 681	참잔대 / 500	채고추나물 / 191	철쭉꽃 / 390
참새귀리 / 625	참장대나물 / 213	채양버들 / 74	철쭉나무 / 390
참새귀리속 / 625	참제비꽃 / 344	채진목 / 234	철쭉잎 / 325
참새귀밀 / 625	참조팝나무 / 272	채진목속 / 234	청가마귀밀구 / 332
참새그령 / 635	참졸방나물 / 347	챔빗나무 / 320	청가시나무 / 602
참새그령속 / 635	참졸방제비꽃 / 347	처녀고사리 / 31	청가시덤불 / 602
참새발고사리 / 34	참좁쌀까치수염 / 398	처녀고사리과 / 27	청가시덩굴 / 602
참새백미꽃 / 419	참좁쌀풀 / 398	처녀꽃 / 336	청개구리밥 / 665
참새외풀 / 465	참좁쌀풀속 / 397	처녀바디 / 368	청개죽도리풀 / 185
참새피 / 649	참종덩굴 / 162	처녀백지 / 368	청경개까시나무 / 602
참새피속 / 649	참주름조개풀 / 648	처녀이끼 / 12, 13	청괴불나무 / 489
참서털취 / 555	참줄바꽃 / 156	처녀이끼과 / 12	청까마귀머루 / 331
참소리쟁이 / 126	참쥐손이풀 / 299	처녀이끼속 / 12	청나래개면마 / 33
참소엽풀 / 464	참지네고사리 / 49	처녀치마 / 588, 589	청나래고사리속 / 32
참속속이풀 / 211	참진고사리 / 37	처녀치마속 / 588	청날개고사리 / 33
참솔자리풀 / 134	참진역새 / 645	처녀풀 / 336	청다래나무 / 187
참솜나물 / 558	참철쭉 / 390	처린미꾸리꽝이 / 655	청다래년출 / 187, 319
참솜다리 / 548	참추분씀바귀 / 554	처진개벗나무 / 251	청닭의난초 / 724
참송구지 / 126	참취 / 521	처진물봉선 / 317	청대동 / 307
참쇠고비 / 43	참취속 / 517	처진소나무 / 64	청등 / 180
참쇠보리 / 641	참칼원추리 / 589	천궁 / 370	청떡갈나무 / 91
참수리취 / 560	참터리풀 / 239		

청명아주 / 143	초리새 / 647	치마난초 / 722	큰각시취 / 556
청목 / 362	초식나무 / 87	치마풀 / 588	큰갈구리풀 / 281
청미래 / 602	초용담 / 413	치자풀 / 428, 479	큰갈참나무 / 91
청미래덩굴 / 601	초우성 / 461	치자풀속 / 479	큰갈퀴 / 294
청밀개덤불 / 602	초종용 / 479	칙 / 290	큰갈퀴나물 / 292
청백당나무 / 493	초피나무 / 309	칙덤불 / 290	큰갈퀴꼭두선이 / 430
청복문화나무 / 263	초피나무속 / 308	친어리연꽃 / 417	큰강제풀 / 115
청복분자 / 263	촛대승마 / 158	칠고사리 / 40	큰강아지고위까람 / 620
청복분자딸기 / 263	총전광이 / 639	칠남성 / 181	큰강아지별수염풀 / 620
청부케꽃나무 / 316	총천광이 / 639	칠면초 / 146	큰개고사리 / 40
청부싯깃고사리 / 20	총취 / 508	칠보개불통이 / 106	큰개관중 / 52
청분비 / 63	추분씀바귀 / 554	칠보송이풀 / 470	큰개구리발톱 / 174
청비녀골풀 / 615	추분취 / 554	칠보치마 / 597	큰개구리사초 / 695
청비수리 / 286	추산쑥부쟁이 / 523	칠보치마속 / 597	큰개미자리 / 133, 137
청사두초 / 663	춘란 / 721	칠양지꽃 / 245	큰개별꽃 / 136
청사조 / 326	출구슬사초 / 680	칡 / 290	큰개불알꽃 / 722
청사철란 / 727	총꽃나물 / 448	칡속 / 290	큰개비자나무 / 69
청사초 / 326, 672	취 / 521	칡향 / 184	큰개서나무 / 87
청산까치깨 / 333	취나물속 / 554	침도로나무 / 93	큰개수염 / 620
청수리딸기 / 262	취란화 / 400	침도로나무 / 93	큰개승마 / 157
청시다나무 / 312	측백나무 / 66, 68	(▣)	큰개여뀌 / 119
청쌀새 / 643	측향나무 / 68	카다리란 / 730	큰개현삼 / 474
청알록제비꽃 / 349	총꽃 / 443	칼송이풀 / 470	큰갯보리 / 634
청여장 / 312	총꽃나무 / 439	칼잎룡담 / 414	큰거북꼬리 / 104
청열매덤불 / 601, 602	총꽃나무속 / 439	칼잎용담 / 414	큰검정사초 / 686
청오미자 / 148	총꽃풀 / 439	코딱지나물 / 209	큰검정털고사리 / 45
청잎갈나무 / 63	총실사초 / 692	코마로브포아풀 / 652	큰겨이삭 / 622
청자오랑캐 / 349	총총갈고리등굴례 / 600	콩과 / 274	큰고란초 / 59
청중대가리나무 / 422	총총고란초 / 59	콩노루발 / 388	큰고랭이 / 714
청쥐똥나무 / 408	총총고랭이 / 698	콩배나무 / 254	큰고사리 / 39
청지네고사리 / 47	총총고랭이속 / 698	콩벼들 / 79	큰고양이수염 / 711
청진싸리 / 291	총총고사리 / 18	콩벼무리 / 140	큰고추풀 / 464
청진퍼리고사리 / 39	총총꽃 / 443	콩속 / 280	큰골무꽃 / 458
청포아풀 / 654	총총나무 / 363	콩잎벼들 / 79	큰골짚신나물 / 234
청피사초 / 685	총총나무과 / 362	콩제비꽃 / 340	큰골풀아재비 / 711
체꽃 / 498	총총나무속 / 362	콩조각고사리 / 55	큰곰취 / 548
제꽃속 / 498	총총대나물 / 139	콩짜개고사리 / 55	큰공작고사리 / 20
초대승마 / 158	총총등굴례 / 600	콩짜개단 / 717	큰꽝대수염 / 446, 449
초때승마 / 158	총총등글례 / 600	콩짜개덩굴 / 55	큰꽝이눈 / 222
초령목 / 147	총총이꽃 / 443	콩짜개덩굴속 / 54	큰꽝이밥 / 297
초록별꽃 / 141	총총이꽃속 / 442	콩짜개란 / 717	큰꽝이밥풀 / 297
초롱꽃 / 504, 587	총총이삭 / 698	콩팥노루발 / 388	큰괴불이끼 / 14
초롱꽃과 / 498	총총잔대 / 502, 503	콩팥노루발풀 / 388	큰괴불주머니 / 196
초롱꽃속 / 503	총총장구채 / 139	큰가래 / 577	큰구슬봉이 / 415
초롱담 / 413, 414	총총지네고사리 / 49	큰가지애기나리 / 587	큰구슬봉이 / 415

큰구실봉이 / 415	큰노방덩굴 / 320	큰물통이 / 107	큰산고사리삼 / 9
큰구와꼬리풀 / 473	큰단풍잎곰취 / 549	큰미나리냉이 / 206	큰산금전화 / 537
큰구절초 / 535	큰달 / 651	큰미역취 / 563	큰산김의털 / 637
큰그늘사초 / 689	큰달래 / 582	큰민들레 / 566	큰산꼬리풀 / 471, 472
큰금꿩의다리 / 176	큰달뿌리풀 / 651	큰바꽃 / 154	큰산꽃갈퀴 / 424
큰금매화 / 177	큰닭의덩굴 / 113	큰바늘골 / 702	큰산꿩의다리 / 174
큰기름나물 / 374	큰닭의장풀 / 618	큰바늘꽃 / 357, 358	큰산목새 / 638
큰기름새 / 659	큰당비수리 / 286	큰바위괭이눈 / 224	큰산바위승애 / 111
큰기린초 / 217	큰대극 / 303	큰바위승애 / 111	큰산벼들 / 80
큰기생초 / 401	큰대잎둥굴레 / 599	큰박새 / 605	큰산벗나무 / 251
큰까치수염 / 398	큰댓잎둥굴레 / 599	큰박쥐나물 / 552	큰산별꽃 / 141
큰까치수영 / 398	큰덩굴룡담 / 417	큰반디나물 / 374	큰산봄맞이꽃 / 396
큰껍질새 / 643	큰덩굴메밀 / 113	큰반쪽고사리 / 23	큰산분취 / 560
큰껍질쌀새 / 643	큰덩굴바꽃 / 154	큰반쪽쌀새 / 643	큰산사 / 687
큰꼬리풀 / 471, 472	큰덩굴씀바귀 / 544	큰방울비란 / 736	큰산사초 / 685, 687
큰꼬마리 / 123	큰덩굴여뀌 / 113	큰방울사초 / 698	큰산새풀 / 627, 628
큰꼭두서니 / 430	큰도둑놈의갈고리 / 281	큰방울새난초 / 736	큰산송이풀 / 469
큰꼭두선이 / 430	큰도둑놈의갈구리 / 281	큰방울새란 / 736	큰산수영 / 115
큰꽃긴잎여로 / 605	큰돌꽃 / 219	큰배암딸기 / 238	큰산승마 / 158
큰꽃고리풀 / 398	큰돌단풍 / 224	큰배암무 / 240	큰산승애 / 115
큰꽃땅비싸리 / 283	큰돌현삼 / 474	큰뱀도랏 / 383	큰산싱아 / 115
큰꽃마리 / 434	큰두루미꽃 / 596	큰뱀무 / 240	큰산오랑캐 / 341
큰꽃말이 / 434	큰등굴레 / 600	큰뱀톱 / 3	큰산오이풀 / 267
큰꽃삿갓풀 / 604	큰들별꽃 / 136	큰변는미나리아재비 / 173	큰산장대 / 200
큰꽃수리취 / 559	큰듬성이삭새 / 644	큰범승아 / 114	큰산장때 / 200
큰꽃옥잠난초 / 730	큰등갈퀴 / 294	큰벼룩아재비 / 412	큰산좁쌀풀 / 463
큰꽃으아리 / 166	큰등갈기 / 294	큰별고사리 / 28	큰산참나물 / 380
큰꽃잔대 / 500	큰등말굴레 / 294	큰별꽃 / 140	큰산피막이풀 / 376
큰꽃장대 / 208	큰등말굴레풀 / 294	큰별수염풀 / 620	큰삽주 / 523
큰꽃점나도나물 / 129	큰등에풀 / 464	큰별쓴풀 / 417	큰새박 / 352
큰꾸러미풀 / 653	큰땅비싸리 / 283	큰병풍 / 551	큰새발고사리 / 31
큰꾸Leaks이풀 / 653	큰뚝사초 / 680	큰보리대가리 / 681	큰서나무 / 87
큰꿩고사리 / 16	큰마 / 609	큰보리장나무 / 338	큰서덜취 / 555
큰꿩의다리 / 175	큰마디말 / 580	큰복주머니 / 722	큰선괭이밥 / 297
큰꿩의비름 / 213, 214, 217	큰만병초 / 388	큰복주머니란 / 722	큰설설고사리 / 31
큰꿰미풀 / 653	큰매자기 / 668	큰봉의꼬리 / 22	큰섬거북꼬리 / 104
큰끈끈이여뀌 / 124	큰매꽃 / 432	큰부들 / 667	큰섬공작고사리 / 20
큰나도우드풀 / 58	큰면모고사리 / 32	큰분취 / 560	큰섬잔고사리 / 40
큰나래갈퀴 / 294	큰모시나물 / 499	큰분취아재비 / 536	큰섬죽대 / 602
큰나래새 / 621	큰몽고봉나무 / 102	큰비노리 / 636	큰세잎양지꽃 / 247
큰나비나물 / 295	큰몽고쑥 / 514	큰비단분취 / 554	큰세잎종덩굴 / 165
큰낫쇠고사리 / 42	큰몽울란 / 723	큰비쑥 / 512	큰세잎취순이 / 298
큰네잎갈퀴 / 294, 424	큰물개구리밥 / 15	큰뿔꽃 / 196	큰세잎취순이풀 / 298
큰넷잎갈퀴덩굴 / 424	큰물레나물 / 191	큰사상자 / 383	큰소시랑개비 / 245
큰노랑제비꽃 / 341	큰물벼룩알풀 / 464	큰사스래피나무 / 85	큰속단 / 454
큰노루귀 / 169	큰물삿갓사초 / 692	큰산개미자리 / 133, 134	큰손고비 / 56
큰노루오줌 / 220	큰물통이 / 107	큰산고사리 / 36	큰솔나리 / 593

큰솔나물 / 427	큰은조롱 / 420	큰조뱅이 / 525	키다리국화 / 548
큰솔잎나리 / 593	큰이삭란 / 731	큰죽제비고사리 / 48	키다리난초 / 730
큰솔자리풀 / 133	큰이삭피 / 656	큰졸방제비꽃 / 344	키다리란 / 730
큰솜대 / 596	큰일시호 / 372	큰줄풀 / 399	키다리바꽃 / 154
큰솜죽대 / 596	큰일엽초 / 55	큰종덩굴 / 165	키다리분취 / 559
큰솜털고사리 / 31	큰잎가락지나물 / 243	큰죽대 / 603	키다리쓴풀 / 416
큰송이방동산이 / 709, 710	큰잎갈퀴 / 424	큰증나리 / 593	키다리처녀고사리 / 30
큰송이풀 / 469	큰잎갈퀴덩굴 / 424	큰쥐꼬리새 / 647	키다리포아풀 / 653
큰쇠고사리 / 42	큰잎기린초 / 217	큰쥐꼬리풀 / 647	키바꽃 / 154
큰수리취 / 565	큰잎느릅나무 / 98	큰쥐똥나무 / 408	키버들 / 79
큰수슬팽이눈 / 224	큰잎답장나무 / 366	큰쥐방울 / 184	기큰국화 / 548
큰수염풀 / 621	큰잎룡담 / 414	큰쥐털이슬 / 355, 356	기큰꿩의비름 / 214
큰쉽싸리 / 450	큰잎부들 / 667	큰지네고사리 / 47, 49	기큰산국 / 548
큰시호 / 372	큰잎분취 / 555	큰진고사리 / 37	기큰산국속 / 548
큰실좀꽃풀 / 412	큰잎산꿩의다리 / 174, 176	큰질경이 / 484	(≡)
큰십자고사리 / 54	큰잎소사나무 / 87	큰질빵풀 / 167	타꿰물풀뎅이 / 107
큰싸리냉이 / 206	큰잎솜나물 / 558	큰짚신나물 / 233	타래난초 / 736, 737
큰쌀새 / 643	큰잎쓴풀 / 417	큰차방동사니 / 698	타래난초속 / 737
큰쐐기풀 / 106	큰잎애기고추나물 / 192	큰참나물 / 374	타래란 / 737
큰쑥방망이 / 561	큰잎제비란 / 735	큰참나물속 / 374	타래붓꽃 / 611
큰쑥왕부지깽이 / 209	큰잎조개나무 / 442	큰처녀고사리 / 31	타래사초 / 684
큰애기나리 / 587	큰잎조개나물 / 442	큰천남성 / 663	타래쑥 / 512
큰애기며느리밥풀 / 468	큰잎죽대 / 602	큰천일사초 / 692	타래예자풀 / 704
큰애기바풀 / 468	큰잎죽대야재비 / 603	큰청사초 / 674	타래조팝나무 / 243
큰애기흑삼릉 / 666	큰잎질빵 / 167	큰초롱사초 / 677	타퀘사초 / 685
큰앵초 / 399	큰잎피막이 / 376	큰초롱담 / 414	타퀘진달래 / 390
큰억새 / 645	큰잎피막이풀 / 376	큰키꿩의다리 / 175	탐나꼬리풀 / 473
큰엉겅퀴 / 530, 531	큰자주쓴풀 / 417	큰터리풀 / 239	탐나산죽 / 657
큰여로 / 606	큰작란화 / 722	큰톱니나자스말 / 581	탐나황기 / 276
큰여우콩 / 291	큰작살나무 / 438	큰톱지네고사리 / 46	탐라갯분취 / 556
큰연령초 / 604	큰잔대 / 499, 500	큰톱풀 / 508	탐라고사리 / 40
큰연령초흰삿갓나물 / 604	큰잔디 / 662	큰피막이 / 376	탐라까치수염 / 399
큰연영초 / 604	큰잠자리난초 / 728	큰피막이풀 / 376	탐라꼬리풀 / 473
큰영령초 / 604	큰장대 / 208	큰하늘직이 / 707	탐라란 / 725
큰오이풀 / 267	큰장대속 / 208	큰하늘나리 / 592	탐라민바랭이 / 631
큰옥매듭 / 125	큰장때 / 208	큰하늘지기 / 707	탐라반쪽고사리 / 22
큰옥매듭풀 / 125	큰장백오랑캐 / 342	큰하늘직이 / 707	탐라별고사리 / 27
큰옥잡난초 / 730	큰전호 / 371	큰해오라비난초 / 728	탐라사다리고사리 / 29
큰울챙이자리 / 574	큰절굿대 / 536	큰현삼 / 474	탐라사철란 / 727
큰외잎쑥 / 513, 517	큰점나도나물 / 129	큰흘잎난초 / 725	탐라산수국 / 228
큰용담 / 414	큰제비고깔 / 167	큰홍지네고사리 / 48	탐라암고사리 / 40
큰용울란 / 723	큰제비꽃 / 344	큰황새냉이 / 207	탐라잔고사리 / 40
큰우단일엽 / 59	큰제비난 / 735	큰황새풀 / 704	탐라진고사리 / 38
큰옹예팽이눈 / 224	큰제비란 / 735	큰흰오이풀 / 266	탐라큰개별꽃 / 136
큰원추리 / 589	큰제비쑥 / 513	큰흰지우초 / 267	탐라톱지네고사리 / 49
큰위령선 / 167	큰조롱 / 421	키다리구슬봉이 / 414	탐라풀 / 428

탐라풀속 / 428	털개회나무 / 410	털누른오랑캐 / 341	털미치광이풀 / 136
탐라현호색 / 197	털갓완두 / 284	털누리장나무 / 440	털민동인가목 / 258
탐라황기 / 276	털겨나래새 / 621	털눈마가목 / 270	털민들레 / 566
탑꽃 / 443, 444	털계요등 / 429	털다릅나무 / 289	털바랑이 / 631
탑산박하 / 447	털고광나무 / 229	털단풍 / 314	털바위고사리 / 57
탑풀 / 443	털고로쇠 / 313	털단풍잎마 / 609	털바위떡풀 / 225
태백개별꽃 / 135	털고로쇠나무 / 313	털대사초 / 674	털바위싱아 / 110
태백기린초 / 217	털고리실 / 313	털대제비꽃 / 341, 345	털바위여뀌 / 110
태백말발도리 / 227	털고사리 / 39, 42	털대흰제비꽃 / 346	털박쥐나무 / 361
태백바람꽃 / 161	털골무꽃 / 457	털댕강나무 / 484	털박쥐나물 / 551
태백씨름꽃 / 340	털꽝대수염 / 446	털덩꿩나무 / 492	털박하 / 451
태백오랑캐 / 340	털괭이눈 / 223	털도깨비바늘 / 524	털백미 / 419
태백이질풀 / 301	털괴발딱지 / 509	털도둑놈의갈고리 / 278	털백산차 / 386
태백제비꽃 / 340	털괴발딱취 / 509	털도둑놈의갈구리 / 281	털백작약 / 187
태백취 / 555	털괴불나무 / 489	털돌잔고사리 / 18	털뱀배추 / 459
태안원추리 / 590	털괴뿔 / 489	털동자꽃 / 133	털별고사리 / 28
택란아재비 / 450	털구와고리풀 / 471	털두령꽃 / 353	털병꽃나무 / 494
택사 / 573, 574	털굴개곽향 / 460	털두메자운 / 290	털복주머니란 / 722
택사과 / 573	털굴피나무 / 74	털동근갈퀴 / 424	털부개근나무 / 316
택사속 / 573	털금빛고사리 / 41	털동근이질풀 / 298	털부갸근나무 / 316
터리풀 / 239	털기름나물 / 377	털동근잎제비꽃 / 344	털부지깽이나물 / 521
터리풀속 / 238	털기름나물속 / 377	털동근쥐손이 / 298	털부채마 / 609
턱잎버들 / 81	털기린초 / 218	털돌별꽃 / 136	털부처꽃 / 353
털가는덩굴바꽃 / 156	털긴잎갈퀴 / 423	털딱지꽃 / 245	털분지 / 381
털가막사리 / 523	털긴잎모시풀 / 104	털떡오리나무 / 83	털분취 / 556, 557, 559
털가막살나무 / 491	털긴잎제비꽃 / 346	털마삭나무 / 422	털비늘고사리 / 42
털가막살이 / 525	털긴잎조팝나무 / 273	털마삭명굴 / 422	털뽕나무 / 102
털가위고사리 / 42	털깃웃신갈 / 92	털마삭줄 / 422	털사철란 / 727
털가침박달 / 238	털개풀 / 463	털만주고로쇠 / 315	털사초 / 682, 690
털갈매나무 / 327	털꼬리풀 / 472	털만주송이풀 / 470	털산개나리 / 405
털갈기꼭두선이 / 430	털꼭두서리 / 430	털말벌도리 / 227	털산개미자리 / 133
털갈기덩굴 / 430	털꼭두선이 / 430	털매자 / 392	털산고사리 / 30
털강아지수염 / 619	털꽃개회나무 / 409, 411	털며위 / 538	털산돔부 / 290
털개과향 / 459	털꽃다지 / 209	털며위속 / 538	털산박하 / 447
털개관중 / 52	털꽃마리 / 438	털메꽃 / 431	털산사 / 237
털개구리미나리 / 171	털끈끈이여뀌 / 124	털먼느리밥풀 / 467	털산사나무 / 237
털개금불초 / 568	털나도댑싸리 / 142	털모래덩굴 / 180	털산수국 / 227
털개나무 / 440	털나도황기 / 281	털모싯대 / 501	털산승애 / 111
털개머루 / 329	털나래새 / 621	털몇고사리 / 40	털산쑥 / 515
털개밀 / 633, 634	털낚시제비꽃 / 343	털무강범의꼬리 / 113	털새 / 624
털개백미 / 419	털냉이 / 203	털물갈나무 / 92	털새고사리 / 34, 35
털개별꽃 / 135, 136	털냉초 / 476	털물봉선 / 317	털새돌부 / 280
털개불알꽃 / 722	털넓은잎꼬리풀 / 471	털물봉송 / 318	털새동부 / 280
털개승애 / 110	털네잎갈퀴 / 424	털물생치 / 371	털새머루 / 331
털개싱아 / 110	털노랑제비꽃 / 341	털물오리나무 / 83	털새모래덩굴 / 180
털개역새 / 636	털노박덩굴 / 320	털미꾸리낚시 / 122	털새발고사리 / 40
털개지치 / 435, 437	털노방덩굴 / 320		털새속 / 624

털새완두 / 293	털이삭고사리 / 28	털참벌꼬리 / 112	통영병꽃나무 / 494
털석잠풀 / 459	털이슬 / 356	털참뽕나무 / 102	통영현삼 / 474
털선이질풀 / 299	털이슬속 / 355	털철연죽 / 271	통첨나도나물 / 130
털세잎양지꽃 / 246	털이질풀 / 298	털코프래나무 / 289	투구꽃 / 153, 154
털속소리나무 / 94	털인가목조팝나무 / 271	털큰앵초 / 399	투구꽃속 / 152
털손잎풀 / 299, 300	털인동덩굴 / 487	털풍산가문비 / 64	퉁등굴레 / 599
털솔나물 / 427	털잎사초 / 676, 678, 682	털피 / 649	퉁퉁마디 / 145
털송이풀 / 470	털잎솔나물 / 427	털피나무 / 333	퉁퉁마디속 / 145
털쇠고사리 / 42	털잎하늘지기 / 708	털하늘지기 / 706, 708	틈밸구꿩의다리 / 175
털쇠무릎 / 147	털자금우 / 395	털하늘작이 / 705, 708	
털쇠보리 / 641	털작살나무 / 439	털향유 / 446	
털쇠서나물 / 553	털잔대 / 503	털향유속 / 446	
털수국 / 227	털잔디 / 659	털현호색 / 197	
털수염새 / 621	털잡이제비꽃 / 480	털화살나무 / 321	
털순마가목 / 270	털장구채 / 137, 138	털황기 / 276	
털숲고사리 / 37	털장대 / 201	털흰씨름꽃 / 346	
털쉽사리 / 450	털장대속 / 201	털흰제비꽃 / 346	
털쉽싸리 / 450	털전호 / 371	토곽향 / 441	
털시닥나무 / 312	털접나도나물 / 130	토끼고사리 / 19	
털실부추 / 582	털젓가락나물 / 171	토끼고사리속 / 19	
털싱아 / 110	털제비꽃 / 346, 347	토끼풀속 / 291	
털싸리 / 285	털조록싸리 / 287	토단삼 / 455	
털쌍잎난초 / 732	털조릿대풀 / 643	토당귀 / 364, 368	
털쑥 / 514	털조장나무 / 151	토대황 / 126	
털쑥방망이 / 561	털조팝나무 / 273	토방풀 / 527	
털쓴풀 / 416	털족도리풀 / 185, 186	토송 / 67, 68	
털씨름꽃 / 346	털좁쌀풀 / 464	토천궁 / 370	
털씨범꼬리 / 113	털종나리 / 591	토현삼 / 475	
털아귀꽃나무 / 489	털종비 / 64	토황련 / 179	
털야고초 / 624	털주름풀 / 648	톱날갈참나무 / 91	
털야광나무 / 241	털중나리 / 591	톱날고사리 / 41	
털양지꽃 / 246, 247	털쥐깨 / 452	톱날분취 / 556, 557	
털여새 / 646	털쥐깨풀 / 452	톱니나자스말 / 581	
털여로 / 605	털쥐똥나무 / 408	톱니질경이 / 483	
털여우버들 / 82	털쥐순이 / 300	톱바위취 / 225	
털연리초 / 284	털쥐순이풀 / 300	톱분취 / 557	
털오갈피 / 365	털쥐오줌풀 / 496	톱이아물천남성 / 663	
털오갈피나무 / 365	털지네고사리 / 50	톱잔대 / 499	
털오랑캐 / 346	털진고사리 / 38	톱지네고사리 / 45	
털웃나무 / 312	털진달내 / 390	톱풀 / 507	
털웃나무 / 312	털진달래 / 390	톱풀고사리 / 24	
털왕버들 / 77	털진달래나무 / 390	톱풀속 / 507	
털용가시 / 260	털진득찰 / 563	통등굴레 / 599	
털윤노리나무 / 242	털질경이 / 483	통발 / 481	
털음나무 / 367	털찔팡나무 / 237	통발과 / 480	
털이꽝나무 / 237	털참꽃나무 / 391	통보리사초 / 681	
털이노리나무 / 241	털참단풍 / 314	통영미나리냉이 / 205	

(〃)

- 파대가리 / 709, 710
 파대가리속 / 709
 파드득나무 / 75
 파드득나물 / 374
 파드득나물속 / 374
 파란닭의란 / 724
 파란여로 / 606, 607
 파리잡이풀 / 482
 파리풀 / 482
 파리풀과 / 482
 파리풀속 / 482
 파방망이 / 568
 파삭다리 / 226
 파송이골 / 709, 710
 파초일엽 / 23
 팍시사초 / 689
 팔각금반 / 366
 팔공산제비꽃 / 135
 팔라시대극 / 303
 팔배나무 / 241
 팔손이 / 366
 팔손이나무 / 366
 팔손이속 / 366
 팔장도딸기 / 266
 팔청미래 / 601
 팔편바위취 / 224
 팽꽃나무 / 336, 494
 팽배 / 268
 팽배나무 / 268
 팽꽃나무 / 336
 팽꽃나무과 / 335
 팽꽃나무속 / 335
 팽배나무 / 268
 팽배나무속 / 268
 팽애기자운 / 275

팥애기자운속 / 275	푸른괴불나무 / 489	풀덩굴 / 330	피뿌리꽃 / 336
팥청미래덩굴 / 601	푸른구상 / 63	풀딸 / 244	피뿌리풀 / 336
팥피나무 / 339	푸른구상나무 / 63	풀딸기 / 244	피뿌리풀속 / 336
패랭이 / 130	푸른까치깨 / 333	풀도기 / 254	피사초 / 684
패랭이꽃 / 130	푸른꾸Leaks이풀 / 654	풀매화 / 230, 268	피속 / 632
패랭이꽃속 / 130	푸른꿰미풀 / 654	풀머루덩굴 / 330	피아재비 / 654
패모 / 588	푸른나무 / 323	풀모시 / 105	필두채 / 7
패모속 / 588	푸른능쟁이 / 143	풀모시풀 / 105	
팽나무 / 95, 96	푸른닭의난초 / 724	풀목향 / 441	(호)
팽나무속 / 95	푸른대싸리 / 144	풀풀싸리 / 268	하국 / 541
펴진고사리 / 47	푸른대싸리 / 144	풀사초 / 672, 686	하늘수박 / 352
펴진고추풀 / 466	푸른떡쑥 / 554	풀산딸 / 362	하늘직이 / 705
펴진도둑놈의갈구리 / 282	푸른마 / 608	풀산딸나무 / 362	하늘나리 / 592
펠리온나무 / 107	푸른말털이슬 / 356	풀솜나물 / 537	하늘도라지 / 507
펠리온나무속 / 107	푸른명아주 / 143	풀솜나물속 / 537	하늘말나리 / 594
편백고사리 / 24	푸른몽울풀 / 105	풀솜대 / 596	하늘매발톱 / 162
편백석송 / 5	푸른박새 / 605	풀싸리 / 288	하늘매발톱꽃 / 162
편축 / 125	푸른방동사니 / 699	풀차 / 385	하늘산제비란 / 735
평나무 / 95, 96	푸른방동산이 / 699	품솜대 / 596	하늘수박 / 352
평양꽃바지 / 434	푸른복분자딸기 / 262	풍계나무 / 96	하늘지기 / 705
평양밤나무 / 89	푸른붓꽃 / 611	풍경별례난초 / 730	하늘지기속 / 705
평양사초 / 679	푸른비녀골풀 / 615	풍경사초 / 670, 685	하늘직이 / 705
포기거미리말 / 579	푸른산들깨 / 452	풍나무 / 441	하늘타리 / 352
포기고사리 / 33	푸른시닥나무 / 312	풍도대극 / 302	하늘타리속 / 352
포기사초 / 674	푸른아귀꽃나무 / 489	풍도동굴래 / 599	하수오 / 113, 421
포대작란화 / 722	푸른여로 / 606, 607	풍도바람꽃 / 168	학술 / 526
포대점박이천남성 / 664	푸른잔디 / 661, 662	풍도벼들옷 / 302	한계령풀 / 179
포도과 / 329	푸른장다리풀 / 144	풍등덩굴 / 183	한계령풀속 / 179
포도속 / 331	푸른중대가리나무 / 422	풍란 / 731	한국붓꽃 / 612
포아풀 / 653	푸른쥐똥나무 / 408	풍란속 / 731	한국사철란 / 726
포아풀속 / 651	푸른천남성 / 663	풍산가문비 / 64	한나깨풀 / 400
포천가는잎구절초 / 536	푸른천마 / 725	풍산가문비나무 / 64	한나꽃장포 / 603
포천구절초 / 536	푸른피사초 / 685	풍산종비 / 64	한나사초 / 677
포천바위솔 / 216	푸른하늘지기 / 706	풍선난초 / 718	한나산쑥 / 512
포태사초 / 695	푸솜나물 / 537	풍선난초속 / 718	한나앵초 / 400
포태산사초 / 695	푸조나무 / 95	풍선란 / 718	한대리곰취 / 549
포태제비란 / 723	푸조나무속 / 95	피 / 632	한들고사리 / 19
포태향기풀 / 623	문지나무 / 319	피나무 / 333	한들고사리과 / 19
포평마름 / 355	풀가시엉겅퀴 / 525	피나무과 / 333	한들고사리속 / 19
폭나무 / 95, 96	풀거북꼬리 / 105	피나무속 / 333	한들하늘지기 / 705
폭이사초 / 696	풀고비 / 36	피나무풀 / 335	한라각시둥굴레 / 599
푸대추나무 / 327	풀고사리 / 14	피나물 / 195, 199	한라감자난초 / 733
푸른가막살 / 492	풀고사리과 / 14	피나물속 / 199	한라개승마 / 234
푸른각시고사리 / 28	풀고사리속 / 14	피막이 / 376	한라고들빼기 / 533
푸른개고사리 / 39	풀고추 / 465	피막이속 / 375	한라고사리 / 48
푸른개구리밥 / 665	풀꼴 / 616	피막이풀 / 376	한라골풀아재비 / 712
푸른깻갓풀 / 615	풀끈사초 / 677	피목 / 98	한라구절초 / 534, 535

한라꽃장포 / 603	한란 / 721	해란초 / 465	헛개나무 / 326
한라꽃창포 / 603	한삼덩굴 / 324	해란초속 / 465	헛개나무속 / 326
한라꽃향유 / 446	한삼덩굴 / 102	해변노간주 / 68	해스페리초 / 212
한라꿩의다리 / 174	한성세신 / 186	해변노박덩굴 / 320	현삼 / 474
한라꿩의비름 / 220	한코키야사초 / 679	해변노방덩굴 / 320	현삼과 / 462
한라노루오줌 / 221	한호사초 / 684	해변사초 / 691	현삼속 / 474
한라돌찌귀 / 154	할라사초 / 685	해변싸리 / 286, 288	현호색 / 198
한라돌찌기 / 154	할라산민들레 / 566	해변줄말 / 579	현호색속 / 195
한라돌창포 / 603	할라산쑥 / 512	해변취 / 556	협죽도과 / 418
한라돌별꽃 / 134	할라산장대 / 201	해산사초 / 679	호개대황 / 126
한라떡쑥 / 510	할미꽃 / 170	해송 / 66	호골무꽃 / 458
한라물부추 / 6	할미꽃속 / 170	해안매꽃 / 432	호노루발 / 387
한라물통이 / 107	할미밀망 / 167	해안싸리 / 288	호노루발풀 / 387
한라민들레 / 566	할미질빵 / 167	해안장구채 / 137	호누루발풀 / 387
한라바꽃 / 154	함경나비나물 / 294	해오라기란 / 728	호대황 / 126
한라바위장대 / 201	함경딸기 / 262	해오라비난초 / 728	호동자꽃 / 133
한라버들분취 / 557	함경백산차 / 385	해오라비난초속 / 727	호라지꽃 / 585
한라부추 / 584	함경삿갓사초 / 692	해오라비아재비 / 728	호랑가시나무 / 318
한라분취 / 557	합바기 / 181	해오래비난초 / 728	호랑고비 / 46
한라비비추 / 591	합박꽃 / 187, 390	해오리란 / 728	호랑버들 / 76
한라사초 / 677	합박꽃나무 / 147	해장죽속 / 623	호랑이가시나무 / 318
한라산들깨 / 452	합박딸 / 263	해호밀 / 574	호랑이버들 / 76
한라산벼들 / 76	합박이 / 181	해호밀속 / 574	호랑이사초 / 692
한라산비장이 / 562	합박이덩굴 / 181	해홍나물 / 146	호랑이씀바귀 / 553
한라산쑥 / 512	합박이속 / 180	햇사초 / 691	흘아비꽃대 / 184
한라산장대 / 201	합박초 / 187	향기풀속 / 623	흘아비바람꽃 / 160
한라산진달래 / 390	합백이 / 181	향나무 / 66	호랭이사초 / 692
한라산참꽃 / 391	합백이꽃 / 147	향난초 / 734	호리까나무 / 326
한라새둥지란 / 732	합복사초 / 676	향등골나물 / 538	호모초 / 144
한라새우난초 / 718	합복오리나무 / 82	향마타리 / 496	호모초속 / 143
한라설앵초 / 400	합복종덩굴 / 162	향모 / 640	호미초 / 244
한라세모부추 / 584	합영꽃고비 / 431	향모속 / 639	호밀사초 / 684
한라솜다리 / 548	합종울 / 89	향부자 / 700	호바늘꽃 / 357
한라송이풀 / 470	합흥씀바귀 / 545	향솔새 / 629	호볍꼬리 / 112
한라쑥 / 512	합다리나무 / 317	향여뀌 / 124	호비수리 / 285
한라여로 / 605, 606	합대나무 / 317	향유 / 445	호산장구채 / 139
한라옥잠난초 / 730	합자초 / 351	향유속 / 445	호설란 / 724
한라왜미나리아재비 / 172	합장소 / 418	향이삭난초 / 737	호오리새 / 657
한라잡자리란 / 735	향개구리사초 / 676	향제비란 / 737	호오리새속 / 657
한라장구채 / 138	해국 / 522	향측백나무 / 68	호자나무 / 423
한라제비란 / 735	해남꽃마리 / 434	향털나무 / 75	호자나무속 / 422
한라쥐순이 / 300	해남말발도리 / 227	향포 / 662	호자덩굴 / 428
한라참나물 / 380	해남하늘직이 / 707, 708	향화초 / 208, 212	호자덩굴속 / 428
한라침취 / 521	해녀콩 / 277	헬떡이약풀 / 226	호작약 / 187
한라천마 / 726	해녀콩속 / 277	헬떡이풀 / 226	호장 / 114
한라투구꽃 / 155	해당화 / 258, 261	헬떡이풀속 / 226	호장근 / 114
한라황기 / 276	해동 / 233	헛갈매나무 / 327	호접국수나무 / 274

호접란 / 737	홍매 / 248	황고사리 / 17	회잎나무 / 320, 321
호제비꽃 / 347	홍산무엽란 / 732	황곡 / 527	회채화 / 447
호초등 / 183	홍산벚나무 / 251	황근 / 335	회초리풀 / 659
호혹삼능 / 666	홍송 / 65	황금풀솜대 / 596	회초미 / 46
흑난초 / 717	홍실뱀딸기 / 238	황기 / 276	흰꽃여뀌 / 118
흑느릅나무 / 97	홍월귤 / 384	황기속 / 276	깻잎나무 / 321
흑란 / 717	홍월귤나무 / 384	황단나무 / 278	후구도쑥 / 512
흑뿌리난초 / 728	홍월귤속 / 384	황단나무속 / 278	후라벨라타사초 / 677
흑쉽싸리 / 450	홍자섬갯اكت부쟁이 / 518	황련 / 179	후루미향기풀 / 623
흑쐐기풀 / 105	홍지네고사리 / 46	황련고사리 / 17	후박나무 / 151
흘개별꽃 / 135	흘각시취 / 556, 558	황록족도리풀 / 186	후박나무속 / 151
흘꽃노루발 / 386	흘거북꼬리 / 105	황벽 / 308	후추과 / 183
흘꽃노루발속 / 386	흘꽃잎나도나물 / 130	황벽나무 / 308	후추등 / 183
흘꽃대 / 386	흘잎나무 / 320	황벽나무속 / 308	후추속 / 183
흘꽃대 / 184	흘잎노루발 / 388	황병피나무 / 308	후피향나무 / 191
흘들별꽃 / 135	흘조팝나무 / 273	황산차 / 389	후피향나무속 / 191
흘바람꽃 / 160	화방초 / 505	황산참꽃 / 389	흘라벨라타사초 / 677
흘별꽃 / 134	화산꼽솔사초 / 691	황새고랭이 / 715	휘오리새 / 657
흘아비꽃 / 585	화산사초 / 687	황새냉이 / 204	흰방동사니 / 700
흘아비꽃대 / 184	화살곰취 / 549	황새냉이속 / 203	흐리방동사니 / 699
흘아비꽃대과 / 183	화살나무 / 320, 322	황새승마 / 157, 158	흑난초 / 731
흘아비꽃대속 / 183	화살나무속 / 320	황새쑥 / 511	흑박주가리 / 420
흘아비바람꽃 / 160	화살미꾸라지낚시 / 120	황새풀 / 704	흑산가시 / 259
흘애비꽃대 / 184	화살사초 / 696	황새풀속 / 704	흑산가시나무 / 259
흘애비바람꽃 / 160	화살서덜취 / 556	황새피 / 650	흑산도비비추 / 591
흘잎난초 / 731	화살여뀌 / 120	황이 / 254	흑산역새 / 645
흘잎노루발 / 388	화세신 / 186	황종용 / 479	흑삼능 / 666
흘잎노루발풀 / 388	화솔나무 / 69	황철나무 / 75	흑삼릉속 / 666
흘잎배암새 / 508	화엄개박달나무 / 84	황칠나무 / 364	흑송 / 66
홋각시취 / 556	화엄고사리 / 46	황칠나무속 / 364	흑십자란 / 733
홋개나무 / 326	화엄벗나무 / 253	황틸나무 / 75	흑싸리 / 287
홋잎나무 / 320	화엄오랑캐 / 343	황통화 / 480	흑색기풀속 / 105
홍갈참나무 / 91	화엄제비꽃 / 343	황해속소리나무 / 93	흑오미자 / 148
홍괴불나무 / 488	화자나무 / 423	황해쑥 / 511	흔들고사리 / 19
홍노도라지 / 506	화장버들 / 74	회나무 / 323, 324	흔립나무 / 320
홍노도라지속 / 506	화점초 / 106	회똥나무 / 324	흘들별꽃 / 135
홍노죽제비고사리 / 47	화태닥나무 / 336	회뚝이나무 / 323, 324	희첨 / 562
홍노줄사초 / 683, 694	화태떡쑥 / 510	회령바늘꽃 / 358	흰가는오이풀 / 267
홍도고들빼기 / 534	화태석남 / 384	회령사초 / 679	흰가솔송 / 387
홍도까치수염 / 399	환삼덩굴 / 102	회리바람꽃 / 161	흰가재무릇 / 607
홍도서덜취 / 558	환삼덩굴속 / 102	회목나무 / 324	흰가지나비나물 / 295
홍도원추리 / 589	활나물 / 278	회백깨잎오리방풀 / 447	흰각시취 / 558
홍돌가시나무 / 259	활나물속 / 278	회색사초 / 675	흰갈퀴 / 426
홍등사초 / 673	활량나물 / 284, 285	회양나무 / 325	흰갈풀 / 650
홍뚜갈나무 / 388	활뽕나무 / 100	회양목 / 325	흰감곡 / 527, 535
홍만병초 / 388	황경나무 / 308	회양목과 / 325	흰개수염 / 620
	황경피나무 / 308	회양목속 / 325	

흰개쑥 / 516	흰노랑붓꽃 / 611	흰별깨덩굴 / 450	흰오리방풀 / 446
흰개쑥부장이 / 519	흰노루오줌 / 220	흰범꼬리 / 112	흰오이풀 / 267
흰개양귀 / 200	흰노린재나무 / 403	흰범꼬리풀 / 112	흰왕갓쑥부쟁이 / 521
흰갯장구채 / 137	흰대극 / 303	흰범의귀 / 225	흰왕괴불나무 / 489
흰겨이삭 / 622	흰대나물 / 139	흰범의꼬리 / 112	흰왕바꽃 / 154
흰겹도라지 / 506	흰더위지기 / 515	흰변두리민들레 / 567	흰왜낚시제비꽃 / 343
흰고양이수염 / 711	흰덩굴용담 / 417	흰별수염풀 / 620	흰율릉제비꽃 / 349
흰고위끼 / 620	흰동강할미꽃 / 170	흰복주머니 / 722	흰이삭사초 / 686
흰꼴풀아재비 / 711	흰동백 / 189	흰분쑥 / 515	흰이질풀 / 301
흰곰딸기 / 265	흰동백나무 / 150, 189	흰비늘고사리 / 44	흰인가목 / 258, 259
흰광대나물 / 448	흰동의나물 / 162	흰비늘고사리속 / 44	흰잎고려영경퀴 / 531
흰괭이눈 / 222	흰둥근이질풀 / 298	흰비로용담 / 413	흰잎영경퀴 / 531
흰괴불나무 / 489	흰들제비꽃 / 341	흰사약채 / 368, 369	흰잎쪽동백 / 402
흰구름국화 / 537	흰등 / 297	흰사철쑥 / 515	흰자위나무 / 275
흰구슬봉이 / 412	흰등괴불나무 / 488	흰사초 / 675, 676	흰자주쓴풀 / 416
흰구슬용담 / 412	흰따딸기 / 240	흰산박하 / 447	흰작살나무 / 438
흰구실봉이 / 412	흰딸 / 263	흰산쑥 / 515	흰잔대 / 503
흰그늘룡담 / 412	흰맛딸기 / 240	흰삿갓풀 / 604	흰잠자리란 / 734
흰그늘용담 / 412	흰땅딸기 / 240	흰상사화 / 607, 608	흰장구채 / 139
흰금강애기나리 / 603	흰떡쑥 / 553	흰새덕이 / 152	흰젖오랑캐 / 344
흰금털고사리 / 41	흰뛰함박꽃 / 147	흰생덕이 / 152	흰정향나무 / 410
흰까실쑥부쟁이 / 518	흰만병초 / 388	흰생열귀 / 259	흰젖제비꽃 / 344
흰껍질새 / 643	흰말채나무 / 362	흰생열귀나무 / 259	흰제비꽃 / 346
흰꽃고비 / 431	흰메제비꽃 / 348	흰생열귀장미 / 259	흰제비란 / 734
흰꽃광대나물 / 448	흰모시대 / 501	흰서향나무 / 336	흰조개나물 / 442
흰꽃광대나물속 / 448	흰뫼제비꽃 / 348	흰섬개회나무 / 410	흰좀꿩의다리 / 175
흰꽃나비나물 / 295	흰무릇 / 586	흰속소리나무 / 94	흰좀낚시제비꽃 / 343
흰꽃동의나물 / 162	흰물봉선 / 318	흰솔나리 / 592	흰좀비비추 / 591
흰꽃등갈퀴 / 293	흰물봉송 / 318	흰솔나무 / 427	흰좀쪽동백 / 402
흰꽃등말굴례 / 293	흰물봉송아 / 318	흰솔나물 / 427	흰좀쪽동백나무 / 402
흰꽃말굴례 / 293	흰물싸리 / 246	흰수염며느리밥풀 / 468	흰종댕굴 / 164
흰꽃며느리밥풀 / 468	흰미역취 / 496	흰쑥 / 511, 516	흰줄갈풀 / 650
흰꽃물고추나물 / 193	흰민동인가목 / 258	흰씀바귀 / 542	흰줄사철란 / 727
흰꽃바디나물 / 369	흰민들레 / 566	흰씨름꽃 / 346	흰지보 / 591
흰꽃바위취 / 225	흰민종가시 / 91	흰아귀꽃나무 / 489	흰진교 / 155
흰꽃여뀌 / 118	흰밀사초 / 687	흰아편꽃 / 200	흰진달래 / 390
흰꽃오랑캐 / 344	흰바꽃 / 154, 468	흰애기나리 / 587	흰진범 / 155
흰꽃이질풀 / 301	흰바늘꽃 / 703	흰애기낚시제비꽃 / 343	흰진페리잔대 / 500
흰꽃잎영경퀴 / 531	흰바디 / 368	흰애기제비꽃 / 344	흰참골무꽃 / 458
흰꽃좀닭의장풀 / 618	흰바디나물 / 368, 369	흰약난초 / 720	흰참꽃 / 390
흰꽃좀비비추 / 591	흰바위취 / 225	흰양귀비 / 200	흰참꽃나무 / 390
흰꽃하늘수박 / 352	흰방동사니 / 700	흰여리연꽃 / 417	흰처녀치마 / 588
흰꽃현호색 / 198	흰방동산이 / 700	흰억새 / 646	흰철쭉 / 390
흰꿀풀 / 455	흰방울제비꽃 / 341	흰여뀌 / 119	흰총꽃나무 / 439
흰나리잔대 / 500	흰백미 / 419	흰여로 / 607	흰큰구슬봉이 / 415
흰나비나물 / 295	흰뱀딸기 / 240	흰오랑캐 / 346	흰큰나비나물 / 295
흰난초 / 734	흰벼들옻 / 303		

- 흰터리풀 / 239
흰털개고사리 / 39
흰털개불알풀 / 722
흰털고광나무 / 229
흰털고사리 / 39
흰털괭이눈 / 222
흰털민들레 / 567
흰털바늘꽃 / 357
흰털벗나무 / 252
흰털병꽃나무 / 495
흰털산쑥 / 515
흰털솔나물 / 427
흰털오랑캐 / 343
흰털제비꽃 / 343
흰털좁쌀풀 / 464
흰털종덩굴 / 164
흰털쥐손이 / 300
흰한라돌찌귀 / 154
흰한라부추 / 584
흰해국 / 522
흰해당화 / 259
흰현호색 / 195
흰황기 / 276
흰황산차 / 389
흰황산참꽃 / 389
히사우지풀 / 652
히사우찌포아풀 / 652
히어리 / 213
히어리속 / 213
힌가시나무 / 91
힌괭이눈 / 222
힌사초 / 676
힌쑥 / 511
힌이삭사초 / 686

국가표준식물목록 (자생식물)

Checklist of Vascular Plants in Korea (Native Plants)

발 행 행 : 2020. 12. 31.

발 행 인 : 국립수목원장

발 행 처 : 산림청 국립수목원

심의 및 감수 : 국가수목유전자원목록심의회 국가식물목록분과

위원장 : 박재홍(경북대학교)

위 원 : 김상태(성신여자대학교), 김승철(성균관대학교),

김진석(국립생물자원관), 박종욱(서울대학교),

유기역(강원대학교), 정규영(안동대학교),

오상훈(대전대학교), 오승환(국립수목원),

최혁재(창원대학교)

참여연구원 : 손동찬, 김동갑, 정수영, 장계선, 오승환(국립수목원)

주 소 : (11186) 경기도 포천시 소흘읍 광릉수목원로 509

Tel : 031-540-8813

Fax : 031-540-8800

인 쇄 : (주)두루행복한세상 (1644-0728)

발간등록번호 : 11-1400119-000419-01

ISBN 979-11-90509-48-0 (93480)

이 책은 저작권법에 따라 보호받는 저작물이므로 무단 전재와 무단 복제를 금지합니다.

ISBN 979-11-90509-48-0 (93480)