

New nomenclatural changes for 2014 : I. The genus *Rhytiphora* Audinet-Serville, 1835 (Coleoptera, Cerambycidae, Lamiinae)

Gérard TAVAKILIAN

Antenne IRD, Entomologie, Département de Systématique et Évolution

Muséum National d'Histoire Naturelle

45, rue Buffon

F-75005 Paris, France

tava@mnhn.fr

Eugenio H. NEARNS

Purdue Entomological Research Collection, Purdue University

B016 Smith Hall, 901 W. State Street

West Lafayette, IN 47907, USA

gino@nearns.com

Abstract

Recent generic changes in the Australian fauna of Lamiinae lead us to rename 27 species of the genus *Rhytiphora* Audinet-Serville, 1835. We also point out the 206 resulting new combinations of species now included in this huge genus (412 species), half of which belongs to the Australian fauna and was already recombined. We completed the synonymy at the subgeneric level for Indonesia, Malaysia, Papua-New-Guinea and Philippines. For a complete updated list of the genus *Rhytiphora*, please open the database Titan at: <http://lully.snv.jussieu.fr/titan/>

Résumé

De récents changements au niveau générique de la faune des Lamiinae d'Australie nous conduit à renommer 27 homonymes générés par ce bouleversement dans le genre *Rhytiphora* Audinet-Serville, 1835. Nous signalons également les 206 nouvelles combinaisons engendrées (dont la moitié appartenant à la faune australienne a déjà été recombinaée). Enfin nous complétons la synonymie au niveau subgénérique pour les faunes Indonésienne, Malaise, de Papouasie-Nouvelle-Guinée et des Philippines. Pour une vue complète de la liste du genre *Rhytiphora*, prière de consulter la base de données Titan à : <http://lully.snv.jussieu.fr/titan/>

The publication of Australian Longhorn Beetles (Coleoptera: Cerambycidae) Volume 1, [Introduction and Subfamily Lamiinae by SLIPINSKI S. Adam & ESCALONA Hermes E., 2013], generated many homonyms by the fact that many of genera created by Breuning, were synonymized by the authors. They already renamed 13 species affected in the Australian fauna, but a great number of homonyms still remain, particularly in the genera *Rhytiphora* Audinet-Serville, 1835 (in the tribe Pteropliini) and *Sybra* Pascoe, 1865 (in the tribe Apomecynini) from Indonesia, Malaysia, New-Guinea and Philippines.

Being the custodian of a world wide database of Cerambycids (Tavakilian & Chevillotte, 2013), the first author, in order to clarify and avoid further errors or confusions, felt the necessity of renaming the affected species, respecting the priority rules existing in Zoology (ICZN, 1999).

This first note treats the delicate case of the genus *Rhytiphora* Audinet-Serville, 1835. The synonymies established by by Slipinski & Escalona (2013) were based on morphologic criteria and generated significant changes in taxonomy.

***Rhytiphora* Audinet-Serville, 1835**

Rhytiphora Audinet-Serville, 1835: 37.

Type-species: *Lamia rugicollis* Dalman, 1817 by monotypy.

Cairnsia Blackburn, 1895: 224.

Type-species: *Cairnsia Cowleyi* Blackburn, 1895 by monotypy.

Cobria Pascoe, 1865: 141, 147.

Type-species: *Cobria albisparsa* Pascoe, 1865 by monotypy.

Corrhenes Pascoe, 1865: 355.

Type-species: *Saperda paulla* Germar, 1848 by original designation.

Corrhenispia Breuning, 1938: 379.

Type-species: *Corrhenispia cylindrica* Breuning, 1938 by original designation & monotypy.

Corrhenodes Breuning, 1942: 131.

Type-species: *Corrhenodes gracilis* Breuning, 1942 by original designation & monotypy.

Depsages Pascoe, 1865: 359.

Type-species: *Lamia granulosa* Guérin-Méneville, 1831 by monotypy.

Eczemotes Pascoe, 1864: 58, 79.

Type-species: *Penthea conferta* Pascoe, 1859 by subsequent designation of Thomson, 1864: 492.

Etaxalus Pascoe, 1865: 141, 153.

Type-species: *Etaxalus iliacus* Pascoe, 1865 by monotypy.

Hathliodes Pascoe, 1866: 88.

Type-species: *Hathlia grammica* Pascoe, 1859 by subsequent designation of Breuning, 1963: 16.

Iphiastus Pascoe, 1865: 357.

Type-species: *Symphyletes heros* Pascoe, 1863 by original designation.

Ischioplites Thomson, 1864: 53.

Type-species: *Symphyletes metutus* Pascoe, 1859 by original designation.

Menyllus Pascoe, 1864: 58, 87.

Type-species: *Menyllus maculicornis* Pascoe, 1864 by monotypy.

Mesiphiastus Breuning, 1959: 71.

Type-species: *Symphyletes lentus* Blackburn, 1901 by original designation.

Mesiphiastus (Pubiphiastus) Breuning, 1961: 544.

Type-species: *Symphyletes pubiventris* Pascoe, 1862 by original designation.

Mimiphiastus Breuning, 1978: 134.

Type-species: *Mimiphiastus vivesi* Breuning, 1978 by original designation & monotypy.

Mimosaperdopsis Breuning, 1959: 72.

Type-species: *Platyomopsis apiculata* Aurivillius, 1916 by original designation.

Notocorrhenes Breuning, 1959: 74.

Type-species: *Notolophia dispersa* Pascoe, 1859 by original designation.

Paradaxata Breuning, 1938: 344.

Type-species: *Paradaxata villosa* Breuning, 1938 by original designation.

Pararhytiphora Breuning, 1938: 367.

Type-species: *Iphiastus dispar* Blackburn, 1894 by original designation.

Pentheia Dejean, 1835: 343.

Type-species: *Lamia vermicularia* Donovan, 1805 by monotypy.

Platycranium Aurivillius, 1917: 36.

Type-species: *Symphyletes pustulosus* Pascoe, 1864 by monotypy.

Platyomopsis Thomson, 1857: 187.

Type-species: *Lamia obliqua* Boisduval, 1835 by original designation.

Prosacanthus Fauvel, 1862: 163.

Type-species: *Prosacanthus Chevrolati* Fauvel, 1862 by monotypy.

Prosoplus Blanchard, 1855: 290.

Type-species: *Prosoplus sinuatofasciatus* Blanchard, 1853 by monotypy.

Rhytiphora (*Setomopsis*) Breuning, 1961: 544.

Type-species: *Rhytiphora piperitia* Hope, 1841 by original designation.

Rhytiphora (*Trichomopsis*) Breuning, 1961: 544.

Type-species: *Symphyletes lateralis* Pascoe, 1858 by original designation.

Saperdopsis Thomson, 1864: 53.

Type-species: *Saperdopsis armata* Thomson, 1864 by monotypy.

Symphyletes Newman, 1842: 362.

Type-species: *Symphyletes nodosa* Newman, 1842 by monotypy.

Syssipilotus Pascoe, 1865: 359.

Type-species: *Syssipilotus Macleayi* Pascoe, 1865 by monotypy.

Trichohathliodes Breuning, 1959: 70.

Type-species: *Hathliodes molitorius* Aurivillius by original designation.

Trichopenthea Breuning, 1959: 73.

Type-species: *Penthea macularia* Pascoe, 1867 by original designation.

Trichoprosoplus Breuning, 1961: 151.

Type-species: *Trichoprosoplus demarzi* Breuning, 1961 by original designation & monotypy.

Xiphohathlia Breuning, 1961: 147.

Type-species: *Xiphohathlia lobata* Breuning, 1961 by original designation & monotypy.

Xiphotheopsis Breuning, 1961: 5.

Type-species: *Xiphotheopsis hathlioides* Breuning, 1961 by original designation & monotypy.

Zaeropsis Breuning, 1943: 30.

Type-species: *Anaesthetis lepida* Germar, 1848 by original designation.

Zygrita Thomson, 1860: 69.

Type-species: *Zygrita diva* Thomson, 1860 by subsequent designation of Thomson, 1864: 117.

To this long list of synonymies (see above) established by Slipinski & Escalona (2013: 196-197), we must add the following generic synonymies (not treated by the authors for geographical reasons).

Ægomomus Pascoe, 1864: 58, 59 **syn. nov.**

Type-species: *Ægomomus encaustus* Pascoe, 1864 by subsequent designation of Thomson, 1864: 491.

Atyporis Pascoe, 1864: 58, 67 **syn. nov.**

Type-species: *Atyporis jubata* Pascoe, 1864 by subsequent designation of Thomson, 1864: 491.

Axiothea Pascoe, 1864: 58, 72 **syn. nov.**

Type-species: *Axiothea strenua* Pascoe, 1864 by subsequent designation of Thomson, 1864: 492.

Corrhenes (*Fulvorrhenes*) Breuning, 1961: 544 **syn. nov.**

Type-species: *Corrhenes fulva* Pascoe, 1875 by original designation.

Corrhenes (*Setorrhenes*) Breuning, 1961: 544 **syn. nov.**

Type-species: *Corrhenes scenica* Pascoe, 1863 by original designation.

Cyardiopsis Breuning, 1938: 62 **syn. nov.**

Type-species: *Cyardiopsis setifera* Breuning, 1938 by original designation & monotypy.

Escharodes Pascoe, 1864: 58, 70 **syn. nov.**

Type-species: *Escharodes interruptus* Pascoe, 1864 by subsequent designation of Thomson, 1864: 492.

Hathliodes (*Trichohathlia*) Breuning, 1963: 16, 19 **syn. nov.**

Type-species: *Hathliodes pseudomurinus* Breuning, 1938 by original designation.

Micracantha Montrouzier, 1861: 271 **syn. nov.**

Type-species: *Micracantha australis* Montrouzier, 1861 by monotypy.

Paradaxata (*Albodaxata*) Breuning, 1963: 252 **syn. nov.**

Type-species: *Paradaxata alboplagiata* Breuning, 1938 by original designation.

Penthea (*Melanopenthea*) Breuning, 1942: 130 **syn. nov.**

Type-species: *Penthea melanosticta* Pascoe, 1875 by original designation.

Prosoplus (*Ochreoprosoplus*) Breuning, 1940: 424 **syn. nov.**

Type-species: *Prosoplus* (*Ochreoprosoplus*) *ochreopictus* Breuning, 1940 by monotypy.

Prosoplus (*Paraprosoplus*) Breuning, 1959: 162 **syn. nov.**

Type-species: *Prosoplus* (*Paraprosoplus*) *bialbomaculatus* Breuning, 1959 by monotypy.

Prosoplus (*Setoprosoplus*) Breuning, 1960: 6 **syn. nov.**

Type-species: *Prosoplus* (*Setoprosoplus*) *luzonicus* Breuning, 1960 by original designation.

Zæera (*Zæeralia*) Pic, 1925: 28 syn. nov.

Type-species: *Zæera* (*Zæeralia*) *Vaulozeri* Pic, 1925 by monotypy [= *Rhytiphora bankii* (Fabricius, 1775)].

Thus :

1. *Eczemotes affinis* Breuning, 1968: 230 from Ternate Island must be renamed as *Rhytiphora waterstradti* **n. sp.** [*nec Prosoplus affinis* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

2. *Rhytiphora affinis* Breuning, 1970b: 470 (figs 1, 1a) from Australia (the female holotype of which is in MNHN of Paris) omitted by Slipinski & Escalona (2013), must be renamed as *Rhytiphora slipinskii* **n. sp.** [*nec Rhytiphora affinis* (Breuning, 1938)] = *Rhytiphora* sp.; Slipinski & Escalona, 2013: 342, fig; 131 C (mâle) from Queensland: Edungalba !

3. *Saperdopsis albofasciata* Breuning, 1938: 365 from Western Australia must be renamed as *Rhytiphora escalonai* *n. sp.* [*nec Prosoplus albofasciatus* Breuning, 1938 from New-Guinea, described page 359 in the same publication and now consequently placed in *Rhytiphora* Audinet-Serville, 1835]

4. *Prosoplus basalis* Breuning, 1938: 356 from Papua-New-Guinea (Nouvelle-Bretagne) must be renamed as *Rhytiphora neobritannicus* **n. sp.** [*nec Platyomopsis basalis* Aurivillius, 1917 consequently placed in *Rhytiphora* Audinet-Serville, 1835].

5. *Prosoplus costatus* Hüdepohl, 1996 from Sabah (Borneo) must be renamed as *Rhytiphora huedepohli* **n. sp.** [*nec Penthea costata* Pascoe, 1863 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

6. *Prosoplus cylindricus* Breuning, 1953: 102 from New Guinea must be renamed as *Rhytiphora sattelbergi* **n. sp.** [*nec Corrhensipia cylindrica* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

7. *Prosoplus dunni* Breuning, 1976: 18 from New Guinea must be renamed as *Rhytiphora sedlaceki* **n. sp.** [*nec Rhytiphora dunni* Breuning, 1972 from Queensland].

8. *Prosoplus funebris* Breuning, 1939 from New Guinea must be renamed as *Rhytiphora lamingtonensis* **n. sp.** [*nec Corrhenes funebris* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

9. *Cobria fuscostictica* Breuning, 1970a: 375 from New Guinea must be renamed as *Rhytiphora anthonyi* **n. sp.** [*nec Prosoplus* (*s. s.*) *fuscosticticus* Breuning, 1961 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

10. *Escharodes granulosus* Breuning, 1938: 233 from New Britain must be renamed as *Rhytiphora jomai* **n. sp.** [*nec Lamia granulosa* Guérin-Méneville, 1831 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

11. *Eczemotes granulosa* Breuning, 1938: 232 from New Guinea must be renamed as *Rhytiphora astrolabei* **n. sp.** [*nec Lamia granulosa* Guérin-Méneville, 1831 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

12. *Eczemotes guttulata* Bates, 1877 from New Britain must be renamed as *Rhytiphora batesi* **n. sp.** [*nec Corrhenes guttulata* Pascoe, 1865 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

13. *Symphyletes iliacus* Pascoe, 1866 from Western Australia must be renamed as *Rhytiphora adami* **n. sp.** [nec *Etaxalus iliacus* Pascoe, 1865 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

14. *Etaxalus laterialbus* Breuning, 1968: 225 (fig. 2), from Queensland (the holotype of which is in MNHN of Paris) omitted by Slipinski & Escalona (2013), must be renamed as *Rhytiphora hermesi* **n. sp.** [nec *Saperdopsis laterialba* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

15. *Mesiphiastus (Pubiphiastus) laterialbus* Breuning, 1970a: 375 (figs 3-3a), from Australia (the type of which is in MNHN of Paris) omitted by Slipinski & Escalona (2013), must be renamed as *Rhytiphora queenslandensis* **n. sp.** [nec *Saperdopsis laterialba* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835] = *Rhytiphora* sp.; Slipinski & Escalona, 2013: 348, fig. 137 D (mâle) from Queensland: Bowen !

16. *Prosoplus laterialbus* Breuning, 1971 from New Guinea must be renamed as *Rhytiphora wheatcrofti* **n. sp.** [nec *Saperdopsis laterialba* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

17. *Rhytiphora marmorata* (Breuning, 1938) **comb. nov.** for *Prosoplus marmoratus* Breuning, 1938: 353 from New Guinea. This leads us to consider *Saperdopsis marmorata* Breuning, 1938: 362 (of the same publication) recombined by Slipinski & Escalona, 2013: 206 to *Rhytiphora marmorata* (Breuning, 1938) as a junior homonym and might be renamed as *Rhytiphora cairnsi* **n. sp.** [nec *Prosoplus marmoratus* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

18. *Corrhenodes marmoratus* Breuning, 1973 from Queensland the type of which is housed in Museum für Naturkunde der Humboldt-Universität zu Berlin, omitted by Slipinski & Escalona (2013), must be renamed as *Rhytiphora capeyorkensis* **n. sp.** [nec *Prosoplus marmoratus* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

19. *Rhytiphora marmorea* (Breuning, 1938) **comb. nov.** for *Prosoplus marmoreus* Breuning, 1938: 349 from Vanuatu leads us to consider *Rhytiphora marmorea* Breuning, 1942 as a junior homonym and must be renamed as *Rhytiphora marmoreoides* **n. sp.** [nec *Prosoplus marmoreus* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

20. *Prosoplus ochreobasalis* Breuning, 1942 from Solomon Islands must be renamed as *Rhytiphora solomonensis* **n. sp.** [nec *Saperdopsis ochreobasalis* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

21. *Corrhenes papuana* Breuning, 1959 from New Guinea must be renamed as *Rhytiphora milnei* **n. sp.** [nec *Prosoplus papuanus* Breuning, 1938 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

22. *Prosoplus persimilis* Breuning, 1938: 352 from New Ireland (Papua-New-Guinea) must be renamed as *Rhytiphora namatanai* **n. sp.** [nec *Hathliodes persimilis* Breuning, 1938: 343 now consequently placed in *Rhytiphora* Audinet-Serville, 1835].


23. *Prosoplus pictus* Breuning, 1939 from New Guinea must be renamed as *Rhytiphora lambertoi* **n. sp.** [nec *Penthea picta* Pascoe, 1864 synonym of *Rhytiphora crassicollis* (Pascoe, 1864)].

24. *Etaxalus rotundipennis* Breuning, 1976 from New Guinea must be renamed as *Rhytiphora asiki* **n. sp.** [nec *Menyllus rotundipennis* Breuning, 1968 from Australia (omitted by Slipinski & Escalona, 2013) the type of which is supposed to be housed in MNHN of Paris (not found), now consequently placed in *Rhytiphora* Audinet-Serville, 1835].

25. *Rhytiphora (Saperdopsis) tenimberensis* Breuning, 1973: 661 from Tenimbar (Indonesia) must be renamed as *Rhytiphora sundaensis* **n. sp.** [nec *Prosoplus tenimberensis* Breuning, 1965 now consequently placed in *Rhytiphora* Audinet-Serville, 1835]/

26. *Rhytiphora truncata* (Pascoe, 1864) **comb. nov.** for *Ægomomus truncatus* Pascoe, 1864 from Mysol leads us to rename *Rhytiphora truncata* Breuning, 1940: 424, from Queensland as *Rhytiphora truncatoides* **n. sp.** [nec *Rhytiphora truncata* (Pascoe, 1864)].

27. *Rhytiphora uniformis* (Pascoe, 1864) **comb. nov.** for *Ægomomus uniformis* Pascoe, 1864: 66 from Buru (Indonesia) leads us to rename *Rhytiphora uniformis* Blackburn, 1901 from North Western Australia as *Rhytiphora blackburni* **n. sp.** [nec *Rhytiphora uniformis* (Pascoe, 1864)].



1. *Rhytiphora affinis* Breuning, 1970, TYPE in MNHN; 2. *Etaxalus lateralibus* Breuning, 1968, TYPE in MNHN; 3. *Mesiphiastus (Pubiphiastus) lateralibus* Breuning, 1970, in MNHN.

Bibliography

- AURIVILLIUS (Ch.), 1917. – Results of Dr. E. Mjöberg's Swedish Scientific Expeditions to Australia 1910-1913. 12. Cerambycidae. *Arkiv för Zoologi*, Uppsala 10 (23): 1-50, 3 pls.
- BATES (H. W.), 1877. – On the Coleoptera collected by the Rev. G. Brown, C.M.Z.S., on Duke-of-York Island, New Ireland, and New Britain. *Proceedings of the Scientific Meetings of the Zoological Society of London* [1877]: 156-159, pls XXIV-XXV.
- BREUNING (S.), 1938. – Novae species Cerambycidarum VI. Festschrift zum 60. Geburtstag von Professor Dr. Embrik Strand, Riga 4 [1937]: 180-392.
- BREUNING (S.), 1939. – Novae species Cerambycidarum VII. Festschrift zum 60. Geburtstag von Professor Dr. Embrik Strand, Riga 5: 144-290.
- BREUNING (S.), 1940. – Novae species Cerambycidarum. X. *Folia Zoologica et Hydrobiologica*, Riga 10 (2): 407-437.
- BREUNING (S.), 1942. – Novae species Cerambycidarum XI. *Folia Zoologica et Hydrobiologica*, Riga 11: 113-175.
- BREUNING (S.), 1953. – Note sur les Lamiaires de Nouvelle Guinée et de quelques îles limitrophes du Musée d'Histoire Naturelle de Budapest (Coleoptera, Cerambycidae). *Annales Historico-Naturales Musei Nationalis Hungarici*, Budapest (series nova) 4: 95-111.
- BREUNING (S.), 1959. – Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae). *Mitteilungen aus dem Zoologischen Museum in Berlin*, 35(1): 149-175, 8 figs.
- BREUNING (S.), 1961. – Nouvelles formes de Lamiaires (Treizième partie). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, Bruxelles, 37(20): 1-44, 4 figs.
- BREUNING (S.), 1965. – Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) *Vierter Teil. Mitteilungen aus dem Zoologischen Museum in Berlin*, 41(1): 81-93.
- BREUNING (S.), 1968. – Nouveaux Cerambycidae Lamiinae des collections du Muséum de Paris. *Bulletin de la Société Entomologique de France*, Paris 73: 225-232.
- BREUNING (S.), 1970a. – Nouveaux Coléoptères Cerambycidae Lamiinae des Collections du Muséum de Paris (suite). *Bulletin du Muséum National d'Histoire Naturelle de Paris* (2^e série) 42(2): 363-377.
- BREUNING (S.), 1970b. – Nouveaux Coléoptères Cerambycidae Lamiinae des Collections du Muséum de Paris (suite). *Bulletin du Muséum National d'Histoire Naturelle de Paris* (2^e série) 42(3): 460-488.
- BREUNING (S.), 1972. – Descriptions de cinq nouvelles espèces de Lamiinae de la coll. Chassot (Col. Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse* [avril-mai-juin 1972]: 29-31, 1 fig.
- BREUNING (S.), 1973. – Neue Formen von Lamiinae (Coleoptera). *Mitteilungen aus dem Zoologischen Museum in Berlin*, 49(1): 41-45.
- BREUNING (S.), 1976. – Descriptions de nouveaux Lamiaires de Nouvelle Guinée (Coleoptera, Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse* [avril-mai-juin 1976]: 17-22.

BREUNING (S.), 1996. – Über südostasiatische Cerambyciden XIV (Coleoptera, Cerambycidae, Lamiinae). *Entomofauna Zeitschrift für Entomologie*, Ansfelden, 17(1): 1-24, 16 figs.

ICZN, 1999. – *International Code of Zoological Nomenclature*. Fourth Edition. The International Trust for Zoological Nomenclature, London, 306 pp.

PASCOE (F. P.), 1863. – Notes on the Australian Longicornia, with Descriptions of sixty New Species. *The Transactions of the Entomological Society of London*, 1(3) : 526-570, pls XXII, XXIII.

PASCOE (F. P.), 1864. – Longicornia Malayana ; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part I). *The Transactions of the Entomological Society of London*, 3(3) 1 : 1-96, pls I-V.

PASCOE (F. P.), 1865a. – A second Series of Descriptions of New Australian Longicornia. *The Journal of Entomology*, London, 2(12) 26: 352-374, pl. XVI.

PASCOE (F. P.), 1865b. – Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part II). *The Transactions of the Entomological Society of London*, 3(3) 2: 97-224, pls VII-X.

PASCOE (F. P.), 1866. – Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part III). *The Transactions of the Entomological Society of London*, 3(3) 3: 225-336, pls X-XV.

SLIPINSKI (S. A.) & ESCALONA (H. E.), 2013. – *Australian Longhorn Beetles* (Coleoptera: Cerambycidae) Volume 1, Introduction and Subfamily Lamiinae. CSIRO Publishing: i-xviii + 484, 221 figs. ISBN 9781486300051.

TAVAKILIAN (G. L.) & CHEVILLOTTE (H.), 2013. – Titan: base de données internationales sur les Cerambycidae ou Longicornes. Version 3.0. Available from: <http://lully.snv.jussieu.fr/titan/> (Accessed on 12/06/2014).