

中国高等植物受威胁物种名录

覃海宁^{1*} 杨 永^{1*} 董仕勇^{2*} 何 强^{1*} 贾 渝¹ 赵莉娜^{1,3} 于胜祥¹
 刘慧圆^{1,4} 刘 博⁵ 严岳鸿⁶ 向建英⁷ 夏念和² 彭 华⁸ 李振宇¹
 张志翔⁹ 何兴金¹⁰ 尹林克¹¹ 林余霖¹² 刘全儒⁴ 侯元同¹³ 刘 演¹⁴
 刘启新¹⁵ 曹 伟¹⁶ 李建强¹⁷ 陈世龙¹⁸ 金效华¹ 高天刚¹ 陈文俐¹
 马海英¹⁹ 耿玉英²⁰ 金孝锋²¹ 常朝阳²² 蒋 宏²³ 蔡 蕾²⁴ 臧春鑫²⁵
 武建勇²⁶ 叶建飞^{3,27} 赖阳均²⁸ 刘 冰¹ 林秦文²⁷ 薛纳新¹

1(中国科学院植物研究所系统与进化植物学国家重点实验室, 北京 100093) 2(中国科学院华南植物园, 广州 510650)

3(中国科学院大学生命科学学院, 北京 100049) 4(北京师范大学生命科学学院, 北京 100875)

5(中央民族大学生命科学学院, 北京 100081) 6(上海辰山植物园, 中国科学院上海辰山植物科学研究中心, 上海 201602)

7(西南林业大学云南生物多样性研究院, 昆明 650224)

8(中国科学院昆明植物研究所东亚植物多样性与生物地理学重点实验室, 昆明 650201)

9(北京林业大学自然保护区学院, 北京 100083) 10(四川大学生命科学学院, 成都 610064)

11(中国科学院新疆生态与地理研究所, 乌鲁木齐 830011) 12(中国医学科学院北京协和医学院药用植物研究所, 北京 100193)

13(曲阜师范大学生命科学院, 山东曲阜 273165) 14(广西壮族自治区中国科学院广西植物研究所, 广西桂林 541006)

15(江苏省中国科学院植物研究所, 南京 210014) 16(中国科学院沈阳应用生态研究所, 沈阳 110016)

17(中国科学院武汉植物园, 武汉 430074) 18(中国科学院西北高原生物研究所, 西宁 810008)

19(云南大学生命科学学院, 昆明 650091) 20(中国科学院植物研究所植被与环境变化国家重点实验室, 北京 100093)

21(杭州师范大学生命与环境科学学院, 杭州 310036) 22(西北农林科技大学生命科学学院, 陕西杨凌 712100)

23(云南省林业科学院, 昆明 650204) 24(环境保护部自然保护司, 北京 100035)

25(中国环境科学研究院, 北京 100012) 26(环境保护部南京环境科学研究所, 南京 210042)

27(中国科学院植物研究所北京植物园, 北京 100093) 28(中国科学院南京地质古生物研究所, 南京 210008)

2008年, 环境保护部和中国科学院联合启动了《中国生物多样性红色名录——高等植物卷》的编制工作。通过这项工作, 我们依据IUCN濒危物种红色名录标准对中国野生高等植物的濒危状况进行了全面评估, 编制了中国高等植物红色名录。2013年9月, 该名录以环境保护部、中国科学院第54号公告形式发布, 即《中国生物多样性红色名录——高等植物卷》(http://www.zhb.gov.cn/gkml/hbb/bgg/201309/t20130912_260061.htm/)。本文以该名录为基础, 依据2013年以后的新资料对名录及等级等信息进行了少量更新(董仕勇等, 2017; 何强和贾渝, 2017; 覃海宁等, 2017; 杨永等, 2017)。因篇幅所限, 本文仅列出了其中受威胁等级为极危(CR)、濒危(EN)和易危(VU)的物种, 即受威胁物种, 共3,879种,

构成《中国高等植物受威胁物种名录》, 每个物种包括学名、中文名、特有性, 以及IUCN红色名录等级和标准等信息。

《中国高等植物红色名录》编研过程中汇集了全国300余位专家的智慧, 覆盖了中国本土分布的所有高等植物, 评估了35,784种, 其中被子植物30,068种, 裸子植物251种, 石松类及蕨类植物2,244种, 苔藓植物3,221种。这是迄今为止评估对象最全、信息最新、参与专家人数最多的一次中国高等植物野外濒危现状的评估。

本次评估主要依据IUCN Red List Categories and Criteria (Version 3.1, Second edition, 2012)标准, 并参考Guidelines for Application of IUCN Red List Criteria at Regional and National Levels (Version 4.0,

收稿日期: 2017-05-15; 接受日期: 2017-06-28

基金项目: 环境保护部生物多样性保护专项——中国高等植物红色名录和科技部国家标本资源共享平台——植物子平台(2005DKA21401)

* 共同通讯作者. E-mail: hainingqin@ibcas.ac.cn; ephedra@ibcas.ac.cn; dongshiyong@scib.ac.cn; heqiang@ibcas.ac.cn

2012)确立中国高等植物红色名录的评估标准, 共使用了灭绝(Extinct, EX)、野外灭绝(Extinct in the Wild, EW)、地区灭绝(Regionally Extinct, RE)、极危(Critically Endangered, CR)、濒危(Endangered, EN)、易危(Vulnerable, VU)、近危(Near Threatened, NT)、无危(Least Concern, LC)、数据缺乏(Data Deficient, DD)等9个IUCN红色名录等级(IUCN, 2012a, b)。

红色名录评估过程包括确定评估对象、收集物种信息、评估和审核等4个步骤(覃海宁等, 2017)。以被子植物评估结果审核为例, 项目组在广州、桂林、昆明、武汉、南京和北京等6座城市共召开了8场现场审核会议, 共有87位专家接受项目组成员组织的一对一审核活动。为了保证整个评估的专业性, 项目组还邀请中国科学院生物类研究所和高校等

多家单位的19位权威专家组成《中国高等植物红色名录》指导委员会, 负责审查项目组提出的评估方案及评估原则、审查年度进展报告, 并对红色名录评估结果(等级)进行复核。项目组共在北京召开了4次指导委员会会议。

对中国高等植物35,784种的红色名录评估结果显示, 有21种评定为灭绝(EX), 9种野外灭绝(EW), 10种地区灭绝(RE), 614种极危(CR), 1,313种濒危(EN), 1,952种易危(VU), 2,818种近危(NT), 24,243种无危(LC), 4,804种数据缺乏(DD)。统计结果显示, 有3,879种为受威胁物种(即CR, EN和VU等级的物种), 占评估物种的10.84%。

文中参考文献见<http://www.biodiversity-science.net/fileup/PDF/2017-144-1.pdf>。

Threatened Species List of China's Higher Plants

Haining Qin^{1*}, Yong Yang^{1*}, Shiyong Dong^{2*}, Qiang He^{1*}, Yu Jia¹, Lina Zhao^{1,3}, Shengxiang Yu¹, Huiyuan Liu^{1,4}, Bo Liu⁵, Yuehong Yan⁶, Jianying Xiang⁷, Nianhe Xia², Hua Peng⁸, Zhenyu Li¹, Zhixiang Zhang⁹, Xingjin He¹⁰, Linke Yin¹¹, Yulin Lin¹², Quanru Liu⁴, Yuantong Hou¹³, Yan Liu¹⁴, Qixin Liu¹⁵, Wei Cao¹⁶, Jianqiang Li¹⁷, Shilong Chen¹⁸, Xiaohua Jin¹, Tiangang Gao¹, Wenli Chen¹, Haiying Ma¹⁹, Yuying Geng²⁰, Xiaofeng Jin²¹, Chaoyang Chang²², Hong Jiang²³, Lei Cai²⁴, Chunxin Zang²⁵, Jianyong Wu²⁶, Jianfei Ye^{3,27}, Yangjun Lai²⁸, Bing Liu¹, Qinwen Lin²⁷, Naxin Xue¹

1 State Key Laboratory of Systematic and Evolutionary Botany, Institute of Botany, Chinese Academy of Sciences, Beijing 100093

2 South China Botanical Garden, Chinese Academy of Sciences, Guangzhou 510650

3 College of Life Sciences, University of Chinese Academy of Sciences, Beijing 100049

4 School of Life Sciences, Beijing Normal University, Beijing 100875

5 College of Life and Environmental Sciences, Minzu University of China, Beijing 100081

6 Shanghai Chenshan Plant Science Research Center, Chinese Academy of Sciences; Shanghai Chenshan Botanical Garden, Shanghai 201602

7 Yunnan Academy of Biodiversity, Southwest Forestry University, Kunming 650224

8 Key Laboratory for Plant Diversity and Biogeography of East Asia, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650201

9 School of Nature Conservation, Beijing Forestry University, Beijing 100083

10 College of Life Sciences, Sichuan University, Chengdu 610064

11 Xinjiang Institute of Ecology and Geography, Chinese Academy of Sciences, Urumqi 830011

12 Institute of Medicinal Plant Development, Chinese Academy of Medical Science & Peking Union Medicinal College, Beijing 100193

13 College of Life Sciences, Qufu Normal University, Qufu, Shandong 273165

14 Guangxi Institute of Botany, Guangxi Zhuang Autonomous Region and Chinese Academy of Sciences, Guilin, Guangxi 541006

15 Institute of Botany, Jiangsu Province and Chinese Academy of Sciences, Nanjing 210014

16 Institute of Applied Ecology, Chinese Academy of Sciences, Shenyang 110016

17 Wuhan Botanical Garden, Chinese Academy of Sciences, Wuhan 430074

Received: 2017-05-15; Accepted: 2017-06-28

Supported by the special foundation for biodiversity conservation of Ministry of Environmental Protection of the People's Republic of China and National Specimen Information Infrastructure, Plant Specimen Sub-Platform (2005DKA21401)

* Author for co-correspondence. E-mail: hainingqin@ibcas.ac.cn; ephedra@ibcas.ac.cn; dongshiyong@scib.ac.cn; heqiang@ibcas.ac.cn

- 18 Northwest Institute of Plateau Biology, Chinese Academy of Sciences, Xining 810008
19 School of Life Sciences, Yunnan University, Kunming 650091
20 State Key Laboratory of Vegetation and Environmental Change, Institute of Botany, Chinese Academy of Sciences, Beijing 100093
21 College of Life and Environmental Sciences, Hangzhou Normal University, Hangzhou 310036
22 College of Life Sciences, Northwest Agriculture & Forestry University, Yangling, Shaanxi 712100
23 Yunnan Academy of Forestry, Kunming 650204
24 Department of Nature and Ecology Conservation, Ministry of Environment Protection, Beijing 100035
25 Chinese Research Academy of Environment Sciences, Beijing 100012
26 Nanjing Institute of Environmental Sciences, Ministry of Environmental Protection, Nanjing 210042
27 Beijing Botanical Garden, Institute of Botany, Chinese Academy of Sciences, Beijing 100093
28 Nanjing Institute of Geology and Palaeontology, Chinese Academy of Sciences, Nanjing 210008

In 2008, the Ministry of Environmental Protection (MEP) in co-operation with Chinese Academy of Sciences (CAS) initiated work on a comprehensive new edition of the Red List of the Chinese flora. The project, named *China Biodiversity Red List—Higher Plants*, extended to 2013. We assessed the threatened status of all known species of higher plants in China to produce the *Red List of China Higher Plants* (RLCHP). In September 2013, the RLCHP was officially released in the form of a joint announcement by MEP and CAS (http://www.zhb.gov.cn/gkml/hbb/bgg/201309/t20130912_260061.htm/).

In the present paper, we report on the revised 2013 Red List through the use of new literature and data (Dong et al, 2017; He & Jia, 2017; Qin et al, 2017; Yang et al, 2017). Due to space limitations, we list only 3,879 threatened species, i.e. species categorized as Critically Endangered (CR), Endangered (EN) and Vulnerable (VU). The data include the scientific name of each species, the Chinese name, endemism, red list category and criterion for assigning the designation.

We invited more than 300 experts to contribute survival information of species and/or to review the assessments. The RLCHP covers 35,784 species, including 30,068 species of angiosperms, 251 species of gymnosperms, 2,244 species of lycophytes and ferns, and 3,221 species of bryophytes. This is the first Red List that covers the entire Chinese flora, and the number of experts involved and data used are much more than in previous analyses.

Two documents were used as a standard in this

assessment: *IUCN Red List Categories and Criteria (Version 3.1, Second edition)* (IUCN, 2012a) and *Guideline for Application of IUCN Red List Criteria at Regional and National Levels* (Version 4.0) (IUCN, 2012b). Nine IUCN Red List categories were applied to the RLCHP: Extinct (EX), Extinct in the Wild (EW), Regionally Extinct (RE), Critically Endangered (CR), Endangered (EN), Vulnerable (VU), Near Threatened (NT), Least Concern (LC), and Data Deficient (DD).

Four steps were applied in the assessment: setting up a baseline checklist, collecting data, species assessment and review. For instance, during the review of the angiosperms assessments, eight expert meetings were held in six cities (Guangzhou, Guilin, Kunming, Wuhan, Nanjing and Beijing), and 87 experts took part in one-on-one interviews with staff members of the program. To guarantee professional results of the assessment, we invited 19 leading experts from institutions of CAS and universities to join the red list steering committee. The committee was responsible for examining and approving the assessment methodology, examining the annual report and reviewing the results of the assessments. Four steering committee meetings were held in Beijing between 2008 and 2012.

Of the 35,784 assessed species of China higher plants, 21 species are Extinct (EX), 9 species are Extinct in the Wild (EW), 10 species are Regionally Extinct (RE), 614 species are Critically Endangered (CR), 1,313 species are Endangered (EN), 1,952 species are Vulnerable (VU), 2,818 species are Near Threatened

(NT), 24,243 species are of Least Concern (LC), and 4,804 species are Data Deficient (DD). The results show that 3,879 species, representing 10.84% of the evaluated species, have been identified as threatened

categories (CR, EN and VU).

The references cited in this paper can be found at the website <http://www.biodiversity-science.net/fileup/PDF/2017-144-1.pdf/>.

中国高等植物受威胁物种名录

表中仅列出受威胁等级为CR、EN和VU的物种，按苔藓植物、石松类和蕨类植物、裸子植物、被子植物排序，各类群内按照字母顺序排序。CR: 极危；EN: 濒危；VU: 易危；CR-PE: 极危-可能灭绝；● 特有种。

Threatened Species List of China's Higher Plants

This list only contains threatened categories (CR, EN and VU) species of bryophytes, lycophytes and ferns, gymnosperms, and angiosperms. Within each group, the species names are sorted in alphabetical order. CR, Critically Endangered; EN, Endangered; VU, Vulnerable; CR-PE, Critically Endangered-Potential Extinct; ● Endemic species.

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
苔藓植物 Bryophytes		舌叶网藓 <i>Syrrhopodon loreus</i>	VU A3d
(1) 柳叶藓科 Amblystegiaceae		直叶网藓 <i>Syrrhopodon muelleri</i>	VU A3c+3d
华东反齿藓 <i>Anacamptodon fortunei</i>	VU C2a(i); D1	巴西网藓原变种 <i>Syrrhopodon prolifer</i> var. <i>prolifer</i>	EN B1ab(iii)
(2) 牛舌藓科 Anomodontaceae		阔叶网藓 <i>Syrrhopodon semiliber</i>	VU A3d
带叶牛舌藓 <i>Anomodon perlingulatus</i> ●	VU A3d	(10) 大萼苔科 Cephaloziaceae	
(3) 阿氏苔科 Arneliaceae		角胞裂齿苔 <i>Odontoschisma francisci</i>	EN A3d
喜马拉雅假萼苔 <i>Gongylanthus himalayensis</i>	EN A3c; B1ab(v)	(11) 隐蒴藓科 Cryphaeaceae	
圆叶横叶苔 <i>Southbya gollanii</i>	EN B1ab(v); D	披针叶隐蒴藓 <i>Cryphaea lanceolata</i> ●	VU A3c
(4) 小袋苔科 Balantiopsaceae		(12) 光苔科 Cyathodiaceae	
瓢叶直蒴苔 <i>Isotachis armata</i>	VU D2	芽胞光苔 <i>Cyathodium tuberosum</i>	VU A3d
中华直蒴苔 <i>Isotachis chinensis</i> ●	VU A3c+3d	(13) 小黄藓科 Daltoniaceae	
(5) 珠藓科 Bartramiaceae		凸叶黄藓 <i>Distichophyllum carinatum</i>	VU A3d
云南热泽藓 <i>Breutelia yunnanensis</i>	VU D1+2	兜叶黄藓 <i>Distichophyllum meiziae</i> ●	VU B1ab(iii)
(6) 青藓科 Brachytheciaceae		钝尖黄藓 <i>Distichophyllum obtusifolium</i>	VU D1
膨叶青藓 <i>Brachythecium turgidum</i>	EN A3c+3d	(14) 曲尾藓科 Dicranaceae	
(7) 真藓科 Bryaceae		林芝曲尾藓 <i>Dicranum linzianum</i> ●	VU D1+2
大孢短月藓 <i>Brachymenium longicolle</i>	VU A3c	错那无齿藓 <i>Pseudochorisodontium conanenum</i> ●	EN A3d
瘤根真藓 <i>Bryum bornholmense</i>	VU C2a(i); D1	瘤叶无齿藓 <i>Pseudochorisodontium mamillosum</i> ●	VU A3d; C2a(i)
钝叶平蒴藓 <i>Plagiobryum giraldii</i>	VU D1	多枝无齿藓 <i>Pseudochorisodontium ramosum</i> ●	EN D
拟丝瓜藓 <i>Pseudopohlia microstoma</i>	EN C2a(i); D	(15) 小曲尾藓科 Dicranellaceae	
(8) 烟杆藓科 Buxbaumiaceae		圆叶小曲尾藓 <i>Dicranella rotundata</i> ●	EN D
花斑烟杆藓 <i>Buxbaumia punctata</i> ●	EN A3c+3d	(16) 短颈藓科 Diphysciaceae	
圆蒴烟杆藓 <i>Buxbaumia symmetrica</i> ●	CR A3cd; B1ab(iii); D	小短颈藓 <i>Diphyscium satoi</i>	EN D
(9) 花叶藓科 Calymperaceae		(17) 牛毛藓科 Ditrichaceae	
刺网藓 <i>Syrrhopodon armatispinosus</i> ●	EN A3c+3d	短柄对叶藓 <i>Distichium brevisetum</i> ●	EN B1ab(iii); D
卷叶网藓 <i>Syrrhopodon involutus</i>	VU D2	印度牛毛藓 <i>Ditrichum darjeelingense</i>	CR D

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
拟扭叶牛毛藓 <i>Ditrichum tortuloides</i>	VU D1	纤柔管口苔(纤柔叶苔) <i>Solenostoma schaulianum</i>	VU D2
中华立毛藓 <i>Tristichium sinense</i> •	EN A3c+3d; B1ab(iii)	(30) 细鳞苔科 <i>Lejeuneaceae</i>	
(18) 木衣藓科 <i>Drummondiaceae</i>		假肋唇鳞苔 <i>Cheilolejeunea falsinervis</i>	VU D1
西南木衣藓 <i>Drummondia thomsonii</i>	VU A3d; B1ab(iii)	高氏唇鳞苔 <i>Cheilolejeunea gaoi</i> •	CR A3c+3d; B1ab(iii)
(19) 大帽藓科 <i>Encalyptaceae</i>		海南疣鳞苔 <i>Cololejeunea hainanensis</i> •	VU A3c+3d
拟烟杆大帽藓 <i>Encalypta buxbaumioida</i>	EN D	短齿疣鳞苔 <i>Cololejeunea sphaerodonta</i>	VU D2
(20) 碎米藓科 <i>Fabroniaceae</i>		大角鳞苔 <i>Drepanolejeunea grandis</i>	EN D
狭叶碎米藓 <i>Fabronia angustifolia</i> •	CR D	斜角角鳞苔 <i>Drepanolejeunea obliqua</i>	CR A3c+3d
(21) 耳叶苔科 <i>Frullaniaceae</i>		白绿细鳞苔 <i>Lejeunea pallide-virens</i>	VU D1
陈氏耳叶苔 <i>Frullania chenii</i> •	VU B1ab(iii)	苏氏冠鳞苔 <i>Lopholejeunea soae</i> •	VU C2a(i); D1
韩氏耳叶苔 <i>Frullania handelii</i> •	VU A3c	大胞密鳞苔(新拟) <i>Pycnolejeunea grandiocellata</i>	EN D
庐山耳叶苔 <i>Frullania lushanensis</i> •	EN B1ab(iii)	疣叶多褶苔 <i>Spruceanthus mamilllobulus</i>	VU B1ab(iii)
雪山耳叶苔 <i>Frullania nivimontana</i> •	VU A3c; D1	东亚毛鳞苔 <i>Thysananthus aculeatus</i>	EN A3c+3d
卵圆耳叶苔 <i>Frullania obovata</i> •	VU D1+2	(31) 指叶苔科 <i>Lepidoziaceae</i>	
大隅耳叶苔 <i>Frullania osumiensis</i>	VU A3d; B1ab(iii)	狭叶鞭苔 <i>Bazzania angustifolia</i>	VU A3c
原瓣耳叶苔 <i>Frullania riparia</i>	VU D1+2	南亚鞭苔 <i>Bazzania griffithiana</i>	VU D1
平萼耳叶苔 <i>Frullania sinosphaerantha</i> •	EN A3d	吊罗鞭苔 <i>Bazzania tiaolensis</i> •	VU A3c+3d
瘤萼耳叶苔 <i>Frullania tubercularis</i> •	EN A3c; B1ab(iii)	越南鞭苔 <i>Bazzania vietnamica</i>	VU A3c; B1ab(iii)
圆基耳叶苔 <i>Frullania wangii</i> •	VU A3d; B1ab(iii)	掌叶细指苔 <i>Kurzia abietinella</i>	VU B1ab(iii)
(22) 葫芦藓科 <i>Funariaceae</i>		刺毛细指苔 <i>Kurzia pauciflora</i>	VU A3d; B1ab(iii)
拟短月藓 <i>Brachymeniopsis gymnostoma</i> •	CR D	峨眉指叶苔 <i>Lepidozia omeiensis</i> •	CR A3d
(23) 紫萼藓科 <i>Grimmiaceae</i>		东亚虫叶苔 <i>Zoopsis liukiuensis</i>	VU A3c+3d
长毛矮齿藓 <i>Bucklandiella albipilifera</i>	EN A3c	(32) 薄罗藓科 <i>Leskeaceae</i>	
狭叶矮齿藓 <i>Bucklandiella angustifolia</i> •	EN D	卵叶麻羽藓 <i>Claopodium leptopteris</i> •	VU A3d
粗瘤紫萼藓 <i>Grimmia mammosa</i>	VU C2a(i); D1	薄羽藓 <i>Leptocladium sinense</i> •	CR D
细叶连轴藓 <i>Schistidium liliputianum</i>	VU A3c+3d; B1ab(iii)	角疣叉羽藓 <i>Leptopterigynandrum autoicum</i>	VU A3c; B1ab(iii)
(24) 全萼苔科 <i>Gymnomitriaceae</i>		直茎叉羽藓 <i>Leptopterigynandrum stricticaule</i>	VU A3c+3d
疣茎全萼苔 <i>Gymnomitrium crystallocaule</i>	VU B1ab(iii); D1	圆叶瓦叶藓 <i>Miyabea rotundifolia</i>	EN D
中华全萼苔 <i>Gymnomitrium sinense</i>	VU C2a(i); D1	(33) 白齿藓科 <i>Leucodontaceae</i>	
(25) 裸蒴苔科 <i>Haplomitriaceae</i>		札幌白齿藓 <i>Leucodon sapporensis</i>	EN B1ab(iii); D
裸蒴苔 <i>Haplomitrium hookeri</i>	EN A3c; B1ab(iii)	(34) 齿萼苔科 <i>Lophocoleaceae</i>	
(26) 虎尾藓科 <i>Hedwigiaceae</i>		锡金裂萼苔 <i>Chiloscyphus sikkimensis</i>	VU A3d; B1ab(iii)
云南赤枝藓 <i>Braunia delavayi</i> •	VU A3d; B1ab(iii)	(35) 地钱科 <i>Marchantiaceae</i>	
(27) 剪叶苔科 <i>Herbaceae</i>		拟地钱 <i>Marchantia stoloniscyphylas</i> •	EN B1ab(iii); D
红枝剪叶苔 <i>Herbertus huermanni</i>	CR D	(36) 寒藓科 <i>Meeseaceae</i>	
(28) 灰藓科 <i>Hypnaceae</i>		拟寒藓 <i>Amblyodon dealbatus</i>	EN B1ab(iii); D
莫氏偏蒴藓 <i>Ectropothecium moritzii</i>	EN A3d; B1ab(iii)	(37) 蔓藓科 <i>Meteoriaceae</i>	
爪哇扁锦藓 <i>Glossadelphus similans</i>	EN D	纤细灰气藓 <i>Aerobryopsis subleptostigmata</i>	VU A3c; B1ab(iii)
密枝灰藓 <i>Hypnum densirameum</i>	EN B1ab(iii); v)	云南灰气藓 <i>Aerobryopsis yunnanensis</i> •	VU A3d; B1ab(iii)
双齿叶齿藓 <i>Phyllodon bilobatus</i>	VU D1	(38) 提灯藓科 <i>Mniaceae</i>	
海南明叶藓 <i>Vesicularia hainanensis</i> •	VU A3c; D1	蕨叶曲灯藓 <i>Cyrtomnium hymenophylloides</i>	VU D1+2
(29) 叶苔科 <i>Jungermanniaceae</i>		喜马拉雅缺齿藓 <i>Mielichhoferia himalayana</i>	EN D
大叶苔 <i>Scaphophyllum speciosum</i>	VU A3d; B1ab(iii)	(39) 金毛藓科 <i>Myuriaceae</i>	
鞭枝管口苔 <i>Solenostoma flagellatum</i>	VU A3c; B1ab(iii)	扭叶红毛藓 <i>Oedicladium tortifolium</i> •	EN B1ab(iii); D
厚边管口苔 <i>Solenostoma gracillimum</i>	EN A3d	(40) 平藓科 <i>Neckeraceae</i>	
圆叶管口苔 <i>Solenostoma orbicularifolium</i> •	EN B1ab(iii); D	野口残齿藓 <i>Forsstroemia noguchii</i>	EN A3c; B1ab(iii)
高山管口苔(新拟) <i>Solenostoma patoniae</i>	VU D1+2	不丹平藓 <i>Neckera bhutanensis</i>	VU D1+2

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
南亚平藓 <i>Neckera denigricans</i>	EN D	(49) 丛藓科 <i>Pottiaceae</i>	
平齿平藓 <i>Neckera laevidens</i> •	VU D1	短丝流苏藓 <i>Crossidium aberrans</i>	EN D
翠平藓 <i>Neckera perpinnata</i> •	VU D1	绿色流苏藓 <i>Crossidium squamiferum</i>	VU A3c+3d
羽枝藓 <i>Pinnatella kuehliana</i>	VU D1	鹅头对齿藓 <i>Didymodon anserinocapitatus</i>	VU D1
(41) 新绒苔科 <i>Neotrichocoleaceae</i>		高氏对齿藓 <i>Didymodon gaochienii</i> •	VU A3c+3d
新绒苔 <i>Neotrichocolea bissetii</i>	VU A3ac; C1; D1	西藏墙藓 <i>Tortula thomsonii</i>	EN A3c
(42) 曲背藓科 <i>Oncophoraceae</i>		(50) 蕨藓科 <i>Pterobryaceae</i>	
滇西高领藓 <i>Glyphomitrium minutissimum</i>	CR A3c; B1ab(iii; v)	带叶耳平藓 <i>Calyptothecium phyllogonioides</i> •	VU A3c
四川石毛藓 <i>Oreoweisia setschaniana</i> •	EN D	尾枝耳平藓 <i>Calyptothecium ramosii</i>	VU A3c+3d
(43) 木灵藓科 <i>Orthotrichaceae</i>		树形蕨藓 <i>Pterobryon arbuscula</i>	VU D1
华东蓑藓 <i>Macromitrium courtoisii</i> •	VU A3c+3d	扭尖瓢叶藓 <i>Sympysodontella tortifolia</i>	EN B1ab(iii); D
多枝蓑藓 <i>Macromitrium fasciculare</i>	VU A3c+3d	(51) 缩叶藓科 <i>Ptychomitriaceae</i>	
海南蓑藓 <i>Macromitrium hainanense</i> •	CR D	玉龙缩叶藓 <i>Ptychomitrium yulongshanum</i> •	EN D
西南蓑藓 <i>Macromitrium handelii</i> •	EN D	(52) 金灰藓科 <i>Pylaisiaceae</i>	
异枝蓑藓 <i>Macromitrium heterodictyon</i> •	VU D1+2	拟金灰藓 <i>Pylaisia speciosa</i>	CR A3d
粗叶蓑藓 <i>Macromitrium incrassatifolium</i>	EN D	叠叶金灰藓 <i>Pylaisia subimbricata</i> •	VU A3c+3d
尖叶蓑藓 <i>Macromitrium taiheizanense</i> •	CR D	(53) 毛锦藓科 <i>Pylaisiadelpheaceae</i>	
小蒴木灵藓 <i>Orthotrichum cupulatum</i>	VU B1ab(iii); D1	外弯小锦藓 <i>Brotherella recurvans</i>	VU D1
疣孢木灵藓 <i>Orthotrichum jetteae</i> •	VU A3d; B1ab(iii)	(54) 卷柏藓科 <i>Racopilaceae</i>	
密生木灵藓 <i>Orthotrichum notabile</i> •	EN D	疣卷柏藓 <i>Racopilum convolutaceum</i>	VU D2
美丽木灵藓 <i>Orthotrichum pulchrum</i> •	VU B1ab(iii)	(55) 扁萼苔科 <i>Radulaceae</i>	
卷叶木灵藓 <i>Orthotrichum revolutum</i> •	EN A3c+3d	齿边扁萼苔 <i>Radula anceps</i>	CR D
粗柄木灵藓 <i>Orthotrichum subpumilum</i>	VU A3c; B1ab(iii)	婆罗洲扁萼苔 <i>Radula borneensis</i>	VU D1
大蒴卷叶藓 <i>Ulota macrocarpa</i> •	VU A3c+3d	曲瓣扁萼苔 <i>Radula kurzii</i>	VU D1
短柄卷叶藓 <i>Ulota perbreviseta</i>	EN A3c+3d	大扁萼苔 <i>Radula sumatrana</i>	EN D
(44) 毛枝藓科 <i>Pilotrichaceae</i>		(56) 异齿藓科 <i>Regmatodontaceae</i>	
南亚圆网藓 <i>Cyclodictyon blumeanum</i>	EN A3d	长肋异齿藓 <i>Regmatodon longinervis</i> •	VU C2a(i); D1
(45) 羽苔科 <i>Plagiochilaceae</i>		(57) 钱苔科 <i>Ricciaceae</i>	
阿萨羽苔 <i>Plagiochila assamica</i>	VU D1+2	辽宁钱苔 <i>Riccia liaoningensis</i> •	VU D1
贝多羽苔 <i>Plagiochila beddomei</i>	VU D1+2	日本钱苔 <i>Riccia nipponica</i>	VU A3c+3d; B1ab(iii)
峨眉羽苔 <i>Plagiochila emeiensis</i> •	VU D1	突果钱苔 <i>Riccia pseudofluitans</i> •	VU D2
二郎羽苔 <i>Plagiochila erlangensis</i> •	EN D	(58) 合叶苔科 <i>Scapaniaceae</i>	
喜马拉雅羽苔 <i>Plagiochila himalayana</i>	EN D	紫色合叶苔 <i>Scapania gigantea</i>	EN D
背瓣羽苔 <i>Plagiochila integrilobula</i>	VU D1	复瘤合叶苔 <i>Scapania harae</i>	EN A3d
(46) 棉藓科 <i>Plagiotheciaceae</i>		秦岭合叶苔 <i>Scapania hians</i> •	VU A3d; B1ab(iii)
毛尖棉藓 <i>Plagiothecium piliferum</i>	VU D1+2	克氏合叶苔 <i>Scapania karl-muelleri</i>	VU A3c
(47) 金发藓科 <i>Polytrichaceae</i>		离瓣合叶苔 <i>Scapania nimbosa</i>	VU A3c; B1ab(iii)
花柿小赤藓 <i>Oligotrichum crossidiooides</i> •	EN B1ab(iii); D	毛茎合叶苔 <i>Scapania paraphyllia</i> •	VU D1+2
小赤藓 <i>Oligotrichum hercynicum</i>	VU D2	圆叶合叶苔 <i>Scapania rotundifolia</i>	VU A3d; B1ab(iii)
钝叶小赤藓 <i>Oligotrichum obtusatum</i>	VU A3c+3d	(59) 锦藓科 <i>Sematophyllaceae</i>	
莓疣拟金发藓 <i>Polytrichastrum papillatum</i>	EN D	顶胞藓粗枝变种 <i>Acroporium stramineum</i> var. <i>turgidum</i>	VU A3c+3d
(48) 光萼苔科 <i>Porellaceae</i>		海南花锦藓 <i>Chionostomum hainanense</i> •	VU D1
耳坠苔 <i>Ascidiotha blepharophylla</i>	EN A3d; B1ab(iii)	(60) 泥炭藓科 <i>Sphagnaceae</i>	
陈氏光萼苔 <i>Porella chenii</i> •	VU D1+2	假泥炭藓 <i>Sphagnum fallax</i>	VU A3c+3d
大叶光萼苔 <i>Porella grandifolia</i>	VU A3d; B1ab(iii)	(61) 壶藓科 <i>Splachnaceae</i>	
宽叶光萼苔 <i>Porella latifolia</i> •	VU A3c	残齿小壶藓 <i>Tayloria rudimenta</i> •	VU B1ab(iii)
褶叶光萼苔 <i>Porella plicata</i> •	VU A3d; B1ab(iii)	德氏小壶藓 <i>Tayloria rudolphiana</i>	VU D1
齿尖光萼苔 <i>Porella subparaphyllina</i> •	EN D	(62) 硬叶藓科 <i>Stereophyllaceae</i>	

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
异形拟果藓 <i>Entodontopsis pygmaea</i>	VU D2	(6) 粗蕨科 <i>Cystopteridaceae</i>	
(63) 刺果藓科 <i>Symphyodontaceae</i>		光叶蕨 <i>Cystothlyrium chinense</i> •	EN D
灰果藓 <i>Chaetomitriopsis glaucocarpa</i>	VU A3d	(7) 骨碎补科 <i>Davalliaceae</i>	
长刺刺果藓 <i>Symphyodon echinatus</i>	VU B1ab(iii); D2	假脉骨碎补 <i>Davallia denticulata</i>	CR B2ab(iii)
云南刺果藓 <i>Symphyodon yunnanensis</i> •	CR D	马来阴石蕨 <i>Humata pectinata</i>	EN D
(64) 蕨苔科 <i>Takakiaceae</i>		(8) 碗蕨科 <i>Dennstaedtiaceae</i>	
角叶藻苔 <i>Takakia ceratophylla</i>	CR D	台湾曲轴蕨 <i>Paesia taiwanensis</i> •	CR D
藻苔 <i>Takakia lepidozoides</i>	EN A3c+3d	(9) 肠蕨科 <i>Diplaziopsidaceae</i>	
(65) 羽藓科 <i>Thuidiaceae</i>		肠蕨 <i>Diplaziopsis javanica</i>	VU A2c
瓦叶小羽藓 <i>Haplocladium larminati</i>	VU A3c+3d; B1ab(iii)	(10) 双扇蕨科 <i>Dipteridaceae</i>	
(66) 陶氏苔科 <i>Trebiaceae</i>		燕尾蕨 <i>Cheiropleuria bicuspis</i>	VU C2a(i); D2
云南拟陶氏苔 <i>Apotreubia yunnanensis</i> •	VU A3c+3d	中华双扇蕨 <i>Dipteris chinensis</i>	EN B1b(i,ii,iii,iv) c(i,ii,iii,iv)+ 2b(i,ii,iii,iv)c(i,ii,iii,iv)
蕨类和石松类植物 Ferns and Lycophytes		(11) 鳞毛蕨科 <i>Dryopteridaceae</i>	
(1) 爬树蕨科 <i>Arthropteridaceae</i>		无鳞毛蕨 <i>Arachniodes sinomiqueliana</i> •	EN B1b(i,ii,v)c(iii,iv)
爬树蕨 <i>Arthropteris palisotii</i>	VU D1	多羽实蕨 <i>Bolbitis angustipinna</i>	VU A2ac
(2) 铁角蕨科 <i>Aspleniaceae</i>		间断实蕨 <i>Bolbitis deltigera</i>	EN A2ac
阿尔泰铁角蕨 <i>Asplenium altajense</i>	EN B1ab(i,ii)+2ab(i,ii)	海南实蕨 <i>Bolbitis hainanensis</i>	CR-PE
壮乡铁角蕨 <i>Asplenium cornutissimum</i> •	CR B1ab(iii)+2ab(iii)	红柄实蕨 <i>Bolbitis sculpturata</i>	CR A2ac
扁柄巢蕨 <i>Asplenium humbertii</i>	EN A3c; B1ab(iii)+2ab(iii); D	宽羽实蕨 <i>Bolbitis virens</i>	EN B1ab(iii)+2ab(iii)
对开蕨 <i>Asplenium komarovii</i>	VU A2ac	滇桂肋毛蕨 <i>Ctenitis dianguiensis</i> •	EN B1ab(iii,iv)+2ab(iii,iv); D
长叶巢蕨 <i>Asplenium phyllitidis</i>	VU A3c	银毛肋毛蕨 <i>Ctenitis mannii</i>	CR-PE
黑边铁角蕨 <i>Asplenium speluncae</i>	EN C2a(i); D	秦氏贯众 <i>Cyrtomium chingianum</i> •	EN D
(3) 蹄盖蕨科 <i>Athyriaceae</i>		全缘贯众 <i>Cyrtomium falcatum</i>	VU D1
拟鳞毛安蕨 <i>Anisocampium cuspidatum</i>	VU B2(ii,iv); C1	惠水贯众 <i>Cyrtomium grossum</i> •	EN D
长叶蹄盖蕨 <i>Athyrium elongatum</i> •	VU C2a(i)	单叶贯众 <i>Cyrtomium hemionitis</i>	EN D
海南蹄盖蕨 <i>Athyrium hainanense</i>	EN D	邢氏贯众 <i>Cyrtomium shingianum</i> •	EN D
小蹄盖蕨 <i>Athyrium minimum</i> •	EN C2a(iii)	新宁贯众 <i>Cyrtomium simningense</i> •	EN D
启无蹄盖蕨 <i>Athyrium wangii</i> •	VU D1+2	台湾贯众 <i>Cyrtomium taiwanianum</i> •	VU D1
全缘对囊蕨 <i>Deparia formosana</i>	VU C2a(i)	大平鳞毛蕨 <i>Dryopteris bodinieri</i>	EN
海南对囊蕨 <i>Deparia hainanensis</i> •	EN B1ab(iii)+2ab(iii); D	台湾鳞毛蕨 <i>Dryopteris formosana</i>	B1b(i,ii,iii,iv,v)c(i,iii,iv)
独山双盖蕨 <i>Diplazium dushanense</i> •	VU C2a(i)	边生鳞毛蕨 <i>Dryopteris handeliana</i>	EN B1ab(i,v)
疏裂双盖蕨 <i>Diplazium incomptum</i>	EN B2ab(v); D	脉纹鳞毛蕨 <i>Dryopteris lachoongensis</i>	EN B1b(i,ii,iii,iv,v)c(i,iii,iv)
马鞍山双盖蕨 <i>Diplazium maonense</i> •	VU A1c; B2ab(iii); C2a(i)	两广鳞毛蕨 <i>Dryopteris liangkwangensis</i>	VU C2a(i)
深裂双盖蕨 <i>Diplazium metcalfii</i> •	VU D1	东京鳞毛蕨 <i>Dryopteris tokyoensis</i>	EN B1ab(i,ii,iii,v)c(i,ii,iv)
四棱双盖蕨 <i>Diplazium quadrangulatum</i> •	VU D1	裂羽鳞毛蕨 <i>Dryopteris toyamae</i>	EN C2a(i); D
网脉双盖蕨 <i>Diplazium stenochlamys</i>	VU B2ab(iii)	黄山鳞毛蕨 <i>Dryopteris whangshangensis</i> •	EN B2ab(ii,v)
(4) 乌毛蕨科 <i>Blechnaceae</i>		吕宋舌蕨(原变种) <i>Elaphoglossum luzonicum</i> var. <i>luzonicum</i>	VU D2
苏铁蕨 <i>Brainea insignis</i>	VU A1d; A4a	华南吕宋舌蕨 <i>Elaphoglossum luzonicum</i> var. <i>mcclurei</i> •	VU D1+2
裂羽崇澍蕨 <i>Chienopteris Kempii</i>	VU A1c	南海舌蕨 <i>Elaphoglossum marginatum</i> var. <i>callifolium</i>	VU D1
扫把蕨 <i>Diploblechnum fraseri</i>	CR C1+2a(ii)	节毛耳蕨 <i>Polystichum articulatipilosum</i> •	EN B2ab(iii); D
天长罗蔓蕨 <i>Struthiopteris eburnea</i> var. <i>obtusa</i> •	VU D1	基羽鞭叶耳蕨 <i>Polystichum basipinnatum</i> •	CR A1c; B2ab(iii); C2a(i)
(5) 桫椤科 <i>Cyatheaceae</i>		洞生耳蕨 <i>Polystichum cavernicola</i> •	CR D
毛叶桫椤 <i>Alsophila andersonii</i>	EN A2a	卵状鞭叶耳蕨 <i>Polystichum conjunctum</i> •	VU A1c
滇南桫椤 <i>Alsophila austroyunnanensis</i>	VU A2a; B2ab(v); D	玉龙耳蕨 <i>Polystichum glaciale</i>	VU A2ac
兰屿桫椤 <i>Alsophila fenicis</i>	VU C2a(ii)	广东耳蕨 <i>Polystichum kwangtungense</i> •	VU C2a(i); D2
		微小耳蕨 <i>Polystichum minutissimum</i> •	CR B1ab(iii)+2ab(iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
倒披针耳蕨 <i>Polystichum ob lanceolatum</i> •	CR B1ab(iii)+2ab(iii)	二回莲座蕨 <i>Angiopteris bipinnata</i>	EN B2ab(iii,v)
岩穴耳蕨 <i>Polystichum speluncicola</i> •	CR B1ab(iii)+2ab(iii); D	秦氏莲座蕨 <i>Angiopteris chingii</i> •	CR B1ab(i,ii)+2ab(i,ii)
天坑耳蕨 <i>Polystichum tiankengicola</i> •	EN D	相马氏莲座蕨 <i>Angiopteris somae</i> •	EN B1ab(ii)
海南符藤蕨 <i>Teratophyllum hainanense</i>	EN D	天星蕨 <i>Christensenia aesculifolia</i>	CR B1ab(i,ii)+2ab(i,ii); C2a(i)
(12) 膜蕨科 Hymenophyllaceae		合囊蕨 <i>Ptisana pellucida</i>	CR C2a(ii)
窗格长片蕨 <i>Abrodictyum clathratum</i>	CR C2a(i)	(19) 条蕨科 Oleandraceae	
毛杆蕨 <i>Callistopteris apiifolia</i>	EN C2a(i)	光叶条蕨 <i>Oleandra musifolia</i>	VU D1+2
爪哇厚叶蕨 <i>Cephalomanes javanicum</i>	EN B1ab(iii,iv)+2ab(iii,iv); D	波边条蕨 <i>Oleandra undulata</i>	EN A2c
球杆毛蕨 <i>Crepidomanes thysanostomum</i>	VU D2	(20) 瓶尔小草科 Ophioglossaceae	
斐济假脉蕨 <i>Crepidomanes vitiense</i>	VU D1	七指蕨 <i>Helminthostachys zeylanica</i>	EN A1c; C2a(i)
叉脉单叶假脉蕨 <i>Didymoglossum bimarginatum</i>	EN D	带状瓶尔小草 <i>Ophioglossum pendulum</i>	VU D1
细柄单叶假脉蕨 <i>Didymoglossum motleyi</i>	CR A2ac	(21) 水龙骨科 Polypodiaceae	
爪哇厚壁蕨 <i>Hymenophyllum blandum</i>	VU D2	短叶荷包蕨 <i>Calymmodon asiaticus</i>	VU D2
指状细口团扇蕨 <i>Hymenophyllum digitatum</i>	EN D	姬荷包蕨 <i>Calymmodon ordinatus</i>	VU D1
流苏苞蕊蕨 <i>Hymenophyllum fimbriatum</i>	VU D1	高平蕨 <i>Caobangia squamata</i>	VU B2ab(iii); D1
毛叶蕨 <i>Hymenophyllum pallidum</i>	CR-PE	戟蕨 <i>Christopteris tricuspid</i>	VU D1
吊罗蕗蕨 <i>Hymenophyllum productum</i>	VU D1+2	金禾蕨 <i>Chrysogrammitis glandulosa</i>	EN D
(13) 水韭科 Isoetaceae		小蒿蕨 <i>Ctenopterella blechnoides</i>	EN D
东方水韭 <i>Isoetes orientalis</i> •	CR B1ab(iii)+2ab(iii)	毛禾蕨 <i>Dasygrammitis mollicoma</i>	EN D
中华水韭 <i>Isoetes sinensis</i> •	EN A2ace	川滇槲蕨 <i>Drynaria delavayi</i>	VU A1d
台湾水韭 <i>Isoetes taiwanensis</i> •	CR B2ab(ii,iii)	穴果棱脉蕨 <i>Goniophlebium subauriculatum</i>	CR A2a; B2ab(iii)
云贵水韭 <i>Isoetes yunguiensis</i>	CR A2ace; B1ab(iii)+2ab(iii); D	雨蕨 <i>Gymnogrammitis dareiformis</i>	EN A2ac
(14) 鳞始蕨科 Lindsaeaceae		显脉尖嘴蕨 <i>Lepisorus annamensis</i>	VU D1
华南鳞始蕨 <i>Lindsaea austrosinica</i>	VU D1+2	尖嘴蕨 <i>Lepisorus mucronatus</i>	CR A2ac
碎叶鳞始蕨 <i>Lindsaea chingii</i>	EN D	心叶薄唇蕨 <i>Leptochilus cantoniensis</i>	VU D1
网脉鳞始蕨 <i>Lindsaea cultrata</i>	VU D1	无毛滨禾蕨 <i>Oreogrammitis adspersa</i>	VU D1+2
亮叶鳞始蕨 <i>Lindsaea lucida</i>	CR B1ab(iii)+2ab(iii)	顶育蕨 <i>Photinopteris acuminata</i>	EN B1ab(iii)+2ab(iii)
二羽达边蕨 <i>Tapeinidium pinnatum</i> var. <i>biserratum</i>	VU D1	显脉瘤蕨 <i>Phymatosorus membranifolius</i>	EN D
(15) 蕨科 Lomariopsidaceae		绿孢鹿角蕨 <i>Platycerium wallichii</i>	CR B1ab(iii)+2ab(iii)
中华蕨蕨 <i>Lomariopsis chinensis</i> •	VU C2a(i); D2	戟叶石韦 <i>Pyrrosia hastata</i>	EN C2a(i)
(16) 石松科 Lycopodiaceae		南洋石韦 <i>Pyrrosia longifolia</i>	VU D1+2
皱边石杉 <i>Huperzia crispata</i> •	VU A2a; D1	无鳞辐禾蕨 <i>Radiogrammitis alepidota</i>	EN D
东北石杉 <i>Huperzia miyoshiana</i>	VU A2ac	革舌蕨 <i>Scleroglossum sulcatum</i>	VU D1+2
直叶金发石杉 <i>Huperzia quasipolytrichoides</i> var. <i>rectifolia</i> •	CR B1ab(iii)+2ab(iii)	十字假瘤蕨 <i>Selliguea cruciformis</i>	CR-PE
小杉兰石杉 <i>Huperzia selago</i>	VU A2ac	大围山假瘤蕨 <i>Selliguea daweishanensis</i> •	VU D1
蛇足石杉 <i>Huperzia serrata</i>	EN A2c+3c+4c	圆顶假瘤蕨 <i>Selliguea obtusa</i> •	VU D1+2
卡罗利小石松 <i>Lycopodiella caroliniana</i>	EN C2a(i); D	镰羽假瘤蕨 <i>Selliguea taeniata</i>	VU D1+2
龙骨马尾杉 <i>Phlegmariurus carinatus</i>	VU C2a(i); D2	细叶蒿蕨 <i>Thelmiellum tenuisectum</i>	VU D1+2
杉形马尾杉 <i>Phlegmariurus cunninghamioides</i>	CR C2a(i); D	(22) 松叶蕨科 Psilotaceae	
广东马尾杉 <i>Phlegmariurus guangdongensis</i> •	VU A1c	松叶蕨 <i>Psilotum nudum</i>	VU A4a
马尾杉 <i>Phlegmariurus phlegmaria</i>	VU A1c	(23) 凤尾蕨科 Pteridaceae	
柔軟马尾杉 <i>Phlegmariurus salviniooides</i>	CR C2a(i)	尖叶卤蕨 <i>Acrostichum speciosum</i>	CR A2ac; D
鳞叶马尾杉 <i>Phlegmariurus sieboldii</i>	CR C2a(i)	深山铁线蕨 <i>Adiantum formosanum</i> •	VU D1
台湾马尾杉 <i>Phlegmariurus taiwanensis</i> •	VU D1+2	仙霞铁线蕨 <i>Adiantum juxtapositum</i> •	VU B2ab(iii); C2a(i); D2
(17) 海金沙科 Lygodiaceae		梅山口铁线蕨 <i>Adiantum meishanianum</i> •	CR B1ab(iii)+2ab(iii); C2a(ii)
网脉海金沙 <i>Lygodium merrillii</i>	EN B1ab(iii)+2ab(iii)	荷叶铁线蕨 <i>Adiantum nelumboides</i>	CR A1c
(18) 合囊蕨科 Marattiaceae			

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
台湾高山铁线蕨 <i>Adiantum roborowskii</i> var. <i>taiwanianum</i> •	VU C2a(i)	岷江柏木 <i>Cupressus chengiana</i> •	VU D2
黑柄粉背蕨 <i>Aleuritopteris ebenipes</i> •	VU D2	剑阁柏木 <i>Cupressus chengiana</i> var. <i>jiangeensis</i> •	CR D
中国蕨 <i>Aleuritopteris grevilleoides</i>	VU A2ac	干香柏 <i>Cupressus duclouxiana</i> •	VU A1c
毛叶粉背蕨 <i>Aleuritopteris squamosa</i>	EN A2ac	巨柏 <i>Cupressus gigantea</i> •	VU A1acd
车前蕨 <i>Antrophyum henryi</i>	VU A1c	西藏柏木 <i>Cupressus torulosa</i>	EN B2ab(iii,v)
书带车前蕨 <i>Antrophyum vittarioides</i>	EN A1c; C1	福建柏 <i>Fokienia hodginsii</i>	VU A2c
革叶车前蕨 <i>Antrophyum wallichianum</i> •	VU A1c	水松 <i>Glyptostrobus pensilis</i>	CR B1ab(iii)
粗梗水蕨 <i>Ceratopteris pteridoides</i>	CR A1c+1e; B1ab(i,ii)+2ab(i,ii,iii,iv)c(i,ii,iii)	偃柏 <i>Juniperus chinensis</i> var. <i>sargentii</i>	VU B1ab(iii)+B2ab(iii)
水蕨 <i>Ceratopteris thalictroides</i>	VU A1ce	清水圆柏 <i>Juniperus chinensis</i> var. <i>tsukushiensis</i>	EN C2a(i)
海南凤了蕨 <i>Coniogramme merrillii</i>	VU D1+2	万钧柏 <i>Juniperus pingii</i> var. <i>chengii</i> •	VU A3c
针叶蕨 <i>Monogramma trichoidea</i>	CR-PE	垂枝柏 <i>Juniperus recurva</i>	VU B2ab(iii)
细叶凤尾蕨 <i>Pteris angustipinna</i> •	CR C2a(i)	小果垂枝柏 <i>Juniperus recurva</i> var. <i>coxii</i>	VU B2ab(iii)
三叉凤尾蕨 <i>Pteris tripartita</i>	EN D	杜松 <i>Juniperus rigida</i>	EN B2b(iii,v)c(i,ii,iv)
(24) 莎草蕨科 Schizaeaceae		叉子圆柏 <i>Juniperus sabina</i>	EN B2ab(i,ii,v)c(i,ii,iv)
分枝莎草蕨 <i>Schizaea dichotoma</i>	CR C2a(i); D	昆仑多子柏 <i>Juniperus semiglobosa</i>	VU A2c
莎草蕨 <i>Schizaea digitata</i>	EN C2a(i); D	大果圆柏 <i>Juniperus tibetica</i> •	VU A2c
(25) 卷柏科 Selaginellaceae		水杉 <i>Metasequoia glyptostroboides</i> •	CR B2b(iii,v)c(i,ii,iv); C2a(ii)
棣氏卷柏 <i>Selaginella devolii</i> •	EN B2ab(iii)	台湾杉 <i>Taiwania cryptomerioides</i>	VU D2
琉球卷柏 <i>Selaginella lutchuensis</i> •	En B2ab(iii)	朝鲜崖柏 <i>Thuja koraiensis</i>	CR D
(26) 三叉蕨科 Tectariaceae		崖柏 <i>Thuja sutchuenensis</i> •	EN A1cd
毛轴牙蕨 <i>Pteridrys australis</i>	EN A3c; D	(2) 苏铁科 Cycadaceae	
罗浮牙蕨 <i>Pteridrys lofouensis</i>	CR-PE	宽叶苏铁 <i>Cycas balansae</i>	CR B1b(iii,v)c(i,ii,iv)
黑柄叉蕨 <i>Tectaria ebenina</i>	CR B1ab(iii)+2ab(iii)	叉叶苏铁 <i>Cycas bifida</i>	CR B1b(iii,v)c(i,ii,iv)
粗齿叉蕨 <i>Tectaria grossedentata</i> •	EN A2ac; B2ab(i,ii,iii)	葫芦苏铁 <i>Cycas changjiangensis</i> •	CR B1b(iii,v)c(i,ii,iv)
河口叉蕨 <i>Tectaria hekouensis</i> •	CR A3c	德保苏铁 <i>Cycas debaoensis</i> •	CR B1b(iii,v)c(i,ii,iv)
掌状叉蕨 <i>Tectaria morsei</i>	VU D1+2	滇南苏铁 <i>Cycas diannanensis</i> •	CR B1b(iii,v)c(i,ii,iv)
鳞柄叉蕨 <i>Tectaria multicaudata</i>	EN A2ac	长叶苏铁 <i>Cycas dolichophylla</i>	CR B1b(iii,v)c(i,ii,iv)
五裂叉蕨 <i>Tectaria quinquefida</i>	EN D	仙湖苏铁 <i>Cycas fairylakea</i> •	CR A2c; B1b(iii,v)c(i,ii,iv)
多变叉蕨 <i>Tectaria variabilis</i>	CR-PE	锈毛苏铁 <i>Cycas ferruginea</i>	VU B1b(iii)
翅柄叉蕨 <i>Tectaria vasta</i>	EN B2ab(iii)	贵州苏铁 <i>Cycas guizhouensis</i> •	CR A2c
(27) 金星蕨科 Thelypteridaceae		海南苏铁 <i>Cycas hainanensis</i> •	EN B1b(iii,v)c(i,ii,iv)
边果蕨 <i>Craspedosorus sinensis</i> •	EN B1ab(i,ii)+2ab(i,ii); C2a(i)	灰干苏铁 <i>Cycas hongheensis</i> •	CR A2c;
煥镛钩毛蕨 <i>Cyclogramma chunii</i> •	EN B1ab(i,ii)+2ab(i,ii); C2a(i)	多羽叉叶苏铁 <i>Cycas multifrondis</i>	B1b(iii,v)c(i,ii,iv)
顶育毛蕨 <i>Cyclosorus terminans</i>	EN B1ab(iii)+2ab(iii)	多岐苏铁 <i>Cycas multipinnata</i>	CR A2c
海南金星蕨 <i>Parathelypteris subimmersa</i> •	CR B1ab(iii)+2ab(iii)	攀枝花苏铁 <i>Cycas panzhihuaensis</i> •	EN A2c;
长柄新月蕨 <i>Pronephrium longipetiolatum</i> •	CR C2a(i)	篦齿苏铁 <i>Cycas pectinata</i>	B1b(iii,v)c(i,ii,iv); C2b
尾羽假毛蕨 <i>Pseudocyclosorus caudipinnus</i>	CR-PE	苏铁 <i>Cycas revoluta</i>	EN A2c;
屏边溪边蕨 <i>Stegnogramma dictyoclinoides</i>	EN B2ab(v)	叉孢苏铁 <i>Cycas segmentifida</i> •	B1b(iii,v)c(i,ii,iv)
(28) 岩蕨科 Woodsiaceae		石山苏铁 <i>Cycas sexseminifera</i>	VU A2c
冈本氏岩蕨 <i>Woodsia okamotoi</i> •	CR C2a(i)	四川苏铁 <i>Cycas szechuanensis</i>	CR C1
裸子植物 Gymnosperms		台东苏铁 <i>Cycas taitungensis</i> •	EN B1b(iii,v)c(i,ii,iv)
(1) 柏科 Cupressaceae		闽南苏铁 <i>Cycas taiwaniana</i> •	EN B1b(iii,v)c(i,ii,iv)
台湾翠柏 <i>Calocedrus formosana</i> •	VU B1ab(ii,iii,v)	绿春苏铁 <i>Cycas tanqingii</i>	CR A2c;
红桧 <i>Chamaecyparis formosensis</i> •	EN A2d	(3) 麻黄科 Ephedraceae	B1b(iii,v)c(i,ii,iv)
台湾扁柏 <i>Chamaecyparis obtusa</i> var. <i>formosana</i> •	VU A2cd	道浮麻黄 <i>Ephedra dawuensis</i> •	EN B1b(iii,v)c(i,ii,iv)
台湾杉木 <i>Cunninghamia konishii</i>	VU A2cde	中麻黄 <i>Ephedra intermedia</i>	VU D2
			VU A2c

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
斑子麻黄 <i>Ephedra rhytidosperma</i> ●	EN B2b(i,ii,iii,v)c(i,ii,iv)	大别五针松 <i>Pinus fenzeliana</i> var. <i>dabeshanensis</i> ●	VU D
草麻黄 <i>Ephedra sinica</i>	VU A2cd	西藏白皮松 <i>Pinus gerardiana</i>	CR A2c
(4) 银杏科 <i>Ginkgoaceae</i>		卡西亚松 <i>Pinus kesiya</i>	VU B2ab(iii,v)
银杏 <i>Ginkgo biloba</i> ●	CR C2a(ii); D	红松 <i>Pinus koraiensis</i>	CR B1b(iii,v)c(i,ii,iv)
(5) 松科 <i>Pinaceae</i>		南亚松 <i>Pinus latteri</i>	CR B1b(iii,v)c(i,ii,iv)
百山祖冷杉 <i>Abies beshanzuensis</i> ●	CR A2ac; B1ab(iv,v)+2ab(iv,v); C2a(i,ii); D	雅加松 <i>Pinus massoniana</i> var. <i>hainanensis</i> ●	VU D2
察隅冷杉 <i>Abies chayuensis</i> ●	EN B1b(v)	台湾五针松 <i>Pinus morrisonicola</i> ●	VU A2cd
秦岭冷杉 <i>Abies chensiensis</i> ●	VU D2	偃松 <i>Pinus pumila</i>	CR B1b(iii,v)c(i,ii,iv)
锡金冷杉 <i>Abies densa</i>	VU A1c	西藏长叶松 <i>Pinus roxburghii</i>	CR A2c; B1b(iii,v)c(i,ii,iv)
梵净山冷杉 <i>Abies fanjingshanensis</i> ●	EN B1ab(v); C2a(ii)	新疆五针松 <i>Pinus sibirica</i>	VU A2cd
巴山冷杉 <i>Abies fargesii</i> ●	VU A3c	巧家五针松 <i>Pinus squamata</i> ●	CR D
长苞中甸冷杉 <i>Abies ferreana</i> var. <i>longibracteata</i>	VU D2	樟子松 <i>Pinus sylvestris</i> var. <i>mongolica</i>	VU A3d
怒江冷杉 <i>Abies nukiangensis</i>	VU A2c	长白松 <i>Pinus sylvestris</i> var. <i>sylvestriformis</i> ●	CR B1b(iii,v)c(i,ii,iv)
紫果冷杉 <i>Abies recurvata</i> ●	VU A2c	巴山松 <i>Pinus tabuliformis</i> var. <i>henryi</i> ●	VU B1b(iii,v)c(i,ii,iv)
鲜卑冷杉 <i>Abies sibirica</i>	VU A1c	毛枝五针松 <i>Pinus wangii</i>	EN B1ab(v)+2ab(v); C2a(i); D
藏冷杉 <i>Abies spectabilis</i>	VU A2c	地盘松 <i>Pinus yunnanensis</i> var. <i>pygmaea</i>	VU A4c
鳞皮冷杉 <i>Abies squamata</i> ●	VU A2d	金钱松 <i>Pseudolarix amabilis</i> ●	VU B2ab(iii,v)
元宝山冷杉 <i>Abies yuanbaoshanensis</i> ●	CR B1ab(v)+2ab(v)	短叶黄杉 <i>Pseudotsuga brevifolia</i> ●	VU B2ab(iii,v); C2a(i)
资源冷杉 <i>Abies ziyuanensis</i> ●	EN B1ab(iii); C2a(i)	澜沧黄杉 <i>Pseudotsuga forrestii</i> ●	EN B1b(iii,v)c(i,ii,iv)
银杉 <i>Cathaya argyrophylla</i> ●	VU D	黄杉 <i>Pseudotsuga sinensis</i> ●	VU B1b(iii,v)c(i,ii,iv)
雪松 <i>Cedrus deodara</i>	VU A2c	台湾黄杉 <i>Pseudotsuga sinensis</i> var. <i>wilsoniana</i> ●	EN B2ab(iii,v)
铁坚油杉 <i>Keteleeria davidiana</i> ●	VU A2c	台湾铁杉 <i>Tsuga chinensis</i> var. <i>formosana</i> ●	VU A2cd
黄枝油杉 <i>Keteleeria davidiana</i> var. <i>calcarea</i> ●	EN A2cd	丽江铁杉 <i>Tsuga chinensis</i> var. <i>forrestii</i> ●	VU A2cd
台湾油杉 <i>Keteleeria davidiana</i> var. <i>formosana</i> ●	CR B2ab(ii,v)	云南铁杉 <i>Tsuga dumosa</i>	VU A2cd
云南油杉 <i>Keteleeria evelyniana</i>	VU A2cd	长苞铁杉 <i>Tsuga longibracteata</i> ●	VU A2cd
油杉 <i>Keteleeria fortunei</i>	VU A2cd	(6) 罗汉松科 <i>Podocarpaceae</i>	
江南油杉 <i>Keteleeria fortunei</i> var. <i>cyclolepis</i>	VU A2c	鸡毛松 <i>Dacrycarpus imbricatus</i>	VU A2d
矩鳞油杉 <i>Keteleeria fortunei</i> var. <i>oblonga</i> ●	CR D	展叶鸡毛松 <i>Dacrycarpus imbricatus</i> var. <i>patulus</i>	VU A2d
海南油杉 <i>Keteleeria hainanensis</i> ●	VU D2	陆均松 <i>Dacrydium pectinatum</i>	EN B1ab(ii,iii,iv,v)
柔毛油杉 <i>Keteleeria pubescens</i> ●	VU D2	竹柏 <i>Nageia nagi</i>	EN B1b(i,v); C2b
落叶松 <i>Larix gmelinii</i>	VU A3d	海南罗汉松 <i>Podocarpus annamiensis</i>	EN B2ab(iii)
华北落叶松 <i>Larix gmelinii</i> var. <i>principis-rupprechtii</i> ●	VU A3d	兰屿罗汉松 <i>Podocarpus costalis</i>	VU B2ab(ii,iii); D1
四川红杉 <i>Larix mastersiana</i> ●	EN A1d	大理罗汉松 <i>Podocarpus forrestii</i> ●	CR C1
秦岭红杉 <i>Larix potaninii</i> var. <i>chinensis</i> ●	VU A2d	罗汉松 <i>Podocarpus macrophyllus</i>	VU B1b(iii,v)c(i,ii,iv)+ 2b(iii,v)c(i,ii,iv)
新疆落叶松 <i>Larix sibirica</i>	VU A3d	毛枝罗汉松 <i>Podocarpus macrophyllus</i> var. <i>piliramus</i> ●	VU B1ab(iii)+B2ab(iii)
怒江红杉 <i>Larix speciosa</i> ●	CR B2b(iii,v)c(i,ii,iv)	台湾罗汉松 <i>Podocarpus nakaii</i> ●	EN B2ab(ii,iii,v); C2b
黄果云杉 <i>Picea likiangensis</i> var. <i>hirtella</i> ●	VU B1ab(iii)+B2ab(iii)	百日青 <i>Podocarpus nerifolius</i>	VU A2cd
林芝云杉 <i>Picea likiangensis</i> var. <i>linzhiensis</i> ●	VU A3c	小叶罗汉松 <i>Podocarpus wangii</i> ●	EN A2cd
白扦 <i>Picea meyeri</i> ●	VU A3d	(7) 红豆杉科 <i>Taxaceae</i>	
康定云杉 <i>Picea montigena</i> ●	CR C1	穗花杉 <i>Amentotaxus argotaenia</i>	VU B1ab(iii)
台湾云杉 <i>Picea morrisonicola</i> ●	EN B2ab(iii,iv,v)	短叶穗花杉 <i>Amentotaxus argotaenia</i> var. <i>brevifolia</i> ●	CR B1ab(iii)
大果青扦 <i>Picea neoveitchii</i> ●	VU D2	台湾穗花杉 <i>Amentotaxus formosana</i> ●	EN C2a(i)
长叶云杉 <i>Picea smithiana</i>	EN B2ab(v)	云南穗花杉 <i>Amentotaxus yunnanensis</i>	VU A2cd
台湾果松 <i>Pinus armandii</i> var. <i>mastersiana</i> ●	VU A2cd	贡山三尖杉 <i>Cephalotaxus lanceolata</i>	CR B2ab(iii,v)
白皮松 <i>Pinus bungeana</i> ●	EN B1b(iii,v)c(i,ii,iv)	宽叶粗榧 <i>Cephalotaxus latifolia</i> ●	CR B2b(i,ii,iii,v)c(i,ii,iv)
兴凯赤松 <i>Pinus densiflora</i> var. <i>ussuriensis</i>	VU D2	西双版纳粗榧 <i>Cephalotaxus mannii</i>	EN A2cd; B2ab(ii,iii,iv,v); C2a(i)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
篦子三尖杉 <i>Cephalotaxus oliveri</i> •	VU A2cd	疏毛槭 <i>Acer pilosum</i> var. <i>pilosum</i> •	VU A2c; B1ab(i,iii)
粗榧 <i>Cephalotaxus sinensis</i> •	VU B1ab(iii)	灰叶槭 <i>Acer poliophyllum</i> •	VU A2c; B1ab(i,iii)
台湾粗榧 <i>Cephalotaxus harringtonii</i> var. <i>wilsoniana</i> •	VU C2a(i)	毛柄槭 <i>Acer pubipetiolatum</i> var. <i>pubipetiolatum</i> •	VU A2c
白豆杉 <i>Pseudotaxus chienii</i> •	VU A2cd	台湾五裂槭 <i>Acer serrulatum</i> •	VU A2c
红豆杉 <i>Taxus chinensis</i>	EN A1cd	平坝槭 <i>Acer shihweii</i> •	CR A2c; B1ab(i,iii)
密叶红豆杉 <i>Taxus contorta</i>	EN D	锡金槭 <i>Acer sikkimense</i>	VU A2c; B1ab(i,iii)
东北红豆杉 <i>Taxus cuspidata</i>	EN A2cd	滨海槭 <i>Acer sino-oblongum</i> •	EN A2c; B1ab(i,iii)
南方红豆杉 <i>Taxus mairei</i>	VU A2d	苹婆槭 <i>Acer sterculiaceum</i> subsp. <i>sterculiaceum</i>	VU B1ab(ii)+2ab(ii)
须弥红豆杉 <i>Taxus wallichiana</i>	VU A2cd	四川槭 <i>Acer sutchuenense</i> •	EN A2c; B1ab(i,iii)
巴山榧树 <i>Torreya fargesii</i> •	VU A2cd	七裂薄叶槭 <i>Acer tenellum</i> var. <i>septemlobum</i> •	CR A2c; B1ab(ii,v)+2ab(ii,v)
云南木榧 <i>Torreya fargesii</i> var. <i>yunnanensis</i> •	EN B1ab(iii,v)+2ab(iii,v)	薄叶槭 <i>Acer tenellum</i> var. <i>tenellum</i> •	EN A2c; B1ab(i,iii)
九龙山榧树 <i>Torreya grandis</i> var. <i>jiulongshanensis</i> •	CR C2a(i)	巨果槭 <i>Acer thomsonii</i>	VU B1ab(i,iii)
长叶榧树 <i>Torreya jackii</i> •	EN A2cd	察隅槭 <i>Acer tibetense</i> •	EN B1ab(i,iii)
被子植物 Angiosperms			
(1) 槭树科 Aceraceae			
三裂槭 <i>Acer calcaratum</i>	VU A2c	秦岭槭 <i>Acer tsinglingense</i> •	VU A2c
青皮槭 <i>Acer cappadocicum</i> subsp. <i>cappadocicum</i>	VU A2c; B1ab(i,iii)	天峨槭 <i>Acer wangchii</i> •	VU A2c; B1ab(i,iii)
怒江槭 <i>Acer chienii</i> •	VU D2	滇藏槭 <i>Acer wardii</i>	EN A2c; B1ab(i,iii)
乳源槭 <i>Acer chunii</i> •	EN A2c; B1ab(i,iii)	漾濞槭 <i>Acer yangbiense</i> •	CR B1ab(i,iii); C1+2a(ii)
两型叶乳源槭 <i>Acer chunii</i> subsp. <i>dimorphophyllum</i> •	EN A2c; B1ab(i,iii); C1	川甘槭 <i>Acer yui</i> •	EN B2ab(ii,iv)
密叶槭 <i>Acer confertifolium</i> •	VU A2c	云南金钱槭 <i>Dipteronia dyeriana</i> •	EN A2c; B1ab(i,iii)
两型叶紫果槭 <i>Acer cordatum</i> var. <i>dimorphifolium</i> •	VU A2c	尖叶猕猴桃 <i>Actinidia callosa</i> var. <i>acuminata</i> •	CR B1ab(i,v)
厚叶槭 <i>Acer crassum</i> •	VU A2c; B1ab(i,iii)	城口猕猴桃 <i>Actinidia chengkouensis</i> •	EN D
河口槭 <i>Acer fenzelianum</i>	EN B2ab(ii)	粉毛猕猴桃 <i>Actinidia farinosa</i> •	VU D2
丽江槭 <i>Acer forrestii</i> •	VU A2c	楔叶猕猴桃 <i>Actinidia fasciculoides</i> var. <i>cuneata</i> •	EN D
黄毛槭 <i>Acer fulvescens</i> •	VU B1ab(i,iii)	簇花猕猴桃 <i>Actinidia fasciculoides</i> var. <i>fasciculoides</i> •	EN D
长叶槭 <i>Acer gracilifolium</i> •	EN B1ab(i,iii)	圆叶猕猴桃 <i>Actinidia fasciculoides</i> var. <i>orbiculata</i> •	EN D
血皮槭 <i>Acer griseum</i> •	VU A2c	灰毛猕猴桃 <i>Actinidia fulvicoma</i> var. <i>cinerascens</i> •	VU A2c; D1
海拉槭 <i>Acer hilaense</i> •	CR Blab(ii,v)	糙毛猕猴桃 <i>Actinidia fulvicoma</i> var. <i>hirsuta</i> •	VU A2c; D1
小楷槭 <i>Acer komarovii</i>	VU B1ab(i,iii)	厚叶猕猴桃 <i>Actinidia fulvicoma</i> var. <i>pachyphylla</i> •	VU A2c; D1
贡山槭 <i>Acer kungshanense</i> •	EN A2c; B1ab(i,iii)	粉叶猕猴桃 <i>Actinidia glauco-callosa</i> •	VU A2c; D1+2
广南槭 <i>Acer kwangnanense</i> •	VU B1ab(i,iii)	大花猕猴桃 <i>Actinidia grandiflora</i> •	CR B1ab(i,iii,v)
雷波槭 <i>Acer leipoense</i> •	EN A2c; B1ab(i,iii)	长叶猕猴桃 <i>Actinidia hemsleyana</i> •	VU A2c; D1
临安槭 <i>Acer linganense</i> •	VU A2c; B1ab(i,iii)	蒙自猕猴桃 <i>Actinidia henryi</i> •	VU A2c; D1
东北槭 <i>Acer mandshuricum</i>	VU A3c	湖北猕猴桃 <i>Actinidia hubeiensis</i> •	CR B1ab(i,iii,v); C1
庙台槭 <i>Acer miaotaiense</i> •	VU A2c; D2	卵圆叶猕猴桃 <i>Actinidia indochinensis</i> var. <i>ovatifolia</i> •	EN D
玉山槭 <i>Acer morrisonense</i> •	VU A2c	滑叶猕猴桃 <i>Actinidia laevissima</i> •	VU A2c
少果槭 <i>Acer oligocarpum</i> •	EN A2c; B1ab(i,iii)	小叶猕猴桃 <i>Actinidia lanceolata</i> •	VU A2c; D1
富宁槭 <i>Acer paishengii</i> •	EN A2c; B1ab(i,iii)	长绒猕猴桃 <i>Actinidia latifolia</i> var. <i>mollis</i> •	VU A2c; D1
鸡爪槭 <i>Acer palmatum</i>	VU A4c	漓江猕猴桃 <i>Actinidia lijiangensis</i> •	EN D
稀花槭 <i>Acer pauciflorum</i> •	VU A2c; B1ab(i,iii)	临桂猕猴桃 <i>Actinidia linguiensis</i> •	CR B1ab(i,iii); C1
篦齿槭 <i>Acer pectinatum</i> subsp. <i>pectinatum</i>	VU A2c; B1ab(i,iii)	长果猕猴桃 <i>Actinidia longicarpa</i> •	EN D
五小叶槭 <i>Acer pentaphyllum</i> •	VU D1+2	无髯猕猴桃 <i>Actinidia melanandra</i> var. <i>glabrescens</i> •	CR B1ab(i,v); C1
		倒卵叶猕猴桃 <i>Actinidia obovata</i> •	EN B1ab(i,ii,iii,v); D
		桃花猕猴桃 <i>Actinidia persicina</i> •	CR B1ab(i,iii); C1

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
贡山猕猴桃 <i>Actinidia pilosula</i> •	VU A2c; D1	腾冲慈姑 <i>Sagittaria tengsungensis</i>	VU A2c; B1ab(ii,iii)
融水猕猴桃 <i>Actinidia rongshuiensis</i> •	CR B1ab(i,iii); C1	(6) 石蒜科 <i>Amaryllidaceae</i>	
光茎猕猴桃 <i>Actinidia rufis var. glabricaulis</i> •	VU A2c; D1+2	芒苞草 <i>Acanthochlamys bracteata</i> •	VU B2ab(i,ii)
糙叶猕猴桃 <i>Actinidia rufis var. rufis</i>	VU A2c; D1+2	短萼仙茅 <i>Curculigo breviscapa</i> •	VU D1
密花猕猴桃 <i>Actinidia rufotricha</i> var. <i>glomerata</i> •	EN D	安徽石蒜 <i>Lycoris anhuiensis</i> •	EN A2c; B1ab(i,ii,v); C1
红毛猕猴桃 <i>Actinidia rufotricha</i> var. <i>rufotricha</i> •	EN A2c; D	广西石蒜 <i>Lycoris guangxiensis</i> •	VU A2c; B1ab(i,ii,v); C1
清风藤猕猴桃 <i>Actinidia sabiifolia</i> •	VU D1	江苏石蒜 <i>Lycoris houdyshelii</i> •	VU A2c; B1ab(i,iii,v); C1
花椒猕猴桃 <i>Actinidia sorbifolia</i> •	VU A2c; D1+2	长筒石蒜 <i>Lycoris longituba</i> var. <i>longituba</i> •	VU B2ab(i,ii)
星毛猕猴桃 <i>Actinidia stellatopilosa</i> •	CR B1ab(i,iii); C1	稻草石蒜 <i>Lycoris straminea</i> •	VU A2ac; B1ab(i,iii,v)
安息香猕猴桃 <i>Actinidia styracifolia</i> •	VU D1	(7) 漆树科 <i>Anacardiaceae</i>	
栓叶猕猴桃 <i>Actinidia suberifolia</i> •	CR C1	云南山漾子 <i>Buchanania yunnanensis</i> •	EN B1ab(i,iii)
毛蕊猕猴桃 <i>Actinidia trichogyna</i> •	VU B1ab(i,iii); D1	毛脉南酸枣 <i>Choerospondias axillaris</i> var. <i>pubinervis</i> •	VU A2c
榆叶猕猴桃 <i>Actinidia ulmifolia</i> •	EN C1	矮黄栌 <i>Cotinus nana</i> •	VU A3c; B1ab(i,iii)
扇叶猕猴桃 <i>Actinidia umbelloides</i> var. <i>flabellifolia</i> •	CR B1ab(i,iii); C1	贡山九子母 <i>Dobinea vulgaris</i>	VU A4a
伞花猕猴桃 <i>Actinidia umbelloides</i> var. <i>umbelloides</i> •	VU A2c; D1+2	大果人面子 <i>Dracontomelon macrocarpum</i> •	EN B1ab(i,iii)
葡萄叶猕猴桃 <i>Actinidia vitifolia</i> •	VU A2c; D1	大果辛果漆 <i>Drimycarpus anacardifolius</i> •	EN A3c; B1ab(i,iii)
浙江猕猴桃 <i>Actinidia zhejiangensis</i> •	CR B1ab(i,iii); C1	单叶桉榔青 <i>Haplospondias haplophylla</i>	CR B1ab(i,ii,v)
红果水东哥 <i>Saurauia erythrocarpa</i> var. <i>erythrocarpa</i> •	VU A2c; D1+2	扁桃 <i>Mangifera persiciforma</i> •	VU A2c
越南水东哥 <i>Saurauia griffithii</i> var. <i>annamica</i>	VU A2c; D1+2	泰国杧果 <i>Mangifera siamensis</i>	EN A3c; B1ab(i,iii)
绵毛水东哥 <i>Saurauia griffithii</i> var. <i>griffithii</i>	VU A2c; D1+2	林生杧果 <i>Mangifera sylvatica</i>	EN A3c; B1ab(i,iii)
朱毛水东哥 <i>Saurauia miniata</i> •	VU A2c; D1	钝叶肉托果 <i>Semecarpus cuneiformis</i>	EN B2ab(i)
多脉水东哥 <i>Saurauia polyneura</i> var. <i>polyneura</i> •	VU A2c; D1	小果肉托果 <i>Semecarpus microcarpus</i>	VU B1ab(i,ii,v)
大花水东哥 <i>Saurauia punduana</i>	EN B1ab(i,iii); C1	(8) 钩枝藤科 <i>Ancistrocladaceae</i>	
云南水东哥 <i>Saurauia yunnanensis</i> •	VU A2c; D1+2	钩枝藤 <i>Ancistrocladus tectorius</i>	VU A2ce
(3) 五福花科 <i>Adoxaceae</i>		(9) 番荔枝科 <i>Annonaceae</i>	
四福花 <i>Adoxa omeiensis</i> •	EN B2ac(ii,iii)	藤春 <i>Alphonsea monogyna</i> •	VU A2c+3c; C1
华福花 <i>Sinadoxa corydalifolia</i> •	VU B1ab(i,iii)	多脉藤春 <i>Alphonsea tsangyuanensis</i> •	EN B2ab(i,ii,v)
珍珠莢蒾 <i>Viburnum foetidum</i> var. <i>ceanothoides</i> •	EN A3c	点叶鹰爪花 <i>Artobotrys punctulatus</i> •	EN B1ab(i,iii,v); C1
甘肃莢蒾 <i>Viburnum kansuense</i> •	VU A2ac+3c	喙果鹰爪花 <i>Artobotrys rhynchocarpus</i> •	EN B1ab(i,ii,v); C1
峨眉莢蒾 <i>Viburnum omeiense</i> •	CR D	蕉木 <i>Chieniodendron hainanense</i> •	EN B1ab(i,iii,v)
瑞丽莢蒾 <i>Viburnum shweliense</i>	CR B1ab(ii,iii)	大叶假鹰爪 <i>Desmos grandifolius</i>	EN A2c
亚高山莢蒾 <i>Viburnum subalpinum</i>	VU A3c	亮花假鹰爪 <i>Desmos saccopetaloides</i> •	VU A2cde
横脉莢蒾 <i>Viburnum trabeculosum</i> •	VU A3c	云南假鹰爪 <i>Desmos yunnanensis</i> •	EN A2c
三脉叶莢蒾 <i>Viburnum triplinerve</i> •	VU A3c	多苞瓜馥木 <i>Fissistigma bracteolatum</i>	EN C1
云南莢蒾 <i>Viburnum yunnanense</i> •	EN B2ab(ii,iii)	广西瓜馥木 <i>Fissistigma kwangsiense</i> •	EN A3cd
(4) 八角枫科 <i>Alangiaceae</i>		天堂瓜馥木 <i>Fissistigma tientangense</i> •	EN B1ab(i,iii,v); C1
长果八角枫 <i>Alangium faberi</i> var. <i>dolichocarpum</i> •	EN B1ab(i,iii)	东方瓜馥木 <i>Fissistigma tungfangense</i> •	EN B1ab(i,iii,v); C1
云南八角枫 <i>Alangium yunnanense</i> •	EN B2ab(i,ii,iv)	木瓣瓜馥木 <i>Fissistigma xylopetalum</i>	VU B1ab(iii)
(5) 泽泻科 <i>Alismataceae</i>		景洪哥纳香 <i>Goniothalamus cheliensis</i> •	CR A2c; B1ab(i,iii,v); C1
小泽泻 <i>Alisma nanum</i> •	EN A2c; C1	哥纳香 <i>Goniothalamus chinensis</i> •	VU A2c; B1ab(i,iii,v)
拟花蔺 <i>Butomopsis latifolia</i>	VU B1ab(iii)	金平哥纳香 <i>Goniothalamus leiocarpus</i> •	VU A2c; B1ab(i,iii,v)
宽叶泽苔草 <i>Caldesia grandis</i>	CR A2c+3c+4ac; B2ab(iii)	鹿茸木 <i>Meiogyne kwangtungensis</i> •	CR D
泽苔草 <i>Caldesia parnassifolia</i>	CR A2c+3c+4c; B2ab(iii)	版纳野独活 <i>Miliusa banmanensis</i> •	VU B1ab(i,iii,v)
长喙毛茛泽泻 <i>Ranalisma rostratum</i>	CR A2c+3c+4c; B2ab(iii)	囊瓣木 <i>Miliusa horsfieldii</i>	VU A2acde
冠果草 <i>Sagittaria guayanensis</i> subsp. <i>lappula</i>	EN A2ac+3c	云南野独活 <i>Miliusa tenuistipitata</i> •	EN B2ab(i,ii,iv)
利川慈姑 <i>Sagittaria lichuanensis</i> •	VU D2	云南银钩花 <i>Mitrophora wangii</i>	VU A2c; B1ab(i,iii,v)
小慈姑 <i>Sagittaria potamogetifolia</i> •	VU D2	澄广花 <i>Orophea hainanensis</i> •	VU A2c; B1ab(i,iii,v); C1

生物多样性

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
小花暗罗 <i>Polyalthia florulenta</i> •	VU A2c; B1ab(i,iii,v); C1	丛毛鹿角藤 <i>Chonemorpha floccosa</i> •	VU B2ab(i,iii); C1
木姜叶暗罗 <i>Polyalthia litseifolia</i> •	EN A2c	小花鹿角藤 <i>Chonemorpha parviflora</i> •	VU B2ab(i,iii); C1
多脉暗罗 <i>Polyalthia pingpienensis</i> •	EN A2c	海南鹿角藤 <i>Chonemorpha splendens</i> •	VU B2ab(i,iii); C1
疣叶暗罗 <i>Polyalthia verrucipes</i> •	EN A2c	思茅藤 <i>Epigynum auritum</i>	CR B2ab(i,iii); C1
贵州紫玉盘 <i>Uvaria kweichowensis</i> •	VU A2c; B1ab(i,iii,v); C1	海南蕊木 <i>Kopsia hainanensis</i> •	EN B2ab(i,iii); C1
(10) 伞形科 Apiaceae		雷打果 <i>Melodinus yunnanensis</i> •	VU B2ab(i,iii); C1
丽江当归 <i>Angelica likiangensis</i> •	EN A2c; B1ab(i,iii); C1	富宁藤 <i>Parepigynum funingense</i> •	EN B2ab(i,iii); C1
大叶当归 <i>Angelica megaphylla</i> •	VU A2c	蛇根木 <i>Rauvolfia serpentina</i>	VU D2
天目当归 <i>Angelica tianmuensis</i> •	VU A4(e)	吊罗山萝卜木 <i>Rauvolfia tiaolushanensis</i> •	VU D2
贵州柴胡 <i>Bupleurum kweichowense</i> •	EN B1ab(i,iii); C1	狗牙花 <i>Tabernaemontana divaricata</i>	EN D
少花红柴胡 <i>Bupleurum scorzonerifolium pauciflorum</i> •	f. VU A2c; B1ab(i,iii); C1	乐东藤 <i>Urceola xylinabarriopoides</i>	EN B2ab(i,iii); C1
雾灵柴胡 <i>Bupleurum sibiricum</i> var. <i>jeholense</i> •	EN C1	(12) 冬青科 Aquifoliaceae	
明党参 <i>Changium smyrnioides</i> •	VU A2ac; B1ab(i,iii)	阿里山冬青 <i>Ilex arisanensis</i> •	EN B2ab(i,ii,v)
川明参 <i>Chuanminshen violaceum</i>	EN A2c	茎花冬青 <i>Ilex cauliflora</i> •	EN B1ab(i,ii)
圆锥茎阿魏 <i>Ferula conocaula</i>	VU B2ab(i,ii,iii); C1	城口冬青 <i>Ilex chengkouensis</i> •	VU B1ab(i,iii)
阜康阿魏 <i>Ferula fukanensis</i> •	EN B2ab(i,ii,iii); C1	大别山冬青 <i>Ilex dabieshanensis</i> •	EN A2c; B1ab(i,iii)
麝香阿魏 <i>Ferula moschata</i>	VU D1	德宏冬青 <i>Ilex dehongensis</i> •	VU A2c; B1ab(i,iii)
新疆阿魏 <i>Ferula sinkiangensis</i> •	CR A2c; D	凤庆冬青 <i>Ilex fengqingensis</i> •	VU A2c; B1ab(i,iii); C1
珊瑚菜 <i>Glehnia littoralis</i>	CR A2c	纤花冬青 <i>Ilex graciliflora</i> •	EN B2ab(i,ii,v)
鹤庆独活 <i>Heracleum rapula</i> •	VU B1ab(i,iii); C1; D	毛核冬青 <i>Ilex liana</i> •	CR B1ab(i,iii)
吕宋天胡荽 <i>Hydrocotyle benguetensis</i>	VU D2	龙州冬青 <i>Ilex longzhouensis</i> •	EN B1ab(i,iii); D
毛柄天胡荽 <i>Hydrocotyle dichondroides</i>	EN B2ab(i,ii,v)	楠叶冬青 <i>Ilex machilifolia</i> •	VU D2
阔鞘岩风 <i>Libanotis acaulis</i> •	VU A2c; B1ab(i,iii); D1	乳头冬青 <i>Ilex mamillata</i> •	VU A2c; B1ab(i,iii); D1
济南岩风 <i>Libanotis jinanensis</i> •	VU A2c; C1	倒卵叶冬青 <i>Ilex maximowicziana</i>	EN B2ab(ii,iii,v)
山茱萸 <i>Oreomyrrhis involucrata</i> •	VU B2ac(i,ii)	南川冬青 <i>Ilex nanchuanensis</i> •	CR B1ab(i,iii)
天竺山前胡 <i>Peucedanum ampliatum</i> •	CR B1ab(i,iii); C1; D	长圆果冬青 <i>Ilex oblonga</i> •	VU A2c; B1ab(i,iii)
刺尖前胡 <i>Peucedanum elegans</i>	VU B1ab(i,iii)	隐脉冬青 <i>Ilex occulta</i> •	VU B1ab(i,iii)
广西前胡 <i>Peucedanum guangxiense</i> •	VU A2c+3c	巨叶冬青 <i>Ilex perlata</i> •	EN B1ab(i,iii); D
细裂前胡 <i>Peucedanum macilentum</i> •	VU A2a; B1ab(i,iii); C1	网脉冬青 <i>Ilex reticulata</i> •	EN D
马山前胡 <i>Peucedanum mashanense</i> •	EN C1	神农架冬青 <i>Ilex shennongjiaensis</i> •	EN B1ab(i,iii)
美丽棱子芹 <i>Pleurospermum amabile</i>	VU A2c+3c; B1ab(i,iii)	石枚冬青 <i>Ilex shimeica</i> •	VU A2c; D
脉叶翅棱芹 <i>Pterygopleurum neurophyllum</i>	VU A2c; D	雪山冬青 <i>Ilex tugitakayamensis</i> •	EN B2ab(ii,iii,iv)
球根阿魏 <i>Schumannia karelinii</i>	VU A2c	烏来冬青 <i>Ilex uraiensis</i>	VU D1
亮蛇床 <i>Selinum cryptotaenium</i> •	VU B1ab(ii,iii,v)	假枝冬青 <i>Ilex wangiana</i> •	CR D
山西西风芹 <i>Seseli sandbergiae</i> •	VU A2c; B1ab(i,iii); C1	温州冬青 <i>Ilex wenchowensis</i> •	EN A2c; B1ab(i,iii); D
绒果西风芹 <i>Seseli togasii</i> •	EN C1	武功山冬青 <i>Ilex wugongshanensis</i> •	EN D
长柄小芹 <i>Sinocarum dolichopodum</i> •	VU A2c; B1ab(i,iii); D1	西藏冬青 <i>Ilex xizangensis</i> •	VU A2c; D1
中甸东俄芹 <i>Tongoloa zhongdianensis</i> •	VU B1ab(i,iii); C1	独龙冬青 <i>Ilex yuana</i> •	EN B1ab(i,iii)+ 2ab(ii,iii,v)
马尔康糙果芹 <i>Trachyspermum triradiatum</i> •	VU A2c; B1ab(i,iii); C1	浙江冬青 <i>Ilex zhejiangensis</i> •	VU D2
(11) 夹竹桃科 Apocynaceae		(13) 天南星科 Araceae	
黄花羊角棉 <i>Alstonia henryi</i> •	VU B2ab(i,iii); C1	台湾蘑菇 <i>Amorphophallus henryi</i> •	VU A2c
竹叶羊角棉 <i>Alstonia nerifolia</i>	VU D2	旱生南星 <i>Arisaema aridum</i> •	VU A2acd+3cd+ 4acd; B1ab(ii,iii)
勐龙链珠藤 <i>Alyxia menglungensis</i> •	VU B2ab(i,iii); C1	滇南南星 <i>Arisaema austroyunnanense</i>	VU A2acd+3cd+4acd; B1ab(ii,iii)
水甘草 <i>Amsonia elliptica</i>	VU B2ab(i,iii); C1	元江南星 <i>Arisaema balansae</i>	VU A2acd+3cd+ 4acd; B1ab(ii,iii)
云南清明花 <i>Beaumontia khasiana</i>	VU B2ab(i,iii); C1	版纳南星 <i>Arisaema bannaense</i>	EN A2acd+3cd+ 4acd; B1ab(ii,iii)
广西清明花 <i>Beaumontia pitardii</i>	VU A2c	当珠南星 <i>Arisaema bonatianum</i> •	EN A2acd+3cd+ 4acd; B1ab(ii,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
北缅南星 <i>Arisaema burmaense</i>	EN A2acd+3cd+4acd; B1ab(ii,iii)	轮伞五加 <i>Eleutherococcus verticillatus</i> •	EN B1ab(i,ii); C1
金江南星 <i>Arisaema calcareum</i> •	EN A2acd+3cd+4acd; B1ab(ii,iii)	多室八角金盘 <i>Fatsia polycarpa</i> •	VU B2ab(ii,iii)
缘毛南星 <i>Arisaema ciliatum</i> •	VU A2acd+3cd+4acd; B1ab(ii,iii)	吴茱萸五加 <i>Gamblea ciliata</i> var. <i>evodijifolia</i>	VU A2ac+3c
棒头南星 <i>Arisaema clavatum</i> •	VU A2acd+3cd+4acd	海南幌伞枫 <i>Heteropanax hainanensis</i> •	EN B1ab(i,ii,iii); C1
多脉南星 <i>Arisaema costatum</i>	VU A2acd+3cd+4acd	云南幌伞枫 <i>Heteropanax yunnanensis</i> •	EN A2ac+3c
会泽南星 <i>Arisaema dahaiense</i>	EN A2acd+3cd+4acd; B1ab(ii,iii)	显脉大参 <i>Macropanax chienii</i> •	VU D2
拟刺棒南星 <i>Arisaema echinoides</i> •	EN A2acd+3cd+4acd; B1ab(ii,iii)	疏脉大参 <i>Macropanax paucinervis</i> •	EN B1ab(i,ii,iii); C1
圈药南星 <i>Arisaema exappendiculatum</i>	VU A2acd+3cd+4acd; B1ab(ii,iii)	刺参 <i>Oplopanax elatus</i>	VU A2c; B1ab(i,iii)
毛笔南星 <i>Arisaema grapsospadix</i>	EN A2acd+3cd+4acd; B1ab(ii,iii)	兰屿加 <i>Osmoxylon pectinatum</i>	EN B1ab(ii)+2ab(ii)
黎婆花 <i>Arisaema hainanense</i> •	VU A2acd+3cd+4acd	人参 <i>Panax ginseng</i>	CR A2c
景东南星 <i>Arisaema jingdongense</i> •	EN A2acd+3cd+4acd; B1ab(ii,iii)	疙瘩七 <i>Panax japonicus</i> var. <i>bipinnatifidus</i>	EN B1ab(ii)
文山南星 <i>Arisaema lidaense</i> •	EN A2acd+3cd+4acd	屏边三七 <i>Panax stipuleanatus</i>	EN A3c
李恒南星 <i>Arisaema lihenganum</i> •	EN A2acd+3cd+4acd	姜状三七 <i>Panax zingiberensis</i>	EN A2c
凌云南星 <i>Arisaema lingyunense</i>	VU A2acd+3cd+4acd	粉背羽叶参 <i>Pentapanax hypoglauca</i> •	EN B2ab(ii)
勐海南星 <i>Arisaema menghaiense</i> •	EN A2acd+3cd+4acd	轮伞羽叶参 <i>Pentapanax verticillatus</i>	EN A2c
勐腊南星 <i>Arisaema menglaense</i> •	EN D	(15) 棕榈科 Arecaceae	
猪笼南星 <i>Arisaema nepenthoides</i>	VU A2acd+3cd+4acd	云南省藤 <i>Calamus acanthospathus</i>	VU B1ab(iii)
香南星 <i>Arisaema odoratum</i> •	VU A2acd+3cd+4acd	狭叶省藤 <i>Calamus albidus</i> •	EN D
画笔南星 <i>Arisaema penicillatum</i> •	VU A2acd+3cd+4acd	桂南省藤 <i>Calamus austroguangxiensis</i> •	VU D2
片马南星 <i>Arisaema pianmaense</i> •	EN A2acd+3cd+4acd	短轴省藤 <i>Calamus compostachys</i> •	EN B1ab(iii)
屏边南星 <i>Arisaema pingbianense</i>	EN A2acd+3cd+4acd; B1ab(ii,iii)	电白省藤 <i>Calamus dianbadiensis</i> •	VU A2c
披发南星 <i>Arisaema smitinandii</i>	EN A2acd+3cd+4acd	短叶省藤 <i>Calamus egregius</i> •	VU B1ab(iii)
东俄洛南星 <i>Arisaema souliei</i> •	VU A2acd+3cd+4acd	南巴省藤 <i>Calamus nambariensis</i>	EN D
美丽南星 <i>Arisaema speciosum</i>	VU A2acd+3cd+4acd	单叶省藤 <i>Calamus simplicifolius</i> •	VU B1ab(iii)
腾冲南星 <i>Arisaema tengtsungense</i>	VU A2acd+3cd+4acd	多刺鸡藤 <i>Calamus tetradactyloides</i> •	EN B2ab(ii)
马尾南星 <i>Arisaema victoriae</i>	EN A2acd+3cd+4acd	多果省藤 <i>Calamus walkeri</i>	VU B1ab(iii)
维明南星 <i>Arisaema zhui</i> •	EN A2acd+3cd+4acd	无量山省藤 <i>Calamus wuliangshanensis</i> •	EN D
勐腊芋 <i>Colocasia menglaensis</i>	CR D	董棕 <i>Caryota obtusa</i>	VU A2c; B1ab(i,iii)
八仙过海 <i>Cryptocoryne crispatula</i> var. <i>yunnanensis</i>	EN B1ab(ii,iii)+2ab(ii,iii)	琼棕 <i>Chuniophoenix hainanensis</i> •	EN B1ab(i,iii)
台湾麒麟叶 <i>Epipremnum formosanum</i> •	VU D2	矮琼棕 <i>Chuniophoenix humilis</i> •	EN B1ab(iii)
细柄芋 <i>Hapaline ellipticifolium</i> •	CR A2c	两广石山棕 <i>Guisha grossifibrosa</i>	EN A2c+3c; B1ab(i,iii); C1
闽半夏 <i>Pinellia fujianensis</i> •	VU A2ac+3c	蒲葵 <i>Livistona chinensis</i>	VU D2
盾叶半夏 <i>Pinellia peltata</i> •	VU A2ac+3c	水椰 <i>Nypa fruticans</i>	VU A3c
长梗石柑 <i>Pothos kerrii</i>	VU A2ac+3c	江边刺葵 <i>Phoenix roebelenii</i>	VU D2
云南岩芋 <i>Remusatia yunnanensis</i> •	VU A3c	滇缅山槟榔 <i>Pinanga acuminata</i>	VU B1ab(iii)
独龙崖角藤 <i>Rhaphidophora dulongensis</i> •	EN B1ab(i,ii,iii)	兰屿山槟榔 <i>Pinanga tashiroi</i> •	CR B1ab(ii,iii,v)
绿春崖角藤 <i>Rhaphidophora luchunensis</i> •	VU A2ac+3c	小钩叶藤 <i>Plectocomia microstachys</i> •	VU D2
西南犁头尖 <i>Sauromatum horsfieldii</i>	VU B2ab(ii,iii,iv)	龙棕 <i>Trachycarpus nanus</i> •	EN A2c; C1
(14) 五加科 Araliaceae		(16) 马兜铃科 Aristolochiaceae	
东北土当归 <i>Aralia continentalis</i>	VU A2ac+3c	竹叶马兜铃 <i>Aristolochia bambusifolia</i> •	EN D
黑果土当归 <i>Aralia melanocarpa</i> •	VU B1ab(i,iii)+2ab(i,iii)	葫芦叶马兜铃 <i>Aristolochia cucurbitoides</i>	VU A3c
西藏土当归 <i>Aralia tibetana</i> •	VU D1	山草果 <i>Aristolochia delavayi</i> •	EN A1ac
茂名罗伞 <i>Brassaiopsis moumingensis</i> •	EN B1ab(i,iii); C1	通城虎 <i>Aristolochia fordiana</i> •	VU B1ab(i,iii,v)
西藏罗伞 <i>Brassaiopsis tibetana</i> •	EN B1ab(i,iii); C1	福建马兜铃 <i>Aristolochia fujianensis</i> •	VU B2ab(ii,iii)
大果树参 <i>Dendropanax chevalieri</i>	VU A2c	黄毛马兜铃 <i>Aristolochia fulvicoma</i> •	VU A2c; D2
保亭树参 <i>Dendropanax oligodontus</i> •	CR B1ab(ii,iii,iv)	海南马兜铃 <i>Aristolochia hainanensis</i> •	VU B2ab(ii,iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
南粤马兜铃 <i>Aristolochia howii</i> •	VU A3cd	勐腊藤 <i>Goniostemma punctatum</i> •	CR D
凹脉马兜铃 <i>Aristolochia impressinervis</i>	EN B2ab(ii)	橙花球兰 <i>Hoya lasiogynostegia</i> •	EN A2c
昆明马兜铃 <i>Aristolochia kunmingensis</i> •	VU B1ab(i,iii,v)	荔波球兰 <i>Hoya lipoensis</i> •	EN A2c
弄岗马兜铃 <i>Aristolochia longganensis</i>	EN A2ac+3c; B1ab(i,ii,v)	琴叶球兰 <i>Hoya pandurata</i> •	VU B2ab(ii,iii,iv)
偏花马兜铃 <i>Aristolochia obliqua</i> •	VU B2ab(ii,iii)	驼峰藤 <i>Merrillanthus hainanensis</i>	EN A2c
多型马兜铃 <i>Aristolochia polymorpha</i> •	VU D2	白水藤 <i>Pentastelma auritum</i> •	CR B1ab(ii,iii,iv); D
革叶马兜铃 <i>Aristolochia scytophylla</i> •	EN B1ab(iii)	花溪娃儿藤 <i>Tylophora anthopotamica</i> •	VU A2c; C1
海边马兜铃 <i>Aristolochia thwaitesii</i> •	VU A2c; B1ab(i,iii)	(18) 菊科 Asteraceae	
背蛇生 <i>Aristolochia tuberosa</i> •	VU A2c; B1ab(i,iii)	长叶紫菀 <i>Aster dolichophyllus</i> •	VU B1ab(i,iii)
囊花马兜铃 <i>Aristolochia utriformis</i> •	EN B1ab(i,iii,v)	复芒菊 <i>Formania mekongensis</i> •	VU B1ab(iii)
香港马兜铃 <i>Aristolochia westlandii</i> •	CR B1ab(ii,iii,v)	海南菊 <i>Hainanecio hainanensis</i> •	VU D2
中甸马兜铃 <i>Aristolochia zhongdianensis</i> •	VU D2	小花异裂菊 <i>Heteroplexis microcephala</i> •	EN A2c; B1b(i,iii,v)c(i); C1; D
花叶细辛 <i>Asarum cardiophyllum</i> •	VU B1ab(i,iii,v); C1	异裂菊 <i>Heteroplexis vernonoides</i> •	EN B2ab(i,iii,v)
短尾细辛 <i>Asarum caudigerellum</i> •	VU B1ab(i,iii,v); D1	白菊木 <i>Leucomeris decora</i>	VU B1b(i,iii)c(i)
城口细辛 <i>Asarum chengkouense</i> •	EN B1ab(i,iii,v); D	昆仑山橐吾 <i>Ligularia kunlunshanica</i> •	VU B1ab(iii)
皱纹细辛 <i>Asarum crispulum</i> •	VU A2c; C1	梨叶橐吾 <i>Ligularia pyrifolia</i> •	VU D2
台湾细辛 <i>Asarum epigynum</i> •	VU B1ab(i,iii,v); C1	大头毛鳞菊 <i>Melanoseris macrocephala</i> •	VU D2
细辛 <i>Asarum heterotropoides</i>	VU A2c; B1ab(i,iii,v); D1	桔菊木 <i>Nouelia insignis</i> •	VU A2c
苔叶细辛 <i>Asarum himalaicum</i>	VU A2c; B1ab(i,iii,v); D1	长花帚菊 <i>Pertya glabrescens</i>	EN A2ac; B1b(i,iii,v)c(i,ii)
金耳环 <i>Asarum insigne</i> •	VU A2c; B1ab(i,iii,v); D1	巫山帚菊 <i>Pertya tsoongiana</i> •	VU A2c; B1b(i,iii,v)c(i); C1
鼎湖细辛 <i>Asarum magnificum</i> var. <i>dinghuense</i> •	EN A2c; D	鹿草 <i>Rhaponticum carthamoides</i>	VU A2c
祁阳细辛 <i>Asarum magnificum</i> var. <i>magnificum</i> •	VU B1ab(iii)	雪莲 <i>Saussurea involucrata</i> var. <i>involucrata</i>	EN A2c; B1ab(i,v)
大叶细辛 <i>Asarum maximum</i> •	VU A2c; B1ab(i,iii,v); C1	乌鲁木齐风毛菊 <i>Saussurea popovii</i>	VU A2c; B1b(i,iii,v)c(i,ii)
南川细辛 <i>Asarum nanchuanense</i> •	EN D	柱序绢毛菊 <i>Soroseris teres</i>	EN D
高贵细辛 <i>Asarum nobilissimum</i> •	CR B1ab(i,iii,v)	黄花合头菊 <i>Syncalathium chrysoccephalum</i> •	EN B1ab(i,iii); C1
紫背细辛 <i>Asarum porphyronotum</i> var. <i>porphyronotum</i> •	EN B1ab(i,iii,v)	红花合头菊 <i>Syncalathium roseum</i> •	EN B1ab(i,iii); D
肾叶细辛 <i>Asarum renicordatum</i> •	EN B1ab(i,iii,v)	高山兔儿伞 <i>Syneilesia subglabrata</i> •	VU D2
汉城细辛 <i>Asarum sieboldii</i>	VU D1	革苞菊 <i>Tugarinovia mongolica</i> var. <i>mongolica</i>	VU B2ab(ii,iii); C1
南漳细辛 <i>Asarum sprengeri</i> •	CR D	(19) 桃叶珊瑚科 Aucubaceae	
同江细辛 <i>Asarum tongjiangense</i> •	EN D	密花桃叶珊瑚 <i>Aucuba confertiflora</i> •	EN A3c; B1ab(i,iii)
云南细辛 <i>Asarum yunnanense</i> •	EN D	琵琶叶珊瑚 <i>Aucuba eriobotryifolia</i> •	EN A3c; B1ab(i,iii)
马蹄香 <i>Saruma henryi</i> •	EN A2c+3c; B1ab(i,iii)	(20) 凤仙花科 Balsaminaceae	
海南线果兜铃 <i>Thottea hainanensis</i> •	VU A3c	棣慕华凤仙花 <i>Impatiens devolii</i> •	VU D2
(17) 萝藦科 Asclepiadaceae		大鼻凤仙花 <i>Impatiens nasuta</i> •	VU A2c; B1ab(i,iii)
杯冠秦岭藤 <i>Biondia laxa</i> •	VU D1	湖北凤仙花 <i>Impatiens pritzelii</i> •	VU A2c; B1ab(i,iii)
长序梗秦岭藤 <i>Biondia longipes</i> •	EN B1ab(i,iii); C1	(21) 秋海棠科 Begoniaceae	
茨菇秦岭藤 <i>Biondia tsukowensis</i> •	CR B1ab(i,iii); C1	星果草叶秋海棠 <i>Begonia asteropyrifolia</i> •	EN D
润肺草 <i>Brachystelma edule</i>	EN A2c	橙花侧膜秋海棠 <i>Begonia aurantiflora</i> •	EN D
丽江吊灯花 <i>Ceropegia aridicola</i> •	EN B1ab(i,iii); D	双花秋海棠 <i>Begonia biflora</i> •	VU B1ab(ii)
木里吊灯花 <i>Ceropegia muliensis</i> •	VU B1ab(i,iii)	册亨秋海棠 <i>Begonia cehengensis</i> •	VU A2c+3c
宝兴吊灯花 <i>Ceropegia paohsingensis</i> •	VU C1	阳春秋海棠 <i>Begonia coptidifolia</i> •	CR B2ab(iii,v); C1
荟蔓藤 <i>Cosmostigma hainanense</i> •	VU B1ab(i,iii)	德保秋海棠 <i>Begonia debaoensis</i> •	VU D1
秦岭藤白前 <i>Cynanchum biondioides</i> •	VU A2c	齿苞秋海棠 <i>Begonia dentatobracteata</i> •	VU B1ab(iii); C1
广西杯冠藤 <i>Cynanchum kwangsiense</i> •	VU B1ab(i,iii); C1	广西秋海棠 <i>Begonia guangxiensis</i> •	EN D
白牛皮消 <i>Cynanchum lysimachioides</i> •	VU B1ab(i,iii); C1	刘演秋海棠 <i>Begonia liuyanii</i> •	VU A2c; D1
楔叶南山藤 <i>Dregea cuneifolia</i> •	VU A2c; C1	铁甲秋海棠 <i>Begonia masoniana</i>	VU A2c

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
大叶秋海棠 <i>Begonia megalophyllaria</i> •	VU B1ab(i,iii)	偏斜淫羊藿 <i>Epimedium truncatum</i> •	VU C1
蒙自秋海棠 <i>Begonia mengtzeana</i> •	VU B1ab(i,iii)	竹山淫羊藿 <i>Epimedium zhushanense</i> •	VU C1
斜叶秋海棠 <i>Begonia obliquifolia</i> •	VU A2c; B1ab(i,iii)	鹤庆十大功劳 <i>Mahonia bracteolata</i> •	VU A2c; B1ab(i,iii,v)
彭氏秋海棠 <i>Begonia pengii</i> •	EN A2c; B1ab(i,iii); D	短序十大功劳 <i>Mahonia breviracema</i> •	CR B1ab(i,iii); C1+2a(ii)
半侧膜秋海棠 <i>Begonia semiparietalis</i> •	VU A2c; B1ab(i,iii); C1	察隅十大功劳 <i>Mahonia calamicaulis</i> subsp. <i>kingdon-wardiana</i> •	VU A2c; B1ab(i,iii); D2
刺盾叶秋海棠 <i>Begonia setulosopeltata</i> •	EN A2c; D	密叶十大功劳 <i>Mahonia conferta</i> •	VU B2ab(ii,iii)
近革叶秋海棠 <i>Begonia subcoriacea</i> •	VU A2c; D1	鄂西十大功劳 <i>Mahonia decipiens</i> •	VU A2c; B1ab(i,iii)
观光秋海棠 <i>Begonia tsoongii</i> •	EN A2cd; B1ab(i,iii)	滇南十大功劳 <i>Mahonia hancockiana</i> •	VU D2
伞叶秋海棠 <i>Begonia umbraculifolia</i> •	VU A2c	细齿十大功劳 <i>Mahonia leptodonta</i> •	VU A2c; B1ab(i,iii,v)
变异秋海棠 <i>Begonia variifolia</i> •	VU A2c; B1ab(i,iii); C1	长苞十大功劳 <i>Mahonia longibracteata</i> •	VU A2c; B1ab(i,iii,v)
刁水秋海棠 <i>Begonia xishuiensis</i> •	VU B1ab(iii)	小叶十大功劳 <i>Mahonia microphylla</i> •	EN D
(22) 小檗科 Berberidaceae		门隅十大功劳 <i>Mahonia monyulensis</i> •	VU D2
高山小檗 <i>Berberis alpica</i> •	CR D	网脉十大功劳 <i>Mahonia retinervis</i> •	VU A2c; B1ab(i,iii,v)
密齿小檗 <i>Berberis aristatoserrulata</i> •	VU B1ac(ii,iii)+2ac(ii,iii)	靖西十大功劳 <i>Mahonia subimbricata</i> •	VU A2c; B1ab(i,iii,v)
台湾小檗 <i>Berberis kawakamii</i> •	VU B2ac(ii,iii)	(23) 桦木科 Betulaceae	
云南八角莲 <i>Dysosma aurantiocaulis</i>	EN B1ab(i,iii,v); D	贡山桦 <i>Betula gynoterminalis</i> •	CR B1ac(ii,v)
小八角莲 <i>Dysosma difformis</i>	VU A2c	九龙桦 <i>Betula jiulungensis</i> •	CR A2c
贵州八角莲 <i>Dysosma majorensis</i> •	VU A2c	宝华鹅耳枥 <i>Carpinus oblongifolia</i> •	CR B1ab(ii,v)
西藏八角莲 <i>Dysosma tsayuensis</i> •	VU B1ab(i,iii,v); C1+2a(i)	紫脉鹅耳枥 <i>Carpinus purpurinervis</i> •	VU A2c
川八角莲 <i>Dysosma veitchii</i> •	VU C1	普陀鹅耳枥 <i>Carpinus putoensis</i> •	CR D
八角莲 <i>Dysosma versipellis</i> •	VU C1	天台鹅耳枥 <i>Carpinus tientaiensis</i> •	CR D
黔北淫羊藿 <i>Epimedium boreali-guizhouense</i> •	VU A3c	维西櫟 <i>Corylus wangii</i> •	VU D2
钟花淫羊藿 <i>Epimedium campanulatum</i> •	EN A3c	天目铁木 <i>Ostrya rehderiana</i> •	CR B1ab(ii,v)+2ab(ii,v); D
绿药淫羊藿 <i>Epimedium chlorandrum</i> •	VU A3c	云南铁木 <i>Ostrya yunnanensis</i> •	CR B1ab(ii,v)+2ab(ii,v)
德务淫羊藿 <i>Epimedium dewuense</i> •	VU A3c	滇虎櫟 <i>Ostryopsis nobilis</i> •	VU A2c
长蕊淫羊藿 <i>Epimedium dolichostemon</i> •	VU A3c	(24) 紫葳科 Bignoniacae	
无距淫羊藿 <i>Epimedium ecalcaratum</i> •	EN C1+2a(ii)	藏楸 <i>Catalpa tibetica</i> •	EN B1ab(i,iii); C1
恩施淫羊藿 <i>Epimedium enshense</i> •	EN A3c	广西厚膜树 <i>Fernandoa guangxiensis</i> •	EN C1
方氏淫羊藿 <i>Epimedium fangii</i> •	EN C1	四川波罗花 <i>Incarvillea beresowskii</i> •	VU A2c; D1
川鄂淫羊藿 <i>Epimedium fargesii</i> •	EN A3c	红波罗花 <i>Incarvillea delavayi</i> •	VU A3c; D1
天全淫羊藿 <i>Epimedium flavum</i> •	VU A3c	裂叶波罗花 <i>Incarvillea dissectifoliola</i> •	CR A3c; D1
腺毛淫羊藿 <i>Epimedium glandulosipilosum</i> •	VU C1	黄波罗花 <i>Incarvillea lutea</i> •	EN D
湖南淫羊藿 <i>Epimedium hunanense</i> •	VU B1ab(iii)	羽叶照夜白 <i>Nyctocalos pinnatum</i> •	VU B2ab(ii,iii)
镇坪淫羊藿 <i>Epimedium ilicifolium</i> •	EN C1	伏毛萼羽叶楸 <i>Stereospermum strigillossum</i> •	VU A2c; D1
宽萼淫羊藿 <i>Epimedium latisepalum</i> •	CR D	(25) 木棉科 Bombacaceae	
直距淫羊藿 <i>Epimedium mikinorii</i> •	VU C1+2a(ii)	澜沧木棉 <i>Bombax cambodiense</i>	VU A2c
多花淫羊藿 <i>Epimedium multiflorum</i> •	VU A3c	(26) 紫草科 Boraginaceae	
芦山淫羊藿 <i>Epimedium ogisui</i> •	CR B1ab(i,ii,iii,v); C1	软紫草 <i>Arnebia euchroma</i>	EN B1ab(ii)
小叶淫羊藿 <i>Epimedium parvifolium</i> •	EN D	黄花软紫草 <i>Arnebia guttata</i>	VU A2c
少花淫羊藿 <i>Epimedium pauciflorum</i> •	EN C1	天山软紫草 <i>Arnebia tschimganica</i>	VU A2c
青城山淫羊藿 <i>Epimedium qingchengshanense</i> •	EN C1	云南粗糠树 <i>Ehretia confinis</i> •	VU B1ab(i,iii)
革叶淫羊藿 <i>Epimedium reticulatum</i> •	EN A3c	镇康胀萼紫草 <i>Maharanga microstoma</i> •	VU D2
强茎淫羊藿 <i>Epimedium rhizomatosum</i> •	VU A3c	颈果草 <i>Metaeritrichium microuloides</i> •	VU B1ab(i,iii)
光叶淫羊藿 <i>Epimedium sagittatum</i> var. <i>glabratum</i> •	VU A3c	大孔微孔草 <i>Microula bhutanica</i>	VU B1ab(i,iii)
水城淫羊藿 <i>Epimedium shuichengense</i> •	EN C1	滇紫草 <i>Onosma paniculatum</i>	VU D2
单叶淫羊藿 <i>Epimedium simplicifolium</i> •	CR B1ab(i,ii,iii,v); D	峨眉附地菜 <i>Trigonotis omeiensis</i> •	VU B1ab(i,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
(27) 十字花科 Brassicaceae		西藏党参 <i>Codonopsis bhutanica</i> •	VU A2c; B1ab(i,iii)
齿叶南芥 <i>Arabis serrata</i>	VU D1+2	光叶党参 <i>Codonopsis cardiophylla</i> •	VU A2c
羽裂叶山芥 <i>Barbarea intermedia</i>	VU B1ab(i,iii)	贡山党参 <i>Codonopsis gombalana</i> •	VU A2c; B1ab(i,iii)
天池碎米荠 <i>Cardamine changbaiana</i>	EN B1ab(i,iii)	松叶鸡蛋参 <i>Codonopsis graminifolia</i> •	VU A2c; B1ab(i,iii)
鞭枝碎米荠 <i>Cardamine rockii</i> •	VU B1ab(i,iii)	紫花党参 <i>Codonopsis purpurea</i>	VU A2c+3c; B1ab(i,iii)
穴丝芥 <i>Coelonema draboides</i> •	VU B2ab(ii,iii); C1	长叶党参 <i>Codonopsis rotundifolia</i> •	VU A2c; B1ab(i,iii)
愉悦葶苈 <i>Draba jucunda</i> •	VU A2c	藏南党参 <i>Codonopsis subsimplex</i>	VU A2c; B1ab(i,iii)
奥氏葶苈 <i>Draba olgae</i>	VU D2	秦岭党参 <i>Codonopsis tsinlingensis</i> •	VU A2c; B1ab(i,iii)
疏花葶苈 <i>Draba remotiflora</i> •	VU B1ab(i,iii)	黄钟花 <i>Cyananthus flavus</i> •	VU A2c; B1ab(i,iii)
半脊芥 <i>Hemilophia pulchella</i> •	VU D1	刺萼参 <i>Echinocodon lobophyllum</i> •	CR A2c; B1ab(i,iii)
大花堇叶芥 <i>Neomartinella grandiflora</i> •	VU A2c	(34) 山柑科 Capparaceae	
宽框芥 <i>Platycraspedum tibeticum</i> •	VU A2c	节蒴木 <i>Borthwickia trifoliata</i>	EN A2cd; B1ab(i,iii); C1
双湖假蒜芥 <i>Sisymbriopsis shuanghuica</i> •	VU B1ab(iii)	多毛山柑 <i>Capparis dasypylla</i> •	CR A2c; C1; D
旱生丛菔 <i>Solms-laubachia xerophyta</i> •	VU A2c	少蕊山柑 <i>Capparis floribunda</i>	CR B1ab(i,iii)
四川薪蓂 <i>Thlaspi flagelliferum</i> •	VU A2c	屏边山柑 <i>Capparis khuamak</i>	EN A2cd; C1
叉毛阴山芥 <i>Yinshanria furcatopilosa</i> •	VU D2	马槟榔 <i>Capparis masaikai</i> •	VU A2cd
武功山阴山芥 <i>Yinshanria hui</i> •	VU D2	毛叶山柑 <i>Capparis pubifolia</i> •	EN A2bcde; C1
(28) 水玉簪科 Burmanniaceae		无柄山柑 <i>Capparis sessilis</i>	EN D
透明水玉簪 <i>Burmannia cryptopetala</i>	VU B1ab(i,iii,v)	毛果山柑 <i>Capparis trichocarpa</i> •	VU D1
(29) 橄榄科 Burseraceae		元江山柑 <i>Capparis wui</i> •	EN A2c
小叶榄 <i>Canarium parvum</i>	EN A2c; D	(35) 忍冬科 Caprifoliaceae	
毛叶榄 <i>Canarium subulatum</i>	VU A2c; B1ab(i,iii)	七子花 <i>Heptacodium miconoides</i> •	EN B1ab(ii,iii)
滇马蹄果 <i>Protium yunnanense</i> •	CR B1ab(i,iii,v)	绵毛鬼吹箫 <i>Leycesteria stipulata</i>	EN B2ab(ii,iii)
(30) 黄杨科 Buxaceae		钟花忍冬 <i>Lonicera codonantha</i> •	VU A3c; B1ab(i,iii)
滇南黄杨 <i>Buxus austroyunnanensis</i> •	EN B1ab(i,iii)	短柱忍冬 <i>Lonicera fragilis</i> •	VU A3c; B1ab(i,iii)
潮安黄杨 <i>Buxus chaoanensis</i> •	CR B1ab(iii)	吉隆忍冬 <i>Lonicera jilongensis</i> •	EN B1ab(i,iii); D
海南黄杨 <i>Buxus hainanensis</i> •	EN A2c; B2ab(ii,iii)	细叶忍冬 <i>Lonicera minutifolia</i> •	EN B1ab(i,iii); D
毛果黄杨 <i>Buxus hebecarpa</i> •	EN A2c; C1	丁香叶忍冬 <i>Lonicera oblonga</i> •	VU B1ab(i,iii); D2
宜昌黄杨 <i>Buxus ichangensis</i> •	CR A2c; B1ab(i,iii)	瘤基忍冬 <i>Lonicera oiwakensis</i> •	VU D2
变光软毛黄杨 <i>Buxus mollicula</i> var. <i>glabra</i> •	EN D	赤水忍冬 <i>Lonicera tricalyxioides</i> •	VU A2c; B1ab(i,iii)
毛枝黄杨 <i>Buxus pubiramea</i> •	CR B1ab(i,iii)	(36) 石竹科 Caryophyllaceae	
长叶野扇花 <i>Sarcococca longifolia</i> •	EN A2c; B1ab(i,iii); C1	阿克赛钦雪灵芝 <i>Arenaria aksayqingsensis</i> •	VU D2
长叶柄野扇花 <i>Sarcococca longipetiolata</i> •	EN A2c; B1ab(i,iii); C1	黄毛无心菜 <i>Arenaria auricoma</i> •	VU D2
柳叶野扇花 <i>Sarcococca saligna</i>	EN A2c; C1	雪灵芝 <i>Arenaria brevipetala</i> •	VU A1ac+3c
(31) 茄菜科 Cabombaceae		不显无心菜 <i>Arenaria inconspicua</i> •	VU D2
莼菜 <i>Brasenia schreberi</i>	CR A3c+4acd; B2ab(ii,iii,iv,v)	无饰无心菜 <i>Arenaria inornata</i> •	VU D2
(32) 蜡梅科 Calycanthaceae		大雪山无心菜 <i>Arenaria nivalmontana</i> •	VU D2
夏蜡梅 <i>Calycanthus chinensis</i> •	EN D	中甸无心菜 <i>Arenaria zhongdianensis</i> •	VU D2
突托蜡梅 <i>Chimonanthus grammatus</i> •	EN D	长白卷耳 <i>Cerastium baishanense</i> •	VU D2
(33) 桔梗科 Campanulaceae		椭圆叶卷耳 <i>Cerastium limprichtii</i> •	VU D2
短花盘沙参 <i>Adenophora brevidiscifera</i> •	VU A2c	金铁锁 <i>Psammosilene tunicoides</i> •	EN A2c+3c; B2(i,iv)
丽江风铃草 <i>Campanula delavayi</i> •	VU A2c; B1ab(i,iii)	(37) 卫矛科 Celastraceae	
澜沧风铃草 <i>Campanula mekongensis</i> •	EN A2c; B1ab(i,iii)	膝柄木 <i>Bhesa robusta</i>	CR B1ac(ii,v)+2ac(ii,v); D
藏南风铃草 <i>Campanula nakaoi</i>	VU A2c; B1ab(i,iii)	绿独子藤 <i>Celastrus virens</i> •	EN B1ab(i,iii)
银背叶党参 <i>Codonopsis argentea</i> •	EN A2c; B1ab(i,iii)	静容卫矛 <i>Euonymus chengii</i> •	VU B1ab(i,iii); D1

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
缙云卫矛 <i>Euonymus chloranthoides</i> •	EN B2ac(ii,iii)	薄叶红厚壳 <i>Calophyllum membranaceum</i>	VU B1ab(i,iii); D1
榕叶卫矛 <i>Euonymus ficoides</i> •	EN A2c; D	红萼藤黄 <i>Garcinia erythrosepala</i> •	VU A2c; D1
海南卫矛 <i>Euonymus hainanensis</i> •	EN A2c; B1ab(i,iii)	广西藤黄 <i>Garcinia kwangsiensis</i> •	EN A2c; B1ab(iii); C1
丽江卫矛 <i>Euonymus lichiangensis</i> •	VU A2c; D1+2	长裂藤黄 <i>Garcinia lancilimba</i> •	VU A2c
西畴卫矛 <i>Euonymus percoriaceus</i> •	CR A2c; B1ab(i,iii); C1	金丝李 <i>Garcinia paucinervis</i> •	VU A2abcd; B1ab(i,iii); C1
四川卫矛 <i>Euonymus szechuanensis</i> •	VU A2c; B1ab(i,iii); D1	双籽藤黄 <i>Garcinia tetralata</i> •	VU A2c; B1ab(iii)
瘤果卫矛 <i>Euonymus verrucocarpus</i> •	EN A2c; D	版纳藤黄 <i>Garcinia xishuanbannaensis</i> •	VU A2c; D1
云南卫矛 <i>Euonymus yunnanensis</i> •	EN B1ab(i,iii); C1	无柄金丝桃 <i>Hypericum austustinii</i> •	VU A2cd; B1ab(i,iii)
冬青沟瓣 <i>Glyptopetalum aquifolium</i> •	CR A2ac; B1ab(i,iii)	多蕊金丝桃 <i>Hypericum choisanum</i>	VU A2c; B1ab(i,iii)
罗甸沟瓣 <i>Glyptopetalum feddei</i> •	VU B2ab(ii,iii)	台湾金丝桃 <i>Hypericum formosanum</i> •	EN B2ab(ii)
刺叶沟瓣 <i>Glyptopetalum ilicifolium</i> •	VU A2c; B1ab(i,ii,iii,v)	藏东南金丝桃 <i>Hypericum griffithii</i> •	VU A2c; D1
披针叶沟瓣 <i>Glyptopetalum lancilimum</i> •	VU A2c+3c	毛金丝桃 <i>Hypericum hirsutum</i>	VU A2c; C1
细梗沟瓣 <i>Glyptopetalum longepedunculatum</i>	EN B1ab(i,iii); C1	湖北金丝桃 <i>Hypericum hubeicense</i> •	EN A2c; C1
长梗沟瓣 <i>Glyptopetalum longipedicellatum</i> •	VU B1ab(i,ii,iii); D1+2	宽萼金丝桃 <i>Hypericum latisepalum</i>	EN A2c; B1ab(i,ii,iii)+2ab(i,ii,iii); C1
轮廓沟瓣 <i>Glyptopetalum verticillatum</i>	CR B1ab(i, ii, iii, v)	滇藏遍地金 <i>Hypericum ludlowii</i>	VU A2c; B1ab(i,ii,iii)+2ab(i,ii,iii); C1
小檗裸实 <i>Gymnosporia berberoides</i> •	VU A2c; B1ab(i,ii,iii)	玉山金丝桃 <i>Hypericum nagasawae</i> •	VU B2ac(ii)
台湾裸实 <i>Gymnosporia emarginata</i>	EN B2ab(ii,iii)	能高金丝桃 <i>Hypericum nokoense</i> •	EN B2ab(ii)
贵州裸实 <i>Gymnosporia esquirolii</i> •	EN A2c; B1ab(i,iii)	方茎金丝桃 <i>Hypericum subalatum</i> •	VU B2ac(ii)
金阳美登木 <i>Gymnosporia jinyangensis</i> •	EN B1ab(i,iii)	(43) 使君子科 <i>Combretaceae</i>	
圆叶裸实 <i>Gymnosporia orbiculata</i> •	VU A2c; B1ab(i,iii)	红榄李 <i>Lumnitzera littorea</i>	VU A3; B1ab(i,iii)
吊罗裸实 <i>Gymnosporia tiaoloshanensis</i> •	EN B1ab(i,iii)	小花使君子 <i>Quisqualis conferta</i>	VU B1ab(i,ii,iii,v)
灰枝翅子藤 <i>Loeseneriella griseoramula</i> •	VU B1ab(ii)	毗黎勒 <i>Terminalia bellirica</i>	EN A1c
密花美登木 <i>Maytenus confertiflora</i> •	VU A2c	千果榄仁 <i>Terminalia myriocarpa</i> var. <i>myriocarpa</i>	VU A3c; B1ab(i,iii)
广西美登木 <i>Maytenus guangxiensis</i> •	VU A2c	(44) 鸭跖草科 <i>Commelinaceae</i>	
海南美登木 <i>Maytenus hainanensis</i> •	VU A2ac+3c	波缘水竹叶 <i>Murdannia undulata</i> •	CR A2c; B1ab(i,iii); C1
复序假卫矛 <i>Microtropis semipaniculata</i> •	VU D2	(45) 牛栓藤科 <i>Connaraceae</i>	
大序假卫矛 <i>Microtropis thrysiflora</i> •	VU B2ab(ii,iii)	栗豆藤 <i>Agelaea trinervis</i>	EN A2c
永瓣藤 <i>Monimopetalum chinense</i> •	EN A2c	单叶豆 <i>Ellipanthus glabrifolius</i> •	EN B1ab(i,iii)
橙果五层龙 <i>Salacia aurantiaca</i> •	EN A2c; B1ab(i,iii)	(46) 旋花科 <i>Convolvulaceae</i>	
河口五层龙 <i>Salacia obovatilimba</i> •	EN A2c; B1ab(i,iii)	亮叶银背藤 <i>Argyreia splendens</i>	VU D2
多籽五层龙 <i>Salacia polysperma</i> •	EN A2c	丁公藤 <i>Erycibe obtusifolia</i>	VU B1ab(iii)
(38) 藜科 <i>Chenopodiaceae</i>		(47) 山茱萸科 <i>Cornaceae</i>	
单性滨藜 <i>Archatriplex nanpinensis</i> •	EN D	草茱萸 <i>Cornus canadensis</i>	CR A3c; B1ab(i,iii)
长枝节节木 <i>Arthrophytum iliense</i>	VU A2c	朝鲜梾木 <i>Cornus coreana</i>	EN A3c; B1ab(i,iii)
海滨藜 <i>Atriplex maximowicziana</i>	EN D	(48) 闭鞘姜科 <i>Costaceae</i>	
白瑛瑛 <i>Haloxylon persicum</i>	VU A2c; C1	绿苞闭鞘姜 <i>Costus viridis</i> •	CR A3c; B1ab(ii,iii,v)
天山猪毛菜 <i>Salsola junatovii</i> •	VU B1ab(i,iii)	(49) 景天科 <i>Crassulaceae</i>	
(39) 金粟兰科 <i>Chloranthaceae</i>		长穗八宝 <i>Hylotelephium angustum</i> var. <i>longipedunculum</i> •	VU D2
雪香兰 <i>Hedyosmum orientale</i>	VU B2ab(ii,iii)	川鄂八宝 <i>Hylotelephium bonnafousii</i> •	CR D
(40) 半日花科 <i>Cistaceae</i>		兴安费菜 <i>Phedimus hsinganicus</i> •	EN D
半日花 <i>Helianthemum songaricum</i>	EN A2c; B1ab(i,iii); C1	齿叶费菜 <i>Phedimus odontophyllus</i>	VU D1
(41) 山柳科 <i>Clethraceae</i>		互生红景天 <i>Rhodiola alterna</i> •	CR C1
城口桤叶树 <i>Clethra fargesii</i> •	EN A2c; B1ab(i,iii); C1	德钦红景天 <i>Rhodiola atuntsuensis</i>	EN B1ab(i,iii); D
白背桤叶树 <i>Clethra petelotii</i>	CR A2c; B1ab(i,iii); C1	美花红景天 <i>Rhodiola calliantha</i> •	EN D
(42) 藤黄科 <i>Clusiaceae</i>			

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
大花红景天 <i>Rhodiola crenulata</i>	EN B1ab(iii)	德钦石莲 <i>Sinocrassula techinensis</i> •	CR B1ab(i,iii); C1; D
甘南红景天 <i>Rhodiola gannanica</i> •	EN D	云南石莲 <i>Sinocrassula yunnanensis</i> •	CR B1ab(i,iii); C1; D
洮河红景天 <i>Rhodiola himalensis</i> subsp. <i>taohoensis</i> •	EN B1ab(i,iii)	丽江东爪草 <i>Tillaea likiangensis</i> •	CR B1ab(i,iii); C1; D
背药红景天 <i>Rhodiola hobsonii</i>	EN D	(50) 隐翼科 Crypteroniaceae	
矮生红景天 <i>Rhodiola humilis</i>	VU B1ab(i,iii)	隐翼木 <i>Crypteronia paniculata</i>	EN A2c; B1ab(i,iii); C1
甘肃红景天 <i>Rhodiola kansuensis</i> •	CR B1ab(i,iii); C1; D	(51) 葫芦科 Cucurbitaceae	
喀什红景天 <i>Rhodiola kashgarica</i> •	CR C1	云南盒子草 <i>Actinostemma tenerum</i> var. <i>yunnanensis</i> •	VU A2c
昆明红景天 <i>Rhodiola lichiae</i> •	EN B1ab(i,iii); C1; D	三裂瓜 <i>Biswarea tonglensis</i>	EN D
优秀红景天 <i>Rhodiola nobilis</i>	VU A2c	刺儿瓜 <i>Bolbostemma biglandulosum</i> var. <i>biglandulosum</i> •	EN B1ab(i,iii,v); D
四轮红景天 <i>Rhodiola prainii</i>	EN B1ab(i,iii); C1	三棱瓜 <i>Edgaria darjeelingensis</i>	VU A2c
红景天 <i>Rhodiola rosea</i> var. <i>rosea</i>	VU B1ab(iii)	金瓜 <i>Gymnopetalum chinensis</i>	VU A2c
库页红景天 <i>Rhodiola sachalinensis</i>	VU B1ab(i,iii); D1	聚果绞股蓝 <i>Gynostemma aggregatum</i> •	VU B2ab(ii)
圣地红景天 <i>Rhodiola sacra</i> var. <i>sacra</i> •	VU D1	心籽绞股蓝 <i>Gynostemma cardiospermum</i> •	EN D
六叶红景天 <i>Rhodiola sexifolia</i> •	EN B1ab(i,iii); C1; D	疏花绞股蓝 <i>Gynostemma laxiflorum</i> •	CR D
小杯红景天 <i>Rhodiola sherriffii</i> •	EN D	小籽绞股蓝 <i>Gynostemma microspermum</i>	VU D1
异鳞红景天 <i>Rhodiola smithii</i> •	VU D1	五柱绞股蓝 <i>Gynostemma pentagynum</i> •	CR B1ab(i,ii,iii); D
唐古红景天 <i>Rhodiola tangutica</i> •	VU B1ab(i,iii); D1	曲莲 <i>Hemsleya amabilis</i> •	VU A2c
西藏红景天 <i>Rhodiola tibetica</i>	EN D	独龙江雪胆 <i>Hemsleya dulongjiangensis</i> •	VU B1ab(i,iii)
镰座景天 <i>Sedum celiae</i> •	EN B1ab(i,iii); D	椭圆果雪胆 <i>Hemsleya ellipsoidea</i> •	VU A2c; B1ab(i,iii,v)
楚雄景天 <i>Sedum chuhsingense</i> •	CR B1ab(i,iii); C1; D	马铜铃 <i>Hemsleya graciliflora</i>	VU A2c
合果景天 <i>Sedum concarpum</i> •	CR C1	丽江雪胆 <i>Hemsleya lijiangensis</i> •	VU A2c
山裂距景天 <i>Sedum costantinii</i> •	EN D	大花雪胆 <i>Hemsleya macrocarpa</i> var. <i>grandiflora</i> •	EN D
乳瓣景天 <i>Sedum dielsii</i> •	VU A2c; B1ab(i,iii)	盘龙七 <i>Hemsleya panlongqi</i> •	VU A2c
二型叶景天 <i>Sedum dimorphophyllum</i> •	CR B1ab(i,iii); C1; D	峨眉裂瓜 <i>Schizopepon monoicus</i> •	EN A2c; D
东至景天 <i>Sedum dongzhicense</i> •	CR B1ab(i,iii); C1; D	翅子罗汉果 <i>Siraitia siamensis</i>	VU A2c
细叶山景天 <i>Sedum franchetii</i> •	EN B1ab(i,iii); D	锡金罗汉果 <i>Siraitia sikkimensis</i>	VU B1ab(i,iii,v)
柔毛景天 <i>Sedum glajae</i> •	CR B1ab(i,iii); C1; D	长果栝楼 <i>Trichosanthes kerrii</i>	VU A2c; D1
本州景天 <i>Sedum hakonense</i>	CR B1ab(i,iii); C1; D	绵阳栝楼 <i>Trichosanthes mianyangensis</i> •	VU A2c; D1
潜茎景天 <i>Sedum latentibulbosum</i> •	CR B1ab(i,iii); C1; D	小花栝楼 <i>Trichosanthes parviflora</i> •	VU A2c
禄劝景天 <i>Sedum luchuanicum</i> •	CR B1ab(i,iii); C1; D	菝葜叶栝楼 <i>Trichosanthes smilacifolia</i> •	VU A2c
铲瓣景天 <i>Sedum obtrullatum</i> •	EN B1ab(i,iii); D	方籽栝楼 <i>Trichosanthes tetragonosperma</i> •	CR B1ab(i,iii); D
寒地景天 <i>Sedum pagetodes</i> •	EN B1ab(i,iii); D	大子栝楼 <i>Trichosanthes truncata</i>	EN B1ab(i,iii); C1
敏感景天 <i>Sedum paracelatum</i> •	EN B1ab(i,iii); D	薄叶栝楼 <i>Trichosanthes wallichiana</i>	VU A2c
裂鳞景天 <i>Sedum purdomii</i> •	CR B1ab(i,iii); C1; D	锤果马鬃儿 <i>Zehneria wallichii</i>	VU A2c
糠秕景天 <i>Sedum ramentaceum</i> •	CR B1ab(i,iii); C1; D	(52) 丝粉藻科 Cymodoceaceae	
箭瓣景天 <i>Sedum sagittipetalum</i> •	CR B1ab(i,iii); C1; D	丝粉藻 <i>Cymodocea rotundata</i>	VU A2c; B1ab(i,iii,v); D1
冰川景天 <i>Sedum sinoglaciata</i> •	EN D	针叶藻 <i>Syringodium isoetifolium</i>	EN A2c+3c
邓川景天 <i>Sedum somenii</i> •	CR B1ab(i,iii); C1; D	(53) 锁阳科 Cynomoriaceae	
刺毛景天 <i>Sedum stimulosum</i> •	CR B1ab(i,iii); C1; D	锁阳 <i>Cynomorium songaricum</i>	VU A2c; B1ab(i,iii); C1
青海景天 <i>Sedum tsinghaicum</i> •	CR B1ab(i,iii); C1; D	(54) 莎草科 Cyperaceae	
错那景天 <i>Sedum tsonanum</i> •	CR B1ab(i,iii); C1; D	发秆薹草 <i>Carex capillacea</i>	EN D
德钦景天 <i>Sedum wangii</i> •	CR B1ab(i,iii); C1; D	禾秆薹草 <i>Carex graminiculmis</i> •	VU A2c; B1ab(i,iii)
汶川景天 <i>Sedum wenchuanense</i> •	EN D	五台山薹草 <i>Carex montis-wutaii</i> •	VU B1ab(i,iii)
兴山景天 <i>Sedum wilsonii</i> •	CR B1ab(i,iii); C1; D	普陀薹草 <i>Carex putuoensis</i> •	EN A2c; B1ab(i,iii); C1
长萼景天 <i>Sedum woronowii</i> •	CR B1ab(i,iii); C1; D	陕西薹草 <i>Carex shaanxiensis</i> •	VU A2c; B1ab(i,iii); C1
绿花石莲 <i>Sinocrassula indica</i> var. <i>viridiflora</i> •	VU B1ab(i,iii,v)	舒城薹草 <i>Carex shuchengensis</i> •	VU B1ab(i,iii)
长柱石莲 <i>Sinocrassula longistyla</i> •	CR C1; D	澳门薹草 <i>Carex spachiana</i> •	EN B1ab(i,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
河北薹草 <i>Carex tangii</i> •	VU B1ab(i,iii); C1	台湾蓝盆花 <i>Scabiosa lacerifolia</i> •	VU B2ac(ii,iii)
武山薹草 <i>Carex wushanensis</i> •	VU B1ab(iii)	(60) 龙脑香科 <i>Dipterocarpaceae</i>	
海南割鸡芒 <i>Hypolytrum hainanense</i>	VU B2ac(ii,iii)	纤细龙脑香 <i>Dipterocarpus gracilis</i>	EN A2c; B1ab(ii,iii); D
曲氏水葱 <i>Schoenoplectus chuanus</i> •	EN B1ab(i,iii)	多毛东京龙脑香 <i>Dipterocarpus retusus</i> var. <i>macrocarpus</i>	VU A2c+3c
荆门水葱 <i>Schoenoplectus jingmenensis</i> •	VU B1ab(i,iii)	东京龙脑香 <i>Dipterocarpus retusus</i> var. <i>retusus</i>	EN A2c; B1ab(ii,iii); D
单穗水葱 <i>Schoenoplectus monocephalus</i> •	VU B1ab(iii)	狭叶坡垒 <i>Hopea chinensis</i>	VU A2c+3c
佛焰苞藨草 <i>Scirpus maximowiczii</i>	VU A2c	坡垒 <i>Hopea hainanensis</i>	EN A2c; D
(55) 岩梅科 <i>Diapensiaceae</i>		铁凌 <i>Hopea reticulata</i>	CR B1ab(i,iii); C1
西藏岩梅 <i>Diapensia wardii</i> •	EN A2c; C1	西藏坡垒 <i>Hopea shingkeng</i> •	EN D
(56) 五桠果科 <i>Dilleniaceae</i>		望天树 <i>Parashorea chinensis</i>	EN A2c; C1
五桠果 <i>Dillenia indica</i>	EN A2c	云南娑罗双 <i>Shorea assamica</i>	EN B2ab(iii); C2a(ii); D
(57) 薯蓣科 <i>Dioscoreaceae</i>		广西青梅 <i>Vatica guangxiensis</i>	CR B2ab(iii); C2a(i)
蜀葵叶薯蓣 <i>Dioscorea althaeoides</i>	VU B1ab(v)	西藏青梅 <i>Vatica lanceifolia</i>	EN A2c; D
丽叶薯蓣 <i>Dioscorea aspersa</i> •	EN A3c; B2ab(v)	青梅 <i>Vatica mangachapoi</i>	VU B1b(i,iii)
板砖薯蓣 <i>Dioscorea banzhuana</i> •	CR A3c	(61) 茅膏菜科 <i>Droseraceae</i>	
尖头果薯蓣 <i>Dioscorea bicolor</i> •	EN A2c; B1ab(v)	貉藻 <i>Aldrovanda vesiculosa</i>	EN A2cde; C1
异叶薯蓣 <i>Dioscorea biformifolia</i> •	CR A2c+3c	异萼柿 <i>Diospyros anisocalyx</i> •	EN A2c; B1ab(i,iii); C1
独龙薯蓣 <i>Dioscorea birmanica</i>	CR A2c	五蒂柿 <i>Diospyros corallina</i> •	VU A2c
山葛薯 <i>Dioscorea chingii</i>	EN B1ab(v)	黑毛柿 <i>Diospyros hasseltii</i>	EN B1ab(i,iii); C1
多毛叶薯蓣 <i>Dioscorea decipiens</i> var. <i>decipiens</i>	CR A2c	囊萼柿 <i>Diospyros inflata</i> •	EN B1ab(i,iii); C1
滇薯 <i>Dioscorea decipiens</i> var. <i>glabrescens</i> •	CR A2c	黑皮柿 <i>Diospyros nigricortex</i> •	VU A2acd
高山薯蓣 <i>Dioscorea delavayi</i> •	VU A2c	网脉柿 <i>Diospyros reticulinervis</i> var. <i>reticulinervis</i> •	VU A2c; D1
三角叶薯蓣 <i>Dioscorea deltoidea</i>	CR A2c; D	川柿 <i>Diospyros sutchuenensis</i> •	CR A3c; B1ab(i,iii,v); C1; D
七叶薯蓣 <i>Dioscorea esquirolii</i> •	CR A2c	小果柿 <i>Diospyros vaccinoides</i> •	EN A2c; B1ab(i,ii,iii,v); C1
宽果薯蓣 <i>Dioscorea garrettii</i>	CR A2c	(63) 胡颓子科 <i>Elaeagnaceae</i>	
光叶薯蓣 <i>Dioscorea glabra</i>	VU A2c	嵩明木半夏 <i>Elaeagnus angustata</i> var. <i>songmingensis</i> •	VU A3c; D1
柳叶薯蓣 <i>Dioscorea linearicordata</i> •	EN B1ab(iii,v)	樟叶胡颓子 <i>Elaeagnus cinnamomifolia</i> •	VU A3c
柔毛薯蓣 <i>Dioscorea martini</i> •	CR A2c	蓬莱胡颓子 <i>Elaeagnus formosensis</i> •	CR B1ab(ii,iii)
石山薯蓣 <i>Dioscorea menglaensis</i> •	EN B1ab(iii,v)	翅果油树 <i>Elaeagnus mollis</i> •	EN A2c; B1ab(i,iii)
光亮薯蓣 <i>Dioscorea nitens</i> •	CR B1ab(v)	攀缘胡颓子 <i>Elaeagnus sarmentosa</i> •	VU A2c
黄山药 <i>Dioscorea panthaica</i>	EN B1ab(iii,v)	太鲁阁胡颓子 <i>Elaeagnus tarokoensis</i> •	VU D1
褐苞薯蓣 <i>Dioscorea persimilis</i> var. <i>persimilis</i>	EN A2c; D	菲律宾胡颓子 <i>Elaeagnus triflora</i>	VU D1
毛褐苞薯蓣 <i>Dioscorea persimilis</i> var. <i>pubescens</i>	EN B1ab(i,ii)	柳叶沙棘 <i>Hippophae salicifolia</i>	VU A2c; D2
小花刺薯蓣 <i>Dioscorea scortechinii</i> var. <i>parviflora</i>	CR A2c	(64) 杜英科 <i>Elaeocarpaceae</i>	
马肠薯蓣 <i>Dioscorea simulans</i> •	VU A2c+3c	金毛杜英 <i>Elaeocarpus auricomus</i>	VU A2bede
小花盾叶薯蓣 <i>Dioscorea sinoparviflora</i> •	EN A2c	滇南杜英 <i>Elaeocarpus austroyunnanensis</i> •	VU A2c
毛胶薯蓣 <i>Dioscorea subcalva</i> var. <i>subcalva</i> •	EN A2c; B1ab(iii,v)	短穗杜英 <i>Elaeocarpus brachystachyus</i> var. <i>brachystachyus</i> •	EN B1ab(ii,iii)
略毛薯蓣 <i>Dioscorea subcalva</i> var. <i>submollis</i> •	EN A2c	大果禿瓣杜英 <i>Elaeocarpus glabripetalus</i> var. <i>grandiflatus</i> •	CR A2c; D
卷须状薯蓣 <i>Dioscorea tentaculigera</i>	CR A2c	肿柄杜英 <i>Elaeocarpus harmandii</i>	CR B1ab(i,iii,v); D
细柄薯蓣 <i>Dioscorea tenuipes</i>	VU A2c	老挝杜英 <i>Elaeocarpus laoticus</i>	VU A2c
毡毛薯蓣 <i>Dioscorea velutipes</i>	EN B1ab(i,iii)	绢毛杜英 <i>Elaeocarpus nitentifolius</i>	VU A2c; B1ab(iii)
盈江薯蓣 <i>Dioscorea wallichii</i>	CR A2c+3c	长圆叶杜英 <i>Elaeocarpus oblongilimbus</i> •	EN D
藏刺薯蓣 <i>Dioscorea xizangensis</i> •	CR A2c	毛果杜英 <i>Elaeocarpus rugosus</i>	VU D1+2
(58) 十齿花科 <i>Dipentodontaceae</i>		阔叶圆果杜英 <i>Elaeocarpus sphaerocarpus</i> •	VU A2c
台湾核子木 <i>Perrottetia arisanensis</i> •	VU B1ab(i,iii)	屏边杜英 <i>Elaeocarpus subpetiolatus</i> •	CR B1ab(iii)
(59) 川续断科 <i>Dipsacaceae</i>			

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
百色猴欢喜 <i>Sloanea chingiana</i> •	VU A2c; D1	变光杜鹃 <i>Rhododendron calvescens</i> var. <i>calvescens</i> •	VU A2c+3c; D1
心叶猴欢喜 <i>Sloanea cordifolia</i> •	EN A2c; B1ab(iii); D	瓣萼杜鹃 <i>Rhododendron catacosmum</i> •	VU A2c+3c; D1
全缘叶猴欢喜 <i>Sloanea integrifolia</i>	EN A2c; B1ab(iii); D	树枫杜鹃 <i>Rhododendron changii</i> •	VU C1
斜脉猴欢喜 <i>Sloanea sigun</i>	EN D	砾石杜鹃 <i>Rhododendron comisteum</i> •	VU A2c
长叶猴欢喜 <i>Sloanea sterculiacea</i> var. <i>assamica</i>	VU A2c; B1ab(i,iii)	楔叶杜鹃 <i>Rhododendron cuneatum</i> •	VU A2c
贡山猴欢喜 <i>Sloanea sterculiacea</i> var. <i>sterculiacea</i>	VU B1ab(ii,iii)	蓝果杜鹃 <i>Rhododendron cyanocarpum</i> •	VU A2c; D1
(65) 杜鹃花科 Ericaceae		漏斗杜鹃 <i>Rhododendron dasycladoides</i> •	VU B1ab(i,iii)
大果树萝卜 <i>Agapetes megacarpa</i>	VU A2c	附生杜鹃 <i>Rhododendron dendricola</i>	VU A2c; D1+2
藏布江树萝卜 <i>Agapetes praeclara</i>	VU B1ab(i,iii)	树生杜鹃 <i>Rhododendron dendrocharis</i> •	EN A2c
鼠尾锦绣花 <i>Cassiope myosuroides</i>	VU D2	干净杜鹃 <i>Rhododendron detersile</i> •	VU A2c; D1+2
东北岩高兰 <i>Empetrum nigrum</i> var. <i>japonicum</i>	VU A2c; B1ab(iii)	杂色杜鹃 <i>Rhododendron eclecteum</i> var. <i>eclecteum</i>	VU D2
少花吊钟花 <i>Enkianthus pauciflorus</i> •	VU A2c	金江杜鹃 <i>Rhododendron elegantulum</i> •	VU A2c
台湾吊钟花 <i>Enkianthus perulatus</i>	VU A2c	宽筒杜鹃 <i>Rhododendron eurycephalon</i> •	EN A2c; D
钟花白珠 <i>Gaultheria codonantha</i>	EN C1	金顶杜鹃 <i>Rhododendron faberi</i> subsp. <i>faberi</i> •	VU A2c; D1+2
高山丛林白珠 <i>Gaultheria dumicola</i> var. <i>peta-</i> <i>noneuron</i> •	EN C1	大云锦杜鹃 <i>Rhododendron faithiae</i> •	VU A2c+3c; D1+2
短穗白珠 <i>Gaultheria notabilis</i> •	CR B1ab(i,iii)	防城杜鹃 <i>Rhododendron fangchengense</i> •	VU A2c+3c
草地白珠 <i>Gaultheria pratica</i> •	VU D2	淡黄杜鹃 <i>Rhododendron flavidum</i> var. <i>flavidum</i> •	VU A2c
伏地白珠 <i>Gaultheria suborbicularis</i> •	VU D1	龙岩杜鹃 <i>Rhododendron florulentum</i> •	VU A2c+3c
萌生沙晶兰 <i>Monotropastrum sciaphilum</i> •	CR D	乳黄叶杜鹃 <i>Rhododendron galactinum</i> •	EN D
长萼马醉木 <i>Pieris swinhoei</i> •	VU D2	灰白杜鹃 <i>Rhododendron genestierianum</i>	VU A2c+3c; D1
花叶鹿蹄草 <i>Pyrola alboreticulata</i> •	CR D	朱红大杜鹃 <i>Rhododendron griersonianum</i>	CR B1ab(i,iii)
小叶鹿蹄草 <i>Pyrola media</i>	EN A2cd; B1b(i,iii)	广南杜鹃 <i>Rhododendron guangnanense</i> •	CR B1ab(i,iii); C1
单叶鹿蹄草 <i>Pyrola monophylla</i> •	VU D2	粗毛杜鹃 <i>Rhododendron habrotrichum</i> •	VU A2c
台湾鹿蹄草 <i>Pyrola morrisonensis</i> •	CR D	似血杜鹃(原亚种) <i>Rhododendron haematodes</i> subsp. <i>haematodes</i> •	VU D2
皱叶鹿蹄草 <i>Pyrola rugosa</i> •	EN A2c	海南杜鹃 <i>Rhododendron hainanense</i> •	VU A3c; D2
长白鹿蹄草 <i>Pyrola tschanbaischanica</i> •	EN A2c; C1	疏叶杜鹃 <i>Rhododendron hanceanum</i> •	VU A2c+3c; D1
碟花杜鹃 <i>Rhododendron aberconwayi</i> •	VU D1+2	粉背碎米花 <i>Rhododendron hemitrichotum</i> •	VU A2c
弯尖杜鹃 <i>Rhododendron adenopodium</i> •	VU B1ab(i,ii,iii); D1	波叶杜鹃 <i>Rhododendron hemsleyanum</i> var. <i>hemsleyanum</i> •	CR B1ab(i,iii)
紫花杜鹃 <i>Rhododendron amesiae</i> •	CR B1ab(i,ii,iii)	多裂杜鹃 <i>Rhododendron hodgsonii</i>	VU A2c; D1+2
棕色树形杜鹃 <i>Rhododendron arboreum</i> var. <i>cinnamomeum</i>	VU D1+2	会东杜鹃 <i>Rhododendron huidongense</i> •	VU A2c
夺目杜鹃 <i>Rhododendron arizelum</i>	VU D2	黄毛岷江杜鹃 <i>Rhododendron hunnewellianum</i> subsp. <i>rockii</i> •	VU A2c; D1
瘤枝杜鹃 <i>Rhododendron asperulum</i>	VU A2c	粉果杜鹃 <i>Rhododendron hylaeum</i>	VU A2c
汶川星毛杜鹃 <i>Rhododendron asterochnum</i> var. <i>asterochnum</i> •	VU A2c; D1	绝伦杜鹃 <i>Rhododendron invictum</i> •	VU A2c; D1
牛皮杜鹃 <i>Rhododendron aureum</i>	VU A2c	井冈山杜鹃 <i>Rhododendron jingangshanicum</i> •	EN B1ab(v)+ 2ab(v); D
辐花杜鹃 <i>Rhododendron baileyi</i>	VU A2c; D1	独龙杜鹃 <i>Rhododendron keleticum</i>	VU A2c+3c; D2
毛萼杜鹃 <i>Rhododendron bainbridgeanum</i>	VU D2	江西杜鹃 <i>Rhododendron kiangsiense</i> •	EN A2c
巴朗杜鹃 <i>Rhododendron balangense</i> •	CR B1ab(iii,v)+2ab(iii,v)	淡钟杜鹃 <i>Rhododendron lanatoides</i> •	VU A2c; D1
折多杜鹃 <i>Rhododendron bonvalotii</i> •	VU A2c	黄钟杜鹃 <i>Rhododendron lanatum</i>	VU B1ab(i,iii)
短花杜鹃 <i>Rhododendron brachyanthum</i> subsp. <i>Brachyanthum</i>	VU A2c	荔波杜鹃 <i>Rhododendron liboense</i> •	CR D
短梗杜鹃 <i>Rhododendron brachypodium</i> •	CR A2c	大花杜鹃 <i>Rhododendron lindleyi</i>	VU D1+2
苞叶杜鹃 <i>Rhododendron bracteatum</i> •	EN B1ab(i,iii); C1	金山杜鹃 <i>Rhododendron longipes</i> var. <i>chienianum</i> •	VU B1ab(i,iii)
蓝灰糙毛杜鹃 <i>Rhododendron caesium</i> •	CR B1ab(i,iii); C1	长柄杜鹃 <i>Rhododendron longipes</i> var. <i>longipes</i> •	VU A2c; D1
疏花美容杜鹃 <i>Rhododendron calophytum</i> var. <i>pauciflorum</i> •	CR B1ab(i,iii); C1	长柱杜鹃 <i>Rhododendron longistylum</i> subsp. <i>longistylum</i> •	VU A2c; D1+2

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
广口杜鹃 <i>Rhododendron ludlowii</i>	VU B1ab(i,iii)	薄叶管花杜鹃 <i>Rhododendron tenuifolium</i> •	EN B1ab(iii)
鲁浪杜鹃 <i>Rhododendron lulangense</i> •	VU D1	反边杜鹃 <i>Rhododendron thayerianum</i> •	EN D
强壮杜鹃 <i>Rhododendron magnificum</i>	EN B1ab(i,iii); C1	长毛杜鹃 <i>Rhododendron trichanthum</i> •	VU A2c; D1+2
羊毛杜鹃 <i>Rhododendron mallotum</i>	EN D	昭通杜鹃 <i>Rhododendron tsaii</i> •	EN B1ab(i,ii,iii)
少花杜鹃 <i>Rhododendron martinianum</i>	VU B1ab(i,iii); D2	两广杜鹃 <i>Rhododendron tsoi</i> •	VU A2ab; D2
红萼杜鹃 <i>Rhododendron meddianum</i> var. <i>meddianum</i>	CR B1ab(i,iii); C1	单花杜鹃 <i>Rhododendron uniflorum</i> var. <i>uniflorum</i>	VU D2
大萼杜鹃 <i>Rhododendron megacalyx</i>	VU A2c; D1	尾叶杜鹃 <i>Rhododendron urophyllum</i> •	VU D2
短蕊杜鹃 <i>Rhododendron microgynum</i> •	VU B1ab(iii)	泡毛杜鹃 <i>Rhododendron vesiculiferum</i>	EN B1ab(i,ii,iii)
优异杜鹃 <i>Rhododendron mimetes</i> •	VU D1	铜色杜鹃 <i>Rhododendron viscidifolium</i> •	EN D
头巾马银花 <i>Rhododendron mitriflorme</i> var. <i>mitriflorme</i> •	VU A2c; B1ab(i,iii); D1	纯白杜鹃 <i>Rhododendron wardii</i> var. <i>puralbum</i> •	EN D
柔毛碎米花 <i>Rhododendron mollicomum</i> •	VU A2c+3c; D1	褐毛杜鹃 <i>Rhododendron wasonii</i> var. <i>wasonii</i> •	VU A2c
墨脱杜鹃 <i>Rhododendron montroseanum</i> •	VU A2c; D1+2	圆叶杜鹃 <i>Rhododendron williamsianum</i> •	EN D
宝兴杜鹃 <i>Rhododendron moupinense</i> •	VU A2c; D1+2	武鸣杜鹃 <i>Rhododendron wumingense</i> •	VU D2
峨眉光亮杜鹃 <i>Rhododendron nitidulum</i> var. <i>omeiene</i> •	CR D	永宁杜鹃 <i>Rhododendron yungningense</i> •	VU A2c; D1
木兰杜鹃 <i>Rhododendron nuttallii</i>	VU D1+2	白面杜鹃 <i>Rhododendron zaleucum</i> var. <i>zaleucum</i>	VU A2c; D1+2
睡莲叶杜鹃 <i>Rhododendron nymphaeoides</i> •	EN B1ab(i,ii,iii)	鹧鸪杜鹃 <i>Rhododendron zheguense</i> •	EN B1ab(i,iii)
峨马杜鹃 <i>Rhododendron ochraceum</i> var. <i>ochraceum</i> •	VU A2c; D1	资源杜鹃 <i>Rhododendron ziyuanense</i> •	VU A2c; D1
假单花杜鹃 <i>Rhododendron pemakoense</i>	VU D1+2	蓝果越桔 <i>Vaccinium chunii</i>	VU D2
阔柄杜鹃 <i>Rhododendron platypodium</i> •	VU C1	(66) 谷精草科 Eriocaulaceae	
杯萼杜鹃 <i>Rhododendron pocophorum</i> var. <i>pocophorum</i>	VU A2c	长苞谷精草 <i>Eriocaulon decemflorum</i>	VU B1ab(iii)
多枝杜鹃 <i>Rhododendron polycladum</i> •	VU A2c+3c; D1+2	蒙自谷精草 <i>Eriocaulon henryanum</i>	EN C1
波密杜鹃 <i>Rhododendron pomense</i> •	EN B1ab(i,iii)	(67) 古柯科 Erythroxylaceae	
平卧杜鹃 <i>Rhododendron primum</i> •	VU D1+2	粘木 <i>Ixonanthes reticulata</i>	VU A2c; B1ab(i,iii)
矮生杜鹃 <i>Rhododendron proteoides</i> •	VU A3c; D1+2	(68) 杜仲科 Eucommiaceae	
大树杜鹃 <i>Rhododendron protistum</i> var. <i>giganteum</i>	CR B1ab(iii); C2a(ii)b	杜仲 <i>Eucommia ulmoides</i> •	VU D1
翹首杜鹃 <i>Rhododendron protistum</i> var. <i>protistum</i>	VU D2	(69) 大戟科 Euphorbiaceae	
毛脉杜鹃 <i>Rhododendron pubicostatum</i> •	VU D2	海南铁苋菜 <i>Acalypha hainanensis</i> •	EN A2c
太白杜鹃 <i>Rhododendron purdomii</i> var. <i>purdomii</i> •	VU A2c	花莲铁苋菜 <i>Acalypha suirenbiensis</i> •	VU D2
假乳黄叶杜鹃 <i>Rhododendron rex</i> subsp. <i>fictolacatum</i>	VU B1ab(i,iii); C1; D2	肥牛树 <i>Cephalomappa sinensis</i>	VU A2ac
大王杜鹃 <i>Rhododendron rex</i> subsp. <i>rex</i>	VU A2c; D1	蝴蝶果 <i>CleidioCARPON cavaleriei</i>	VU A2c; B1ab(i,iii)
宽柄杜鹃 <i>Rhododendron rothschildii</i>	VU A2c	香港巴豆 <i>Croton hancei</i> •	EN B1ab(i,iii)
巫山杜鹃 <i>Rhododendron roxieoides</i> •	EN B1ab(i,ii,iii); D	海南巴豆 <i>Croton laui</i> •	VU A2c; B2ab(ii,iii,iv)
台红毛杜鹃 <i>Rhododendron rubropilosum</i> •	VU D2	阳春巴豆 <i>Croton yangchunensis</i> •	CR D
黄花泡泡叶杜鹃 <i>Rhododendron seingkuense</i>	VU A2c	延辉巴豆 <i>Croton yanhuui</i> •	CR B1ab(i,iii)
圆头杜鹃 <i>Rhododendron semnoides</i> •	VU A2c	东京桐 <i>Deutzianthus tonkinensis</i>	EN B1ab(ii,iii)
刚刺杜鹃 <i>Rhododendron setiferum</i> •	VU A2c	海南大戟 <i>Euphorbia hainanensis</i> •	EN A2c; C1
红钟杜鹃 <i>Rhododendron sherriffii</i> •	VU B1ab(i,ii,iii)	大狼毒 <i>Euphorbia jolkini</i>	VU A2ac+3c; B1ab(i,iii)
川西杜鹃 <i>Rhododendron sikangense</i> var. <i>sikangense</i> •	VU A2c+3c; D1+2	盐津大戟 <i>Euphorbia yanjinensis</i> •	VU A2c; C1
白碗杜鹃 <i>Rhododendron souliei</i> •	VU A2c	兰屿土沉香 <i>Excoecaria kawakamii</i> •	EN B2ab(ii,iii)
纯红杜鹃 <i>Rhododendron sperabile</i> var. <i>sperabile</i>	VU A2c	鸡尾木 <i>Excoecaria venenata</i> •	VU B1ab(iii)
润上杜鹃 <i>Rhododendron subflumineum</i> •	VU B1ab(i,iii)	裸花树 <i>Gymnanthes remota</i>	EN B1ab(i,ii,iii)
硫磺杜鹃 <i>Rhododendron sulfureum</i>	VU A2c; D1+2	圆叶澳杨 <i>Homalanthus fastuosus</i>	EN B1ab(i,ii,iii)
泰顺杜鹃 <i>Rhododendron taishunense</i> •	VU D2	方鼎木 <i>Leptopus fangdingianus</i> •	EN A2ac+3c; B1ab(i,ii,iii)
薄皮杜鹃 <i>Rhododendron taronense</i> •	VU D2	台湾血桐 <i>Macaranga sinensis</i>	EN B2ab(ii,iii)
滇藏杜鹃 <i>Rhododendron temenium</i> var. <i>temenium</i> •	VU A2c; D1	桂野桐 <i>Mallotus conspurcatus</i> •	CR B1ab(i,iii); D

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
圆叶野桐 <i>Mallotus roxburghianus</i>	CR B1ab(i,iii); D	丽豆 <i>Calophaca sinica</i> •	VU A2c
云南大柱藤 <i>Megistostigma yunnanense</i> •	EN A3ac	思茅杭子梢 <i>Campylotropis harmsii</i>	VU A2c; B1ab(i,iii,v)
龙胆木 <i>Richeria gracilis</i>	EN A2ac+3c	萨迦锦鸡儿 <i>Caragana aegacanthoides</i>	VU A2c
石山守宫木 <i>Sauropus delavayi</i> •	EN A3c; C1	高山锦鸡儿 <i>Caragana alpina</i> •	VU D2
白花三宝木 <i>Trigonostemon albiflorus</i>	CR B1ab(i,iii)	白毛锦鸡儿 <i>Caragana licentiana</i> •	VU A3c
三宝木 <i>Trigonostemon chinensis</i>	VU A2c+3c	秦晋锦鸡儿 <i>Caragana purdomii</i> •	VU A2c; B1
剑叶三宝木 <i>Trigonostemon xyphophyllorides</i> •	VU A2c+3c	柄莢锦鸡儿 <i>Caragana stipitata</i> •	EN A1a
(70) 豆科 Fabaceae		黄山紫荆 <i>Cercis chingii</i> •	EN A2c
尖叶相思 <i>Acacia caesia</i>	EN D	长梗雀儿豆 <i>Chesneya crassipes</i>	VU A2c
无刺金合欢 <i>Acacia teniana</i> •	VU A2ac	大花雀儿豆 <i>Chesneya macrantha</i>	VU B2ab
滇南金合欢 <i>Acacia tonkinensis</i>	EN D	甘肃旱雀豆 <i>Chesniella ferganensis</i>	VU B1ab(i,iii,v)
顶果木 <i>Acrocarpus fraxinifolius</i>	VU B1ab(i,iii); D1	小叶香槐 <i>Cladrastis parvifolia</i> •	EN B1ab(iii)
细籽海黄豆 <i>Adenanthera pavonina</i> var. <i>luteoseminalis</i> •	EN A2c; B1ab(i,iii)	藤香槐 <i>Cladrastis scandens</i> •	VU D2
鼎湖鱼藤 <i>Aganope dinghuensis</i> •	VU B1ab(iii)	膀胱豆 <i>Colutea delavayi</i> •	VU A2c; B1ab(i,iii,v)
海南合欢 <i>Albizia attopeuensis</i>	EN A2c; C1	耿马猪屎豆 <i>Crotalaria albida</i> var. <i>gengmaensis</i> •	CR B1ab(iii); C1
云南链荚豆 <i>Alysicarpus yunnanensis</i> •	CR A2c; B1ab(i,iii)	薄叶猪屎豆 <i>Crotalaria kurzii</i>	VU D2
银砂槐 <i>Ammodendron bifolium</i>	EN A2c; C1	秧青 <i>Dalbergia assamica</i>	EN Bab(iii)
沙冬青 <i>Ammopiptanthus mongolicus</i>	VU A2c	黑黄檀 <i>Dalbergia cultrata</i>	VU A2c
心叶猴耳环 <i>Archidendron cordifolium</i>	CR B1ab(iii)	海南黄檀 <i>Dalbergia hainanensis</i> •	VU D2
椭圆叶猴耳环 <i>Archidendron ellipticum</i>	CR D	蒙自黄檀 <i>Dalbergia henryana</i> •	VU D1
蝶腺棋子豆 <i>Archidendron kerrii</i>	VU A2c; D	滇南黄檀 <i>Dalbergia kingiana</i>	VU D1
巨腺棋子豆 <i>Archidendron xichouense</i> •	EN A2c; D	钝叶黄檀 <i>Dalbergia obtusifolia</i> •	EN A4cd
短翼黄耆 <i>Astragalus brevialatus</i> •	EN D	降香黄檀 <i>Dalbergia odorifera</i> •	CR B1ab(i,iii,v)
昌都黄耆 <i>Astragalus changduensis</i> •	EN B1ab(iii)c(v); D	白沙黄檀 <i>Dalbergia peishaensis</i> •	VU D1
大青山黄耆 <i>Astragalus daqingshanicus</i> •	CR C1	多体蕊黄檀 <i>Dalbergia polyadelpha</i>	VU D1
丝茎黄耆 <i>Astragalus filicaulis</i>	VU D2	红果黄檀 <i>Dalbergia tsoi</i> •	VU D1
格尔木黄耆 <i>Astragalus golmunensis</i> •	VU D1+2	两节假木豆 <i>Dendrolobium dispermum</i> •	EN B2ab(ii)
茸毛果黄耆 <i>Astragalus hebecarpus</i> •	CR B1ab(iii)	掌叶鱼藤 <i>Derris palmifolia</i> •	CR B1ab(ii)
秦岭黄耆 <i>Astragalus henryi</i> •	VU B1ab(iii)	滇南镰扁豆 <i>Dolichos junghuhnianus</i> •	VU A2c
酒泉黄耆 <i>Astragalus jiuquanensis</i> •	EN D	小叶槿藤 <i>Entada parvifolia</i> •	EN A2c; B1ab(i,iii,v); C1
边向花黄耆 <i>Astragalus moellendorffii</i> var. <i>moellendorffii</i> •	EN B1ab(iii); C1	槿藤 <i>Entada phaseoloides</i>	EN D
蒙古黄耆 <i>Astragalus mongolicus</i>	VU A2c	准噶尔无叶豆 <i>Eremosparton songoricum</i>	CR A2c; D1
中宁黄耆 <i>Astragalus ochrias</i>	CR B1ab(iii)	格木 <i>Erythrophleum fordii</i> •	VU A2c; D1
短龙骨黄耆 <i>Astragalus parvicarinatus</i> •	VU B1ab(iii)	山豆根 <i>Euchresta japonica</i>	VU A2c
锡金黄耆 <i>Astragalus sikkimensis</i>	VU A2c	长序山豆根 <i>Euchresta tubulosa</i> var. <i>longiracemosa</i> •	CR A2c; B1ab(iii)
太原黄耆 <i>Astragalus taiyuanensis</i> •	EN C1	睫苞豆 <i>Geissaspis cristata</i> •	EN A2c
扬子黄耆 <i>Astragalus yangtzeanus</i> •	VU D2	绒毛皂莢 <i>Gleditsia japonica</i> var. <i>velutina</i> •	CR B1ab(iii); D
紫荆叶羊蹄甲 <i>Bauhinia cercidifolia</i> •	VU D2	短绒野大豆 <i>Glycine tomentella</i>	VU A2c
征镒羊蹄甲 <i>Bauhinia wuzhengyi</i> •	VU D2	无腺毛甘草 <i>Glycyrrhiza eglandulosa</i> •	VU A2c; B1ab(iii)
绒毛紫铆 <i>Butea braamiana</i> •	VU D2	云南甘草 <i>Glycyrrhiza yunnanensis</i> •	VU A2c; B1ab(iii)
粉叶苏木 <i>Caesalpinia caesia</i> •	VU D1	库茂恩岩黄耆 <i>Hedysarum kumaonense</i>	VU A2c
椭圆叶云实 <i>Caesalpinia elliptifolia</i> •	CR A3c; D	太白岩黄耆 <i>Hedysarum taipeicum</i> •	EN C1
菱叶云实 <i>Caesalpinia rhombifolia</i>	VU D1	拟蚕豆岩黄耆 <i>Hedysarum ussuricense</i>	VU A2c
白虫豆 <i>Cajanus niveus</i>	VU D2	南京木蓝 <i>Indigofera chenii</i> •	CR B1ab(i,iii)
滇桂鸡血藤 <i>Callerya bonatiana</i>	VU A2c	黔南木蓝 <i>Indigofera esquirolii</i> •	VU A2c; B1ab(iii)
美丽鸡血藤 <i>Callerya speciosa</i>	VU A2c	思茅木蓝 <i>Indigofera lacei</i>	VU A2c
云南朱缨花 <i>Calliandra umbrosa</i>	CR A2c	华南马鞍树 <i>Maackia australis</i> •	EN A2c; B2ab(ii,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
浙江马鞍树 <i>Maackia chekiangensis</i> •	EN A2c	乐东锥 <i>Castanopsis ledongensis</i> •	EN B1ab(i,iii)
闭莢藤 <i>Mastersia assamica</i>	EN A2c	龙州锥 <i>Castanopsis longzhouica</i> •	CR B1ab(i,iii)
红河崖豆 <i>Millettia cubitii</i>	CR D	矩叶锥 <i>Castanopsis oblonga</i> •	CR B1ab(i,iii); D
澜沧崖豆藤 <i>Millettia lantsangensis</i> •	VU A2c	屏边锥 <i>Castanopsis ouonbiensis</i>	EN B1ab(i,iii)
思茅崖豆 <i>Millettia leptobotrya</i>	EN A2c	龙陵锥 <i>Castanopsis rockii</i>	VU A2c
四翅崖豆 <i>Millettia tetraptera</i>	EN A3c; B2ab(ii,iii)	红壳锥 <i>Castanopsis rufotomentosa</i> •	CR B1ab(i,iii); D
美叶油麻藤 <i>Mucuna calophylla</i> •	EN B1ab(iii)	钻刺锥 <i>Castanopsis subuliformis</i> •	EN B1ab(i,iii); C1
兰屿血藤 <i>Mucuna membranacea</i>	EN B2ab(ii)	棕毛锥 <i>Castanopsis tessellata</i>	EN A2c
羽叶拟大豆 <i>Ophrestia pinnata</i>	VU D2	西畴锥 <i>Castanopsis xichouensis</i> •	EN B1ab(i,iii); D
蒲桃叶红豆 <i>Ormosia eugeniiifolia</i> •	CR B1ab(ii,v)	白枝青冈 <i>Cyclobalanopsis albicaulis</i> •	CR D
台湾红豆 <i>Ormosia formosana</i> •	EN A2c	贵州青冈 <i>Cyclobalanopsis argyrotricha</i> •	EN D
光叶红豆 <i>Ormosia glaberrima</i> •	VU A2c; B1ab(ii,v)	滇南青冈 <i>Cyclobalanopsis austroglauca</i> •	EN C1
河口红豆 <i>Ormosia hekouensis</i>	CR B2ab(ii,v)	法斗青冈 <i>Cyclobalanopsis camusiae</i>	EN C1
花榈木 <i>Ormosia henryi</i>	VU A2c; B2ab(i,ii,iii,v)	大明山青冈 <i>Cyclobalanopsis daimingshanensis</i> •	EN D
红豆树 <i>Ormosia hosiei</i> •	EN A2c	上思青冈 <i>Cyclobalanopsis delicatula</i> •	CR D
缘毛红豆 <i>Ormosia howii</i> •	VU A2c; B1ab(iii)	鼎湖青冈 <i>Cyclobalanopsis dinghuensis</i> •	VU B1ab(iii)
胀果红豆 <i>Ormosia inflata</i> •	VU A2c; B1ab(iii)	蝶斗青冈 <i>Cyclobalanopsis disciformis</i> •	VU D1
纤柄红豆 <i>Ormosia longipes</i> •	CR B1ab(ii,v)	金平青冈 <i>Cyclobalanopsis jinpinensis</i> •	CR D
茸荚红豆 <i>Ormosia pachycarpa</i> var. <i>pachycarpa</i> •	VU D1	广西青冈 <i>Cyclobalanopsis kouangsiensis</i> •	EN D
菱荚红豆 <i>Ormosia pachyptera</i> •	EN B1ab(i,ii,iii)	倒卵叶青冈 <i>Cyclobalanopsis obovatifolia</i>	CR A2c
紫花红豆 <i>Ormosia purpureiflora</i> •	EN A2c	西畴青冈 <i>Cyclobalanopsis sichourensis</i> •	CR A2c; B1ab(i,iii); D
岩生红豆 <i>Ormosia saxatilis</i> •	CR C2a(i)	鹿茸青冈 <i>Cyclobalanopsis subhinoidea</i> •	CR D
亮毛红豆 <i>Ormosia sericeolucida</i> •	EN B2ab(ii)	薄斗青冈 <i>Cyclobalanopsis tenuicupula</i> •	CR A2c; D
云南红豆 <i>Ormosia yunnanensis</i> •	CR A2c; B1ab(iii)	盈江青冈 <i>Cyclobalanopsis yingjiangensis</i> •	VU D2
阴山棘豆 <i>Oxytropis inschanica</i> •	VU D2	三棱栎 <i>Formanodendron doichangensis</i>	VU A2c; D
银珠 <i>Peltophorum tonkinense</i>	EN A2c	榆柯 <i>Lithocarpus amoenus</i> •	EN D
紫檀 <i>Pterocarpus indicus</i>	CR D	向阳柯 <i>Lithocarpus apricus</i> •	EN A2c; B1ab(i,iii,v)
雅砻江冬麻豆 <i>Salweenia bouffordiana</i> •	EN A2ac; B2ab(ii)	槟榔柯 <i>Lithocarpus areca</i>	VU A2c; B1ab(i,iii,v)
冬麻豆 <i>Salweenia wardii</i> •	EN B2ab(ii)	红心柯 <i>Lithocarpus carolineae</i> •	EN B2ab(ii,iii)
中国无忧花 <i>Saraca dives</i>	VU D1	琼中柯 <i>Lithocarpus chiungchungensis</i> •	EN A2c; B1ab(i,iii)
云南无忧花 <i>Saraca griffithiana</i>	EN A3c; D	格林柯 <i>Lithocarpus collettii</i>	EN A3c
油楠 <i>Sindora glabra</i>	VU A2c; D	硬叶柯 <i>Lithocarpus crassifolius</i>	VU A2c
东京油楠 <i>Sindora tonkinensis</i>	EN A2c; C1	风兜柯 <i>Lithocarpus cucullatus</i> •	EN A3c; B1ab(i,iii)
盐碱土坡油甘 <i>Smithia salsuginea</i>	CR A2c; B1ab(i,iii)	鱼篮柯 <i>Lithocarpus cyrtocarpus</i>	VU A2c+3c
凉山白刺槐 <i>Sophora davidii</i> var. <i>liangshanensis</i> •	VU A2c	金平柯 <i>Lithocarpus echinophorus</i> var. <i>bidoupensis</i>	CR D
越南槐 <i>Sophora tonkinensis</i> var. <i>tonkinensis</i>	VU B1ab(i,iii,v)	壺壳柯 <i>Lithocarpus echinophorus</i> var. <i>echinophorus</i>	VU A2c
黄花槐 <i>Sophora xanthoantha</i> •	CR B1ab(ii)	刺壳柯 <i>Lithocarpus echinotholus</i>	VU A2c+3c
密花豆 <i>Spatholobus suberectus</i> •	VU B1ab(i,iii,v)	万宁柯 <i>Lithocarpus elmerrillii</i> •	EN B1ab(i,iii)
狭叶红灰毛豆 <i>Tephrosia coccinea</i> var. <i>stenophylla</i> •	EN A2c	易武柯 <i>Lithocarpus farinulentus</i>	VU A2c+3c
任豆 <i>Zenia insignis</i>	VU D1+2	红柯 <i>Lithocarpus fenzlianensis</i> •	EN A3c
(71) 壳斗科 Fagaceae		卷毛柯 <i>Lithocarpus floccosus</i> •	VU A2c+3c
南宁锥 <i>Castanopsis amabilis</i> •	VU B2ab(ii,iii)	勐海柯 <i>Lithocarpus fohaiensis</i> •	VU A2c
厚叶锥 <i>Castanopsis crassifolia</i>	VU A2c; D1	命脉柯 <i>Lithocarpus fordianus</i>	VU A2c
密刺锥 <i>Castanopsis densispinosa</i> •	CR B1ab(i,iii)	高黎贡柯 <i>Lithocarpus gaoligongensis</i> •	EN D
圆芽锥 <i>Castanopsis globigemmata</i> •	CR B1ab(i,iii); D	梨果柯 <i>Lithocarpus howii</i> •	EN A2c; B1ab(i,iii)
海南栲 <i>Castanopsis hainanensis</i> •	VU A2c	盈江柯 <i>Lithocarpus jenkinsii</i>	CR B1ab(i,iii)
青钩栲 <i>Castanopsis kawakamii</i>	VU A2c; B1ab(i,iii); D1		

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
屏边柯 <i>Lithocarpus laetus</i> •	VU D2	卵叶辐花 <i>Lomatogoniopsis ovatifolia</i> •	EN C1
老挝柯 <i>Lithocarpus laoticus</i>	VU A2c	小黄管 <i>Sebaea microphylla</i>	EN D
滑壳柯 <i>Lithocarpus levis</i> •	EN B1ab(i,iii)	黄花獐牙菜 <i>Swertia kingii</i>	EN A2ac; B1ab(i,iii,v); C1
谊柯 <i>Lithocarpus listeri</i>	VU A2ac	蒙自獐牙菜 <i>Swertia leducii</i> •	VU A2ac; B1ab(i,iii,v)
香菌柯 <i>Lithocarpus lycoperdon</i>	VU A2c+3c	(75) 苦苣苔科 <i>Gesneriaceae</i>	
粉叶柯 <i>Lithocarpus macilentus</i> •	EN A3c; B1ab(i,iii)	扁柄芒毛苣苔 <i>Aeschynanthus planipetiolatus</i> •	VU D2
黑柯 <i>Lithocarpus melanochromus</i> •	VU A2c+3c	异唇苣苔 <i>Allocheilos cortusiflorus</i> •	EN A2c
缅宁柯 <i>Lithocarpus mianningensis</i> •	VU A2c+3c	广西异唇苣苔 <i>Allocheilos guangxiensis</i> •	VU A2c; D1
厚鳞柯 <i>Lithocarpus pachylepis</i>	VU A2c+3c; B1ab(i,iii); C1	异片苣苔 <i>Allostigma guangxiense</i> •	VU A2c; B1ab(i,iii,v)
滇南柯 <i>Lithocarpus pakhaensis</i>	EN A2c; C1	黄花直瓣苣苔 <i>Ancylostemon gamosepalus</i> •	VU D1
石柯 <i>Lithocarpus pasania</i>	VU A2ac	贵州直瓣苣苔 <i>Ancylostemon notochlaenus</i> •	VU A2c
三柄果柯 <i>Lithocarpus propinquus</i> •	VU A2c+3c	毛花直瓣苣苔 <i>Ancylostemon trichanthus</i> •	VU A2c; B1ab(i,iii,v)
假西藏柯 <i>Lithocarpus pseudoxizangensis</i> •	VU A2ac	小横蒴苣苔 <i>Beccarinda minima</i> •	VU A2c+3c
钦州柯 <i>Lithocarpus qinzhouicus</i> •	VU B1ab(i,iii)	少毛横蒴苣苔 <i>Beccarinda paucisetulosa</i> •	VU D2
栎叶柯 <i>Lithocarpus quercifolius</i> •	EN C1	小粗筒苣苔 <i>Briggsia humilis</i> •	EN B2ac(ii,v); C1
石屏柯 <i>Lithocarpus talangensis</i> •	VU A2c	宽萼粗筒苣苔 <i>Briggsia latisepala</i> •	VU A2c
灰壳柯 <i>Lithocarpus tephrocarpus</i>	VU A2c; D2	小叶粗筒苣苔 <i>Briggsia parvifolia</i> •	VU A2c
壺嘴柯 <i>Lithocarpus tubulosus</i>	VU A2c; D2	贞丰粗筒苣苔 <i>Briggsia rosthornii</i> var. <i>crenulata</i> •	EN A2c; D
西藏柯 <i>Lithocarpus xizangensis</i> •	EN A2c+3c	扁蒴苣苔 <i>Cathayanthe biflora</i> •	EN A2c; C1
永福柯 <i>Lithocarpus yongfuensis</i> •	CR B1ab(i,iii)	簇花唇柱苣苔 <i>Chirita fasciculiflora</i> •	VU A2c; B2ac(ii,v)
坝王栎 <i>Quercus bawanglingensis</i> •	VU D2	密毛虻蝗 <i>Chirita fimbriisepala</i> var. <i>mollis</i> •	VU A2c+3c
麻栗坡栎 <i>Quercus marlipoensis</i> •	VU A2c+3c	滇川唇柱苣苔 <i>Chirita forrestii</i> •	VU A2c; D1
(72) 大风子科 <i>Flacourtiaceae</i>		光叶唇柱苣苔 <i>Chirita leiophylla</i> •	VU D1+2
石生脚骨脆 <i>Casearia tardieuae</i>	VU D1	岗唇柱苣苔 <i>Chirita longgangensis</i> •	VU B2ac(ii,v)
马蛋果 <i>Gynocardia odorata</i>	EN A2c	大根唇柱苣苔 <i>Chirita macrorhiza</i> •	CR A2c
斯里兰卡天料木 <i>Homalium ceylanicum</i>	VU A2c	单花唇柱苣苔 <i>Chirita monantha</i> •	VU B1a(i,iii,v)
阔瓣天料木 <i>Homalium kainantense</i> •	EN D	紫纹唇柱苣苔 <i>Chirita pseudoeburnea</i> •	EN A2c
广西天料木 <i>Homalium kwangsiense</i> •	EN D	密花唇柱苣苔 <i>Chirita pycnantha</i> •	VU A2c+3c
窄叶天料木 <i>Homalium sabiifolium</i> •	EN A2c; B1b(i,iii); C1	粉花唇柱苣苔 <i>Chirita roseoalba</i> •	VU A2c+3c
海南天料木 <i>Homalium stenophyllum</i> •	EN A2c; B1b(i,iii); C1	薄叶唇柱苣苔 <i>Chirita tenuifolia</i> •	VU A3c
大叶龙角 <i>Hydnocarpus annamensis</i>	VU D1	变色唇柱苣苔 <i>Chirita varicolor</i> •	CR D
海南大风子 <i>Hydnocarpus hainanensis</i>	VU D1	细筒唇柱苣苔 <i>Chirita vestita</i> •	VU A2c+3c
印度大风子 <i>Hydnocarpus kurzii</i>	VU D1	钻丝小花苣苔 <i>Chiritopsis subulata</i> var. <i>subulata</i> •	EN A2c; D
光叶梔子皮 <i>Itoa orientalis</i> var. <i>glabrescens</i> •	CR A2c; B1b(i,iii); C1	休宁小花苣苔 <i>Chiritopsis xiuningensis</i> •	EN A2c
(73) 瓣鳞花科 <i>Frankeniaceae</i>		瑤山苣苔 <i>Dayaoshania cotinifolia</i> •	CR A2c
瓣鳞花 <i>Frankenia pulverulenta</i>	EN A2bcd; B1ab(i,iii); C1	江西全唇苣苔 <i>Deinocheilos jiangxiense</i> •	VU A2c; B2ab(ii,v); D1
(74) 龙胆科 <i>Gentianaceae</i>		全唇苣苔 <i>Deinocheilos sichuanense</i> •	VU A2c; C2a(ii)
川西秦艽 <i>Gentiana dendrologi</i> •	CR C1	长梗漏斗苣苔 <i>Didissandra longipedunculata</i> •	VU A2c
苍白龙胆 <i>Gentiana forrestii</i> •	VU A2c; B1b(i,iii,v); D	雷波长蒴苣苔 <i>Didymocarpus leiboensis</i> •	VU A2c
全萼秦艽 <i>Gentiana lhassica</i> •	CR B1ab(iii)	镇康长蒴苣苔 <i>Didymocarpus zhenkangensis</i> •	VU A2c
条叶龙胆 <i>Gentiana manshurica</i>	EN C1	长檐苣苔 <i>Dolicholoma jasminiflorum</i> •	CR B1ab(i,ii,iii)
北疆秦艽 <i>Gentiana olgae</i>	CR C1	全叶半蒴苣苔 <i>Hemiboea integra</i> •	VU B1ab(i,ii,iii,v); D1
楔湾缺秦艽 <i>Gentiana olivieri</i>	CR C1	弄岗半蒴苣苔 <i>Hemiboea longgangensis</i> •	VU A2c
峨眉龙胆 <i>Gentiana omeiensis</i> •	CR A3c; B1ab(i,iii,v); C1	长萼半蒴苣苔 <i>Hemiboea longisepala</i> •	VU A2c
大花深红龙胆 <i>Gentiana rubicunda</i> var. <i>purpurata</i> •	VU A2ac+3c	屏边半蒴苣苔 <i>Hemiboea pingbianensis</i> •	VU D1
汶川龙胆 <i>Gentiana winchuanensis</i> •	VU B1ab(iii,v); D	密序苣苔 <i>Hemiboeopsis longisepala</i>	EN B2ab(ii,v)
云南龙胆 <i>Gentiana yunnanensis</i> •	VU A2ac+3c	圆齿金盏苣苔 <i>Isometrum crenatum</i> •	EN D
辐花 <i>Lomatogoniopsis alpina</i> •	EN C1	多裂金盏苣苔 <i>Isometrum eximium</i> •	VU A2c

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
四川金盏苣苔 <i>Isometrum sichuanicum</i> •	EN D	绒毛蜡瓣花 <i>Corylopsis velutina</i> •	VU D2
万山金盏苣苔 <i>Isometrum wanshanense</i> •	EN B1ab(ii,iii,v)	长穗蜡瓣花 <i>Corylopsis yui</i> •	VU A2c
细筒苣苔 <i>Lagarosolen hispidus</i> •	VU A2c	长柄双花木 <i>Disanthus cercidifolius</i> subsp. <i>longipes</i> •	EN A2ac; B2ab(i,ii,v); C1
澜沧紫花苣苔 <i>Loxostigma mekongense</i> •	VU A2c; D1	樟叶假蚊母树 <i>Distyliopsis laurifolia</i> •	VU A2ac; B1ab(i,iii,v); C1
蕉林紫花苣苔 <i>Loxostigma musetorum</i> •	VU A2c	滇假蚊母树 <i>Distyliopsis yunnanensis</i> •	EN D
灰叶后蕊苣苔 <i>Opithandra cinerea</i> •	EN B1ab(i,ii,iii,v); D	中华蚊母树 <i>Distylium chinense</i> •	EN A2c; C1
皱叶后蕊苣苔 <i>Opithandra fargesii</i> •	VU A2c	闽粤蚊母树 <i>Distylium chungii</i> •	VU A2c; C1
裂檐苣苔 <i>Opithandra pumila</i> •	CR B1ab(i,ii,v)	鳞毛蚊母树 <i>Distylium elaeagnoides</i> •	VU A2c
卵心叶马铃苣苔 <i>Oreocaris aurea</i> var. <i>cor-</i> <i>dato-ovata</i> •	VU A2c; D1	台湾蚊母树 <i>Distylium gracile</i> •	EN B1ab(iii)
贵州马铃苣苔 <i>Oreocaris cavaleriei</i> •	VU A2c; D1	大叶蚊母树 <i>Distylium macrophyllum</i> •	CR C2a(i)
斜叶马铃苣苔 <i>Oreocaris obliqua</i> •	VU A2c; D1	黔蚊母树 <i>Distylium tsiangii</i> •	CR B1ab(i,iii,v)
圆叶马铃苣苔 <i>Oreocaris rotundifolia</i> •	VU A2c; D1	云南秀柱花 <i>Eustigma lenticellatum</i> •	EN D
筒花马铃苣苔 <i>Oreocaris tubiflora</i> •	VU A2c; D1	长瓣马蹄荷 <i>Exbucklandia longipetala</i> •	EN B1ab(i,iii,v)
灰岩喜鹊苣苔 <i>Ornithoboea calcicola</i> •	VU A2c	牛鼻栓 <i>Fortunearia sinensis</i> •	VU A3cd; D1
丝梗蛛毛苣苔 <i>Paraboea filipes</i> •	CR C1	大果木继木 <i>Loropetalum lanceum</i> •	EN B1ab(ii,iii)
密叶蛛毛苣苔 <i>Paraboea velutina</i> •	CR B1ab(ii,v)	四药门花 <i>Loropetalum subcordatum</i> •	EN B2ab(ii)
弥勒苣苔 <i>Paraisometrum mileense</i> •	EN D	壳菜果 <i>Mytilaria laosensis</i>	VU A2c
方鼎苣苔 <i>Paralagarosolen fangianum</i> •	CR D	银缕梅 <i>Parrotia subaequalis</i> •	CR D
大花石蝴蝶 <i>Petrocosmea grandiflora</i> •	EN A2c; B2ab(ii,v)	绒毛红花荷 <i>Rhodoleia forrestii</i>	VU A2c; C1
秦岭石蝴蝶 <i>Petrocosmea qinlingensis</i> •	CR D	小脉红花荷 <i>Rhodoleia henryi</i> •	VU A2c
四川石蝴蝶 <i>Petrocosmea sichuanensis</i> •	EN D	大果红花荷 <i>Rhodoleia macrocarpa</i> •	VU A2c; D2
报春苣苔 <i>Primulina tabacum</i> •	EN A2c; D	窄瓣红花荷 <i>Rhodoleia stenopetala</i> •	EN B1ab(i,iii,iv); D
峨眉尖舌苣苔 <i>Rhynchoglossum omeiense</i> •	CR B1ab(i,ii,v)	半枫荷 <i>Semiliquidambar cathayensis</i> •	VU A2c; B1ab(i,iii); C1
长梗线柱苣苔 <i>Rhynchotechum longipes</i> •	VU A2c	秃山白树 <i>Sinowilsonia henryi</i> var. <i>glabrescens</i> •	VU A2c; D1
世纬苣苔 <i>Tengia scopulorum</i> •	CR B1ab(i,iii,v)	山白树 <i>Sinowilsonia henryi</i> var. <i>henryi</i> •	VU A2c; B1ab(ii,iii); C1
辐花苣苔 <i>Thamnocharis esquirolii</i> •	VU D1+2	(78) 莲叶桐科 <i>Hernandiaceae</i>	
景东短檐苣苔 <i>Tremacron begoniifolium</i> •	VU A2c	多毛青藤 <i>Illigera cordata</i> var. <i>mollissima</i> •	EN A2cde; B1ab(i,iii,v)
木里短檐苣苔 <i>Tremacron urceolatum</i> •	VU A2c	红花青藤 <i>Illigera rhodantha</i> var. <i>angustifoliolata</i>	VU A2c
文采苣苔 <i>Wentsaiboea renifolia</i> •	CR C1	(79) 七叶树科 <i>Hippocrastanaceae</i>	
紫红异叶苣苔 <i>Whytockia purpurascens</i> •	VU A2c; D2	掌叶木 <i>Handeliodendron bodinieri</i> •	EN D
(76) 小二仙草科 <i>Haloragaceae</i>		(80) 水鳖科 <i>Hydrocharitaceae</i>	
短喙狐尾藻 <i>Myriophyllum exasperatum</i> •	VU D1	海菜花 <i>Ottelia acuminata</i> var. <i>acuminata</i> •	VU A2c; C1
鸟苏里狐尾藻 <i>Myriophyllum ussuricense</i>	VU A2c	龙舌草 <i>Ottelia alismoides</i>	VU A2ac+3ac
(77) 金缕梅科 <i>Hamamelidaceae</i>		贵州水车前 <i>Ottelia sinensis</i>	VU A2c; B1ab(i,iii)
赤水草树 <i>Altingia multinervis</i> •	EN C1	(81) 茶茱萸科 <i>Icacinaceae</i>	
海南草树 <i>Altingia obovata</i> •	VU A2c; B1ab(i,iii,v); C1	吕宋毛蕊木 <i>Gomphandra luzoniensis</i>	EN B2ab(ii,iii)
镰尖草树 <i>Altingia siamensis</i>	VU B1ab(i,iii,v)	毛粗丝木 <i>Gomphandra mollis</i>	EN A2c; B1ab(i,iii)
云南草树 <i>Altingia yunnanensis</i> •	EN B1ab(i,iii,v); C1	麻核藤 <i>Natsiatopsis thunbergiiifolia</i>	VU A2c; D1
山铜材 <i>Chunia bucklandioides</i> •	EN B2ac(ii,iii); C1	厚叶假柴龙树 <i>Nothapodytes collina</i> •	EN A2c; B1ab(i,iii); C1
桤叶蜡瓣花 <i>Corylopsis alnifolia</i> •	VU A2c; D1+2	薄叶假柴龙树 <i>Nothapodytes obscura</i> •	VU D1
短柱蜡瓣花 <i>Corylopsis brevistyla</i> •	VU A3c; B1ab(i,iii); C1	假柴龙树 <i>Nothapodytes obtusifolia</i> •	EN A2c; B1ab(i,iii)
小果蜡瓣花 <i>Corylopsis microcarpa</i> •	EN B1ab(i,iii); C1	东方肖榄 <i>Platea parvifolia</i> •	CR A2c; B1ab(i,iii)
白背瑞木 <i>Corylopsis multiflora</i> var. <i>nivea</i> •	CR B1b(i,iii,v)	刺核藤 <i>Pyrenacantha volubilis</i>	EN A2c; C1
黔蜡瓣花 <i>Corylopsis obovata</i> •	EN B1ab(ii,iii)	(82) 八角科 <i>Illiciaceae</i>	
峨眉蜡瓣花 <i>Corylopsis omeiensis</i> •	EN B1ab(i,ii,iii); C1	地枫皮 <i>Illicium difengpi</i> •	EN B1ab(i,iii,v)
圆叶蜡瓣花 <i>Corylopsis rotundifolia</i> •	EN B1ab(i,ii,iii); C1	(83) 鸢尾科 <i>Iridaceae</i>	
俅江蜡瓣花 <i>Corylopsis trabeculosa</i> •	EN A2c	矮鸢尾 <i>Iris kobayashii</i> •	CR B1ab(ii,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
宽柱鸢尾 <i>Iris latistyla</i> •	VU D2	山西黄芩 <i>Scutellaria shensiensis</i> •	EN A2c; B1ab(i,ii,iii); C1
水仙花鸢尾 <i>Iris narcissiflora</i> •	VU A2c	白花黄芩 <i>Scutellaria spectabilis</i> •	CR C1
宜兴溪荪 <i>Iris sanguinea</i> var. <i>yixingensis</i> •	VU A2c	大坪子黄芩 <i>Scutellaria tapintzeensis</i> •	VU A2c; B1ab(iii,iv)
中甸鸢尾 <i>Iris subdichotoma</i> •	VU C1	展毛韧黄芩 <i>Scutellaria tenax</i> var. <i>patentipilosa</i> •	VU B1ab(iii,iv)
(84) 胡桃科 Juglandaceae		天全黄芩 <i>Scutellaria tienchuanensis</i> •	EN B1ab(iii,iv)
喙核桃 <i>Annamocarya sinensis</i>	EN C2a(i)	全叶香科科 <i>Teucrium integrifolium</i> •	VU A2c; C1
山核桃 <i>Carya cathayensis</i> •	VU A2ac	保亭花 <i>Wenchengia alternifolia</i> •	CR A2c; B1ab(i,ii,iii,v); C1; D
湖南山核桃 <i>Carya hunanensis</i> •	VU A2c		
贵州山核桃 <i>Carya kweichowensis</i> •	CR A2c	(86) 木通科 Lardizabalaceae	
胡桃 <i>Juglans regia</i>	VU A2c	短蕊八月瓜 <i>Holboellia brachyandra</i> •	VU A2c
泡核桃 <i>Juglans sigillata</i>	VU A2ac+3c; B1ab(i,ii,iii)	少叶野木瓜 <i>Stauntonia oligophylla</i> •	EN D
越南枫杨 <i>Pterocarya tonkinensis</i>	VU A2ac	紫花野木瓜 <i>Stauntonia purpurea</i> •	VU A2c
(85) 唇形科 Lamiaceae			
瑶山毛药花 <i>Bostrychanthera yaoshanensis</i> •	EN D	白背黄肉楠 <i>Actinodaphne glauca</i> •	VU A2c
具苞铃子香 <i>Chelonopsis bracteata</i> •	VU A2c; D	思茅黄肉楠 <i>Actinodaphne henryi</i>	VU A3c; B1ab(i,iii,v)
丽江铃子香 <i>Chelonopsis lichiangensis</i> •	EN B1ab(iii)	隐脉黄肉楠 <i>Actinodaphne obscurinervia</i> •	EN A2c
和布克塞尔青兰 <i>Dracocephalum hoboksarensis</i> •	EN A2c; D	细梗油丹 <i>Alseodaphne gracilis</i> •	EN A3c; B1ab(i,iii,v)
沙生沙穗 <i>Eremostachys desertorum</i> •	VU A2c+3c; D1	油丹 <i>Alseodaphne hainanensis</i>	VU A2c; B1ab(i,iii,v)
糙苏沙穗 <i>Eremostachys phlomoides</i> •	VU A2c+3c	河口油丹 <i>Alseodaphne hokouensis</i> •	CR A2ac+3c; B1ab(i)
拟长毛锥花 <i>Gomphostemma pseudocrinitum</i> •	EN A2c+3c; C1	麻栗坡油丹 <i>Alseodaphne marliponsis</i> •	CR A2ac+3c
贵州四轮香 <i>Hanceola cavaleriei</i> •	EN C1	西畴油丹 <i>Alseodaphne sichourensis</i> •	EN A2ac+3c
宽唇神香草 <i>Hyssopus latilabiatus</i> •	VU A2c+3c; D1	云南油丹 <i>Alseodaphne yunnanensis</i> •	EN A2cd; B1ab(i,iii)
麦地龙香茶菜 <i>Isodon medilungensis</i> •	EN B1ab(iii,iv); C1	短序琼楠 <i>Beilschmiedia brevipaniculata</i> •	VU B1ab(i,iii,v)
侧花香茶菜 <i>Isodon secundiflorus</i> •	VU A2c	柱果琼楠 <i>Beilschmiedia cylindrica</i> •	CR B1ab(ii,v); C2a(ii)
林生香茶菜 <i>Isodon silvaticus</i> •	EN A2c+3c	白柴果 <i>Beilschmiedia fasciata</i> •	VU A2ac
五脉斜萼草 <i>Loxocalyx quinquenervius</i> •	VU A2c+3c; D1	糠秕琼楠 <i>Beilschmiedia furfuracea</i> •	EN A2c; B1ab(i,iii)
白花冠唇花 <i>Microtoena albescens</i> •	VU A2c; D2	横县琼楠 <i>Beilschmiedia henghsienensis</i> •	EN B1ab(i,iii,v)
石山冠唇花 <i>Microtoena maireana</i> •	CR A2c; B1ab(iii,iv); C1	隐脉琼楠 <i>Beilschmiedia obscurinervia</i> •	CR D
大萼冠唇花 <i>Microtoena megacyalyx</i> •	EN B1ab(i,ii,iii)	上思琼楠 <i>Beilschmiedia shangsiensis</i> •	CR D
米易冠唇花 <i>Microtoena miyiensis</i> •	VU A2c	东方琼楠 <i>Beilschmiedia tungfangensis</i> •	CR B1ab(ii,v); C2a(ii)
宝兴冠唇花 <i>Microtoena moupinensis</i> •	VU D1	坚叶樟 <i>Cinnamomum chartophyllum</i> •	EN B2ab(ii,iii)
木里冠唇花 <i>Microtoena muliensis</i> •	EN B1ab(i,iii); D	天竺桂 <i>Cinnamomum japonicum</i>	VU A2c
峨眉冠唇花 <i>Microtoena omeiensis</i> •	EN B1ab(i,iii); C2a(i)	红辣槁树 <i>Cinnamomum kwangtungense</i> •	EN A2c; B1ab(i,iii,v)
南川冠唇花 <i>Microtoena prainiana</i> •	VU A2c	沉水樟 <i>Cinnamomum micranthum</i>	VU A2c; B1ab(i,iii)
苏州石茅草 <i>Mosla suchouensis</i>	VU B1ab(i,ii,iii)	毛叶樟 <i>Cinnamomum mollifolium</i> •	EN A2c
长刺钩萼草 <i>Notochaete longiaristata</i> •	VU A2c+3c; D1	阔叶樟 <i>Cinnamomum platyphyllum</i> •	VU A2cd; B1ab(i,iii,v)
短叶假糙苏 <i>Paraphlomis brevifolia</i> •	VU A2c+3c; D1	绒毛樟 <i>Cinnamomum rufotomentosum</i> •	VU A2c+3c; D2
折齿假糙苏 <i>Paraphlomis reflexa</i> •	VU A2c	假桂皮树 <i>Cinnamomum tonkinense</i>	VU A2c
斜萼糙苏 <i>Phlomis inaequalisepala</i> •	VU A2c	短序厚壳桂 <i>Cryptocarya brachythrys</i> •	VU A2c+3c; D1+2
宝兴糙苏 <i>Phlomis paohsingensis</i> •	VU A2c; C1	鸡卵果 <i>Cryptocarya leiiana</i> •	VU A2c+3c; D2
短穗刺蕊草 <i>Pogostemon championii</i> •	EN C1	斑果厚壳桂 <i>Cryptocarya maculata</i> •	VU D2
大叶鼠尾草 <i>Salvia grandifolia</i> •	EN A2c; C1+2a(i)	云南厚壳桂 <i>Cryptocarya yunnanensis</i> •	EN A2c
宝兴鼠尾草 <i>Salvia paohsingensis</i> •	VU A2c	长果土楠 <i>Endiandra dolichocarpa</i> •	EN A2c; B1ab(i,iii,v); C1+2a(i)
洪桥鼠尾草 <i>Salvia potaninii</i> •	EN C1	广西钓樟 <i>Lindera guangxiensis</i> •	VU A2c+3c; D1+2
苣叶鼠尾草 <i>Salvia sonchifolia</i> •	VU A2c	山柿子果 <i>Lindera longipedunculata</i> •	VU A2c+3c; D1+2
近掌麦鼠尾草 <i>Salvia subpalmatinervis</i> •	CR B1ab(i,iii,v)	龙胜钓樟 <i>Lindera lungshengensis</i> •	VU A2c+3c; D1+2
海南黄芩 <i>Scutellaria hainanensis</i> •	VU C2a(i)	勐海山胡椒 <i>Lindera menghaiensis</i> •	VU A2c+3c; C2a(i); D1+2
黑心黄芩 <i>Scutellaria nigrocardia</i> •	VU A2c+3c; D2	天目木姜子 <i>Litsea auriculata</i> •	VU A2cde
		琼楠叶木姜子 <i>Litsea beilschmiediiifolia</i> •	VU A2ac; B1ab(i,ii,iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
五桠果叶木姜子 <i>Litsea dilleniifolia</i> •	VU A2acd+3cd	墨脱楠 <i>Phoebe motuonan</i> •	CR D
红河木姜子 <i>Litsea honghoensis</i> •	VU A2acd+3cd; B1ab(i,ii,iii,v)	普文楠 <i>Phoebe puwenensis</i> •	VU A2c
湖南木姜子 <i>Litsea hunanensis</i> •	EN A2c; B2ab(ii,iii)	红梗楠 <i>Phoebe rufescens</i> •	VU A3cd
红楠刨 <i>Litsea kwangsiensis</i> •	EN B1ab(i,iii,v)	崖楠 <i>Phoebe yaiensis</i>	EN A3c; B1ab(i,iii)
广东木姜子 <i>Litsea kwangtungensis</i> •	EN B1ab(i,ii,iii)	楠木 <i>Phoebe zhennan</i> •	VU A2+3cd
海南木姜子 <i>Litsea litseifolia</i> •	EN A2c	孔药楠 <i>Sinopora hongkongensis</i> •	CR A2c
长蕊木姜子 <i>Litsea longistaminata</i>	VU A2acd	安龙油果樟 <i>Syndiclis anlungensis</i> •	CR D
润楠叶木姜子 <i>Litsea machiloides</i> •	EN B1ab(i,ii,iii,v)	油果樟 <i>Syndiclis chinensis</i> •	EN B2ab(ii)
少脉木姜子 <i>Litsea oligophlebia</i> •	EN B1ab(ii)	富宁油果樟 <i>Syndiclis fooningensis</i> •	CR B1ab(i,iii,v); C1
海桐叶木姜子 <i>Litsea pittosporifolia</i> •	VU D1+2	鳞秕油果樟 <i>Syndiclis furfuracea</i> •	CR B1ab(i,iii,v); D1+2
思茅木姜子 <i>Litsea szemaois</i> •	CR A2acd; B1ab(i,iii,v); C1+2a(i)	广西油果樟 <i>Syndiclis kwangsiensis</i> •	VU A2c+3c; D1+2
西藏木姜子 <i>Litsea tibetana</i> •	EN B1ab(i,ii,v)+2ab(ii,v)	乐东油果樟 <i>Syndiclis lotungensis</i> •	CR A2c+3c; D1+2
黔南润楠 <i>Machilus austroguizhouensis</i> •	EN B1ab(i,iii,v); C1	麻栗坡油果樟 <i>Syndiclis marlipoensis</i> •	CR A2c
察隅润楠 <i>Machilus chayuensis</i> •	VU A2c+3c; B1ab(i,iii,v); D1	屏边油果樟 <i>Syndiclis pingbianensis</i> •	VU A2c; D1
灌丛润楠 <i>Machilus dumicola</i> •	EN B1ab(i,iii,v); C1	西畴油果樟 <i>Syndiclis sichourensis</i> •	CR A2c; D1
贡山润楠 <i>Machilus gongshanensis</i> •	VU A2c+3c; B1ab(i,iii,v); D1	(88) 玉蕊科 <i>Lecythidaceae</i>	
柔弱润楠 <i>Machilus gracillima</i> •	CR D	梭果玉蕊 <i>Barringtonia fusicarpa</i> •	VU D1
疣序润楠 <i>Machilus lenticellata</i> •	EN B1ab(i,iii,v); C1	玉蕊 <i>Barringtonia racemosa</i>	EN A2c
东莞润楠 <i>Machilus longipes</i> •	CR D	(89) 狸藻科 <i>Lentibulariaceae</i>	
茫茫山润楠 <i>Machilus mangdangshanensis</i> •	VU A2c+3c; D1	合苞挖耳草 <i>Utricularia peranomala</i> •	VU D1
暗叶润楠 <i>Machilus melanophylla</i> •	VU D1+2	(90) 百合科 <i>Liliaceae</i>	
峨眉润楠 <i>Machilus microcarpa</i> var. <i>omeiensis</i> •	VU C2a(ii); D1	剑川韭 <i>Allium chienchuanense</i> •	CR B1ac(ii)+2ac(ii)
小叶润楠 <i>Machilus microphylla</i> •	EN A2c	冀韭 <i>Allium chwui</i> •	EN A2c; D
小花润楠 <i>Machilus minutiflora</i> •	VU A2c	玉簪叶山葱 <i>Allium funckiiifolium</i> •	VU A2c; D1+2
雁荡润楠 <i>Machilus minutiloba</i> •	CR B1ab(i,iii,v); C1	疏花韭 <i>Allium henryi</i> •	VU A2c; D1+2
多脉润楠 <i>Machilus multinervia</i> •	VU D1+2	管花韭 <i>Allium siphonanthum</i> •	EN B1ac(i)
南川润楠 <i>Machilus nanchuanensis</i> •	VU A2c+3c; D1+2	昆明天门冬 <i>Asparagus mairei</i> •	EN B1b(i,iii)c(i)
润楠 <i>Machilus nanmu</i> •	EN B1ab(i,iii,v); C1	西南天门冬 <i>Asparagus munitus</i> •	VU B1ab(iii)
龙眼润楠 <i>Machilus oculodracontis</i> •	EN B1ab(i,iii,v); C1+2a(i)	滇南天门冬 <i>Asparagus subscandens</i> •	VU A2c+3c; B1ab(i,iii)
塔序润楠 <i>Machilus pyramidalis</i> •	VU A2c+3c; D1	黄花蜘蛛抱蛋 <i>Aspidistra flaviflora</i> •	CR B1ab(i,iii)
四川润楠 <i>Machilus sichuanensis</i> •	EN B1ab(i,iii); D	乐山蜘蛛抱蛋 <i>Aspidistra leshanensis</i> •	VU A2c
册亨润楠 <i>Machilus submultinervia</i> •	VU A2c; D1+2	长梗蜘蛛抱蛋 <i>Aspidistra longipedunculata</i> •	EN B1ab(iii)
疣枝润楠 <i>Machilus verruculosa</i>	EN B2ab(ii)	帆状蜘蛛抱蛋 <i>Aspidistra molendinacea</i> •	VU B1ab(iii)
保亭新木姜子 <i>Neolitsea howii</i> •	CR B1ab(ii,iii)	柳江蜘蛛抱蛋 <i>Aspidistra patentiloba</i> •	VU C1
凹脉新木姜子 <i>Neolitsea impressa</i> •	VU D2	紫点蜘蛛抱蛋 <i>Aspidistra punctata</i> •	EN B1ab(i,iii)
龙陵新木姜子 <i>Neolitsea lunglingensis</i> •	VU A2c+3c; D1	剑叶开口箭 <i>Campylandra ensifolia</i> •	VU A2c; B1ab(i,iii); C1
勐腊新木姜子 <i>Neolitsea menglaensis</i> •	VU A2c+3c; D1	金山开口箭 <i>Campylandra jinshanensis</i> •	VU D2
钝叶新木姜子 <i>Neolitsea obtusifolia</i> •	VU A2c+3c; D1+2	凉山开口箭 <i>Campylandra liangshanensis</i> •	VU D2
舟山新木姜子 <i>Neolitsea sericea</i>	EN A3c; B1ab(i,iii,v); D	疣点开口箭 <i>Campylandra verruculosa</i> •	VU A2c
新宁新木姜子 <i>Neolitsea shingningensis</i> •	VU A2c+3c; D1	尖被万寿竹 <i>Disporum acuminatissimum</i> •	EN C1
绒毛新木姜子 <i>Neolitsea tomentosa</i> •	EN A2c	南川鹭鸶兰 <i>Diuranthera inarticulata</i> •	EN B1ab(i,iii)
闽楠 <i>Phoebe bournei</i> •	VU A2c	柬埔寨龙血树 <i>Dracaena cambodiana</i>	VU A2c+3c
短序楠 <i>Phoebe brachythysa</i> •	CR A2d; B1ab(i,iii)	剑叶龙血树 <i>Dracaena cochinchinensis</i>	VU A2c+3c
浙江楠 <i>Phoebe chekiangensis</i> •	VU A2c	猪牙花 <i>Erythronium japonicum</i>	VU A2c+3c
粉叶楠 <i>Phoebe glaucocephyla</i> •	CR B1ab(ii)	安徽贝母 <i>Fritillaria anhuiensis</i> •	VU B2ab(ii)
茶槁楠 <i>Phoebe hainanensis</i> •	CR A3cd; B1ab(ii)	粗茎贝母 <i>Fritillaria crassicaulis</i> •	VU B1ab(iii)
桂楠 <i>Phoebe kwangsiensis</i> •	EN A2cd; B1ab(i,iii)	大金贝母 <i>Fritillaria dauricensis</i> •	EN A2c; B1ab(i,iii,v)
利川楠 <i>Phoebe lichuanensis</i> •	CR D	米贝母 <i>Fritillaria davidii</i> •	EN A2b; B1ab(i,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
梭砂贝母 <i>Fritillaria delavayi</i>	VU B1ab(i,iii,v)	大叶假百合 <i>Notholirion macrophyllum</i>	EN B1ab(i,iii)
高山贝母 <i>Fritillaria fusca</i> •	EN B1ab(iii)	五指莲重楼 <i>Paris axialis</i> •	VU A2acd+3cd+4cd
轮叶贝母 <i>Fritillaria maximowiczii</i>	EN B1ab(i,iii,v)	凌云重楼 <i>Paris cronquistii</i> var. <i>cronquistii</i> •	VU A2c; B1ac(i,iii)
额敏贝母 <i>Fritillaria meleagroides</i>	VU B1ab(i,iii,v)	西畴重楼 <i>Paris cronquistii</i> var. <i>xichouensis</i> •	EN A2acd+3cd+4cd
天目贝母 <i>Fritillaria monantha</i> •	EN A2c	大理重楼 <i>Paris daliensis</i> •	EN A2acd+3cd+4cd; B1ab(i,ii,iii,v)
伊贝母 <i>Fritillaria pallidiflora</i>	VU B1ab(iii,v)	金线重楼 <i>Paris delavayi</i>	VU A2acd+3cd+4cd
甘肃贝母 <i>Fritillaria przewalskii</i> •	VU B1ab(iii)	独龙重楼 <i>Paris dulongensis</i> •	CR A2acd+3cd+4cd; B1ab(i,ii,iii,iv,v)
华西贝母 <i>Fritillaria sichuanica</i> •	VU B1ab(i,iii)	海南重楼 <i>Paris dunniana</i> •	VU A2acd+3cd+4cd
中华贝母 <i>Fritillaria sinica</i> •	VU B1ab(i,iii)	具柄重楼 <i>Paris fargesii</i> var. <i>petiolata</i> •	EN A2acd+3cd+4cd
太白贝母 <i>Fritillaria taipaiensis</i> •	EN B1ab(i,iii)	长柱重楼 <i>Paris forrestii</i>	EN A2acd+3cd+4cd
东阳贝母 <i>Fritillaria thunbergii</i> var. <i>chekiangensis</i> •	VU A2c; B1ab(iii)	禄劝花叶重楼 <i>Paris luquanensis</i> •	CR A2acd+3cd+4cd
托里贝母 <i>Fritillaria tortifolia</i> •	VU A2c; B2ab(iii)	毛重楼 <i>Paris mairei</i> •	EN A2acd+3cd+4cd
长腺贝母 <i>Fritillaria unibracteata</i> var. <i>longinectarea</i> •	CR B1ab(i)	多蕊重楼 <i>Paris polyandra</i> •	EN A2acd+3cd+4cd; B1ab(i,ii,iii,v)
暗紫贝母 <i>Fritillaria unibracteata</i> var. <i>unibracteata</i> •	EN A2c; B1ab(i,iii)	白花重楼 <i>Paris polyphylla</i> var. <i>alba</i> •	VU A2acd+3cd+4cd
平贝母 <i>Fritillaria ussuriensis</i>	VU B1ab(i,iii)	华重楼 <i>Paris polyphylla</i> var. <i>chinensis</i>	VU A2acd+3cd+4cd
新疆贝母 <i>Fritillaria walujewii</i>	EN A2c; B1ab(iii)	皱叶重楼 <i>Paris rugosa</i> •	EN A2acd+3cd+4cd
裕民贝母 <i>Fritillaria yuminensis</i> •	VU A2c; D2	卷瓣重楼 <i>Paris undulata</i> •	CR A2acd+3cd+4cd; B1ab(i,ii,iii,v); C1
榆中贝母 <i>Fritillaria yuzhongensis</i> •	EN B1b(i)c(iii)	平伐重楼 <i>Paris vaniotii</i>	EN A2acd+3cd+4cd
长苞萱草 <i>Hemerocallis middendorffii</i> var. <i>longibracteata</i> •	VU A2c	南重楼 <i>Paris vietnamensis</i>	VU A2acd+3cd+4cd
金佛山异黄精 <i>Heteropolygonatum ginshanicum</i> •	VU B1b(i)c(iii)	文县重楼 <i>Paris wenxianensis</i> •	CR A2acd+3cd+4cd
垂茎异黄精 <i>Heteropolygonatum pendulum</i> •	EN C1	金寨黄精 <i>Polygonatum jinhaiense</i> •	VU D1+2
四川异黄精 <i>Heteropolygonatum xui</i> •	EN B1ab(iii); D	新疆黄精 <i>Polygonatum roseum</i>	VU A2c; B1ab(i,iii)
台湾肖菝葜 <i>Heterosmilax seisuiensis</i> •	VU D2	巴坡菝葜 <i>Smilax bapouensis</i> •	EN C1
秀丽百合 <i>Lilium amabile</i>	EN A2c; B1b(i,ii,v)c(iv)	矮菝葜 <i>Smilax nana</i> •	EN B1ab(iii)
玫红百合 <i>Lilium amoenum</i> •	VU A2c; B1ab(i,iii,v)	南投菝葜 <i>Smilax nantoensis</i> •	VU B2ab(ii)
安徽百合 <i>Lilium anhuiense</i> •	EN B1ab(iii)	绿花油点草 <i>Tricyrtis viridula</i> •	VU B1b(i)c(iii)
垂花百合 <i>Lilium cernuum</i>	VU A2c; B1ab(i,iii,v)	台湾延龄草 <i>Trillium taiwanense</i> •	CR B1ab(ii)+2ab(ii)
哈巴百合 <i>Lilium habaense</i> •	VU C1	新疆郁金香 <i>Tulipa sinkiangensis</i> •	EN A2c
墨江百合 <i>Lilium henrici</i> var. <i>henrici</i> •	VU B1ac(iii)	赛里木湖郁金香 <i>Tulipa thianschanica</i> var. <i>sailimuensis</i>	VU B1ab(iii)
大花卷丹 <i>Lilium leichtlinii</i> var. <i>maximowiczii</i>	VU B1ab(i,iii)	单花郁金香 <i>Tulipa uniflora</i>	VU A1a
丽江百合 <i>Lilium lijiangense</i> •	VU D1	长穗开口箭 <i>Tupistra longispica</i> •	CR B1b(i,iii)c(i)
马塘百合 <i>Lilium matangense</i> •	CR D	屏边开口箭 <i>Tupistra pingbianensis</i> •	EN A2c; B1ab(i,ii,v); C1
浙江百合 <i>Lilium medeoloides</i>	EN B1ab(iii)	(91) 北极花科 Linnaeaceae	
墨脱百合 <i>Lilium medogense</i> •	CR D	细瘦糯米条 <i>Abelia forrestii</i> •	VU A2c; B1ab(i,iii)
藏百合 <i>Lilium paradoxum</i> •	CR A2c	云南双盾木 <i>Dipelta yunnanensis</i> •	VU B1ab(i,iii)
蒜头百合 <i>Lilium sempervivoideum</i> •	VU A1a	靖实 <i>Kolkwitzia amabilis</i> •	VU A2c
青岛百合 <i>Lilium tsingtauense</i>	VU B1ab(i,iii)	(92) 马钱科 Loganiaceae	
乡城百合 <i>Lilium xanthellum</i> var. <i>xanthellum</i> •	EN A2c	大花醉鱼草 <i>Buddleja covillei</i>	VU A2c+3c; D1
黄洼瓣花 <i>Lloydia delavayi</i>	EN B1ab(i,iii,v)	腺叶醉鱼草 <i>Buddleja delavayi</i> •	VU A2c
贡山鹿药 <i>Maianthemum gongshanense</i> •	VU A2c	云南醉鱼草 <i>Buddleja yunnanensis</i> •	VU A2c; B1ab(i,iii,v)
南川鹿药 <i>Maianthemum nanchuanense</i> •	EN D	阳春度量草 <i>Mitreola yangchunensis</i> •	EN B1ab(i,iii)
美丽豹子花 <i>Nomocharis basilissa</i>	EN C2a(i)	吕宋果 <i>Strychnos ignatii</i>	VU B1ab(i,iii)
滇西豹子花 <i>Nomocharis farreri</i>	EN B1ab(i,iii)	(93) 桑寄生科 Loranthaceae	
豹子花 <i>Nomocharis pardanthina</i> •	EN A2a; D	滇西离瓣寄生 <i>Helixanthera scoriarum</i> •	VU A2c; B1ab(i,iii)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
(94) 兰花蕉科 Lowiaceae		黄兰 <i>Michelia champaca</i> var. <i>champaca</i>	VU B1ab(i,iii); D
兰花蕉 <i>Orchidantha chinensis</i> var. <i>chinensis</i> •	VU A2c+3c; B1ab(ii,iii,v); C1	毛叶脉黄兰 <i>Michelia champaca</i> var. <i>pubinervia</i>	VU A2c
海南兰花蕉 <i>Orchidantha insularis</i> •	EN A2c+3c; B1ab(ii,iii,v)	西畴含笑 <i>Michelia coriacea</i>	VU A2acd; B1ab(i,iii,v)
(95) 千屈菜科 Lythraceae		紫花含笑 <i>Michelia crassipes</i> •	EN D
毛萼紫薇 <i>Lagerstroemia balansae</i>	EN B1ab(i,iii)	雅致含笑 <i>Michelia elegans</i> •	EN D
桂林紫薇 <i>Lagerstroemia guilinensis</i> •	EN B1ab(i,iii)	素黄含笑 <i>Michelia flaviflora</i>	VU A2c; B1ab(i,iii,v)
云南紫薇 <i>Lagerstroemia intermedia</i>	VU B1ab(i,iii)	福建含笑 <i>Michelia fujianensis</i> •	VU A2c; B1ab(i,iii,v)
网脉紫薇 <i>Lagerstroemia suprareticulata</i> •	EN B1ab(i,iii)	棕毛含笑 <i>Michelia fulva</i> •	EN A2c; D
毛紫薇 <i>Lagerstroemia villosa</i>	VU A2c; B1ab(i,iii)	香子含笑 <i>Michelia gioi</i>	EN A2c
海南海桑 <i>Sonneratia ×hainanensis</i> •	CR D	广东含笑 <i>Michelia guangdongensis</i> •	CR C2a(i); D
杯萼海桑 <i>Sonneratia alba</i>	VU A2c	广西含笑 <i>Michelia guangxiensis</i> •	EN A2c; D
(96) 木兰科 Magnoliaceae		鼠刺含笑 <i>Michelia iteophylla</i>	EN B1ab(i,iii)
长蕊木兰 <i>Alcimandra cathcartii</i>	VU A2c	西藏含笑 <i>Michelia kisopa</i>	EN B1ab(ii)
长喙厚朴 <i>Houpoëa rostrata</i>	VU A2c	壮丽含笑 <i>Michelia lacei</i>	EN B1ab(i,iii); D
绢毛木兰 <i>Lirianthe albosericea</i>	EN B1ab(i,iii)	黄心含笑 <i>Michelia martini</i>	VU B1ab(i,iii)
香港木兰 <i>Lirianthe championii</i>	EN D	观光木 <i>Michelia odora</i>	VU A2c; B1ab(i,iii)
夜香木兰 <i>Lirianthe coco</i>	EN B1ab(i,iii)	马关含笑 <i>Michelia opipara</i> •	EN A2c; D
显脉木兰 <i>Lirianthe fistulosa</i> •	VU B1ab(i,iii,v); D	石碌含笑 <i>Michelia shiliensis</i> •	EN A2c; D
大叶木兰 <i>Lirianthe henryi</i>	EN D	球花含笑 <i>Michelia sphaerantha</i> •	VU D1
馨香木兰 <i>Lirianthe odoratissima</i> •	CR C1+2a(i,ii)	川含笑 <i>Michelia wilsonii</i> subsp. <i>szechuanica</i> •	VU B1ab(iii)
香木莲 <i>Manglietia aromatica</i>	VU A2c	峨眉含笑 <i>Michelia wilsonii</i> subsp. <i>Wilsonii</i> •	VU A2c; B1ab(iii)
石山木莲 <i>Manglietia calcarea</i> •	VU D2	黄花含笑 <i>Michelia xanthantha</i> •	VU A2c; D2
西藏木莲 <i>Manglietia caveana</i>	EN B1ab(i,iii,v)	毛叶天女花 <i>Oyama globosa</i>	VU B1ab(iii)
粗梗木莲 <i>Manglietia crassipes</i> •	CR B2ab(i,ii,iii,v); C2a(i)	圆叶天女花 <i>Oyama sinensis</i> •	VU B1ab(i,iii)
大叶木莲 <i>Manglietia dandyi</i>	EN A2c	西康天女花 <i>Oyama wilsonii</i> •	VU B1ab(iii)
落叶木莲 <i>Manglietia decidua</i> •	VU D2	华盖木 <i>Pachylarnax sinica</i> •	CR B1ab(iii); C2a(i); D
川滇木莲 <i>Manglietia duclouxii</i>	VU D1	乐东拟单性木兰 <i>Parakmeria lotungensis</i> •	VU A2c
滇桂木莲 <i>Manglietia forrestii</i>	VU A2acd	光叶拟单性木兰 <i>Parakmeria nitida</i>	VU A2c; B1ab(i,iii)
苍背木莲 <i>Manglietia glaucifolia</i> •	CR D	峨眉拟单性木兰 <i>Parakmeria omeiensis</i> •	CR B1ab(i,iii,v); D
大果木莲 <i>Manglietia grandis</i> •	VU A2acd	云南拟单性木兰 <i>Parakmeria yunnanensis</i>	VU A2c; B1ab(i,iii,v)
红河木莲 <i>Manglietia hongheensis</i> •	VU A2c; C1	盖裂木 <i>Talauma hodgsonii</i>	VU A2c; B1ab(iii); C1
中缅木莲 <i>Manglietia hookeri</i>	VU B1ab(ii)	焕镛木 <i>Woonyoungia septentrionalis</i> •	VU A2ac; B1ab(ii,v)+ 2ab(ii,v)
红花木莲 <i>Manglietia insignis</i>	VU A2acd	天目玉兰 <i>Yulania amoena</i> •	VU A2c
毛桃木莲 <i>Manglietia kwangtungensis</i> •	VU D1	滇藏玉兰 <i>Yulania campbellii</i>	VU A2c
长梗木莲 <i>Manglietia longipedunculata</i> •	CR D	光叶玉兰 <i>Yulania dawsoniana</i> •	EN D
亮叶木莲 <i>Manglietia lucida</i> •	EN A2c; B2ab(ii,iii,v); D	紫玉兰 <i>Yulania liliiflora</i> •	VU A2c
倒卵叶木莲 <i>Manglietia obovalifolia</i> •	EN B1ab(ii,iv)	罗田玉兰 <i>Yulania pilocarpa</i> •	EN B1ab(iii,v); C1
卵果木莲 <i>Manglietia ovoidea</i> •	EN B2ab(ii,iii,v)	凹叶玉兰 <i>Yulania sargentiana</i> •	VU A2c
厚叶木莲 <i>Manglietia pachyphylla</i> •	VU B2ab(ii); C2a(i)	景宁玉兰 <i>Yulania sinostellata</i> •	CR B1ab(i,iii)
巴东木莲 <i>Manglietia patungensis</i> •	VU A2c	青皮玉兰 <i>Yulania viridula</i> •	EN D
毛瓣木莲 <i>Manglietia rufibarbata</i>	EN D	宝华玉兰 <i>Yulania zenii</i> •	CR B1ab(ii)+2ab(ii); D
四川木莲 <i>Manglietia szechuanica</i> •	VU A2c	(97) 金虎尾科 Malpighiaceae	
毛果木莲 <i>Manglietia ventii</i>	EN B2ab(i,ii,iii,v); D	花江盾翅藤 <i>Aspidopterys esquirolii</i> •	VU B2ac(i,ii,iii)
锈毛木莲 <i>Manglietia zhengyiana</i> •	EN C1+2a(i,ii)	(98) 锦葵科 Malvaceae	
狭叶含笑 <i>Michelia angustioblonga</i> •	CR B1ab(ii,v)+2ab(ii,v)	木里秋葵 <i>Abelmoschus muliensis</i> •	EN A3ede; B1ab(i,iii)
合果木 <i>Michelia baillonii</i>	VU A2c	圆锥苘麻 <i>Abutilon paniculatum</i> •	VU A3c; B1ab(i,iii)
平伐含笑 <i>Michelia cavaleriei</i> var. <i>cavaleriei</i> •	EN A2c	裸花蜀葵 <i>Alcea nudiflora</i>	EN A3c; B1ab(i,iii)

© 生物多样性与气候变化科学

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
旱地木槿 <i>Hibiscus aridicola</i> •	VU A2c; B2ab(i,ii,iii)	马山地不容 <i>Stephania mashanica</i> •	EN A2c
滇南芙蓉 <i>Hibiscus austroyunnanensis</i> •	EN B2ab(ii)	台湾千金藤 <i>Stephania merrillii</i> •	VU D2
光籽木槿 <i>Hibiscus leviseminus</i> •	VU B2ab(ii,iv)	小花地不容 <i>Stephania micrantha</i> •	VU A2c
庐山芙蓉 <i>Hibiscus paramutabilis</i> •	VU A2c	药用地不容 <i>Stephania officinarum</i> •	CR D
台湾芙蓉 <i>Hibiscus taiwanensis</i> •	CR D	小叶地不容 <i>Stephania succifera</i> •	CR B1ab(i,iii,v)
云南芙蓉 <i>Hibiscus yunnanensis</i> •	EN A2c; B1ab(ii)	四川千金藤 <i>Stephania sutchuenensis</i> •	EN D
枣叶槿 <i>Nayariophytum zizyphifolium</i>	VU A2c; B1ab(i,ii,iii)	云南地不容 <i>Stephania yunnanensis</i> var. <i>yunnanensis</i> •	EN B1ab(i,iii,v); D
(99) 竹芋科 Marantaceae		台湾青牛胆 <i>Tinospora dentata</i> •	CR B1ab(ii)
竹叶蕉 <i>Donax canniformis</i>	VU D1	青牛胆 <i>Tinospora sagittata</i> var. <i>sagittata</i>	EN A2c
穗花叶 <i>Stachyphrynum sinense</i> •	VU A3c; B1ab(ii,iv)	(104) 桑科 Moraceae	
(100) 单室茱萸科 Mastixiaceae		贡山波罗蜜 <i>Artocarpus gongshanensis</i> •	CR B1ab(i,iii)
长尾单室茱萸 <i>Mastixia caudatilimba</i> •	EN A2c; B1ab(i,iii)	白桂木 <i>Artocarpus hypargyreus</i> •	EN A2ac+3c
小果单室茱萸 <i>Mastixia microcarpa</i> •	VU D1	野波罗蜜 <i>Artocarpus lakoocha</i>	VU A2c+3c
毛叶单室茱萸 <i>Mastixia trichophylla</i> •	EN A2c; B1ab(i,iii)	南川木波罗 <i>Artocarpus nanchuanensis</i> •	CR B1ab(i,iii,v)
(101) 野牡丹科 Melastomataceae		牛李 <i>Artocarpus nigrifolius</i> •	CR B1ab(ii,v)
宽翅棱果花 <i>Barthea barthei</i> var. <i>valdealata</i> •	EN A2c; B1ab(i,iii)	猴子腰袋 <i>Artocarpus pithegallus</i> •	EN B1ab(i,iii)
耳基柏拉木 <i>Blastus auriculatus</i> •	CR B1ab(i,iii)	黄果波罗蜜 <i>Artocarpus xanthocarpus</i>	EN A2c
短茎异药花 <i>Fordiophyton brevicaule</i> •	VU A2c	环纹榕 <i>Ficus annulata</i>	CR C1+2a(i,ii)
心叶异药花 <i>Fordiophyton cordifolium</i> •	VU A3c; B1ab(i,iii)	北碚榕 <i>Ficus beipeiensis</i> •	EN C1+2a(i,ii)
匍匐异药花 <i>Fordiophyton repens</i> •	VU A2c+3c	龙州榕 <i>Ficus cardiophylla</i>	EN C2a(I)
糠秕酸脚杆 <i>Medinilla hayatana</i> •	CR B1ab(ii)	纸叶榕 <i>Ficus chartacea</i> var. <i>chartacea</i>	VU D1
狭叶谷木 <i>Memecylon lanceolatum</i>	VU D2	无柄纸叶榕 <i>Ficus chartacea</i> var. <i>torulosa</i>	VU D1
红毛卷花丹 <i>Scorpiothrysus erythrotrichus</i> •	CR B1ab(ii)	定安榕 <i>Ficus dinganensis</i> •	VU B1ab(iii)
卷花丹 <i>Scorpiothrysus xanthostictus</i> •	VU D2	长柄线尾榕 <i>Ficus filicauda</i> var. <i>longipes</i> •	VU D2
虎颜花 <i>Tigridiopalma magnifica</i> •	EN B1ab(i,iii); C1	扶绥榕 <i>Ficus fusuiensis</i> •	EN A2c; B1ab(i,iii)
(102) 檬科 Meliaceae		贵州榕 <i>Ficus guizhouensis</i> •	VU B1ab(i,iii)
望谟崖摩 <i>Aglaia lawii</i>	VU A2c; B1ab(ii,iii)	大青树 <i>Ficus hookeriana</i>	CR C2a(i)
兰屿木坚木 <i>Dysoxylum arborescens</i>	EN A2c	滇缅榕 <i>Ficus kurzii</i>	EN D
少花木坚木 <i>Dysoxylum pallens</i>	VU A2c	光叶榕 <i>Ficus laevis</i>	VU B1ab(iii)
大花木坚木 <i>Dysoxylum parasiticum</i>	CR B1ab(ii,v)	那坡榕 <i>Ficus napoensis</i> •	CR D
羽状地黄连 <i>Munronia pinnata</i>	VU A2c; B1ab(i,iii)	森林榕 <i>Ficus nerifolia</i>	VU A2cd
红椿 <i>Toona ciliata</i>	VU B1ab(i,iii)	球果山榕 <i>Ficus pubilimba</i>	EN D
红花香椿 <i>Toona fargesii</i>	VU B1ab(i,iii)	乳源榕 <i>Ficus ruyuanensis</i> •	VU A2c; D2
(103) 防己科 Menispermaceae		极简榕 <i>Ficus simplicissima</i>	VU D1
藤枣 <i>Eleutherharrhena macrocarpa</i>	CR B1ab(i,iii,v)	楔叶榕 <i>Ficus trivia</i> var. <i>trivia</i>	VU B1ab(v)
短梗地不容 <i>Stephania brevipedunculata</i> •	CR D	波缘榕 <i>Ficus undulata</i> •	EN A2c
一文钱 <i>Stephania delavayi</i> •	VU A2c	越桔榕 <i>Ficus vaccinoides</i> •	EN B2ab(ii)
齿叶地不容 <i>Stephania dentifolia</i> •	CR D	云南榕 <i>Ficus yunnanensis</i> •	EN C2a(i)
荷包地不容 <i>Stephania dicentrinifera</i> •	VU D2	(105) 芭蕉科 Musaceae	
血散薯 <i>Stephania dielsiana</i> •	VU B1ab(iii)	兰屿芭蕉 <i>Musa insularimontana</i> •	CR B1ab(ii)
雅丽千金藤 <i>Stephania elegans</i>	VU B1ab(iii)	(106) 杨梅科 Myricaceae	
纤细千金藤 <i>Stephania gracilenta</i>	EN D	青杨梅 <i>Myrica adenophora</i> •	VU B1ab(iii)
海南地不容 <i>Stephania hainanensis</i> •	EN B2ab(ii)	(107) 肉豆蔻科 Myristicaceae	
河谷地不容 <i>Stephania intermedia</i> •	CR D	大叶风吹楠 <i>Horsfieldia kingii</i>	VU A2c; B1ab(i,iii)
桂南地不容 <i>Stephania kuinanensis</i> •	EN D	云南风吹楠 <i>Horsfieldia prainii</i>	VU A2c; B1ab(iii)
广西地不容 <i>Stephania kwangsiensis</i> •	EN A2c	云南肉豆蔻 <i>Myristica yunnanensis</i>	EN A2c+3c; B1ab(i,iii,v)
临沧地不容 <i>Stephania lincangensis</i> •	CR D	(108) 紫金牛科 Myrsinaceae	
大花地不容 <i>Stephania macrantha</i> •	CR D	狗骨头 <i>Ardisia aberrans</i> •	EN A2c

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
显脉紫金牛 <i>Ardisia alutacea</i> •	CR A2c; B1b(i,ii,iii,v)c(i,ii,iv)	毛木犀 <i>Osmanthus venosus</i> •	EN B1ab(i,ii); C1
粗茎紫金牛 <i>Ardisia dasyrhizomatica</i> •	CR A2c; B1ab(i,iii)	(118) 柳叶菜科 <i>Onagraceae</i>	
轮廓紫金牛 <i>Ardisia ordinata</i> •	VU D2	长柱柳叶菜 <i>Epilobium blinii</i> •	EN D
卷边紫金牛 <i>Ardisia replicata</i>	VU B2ab(i,ii)	东北柳叶菜 <i>Epilobium ciliatum</i>	VU A2c; B1ab(i,iii)
(109) 桃金娘科 <i>Myrtaceae</i>		川西柳叶菜 <i>Epilobium fangii</i> •	VU A2c; B1ab(i,iii)
白毛子楝树 <i>Decaspermum albociliatum</i> •	VU A2c+3c	天山柳叶菜 <i>Epilobium tianschanicum</i>	VU A2c
琼南子楝树 <i>Decaspermum austrohainanicum</i> •	CR B1ab(i,iii)	(119) 兰科 <i>Orchidaceae</i>	
滇南蒲桃 <i>Syzygium austroyunnanense</i> •	EN B1ab(i,iii)	短序脆兰 <i>Acampe papillosa</i>	VU B1ab(ii,iv)
短序蒲桃 <i>Syzygium brachythyrsum</i> •	EN B1ab(i,iii)	中华坛花兰 <i>Acanthephippium gougaense</i>	EN A3c; B1ab(ii,iv); C1
台湾蒲桃 <i>Syzygium formosanum</i> •	VU A2c	坛花兰 <i>Acanthephippium sylhetense</i>	VU A2ac
万宁蒲桃 <i>Syzygium howii</i> •	CR B1ab(ii)	合萼兰 <i>Acriopsis indica</i>	EN B1ab(ii,v)+2ab(ii,v)
尖峰蒲桃 <i>Syzygium jienfunicum</i> •	CR B1ab(i,iii)	指甲兰 <i>Aerides falcata</i>	EN A2c
恒春蒲桃 <i>Syzygium kusukusense</i> •	EN A2c	扇唇指甲兰 <i>Aerides flabellata</i>	EN B1ab(i,iii,v)
倒披针叶蒲桃 <i>Syzygium oblancilimum</i> •	EN A2c	香花指甲兰 <i>Aerides odorata</i>	EN B1ab(ii,iii,v)
(110) 猪笼草科 <i>Nepenthaceae</i>		多花指甲兰 <i>Aerides rosea</i>	EN A2c
猪笼草 <i>Nepenthes mirabilis</i>	VU B2ac(ii,iii)	气穗兰 <i>Aeridostachya robusta</i>	VU D2
(111) 白刺科 <i>Nitrariaceae</i>		四裂无柱兰 <i>Amitostigma basifoliatum</i> •	VU B1ab(i,iii,v)+ 2b(i,iii,v)
帕米尔白刺 <i>Nitraria pamirica</i>	VU A2c; D2	棒距无柱兰 <i>Amitostigma bifoliatum</i> •	EN B1ab(i,iii,v)
(112) 紫茉莉科 <i>Nyctaginaceae</i>		头序无柱兰 <i>Amitostigma capitatum</i> •	VU A2c; B1ab(iii,v)
山紫茉莉 <i>Oxybaphus himalaicus</i>	EN A3bde	长距无柱兰 <i>Amitostigma dolichocentrum</i> •	VU A2c
(113) 睡莲科 <i>Nymphaeaceae</i>		峨眉无柱兰 <i>Amitostigma faberi</i> •	VU B1ab(i,iii,v)
萍蓬草 <i>Nuphar pumila</i> subsp. <i>pumila</i>	VU B2ac(ii,iii)	贡嘎无柱兰 <i>Amitostigma gonggashanicum</i> •	EN B1ab(iii)
中华萍蓬草 <i>Nuphar pumila</i> subsp. <i>sinensis</i> •	VU A2c; C1	蝶花无柱兰 <i>Amitostigma papilionaceum</i> •	EN B1ab(iii,v)
雪白睡莲 <i>Nymphaea candida</i>	EN A2c; C1	少花无柱兰 <i>Amitostigma parceflorum</i> •	CR B1ab(ii,iii,v)
(114) 蓝果树科 <i>Nyssaceae</i>		球距无柱兰 <i>Amitostigma physoceras</i> •	VU B1ab(i,iii,v)
上思蓝果树 <i>Nyssa shangszeensis</i> •	CR B1ab(i,iii)	大花无柱兰 <i>Amitostigma pinguiscula</i>	CR A2c
瑞丽蓝果树 <i>Nyssa shweliensis</i>	CR B1ab(i,iii)	黄花无柱兰 <i>Amitostigma simplex</i> •	EN B1ab(i,iii,v)
云南蓝果树 <i>Nyssa yunnanensis</i> •	CR C1+2a(i,ii)	西藏无柱兰 <i>Amitostigma tibeticum</i> •	EN B2ac(ii,iii)
(115) 金莲木科 <i>Ochnaceae</i>		三叉无柱兰 <i>Amitostigma trifurcatum</i> •	CR A2c; B1ab(iii,v)
合柱金莲木 <i>Sauvagesia rhodoleuca</i> •	VU A2bc; D1	齿片无柱兰 <i>Amitostigma yuanum</i> •	EN B1ab(i,iii,v)
(116) 铁青树科 <i>Olacaceae</i>		蜀藏兜蕊兰 <i>Androcorys spiralis</i> •	VU B1ab(iii,v)
蒜头果 <i>Malania oleifera</i> •	VU A2c	保亭金线兰 <i>Anoectochilus baotingensis</i> •	EN B1ab(iii,v)
疏花铁青树 <i>Olax austrosinensis</i> •	VU A2c	滇南金线兰 <i>Anoectochilus burmannicus</i>	VU A2c; B1ab(iii,v)
(117) 木犀科 <i>Oleaceae</i>		滇越金线兰 <i>Anoectochilus chapaensis</i>	VU A2c; B1ab(iii,v)
狭叶芩 <i>Fraxinus baroniana</i> •	EN B1ab(iii)	峨眉金线兰 <i>Anoectochilus emeiensis</i> •	CR B1ab(ii,iii)
湖北白蜡 <i>Fraxinus hupehensis</i> •	EN B2ab(ii,iii,v)	南岭齿唇兰 <i>Anoectochilus nanlingensis</i> •	EN B1ab(iii)
水曲柳 <i>Fraxinus mandshurica</i>	VU A2c	金线兰 <i>Anoectochilus roxburghii</i>	EN B1ab(ii)+2ab(ii)
天山白蜡 <i>Fraxinus sogdiana</i>	VU A2c+3c; B1ab(iii)	浙江金线兰 <i>Anoectochilus zhejiangensis</i> •	EN A2c+3c; B1ab(iii,v)
广西素馨 <i>Jasminum guangxiense</i> •	EN B1ab(i,iii)	高山无叶兰 <i>Aphyllorchis alpina</i>	VU A2c
银花素馨 <i>Jasminum nintoooides</i> •	EN B1ab(i,iii)	尾萼无叶兰 <i>Aphyllorchis caudata</i>	VU A2c
玉山女贞 <i>Ligustrum morrisonense</i> •	VU A2c	大花无叶兰 <i>Aphyllorchis gollanii</i>	EN B1ab(ii)+2ab(ii)
裂果女贞 <i>Ligustrum sempervirens</i> •	VU A2c+3c	单唇无叶兰 <i>Aphyllorchis simplex</i> •	CR B1ab(iii,v)
胶核藤 <i>Myxopyrum pierrei</i>	VU A2c; B1ab(i,iii)	剑叶拟兰 <i>Apostasia wallichii</i>	EN A2c
双瓣木犀 <i>Osmanthus didymopetalus</i> •	VU A2c	鸟舌兰 <i>Ascoacentrum ampullaceum</i>	EN A2c
石山桂花 <i>Osmanthus fordii</i> •	VU A2c	圆柱形鸟舌兰 <i>Ascoacentrum himalaicum</i>	EN A2ac
显脉木犀 <i>Osmanthus hainanensis</i> •	VU A3c	胼胝兰 <i>Biermannia calcarata</i>	VU D2
锐叶木犀 <i>Osmanthus lanceolatus</i> •	VU A2c	小白及 <i>Bletilla formosana</i>	EN A4c
毛柄木犀 <i>Osmanthus pubipedicellatus</i> •	CR A2cd+3c; B1ab(iii)	黄花白及 <i>Bletilla ochracea</i>	EN A4cd

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
华白及 <i>Bletilla sinensis</i>	EN D	双叶卷瓣兰 <i>Bulbophyllum wallichii</i>	VU A2c
白及 <i>Bletilla striata</i>	EN B1ab(iii)	五指山石豆兰 <i>Bulbophyllum wuzhishanense</i> •	VU C1
长叶苞叶兰 <i>Brachycorythis henryi</i>	EN B1ab(iii)	蜂腰兰 <i>Bulleyia yunnanensis</i>	EN A4c
台湾石豆兰 <i>Bulbophyllum aureolabellum</i> •	EN B2ab(iii)	长柄虾脊兰 <i>Calanthe alleizettei</i>	EN A2c; B1ab(i,iii)
二色卷瓣兰 <i>Bulbophyllum bicolor</i> •	CR B1ab(ii,v)+ 2ab(ii,iii,v)	弧距虾脊兰 <i>Calanthe arcuata</i> var. <i>arcuata</i>	VU A2c
团花石豆兰 <i>Bulbophyllum bittnerianum</i>	EN A2c; B1ab(iii)	二裂虾脊兰 <i>Calanthe biloba</i>	VU A2c; B1ab(iii)
波密卷瓣兰 <i>Bulbophyllum bomiensis</i> •	EN A2c	舌唇虾脊兰 <i>Calanthe cardioglossa</i>	EN A2c
尾萼卷瓣兰 <i>Bulbophyllum caudatum</i>	EN B1ab(ii,iii,v)	独龙虾脊兰 <i>Calanthe dulongensis</i> •	CR B1ab(iii)
城口卷瓣兰 <i>Bulbophyllum chondriophorum</i> •	VU B2ab(ii,iii,v)	天全虾脊兰 <i>Calanthe ecarinata</i> •	EN B1ab(i,iii,v)
豹斑石豆兰 <i>Bulbophyllum colomaculosum</i> •	EN B1ab(iii)	峨眉虾脊兰 <i>Calanthe emeishanica</i> •	CR B1ab(iii)
直唇卷瓣兰 <i>Bulbophyllum delitescens</i>	VU A2ac; B1ab(iii)	天府虾脊兰 <i>Calanthe fargesii</i> •	VU A2c
戟唇石豆兰 <i>Bulbophyllum depressum</i>	VU A2c	福贡虾脊兰 <i>Calanthe fugongensis</i>	EN A2c
普洱石豆兰 <i>Bulbophyllum didymotropis</i>	VU D1+2	通麦虾脊兰 <i>Calanthe griffithii</i>	VU B1ab(iii,v)
独龙江石豆兰 <i>Bulbophyllum dulongjiangense</i>	EN A2c; D	疏花虾脊兰 <i>Calanthe henryi</i> •	VU B1ab(iii)
高茎卷瓣兰 <i>Bulbophyllum elatum</i>	VU A2c; B1ab(iii,v)	西南虾脊兰 <i>Calanthe herbacea</i>	VU A2c
狭唇卷瓣兰 <i>Bulbophyllum fordii</i> •	EN B2ab(ii,v)	葫芦茎虾脊兰 <i>Calanthe labrosa</i>	VU B2ab(ii,iii,iv,v)
线瓣石豆兰 <i>Bulbophyllum gymnopus</i>	VU A2c; B1ab(iii,v)	乐昌虾脊兰 <i>Calanthe lechangensis</i> •	EN B1ab(i,iii,v)
拟环唇石豆兰 <i>Bulbophyllum gyrochilum</i>	VU D2	开唇虾脊兰 <i>Calanthe limprichtii</i> •	CR D
海南石豆兰 <i>Bulbophyllum hainanense</i> •	EN B1ab(v)	南昆虾脊兰 <i>Calanthe nankunensis</i> •	CR B1ab(ii,iii,v)
飘带石豆兰 <i>Bulbophyllum hanifii</i>	VU A2c	戟形虾脊兰 <i>Calanthe nipponica</i>	EN A2c; B1ab(iii)
角萼卷瓣兰 <i>Bulbophyllum helenae</i>	VU A2c; B2ab(ii,iii,v)	圆唇虾脊兰 <i>Calanthe petelotiana</i>	EN B1ab(iii)
河南卷瓣兰 <i>Bulbophyllum henanense</i> •	VU A2c; B1ab(i,iii,v)	车前虾脊兰 <i>Calanthe plantaginea</i> var. <i>plantaginea</i>	VU A2c; B1ab(iii)
白花卷瓣兰 <i>Bulbophyllum khaoyaiense</i>	EN B1ab(iii)	囊爪虾脊兰 <i>Calanthe sacculata</i> var. <i>sacculata</i> •	CR D
短萼石豆兰 <i>Bulbophyllum leopardinum</i>	VU D2	大黄花虾脊兰 <i>Calanthe sieboldii</i>	CR B1ab(iii)
长臂卷瓣兰 <i>Bulbophyllum longibrachiatum</i>	EN B1ab(iii)	匙瓣虾脊兰 <i>Calanthe simplex</i>	VU A2c
勐海石豆兰 <i>Bulbophyllum menghaiense</i> •	CR B1ab(ii,iii)	中华虾脊兰 <i>Calanthe sinica</i> •	EN C1
勐仑石豆兰 <i>Bulbophyllum menglunense</i> •	EN B1ab(iii)	裂距虾脊兰 <i>Calanthe trifida</i>	CR B1ab(iii)
德钦石豆兰 <i>Bulbophyllum otoglossum</i>	EN B1ab(iii)	贵州虾脊兰 <i>Calanthe tsoongiana</i> var. <i>guizhouensis</i> •	EN B1ab(i,iii,v)
白花石豆兰 <i>Bulbophyllum pauciflorum</i> •	EN B1ab(i,iii,v)	四川虾脊兰 <i>Calanthe whiteana</i>	EN B1ab(i,iii,v)
长足石豆兰 <i>Bulbophyllum pectinatum</i> var. <i>pectinatum</i>	VU A2ac; B1ab(ii,iii)	药山虾脊兰 <i>Calanthe yaoshanensis</i>	EN A2c
版纳石豆兰 <i>Bulbophyllum protractum</i>	VU D2	峨边虾脊兰 <i>Calanthe yuana</i> •	EN A2c; B1ab(iii)
滇南石豆兰 <i>Bulbophyllum psittacoglossum</i>	VU A2c	布袋兰 <i>Calypso bulbosa</i> var. <i>speciosa</i>	VU A2c; B1ab(iii)
曲萼石豆兰 <i>Bulbophyllum pteroglossum</i>	VU B1ab(ii,iii)	硕距头蕊兰 <i>Cephalanthera calcarata</i> •	CR B2ab(ii,iii,v)
美花卷瓣兰 <i>Bulbophyllum rothschildianum</i>	VU A2c; B1ab(ii,v)+2ab(ii,iii,v)	大花头蕊兰 <i>Cephalanthera damasonium</i>	EN B2ab(ii,iii,v)
窄苞石豆兰 <i>Bulbophyllum rufinum</i>	VU A2c; B1ab(ii,iii,v)	牛角兰 <i>Ceratostylis hainanensis</i> •	VU A2c; B1ab(iii)
少花石豆兰 <i>Bulbophyllum secundum</i>	CR B1ab(iii)	川滇叠鞘兰 <i>Chamaegastrodia inverta</i> •	VU A2c
二叶石豆兰 <i>Bulbophyllum shanicum</i>	VU B1ab(ii,v)	独花兰 <i>Changnienia amoena</i> •	EN A2c
匙萼卷瓣兰 <i>Bulbophyllum spathulatum</i>	VU A2c+3c; B1ab(ii,iii)	雉尾叉柱兰 <i>Cheirostylis cochinchinensis</i>	EN B1ab(ii)+2ab(ii)
球茎卷瓣兰 <i>Bulbophyllum sphaericum</i> •	EN B1ab(ii)	大花叉柱兰 <i>Cheirostylis griffithii</i>	VU B1ac(ii,iii,v)
短足石豆兰 <i>Bulbophyllum stenobulbon</i>	VU A2ac; B2ab(ii,v)	粉红叉柱兰 <i>Cheirostylis jamesleungii</i> •	CR B1ab(ii)+2ab(ii)
直萼石豆兰 <i>Bulbophyllum suavissimum</i>	EN B2ab(ii,v)	箭药叉柱兰 <i>Cheirostylis monteiroi</i> •	CR B1ab(ii,iii)
云北石豆兰 <i>Bulbophyllum tengchongense</i> •	EN B1ab(i,v)	屏边叉柱兰 <i>Cheirostylis pingbianensis</i> •	EN B1ab(iii)
泰国卷瓣兰 <i>Bulbophyllum thaiorum</i>	VU D2	东部叉柱兰 <i>Cheirostylis tabiyanensis</i> •	EN B1ab(iii)
球茎石豆兰 <i>Bulbophyllum triste</i>	EN D	广东异型兰 <i>Chiloschista guangdongensis</i> •	CR B1ac(i,iii,v)
香港卷瓣兰 <i>Bulbophyllum tseanum</i> •	EN B2ab(ii,iii,v)	锚钩金唇兰 <i>Chrysoglossum assamicum</i>	VU B2ab(ii,iii,v)
直立卷瓣兰 <i>Bulbophyllum unciniferum</i>	VU A2c	隔距兰 <i>Cleisostoma linearilobatum</i>	VU A1c
等萼卷瓣兰 <i>Bulbophyllum violaceolabellum</i>	EN B1ab(i,iii,v)	长帽隔距兰 <i>Cleisostoma longiperkulatum</i> •	CR B1ab(ii,v)+2ab(ii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
勐海隔距兰 <i>Cleisostoma menghaiense</i> •	VU A2c; B1ab(i,iii,v)	虎头兰 <i>Cymbidium hookerianum</i>	EN A2c
南贡隔距兰 <i>Cleisostoma nangongense</i> •	VU D2	美花兰 <i>Cymbidium insigne</i>	CR A2c
广东隔距兰 <i>Cleisostoma simondii</i> var. <i>guangdongense</i> •	VU A2c	黄蝉兰 <i>Cymbidium iridioides</i>	VU A2c
短序隔距兰 <i>Cleisostoma striatum</i>	VU B2ab(ii,iii,v)	寒兰 <i>Cymbidium kanran</i>	VU A2cd
绿花隔距兰 <i>Cleisostoma uraiense</i>	EN B2ab(i,ii)	碧玉兰 <i>Cymbidium lowianum</i>	EN A2cd
云南贝母兰 <i>Coelogyné assamica</i>	VU A2c+3c; B1ab(iii)	象牙白 <i>Cymbidium maguanense</i> •	CR A2c; B1ab(iii)
滇西贝母兰 <i>Coelogyné calcicola</i>	EN B2ab(ii,iii,v)	大雪兰 <i>Cymbidium mastersii</i>	EN A2cd
贡山贝母兰 <i>Coelogyné gongshanensis</i> •	CR B1ab(i,iii,v)	珍珠矮 <i>Cymbidium nanulum</i> •	EN A2cd
白花贝母兰 <i>Coelogyné leucantha</i>	VU A2c	邱北冬蕙兰 <i>Cymbidium quibeicense</i> •	EN A2c; B1ab(i,iii,v)
单唇贝母兰 <i>Coelogyné leungiana</i> •	CR B1ab(ii,iii,v)	薛氏兰 <i>Cymbidium schroederi</i>	EN A2c; D
麻栗坡贝母兰 <i>Coelogyné malipoensis</i>	EN B1ab(i,iii,v)	墨兰 <i>Cymbidium sinense</i>	VU A2cd; B1ab(iii,v)
狭瓣贝母兰 <i>Coelogyné punctulata</i>	VU A3c; B2ab(ii,iii,v)	果香兰 <i>Cymbidium suavissimum</i>	VU A2cd; B1ab(iii,v)
三褶贝母兰 <i>Coelogyné raizadæ</i>	VU A2c	奇瓣红春素 <i>Cymbidium teretipetiolatum</i> •	VU A2c
撕裂贝母兰 <i>Coelogyné sanderae</i>	VU A2c	斑舌兰 <i>Cymbidium tigrinum</i>	CR B1ab(ii,v)
疣鞘贝母兰 <i>Coelogyné schultesii</i>	VU A2c; B2ab(ii,iii,v)	春剑 <i>Cymbidium tortisepalum</i> var. <i>longibracteatum</i> • EN A2c; B1ab(iii,v)	EN A2c; B1ab(iii,v)
疏茎贝母兰 <i>Coelogyné suaveolens</i>	EN B1ab(ii,iii,v)	莲瓣兰 <i>Cymbidium tortisepalum</i> var. <i>tortisepalum</i> •	VU A2c; B1ab(iii,v)
高山贝母兰 <i>Coelogyné taronensis</i>	EN A2c	文山红柱兰 <i>Cymbidium wenshanense</i> var. <i>wenshanense</i>	CR B1ab(i,iii,v)
吉氏贝母兰 <i>Coelogyné tsii</i> •	EN B1ab(i,iii)	滇南虎头兰 <i>Cymbidium wilsonii</i>	CR B1ab(i,ii,iii,v)
维西贝母兰 <i>Coelogyné weixiensis</i> •	EN B1ab(i,iii)	东北杓兰 <i>Cypripedium × ventricosum</i>	VU B1ab(i,iii,v)
镇康贝母兰 <i>Coelogyné zhenkangensis</i> •	CR D	无苞杓兰 <i>Cypripedium bardolphianum</i> var. <i>bardolphianum</i> •	EN A2c; B1ab(i,iii,v)
蛤兰 <i>Conchidium pusillum</i>	VU A2c; B1ab(i,iii)	褐花杓兰 <i>Cypripedium calcicola</i> •	EN B1ab(i,iii,v)
梵净山铠兰 <i>Corybas fanjingshanensis</i> •	EN A2c	白唇杓兰 <i>Cypripedium cordigerum</i>	EN B1ab(i,iii,v)
铠兰 <i>Corybas sinii</i> •	EN A2c; B1ab(iii)	雅致杓兰 <i>Cypripedium elegans</i>	EN D
台湾铠兰 <i>Corybas taiwanensis</i> •	CR B1ab(ii)	毛瓣杓兰 <i>Cypripedium fargesii</i> •	EN A2c; B1ab(i,iii,v)
大理铠兰 <i>Corybas taliensis</i> •	EN B1ab(ii)	华西杓兰 <i>Cypripedium farrigeri</i> •	EN A3c
贵州杜鹃兰 <i>Cremastra guizhouensis</i> •	CR D	大叶杓兰 <i>Cypripedium fasciolatum</i> •	EN A3c
斑叶杜鹃兰 <i>Cremastra unguiculata</i>	CR B1ab(iii,v)	黄花杓兰 <i>Cypripedium flavum</i> •	VU A2ac; B1ab(i,iii,v)
云南沼兰 <i>Crepidium bahanense</i> •	VU A2c; B1ab(iii,v)	台湾杓兰 <i>Cypripedium formosanum</i> •	EN A2c
二耳沼兰 <i>Crepidium biauritum</i>	VU D2	玉龙杓兰 <i>Cypripedium forrestii</i> •	CR D
凹唇沼兰 <i>Crepidium concavum</i>	VU D2	毛杓兰 <i>Cypripedium franchetii</i> •	VU A2ac; B1ab(i,iii,v)
二脊沼兰 <i>Crepidium finetii</i>	EN B2ab(ii,iii,v)	紫点杓兰 <i>Cypripedium guttatum</i>	EN A2ac
细茎沼兰 <i>Crepidium khasianum</i>	VU D2	高山杓兰 <i>Cypripedium himalaicum</i>	EN B1ab(i,iii,v)
齿唇沼兰 <i>Crepidium orbiculare</i> •	EN B1ab(ii,iii,v)	长瓣杓兰 <i>Cypripedium lentiginosum</i> •	CR B1ab(ii,v)
玫瑰宿苞兰 <i>Cryptochilus roseus</i> •	EN B2ab(ii,iii,v)	丽江杓兰 <i>Cypripedium lichiangense</i> •	CR B1b(i,ii,iii,v)c(i,ii,iv)
红花宿苞兰 <i>Cryptochilus sanguineus</i>	EN A2c	大花杓兰 <i>Cypripedium macranthos</i>	EN A3c
鸡冠柱兰 <i>Cylindrolobus cristatus</i>	VU B1ab(iii)	斑叶杓兰 <i>Cypripedium margaritaceum</i> •	EN A2c; B1ab(iii,v)
细茎柱兰 <i>Cylindrolobus tenuicaulis</i> •	VU D2	小花杓兰 <i>Cypripedium micranthum</i> •	EN A2c; B1ab(iii,v)
垂花兰 <i>Cymbidium cochleare</i>	VU A2c; B1ab(ii,iii,v)	巴郎山杓兰 <i>Cypripedium palangshanense</i> •	EN A2c; B1ab(iii,v)
莎叶兰 <i>Cymbidium cyperifolium</i> var. <i>cyperifolium</i>	VU A2c; B1ab(ii,iii,v)	宝岛杓兰 <i>Cypripedium segawae</i> •	CR B1ab(iii)
冬凤兰 <i>Cymbidium dayanum</i>	VU A2c; B1ab(ii,iii,v)	山西杓兰 <i>Cypripedium shanxiense</i>	VU A3c
落叶兰 <i>Cymbidium defoliatum</i> •	EN A2c; B1ab(ii,iii,v)	四川杓兰 <i>Cypripedium sichuanense</i> •	EN B1ab(iii)
独占春 <i>Cymbidium eburneum</i> var. <i>eburneum</i>	EN A2cd	暖地杓兰 <i>Cypripedium subtropicum</i> •	VU B1ab(iv)
莎草兰 <i>Cymbidium elegans</i>	EN A2c	太白杓兰 <i>Cypripedium taibaiense</i> •	EN B1ab(iii)
建兰 <i>Cymbidium ensifolium</i>	VU A4c; B1ab(ii,iii,v)	宽口杓兰 <i>Cypripedium wardii</i> •	EN B1ab(iii,v)
长叶兰 <i>Cymbidium erythraeum</i> var. <i>erythraeum</i>	VU A2c	乌蒙杓兰 <i>Cypripedium wumengense</i> •	CR B1ab(i,iii,v)
多花兰 <i>Cymbidium floribundum</i>	VU A2cd	云南杓兰 <i>Cypripedium yunnanense</i> •	EN A2c
春兰 <i>Cymbidium goeringii</i>	VU A4c; B1ab(iii)	矮小肉果兰 <i>Cyrtosia nana</i>	VU B2ab(ii,iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
血红肉果兰 <i>Cyrtosia septentrionalis</i>	VU B2ab(ii,iii,v)	少花石斛 <i>Dendrobium parciflorum</i>	CR A1c; B1ab(ii,v)
钩状石斛 <i>Dendrobium aduncum</i>	VU A3c; B2ab(ii,iii,v)	紫瓣石斛 <i>Dendrobium parishii</i>	EN A3c; B1ab(ii,y); C1
双斑叠鞘石斛 <i>Dendrobium aurantiacum</i> var. <i>zhaojuense</i> •	VU A4c	肿节石斛 <i>Dendrobium pendulum</i>	EN A3c
矮石斛 <i>Dendrobium bellatulum</i>	EN A2c	报春石斛 <i>Dendrobium polyanthum</i>	VU A2c; B1ab(ii,iii,iv,v)
长苏石斛 <i>Dendrobium brymerianum</i>	EN B1ab(i,iii,v); C1	单萼草石斛 <i>Dendrobium porphyrochilum</i>	EN B2ab(ii,iii,iv,v)
短棒石斛 <i>Dendrobium capillipes</i>	EN A4c	针叶石斛 <i>Dendrobium pseudodenellum</i>	EN A3c
翅萼石斛 <i>Dendrobium cariniferum</i>	EN B1ab(i,iii,v); C1	竹枝石斛 <i>Dendrobium salaccense</i>	VU A3c; B1ab(iii)
黄石斛 <i>Dendrobium catenatum</i>	CR A4c	广西石斛 <i>Dendrobium scoriarum</i>	CR A3c
毛鞘石斛 <i>Dendrobium christyanum</i>	VU B1ab(iii)	华石斛 <i>Dendrobium sinense</i> •	EN A3c; B1ab(iii); C1
束花石斛 <i>Dendrobium chrysanthum</i>	VU A2ac; B1ab(i,iii,v)	勐海石斛 <i>Dendrobium sinominutiflorum</i> •	EN A3c
线叶石斛 <i>Dendrobium chryseum</i>	EN A4c; B2ab(ii,iii,v)	小双花石斛 <i>Dendrobium somae</i> •	EN B2ab(iii)
杓唇扁石斛 <i>Dendrobium chrysocrepis</i>	EN A2c	剑叶石斛 <i>Dendrobium spatella</i>	VU A2c; B2ab(ii,iii,v)
鼓槌石斛 <i>Dendrobium chrysotoxum</i>	VU A2ac; B1ab(i,iii,v); C1	叉唇石斛 <i>Dendrobium stuposum</i>	VU A2c; B1ab(iii)
草石斛 <i>Dendrobium compactum</i>	VU A2c; B1ab(i,iii,v)	具槽石斛 <i>Dendrobium sulcatum</i>	EN B1ab(ii,v); C1
玫瑰石斛 <i>Dendrobium crepidatum</i>	EN A4c; C1	刀叶石斛 <i>Dendrobium terminale</i>	VU B1ab(ii,iii); C1
木石斛 <i>Dendrobium crumenatum</i>	CR B1ab(i,iii)	王亮石斛 <i>Dendrobium wangliangii</i>	CR D
晶帽石斛 <i>Dendrobium crystallinum</i>	EN A4c; C1	大苞鞘石斛 <i>Dendrobium wardianum</i>	VU B1ab(ii,iii); C1
兜唇石斛 <i>Dendrobium cucullatum</i>	VU A4c	高山石斛 <i>Dendrobium wattii</i>	EN A2c
叠鞘石斛 <i>Dendrobium denneanum</i>	VU A4c	黑毛石斛 <i>Dendrobium williamsonii</i>	EN A2c; C1
密花石斛 <i>Dendrobium densiflorum</i>	VU A4c; B1ab(i,iii)	广东石斛 <i>Dendrobium wilsonii</i> •	CR A4c; B1ab(ii,iii)
齿瓣石斛 <i>Dendrobium devonianum</i>	EN A4c; B1ab(i,iii); C1	西畴石斛 <i>Dendrobium xichouense</i> •	CR B1ab(ii,iii,v)
黄花石斛 <i>Dendrobium dixanthum</i>	EN B1ab(i,iii)	足柱兰 <i>Dendrochilum uncatum</i>	EN B2ab(i,ii)
反瓣石斛 <i>Dendrobium ellipsophyllum</i>	EN A4c	白绵绒兰 <i>Dendrolirium lasiopetalum</i>	VU A2c; B1ab(i,iii,v)
燕石斛 <i>Dendrobium equitans</i>	CR B1ab(i,iii)+2ab(i,iii)	绒兰 <i>Dendrolirium tomentosum</i>	VU A2c
景洪石斛 <i>Dendrobium exile</i>	VU A2c	锚柱兰 <i>Didymoplexiella siamensis</i>	EN A2c
串珠石斛 <i>Dendrobium falconeri</i>	VU A3c; B1ab(i,iii)	拟锚柱兰 <i>Didymoplexiopsis khiriwongensis</i>	EN A2c
梵净山石斛 <i>Dendrobium fanjingshanense</i> •	EN A2c	长苞尖药兰 <i>Diphylax contigua</i> •	VU A2c; B1ab(iii,v)
流苏石斛 <i>Dendrobium fimbriatum</i>	VU A3c; B1ab(i,iii)	西南尖药兰 <i>Diphylax uniformis</i> •	VU A2c; B1ab(iii,v)
棒节石斛 <i>Dendrobium findlayanum</i>	EN A3c	双蕊兰 <i>Diplandorchis sinica</i> •	EN A2c; B1ab(iii)
曲茎石斛 <i>Dendrobium flexicaule</i> •	CR A2c	合柱兰 <i>Diplomeris pulchella</i>	VU B1ab(iii)
曲轴石斛 <i>Dendrobium gibsonii</i>	EN A2c; B1ab(i,iii)	五唇兰 <i>Doritis pulcherrima</i>	CR B1ab(iii)
杯鞘石斛 <i>Dendrobium gratiosissimum</i>	VU A2c; B1ab(i,iii)	景东厚唇兰 <i>Epigeneium fuscescens</i>	EN A2c; B1ab(iii)
海南石斛 <i>Dendrobium hainanense</i>	VU A2c; B1ab(i,iii)	高黎贡厚唇兰 <i>Epigeneium gaoligongense</i> •	EN B1ab(iii); C1
细叶石斛 <i>Dendrobium hancockii</i>	EN A2c+3c; C1	长爪厚唇兰 <i>Epigeneium treutleri</i>	VU B1ab(i,iii,v)
苏瓣石斛 <i>Dendrobium harveyanum</i>	EN B1ab(ii,iii)	台湾火烧兰 <i>Epipactis ohwii</i> •	CR D
河南石斛 <i>Dendrobium henanense</i> •	VU A2c+3c; B2ab(ii)	新疆火烧兰 <i>Epipactis palustris</i>	VU A2c; B1ab(iii,v)
尖刀唇石斛 <i>Dendrobium heterocarpum</i>	VU A2c	尖叶火烧兰 <i>Epipactis thunbergii</i>	VU A2c
金耳石斛 <i>Dendrobium hookerianum</i>	VU A2c	疏花火烧兰 <i>Epipactis veratrifolia</i>	VU A2c
广坝石斛 <i>Dendrobium lagarum</i>	VU A2c; D	裂唇虎舌兰 <i>Epipogium aphyllum</i>	EN B1ab(i,iii)
菱唇石斛 <i>Dendrobium leptocladum</i> •	EN A4c	香花毛兰 <i>Eria javanica</i>	EN B2ab(ii,iii,v)
矩唇石斛 <i>Dendrobium linawanianum</i> •	EN A3c; B1ab(ii,iii)	绿花绒兰 <i>Eria lanigerum</i>	VU A2c; B1ab(ii,iii)
喇叭唇石斛 <i>Dendrobium lituiflorum</i>	CR B1ab(iii,v)	墨脱毛兰 <i>Eria medogensis</i> •	CR A2c; B1ab(i,iii,v)
美花石斛 <i>Dendrobium loddigesii</i>	VU A2ac	小毛兰 <i>Eria sinica</i> •	VU B2ab(ii,iii,v)
罗河石斛 <i>Dendrobium lohohense</i> •	EN A3c; B1ab(iii,v)	砚山毛兰 <i>Eria yanshanensis</i> •	EN B1ab(i,iii)
长距石斛 <i>Dendrobium longicornu</i>	EN B1ab(iii,v); C1	毛梗兰 <i>Eriodes barbata</i>	VU A2c
藏南石斛 <i>Dendrobium monticola</i>	VU B2ab(ii,iii,iv,y)	倒吊兰 <i>Erythrorchis altissima</i>	VU B2ab(ii,iii,v)
杓唇石斛 <i>Dendrobium moschatum</i>	EN A4c	口盖花蜘蛛兰 <i>Esmeralda bella</i>	VU A2c
石斛 <i>Dendrobium nobile</i>	VU A2ac; B1ab(i,iii)	花蜘蛛兰 <i>Esmeralda clarkei</i>	VU A2c

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
长苞美冠兰 <i>Eulophia bracteosa</i>	VU B2ab(ii,iii,v)	白网脉斑叶兰 <i>Goodyera hachijoensis</i>	VU D2
长距美冠兰 <i>Eulophia dabia</i>	VU B2ab(ii,iii,v)	光萼斑叶兰 <i>Goodyera henryi</i>	VU A2c; B1ab(iii,v)
宝岛美冠兰 <i>Eulophia dentata</i>	EN A4c	硬叶毛兰 <i>Goodyera hispida</i>	VU A2c; B1ab(iii,v)
黄花美冠兰 <i>Eulophia flava</i>	VU A2ac; B2ab(ii,iii,v)	滇藏斑叶兰 <i>Goodyera robusta</i>	VU A2ac; B1ab(iii,v)
毛唇美冠兰 <i>Eulophia herbacea</i>	EN B2ab(ii,iii,v)	歌绿斑叶兰 <i>Goodyera seikoomontana</i> •	VU D2
美花美冠兰 <i>Eulophia pulchra</i> var. <i>pulchra</i>	VU A2c	秀丽斑叶兰 <i>Goodyera vittata</i>	VU D2
线叶美冠兰 <i>Eulophia siamensis</i>	VU A2c	卧龙斑叶兰 <i>Goodyera wolongensis</i> •	VU D2
剑叶美冠兰 <i>Eulophia sooi</i> •	EN B2ab(ii,v)	天全斑叶兰 <i>Goodyera wuana</i> •	EN B1ab(iii,v)
狭叶金石斛 <i>Flickingeria angustifolia</i>	VU B2ab(ii,iii,v)	兰屿斑叶兰 <i>Goodyera yamiana</i> •	CR B1ab(iii)+2ab(iii)
金石斛 <i>Flickingeria comata</i>	EN A2c	小小斑叶兰 <i>Goodyera yangmeishanensis</i> •	VU B2ab(ii)
卵唇金石斛 <i>Flickingeria tairukounia</i> •	VU B2ab(iii)	火炬兰 <i>Grosourdya appendiculata</i>	VU D2
三脊金石斛 <i>Flickingeria tricarinata</i> var. <i>tricarinata</i> •	CR B1ab(i,iii,v)	角距手参 <i>Gymnadenia bicornis</i> •	VU D2
河北盔花兰 <i>Galearis tschiliensis</i> •	VU A2c; B1ab(i,iii,v)	手参 <i>Gymnadenia conopsea</i>	EN B1ab(i,iii,v)
斑唇盔花兰 <i>Galearis wardii</i> •	VU A2c; B1ab(i,iii,v)	短距手参 <i>Gymnadenia crassinervis</i> •	VU A4c; B1ab(i,iii,v)
直立山珊瑚 <i>Galeola falconeri</i>	VU B2ac(ii,iii,v)	西南手参 <i>Gymnadenia orchidis</i>	VU A2c; B1ab(i,iii,v)
蔓生山珊瑚 <i>Galeola nudifolia</i>	VU A2c	小花玉凤花 <i>Habenaria acianthoides</i> •	VU B2ab(ii,iii,iv,v)
镰叶盆距兰 <i>Gastrochilus acinacifolius</i> •	VU A2c	凸孔坡参 <i>Habenaria acuifera</i>	VU A2c; B1ab(ii,iii,iv,v)
膜翅盆距兰 <i>Gastrochilus alatus</i> •	EN B1ab(iii)	薄叶玉凤花 <i>Habenaria austrosinensis</i>	VU A2c; B1ab(ii,iii,iv,v)
大花盆距兰 <i>Gastrochilus bellinus</i>	VU A2c; B1ab(iii)	香港玉凤花 <i>Habenaria coultoussii</i> •	CR B1ab(ii,v)+2ab(ii,iii,v)
城口盆距兰 <i>Gastrochilus fargesii</i> •	EN A2c; B1ab(i,iii,v)	小巧玉凤花 <i>Habenaria diplonema</i> •	EN B1ab(i,iii,v)
红斑盆距兰 <i>Gastrochilus fuscopunctatus</i> •	VU A2c	雅致玉凤花 <i>Habenaria fargesii</i> •	VU A2c
贡山盆距兰 <i>Gastrochilus gongshanensis</i> •	EN A2c; B1ab(iii)	细裂玉凤花 <i>Habenaria leptoloba</i> •	VU D2
广东盆距兰 <i>Gastrochilus guangtungensis</i> •	EN B1ab(i,iii,v)	细距玉凤花 <i>Habenaria nematocerata</i> •	EN B1ab(iii,v)
海南盆距兰 <i>Gastrochilus hainanensis</i>	EN B1ab(iii)	剑叶玉凤花 <i>Habenaria pectinata</i>	VU A2c; B1ab(iii,v)
何氏盆距兰 <i>Gastrochilus hoi</i> •	CR B2ac(iii)	莲座玉凤花 <i>Habenaria plurifoliata</i> •	EN B2ab(ii,iii,v)
细茎盆距兰 <i>Gastrochilus intermedius</i>	EN A2c; B1ab(ii,iii,v)	十字兰 <i>Habenaria schindleri</i>	VU A2c; B1ab(iii,v)
黄松盆距兰 <i>Gastrochilus japonicus</i>	VU A2c	中缅玉凤花 <i>Habenaria shweilensis</i>	EN B1ab(iii,v)
狭叶盆距兰 <i>Gastrochilus linearifolius</i>	CR B1ab(i,iii,v)	中泰玉凤花 <i>Habenaria siamensis</i>	EN B1ab(iii,v)
麻栗坡盆距兰 <i>Gastrochilus malipoensis</i> •	EN B1ab(i,iii,v)	绿花玉凤花 <i>Habenaria viridiflora</i>	VU A2c; B1ab(iii,v)
江口盆距兰 <i>Gastrochilus nanus</i> •	EN B1ac(ii,iii,v)	卧龙玉凤花 <i>Habenaria wolongensis</i> •	CR B1ac(ii,v)
无茎盆距兰 <i>Gastrochilus obliquus</i>	VU A2c; B1ab(iii)	滇兰 <i>Hancockia uniflora</i>	EN D
滇南盆距兰 <i>Gastrochilus platycalcaratus</i>	VU A2c; B1ab(ii,iii,v)	舌喙兰 <i>Hemipilia cruciata</i> •	VU A2c
合欢盆距兰 <i>Gastrochilus rantabunensis</i> •	EN B1ab(i,iii,v)	广西舌喙兰 <i>Hemipilia kwangsiensis</i> •	VU A2c
中华盆距兰 <i>Gastrochilus sinensis</i> •	CR B1ab(i,iii,v)	紫斑兰 <i>Hemipiliopsis purpureopunctata</i>	VU A2c
歪头盆距兰 <i>Gastrochilus subpapillosum</i> •	EN B1ab(i,iii,v)	耳片角盘兰 <i>Herminium macrophyllum</i>	VU A3cd; B1ab(iii)
宣恩盆距兰 <i>Gastrochilus xuanenensis</i> •	EN B1ab(i,iii,v)	披针唇角盘兰 <i>Herminium singulum</i> •	VU A2c; B1ab(i,iii,v)
云南盆距兰 <i>Gastrochilus yunnanensis</i>	VU D2	宽叶角盘兰 <i>Herminium tangianum</i> •	EN B1ab(iii)
原天麻 <i>Gastrodia angusta</i> •	EN A2c; B1ab(iii)	云南角盘兰 <i>Herminium yunnanense</i> •	VU A2c; B1ab(iii,v)
无喙天麻 <i>Gastrodia appendiculata</i> •	CR B1ab(iii)	长序翻唇兰 <i>Hetaeria finlaysoniana</i>	VU A2c; B1ab(iii,v)
秋天麻 <i>Gastrodia autumnalis</i> •	VU B2ab(iii)	大根槽舌兰 <i>Holcoglossum amesianum</i>	VU A2c+3c; B1ab(iii,v)
八代天麻 <i>Gastrodia confusa</i>	VU B2ab(iii)	短距槽舌兰 <i>Holcoglossum flavescens</i> •	VU A2c; B1ab(iii,v)
细天麻 <i>Gastrodia gracilis</i>	VU A2c	管叶槽舌兰 <i>Holcoglossum kimballianum</i>	EN A4c
南天麻 <i>Gastrodia javanica</i>	VU D2	舌唇槽舌兰 <i>Holcoglossum lingulatum</i>	EN B1ab(iii,v)
勐海天麻 <i>Gastrodia menghaiensis</i> •	EN A2ac	峨眉槽舌兰 <i>Holcoglossum omeiense</i> •	EN B1ab(iii,v)
疣天麻 <i>Gastrodia tuberculata</i> •	VU A2cd; B2ab(ii,iii,v)	滇西槽舌兰 <i>Holcoglossum rupestre</i> •	CR B1ab(iii,v)
贵州地宝兰 <i>Geodorum euphloides</i> •	EN B1ab(iii)	中华槽舌兰 <i>Holcoglossum sinicum</i> •	EN A2c; B1ab(iii,v)
波密斑叶兰 <i>Goodyera bomiensis</i> •	VU B2ab(ii,iii,v)	吉氏槽舌兰 <i>Holcoglossum tsii</i> •	CR D
莲座叶斑叶兰 <i>Goodyera brachystegia</i> •	EN B2ab(ii,iii,v)	维西槽舌兰 <i>Holcoglossum weixiense</i> •	EN A2c; B1ab(iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
无喙兰 <i>Holopogon gaudissartii</i> •	EN A2c	淡黄花兜被兰 <i>Neottianthe luteola</i> •	EN A2ac
叉唇无喙兰 <i>Holopogon smithianus</i> •	EN A2c; B1ab(iii,v)	卵叶兜被兰 <i>Neottianthe ovata</i> •	VU D2
袋唇兰 <i>Hylophila nipponica</i> •	CR B1ab(ii)	美丽云叶兰 <i>Nephelaphyllum pulchrum</i>	VU A2c
旗唇兰 <i>Kuhlhasseltia yakushimensis</i>	VU A2ac; B1ab(i,iii,v)	云叶兰 <i>Nephelaphyllum tenuiflorum</i>	VU A2c; B1ab(iii,v)
灰绿盂兰 <i>Lecanorchis thalassica</i> •	CR B1ab(iii)	广布芋兰 <i>Nervilia aragoana</i>	VU B2ab(ii,iii,v)
圆唇羊耳蒜 <i>Liparis balansae</i>	VU D1+2	流苏芋兰 <i>Nervilia cumberlegii</i>	CR D
保亭羊耳蒜 <i>Liparis bautingensis</i> •	VU D1+2	兰屿芋兰 <i>Nervilia lanyuensis</i> •	CR B1ab(ii,iii,v)
齿唇羊耳蒜 <i>Liparis campyloxtalis</i>	VU D2	七角叶芋兰 <i>Nervilia mackinnonii</i>	EN B2ab(ii,iii,v)
平卧羊耳蒜 <i>Liparis chapaensis</i>	VU A2c	滇南芋兰 <i>Nervilia muratana</i>	EN B2ab(ii,iii,v)
陈氏羊耳蒜 <i>Liparis cheniana</i>	VU B1ab(iii)	毛叶芋兰 <i>Nervilia plicata</i> var. <i>plicata</i>	VU A2acd; B1ab(i,iii,v)
裂唇羊耳蒜 <i>Liparis fissilabris</i> •	EN B1ab(iii)	三蕊兰 <i>Neuwiedia singapureana</i>	EN A2ac
裂瓣羊耳蒜 <i>Liparis fissipetala</i> •	CR A2c; B1ab(iii,v)	象鼻兰 <i>Nothodoritis zhejiangensis</i> •	EN B1ab(iii,v)
紫花羊耳蒜 <i>Liparis giganta</i>	VU A2c	滇南鸢尾兰 <i>Oberonia austroyunnanensis</i> •	VU A2c; B1ab(i,iii,v)
方唇羊耳蒜 <i>Liparis glossula</i>	VU A2c	橙黄鸢尾兰 <i>Oberonia gigantea</i> •	EN B2ab(iii)
长苞羊耳蒜 <i>Liparis inaperta</i> •	CR B1b(i)	广西鸢尾兰 <i>Oberonia kwangsiensis</i>	VU D2
尾唇羊耳蒜 <i>Liparis krameri</i>	VU B1ab(iii)	阔瓣鸢尾兰 <i>Oberonia latipetala</i> •	VU B2ab(ii,iii,v)
宽叶羊耳蒜 <i>Liparis latifolia</i>	VU B1ab(iii)	宝岛鸢尾兰 <i>Oberonia pumila</i> •	EN B2ab(ii,iii,v)
黄花羊耳蒜 <i>Liparis luteola</i>	VU B1ab(iii)	红唇鸢尾兰 <i>Oberonia rufilabris</i>	EN B1ab(i,iii,v)
三裂羊耳蒜 <i>Liparis mannii</i>	VU D2	密花鸢尾兰 <i>Oberonia seidenfadenii</i> •	EN B1ab(ii,iii,v)+ 2ab(ii,iii,v)
狭叶羊耳蒜 <i>Liparis perpusilla</i>	VU A2c	套叶鸢尾兰 <i>Oberonia sinica</i> •	EN B1ab(i,iii,v)
柄叶羊耳蒜 <i>Liparis petiolata</i>	VU B1ab(iii)	短柱齿唇兰 <i>Odontochilus brevistylis</i>	VU A2c; B1ab(iii,v)
小花羊耳蒜 <i>Liparis platyrachis</i>	EN B2ac(ii,iii,v)	红萼齿唇兰 <i>Odontochilus clarkei</i>	EN A2c+3c; B1ab(iii,v)
若氏羊耳蒜 <i>Liparis rockii</i> •	EN A1abd	齿缘红门兰 <i>Orchis crenulata</i> •	VU A2c
折苞羊耳蒜 <i>Liparis tschangii</i>	VU A2c; B1ab(iii)	四裂红门兰 <i>Orchis militaris</i>	EN D
长瓣钗子股 <i>Luisia filiformis</i>	VU D2	峨眉红门兰 <i>Orchis omeishanica</i> •	EN B1ab(iii,v)
紫唇钗子股 <i>Luisia macrotis</i>	EN B1ab(iii,v)	普格红门兰 <i>Orchis pugeensis</i> •	CR B1ab(iii)
长叶钗子股 <i>Luisia zollingeri</i>	EN B2ab(ii,iii,iv,v)	四川红门兰 <i>Orchis sichuanica</i> •	EN B1ab(iii,v)
槌柱兰 <i>Malleola dentifera</i>	EN B1ab(iii,v)	斑唇红门兰 <i>Orchis wardii</i> •	VU A2c; B1ab(i,iii,v)
拟毛兰 <i>Mycaranthes floribunda</i>	VU D2	大花山兰 <i>Oreorchis nepalensis</i>	VU A2ac; B1ab(i,iii,v)
全唇兰 <i>Myrmecis chinensis</i> •	VU A2c; B1ab(iii,v)	盈江羽唇兰 <i>Ornithochilus yingjiangensis</i> •	CR B1ab(i,iii,v)
宽瓣全唇兰 <i>Myrmecis urceolata</i> •	VU B2ab(ii,iii,v)	拟石斛 <i>Oxystophyllum changjiangense</i> •	EN A2c
风兰 <i>Neofinetia falcata</i>	EN A2c; B1ab(iii,v)	矮曲唇兰 <i>Panisea demissa</i>	VU B2ab(ii,iii,v)
短距风兰 <i>Neofinetia richardsiana</i> •	CR B1ab(i,ii,iii,v)	云南曲唇兰 <i>Panisea yunnanensis</i>	EN A2ac
新型兰 <i>Neogyna gardneriana</i>	VU A2c; B1ab(iii,v)	卷萼兜兰 <i>Paphiopedilum appletonianum</i>	EN A2ac
高山对叶兰 <i>Neottia bambusetorum</i> •	EN A2c	根茎兜兰 <i>Paphiopedilum areeanum</i>	EN D
短唇鸟巢兰 <i>Neottia brevilabris</i> •	EN D	杏黄兜兰 <i>Paphiopedilum armeniacum</i>	CR A2ac; B1ab(i,iii,v)
日本对叶兰 <i>Neottia japonica</i>	VU A2c; B1ab(iii,v)	小叶兜兰 <i>Paphiopedilum barbigerum</i>	EN A2ac; B1ab(i,iii,v)
毛脉对叶兰 <i>Neottia longicaulis</i>	VU A2c; B1ab(iii,v)	巨瓣兜兰 <i>Paphiopedilum bellatulum</i>	EN A3c
大花鸟巢兰 <i>Neottia megalochila</i> •	VU A2c; B1ab(iii,v)	红旗兜兰 <i>Paphiopedilum charlesworthii</i>	EN A2c; D
南川对叶兰 <i>Neottia nanchuanica</i> •	EN B1ab(i,iii,v)	同色兜兰 <i>Paphiopedilum concolor</i>	VU D1+2
圆唇对叶兰 <i>Neottia oblata</i> •	EN B1ab(i,iii,v)	长瓣兜兰 <i>Paphiopedilum dianthum</i>	VU A2ac; B1ab(i,iii,v)
凹唇鸟巢兰 <i>Neottia papilligera</i>	EN A2c	白花兜兰 <i>Paphiopedilum emersonii</i>	CR A2cd
花叶对叶兰 <i>Neottia puberula</i> var. <i>maculata</i> •	VU A2c; B1ab(iii,v)	格力兜兰 <i>Paphiopedilum gratrixianum</i>	EN A2c; D
川西对叶兰 <i>Neottia smithii</i> •	EN B1ab(iii,v)	绿叶兜兰 <i>Paphiopedilum hangianum</i>	CR B1ab(iii)
云南对叶兰 <i>Neottia yunnanensis</i> •	CR B1ab(iii,v)	巧花兜兰 <i>Paphiopedilum helenae</i>	EN B1ab(i,iii,v); C1
大花兜被兰 <i>Neottianthe camphoceras</i> •	VU A2c	亨利兜兰 <i>Paphiopedilum henryanum</i> var. <i>henryanum</i>	VU A2ac; B1ab(i,iii,v)
二叶兜被兰 <i>Neottianthe cucullata</i> var. <i>cucullata</i>	VU A2c; B1ab(iii,v)	带叶兜兰 <i>Paphiopedilum hirsutissimum</i>	VU A2ac; B1ab(i,iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
波瓣兜兰 <i>Paphiopedilum insigne</i>	CR A2c	长苞萍兰 <i>Pinalia obvia</i> ●	VU B2ab(ii,iii,v)
浅斑兜兰 <i>Paphiopedilum malipoense</i> var. <i>jackii</i>	VU D2	大脚筒 <i>Pinalia ovata</i>	VU A2c
麻栗坡兜兰 <i>Paphiopedilum malipoense</i> var. <i>mali-poense</i>	CR A2ac	厚叶萍兰 <i>Pinalia pachyphylla</i>	VU B2ab(ii,iii)
硬叶兜兰 <i>Paphiopedilum micranthum</i>	VU A4c	滇南萍兰 <i>Pinalia yunnanensis</i> ●	EN B1ab(ii,iii,v)+ 2ab(ii,iii,v)
飘带兜兰 <i>Paphiopedilum parishii</i>	CR B1ab(ii,iii,v)+ 2ab(ii,iii,v)	大明山舌唇兰 <i>Platanthera damingshanica</i> ●	VU B2ab(ii,iii)
紫纹兜兰 <i>Paphiopedilum purpuratum</i>	EN A2ac; B1ab(i,iii,v)	反唇舌唇兰 <i>Platanthera deflexilabellula</i> ●	VU D2
白旗兜兰 <i>Paphiopedilum spicerianum</i>	CR C2a(i); D	台湾蜻蜓兰 <i>Platanthera devolii</i> ●	VU B2ab(ii,iii)
虎斑兜兰 <i>Paphiopedilum tigrinum</i>	CR A4c	贡山舌唇兰 <i>Platanthera handel-mazzettii</i> ●	VU D2
天伦兜兰 <i>Paphiopedilum tranlienianum</i>	EN A2c	广西舌唇兰 <i>Platanthera kwangsiensis</i> ●	EN A2ac
秀丽兜兰 <i>Paphiopedilum venustum</i>	EN A2c	棒距舌唇兰 <i>Platanthera roseotincta</i>	VU A2ac; B1ab(i,iii,v)
紫毛兜兰 <i>Paphiopedilum villosum</i>	VU A2ac; B1ab(i,iii,v)	长瓣舌唇兰 <i>Platanthera sikkimensis</i>	VU A2ac; B1ab(i,iii,v)
文山兜兰 <i>Paphiopedilum wenshanense</i> ●	EN A2ac; B1ab(i,iii,v)	滇西舌唇兰 <i>Platanthera sinica</i> ●	VU A2ac
白花凤蝶兰 <i>Papilionanthe biswasiana</i>	EN A2ac; B1ab(i,iii,v)	独龙江舌唇兰 <i>Platanthera stenophylla</i> ●	VU D2
凤蝶兰 <i>Papilionanthe teres</i>	VU B1ab(ii,iii,v)	白花独蒜兰 <i>Pleione albiflora</i>	CR B1ab(ii,iii,v)
狭叶白蝶兰 <i>Pecteilis radiata</i>	CR B1ab(ii)	长颈独蒜兰 <i>Pleione autumnalis</i> ●	EN A2c
钻柱兰 <i>Pelatantheria rivesii</i>	VU B2ab(ii,iii,v)	陈氏独蒜兰 <i>Pleione chunii</i> ●	EN A3c; B1ab(i,iii,v)
心启兰 <i>Penkimia nagalandensis</i>	EN A2c	台湾独蒜兰 <i>Pleione formosana</i> ●	VU A2c; B1ab(i,iii,v)
巾唇兰 <i>Pennilabium yunnanense</i>	VU A2c	黄花独蒜兰 <i>Pleione forrestii</i> ●	EN A4c
滇桂阔蕊兰 <i>Peristylus parishii</i>	VU B2ab(ii,iii)	大花独蒜兰 <i>Pleione grandiflora</i>	CR A3c
仙笔鹤顶兰 <i>Phaius columnaris</i> ●	EN B1ab(iii,v)	毛唇独蒜兰 <i>Pleione hookeriana</i>	VU A3c
少花鹤顶兰 <i>Phaius delavayi</i> ●	VU A3c	矮小独蒜兰 <i>Pleione humilis</i>	CR A2c
海南鹤顶兰 <i>Phaius hainanensis</i> ●	CR B1ab(i,iii,v)	四川独蒜兰 <i>Pleione limprichtii</i>	VU A3c; B1ab(i,iii,v)
紫花鹤顶兰 <i>Phaius mishmensis</i>	VU A2ac	秋花独蒜兰 <i>Pleione maculata</i>	VU A2c
长茎鹤顶兰 <i>Phaius takeoi</i>	EN B1ab(ii,v)+2ab(ii,v)	小叶独蒜兰 <i>Pleione microphylla</i> ●	EN D
大花鹤顶兰 <i>Phaius wallichii</i>	EN A2c	美丽独蒜兰 <i>Pleione pleionoides</i> ●	VU A3c
文山鹤顶兰 <i>Phaius wenshanensis</i> ●	CR B1ab(iii,v)	疣鞘独蒜兰 <i>Pleione praecox</i>	VU A3c
尖囊蝴蝶兰 <i>Phalaenopsis braceana</i>	VU A3c	岩生独蒜兰 <i>Pleione saxicola</i>	EN B2ab(ii,iii,v)
大尖囊蝴蝶兰 <i>Phalaenopsis deliciosa</i>	VU A3c	二叶独蒜兰 <i>Pleione scopolorum</i>	VU A3c
囊唇蝴蝶兰 <i>Phalaenopsis gibbosa</i>	EN A2c	云南独蒜兰 <i>Pleione yunnanensis</i>	VU A4ac; B1ab(i,iii,v)
海南蝴蝶兰 <i>Phalaenopsis hainanensis</i> ●	CR B1ab(iii,v)	小朱兰 <i>Pogonia minor</i>	VU B1ac(iii)
罗氏蝴蝶兰 <i>Phalaenopsis lobbii</i>	EN A2c	云南朱兰 <i>Pogonia yunnanensis</i> ●	EN A2ac; B1ab(i,iii,v)
麻栗坡蝴蝶兰 <i>Phalaenopsis malipoensis</i> ●	EN B1ab(i,iii,v)	台湾鹿角兰 <i>Pomatocalpa undulatum</i>	EN B2ab(i,iii)
版纳蝴蝶兰 <i>Phalaenopsis mannii</i>	EN A2ac; B1ab(i,iii,v)	台湾鹿角兰(原亚种) <i>Pomatocalpa undulatum</i> subsp. <i>acuminatum</i> ●	EN B2ab(iii)
滇西蝴蝶兰 <i>Phalaenopsis stobartiana</i>	CR A2ac; B1ab(i,iii,v)	齿缘小红门兰 <i>Ponerorchis crenulata</i> ●	VU B1ab(iii)
小尖囊蝴蝶兰 <i>Phalaenopsis taenialis</i>	VU A2c; B1ab(iii,v)	毛轴小红门兰 <i>Ponerorchis monophylla</i>	EN A2c
华西蝴蝶兰 <i>Phalaenopsis wilsonii</i>	VU A2ac	峨眉小红门兰 <i>Ponerorchis omeishanica</i> ●	EN B1ab(iii,v)
单叶石仙桃 <i>Pholidota leveilleana</i>	VU A2ac; B1ab(i,iii,v)	普格小红门兰 <i>Ponerorchis pugeensis</i> ●	CR B1ab(iii)
长足石仙桃 <i>Pholidota longipes</i> ●	VU B1ab(iii,v)	四川小红门兰 <i>Ponerorchis sichuanica</i> ●	EN B1ab(iii,v)
贵州石仙桃 <i>Pholidota roseans</i>	EN B1ab(iii,v)	孔唇兰 <i>Porolabium biporusum</i> ●	EN B2ab(ii,iii,v)
文山石仙桃 <i>Pholidota wenshanica</i> ●	EN B1ab(iii,v)	毛萼长足兰 <i>Pteroceras asperatum</i> ●	CR B1ab(i,iii,v)
馥兰 <i>Phreatia formosana</i>	VU A2ac; B1ab(i,iii,v)	火焰兰 <i>Renanthera coccinea</i>	EN B1ab(i,iii,v)
大馥兰 <i>Phreatia morii</i> ●	VU B2ab(iii)	云南火焰兰 <i>Renanthera imschootiana</i>	CR A2ac; B1ab(i,iii,v)
台湾馥兰 <i>Phreatia taiwaniana</i> ●	VU B1ab(iii)	贵州菱兰 <i>Rhomboda fanjingensis</i> ●	VU A2c
钝叶萍兰 <i>Pinalia acervata</i>	VU B2ab(ii,iii)	白肋菱兰 <i>Rhomboda tokioi</i>	VU A2c
密苞萍兰 <i>Pinalia conferta</i> ●	VU B1ab(ii,iii)	海南钻喙兰 <i>Rhynchostylis gigantea</i>	EN D
反苞萍兰 <i>Pinalia excavata</i>	VU B2ab(ii,iii,v)	钻喙兰 <i>Rhynchostylis retusa</i>	EN A2ac+4c; B1ab(i,iii,v)
龙陵萍兰 <i>Pinalia longlingensis</i> ●	CR A2c; B1ab(i,iii,v)	短帽大喙兰 <i>Sarcoglyphis magnirostris</i> ●	EN B1ab(iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
大喙兰 <i>Sarcoglyphis smithiana</i>	VU A2ac; B1ab(i,iii,v)	肉苁蓉 <i>Cistanche deserticola</i>	EN A2acd
云南鸟足兰 <i>Satyrium yunnanense</i> •	EN A2ac	管花肉苁蓉 <i>Cistanche tubulosa</i>	VU A2c
萼脊兰 <i>Sedirea japonica</i>	VU A2ac; B1ab(i,iii,v)	宝兴薰寄生 <i>Gleadowia mupinense</i> •	EN A2c
短茎萼脊兰 <i>Sedirea subparishii</i> •	EN B1ab(iii,v)	藨寄生 <i>Gleadowia ruborum</i>	VU D1+2
反唇兰 <i>Smithorchis calceoliformis</i> •	CR B1ab(ii,v)	矮生豆列当 <i>Mannagettaea hummelii</i>	VU A2c; B1ab(iii,v)
长瓣大苞兰 <i>Sunipia angustipetala</i>	EN B1ab(ii)	豆列当 <i>Mannagettaea labiata</i> •	VU A2c
白花大苞兰 <i>Sunipia candida</i>	VU A2ac; B1ab(i,iii,v)	大花列当 <i>Orobanche megalantha</i> •	VU A2c
海南大苞兰 <i>Sunipia hainanensis</i> •	CR B1ab(iii,v)	(121) 芍药科 <i>Paeoniaceae</i>	
少花大苞兰 <i>Sunipia intermedia</i>	VU A2ac; B1ab(i,iii,v)	新疆芍药 <i>Paeonia anomala</i>	VU A2c
圆瓣大苞兰 <i>Sunipia rimannii</i>	EN A2ac; B1ab(i,iii,v)	四川牡丹 <i>Paeonia decomposita</i> •	EN A2c; B1ab(i,iii)
狭叶带唇兰 <i>Tainia angustifolia</i>	EN B1ab(i,iii,v)	块根芍药 <i>Paeonia intermedia</i>	VU A2c
心叶带唇兰 <i>Tainia cordifolia</i>	EN A2ac+3c+4c; B1ab(v)	矮牡丹 <i>Paeonia jishanensis</i> •	VU A2c
阔叶带唇兰 <i>Tainia latifolia</i>	VU B2ab(ii,iii,v)	大花黄牡丹 <i>Paeonia ludlowii</i> •	VU D
卵叶带唇兰 <i>Tainia longiscapa</i>	CR C1+2a(i,ii)	凤丹 <i>Paeonia ostii</i> •	CR D
大花带唇兰 <i>Tainia macrantha</i>	VU A2c	卵叶牡丹 <i>Paeonia quiu</i> •	EN B2ab(ii)
滇南带唇兰 <i>Tainia minor</i>	VU A2ac	紫斑牡丹 <i>Paeonia rockii</i> •	EN A2c
南方带唇兰 <i>Tainia ruybarrettoi</i>	EN C2a(i)	太白山紫斑牡丹 <i>Paeonia rockii</i> subsp. <i>taibaishanica</i> •	VU B2ab(ii)
高褶带唇兰 <i>Tainia viridifusca</i>	EN C1	圆裂牡丹 <i>Paeonia rotundiloba</i> •	EN A2c
金佛山兰 <i>Tangtsinia nanchuanica</i> •	EN A2ac; B1ab(i,iii,v)	牡丹 <i>Paeonia ×suffruticosa</i> •	VU B1ab(iii)
小叶白点兰 <i>Thrixspermum japonicum</i>	VU A2ac; B1ab(i,iii,v)	(122) 麝粟科 <i>Papaveraceae</i>	
吉氏白点兰 <i>Thrixspermum tsii</i> •	EN A2ac; B1ab(i,iii,v)	松潘黄堇 <i>Corydalis acropteryx</i> •	VU A2c+3c; B1ab(i,iii,v)
软叶筒距兰 <i>Tipularia cunninghamii</i>	VU B1ab(iii,v)	文县紫堇 <i>Corydalis amhipogon</i> •	EN D
筒距兰 <i>Tipularia szechuanica</i> •	VU A3c	莳萝叶紫堇 <i>Corydalis anethifolia</i> •	EN A2c+3c
三角兰 <i>Trias disciflora</i>	VU D1	泉涌花紫堇 <i>Corydalis anthocrene</i> •	VU A2c
毛舌兰 <i>Trichoglottis triflora</i>	VU A2c	鸡冠黄堇 <i>Corydalis crista-galli</i> •	VU D2
瓜子毛鞘兰 <i>Trichotosia dasypylla</i>	VU D2	无距黄堇 <i>Corydalis cryptogama</i> •	VU D2
峨眉竹茎兰 <i>Tropidia emeishanica</i> •	CR B1ac(ii)	房山紫堇 <i>Corydalis fangshanensis</i> •	VU A2c
长喙兰 <i>Tsaiorchis neottianthoides</i> •	EN A2ac; B1ab(i,iii,v)	洪坝山紫堇 <i>Corydalis hongbashanensis</i> •	EN D
垂头万代兰 <i>Vanda alpina</i>	EN B1ab(ii,iii,v); C1	土元胡 <i>Corydalis humosa</i> •	VU D2
白柱万代兰 <i>Vanda brunnea</i>	VU A2ac+3c; B1ab(i,iii,v)	粉叶紫堇 <i>Corydalis leucanthema</i> •	EN A2c; D
大花万代兰 <i>Vanda coerulea</i>	EN A2ac; B1ab(i,iii,v)	纹果紫堇 <i>Corydalis striatocarpa</i> •	EN A2c
小蓝万代兰 <i>Vanda coeruleescens</i>	EN A2c+3d; B1ab(i,iii,v); C1	延胡索 <i>Corydalis yanhusuo</i> •	VU B1ab(i,iii,v)
琴唇万代兰 <i>Vanda concolor</i>	VU A2c; B1ab(i,iii,v)	久治绿绒蒿 <i>Meconopsis barbisetia</i> •	EN A2cd+3cd
叉唇万代兰 <i>Vanda cristata</i>	EN B2ab(ii,iii,v)	黄花绿绒蒿 <i>Meconopsis georgei</i> •	VU C2a(i)
雅美万代兰 <i>Vanda lamellata</i>	VU B1ab(i,ii,iii,v)+ 2ab(i,ii,iii,v)	报春绿绒蒿 <i>Meconopsis primulina</i>	VU B1ab(i,iii,v)
矮万代兰 <i>Vanda pumila</i>	VU A2ac; B1ab(i,iii,v)	光果五脉绿绒蒿 <i>Meconopsis quintuplinervia</i> var. <i>glabra</i> •	VU D2
纯色万代兰 <i>Vanda subconcolor</i> •	EN A2ac; B1ab(i,iii,v)	秀丽绿绒蒿 <i>Meconopsis venusta</i> •	VU A2a+3cd; B1ab(i,iii,v)
南方香荚兰 <i>Vanilla annamica</i>	VU A3c	乌蒙绿绒蒿 <i>Meconopsis wumungensis</i> •	EN A2a+3cd; B1ab(i,iii,v)
大香荚兰 <i>Vanilla siamensis</i>	EN B2ab(ii,iii,v)	长白山罂粟 <i>Papaver radicatum</i> var. <i>pseudo-radicatum</i>	VU A2c
宽距兰 <i>Yoania japonica</i>	EN B1ab(iii)	(123) 西番莲科 <i>Passifloraceae</i>	
丫瓣兰 <i>Ypsilorchis fissipetala</i> •	EN B1ab(ii,iii,v)	滇南蒴莲 <i>Adenia penangiana</i>	VU A2c
耿马齿唇兰 <i>Zeuxine gengmanensis</i> •	CR B1ab(i,iii,v)	心叶西番莲 <i>Passiflora eberhardtii</i>	EN A3b; B1b(i,iii); C1
大花线柱兰 <i>Zeuxine grandis</i>	VU A2ac; B1ab(i,iii,v)	广东西番莲 <i>Passiflora kwantungensis</i> •	VU A3c; B1b(i,iii)
全唇线柱兰 <i>Zeuxine integrilabellae</i> •	EN A1a	长叶西番莲 <i>Passiflora siamica</i>	VU A3bcd; B1b(i,iii)
(120) 列当科 <i>Orobanchaceae</i>		长叶蛇王藤 <i>Passiflora tonkinensis</i>	EN B1b(i,iii)
草苁蓉 <i>Boschniakia rossica</i> var. <i>rossica</i>	VU A2c; B2ab(ii,iii)		

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
(124) 胡椒科 Piperaceae		盐源野青茅 <i>Deyeuxia yanyuanensis</i> •	EN A2c; C1
河池胡椒 <i>Piper hochienense</i> •	EN A2c	膜箨镰序竹 <i>Drepanostachyum membranaceum</i> •	EN A2c
恒春胡椒 <i>Piper kawakamii</i>	VU D2	无芒披碱草 <i>Elymus sinosubmuticus</i> •	VU A2c; B1ab(i,iii,v)
绿岛胡椒 <i>Piper kwashoense</i> •	VU D2	毛披碱草 <i>Elymus villifer</i> •	EN A2c; B1ab(i,iii,v)
短柄胡椒 <i>Piper stipitiforme</i> •	VU D2	掌秆竹 <i>Gelidocalamus latifolius</i> •	VU A2c+3c; B1ab(i,iii,v); C1
粗穗胡椒 <i>Piper tsangyuanense</i> •	VU D2	箭把竹 <i>Gelidocalamus longiinternodus</i> •	VU A2c+3c; B1ab(i,iii,v); C1
(125) 海桐花科 Pittosporaceae		抽筒竹 <i>Gelidocalamus tessellatus</i> •	VU A2c+3c
褐毛海桐 <i>Pittosporum fulvipilosum</i> •	VU A2c; C1	内蒙古大麦 <i>Hordeum innermongolicum</i> •	VU A2c+3c; C1
小柄果海桐 <i>Pittosporum henryi</i> •	CR B1ab(i,iii)	钝稃野大麦 <i>Hordeum spontaneum</i> var. <i>spontaneum</i>	VU B1ab(iii)
黄杨叶海桐 <i>Pittosporum kweichowense</i> var. <i>buxifolium</i> •	EN A3c; B1ab(i,iii,v)	水禾 <i>Hygroryza aristata</i>	VU B1a(iii)
全秃海桐 <i>Pittosporum perglabratum</i> •	VU A2c	美丽箬竹 <i>Indocalamus decorus</i> •	VU A2c
(126) 斜翼科 Plagiopteraceae		多毛箬竹 <i>Indocalamus hirsutissimus</i> var. <i>hirsutissimus</i> •	VU D2
斜翼 <i>Plagiopteron suaveolens</i>	CR A2c; B1ab(i,iii,v); C1+2a(ii)	矮箬竹 <i>Indocalamus pedalis</i> •	EN B2ab(ii,iii)
(127) 车前科 Plantaginaceae		荔波大节竹 <i>Indosasa lipoensis</i> •	VU D2
巨车前 <i>Plantago maxima</i>	VU A3c; B1ab(i,iii)	梵净山类芦 <i>Neyraudia fanjingshanensis</i> •	EN B1ab(iii)
小花车前 <i>Plantago tenuiflora</i>	EN A2c; B1ab(i,iii); D	疣粒稻 <i>Oryza meyeriana</i> subsp. <i>granulata</i>	VU A2ace; B1ab(i,iii,v)
(128) 白花丹科 Plumbaginaceae		药用稻 <i>Oryza officinalis</i>	EN A2ac+3c
浩罕彩花 <i>Acantholimon kokandense</i>	VU A2c+3c; C1	野生稻 <i>Oryza rufipogon</i>	CR A2ac+3c
大叶补血草 <i>Limonium gmelinii</i>	VU C1	贵州刚竹 <i>Phyllostachys guizhouensis</i> •	VU D2
紫花丹 <i>Plumbago indica</i>	VU A3c; C1	安吉金竹 <i>Phyllostachys parvifolia</i> •	VU A2c
(129) 禾本科 Poaceae		华山新麦草 <i>Psathyrostachys huashanica</i> •	CR A2ac
短芒芨芨草 <i>Achnatherum breviaristatum</i> •	VU D2	空心竹 <i>Pseudosasa aeria</i> •	EN A2c
广西酸竹 <i>Acidosasa guangxiensis</i> •	VU B1ab(i,iii)	近实心茶秆竹 <i>Pseudosasa subsolida</i> •	VU A2c
射毛悬竹 <i>Ampelocalamus actinotrichus</i> •	VU D2	双湖碱茅 <i>Puccinellia shuanghuensis</i> •	VU A2c+3cd; B1ab(i,iii,v); C2b
贵州悬竹 <i>Ampelocalamus calcareus</i> •	CR B1ab(i,iii,v); C1	间序囊颖草 <i>Sacciolepis interrupta</i>	VU A2c
冕宁悬竹 <i>Ampelocalamus mianningensis</i> •	VU D2	赤竹 <i>Sasa longiligulata</i> •	CR B1ab(i,ii,iii); C1+2a(i)
多节野古草 <i>Arundinella nodosa</i> •	VU B1b(i,iii,v)c(ii,iv)	绒毛赤竹 <i>Sasa tomentosa</i> •	VU A2c+3c
芸香竹 <i>Bonia amplexicaulis</i> •	VU A2c; B1ab(i,iii,v); C1	三蕊草 <i>Sinochasea trigyna</i> •	VU B2ab(iii)
响子竹 <i>Bonia levigata</i> •	VU D2	拟高粱 <i>Sorghum propinquum</i>	EN B1ab(i,iii,v); C2a(i,ii)
小花单枝竹 <i>Bonia parvifloscula</i> •	VU A2c; B1ab(i,iii,v)	(130) 川苔草科 Podostemaceae	
山涧草 <i>Chikusichloa aquatica</i>	EN A2c; B1ab(iii); C1	华南飞瀑草 <i>Cladopus austrosinensis</i>	CR B1ab(iii)
合江方竹 <i>Chimonobambusa hejiangensis</i> •	VU B1ab(i,iii,v)	川苔草 <i>Cladopus chinensis</i> •	EN D
光竹 <i>Chimonobambusa luzhiensis</i> •	CR B1b(ii)c(i)	飞瀑草 <i>Cladopus nymanii</i>	VU A2c
寒竹 <i>Chimonobambusa marmorea</i>	VU D2	川藻 <i>Dalzellia sessilis</i> •	VU A2c; D1+2
墨脱方竹 <i>Chimonobambusa metuoensis</i> •	EN D	水石衣 <i>Hydrobryum griffithii</i>	VU D2
小花方竹 <i>Chimonobambusa microfloscula</i>	EN B1ab(i,iii,v); D	(131) 远志科 Polygalaceae	
香竹 <i>Chimonocalamus delicatus</i> •	VU A2c	台湾远志 <i>Polygala arcuata</i> •	EN B2ab(ii)
小香竹 <i>Chimonocalamus dumosus</i> var. <i>dumosus</i> •	VU A2c+3c	坝王远志 <i>Polygala bawanglingensis</i> •	VU A2c; B2ac(i,ii,iii)
耿马小香竹 <i>Chimonocalamus dumosus</i> var. <i>pygmaeus</i> •	VU D2	少籽远志 <i>Polygala oligosperma</i> •	VU B2ac(i,ii,iii); C1
长舌香竹 <i>Chimonocalamus longiligulatus</i> •	VU A3c	海岛远志 <i>Polygala wuzhishanensis</i> •	EN A2c+3c
长节香竹 <i>Chimonocalamus longiusculus</i> •	VU A2c+3c	少花黄叶树 <i>Xanthophyllum oliganthum</i> •	EN A1e+2c; B1ab(iii); C1
马关香竹 <i>Chimonocalamus makuianensis</i> •	VU A2c+3c	云南黄叶树 <i>Xanthophyllum yunnanense</i> •	EN A2c; B1ab(iii)
山香竹 <i>Chimonocalamus montanus</i> •	VU A2c+3c	(132) 蓼科 Polygonaceae	
灰香竹 <i>Chimonocalamus pallens</i> •	VU A2c+3c	额河木蓼 <i>Atraphaxis irtyschensis</i> •	VU D2
莎禾 <i>Coleanthus subtilis</i>	EN A2ac+3c; B1ab(i,iii,v)	无叶沙拐枣 <i>Calligonum aphyllum</i>	EN A3c; B1ab(i,iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
心形沙拐枣 <i>Calligonum cordatum</i>	EN A3c	毛茛叶报春 <i>Primula ranunculoides</i> •	VU B2b(iii)c(ii)
艾比湖沙拐枣 <i>Calligonum ebinuricum</i>	EN A3c; B1ab(i,iii,v)	巴蜀报春 <i>Primula rupestris</i> •	CR A3c
粗糙沙拐枣 <i>Calligonum squarrosum</i>	VU D1+2	岩生报春 <i>Primula saxatilis</i>	VU A3c
宽叶神血宁 <i>Polygonum platyphyllum</i> •	VU D2	藏报春 <i>Primula sinensis</i> •	EN B1ab(iii)
阿尔泰大黄 <i>Rheum altaicum</i>	EN B1ab(i,iii,v); D	滋圃报春 <i>Primula soongii</i> •	CR B1ab(i,iii)
牛尾七 <i>Rheum forrestii</i> •	VU A3c; C1	纤柄报春 <i>Primula tenuipes</i> •	VU A2c; D1
头序大黄 <i>Rheum globulosum</i>	EN B1ab(i,iii,v); D	三齿卵叶报春 <i>Primula tridentifera</i> •	VU A2c
条裂大黄 <i>Rheum laciniatum</i> •	CR B1ab(i,iii,v); C1	荨麻叶报春 <i>Primula urticifolia</i> •	VU A2c; B2ab(ii, iv)
垂枝大黄 <i>Rheum subacaule</i> •	CR D	广南报春 <i>Primula wangii</i> •	EN B1ab(i,iii)
鸡爪大黄 <i>Rheum tanguticum</i> var. <i>tanguticum</i> •	VU D1	滇南脆蒴报春 <i>Primula wenshanensis</i> •	VU A3c; D1+2
云南大黄 <i>Rheum yunnanense</i>	VU D2	焕镛报春 <i>Primula woonyoungiana</i> •	CR B1ab(i,iii)
(133) 波喜蕩科 Posidoniaceae		红花婆娑纳 <i>Stimpsonia chamaedryoides</i> f. <i>rubriflora</i> •	VU A2a+3c
波喜蕩 <i>Posidonia australis</i>	VU A2c; B1ab(i,iii,v); C1+2a(ii)	(135) 山龙眼科 Proteaceae	
(134) 报春花科 Primulaceae		山地山龙眼 <i>Helicia clivicola</i> •	EN B1ab(i,iii)
弯花点地梅 <i>Androsace cernuiflora</i> •	VU A2c	瑞丽山龙眼 <i>Helicia shweliensis</i> •	EN B1ab(i,iii)
梵净山点地梅 <i>Androsace medifissa</i> •	VU D1+2	林地山龙眼 <i>Helicia silvicola</i> •	EN B1ab(i,iii)
香港过路黄 <i>Lysimachia alpestris</i> •	EN B1ab(i,iii); C2a(i)	西藏山龙眼 <i>Helicia tibetensis</i> •	EN B1ab(i,iii)
心叶香草 <i>Lysimachia cordifolia</i> •	EN A2c; B1ab(i,iii)	潞西山龙眼 <i>Helicia tsaii</i> •	VU A2c+3c
白花过路黄 <i>Lysimachia huijsmansae</i> •	VU B2ab(iii)	(136) 大花草科 Rafflesiaceae	
红头索 <i>Lysimachia liui</i> •	CR B1ab(i,iii)	帽蕊草 <i>Mirastemon yamamotoi</i> var. <i>yamamotoi</i>	VU A2c
龙津过路黄 <i>Lysimachia rupestris</i> •	CR B1ab(i,iii)	寄生花 <i>Sapria himalayana</i>	VU D2
岩居香草 <i>Lysimachia saxicola</i> var. <i>saxicola</i> •	EN A2c; B1ab(i,iii)	(137) 毛茛科 Ranunculaceae	
萼花香草 <i>Lysimachia scapiflora</i> •	CR B1ab(i,iii)	短柄乌头 <i>Aconitum brachypodium</i> var. <i>brachypodium</i> •	EN A2c; D
伞花落地梅 <i>Lysimachia sciadantha</i> •	EN B1ab(i,iii)	褐紫乌头 <i>Aconitum brunneum</i> •	VU B2ab(iii,iv)
黔阳过路黄 <i>Lysimachia sciadophylla</i> •	EN B1ab(i,iii)	珠芽乌头 <i>Aconitum bulbilliferum</i> •	CR B1ab(iii)+2ab(iii)
茂汶过路黄 <i>Lysimachia stellaroides</i> •	CR B1ab(i,iii)	黄毛乌头 <i>Aconitum chrysotrichum</i> •	EN A2c; D
腾冲过路黄 <i>Lysimachia tengyuehensis</i> •	EN A2c; B1ab(i,iii)	苍山乌头 <i>Aconitum contortum</i> •	VU A2c; D1
条叶香草 <i>Lysimachia vittiformis</i> •	EN A2c; B1ab(i,iii)	宾川乌头 <i>Aconitum duclouxii</i> •	VU A2c
川香草 <i>Lysimachia wilsonii</i> •	EN A2c; B1ab(i,iii)	丽江乌头 <i>Aconitum forrestii</i> •	VU A2ac
黔西报春 <i>Primula cavaleriei</i> •	VU A2c; D1	无毛乌头 <i>Aconitum glabrisepalum</i> •	VU B2ab(iii,iv)
马关报春 <i>Primula chapaensis</i>	EN A2c	会理乌头 <i>Aconitum huiliense</i> •	EN D
腾冲灯台报春 <i>Primula chrysochlora</i> •	VU A2c; D2	凉山乌头 <i>Aconitum liangshanicum</i> •	VU A2c; D1
堇叶报春 <i>Primula cicutariifolia</i> •	VU B2ab(iii)	高山乌头 <i>Aconitum monanthum</i>	VU D2
大叶宝兴报春 <i>Primula davidi</i> •	CR B1ab(i,iii)	纳木拉乌头 <i>Aconitum namlaense</i> •	VU B1ab(iii)
小叶鄂报春 <i>Primula densa</i>	EN D	毛瓣乌头 <i>Aconitum pilopetalum</i> •	VU D2
乳白垂花报春 <i>Primula eburnea</i>	VU A2c	菱叶乌头 <i>Aconitum rhombifolium</i> •	EN D
石面报春 <i>Primula epithelica</i> •	VU A2c; D1	螺旋乌头 <i>Aconitum spiripetalum</i> •	VU B2ab(iii,iv)
陕西羽叶报春 <i>Primula filchnerae</i> •	EN B1ab(iii)	太白乌头 <i>Aconitum taipeicum</i> •	EN D
滇南报春 <i>Primula henryi</i>	EN A2c; B1ab(iii)	康定乌头 <i>Aconitum tatsienense</i> •	VU B2ab(i,iii)
峨眉缺裂报春 <i>Primula homogama</i> •	EN B1ab(iii)	新都桥乌头 <i>Aconitum tongolense</i> •	VU A2c; B2ab(iii,iv)
广东报春 <i>Primula kwangtungensis</i> •	EN B1ab(i,iii)	夏侧金盏花 <i>Adonis aestivalis</i> var. <i>aestivalis</i>	VU A2c; D1
川东灯台报春 <i>Primula mallophylla</i> •	CR B1ab(i,iii)	河口银莲花 <i>Anemone hokouensis</i>	CR B1ab(iii)
深紫报春 <i>Primula melanantha</i> •	EN B1ab(iii)	山东银莲花 <i>Anemone shikokiana</i>	VU A2c
安徽羽叶报春 <i>Primula merrilliana</i> •	VU A2c	星果草 <i>Asteropyrum peltatum</i>	VU A2ac+3ac; B1ab(i,iii)
总序报春 <i>Primula pauliana</i> var. <i>pauliana</i> •	EN B1ab(i,iii)	小花水毛茛 <i>Batrachium bungei</i> var. <i>micranthum</i> •	EN B1ab(iii,v)
密裂报春 <i>Primula pycnoloba</i> •	CR B1ab(i,iii)	北京水毛茛 <i>Batrachium pekinense</i> •	EN A3c+4ac; C1+2a(ii)
青海报春 <i>Primula qinghaiensis</i> •	CR B1ab(i,iii)	钴托水毛茛 <i>Batrachium rionii</i>	VU A2c

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
角叶铁破锣 <i>Beesia deltophylla</i> •	VU A2c; B1ab(i,iii,v)+2ab(i,iii,v); C1a(ii)	大瓣毛茛 <i>Ranunculus platypetalus</i> var. <i>platypetalus</i> •	VU A2c
鸡爪草 <i>Calathodes oxycarpa</i> •	CR B1ab(iii)	四蕊毛茛 <i>Ranunculus tetrandrus</i> •	VU D2
黄花鸡爪草 <i>Calathodes palmata</i>	CR B1ab(iii)	三角叶毛茛 <i>Ranunculus triangularis</i> •	VU A2c; D2
太白美花草 <i>Callianthemum taipaicum</i> •	EN D	新宁毛茛 <i>Ranunculus xinningensis</i> •	EN C1+2a(ii)
白花驴蹄草 <i>Caltha natans</i>	VU B1ab(i,iii)	砚山毛茛 <i>Ranunculus yanshanensis</i> •	VU A2c
细茎驴蹄草 <i>Caltha sinogracilis</i> •	VU B1ab(i,iii)	阴山毛茛 <i>Ranunculus yinshanicus</i> •	VU A2c
南川升麻 <i>Cimicifuga nanchuanensis</i> •	EN D	微毛爪哇唐松草 <i>Thalictrum javanicum</i> var. <i>puberulum</i> •	VU A2c; B1ab(i,iii)
槭叶铁线莲 <i>Clematis acerifolia</i> var. <i>acerifolia</i> •	EN A2ac; B2ab(i,iii,v); C1	密叶唐松草 <i>Thalictrum myriophyllum</i> •	VU D2
短萼黄连 <i>Coptis chinensis</i> var. <i>brevisepala</i> •	EN A2c	峨眉唐松草 <i>Thalictrum omeiense</i> •	VU D2
黄连 <i>Coptis chinensis</i> var. <i>chinensis</i> •	VU A2c	准噶尔金莲花 <i>Trollius dschungaricus</i>	VU A2c
三角叶黄连 <i>Coptis deltoidea</i> •	VU A2c; D1+2	长白金莲花 <i>Trollius japonicus</i>	VU A2c
峨眉黄连 <i>Coptis omeiensis</i> •	EN A2c; B1ab(ii)	淡紫金莲花 <i>Trollius lilacinus</i>	VU A2c
五裂黄连 <i>Coptis quinquesecta</i> •	CR A2c; B1ab(ii)	小花金莲花 <i>Trollius micranthus</i> •	VU A2c
云南黄连 <i>Coptis teeta</i>	CR A2c	台湾金莲花 <i>Trollius taihasenzanensis</i> •	EN B2ab(ii)
秋翠雀花 <i>Delphinium autumnale</i> •	EN B1ab(iii)	尾囊草 <i>Urophysa henryi</i> •	VU B1ab(iii)
拟螺距翠雀花 <i>Delphinium bulleyanum</i> •	VU A2c	距瓣尾囊草 <i>Urophysa rockii</i> •	CR C1
黄毛翠雀花 <i>Delphinium chrysotrichum</i> •	EN A2ac; B2ab(iii,v); C1	(138) 鼠李科 <i>Rhamnaceae</i>	
鞘柄翠雀花 <i>Delphinium coleopodum</i> •	CR B1ab(i,iv,v)	腋毛勾儿茶 <i>Berchemia barbigera</i> •	EN D
二郎山翠雀花 <i>Delphinium erlangshanicum</i> •	CR A2ac; D	长梗勾儿茶 <i>Berchemia longipes</i> •	VU A2c
稻城翠雀花 <i>Delphinium hui</i> •	CR A3c	滇小勾儿茶 <i>Berchemiella yunnanensis</i> •	CR B1ab(iii); C1+2a(ii)
丽江翠雀花 <i>Delphinium likiangense</i> •	EN B2ab(iii,v); D	铁马鞭 <i>Rhamnus aurea</i> •	VU A2c; D1
木里翠雀花 <i>Delphinium muliense</i> var. <i>muliense</i> •	EN D	毛枝雀梅藤 <i>Sageretia hamosa</i> var. <i>trichoclada</i> •	EN A2c; D
直距翠雀花 <i>Delphinium orthocentrum</i> •	EN A2ac; C1	亮叶雀梅藤 <i>Sageretia lucida</i>	VU D1
尖距翠雀花 <i>Delphinium oxycentrum</i> •	EN B1ab(iii)	毛枝翼核果	EN D
花萼翠雀花 <i>Delphinium sinoscaposum</i> •	VU A2ac; D2	<i>Ventilago calyculata</i> var. <i>trichoclada</i> •	VU A2c
冀北翠雀花 <i>Delphinium siwanense</i> var. <i>albopuberulum</i> •	EN A2c; D	台湾翼核果 <i>Ventilago elegans</i> •	VU A2c; D1
三小叶翠雀花 <i>Delphinium trifoliolatum</i> •	CR A2ac; D	褐果枣 <i>Ziziphus fungii</i> •	
粉背人字果 <i>Dichocarpum hypoglauicum</i> •	EN A2ac; B1ab(i,iii,v)	大果枣 <i>Ziziphus mairei</i> •	EN A2c; B2ab(ii,v)
麻栗坡人字果 <i>Dichocarpum malipoenense</i> •	VU B2ab(i,iii,v)	毛脉枣 <i>Ziziphus pubinervis</i> •	VU A2c; B2ab(ii,v)
三小叶人字果 <i>Dichocarpum trifoliolatum</i> •	VU B2ab(iii)	(139) 红树科 <i>Rhizophoraceae</i>	
白花菟葵 <i>Eranthis albiflora</i> •	VU A2c	锯叶竹节树 <i>Carallia diplopetala</i>	EN A2c; C1
浅裂菟葵 <i>Eranthis lobulata</i> var. <i>lobulata</i> •	EN A2c; B2ab(iii,v)	山红树 <i>Pellacalyx yunnanensis</i> •	EN B1ab(i,iii); C1
铁筷子 <i>Helleborus thibetanus</i> •	VU A2c	红茄冬 <i>Rhizophora mucronata</i>	VU A2c; B1ab(iii,v)
川鄂獐耳细辛 <i>Hepatica henryi</i> •	VU A2ac; B2ab(iii)	(140) 蔷薇科 <i>Rosaceae</i>	
独叶草 <i>Kingdonia uniflora</i> •	VU B2ab(iii,v)	蒙古扁桃 <i>Amygdalus mongolica</i>	VU B1ab(ii,iii)
毛茛莲花 <i>Metanemone ranunculoides</i> •	EN A2c; B2ab(i,iii)	矮扁桃 <i>Amygdalus nana</i>	EN A2c; B1ab(iv,v)
锡兰莲 <i>Naravelia zeylanica</i>	VU A2c; B1ab(iii,v)	背毛杏 <i>Armeniaca hypotrichodes</i> •	EN A2c+3c
圆齿鹃跖花 <i>Oxygraphis endlicheri</i>	EN A2ac; B2ab(i,iii,v)	政和杏 <i>Armeniaca zhengheensis</i> •	CR Blab(ii,v); C1+2a(i,ii)
小鸦跖花 <i>Oxygraphis tenuifolia</i> •	VU A2c	汶川无尾果 <i>Coluria oligocarpa</i> •	VU A2c; B1ab(iii,v)
密丛拟耧斗菜 <i>Paraquilegia caespitosa</i>	VU B2ab(iii,v)	大叶泡叶栒子 <i>Cotoneaster bullatus</i> var. <i>macrophyllus</i> •	EN B1ab(i,iv)
昌平毛茛 <i>Ranunculus changpingensis</i> •	VU A2c	球花栒子 <i>Cotoneaster glomerulatus</i> •	VU A2c; D2
青河毛茛 <i>Ranunculus chinghoensis</i> •	VU A2c	山东栒子 <i>Cotoneaster schantungensis</i> •	VU A3c
睫毛毛茛 <i>Ranunculus densiciliatus</i> •	VU D2	甜栒子 <i>Cotoneaster soongoricus</i>	VU A2c
阿坝毛茛 <i>Ranunculus indivisus</i> var. <i>abaensis</i> •	VU A2c; B1ab(i,iii,v)	滇西山楂 <i>Crataegus oreshbia</i> •	EN B1ab(i,iii,v)
昆仑毛茛 <i>Ranunculus kunlunshanicus</i> •	VU A2c; B1ab(i,iii,v)	山东山楂 <i>Crataegus shandongensis</i> •	VU A2c; D1+2
门源毛茛 <i>Ranunculus menyuanensis</i> •	VU A2c	麻栗坡枇杷 <i>Eriobotrya malipoensis</i> •	EN A2c; B1ab(iv)
		小叶枇杷 <i>Eriobotrya seguinii</i> •	VU A2c; B1ab(i,iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
齿叶白鹃梅 <i>Exochorda serratifolia</i>	VU A2c; B1ab(i,iii,v)	缘毛太行花 <i>Taihangia rupestris</i> var. <i>ciliata</i> •	CR B1ab(i,iii,iv,v); C1
冬青叶桂樱 <i>Laurocerasus aquifoloides</i> •	VU A2c; B1ab(i,iii,v)	太行花 <i>Taihangia rupestris</i> var. <i>rupestris</i> •	EN A2c; B1ab(ii)
南方桂樱 <i>Laurocerasus australis</i> •	VU A2c; B1ab(i)	(141) 茜草科 Rubiaceae	
勐海桂樱 <i>Laurocerasus menghaiensis</i> •	CR B1ab(i,iii,v)	中华尖药花 <i>Acranthera sinensis</i> •	VU A2c
福建假稠李 <i>Maddenia fujianensis</i> •	CR B1ab(i,iii,v)	穴果木 <i>Caelospermum truncatum</i>	VU A2c; B2ab(ii)
山楂海棠 <i>Malus komarovii</i>	EN A3c; B1ab(iv); C1+2a(ii)	琼梅 <i>Canthium hainanense</i> •	VU A2c
锡金海棠 <i>Malus sikkimensis</i>	VU A2c; B1ab(iv)	木瓜榄 <i>Ceriscoides howii</i> •	VU A2c; B2ab(ii)
褐毛稠李 <i>Padus brunescens</i> •	VU A2c; B1ab(i)	广西虎刺 <i>Damnacanthus guangxiensis</i> •	VU B1ab(iii)
全缘叶稠李 <i>Padus integrifolia</i> •	VU A2c	大卵叶虎刺 <i>Damnacanthus major</i>	VU A2c; B2ab(ii)
椭圆叶石楠 <i>Photinia beckii</i> •	EN A2c; B1b(iii,iv)	瑞丽茜树 <i>Fosbergia shweliensis</i> •	EN B1ab(iii,v)
倒卵叶闽粤石楠 <i>Photinia benthamiana</i> var. <i>obovata</i> •	CR A2c; B1ab(i,iii,v)	匙叶栀子 <i>Gardenia angkorensis</i>	EN A2c; D
小檗叶石楠 <i>Photinia berberidifolia</i> •	CR A2c	海南栀子 <i>Gardenia hainanensis</i> •	VU A2c
宜山石楠 <i>Photinia chingiana</i> var. <i>chingiana</i> •	EN A2c	桂海木 <i>Guhaiothamnus acaulis</i> •	CR B1ab(ii,iii); C1
广西石楠 <i>Photinia kwangsiensis</i> •	EN A2c; B1ab(ii,v)	心叶木 <i>Haldina cordifolia</i>	VU A2c
绵毛石楠 <i>Photinia lanuginosa</i> •	EN A2c	台湾耳草 <i>Hedyotis butensis</i> •	CR B1ab(ii)
窄叶石楠 <i>Photinia stenophylla</i>	VU A2c	河口龙船花 <i>Ixora hekouensis</i> •	VU B1ab(iii)
风箱果 <i>Physocarpus amurensis</i>	VU A2c; B1ab(iii,v)	小仙龙船花 <i>Ixora philippinensis</i>	CR B1ab(i,ii,iii,v)+2ab(i,ii,iii,v)
绵刺 <i>Potaninia mongolica</i>	VU A2c; C1+2a(ii)	溪楠 <i>Keenania tonkinensis</i>	VU D2
张北委陵菜 <i>Potentilla zhangbeiensis</i> •	EN D	红大戟 <i>Knoxia roxburghii</i>	VU B1ab(iii)
兰屿野樱花 <i>Prunus grisea</i>	EN B1ab(v)	华南粗叶木 <i>Lasianthus austrosinensis</i> •	EN A2c
大果臀果木 <i>Pygeum macrocarpum</i> •	EN B2ab(ii,v)	黄果粗叶木 <i>Lasianthus calycinus</i> •	CR B1ab(iii,v)
长圆臀果木 <i>Pygeum oblongum</i> •	EN A3c; B2ab(ii,v)	大叶粗叶木 <i>Lasianthus rigidus</i>	VU A2c; B1ab(iii,v)
密花火棘 <i>Pyracantha densiflora</i> •	EN A2c; B1ab(i,iii,v)	滇西粗叶木 <i>Lasianthus wardii</i>	EN D
台湾火棘 <i>Pyracantha koidzumii</i> •	EN B2ab(ii)	内蒙野丁香 <i>Leptodermis ordosica</i> •	VU D2
河北梨 <i>Pyrus hopeiensis</i> •	CR A2bc; B1ab(i,iii,v); D	心叶报春茜 <i>Leptomischus guangxiensis</i> •	VU A2c
滇梨 <i>Pyrus pseudopashia</i> •	VU A2c	华多轮草 <i>Lerchea sinica</i> •	EN A2c
单瓣月季花 <i>Rosa chinensis</i> var. <i>spontanea</i> •	EN B1ab(iii)	盖裂果 <i>Mitracerpus hirtus</i>	VU D1
广东蔷薇 <i>Rosa kwangtungensis</i> var. <i>kwangtungensis</i> •	VU B1ab(iii)	大花木巴戟 <i>Morinda longissima</i> •	EN B1ab(i,ii,iii,v)
重瓣广东蔷薇 <i>Rosa kwangtungensis</i> var. <i>plena</i>	EN B1ab(iii)	少花鸡眼藤 <i>Morinda nanlingensis</i> var. <i>pauciflora</i> •	EN B1ab(i,ii,iii,v)
琅琊山蔷薇 <i>Rosa langyashanica</i> •	CR B1ab(i)	毛巴戟天 <i>Morinda officinalis</i> var. <i>hirsuta</i> •	VU A2c
丽江蔷薇 <i>Rosa lichiangensis</i> •	CR A1c	巴戟天 <i>Morinda officinalis</i> var. <i>officinalis</i>	VU B1ab(i,ii,iii,v)
亮叶月季 <i>Rosa lucidissima</i> •	CR B1ab(iii)	波叶木巴戟 <i>Morinda undulata</i> •	VU A2ac
中甸刺玫 <i>Rosa praelucens</i> •	CR A2c; D	乐东玉叶金花 <i>Mussaenda lotungensis</i> •	CR B1ab(ii)
粉蕾蔷薇 <i>Rosa pseudobanksiae</i> •	CR B1ab(iv)	无柄玉叶金花 <i>Mussaenda sessilifolia</i> •	EN B1ab(iii,v); D
玫瑰 <i>Rosa rugosa</i>	EN B1ab(jii)	乌檀 <i>Nauclea officinalis</i>	VU B1ab(iii)
甜茶 <i>Rubus chingii</i> var. <i>suavissimus</i> •	VU D1+2	疏果石丁香 <i>Neohymenopogon oligocarpus</i> •	VU A2c; B1ab(iii,v)
峨眉山莓草 <i>Sibbaldia omeiensis</i> •	CR A2c; B2ab(iv,v); D	滇南新乌檀 <i>Neonauclea tsaiana</i> •	EN A2c; C1
毛叶鲜卑花 <i>Sibiraea tomentosa</i> •	VU A2c; B2ab(i,iii,iv,v)	汕头大沙叶 <i>Pavetta swatowica</i> •	EN A2c
多变花楸 <i>Sorbus astateria</i> •	VU A2c	头九节 <i>Psychotria laui</i>	VU B1ab(iii); C1
宾川花楸 <i>Sorbus obsoletidentata</i> •	VU A2c	云南染木树 <i>Saprosma henryi</i> •	EN A2c
怒江花楸 <i>Sorbus salwinensis</i> •	VU A2c; B2ab(ii,y)	海茜树 <i>Timonius arboreus</i>	CR A2c
秦岭花楸 <i>Sorbus tsinlingensis</i> •	VU B1ab(iii)	丁茜 <i>Trailliaedoxa gracilis</i> •	VU B1ab(iii,v)
神农架花楸 <i>Sorbus yuana</i> •	VU B1ab(ii,v); C1	倒挂金钩 <i>Uncaria lancifolia</i>	VU B1ab(iii,v)
小花马蹄黄 <i>Spenceria ramalana</i> var. <i>parviflora</i>	VU A2c	侯钩藤 <i>Uncaria rhynchosiphylloides</i> •	VU A2c; B1ab(iii)
广西绣线菊 <i>Spiraea kwangsiensis</i> •	EN A2c; B1ab(i)	云南钩藤 <i>Uncaria yunnanensis</i> •	EN A2c; B1ab(i,ii,v)
丽江绣线菊 <i>Spiraea lichiangensis</i> •	VU A2c	广西水锦树 <i>Wendlandia aberrans</i> •	EN A2c
宁夏绣线菊 <i>Spiraea ninghsiaensis</i> •	EN B1ab(i)	长梗水锦树 <i>Wendlandia longipedicellata</i> •	EN B1ab(iii,v)

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
密花水锦树 <i>Wendlandia myriantha</i> •	EN B2ab(ii)	水社柳 <i>Salix kusanoi</i> •	EN A2c; D
屏边水锦树 <i>Wendlandia pingpienensis</i> •	VU A2c	大叶柳 <i>Salix magnifica</i> var. <i>magnifica</i> •	EN A2acd+3cd+4cd
大叶木莲红 <i>Wendlandia pubigera</i> •	EN A2c+3c	绿叶柳 <i>Salix metaglauca</i> •	CR B1ab(iii,v); D
长梗岩黄树 <i>Xanthophyllum balansae</i>	CR D	玉山柳 <i>Salix morrisonicola</i> •	CR D
(142) 芸香科 Rutaceae		东北越桔柳 <i>Salix myrtilloides</i> var. <i>mandshurica</i>	EN D
木橘 <i>Aegle marmelos</i>	VU A2c; B1ab(i,iii)	南京柳 <i>Salix nankingensis</i> •	CR D
开封酒饼簕 <i>Atalantia fongkaica</i> •	CR B1ab(i,iii); C1	绢柳 <i>Salix neolappponum</i> •	EN D
大果酒饼簕 <i>Atalantia guillauminii</i>	VU D2	新紫柳 <i>Salix neowilsonii</i> •	EN B1ab(iii,v); D
金柑 <i>Citrus japonica</i> •	EN B2ab(ii)	台矮柳 <i>Salix okamotoana</i> •	VU D2
西藏山小橘 <i>Glycosmis xizangensis</i> •	VU D2	山毛柳 <i>Salix permollis</i> •	CR B1ab(i,iii)
蜜茱萸 <i>Melicope patulinervia</i> •	EN B1ab(i,iii); D	平利柳 <i>Salix pingliensis</i> •	VU A3bd
小叶九里香 <i>Murraya microphylla</i> •	EN A2c	小叶山毛柳 <i>Salix pseudopermollis</i> •	VU D1+2
黄檗 <i>Phellodendron amurense</i>	VU A2c; B1ab(i,iii)	山柳 <i>Salix pseudotangii</i> •	VU D1
裸芸香 <i>Psilopeganum sinense</i> •	EN A2cd	萨彦柳 <i>Salix sajanensis</i>	CR B1ab(i,iii); C1
毛刺壳花椒 <i>Zanthoxylum echinocarpum</i> var. <i>to-mentosum</i> •	VU A2c	灌木柳 <i>Salix saposchnikovii</i>	CR B1ab(i,iii); C1
兰屿花椒 <i>Zanthoxylum integrifolium</i>	EN D	阿克苏柳 <i>Salix schugnanica</i>	EN B1ab(iii); D
雷波花椒 <i>Zanthoxylum leiboicum</i> •	VU B1ab(iii); D1	商城柳 <i>Salix shangchengensis</i> •	EN D
荔波花椒 <i>Zanthoxylum liboense</i> •	VU A2ce; D2	花莲柳 <i>Salix tagawana</i> •	VU A2c
朵花椒 <i>Zanthoxylum molle</i> •	VU A2c; B1ab(iii)	腾冲柳 <i>Salix tengchongensis</i> •	EN A2c
毛大叶臭花椒 <i>Zanthoxylum myriacanthum</i> var. <i>pubescens</i> •	VU D1	川三蕊柳 <i>Salix triandrodes</i> •	EN A2acd+3cd
翼刺花椒 <i>Zanthoxylum pteracanthum</i> •	EN D	皱纹柳 <i>Salix vestita</i>	EN D
元江花椒 <i>Zanthoxylum yuanjiangense</i> •	VU A2c	维西柳 <i>Salix weixiensis</i> •	EN B1ab(i,iii)
(143) 清风藤科 Sabiaceae		玉皇柳 <i>Salix yuhuangshanensis</i> •	EN D
锥序清风藤 <i>Sabia paniculata</i>	CR A2cde; B1ab(i,iii); C1	(145) 檀香科 Santalaceae	
(144) 杨柳科 Salicaceae		重寄生 <i>Phacellaria fargesii</i> •	VU B1ab(i,iii)
钻天柳 <i>Chosenia arbutifolia</i>	VU A2c; B1b(i,iii)	聚果重寄生 <i>Phacellaria glomerata</i> •	VU B1ab(i,iii)
长果青杨 <i>Populus cathayana</i> var. <i>pedicellata</i> •	EN A3c; C1	大果百蕊草 <i>Thesium jarmilae</i> •	VU B1ab(i,iii)
楸皮杨 <i>Populus ciupi</i> •	EN B1ab(iii); D	远苞百蕊草 <i>Thesium remotebracteatum</i> •	VU B1ab(i,iii)
河南杨 <i>Populus honanensis</i> •	EN D	(146) 无患子科 Sapindaceae	
伊犁杨 <i>Populus iliensis</i> •	EN A2c	细子龙 <i>Amesiodendron chinense</i>	VU A2c; C1
康定杨 <i>Populus kangdingensis</i> •	VU A2c	龙眼 <i>Dimocarpus longan</i>	VU A2c
帕米杨 <i>Populus pamirica</i>	EN D	滇龙眼 <i>Dimocarpus yunnanensis</i> •	CR B1ab(i,iii); C1
柔毛杨 <i>Populus pilosa</i> var. <i>pilosa</i>	EN A3c	荔枝 <i>Litchi chinensis</i>	EN A2c
梧桐杨 <i>Populus pseudomaximowiczii</i> •	EN A2c; D	海南柄果木 <i>Mischocarpus hainanensis</i> •	VU D2
青毛杨 <i>Populus shanxiensis</i> •	CR A2c; B1ab(iii)	海南假韶子 <i>Paranephelium hainanense</i> •	CR B1ab(i,iii)
宽叶小叶杨 <i>Populus simonii</i> var. <i>latifolia</i> •	EN A3c	云南假韶子 <i>Paranephelium hystrix</i>	EN D
辽东小叶杨 <i>Populus simonii</i> var. <i>liaotungensis</i> •	VU A3c	广西檀栗 <i>Pavieasia kwangsiensis</i> •	CR B1ab(i,iii)
中越柳 <i>Salix balansaei</i> var. <i>balansaei</i>	VU A2ac+3c; B1ab(i,ii,iii,v)	干果木 <i>Xerospermum bonii</i>	VU A2c; B1ab(iii)
班公柳 <i>Salix bangongensis</i> •	VU A2ac+3c; D1	(147) 山榄科 Sapotaceae	
浙江柳 <i>Salix chekiangensis</i> •	VU A2c	海南紫荆木 <i>Madhuca hainanensis</i> •	VU A2c
长圆叶柳 <i>Salix divaricata</i> var. <i>metaformosa</i>	CR B1ab(i,iii)	紫荆木 <i>Madhuca pasquieri</i>	VU A2c+3c
东沟柳 <i>Salix donggouxianica</i> •	EN D	龙果 <i>Pouteria grandifolia</i>	EN B1ab(i,iii); C1
钟氏柳 <i>Salix dunni</i> var. <i>tsoongii</i> •	VU A2ac	滇铁榄 <i>Sinosideroxylon yunnanense</i> •	EN B1ab(i,iii); C1
山羊柳 <i>Salix fedtschenkoi</i>	EN A2cs	瑞丽刺榄 <i>Xantolis shweliensis</i> •	VU D1
毛枝垫柳 <i>Salix hirticalvis</i> •	VU A2ac+3c	短柱滇刺榄 <i>Xantolis stenosepala</i> var. <i>brevistylis</i> •	VU A2c; D1
呼玛柳 <i>Salix humaensis</i> •	VU A2c	滇刺榄 <i>Xantolis stenosepala</i> var. <i>stenosepala</i> •	VU A2c; D1
光果江界柳 <i>Salix kangensis</i> var. <i>leiocarpa</i> •	EN D	(148) 三白草科 Saururaceae	

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
白苞裸蒴 <i>Gymnotheca involucrata</i> •	VU A2c+3cd	天目地黄 <i>Rehmannia chingii</i> •	EN B1ab(iii)
(149) 虎耳草科 <i>Saxifragaceae</i>		拉萨玄参 <i>Scrophularia lhasaensis</i> •	VU A2c+3c
秦岭岩白菜 <i>Bergenia scopolosa</i> •	VU A2c; B2ab(i)	南京玄参 <i>Scrophularia nankinensis</i> •	CR B1ab(i,iii,v)+ 2ab(i,iii,v); D
舌叶金腰 <i>Chrysosplenium glossophyllum</i> •	EN B2ac(i); D	长柱玄参 <i>Scrophularia stylosa</i> •	VU D1+
建宁金腰 <i>Chrysosplenium jienningense</i> •	EN A2c+3c; D	崖白菜 <i>Triaenophora rupestris</i> •	EN A2c
太白金腰 <i>Chrysosplenium taibaishanense</i> •	EN B1ab(i,ii,iii)+ 2ab(i,ii,iii)	神农架崖白菜 <i>Triaenophora shennongjiaensis</i> •	EN A2c; B1ab(iii)
叉叶蓝 <i>Deinanthe caerulea</i> •	VU A2c; D2	(153) 肋果茶科 <i>Sladeniaceae</i>	
狭叶溲疏 <i>Deutzia esquirolii</i> •	EN D	全缘肋果茶 <i>Sladenia integrifolia</i> •	CR B1ab(i,iii)
红花溲疏 <i>Deutzia silvestrii</i> •	VU D1+	(154) 茄科 <i>Solanaceae</i>	
云南常山 <i>Dichroa yunnanensis</i> •	EN A2c+3c	三分子 <i>Anisodus acutangulus</i> •	CR B1ab(ii)
变豆叶草 <i>Saniculiphyllum guangxiense</i> •	CR A2c; B1ab(iii)	三分三 <i>Anisodus acutangulus</i> var. <i>acutangulus</i> •	CR B1ab(i,ii,iii,v); C1
(150) 冰沼草科 <i>Scheuchzeriaceae</i>		三分七 <i>Anisodus acutangulus</i> var. <i>breviflorus</i> •	CR A2c; D
冰沼草 <i>Scheuchzeria palustris</i>	VU A2c; B1ab(i,iii)	赛莨菪 <i>Anisodus carniolicoides</i> •	EN D
(151) 五味子科 <i>Schisandraceae</i>		天蓬子 <i>Atropanthe sinensis</i> •	EN D
黑老虎 <i>Kadsura coccinea</i>	VU B1ab(iii)	顺宁红丝线 <i>Lycianthes shunningensis</i> •	VU D2
毛南五味子 <i>Kadsura induta</i> •	VU D2	单果红丝线 <i>Lycianthes solitaria</i> •	EN D
(152) 玄参科 <i>Scrophulariaceae</i>		柱筒枸杞 <i>Lycium cylindricum</i> •	CR B1ab(iii)
虾子草 <i>Mimulicalyx rosulatus</i> •	VU A2c; B2ab(i,iii,v)	云南枸杞 <i>Lycium yunnanense</i> •	VU A2c
胡黄连 <i>Neopicrorhiza scrophulariiflora</i>	EN B2ab(i,iii,v)	广西地海椒 <i>Physaliastrum chamaesarachoides</i>	VU B1ab(i,iii)
阿洛马先蒿 <i>Pedicularis aloensis</i> •	VU B2ab(i,iii,v); C2a(ii)	散血丹 <i>Physaliastrum kweichouense</i> •	VU B2ab(iii)
二色马先蒿 <i>Pedicularis bicolor</i> •	VU A2c	地海椒 <i>Physaliastrum sinense</i> •	VU A2c
双生马先蒿 <i>Pedicularis binaria</i> •	VU A2c; D2	华北散血丹 <i>Physaliastrum sinicum</i> •	VU D1
结球马先蒿 <i>Pedicularis conifera</i> •	VU A2c	漏斗泡囊草 <i>Physochlaina infundibularis</i> •	VU A2c
细波齿马先蒿 <i>Pedicularis crenularis</i> •	VU B2ab(i,iii,v); D2	大叶泡囊草 <i>Physochlaina macrophylla</i> •	EN D
修花马先蒿 <i>Pedicularis dolichantha</i> •	CR B1ab(i,iii,v); C1	苦刺 <i>Solanum deflexicarpum</i> •	VU D1
爱氏马先蒿 <i>Pedicularis elliotii</i> •	VU A2c; B2ab(i,iii,v)	(155) 旌节花科 <i>Stachyuraceae</i>	
帚状马先蒿 <i>Pedicularis fastigiata</i> •	CR C1	滇缅旌节花 <i>Stachyurus cordatus</i>	EN A3c; B1b(i,iii); D
戛氏马先蒿 <i>Pedicularis gagnepainiana</i> •	EN D	云南旌节花 <i>Stachyurus yunnanensis</i>	VU A2c
多毛鹤首马先蒿 <i>Pedicularis gruina</i> subsp. <i>pilosa</i>	VU A2c; C2a(i)	(156) 省沽油科 <i>Staphyleaceae</i>	
•		腺齿省沽油 <i>Staphylea shweliensis</i> •	CR B1ab(i,iii)
多叶鹤首马先蒿 <i>Pedicularis gruina</i> subsp. <i>polyphylla</i> •	VU A2c	大籽山香圆 <i>Turpinia macrosperma</i> •	VU A3c
生驹氏马先蒿 <i>Pedicularis ikomai</i> •	VU D2	心叶山香圆 <i>Turpinia subsessilifolia</i> •	CR A3c; B1ab(ii)
显著马先蒿 <i>Pedicularis insignis</i> •	VU D1	(157) 百部科 <i>Stemonaceae</i>	
卡里马先蒿 <i>Pedicularis kariensis</i> •	VU A2c	黄精叶钩吻 <i>Croomia japonica</i>	EN A2c; B1ab(i,iii); C1
江西马先蒿 <i>Pedicularis kiangsiensis</i> •	VU A2c	细花百部 <i>Stemona parviflora</i> •	EN B2ab(ii)
长萼马先蒿 <i>Pedicularis longicalyx</i> •	VU A2cd; D2	(158) 楸桐科 <i>Sterculiaceae</i>	
长喙马先蒿 <i>Pedicularis macrorhyncha</i> •	VU A2c; C1	桂火绳 <i>Eriolaena kwangsiensis</i> •	EN B1ab(i,ii,iii); C1
膜叶马先蒿 <i>Pedicularis membranacea</i> •	EN B1ab(i,iii,v); C1	丹霞梧桐 <i>Firmiana danxiaensis</i> •	CR D
齿唇马先蒿 <i>Pedicularis odontochila</i> •	EN B1ab(ii)	广西火桐 <i>Firmiana kwangsiensis</i> •	CR B1ab(i,iii,v)
五角马先蒿 <i>Pedicularis pentagona</i> •	EN A2c; C1	云南梧桐 <i>Firmiana major</i> •	EN A2c
假藓生马先蒿 <i>Pedicularis pseudomuscicola</i> •	EN A2c	美丽火桐 <i>Firmiana pulcherrima</i> •	EN B1ab(i,iii,v)
柳叶马先蒿 <i>Pedicularis salicifolia</i> •	EN A2c; C1	长柄银叶树 <i>Heritiera angustata</i>	EN A2c; B1ab(iii); D
斯氏马先蒿 <i>Pedicularis stewardii</i> •	VU B2ab(i,iii,v); D2	银叶树 <i>Heritiera littoralis</i>	VU A2c
盐源马先蒿 <i>Pedicularis yanyuanensis</i> •	VU A2c; B2ab(i,iii,v); C2a(ii)	蝴蝶树 <i>Heritiera parvifolia</i>	VU A2cd; C1
瑶山马先蒿 <i>Pedicularis yaoshanensis</i> •	CR B2ab(i,iii,v); C2a(ii)	梅蓝 <i>Melhania hamiltoniana</i>	EN B1ab(i,iii)
钟山草 <i>Petitmenginia matsumurae</i> •	CR B1ab(ii)	平当树 <i>Paradombeya sinensis</i> •	EN B1b(i,iii)
五齿萼 <i>Pseudobartsia yunnanensis</i> •	EN A2c	景东翅子树 <i>Pterospermum kingtungense</i> •	CR D
圆茎翅茎草 <i>Pterygiella cylindrica</i> •	VU A2c		

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
勐仑翅子树 <i>Pterospermum menglunense</i> ●	EN B1ab(i,ii,iii,v)	少脉山矾 <i>Symplocos paucinervia</i> ●	EN A2c+3c
台湾翅子树 <i>Pterospermum niveum</i>	CR A2c	柔毛山矾 <i>Symplocos pilosa</i> ●	EN A2c
云南翅子树 <i>Pterospermum yunnanense</i> ●	EN A2c	阳春山矾 <i>Symplocos yangchunensis</i> ●	VU D1+2
保亭梭罗 <i>Reevesia botingensis</i> ●	EN D	(161) 茄薯科 <i>Taccaceae</i>	
剑叶梭罗 <i>Reevesia lancifolia</i> ●	CR B1ab(ii,v); C1	广西裂果薯 <i>Schizocapsa guangxiensis</i> ●	CR B1ab(ii); D
罗浮梭罗 <i>Reevesia lofouensis</i> ●	CR B1ab(ii,v); C1	实果蒟蒻薯 <i>Tacca ampliplacenta</i> ●	VU A2c
雪峰山梭罗 <i>Reevesia pubescens</i> var. <i>xuefengensis</i> ●	CR A2c	扇苞蒟蒻薯 <i>Tacca subflabellata</i> ●	CR A2c; B1ab(ii)
密花梭罗 <i>Reevesia pycnantha</i> ●	VU A2c; B1ab(ii,v)	(162) 桤柳科 <i>Tamaricaceae</i>	
粗齿梭罗 <i>Reevesia rotundifolia</i> ●	EN A2c; D	疏花水柏枝 <i>Myricaria laxiflora</i> ●	EN B1ab(i,iii)
短炳苹婆 <i>Sterculia brevissima</i> ●	EN A2c	互叶红砂 <i>Reaumuria alternifolia</i>	CR C1
台湾苹婆 <i>Sterculia ceramica</i>	CR A2c	五柱红砂 <i>Reaumuria kaschgarica</i>	VU B1ab(i,iii)
樟叶苹婆 <i>Sterculia cinnamomifolia</i> ●	EN D	无叶柽柳 <i>Tamarix aphylla</i>	VU A2c
广西苹婆 <i>Sterculia guangxiensis</i> ●	EN D	金塔柽柳 <i>Tamarix jintaensis</i> ●	CR A2c; B1b(i,iii,v); C1
蒙自苹婆 <i>Sterculia henryi</i> var. <i>henryi</i>	EN D	莎车柽柳 <i>Tamarix sachensis</i> ●	CR B1ab(i,iii)
凹脉苹婆 <i>Sterculia impressinervis</i> ●	EN D	沙生柽柳 <i>Tamarix taklamakanensis</i> ●	VU A2c; C1
大叶苹婆 <i>Sterculia kingtungensis</i> ●	EN D	塔里木柽柳 <i>Tamarix tarimensis</i> ●	EN A2c; C1
小花苹婆 <i>Sterculia micrantha</i> ●	EN D	(163) 四数木科 <i>Tetramelaceae</i>	
信宜苹婆 <i>Sterculia subracemosa</i> ●	VU B1ab(ii,v)	四数木 <i>Tetrameles nudiflora</i>	VU A2c; B1ab(iii)
北越苹婆 <i>Sterculia tonkinensis</i>	EN D	(164) 山茶科 <i>Theaceae</i>	
(159) 安息香科 <i>Styracaceae</i>		长梗杨桐 <i>Adinandra elegans</i> ●	CR B1ab(iii)
滇赤杨叶 <i>Alniphyllum eberhardtii</i>	EN A3c	无腺杨桐 <i>Adinandra epunctata</i> ●	CR B1ab(iii)
歧序安息香 <i>Bruinsmia polysperma</i>	EN B1ab(i,iii,v); C1+2a(i)	大杨桐 <i>Adinandra grandis</i>	EN A2c; B1ab(i,iii)
双齿山茉莉	VU D1+2	狭瓣杨桐 <i>Adinandra lancipetala</i>	EN B1ab(i,iii)
<i>Huodendron biaristatum</i> var. <i>biaristatum</i>		毛柱杨桐 <i>Adinandra lasiostyla</i> ●	VU A2c
茉莉果 <i>Parastyrax lacei</i>	EN A3c; D	阔叶杨桐 <i>Adinandra latifolia</i> ●	CR B1ab(i,iii)
大叶茉莉果 <i>Parastyrax macrophyllus</i> ●	CR B1ab(i,iii)	屏边杨桐 <i>Adinandra pingbianensis</i> ●	EN B1ab(i,ii,iii,v)
木瓜红 <i>Rehderodendron macrocarpum</i>	VU D1	圆籽荷 <i>Apteroisma oblate</i> ●	VU B2ab(ii)
长果秤锤树 <i>Sinojackia dolichocarpa</i> ●	EN A2c; B1ab(iii)	抱茎短蕊茶 <i>Camellia amplexifolia</i> ●	EN A2c
黄梅秤锤树 <i>Sinojackia huangmeiensis</i> ●	VU D1	大萼毛蕊茶 <i>Camellia assimiloides</i> ●	VU A2c; B1ab(i,iii)
细果秤锤树 <i>Sinojackia microcarpa</i> ●	CR D	杜鹃叶山茶 <i>Camellia azalea</i> ●	CR A2ac
狭果秤锤树 <i>Sinojackia rehderiana</i> ●	EN B1ab(i,iii)	白毛蕊茶 <i>Camellia candida</i> ●	EN D
肉果秤锤树 <i>Sinojackia sarcocarpa</i> ●	CR B1ab(i,iii); C1+2b	薄叶金花茶 <i>Camellia chrysanthoides</i> ●	EN A2c; B2ab(ii)
秤锤树 <i>Sinojackia xylocarpa</i> ●	EN A2c	光萼心叶毛蕊茶 <i>Camellia cordifolia</i> var. <i>glabrise-pala</i> ●	VU B1ab(i,iii,v)
黄果安息香 <i>Styrax chrysocarpus</i> ●	CR A2c	红皮糙果茶 <i>Camellia crapnelliana</i> ●	VU A2c; B1ab(iii,v)
抱茎白花龙 <i>Styrax faberi</i> var. <i>amplexifolius</i> ●	CR A2c	厚轴茶 <i>Camellia crassicolumna</i> var. <i>crassicolumna</i> ●	VU B1ab(i,iii,v)
墨泡 <i>Styrax huanus</i> ●	CR A2c	粗梗连蕊茶 <i>Camellia crassipes</i> ●	VU B1ab(i,iii,v)+2ab(ii)
楚雄安息香 <i>Styrax limprichtii</i> ●	VU A2c	滇南连蕊茶 <i>Camellia cupiformis</i> ●	CR B1ab(i,iii)
禄春安息香 <i>Styrax macranthus</i> ●	CR A2c	长管连蕊茶 <i>Camellia elongata</i> ●	EN B1ab(i,ii,iii,v)+2ab(i,ii,iii,v)
大果安息香 <i>Styrax macrocarpus</i> ●	EN B2ab(ii)	显脉金花茶 <i>Camellia euphlebia</i>	VU A2c; B2ab(ii)
皱叶安息香 <i>Styrax rugosus</i>	CR A2c	防城茶 <i>Camellia fangchengensis</i> ●	CR B1ab(i,iii)
裂叶安息香 <i>Styrax supai</i> ●	EN B2ab(i,iii,v)	云南金花茶 <i>Camellia fascicularis</i> ●	CR C2a(i)
小叶安息香 <i>Styrax wilsonii</i> ●	VU A2c	淡黄金花茶 <i>Camellia flavidula</i> var. <i>flavidula</i> ●	EN B2ab(ii)
浙江安息香 <i>Styrax zhejiangensis</i> ●	CR A2c	硬叶糙果茶 <i>Camellia gaudichaudii</i>	VU D1+2
(160) 山矾科 <i>Symplocaceae</i>		中越短蕊茶 <i>Camellia gilbertii</i>	EN A2c
柃叶山矾 <i>Symplocos euryoides</i> ●	VU B1ab(iii)	秃肋连蕊茶 <i>Camellia glabricostata</i>	CR B1ab(i,ii,iii)
福建山矾 <i>Symplocos fukienensis</i> ●	VU D1+2	狭叶长梗茶 <i>Camellia gracilipes</i>	CR B1ab(i,ii,iii)
能高山矾 <i>Symplocos nokoensis</i> ●	VU D2	大苞茶 <i>Camellia grandibracteata</i> ●	VU D1+2
单花山矾 <i>Symplocos ovatilobata</i> ●	EN B1ab(i,iii,v); C1		

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
大苞白山茶 <i>Camellia granthamiana</i> •	VU A2c; B1b(i,iii)	多脉柃 <i>Eurya polyneura</i>	VU D1
河口长梗茶 <i>Camellia hekouensis</i> •	CR D	莲华柃 <i>Eurya rengechiensis</i> •	VU D2
贵州金花茶 <i>Camellia huana</i> •	EN A2c; B1b(i,iii)	台湾毛柃 <i>Eurya strigillosa</i>	VU A2c
凹脉金花茶 <i>Camellia impressinervis</i> •	CR B2ab(iii)	独龙柃 <i>Eurya taronensis</i> •	VU D1+2
柠檬金花茶 <i>Camellia indochinensis</i> var. <i>indochinensis</i>	VU A2c; B2ab(iii)	屏边柃 <i>Eurya tsingpienensis</i>	EN B1b(i,iii); D
东兴金花茶 <i>Camellia indochinensis</i> var. <i>tunghensis</i> •	EN B1ab(i,iii)	信宜毛柃 <i>Eurya velutina</i> •	CR A2c; D
毛萼广西茶 <i>Camellia kwangsiensis</i> var. <i>kwangnanica</i> •	VU A2c; D1	文山柃 <i>Eurya wenshanensis</i> •	EN A2c; B1b(i,iii)
广西茶 <i>Camellia kwangsiensis</i> var. <i>kwangsiensis</i> •	VU B2ab(i,ii,iii,v)	猪血木 <i>Euryodendron excelsum</i> •	CR D
膜叶茶 <i>Camellia leptophylla</i> •	EN A2c	勐腊核果茶 <i>Pyrenaria menglaensis</i> •	CR B1ab(i,iii,v); D
长梗茶 <i>Camellia longipedicellata</i> •	EN A2c; B1ab(i,iii)	长核果茶 <i>Pyrenaria oblongicarpa</i> •	CR D
小黄花茶 <i>Camellia luteoflora</i> •	VU D2	云南核果茶 <i>Pyrenaria sophiae</i> •	VU A2c; B1ab(i,iii); D1
广东毛蕊茶 <i>Camellia melliana</i> •	EN A2c; B1ab(i,iii)	毛木荷 <i>Schima villosa</i> •	VU B1b(i,iii)
小花金花茶 <i>Camellia micrantha</i> •	EN A2c; B1ab(i,iii)	云南紫茎 <i>Stewartia calcicola</i> •	EN B1ab(i,iii)
小叶弥勒糙果茶 <i>Camellia mileensis</i> var. <i>microphylla</i> •	VU D2	锥果厚皮香 <i>Ternstroemia conicocarpa</i> •	VU A2c
弥勒糙果茶 <i>Camellia mileensis</i> var. <i>mileensis</i> •	VU D1+2	海南厚皮香 <i>Ternstroemia hainanensis</i> •	EN A2c; B1b(i,iii)
滇南离蕊茶 <i>Camellia pachyandra</i> •	VU A2c; B2ab(ii)	云南厚皮香 <i>Ternstroemia yunnanensis</i> •	EN A2c; B1b(i,iii)
细花短蕊茶 <i>Camellia parviflora</i> •	EN A2c; B1b(i,iii)	(165) 瑞香科 <i>Thymelaeaceae</i>	
小果金花茶 <i>Camellia petelotii</i> var. <i>microcarpa</i> •	EN A2c	土沉香 <i>Aquilaria sinensis</i> •	VU A2ac
金花茶 <i>Camellia petelotii</i> var. <i>petelotii</i>	VU A2cd; C1	云南沉香 <i>Aquilaria yunnanensis</i> •	VU A2c
毛籽短蕊茶 <i>Camellia pilosperma</i> •	CR B1ab(i,iii)	阿尔泰瑞香 <i>Daphne altaica</i>	VU A3c; B1ab(i,iii,v)
平果金花茶 <i>Camellia pingguoensis</i> var. <i>pingguoensis</i> •	EN A2bcd	台湾瑞香 <i>Daphne arisanensis</i> •	VU B2ac(ii)
顶生金花茶 <i>Camellia pingguoensis</i> var. <i>terminalis</i> •	EN A2bcd	腋花瑞香 <i>Daphne axillaris</i> •	VU D2
毛叶茶 <i>Camellia ptiphylla</i> •	VU D2	短管瑞香 <i>Daphne brevituba</i> •	EN A2c; B1ab(i,ii,iii,v)
毛糙果茶 <i>Camellia pubifuracea</i> •	EN A2c; B1ab(i,iii)	少花瑞香 <i>Daphne depauperata</i> •	VU D2
毛瓣金华茶 <i>Camellia pubipetala</i> •	EN A2c; B1ab(i,iii)	峨眉瑞香 <i>Daphne emeiensis</i> •	VU B1ab(i,ii,iii,v)
斑植毛蕊茶 <i>Camellia punctata</i> •	VU D1+2	川西瑞香 <i>Daphne gemmata</i> •	VU A2c+3c; B1ab(i,iii,v)
三江瘤果茶 <i>Camellia pyxidiacea</i> var. <i>pyxidiacea</i> •	EN B1b(i,iii)	小娃娃皮 <i>Daphne gracilis</i> •	VU D2
滇山茶 <i>Camellia reticulata</i> •	VU A2cd	瘦叶瑞香 <i>Daphne modesta</i> •	VU A2c+3c; B1ab(iii,v)
普洱茶 <i>Camellia sinensis</i> var. <i>assamica</i>	VU A2c	岷江瑞香 <i>Daphne penicillata</i> •	VU A2; B1ab(i,iii)
四川离蕊茶 <i>Camellia szechuanensis</i> •	VU D2	白结香 <i>Edgeworthia albiflora</i> •	VU A2c+3c
斑叶离蕊茶 <i>Camellia szemaoensis</i> •	VU A2c; B1b(i,iii)	城口荛花 <i>Wikstroemia fargesii</i> •	VU A2c; D1
大理茶 <i>Camellia taliensis</i>	VU A2c	大叶荛花 <i>Wikstroemia liangii</i> •	VU A2c; B1ab(i,iii,v)
小果毛蕊茶 <i>Camellia villicarpa</i> •	VU A2c	(166) 楝树科 <i>Tiliaceae</i>	
黄花短蕊茶 <i>Camellia xanthochroma</i> •	VU D1	柄翅果 <i>Burretiodendron esquieriolii</i>	VU A3cb; D
倒卵叶红淡比 <i>Cleyera obovata</i>	VU A2c; B1b(i,iii)	桂滇桐 <i>Craigia kwangsiensis</i> •	CR A3bc; B1ab(i,iii)
阳春红淡比 <i>Cleyera yangchunensis</i> •	CR B1ab(i,iii)	滇桐 <i>Craigia yunnanensis</i>	EN C2a; D
双柱柃 <i>Eurya bifidostyla</i> •	CR B1ab(i,iii)	海南椴 <i>Diplodiscus trichospermus</i> •	VU B2ab(ii)
秃小耳柃 <i>Eurya disticha</i> •	EN A2c	长蒴蚬木 <i>Excentrodendron obconicum</i> •	CR A3bc; B1ab(i,iii)
贡山柃 <i>Eurya gunghshanensis</i> •	EN D	蚬木 <i>Excentrodendron tonkinense</i>	EN A3b
鄂柃 <i>Eurya hupehensis</i> •	VU B1b(i,iii)	海南破布叶 <i>Microcos chungii</i>	VU A2c; B1ab(iii)
隆林耳叶柃 <i>Eurya lunglingensis</i> •	CR B1ab(i,iii); D	紫椴 <i>Tilia amurensis</i> var. <i>amurensis</i>	VU A3bcd
大华柃 <i>Eurya magniflora</i> •	CR B1ab(i,iii); D	美齿椴 <i>Tilia callidonta</i> •	VU A3cd
麻栗坡柃 <i>Eurya marliopensis</i> •	EN D	南京椴 <i>Tilia miquelianiana</i>	VU A2c
大果毛柃 <i>Eurya megatrichocarpa</i>	EN B1ab(i,iii); C1	长苞椴 <i>Tilia tuan</i> var. <i>chenmoui</i> •	VU A3c
五柱柃 <i>Eurya pentagyna</i> •	EN A2c; B1ab(i,iii)	(167) 霉草科 <i>Triuridaceae</i>	
坚桃叶柃 <i>Eurya persicifolia</i>	VU D2	多枝霉草 <i>Sciaphila ramosa</i>	EN B2ab(ii)
海桐叶柃 <i>Eurya pittosporifolia</i> •	EN B1ab(i,iii)	(168) 昆栏树科 <i>Trochodendraceae</i>	

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
昆栏树 <i>Trochodendron aralioides</i>	VU A2c	广西牡荆 <i>Vitex kwangsiensis</i> •	VU A2c; B1ab(i,iii)
(169) 香蒲科 <i>Typhaceae</i>		莺哥木 <i>Vitex pierreana</i>	VU B1ab(iii,v)
周氏黑三棱 <i>Sparganium choui</i> •	VU A2c; B1ab(i,iii); C1	(173) 茄菜科 <i>Violaceae</i>	
无柱黑三棱 <i>Sparganium hyperboreum</i>	EN A2c; B1ab(i,iii)	毛蕊三角车 <i>Rinorea erianthera</i> •	VU B1ab(i,iii); C1
沼生黑三棱 <i>Sparganium limosum</i> •	EN A2c; D	短柄三角车 <i>Rinorea sessilis</i>	VU D2
云南黑三棱 <i>Sparganium yunnanense</i> •	EN A2c; D	毛花鸡腿堇菜 <i>Viola acuminata</i> var. <i>pilifera</i> •	VU A2c; D2
长白香蒲 <i>Typha changbaiensis</i> •	EN A2c; D	张氏堇菜 <i>Viola changii</i> •	VU A2c; B1ab(i,iii)
(170) 榆科 <i>Ulmaceae</i>		掌叶堇菜 <i>Viola dactyloides</i>	VU A2c; B1ab(i,iii)
天目朴树 <i>Celtis chekiangensis</i> •	EN A2c; B1ab(i,iii)	大叶堇菜 <i>Viola diamantiaca</i>	VU A2c; B1ab(i,iii)
垂枝朴 <i>Celtis tetrandra</i> f. <i>pendula</i> •	CR B1ab(i,iii)	轮叶堇菜 <i>Viola dimorphophylla</i> •	CR B1ab(i,ii,iii,v)
琅琊榆 <i>Ulmus chenmouii</i> •	EN A2c; B1ab(i,iii)	广州堇菜 <i>Viola guangzhouensis</i> •	VU B1ab(i,ii,iii,v)
长序榆 <i>Ulmus elongata</i> •	EN A2c	紫叶堇菜 <i>Viola hediniana</i> •	VU A2c; B1b(i,iii); C1
醉翁榆 <i>Ulmus gaussenii</i> •	CR B1ab(i,iii)+2ab(i,iii); D	巫山堇菜 <i>Viola henryi</i> •	CR A2cd; D
脱皮榆 <i>Ulmus lamellosa</i> •	VU A2c	亮毛堇菜 <i>Viola lucens</i> •	EN D
小果榆 <i>Ulmus microcarpa</i> •	CR B1ab(i,iii); D	小尖堇菜 <i>Viola mucronulifera</i> •	VU B1ab(i,iii,v)
李叶榆 <i>Ulmus prunifolia</i> •	EN B2ab(ii,v)	木里堇菜 <i>Viola muliensis</i> •	CR B1b(i,ii,iii,v)
锡盟沙地榆 <i>Ulmus pumila</i> var. <i>sabulosa</i> •	CR B1ab(i,iii)	蓼叶堇菜 <i>Viola websteri</i>	EN B1b(i,iii)
(171) 莎草科 <i>Urticaceae</i>		(174) 葡萄科 <i>Vitaceae</i>	
舌柱麻 <i>Archiboeheria atrata</i>	VU A2c; B1ab(i,iii)	锡金酸藤子 <i>Ampelocissus sikkimensis</i> •	EN A2c; D
圆基火麻树 <i>Dendrocnide basirotunda</i>	EN A3c	槭叶蛇葡萄 <i>Ampelopsis acerifolia</i> •	VU A2c; D1
翅苞楼梯草 <i>Elatostema aliferum</i> •	VU A2c	大理乌蔹莓 <i>Cayratia daliensis</i> •	VU A2c; D1
渐狭楼梯草 <i>Elatostema attenuatum</i> •	VU A2c	金秀崖爬藤 <i>Tetrastigma jinxuense</i> •	EN A2c; D
背崩楼梯草 <i>Elatostema beibengense</i> •	VU A2c	兰屿崖爬藤 <i>Tetrastigma lanyuense</i> •	CR B1ab(ii)
短梗楼梯草	VU B2ab(i,iii,v)	显孔崖爬藤 <i>Tetrastigma lenticellatum</i> •	VU A2ce; D1
<i>Elatostema brevipedunculatum</i> •		红花崖爬藤 <i>Tetrastigma subtetragonum</i> •	EN A2c; B1ab(i,ii,iii,v)
峨眉楼梯草 <i>Elatostema omeiense</i> •	VU D2	马关崖爬藤 <i>Tetrastigma venulosum</i> •	VU A2c; D1
墨脱艾麻 <i>Laportea medogensis</i> •	VU A2c	西双版纳崖爬藤 <i>Tetrastigma xishuangbannaense</i> •	VU A2c; D1
六棱茎冷水花 <i>Pilea hexagona</i>	VU A2c	易武崖爬藤 <i>Tetrastigma yiwuense</i> •	CR A2c; B1ab(i,iii); D
大果冷水花 <i>Pilea macrocarpa</i> •	VU D2	龙州葡萄 <i>Vitis balanseana</i> var. <i>ficifolioides</i> •	VU A2c; B1ab(i,iii)
钝齿冷水花 <i>Pilea penninervis</i>	EN B2ab(ii,iv)	绒毛小果葡萄 <i>Vitis balanseana</i> var. <i>tomentosa</i> •	VU A2c; B1ab(i,iii,v)
镜面草 <i>Pilea peperomioides</i> •	EN B2ab(ii,iv)	麦黄葡萄 <i>Vitis bashanica</i> •	CR A2c; B1ab(i,iii,v)
闽北冷水花 <i>Pilea verrucosa</i> var. <i>fujianensis</i> •	VU D1+2	庐山葡萄 <i>Vitis hui</i> •	EN B1ab(i,iii); D
(172) 马鞭草科 <i>Verbenaceae</i>		连山葡萄 <i>Vitis luochengensis</i> var. <i>tomentosanervia</i> •	VU A2c; D1
屏山紫珠 <i>Callicarpa pingshanensis</i> •	VU B1ab(i,iii); D1	蒙自葡萄 <i>Vitis mengziensis</i> •	CR A2c; B1ab(i,iii); D
云南紫珠 <i>Callicarpa yunnanensis</i>	VU D1+2	乳源葡萄 <i>Vitis ruyuanensis</i> •	VU A2c; D1
粘叶莸 <i>Caryopteris glutinosa</i> •	VU A3c; B1ab(i,iii)	温州葡萄 <i>Vitis wenchowensis</i> •	EN B1ab(i,iii); D
云南石梓 <i>Gmelina arborea</i>	VU A2c; B1ab(i,iii); C1	武汉葡萄 <i>Vitis wuhanensis</i> •	VU A2c; D1
越南石梓 <i>Gmelina lecomtei</i>	VU A2c; B1ab(i,iii); C1	(175) 黄眼草科 <i>Xyridaceae</i>	
四川石梓 <i>Gmelina szechwanensis</i> •	CR B1ab(i,iii); D	台湾黄眼草 <i>Xyris formosana</i> •	EN D
勐海豆腐柴 <i>Premna fohaiensis</i> •	EN D	(176) 姜科 <i>Zingiberaceae</i>	
楔叶豆腐柴 <i>Premna latifolia</i> var. <i>cuneata</i>	VU B1ab(i,iii); D1	从化山姜 <i>Alpinia conghuaensis</i> •	VU A1c; B1ab(iii,v)
弯毛臭黄荆 <i>Premna maclarei</i> •	VU B1ab(i,iii,v)	革叶山姜 <i>Alpinia coriacea</i> •	VU A2c; B1ab(iii,v)
平滑豆腐柴 <i>Premna menglaensis</i> •	CR A2c; B1ab(i,iii); D1	香姜 <i>Alpinia coriandriodora</i> •	VU A1c; B2ab(iii,v)
百色豆腐柴 <i>Premna paisehensis</i> •	CR B1ab(i,iii); D1	扇唇山姜 <i>Alpinia flabellata</i>	VU D2
玫花豆腐柴 <i>Premna punicea</i> •	VU D2	海南假砂仁 <i>Amomum chinense</i> •	VU A3c
攀援臭黄荆 <i>Premna subscandens</i>	VU A2cd; Bab(iii,v)	白斑凹唇姜 <i>Boesenbergia albomaculata</i> •	VU A3c
黄绒豆腐柴 <i>Premna wutii</i> •	CR B1ab(i,iii); D1		

名称 Names	等级及评估标准 Categories and criteria	名称 Names	等级及评估标准 Categories and criteria
多花距药姜 <i>Cautleya cathcartii</i>	VU A2c	苞叶姜 <i>Pyrgophyllum yunnanense</i> •	VU B1ab(i,iii,v)
黄花姜黄 <i>Curcuma flavidiflora</i> •	VU A2c	喙花姜 <i>Rhynchanthus beesianus</i>	EN A2c
单叶拟豆蔻 <i>Elettariopsis monophylla</i>	VU A2c; B1ab(iii,v)	长果姜 <i>Siliquamomum tonkinense</i>	EN D
红茴砂 <i>Etlingera littoralis</i>	EN B1ab(i,iii,v)	细根姜 <i>Zingiber leptorrhizum</i> •	VU D2
茴香砂仁 <i>Etlingera yunnanensis</i> •	VU A2c; B1ab(iii,v)	(177) 大叶藻科 Zosteraceae	
峨眉舞花姜 <i>Globba emeiensis</i> •	VU D2	黑纤维虾海藻 <i>Phyllospadix japonica</i>	EN A2c
矮姜花 <i>Hedychium brevicaule</i> •	VU A2c; B2ab(iii,v)	丛生大叶藻 <i>Zostera caespitosa</i>	EN A2c; B1ab(i,iii); C1
广西姜花 <i>Hedychium kwangsiense</i> •	VU A2c; B2ab(iii,v)	具茎大叶藻 <i>Zostera caulescens</i>	EN A2c; B1ab(i,iii); C1
毛姜花 <i>Hedychium villosum</i> var. <i>villosum</i>	VU A2c	大叶藻 <i>Zostera marina</i>	VU B1ab(iii)
西藏大豆蔻 <i>Hornstedtia tibetica</i> •	VU D2	(178) 蔚藜科 Zygophyllaceae	
偏穗姜 <i>Plagiostachys austrosinensis</i> •	EN A3c	四合木 <i>Tetraena mongolica</i> •	VU A2c
直唇姜 <i>Pommereschea lackneri</i>	VU D2		

(责任编辑: 黄祥忠)

覃海宁, 杨永, 董仕勇, 何强, 贾渝, 赵莉娜, 于胜祥, 刘慧圆, 刘博, 严岳鸿, 向建英, 夏念和, 彭华, 李振宇, 张志翔, 何兴金, 尹林克, 林余霖, 刘全儒, 侯元同, 刘演, 刘启新, 曹伟, 李建强, 陈世龙, 金效华, 高天刚, 陈文俐, 马海英, 耿玉英, 金孝锋, 常朝阳, 蒋宏, 蔡蕾, 瞿春鑫, 武建勇, 叶建飞, 赖阳均, 刘冰, 林秦文, 薛纳新. 中国高等植物受威胁物种名录. 生物多样性, 2017, 25 (7): 696–744.

<http://www.biodiversity-science.net/CN/10.17520/biods.2017144>

参考文献

- Dong SY, Zuo ZY, Yan YH, Xiang JY (2017) Red list assessment of the lycophtes and ferns in China. Biodiversity Science, 25, 765–773. (in Chinese with English abstract) [董仕勇, 左政裕, 严岳鸿, 向建英 (2017) 中国石松类和蕨类植物的红色名录评估. 生物多样性, 25, 765–773.]
- He Q, Jia Y (2017) Assessing the threat status of China's bryophytes. Biodiversity Science, 25, 774–780. (in Chinese with English abstract) [何强, 贾渝 (2017) 中国苔藓植物濒危等级的评估原则和评估结果. 生物多样性, 25, 774–780.]
- IUCN (2012a) IUCN Red List Categories and Criteria, Version 3.1. Second edition. Gland, Switzerland and Cambridge, UK.
- IUCN (2012b) Guidelines for Application of IUCN Red List Criteria at Regional and National Levels, Version 4.0. Gland, Switzerland and Cambridge, UK.
- Qin HN, Yang Y, Dong SY, He Q, Jia Y, Zhao LN, Yu SX, Liu HY, Liu B, Yan YH, Xiang JY, Xia NH, Peng H, Li ZY, Zhang ZX, He XJ, Yin LK, Lin YL, Liu QR, Hou YT, Liu

Y, Liu QX, Cao W, Li JQ, Chen SL, Jin XH, Gao TG, Chen WL, Ma HY, Geng YY, Jin XF, Chang CY, Jiang H, Cai L, Zang CX, Wu JY, Ye JF, Lai YJ, Liu B, Lin QW, Xue NX (2017) Threatened Species List of China's Higher Plants. Biodiversity Science, 25, 696–744. (in Chinese and in English) [覃海宁, 杨永, 董仕勇, 何强, 贾渝, 赵莉娜, 于胜祥, 刘慧圆, 刘博, 严岳鸿, 向建英, 夏念和, 彭华, 李振宇, 张志翔, 何兴金, 尹林克, 林余霖, 刘全儒, 侯元同, 刘演, 刘启新, 曹伟, 李建强, 陈世龙, 金效华, 高天刚, 陈文俐, 马海英, 耿玉英, 金孝锋, 常朝阳, 蒋宏, 蔡蕾, 瞿春鑫, 武建勇, 叶建飞, 赖阳均, 刘冰, 林秦文, 薛纳新 (2017) 中国高等植物受威胁物种名录. 生物多样性, 25, 696–744.]

Yang Y, Liu B, Njenga DM (2017) Red list assessment and conservation status of gymnosperms from China. Biodiversity Science, 25, 758–764. (in Chinese with English abstract) [杨永, 刘冰, Njenga DM (2017) 中国裸子植物物种濒危和保育现状. 生物多样性, 25, 758–764.]