**A4 Digital Colour Laser Printers** 

### RICOH imagine. change.

#### RICOH SP C260DNw SP C262DNw SP C262SFNw



# Compact Desktop Printer, With Impressive Colour Quality for Your Everyday Printing Needs

The Ricoh SP C260DNw /SP C262DNw /SP C262SFNw offers professional quality printing for small offices and workgroups. Compact in size, the printers are big on functionality to manage your everyday workloads.

Equipped with wireless connectivity, these printers provide flexibility in where you place them, and mobile printing is made easy from your smart devices. You can expedite your business workflow with added efficiency.

Choose the SP C262SFNw to cater the additional functions demand of copy, scan and fax. The Single-Pass Document Feeder (SPDF) on this printer scans both sides of a two-sided original simultaneously to save time and increase productivity.



### Intuitive and Easy-to-Use 4.3" Full Colour LCD Touch Panel (SP C262SFNw)

Manage your print tasks easily and directly from SP C262SFNw 4.3" intuitive colour touch panel. You can register up to 12 of your favourite jobs using the SP C262SFNw's touch panel for quick access, so you can perform tasks on your MFP even faster.



#### Efficient and Cost Saving Functionality

Automatic duplex printing comes standard in these printers, and this certainly helps to reduce paper consumption and contributes to saving natural resources. Designed to maximise efficiency, SP C262SFNw is equipped with Single Pass Document Feeder (SPDF) that accelerates scanning operations for double-sided or multiple-page documents.



### Added value of Flexibility, Convenience, and Mobility

Support for standard wireless connectivity extends the printers' use to a wide variety of smart devices. You can connect your smart devices directly to these printers and easily print on-the-go, no printer drivers required.

The Near Field Communication (NFC) tag on the front of your printer or MFP lets you perform tasks from Android™ devices— work faster by tapping the NFC tag with your smart phone to print with the RICOH Smart Device Connector App, or easily scan documents with the RICOH SP C260 Scan App.



## Incredible Ease of Use and Expanded Paper Capacity Offering

Simplify your workload with unmatched convenience that builds on Ricoh's legacy of affordable, time saving innovations for the workplace. You can change the top-loading, all-in-one toner cartridges easily without help, and without a mess. For longer, uninterrupted print runs, add an optional Paper Feed Unit to maximize the paper capacity of up to 751 sheets at one go.



#### RICOH SP C260DNw / SP C262DNw / SP C262SFNw

MAIN SPECIFICATIONS

MODEL	SP C260DNw	SP C262DNw	SP C262SFNw
Function	Print	Print	Print/Scan/Copy/Fax
GENERAL			
Configuration		Desktop	
Duplex		Automatic (Sta	
Dimension (W x D x H)	400 x 450 x 320 mm	400 x 450 x 320 mm	420 x 493 x 473 mm
Weight	23.8 kg	23.8 kg	30 kg
Processor	350 MHz	350 MHz	400 MHz
Memory (Std/Max)	128 MB / 128 MB		256 MB / 256 MB
Interface (Std)		USB2.0 port, 10Base-T/100Base-TX	C, IEEE802.11b/g/n, NFC Tag
Mobile Print Capability <sup>1</sup>		Ricoh Smart Device Connector App, Ricoh SP (	C260 series Scan App, Mopria-certified
Power Consumption (Max)		Less than 1,3	300 W
Energy Saver (Sleep)	1.2 W	1.2 W	1.3 W
TEC Value	1.2 kWh	1.2 kWh	1.3 kWh
Power Source		220-240 V, 50	/60 Hz
ENERGY STAR		Certified	d
PRINT			
Print Technology		Laser	
Print Speed (A4)		Up to 20 p	nm
Warm-up Time	30 seconds or less		
First Print Out Time	30 Section of less  14 seconds or less		
	CDI (bost barral)	14 seconds o	
Printer Language (Std)	GDI (host-based)	11	PCL 6/5c, Postscript 3 Emulation
Print Resolution	Me I eve in a committee of	Up to 2,400 x 6	· ·
Supported Operating System	Windows® Vista, Windows® 7, Windows®	8.1, windows 10, Windows Server 2008/R2,	Windows® Server 2012/R2; Macintosh OS X Native V10.9-10.12; Linux; Unix Filter
Fonts			PCL/PS3: 80 fonts
Network Protocol		TCP/IP, IPP, Bo	onjour
COPY			
Copy Speed (A4)			Up to 20 cpm
Document Feeder Type			Single Pass Document Feeder (SPDF)
Document Feeder Capacity			50 sheets
First Copy Time (A4)			Less than 20 seconds
Multiple Copy			Up to 99 copies
Resolution			Flatbed: 600 x 600 dpi, SPDF: 300 x 600 dpi
Reduction / Enlargement			25% - 400% in 1% increments
Reddedorr/ Emargement			
Copy Features			Image Density Adjustment (Manual only: 5 levels), Copy Mode (Text/Photo/Mixed), Colour Balance Adjustment, Combine Copy (2-in-1, 4-in-1 via ADF only), Duplex Copy, ID Card Copy (2-in-1), Memory Copy, Photo Mode, Electronic Sorting (Collation, ADF only)
SCAN	i,		
Scan Technology			CIS
Scan Mode			Colour, B&W, Grayscale
Scan Speed <sup>2</sup>			Mono: 5 seconds, Colour: 8.5 seconds
Scan Resolution			Mono/Colour: Up to 600 x 600 dpi (SPDF), 1,200 x 1,200 dpi (Flatbed)
Scan Area			Flatbed: 216 x 297 mm, SPDF: 216 x 356 mm
File Format			Single Page JPEG , Single/Multi Page TIFF, Single/Multi Page PDF
Supported Driver			Windows: TWAIN; Mac: ICA; Linux: SANE
C T M I			
Scan-To Modes			E-mail/Folder (SMB/FTP)
			E-mail/Folder (SMB/FTP)
FAX			E-mail/Folder (SMB/FTP)  PSTN. PBX
FAX Circuit			PSTN, PBX
FAX Circuit Compatibility			PSTN, PBX Super G3
FAX Circuit Compatibility Resolution			PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi
FAX Circuit Compatibility Resolution Compression Method			PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MMR/JBIG
FAX Circuit Compatibility Resolution Compression Method Modem Speed			PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/JB/IG Maximum: 33.6 Kbps
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup			PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MMR/JBIG
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING			PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/JBIG Maximum: 33.6 Kbps Yes
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size	A4, A5, A6, B5, B6, Legal, Letter, HLT		PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MBI/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity	A4, A5, A6, B5, B6, Legal, Letter, HLT	Standard: 251 sheets; Max	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MMR/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity		Standard: 251 sheets; Max Maximum: 150	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity		Standard: 251 sheets; Max	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi, Detail/Photo Mode: 200 x 200 dpi MH/MR/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray)	Standa	Standard: 251 sheets; Ma: Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g.	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MMR/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² yyded paper, Colour paper, Letterhead, Pre-printed paper,
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Weight	Standa	Standard: 251 sheets; Ma: Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JB/IG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray)	Standa	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JB/IG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Weight Media Capability (Std Tray) OPTIONS	Standa	Standard: 251 sheets; Ma: Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JB/IG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories	Standa	Standard: 251 sheets; Ma: Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/JB/IG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets 0/m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES	Standa	Standard: 251 sheets; Ma:  Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/JB/IG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets 0/m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black	Standa Plain paper, Mido	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve Paper Feed Unit TK1220	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MBR/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets Sheets I/m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock D (1 x 500 sheets)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan	Print Cartridge Black SP C250S (-2,000 prints) Print Cartridge Cyan SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve Paper Feed Unit TK1220 P	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets Sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² yyleld paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock 0 (1 x 500 sheets)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta	Standa Plain paper, Mido  Plain paper, Mido  Print Cartridge Black SP C250S (-2,000 prints)  Print Cartridge Cyan SP C250S (-1,600 prints)  Print Cartridge Magenta SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve Paper Feed Unit TK1220 P	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets D sheets I/m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock  D (1 x 500 sheets)  Print Cartridge Black SP C2525 (-4,500 prints) Trint Cartridge Magenta SP C2525 (-4,000 prints)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta Yellow	Print Cartridge Black SP C250S (-2,000 prints) Print Cartridge Cyan SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve Paper Feed Unit TK1220 P	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets D sheets Um²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock D (1 x 500 sheets)  Print Cartridge Black SP C2525 (-4,000 prints) Int Cartridge Magenta SP C2525 (-4,000 prints) Int Cartridge Yellow SP C2525 (-4,000 prints) Int Cartridge Yellow SP C2525 (-4,000 prints)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta Yellow Black (High Yield)	Standa Plain paper, Mido  Plain paper, Mido  Print Cartridge Black SP C250S (-2,000 prints)  Print Cartridge Cyan SP C250S (-1,600 prints)  Print Cartridge Magenta SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m², Optional Tray: 60 - 105 g. lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve Paper Feed Unit TK1220 P P P P Pri Pri	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets Sheets Joheets Johettalde Joh
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta Yellow Black (High Yield) Cyan (High Yield)	Standa Plain paper, Mido  Plain paper, Mido  Print Cartridge Black SP C250S (-2,000 prints)  Print Cartridge Cyan SP C250S (-1,600 prints)  Print Cartridge Magenta SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m², Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve  Paper Feed Unit TK1220  P P P Prir Pr	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets D sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² yeled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock 0 (1 x 500 sheets)  Print Cartridge Black SP C2525 (-4,000 prints) Print Cartridge Wagenta SP C2525 (-4,000 prints) int Cartridge Black SP C2525 (-4,000 prints) int Cartridge Black SP C25215 (-6,000 prints) int Cartridge SP C25215 (-6,000 prints) int Cartridge Cyan SP C252HS (-6,500 prints) int Cartridge Gyan SP C252HS (-6,500 prints)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta Yellow Black (High Yield) Cyan (High Yield) Magenta (High Yield) Magenta (High Yield)	Standa Plain paper, Mido  Plain paper, Mido  Print Cartridge Black SP C250S (-2,000 prints)  Print Cartridge Cyan SP C250S (-1,600 prints)  Print Cartridge Magenta SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve  Paper Feed Unit TK1220  P P P P P Pr Pr Pr Pr	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets 0 sheets //m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² yyled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock 0 (1 x 500 sheets)  Print Cartridge Black SP C2525 (-4,500 prints) ent Cartridge Yellow SP C2525 (-4,000 prints) int Cartridge Yellow SP C2525 (-4,000 prints) int Cartridge Spack SP C252HS (-6,500 prints) int Cartridge Gyan SP C252HS (-6,500 prints) int Cartridge Magenta SP C252HS (-6,000 prints)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta Yellow Black (High Yield) Cyan (High Yield) Magenta (High Yield) Yellow (High Yield) Yellow (High Yield)	Standa Plain paper, Mido  Plain paper, Mido  Print Cartridge Black SP C250S (-2,000 prints)  Print Cartridge Cyan SP C250S (-1,600 prints)  Print Cartridge Magenta SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m²; Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve  Paper Feed Unit TK1220  P P P P Pri Pr Pr Pri Pr Pri Pri Pri P	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MB/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets O sheets I/m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock O (1 x 500 sheets)  Print Cartridge Black SP C2525 (-4,000 prints) Int Cartridge Yellow SP C25215 (-4,000 prints) Int Cartridge Pellow SP C25215 (-4,000 prints) Int Cartridge Gyan SP C25215 (-6,000 prints) Int Cartridge Gyan SP C25215 (-6,000 prints) Int Cartridge Magenta SP C25215 (-6,000 prints) Int Cartridge Yellow SP C25215 (-6,000 prints)
FAX Circuit Compatibility Resolution Compression Method Modem Speed Memory Backup PAPER HANDLING Paper Size Paper Input Capacity Paper Output Capacity Paper Weight Media Capability (Std Tray) OPTIONS Accessories CONSUMABLES All-in-one Toner Cartridge* Black Cyan Magenta Yellow Black (High Yield) Cyan (High Yield) Magenta (High Yield) Yellow (High Yield) WTB	Standa Plain paper, Mido  Plain paper, Mido  Print Cartridge Black SP C250S (-2,000 prints)  Print Cartridge Cyan SP C250S (-1,600 prints)  Print Cartridge Magenta SP C250S (-1,600 prints)	Standard: 251 sheets; Max Maximum: 150 rd Tray: 60 - 160 g/m², Optional Tray: 60 - 105 g, lle thick paper, Thick paper 1/2, Thin paper, Rec Prepunched Paper, Labels, Enve Paper Feed Unit TK1220  P P P P P P Pri Pri Pr Pr Pri Pri Pri	PSTN, PBX Super G3 Standard Mode: 200 x 100 dpi; Detail/Photo Mode: 200 x 200 dpi MH/MR/MMR/JBIG Maximum: 33.6 Kbps Yes  Monarch, C5, C6, DL) Custom size: (Min.) 90 x 148 mm, (Max.) 216 x 356 mm ximum: 751 sheets O sheets I/m²; Bypass: 60 - 160 g/m²; Duplex: 60 - 90 g/m² ycled paper, Colour paper, Letterhead, Pre-printed paper, elopes, Bond, Cardstock O (1 x 500 sheets)  Print Cartridge Black SP C2525 (-4,000 prints) Int Cartridge Yellow SP C2525 (-4,000 prints) Int Cartridge Plack SP C252HS (-6,500 prints) Int Cartridge Plack SP C252HS (-6,000 prints) Int Cartridge Magenta SP C252HS (-6,000 prints) Int Cartridge Yellow SP C252HS (-6,000 prints)

- \* Declared yield values in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

  ¹ Ricoh Smart Device Connector App for print function and Ricoh SP C260 Scan App for scan function only.

  ² Refers to scanning of 600 x 600 dpi, A4.

For availability of models, options and software, please consult your local Ricoh supplier.













