



2016 CRITICAL LINK ACCESSORIES CATALOGUE



SINGLE REPLACEMENT SPEAKERS

The VIBE replacement speakers is perfect for replacing damaged or worn out speakers. It offers multi fit design which will fit 99% of vehicles and multi fit baskets for direct original fit replacement

Speakers available in 4", 5", 6" and 6"x9"



ANTI VIBE SOUND DEADENING

No you're not reading this wrong, we have actually produced something which reduces noise! While it may be the complete polar opposite to everything else that we do when it comes to going loud Anti VIBE will actually help IMPROVE the sound inside your car greatly! All those rattles, and all the sound being heard outside the vehicle is taking away volume and clarity from the inside. Fitting Anti VIBE behind your speakers and in the boot area is one of the most cost effective ways to improve your system.



PORT PLUG

The VIBE PortPlug allows easy tuning of the VIBE bass enclosures. The PortPlug is used to tightly seal the VIBE TurboPort in the enclosure to either create a sealed enclosure for better transient response or in the case of a multi ported enclosure re-tune the enclosure using only 1 PortPlug. The VIBE PortPlug is available in 2.5", 3" and 4 inch



VIBE LOC2

The easy way to add an amplifier to your vehicle without changing your factory headunit. The LOC2 Line Converter provides the perfect solution for integrating your aftermarket amplifier with your Factory Fit / OEM headunit.

Not only does it derive a low level RCA input for your amplifier from the speaker outputs of the headunit but thanks to VIBE AUTO SENSE technology also provides a remote turn on for your amplifier. So there is no need to add a separate switch or locate an ignition switched +12 Volt supply in the vehicle.



VIBE LOC4

The easy way to add an amplifier to your vehicle without changing your factory headunit. The LOC4 Line Converter provides the perfect solution for integrating your aftermarket amplifier with your Factory Fit / OEM headunit.

Not only does it derive a low level RCA input for your amplifier from the speaker outputs of the headunit but thanks to VIBE AUTO SENSE technology also provides a remote turn on for your amplifier. So there is no need to add a separate switch or locate an ignition switched +12 Volt supply in the vehicle



DELTA BOX BASS GENERATOR

Recipient of Talk Audio first ever 10 out of 10 review; The DeltaBox Bass Generator finally gives you bass on demand. The wired red button remote overrides the signal to the amplifier and generates an explosive bass tone at the preset frequency. The Bass Generator is perfect for testing, tuning or simply showing off your system. At its core the bass generator is a DIN parametric equalizer with frequency Q and frequency boost/gain. Finally an AUX input allows easy connection of an MP3 player to your car audio system



FAST PLUG

Designed and developed by VIBE Engineers the plug offers safe, fast removal of your active bass enclosure (bass box) or amplifier. You may wish to remove your system for security reasons, or for the full use of your boot space, whatever the reason the VIBE FastPlug makes it easy and safe. The plug is a heavy duty connector that connects positive, negative and remote wires. It is made up of two parts, one end to connect to your equipment and the other to your power source. Made from high quality ABS plastic the device is tough and hard wearing. Features



DELTA BOX LINE CONVERTER

The easy way to add an amplifier to your vehicle without changing your factory headunit. The Delta Box Line Converter provides the perfect solution for integrating your aftermarket amplifier with your Factory Fit / OEM headunit.

Not only does it derive a low level RCA input for your amplifier from the speaker outputs of the headunit but thanks to VIBE AUTO SENSE technology also provides a remote turn on for your amplifier. So there is no need to add a separate switch or locate an ignition switched +12 Volt supply in the vehicle.



8AWG STEREO WIRING KIT

The SLICK wiring kits match value and performance. This provides everything you need to get up and running with your VIBE amplifier, perfect for an active enclosure as well.

Contents:

- 5 metres 8AWG power cable
- 1 metres 8AWG ground cable
- 5 metres RCA interconnect
- 5 metres remote turn on wire
- 2 x 5 metres 16AWG speaker cable
- Mini ANL fuseholder
- 60 amp ANL fuse
- 2 x spade terminals
- 6 pcs cable ties



4AWG BASS WIRING KIT

The SLICK 4 kit is designed for amplifiers up to 2000 watts. It contains everything you need to get up and running with your VIBE bass amplifier. **Contents:**

- 5 metres 4AWG power cable
- 1 metre 4AWG ground cable
- 5 metres RCA interconnect
- 5 metres remote turn on wire
- 2 x 5 metres 16AWG speaker cable
- Mini ANL fuseholder
- 80 amp ANL fuse
- 2 x spade terminals
- 6 pcs cable ties



STEREO RCAs

The VIBE FLATSTEREO RCA is an OFC high definition 54 interconnect Å delivering the fullest signal possible from source to amplifier - the cable make up has been developed to run flat with left and right cables running parallel both with individual screening but sharing an outer FLAT jacket easing installation.



COMPRESSION FIT RING

The VIBE CT range of gold plated ring terminals are professional compression fittings designed for maximum conductivity when connecting power cable to the vehicle battery. The VIBE RT compression fit terminals are the best way to connect heavy gauge power cable to the vehicles battery.



CRIMP ON FIT RING TERMINAL

The professional range of VIBE RT ring terminals for connecting power cable to the vehicle battery. Packed in pairs and include red and black rubber over boots and easy crimp design..



AGU AND MINI ANL FUSES

The VIBE AGU fuse series are the perfect companion to the VIBE FD4 distribution block and the Active and Stereo System wiring kits. The VIBE AGU fuses are packed in pairs so you always have a spare fuse when you need one. They are available in 30, 60 and 80 amp versions.

Mini ANL fuses come in 60 and 80 amp sizes.



TURBO PORTS

VIBE TurboPort™ is the only choice for professional vented or bandpass enclosures. The VIBE TurboPort is flared at BOTH ends for smooth airflow in and out of the enclosure thus eliminating the port noise or chuff associated with cheap imitations. The VIBE TurboPort is available in 2.5 inch, 3 inch and new anti resonance 4 inch versions, they provide the perfect finishing touch to a custom enclosure..





CIRCUIT BREAKER

Big systems require big protection. The VIBE circuit breaker is rated at a massive 140 amps and offers critical protection to your system. If the system over powers or short circuits the breaker will cut in and save your equipment. No need to replace expensive fuses, the system is reset via a simple switch. Also offers safe and instant system shutdown.



RCA Y- LEADS

Our professional quality full range OFC Y-interconnect guarantees a pure and strong signal. With a flat design and ferrite loaded gold plated plugs interference is greatly reduced. The FLAT-Y Interconnect is available in 1 male 2 female FLAT Y 2F and 2 male 1 female FLAT Y 2M configurations.



BANANA PLUGS

VIBE GB41 banana plug. The VIBE GB41 banana plugs are easy and convenient way to remove your bass enclosure without having to constantly rethread your speaker cable into the box terminal. Simply attach the speaker cable to the VIBE GB41 banana plug and you have a fast and easy reliable quick release solution.



NON FUSED DISTRIBUTION BLOCK

The VIBE DB6 non fused distribution block is a professional non fused distribution block which gives easy connection for up to 5 amplifiers. The VIBE DB6 has 2 x 4AWG input and 4 x 8AWG outputs which can be used for power distribution or ground distribution giving a common grounding point for all system components eliminating the risk of ground loop interference.



FUSED DISTRIBUTION BLOCK

The VIBE FD4 fused distribution block is a professional AGU fused distribution block which gives easy connection for up to 4 amplifiers. The VIBE FD4 has 1 x 4AWG input and 4 x 8AWG outputs each individually fused up to a maximum of 80 amps (AGU fuses available separately).





POWER AND EARTH CABLE

VIBE FLATLINES power cable has been developed to maximised voltage transfer from battery to amplifier - The cable has 2 main lines running side by side which are made up of fine copper strands - This design makes the cable flat allowing us to make very slim heavy duty power cable which is highly flexible easing installation into vehicles.



MAG PLUGS

RCA MAG Plugs
Gold plated VIBE MagPlugs™ ensure that the signal is passed from device to device with a high rate of conductivity, MagPlugs™ and Ferrite Loaded™ and feature rubber grips and an ultra-small design allowing easy installations.



HIGH DEF SPEAKER CABLE

The delivery of power and signal to the speaker is the final CriticalLink™ in any audio system VIBE's FlatFlex™ OFC high definition speaker cable is produced from super fine OFC copper strands collectively picking up all the detail in your music. The multi strands are aligned making the cable super flat which can be run invisibly under carpets.



BASS CABLE

There are many powerful bass amplifiers in today's market. The ever increasing power is putting huge strains on speaker wire VIBE present a new breed of speaker cable specially developed for BASS applications; the VIBE FLATBASS speaker cable offers SolidCores that can handle and sustain considerably more power than conventional speaker cable.



AGU FUSE HOLDER

Vibe's water proof Fuse holder that should be located within 12" of the battery holds glass type AGU fuses and offers reliable system protection. This is included in stereo kits and active bass kits (AGU fuses available separately).
Model: FDAGU-V1 Inline AGU fuse holder.





<i>Part number</i>	<i>Description</i>	<i>Wholesale</i>	<i>Retail Ex</i>	<i>Retail Inc</i>
AGU60	60 amp glass fuse, 2 pcs. 60 amp AGU fuse	R33.48	R51.75	R59.00
MINIANL60	60 amp MINI ANL fuse, Mini ANL Fuse 60A	R33.48	R51.75	R59.00
AGU80	80 amp glass fuse, 2 pcs. 80 amp AGU fuse	R33.48	R51.75	R59.00
MINIANL80	80 amp glass fuse, Mini ANL fuse 80A	R33.48	R51.75	R59.00
AVSD2	Anti vibe sound deadening 10" x 10", 2 sheets of 0,06m2 Anti Vibe Damping	R99.00	R153.51	R175.00
AVSDR	Anti vibe sound deadening 18" x 32", 1 role of 0,36m2 Anti Vibe Damping1 role of 0,36m2 Anti Vibe Damping1 role of 0,36m2 Anti Vibe Damping	R185.00	R285.09	R325.00
ANTIVIBESDBP-V6	35 Sheets (2.5mm thick, 375mm x 265mm) of Butyl and 0.1mm Aluminium	R899.00	R1 402.63	R1 599.00
ANTIVIBESD-V6BP	(20mm thick, 500mm x 600mm) 4 sheets of Polyurethane with self-adhesive backing	R429.00	R700.88	R799.00
CB140	140 amp circuit breaker, Circuit Breaker with 140 amp	R195.00	R302.63	R345.00
DB6	6-way non fused distribution block	R165.00	R254.39	R290.00
LOC2-V5	2 channel line convertor	R199.00	R306.14	R349.00
LOC4-V5	4 channel line convertor	R299.00	R460.53	R525.00
FASTPLUG	Quick release for Active Enclosure, Quick connector for 8 AWG (≈10mm ²) incl. RemoteQuick connector for 8 AWG (≈10mm ²) incl. RemoteQuick connector for 8 AWG (≈10mm ²) incl. Remote	R220.00	R338.60	R386.00
FD4	Fused distribution block 4-way, 1x 4 AWG (≈20mm ²) In - 4 x 8 AWG (≈10mm ²) Out1x 4 AWG (≈20mm ²) In - 4 x 8 AWG (≈10mm ²) Out1x 4 AWG (≈20mm ²) In - 4 x 8 AWG (≈10mm ²) Out	R275.00	R424.56	R484.00
FDAGU-V1	Fuse Holder, Brass AGU Fuseholder	R75.00	R114.04	R130.00
FLAT Y 2M	Y leads (2 Male/ 1 Female)	R185.00	R285.09	R325.00
FLAT Y RCA 2f	Y leads (2 Female/ 1 Male)	R185.00	R285.09	R325.00
FLAT STEREO RCA 5m	FLAT STEREO RCA 5 metre, Stereo Interconnect 5 metre separate shielding	R265.00	R407.89	R465.00
FLATBASS 13 SPK 3m	13 gauge SolidCore™ flat BASS speaker cable, 13 AWG (≈2,5mm ²) OFC Solid Core SC 3 metre13 AWG (≈2,5mm ²) OFC Solid Core SC 3 metre	R185.00	R285.09	R325.00



<i>Part number</i>	<i>Description</i>	<i>Wholesale</i>	<i>Retail Ex</i>	<i>Retail Inc</i>
FLATFLEX 16 SPK 10m	16 gauge High definition flat flexible speaker cable, 10 metre, 16 AWG (≈1,5mm ²) OFC Speaker Cable 10 metre16 AWG (≈1,5mm ²) OFC Speaker Cable 10 metre	R195.00	R302.63	R345.00
FLATFLEX 16 SPK 75M	16 gauge High definition flat flexible speaker cable, 75 metre, 16 AWG (≈1,5mm ²) OFC Speaker Cable 75 metre16 AWG (≈1,5mm ²) OFC Speaker Cable 75 metre	R1 499.00	R2 324.56	R2 650.00
FLATLINES 0 GND 1m	0 gauge black power cable, 0 AWG (≈50mm ²) OFC Power Cable 1 metre Black0 AWG (≈50mm ²) OFC Power Cable 1 metre Black	R315.00	R491.23	R560.00
FLATLINES 0 PWR 1m	0 gauge Red power cable, 0 AWG (≈50mm ²) OFC Power Cable 1 metre Red0 AWG (≈50mm ²) OFC Power Cable 1 metre Red	R315.00	R491.23	R560.00
FLATLINES 4 GND 50m	4 gauge black power cable (roll), 4 AWG (≈20mm ²) OFC Power Cable 50 metre Black4 AWG (≈20mm ²) OFC Power Cable 50 metre Black	R3 999.00	R6 139.47	R6 999.00
FLATLINES 4 PWR 50m	4 gauge Red power cable (roll), 4 AWG (≈20mm ²) OFC Power Cable 50 metre Red4 AWG (≈20mm ²) OFC Power Cable 50 metre Red	R3 999.00	R6 139.47	R6 999.00
FLATLINES 8 GND 100M	8 gauge black power cable (roll), 8 AWG (≈10mm ²) OFC Power Cable 100 metre Black8 AWG (≈10mm ²) OFC Power Cable 100 metre Black	R2 750.00	R4 254.39	R4 850.00
FLATLINES 8 PWR 100M	8 gauge Red power cable (roll), 8 AWG (≈10mm ²) OFC Power Cable 100 metre Red8 AWG (≈10mm ²) OFC Power Cable 100 metre Red	R2 750.00	R4 254.39	R4 850.00
VSAWK4	Slick 4 gauge wiring kit, 4 AWG (≈20mm ²) CCA Set incl. 10 metre speaker cable	R450.00	R700.88	R799.00
VSAWK8	Slick 8 gauge wiring kit, 8 AWG (≈10mm ²) CCA Set incl. 10 metre speaker cable	R329.00	R525.44	R599.00
MP-V1	RCA Magplugs Left & Right	R45.00	R69.30	R79.00
PP40-V1	4 Inch Port Plug	R55.00	R86.84	R99.00
TP25E	2.5 inch Turbo Port Extension	R29.00	R43.86	R50.00
TP25LNG	2.5Inch Turbo Port Not Glued	R65.00	R105.26	R120.00
TP30B	3"Turbo Port Bend	R27.00	R43.86	R50.00
TP30E	3.0Inch Turbo Port Extension	R27.00	R43.86	R50.00
TP30-V1	3"Turbo Port	R110.00	R171.05	R195.00
TP40-V1	4"Turbo Port	R125.00	R192.98	R220.00



www.vibeaudio.co.uk



www.youtube.com/vibeaudio



www.facebook.com/vibeaudio



www.twitter.com/vibecaraudio

