

2013/14

Power Tools

RYOBI[®]

DESIGNED
TO DO
MORE

ryobitools.eu



RYOBI®

**DESIGNED
TO DO
MORE**

ryobitools.eu



















At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their power tools.

CONTENTS

Cordless Power Tools	4–33
One Plus™ 18V	5–19
14.4V Tools	20–23
12V Tools	24–27
TEK4™ & 4V Tools	28–31
Batteries & Chargers	32–33
Painting Tools	34–35
Corded Power Tools	36–57
Drilling	37–39
Metalworking	39–41
Sawing	41–44
Woodworking	45–50
Heat Guns	50–51
Rotary Tool	51
Machinery	52–57
Compressor	56
Leg Stands / Work Benches	57–58
Accessory Sets & Accessories	59–67

KEY

 Keyless chuck	 Safety clutch	 Auxiliary handle	 18V battery	 Low noise
 Variable speed control	 Double insulation	 Zoom	 Charging time	 Anti-vibration
 Forward/reverse operation	 Tool bag	 Dust/water/shock resistant	 Cutting path diameter	 Hedge trimmer cutting capacity
 Electronic brake	 Carry case	 Music/MP3	 Cutting line diameter	 Hedge trimmer diamond ground
 Hammer action	 Wet vac	 Spray	 Chainsaw bar length	 Tool-less pruner
 Orbital stroke action	 Dry vac	 Roller	 Telescoping shaft	 Air volume
 Spindle lock	 Blower function	 SDS	 Tool-less shear	 No battery
 Dust extraction	 Laser light	 Quick blade/bit change	 Blade length shear	 Auto Feed
 Automatic cut-off carbon brushes	 2 gears	 LED	 Blade length hedge trimmer	 3 positions
 Grease packed lubrication	 Soft Grip	 Wet blade	 Blade length pruner	
 Electronic 'Soft Start'	 Magnet	 Torque setting	 Blade width shear	



We continue to offer a 2 year warranty on all our products, including the new products that we have introduced for 2013*

All products shown are in compliance with the appropriate European regulations.

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union (incl. Switzerland) are covered by an European warranty.

*Excluding spares and accessories.

Ryobi® reserves the right to revise product specifications at any time without notice.

CORDLESS POWER TOOLS

One Plus™ 18V Tools	5–19
14,4V Tools	20–23
12V Tools	24–27
TEK4 & 4V Tools	28–31
Battery & Charger Options	32–33





With **One+**
buying your
first tool is
just the
beginning...



Start...

Buy any tool then expand your family for less. Buy additional tools without batteries and chargers, as a cost effective way to grow your collection.



Choose from over 35 garden & power tools

Ryobi's unique One+ system consists of range of over 35 tools for both home and garden that can all be powered using one battery and charger. Buy the tools you want at the time you need them and avoid paying over the odds for excess batteries and chargers. With everything from drills to radios, trimmers to paint sprayers the choice is there for you to grow your family of tools in whatever direction you want.



Do it your way Choose a kit...

We offer a range of combination kits with different tools, batteries and chargers.

Or

Pick a tool...

Select the tool, battery & charger you want from the range as individual items.



LCDI18022 18V 2-Speed Hammer Drill/Driver**ONE+**

Nr. Code: 5133001932 EAN Code: 4892210124494

Features

- Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- Electronic variable speed, reverse and brake for total control

**Included as standard**

1 x double-ended screwdriver bit, depth stop, auxiliary handle

CRH1801M 18V SDS-Plus Hammer Drill**ONE+**

Nr. Code: 5133000219 EAN Code: 4892210108616

Features

- Dual mode with variable speed for drilling into multiple materials
- Light and compact, ideal for working in small areas or over-head
- SDS chuck for fast drilling and easy bit change
- Powerful 1.5 Joules impact energy

Also available as a 1 battery Lithium-ion kit as CRH18011L

Nr. Code: 5133001928 EAN Code: 4892210124456

**Included as standard**

Auxiliary handle, depth stop

CDA1802M 18V Autoshift 2-Speed Drill/Driver**ONE+**

Nr. Code: 5133000064 EAN Code: 4892210106209

Features

- Autoshift – automatically selects the correct gear to suit the material and application
- Powerful motor and gearbox producing 55Nm max. torque
- 13mm keyless chuck
- Electronic variable speed, reverse and brake for total control

**AUTO SHIFT****Included as standard**

1 x double-ended screwdriver bit, auxiliary handle

LCDI18022**CRH1801M****CDA1802M**

Max. torque:	54Nm	Impact rate:	0–4.000bpm	Max. torque:	55Nm
Keyless chuck:	13mm	Single impact force:	1,5J	Keyless chuck:	13mm
No load speed:	0–400rpm / 0–1.500rpm	No load speed:	0–1.000rpm	No load speed:	0–450rpm / 0–1.500rpm
Max. drilling capacities: wood / steel / masonry	38 / 13 / 13mm	Max. drilling capacities: wood / steel / concrete	16 / 13 / 12mm	Max. drilling capacities: wood / steel	38 / 13mm
Torque settings:	24	Weight:	2,2kg	Torque settings:	24
Weight:	1,6kg			Weight:	1,7kg



LLCDI18022L 18V 2-Speed Hammer Drill/Driver



Nr. Code: 5133001949 EAN Code: 4892210124579

Features


- Combination tool for hammer drilling and screwdriving applications
- 13mm keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control

Also available as a 1 battery lithium-ion kit as LLCDI18021L

Nr. Code: 5133001947 EAN Code: 4892210124562

Included as standard

1 x double ended screwdriver bit, tool bag



CDC1802M 18V 2-Speed Drill/Driver



Nr. Code: 5133000269 EAN Code: 4892210106308

Features

- 10mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications

Also available as a 1 battery NiCad kit as CDC18021B

Nr. Code: 5133001937 EAN Code: 4892210124548

Also available as a 2 battery NiCad kit as CDC18022N

Nr. Code: 5133001953 EAN Code: 4892210124654

Included as standard

1 x double-ended screwdriver bit



LLCDI18022L

Max. torque:	50Nm
Keyless chuck:	13mm
No load speed:	0–400rpm / 0–1.550rpm
Max. drilling capacities: wood / steel / masonry	50 / 13 / 13mm
Torque settings:	24
Weight:	1,86kg

CDC1802M

Max. torque:	42,6Nm
Keyless chuck:	10mm
No load speed:	0–350rpm / 0–1.300rpm
Max. drilling capacities: wood / steel	32 / 10mm
Torque settings:	24
Weight:	1,27kg

RCD1802M 18V 2 Speed Drill/Driver**ONE+**

Nr. Code: 5133001170 EAN Code: 4892210118677

Features

- 13mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- Magnetic bit holder and LED light

Also available as a 1 battery Lithium-ion kits as RCD18021L

Nr. Code: 5133001930 EAN Code: 4892210124470

Also available as a 2 battery Lithium-ion kits as RCD18022L

Nr. Code: 5133001929 EAN Code: 4892210124463

**Included as standard**

1 x double-ended screwdriver bit

RAD1801M 18V Right Angle Drill**ONE+**

Nr. Code: 5133001166 EAN Code: 4892210118578

Features

- 10mm keyless chuck
- Variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- LED for illuminated work piece
- Magnetic drill bit tray, for easy storage and access to drill bits

**Included as standard**

1 x double-ended screwdriver bit

RID1801M 18V Impact Driver**ONE+**

Nr. Code: 5133001168 EAN Code: 4892210118592

Features

- Keyless 6,35mm (1/4") hex drive
- Impact mechanism designed to drive long screws and lag bolts
- 3 x LED lights for better visibility
- Die-cast front gear housing for durability
- Variable speed, reverse and brake for total control

**Included as standard**

1 x impact bit

RCD1802M

Max. torque:	50Nm
Keyless chuck:	13mm
No load speed:	0–440rpm / 0–1.600rpm
Max. drilling cap.:	wood / steel 38 / 13mm
Torque settings:	24
Weight:	1,21kg

RAD1801M

Keyless chuck:	10mm
No load speed:	0–1.100rpm
Max. drilling cap.:	wood / steel 38 / 10mm
Weight:	1,4kg

RID1801M

Max. torque:	220Nm
Keyless chuck:	6,35mm (1/4") Hex
Beats per minute:	0–3.400bpm
No load speed:	0–3.200rpm
Weight:	1,2kg

BIW180M 18V Impact Wrench



Nr. Code: 5133000214 EAN Code: 4892210108791

Features

- Up to 265Nm torque (Max) for heavy duty bolt/nut driving
- Variable trigger speed for ultimate control
- Keyless ½" drive
- Impact mechanism designed to drive long screws and lag bolts
- LED light for working in dimly lit areas



RWSL1801M 18V Circular Saw with Laser



Nr. Code: 5133001164 EAN Code: 4892210118554

Features

- Large 45mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting performance
- Ideal for laminate worktops, boards and sheet material
- Bevel capacity up to 50°
- Spindle lock for easy blade change



Included as standard

1 x 150mm ultra thin kerf 18-tooth TCT blade, side fence, Hex key

RRS1801M 18V Reciprocating Saw



Nr. Code: 5133001162 EAN Code: 4892210118691

Features

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake
- 22mm stroke length
- Anti vibration technology
- Adjustable shoe increases blade life



Included as standard

1 x metal blade, 1 x wood blade

BIW180M		RWSL1801M		RRS1801M	
Max. torque:	265Nm	Blade diameter:	150mm	Length of stroke:	22mm
No load speed:	0–3.000rpm	Bore size:	10mm	No load speed:	0–3.100rpm
Blows per minute:	0–3.500bpm	No load speed:	0–4.700rpm	Max. cutting capacities:	wood 180mm
Weight:	1,66kg	Max. cutting cap.: 90° 45mm / 45° 32mm		Weight:	1,9kg
		Bevel capacity:	50°		
		Weight:	2,5kg		

CJS180LM 18V Jigsaw with Laser

Nr. Code: 5133000078 EAN Code: 4892210102706

Features

- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0° to 45° bevel settings
- Variable speed trigger for total control
- Anti-splintering device

Included as standard

1 x blade, hex wrench



R18AG-0 18V Angle Grinder

Nr. Code: 5133001903 EAN Code: 4892210123657

NEW

Features

- 3 position handle for grinding or cutting
- Tool-less wheel guard adjustment
- Spindle lock for easy accessory changing
- GripZone over-mould for positive control

Included as standard

Auxiliary handle, wrench, wheel guard, 1 x grinding disc



LTS180M 18V Tile Saw

Nr. Code: 5133000154 EAN Code: 4892210110688

Features

- Powerful 18V motor cuts through ceramic, granite, marble and masonry
- Steel base includes oversized knobs for easy adjustments
- 102mm (4") continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Spindle lock for easy cutting wheel changes

Included as standard

102mm (4") diamond disc, Hex key, water bottle



CJS180LM

Length of stroke: 19mm
 No load speed: 0–2.100rpm
 Max. cutting capacities: wood 40mm
 Weight: 1,72kg

R18AG-0

Grinding wheel: 115mm (4½")
 Bore size: 22mm
 Spindle thread: M14
 No load speed: 7.500rpm
 Weight: 2,1kg

LTS180M

No load speed: 4.500rpm
 Wheel diameter: 102mm (4")
 Arbor size: 16mm (5⁄8")
 Cut capacity: At 0° 22mm (7⁄8") / At 45° 16mm (5⁄8")
 Weight: 2,59kg

EMS190DCL 18V Cordless Mitre Saw

Nr. Code: 5133000932 EAN Code: 4892210116895

NEW**ONE+****SLIDING
MITRE SAW****Features**

- Up to 69 cuts in 1" x 4" white pine (using fully charged 18V 2.4Ah battery)
- Up to 40 cuts in 1" x 4" white pine (using fully charged 18V 1.4Ah battery)
- Laser guide for repeat and accurate cutting
- Cordless portability with compact design

**Included as standard**

1 x 24 TCT blade, 1 x clamp, dust bag, wrench

CRO180MHG 18V 125mm Random Orbit Sander

Nr. Code: 5133000197 EAN Code: 4892210109163

ONE+**Features**

- Sanding pad size: 125mm (5") diameter
- Lock on switch for continuous use
- Quick-fix hook and loop sanding sheet attachment
- Body grip design for increased comfort

**Included as standard**

3 x sanding pads

CCC180MHG 18V Corner Sander

Nr. Code: 5133000191 EAN Code: 4892210109187

ONE+**Features**

- Sanding pad size: 140 x 100mm
- Lock on switch for continuous use
- Quick-fix hook and loop sanding sheet attachment

**Included as standard**

Assortment of sanding papers

EMS190DCL		CRO180MHG		CCC180MHG	
Blade diameter:	P 190mm (7½")	No load speed:	10.000opm	No load speed:	11.000opm
Blade type:	24 tooth TCT	Sanding pad size:	125mm (5") diameter	Sanding pad size:	140 x 100mm
No load speed:	4.500rpm	Diameter of orbit:	1,6mm	Diameter of orbit:	1,8mm
Mitre capacity:	45° L + 45° R	Weight:	1,28kg	Weight:	0,83kg
Bevel capacity:	45° L				
Weight:	7,0kg				

CPL180MHG 18V Planer

Nr. Code: 5133000195 EAN Code: 4892210109149

ONE+**Features**

- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0–0,4mm
- Additional front handle for greater control
- Side fence included for precision planing
- DustTech™ Integrated dust technology for maximum pick-up efficiency

**Included as standard**

2 x reversible TCT blades, side fence, dust bag, wrench

**RMT1801M 18V Multi Tool**

Nr. Code: 5133001632 EAN Code: 4892210120328

ONE+**Features**

- A versatile multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED for illuminated work piece
- Variable speed for ultimate control across a range of applications



Also available as a 1 battery Lithium-ion kit as RMT18011L

Nr. Code: 5133001634 EAN Code: 4892210120342

Included as standard1 x flush cutting blade, 1 x wood/metal blade,
1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor**CPL180MHG**

Planing width:	50mm
Planing depth:	0–0,4mm
Rebating:	12,7mm
No load speed:	10.000rpm
Weight:	1,7kg

RMT1801M

No load speed:	0–20.000rpm
Oscillation angle:	3°
Weight:	0,9kg

R18I-0 18V Inflator

Nr. Code: 5133001834 EAN Code: 4892210122780



NEW



ONE+

Features

- Fast inflation of tyres and large inflatables
- Onboard accessory storage
- Quick deflation mode
- Digital readout with auto shut off when desired pressure is reached
- Wrap around hose storage



Included as standard

High pressure hose, low pressure hose, air accessories x 3



CCG1801MHG 18V Caulking Gun

Nr. Code: 5133000192 EAN Code: 4892210109200



ONE+

Features

- 200+ tubes of latex per charged battery
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed



R18I-0

Max. pressure:	150psi (10,3bar 030kPa)
High pressure hose length:	711mm
Low pressure hose length:	756mm
Weight:	1,8kg

CCG1801MHG

No load speed:	high 5,5mm/s / low 1mm/s
Max. output force:	225kg
Tube capacity:	310ml
Weight:	1,7kg

CHV182M 18V Hand Vac**ONE+**

Nr. Code: 5133000077 EAN Code: 4892210106339

Features

- Cleans up dry spills
- Go-anywhere, fast cleaner
- Quick-change replacement filter
- Easy-clean dust cup

**Included as standard**

Crevice and brush attachments

**CDR180M 18V MP3 Compatible Radio****ONE+**

Nr. Code: 5133000614 EAN Code: 4892210114068

Features

- Auxiliary jack – compatible with MP3, CD players, etc
- Convenient mode selector from FM to auxiliary input
- On/off switch via volume control dial
- 10 preset stations
- Manual and automatic tuning
- Fold out flexible antenna
- Low battery indicator
- 90mm speaker

**Included as standard**

2 x AAA batteries

**CHV182M**

Max. air flow:	0,85m³/min
Collection capacity:	173ml
Weight:	0,96kg

CDR180M

Speaker output:	3W
Speaker diameter:	90mm (3,5 inches)
Frequency:	87,5–108 FM MHz
Weight:	0,62kg

RFL180M 18V Flashlight

Nr. Code: 5133001636 EAN Code: 4892210120182



Features

- Pivoting head for perfect illumination for all tasks
- Flat base for added stability
- Soft touch trigger for comfort
- 4.000 Lux for high illumination



Included as standard

Spare bulb



P620 18V Speed Sprayer

Nr. Code: 5133000155 EAN Code: 4892210110589



Features

- The sprayer's flexible intake tube lets you spray at any angle and use the last remaining paint in the container minimizing wastage
- Innovative and patented delivery system also minimizes the need for dilution
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimizing overspray
- Suitable for use with any brand of paint



Electric version available as SSP100 (see page 35)

Nr. Code: 5133000173 EAN Code: 4892210110565

Included as standard

Round tip, vertical tip, horizontal fan tip, viscosity & measuring cup, cleaning kit



RFL180M

Light:	4.000 Lux
Bulb intensity:	150 Lumen
Weight:	0,29kg

P620

Container capacity:	1.000ml
Area flow rate:	4m ² /min
Paint coverage:	10m ² /min
Flow rate:	20,5l/hour
Weight:	1,93kg



RYOBI

**DESIGNED
TO DO
MORE**

ryobitools.eu

One Plus™ 18V Garden Tools

RLT1825LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer



18V

Nr. Code: 5133001806 EAN Code: 4892210818423

Features

- Two handle design for improved user comfort
- EasyEdge™ for quick transition to edging mode
- 25cm cutting path for efficient cutting rate
- Auto-feed line advances when you release the trigger



Available as a bare unit without battery and charger as OLT1825

Nr. Code: 5133001808 EAN Code: 4892210818447

Included as standard

1 x 18V Compact Lithium-ion battery, 3 hour charger



RLT1825LI

Power input:	18V battery
No load speed:	9.300rpm
Line feed system:	Auto-feed
Cutting path width:	25cm
Cutting line diameter:	1.6mm
Weight:	1.65kg

RLT1830LI 18V One Plus™ Lithium-ion Line Trimmer**18V**

Nr. Code: 5133000733 EAN Code: 4892210812575

Features

- Up to 25 minutes run time
- Extendable shaft to suit your style of working
- Rotatable head for edging
- Auto-feed line advances when you release the trigger


**ONE+**

Available as a bare unit without battery and charger as OLT1831

Nr. Code: 5133000728 EAN Code: 4892210812896

Included as standard

1 x 18V Compact Lithium-ion battery, 1 hour charger

**RHT1850LI 18V One Plus™ Lithium-ion Hedge Trimmer****18V**

Nr. Code: 5133000735 EAN Code: 4892210812582

Features

- Up to 35 minutes run time
- 50cm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep™ compatible blade bar (sold separately)

**ONE+**

Available as a bare unit without battery and charger as OHT1851

Nr. Code: 5133000729 EAN Code: 4892210812902

Included as standard

1 x 18V Compact Lithium-ion battery, blade sheath, 1 hour charger

**RLT1830LI****RHT1850LI**


Power input:	18V battery	Power input:	18V battery
No load speed:	8,000rpm	Cutting capacity:	16mm
Line feed system:	Auto-feed	Stroke rate:	2,400spm
Cutting path width:	30cm	Blade length:	50cm
Cutting line diameter:	1,6mm	Weight:	2,7kg
Weight:	3,2kg		

RHT1850XLI 18V One Plus™ Long Reach Hedge Cutter

Nr. Code: 5133001626 EAN Code: 4892210816924

Features

- 4-position articulating head and rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep™ debris sweeper for easy removal of clippings



Also available as a bare unit without battery and charger as OHT1850X

Nr. Code: 5133001249 EAN Code: 4892210815439

Included as standard

1 x 18V Compact Lithium-ion battery, HedgeSweep™ blade sheath, 3 hour charger

**RPP1820LI 18V One Plus™ Pole Saw**

Nr. Code: 5133001628 EAN Code: 4892210816948

Features

- Tool-less chain tensioner quickly and easily adjusts chain tension for best performance
- Extendable shaft for a reach of up to 4 metres
- 30° angled cutting head for safer and easier cutting



Also available as a bare unit without battery and charger as OPP1820

Nr. Code: 5133001250 EAN Code: 4892210815446

Included as standard

1 x 18V Compact Lithium-ion battery, bar & chain oil, scabbard, 3 hour charger

**RHT1850XLI****RPP1820LI**

Power input:	18V battery	Power input:	18V battery
Cutting capacity:	16mm	Chain/bar length:	20cm
Stroke rate:	2.400spm	Chain speed:	5,5m/s
Blade length:	50cm	Weight:	4,1kg
Weight:	3,73kg		

OGS1821 18V One Plus™ Shear & Shrubber

Nr. Code: 5133000732 EAN Code: 4892210812568



Features

- Accepts 18V One Plus™ NiCad or Lithium-ion batteries (sold separately)
- Light weight for easy operation
- Sealed maintenance free blade gears
- Tool-less blades for quick changes



Included as standard

1 x grass cutting blade, 1 x shrubbing blade



OPS1821 18V One Plus™ Pruner

Nr. Code: 5133000730 EAN Code: 4892210812612

Features

- Accepts 18V One Plus™ NiCad or Lithium-ion batteries (sold separately)
- Shaft extends 40cm for hard to reach branches up to 3,5 meters high
- Tool-less blade clamp for quick and easy blade changes
- Integrated branch hook to pull branches to the ground



Included as standard

1 x blade



OBL1802 18V One Plus™ Blower

Nr. Code: 5133000731 EAN Code: 4892210812605

Features

- Accepts 18V One Plus™ NiCad or Lithium-ion batteries (sold separately)
- Powerful but quiet blower/sweeper
- 120mph (193km/h) airflow speed
- Light weight for easy operation
- High speed nozzle design with debris scrapper



Included as standard

1 x nozzle



OGS1821		OPS1821		OBL1802	
Power input:	18V battery	Power input:	18V battery	Power input:	18V battery
Cutting capacity:	8mm	No load speed:	3,000spm	Air flow speed:	120mph (193km/h)
Shrubber blade:	200mm	Max cutting capacity:	wood 102mm	Weight:	1,6kg
Shear blade:	100mm	Stroke length:	22mm		
Weight without blade:	1,4kg	Weight:	2,7kg		

RYOBI[®]

**DESIGNED
TO DO
MORE**

ryobitools.eu

14,4V Tools



R14DDE-LL15S 14,4V Drill/Driver

Nr. Code: 5133001900 EAN Code: 4892210123626

NEW**Lithium+**
14.4V**e.TORQUE**
ELECTRIC CONTROL**Features**

- Ultra slim handle for great comfort and control
- 13mm keyless chuck
- Electronic quick mode selection
- 3 stage fuel gauge
- LED for working in dimly lit areas
- Ergonomic micro texture for positive grip
- E-Torque control helps prevent over tightening

**Included as standard**

2 x 14,4V (1,5Ah) battery, 1 x double ended screwdriver bit, 1 hour charger, tool bag

**R14DDE-LL15S**

Max. torque:	45Nm
Keyless chuck:	13mm
Clutch:	Electronic
Max. drilling capacities:	wood / steel 32 / 13mm
No load speed:	0-400 / 0-1450rpm
E-Torque control settings:	20
Weight:	1,4kg

LCD14022 14,4V Lithium-ion 2-Speed Drill/Driver

Nr. Code: 5133000243 EAN Code: 4892210109484

Features

- 13mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- Magnetic drill bit tray, for easy storage and access to drill bits

Also available as a 2 battery NiCd kit as CDD14022NF

Nr. Code: 5133000216 EAN Code: 4892210109507



14.4V



Included as standard

2 x (1,4Ah) Lithium-ion batteries, 1 x double-ended screwdriver bit, charger, tool bag



LLCD14022 14,4V Lithium-ion 2-Speed Drill/Driver

Nr. Code: 5133001105 EAN Code: 4892210117489

Features

- 10mm keyless chuck
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings

Also available as a 1 lithium-ion battery version as LLCD14021

Nr. Code: 5133001103 EAN Code: 4892210117465

Also available as a 2 battery NiCad kit as CLCD14022N

Nr. Code: 5133001107 EAN Code: 4892210117502



14.4V



Included as standard

2 x (1,4Ah) Lithium-ion battery, 1 x double-ended screwdriver bit, charger, tool bag



LCD14022

Max. torque:	37Nm
Keyless chuck:	13mm
No load speed:	0–440rpm / 0–1.600rpm
Max. drilling capacities:	wood / steel 32 / 13mm
Torque settings:	24
Weight:	1,64kg

LLCD14022

Max. torque:	30Nm
Keyless chuck:	10mm
No load speed:	0–400rpm / 0–1.400rpm
Max. drilling capacities:	wood / steel 25 / 10mm
Torque settings:	24
Weight:	1,52kg

LLCDI14022 14,4V Lithium-ion 2-Speed Hammer Drill/Driver

Nr. Code: 5133000800 EAN Code: 4892210116369

Features

- Combination tool for hammer drilling and screwdriving applications
- 13mm keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings

Also available as a 2 battery NiCd kit as CLCDI14022N

Nr. Code: 5133000802 EAN Code: 4892210116321



14.4V



Included as standard

2 x (1,4Ah) Lithium-ion batteries, 1 x double ended screwdriver bit, 1 hour charger, tool bag



CDD14012N 14,4V NiCad Drill/Driver

Nr. Code: 5133000602 EAN Code: 4892210113726

Features

- Light and compact, ideal for working in confined spaces
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- 10mm keyless chuck



14.4V

NICAD

Included as standard

2 x (1,3Ah) NiCad batteries, 1 x double-ended screwdriver bit, charger, tool bag



LLCDI14022

Max. torque:	30Nm
Keyless chuck:	13mm
No load speed:	0–400rpm / 0–1.400rpm
Max. drilling capacities:	wood / steel / masonry 25 / 13 / 13mm
Torque settings:	24
Weight:	1,58kg

CDD14012N

Max. torque:	18Nm
Keyless chuck:	10mm
No load speed:	0–750rpm
Max. drilling capacities:	wood / steel 25 / 10mm
Torque settings:	24
Weight:	1,65kg



RYOBI®

**DESIGNED
TO DO
MORE**

ryobitools.eu



12V Tools

R12DD-L13S 12V Lithium-Ion 2-Speed Drill/Driver

Nr. Code: 5133001800 EAN Code: 4892210122537



Features

- 2 speed drill driver with a light and compact design
- 10mm keyless chuck
- 22 torque settings for perfect screwdriving everytime
- LED to illuminate the work piece
- Fuel gauge to indicate power levels

Also available as a 2 battery version as R12DD-LL13S

Nr. Code: 5133001802 EAN Code: 4892210122551



Included as standard

1 x (1.3Ah) Lithium-ion battery, 1 x double ended screwdriver bit, 1 hour charger, tool bag

R12DD-L13S

Max. torque:	30Nm
Keyless chuck:	10mm
No load speed:	0-400 / 0-1500rpm
Max. drilling capacities:	wood / metal 25mm / 10mm
Torque settings:	22
Weight:	1,2kg

RCD12011L 12V Lithium-ion Drill/Driver

Nr. Code: 5133001156 EAN Code: 4892210118493



Features

- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- Light and compact – ideal for use throughout the house
- LED to illuminate the work piece
- Fuel gauge to indicate power levels

Also available as a 2 battery Lithium-ion kit as RCD12012L

Nr. Code: 5133001103 EAN Code: 5489221011746



Included as standard

1 x (1,3Ah) Lithium-ion battery, 1 hour charger, 1 x double ended bit, tool bag

LSDT12022 12V Lithium-ion 2 Speed Drill/Driver

Nr. Code: 5133000654 EAN Code: 4892210113924



Features

- 2 gears for most materials and applications
- 10mm keyless chuck
- Light and compact – Ideal for tough work in tight environments
- 24 torque settings for perfect screwdriving every time
- On-board bit storage

Also available as a 1 battery Lithium-ion kit as LSDD12021

Nr. Code: 5133000656 EAN Code: 4892210113948

Also available as a 2 battery NiCad version kit as CSDT12022N

Nr. Code: 5133000658 EAN Code: 4892210113900



Included as standard

2 x (1,2Ah) Lithium-ion batteries, 45 minute charger, 1 x double-ended screwdriver bit, tool bag

RCD12011L

Max. torque:	25Nm
Keyless chuck:	10mm
No load speed:	0–715rpm
Max. drilling capacities:	wood / steel 25 / 10mm
Torque settings:	22
Weight:	1,07kg

LSDD12022

Max. torque:	30Nm
Keyless chuck:	10mm
No load speed:	0–400rpm / 0–1.380rpm
Max. drilling capacities:	wood / steel 20 / 10mm
Torque settings:	24
Weight:	1,1kg

LSDT1201 12V Lithium-ion Drill/Driver

Nr. Code: 5133000138 EAN Code: 4892210108678

Features

- 10mm keyless chuck
- Light and compact – Ideal for tough work in tight environments
- 24 torque settings for perfect screwdriving every time
- On-board bit storage

Also available as a 2 battery NaCad version as CSDT1202N

Nr. Code: 5133000223 EAN Code: 4892210108739

12V



Included as standard

- 1 x (1,2Ah) Lithium-ion battery, 45 minute charger,
- 1 x double-ended screwdriver bit, tool bag

RMT12011L 12V Lithium-ion Multi Tool

Nr. Code: 5133001154 EAN Code: 4892210118455

Features

- A versatile and compact multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED to illuminate the work piece
- Fuel gauge to indicate power levels

UNIVERSAL

12V
Lithium+



Included as standard

- 1 x (1,3Ah) Lithium-ion battery, 1 hour charger, 1 x flush cutting blade, 1 x wood/metal blade,
- 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor



LSDT1201

Max. torque:	12Nm
Keyless chuck:	10mm
No load speed:	0–600rpm
Max. drilling capacities:	wood / steel 20 / 10mm
Torque settings:	24
Weight:	1,1kg

RMT12011L

Output power:	12V
No load speed:	0–20.000rpm
Oscillation angle:	3°
LED light:	Yes
Weight:	0,9kg

R12PS-L13S 12V Lithium-Ion Sander

Nr. Code: 5133001836 EAN Code: 4892210123008



Features

- MicroFiltration™ Integrated dust technology system for maximum pick-up efficiency
- Unique Integrated Finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Light and compact design ideal for accessing hard to reach areas
- Fuel gauge to indicate power levels



Included as standard

1 x (1.3Ah) Lithium-ion battery, 1 hour charger, 6 x finger hook & loop sanding sheets, 3 x delta hook & loop sanding sheets, tool bag



RRS12011L 12V Lithium-ion Multi Saw

Nr. Code: 5133001160 EAN Code: 4892210118516



Features

- 2-in-1 saw with inter-changeable blade position to enable the saw to be used in either reciprocating or jigsaw modes, making it ideal for a range of tasks
- Variable speed for optimum control in all applications
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Safety lock off switch to avoid accidental starting



Included as standard

1 x (1.3Ah) Lithium-ion battery, 1 hour charger, 1 x wood blade, 1 x metal blade, 1 x jigsaw blade



R12PS-L13S

Output power:	12V
No load speed:	22.000opm
Sanding pad size:	124cm²
Diameter of orbit:	1,2mm
Weight:	0,9kg

RRS12011L

Output power:	12V
No load speed:	0–3.200rpm
Stroke length:	13mm
Cutting capacity:	wood 60mm
Weight:	1,2kg

RYOBI®**DESIGNED
TO DO
MORE**

ryobitools.eu



TEK4™ and 4V Tools

RP4530 4V Lithium-ion Noise Suppression Headphones

Nr. Code: 5133000170 EAN Code: 4892210110817

Features

- Electronic noise suppression – suppresses harmful impulse and background noise up to 25dB
- Communication enhancement technology – front facing microphones enhance close range conversations
- Auxiliary input MP3 compatible

Included as standard

1 x 4V Lithium-ion battery, audio cable, 3,5–4,5 hour charger



iPod not included

RYOBI TEK4
CORDLESS ELECTRONIC TOOLS

RP4020 4V Lithium-ion Digital Multi-Meter

Nr. Code: 5133000162 EAN Code: 4892210110831

Features

- Makes it easy to check faulty household electrical appliances
- 9 measurement modes can be selected with the turn of a dial
- One handed operation
- Built in probe storage, kick stand and convenient hook
- Water, dust and impact resistant

Included as standard

1 x 4V Lithium-ion battery, crocodile clips, cables, 3,5–4,5 hour charger

**RYOBI TEK4**
CORDLESS ELECTRONIC TOOLS

RP4530

Noise reduction rating: 25dB
Weight: 0,34kg

RP4020

Measurement category: CAT III
Maximum voltage: 600V
Maximum current: 10A
Sample rate: 2–3 times/sec
IP Rating: 54
Weight: 0,45kg

RP4030 4V Lithium-ion Infrared Thermometer

Nr. Code: 5133000163 EAN Code: 4960673115943

Features

- Continuous real-time readout infrared thermometer
- Laser guide clearly indicates target spot
- Measurement memory function
- Internal memory stores up to 10 readings for easy comparison and convenient data logging
- Impact and dust resistant, withstands tough working environments



Included as standard

1 x 4V Lithium-ion battery, 3,5–4,5 hour charger

RP4003 4V Lithium-ion Self-levelling Plumb/Cross Laser with Tripod

Nr. Code: 5133000160 EAN Code: 4960673115967

Features

- Dual function laser with plumb dot and cross-line laser
- Smart self levelling, the laser automatically sets itself to level position for quick set up
- Ideal for cabinet installation, stud wall construction and many other applications



Included as standard

1 x 4V Lithium-ion battery, 3,5–4,5 hour charger

RP4050 4V Lithium-ion Stud Sensor

Nr. Code: 5133000664 EAN Code: 4960673119941

Features

- Accurate wall scanner for residential and commercial construction projects
- Detects wood and metal studs
- Live wire detection
- Easy to read LCD screen
- Multiple depth detection



Included as standard

1 x 4V Lithium-ion battery, 3,5–4,5 hour charger

RP4030	RP4003	RP4050
Temperature range: -20°C–310°C/-4°–590°C	Working range: 10m	Depth settings: 12mm, 25mm, 38mm
Optical resolution: 10:1	Levelling accuracy: +/- 3,2mm at 4,6m	Detection: AC / Wood / Metal
Weight: 0,29kg	Levelling type: Pendulum self level max. 5° tilt	Weight: 0,25kg
	Laser diode: Class 2 (630–670Nm)	
	Weight: 0,33kg	

RP4205 4V Lithium-ion Inspection Camera

Nr. Code: 5133000666 EAN Code: 4960673120091

RYOBI **TEK4**
CORDLESS ELECTRONIC TOOLS



Features

- Easy visual inspections in tight spaces such as beams and wall joists
- 5 minute auto shut off function
- Four function buttons: On/Off, Brightness, Zoom, Image Flip



Included as standard

1 x 4V Lithium-ion battery, 3,5–4,5 hour charger

CSD42L 4V Lithium-ion 2-Speed Screwdriver

Nr. Code: 5133000221 EAN Code:4892210109347

RYOBI **TEK4**
CORDLESS ELECTRONIC TOOLS



Features

- Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing
- 2 Speed gearbox for control, power and fast task completion
- LED light for working in dimly lit areas



Included as standard

1 x 4V Lithium-ion battery, 6 piece screwdriving & drilling set, 3,5–4,5 hour charger, tool bag

RP4205

Screen resolution:	320 x 240 pixels
Screen size:	69mm / 2,7"
Digital zoom:	x 1,3/x 1,7/x 2
Cable length:	1m
Weight:	0,7kg

CSD42L

Max. torque:	5,1Nm
Hex driver:	6,35mm
No load speed:	0–200rpm / 0–600rpm
Torque settings:	24
Weight:	0,44kg

CSD4130GN 4V Lithium-ion Screwdriver with 30 Accessories

Nr. Code: 5133000141 EAN Code: 4892210106865



Features

- Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing
- LED light for working in dimly lit areas
- Overmould switch for added comfort



Included as standard

Gripcase with 30 screwdriver bits, 10 hour charger



CSD4107BG 4V Lithium-ion Screwdriver

Nr. Code: 5133000139 EAN Code: 4892210106377



Features

- Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing
- LED light for working in dimly lit areas



Also available with a 12 piece accessory kit as the CSD40LI

Nr. Code: 5133000088 EAN Code: 4892210105578

Also available without a bag as CSD4107

Nr. Code: 5133001194 EAN Code: 4892210122506

Included as standard

6 piece bit set, 10 hour charger, tool bag



CSD4130GN		CSD4107BG	
Max. torque:	5Nm	Max. torque:	5Nm
Hex driver:	6,35mm	Hex driver:	6,35mm
No load speed:	180rpm	No load speed:	180rpm
Torque settings:	12	Torque settings:	12
Weight:	0,44kg	Weight:	0,44kg

BATTERY & CHARGER OPTIONS

18V NICAD BATTERIES & CHARGER KITS

Specification

Description

System

Battery Chemistry

Nr. Code

EAN Code



BPP1817M

1 x 18V (1,7Ah)
NiCad Battery



NiCAD

5133001053
4892210108890



BPP1817M2

2 x 18V (1,7Ah)
NiCad Batteries



NiCAD

5133000292
4892210100542



BPP1817M

1 x 18V (1,7Ah)
NiCad Battery
& Charger



NiCAD

5132000041
4892210104021



BPP18172SM

2 x 18V (1,7Ah)
NiCad Batteries
& Charger



NiCAD

5133001573
4892210108869

18V LITHIUM-ION COMPACT BATTERIES & CHARGER KITS

Specification

Description

System

Battery Chemistry

Nr. Code

EAN Code



RB18L13

1 x 18V (1,3Ah)
Lithium-ion Battery



Lithium

5133001904
4892210124074



RB18L15

1 x 18V (1,5Ah)
Lithium-ion Battery



Lithium+

5133001905
4892210124081



RB18L26

1 x 18V (2,6Ah)
Lithium-ion Battery



Lithium

5133001906
4892210124098



RB18L40

1 x 18V (4,0Ah)
Lithium-ion Battery



Lithium+

5133001907
4892210124104

18V LITHIUM-ION BATTERIES & CHARGER KITS

Specification

Description

System

Battery Chemistry

Nr. Code

EAN Code



RBC18L13

1 x 18V (1,3Ah)
Lithium-ion Battery
& Super Charger



Lithium

5133001908
4892210124159



RBC18L13

2 x 18V (1,3Ah)
Lithium-ion Battery
& Super Charger



Lithium

5133002000
4892210125835

18V LITHIUM-ION BATTERIES & CHARGER KITS

Specification
Description
System
Battery Chemistry
Nr. Code
EAN Code



RBC18L15
1 x 18V (1,5Ah) Lithium-ion Battery & Super Charger
ONE+
Lithium+
5133001910 4892210124173



RBC18L40
1 x 18V (4,0Ah) Lithium-ion Battery & Super Charger
ONE+
Lithium+
5133001912 4892210124210



RBC18LL15
2 x 18V (1,5Ah) Lithium-ion Batteries & Super Charger
ONE+
Lithium+
5133001914 4892210124197



RBC18LL40
2 x 18V (4,0Ah) Lithium-ion Batteries & Super Charger
ONE+
Lithium+
5133001916 4892210124234

CHARGERS

Specification
Description
System
Battery Chemistry
Nr. Code
EAN Code



BCL14181H
Super Charger for both Lithium-ion & NiCad Batteries
ONE+
Lithium+
NiCAD
5133001127 4892210117991



BCS618
6 Port Battery Maintenance System suitable for Lithium- ion & NiCad Batteries
ONE+
Lithium+
NiCAD
5132000042 4892210106346

FUEL GAUGE

Specification
Description
System
Battery Chemistry
Nr. Code
EAN Code



BFG1218
Battery Fuel Gauge fits all 18V Lithium-ion & NiCad Batteries
ONE+
Lithium+
NiCAD
5132000043 4892210106353

BATTERIES & CHARGER KITS (12V-4V)

Specification
Description
System
Battery Chemistry
Nr. Code
EAN Code



BSPL1213
1 x 12V (1,3Ah) Battery
12V
Lithium+
5133001732 4892210120687



AP4021
TEK4™ Battery Charger with 2 x 4V (1,3Ah) Batteries
RYOBI TEK4
Lithium+
5133000381 4892210110732



AP4001
1 x 4V (1,3Ah) Lithium-ion Battery
RYOBI TEK4
Lithium+
5132000147 4892210110718

PAINTING TOOLS

Sprayers	35
Paint Stations	35



SSP100 Corded Speed Sprayer

Nr. Code: 5133000173 EAN Code: 4892210110565

Features

- The sprayer's flexible intake tube lets you spray at any angle and use the last remaining paint in the container minimizing wastage
- Innovative and patented delivery system also minimizes the need for dilution
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimizing overspray
- Ideal for exterior walls, garage doors and outbuildings
- Suitable for use with any brand of paint
- Paint coverage: 10m²/l



Included as standard

Round tip, vertical/horizontal fan tip, viscosity & measuring cup, cleaning kit



FPR210 Paint Station

Nr. Code: 5133000383 EAN Code: 4892210111371

Features

- The two person paint system, allows two users to simultaneously roll and finish trim
- Variable paint flow controls enable consistent application of paint
- Reversible pump for fast and easy cleaning
- Standard 2,5 litre tin fits directly in the paint loading bay for quick set up
- Fluid Technology™ keeps fresh paint flowing constantly between the roller and the paint source, ensuring perfect results every time
- Suitable for use with any brand of paint
- Paint coverage: Roller = 5,5m²/l
- Cord length: 2,5m



Included as standard

Bucket, roller, cutting in pads, hoses, viscosity & measuring cup, tap adaptor



RAP200 Paint Station Pro

Nr. Code: 5133000158 EAN Code: 4892210110657

Features

- Variable pressure control to suit any application, high pressure for speed and thick emulsions and low pressure for fine and detailed jobs
- Sprayer and roller attachments included for ultimate flexibility across various applications
- 7,5m hose for accessibility
- The steel tubing frame has a quick release and folding handle for easy set up and storage
- Suitable for use with any brand of paint
- Roller size: 0,96cm (3/8") / or 0,64cm (1/4")



Included as standard

Roller, spray gun, 415 reversible spray tip, 515 reversible spray tip, bungee, cleaning kit



SSP100

Wattage:	200W
Container capacity:	1.000ml
Area flow rate:	4m ² /min
Flow rate:	20.5/hour
Cord length:	3m
Weight:	2,9kg

FPR210

Wattage:	60W
Container capacity:	2.500ml
Area flow rate:	Roller = 2,2m ² /min
Flow rate:	20.5/hour
Roller size:	9" / 228mm
Weight:	4,7kg

RAP200

Wattage:	850W
Container capacity:	14.000ml
Area flow rate:	Sprayer = 6m ² /min Roller = 2,2m ² /min
Flow rate:	Paint coverage: 1 l/min
Cord length:	1.8m
Weight:	19,5kg

CORDED POWER TOOLS

Percussion Drills & Rotary Hammer Drills	37–39
Angle Grinders	39–41
Saws	41–44
Multi Tool	45
Sanders, Planers, Router, Heat Guns & Rotary Tool	44–51
Machinery	52–57
Leg Stands & Work Benches	57–58



EID11002RV 2-Speed Percussion Drill

Nr. Code: 5133000229 EAN Code: 4892210108159

Features

- Variable speed forward and reverse for total control
- Spindle lock
- 2 Speed gear box
- Overmould variable speed trigger
- Bit storage cassette in auxiliary handle
- Electronic variable speed, reverse and brake for total control
- Safety clutch to protect operator if bit jams
- Livetool Indicator™ glows blue when plugged into the power supply
- Built-in spirit level for improved accuracy

Included as standard

360° auxiliary handle, depth stop, carry case



EID1050RS Percussion Drill

Nr. Code: 5133000190 EAN Code: 4892210108173

Features

- Variable speed forward and reverse for total control
- Safety clutch to protect operator if bit jams
- Livetool Indicator™ glows blue when plugged into the power supply
- Bit storage cassette in auxiliary handle

Included as standard

360° auxiliary handle, depth stop, carry case



EID750RS Percussion Drill

Nr. Code: 5133000232 EAN Code: 4892210108142

Features

- Variable speed forward and reverse for total control
- Safety clutch to protect operator if bit jams
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

360° auxiliary handle, depth stop, carry case



EID11002RV		EID1050RS		EID750RS	
Power input:	1100W	Power input:	1050W	Power input:	750W
Keyless chuck:	13mm metal chuck	Keyless chuck:	13mm metal chuck	Keyless chuck:	13mm
No load speed:	0–1.200rpm / 0–3.200rpm	No load speed:	0–3.200rpm	No load speed:	0–2.800rpm
Blows per minute:	0–19.000 / 0–51.000bpm	Blows per minute:	0–51.000bpm	Blows per minute:	0–45.000bpm
Max. drilling capacities:		Max. drilling capacities:		Max. drilling capacities:	
wood / steel / masonry	50 / 13 / 20mm	wood / steel / masonry	32 / 13 / 20mm	wood / steel / masonry	32 / 13 / 13mm
Weight:	3,38kg	Weight:	2,86kg	Weight:	2,26kg

EID600RS Percussion Drill

Nr. Code: 5133000231 EAN Code: 4892210108135

Features

- Variable speed forward and reverse for total control
- Safety clutch to protect operator if bit jams
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

360° auxiliary handle, carry case

RPD500-GC Percussion Drill

Nr. Code: 5133001973 EAN Code: 4892210125101

NEW

Features

- Variable speed forward and reverse for total control
- Compact and lightweight for easy drilling
- GripZone overmould for increased comfort



Included as standard

360° auxiliary handle

ERH850RS SDS-Plus Rotary Hammer Drill

Nr. Code: 5133000809 EAN Code: 4892210111623

Features

- Variable speed forward and reverse for total control
- Rotation stop for light chiselling
- Hammer stop for drilling into wood, steel, ceramics and screwdriving applications
- Electronic variable speed, reverse and brake for total control
- Safety clutch to protect operator if bit jams
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

1 x 13mm changeable chuck, 1 x drill bit, 360° auxiliary handle, depth stop, carry case

EID600RS

RPD500-GC

ERH850RS

Power input:	600W	Power input:	500W	Power input:	850W
Keyless chuck:	13mm	Keyless chuck:	13mm	Keyless chuck:	SDS
No load speed:	0–2.700rpm	No load speed:	0–3.000rpm	No load speed:	0–1.100rpm
Blows per minute:	0–43.000bpm	Blows per minute:	0–50.000bpm	Blows per minute:	0–4.000bpm
Max. drilling: wood/steel/masonry	25/13/13mm	Max. drilling: wood/steel/masonry	25/13/13mm	Max. drilling: wood/steel/masonry	32/13/24mm
Weight:	2,04kg	Weight:	1,6kg	Impact energy:	2,2J
				Weight:	3,0kg

ERH710RS SDS-Plus Rotary Hammer Drill

Nr. Code: 5133000526 EAN Code: 4892210111609

Features

- Variable speed forward & reverse for total control
- Rotation stop for light chiselling
- Hammer stop for drilling into wood, steel, ceramics and screwdriving applications
- Electronic variable speed, reverse and brake for total control
- Safety clutch to protect operator if bit jams
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

360° auxiliary handle, depth stop, carry case

EAG2000RS 230mm (9") Angle Grinder

Nr. Code: 5133000550 EAN Code: 4892210111807

Features

- Full length trigger switch with overmould
- 180 degree multi-directional rotating back handle for improved comfort and control
- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle, carry case

EAG950RB 125mm (5") Angle Grinder

Nr. Code: 5133000548 EAN Code: 4892210111760

Features

- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing
- Lock on trigger for continued use
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle, carry case

ERH710RS		EAG2000RS		EAG950RB	
Power input:	710W	Power input:	2000W	Power input:	950W
Keyless chuck:	SDS	Grinding wheel:	230mm	Grinding wheel:	125mm
No load speed:	0–1.100rpm	Bore size:	22mm	Bore size:	22mm
Blows per minute:	0–4.000bpm	Spindle thread:	M14	Spindle thread:	M14
Max. drilling: wood/steel/masonry	32/13/24mm	No load speed:	6.000rpm	No load speed:	11.000rpm
Impact energy:	2J	Weight:	6.0kg	Weight:	2.6kg
Weight:	3.0kg				

EAG950RS 115mm (4 1/2") Angle Grinder

Nr. Code: 5133000546 EAN Code: 4892210112156

Features

- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing
- Lock on trigger for continued use
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle, carry case

EAG8512RHG 125mm (5") Angle Grinder

Nr. Code: 5133000366 EAN Code: 4892210112064

Features

- Full length trigger switch with overmould
- Lock on switch for continued use
- 180 degree multi-directional rotating back handle for improved comfort and control
- Tool-less wheel guard for quick and easy adjustment
- Three position auxiliary handle with wrench storage
- Spindle lock for easy wheel changing
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle, carry case

EAG750RB 125mm (5") Angle Grinder

Nr. Code: 5133000544 EAN Code: 4892210112132

Features

- Lock on switch for continued use
- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle
- Spindle lock for easy wheel changing
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle

EAG950RS

Power input:	950W
Grinding wheel:	115mm
Bore size:	22mm
Spindle thread:	M14
No load speed:	11.000rpm
Weight:	2.55kg

EAG8512RHG

Power input:	850W
Grinding wheel:	125mm
Bore size:	22mm
Spindle thread:	M14
No load speed:	11.000rpm
Weight:	2.8kg

EAG750RB

Power input:	750W
Grinding wheel:	125mm
Bore size:	22mm
Spindle thread:	M14
No load speed:	11.000rpm
Weight:	2.4kg

EAG750RS 115mm (4 1/2") Angle Grinder

Nr. Code: 5133000542 EAN Code: 4892210111746

Features

- Lock on switch for continued use
- Tool-less wheel guard for quick and easy adjustment
- Two position auxiliary handle
- Spindle lock for easy wheel changing
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle



EAG600RS 115mm (4 1/2") Angle Grinder

Nr. Code: 5133001152 EAN Code: 48922101118431

Features

- Lock on switch for continued use
- Powerful 600W motor with high torque gear box
- 2 position handle for left or right handed operations
- Spindle lock and adjustable guard for easy wheel and accessory changing



Included as standard

Grinding wheel (x1), wrench (x1), wheel guard, auxiliary handle



EJ700L 680W Jigsaw

Nr. Code: 5133000540 EAN Code: 4892210111548

Features

- Variable speed for total control
- 4-stage pendulum action for fast cutting
- Laser guide for improved accuracy
- Tool-less and fast blade change
- 2 x LED's for improved cutting visibility
- Tool-less base adjustment offer easy 0° to 45° bevel settings
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

1 x jigsaw blade, parallel fence, tool bag/carry case



EAG750RS		EAG600RS		EJ700L	
Power input:	750W	Power input:	600W	Power input:	680W
Grinding wheel:	115mm	Grinding wheel:	115mm	Length of stroke:	21mm
Bore size:	22mm	Bore size:	22mm	No load speed:	800–3.000rpm
Spindle thread:	M14	Spindle thread:	M14	Max. cutting capacities:	wood / aluminium / steel 85 / 20 / 8mm
No load speed:	11.000rpm	No load speed:	12.000rpm	Weight:	2.4kg
Weight:	2.35kg	Weight:	2.0kg		

EJ600 600W Jigsaw

Nr. Code: 5133000538 EAN Code: 4892210111524

Features

- Variable speed for total control
- 3-stage pendulum action for fast cutting
- Tool-less and fast blade change
- Tool-less base adjustment offer easy 0° to 45° bevel settings
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

1 x jigsaw blade, parallel fence, tool bag/carry case



EJ500 500W Jigsaw

Nr. Code: 5133000536 EAN Code: 4892210111500

Features

- Tool-less and fast blade change
- Adjustable base for bevel settings between 0° and 45° degrees
- Blow function
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

1 x jigsaw blade



ERS80VHG 800W Reciprocating Saw

Nr. Code: 5133000367 EAN Code: 4892210112309

Features

- Variable speed trigger for ultimate control
- Metal gear box for strength and durability
- Tool-less, fast and easy blade change
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

3 x reciprocating blade, carry case



EJ600

Power input:	600W
Length of stroke:	19mm
No load speed:	800–3.000rpm
Max. cutting capacities: wood / aluminium / steel	70 / 18 / 6mm
Weight:	2,45kg

EJ500

Power input:	500W
Length of stroke:	19mm
No load speed:	3.000rpm
Max. cutting capacities: wood / aluminium / steel	65 / 18 / 6mm
Weight:	2,1kg

ERS80VHG

Power input:	800W
Length of stroke:	28mm
No load speed:	500–3.000rpm
Max. cutting capacities: wood / aluminium / steel	150 / 12 / 10mm
Weight:	2,8kg



RWS1600-K 66mm Circular Saw with Laser

Nr. Code: 5133001788 EAN Code: 4892210122032



Features

- Compact, lightweight and ergonomic design for comfortable repetitive cutting
- Adjustable base with variable depth setting and bevel functionality (between 0–45°)
- Guide rail included for accurate straight line cuts
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into the power supply
- GripZone overmould for positive grip and comfort



Included as standard

1 x 24 tooth TCT blade, parallel fence, guide rail, wrench, carry case

RWS1400-K 66mm Circular Saw with Laser

Nr. Code: 5133001786 EAN Code: 4892210122001



Features

- Compact, lightweight and ergonomic design for comfortable repetitive cutting
- Adjustable base with variable depth setting and bevel functionality (between 0–45°)
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into the power supply
- GripZone overmould for positive grip and comfort



Included as standard

1 x 24 tooth TCT blade, parallel fence, wrench, carry case

RWS1600-K

Power input:	1600W
Bore size:	16mm
Blade size:	190mm
Max. cutting capacities:	At 90° 66mm / At 45° 50mm
No load speed:	5,000rpm
Weight:	3,9kg
Guide rail:	Yes included

RWS1400-K

Power input:	1400W
Bore size:	16mm
Blade size:	190mm
Max. cutting capacities:	At 90° 66mm / At 45° 50mm
No load speed:	5,000rpm
Weight:	3,9kg
Guide rail:	Compatible (not supplied)

RWS1250-G 1250W 66mm Circular Saw

NEW

Nr. Code: 5133001784 EAN Code: 4892210121981

Features

- Compact, lightweight and ergonomic design for comfortable repetitive cutting
- Adjustable base with variable depth setting and bevel functionality (between 0–45°)
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

1 x 20 tooth TCT blade, parallel fence, wrench



EWS1150RS 1150W 55mm Circular Saw

Nr. Code: 5133000552 EAN Code: 4892210111487

Features

- Adjustable base for 0°–45° degree bevel settings
- Spindle lock for easy blade change
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

12-tooth TCT blade, parallel fence



RWS1250-G

Power input:	1250W
Bore size:	16mm
Blade size:	190mm
Max. cutting capacities:	At 90° 66mm / At 45° 50mm
No load speed:	5.000rpm
Weight:	3.7kg
Guide rail:	Compatible (not supplied)

EWS1150RS

Power input:	1150W
Bore size:	20mm
Blade size:	170mm
Max. cutting capacities:	At 90° 55mm / At 45° 38mm
No load speed:	5.600rpm
Weight:	4.7kg



RMT200-S Multi Tool

Nr. Code: 5133001818 EAN Code: 4892210122629



Features

- A versatile multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED for illuminated work piece
- Variable speed for ultimate control across a range of applications
- Universal accessory adaptor makes the product compatible with any brand of accessories



Included as standard

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor



ROS300 300W Random Orbit Sander

Nr. Code: 5133001144 EAN Code: 4892210118349



Features

- Powerful 300W motor
- Random orbital action for high levels of stock removal
- Compact palm grip handle for added comfort
- Cyclonic action dust box for effective dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

5 x quick fix sanding sheets



RMT200-S		ROS300	
Power input:	200W	Power input:	300W
No load speed:	10.000–20.000rpm	No load speed:	7.000–12.000rpm
Max handle girth:	190mm	Diameter of orbit:	2,4mm
Oscillations angle:	3°	Sanding pad size:	125mm
Weight:	1,6kg	Weight:	1,7kg

EMS180RV 180W Multi-Pad Sander

Nr. Code: 5133000530 EAN Code: 4892210111685

Micro Filtration

Features

- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- 3 unique operational base options (Delta, 1/3 sheet & finger)
- Unique Integrated Finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- 1/3 Sheet option to sand large areas quickly (use either hook and loop or standard paper in clamp)
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

5 x delta hook & loop pads, 5 x third-sheet hook & loop pads, 5 x finger hook & loop pads, tool bag



EPS80RS 80W Palm Sander

Nr. Code: 5133000528 EAN Code: 4892210111661

Micro Filtration

Features

- Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Integrated Finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

5 x delta hook & loop pads, 5 x finger hook & loop pads, tool bag



ESS3215VHG 1/2 Sheet Sander

Nr. Code: 5133000356 EAN Code: 4892210111203

Dust Tech™

Features

- Powerful 320W motor
- Quick-fixing clamping mechanism for sanding sheet attachment
- Variable speed for total control
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

1 x 60, 1 x 120 and 1 x 240 grit sanding sheets, paper punch pad, carry case



EMS180RV

Power input: 180W
No load speed: 0–12.000rpm
Diameter of orbit: 2mm
Weight: 1.4kg

EPS80RS

Power input: 80W
No load speed: 12.000rpm
Sanding pad size: 99 x 149mm
Diameter of orbit: 1,6mm
Weight: 0,95kg

ESS3215VHG

Power input: 320W
No load speed: 6.000–12.000rpm
Sanding pad size: 115 x 229mm
Diameter of orbit: 2,2mm
Weight: 2,2kg

ESS280RV 1/3 Sheet Sander

Nr. Code: 5133000534 EAN Code: 4892210111722



Features

- New powerful Cyclonic Action Technology for maximum dust pick-up efficiency
- Quick-fix hook and loop sanding sheet attachment
- Clamping sheet attachment to maximise sanding paper choice
- Low vibration for smoother control and finishing
- Variable speed for total sanding control
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

2 x 60, 1 x 100 and 1 x 150 grit sanding sheets, tool bag

ESS200RS 1/3 Sheet Sander

Nr. Code: 5133000532 EAN Code: 4892210111708



Features

- Powerful Cyclonic Action Technology for maximum dust pick-up efficiency
- Quick-fix hook and loop sanding sheet attachment
- Clamping sheet attachment to maximise sanding paper choice
- Low vibration for smoother control and finishing
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

EOS2410NHG 1/4 Sheet Palm Sander

Nr. Code: 5133000348 EAN Code: 4892210111074

Dust Tech™

Features

- Powerful 240W motor
- Quick-fix hook and loop sanding sheet attachment with paper clamps
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

2 x 60, 2 x 100 and 2 x 150 grit sanding sheets, paper punch pad, dust bag, carry case

ESS280RV		ESS200RS		EOS2410NHG	
Power input:	280W	Power input:	200W	Power input:	240W
No load speed:	7.000–12.000rpm	No load speed:	12.000rpm	No load speed:	14.000rpm
Sanding pad size:	93x185mm	Sanding pad size:	93 x 185mm	Sanding pad size:	110 x 114mm
Diameter of orbit:	2,0mm	Diameter of orbit:	2,0mm	Diameter of orbit:	1,6mm
Weight:	1,7kg	Weight:	1,5kg	Weight:	1,56kg

EBS1310VFHG 100mm (4") Belt Sander

Nr. Code: 5133000364 EAN Code: 4892210111289

Features

- Large 4" belt with a powerful 1350W motor for rapid stock sanding and finishing
- Variable speed control 240–400metres/min, adjust to match the job
- Quick change belt system, easy tracking set-up
- Sanding frame for sanding larger areas
- Powerful vacuum system for clean operation
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

Sanding belts, dust bag, 2 x G-clamps, sanding frame, carry case



EBS9576VFHG 76mm (3") Belt Sander

Nr. Code: 5133000362 EAN Code: 4892210111258

Features

- Double ball bearing 950 Watt mounted motor
- Electronic speed selector and variable speed control; 240–400metres/min, adjust to match the job
- Quick change belt system, easy tracking set-up
- Aluminium die cast body and belt housing
- Flat top design for bench mounting
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

Aluminium frame, 2 x G-clamps, dust bag, sanding belt, carry case



EBS800V 76mm (3") Belt Sander

Nr. Code: 5133001146 EAN Code: 4892210118301

Features

- Powerful 800W motor with variable speed for rapid stock removal
- Quick change belt system for easy tracking set-up
- Cyclonic action dust box for effective dust collection
- 4 position adjustable handle
- Variable speed for total control during all sanding applications
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

1 x 60, 100, 120 sanding belts, sanding frame, 2 x G-clamps, stopper, carry case



EBS1310VFHG

Power input:	1350W
Belt speed:	240–400m/min
Sanding belt size:	610 x 100mm
Belt width:	100mm
Weight:	6,4kg

EBS9576VFHG

Power input:	950W
Belt speed:	240–400m/min
Sanding belt size:	76x533mm
Belt width:	76mm
Weight:	5,0kg

EBS800V

Power input:	800W
Belt speed:	150–320m/min
Sanding belt size:	76 x 150mm
Weight:	3,3kg

EBS800 76mm (3") Belt Sander

Nr. Code: 5133001148 EAN Code: 4892210118288



Features

- Powerful 800W motor for rapid stock removal
- Quick change belt system for easy tracking set-up
- Cyclonic action dust box for effective dust collection
- 4 position adjustable handle
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

1 x 60, 100, 120 sanding belts



EPN7582NHG 750W Planer

Nr. Code: 5133000352 EAN Code: 4892210111111

Dust Tech™

Features

- 3 chamfering grooves (0.5, 1, 1.5mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

2 x TCT blades, dust bag, side fence, wrench, carry case

EPN6082CHG 600W Planer

Nr. Code: 5133000350 EAN Code: 4892210111098

Dust Tech™

Features

- 0.5mm chamfering groove in diecast front shoe for added precision
- Dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Kick stand to prevent damage to the work piece when tool is not in use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

2 x TCT blades, dust bag, side fence, wrench

EBS800		EPN7582NHG		EPN6082CHG	
Power input:	800W	Power input:	750W	Power input:	600W
Belt speed:	150–320m/min	Planing width:	82mm	Planing width:	82mm
Sanding belt size:	76 x 150mm	Planing depth:	2,0mm	Planing depth:	1,5mm
Weight:	3,3kg	Rebating:	0–12mm	Rebating:	0–8mm
		No load speed:	16.000rpm	No load speed:	16.000rpm
		Weight:	3,2kg	Weight:	3,1kg

ERT1400RV 6,35mm (1/4") 1400W Router

Nr. Code: 5133000554 EAN Code: 4892210111821

Features

- Fine height adjustment for precision control and repeatable cutting
- Height adjustment control in table mode
- Powerful 1400 Watt motor with soft start and variable speed to give user ultimate control
- Transparent chip deflector allows you to safely see line of cut
- Livetool Indicator™ glows blue when plugged into the power supply

6–12mm (1/2") 2100W Router also available as ERT2100V

Nr. Code: 5133000136 EAN Code: 4892210102584



Included as standard

Parallel guide, template guide, dust port, 1 x 6mm collet, 1 x 6,35mm collet, 1 x 8mm collet, 1 x wrench, 1 x parallel guide, 1 x template guide, carry case

EHG2020LCD LCD Heat Gun

Nr. Code: 5133001730 EAN Code: 4892210120397



Features

- Application based temperature control dial
- LCD temperature indicator
- Removable front heat shield allows easy access to change accessories
- Overheat protection sensor
- Two airflow settings
- Convenient hanging hook



Included as standard

4 x nozzles, 1 x scraper, carry case



ERT1400RV

Power input:	1400W
No load speed:	14.000–31.500rpm
Collet capacity:	6mm, 6,35mm & 8mm
Plunge capacity:	55mm

EHG2020LCD

Power input:	2000W
Heat settings:	50–650°C
Air flow:	250/500 l/min
Weight:	0,8kg

EHG2000 Heat Gun

Nr. Code: 5133001137 EAN Code: 4892210118165



Features

- Removable front heat shield allows easy access to change accessories
- Overheat protection sensor
- Two air flow settings
- Convenient hanging hook



Included as standard

2 x nozzles




EHT150V 150W Rotary Tool 115pcs

Nr. Code: 5133001976 EAN Code: 4892210125576

Features

- Powerful 150W motor
- Variable speed to maximise control for the widest number of applications
- Spindle lock for fast & easy accessory change
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

115 accessories including a flex shaft & bench clamp, carry case

EHG2000		EHT150V	
Power input:	2000W	Power input:	150W
Heat settings:	60/600°C	No load speed:	10.000–35.000rpm
Air flow:	250/500l/min	Collet size:	3.2mm, 1.6mm
Weight:	0,7kg	Weight:	0,58kg



EMS254L 254mm Compact Slide Mitre Saw

Nr. Code: 5133001202 EAN Code: 4892210119148

Features

- Exactline Laser Technology™ for cutting accuracy
- 2 LED's for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 2000 Watt motor, producing 4.500rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity
- Livetool Indicator™ glows blue when plugged into the power supply

Max. cutting capacity:
 90° mitre / 90° bevel
 300 x 90mm
 90° mitre / 45° bevel
 300 x 58mm
 45° mitre / 90° bevel
 200 x 90mm
 45° mitre / 45° bevel
 200 x 58mm



Dust Tech™

LASER 

SLIDING
MITRE SAW



Included as standard

48-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench



EMS254L

Power input:	2000W
Blade diameter:	254mm (10")
Blade type:	48-tooth TCT
No load speed:	4.500rpm
Mitre capacity:	50° L and 50° R
Bevel capacity:	47° L and 2° R
Weight:	16,2kg

EMS1426LHG 254mm (10") Mitre Saw with Laser

Nr. Code: 5133000694 EAN Code: 4892210114457

Dust Tech™



Features

- Exactline Laser Technology™ for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Timber support arms
- Easy to read scales for maximum accuracy
- Livetool Indicator™ glows blue when plugged into the power supply



Max. cutting capacity:
 90° mitre / 90° bevel
 135 x 75mm
 90° mitre / 45° bevel
 135 x 45mm
 45° mitre / 90° bevel
 90 x 75mm
 45° mitre / 45° bevel
 92 x 48mm

Included as standard

40-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench



EMS216L 216mm Compact Slide Mitre Saw

Nr. Code: 5133001197 EAN Code: 4892210119384



Dust Tech™



Features

- Exactline Laser Technology™ for cutting accuracy
- 2 LEDs for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 1200W motor, producing 5.000rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity
- Livetool Indicator™ glows blue when plugged into the power supply



Max. cutting capacity:
 90° mitre / 90° bevel
 70 x 270mm
 90° mitre / 45° bevel
 48 x 270mm
 45° mitre / 90° bevel
 70 x 165mm
 45° mitre / 45° bevel
 48 x 165mm

Included as standard

48-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench



EMS1426LHG	EMS216L
Power input: 1400W	Power input: 1200W
Blade diameter: 254mm (10")	Blade diameter: 216mm (8,5")
Blade type: 40-tooth TCT	Blade type: 48-tooth TCT
No load speed: 4.500rpm	No load speed: 5.000rpm
Mitre capacity: 45° L and R	Mitre capacity: 50° L and 50° R
Bevel capacity: 45° L and 10° R	Bevel capacity: 47° L and 2° R
Weight: 13,0kg	Weight: 14,5kg

EMS1122LHG 210mm (8¼") Mitre Saw with Laser

Nr. Code: 5133000692 EAN Code: 4892210114440

Dust Tech™



Features

- Exact line Laser Technology™ for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Timber support arms
- Livetool Indicator™ glows blue when plugged into the power supply

Max. cutting capacity:
90° mitre / 90° bevel
120 x 50mm
90° mitre / 45° bevel
120 x 22mm
45° mitre / 90° bevel
85 x 50mm
45° mitre / 45° bevel
85 x 22mm



Included as standard

24-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench



ECO2335HG 355mm (14") Cut-Off Saw

Nr. Code: 5133000704 EAN Code: 4892210114525

Features

- 0°–45° mitre capacity
- Quick release vice
- Spark deflector confines the spark spray
- Easily adjustable mitre gauge handle
- Changeable carbon brushes
- Spindle Lock for easy wheel changing

Cutting capacity
Flat metal stock:
90°/45°
119x119/106x106mm
Angle stock:
90°/45° 137/100mm
Round pipe:
90°/45° 115mm



Included as standard

355mm grinding disc, clamp



EMS1122LHG

Power input:	1100W
Blade diameter:	210mm (8¼")
Blade type:	24-tooth TCT
No load speed:	5.000rpm
Mitre capacity:	45° L and R
Bevel capacity:	45° L and 10° R
Weight:	7,5kg

ECO2335HG

Power input:	2300W
Wheel diameter:	355mm
Bore diameter:	25,4mm
No load speed:	3.800rpm
Weight:	16,0kg

ETMS1825HG 254mm (10") Table Mitre Saw

Nr. Code: 5133000703 EAN Code: 4892210114501

Features

- Hugely versatile 10"/254mm table mitre saw
- Aluminium table for a precision surface
- Universal 1600 Watt motor
- Soft start for control and safety
- Safety switching to avoid accidental activation
- Dust extraction or collection bag to maintain a clean working environment
- Livetool Indicator™ glows blue when plugged into the power supply

Max. cutting depth:
Table saw:
At 90° 40mm
Mitre saw:
At 90° 70mm
At 45° 50mm



Included as standard

60 tooth TCT blade, 2 x hexagon wrench, parallel/mitre guide, work clamp, push stick, dust bag, blade cover

ETS1825HG 254mm (10") Folding Table Saw

Nr. Code: 5133000702 EAN Code: 4892210114495

Features

- Hugely versatile table saw with 90mm max cutting depth (53mm at 45°)
- Fast 4.800rpm no load speed for effortless, accurate cutting
- Folding stand and wheels for ease of transport
- Precision saw for accurate cross-cutting and ripping for boards and timber
- Adjustable rear and side extensions perfect for supporting large boards
- Dust port at rear and on blade guard
- Adjustable cutting scale when table extends
- Livetool Indicator™ glows blue when plugged into the power supply

Max. cutting depth:
Table saw:
At 90° 90mm
Mitre saw:
At 90° 90mm
At 45° 53mm



Included as standard

36-tooth TCT blade, rip fence, mitre gauge and fence, stand and wheels, push stick, push stick holder, wrench

ETS1525SCHG 254mm (10") Table Saw with Sliding Carriage

Nr. Code: 5133000700 EAN Code: 4892210114488

Features

- Sliding carriage guarantees a smooth action to improve quality of the cut
- Extension tables provide large working area of 1.110 x 638mm
- Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Large die-cast aluminium table to provide maximum support for cutting
- Mitre gauge allows precise angle to be cut quickly and accurately for cross cutting
- Emergency stop for added safety
- Livetool Indicator™ glows blue when plugged into the power supply



Included as standard

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench

ETMS1825HG		ETS1825HG		ETS1525SCHG	
Power input:	1600W	Power input:	1800W	Power input:	1500W
No load speed:	5.000rpm	No load speed:	4800rpm	No load speed:	4.500rpm
Blade diameter:	254 mm (10") 60-tooth TCT	Blade diameter:	254mm (10")	Blade Ø:	254mm (10") 40 tooth TCT
Bore size:	30mm	Max. cutting depth:	At 90° 90mm / At 45° 53mm	Max. cutting depth:	At 90° 80mm / At 45° 55mm
Table dimension:	430 x 300mm	Table dimension:	1020 x 646mm	Bore size:	30mm
Weight:	19,0kg	Weight:	41,5kg	Table dimensions:	1.110 x 638mm
				Weight:	25,56kg

ETS1526ALHG 254mm (10") Table Saw

Nr. Code: 5133000698 EAN Code: 4892210114471

Features

- Large die-cast aluminium table to provide maximum support for cutting
- Dual purpose handle for easy height and bevel angle adjustment
- Rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Strong and durable stand with rubber feet to provide full support and stability
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench



ETS1526HG 254mm (10") Table Saw

Nr. Code: 5133000696 EAN Code: 4892210114464

Features

- Stamped steel table base with extensions to provide maximum support for cutting
- Dual purpose handle for easy height and bevel angle adjustment
- Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Strong and durable stand with rubber feet to provide full support and stability
- Livetool Indicator™ glows blue when plugged into the power supply

Included as standard

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench



EAS10A15 Air Station

Nr. Code: 5133000646 EAN Code: 4892210114549

Features

- Oil free pump gives maintenance free operation and extended tool life
- Push to connect coupler for quick and easy tool change
- Storage bin for convenient storage of attachments
- 7,5m coil hose extends work range for great flexibility
- Side mount tool holder with storage for up to two air tools (air tools not included)

Included as standard

7,5m coiled hose, air blow nozzle, inflation nozzle, male air plugs x 2, safety nozzle, pencil tyre gauge, rubber nozzle, thread seal tape, tyre chuck, universal quick connect coupler



ETS1526ALHG

Power input:	1500W
No load speed:	4.500rpm
Blade diameter: 254mm (10") 40 tooth TCT	
Max. cutting depth: At 90° 80mm / 45° 55mm	
Bore size:	30mm
Table dimensions:	722 x 640mm
Weight:	16,4kg

ETS1526HG

Power input:	1500W
No load speed:	4.500rpm
Blade diameter: 254mm (10") 40 tooth TCT	
Max. cutting depth: At 90° 80mm / 45° 55mm	
Bore size:	30mm
Table dimensions:	638 x 430mm
Weight:	26,0kg

EAS10A15

Type:	oil-free
Tank size:	10,5l
Suction capacity:	57l per minute at 90PSI
Motor type:	universal
Max. pressure:	9 bar
Weight:	14,0kg

WS721S Wet Tile Saw

Nr. Code: 5133000285 EAN Code: 4892210112040

Features

- Stainless steel cutting table for increased durability
- Mitre guide for making mitre cuts from 0 to 45 degrees
- Parallel guide locks along the front and rear of the table for added stability
- Folding leg stand provides secure platform with convenient portability
- 17,8cm (7") continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Integrated water tray for dust free cutting

Included as standard

Diamond blade, stand, mitre feature and parallel guide



RLS01 Adjustable Leg Stand

Nr. Code: 5133001200 EAN Code: 4892210118363

Features

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms (with work support brackets) extend to 2.904mm
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage

Included as standard

2 x saw mount bracket, 2 x work support, extension arms



RLS02 Adjustable Leg Stand

Nr. Code: 5133001817 EAN Code: 4892210122582



Features

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms (with work support brackets) extend to 2.160mm
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage

Included as standard

2 x saw mount bracket, 2 x work support, extension arms



WS721S		RLS01		RLS02	
Power input:	500W	Support dimensions:	1.380 to 2.904mm	Support dimensions:	1.008 to 2.160mm
No load speed:	2.900rpm	Loading capacity:	181kg	Loading capacity:	181kg
Blade size:	178mm (7")	Weight:	21,9kg	Weight:	17,0kg
Bore size:	25,4mm				
Depth of cut:	32mm				
Bevel capacity:	45 degrees				
Weight:	15,7kg				

RWB01 Folding Work Bench

NEW

Nr. Code: 5133001778 EAN Code: 4892210121714

Features

- Quality bamboo provides a great naturally durable work surface
- Quick guide measurements
- Foldable for easy storage and portability
- Multiple clamp settings



Included as standard

4 x clamps, spanner

RWB02 Adjustable Folding Work Bench

NEW

Nr. Code: 5133001779 EAN Code: 4892210121721

Features

- Quality bamboo provides a great naturally durable work surface
- Pivoting boards for heavy duty clamping
- Quick guide measurements
- Foldable for easy storage and portability
- Multiple clamp settings



Included as standard

4 x clamps, spanner



RWB03 Adjustable Metal Folding Work Bench

NEW

Nr. Code: 5133001780 EAN Code: 4892210121738

Features

- 4 position tilting work surface (0°, 25°, 50°, 80°)
- 7 level height adjustment to suit all applications
- Steel and aluminium work surface
- Quick release lift boards for increased clamping area
- Sliding clamping system for maximum versatility
- Foldable work bench for easy storage and portability



Included as standard

8 x clamps, spanner



RWB01

Work surface: Bamboo
 Dimensions: 605 x 120 x 180mm
 Load capacity: 100kg
 Weight: 6,0kg

RWB02

Work surface: Bamboo
 Dimensions: 605 x 120 x 180mm
 Load capacity: 100kg
 Weight: 6,5kg

RWB03

Work surface: Aluminium
 Dimensions: 600 x 570 x 760mm
 Load capacity: 100kg
 Weight: 10,0kg

ACCESSORY SETS



RAK213AB**213 Piece Application Set****Contains**

- 10 x Masonry Drill Bits
2 x 5mm, 2 x 5.5mm, 2 x 6mm,
2 x 7mm, 2 x 8mm
- 1 x 60mm Magnetic Bit Holder
- 2 x 25mm Screwdriver Bits
2 x PZ2
- 100 x Wall Plugs/Anchors
40 x (6 x 30mm), 30 x (8 x 40mm),
30 x (10 x 50mm)
- 100 x Screws
25 x No. 5 x 1" (~25mm),
25 x No. 6 x 1" (~25mm),
25 x No. 8 x 1-1/4" (~32mm),
25 x No. 10 x 1-1/2" (~38mm)

Art.-No.:	5132002582
EAN Code:	4892210120571

RAK100MIX**100 Piece Drilling and Driving Set****Contains**

- 21 x HSS Drill Bits
3 x 1mm, 3 x 1.5mm, 3 x 2mm,
3 x 2.5mm, 3 x 3mm, 1 x 3.5mm,
1 x 4mm, 1 x 4.5mm, 1 x 5mm,
1 x 6mm, 1 x 8mm
- 3 x Flatwood Spade Bits
1 x 13mm, 1 x 16mm, 1 x 22mm
- 5 x Masonry Drill Bits
1 x 4mm, 1 x 5mm, 1x 5.5mm,
1x 6mm, 1x 6.5mm
- 5 x Wood Boring Brad Point Drill Bits
1x 4mm, 1 x 5mm, 1 x 6mm,
1 x 8mm, 1 x 10mm
- 15 x 25mm Screwdriver Bits
2 x PH0, 2 x PH1, 4 x PH2,
2 x PH3, 1 x SL 3mm, 2 x SL 4mm,
2 x SL 5mm, 2 x SL 6mm,
1 x SL 7mm, 1 x SL 8mm, 2 x PZ0,
2 x PZ1, 4 x PZ2, 2 x PZ3, 1 x T-6,
1 x T-7, 1 x T-8, 1 x T-9, 1 x T-10,
1 x T-15, 1 x T-20, 1 x T-25,
1 x T-27, 1 x T-30, 1 x T-40,
1x Hex 4, 1 x Hex 5, 1 x Hex 6
- 13 x 50mm Screwdriver Bits
1 x PH1, 2 x PH2, 1 x PH3,
1 x SL 4mm, 1 x SL 5mm,
1 x SL 6mm, 1 x PZ1, 2 x PZ2,
1 x PZ3, 1 x T-15, 1 x T-20
- 1 x 60mm Magnetic Bit Holder
- 4 x Nut Drivers – non magnetic
1 x 6mm, 1 x 8mm, 1 x 10mm,
1 x 12mm
- 4 x Drill Stoppers
1 x 5mm, 1 x 6mm, 1 x 8mm,
1 x 10mm

Art.-No.:	5132002615
EAN Code:	4892210121387

RAK60DDF**60 Piece Drilling and Driving Set****Contains**

- 9 x HSS Drill Bits
1 x 1.5mm, 1 x 2mm, 1 x 2.5mm,
1 x 3mm, 1 x 3.2mm, 1 x 3.5mm,
1 x 4mm, 1 x 5mm, 1 x 6mm
- 6 x Masonry Drill Bits
1 x 4mm, 1 x 5mm,
1 x 5.5mm, 2 x 6mm, 1 x 7mm
- 6 x Wood Boring Brad Point Drill Bits
6 x 3–8mm
- 3 x Drill Stoppers
1 x 3mm, 1 x 6mm, 1 x 8mm
- 4 x Non Magnetic Nut Drivers
1 x 5mm, 1 x 6mm, 1 x 8mm,
1 x 10mm
- 21 x 25mm Screwdriver Bits
5 x Phillips (PH1–PH3)
4 x Hex (3mm–6mm)
4 x Slotted (3mm–12mm)
3 x Square (1–3)
5 x Pozidrive (PZ1–PZ3)
- 9 x 50mm Screwdriver Bits
3 x Phillips (PH1–PH3)
3 x Pozidrive (PZ1–PZ3)
3 x Torx® (TX15, TX20, TX25)
- 1 x 76mm Stubby Screw Guide
- 1 x Allen Key

Art.-No.:	5132002248
EAN Code:	4892210112941

RAK95DDDF

95 Piece Drilling and Driving Set



Contains

- 11 x HSS Drill Bits
2 x 1,5mm, 2 x 2mm, 1 x 2,5mm,
1 x 3mm, 1 x 3,2mm, 1 x 3,5mm,
1 x 4mm, 1 x 5mm, 1 x 6mm
- 6 x Masonry Drill Bits
1 x 4mm, 1 x 5mm, 1 x 5,5mm,
2 x 6mm, 1 x 7mm
- 5 x Wood Boring Brad Point
Drill Bits
1 x 3mm, 1 x 5mm, 1 x 6mm,
1 x 8mm, 1 x 10mm
- 3 x Drill Stoppers
1 x 3mm, 1 x 6mm, 1 x 8mm
- 3 x Flatwood Spade Bits
1 x 13mm, 1 x 16mm, 1 x 22mm
- 4 x Non Magnetic Nut Drivers
1 x 5mm, 1 x 6mm, 1 x 8mm,
1 x 10mm
- 43 x 25mm Screwdriver Bits
9 x Philips (PH0–PH3)
9 x Pozidrive (PZ0–PZ3)
5 x Slotted (3mm–12mm)
5 x Hex (2mm–6mm)
4 x Square (1–3)
11 x Torx® (TX10–TX40)
- 18 x 50mm Screwdriver Bits
4 x Philips (PH1–PH3)
4 x Pozidrive (PZ1–PZ3)
3 x Slotted (6mm–12mm)
3 x Square (1–3)
4 x Torx® (TX5–TX30)
- 1 x Allen Key
- 1 x 76mm Stubby Screw Guide

Art.-No.:	5132002278
EAN Code:	4892210115843

RAK125DDDF

125 Piece Drilling and Driving Set



Contains

- 30 x HSS Drill Bits
4 x 1,5mm, 4 x 2mm, 4 x 2,5mm,
4 x 3mm, 2 x 3,2mm, 3 x 3,5mm,
3 x 4mm, 1 x 4,5mm, 2 x 5mm,
1 x 1,5mm, 2 x 6mm
- 2 x Flatwood Spade Bits
1 x 16mm, 1 x 22mm
- 10 x Masonry Drill Bits
1 x 3mm, 1 x 4mm, 2 x 5mm,
1 x 5,5mm, 3 x 6mm
1 x 7mm, 1 x 8mm
- 10 x Wood Boring Brad Point
Drill Bits
3 x 3mm, 2 x 4mm, 2 x 5mm,
1 x 6mm, 1 x 8mm, 1 x 10mm
- 8 x Non Magnetic Nut Drivers
1 x 5mm, 1 x 5,5mm, 1 x 6mm,
1 x 7mm, 1 x 8mm, 1 x 9mm,
1 x 10mm, 1 x 11mm
- 48 x 25mm Screwdriver Bits
11 x Torx® (TX10–TX40)
11 x Philips (PH0–PH3)
11 x Pozidrive (PZ0–PZ3)
5 x Hex (2mm–6mm)
6 x Slotted (3mm–12mm)
4 x Square (1–3)
- 16 x 50mm Screwdriver Bits
4 x Philips (PH1–PH3)
4 x Pozidrive (PZ1–PH3)
3 x Slotted (6mm–12mm)
1 x Square (2)
4 x Torx® (TX15–TX30)
- 1 x 76mm Stubby Screw Guide

Art.-No.:	5132002249
EAN Code:	4892210112965

RAK35HSSSD

35 Piece Drilling and Driving Set



Contains

- 10 x HSS Drill Bits
1 x 2mm, 1 x 2,5mm, 1 x 3mm,
1 x 3,2mm, 1 x 3,5mm, 1 x 4mm,
1 x 4,5mm, 1 x 6mm, 1 x 8mm,
1 x 10mm
- 22 x 25mm Screwdriver Bits
6 x Philips (PH1–PH3)
6 x Pozidrive (PZ1–PZ3)
10 x Torx® (TX10–TX40)
- 2 x 50mm Screwdriver Bits
1 x Philips (PH2)
1 x Pozidrive (PZ2)
- 1 x 60mm Magnetic Bit Holder

Art.-No.:	5132002256
EAN Code:	4892210113313

RAK10SD**10 Piece
Screwdriver Set****Contains**

- 9 x 25mm Screwdriving Bits
 - 1 x Pozidrive #1, 1 x Pozidrive #2,
 - 1 x Philips #3, 1 x Pozidrive #1,
 - 1 x Pozidrive #2, 1 x Pozidrive #3,
 - 1 x T15 x, 1 x T20 x, 1 x T25 x
- 1 x 60mm Magnetic Bit Holder

Art.-No.:	5132002549
EAN Code:	4892210119308

RAK17SD**17 Piece
Screwdriver Set****Contains**

- 16 x 25mm Screwdriving Bits
 - 1 x Philips #1, 2 x Philips #2,
 - 1 x Philips #3, 1 x Pozidrive #1,
 - 2 x Pozidrive #2, 1 x Pozidrive #3,
 - 1 x SL 0,8 x 5,5mm,
 - 1 x SL 1,2 x 6,5mm,
 - 1 x T-10, 1 x T-15, 1 x T-20,
 - 1 x T-25, 1 x T-30, 1 x T-40
- 1 x 60mm Magnetic Bit Holder

Art.-No.:	5132002550
EAN Code:	4892210119315

RAK28SD**28 Piece
Screwdriver
Set****Contains**

- 16 x 125mm Screwdriver Bits
 - 1 x Philips #1, 2 x Philips #2,
 - 1 x Philips #3, 1 x Pozidrive #1,
 - 3 x Pozidrive #2, 2 x Pozidrive #3,
 - 1 x Slotted #4, 1 x Slotted #5,
 - 1 x Slotted #6, 1 x Torx® #15,
 - 1 x Torx® #20, 1 x Torx® #25,
- 8 x 50mm Screwdriver Bits
 - 1 x Philips #1, 1 x Philips #2,
 - 1 x Philips #3, 1 x Pozidrive #1,
 - 1 x Pozidrive #2, 1 x Pozidrive #3,
 - 1 x Torx® #25, 1 x Torx® #20
- 1 x 89mm Screwdriver Bit
Philips #2
- 1 x 60mm Magnetic Bit Holder
- 2 x Socket Adaptors
 - 1 x 1/4" x 1/4"
 - 1 x 1/4" x 3/8"

Art.-No.:	5132002250
EAN Code:	4892210113382

RAK28SDI**28 Piece Impact
Screwdriver
Set****Contains**

- 16 x 25mm Impact Bits
 - 1 x Philips #1, 2 x Philips #2,
 - 1 x Philips #3, 1 x Pozidrive #1,
 - 3 x Pozidrive #2, 2 x Pozidrive #3,
 - 1 x Slotted #4, 1 x Slotted #5,
 - 1 x Slotted #6, 1 x Torx® #15,
 - 1 x Torx® #20, 1 x Torx® #25
- 8 x 50mm Impact Bits
 - 1 x Philips #1, 1 x Philips #2,
 - 1 x Philips #3, 1 x Pozidrive #1,
 - 1 x Pozidrive #2, 1 x Pozidrive #3,
 - 1 x Torx® #25, 1 x Torx® #20
- 1 x 89mm Screwdriver Bit
Philips #2
- 1 x 60mm Magnetic Bit Holder
- 2 x Socket Adaptors
 - 1 x 1/4" x 1/4"
 - 1 x 1/4" x 3/8"

Art.-No.:	5132002445
EAN Code:	4892210116215

RAK42MIX**42 Piece Mixed Set****Contains**

- 13 x HSS Drill Bits
 - 1 x 1,5 mm, 1 x 2 mm, 1 x 2,5 mm,
 - 1 x 3 mm, 1 x 3,2 mm, 1 x 3,5 mm,
 - 1 x 4 mm, 1 x 4,5mm, 1 x 4,8mm,
 - 1 x 5 mm, 1 x 5,5mm, 1 x 6 mm,
 - 1 x 6,5mm
- 4 x Masonry Drill Bits
 - 1 x 4mm, 1 x 5mm, 1 x 6mm, 1 x 8mm
- 5 x Wood Boring Brad Point Drill Bits
 - 2 x 4mm, 1 x 5mm, 1 x 6mm, 1 x 7mm
- 10 x 25mm Screwdriver Bits
 - 1 x PH1, 1 x PH2, 1 x PH3, 1 x PZ1,
 - 1 x PZ2, 1 x PZ3, 1 x SL 4mm,
 - 1 x SL 5mm, 1 x SL 6mm, 1 x SL 7mm
- 1 x 60mm Magnetic Bit Holder
- 6 x Nut Drivers – non magnetic
 - 1 x 5mm, 1 x 6mm, 1 x 7mm, 1 x 8mm,
 - 1 x 9mm, 1 x 10mm
- 2 x Screw Finders
- 1 x Sharpened Countersink

Art.-No.:	5132002445
EAN Code:	4892210116215

RAK30MIX**30 Piece
Mixed Set****Contains**

- 9 x 25mm Screwdriver Bits
 - 3 x Philips (PH1 – PH3)
 - 3 x Pozidrive (PZ1 – PZ3)
 - 3 x Slotted (4mm – 6mm)
- 1 x 60mm Magnetic Bit Holder
- 4 x Non Magnetic Nut Drivers
 - 1 x 6mm, 1 x 8mm, 1 x 10mm,
 - 1 x 12mm
- 5 x Wood Boring Brad Point
Drill Bits
 - 1 x 3mm, 1 x 4mm, 1 x 5mm,
 - 1 x 6mm, 1 x 8mm
- 5 x Masonry Drill Bits
 - 1 x 5mm, 1 x 5,5mm, 1 x 6mm,
 - 1 x 6,5mm, 1 x 7mm
- 6 x HSS Drill Bits
 - 1 x 2mm, 1 x 2,5mm, 1 x 3mm,
 - 1 x 4mm, 1 x 5mm, 1 x 6mm

Art.-No.:	5132002254
EAN Code:	4892210113375

RAK40SD

40 Piece Driving Set



Contains

- 32 x 25mm Screwdriver Bits
 - 4 x Philips (PH1 – PH3)
 - 6 x Pozidrive (PZ1 – PZ3)
 - 4 x Hex (3mm – 6mm)
 - 4 x Slotted (5mm – 7mm)
 - 14 x Torx® (TX6 – TX40)
- 7 x 50mm Screwdriver Bits
 - 2 x Philips (PH1 – PH2)
 - 2 x Pozidrive (PZ1 – PZ2)
 - 3 x Torx® (TX10 – TX20)
- 1 x 60mm Magnetic Bit Holder

Art.-No.: 5132002257
 EAN Code: 4892210113337

RAK22QC

22 Piece Quick-Change Set



Contains

- 6 x 25mm Screwdriver Bits
 - 3 x Philips (PH1 – PH3)
 - 3 x Slotted (4mm – 6mm)
- 7 x 50mm Screwdriver Bits
 - 3 x Philips (PH1 – PH3)
 - 1 x Pozidrive (PZ2)
 - 3 x Slotted (4mm – 6mm)
- 1 x Quick Change Chuck
- 3 x Masonry Drill Bits (Hex Shank)
 - 1 x 5mm, 2 x 6mm
- 1 x 80mm Stubby Screw Guide
- 4 x HSS Drill Bits (2 – 5mm)

Art.-No.: 5132002253
 EAN Code: 4892210113368

RAK59SD

59 Piece Screwdriver Set



Contains

- 37 x 25mm Screwdriver Bits
 - 1 x Philips #0, 2 x Philips #1, 3 x Philips #2, 2 x Philips #3,
 - 2 x Pozidrive #0, 3 x Pozidrive #1, 4 x Pozidrive #2, 2 x Pozidrive #3,
 - 1 x Slotted #4, 1 x Slotted #5, 1 x Slotted #6, 1 x Slotted #7,
 - 1 x Hex 2, 1 x Hex 3, 1 x Hex 4, 1 x Hex 5, 1 x Hex 6,
 - 2 x Torx® #10, 3 x Torx® #15, 2 x Torx® #20, 2 x Torx® #25
- 15 x 50mm Screwdriver Bits
 - 1 x Philips #1, 2 x Philips #2
 - 1 x Philips #3, 1 x Pozidrive #1, 3 x Pozidrive #2, 2 x Pozidrive #3,
 - 2 x Torx® #10, 1 x Torx® #15, 1 x Torx® #20, 1 x Torx® #25
- 1 x 60mm Magnetic Bit Holder
- 5 x Nut Drivers
 - 1 x 5mm, 1 x 5,5mm, 1 x 6mm, 1 x 8mm, 1 x 10mm
- 1 x Ratcheting Screwdriver

Art.-No.: 5132002251
 EAN Code: 4892210113399

RAK12DB

12 Piece Drilling Set



Contains

- 6 x HSS Drill Bits
 - 1 x 2,5mm, 1 x 3mm, 1 x 3,5mm, 1 x 4mm, 1 x 4,5mm, 1 x 6mm
- 3 x Masonry Drill Bits
 - 1 x 4mm, 1 x 5mm, 1 x 6mm
- 3 x Wood-boring bradpoint drill bits
 - 1 x 4mm, 1 x 5mm, 1 x 6mm

Art.-No.: 5132002611
 EAN Code: 4892210121349

RAK75MIX

75 Piece Mix Set



Contains

- 8 x HSS Drill Bits
 - 2 x 1mm, 1 x 1,5mm, 1 x 2mm, 1 x 2,5mm, 1 x 3mm, 1 x 3,5mm, 1 x 4mm
- 12 x Masonry Drill Bits
 - 1 x 4mm, 1 x 5mm, 1 x 5,5mm, 3 x 6mm, 1 x 6,5mm, 2 x 7mm, 1 x 8mm, 1 x 10mm, 1 x 12mm
- 12 x Wood-boring bradpoint Drill Bits
 - 3 x 3mm, 3 x 4mm, 2 x 5mm, 1 x 6mm, 1 x 7mm, 1 x 8mm, 1 x 10mm
- 30 x 25mm Screwdriver Bits
 - 1 x Philips #0, 1 x Philips #1, 3 x Philips #2, 1 x Philips #3,
 - 1 x Pozidrive #0, 1 x Pozidrive #1, 3 x Pozidrive #2, 1 x Pozidrive #3,
 - 1 x T-10, 1 x T-15, 1 x T-20, 1 x T-25, 1 x T-30, 1 x T-40,
 - 1 x Hex 4mm, 1 x Hex 5mm, 1 x Hex 6mm,
 - 1 x Slotted 3mm, 1 x Slotted 4mm, 1 x Slotted 5mm, 1 x Slotted 6mm,
 - 1 x Slotted 7mm, 1 x Slotted 8mm, 1 x Square #1, 1 x Square #2, 1 x Square #3,
- 5 x 50mm Screwdriver Bits
 - 1 x Philips #2, 1 x Pozidrive #2, 1 x Slotted 4mm, 1 x Slotted 6mm, 1 x Slotted 8mm
- 6 x Nut Drivers
 - 1 x 5mm, 1 x 6mm, 1 x 7mm, 1 x 8mm, 1 x 10mm, 1 x 12mm
- 1 x Sharpened Countersink
- 1 x Compact Screw Guide
 - 3"/76mm (L)

Art.-No.: 5132002551
 EAN Code: 4892210119322

RAK08SDS**8 Piece SDS-Plus
Masonry Bit Set****Contains**

- 1 x 5mm SDS Bit
- 2 x 5,5mm SDS Bit
- 1 x 6mm SDS Bit
- 1 x 7mm SDS Bit
- 1 x 8mm SDS Bit
- 1 x 10mm SDS Bit
- 1 x 12mm SDS Bit

Art.-No.:	5132002262
EAN Code:	4892210113276

RAK19HSS**19 Piece
HSS Bit Set****Contains**

- 19 x HSS Drill Bits
 1 x 2mm, 2 x 2,5mm, 2 x 3mm,
 2 x 3,5mm, 2 x 4mm, 2 x 4,5mm,
 2 x 5mm, 2 x 6mm, 1 x 7mm,
 1 x 8mm, 1 x 9mm, 1 x 10mm

Art.-No.:	5132002258
EAN Code:	4892210113290

RAK10MB**10 Piece
Masonry Bit Set****Contains**

- 10 x Masonry Drill Bits
 1 x 4mm, 1 x 5mm, 1 x 5,5mm,
 2 x 6mm, 1 x 7mm, 2 x 8mm,
 1 x 9mm, 1 x 10mm

Art.-No.:	5132002260
EAN Code:	4892210113283

RAK08BP**8 Piece
Brad Point Bit Set****Contains**

- 8 x Wood Boring Brad Point Drill Bits (1–10mm)

Art.-No.:	5132002259
EAN Code:	4892210113306

RAK07SB**7 Piece
Spade Bit Set****Contains**

- 7 x Flatwood Spade Bits
 1 x 10mm, 1 x 13mm, 1 x 16mm,
 1 x 20mm, 1 x 22mm, 1 x 25mm,
 1 x 32mm

Art.-No.:	5132002252
EAN Code:	4892210113351

RAK08QRB**10 Piece
Router Bit Set****Contains**

- 1 x ¼" (6,4mm) Straight Cutter
- 1 x ½" (12,7mm) Straight Cutter
- 1 x ¾" (19,05mm) Straight Cutter
- 1 x ½" (12,7mm) Core Box Cutter
- 1 x ¼" (6,4mm) Roundover Cutter
- 1 x ⅜" (9,5mm) Roundover Cutter
- 1 x ½" (12,7mm) Dovetail Cutter
- 1 x ⅝" (3,97mm) Roman Ogee Cutter
- 1 x Allen key
- 1 x ⅜" Bearing Washer

Art.-No.:	5132002255
EAN Code:	4892210113344

RAK06RB

**6 Piece
Recip Blade Kit**



Contains

- 1 x 100mm Thin Recip Saw Blade
Medium-thick metal cutting 14TPI
- 6 x 6" (152mm) Recip Saw Blade
1 x Wood cutting 10TPI,
1 x Metal cutting 24TPI,
1 x Metal cutting 14TPI,
1 x Pruning blade 4-5TPI
1 x Universal cutting 10TPI

Art.-No.:	5132002547
EAN Code:	4892210119285

RAK07HS

**7 Piece
Hole Saw Kit**



Contains

- 5 x Hole saws
1 x 1-1/4" (32mm), 1 x 1-1/2" (38mm),
1 x 1-3/4" (45mm), 1 x 2" (50mm),
1 x 2-1/8" (54mm)
- 1 x Mandrel
- 1 x Allen key

Art.-No.:	5132002548
EAN Code:	4892210119292

RAK20JB

**20 Piece
Jigsaw Blade Set**



Contains

- 3 x 75mm Wood Cutting Blades
- 12 x 100mm Wood Cutting Blades
- 5 x 75mm Metal Cutting Blades

Art.-No.:	5132002261
EAN Code:	4892210113320

RAK13MT

**13 Piece Multi Tool
Accessory Set**



Contains

- 1 x Flush Cut Wood /
Metal Blade 3-1/2" (~89mm)
- 1 x 1-1/4" Plunge Cut Wood /
Metal Blade 1-1/8" (~29mm)
- 1 x Scraper Blade
2" (~50mm)
- Sanding Paper (for wood)
3 x Grit 60, 3 x Grit 80, 4 x Grit 120

Art.-No.:	5132002599
EAN Code:	4892210120809

RAK02MT

**2 Piece Multi Tool
Blade Set**



Contains

- 1 x Flush Cut Wood /
Metal Blade 3-1/2" (~89mm)
- 1 x 1-1/4" Plunge Cut Wood /
Metal Blade 1-1/8" (~29mm)

Art.-No.:	5132002595
EAN Code:	4892210120816

RAK10MT

**10 Piece Multi Tool
Sanding Set**



Contains

- Sanding Paper (for wood)
3 x Grit 60, 3 x Grit 80, 4 x Grit 120

Art.-No.:	5132002600
EAN Code:	4892210120823

BSS76A2**2 Piece
3" Sanding Belt Set****Contains**

- 2 x 3" (~76mm) Sanding Belt
1 x Grit 60, 1 x Grit 80

Art.-No.:	5132002596
EAN Code:	4892210120847

BSS100A2**2 Piece
4" Sanding Belt Set****Contains**

- 2 x 4" (~100-102mm) Sanding Belt
1 x Grit 60, 1 x Grit 80

Art.-No.:	5132002601
EAN Code:	4892210120854

RO125A10**10 Piece
125mm Sanding Discs
for Random Orbit
Sanders****Contains**

- 10 x 125mm RO Sanding Disc
2 x Grit 100, 3 x Grit 120,
3 x Grit 240, 2 x Grit 320

Art.-No.:	5132002608
EAN Code:	4892210121257

PB82A2**2 Piece
82mm Planer Blade Set****Contains**

- 2 x 82mm (length) Planer Blade

Art.-No.:	5132002597
EAN Code:	4892210120861

PB50A2**3 Piece
50mm Planer Blade Set****Contains**

- 3 x 50 Replacement Planer Blades
Fits: CPL180M / CPL180MHG

Art.-No.:	5132002602
EAN Code:	4892210120878

RAK03SR**3 Piece
Saw Rail****Contains**

- 3 x Guide Rail Assembly
~408mm (length)
- 2 x Clamp Assembly

Art.-No.:	5132002674
EAN Code:	4892210125071



Batteries and Charger

Model No. Description

Lithium-ion

RBC18LL13	2 x 18V (1.3Ah) Lithium-ion Battery & Super Charger
BPL18151	1 x 18V (1.4Ah) Lithium-ion Compact Battery
BPL18152	2 x 18V (1.4Ah) Lithium-ion Compact Batteries
BLK18151	1 x 18V (1.4Ah) Lithium-ion Compact Battery & Super Charger
BLK18152	2 x 18V (1.4Ah) Lithium-ion Compact Batteries & Super Charger
BPL1820	1 x 18V (2.4Ah) Lithium-ion Battery
BLK1820	1 x 18V (2.4Ah) Lithium-ion Battery & Super Charger
BLK18202	2 x 18V (2.4Ah) Lithium-ion Batteries & Super Charger

Model No. Description

NiCad

BPP1817	1 x 18V (1.7Ah) NiCad Battery
BPP1817M2	2 x 18V (1.7Ah) NiCad Batteries
BCP1817M	1 x 18V (1.7Ah) NiCad Battery & Charger
BCP18172SM	2 x 18V (1.7Ah) NiCad Batteries & Charger

Charger

BCL14181H	18V–14.4V Lithium-ion/NiCad 1 hour Battery Charger
-----------	--

Batteries

Type

Description

Ah

14.4V Lithium-ion Battery

BPL1414	14.4V battery	1.4Ah
---------	---------------	-------

14.4V NiCad Batteries

BPP1417	14.4V battery	1.7Ah
BPP1414	14.4V battery	1.3Ah

Type

Description

Ah

12V Lithium-ion Battery

BPL1220	12V battery	1.2Ah
---------	-------------	-------

12V NiCad Batteries

BPP1213	12V battery	1.3Ah
BPP1217	12V battery	1.7Ah

Blades

Model No. Description

SB254T48A1	254mm 48 tooth TCT Mitre Saw Blade
SB254T24A1	254mm 24 tooth TCT Mitre Saw Blade
SB216T48A1	216mm 48 tooth TCT Mitre Saw Blade
SB216T24A1	216mm 24 tooth TCT Mitre Saw Blade
CSB150A1	150mm circular saw blade (18-tooth, 10mm bore)
CBS170A1	170mm circular saw blade (12-tooth, 20mm bore)
CSB190A1	190mm circular saw blade (18-tooth, 16mm bore)
TSBA1	4" (102mm) tile saw blade
AGDD125A1	125mm diamond disc (22mm bore)
AGDD230A1	230mm diamond cutting disc (22mm bore)
PB82A2	2 pack 82mm planer blades
PB50A2	2 pack 50mm planer blades

Fits Models

EMS254L / ETMS1825HG / ETS1825HG / ETS1525SCHG / ETS1526ALHG / ETS1526HG
EMS254L / ETMS1825HG / ETS1825HG / ETS1525SCHG / ETS1526ALHG / ETS1526HG
EMS216L
EMS216L
LCS180 / RWSL1801
EWS1150RS
EWS1266HG / RWS1250 / RWS1400 / RWS1600
LTS180M
EAG950RB / EAG8512RHG / EAG750RB
EAG2000RS
EPN7582NHG / EPN6082CHG
CPL180MHG

Sanding Accessories

Model No.

Description

Fits Models

SCS10A	10 x assorted sanding sheets	CCC180MHG
SMS30A	30 piece multi sand sheets	EMS180RV
SPS20A	20 piece palm sand sheets	EPS80RS
TSA10	10x assorted 1/2 sheet sanding pads	ESS280RV / ESS200RS

Model No.

Description

Fits Models

BSS76A2	2 pack 3" (75 x 533mm) sanding belt	EBS9576VFHG / EBS9576VFGH / EBS800 / EBS800V
BSS100A2	2 pack 4" (610 x 100mm) sanding belt	EBS1310VFGH

Multi Tool Attachments

Model No.

Description

Fits Models

RAK13MT	13 piece multi tool accessory kit	RMT1201 / RMT1801 / RMT200-S
RAK02MT	2 piece multi tool blade set	RMT1201 / RMT1801
RAK10MT	10 piece multi tool sanding paper set	RMT1201 / RMT1801

Tool Bags

UTB2

Size: 355 x 203 x 279mm

UTB4

Size: 460 x 305 x 305mm

Index

Contents / Key

3

Cordless Power Tools

6–35

One Plus™ 18V Tools

5–19

LCD118022	18V 2-Speed Hammer Drill/Driver	6
CRH1801M	18V SDS-Plus Hammer Drill	6
CRH18011L	18V SDS-Plus Hammer Drill	6
CDA1802M	18V Autoshift 2-Speed Drill/Driver	6
LLCD118022L	18V 2-Speed Hammer Drill/Driver	7
LLCD118021L	18V 2-Speed Hammer Drill/Driver	7
CDC1802M	18V 2-Speed Drill/Driver	7
CDC18021B	18V 2-Speed Drill/Driver	7
CDC18022N	18V 2-Speed Drill/Driver	7
RCD1802M	18V 2 Speed Drill/Driver	8
RCD18021L	18V 2 Speed Drill/Driver	8
RCD18022L	18V 2 Speed Drill/Driver	8
RAD1801M	18V Right Angle Drill	8
RID1801M	18V Impact Driver	8
BIW180M	18V Impact Wrench	9
RWSL1801M	18V Circular Saw with Laser	9
RRS1801M	18V Reciprocating Saw	9
CJS180LM	18V Jigsaw with Laser	10
R18AG-0	18V Angle Grinder	10
LTS180M	18V Tile Saw	10
EMS190DCL	18V Cordless Mitre Saw	11
CRO180MHG	18V 125mm Random Orbit Sander	11
CCC180MHG	18V Corner Sander	11
CPL180MHG	18V Planer	12
RMT1801M	18V Multi Tool	12
RMT18011	18V Multi Tool	12
R18I-0	18V Inflator	13
CCG1801MHG	18V Caulking Gun	13
CHV182M	18V Hand Vac	14
CDR180M	18V MP3 Compatible Radio	14
RFL180M	18V Flashlight	15
P620	18V Speed Sprayer	15
RLT1825LI	18V One Plus™ EasyEdge™ Lithium-ion Line Trimmer	16
OLT1825	18V One Plus™ EasyEdge™ Trimmer	16
RLT1830LI	18V One Plus™ Lithium-ion Line Trimmer	17
OLT1831	18V One Plus™ Line Trimmer	17
RHT1850LI	18V One Plus™ Lithium-ion Hedge Trimmer	17
OHT1851	18V One Plus™ Hedge Trimmer	17
RHT1850XLI	18V One Plus™ Lithium-ion Long Reach Hedge Cutter	18
OHT1850X	18V One Plus™ Long Reach Hedge Cutter	18
RPP1820LI	18V One Plus™ Lithium-ion Pole Saw	18
OPP1820	18V One Plus™ Pole Saw	18
OGS1821	18V One Plus™ Shear & Shrubber	19
OPS1821	18V One Plus™ Pruner	19
OBL1802	18V One Plus™ Blower	19

14,4V Tools

20–23

R14DDE-LL15S	14,4V Drill/Driver	21
LCD14022	14,4V Lithium-ion 2-Speed Drill/Driver	22
CDD14022NF	14,4V NiCad 2-Speed Drill/Driver	22
LLCD14022	14,4V Lithium-ion 2-Speed Drill/Driver	22
LLCD14021	14,4V Lithium-ion 2-Speed Drill/Driver	22
CLCD114022N	14,4V NiCad 2-Speed Drill/Driver	22
LLCD114022	14,4V Lithium-ion 2-Speed Hammer Drill/Driver	23
CLCD114022N	14,4V NiCad 2-Speed Hammer Drill/Driver kit	23
CDD14012N	14,4V NiCad Drill/Driver	23

12V Tools

24–27

R12DD-L13S	12V Lithium-ion 2-Speed Drill/Driver	24
R12DD-LL13S	12V Lithium-ion 2-Speed Drill/Driver	24
RCD12011L	12V Lithium-ion Drill/Driver	25
RCD12012L	12V Lithium-ion Drill/Driver	25
LSDT12022	12V Lithium-ion 2 Speed Drill/Driver	25
LSDT12021	12V Lithium-ion 2 Speed Drill/Driver	25
CSDT12022N	12V NiCad 2 Speed Drill/Driver	25
LSDT1201	12V Lithium-ion Drill/Driver	26
CSDT1202N	12V NiCad Drill/Driver	26
RMT12011L	12V Lithium-ion Multi Tool	26
R12PS-L13S	12V Lithium-ion Sander	27
RRS12011L	12V Lithium-ion Multi Saw	27

TEK4™ & 4V Tools

28–31

RP4530	4V Lithium-ion Noise Suppression Headphones	28
RP4020	4V Lithium-ion Digital Multi-Meter	28
RP4030	4V Lithium-ion Infrared Thermometer	29
RP4003	4V Lithium-ion Self-levelling Plumb/Cross Laser	29
RP4050	4V Lithium-ion Stud Sensor	29
RP4205	4V Lithium-ion Inspection Camera	30
CSD42L	4V Lithium-ion 2-Speed Screwdriver	30
CSD4130GN	4V Lithium-ion Screwdriver with 30 Access.	30
CSD4107BG	4V Lithium-ion Screwdriver	31
CSD40LI	4V Lithium-ion Screwdriver	31
CSD4107	4V Lithium-ion Screwdriver	31

Painting Tools

34–35

SSP100	Corded Speed Sprayer	35
FPR210	Paint Station	35
RAP200	Paint Station Pro	35

Corded Power Tools		36 – 58
EID11002RV	2-Speed Percussion Drill	37
EID1050RS	Percussion Drill	37
EID750RS	Percussion Drill	37
EID600RS	Percussion Drill	38
RPD500-GC	Percussion Drill	38
ERH850RS	SDS-Plus Rotary Hammer Drill	38
ERH710RS	SDS-Plus Rotary Hammer Drill	39
EAG2000RS	230mm (9") Angle Grinder	39
EAG950RB	125mm (5") Angle Grinder	39
EAG950RS	115mm (4½") Angle Grinder	40
EAG8512RHG	125mm (5") Angle Grinder	40
EAG750RB	125mm (5") Angle Grinder	40
EAG750RS	115mm (4½") Angle Grinder	41
EAG600RS	115mm (4½") Angle Grinder	41
EJ700L	680W Jigsaw	41
EJ600	600W Jigsaw	42
EJ500	500W Jigsaw	42
ERS80VHG	800W Reciprocating Saw	42
RWS1600-K	66mm Circular Saw with Laser	43
RWS1400-K	66mm Circular Saw with Laser	43
RWS1250-G	1250W 66mm Circular Saw	44
EWS1150RS	1150W 55mm Circular Saw	44
RMT200-S	Multi Tool	45
ROS300	300W Random Orbit Sander	45
EMS180RV	180W Multi-Pad Sander	46
EPS80RS	80W Palm Sander	46
ESS3215VHG	½ Sheet Sander	46
ESS280RV	½ Sheet Sander	47
ESS200RS	½ Sheet Sander	47
EOS2410NHG	¼ Sheet Palm Sander	47
EBS1310VFHG	100mm (4") Belt Sander	48
EBS9576VFHG	76mm (3") Belt Sander	48
EBS800V	76mm (3") Belt Sander	48
EBS800	76mm (3") Belt Sander	49
EPN7582NHG	750W Planer	49
EPN6082CHG	600W Planer	49
ERT1400RV	6,35mm (¼") 1400W Router	50
ERT2100V	6,35mm (¼") 1400W Router	50
EHG2020LCD	LCD Heat Gun	50
EHG2000	Heat Gun	51
EHT150V	150W Rotary Tool 115pcs	51
EMS254L	254mm Compact Slide Mitre Saw	52
EMS1426LHG	254mm (10") Mitre Saw with Laser	53
EMS216L	216mm Compact Slide Mitre Saw	53
EMS1122LHG	210mm (8¼") Mitre Saw with Laser	54
ECO2335HG	355mm (14") Cut-Off Saw	54
ETMS1825HG	254mm (10") Table Mitre Saw	55
ETS1825HG	254mm (10") Folding Table Saw	55
ETS1525SCHG	254mm (10") Table Saw with Sliding Carriage	55
ETS1526ALHG	254mm (10") Table Saw	56
ETS1526HG	254mm (10") Table Saw	56

EAS10A15	Air Station	56
WS721S	Wet Tile Saw	57
RLS01	Adjustable Leg Stand	57
RLS02	Adjustable Leg Stand	57
RWB01	Folding Work Bench	58
RWB02	Adjustable Folding Work Bench	58
RWB03	Adjustable Metal Folding Work Bench	58

Accessories	59 – 67
--------------------	----------------

A series of horizontal dotted lines for writing notes.

A series of horizontal dotted lines for writing notes, spanning the width of the page.

NEW



RYOBI[®] **DESIGNED TO DO MORE**
ryobitools.eu

2
YEAR
WARRANTY

Dealer stamp:

Ryobi reserve the right to change images, specifications and prices without prior notice. The use of the trademark RYOBI[®] is pursuant to a license granted by Ryobi Limited.
5139000276