

2012

Annual Site Environmental Report for Tonopah Test Range, Nevada and Kauai Test Facility, Hawaii

Prepared by
Sandia National Laboratories
Albuquerque, New Mexico 87185

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U. S. Department of Energy's National Nuclear Security Administration under Contract DE-AC04-94AL85000.

Approved for public release; further dissemination unlimited.

SAND2013-6179P
Unlimited Release
Printed September 2013

Calendar Year 2012 Annual Site Environmental Report for Tonopah Test Range, Nevada & Kauai Test Facility, Hawaii

PRODUCED BY:

Sandia National Laboratories
P.O. Box 5800
Albuquerque, New Mexico 87185-0730

ABSTRACT

Tonopah Test Range (TTR) in Nevada and Kauai Test Facility (KTF) in Hawaii are government-owned, contractor-operated facilities managed and operated by Sandia Corporation (Sandia), a wholly owned subsidiary of Lockheed Martin Corporation. The U.S. Department of Energy (DOE), National Nuclear Security Administration (NNSA), through the Sandia Field Office (SFO), in Albuquerque, New Mexico, administers the contract and oversees contractor operations at TTR and KTF. Sandia manages and conducts operations at TTR in support of the DOE/NNSA's Weapons Ordnance Program and has operated the site since 1957. Washington Group International subcontracts to Sandia in administering most of the environmental programs at TTR. Sandia operates KTF as a rocket preparation launching and tracking facility. This Annual Site Environmental Report summarizes data and the compliance status of the sustainability, environmental protection, and monitoring program at TTR and KTF through Calendar Year 2012. The compliance status of environmental regulations applicable at these sites include state and federal regulations governing air emissions, wastewater effluent, waste management, terrestrial surveillance, Environmental Restoration (ER) cleanup activities, and the National Environmental Policy Act. Sandia is responsible only for those environmental program activities related to its operations. The DOE/NNSA/Nevada Field Office retains responsibility for the cleanup and management of TTR ER sites. Environmental monitoring and surveillance programs are required by DOE Order 231.1B, *Environment, Safety, and Health Reporting* (DOE 2012).

Calendar Year 2012 Annual Site Environmental Report
Sandia National Laboratories, Tonopah Test Range, Nevada &
Kauai Test Facility, Hawaii
Final Approval date: August 2013

Work performed under Contract No. DE-ACO4-94AL85000

Prepared for:
U.S. Department of Energy, National Nuclear Security Administration
Sandia Field Office, Albuquerque, New Mexico

Prepared by:
Sandia Corporation, Albuquerque, New Mexico
ES&H and Emergency Management Center

ACKNOWLEDGMENTS

We wish to thank the following individuals who provided their time and expertise assisting in the production of the TTR and KTF annual reports:

PROJECT COORDINATOR

Rebecca Sanchez (Sandia)

DOE PROJECT LEAD/TECHNICAL REVIEWER

Karen Agogino (DOE/NNSA/SFO)

TECHNICAL REVIEWER

Mark Miller (Sandia)

STATISTICS/DATA & PRODUCTION SUPPORT

Susan Gorman (SSA)

WORD PROCESSING/PRODUCTION SUPPORT

Nancy White (SSA)

CONTRIBUTING AUTHORS

<i>Avery, Penny</i>	<i>Eckstein, Joanna</i>	<i>Martinez, Reuben</i>	<i>Ricketson, Sherry</i>
<i>Bailey-White, Brenda</i>	<i>Evelo, Stacie</i>	<i>Mauser, Joseph</i>	<i>Roma, Charles</i>
<i>Bayliss, Linda</i>	<i>Forston, William</i>	<i>Mayeux, Lucie</i>	<i>Salinas, Stephanie</i>
<i>Bonaguidi, Joseph</i>	<i>Herring III, Allen</i>	<i>Miller, Mark</i>	<i>Sanchez, Rebecca</i>
<i>Catechis, Christopher</i>	<i>Lantow, Tiffany</i>	<i>Payne, Jennifer</i>	<i>Ullrich, Rebecca</i>
<i>duMond, Michael</i>	<i>Little, Bonnie</i>	<i>Reiser, Anita</i>	<i>Wood, Craig</i>

NOTE TO THE READER

The goals for the TTR and KTF Annual Site Environmental Reports are to present summary environmental performance, compliance with environmental standards and requirements, and to highlight significant facility programs. In addition, the U.S. Department of Energy views this document as a valuable tool for maintaining a dialogue with our community about the environmental health of these sites.

We are striving to improve the quality of the contents as well as include information that is important to you. Please provide feedback, comments, questions, or requests for copies of this report and/or appendices to:

U.S. Department of Energy
National Nuclear Security Administration
Sandia Site Office
P.O. Box 5400
Albuquerque, NM 87185-5400
Attention: Karen Agogino

The TTR and KTF Annual Site Environmental Reports can be found at the following website:
<http://www.sandia.gov/news/publications/environmentall/index.html>

This page intentionally left blank.

Acronyms and Abbreviations	vii
TTR & KTF Executive Summary.....	S-1
1.0 TTR Introduction	1-1
1.1 TTR History and Operations	1-2
1.2 Site Description and Demographics.....	1-4
1.3 Regional Geology, Hydrology, Climate, and Fauna	1-5
1.4 Clean Slates and Double Track Sites.....	1-7
2.0 TTR Compliance Summary.....	2-1
2.1 Compliance Status with Federal Regulations	2-1
2.1.1 Comprehensive Environmental Response, Compensation, and Liability Act.....	2-1
2.1.2 Emergency Planning and Community Right-to-Know Act	2-1
2.1.3 Resource Conservation and Recovery Act	2-4
2.1.4 Federal Facility Compliance Act	2-4
2.1.5 Clean Air Act and CAA Amendments of 1990.....	2-4
2.1.6 Wastewater	2-5
2.1.7 Safe Drinking Water Act.....	2-5
2.1.8 Toxic Substances Control Act.....	2-5
2.1.9 Federal Insecticide, Fungicide, and Rodenticide Act	2-6
2.1.10 National Environmental Policy Act	2-6
2.1.11 Endangered Species Act	2-6
2.1.12 Migratory Bird Treaty Act	2-6
2.1.13 Cultural Resources Acts	2-9
2.1.14 Environmental Compliance Executive Orders.....	2-9
2.1.15 DOE Directives	2-10
2.1.16 Quality Assurance	2-10
2.2 2012 Audits.....	2-10
2.3 2012 Issues and Actions for TTR	2-12
2.4 Environmental Permits.....	2-12
2.5 Occurrence Reporting	2-12
3.0 TTR Environmental Programs Information	3-1
3.1 Environmental Restoration Activities	3-1
3.2 Waste Management Programs	3-2
3.3 Spill Prevention Control and Countermeasures Plan	3-7
3.4 National Environmental Policy Act Program.....	3-8
3.5 Environmental Monitoring Performed By Outside Agencies	3-8
3.6 Summary of Release Reporting.....	3-9
4.0 TTR Terrestrial, Ecological Surveillance, Air, and Water Quality.....	4-1
4.1 Terrestrial Surveillance	4-1
4.1.1 Program Objectives.....	4-1
4.1.2 Regulatory Standards and Comparisons.....	4-1
4.1.3 Statistical Analyses	4-2
4.1.4 Sampling Locations.....	4-3
4.1.5 Radiological Parameters and Results	4-3
4.1.6 Non-Radiological Parameters and Results	4-9
4.2 Water Monitoring	4-9
4.2.1 Production Well Monitoring.....	4-9
4.2.2 Water Conservation.....	4-12
4.2.3 Sewage System and Septic Tank Monitoring.....	4-12
4.2.4 Storm Water Monitoring.....	4-13

4.3	Radiological Air Monitoring.....	4-13
4.4	Non-Radiological Air Emissions	4-14
5.0	2012 ASER for the Kauai Test Facility.....	5-1
5.1	Facilities and Operations	5-1
5.2	2012 Rocket Launches.....	5-3
5.3	Demographics	5-3
5.4	Compliance Summary	5-3
5.5	Environmental Program Activities	5-12
5.6	Environmental Surveillance and Monitoring Activities	5-13
5.7	Terrestrial Surveillance	5-14
6.0	TTR & KTF REFERENCES.....	6-1
7.0	GLOSSARY.....	7-1
	Distribution.....	Dist-1

NOTE: *Appendices are located on the CD that is affixed to the back cover of this report.*

APPENDIX A	2012 TTR Sampling Location Maps	See attached CD
APPENDIX B	2012 TTR Terrestrial Surveillance Results.....	See attached CD
APPENDIX C	2012 TTR Wastewater Sampling Results	See attached CD
APPENDIX D	2012 KTF Sampling Location Maps.....	See attached CD
APPENDIX E	2012 KTF Terrestrial Surveillance Results.....	See attached CD

FIGURES

1-1	Location of the Tonopah Test Range (TTR), Within the Boundaries of the Nevada Test and Training Range (NTTR), Nevada.	1-3
1-2	Soils project monitoring stations at Tonopah Test Range are located at the Range Operations Center (400), Clean Slate 1 (402), and Clean Slate 3 (401).....	1-8
1-3	Station 400 is located near the Tonopah Test Range, Range Operations Center.....	1-10
1-4	Station 401 includes two solar powered air particulate samplers mounted on a trailer for mobility and is positioned on the north fence of Clean Slate 3.....	1-13
1-5	The Station 401 portable meteorological tower and instrumentation are located on the fence on the north side of Clean Slate 3.....	1-13
1-6	Station 402 consists of a trailer mounted solar powered air sampler and a portable meteorological tower located on the north fenceline at Clean Slate 1.....	1-14
1-7	Wind speed and PM ₁₀ trend for Stations 400, 401, and 402 for January 1 through December 31, 2012.....	1-15
1-8	Wind speeds and PM ₁₀ concentrations during a significant wind storm event at TTR Station 401, February 25 and 26, 2012	1-15
1-9	Wind speeds and PM ₁₀ concentrations during a significant wind storm event at TTR Station 402, February 25 and 26, 2012	1-16
4-1	Historical Plutonium-239 and Americium-241 at TTR S-51	4-7
4-2	Tonopah Test Range TLD Exposure, 2000-2012.....	4-8
5-1	Map of the Pacific Missile Range Facility (PMRF) and the Adjacent Area	5-2

TABLES

1-1	Project Roller Coaster Test Information	1-9
1-2	Gross Alpha Results for TTR Sampling Stations 2012.....	1-11
1-3	Gross Beta Results for TTR Sampling Stations 2012	1-11
2-1	Major Environmental Regulations & Statutes Applicable to TTR	2-2
2-2	2012 SARA Title III (or EPCRA) Reporting Requirements Applicable to TTR	2-3
2-3	Protected Species Potentially Occurring in Nye County, Nevada	2-7
2-4	Summary of Environmental Audits Performed at TTR During Calendar Year 2012 ..	2-11
2-5	Summary of Permits at TTR During Calendar Year 2012.....	2-13
3-1	NNSA/NFO ER Project TTR CAUs and CASs 2012 Status	3-3
3-2	Recycled or Energy-Recovered Quantities Shipped Off-Site During Calendar Year (CY) 2012.....	3-7
4-1	Decision Matrix for Determining Priority Action Levels	4-2
4-2	On-Site Terrestrial Surveillance Locations at TTR..	4-4
4-3	Off-Site Terrestrial Surveillance Locations at TTR	4-5
4-4	Perimeter Terrestrial Surveillance Locations at TTR	4-5
4-5	Summary Statistics for TTR Soil Locations From Calendar Year (CY) 2000 - 2012	4-6
4-6	Summary Statistics for TTR Soil Locations Noted as Priority-1.....	4-7
4-7	Summary Statistics for TTR TLDs by Location Class, 2000 – 2012.....	4-8
4-8	Summary Statistics for Soil Locations Noted as Priority-2	4-9
4-9	Various Reference Values for Metals in Soil.....	4-10
4-10	Routine Production Well Monitoring at TTR	4-11
4-11	Calculated Dose Assessment Results for On-Site Receptor at TTR.....	4-14
5-1	Major Environmental Regulations & Statutes Applicable to KTF.....	5-4
5-2	Permits in Place at KTF.....	5-4
5-3	2012 SARA Title III (or EPCRA) Reporting Requirements Applicable to KTF.....	5-5
5-4	Threatened and Endangered Species Potentially Occurring on KTF	5-7
5-5	Summary Statistics of KTF Metals in Soil	5-15
5-6	On-Site Terrestrial Surveillance Locations at KTF	5-16
5-7	Off-Site Terrestrial Surveillance Locations at KTF	5-17
5-8	Summary Statistics for Metals that Showed a Statistical Differenc Between Community and On-Site Location Types	5-17
5-9	Reference Values for Various Metals-in-Soil	5-18
6-1	State of Nevada Administrative Code (NAC) Applicable to the TTR	6-7

This page intentionally left blank.

Acronyms and Abbreviations

A	ASER	Annual Site Environmental Report
	AST	aboveground storage tank
B	BLM	Bureau of Land Management
	BMP	best management practice
C	CAA	Clean Air Act
	CAS	Corrective Action Site
	CAU	Corrective Action Unit
	CEMP	Community Environmental Monitoring Program
	CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
	CFR	Code of Federal Regulations
	CY	Calendar Year
D	DOD	U.S. Department of Defense
	DOE	U.S. Department of Energy
	DRI	Desert Research Institute
E	EA	environmental assessment
	EIS	environmental impact statement
	EMS	Environmental Management System
	EO	Executive Order
	EPA	Environmental Protection Agency
	EPCRA	Emergency Planning and Community Right-to-Know Act
	ER	Environmental Restoration
	ESA	Endangered Species Act
ES&H	Environment, Safety, and Health	
F	FFCA	Federal Facility Compliance Act
	FFACO	Federal Facility Agreement and Consent Order
	FIDLER	Field Instrument for the Detection of Low-Energy Radiation
	FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
G	GOES	Geostationary Operational Environmental Satellite
	GPS	Global Positioning System
H	HAP	hazardous air pollutant
	HAR	Hawaii Administrative Rules
I	ISMS	Integrated Safety Management System
	ISO	International Organization for Standardization
K	KTF	Kauai Test Facility
L	LOB	Launch Operations Building

M	MBAS	methylene blue active substances
	MBTA	Migratory Bird Treaty Act
	MCL	maximum contaminant level
	MCLG	Maximum Contaminant Levels Goals
	MDA	Missile Defense Agency
	MEI	maximally exposed individual
	MOA	Memorandum of Agreement
	MSDS	Material Safety Data Sheet
MST	Missile Service Tower	
N	NAFB	U.S. Nellis Air Force Base
	NEPA	National Environmental Policy Act
	NESHAP	National Emission Standards for Hazardous Air Pollutants
	NDEP	Nevada Division of Environmental Protection
	NFO	Nevada Field Office
	NNSA	National Nuclear Security Administration
	NNSS	Nevada National Security Site
	NPDES	National Pollution Discharge Elimination System
	NPL	National Priorities List
	NTTR	Nevada Test and Training Range
NWHR	Nevada Wild Horse Range	
O	OCC	Operations Control Center
P	PA	Preliminary Assessment
	PCB	polychlorinated biphenyl
	pH	potential of hydrogen
	PIC	pressurized ion chamber
	PM	particulate matter
	PM ₁₀	respirable particulate matter (diameter equal to or less than 10 microns)
PMRF	Pacific Missile Range Facility	
Q	QA	Quality Assurance
R	RCRA	Resource Conservation and Recovery Act
	ROC	Range Operations Center
S	Sandia	Sandia Corporation
	SARA	Superfund Amendments and Reauthorization Act
	SDWA	Safe Drinking Water Act
	SFO	Sandia Field Office
	SHPO	State Historic Preservation Office
	SNL	Sandia National Laboratories
	SNL/NM	Sandia National Laboratories, New Mexico
	SNL/TTR	Sandia National Laboratories, Tonopah Test Range
SWEIS	Site-Wide Environmental Impact Statement	
T	TAL	target analyte list

	TLD	thermoluminescent dosimeters
	TRI	Toxic Release Inventory
	TSCA	Toxic Substances Control Act
	TTR	Tonopah Test Range
U	USAF	U.S. Air Force
	USN	U.S. Navy
	UST	underground storage tank
V	VOC	volatile organic compound
W	WRCC	Western Regional Climate Center

Units of Measure / Radioactivity Measurements

Ci/m ³	curies per cubic meter
°C	degrees Celsius
°F	degrees Fahrenheit
ft	feet
gal	gallons
kg	kilograms
kW	kilowatt
lb	pounds
mg/kg	milligrams per kilogram
mg/L	milligrams per liter
mph	miles per hour
mrem/year	millirems per year
pCi/g	picocuries per gram
ppb	parts per billion
ppm	parts per million
μCi/mL	microcuries per milliliter
μg/m ³	micrograms per cubic meter

This page intentionally left blank.

TTR & KTF Executive Summary

Sandia Corporation (Sandia), a wholly owned subsidiary of Lockheed Martin Corporation manages and operates the Tonopah Test Range (TTR) in Nevada and the Kauai Test Facility (KTF) in Hawaii for the U.S. Department of Energy (DOE), National Nuclear Security Administration (NNSA). The DOE/NNSA, Sandia Field Office (SFO) administers the contract and oversees contractor operations at the sites.

This Annual Site Environmental Report (ASER) was prepared in accordance with and as required by:

- DOE Order 231.1B, *Environment, Safety, and Health Reporting* (DOE 2012),
- DOE Order 435.1, Chg 1, *Radioactive Waste Management* (DOE 2001),
- DOE Order 458.1, *Radiation Protection of the Public and the Environment* (DOE 2013), and
- DOE Manual 231.1-2, *Occurrence Reporting and Processing of Operations Information* (DOE 2003).

This ASER summarizes data from environmental protection and monitoring programs at TTR and KTF for Calendar Year (CY) 2012. It also covers Sandia's compliance with environmental statutes, regulations, permit provisions, and highlights other significant environmental programs and efforts at TTR and KTF. This report is a key component of Sandia's and DOE's efforts to keep the public informed about environmental conditions throughout the DOE/NNSA complex.

TTR

Sandia conducts operations at TTR in support of the DOE/NNSA's Weapons Ordnance Program. Sandia's activities involve research and development and the testing of weapon components and delivery systems. Many of these activities require a remote testing range with a long flight corridor for air drops and rocket launches. Other activities include explosive tests and gun firings. There were no reportable environmental occurrences in 2012.

Environmental Programs

The following environmental programs are in place at Sandia National Laboratories/Tonopah Test Range (SNL/TTR):

- Waste Management,
- Environmental Restoration (ER) Project,
- Terrestrial Surveillance,
- Water Quality monitoring,
- Air Quality Compliance, and
- National Environmental Policy Act (NEPA).

Waste Management

Waste generated during 2012 at SNL/TTR included hazardous waste regulated by the Resource Conservation and Recovery Act (RCRA) and non-hazardous industrial and sanitary waste. All hazardous waste was shipped to permitted treatment, storage, and disposal facilities. Sandia does not handle waste generated by ER activities.

The Nevada Division of Environmental Protection (NDEP) conducted an audit of TTR's Hazardous Waste Management activities in 2011 and had only positive comment with no findings or recommendations. The NDEP did not inspect TTR's facilities during 2012.

ER Project

ER activities at TTR are conducted through the DOE/NNSA, Nevada Field Office (NFO). ER sites that are scheduled for remediation, or that have been closed at TTR, include areas impacted from target tests and detonations, including non-impacted surface debris and areas impacted by ordnance, depleted uranium, heavy metals, and fuel spills. ER activities in 2012 included site investigations at four sites where radioactive contamination is present on the ground surface. These four sites are known as Double Tracks (located on the NTTR), Clean Slate 1, Clean Slate 2, and Clean Slate 3. The site investigations were conducted in late May and early June. Soil samples were also obtained from each site as confirmation of the concentration and ratio of radioisotopes. The walkover data along with the sample data will be used to support site characterization. Unexploded ordnance items were also identified, global positioning system (GPS)-located, and catalogued for future warning and removal. Waste generated (personal protective equipment) during these activities was removed off-site and disposed at the conclusion of the investigation effort. A quantity of 12 drums from outside the radiological control fence at the Clean Slate 2 site were also removed off-site and disposed.

Other ER activities conducted on the TTR site in 2012 consisted of the annual post-closure inspection of Closed/Use Restricted Industrial Sites. The inspections were conducted in May 2012 and minor repairs to fencing and covers were completed in July 2012. Vegetation monitoring was also conducted at select sites in June 2012.

In addition to the site investigation and annual post-closure inspection activities, routine air sample collection was also conducted throughout the year at various locations on the TTR.

Terrestrial Surveillance

Soil is the only terrestrial medium routinely sampled at TTR. Samples are collected to detect air-deposited pollutants or contaminants transported and deposited as a result of surface water runoff. During 2012, soil samples were collected from 15 off-site, 10 perimeter, and 27 on-site locations.

In 2012, soils were analyzed for radiological and non-radiological constituents. The results showed that continued vigilance for elevated americium-241 is required in 2012 at location S-51, where it continued to be identified as a Priority-1 for americium-241. The location in the "South Plume Area" is expected to have elevated readings. The 2009 higher-than-normal plutonium-239/240 result returned to "historical" levels in 2010, 2011 and 2012, which confirms the "hot particle" theory suggested in 2009.

Non-radiological monitoring of target analyte list (TAL) metals for soil samples was conducted at 13 on-site sentinel locations, which identified only one anomalous condition. The only TAL metal that exhibited a Priority-2 condition (higher than off-site) was location S-09 (as in 2011) for cobalt. Cobalt is not a potential contaminant of concern at TTR and is assumed to represent natural background at this location. A summary report for non-radiological constituents collected between 1994 and 2005 was prepared, analyzed, and published in a summary report (SNL 2006) which was included in the *Calendar Year 2007 Annual Site Environmental Report for TTR, Nevada and KTF, Hawaii* (SNL 2008a).

Water Monitoring

Sandia's wastewater discharges did not negatively impact the U.S. Air Force-held National Pollutant Discharge Elimination System permit in 2012.

The public water system at TTR is permitted by the NDEP as a non-transient, non-community water system under the identification number NV003014. Production Well 6 supplies potable water for the TTR Area 3 Drinking Water Distribution System and the Area 3 Fire Protection Water Distribution System. The well water is routinely sampled and analyzed per the requirements of the NDEP to demonstrate conformance with primary drinking water standards.

A Sanitary Survey of the TTR public water system was conducted in 2011 by NDEP. Most comments were favorable, and there were no findings identified during the survey.

In 2012, all well sample results were below the maximum contaminant levels (MCLs) established for the substances monitored. However, the "trigger" level of 0.5 parts per billion (ppb) was exceeded for ethylbenzene and total xylene in 2011. Additional samples collected in 2012 indicate that results are reliably and consistently below the MCL.

TTR has a NDEP-permitted treatment system for arsenic removal (Permit Number NV-3014-TP-11-12NTNC). The arsenic removal system has performed very well since coming back on-line with the carbon dioxide (potential of hydrogen [pH] adjustment) system in June of 2008. All samples collected during the year were from 2 ppb to 6 ppb for arsenic, averaging 3 ppb, the MCL regulatory limit is set at 10 ppb.

Air Quality Compliance

Radiological air emissions are regulated by National Emission Standards for Hazardous Air Pollutants. The only radionuclide sources at TTR are the three Clean Slate sites, which are sources of diffuse radionuclide emissions as a result of the re-suspension of contaminated soils. These sites are currently being addressed by DOE/NNSA/NFO under the ER Project. The calculated dose for the maximally exposed individual was 0.024 millirems per year (mrem/yr), which is approximately 400 times less than the 10 mrem/yr standard set by the U.S. Environmental Protection Agency (EPA). Based on this value, an annual dose assessment is not required to be calculated for the TTR site.

TTR's Class II Air Quality Permit requires emission reports from significant non-radionuclide sources. At TTR, these sources include a portable screen, multiple generators and maintenance shop activities.

NEPA

At TTR, NEPA compliance is coordinated between personnel from TTR, Sandia National Laboratories, New Mexico (SNL/NM), and the DOE/NNSA/SFO. The SNL/NM NEPA Team completed three DOE NEPA checklists for TTR that were transmitted to the DOE/NNSA/SFO for review and determination in 2012.

The DOE/NNSA has prepared a Site-Wide Environmental Impact Statement (SWEIS) for the continued operation of activities at the Nevada National Security Site (NNSS) and certain off-site locations (e.g., the Nevada Test and Training Range [NTTR]) where TTR is located. During CY 2012, DOE personnel held public meetings and reviews of the SWEIS for TTR. Personnel from the DOE/NNSA/SFO, TTR, and the SNL/NM NEPA Team supported ongoing NNSS SWEIS data calls and reviews for TTR.

KTF

KTF is operated by Sandia as a rocket preparation, launching, and tracking facility for DOE/NNSA, as well as providing support of other U.S. military agencies. KTF exists as a facility within the boundaries of the U.S. Department of Defense, Pacific Missile Range Facility (PMRF). KTF is located on the island of Kauai at the north end of the PMRF near Nohili Point; it has been used as an active rocket launching facility since 1962.

The EPA recommended continued reevaluation for environmental contamination due to past ordnance activity near the site. Rocket exhaust continues to be the main source of metals and other non-reportable air emission releases. Sandia addresses EPA's recommendation by collecting environmental soil samples for TAL metal analysis every five years.

Environmental Programs

The following environmental programs are in place at KTF:

- NEPA,
- Water quality monitoring,
- Air Emission Monitoring,
- Terrestrial Surveillance, and
- Waste Management.

NEPA

At KTF, NEPA compliance is coordinated between personnel from KTF, SNL/NM, and the DOE/NNSA/SFO. The SNL/NM NEPA Team completed three DOE NEPA checklists for KTF that were transmitted to the DOE/NNSA/SFO for review and determination in 2012.

In CY 2012, personnel from Sandia began working on the Environmental Baseline Survey for divestiture of the Mount Haleakala, Hawaii facility. Sandia staff is assisting the DOE to determine the final disposition of the facility located on the peak of Mount Haleakala on the island of Maui. The facility has been a Sandia National Laboratories facility since 1962 for telemetry operations to provide high-altitude tracking for tests conducted from KTF.

Water Quality Monitoring

In 2012, there were no compliance issues with respect to any state or federal water pollution regulations at KTF.

Drinking water at KTF is obtained through local facilities and suppliers. No wells provide drinking water at the site.

The limited quantity of sanitary sewage released at the facility does not impact any protected waters; no state inspections were conducted during 2012. As a best management practice, Sandia periodically performs sampling. No contaminants were identified above the reporting limits from past sampling events.

Air Emissions Monitoring

Sandia was in compliance with all air quality regulations in 2012. The State of Hawaii requires an Annual and Semi-Annual Monitoring Report for air emissions. The Semi-Annual report for the first half of CY 2012 was submitted to the State of Hawaii in July 2012. The CY 2012 Annual Monitoring Report for air emissions was submitted to the State of Hawaii in February 2013.

For the period of January 1, 2012 through June 30, 2012, the total fuel usage from activities that was reported to the State of Hawaii was 15,952 gallons (gal) of diesel fuel. The highest total hours of operation for the permitted generators in a rolling 6-month period during the first half of CY 2012 was 2,491 hours. For the period of February 1, 2011 through January 31, 2012, the total fuel usage from activities that was reported to the State of Hawaii was 19,730 gal of diesel fuel.

Terrestrial Surveillance

Terrestrial surveillance is conducted every five years at KTF. Sampling conducted in 2012 confirmed that KTF operations made no detectable environmental impact.

Waste Management

Sandia generates some hazardous waste through normal operations at KTF, is classified as a small quantity generator, and follows applicable RCRA requirements.

This page intentionally left blank.

TTR Introduction

Sandia Corporation (Sandia), a wholly owned subsidiary of Lockheed Martin Corporation, manages and operates the Tonopah Test Range (TTR) in Nevada for the U.S. Department of Energy (DOE), National Nuclear Security Administration (NNSA). TTR is owned by DOE/NNSA and overseen by the DOE/NNSA, Sandia Field Office (SFO) in Albuquerque, New Mexico.

TTR is located on approximately 280 square miles (179,200 acres) of withdrawn land permitted from the U.S. Air Force (USAF) within the boundaries of the Nevada Test and Training Range (NTTR) and is used to support DOE/NNSA and USAF activities and missions. Navarro Research and Engineering performs or supports most environmental program functions on behalf of Sandia, including environmental media sampling, wastewater effluent and drinking water monitoring, water treatment, spill response, and waste management operations. Navarro also supports TTR during tests by operating optics equipment and recovering test objects.

This Annual Site Environmental Report (ASER) is prepared in accordance and as required by:

- DOE Order 231.1B, *Environment, Safety, and Health Reporting* (DOE 2012),
- DOE Order 435.1, Chg 1, *Radioactive Waste Management* (DOE 2001),
- DOE Order 458.1, *Radiation Protection of the Public and the Environment* (DOE 2013), and
- DOE Manual 231.1-2, *Occurrence Reporting and Processing of Operations Information* (DOE 2003).

This ASER summarizes data from environmental protection and monitoring programs at TTR during Calendar Year (CY) 2012. It also discusses Sandia's compliance with environmental statutes, regulations, permit provisions, and other significant environmental activities. The environmental programs summarized here include waste management, air, water, terrestrial monitoring and surveillance, the Environmental Restoration (ER) Project, and the National Environmental Policy Act. DOE Order 231.1B, *Environment, Safety, and Health Reporting*, specifies the requirements for environmental monitoring conducted at and around the TTR site. This ASER is an important component of DOE's and Sandia's efforts to keep the public informed about environmental conditions at DOE/NNSA facilities.

Sandia's strategy for managing and implementing its Environment, Safety, and Health Program is described in the Integrated Safety Management System (ISMS). The ISMS is structured around five safety management functions and provides processes to guide line management in identifying and controlling hazards. Sandia is utilizing an Environmental Management System (EMS) as an enhancement of the ISMS. The EMS is that part of the ISMS that addresses the environmental consequences of Sandia activities, products, and services. On December 2, 2005, Sandia informed the DOE/NNSA/SFO that it had fully implemented an EMS in accordance with the requirements outlined in DOE Order 231.1B. Since 2006, Sandia has continued working to improve environmental management based on best management practices, benchmarking, and process improvements. In December 2011, an assessment was conducted at TTR to determine the extent of implementation of the International Organization for Standardization (ISO) 14001 EMS standard, based on the potential

to expand the scope of the existing SNL/NM ISO14001 certification to include TTR. Results of the assessment continue to be evaluated for potential expansion of the SNL/NM ISO14001 certification to include TTR.

1.1 TTR History and Operations

In 1940, President Franklin Delano Roosevelt withdrew approximately 5,000 square miles of federal land in Nevada to establish the Las Vegas Bombing and Gunnery Range (now referred to as NTTR), which is part of the U.S. Nellis Air Force Base (NAFB).

Before acquiring TTR in 1956, Sandia used three other ranges: the Los Lunas (Kirtland airfield's practice bombing range), Salton Sea Test Base, and Yucca Flat test sites. TTR was selected as a test range after these facilities became inadequate. The atmosphere at Salton Sea Test Base became permeated with haze, which limited visibility and hampered photography in the mid 1950's. Nevada's Yucca Flat site also became inadequate due to the increasing emphasis on low-altitude approaches and deliveries that required flat terrain and a long approach corridor.

The TTR site is located in the northwest corner of the (then) Las Vegas Bombing and Gunnery Range. A land use permit from the USAF was obtained in 1956 and TTR became operational to test new weapon systems in 1957. The facilities built at TTR were designed and equipped to gather data on aircraft-delivered inert test vehicles under U.S. Atomic Energy Commission (AEC) cognizance (now DOE). As technologies changed, the facilities and capabilities at TTR were expanded to accommodate tests related to DOE/NNSA's Weapons Ordnance Program.

The NAFB Complex includes several auxiliary small arms ranges and the NTTR, which is divided into the North Range and the South Range (Figure 1-1).

The Nevada National Security Site (NNSS), formerly known as the Nevada Test Site, is located between these two ranges. The entire NAFB Complex is comprised of approximately three million acres. TTR is located 32 miles southeast of Tonopah, Nevada. In April 2002, a Land Use Permit was signed between the USAF and NNSA entitled, "Department of the Air Force Permit to the National Nuclear Security Administration to Use Property Located on the Nevada Test and Training Range, Nevada" (USAF/DOE/NNSA 2002). The current size of TTR is now approximately 280 square miles (179,200 acres). Prior to the April 2002 lease agreement, the footprint was 335,655 acres.

TTR Site Characteristics

The topography at TTR is characterized by a broad, flat valley bordered by two north and south trending mountain ranges: the Cactus Range to the west (occurring mostly within the boundaries of TTR) and the Kawich Range to the east. Cactus Flat is the valley floor where the main operational area of TTR is located. An area of low hills outcrops in the south. Elevations range from 5,347 feet (ft) at the valley floor to 7,482 ft at Cactus Peak. The elevation of the town of Tonopah is 6,030 ft.

TTR Activities

Principal DOE activities at TTR are flight test airdrops of joint DOE, U.S. Department of Defense test units. Sandia National Laboratories, Tonopah Test Range (SNL/TTR), on a secondary basis, also supports test activities of other federal agencies under the Work for Others Program. No nuclear devices are tested at TTR.




FIGURE 1-1. Location of the Tonopah Test Range (TTR), Within the Boundaries of the Nevada Test and Training Range (NTR), Nevada.

Current DOE activities at TTR include:

- Air Drop Operations (Test Units Dropped from Aircraft),
- Explosives Operations (Render-Safe, Handling, Transporting and Storage of Explosives), and
- Missile Operations (Ground and Air Launched Missiles).

These activities require a remote range for both public safety and to maintain national security. The majority of test activities at TTR occur within Cactus Flat, a valley with almost no topographical relief flanked by mountains and hills.

Operations Control Center (OCC)

The OCC is a four story structure that affords a 360 degree view of the site. Personnel at the OCC including the Test Director, Test Project Engineer, Camera Controller, and Range Communicator operate the consoles and control and coordinate all test-related activities during test operations.

TTR is instrumented with a wide array of signal tracking equipment that includes video, high-speed cameras, and radar tracking devices that are used to characterize ballistics, aerodynamics, and parachute performance of Test Units.

Environmental Restoration

The ER Project at TTR was initiated in 1980 to address contamination resulting primarily from nuclear weapons testing and related support activities. In late 1992 and early 1993, an agreement was reached between DOE Headquarters and the Albuquerque and Nevada field offices to designate responsibility for all ER sites to DOE's Nevada Field Office (NFO). The NNSA was established in 2000. Today, responsibility for all ER sites still resides with the NNSA/NFO. However the environmental program management of TTR as discussed in this ASER, is a joint effort between SNL/TTR and Sandia National Laboratories, New Mexico (SNL/NM) employees and contractors, with oversight from DOE/NNSA/SFO.

1.2 Site Description and Demographics

TTR is located within the NTTR at its northwestern boundary. The area north of the TTR boundary is comprised of sparsely populated public lands jointly administered by the U.S. Bureau of Land Management (BLM) and the U.S. Forest Service. Cattle graze this land in the winter and spring. There also is a substantial irrigated farming operation north of the range. TTR also lies within a portion of the Nevada Wild Horse Range (NWHHR) herd area, which is administered by BLM.

The nearest residents are located in the towns of Goldfield, Nevada (2010 Census population 268) and Tonopah, Nevada (2010 Census population 2,478). Census data indicates a net resident loss of 550 people from the towns of Goldfield (loss of 88 residents) and Tonopah (loss of 462 residents) between the 2000 Census and the 2010 Census. Goldfield is located approximately 22 miles southwest of the site boundary. Las Vegas, Nevada is approximately 140 miles southeast of TTR. The total population within the 50-mile radius around TTR is approximately 6,450, which includes the potential population at TTR if all housing units at the site were occupied.

1.3 Regional Geology, Hydrology, Climate, and Fauna

Geology

The regional area around TTR is located in the western part of the Basin and Range geophysical province. This area is marked by horst and graben topography, a system of mountains and down-dropped fault valleys formed through regional extension. TTR lies northeast of the Walker Lane, a zone of transcurrent faulting and shear, and the Las Vegas Valley shear zone to the southeast (Sinnock 1982).

The Cactus Range to the west of TTR is the remnant of a major volcanic center consisting of relatively young (six-million year old) folded and faulted tertiary volcanics. This range is one of at least five northwest trending, raised structural blocks that lie along the Las Vegas Valley/Walker Lane lineaments (ERDA 1975).

Surface Water

Drainage patterns within and near TTR are intermittent (ephemeral stream channels) and end in closed basins. Ephemeral streams occasionally carry spring runoff to the center of Cactus Flat where there is a string of north-south trending dry lakebeds; however, due to the high rate of evaporation, little is recharged to the groundwater (DRI 1991).

There are several small springs within the Cactus and Kawich Ranges. Three occur within TTR's boundaries: Cactus Springs, Antelope Springs, and Silverbow Springs. Water from these springs does not travel more than several tens of meters before it dissipates through evaporation and infiltration. The effect on the landscape is purely local.

Groundwater

TTR obtains its water from local wells. The U.S. Geological Survey has recorded groundwater depths from 21 to 454 ft at the site. Groundwater is encountered at the Antelope Mine well in the Cactus Range at 21 ft and at the EH2 well near the TTR Airport at 454 ft. The depth to groundwater at the Area 9 well, located near the northern end of the site, is approximately 131 ft. The static water level at the main water supply well for Area 3 (Well 6) is approximately 350 ft.

Climate

The climate at TTR is typical of high desert, mid-latitude locations, with large diurnal and seasonal changes in temperature and little total rainfall. Temperature extremes at the test range vary from highs near 40 degrees Celsius (°C) 104 degrees Fahrenheit (°F) in summer, with lows approaching -30 °C (-22 °F) in winter. July and August are the hottest months with highs generally between 32 °C to 37 °C (90s °F) during the day and dropping to between 10 °C and 15 °C (50s °F) at night. January conditions vary from highs of 5 °C to 10 °C (40s °F) to lows -7 °C to -11 °C (teens °F). An eight year climatology developed from data taken in the 1960s identified the record high of 38.8 °C (102 °F) with a record low of -31 °C (24 °F) (Schaeffer 1970).

Rainfall, though sparse, is dependent on elevation. Annual average rainfall in the desert valley floor is four inches, while in nearby mountains as much as 12 inches occurs (USAF 1999).

Winds are generally from the northwest in winter and early spring, switching to southerly directions during summer. The mountain/valley system channels the wind such that the wind seldom blows from eastern or southwestern directions. Dust storms are common in the spring, when monthly average wind speeds reach 15 miles per hour (mph). During the spring and fall, a diurnal cycle to the wind may occur, bringing northwest winds in the early hours, and shifting to southerly winds by afternoon.

Vegetation

Ecologically, TTR is part of the Central Basin and Range Level III ecoregion as classified by the U. S. Environmental Protection Agency. TTR contains four further discrete, Level IV, ecoregions within its boundaries. Vegetation and each of the Level IV ecoregions on TTR are described below.

- The Lahontan and Tonopah Playas ecoregion occurs at the lowest elevations of TTR. Little to no vegetation grows in this highly alkaline playa ecoregion. At TTR four-wing saltbush (*Atriplex canescens*) grows along the playa edges.
- The surrounding low lying non-playa areas that compose the majority of TTR lands are part of the Tonopah Basin ecoregion. This ecoregion on TTR is dominated by shrubs such as winterfat (*Krascheninnikovia lanata*), shadscale (*Atriplex confertifolia*), spiny hopsage (*Grayia spinosa*) and budsage (*Artemisia spinescens*). Lesser quantities of longspine horsebrush, four-wing saltbush, sagebrush (*Artemisia tridentata*) littleleaf horsebrush (*Tetradymia glabrata*), and snakeweed (*Gutierrezia sarothrae*) shrubs are also common. Indian ricegrass (*Achnatherum hymenoides*) and galleta (*Pleuraphis jamesii*) are frequent grasses found throughout this ecoregion on TTR.
- The Tonopah Sagebrush Foothills ecoregion occurs in the higher elevation mountains on the west side of TTR. Dwarf sagebrush (*Artemisia arbuscula*) is the dominant plant species at the higher elevations of this ecoregion on TTR. Nevada jointfir (*Ephedra nevadensis*) grows along the drainages at all elevations and is a more dominant shrub at the lower elevations of this ecoregions on TTR, along with spiny greasebush (*Glossopetalon spinescens*), spiny hopsage, and budsage shrubs. Joshua tree (*Yucca brevifolia*) and juniper (*Juniperus species*) grow in the transition zone at the base of the mountains.

Wildlife

Wild horses are protected in Nevada and their populations are monitored and managed. Though wild horses compete with livestock and wildlife for limited forage, their presence is tolerated because they are associated with regional national heritage. The NWHR comprises an area of 1,301,628 acres (2,034 square miles) and encompasses a significant portion of the Northern NTTR with herds common in Cactus and Gold Flats, Kawich Valley, Goldfield Hills, and the Stonewall Mountains. The BLM has published Appropriate Management Levels, (BLM's estimate of the maximum number of animals that are sustainable in a specific Herd Management Area), for the NWHR at 500 wild horses (BLM 2011).

Other mammals common to the area include pronghorn (*Antilocapra americana*), mule deer (*Odocoileus hemionus*), kit fox (*Vulpes macrotis*), bobcat (*Lynx rufus*), coyote (*Canis latrans*), and gray fox (*Urocyon cinereoargenteus*). To a lesser extent, bighorn sheep (*Ovis canadensis*), mountain lion (*Felis concolor*), and wild burro (*Equus asinus*) are also present (USAF 1999, DRI 1991).

Horned larks (*Eremophila alpestris*) are prevalent throughout the Tonopah Basin ecoregion on TTR. Other common breeding bird species in this ecoregion include yellow warbler (*Dendroica petechia*), brewer's sparrow (*Spizella breweri*), and black-throated sparrow (*Amphispiza bilineata*). Birds commonly found in association with water sources at TTR in this ecoregion include Bullock's oriole (*Icterus bullockii*), common yellowthroat (*Geothlypis trichas*), and mourning dove (*enaida macroura*), Wilson's warbler (*Cardellina pusilla*). The common raven (*Corvus corax*) is a common year-round resident.

Chukar (*Alectoris chukar*), rock wren (*Salpinctes obsoletus*), and Northern mockingbird (*Mimus polyglottos*) are bird species found in association with the higher elevation Tonopah Sagebrush Foothills ecoregion.

In general, the NTTR land withdrawal has had a positive effect on local plant and animal life. Since much of the withdrawal area is undisturbed by human activity, large habitat areas are protected from the effects of public use.

1.4 Clean Slates and Double Track Sites

In May and June 1963, Project Roller Coaster conducted a series of four nuclear weapons destruction tests that resulted in plutonium dispersal in surrounding soils. Three of these tests were conducted within the boundaries of TTR, the fourth was conducted on the NTTR just west of TTR. The three Project Roller Coaster test sites at TTR are referred to as Clean Slates 1, 2, and 3 (Figure 1-2). The fourth test site at NTTR is referred to as Double Tracks. In 1996 and 1997, interim corrective actions were performed at Double Tracks and Clean Slate 1. These actions resulted in remediation of the soil contamination to a level of less than or equal to 400 picocuries per gram (pCi/g) of transuranics.

Table 1-1 summarizes test information related to the four Project Roller Coaster sites. DOE/NNSA/NFO is responsible for the remediation of these and all other ER sites at TTR (refer to Chapter 3). Sandia will continue to be responsible for all other environmental compliance at these sites.

In addition to the activities conducted in 1996 at Double Tracks and 1997 at Clean Slate 1, the initial cleanup of each Clean Slate site was conducted shortly after each test. Test-related debris was bladed into a hole at test ground zero and backfilled. An initial fence was built around each test area where the soil contamination was set at approximately 1,000 micrograms per square meter ($\mu\text{g}/\text{m}^2$) of plutonium. The soil survey was conducted on 61-meter grids with a hand-held survey meter, or field instrument, for the detection of low-energy radiation (FIDLER). In 1973, additional outer fences were set at 40 pCi/g of plutonium in soil also using the hand-held meter method. The areas are visually inspected each year to determine whether any fence repairs or sign replacement is required.

In 1977, an aerial radiological survey was performed by Edgerton, Gemeshausen and Grier, Inc. (EG&G) for the Nevada Applied Ecology Group (NAEG) (EG&G 1995). The aerial radiological surveys were undertaken to supplement the FIDLER and previous soil sample measurements of transuranics. The objective was to determine the extent of surficial distribution of plutonium and other transuranic elements dispersed during Project Roller Coaster tests. Radiation isopleths showing soil activity due to americium-241, plutonium-239 and plutonium-240 were drawn for each area. The cumulative area of the diffuse sources, as determined by the aerial radiological survey, is 20 million square meters (approximately 4,900 acres). The results of the survey found transuranic contamination outside the fenced area in the downwind direction (EG&G 1995). Subsequent aerial surveys were conducted in 1993 and 2006. These surveys confirmed the results of the previous surveys in terms of extent. Comparing the 2006 to the 1993 survey, it can be determined that significant migration has not occurred.

Air Monitoring at ER Sites

Remediation activities were conducted at Clean Slate 1 in 1997. The Desert Research Institute (DRI) collected air monitoring data from several locations in the vicinity of Clean Slate 1 before, during, and after remediation activities. The data has been presented to DOE/NNSA/NFO in the form of a draft report (DRI 1997). The report documented the as-left condition at the site, but does not require follow-up action.

During CY 2012, at the request of DOE/NNSA/NFO, the DRI maintained three portable environmental monitoring stations (two installed in 2008 and the third installed in 2011) at the TTR as part of the ER Project Soils Sub-Project. The primary objective of the monitoring stations is to evaluate whether and under what conditions there is wind transport of radiological contaminants from any of the Soil Sub-Project Corrective Action Units (CAUs) associated with Operation Roller Coaster on TTR.




FIGURE 1-2. Soils project monitoring stations at Tonopah Test Range are located at the Range Operations Center (400), Clean Slate 1 (402), and Clean Slate 3 (401).

TABLE 1-1. Project Roller Coaster Test Information

Test Name	Date of Test	Location	Status
Clean Slate 1	May 25, 1963	TTR	Interim Closure
Clean Slate 2	May 31, 1963	TTR	Remediation phase (suspended)
Clean Slate 3	June 9, 1963	TTR	Remediation has not started
Double Tracks	May 15, 1963	NTTR, North Range (west of TTR)	Interim Closure

NOTES: NTTR = Nevada Test and Training Range

TTR = Tonopah Test Range

Source: *Sampling and Analysis Plan for Clean Slate 1*, September 1996 (IT 1996)

One station is located in the general vicinity of the Range Operations Center (ROC), the second station is located on the north edge of Clean Slate 3, and the newest station is located on the north edge of Clean Slate 1. The ROC station measures potential radionuclide concentrations associated with air borne particulates at the closest location where there are regular site workers. The station at Clean Slate 3 is located at the perimeter of the largest of the three TTR Soils Sub-Project CAUs. The station at Clean Slate 1 is located on the north perimeter of the soil CAU. Both stations at Clean Slate 3 and Clean Slate 1 measure the radionuclide concentration associated with air borne particulates at the boundaries of the sites in one of the predominant downwind directions.

The fundamental design of these stations is similar to that used in the Community Environmental Monitoring Program (CEMP). The TTR stations collect data on selected meteorological and environmental parameters (e.g., wind speed and direction and airborne particulate concentration as a function of particulate size). In addition, airborne particulate samplers are deployed at each location to collect particulate samples for radiological analyses. Data are provided to the Western Regional Climate Center (WRCC) for management and incorporation into a TTR-specific database. The stations at ROC and Clean Slate 3 have been in continuous operations since July 2008; the station installed at Clean Slate 1 became operational in August 2011.

Monitoring Station Locations and Capabilities

The Station 400 (Portable Environmental Monitoring Station) is located south of the ROC. This station was located to provide data at the ROC where there is the greatest concentration of personnel associated with Sandia, which manages TTR for the DOE/NNSA. In addition, Station 400 was located where line power was available to operate the instruments. Stations 401 and 402 are solar powered with battery backup power; the batteries are recharged continuously by solar panels. All three stations consist of two primary components: 1) the air sampler, and 2) the auxiliary meteorological tower. Station 401 is located along the fenced perimeter of the north end of Clean Slate 3. Station 402 is located along the fenced perimeter of the north end of Clean Slate 1. Their locations were initially selected based on a review of wind speed and direction data collected at the Tonopah Airport (Engelbrecht 2008) as well as for ease of access; on-site wind direction measurements have since confirmed the appropriateness of these locations. Although these data are of limited time duration, they are continuous and less influenced by local topography than the CEMP station in Tonopah, Nevada. Figure 1-2 shows the location of the monitoring stations at TTR.

All three stations are equipped with continuous low volume air samplers (flow rate of approximately 0.05663 cubic meters [2 cubic feet] per minute) whose filters are routinely collected every two weeks. These filters are delivered to the Radiological Services Laboratory at the University of Nevada, in Las Vegas, Nevada for analyses. Standard analyses include gross alpha/beta measurements, and gamma spectral analysis; samples may undergo alpha spectral analysis if initial gamma spectral analyses indicated the presence of americium-241, which could indicate that plutonium particles are being transported.

Station 400: Range Operations Center

Station 400 is a portable station with all monitoring and sampling systems mounted on a 7-ft by 14-ft trailer. The station is located approximately 91.44 meters [100 yards] south-southwest of the ROC. The station configuration as currently deployed is shown in Figure 1-3. Sensors include an anemometer, wind direction, pyranometer, tipping rain bucket, temperature/relative humidity probe, barometric pressure, soil temperature probe, pressurized ion chamber (PIC), and ambient air particulate size profiler. Data from these sensors are collected and stored on a Campbell Scientific™ data logger and are then transmitted through a Geostationary Operational Environmental Satellite (GOES) transmitter to the WRCC. Regular quality assurance procedures include checking the PIC response and air volume throughput on the air sampler on a monthly basis, as well as performing data quality checks on the WRCC database. In addition to the real-time instruments, this station is equipped with two low volume air samplers (AirMetrics MiniVols™) that can collect air samples on quartz and Teflon® filter media, which allows for different types of chemical and elemental analysis. These air samplers are intended to run in case of nearby wild fire or in conditions of extreme dust storms in which there may be value in distinguishing the relative contribution of organic and inorganic constituents. In addition, the station is equipped with an ambient air particulate size profiler (DustTrak™). The DustTrak™ measures the concentration of suspended particulates in real time. Data can be used to determine whether high wind events are always associated with higher concentrations, and whether there are correlations between particulate concentrations and radionuclide concentration.

Station 400: Air Sampling Results

Station 400 is equipped with a continuous air particulate sampler from which a 4-inch air filter sample is collected every two weeks and delivered to the Radiological Services Laboratory at the University of



FIGURE 1-3. Station 400 is located near the Tonopah Test Range, Range Operations Center.

Nevada, Las Vegas on a monthly basis for batch processing. Between December 28, 2011 and December 26, 2012, 26 air particulate filter samples were collected and analyzed by gamma spectroscopy and for gross alpha/beta activity. Only naturally occurring radionuclides were identified and measured on these samples; beryllium-7 and lead-210 were the most commonly identified radionuclides with occasional detections of potassium-40 (four samples) and protactinium-234m (three samples). No anthropogenic gamma emitting radionuclides such as cesium-137, cobalt-60, or americium-241 have been detected. The mean annual gross alpha activity from all samples (Table 1-2) was 3.69×10^{-15} microcuries per milliliter ($\mu\text{Ci/mL}$), with a maximum of $9.15 \times 10^{-15} \mu\text{Ci/mL}$, a minimum of $0.92 \times 10^{-15} \mu\text{Ci/mL}$, and a standard deviation of $1.87 \times 10^{-15} \mu\text{Ci/mL}$. The mean annual gross beta activity from all samples (Table 1-3) was $2.09 \times 10^{-14} \mu\text{Ci/mL}$, with a maximum of $3.27 \times 10^{-14} \mu\text{Ci/mL}$, a minimum of $1.56 \times 10^{-14} \mu\text{Ci/mL}$, and a standard deviation of $0.42 \times 10^{-14} \mu\text{Ci/mL}$.

Station 401: Clean Slate 3

Station 401 consists of a solar powered air sampler (sampler and solar panels) mounted on a 7-ft by 14- ft trailer, plus a portable meteorological tower. The station is located on the north end of Clean Slate 3. Sensors include an anemometer, a temperature/relative humidity probe, PIC, and a DustTrak™. Data from these sensors are collected and stored on a Campbell Scientific™ data logger and are then transmitted through a GOES transmitter to the WRCC. Regular quality assurance procedures include checking the PIC response and air volume throughput on the air sampler on a monthly basis, as well as performing data quality checks on the WRCC database. Working with Hi-Q Products Inc., DRI constructed this mobile version of a solar powered air sampler based on a design currently being used

TABLE 1-2. Gross Alpha Results for TTR Sampling Stations 2012

Sampling Location	Number of Samples	Concentration ($\times 10^{-15} \mu\text{Ci/mL}$ [3.7×10^{-5} Becquerel (Bq)/ m^3])			
		Mean	Standard Deviation	Minimum	Maximum
400	26	3.69	1.87	0.92	9.15
401	26	2.01	1.04	0.32	4.36
402	25	2.80	1.53	0.73	5.76

NOTES: At Station 400, a glass fiber filter collects particles larger than 0.3 μm ; at stations 401 and 402, a cellulose fiber filter collects particles larger than 20 μm .
 m^3 = cubic meter
 $\mu\text{Ci/mL}$ = microcurie per milliliter
 μm = micrometer
TTR = Tonopah Test Range

TABLE 1-3. Gross Beta Results for TTR Sampling Stations 2012

Sampling Location	Number of Samples	Concentration ($\times 10^{-14} \mu\text{Ci/mL}$ [3.7×10^{-4} Becquerel (Bq)/ m^3])			
		Mean	Standard Deviation	Minimum	Maximum
400	26	2.09	0.42	1.56	3.27
401	26	0.81	0.22	0.46	1.37
402	25	1.04	0.35	0.19	1.87

NOTES: At Station 400, a glass fiber filter collects particles larger than 0.3 μm ; at stations 401 and 402, a cellulose fiber filter collects particles larger than 20 μm .
 m^3 = cubic meter
 $\mu\text{Ci/mL}$ = microcurie per milliliter
 μm = micrometer
TTR = Tonopah Test Range

by the USAF on the NTTR. Internal airflow monitoring and self-adjustment capabilities allow the air sampler to maintain a near constant flow rate. An internal totalizer computes the volume of air passed through the collection filter and run time of the collector. A saltation sensor was installed at Station 401 in August 2011. This instrument will measure sand and particle movement by aeolian transport close to the ground surface. Saltation is a wind-driven process and is an important mechanism for transport of soil material in desert environments. DRI will monitor the frequency of saltation events as a function of wind speed and wind direction at Station 401. Solar panels, with battery assist, provide power for the air sampler and the meteorological station. The configurations of the solar-powered air sampler and the portable meteorological station are shown in Figures 1-4 and 1-5.

Station 401: Air Sampling Results

Air samples are collected every two weeks from Station 401 and delivered to the Radiological Services Laboratory at the University of Nevada, in Las Vegas, Nevada on a monthly basis for batch processing. Between December 28, 2011 and December 26, 2012, 26 air particulate filter samples were collected and analyzed by gamma spectroscopy and for gross alpha/beta activity. Only naturally occurring radionuclides were identified and measured on these samples; beryllium-7 and lead-210 were the most commonly identified radionuclides with minor detections of potassium-40 (three samples) and protactinium-234m (one sample). No anthropogenic gamma emitting radionuclides such as cesium-137, cobalt-60, or americium-241 have been detected. The mean annual gross alpha activity (Table 1-2) from all samples was 2.01×10^{-15} $\mu\text{Ci/mL}$, with a maximum of 4.36×10^{-15} $\mu\text{Ci/mL}$, a minimum of 0.32×10^{-15} $\mu\text{Ci/mL}$, and a standard deviation of 1.04×10^{-15} $\mu\text{Ci/mL}$. The mean annual gross beta activity from all samples (Table 1-3) was 0.81×10^{-14} $\mu\text{Ci/mL}$, with a maximum of 1.37×10^{-14} $\mu\text{Ci/mL}$, a minimum of 0.46×10^{-14} $\mu\text{Ci/mL}$, and a standard deviation of 0.22×10^{-14} $\mu\text{Ci/mL}$.

Station 402: Clean Slate 1

In May 2011, DRI established Station 402, and installed a portable meteorological tower with an anemometer, a temperature/relative humidity probe, and a DustTrak™ as well as a GOES satellite transmitter. During August 2011, DRI installed a solar powered air sampler (sampler and solar panels) mounted on a trailer and a PIC was installed during September 2011. Internal airflow monitoring and self-adjustment capabilities allow the air sampler to maintain a near constant flow rate. An internal totalizer computes the volume of air passed through the collection filter and run time of the collector. Data from the sensors are collected and stored on a Campbell Scientific™ data logger. DRI installed a saltation monitoring station at Station 402 in August of 2011. This instrument will measure sand and particle movement by aeolian transport close to the ground surface. Saltation is a wind-driven process and is an important mechanism for transport of soil material in desert environments. DRI will monitor for frequency of saltation events as a function of wind speed and wind direction at Station 402. Solar panels, with battery assistance, provide power for the air sampler and the meteorological station. The configurations of the solar powered air sampler and the portable meteorological station are shown in Figure 1-6.

Station 402: Air Sampling Results

Air samples are collected every two weeks from station 402 and delivered to the Radiological Services Laboratory at the University of Nevada, in Las Vegas, Nevada on a monthly basis for batch processing. Between December 28, 2011 and December 26, 2012, a total of 25 air particulate samples were collected and analyzed by gamma spectroscopy and for gross alpha/beta activity. Only naturally occurring radionuclides were identified and measured on these samplers; beryllium-7 and lead-210 were the most commonly identified radio nuclides (protactinium-234m was detected in one sample). No anthropogenic gamma emitting radionuclides such as cesium-137, cobalt-60, or americium-241 have been detected. The mean gross alpha activity from all samples (Table 1-2) was 2.80×10^{-15} $\mu\text{Ci/mL}$, with a maximum of 5.76×10^{-15} $\mu\text{Ci/mL}$, a minimum of 0.73×10^{-15} $\mu\text{Ci/mL}$, and a standard



FIGURE 1-4. Station 401 includes two solar powered air particulate samplers mounted on a trailer for mobility and is positioned on the north fence of Clean Slate 3.



FIGURE 1-5. The Station 401 portable meteorological tower and instrumentation are located on the fence on the north side of Clean Slate 3.



FIGURE 1-6. Station 402 consists of a trailer mounted solar powered air sampler and a portable meteorological tower located on the north fenceline at Clean Slate 1.

deviation of 1.53×10^{-15} $\mu\text{Ci}/\text{mL}$. The mean gross beta activity from all samples (Table 1-3) was 1.04×10^{-14} $\mu\text{Ci}/\text{mL}$, with a maximum of 1.87×10^{-14} $\mu\text{Ci}/\text{mL}$, a minimum of 0.19×10^{-14} $\mu\text{Ci}/\text{mL}$, and a standard deviation of 0.35×10^{-14} $\mu\text{Ci}/\text{mL}$.

Station 400, 401, and 402 Air Particulate Migration

At Station 400 (ROC), wind speed was observed to be 15 mph or less about 90 percent of the time; no wind speeds were measured in excess of 35 mph. Slightly higher wind speeds were observed at Station 401 (Clean Slate 3) where winds of 15 mph or less were observed 89 percent of the time and a small fraction of the time the wind speed exceeded 35 mph. At Station 402 (Clean Slate 1), wind speed was observed to be 15 mph or less about 90 percent of the time; the wind speed exceeded 35 mph for only a small fraction of the time. Figure 1-7 shows the average respirable particulate matter (diameter equal to or less than 10 microns) (PM_{10}) concentrations for 5-mph wind speed intervals at all three stations. The PM_{10} concentrations increase exponentially as wind speed increases at all stations, although the winds at Station 400 never rose into the range that generated high particulate concentrations observed at Stations 401 and 402. PM_{10} concentrations at Stations 401 and 402 were at about 11 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) or less suggesting that little or no soil migration is occurring at the low wind speeds. Particulate concentrations for these low wind speeds at Station 400 were slightly higher, between 13 and 18 $\mu\text{g}/\text{m}^3$, probably as a result of disturbance by vehicle traffic.

Figure 1-8 illustrates high wind event that occurred at Station 401 between February 25, 2012 and February 26, 2012. Maximum hourly wind speed (red trace) almost reached 45 mph and steady average speed (blue trace) was around 30 mph. The average wind speed for most of the event was above 20 mph but PM_{10} concentration (olive colored trace) was below 25 $\mu\text{g}/\text{m}^3$ most of the time. It was only during the maximum wind speed that the PM_{10} concentration exceeded 100 $\mu\text{g}/\text{m}^3$. This

PM₁₀ Concentration vs Wind Speed for TTR Stations 400, 401, and 402 for Period 1/1/2012-12/31/2012




FIGURE 1-7. Wind speed and PM₁₀ trend for Stations 400, 401, and 402 for January 1 through December 31, 2012

High wind and high PM₁₀ event at Station 401, February 2012




FIGURE 1-8. Wind speeds and PM₁₀ concentrations during a significant wind storm event at TTR Station 401, February 25 and 26, 2012

figure illustrates the impact of high wind speed on the PM₁₀ concentration and soil migration. It is also important to note that this is a very non-linear process as shown in Figure 1-8 meaning that relatively small increases in average wind speed from 25 to 30 mph (20 percent increase in wind speed) results in an increase in PM₁₀ from 20 µg/m³ to 100 µg/m³ but the increase in PM₁₀ is relatively short lasting only about 30 minutes. Figure 1-9 shows the same high wind event as it was recorded at Station 402 at Clean Slate 1. At first glance it appears that the two events are very similar to each other and that is mostly true but it is significant to note that PM₁₀ at Station 402 was somewhat higher and it remained above 50 µg/m³ for a few hours. This possibly indicates that there was some local soil disturbance or nearby road work that resulted in elevated PM₁₀ in one small area versus another one. Events like this occur approximately once per month throughout most of the year and they are most likely to happen between 11 a.m. and 3 p.m. when winds are usually at their strongest.

TTR Air Monitoring Network Online Database

Data from the network at TTR are stored and managed via a database at the WRCC in Reno, Nevada and can be accessed via the web. Data for Station 400, 401, and 402 can be found at the following websites:

<http://www.wrcc.dri.edu/cgi-bin/rawMAIN.pl?nvctc1>.




FIGURE 1-9. Wind speeds and PM₁₀ concentrations during a significant wind storm event at TTR Station 402, February 25 and 26, 2012

Available data include:

- Solar radiation,
- Wind speed and direction,
- Ambient air temperature (minimum, maximum, and average),
- Relative humidity (minimum, maximum, and average),
- Barometric pressure,
- Precipitation (hourly and cumulative),
- At Station 400, ambient gamma exposure rate (minimum, maximum, and average),
- Soil temperature at 4-inch depth (minimum, maximum, and average), and
- Air particulate counts by size (0.3, 0.5, 0.7, 1, 2, 2.5, and 10 micrometers) as a function of time.

This page intentionally left blank.

TTR Compliance Summary

Sandia Corporation (Sandia) is responsible for Environment, Safety, and Health (ES&H) compliance with federal environmental statutes, regulations, and U.S. Department of Energy (DOE) directives in the prime contract between Sandia and DOE. Presidential Executive Orders (EOs) and DOE guidance documents are also used to establish program criteria.

This chapter discusses Sandia's ES&H responsibilities and the status of ES&H compliance. Environmental audit summaries, occurrence reporting, and environmental permit status for 2012 are also presented in this chapter.

The State of Nevada administers most environmental regulations applicable to Tonopah Test Range (TTR). Specific state regulations listed in Chapter 6 include regulations governing air quality, solid and hazardous waste management, wildlife, water quality, and radiation control. Radionuclide air emission regulations are administered directly by the U.S. Environmental Protection Agency (EPA).

2.1 Compliance Status with Federal Regulations

This section summarizes DOE's and Sandia's compliance status with major environmental regulations, statutes, and DOE Orders that pertain to the environment.

The major federal laws applicable to environmental compliance at TTR are presented on Table 2-1.

2.1.1 Comprehensive Environmental Response, Compensation, and Liability Act

The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) defines assessment activities and reporting requirements for inactive waste sites at federal facilities. As required by CERCLA, a Preliminary Assessment was submitted in 1988 for all facilities listed on the federal agency hazardous waste compliance docket. Sites with significant contamination were put on the National Priorities List (NPL) for cleanup (EPA 2013). There are no NPL or "Superfund" sites located at TTR. The Superfund Amendments and Reauthorization Act (SARA) Title III amended CERCLA requirements for reportable quantity (RQ) releases and chemical inventory reporting. Sandia at TTR was in full compliance with CERCLA/SARA in 2012. Table 2-2 lists SARA Title III reporting requirements.

2.1.2 Emergency Planning and Community Right-to-Know Act

SARA Title III (also known as the Emergency Planning and Community Right-to-Know Act [EPCRA]) requires the submittal of a Toxic Release Inventory (TRI) report for chemical releases over a given threshold quantity. The release reporting limit for lead is 100 pounds (lb). The TTR Firing Range is no longer owned or managed by DOE, therefore there are no reporting requirements associated with the non-recovered lead for DOE or Sandia National Laboratories.

TABLE 2-1. Major Environmental Regulations & Statutes Applicable to TTR

Regulation/Statute	Description
Clean Air Act (CAA) and CAA Amendments (CAAA)	Provides standards to protect the nation's air quality
Clean Water Act (CWA)	Provides general water quality standards to protect the nation's water sources and byways
Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)	Provides federal funding for cleanup of inactive waste sites on the National Priorities List (NPL) and mandates requirements for reportable releases of hazardous substances
Cultural Resources Acts	Includes various acts that protect archeological, historical, religious sites, and resources
Endangered Species Act (ESA)	Provides special protection status for federally listed endangered or threatened species
Executive Orders (EOs)	Several EOs provide specific protection for wetlands, floodplains, environmental justice in minority and low-income populations, and encourages greening the government through leadership in Environmental Management
Federal Facility Compliance Act (FFCA)	Directs federal agencies regarding environmental compliance
Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)	Controls the distribution and use of various pesticides
Migratory Bird Treaty Act (MBTA) of 1918	Prevents the taking, killing, possession, transportation and importation of migratory birds, their eggs, parts, and nests
National Emission Standards for Hazardous Air Pollutants (NESHAP)	Specifies standards for radionuclide air emissions and other hazardous air releases under the CAA
National Environmental Policy Act (NEPA)	Requires federal agencies to review all proposed activities so as to include environmental aspects in agency decision-making
Resource Conservation and Recovery Act (RCRA)	Mandates the management of solid and hazardous waste and certain materials stored in underground storage tanks (USTs)
Safe Drinking Water Act (SDWA)	Enacts specific health standards for drinking water sources
Superfund Amendments and Reauthorization Act (SARA)	SARA, Title III, also known as the Emergency Planning and Community-Right-to-Know Act (EPCRA), mandates communication standards for hazardous materials over a threshold amount that are stored or used in a community
Toxic Substances Control Act (TSCA)	Specifies rules for the manufacture, distribution, and disposal of specific toxic materials such as asbestos and polychlorinated biphenyls (PCBs)

NOTES: TTR = Tonopah Test Range

TABLE 2-2. 2012 SARA Title III (or EPCRA) Reporting Requirements Applicable to TTR

Section	SARA Title III Section Title	Requires Reporting?		Description
		Yes	No	
302-303	Emergency Planning	X		Sandia Corporation submits an annual report listing chemical inventories above the reportable Threshold Planning Quantities listed in 40 CFR Part 355 Appendix B, location of the chemicals and emergency contacts. The report is prepared for the DOE/NNSA/SFO, which distributes it to the required entities.
304	Emergency Notification		X	No RQ releases of an EHS, or as defined under CERCLA, occurred in 2011.
311-312	Hazardous Chemical Storage Reporting Requirements	X		There are two “Community Right-to-Know” reporting requirements: (a) SNL/NM completes the EPA Tier II forms for all hazardous chemicals present at the facility at any one time in amounts equal to or greater than 10,000 lbs and for all EHSs present at the facility in an amount greater than or equal to 500 lbs or the Threshold Planning Quantity, whichever is lower; (b) TTR provides MSDSs for each chemical entry on a Tier II form unless it decides to comply with the EPA’s alternative MSDS reporting, which is detailed in 40 CFR Part 370.21 (SNL 2012a).
313	Toxic Chemical Release Forms		X	EPCRA, Section 313, requires that facilities that use toxic chemicals listed in SARA Title III over a threshold value must submit a TRI report. In 2012 there were no threshold’s exceeded to report.

NOTES: CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act
CFR = Code of Federal Regulations
DOE = U.S. Department of Energy
EHS = extremely hazardous substance
EPA = U.S. Environmental Protection Agency
EPCRA = Emergency Planning and Community Right-to-Know Act
lbs = pounds
MSDS = material safety data sheet
NNSA = National Nuclear Security Administration
RQ = reportable quantity
SARA = Superfund Amendments and Reauthorization Act
SFO = Sandia Field Office
SNL/NM = Sandia National Laboratories, New Mexico
TRI = Toxic Release Inventory
TTR = Tonopah Test Range

2.1.3 Resource Conservation and Recovery Act

The Resource Conservation and Recovery Act (RCRA) and the Nevada Revised Statutes regulate the generation, transportation, treatment, storage, and disposal of hazardous chemical waste and non-hazardous solid wastes. Applicable regulations are listed in Chapter 6.

Sandia generates some hazardous waste through normal operations at TTR, is classified as a “small quantity generator,” and is subject to the applicable requirements (see Chapter 3, which summarizes Sandia’s hazardous waste management activities during 2012, and specifically Section 3.2 - Waste Management). Under this designation, hazardous waste can only be stored on-site for 180 days before it must be shipped off-site for treatment and disposal at an EPA-permitted facility. TTR hazardous waste shipments are scheduled to occur at least two to three times a year.

Sanitary solid waste, which is also regulated under RCRA, is disposed of at landfills on-site. There is one Class II sanitary landfill in operation at TTR operated by the U.S. Air Force (USAF) Operations and Maintenance contractor. The landfill is used cooperatively by all organizations at TTR. In November 2007, a contract was obtained with the Republic Services landfill located at Apex just north of Las Vegas to dispose of bulk non-regulated solid waste. The main purpose for obtaining this contract is clean-up of the Area 3 Salvage Yard. This waste material is not being disposed of in the USAF Landfill on Range due to volume restrictions.

Underground Storage Tanks (USTs) and Aboveground Storage Tanks (ASTs)

RCRA, Subchapter I (40 Code of Federal Regulations [CFR] 280) sets forth requirements for USTs that contain hazardous materials or petroleum products. USTs and ASTs, although not registered by the state, are subject to EPA regulations 40 CFR 112, *Oil Pollution Prevention* and 40 CFR 110, *Discharge of Oil*. The last five USTs were removed in August 1995. This included the removal of two diesel tanks and two gasoline tanks from a former gas station in Area 3, and one diesel tank that had supplied generator fuel in Area 9. There are no ASTs requiring registration with the State of Nevada at TTR.

2.1.4 Federal Facility Compliance Act

The Federal Facility Compliance Act (FFCA) requires federal facilities to comply with all federal, state, and local requirements for hazardous and solid waste, including full compliance with the restrictions and prohibitions on extended storage of wastes that do not meet the applicable hazardous waste treatment standards. Extended storage at DOE facilities is typically associated with mixed wastes (wastes that have hazardous and radioactive components) that have been generated on-site. Since TTR operations do not generate mixed waste and Sandia currently has no mixed waste stored on-site, these requirements are not applicable to SNL operations at TTR.

2.1.5 Clean Air Act and CAA Amendments of 1990

The Clean Air Act (CAA) and CAA Amendments of 1990 requirements are regulated by State of Nevada air quality regulations. Air emissions from non-radionuclide sources, such as a portable screen or maintenance shop activities, are permitted under a Class II Air Quality Permit. Sandia tracks emissions and pays a standard \$500 permit fee to the State of Nevada. Sandia met all air quality permit conditions in 2012.

National Emission Standards for Hazardous Air Pollutants (NESHAP) Compliance

The EPA retains compliance authority for all radionuclide air releases, which are regulated by NESHAP and implemented under 40 CFR 61, Subpart H. The Clean Slate sites, as discussed in Chapter 1, have

been the only source of radionuclide air emissions at TTR. Continuous air monitoring was conducted from February 22, 1996 to February 25, 1997 (SNL 1997). The TTR Airport was determined to be the location of the maximally exposed individual. The result of 0.024 millirems per year (mrem/yr) was below the threshold of 0.1 mrem/yr, for which continuous air monitoring would be required, and approximately 400 times less than the EPA standard of 10 mrem/yr. The *NESHAP Annual Report for CY 2012*, *SNL/NV* (SNL 2013) and Chapter 4 of this report discuss these monitoring results.

2.1.6 Wastewater

TTR wastewater discharges are controlled by the Nevada Division of Environmental Protection (NDEP), which administers regulations relevant to water pollution and sanitary waste systems. Wastewater that enters the sanitary sewer system is treated in the TTR sewage lagoons. The USAF operates these lagoons under a National Pollution Discharge Elimination System (NPDES) permit issued by the NDEP. Sandia also maintains one inactive and five active septic tank systems in remote areas at TTR, which are used only for domestic sanitary sewage collection. Additional information can be found in Section 4.2.3 of this report.

Storm Water

The issuance of a NPDES storm water permit is generally based on whether or not storm water runoff is discharged to “Waters of the U.S.” The TTR site is primarily a closed basin with runoff evaporating or infiltrating to the ground. The USAF has permitted its airfield and Area 10 for storm water runoff and has cognizance over all storm water issues at the site. The State of Nevada has determined that there are no industrial activities at TTR that require permitting. New construction activities that exceed one acre of soil disturbance may require permitting under the Construction General Permit.

2.1.7 Safe Drinking Water Act

Sandia meets standards for drinking water as defined in the Safe Drinking Water Act (SDWA) and NDEP public water supply and public water system regulations. Well 6 normally provides all drinking water for Sandia’s Area 3 compound. TTR operates under permits issued by the NDEP (one for the public water system and one for the arsenic treatment system). The USAF public water system and the Sandia public water system are designed such that they can, on an as-needed basis, provide backup drinking water to each other. Chapter 4 of this report discusses monitoring activities. The NDEP, Bureau of Safe Drinking Water, characterizes this public water system as a Non-Transient Non-Community system.

2.1.8 Toxic Substances Control Act

Compliance with the Toxic Substances Control Act (TSCA) at TTR primarily concerns the management of asbestos and polychlorinated biphenyls (PCBs). As defined by TSCA, any material with greater than or equal to 500 parts per million (ppm) is considered a “PCB”; materials with greater than or equal to 50 ppm but less than 500 ppm are considered “PCB contaminated.” In 1993, sampling was performed on TTR transformers to determine if PCBs were present (IT 1993). All samples contained less than 50 ppm of PCBs. Asbestos containing materials at TTR have been identified in a comprehensive 1993 Asbestos Site Survey all of which has been scanned and is available on the TTR server. It is updated periodically when new information (sample results, abatement activities, etc.) is available. All asbestos related activities are conducted in accordance with applicable regulatory requirements.

2.1.9 Federal Insecticide, Fungicide, and Rodenticide Act

Chemical pesticides used at TTR include herbicides, rodenticides, and insecticides, as required. All chemicals used are EPA-approved and applied in accordance with applicable label guidelines and regulations. Sandia retains records of the quantities and types of pesticides that are used as well as Material Safety Data Sheets (MSDSs) for each pesticide. There were no violations of the Federal Insecticide, Fungicide, and Rodenticide Act in 2012.

2.1.10 National Environmental Policy Act

The National Environmental Policy Act (NEPA) requires federal agencies and other organizations that perform federally-sponsored projects to consider environmental issues associated with proposed actions, be aware of the potential environmental impacts associated with these issues, and include this information in early project planning and decision making. Additionally, if a proposed action is determined to have environmentally “significant” impacts, the agency must prepare an environmental assessment (EA) or an environmental impact statement (EIS) before making an irrevocable commitment of resources or funding. Although a major objective of NEPA is to preserve the environment for future generations, the law does not require an agency to choose a course of action with the least environmental impacts. The DOE, National Nuclear Security Administration (NNSA), Sandia Field Office (SFO) coordinates NEPA compliance at TTR with personnel from Sandia National Laboratories, New Mexico (SNL/NM). NEPA activities are discussed in Section 3.4.

2.1.11 Endangered Species Act

The Endangered Species Act (ESA) applies to both private individuals and federal agencies. Federal agencies must ensure that any action authorized, funded, or carried out by them will not jeopardize the continued existence of a threatened or endangered species, or result in adverse modifications of its habitat. The ESA is addressed under the NEPA Program and the Ecology Program. If potentially significant impacts to sensitive species or habitats are found as a result of the proposed action, an EA or an EIS must be prepared.

Table 2-3 lists all federal and state protected species occurring within Nye County and having the potential to occur at TTR.

2.1.12 Migratory Bird Treaty Act

The Migratory Bird Treaty Act (MBTA) of 1918 implemented the 1916 Convention for the Protection of Migratory Birds. The original statute implemented the agreement between the U.S. and Great Britain (for Canada) and later amendments implemented treaties between the U.S. and Mexico, the U.S. and Japan, and the U.S. and Russia. The MBTA prevents the taking, killing, possession, transportation, and importation of migratory birds, their eggs, parts, or nests. Federal institutions are not exempt from the MBTA. At TTR, the MBTA is coordinated through NEPA reviews and the Ecology Program.

TABLE 2-3. Protected Species Potentially Occurring in Nye County, Nevada

Common Name	Scientific Name	Federal Status	State of Nevada Protected Status
PLANTS			
Sodaville milkvetch	<i>Astragalus lentiginosus</i> var. <i>sesquimetralis</i>	SOC	Endangered
Clokey eggvetch	<i>Astragalus oophorus</i> var. <i>clokeyanus</i>	SOC	-----
Ash Meadows milkvetch	<i>Astragalus phoenix</i>	Threatened	Endangered
Spring-loving centaury	<i>Centaurium namophilum</i>	Threatened	Endangered
Armored hedgehog cactus	<i>Echinocereus engelmannii</i> var. <i>armatus</i>	-----	State Protected
Ash Meadows sunray	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>	Threatened	Endangered
Sunnyside green gentian	<i>Frasera gypsicola</i>	-----	Endangered
Ash Meadows gumplant	<i>Grindelia fraxinopratensis</i>	Threatened	Endangered
Sand cholla	<i>Grusonia pulchella</i>	-----	State Protected
Ash Meadows ivesia	<i>Ivesia kingii</i> var. <i>eremica</i>	Threatened	Endangered
Ash Meadows blazingstar	<i>Mentzelia leucophylla</i>	Threatened	Endangered
Amargosa niterwort	<i>Nitrophila mohavensis</i>	Endangered	Endangered
Simpson hedgehog cactus	<i>Pediocactus simpsonii</i>	-----	State Protected
Williams combleaf	<i>Polyctenium williamsiae</i>	-----	Endangered
Blaine pincushion	<i>Sclerocactus blainei</i>	-----	State Protected
Tonopah pincushion	<i>Sclerocactus nyensis</i>	-----	State Protected
Hermit cactus	<i>Sclerocactus polyancistrus</i>	-----	State Protected
INVERTEBRATES			
Ash Meadows naucorid	<i>Ambrysus amargosus</i>	Threatened	-----
FISHES			
White River desert sucker	<i>Catostomus clarkii intermedius</i>	-----	State Protected
Moorman White River springfish	<i>Crenichthys baileyi thermophilus</i>	-----	State Protected
Railroad Valley springfish	<i>Crenichthys nevadae</i>	Threatened	State Protected
Devils Hole pupfish	<i>Cyprinodon diabolis</i>	Endangered	State Protected
Ash Meadows Amargosa pupfish	<i>Cyprinodon nevadensis mionectes</i>	Endangered	State Protected
Warm Springs Amargosa pupfish	<i>Cyprinodon nevadensis pectoralis</i>	Endangered	State Protected
Pahrump poolfish	<i>Empetrichthys latos latos</i>	Endangered	State Protected
Hot Creek Valley tui chub	<i>Gila bicolor</i> ssp. 5	SOC	State Protected
Little Fish Lake Valley tui chub	<i>Gila bicolor</i> ssp. 6	-----	State Protected
Railroad Valley tui chub	<i>Gila bicolor</i> ssp. 7	SOC	State Protected
Big Smoky Valley tui chub	<i>Gila bicolor</i> ssp. 8	SOC	State Protected
White River spinedace	<i>Lepidomeda albivallis</i>	Endangered	State Protected
Lahontan cutthroat trout	<i>Oncorhynchus clarkii henshawi</i>	Threatened	State Protected
Bonneville cutthroat trout	<i>Oncorhynchus clarkii utah</i>	-----	State Protected
Big Smoky Valley speckled dace	<i>Rhinichthys osculus lariversi</i>	-----	State Protected
Ash Meadows speckled dace	<i>Rhinichthys osculus nevadensis</i>	Endangered	State Protected
Monitor Valley speckled dace	<i>Rhinichthys osculus</i> ssp. 5	SOC	State Protected
Oasis Valley speckled dace	<i>Rhinichthys osculus</i> ssp. 6	SOC	State Protected
AMPHIBIANS			
Amargosa toad	<i>Anaxyrus nelsoni</i>	-----	State Protected
Columbia spotted frog (Great Basin pop)	<i>Rana luteiventris</i> pop. 3	Candidate	State Protected

See notes at end of table.

TABLE 2-3. Protected Species Potentially Occurring in Nye County, Nevada (Continued)

Common Name	Scientific Name	Federal Status	State of Nevada Protected Status
REPTILES			
Desert tortoise (Mojave Desert pop.)	<i>Gopherus agassizii</i>	Threatened	State Protected
Banded Gila monster	<i>Heloderma suspectum cinctum</i>	-----	State Protected
Sonoran mountain kingsnake	<i>Lampropeltis pyromelana</i>	-----	State Protected
MAMMALS			
Pallid bat	<i>Antrozous pallidus</i>	-----	State Protected
Pygmy rabbit	<i>Brachylagus idahoensis</i>	-----	State Protected
Townsend's big-eared bat	<i>Corynorhinus townsendii</i>	-----	State Protected
Spotted bat	<i>Euderma maculatum</i>	-----	State Protected
Pale kangaroo mouse	<i>Microdipodops pallidus</i>	-----	State Protected
Ash Meadows montane vole	<i>Microtus montanus nevadensis</i>	-----	State Protected
Fringed myotis	<i>Myotis thysanodes</i>	-----	State Protected
American pika	<i>Ochotona princeps</i>	-----	State Protected
Brazilian free-tailed bat	<i>Tadarida brasiliensis</i>	-----	State Protected
BIRDS			
Northern goshawk	<i>Accipiter gentilis</i>	SOC	State Protected
Golden eagle	<i>Aquila chrysaetos</i>	-----	State Protected
Long-eared owl	<i>Asio otus</i>	-----	State Protected
Western burrowing owl	<i>Athene cucularia hypugaea</i>	SOC	State Protected
Juniper titmouse	<i>Baeolophus griseus</i>	-----	State Protected
Ferruginous hawk	<i>Buteo regalis</i>	-----	State Protected
Swainson's hawk	<i>Buteo swainsoni</i>	-----	State Protected
Sage grouse	<i>Centrocercus urophasianus</i>	Candidate	State Protected
Western snowy plover	<i>Charadrius alexandrinus nivosus</i>	-----	State Protected
Mountain plover	<i>Charadrius montanus</i>	-----	State Protected
Black tern	<i>Chlidonias niger</i>	SOC	State Protected
Western yellow-billed cuckoo	<i>Coccyzus americanus occidentalis</i>	Candidate	State Protected
Yellow warbler	<i>Dendroica petechia</i>	-----	State Protected
Southwestern willow flycatcher	<i>Empidonax traillii eximus</i>	Endangered	State Protected
Prairie falcon	<i>Falco mexicanus</i>	-----	State Protected
Common yellowthroat	<i>Geothlypis trichas</i>	-----	State Protected
Greater sandhill crane	<i>Grus canadensis tabida</i>	-----	State Protected
Pinyon jay	<i>Gymnorhinus cyanocephalus</i>	-----	State Protected
Yellow-breasted chat	<i>Icteria virens</i>	-----	State Protected
Western least bittern	<i>Ixobrychus exilis hesperis</i>	SOC	State Protected
Loggerhead shrike	<i>Lanius ludovicianus</i>	SOC	State Protected
Lewis' woodpecker	<i>Melanerpes lewis</i>	-----	State Protected
Long-billed curlew	<i>Numenius americanus</i>	-----	State Protected
Macgillivray's warbler	<i>Oporornis tolmiei</i>	-----	State Protected
Mountain quail	<i>Oreortyx pictus</i>	-----	State Protected
Flammulated owl	<i>Otus flammeolus</i>	-----	State Protected
Osprey	<i>Pandion haliaetus</i>	-----	State Protected
American White Pelican	<i>Pelecanus erythrorhynchos</i>	-----	State Protected

See notes at end of table.

TABLE 2-3. Protected Species Potentially Occurring in Nye County, Nevada (Concluded)

Common Name	Scientific Name	Federal Status	State of Nevada Protected Status
Phainopepla	<i>Phainopepla nitens</i>	-----	State Protected
White-faced ibis	<i>Plegadis chihi</i>	SOC	State Protected
Vesper sparrow	<i>Poocetes gramineus</i>	-----	State Protected
Yuma clapper rail	<i>Rallus longirostris yumanensis</i>	Endangered	State Protected
Red-naped sapsucker	<i>Sphyrapicus nuchalis</i>	-----	State Protected
Crissal thrasher	<i>Toxostoma crissale</i>	-----	State Protected
Orange-crowned warbler	<i>Vermivora celata</i>	-----	State Protected
Lucy's warbler	<i>Vermivora luciae</i>	-----	State Protected
Grey vireo	<i>Vireo vicinior</i>	-----	State Protected

NOTES: SOC = Species of Concern

2.1.13 Cultural Resources Acts

Federal cultural resources management responsibilities are applicable to activities at TTR. These include, but are not limited to, compliance with the following laws and their associated regulations:

- National Historic Preservation Act,
- Archaeological Resources Protection Act, and
- American Indian Religious Freedom Act.

The DOE/NNSA/SFO is responsible for determining the level of applicability of cultural resources requirements. In 2012, Sandia's operations generated no impact on cultural resources.

Historic Building Assessment

In 2011, DOE/NNSA/SFO completed consultation with the Nevada State Historic Preservation Office (SHPO), reaching an agreement on the proposed Sandia TTR Historic District, including everything in the site as originally proposed with the addition of Building 09-22. In 2012, DOE/NNSA/SFO provided samples of the documentation created to mitigate the effect of future demolition of properties within the Sandia TTR Historic District. The Nevada SHPO reviewed the sample documentation and agreed with its suitability. The DOE/NNSA/SFO and the Nevada SHPO have not yet signed a Memorandum of Agreement (MOA) regarding the historic district and future mitigative efforts at the site.

Once the MOA is signed, Historic American Buildings Survey/Historic American Engineering Record Western Region office will provide instructions on the format for the final report on the Sandia TTR Historic District and that report will be completed.

2.1.14 Environmental Compliance Executive Orders

EO 11988, *Floodplain Management*, as amended, and EO 11990, *Protection of Wetlands*, as amended, require evaluation of the potential effects of actions taken in these environmentally sensitive areas. There are no floodplains or significant wetlands at TTR; however, some very limited wetlands exist in the vicinity of several springs. These provide an important source of drinking water for wildlife in the area. Sandia complies with all applicable mandates stated in these EOs.

EO 12898, *Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations*, as amended, requires that, to the greatest extent practicable and permitted by law and consistent with the principles set forth in the Report on the National Performance Review (Gore 1993), each federal agency shall make achieving environmental justice part of its mission by identifying and addressing, as appropriate, disproportionately high and adverse human health or environmental effects of its programs, policies, and activities on minority populations and low-income populations in the United States and its territories and possessions. Sandia must include in the assessment of its operations any disproportionate impacts on minority or low-income populations within the area of influence of the laboratories' operations.

EO 13423, *Strengthening Federal Environmental, Energy, and Transportation Management*, was issued in January 2007. EO 13423 sets goals in the areas of energy efficiency, acquisition, renewable energy, toxics reductions, recycling, sustainable buildings, electronics stewardship, fleets, and water conservation. EO 13423 also requires more widespread use of Environmental Management Systems (EMS) as the framework in which to manage and continually improve these sustainable practices.

EO 13514, *Federal Leadership in Environmental, Energy, and Economic Performance*, was issued in October 2009. EO 13514 establishes an integrated strategy towards sustainability to safeguard the health of our environment and make greenhouse gas emissions a priority for all federal agencies. EO 13514 sets goals in the areas of promoting electronics stewardship, pollution prevention, increased renewable energy, waste reduction, recycling, and fossil fuel usage reduction.

2.1.15 DOE Directives

DOE directives on the Management and Operating Contract between Sandia and the DOE define the primary contractual obligations for operating TTR. Sandia met all the requirements stated in these DOE directives.

2.1.16 Quality Assurance

As outlined in detail in Section 7.0, Quality Assurance (QA), of the SNL/NM Annual Site Environmental Report (ASER), Sandia deploys, at TTR and Kauai Test Facility (KTF), responsibility and accountability for implementing and putting into action the QA Program elements specified in International Organization for Standardization (ISO) 9001-2000 (ISO 2008), the Contractor Requirements Document of DOE Order 414.1D, *Quality Assurance* (DOE 2011), and regulation 10 CFR 830, Subpart A, Quality Assurance, via policy statements, processes, and procedures; and executing the actions specified in those processes and procedures.

2.2 2012 Audits

There were no on-site NDEP audits of TTR conducted during 2012.

An internal Environmental Programs & Assurance Evaluation was conducted in October 2012 and Several Recommendations or Observations were made:

1. Remove the old unused screening plant from the borrow pit so that it is not confused as being an active unit.
2. Remove the abandoned water storage tank and associated piping from Roller Coaster Pond Area.
3. The Hurricane Pump at Roller Coaster Pond was noted as requiring maintenance and additional secondary containment.

4. Additional security fencing, signage, and illumination at public water system pumphouse, storage tower and treatment plant should be investigated.
5. The old construction pond located at Well 6 has been removed as recommended during the last Sanitary Survey accomplished by NDEP in 2011.

All of the above items (except item 4) have been corrected, the security fencing, signage, and illumination issue is still pending further investigation.

A summary of 2012 environmental audits is presented in Table 2-4.

TABLE 2-4. Summary of Environmental Audits Performed at TTR During Calendar Year 2012

Type/Subject	Date	Audit Organization	Findings Summary
Environmental Programs & Assurance Evaluation	October 16, 2012 to October 17, 2012	4143	<p>Several Recommendations were made;</p> <ul style="list-style-type: none"> ● Remove the old unused screening plant from the borrow pit so that it was not confused as being an active unit. ● Remove abandoned water storage tank and associated piping from Roller Coaster Pond Area. ● Hurricane Pump at Roller Coaster Pond required maintenance and additional secondary containment. ● Additional security fencing, signage and illumination at public water system pumphouse, storage tower and treatment plant should be investigated. <p>An Observation Included;</p> <ul style="list-style-type: none"> ● The old construction pond located at Well 6 has been removed as recommended during the last Sanitary Survey accomplished by NDEP in 2011.

NOTES: NDEP = Nevada Division of Environmental Protection
TTR = Tonopah Test Range

2.3 2012 Issues and Actions for TTR

Ongoing self-assessments of TTR continue to identify potential compliance issues and subsequent follow-up actions.

Federal Facility Agreement and Consent Order (FFACO) Compliance for Environmental Restoration (ER) Activities

An ongoing action started in 1996 is the FFACO with the State of Nevada. This agreement was implemented in May 1996 between the State of Nevada, DOE, and the U.S. Department of Defense (DOD) (DOD/DOE/State of Nevada 1996). All DOE cleanup activities in the State of Nevada must be conducted in conformance with the requirements of this agreement. The FFACO is an enforceable agreement with stipulated penalties for violations. The ER sites for which DOE has assumed responsibility, which are subject to the FFACO are:

- Nevada National Security Site,
- Areas within TTR,
- Areas within the Nevada Test and Training Range,
- Central Nevada Test Area, and
- Project Shoal Area (east of Carson City in Churchill County).

A summary of DOE/NNSA's ER sites in Nevada can be found in the FFACO document (DOD/DOE/State of Nevada 1996). The list of sites has been modified for consistency with NDEP requirements and grouped into Corrective Action Units (CAUs), which are listed by Corrective Action Site (CAS) numbers. Each CAU/CAS is listed in the FFACO under Appendix II (Corrective Action Sites/Units; this section includes inactive CAUs/CASs), Appendix III (Corrective Action Investigations/Corrective Actions; this section includes active CAUs/CASs), and Appendix IV (Closed Corrective Action Units; this section lists CAUs/CASs where corrective actions are complete). The FFACO is updated every six months. A listing of ER sites located at TTR is shown in Chapter 3, Table 3-1.

2.4 Environmental Permits

Environmental compliance permits for TTR include those for hazardous materials storage, public water supply, RCRA, and air quality. The State of Nevada issues permits for these Sandia TTR activities directly to DOE/NNSA/SFO, and they are administered by Navarro Research and Engineering on behalf of Sandia. Sandia and Navarro ensure that all permit conditions are met. Table 2-5 lists all permits and registrations in effect in 2012.

2.5 Occurrence Reporting

Under DOE Manual 231.1-2, an *occurrence* is defined as “one or more events or conditions that adversely affect, or may adversely affect, DOE (including NNSA) or contractor personnel, the public, property, the environment, or the DOE mission.” Events or conditions meeting criteria thresholds identified in DOE Manual 231.1-2, or determined to be recurring through performance analysis, are considered occurrences. There are environmental releases that may not meet DOE Manual 231.1-2 reporting thresholds; however, they are still reportable to outside agencies. There were no reportable environmental occurrences in 2012.

TABLE 2-5. Summary of Permits at TTR During Calendar Year 2012

Permit Type and Location	Permit Number	Issue Date	Expiration Date	Comments
<i>Air Quality Permits</i>				
Class II Air Quality Operation Permit	AP 8733-0680.03	08/05/2011 **Amended with corrections 10/03/2011	08/04/2016	Portable Screen Welding Operation Carpenter Area Paint Booth Generators (9 systems) Surface Area Disturbance (> 5 acres)
<i>RCRA - Hazardous Waste</i>				
Hazardous Waste Generator	NV1890011991*	January 7, 1993	Indefinite	State of Nevada
<i>Production Well (Drinking Water)</i>				
Well 6 Production Well	NV-3014-12NTNC	August 6, 2011	September 30, 2012**	State of Nevada
Permit to Operate a Treatment Plant	NV-3014-TP11-12NTNC	September 14, 2011	September 30, 2012	State of Nevada
<i>Nevada State Fire Marshal (Hazardous Material)</i>				
Hazardous Materials Permit	20965 FDID Number (13007)	March 3, 2012	February 28, 2013	State of Nevada

NOTES: *Generator ID number (not a permit number)

**The State of Nevada Bureau of Health Protection Services renews the permit for Well 6 (NV-3014-12NTNC) annually.

AP=Air Permit

FDID = Fire Department Identification

NTNC = Non-Transient Non-Community

NV = Nevada

RCRA = Resource Conservation and Recovery Act

TTR = Tonopah Test Range

This page intentionally left blank.

TTR Environmental Programs Information

Environmental Restoration (ER), Waste Management, and the National Environmental Policy Act (NEPA) are some of the programs and activities the Tonopah Test Range (TTR) utilizes to comply with various federal and state regulations and U.S. Department of Energy (DOE) directives. Presidential Executive Orders and DOE guidance documents are also used to establish program criteria. These are discussed in this chapter. Refer to Chapter 4 for information on other programs, including Terrestrial Surveillance, Drinking Water, Wastewater, and Air Quality Programs.

3.1 Environmental Restoration Activities

ER activities at TTR were initiated in 1980 to address contamination resulting primarily from nuclear weapons testing and related support activities. Responsibility for all TTR ER sites resides with DOE/National Nuclear Security Administration (NNSA), Nevada Field Office (NFO).

Since 1996, cleanup activities for sites located in the State of Nevada have been regulated by the Federal Facility Agreement and Consent Order (FFACO) of 1996, as amended (DOD/DOE/State of Nevada 1996). The FFACO was negotiated between the State of Nevada, DOE Environmental Management, the U. S. Department of Defense (DOD), and DOE Legacy Management. The FFACO took effect on May 10, 1996 and accomplished the following:

- Established a framework for identifying Corrective Action Sites (CASs),
- Grouped CASs into Corrective Action Units (CAUs),
- Prioritized CAUs, and
- Implemented corrective action activities.

The FFACO is also discussed in Section 2.3 of this report.

CAUs located at TTR are addressed by two ER Activities:

- **Industrial Sites Activity** – Sites historically used to support nuclear testing and Sandia Corporation (Sandia) activities. Industrial sites include historic septic systems, landfills, sewage lagoons, depleted uranium sites, and ordnance testing sites.
- **Soil Sites Activity** – Areas where nuclear testing has resulted in surface and/or shallow subsurface soil contamination. Soil sites include large area soil contamination from plutonium dispersal testing.

ER site contamination includes radiological constituents (e.g., depleted uranium and plutonium) and non-radiological constituents (e.g., munitions, solvents, pesticides, septic sludge, and heavy metals).

CAS Identification

The initial identification, description, and listing of CASs at TTR were derived from the Preliminary Assessment (PA) and the Federal Facility Preliminary Assessment Review (E&E 1989). Twelve additional potential CASs, not included in the PA, were also identified using the following methods:

- ER sites inventory processes,
- Ordnance removal activities,
- Geophysical surveys,
- Former worker interviews,
- Archive reviews,
- Site visits, and
- Aerial radiological and multi-spectral surveys (1993 – 1996).

The remediation activities at the Clean Slate and Double Tracks sites (Project Roller Coaster) are discussed in Chapter 1. These sites are listed under Soil Sites CAUs/CASs in Table 3-1 as CAU 411, 412, 413, and 414.

Table 3-1 summarizes the existing Industrial Sites CAUs and CASs at TTR. The ER activities planned for these CASs range from “no activities currently planned” to “Nevada Division of Environmental Protection-approved closure.” The list of CASs and general information presented in Table 3-1 is contained in Appendices II, III, and IV of the FFACO (DOD/DOE/State of Nevada 1996).

2012 ER Activities

ER activities in 2012 included site investigations at four sites where radioactive contamination is present on the ground surface. These four sites are known as Double Tracks (located on the Nevada Test and Training Range [NTTR]), Clean Slate 1, Clean Slate 2, and Clean Slate 3. The site investigations were conducted in late May and early June. Investigation included walking each of the sites with radiological detection equipment to verify the extent and amount of contamination. Soil samples were also obtained from each site as confirmation of the concentration and ratio of radioisotopes. The walkover data along with the sample data will be used to support site characterization. Unexploded ordnance items were also identified, global positioning system (GPS)-located, and catalogued for future warning and removal. Waste generated (personal protective equipment) during these activities was removed off-site and disposed at the conclusion of the investigation effort. A quantity of 12 drums from outside the radiological control fence at the Clean Slate 2 site were also removed off-site and disposed.

Other ER activities conducted on the TTR site in 2012 consisted of the annual post-closure inspection of Closed/Use Restricted Industrial Sites. The inspections were conducted in May 2012 and minor repairs to fencing and covers were completed in July 2012. Vegetation monitoring was also conducted at select sites in June 2012.

In addition to the site investigation and annual post-closure inspection activities, routine air sample collection was also conducted throughout the year at various locations on the TTR.

3.2 Waste Management Programs

All waste generated by Sandia National Laboratories (SNL)/Tonopah Test Range (TTR), which excludes any waste generated by ER activities, is managed by Navarro Research & Engineering under

TABLE 3-1. NNSA/NFO ER Project TTR CAUs and CASs 2012 Status

Industrial Sites CAUs/CASs		
CAS Number	CAS Description	General Location
CAU 400 – Closed Bomblet Pit and Five Points Landfill (TTR)		
TA-19-001-05PT	Ordnance Disposal Pit	Five Points Intersection
TA-55-001-TAB2	Ordnance Disposal Pit	Bunker 2 Road
CAU 401 – Closed Area 3 Gas Station Underground Storage Tank Site (TTR)		
03-02-003-0357	Underground Storage Tank, Gas	First Gas Station, Area 3
CAU 402 – Closed Area 3 Building 0353 Underground Storage Tank Site (TTR)		
03-02-001-0353	Underground Storage Tank, Diesel	Building 0353
CAU 403 – Closed Area 3 Second Gas Station Underground Storage Tank (TTR)		
03-02-004-0360	Underground Storage Tanks	Second Gas Station
CAU 404 – Closed Roller Coaster Lagoons and Trench (TTR)		
TA-03-001-TARC	Roller Coaster Lagoons	Northwest of Antelope Lake
TA-21-001-TARC	Roller Coaster North Disposal Trench	Northwest of Antelope Lake
CAU 405 – Closed Area 3 Septic Systems (TTR)		
03-05-002-SW03	Septic Waste System	Area 3
03-05-002-SW04	Septic Waste System	Area 3
03-05-002-SW07	Septic Waste System	Area 3
CAU 406 – Closed Area 3 Building 03-74 & Building 03-58 Underground Discharge Points (TTR)		
03-51-002-0374	Heavy Duty Shop UDP, Sumps	Building 0374
03-51-003-0358	UPS Building UDP	UPS Building, Area 3
CAU 407 – Closed Roller Coaster RadSafe Area (TTR)		
TA-23-001-TARC	Roller Coaster RadSafe Area	Northwest of Antelope Lake
CAU 408 – Closed Bomblet Target Area (TTR)		
TA-55-002-TAB2	Bomblet Target Areas	Antelope Lake
CAU 409 – Closed Other Waste Sites (TTR)		
RG-24-001-RGCR	Battery Dump Site	Cactus Repeater
TA-53-001-TAB2	Septic Sludge Disposal Pit	Area 3
TA-53-002-TAB2	Septic Sludge Disposal Pit	Area 3

See notes at end of table.

TABLE 3-1. NNSA/NFO ER Project TTR CAUs and CASs 2012 Status (Continued)

Industrial Sites CAUs/CASs		
CAS Number	CAS Description	General Location
CAU 410 – Closed Waste Disposal Trenches (TTR)		
03-19-001	Waste Disposal Site	Building 0385-T
09-21-001-TA09	Disposal Trenches	Area 9
TA-19-002-TAB2	Debris Mound	Bunker 2
TA-21-002-TAAL	Disposal Trench	South Antelope Lake
TA-21-003-TANL	Disposal Trench	NEDS Lake
CAU 423 – Closed Area 3 Underground Discharge Point, Building 0360 (TTR)		
03-02-002-0308	Underground Discharge Point	Building 0360
CAU 424 – Closed Area 3 Landfill Complex (TTR)		
03-08-001-A301	Landfill Cell A3-1	Area 3 Landfill Complex
03-08-002-A302	Landfill Cell A3-2	Area 3 Landfill Complex
03-08-002-A303	Landfill Cell A3-3	Area 3 Landfill Complex
03-08-002-A304	Landfill Cell A3-4	Area 3 Landfill Complex
03-08-002-A305	Landfill Cell A3-5	Area 3 Landfill Complex
03-08-002-A306	Landfill Cell A3-6	Area 3 Landfill Complex
03-08-002-A307	Landfill Cell A3-7	Area 3 Landfill Complex
03-08-002-A308	Landfill Cell A3-8	Area 3 Landfill Complex
CAU 425 – Closed Area 9 Main Lake Construction Debris Disposal Area (TTR)		
09-08-001-TA09	Construction Debris Disposal Area	Area 9, Main Lake
CAU 426 – Closed Cactus Spring Waste Trenches (TTR)		
RG-08-001-RGCS	Waste Trenches	Cactus Spring Ranch
CAU 427 – Closed Area 3 Septic Waste Systems 2, 6 (TTR)		
03-05-002-SW02	Septic Waste System	Area 3
03-05-002-SW06	Septic Waste System	Area 3
CAU 428 – Closed Area 3 Septic Waste Systems 1, 5 (TTR)		
03-05-002-SW01	Septic Waste System	Area 3
03-05-002-SW05	Septic Waste System	Area 3
CAU 484 – Closed Surface Debris, Waste Sites, and Burn Area (TTR)		
RG-52-007-TAML	Davis Gun Penetrator Test	Test Range
TA-52-001-TANL	NEDS Detonation Area	NEDS Lake
TA-52-004-TAAL	Metal Particle Dispersion Test	Antelope Lake
TA-52-005-TAAL	Joint Test Assembly DU Sites	Antelope Lake
TA-52-006-TAPL	Depleted Uranium Site	Colimbo Detonation Area
TA-54-001-TANL	Contaminated Tank and Steel Structure	NEDS Lake

See notes at end of table.

TABLE 3-1. NNSA/NFO ER Project TTR CAUs and CASs 2012 Status (Concluded)

Industrial Sites CAUs/CASs		
CAS Number	CAS Description	General Location
CAU 490 – Closed Station 44 Burn Area (TTR)		
03-56-001-03BA	Fire Training Area	Area 3
03-58-001-03FN	Sandia Service Yard	Area 3
09-54-001-09L2	Gun Propellant Burn Area	Area 9
RG-56-001-RGBA	Station 44 Burn Area	Station 44
CAU 495 – Closed Unconfirmed JTA Sites (TTR)		
TA-55-006-09SE	Buried Artillery Round	Test Area
TA-55-007-09SE	Buried Artillery Round	Test Area
CAU 496 – Closed Buried Rocket Site – Antelope Lake (TTR)		
TA-55-008-TAAL	Buried Rocket	Antelope Lake
CAU 499 – Closed Hydrocarbon Spill Site, TTR		
RG-25-001-RD24	Radar 24 Diesel Spill Site	Radar 24 Site
Soil Sites CAUs/CASs:		
CAU 411 – Interim Closure Double Tracks Plutonium Dispersion (Nellis)		
NAFR-23-01	Pu Contaminated Soil	Nellis Range 71
CAU 412 – Interim Closure Clean Slate I Plutonium Dispersion (TTR)		
TA-23-01CS	Pu Contaminated Soil	Tonopah Test Range
CAU 413 – Remediation Phase Clean Slate II Plutonium Dispersion (TTR)		
TA-23-02CS	Pu Contaminated Soil	Tonopah Test Range
CAU 414 – Not Started Clean Slate III Plutonium Dispersion (TTR)		
TA-23-03CS	Pu Contaminated Soil	Tonopah Test Range

SOURCE: FFAO, as amended (DOD/DOE/State of NV 1996)

NOTES: CAS = Corrective Action Site
CAU = Corrective Action Unit
DU = depleted uranium
ER = Environmental Restoration
FFACO = Federal Facility Agreement and Consent Order
JTA = Joint Test Assembly
NEDS = Non-Explosive Destruction Site
NFO = Nevada Field Office
NNSA = National Nuclear Security Administration
Pu = plutonium
TTR = Tonopah Test Range
UDP = underground discharge point
UPS = Uninterruptible Power Supply

the Waste Management Program. Waste categories include radioactive waste, Resource Conservation and Recovery Act (RCRA)-hazardous waste, other chemical waste, and non-hazardous solid waste. Waste minimization and recycling efforts are integrated into Waste Management Program activities.

Waste generated and shipped from SNL/TTR to approved facilities in 2012 was as follows:

<u>Waste Type</u>	<u>Weight</u>
RCRA hazardous waste	195 kilograms (kg) (429 pounds [lb])
Non-RCRA regulated	2,605 kg (5,731 lb)
Recycled material	1,574 kg (3,463 lb)
Toxic Substances Control Act (TSCA) waste (Asbestos)	555 kg (1,221 lb)
Radioactive waste	0 kg (0 lb)
 <i>Sanitary landfill:</i>	
U.S. Air Force (USAF) Sanitary Landfill	15,573 kg (34,260 lb)
 <i>Construction debris:</i>	
USAF Construction Landfill	49,590 kg (109,098 lb)
 <i>Tires:</i>	
Phoenix Recycling Technologies	2,364 kg (5,200 lb)
 <i>Battery recycling:</i>	
Battery Recycling	501 kg (1,101 lb)
 <i>Apex Landfill:</i>	
Tires too large for recycling were disposed of at this landfill	0 kg (0 lb)
 <i>Hydrocarbon Contaminated Waste:</i>	
U.S. Ecology Landfill Beatty	0 kg (0 lb)

All regulated waste was shipped off-site to permitted treatment, storage, and disposal facilities.

Waste Minimization Program

SNL/TTR is committed to achieving significant reductions in the amount of chemical and hazardous wastes generated on-site. Waste minimization includes the recycling and recovery of the following materials:

- Solvents,
- E-Waste – computers, monitors, radios, electronics, etc.,
- Fuels and oil,
- Tires,
- Antifreeze (on-site recycling unit),
- Lead acid batteries,
- Freon (on-site recovery unit),

- Fluorescent and sodium bulbs, and
- Mercury-containing equipment.

Recyclables and used oil are sent for recycling or disposed of through the waste disposal contractor. Recycled or energy-recovered quantities shipped off-site in 2012 are presented in Table 3-2.

Radioactive Waste Management

There were no shipments of radioactive waste in 2012.

3.3 Spill Prevention Control and Countermeasures Plan

The *SPCC Plan for SNL Tonopah Test Range* (SNL 2004) pertains to oil storage equipment and secondary containments subject to 40 Code of Federal Regulations (CFR) 112, *Oil Pollution Prevention*, and 40 CFR 110, *Discharge of Oil*.

There are two mobile refuelers (a truck and a trailer), eight aboveground storage tanks, a bulk storage area for 55-gallon drums, and a transformer storage area that are covered by the Spill Prevention and Countermeasures Plan (SPCC) at TTR. Two emergency back-up generators were installed during 2012. The first, located at building 03-53 is a 500 kilowatt (kW) unit that is connected to a 2,000-gallon “Containment Solutions” fuel storage tank. The second is a 200 kW unit connected to a 1,000-gallon “Containment Solutions” fuel storage tank. All of the uncertified “Bickerstaff” type tanks have been replaced with certified “Containment Solutions” fuel storage tanks with the exception of the tank located at Building 09-58, that tank will be replaced sometime in 2013.

TABLE 3-2. Recycled or Energy-Recovered Quantities Shipped Off-Site During Calendar Year 2012

Categories of Waste Recycled or Energy-Recovered	Shipped (lb)	Shipped (kg)
NAPA Auto Batteries Recycled	1,950	886
Used Oil	0	0
Combustible Liquid, N.O.S.	315	143
Lead	0	0
Mercury	0	0
Batteries Wet Filled with Acid (Lead Acid)	552	251
Batteries Dry (Alkaline)	250	114
Electronic Equipment	2,598	1,181
Fluorescent Lights	195	89
Photographic Fixer	62	28
Non-PCB Ballasts	220	100
Welding Rod	0	0
Tires	5,200	2,364
TOTALS	11,342	5,156

NOTES: The lb or kg column weights are provided for convenience and indicate the same recycled material.
 kg = kilogram
 lb = pound
 N.O.S. = Not Otherwise Specified
 PCB = Polychlorinated Biphenyl

3.4 National Environmental Policy Act Program

NEPA Activities at TTR

At TTR, NEPA compliance is coordinated between personnel from TTR, Sandia National Laboratories/New Mexico (SNL/NM), and the DOE/NNSA, Sandia Field Office (SFO).

The NNSA has prepared a new Site-Wide Environmental Impact Statement (SWEIS) for the continued operation of DOE/NNSA activities at the Nevada National Security Site (NNSS) (DOE 2013a) and certain off-site locations (e.g., the NTTR, where TTR is located). During Calendar Year (CY) 2012, DOE personnel held public meetings and reviews of the SWEIS for TTR.

2012 NEPA Documentation

The SNL/NM NEPA Team completed three DOE NEPA checklists for TTR that were transmitted to the DOE/NNSA/SFO for review and determination in 2012. Personnel from DOE/NNSA/SFO, TTR, and the SNL/NM NEPA Team supported ongoing NNSS SWEIS data calls and reviews for TTR.

3.5 Environmental Monitoring Performed By Outside Agencies

In addition to Sandia, other entities perform environmental monitoring activities at TTR, as described below.

U.S. Environmental Protection Agency (EPA)

The EPA Environmental Monitoring Systems Laboratory in Las Vegas, Nevada monitored background radiation in the area of TTR as part of its Off-site Radiation Monitoring Reports Program (EPA 1999), which is now being conducted by Desert Research Institute (DRI).

DRI, University of Nevada System

The DRI trains and provides monitoring station managers to run the EPA air monitoring equipment set up at locations within the local community, including the towns of Tonopah and Goldfield. The EPA laboratory in Las Vegas, Nevada provides the equipment and performs the analysis and reporting.

The DRI also provides external quality assurance on field measurements taken by the EPA at these community monitoring stations. DRI monitors selected locations concurrently using a portable monitoring station and thermoluminescent dosimeters. There are now three DRI portable monitoring stations in use at TTR. Station 400 is located near the TTR Range Operations Center, Station 401 is located near Clean Slate 3, and the newest Station 402 is located near Clean Slate 1. The DRI's Community Radiation Monitoring Program Annual Report is part of the *NNSS Annual Site Environmental Report (ASER)* (DOE 2012a).

The DRI also performs other monitoring as requested by the DOE, such as archeological surveys. No archeological surveys were requested in 2012.

Navarro

As part of its SNL/TTR support activities, Navarro personnel perform environmental monitoring activities for DOE and/or Sandia when necessary. This can include:

- Drinking water and wastewater sampling (details can be found in Section 4.2);
- National Emission Standards for Hazardous Air Pollutants (NESHAP) 40 CFR 61, Subpart H (radionuclides), air quality monitoring;

- Soil sampling and site characterization of spill sites;
- Waste sampling and characterization; and
- ER support activities.

3.6 Summary of Release Reporting

The following three release reporting documents must be submitted to external regulatory agencies if releases exceed applicable threshold quantities:

- *NESHAP Annual Report for CY 2012, SNL/NV* (SNL 2013) requires that an annual report be submitted from each DOE/NNSA site where facility sources contribute a public dose of over 0.1 millirems per year. The NESHAP report must be submitted to EPA by June 30th each year following the reporting year. The report includes the calculated effective dose equivalent in mrem/yr for the maximally exposed individual.
- State of Nevada Extremely Hazardous Material Reporting Requirements – This is not currently required since extremely hazardous materials are not used during TTR routine operations.



Photo of the Station 400 Monitor

This page intentionally left blank.

TTR Terrestrial, Ecological Surveillance, Air, and Water Quality

4.1 Terrestrial Surveillance

Terrestrial surveillance is conducted at the Tonopah Test Range (TTR) to detect the possible migration of contaminants to off-site locations, and to determine the potential impact of TTR operations on human health and the environment.

4.1.1 Program Objectives

The objectives of the Terrestrial Surveillance Program can be summarized by the following:

- Collect and analyze samples to characterize environmental conditions and define increasing or decreasing trends,
- Establish background levels of pollutants to define baseline conditions (off-site sampling),
- Provide continuing assessment of pollution abatement programs,
- Identify and quantify new or existing environmental quality problems and their potential impacts, if any, and
- Verify compliance with applicable environmental laws and regulations and commitments made in National Environmental Policy Act documents such as Environmental Impact Statements, as well as other official documents.

4.1.2 Regulatory Standards and Comparisons

The Terrestrial Surveillance Program is designed and conducted to address the requirements of U.S. Department of Energy (DOE) Order 458.1, *Radiation Protection of the Public and the Environment* (DOE 2013), and to satisfy Sandia Corporation (Sandia) Environmental Management System Program standards, which adopt the requirements of International Organization for Standardization (ISO) 14001 (ISO 2004). Reporting is done in accordance with DOE Order 231.1B, *Environment, Safety and Health Reporting* (DOE 2012). Concentration limits for radionuclides and metals in terrestrial media are not well defined. However, the terrestrial surveillance coordinator does compare the results from on-site and perimeter locations to off-site results to determine what impact, if any, TTR operations have on the environment. In addition, sample results for metals in surface soils are compared to U.S. surface soil average concentrations that are published in *Trace Elements in Soils and Plants* (Kabata-Pendias 2000) or local/regional surface soil average concentrations that are published in *Elements in North American Soils* (Dragun and Chekiri 2005).

A summary report of metals in soils at TTR has been prepared and will serve as another point of reference. This report was Appendix B in the *Calendar Year (CY) 2006 Annual Site Environmental Report for Tonopah Test Range, Nevada and Kauai Test Facility, Hawaii* (SNL 2007).

4.1.3 Statistical Analyses

Samples are generally collected from fixed locations to make useful statistical comparisons with results from previous years. Statistical analyses are performed to determine if a specific result, or group of on-site or perimeter results, differs from off-site values, and to identify trends at a specific sampling location. Since multiple data points are necessary to provide an accurate view of a system, the Terrestrial Surveillance Program does not rely on the results from any single year's sampling event to characterize on-site environmental conditions. Results from a single sampling point may vary from year to year, due to slight changes in sampling locations, differences in climatic conditions, and laboratory variations or errors. As the amount of data increases, the accuracy of the characterization increases.

The results of the statistical analyses allow for prioritization of sample locations for possible follow-up action. The prioritization process is a decision-making tool to assist in determining the appropriate level of concern for each sample result. The *Statistical Analysis Prioritization Method* (Shyr, Herrera, and Haaker 1998) is based on two “Yes or No” questions resulting in a matrix of four priority levels (Table 4-1). In addition, a qualitative, visual inspection of a graphical presentation of the data is conducted to compare sampling results to local/regional and site-specific concentrations. This step is performed to ensure that anomalous data that would otherwise pass statistical scrutiny is flagged for further investigation.

In some instances, this qualitative inspection of the data is augmented by the graphical evaluation methodology as discussed in the metals-in-soil summary report (SNL 2007). This enables the visual identification of anomalies in the data that stand out from the data population for the entire site, or for just that location. This is particularly useful where insufficient data exists for trending, but comparison of new data to “expected values” is desired. In 2012, americium-241 at location S-51 continues to be identified as Priority-1 consistent with the “hot particle” theory suggested in the 2009 Annual Site Environmental Report (ASER).

From 2000 through 2012 (thirteen years), Sandia National Laboratories, New Mexico (SNL/NM) has used the same analytical laboratory for metals and radiological analyses.

TABLE 4-1. Decision Matrix for Determining Priority Action Levels

Priority	Are results higher than Off-Site?*	Is there an increasing trend ?	Priority for further investigation
1	Yes	Yes	Immediate attention needed. Specific investigation planned and/or notifications made to responsible parties.
2	Yes	No	Some concern based on the level of contaminant present. Further investigation and/or notifications as necessary.
3	No	Yes	A minor concern since contaminants present are not higher than off-site averages. Further investigation and/or notifications as necessary.
4	No	No	No concern. No investigation required.

NOTES: Based on Statistical Analysis Prioritization Methodology (Shyr, Herrera, and Haaker 1998).

*While some sites may appear higher than off-site, there may not be a statistically significant difference.

4.1.4 Sampling Locations

Terrestrial surveillance began at TTR in 1992. In addition to routine sampling, a large-scale baseline sampling was performed in 1994 in areas where Sandia National Laboratories (SNL) activities had a long-term or continued presence.

Routine terrestrial surveillance is conducted at on-site, perimeter, and off-site locations that remain essentially the same from year to year. The sampling locations, number of samples, and analyses performed are prioritized based on the following criteria:

- On-site locations are near areas of known contamination, potential sources of contamination, or in areas where contamination, if present, would be expected to accumulate (such as in the vicinity of Environmental Restoration (ER) Project sites). A list of on-site sampling locations is shown in Table 4-2. Maps of the on-site sampling locations are shown in Appendix A, Figures A-3 and A-4.
- Off-site locations are selected to provide a measurement of environmental conditions unaffected by TTR activities. Data collected from off-site locations serve as a reference point to compare data collected at perimeter and on-site locations. Multiple years of sampling data are compiled to determine statistical averages for off-site concentrations. Off-site locations are chosen both in remote, natural settings and in areas near local population centers and along highways. Table 4-3 contains a list of the off-site sample locations and a map of these locations is shown in Appendix A, Figure A-1.
- Perimeter locations are selected to establish if contaminants are migrating either onto or off of TTR property. A list of perimeter sampling locations is shown in Table 4-4. A map of the perimeter sampling locations is shown in Appendix A, Figure A-2. All perimeter locations are in areas which Sandia does not control access.

4.1.5 Radiological Parameters and Results

Soil is the only terrestrial medium sampled at TTR. There are no bodies of water other than the playa lakes – dry lake beds with only occasional standing water. Vegetation is scarce. Soil samples are collected to ascertain the presence of air-deposited pollutants or contaminants that have been transported and deposited as a result of surface water runoff. Samples are collected from the top two inches of soil using a hand trowel. The 2012 analytical results can be found in Appendix B of this report and are summarized in this section. The detailed statistical analyses are documented in the *Tonopah Test Range Data Analysis in Support of the Annual Site Environmental Report, 2012* (SNL 2013a).

Radiological parameters include gamma-emitting radionuclides, plutonium, and uranium and are described below:

- Gamma-emitting radionuclides – Gamma spectroscopy is used to detect the emission of gamma radiation from radioactive materials. Radionuclide identification is possible by measuring the spectrum of gamma energies associated with a sample, since each radionuclide has a unique and consistent series of gamma emissions. Cesium-137 is an example of a long-lived gamma emitter that is prevalent in the environment (as fallout from historical nuclear weapons testing). Other gamma-emitters of interest at TTR are americium-241 and depleted uranium from past explosives testing.
- Plutonium – Due to past explosives testing, plutonium is present in some limited areas of TTR. One of the indicators of the presence of weapons-grade plutonium is radionuclide americium-241. Isotopic plutonium analysis is sometimes performed on any sample for which gamma spectroscopy identified americium-241 in concentrations greater than its minimum detectable activity (MDA).

TABLE 4-2. On-Site Terrestrial Surveillance Locations at TTR

Location	Location Number	Sample Location	Soil Sampling	Replicate*	TLD
Range Operations Center	S-40	Waste Water Monitoring Station	X		
	S-41	"Danger Powerline Crossing" Sign	X		
	S-42	Main Road/Edward's Freeway	X		
	S-43	Southwest Corner of Sandia Corporation, TTR Operation Center	X		
	S-44	Northeast Corner of Sandia Corporation, TTR Operation Center	X		
	S-45	Storage Shelters 03-38 and 03-39	X		
	S-46	Sand Building	X		
	S-47	Generator Storage Area	X		
South Plume Area	S-48	North/South Mellan Airstrip - Antelope Tuff	X	X	
	S-49	North/South Mellan Airstrip - Southwest of S-48	X		
	S-50	North/South Mellan Airstrip - sign post	X		
	S-51	North/South Mellan Airstrip – Northeast of S-50	X		
	S-52	Northeast of Northwest/Southeast Mellan Airstrip	X		
Various On-Site	S-01	Antelope Lake Area Fence, Cultural Area Sign			X
	S-02	North/South Mellan Airstrip (TLD at South fence post)	X		X
	S-03	TLD at Clean Slate 2	X	X	X
	S-04	TLD at Clean Slate 3	X		X
	S-09	Roller Coaster Decon	X	X	X
	S-10	Brownes Road/Denton Freeway	X		X
	S-13	Area 3 between Building 100 and Caution Sign			X
	S-14	Area 3 CP Southwest side of fence			X
	S-15	Moody Avenue by Cattle Guard and Entrance to Chow Hall and Airport			X
	S-16	Area 9, near Well 7			X
	S-17	Main Lake South, near Neutron Bunkers			X
	S-38	Mellan Hill - Metal Scrap Pile	X		
	S-39	Mellan Hill - North	X		
S-53	Main Road/Lake Road Southeast	X			

NOTES: *In addition to single samples taken for each location, two replicated samples are collected for internal checks on comparability of sampling and analysis

TLD = Thermoluminescent Dosimeter

TTR = Tonopah Test Range

TABLE 4-3. Off -Site Terrestrial Surveillance Locations at TTR

Location	Location Number	Sample Location	Soil Sampling	Replicate*	TLD
Off-Site	C-19	Mining Museum, North Goldfield			X
	C-20	State Road 6 Rest Area	X		
	C-21	State Road 6/95 Ely Rest Area	X		X
	C-22	Rocket	X		X
	C-23	Alkali/Silver Peak Turnoff	X		
	C-24	Cattle Guard	X		
	C-25	Tonopah Rangers Station	X		
	C-26	Gabbs Pole Line Road	X		
	C-27	State Roads 6/376 Junction	X		
	C-28	Stone Cabin/Willow Creek	X		
	C-29	State Roads 6/375 Junction	X	X	
	C-30	State Road 375 Ranch Cattle Gate	X		
	C-31	Golden Arrow/Silver Bow	X		
	C-32	5 Miles South of Rocket	X		
C-33	9 Miles North of Main Guard Gate	X			

NOTES: *In addition to single samples taken for each location, two replicated samples are collected for internal checks on comparability of sampling and analysis.
TLD = Thermoluminescent Dosimeter
TTR = Tonopah Test Range

TABLE 4-4. Perimeter Terrestrial Surveillance Locations at TTR

Location	Location Number	Sample Location	Soil Sampling	Replicate*	TLD
Perimeter	P-05	O&M Complex - Site 4 Entrance Gate			X
	P-06	Cedar Pass Road Guard Station	X		X
	P-07	On-Base Housing - South of Power Pole 55-11			X
	P-08	On-Base Housing (main guard gate/power pole CP17)	X		X
	P-11	Cactus Springs (TLD South of P-35)	X	X	X
	P-12	TLD at "U.S. Government Property" Sign	X		X
	P-34	O&M Complex - Owan Drive Post	X		
	P-35	Cactus Springs (North fence post)	X		
	P-36	On-Base Housing (Northeast fence line)	X		
P-37	On-Base Housing (guard station)	X			

NOTES: *In addition to single samples taken for each location, two replicated samples are collected for internal checks on comparability of sampling and analysis.
O&M = Operation and Maintenance
TLD = Thermoluminescent Dosimeter
TTR = Tonopah Test Range

- Uranium – Uranium occurs naturally in soils and may also be present as a pollutant in the environment due to past testing conducted at TTR. Total uranium analysis is used to measure all uranium isotopes present in a sample. A total uranium measurement may trigger an isotope-specific analysis to determine the possible source of uranium (i.e., natural, man-made, enriched, or depleted).
- External gamma radiation exposure rates – Thermoluminescent dosimeters (TLD) are used to measure ambient gamma exposure rates. Several natural gamma radiation sources exist, including cosmic radiation and radioactive materials that exist in geologic materials at TTR. The TLD network was established to determine the regional gamma exposure rate due to natural sources and to determine the impact, if any, of Sandia operations on those levels. The dosimeters are placed on aluminum poles, at a height of approximately one meter, and are exchanged and measured quarterly (January, April, July, and October) at 20 on-site, perimeter, and off-site locations.

Radiological Results

The results of the statistical analysis revealed that one on-site location (S-51) was both higher than off-site and with an increasing trend (Priority-1) for americium-241. Overall summary statistics for all radiological results are presented in Table 4-5. The Priority-1 location (S-51), along with the associated summary statistics for 2012 is listed in Table 4-6. There were no locations that exhibited Priority-2 or Priority-3 characteristics in 2012.

TABLE 4-5. Summary Statistics for TTR Soil Locations From Calendar Year 2000 - 2012
(all units in pCi/g unless otherwise noted)

Analyte	Class	Number of Samples	Average	Median	Std Dev	Minimum	Maximum
Americium-241	Perimeter	104	0.0172	0.02160	0.060	-0.23700	0.13
	On-Site	272	0.2808	0.04635	1.046	-0.23100	11.20
	Off-Site	182	0.0191	0.02355	0.046	-0.20200	0.13
Cesium-137	Perimeter	104	0.2057	0.15850	0.156	0.01220	0.89
	On-Site	283	0.2479	0.23800	0.191	0.00000	1.49
	Off-Site	182	0.2159	0.16800	0.159	0.00000	0.93
Plutonium-238	Perimeter	17	0.0042	0.00276	0.008	-0.00559	0.03
	On-Site	92	0.1241	0.01070	0.884	-0.01020	8.43
	Off-Site	34	0.0028	0.00094	0.005	-0.00367	0.02
Plutonium-239/240	Perimeter	17	0.0207	0.01640	0.017	0.00137	0.07
	On-Site	92	16.0203	0.32650	125.581	-0.00816	1,200.00
	Off-Site	34	0.0142	0.01095	0.013	-0.00110	0.05
Plutonium-242	On-Site	5	3.5120	3.49000	0.032	3.49000	3.56
Uranium (mg/kg)	Perimeter	64	0.7134	0.69150	0.177	0.48300	1.49
	On-Site	228	0.7274	0.71250	0.149	0.42600	1.51
	Off-Site	112	0.7559	0.69700	0.205	0.46300	1.55
Uranium-235	Perimeter	104	0.0770	0.07430	0.057	-0.05920	0.25
	On-Site	283	0.0878	0.07920	0.063	-0.07090	0.39
	Off-Site	182	0.0838	0.07800	0.060	-0.09990	0.29
Uranium-238	Perimeter	104	1.1959	1.20000	0.532	0.00287	2.65
	On-Site	282	1.2675	1.19000	0.512	0.03240	3.13
	Off-Site	178	1.2370	1.14000	0.540	0.13600	3.09

NOTES: mg/kg = milligrams per kilogram
pCi/g = picocurie per gram
Std Dev = Standard Deviation
TTR = Tonopah Test Range

TABLE 4-6. Summary Statistics for TTR Soil Locations Noted as Priority-1 and Priority-2
(all units in pCi/g)

Analyte	Location	Sample Size	2012 Result	Average	Median	Std Dev	Minimum	Maximum
Americium-241	S-51	13	11.2	3.03	2.11	3.38	-0.01	11.2
Pu-239/240	S-51	13	4.06	20.6	4.72	44.3	-0.01	130

NOTES: pCi/g = picocurie per gram
Std Dev = Standard Deviation
TTR = Tonopah Test Range

The respective radiological analytes are discussed in the following sections, which list the locations showing either Priority-1, Priority-2 or Priority-3.

Americium-241

In 2012, one on-site location (S-51) was identified as Priority-1 (higher than off-site and increasing trend). The first time this location had been identified as a Priority-1 was in 2009 with a value of 4.27 picocuries per gram (pCi/g) and subsequently 6.51 pCi/g in 2010. The maximum result for this location in 2012 was 11.2 pCi/g. These results can be expected, especially at the edge of the “South Plume Area” and is cause for continued vigilance at this location. The historical results can be seen in Figure 4-1.

There were no locations that exhibited Priority-2 or Priority-3 characteristics.

Plutonium-239/240

No on-site locations were identified as Priority-1 (higher than off-site and increasing trend) and one on-site location (S-51) was identified as Priority-2 (higher than off-site) for plutonium-239/240. This year’s results showed that the plutonium-239/240 is consistent with “historical” slightly elevated levels at S-51 which is also related to the elevated americium-241 results discussed above. The historical results can be seen in Figure 4-1.

There were no locations that exhibited Priority-3 or Priority-4 characteristics in 2012. The higher-than-normal plutonium-239/240 results are to be expected in the “South Plume Area”. Spikes in the year-to-year results are likely due to the “hot particle theory”, where the presence of americium-241 or




FIGURE 4-1. Historical Plutonium-239 and Americium-241 at TTR S-51

plutonium-239/240 in a heterogeneous sample skews the apparent “average” concentration, making it appear greater than it is. There will be continued vigilance for plutonium-239/240 (and americium-241) at this location.

TLD Results

Sampling for 2012 was conducted from January 2012 through January 2013. When a TLD location has a missing quarter, the data is not included in the summary statistics (there were no missing TLDs in 2012). Summary statistics for the past thirteen years are shown in Table 4-7. On-site and perimeter locations were statistically different from off-site locations. Off-site locations are statistically lower than either on-site or perimeter locations. There is no remarkable difference between any of the annual groupings of the data. Figure 4-2 graphically portrays the TLD results from 2000 through 2012. TLD results and TLD measurements, by quarter and location type, for 2012 are shown in Appendix B of this report.

TABLE 4-7. Summary Statistics for TTR TLDs by Location Class, 2000 – 2012
(all units in mrem)

Location Class	Sample Size	Average	Median	Std Dev	Minimum	Maximum
On-Site	133	159.8	159.3	13.3	132.4	228.8
Perimeter	72	158.2	158.3	16.9	100.0	216.0
Off-Site	38	143.5	149.1	15.5	105.1	164.5

NOTES: mrem = millirem
Std Dev = Standard Deviation
TLD = Thermoluminescent Dosimeter




FIGURE 4-2. Tonopah Test Range TLD Exposure, 2000-2012

4.1.6 Non-Radiological Parameters and Results

In 2012, soils for 13 selected sentinel locations listed in Tables 4-2, 4-3 and 4-4 were analyzed for non-radiological constituents. Additionally, all historical non-radiological soil analyses were analyzed and reported in a summary report (SNL 2006). The only target analyte list (TAL) metal that exhibited a Priority-2 condition (higher than off-site) was again location S-09 for cobalt (see Table 4-8). The mean value of 5.8 milligrams per kilogram (mg/kg) is well below the upper limit seen in Nevada soils and well below the U.S. Environmental Protection Agency (EPA) Region 9 Soil Screening Level of 900 mg/kg (residential use) shown in Table 4-9. Cobalt is not a potential contaminant of concern at TTR and is assumed to represent natural background at this location. There were no Priority-1 or Priority-3 metals noted at any other of the sampled locations.

TAL metals analyses are planned for additional locations every three to five years. The next planned routine sampling for both sentinel and surveillance locations will occur in 2013.

TABLE 4-8. Summary Statistics for TTR Soil Locations Noted as Priority-2 (all units in mg/kg)

Analyte	Location	Sample Size	2012 Result	Average	Median	Std Dev	Minimum	Maximum
Cobalt	S-09	7	6.75	5.8	5.97	0.63	4.88	6.75

NOTES: mg/kg = milligrams per kilogram
Std Dev = Standard Deviation
TTR = Tonopah Test Range

4.2 Water Monitoring

This section discusses the results for potable water, water conservation, wastewater effluent sampling, and storm water monitoring.

4.2.1 Production Well Monitoring

There are three active wells used by SNL/TTR: Production Well 6, Well 7, and the Roller Coaster Well. The most active are Production Well 6 and the Roller Coaster Well. Production Well 6 is a public water system well that supplies drinking water to the SNL/TTR Main Compound in Area 3. Well 6 is the only well that has been sampled for contaminants. Outlying areas and buildings without water service use bottled water. The other wells are not used for potable purposes (construction and dust suppression only), and there are no regulatory sampling requirements for them.

All public water system drinking water sampling is conducted in accordance with requirements set by the State of Nevada (NDEP 2011). Analytes are sampled at different intervals, as shown in Table 4-10. The Nevada Division of Environmental Protection (NDEP) currently provides Public Monitoring and Reporting Requirements for each public water system around March of each year. The public water system at TTR is permitted by the NDEP as a non-transient, non-community water system under the identification number NV003014. Production Well 6 supplies potable water for the TTR Area 3 Drinking Water Distribution System and the Area 3 Fire Protection Water Distribution System. The well water is routinely sampled and analyzed per the requirements of the NDEP to demonstrate conformance with primary drinking water standards.

A Sanitary Survey of the TTR public water system was conducted in 2011 by NDEP. Most comments were favorable, and there were no findings identified during the survey; however, during the inspection of the Well 6 pump house, the inspector made a comment that the Construction Pond

TABLE 4-9. Various Reference Values for Metals in Soil (all units in mg/kg)

Analyte	NV Background Soil Concentrations ¹		EPA Region 9 PRGs (Soil Screening Levels ²)		U.S. Background Soil Concentrations ³	
	Lower Limit	Upper Limit	Residential	Industrial	Lower Limit	Upper Limit
Aluminum	5,000	100,000	76,000	100,000	4,500	100,000
Antimony	< 1.0	1.0	31	410	0.25	0.6
Arsenic	2.9	24	0.39	1.6	1	93
Barium	150	3,000	5,400	67,000	20	1,500
Beryllium	ND	5.0	150	1,400	0.04	2.54
Cadmium	ND	11	37	450	0.41	0.57
Calcium	600	320,000	N/A	N/A	N/A	N/A
Chromium	7.0	150	210	450	7	1,500
Cobalt	ND	20	900	1,900	3	50
Copper	7	150	3,100	41,000	3	300
Iron	1,000	100,000	23,000	100,000	5,000	50,000
Lead	< 10	700	400	800	10	70
Magnesium	300	100,000	N/A	N/A	N/A	N/A
Manganese	30	5,000	1,800	19,000	20	3,000
Mercury	0.01	0.82	6	62	0.02	1.5
Molybdenum	ND	7.0	390	5,100	0.8	3.3
Nickel	5	50	1,600	20,000	5	150
Potassium	1,900	63,000	N/A	N/A	N/A	N/A
Selenium	< 0.1	1.1	390	5,100	0.1	4
Silica (Silicon)	150,000	440,000	N/A	N/A	24,000	368,000
Silver	0.5	5	390	5,100	0.2	3.2
Sodium	500	100,000	N/A	N/A	N/A	N/A
Strontium	100	1,500	47,000	100,000	7	1,000
Thallium	N/A	N/A	5.2	67	0.02	2.8
Titanium	700	5,000	100,000	100,000	20	1,000
Vanadium	30	150	78	1,000	0.7	98
Zinc	10	2,100	23,000	100,000	13	300

NOTES: (1) Dragun, James, A. Chiasson, *Elements in North American Soils*, 2005.
(2) EPA Region 9 Preliminary Remediation Goals (PRGs), U.S.E.P.A., October 2004.
(3) *Trace Elements in Soils and Plants*, 3rd Edition (Kabata-Pendias 2000).
EPA = U.S. Environmental Protection Agency
mg/kg = milligram per kilogram
N/A = not available
ND = not detectable
NV = Nevada
PRG = Protective Remediation Goal

located approximately 120 feet to the north of the Well 6 pump house seemed too close and might be considered a source of potential contamination. Nevada Administrative Code 445A.66865 Water Wells Location, Section 2(b) states: “Except as otherwise justified by an engineer and approved by the health authority, no water well may be located: Within 150 feet of a wastewater force main, wastewater lift station, septic tank or absorption field, or any other source of pollution or contamination.” The pond was removed in February 2012.

The State maintains information on the TTR/SNL public water system including water system details, sample schedules, sample results, and any violation/enforcement actions at the following location:

https://ndwis.ndep.nv.gov/DWW/JSP/WaterSystemDetail.jsp?tinwsys_is_number=296666&tinwsys_st_code=NV&wsnumber=NV0003014

TABLE 4-10. Routine Production Well Monitoring at TTR

Analyte	Sampling Frequency
Total Coliform	Monthly
Arsenic	Monthly
Total Trihalomethanes/Haloacetic Acids (5)	Annually
Di (2-Ethylhexyl) Phthalate (DEHP) <i>also known as</i> Bis(2-ethylhexyl) phthalate	Quarterly in 2012 (usually Annually)
Nitrate	Annually
IOCs Phase II, IOCs Phase V, Nitrite, Nitrate and Nitrite (Total) SOCs Phase II, SOCs Phase V, VOCs Phase I and II, VOCs Phase V	As required by NDEP, usually every 3 years
Lead/Copper	As required by NDEP, usually every 3 years
Dioxin	As required by NDEP, usually every 3 years
Secondary (13) Drinking Water Standards	As required by NDEP, usually every 3 years

NOTES: IOC = inorganic compounds
NDEP = Nevada Division of Environmental Protection
SOC = synthetic organic compounds
TTR = Tonopah Test Range
VOC = volatile organic compounds

Sampling parameters include (but are not limited to) total coliform, arsenic, nitrates, total trihalomethanes/haloacetic acids, copper and lead, phthalate, and secondary inorganic compounds (aluminum, color, copper [free], iron, magnesium, manganese, methylene blue active substances [MBAS]-foaming agent [surfactant], odor, potential of hydrogen (pH), silver, total dissolved solids, and zinc).

The pH of the raw water is required to be between 6.5 and 7.0 on the pH scale for efficient/effective operation of the arsenic removal system.

Production Well Monitoring Results

There were no Drinking Water Public Notices issued to Area 3 personnel during 2012.

In 2012, all sample results were below the maximum contaminant levels (MCLs) established for the substances monitored. However, the State database flagged the regulated volatile organic compound (VOC) chemicals (ethylbenzene and total xylene) from the 2011 sampling round as slightly exceeding the Safe Drinking Water Act Phase II Monitoring “trigger”/detection limit of 0.0005 milligrams per liter (mg/L) or 0.5 parts per billion (ppb). Both substances were at least several hundred times below their respective MCLs and Maximum Contaminant Level Goals (MCLGs). For example, total xylene was detected at 19 ppb and the MCL/MCLG is 10,000 ppb and ethylbenzene was detected at 2.5 ppb and the MCL/MCLG is 700 ppb. However, anytime regulated VOCs are detected above the state detection limit of 0.5 ppb additional monitoring is required. When this “trigger” is exceeded in groundwater systems, as it did at TTR in 2011, it requires a minimum of two quarters of monitoring (beginning in the subsequent quarter after detection). The state required two quarterly samples of these compounds beginning in the first quarter of 2012. These samples showed the results for both substances are reliably and consistently below the MCL. The NDEP has now placed TTR back on a three year monitoring schedule for VOCs.

There were 12 arsenic samples collected in 2012 with results between 2 to 6 ppb arsenic. The annual average of arsenic in the drinking water was 3 ppb. The MCL for arsenic in drinking water is 10 ppb.

During 2012, Well 6 produced 606,700 gallons (gal) of water that was chlorinated and sent to the elevated water storage tower. This equals an average monthly production of approximately 51,000 gal during 2012. Daily production during 2012 averaged approximately 1,700 gal.

During 2012, approximately 221,000 gal of water was treated to remove arsenic and sent to the drinking water distribution system. This equates to a monthly average of approximately 18,500 gal and a daily consumption rate of 615 gal.

A total of 215 pounds (lb) of carbon dioxide was used during the year for pH adjustment (18 lb per month or 0.6 lb per day on average).

4.2.2 Water Conservation

The 1992 Water Conservation Plan for the TTR was updated in 2010 with the State Water Resources Division regulations requiring a water conservation plan for permitted water systems and major water users in Nevada (DOE 1992). For the plan's education conservation measures, an estimate of the amount of water that may be conserved each year as a result of the adoption of the plan is approximately 22,630 gallons based on about one (1) gallon of water per person per day. The plan must be updated every five years, so the next revision is due in 2015.

4.2.3 Sewage System and Septic Tank Monitoring

Wastewater discharges from TTR activities conducted at facilities in the Main Compound at Area 3 go to the U.S. Air Force (USAF) facultative sewage lagoon for treatment. As a best management practice (BMP), either SNL/NM or Navarro Research and Engineering personnel take annual wastewater samples from Area 3 at the point where wastewater leaves TTR property and enters the USAF system.

The USAF holds the National Pollutant Discharge Elimination System (NPDES) permit for its wastewater discharges. The USAF takes samples from the headwater end of the lagoon. In the past, Sandia provided quarterly sampling results to the USAF for inclusion into their USAF Discharge Monitoring Report; however, the NPDES permit was modified in 1997 and no longer stipulates the requirement of quarterly data from Sandia. Therefore, Sandia now only provides annual wastewater sampling results to the USAF in the ASER as Appendix C – "Wastewater Sampling Results". These systems are periodically sampled as a BMP and do not require sampling by the NDEP. During Calendar Year (CY) 2012 there were no excursions or violations of concentration limits. Twenty-four hour composite wastewater samples are collected on an annual basis and have the following parameters analyzed:

- Total cyanide (cyanide-containing compounds are not used at TTR),
- pH,
- Total Suspended Solids,
- Phenolic Compounds (phenol containing compounds are not used at TTR),
- Chemical oxygen demand,
- VOCs,

- Semi-volatile Organic Compounds,
- Metals (arsenic, cadmium, chromium, copper, nickel, silver, zinc, lead, selenium, and mercury),
- Total Petroleum Hydrocarbons,
- Oil and grease, and
- Tritium, gamma spectroscopy, gross alpha/beta.

The analytical results for wastewater sampled at Area 3 are contained in Appendix C.

Septic Tank Systems

Septic tank systems are sampled as needed. There are five septic systems (36-01, 09-52, 24-01, Firing Range, and TTR Main Gate [Point Able Guard Station]) located on-site which are owned by DOE/National Nuclear Security Administration (NNSA) at TTR. These five active septic tanks are used in remote locations and are maintained by the TTR Facilities group. The sewage from these locations flows into septic tanks and associated drain fields. None of these systems required maintenance, sampling, or pumping in 2012. All other remaining septic systems have been closed or are undergoing closure and are being addressed by the ER Project.

4.2.4 Storm Water Monitoring

Currently, Sandia has no requirement to perform storm water monitoring at TTR. All storm water issues and monitoring are managed by the USAF.

4.3 Radiological Air Monitoring

Air Quality Compliance at TTR is met by adherence to specific permit conditions and local, state, and federal air regulations. Ambient air quality monitoring is not currently required at TTR. Ambient air monitoring was last conducted in 1996 to ascertain the level of radiological constituents in the air as discussed below.

SNL operations at TTR do not involve activities that release radioactive emissions from either point sources (stacks and vents) or diffuse sources such as outdoor testing. However, diffuse radiological emissions are produced from the re-suspension of americium and plutonium present at the Clean Slate ER sites. Other ER sites with minor radiological contamination, such as depleted uranium, do not produce significant air emission sources from re-suspension.

National Emission Standards for Hazardous Air Pollutants (NESHAP)

NESHAP, 40 Code of Federal Regulations 61, Subpart H, *National Emission Standards for Emissions of Radionuclides Other than Radon from Department of Energy Facilities*, has set a maximum of 10 millirems per year (mrem/yr) for all combined air emission pathway sources from any DOE/NNSA facility. Although the dose calculated from the Clean Slate sites is many times less than this standard, there was a question of whether the sites would require continuous radiological air monitoring.

The 1995 NESHAP report for TTR reported a calculated effective dose equivalent (EDE) to the maximally exposed individual (MEI) of 1.1 mrem/yr as a result of diffuse emissions from the Clean Slate sites (SNL 1997). Because the EPA requires continuous air monitoring for any radionuclide source that contributes a dose in excess of 0.1 mrem/yr to the MEI, Sandia instituted continuous air monitoring at a site for one year from February 22, 1996 to February 25, 1997. The monitoring site was chosen at the TTR Airport, the location of the highest calculated dose for a member of the

public. This site selection is discussed in the 1996 NESHAP report (SNL 1997). The dose assessment result from the continuous monitoring was 0.024 mrem/yr. This was about four times less than the 0.1 mrem/yr threshold cutoff for which continuous monitoring would be required by the EPA. The average air concentration in curies per cubic meter (Ci/m³) were measured as follows:

Americium-241.....4.1 x 10-18 Ci/m³
 Plutonium-238.....1.6 x 10-18 Ci/m³
 Plutonium-239/240.....9.5 x 10-19 Ci/m³

Although an annual calculated dose assessment is not required for the site, Sandia continues to produce an annual NESHAP report for TTR (SNL 2013). The results from the 1996 to 1997 monitoring will continue to be used for as long as there is no change in the status of the Clean Slate sites. Table 4-11 summarizes these dose assessment results. Future TTR activities are not expected to change; however, if new sources or modifications to the existing sources are anticipated, they will be evaluated for NESHAP applicability.

4.4 Non-Radiological Air Emissions

TTR’s Class II Air Quality Permit requires emission reports from significant non-radionuclide sources. At TTR, these sources include the portable screen, various generators and maintenance shop activities. Maintenance shop activities at TTR include the paint shop, welding shop and carpentry shops. In 2012, there were emissions from the portable screen, generators and activities at the maintenance shop. The portable screen was operated for nine hours during CY 2012, and contributed 0.001 tons of particulate matter (PM) emissions. There were two generators installed and operated in 2012 that are part of the Class II Air Quality Permit. One generator was operated for 23 hours and contributed 0.14 tons of emissions (NO_x, CO, SO_x, PM₁₀, VOC and HAPs). The second generator operated for four hours and contributed 0.01 tons of emissions (NO_x, CO, SO_x, PM₁₀, VOC and HAPs). The maintenance shop activities (painting, welding and woodworking) operated for a combined 269.4 hours or less during CY 2012 and contributed 0.06 tons of emissions (PM, HAPS and VOCs).

TABLE 4-11. Calculated Dose Assessment Results for On-Site Receptor at TTR

Dose to Receptor	Location	1997 Measured Dose*	NESHAP Standard	Natural Background
On-Site Receptor (EDE to the MEI)	Airport TTR Area	0.024 mrem/yr (0.00024 mSv/yr)	10 mrem/yr (0.1 mSv/yr)	350 mrem/yr ¹

NOTES: *Dose calculated from continuous monitoring February 1996 to February 1997.

¹ Natural background is estimated at 350 mrem/yr nationwide.

EDE = effective dose equivalent

MEI = maximally exposed individual

mrem/yr = millirem per year

mSv/yr = millisievert per year

NESHAP = National Emission Standards for Hazardous Air Pollutants

TTR = Tonopah Test Range

2012 ASER for the Kauai Test Facility

Kauai Test Facility (KTF) is a government owned, contractor operated test range. Sandia Corporation (Sandia), a wholly owned subsidiary of Lockheed Martin Corporation, manages and operates KTF for the U.S. Department of Energy (DOE), National Nuclear Security Administration (NNSA). KTF currently operates as a rocket preparation, launching, and tracking facility for U.S. military agencies under the DOE/NNSA Work for Others program. The DOE/NNSA, Sandia Field Office (SFO) in Albuquerque, New Mexico administers the contract and oversees contractor operations at the site. KTF exists as a facility within the boundaries of the U.S. Department of Defense (DOD) Pacific Missile Range Facility (PMRF). KTF is located on the island of Kauai at the north end of the PMRF, near Nohili Point (Figure 5-1). This Annual Site Environmental Report (ASER) summarizes data and the compliance status of environmental protection and monitoring programs at KTF for Calendar Year (CY) 2012. This report was prepared in accordance with DOE Order 231.1B, *Environment, Safety, and Health Reporting* (DOE 2012).

5.1 Facilities and Operations

KTF has been an active rocket launching facility since 1962. The KTF and Remote Range Interfaces Department, under Sandia, manages and conducts rocket launching activities at KTF. The site has been used for testing rocket systems with scientific and technological payloads, advanced development of maneuvering re-entry vehicles, and scientific studies of atmospheric and exoatmospheric phenomena, and currently supports Missile Defense Agency (MDA) programs. Nuclear devices have never been launched from KTF, only monitoring rockets associated with atmospheric testing.

The first facilities at KTF were constructed in the early 1960s to support the National Readiness Program. The most recent construction, completed in March 2005, extended the Missile Service Tower (MST) to support DOE and MDA. From 1992 to 2012 there have been 54 launches from KTF, 1 launch from the Kokole Point site and 26 launches from PMRF supported by KTF personnel.

The KTF launch field was originally designed to accommodate 40 launch pads, but only 15 pads were constructed. Of these, 11 have had their launchers removed. Beyond the implementation of portions of the original plan, two additional launch pads were constructed: Pad 41 at Kokole Point and Pad 42 (the MST launch pad). In addition to rocket launch pad sites, KTF facilities include missile and payload assembly buildings, launch operations and data acquisition facilities, maintenance shops, and a trailer dock compound for administration and other office processing. Other features at KTF include a GPS sonde wind measurement system, high-speed optics, and communications security (COMSEC) support for DOD operations.

The administrative area of KTF, known as the Main Compound, and the Launch Field are located within fenced areas near the North Nohili access road in PMRF. Inside the compound, a number of trailers and structures are connected together with a network of concrete docks and covered walkways. The majority of these facilities are used during mission operations to support customer and defense contractor personnel and technical staff from Sandia National Laboratories, New Mexico (SNL/NM). During non-campaign operations general maintenance continues. Environment controls using dehumidifiers remain in operation (to protect equipment). Additionally, there are a number of permanent buildings and shelters in the Main Compound and Launch Field, some of which are in use year round to support




FIGURE 5-1. Map of the Pacific Missile Range Facility (PMRF) and the Adjacent Area (The Kauai Test Facility [KTF] is to the north, near Nohili Point)

and maintain KTF facilities. Remote facilities at Mount Haleakala (Maui) and Kahili Peak (Kauai) are no longer used by Sandia, and are either closed or in the process of being closed. The Kokole Point launch complex and associated facilities are also in process of being transferred to the U.S. Navy (USN).

5.2 2012 Rocket Launches

There were two rocket launches from KTF in 2012. The launches were covered by the KTF Environmental Assessment (EA), published in July 1992 (DOE 1992a) and the USN, Hawaii Range Complex Environmental Impact Statement (DOD 2008):

- AEGIS BMD, FTM-16E2A, May 9, 2012
- AEGIS BMD, FTM-18, June 26, 2012

5.3 Demographics

There were 14 permanent on-site personnel at KTF in 2012. During campaign operations when rocket launches occur, up to an additional 178 people temporarily worked at KTF. The closest population center to KTF are the towns of Kekaha and Waimea (Census 2010 population 5,561), which are eight and ten miles southeast from the site, respectively.

5.4 Compliance Summary

The list of regulations and statutes provides an overview of the compliance status for Sandia National Laboratories (SNL) operations at KTF in 2012 (Table 5-1). Table 5-2 lists the applicable permits in place at KTF.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

CERCLA, also known as “Superfund,” addresses areas of past spills and releases. KTF has no current Environmental Restoration (ER) areas located on-site.

The U.S. Environmental Protection Agency (EPA) designated ongoing oversight of KTF to the Hawaii Department of Health Hazard Evaluation and Emergency Response Office. The EPA recommended continued reevaluation for environmental contamination due to the launching facility. Rocket exhaust continues to be the main source of metals and other non-reportable air emission releases.

Superfund Amendments and Reauthorization Act (SARA)

The SARA Title III amended CERCLA requirements for reportable quantity (RQ) releases and chemical inventory reporting as directed by the Emergency Planning and Community Right-to-Know Act (EPCRA), Sections 311 and 312. All required information has been submitted to the State of Hawaii. There were no reportable releases at KTF under EPCRA or CERCLA in 2012. Table 5-3 lists SARA Title III reporting requirements.

Resource Conservation and Recovery Act (RCRA)

RCRA and the Hawaii Revised Statutes regulate the generation, transportation, treatment, storage, and disposal of hazardous chemical waste and non-hazardous solid wastes. Applicable regulations are listed in Chapter 6 of this ASER. Sandia generates some hazardous waste through normal operations at KTF; is classified as a small quantity generator, and is subject to the applicable requirements.

TABLE 5-1. Major Environmental Regulations & Statutes Applicable to KTF

Regulation/Statute	Description
Clean Air Act (CAA) and CAA Amendments (CAAA)	Provides standards to protect the nation's air quality
Clean Water Act (CWA)	Provides general water quality standards to protect the nation's water sources and byways
Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)	Provides federal funding for cleanup of inactive waste sites on the National Priorities List (NPL) and mandates requirements for reportable releases of hazardous substances
Cultural Resources Acts	Includes various acts that protect archeological, historical, religious sites, and resources
Endangered Species Act (ESA)	Provides special protection status for federally listed endangered or threatened species
Executive Orders (EOs)	Several EOs provide specific protection for wetlands, floodplains, environmental justice in minority and low-income populations, and encourages greening the government through leadership in Environmental Management
Federal Facility Compliance Act (FFCA)	Directs federal agencies regarding environmental compliance
Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)	Controls the distribution and use of various pesticides
Migratory Bird Treaty Act (MBTA) of 1918	Prevents the taking, killing, possession, transportation and importation of migratory birds, their eggs, parts, and nests
National Emission Standards for Hazardous Air Pollutants (NESHAP)	Specifies standards for radionuclide air emissions and other hazardous air releases under the CAA
National Environmental Policy Act (NEPA)	Requires federal agencies to review all proposed activities so as to include environmental aspects in agency decision-making
Resource Conservation and Recovery Act (RCRA)	Mandates the management of solid and hazardous waste and certain materials stored in underground storage tanks (USTs)
Safe Drinking Water Act (SDWA)	Enacts specific health standards for drinking water sources
Superfund Amendments and Reauthorization Act (SARA)	SARA, Title III, also known as the Emergency Planning and Community-Right-to-Know Act (EPCRA), mandates communication standards for hazardous materials over a threshold amount that are stored or used in a community
Toxic Substance Control Act (TSCA)	Specifies rules for the manufacture, distribution, and disposal of specific toxic materials such as asbestos and polychlorinated biphenyls (PCBs)

NOTES: KTF = Kauai Test Facility

TABLE 5-2. Permits in Place at KTF

Type	Permit Number	Date Issued	Expiration Date	Regulatory Agency
Non-covered Source Permit (NSP) (two stand-by diesel generators)	NSP 0429-01-N	March 3, 2009	March 2, 2014	State of Hawaii
Resource Conservation and Recovery Act (RCRA)	HI-0000-363309*	Sept. 23, 1994	Not specified	EPA Region IX and Hawaii Dept. of Health
Underground Storage Tank (UST) (2,500)	Not applicable	Sept. 13, 1991	Indefinite	EPA Region IX and Hawaii Dept. of Health

NOTE: In 1999, there was a change in reporting fuel throughput from annual reporting to biannual reporting to the State of Hawaii.

The Non-covered Source Permit update was issued on March 3, 2009 (Hawaii DOH 2009).

*Generator ID number (not a permit number)

EPA = U.S. Environmental Protection Agency

KTF = Kauai Test Facility

TABLE 5-3. 2012 SARA Title III (or EPCRA) Reporting Requirements Applicable to KTF

Section	SARA Title III Section Title	Requires Reporting?		Description
		Yes	No	
302 - 303	Notification/ Plans	✓		Sandia Corporation submits an annual report listing chemical inventories above the reportable Threshold Planning Quantities listed in 40 CFR Part 355 Appendix B, location of the chemicals and emergency contacts. The report is prepared for the DOE/NNSA/SFO, which distributes it to the required entities.
304	Emergency Notification		✓	No RQ releases of an EHS, or as defined under CERCLA occurred.
311-312	MSDSs/ Chemical Purchase Inventory Report	✓		There are two “Community Right-to-Know” reporting requirements: (a) the AQC Program completes the EPA Tier II forms for all hazardous chemicals present at the facility at any one time in amounts equal to or greater than 10,000 lbs and for all EHSs present at the facility in an amount greater than or equal to 500 lbs or the Threshold Planning Quantity, whichever is lower and provides the report to DOE/NNSA/SFO for distribution to the required entities; (b) the AQC Program provides MSDSs for each chemical entry on a Tier II form and provides the report to DOE/NNSA/SFO for distribution to the required entities.
313	Toxic Chemical Release Forms		✓	Sandia Corporation is below the reporting threshold in 2012 for producing a TRI Report for KTF operations.

NOTES: AQC = Air Quality Compliance
 CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act
 CFR = Code of Federal Regulations
 DOE/NNSA/SFO = U.S. Department of Energy, National Nuclear Security Administration, Sandia Field Office
 EHS = extremely hazardous substance
 EPA = U.S. Environmental Protection Agency
 EPCRA = Emergency Planning and Community Right-to-Know Act
 KTF = Kauai Test Facility
 lb = pound
 MSDS = Material Safety Data Sheet (gives relevant chemical information)
 RQ = reportable quantity
 SARA = Superfund Amendments and Reauthorization Act

Federal Facility Compliance Act (FFCA)

The FFCA requires federal facilities to comply with all federal, state, and local requirements for hazardous and solid waste, including full compliance with the restrictions and prohibitions on extended storage of wastes that do not meet the applicable hazardous waste treatment standards. Extended storage at DOE facilities is typically associated with mixed wastes (wastes that have hazardous and radioactive components) that have been generated on-site. SNL operations at KTF do not generate mixed waste and Sandia currently has no mixed waste stored on site, therefore these requirements are not applicable.

National Environmental Policy Act (NEPA)

NEPA requires federal agencies and other organizations that perform federally-sponsored projects to consider environmental issues associated with proposed actions, be aware of the potential environmental impacts associated with these issues, and include this information in early project planning and decision making. Additionally, if a proposed action is determined to have environmentally “significant” impacts, the agency must prepare an EA or an environmental impact statement (EIS) before making an irrevocable commitment of resources or funding. Although a major objective of NEPA is to preserve the environment for future generations, the law does not require an agency to choose a course of action with the least environmental impacts. At KTF, NEPA compliance is coordinated between personnel from KTF, SNL/NM, and the DOE/NNSA/SFO.

In CY 2012, personnel from Sandia completed an Environmental Baseline Survey for divestiture of the Mount Haleakala, Hawaii facility. Sandia staff is assisting the DOE to determine the final disposition of the facility located on the peak of Mount Haleakala on the island of Maui. The Facility has been in operation since 1962 for telemetry operations to provide high-altitude tracking for tests conducted from the Kauai Test Facility.

Endangered Species Act (ESA)

The ESA applies to both private individuals and federal agencies. Federal agencies must ensure that any action authorized, funded, or carried out by them will not jeopardize the continued existence of a threatened or endangered species or result in adverse modifications of its habitat. The ESA is addressed under the NEPA Program and Ecology Program. If potentially significant impacts to sensitive species or habitats are found as a result of the proposed action, an EA or an EIS must be prepared.

Table 5-4 lists all threatened and endangered state and federal listed species occurring on the island of Kauai.

Cultural Resources Acts

The three primary cultural resources acts applicable at KTF are:

- National Historic Preservation Act (NHPA);
- Archaeological Resources Protection Act (ARPA); and
- American Indian Religious Freedom Act (AIRFA).

At KTF, cultural resources compliance is coordinated through the NEPA Program. Actions that could adversely affect cultural resources are initially analyzed in a NEPA checklist review. It is a DOE/NNSA responsibility to ensure that impacts to cultural resources are assessed and appropriate actions taken to mitigate any impact. In 2012, SFO completed consultation with the State of Hawaii State Historic Preservation Officer (SHPO) regarding the KTF properties on Mt. Haleakala on Maui, Hawaii. SFO determined, and SHPO concurred, that the properties were not historically significant and that their transfer to another U.S. agency would not cause an adverse effect on a historic property.

Migratory Bird Treaty Act (MBTA) of 1918

The MBTA of 1918 implemented the 1916 Convention for the Protection of Migratory Birds. The original statute implemented the agreement between the U.S. and Great Britain (for Canada), and later amendments implemented treaties between the U.S. and Mexico, the U.S. and Japan, and the U.S. and Russia. In addition to the special consideration afforded to species listed as threatened and endangered, most birds are protected under the MBTA of 1918, as amended. At KTF, the MBTA is coordinated with NEPA reviews and the Ecology Program.

TABLE 5-4. Threatened and Endangered Species Potentially Occurring on KTF

Common Name	Scientific Name	Federal Status	State Status
PLANTS			
<i>Ferns and Allies</i>			
Pendant kahi fern	<i>Adenophorus periens</i>	Endangered	Endangered
Pauoa	<i>Ctenitis squamigera</i>	Endangered	Endangered
Asplenium-leaved diellia	<i>Diellia erecta</i>	Endangered	Endangered
No common name	<i>Diellia mannii</i>	Endangered	Endangered
No common name	<i>Diellia pallida</i>	Endangered	Endangered
No common name	<i>Diplazium molokaiense</i>	Endangered	Endangered
No common name	<i>Doryopteris angelica</i>	Endangered	Endangered
Palapalai aumakua	<i>Dryopteris crinalis</i> var. <i>podosorus</i>	Endangered	Endangered
Wawae`iole	<i>Huperzia mannii</i>	Endangered	Endangered
Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>	Endangered	Endangered
<i>Flowering Plants</i>			
Liliwai	<i>Acaena exigua</i>	Endangered	Endangered
No common name	<i>Achyranthes mutica</i>	Endangered	Endangered
Mahoe	<i>Alectryon macrococcus</i>	Endangered	Endangered
Kuawawaenuhu	<i>Alsinidendron lychnoides</i>	Endangered	Endangered
No common name	<i>Alsinidendron viscosum</i>	Endangered	Endangered
Pa`iniu	<i>Astelia waialealae</i>	Endangered	Endangered
No common name	<i>Bonamia menziesii</i>	Endangered	Endangered
Olulu	<i>Brighamia insignis</i>	Endangered	Endangered
Uhiuhi	<i>Caesalpinia kawaiense</i>	Endangered	Endangered
`Awikiwiki	<i>Canavalia napaliensis</i>	Endangered	Endangered
`Awikiwiki	<i>Canavalia pubescens</i>	Proposed Endangered	Proposed Endangered
Awiwi	<i>Centaurium sebaeoides</i>	Endangered	Endangered
`Akoko	<i>Chamaesyce eleanoriae</i>	Endangered	Endangered
No common name	<i>Chamaesyce halemanui</i>	Endangered	Endangered
`Akoko	<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>	Endangered	Endangered
`Akoko	<i>Chamaesyce remyi</i> var. <i>remyi</i>	Endangered	Endangered
Papala	<i>Charpentiera densiflora</i>	Endangered	Endangered
Haha	<i>Cyanea asarifolia</i>	Endangered	Endangered
Haha	<i>Cyanea dolichopoda</i>	Endangered	Endangered
Haha	<i>Cyanea eleeleensis</i>	Endangered	Endangered
Haha	<i>Cyanea kolekoleensis</i>	Endangered	Endangered
Haha	<i>Cyanea kuhihewa</i>	Endangered	Endangered
Haha	<i>Cyanea recta</i>	Threatened	Threatened
Haha	<i>Cyanea remyi</i>	Endangered	Endangered
Haha	<i>Cyanea undulata</i>	Endangered	Endangered
Pu`uka`a	<i>Cyperus trachysanthos</i>	Endangered	Endangered
Mapele	<i>Cyrtandra cyaneoides</i>	Endangered	Endangered
Ha`iwale	<i>Cyrtandra limahuliensis</i>	Threatened	Threatened
Ha`iwale	<i>Cyrtandra oenobarba</i>	Endangered	Endangered
Haiwale	<i>Cyrtandra paliku</i>	Endangered	Endangered
No common name	<i>Delissea rhytidosperma</i>	Endangered	Endangered

TABLE 5-4. Threatened and Endangered Species Potentially Occurring on KTF (Continued)

Common Name	Scientific Name	Federal Status	State Status
Oha	<i>Delissea rivularis</i>	Endangered	Endangered
No common name	<i>Delissea undulata</i>	Endangered	Endangered
Na`ena`e	<i>Dubautia imbricata imbricata</i>	Endangered	Endangered
Naena	<i>Dubautia kalalauensis</i>	Endangered	Endangered
Naena	<i>Dubautia kenwoodii</i>	Endangered	Endangered
Na`ena`e	<i>Dubautia latifolia</i>	Endangered	Endangered
Na`ena`e	<i>Dubautia pauciflora</i>	Endangered	Endangered
Na`ena`e	<i>Dubautia plantaginea magnifolia</i>	Endangered	Endangered
Na`ena`e	<i>Dubautia waialealae</i>	Endangered	Endangered
`Akoko	<i>Euphorbia haelealeana</i>	Endangered	Endangered
Heau	<i>Exocarpos luteolus</i>	Endangered	Endangered
Mehamehame	<i>Flueggea neowawraea</i>	Endangered	Endangered
Nanu	<i>Gardenia remyi</i>	Candidate	Candidate
Nohoanu	<i>Geranium kauaiense</i>	Endangered	Endangered
No common name	<i>Gouania meyenii</i>	Endangered	Endangered
Honohono	<i>Haplostachys haplostachya</i>	Endangered	Endangered
Awiwi	<i>Hedyotis cookiana</i>	Endangered	Endangered
Kampua`a	<i>Hedyotis fluviatilis</i>	Candidate	Candidate
Na Pali beach hedyotis	<i>Hedyotis st.-johnii</i>	Endangered	Endangered
No common name	<i>Hesperomannia lydgatei</i>	Endangered	Endangered
Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	Endangered	Endangered
Hau kuahiwi	<i>Hibiscadelphus woodii</i>	Endangered	Endangered
Clay's hibiscus	<i>Hibiscus clayi</i>	Endangered	Endangered
Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>	Endangered	Endangered
Hilo ischaemum	<i>Ischaemum byrone</i>	Endangered	Endangered
Aupaka	<i>Isodendron laurifolium</i>	Endangered	Endangered
Aupaka	<i>Isodendron longifolium</i>	Threatened	Threatened
`Ohe	<i>Joinvillea ascendens ascendens</i>	Candidate	Candidate
No common name	<i>Keysseria (=Lagenifera) erici</i>	Endangered	Endangered
No common name	<i>Keysseria (=Lagenifera) helenae</i>	Endangered	Endangered
Koki`o	<i>Kokia kauaiensis</i>	Endangered	Endangered
Kamakahala	<i>Labordia helleri</i>	Endangered	Endangered
Kamakahala	<i>Labordia lydgatei</i>	Endangered	Endangered
Kamakahala	<i>Labordia pumila</i>	Endangered	Endangered
Kamakahala	<i>Labordia tinifolia var. wahiawaensis</i>	Endangered	Endangered
Nehe	<i>Lipochaeta fauriei</i>	Endangered	Endangered
Nehe	<i>Lipochaeta micrantha</i>	Endangered	Endangered
No common name	<i>Lobelia niihauensis</i>	Endangered	Endangered
lehua makano	<i>Lysimachia daphnoides</i>	Endangered	Endangered
No common name	<i>Lysimachia filifolia</i>	Endangered	Endangered
No common name	<i>Lysimachia iniki</i>	Endangered	Endangered
No common name	<i>Lysimachia pendens</i>	Endangered	Endangered
No common name	<i>Lysimachia scopulensis</i>	Endangered	Endangered
No common name	<i>Lysimachia venosa</i>	Endangered	Endangered
No common name	<i>Mariscus pennatiformis</i>	Endangered	Endangered

TABLE 5-4. Threatened and Endangered Species Potentially Occurring on KTF (Continued)

Common Name	Scientific Name	Federal Status	State Status
Alani	<i>Melicope degeneri</i>	Endangered	Endangered
Alani	<i>Melicope haupeensis</i>	Endangered	Endangered
Alani	<i>Melicope knudsenii</i>	Endangered	Endangered
Alani	<i>Melicope pallida</i>	Endangered	Endangered
Alani	<i>Melicope paniculata</i>	Endangered	Endangered
Alani	<i>Melicope puberula</i>	Endangered	Endangered
Alani	<i>Melicope quadrangularis</i>	Endangered	Endangered
No common name	<i>Munroidendron racemosum</i>	Endangered	Endangered
Kolea	<i>Myrsine fosbergii</i>	Candidate	Candidate
Kolea	<i>Myrsine knudsenii</i>	Endangered	Endangered
Kolea	<i>Myrsine linearifolia</i>	Threatened	Threatened
Kolea	<i>Myrsine mezii</i>	Endangered	Endangered
`Aiea	<i>Nothoecstrum latifolium</i>	Candidate	Candidate
`Aiea	<i>Nothoecstrum peltatum</i>	Endangered	Endangered
Lau `ehu	<i>Panicum niihauense</i>	Endangered	Endangered
Makou	<i>Peucedanum sandwicense</i>	Threatened	Threatened
No common name	<i>Phyllostegia knudsenii</i>	Endangered	Endangered
No common name	<i>Phyllostegia renovans</i>	Endangered	Endangered
No common name	<i>Phyllostegia waimeae</i>	Endangered	Endangered
No common name	<i>Phyllostegia wawrana</i>	Endangered	Endangered
Ho`awa	<i>Pittosporum napaliense</i>	Endangered	Endangered
No common name	<i>Platanthera holochila</i>	Endangered	Endangered
Pilo kea lau li`i	<i>Platydesma rostrata</i>	Endangered	Endangered
Mann's bluegrass	<i>Poa mannii</i>	Endangered	Endangered
Hawaiian bluegrass	<i>Poa sandwicensis</i>	Endangered	Endangered
No common name	<i>Poa siphonoglossa</i>	Endangered	Endangered
Lo`ulu (=Na`ena`e)	<i>Pritchardia hardyi</i>	Endangered	Endangered
Lo`ulu	<i>Pritchardia napaliensis</i>	Endangered	Endangered
Lo`ulu	<i>Pritchardia viscosa</i>	Endangered	Endangered
Kopiko	<i>Psychotria grandiflora</i>	Endangered	Endangered
Kopiko	<i>Psychotria hobdyi</i>	Endangered	Endangered
Kaulu	<i>Pteralyxia kauaiensis</i>	Endangered	Endangered
Makou	<i>Ranunculus mauiensis</i>	Candidate	Candidate
No common name	<i>Remya kauaiensis</i>	Endangered	Endangered
No common name	<i>Remya montgomeryi</i>	Endangered	Endangered
Dwarf naupaka	<i>Scaevola coriacea</i>	Endangered	Endangered
Ma`oli`oli	<i>Schiedea apokremnos</i>	Endangered	Endangered
No common name	<i>Schiedea attenuata</i>	Endangered	Endangered
No common name	<i>Schiedea helleri</i>	Endangered	Endangered
No common name	<i>Schiedea kauaiensis</i>	Endangered	Endangered
No common name	<i>Schiedea membranacea</i>	Endangered	Endangered
No common name	<i>Schiedea nuttallii</i>	Endangered	Endangered
No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	Endangered	Endangered
No common name	<i>Schiedea spergulina</i> var. <i>spergulina</i>	Threatened	Threatened
Lauhilihi	<i>Schiedea stellarioides</i>	Endangered	Endangered

TABLE 5-4. Threatened and Endangered Species Potentially Occurring on KTF (Continued)

Common Name	Scientific Name	Federal Status	State Status
Ohai	<i>Sesbania tomentosa</i>	Endangered	Endangered
No common name	<i>Silene lanceolata</i>	Endangered	Endangered
Popolo ku mai	<i>Solanum incompletum</i>	Endangered	Endangered
Popolo	<i>Solanum nelsonii</i>	Candidate	Candidate
`Aiakeakua, popolo	<i>Solanum sandwicense</i>	Endangered	Endangered
No common name	<i>Spermolepis hawaiiensis</i>	Endangered	Endangered
No common name	<i>Stenogyne campanulata</i>	Endangered	Endangered
No common name	<i>Stenogyne kealiae</i>	Endangered	Endangered
No common name	<i>Tetraplasandra bisattenuata</i>	Endangered	Endangered
No common name	<i>Tetraplasandra flynnii</i>	Endangered	Endangered
No common name	<i>Viola helenae</i>	Endangered	Endangered
Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	Endangered	Endangered
Dwarf iliau	<i>Wilkesia hobdyi</i>	Endangered	Endangered
No common name	<i>Xylosma crenatum</i>	Endangered	Endangered
A`e	<i>Zanthoxylum hawaiiense</i>	Endangered	Endangered
ANIMALS			
<i>Mammals</i>			
Hawaiian hoary bat	<i>Lasiurus cinereus semotus</i>	Endangered	Endangered
<i>Birds</i>			
Hawaiian (=koloa Duck	<i>Anas wyvilliana</i>	Endangered	Endangered
Hawaiian goose	<i>Branta (=Nesochen) sandvicensis</i>	Endangered	Endangered
Hawaiian coot	<i>Fulica americana alai</i>	Endangered	Endangered
Hawaiian common moorhen	<i>Gallinula chloropus sandvicensis</i>	Endangered	Endangered
Nukupu`u (honeycreeper	<i>Hemignathus lucidus</i>	Endangered	Endangered
Kauai akialoa (honeycreeper	<i>Hemignathus procerus</i>	Endangered	Endangered
Hawaiian stilt	<i>Himantopus mexicanus knudseni</i>	Endangered	Endangered
Akekee	<i>Loxops caeruleirostris</i>	Endangered	Endangered
Kauai `o`o (honeyeater	<i>Moho braccatus</i>	Endangered	Endangered
Large Kauai (=kamao Thrush	<i>Myadestes myadestinus</i>	Endangered	Endangered
Small Kauai (=puaiohi Thrush	<i>Myadestes palmeri</i>	Endangered	Endangered
Band-rumped storm-petrel	<i>Oceanodroma castro</i>	Candidate	Candidate
Akikiki	<i>Oreomystis bairdi</i>	Endangered	Endangered
Akikiki	<i>Oreomystis bairdi</i>	Endangered	Endangered
`O`u (honeycreeper	<i>Psittirostra psittacea</i>	Endangered	Endangered
Hawaiian dark-rumped petrel	<i>Pterodroma phaeopygia sandwichensis</i>	Endangered	Endangered
Newell's Townsend's shearwater	<i>Puffinus auricularis newelli</i>	Threatened	Threatened
<i>Reptiles</i>			
Green sea turtle	<i>Chelonia mydas</i>	Threatened	Threatened
Green sea turtle	<i>Chelonia mydas</i>	Threatened	Threatened
Leatherback sea turtle	<i>Dermodochelys coriacea</i>	Endangered	Endangered

TABLE 5-4. Threatened and Endangered Species Potentially Occurring on KTF (Concluded)

Common Name	Scientific Name	Federal Status	State Status
Leatherback sea turtle	<i>Dermochelys coriacea</i>	Endangered	Endangered
Hawksbill sea turtle	<i>Eretmochelys imbricata</i>	Endangered	Endangered
Hawksbill sea turtle	<i>Eretmochelys imbricata</i>	Endangered	Endangered
Olive ridley sea turtle	<i>Lepidochelys olivacea</i>	Threatened	Threatened
Snails			
Newcomb's snail	<i>Erinna newcombi</i>	Threatened	Threatened
Arachnids			
Kauai cave wolf or pe'e pe'e maka 'ole spider	<i>Adelocosa anops</i>	Endangered	Endangered
Insects			
Pomace fly (no common name)	<i>Drosophila musaphilia</i>	Endangered	Endangered
Hawaiian picture-wing fly	<i>Drosophila sharpi</i>	Endangered	Endangered
Pacific Hawaiian damselfly	<i>Megalagrion pacificum</i>	Endangered	Endangered

NOTES: KTF = Kauai Test Facility

Environmental Compliance Executive Orders (EOs)

The primary EOs related to environmental compliance at KTF are as follows (for additional information on these EOs see Section 2.1.14 of this ASER):

- EO 11988, *Floodplain Management*, as amended.
- EO 11990, *Protection of Wetlands*, as amended.
- EO 12898, *Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations*, as amended.
- EO 13423, *Strengthening Federal Environmental, Energy, and Transportation Management*, as amended.
- EO 13514, *Federal Leadership in Environmental, Energy, and Economic Performance*

DOE directives applicable to KTF can be found in Chapter 6 of this report.

Clean Air Act (CAA) and CAA Amendments of 1990

Ambient air quality is regulated by Hawaii Administrative Rules (HAR), Title 11, Chapter 59 under the jurisdiction of the Hawaii Department of Health, Clean Air Branch. Currently, there are no facilities at KTF that require federal air permits or compliance with the New Source Performance Standards, Prevention of Significant Deterioration, or 40 Code of Federal Regulations (CFR) 61, National Emission Standards for Hazardous Air Pollutants (NESHAP). Within the boundaries of PMRF, no federal air emission permits are held either by DOE for KTF, or by DOD for PMRF. However, the two electrical generators at KTF are permitted for operation by the State of Hawaii under a “Noncovered Source Permit (NSP)” (Hawaii DOH 2009).

Rocket launches are mobile sources and do not require any reporting of reportable quantity releases.

Clean Water Act (CWA)

There were no compliance issues with respect to any state or federal water pollution regulations in 2012.

A National Pollutant Discharge Elimination System (NPDES) permit is not required due to the lack of significant storm water runoff discharging into “Waters of the U.S.” as defined in 40 CFR 122.

Oil Storage – There is one 2,500 gallon (gal) underground storage tank (UST) at KTF, which is owned by the DOE. There is also one 10,000 gal aboveground fuel tank inside the Main Compound. Sandia cooperates with the USN’s spill control guidelines contained in the *Spill Prevention Control and Countermeasures Plan, Pacific Missile Range Facility* (NAVFAC 2008).

Safe Drinking Water Act (SDWA)

The SDWA does not apply directly to Sandia activities at KTF, because all drinking water is supplied by the PMRF drinking water system or is purchased from commercial suppliers.

Toxic Substances Control Act (TSCA)

TSCA regulates the distribution of polychlorinated biphenyls (PCB) and asbestos. The transformers on the KTF site have been tested and are free of PCBs. A comprehensive asbestos survey was conducted by the SNL/NM Asbestos Management Team in July 2008. A total of 110 pounds (lb) of Asbestos-Containing Materials were identified at KTF and 91 lb were identified at the Mount Haleakala site on Maui.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

FIFRA controls the distribution and application of pesticides including herbicides, insecticides, and rodenticides. All pesticide use at KTF follows EPA requirements.

Releases and Occurrences

There were no reportable occurrences at KTF in 2012.

5.5 Environmental Program Activities

This section describes two environmental programs:

- National Environmental Policy Act (NEPA) and
- ER Project

NEPA Program Activities at KTF

In CY 2012, personnel from Sandia completed an Environmental Baseline Survey for divestiture of the Mount Haleakala, Hawaii facility. Sandia staff is working through the DOE to return the facility located on the peak of Mount Haleakala on the island of Maui back to the Federal Aviation Administration. The Facility has been in use by Sandia personnel since 1962 for telemetry operations to provide high-altitude tracking for tests conducted from the Kauai Test Facility.

2012 NEPA Documentation

The SNL/NM NEPA Team completed three DOE NEPA checklists for KTF that were transmitted to the DOE/NNSA/SFO for review and determination in 2012.

ER Project Activities

There are no ER sites at KTF. The three ER sites identified in 1995 were given a Site Evaluation Accomplished determination by EPA on September 30, 1996. This confirmed that KTF met all CERCLA requirements and no additional sampling or remediation would be necessary in the three areas. This, however, does not preclude that other environmental sampling activities will take place at KTF.

5.6 Environmental Surveillance and Monitoring Activities

Wastewater Monitoring

SNL activities at KTF produce only sanitary sewage, which is directed into three DOE/NNSA owned septic tanks and stormwater runoff is directed into three French drains and four area drains with pumping systems—located in the Launch Operations Building (LOB) parking lot, the paved drive west of the office complex, the paved lot west of the garage, the drive west of the shops, and three on the parking lot east of the office complex—in accordance with Hawaii Underground Injection Control regulations (HAR Title 11, Chapter 23). The two older septic tanks for the LOB and the Missile Assembly Building were registered with the State of Hawaii in 1988, and a newer septic tank for the main office compound was registered in 2004. The septic systems are periodically pumped by licensed, state-certified contractors and inspected by state officials. No state inspections were conducted during 2012. The limited quantity of sewage released does not impact any protected waters and, as noted earlier, there are no drinking water wells in the area of KTF. As a best management practice, KTF personnel have periodically performed sampling. Historically no contaminants have been identified above the reporting limits from these past sampling events. During CY 2012, no sampling of septic tanks was conducted at KTF.

Air Emission Monitoring

Based on effluent air monitoring results of the STARS Flight Test Unit 1 (FTU-1) in February 1993 (SNL 1993) and the CDX rocket launch in the summer of 1992 (SNL 1992), it was determined that rocket launches at KTF were not a significant source of air pollutants. Launches are infrequent and emissions recorded did not exceed federal and state standards. Because the STARS-type rocket produces the greatest air emissions and remained within acceptable limits, it can be assumed that future launches of this type will also be within acceptable limits. Therefore, no further air emission monitoring is planned at this time. If a new rocket type is launched from KTF that differs in emission substance from the STARS rocket, or air emission requirements change, future monitoring may be considered.

As required by the State of Hawaii, the 2012 Annual Monitoring Report for air emissions was submitted to the State of Hawaii in February 2013 (SNL 2013b). The required \$500 annual fee was submitted for CY 2012 as required. Sandia was in compliance with all air quality regulations in 2012.

A Semi-Annual Air Monitoring Report for the first half of 2012 was submitted to the State of Hawaii in July 2012.

For the period of January 1, 2012 through June 30, 2012, the total fuel usage from activities that was reported to the State of Hawaii was 15,952 gallons (gal) of diesel fuel. The highest total hours of operation for the permitted generators in a rolling 6-month period during the first half of CY 2012 was 2,491 hours. For the period of February 1, 2011 through January 31, 2012, the total fuel usage from activities that was reported to the State of Hawaii was 19,730 gal of diesel fuel. The highest total hours of operation for the permitted generators in a rolling 12-month period for CY 2012 was 2,491 hours.

Meteorological Monitoring

Due to the infrequency of launches, no formal meteorological monitoring equipment is in place for KTF. On-site meteorological instruments are used during test periods only to characterize ground level and atmospheric wind conditions that will affect the flight of the rocket. Climatic information representative of KTF is obtained from PMRF, and severe weather notifications are automatically issued by the PMRF Emergency Operations Center to all KTF resident personnel.

Noise Monitoring

In accordance with the Quiet Communities Act of 1978 (42 U.S.C. 4901 et seq.), noise monitoring was conducted in February 1993 during the STARS FTU-1 launch to confirm the determination made in the STARS EIS that noise produced from the largest launch would be below maximum acceptable levels (SNL 1993). Data collected in the nearest town of Kekaha indicated that levels were no louder than noise generated from passing vehicles on a nearby highway.

5.7 Terrestrial Surveillance

Sampling occurred at KTF during July 2012. A total of 28 terrestrial surveillance locations were sampled; 17 on-site locations and 11 community locations. Samples were analyzed for only non-radiological analytes since operations at KTF do not (now or in the past) involve radioactive materials. Data collected during 2012 are listed in Appendix B, Tables B-1 and B-2.

Statistical Analysis

KTF is not sampled on a yearly basis, but as funding permits (at least every five years). There were three years of data (2002, 2007 and 2012) sent to the same analytical laboratory for the same suite of analytes upon which statistical analyses were performed (see Appendix D).

A summary report of the entire database for target analyte list (TAL) metals was prepared to document the current baseline concentrations at the KTF site (SNL 2008a). Summary statistics are presented in Table 5-5 (see Appendix C). A comparison between on-site and community locations was performed to determine if any analyte showed differences between the two location types. Note that there are no perimeter sampling locations at KTF. All locations are listed as either on-site or community. The results of this statistical analysis are discussed below.

Sampling Locations

Terrestrial surveillance began at KTF in 1994. Sampling occurred in 1999 and then again in 2002, 2007 and 2012. Routine terrestrial surveillance is conducted at on-site and off-site locations that remain essentially the same from sampling period to sampling period. Sample locations may be modified as necessary to reflect current operations or to supplement data from existing locations. The sampling locations, number of samples, and analyses performed are prioritized based on the following criteria:

- On-site locations are near areas of known contamination, potential sources of contamination, or in areas where contamination, if present, would be expected to accumulate. A list of on-site sampling locations is shown in Table 5-6. Appendix B, Figure B-1 contains a map of the sampling locations. A total of 17 locations were sampled on-site.
- Community (off-site) locations are selected to provide a measurement of environmental conditions unaffected by Sandia Corporation's activities at KTF. Data collected from off-site locations serve as a reference point to compare data collected at perimeter and on-site locations. Multiple years of sampling data are compiled to determine statistical averages for off-site concentrations.
- Community locations are chosen both in remote, natural settings as well as in areas near local population centers and along highways. Table 5-7 contains a list of the off-site sample locations. Eleven off-site locations that were sampled are shown in Figure B-2 of Appendix B.

TABLE 5-5. Summary Statistics of KTF Metals in Soil (All Units in mg/kg)

Analyte	Mean	Median	Std Dev	Minimum	Maximum
Aluminum	6,496	6,400	2,811	2,270	13,100
Antimony	0.80	0.42	0.75	0.31	3.27
Arsenic	18.72	10.70	16.98	5.96	62.80
Barium	25.79	12.10	36.17	6.86	151.00
Beryllium	0.12	0.11	0.07	0.05	0.27
Cadmium	0.27	0.24	0.13	0.11	0.51
Calcium	259,529	261,000	52,847	185,000	343,000
Chromium	50.48	47.10	21.51	22.20	93.70
Cobalt	18.58	16.30	10.85	4.04	40.08
Copper	37.73	12.30	97.13	5.40	413.00
Iron	19,875	19,400	9,209	7,670	39,600
Lead	4.78	1.63	7.50	0.49	30.70
Magnesium	34,906	28,500	14,462	23,000	66,400
Manganese	381	390	190	118	878
Nickel	221	174	156	42	556
Potassium	325	216	278	100	1,020
Selenium	0.32	0.32	0.01	0.30	0.33
Silver	1.48	1.49	0.69	0.10	2.82
Sodium	2,170	2,010	674	1,650	4,450
Thallium	0.06	0.06	0.00	0.06	0.06
Uranium	1.26	1.29	0.20	0.95	1.68
Vanadium	26.11	29.90	9.70	9.21	40.00
Zinc	335	63	749	21	3,140

NOTES: KTF = Kauai Test Facility
mg/kg = milligrams per kilogram
Std Dev = Standard Deviation

Non-radiological Results

All soil samples are analyzed for the following 23 TAL metals: Aluminum (Al), Antimony (Sb), Arsenic (As), Barium (Ba), Beryllium (Be), Cadmium (Cd), Calcium (Ca), Chromium (Cr), Cobalt (Co), Copper (Cu), Iron (Fe), Lead (Pb), Magnesium (Mg), Manganese (Mn), Nickel (Ni), Potassium (K), Selenium (Se), Silver (Ag), Sodium (Na), Thallium (Tl), Uranium (U), Vanadium (V), and Zinc (Zn).

The CY 2012 analytical results are found in Appendix B of this report. The detailed statistical analyses are documented in *2012 Data Analysis in Support of the KTF Annual Site Environmental Report* (SNL 2013a). Although there were 2 instances (silver and uranium) where one or more metals observed in on-site soil samples were statistically greater than off-site samples, neither of these were of concentrations that were of concern, as can be seen by comparing these values in Table 5-8 to corresponding values in Table 5-9. The on-site average for silver was 1.48 milligrams per kilogram (mg/kg) while the community average was 0.80 mg/kg. The on-site average for uranium was 1.26 mg/kg while the community average was 0.97 mg/kg. No published background values have been found for any of the metals that are specific for Hawaii or the island of Kauai. All values are below the EPA Region 9 Preliminary Remediation Goals for residential use and do not indicate an immediate concern.

TABLE 5-6. On-Site Terrestrial Surveillance Locations at KTF

Location Number	Sample Location	Replicate* Location
	Various On-Site Locations	
S-12	Near Wind Radar Road	--
S-13	KTF sign – DOE Trail Road	--
S-14	Building 638	--
S-15	Between Building 638 and 639	--
S-16	Building 639 East	--
S-17	Building 640 East	--
S-18	Building 640 West	--
S-19	Building 685 West	--
S-20	MAB Building Parking Lot	--
S-21	Building 645 and 645A South	Yes
S-22	Missile Service Tower Hill	--
S-23	Pad 1 West Corner	--
	Main Compound	
S-24	Main Compound – NE Corner Fence	--
S-25	Main Compound – SE Corner Fence	Yes
S-26	Main Compound – N Fence	--
S-27	Main Compound – NW of Launch Ops Bldg	--
S-28	SE Corner of Diesel Fuel Tank, DOE Trail	--

NOTES: -- = There is not a replicate location for this sample location

* In addition to single samples taken for each location, two replicated samples are collected for internal checks on comparability of sampling and analysis.

DOE = U.S. Department of Energy

KTF = Kauai Test Facility

N = North

NE = Northeast

NW = Northwest

SE = Southeast

TABLE 5-7. Community (Off-Site) Terrestrial Surveillance Locations at KTF

Location Number	Sample Location	Replicate* Location
C-01	Rec Area I Beach Access sign – N. Nohili Road	--
C-02	No Trespassing sign – West of Location C-01	--
C-03	N. Nohili Road and Hoku Road	--
C-04	Hoku Road W of Building 515	--
C-05	Polihale State Park – Monkey Pod Tree	--
C-06	Polihale State Park – Camping sign	--
C-07	Polihale State Park – “Caution Road narrows” sign	Yes
C-08	N. Nohili Road and Palai Olani Road	--
C-09	Kokole Point Launch Area – Bldg H10	--
C-10	Kokole Point Launch Area – West	--
C-11	Kokole Point Launch Area – South	--

NOTE: KTF = Kauai Test Facility

N. = North

W = West

-- = There is not a replicate location for this sample location* In addition to single samples taken for each location, two replicated samples are collected for internal checks on comparability of sampling and analysis.

TABLE 5-8. Summary Statistics for Metals that Showed a Statistical Difference Between Community and On-Site Location Types (All units in mg/kg)

Metal	Location Type	Number of Samples	Mean	Median	Std Dev	Min	Max
Silver	Community	11	0.80	0.95	0.35	0.10	0.99
	On-site	17	1.48	1.49	0.69	0.10	2.82
Uranium	Community	11	0.97	0.96	0.18	0.66	1.20
	On-site	17	1.26	1.29	0.20	0.95	1.68

NOTES: Max = Maximum

mg/kg = milligrams per kilogram

Min = Minimum

Std Dev = Standard Deviation

TABLE 5-9. Reference Values for Various Metals-in-Soil (All units in mg/kg)

Analyte	EPA Region 9 PRGs (Soil Screening Levels) ²		US Soil Concentrations ³	
	Residential	Industrial	Lower Limit	Upper Limit
Aluminum	76,000	100,000	4,500	100,000
Antimony	31	410	0.25	0.6
Arsenic	0.39	1.6	1	93
Barium	5,400	67,000	20	1,500
Beryllium	150	1,900	0.04	2.54
Cadmium	37	450	0.41	0.57
Chromium	210	450	7	1,500
Cobalt	900	1,900	3	50
Copper	3,100	41,000	3	300
Iron	23,000	100,000	5,000	50,000
Lead	400	800	10	70
Magnesium	n/a	n/a	n/a	n/a
Manganese	1,800	19,000	20	3,000
Nickel	1,600	20,000	5	150
Potassium	n/a	n/a	n/a	n/a
Selenium	390	5,100	0.1	4
Silica (Silicon)	n/a	n/a	24,000	368,000
Silver	390	5,100	0.2	3.2
Sodium	n/a	n/a	n/a	n/a
Strontium	47,000	100,000	7	1,000
Thallium	5.2	67	0.02	2.8
Vanadium	78	1,000	0.7	98
Zinc	23,000	100,000	13	300

NOTES: (1) Dragun, James, A. Chiasson, *Elements in North American Soils*, 1991, Hazardous Materials Control Resources Institute, (Used Nevada Soils to determine values).

(2) EPA Region 9 Preliminary Remediation Goals (PRGs), U.S.E.P.A., October 2004.

(3) US Soil Surface Concentrations, Kabata-Pendias, A., Pendias, H., CRC, *Trace Elements in Soils and Plants*, 3rd Edition, 2000.

EPA = U.S Environmental Protection Agency

mg/kg = milligrams per kilogram

n/a = not available

PRGs = Preliminary Remediation Goals

TTR & KTF References

- BLM 2011** U.S. Department of the Interior, Bureau of Land Management, *Herd Area (HA) and Herd Management Area (HMA) Data*, FY 2011. Available online at: http://www.blm.gov/wo/st/en/prog/wild_horse_and_burro/wh_b_information_center/statistics_and_maps/ha_and_hma_data.html.
- DOD 2008** U.S. Department of Defense, *Final Environmental Impact Statement/Overseas Environmental Impact Statement (EIS/OEIS) for the Hawaii Range Complex*. U.S. Department of the Navy, Kauai, HI (2008).
- DOD/DOE/
State of NV
1996** U.S. Department of Defense, U.S. Department of Energy, and Nevada Department of Conservation and Natural Resources, *Federal Facility Agreement and Consent Order (FFCO)*. State of Nevada Department of Conservation and Natural Resources, Division of Environmental Protection and the U.S. DOE and the U.S. DOD in the Matter of Federal Facility Agreement and Consent Order (May 10, 1996). Available on the Web at: <http://ndep.nv.gov/boff/ffco.htm>.
- DOE 2013** DOE Order 458.1 (See DOE Orders Section).
- DOE 2013a** U.S. Department of Energy, National Nuclear Security Administration, Nevada Site Office, *Final Site-Wide Environmental Impact Statement for the Continued Operation of the Department of Energy/National Nuclear Security Administration Nevada National Security Site and Off-Site Locations in the State of Nevada*, DOE/EIS-0426 (2013).
- DOE 2012** DOE Order 231.1B (See DOE Orders Section).
- DOE 2012a** U.S. Department of Energy, *Nevada National Security Site Environmental Report 2010*, DOE/NV 25946-1604. Prepared by National Security Technologies, LLC for the U.S. DOE/NNSA, Las Vegas NV (2012).
- DOE 2011** DOE Order 414.D (See DOE Orders Section).
- DOE 2011a** DOE Order 232.2 (See DOE Orders section).
- DOE 2003** DOE Manual 231.1-2 (see DOE Orders Section).
- DOE 2001** DOE Order 435.1, Change 1 (See DOE Orders Section).
- DOE 1992** U.S. Department of Energy, *Water Conservation Plan for the Tonopah Test Range*, Range 4809. U.S. Department of Energy/Nevada Operations Office, Las Vegas, NV (1992).
- DOE 1992a** U.S. Department of Energy, *Kauai Test Facility Environmental Assessment*, DOE/EA-0492. U.S. Department of Energy, Albuquerque Operations Office (DOE/AL), Albuquerque, NM (1992).

- Dragun and Chekiri 2005** Dragun, J. and K. Chekiri, *Elements in North American Soils*. The Association for Environmental Health and Sciences, Amherst, MA (2005).
- DRI 1997** Desert Research Institute (DRI), *Draft Analysis of Ambient Airborne Particulate Matter for Plutonium; Clean Slate 1 During Excavation and Truck Loading, Tonopah Test Range, May 1997 - June 1997*, DRI Document Number 6357-683-7562.1D1. Prepared by DRI for the U.S. Department of Energy/Nevada Field Office, Las Vegas, NV (November 14, 1997).
- DRI 1991** Desert Research Institute, *Special Nevada Report*, DOE/NV/10715-T1. Prepared by Science Applications International Corporation (SAIC) for the Department of the Air Force (September 23, 1991).
- E&E 1989** Ecology and Environment, Inc., *Federal Facility Preliminary Assessment Review*, EPA Region IX, F9-8903-021, NV3570090016. Ecology and Environment, Inc., San Francisco, CA (1989).
- EG&G 1995** Edgerton, Germeshausen & Grier Corporation, *Aerial Radiological Survey of the Tonopah Test Range Including Clean Slate 1, 2, 3, Roller Coaster, Decontamination Area, Cactus Springs Ranch Target Areas, Central Nevada*, EGG-11265-1145. EG&G Energy Measurements, Inc., Las Vegas, NV (1995).
- Engelbrecht, et al. 2008** Engelbrecht, J.P., Kavouras, I.G., Campbell, D., Campbell, S.A., Kohl, S., Shafer, D., *Yucca Mountain Environmental Monitoring System Initiative, Air Quality Scoping Study for Tonopah Airport*, Nye County, Nevada, Letter report DOE/NV/26383-LTR2008-04 (2008).
- EPA 2013** U.S. Environmental Protection Agency, National Priorities List (NPL) Sites in the United States, available on the Web at <http://www.epa.gov/superfund/sites/npl/>. U.S. Environmental Protection Agency, Washington, DC (2013).
- EPA 1999** U.S. Environmental Protection Agency, *Off-site Environmental Monitoring Report: Radiation Monitoring Around United States Nuclear Test Areas, Calendar Year 1997*, EPA/402-R-98-013, U.S. Environmental Protection Agency, Las Vegas, NV (1999).
- ERDA 1975** U.S. Energy Research and Development Administration, *Environmental Assessment, Tonopah Test Range*, EIA/MA/76-2. U.S. Energy Research and Development Administration (ERDA), Washington, DC (1975).
- Gore 1993** Gore, A., *From Red Tape to Results: Creating a Government that Works Better and Costs Less* (Report of the National Performance Review). U.S. Government Printing Office, Washington, DC (1993).
- Hawaii DOH 2009** Hawaii Department of Health, State of Hawaii Noncovered Source Permit No. 0429-01-N, Expiration Date 03/02/2014. State of Hawaii DOH. Honolulu, HI (March 3, 2009).
- ISO 2008** International Organization for Standardization, *Quality Management Systems - Requirements* (ISO 9001), International Organization for Standardization, Geneva, Switzerland (2008).
- ISO 2004** International Organization for Standardization, *Environmental Management Systems - Requirements* (ISO 14001), International Organization for Standardization, Geneva, Switzerland (2004).
- IT 1996** IT Corporation, *Sampling and Analysis Plan for Clean Slate 1*. IT Corporation, Albuquerque, NM (September 1996).

- IT 1993** IT Corporation, *Tonopah Test Range Polychlorinated Biphenyls Sample Results*. IT Corporation, Albuquerque, NM (October 1993).
- Kabata-Pendias 2000** Kabata-Pendias, *Trace Elements in Soils and Plants*, 3rd. Ed. CRC Press, Inc., Boca Raton, FL.
- NAVFAC 2012** NAVFAC Hawaii, *Spill Prevention Control and Countermeasure (SPCC) Plan, Pacific Missile Range Facility, P Kauai, Hawaii*. Prepared for the Naval Facilities Engineering Command (NAVFAC) by Environet, Inc., Honolulu, HI (2012).
- NDEP 2011** Nevada Department of Environmental Protection Public Water System Monitoring Reminder. Nevada Department of Environmental Protection, Las Vegas, NV (February 2011).
- Schaeffer 1970** Schaeffer, J. R., *Climatology of Tonopah Test Range, Nevada 1961-1969*, SC-TM-70-0215. Sandia National Laboratories, Albuquerque, NM (1970).
- Shyr, Herrera, Haaker 1998** Shyr, L., H. Herrera, R. Haakqer, *The Role of Data Analysis in Sampling Design of Environmental Monitoring*, SAND98-0612. Sandia National Laboratories, Albuquerque, NM (March 1998).
- Sinnock 1982** Sinnock, S., *Geology of the Nevada Test Site and Nearby Areas - Southern Nevada*, SAND82-2207. Sandia National Laboratories, Albuquerque, NM (1982).
- SNL 2013** Sandia National Laboratories, *NESHAP Annual Report for CY 2012*, Sandia National Laboratories, Nevada. Sandia National Laboratories, Albuquerque, NM (2013).
- SNL 2013a** Sandia National Laboratories, *Tonopah Test Range, Kauai Test Facility Data Analysis in Support of the Annual Site Environmental Report, 2012*. Sandia National Laboratories, Albuquerque, NM (2013).
- SNL 2013b** Sandia National Laboratories, *Annual Fee Monitoring Report (for the Kauai Test Facility, transmittal from SNL to DOE/Sandia Site Office dated 02/13/2013)*. Sandia National Laboratories, Albuquerque, NM (2013).
- SNL 2013c** Sandia National Laboratories, *Chemical Inventory Report, CY 2012*. Sandia National Laboratories, Albuquerque, NM (June 2013).
- SNL 2008** Sandia National Laboratories, *Chemical Analyses of Soil Samples Collected from the Sandia National Laboratories, Kauai Test Facility, HI, 1999-2007*, SAND2007-7635. Sandia National Laboratories, Albuquerque, NM (2008).
- SNL 2008a** Sandia National Laboratories, *Calendar Year 2007 Annual Site Environmental Report for Tonopah Test Range Nevada and Kauai Test Facility, Hawaii*, SAND2008-5070P. Sandia National Laboratories, Albuquerque, NM (2008).
- SNL 2007** Sandia National Laboratories, *Calendar Year 2006 Annual Site Environmental Report for Tonopah Test Range, Nevada and Kauai Test Facility, Hawaii*, SAND2007-4007P. Sandia National Laboratories, Albuquerque, NM (2007).

- SNL 2006** Sandia National Laboratories, *Chemical Analyses of Soil Samples Collected from the Sandia National Laboratories, Tonopah Test Range Environs, 1994-2005*. SAND2006-2071, Sandia National Laboratories, Albuquerque, NM (May 2006).
- SNL 2004** Sandia National Laboratories, *Spill Prevention Control and Countermeasures (SPCC) Plan for SNL Tonopah Test Range*, Plan 90-12, Rev. 5. Sandia National Laboratories, Albuquerque, NM (August 2004).
- SNL 1997** Sandia National Laboratories, (1) *NESHAP Annual Report for CY 1996* (EPA Summary) and (2) *Radiological Dose Calculations and Supplemental Dose Assessment Data for NESHAP Compliance for Sandia National Laboratories, Nevada, CY 1996*. Sandia National Laboratories, Albuquerque, NM (1997).
- SNL 1993** Sandia National Laboratories, *SNL Acoustic Monitoring Plan of the STARS Flight Test Unit 1*. Memo to Linda Ninh from B.E. Swanson. Sandia National Laboratories, Albuquerque, NM (1993).
- SNL 1992** Sandia National Laboratories, *CDX Rocket Motor Effluent Monitoring*, Memo from W. E. Stocum (7712) to R. G. Hay (2723). Sandia National Laboratories, Albuquerque, NM (1992).
- USAF 1999** U.S. Air Force, *Renewal of the Nellis Air Force Range Land Withdrawal: Department of the Air Force Legislative Environmental Impact Statement*. U.S. Air Force, Nellis Air Force Range, NV (March 1999).
- USAF/DOE/NNSA 2002** U.S. Air Force/DOE/NNSA, *Department of the Air Force Permit to the National Nuclear Security Administration to use Property Located on the Nevada Test and Training Range, Nevada*, U.S. Air Force/DOE/NNSA, Tonopah, NV (2002).

EXECUTIVE ORDERS

- EO 11988** *Floodplain Management*, as amended (May 24, 1977).
- EO 11990** *Protection of Wetlands*, as amended (May 24, 1977).
- EO 12898** *Federal Actions To Address Environmental Justice in Minority Populations and Low-Income Populations*, as amended (February 11, 1994).
- EO 13423** *Strengthening Federal Environmental, Energy, and Transportation Management* (January 2007).
- EO 13514** *Federal Leadership in Environmental, Energy, and Economic Performance* (October 2009).

DOE DIRECTIVES

- DOE 2013** U.S. Department of Energy, *Radiation Protection of the Public and the Environment*, DOE Order 458.1, Change 3. U.S. Department of Energy, Washington, DC (January 2013).

- DOE 2012** U.S. Department of Energy, *Environment, Safety, and Health Reporting*, DOE Order 231.1B, Change 1. U.S. Department of Energy, Washington, DC (November 2012).
- DOE 2011** U.S. Department of Energy, *Quality Assurance*, DOE Order 414.1D, U.S. Department of Energy, Washington, DC (April 2011).
- DOE 2011a** U.S. Department of Energy, *Occurrence Reporting and Processing of Operations Information*, DOE O 232.2. U.S. Department of Energy, Washington, DC (August 2011).
- DOE 2003** U.S. Department of Energy, *Occurrence Reporting and Processing of Operations Information*, DOE Manual 231.1-2. U.S. Department of Energy, Washington, DC (August 18, 2003).
- DOE 2001** U.S. Department of Energy, *Radioactive Waste Management*, DOE Order 435.1, Change 1. U.S. Department of Energy, Washington, DC (August 2001).

CODE OF FEDERAL REGULATIONS

- 10 CFR 830** *Nuclear Safety Management*
- 40 CFR 61** *National Emission Standards for Hazardous Air Pollutants (NESHAP)*
- 40 CFR 110** *Discharge of Oil*
- 40 CFR 112** *Oil Pollution Prevention*
- 40 CFR 122** *EPA Administered Permit Programs: The National Pollutant Discharge Elimination System*
- 40 CFR 280** *Technical Standards and Corrective Action Requirements for Owners and Operators of Underground Storage Tanks*
- 40 CFR 355** *Emergency Planning and Notification*
- 40 CFR 370** *Hazardous Chemical Reporting: Community Right-to-Know*

ACTS & STATUTES

- American Indian Religious Freedom Act (AIRFA) of 1978 (42 U.S.C. §1996)
- Archaeological Resources Protection Act (ARPA) of 1979 (16 U.S.C. §470aa)
- Clean Air Act (CAA) and CAA Amendments of 1990 (42 U.S.C. §7401)
- Clean Water Act (CWA) of 1977 (The Federal Water Pollution Control Act) (33 U.S.C. §1251)
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980 (42 U.S.C. §9601) (Amended by SARA)
- Emergency Planning and Community Right-to-Know Act (EPCRA) of 1986 (42 U.S.C. §11001 et seq.)
(Also known as SARA Title III)
- Endangered Species Act (ESA) (16 U.S.C. §1531 et seq.)
- Federal Facility Compliance Act (FFCA) of 1992 (42 U.S.C. §6961)
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) (7 U.S.C. §136)

Migratory Bird Treaty Act (MBTA) of 1918, as amended (16 U.S.C. §703 et seq.)
National Environmental Policy Act (NEPA) of 1969 (42 U.S.C. §4321)
National Historic Preservation Act of 1966, as amended (16 U.S.C. §470 et seq.)
Quiet Communities Act of 1978 (42 U.S.C. §4901 et seq.)
Resource Conservation and Recovery Act (RCRA) of 1976 (42 U.S.C. §6901 et seq.)
Safe Drinking Water Act (SDWA) (42 U.S.C. §300f)
Superfund Amendments and Reauthorization Act (SARA) of 1986 (see CERCLA)
Toxic Substances Control Act (TSCA) of 1976 (15 U.S.C. §2601 et seq)

STATE OF HAWAII ENVIRONMENTAL REGULATIONS

Hawaii Administrative Rules (HAR), Title 11, Chapter 23, “Underground Injection Control”
Hawaii Administrative Rules (HAR), Title 11, Chapter 59, “Ambient Air Quality Standards”

STATE OF NEVADA ENVIRONMENTAL REGULATIONS

Nevada regulatory information can be found at the Nevada State Legislature website:
<http://www.leg.state.nv.us/>

A listing of the Nevada Administration Code (NAC) can be found at:
<http://www.leg.state.nv.us/NAC>

TABLE 6-1. State of Nevada Administrative Code (NAC) Applicable to the TTR

Chapter 444, Sanitation	Applicable Sources or Activities
NAC 444.570 to 444.976, "Solid Waste Disposal"	<ul style="list-style-type: none"> • Disposal of construction debris • Disposal of routine non-hazardous solid wastes • Disposal of septic sludge • Disposal of hazardous waste • PCB • Asbestos
NAC 444A.005 to 444A.500, "Programs for Recycling"	<ul style="list-style-type: none"> • Recyclables, including waste tires
Chapter 445A, Water Controls	
NAC 445A.070 to 445A.348, "Water Pollution Control"	<ul style="list-style-type: none"> • Septic tanks • Surface water runoff
NAC 445A.450 to 445A. 6731, "Public Water Systems"	<ul style="list-style-type: none"> • Production well sampling • Water conservation plan
Chapter 445B, Air Controls	
NAC 445B.001 to 445B.3497, "Air Pollution"	<ul style="list-style-type: none"> • Open burning • Hazardous air pollutants from stacks and vents • Disturbance of soils during construction (particulate matter)
NAC 445B.400 to 445B.774, "Emissions From Engines"	<ul style="list-style-type: none"> • Generators • Mobile sources
Chapter 459, Hazardous Materials	
NAC 459.9921 to 459.999, "Storage Tanks"	<ul style="list-style-type: none"> • Spill reporting
Chapter 477, State Fire Marshall	
NAC 459.9921 to 459.999, "Permit to Store Hazardous Material"	<ul style="list-style-type: none"> • Hazardous material storage
Chapter 534, Underground Water and Wells	
NAC 534.010 to 534.500, "Underground Water and Wells"	<ul style="list-style-type: none"> • Drilling, construction, operation, and plugging (abandonment) of wells and boreholes

NOTES: TTR = Tonopah Test Range
 PCB = polychlorinated biphenols

This page intentionally left blank.

Glossary

A

Aerodynamics – The science that deals with the motion of air and other gaseous fluids and with the forces acting on bodies when they move through such fluids or when such fluids move against or around the bodies.

Ambient Air – Any unconfined portion of the atmosphere: open air, surrounding air.

Americium – A chemical element, symbol Am, atomic number 95; the mass number of the isotope with the longest half-life is 243.

Americium-241 – An alpha-ray emitter used as a radiation source in research.

Asbestos – A mineral fiber that can pollute air or water and cause cancer or asbestosis when inhaled. Uses for asbestos-containing material include, but are not limited to, electrical and heat insulation, paint filler, reinforcing agents in rubber and plastics (e.g., tile mastic), and cement reinforcement.

B

Benchmarking – 1. A point of reference from which measurements may be made. 2. Something that serves as a standard by which others may be measured or judged. 3. A standardized problem or test that serves as a basis for evaluation or comparison.

Best Management Practice (BMP) – The preferred methods and practices for managing operations.

C

Cesium – A radioactive isotope of cesium used in radiation therapy.

Chemical Oxygen Demand (COD) – A measure of the oxygen required to oxidize all compounds, both organic and inorganic, in water.

D

Demolition – The act or process of wrecking or destroying, especially destruction by explosives.

Depleted Uranium – Uranium having a smaller percentage of uranium-235 than the 0.7% found in natural uranium.

Diurnal – 1. Relating to or occurring in a 24-hour period; daily. 2. Occurring or active during the daytime rather than at night: diurnal animals.

Dose Assessment – The process of determining radiological dose and uncertainty included in the dose estimate through the use of exposure scenarios, bioassay results, monitoring data, source term information, and pathway analysis.

Dose Equivalent – The product of the absorbed dose from ionizing radiation and such factors as account for biological differences due to the type of radiation and its distribution in the body.

E

Ecology – The relationship of living things to one another and their environment, or the study of such relationships.

Environment, Safety and Health (ES&H) – A program designed to protect and preserve the environment, and to ensure the safety and health of its employees, contractors, visitors, and the public.

Environmental Assessment (EA) – An environmental analysis prepared pursuant to the National Environmental Policy Act (NEPA) to determine whether a federal action would significantly affect the environment and thus require a more detailed environmental impact statement.

Environmental Impact Statement (EIS) – A document required of federal agencies by the National Environmental Policy Act for major projects or legislative proposals significantly affecting the environment. A tool for decision making, it describes the positive and negative effects of the undertaking and cites alternative actions.

Environmental Management – A program designed to maintain compliance with EPA, state, local and DOE requirements.

Environmental Management System – A continuing cycle of planning, evaluating, implementing, and improving processes and actions undertaken to achieve environmental goals.

Environmental Restoration (ER) – A project chartered with the assessment and, if necessary, the remediation of inactive waste sites.

Ephemeral Stream – A stream channel which carries water only during and immediately after periods of rainfall or snowmelt.

F

Fauna – 1. Animals, especially the animals of a particular region or period, considered as a group. 2. A catalog of the animals of a specific region or period.

French Drain – An underground passage for water, consisting of loose stones covered with earth.

G

Gamma Spectroscopy – A technique used to detect the emission of gamma radiation from radioactive materials.

Geology – The scientific study of the origin, history, and structure of the earth.

Gross Alpha/Beta Activity – The total radioactivity due to alpha or beta emissions as inferred from measurements on a dry sample.

Groundwater – The supply of fresh water found beneath the Earth's surface, usually in aquifers, which supply wells and springs. Because groundwater is a major source of drinking water, there is growing concern over contamination from leaching agricultural or industrial pollutants or leaking underground storage tanks.

H

Herbicides – A chemical pesticide designed to control or destroy plants, weeds, or grasses.

Horst and Graben Topography – A system of mountains and down-dropped fault valleys formed through regional extension.

Hydrology – The science dealing with the properties, distribution, and circulation of water.

I

Insecticides – A pesticide compound specifically used to kill or prevent the growth of insects.

Integrated Safety Management System (ISMS) – Systematically integrates safety into management and work practices at all levels so that missions are accomplished while protecting the worker, the public, and the environment.

M

Maximally Exposed Individual (MEI) – The location of a member of the public which receives or has the potential to receive the maximum radiological dose from air emissions of a National Emissions Standards for Hazardous Air Pollutants (NESHAP) radionuclide source. The dose estimates are based on realistic, yet conservative input parameters.

Mixed Waste – Radioactive waste that contains both source material, special nuclear material, or by-product material subject to the Atomic Energy Act of 1954, as amended; and a hazardous component subject to the Resource Conservation and Recovery Act (RCRA), as amended.

N

NESHAP – Emissions standards set by EPA for an air pollutant not covered by National Ambient Air Quality Standards (NAAQS) that may cause an increase in fatalities or in serious, irreversible, or incapacitating illness. Primary standards are designed to protect human health, secondary standards to protect public welfare (e.g. building facades, visibility, crops, and domestic animals).

National Environmental Policy Act (NEPA) – The basic national charter for protection of the environment. It establishes policy, sets goals, and provides means for carrying out the policy.

Nitrates – A compound containing nitrogen that can exist in the atmosphere or as a dissolved gas in water and which can have harmful effects on humans and animals. Nitrates in water can cause severe illness in infants and domestic animals. A plant nutrient and inorganic fertilizer, nitrate is found in septic systems, animal feed lots, agricultural fertilizers, manure, industrial waste waters, sanitary landfills, and garbage dumps.

Nitrite – 1. An intermediate in the process of nitrification. 2. Nitrous oxide salts used in food preservation.

P

Phenol – Organic compounds that are by-products of petroleum refining, tanning, and textile, dye, and resin manufacturing. Low concentrations cause taste and odor problems in water; higher concentrations can kill aquatic life and humans.

Plutonium – A radioactive metallic element chemically similar to uranium.

Polychlorinated biphenyls (PCB) – “PCB” and “PCBs” are chemical terms limited to the biphenyl molecule that has been chlorinated to varying degrees or any combination of substances that contains such substance. Because of their persistence, toxicity, and ecological damage via water pollution, their manufacture was discontinued in the U.S. in 1976.

Potable Water – Water free from impurities present in quantities sufficient to cause disease or harmful physiological effects.

R

Radioactive Waste – Any waste that emits energy as rays, waves, streams or energetic particles. Radioactive materials are often mixed with hazardous waste, from nuclear reactors, research institutions, or hospitals.

Radionuclide – Radioactive particle, man-made (anthropogenic) or natural, with a distinct atomic weight number. Can have a long life as soil or water pollutant.

Reportable Quantity (RQ) – Quantity of material or product compound or contaminant which when released to the environment is reportable to a regulatory agency.

Rodenticides – A chemical or agent used to destroy rats or other rodent pests, or to prevent them from damaging food, crops, etc.

S

Semi-volatile organic compounds (SVOC) – Organic compounds that volatilize slowly at standard temperature (20 degrees C and 1 atm pressure).

Solid Waste – Any garbage, refuse, sludge from a waste treatment plant, water supply treatment plant, or air pollution control facility and other discarded material including solid, liquid, semisolid, or contained gaseous material resulting from industrial, commercial, mining, and agricultural operations and from community activities.

Storm Water – Water runoff from rainfall or snowmelt, including that discharged to the sanitary sewer system.

T

Thermoluminescent Dosimeters (TLD) – A device that monitors both the whole body and skin radiation dose to which a person has been exposed during the course of work. These same devices can also be used to measure environmental exposure rates.

Trihalomethanes – A chemical compound containing three halogen atoms substituted for the three hydrogen atoms normally present in a methane molecule. It can occur in chlorinated water as a result of reaction between organic materials in the water and chlorine added as a disinfectant.

Tritium – A rare radioactive hydrogen isotope with atomic mass 3 and half-life 12.5 years, prepared artificially for use as a tracer and as a constituent of hydrogen bombs.

U

Underground Storage Tank (UST) – A single tank or a combination of tanks, including underground pipes connected thereto, which are used to contain an accumulation of regulated substances, such as petroleum products, mineral oil, and chemicals, and the volume of which, including the volume of underground pipes connected thereto, is 10% or more beneath the surface of the ground.

Uranium – A heavy silvery-white metallic element, radioactive and toxic, easily oxidized, and having 14 known isotopes of which U 238 is the most abundant in nature. The element occurs in several minerals, including uraninite and carnotite, from which it is extracted and processed for use in research, nuclear fuels, and nuclear weapons.

V

Volatile Organic Compounds (VOC) – Any organic compound that participates in atmospheric photochemical reactions except those designated by EPA as having negligible photochemical reactivity.

W

Waste Management – The processes involved in dealing with the waste of humans and organisms, including minimization, handling, processing, storage, recycling, transport, and final disposal.

Wastewater Effluent – Wastewater (treated or untreated) that flows out of a treatment plant, sewer, or industrial outfall. Generally refers to wastes discharged into surface waters.

This page intentionally left blank.

UNLIMITED RELEASE DISTRIBUTION

U.S. DEPARTMENT OF ENERGY

U.S. Department of Energy/NNSA (15**)
Sandia Field Office (SFO)
Engineering
Attn: Karen Agogino
P.O. Box 5400, MS 0184
Albuquerque, NM 87185-5400

U.S. Department of Energy/NNSA (1*/1**) *(mirrored)*
NA-00-60/Office of Sustainability
Office of Environmental Operations
Attn: Steven R. Black
P.O. Box 5400
Albuquerque, NM 87185-5400

U.S. Department of Energy/HQ (1**) *(mirrored)*
Chief Health, Safety and Security Officer
HS-1/Forrestal Building
Attn: Glenn S. Podonsky
1000 Independence Ave., SW
Washington, DC 20585

Environmental Restoration Division (1*/1**) *(mirrored)*
Nevada Field Office (NFO) (EM-50.2)
Attn: Kevin Cabble
P.O. Box 98518
Las Vegas, NV 89193-8518

U.S. Department of Energy/HQ (1**) *(mirrored)*
Director, Office of Environmental Protection
Sustainability
HS-20/Forrestal Building
Attn: Andrew C. Lawrence
1000 Independence Ave., SW
Washington, DC 20585

U.S. Department of Energy/HQ (1**) *(mirrored)*
Deputy Associate Administrator for Infrastructure
and Operations
NA-00/Forrestal Building
Attn: James J. McConnell
1000 Independence Ave., SW
Washington, DC 20585

U.S. Department of Energy/HQ (1*/1**) *(mirrored)*
Office of Analysis
HS-24/ Forrestal Bldg.
Attn: Ross Natoli
1000 Independence Ave., SW
Washington, DC 20585

UNLIMITED RELEASE DISTRIBUTION (continued)

FEDERAL, STATE, AND OTHER AGENCIES

Environmental Health Administration (1**)
Environmental Management Division
Attn: Thomas E. Arizumi
Room 300
919 Ala Moana Blvd.
Honolulu, HI 96814-4920

U.S. Environmental Protection Agency (1**)
Region IX Office
75 Hawthorne Street
San Francisco, CA 94105

Division of Environmental Protection (1**)
Attn: Mike Elges, Deputy Administrator
901 South Stewart, Suite 4001
Carson City, NV 89701

Matthew W. Birch (1**)
DAF/Tonopah Test Range Ops Office
P.O. Box 93174
Las Vegas, NV 89191-3174

Pacific Missile Range Facility (1*)
Attn: Capt Bruce Hay
P.O. Box 128
Kekaha, HI 96752-0128

OTHER INDIVIDUALS AND ORGANIZATIONS

Theresa Davis (1**)
Argonne National Laboratory
9700 South Cass Avenue
Building 200, Room B-11
Argonne, IL 60439

Roger Dirkes (1**)
Battelle Pacific Northwest Laboratories
P.O. Box 999
Richland, WA 99352

Eva Hickey (1**)
Battelle Pacific Northwest Laboratories
P.O. Box 999, MS K-3-66
Richland, WA 99352

Margaret Lindeman (2**)
Lockheed-Martin Corporation
6801 Rockledge Drive
Mail Drop 246
Bethesda, MD 20817

Frank Grossman (1**)
Nevada Test Site
PO Box 98521
MS NTS 273
Las Vegas, NV 89193

Tim Murphy (1**)
Nevada Division of Environmental Protection
2030 E. Flamingo Road
Suite 230
Las Vegas NV 89119

Adeline Sasaki (1**)
Kauai District Health Office
3040 Umi Street P.O. Box 671
Lihue, HI 96766

Dan Barkley (1*/1**)
Government Information Department
Zimmerman Library-UNM
1 University of New Mexico
MSC05 3020
Albuquerque, NM 87131-0001

Jessica Milne (1**)
Lockheed-Martin Corporation
Mail Drop CCT 246
6801 Rockledge Drive
Bethesda, MD 20817

UNLIMITED RELEASE DISTRIBUTION (concluded)

Sandia National Laboratories Distribution

1	(MS 0141)	A. Blumberg, 11100*
1	(MS 0899)	Technical Library, 9536*
1	(MS 1392)	W. Forston, 2915 (2*)
1	(MS 1392)	B. Adkins, 2915 (*)
1	(MS 1392)	V. Hermansen, 2915
1	(MS 0729)	M. L. du Mond, 4143*
1	(MS 0730)	N. White, 3654*
1	(MS 0729)	M. L. Miller, 4143*
1	(MS 0729)	J. Payne, 4143
10	(MS 0730)	R. Sanchez, 4143
2	(MS 1043)	ES&H Library, 4135 (2*)
1	(MS 1172)	Reuben Martinez, 5419*


NOTE: *Require CD copies of this report.

**Require published copies of this report.

This page intentionally left blank.


APPENDIX A

2012 TTR SAMPLING LOCATION MAPS




Legend





- Terrestrial Surveillance - Community
- Roads
- Highway
- Dry Lake Bed
- Tonopah Test Range



Sandia National Laboratories, New Mexico
 Environmental Geographic Information System




Legend

-  Terrestrial Surveillance - Perimeter
-  Roads
-  Dry Lake Bed
-  Tonopah Test Range








Sandia National Laboratories, New Mexico
 Environmental Geographic Information System




- S-15
- S-42
- S-13
- S-41
- S-40
- S-45
- S-44
- S-43
- S-14
- S-46
- S-47

Legend

-  Terrestrial Surveillance -- On-site
-  Roads
-  Dry Lake Bed
-  Tonopah Test Range




Sandia National Laboratories, New Mexico
 Environmental Geographic Information System



Legend

- ! Terrestrial Surveillance -- On-site
- Roads
- ▭ Tonopah Test Range



Sandia National Laboratories, New Mexico
 Environmental Geographic Information System

APPENDIX B

2012 TTR TERRESTRIAL
SURVEILLANCE RESULTS

TABLE B-1. Radiological Results for Off-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
C-20	Americium-241	pCi/g	0.0251	0.0907	0.0748	0.152	U
C-20	Cesium-137	pCi/g	0.212	0.0387	0.0159	0.0328	
C-20	Uranium-235	pCi/g	0.0776	0.171	0.08	0.163	U
C-20	Uranium-238	pCi/g	2.52	1.43	0.609	1.24	
C-21	Americium-241	pCi/g	-0.0314	0.078	0.0616	0.126	U
C-21	Cesium-137	pCi/g	0.143	0.0407	0.0136	0.028	
C-21	Uranium-235	pCi/g	0.127	0.118	0.0705	0.144	U
C-21	Uranium-238	pCi/g	0.593	1.17	0.52	1.06	U
C-22	Americium-241	pCi/g	0.0711	0.105	0.0811	0.164	U
C-22	Cesium-137	pCi/g	0.0703	0.0251	0.0147	0.03	
C-22	Uranium-235	pCi/g	0.166	0.157	0.0862	0.174	U
C-22	Uranium-238	pCi/g	3.09	1.63	0.66	1.33	
C-23	Americium-241	pCi/g	0.0484	0.0477	0.0364	0.0738	U
C-23	Cesium-137	pCi/g	0.163	0.0274	0.0123	0.0253	
C-23	Uranium-235	pCi/g	0.231	0.129	0.0614	0.124	
C-23	Uranium-238	pCi/g	0.976	0.64	0.323	0.653	
C-24	Americium-241	pCi/g	0.0336	0.0873	0.0726	0.147	U
C-24	Cesium-137	pCi/g	0.204	0.0386	0.0158	0.0324	
C-24	Uranium-235	pCi/g	0.156	0.154	0.0774	0.157	U
C-24	Uranium-238	pCi/g	1.61	1.5	0.579	1.18	
C-25	Americium-241	pCi/g	-0.0101	0.0892	0.0752	0.153	U
C-25	Cesium-137	pCi/g	0.0666	0.0279	0.0141	0.0289	
C-25	Uranium-235	pCi/g	0.111	0.152	0.0786	0.16	U
C-26	Americium-241	pCi/g	0.0568	0.0732	0.0593	0.12	U
C-26	Cesium-137	pCi/g	0.211	0.0396	0.0159	0.0324	
C-26	Uranium-235	pCi/g	0.00925	0.106	0.0921	0.187	U
C-27	Americium-241	pCi/g	0.061	0.0638	0.0453	0.0916	U
C-27	Cesium-137	pCi/g	0.459	0.0479	0.0154	0.0316	
C-27	Uranium-235	pCi/g	0.0196	0.104	0.0854	0.173	U
C-27	Uranium-238	pCi/g	1.25	0.843	0.41	0.829	
C-28	Americium-241	pCi/g	0.0755	0.0963	0.0776	0.158	U
C-28	Cesium-137	pCi/g	0.117	0.0288	0.0162	0.0334	

TABLE B-1. Radiological Results for Off-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
C-28	Uranium-235	pCi/g	0.034	0.149	0.0819	0.167	U
C-29	Americium-241	pCi/g	0.0555	0.108	0.0887	0.18	U
C-29	Cesium-137	pCi/g	0.391	0.044	0.0141	0.029	
C-29	Uranium-235	pCi/g	0.206	0.175	0.0958	0.195	
C-30	Americium-241	pCi/g	0.109	0.082	0.0578	0.117	U
C-30	Cesium-137	pCi/g	0.249	0.0312	0.0107	0.0218	
C-30	Uranium-235	pCi/g	-0.0329	0.0763	0.0606	0.123	U
C-30	Uranium-238	pCi/g	1.07	1.03	0.459	0.93	
C-31	Americium-241	pCi/g	0.0273	0.0531	0.0425	0.0861	U
C-31	Cesium-137	pCi/g	0.155	0.034	0.0157	0.0322	
C-31	Uranium-235	pCi/g	0.0295	0.0921	0.0814	0.165	U
C-31	Uranium-238	pCi/g	1.45	0.795	0.4	0.81	
C-32	Americium-241	pCi/g	0.0469	0.0774	0.0642	0.13	U
C-32	Cesium-137	pCi/g	0.107	0.0252	0.0118	0.0242	
C-32	Uranium-235	pCi/g	0.188	0.125	0.0629	0.128	
C-32	Uranium-238	pCi/g	0.388	1.17	0.514	1.04	U
C-33	Americium-241	pCi/g	0.0349	0.0414	0.0318	0.0643	U
C-33	Cesium-137	pCi/g	0.0713	0.0253	0.0116	0.0237	
C-33	Uranium-235	pCi/g	0.0914	0.0742	0.0631	0.128	U
C-33	Uranium-238	pCi/g	1.14	0.727	0.288	0.583	

NOTES:

MDA = minimum detectable amount

pCi/g = picocurie per gram

TTR = Tonopah Test Range

U = The analyte was analyzed for, but not detected above the MDA.

TABLE B-2. Radiological Results for Perimeter Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or			MDA	Lab Data Qualifiers
			Concentration	Two Sigma Error	Decision Level		
P-06	Americium-241	pCi/g	0.0848	0.0749	0.0515	0.104	U
P-06	Cesium-137	pCi/g	0.141	0.027	0.0116	0.0238	
P-06	Uranium-235	pCi/g	0.146	0.105	0.0672	0.136	
P-06	Uranium-238	pCi/g	1.65	0.941	0.44	0.887	
P-08	Americium-241	pCi/g	0.0713	0.103	0.084	0.171	U
P-08	Cesium-137	pCi/g	0.0982	0.033	0.0167	0.0344	
P-08	Uranium-235	pCi/g	0.000938	0.105	0.0873	0.178	U
P-08	Uranium-238	pCi/g	0.81	1.52	0.668	1.36	U
P-11	Americium-241	pCi/g	0.062	0.0613	0.045	0.0911	U
P-11	Cesium-137	pCi/g	0.0691	0.0245	0.0129	0.0265	
P-11	Uranium-235	pCi/g	0.031	0.117	0.0782	0.158	U
P-11	Uranium-238	pCi/g	1.72	1.06	0.405	0.819	
P-12	Americium-241	pCi/g	0.0523	0.0551	0.0395	0.0797	U
P-12	Cesium-137	pCi/g	0.261	0.0342	0.0128	0.0261	
P-12	Uranium-235	pCi/g	0.132	0.131	0.0713	0.144	U
P-12	Uranium-238	pCi/g	2.15	0.882	0.35	0.706	
P-34	Americium-241	pCi/g	0.0207	0.0228	0.0166	0.0335	U
P-34	Cesium-137	pCi/g	0.246	0.0381	0.0136	0.0278	
P-34	Uranium-235	pCi/g	0.0255	0.061	0.0544	0.11	U
P-34	Uranium-238	pCi/g	1.48	0.449	0.16	0.323	
P-35	Americium-241	pCi/g	0.0124	0.04	0.0251	0.0506	U
P-35	Cesium-137	pCi/g	0.556	0.056	0.0153	0.0312	
P-35	Uranium-235	pCi/g	0.0754	0.164	0.0815	0.164	U
P-35	Uranium-238	pCi/g	1.64	0.709	0.25	0.503	
P-36	Americium-241	pCi/g	0.0145	0.0678	0.0596	0.121	U
P-36	Cesium-137	pCi/g	0.119	0.0328	0.0157	0.0323	
P-36	Uranium-235	pCi/g	0.0599	0.0947	0.0819	0.167	U
P-36	Uranium-238	pCi/g	0.444	1.11	0.517	1.05	U
P-37	Americium-241	pCi/g	0.0482	0.0626	0.0486	0.0986	U
P-37	Cesium-137	pCi/g	0.0178	0.0279	0.0146	0.0302	U
P-37	Uranium-235	pCi/g	0.032	0.0959	0.0865	0.176	U

TABLE B-2. Radiological Results for Perimeter Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
P-37	Uranium-238	pCi/g	1.08	0.848	0.437	0.885	

NOTES:

MDA = minimum detectable amount

pCi/g = picocurie per gram

TTR = Tonopah Test Range

U = The analyte was analyzed for, but not detected above the MDA.

TABLE B-3. Radiological Results for South Plume Area Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
S-48	Americium-241	pCi/g	0.36	0.126	0.0594	0.12	
S-48	Cesium-137	pCi/g	0.306	0.0403	0.0152	0.0311	
S-48	Plutonium-238	pCi/g	0.0112	0.00742	0.00582	0.0142	U
S-48	Plutonium-239/240	pCi/g	0.108	0.0232	0.00485	0.0122	
S-48	Uranium-235	pCi/g	0.167	0.095	0.0853	0.173	U
S-48	Uranium-238	pCi/g	2.04	1.12	0.513	1.04	
S-49	Americium-241	pCi/g	0.605	0.116	0.0544	0.11	
S-49	Cesium-137	pCi/g	0.245	0.0403	0.0182	0.0374	
S-49	Plutonium-238	pCi/g	0.0183	0.00998	0.00569	0.0139	
S-49	Plutonium-239/240	pCi/g	0.365	0.0523	0.00474	0.012	
S-49	Uranium-235	pCi/g	0.0697	0.117	0.102	0.207	U
S-49	Uranium-238	pCi/g	1.77	0.952	0.5	1.01	
S-50	Americium-241	pCi/g	-0.0033	0.0659	0.0563	0.114	U
S-50	Cesium-137	pCi/g	0.245	0.0285	0.00997	0.0203	
S-50	Uranium-235	pCi/g	0.04	0.118	0.0603	0.122	U
S-51	Americium-241	pCi/g	11.2	1.12	0.0715	0.144	
S-51	Cesium-137	pCi/g	0.478	0.0513	0.0116	0.0237	
S-51	Plutonium-238	pCi/g	0.0794	0.0446	0.0236	0.0574	
S-51	Plutonium-239/240	pCi/g	4.06	0.49	0.0196	0.0495	
S-51	Uranium-235	pCi/g	0.0898	0.131	0.0609	0.123	U
S-51	Uranium-238	pCi/g	0.771	1.07	0.468	0.946	U
S-52	Americium-241	pCi/g	0.0745	0.0582	0.0417	0.0842	U
S-52	Cesium-137	pCi/g	0.111	0.0208	0.00992	0.0202	
S-52	Uranium-235	pCi/g	0.0659	0.12	0.0612	0.123	U
S-52	Uranium-238	pCi/g	1.08	0.865	0.355	0.717	

NOTES:

MDA = minimum detectable amount

pCi/g = picocurie per gram

TTR = Tonopah Test Range

TABLE B-3. Radiological Results for South Plume Area Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
U = The analyte was analyzed for, but not detected above the MDA.							

TABLE B-4. Radiological Results for Range Operations Center On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
S-40	Americium-241	pCi/g	0.0443	0.0563	0.0437	0.0885	U
S-40	Cesium-137	pCi/g	0.0991	0.0289	0.0141	0.0291	
S-40	Uranium-235	pCi/g	0.0455	0.138	0.0813	0.165	U
S-40	Uranium-238	pCi/g	1	0.79	0.399	0.807	
S-41	Americium-241	pCi/g	0.00769	0.0862	0.0748	0.152	U
S-41	Cesium-137	pCi/g	0.0471	0.0248	0.0166	0.0341	
S-41	Uranium-235	pCi/g	-0.0197	0.103	0.0852	0.173	U
S-41	Uranium-238	pCi/g	1.65	1.52	0.604	1.23	
S-42	Americium-241	pCi/g	0.0658	0.0981	0.0794	0.161	U
S-42	Cesium-137	pCi/g	0.239	0.0471	0.0147	0.0304	
S-42	Uranium-235	pCi/g	0.0741	0.106	0.0912	0.185	U
S-42	Uranium-238	pCi/g	1.69	1.54	0.679	1.38	
S-43	Americium-241	pCi/g	0.0433	0.0342	0.0226	0.0456	U
S-43	Cesium-137	pCi/g	0.0145	0.0184	0.0153	0.0311	U
S-43	Uranium-235	pCi/g	0.191	0.164	0.072	0.145	
S-43	Uranium-238	pCi/g	1.63	0.701	0.226	0.455	
S-44	Americium-241	pCi/g	0.00416	0.0902	0.0723	0.146	U
S-44	Cesium-137	pCi/g	0.0481	0.0193	0.0106	0.0217	
S-44	Uranium-235	pCi/g	0.0291	0.12	0.0595	0.12	U
S-44	Uranium-238	pCi/g	0.982	1.38	0.552	1.12	U
S-45	Americium-241	pCi/g	0.00553	0.106	0.087	0.177	U
S-45	Cesium-137	pCi/g	0.00422	0.0189	0.0164	0.0336	U
S-45	Uranium-235	pCi/g	0.185	0.151	0.0947	0.192	U
S-45	Uranium-238	pCi/g	2.91	1.69	0.707	1.44	
S-46	Americium-241	pCi/g	0.0163	0.0288	0.024	0.0484	U
S-46	Cesium-137	pCi/g	0.0739	0.0299	0.0127	0.026	
S-46	Uranium-235	pCi/g	0.0624	0.141	0.0703	0.142	U
S-46	Uranium-238	pCi/g	1.29	0.642	0.236	0.476	
S-47	Americium-241	pCi/g	0.088	0.108	0.078	0.158	U
S-47	Cesium-137	pCi/g	0.124	0.0354	0.0143	0.0293	

TABLE B-4. Radiological Results for Range Operations Center On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
S-47	Uranium-235	pCi/g	0.203	0.139	0.0828	0.167	
S-47	Uranium-238	pCi/g	2.02	1.35	0.649	1.31	

NOTES:
 MDA = minimum detectable amount
 pCi/g = picocurie per gram
 TTR = Tonopah Test Range
 U = The analyte was analyzed for, but not detected above the MDA.

TABLE B-5. Radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
S-02	Americium-241	pCi/g	0.169	0.104	0.0453	0.0917	
S-02	Cesium-137	pCi/g	0.354	0.0449	0.0147	0.0301	
S-02	Plutonium-238	pCi/g	0.00796	0.00493	0.00414	0.0101	U
S-02	Plutonium-239/240	pCi/g	0.15	0.0244	0.00345	0.00869	
S-02	Uranium-235	pCi/g	0.0715	0.0913	0.081	0.164	U
S-02	Uranium-238	pCi/g	1.57	0.842	0.435	0.879	
S-03	Americium-241	pCi/g	0.179	0.11	0.0525	0.106	
S-03	Cesium-137	pCi/g	0.306	0.0312	0.0086	0.0175	
S-03	Plutonium-238	pCi/g	0.0337	0.0236	0.0162	0.0394	U
S-03	Plutonium-239/240	pCi/g	0.614	0.101	0.0135	0.034	
S-03	Uranium-235	pCi/g	0.159	0.118	0.0569	0.115	
S-03	Uranium-238	pCi/g	2.14	1.02	0.44	0.889	
S-04	Americium-241	pCi/g	0.0251	0.072	0.0589	0.119	U
S-04	Cesium-137	pCi/g	0.249	0.0379	0.0131	0.027	
S-04	Uranium-235	pCi/g	-0.0709	0.102	0.0803	0.163	U
S-04	Uranium-238	pCi/g	1.83	1.02	0.501	1.01	
S-09	Americium-241	pCi/g	1.23	0.168	0.0512	0.104	
S-09	Cesium-137	pCi/g	0.094	0.0255	0.0124	0.0257	
S-09	Plutonium-238	pCi/g	0.028	0.0262	0.0249	0.0606	U
S-09	Plutonium-239/240	pCi/g	1.98	0.277	0.0208	0.0523	
S-09	Uranium-235	pCi/g	0.224	0.124	0.0743	0.151	
S-09	Uranium-238	pCi/g	1.4	0.969	0.499	1.01	
S-10	Americium-241	pCi/g	0.0736	0.106	0.0829	0.168	U
S-10	Cesium-137	pCi/g	0.0988	0.0333	0.0152	0.0313	
S-10	Uranium-235	pCi/g	0.0211	0.159	0.0829	0.169	U
S-10	Uranium-238	pCi/g	1.95	1.41	0.65	1.32	
S-38	Americium-241	pCi/g	0.106	0.0644	0.0348	0.106	U
S-38	Cesium-137	pCi/g	0.286	0.0343	0.0115	0.0234	
S-38	Uranium-235	pCi/g	0.0693	0.119	0.0627	0.127	U
S-38	Uranium-238	pCi/g	1.26	0.698	0.314	0.634	
S-39	Americium-241	pCi/g	0.131	0.0805	0.0467	0.131	U
S-39	Cesium-137	pCi/g	0.281	0.0306	0.00951	0.0194	

TABLE B-5. Radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA	Lab Data Qualifiers
S-39	Uranium-235	pCi/g	-0.0179	0.0789	0.061	0.123	U
S-39	Uranium-238	pCi/g	1.53	0.923	0.383	0.772	
S-53	Americium-241	pCi/g	0.0447	0.0687	0.0565	0.114	U
S-53	Cesium-137	pCi/g	0.28	0.0317	0.0101	0.0206	
S-53	Uranium-235	pCi/g	0.205	0.132	0.0594	0.12	
S-53	Uranium-238	pCi/g	1.99	1.11	0.455	0.92	

NOTES:

MDA = minimum detectable amount

pCi/g = picocurie per gram

TTR = Tonopah Test Range

U = The analyte was analyzed for, but not detected above the MDA.

Table B-6. Radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Sample ID	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA
C-29	Americium-241	pCi/g	092066-001	0.0555	0.108	0.0887	0.18
C-29	Americium-241	pCi/g	092067-001	0.133	0.109	0.0718	0.145
C-29	Americium-241	pCi/g	092068-001	0.0613	0.119	0.0915	0.185
	Americium-241 Average			0.083			
	Americium-241 StdDev			0.043			
	CV%			51.843			
	Americium-241 Min			0.056			
	Americium-241 Max			0.133			
C-29	Cesium-137	pCi/g	092066-001	0.39	0.044	0.0141	0.029
C-29	Cesium-137	pCi/g	092067-001	0.304	0.0333	0.0114	0.0233
C-29	Cesium-137	pCi/g	092068-001	0.297	0.0353	0.0124	0.0255
	Cesium-137 Average			0.331			
	Cesium-137 StdDev			0.052			
	CV%			15.837			
	Cesium-137 Min			0.297			
	Cesium-137 Max			0.391			
C-29	Uranium-235	pCi/g	092066-001	0.206	0.175	0.0958	0.195
C-29	Uranium-235	pCi/g	092067-001	0.23	0.124	0.0784	0.158
C-29	Uranium-235	pCi/g	092068-001	0.202	0.151	0.0804	0.162
	Uranium-235 Average			0.211			
	Uranium-235 StdDev			0.012			
	CV%			5.824			
	Uranium-235 Min			0.202			
	Uranium-235 Max			0.225			
C-29	Uranium-238	pCi/g	092067-001	1.34	1.19	0.585	1.18
	Uranium-238 Average			1.34			
	Uranium-238 StdDev			n/a			
	CV%			n/a			
	Uranium-238 Min			1.34			
	Uranium-238 Max			1.34			
P-11	Americium-241	pCi/g	092098-001	0.062	0.0613	0.045	0.0911
P-11	Americium-241	pCi/g	092099-001	-0.03	0.0922	0.0795	0.161
P-11	Americium-241	pCi/g	092267-001	0.0222	0.0245	0.0183	0.037
	Americium-241 Average			0.018			
	Americium-241 StdDev			0.046			

Table B-6. Radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Sample ID	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA
	CV%			247.929			
	Americium-241 Min			-0.029			
	Americium-241 Max			0.062			
P-11	Cesium-137	pCi/g	092098-001	0.0691	0.0245	0.0129	0.0265
P-11	Cesium-137	pCi/g	092099-001	0.0975	0.0231	0.0122	0.0249
P-11	Cesium-137	pCi/g	092267-001	0.14	0.0288	0.0147	0.0301
	Cesium-137 Average			0.104			
	Cesium-137 StdDev			0.038			
	CV%			36.522			
	Cesium-137 Min			0.069			
	Cesium-137 Max			0.144			
P-11	Uranium-235	pCi/g	092098-001	0.031	0.117	0.0782	0.158
P-11	Uranium-235	pCi/g	092099-001	0.0461	0.118	0.0652	0.132
P-11	Uranium-235	pCi/g	092267-001	0.155	0.107	0.0583	0.118
	Uranium-235 Average			0.077			
	CV%			49.914			
	Uranium-235 StdDev			0.068			
	Uranium-235 Min			0.031			
	Uranium-235 Max			0.155			
P-11	Uranium-238	pCi/g	092098-001	1.72	1.06	0.405	0.819
P-11	Uranium-238	pCi/g	092099-001	2.09	1.41	0.61	1.24
P-11	Uranium-238	pCi/g	092267-001	1.75	0.526	0.177	0.357
	Uranium-238 Average			1.853			
	Uranium-238 StdDev			0.206			
	CV%			11.089			
	Uranium-238 Min			1.720			
	Uranium-238 Max			2.090			
S-03	Americium-241	pCi/g	092081-001	0.179	0.11	0.0525	0.106
S-03	Americium-241	pCi/g	092082-001	0.11	0.0687	0.0423	0.109
S-03	Americium-241	pCi/g	092083-001	0.11	0.0865	0.0595	0.12
	Americium-241 Average			0.133			
	CV%			120.606			
	Americium-241 StdDev			0.040			
	Americium-241 Min			0.109			
	Americium-241 Max			0.179			

Table B-6. Radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Sample ID	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA
S-03	Cesium-137	pCi/g	092081-001	0.306	0.0312	0.0086	0.0175
S-03	Cesium-137	pCi/g	092082-001	0.258	0.03	0.0101	0.0205
S-03	Cesium-137	pCi/g	092083-001	0.26	0.0332	0.012	0.0245
	Cesium-137 Average			0.275			
	Cesium-137 StdDev			0.027			
	CV%			9.778			
	Cesium-137 Min			0.258			
	Cesium-137 Max			0.306			
S-03	Plutonium-238	pCi/g	092081-R01	0.0337	0.0236	0.0162	0.0394
	Plutonium-238 Average			0.034			
	Plutonium-238 StdDev			n/a			
	CV%			n/a			
	Plutonium-238 Min			0.034			
	Plutonium-238 Max			0.034			
S-03	Plutonium-239/240	pCi/g	092081-R01	0.614	0.101	0.0135	0.034
	Plutonium-239/240 Average			0.614			
	Plutonium-239/240 StdDev			n/a			
	CV%			n/a			
	Plutonium-239/240 Min			0.614			
	Plutonium-239/240 Max			0.614			
S-03	Uranium-235	pCi/g	092081-001	0.159	0.118	0.0569	0.115
S-03	Uranium-235	pCi/g	092082-001	0.07	0.109	0.0607	0.123
S-03	Uranium-235	pCi/g	092083-001	0.0338	0.074	0.0621	0.126
	Uranium-235 Average			0.088			
	Uranium-235 StdDev			0.064			
	CV%			72.821			
	Uranium-235 Min			0.034			
	Uranium-235 Max			0.159			
S-03	Uranium-238	pCi/g	092081-001	2.14	1.02	0.44	0.889
S-03	Uranium-238	pCi/g	092082-001	1.14	0.848	0.352	0.71
S-03	Uranium-238	pCi/g	092083-001	1.49	1.2	0.457	0.925
	Uranium-238 Average			1.590			
	Uranium-238 StdDev			0.507			
	CV%			31.915			
	Uranium-238 Min			1.140			

Table B-6. Radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Sample ID	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA
	Uranium-238 Max			2.140			
S-09	Americium-241	pCi/g	092076-001	1.23	0.168	0.0512	0.104
S-09	Americium-241	pCi/g	092077-001	0.998	0.291	0.0927	0.188
S-09	Americium-241	pCi/g	092078-001	1.56	0.199	0.0739	0.15
	Americium-241 Average			1.263			
	Americium-241 StdDev			0.282			
	CV%			22.367			
	Americium-241 Min			0.998			
	Americium-241 Max			1.560			
S-09	Cesium-137	pCi/g	092076-001	0.09	0.0255	0.0124	0.0257
S-09	Cesium-137	pCi/g	092077-001	0.0585	0.0249	0.0138	0.0282
S-09	Cesium-137	pCi/g	092078-001	0.129	0.0358	0.0137	0.0283
	Cesium-137 Average			0.094			
	Cesium-137 StdDev			0.035			
	CV%			37.567			
	Cesium-137 Min			0.059			
	Cesium-137 Max			0.129			
S-09	Plutonium-238	pCi/g	092076-R01	0.028	0.0262	0.0249	0.0606
S-09	Plutonium-238	pCi/g	092077-R01	0.02	0.0392	0.0259	0.0631
S-09	Plutonium-238	pCi/g	092078-R01	0.00906	0.0178	0.0188	0.0459
	Plutonium-238 Average			0.019			
	Plutonium-238 StdDev			0.010			
	CV%			49.569			
	Plutonium-238 Min			0.009			
	Plutonium-238 Max			0.028			
S-09	Plutonium-239/240	pCi/g	092076-R01	1.98	0.277	0.0208	0.0523
S-09	Plutonium-239/240	pCi/g	092077-R01	3.38	0.447	0.0216	0.0545
S-09	Plutonium-239/240	pCi/g	092078-R01	1.96	0.247	0.0157	0.0396
	Plutonium-239/240 Average			2.440			
	Plutonium-239/240 StdDev			0.814			
	CV%			33.366			
	Plutonium-239/240 Min			1.960			
	Plutonium-239/240 Max			3.380			
S-09	Uranium-235	pCi/g	092076-001	0.224	0.124	0.0743	0.151
S-09	Uranium-235	pCi/g	092077-001	0.0147	0.0915	0.0821	0.166

Table B-6. Radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Sample ID	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA
S-09	Uranium-235	pCi/g	092078-001	0.0194	0.0988	0.0815	0.165
	Uranium-235 Average			0.086			
	Uranium-235 StdDev			0.120			
	CV%			138.906			
	Uranium-235 Min			0.015			
	Uranium-235 Max			0.224			
S-09	Uranium-238	pCi/g	092076-001	1.40	0.969	0.499	1.01
S-09	Uranium-238	pCi/g	092077-001	1.63	1.34	0.753	1.52
S-09	Uranium-238	pCi/g	092078-001	2.46	1.26	0.581	1.18
	Uranium-238 Average			1.830			
	Uranium-238 StdDev			0.558			
	CV%			30.469			
	Uranium-238 Min			1.400			
	Uranium-238 Max			2.460			
S-48	Americium-241	pCi/g	092089-001	0.36	0.126	0.0594	0.12
S-48	Americium-241	pCi/g	092090-001	0.03	0.0526	0.0427	0.0867
S-48	Americium-241	pCi/g	092091-001	0.0705	0.0858	0.0671	0.136
	Americium-241 Average			0.153			
	Americium-241 StdDev			0.180			
	CV%			117.728			
	Americium-241 Min			0.029			
	Americium-241 Max			0.360			
S-48	Cesium-137	pCi/g	092089-001	0.306	0.0403	0.0152	0.0311
S-48	Cesium-137	pCi/g	092090-001	0.165	0.0306	0.0158	0.0325
S-48	Cesium-137	pCi/g	092091-001	0.29	0.0417	0.0154	0.0319
	Cesium-137 Average			0.253			
	Cesium-137 StdDev			0.077			
	CV%			30.332			
	Cesium-137 Min			0.165			
	Cesium-137 Max			0.306			
S-48	Plutonium-238	pCi/g	092089-R01	0.0112	0.00742	0.00582	0.0142
	Plutonium-238 Average			0.011			
	Plutonium-238 StdDev			n/a			
	CV%			n/a			
	Plutonium-238 Min			0.011			

Table B-6. Radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Sample ID	Activity and/or Concentration	Two Sigma Error	Decision Level	MDA
	Plutonium-238 Max			0.011			
S-48	Plutonium-239/240	pCi/g	092089-R01	0.108	0.0232	0.00485	0.0122
	Plutonium-239/240 Average			0.108			
	Plutonium-239/240 StdDev			n/a			
	CV%			n/a			
	Plutonium-239/240 Min			0.108			
	Plutonium-239/240 Max			0.108			
S-48	Uranium-235	pCi/g	092089-001	0.167	0.095	0.0853	0.173
S-48	Uranium-235	pCi/g	092090-001	-0.01	0.0996	0.0845	0.172
S-48	Uranium-235	pCi/g	092091-001	0.134	0.174	0.0883	0.18
	Uranium-235 Average			0.097			
	Uranium-235 StdDev			0.095			
	CV%			98.049			
	Uranium-235 Min			-0.011			
	Uranium-235 Max			0.167			
S-48	Uranium-238	pCi/g	092089-001	2.04	1.12	0.513	1.04
S-48	Uranium-238	pCi/g	092090-001	1.4	0.789	0.39	0.792
S-48	Uranium-238	pCi/g	092091-001	1.65	1.23	0.541	1.1
	Uranium-238 Average			1.697			
	Uranium-238 StdDev			0.323			
	CV%			19.010			
	Uranium-238 Min			1.400			
	Uranium-238 Max			2.040			

NOTES:

CV = coefficient of variation. Only meaningful if data contains non-zero values.

MDA = minimum detectable amount.

n/a = Not Applicable

pCi/g = picocurie per gram

U = The analyte was analyzed for, but not detected above the MDA.

**Lab Data
Qualifiers**

U
U
U

U
U
U

**Lab Data
Qualifiers**

U
U

U
U

**Lab Data
Qualifiers**

U

U
U

**Lab Data
Qualifiers**

U
U
U

U

**Lab Data
Qualifiers**

U

U
U

U

**Lab Data
Qualifiers**

U
U
U

Table B-7. TLD Measurements by Quarter and Location Class for Calendar Year 2012

Location Class	Location Number	1st Quarter (91 Days)		2nd Quarter (91 Days)		3rd Quarter (99 Days)		4th Quarter (91 Days)	
		Exposure (mR)	Error	Exposure (mR)	Error	Exposure (mR)	Error	Exposure (mR)	Error
On-Site	S-01	45.3	2.1	36.0	1.6	37.7	0.5	44.9	1.4
On-Site	S-02	47.3	1.2	36.9	1.3	38.8	0.7	46.1	1.0
On-Site	S-03	46.7	3.6	36.9	1.2	45.5	2.9	45.0	1.1
On-Site	S-04	44.5	1.3	37.8	1.0	39.4	0.5	45.1	0.9
On-Site	S-09	41.4	2.2	34.8	1.3	38.0	1.6	42.0	1.8
On-Site	S-10	44.3	1.2	37.4	1.6	41.5	0.8	45.8	1.7
On-Site	S-13	42.3	1.4	35.3	1.1	38.3	1.2	43.8	1.6
On-Site	S-14	40.8	2.8	33.6	1.1	35.8	0.5	40.6	1.0
On-Site	S-15	44.8	2.2	37.3	1.0	38.8	0.4	45.1	1.2
On-Site	S-16	44.5	2.1	36.7	1.2	39.3	0.4	42.9	1.0
On-Site	S-17	44.4	1.7	36.0	1.0	37.9	1.1	43.9	0.9
Perimeter	P-05	51.2	8.1	36.3	1.7	38.3	1.1	43.4	1.4
Perimeter	P-06	42.4	2.0	35.7	1.0	38.5	0.6	42.0	1.0
Perimeter	P-07	40.6	1.9	33.7	1.0	36.8	0.5	40.9	1.7
Perimeter	P-08	41.3	1.7	34.3	1.2	36.1	0.9	41.8	1.0
Perimeter	P-11	49.9	2.1	42.0	1.8	45.8	1.6	50.1	2.2
Perimeter	P-12	45.0	1.8	37.1	1.5	38.9	0.9	44.0	0.9
Community	C-19	33.9	1.3	27.4	1.0	34.4	1.1	34.9	1.0
Community	C-21	41.5	2.4	36.1	1.5	38.3	0.9	42.9	1.3
Community	C-22	40.4	2.0	35.1	1.0	40.9	5.3	40.9	1.1

NOTES:

mR = Milliroentgen (10⁻³ roentgen); uR = microroentgen (10⁻⁶ roentgen)

TABLE B-8. Non-radiological Results for South Plume Area Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-48	Aluminum	mg/kg	13600		14.6	48.8
S-48	Antimony	mg/kg	0.33	U	0.33	1
S-48	Arsenic	mg/kg	2.42		0.195	0.977
S-48	Barium	mg/kg	173		0.0977	0.391
S-48	Beryllium	mg/kg	0.543		0.0195	0.0977
S-48	Cadmium	mg/kg	0.321		0.0195	0.195
S-48	Calcium	mg/kg	4500		6.45	19.5
S-48	Chromium	mg/kg	5.97		0.195	0.586
S-48	Cobalt	mg/kg	3.65		0.0586	0.195
S-48	Copper	mg/kg	6.9		0.0645	0.195
S-48	Iron	mg/kg	9680		6.45	19.5
S-48	Lead	mg/kg	9.57		0.0977	0.391
S-48	Magnesium	mg/kg	4040		1.95	5.86
S-48	Manganese	mg/kg	423		0.977	4.88
S-48	Nickel	mg/kg	5.68		0.0977	0.391
S-48	Potassium	mg/kg	5060		15.6	58.6
S-48	Selenium	mg/kg	0.322	U	0.322	0.977
S-48	Silver	mg/kg	0.353	J	0.1	0.5
S-48	Sodium	mg/kg	375		15.6	48.8
S-48	Thallium	mg/kg	0.128	J	0.0586	0.391
S-48	Uranium	mg/kg	0.498		0.0129	0.0391
S-48	Vanadium	mg/kg	27.9		0.1	0.5
S-48	Zinc	mg/kg	31.8		0.391	1.95
S-49	Aluminum	mg/kg	14800		15	50
S-49	Antimony	mg/kg	0.322	U	0.322	0.975
S-49	Arsenic	mg/kg	3.2		0.2	1
S-49	Barium	mg/kg	212		0.5	2
S-49	Beryllium	mg/kg	0.643		0.02	0.1
S-49	Cadmium	mg/kg	0.366		0.02	0.2
S-49	Calcium	mg/kg	7540		6.6	20
S-49	Chromium	mg/kg	6.94		0.2	0.6
S-49	Cobalt	mg/kg	4.02		0.06	0.2

TABLE B-8. Non-radiological Results for South Plume Area Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-49	Copper	mg/kg	7.03		0.066	0.2
S-49	Iron	mg/kg	11400		33	100
S-49	Lead	mg/kg	10.6		0.1	0.4
S-49	Magnesium	mg/kg	5380		2	6
S-49	Manganese	mg/kg	517		1	5
S-49	Nickel	mg/kg	6.78		0.1	0.4
S-49	Potassium	mg/kg	6270		16	60
S-49	Selenium	mg/kg	0.33	U	0.33	1
S-49	Silver	mg/kg	0.28	J	0.0975	0.487
S-49	Sodium	mg/kg	1130		16	50
S-49	Thallium	mg/kg	0.152	J	0.06	0.4
S-49	Uranium	mg/kg	0.65		0.0132	0.04
S-49	Vanadium	mg/kg	20.3		0.0975	0.487
S-49	Zinc	mg/kg	39.5		0.4	2
S-50	Aluminum	mg/kg	12100		14.5	48.2
S-50	Antimony	mg/kg	0.32	U	0.32	0.969
S-50	Arsenic	mg/kg	3.47		0.193	0.963
S-50	Barium	mg/kg	168		0.0963	0.385
S-50	Beryllium	mg/kg	0.603		0.0193	0.0963
S-50	Cadmium	mg/kg	0.353		0.0193	0.193
S-50	Calcium	mg/kg	5450		6.36	19.3
S-50	Chromium	mg/kg	7.34		0.193	0.578
S-50	Cobalt	mg/kg	3.87		0.0578	0.193
S-50	Copper	mg/kg	8.26		0.0636	0.193
S-50	Iron	mg/kg	11500		31.8	96.3
S-50	Lead	mg/kg	10.3		0.0963	0.385
S-50	Magnesium	mg/kg	4530		1.93	5.78
S-50	Manganese	mg/kg	388		0.963	4.82
S-50	Nickel	mg/kg	6.69		0.0963	0.385
S-50	Potassium	mg/kg	6030		15.4	57.8
S-50	Selenium	mg/kg	0.318	U	0.318	0.963
S-50	Silver	mg/kg	0.214	J	0.0969	0.484

TABLE B-8. Non-radiological Results for South Plume Area Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-50	Sodium	mg/kg	1030		15.4	48.2
S-50	Thallium	mg/kg	0.144	J	0.0578	0.385
S-50	Uranium	mg/kg	0.587		0.0127	0.0385
S-50	Vanadium	mg/kg	31.4		0.0969	0.484
S-50	Zinc	mg/kg	53.9		0.385	1.93
S-51	Aluminum	mg/kg	10200		14.6	48.8
S-51	Antimony	mg/kg	0.316	U	0.316	0.958
S-51	Arsenic	mg/kg	3		0.195	0.977
S-51	Barium	mg/kg	172		0.0977	0.391
S-51	Beryllium	mg/kg	0.541		0.0195	0.0977
S-51	Cadmium	mg/kg	0.319		0.0195	0.195
S-51	Calcium	mg/kg	4750		6.45	19.5
S-51	Chromium	mg/kg	5.8		0.195	0.586
S-51	Cobalt	mg/kg	3.86		0.0586	0.195
S-51	Copper	mg/kg	6.67		0.0645	0.195
S-51	Iron	mg/kg	9040		6.45	19.5
S-51	Lead	mg/kg	11.1		0.0977	0.391
S-51	Magnesium	mg/kg	4020		1.95	5.86
S-51	Manganese	mg/kg	548		0.977	4.88
S-51	Nickel	mg/kg	5.68		0.0977	0.391
S-51	Potassium	mg/kg	4540		15.6	58.6
S-51	Selenium	mg/kg	0.322	U	0.322	0.977
S-51	Silver	mg/kg	0.168	J	0.0958	0.479
S-51	Sodium	mg/kg	311		15.6	48.8
S-51	Thallium	mg/kg	0.115	J	0.0586	0.391
S-51	Uranium	mg/kg	0.66		0.0129	0.0391
S-51	Vanadium	mg/kg	17.8		0.0958	0.479
S-51	Zinc	mg/kg	33.8		0.391	1.95
S-52	Aluminum	mg/kg	8240		2.86	9.54
S-52	Antimony	mg/kg	0.322	U	0.322	0.977
S-52	Arsenic	mg/kg	2.89		0.191	0.954
S-52	Barium	mg/kg	89.2		0.0954	0.382

TABLE B-8. Non-radiological Results for South Plume Area Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-52	Beryllium	mg/kg	0.483		0.0191	0.0954
S-52	Cadmium	mg/kg	0.258		0.0191	0.191
S-52	Calcium	mg/kg	2770		6.3	19.1
S-52	Chromium	mg/kg	4.12		0.191	0.573
S-52	Cobalt	mg/kg	2.57		0.0573	0.191
S-52	Copper	mg/kg	4.63		0.063	0.191
S-52	Iron	mg/kg	7150		6.3	19.1
S-52	Lead	mg/kg	7.14		0.0954	0.382
S-52	Magnesium	mg/kg	2600		1.91	5.73
S-52	Manganese	mg/kg	324		0.954	4.77
S-52	Nickel	mg/kg	3.88		0.0954	0.382
S-52	Potassium	mg/kg	3220		15.3	57.3
S-52	Selenium	mg/kg	0.315	U	0.315	0.954
S-52	Silver	mg/kg	0.231	J	0.0977	0.488
S-52	Sodium	mg/kg	194		15.3	47.7
S-52	Thallium	mg/kg	0.0878	J	0.0573	0.382
S-52	Uranium	mg/kg	0.753		0.0126	0.0382
S-52	Vanadium	mg/kg	11.2		0.0977	0.488
S-52	Zinc	mg/kg	25.2		0.382	1.91

NOTES:

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL.

MDL = Method detection limit.

mg/kg = milligram per kilogram

PQL = Practical quantitation limit.

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

TABLE B-9. Non-radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data		
				Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-02	Aluminum	mg/kg	12200		14.9	49.8
S-02	Antimony	mg/kg	0.426	J	0.314	0.952
S-02	Arsenic	mg/kg	3.53		0.199	0.996
S-02	Barium	mg/kg	95.4		0.0996	0.398
S-02	Beryllium	mg/kg	0.656		0.0199	0.0996
S-02	Cadmium	mg/kg	0.223		0.0199	0.199
S-02	Calcium	mg/kg	3020		6.57	19.9
S-02	Chromium	mg/kg	5.56		0.199	0.598
S-02	Cobalt	mg/kg	2.93		0.0598	0.199
S-02	Copper	mg/kg	5.34		0.0657	0.199
S-02	Iron	mg/kg	8680		6.57	19.9
S-02	Lead	mg/kg	8.67		0.0996	0.398
S-02	Magnesium	mg/kg	3440		1.99	5.98
S-02	Manganese	mg/kg	289		0.996	4.98
S-02	Nickel	mg/kg	5.41		0.0996	0.398
S-02	Potassium	mg/kg	3900		15.9	59.8
S-02	Selenium	mg/kg	0.329	U	0.329	0.996
S-02	Silver	mg/kg	0.183	J	0.0952	0.476
S-02	Sodium	mg/kg	191		15.9	49.8
S-02	Thallium	mg/kg	0.143	J	0.0598	0.398
S-02	Uranium	mg/kg	0.755		0.0131	0.0398
S-02	Vanadium	mg/kg	13		0.0952	0.476
S-02	Zinc	mg/kg	35		0.398	1.99
S-03	Aluminum	mg/kg	9860		14.5	48.2
S-03	Antimony	mg/kg	0.327	U	0.327	0.992
S-03	Arsenic	mg/kg	3.4		0.193	0.963
S-03	Barium	mg/kg	93.9		0.0963	0.385
S-03	Beryllium	mg/kg	0.382		0.0193	0.0963
S-03	Cadmium	mg/kg	0.234		0.0193	0.193
S-03	Calcium	mg/kg	2520		6.36	19.3
S-03	Chromium	mg/kg	6.25		0.193	0.578
S-03	Cobalt	mg/kg	3.53		0.0578	0.193
S-03	Copper	mg/kg	6.27		0.0636	0.193

TABLE B-9. Non-radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data		
				Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-03	Iron	mg/kg	9670		31.8	96.3
S-03	Lead	mg/kg	9.11		0.0963	0.385
S-03	Magnesium	mg/kg	3440		1.93	5.78
S-03	Manganese	mg/kg	343		0.963	4.82
S-03	Nickel	mg/kg	5.43		0.0963	0.385
S-03	Potassium	mg/kg	3410		15.4	57.8
S-03	Selenium	mg/kg	0.318	U	0.318	0.963
S-03	Silver	mg/kg	0.253	J	0.0992	0.496
S-03	Sodium	mg/kg	260		15.4	48.2
S-03	Thallium	mg/kg	0.122	J	0.0578	0.385
S-03	Uranium	mg/kg	0.821		0.0127	0.0385
S-03	Vanadium	mg/kg	23.5		0.0992	0.496
S-03	Zinc	mg/kg	30.5		0.385	1.93
S-04	Aluminum	mg/kg	9660		2.92	9.75
S-04	Antimony	mg/kg	0.324	U	0.324	0.982
S-04	Arsenic	mg/kg	2.59		0.195	0.975
S-04	Barium	mg/kg	105		0.0975	0.39
S-04	Beryllium	mg/kg	0.44		0.0195	0.0975
S-04	Cadmium	mg/kg	0.3		0.0195	0.195
S-04	Calcium	mg/kg	3040		6.43	19.5
S-04	Chromium	mg/kg	4.32		0.195	0.585
S-04	Cobalt	mg/kg	2.66		0.0585	0.195
S-04	Copper	mg/kg	5.35		0.0643	0.195
S-04	Iron	mg/kg	7860		6.43	19.5
S-04	Lead	mg/kg	7.45		0.0975	0.39
S-04	Magnesium	mg/kg	3220		1.95	5.85
S-04	Manganese	mg/kg	396		0.975	4.87
S-04	Nickel	mg/kg	4.07		0.0975	0.39
S-04	Potassium	mg/kg	3680		15.6	58.5
S-04	Selenium	mg/kg	0.322	U	0.322	0.975
S-04	Silver	mg/kg	0.227	J	0.0982	0.491
S-04	Sodium	mg/kg	394		15.6	48.7
S-04	Thallium	mg/kg	0.11	J	0.0585	0.39

TABLE B-9. Non-radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data		
				Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-04	Uranium	mg/kg	0.749		0.0129	0.039
S-04	Vanadium	mg/kg	18.7		0.0982	0.491
S-04	Zinc	mg/kg	29.2		0.39	1.95
S-09	Aluminum	mg/kg	15900		14.4	48
S-09	Antimony	mg/kg	0.327	U	0.327	0.99
S-09	Arsenic	mg/kg	3.62		0.192	0.96
S-09	Barium	mg/kg	118		0.096	0.384
S-09	Beryllium	mg/kg	0.789		0.0192	0.096
S-09	Cadmium	mg/kg	0.239		0.0192	0.192
S-09	Calcium	mg/kg	4520		6.33	19.2
S-09	Chromium	mg/kg	8.57		0.192	0.576
S-09	Cobalt	mg/kg	6.75		0.0576	0.192
S-09	Copper	mg/kg	8.46		0.0633	0.192
S-09	Iron	mg/kg	15500		31.7	96
S-09	Lead	mg/kg	11.1		0.096	0.384
S-09	Magnesium	mg/kg	6470		1.92	5.76
S-09	Manganese	mg/kg	412		0.96	4.8
S-09	Nickel	mg/kg	7.89		0.096	0.384
S-09	Potassium	mg/kg	5330		15.4	57.6
S-09	Selenium	mg/kg	0.317	U	0.317	0.96
S-09	Silver	mg/kg	0.401	J	0.099	0.495
S-09	Sodium	mg/kg	220		15.4	48
S-09	Thallium	mg/kg	0.2	J	0.0576	0.384
S-09	Uranium	mg/kg	0.569		0.0127	0.0384
S-09	Vanadium	mg/kg	29.6		0.099	0.495
S-09	Zinc	mg/kg	46.3		0.384	1.92
S-10	Aluminum	mg/kg	12700		14.3	47.6
S-10	Antimony	mg/kg	0.324	U	0.324	0.982
S-10	Arsenic	mg/kg	3.67		0.19	0.952
S-10	Barium	mg/kg	114		0.0952	0.381
S-10	Beryllium	mg/kg	0.521		0.019	0.0952
S-10	Cadmium	mg/kg	0.279		0.019	0.19
S-10	Calcium	mg/kg	5320		6.29	19

TABLE B-9. Non-radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data		
				Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-10	Chromium	mg/kg	5.93		0.19	0.571
S-10	Cobalt	mg/kg	3.39		0.0571	0.19
S-10	Copper	mg/kg	6.89		0.0629	0.19
S-10	Iron	mg/kg	10100		31.4	95.2
S-10	Lead	mg/kg	8.09		0.0952	0.381
S-10	Magnesium	mg/kg	4060		1.9	5.71
S-10	Manganese	mg/kg	402		0.952	4.76
S-10	Nickel	mg/kg	5.43		0.0952	0.381
S-10	Potassium	mg/kg	4810		15.2	57.1
S-10	Selenium	mg/kg	0.314	U	0.314	0.952
S-10	Silver	mg/kg	0.163	J	0.0982	0.491
S-10	Sodium	mg/kg	433		15.2	47.6
S-10	Thallium	mg/kg	0.159	J	0.0571	0.381
S-10	Uranium	mg/kg	0.774		0.0126	0.0381
S-10	Vanadium	mg/kg	14.3		0.0982	0.491
S-10	Zinc	mg/kg	35		0.381	1.9
S-38	Aluminum	mg/kg	8000		2.91	9.69
S-38	Antimony	mg/kg	0.33	U	0.33	1
S-38	Arsenic	mg/kg	2.93		0.194	0.969
S-38	Barium	mg/kg	79		0.0969	0.388
S-38	Beryllium	mg/kg	0.394		0.0194	0.0969
S-38	Cadmium	mg/kg	0.214		0.0194	0.194
S-38	Calcium	mg/kg	2040		6.4	19.4
S-38	Chromium	mg/kg	4.65		0.194	0.581
S-38	Cobalt	mg/kg	2.24		0.0581	0.194
S-38	Copper	mg/kg	4.62		0.064	0.194
S-38	Iron	mg/kg	7080		6.4	19.4
S-38	Lead	mg/kg	7.46		0.0969	0.388
S-38	Magnesium	mg/kg	2760		1.94	5.81
S-38	Manganese	mg/kg	247		0.969	4.84
S-38	Nickel	mg/kg	3.97		0.0969	0.388
S-38	Potassium	mg/kg	3710		15.5	58.1
S-38	Selenium	mg/kg	0.32	U	0.32	0.969

TABLE B-9. Non-radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Lab Data			
			Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-38	Silver	mg/kg	0.177	J	0.1	0.5
S-38	Sodium	mg/kg	146		15.5	48.4
S-38	Thallium	mg/kg	0.0868	J	0.0581	0.388
S-38	Uranium	mg/kg	0.514		0.0128	0.0388
S-38	Vanadium	mg/kg	15.8		0.1	0.5
S-38	Zinc	mg/kg	23.1		0.388	1.94
S-39	Aluminum	mg/kg	13200		14.4	48
S-39	Antimony	mg/kg	0.326	U	0.326	0.988
S-39	Arsenic	mg/kg	4.96		0.192	0.96
S-39	Barium	mg/kg	152		0.096	0.384
S-39	Beryllium	mg/kg	0.591		0.0192	0.096
S-39	Cadmium	mg/kg	0.374		0.0192	0.192
S-39	Calcium	mg/kg	3830		6.33	19.2
S-39	Chromium	mg/kg	6.48		0.192	0.576
S-39	Cobalt	mg/kg	4.15		0.0576	0.192
S-39	Copper	mg/kg	7.57		0.0633	0.192
S-39	Iron	mg/kg	10400		31.7	96
S-39	Lead	mg/kg	10.6		0.096	0.384
S-39	Magnesium	mg/kg	4330		1.92	5.76
S-39	Manganese	mg/kg	724		0.96	4.8
S-39	Nickel	mg/kg	6.43		0.096	0.384
S-39	Potassium	mg/kg	4360		15.4	57.6
S-39	Selenium	mg/kg	0.317	U	0.317	0.96
S-39	Silver	mg/kg	0.246	J	0.0988	0.494
S-39	Sodium	mg/kg	417		15.4	48
S-39	Thallium	mg/kg	0.209	J	0.0576	0.384
S-39	Uranium	mg/kg	0.852		0.0127	0.0384
S-39	Vanadium	mg/kg	21.6		0.0988	0.494
S-39	Zinc	mg/kg	38.1		0.384	1.92
S-53	Aluminum	mg/kg	5850		2.95	9.82
S-53	Antimony	mg/kg	0.324	U	0.324	0.98
S-53	Arsenic	mg/kg	3.1		0.196	0.982
S-53	Barium	mg/kg	157		0.0982	0.393

TABLE B-9. Non-radiological Results for Various On-Site Soil Sampling Locations at TTR, 2012

Location	Analyte	Units	Result	Lab Data		
				Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-53	Beryllium	mg/kg	0.233		0.0196	0.0982
S-53	Cadmium	mg/kg	0.166	J	0.0196	0.196
S-53	Calcium	mg/kg	5770		6.48	19.6
S-53	Chromium	mg/kg	3.25		0.196	0.589
S-53	Cobalt	mg/kg	2.35		0.0589	0.196
S-53	Copper	mg/kg	3.69		0.0648	0.196
S-53	Iron	mg/kg	5950		6.48	19.6
S-53	Lead	mg/kg	5.41		0.0982	0.393
S-53	Magnesium	mg/kg	2320		1.96	5.89
S-53	Manganese	mg/kg	299		0.982	4.91
S-53	Nickel	mg/kg	2.92		0.0982	0.393
S-53	Potassium	mg/kg	2750		15.7	58.9
S-53	Selenium	mg/kg	0.324	U	0.324	0.982
S-53	Silver	mg/kg	0.098	U	0.098	0.49
S-53	Sodium	mg/kg	284		15.7	49.1
S-53	Thallium	mg/kg	0.101	J	0.0589	0.393
S-53	Uranium	mg/kg	0.534		0.013	0.0393
S-53	Vanadium	mg/kg	8.4		0.098	0.49
S-53	Zinc	mg/kg	17.9		0.393	1.96

NOTES:

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL.

MDL = Method detection limit.

mg/kg = milligram per kilogram

PQL = Practical quantitation limit.

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-03	Aluminum	092081-002	mg/kg	9860		14.5	48.2
S-03	Aluminum	092082-002	mg/kg	7300		2.93	9.77
S-03	Aluminum	092083-002	mg/kg	8610		2.89	9.63
	Aluminum Average			8590.00			
	Aluminum StdDev			1280.12			
	CV%			14.90			
S-03	Antimony	092081-002	mg/kg	0.327	U	0.327	0.992
S-03	Antimony	092082-002	mg/kg	0.33	U	0.33	1
S-03	Antimony	092083-002	mg/kg	0.315	U	0.315	0.954
	Antimony Average			0.32			
	Antimony StdDev			0.01			
	CV%			2.45			
S-03	Arsenic	092081-002	mg/kg	3.4		0.193	0.963
S-03	Arsenic	092082-002	mg/kg	2.55		0.195	0.977
S-03	Arsenic	092083-002	mg/kg	3.97		0.193	0.963
	Arsenic Average			3.31			
	Arsenic StdDev			0.71			
	CV%			21.61			
S-03	Barium	092081-002	mg/kg	93.9		0.0963	0.385
S-03	Barium	092082-002	mg/kg	81.7		0.0977	0.391
S-03	Barium	092083-002	mg/kg	90.7		0.0963	0.385
	Barium Average			88.77			
	Barium StdDev			6.33			
	CV%			7.13			
S-03	Beryllium	092081-002	mg/kg	0.382		0.0193	0.0963
S-03	Beryllium	092082-002	mg/kg	0.323		0.0195	0.0977
S-03	Beryllium	092083-002	mg/kg	0.37		0.0193	0.0963
	Beryllium Average			0.36			
	Beryllium StdDev			0.03			
	CV%			8.70			
S-03	Cadmium	092081-002	mg/kg	0.234		0.0193	0.193
S-03	Cadmium	092082-002	mg/kg	0.222		0.0195	0.195

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-03	Cadmium	092083-002	mg/kg	0.214		0.0193	0.193
	Cadmium Average			0.22			
	Cadmium StdDev			0.01			
	CV%			4.51			
S-03	Calcium	092081-002	mg/kg	2520		6.36	19.3
S-03	Calcium	092082-002	mg/kg	2050		6.45	19.5
S-03	Calcium	092083-002	mg/kg	2230		6.36	19.3
	Calcium Average			2266.67			
	Calcium StdDev			237.14			
	CV%			10.46			
S-03	Chromium	092081-002	mg/kg	6.25		0.193	0.578
S-03	Chromium	092082-002	mg/kg	4.04		0.195	0.586
S-03	Chromium	092083-002	mg/kg	4.52		0.193	0.578
	Chromium Average			4.94			
	Chromium StdDev			1.16			
	CV%			23.55			
S-03	Cobalt	092081-002	mg/kg	3.53		0.0578	0.193
S-03	Cobalt	092082-002	mg/kg	2.54		0.0586	0.195
S-03	Cobalt	092083-002	mg/kg	2.76		0.0578	0.193
	Cobalt Average			2.94			
	Cobalt StdDev			0.52			
	CV%			17.66			
S-03	Copper	092081-002	mg/kg	6.27		0.0636	0.193
S-03	Copper	092082-002	mg/kg	4.21		0.0645	0.195
S-03	Copper	092083-002	mg/kg	4.76		0.0636	0.193
	Copper Average			5.08			
	Copper StdDev			1.07			
	CV%			21.00			
S-03	Iron	092081-002	mg/kg	9670		31.8	96.3
S-03	Iron	092082-002	mg/kg	6860		6.45	19.5
S-03	Iron	092083-002	mg/kg	7650		6.36	19.3
	Iron Average			8060.00			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Iron StdDev			1449.17			
	CV%			17.98			
S-03	Lead	092081-002	mg/kg	9.11		0.0963	0.385
S-03	Lead	092082-002	mg/kg	7.53		0.0977	0.391
S-03	Lead	092083-002	mg/kg	9.58		0.0963	0.385
	Lead Average			8.74			
	Lead StdDev			1.07			
	CV%			12.29			
S-03	Magnesium	092081-002	mg/kg	3440		1.93	5.78
S-03	Magnesium	092082-002	mg/kg	2250		1.95	5.86
S-03	Magnesium	092083-002	mg/kg	2540		1.93	5.78
	Magnesium Average			2743.33			
	Magnesium StdDev			620.51			
	CV%			22.62			
S-03	Manganese	092081-002	mg/kg	343		0.963	4.82
S-03	Manganese	092082-002	mg/kg	309		0.977	4.88
S-03	Manganese	092083-002	mg/kg	316		0.963	4.82
	Manganese Average			322.67			
	Manganese StdDev			17.95			
	CV%			5.56			
S-03	Nickel	092081-002	mg/kg	5.43		0.0963	0.385
S-03	Nickel	092082-002	mg/kg	3.44		0.0977	0.391
S-03	Nickel	092083-002	mg/kg	3.95		0.0963	0.385
	Nickel Average			4.27			
	Nickel StdDev			1.03			
	CV%			24.19			
S-03	Potassium	092081-002	mg/kg	3410		15.4	57.8
S-03	Potassium	092082-002	mg/kg	2220		15.6	58.6
S-03	Potassium	092083-002	mg/kg	2750		15.4	57.8
	Potassium Average			2793.33			
	Potassium StdDev			596.18			
	CV%			21.34			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-03	Selenium	092081-002	mg/kg	0.318	U	0.318	0.963
S-03	Selenium	092082-002	mg/kg	0.322	U	0.322	0.977
S-03	Selenium	092083-002	mg/kg	0.318	U	0.318	0.963
	Selenium Average			0.32			
	Selenium StdDev			0.00			
	CV%			0.72			
S-03	Silver	092081-002	mg/kg	0.253	J	0.0992	0.496
S-03	Silver	092082-002	mg/kg	0.152	J	0.1	0.5
S-03	Silver	092083-002	mg/kg	0.194	J	0.0954	0.477
	Silver Average			0.20			
	Silver StdDev			0.05			
	CV%			25.41			
S-03	Sodium	092081-002	mg/kg	260		15.4	48.2
S-03	Sodium	092082-002	mg/kg	162		15.6	48.8
S-03	Sodium	092083-002	mg/kg	210		15.4	48.2
	Sodium Average			210.67			
	Sodium StdDev			49.00			
	CV%			23.26			
S-03	Thallium	092081-002	mg/kg	0.122	J	0.0578	0.385
S-03	Thallium	092082-002	mg/kg	0.0867	J	0.0586	0.391
S-03	Thallium	092083-002	mg/kg	0.118	J	0.0578	0.385
	Thallium Average			0.11			
	Thallium StdDev			0.02			
	CV%			17.75			
S-03	Uranium	092081-002	mg/kg	0.821		0.0127	0.0385
S-03	Uranium	092082-002	mg/kg	0.649		0.0129	0.0391
S-03	Uranium	092083-002	mg/kg	0.775		0.0127	0.0385
	Uranium Average			0.75			
	Uranium StdDev			0.09			
	CV%			11.90			
S-03	Vanadium	092081-002	mg/kg	23.5		0.0992	0.496
S-03	Vanadium	092082-002	mg/kg	13.9		0.1	0.5

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-03	Vanadium	092083-002	mg/kg	13.5		0.0954	0.477
	Vanadium Average			16.97			
	Vanadium StdDev			5.66			
	CV%			33.37			
S-03	Zinc	092081-002	mg/kg	30.5		0.385	1.93
S-03	Zinc	092082-002	mg/kg	23.9		0.391	1.95
S-03	Zinc	092083-002	mg/kg	26.6		0.385	1.93
	Zinc Average			27.00			
	Zinc StdDev			3.32			
	CV%			12.29			
S-09	Aluminum	092076-002	mg/kg	15900		14.4	48
S-09	Aluminum	092077-002	mg/kg	15800		15	50
S-09	Aluminum	092078-002	mg/kg	20600		14.4	48
	Aluminum Average			17433.33			
	Aluminum StdDev			2742.87			
	CV%			15.73			
S-09	Antimony	092076-002	mg/kg	0.327	U	0.327	0.99
S-09	Antimony	092077-002	mg/kg	0.322	U	0.322	0.975
S-09	Antimony	092078-002	mg/kg	0.33	U	0.33	1
	Antimony Average			0.33			
	Antimony StdDev			0.00			
	CV%			1.24			
S-09	Arsenic	092076-002	mg/kg	3.62		0.192	0.96
S-09	Arsenic	092077-002	mg/kg	3.06		0.2	1
S-09	Arsenic	092078-002	mg/kg	4.32		0.192	0.96
	Arsenic Average			3.67			
	Arsenic StdDev			0.63			
	CV%			17.22			
S-09	Barium	092076-002	mg/kg	118		0.096	0.384
S-09	Barium	092077-002	mg/kg	115		0.1	0.4
S-09	Barium	092078-002	mg/kg	132		0.096	0.384
	Barium Average			121.67			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Barium StdDev			9.07			
	CV%			7.46			
S-09	Beryllium	092076-002	mg/kg	0.789		0.0192	0.096
S-09	Beryllium	092077-002	mg/kg	0.643		0.02	0.1
S-09	Beryllium	092078-002	mg/kg	0.937		0.0192	0.096
	Beryllium Average			0.79			
	Beryllium StdDev			0.15			
	CV%			18.62			
S-09	Cadmium	092076-002	mg/kg	0.239		0.0192	0.192
S-09	Cadmium	092077-002	mg/kg	0.227		0.02	0.2
S-09	Cadmium	092078-002	mg/kg	0.26		0.0192	0.192
	Cadmium Average			0.24			
	Cadmium StdDev			0.02			
	CV%			6.90			
S-09	Calcium	092076-002	mg/kg	4520		6.33	19.2
S-09	Calcium	092077-002	mg/kg	4450		6.6	20
S-09	Calcium	092078-002	mg/kg	5920		6.33	19.2
	Calcium Average			4963.33			
	Calcium StdDev			829.24			
	CV%			16.71			
S-09	Chromium	092076-002	mg/kg	8.57		0.192	0.576
S-09	Chromium	092077-002	mg/kg	7.64		0.2	0.6
S-09	Chromium	092078-002	mg/kg	9.85		0.192	0.576
	Chromium Average			8.69			
	Chromium StdDev			1.11			
	CV%			12.77			
S-09	Cobalt	092076-002	mg/kg	6.75		0.0576	0.192
S-09	Cobalt	092077-002	mg/kg	5.91		0.06	0.2
S-09	Cobalt	092078-002	mg/kg	6.69		0.0576	0.192
	Cobalt Average			6.45			
	Cobalt StdDev			0.47			
	CV%			7.27			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-09	Copper	092076-002	mg/kg	8.46		0.0633	0.192
S-09	Copper	092077-002	mg/kg	7.65		0.066	0.2
S-09	Copper	092078-002	mg/kg	9.83		0.0633	0.192
	Copper Average			8.65			
	Copper StdDev			1.10			
	CV%			12.74			
S-09	Iron	092076-002	mg/kg	15500		31.7	96
S-09	Iron	092077-002	mg/kg	14200		33	100
S-09	Iron	092078-002	mg/kg	17700		31.7	96
	Iron Average			15800.00			
	Iron StdDev			1769.18			
	CV%			11.20			
S-09	Lead	092076-002	mg/kg	11.1		0.096	0.384
S-09	Lead	092077-002	mg/kg	10.7		0.1	0.4
S-09	Lead	092078-002	mg/kg	11.1		0.096	0.384
	Lead Average			10.97			
	Lead StdDev			0.23			
	CV%			2.11			
S-09	Magnesium	092076-002	mg/kg	6470		1.92	5.76
S-09	Magnesium	092077-002	mg/kg	5340		2	6
S-09	Magnesium	092078-002	mg/kg	7340		1.92	5.76
	Magnesium Average			6383.33			
	Magnesium StdDev			1002.81			
	CV%			15.71			
S-09	Manganese	092076-002	mg/kg	412		0.96	4.8
S-09	Manganese	092077-002	mg/kg	363		1	5
S-09	Manganese	092078-002	mg/kg	451		0.96	4.8
	Manganese Average			408.67			
	Manganese StdDev			44.09			
	CV%			10.79			
S-09	Nickel	092076-002	mg/kg	7.89		0.096	0.384
S-09	Nickel	092077-002	mg/kg	6.83		0.1	0.4

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-09	Nickel	092078-002	mg/kg	8.87		0.096	0.384
	Nickel Average			7.86			
	Nickel StdDev			1.02			
	CV%			12.97			
S-09	Potassium	092076-002	mg/kg	5330		15.4	57.6
S-09	Potassium	092077-002	mg/kg	5300		16	60
S-09	Potassium	092078-002	mg/kg	7070		15.4	57.6
	Potassium Average			5900.00			
	Potassium StdDev			1013.36			
	CV%			17.18			
S-09	Selenium	092076-002	mg/kg	0.317	U	0.317	0.96
S-09	Selenium	092077-002	mg/kg	0.33	U	0.33	1
S-09	Selenium	092078-002	mg/kg	0.317	U	0.317	0.96
	Selenium Average			0.32			
	Selenium StdDev			0.01			
	CV%			2.34			
S-09	Silver	092076-002	mg/kg	0.401	J	0.099	0.495
S-09	Silver	092077-002	mg/kg	0.362	J	0.0975	0.487
S-09	Silver	092078-002	mg/kg	0.526		0.1	0.5
	Silver Average			0.43			
	Silver StdDev			0.09			
	CV%			19.94			
S-09	Sodium	092076-002	mg/kg	220		15.4	48
S-09	Sodium	092077-002	mg/kg	230		16	50
S-09	Sodium	092078-002	mg/kg	247		15.4	48
	Sodium Average			232.33			
	Sodium StdDev			13.65			
	CV%			5.88			
S-09	Thallium	092076-002	mg/kg	0.2	J	0.0576	0.384
S-09	Thallium	092077-002	mg/kg	0.189	J	0.06	0.4
S-09	Thallium	092078-002	mg/kg	0.231	J	0.0576	0.384
	Thallium Average			0.21			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Thallium StdDev			0.02			
	CV%			10.54			
S-09	Uranium	092076-002	mg/kg	0.569		0.0127	0.0384
S-09	Uranium	092077-002	mg/kg	0.553		0.0132	0.04
S-09	Uranium	092078-002	mg/kg	0.621		0.0127	0.0384
	Uranium Average			0.58			
	Uranium StdDev			0.04			
	CV%			6.12			
S-09	Vanadium	092076-002	mg/kg	29.6		0.099	0.495
S-09	Vanadium	092077-002	mg/kg	25		0.0975	0.487
S-09	Vanadium	092078-002	mg/kg	28		0.1	0.5
	Vanadium Average			27.53			
	Vanadium StdDev			2.34			
	CV%			8.48			
S-09	Zinc	092076-002	mg/kg	46.3		0.384	1.92
S-09	Zinc	092077-002	mg/kg	41.7		0.4	2
S-09	Zinc	092078-002	mg/kg	51.7		0.384	1.92
	Zinc Average			46.57			
	Zinc StdDev			5.01			
	CV%			10.75			
S-48	Aluminum	092089-002	mg/kg	13600		14.6	48.8
S-48	Aluminum	092090-002	mg/kg	12200		14.5	48.4
S-48	Aluminum	092091-002	mg/kg	14800		14.5	48.4
	Aluminum Average			13533.33			
	Aluminum StdDev			1301.28			
	CV%			9.62			
S-48	Antimony	092089-002	mg/kg	0.33	U	0.33	1
S-48	Antimony	092090-002	mg/kg	0.316	U	0.316	0.958
S-48	Antimony	092091-002	mg/kg	0.33	U	0.33	1
	Antimony Average			0.33			
	Antimony StdDev			0.01			
	CV%			2.48			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-48	Arsenic	092089-002	mg/kg	2.42		0.195	0.977
S-48	Arsenic	092090-002	mg/kg	2.69		0.194	0.969
S-48	Arsenic	092091-002	mg/kg	2.83		0.194	0.969
	Arsenic Average			2.65			
	Arsenic StdDev			0.21			
	CV%			7.87			
S-48	Barium	092089-002	mg/kg	173		0.0977	0.391
S-48	Barium	092090-002	mg/kg	181		0.0969	0.388
S-48	Barium	092091-002	mg/kg	219		0.484	1.94
	Barium Average			191.00			
	Barium StdDev			24.58			
	CV%			12.87			
S-48	Beryllium	092089-002	mg/kg	0.543		0.0195	0.0977
S-48	Beryllium	092090-002	mg/kg	0.612		0.0194	0.0969
S-48	Beryllium	092091-002	mg/kg	0.602		0.0194	0.0969
	Beryllium Average			0.59			
	Beryllium StdDev			0.04			
	CV%			6.37			
S-48	Cadmium	092089-002	mg/kg	0.321		0.0195	0.195
S-48	Cadmium	092090-002	mg/kg	0.372		0.0194	0.194
S-48	Cadmium	092091-002	mg/kg	0.369		0.0194	0.194
	Cadmium Average			0.35			
	Cadmium StdDev			0.03			
	CV%			8.08			
S-48	Calcium	092089-002	mg/kg	4500		6.45	19.5
S-48	Calcium	092090-002	mg/kg	5200		6.4	19.4
S-48	Calcium	092091-002	mg/kg	4460		6.4	19.4
	Calcium Average			4720.00			
	Calcium StdDev			416.17			
	CV%			8.82			
S-48	Chromium	092089-002	mg/kg	5.97		0.195	0.586
S-48	Chromium	092090-002	mg/kg	6.59		0.194	0.581

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-48	Chromium	092091-002	mg/kg	6.9		0.194	0.581
	Chromium Average			6.49			
	Chromium StdDev			0.47			
	CV%			7.30			
S-48	Cobalt	092089-002	mg/kg	3.65		0.0586	0.195
S-48	Cobalt	092090-002	mg/kg	4.04		0.0581	0.194
S-48	Cobalt	092091-002	mg/kg	4.12		0.0581	0.194
	Cobalt Average			3.94			
	Cobalt StdDev			0.25			
	CV%			6.39			
S-48	Copper	092089-002	mg/kg	6.9		0.0645	0.195
S-48	Copper	092090-002	mg/kg	7.64		0.064	0.194
S-48	Copper	092091-002	mg/kg	8.05		0.064	0.194
	Copper Average			7.53			
	Copper StdDev			0.58			
	CV%			7.74			
S-48	Iron	092089-002	mg/kg	9680		6.45	19.5
S-48	Iron	092090-002	mg/kg	10300		32	96.9
S-48	Iron	092091-002	mg/kg	10600		32	96.9
	Iron Average			10193.33			
	Iron StdDev			469.18			
	CV%			4.60			
S-48	Lead	092089-002	mg/kg	9.57		0.0977	0.391
S-48	Lead	092090-002	mg/kg	10.3		0.0969	0.388
S-48	Lead	092091-002	mg/kg	10.6		0.0969	0.388
	Lead Average			10.16			
	Lead StdDev			0.53			
	CV%			5.22			
S-48	Magnesium	092089-002	mg/kg	4040		1.95	5.86
S-48	Magnesium	092090-002	mg/kg	4660		1.94	5.81
S-48	Magnesium	092091-002	mg/kg	5180		1.94	5.81
	Magnesium Average			4626.67			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Magnesium StdDev			570.73			
	CV%			12.34			
S-48	Manganese	092089-002	mg/kg	423		0.977	4.88
S-48	Manganese	092090-002	mg/kg	411		0.969	4.84
S-48	Manganese	092091-002	mg/kg	425		0.969	4.84
	Manganese Average			419.67			
	Manganese StdDev			7.57			
	CV%			1.80			
S-48	Nickel	092089-002	mg/kg	5.68		0.0977	0.391
S-48	Nickel	092090-002	mg/kg	6.24		0.0969	0.388
S-48	Nickel	092091-002	mg/kg	6.65		0.0969	0.388
	Nickel Average			6.19			
	Nickel StdDev			0.49			
	CV%			7.87			
S-48	Potassium	092089-002	mg/kg	5060		15.6	58.6
S-48	Potassium	092090-002	mg/kg	5450		15.5	58.1
S-48	Potassium	092091-002	mg/kg	6210		15.5	58.1
	Potassium Average			5573.33			
	Potassium StdDev			584.84			
	CV%			10.49			
S-48	Selenium	092089-002	mg/kg	0.322	U	0.322	0.977
S-48	Selenium	092090-002	mg/kg	0.32	U	0.32	0.969
S-48	Selenium	092091-002	mg/kg	0.32	U	0.32	0.969
	Selenium Average			0.32			
	Selenium StdDev			0.00			
	CV%			0.36			
S-48	Silver	092089-002	mg/kg	0.353	J	0.1	0.5
S-48	Silver	092090-002	mg/kg	0.275	J	0.0958	0.479
S-48	Silver	092091-002	mg/kg	0.282	J	0.1	0.5
	Silver Average			0.30			
	Silver StdDev			0.04			
	CV%			14.23			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-48	Sodium	092089-002	mg/kg	375		15.6	48.8
S-48	Sodium	092090-002	mg/kg	459		15.5	48.4
S-48	Sodium	092091-002	mg/kg	526		15.5	48.4
	Sodium Average			453.33			
	Sodium StdDev			75.66			
	CV%			16.69			
S-48	Thallium	092089-002	mg/kg	0.128	J	0.0586	0.391
S-48	Thallium	092090-002	mg/kg	0.141	J	0.0581	0.388
S-48	Thallium	092091-002	mg/kg	0.151	J	0.0581	0.388
	Thallium Average			0.14			
	Thallium StdDev			0.01			
	CV%			8.24			
S-48	Uranium	092089-002	mg/kg	0.498		0.0129	0.0391
S-48	Uranium	092090-002	mg/kg	0.541		0.0128	0.0388
S-48	Uranium	092091-002	mg/kg	0.599		0.0128	0.0388
	Uranium Average			0.55			
	Uranium StdDev			0.05			
	CV%			9.28			
S-48	Vanadium	092089-002	mg/kg	27.9		0.1	0.5
S-48	Vanadium	092090-002	mg/kg	27.3		0.0958	0.479
S-48	Vanadium	092091-002	mg/kg	25.3		0.1	0.5
	Vanadium Average			26.83			
	Vanadium StdDev			1.36			
	CV%			106.06			
S-48	Zinc	092089-002	mg/kg	31.8		0.391	1.95
S-48	Zinc	092090-002	mg/kg	35		0.388	1.94
S-48	Zinc	092091-002	mg/kg	36.1		0.388	1.94
	Zinc Average			34.30			
	Zinc StdDev			2.23			
	CV%			6.51			

Table B-10. Non-radiological Replicate Sampling for Soil Sampling Locations at TTR, 2012

Location	Analyte	Sample ID	Units	Lab Data		
				Result	Qualifiers	Decision Level (MDL) Detection Limit (PQL)

NOTES:

CV = coefficient of variation

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL.

MDL = Method detection limit.

mg/kg = milligram per kilogram

PQL = Practical quantitation limit.

Std Dev = standard deviation

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

APPENDIX C

2012 TTR WASTEWATER SAMPLING RESULTS

TABLE C-1. Sanitary Outfalls of Inorganic Analyses, June 2012

Station	Date Collected	Sample ID	Analyte	Lab Data			
				Result	MDL	Qualifier	Units
TTR	21-Jun-2012	092545-001	Aluminum	0.192	0.068	J	mg/L
TTR	21-Jun-2012	092545-001	Arsenic		0.005	U	mg/L
TTR	21-Jun-2012	092545-001	Boron	0.515	0.015		mg/L
TTR	21-Jun-2012	092545-001	Cadmium		0.001	U	mg/L
TTR	21-Jun-2012	092545-001	Chromium	0.00257	0.001	J	mg/L
TTR	21-Jun-2012	092545-001	Copper	0.116	0.003		mg/L
TTR	21-Jun-2012	092545-001	Lead		0.0033	U	mg/L
TTR	21-Jun-2012	092545-001	Molybdenum	0.0112	0.002		mg/L
TTR	21-Jun-2012	092545-001	Nickel	0.00365	0.0015	J	mg/L
TTR	21-Jun-2012	092545-001	Selenium	0.00712	0.006	J	mg/L
TTR	21-Jun-2012	092545-001	Silver		0.001	U	mg/L
TTR	21-Jun-2012	092545-001	Zinc	0.227	0.0033		mg/L
TTR	21-Jun-2012	092545-002	Cyanide, total	0.00514	0.00167		mg/L
TTR	21-Jun-2012	092545-003	Solids, total suspended	154	10		mg/L
TTR	21-Jun-2012	092545-007	Chemical Oxygen Demand	422	8.22		mg/L
TTR	21-Jun-2012	092545-007	Phenols, Total	0.092	0.00167		mg/L
TTR	21-Jun-2012	092545-008	Grease and oil	8.26	1.13		mg/L
TTR	21-Jun-2012	092545-009	Grease and oil	11.1	1.14		mg/L
			Hydrocarbons, Total Extractable				
TTR	21-Jun-2012	092545-009	Petroleum	8.24	1.14		mg/L

NOTES:

MDL = Method detection limit

mg/L = milligrams per liter

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective practical quantitation limit (PQL)

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration

TABLE C-2. Summary of Sanitary Outfalls of Radiological Analyses, June 2012

Station	Date Collected	Sample ID	Analyte	Activity	Two Sigma Error	Lab Data Qualifier	MDA	Units
TTR	21-Jun-2012	092545-010	Actinium-228	-6.82	14.4	U	14.2	pCi/L
TTR	21-Jun-2012	092545-010	Americium-241	12.2	16.6	U	24.3	pCi/L
TTR	21-Jun-2012	092545-010	Beryllium-7	-4.99	16	U	26.5	pCi/L
TTR	21-Jun-2012	092545-010	Bismuth-212	25.3	28	U	46.9	pCi/L
TTR	21-Jun-2012	092545-010	Bismuth-214	3.91	8.62	U	8.11	pCi/L
TTR	21-Jun-2012	092545-010	Cesium-137	0.715	1.88	U	3.34	pCi/L
TTR	21-Jun-2012	092545-010	Cobalt-60	-0.967	1.83	U	3.09	pCi/L
TTR	21-Jun-2012	092545-010	Lead-212	2.03	5.88	U	6.94	pCi/L
TTR	21-Jun-2012	092545-010	Lead-214	1.34	7	U	7.01	pCi/L
TTR	21-Jun-2012	092545-010	Neptunium-237	1.98	3.5	U	5.96	pCi/L
TTR	21-Jun-2012	092545-010	Potassium-40	9	45.1	U	32.9	pCi/L
TTR	21-Jun-2012	092545-010	Radium-223	-13.5	356	U	59.4	pCi/L
TTR	21-Jun-2012	092545-010	Radium-224	-126	69.2	U	58.8	pCi/L
TTR	21-Jun-2012	092545-010	Radium-226	-51.6	79.4	U	89.7	pCi/L
TTR	21-Jun-2012	092545-010	Radium-228	-6.82	14.4	U	14.2	pCi/L
TTR	21-Jun-2012	092545-010	Sodium-22	-0.961	1.88	U	3.18	pCi/L
TTR	21-Jun-2012	092545-010	Thorium-227	0.325	16.1	U	23.7	pCi/L
TTR	21-Jun-2012	092545-010	Thorium-231	-40.7	51.6	U	49.1	pCi/L
TTR	21-Jun-2012	092545-010	Thorium-234	211	233	U	235	pCi/L
TTR	21-Jun-2012	092545-010	Uranium-235	8.28	20.7	U	20.3	pCi/L
TTR	21-Jun-2012	092545-010	Uranium-238	211	233	U	235	pCi/L
TTR	21-Jun-2012	092545-011	Alpha, gross	1.19	1.3	U	2.14	pCi/L
TTR	21-Jun-2012	092545-011	Beta, gross	31.2	5.76		2.38	pCi/L
TTR	21-Jun-2012	092545-012	Tritium	-3.31	63.3	U	117	pCi/L

NOTES:

MDA = minimum detectable amount.

pCi/L = picocuries per liter

U = The result is less than the MDA.

TABLE C-3. Summary of Sanitary Outfalls of Semi-Volatile Organic Compounds, June 2012

Station	Date Collected	Sample ID	Analyte	Result	MDL	Lab Data Qualifier	Units
TTR	21-Jun-2012	092545-006	Acenaphthene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Acenaphthylene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Anthracene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Benzo(a)anthracene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Benzo(a)pyrene		0.44	U	ug/L
TTR	21-Jun-2012	092545-006	Benzo(b)fluoranthene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Benzo(ghi)perylene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Benzo(k)fluoranthene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Bromophenyl phenyl ether, 4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Butylbenzyl phthalate		3	U	ug/L
TTR	21-Jun-2012	092545-006	Carbazole		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Chloro-3-methylphenol, 4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Chlorobenzenamine, 4-		3.3	U	ug/L
TTR	21-Jun-2012	092545-006	Chloroethoxy)methane, bis(2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Chloroethyl)ether, bis(2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Chloroisopropyl) ether, bis(2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Chloronaphthalene, 2-		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Chlorophenol, 2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Chlorophenyl phenyl ether, 4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Chrysene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Cresol, m,p-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Cresol, o-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Di-n-butyl phthalate		3	U	ug/L
TTR	21-Jun-2012	092545-006	Di-n-octyl phthalate		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dibenz[a,h]anthracene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Dibenzofuran		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dichlorobenzene, 1,2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dichlorobenzene, 1,3-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dichlorobenzene, 1,4-		3	U	ug/L

TABLE C-3. Summary of Sanitary Outfalls of Semi-Volatile Organic Compounds, June 2012

Station	Date Collected	Sample ID	Analyte	Result	MDL	Lab Data Qualifier	Units
TTR	21-Jun-2012	092545-006	Dichlorobenzidine, 3,3'-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dichlorophenol, 2,4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Diethylphthalate		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dimethylphenol, 2,4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dimethylphthalate		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dinitro-o-cresol		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dinitrophenol, 2,4-		5	U	ug/L
TTR	21-Jun-2012	092545-006	Dinitrotoluene, 2,4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Dinitrotoluene, 2,6-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Diphenyl amine		3	U	ug/L
TTR	21-Jun-2012	092545-006	Ethylhexyl)phthalate, bis(2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Fluoranthene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Fluorene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Hexachlorobenzene		3	U	ug/L
TTR	21-Jun-2012	092545-006	Hexachlorobutadiene		3	U	ug/L
TTR	21-Jun-2012	092545-006	Hexachlorocyclopentadiene		3	U	ug/L
TTR	21-Jun-2012	092545-006	Hexachloroethane		3	U	ug/L
TTR	21-Jun-2012	092545-006	Indeno(1,2,3-c,d)pyrene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Isophorone		3	U	ug/L
TTR	21-Jun-2012	092545-006	Methylnaphthalene, 2-		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Naphthalene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitro-benzene		3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitroaniline, 2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitroaniline, 3-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitroaniline, 4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitrophenol, 2-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitrophenol, 4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Nitrosodipropylamine, n-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Pentachlorophenol		3	U	ug/L

TABLE C-3. Summary of Sanitary Outfalls of Semi-Volatile Organic Compounds, June 2012

Station	Date Collected	Sample ID	Analyte	Result	MDL	Lab Data Qualifier	Units
TTR	21-Jun-2012	092545-006	Phenanthrene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Phenol	11.4	3		ug/L
TTR	21-Jun-2012	092545-006	Pyrene		0.3	U	ug/L
TTR	21-Jun-2012	092545-006	Trichlorobenzene, 1,2,4-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Trichlorophenol, 2,4,5-		3	U	ug/L
TTR	21-Jun-2012	092545-006	Trichlorophenol, 2,4,6-		3	U	ug/L

NOTES:

MDL = Minimum detection limit.

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective practical quantitation limit (PQL).

ug/L = micrograms per liter.

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

TABLE C-4. Summary of Sanitary Outfalls of Volatile Organic Compounds, June 2012

Station	Date Collected	Sample ID	Analyte	Result	MDL	Lab Data Qualifier	Units
TTR	21-Jun-12	092545-005	Acetone	6.27	3	J	ug/L
TTR	21-Jun-12	092545-005	Benzene		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Bromodichloromethane		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Bromoform		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Bromomethane		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Butanone, 2-		2	U	ug/L
TTR	21-Jun-12	092545-005	Carbon disulfide		1.5	U	ug/L
TTR	21-Jun-12	092545-005	Carbon tetrachloride		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Chlorobenzene		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Chloroethane		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Chloroform		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Chloromethane		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dibromochloromethane		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloroethane, 1,1-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloroethane, 1,2-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloroethene, 1,1-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloroethene, cis-1,2-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloroethene, trans-1,2-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloropropane, 1,2-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloropropene, cis-1,3-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Dichloropropene, trans-1,3-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Ethyl benzene		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Hexanone, 2-		2.2	U	ug/L
TTR	21-Jun-12	092545-005	Methylene chloride		3	U	ug/L
TTR	21-Jun-12	092545-005	Pentanone, 4-methyl-, 2-	2.33	1.5	J	ug/L
TTR	21-Jun-12	092545-005	Styrene		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Tetrachloroethane, 1,1,2,2-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Tetrachloroethene		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Toluene		0.3	U	ug/L

TABLE C-4. Summary of Sanitary Outfalls of Volatile Organic Compounds, June 2012

Station	Date Collected	Sample ID	Analyte	Result	MDL	Lab Data Qualifier	Units
TTR	21-Jun-12	092545-005	Trichloroethane, 1,1,1-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Trichloroethane, 1,1,2-		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Trichloroethene		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Vinyl acetate		1.5	U	ug/L
TTR	21-Jun-12	092545-005	Vinyl chloride		0.3	U	ug/L
TTR	21-Jun-12	092545-005	Xylene		0.3	U	ug/L

NOTES:

MDL = Method detection limit.

ug/L = micrograms per liter.

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

APPENDIX D

2012 KTF SAMPLING LOCATION MAPS




FIGURE D-1. On-site Sample Locations at the Kauai Test Facility

Pacific Ocean




FIGURE D-2. Off-site Sampling Locations Near the Kauai Test Facility

APPENDIX E

2012 KTF TERRESTRIAL SURVEILLANCE RESULTS

TABLE E-1. Non-radiological Results for Community Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-01	Aluminum	mg/kg	9060		14.5	48.4
C-01	Antimony	mg/kg	3.26	U	3.26	9.88
C-01	Arsenic	mg/kg	22.1		0.193	0.967
C-01	Barium	mg/kg	12.5		0.0967	0.387
C-01	Beryllium	mg/kg	0.126	J	0.0967	0.484
C-01	Cadmium	mg/kg	0.257		0.0193	0.193
C-01	Calcium	mg/kg	163000		319	967
C-01	Chromium	mg/kg	154		0.967	2.9
C-01	Cobalt	mg/kg	53.8		0.29	0.967
C-01	Copper	mg/kg	24.4		0.319	0.967
C-01	Iron	mg/kg	42000		31.9	96.7
C-01	Lead	mg/kg	10.2		0.0967	0.387
C-01	Magnesium	mg/kg	90400		19.3	58
C-01	Manganese	mg/kg	738		0.967	4.84
C-01	Nickel	mg/kg	737		0.484	1.93
C-01	Potassium	mg/kg	226	J	77.4	290
C-01	Selenium	mg/kg	0.319	U	0.319	0.967
C-01	Silver	mg/kg	0.0988	U	0.0988	0.494
C-01	Sodium	mg/kg	1940		77.4	242
C-01	Thallium	mg/kg	0.058	U	0.058	0.387
C-01	Uranium	mg/kg	0.717		0.0638	0.193
C-01	Vanadium	mg/kg	42.1		0.0988	0.494
C-01	Zinc	mg/kg	82.6		1.93	9.67
C-02	Aluminum	mg/kg	1670		14.2	47.3
C-02	Antimony	mg/kg	0.905	J	0.325	0.984
C-02	Arsenic	mg/kg	5.34		0.189	0.945
C-02	Barium	mg/kg	5.49		0.0945	0.378
C-02	Beryllium	mg/kg	0.0945	U	0.0945	0.473
C-02	Cadmium	mg/kg	0.12	J	0.0189	0.189
C-02	Calcium	mg/kg	340000		312	945
C-02	Chromium	mg/kg	21.8		0.945	2.84
C-02	Cobalt	mg/kg	3.44		0.284	0.945
C-02	Copper	mg/kg	3.81		0.312	0.945
C-02	Iron	mg/kg	4960		31.2	94.5
C-02	Lead	mg/kg	1.34		0.0945	0.378
C-02	Magnesium	mg/kg	27000		18.9	56.7
C-02	Manganese	mg/kg	98.1		0.945	4.73
C-02	Nickel	mg/kg	46		0.473	1.89
C-02	Potassium	mg/kg	75.6	U	75.6	284
C-02	Selenium	mg/kg	0.312	U	0.312	0.945
C-02	Silver	mg/kg	0.984	U	0.984	4.92
C-02	Sodium	mg/kg	2100		75.6	236
C-02	Thallium	mg/kg	0.0567	U	0.0567	0.378
C-02	Uranium	mg/kg	0.994		0.0637	0.193
C-02	Vanadium	mg/kg	8.21		0.0984	0.492
C-02	Zinc	mg/kg	50.1		1.93	9.65
C-03	Aluminum	mg/kg	6410		14.6	48.8
C-03	Antimony	mg/kg	0.324	U	0.324	0.982

TABLE E-1. Non-radiological Results for Community Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-03	Arsenic	mg/kg	6.39		0.195	0.977
C-03	Barium	mg/kg	8.18		0.0977	0.391
C-03	Beryllium	mg/kg	0.0977	U	0.0977	0.488
C-03	Cadmium	mg/kg	0.182	J	0.0195	0.195
C-03	Calcium	mg/kg	246000		322	977
C-03	Chromium	mg/kg	81.7		0.977	2.93
C-03	Cobalt	mg/kg	28.4		0.293	0.977
C-03	Copper	mg/kg	9.14		0.322	0.977
C-03	Iron	mg/kg	20700		32.2	97.7
C-03	Lead	mg/kg	0.394		0.0977	0.391
C-03	Magnesium	mg/kg	52900		19.5	58.6
C-03	Manganese	mg/kg	520		0.977	4.88
C-03	Nickel	mg/kg	370		0.488	1.95
C-03	Potassium	mg/kg	175	J	78.1	293
C-03	Selenium	mg/kg	0.322	U	0.322	0.977
C-03	Silver	mg/kg	0.982	U	0.982	4.91
C-03	Sodium	mg/kg	2010		78.1	244
C-03	Thallium	mg/kg	0.0586	U	0.0586	0.391
C-03	Uranium	mg/kg	0.958		0.0659	0.2
C-03	Vanadium	mg/kg	29.9		0.0982	0.491
C-03	Zinc	mg/kg	25.3		2	9.98
C-04	Aluminum	mg/kg	2660		14.7	48.9
C-04	Antimony	mg/kg	0.898	J	0.319	0.967
C-04	Arsenic	mg/kg	6.1		0.196	0.978
C-04	Barium	mg/kg	5.04		0.0978	0.391
C-04	Beryllium	mg/kg	0.0978	U	0.0978	0.489
C-04	Cadmium	mg/kg	0.108	J	0.0196	0.196
C-04	Calcium	mg/kg	331000		323	978
C-04	Chromium	mg/kg	23.5		0.978	2.94
C-04	Cobalt	mg/kg	3.78		0.294	0.978
C-04	Copper	mg/kg	3.26		0.323	0.978
C-04	Iron	mg/kg	5240		32.3	97.8
C-04	Lead	mg/kg	1.61		0.0978	0.391
C-04	Magnesium	mg/kg	29000		19.6	58.7
C-04	Manganese	mg/kg	103		0.978	4.89
C-04	Nickel	mg/kg	42		0.489	1.96
C-04	Potassium	mg/kg	87.3	J	78.3	294
C-04	Selenium	mg/kg	0.323	U	0.323	0.978
C-04	Silver	mg/kg	0.967	U	0.967	4.84
C-04	Sodium	mg/kg	2270		78.3	245
C-04	Thallium	mg/kg	0.0587	U	0.0587	0.391
C-04	Uranium	mg/kg	0.808		0.0584	0.177
C-04	Vanadium	mg/kg	8.37		0.0967	0.484
C-04	Zinc	mg/kg	8.89		1.77	8.85
C-05	Aluminum	mg/kg	34700		14.7	49
C-05	Antimony	mg/kg	3.16	U	3.16	9.58
C-05	Arsenic	mg/kg	87.2		0.196	0.98
C-05	Barium	mg/kg	34.6		0.098	0.392

TABLE E-1. Non-radiological Results for Community Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-05	Beryllium	mg/kg	0.402	J	0.098	0.49
C-05	Cadmium	mg/kg	0.52		0.0196	0.196
C-05	Calcium	mg/kg	110000		324	980
C-05	Chromium	mg/kg	227		0.98	2.94
C-05	Cobalt	mg/kg	29.1		0.294	0.98
C-05	Copper	mg/kg	52.7		0.324	0.98
C-05	Iron	mg/kg	55000		64.7	196
C-05	Lead	mg/kg	11.1		0.098	0.392
C-05	Magnesium	mg/kg	12200		19.6	58.8
C-05	Manganese	mg/kg	677		0.98	4.9
C-05	Nickel	mg/kg	215		0.49	1.96
C-05	Potassium	mg/kg	2210		78.4	294
C-05	Selenium	mg/kg	0.324	U	0.324	0.98
C-05	Silver	mg/kg	0.0958	U	0.0958	0.479
C-05	Sodium	mg/kg	1150		78.4	245
C-05	Thallium	mg/kg	0.0588	U	0.0588	0.392
C-05	Uranium	mg/kg	0.664		0.0627	0.19
C-05	Vanadium	mg/kg	85.8		0.0958	0.479
C-05	Zinc	mg/kg	70.2		1.9	9.51
C-06	Aluminum	mg/kg	6020		13.6	45.2
C-06	Antimony	mg/kg	0.312	U	0.312	0.945
C-06	Arsenic	mg/kg	11		0.181	0.904
C-06	Barium	mg/kg	12.6		0.0904	0.362
C-06	Beryllium	mg/kg	0.0904	U	0.0904	0.452
C-06	Cadmium	mg/kg	0.125	J	0.0181	0.181
C-06	Calcium	mg/kg	242000		298	904
C-06	Chromium	mg/kg	57.6		0.904	2.71
C-06	Cobalt	mg/kg	12.1		0.271	0.904
C-06	Copper	mg/kg	11.6		0.298	0.904
C-06	Iron	mg/kg	13700		29.8	90.4
C-06	Lead	mg/kg	1.31		0.0904	0.362
C-06	Magnesium	mg/kg	28200		18.1	54.2
C-06	Manganese	mg/kg	235		0.904	4.52
C-06	Nickel	mg/kg	138		0.452	1.81
C-06	Potassium	mg/kg	317		72.3	271
C-06	Selenium	mg/kg	0.298	U	0.298	0.904
C-06	Silver	mg/kg	0.945	U	0.945	4.73
C-06	Sodium	mg/kg	1840		72.3	226
C-06	Thallium	mg/kg	0.0542	U	0.0542	0.362
C-06	Uranium	mg/kg	0.955		0.0641	0.194
C-06	Vanadium	mg/kg	18.9		0.0945	0.473
C-06	Zinc	mg/kg	21.6		1.94	9.71
C-07	Aluminum	mg/kg	3610		14.6	48.8
C-07	Antimony	mg/kg	0.576	J	0.315	0.954
C-07	Arsenic	mg/kg	7.65		0.977	4.88
C-07	Barium	mg/kg	8.12		0.0977	0.391
C-07	Beryllium	mg/kg	0.0977	U	0.0977	0.488
C-07	Cadmium	mg/kg	0.0977	U	0.0977	0.977

TABLE E-1. Non-radiological Results for Community Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-07	Calcium	mg/kg	294000		322	977
C-07	Chromium	mg/kg	40.1		0.977	2.93
C-07	Cobalt	mg/kg	10.5		0.293	0.977
C-07	Copper	mg/kg	5.23		0.322	0.977
C-07	Iron	mg/kg	9880		32.2	97.7
C-07	Lead	mg/kg	0.354	J	0.0977	0.391
C-07	Magnesium	mg/kg	30000		19.5	58.6
C-07	Manganese	mg/kg	186		0.977	4.88
C-07	Nickel	mg/kg	134		0.488	1.95
C-07	Potassium	mg/kg	171	J	78.1	293
C-07	Selenium	mg/kg	1.61	U	1.61	4.88
C-07	Silver	mg/kg	0.954	U	0.954	4.77
C-07	Sodium	mg/kg	2180		78.1	244
C-07	Thallium	mg/kg	0.0586	U	0.0586	0.391
C-07	Uranium	mg/kg	1.14		0.0635	0.192
C-07	Vanadium	mg/kg	11		0.0954	0.477
C-07	Zinc	mg/kg	15.4		1.92	9.62
C-08	Aluminum	mg/kg	7580		14.6	48.8
C-08	Antimony	mg/kg	0.314	U	0.314	0.951
C-08	Arsenic	mg/kg	6.76		0.195	0.977
C-08	Barium	mg/kg	11.8		0.0977	0.391
C-08	Beryllium	mg/kg	0.0977	U	0.0977	0.488
C-08	Cadmium	mg/kg	0.177	J	0.0195	0.195
C-08	Calcium	mg/kg	239000		322	977
C-08	Chromium	mg/kg	96.9		0.977	2.93
C-08	Cobalt	mg/kg	30.1		0.293	0.977
C-08	Copper	mg/kg	62.2		0.322	0.977
C-08	Iron	mg/kg	23400		32.2	97.7
C-08	Lead	mg/kg	1.06		0.0977	0.391
C-08	Magnesium	mg/kg	54300		19.5	58.6
C-08	Manganese	mg/kg	595		0.977	4.88
C-08	Nickel	mg/kg	405		0.488	1.95
C-08	Potassium	mg/kg	329		78.1	293
C-08	Selenium	mg/kg	0.322	U	0.322	0.977
C-08	Silver	mg/kg	0.951	U	0.951	4.75
C-08	Sodium	mg/kg	1910		78.1	244
C-08	Thallium	mg/kg	0.0586	U	0.0586	0.391
C-08	Uranium	mg/kg	0.957		0.0608	0.184
C-08	Vanadium	mg/kg	26.5		0.0951	0.475
C-08	Zinc	mg/kg	33.8		1.84	9.21
C-09	Aluminum	mg/kg	2110		15	49.9
C-09	Antimony	mg/kg	0.451	J	0.325	0.984
C-09	Arsenic	mg/kg	7.83		0.2	0.998
C-09	Barium	mg/kg	6.35		0.0998	0.399
C-09	Beryllium	mg/kg	0.0998	U	0.0998	0.499
C-09	Cadmium	mg/kg	0.0946	J	0.02	0.2
C-09	Calcium	mg/kg	259000		329	998
C-09	Chromium	mg/kg	21.6		0.998	2.99

TABLE E-1. Non-radiological Results for Community Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-09	Cobalt	mg/kg	3.37		0.299	0.998
C-09	Copper	mg/kg	15		0.329	0.998
C-09	Iron	mg/kg	5440		32.9	99.8
C-09	Lead	mg/kg	2.8		0.0998	0.399
C-09	Magnesium	mg/kg	19000		20	59.9
C-09	Manganese	mg/kg	108		0.998	4.99
C-09	Nickel	mg/kg	39.5		0.499	2
C-09	Potassium	mg/kg	116	J	79.8	299
C-09	Selenium	mg/kg	0.329	U	0.329	0.998
C-09	Silver	mg/kg	0.984	U	0.984	4.92
C-09	Sodium	mg/kg	1520		79.8	250
C-09	Thallium	mg/kg	0.0599	U	0.0599	0.399
C-09	Uranium	mg/kg	1.2		0.0637	0.193
C-09	Vanadium	mg/kg	8.73		0.0984	0.492
C-09	Zinc	mg/kg	16.8		1.93	9.65
C-10	Aluminum	mg/kg	4090		14.9	49.6
C-10	Antimony	mg/kg	0.5	J	0.292	0.885
C-10	Arsenic	mg/kg	8.97		0.198	0.992
C-10	Barium	mg/kg	23.1		0.0992	0.397
C-10	Beryllium	mg/kg	0.0992	U	0.0992	0.496
C-10	Cadmium	mg/kg	0.164	J	0.0198	0.198
C-10	Calcium	mg/kg	346000		327	992
C-10	Chromium	mg/kg	31.3		0.992	2.98
C-10	Cobalt	mg/kg	6.34		0.298	0.992
C-10	Copper	mg/kg	8.48		0.327	0.992
C-10	Iron	mg/kg	8560		32.7	99.2
C-10	Lead	mg/kg	7.55		0.0992	0.397
C-10	Magnesium	mg/kg	24700		19.8	59.5
C-10	Manganese	mg/kg	142		0.992	4.96
C-10	Nickel	mg/kg	53.5		0.496	1.98
C-10	Potassium	mg/kg	166	J	79.4	298
C-10	Selenium	mg/kg	0.327	U	0.327	0.992
C-10	Silver	mg/kg	0.885	U	0.885	4.42
C-10	Sodium	mg/kg	2220		79.4	248
C-10	Thallium	mg/kg	0.0595	U	0.0595	0.397
C-10	Uranium	mg/kg	1.16		0.0617	0.187
C-10	Vanadium	mg/kg	10.6		0.0885	0.442
C-10	Zinc	mg/kg	272		1.87	9.35
C-11	Aluminum	mg/kg	1850		14.5	48.4
C-11	Antimony	mg/kg	0.747	J	0.326	0.988
C-11	Arsenic	mg/kg	7.88		0.194	0.969
C-11	Barium	mg/kg	8.22		0.0969	0.388
C-11	Beryllium	mg/kg	0.0969	U	0.0969	0.484
C-11	Cadmium	mg/kg	0.106	J	0.0194	0.194
C-11	Calcium	mg/kg	311000		320	969
C-11	Chromium	mg/kg	20.4		0.969	2.91
C-11	Cobalt	mg/kg	3.42		0.291	0.969
C-11	Copper	mg/kg	7.83		0.32	0.969

TABLE E-1. Non-radiological Results for Community Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-11	Iron	mg/kg	5120		32	96.9
C-11	Lead	mg/kg	1.77		0.0969	0.388
C-11	Magnesium	mg/kg	19300		19.4	58.1
C-11	Manganese	mg/kg	91.7		0.969	4.84
C-11	Nickel	mg/kg	35.4		0.484	1.94
C-11	Potassium	mg/kg	100	J	77.5	291
C-11	Selenium	mg/kg	0.32	U	0.32	0.969
C-11	Silver	mg/kg	0.988	U	0.988	4.94
C-11	Sodium	mg/kg	1650		77.5	242
C-11	Thallium	mg/kg	0.0581	U	0.0581	0.388
C-11	Uranium	mg/kg	1.16		0.0647	0.196
C-11	Vanadium	mg/kg	8.89		0.0988	0.494
C-11	Zinc	mg/kg	177		1.96	9.8

NOTES:

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL.

MDL = Method detection limit.

mg/kg = milligram per kilogram

PQL = Practical quantitation limit.

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-12	Aluminum	mg/kg	6400		2.94	9.78
S-12	Antimony	mg/kg	0.855	J	0.327	0.992
S-12	Arsenic	mg/kg	37.1		0.196	0.978
S-12	Barium	mg/kg	8.03		0.0978	0.391
S-12	Beryllium	mg/kg	0.0998		0.0196	0.0978
S-12	Cadmium	mg/kg	0.178	J	0.0196	0.196
S-12	Calcium	mg/kg	245000		323	978
S-12	Chromium	mg/kg	48.6		0.196	0.587
S-12	Cobalt	mg/kg	16.4		0.0587	0.196
S-12	Copper	mg/kg	12.8		0.0646	0.196
S-12	Iron	mg/kg	19400		64.6	196
S-12	Lead	mg/kg	2.97		0.0978	0.391
S-12	Magnesium	mg/kg	30800		19.6	58.7
S-12	Manganese	mg/kg	390		1.96	9.78
S-12	Nickel	mg/kg	206		0.978	3.91
S-12	Potassium	mg/kg	252		15.7	58.7
S-12	Selenium	mg/kg	0.323	U	0.323	0.978
S-12	Silver	mg/kg	1.71	J	0.992	4.96
S-12	Sodium	mg/kg	2010		15.7	48.9
S-12	Thallium	mg/kg	0.0587	U	0.0587	0.391
S-12	Uranium	mg/kg	1.4		0.0129	0.0391
S-12	Vanadium	mg/kg	31.5		0.0992	0.496
S-12	Zinc	mg/kg	85		0.391	1.96
S-13	Aluminum	mg/kg	6080		2.84	9.45
S-13	Antimony	mg/kg	0.32	U	0.32	0.969
S-13	Arsenic	mg/kg	19.8		0.189	0.945
S-13	Barium	mg/kg	14.7		0.0945	0.378
S-13	Beryllium	mg/kg	0.11		0.0189	0.0945
S-13	Cadmium	mg/kg	0.244		0.0189	0.189
S-13	Calcium	mg/kg	185000		312	945
S-13	Chromium	mg/kg	86.5		0.189	0.567
S-13	Cobalt	mg/kg	37.3		0.567	1.89
S-13	Copper	mg/kg	10.2		0.0624	0.189
S-13	Iron	mg/kg	30000		62.4	189
S-13	Lead	mg/kg	8.52		0.0945	0.378
S-13	Magnesium	mg/kg	63700		18.9	56.7
S-13	Manganese	mg/kg	530		1.89	9.45
S-13	Nickel	mg/kg	511		0.945	3.78
S-13	Potassium	mg/kg	208		15.1	56.7
S-13	Selenium	mg/kg	0.312	U	0.312	0.945
S-13	Silver	mg/kg	1.25	J	0.969	4.84
S-13	Sodium	mg/kg	1690		15.1	47.3
S-13	Thallium	mg/kg	0.0567	U	0.0567	0.378
S-13	Uranium	mg/kg	1		0.0125	0.0378
S-13	Vanadium	mg/kg	29.9		0.0969	0.484

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-13	Zinc	mg/kg	62.5		0.378	1.89
S-14	Aluminum	mg/kg	8260		2.8	9.35
S-14	Antimony	mg/kg	0.327	U	0.327	0.99
S-14	Arsenic	mg/kg	13.5		0.187	0.935
S-14	Barium	mg/kg	16.8		0.0935	0.374
S-14	Beryllium	mg/kg	0.146		0.0187	0.0935
S-14	Cadmium	mg/kg	0.509		0.0187	0.187
S-14	Calcium	mg/kg	189000		308	935
S-14	Chromium	mg/kg	84.6		0.187	0.561
S-14	Cobalt	mg/kg	36.1		0.561	1.87
S-14	Copper	mg/kg	13.9		0.0617	0.187
S-14	Iron	mg/kg	30400		61.7	187
S-14	Lead	mg/kg	0.883		0.0935	0.374
S-14	Magnesium	mg/kg	57400		18.7	56.1
S-14	Manganese	mg/kg	532		1.87	9.35
S-14	Nickel	mg/kg	469		0.935	3.74
S-14	Potassium	mg/kg	278		15	56.1
S-14	Selenium	mg/kg	0.308	U	0.308	0.935
S-14	Silver	mg/kg	1.05	J	0.99	4.95
S-14	Sodium	mg/kg	1750		15	46.7
S-14	Thallium	mg/kg	0.0561	U	0.0561	0.374
S-14	Uranium	mg/kg	1.11		0.0123	0.0374
S-14	Vanadium	mg/kg	37		0.099	0.495
S-14	Zinc	mg/kg	57.6		0.374	1.87
S-15	Aluminum	mg/kg	7470		2.84	9.45
S-15	Antimony	mg/kg	3.27	U	3.27	9.9
S-15	Arsenic	mg/kg	10.7		0.189	0.945
S-15	Barium	mg/kg	12.7		0.0945	0.378
S-15	Beryllium	mg/kg	0.125		0.0189	0.0945
S-15	Cadmium	mg/kg	0.164	J	0.0189	0.189
S-15	Calcium	mg/kg	197000		312	945
S-15	Chromium	mg/kg	93.7		0.189	0.567
S-15	Cobalt	mg/kg	40.8		0.567	1.89
S-15	Copper	mg/kg	26.3		0.624	1.89
S-15	Iron	mg/kg	33700		62.4	189
S-15	Lead	mg/kg	0.49		0.0945	0.378
S-15	Magnesium	mg/kg	66400		18.9	56.7
S-15	Manganese	mg/kg	607		1.89	9.45
S-15	Nickel	mg/kg	556		0.945	3.78
S-15	Potassium	mg/kg	225		15.1	56.7
S-15	Selenium	mg/kg	0.312	U	0.312	0.945
S-15	Silver	mg/kg	1.51	J	0.99	4.95
S-15	Sodium	mg/kg	1650		15.1	47.3
S-15	Thallium	mg/kg	0.0567	U	0.0567	0.378
S-15	Uranium	mg/kg	1.14		0.0125	0.0378

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-15	Vanadium	mg/kg	33.2		0.099	0.495
S-15	Zinc	mg/kg	38.7		0.378	1.89
S-16	Aluminum	mg/kg	7030		2.78	9.26
S-16	Antimony	mg/kg	0.324	U	0.324	0.982
S-16	Arsenic	mg/kg	5.96		0.185	0.926
S-16	Barium	mg/kg	65.3		0.0926	0.37
S-16	Beryllium	mg/kg	0.187		0.0185	0.0926
S-16	Cadmium	mg/kg	0.109	J	0.0185	0.185
S-16	Calcium	mg/kg	283000		306	926
S-16	Chromium	mg/kg	35.5		0.185	0.556
S-16	Cobalt	mg/kg	14		0.556	1.85
S-16	Copper	mg/kg	17.7		0.0611	0.185
S-16	Iron	mg/kg	14600		61.1	185
S-16	Lead	mg/kg	0.697		0.0926	0.37
S-16	Magnesium	mg/kg	26700		18.5	55.6
S-16	Manganese	mg/kg	228		1.85	9.26
S-16	Nickel	mg/kg	157		0.926	3.7
S-16	Potassium	mg/kg	847		14.8	55.6
S-16	Selenium	mg/kg	0.306	U	0.306	0.926
S-16	Silver	mg/kg	2.68	J	0.982	4.91
S-16	Sodium	mg/kg	4450		14.8	46.3
S-16	Thallium	mg/kg	0.0556	U	0.0556	0.37
S-16	Uranium	mg/kg	1.29		0.0122	0.037
S-16	Vanadium	mg/kg	17.5		0.0982	0.491
S-16	Zinc	mg/kg	61.8		0.37	1.85
S-17	Aluminum	mg/kg	11700		27.9	93.1
S-17	Antimony	mg/kg	0.318	U	0.318	0.963
S-17	Arsenic	mg/kg	6.42		0.186	0.931
S-17	Barium	mg/kg	51.9		0.0931	0.372
S-17	Beryllium	mg/kg	0.262		0.0186	0.0931
S-17	Cadmium	mg/kg	0.193		0.0186	0.186
S-17	Calcium	mg/kg	223000		307	931
S-17	Chromium	mg/kg	53.1		0.186	0.559
S-17	Cobalt	mg/kg	22.4		0.559	1.86
S-17	Copper	mg/kg	44.9		0.615	1.86
S-17	Iron	mg/kg	21800		61.5	186
S-17	Lead	mg/kg	0.892		0.0931	0.372
S-17	Magnesium	mg/kg	35100		18.6	55.9
S-17	Manganese	mg/kg	405		1.86	9.31
S-17	Nickel	mg/kg	240		0.931	3.72
S-17	Potassium	mg/kg	762		14.9	55.9
S-17	Selenium	mg/kg	0.307	U	0.307	0.931
S-17	Silver	mg/kg	1.68	J	0.963	4.82
S-17	Sodium	mg/kg	3060		14.9	46.6
S-17	Thallium	mg/kg	0.0559	U	0.0559	0.372

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-17	Uranium	mg/kg	1.06		0.0123	0.0372
S-17	Vanadium	mg/kg	35.5		0.0963	0.482
S-17	Zinc	mg/kg	40		0.372	1.86
S-18	Aluminum	mg/kg	2280		2.82	9.4
S-18	Antimony	mg/kg	0.338	J	0.316	0.958
S-18	Arsenic	mg/kg	7.48		0.188	0.94
S-18	Barium	mg/kg	6.86		0.094	0.376
S-18	Beryllium	mg/kg	0.0652	J	0.0188	0.094
S-18	Cadmium	mg/kg	0.11	J	0.0188	0.188
S-18	Calcium	mg/kg	343000		310	940
S-18	Chromium	mg/kg	28.6		0.188	0.564
S-18	Cobalt	mg/kg	7.72		0.564	1.88
S-18	Copper	mg/kg	5.4		0.062	0.188
S-18	Iron	mg/kg	9670		62	188
S-18	Lead	mg/kg	0.514		0.094	0.376
S-18	Magnesium	mg/kg	23000		18.8	56.4
S-18	Manganese	mg/kg	126		1.88	9.4
S-18	Nickel	mg/kg	104		0.94	3.76
S-18	Potassium	mg/kg	103		15	56.4
S-18	Selenium	mg/kg	0.31	U	0.31	0.94
S-18	Silver	mg/kg	0.958	U	0.958	4.79
S-18	Sodium	mg/kg	1700		15	47
S-18	Thallium	mg/kg	0.0564	U	0.0564	0.376
S-18	Uranium	mg/kg	1.36		0.0124	0.0376
S-18	Vanadium	mg/kg	11.2		0.0958	0.479
S-18	Zinc	mg/kg	20.7		0.376	1.88
S-19	Aluminum	mg/kg	7120		29.3	97.7
S-19	Antimony	mg/kg	0.314	U	0.314	0.951
S-19	Arsenic	mg/kg	10.5		0.195	0.977
S-19	Barium	mg/kg	10.3		0.0977	0.391
S-19	Beryllium	mg/kg	0.116		0.0195	0.0977
S-19	Cadmium	mg/kg	0.199		0.0195	0.195
S-19	Calcium	mg/kg	234000		322	977
S-19	Chromium	mg/kg	73.1		1.95	5.86
S-19	Cobalt	mg/kg	25.7		0.586	1.95
S-19	Copper	mg/kg	12.9		0.0645	0.195
S-19	Iron	mg/kg	23000		64.5	195
S-19	Lead	mg/kg	0.585		0.0977	0.391
S-19	Magnesium	mg/kg	46400		19.5	58.6
S-19	Manganese	mg/kg	432		1.95	9.77
S-19	Nickel	mg/kg	328		0.977	3.91
S-19	Potassium	mg/kg	189		15.6	58.6
S-19	Selenium	mg/kg	0.322	U	0.322	0.977
S-19	Silver	mg/kg	1.85	J	0.951	4.75
S-19	Sodium	mg/kg	2120		156	488

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-19	Thallium	mg/kg	0.0586	U	0.0586	0.391
S-19	Uranium	mg/kg	1.14		0.0129	0.0391
S-19	Vanadium	mg/kg	27.3		0.0951	0.475
S-19	Zinc	mg/kg	25.1		0.391	1.95
S-20	Aluminum	mg/kg	5040		29.9	99.6
S-20	Antimony	mg/kg	0.325	U	0.325	0.984
S-20	Arsenic	mg/kg	7.29		0.199	0.996
S-20	Barium	mg/kg	6.9		0.0996	0.398
S-20	Beryllium	mg/kg	0.0659	J	0.0199	0.0996
S-20	Cadmium	mg/kg	0.41		0.0199	0.199
S-20	Calcium	mg/kg	190000		329	996
S-20	Chromium	mg/kg	41.4		1.99	5.98
S-20	Cobalt	mg/kg	13.4		0.598	1.99
S-20	Copper	mg/kg	8.76		0.0657	0.199
S-20	Iron	mg/kg	13100		65.7	199
S-20	Lead	mg/kg	0.681		0.0996	0.398
S-20	Magnesium	mg/kg	24900		19.9	59.8
S-20	Manganese	mg/kg	303		1.99	9.96
S-20	Nickel	mg/kg	163		0.996	3.98
S-20	Potassium	mg/kg	415		15.9	59.8
S-20	Selenium	mg/kg	0.329	U	0.329	0.996
S-20	Silver	mg/kg	0.984	U	0.984	4.92
S-20	Sodium	mg/kg	1750		159	498
S-20	Thallium	mg/kg	0.0598	U	0.0598	0.398
S-20	Uranium	mg/kg	0.95		0.0131	0.0398
S-20	Vanadium	mg/kg	19.4		0.0984	0.492
S-20	Zinc	mg/kg	27.8		0.398	1.99
S-22	Aluminum	mg/kg	3210		29.1	96.9
S-22	Antimony	mg/kg	0.739	J	0.307	0.931
S-22	Arsenic	mg/kg	9.27		0.194	0.969
S-22	Barium	mg/kg	10.3		0.0969	0.388
S-22	Beryllium	mg/kg	0.0469	J	0.0194	0.0969
S-22	Cadmium	mg/kg	0.127	J	0.0194	0.194
S-22	Calcium	mg/kg	338000		320	969
S-22	Chromium	mg/kg	26.5		1.94	5.81
S-22	Cobalt	mg/kg	5.51		0.581	1.94
S-22	Copper	mg/kg	13.1		0.064	0.194
S-22	Iron	mg/kg	7940		64	194
S-22	Lead	mg/kg	2.91		0.0969	0.388
S-22	Magnesium	mg/kg	26800		19.4	58.1
S-22	Manganese	mg/kg	179		1.94	9.69
S-22	Nickel	mg/kg	61.8		0.969	3.88
S-22	Potassium	mg/kg	100		15.5	58.1
S-22	Selenium	mg/kg	0.32	U	0.32	0.969
S-22	Silver	mg/kg	1.88	J	0.931	4.66

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-22	Sodium	mg/kg	2090		155	484
S-22	Thallium	mg/kg	0.0581	U	0.0581	0.388
S-22	Uranium	mg/kg	1.28		0.0128	0.0388
S-22	Vanadium	mg/kg	10.3		0.0931	0.466
S-22	Zinc	mg/kg	126		0.388	1.94
S-23	Aluminum	mg/kg	2270		29.7	99
S-23	Antimony	mg/kg	0.936	J	0.327	0.99
S-23	Arsenic	mg/kg	5.97		0.198	0.99
S-23	Barium	mg/kg	7.97		0.099	0.396
S-23	Beryllium	mg/kg	0.0515	J	0.0198	0.099
S-23	Cadmium	mg/kg	0.111	J	0.0198	0.198
S-23	Calcium	mg/kg	342000		327	990
S-23	Chromium	mg/kg	22.2		1.98	5.94
S-23	Cobalt	mg/kg	4.04		0.594	1.98
S-23	Copper	mg/kg	7.07		0.0653	0.198
S-23	Iron	mg/kg	7670		65.3	198
S-23	Lead	mg/kg	3.03		0.099	0.396
S-23	Magnesium	mg/kg	24600		19.8	59.4
S-23	Manganese	mg/kg	118		1.98	9.9
S-23	Nickel	mg/kg	42.4		0.99	3.96
S-23	Potassium	mg/kg	158	U	158	594
S-23	Selenium	mg/kg	0.327	U	0.327	0.99
S-23	Silver	mg/kg	2.28	J	0.99	4.95
S-23	Sodium	mg/kg	2030		158	495
S-23	Thallium	mg/kg	0.0594	U	0.0594	0.396
S-23	Uranium	mg/kg	0.997		0.0131	0.0396
S-23	Vanadium	mg/kg	9.21		0.099	0.495
S-23	Zinc	mg/kg	759		3.96	19.8
S-24	Aluminum	mg/kg	5370		2.8	9.33
S-24	Antimony	mg/kg	1.37		0.321	0.973
S-24	Arsenic	mg/kg	27.4		0.187	0.933
S-24	Barium	mg/kg	12.1		0.0933	0.373
S-24	Beryllium	mg/kg	0.0938		0.0187	0.0933
S-24	Cadmium	mg/kg	0.423		0.0187	0.187
S-24	Calcium	mg/kg	269000		308	933
S-24	Chromium	mg/kg	47.1		0.187	0.56
S-24	Cobalt	mg/kg	16.3		0.056	0.187
S-24	Copper	mg/kg	11		0.0616	0.187
S-24	Iron	mg/kg	19100		61.6	187
S-24	Lead	mg/kg	11.5		0.0933	0.373
S-24	Magnesium	mg/kg	33600		18.7	56
S-24	Manganese	mg/kg	403		1.87	9.33
S-24	Nickel	mg/kg	209		0.933	3.73
S-24	Potassium	mg/kg	136		14.9	56
S-24	Selenium	mg/kg	0.308	U	0.308	0.933

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-24	Silver	mg/kg	0.973	U	0.973	4.86
S-24	Sodium	mg/kg	2000		14.9	46.6
S-24	Thallium	mg/kg	0.056	U	0.056	0.373
S-24	Uranium	mg/kg	1.45		0.0123	0.0373
S-24	Vanadium	mg/kg	31.9		0.0973	0.486
S-24	Zinc	mg/kg	291		0.373	1.87
S-25	Aluminum	mg/kg	6630		2.77	9.23
S-25	Antimony	mg/kg	0.416	J	0.313	0.949
S-25	Arsenic	mg/kg	62.8		0.185	0.923
S-25	Barium	mg/kg	28.4		0.0923	0.369
S-25	Beryllium	mg/kg	0.124		0.0185	0.0923
S-25	Cadmium	mg/kg	0.358		0.0185	0.185
S-25	Calcium	mg/kg	254000		304	923
S-25	Chromium	mg/kg	47.1		0.185	0.554
S-25	Cobalt	mg/kg	17.3		0.0554	0.185
S-25	Copper	mg/kg	11.8		0.609	1.85
S-25	Iron	mg/kg	20300		60.9	185
S-25	Lead	mg/kg	30.7		0.0923	0.369
S-25	Magnesium	mg/kg	32800		18.5	55.4
S-25	Manganese	mg/kg	422		1.85	9.23
S-25	Nickel	mg/kg	219		0.923	3.69
S-25	Potassium	mg/kg	286		14.8	55.4
S-25	Selenium	mg/kg	0.304	U	0.304	0.923
S-25	Silver	mg/kg	1.49	J	0.949	4.74
S-25	Sodium	mg/kg	2280		14.8	46.1
S-25	Thallium	mg/kg	0.0554	U	0.0554	0.369
S-25	Uranium	mg/kg	1.34		0.0122	0.0369
S-25	Vanadium	mg/kg	32.6		0.0949	0.474
S-25	Zinc	mg/kg	170		0.369	1.85
S-26	Aluminum	mg/kg	5560		3	10
S-26	Antimony	mg/kg	1.35		0.325	0.986
S-26	Arsenic	mg/kg	53		0.2	1
S-26	Barium	mg/kg	11.4		0.1	0.4
S-26	Beryllium	mg/kg	0.0862	J	0.02	0.1
S-26	Cadmium	mg/kg	0.437		0.02	0.2
S-26	Calcium	mg/kg	293000		330	1000
S-26	Chromium	mg/kg	40		0.2	0.6
S-26	Cobalt	mg/kg	12		0.06	0.2
S-26	Copper	mg/kg	12.3		0.066	0.2
S-26	Iron	mg/kg	16300		66	200
S-26	Lead	mg/kg	4.88		0.1	0.4
S-26	Magnesium	mg/kg	24300		20	60
S-26	Manganese	mg/kg	333		2	10
S-26	Nickel	mg/kg	133		1	4
S-26	Potassium	mg/kg	142		16	60

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-26	Selenium	mg/kg	0.33	U	0.33	1
S-26	Silver	mg/kg	0.986	U	0.986	4.93
S-26	Sodium	mg/kg	1950		16	50
S-26	Thallium	mg/kg	0.06	U	0.06	0.4
S-26	Uranium	mg/kg	1.35		0.0132	0.04
S-26	Vanadium	mg/kg	27.7		0.0986	0.493
S-26	Zinc	mg/kg	278		0.4	2
S-27	Aluminum	mg/kg	6740		29.1	96.9
S-27	Aluminum	mg/kg	6180		2.9	9.67
S-27	Antimony	mg/kg	0.329	U	0.329	0.998
S-27	Antimony	mg/kg	0.649	J	0.291	0.882
S-27	Arsenic	mg/kg	15.2		0.193	0.967
S-27	Arsenic	mg/kg	9.93		0.194	0.969
S-27	Barium	mg/kg	7.98		0.0967	0.387
S-27	Barium	mg/kg	15.8		0.0969	0.388
S-27	Beryllium	mg/kg	0.116		0.0194	0.0969
S-27	Beryllium	mg/kg	0.103		0.0193	0.0967
S-27	Cadmium	mg/kg	0.312		0.0194	0.194
S-27	Cadmium	mg/kg	0.366		0.0193	0.193
S-27	Calcium	mg/kg	269000		319	967
S-27	Calcium	mg/kg	297000		320	969
S-27	Chromium	mg/kg	35		1.94	5.81
S-27	Chromium	mg/kg	46		0.193	0.58
S-27	Cobalt	mg/kg	14.8		0.058	0.193
S-27	Cobalt	mg/kg	11.9		0.581	1.94
S-27	Copper	mg/kg	9.6		0.064	0.194
S-27	Copper	mg/kg	10.8		0.0638	0.193
S-27	Iron	mg/kg	19600		63.8	193
S-27	Iron	mg/kg	11700		64	194
S-27	Lead	mg/kg	1.29		0.0969	0.388
S-27	Lead	mg/kg	1.63		0.0967	0.387
S-27	Magnesium	mg/kg	23900		19.4	58.1
S-27	Magnesium	mg/kg	28500		19.3	58
S-27	Manganese	mg/kg	234		1.94	9.69
S-27	Manganese	mg/kg	362		1.93	9.67
S-27	Nickel	mg/kg	87.1		0.969	3.88
S-27	Nickel	mg/kg	174		0.967	3.87
S-27	Potassium	mg/kg	216		15.5	58.1
S-27	Potassium	mg/kg	183		15.5	58
S-27	Selenium	mg/kg	0.319	U	0.319	0.967
S-27	Selenium	mg/kg	0.32	U	0.32	0.969
S-27	Silver	mg/kg	0.998	U	0.998	4.99
S-27	Silver	mg/kg	2.82	J	0.882	4.41
S-27	Sodium	mg/kg	1980		15.5	48.4
S-27	Sodium	mg/kg	2290		155	484

TABLE E-2. Non-radiological Results for On-Site Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-27	Thallium	mg/kg	0.058	U	0.058	0.387
S-27	Thallium	mg/kg	0.0581	U	0.0581	0.388
S-27	Uranium	mg/kg	1.4		0.0128	0.0388
S-27	Uranium	mg/kg	1.48		0.0128	0.0387
S-27	Vanadium	mg/kg	30		0.0998	0.499
S-27	Vanadium	mg/kg	19.7		0.0882	0.441
S-27	Zinc	mg/kg	3140		3.87	19.3
S-27	Zinc	mg/kg	49.6		0.388	1.94
S-28	Aluminum	mg/kg	13100		14.6	48.8
S-28	Antimony	mg/kg	1.38		0.326	0.988
S-28	Arsenic	mg/kg	15.9		0.195	0.977
S-28	Barium	mg/kg	151		0.0977	0.391
S-28	Beryllium	mg/kg	0.274	J	0.0977	0.488
S-28	Cadmium	mg/kg	0.424		0.0195	0.195
S-28	Calcium	mg/kg	261000		322	977
S-28	Chromium	mg/kg	49.2		0.977	2.93
S-28	Cobalt	mg/kg	20.2		0.293	0.977
S-28	Copper	mg/kg	413		0.645	1.95
S-28	Iron	mg/kg	39600		32.2	97.7
S-28	Lead	mg/kg	9.03		0.0977	0.391
S-28	Magnesium	mg/kg	24500		19.5	58.6
S-28	Manganese	mg/kg	878		0.977	4.88
S-28	Nickel	mg/kg	99.8		0.488	1.95
S-28	Potassium	mg/kg	1020		78.1	293
S-28	Selenium	mg/kg	0.322	U	0.322	0.977
S-28	Silver	mg/kg	0.0988	U	0.0988	0.494
S-28	Sodium	mg/kg	2100		78.1	244
S-28	Thallium	mg/kg	0.0586	U	0.0586	0.391
S-28	Uranium	mg/kg	1.68		0.0606	0.183
S-28	Vanadium	mg/kg	40		0.0988	0.494
S-28	Zinc	mg/kg	455		1.83	9.17

NOTES:

J = Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL.

MDL = Method detection limit.

mg/kg = milligram per kilogram

PQL = Practical quantitation limit.

U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-07	Aluminum	092486-002	mg/kg	3610		14.6	48.8
C-07	Aluminum	092487-002	mg/kg	2860		14.7	48.9
C-07	Aluminum	092488-002	mg/kg	2880		14.1	46.9
	Aluminum Average			3116.67			
	Aluminum StdDev			427.36			
	CV%			13.71			
C-07	Antimony	092486-002	mg/kg	0.576	J	0.315	0.954
C-07	Antimony	092487-002	mg/kg	0.315	U	0.315	0.956
C-07	Antimony	092488-002	mg/kg	0.328	U	0.328	0.994
	Antimony Average			0.41			
	Antimony StdDev			0.15			
	CV%			36.20			
C-07	Arsenic	092486-002	mg/kg	7.65		0.977	4.88
C-07	Arsenic	092487-002	mg/kg	9.11		0.978	4.89
C-07	Arsenic	092488-002	mg/kg	10		0.188	0.938
	Arsenic Average			8.92			
	Arsenic StdDev			1.19			
C-07	Barium	092486-002	mg/kg	8.12		0.0977	0.391
C-07	Barium	092487-002	mg/kg	8.17		0.0978	0.391
C-07	Barium	092488-002	mg/kg	8.42		0.0938	0.375
	Barium Average			8.24			
	Barium StdDev			0.16			
	CV%			1.95			
C-07	Beryllium	092486-002	mg/kg	0.0977	U	0.0977	0.488
C-07	Beryllium	092487-002	mg/kg	0.0978	U	0.0978	0.489
C-07	Beryllium	092488-002	mg/kg	0.0938	U	0.0938	0.469
	Beryllium Average			0.10			
	Beryllium StdDev			0.00			
	CV%			2.37			
C-07	Cadmium	092486-002	mg/kg	0.0977	U	0.0977	0.977
C-07	Cadmium	092487-002	mg/kg	0.11	J	0.0978	0.978
C-07	Cadmium	092488-002	mg/kg	0.0927	J	0.0188	0.188

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Cadmium Average			0.10			
	Cadmium StdDev			0.01			
	CV%			8.89			
C-07	Calcium	092486-002	mg/kg	294000		322	977
C-07	Calcium	092487-002	mg/kg	310000		323	978
C-07	Calcium	092488-002	mg/kg	309000		310	938
	Calcium Average			304333.33			
	Calcium StdDev			8962.89			
	CV%			2.95			
C-07	Chromium	092486-002	mg/kg	40.1		0.977	2.93
C-07	Chromium	092487-002	mg/kg	53.1		0.978	2.94
C-07	Chromium	092488-002	mg/kg	46.2		0.938	2.81
	Chromium Average			46.47			
	Chromium StdDev			6.50			
	CV%			14.00			
C-07	Cobalt	092486-002	mg/kg	10.5		0.293	0.977
C-07	Cobalt	092487-002	mg/kg	17		0.294	0.978
C-07	Cobalt	092488-002	mg/kg	12.5		0.281	0.938
	Cobalt Average			13.33			
	Cobalt StdDev			3.33			
	CV%			24.97			
C-07	Copper	092486-002	mg/kg	5.23		0.322	0.977
C-07	Copper	092487-002	mg/kg	5.31		0.323	0.978
C-07	Copper	092488-002	mg/kg	4.78		0.31	0.938
	Copper Average			5.11			
	Copper StdDev			0.29			
	CV%			5.59			
C-07	Iron	092486-002	mg/kg	9880		32.2	97.7
C-07	Iron	092487-002	mg/kg	13200		32.3	97.8
C-07	Iron	092488-002	mg/kg	11300		31	93.8
	Iron Average			11460.00			
	Iron StdDev			1665.77			

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	CV%			14.54			
C-07	Lead	092486-002	mg/kg	0.354	J	0.0977	0.391
C-07	Lead	092487-002	mg/kg	0.404		0.0978	0.391
C-07	Lead	092488-002	mg/kg	0.395		0.0938	0.375
	Lead Average			0.38			
	Lead StdDev			0.03			
	CV%			6.93			
C-07	Magnesium	092486-002	mg/kg	30000		19.5	58.6
C-07	Magnesium	092487-002	mg/kg	41700		19.6	58.7
C-07	Magnesium	092488-002	mg/kg	39500		18.8	56.3
	Magnesium Average			37066.67			
	Magnesium StdDev			6217.98			
	CV%			16.78			
C-07	Manganese	092486-002	mg/kg	186		0.977	4.88
C-07	Manganese	092487-002	mg/kg	281		0.978	4.89
C-07	Manganese	092488-002	mg/kg	222		0.938	4.69
	Manganese Average			229.67			
	Manganese StdDev			47.96			
	CV%			20.88			
C-07	Nickel	092486-002	mg/kg	134		0.488	1.95
C-07	Nickel	092487-002	mg/kg	201		0.489	1.96
C-07	Nickel	092488-002	mg/kg	168		0.469	1.88
	Nickel Average			167.67			
	Nickel StdDev			33.50			
	CV%			19.98			
C-07	Potassium	092486-002	mg/kg	171	J	78.1	293
C-07	Potassium	092487-002	mg/kg	147	J	78.3	294
C-07	Potassium	092488-002	mg/kg	160	J	75	281
	Potassium Average			159.33			
	Potassium StdDev			12.01			
	CV%			7.54			
C-07	Selenium	092486-002	mg/kg	1.61	U	1.61	4.88

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
C-07	Selenium	092487-002	mg/kg	1.61	U	1.61	4.89
C-07	Selenium	092488-002	mg/kg	0.31	U	0.31	0.938
	Selenium Average			1.18			
	Selenium StdDev			0.75			
	CV%			63.79			
C-07	Silver	092486-002	mg/kg	0.954	U	0.954	4.77
C-07	Silver	092487-002	mg/kg	0.956	U	0.956	4.78
C-07	Silver	092488-002	mg/kg	0.994	U	0.994	4.97
	Silver Average			0.97			
	Silver StdDev			0.02			
	CV%			2.33			
C-07	Sodium	092486-002	mg/kg	2180		78.1	244
C-07	Sodium	092487-002	mg/kg	2030		78.3	245
C-07	Sodium	092488-002	mg/kg	2080		75	235
	Sodium Average			2096.67			
	Sodium StdDev			76.38			
	CV%			3.64			
C-07	Thallium	092486-002	mg/kg	0.0586	U	0.0586	0.391
C-07	Thallium	092487-002	mg/kg	0.0587	U	0.0587	0.391
C-07	Thallium	092488-002	mg/kg	0.0563	U	0.0563	0.375
	Thallium Average			0.06			
	Thallium StdDev			0.00			
	CV%			2.35			
C-07	Uranium	092486-002	mg/kg	1.14		0.0635	0.192
C-07	Uranium	092487-002	mg/kg	1.13		0.0621	0.188
C-07	Uranium	092488-002	mg/kg	1.2		0.0638	0.193
	Uranium Average			1.16			
	Uranium StdDev			0.04			
	CV%			3.27			
C-07	Vanadium	092486-002	mg/kg	11		0.0954	0.477
C-07	Vanadium	092487-002	mg/kg	12.1		0.0956	0.478
C-07	Vanadium	092488-002	mg/kg	11.3		0.0994	0.497

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Vanadium Average			11.47			
	Vanadium StdDev			0.57			
	CV%			4.96			
C-07	Zinc	092486-002	mg/kg	15.4		1.92	9.62
C-07	Zinc	092487-002	mg/kg	13.7		1.88	9.42
C-07	Zinc	092488-002	mg/kg	12.5		1.93	9.67
	Zinc Average			13.87			
	Zinc StdDev			1.46			
	CV%			10.51			
S-25	Aluminum	092474-002	mg/kg	6630		2.77	9.23
S-25	Aluminum	092475-002	mg/kg	6380		2.84	9.47
S-25	Aluminum	092476-002	mg/kg	5960		2.85	9.49
	Aluminum Average			6323.33			
	Aluminum StdDev			338.58			
	CV%			5.35			
S-25	Antimony	092474-002	mg/kg	0.416	J	0.313	0.949
S-25	Antimony	092475-002	mg/kg	0.598	J	0.319	0.967
S-25	Antimony	092476-002	mg/kg	0.996		0.322	0.975
	Antimony Average			0.67			
	Antimony StdDev			0.30			
	CV%			44.27			
S-25	Arsenic	092474-002	mg/kg	62.8		0.185	0.923
S-25	Arsenic	092475-002	mg/kg	70.4		0.189	0.947
S-25	Arsenic	092476-002	mg/kg	59.5		0.19	0.949
	Arsenic Average			64.23			
	Arsenic StdDev			5.59			
	CV%			8.70			
S-25	Barium	092474-002	mg/kg	28.4		0.0923	0.369
S-25	Barium	092475-002	mg/kg	21.7		0.0947	0.379
S-25	Barium	092476-002	mg/kg	30.2		0.0949	0.38
	Barium Average			26.77			
	Barium StdDev			4.48			

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	CV%			16.73			
S-25	Beryllium	092474-002	mg/kg	0.124		0.0185	0.0923
S-25	Beryllium	092475-002	mg/kg	0.107		0.0189	0.0947
S-25	Beryllium	092476-002	mg/kg	0.108		0.019	0.0949
	Beryllium Average			0.11			
	Beryllium StdDev			0.01			
	CV%			8.44			
S-25	Cadmium	092474-002	mg/kg	0.358		0.0185	0.185
S-25	Cadmium	092475-002	mg/kg	0.389		0.0189	0.189
S-25	Cadmium	092476-002	mg/kg	0.428		0.019	0.19
	Cadmium Average			0.39			
	Cadmium StdDev			0.04			
	CV%			8.96			
S-25	Calcium	092474-002	mg/kg	254000		304	923
S-25	Calcium	092475-002	mg/kg	258000		313	947
S-25	Calcium	092476-002	mg/kg	255000		313	949
	Calcium Average			255666.67			
	Calcium StdDev			2081.67			
	CV%			0.81			
S-25	Chromium	092474-002	mg/kg	47.1		0.185	0.554
S-25	Chromium	092475-002	mg/kg	51.4		0.189	0.568
S-25	Chromium	092476-002	mg/kg	56.9		0.19	0.569
	Chromium Average			51.80			
	Chromium StdDev			4.91			
	CV%			9.48			
S-25	Cobalt	092474-002	mg/kg	17.3		0.0554	0.185
S-25	Cobalt	092475-002	mg/kg	18.4		0.0568	0.189
S-25	Cobalt	092476-002	mg/kg	18.6		0.0569	0.19
	Cobalt Average			18.10			
	CV%			97.31			
	Cobalt StdDev			0.70			
S-25	Copper	092474-002	mg/kg	11.8		0.609	1.85

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-25	Copper	092475-002	mg/kg	10.6		0.0625	0.189
S-25	Copper	092476-002	mg/kg	10.8		0.0626	0.19
	Copper Average			11.07			
	Copper StdDev			0.64			
	CV%			5.81			
S-25	Iron	092474-002	mg/kg	20300		60.9	185
S-25	Iron	092475-002	mg/kg	19900		62.5	189
S-25	Iron	092476-002	mg/kg	20000		62.6	190
	Iron Average			20066.67			
	Iron StdDev			208.17			
	CV%			1.04			
S-25	Lead	092474-002	mg/kg	30.7		0.0923	0.369
S-25	Lead	092475-002	mg/kg	47.4		0.0947	0.379
S-25	Lead	092476-002	mg/kg	83.1		0.0949	0.38
	Lead Average			53.73			
	Lead StdDev			26.77			
	CV%			49.82			
S-25	Magnesium	092474-002	mg/kg	32800		18.5	55.4
S-25	Magnesium	092475-002	mg/kg	34400		18.9	56.8
S-25	Magnesium	092476-002	mg/kg	35700		19	56.9
	Magnesium Average			34300.00			
	Magnesium StdDev			1452.58			
	CV%			4.23			
S-25	Manganese	092474-002	mg/kg	422		1.85	9.23
S-25	Manganese	092475-002	mg/kg	379		1.89	9.47
S-25	Manganese	092476-002	mg/kg	379		1.9	9.49
	Manganese Average			393.33			
	Manganese StdDev			24.83			
	CV%			6.31			
S-25	Nickel	092474-002	mg/kg	219		0.923	3.69
S-25	Nickel	092475-002	mg/kg	245		0.947	3.79
S-25	Nickel	092476-002	mg/kg	245		0.949	3.8

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Nickel Average			236.33			
	Nickel StdDev			15.01			
	CV%			6.35			
S-25	Potassium	092474-002	mg/kg	286		14.8	55.4
S-25	Potassium	092475-002	mg/kg	165		15.2	56.8
S-25	Potassium	092476-002	mg/kg	166		15.2	56.9
	Potassium Average			205.67			
	Potassium StdDev			69.57			
	CV%			33.83			
S-25	Selenium	092474-002	mg/kg	0.304	U	0.304	0.923
S-25	Selenium	092475-002	mg/kg	0.313	U	0.313	0.947
S-25	Selenium	092476-002	mg/kg	0.313	U	0.313	0.949
	Selenium Average			0.31			
	Selenium StdDev			0.01			
	CV%			1.68			
S-25	Silver	092474-002	mg/kg	1.49	J	0.949	4.74
S-25	Silver	092475-002	mg/kg	0.967	U	0.967	4.84
S-25	Silver	092476-002	mg/kg	1.71	J	0.975	4.87
	Silver Average			1.39			
	Silver StdDev			0.38			
	CV%			27.48			
S-25	Sodium	092474-002	mg/kg	2280		14.8	46.1
S-25	Sodium	092475-002	mg/kg	2120		15.2	47.3
S-25	Sodium	092476-002	mg/kg	2100		15.2	47.4
	Sodium Average			2166.67			
	Sodium StdDev			98.66			
	CV%			4.55			
S-25	Thallium	092474-002	mg/kg	0.0554	U	0.0554	0.369
S-25	Thallium	092475-002	mg/kg	0.0568	U	0.0568	0.379
S-25	Thallium	092476-002	mg/kg	0.0569	U	0.0569	0.38
	Thallium Average			0.06			
	Thallium StdDev			0.00			

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	CV%			1.49			
S-25	Uranium	092474-002	mg/kg	1.34		0.0122	0.0369
S-25	Uranium	092475-002	mg/kg	1.39		0.0125	0.0379
S-25	Uranium	092476-002	mg/kg	1.35		0.0125	0.038
	Uranium Average			1.36			
	Uranium StdDev			0.03			
	CV%			1.95			
S-25	Vanadium	092474-002	mg/kg	32.6		0.0949	0.474
S-25	Vanadium	092475-002	mg/kg	31.3		0.0967	0.484
S-25	Vanadium	092476-002	mg/kg	35.3		0.0975	0.487
	Vanadium Average			33.07			
	Vanadium StdDev			2.04			
	CV%			6.17			
S-25	Zinc	092474-002	mg/kg	170		0.369	1.85
S-25	Zinc	092475-002	mg/kg	187		0.379	1.89
S-25	Zinc	092476-002	mg/kg	244		0.38	1.9
	Zinc Average			200.33			
	Zinc StdDev			38.76			
	CV%			19.35			
S-27	Aluminum	092468-002	mg/kg	6740		29.1	96.9
S-27	Aluminum	092469-002	mg/kg	7060		29.4	97.8
S-27	Aluminum	092470-002	mg/kg	7330		29.4	97.8
	Aluminum Average			7043.33			
	Aluminum StdDev			295.35			
	CV%			4.19			
S-27	Antimony	092468-002	mg/kg	0.649	J	0.291	0.882
S-27	Antimony	092469-002	mg/kg	0.364	J	0.319	0.965
S-27	Antimony	092470-002	mg/kg	0.643	J	0.327	0.99
	Antimony Average			0.55			
	CV%			85.85			
	Antimony StdDev			0.16			
S-27	Arsenic	092468-002	mg/kg	9.93		0.194	0.969

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
S-27	Arsenic	092469-002	mg/kg	11.4		0.196	0.978
S-27	Arsenic	092470-002	mg/kg	11.90		0.196	0.978
	Arsenic Average			11.08			
	Arsenic StdDev			1.02			
	CV%			9.24			
S-27	Barium	092468-002	mg/kg	15.80		0.0969	0.388
S-27	Barium	092469-002	mg/kg	19.4		0.0978	0.391
S-27	Barium	092470-002	mg/kg	12.7		0.0978	0.391
	Barium Average			15.97			
	Barium StdDev			3.35			
	CV%			21.00			
S-27	Beryllium	092468-002	mg/kg	0.116		0.0194	0.0969
S-27	Beryllium	092469-002	mg/kg	0.107		0.0196	0.0978
S-27	Beryllium	092470-002	mg/kg	0.102		0.0196	0.0978
	Beryllium Average			0.11			
	Beryllium StdDev			0.01			
	CV%			6.55			
S-27	Cadmium	092468-002	mg/kg	0.312		0.0194	0.194
S-27	Cadmium	092469-002	mg/kg	0.343		0.0196	0.196
S-27	Cadmium	092470-002	mg/kg	0.306		0.0196	0.196
	Cadmium Average			0.32			
	Cadmium StdDev			0.02			
	CV%			6.20			
S-27	Calcium	092468-002	mg/kg	297000		320	969
S-27	Calcium	092469-002	mg/kg	282000		323	978
S-27	Calcium	092470-002	mg/kg	295000		323	978
	Calcium Average			291333.33			
	Calcium StdDev			8144.53			
	CV%			2.80			
S-27	Chromium	092468-002	mg/kg	35		1.94	5.81
S-27	Chromium	092469-002	mg/kg	39.2		1.96	5.87
S-27	Chromium	092470-002	mg/kg	42.8		1.96	5.87

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	Chromium Average			39.00			
	Chromium StdDev			3.90			
	CV%			10.01			
S-27	Cobalt	092468-002	mg/kg	11.9		0.581	1.94
S-27	Cobalt	092469-002	mg/kg	16.2		0.587	1.96
S-27	Cobalt	092470-002	mg/kg	13.6		0.587	1.96
	Cobalt Average			13.90			
	Cobalt StdDev			2.17			
	CV%			15.58			
S-27	Copper	092468-002	mg/kg	9.6		0.064	0.194
S-27	Copper	092469-002	mg/kg	10.7		0.0646	0.196
S-27	Copper	092470-002	mg/kg	9		0.0646	0.196
	Copper Average			9.77			
	Copper StdDev			0.86			
	CV%			8.83			
S-27	Iron	092468-002	mg/kg	11700		64	194
S-27	Iron	092469-002	mg/kg	13300		64.6	196
S-27	Iron	092470-002	mg/kg	14400		64.6	196
	Iron Average			13133.33			
	Iron StdDev			1357.69			
	CV%			10.34			
S-27	Lead	092468-002	mg/kg	1.29		0.0969	0.388
S-27	Lead	092469-002	mg/kg	1.58		0.0978	0.391
S-27	Lead	092470-002	mg/kg	1.25		0.0978	0.391
	Lead Average			1.37			
	Lead StdDev			0.18			
	CV%			13.11			
S-27	Magnesium	092468-002	mg/kg	23900		19.4	58.1
S-27	Magnesium	092469-002	mg/kg	23500		19.6	58.7
S-27	Magnesium	092470-002	mg/kg	25900		19.6	58.7
	Magnesium Average			24433.33			
	Magnesium StdDev			1285.82			

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data			
				Result	Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
	CV%			5.26			
S-27	Manganese	092468-002	mg/kg	234		1.94	9.69
S-27	Manganese	092469-002	mg/kg	257		1.96	9.78
S-27	Manganese	092470-002	mg/kg	272		1.96	9.78
	Manganese Average			254.33			
	Manganese StdDev			19.14			
	CV%			7.53			
S-27	Nickel	092468-002	mg/kg	87.1		0.969	3.88
S-27	Nickel	092469-002	mg/kg	101		0.978	3.91
S-27	Nickel	092470-002	mg/kg	120		0.978	3.91
	Nickel Average			102.70			
	Nickel StdDev			16.52			
	CV%			16.08			
S-27	Potassium	092468-002	mg/kg	216		15.5	58.1
S-27	Potassium	092469-002	mg/kg	214		15.7	58.7
S-27	Potassium	092470-002	mg/kg	182		15.7	58.7
	Potassium Average			204.00			
	Potassium StdDev			19.08			
	CV%			9.35			
S-27	Selenium	092468-002	mg/kg	0.32	U	0.32	0.969
S-27	Selenium	092469-002	mg/kg	0.323	U	0.323	0.978
S-27	Selenium	092470-002	mg/kg	0.323	U	0.323	0.978
	Selenium Average			0.32			
	Selenium StdDev			0.00			
	CV%			0.54			
S-27	Silver	092468-002	mg/kg	2.82	J	0.882	4.41
S-27	Silver	092469-002	mg/kg	1.9	J	0.965	4.83
S-27	Silver	092470-002	mg/kg	2.1	J	0.99	4.95
	Silver Average			2.27			
	Silver StdDev			0.48			
	CV%			21.28			
S-27	Sodium	092468-002	mg/kg	2290		155	484

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Lab Data		Decision Level (MDL)	Detection Limit (PQL)
				Result	Qualifiers		
S-27	Sodium	092469-002	mg/kg	3560		157	489
S-27	Sodium	092470-002	mg/kg	2260		157	489
	Sodium Average			2703.33			
	Sodium StdDev			742.05			
	CV%			27.45			
S-27	Thallium	092468-002	mg/kg	0.0581	U	0.0581	0.388
S-27	Thallium	092469-002	mg/kg	0.0587	U	0.0587	0.391
S-27	Thallium	092470-002	mg/kg	0.0587	U	0.0587	0.391
	Thallium Average			0.06			
	Thallium StdDev			0.00			
	CV%			0.59			
S-27	Uranium	092468-002	mg/kg	1.4		0.0128	0.0388
S-27	Uranium	092469-002	mg/kg	1.37		0.0129	0.0391
S-27	Uranium	092470-002	mg/kg	1.46		0.0129	0.0391
	Uranium Average			1.41			
	Uranium StdDev			0.05			
	CV%			3.25			
S-27	Vanadium	092468-002	mg/kg	19.7		0.0882	0.441
S-27	Vanadium	092469-002	mg/kg	23.6		0.0965	0.483
S-27	Vanadium	092470-002	mg/kg	23.5		0.099	0.495
	Vanadium Average			22.27			
	Vanadium StdDev			2.22			
S-27	Zinc	092468-002	mg/kg	49.6		0.388	1.94
S-27	Zinc	092469-002	mg/kg	57.4		0.391	1.96
S-27	Zinc	092470-002	mg/kg	41.4		0.391	1.96
	Zinc Average			49.47			
	Zinc StdDev			8.00			
	CV%			16.17			

NOTES:

Table E-3. Non-radiological Replicate Sampling for Soil Sampling Locations at Kauai Test Facility, 2012

Location	Analyte	Sample ID	Units	Result	Lab Data Qualifiers	Decision Level (MDL)	Detection Limit (PQL)
<p>CV = coefficient of variation J = Estimated value, the analyte concentration fell above the effective MDL and below the effective PQL. MDL = Method detection limit. mg/kg = milligram per kilogram PQL = Practical quantitation limit. Std Dev = standard deviation U = The analyte was analyzed for, but not detected. For organic and inorganic analytes the result is less than the effective MDL concentration.</p>							

