

MASTER BIBLIOGRAPHY

Amphipoda of the Northeast Pacific: I-XXIX

[note: WoRMS webpages are not cited here, and should be sought on-line by taxon]

- Abbott, I. A. and G. J. Hollenberg (1976). Marine algae of California. Stanford, California, USA, Stanford University Press.
- Abessa, D. M. S. and E. C. P. M. Sousa (2003). "Sensitivity of the amphipod *Tiburonella viscana* (Platyischnopidae) to K₂CR₂O₇." Brazilian Archives of Biology and Technology **46**(1): 53-55.
- Abessa, D. M. S., E. C. P. M. Sousa, et al. (1998). "Use of the burrowing amphipod *Tiburonella viscana* as a tool in marine sediments contamination assessment." Brazilian Archives of Biology and Technology **41**(2): 225-230.
- Abrams, P. A., C. Hill, et al. (1990). "The functional response of the predatory polychaete, *Harmothoe sarsi*, to the amphipod, *Pontoporeia affinis*." Oikos **59**: 251-269.
- Alarcón-Ortega, L. C., J. M. Guerra-Garcia, et al. (2012). "Feeding habits of caprellids (Crustacea: Amphipoda) from the west coast of Mexico. Do they feed on their hosting substrates?" Zoologia Baetica **23**: 11-20.
- Alderman, A. L. (1936). "Some new and little known amphipods of California." University of California Publications in Zoology **41**(7): 53-74.
- Alonso de Pina, G. M. (1993). "*Pachychelium barnardi*, new species, from Argentina, and the occurrence of other lysianassids on the Argentine continental shelf (Amphipoda: Lysianassidae)." Journal of Crustacean Biology **13**(2): 377-382.
- Alonso de Pina, G. M. (1998). "*Metatiron bonaerensis*, a new species (Crustacea: Amphipoda: Synopiidae) from the southwest Atlantic." Proceedings of the Biological Society of Washington **111**(3): 627-633.
- Alonso de Pina, G. M. (2003). "Two new species of *Metharpinia* Schellenberg (Amphipoda: Phoxocephalidae) from the south-west Atlantic." Journal of Natural History **37**: 2521-2545.
- Alonso de Pina, G. M. (2012). "Amphipod crustaceans (Corophiidea and Gammaridea) associated with holdfasts of *Macrocystis pyrifera* from the Beagle Channel (Argentina) and additional records from the Southwestern Atlantic." Journal of Natural History **46**(29-30): 1799-1894.
- Ambrose, D. A. (1976). The distribution, abundance, and feeding ecology of four species of flatfish in the vicinity of Elkhorn Slough, California. MA, California State University San Jose.
- Ambrose, W. G. J. (1984). "Increased emigration of the amphipod *Rhepoxynius abronius* (Barnard) and the polychaete *Nephtys caeca* (Fabricius) in the presence of invertebrate predators." Journal of Experimental Marine biology and Ecology **80**: 67-75.
- Ambrose, W. G. J. (1986). "Experimental analysis of the density dependent emigration of the amphipod *Rhepoxynius abronius*." Marine Behaviour and Physiology **12**: 209-216.

- Andres, H. G. (1977). "Gammaridea (Crustacea, Amphipoda) aus dem Iberischen Tiefseebecken Auswertung des Materials der Fahrten 3 und 15 von F. S. "Meteor"." Meteor Forschungs-Ergebnisse, reihe D **25**: 54-67.
- Andres, H. G. (1979). "*Paracorophium hartmannorum* sp. n. aus dem Eulitoral der chilenischen Pazifikküste (Crustacea, Amphipoda)." Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut **76**: 381-385.
- Andres, H. G. (1996). "A new pelagic eusirid amphipod, *Eusirus meteorae*, from the tropical NE-Atlantic (Crustacea, Gammaridea)." Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut **93**: 83-90.
- Andres, H. G. (1997). "First record of the taxon *Astyra* Boeck, 1871 from Antarctica (Crustacea, Gammaridea)." Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut **94**: 81-89.
- Andres, H. G. and N. Lott (1986). "Where to place *Eclysis similis* K. H. Barnard, 1932? Hints at its relationships and remarks on the systematic position of the Astyridae (Crustacea: Amphipoda)." Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut **83**: 131-137.
- Andres, H. G. and M. Rauschert (1990). "*Paradyopedos*, eine neue Gattung der Podoceridae aus der Antarktis (Crustacea: Amphipoda: Gammaridea)." Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut **87**: 171-179.
- Ansell, A. D. (1969). "Association of the amphipod *Acidostoma neglectum* Dahl with the anthozoan *Peachia hastata* Gosse." Journal of Natural History **3**(5): 345-347.
- Antrim, B. (1982). Habitat and food resource utilization of three species of embiotocids in Elkhorn Slough, Monterey Bay, California. MA, California State University Fresno.
- Aoki, M. and T. Kikuchi (1995). "Notes on *Caprella andreae* Mayer, 1890 (Crustacea, Amphipoda) from the carapace of loggerhead sea turtles in the East China Sea and in Kyushu, Japan." Proceedings of the Japanese Society of Systematic Zoology **53**: 54-61.
- Appadoo, C. and A. A. Myers (2003). "Observations on the tube-building behaviour of the marine amphipod *Cymadusa filosa* Savigny (Crustacea: Ampithoidae)." Journal of Natural History **37**(18): 2151-2164.
- Aravind, N. P., P. Sheeba, et al. (2007). "Life history and population dynamics of an estuarine amphipod, *Eriopisa chilensis* Chilton (Gammaridae)." Estuarine Coastal and Shelf Science **74**: 87-95.
- Arimoto, I. (1970). "Two new genera and three new species of caprellids (Amphipoda: Caprellidae) from the Arabian Sea." Bulletin of the Biogeographical Society of Japan **24**(11).
- Arimoto, I. (1976). "Taxonomic studies of caprellids (Crustacea, Amphipoda, Caprellidae) found in the Japanese and adjacent waters." Special Publications from the Seto Marine Biological Laboratory, Series III: 1-229.
- Ariyama, H. (1996). "Four species of the genus *Grandidierella* (Crustacea: Amphipoda: Aoridae) from Osaka Bay and the northern part of the Kii Channel, Central Japan." Publications of the Seto Marine Biological Laboratory **37**(1/2): 167-191.

- Ariyama, H. (2004). "Nine species of the genus *Aoroides* (Crustacea: Amphipoda: Aoridae) from Osaka bay, Central Japan." Publications of the Seto Marine Biological Laboratory **40**: 1-66.
- Armstrong, J. W., C. P. Staude, et al. (1976). "Habitats and relative abundance of the intertidal macrofauna at five Puget Sound beaches in the Seattle Area." Syesis **9**(277-290).
- Arndt, C. E., J. Berge, et al. (2005). "Mouthpart-atlas of Arctic sympagic amphipods - trophic niche separation based on mouthpart morphology and feeding ecology." Journal of Crustacean Biology **25**(3): 401-412.
- Arndt, W. (1933). "Die biologischen Beziehungen zwischen Schwämmen und Krebsen." Mitteilungen aus dem Zoologischen Museum in Berlin **19**: 221-305.
- Arvai, J. L., C. D. Levings, et al. (2002). "Improvement of the sediment ecosystem following diversion of an intertidal sewage outfall at the Fraser River Estuary, Canada, with emphasis on *Corophium salmonis* (Amphipoda)." Marine Pollution Bulletin **44**: 511-519.
- Ashelby, C. W. (2006). "Records of the introduced amphipod *Grandidierella japonica* Stephensen 1938 (Crustacea: Amphipoda: Gammaridea: Aoridae) from the Orwell Estuary, Suffolk." Transactions of the Suffolk Naturalist Society **43**: 48-54.
- Ashton, G. V. (2006). Distribution and dispersal of the non-native caprellid amphipod, *Caprella mutica* Schurin 1935, University of Aberdeen.
- Ashton, G. V., E. I. Riedlecker, et al. (2008). "First non-native crustacean established in coastal waters of Alaska." Aquatic Biology **3**(2): 133-137.
- Ashton, G. V., K. J. Willis, et al. (2007). "Environmental tolerance of *Caprella mutica*: implications for its distribution as a marine non-native species." Marine Environmental Research **64**: 305-313.
- Autio, L., K. Mäkelä, et al. (2003). "Effects of algal sedimentation and *Monoporeia affinis* on nutrient fluxes, pore water profiles and denitrification in sediment microcosms." Boreal Environment Research **8**: 229-243.
- Baeza-Rojano, E. and J. M. Guerra-Garcia (2013). "Life history under laboratory conditions of the caprellids (Crustacea: Amphipoda) from the south of the Iberian Peninsula: *Caprella equilibra* and *Caprella dilatata* (Caprellidae) and *Phtisica marina* (Phtisicidae)." Zoologia Baetica **24**: 155-186.
- Baker, J. H. and J. W. Wong (1968). "*Paradoxostoma rostratum* Sars (Ostracoda, Podocopida) as a commensal on the Arctic gammarid amphipods *Gammaracanthus loricatus* (Sabine) and *Gammarus wilkitzkii* Birula." Crustaceana **14**(3): 307-311.
- Baldinger, A. J. (1992). "Additional records of the bathyal caprellid, *Caprella unguina* Mayer, 1903 (Amphipoda) from the Central California coast." Crustaceana **63**(1): 97-100.
- Baldinger, A. J. (2000). An additional record of *Podocerus chelonophilus* (Chevreux & de Guerne, 1888) (Crustacea: Amphipoda: Podoceridae) from a sea turtle off the coast of Ecuador. Xth International Colloquium on Amphipoda, Heraklion, Crete, Greece, Polskie Archiwum Hydrobiologii.

- Barbeau, M. A. and L. A. Grecian (2003). "Occurrence of intersexuality in the amphipod *Corophium volutator* in the upper Bay of Fundy, Canada." Crustaceana **76**(6): 665-679.
- Barnard, J. L. (1950). "The occurrence of *Chelura terebrans* Philippi in Los Angeles and San Francisco Harbors." Bulletin of the Southern California Academy of Sciences **49**(3): 90-97.
- Barnard, J. L. (1952). "A new amphipod of the genus *Ceradocus* (*Denticeradocus*) from Lower California." Bulletin of the Southern California Academy of Sciences **51**(2): 55-59.
- Barnard, J. L. (1952). "A new species of amphipod from Lower California (genus *Eriopisa*)." Pacific Science **6**(4): 295-299.
- Barnard, J. L. (1952). "Some Amphipoda from central California." The Wasmann Journal of Biology **10**(1): 9-36.
- Barnard, J. L. (1953). "On two new amphipod records from Los Angeles Harbor." Bulletin of the Southern California Academy of Sciences **52**(3): 83-87.
- Barnard, J. L. (1954). "Amphipoda of the family Ampeliscidae collected by the Velero III in the Caribbean Sea." Allan Hancock Atlantic Expeditions(7): 1-12.
- Barnard, J. L. (1954). "Amphipoda of the family Ampeliscidae collected in the eastern Pacific Ocean by the Velero III and Velero IV." Allan Hancock Pacific Expeditions **18**(1): 1-137.
- Barnard, J. L. (1954). "Four species of bathypelagic Gammaridea (Amphipoda) from California." Allan Hancock Foundation Publications, Occasional Paper(13): 52-58.
- Barnard, J. L. (1954). "Marine Amphipoda of Oregon." Oregon State Monographs, Studies in Zoology(8): 1-102.
- Barnard, J. L. (1954). "A new species of *Microjassa* (Amphipoda) from Los Angeles Harbor." Bulletin of the Southern California Academy of Sciences **53**(3): 127-130.
- Barnard, J. L. (1955). "Gammaridean Amphipoda (Crustacea) in the collections of Bishop Museum." Bernice P. Bishop Museum, Bulletin(215): 1-46.
- Barnard, J. L. (1955). "Notes on the amphipod genus *Aruga* with the description of a new species." Bulletin of the Southern California Academy of Sciences **54**(2): 97-103.
- Barnard, J. L. (1955). "Two new spongicolous amphipods (Crustacea) from California." Pacific Science **9**(1): 26-30.
- Barnard, J. L. (1955). The wood boring habits of *Chelura terebrans* Philippi in Los Angeles Harbor. Los Angeles, California, U.S.A., University of Southern California Press.
- Barnard, J. L. (1956). "Two rare amphipods from California with notes on the genus *Atylus*." Bulletin of the Southern California Academy of Sciences **55**(1): 35-43.
- Barnard, J. L. (1957). "New bathypelagic amphipods of the genera *Rhachotropis* and *Lepechinella* with keys to the genera." Bulletin of the Southern California Academy of Sciences **56**(1): 14-20.
- Barnard, J. L. (1957). "A new genus of phoxocephalid Amphipoda (Crustacea) from Africa, India, and California." Annals and Magazine of Natural History, series 12 **10**: 432-438.

- Barnard, J. L. (1958). "Amphipod crustaceans as fouling organisms in Los Angeles-Long Beach Harbors, with reference to the influence of seawater turbidity." California Fish and Game **44**(2): 161-170.
- Barnard, J. L. (1958). "A new genus of dexaminid amphipod (marine Crustacea) from California." Bulletin of the Southern California Academy of Sciences **56**(3): 130-132.
- Barnard, J. L. (1958). "A remarkable new genus of corophiid amphipod from coastal marine bottoms of southern California." Bulletin of the Southern California Academy of Sciences **57**(2): 85-90.
- Barnard, J. L. (1959). "The common pardaliscid Amphipoda of Southern California, with a revision of the family." Pacific Naturalist **1**(11/12): 36-43.
- Barnard, J. L. (1959). "Epipelagic and under-ice Amphipoda of the central Arctic Basin." Air Force Cambridge Research Center Tr-59-232(1): 115-152.
- Barnard, J. L. (1959). "Generic partition in the amphipod family Cheluridae, marine wood borers." Pacific Naturalist **1**(3/4): 3-12.
- Barnard, J. L. (1959). "Liljeborgiid amphipods of Southern California coastal bottoms, with a revision of the family." Pacific Naturalist **1**(3/4): 12-28.
- Barnard, J. L. (1960). "The amphipod family Phoxocephalidae in the Eastern Pacific Ocean, with analyses of other species and notes for a revision of the family." Allan Hancock Pacific Expeditions **18**(3): 175-375.
- Barnard, J. L. (1960). "New bathyal and sublittoral ampeliscid amphipods from California, with an illustrated key to *Ampelisca*." Pacific Naturalist **1**(16/17): 1-37.
- Barnard, J. L. (1961). "Gammaridean Amphipoda from depths of 400 to 6000 meters." Galathea Reports **5**: 23-128.
- Barnard, J. L. (1961). "Relationship of Californian amphipod faunas in Newport Bay and in the open sea." Pacific Naturalist **2**(4): 166-186.
- Barnard, J. L. (1962). "Benthic Marine Amphipoda of Southern California: 1. Families Aoridae, Photidae, Ischyroceridae, Corophiidae, Podoceridae." Pacific Naturalist **3**(1): 3-72.
- Barnard, J. L. (1962). "Benthic marine Amphipoda of Southern California: Family Oedicerotidae." Pacific Naturalist **3**(12): 351-371.
- Barnard, J. L. (1962). "Benthic marine Amphipoda of Southern California; 2. Families Tironidae to Gammaridae." Pacific Naturalist **3**(2): 73-115.
- Barnard, J. L. (1962). "Benthic marine Amphipoda of Southern California; 3. Families Amphilochidae, Leucothoidae, Stenothoidae, Argissidae, Hyalidae." Pacific Naturalist **3**(3): 116-163.
- Barnard, J. L. (1962). "A new species of sand-burrowing marine Amphipoda from California." Bulletin of the Southern California Academy of Sciences **61**(4): 249-252.
- Barnard, J. L. (1963). "Relationship of benthic Amphipoda to invertebrate communities of inshore sub-littoral sands of Southern California." Pacific Naturalist **3**(15): 439-468.
- Barnard, J. L. (1964). "Deep-sea Amphipoda (Crustacea) collected by the R/V 'Vema' in the Eastern Pacific Ocean and the Caribbean and Mediterranean Seas." Bulletin of the American Museum of Natural History **127**(1): 1-46.

- Barnard, J. L. (1964). "Los amfipodos bentonicos marinos de la Costa Occidental de Baja California." Revista Societa Mexicana Historia Natural **24**: 205-274.
- Barnard, J. L. (1964). "Marine Amphipoda of Bahia de San Quintin, Baja California." Pacific Naturalist **4**(3): 55-139.
- Barnard, J. L. (1964). "Revision of some families, genera and species of gammaridean Amphipoda." Crustaceana **7**: 49-74.
- Barnard, J. L. (1964). "Some bathyal Pacific Amphipoda collected by the U.S.S. Albatross." Pacific Science **18**(3): 315-335.
- Barnard, J. L. (1965). "Marine Amphipoda of the Family Ampithoidae from Southern California." Proceedings of the United States National Museum **118**(3522): 1-42.
- Barnard, J. L. (1966). "Benthic Amphipoda of Monterey Bay, California." Proceedings of the United States National Museum **119**(3541): 1-41.
- Barnard, J. L. (1966). "Submarine canyons of Southern California. Part V - Systematics: Amphipoda." Allan Hancock Pacific Expeditions **27**(5): 1-166.
- Barnard, J. L. (1967). "Bathyal and abyssal gammaridean Amphipoda of Cedros Trench, Baja California." United States National Museum, Bulletin(260): 1-205.
- Barnard, J. L. (1967). "New and old dogielinotid marine Amphipoda." Crustaceana **13**(3): 281-291.
- Barnard, J. L. (1967). A new genus of Galapagan amphipod inhabiting the buccal cavity of the sea-turtle, *Chelonia mydas*, Marine Biological Association of India.
- Barnard, J. L. (1967). "New species and records of Pacific Ampeliscidae (Crustacea: Amphipoda)." Proceedings of the United States National Museum **121**(3576): 1-20.
- Barnard, J. L. (1969). "A biological survey of Bahia de los Angeles, Gulf of California, Mexico. IV. Benthic Amphipoda (Crustacea)." Transactions of the San Diego Society of Natural History **15**(13): 175-228.
- Barnard, J. L. (1969). "The families and genera of marine gammaridean Amphipoda." United States National Museum, Bulletin(271): 1-535.
- Barnard, J. L. (1969). "Gammaridean Amphipoda of the rocky intertidal of California: Monterey Bay to La Jolla." United States National Museum, Bulletin(258): 1-230.
- Barnard, J. L. (1970). "The identity of *Dexamonica* and *Prinassus* with a revision of *Dexaminidae* (Amphipoda)." Crustaceana **19**(2): 161-180.
- Barnard, J. L. (1970). "Sublittoral Gammaridea (Amphipoda) of the Hawaiian Islands." Smithsonian Contributions to Zoology(34): 1-286.
- Barnard, J. L. (1971). "Gammaridean Amphipoda from a deep-sea transect off Oregon." Smithsonian Contributions to Zoology(61): 1-86.
- Barnard, J. L. (1972). "Gammaridean Amphipoda of Australia, Part 1." Smithsonian Contributions to Zoology(103): 1-333.
- Barnard, J. L. (1972). "The Marine Fauna of New Zealand: algae-living littoral Gammaridea (Crustacea Amphipoda)." New Zealand Oceanographic Institute Memoir(62): 1-216.
- Barnard, J. L. (1972). "A review of the family Synopiidae (=Tironidae), mainly distributed in the deep sea (Crustacea: Amphipoda)." Smithsonian Contributions to Zoology(124): 1-94.

- Barnard, J. L. (1973). "Deep-sea Amphipoda of the genus *Lepechinella* (Crustacea)." Smithsonian Contributions to Zoology(133): 1-31.
- Barnard, J. L. (1973). "Revision of Corophiidae and related Families (Amphipoda)." Smithsonian Contributions to Zoology(151): 1-27.
- Barnard, J. L. (1974). "Gammaridean Amphipoda of Australia, Part II." Smithsonian Contributions to Zoology(139): 1-148.
- Barnard, J. L. (1975). Identification of gammaridean amphipods. Light's Manual: Intertidal Invertebrates of the Central California Coast, 3rd Ed. R. I. Smith and J. T. Carlton. Berkeley, California, USA, University of California Press: 314-366.
- Barnard, J. L. (1976). "Affinities of *Paraniphargus lelouparum* Monod, a blind anchialine amphipod (Crustacea) from the Galapagos Islands." Proceedings of the Biological Society of Washington **89**(36): 421-432.
- Barnard, J. L. (1977). "A new species of *Synchelidium* (Crustacea, Amphipoda) from sand beaches in California." Proceedings of the Biological Society of Washington **90**(4): 877-883.
- Barnard, J. L. (1979). "Littoral gammaridean Amphipoda from the Gulf of California and the Galapagos Islands." Smithsonian Contributions to Zoology(271): 1-149.
- Barnard, J. L. (1979). "Revision of American species of the marine amphipod genus *Paraphoxus* (Gammaridea: Phoxocephalidae)." Proceedings of the Biological Society of Washington **92**(2): 368-379.
- Barnard, J. L. (1980). "The genus *Grandifoxus* (Crustacea: Amphipoda: Phoxocephalidae) from the northeastern Pacific Ocean." Proceedings of the Biological Society of Washington **93**(2): 490-514.
- Barnard, J. L. (1980). "Revision of *Metharpinia* and *Microphoxus* (marine phoxocephalid Amphipoda from the Americas)." Proceedings of the Biological Society of Washington **93**(1): 104-135.
- Barnard, J. L. and C. M. Barnard (1980). "Two new phoxocephalid genera *Fuegiphoxus* and *Phoxorgia*, from Magellanic South America (Amphipoda: Crustacea)." Proceedings of the Biological Society of Washington **93**(3): 849-874.
- Barnard, J. L. and C. M. Barnard (1981). "The amphipod genera *Eobrolgus* and *Eyakia* (Crustacea: Phoxocephalidae) in the Pacific Ocean." Proceedings of the Biological Society of Washington **94**(1): 295-313.
- Barnard, J. L. and C. M. Barnard (1982). "The genus *Rhepoxynius* (Crustacea: Amphipoda: Phoxocephalidae) in American Seas." Smithsonian Contributions to Zoology(357): 1-49.
- Barnard, J. L. and C. M. Barnard (1982). "Revision of *Foxiphalus* and *Eobrolgus* (Crustacea: Amphipoda: Phoxocephalidae) from American oceans." Smithsonian Contributions to Zoology(372): 1-35.
- Barnard, J. L. and C. M. Barnard (1983). Freshwater Amphipoda of the world, I. Evolutionary patterns and II. Handbook and bibliography. Mr. Vernon, Virginia, U.S.A., Hayfield Associates.
- Barnard, J. L., D. E. Bowers, et al. (1980). Amphipoda: The amphipods and allies. Intertidal Invertebrates of California. R. H. Morris, D. P. Abbott and E. C. Haderlie. Stanford, California, U.S.A., Stanford University Press: 559-566.

- Barnard, J. L. and M. M. Drummond (1978). "Gammaridean Amphipoda of Australia, Part III: The Phoxocephalidae." Smithsonian Contributions to Zoology(245): 1-551.
- Barnard, J. L. and M. M. Drummond (1979). "Gammaridean Amphipoda of Australia, Part IV." Smithsonian Contributions to Zoology(269): 1-69.
- Barnard, J. L. and M. M. Drummond (1984). "Redescription of *Notoediceros tasmaniensis* Bousfield and a note on the synonymy of *Warreyus* Barnard & Drummond with *Exoediceroides* Bousfield (Crustacea: Amphipoda: Exoedicerotidae)." Proceedings of the Royal Society of Victoria **96**(1): 25-32.
- Barnard, J. L. and M. M. Drummond (1992). "*Paracalliope*, a genus of Australian shorelines (Crustacea: Amphipoda: Paracalliopiidae)." Memoirs of the Museum of Victoria **53**(1): 1-29.
- Barnard, J. L. and R. R. Given (1960). "Common pleustid amphipods of Southern California with a projected revision of the family." Pacific Naturalist **1**(17): 37-48.
- Barnard, J. L. and W. S. Gray (1968). "Introduction of an amphipod crustacean into the Salton Sea, California." Bulletin of the Southern California Academy of Sciences **67**(4): 219-232.
- Barnard, J. L. and W. S. Gray (1969). "Biogeographic relationships of the Salton Sea amphipod, *Gammarus mucronatus* Say." Bulletin of the Southern California Academy of Sciences **68**(1): 1-9.
- Barnard, J. L. and C. L. Ingram (1986). "The supergiant amphipod *Alicella gigantea* Chevreux from the North Pacific Gyre." Journal of Crustacean Biology **6**(4): 825-839.
- Barnard, J. L. and C. L. Ingram (1990). "Lysianassoid Amphipoda (Crustacea) from deep-sea thermal vents." Smithsonian Contributions to Zoology(499): 1-80.
- Barnard, J. L. and G. S. Karaman (1980). "Classification of gammarid Amphipoda." Crustaceana **6**(Supplement): 5-16.
- Barnard, J. L. and G. S. Karaman (1982). "Classificatory revisions in gammaridean Amphipoda (Crustacea), Part 2." Proceedings of the Biological Society of Washington **95**(1): 167-187.
- Barnard, J. L. and G. S. Karaman (1983). "Australia as a major evolutionary centre for Amphipoda (Crustacea)." The Australian Museum, Memoirs(18): 45-61.
- Barnard, J. L. and G. S. Karaman (1991). "The Families and Genera of Marine Gammaridean Amphipoda (except Marine gammaroids)[parts 1 and 2]." Records of the Australian Museum **Supplement 13**: 1-866.
- Barnard, J. L. and D. J. Reish (1959). "Ecology of Amphipoda and Polychaeta of Newport Bay, California." Allan Hancock Foundation Publications, Occasional Paper(21): 1-106.
- Barnard, J. L., K. B. Sandved, et al. (1991). "Tube-building behavior in *Grandidierella*, and two species of *Cerapus*." Hydrobiologia **223**: 239-254.
- Barnard, J. L. and E. Shulenberg (1976). "Clarification of the abyssal amphipod, *Paralicella tenuipes* Chevreux." Crustaceana **31**(3): 267-274.
- Barnard, J. L. and J. D. Thomas (1984). "Two new species of the *Siphonoecetes* complex from the Arabian Gulf and Borneo (Crustacea: Amphipoda)." Proceedings of the Biological Society of Washington **97**(4): 864-881.

- Barnard, J. L. and J. D. Thomas (1987). "A new species of *Chevalia* from the Caribbean Sea (Crustacea: Amphipoda)." Proceedings of the Biological Society of Washington **100**(3): 532-542.
- Barnard, J. L. and J. D. Thomas (1987). "New species of *Neomegamphopus* from tropical America (Crustacea: marine Amphipoda)." Proceedings of the Biological Society of Washington **100**(1): 147-163.
- Barnard, J. L. and J. D. Thomas (1988). "*Vadosiapus copacabanus*, a new genus and species of Exoedicerotidae from Brazil (Crustacea, Amphipoda)." Proceedings of the Biological Society of Washington **101**(2): 366-374.
- Barnard, J. L. and J. D. Thomas (1990). "*Ensayara jumane*, a new species from Belize, Caribbean Sea (Amphipoda, Lysianassidae)." Proceedings of the Biological Society of Washington **103**(1): 120-126.
- Barnard, J. L., J. D. Thomas, et al. (1989). "Behavior of gammaridean Amphipoda: *Corophium*, *Grandidierella*, *Podocerus*, and *Gibberosus* (American *Megaluropus*) in Florida." Crustaceana Supplement(13): 234-244.
- Barnard, K. H. (1925). "Contributions to the Crustacean Fauna of South Africa. No 8 - Further additions to the list of Amphipoda." Annals of the South African Museum **20**: 319-380.
- Batcheller, R. and E. L. Mills (1965). "Behavioral studies on the commensal amphipod crustacean, *Listriella clymenellae* Mills." Biological Bulletin **129**(2): 398.
- Bazikalova, A. (1962). "Sistematika, ekologiya i rasprostranenie rodov *Micruropus* Stebbing i *Pseudomicruropus* nov. gen. (Amphipoda, Gammaridea)." Akademiia Nauk SSSR, Sibirskoe Otdelenie, Trudy Limnologicheskogo Instituta, Sistematika i Ekologiya Rakoobraznykh Baikala **2**(22): 3-140.
- Beare, D. J. and P. G. Moore (1998). "Aspects of the life histories of *Perioculodes longimanus*, *Pontocrates arcticus* and *Synchelidium maculatum* (Crustacea: Amphipoda) at Millport, Scotland." Journal of the Marine Biological Association of the United Kingdom **78**: 193-209.
- Bellan-Santini, D. (1989). "Family Haustoriidae. Pp. 365-394 IN: The Amphipoda of the Mediterranean. Part 2. Gammaridea (Haustoriidae to Lysianassidae)." Memoires de l'Institut Océanographique du Monaco **13**(2): 365-576.
- Bellan-Santini, D. (1990). "Nouvelles espèces d'*Orchomene* s.l. (Crustacea-Amphipoda) des fonds abyssaux. Affinités avec les autres *Orchomene* profonds." Beaufortia **41**(3): 15-23.
- Bellan-Santini, D. (1993). "Family Talitridae, Genus *Orchestia*. Pp 742-753 IN: The Amphipoda of the Mediterranean. Part 3. Gammaridea (Melphidippidae to Talitridae), Ingolfiellidea, Caprellidea." Mémoires de l'Institut océanographique, Monaco **13**(3): 577-814.
- Bellan-Santini, D. (1993). "Family Talitridae, Genus *Talorchestia*. Pp 760-768 IN: The Amphipoda of the Mediterranean. Part 3. Gammaridea (Melphidippidae to Talitridae), Ingolfiellidea, Caprellidea." Mémoires de l'Institut océanographique, Monaco **13**(3): 577-814.
- Bellan-Santini, D. (2006). "*Rhachotropis* species (Crustacea: Amphipoda: Eurusidae) of hydrothermal vents and surroundings on the Mid-Atlantic Ridge, Azores Triple Junction zone." Journal of Natural History **40**(23-24): 1407-1424.

- Bellan-Santini, D. and J. C. Dauvin (2008). "Contribution to knowledge of the genus *Haploops*, a new location of *Haploops lodo* (Crustacea: Amphipoda: Ampeliscidae) from the bathyal North Atlantic Ocean with a complement to the description of the species." Journal of Natural History **42**(13-14): 1065-1077.
- Bellan-Santini, D., G. S. Karaman, et al. (1982). "The Amphipoda of the Mediterranean. Part 1. Gammaridea (Acanthonotozomatidae to Gammaridae)." Memoires de l'Institut Océanographique du Monaco **13**(1): 1-364.
- Bellan-Santini, D. and M. H. Thurston (1996). "Amphipoda of the hydrothermal vents along the mid-Atlantic Ridge." Journal of Natural History **30**(5): 685-702.
- Benedict, B. R. (1977). "*Mayerella acanthopoda*, a new species (Amphipoda, Caprellidae) from southern California." Crustaceana **33**(1): 47-55.
- Benedict, B. R. (1978). Key to the Caprellidae of the West Coast of North America. S. T. I. Meeting.
- Benson, A. (2007). "*Gammarus daiberi*." USGS Nonindigenous Aquatic Species Database, , from <http://nas.er.usgs.gov/queries/FactSheet.asp?species ID=25>>.
- Berge, J. (2003). "The taxonomy of the amphipod genus *Stilipes* (Crustacea: Amphipoda: Stilipedidae), with description of one new species." Organisms Diversity and Evolution **3**(Electronic Supplement 16): 1-10.
- Berge, J., G. A. Boxshall, et al. (2000). "Phylogenetic analysis of the Amphipoda, with special emphasis on the origin of the Stegocephalidae." Polskie Archiwum Hydrobiologii **47**(3-4): 379-400.
- Berge, J. and W. Vader (1997). "North Atlantic and Mediterranean species of the genus *Phippsiella* Schellenberg (Amphipoda: Stegocephalidae)." Journal of Natural History **31**: 1501-1532.
- Berge, J. and W. Vader (2001). "North Pacific species of the amphipod (Crustacea) family Stegocephalidae, with description of one new species and redescription of another." Journal of Natural History **35**(7): 985-1000.
- Berge, J. and W. Vader (2001). "Revision of the amphipod (Crustacea) family Stegocephalidae." Zoological Journal of the Linnean Society **133**: 531-592.
- Berge, J. and W. Vader (2004). "Two new Antarctic stegocephalid (Amphipoda: Stegocephalidae: Stegocephalinae) species, with implications for the phylogeny and classification of two genera *Pseudo* and *Schellenbergia*." Deep-Sea Research II **51**: 1709-1716.
- Berge, J. and W. Vader (2005). "The amphipod genus *Alexandrella* (Amphipoda, Stilipedidae): taxonomic status, allometric growth and description of two new species." Journal of Natural History **39**(17): 1327-1346.
- Berge, J. and W. Vader (2005). "On the taxonomic status of the Antarctic amphipod crustacean genera *Eclysis* (Astyridae) and *Bathypanoploea* (Stilipedidae), with partial redescription of their type species and description of *Bathypanoploea polarsterni* n. sp." Organisms Diversity & Evolution **5**(Electronic Supplement 2): 1-15.
- Berge, J., W. Vader, et al. (1998). A cladistic analysis of the amphipod families Ochlesidae and Odiidae, with description of a new species and genus. Crustaceans and the Biodiversity Crisis: Proceedings of the Fourth International Crustacean Congress, Vol. 1, Amsterdam, The Netherlands, E. J. Brill.

- Berge, J., W. Vader, et al. (2001). "Type material of Stegocephalidae Dana, 1855 (Crustacea, Amphipoda) in the collections of the Natural History Museum, London, including the description of seven new species." Bulletin of the British Museum of Natural History, (Zoology) **67**(2): 109-136.
- Berge, J., W. Vader, et al. (2004). "A survey of amphipod associates of sea urchins, with description of new species in the genera *Lepidepecreela* (Lysianassoidea: Lepidepecreellid group) and *Notopoma* (Photoidea: Ischyroceridae) from Antarctic cidarids." Deep-Sea Research II **51**: 1717-1731.
- Bettison, J. C. and J. Davenport (1976). "Salinity preference in gammarid amphipods with special reference to *Marinogammarus marinus* (Leach)." Journal of the Marine Biological Association of the United Kingdom **56**(1): 135-142.
- Bick, A. (1994). "*Corophium volutator* (Corophiidae, Amphipoda) as an intermediate host of larval digenea - an ecological analysis in a coastal region of the Southern Baltic." Ophelia **40**(1): 27-36.
- Bick, A., K. Meißner, et al. (1997). "Variability in time and space of *Corophium volutator* (Corophiidae, Amphipoda) infestation by digenetic trematode larvae - causes and effects." Rostock Meeresbiologie Beiträge **5**: 53-67.
- Bierhof, M. J. and P. J. Roos (1977). "Sedentary ciliates from two Dutch freshwater *Gammarus* species." Bijdragen tot de Dierkunde **46**(2): 151-170.
- Biernbaum, C. K. and E. L. Wenner (1993). "Trapping of necrophagous crustaceans on the upper continental slope off South Carolina, U.S.A." Journal of Crustacean Biology **13**(3): 601-608.
- Birstein, Y. A. E. and M. E. Vinogradov (1958). "Pelagischesie gammaridy (Amphipoda, Gammaridea) severo-zapadnoi chasti Tikhogo Okeana, Akademiia Nauk SSSR." Trudy Instituta Okeanologii **27**: 219-257.
- Birstein, Y. A. E. and M. E. Vinogradov (1960). "Pelagischesie gammaridy tropicheskoi chasti Tixogo Okeana, Akademiia Nauk SSSR." Trudy Instituta Okeanologii **34**: 165-241.
- Birstein, Y. A. E. and M. E. Vinogradov (1964). "Pelagischesie gammaridy severnoi chasti Indiiskogo Okeana, Akademiia Nauk SSSR." Trudy Instituta Okeanologii **65**: 152-195.
- Birstein, Y. A. E. and M. E. Vinogradov (1970). "On the fauna of pelagic gammarids in the Kurile-Kamchatka area of the Pacific Ocean." Academy of Sciences of the USSR, Proceedings of the Shirshov Institute of Oceanology **86**: 419-438.
- Biswas, T., C. O. Coleman, et al. (2009). "*Andeepia ingridae* a new genus and species of Pardaliscidae (Crustacea, Amphipoda) from the Antarctic deep-sea and short redescription of *Nicippe unidentata* K. H. Barnard, 1932." Zootaxa **1977**: 21-38.
- Bjerknes, V. (1974). "Life cycle and reproduction of *Gammarus lacustris* G. O. Sars (Amphipoda) in a lake at Hardangervidda, western Norway." Norwegian Journal of Zoology **22**: 39-43.
- Blake, J. A., J. Muramoto, et al. (1993). July 1991 Survey (R/V Wecoma) Final Report. Benthic Biology and Sediment Characterization. Woods Hole, Massachusetts, U.S.A., Science Applications International Corporation: 130pp. + appendices.

- Blankenship, L. E., A. A. Yyanos, et al. (2006). "Vertical zonation patterns of scavenging amphipods from the Hadal zone of the Tonga and Kermadec Trenches." Deep-Sea Research, Part I **56**(1): 48-61.
- Blegvad, H. (1922). "On the biology of some Danish gammarids and mysids. (*Gammarus locusta*, *Mysis flexuosa*, *Mysis neglecta*, *Mysis inermis*)." Report of the Danish Biological Station to the Board of Agriculture **28**: 1-103.
- Boates, J. S. and P. C. Smith (1979). "Length-weight relationships, energy content and the effects of predation on *Corophium volutator* (Pallas) (Crustacea: Amphipoda)." Proceedings of the Nova Scotia Institute of Science **29**: 489-499.
- Boates, J. S. and P. C. Smith (1996). "Crawling behaviour of the amphipod *Corophium volutator* and foraging by Semipalmated Sanpipers, *Calidris pusilla*." Canadian Journal of Zoology **74**(8): 1479-1484.
- Bocquet, C., J. Guillet, et al. (1958). "Sur le développement des expansions aliformes du copépode *Nicothoe astaci* Audouin et Milne-Edwards." Comptes rendus des séances de l'Académie des Sciences, Paris **246**: 836-839.
- Boeck, A. (1871). "Crustacea Amphipoda Borealia et Arctica." Forhandlinger i Videnskabs-Selskabet i Christiania: 83-280.
- Borowsky, B. (1980). "The pattern of tube-sharing in *Microdeutopus gryllotalpa* (Crustacea: Amphipoda)." Animal Behaviour **28**: 790-797.
- Borowsky, B. (1983). "Behaviors associated with tube-sharing in *Microdeutopus gryllotalpa* (Costa) (Crustacea: Amphipoda)." Journal of Experimental Marine Biology and Ecology **68**: 39-51.
- Borowsky, B. (1984). "Effects of receptive females' secretions on some male reproductive behaviours in the amphipod crustacean *Microdeutopus gryllotalpa*." Marine Biology **84**: 183-187.
- Borowsky, B. (1984). "The use of the males' gnathopods during precopulation in some gammaridean amphipods." Crustaceana **47**: 245-250.
- Borowsky, B. and P. Aitken-Ander (1991). "Sexually dimorphic free-swimming behaviour in the amphipod crustacean *Ampelisca abdita*." Journal of the Marine Biological Association of the United Kingdom **71**: 655-663.
- Borowsky, B., P. Aitken-Ander, et al. (1997). "Changes in reproductive morphology and physiology observed in the amphipod Crustacea, *Melita nitida* Smith, maintained in the laboratory on polluted estuarine sediments." Journal of Experimental Marine Biology and Ecology **214**: 85-95.
- Borowsky, B., C. E. Augelli, et al. (1987). "Towards chemical characterization of waterborne pheromone of amphipod crustacean *Microdeutopus gryllotalpa*." Journal of Chemical Ecology **13**(7): 1673-1679.
- Bosworth Jr., W. S. (1973). "Three new species of *Eohaustorius* (Amphipoda, Haustoriidae) from the Oregon coast." Crustaceana **25**(3): 253-260.
- Bousfield, E. L. (1958). "Fresh-water amphipod crustaceans of glaciated North America." The Canadian Field-Naturalist **72**(2): 55-113.
- Bousfield, E. L. (1959). "New records of beach hoppers (Crustacea: Amphipoda) from the coast of California." National Museums of Canada Bulletin(172): 1-12.
- Bousfield, E. L. (1963). "New freshwater amphipod crustaceans from Florida." National Museum of Canada, Natural History Papers **18**: 1-9.

- Bousfield, E. L. (1965). "Haustoriidae of New England (Crustacea: Amphipoda)." Proceedings of the United States National Museum **117**(3512): 159-240.
- Bousfield, E. L. (1968). ""Terrestrial Adaptations in Crustacea". Session I: Discussion - Transition to Land." American Zoologist **8**(3): 393-398.
- Bousfield, E. L. (1969). "New records of *Gammarus* (Crustacea: Amphipoda) from the middle Atlantic region." Chesapeake Science **10**(1): 1-17.
- Bousfield, E. L. (1970). "Adaptive radiation in sand-burrowing amphipod crustaceans." Chesapeake Science **11**(3): 143-154.
- Bousfield, E. L. (1973). Shallow-water gammaridean Amphipoda of New England. Ithaca, New York, Comstock Publishing Associates/Cornell University Press.
- Bousfield, E. L. (1977). "A new look at the systematics of gammaroidean amphipods of the world." Crustaceana Supplement(4): 282-316.
- Bousfield, E. L. (1978). "A revised classification and phylogeny of amphipod crustaceans." Transactions of the Royal Society of Canada, series 4 **16**: 343-390.
- Bousfield, E. L. (1979). "The amphipod superfamily Gammaroidea in the northeastern Pacific region: systematics and distributional ecology." Bulletin of the Biological Society of Washington(3): 297-359.
- Bousfield, E. L. (1982). "The amphipod superfamily Talitroidea in the Northeastern Pacific region. I. Family Talitridae: systematics and distributional ecology." National Museums of Canada Publications in Biological Oceanography(11).
- Bousfield, E. L. (1982). Amphipoda (Palaeohistory). New York, New York, McGraw-Hill Book Company.
- Bousfield, E. L. (1982). Malacostraca, Peracarida, Amphipoda. New York, New York, McGraw-Hill Book Company.
- Bousfield, E. L. (1983). "An updated phyletic classification and palaeohistory of the Amphipoda." Crustacean Issues I. Crustacean Phylogeny: 257-277.
- Bousfield, E. L. (1984). Recent advances in the systematics and biogeography of landhoppers (Amphipoda: Talitridae) of the Indo-Pacific region. Biogeography of the Tropical Pacific, Proceedings of a Symposium.
- Bousfield, E. L. (1987). "Amphipod parasites of fishes of Canada." Canadian Bulletin of Fisheries and Aquatic Sciences(217): 1-37.
- Bousfield, E. L. (1989). "Revised morphological relationships within the amphipod genera *Pontoporeia* and *Gammaracanthus* and the "glacial relict" significance of their postglacial distributions." Canadian Journal of Fisheries and Aquatic Sciences **46**(10): 1714-1725.
- Bousfield, E. L. (2001). "The genus *Anisogammarus* (Gammaroidea: Anisogammaridae) on the Pacific coast of North America." Amphipacifica **3**(1): 29-47.
- Bousfield, E. L. (2001). "An updated commentary on phyletic classification of the amphipod Crustacea and its application to the North American Fauna." Amphipacifica **3**(1): 49-119.
- Bousfield, E. L. and J. T. Carlton (1967). "New records of Talitridae (Crustacea: Amphipoda) from the Central California coast." Bulletin of the Southern California Academy of Sciences **66**(4): 277-283.

- Bousfield, E. L. and A. Chevrier (1996). "The amphipod family Oedicerotidae on the Pacific Coast of North America. Part 1. The *Monoculodes* and *Synchelidium* generic complexes: systematics and distributional ecology." *Amphipacifica* **2**(2): 75-148.
- Bousfield, E. L. and E. A. Hendrycks (1994). "The amphipod superfamily Leucothoidea on the Pacific Coast of North America. Family Pleustidae: subfamily Pleustinae. Systematics and biogeography." *Amphipacifica* **1**(2): 3-69.
- Bousfield, E. L. and E. A. Hendrycks (1994). "A revision of the family Pleustidae (Crustacea: Amphipoda: Leucothoidea). Part 1. Systematics and biogeography of component subfamilies." *Amphipacifica* **1**(1): 17-57.
- Bousfield, E. L. and E. A. Hendrycks (1995). "The amphipod family Pleustidae on the Pacific coast of North America: Part III. Subfamilies Parapleustinae, Dactylopleustinae, and Pleusirinae. Systematics and distributional ecology." *Amphipacifica* **2**(1): 65-133.
- Bousfield, E. L. and E. A. Hendrycks (1995). "The amphipod superfamily Eusiroidea in the North American Pacific region. I. Family Eusiridae: systematics and distributional ecology." *Amphipacifica* **1**(4): 3-59.
- Bousfield, E. L. and E. A. Hendrycks (1997). "The amphipod superfamily Eusiroidea in the North American Pacific Region. II. Family Calliopiidae. Systematics and distributional ecology." *Amphipacifica* **2**(3): 3-66.
- Bousfield, E. L. and E. A. Hendrycks (2002). "The talitroidean amphipod family Hyalidae revised, with emphasis on the North Pacific fauna: systematics and distributional ecology." *Amphipacifica* **3**(3): 17-134.
- Bousfield, E. L. and P. M. Hoover (1995). "The amphipod superfamily Pontoporeioidea on the Pacific coast of North America. II. Family Haustoriidae. Genus *Eohaustorius* J. L. Barnard: systematics and distributional ecology." *Amphipacifica* **2**(1): 35-64.
- Bousfield, E. L. and P. M. Hoover (1997). "The amphipod superfamily Corophioidea on the Pacific coast of North America. V. Family Corophiidae. Corophiinae, new subfamily. Systematics and distributional ecology." *Amphipacifica* **2**(3): 67-139.
- Bousfield, E. L. and J. D. Hubbard (1968). "New records of gammaridean amphipod crustaceans from the intertidal zone of Prince William Sound, Alaska." *National Museum of Canada Natural History Papers* **40**: 1-11.
- Bousfield, E. L. and Z. Kabata (1988). *Amphipoda*. Ontario, National Museums of Canada.
- Bousfield, E. L. and J. A. Kendall (1994). "The amphipod superfamily Dexaminoidea on the North American Pacific Coast; families Atylidae and Dexaminidae: systematics and distributional ecology." *Amphipacifica* **1**(3): 3-66.
- Bousfield, E. L. and P. Marcoux (2004). "The talitroidean amphipod family Najnidae in the North Pacific region: systematics and distributional ecology." *Amphipacifica* **3**(4): 3-44.
- Bousfield, E. L. and H. Morino (1992). "The amphipod genus *Ramellogammarus* (Amphipoda: Anisogammaridae) on the Pacific coast of North America." *Contributions of the Royal British Columbia Museum* **17**: 1-22.

- Bousfield, E. L. and C.-t. Shih (1994). "The phyletic classification of amphipod crustaceans: problems in resolution." Amphipacifica **1**(3): 76-134.
- Bousfield, E. L. and N. L. Tzvetkova (1982). "Marine Invertebrates of Coastal Biocenoses of the Arctic Ocean and the Pacific Ocean. Studies on Dogielinotidae (Amphipoda, Talitroidea) from the shallow waters of the North Pacific region." Explorations of the Fauna of the Seas **29**(37): 76-94.
- Bousslama, M. F., J. M. Neto, et al. (2007). "Biology, population dynamics, and secondary production of *Talitrus saltator* (Amphipoda, Talitridae) at Korba Beach (East coast of Tunisia)." Crustaceana **80**(9): 1103-1119.
- Bowers, D. E. (1963). "Field identification of five species of Californian beach hoppers (Crustacea: Amphipoda)." Pacific Science **17**(3): 315-320.
- Bowers, D. E. (1964). "Natural history of two beach hoppers of the genus *Orchestoidea* (Crustacea: Amphipoda) with reference to their complementary distribution." Ecology **45**(4): 677-696.
- Bowman, T. E. (1967). "Bioluminescence in two species of pelagic amphipods." Journal of the Fisheries Research Board of Canada **24**(3): 687-688.
- Bowman, T. E. (1974). "The "sea flea" *Dolobrotus mardeni* n. gen. n. sp., a deep-water American lobster bait scavenger (Amphipoda: Eusiridae)." Proceedings of the Biological Society of Washington **87**(14): 129-138.
- Bowman, T. E. and H.-E. Gruner (1973). "The families and genera of Hyperiidea (Crustacea: Amphipoda)." Smithsonian Contributions to Zoology(146): 1-64.
- Bowman, T. E. and L. S. Kornicker (1967). "Two new crustaceans: the parasitic copepod *Sphaeronellopsis monothrix* (Choniostomatidae) and its myodocopid ostracod host *Parasterope pollex* (Cylindroleberidae) from the southern New England coast." Proceedings of the United States National Museum **123**(3613): 1-28.
- Bowman, T. E. and R. B. Manning (1972). "Two arctic bathyal crustaceans: the shrimp *Bythocaris cryonesus*, new species, and the amphipod *Eurythenes gryllus*, with *in situ* photographs from Ice Island T-3." Crustaceana **23**: 187-200.
- Bowman, T. E. and J. C. McCain (1967). "Variation and distribution of the pelagic amphipod *Cyphocaris challengerii* in the northeast Pacific (Gammaridea: Lysianassidae)." Proceedings of the United States National Museum **122**(3588): 1-14.
- Bowman, T. E. and R. A. Wasmer (1984). "The deep-sea amphipod *Paracyphocaris predator* (Gammaridea: Lysianassidae) associated with the pelagic shrimp *Oplophorus novaezeelandiae* as an egg-mimic." Proceedings of the Biological Society of Washington **97**(4): 844-848.
- Boxshall, G. A. and D. Defaye (1995). "Copépodes nouveaux (Siphonostomatoida, Nicothoidae) parasites de cumacés et de décapodes profonds." Bulletin du Muséum national d'Histoire Naturelle, Paris, serie 4 **17**(3-4): 283-296.
- Boxshall, G. A. and K. Harrison (1988). "New nicothoid copepods (Copepoda: Siphonostomatoida) from an amphipod and from deep-sea isopods." Bulletin of the British Museum (Natural History) Zoology **54**(6): 285-299.

- Boxshall, G. A. and R. J. Lincoln (1983). "Some new parasitic copepods (Siphonostomatoida: Nicothoidae) from deep-sea asellote isopods." Journal of Natural History **17**: 891-900.
- Boyd, M. J., T. J. Mulligan, et al. (2002). Non-indigenous Marine Species of Humboldt Bay, California. A report to the California Department of Fish and Game. Eureka, California, USA, Humboldt State University: 118pp.
- Bradley, J. C. (1908). "Notes on two amphipods of the genus *Corophium* from the Pacific coast." University of California Publications in Zoology **4**(4): 227-252.
- Brandt, A., M. Blazewicz-Paszkowycz, et al. (2012). "Are there widespread peracarid species in the deep sea (Crustacea: Malacostraca)?" Polish Polar Research **33**(2): 139-162.
- Brusca, G. J. (1967). "The ecology of pelagic Amphipoda, I. Species accounts - vertical zonation and migration of Amphipoda from the waters off Southern California." Pacific Science **21**(3): 382-393.
- Bucklin, A., R. R. Wilson, et al. (1987). "Genetic differentiation of sea-mount and basin populations of the deep-sea amphipod *Eurythenes gryllus*." Deep-Sea Research II **34**: 1795-1810.
- Budnikova, L. L. (2005). "Two new species of *Psammonyx* and the identity of the genus *Wecomedon* (Amphipoda, Gammaridea)." Publications of the Seto Marine Biological Laboratory **40**(3/4): 179-197.
- Bulnheim, H.-P. (1966). "Mikrosporidieninfektion und Geschlechtsbestimmung bei *Gammarus duebeni*." Verhandlungen der Deutschen Zoologischen Gesellschaft in Göttingen **30**(Supplement): 432-442.
- Bulnheim, H.-P. (1972). "On sex-determining factors in some euryhaline *Gammarus* species." Proceedings of the Fifth European Marine Biology Symposium: 115-130.
- Bulnheim, H.-P. (1978). "Interaction between genetic, external and parasitic factors in sex determination of the crustacean amphipod *Gammarus duebeni*." Helgoländer wissenschaftliches Meeresuntersuchungen **31**: 1-33.
- Bulnheim, H.-P. (1979). "Comparative studies on the physiological ecology of five euryhaline *Gammarus* species." Oecologia (Berlin) **40**: 80-86.
- Bulnheim, H.-P. and J. Vávra (1968). "Infection by the microsporidian *Octosporea effeminans* sp. n., and its sex determining influence in the amphipod *Gammarus duebeni*." The Journal of Parasitology **54**(2): 241-248.
- Bulycheva, A. I. (1955). "Novye vidy bokoplavov (Amphipoda, Gammaridea) iz Japonskogo Morja II." Akademia Nauk SSSR, Trudy Zoologicheskogo Instituta **21**: 193-207.
- Buschbaum, C. and L. Gutow (2005). "Mass occurrence of an introduced crustacean (*Caprella* cf. *mutica*) in the south-eastern North Sea." Helgoland Marine Research **59**: 252-253.
- Busdosh, M., D. M. LaVigne, et al. (1982). "Habitat separation by the amphipods *Pontoporeia affinis* and *P. femorata* near Prudhoe Bay, Alaska." Oikos **39**: 77-82.
- Busdosh, M., G. A. Robilliard, et al. (1982). "Chemoreception in an Arctic amphipod crustacean: a field study." Journal of Experimental Marine Biology and Ecology **62**: 261-269.

- Bustamante, A. (2002). "Three new species of *Microphoxus* Barnard, 1960 (Amphipoda, Phoxocephalidae, Metharpiiniinae) from the coast of Rio de Janeiro, Brazil." Arquivos do Museu Nacional, Rio de Janeiro **60**(2): 55-78.
- Bynum, K. H. and R. S. Fox (1977). "New and noteworthy amphipod crustaceans from North Carolina, U.S.A." Chesapeake Science **18**(2): 1-33.
- Cabezas, M. P., P. Cabezas, et al. (2013). "Hidden diversity and cryptic speciation refute cosmopolitan distribution in *Caprella penantis* (Crustacea: Amphipoda: Caprellidae)." Journal of Zoological Systematics and Evolutionary Research **51**(2): 85-99.
- Cabezas, M. P., C. Navarro-Barranco, et al. (2013). "Long-distance dispersal, low connectivity and molecular evidence of a new cryptic species in the obligate rafter *Caprella andreae* Mayer, 1890 (Crustacea: Amphipoda: Caprellidae)." Helgoland Marine Research **67**: 483-497.
- Cadien, D. B. and L. L. Lovell (2014). A Taxonomic Listing of Benthic Macro- and Megainvertebrates from Infaunal & Epifaunal monitoring and research programs in the Southern California Bight. Los Angeles, California, USA: 186.
- Cadien, D. B. and J. W. Martin (1999). "*Myzotarsa anaxiphilius*, new genus, new species, an atylopsine amphipod (Gammaridea: Pleustidae) commensal with lithodid crabs in California." Journal of Crustacean Biology **19**(3): 693-611.
- Caine, E. A. (1974). "Comparative functional morphology of feeding of 3 species of caprellids from the northwestern Florida Gulf coast." Journal of Experimental Marine biology and Ecology **15**: 81-96.
- Caine, E. A. (1977). "Feeding mechanisms and possible resource partitioning of the Caprellidae (Crustacea: Amphipoda) from Puget Sound, USA." Marine Biology **42**: 331-336.
- Caine, E. A. (1978). "Habitat adaptations of North American caprellid Amphipoda (Crustacea)." Biological Bulletin **155**: 288-296.
- Caine, E. A. (1986). "Carapace epibionts of nesting loggerhead sea turtles: Atlantic coast of U.S.A." Journal of Experimental Marine Biology and Ecology **95**: 15-26.
- Caine, E. A. (1989). "Caprellid amphipod behavior and predatory strikes by fishes." Journal of Experimental Marine Biology and Ecology **9**(3): 425-431.
- Caine, E. A. (1989). "Relationship between wave activity and robustness of caprellid amphipods." Journal of Crustacean Biology **9**(3): 425-431.
- Caine, E. A. (1991). "Caprellid amphipods: fast food for the reproductively active." Journal of Experimental Marine Biology and Ecology **148**: 27-33.
- Caine, E. A. (1998). "First case of caprellid amphipod-hydrozoan mutualism." Journal of Crustacean Biology **18**(2): 317-320.
- Carlton, J. T. (1979). Introduced invertebrates of San Francisco Bay. San Francisco Bay: the urbanized estuary. T. J. E. Conomos. San Francisco, California, USA, Pacific Division of the American Association for the Advancement of Science.
- Carter, J. W. (1982). "Natural history observations on the gastropod shell-using amphipod *Photis conchicola* Alderman, 1936." Journal of Crustacean Biology **2**(3): 328-341.

- Cavaletto, J. F., T. f. Nalepa, et al. (1996). "Seasonal variation of lipid composition, weight, and length in juvenile *Diporeia* spp. (Amphipoda) from lakes Michigan and Ontario." Canadian Journal of Fisheries and Aquatic Sciences **53**: 2044-2051.
- Cerda, O., I. A. Hinojosa, et al. (2010). "Nest-building behavior by the amphipod *Peramphithoe femorata* (Kroyer) on the kelp *Macrocystis pyrifera* (Linnaeus) C. Agardh from Northern-Central Chile." Biological Bulletin **218**: 248-258.
- Cerda, O., U. Karsten, et al. (2009). "Compensatory growth of the kelp *Macrocystis integrifolia* (Phaeophyceae, Laminariales) against grazing of *Peramphithoe femorata* (Amphipoda, Ampithoidae) in northern -central Chile." Journal of Experimental Marine Biology and Ecology **377**: 61-67.
- Chapman, J. W. (1988). "Invasions of the northeast Pacific by asian and Atlantic gammaridean amphipod crustaceans, including a new species of *Corophium*." Journal of Crustacean Biology **8**(3): 364-382.
- Chapman, J. W. (2007). Gammaridea. Berkeley, California, U.S.A., University of California Press.
- Chapman, J. W. and J. A. Dorman (1975). "Diagnosis, systematics, and notes on *Grandidierella japonica* (Amphipoda: Gammaridea) and its introduction to the Pacific Coast of the United States." Bulletin of the Southern California Academy of Sciences **74**(3): 104-108.
- Chapman, M. A. (2002). "Australasian species of *Paracorophium* (Crustacea : Amphipoda): the separate identities of *P. excavatum* (Thomson, 1884) and *P. brisbanensis* sp nov." Journal of the Royal Society of New Zealand **32**(2): 203-228.
- Chavanich, S., N. Ketdecha, et al. (2007). "Preliminary surveys of the commensal amphipod, *Leucothoe spinicarpa* (Abildgaard, 1789), in the colonial tunicate, *Ecteinascidia thurstoni* Herdman, 1891, in the Adaman Sea, Thailand." The Nagisa World Congress: 97-101.
- Chess, J. R. (1989). "*Aciconula acanthosoma*, new species, a caprellid amphipod from Southern California, with notes on its ecology." Journal of Crustacean Biology **9**(4): 662-665.
- Chess, J. R. (1993). "Effects of the stipe-boring amphipod *Peramphithoe stypotrupes* (Corophioidea: Amphithoidae) and grazing gastropods on the kelp *Laminaria setchellii*." Journal of Crustacean Biology **13**(4): 638-646.
- Chevreaux, E. (1900). "Amphipodes provenant des campagnes de l'Hirondelle (1885-1888).," Results des Campagnes Scientifiques accomplies par le Prince Albert I. Monaco **16**: 1-195.
- Chevreaux, E. (1908). "Sur le commensaux du Bernard l'Hermite." Bulletin du Muséum d'Histoire Naturelle, Paris **14**: 14-16.
- Chevreaux, E. and L. Fage (1925). "Amphipodes." Faune de France **9**: 1-488.
- Chevreaux, E. and J. d. Guerne (1888). "Sur un Amphipode nouveau (*Cryptophium chelonophilum*) commensal de *Thalassochelys caretta* L." Comptes Rendus Academie des Sciences, Paris **88**: 1-4.

- Christensen, A. M. and B. Kannevorff (1964). "*Kronborgia amphipodicola* gen. et. sp. nov., a dioecious turbellarian parasitizing ampeliscid amphipods." Ophelia **1**(1): 147-166.
- Cole, G. A. (1980). "The mandibular palps of North American freshwater species of *Gammarus*." Crustaceana Supplement(6): 68-83.
- Coleman, C. O. (1989). "*Gnathiphimedia mandibularis* K. H. Barnard 1930, an Antarctic amphipod (Acanthonotozomatidae, Crustacea) feeding on Bryozoa." Antarctic Science **1**: 343-344.
- Coleman, C. O. (1989). "On the nutrition of two Antarctic Acanthonotozomatidae (Crustacea: Amphipoda)." Polar Biology **9**: 287-294.
- Coleman, C. O. (2007). "Synopsis of the Amphipoda of the Southern Ocean. Vol. 2: Acanthonotozomellidae, Amathillopsidae, Dikwididae, Epimeriidae, Iphimediidae, Ochlesidae and Vicmusiidae." Bulletin de l'Institut Royale des Sciences Naturelles de Belgique **77**(Supplement 2).
- Coleman, C. O. (2009). "Bogidiellidae." Zootaxa(2260): 279-284.
- Coleman, C. O. and J. L. Barnard (1991). "*Amatiguakius forsbergi*, a new genus and species from Alaska (Marine Amphipoda: Epimeriidae)." Proceedings of the Biological Society of Washington **104**(2): 279-287.
- Coleman, C. O. and J. L. Barnard (1991). "Revision of Iphimediidae and similar families (Amphipoda: Gammaridea)." Proceedings of the Biological Society of Washington **104**(2): 253-268.
- Coleman, C. O. and J. K. Lowry (2006). "Australian Iphimediidae (Crustacea: Amphipoda)." Organisms Diversity & Evolution **6**(Electronic Supplement 9): 1-44.
- Coleman, C. O. and J. K. Lowry (2006). "Revision of the Ochlesidae sensu stricto, including five new Australian species (Crustacea: Amphipoda)." Organisms Diversity & Evolution Electronic Supplement **6**(4): 1-57.
- Coleman, C. O. and J. K. Lowry (2009). "*Iphimedia poorei*, a new species of Iphimediidae (Crustacea, Amphipoda) from the New South Wales Australian coast." Memoirs of the Museum of Victoria **66**(Special Issue): 61-69.
- Coleman, C. O. and A. Renz (2009). "Cheluridae." Zootaxa(2260): 339-343.
- Coleman, C. O. and M. H. Thurston (2014). "A redescription of the type species of *Oedicerina* Stephensen, 1931 (Crustacea, Amphipoda, Oedicerotidae) and the description of two new species." Zoosystematics and Evolution **90**(2): 225-247.
- Conlan, K. E. (1982). "Revision of the crustacean amphipod family Ampithoidae using numerical analytical methods." Canadian Journal of Zoology **60**: 2015-2027.
- Conlan, K. E. (1983). "The amphipod superfamily Corophioidea in the northeastern Pacific region. 3. Family Isaeidae: systematics and distributional ecology." National Museums of Canada Publications in Natural Sciences(4): 1-75.
- Conlan, K. E. (1989). "Delayed reproduction and adult dimorphism in males of the amphipod genus *Jassa* (Corophioidea: Ischyroceridae): an explanation for systematic confusion." Journal of Crustacean Biology **9**(4): 601-625.
- Conlan, K. E. (1990). "Revision of the crustacean amphipod genus *Jassa* Leach (Corophioidea: Ischyroceridae)." Canadian Journal of Zoology **68**: 2031-2075.

- Conlan, K. E. (1991). "Precopulatory mating behavior and sexual dimorphism in the amphipod Crustacea." Hydrobiologia **223**: 255-282.
- Conlan, K. E. (1994). "New species of the amphipod crustacean genera *Photis* and *Gammaropsis* (Corophioidea: Isaeidae) from California." Amphipacifica **1**(3): 67-73.
- Conlan, K. E. (1995). Superfamily Corophioidea. Santa Barbara, California, U.S.A., Santa Barbara Museum of Natural History.
- Conlan, K. E. (1995). "Thumb evolution in the amphipod genus *Microjassa* Stebbing (Corophioidea: Ischyroceridae)." Journal of Crustacean Biology **15**(4): 693-702.
- Conlan, K. E. (1995). "Thumbing doesn't always make the genus: revision of *Microjassa* Stebbing (Crustacea: Amphipoda: Ischyroceridae)." Bulletin of Marine Science **57**(2): 333-377.
- Conlan, K. E. (2007). "*Alatajassa* (Amphipoda, Corophiidea), a new genus from the Pacific Coast of North America." Crustaceana **80**(11): 1339-1354.
- Conlan, K. E. and E. L. Bousfield (1982). "Studies on amphipod crustaceans of the Northeastern Pacific region. I. 3. The superfamily Corophioidea in the North Pacific region. Family Aoridae: systematics and distributional ecology." National Museums of Canada, Publications in Biological Oceanography(10): 77-101.
- Conlan, K. E. and E. L. Bousfield (1982). "Studies on amphipod crustaceans of the North-eastern Pacific region. I. 2. The amphipod superfamily Corophioidea in the Northeastern Pacific region. Family Ampithoidae: systematics and distributional ecology." National Museums of Canada, Publications in Biological Oceanography(10): 41-75.
- Conlan, K. E. and J. R. Chess (1992). "Phylogeny and ecology of a kelp-boring amphipod, *Peramphithoe stypotrupetes*, new species (Corophioidea: Amphithoidae)." Journal of Crustacean Biology **12**(3): 410-422.
- Cook, E. J., M. Jahnke, et al. (2007). "European expansion of the introduced amphipod *Caprella mutica* Schurin 1935." Aquatic Invasions **2**(4): 411-421.
- Corbari, L., J. C. Sorbe, et al. (2005). "Video study of the caprellid amphipod *Parvipalpus major*: morpho-functional and behavioural adaptations to deep-sea bottoms." Marine Biology **146**: 363-371.
- Costa, F. O., J. R. deWaard, et al. (2007). "Biological identifications through DNA barcodes: the case of the Crustacea." Canadian Journal of Fisheries and Aquatic Sciences **64**: 272-295.
- Costa, F. O., C. M. Henzler, et al. (2009). "Probing marine *Gammarus* (Amphipoda) taxonomy with DNA barcodes." Systematics and Biodiversity **7**(4): 365-379.
- Costello, M. J. and A. A. Myers (1989). "Observations on the parasitism of *Aora gracilis* (Bate)(Amphipoda) by *Sphaeronella leuckartii* Salensky (Copepoda), with a review of amphipod-*Sphaeronella* associations." Journal of Natural History **23**(1): 81-91.
- Coyle, K. O. (1980). "A new genus and species of Oedicerotidae (Crustacea, Amphipoda) from southeast Bering Sea." Syesis **13**: 197-204.
- Coyle, K. O. (1982). "The amphipod genus *Grandifoxus* Barnard (Gammaridea, Phoxocephalidae) in Alaska." Journal of Crustacean Biology **2**(3): 430-450.

- Coyle, K. O., B. A. Bluhm, et al. (2007). "Amphipod prey of gray whales in the northern Bering Sea: Comparison of biomass and distribution between the 1980s and 2002-2003." Deep Sea Research Part II Topical Studies in Oceanography **54**(23-26): 2906-2918.
- Coyle, K. O. and R. C. Highsmith (1989). "Arctic ampeliscid amphipods: three new species." Journal of the Crustacean Society **9**(1): 157-175.
- Coyle, K. O. and G. J. Mueller (1981). "New records of Alaskan marine Crustacea, with descriptions of two new gammaridean Amphipoda." Sarsia **66**(1): 7-18.
- Crane Jr., J. M. (1969). "Mimicry of the gastropod *Mitrella carinata* by the amphipod *Pleustes platypa*." Veliger **12**(2): 200.
- Crawford, G. I. (1937). "An amphipod, *Eucrangonyx gracilis* S. L. Smith, new to Britain." Nature **139**: 329.
- Crawford, G. I. (1937). "A review of the amphipod genus *Corophium* with notes on the British species." Journal of the Marine Biological Association of the United Kingdom **21**(2): 589-630.
- Crocker, R. A. (1967). "Niche diversity in five sympatric species of intertidal amphipods (Crustacea: Haustoriidae)." Ecological Monographs **37**: 173-200.
- Crocker, R. A. (1967). "Niche specificity of *Neohaustorius schmitzi* and *Haustorius* sp. (Crustacea: Amphipoda) in North Carolina." Ecology **48**(6): 971-975.
- Cronin, G. and M. E. Hay (1996). "Induction of seaweed chemical defenses by amphipod grazing." Ecology **77**(8): 2287-2301.
- Crowe, S. E. (2006). "A redescription of *Leucothoe spinicarpa* (Abildgaard, 1789) based on material from the North Atlantic (Amphipoda: Leucothoidae)." Zootaxa(1170): 57-68.
- Crowe, S. E. and J. D. Thomas (2002). Abundance and distribution of commensal amphipods from common marine sponges of Southeast Florida. New York, New York, U.S.A., Kluwer Academic/Plenum Publishers.
- Cruz-Rivera, E. and M. Friedlander (2012). "Effects of algal phenotype on mesograzer feeding." Marine Ecology Progress Series **490**: 69-78.
- Cruz-Rivera, E. and M. E. Hay (2000). "Can quantity replace quality? Food choice, compensatory feeding, and fitness of marine mesograzers." Ecology **81**(1): 201-219.
- Cruz-Rivera, E. and M. E. Hay (2000). "The effects of diet mixing on consumer fitness: macroalgae, epiphytes, and animal matter as food for marine amphipods." Oecologia **123**: 252-264.
- Cruz-Rivera, E. and M. E. Hay (2001). "Macroalgal traits and the feeding and fitness of an herbivorous amphipod: the roles of selectivity, mixing, and compensation." Marine Ecology Progress Series **218**: 249-266.
- Cruz-Rivera, E. and M. E. Hay (2003). "Prey nutritional quality interacts with chemical defenses to affect consumer feeding and fitness." Ecological Monographs **73**(3): 483-506.
- Dahl, E. (1959). "Amphipoda from depths exceeding 6000 meters." Galathea Reports(1): 211-241.
- Dahl, E. (1973). "Presumed chemosensory hairs in talitrid amphipods (Crustacea)." Entomologia Scandinavica **4**(3): 171-180.

- Dahl, E. (1977). "The amphipod functional model and its bearing upon systematics and phylogeny." Zoologica Scripta **6**: 221-228.
- Dahl, E. (1979). "Deep-sea carrion feeding amphipods: evolutionary patterns in niche adaptation." Oikos **53**: 167-175.
- Dalkey, A. (1998). "A new species of amphipod (Crustacea: Amphipoda: Lysianassoidea) from the Pacific Coast of North America." Proceedings of the Biological Society of Washington **111**(3): 621-626.
- Daly, K. L. and D. M. Damkaer (1986). "Population dynamics and distribution of *Neomysis mercedis* and *Alienacanthomysis macropsis* (Crustacea: Mysidacea) in relation to the parasitic copepod *Hansenulus trebas* in the Columbia River Estuary." Journal of Crustacean Biology **6**(4): 840-857.
- Damsgaard, J. T., K. N. Mouritsen, et al. (2005). "Surface activity of *Corophium volutator*: a role for parasites?" Journal of Sea Research **54**: 176-184.
- Dauby, P., Y. Scailteur, et al. (2001). "Potential impact of the main benthic amphipods on the eastern Weddell Sea shelf ecosystem (Antarctica)." Polar Biology **24**(9): 657-662.
- Dauby, P., Y. Scailteur, et al. (2001). "Trophic diversity within the eastern Weddell Sea amphipod community." Hydrobiologia **443**: 69-86.
- Dauvin, J.-C. (1988). "Biologie, dynamique, et production de populations de crustacés amphipodes de la Manche occidentale. 1. *Ampelisca tenuicornis* Liljeborg." Journal of Experimental Marine Biology and Ecology **118**: 55-84.
- Dauvin, J.-C. (1988). "Biologie, dynamique, et production de populations de crustacés amphipodes de la Manche occidentale. 2. *Ampelisca brevicornis* (Costa)." Journal of Experimental Marine Biology and Ecology **119**: 213-233.
- Dauvin, J.-C. (1988). "Biologie, dynamique, et production de populations de crustacés amphipodes de la Manche occidentale. 3. *Ampelisca typica* (Bate)." Journal of Experimental Marine Biology and Ecology **121**: 1-22.
- Dauvin, J.-C. (1989). "Life cycle, dynamics and productivity of Crustacea-Amphipoda from the western English Channel. 5. *Ampelisca sarsi* Chevreux." Journal of Experimental Marine Biology and Ecology **128**: 31-56.
- Dauvin, J.-C., A. Iglesias, et al. (1994). "Circalittoral suprabenthic coarse sand community from the western English Channel." Journal of the Marine Biological Association of the United Kingdom **74**: 543-562.
- Dauvin, J.-C. and S. Zouhiri (1996). "Suprabenthic crustacean fauna of a dense *Ampelisca* community from the English Channel." Journal of the Marine Biological Association of the United Kingdom **76**: 909-929.
- De Broyer, C. (1985). "Description de *Falklandia* gen. n. de l'Océan Austral et définition des Lysianassoidea uristidiens." Zoologica Scripta **14**: 303-312.
- De Broyer, C. (1985). "Évolution du complexe *Orchomene* Boeck (Amphipoda, Lysianassidae)." Annales de la Société Royale Zoologique de Belgique **114**(Supplement 1): 197-198.
- De Broyer, C., F. Nyssen, et al. (2004). "The crustacean scavenger guild in Antarctic shelf, bathyal and abyssal communities." Deep Sea Research Part II Topical Studies in Oceanography **51**(14-16): 1733-1752.

- De Broyer, C., Y. Scailteur, et al. (2001). "Diversity of epibenthic habitats of gammaridean amphipods in the eastern Weddell Sea." Polar Biology **24**: 744-753.
- De Broyer, C. and W. Vader (1990). "Revision and notes on the biology of *Orchomenella recondita* (Stasek, 1958) (Amphipoda, Lysianassoidea) an associate of sea anemones." Beaufortia **41**(5): 31-38.
- De Robertis, A., K. Eiane, et al. (2001). "Eat and run anoxic feeding and subsequent aerobic recovery by *Orchomene obtusus* in Saanich Inlet, British Columbia, Canada." Marine Ecology Progress Series **219**: 221-227.
- DeBlois, E. M. and W. C. Leggett (1991). "Functional response and potential impact of invertebrate predators on benthic fish eggs: analysis of the *Calliopius laeviusculus*-capelin (*Mallotus villosus*) predator-prey system." Marine Ecology Progress Series **69**: 205-216.
- DeBlois, E. M. and W. C. Leggett (1993). "Impact of amphipod predation on the benthic eggs of marine fish: an analysis of *Calliopius laeviusculus* bioenergetic demands and predation on the eggs of a beach spawning osmeriid (*Mallotus villosus*)." Marine Ecology Progress Series **93**: 205-216.
- DeBlois, E. M. and W. C. Leggett (1993). "Importance of biotic and abiotic regulators of abundance of the intertidal amphipod *Calliopius laeviusculus* (Amphipoda: Gammaridea) and assessment of the accuracy and precision of sampling methods for detecting abundance changes." Marine Biology **115**(1): 75-83.
- Dennert, H. G. (1974). "Tolerance differences and interspecific competition in three members of the amphipod genus *Gammarus*." Bijdragen tot de Dierkunde **44**(1): 83-99.
- DeWitt, T. H. (1985). The behavior and ecology of migration and colonization in the epibenthic, tubicolous amphipod *Microdeutopus gryllotalpa*. PhD, State University of New York, Stony Brook.
- Dexter, D. M. (1967). "Distribution and niche diversity of haustoriid amphipods in North Carolina." Chesapeake Science **8**(3): 187-192.
- Dexter, D. M. (1971). "Life history of the sandy-beach amphipod *Neohaustorius schmitzi* (Crustacea: Haustoriidae)." Marine Biology **8**(3): 232-237.
- Dexter, D. M. (1974). "Sandy-beach fauna of the Pacific and Atlantic coasts of Costa Rica and Colombia." Revista de Biología Tropical **22**(1): 51-66.
- Díaz, Y. J. and A. Martín (2003). "Primer registro de *Tropichelura gomezi* (Amphipoda: Cheluridae) para el Caribe Sur." Revista de Biología Tropical **51**(1): 266.
- Dick, J. T. A., D. E. Irvine, et al. (1990). "Differential predation by males on moulted females may explain the competitive displacement of *Gammarus duebeni* by *G. pulex* (Amphipoda)." Behavioral Ecology and Sociobiology **26**: 41-45.
- Dickinson, J. J. (1976). Two zoogeographic studies of deep sea benthic gammarid amphipods. Ph. D., Oregon State University.
- Dickinson, J. J. (1978). "Faunal comparison of the gammarid Amphipoda (Crustacea) in two bathyal basins of the California Continental Borderland." Marine Biology **48**: 367-372.

- Dickinson, J. J. (1982). "Studies on amphipod crustaceans of the Northeastern Pacific region. I. 1. The systematics and distributional ecology of the family Ampeliscidae (Amphipoda: Gammaridea) in the Northeastern Pacific Region. I. The genus *Ampelisca*." National Museums of Canada, Publications in Biological Oceanography(10): 1-39.
- Dickinson, J. J. (1983). "The Systematics and distributional ecology of the superfamily Ampeliscoidea (Amphipoda: Gammaridea) in the Northeastern Pacific region. II. The Genera *Byblis* and *Haploops*." National Museums of Canada, Publications in Natural Sciences 1: 1-36.
- Dickinson, J. J. and A. G. Carey Jr. (1978). "Distribution of gammarid Amphipoda (Crustacea) on Cascadia Abyssal Plain (Oregon)." Deep-Sea Research 25: 97-106.
- Diffenthal, M. and T. Horton (2007). "*Stephonyx arabiensis* (Crustacea: Amphipoda: Lysianassoidea: Uristidae), a new deep-water scavenger species from the Indian Ocean, with a key to the genus *Stephonyx*." Zootaxa(1665): 31-41.
- Diviacco, G. and S. Ruffo (1982). "Family Lysianassidae. Pp. 469-576 IN: The Amphipoda of the Mediterranean. Part 2. Gammaridea (Haustroidea to Lysianassidae)." Memoires de l'Institut Océanographique du Monaco 13(2): 365-576.
- Dixon, I. M. T. and P. G. Moore (1997). "A comparative study of the tubes and feeding behaviour of eight species of corophioid Amphipoda and their bearing on phylogenetic relationships within the Corophioidea." Philosophical Transactions of the Royal Society of London, Series B 352(1349): 93-112.
- Dobrzycka-Kraheil, A. and A. Szaniawska (2005). "The effect of hypoxia and anoxia on osmotic concentrations of *Corophium volutator* (Pallas) from the Gulf of Gdansk." Oceanological and Hydrobiological Studies 34(1): 99-109.
- Dojiri, M. and J. Sieg (1987). "*Ingolfiella fuscina*, new species (Crustacea: Amphipoda) from the Gulf of Mexico and the Atlantic coast of North America, and partial redescription of *I. atlantisi* Mills, 1967." Proceedings of the Biological Society of Washington 100(3): 494-505.
- Donner, K. O. (1971). "On vision in *Pontoporeia affinis* and *P. femorata* (Crustacea, Amphipoda)." Commentationes Biologicae 32(41): 1-17.
- Donner, K. O., A. Lindström, et al. (1987). "Seasonal variation in the vertical migration of *Pontoporeia affinis* (Crustacea, Amphipoda)." Annotationes Zoologicae Fennici 24: 305-314.
- Dorsman, B. A. (1955). Notes on the life-history of *Orchestia bottae* Milne Edwards Ph. D. thesis, Rijks-Universiteit te Leiden.
- Dougherty, E. C. and J. E. Steinberg (1953). "Notes on the skeleton shrimps (Crustacea: Caprellidae) of California." Proceedings of the Biological Society of Washington 66: 39-50.
- Drake, P. and A. M. Arias (1995). "Distribution and production of *Microdeutopus gryllotalpa* (Amphipoda: Aoridae) in a shallow coastal lagoon in the Bay of Cádiz, Spain." Journal of Crustacean Biology 15(3): 454-465.
- Duffy, J. E. and M. E. Hay (1991). "Amphipods are not all created equal: a reply to Bell." Ecology 72(1): 354-358.

- Duffy, J. E. and M. E. Hay (1991). "Food and shelter as determinants of food choice by an herbivorous marine amphipod." Ecology **72**(4): 1286-1298.
- Duffy, J. E. and M. E. Hay (2000). "Strong impacts of grazing amphipods on the organization of a benthic community." Ecological Monographs **70**(2): 237-263.
- Dunham, P. J. and A. M. Hurshman (1991). Precopulatory mate guarding in aquatic Crustacea: *Gammarus lawrencianus* as a model system. New York, New York, U.S.A., Columbia University Press.
- Dvoretsky, A. G. and V. G. Dvoretsky (2008). "Epifauna associated with the northern stone crab *Lithodes maia* in the Barents Sea." Polar Biology **31**: 1149-1152.
- Dvoretsky, A. G. and V. G. Dvoretsky (2009). "Some aspects of the biology of the amphipods *Ischyrocerus anguipes* associated with the red king crab, *Paralithodes camtschaticus*, in the Barents Sea." Polar Biology **32**(3): 463-469.
- Einfeldt, A. L. and J. A. Addison (2015). "Anthropocene invasion of an ecosystem engineer: resolving the history of *Corophium volutator* (Amphipoda: Corophiidae) in the North Atlantic." Biological Journal of the Linnean Society **115**: 288-304.
- Elmgren, R., S. Ankar, et al. (1990). "Amphipods of the genus *Pontoporeia* as key elements in the Baltic benthos." Annali Zoologici Fennici **27**: 303-304.
- Elmgren, R., S. Ankar, et al. (1986). "Adult interference with postlarvae in soft sediments: the *Pontoporeia-Macoma* example." Ecology **67**: 827-836.
- Elmgren, R., G. Ejdung, et al. (2001). "Intraspecific food competition in the deposit-feeding benthic amphipod *Monoporeia affinis* --- a laboratory study." Marine Ecology Progress Series **216**: 183-193.
- Enequist, P. (1949). "Studies on the soft-bottom amphipods of the Skagerak." Zoologische Bidrag fran Uppsala **28**: 297-492.
- Englisch, U. (2001). Analyse der Phylogenie der Amphipoda (Crustacea, Malacostraca) mit Hilfe von Sequenzen des Gens der RNA der kleinen ribosomalen Untereinheit. PhD, Ruhr-Universität Bochum.
- Englisch, U., C. O. Coleman, et al. (2003). "First observations on the phylogeny of the families Gammaridae, Crangonyctidae, Melitidae, Niphargidae, Megalurotidae and Oedicerotidae (Amphipoda, Crustacea), using small subunit rDNA gene sequences." Journal of Natural History **37**(20): 2461-2486.
- Englisch, U. and S. Koenemann (2001). "Preliminary phylogenetic analysis of selected subterranean amphipod crustaceans, using small subunit rDNA gene sequences." Organisms Diversity & Evolution **1**: 139-145.
- Enright, J. T. (1962). "Response of an amphipod to pressure changes." Comparative Biochemistry and Physiology **7**(1-2): 131-145.
- Enright, J. T. (1963). "The tidal rhythm of activity of a sandy-beach amphipod." Zeitschrift für vergleichende Physiologie **46**(3): 276-313.
- Eriksen, C. H. (1968). "Aspects of the limno-ecology of *Corophium spinicorne* Stimpson (Amphipoda) and *Gnorimosphaeroma oregonensis* (Dana)(Isopoda)." Crustaceana **14**(1): 1-12.
- Eriksson Wiklund, A.-K. and B. Sundelin (2002). "Bioavailability of metals to the amphipod *Monoporeia affinis*: interactions with authigenic sulfides in urban brackish-water and freshwater sediments." Environmental Toxicology and Chemistry **21**(6): 1219-1228.

- Filipov, A. (2006). "Adaptability of the amphipod *Pontoporeia affinis* (Crustacea, Amphipoda) to salinity changes." Russian Journal of Marine Biology **32**: 198-200.
- Fincham, A. A. (1971). "Ecology and population studies of some intertidal and sublittoral sand-dwelling amphipods." Journal of the Marine Biological Association of the United Kingdom **51**(2): 471-488.
- Fish, J. D. and A. Mills (1979). "The reproductive biology of *Corophium volutator* and *C. arenarium* (Crustacea: Amphipoda)." Journal of the Marine Biological Association of the United Kingdom **59**: 355-368.
- Forbes, M. R., J. S. Boates, et al. (1996). "Mate searching by males of the intertidal amphipod *Corophium volutator* (Pallas)." Canadian Journal of Zoology **74**: 1479-1484.
- Forbes, M. R., D. G. McCurdy, et al. (2006). "Evidence for seasonal mate limitation in populations of an intertidal amphipod, *Corophium volutator* (Pallas)." Behavioral Ecology and Sociobiology **60**: 87-95.
- Fox, R. S. and K. H. Bynum (1975). "The amphipod crustaceans of North Carolina estuarine waters." Chesapeake Science **16**(4): 223-237.
- France, S. C. (1993). "Geographic variation among three isolated populations of the hadal amphipod *Hirondellea gigas* (Crustacea: Amphipoda: Lysianassoidea)." Marine Ecology Progress Series **92**(3): 277-287.
- France, S. C. (1994). "Genetic population structure and gene flow among deep-sea amphipods, *Abyssorchomene* spp. from six California Continental Borderland basins." Marine Biology **118**: 67-77.
- France, S. C., R. R. Hessler, et al. (1992). "Genetic differentiation between spatially-disjunct populations of the deep-sea hydrothermal vent-endemic amphipod *Ventiella sulfuris*." Marine Biology **114**: 551-559.
- France, S. C. and T. D. Kocher (1996). "Geographic and bathymetric patterns of mitochondrial 16S rRNA sequence divergence among deep-sea amphipods, *Eurythenes gryllus*." Marine Biology **126**: 633-643.
- Franz, D. R. and J. T. Tanacredi (1992). "Secondary production of the amphipod *Ampelisca abdita* Mills and its importance in the diet of juvenile winter flounder (*Pleuronectes americanus*) in Jamaica Bay, New York." Estuaries **15**(2): 193-203.
- Fredette, T. J. and R. J. Diaz (1986). "Secondary production of *Gammarus mucronatus* Say (Amphipoda: Gammaridae) in warm temperate estuarine habitats, York River, Virginia." Journal of Crustacean Biology **6**(4): 729-741.
- Frey, M. A., H. N. Gartner, et al. (2009). "First confirmed records of the non-native amphipod *Caprella mutica* (Schurin 1935) along the coast of British Columbia, Canada, and the potential for secondary spread via hull fouling." Aquatic Invasions **4**(3): 495-499.
- Gable, M. F. and E. A. Lazo-Wasem (1990). "Lysianassidae (Amphipoda: Lysianassoidea) of Bermuda." Journal of Crustacean Biology **10**(4): 721-734.
- Gamble, J. C. (1970). "Anaerobic survival of the crustaceans *Corophium volutator*, *C. arenarium* and *Tanais chevreuxi*." Journal of the Marine Biological Association of the United Kingdom **50**(3): 657-671.

- García Madrigal, M. d. S. (2007). "Annotated checklist of the amphipods (Peracarida: Amphipoda) from the tropical eastern Pacific." Contributions to the Study of East Pacific Crustaceans **4**(2): 63-195.
- Gardner, W. S., M. A. Quigley, et al. (1990). *Pontoporeia hoyi* - a direct trophic link between spring diatoms and fish in Lake Michigan. Large Lakes - Ecological Structure and Function. M. M. Tiller and C. Serruya. New York, New York, USA, Springer: 632-644.
- Gerdol, V. and R. G. Hughes (1994). "Feeding behaviour and diet of *Corophium volutator* in an estuary in southeastern England." Marine Ecology Progress Series **114**: 103-108.
- Gidney, A. R. (1971). "The light sensitivity and light environment of *Corophium volutator*." Fourth European Marine Biology Symposium: 559.
- Goddard, J. H. R. (1984). "Presumptive Batesian mimicry of an aeolid nudibranch by an amphipod crustacean." Shells and Sea-life **16**(12): 220-222.
- Goedkoop, W. (2004). "Multiple stressors acting on populations of the glacial relict *Monoporeia affinis* (Lindström) in Lake Mälaren, Sweden." Internationale Vereinigung für Theoretische und Angewandte Limnologie, Verhandlungen **29**: 1789-1795.
- Goedkoop, W. and R. K. Johnson (1994). "Exploitation of sediment bacterial carbon by juveniles of the amphipod *Monoporeia affinis*." Freshwater Biology **32**(3): 554-563.
- Goedkoop, W. and R. K. Johnson (1996). "Pelagic-benthic coupling: profundal benthic community response to spring diatom deposition in mesotrophic Lake Erken." Limnology and Oceanography **41**: 636-647.
- Goedkoop, W. and R. K. Johnson (2001). "Factors affecting population fluctuations of the glacial relict amphipod *Monoporeia affinis* (Lindström) in Sweden's largest lakes." Ambio **30**(8): 552-558.
- Gonzalez, E. R. (1986). "A new record of *Paracorophium hartmannorum* Andres, 1975, from the Chilean coast, with a description of the adult (Amphipoda: Corophiidae)." Proceedings of the Biological Society of Washington **99**(1): 21-28.
- González, E. R., G. Bond-Buckup, et al. (2006). "Two new species of *Hyaella* from southern Brazil (Amphipoda: Hyaellidae) with a taxonomic key." Journal of Crustacean Biology **26**(3): 355-365.
- Grabowski, M., K. Bacela, et al. (2007). "How to be an invasive gammarid (Amphipoda: Gammaroidea) - comparison of life history traits." Hydrobiologia **590**: 75-84.
- Graeve, M., P. Dauby, et al. (2001). "Combined lipid, fatty acid and digestive tract content analyses : a penetrating approach to estimate feeding modes of Antarctic amphipods." Polar Biology **24**(11): 853-862.
- Gratto, G. W., M. L. H. Thomas, et al. (1983). "Growth and production of the intertidal amphipod *Corophium volutator* (Pallas) in the Inner and Outer Bay of Fundy." Proceedings of the Nova Scotia Institute of Science **33**: 47-55.
- Greenstein, D. J. and L. L. Tiefenthaler (1997). "Reproduction and Population Dynamics of *Grandidierella japonica* (Stephensen) (Crustacea: Amphipoda) in Upper Newport Bay." Bulletin of the Southern California Academy of Sciences **96**(1): 34-42.

- Griffiths, C. L. (1975). "The Amphipoda of Southern Africa. Part 5. The Gammaridea and Caprellidea of The Cape Province west of Cape Agulhas." Annals of the South African Museum **67**(5).
- Griffiths, C. L. (1977). "Deep-sea amphipods from West of Cape Point, South Africa." Annals of the South African Museum **73**(4): 93-104.
- Griffiths, C. L. (1991). "A new ingolfiellid (Crustacea: Amphipoda) from subterranean waters in western Namibia." Cimbebasia **13**: 75-79.
- Grosse, D. J., G. B. Pauley, et al. (1989). Species Profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest). Amphipods. Biological Report. Vicksburg, Mississippi, U.S.A.
- Guerra-García, J. M. (2003). "Redescription of *Mayerella magellanica* McCain & Gray, 1971 (Crustacea: Amphipoda: Caprellidea) from Chile with a revision of the genus *Mayerella*." Hydrobiologia(490): 187-195.
- Guerra-García, J. M. (2003). "Revision of the genus *Deutella* (Crustacea: Amphipoda: Caprellidea) with description of a new species, redescription of *Deutella venenosa* Mayer, 1890, and a key to the species of *Deutella*." Journal of Natural History **37**(9): 1059-1084.
- Guerra-García, J. M. (2004). "The Caprellidea (Crustacea, Amphipoda) from Western Australia and Northern Territory, Australia." Hydrobiologia **522**: 1-74.
- Guerra-García, J. M. (2006). "Caprellidae (Crustacea: Amphipoda) from the Great Barrier Reef and adjacent localities." Records of the Australian Museum **58**(3): 417-458.
- Guerra-García, J. M. and J. M. T. de Figueroa (2009). "What do caprellids (Crustacea: Amphipoda) feed on?" Marine Biology **156**(9): 1881-1890.
- Guerra-García, J. M. and M. Ros (2012). "Presence of abdominal appendages in females of *Caprella equilibra* Say, 1818 (Peracarida, Amphipoda): is *Metacaprella* Mayer, 1903 a valid genus?" Crustaceana **85**(1): 71-79.
- Gunnill, F. C. (1982). "Macroalgae as habitat patch islands for *Scutellidium lamellipes* (Copepoda: Harpacticoida) and *Ampithoe tea* (Amphipoda: Gammaridae)." Marine Biology **69**: 103-116.
- Gurjanova, E. F. (1927). "To the fauna of the Kola-Fjord, Barents Sea, White Sea, Kara Sea and Novaja Semlja." Travaux de la Societe des Naturalistes Leningrad **57**: 23-38.
- Gurjanova, E. F. (1938). "Amphipoda, Gammaroidea of Siaukhu Bay and Sudzukhe Bay (Japan Sea)." Report of the Japan Sea Hydrobiological Expedition of the Zoological Institute of the Academy of Sciences USSR in 1934 **1**: 241-404.
- Gurjanova, E. F. (1951). "Bokoplavy morey SSSR i sopredel'nykh vod (Amphipoda-Gammaridea)." Opredeliteli po Faune SSSR **41**: 1-1029.
- Gurjanova, E. F. (1953). "Novye dopolnenija k dal'nevostognoj faune morskix bokoplavov." Akademia Nauk SSSR, Trudy Zool. Insti. **13**: 216-241.
- Gurjanova, E. F. (1962). "Bokoplavy severnoi chasti Tixogo Okeana (Amphipoda-Gammaridea) chast' 1." Opredeliteli po Faune SSSR **74**: 1-440.
- Gurjanova, E. F. (1977). "Some new data in taxonomy of Family Phoxocephalidae sensu lato (Amphipoda, Gammaridea). Report 1." Explorations of the Fauna of the Seas **21**: 67-87.

- Haggitt, T. R. and R. C. Babcock (2003). "The role of grazing by the lysianassid amphipod *Orchomenella aahu* in dieback of the kelp *Ecklonia radiata* in north-eastern New Zealand." Marine Biology **143**(6): 1201-1211.
- Hansen, H. J. (1903). "The Ingolfiellidae, fam. n., a new type of Amphipoda." The Journal of the Linnean Society, Zoology **29**: 117-133.
- Harris, G. J. and E. Morgan (1984). "The location of circa-tidal pacemakers in the estuarine amphipod *Corophium volutator* using a selective chilling technique." Journal of Experimental Biology **110**: 125-142.
- Harty, R. (1979). "Range extension and notes on the habitat of the isopod *Munna halei* Menzies." Bulletin of the Southern California Academy of Sciences **78**(3): 196-199.
- Hautus, T. and S. Pinkster (1987). "Range extension in the period 1985-1986 of the alien amphipods, *Gammarus tigrinus*, Sexton 1939, and *Crangonyx pseudogracilis* Bousfield, 1958, in the Netherlands (Crustacea, Amphipoda)." Bulletin Zoölogisch Museum Universiteit van Amsterdam **11**(6): 57-64.
- Hay, M. E. (1992). The role of seaweed chemical defenses in the evolution of feeding specialization and in the mediation of complex interactions. Ithaca, New York, U.S.A., Comstock Publishing Associates.
- Hay, M. E., J. E. Duffy, et al. (1990). "Host-plant specialization decreases predation on a marine amphipod: an herbivore in plant's clothing." Ecology **71**(2): 733-743.
- Hay, M. E., J. E. Duffy, et al. (1989). "Chemical defense in the seaweed *Dictyopteris delicatula*: differential effects against reef fishes and amphipods." Marine Ecology Progress Series **48**: 185-192.
- Hay, M. E. and W. Fenical (1992). Chemical mediation of seaweed-herbivore interactions. Oxford, United Kingdom, The Systematics Association/Clarendon Press.
- Hazard, K. W. and L. F. Lowry (1984). "Benthic prey in a Bowhead Whale from the Northern Bering Sea." Arctic **37**(2): 165-168.
- Heard, R. W. I. and W. B. Sikora (1972). "A new species of *Corophium* Latreille, 1806 (Crustacea: Amphipoda) from Georgia brackish waters with some ecological notes." Proceedings of the Biological Society of Washington **84**(55): 467-476.
- Heckscher, E., J. Hauxwell, et al. (1996). "Selectivity by the herbivorous amphipod *Microdeutopus gryllotalpa* among five species of macroalgae." Biological Bulletin **191**: 324-326.
- Hendrickx, M. E. and M. Ayón Parente (2014). "Two new species of deep-water *Caprella* (Peracarida, Amphipoda, Caprellidae) from the Pacific Coast of Mexico collected during the Ta,ud XIV Cruise, with a checklist of species of Caprellidae recorded for the Eastern Pacific." Crustaceana **87**(1): 41-63.
- Hendrycks, E. A. (2007). "A new species of *Valettiopsis* Holmes, 1908 (Crustacea: Gammaridea: Lysianassoidea) from abyssal waters off California." Zootaxa(1501): 45-56.
- Hendrycks, E. A. and E. L. Bousfield (2001). "The amphipod genus *Allorchestes* in the North Pacific region: systematics and distributional ecology." Amphipacifica **3**(2): 3-37.

- Hendrycks, E. A. and E. L. Bousfield (2004). "The amphipod family Pleustidae (mainly subfamilies Mesopleustinae, Neopleustinae, Pleusymtinae, and Stenopleustinae) from the Pacific coast of North America: systematics and distributional ecology." *Amphipacifica* **3**(4): 45-113.
- Hendrycks, E. A. and K. Conlan (2003). "New and unusual abyssal gammaridean Amphipoda from the north-east Pacific." *Journal of Natural History* **37**(19): 2303-2368.
- Hessler, R. R., C. L. Ingram, et al. (1978). "Scavenging amphipods from the floor of the Philippine Trench." *Deep-Sea Research* **25**: 1029-1047.
- Hill, C. and R. Elmgren (1987). "Vertical distribution in the sediment in the co-occurring benthic amphipods *Pontoporeia affinis* and *P. femorata*." *Oikos* **49**: 221-229.
- Hill, C. and R. Elmgren (1992). "Predation by the isopod *Saduria entomon* on the amphipods *Monoporeia affinis* and *Pontoporeia femorata*: experiments on prey vulnerability." *Oecologia* (Berlin) **91**: 153-156.
- Hill, C., M. A. Quigley, et al. (1992). "Seasonal changes in lipid content and composition in the benthic amphipods *Monoporeia affinis* and *Pontoporeia femorata*." *Limnology and Oceanography* **37**(6): 1280-1289.
- Hirayama, A. (1983). "Taxonomic studies on the shallow water gammaridean Amphipoda of west Kyushu, Japan. 1. Acanthonotozomatidae, Ampeliscidae, Ampithoidae, Amphilochidae, Anamixidae, Argissidae, Atylidae and Colomastigidae." *Publications of the Seto Marine Biological Laboratory* **28**(1/4): 75-150.
- Hirayama, A. (1984). "Taxonomic studies on the shallow water gammaridean Amphipoda of west Kyushu, Japan. III. Dexaminidae (*Polycheria* and *Paradexamine*)." *Publications of the Seto Marine Biological Laboratory* **29**(4/6): 187-230.
- Hirayama, A. (1984). "Taxonomic studies on the shallow water gammaridean Amphipoda of west Kyushu, Japan. II. Corophiidae." *Publications of the Seto Marine Biological Laboratory* **29**(1/3): 1-92.
- Hirayama, A. (1985). "Taxonomic studies on the shallow water gammaridean Amphipoda of west Kyushu, Japan. V. Leucothoidae, Liljeborgiidae, Lysianassidae (*Prachynella*, *Aristias*, *Waldeckia*, *Ensayara*, *Lepidepecreum*, *Hippomedon*, and *Anonyx*)." *Publications of the Seto Marine Biological Laboratory* **30**(4/6): 167-212.
- Hirayama, A. (1986). "Marine Gammaridean Amphipoda (Crustacea) from Hong Kong I. The family Corophiidae, genus *Corophium*." *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 1986*: 449-485.
- Hirayama, A. (1986). "Marine gammaridean Amphipoda (Crustacea) from Hong Kong II. The family Dexaminidae." *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 1986*: 487-501.

- Hirayama, A. (1986). "Taxonomic studies on the shallow water gammaridean Amphipoda of west Kyushu, Japan. VI. Lysianassidae (*Orchomene*), *Megaluropus* family group, Melitidae (*Cottesloe*, *Jerbarnia*, *Maera*, *Ceradocus*, *Eriopisella*, *Dulichella*)." Publications of the Seto Marine Biological Laboratory **3**(1/2): 1-35.
- Hirayama, A. (1988). "Taxonomic studies on the shallow water gammaridean Amphipoda of west Kyushu, Japan. VIII. Pleustidae, Podoceridae, Priscomilitaridae, Stenothoidae, Synopiidae, and Urothoidae." Publications of the Seto Marine Biological Laboratory **33**(1/3): 39-77.
- Hirayama, A. (1992). "Oedicerotidae (Crustacea: Amphipoda) from Hong Kong." Asian Marine Biology **9**: 139-166.
- Hirayama, A. and T. Kikuchi (1979). "The first record of *Melita appendiculata* (Say) 1818, (Crustacea: Amphipoda: Gammaridae) from Japan." Publications of the Amakusa Marine Biological Laboratory; Kyushu University **5**(1): 67-77.
- Hirayama, A. and T. Kikuchi (1980). "A new gammaridean Amphipoda, *Waldeckia elephas* sp. nov., attaching to the set net in Tomioka Bay, Amakusa, Japan." Publications of the Amakusa Marine Biology Laboratory **5**(2): 143-151.
- Holman, H. and L. Watling (1983). "Biology of the Antarctic Seas XIII. Amphipoda from the southern ocean: families Colomastigidae, Dexaminidae, Leucothoidae, Liljeborgiidae, and Sebidae." Antarctic Research Series **38**(4): 215-262.
- Holman, H. and L. Watling (1983). "A revision of the Stilipedidae (Amphipoda)." Crustaceana **44**(1): 27-53.
- Holmes, S. J. (1904). "Amphipod crustaceans of the Expedition." Smithsonian Institution Harriman Alaska Series **10**: 233-246.
- Holmes, S. J. (1908). "The Amphipoda collected by the U.S. Bureau of Fisheries Steamer 'Albatross' off the West Coast of North America in 1903-1904, with descriptions of a new family and several new genera and species." Proceedings of the United States National Museum **35**(1654): 489-543.
- Holmlund, M. B., C. H. Peterson, et al. (1990). "Does algal morphology affect amphipod susceptibility to fish predation?" Journal of Experimental Marine Biology and Ecology **129**: 65-83.
- Holsinger, J. R. (1974). "Comments on the newly proposed gammaridean amphipod families Crangonycidae and Melitidae." Crustaceana **26**(3): 316-318.
- Holsinger, J. R. (1977). "A review of the systematics of the Holarctic amphipod Family Crangonyctidae." Crustaceana Supplement(4): 244-281.
- Holsinger, J. R. (1986). Zoogeographic patterns of North American subterranean amphipod crustaceans. Rotterdam, A. A. Balkema.
- Hoover, P. M. and E. L. Bousfield (2001). "The amphipod superfamily Leucothoidea on the Pacific coast of North America: Family Amphilochidae: systematics and distributional ecology." Amphipacifica **3**(1): 3-28.
- Horton, T. (2004). "Revision of the amphipod genus *Valettropsis* Holmes, 1908 (Crustacea: Lysianassoidea), with the addition of three new species." Journal of Natural History **38**: 1735-1755.

- Horton, T. and M. Thurston (2009). "*Hirondellea sindhusagar* (Crustacea: Amphipoda: Lysianassoidea), a new deep-water scavenger species from the Indian Ocean, with a key to the genus *Hirondellea*." Zootaxa(2096): 433-441.
- Hou, Z., J. Fu, et al. (2007). "A molecular phylogeny of the genus *Gammarus* (Crustacea: Amphipoda) based on mitochondrial and nuclear gene sequences." Molecular Phylogenetics and Evolution **45**(2): 596-611.
- Hudon, C. (1983). "Selection of unicellular algae by the littoral amphipods *Gammarus oceanicus* and *Calliopius laeviusculus* (Crustacea)." Marine Biology **78**: 59-67.
- Humes, A. G. and G. A. Boxshall (1993). "*Pseudonicothoe branchialis* (Crustacea: Copepoda: Siphonostomatoida: Nicothoidae) living on the pandalid shrimp *Heterocarpus sibogae* off northwestern Australia." Proceedings of the Biological Society of Washington **106**(2): 315-324.
- Hurley, D. E. (1954). "Studies on the New Zealand amphipodan Fauna No. 7. The family Corophiidae, including a new species of *Paracorophium*." Transactions of the Royal Society of New Zealand **82**(2): 431-460.
- Hurley, D. E. (1956). "A new species of *Stegocephalus* (Amphipoda: Gammaridea) from California." Bulletin of the Southern California Academy of Sciences **55**(1): 28-34.
- Hurley, D. E. (1963). "Amphipoda of the family Lysianassidae from the West Coast of North and Central America." Allan Hancock Foundation Publications: Occasional Paper(25): 1-160.
- Hurley, D. E. and J. L. Mohr (1957). "On whale-lice (Amphipoda: Cyamidae) from the California Gray Whale, *Eschrichtius glaucus*." Journal of Parasitology **43**(3): 352-357.
- Hynes, H. B. N. and F. Harper (1972). "The life histories of *Gammarus lacustris* and *G. pseudolimnaeus* in southern Ontario." Crustaceana Supplement(3): 329-341.
- Iannilli, V., R. Berera, et al. (2008). "Description of the first marine interstitial ingolfiellid from Philippines, *Ingolfiella alba* sp. nov., with some remarks on the systematic of the genus (Amphipoda: Ingolfiellidae)." Zootaxa(1675): 49-58.
- Ide, K., K. Takahashi, et al. (2007). "Direct observation of swimming behaviour in a shallow-water scavenging amphipod *Scopelocheirus onagawae* in relation to chemoreceptive foraging." Journal of Experimental Marine Biology and Ecology **340**: 70-79.
- Ide, K., K. Takahashi, et al. (2006). "Predation by scavenging amphipods to injured hatchery raised juvenile Japanese flounder *Paralichthys olivaceus* under laboratory conditions." Fisheries Science **72**: 1209-1214.
- Imbach, M. C. (1967). "Gammaridean Amphipoda from the South China Sea." NAGA Reports - Scientific Results of Marine Investigations of the South China Sea and the Gulf of Thailand 1959-1961 **4**(1): 39-167.
- Ingólfsson, A. and I. Agnarsson (1999). "*Anonyx sarsi*: a major unrecognized scavenger and predator in the intertidal zone." Journal of the Marine Biological Association of the United Kingdom **79**(6): 1127-1128.
- Ingram, C. L. and R. R. Hessler (1983). "Distribution and behavior of scavenging amphipods from the central North Pacific." Deep-Sea Research **30 (A)**: 683-706.

- Ishimaru, S.-i. (1985). "A new species of the genus *Leucothoe* (Amphipoda, Gammaridea, Leucothoidae) from Japan." Proceedings of the Japanese Society of Systematic Zoology(30): 46-52.
- Ishimaru, S.-i. (1987). "Description of two new species of *Guernea* (Crustacea, Amphipoda, Dexaminidae) from Japan, with tentative revision of subfamily Prophliantinae." Journal of Natural History **21**(6): 1395-1414.
- Jacobson, T. and B. Sundelin (2006). "Reproductive effects of the endocrine disruptor fenarimol on a Baltic amphipod *Monoporeia affinis*." Environmental Toxicology and Chemistry **25**: 1126-1141.
- Jamieson, A. J., N. C. Lacey, et al. (2013). "The supergiant amphipod *Alicella gigantea* (Crustacea: Alicellidae) from hadal depths in the Kermadec Trench, SW Pacific Ocean." Deep-Sea Research II **92**: 107-113.
- Jamieson, A. J., A.-N. Lörz, et al. (2011). "*In situ* observations of trophic behaviour and locomotion of Princaxelia amphipods (Crustacea: Pardaliscidae) at hadal depths in four West Pacific Trenches." Journal of the Marine Biological Association of the United Kingdom **92**(1): 143-150.
- Jankowski, A. W. and S. V. Vassilenko (1973). "Commensological sketches - 5. *Caprella astericola* sp. n. (Amphipoda, Caprellidea) from *Asterias amurensis*. ." Zoologicheski Zhurnal **52**: 947-951.
- Jansen, T. (2002). "A taxonomic revision of *Westwoodilla* Bate, 1862 (Crustacea: Amphipoda), including description of two new species." Steenstrupia **27**(1): 83-136.
- Jarrett, N. E. and E. L. Bousfield (1982). "Studies on amphipod crustaceans of the Northeastern Pacific region. I. 4. Studies on the amphipod family Lysianassidae in the Northeastern Pacific region. *Hippomedon* and related genera: systematics and distributional ecology." National Museums of Canada, Publications in Biological Oceanography(10): 103-128.
- Jarrett, N. E. and E. L. Bousfield (1994). "The amphipod superfamily Phoxocephaloidea on the Pacific Coast of North America. Family Phoxocephalidae. Part 1. Metharpiniinae, new subfamily." Amphipacifica **1**(1): 58-140.
- Jarrett, N. E. and E. L. Bousfield (1994). "The amphipod superfamily Phoxocephaloidea on the Pacific Coast of North America. Family Phoxocephalidae. Part II. Subfamilies Pontharpiniinae, Parharpiniinae, Brolginae, Phoxocephalinae, and Harpiniinae. Systematics and distributional ecology." Amphipacifica **1**(2): 71-150.
- Jarrett, N. E. and E. L. Bousfield (1996). "The amphipod superfamily Hadzioidea on the Pacific Coast of North America. Family Melitidae. Part I. The *Melita* group: systematics and distributional ecology." Amphipacifica **2**(2): 3-74.
- Jaume, D., B. Sket, et al. (2009). "New subterranean Sebidae (Crustacea, Amphipoda, Gammaridea) from Vietman and SW Pacific." Zoosystema **31**(2): 249-277.
- Jazdzewski, K. (1990). "A redescription of *Tiron antarcticus* K. H. Barnard, 1932 (Crustacea: Amphipoda: Synopiidae) with an updated key to the species of *Tiron* Liljeborg, 1865." Proceedings of the Biological Society of Washington **103**(1): 110-119.

- Jensen, L. A., K. L. Heck Jr., et al. (1982). "Parasites of Bocaccio, *Sebastes paucispinis*, from southern and central California." Proceedings of the Helminthological Society of Washington **49**(2): 314-317.
- Jo, Y. W. (1989). "Shallow-water phoxocephalid Amphipoda (Crustacea) of Korea." Bijdragen tot de Dierkunde **59**(2): 97-125.
- Jo, Y. W. (1990). "Oedicerotid Amphipoda (Crustacea) from shallow waters of Korea." Beaufortia **39**(5): 155-200.
- Johansson, B. (1997). "Tolerance of the deposit-feeding Baltic amphipods *Monoporeia affinis* and *Pontoporeia femorata* to oxygen deficiency." Marine Ecology Progress Series **151**: 135-141.
- Johnson, K. R. (1987). "The life history, production and food habits of *Pontoporeia affinis* Lindström (Crustacea: Amphipoda) in Lake Erken." Hydrobiologia **144**: 277-283.
- Jones, A. R., A. Murray, et al. (2008). "The effects of beach nourishment on the sandy-beach amphipod *Exoediceros fossor*: impact and recovery in Botany Bay, New South Wales, Australia." Marine Ecology an Evolutionary Perspective **29**: 28-36.
- Jones, E. G., M. A. Collins, et al. (1998). "The fate of cetacean carcasses in the deep sea: observations on consumption rates and succession of scavenging species in the abyssal north-east Atlantic Ocean." Proceedings of the Royal Society of London, series B. **265**: 1119-1127.
- Jones, L. G. (1971). "Studies on selected small herbivorous invertebrates inhabiting *Macrocystis* canopies and holdfasts in southern California kelp beds. IN: North, Wheeler J. (ed.). The biology of giant kelp beds (*Macrocystis*) in California." Nova Hedwigia **32**: 343-367.
- Judd, S. D. (1896). "Descriptions of three species of sand fleas (Amphipods) collected at Newport, Rhode Island." Proceedings of the United States National Museum **18**(1084): 593-603.
- Just, J. (1977). "*Amphyllodomus incurvaria* gen. et sp.n. (Crustacea, Amphipoda), a remarkable leaf-cutting amphithoid from the marine shallows of Barbados." Zoologica Scripta **6**: 229-232.
- Just, J. (1978). "Taxonomy, biology, and evolution of the circumarctic genus *Acanthonotozoma* (Amphipoda), with notes on *Panoploeopsis*." Acta Arctica **20**: 1-140.
- Just, J. (1979). "*Anonyx affinis* (Crust., Amphipoda: Lysianassidae), commensal in the bivalve *Musculus laevigatus*, with notes on *Metopa glacialis* (Amphipoda: Stenothoidae)." Astarte **12**: 69-74.
- Just, J. (1980). "Amphipoda (Crustacea) of the Thule area, Northwest Greenland: Faunistics and Taxonomy." Meddelelser om Gronland, Bioscience **2**: 1-63.
- Just, J. (1981). "*Tiron bellairsi* sp. n. (Amphipoda, Synopiidae) from coral sand in Barbados, with notes on behaviour." Zoologica Scripta **10**(4): 259-263.
- Just, J. (1983). "Siphonoecetinae subfam. n. (Crustacea, Amphipoda, Corophiidae) 1: Classification." Steenstrupia **9**(6): 117-135.
- Just, J. (1984). "Siphonoecetinae (Crustacea, Amphipoda, Corophiidae) 2: *Caribboecetes* Just, 1983, with description of six new species." Steenstrupia **10**(2): 37-64.

- Just, J. (1990). "*Coboldus laetifucatus* n.sp. (Crustacea, Amphipoda, Iphimediidae) from Barbados, West Indies." Steenstrupia **16**(5): 85-91.
- Just, J. (1990). "*Vicmusia duplocoxa*, gen. et sp. no., (Crustacea: Amphipoda: Gammaridea) of the new family Vicmusiidae from Australian upper bathyal waters." Invertebrate Taxonomy **3**(7): 925-940.
- Just, J. (1995). "*Acanthonotozomopsis* Watling & Holman, 1980, senior synonym of *Vicmusia* Just, 1990 (Crustacea: Amphipoda: Vicmusiidae)." Invertebrate Taxonomy **9**(5): 1005-1008.
- Kanada, S., R. B. Kuranishi, et al. (2007). "Distribution of an alien species, *Crangonyx floridanus* Bousfield (Crustacea: Amphipoda: Carangonyctidae) in Japan." Japanese Journal of Limnology **68**: 449-460.
- Kanneworff, E. (1966). "On some amphipod species of the genus *Haploops*, with special reference to *H. tubicola* Liljeborg and *H. tenuis* sp. nov. from the Oresund." Ophelia **3**: 183-207.
- Karaman, G. S. (1974). "Contribution to the knowledge of the Amphipoda. XLII. Revision of the Family Pardaliscidae with diagnosis of genera, distribution of species and Bibliography." Acta Adriatica **15**(7): 3-46.
- Karaman, G. S. (1978). "Contribution to the Knowledge of the Amphipoda XCVII. On three interesting species, *Crangonyx floridanus* Bous. 1963, *C. parvimanus* (Hol. 1903) and *Orchestia tiberiadis* Lor. 1883." Glasnik Republickog Zavoda za Zastitu Pirode - Prirodnjackog Muzeja Titograd **11**: 65-73.
- Karaman, G. S. (1979). "Contribution to the Knowledge of the Amphipoda. C. Revision of the genus *Paracorophium* Stebb. with description of *P. chelatum*, n. sp. and genus *Chaetocorophium* n. gen. (Fam. Corophiidae)." Glasnik Republickog Zavoda za Zastitu Pirode - Prirodnjackog Muzeja Titograd **12**: 87-100.
- Karaman, G. S. (1980). "Contribution to the knowledge of the Amphipoda, CII. Revision of the genus *Idunella* Sars with description of new species, *I. sketi*, n. sp. (Fam. Liljeborgiidae)." Acta Adriatica **21**(2): 409-435.
- Karaman, G. S. (1980). "Contribution to the knowledge of the Amphipoda, CXVII. Revision of the genus *Iphimedia* Rathke 1843 with description of two new genera, *Anisoiphimedia* and *Stegopanoploea*, n. gen. (fam. Acanthonotozomatidae)." Poljoprivreda I Sumarstvo, Titograd **26**(4): 47-72.
- Karaman, G. S. (1981). "Contribution to the knowledge of the Amphipoda, CXIX. Redescription of *Melita planaterga* Kunkel 1910 from Bermuda islands with revision of genera *Melita* Leach and *Abludomelita* n. gen." Poljoprivreda I Sumarstvo, Titograd **27**(1): 29-50.
- Karaman, G. S. (1984). "Contribution to the knowledge of the Amphipoda, CXXXIX. Revision of Eriopisa-complex of genera (Gammaridea)." Poljoprivreda I Sumarstvo, Titograd **30**(4): 39-72.
- Karaman, G. S. (1986). "Contribution to the Knowledge of the Amphipoda. 155. *Syrrhoites barnardi*, new marine amphipod from the Mediterranean Sea, with remarks to genus *Synopia* Dana (Gammaridea, Synopiidae)." Studia Marina **17-18**(1).

- Karaman, G. S. and J. L. Barnard (1979). "Classificatory revisions in gammaridean Amphipoda (Crustacea), part 1." Proceedings of the Biological Society of Washington **92**(1): 106-165.
- Karaman, G. S. and J. L. Barnard (1981). "The synonymization of *Triodos* K.H.Barnard with *Ampelisca* Kröyer (Crustacea, Amphipoda)." Annals of the South African Museum **84**(7): 255-264.
- Kaufmann, R. S. (1994). "Structure and function of chemoreceptors in scavenging lysianassoid amphipods." Journal of Crustacean Biology **14**(1): 54-71.
- Kazmi, Q. B. and H. Bano (2003). "A new record of *Ampithoe ramondi* Audouin, 1826 (Amphipoda, Ampithoidae) from the Northern Arabian Sea (Karachi, Pakistan)." Pakistan Journal of Marine Sciences **12**(2): 183-184.
- Keable, S. J. (1995). "Structure of the marine invertebrate scavenging guild of a tropical reef ecosystem: field studies at Lizard Island, Queensland, Australia. ." Journal of Natural History **29**(1): 27-45.
- Keith, D. E. (1969). "Aspects of feeding in *Caprella californica* and *Caprella equilibra* Say (Amphipoda)." Crustaceana **16**(2): 119-124.
- Kelly, D. W., J. T. A. Dick, et al. (2002). "The functional role of *Gammarus* (Crustacea, Amphipoda): shredders, predators, or both?" Hydrobiologia **485**: 199-203.
- Kemp, P. F., F. A. Cole, et al. (1985). "Life history and productivity of the phoxocephalid amphipod *Rhepoxynius abronius* (Barnard)." Journal of Crustacean Biology **5**(3): 449-464.
- Kilgallen, N. M. (2009). "New species of lysianassoid Amphipoda (Crustacea) associated with seamounts, marine canyons and cold seeps of New Zealand." Zootaxa(2298): 1-30.
- Kilgallen, N. M. (2009). "Podoceridae." Zootaxa(2260): 841-860.
- Kilgallen, N. M. and J. K. Lowry (2014). "The *Tryphosa* group (Crustacea: Amphipoda: Lysianassoidea: Lysianassidae: Tryphosinae)." Zootaxa(3768 (5)): 501-545.
- Kilgallen, N. M., A. A. Myers, et al. (2007). "The genus *Sophrrosyne* (Crustacea: Amphipoda: Lysianassoidea) in the North Atlantic, with a confirmation of the status of *S. robertsoni*." Journal of the Marine Biological Association of the United Kingdom **87**(5): 1243-1246.
- Kim, C. B. and W. Kim (1992). "A new species of the genus *Gitanopsis* (Amphipoda, Amphilochidae) from Korea." The Korean Journal of Systematic Zoology **8**(2): 183-188.
- Kim, Y.-H., E. A. Hendrycks, et al. (2010). "A new species and new record of the Amphilochidae (Crustacea: Amphipoda) from Korea." Zootaxa(2477): 21-36.
- King, R. A. and J. M. C. Holmes (2004). "A new species of *Ischyrocerus* (Crustacea: Amphipoda) from Ireland, with a review of *Ischyrocerus anguipes* and *Ischyrocerus minutus* from the North-East Atlantic." Journal of Natural History **38**: 1757-1772.
- Kinne, O. (1959). "Ecological data on the amphipod *Gammarus duebeni*. A monograph." Veröffentliches Institut der Meeresforschung, Bremerhaven **6**: 177-202.
- Klages, M. and J. Gutt (1990). "Comparative studies on the feeding behaviour of high Antarctic amphipods (Crustacea) in laboratory." Polar Biology **11**: 73-79.

- Klages, M. and J. Gutt (1990). "Observations in the feeding behaviour of the Antarctic gammarid *Eusirus perdentatus* Chevreux, 1912 (Crustacea: Amphipoda) in aquaria." Polar Biology **10**: 359-364.
- Klages, M., K. Vopel, et al. (2001). "Deep-sea food falls: first observation of a natural event in the Arctic Ocean." Polar Biology **24**: 292-295.
- Koenemann, S. and J. R. Holsinger (1999). "Phylogenetic analysis of the amphipod family Bogidiellidae s. lat., and revision of taxa above the species level." Crustaceana **72**(8): 781-816.
- Kohn, N. P., J. Q. Word, et al. (1994). "Acute toxicity of ammonia to four species of marine amphipod." Marine Environmental Research **38**(1): 1-15.
- Koseki, T., S. Yamanouchi, et al. (1962). "The post-mortem injury in the drowned dead body attacked by amphipods." Medical Biology **65**(3): 74-76.
- Krapp, R. H., J. Berge, et al. (2008). "Sympagic occurrence of eusirid and lysianassoid amphipods under Antarctic pack ice." Deep-Sea Research Part II **55**: 1015-1023.
- Krapp-Schickel, G. (1974). "Camill Hellers Sammlung adriatischer Amphipoden - 1866 und heute." Annalen des Naturhistorischen Museums in Wien **78**: 319-379.
- Krapp-Schickel, G. (1976). "Die Gattung *Stenothoe* (Crustacea, Amphipoda) im Mittelmeer." Bijdragen tot de Dierkunde **46**(1): 1-34.
- Krapp-Schickel, G. (1978). "Die Gattung *Amphithoe* (Crustacea, Amphipoda) im Mittelmeer." Bijdragen tot de Dierkunde **48**(1): 1-15.
- Krapp-Schickel, G. (1982). "Family Amphithoidae. Pp. 94-110 IN: The Amphipoda of the Mediterranean. Part 1. Gammaridea (Acanthonotozomatidae to Gammaridae)." Memoires de l'Institut Océanographique du Monaco **13**(1): 1-364.
- Krapp-Schickel, G. (1993). "Family Caprellidae. Pp 773-814 IN: The Amphipoda of the Mediterranean. Part 3. Gammaridea (Melphidippidae to Talitridae), Ingolfiellidea, Caprellidea." Mémoires de l'Institut océanographique, Monaco **13**(3): 577-814.
- Krapp-Schickel, G. (2000). "Pitfall genus *Maera* (Crustacea, Amphipoda, Melitidae)." Polskie Archiwum Hydrobiologii **47**(3-4): 413-440.
- Krapp-Schickel, G. (2000). "Thaumatelsonine stenothoids (Crustacea: Amphipoda): Part 1." Memoirs of the Museum of Victoria **58**(1): 89-124.
- Krapp-Schickel, G. (2006). "New Australian stenothoids (Crustacea, Amphipoda) with key to all *Stenothoe* species." Bollettino del Museo Civico di Storia Naturale, Verona **30**: 39-56.
- Krapp-Schickel, G. (2006). "Thaumatelsonine stenothoids (Crustacea, Amphipoda), Part 2." Zootaxa(1165): 1-31.
- Krapp-Schickel, G. (2008). "What has happened with the *Maera*-clade (Crustacea, Amphipoda) during the last decades?" Bollettino del Museo civico de Storia Naturale di Verona **32**: 3-32.
- Krapp-Schickel, G. (2009). "New and poorly described stenothoids (Crustacea, Amphipoda) from the Pacific Ocean." Memoirs of the Museum of Victoria **66**(Special Issue): 95-116.
- Krapp-Schickel, G. (2013). "New or amended data on Mediterranean Amphipoda: genera *Dexamine*, *Ericthonius* and *Stenothoe*." Zootaxa(3614(2)): 125-145.

- Krapp-Schickel, G. and N. E. Jarrett (2000). "The amphipod family Melitidae on the Pacific coast of North America. Part II. The *Maera-Ceradocus* complex." *Amphipacifica* 2(4): 23-61.
- Krapp-Schickel, G. and S. Koenemann (2006). "Cladistic analysis of the family Stenothoidae (Amphipoda, Crustacea)." *Contributions to Zoology* 75(3-4): 169-188.
- Krapp-Schickel, G., A. Marti, et al. (1996). "Three new Mediterranean *Maera* with remarks on the *quadrimana* complex (Crustacea Amphipoda, Melitidae)." *Beaufortia* 46(3): 27-51.
- Krapp-Schickel, G. and S. Ruffo (2000). "The *Maera quadrimana* - complex (Crustacea Amphipoda, Melitidae) demands a new concept: *Quadrimaera* n. gen. (with description of three new species from Western Atlantic)." *Bolletino del Museo civico de Storia Naturale di Verona* 24: 193-214.
- Krapp-Schickel, G. and W. Vader (2009). "A new *Parametopella* species (Crustacea: Amphipoda: Stenothoidae) from *Antholoba achates* (Anthozoa: Actiniaria) from Coquimbo, Chile (With remarks on *Parametopa alaskensis* (Holmes))." *Journal of the Marine Biological Association of the United Kingdom* 89(6): 1281-1287.
- Kripp, R. (2007). "*Gammarus tigrinus* Factsheet." from http://www.glerl.noaa.gov/res/Programs/ncrais/docs/factsheets/gammarus_tigrinus.html.
- Krishnan, L. and P. A. John (1974). "Observations on the breeding biology of *Melita zeylanica* Stebbing, a brackish water amphipod." *Hydrobiologia* 44(4): 413-430.
- Kudrjashov, V. A. (1975). "New amphipod species (Gammaridea) from the intertidal zone of Kurile Islands." *Zoologicheskii Zhurnal* 54: 364-371.
- Kühne, H. and G. Becker (1964). "Der Holz-Flohkrebs *Chelura terebrans* Philippi (Amphipoda, Cheluridae): morpologie, Verbreitung, Lebensweise, Verhalten, Entwicklung und Umweltabhängigkeit." *Beihefte der Zeitschrift für angewandte Zoologie* 1.
- Labay, V. S. (2013). "Additional data on the morphology and distribution of *Protomeдея chelata* (Amphipoda, Corophiidae)." *Biosystematica Russica* 92(4): 415-427.
- Lacerda, M. B. and S. Masunari (2014). "A new species of *Paracaprella* Mayer, 1890 (Amphipoda: caprellida: caprellidae) from southern Brazil." *Zootaxa*(3900 (3)): 437-445.
- Laetz, E., C. O. Coleman, et al. (2013). "Behavioral interactions between *Tritaeeta gibbosa* (Crustacea, Amphipoda) and *Ocnus planci* (Echinodermata, Holothuroidea)." *Vie et Milieu* 63(2): 105-117.
- LaFrance, K. and E. Ruber (1985). "The life cycle and productivity of the amphipod *Gammarus mucronatus* on a northern Massachusetts salt marsh." *Limnology and Oceanography* 30(5): 1067-1077.
- Lambert, C. C. and G. Lambert (1998). "Non-indigenous ascidians in southern California harbors and marinas." *Marine Biology* 130: 675-688.
- Lambert, C. C. and G. Lambert (2003). "Persistence and differential distribution of nonindigenous ascidians in harbors of the Southern California Bight." *Marine Ecology Progress Series* 259: 145-161.

- Lampitt, R. S., N. R. Merrett, et al. (1983). "Inter-relations of necrophagous amphipods, a fish predator, and tidal currents in the deep sea." Marine Biology **74**: 73-78.
- Larsen, K. (2007). "Amphipoda (Crustacea; Peracarida) from the Hydrothermal vent system of the Juan de Fuca Ridge, Escabana [sic] trough and Gorda ridge, Northeast Pacific. Part I. Lysianassidae and Sebidae." Zootaxa(1445): 1-26.
- Larsen, K. and G. Krapp-Schickel (2007). "Amphipoda (Crustacea: Peracarida) from chemically reduced habitats; the hydrothermal vent system of the north-east Pacific. Part II. Melitidae and Eusiridae." Journal of the Marine Biological Association of the United Kingdom **87**(5): 1207-1217.
- Laubitz, D. R. (1970). "Studies on the Caprellidae (Crustacea, Amphipoda) of the American North Pacific." National Museum of Natural Sciences of Canada; Publications in Biological Oceanography(1): 1-89.
- Laubitz, D. R. (1972). "The Caprellidae (Crustacea, Amphipoda) of Atlantic and Arctic Canada." National Museums of Canada Publications in Biological Oceanography(4): 1-82.
- Laubitz, D. R. (1976). "On the taxonomic status of the family Caprogammaridae Kudrjaschov and Vassilenko (Amphipoda)." Crustaceana **31**(2): 145-150.
- Laubitz, D. R. (1977). "A revision of the genera *Dulichia* Krøyer and *Paradulichia* Boeck (Amphipoda, Podoceridae)." Canadian Journal of Zoology **55**: 942-982.
- Laubitz, D. R. (1979). "Phylogenetic relationships of the Podoceridae (Amphipoda, Gammaridea)." Bulletin of the Biological Society of Washington(3): 144-152.
- Laubitz, D. R. (1983). "A revision of the Family Podoceridae (Amphipoda: Gammaridea)." Memoirs of the Australian Museum **18**: 77-86.
- Laubitz, D. R. and G. S. Lewbel (1974). "A new species of caprellid (Crustacea: Amphipoda) associated with gorgonian octocorals." Canadian Journal of Zoology **52**: 549-551.
- Lawrie, S. M., D. G. Raffaelli, et al. (2000). "Small-scale patterns in the distribution of the amphipod *Corophium volutator* on the Ythan estuary, Aberdeenshire, Scotlnd." Sarsia **85**: 321-327.
- Lazo-Wasem, E. A. (1999). "A new species of *Chevalia* (Crustacea: Amphipoda: Corophiidae) from the Indian Ocean with remarks on *Chevalia carpenteri* and the *C. aviculae* superspecies complex." Proceedings of the Biological Society of Washington **112**(3): 562-571.
- Lazo-Wasem, E. A., A. J. Baldinger, et al. (1989). "*Pariphinotus* Kunkel, 1910, the senior synonym of *Heterophlias* Shoemaker, 1933 (Crustacea: Amphipoda: Phliantidae)." Postilla(205): 1-5.
- Lazo-Wasem, E. A. and M. F. Gable (2001). "A revision of *Parhyalella* Kunkel (Crustacea: Amphipoda: Gammaridea)." Bulletin of the Peabody Museum of Natural History(46).
- LeBreton, G. T. O., W. H. Beamish, et al. (2006). Sturgeons and Paddlefishes of North America., Kluwer Academic Publishers.
- LeCroy, S. E. (1995). "Amphipod Crustacea III. Family Colomastigidae." Memoirs of the Hourglass Cruises **9**(2): 1-139.

- LeCroy, S. E. (2004). An Illustrated Identification guide to the nearshore marine and estuarine gammaridean Amphipoda of Florida. Volume 3. Families Bateidae, Biancolinidae, Cheluridae, Colomastigidae, Corophiidae, Cyproideidae and Dexaminidae. Tallahassee, Florida, USA, Florida Department of Environmental Protection: 411-501.
- LeCroy, S. E. (2011). An illustrated identification guide to the nearshore marine and estuarine gammaridean Amphipoda of Florida. Volume 5: Families Leucothoidae, Liljeborgiidae, Neomegamphopidae, Ochlesidae, Phliantidae, Phoxocephalidae, Platyischnopidae, Pleustidae, Podoceridae, Pontoporeiidae, Sebidae, Stenthoidae, Synopiidae and Talitridae. Tallahassee, Florida, U. S. A., Florida Department of Environmental Protection: pp. 615-816.
- Ledoyer, M. (1979). "Les Gammariens de la Pente Externe du Grand Recif de Tulear (Madagascar)(Crustacea: Amphipoda)." Memorie del Museo Civico di Storia Naturale, Verona(2): 1-150.
- Ledoyer, M. (1982). "Crustacés amphipodes gammariens familles des Acanthonotozomatidae á Gammaridae." Faune de Madagascar **59**(1): 1-598.
- Ledoyer, M. (1986). "Crustacés amphipodes gammariens familles des Haustoriidae á Vitjazianidae." Faune de Madagascar **59**(2): 599-1112.
- Lee, K. S. and S. S. Hong (2010). "A new species of the genus *Perotripus* (Crustacea: Amphipoda: Caprellidae) from Korea." Animal Cells and Systems **14**(1): 53-58.
- Lehtonen, K. K. (1996). "Ecophysiology of the benthic amphipod *Monoporeia affinis* in an open-sea area of the northern Baltic Sea: seasonal variations in body composition, with bioenergetic considerations." Marine Ecology Progress Series **143**: 87-98.
- Lehtonen, K. K. (2004). "Seasonal variation in the physiological condition of the benthic amphipods *Pontoporeia affinis* and *Pontoporeia femorata* in the Gulf of Riga (Baltic Sea)." Aquatic Ecology **38**: 441-456.
- Lester, G. T. and W. H. Clark (2002). "Occurrence of *Corophium spinicorne* Stimpson, 1857 (Amphipoda: Corophiidae) in Idaho, USA." Western North American Naturalist **62**(2): 230-233.
- Leung, Y.-M. (1965). "A collection of whale-lice (Cyamidae: Amphipoda)." Bulletin of the Southern California Academy of Sciences **64**(3): 132-143.
- Leung, Y.-M. (1967). "An illustrated key to the species of whale lice (Amphipoda, Cyamidae) ectoparasites of Cetacea, with a guide to the literature." Crustaceana **12**(3): 279-297.
- Leung, Y.-M. (1970). "*Cyamus orcini*, a new species of whale-lice [Cyamidae, Amphipoda] from a killer whale." Bulletin de l'Institut Française d'Afrique Noire, série A **32**(3): 669-675.
- Leung, Y.-M. (1976). "Life cycle of *Cyamus scammoni* (Amphipoda: Cyamidae), ectoparasite of Gray Whale, with a remark on the associated species." Scientific Reports of the Whales Research Institute, Tokyo, Japan(28): 153-160.
- Lewis, J. B. (1992). "Abundance, distribution and behavior of a commensal amphipod *Stenothoe valida* Dana on the hydrocoral *Millepora complanata* Lamarch." Bulletin of Marine Science **51**(2): 245-249.

- Lewis, S. M. and B. Kensley (1982). "Notes on the ecology and behaviour of *Pseudamphitoides incurvaria* (Just)(Crustacea, Amphipoda, Ampithoidae)." Journal of Natural History **16**(2): 267-274.
- Lie, U. (1968). "A quantitative study of benthic infauna in Puget Sound, Washington, USA, in 1963-1964." Fiskeridirektoratets Skrifter, Serie Havundersokelser **14**(5): 229-556.
- Lie, U. (1974). "Distribution and structure of benthic assemblages in Puget Sound, Washington, USA." Marine Biology **26**: 203-223.
- Lincoln, R. J. (1979). British Marine Amphipoda: Gammaridea. London, British Museum (NH).
- Lincoln, R. J. and M. H. Thurston (1983). "*Valettietta*, a new genus of deep-sea amphipod (Gammaridea: Lysianassidae) with descriptions of two new species from the North Atlantic Ocean." Bulletin of the British Museum of Natural History, Zoology **44**(2): 85-101.
- Lindström, M. (1991). "Factors affecting the horizontal migration of the amphipod *Pontoporeia affinis* Lindström. I. Recording method and response to water currents." Journal of Experimental Marine biology and Ecology **150**: 149-162.
- Lissner, A., C. Phillips, et al. (1986). Assessment of long-term changes in biological communities of the Santa Maria Basin and Western Santa Barbara Channel - Phase I.
- Little, C. (1990). The Terrestrial Invasion: an ecophysiological approach to the origins of land animals. Cambridge, England, Cambridge University Press.
- Lockwood, A. P. M., P. C. Croghan, et al. (1976). "Sodium regulation and adaptation to dilute media in Crustacea as exemplified by the isopod *Mesidotea entomon* and the amphipod *Gammarus duebeni*." Perspectives in Experimental Biology 1 - Zoology: 93-106.
- Lopez, G. and R. Elmgren (1989). "Feeding depths and organic absorption for the deposit-feeding benthic amphipods *Pontoporeia affinis* and *Pontoporeia femorata*." Limnology and Oceanography **34**(6): 982-991.
- Lörz, A.-N. (2010). "Deep-sea *Rhachotropis* (Crustacea: Amphipoda: Eusiridae) from New Zealand and the Ross Sea with key to the Pacific, Indian Ocean and Antarctic species." Zootaxa(2482): 22-48.
- Lörz, A.-N. (2010). "Trench treasures: the genus *Princaxelia* (Pardaliscidae, Amphipoda)." Zoologica Baetica **21**: 65-84.
- Lörz, A.-N. and A. Brandt (2004). "Phylogeny of Antarctic *Epimeria* (Epimeriidae: Amphipoda)." Journal of the Marine Biological Association of the United Kingdom **84**(1): 179-190.
- Lörz, A.-N. and C. O. Coleman (2013). "The Marine Fauna of New Zealand and the Ross Sea: Amphipoda, Synopiidae (Crustacea)." NIWA Biodiversity Memoir(127): 1-160.
- Lörz, A.-N., N. M. Kilgallen, et al. (2009). "Algal-dwelling Eophliantidae (Amphipoda): description of a new species and key to the world species, with notes on their biogeography." Journal of the Marine Biological Association of the United Kingdom **90**(5): 1055-1063.

- Lörz, A.-N., K. Linse, et al. (2012). "First molecular evidence for underestimated biodiversity of *Rhachotropis* (Crustacea, Amphipoda), with description of a new species" PLoS One **7**(3): 1-11.
- Lörz, A.-N., A. A. Myers, et al. (2014). "An inquiline deep-water bryozoan/amphipod association from New Zealand, including the description of a new genus and species of Chevaliidae." European Journal of Taxonomy **72**: 1-17.
- Love, M. S., M. M. Yoklavich, et al. (2007). "Age of black coral (*Antipathes dendrochristos*) colonies, with notes on associated invertebrate species." Bulletin of Marine Science **80**(2): 391-400.
- Lowry, J. K. (1984). "Systematics of the pachynid group of lysianassoid Amphipoda (Crustacea)." Records of the Australian Museum **36**(2): 51-105.
- Lowry, J. K. (1986). "The callynophore, a eucaridan/peracaridan sensory organ prevalent among the Amphipoda (Crustacea)." Zoologica Scripta **13**: 333-349.
- Lowry, J. K. and P. B. Berents (1989). "A redescription of *Cerapus tubularis* Say, 1817, based on material of the first reviewer, S. I. Smith, 1880, (Crustacea: Amphipoda: Corophioidea)." Journal of Natural History **23**: 1341-1352.
- Lowry, J. K. and P. B. Berents (1996). "The *Ericthonius* group, a new perspective on an old problem (Crustacea: Amphipoda: Corophioidea)." Records of the Australian Museum **48**(1): 75-109.
- Lowry, J. K. and C. De Broyer (2008). "Alicellidae and Valettiopsidae, two new callynophorate families (Crustacea: Amphipoda)." Zootaxa(1843): 57-66.
- Lowry, J. K. and N. M. Kilgallen (2014). "A generic review of the lysianassoid family Uristidae and descriptions of new taxa from Australian waters (Crustacea, Amphipoda, Uristidae)." Zootaxa(3867 (1)): 1-92.
- Lowry, J. K. and N. M. Kilgallen (2014). "New tryphosine amphipods from Australian waters (Crustacea, Amphipoda, Lysianassoidea, Lysianassidae, Tryphosinae)." Zootaxa(3844 (1)): 1-64.
- Lowry, J. K. and N. M. Kilgallen (2014). "A revision of the lysianassid genus *Waldeckia* with the description of four new species (Crustacea, Amphipoda, Lysianassidae, Waldeckiinae subfam. n.)." Zootaxa(3784 (4)): 301-345.
- Lowry, J. K. and A. A. Myers (2000). A family level phylogeny of iphimedioid amphipods (Crustacea, Amphipoda). 10th Colloquium on Amphipoda.
- Lowry, J. K. and A. A. Myers (2013). "A phylogeny and classification of the Senticaudata subord. nov. (Crustacea: Amphipoda)." Zootaxa(3610): 1-80.
- Lowry, J. K. and G. C. B. Poore (1989). "First ingolfiellids from the southwest Pacific (Crustacea: Amphipoda) with a discussion of their systematics." Proceedings of the Biological Society of Washington **102**(4): 933-946.
- Lowry, J. K. and S. D. A. Smith (2003). Invertebrate Scavenging Guilds along the Continental Shelf and Slope of Eastern Australia - General Description. Sydney, Australia, Australian Museum: 59pp.
- Lowry, J. K. and R. T. Springthorpe (2005). "New and little-known melitid amphipods from Australian waters (Crustacea: Amphipoda: Melitidae)." Records of the Australian Museum **57**(2): 237-302.

- Lowry, J. K. and R. T. Springthorpe (2007). "A revision of the tropical/temperate amphipod genus *Dulichiesta* Stout, 1912, and the description of a new Atlantic genus *Verdeia* gen. nov. (Crustacea: Amphipoda: Melitidae)." Zootaxa(1424): 1-62.
- Lowry, J. K. and H. E. Stoddart (1983). "The shallow-water gammaridean Amphipoda of the subantarctic islands of New Zealand and Australia: Lysianassoidea." Journal of the Royal Society of New Zealand **13**(4): 279-394.
- Lowry, J. K. and H. E. Stoddart (1984). "Taxonomy of the lysianassoid genera *Phoxostoma* K. H. Barnard, *Conicostoma* Lowry & Stoddart, and *Ocosingo* J. L. Barnard (Amphipoda, Gammaridea)." Crustaceana **47**(2): 192-208.
- Lowry, J. K. and H. E. Stoddart (1986). "Protandrous hermaphrodites among the lysianassoid Amphipoda." Journal of Crustacean Biology **6**: 742-748.
- Lowry, J. K. and H. E. Stoddart (1987). "A new South American genus and species in the amaryllidid group of lysianassoid Amphipoda." Journal of Natural History **21**(5): 1303-1309.
- Lowry, J. K. and H. E. Stoddart (1989). "*Stephonyx*, a new, widespread genus of lysianassoid Amphipoda." Zoologica Scripta **18**(4): 519-525.
- Lowry, J. K. and H. E. Stoddart (1992). "A revision of the genus *Ichnopus* (Crustacea: Amphipoda: Lysianassoidea: Uristidae)." Records of the Australian Museum **44**: 185-245.
- Lowry, J. K. and H. E. Stoddart (1993). "The *Onisimus* problem (Amphipoda, Lysianassoidea, Uristidae)." Zoologica Scripta **22**(2): 167-181.
- Lowry, J. K. and H. E. Stoddart (1994). "Crustacea Amphipoda: Lysianassoids from the tropical western South Pacific Ocean." Memoires du Museum national d'Histoire Naturelle **161**: 127-223.
- Lowry, J. K. and H. E. Stoddart (1995). "The Amphipoda (Crustacea) of Madang Lagoon: Lysianassidae, Opisidae, Uristidae, Wandinidae and Stegocephalidae." Records of the Australian Museum(Supplement 22).
- Lowry, J. K. and H. E. Stoddart (1997). "Amphipoda Crustacea IV. Families Aristiidae, Cyphocarididae, Endeavouridae, Lysianassidae, Scopelocheiridae, Uristidae." Memoirs of the Hourglass Cruises **9**(1): 1-147.
- Lowry, J. K. and H. E. Stoddart (2002). "First records of lysianassoid amphipods (Crustacea) from the Andaman Sea." Phuket Marine Biological Center Special Publication **23**(1): 165-188.
- Lowry, J. K. and H. E. Stoddart (2002). "The lysianassoid amphipod genera *Lepidepecreoides* and *Lepidepecreum* in southern waters (Crustacea: Lysianassidae: Tryphosinae)." Records of the Australian Museum **54**: 335-364.
- Lowry, J. K. and H. E. Stoddart (2010). "The deep-sea scavenging genus *Hirondellea* (Crustacea: Amphipoda: Lysianassoidea: Hirondelleidae fam. nov.) in Australian waters." Zootaxa(2329): 37-55.
- Lowry, J. K. and H. E. Stoddart (2010). "Sophrosynidae, a new family in the Lysianassoidea (Crustacea: Amphipoda) with a revision of the genus *Sophrosyne*." Zootaxa(2370): 1-35.

- Lowry, J. K. and H. E. Stoddart (2011). "The new deep-sea families Cebocaridae fam. nov., Cyclocaridae fam. nov. and Thoriellidae fam. nov. (Crustacea: Amphipoda: Lysianassoidea)." *Zootaxa*(2747): 53-68.
- Lowry, J. K. and H. E. Stoddart (2011). "The tryphosine genera *Photosella* gen. nov. and *Tryphosella* Bonnier, 1893 (Crustacea: Amphipoda: Lysianassoidea: Lysianassidae: Tryphosinae) in Australian waters." *Zootaxa*(2956): 1-76.
- Lowry, J. K. and H. E. Stoddart (2012). "Australian and South African conicostomatine amphipods (Amphipoda: Lysianassoidea: Lysianassidae: Conicostomatinae subfam. nov.)." *Zootaxa*(3248): 43-65.
- Lowry, J. K. and H. E. Stoddart (2012). "The Pachynidae fam. nov. (Crustacea: Amphipoda: Lysianassoidea)." *Zootaxa*(3246): 1-69.
- Lowry, J. K. and J. D. Thomas (1991). "A new species of *Cerapus* from Cudjoe Channel, Lower Florida Keys, USA, with notes on male behaviour (Crustacea: Amphipoda: Corophioidea)." *Journal of Natural History* **25**(6): 1461-1467.
- Lynch, M. P. and W. Harrison (1970). "Sedimentation caused by a tube-building amphipod." *Journal of Sedimentary Petrology* **40**: 434-436.
- MacDonald, E. C., E. H. Frost, et al. (2014). "Behavioral response of *Corophium volutator* to shorebird predation in the Upper Bay of Fundy, Canada." *PLoS One* **9**(10): 1-.
- MacIntyre, R. J. (1963). "The supra-littoral fringe of New Zealand sand beaches." *Transactions of the Royal Society of New Zealand* **1**(8): 89-103.
- MacNaughton, M. O., J. Thormar, et al. (2007). "Sympagic amphipods in the Arctic pack ice: redescription of *Eusirus holmii* Hansen, 1887 and *Pleusymtes karstensi* (Barnard, 1959)." *Polar Biology* **30**: 1013-1025.
- Marelli, D. C. (1981). "New records for Caprellidae in California, and notes on a morphological variant of *Caprella verrucosa* Boeck, 1871." *Proceedings of the Biological Society of Washington* **94**(3): 654-662.
- Maren, M. J. v. (1979). "The amphipod *Gammarus fossarum* Koch (Crustacea) as intermediate host for some helminth parasites, with notes on their occurrence in the final host." *Bijdragen tot de Dierkunde* **48**(2): 97-110.
- Margolis, L., T. E. McDonald, et al. (2000). "The whale-lice (Amphipoda: Cyamidae) of the Northeastern Pacific region." *Amphipacifica* **2**(4): 63-117.
- Marguillier, S., F. Dehairs, et al. (1998). Initial results on the trophic relationships based on *Corophium curvispinum* in the Rhine traced by stable isotopes. *New concepts for sustainable management of river basins*. P. H. Nienhuis, R. S. E. Leuven, W, and A. M. J. Ragas. Leiden, The Netherlands, Backhuys Publishers: 171-177.
- Margulis, R. J. (1967). "Deep-sea Ampeliscidae (Amphipoda, Gammaridea) from the Pacific Ocean." *Crustaceana* **13**(3): 299-309.
- Martin, D. M. (1977). "A survey of the family Caprellidae (Crustacea, Amphipoda) from selected sites along the Northern California coast." *Bulletin of the Southern California Academy of Sciences* **76**(3): 146-167.
- Martin, J. W. and G. E. Davis (2001). "An updated classification of the recent Crustacea." *Natural History Museum of Los Angeles County, Science Series*(39): 1-124.

- Martin, J. W., S. C. France, et al. (1993). "*Halice hesmonectes*, a new species of pardaliscid amphipod (Crustacea, Peracarida) from hydrothermal vents in the eastern Pacific." Canadian Journal of Zoology **71**: 1724-1732.
- Martin, J. W. and T. A. Haney (2007). Cyamidae. Berkeley, California, U.S.A., University of California Press.
- Martin, J. W. and G. Pettit (1998). "*Caprella bathytatos* new species (Crustacea, Amphipoda, Caprellidae), from the mouthparts of the crab *Macroregonia macrochira* Sakai (Brachyura, Majidae) in the vicinity of deep-sea hydrothermal vents off British Columbia." Bulletin of Marine Science **63**(1): 189-198.
- Martinez, S. G. and G. C. B. Poore (2003). "A new species of ingolfiellid amphipod (Crustacea: Amphipoda) from Western Australia." Records of the Western Australian Museum **22**: 75-80.
- Mateus, E. d. O. and O. Afonso (1974). "Étude d'une collection d'Amphipoda des Açores avec la description d'une nouvelle espèce." Anais da Faculdade de Ciências do Porto **57**(1-3): 9-39.
- Matthews, S. L., J. S. Boates, et al. (1992). "Shorebird predation may cause discrete generations in an amphipod prey." Ecography **15**: 393-400.
- Mattila, J. and E. Bonsdorff (1989). "The impact of fish predation on shallow soft bottoms in brackish waters (SW Finland); an experimental study." Netherlands Journal of Sea Research **23**(1): 69-81.
- Mattson, S. and T. Cedhagen (1989). "Aspects of the behaviour and ecology of *Dyopedos monacanthus* (Metzger) and *D. porrectus* Bate, with comparative notes on *Dulichia tuberculata* Boeck (Crustacea: Amphipoda: Podoceridae)." Journal of Experimental Marine Biology and Ecology **127**: 253-272.
- Mauchline, J. (1969). "Chionostomatid parasites on species of *Erythrops* [Crustacea, Mysidacea]." Journal of the Marine Biological Association of the United Kingdom **49**(2): 391-392.
- McCain, J. C. (1965). "*Abyssicaprella galathea*, a new genus and species of abyssal caprellid (Amphipoda: Caprellidae)." Galathea Reports **8**: 91-95.
- McCain, J. C. (1967). "*Paracaprella barnardi*, a new species of caprellid (Crustacea: Amphipoda) from the west coast of Panama." Proceedings of the Biological Society of Washington **80**: 219-222.
- McCain, J. C. (1968). "The Caprellidae (Crustacea: Amphipoda) of the Western North Atlantic." United States National Museum, Bulletin(278): 1-147.
- McCain, J. C. (1969). "A new species of caprellid (Crustacea: Amphipoda) from Oregon." Proceedings of the Biological Society of Washington **82**: 507-510.
- McCain, J. C. (1970). "Familial taxa within the Caprellidea (Crustacea: Amphipoda)." Proceedings of the Biological Society of Washington **52**(65): 837-842.
- McCain, J. C. (1971). "A new deep-sea species of *Epimeria* (Amphipoda, Paramphithoidae) from Oregon." Crustaceana **20**(2): 159-166.
- McCain, J. C. and J. E. Steinberg (1970). "Caprellidea I, Fam. Caprellidae." Crustaceorum Catalogus: 78pp.
- McClintock, J. B., M. O. Amsler, et al. (2009). "Observations on an association between the dexamimid amphipod *Polycheria antarctica* F. *acanthopoda* and its ascidian host *Distaplia cylindrica*." Journal of Crustacean Biology **29**(4): 605-608.

- McCloskey, L. R. (1970). "The dynamics of the community associated with a marine scleractinian coral." Internationale Review des Gesamten Hydrobiologie **55**(1): 13-81.
- McCloskey, L. R. (1970). "A new species of *Dulichia* (Amphipoda Podoceridae) commensal with a sea urchin." Pacific Science **24**(1): 90-98.
- McCurdy, D. G., J. S. Boates, et al. (2000). "Reproductive synchrony in the intertidal amphipod *Corophium volutator*." Oikos **88**: 301-309.
- McCurdy, D. G., J. S. Boates, et al. (2001). "An empirical model of the optimal timing of reproduction for female amphipods infected by trematodes." Journal of Parasitology **87**(1): 24-30.
- McCurdy, D. G., M. R. Forbes, et al. (1999). "Evidence that the parasitic nematode *Skrjabinoclava* manipulates host *Corophium* behavior to increase transmission to the sandpiper, *Calidris pusilla*." Behavioral Ecology **10**(4): 351-357.
- McCurdy, D. G., M. R. Forbes, et al. (2000). "Male amphipods increase their mating effort before behavioural manipulation by rematodes." Canadian Journal of Zoology **78**: 606-612.
- McCurdy, D. G., M. R. Forbes, et al. (2004). "The functional significance of intersexes in the intertidal amphipod *Corophium volutator*." Journal of Crustacean Biology **24**(2): 261-265.
- McCurdy, D. G., M. R. Forbes, et al. (2005). "Foraging and impacts by benthic fish on the intertidal amphipod *Corophium volutator*." Journal of Crustacean Biology **25**(4): 558-564.
- McDermott, J. J. (1988). "The role of hoplonemertean in the ecology of sea-grass communities." Hydrobiologia **156**: 1-11.
- McDermott, J. J. (1993). "Nemertea inhabiting the *Haploops* (Amphipoda) community of the northern Oresund with special reference to the biology of *Nipponemertes pulcher* (Hoplonemertea)." Hydrobiologia **266**: 15-28.
- McDonald, P. S. and B. L. Bingham (2010). "Comparing macroalgal food and habitat choice in sympatric, tube-building aphipods, *Ampithoe lacertosa* and *Peramphithoe humeralis*." Marine Biology **157**(7): 1513-1524.
- McKinney, L. D. (1980). "Four new and unusual amphipods from the Gulf of Mexico and Caribbean Sea." Proceedings of the Biological Society of Washington **93**(1): 83-103.
- McLaughlin, P. A., D. K. Camp, et al. (2005). Common and Scientific Names of Aquatic Invertebrates from the United States and Canada - Crustaceans. Bethesda, Maryland, U. S. A., American Fisheries Society.
- McLusky, D. S. (1968). "Aspects of osmotic and ionic regulation in *Corophium volutator* (Pallas)." Journal of the Marine Biological Association of the United Kingdom **48**(3): 769-781.
- McLusky, D. S. (1968). "Some effects of salinity on the distribution and abundance of *Corophium volutator* in the Ythan Estuary." Journal of the Marine Biological Association of the United Kingdom **48**(2): 443-454.
- McLusky, D. S. (1969). Aspects of the physiology and ecology of *Corophium volutator* (Pallas) in relation to salinity. PhD, University of Stirling.

- Meador, J. P. (1989). "Chemoreception in a lysianassid amphipod: the chemicals that initiate food-searching behavior." Marine Behaviour and Physiology **14**: 65-80.
- Meador, J. P. and T. M. C. Present (1985). "*Orchomene limodes*, new species, a scavenging amphipod from Scripps Canyon, California: species description and analysis of morphological variation." Journal of Crustacean Biology **5**(3): 523-538.
- Meadows, P. S. (1964). "Experiments on substrate selection by *Corophium volutator* (Pallas): depth selection and population density." Journal of Experimental Biology **41**: 677-687.
- Meadows, P. S. and A. Reid (1966). "The behaviour of *Corophium volutator* (Crustacea: Amphipoda)." Journal of Zoology **150**: 387-399.
- Meadows, P. S. and A. A. Ruagh (1981). "Temperature preferences and activity of *Corophium volutator* (Pallas) in a new choice apparatus." Sarsia **66**: 67-72.
- Mearns, A. J., R. C. Swartz, et al. (1986). "Inter-laboratory comparison of a sediment toxicity test using the marine amphipod, *Rhepoxynius abronius*." Marine Environmental Research **19**: 13-37.
- Meißner, K. and A. Bick (1997). "Population dynamics and ecoparasitological surveys of *Corophium volutator* in coastal waters in the bay of Mecklenburg (southern Baltic Sea)." Diseases of Aquatic Organisms **29**: 169-179.
- Meißner, K. and A. Bick (1999). "Laboratory studies of parasite transmission between *Hydrobia* spp. (Gastropoda) and *Corophium volutator* (Amphipoda)." International Review of Hydrobiology **84**(1): 61-72.
- Meißner, K. and A. Bick (1999). "Mortality of *Corophium volutator* (Amphipoda) caused by infestation with *Maritrema subdolum* (Digenea, Microphallidae) - laboratory studies." Diseases of Aquatic Organisms **35**: 47-52.
- Miller, D. C. (1984). "Mechanical post-capture particle selection by suspension and deposit-feeding *Corophium*." Journal of Experimental Marine biology and Ecology **82**: 59-72.
- Mills, E. L. (1961). "Amphipod crustaceans of the Pacific Coast of Canada. I. Family Atylidae." National Museum of Canada Bulletin **172**(2): 13-33.
- Mills, E. L. (1964). "*Ampelisca abdita*, a new amphipod crustacean from Eastern North America." Canadian Journal of Zoology **42**: 559-575.
- Mills, E. L. (1965). "The zoogeography of North Atlantic and North Pacific ampeliscid amphipod crustaceans." Systematic Zoology **14**(2): 119-130.
- Mills, E. L. (1967). "The biology of an ampeliscid amphipod crustacean sibling species pair." Journal of the Fisheries Research Board of Canada **24**(2): 305-355.
- Mitchell, F., C. H. Peterson, et al. (2002). "Predation structures communities at deep-sea hydrothermal vents." Ecological Monographs **72**(3): 365-382.
- Miyamoto, H. and H. Morino (2004). "Taxonomic studies on the Talitridae (Crustacea, Amphipoda) from Taiwan - II. The genus *Platorchestia*." Publications of the Seto Marine biological Laboratory **40**(1-2): 67-96.
- Möller, L. F. and H. U. Riisgard (2006). "Filter feeding in the burrowing amphipod *Corophium volutator*." Marine Ecology Progress Series **322**: 213-224.

- Monod, T. (1970). "Sur quelques crustacés malacostracés des îles Galapagos récoltés par N. et J. Leleup (1964-1965)." Résultats scientifiques, Mission zoologique Belge aux îles Galapagos et en Ecuador **2**(5): 11-53.
- Moore, P. G. (1981). "A functional interpretation of coxal morphology in *Epimeria cornigera* (Crustacea: Amphipoda: Paramphithoidae)." Journal of the Marine Biological Association of the United Kingdom **61**: 749-757.
- Moore, P. G. (1981). "The life histories of the amphipods *Lembos websteri* Bate and *Corophium bonnellii* Milne Edwards in kelp holdfasts." Journal of Experimental Marine Biology and Ecology **49**: 1-50.
- Moore, P. G. (1983). "On the male of *Sophrrosyne robertsoni* Stebbing & Robertson (Crustacea, Amphipoda)." Zoological Journal of the Linnean Society **77**(1): 103-109.
- Moore, P. G. (1992). "A Study on Amphipods from the Superfamily Stegocephaloidea Dana 1852 from the Northeastern Pacific Region - Systematics and Distributional Ecology." Journal of Natural History **26**(5): 905-936.
- Moore, P. G. and P. S. Rainbow (1984). "Ferritin crystals in the gut caeca of *Stegocephaloides christianiensis* Boeck and other Stegocephalidae (Amphipoda: Gammaridea): a functional interpretation." Philosophical Transactions of the Royal Society of London, series B **306**: 219-245.
- Moore, P. G., P. S. Rainbow, et al. (1994). "On the feeding and comparative biology of iron in coelenterate-associated gammaridean Amphipoda (Crustacea) from N. Norway." Journal of Experimental Marine Biology and Ecology **178**(205-231).
- Mori, A. (1999). "*Caprella kuroshio*, a new species (Crustacea: Amphipoda: Caprellidae), with a redescription of *Caprella cicur* Mayer, 1903, and an evaluation of the genus *Metacaprella* Mayer, 1903." Proceedings of the Biological Society of Washington **112**(4): 722-738.
- Morino, H. (1972). "Studies on the Talitridae (Amphipoda, Crustacea) in Japan - I. Taxonomy of *Talorchestia* and *Orchestoidea*." Publications of the Seto Marine Biological Laboratory **21**(1): 43-65.
- Morino, H. (1976). "On two forms of *Cerapus tubularis*, a tube dwelling Amphipoda, from shallow waters of Japan." Publications of the Seto Marine Biological Laboratory **23**(1/2): 179-189.
- Morino, H., H. Kusano, et al. (2004). "Description and distribution of *Crangonyx floridanus* (Crustacea: Amphipoda: Crangonychidae) in Japan, an introduced freshwater amphipod from North America. ." Contributions from the Biological Laboratory, Kyoto University **29**: 371-381.
- Morritt, D. and J. I. Spicer (1998). "The physiological ecology of talitrid amphipods: an update." Canadian Journal of Zoology **76**: 1965-1982.
- Morton, H. P. and A. M. M. Richardson (1984). "Observations on the feeding preferences of two species of Tasmanian terrestrial amphipods (Crustacea: Amphipoda: Talitridae)." Papers and Proceedings of the Royal Society of Tasmania **118**: 79-84.
- Mouritsen, K. N. and K. T. Jensen (1997). "Parasite transmission between soft-bottom invertebrates: temperature mediated infection rates and mortality in *Corophium volutator*." Marine Ecology Progress Series **151**: 123-134.

- Mouritsen, K. N., T. Jensen, et al. (1997). "Parasites on an intertidal *Corophium*-bed: factors determining the phenology of microphallid trematodes in the intermediate host populations of the mud-snail *Hydrobia ulvae* and the amphipod *Corophium volutator*." Hydrobiologia **355**: 61-70.
- Muir, D. G. and R. C. DeFelice (1998). "A new species of phoxocephalid (Crustacea: Amphipoda: Gammaridea: Phoxocephalidae) from Hawai'i." Occasional Papers of the Bernice P. Bishop Museum(55): 57-63.
- Muir, W. D., G. T. J. McCabe, et al. (2000). "Diet of first-feeding larval and young-of-the-year White Sturgeon in the Lower Columbia River." Northwest Science **74**(1): 25-33.
- Munguia, P. (2007). "Spatial structure of communities on dead pen shells (*Atrina rigida*) in sea grass beds." Marine Biology **152**(1): 149-156.
- Munguia, P., C. Mackie, et al. (2007). "The influence of stage-dependent dispersal on the population dynamics of three amphipod species." Oecologia **153**: 533-541.
- Myers, A. A. (1968). "A new genus and two new species of gammaridean Amphipoda from Central America." Journal of the Linnean Society (Zoology) **47**(313): 527-531.
- Myers, A. A. (1968). "Some Aoridae (Amphipoda: Gammaridea) collected by the Hancock Expeditions to the Eastern Pacific, 1931-1941." Pacific Science **22**(4): 497-506.
- Myers, A. A. (1969). "A revision of the amphipod genus *Microdeutopus* Costa (Gammaridea: Aoridae)." Bulletin of the British Museum of Natural History, Zoology **17**(4): 93-148.
- Myers, A. A. (1971). "Breeding and growth in laboratory-reared *Microdeutopus gryllotalpa* Costa (Amphipoda: Gammaridea)." Journal of Natural History **5**(3): 271-277.
- Myers, A. A. (1973). "*Neomegamphopus kunduchii* sp. nov. (Crust : Amphipoda) from East Africa, with a discussion of gnathopodal dominance in isaeid amphipods." Zoological Journal of the Linnean Society **52**(3): 263-267.
- Myers, A. A. (1974). "*Amphitholina cuniculus* (Stebbing), a little-known marine amphipod crustacean new to Ireland." Proceedings of the Royal Irish Academy **74**(B27): 463-469.
- Myers, A. A. (1974). "A new species of commensal amphipod from East Africa." Crustaceana **26**(1): 3-6.
- Myers, A. A. (1981). "Amphipod Crustacea I. Family Aoridae." Memoirs of the Hourglass Cruises **5**(5): 1-73.
- Myers, A. A. (1988). "A cladistic and biogeographic analysis of the Aorinae subfamily nov." Crustaceana(Supplement13): 167-192.
- Myers, A. A. (1988). "The genera *Archaeobemlos* n.gen., *Bemlos* Shoemaker, *Protolembos* Myers and *Globosolembos* Myers (Amphipoda, Aoridae, Aorinae) from Australia." Records of the Australian Museum **40**(5): 265-332.
- Myers, A. A. (1989). "Family Corophiidae. Pp. 185-208 IN: The Amphipoda of the Mediterranean. Part 1. Gammaridea (Acanthonotozomatidae to Gammaridae)." Memoires de l'Institut Océanographique du Monaco **13**(1): 1-364.

- Myers, A. A. (1989). "Family Isaeidae, pp. 395-431 IN: Bellan-Santini, Denise, Giovanni Diviacco, Gertaud Krapp-Schickel, Alan A. Myers, and Sandro Ruffo. The Amphipod of the Mediterranean, Part 2 Gammaridea (Haustoriidae to Lysanassidae)." Mémoires de l'Institut océanographique, Monaco **13**: 365-576.
- Myers, A. A. (1995). "The Amphipoda (Crustacea) of Madang Lagoon: Aoridae, Isaeidae, Ischyroceridae and Neomegamphopidae." Records of the Australian Museum(Supplement 22).
- Myers, A. A. (2009). "Aoridae." Zootaxa(2260): 220-278.
- Myers, A. A. (2009). "Corophiidae." Zootaxa(2260): 373-379.
- Myers, A. A. and J. K. Lowry (2003). "A phylogeny and a new classification of the Corophiidea Leach, 1814 (Amphipoda)." Journal of Crustacean Biology **23**(2): 443-485.
- Myers, A. A. and D. McGrath (1982). "Taxonomic studies on British and Irish Amphipoda. The genus *Gammaropsis*." Journal of the Marine Biological Association of the United Kingdom **62**: 93-100.
- Myers, A. A. and D. McGrath (1984). "A revision of the north-east Atlantic species of *Erichthonius* (Crustacea: Amphipoda)." Journal of the Marine Biological Association of the United Kingdom **64**: 379-400.
- Myers, A. A., D. McGrath, et al. (1989). "A presumed male of the parthenogenetic amphipod *Corophium bonnellii* (Milne-Edwards)." Journal of the Marine Biological Association of the United Kingdom **69**: 319-321.
- Myers, A. A. and P. G. Moore (1983). "The New Zealand and South-East Australian species of *Aora Krøyer* (Amphipoda, Gammaridea)." Records of the Australian Museum **35**(4): 167-180.
- Nagata, K. (1965). "Studies on marine gammaridean Amphipoda of the Seto Inland Sea. I." Publications of the Seto Marine Biological Laboratory **13**: 131-170.
- Nagata, K. (1965). "Studies on marine gammaridean Amphipoda of the Seto Inland Sea. III." Publications of the Seto Marine Biological Laboratory **13**(4): 291-326.
- Narahara, Y., K. Tomikawa, et al. (2012). "Four species of the genus *Stephonyx* (Crustacea: Amphipoda: Uristidae) from Japan, with description of a new species." Journal of Natural History **46**(23-24): 1477-1507.
- Navarro-Barranco, C., J. M. T. d. Figueroa, et al. (2013). "Feeding habits of amphipods (Crustacea: Malacostraca) from shallow soft bottom communities: comparison between marine caves and open habitats." Journal of Sea Research **78**: 1-7.
- Naylor, C., J. Adams, et al. (1988). "Population dynamics and adaptive sexual strategies in a brackish water crustacea, *Gammarus duebeni*." Journal of Animal Ecology **57**: 493-507.
- Nerini, M. K., L. Jones, et al. (1980). Gray Whale Feeding Ecology. Outer Continental Shelf Environmental Assessment Program: 163-207.
- Nipper, M. G., D. J. Greenstein, et al. (1989). "Short- and Long-term sediment toxicity test methods with the amphipod *Grandidierella japonica*." Environmental Toxicology and Chemistry **8**: 1191-1200.
- Noodt, W. (1959). "Estudios sobre crustaceos Chilenos de aguas subterranas. I. *Ingolfiella chilensis* n. sp. de la playa marina de Chile Central. (Crustacea, Amphipoda)." Investigaciones Zoológicas Chilenas **5**: 199-209.

- Nyssen, F., T. Brey, et al. (2002). "A stable isotope approach to the eastern Weddell Sea trophic web: focus on benthic amphipods." Polar Biology **25**: 280-287.
- Oakden, J. M. (1984). "Feeding and substrate preference in five species of phoxocephalid amphipods from central California." Journal of Crustacean Biology **4**(2): 233-247.
- Oakden, J. M., J. S. Oliver, et al. (1984). "Behavioral responses of a phoxocephalid amphipod to organic enrichment and trace metals in sediment." Marine Ecology - Progress Series **14**: 253-257.
- Olafsson, E. and R. Elmgren (1991). "Effects of biological disturbance by benthic amphipods *Monoporeia affinis* on meiobenthic community structure: a laboratory approach." Marine Ecology Progress Series **74**: 99-107.
- Oleröd, R. (1975). "The mouthparts in some north Atlantic species of the genus *Orchomene* Boeck (Crustacea, Amphipoda)." Zoologica Scripta **4**: 205-216.
- Oliver, J. S., J. M. Oakden, et al. (1982). "Phoxocephalid amphipod crustaceans as predators on larvae and juveniles in marine soft-bottom communities." Marine Ecology - Progress Series **7**: 179-184.
- Oliver, J. S. and P. N. Slattery (1985). "Effects of crustacean predators on species composition and population structure of soft-bodied infauna from McMurdo Sound, Antarctica." Ophelia **24**(3): 155-175.
- Oliver, J. S., P. N. Slattery, et al. (1984). "Gray whale feeding on dense ampeliscid amphipod communities near Bamfield, British Columbia." Canadian Journal of Zoology **62**(1): 41-49.
- Ortiz, M. (1976). "Un nuevo anfípodo perforador de madera (amphipoda, Gammaridea, Cheluridae) de aguas Cubanas." Investigaciones Marinas Ciencias, Series 8 **27**: 21-26.
- Ortiz, M. (1991). "Amphipod Crustacea II. Family Bateidae." Memoirs of the Hourglass Cruises **8**(1): 1-31.
- Ortiz, M., R. R. Lalana, et al. (2007). "*Tantena*, genero nuevo y especie nueva de anfípodo marino (Lysianassidae) y primera consignacion de la familia Ochlesidae y del genero *Curidia*, con la descripcion de una especie nueva para Cuba (Amphipoda, Gammaridea)." Solenodon **6**: 20-32.
- Ortiz, M., A. Martin, et al. (2000). "Una nueva especie de anfípodo del genero *Tiburonella* (Crustacea, Amphipoda, Platyischnopidae) de Venezuela." Acta Biologica Venezuelana **20**(2): 29-36.
- Ortiz, M. and T. Veledo (1985). "Una nueva especie de anfípodo del género *Garosyrhoe* (Synopiidae, Gammaridea) de aguas cubanas." Revista de Investigaciones Marinas **6**(1): 14-18.
- Ortiz, M., I. Winfield, et al. (2001). "A new amphipod crustacean of the genus *Bogidiella* (Gammaridea, Bogidiellidae), from the Island of coiba, at the Pacific Panama." Avicennia **14**: 47-52.
- Oshel, P. E. and D. H. Steele (1985). "Amphipod *Paramphithoe hystrix*: a micropredator on the sponge *Haliclona ventilabrum*." Marine Ecology - Progress Series **23**: 307-309.

- Otte, G. (1975). "A laboratory key for the identification of *Corophium* species (Amphipoda, Corophiidae) of British Columbia." Environment Canada, Fisheries and Marine Service Technical Report(519): 1-19.
- Pardal, M. A., J. C. Marques, et al. (2000). "Impact of eutrophication on the life cycle, population dynamics and production of *Ampithoe valida* (Amphipoda) along an estuarine spatial gradient (Mondego estuary, Portugal)." Marine Ecology Progress Series **196**: 207-219.
- Parker, G. H. (1936). "An inquiline gammarid on the sea urchin *Lytechinus*." Ecology **17**(1): 185-186.
- Patton, W. K. (1968). "Feeding habits, behavior and host specificity of *Caprella grahami*, an amphipod commensal with the starfish *Asterias forbesi*." Biological Bulletin **134**(1): 148-153.
- Pearse, A. S. (1913). "Notes on a small collection of amphipods from the Pribilof Islands, with descriptions of new species." Proceedings of the United States National Museum **45**(1998): 571-573.
- Pearse, A. S. (1934). "Inhabitants of certain sponges at Dry Tortugas." Papers of the Tortugas Laboratory **28**: 117-124.
- Peattie, M. E. and R. Hoare (1981). "The sublittoral ecology of the Menai Strait. II. The sponge *Halichondria panicea* (Pallas) and its associated fauna." Estuarine, Coastal and Shelf Science **13**(6): 621-635.
- Perrone, F. M., A. Dell'Anno, et al. (2002). "Population biology of *Hirondellea* sp nov (Amphipoda : Gammaridea : Lysianassoidea) from the Atacama Trench (South-east Pacific Ocean)." Journal of the Marine Biological Association of the United Kingdom **82**(3): 419-425.
- Pinkster, S., J. Dieleman, et al. (1980). "The present position of *Gammarus tigrinus* Sexton, 1939, in the Netherlands, with the description of a newly discovered amphipod species, *Crangonyx pseudogracilis* Bousfield, 1958 (Crustacea, Amphipoda)." Bulletin Zoölogisch Museum Universiteit van Amsterdam **7**(4): 33-45.
- Pirlot, J. M. (1933). "Les amphipodes de l'expédition du Siboga. Deuxieme partie. Les amphipodes gammarides II. Les amphipodes de la mer profonde. I. - (Lysianassidae, Stegocephalidae, Stenothoidae, Pleustidae, Lepechinellidae)." Resultats des Explorations Zoologiques, Botaniques, Oceanographiques et Geologiques in des Nierlandaises orientales en 1899-1900 **120**(33c): 115-167.
- Poinar Jr., G. O., A. D. M. Latham, et al. (2002). "*Thaumamermis zealandica* n. sp. (Mermithidae: Nematoda) parasitising the intertidal marine amphipod *Talorchestia quoyana* (Talitridae: Amphipoda) in New Zealand, with a summary of mermithids infecting amphipods." Systematic Parasitology **53**: 227-233.
- Poltermann, M., H. Hop, et al. (2000). "Life under Arctic sea ice - reproduction strategies of two sympagic (ice-associated) amphipod species, *Gammarus wilkitzkii* and *Apherusa glacialis*." Marine Biology **136**: 913-920.
- Potts, F. A. (1915). "The fauna associated with the crinoids of a tropical coral reef: with especial reference to its colour variations." Papers from the Department of marine Biology, Carnegie Institution, Washington **8**: 71-96.

- Powell, R. (1992). "Biometry of brooding in seven species of amphipod (Crustacea) from the Clyde Sea area." Journal of Natural History **26**(2): 353-371.
- Powell, R. and P. G. Moore (1991). "The breeding cycles of females of seven species of amphipod (Crustacea) from the Clyde Sea area." Journal of Natural History **25**(2): 435-479.
- Rabindranath, P. (1971). "Haustoriid amphipods (Crustacea) from India." Hydrobiologia **38**(3-4): 521-539.
- Rabindranath, P. (1972). "Three species of gammaridean Amphipoda (Crustacea) from the Trivandrum Coast, India." Zoologischer Anzeiger **188**(1/2): 84-97.
- Rauschert, M. (1990). "*Pseudodulichia*, a new genus of the Podoceridae from the Antarctic (Crustacea: Amphipoda: Gammaridea)." Mitteilungen aus dem Zoologischen Museum in Berlin **2**: 371-374.
- Ray, D. L. (1959). Marine Boring and Fouling Organisms. Seattle, Washington, U.S.A., University of Washington Press.
- Reibisch, J. (1927). Amphipoda.
- Reichert, W. L., B.-T. L. Eberhart, et al. (1985). "Exposure of two species of deposit-feeding amphipods to sediment-associated [³H]Benzo[α]pyrene: uptake, metabolism and covalent binding to tissue macromolecules." Aquatic Toxicology **6**: 45-56.
- Reid, D. M. (1938). "Burrowing methods of *Talorchestia deshayesii* (Audouin) (Crustacea, Amphipoda)." Annals and Magazine of Natural History, series 11 **1**: 155-157.
- Reish, D. J. (1993). "Effects of metals and organic compounds on survival and bioaccumulation in two species of marine gammaridean amphipod, together with a summary of toxicological research on this group." Journal of Natural History **27**: 781-794.
- Ren, X. (1997). "A new genus and species of the family Corophiidae (Crustacea: Amphipoda)." Studia Marina Sinica **38**: 175-179.
- Riisgard, H. U. (2007). "Biomechanics and energy cost of the amphipod *Corophium volutator* filter-pump." Biological Bulletin **212**: 104-114.
- Riisgard, H. U. and P. Schotge (2007). "Surface deposit feeding versus filter feeding in the amphipod *Corophium volutator*." Marine Biology Research **3**: 421-427.
- Rock, J., J. Ironside, et al. (2007). "Phylogeography and environmental diversification of a highly adaptable marine amphipod, *Gammarus duebeni*." Heredity **99**: 102-111.
- Rodrigues, S. G., A. A. d. P. Bueno, et al. (2014). "A new troglolithic species of *Hyaella* (Crustacea, Amphipoda, Hyaellidae) with a taxonomic key for the Brazilian species." Zootaxa(3815 (2)): 200-214.
- Roney, J. D. (1990). "A new species of marine amphipod (Gammaridea: Ampeliscidae) from the sublittoral of southern California." Bulletin of the Southern California Academy of Sciences **89**(3): 124-129.
- Ros, M., G. V. Ashton, et al. (2014). "The Panama Canal and the transoceanic dispersal of marine invertebrates: evaluation of the introduced amphipod *Paracaprella pusilla* Mayer, 1890 in the Pacific Ocean." Marine Environmental Research **99**: 204-211.

- Ros, M., J. M. T. d. Figueroa, et al. (2014). "Exploring trophic strategies of exotic caprellids (Crustacea: Amphipoda): comparison between habitat types and native vs introduced distribution ranges." Estuarine, Coastal and Shelf Science **139**: 88-98.
- Ros, M. and J. M. Guerra-Garcia (2012). "On the occurrence of the tropical caprellid *Paracaprella pusilla* Mayer, 1890 (Crustacea: Amphipoda) in Europe." Mediterranean Marine Science **13**(1): 134-139.
- Rubal, M. and K. Larsen (2013). "A new species of Ingolfiellidae (Peracarida, Amphipoda, Crustacea) from the Azores, Portugal." Helgoland Marine Research **67**(1): 149-154.
- Ruffo, S. (1970). "Considérations à propos de la Systématique et de la Biogéographie des Ingolfiellides (Crustacea Amphipoda)." Livre du Centenaire Émile G. Racovitza 1868-1968: 223-230.
- Ruffo, S. and A. Vigna Taglianti (1973). "Three new subterranean *Bogidiella* from Mexico and Guatemala (Crustacea, Amphipoda)." Accademia Nazionale dei Lincei **171**: 105-133.
- Ruffo, S. and A. Vigna Taglianti (1989). "Description of a new cavernicolous *Ingolfiella* species from Sardinia, with remarks on the systematics of the genus." Annali del Museo Civico di Storia Naturale "Giacomo Doria" **87**: 237-261.
- Sagar, P. M. (1980). "Life cycle and growth of the antarctic gammarid amphipod *Paramoera walkeri* (Stebbing, 1906)." Journal of the Royal Society of New Zealand **10**(3): 259-270.
- Sagasti, A., L. C. Schaffner, et al. (2000). "Epifaunal communities thrive in an estuary with hypoxic episodes." Estuaries **23**(4): 474-487.
- Sainte-Marie, B. (1984). "Morphological adaptations for carrion feeding in four species of littoral or circalittoral lysianassid amphipods." Canadian Journal of Zoology **62**: 1668-1674.
- Sainte-Marie, B. (1991). "A review of the reproductive bionomics of aquatic gammaridean amphipods: variation of life history traits with latitude, depth, salinity and superfamily." Hydrobiologia **223**: 189-227.
- Sainte-Marie, B. and P. Brunel (1983). "Differences in life history and success between suprabenthic shelf populations of *Arrhis phyllonyx* (Amphipoda Gammaridea) in two ecosystems of the Gulf of St. Lawrence." Journal of Crustacean Biology **3**(1): 45-69.
- Sainte-Marie, B. and P. Brunel (1985). "Suprabenthic gradients of swimming activity by cold-water gammaridean amphipod Crustacea over a muddy shelf in the Gulf of Saint Lawrence." Marine Ecology - Progress Series **23**: 57-69.
- Sainte-Marie, B. and G. Lamarche (1985). "The diets of six species of the carrion-feeding lysianassid amphipod genus *Anonyx* and their relation with morphology and swimming behavior." Sarsia **70**: 119-126.
- Sameoto, D. D. (1969). "Comparative ecology, life histories, and behaviour of intertidal sand-burrowing amphipods (Crustacea: Haustoriidae) at Cape Cod." Journal of the Fisheries Research Board of Canada **26**(2): 361-388.

- Sameoto, D. D. (1969). "Physiological tolerances and behaviour responses of five species of Haustoriidae (Amphipoda: Crustacea) to five environmental factors." Journal of the Fisheries Research Board of Canada **26**: 2283-2298.
- Sameoto, D. D. (1969). "Some aspects of the ecology and life cycle of three species of subtidal sand-burrowing amphipods (Crustacea: Haustoriidae)." Journal of the Fisheries Research Board of Canada **26**(5): 1321-1345.
- Sánchez-Moyano, J. E., I. García-Asencio, et al. (2014). "Littoral caprellids (Crustacea: Amphipoda) from the Mexican Central Pacific Coast, with the description of four new species." Journal of Natural History **49**(1-2): 77-127.
- Santos, C. and T. Björnberg (2004). "*Chionomyzon libinia*, sp. n. (Crustacea, Copepoda, Nicothoidae) from São Sebastião, SP, Brazil." Zootaxa(603): 1-12.
- Sars, G. O. (1895). "Amphipoda." An Account of the Crustacea of Norway, with short descriptions and figures of all the species **1**: 1-711.
- Schellenberg, A. (1926). "Amphipoda 3: Die gammariden der Deutschen Tiefsee-Expedition." Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899 **23**(5): 195-243.
- Schellenberg, A. (1926). "Die Gammariden der Deutschen Südpolar-Expedition 1901-1903." Deutsche Südpolar-Expedition 1901-1903 im auftrage des Reichsministeriums des Innern, herausgegeben von Ercy von Drygalski, Leiter der Expedition **18**(Zoologie X): 233-414.
- Schellenberg, A. (1929). "Reports...tropical Pacific...'Albatross,' from August, 1899, to March, 1900...XXII. Die Abyssale und Pelagische Gammariden." Bulletin of the Museum of Comparative Zoology, Harvard College **69**(9): 193-201.
- Schellenberg, A. (1936). "Zwei neue Amphipoden des Stillen Ozeans und zwei Berichtigungen." Zoologischer Anzeiger **116**: 153-156.
- Schiecke, U. (1973). Ein Beitrag zur Kenntnis der Systematik, Biologie und Autokologie mariner Peracarida (Amphipoda, Isopoda, Tanaidacea) des Golfes von Neapel. PhD, Christian Albrecht University.
- Schneider, S. D., J. S. Boates, et al. (1994). "Sex ratios of *Corophium volutator* (Pallas) (Crustacea: Amphipoda) in Bay of Fundy populations." Canadian Journal of Zoology **72**: 1915-1921.
- Schram, F. R. (1986). "Crustacea."
- Scinto, A., G. Bavestrello, et al. (2008). "Gorgonian mortality related to a massive attack by caprellids in the Bunaken Marine Park (North Sulawesi, Indonesia)." Journal of the Marine Biological Association of the United Kingdom **88**(4): 723-727.
- Scurlock, D. (1975). "Infestation on the sandy beach amphipod *Orchestoidea corniculata* by *Gammaridacarus brevisternalis* (Acari: Laelaptidae)." Bulletin of the Southern California Academy of Sciences **74**(1): 5-9.
- Segerstråle, S. G. (1970). "Light control of the reproductive cycle of *Pontoporeia affinis* Lindström (Crustacea Amphipoda)." Journal of experimental Marine Biology and Ecology **5**: 272-275.
- Segerstråle, S. G. (1971). "The distribution and morphology of *Pontoporeia affinis* Lindström f. *brevicornis* (Crustacea Amphipoda) inhabiting North American lakes, with a description of a new aberrant male form from the area." Commentationes Biologicae(38): 1-19.

- Segerstråle, S. G. (1971). "Further data on summer-breeding in Baltic populations of the amphipods *Pontoporeia affinis* and *P. femorata*, with comments on the timing problem involved." Merentutkimuslait. Julk., Havsforskningsinst. Skrifter(235): 19-23.
- Segerstråle, S. G. (1971). "Light and gonad development in *Pontoporeia affinis*." Fourth European Marine Biology Symposium: 573-581.
- Segerstråle, S. G. (1971). "On summer-breeding in populations of *Pontoporeia affinis* (Crustacea Amphipoda) living in lakes of North America." Commentationes Biologicae(44): 1-18.
- Segerstråle, S. G. (1971). "The zoogeographic problem involved in the presence of the glacial relict *Pontoporeia affinis* (Crustacea Amphipoda) in Lake Washington, USA." Journal of the Fisheries Research Board of Canada **28**: 1331-1334.
- Segerstråle, S. G. (1973). "Results of bottom fauna sampling in certain localities in the Tvarminne area (inner Baltic), with special reference to the so-called *Macoma-Pontoporeia* theory." Commentationes Biologicae **67**(1973): 1-12.
- Segerstråle, S. G. (1977). "The taxonomic status and prehistory of the glacial relict *Pontoporeia* (Crustacea Amphipoda) living in North American lakes." Commentationes Biologicae(89): 1-18.
- Segerstråle, S. G. (1978). "The negative correlation between the abundances of the amphipod *Pontoporeia* and the bivalve *Macoma* in Baltic waters, and the factors involved." Annali Zoologici Fennici **15**: 143-145.
- Segerstråle, S. G. (1978). "Upper limits of the depth range and temperature tolerance of the Baltic *Pontoporeia affinis* (Crustacea, Amphipoda)." Annotationes Zoologici Fennici **15**: 200-201.
- Senna, A. R. (2009). "The giant deep-sea amphipods (Lysianassoidea: Eurytheneidae) from Brazilian waters." Nauplius **17**(2): 81-96.
- Senna, A. R. and C. S. Serejo (2007). "A new deep-sea species of *Stephonyx* (Lysianassoidea: Uristidae) from the central coast of Brazil." Nauplius **15**(1): 7-14.
- Serejo, C. S. (2004). "Cladistic revision of talitroidean amphipods (Crustacea, Gammaridea), with a proposal of a new classification." Zoologica Scripta **33**(6): 551-586.
- Serejo, C. S. and Y. Wakabara (2003). "The genus *Valettiosis* (Crustacea, Gammaridea, Lysianassoidea) from the southwestern Atlantic, collected by the RV Marion Dufresne." Zoosystema **25**(2): 187-196.
- Shaw, D. P. (1988). "Redescription of *Bouvierella carcinophila* (Chevreux, 1889)(Eusiroidea: Calliopiidae) from northern British Columbia and its proposed synonymy with *Leptamphopus paripes* Stephensen, 1931." Canadian Journal of Zoology **66**: 939-943.
- Shaw, D. P. (1989). "New amphipods from geothermal vent sites off the west coast of Vancouver Island, British Columbia, with a reappraisal of the amphipod family Sebidae." Canadian Journal of Zoology **67**(8): 1882-1890.
- Shedden, M. (1998). "Grazing predation on a population of *Ampelisca tenuicornis* (Gammaridae: Amphipoda) off the south coast of England." Marine Ecology Progress Series **164**: 253-262.

- Shillaker, R. O. and P. G. Moore (1987). "The biology of brooding in the amphipods *Lembos websteri* Bate and *Corophium bonnellii* Milne-Edwards." Journal of Experimental Marine biology and Ecology **110**: 113-132.
- Shillaker, R. O. and P. G. Moore (1987). "Tube-emergence behaviour in the amphipods *Lembos websteri* Bate and *Corophium bonnellii* Milne Edwards." Journal of Experimental Marine Biology and Ecology **111**: 231-241.
- Shoemaker, C. R. (1916). "Descriptions of three new species of amphipods from Southern California." Proceedings of the Biological Society of Washington **29**: 157-160.
- Shoemaker, C. R. (1920). "The amphipods of the Canadian Arctic Expedition, 1913-18." Report of the Canadian Arctic Expedition 1913-18 **7(E)**: 3E-25E.
- Shoemaker, C. R. (1925). "The Amphipoda collected by the United States Fisheries Steamer 'Albatross' in 1911, chiefly in the Gulf of California." Bulletin of the American Museum of Natural History(52): 21-61.
- Shoemaker, C. R. (1926). "Amphipods of the family Bateidae in the collection of the United States National Museum." Proceedings of the United States National Museum **68**(2626): 1-26.
- Shoemaker, C. R. (1931). "A new species of amphipod crustacean (Acanthonotozomatidae) from California, and notes on *Eurystheus tenuicornis*." Proceedings of the United States National Museum **78**(2861).
- Shoemaker, C. R. (1933). "Amphipoda from Florida and the West Indies." American Museum Novitates(598): 1-24.
- Shoemaker, C. R. (1933). "Two new genera and six new species of Amphipoda from Tortugas." Papers from the Tortugas Laboratory **28**(435): 245-256.
- Shoemaker, C. R. (1934). "Two new species of *Corophium* from the west coast of America." Journal of the Washington Academy of Sciences **24**(8): 356-360.
- Shoemaker, C. R. (1936). "The occurrence of the terrestrial amphipods, *Talitrus alluaudi* and *Talitrus sylvaticus*, in the United States." Journal of the Washington Academy of Sciences **26**(2): 60-64.
- Shoemaker, C. R. (1938). "Three new species of the amphipod genus *Ampithoe* from the west coast of America." Journal of the Washington Academy of Sciences **28**(1): 15-25.
- Shoemaker, C. R. (1942). "Amphipod crustaceans collected on the Presidential Cruise of 1938." Smithsonian Miscellaneous Collections **101**(11): 1-52.
- Shoemaker, C. R. (1944). "Description of a new species of Amphipoda of the genus *Anisogammarus* from Oregon." Journal of the Washington Academy of Sciences **34**(3): 89-93.
- Shoemaker, C. R. (1945). "The amphipod genus *Photis* on the east coast of North America." The Charleston Museum Leaflet(22): 1-17.
- Shoemaker, C. R. (1945). "The amphipod genus *Unciola* on the East Coast of America." American Midland Naturalist **34**(2): 446-465.
- Shoemaker, C. R. (1945). "The Amphipoda of the Bermuda Oceanographic Expeditions, 1929-31." Zoologica **30**(4): 185-266.
- Shoemaker, C. R. (1949). "The amphipod genus *Corophium* on the west coast of America." Journal of the Washington Academy of Sciences **39**(2): 66-82.

- Shoemaker, C. R. (1949). "Three new species and one new variety of amphipods from the Bay of Fundy." Journal of the Washington Academy of Sciences **39**(12): 389-398.
- Shoemaker, C. R. (1952). "A new species of commensal amphipod from a spiny lobster." Proceedings of the United States National Museum **102**(3299): 231-233.
- Shoemaker, C. R. (1955). "Amphipoda collected at the Arctic Laboratory, Office of Naval research, Point Barrow, Alaska, by G.E. MacGinitie." Smithsonian Miscellaneous Collections **128**(1): 1-78.
- Shoemaker, C. R. (1956). "Notes on the amphipods *Eurythenes gryllus* (Lichtenstein) and *Katius obesus* Chevreux." Proceedings of the Biological Society of Washington **69**: 177-178.
- Shoemaker, C. R. (1964). "Seven new amphipods from the west coast of North America with notes on some unusual species." Proceedings of the United States National Museum **115**(3489): 391-430.
- Shulenberger, E. and J. L. Barnard (1976). "Amphipods from an abyssal trap set in the North Pacific Gyre." Crustaceana **31**(3): 241-258.
- Shulenberger, E. and R. R. Hessler (1974). "Scavenging abyssal benthic amphipods trapped under oligotrophic Central North Pacific Gyre waters." Marine Biology **28**: 185-187.
- Shyamasundari, K. (1973). "Studies on the tube-building amphipod *Corophium triaenonyx* Stebbing from Visakhapatnam Harbor: effect of salinity and temperature." Biological Bulletin **144**(2): 503-510.
- Sittrop, D. J. P., C. S. Serejo, et al. (2015). "New genera and species of Urothoidae (Amphipoda) from the Brazilian deep sea, with the re-assignment of *Pseudurothoe* and *Urothopsis* to Phoxocephalopsidae." Journal of Natural History **49**(9-10): 527-552.
- Skogsberg, T. and G. H. Vansell (1928). "Structure and behavior of the amphipod *Polycheria osborni*." Proceedings of the California Academy of Sciences, fourth series **17**(10): 267-295.
- Slattery, P. N. (1985). "Life histories of infaunal amphipods from subtidal sands of Monterey Bay, California." Journal of Crustacean Biology **5**(4): 635-649.
- Smith, C. R. and A. R. Baco (2003). "Ecology of whale falls at the deep-sea floor." Oceanography and Marine Biology; an Annual Review **41**: 311-354.
- Smith, C. R. and T. M. C. Present (1983). "In vivo marking of shallow-water and deep-sea amphipods by ingestion of bait mixed with fast green." Marine Biology **73**: 183-192.
- Smith Jr., K. L. and R. J. Baldwin (1982). "Scavenging deep-sea amphipods: effects of food odor on oxygen consumption and a proposed metabolic strategy." Marine Biology **68**: 287-298.
- Smith Jr., K. L. and R. J. Baldwin (1984). "Vertical distribution of the necrophagous amphipod, *Eurythenes gryllus*, in the North Pacific: spatial and temporal variation." Deep-Sea Research II **31**: 1179-1196.
- Soliman, Y. and M. K. Wicksten (2007). "*Ampelisca mississippiana*: a new species (Crustacea: amphipoda: Gammaridea) from the Mississippi Canyon (Northern Gulf of Mexico)." Zootaxa(1380): 45-54.

- Sotka, E. E. (2003). "Genetic control of feeding preference in the herbivorous amphipod *Ampithoe longimana*." Marine Ecology Progress Series **256**: 305-310.
- Sotka, E. E. (2007). "Restricted host use by the herbivorous amphipod *Peramphithoe tea* is motivated by food quality and abiotic refuge." Marine Biology **151**(5): 1831-1838.
- Sotka, E. E. and M. E. Hay (2002). "Geographic variation among herbivore populations in tolerance for a chemically rich seaweed." Ecology **83**(10): 2721-2735.
- Soto, L. A. and A. Corona (2007). "*Gammaropsis (Podoceros) grasslei* (Amphipoda: Photidae) a new species of commensal amphipod of the deep-water lithodid *Neolithodes diomedae* from the Guaymas Basin, Gulf of California." Zootaxa(1406): 33-39.
- Souza-Filho, J. F. and C. S. Serejo (2008). "A new species of *Curidia* (Crustacea: Amphipoda: Ochlesidae) from northeastern Brazil." Scientia Marina **72**(2): 213-220.
- Souza-Filho, J. F. and C. S. Serejo (2012). "Redescription and designation of a neotype for *Eudevenopus capuciatius* (Oliveira, 1955) (Crustacea: Amphipoda: Platyischnopidae) from Brazilian waters, with comments on its cuticular ultrastructures." Cahiers de Biologie Marine **53**: 469-484.
- Souza-Filho, J. F. and C. S. Serejo (2014). "On the phylogeny of Ischyroceridae (Amphipoda, Senticaudata, Corophiida), with the description of a new genus and eight new species from deep-sea Brazilian waters." Zoological Journal of the Linnean Society **170**: 34-85.
- Souza-Filho, J. F., A. M. T. Souza, et al. (2010). "Six new species of the genus *Chevalia* Walker, 1904 (Amphipoda, Corophiidea, Chevaliidae) from Brazilian waters, with a key to world species of the genus." Zootaxa(2713): 25-51.
- Souza-Filho, J. F., A. M. T. Souza, et al. (2012). "A new species of *Cheiriphotis* (Amphipoda, Corophiidae) from the southwestern Atlantic Ocean." Nauplius **20**(2): 107-116.
- Spicer, J. I., P. G. Moore, et al. (1987). "The physiological ecology of land invasion by the Talitridae (Crustacea: Amphipoda)." Proceedings of the Royal Society of London, series B. **232**: 95-124.
- Spooner, G. M. (1960). "The occurrence of *Ingolfiella* in the Eddystone Shell Gravel, with description of a new species." Journal of the Marine Biological Association of the United Kingdom **39**: 319-329.
- Springthorne, R. T. and J. K. Lowry (2009). "Hadziidae." Zootaxa(2260): 434-439.
- Stasek, C. R. (1958). "A new species of *Allogaussia* (Amphipoda, Lysianassidae) found living within the gastrovascular cavity of the sea-anemone *Anthopleura elegantissima*." Journal of the Washington Academy of Sciences **48**(4): 119-126.
- Stauder, C. P. (1987). Suborder Gammaridea. Marine Invertebrates of the Pacific Northwest. E. N. Kozloff. Seattle, Washington, USA, University of Washington Press: 346-386.
- Stauder, C. P. (1995). "The amphipod genus *Paramoera* Miers (Gammaridea: Eusiroidea: Pontogeneiidae) in the eastern North Pacific." Amphipacifica **1**(4): 61-102.

- Stebbing, T. R. R. (1888). "Report on the Amphipoda collected by H.M.S. Challenger during the years 1873-76." Report on the Scientific Results of the Voyage of H.M.S. Challenger during the Years 1873-76: Zoology **29**(1/2/3): 1-1737.
- Stebbing, T. R. R. (1897). "II. Amphipoda from the Copenhagen Museum and other sources." Transactions of the Linnean Society of London, **2**, Zoology **7**: 25-45.
- Stebbing, T. R. R. (1899). "Revision of Amphipoda (continued)." Annals and Magazine of Natural History, 7th series **4**: 205-211.
- Stebbing, T. R. R. (1906). "Amphipoda. I. Gammaridea." Das Tierreich(21): 1-806.
- Stebbing, T. R. R. (1910). "Scientific results of the trawling expedition of H.M.C.S. 'Thetis' off the coast of New South Wales, in February and March, 1898. Crustacea. Part 5. Amphipoda." Memoirs of the Australian Museum **4**(12): 565-658.
- Stebbing, T. R. R. and D. Robertson (1891). "On four new British Amphipoda." Transactions of the Zoological Society of London **13**(1): 31-42.
- Steele, D. H. (1967). "The morphology of the marine amphipod *Stegocephalus inflatus* Kroyer." Canadian Journal of Zoology **45**: 623-628.
- Steele, D. H. (1967). "A new species of the genus *Anonyx* (Amphipoda) from the Barents Sea." Crustaceana **13**: 257-264.
- Steele, D. H. (1969). "Additional comments on the genus *Anonyx* (Crustacea: Amphipoda) of the Atlantic and Arctic coasts of North America." Journal of the Fisheries Research Board of Canada **26**(3): 683-686.
- Steele, D. H. (1976). "Seasonal changes in abundance of *Gammarus oceanicus* (Crustacea, Amphipoda) in Newfoundland." Canadian Journal of Zoology **54**(11): 2019-2022.
- Steele, D. H. (1979). "Clinal variation in the morphology of *Anonyx nugax* (Phipps)(Crustacea, Amphipoda)." Bulletin of the Biological Society of Washington(3): 41-46.
- Steele, D. H. (1979). "A new species of *Psammonyx* (Crustacea, Amphipoda, Lysianassidae) from the northwestern Atlantic." Canadian Journal of Zoology **57**(6): 1215-1221.
- Steele, D. H. (1979). "Zoogeography of the genus *Anonyx* (Crustacea, Amphipoda)." Bulletin of the Biological Society of Washington(3): 47-53.
- Steele, D. H. (1982). "The genus *Anonyx* (Crustacea, Amphipoda) in the North Pacific and Arctic oceans: *Anonyx nugax* group." Canadian Journal of Zoology **60**(7): 1754-1775.
- Steele, D. H. (1983). "The genus *Anonyx* (Crustacea, Amphipoda) in the North Pacific Ocean: *Anonyx validus* group." Canadian Journal of Zoology **61**(12): 2921-2931.
- Steele, D. H. (1986). "The genus *Anonyx* (Crustacea, Amphipoda) in the north Pacific and Arctic oceans: *Anonyx laticoxae* group." Journal of the Fisheries Research Board of Canada **64**: 2603-2623.
- Steele, D. H. (1989). "The genus *Anonyx* (Crustacea, Amphipoda) in the North Pacific and Arctic oceans: *Anonyx compactus* group." Canadian Journal of Zoology **67**: 1945-1954.

- Steele, D. H. (1991). "The genus *Anonyx* (Crustacea, Amphipoda) in the North Pacific and Arctic oceans: the *Anonyx bispinosus* group." Canadian Journal of Zoology **69**: 1600-1611.
- Steele, D. H. (1991). "Is the oostegite structure of amphipods determined by their phylogeny or is it an adaptation to their environment?" Hydrobiologia **223**: 27-34.
- Steele, D. H. and P. Brunel (1968). "Amphipoda of the Atlantic and Arctic coasts of North America: *Anonyx* (Lysianassidae)." Journal of the Fisheries Research Board of Canada **25**(5): 943-1060.
- Steele, D. H., R. G. Hooper, et al. (1986). "Two corophioid amphipods commensal on spider crabs in Newfoundland." Journal of Crustacean Biology **6**(1): 119-124.
- Steele, D. H. and V. J. Steele (1969). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. I. *Gammarus duebeni* Lilj." Canadian Journal of Zoology **47**: 235-244.
- Steele, D. H. and V. J. Steele (1970). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. III. *Gammarus obtusatus* Dahl." Canadian Journal of Zoology **48**(5): 989-995.
- Steele, D. H. and V. J. Steele (1970). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. IV. *Gammarus lawrencianus* Bousfield." Canadian Journal of Zoology **48**(6): 1261-1267.
- Steele, D. H. and V. J. Steele (1972). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. VI. *Gammarus tigrinus* Sexton." Canadian Journal of Zoology **50**(8): 1063-1068.
- Steele, D. H. and V. J. Steele (1973). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. VII. The duration of embryonic development in five species at various temperatures." Canadian Journal of Zoology **51**(9): 995-999.
- Steele, D. H. and V. J. Steele (1973). "Some aspects of the biology of *Calliopius laeviusculus* (Krøyer)(Crustacea, Amphipoda) in the northwestern Atlantic." Canadian Journal of Zoology **51**(7): 723-728.
- Steele, D. H. and V. J. Steele (1974). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. VIII. Geographic distribution of the northern species." Canadian Journal of Zoology **52**(9): 1115-1120.
- Steele, D. H. and V. J. Steele (1975). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. IX. *Gammarus wilkitzkii* Birula, *Gammarus storerensis* Reid, and *Gammarus mucronatus* Say." Canadian Journal of Zoology **53**(8): 1105-1109.
- Steele, D. H. and V. J. Steele (1975). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. X. *Gammarus finmarchicus* Dahl." Canadian Journal of Zoology **53**(8): 1110-1115.
- Steele, D. H. and V. J. Steele (1975). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. XI. Comparison and discussion." Canadian Journal of Zoology **53**(8): 1116-1120.
- Steele, D. H. and V. J. Steele (1978). "Some aspects of the biology of *Pontoporeia femorata* and *Pontoporeia affinis* (Crustacea, Amphipoda) in the northwestern Atlantic." Astarte **11**: 61-66.

- Steele, D. H. and V. J. Steele (1986). "The cost of reproduction in the amphipod *Gammarus lawrencianus* Bousfield, 1956." Crustaceana **51**(2): 176-182.
- Steele, D. H. and V. J. Steele (1991). "Effects of salinity on the survival, growth rate, and reproductive output of *Gammarus lawrencianus* (Crustacea, Amphipoda)." Marine Ecology - Progress Series **78**: 49-56.
- Steele, D. H. and V. J. Steele (1993). "Biting mechanism of the amphipod *Anonyx* (Crustacea: Amphipoda: Lysianassoidea)." Journal of Natural History **27**(4): 851-860.
- Steele, D. H. and A. Whittick (1991). "Seasonal variation in *Pilayella littoralis* (Phaeophyceae) and its consequences as a food source for the amphipod, *Gammarus lawrencianus*, in the intertidal of Newfoundland." Journal of the Marine Biological Association of the United Kingdom **71**: 883-889.
- Steele, V. J. and D. H. Steele (1970). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. II. *Gammarus setosus* Dementieva." Canadian Journal of Zoology **48**(4): 659-671.
- Steele, V. J. and D. H. Steele (1972). "The biology of *Gammarus* (Crustacea, Amphipoda) in the northwestern Atlantic. V. *Gammarus oceanicus* Segerstrale." Canadian Journal of Zoology **40**(6): 801-813.
- Steele, V. J. and D. H. Steele (1986). "The influence of photoperiod on the timing of reproductive cycles in *Gammarus* species (Crustacea, Amphipoda)." American Zoologist **26**: 459-467.
- Steele, V. J., D. H. Steele, et al. (1977). "The effect of photoperiod on the reproductive cycle of *Gammarus setosus* Dementieva, 1931." Crustaceana Supplement(4): 58-63.
- Stephensen, K. (1924). "*Talitrus alluaudi* Chevreux. An Indo-Pacific terrestrial amphipod found in hothouses in Copenhagen." Videnskabelige Meddelelser frå Dansk naturhistorisk Forening **78**: 197-199.
- Stephensen, K. (1929). "Amphipoda." Die Tierwelt der Nort- und Ostsee **10**, f: 188pp.
- Stephensen, K. (1938). "*Grandidierella japonica* n. sp., a new amphipod with stridulating (?) organs from brackish water in Japan." Annotationes Zoologicae Japonenses **17**(2): 179-184.
- Stephensen, K. and G. Thorson (1936). "On the amphipod *Metopa groenlandica* H J. Hansen found in the mantle cavity of the lamellibranchiate *Pandora glacialis* Leach in East Greenland." Meddelelser om Gronland, Bioscience **118**(4): 1-7.
- Stepien, C. A. and R. C. Brusca (1985). "Nocturnal attacks on nearshore fishes in southern california by crustacean zooplankton." Marine Ecology - Progress Series **25**: 91-105.
- Stergiou, K. (1989). "Capelin *Mallotus villosus* (Pisces: Osmeridae), glaciations, and speciation: a nomothetic approach to fisheries ecology and reproductive biology." Marine Ecology Progress Series **56**: 211-224.
- Stevens, M., J. Maes, et al. (MS). Chapter 3. Taking potluck: trophic guild structure and feeding strategy of an intertidal fish assemblage.
- Stimpson, W. (1856). "On some California Crustacea." Proceedings of the California Academy of Science **1**: 87-90.

- Stimpson, W. (1864). "Descriptions of new species of marine Invertebrata from Puget Sound, collected by the naturalists of the North-west Boundary Commission, A. H. Campbell, Esq., Commissioner." Proceedings of the Academy of Natural Sciences of Philadelphia **1864**(3): 153-161.
- Stock, J. H. (1977). "The taxonomy and zoogeography of the hadziid Amphipoda with emphasis on the West Indian taxa." Studies on the Fauna of Curaçao and other Caribbean Islands **55**: 1-130.
- Stock, J. H. (1977). "The Zoogeography of the crustacean suborder Ingolfiellidea with descriptions of new West Indian taxa." Studies on the Fauna of Curaçao and other Caribbean Islands **60**(178): 131-146.
- Stock, J. H. (1981). "The taxonomy and zoogeography of the family Bogidiellidae (Crustacea, Amphipoda), with emphasis on the West Indian taxa." Bijdragen tot de Dierkunde **51**(2): 343-374.
- Stock, J. H. (1984). "First record of Bogidiellidae (Crustacea, Amphipoda) from the Pacific: *Bogidiella* (*Xystrigidiella* n. subgen.) *capricornea* new species from the Great Barrier Reef." Bulletin of Marine Science **34**(3): 380-385.
- Stock, J. H. (1995). "Age of limnic and stygobiont Amphipoda of the Madeira Archipelago and La Gomera, Canary Islands." Polskie Archiwum Hydrobiologii **42**(4): 409-415.
- Stock, J. H. and T. M. Iliffe (1990). "Amphipod crustaceans from anchihaline cave waters of the Galapagos Islands." Zoological Journal of the Linnean Society **98**(2): 141-160.
- Stock, J. H. and R. Vonk (1991). "Une espèce nouvelle de *Dulzura*, genre d'Amphipodes hadzioides connu jusqu'ici seulement de l'Indo-Pacifique, découverte aux îles du Cap-Vert (océan Atlantique)." Cahiers de Biologie Marine **32**(4): 477-486.
- Stoddart, H. E. and J. K. Lowry (2004). "The deep-sea lysianassoid genus *Eurythenes* (Crustacea, Amphipoda, Eurytheneidae n. fam.)." Zoosystema **26**(3): 425-468.
- Stoddart, H. E. and J. K. Lowry (2012). "Revision of the lysianassoid genera *Acidostoma* and *Shackletonia* (Crustacea: Amphipoda: Acidostomatidae fam. nov.)." Zootaxa(3307): 1-34.
- Stout, V. R. (1912). "Studies in Laguna Amphipoda I." First Annual Report of the Laguna Marine Laboratory **1**: 74-84.
- Stout, V. R. (1913). "Studies in Laguna Amphipoda. II." Zoologische Jahrbücher Abtheilung für Systematik, Geographie und Biologie der Tiere **34**(5/6): 633-659.
- Sundelin, B. (1983). "Effects of cadmium on *Pontoporeia affinis* (Crustacea: Amphipoda) in laboratory soft-bottom microcosms." Marine Biology **74**: 203-212.
- Sundelin, B. (1984). Single and combined effects of lead and cadmium on *Pontoporeia affinis* (Crustacea, Amphipoda) in laboratory soft-bottom microcosms. Bredene, Belgium, State University, Ghent and Institute of Marine Scientific Research.
- Sundelin, B., R. Rosa, et al. (2008). "Reproduction disorders in the benthic amphipod *Monoporeia affinis*: an effect of low food resources." Aquatic Biology **2**: 179-190.
- Sutcliffe, D. W. (1971). "The effect of calcium on sodium influx and loss in *Gammarus* (Amphipoda)." Journal of Experimental Biology **54**: 485-496.

- Swartz, R. C., W. A. DeBen, et al. (1985). Phoxocephalid amphipod bioassay for marine sediment toxicity. Aquatic toxicology and hazard assessment, Seventh Symposium, Philadelphia, Pennsylvania, USA, American Society for Testing and Materials.
- Swartz, R. C., D. W. Schults, et al. (1984). "Toxicity of sewage sludge to *Rhepoxynius abronius*, a marine benthic amphipod." Archives of Environmental Contamination and Toxicology **13**: 207-216.
- Takekawa, A., K. Sasaki, et al. (2004). "Diel activity and vertical distribution of lysianassoid amphipods dominant in Onagawa Bay, north-eastern Japan." Fisheries Science **70**: 971-977.
- Takeuchi, I. and R. Hirano (1995). "Clinging behavior of the epifaunal caprellids (Amphipoda) inhabiting the *Sargassum* zone on the Pacific coast of Japan, with its evolutionary implications." Journal of Crustacean Biology **15**(3): 481-492.
- Takeuchi, I. and S.-i. Ishimaru (1991). "Redescription of *Caprogammarus gurjanovae* Kudrjashov & Vassilenko, 1966 (Crustacea: Amphipoda) from Hokkaido, Japan, with notes on the taxonomic status of *Caprogammarus*." Hydrobiologia **223**: 283-291.
- Takeuchi, I. and A. Oyamada (2013). "Description of two species of *Caprella* (Crustacea: Amphipoda: Caprellidae from the North Pacific: *C. californica* Stimpson, 1857 and *C. scauroides* Mayer, 1903, with a new appraisal of species ranking for *C. scauroides*." Helgoländer Marine Research **67**: 371-381.
- Takeuchi, I., M. Takeda, et al. (1989). "Redescription of the bathyal caprellid, *Caprella unguilina* Mayer 1903 (Crustacea, Amphipoda) from the North Pacific." Bulletin of the National Science Museum, series A (Zoology) **15**(1): 19-28.
- Tandberg, A. H. S., F. Schander, et al. (2010). "First record of the association between the amphipod *Metopa alderi* and the bivalve *Musculus*." Marine Biodiversity Records **3**: 5-6.
- Tandberg, A. H. S., W. Vader, et al. (2010). "Studies on the association of *Metopa glacialis* (Amphipoda, Crustacea) and *Musculus discors* (Mollusca, Mytilidae)." Polar Biology **33**: 1407-1418.
- Taylor, J. and G. C. B. Poore (2001). "Descriptions of new species of *Birubius* (Amphipoda: Phoxocephalidae) from Australia and Papua New Guinea with comments on the *Birubius-Kulgaphoxus-Takalerus-Yan* complex." Memoirs of the Museum of Victoria **58**(2): 255-295.
- Taylor, P. R. (1979). "An association between an amphipod, *Liljeborgia* sp and the hermit crab, *Pagurus hemphilli* (Benedict)." Marine Behaviour and Physiology **6**: 185-188.
- Taylor, R. B. and P. J. Brown (2006). "Herbivory in the gammarid amphipod *Aora typica*: relationships between consumption rates, performance and abundance across ten seaweed species." Marine Biology **149**: 455-463.
- Tegner, M. J. and P. K. Dayton (1987). "El Niño effects on southern California kelp forest communities." Advances in Ecological Research **17**: 243-279.
- Thiel, M. (1998). "Population biology of *Dyopedos monacanthus* (Crustacea: Amphipoda) on estuarine soft-bottoms: importance of extended parental care and pelagic movements." Marine Biology **132**: 209-221.

- Thiel, M. (1999). "Host-use and population demographics of the ascidian-dwelling amphipod *Leucothoe spinicarpa*: indication for extended parental care and advanced social behaviour." Journal of Natural History **33**(2): 193-206.
- Thiel, M. (2000). "Population and reproductive biology of two sibling amphipod species from ascidians and sponges." Marine Biology **137**: 661-674.
- Thomas, J. D. (1979). "Occurrence of the amphipod *Leuthoides pottsi* Shoemaker in the tunicate *Echinascidia turbinata* Herdman from Big Pine Key, Florida, U.S.A." Crustaceana **37**(1): 107-109.
- Thomas, J. D. (1979). "A redescription of the wood-rasping amphipod *Tropichelura gomezi* Ortiz, 1976 (Cheluridae) from the Florida Keys, with notes on its distribution and ecology." Proceedings of the Biological Society of Washington **92**(4): 863-872.
- Thomas, J. D. (1983). "*Curidia debrogania*, a new genus and species of amphipod (Crustacea: Ochlesidae) from the barrier reefs of Belize, Central America." Proceedings of the Biological Society of Washington **96**(1): 127-133.
- Thomas, J. D. (1993). Identification Manual for the Marine amphipoda : (Gammaridea). I. Common coral reef and rocky bottom amphipods of south Florida. Tallahassee, Florida, State of Florida Department of Environmental Protection, Division of Water Management, Bureau of Surface Water Management: 80pp.
- Thomas, J. D. (1997). "Systematics, Ecology and Phylogeny of the Anamixidae (Crustacea: Amphipoda)." Records of the Australian Museum **49**: 35-98.
- Thomas, J. D. and J. L. Barnard (1983). "The Platyschnopidae of America (Crustacea: Amphipoda)." Smithsonian Contributions to Zoology(375): 1-33.
- Thomas, J. D. and J. L. Barnard (1983). "Transformation of the *Leucothoides* morph to the *Anamixis* morph (Amphipoda)." Journal of Crustacean Biology **3**(1): 154-157.
- Thomas, J. D. and J. L. Barnard (1986). "New genera and species of the *Megaluropus* group (Amphipoda, Megaluropidae) from American seas." Bulletin of Marine Science **38**(3): 442-476.
- Thomas, J. D. and J. L. Barnard (1986). "Two species of *Hornellia* (subgenus *Metaceradocus*) from the Florida Keys and Belize (Amphipoda, Melphidippoidea)." Bulletin of Marine Science **38**(3): 477-487.
- Thomas, J. D. and J. L. Barnard (1991). "*Guernea ipilya* and *G. yamminye*, new species (Crustacea: Amphipoda: Dexaminidae), from the Great Barrier Reef, Australia." Memoirs of the Museum of Victoria **52**(2): 299-310.
- Thomas, J. D. and J. L. Barnard (1991). "*Photis trapherus*, a new elephantine species from the Caribbean Sea (Crustacea: Amphipoda)." Proceedings of the Biological Society of Washington **104**(1): 96-100.
- Thomas, J. D. and J. L. Barnard (1991). "A review of the genus *Iphimedia* (Crustacea: Amphipoda) with descriptions of three new species from Australia, Papua New Guinea and Florida." Invertebrate Taxonomy **5**: 469-485.
- Thomas, J. D. and J. L. Barnard (1992). "*Podocerus chelonophilus*, a testudinous amphipod newly recorded from the Western Atlantic Ocean." Bulletin of Marine Science **50**(1): 108-116.

- Thomas, J. D. and J. L. Barnard (1992). "*Podocerus kleidus*, new species from the Florida Keys (Crustacea, Amphipoda, Dulichiidae)." Bulletin of Marine Science **51**(3): 309-314.
- Thomas, J. D. and K. D. Cairns (1984). "Discovery of a majid host for the commensal amphipod *Stenothoe symbiotica* Shoemaker, 1956." Bulletin of Marine Science **34**(4): 484-485.
- Thomas, J. D. and K. N. Klebba (2007). "New species and host associations of commensal leucothoid amphipods from coral reefs in Florida and Belize (Crustacea: Amphipoda)." Zootaxa(1494): 1-44.
- Thomas, J. D. and L. D. McCann (1995). The Families Argissidae, Dexaminidae, Eusiridae, Gammaridae, Leucothoidae, Melphidippidae, Oedicerotidae, Pardaliscidae, Phoxocephalidae, Podoceridae, Stegocephalidae, Stenothoidae, Stilipedidae, Synopiidae, and Urothoidae. Santa Barbara, California, U.S.A., Santa Barbara Museum of Natural History.
- Thorsteinson, E. D. (1941). "New or noteworthy amphipods from the North Pacific coast." University of Washington Publications in Oceanography **4**(2): 50-96.
- Thurston, M. H. (1968). "Notes on the life history of *Bovallia gigantea* (Pfeffer) (Crustacea, Amphipoda)." British Antarctic Survey Bulletin(16): 57-64.
- Thurston, M. H. (1974). "Crustacea Amphipoda from Graham Land and the Scotia Arc, collected by Operation Tabarin and the Falklands Islands Dependencies Survey, 1944-59." British Antarctic Survey Scientific Reports **85**: 1-89.
- Thurston, M. H. (1976). "New pelagic amphipods (Crustacea: Amphipoda) collected on the Sond Cruise." Journal of the Marine Biological Association of the United Kingdom **56**(1): 143-159.
- Thurston, M. H. (1976). "The vertical distribution and diurnal migration of the Crustacea Amphipoda collected during the Sond Cruise, 1965. II. The Hyperidea and general discussion." Journal of the Marine Biological Association of the United Kingdom **56**(2): 383-470.
- Thurston, M. H. (1976). "The vertical distribution and diurnal migration of the Crustacea Amphipoda collected during the Sond Cruise, 1965. I. The Gammaridea." Journal of the Marine Biological Association of the United Kingdom **56**(2): 359-382.
- Thurston, M. H. (1979). "Scavenging abyssal amphipods from the north-east Atlantic Ocean." Marine Biology **51**(1): 55-68.
- Thurston, M. H. (1980). "Abyssal benthic Amphipoda (Crustacea) from the East Iceland Basin. 2. *Lepechinella* and an allied new genus." Bulletin of the British Museum of Natural History, Zoology **38**(1): 69-87.
- Thurston, M. H. (1989). "A new species of *Valettia* (Crustacea: Amphipoda) and the relationship of the Valettidae to the Lysianassoidea." Journal of Natural History **23**(5): 1093-1107.
- Thurston, M. H. (1990). "Abyssal necrophagous amphipods (Crustacea: Amphipoda) in the northeast and tropical Atlantic Ocean." Progress in Oceanography **24**: 257-274.
- Thurston, M. H. and B. J. Bett (1995). "Hatchling size and aspects of biology in the deep-sea amphipod genus *Eurythenes* (Crustacea: Amphipoda)." Internationale Revue der gesamten Hydrobiologie **80**(2): 201-216.

- Thurston, M. H., M. Petrillo, et al. (2002). "Population structure of the necrophagous amphipod *Eurythenes gryllus* (Amphipoda: Gammaridea) from the Atacama Trench (south-east Pacific Ocean)." Journal of the Marine Biological Association of the United Kingdom **82**(2): 205-211.
- Toft, J. D., J. Cordell, et al. (2002). "New records of crustaceans (Amphipoda, Isopoda) in the Sacramento/San Joaquin Delta, California, and application of criteria for introduced species." Journal of Crustacean Biology **22**(1): 190-200.
- Tojo, K., Y. Tanaka, et al. (2010). "Reproductive Biology and Adaptability of the Invasive Alien Freshwater Amphipod *Crangonyx floridanus* (Crustacea: Amphipoda, Crangonyctidae)." Zoological Science **27**(6): 522-527.
- Tomikawa, K., E. A. Hendrycks, et al. (2004). "A new species of the genus *Dactylopleustes* (Crustacea: Amphipoda: Pleustidae) from Japan, with a partial redescription of *D. echinoides* Bousfield & Hendrycks, 1995." Zootaxa(674): 1-14.
- Torres, E. and A. C. Cohen (2005). "*Vargula morini*, a new species of bioluminescent ostracode (Myocopida: Cypridinidae) from Belize and an associated copepod (Copepoda: Siphonostomatoida: Nicothoidae)." Journal of Crustacean Biology **25**(1): 1-24.
- Tzvetkova, N. L. (1972). "Taxonomy of the genus *Gammarus* Fabr. with the description of some new species of gammarids (Amphipoda, Gammaridae) from the North-western part of the Pacific Ocean." Akademia Nauk SSSR, Trudy Zoologicheskogo Instituta **52**: 201-222.
- Tzvetkova, N. L. (1975). "Geographical distribution of species of the genus *Anisogammarus* Derzhavin (Amphipoda, Gammaridae)." Crustaceana **28**(2): 191-199.
- Tzvetkova, N. L. (1975). "Pribrezhnye Gammaridy Severnykh i Dal'nevostochnykh Morei SSSR i soprelel'nykh vod." Akademija Nauk SSR, Zoologicheskii Institut, Izdatel'stvo "Nauka" Leningradskoe Otdelenie: 1-256.
- Tzvetkova, N. L. (1977). "New genus and new species of amphipods (Amphipoda, Corophioidea) from the Japan Sea." Explorations of the Fauna of the Seas **21**: 88-101.
- Udekem d'Acoz, C. d. (2006). "On a new *Melphidippa* species from Svalbard (Amphipoda, Melphidippidae)." Crustaceana **79**(4): 489-499.
- Udekem d'Acoz, C. d. (2007). "The genera *Haliragoides* and *Neohela* in the North Atlantic, with the description of two new deepwater species from Norway and Svalbard (Crustacea: Amphipoda)." Cahiers de Biologie Marine **48**(1): 17-35.
- Udekem d'Acoz, C. d. (2008). "Shelf and abyssal *Liljeborgia* Bate, 1861 of the Southern Ocean (Crustacea, Amphipoda, Liljeborgiidae)." Bulletin de l'Institut Royal des Sciences Naturelles de Belgique **78**: 45-486.
- Udekem d'Acoz, C. d. (2009). "New records of *Liljeborgia* from Antarctic and sub-Antarctic seas, with the description of two new species (Crustacea: Amphipoda: Liljeborgiidae)." Bulletin de l'Institut Royal des Sciences Naturelles de Belgique **79**: 243-304.

- Udekem d'Acoz, C. d. (2010). "Contribution to the knowledge of European Liljeborgiidae (Crustacea, Amphipoda), with considerations on the family and its affinities." Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Biologie **80**: 127-259.
- Udekem d'Acoz, C. d. and E. A. Hendrycks (2011). "A new deep-sea *Liljeborgia* (Crustacea: Amphipoda: Liljeborgiidae) from the DIVA II cruise in the equatorial eastern Atlantic." Proceedings of the Biological Society of Washington **124**(3): 198-211.
- Udekem d'Acoz, C. d. and W. Vader (2004). "Occurrence of *Paramphithoe buchholzi* Stebbing, 1888 in the Barents Sea (Crustacea, Amphipoda, Epimeriidae)." Sarsia **89**: 292-295.
- Uitto, A. and J. Sarvala (1991). "Seasonal growth of the benthic amphipods *Pontoporeia affinis* and *P. femorata* in a Baltic archipelago in relation to environmental factors." Marine Biology **111**: 237-246.
- Vader, W. (1970). "The amphipod, *Aristias neglectus* Hansen, found in association with Brachiopoda." Sarsia **43**: 13-14.
- Vader, W. (1970). "*Talorchestia brito* Stebbing (Amphipoda, Talitridae): notes on distribution, taxonomy, and biology." Sarsia **42**: 83-96.
- Vader, W. (1971). "Associations between amphipods and molluscs. A review of published records." Sarsia **48**(1): 13-18.
- Vader, W. (1971). "De vlokreeft *Podoceros nitida*, een kostganger van heremietkreeften." De Levende Natuur **74**: 134-136.
- Vader, W. (1972). "Associations between gammarid and caprellid amphipods and medusae." Sarsia **50**(1): 51-56.
- Vader, W. (1972). "Terrestrial Amphipoda collected in greenhouses in the Netherlands." Zoologische Bijdragen(13): 32-36.
- Vader, W. (1978). "Associations between amphipods and echinoderms." Astarte **11**: 123-134.
- Vader, W. (1979). *Allogaussia recondita* Stasek (Amphipoda, Lysianassidae), an associate of the aggregating sea anemone, *Anthopleura elegantissima* (Brandt) in California. (A preliminary report and plan of work.) [1979 draft]: 8pp.
- Vader, W. (1983). "Associations between amphipods (Crustacea: Amphipoda) and sea anemones (Anthozoa, Actiniaria)." Records of the Australian Museum **18**: 141-153.
- Vader, W. (1983). "Prehensile pereopods in gammaridean Amphipoda." Sarsia **68**: 139-148.
- Vader, W. (1984). "Notes on Norwegian marine Amphipoda 7. Amphipod associates of *Geodia* sponges in western Norway." Fauna Norvegica, series A **5**: 14-16.
- Vader, W. (1984). "Notes on Norwegian marine Amphipoda 8. Amphipod associates of sponges and ascidians." Fauna Norvegica, series A **5**: 16-21.
- Vader, W. (1995). "*Liljeborgia* species (Amphipoda, Liljeborgiidae) as associates of hermit crabs." Polskie Archiwum Hydrobiologii **42**(4): 517-525.
- Vader, W. (1996). Amphipoda as associates of other Crustacea. Second European Crustacean Conference, Liege, Belgium.

- Vader, W. and C. L. Beehler (1979). "*Metopa glacialis* (Amphipoda, Stenothoidae) in the Barents and Beaufort Seas, and its association with the lamellibranchs *Musculus niger* and *M. discors* s.l." Astarte **12**: 57-61.
- Vader, W. and J. Berge (2004). "First record of the ellobiopsid parasite *Thalassomyces marsupii* Kane, 1965, in a stegocephalid host, with a review of previous records." Biofar Proceedings: 167-174.
- Vader, W. and N. Kararup Leth (1990). "Notes on Norwegian marine Amphipoda 11. *Ceradocus torelli* (Goes, 1866), a new amphipod for Norway." Fauna Norvegica, series A **11**: 59.
- Vader, W. and G. Krapp (2005). "Crab-associated amphipods from the Falkland Islands (Crustacea, Peracarida)." Journal of Natural History **39**(33): 3075-3099.
- Vader, W. and G. Krapp-Schickel (1996). "Redescription and biology of *Stenothoe brevicornis* Sars (Amphipoda: Crustacea), an obligate associate of the sea anemone *Actinostola callosa* (Verrill)." Journal of Natural History **30**: 51-66.
- Vader, W. and S. Lönning (1973). "Physiological adaptations in associated amphipods. A comparative study of tolerance to sea anemones in four species of Lysianassidae." Sarsia **53**: 29-40.
- Vader, W. and A. A. Myers (1996). "Amphipods living in association with hermit crabs in S.E. Australia. I. Five new Ischyroceridae." Bolletino del Museo civico de Storia Naturale di Verona **20**: 263-292.
- Väinölä, R. and S. Varvio (1989). "Molecular divergence and evolutionary relationships in Pontoporeia (Crustacea: Amphipoda)." Canadian Journal of Fisheries and Aquatic Sciences **46**: 1705-1713.
- Valencia, B. and A. Giraldo (2009). "A new species of the genus *Chelorchestia* (Amphipoda, Talitridae) from Palma Island, Malaga Bay, Pacific Coast of Colombia." Crustaceana **82**(1): 1-10.
- Valério-Berardo, M. T. and A. M. T. De Souza (2009). "Description of two new species of the Corophiidae (Amphipoda, Crustacea) and register of *Laticorophium baconi* (Shoemaker, 1934) from Brazilian waters." Zootaxa(2215): 55-68.
- Varela, C. (1983). "Amphipods from sandy beaches of southern Chile (Mauquillahue Bay, Valdivia)." Studies on Neotropical Fauna and Environment **18**: 25-52.
- Vassilenko, S. V. (1974). "The Caprellids of the Seas of the USSR and adjacent waters." Opredeliteli po Faune SSSR **107**.
- Vassilenko, S. V. (2006). "Suborder Caprellidea Leach, 1814." Biota of the Russian Waters of the Sea of Japan **4**: 8-199.
- Verdi, A. and E. Celentano (2008). "New host and distribution records of *Caprella bathytatos* Martin & Pettit, 1998 (Amphipoda, Caprellidae)." Crustaceana **81**(5): 673-678.
- Vinogradov, G. M. (1993). "Amphipods (Crustacea) from the 'black smokers' from hydrothermal vent areas of the eastern Pacific." Zoologicheskii Zhurnal **72**(2): 40-53.
- Vinogradov, G. M. (1994). "Amphipodes (Crustacea) from seep fields and nearby common benthic communities of the northern and eastern Pacific." Trudy Instituta Okeanologii = Transaction of the Institute of Oceanology **131**: 100-125.

- Vinogradov, G. M. (1994). "Plankton and Benthos of the Northern Pacific - Study with Deep Manned Submersibles "Mir". Amphipoda (Crustacea) from seep fields and nearby common benthic communities of the northern and eastern Pacific." Trudy Instituta okeanologii im P. P. Shirshova, Moskva **131**: 100-125.
- Vinogradov, G. M., A. F. Volkov, et al. (1996). Hyperiid Amphipods (Amphipoda, Hyperiidea) of the World Oceans. Washington, D. C., USA, Smithsonian Institution Libraries.
- Vonk, R., B. W. Hoeksema, et al. (2011). "A new marine interstitial *Psammogammarus* (Crustacea, Amphipoda, Melitidae) from Gura Ici Island, off western Halmahera (North Moluccas, Indonesia), and an overview of the genus." Zookeys(128): 53-73.
- Vonk, R. and V. Nijman (2006). "Sex ratio and sexual selection in wormshrimps (Crustacea, Amphipoda, Ingolfiellidea)." Contributions to Zoology **75**(3/4): 189-194.
- Vonk, R. and F. R. Schram (2003). "Ingolfiellidea (Crustacea, Malacostraca, Amphipoda): a phylogenetic and biogeographic analysis." Contributions to Zoology **72**(1): 1-28.
- Wakabara, Y., E. Kawakami de Rezende, et al. (1982). "Amphipods as one of the main food components of three Pleuronectiformes from the continental shelf of south Brazil and north Uruguay." Marine Biology **68**: 67-70.
- Waldichuck, M. and E. L. Bousfield (1962). "Amphipods in low-oxygen waters adjacent to a sulphite pulp mill." Journal of the Fisheries Research Board of Canada **19**(6): 1163-1165.
- Waldron, K. D. (1953). A new subspecies of *Pontoporeia affinis* in Lake Washington with a description of its morphology and life cycle. MA, University of Washington.
- Walker, A. O. (1898). "Malacostraca from Puget Sound, N.W. America." Annals and Magazine of Natural History, 7th series **2**: 275-276.
- Walker, A. O. (1904). "Report on the Amphipoda collected by Professor Herdman, at Ceylon, in 1902." Supplementary Reports on the Ceylon Pearl Oyster Fisheries(17): 227-300.
- Watkin, E. E. (1941). "The yearly life cycle of the amphipod, *Corophium volutator*." Journal of Animal Ecology **6**: 917-923.
- Watling, L. (1976). "*Parametopella inquilinus*, new species from Delaware Bay oyster beds (Amphipoda: Stenothoidae)." Proceedings of the Biological Society of Washington **88**(39): 429-432.
- Watling, L. (1995). The Families Ampeliscidae, Amphilochidae, Liljeborgiidae, and Pleustidae. Taxonomic Atlas of the benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel. The Crustacea Part 3 - The Amphipoda. J. A. Blake, L. Watling and P. H. Scott. Santa Barbara, California, USA, Santa Barbara Museum of Natural History: 137-176.
- Watling, L. (1995). The Suborder Caprellidea. Santa Barbara, California, U.S.A., Santa Barbara Museum of Natural History.
- Watling, L. and J. T. Carlton (2007). Caprellidae. Berkeley, California, U.S.A., University of California Press.

- Watling, L. and H. Holman (1980). "New Amphipoda from the southern ocean, with partial revisions of the Acanthonotozomatidae and Paramphithoidae." Proceedings of the Biological Society of Washington **93**(3): 609-654.
- Watling, L. and M. H. Thurston (1989). Antarctica as an evolutionary incubator: evidence from the cladistic biogeography of the amphipod family Iphimediidae. Origins and Evolution of the Antarctic Biota. J. A. Crame. London, The Geological Society: 297-313.
- Weckel, A. L. (1907). "The freshwater Amphipoda of North America." Proceedings of the United States National Museum **35**: 25-58.
- Wellborn, G. A. (1995). "Predator community composition and patterns of variation in life history and morphology among *Hyaletta* (Amphipoda) populations in Southeast Michigan." American Midland Naturalist **133**(2): 322-332.
- Węsławski, M. and J. Legezyska (2002). "Life cycles of some Arctic amphipods." Polish Polar Research **23**(3-4): 253-264.
- White, K. N. (2011). "A taxonomic review of the Leucothoidae (Crustacea: Amphipoda)." Zootaxa(3078): 1-113.
- White, K. N. and J. D. Reimer (2012). "Commensal Leucothoidae (Crustacea, Amphipoda) of the Ryukyu Archipelago, Japan. Part I: ascidian-dwellers." ZooKeys(163): 13-55.
- White, K. N. and J. D. Reimer (2012). "Commensal Leucothoidae (Crustacea, Amphipoda) of the Ryukyu Archipelago, Japan. Part II: sponge-dwellers." ZooKeys(166): 1-58.
- White, K. N. and J. D. Reimer (2012). "Commensal Leucothoidae (Crustacea, Amphipoda) of the Ryukyu Archipelago, Japan. Part III: coral rubble-dwellers." ZooKeys(173): 11-50.
- Wicksten, M. K. (1982). "Crustaceans from baited traps and gill nets off Southern California." California Fish and Game **68**(4): 244-248.
- Wildish, D. J. (1970). "Locomotory activity rhythms in some littoral *Orchestia* [Crustacea: Amphipoda]." Journal of the Marine Biological Association of the United Kingdom **50**(1): 241-252.
- Wildish, D. J. (1982). "Talitroidea (Crustacea, Amphipoda) and the driftwood ecological niche." Canadian Journal of Zoology **60**: 3071-3074.
- Wildish, D. J. (1988). "Ecology and natural history of aquatic Talitroidea." Canadian Journal of Zoology **66**: 2340-2359.
- Wildish, D. J., L. Pavesi, et al. (2012). "Talitrid amphipods (Crustacea: Amphipoda: Talitridae) and the driftwood ecological niche: a morphological and molecular study." Journal of Natural History **46**(43-44): 2677-2700.
- Williams, J. A. (1983). "Environmental regulation of the burrow depth distribution of the sand-beach amphipod *Talitrus saltator*." Estuarine, Coastal and Shelf Science **16**: 291-298.
- Williams, R. J., B. Griffiths, et al. (1996). "Cargo vessel ballast water as a vector for the transport of non-indigenous marine species " Estuarine, Coastal and Shelf Science **26**(4): 409-420.

- Williamson, D. I. (1951). "On the mating and breeding of some semi-terrestrial amphipods." Reports of the Dove Marine Laboratory (Series 3) **12**: 49-62.
- Willis, K. J., C. M. C. Woods, et al. (2009). "*Caprella mutica* in the Southern Hemisphere: Atlantic origins, distribution, and reproduction of an alien marine amphipod in New Zealand." Aquatic Biology **7**: 249-259.
- Wilson, A. B., J. S. Boates, et al. (1997). "Genetic isolation of populations of the gammaridean amphipod, *Corophium volutator*, in the Bay of Fundy, Canada." Molecular Ecology **6**: 917-923.
- Wilson, W. H. J. (1989). "Predation and the mediation of intraspecific competition in an infaunal community in the Bay of Fundy." Journal of Experimental Marine Biology and Ecology **132**: 221-245.
- Wilson, W. H. J. and K. Parker (1996). "The life history of the amphipod, *Corophium volutator*: the effects of temperature and shorebird predation." Journal of Experimental Marine Biology and Ecology **196**: 239-250.
- Winfield, I. and M. Ortiz (2014). "*Curidia nunoi* sp. nov. (Crustacea: Amphipoda: Ochlesidae), a new benthic species from a tropical coral reef southern Gulf of Mexico." Journal of the Marine Biological Association of the United Kingdom **94**(2): 353-359.
- Wing, B. L. and D. R. Barnard (2004). "A field guide to Alaskan corals." NOAA Technical Memorandum NMFS-AFSC-146.
- Wirtz, P. (1998). "Caprellid (Crustacea) - holothurian (Echinodermata) associations in the Azores." Arquipelago. Life and Marine Sciences **16A**: 53-55.
- Wirtz, P. and W. Vader (1996). "A new caprellid-starfish association: *Caprella acanthifera* s.l. (Crustacea: Amphipoda) on *Ophidiaster ophidianus* and *Hacelia attenuata* from the Azores." Arquipelago. Life and Marine Sciences **14A**: 17-22.
- Wong, P. L. and R. C. Anderson (2000). "Transmission of *Skrjabinoclava morrisoni* Wong and Anderson, 1988 (Nematoda: Acuarioidea) to semipalmated snapipers (*Calidris pussila* (L.)) (Charadriiformes: Solopacidae)." Canadian Journal of Zoology **78**(4): 606-612.
- Wongkamhaeng, K., B. A. R. Azman, et al. (2012). "*Cheiriphotis trifurcata*, a new species (Crustacea, Amphipoda, Corophiidae, Protomedeiinae) from the seagrass bed of the lower Gulf of Thailand." ZooKeys(187): 71-89.
- Wongkamhaeng, K., J. Nabhitabhara, et al. (2015). "Corophiine amphipods of the genera *Chelicorophium* and *Paracorophium* from the lower Gulf of Thailand (Crustacea, Amphipoda, Corophiidae, Corophiinae)." ZooKeys(505): 35-50.
- Yamada, Y. and T. Ikeda (2000). "Development, maturation, brood size and generation length of the mesopelagic amphipod *Cyphocaris challengerii* (Gammaridea: Lysianassidae) off southwest Hokkaido, Japan." Marine Biology **137**: 933-942.
- Yamato, S. (1992). "A new species of *Podocerus* (Amphipoda: Podoceridae) from the carapace of a Loggerhead Sea Turtle in Japan." Publications of the Seto Marine Biological Laboratory **35**(4/5): 281-288.
- Yerman, M. N. and C. O. Coleman (2009). "Sebidae." Zootaxa(2260): 861-871.
- Yu, H. O., H. Y. Soh, et al. (2002). "Seasonal zonation patterns of benthic amphipods in a sandy shore surf zone of Korea." Journal of Crustacean Biology **22**(2): 459-466.

- Yu, O. H. and H.-L. Suh (2002). "Secondary production of *Synchelidium lenorostralum* (Amphipoda, Oedicerotidae) on a temperate sandy shore, Southern Korea." Journal of Crustacean Biology **22**(2): 467-473.
- Yu, O. H., H.-L. Suh, et al. (2003). "Feeding ecology of three amphipod species *Synchelidium lenorostralum*, *S. trioostegitum* and *Gitanopsis japonica* in the surf zone of a sandy shore." Marine Ecology Progress Series **258**: 189-199.