


The Schwalbe logo, consisting of the word "SCHWALBE" in a white, sans-serif font inside a blue oval shape, set against a blue rectangular background.

2023



BICYCLE TIRES

ENGLISH

ENGLISH


SCHWALBE

BICYCLE TIRES 2023

CONTENT



- 4 – 7 Schwalbe's Pioneering Recycling
- 8 – 9 E-Bike Line-Up
- 10 – 11 Puncture Protection
- 12 – 13 MTB Construction
- 14 – 15 Race Construction | ADDIX



- 16 – 17 Best Use Tour
- 18 – 27 Marathon
- 28 – 33 Tour | Cargo | Urban
- 34 – 37 Green Compound | Active Line
- 38 – 39 Best Use MTB
- 40 – 47 Downhill | Enduro | Trail | All Mountain
- 48 – 49 X-Country
- 50 – 52 All Terrain
- 53 – 55 Dirt | BMX | Fat Bike | Active MTB






- 56 – 57 Best Use SUV
- 58 – 61 SUV
- 62 – 63 Best Use Gravel
- 64 – 69 Gravel
- 70 – 71 Cross
- 72 – 73 Best Use Road
- 74 – 79 Road
- 80 – 81 365ers
- 82 – 83 Winter
- 84 – 85 Kids
- 86 – 87 Classic Sidewall
- 88 – 89 Colorful Tires
- 90 – 95 Wheelchair
- 96 – 101 Tubes
- 102 – 105 Tools & Accessoires
- 106 – 107 Overview & Legend

- 98 | 100 AEROTHAN
- 99 | 101 AIR PLUS
- 60 AL GROUNDER
- 53 AL MIGHTY
- 32 BIG APPLE
- 31 | 88 BIG BEN
- 31 BIG BEN PLUS
- 43 | 84 | 87 BIG BETTY
- 55 | 85 BILLY BONKERS
- 54 | 85 BLACK JACK
- 55 CX COMP
- 71 CX PRO
- 37 | 88 DELTA CRUISER
- 34 | 88 DELTA CRUISER PLUS
- 44 | 87 DIRTY DAN
- 95 DUNK KING
- 94 DOWNTOWN
- 78 DURANO DD
- 78 DURANO PLUS
- 78 Schwalbe E-ONE
- 40 | 41 EDDY CURRENT FRONT | REAR
- 29 ENERGIZER PLUS
- 29 ENERGIZER PLUS TOUR
- 33 FAT FRANK
- 68 | 61 | 86 Schwalbe G-ONE ALLROUND
- 67 | 86 Schwalbe G-ONE BITE
- 66 Schwalbe G-ONE Overland
- 65 | 86 Schwalbe G-One R
- 64 | 87 Schwalbe G-One RS
- 69 | 86 Schwalbe G-ONE SPEED
- 67 | 86 Schwalbe G-ONE ULTRABITE
- 44 | 84 | 87 HANS DAMPF
- 52 | 59 HURRICANE
- 82 ICE SPIKER PRO
- 79 INSIDER
- 58 JOHNNY WATTS
- 81 JOHNNY WATTS 365
- 53 JUMBO JIM
- 85 KID PLUS
- 33 KOJAK
- 37 | 94 LAND CRUISER
- 34 LAND CRUISER PLUS
- 84 LITTLE JOE
- 79 | 86 LUGANO II
- 79 LUGANO II ENDURANCE
- 42 | 87 MAGIC MARY
- 24 MARATHON
- 80 MARATHON 365
- 26 MARATHON ALMOTION
- 18 MARATHON E-PLUS
- 27 | 87 MARATHON EFFICIENCY
- 25 MARATHON MONDIAL
- 20 MARATHON PLUS
- 21 | 59 MARATHON PLUS MTB
- 23 MARATHON PLUS TOUR
- 92 MARATHON PLUS Wheelchair
- 25 MARATHON RACER
- 82 MARATHON WINTER PLUS
- 47 | 86 NOBBY NIC
- 76 | 86 Schwalbe ONE TLE
- 77 | 86 Schwalbe ONE Tube Type
- 95 Schwalbe ONE Wheelchair
- 28 Schwalbe PICK-UP
- 74 | 87 Schwalbe PRO ONE TLE
- 75 | 87 Schwalbe PRO ONE TT
- 75 | 87 Schwalbe PRO ONE TT RECORD EDITION
- 75 | 86 Schwalbe PRO ONE Tube Type
- 48 | 86 RACING RALPH
- 48 | 86 RACING RAY
- 54 RAPID ROB
- 93 RIGHTRUN
- 93 RIGHTRUN PLUS
- 36 | 89 ROAD CRUISER
- 35 ROAD CRUISER PLUS
- 49 | 84 ROCKET RON
- 37 SILENTO
- 50 | 59 | 85 SMART SAM
- 51 | 87 | 89 SMART SAM PLUS
- 35 SPICER PLUS
- 30 | 61 SUPER MOTO
- 30 | 61 SUPER MOTO-X
- 49 THUNDER BURT
- 54 TOUGH TOM
- 45 | 87 WICKED WILL
- 82 WINTER
- 70 | 87 Schwalbe X-ONE ALLROUND
- 71 Schwalbe X-ONE BITE
- 70 | 87 Schwalbe X-ONE SPEED

SCHWALBE *PIONEERING RECYCLING*

**ASSUMING
RESPONSIBILITY
IS NOT AN OPTION FOR US,
BUT A MATTER OF COURSE.**

For our company founder Ralf Bohle, it was the stated aim from the beginning to produce high-quality bicycle tires with the longest possible service life and durability. In order to develop the right tire for every cyclist, we invest a lot of time and energy in innovative products and processes. At the same time, we began very early to invest in active environmental protection through recycling. Schwalbe is constantly working to improve the environmental friendliness of all its products and is developing its own new processes for this purpose, such as tube recycling. Schwalbe is a pioneer in tube and tire recycling. Innovation and sustainability go hand in hand, this is our contribution to take responsibility for the next generations.



GREENGUARD PUNCTURE PROTECTION *since 2011*
RECYCLED NATURAL RUBBER PUNCTURE PROTECTION INSERT. For the GreenGuard puncture protection, old products made of natural rubber are shredded and processed, it consists of one third recycled content. This basic material is reused for the production of the 3 mm thick GreenGuard puncture protection insert.



GREEN COMPOUND
FIRST TIRE TREAD RUBBER MADE FROM RENEWABLE AND RECYCLED RAW MATERIALS. Thanks to a special Schwalbe technology, Green Compound can be made entirely from renewable and recycled materials. Without any loss of quality. This saves raw materials and energy during production.



FAIR RUBBER – FAIR TRADE

FAIR TRADE RUBBER. In cooperation with Fair Rubber e. V., we are committed to the fair trade of natural rubber and thus actively support the improvement of living and working conditions for rubber tappers. To date, we are the first and only tire manufacturer to voluntarily pay a Fair Rubber premium.



INNOVATIVE COMPANY BUILDING *since 2021*
SCHWALBE HEADQUARTERS AS A RAW MATERIALS REPOSITORY. The new building and thus expansion of the Schwalbe headquarters in Reichshof was built according to the "Cradle to Cradle" model. All components were cataloged so that they can be easily separated and recycled after use. The recyclability of all building materials is over 70%. This makes the building a valuable repository for raw materials.



CRADLE-TO-CRADLE (C2C) – ENVIRONMENTALLY FRIENDLY CIRCULAR ECONOMY FROM LINEAR TO CIRCULAR ECONOMY. Our greatest inspiration is the cradle-to-cradle principle. This involves designing products and processes from the outset so that all materials can be recycled after use without creating waste. Since 2013, we have been successfully working with the world-renowned environmental consultancy, EPEA, to implement the C2C principle as far as possible in our products and processes.




SCHWALBE

SCHWALBE

RECYCLING

SYSTEM



AWARDED WITH:



RECYCLING HAS THE SAME PRIORITY AT SCHWALBE AS ANY OTHER TECHNICAL INNOVATION. WE TAKE RESPONSIBILITY FOR OUR PRODUCTS - BEYOND THEIR LIFE CYCLE.

SCHWALBE TUBE RECYCLING

SINCE 2015

EVERY SCHWALBE INNER TUBE IS 100 PERCENT RECYCLABLE. In a globally unique recycling system for old bicycle inner tubes, we take care of the entire process: from collection and logistics to the complete recycling process. Participation is free of charge for all dealers and consumers.

To recover butyl rubber from used inner tubes, we have developed our own devulcanization process. This saves raw materials and energy while maintaining the same quality – a total of around 80 percent compared with the production of new butyl. Every new Schwalbe standard tube already consists of 20 percent recycled raw material.

Schwalbe tube recycling is available in several European countries and is constantly being expanded.

More info at: [schwalbe.com/recycling/](https://www.schwalbe.com/recycling/)

SCHWALBE TIRE RECYCLING

NEW SINCE 2022

SCHWALBE IS CONSISTENTLY DEVELOPING ITS RECYCLING SYSTEM: we were the first bicycle tire manufacturer in the world to develop an innovative and holistic process with partners to recycle used tires of all brands. In an elaborate pilot project, we tested a completely new recycling infrastructure and developed it to market maturity. The aim is to collect worn bicycle tires again, coordinate the transport chains to our recycling partner and map the complete recycling process. In the multi-stage process, used tires are broken down into their constituent parts, thereby recovering valuable secondary raw materials that can be reused for new, equivalent products. Another milestone on the road to a circular economy, of which Schwalbe is very proud!

In the initial phase, Schwalbe tire recycling will initially only be active in Germany via specialist dealers, but in the medium to long term the system is to be rolled out far beyond this.

More info at: [schwalbe.com/recycling/](https://www.schwalbe.com/recycling/)

UNCOMPROMISINGLY E-BIKE



UNSURPASSABLE - SCHWALBE E-BIKE TIRES

Schwalbe's specially developed e-bike tires have been the benchmark for electric bikes for years: high-quality, innovatively developed. This makes the tires perfectly matched for the faster and heavier bikes with motor assistance:

- MORE PUNCTURE PROTECTION** → for fewer defects
- LOWER ROLLING RESISTANCE** → for longer battery life
- LESS WEAR** → for longer, enjoyable riding
- MORE GRIP** → for excellent traction and extra safety in corners
- MORE BRAKING POWER** → for shorter braking distances
- MORE STABILITY** → for better control

THE RESULT: TOP-QUALITY TIRES FOR E-BIKES.

To meet these high standards in the development of special tires without exception, Schwalbe works without compromise. The result is our highest-performance tires for all e-bikes.

WIDE TIRES

Wide tires are advantageous for E-bikes to ensure efficient power transfer to the ground. And the small additional weight is compensated by the motor support. This is why Schwalbe has E-bike tires in particularly wide versions in its range.



E- BIKE UP TO 25 KM/H

For pedelecs with assistance up to max. 25 km/h Schwalbe recommends only tires marked E-25 or E-50.



FAST E-BIKES UP TO 50 KM/H

For these bikes an explicit approval of the tyres is necessary. We only recommend tires that meet European standard ECE-75.

E-BIKE TIRES LINE-UP

E-BIKE



**MARATHON
E-PLUS**
PAGE 18

**NEW
MARATHON
EFFICIENCY**
PAGE 27

**SCHWALBE
PICK-UP**
PAGE 28

**ENERGIZER
PLUS**
PAGE 29

**ENERGIZER
PLUS TOUR**
PAGE 29

**SUPER
MOTO**
PAGE 30

**SUPER
MOTO-X**
PAGE 30

E-MTB



**EDDY CURRENT
FRONT**
PAGE 40

**EDDY CURRENT
REAR**
PAGE 41

E-SUV



**JOHNNY
WATTS**
PAGE 58

**AL
GROUNDER**
PAGE 60

**NEW
JOHNNY
WATTS 365**
PAGE 81

E-ROAD RACE



**SCHWALBE
E-ONE**
PAGE 78

SCHWALBE PROTECTION TOUR

unplattbar® Flatless

7

SMARTGUARD® | SMART DUALGUARD



The safest puncture protection available for bicycle tires.

- Made of highly elastic special rubber
- 5 mm puncture protection insert
- Flatless



The safest puncture protection, especially for e-bike tires

- Made of highly elastic special rubber
- 4 mm puncture protection insert plus two layers of nylon fabric (RaceGuard®)
- Flatless

Only tires with SMARTGUARD® and SMART DUALGUARD are REAL FLAT-LESS TIRES.

(!) You can never completely rule out a flat tire. However, with the Marathon Plus tire you are well protected against the typical puncture hazards such as glass shards or flints. It is essential to use a pressure gauge to set the air pressure on all Marathon Plus tires. Due to the special construction, a pressure test with the thumb is not sufficient to assess the pressure of the tire.

6

V-GUARD



Ideal puncture protection for light race and touring tires.

- Puncture protection belt made of lightweight and cut-resistant high-tech fiber

5

GREENGUARD®



Recycled puncture protection insert made of natural rubber.

- 3 mm puncture protection insert with recycled material

5

PUNCTUREGUARD



Reliable puncture protection for the entry level.

- 3 mm puncture protection insert

6+ SUPER DEFENSE



Secure puncture protection at high loads, specially designed for cargo bikes.

- Reinforced construction
- 6-ply 67 EPI double carcass

6 DOUBLE DEFENSE® Extra secure thanks to combined protection under the tread and on the side walls.



DD, V-GUARD

- Extra safe due to combined puncture protection under the tread and on the side-walls
- Tread: lightweight and cut-resistant high-tech fiber (V-Guard)
- Sidewalls: Snake-Skin fabric



DD, GREENGUARD®

- Tread: 3 mm puncture protection insert with recycled material (GreenGuard®)
- Sidewalls: Snake-Skin fabric



DD, RACEGUARD®

- Tread: Puncture protection belt made of two layers of double laid nylon fabric.
- Snake skin fabric all around

4 RACEGUARD®



Reliable puncture protection for fast and light tires.

- Puncture protection belt made of double laid nylon fabric

3 K-GUARD



Basic puncture protection.

- Puncture protection insert made of fiber-reinforced natural rubber

2 67 EPI CARCASS



At 67 EPI, denser woven nylon cord provides already high puncture resistance.

- Tire becomes more supple, overall performance increased

1 50 EPI CARCASS



Minimum standard for all Schwalbe tires

- With 50 EPI significantly higher fabric density than competitors

The minimum standard for Schwalbe TOUR tires is level 3. An additionally protective belt is a perfect complement to the high-quality carcass.

THE DECADE OF SUPER



THE SUPER 5

MTB CONSTRUCTIONS

FIVE NEW TIRE CONSTRUCTIONS THAT CHANGE EVERYTHING. 100% tailored to your needs.

SUPER RACE



SUPER RACE CONSTRUCTION

The ultimate competition construction for XC racers - when speed matters.

SUPER GROUND



SUPER GROUND CONSTRUCTION

Our improved SnakeSkin construction for a wide range of applications - from XC to All Mountain.



LIGHTWEIGHT



PUNCTURE PROTECTION





SUPER TRAIL



SUPER TRAIL CONSTRUCTION

Our most versatile construction, built for riding fun from All Mountain to Enduro.



SUPER GRAVITY



SUPER GRAVITY CONSTRUCTION

For everyone attaching utmost importance to downhill performance and for whom a pure Downhill tire is too heavy.



SUPER DOWNHILL



SUPER DOWNHILL CONSTRUCTION

Uncompromising stability for DH racing at the limit.




ROAD RACE | GRAVEL TIRE CONSTRUCTION

SUPER RACE CARCASS — ROAD RACE AND GRAVEL

The turn-up construction integrates Tubeless Easy technology in the most progressive way possible. This is what makes the tire so supple and comfortable. Riding this tire feels just like the velvety ride feel of a classic tubular tire.

Used on Schwalbe Pro One Series models - Pro One TLE, Pro One Tube Type, Pro One TT


Used on Schwalbe G-One Series models - G-One RS, G-One R.



SUPER GROUND CARCASS — GRAVEL

The Super Ground carcass construction offers the ideal balance of safety and weight. Thanks to puncture protection insert from bead to bead, this construction is particularly resistant. This makes the Super Ground carcass ideal for gravel use.

Used in the models of the Schwalbe G-One series - G-One Speed, G-One Allround, G-One Bite, G-One Ultrabite and G-One Overland.



ADDIX®

THE COMPOUND FOR ALL LEGENDARY MTB TIRES

ADDIX makes all of our legendary Evolution mountain bike tires better.

The perfect compound for every demand: SPEED, SPEEDGRIP, SOFT, ULTRA SOFT. The tests in the lab and in the field demonstrate: ADDIX performs better than any other compound before – in all disciplines: XC, AM and TRAIL, ENDURO and DOWNHILL. ADDIX is immediately recognizable by the label on the sidewall and the colored stripe in the tread.

TIRES \ CONSTRUCTION	SUPER DOWNHILL	SUPER GRAVITY	SUPER TRAIL	SUPER GROUND	SUPER RACE
MAGIC MARY					
BIG BETTY					
DIRTY DAN					
EDDY CURRENT REAR					
EDDY CURRENT FRONT					
HANS DAMPF					
NOBBY NIC					
WICKED WILL					
RACING RALPH					
RACING RAY					
ROCKET RON					
THUNDER BURT					
JUMBO JIM					
AL MIGHTY					

ADDIX SPEED

is the compound for XC race specialists. It catapults our XC tires into a new performance dimension.

ADDIX SPEEDGRIP

the universal compound. It has the widest range of use. Perfect for XC, AM and Trail.

ADDIX SOFT

is a compound that bridges many disciplines. In the Enduro and downhill world, in all-mountain and trail riding.

ADDIX ULTRA SOFT

is the ADDIX compound for hard-core use in enduro and downhill. It has sensationally good damping properties and also performs perfectly in cold weather.



ADDIX PERFORMANCE

Very durable universal compound with a wide range of requirements for tires in the performance line.



ADDIX RACE

Extra strong grip at high cornering speeds combined with long durability in E-bike operation.



ADDIX-E

Developed for e-bikes: Compound with maximum durability, low rolling resistance and extremely good grip even at high speed.



ADDIX FOUR SEASON

Extremely versatile rubber compound, specially adapted to conditions in year-round use.



CITY TOUR



Kerbs, glass shards and gravel paths: everyday life for a bicycle tire is full of challenges. For 40 years, Schwalbe has set the highest standard in puncture protection and mileage performance with its Marathon tire line. Also ideal for the demands of e-bikes up to 25 and 45 km/h. #flat-less

BEST USE

VERSION	SURFACE	ASPHALT (CITY)	LIGHT GRAVEL (CITY / TREKKING)	DIRT ROAD (TRAVEL)	EASY TRAIL (ALL-WEATHER)
BIG APPLE		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
BIG BEN		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
BIG BEN PLUS		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
DELTA CRUISER		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
DELTA CRUISER PLUS		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
ENERGIZER PLUS	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■		
ENERGIZER PLUS TOUR		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
FAT FRANK		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
KOJAK	■ ■ ■ ■ ■				
LAND CRUISER		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
LAND CRUISER PLUS		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
MARATHON	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
MARATHON ALMOTION		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
MARATHON EFFICIENCY	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
MARATHON E-PLUS	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
MARATHON MONDIAL		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
MARATHON PLUS	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■		
MARATHON 365		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
MARATHON PLUS MTB		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
MARATHON PLUS TOUR		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
MARATHON RACER	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■		
ROAD CRUISER		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
ROAD CRUISER PLUS		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
SCHWALBE PICK-UP		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
SILENTO		■ ■ ■ ■ ■	■ ■ ■ ■ ■		
SPICER PLUS	■ ■ ■ ■ ■	■ ■ ■ ■ ■			
SUPER MOTO	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■		
SUPER MOTO-X		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	
AL GROUNDER		■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
KID PLUS	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■		



MARATHON E-PLUS

The Flat-less tire specifically for e-bikes.

- Highest Marathon quality
- Perfect balance between highest puncture protection and low rolling resistance
- Specially developed for e-bikes with higher loads, outstanding grip and maximum durability
- Versatile for touring and trekking use



Zertifiziert für höchste Qualität und Nachhaltigkeit



	ASPHALT (CITY)	LIGHT GRAVEL (CITY / TREKKING)	DIRT ROAD (TRAVEL)	EASY TRAIL (ALL-WEATHER)							
BEST USE	████████	████████	████████	████████							
	SCHWALBE PROTECTION		ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY					
SMART DUALGUARD	1	2	3	4	5	6	7	████████	████████	████████	████████


MARATHON E-PLUS Performance Line, Wired – HS 498


ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5" 50-584	27.5x2.00	Smart DualGuard	Tube	E-50	34B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1170	67	118	11159057.01
28" 37-622	28x1.40, 700x35C	Smart DualGuard	Tube	E-50	28B	ADDIX B	Black-Reflex	4.0-6.0	55-85	930	67	100	11159077.01
28" 40-622	28x1.50, 700x38C	Smart DualGuard	Tube	E-50	32B	ADDIX B	Black-Reflex	3.5-6.0	50-85	990	67	112	11159053.01
28" 47-622	28x1.75	Smart DualGuard	Tube	E-50	35B	ADDIX B	Black-Reflex	3.0-5.0	45-70	1150	67	121	11159058.01
28" 50-622	28x2.00	Smart DualGuard	Tube	E-50	37B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1210	67	128	11159055.01
28" 55-622	28x2.15	Smart DualGuard	Tube	E-50	39B	ADDIX B	Black-Reflex	2.0-4.0	30-55	1395	67	136	11159056.01

MARATHON PLUS

The Flat-less tire

- Schwalbe's best-selling model
- Worry-free cycling due to maximum puncture protection and high durability
- Clear advantage in rolling resistance compared to imitation products
- Primarily suitable for asphalt

unplattbar® Flatless




MARATHON PLUS Performance Line, Wired – HS 440

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
16"	35-349	16x1.35	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-7.5	65-110	480	67	65	11100756
20"	35-406	20x1.35	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-7.0	65-100	560	67	70	11100757
20"	47-406	20x1.75	SmartGuard	Tube	E-50 20B	ADDIX	Black-Reflex	3.5-5.0	50-70	725	67	80	11100758
24"	47-507	24x1.75	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	3.0-5.0	45-70	920	67	95	11100759
26"	35-559	26x1.35	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-7.0	65-100	775	67	85	11100760
26"	40-559	26x1.50	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	4.0-6.5	55-95	870	67	100	11100761
26"	47-559	26x1.75	SmartGuard	Tube	E-50 31B	ADDIX	Black-Reflex	3.0-5.0	45-70	995	67	109	11100762
26"	50-559	26x2.00	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-5.0	30-70	1100	67	118	11100763
26"	37-590	26x1 3/8, 650x35A	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	4.0-6.0	55-85	850	67	90	11100764
26"	42-590	26x1 5/8, 650x40A	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	3.5-6.0	50-85	940	67	95	11100765
27.5"	40-584	27.5x1.50, 650x38B	SmartGuard	Tube	E-50 28B	ADDIX	Black-Reflex	4.0-6.5	55-95	920	67	100	11100881
28"	25-622	28x1.00, 700x25C	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	6.0-8.0	85-115	595	67	75	11100766.01
28"	28-622	28x1.10, 700x28C	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	5.5-7.5	80-110	750	67	85	11100767.01
28"	32-622	28x1.25, 700x32C	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-6.5	65-95	810	67	90	11100768
28"	37-622	28x1.40, 700x35C	SmartGuard	Tube	E-50 26B	ADDIX	Black-Reflex	4.0-6.0	55-85	900	67	95	11100769
28"	40-622	28x1.50, 700x38C	SmartGuard	Tube	E-50 28B	ADDIX	Black-Reflex	3.5-6.0	50-85	960	67	100	11100770
28"	47-622	28x1.75	SmartGuard	Tube	E-50 33B	ADDIX	Black-Reflex	3.0-5.0	45-70	1100	67	115	11100771
28"	40-635	28x1 1/2, 700x38B	SmartGuard	Tube	E-25	ADDIX	Black-Reflex	3.5-6.0	50-85	1010	67	110	11100772

MARATHON PLUS MTB

The Flat-less tire for mountain biking:

- Maximum puncture protection
- Suitable for asphalt, dirt roads and light terrain
- The new 60mm width version with the construction of the Marathon E-Plus is ideal for E-MTB and E-SUV bikes



MARATHON PLUS MTB Performance Line, Wired – HS 468

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
	26"	54-559	26x2.10	SmartGuard	Tube	E-50	35B	ADDIX	Black-Reflex	2.0-4.5	30-65	1150	67	121	11101005
	26"	57-559	26x2.25	SmartGuard	Tube	E-50	36B	ADDIX	Black-Reflex	2.0-4.0	30-55	1260	67	125	11101212
	27.5"	54-584	27.5x2.10	SmartGuard	Tube	E-50	36B	ADDIX	Black-Reflex	2.0-4.5	30-65	1200	67	125	11101024
	27.5"	57-584	27.5x2.25	SmartGuard	Tube	E-50	36B	ADDIX	Black-Reflex	2.0-4.0	30-55	1270	67	125	11101213
NEW	27.5"	60-584	27.5x2.35	Smart DualGuard	Tube	E-50	39B	ADDIX	Black-Reflex	1.8-3.7	26-54	1290	67	136	11159414
	29"	54-622	29x2.10	SmartGuard	Tube	E-50	36B	ADDIX	Black-Reflex	2.0-4.5	30-65	1275	67	125	11101025
	29"	57-622	29x2.25	SmartGuard	Tube	E-50	38B	ADDIX	Black-Reflex	2.0-4.0	30-55	1350	67	132	11101334
NEW	29"	60-622	29x2.35	Smart DualGuard	Tube	E-50	40B	ADDIX	Black-Reflex	1.8-3.7	26-54	1390	67	140	11159415



	ASPHALT (CITY)	LIGHT GRAVEL (CITY / TREKKING)	DIRT ROAD (TRAVEL)	EASY TRAIL (ALL-WEATHER)							
BEST USE											
	SCHWALBE PROTECTION						ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY	
SMARTGUARD SMART DUALGUARD	1	2	3	4	5	6	7				

MARATHON PLUS TOUR

The Flat-less tire with distinctive trekking profile

- Maximum puncture protection
- Robust construction and modern tread design
- Versatile - suitable for asphalt, dirt roads and light terrain
- Two different specifications depending on bike type (e-bike/bicycle)
- In popular e-bike sizes with proven construction of the Marathon E-Plus: Smart DualGuard and reinforced sidewall allows higher load capacities
- In classic sizes with proven construction of the Marathon Plus.

NEW!




MARATHON PLUS TOUR Performance Line, Wired – HS 619

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	26"	50-559	26x2.00	SmartGuard	Tube	E-50	35B		Black-Reflex	2.5-4.5	35-65	1065	67	121	11159358
NEW	27.5"	55-584	27.5x2.15	Smart DualGuard	Tube	E-50	36B		Black-Reflex	2.0-4.0	30-55	1260	67	125	11159360
NEW	27.5"	60-584	27.5x2.35	Smart DualGuard	Tube	E-50	39B		Black-Reflex	1.8-3.7	26-54	1380	67	136	11159361
NEW	28"	37-622	28x1.40, 700x35C	SmartGuard	Tube	E-50	28B		Black-Reflex	4.0-6.0	55-85	900	67	100	11159363
NEW	28"	40-622	28x1.50, 700x38C	SmartGuard	Tube	E-50	32B		Black-Reflex	3.5-6.0	50-85	960	67	112	11159359
NEW	28"	47-622	28x1.75	Smart DualGuard	Tube	E-50	35B		Black-Reflex	3.0-5.0	45-70	1065	67	121	11159362
NEW	28"	50-622	28x2.00	Smart DualGuard	Tube	E-50	37B		Black-Reflex	2.5-4.5	35-65	1150	67	128	11159364
NEW	28"	55-622	28x2.15	Smart DualGuard	Tube	E-50	38B		Black-Reflex	2.0-4.0	30-55	1335	67	132	11159365

MARATHON

The original - the basis of all high-quality touring tires

- Very good puncture protection thanks to GreenGuard
- Especially suitable for asphalt
- Available in very many sizes



MARATHON Performance Line, Wired – HS 420

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
16"	47-305	16x1.75	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	3.5-5.0	50-70	500	67	70	11100146	
16"	35-349	16x1.35	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-7.5	65-110	420	67	65	11100147	
18"	44-355	18x1.65	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.0-6.0	55-85	465	67	70	11100719	
20"	40-406	20x1.50	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.0-7.0	55-100	530	67	80	11100148	
20"	47-406	20x1.75	GreenGuard	Tube	E-50	20B	ADDIX	Black-Reflex	3.5-5.0	50-70	640	67	80	11100137
24"	47-507	24x1.75	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	3.0-5.0	45-70	800	67	95	11100149	
26"	32-559	26x1.25	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-6.5	65-95	580	67	80	11100144	
26"	40-559	26x1.50	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.0-7.0	55-100	730	67	100	11100145	
26"	47-559	26x1.75	GreenGuard	Tube	E-50	31B	ADDIX	Black-Reflex	3.0-5.0	45-70	875	67	109	11100138
26"	50-559	26x2.00	GreenGuard	Tube	E-50	34B	ADDIX	Black-Reflex	2.0-5.0	30-70	970	67	118	11100143
26"	37-590	26x1 3/8, 650x35A	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.0-6.0	55-85	700	67	90	11100150	
27"	32-630	27x1 1/4	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-6.5	65-95	660	67	90	11100151	
27.5"	44-584	27.5x1.65, 650x42B	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	3.5-6.0	50-85	820	67	105	11100680	
28"	23-622	28x0.90, 700x23C	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	6.0-9.0	85-130	430	67	70	11100495.01	
28"	25-622	28x1.00, 700x25C	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	6.0-8.0	85-115	520	67	75	11100142.01	
28"	28-622	28x1.10, 700x28C	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	5.5-7.5	80-110	560	67	85	11100139.01	
28"	32-622	28x1.25, 700x32C	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	4.5-6.5	65-95	640	67	90	11100141	
28"	37-622	28x1.40, 700x35C	GreenGuard	Tube	E-50	26B	ADDIX	Black-Reflex	4.0-6.0	55-85	730	67	95	11100007
28"	40-622	28x1.50, 700x38C	GreenGuard	Tube	E-50	28B	ADDIX	Black-Reflex	3.5-6.0	50-85	810	67	100	11100005
28"	44-622	28x1.65	GreenGuard	Tube	E-50	31B	ADDIX	Black-Reflex	3.5-6.0	50-85	870	67	109	11159242
28"	47-622	28x1.75	GreenGuard	Tube	E-50	33B	ADDIX	Black-Reflex	3.0-5.0	45-70	985	67	115	11100140
28"	50-622	28x2.00	GreenGuard	Tube	E-50	35B	ADDIX	Black-Reflex	2.5-5.0	35-70	1080	67	121	11100613
28"	40-635	28x1 1/2, 700x38B	GreenGuard	Tube	E-25	ADDIX	Black-Reflex	3.5-6.0	50-85	830	67	110	11100152	

MARATHON RACER

The lightest and sportiest marathon

- Good puncture protection due to lightweight RaceGuard insert
- Made for full speed
- Smooth running and plenty of grip on asphalt thanks to ADDIX compound



	ASPHALT (CITY)	LEICHTER SCHOTTER (CITY / TREKKING)	FELDWEGE (TRAVEL)	LEICHTER TRAIL (ALL-WEATHER)							
BEST USE	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■							
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
RACEGUARD	1	2	3	4	5	6	7	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

MARATHON MONDIAL

The ultimate travel tire

- Very good puncture protection
- Made for the roads, tracks and trails of all continents
- Profile is based on the legendary Marathon XR
- Light, at the same time very robust and durable



Note: For big expeditions choose the Evo folding version (Double Defense V-Guard)



	ASPHALT (CITY)	LEICHTER SCHOTTER (CITY / TREKKING)	FELDWEGE (TRAVEL)	LEICHTER TRAIL (ALL-WEATHER)							
BEST USE	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■							
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
DD, V-GUARD	1	2	3	4	5	6	7	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
RACEGUARD	1	2	3	4	5	6	7	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

MARATHON RACER Performance Line, Wired – HS 429

	ERTTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
18"	40-355	18x1.50	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.0-6.0	55-85	295	67	70	11100295
20"	40-406	20x1.50	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.0-6.0	55-85	355	67	75	11100294
26"	40-559	26x1.50	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.0-6.0	55-85	465	67	95	11100293
28"	30-622	28x1.20, 700x30C	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.5-7.0	65-100	395	67	85	11100291
28"	35-622	28x1.35, 700x35C	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.5-6.5	65-95	465	67	95	11100290
28"	40-622	28x1.50, 700x38C	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.0-6.0	55-85	495	67	105	11100289

MARATHON MONDIAL Evolution Line, Folding – HS 428

26"	50-559	26x2.00	DD, V-Guard	Tube	E-25		ADDIX	Black-Reflex	2.5-5.0	35-70	740	67	130	11600244.03
27.5"	50-584	27.5x2.00	DD, V-Guard	Tube	E-25		ADDIX	Black-Reflex	2.5-5.0	35-70	780	67	130	11600785.01
28"	37-622	28x1.40, 700x35C	DD, V-Guard	Tube	E-25		ADDIX	Black-Reflex	4.0-6.0	55-85	570	67	105	11600246.03
28"	42-622	28x1.60, 700x40C	DD, V-Guard	Tube	E-25		ADDIX	Black-Reflex	3.5-6.0	50-85	650	67	120	11600243.03
28"	50-622	28x2.00	DD, V-Guard	Tube	E-25		ADDIX	Black-Reflex	2.5-5.0	35-70	825	67	135	11600379.03

MARATHON MONDIAL Performance Line, Wired – HS 428

26"	50-559	26x2.00	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	2.5-5.0	35-70	720	67	115	11100307
28"	37-622	28x1.40, 700x35C	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	4.0-6.0	55-85	580	67	100	11100308
28"	42-622	28x1.60, 700x40C	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	3.5-6.0	50-85	650	67	110	11100309
28"	47-622	28x1.75	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	3.0-5.5	45-80	750	67	115	11101344

MARATHON ALMOTION

The state-of-the-art touring tire

- Very capable and with lightweight V-Guard puncture protection
- Excellent riding characteristics on asphalt and paved roads
- Comes in three sizes as tubeless variant



	ASPHALT (CITY)		LIGHT GRAVEL (CITY / TREKKING)		DIRT ROAD (TRAVEL)		EASY TRAIL (ALL-WEATHER)	
BEST USE	[Progressive bar]		[Progressive bar]		[Progressive bar]		[Progressive bar]	

	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
MICROSKIN TLE	1	2	3	4	5	6	7	[Progressive bar]	[Progressive bar]	[Progressive bar]	[Progressive bar]
V-GUARD	1	2	3	4	5	6	7	[Progressive bar]	[Progressive bar]	[Progressive bar]	[Progressive bar]

ONLY ARTICLES 11654230, 11654059 AND 11654060 ARE TUBELESS COMPATIBLE.
 *(This rating refers to tubeless operation.)

MARATHON ALMOTION Evolution Line, Folding – HS 603

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5"	55-584	27.5x2.15	V-Guard	Tube	E-25		ADDIX	Black-Reflex	2.0-4.0	30-55	690	67	120	11654055
28"	40-622	28x1.50, 700x38C	MicroSkin	TLE	E-25		ADDIX	Black-Reflex	3.5-5.5	50-80	625	67	110	11654230
28"	40-622	28x1.50, 700x38C	V-Guard	Tube	E-25		ADDIX	Black-Reflex	3.5-5.5	50-80	490	67	110	11654056
28"	50-622	28x2.00	MicroSkin	TLE	E-25		ADDIX	Black-Reflex	2.5-4.5	35-65	835	67	125	11654059
28"	50-622	28x2.00	V-Guard	Tube	E-25		ADDIX	Black-Reflex	2.5-4.5	35-65	660	67	125	11654057
28"	55-622	28x2.15	MicroSkin	TLE	E-25		ADDIX	Black-Reflex	2.0-4.0	30-55	895	67	130	11654060
28"	55-622	28x2.15	V-Guard	Tube	E-25		ADDIX	Black-Reflex	2.0-4.0	30-55	730	67	130	11654058



MARATHON EFFICIENCY

State-of-the-art touring tire that sets standards

- Sporty design and high versatility
- High-quality technology that has been tried and tested by professional athletes in World Cup races
- Schwalbe's fastest touring tire to date with the lowest rolling resistance increased battery range for e-bikes thanks to ADDIX Race Compound and Super Race casing
- Very good puncture protection thanks to V-Guard and three-layer carcass construction on the sidewall

NEW!



CITY | TOUR

	ASPHALT (CITY)	LIGHT GRAVEL (CITY / TREKKING)	DIRT ROAD (TRAVEL)	EASY TRAIL (ALL-WEATHER)								
BEST USE	■■■■■	■■■■■	■■■■■	■■■■■								
	SCHWALBE PROTECTION											
SUPER RACE, V-GUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■
			ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY						

MARATHON EFFICIENCY Evolution Line, Folding – HS 617

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	27.5"	55-584	27.5x2.15	Super Race, V-Guard	Tube	E-50	36B	ADDIX RACE	Black-Reflex	2.0-4.0	30-55	775	67	125	11654369
NEW	27.5"	60-584	27.5x2.35	Super Race, V-Guard	Tube	E-50	39B	ADDIX RACE	Black-Reflex	1.8-3.7	26-54	815	67	136	11654370
NEW	27.5"	60-584	27.5x2.35	Super Race, V-Guard	Tube	E-50	39B	ADDIX RACE	Transparent-Reflex	1.8-3.7	26-54	815	67	136	11654424
NEW	28"	40-622	28x1.50, 700x38C	Super Race, V-Guard	Tube	E-50	32B	ADDIX RACE	Black-Reflex	3.5-5.5	50-80	510	67	112	11654366
NEW	28"	50-622	28x2.00	Super Race, V-Guard	Tube	E-50	36B	ADDIX RACE	Black-Reflex	2.5-4.5	35-65	680	67	125	11654367
NEW	28"	55-622	28x2.15	Super Race, V-Guard	Tube	E-50	38B	ADDIX RACE	Black-Reflex	2.0-4.0	30-55	795	67	132	11654368
NEW	28"	55-622	28x2.15	Super Race, V-Guard	Tube	E-50	38B	ADDIX RACE	Transparent-Reflex	2.0-4.0	30-55	840	67	132	11654421

SCHWALBE PICK-UP

Our best cargo tire

- Schwalbe's first tire especially for cargo bikes
- Very stable and safe
- Suitable for very high loads
- Most secure puncture protection for cargo bike due to six-ply Super Defense carcass
- Produced with fair trade rubber




RECOMMENDED AIRPRESSURE

TIRE SIZE	55-406 55-507 55-559	60-406 60-507 60-559 60-584	65-584
	bar	bar	bar
	2,5	2	2
	3,5	3	3
	4,5	4,5	4

RIDER = 85 KG CHILD = 25 KG LUGGAGE = 20 KG

RECOMMENDATION: In order to achieve the best possible performance under different loads, we recommend that you adjust the air pressure of your bike accordingly.




SCHWALBE PICK-UP Performance Line, Wired – HS 609

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
20"	55-406	20x2.15	Super Defense	Tube	E-50	33B	ADDIX B	Black-Reflex	2.5-4.5	35-65	790	2x67	115	11159258
20"	60-406	20x2.35	Super Defense	Tube	E-50	36B	ADDIX B	Black-Reflex	2.0-4.5	30-65	910	2x67	125	11159259
24"	55-507	24x2.15	Super Defense	Tube	E-50	39B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1040	2x67	136	11159340
24"	60-507	24x2.35	Super Defense	Tube	E-50	41B	ADDIX B	Black-Reflex	2.0-4.5	30-65	1150	2x67	145	11159341
26"	55-559	26x2.15	Super Defense	Tube	E-50	43B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1090	2x67	155	11159144
26"	60-559	26x2.35	Super Defense	Tube	E-50	44B	ADDIX B	Black-Reflex	2.0-4.5	30-65	1250	2x67	160	11159260
27.5"	60-584	27.5x2.35	Super Defense	Tube	E-50	45B	ADDIX B	Black-Reflex	2.0-4.5	30-65	1290	2x67	165	11159261
27.5"	65-584	27.5x2.60	Super Defense	Tube	E-50	46B	ADDIX B	Black-Reflex	2.0-4.0	30-55	1390	2x67	170	11159262

ENERGIZER PLUS

Specially developed for e-bikes


- Excellent grip thanks to ADDIX E-Compound - even at high speeds on asphalt
- Proven GreenGuard puncture protection



ENERGIZER PLUS TOUR

The E-Touring specialist

- Excellent grip thanks to ADDIX E-Compound
- Made for trekking tours even off paved roads
- Proven GreenGuard puncture protection



ENERGIZER PLUS Performance Line, Wired – HS 492

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26" 47-559	26x1.75	GreenGuard	Tube	E-50	31B	ADDIX B	Black-Reflex	3.0-5.0	45-70	880	67	109	11101366
27.5" 50-584	27.5x2.00	GreenGuard	Tube	E-50	33B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1010	67	115	11101367
28" 37-622	28x1.40, 700x35C	GreenGuard	Tube	E-50	26B	ADDIX B	Black-Reflex	4.0-6.0	55-85	735	67	95	11101368
28" 40-622	28x1.50, 700x38C	GreenGuard	Tube	E-50	28B	ADDIX B	Black-Reflex	3.5-6.0	50-85	820	67	100	11101363
28" 47-622	28x1.75	GreenGuard	Tube	E-50	31B	ADDIX B	Black-Reflex	3.0-5.0	45-70	980	67	109	11101370
28" 50-622	28x2.00	GreenGuard	Tube	E-50	35B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1080	67	121	11101371
28" 55-622	28x2.15	GreenGuard	Tube	E-50	38B	ADDIX B	Black-Reflex	2.0-4.0	30-55	1210	67	132	11159059

ENERGIZER PLUS TOUR Performance Line, Wired – HS 485

28" 37-622	28x1.40, 700x35C	GreenGuard	Tube	E-50	26B	ADDIX B	Black-Reflex	4.0-6.0	55-85	755	67	95	11159247
28" 40-622	28x1.50, 700x38C	GreenGuard	Tube	E-50	28B	ADDIX B	Black-Reflex	3.5-6.0	50-85	840	67	100	11159248
28" 47-622	28x1.75	GreenGuard	Tube	E-50	33B	ADDIX B	Black-Reflex	3.0-5.0	45-70	1020	67	115	11159249
28" 50-622	28x2.00	GreenGuard	Tube	E-50	35B	ADDIX B	Black-Reflex	2.5-4.5	35-65	1100	67	121	11159250
28" 55-622	28x2.15	GreenGuard	Tube	E-50	38B	ADDIX B	Black-Reflex	2.0-4.0	30-55	1250	67	132	11159342

SUPER MOTO-X

"The Balloon" e-bike tire

- Available in tire widths from 62 to 70mm
- Can be used from paved road to light forest trail, from compact cargo bike to urban SUV
- Very good puncture protection thanks to Double Defense technology



	ASPHALT (CITY)		LIGHT GRAVEL (CITY / TREKKING)		DIRT ROAD (TRAVEL)		EASY TRAIL (ALL-WEATHER)				
BEST USE	[Progress bar]		[Progress bar]		[Progress bar]		[Progress bar]				
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
DD, GREENGUARD	1	2	3	4	5	6	7	[Progress bar]	[Progress bar]	[Progress bar]	[Progress bar]
DD, RACEGUARD	1	2	3	4	5	6	7	[Progress bar]	[Progress bar]	[Progress bar]	[Progress bar]

SUPER MOTO

The eye-catcher for the e-bike

- Motorsport looks
- Made for high speeds
- Very good puncture protection thanks to Double Defense RaceGuard



	ASPHALT (CITY)		LIGHT GRAVEL (CITY / TREKKING)		DIRT ROAD (TRAVEL)		EASY TRAIL (ALL-WEATHER)				
BEST USE	[Progress bar]		[Progress bar]		[Progress bar]		[Progress bar]				
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
DD, RACEGUARD	1	2	3	4	5	6	7	[Progress bar]	[Progress bar]	[Progress bar]	[Progress bar]

SUPER MOTO-X Performance Line, Wired – HS 439

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20" 62-406	20x2.40	DD, GreenGuard	Tube	E-50	33B	ADDIX	Black-Reflex	2.0-4.5	30-65	820	67	115	11101327.01
26" 62-559	26x2.40	DD, GreenGuard	Tube	E-50	40B	ADDIX	Black-Reflex	2.0-4.0	30-55	1095	67	140	11101381.01
27.5" 62-584	27.5x2.40	DD, GreenGuard	Tube	E-50	41B	ADDIX	Black-Reflex	2.0-4.0	30-55	1125	67	145	11101112.01
27.5" 62-584	27.5x2.40	DD, GreenGuard	Tube	E-50	41B	ADDIX	Black	2.0-4.0	30-55	1125	67	145	11100726.01
27.5" 70-584	27.5x2.80	DD, RaceGuard	Tube	E-50	43B	ADDIX	Black	1.5-3.0	20-45	980	67	155	11101108


SUPER MOTO Performance Line, Wired – HS 605

27.5" 62-584	27.5x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.0	30-55	1185	67	145	11159141
28" 50-622	28x2.00	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.5-5.0	35-70	985	67	121	11159231
28" 62-622	28x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.0	30-55	1285	67	150	11159148

BIG BEN PLUS

Large volume for optimum suspension effect


- Even higher puncture protection thanks to Double Defense GreenGuard
- Good choice for pedelecs and speed-pedelecs



BIG BEN

Hearty brother of the Big Apple

- Great comfort thanks to large volume
- More tread depth and file tread pattern
- Maximum riding safety in the city



BIG BEN PLUS Performance Line, Wired – HS 439

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	55-406	20x2.15	DD, GreenGuard	Tube	E-50	26B	ADDIX	Black-Reflex	2.0-4.0	30-55	680	67	95	11101122
24"	55-507	24x2.15	DD, GreenGuard	Tube	E-50	34B	ADDIX	Black-Reflex	2.0-4.0	30-55	835	67	118	11101340
26"	55-559	26x2.15	DD, GreenGuard	Tube	E-50	37B	ADDIX	Black-Reflex	2.0-4.0	30-55	935	67	128	11101123
27.5"	50-584	27.5x2.00	DD, GreenGuard	Tube	E-50	37B	ADDIX	Black-Reflex	2.5-5.0	35-70	860	67	128	11101124
27.5"	55-584	27.5x2.15	DD, GreenGuard	Tube	E-50	39B	ADDIX	Black-Reflex	2.0-4.0	30-55	985	67	136	11159244
28"	50-622	28x2.00	DD, GreenGuard	Tube	E-50	38B	ADDIX	Black-Reflex	2.5-5.0	35-70	920	67	132	11101125
28"	55-622	28x2.15	DD, GreenGuard	Tube	E-50	40B	ADDIX	Black-Reflex	2.0-4.0	30-55	1050	67	140	11159078

BIG BEN Performance Line, Wired – HS 439

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	55-406	20x2.15	RaceGuard	Tube	E-50	26B	ADDIX	Black-Reflex	2.0-4.0	30-55	575	67	95	11100554
26"	55-559	26x2.15	RaceGuard	Tube	E-50	37B	ADDIX	Black-Reflex	2.0-4.0	30-55	760	67	128	11100557
27.5"	50-584	27.5x2.00	RaceGuard	Tube	E-50	37B	ADDIX	Black-Reflex	2.5-5.0	35-70	745	67	130	11100952
28"	40-622	28x1.50, 700x38C	RaceGuard	Tube	E-25		ADDIX	Black-Reflex	3.5-6.0	50-85	590	67	100	11100564
28"	50-622	28x2.00	RaceGuard	Tube	E-50	38B	ADDIX	Black-Reflex	2.5-5.0	35-70	795	67	135	11100567

BIG BEN Active Line, Wired – HS 439

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26"	55-559	26x2.15	K-Guard	Tube			SBC	Brown-Reflex	2.0-4.0	30-55	910	50	115	11100558
26"	55-559	26x2.15	K-Guard	Tube			SBC	Creme-Reflex	2.0-4.0	30-55	910	50	115	11100559
27.5"	50-584	27.5x2.00	K-Guard	Tube			SBC	Black	2.5-5.0	35-70	835	50	115	11100965
28"	40-622	28x1.50, 700x38C	K-Guard	Tube			SBC	Brown-Reflex	3.5-6.0	50-85	695	50	100	11100565
28"	40-622	28x1.50, 700x38C	K-Guard	Tube			SBC	Creme-Reflex	3.5-6.0	50-85	695	50	100	11100566
28"	50-622	28x2.00	K-Guard	Tube			SBC	Black-Reflex	2.5-5.0	35-70	890	50	115	11101224
28"	50-622	28x2.00	K-Guard	Tube			SBC	Brown-Reflex	2.5-5.0	35-70	890	50	115	11100568
28"	50-622	28x2.00	K-Guard	Tube			SBC	Creme-Reflex	2.5-5.0	35-70	890	50	115	11100569

BIG APPLE

THE Balloon bike tire

- Perfect for the city
- Highest comfort characteristics
- Extensive width range available



	ASPHALT (CITY)		LIGHT GRAVEL (CITY / TREKKING)		DIRT ROAD (TRAVEL)		EASY TRAIL (ALL-WEATHER)				
BEST USE	■■■■		■■■■		■■■■		■■■■				
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
RACEGUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■
K-GUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■

BIG APPLE Performance Line, Wired – HS 430

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
16"	50-305	16x2.00	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-5.0	30-70	370	67	70	11100683
18"	50-355	18x2.00	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-5.0	30-70	470	67	75	11100684
20"	50-406	20x2.00	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.5-5.0	35-70	495	67	85	11100304
20"	55-406	20x2.15	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-4.0	30-55	530	67	95	11100303
24"	50-507	24x2.00	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.5-5.0	35-70	620	67	100	11100302
26"	50-559	26x2.00	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.5-5.0	35-70	675	67	125	11100298
26"	55-559	26x2.15	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-4.0	30-55	710	67	130	11100297
26"	60-559	26x2.35	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-4.0	30-55	780	67	140	11100299
28"	50-622	28x2.00	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.5-5.0	35-70	740	67	135	11100305
28"	55-622	28x2.15	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-4.0	30-55	810	67	140	11100306
28"	60-622	28x2.35	RaceGuard	Tube	E-25	ADDIX	Black-Reflex	2.0-4.0	30-55	890	67	145	11100417

BIG APPLE Active Line, Wired – HS 430

12"	50-203	12x2.00	K-Guard	Tube		Black 'n' Roll	Black-Reflex	2.0-4.0	30-55	285	50	55	11100681.02
14"	50-254	14x2.00	K-Guard	Tube		SBC	Black-Reflex	2.0-4.0	30-55	340	50	60	11100682
26"	55-559	26x2.15	K-Guard	Tube		SBC	Black-Reflex	2.0-4.0	30-55	920	50	115	11100426.01
28"	50-622	28x2.00	K-Guard	Tube		SBC	Black-Reflex	2.5-5.0	35-70	930	50	115	11100429.01

FAT FRANK

Stylish urban cruiser

- Real eye-catcher thanks to retro design
- Side wall available in different colors



	ASPHALT (CITY)	LIGHT GRAVEL (CITY / TREKKING)	DIRT ROAD (TRAVEL)	EASY TRAIL (ALL-WEATHER)							
BEST USE	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■							
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
K-GUARD	1	2	3	4	5	6	7	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

KOJAK

Our slick tire

- Checkered flag design element on sidewall
- Smooth tread pattern provides maximum grip on asphalt
- Lightest touring and city tire



	ASPHALT (CITY)	LIGHT GRAVEL (CITY / TREKKING)	DIRT ROAD (TRAVEL)	EASY TRAIL (ALL-WEATHER)							
BEST USE	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■							
	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
RACEGUARD	1	2	3	4	5	6	7	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

FAT FRANK Active Line, Wired – HS 375

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26"	60-559	26x2.35	K-Guard	Tube			SBC	Black-Reflex	1.5-4.0	20-55	815	50	140	11100181.01
26"	60-559	26x2.35	K-Guard	Tube			SBC	Creme-Reflex	1.5-4.0	20-55	975	50	140	11133372.01
26"	60-559	26x2.35	K-Guard	Tube			SBC	Brown/Whitewall-Reflex	1.5-4.0	20-55	975	50	140	11100596
28"	50-622	28x2.00	K-Guard	Tube			SBC	Black-Reflex	2.0-4.5	30-65	765	50	135	11100219.01
28"	50-622	28x2.00	K-Guard	Tube			SBC	Creme-Reflex	2.0-4.5	30-65	890	50	135	11152385.01
28"	50-622	28x2.00	K-Guard	Tube			SBC	Black/Coffee-Reflex	2.0-4.5	30-65	890	50	135	11101227
28"	50-622	28x2.00	K-Guard	Tube			SBC	Brown/Whitewall-Reflex	2.0-4.5	30-65	890	50	135	11100582

KOJAK Performance Line, Folding – HS 385

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
18"	32-355	18x1.25	RaceGuard	Tube			ADDIX	Black	5.0-8.0	70-115	190	67	65	11600156.02
20"	35-406	20x1.35	RaceGuard	Tube			ADDIX	Black	4.0-6.5	55-95	230	67	70	11600046.02
26"	35-559	26x1.35	RaceGuard	Tube			ADDIX	Black	4.0-6.5	55-95	295	67	90	11600045.02
28"	35-622	28x1.35, 700x35C	RaceGuard	Tube			ADDIX	Black	4.0-6.5	55-95	330	67	100	11600020.02


KOJAK Performance Line, Wired – HS 385

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
16"	32-349	16x1 1/4	RaceGuard	Tube			ADDIX	Black	5.0-8.0	70-115	230	67	65	11100175.02
20"	35-406	20x1.35	RaceGuard	Tube			ADDIX	Black	4.0-6.5	55-95	285	67	70	11100063.02
26"	35-559	26x1.35	RaceGuard	Tube			ADDIX	Black	4.0-6.5	55-95	395	67	90	11100062.02
26"	50-559	26x2.00	RaceGuard	Tube			ADDIX	Black	2.0-5.0	30-70	570	67	130	11100159.02
27.5"	35-584	27.5x1.35	RaceGuard	Tube			ADDIX	Black	4.0-6.5	55-95	410	67	95	11100887.02

DELTA CRUISER PLUS

Affordable city and touring tire


- Good puncture protection and traditional tread design
- Wide variety of colors and sizes



LAND CRUISER PLUS

Suitable for unpaved roads and light terrain

- Good puncture protection at a reasonable price
- Classic all-terrain tread pattern with continuous center tread
- Often used for youth MTBs



DELTA CRUISER PLUS Active Line, Wired – HS 431

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	47-406	20x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	670	50	75	11101072.01
24"	37-540	24x1 3/8	PunctureGuard	Tube		SBC	Black-Reflex	2.5-4.5	35-65	615	50	75	11159009 *
26"	37-590	26x1 3/8	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-6.0	55-85	710	50	90	11159010.01
26"	37-590	26x1 3/8	PunctureGuard	Tube		SBC	Creme-Reflex	4.0-6.0	55-85	710	50	90	11159005
26"	47-559	26x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	895	50	100	11101073.01
26"	50-559	26x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-5.0	35-70	985	50	110	11101074.01
28"	28-622	28x1.10, 700x28C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-7.0	55-100	590	50	75	11101075.01
28"	32-622	28x1.25, 700x32C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.5-6.5	65-95	670	50	80	11101076.01
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-6.0	55-85	775	50	90	11101077.01
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube		SBC	Brown-Reflex	4.0-6.0	55-85	775	50	90	11159006
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube		SBC	Creme-Reflex	4.0-6.0	55-85	775	50	90	11159007
28"	40-622	28x1.50, 700x38C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.5-6.0	50-85	890	50	100	11101078.01
28"	40-635	28x1 1/2, 700x38B	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.5-6.0	50-85	910	50	100	11101080.01
28"	40-635	28x1 1/2, 700x38B	PunctureGuard	Tube		SBC	Creme-Reflex	3.5-6.0	50-85	910	50	100	11159008
28"	47-622	28x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	995	50	110	11101079.01
28"	50-622	28x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-5.0	35-70	1115	50	115	11159240.01

*HS 392


LAND CRUISER PLUS Active Line, Wired – HS 450

24"	50-507	24x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-5.0	35-70	850	50	90	11101032.01
26"	47-559	26x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	910	50	100	11101035.01
26"	50-559	26x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-5.0	35-70	950	50	110	11101038.01
27.5"	50-584	27.5x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-5.0	35-70	980	50	115	11101039.01
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-6.0	55-85	760	50	90	11101042.01
28"	42-622	28x1.60, 700x40C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.5-6.0	50-85	890	50	100	11101045.01
28"	47-622	28x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	970	50	110	11101047.01
28"	50-622	28x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-4.5	35-65	1080	50	115	11159235.01
28"	55-622	28x2.15	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.0-4.0	30-55	1180	50	120	11159238.01

ROAD CRUISER PLUS

Affordable city and touring tire


- Good puncture protection at a reasonable price
- In small sizes often used for children's and youth bikes



SPICER PLUS

Stylish tire for fitness and urban bikes

- Good puncture protection at a reasonable price



ROAD CRUISER PLUS Active Line, Wired – HS 484

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	47-406	20x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	600	50	75	11159080
24"	47-507	24x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	750	50	85	11159081
26"	47-559	26x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	825	50	100	11159082
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-6.0	55-85	715	50	90	11159083
28"	42-622	28x1.60, 700x40C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.5-6.0	50-85	820	50	100	11159084
28"	47-622	28x1.75	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	3.0-5.0	45-70	925	50	110	11159085
28"	50-622	28x2.00	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.5-5.0	35-70	1040	50	115	11159232
28"	55-622	28x2.15	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	2.0-4.0	30-55	1135	50	120	11159233

SPICER PLUS Active Line, Wired – HS 442

26"	40-559	26x1.50	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-6.0	55-85	760	50	90	11159234.01
28"	35-622	28x1.35, 700x35C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.5-6.5	65-95	750	50	90	11159236.01
28"	40-622	28x1.50, 700x38C	PunctureGuard	Tube	E-25	Green Compound	Black-Reflex	4.0-6.0	55-85	840	50	100	11159237.01


ROAD CRUISER

Urban and distinctive

- Wide variety of colors and sizes
- Inexpensive with basic puncture protection K-Guard
- In children's sizes from 12 inches



Green Compound is exclusively available for tires with a black tread.



ROAD CRUISER Active Line, Wired – HS 484

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
12"	47-203	12x1.75	K-Guard	Tube		Green Compound	Black	2.0-4.5	30-65	260	50	50	11159321
12"	50-203	12x2.00	K-Guard	Tube		Green Compound	Black	2.0-4.5	30-65	320	50	55	11101255.01
14"	37-288	14x1 3/8, 350x35A	K-Guard	Tube		Green Compound	Black	4.0-6.0	55-85	300	50	45	11159322
16"	47-305	16x1.75	K-Guard	Tube		Green Compound	Black-Reflex	2.5-4.5	35-65	395	50	65	11101299
16"	47-305	16x1.75	K-Guard	Tube		Green Compound	Black	2.5-4.5	35-65	395	50	65	11101256
20"	47-406	20x1.75	K-Guard	Tube		Green Compound	Black-Reflex	3.0-5.0	45-70	545	50	75	11101300
20"	47-406	20x1.75	K-Guard	Tube		Green Compound	Black	3.0-5.0	45-70	545	50	75	11101258
20"	47-406	20x1.75	K-Guard	Tube		Green Compound	Whitewall	3.0-5.0	45-70	545	50	75	11101293
22"	44-484	22x1 1/2	K-Guard	Tube		SBC	Black-Reflex	2.0-4.5	30-65	585	50	80	11131603.01*
22"	47-457	22x1.75	K-Guard	Tube		SBC	Black-Reflex	2.0-4.5	30-65	610	50	80	11120377.01*
24"	47-507	24x1.75	K-Guard	Tube		Green Compound	Black-Reflex	3.0-5.0	45-70	680	50	85	11101301
24"	47-507	24x1.75	K-Guard	Tube		Green Compound	Black	3.0-5.0	45-70	680	50	85	11101260
24"	47-507	24x1.75	K-Guard	Tube		Green Compound	Whitewall	3.0-5.0	45-70	680	50	85	11101262
26"	47-559	26x1.75	K-Guard	Tube		Green Compound	Black-Reflex	3.0-5.0	45-70	720	50	100	11101302
26"	47-559	26x1.75	K-Guard	Tube		SBC	Brown-Reflex	3.0-5.0	45-70	720	50	100	11101266
26"	47-559	26x1.75	K-Guard	Tube		SBC	Creme-Reflex	3.0-5.0	45-70	720	50	100	11101267
26"	47-559	26x1.75	K-Guard	Tube		Green Compound	Gumwall	3.0-5.0	45-70	720	50	100	11101264
26"	47-559	26x1.75	K-Guard	Tube		Green Compound	Whitewall	3.0-5.0	45-70	720	50	100	11101265
27"	28/32-630	27x1 1/4	K-Guard	Tube		Green Compound	Gumwall	3.0-5.5	45-80	550	50	75	11159324
27"	28/32-630	27x1 1/4	K-Guard	Tube		Green Compound	Whitewall	3.0-5.5	45-80	550	50	75	11159323
27.5"	37-584	27.5x1.40, 650x35B	K-Guard	Tube		Green Compound	Black-Reflex	4.0-6.0	55-85	580	50	85	11101303
27.5"	37-584	27.5x1.40, 650x35B	K-Guard	Tube		Green Compound	Whitewall	4.0-6.0	55-85	580	50	85	11101269
27.5"	44-584	27.5x1.65, 650x42B	K-Guard	Tube		Green Compound	Black-Reflex	3.5-5.5	50-80	660	50	95	11101304
28"	32-622	28x1.25, 700x32C	K-Guard	Tube		Green Compound	Black	4.5-6.5	65-95	550	50	80	11101271
28"	32-622	28x1.25, 700x32C	K-Guard	Tube		Green Compound	Whitewall	4.5-6.5	65-95	550	50	80	11101273
28"	37-622	28x1.40, 700x35C	K-Guard	Tube		Green Compound	Black-Reflex	4.0-6.0	55-85	625	50	90	11101305
28"	37-622	28x1.40, 700x35C	K-Guard	Tube		Green Compound	Gumwall	4.0-6.0	55-85	625	50	90	11101275
28"	37-622	28x1.40, 700x35C	K-Guard	Tube		Green Compound	Whitewall	4.0-6.0	55-85	625	50	90	11101276
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		Green Compound	Black-Reflex	3.5-6.0	50-85	705	50	100	11101306
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		Green Compound	Black/Coffee-Reflex	3.5-6.0	50-85	705	50	100	11101278
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		Green Compound	Whitewall-Reflex	3.5-6.0	50-85	705	50	100	11101279
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		SBC	Brown-Reflex	3.5-6.0	50-85	705	50	100	11101280
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		SBC	Creme-Reflex	3.5-6.0	50-85	705	50	100	11101281
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		SBC	Coffee-Reflex	3.5-6.0	50-85	705	50	100	11101282
28"	42-622	28x1.60, 700x40C	K-Guard	Tube		Green Compound	Whitewall	3.5-6.0	50-85	705	50	100	11159067
28"	47-622	28x1.75	K-Guard	Tube		Green Compound	Black-Reflex	3.0-5.0	45-70	800	50	110	11101307
28"	47-622	28x1.75	K-Guard	Tube		Green Compound	Black/Coffee-Reflex	3.0-5.0	45-70	800	50	110	11101296
28"	47-622	28x1.75	K-Guard	Tube		SBC	Coffee-Reflex	3.0-5.0	45-70	800	50	110	11101288
28"	47-622	28x1.75	K-Guard	Tube		Green Compound	Gumwall	3.0-5.0	45-70	800	50	110	11101285
28"	47-622	28x1.75	K-Guard	Tube		Green Compound	Whitewall	3.0-5.0	45-70	800	50	110	11101286

*HS 377

DELTA CRUISER

Inexpensive basic version without reflective stripes.

- Several color variants available



BEST USE

LIKE DELTA CRUISER PLUS S. 34



LAND CRUISER

- Inexpensive basic version without reflective stripes



BEST USE

LIKE LAND CRUISER PLUS S. 34



SILENTO

The adventurer with good grip

- Semi-slick trekking tread



BEST USE

LIKE ROAD CRUISER PLUS S. 35



DELTA CRUISER Active Line, Wired – HS 431

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
24"	37-540	24x1 3/8	K-Guard	Tube			SBC	Whitewall	2.5-4.5	35-65	510	50	75	11129062.01*
26"	37-590	26x1 3/8, 650x35A	K-Guard	Tube			SBC	Black	4.0-6.0	55-85	670	50	90	11101081
26"	37-590	26x1 3/8, 650x35A	K-Guard	Tube			SBC	Whitewall	4.0-6.0	55-85	670	50	90	11101083
28"	28-622	28x1.10, 700x28C	K-Guard	Tube			SBC	Gumwall	4.0-7.0	55-100	550	50	75	11101086
28"	28-622	28x1.10, 700x28C	K-Guard	Tube			SBC	Whitewall	4.0-7.0	55-100	550	50	75	11101087
28"	37-622	28x1.40, 700x35C	K-Guard	Tube			SBC	Creme	4.0-6.0	55-85	695	50	90	11101091
28"	40-635	28x1 1/2, 700x38B	K-Guard	Tube			SBC	Creme	3.5-6.0	50-85	795	50	100	11101094

*HS 392

LAND CRUISER Active Line, Wired – HS 450

24"	47-507	24x1.75	K-Guard	Tube			SBC	Black	3.0-5.0	45-70	680	50	85	11101030
24"	50-507	24x2.00	K-Guard	Tube			SBC	Black	2.5-5.0	35-70	770	50	90	11101031
26"	47-559	26x1.75	K-Guard	Tube			SBC	Black	3.0-5.0	45-70	750	50	100	11101033
26"	50-559	26x2.00	K-Guard	Tube			SBC	Black	2.5-5.0	35-70	850	50	110	11101036
28"	37-622	28x1.40, 700x35C	K-Guard	Tube			SBC	Black	4.0-6.0	55-85	710	50	90	11101040
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			SBC	Black	3.5-6.0	50-85	750	50	100	11101043
28"	47-622	28x1.75	K-Guard	Tube			SBC	Black	3.0-5.0	45-70	820	50	110	11101046

SILENTO Active Line, Wired – HS 421

26"	47-559	26x1.75	K-Guard	Tube			SBC	Black-Reflex	2.5-4.5	35-65	625	50	100	11100183.01
28"	37-622	28x1.40, 700x35C	K-Guard	Tube			SBC	Black-Reflex	3.0-5.0	45-70	560	50	90	11100038.01
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			SBC	Black-Reflex	3.0-5.0	45-70	620	50	100	11100026.01
28"	47-622	28x1.75	K-Guard	Tube			SBC	Black-Reflex	2.5-4.5	35-65	695	50	110	11100241.01



In all areas of mountain bike racing, the best athletes in the world challenge us to develop the right tire for their demands. Cross-country World Cup overall winner Thomas Flückiger, marathon world champion Andreas Seewald and downhill world champion Miriam Nicole provide with their victories, the confirmation and motivation for ever new innovative solutions. Grip and speed at the limit. For professionals and hobby bikers.

BEST USE

TERRAIN			MODEL	PURPOSE		
HARDPAC	MIX	SOFT		COMPETITION	SPORT FUN	TOUR
			EDDY CURRENT			ENDURO TRAIL
			MAGIC MARY			DH ENDURO
			BIG BETTY			DH ENDURO
			HANS DAMPF			ENDURO TRAIL
			DIRTY DAN			DH ENDURO
			NOBBY NIC			AM TRAIL XC
			WICKED WILL			TRAIL XC
			RACING RALPH			XC MARATHON
			RACING RAY			XC MARATHON
			ROCKET RON			XC MARATHON
			THUNDER BURT			XC MARATHON
			JUMBO JIM			FAT BIKE
			AL MIGHTY			FAT BIKE
			HURRICANE			SUV ATB
			SMART SAM			SUV ATB

MTB



MTB

EDDY CURRENT

The "indestructible" tire for the E-MTB

Eddy Current Front

- Specialist E-MTB tire
- Profile inspired by motocross: Large stable tread blocks
- Special design for the front wheel: "Optimized for steering forces and lateral control"



BEST USE ENDURO | TRAIL



EDDY CURRENT FRONT Evolution Line, Folding – HS 496

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5" 65-584	27.5x2.60	Super Trail	TLE	E-50	B	ADDIX	Black	1.5-3.0	20-45	1200	67	115	11654032.01
27.5" 70-584	27.5x2.80	Super Trail	TLE	E-50	B	ADDIX	Black	1.2-2.6	17-38	1300	67	120	11653983.01
29" 62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	1.6-3.5	23-50	1215	67	125	11653984.01
29" 65-622	29x2.60	Super Trail	TLE	E-50	B	ADDIX	Black	1.5-3.0	20-45	1280	67	115	11654023.01

EDDY CURRENT REAR

- Special design for the rear wheel, excellent for higher weights of E-MTB bikes
- Maximum traction and braking grip even on the steepest climbs and descents
- Extremely durable and puncture-proof due to very large tread blocks and Super Gravity carcass.



MTB

BEST USE ENDURO | TRAIL



EDDY CURRENT REAR Evolution Line, Folding – HS 497

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5"	65-584	27.5x2.60	Super Gravity	TLE	E-50	B	ADDIX	Black	1.5-3.0	20-45	1430	67	115	11654033.01
27.5"	70-584	27.5x2.80	Super Gravity	TLE	E-50	B	ADDIX	Black	1.2-2.6	17-38	1445	67	120	11653985.01
29"	65-622	29x2.60	Super Gravity	TLE	E-50	B	ADDIX	Black	1.5-3.0	20-45	1455	67	115	11653986.01

MAGIC MARY

The most successful downhill and enduro tire.

- Most popular tire choice of Schwalbe athletes at World Cup rounds
- Over 50 World Cup victories in the past ten years
- Maximum braking traction and optimal cornering grip (on all surfaces)



BEST USE DOWNHILL | ENDURO

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER DOWNHILL ULTRASOFT	██████████	██████████	██████████	██████████
SUPER GRAVITY ULTRASOFT	██████████	██████████	██████████	██████████
SUPER TRAIL ULTRASOFT	██████████	██████████	██████████	██████████
SUPER GROUND SOFT	██████████	██████████	██████████	██████████
SUPER GRAVITY SOFT	██████████	██████████	██████████	██████████
SUPER TRAIL SOFT	██████████	██████████	██████████	██████████
PERFORMANCE	██████████	██████████	██████████	██████████
BIKEPARK	██████████	██████████	██████████	██████████

MAGIC MARY Evolution Line, Folding – HS 447

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
	26"	60-559	26x2.35	Super Downhill	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1210	2x67	115	11654179	
	26"	60-559	26x2.35	Super Gravity	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1095	67	115	11600536.03	
	26"	60-559	26x2.35	Super Gravity	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1095	67	115	11600513.03	
	26"	60-559	26x2.35	Super Trail	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	970	67	115	11600538.03	
	26"	65-559	26x2.60	Super Downhill	TLE	E-25	ADDIX	Black	1.5-3.2	20-46	1325	2x67	120	11654182	
	27.5"	62-584	27.5x2.40	Super Downhill	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1320	2x67	115	11654180
	27.5"	62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1205	67	115	11600537.03
	27.5"	62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1205	67	115	11600511.03
	27.5"	62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	1220	67	115	11654381
	27.5"	62-584	27.5x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1110	67	115	11654278
	27.5"	62-584	27.5x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1110	67	115	11600539.03
NEW	27.5"	62-584	27.5x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	975	67	110	11654405
	27.5"	65-584	27.5x2.60	Super Downhill	TLE	E-50	B	ADDIX	Black	1.2-2.6	17-38	1393	2x67	120	11654183
	27.5"	65-584	27.5x2.60	Super Gravity	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1280	67	115	11601051.02	
	27.5"	65-584	27.5x2.60	Super Trail	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1135	67	115	11601010.01	
	27.5"	70-584	27.5x2.80	Super Trail	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1205	67	120	11601012.01	
	29"	57-622	29x2.25	Super Trail	TLE	E-25	ADDIX	Black	1.7-3.8	24-55	1080	67	110	11601026.01	
	29"	62-622	29x2.40	Super Downhill	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1400	2x67	125	11654181
	29"	62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1280	67	125	11654090.01
	29"	62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1280	67	125	11600615.03
	29"	62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	1295	67	125	11654382
	29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1150	67	125	11654279
	29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1150	67	125	11600616.03
	29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	1165	67	125	11654413
NEW	29"	62-622	29x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1040	67	125	11654232
	29"	65-622	29x2.60	Super Gravity	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1370	67	115	11654048.01	
	29"	65-622	29x2.60	Super Trail	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1220	67	115	11601102.01	

MAGIC MARY Performance Line, Folding – HS 447

NEW	27.5"	62-584	27.5x2.40	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	1075	67	115	11600907.02
NEW	29"	62-622	29x2.40	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	1140	67	125	11601133.01

MAGIC MARY Performance Line, Wired – HS 447

	26"	60-559	26x2.35	BikePark	Tube	E-25		ADDIX	Black	1.6-3.5	23-50	1400	2x50	115	11100976.01
	27.5"	62-584	27.5x2.40	BikePark	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	1525	2x50	115	11100977.02
	29"	62-622	29x2.40	BikePark	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	1600	2x50	125	11159188

BIG BETTY

Perfect rear wheel complement to the Magic Mary.

- Optimal lateral support and braking traction due to specially supported tread blocks?
- Easy rolling and better durability thanks to the ramp function of the center blocks?



MTB

BEST USE DOWNHILL | ENDURO

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER DOWNHILL ULTRASOFT	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>
SUPER GROUND SOFT	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>
SUPER GRAVITY SOFT	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>
SUPER TRAIL SOFT	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>
BIKEPARK	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>	<div style="width: 100%; height: 10px; background-color: #00AEEF;"></div>

BIG BETTY Evolution Line, Folding – HS 608

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20" 57-406	20x2.25	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	670	67	90	11654324
24" 62-507	24x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	875	67	90	11654323
26" 62-559	26x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1040	67	115	11654147
27.5" 62-584	27.5x2.40	Super Downhill	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1300	2x67	115	11654164
27.5" 62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1180	67	115	11654148
27.5" 62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	1015	67	115	11654373
27.5" 62-584	27.5x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1085	67	115	11654151
27.5" 65-584	27.5x2.60	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	1295	67	115	11654156
27.5" 65-584	27.5x2.60	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	1180	67	115	11654157
27.5" 70-584	27.5x2.80	Super Trail	TLE	E-25	B	ADDIX	Black	max.2.6	max.38	1295	67	120	11654160
29" 62-622	29x2.40	Super Downhill	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1380	2x67	125	11654163
29" 62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1290	67	125	11654152
29" 62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	1305	67	125	11654374
29" 62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	1125	67	125	11654155
29" 62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	1140	67	125	11654414
29" 65-622	29x2.60	Super Gravity	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	1370	67	115	11654158
29" 65-622	29x2.60	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	1260	67	115	11654159

BIG BETTY Performance Line, Wired – HS 608

26" 62-559	26x2.40	BikePark	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	1350	2x50	115	11159149
27.5" 62-584	27.5x2.40	BikePark	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	1410	2x50	115	11159151
29" 62-622	29x2.40	BikePark	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	1500	2x50	125	11159152

HANS DAMPF

The all-rounder for All Mountain and Enduro Tours

- For full riding fun and maximum puncture protection
- Best predictable grip on all surfaces
- Very popular on the rear wheel in combination with Magic Mary front for demanding MTB/E-MTB tours



BEST USE ENDURO | TRAIL

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER GRAVITY SOFT	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>
SUPER TRAIL SOFT	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>
SUPER TRAIL SPEEDGRIP	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>
PERFORMANCE	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>

DIRTY DAN

Legendary tire for the most extreme conditions

- The secret weapon of our World Cup athletes for the muddiest conditions
- Helped to guarantee several World Cup victories and World Championship titles
- Excellent traction in deep mud and soft dirt



BEST USE DOWNHILL | ENDURO | XC

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER DOWNHILL ULTRASOFT	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>
SUPER GRAVITY ULTRASOFT	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>
SUPER RACE SPEEDGRIP	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>	<div style="width: 100%;"></div>

HANS DAMPF Evolution Line, Folding – HS 491

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	26"	60-559	26x2.35	Super Gravity	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1035	67	115	11601126.01
	26"	60-559	26x2.35	Super Trail	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	920	67	115	11601125.01
	27.5"	60-584	27.5x2.35	Super Gravity	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1085	67	115	11601101.01
	27.5"	60-584	27.5x2.35	Super Trail	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	980	67	115	11601104.01
	27.5"	60-584	27.5x2.35	Super Trail	TLE	E-25	ADDIX	Bronze Sidewall	1.6-3.5	23-50	995	67	115	11654379
NEW	27.5"	60-584	27.5x2.35	Super Trail	TLE		ADDIX	Black	1.6-3.5	23-50	980	67	115	11653971.01
	27.5"	65-584	27.5x2.60	Super Gravity	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1140	67	115	11654025.01
	27.5"	65-584	27.5x2.60	Super Trail	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1020	67	115	11601106.01
	27.5"	65-584	27.5x2.60	Super Trail	TLE	E-25	ADDIX	Bronze Sidewall	1.2-2.6	17-38	1195	67	115	11654301
	27.5"	70-584	27.5x2.80	Super Trail	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1145	67	120	11601107.01
	29"	60-622	29x2.35	Super Gravity	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1165	67	125	11601109.01
	29"	60-622	29x2.35	Super Trail	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	1015	67	125	11601108.01
	29"	60-622	29x2.35	Super Trail	TLE	E-25	ADDIX	Bronze Sidewall	1.6-3.5	23-50	1070	67	125	11654380
NEW	29"	60-622	29x2.35	Super Trail	TLE		ADDIX	Black	1.6-3.5	23-50	1040	67	125	11653970.01
	29"	65-622	29x2.60	Super Trail	TLE	E-25	ADDIX	Bronze Sidewall	1.2-2.6	17-38	1125	67	115	11654213
	29"	65-622	29x2.60	Super Trail	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	1110	67	115	11601110.01

HANS DAMPF Performance Line, Folding – HS 491

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	24"	60-507	24x2.35	Performance	TLR	E-25	ADDIX	Black	1.6-3.5	23-50	770	67	115	11601118
	26"	60-559	26x2.35	Performance	TLR		ADDIX	Black	1.6-3.5	23-50	840	67	115	11601124
	27.5"	60-584	27.5x2.35	Performance	TLR		ADDIX	Black	1.6-3.5	23-50	880	67	115	11601105
	29"	60-622	29x2.35	Performance	TLR		ADDIX	Black	1.6-3.5	23-50	930	67	125	11601119

DIRTY DAN Evolution Line, Folding – HS 417

	27.5"	60-584	27.5x2.35	Super Downhill	TLE		ADDIX	Black	1.6-3.5	23-50	1260	2x67	115	11654177
	27.5"	60-584	27.5x2.35	Super Gravity	TLE		ADDIX	Black	1.6-3.5	23-50	1115	67	115	11600557.03
NEW	29"	50-622	29x2.00	Super Race	TLE		ADDIX	Transparent Sidewall	2.2-4.3	32-62	600	67	100	11654442 *
	29"	60-622	29x2.35	Super Downhill	TLE		ADDIX	Black	1.6-3.5	23-50	1345	2x67	125	11654178

*HS 417A

WICKED WILL

The perfect tire for every trail

- Extremely versatile all-rounder (downcountry, trail bikes, also for touring or crossing the Alps)
- Combines very good rolling characteristics with traction and amazingly good grip in curves thanks to strong shoulder blocks
- With the three available versions to match a range of requirements



MTB

BEST USE TRAIL | XC

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER TRAIL SPEEDGRIP				
SUPER GROUND SPEEDGRIP				
SUPER RACE SPEEDGRIP				
PERFORMANCE				

WICKED WILL Evolution Line, Folding – HS 614

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
NEW	27.5"	57-584	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.7	max.54	740	67	110	11654266
NEW	27.5"	62-584	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	795	67	115	11654269
	27.5"	62-584	Super Ground	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	795	67	115	11654272
NEW	27.5"	62-584	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	865	67	115	11654274
NEW	27.5"	62-584	Super Race	TLE	E-50	B	ADDIX	Transparent Sidewall	max.3.5	max.50	790	67	115	11654353
NEW	27.5"	65-584	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	845	67	115	11654270
NEW	27.5"	65-584	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	925	67	115	11654276
NEW	29"	57-622	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.7	max.54	780	67	120	11654267
	29"	62-622	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	830	67	125	11654268
	29"	62-622	Super Ground	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	845	67	125	11654306
	29"	62-622	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	920	67	125	11654275
	29"	62-622	Super Race	TLE	E-50	B	ADDIX	Transparent Sidewall	max.3.5	max.50	820	67	125	11654305
NEW	29"	65-622	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	900	67	115	11654271
NEW	29"	65-622	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	980	67	115	11654277

WICKED WILL Performance Line, Folding – HS 614

NEW	27.5"	57-584	Performance	TLR	E-50	B	ADDIX	Black	max.3.7	max.54	845	67	120	11654280
NEW	27.5"	57-584	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	660	67	120	11654285
NEW	27.5"	62-584	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	890	67	120	11654283
NEW	27.5"	62-584	Performance	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	715	67	120	11654287
NEW	27.5"	65-584	Performance	Tube	E-50	B	ADDIX	Black	max.3.0	max.45	760	67	120	11654289
NEW	29"	57-622	Performance	TLR	E-50	B	ADDIX	Black	max.3.7	max.54	900	67	120	11654281
NEW	29"	57-622	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	705	67	120	11654286
	29"	62-622	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	950	67	120	11654284
	29"	62-622	Performance	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	760	67	120	11654288
NEW	29"	65-622	Performance	Tube	E-50	B	ADDIX	Black	max.3.0	max.45	810	67	120	11654290

NOBBY NIC

The all-rounder (for trail, all mountain and enduro bikes).

- Works in any weather and on any terrain
- Perfect for long distance MTB tours with optimal ratio between grip, weight, rolling resistance and durability
- Available in many sizes and different price ranges



BEST USE AM | TRAIL | XC

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER TRAIL SPEEDGRIP	██████████	██████████	██████████	██████████
SUPER GROUND SPEEDGRIP	██████████	██████████	██████████	██████████
SUPER RACE SPEEDGRIP	██████████	██████████	██████████	██████████
SUPER TRAIL SOFT	██████████	██████████	██████████	██████████
SUPER GROUND SOFT	██████████	██████████	██████████	██████████
DD, RACEGUARD	██████████	██████████	██████████	██████████
PERFORMANCE	██████████	██████████	██████████	██████████



MTB

NOBBY NIC Evolution Line, Folding – HS 602

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
	26"	57-559	26x2.25	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.7	max.54	720	67	110	11654105
	26"	62-559	26x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	775	67	115	11654108.01
	26"	62-559	26x2.40	Super Ground	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	775	67	115	11654383
	27.5"	57-584	27.5x2.25	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.7	max.54	753	67	110	11654106
	27.5"	62-584	27.5x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	920	67	115	11654144.01
	27.5"	62-584	27.5x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	920	67	115	11654141.01
	27.5"	62-584	27.5x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	812	67	115	11654109.01
	27.5"	62-584	27.5x2.40	Super Ground	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	812	67	115	11654206.01
	27.5"	65-584	27.5x2.60	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	1020	67	115	11654114
	27.5"	70-584	27.5x2.80	Super Trail	TLE	E-50	B	ADDIX	Black	max.2.6	max.38	1120	67	120	11654116
	29"	57-622	29x2.25	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.7	max.54	810	67	120	11654107
	29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	980	67	125	11654142.01
	29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	980	67	125	11654145.01
	29"	62-622	29x2.40	Super Ground	TLE	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	850	67	125	11654322
	29"	62-622	29x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	850	67	125	11654143.01
	29"	62-622	29x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	850	67	115	11654314
	29"	62-622	29x2.40	Super Race	TLE	E-50	B	ADDIX	Transparent Sidewall	max.3.5	max.50	850	67	125	11654372
	29"	65-622	29x2.60	Super Trail	TLE	E-50	B	ADDIX	Black	max.3.0	max.45	1080	67	115	11654115

NOBBY NIC Performance Line, Folding – HS 602

	26"	57-559	26x2.25	Performance	TLR	E-50	B	ADDIX	Black	max.3.7	max.54	805	67	110	11654127
	26"	62-559	26x2.40	DD, RaceGuard	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	855	67	121	11654124.01
	26"	62-559	26x2.40	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	870	67	115	11654130.01
	27.5"	57-584	27.5x2.25	Performance	TLR	E-50	B	ADDIX	Black	max.3.7	max.54	840	67	110	11654128
	27.5"	57-584	27.5x2.25	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	675	67	110	11654117
	27.5"	62-584	27.5x2.40	DD, RaceGuard	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	905	67	121	11654125.01
	27.5"	62-584	27.5x2.40	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	910	67	115	11654131.01
	27.5"	62-584	27.5x2.40	Performance	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	740	67	115	11654119.01
	27.5"	65-584	27.5x2.60	Performance	Tube	E-50	B	ADDIX	Black	max.3.0	max.45	850	67	115	11654121
	27.5"	70-584	27.5x2.80	DD, RaceGuard	TLE	E-50	B	ADDIX	Black	max.2.6	max.38	1070	67	120	11654192
	27.5"	70-584	27.5x2.80	Performance	Tube	E-50	B	ADDIX	Black	max.2.6	max.38	905	67	120	11654123
	29"	57-622	29x2.25	Performance	TLR	E-50	B	ADDIX	Black	max.3.7	max.54	890	67	120	11654129
	29"	57-622	29x2.25	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	730	67	120	11654118
	29"	62-622	29x2.40	DD, RaceGuard	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	950	67	121	11654126.01
	29"	62-622	29x2.40	Performance	TLR	E-50	B	ADDIX	Black	max.3.5	max.50	960	67	125	11654132.01
	29"	62-622	29x2.40	Performance	Tube	E-50	B	ADDIX	Black	max.3.5	max.50	800	67	125	11654120.01
	29"	62-622	29x2.40	Performance	Tube	E-50	B	ADDIX	Bronze Sidewall	max.3.5	max.50	800	67	125	11654205.01
	29"	65-622	29x2.60	Performance	Tube	E-50	B	ADDIX	Black	max.3.0	max.45	890	67	115	11654122

NOBBY NIC Performance Line, Wired – HS 602

	26"	57-559	26x2.25	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	710	67	110	11159128
	27.5"	57-584	27.5x2.25	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	740	67	110	11159129
	29"	57-622	29x2.25	Performance	Tube	E-50	B	ADDIX	Black	max.3.7	max.54	790	67	120	11159130

RACING RALPH

The XC rear wheel specialist.

- Developed in the XC World Cup series
- Perfect for the rear wheel in combination with Racing Ray
- Excellent rolling resistance and traction



BEST USE XC | MARATHON



	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER GROUND SPEED	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>
SUPER RACE SPEED	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>
PERFORMANCE	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>

RACING RAY

The XC front wheel specialist.

- Developed in the XC World Cup series
- Perfect for the front wheel in combination with Racing Ralph
- Excellent rolling resistance as well as braking and cornering grip



BEST USE XC | MARATHON



	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER GROUND SPEEDGRIP	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>
SUPER RACE SPEED	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>
PERFORMANCE	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>	<div style="width: 80%;"></div>

RACING RALPH Evolution Line, Folding – HS 490

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26"	57-559	26x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	575	67	110	11601127.01
27.5"	57-584	27.5x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	605	67	110	11601115.01
29"	54-622	29x2.10	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	630	67	110	11601128.01
29"	57-622	29x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	655	67	120	11601099.01
29"	57-622	29x2.25	Super Race	TLE		ADDIX	Transparent Sidewall	1.8-3.7	26-54	680	67	120	11654049.01
29"	60-622	29x2.35	Super Ground	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	730	67	125	11654029.01
29"	60-622	29x2.35	Super Race	TLE		ADDIX	Transparent Sidewall	1.6-3.5	23-50	745	67	125	11654053.01

RACING RALPH Performance Line, Folding – HS 490

26"	57-559	26x2.25	Performance	TLR	E-25	ADDIX	Black	1.8-3.7	26-54	660	67	110	11654069
27.5"	57-584	27.5x2.25	Performance	TLR		ADDIX	Black	1.8-3.7	26-54	680	67	110	11601116
29"	57-622	29x2.25	Performance	TLR		ADDIX	Black	1.8-3.7	26-54	735	67	120	11601114

RACING RAY Evolution Line, Folding – HS 489

26"	57-559	26x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	575	67	110	11601129.01
27.5"	57-584	27.5x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	605	67	110	11601113.01
29"	54-622	29x2.10	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	630	67	110	11601130.01
29"	57-622	29x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	655	67	120	11601100.01
29"	57-622	29x2.25	Super Race	TLE		ADDIX	Transparent Sidewall	1.8-3.7	26-54	680	67	120	11654050.01
29"	60-622	29x2.35	Super Ground	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	730	67	125	11654028.01
29"	60-622	29x2.35	Super Race	TLE		ADDIX	Transparent Sidewall	1.6-3.5	23-50	745	67	125	11654052.01

RACING RAY Performance Line, Folding – HS 489

27.5"	57-584	27.5x2.25	Performance	TLR		ADDIX	Black	1.8-3.7	26-54	680	67	110	11601112
29"	57-622	29x2.25	Performance	TLR		ADDIX	Black	1.8-3.7	26-54	735	67	120	11601111

ROCKET RON

The rocket

- XC classic with many World Cup victories and even Olympic gold with Sabine Spitz
- Combines speed and cornering stability at the highest level
- Perfect for the XC race course in mixed conditions



BEST USE XC | MARATHON

	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER GROUND SPEEDGRIP	<div style="width: 80%;"></div>	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>
SUPER GROUND SPEED	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>
SUPER RACE SPEED	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>
PERFORMANCE	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>

THUNDER BURT

Perfect for fast and dry XC tracks.

- Low weight and extremely low rolling resistance
- Fastest Schwalbe MTB tire



BEST USE XC | MARATHON



	ROLLING	GRIP	PROTECTION	DURABILITY
SUPER GROUND SPEED	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>
SUPER RACE SPEED	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>	<div style="width: 90%;"></div>	<div style="width: 95%;"></div>

ROCKET RON Evolution Line, Folding – HS 438

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	20"	57-406	20x2.25	Super Race	TLE		ADDIX	Black	max.3.7	max.54	435	67	115	11654016.01
	24"	60-507	24x2.35	Super Race	TLE		ADDIX	Black	max.3.5	max.50	590	67	90	11654015.01
	26"	57-559	26x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	575	67	110	11600621.03
	26"	60-559	26x2.35	Super Race	TLE		ADDIX	Black	max.3.5	max.50	670	67	115	11654014.01
	27.5"	54-584	27.5x2.10	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	560	67	100	11600554.03
	27.5"	57-584	27.5x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	600	67	110	11601017.01
NEW	27.5"	57-584	27.5x2.25	Super Race	TLE		ADDIX	Black	1.8-3.7	26-54	605	67	110	11654362
	27.5"	65-584	27.5x2.60	Super Ground	TLE	E-25	ADDIX	Black	1.5-3.0	20-45	770	67	115	11600891.02
	27.5"	70-584	27.5x2.80	Super Ground	TLE	E-25	ADDIX	Black	1.2-2.6	17-38	820	67	120	11600826.02
	29"	54-622	29x2.10	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	595	67	110	11600553.03
	29"	54-622	29x2.10	Super Race	TLE		ADDIX	Black	2.0-4.0	30-55	595	67	110	11600384.03
	29"	57-622	29x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	645	67	120	11601018.01
	29"	57-622	29x2.25	Super Race	TLE		ADDIX	Black	1.8-3.7	26-54	630	67	120	11600385.03
NEW	29"	60-622	29x2.35	Super Race	TLE		ADDIX	Black	1.6-3.5	23-50	780	67	125	11654363

ROCKET RON Performance Line, Folding – HS 438

	24"	54-507	24x2.10	Performance	Tube	E-25	ADDIX	Black	2.0-4.0	30-55	435	67	90	11600506.02
	26"	54-559	26x2.10	Performance	Tube	E-25	ADDIX	Black	2.0-4.0	30-55	480	67	100	11600387.02
	26"	57-559	26x2.25	Performance	TLR	E-25	ADDIX	Black	1.8-3.7	26-54	640	67	110	11601042
	27.5"	57-584	27.5x2.25	Performance	TLR	E-25	ADDIX	Black	1.8-3.7	26-54	670	67	110	11601043
	29"	54-622	29x2.10	Performance	Tube	E-25	ADDIX	Black	2.0-4.0	30-55	535	67	110	11600389.02
	29"	57-622	29x2.25	Performance	TLR	E-25	ADDIX	Black	1.8-3.7	26-54	710	67	120	11601044

THUNDER BURT Evolution Line, Folding – HS 451

	27.5"	54-584	27.5x2.10	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	510	67	100	11600623.03
	29"	54-622	29x2.10	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	550	67	110	11600562.03
	29"	54-622	29x2.10	Super Race	TLE		ADDIX	Transparent Sidewall	2.0-4.0	30-55	545	67	110	11600510.03
	29"	57-622	29x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	615	67	120	11600657.02
	29"	57-622	29x2.25	Super Race	TLE		ADDIX	Transparent Sidewall	1.8-3.7	26-54	645	67	120	11654146
	29"	60-622	29x2.35	Super Ground	TLE	E-25	ADDIX	Black	1.6-3.5	23-50	745	67	120	11654235
	29"	60-622	29x2.35	Super Race	TLE		ADDIX	Transparent Sidewall	1.6-3.5	23-50	730	67	120	11654234

SMART SAM

The all-rounder for off-road and on-road

- Works well both on and off road
- Optimal grip in moderate terrain



DD, RaceGuard Version

	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY*
DD, RACEGUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■
RACEGUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■
PERFORMANCE	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■

BEST USE SUV | ATB

*Ratings comparable to Touring-/SUV segments.

SMART SAM Performance Line, Wired – HS 476

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	20"	60-406	20x2.35	Performance	Tube		ADDIX	Black	1.6-3.5	23-50	580	67	90	11101336
	24"	54-507	24x2.10	Performance	Tube		ADDIX	Black	2.0-4.0	30-55	550	67	100	11101229.01
	24"	60-507	24x2.35	Performance	Tube		ADDIX	Black	1.6-3.5	23-50	710	67	90	11101337
	26"	54-559	26x2.10	RaceGuard	Tube		ADDIX	Black-Reflex	2.0-4.0	30-55	680	67	100	11101179.01
	26"	54-559	26x2.10	Performance	Tube		ADDIX	Black	2.0-4.0	30-55	645	67	100	11101178.01
	26"	57-559	26x2.25	Performance	Tube		ADDIX	Black	1.8-3.7	26-54	765	67	110	11101181.01
	26"	57-559	26x2.25	Performance	Tube		ADDIX	White Stripes	1.8-3.7	26-54	765	67	110	11101182.01
	27.5"	57-584	27.5x2.25	Performance	Tube		ADDIX	Black	1.8-3.7	26-54	740	67	110	11101147.01
	27.5"	57-584	27.5x2.25	Performance	Tube		ADDIX	Bronze Sidewall	1.8-3.7	26-54	755	67	110	11159349
	27.5"	60-584	27.5x2.35	Performance	Tube	E-50	ADDIX	Black	1.6-3.5	23-50	805	67	115	11159103
	27.5"	65-584	27.5x2.60	Performance	Tube		ADDIX	Black	1.5-3.0	20-45	850	67	115	11101154.01
	28"	37-622	28x1.40, 700x35C	Performance	Tube		ADDIX	Black-Reflex	3.5-6.0	50-85	475	67	100	11101137.01
	28"	37-622	28x1.40, 700x35C	Performance	Tube		ADDIX	Black	3.5-6.0	50-85	475	67	100	11101134.02
	28"	42-622	28x1.60, 700x40C	Performance	Tube		ADDIX	Black-Reflex	3.5-6.0	50-85	555	67	110	11101138.01
	28"	42-622	28x1.60, 700x40C	Performance	Tube		ADDIX	Black	3.5-6.0	50-85	555	67	110	11101135.02
	28"	44-622	28x1.65	Performance	Tube		ADDIX	Black-Reflex	3.0-5.0	45-70	590	67	110	11101151.01
	28"	44-622	28x1.65	Performance	Tube		ADDIX	Black	3.0-5.0	45-70	590	67	110	11101150.02
NEW	28"	47-622	28x1.75	Performance	Tube	E-50	ADDIX	Black-Reflex	3.0-5.0	45-70	650	67	110	11159251
	28"	47-622	28x1.75	Performance	Tube	E-50	ADDIX	Black	3.0-5.0	45-70	650	67	110	11101136.02
	29"	54-622	29x2.10	Performance	Tube		ADDIX	Black	2.0-4.0	30-55	730	67	110	11101139.01
	29"	57-622	29x2.25	Performance	Tube		ADDIX	Black	1.8-3.7	26-54	810	67	120	11101142.01
	29"	57-622	29x2.25	Performance	Tube		ADDIX	Bronze Sidewall	1.8-3.7	26-54	825	67	120	11159350
	29"	60-622	29x2.35	Performance	Tube	E-50	ADDIX	Black	1.6-3.5	23-50	860	67	125	11159102
	29"	65-622	29x2.60	Performance	Tube		ADDIX	Black	1.5-3.0	20-45	920	67	115	11159037

SMART SAM PLUS

The all-rounder for moderate terrain and road

- Excellent for E-MTB
- Additionally high level puncture protection
- Good rolling characteristics on hard surfaces



MTB

BEST USE SUV | ATB



*Ratings comparable to Touring-/SUV segments.

SMART SAM Performance Line, Folding – HS 476

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26"	54-559	26x2.10	Performance	Tube			ADDIX	Black	2.0-4.0	30-55	560	67	100	11600916.01
26"	57-559	26x2.25	Performance	Tube			ADDIX	Black	1.8-3.7	26-54	625	67	110	11600917.01
27.5"	65-584	27.5x2.60	DD, RaceGuard	Tube	E-50	35B	ADDIX	Black	1.5-3.0	20-45	970	67	121	11600984.01
27.5"	65-584	27.5x2.60	DD, RaceGuard	Tube	E-50	B	ADDIX	Bronze Sidewall	1.5-3.0	20-45	985	67	121	11654384
27.5"	70-584	27.5x2.80	Performance	Tube			ADDIX	Black	1.2-2.6	17-38	900	67	120	11601080
29"	65-622	29x2.60	DD, RaceGuard	Tube	E-50	B	ADDIX	Black	1.5-3.0	20-45	1050	67	121	11654096
29"	65-622	29x2.60	DD, RaceGuard	Tube	E-50	B	ADDIX	Bronze Sidewall	1.5-3.0	20-45	1065	67	121	11654385

SMART SAM PLUS Performance Line, Wired – HS 476

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	20"	60-406	DD, GreenGuard	Tube	E-50	33B	ADDIX	Black-Reflex	1.6-3.5	23-50	760	67	115	11159276.01	
	26"	54-559	DD, GreenGuard	Tube	E-25		ADDIX	Black	2.0-4.0	30-55	895	67	100	11101177.01	
	26"	57-559	DD, GreenGuard	Tube	E-50	35B	ADDIX	Black	1.8-3.7	26-54	980	67	121	11101180.01	
	27.5"	57-584	DD, GreenGuard	Tube	E-50	35B	ADDIX	Black	1.8-3.7	26-54	1025	67	121	11101148.01	
	28"	42-622	28x1.60, 700x40C	DD, GreenGuard	Tube	E-25	ADDIX	Black	3.5-6.0	50-85	835	67	110	11101183.02	
	28"	47-622	28x1.75	DD, GreenGuard	Tube	E-50	B	ADDIX	Black	3.0-5.0	45-70	905	67	121	11159076.01
	29"	54-622	29x2.10	DD, GreenGuard	Tube	E-50	35B	ADDIX	Black	2.0-4.0	30-55	965	67	121	11101143.01
	29"	57-622	29x2.25	DD, GreenGuard	Tube	E-50	35B	ADDIX	Black	1.8-3.7	26-54	1090	67	121	11101152.01

HURRICANE

The all-rounder for light terrain

- Perfect for All Terrain: fast on the road and sufficient grip on gravel roads and light terrain
- Available with different levels of puncture protection



DD, RaceGuard Version

BEST USE SUV | ATB

	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY*
DD, GREENGUARD	1	2	3	4	5	6	7				
DD, RACEGUARD	1	2	3	4	5	6	7				
RACEGUARD	1	2	3	4	5	6	7				
PERFORMANCE	1	2	3	4	5	6	7				

*Ratings comparable to Touring-/SUV segments.

HURRICANE Performance Line, Wired – HS 499

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
26"	54-559	26x2.10	RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.5	30-65	620	67	105	11159052
27.5"	50-584	27.5x2.00	DD, GreenGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.5	30-65	830	67	105	11159183
27.5"	50-584	27.5x2.00	Performance	Tube	E-50	B	ADDIX	Black	2.0-4.5	30-65	610	67	105	11159182
27.5"	57-584	27.5x2.25	RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.8-3.7	26-54	735	67	110	11159064
27.5"	57-584	27.5x2.25	Performance	Tube	E-50	B	ADDIX	Black	1.8-3.7	26-54	690	67	110	11159051
27.5"	62-584	27.5x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.6-3.5	23-50	885	67	115	11159071
28"	42-622	28x1.60	RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	3.5-6.0	50-85	585	67	105	11159066
28"	42-622	28x1.60	Performance	Tube	E-50	B	ADDIX	Black	3.5-6.0	50-85	555	67	105	11159054
29"	50-622	29x2.00	DD, GreenGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.5	30-65	885	67	105	11159184
29"	50-622	29x2.00	Performance	Tube	E-50	B	ADDIX	Black	2.0-4.5	30-65	650	67	105	11159185
29"	57-622	29x2.25	RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.0	30-55	785	67	105	11159065
29"	57-622	29x2.25	Performance	Tube	E-50	B	ADDIX	Black	2.0-4.0	30-55	740	67	105	11159048
29"	62-622	29x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.6-3.5	23-50	940	67	125	11159072

AL MIGHTY

Fat bike tire for the most extreme conditions.

- Optimized tread for deep mud and snow
- Extremely stable braking and traction edges in the middle area
- Long leading edges in transition and shoulder areas for more controlled steering response
- Tires available with studs or with spike ready blocks

NEW!



MTB

BEST USE FAT BIKE




JUMBO JIM

Our first fat bike tire

- Extremely lightweight
- Also available in a low-priced performance variant



BEST USE FAT BIKE



AL MIGHTY Evolution Line, Folding – HS 613

ETRTO	SIZE	VERSION	SEAL	E-BIKE	SPIKES	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26" 120-559	26x4.80	Super Ground	TLE	E-25		ADDIX	Black	max.2.0	max.30	1700	67	120	11654264
26" 120-559	26x4.80	Super Ground	TLE	E-25	328	ADDIX	Black	max.2.0	max.30	1770	67	120	11654265

JUMBO JIM Evolution Line, Folding – HS 466

26" 100-559	26x4.00	Super Ground	TLE	E-25		ADDIX	Black	0.4-2.0	5-30	1090	127	120	11600715.02
26" 110-559	26x4.40	Super Ground	TLE	E-25		ADDIX	Black	0.4-2.0	5-30	1230	127	120	11600815.02
26" 120-559	26x4.80	Super Ground	TLE	E-25		ADDIX	Black	0.4-2.0	5-30	1290	127	120	11600717.02

JUMBO JIM Performance Line, Folding – HS 466

26" 100-559	26x4.00	Performance	Tube			ADDIX	Black	0.4-2.0	5-30	1050	67	120	11601021
-------------	---------	-------------	------	--	--	-------	-------	---------	------	------	----	-----	----------

BLACK JACK

Ideal for classic mountain bikes as well as children's and youth bikes.

- Off-road look and versatile tread.

BEST USE ATB



RAPID ROB

XC tires for beginners

BEST USE XC



TOUGH TOM

Entry level tire for rougher trails

BEST USE XC | TRAIL | ALL MOUNTAIN



BLACK JACK Active Line, Wired – HS 407

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	12"	47-203	12x1.90	K-Guard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	260	50	50	11100043.03
	16"	47-305	16x1.90	K-Guard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	360	50	55	11100065.02
	18"	47-355	18x1.90	K-Guard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	420	50	65	11100066.02
	20"	47-406	20x1.90	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	450	50	65	11116407.02
	24"	47-507	24x1.90	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	560	50	70	11125407.02
	24"	54-507	24x2.10	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	670	50	100	11126417.02
	26"	47-559	26x1.90	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	605	50	85	11131407.02
	26"	50-559	26x2.00	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	640	50	90	11132397.02
	26"	54-559	26x2.10	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	740	50	100	11132417.02
	26"	57-559	26x2.25	K-Guard	Tube		SBC	Black	2.0-4.0	30-55	820	50	110	11133427.02

RAPID ROB Active Line, Wired – HS 425

	26"	54-559	26x2.10	K-Guard	Tube		SBC	Black	2.0-4.0	30-55	650	50	100	11101391
	26"	57-559	26x2.25	K-Guard	Tube		SBC	Black	1.8-3.7	26-54	720	50	110	11101392
	26"	57-559	26x2.25	K-Guard	Tube		SBC	White Stripes	1.8-3.7	26-54	720	50	110	11101393
	27.5"	54-584	27.5x2.10	K-Guard	Tube		SBC	Black	2.0-4.0	30-55	680	50	100	11101394
	27.5"	57-584	27.5x2.25	K-Guard	Tube		SBC	Black	1.8-3.7	26-54	750	50	110	11101395
	27.5"	57-584	27.5x2.25	K-Guard	Tube		SBC	White Stripes	1.8-3.7	26-54	750	50	110	11101396
	29"	54-622	29x2.10	K-Guard	Tube		SBC	Black	2.0-4.0	30-55	725	50	110	11101397
	29"	57-622	29x2.25	K-Guard	Tube		SBC	Black	1.8-3.7	26-54	790	50	120	11101398
	29"	57-622	29x2.25	K-Guard	Tube		SBC	White Stripes	1.8-3.7	26-54	790	50	120	11101399

TOUGH TOM Active Line, Wired – HS 463


	26"	54-559	26x2.10	K-Guard	Tube		SBC	Black	2.0-4.0	30-55	650	50	100	11159159
	26"	57-559	26x2.25	K-Guard	Tube		SBC	Black	1.8-3.7	26-54	700	50	110	11159160
	26"	60-559	26x2.35	K-Guard	Tube		SBC	Black	1.6-3.5	23-50	745	50	115	11159167
	27.5"	57-584	27.5x2.25	K-Guard	Tube		SBC	Black	1.8-3.7	26-54	730	50	110	11159161
	27.5"	60-584	27.5x2.35	K-Guard	Tube		SBC	Black	1.6-3.5	23-50	780	50	115	11159166
	27.5"	65-584	27.5x2.60	K-Guard	Tube		SBC	Black	1.5-3.0	20-45	835	50	115	11159169
	27.5"	70-584	27.5x2.80	K-Guard	Tube		SBC	Black	1.2-2.6	17-38	875	50	120	11159170
	29"	57-622	29x2.25	K-Guard	Tube		SBC	Black	1.8-3.7	26-54	780	50	120	11159163
	29"	60-622	29x2.35	K-Guard	Tube		SBC	Black	1.6-3.5	23-50	830	50	125	11159168
	29"	65-622	29x2.60	K-Guard	Tube		SBC	Black	1.5-3.0	20-45	890	50	115	11159171

CX COMP

Entry level all terrain tire



BEST USE ATB




BILLY BONKERS

The tire for pump track, dirt jump and slopestyle.

- Extremely light and very fast
- Perfect for many jumps
- Small blocks for optimal micro-serration on loose surfaces



BEST USE DIRT JUMP



CX COMP Active Line, Wired – HS 369

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	20"	47-406	20x1.75	K-Guard	Tube		SBC	Black-Reflex	2.0-4.5	30-65	425	50	65	11100125.02
	24"	47-507	24x1.75	K-Guard	Tube		SBC	Black-Reflex	2.0-4.5	30-65	525	50	70	11100126.01
	26"	50-559	26x2.00	K-Guard	Tube		SBC	Black-Reflex	2.0-4.5	30-65	620	50	90	11139979.01
	26"	50-559	26x2.00	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	620	50	90	11139369.02
	28"	30-622	28x1.20, 700x30C	K-Guard	Tube		SBC	Black	3.0-5.5	45-80	430	50	55	11148969.02
	28"	35-622	28x1.35, 700x35C	K-Guard	Tube		SBC	Black-Reflex	2.5-4.5	35-65	480	50	60	11149979.01
	28"	35-622	28x1.35, 700x35C	K-Guard	Tube		SBC	Black	2.5-4.5	35-65	480	50	60	11149369.02
	28"	40-622	28x1.50, 700x38C	K-Guard	Tube		SBC	Black-Reflex	2.5-4.5	35-65	550	50	80	11150368.01
	28"	40-622	28x1.50, 700x38C	K-Guard	Tube		SBC	Black	2.5-4.5	35-65	550	50	80	11150369.02

BILLY BONKERS Performance Line, Folding – HS 600

	18"	50-355	18x2.00	Performance	Tube			Black	max.4.0	max.55	300	67	100	11654198
	18"	50-355	18x2.00	Performance	Tube			Bronze Sidewall	max.4.0	max.55	300	67	100	11654375
	20"	50-406	20x2.00	Performance	Tube			Bronze Sidewall	2.0-5.5	30-80	355	67	100	11654376
	24"	50-507	24x2.00	Performance	Tube			Bronze Sidewall	2.0-5.5	30-80	440	67	100	11654377
	26"	54-559	26x2.10	Performance	Tube			Black	2.0-5.5	30-80	490	67	100	11654030
	26"	54-559	26x2.10	Performance	Tube			Bronze Sidewall	2.0-5.5	30-80	500	67	100	11654378
NEW	26"	57-559	26x2.25	Performance	Tube			Black	2.0-4.0	30-55	615	67	100	11654386

BILLY BONKERS Performance Line, Wired – HS 600

	16"	50-305	16x2.00	Performance	Tube			Black	max.4.0	max.55	300	67	70	11159335
--	-----	--------	---------	-------------	------	--	--	-------	---------	--------	-----	----	----	----------

BILLY BONKERS Active Line, Wired – HS 600

	26"	54-559	26x2.10	K-Guard	Tube		SBC	Bronze Sidewall	2.0-5.5	30-80	620	50	100	11159348
	26"	57-559	26x2.25	K-Guard	Tube		SBC	Bronze Sidewall	2.0-4.0	30-55	685	50	100	11159351



BEST USE

	USE	URBAN-SUV	ALL-ROAD-SUV	OFF-ROAD-SUV
TIRE				
SMART SAM			██████████	██████████
MARATHON PLUS MTB			██████████	██████████
JOHNNY WATTS		████	██████████	██████████
AL GROUNDER		██████████	██████████	████
HURRICANE		████	██████████	████
G-ONE ALLROUND		████	██████████	
SUPER MOTO-X		██████████	██████████	
SUPER MOTO		██████████	████	



SUV



Tires for a bike that can and could do anything, over long distances with maximum comfort, safety and sporty handling, whether on asphalt or off-road.

Schwalbe was the first manufacturer to develop SUV-specific tires and bring Marathon puncture resistance off-road.

A particularly important distinction for all E-SUV bikes.

JOHNNY WATTS

The first real SUV tire

- Very good puncture protection and very durable due to low wear compound
- Super grip in (moderate) terrain, very good and quiet rolling on asphalt
- High durability thanks to large and closely arranged tread blocks



	URBAN-SUV			ALL-ROAD-SUV			OFF-ROAD-SUV				
BEST USE	[Progressive bar]			[Progressive bar]			[Progressive bar]				
	SCHWALBE PROTECTION			ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY				
DD, RACEGUARD	1	2	3	4	5	6	7	[Progressive bar]	[Progressive bar]	[Progressive bar]	[Progressive bar]
DD, GREENGUARD	1	2	3	4	5	6	7	[Progressive bar]	[Progressive bar]	[Progressive bar]	[Progressive bar]

JOHNNY WATTS Performance Line, Folding – HS 604

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
NEW	27.5"	60-584	DD, RaceGuard	Tube	E-50	B	ADDIX	Black	1.6-3.5	23-50	940	67	120	11654092
NEW	27.5"	65-584	DD, RaceGuard	Tube	E-50	B	ADDIX	Black	1.2-2.6	17-38	1020	67	120	11654091
NEW	27.5"	70-584	DD, RaceGuard	Tube	E-25		ADDIX	Black	1.2-2.6	17-38	1170	67	120	11654093
NEW	29"	60-622	DD, RaceGuard	Tube	E-50	B	ADDIX	Black	1.6-3.5	23-50	1010	67	125	11654094
NEW	29"	65-622	DD, RaceGuard	Tube	E-50	B	ADDIX	Black	1.2-2.6	17-38	1095	67	120	11654095

JOHNNY WATTS Performance Line, Wired – HS 604

NEW	27.5"	60-584	DD, GreenGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.6-3.5	23-50	1195	67	120	11159431
NEW	27.5"	65-584	DD, GreenGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.2-2.6	17-38	1310	67	120	11159433
NEW	27.5"	70-584	DD, GreenGuard	Tube	E-25		ADDIX	Black-Reflex	1.2-2.6	17-38	1490	67	120	11159435
NEW	29"	60-622	DD, GreenGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.6-3.5	23-50	1270	67	125	11159432
NEW	29"	65-622	DD, GreenGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.2-2.6	17-38	1395	67	120	11159434


SMART SAM

The all-rounder for off-road and on-road

More on page 50



SCHWALBE PROTECTION						
1	2	3	4	5	6	7



MARATHON PLUS MTB

The Flat-less tire for mountain biking

More on page 21



SCHWALBE PROTECTION						
1	2	3	4	5	6	7



HURRICANE

The all-rounder for light terrain

More on page 52



SCHWALBE PROTECTION						
1	2	3	4	5	6	7



SMART SAM Performance Line, Folding – HS 476

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
	27.5"	65-584	27.5x2.60	DD, RaceGuard	Tube	E-50	35B	ADDIX	Black	1.5-3.0	20-45	970	67	121	11600984.01
	27.5"	65-584	27.5x2.60	DD, RaceGuard	Tube	E-50	B	ADDIX	Bronze Sidewall	1.5-3.0	20-45	985	67	121	11654384
	29"	65-622	29x2.60	DD, RaceGuard	Tube	E-50	B	ADDIX	Black	1.5-3.0	20-45	1050	67	121	11654096
	29"	65-622	29x2.60	DD, RaceGuard	Tube	E-50	B	ADDIX	Bronze Sidewall	1.5-3.0	20-45	1065	67	121	11654385

SMART SAM Performance Line, Wired – HS 476

	27.5"	60-584	27.5x2.35	Performance	Tube	E-50	B	ADDIX	Black	1.6-3.5	23-50	805	67	115	11159103
	29"	60-622	29x2.35	Performance	Tube	E-50	B	ADDIX	Black	1.6-3.5	23-50	860	67	125	11159102

MARATHON PLUS MTB Performance Line, Wired – HS 468

	27.5"	57-584	27.5x2.25	SmartGuard	Tube	E-50	36B	ADDIX	Black-Reflex	2.0-4.0	30-55	1270	67	125	11101213
NEW	27.5"	60-584	27.5x2.35	Smart DualGuard	Tube	E-50	39B	ADDIX	Black-Reflex	1.8-3.7	26-54	1290	67	136	11159414
	29"	57-622	29x2.25	SmartGuard	Tube	E-50	38B	ADDIX	Black-Reflex	2.0-4.0	30-55	1350	67	132	11101334
NEW	29"	60-622	29x2.35	Smart DualGuard	Tube	E-50	40B	ADDIX	Black-Reflex	1.8-3.7	26-54	1390	67	140	11159415


HURRICANE Performance Line, Wired – HS 499

	27.5"	62-584	27.5x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.6-3.5	23-50	885	67	115	11159071
	29"	62-622	29x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	1.6-3.5	23-50	940	67	125	11159072

AL GROUNDER

Crossover for E-SUV and touring bikes

- As an all-rounder, masters both on-and off-road adventures
- Cool tread design with the look of a classic scrambler motorcycle tire
- Runs light-footed on asphalt while offering safety on loose surfaces



AL GROUNDER Performance Line, Wired – HS 611

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5" 60-584	27.5x2.35	DD, RaceGuard	Tube	E-50	39B	ADDIX	Black-Reflex	1.8-3.7	26-54	1020	67	136	11159272
27.5" 65-584	27.5x2.60	DD, RaceGuard	Tube	E-50	40B	ADDIX	Black-Reflex	1.6-3.5	23-50	1150	67	140	11159274
29" 60-622	29x2.35	DD, RaceGuard	Tube	E-50	40B	ADDIX	Black-Reflex	1.8-3.7	26-54	1090	67	140	11159273

SCHWALBE G-ONE ALLROUND

Our classic

More on page 68



SCHWALBE PROTECTION						
1	2	3	4	5	6	7

	URBAN-SUV	ALL-ROAD-SUV	OFF-ROAD-SUV
BEST USE			



SUPER MOTO-X

The Balloon E-Bike-Tire

More on page 30



SCHWALBE PROTECTION						
1	2	3	4	5	6	7

	URBAN-SUV	ALL-ROAD-SUV	OFF-ROAD-SUV
BEST USE			



SUPER MOTO

The eye-catcher for the e-bike

More on page 30



SCHWALBE PROTECTION						
1	2	3	4	5	6	7

	URBAN-SUV	ALL-ROAD-SUV	OFF-ROAD-SUV
BEST USE			



SCHWALBE G-ONE ALLROUND Evolution Line, Folding – HS 473

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5"	57-584	27.5x2.25, 650Bx57	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	650	67	110	11600954.02

SCHWALBE G-ONE ALLROUND Performance Line, Folding – HS 473

27.5"	57-584	27.5x2.25, 650Bx57	DD, RaceGuard	TLE	E-25	ADDIX	Black-Reflex	1.8-3.7	26-54	725	67	110	11654063.01
27.5"	70-584	27.5x2.80, 650Bx70	DD, RaceGuard	TLE	E-25	ADDIX	Black	1.5-3.0	20-45	845	67	150	11600953.01
29"	57-622	29x2.25	DD, RaceGuard	TLE	E-25	ADDIX	Black-Reflex	1.8-3.7	26-54	760	67	120	11654064.01

SUPER MOTO-X Performance Line, Wired – HS 439

27.5"	62-584	27.5x2.40	DD, GreenGuard	Tube	E-50	41B	ADDIX	Black-Reflex	2.0-4.0	30-55	1125	67	145	11101112.01
27.5"	62-584	27.5x2.40	DD, GreenGuard	Tube	E-50	41B	ADDIX	Black	2.0-4.0	30-55	1125	67	145	11100726.01
27.5"	70-584	27.5x2.80	DD, RaceGuard	Tube	E-50	43B	ADDIX	Black	1.5-3.0	20-45	980	67	155	11101108

SUPER MOTO Performance Line, Wired – HS 605

27.5"	62-584	27.5x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.0	30-55	1185	67	145	11159141
28"	62-622	28x2.40	DD, RaceGuard	Tube	E-50	B	ADDIX	Black-Reflex	2.0-4.0	30-55	1285	67	150	11159148

GRAVEL CROSS



Schwalbe's decades of experience from road bike and MTB tire development combines in the Schwalbe G-One Gravel tire line. Right off the bat, Amity Rockwell won the unofficial world championship, the Unbound in the USA, on the G-One Allround in 2019. The different variants of Schwalbe Gravel tires leave nothing to be desired, whether for adventurers, bike travelers or lactate junkies. Each and everyone will find the most suitable gravel tire for them.

GRAVEL – BEST USE

VERSION	SURFACE	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD
G-ONE SPEED		██████████	██████████			
G-ONE ALLROUND		██████████	██████████	██████████		
NEW G-ONE OVERLAND		██████████	██████████	██████████	██████████	
G-ONE BITE			██████████	██████████	██████████	
G-ONE ULTRABITE			██████████	██████████	██████████	██████████
G-ONE R		██████████	██████████	██████████	██████████	
NEW G-ONE RS		██████████	██████████	██████████		

CROSS – BEST USE

VERSION	SURFACE	TARMAC	TRAIL DRY	TRAIL WET	MUD
X-ONE SPEED		██████████	██████████		
X-ONE ALLROUND		██████████	██████████	██████████	
X-ONE BITE			██████████	██████████	██████████
CX PRO			██████████	██████████	



SCHWALBE
G-ONE
RS

SCHWALBE
G-ONE
R



	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD
BEST USE	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	DURABILITY	SOUPLESSE
SUPER RACE V-GUARD	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

SCHWALBE G-ONE RS Evolution Line, Folding - HS 621

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
NEW	28"	35-622	28x1.35, 700x35C	Super Race, V-Guard	TLE		<i>ADDIX^{RACE}</i>	Transparent	max.4.5	max.65	410	67	75 kg	11654395
NEW	28"	40-622	28x1.50, 700x40C	Super Race, V-Guard	TLE		<i>ADDIX^{RACE}</i>	Transparent	max.4.5	max.65	445	67	70 kg	11654390
NEW	28"	45-622	28x1.70, 700x45C	Super Race, V-Guard	TLE		<i>ADDIX^{RACE}</i>	Transparent	max.4.0	max.55	505	67	70 kg	11654396

**Souplesse**


- Represents suppleness and ease of gravel and road cycling
- Describes the ideal feedback from the ground to the rider

SCHWALBE G-ONE RS**Race-oriented semi-slick race tire**

- Lowest rolling resistance in the G-One range
- Maximum efficiency on light terrain, hard surfaces and asphalt
- Braking and traction edges for front wheel and rear wheel thanks to scale-like tread pattern
- Souplesse construction for smooth ride + high puncture protection under tough racing conditions

NEW!**SCHWALBE G-ONE R****The race gravel tire**

- Used for: light terrain, gravel roads and asphalt
- Combines souplesse, speed and control at the highest level
- Smooth Souplesse construction: Low rolling resistance due to Super Race carcass + high puncture protection thanks to V-Guard
- High grip thanks to Boomerang tread pattern and angled side blocks

**SCHWALBE G-ONE R** Evolution Line, Folding - HS 610


	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28"	40-622	28x1.50, 700x40C	Super Race, V-Guard	TLE			<i>ADDIX RACE</i>	Transparent	max.4.5	max.65	480	67	70 kg	11654240
28"	45-622	28x1.70, 700x45C	Super Race, V-Guard	TLE			<i>ADDIX RACE</i>	Transparent	max.4.0	max.55	520	67	70 kg	11654298

SCHWALBE G-ONE OVERLAND

The gravel tire for commuters, adventurers and e-bikers.

- Use: 50% road, 50% off-road
- High durability and good cornering grip due to large and stable blocks
- Especially suitable for e-bikes
- Very smooth on asphalt

NEW!



SCHWALBE G-ONE OVERLAND Evolution Line, Folding – HS 622

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOUR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	28"	40-622	28x1.50, 700x40C	Super Ground	TLE	E-50	B	ADDIX	Black	max.4.5	max.65	515	67	100	11654397
NEW	28"	45-622	28x1.70, 700x45C	Super Ground	TLE	E-50	B	ADDIX	Black	max.4.0	max.55	570	67	100	11654398
NEW	28"	50-622	28x2.00	Super Ground	TLE	E-50	B	ADDIX	Black	max.4.0	max.55	625	67	100	11654399

SCHWALBE G-ONE ULTRABITE

The gravel tire for off-road use.

- Use for: gravel roads, forest paths, trails - even under adverse conditions
- Maximum off-road grip and unparalleled traction, even on wet surfaces



	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD
BEST USE	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	SOUPLESSE
SUPER GROUND	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
RACEGUARD	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

SCHWALBE G-ONE BITE

The gravel tire for off-road and on-road.

- Very well suited for off-road, light trails and shorter road sections
- A reliable choice even in wet conditions
- Favorite of many Schwalbe employees



	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD
BEST USE	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	SOUPLESSE
SUPER GROUND	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
RACEGUARD	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

SCHWALBE G-ONE ULTRABITE Evolution Line, Folding – HS 601

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5"	50-584	27.5x2.00, 650Bx50	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	625	67	100	11654172
28"	40-622	28x1.50, 700x40C	Super Ground	TLE	E-25	ADDIX	Black	max.4.5	max.65	530	67	100	11654035.02
28"	45-622	28x1.70, 700x45C	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	610	67	100	11654171
28"	50-622	28x2.00	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	665	67	100	11654036.02

SCHWALBE G-ONE ULTRABITE Performance Line, Folding – HS 601

NEW	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.5	max.65	535	67	100	11654357
NEW	28"	45-622	28x1.70, 700x45C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.0	max.55	610	67	100	11654360
NEW	28"	50-622	28x2.00	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.0	max.55	665	67	100	11654358

SCHWALBE G-ONE BITE Evolution Line, Folding – HS 487

27.5"	50-584	27.5x2.00, 650Bx50	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	535	67	100	11654173
27.5"	54-584	27.5x2.10, 650Bx54	Super Ground	TLE	E-25	ADDIX	Black	2.0-4.0	30-55	615	67	110	11601057.01
28"	40-622	28x1.50, 700x40C	Super Ground	TLE	E-25	ADDIX	Black	max.4.5	max.65	480	67	100	11601003.02
28"	45-622	28x1.70, 700x45C	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	540	67	100	11654134
28"	50-622	28x2.00	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	565	67	100	11601098.01

SCHWALBE G-ONE BITE Performance Line, Folding – HS 487

NEW	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.5	max.65	485	67	70	11654356
NEW	28"	45-622	28x1.70, 700x45C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.0	max.55	550	67	100	11654337

SCHWALBE G-ONE ALLROUND

Our classic

- All-rounder for many applications
- Perfect blend of low rolling resistance on hard terrain and grip off-road
- Amity Rockwell won the Unbound Gravel 2019" (formerly Dirty Kanza) with the G-One Allround!"



	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD	
BEST USE	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	
	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	DURABILITY	SOUPLESSE
SUPER GROUND	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■
DD, RACEGUARD	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■
RACEGUARD	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

SCHWALBE G-ONE ALLROUND Evolution Line, Folding – HS 473

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	27.5"	40-584	27.5x1.50, 650Bx40	Super Ground	TLE	E-25	ADDIX	Black	max.4.5	max.65	450	67	100	11600792.02
	27.5"	57-584	27.5x2.25, 650Bx57	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	650	67	110	11600954.02
	28"	35-622	28x1.35, 700x35C	Super Ground	TLE	E-25	ADDIX	Black	max.4.5	max.65	420	67	75	11600764.02
	28"	40-622	28x1.50, 700x40C	Super Ground	TLE	E-25	ADDIX	Black	max.4.5	max.65	480	67	100	11600766.02
	28"	45-622	28x1.70, 700x45C	Super Ground	TLE	E-25	ADDIX	Black	max.4.0	max.55	540	67	100	11654170
	29"	57-622	29x2.25	Super Ground	TLE	E-25	ADDIX	Black	1.8-3.7	26-54	685	67	120	11600955.01

SCHWALBE G-ONE ALLROUND Performance Line, Folding – HS 473

	27.5"	35-584	27.5x1.35, 650Bx35	RaceGuard	TLE	E-25	ADDIX	Black	max.4.5	max.65	395	67	75	11600927.01
	27.5"	57-584	27.5x2.25, 650Bx57	DD, RaceGuard	TLE	E-25	ADDIX	Black-Reflex	1.8-3.7	26-54	725	67	110	11654063.01
	27.5"	70-584	27.5x2.80, 650Bx70	DD, RaceGuard	TLE	E-25	ADDIX	Black	1.5-3.0	20-45	845	67	150	11600953.01
	28"	35-622	28x1.35, 700x35C	RaceGuard	TLE	E-25	ADDIX	Black	max.4.5	max.65	420	67	75	11600774.01
NEW	28"	35-622	28x1.35, 700x35C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.5	max.65	420	67	75	11654211
	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25	ADDIX	Black	max.4.5	max.65	485	67	100	11600775.01
NEW	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.5	max.65	485	67	100	11654339
NEW	28"	45-622	28x1.70, 700x45C	RaceGuard	TLE	E-25	ADDIX	Bronze	max.4.0	max.55	550	67	100	11654359
	29"	57-622	29x2.25	DD, RaceGuard	TLE	E-25	ADDIX	Black-Reflex	1.8-3.7	26-54	760	67	120	11654064.01

SCHWALBE G-ONE SPEED

Guarantor for the highest speed

- Perfect grip on the road
- Provides grip even off the road in dry conditions
- Very low rolling resistance



	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD	
BEST USE						
	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	DURABILITY	SOUPLESSE
SUPER GROUND, V-GUARD						
SUPER GROUND						
RACEGUARD						

SCHWALBE G-ONE SPEED Evolution Line, Folding – HS 472

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	40-406	20x1.50	Super Ground, V-Guard	TLE	E-25		Black	3.5-5.0	50-70	280	67	100	11654018.01
28"	30-622	28x1.20, 700x30C	Super Ground, V-Guard	TLE	E-25		Black	max.5.0	max.70	330	67	75	11600951.01
28"	35-622	28x1.35, 700x35C	Super Ground, V-Guard	TLE	E-25		Black	max.4.5	max.65	425	67	75	11601054.01
28"	40-622	28x1.50, 700x40C	Super Ground, V-Guard	TLE	E-25		Black	max.4.5	max.65	465	67	100	11600995.01
28"	50-622	28x2.00	Super Ground, V-Guard	TLE	E-25		Black	max.4.0	max.55	555	67	100	11600996.01
29"	60-622	29x2.35	Super Ground	TLE	E-25		Black	1.6-3.5	23-50	560	67	125	11600975.01

SCHWALBE G-ONE SPEED Performance Line, Folding – HS 472

NEW	27.5"	30-584	27.5x1.20, 650Bx30	RaceGuard	TLE	E-25		Black	max.5.0	max.70	320	67	75	11600929.01
	27.5"	50-584	27.5x2.00, 650Bx50	RaceGuard	TLE	E-25		Bronze	max.4.0	max.55	515	67	100	11654355

SCHWALBE X-ONE SPEED

Made for speed in cyclocross

- Optimal for dry cyclocross circuits
- Side blocks for more traction on steep gravel climbs
- Smooth running on paved sections and effective in sand



	TARMAC	TRAIL DRY	TRAIL WET	MUD		
BEST USE	[Progressive bar chart showing performance across surfaces]					
	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	DURABILITY	SOUPLESSE
SUPER GROUND	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]
RACEGUARD	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]

SCHWALBE X-ONE ALLROUND

The all-rounder for cyclocross

- Made for all paved or loose surfaces and dry/wet conditions
- The best performer in unpredictable conditions



	TARMAC	TRAIL DRY	TRAIL WET	MUD		
BEST USE	[Progressive bar chart showing performance across surfaces]					
	ROLLING	ROAD GRIP	OFF-ROAD GRIP	PROTECTION	DURABILITY	SOUPLESSE
SUPER GROUND	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]
RACEGUARD	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]	[Bar]

SCHWALBE X-ONE SPEED Evolution Line, Folding – HS 483

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28"	33-622	28x1.30, 700x33C	Super Ground	TLE		ADDIX	Black	2.8-4.8	40-70	380	67	75	11600956.01

SCHWALBE X-ONE SPEED Performance Line, Folding – HS 483

28"	33-622	28x1.30, 700x33C	RaceGuard	TLE		ADDIX	Classic	2.8-4.8	40-70	380	67	75	11600957.01
-----	--------	------------------	-----------	-----	--	--------------	---------	---------	-------	-----	----	----	-------------

SCHWALBE X-ONE ALLROUND Evolution Line, Folding – HS 467

27.5"	33-584	27.5x1.30, 650Bx33	Super Ground	TLE		ADDIX	Black	2.8-4.8	40-70	370	67	75	11600959.01
28"	33-622	28x1.30, 700x33C	Super Ground	TLE		ADDIX	Black	2.8-4.8	40-70	380	67	75	11601006.01*
28"	35-622	28x1.35, 700x35C	Super Ground	TLE		ADDIX	Black	2.8-4.8	40-70	390	67	75	11601005.01

*HS 467A


SCHWALBE X-ONE ALLROUND Performance Line, Folding – HS 467A

28"	33-622	28x1.30, 700x33C	RaceGuard	TLE		ADDIX	Classic	2.8-4.8	40-70	390	67	70	11654083.01
-----	--------	------------------	-----------	-----	--	--------------	---------	---------	-------	-----	----	----	-------------

SCHWALBE X-ONE BITE

The cross specialist for deep mud


- Made for cyclocross tracks, but also winter muddy forest trails
- Extreme tire for extreme conditions



CX PRO

Affordable cyclocross tire

- The entry level cyclocross tire
- Classic tread




SCHWALBE X-ONE BITE Evolution Line, Folding – HS 481

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28" 33-622	28x1.30, 700x33C	Super Ground	TLE			ADDIX	Black	2.8-4.8	40-70	410	67	75	11600922.01

CX PRO Performance Line, Wired – HS 269

26" 35-559	26x1.35	Performance	Tube			Dual	Black	4.0-6.5	55-95	405	67	70	11100185.02
28" 30-622	28x1.20, 700x30C	Performance	Tube			Dual	Black	4.0-6.5	55-95	400	67	65	11100186.02

ROAD RACE



BEST USE

MODEL	VERSION	PURPOSE			BEST USE
		RACING	TRAINING	CITY/COMMUTING	
PRO ONE TT	TUBELESS EASY	██████████			TIME TRAIL
PRO ONE	TUBELESS EASY	██████████	██		RACE
PRO ONE	TUBE TYPE	██████████	██		RACE
ONE	TUBELESS EASY		██████████	██	ALLROUND
ONE	TUBE TYPE	██	██████████	██	ALLROUND
DURANO DD	TUBE TYPE		██████████	██████████	TRAINING COMMUTE
DURANO PLUS	TUBE TYPE		██████████	██████████	COMMUTE
LUGANO II	TUBE TYPE		██	██	FITNESS
LUGANO II ENDURANCE	TUBE TYPE		██	██████████	URBAN
E-ONE	TUBE TYPE		██████████	██████████	E-BIKE
INSIDER	TUBE TYPE		████		INDOOR



Schwalbe had the courage to adopt tubeless technology long before it became mainstream.

Through the lowest rolling resistance, our road bike tires save valuable watts, and thus power thanks to Formula 1 technology. This led Patrick Lange to win the Ironman Hawaii twice in succession - each time with a course record! That level of performance and comfort in one tire sets a new standard thanks to the unique Souplesse carcass development for road cyclists.

CREATING
Souplesse




SCHWALBE PRO ONE TLE Evolution Line, Folding – HS 493

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	28-406	20x1.10	Evolution	TLE		ADDIX RACE	Black	6.0-8.0	85-115	205	127	70 kg	11653951 *
26"	28-559	26x1.10	Evolution	TLE		ADDIX RACE	Black	4.0-6.5	55-95	275	127	75 kg	11653950 *
27.5"	25-584	650Bx25	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	5.0-7.5	70-110	245	127	70 kg	11654084
27.5"	28-584	650Bx28	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	4.0-6.5	55-95	260	127	70 kg	11654085
28"	25-622	700x25C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	5.0-7.5	70-110	265	127	70 kg	11653974
28"	25-622	700x25C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	5.0-7.5	70-110	265	127	70 kg	11654236
28"	28-622	700x28C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	4.0-6.5	55-95	280	127	70 kg	11653975
28"	28-622	700x28C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	4.0-6.5	55-95	280	127	70 kg	11654217
28"	30-622	28x1.20, 700x30C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	4.0-5.5	55-80	305	127	70 kg	11653976
28"	30-622	28x1.20, 700x30C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	4.0-5.5	55-80	305	127	70 kg	11654218
28"	32-622	28x1.25, 700x32C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	3.5-5.0	50-70	325	127	70 kg	11654225
28"	32-622	28x1.25, 700x32C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	3.5-5.0	50-70	325	127	70 kg	11654238
28"	34-622	28x1.30, 700x34C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Black	max.4.5	max.65	340	127	70 kg	11654292
28"	34-622	28x1.30, 700x34C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	max.4.5	max.65	340	127	70 kg	11654349

*HS 462



BEST USE TIME TRIAL



SCHWALBE PRO ONE TT


The high-end time trial and triathlon tire.

- Offers comfort and smoothness while riding due to souplisse construction
- Stands for maximum speed, lowest rolling resistance and minimum weight
- Real competition specialist (not made for training)
- **Record Edition:** Specially designed for top speeds thanks to Schwalbe's fastest compound (for special wheels).

Note: To save weight and optimize rolling resistance, the Pro One TT does not have puncture protection. Therefore, like all Schwalbe TLE tires, it must always be used with the appropriate amount of tubeless sealant. **TT stands for Time Trial**



BEST USE COMPETITION




SCHWALBE PRO ONE TLE

Tubeless: The high-end road bike tire

- The best road bike tire Schwalbe has ever developed
- Addix Race Compound: For optimal rolling resistance and maximum grip
- Offers comfort and suppleness while riding due to Souplisse construction
- Very good puncture protection thanks to V-Guard
- Huge range of sizes

Note: The TLE tire is specifically designed for tubeless use without a tube and thus offers by far the best performance. TLE tires must always be ridden with sealant.

BEST USE COMPETITION



SCHWALBE PRO ONE TUBE TYPE

The high-end road bike tire with a tube

- Offers comfort and suppleness while riding due to souplisse construction
- Addix Race-Compound: For optimal rolling resistance and maximum grip
- Very good puncture protection thanks to V-Guard
- Best used with the Schwalbe Aerothan tube
- Huge range of sizes

Note: The Tube Type tire is specifically designed for use with an inner tube and must not be ridden tubeless. No confusion: All Pro One road tires are clearly identified as "TLE" or "TUBE ONLY" tires by additional labels."

SCHWALBE PRO ONE TT Evolution Line, Folding – HS 493

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	28"	25-622	700x25C	Super Race	TLE		<i>ADDIX RACE</i>	Classic	5.0-7.5	70-110	220	127	70 kg	11653972
	28"	28-622	700x28C	Super Race	TLE		<i>ADDIX RACE</i>	Classic	4.0-6.5	55-95	240	127	70 kg	11653973

SCHWALBE PRO ONE TT RECORD EDITION Evolution Line, Folding – HS 462

NEW	20"	28-406	20x1.10	Super Race	TLE		<i>ADDIX RACE</i>	Classic	6.0-8.0	85-115	155	127	70 kg	11654263
NEW	26"	28-559	26x1.10	Super Race	TLE		<i>ADDIX RACE</i>	Classic	4.0-6.5	55-95	215	127	70 kg	11654294

SCHWALBE PRO ONE TUBE TYPE Evolution Line, Folding – HS 493A

	28"	23-622	700x23C	Super Race, V-Guard	Tube		<i>ADDIX RACE</i>	Black	6.0-10.0	85-145	215	127	70 kg	11654013
	28"	25-622	700x25C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Black	6.0-9.0	85-130	235	127	70 kg	11653977
	28"	25-622	700x25C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Transparent	6.0-9.0	85-130	235	127	70 kg	11654241
	28"	28-622	700x28C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Black	6.0-8.0	85-115	250	127	70 kg	11653978
	28"	28-622	700x28C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Transparent	6.0-8.0	85-115	250	127	70 kg	11654242
	28"	30-622	28x1.20, 700x30C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Black	4.5-7.0	65-100	280	127	70 kg	11653979
	28"	30-622	28x1.20, 700x30C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Transparent	4.5-7.0	65-100	280	127	70 kg	11654245
	28"	32-622	28x1.25, 700x32C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Black	4.5-6.5	65-95	310	127	70 kg	11654233
	28"	32-622	28x1.25, 700x32C	Super Race, V-Guard	Tube	E-25	<i>ADDIX RACE</i>	Transparent	4.5-6.5	65-95	310	127	70 kg	11654246


SCHWALBE ONE TLE Performance Line, Folding – HS 462

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28"	25-622	700x25C	RaceGuard	TLE	E-25	ADDIX	Black	5.0-7.5	70-110	310	67	70	11653952
28"	25-622	700x25C	RaceGuard	TLE	E-25	ADDIX	Classic	5.0-7.5	70-110	310	67	70	11654139
28"	28-622	700x28C	RaceGuard	TLE	E-25	ADDIX	Black	4.0-6.5	55-95	330	67	70	11653953
28"	28-622	700x28C	RaceGuard	TLE	E-25	ADDIX	Classic	4.0-6.5	55-95	330	67	70	11654140
28"	30-622	28x1.20, 700x30C	RaceGuard	TLE	E-25	ADDIX	Black	4.0-5.5	55-80	345	67	75	11654051
28"	32-622	28x1.25, 700x32C	RaceGuard	TLE	E-25	ADDIX	Black	3.5-5.0	50-70	380	67	75	11654310

SCHWALBE ONE TUBE TYPE Performance Line, Wired – HS 462A


20"	28-451	20x1 1/8	RaceGuard	Tube		ADDIX	Black	6.0-8.0	85-115	280	67	70	11158993 *
28"	25-622	700x25C	RaceGuard	Tube	E-25	ADDIX	Black	6.0-8.0	85-115	405	67	70	11158992

*HS 464

SCHWALBE ONE TLE

The all-round road bike tire


- Combines superb grip and high durability
- Very good puncture protection thanks to the RaceGuard and Microskin carcass
- Particularly easy tubeless mounting



SCHWALBE ONE TUBE TYPE

The all-round road bike tire

- Our all-purpose road bike tire at an attractive price
- Superb grip and very high durability
- Good puncture protection thanks to RaceGuard



SCHWALBE ONE TUBE TYPE Performance Line, Folding – HS 462A

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	28-406	20x1.10	RaceGuard	Tube		ADDIX	Black	6.0-8.0	85-115	200	67	70	11653962 *
24"	23-520	24x0.90	RaceGuard	Tube		ADDIX	Black	6.0-10.0	85-145	195	67	60	11653961 *
26"	23-571	650x23C	RaceGuard	Tube		ADDIX	Black	6.0-10.0	85-145	205	67	70	11653980
28"	23-622	700x23C	RaceGuard	Tube		ADDIX	Black	6.0-10.0	85-145	225	67	70	11653954
28"	25-622	700x25C	RaceGuard	Tube	E-25	ADDIX	Black	6.0-9.0	85-130	245	67	70	11653956
28"	25-622	700x25C	RaceGuard	Tube	E-25	ADDIX	Red Stripes	6.0-9.0	85-130	245	67	70	11653963
28"	25-622	700x25C	RaceGuard	Tube	E-25	ADDIX	Blue Stripes	6.0-9.0	85-130	245	67	70	11653964
28"	25-622	700x25C	RaceGuard	Tube	E-25	ADDIX	White Stripes	6.0-9.0	85-130	245	67	70	11653965
28"	25-622	700x25C	RaceGuard	Tube	E-25	ADDIX	Classic	6.0-9.0	85-130	245	67	70	11654037
28"	28-622	700x28C	RaceGuard	Tube	E-25	ADDIX	Black	6.0-8.0	85-115	265	67	75	11653957
28"	30-622	28x1.20, 700x30C	RaceGuard	Tube	E-25	ADDIX	Black	4.5-7.0	65-100	290	67	75	11653958
28"	32-622	28x1.25, 700x32C	RaceGuard	Tube	E-25	ADDIX	Black	4.5-6.5	65-95	305	67	75	11654309


*HS 464

SCHWALBE E-ONE

The specialist for the E-road bike

- Very good puncture protection thanks to V-Guard
- Addix Race-Compound: Excellent grip and durability
- The only road bike tire with E-50 approval in the Schwalbe range.

BEST USE E-BIKE




DURANO PLUS

The most puncture-proof road bike tire there is.

- Maximum puncture protection thanks to SmartGuard
- Very good mileage
- Superb tire for training, commuting and everyday riding

BEST USE ALLROUND




DURANO DD

The puncture-proof folding tire

- Very high puncture protection, also on the sidewall, thanks to Double Defense RaceGuard construction
- The most reliable (winter) training tire

BEST USE ALLROUND



SCHWALBE E-ONE Evolution Line, Folding – HS 464A

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
28"	32-622	28x1.25, 700x32C	V-Guard	Tube	E-50	22B	ADDIX RACE	Black	6.0-8.0	85-115	345	127	85	11654000

DURANO PLUS Performance Line, Folding – HS 464

28"	25-622	700x25C	SmartGuard	Tube	E-25		ADDIX	Black	6.0-8.0	85-115	385	67	70	11653966
28"	28-622	700x28C	SmartGuard	Tube	E-25		ADDIX	Black-Reflex	6.0-8.0	85-115	450	67	70	11653967

DURANO PLUS Performance Line, Wired – HS 464

28"	23-622	700x23C	SmartGuard	Tube			ADDIX	Black	6.0-10.0	85-145	410	67	70	11100912.01
28"	25-622	700x25C	SmartGuard	Tube	E-25		ADDIX	Black	6.0-8.0	85-115	450	67	70	11100913.01
28"	28-622	700x28C	SmartGuard	Tube	E-25		ADDIX	Black-Reflex	6.0-8.0	85-115	530	67	85	11100915.01

DURANO DD Performance Line, Folding – HS 464

28"	25-622	700x25C	DD, RaceGuard	Tube	E-25		ADDIX	Graphite Sidewall	6.0-8.0	85-115	295	67	70	11600739.01
28"	28-622	700x28C	DD, RaceGuard	Tube	E-25		ADDIX	Graphite Sidewall	6.0-8.0	85-115	330	67	75	11600812.01

DURANO DD Performance Line, Wired – HS 464


28"	23-622	700x23C	DD, RaceGuard	Tube			ADDIX	Graphite Sidewall	6.0-10.0	85-145	355	67	70	11100971
28"	25-622	700x25C	DD, RaceGuard	Tube	E-25		ADDIX	Graphite Sidewall	6.0-8.0	85-115	385	67	70	11158995
28"	28-622	700x28C	DD, RaceGuard	Tube	E-25		ADDIX	Graphite Sidewall	6.0-8.0	85-115	430	67	75	11158996

LUGANO II

Very good entry-level model

- Good riding performance due to high-quality compound
- Inexpensive entry-level road bike tire
- Available in various color options

BEST USE SPORT




LUGANO II ENDURANCE

Perfect choice for the big city

- Specially increased tread depth for maximum durability and very good puncture protection
- Very well suited for fixies and singlespeed bikes

BEST USE SPORT



INSIDER

The specialist for roller training

- Exclusively designed for roller and turbo trainer use



LUGANO II Active Line, Folding – HS 471

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28"	23-622	700x23C	K-Guard	Tube			Silica	Black	6.0-9.0	85-130	260	50	65	11654008
28"	25-622	700x25C	K-Guard	Tube			Silica	Black	6.0-8.0	85-115	280	50	65	11654009
28"	25-622	700x25C	K-Guard	Tube			Silica	Red Stripes	6.0-8.0	85-115	280	50	65	11654011
28"	25-622	700x25C	K-Guard	Tube			Silica	Blue Stripes	6.0-8.0	85-115	280	50	65	11654012
28"	28-622	700x28C	K-Guard	Tube			Silica	Black	6.0-8.0	85-115	310	50	65	11654010

LUGANO II Active Line, Wired – HS 471

28"	23-622	700x23C	K-Guard	Tube			Silica	Black	6.0-9.0	85-130	325	50	65	11159143
28"	25-622	700x25C	K-Guard	Tube			Silica	Black	6.0-8.0	85-115	365	50	65	11159018
28"	25-622	700x25C	K-Guard	Tube			Silica	Red Stripes	6.0-8.0	85-115	365	50	65	11159021
28"	25-622	700x25C	K-Guard	Tube			Silica	Blue Stripes	6.0-8.0	85-115	365	50	65	11159022
28"	25-622	700x25C	K-Guard	Tube			Silica	White Stripes	6.0-8.0	85-115	365	50	65	11159023
28"	25-622	700x25C	K-Guard	Tube			Silica	Classic-Skin	6.0-8.0	85-115	365	50	65	11159025
28"	28-622	700x28C	K-Guard	Tube			Silica	Black	6.0-8.0	85-115	400	50	70	11159019
28"	32-622	28x1.25, 700x32C	K-Guard	Tube			Silica	Black	4.0-6.5	55-95	420	50	70	11159020

LUGANO II ENDURANCE Active Line, Wired – HS 471

28"	25-622	700x25C	Reinforced Tread	Tube	E-25		Silica	Black	6.0-8.0	85-115	490	50	65	11159024
-----	--------	---------	------------------	------	------	--	--------	-------	---------	--------	-----	----	----	----------

INSIDER Performance Line, Folding – HS 376

28"	23-622	700x23C	Performance	Tube			Roller	Blue	6.0-10.0	85-145	310	67	70	11600084.02
28"	35-622	700x35C	Performance	Tube			Roller	Blue	4.0-6.5	55-95	525	67	100	11600564.01*

*HS 385

365ers

Due to the climate challenges, the bicycle for urban mobility already replaces the car for many, 365 days a year. Schwalbe has responded to these customer needs with the development of the new 365 tire line. Whether slush, ice (spiked tires only) and road salt, downpours, mud or extreme heat - Schwalbe delivers grip and puncture protection for all the extremes that a year has to offer.



MARATHON 365

The all-season tire

- Replaces the Marathon GT 365
- Full grip in all seasons (even in cold, wet and snowy conditions) thanks to siped tread pattern
- Very good puncture protection thanks to GreenGuard

NEW!



BEST USE CITY | TOUR



JOHNNY WATTS 365

The all-season SUV tire

- Siped tread ensures secure interlocking on all surfaces
- Very good puncture protection thanks to Double Defense RaceGuard (folding tire) or GreenGuard (clincher tire)
- Addix 4-Season Compound: grippy and durable compound for all conditions
- even at very low temperatures
- Especially developed for e-bikes.

NEW!



	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY
BEST USE SUV	1	2	3	4	5	6	7				
DD, RACEGUARD	1	2	3	4	5	6	7				
DD, GREENGUARD	1	2	3	4	5	6	7				

MARATHON 365 Performance Line, Wired – HS 475

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	20"	40-406	20x1.50	GreenGuard	Tube	E-50	18B		Black-Reflex	3.0-6.0	45-85	550	67	75 kg	11159422
NEW	20"	55-406	20x2.15	GreenGuard	Tube	E-50	26B		Black-Reflex	2.0-4.0	30-55	890	67	95 kg	11159423
NEW	26"	50-559	26x2.00	GreenGuard	Tube	E-50	34B		Black-Reflex	2.5-5.0	35-70	980	67	118 kg	11159424
NEW	26"	55-559	26x2.15	GreenGuard	Tube	E-50	36B		Black-Reflex	2.0-4.0	30-55	1230	67	125 kg	11159425
NEW	28"	37-622	28x1.40, 700x35C	GreenGuard	Tube	E-50	26B		Black-Reflex	3.5-6.0	50-85	760	67	95 kg	11159426
NEW	28"	40-622	28x1.50, 700x38C	GreenGuard	Tube	E-50	28B		Black-Reflex	2.5-5.5	35-80	820	67	100 kg	11159427
NEW	28"	47-622	28x1.75	GreenGuard	Tube	E-50	33B		Black-Reflex	2.5-5.0	35-70	990	67	115 kg	11159428
NEW	28"	50-622	28x2.00	GreenGuard	Tube	E-50	35B		Black-Reflex	2.5-4.5	35-65	1100	67	121 kg	11159429
NEW	28"	55-622	28x2.15	GreenGuard	Tube	E-50	37B		Black-Reflex	2.0-4.0	30-55	1360	67	128 kg	11159430

JOHNNY WATTS 365 Performance Line, Folding – HS 618

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	27.5"	60-584	27.5x2.35	DD, RaceGuard	Tube	E-50	B		Black-Reflex	1.6-3.5	23-50	905	67	110 kg	11654389
NEW	27.5"	65-584	27.5x2.60	DD, RaceGuard	Tube	E-50	B		Black-Reflex	1.2-2.6	17-38	945	67	120 kg	11654388
NEW	29"	60-622	29x2.35	DD, RaceGuard	Tube	E-50	B		Black-Reflex	1.6-3.5	23-50	965	67	110 kg	11654387
NEW	29"	65-622	29x2.60	DD, RaceGuard	Tube	E-50	B		Black-Reflex	1.2-2.6	17-38	1030	67	120 kg	11654361

JOHNNY WATTS 365 Performance Line, Wired – HS 618

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.	
NEW	27.5"	60-584	27.5x2.35	DD, GreenGuard	Tube	E-50	B		Black-Reflex	1.6-3.5	23-50	1140	67	110 kg	11159377
NEW	27.5"	65-584	27.5x2.60	DD, GreenGuard	Tube	E-50	B		Black-Reflex	1.2-2.6	17-38	1225	67	120 kg	11159378
NEW	29"	60-622	29x2.35	DD, GreenGuard	Tube	E-50	B		Black-Reflex	1.6-3.5	23-50	1220	67	110 kg	11159379
NEW	29"	65-622	29x2.60	DD, GreenGuard	Tube	E-50	B		Black-Reflex	1.2-2.6	17-38	1305	67	120 kg	11159380

ICE SPIKER PRO

The Turbo Spike tire

- Up to 402 spikes: perfect grip on any icy slope
- Very light
- Available as clincher and folding tire
- Can be converted to very puncture resistant tubeless tire with sealant



	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY	GRIP (EIS)
DD, RACEGUARD	1	2	3	4+	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■
RACEGUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

WINTER

The winter entry-level tire

- Half the amount of studs compared to Marathon Winter Plus
- Good control on slippery and icy surfaces
- Super entry-level tire for beginners in snow, also handles well on asphalt



	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY	GRIP (EIS)
K-GUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

MARATHON WINTER PLUS

The most puncture protected and safest winter tire

- Very good control on slippery and icy surfaces
- Very good control in extreme curves
- Maximum puncture protection



	SCHWALBE PROTECTION							ROLLING	ROAD GRIP	OFF-ROAD GRIP	DURABILITY	GRIP (EIS)
K-GUARD	1	2	3	4	5	6	7	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

ICE SPIKER PRO Performance Line, Folding – HS 379

ETRTO	SIZE	VERSION	SEAL	E-BIKE	SPIKES	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
27.5" 57-584	27.5x2.25	DD, RaceGuard	TLE	E-25	378	Winter	Black	1.8-3.7	26-54	1000	67	110	11654174
27.5" 65-584	27.5x2.60	DD, RaceGuard	TLE	E-25	344	Winter	Black	1.5-3.0	20-45	1241	67	115	11654175
29" 57-622	29x2.25	DD, RaceGuard	TLE	E-25	402	Winter	Black	1.5-3.0	20-45	1060	67	115	11654176

ICE SPIKER PRO Performance Line, Wired – HS 379

26" 54-559	26x2.10	RaceGuard	Tube		361	Winter	Black	2.0-4.0	30-55	995	67	100	11100937
27.5" 57-584	27.5x2.25	RaceGuard	Tube		378	Winter	Black	1.8-3.7	26-54	1100	67	110	11100939
29" 57-622	29x2.25	RaceGuard	Tube		402	Winter	Black	1.8-3.7	26-54	1170	67	120	11100938

WINTER Active Line, Wired – HS 396

16" 30-349	16x1.20	K-Guard	Tube		72	Winter	Black-Reflex	4.5-8.0	65-115	465	50	65	11100905.01
26" 47-559	26x1.75	K-Guard	Tube		100	Winter	Black-Reflex	2.0-5.0	30-70	1000	50	100	11100599.01
27.5" 50-584	27.5x2.00	K-Guard	Tube		104	Winter	Black-Reflex	2.5-5.0	35-70	1210	50	110	11159239
28" 30-622	28x1.20, 700x30C	K-Guard	Tube		118	Winter	Black-Reflex	3.5-6.5	50-95	805	50	75	11100600.01
28" 35-622	28x1.35, 700x35C	K-Guard	Tube		120	Winter	Black-Reflex	2.5-6.0	35-85	870	50	80	11100601.01
28" 42-622	28x1.60, 700x40C	K-Guard	Tube		120	Winter	Black-Reflex	2.0-5.0	30-70	905	50	90	11100602.01

MARATHON WINTER PLUS Performance Line, Wired – HS 396

20" 42-406	20x1.60	SmartGuard	Tube	E-25	168	Winter	Black-Reflex	2.0-5.0	30-70	675	67	70	11116448.02
20" 55-406	20x2.15	SmartGuard	Tube	E-25	144	Winter	Black-Reflex	2.0-4.0	30-55	960	67	95	11159003
24" 47-507	24x1.75	SmartGuard	Tube	E-25	184	Winter	Black-Reflex	2.0-5.0	30-70	960	67	90	11125444.02
26" 47-559	26x1.75	SmartGuard	Tube	E-25	200	Winter	Black-Reflex	2.0-5.0	30-70	1025	67	100	11136448.02
26" 50-559	26x2.00	SmartGuard	Tube	E-25	200	Winter	Black-Reflex	2.5-5.0	35-70	1150	67	105	11100598.01
26" 55-559	26x2.15	SmartGuard	Tube	E-25	188	Winter	Black-Reflex	2.0-4.0	30-55	1350	67	115	11159241
28" 35-622	28x1.35, 700x35C	SmartGuard	Tube	E-25	240	Winter	Black-Reflex	2.5-6.0	35-85	920	67	80	11126448.02
28" 42-622	28x1.60, 700x40C	SmartGuard	Tube	E-25	240	Winter	Black-Reflex	2.0-5.0	30-70	970	67	90	11156448.02
28" 50-622	28x2.00	SmartGuard	Tube	E-25	208	Winter	Black-Reflex	2.5-5.0	35-70	1265	67	115	11100597.01



THINGS YOU SHOULD KNOW ABOUT SPIKED TIRES.

Can it also be ridden on a normal road? Without any problem, but if the road is only rarely covered with snow the resulting tire noise may prove annoying. **HINT:** At maximum pressure the tires can be ridden on ice-free roads with minimal road noise.

And it won't slide out in cornering? No. The spikes 'claw' really well into normal asphalt roads and even fast cornering is not a problem. **HINT:** The spikes work best on ice when running at minimum pressure.

Aren't spikes illegal? Bike tire spikes are no problem. Only motor vehicles spikes are prohibited in some countries, because they damage the road. Fast E-bikes are however considered motor vehicles.


Do the tires have to be run in? In order to ensure that spikes are permanently fixed, tires should be run in for about 40km on asphalt, while avoiding any fast acceleration or heavy braking.

What is the lifespan of the spikes? All Schwalbe spikes have a core made of extremely hard wearing tungsten carbide, so they can cover a few thousand kilometers. It is normal for the spike edges to round off and for them to become more deeply embedded.

What are the tires' limitations? In deep snow even spike tires won't help.

In certain areas snow rarely stays around long. Are spike tires still an option? It would be best to mount the tires on your second bike. Depending upon the morning weather, use the most suitable bike. On icy roads, when even cars are having problems, it is a great feeling to be in full control on spike tires.

Some spikes came out. Can they be replaced? Yes, we offer a set of replacement spikes incl. tool. Can be easily installed with the special tool.



- 1 ALUMINUM SPIKE**
(Evolution Line)
- 2 STEEL SPIKE**
(Performance & Active Line)



50 Alu-Spikes, Art.-No. 5508.01
 50 Steel-Spikes,, Art.-No. 5506.01
 50 Steel-Spikes incl. tool for easy insertion.
 Art.-No. 5512.01

Hint: New item numbers!

FOR KIDS AND TEENS

Initially pulled by mom and dad in the stroller or bike trailer, they later go off on their own on a balance bike or start pedaling a child's or youth bike: children experience the first riding fun early on Schwalbe tires; along with the high-quality, puncture protection and, for the fearless, speed or grip. The Schwalbe Youth-Series offers tires from 12 to 24 inches - there is the right one for every child.



BIG BETTY

The rough mountain bike pro for teens.



ROCKET RON

The rocket for all youthful racers.



HANS DAMPF

The off-road all-rounder for the 24 inch MTB.



BIG BETTY Evolution Line, Folding – HS 608

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
20"	57-406	20x2.25	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	670	67	90	11654324
24"	62-507	24x2.40	Super Ground	TLE	E-50	B	ADDIX	Black	max.3.5	max.50	875	67	90	11654323

ROCKET RON Evolution Line, Folding – HS 438

20"	57-406	20x2.25	Super Race	TLE			ADDIX	Black	max.3.7	max.54	435	67	115	11654016.01
24"	60-507	24x2.35	Super Race	TLE			ADDIX	Black	max.3.5	max.50	590	67	90	11654015.01

ROCKET RON Performance Line, Folding – HS 438

24"	54-507	24x2.10	Performance	Tube	E-25		ADDIX	Black	2.0-4.0	30-55	435	67	90	11600506.02
-----	--------	---------	-------------	------	------	--	-------	-------	---------	-------	-----	----	----	-------------

HANS DAMPF Performance Line, Folding – HS 491

24"	60-507	24x2.35	Performance	TLR	E-25		ADDIX	Black	1.6-3.5	23-50	770	67	115	11601118
-----	--------	---------	-------------	-----	------	--	-------	-------	---------	-------	-----	----	-----	----------

LITTLE JOE Performance Line, Folding – HS 371A

20"	37-406	20x1.40	Performance	Tube			ADDIX	Black-Reflex	3.0-7.0	45-100	280	67	70	11654253
24"	47-507	24x1.85	Performance	Tube			ADDIX	Black-Reflex	3.0-7.0	45-100	420	67	80	11654254
26"	50-559	26x2.00	Performance	Tube			ADDIX	Black-Reflex	2.0-4.0	30-55	560	67	105	11654255*

*HS 371

LITTLE JOE Performance Line, Wired – HS 371

14"	37-254	14x1.40	Performance	Tube			ADDIX	Black-Reflex	2.5-4.5	35-65	210	67	70	11159265
16"	37-305	16x1.40	Performance	Tube			ADDIX	Black-Reflex	2.5-4.5	35-65	250	67	70	11159266

LITTLE JOE Active Line, Folding – HS 371A

20"	37-406	20x1.40	K-Guard	Tube			Endurance	Black-Reflex	3.0-7.0	45-100	290	50	70	11600846.02
20"	50-406	20x2.00	K-Guard	Tube			Endurance	Black-Reflex	3.0-5.0	45-70	430	50	75	11600847.01



BILLY BONKERS

The ideal children's tire for pump tracks.



LITTLE JOE

For little daredevils.



SMART SAM

The versatile MTB for road and dirt roads.



BLACK JACK

Ideal children's and youth bike tire.



KID PLUS

The tire for the stroller or buggy, or a classic children's bike

BILLY BONKERS Performance Line, Folding – HS 600

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
	16"	50-305	16x2.00	Performance	Tube		ADDIX	Black	max.4.0	max.55	300	67	70	11159335*
	18"	50-355	18x2.00	Performance	Tube		ADDIX	Black	max.4.0	max.55	300	67	100	11654198
	18"	50-355	18x2.00	Performance	Tube		ADDIX	Bronze Sidewall	max.4.0	max.55	300	67	100	11654375
	20"	50-406	20x2.00	Performance	Tube		ADDIX	Bronze Sidewall	2.0-5.5	30-80	355	67	100	11654376
	24"	50-507	24x2.00	Performance	Tube		ADDIX	Bronze Sidewall	2.0-5.5	30-80	440	67	100	11654377

*Wired

SMART SAM Performance Line, Wired – HS 476

	20"	60-406	20x2.35	Performance	Tube		ADDIX	Black	1.6-3.5	23-50	580	67	90	11101336
	24"	54-507	24x2.10	Performance	Tube		ADDIX	Black	2.0-4.0	30-55	550	67	100	11101229.01
	24"	60-507	24x2.35	Performance	Tube		ADDIX	Black	1.6-3.5	23-50	710	67	90	11101337

BLACK JACK Active Line, Wired – HS 407

	12"	47-203	12x1.90	K-Guard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	260	50	50	11100043.03
	16"	47-305	16x1.90	K-Guard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	360	50	55	11100065.02
	18"	47-355	18x1.90	K-Guard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	420	50	65	11100066.02
	20"	47-406	20x1.90	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	450	50	65	11116407.02
	24"	47-507	24x1.90	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	560	50	70	11125407.02
	24"	54-507	24x2.10	K-Guard	Tube		SBC	Black	2.0-4.5	30-65	670	50	100	11126417.02

KID PLUS Active Line, Wired – HS 413

	12"	47-203	12x1.75	PunctureGuard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	350	50	55	11102413.02
	14"	47-288	14x1.75	PunctureGuard	Tube		Black 'n' Roll	Black	2.0-4.5	30-65	450	50	60	11100795



CLASSIC-SIDEWALL - SERIES

High quality, sporty tires with stylish sidewall in classic, bronze or transparent look-
Unique look for MTB, dirt, gravel or road bike

LUGANO II Active Line, Wired – HS 471

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28"	25-622	700x25C	K-Guard	Tube		Silica	Classic	6.0-8.0	85-115	365	50	65	11159025

NOBBY NIC Evolution Line, Folding – HS 602

26"	62-559	26x2.40	Super Ground	TLE	E-50	B		Bronze	max.3.5	max.50	775	67	115	11654383
27.5"	62-584	27.5x2.40	Super Ground	TLE	E-50	B		Bronze	max.3.5	max.50	812	67	115	11654206.01
29"	62-622	29x2.40	Super Ground	TLE	E-50	B		Bronze	max.3.5	max.50	850	67	125	11654322
29"	62-622	29x2.40	Super Race	TLE	E-50	B		Transparent	max.3.5	max.50	850	67	125	11654372
29"	62-622	29x2.40	Performance	Tube	E-50	B		Bronze	max.3.5	max.50	800	67	125	11654205.01*

*Performance Line

RACING RALPH Evolution Line, Folding – HS 490

29"	57-622	29x2.25	Super Race	TLE				Transparent	1.8-3.7	26-54	680	67	120	11654049.01
29"	60-622	29x2.35	Super Race	TLE				Transparent	1.6-3.5	23-50	745	67	125	11654053.01

RACING RAY Evolution Line, Folding – HS 489

29"	57-622	29x2.25	Super Race	TLE				Transparent	1.8-3.7	26-54	680	67	120	11654050.01
29"	60-622	29x2.35	Super Race	TLE				Transparent	1.6-3.5	23-50	745	67	125	11654052.01

SCHWALBE G-ONE ALLROUND Performance Line, Folding – HS 473

NEW	28"	35-622	28x1.35, 700x35C	RaceGuard	TLE	E-25		Bronze	max.4.5	max.65	420	67	75	11654211
NEW	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25		Bronze	max.4.5	max.65	485	67	100	11654339
NEW	28"	45-622	28x1.70, 700x45C	RaceGuard	TLE	E-25		Bronze	max.4.0	max.55	550	67	100	11654359

SCHWALBE G-ONE BITE Performance Line, Folding – HS 487

NEW	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25		Bronze	max.4.5	max.65	485	67	70	11654356
NEW	28"	45-622	28x1.70, 700x45C	RaceGuard	TLE	E-25		Bronze	max.4.0	max.55	550	67	100	11654337

SCHWALBE G-ONE R Evolution Line, Folding – HS 610

28"	40-622	28x1.50, 700x40C	Super Race, V-Guard	TLE				Transparent	max.4.5	max.65	480	67	70	11654240
28"	45-622	28x1.70, 700x45C	Super Race, V-Guard	TLE				Transparent	max.4.0	max.55	520	67	70	11654298

SCHWALBE G-ONE SPEED Performance Line, Folding – HS 472

NEW	27.5"	50-584	27.5x2.00, 650Bx50	RaceGuard	TLE	E-25		Bronze	max.4.0	max.55	515	67	100	11654355
------------	-------	--------	--------------------	-----------	-----	------	--	--------	---------	--------	-----	----	-----	----------

SCHWALBE G-ONE ULTRABITE Performance Line, Folding – HS 601

NEW	28"	40-622	28x1.50, 700x40C	RaceGuard	TLE	E-25		Bronze	max.4.5	max.65	535	67	100	11654357
NEW	28"	45-622	28x1.70, 700x45C	RaceGuard	TLE	E-25		Bronze	max.4.0	max.55	610	67	100	11654360
NEW	28"	50-622	28x2.00	RaceGuard	TLE	E-25		Bronze	max.4.0	max.55	665	67	100	11654358

SCHWALBE ONE TUBE TYPE Performance Line, Folding – HS 462A

28"	25-622	700x25C	RaceGuard	Tube	E-25			Classic	6.0-9.0	85-130	245	67	70	11654037
-----	--------	---------	-----------	------	------	--	--	---------	---------	--------	-----	----	----	----------

SCHWALBE ONE TLE Performance Line, Folding – HS 462

28"	25-622	700x25C	RaceGuard	TLE	E-25			Classic	5.0-7.5	70-110	310	67	70	11654139
28"	28-622	700x28C	RaceGuard	TLE	E-25			Classic	4.0-6.5	55-95	330	67	70	11654140

SCHWALBE PRO ONE TUBE TYPE Evolution Line, Folding – HS 493A

28"	25-622	700x25C	Super Race, V-Guard	Tube	E-25			Transparent	6.0-9.0	85-130	235	127	70	11654241
28"	28-622	700x28C	Super Race, V-Guard	Tube	E-25			Transparent	6.0-8.0	85-115	250	127	70	11654242
28"	30-622	28x1.20, 700x30C	Super Race, V-Guard	Tube	E-25			Transparent	4.5-7.0	65-100	280	127	70	11654245
28"	32-622	28x1.25, 700x32C	Super Race, V-Guard	Tube	E-25			Transparent	4.5-6.5	65-95	310	127	70	11654246

SCHWALBE PRO ONE TLE Evolution Line, Folding – HS 493

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
28"	25-622	700x25C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	5.0-7.5	70-110	265	127	70	11654236
28"	28-622	700x28C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	4.0-6.5	55-95	280	127	70	11654217
28"	30-622	28x1.20, 700x30C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	4.0-5.5	55-80	305	127	70	11654218
28"	32-622	28x1.25, 700x32C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	3.5-5.0	50-70	325	127	70	11654238
28"	34-622	28x1.30, 700x34C	Super Race, V-Guard	TLE	E-25	ADDIX RACE	Transparent	max.4.5	max.65	340	127	70	11654349

SCHWALBE PRO ONE TT Evolution Line, Folding – HS 493

28"	25-622	700x25C	Super Race	TLE		ADDIX RACE	Classic	5.0-7.5	70-110	220	127	70	11653972
28"	28-622	700x28C	Super Race	TLE		ADDIX RACE	Classic	4.0-6.5	55-95	240	127	70	11653973

SCHWALBE PRO ONE TT RECORD EDITION Evolution Line, Folding – HS 462

NEW	20"	28-406	20x1.10	Super Race	TLE		ADDIX RACE	Classic	6.0-8.0	85-115	155	127	70	11654263
NEW	26"	28-559	26x1.10	Super Race	TLE		ADDIX RACE	Classic	4.0-6.5	55-95	215	127	70	11654294

SCHWALBE X-ONE ALLROUND Performance Line, Folding – HS 467A

28"	33-622	28x1.30, 700x33C	RaceGuard	TLE		ADDIX	Classic	2.8-4.8	40-70	390	67	70	11654083.01
-----	--------	------------------	-----------	-----	--	-------	---------	---------	-------	-----	----	----	-------------

SCHWALBE X-ONE SPEED Performance Line, Folding – HS 483

28"	33-622	28x1.30, 700x33C	RaceGuard	TLE		ADDIX	Classic	2.8-4.8	40-70	380	67	75	11600957.01
-----	--------	------------------	-----------	-----	--	-------	---------	---------	-------	-----	----	----	-------------

THUNDER BURT Evolution Line, Folding – HS 451

29"	54-622	29x2.10	Super Race	TLE		ADDIX	Transparent	2.0-4.0	30-55	545	67	110	11600510.03
29"	57-622	29x2.25	Super Race	TLE		ADDIX	Transparent	1.8-3.7	26-54	645	67	120	11654146
29"	60-622	29x2.35	Super Race	TLE		ADDIX	Transparent	1.6-3.5	23-50	730	67	120	11654234

WICKED WILL Evolution Line, Folding – HS 614

	27.5"	62-584	27.5x2.40	Super Ground	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	795	67	115	11654272
NEW	27.5"	62-584	27.5x2.40	Super Race	TLE	E-50	B	ADDIX	Transparent	max.3.5	max.50	790	67	115	11654353
	29"	62-622	29x2.40	Super Ground	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	845	67	125	11654306
	29"	62-622	29x2.40	Super Race	TLE	E-50	B	ADDIX	Transparent	max.3.5	max.50	820	67	125	11654305

BIG BETTY Evolution Line, Folding – HS 608

27.5"	62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	1015	67	115	11654373
29"	62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	1305	67	125	11654374
29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	1140	67	125	11654414

DIRTY DAN Evolution Line, Folding – HS 417A

NEW	29"	50-622	29x2.00	Super Race	TLE		ADDIX	Transparent	2.2-4.3	32-62	710	67	100	11654442
------------	-----	--------	---------	------------	-----	--	-------	-------------	---------	-------	-----	----	-----	----------

HANS DAMPF Evolution Line, Folding – HS 491

27.5"	60-584	27.5x2.35	Super Trail	TLE	E-25		ADDIX	Bronze	1.6-3.5	23-50	995	67	115	11654379
27.5"	65-584	27.5x2.60	Super Trail	TLE	E-25		ADDIX	Bronze	1.2-2.6	17-38	1195	67	115	11654301
29"	60-622	29x2.35	Super Trail	TLE	E-25		ADDIX	Bronze	1.6-3.5	23-50	1070	67	125	11654380
29"	65-622	29x2.60	Super Trail	TLE	E-25		ADDIX	Bronze	1.2-2.6	17-38	1125	67	115	11654213

MAGIC MARY Evolution Line, Folding – HS 447

27.5"	62-584	27.5x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	1220	67	115	11654381
29"	62-622	29x2.40	Super Gravity	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	1295	67	125	11654382
29"	62-622	29x2.40	Super Trail	TLE	E-50	B	ADDIX	Bronze	max.3.5	max.50	1165	67	125	11654413

MARATHON EFFICIENCY Evolution Line, Folding – HS 617

NEW	27.5"	60-584	27.5x2.35	Super Race, V-Guard	Tube	E-50	39B	ADDIX RACE	Transparent-Reflex	1.8-3.7	26-54	815	67	136	11654424
NEW	28"	55-622	28x2.15	Super Race, V-Guard	Tube	E-50	38B	ADDIX RACE	Transparent-Reflex	2.0-4.0	30-55	840	67	132	11654421

SCHWALBE G-ONE RS Evolution Line, Folding – HS 621

28"	35-622	28x1.35, 700x35C	Super Race, V-Guard	TLE		ADDIX RACE	Transparent	max.4.5	max.65	410	67	75	11654395
28"	40-622	28x1.50, 700x40C	Super Race, V-Guard	TLE		ADDIX RACE	Transparent	max.4.5	max.65	445	67	70	11654390
28"	45-622	28x1.70, 700x45C	Super Race, V-Guard	TLE		ADDIX RACE	Transparent	max.4.0	max.55	505	67	70	11654396

COLOR YOUR BIKE



BROWN-WHITEWALL

CREME

BLACK

BIG BEN Active Line, Wired – HS 439

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26"	55-559	26x2.15	K-Guard	Tube		SBC	Brown-Reflex	2.0-4.0	30-55	910	50	115	11100558
26"	55-559	26x2.15	K-Guard	Tube		SBC	Creme-Reflex	2.0-4.0	30-55	910	50	115	11100559
28"	40-622	28x1.50, 700x38C	K-Guard	Tube		SBC	Brown-Reflex	3.5-6.0	50-85	695	50	100	11100565
28"	40-622	28x1.50, 700x38C	K-Guard	Tube		SBC	Creme-Reflex	3.5-6.0	50-85	695	50	100	11100566
28"	50-622	28x2.00	K-Guard	Tube		SBC	Brown-Reflex	2.5-5.0	35-70	890	50	115	11100568
28"	50-622	28x2.00	K-Guard	Tube		SBC	Creme-Reflex	2.5-5.0	35-70	890	50	115	11100569

DELTA CRUISER Active Line, Wired – HS 431


24"	37-540	24x1 3/8	K-Guard	Tube		SBC	Whitewall	2.5-4.5	35-65	510	50	75	11129062.01*
26"	37-590	26x1 3/8, 650x35A	K-Guard	Tube		SBC	Whitewall	4.0-6.0	55-85	670	50	90	11101083
28"	28-622	28x1.10, 700x28C	K-Guard	Tube		SBC	Gumwall	4.0-7.0	55-100	550	50	75	11101086
28"	28-622	28x1.10, 700x28C	K-Guard	Tube		SBC	Whitewall	4.0-7.0	55-100	550	50	75	11101087
28"	37-622	28x1.40, 700x35C	K-Guard	Tube		SBC	Creme	4.0-6.0	55-85	695	50	90	11101091
28"	40-635	28x1 1/2, 700x38B	K-Guard	Tube		SBC	Creme	3.5-6.0	50-85	795	50	100	11101094

*HS 392

DELTA CRUISER PLUS Active Line, Wired – HS 431

26"	37-590	26x1 3/8	PunctureGuard	Tube		SBC	Creme-Reflex	4.0-6.0	55-85	710	50	90	11159005
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube		SBC	Brown-Reflex	4.0-6.0	55-85	775	50	90	11159006
28"	37-622	28x1.40, 700x35C	PunctureGuard	Tube		SBC	Creme-Reflex	4.0-6.0	55-85	775	50	90	11159007
28"	40-635	28x1 1/2, 700x38B	PunctureGuard	Tube		SBC	Creme-Reflex	3.5-6.0	50-85	910	50	100	11159008

Bicycle tires as unique as their owners.
 The "Color Your Bike" tire range from Schwalbe is colorful and diverse.
 Eight stylish color options that make every city and urban bike a real eye-catcher,
 e.g. in Cream, Coffee or Whitewall.



-COFFEE

WHITEWALL

BROWN

FAT FRANK Active Line, Wired – HS 375

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
26"	60-559	26x2.35	K-Guard	Tube			SBC	Creme-Reflex	1.5-4.0	20-55	975	50	140	11133372.01
26"	60-559	26x2.35	K-Guard	Tube			SBC	Brown/Whitewall-Reflex	1.5-4.0	20-55	975	50	140	11100596
28"	50-622	28x2.00	K-Guard	Tube			SBC	Creme-Reflex	2.0-4.5	30-65	890	50	135	11152385.01
28"	50-622	28x2.00	K-Guard	Tube			SBC	Black/Coffee-Reflex	2.0-4.5	30-65	890	50	135	11101227
28"	50-622	28x2.00	K-Guard	Tube			SBC	Brown/Whitewall-Reflex	2.0-4.5	30-65	890	50	135	11100582

ROAD CRUISER Active Line, Wired – HS 484

20"	47-406	20x1.75	K-Guard	Tube			Green Compound	Whitewall	3.0-5.0	45-70	545	50	75	11101293
24"	47-507	24x1.75	K-Guard	Tube			Green Compound	Whitewall	3.0-5.0	45-70	680	50	85	11101262
26"	47-559	26x1.75	K-Guard	Tube			SBC	Brown-Reflex	3.0-5.0	45-70	720	50	100	11101266
26"	47-559	26x1.75	K-Guard	Tube			SBC	Creme-Reflex	3.0-5.0	45-70	720	50	100	11101267
26"	47-559	26x1.75	K-Guard	Tube			Green Compound	Gumwall	3.0-5.0	45-70	720	50	100	11101264
26"	47-559	26x1.75	K-Guard	Tube			Green Compound	Whitewall	3.0-5.0	45-70	720	50	100	11101265
27"	28/32-630	27x1 1/4	K-Guard	Tube			Green Compound	Gumwall	3.0-5.5	45-80	550	50	75	11159324
27"	28/32-630	27x1 1/4	K-Guard	Tube			Green Compound	Whitewall	3.0-5.5	45-80	550	50	75	11159323
27.5"	37-584	27.5x1.40, 650x35B	K-Guard	Tube			Green Compound	Whitewall	4.0-6.0	55-85	580	50	85	11101269
28"	32-622	28x1.25, 700x32C	K-Guard	Tube			Green Compound	Whitewall	4.5-6.5	65-95	550	50	80	11101273
28"	37-622	28x1.40, 700x35C	K-Guard	Tube			Green Compound	Gumwall	4.0-6.0	55-85	625	50	90	11101275
28"	37-622	28x1.40, 700x35C	K-Guard	Tube			Green Compound	Whitewall	4.0-6.0	55-85	625	50	90	11101276
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			Green Compound	Black/Coffee-Reflex	3.5-6.0	50-85	705	50	100	11101278
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			Green Compound	Whitewall-Reflex	3.5-6.0	50-85	705	50	100	11101279
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			SBC	Brown-Reflex	3.5-6.0	50-85	705	50	100	11101280
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			SBC	Creme-Reflex	3.5-6.0	50-85	705	50	100	11101281
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			SBC	Coffee-Reflex	3.5-6.0	50-85	705	50	100	11101282
28"	42-622	28x1.60, 700x40C	K-Guard	Tube			Green Compound	Whitewall	3.5-6.0	50-85	705	50	100	11159067
28"	47-622	28x1.75	K-Guard	Tube			Green Compound	Black/Coffee-Reflex	3.0-5.0	45-70	800	50	110	11101296
28"	47-622	28x1.75	K-Guard	Tube			SBC	Coffee-Reflex	3.0-5.0	45-70	800	50	110	11101288
28"	47-622	28x1.75	K-Guard	Tube			Green Compound	Gumwall	3.0-5.0	45-70	800	50	110	11101285
28"	47-622	28x1.75	K-Guard	Tube			Green Compound	Whitewall	3.0-5.0	45-70	800	50	110	11101286

WHEEL CHAIR





Wheelchair tires are in continuous use and therefore subject to higher stresses than bicycle tires. Whether in everyday use or in (top) sports, wheelchair users must be able to rely on them. This is a challenge to which Schwalbe pays very special attention and, through years of cooperation with a wide variety of users, offers a suitable solution for everyone. The Schwalbe team is particularly proud of this.



MARATHON PLUS WHEELCHAIR

The Flat-less® tire for the wheelchair

- The absolute reference for puncture-proof pneumatic tires on wheelchairs
- Flat-less: Maximum puncture protection
- 2GRIP: Hand-friendly tires thanks to smooth sidewall (patented and standard on all Schwalbe wheelchair tires)
- Black'n'Roll: Leaves no black abrasion marks on indoor floors - extremely durable

Attention: It is essential to use an air pressure gauge to set the air pressure, pressure testing by thumb is not sufficient.

unplattbar® Flatless



MARATHON PLUS WHEELCHAIR Evolution Line, Wired – HS 440

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
22"	25-489	22x1.00	SmartGuard	Tube		Black 'n' Roll	Black-Reflex	6.0-10.0	85-145	470	67	55	10275440.02
24"	25-540	24x1.00	SmartGuard	Tube		Black 'n' Roll	Black-Reflex	6.0-10.0	85-145	500	67	60	10282440.02
24"	25-540	24x1.00	SmartGuard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	500	67	60	10283440.01
24"	28-540	24x1.10	SmartGuard	Tube		Black 'n' Roll	Black	6.0-8.0	85-115	530	67	60	10241440.01
24"	37-540	24x1 3/8	SmartGuard	Tube		Black 'n' Roll	Black	3.5-6.0	50-85	780	67	75	10281440.01
26"	25-559	26x1.00	SmartGuard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	520	67	60	10231440.01
26"	25-590	26x1.00	SmartGuard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	570	67	65	10284440.01

MARATHON PLUS WHEELCHAIR Performance Line, Wired – HS 440

24"	25-540	24x1.00	SmartGuard	Tube		GRC	Grey/Black	6.0-10.0	85-145	500	67	60	10282540.01
24"	37-540	24x1 3/8	SmartGuard	Tube		GRC	Grey/Black	3.5-6.0	50-85	780	67	75	10281540.01

RIGHTRUN PLUS

Latest Flatless® tire

- Slick tire with maximum puncture protection



RIGHTRUN

The entry-level model

- Two-tone rubber compound, 2Grip sidewall that is easy on the hand
- Black'n'Roll compound in the tread center



RIGHTRUN PLUS Performance Line, Wired – HS 387

ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
22"	25-489	22x1.00	SmartGuard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	470	67	55	10275397.02
24"	25-540	24x1.00	SmartGuard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	500	67	60	10282397.02

RIGHTRUN Active Line, Wired – HS 387

20"	25-451	20x1.00	K-Guard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	260	50	50	10100824
20"	25-451	20x1.00	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	260	50	50	10273328.01
22"	25-489	22x1.00	K-Guard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	285	50	55	10100825
22"	25-489	22x1.00	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	285	50	55	10275387.01
22"	25-501	22x1.00 BS	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	295	50	55	10277387.01
24"	25-540	24x1.00	K-Guard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	315	50	60	10100826
24"	25-540	24x1.00	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	315	50	60	10282387.01
24"	25-540	24x1.00	K-Guard	Tube		Black 'n' Roll	Blue Stripes	6.0-10.0	85-145	315	50	60	10282388.01
24"	25-540	24x1.00	K-Guard	Tube		Black 'n' Roll	Red Stripes	6.0-10.0	85-145	315	50	60	10282389.01
24"	28-540	24x1.10	K-Guard	Tube		Black 'n' Roll	Grey Stripes	5.0-8.0	70-115	330	50	60	10159015
26"	23-559	26x7/8	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	310	50	60	10283387.01
26"	28-559	26x1.10	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	350	50	60	10159012
26"	25-590	26x1.00	K-Guard	Tube		Black 'n' Roll	Black	6.0-10.0	85-145	350	50	65	10285391
26"	25-590	26x1.00	K-Guard	Tube		Black 'n' Roll	Grey Stripes	6.0-10.0	85-145	350	50	65	10285387.01

SCHWALBE ONE WHEELCHAIR

The race tire

- Sporty design, excellent race compound
- Sets standards in quality and performance
- Fast and light
- Good puncture protection



DUNK KING

The specialist for indoor sports

- Extremely easy to turn and roll
- Designed for negative camber of the wheels on indoor sports wheelchairs

NEW!



SCHWALBE ONE WHEELCHAIR Evolution Line, Folding – HS 462A

	ETRTO	SIZE	VERSION	SEAL	E-BIKE	INDEX	COMPOUND	COLOR	BAR	PSI	g	EPI	LOAD	ART.-NO.
NEW	24"	25-540	24x1.00	V-Guard	Tube		WheelStar	Black	6.0-9.0	85-130	205	127	70	11600870
NEW	26"	25-559	26x1.00	V-Guard	Tube		WheelStar	Black	6.0-9.0	85-130	215	127	70	11600871

DUNK KING Evolution Line, Folding – HS 612

NEW	24"	25-540	24x1.00	Evolution	Tube		WheelStar	White/Bordeaux	6.0-10.0	85-145	230	67	70	11654454
NEW	26"	25-559	26x1.00	Evolution	Tube		WheelStar	White/Bordeaux	6.0-10.0	85-145	240	67	70	11654455
NEW	26"	25-590	26x1.00	Evolution	Tube		WheelStar	White/Bordeaux	6.0-10.0	85-145	250	67	70	11654223
NEW	28"	25-622	700x25C	Evolution	Tube		WheelStar	White/Bordeaux	6.0-10.0	85-145	265	67	70	11654456

TUBES



SCHWALBE BICYCLE INNER TUBES. THE NUMBER 1 IN THE SPECIALIZED TRADE.

Reliable

All our tubes are equally appreciated by bicycle dealers and cyclists for their high reliability. Each tube is inflated at the factory for 24 hours and tested for air integrity.

Airtight

In the production of butyl tubes, we ensure a very high level of purity of material. As a result, they hold air pressure significantly longer than other tubes. Our Air Plus tubes go one better, with their particularly high wall thickness and are extremely airtight.

Group Tube System

A Schwalbe tube is particularly elastic and fits several tire dimensions. For this reason, we call it our Group Tube System. For example, the tube number 19 is suitable for tire diameters from 27.5" to 29" and widths from 40 mm to 62 mm.

100 % Recyclable

Our tubes are 100% recyclable. Every new Schwalbe butyl tube is made from around 20% recycled old tubes. Aerothane tubes are made of 100% thermoplastic polyurethane (TPU) and are also fully recyclable. Everything about Schwalbe recycling can be found on page 6.



AEROTHAN

The high-end alternative.

- Sets new standards in every respect
- About 40% lighter than a comparable Schwalbe Extralight tube made of butyl
- Extremely low rolling resistance; at a similar level to tubeless
- Increased puncture protection due to high puncture resistance
- Fully recyclable, consists of 100% thermoplastic polyurethane (TPU) (including valve)
- Extremely easy to mount and small pack size
- Available for gravel and road bikes, MTBs or all-round use



AEROTHAN TUBES

	RACE	ENDURANCE RACE	ALLROUND	MTB NEW	MTB	MTB	MTB+	MTB	MTB+
DESCRIPTION	SV20E	SV16E	SV17E	SV10E	SV13E	SV21E	SV21FE	SV19E	SV19FE
WHEEL SIZE	28"	28"	28"	24"	26"	27.5"	27.5"	29"	29"
ETRTO	23-622 to 28-622	28-622 to 35-622	37-622 to 50-622	54-507 to 62-507	54-559 to 62-559	54-584 to 62-584	62-584 to 75-584	54-622 to 62-622	62-622 to 75-622
VALVE	SV, 40/60/80/100 mm	SV, 40/60/80 mm	SV, 40/60 mm	SV, 40 mm	SV, 40 mm	SV, 40 mm	SV, 40 mm	SV, 40 mm	SV, 40 mm
PACKING SIZE	28 x 80 mm	32 x 80 mm	38 x 80 mm	42 x 75 mm	54 x 74 mm	54 x 77 mm	54 x 75 mm	54 x 80 mm	54 x 80 mm
WEIGHT	41 g	50 g	61 g	76 g	81 g	83 g	109 g	87 g	116 g

AIR PLUS

The tube with the longer breath.

- Higher air retention thanks to a high proportion of pure butyl rubber
- Greater puncture protection thanks to around 70% greater wall thickness greater protection against punctures and pinch flats
- 100% recyclable (read more on page 6)



AIR PLUS TUBES

	FOR ALL COMMON TIRE SIZES							
DESCRIPTION	7AP	10AP	13AP	17AP	19AP	19+AP	21AP	21+AP
WHEEL SIZE	20"	24"	26"	28"	29/28"	29+"	27.5"	27.5+"
ETRTO	40-406 to 62-406	40-507 to 62-507	37-622 to 62-559	37-622 to 40-635	40-622 to 62-622	54-622 to 65-622	40-584 to 62-584	54-584 to 40-406
VALVE	AV / SV	AV / SV	AV / SV	AV / SV / DV	AV / SV	AV / SV	AV / SV	AV / SV

STANDARD TUBES

12"	14"	16"	16/18"	18"	20"	20"	22"	24"	24"	26"
47-203 50-203 54-203 62-203	37-288 47-288 32-298 37-298 40-305	47-305 50-305 54-305 57-305 62-305	37-340 28-349 35-349 37-349 28-355 35-355	40-355 47-355 32-369 37-390 37-400	23-406** 28-406 32-406 35-406 37-406 40-406	40-406 47-406 50-406 54-406 57-406 60-406 62-406* 54-428*	44-484 37-489 28-490 37-490 37-501	47-507 28-540 37-540 28-541 37-541	40-507 47-507 50-507 54-507 57-507 62-507	20-559 25-559 20-571 23-571
1	2	3	4	5	6	7	8	9	10	11
80g	85g	115g	85g	95g	95g	145g	120g	130g	165g	60g
AV 1	AV 2	AV 3	AV 4	AV 5	AV 6	AV 7	AV 8	AV 9	AV 10	SV 11
10405310	10407310	10409310	10410310	10412310	10413310	10415310	10417310	10419310	10421310	10422313
AV 4 45	DV 2	DV 3	DV 4	DV 5	SV 6	DV 7	DV 8	DV 9	DV 10	SV 11 50mm
10405320.01	10407311	10409311	10410311	10412311	10413313	10415611	10417311	10419311	10421611	10422363
DV 1	SV 2	SV 3	SV 4	SV 5		SV 7	SV 8	SV 9	SV 10	
10405311	10407313	10409313	10410313	10412313		10415313	10417313	10419313	10421313	
SV 1										
10405313										
						6A	7C			
						EXTRALIGHT	EXTRALIGHT			
						65g	95g			
						SV 6A	AV 7C			
						10414393	10415710			
							SV 7C			
							10415713			

NEW

MTB	MTB	ENDURANCE RACE	ALLROUND	MTB	MTB+	RACE	MTB	MTB
24"	26"	28"	28"	29"	29+"	28"	27.5"	27.5+"
54-507 57-507 60-507 62-507	54-559 57-559 60-559 62-559	28-622 30-622 33-622 35-622	37-622 40-622 42-622 44-622 47-622 50-622	54-622 57-622 60-622 62-622	62-622 65-622 70-622 75-622	23-622 25-622 28-622	54-584 57-584 60-584 62-584	62-584 65-584 70-584 75-584
10E	13E	16E	17E	19E	19FE	20E	21E	21FE
76g	81g	50g	61g	87g	116g	41g	83g	109g
SV 10E	SV 13E	SV 16E	SV 17E	SV 19E	SV 19FE	SV 20E	SV 21E	SV 21FE
10461913	10400243	10400423	10461373	10400263	10461173	10400413	10400253	10400383
		SV 16E 60mm	SV 17E 60mm			SV 20E 60mm		
		10461703	10461803			10461693		
		SV 16E 80mm				SV 20E 80mm		
		10461653				10461643		
						SV 20E 60mm		
						10461713		

AEROTHAN

AEROTHAN TUBES

AIR PLUS

AIR PLUS TUBES

20"	7AP
40-406 42-406 47-406 50-406 54-406 55-406 57-406 60-406 62-406	220g
	AV 7AP
	10461560
	SV 7AP
	10461383

SPECIAL TUBES

12"	14"	14"	16"	18"	20"	WHEELCHAIR	DOWNHILL	22"	22"	24"
1B	2A	2C	3B	5A	7A	20"	20"	22"	22"	24"
32-203 35-203 37-203 40-203	47-254 50-254 54-254 57-254 60-254	32-254 35-254 37-254 40-254	32-305 35-305 37-305 40-305	47-355 50-355 54-355 57-355 60-355	37-438 28-440 37-440 28-451 37-451	23-451 25-451	54-406 57-406 60-406 62-406 65-406 70-406 75-406	25-489 28-489 25-501 28-501	40-457 47-457 50-457 54-457	18-520 20-520 22-520 23-520 25-520 28-520
61g	80g	72g	89g	95g	105g	85g	200g	80g	140g	90g
AV 1B	AV 2A	AV 2C	AV 3B	SV 5A	AV 7A	AV 7B	AV 7D	AV 8A	DV 8B	SV 9C
10461900	10407510	10461840	10461860	10412513	10416310	10416290	10415740	10417240	10400011	10418343
					DV 7A	SV 7B				
					10416311	10400013				
					SV 7A					
					10416313					



26"	MTB 26"	ROAD 28"	28"	TOUR GRAVEL 28"	29/28/27.5"	27.5"
47-559 47-571 30-584 35-584 47-584 32-590 37-590 44-590 32-597	40-559 47-559 50-559 54-559 57-559 60-559 62-559*	18-622 20-622 22-622 23-622 25-622 28-622* 22-630 25-630	28-622 30-622 32-622 28-630 32-630	40-609* 28-622 30-622 32-622 37-622 40-622 42-622 47-622* 32-630* 40-635*	50-584 60-584 62-584 40-622 47-622 50-622 57-622 62-622 40-635	40-584 47-584 50-584 54-584 57-584 60-584 62-584
12	13	15	16	17	19	21
140g	190g	105g	135g	150g	220g	205g
AV 12	AV 13	AV 15	DV 16	AV 17	AV 19	AV 21
10423340	10425340 10925440(WP)	10427340	10431311	10429340 10929440(WP)	10430340 10930340(WP)	10400050
DV 12	DV 13	DV 15	SV 16	DV 17	DV 19	SV 21
10423611 10923311(WP)	10425311 10925311(WP)	10427611 10927611(WP)	10431343	10429311 10929311(WP)	10430311 10930311(WP)	10400153
SV 12	SV 13	SV 15	SV 16 40mm	SV 17	SV 19	
10423343	10425343 10925443(WP)	10427343 10927443(WP)	10431363	10429343 10929443(WP)	10430343 10930343(WP)	
	SV 13 60mm	SV 15 60mm		SV 17 50mm		
	10425363	10400083		10400093		
		SV 15 60mm		SV 17 60mm		
		10427363 10927063(WP)		10429363		
	14	20		18	19A	21A
	EXTRALIGHT	EXTRALIGHT		EXTRALIGHT	EXTRALIGHT	EXTRALIGHT
	130g	65g		105g	140g	135g
	AV 14	SV 20		SV 18	SV 19A	SV 21A
	10424340	10426343		10428343	10430943	10400163
	SV 14	SV 20 50mm				
	10424343	10400103				
		SV 20 60mm				
		10426363				
		SV 20 80mm				
		10426383				

*not Extralight, **only Extralight, WP = Workshop packing (50 tubes rolled in a carton)

24"	26"	28"	29/28"	29+"	27.5"	27.5+"
40-507 47-507 50-507 54-507 57-507 62-507	40-559 42-559 47-559 50-559 54-559 57-559 60-559 62-559	37-622 40-622 42-622 47-622 40-635	40-622 47-622 50-622 54-622 57-622 62-622	54-622 57-622 60-622 62-622 65-622	40-584 47-584 50-584 54-584 57-584 60-584 65-584 62-584	54-584 57-584 60-584 62-584 65-584 70-584
10AP	13AP	17AP	19AP	19+AP	21AP	21+AP
260g	290g	270g	320g	420g	305g	400g
AV 10AP	AV 13AP	AV 17AP	AV 19AP	AV 19+AP	AV 21AP	AV 21+AP
10461770	10461570	10461600	10461610	10461620	10461580	10461590
SV 10AP	SV 13AP	SV 17AP	SV 19AP	SV 19+AP	SV 21AP	SV 21+AP
10461873	10461393	10461423	10461433	10461443	10461403	10461413
		DV 17AP				
		10461681				

VALVES



AV 40mm **AV 45°**



DV 40mm

32 mm only for 1-5, 7A, 8, 9



SV 40mm



SV 50mm **SV 60mm** **SV 80mm**

DOWNHILL 24"	26"	26"	WHEELCHAIR 26"
54-507 57-507 60-507 62-507 65-507 70-507 75-507	20-559 25-559 20-571 23-571	25-559 28-559 32-559 35-559 37-559 40-559	25-584 28-584 20-590 25-590
10D	11A	12A	12B
260g	95g	120g	90g
AV 10D	AV 11A	AV 12A	AV 12B
10420740	10422240	10432340	10423290
	SV 11A	DV 12A	SV 12B
	10422213	10432341	10423223
		SV 12A	
		10432343	

SPZIALSCHLÄUCHE

WHEELCHAIR 24"	WHEELCHAIR 24"	DOWNHILL 26"	FREERIDE 26+	FATBIKE 26"	FREERIDE 29/27.5"	FREERIDE 27.5+
20-540 25-540 28-540 25-541 28-541	20-540 25-540 28-540 25-541 28-541	54-559 57-559 60-559 62-559 65-559 70-559 75-559	54-559 57-559 60-559 62-559 65-559 70-559 75-559	90-559 100-559 110-559 120-559	65-584 70-584 75-584 54-622 57-622 60-622 62-622 65-622 70-622 75-622	54-584 57-584 60-584 62-584 65-584 70-584 75-584
9A	9B	13D	13F	13J	19F	21F
95g	65g	290g	185g	390g	215g	200g
AV 9A	AV 9B	AV 13D	AV 13F	SV 13J	AV 19F	AV 21F
10419240	10519290	10425740	10425790	10400193.01	10461460	10400030
SV 9A			SV 13F		SV 19F	SV 21F
10419213			10425793		10400323	10400073

TIRE BOOSTER

- Perfect for mounting tubeless tires, up to 11 bar pressure
- Attachable with mounting strap directly to track pump
Only for SV (Presta) valves
Application tips: schwalbe.com/tubeless
Art.-No. 6080.01



AIRMAX PRO

- Digital air pressure gauge, measures pressures up to 11 bar
- Suitable for AV (Auto) and SV (Presta), works on DV (Woods) with Schwalbe valve insert
Art. No. 6010.01



SADDLE BAG

- Complete with tube and two tire levers.

	SV	ART.-NO.
26"	13	1653A
28"	17	1653B
27.5/29"	19	1653C
Road bike	15	1613A.02

ⓘ Available for Road bike, MTB and Touring bikes.



BIKE SOAP

- Super cleaning effect & lasts up to 100 washes.
- Only natural ingredients, biodegradable
- Starter set in can + organic horsehair brush

NEW!



	ART.-NO.
Starter pack	4715
Soap	4711
Soap can	4713

SOS PUMP

- Small pump for emergencies, perfect for jersey pocket or attachment to the frame.
- Handy and extremely durable
- Rubber strap provides protection from dirt
Art. No. 6081

NEW!



ⓘ Only use wheels that have been specifically approved by the manufacturer for Tubeless conversion. Especially with the high-pressure demands on race bikes this is very important. We also test many current tubeless-compatible road bike rims for compatibility with our tires. An overview and all important information about tubeless can be found at: www.schwalbe.com/tubeless-technology/

DOC BLUE PROFESSIONAL

- Perfect for Schwalbe TLE tires, produced by Stan's NoTubes.
- Easy handling + optimal, fast sealing

BOTTLE	ART.-NO.
60ml	3710.01
200ml	3714
500ml	3711



- ⓘ **Dose:** 60 ml/tire (Race bike 30-40 ml). Effective ca. 2-7 Months. Thereafter, it dries to a rubber film. Can be renewed. Not effective on large defects (cuts/bursts).



EASY FIT

- Special mounting fluid for bicycle tires
- With the practical sponge, fluid can be easily and cleanly applied to tire bead

BUNDLE	ART.-NO.	
Sponge applicator	50ml	3700
Refil	1000ml	3701



TIRE LEVERS

- Simple assembly and disassembly of a tire 3 piece set, Art.-No. 1847 (10 Sets in a display)



GLUELESS PATCHES

- Self-adhesive patches to repair punctures in tubes (adhesive+sandpaper included). 6 Patches, Art.-No. 3900.01 (20 Sets in a display)



MULTITOOL

- 13 functions: various Allen keys, T25 Torx, slotted screw-driver, bottle opener, SV valve insert, SV valve extension, AV valve insert 78 g, Art.-No. 6015.01



- ⓘ With anti-corrosion coating.

TREAD CUTTER

- First profile cutter for MTB tires
- Cuts precisely, with a smooth edge and at the desired height Art.-No. 6025



- ⓘ Details for us: www.schwalbe.com/treadcutter

HIGH-PRESSURE-RIM TAPE

- Central factor for puncture protection
- Effectively protects tube from damage and covers spoke holes

	ETRTO	MAX BAR/PSI	ART.-NO.
16"	22-305	7/100	10870060
18"	18-355	10/145	10870061
20"	22-406	7/100	10870062
	25-406	7/100	10870063
24"	20-507	7/100	10870080
	22-507	7/100	10870082
	32-507	7/100	10870084
	16-540	10/145	10870086
26"	14-559	7/100	10870094
	20-559	7/100	10870100
	22-559	7/100	10870102
	25-559	7/100	10870105
	32-559	7/100	10870106
	16-571	10/145	10870090

	ETRTO	MAX BAR/PSI	ART.-NO.
26"	18-559/571	10/145	10870200
27.5"	20-584	7/100	10870252
	22-584	7/100	10870250
	25-584	7/100	10870255
	34-584	7/100	10870257
	38-584	7/100	10870261
	41-584	7/100	10870258
	45-584	10/145	10870260
28"	14-622	7/100	10870310
	16-622	10/145	10870300
	18-622	10/145	10870330
	20-622	10/145	10870350.01
	22-622	10/145	10870352.01
	25-622	7/100	10870355

TWIN-PACK

26"	14-559	7/100	11874094
	20-559	7/100	11874100
	22-559	7/100	11874102
28"	14-622	7/100	11874310

28"	16-622	10/145	11874300
	18-622	10/145	11874330
	20-622	10/145	11874350.01
	22-622	10/145	11874352.01



HIGH-PRESSURE-CLOTH RIM TAPE

- Fabric made of high quality polyamide is lightweight and very resistant to pressure
- Retain integrity even under heavy load and high temperatures

WIDTH	LENGTH	MAX BAR/PSI	SET	ART.-NO.
15mm	25m	10/145		880018
18mm	25m	10/145		880017
15mm	2m	10/145	2	880016
18mm	2m	10/145	2	880015



25 m workshop roll.

Pair-set. With valve hole.

CLOTH RIM TAPE – 50-M-ROLL.

- Value long roll polyester adhesive tape, ideal for the workshop

WIDTH	LENGTH	MAX BAR/PSI	ART.-NO.
15mm	50m	10/145	880002
19mm	50m	10/145	880001

ⓘ **Note for all tapes:** For racing rims (13C, 14C) use only widths 18 or 19mm!



TUBELESS RIM TAPE

- Easy installation, very high pressure resistant

WIDTH	LENGTH	MAX BAR/PSI	ART.-NO.
19mm	10m	12/175	887019
21mm	10m	12/175	887021
23mm	10m	12/175	887023
25mm	10m	12/175	887025
27mm	10m	12/175	887027
29mm	10m	12/175	887029
32mm	10m	12/175	887032
37mm	10m	12/175	887037
42mm	10m	12/175	887042



VENTILVERLÄNGERUNG

- For SV (Presta) valve with replaceable valve cor From Aluminum.

LENGTH	COLOR	THREAD	SET	ART.-NO.
30mm	Black	yes	2	3461
65mm	Black	yes	2	3462

ⓘ The valve extensions in 30mm and 65mm are tubeless compatible.



TUBELESS-VENTILE

- Set of 2 with easy installation, suitable for any rim height
- Valve base can be firmly mounted in rim with Allen key (4mm)
- Thanks to inner diameter of the valve stem, the tire can be effectively filled with air and sealant

VALVE	SIZE	WEIGHT	COLOR	ART.-NO.
SV	40mm	4,6g	Black	3470
	60mm	5,4g	Black	3471
	80mm	7,2g	Black	3474
	100mm	7,3g	Black	3472




VALVE	PART	QUANTITY	ART.-NO.
AV	Valve core	50	3610.01
	Rim nut	50	3601
	Rim nut black	50	3605
	Dust cap transparent	50	6610.01
	Dust cap smoke gray	50	6620



VALVE	PART	QUANTITY	ART.-NO.
DV	Valve core	50	3311.01
	Rim nut	50	3601
	Top nut	50	3602
	Dust cap transparent	50	6611.01



VALVE	PART	QUANTITY	ART.-NO.
SV	Valve core	50	3223.01
	Valve core black	50	3224
	Rim nut	50	3620
	Rim nut black	50	3630
	Dust cap transparent	50	6613.01
	Dust cap smoke gray	50	6614



VALVE	PART	QUANTITY	ART.-NO.
	Valve adapter from DV/SV to AV	50	3622
	Valve key AV/SV	50	3440
	Valve key SV Valve & Extension	50	3445



	ETRTO	NAME	TUBE
12"	47-203	BLACK JACK, KID PLUS, ROAD CRUISER	1
	50-203	BIG APPLE, ROAD CRUISER	1
14"	37-254	LITTLE JOE	2C
	50-254	BIG APPLE	2A
16"	37-288	ROAD CRUISER	2
	47-288	KID PLUS	2
	37-305	LITTLE JOE	2
	47-305	BLACK JACK, MARATHON, ROAD CRUISER	3
18"	50-305	BIG APPLE, BILLY BONKERS	3
	30-349	WINTER	4
	32-349	KOJAK	4
	35-349	MARATHON, MARATHON PLUS	4
	32-355	KOJAK	4
	40-355	MARATHON RACER	5
20"	44-355	MARATHON	5
	47-355	BLACK JACK	5, 5A
	50-355	BIG APPLE, BILLY BONKERS	5A
	28-406	SCHWALBE ONE, SCHWALBE PRO ONE, SCHWALBE PRO ONE TT RECORD EDITION	6, 6A
	35-406	KOJAK, MARATHON PLUS	6, 6A
	37-406	LITTLE JOE	6, 6A
	40-406	MARATHON, MARATHON 365, MARATHON RACER, SCHWALBE G-ONE SPEED	6, 6A, 7, 7AP, 7C
	42-406	MARATHON WINTER PLUS	7, 7AP, 7C
	47-406	MARATHON, MARATHON PLUS, BLACK JACK, CX COMP, DELTA CRUISER PLUS, ROAD CRUISER, ROAD CRUISER	7, 7AP, 7C
	50-406	BILLY BONKERS, BIG APPLE, LITTLE JOE	7, 7AP, 7C
22"	55-406	BIG APPLE, BIG BEN, BIG BEN PLUS, MARATHON 365, MARATHON WINTER PLUS, SCHWALBE PICK-UP	7, 7AP, 7C, 7D
	57-406	BIG BETTY, ROCKET RON	7, 7AP, 7C, 7D
	60-406	SMART SAM, SMART SAM PLUS, SCHWALBE PICK-UP	7, 7AP, 7C, 7D
	62-406	SUPER MOTO-X	7, 7AP, 7D
	25-451	RIGHTRUN	7B
	28-451	SCHWALBE ONE	7A
	47-457	ROAD CRUISER	8B
	44-484	ROAD CRUISER	8
	25-489	MARATHON PLUS WHEELCHAIR, RIGHTRUN, RIGHTRUN PLUS	8A
	25-501	RIGHTRUN	8A
24"	47-507	MARATHON, MARATHON PLUS, MARATHON WINTER PLUS, ROAD CRUISER, ROAD CRUISER PLUS, LAND CRUISER, CX COMP, BLACK JACK, LITTLE JOE	9, 10, 10AP
	50-507	BILLY BONKERS, BIG APPLE, LAND CRUISER, LAND CRUISER PLUS	10, 10AP
	54-507	BLACK JACK, ROCKET RON, SMART SAM	10, 10AP, 10D
	55-507	BIG BEN PLUS, SCHWALBE PICK-UP	10, 10AP, 10D
	60-507	HANS DAMPF, SCHWALBE PICK-UP, SMART SAM, ROCKET RON	10, 10AP, 10D
	62-507	BIG BETTY	10, 10AP, 10D
	23-520	SCHWALBE ONE	9C
	25-540	MARATHON PLUS WHEELCHAIR, DOWNTOWN, RIGHTRUN, RIGHTRUN PLUS, SCHWALBE ONE WHEELCHAIR, DUNK KING	9A, 9B

QUALITY LINES

EVOLUTION LINE. The very best possible. Highest grade materials. Latest technology.

PERFORMANCE LINE. Excellent quality for intensive use.

ACTIVE LINE. Reliable brand quality.

BEGRIFFE

SUPER CONSTRUCTIONS. A detailed overview of our new carcasses can be found on page 12.

TUBELESS. No bicycle inner tube is needed. Tire and rim are designed to seal directly together. Tubeless tires can also be ridden with inner tubes.

TUBELESS EASY. These tires can be converted to tubeless tires using sealant. The standard for high-quality Schwalbe tires.

TUBELESS READY. Special tubeless technology for performance tires from Schwalbe, similar to Tubeless Easy.

SOUPLESSE. Stands for suppleness and lightness in gravel and road cycling. Describes the ideal feedback from the ground to the rider.

FAIR RUBBER. Schwalbe is the first tire manufacturer to offer products with fair trade rubber. On every kilo of rubber Schwalbe pays a Fair Rubber premium. This is used exclusively to improve the living conditions of small farmers and their families.

	ETRTO	NAME	TUBE
26"	28-540	MARATHON PLUS WHEELCHAIR, RIGHTRUN	9, 9A, 9B
	37-540	MARATHON PLUS WHEELCHAIR, DELTA CRUISER, DELTA CRUISER PLUS, DOWNTOWN	9
27"	23-559	RIGHTRUN	11, 11A
	25-559	MARATHON PLUS WHEELCHAIR, SCHWALBE ONE WHEELCHAIR, DUNK KING	11, 11A, 12A
	28-559	RIGHTRUN, SCHWALBE PRO ONE, SCHWALBE PRO ONE TT RECORD EDITION	12A
	32-559	MARATHON	12A
	35-559	MARATHON PLUS, CX PRO, KOJAK	12A
	40-559	MARATHON, MARATHON PLUS, MARATHON RACER, SPICER PLUS	12A, 13, 13AP, 14, 14A
	47-559	MARATHON, MARATHON PLUS, MARATHON WINTER PLUS, BLACK JACK, ENERGIZER PLUS, DELTA CRUISER PLUS, LAND CRUISER, LAND CRUISER PLUS, SILENTO, ROAD CRUISER, ROAD CRUISER PLUS, WINTER	12, 13, 13AP, 14
	50-559	MARATHON, MARATHON PLUS, MARATHON PLUS TOUR, MARATHON MONDIAL, MARATHON WINTER PLUS, MARATHON 365, BIG APPLE, BLACK JACK, CX COMP, DELTA CRUISER PLUS, KOJAK, LAND CRUISER, LAND CRUISER PLUS, LITTLE JOE	13, 13AP, 14, 14A
	54-559	MARATHON PLUS MTB, BLACK JACK, BILLY BONKERS, HURRICANE, ICE SPIKER PRO, ROCKET RON, RAPID ROB, SMART SAM, SMART SAM PLUS, TOUGH TOM	13, 13AP, 14, 14A, 13D, 13E, 13F
	55-559	MARATHON 365, MARATHON WINTER PLUS, BIG APPLE, BIG BEN, BIG BEN PLUS, SCHWALBE PICK-UP	13, 13AP, 14, 13D, 13F
27,5"	57-559	MARATHON PLUS MTB, BILLY BONKERS, BLACK JACK, NOBBY NIC, RACING RALPH, RACING RAY, RAPID ROB, ROCKET RON, SMART SAM, SMART SAM PLUS, TOUGH TOM	13, 13AP, 14, 13D, 13E, 13F
	60-559	BIG APPLE, FAT FRANK, HANS DAMPF, MAGIC MARY, ROCKET RON, SCHWALBE PICK-UP, TOUGH TOM	13, 13AP, 14, 13D, 13E, 13F
	62-559	BIG BETTY, NOBBY NIC, SUPER MOTO-X	13, 13AP, 13D, 13E, 13F
	65-559	MAGIC MARY	13D, 13F
	100-559	JUMBO JIM	13J
	110-559	JUMBO JIM	13J
	120-559	JUMBO JIM, AL MIGHTY	13J
	23-571	SCHWALBE ONE	11, 11A
	25-590	MARATHON PLUS WHEELCHAIR, RIGHTRUN, DUNK KING	12B
	37-590	MARATHON PLUS, MARATHON, DELTA CRUISER, DELTA CRUISER PLUS	12
28/32-630	42-590	MARATHON PLUS	12
	27*	28/32-630	ROAD CRUISER
	32-630	MARATHON	16, 17
	25-584	SCHWALBE PRO ONE	16, 17
	28-584	SCHWALBE PRO ONE	12B
	30-584	SCHWALBE G-ONE SPEED	12
	33-584	SCHWALBE X-ONE ALLROUND	12
	35-584	KOJAK, SCHWALBE G-ONE ALLROUND	12
	37-584	ROAD CRUISER	12
	40-584	SCHWALBE G-ONE ALLROUND, MARATHON PLUS	12, 21, 21A, 21AP
44-584	MARATHON, ROAD CRUISER	12, 21, 21A, 21AP	

COMPOUNDS (RUBBER COMPOUND)

ADDIX. Newly developed high-performance compounds. The best rubber compounds from Schwalbe. For MTB (Speed, Speedgrip, Soft, Ultra Soft), road bike (Addix Race), e-bike tires (Addix-E) and all-weather tires (Addix 4 Season). Addix is also available in the Performance Line. Complete overview on page 15.

BLACK'N ROLL. Special rubber compound for wheelchair tires. Leaves no dark abrasion marks on indoor floors. Lasts significantly longer than a gray wheelchair compound.

DUAL. Two different rubber compounds for better performance.

ADDIX FOUR SEASON. SEASON: Very versatile rubber compound, specially made for conditions throughout the year.

GRC. Gray rubber compound for wheelchair tires.

GREEN COMPOUND. The most sustainable rubber compound. With polymers exclusively from renewable and recycled raw materials.

ROLLER. Particularly suitable for training on the roller.

SBC. Schwalbe Basic Compound: The versatile quality compound for all applications.

SILICA. Special filler in the rubber compound that positively influences rolling resistance and wet grip.

WINTER. Special rubber compound for studded tires.

WHEELSTAR COMPOUND. The speed rubber compound especially for wheelchair racers.

ETRTO	NAME	TUBE	
50-584	MARATHON E-PLUS, MARATHON MONDIAL, BIG BEN, BIG BEN PLUS, ENERGIZER PLUS, HURRICANE, LAND CRUISER PLUS, SCHWALBE G-ONE SPEED, SCHWALBE G-ONE BITE, SCHWALBE G-ONE ULTRABITE, WINTER	19, 19A, 21, 21A, 21AP	
54-584	MARATHON PLUS MTB, RAPID ROB, ROCKET RON, SCHWALBE G-ONE BITE, THUNDER BURT	19, 19A, 21, 21A, 21AP, 21E, 21F	
55-584	MARATHON ALMOTION, BIG BEN PLUS, MARATHON EFFICIENCY, MARATHON PLUS TOUR	19, 19A, 21, 21A, 21AP, 21+AP, 21F	
57-584	MARATHON PLUS MTB, HURRICANE, ICE SPIKER PRO, NOBBY NIC, RACING RALPH, RACING RAY, RAPID ROB, ROCKET RON, SCHWALBE G-ONE ALLROUND, SMART SAM, SMART SAM PLUS, TOUGH TOM, WICKED WILL	19, 19A, 21, 21A, 21AP, 21+AP, 21E, 21F	
60-584	AL GROUNDER, DIRTY DAN, HANS DAMPF, JOHNNY WATTS, SCHWALBE PICK-UP, SMART SAM, TOUGH TOM, JOHNNY WATTS 365, MARATHON PLUS MTB, MARATHON EFFICIENCY, MARATHON PLUS TOUR	19, 19A, 21, 21A, 21AP, 21+AP, 21E, 21F	
62-584	BIG BETTY, HURRICANE, NOBBY NIC, MAGIC MARY, SUPER-MOTO, SUPER MOTO-X, WICKED WILL	19, 21, 21A, 21AP, 21+AP, 21E, 21F, 21FE	
65-584	AL GROUNDER, BIG BETTY, EDDY CURRENT FRONT, EDDY CURRENT REAR, HANS DAMPF, ICE SPIKER PRO, JOHNNY WATTS, NOBBY NIC, MAGIC MARY, ROCKET RON, SCHWALBE PICK-UP, SMART SAM, TOUGH TOM, JOHNNY WATTS 365, WICKED WILL	19F, 21+AP, 21F, 21FE	
70-584	BIG BETTY, EDDY CURRENT FRONT, EDDY CURRENT REAR, HANS DAMPF, JOHNNY WATTS, NOBBY NIC, MAGIC MARY, ROCKET RON, SCHWALBE G-ONE ALLROUND, SUPER MOTO-X, TOUGH TOM, SMART SAM	19F, 21+AP, 21F, 21FE	
28"	23-622	MARATHON, DURANO DD, DURANO PLUS, INSIDER, LUGANO II, SCHWALBE PRO ONE, SCHWALBE ONE	15, 20, 20E
	25-622	MARATHON, MARATHON PLUS, DURANO DD, DURANO PLUS, LUGANO II, LUGANO II ENDURANCE, SCHWALBE PRO ONE, SCHWALBE PRO ONE TT, SCHWALBE ONE, DUNK KING	15, 20, 20E
	28-622	MARATHON PLUS, MARATHON, DELTA CRUISER, DELTA CRUISER PLUS, DURANO DD, DURANO PLUS, LUGANO II, SCHWALBE PRO ONE, SCHWALBE PRO ONE TT, SCHWALBE ONE	15, 16, 16E, 17, 18, 20E
	30-622	MARATHON RACER, CX PRO, CX COMP, SCHWALBE PRO ONE, SCHWALBE ONE, SCHWALBE G-ONE SPEED, WINTER	16E, 17, 18
	32-622	MARATHON, MARATHON PLUS, DELTA CRUISER PLUS, LUGANO II, ROAD CRUISER, SCHWALBE PRO ONE, SCHWALBE E-ONE, SCHWALBE ONE	17, 18
	33-622	SCHWALBE X-ONE ALLROUND, SCHWALBE X-ONE SPEED, SCHWALBE X-ONE BITE	16E, 17, 18
	34-622	SCHWALBE PRO ONE	17, 18
	35-622	MARATHON RACER, MARATHON WINTER PLUS, CX COMP, INSIDER, KOJAK, SCHWALBE G-ONE ALLROUND, SCHWALBE G-ONE SPEED, SCHWALBE X-ONE ALLROUND, SPICER PLUS, WINTER, SCHWALBE G-ONE RS	16E, 17, 18

ETRTO	NAME	TUBE	
37-622	MARATHON MONDIAL, MARATHON E-PLUS, MARATHON PLUS, MARATHON PLUS TOUR, MARATHON, MARATHON 365, ENERGIZER PLUS, ENERGIZER PLUS TOUR, DELTA CRUISER, DELTA CRUISER PLUS, LAND CRUISER, LAND CRUISER PLUS, ROAD CRUISER, ROAD CRUISER PLUS, SILENTO, SMART SAM	17, 17AP, 17E, 18	
40-622	MARATHON ALMOTION, MARATHON E-PLUS, MARATHON PLUS, MARATHON, MARATHON RACER, MARATHON 365, DELTA CRUISER PLUS, ENERGIZER PLUS, ENERGIZER PLUS TOUR, BIG BEN, SCHWALBE G-ONE ALLROUND, SCHWALBE G-ONE SPEED, SCHWALBE G-ONE BITE, SCHWALBE G-ONE ULTRABITE, SPICER PLUS, CX COMP, SCHWALBE G-ONE R, MARATHON EFFICIENCY, MARATHON PLUS TOUR, SCHWALBE G-ONE OVERLAND, SCHWALBE G-ONE RS	17, 17AP, 17E, 18, 19, 19A, 19AP	
42-622	MARATHON MONDIAL, MARATHON WINTER PLUS, MARATHON PLUS TOUR, HURRICANE, LAND CRUISER, LAND CRUISER PLUS, ROAD CRUISER, ROAD CRUISER PLUS, SILENTO, SMART SAM, SMART SAM PLUS, WINTER	17, 17AP, 17E, 18, 19, 19A, 19AP	
44-622	SMART SAM, MARATHON	17, 17AP, 17E, 18, 19, 19A, 19AP	
45-622	SCHWALBE G-ONE ALLROUND, SCHWALBE G-ONE BITE, SCHWALBE G-ONE ULTRABITE, SCHWALBE G-ONE R, SCHWALBE G-ONE OVERLAND, SCHWALBE G-ONE RS	17, 17AP, 19, 19A, 19AP	
47-622	MARATHON MONDIAL, MARATHON E-PLUS, MARATHON PLUS, MARATHON PLUS TOUR, MARATHON 365, MARATHON, ENERGIZER PLUS, ENERGIZER PLUS TOUR, DELTA CRUISER PLUS, LAND CRUISER, LAND CRUISER PLUS, ROAD CRUISER, ROAD CRUISER PLUS, SILENTO, SMART SAM, SMART SAM PLUS	17AP, 17E, 19, 19A, 19AP	
50-622	MARATHON E-PLUS, MARATHON ALMOTION, MARATHON MONDIAL, MARATHON WINTER PLUS, MARATHON, MARATHON 365, BIG APPLE, BIG BEN, BIG BEN PLUS, ENERGIZER PLUS TOUR, ENERGIZER PLUS, DELTA CRUISER PLUS, FAT FRANK, LAND CRUISER PLUS, ROAD CRUISER PLUS, SCHWALBE G-ONE SPEED, SCHWALBE G-ONE BITE, SCHWALBE G-ONE ULTRABITE, SUPER MOTO, MARATHON EFFICIENCY, MARATHON PLUS TOUR, SCHWALBE G-ONE OVERLAND	17E, 19, 19A, 19AP	
55-622	MARATHON E-PLUS, MARATHON ALMOTION, MARATHON MONDIAL, MARATHON WINTER PLUS, MARATHON, MARATHON 365, BIG APPLE, ENERGIZER PLUS, ENERGIZER PLUS TOUR, LAND CRUISER PLUS, ROAD CRUISER PLUS, MARATHON EFFICIENCY, MARATHON PLUS TOUR	19, 19A, 19AP, 19F	
60-622	BIG APPLE	19, 19A, 19AP, 19F	
62-622	SUPER MOTO	19, 19A, 19AP, 19F	
40-635	MARATHON PLUS, MARATHON, DELTA CRUISER, DELTA CRUISER PLUS	17, 19, 19A	
29"	50-622	DIRTY DAN, HURRICANE	19, 19A, 19AP
54-622	MARATHON PLUS MTB, RACING RALPH, RACING RAY, RAPID ROB, ROCKET RON, SMART SAM, SMART SAM PLUS, THUNDER BURT	19, 19A, 19AP, 19+AP, 19E, 19F	
57-622	MARATHON PLUS MTB, ICE SPIKER PRO, MAGIC MARY, NOBBY NIC, RACING RALPH, RACING RAY, RAPID ROB, ROCKET RON, SCHWALBE G-ONE ALLROUND, SMART SAM, SMART SAM PLUS, HURRICANE, THUNDER BURT, TOUGH TOM, WICKED WILL	19, 19A, 19AP, 19+AP, 19E, 19F	
60-622	AL GROUNDER, DIRTY DAN, HANS DAMPF, JOHNNY WATTS, RACING RALPH, RACING RAY, SMART SAM, SCHWALBE G-ONE SPEED, THUNDER BURT, TOUGH TOM, JOHNNY WATTS 365, MARATHON PLUS MTB, ROCKET RON	19, 19A, 19AP, 19+AP, 19E, 19F	
62-622	BIG BETTY, EDDY CURRENT FRONT, HURRICANE, MAGIC MARY, NOBBY NIC, WICKED WILL	19, 19A, 19AP, 19+AP, 19E, 19F, 19FE	
65-622	BIG BETTY, EDDY CURRENT FRONT, EDDY CURRENT REAR, HANS DAMPF, JOHNNY WATTS, MAGIC MARY, NOBBY NIC, SMART SAM, TOUGH TOM, JOHNNY WATTS 365, WICKED WILL	19F, 19FE, 19+AP	

SYMBOLS

SEAL (INFLATION).

- **TLE/TLR.** Optimal performance (rolling resistance and puncture protection) in tubeless use with Doc Blue, alternatively usable with tube.
- **TUBE ONLY.** Usable with inner tube only.

E-BIKE. Recommendation for the use of a tire on e-bikes. For normal, standard pedelecs (E-25), or with ECE-R75 test mark for fast e-bikes (E-50).

INDEX. Special coding indicating the maximum load and the maximum speed of a tire. The load indication is a numerical code (e.g. 28 = 100 Kg), the speed indication is an alphabetical code (e.g. B = 50 Km/h).

COMPOUND. Rubber compound

BAR. Min. / max. **AIR PRESSURE** in bar

PSI. Min. / max. **AIR PRESSURE** in psi

EPI. Carcass density. Ends per inch (threads per inch). The denser the carcass, the higher the quality of the tire. A 'T' in front of the number indicates a tubular tire carcass, these are only comparable to a limited extent. Material and manufacturing methods differ significantly.

LOAD. Maximum load capacity. Applies per tire at max. air pressure.

NOTICE

AS OF JUNE 2022

All photos, images, graphics and text in this catalog are protected by copyright. In order to secure rights for use, our agreement in writing should be sought. Errors and omissions excepted. Technical details subject to change.

More Information: www.schwalbe.com



TECHNIK FAQ



SCHWALBE HEADQUARTERS

RALF BOHLE GMBH
51580 REICHSHOF
GERMANY
T +49-2265-1090
WWW.SCHWALBE.COM

SCHWALBE NEDERLAND B.V.

2132 PX HOOFDDORP
T +31-23-5555265
WWW.SCHWALBE.NL

SCHWALBE TYRES UK LTD.

SHROPSHIRE TF1 7ET
T +44-1952-602680
WWW.SCHWALBE.CO.UK

SCHWALBE NORTH AMERICA

FERNDALE, WA
T +1-888-700-5860
WWW.SCHWALBETIRES.COM

SCHWALBE FRANCE SARL

385 10 MORESTEL
T +33-4-74805842
WWW.SCHWALBE.FR

SCHWALBE ITALIA S.R.L.

20864 AGRATE BRIANZA (MB)
T +39-039-6058078
WWW.SCHWALBE.IT



FOLLOW US ON:
FACEBOOK.COM/SCHWALBETIRES
INSTAGRAM.COM/SCHWALBETIRES

