

# RUDOLF SCHLECHTER'S SOUTH-AMERICAN ORCHIDS

## I. HISTORICAL AND BIBLIOGRAPHICAL BACKGROUND

CARLOS OSSENBACH<sup>1,2,4</sup> & RUDOLF JENNY<sup>3</sup>

<sup>1</sup>Orquideario 25 de mayo, Sabanilla de Montes de Oca, San José, Costa Rica

<sup>2</sup>Jardín Botánico Lankester, Universidad de Costa Rica, Costa Rica

<sup>3</sup>Jany Renz Herbarium, Swiss Orchid Foundation, Switzerland

<sup>4</sup>Corresponding author: caossenb@racsa.co.cr

**ABSTRACT.** This study represents the first part of a series dedicated to the work of Rudolf Schlechter on the orchid flora of South America. The historical background of Schlechter's botanical activity is outlined, and salient aspects of his biography, as well as his main scientific relationships, in particular with Oakes Ames, and the origins of his interest in tropical America are discussed. We also present a complete bibliography relative to Schlechter's production on the orchid floras of South American countries, with his network of orchid collectors, growers and other purveyors, and checklists of all the new taxa that he described from each individual country.

**KEY WORDS:** bibliography, biography, history of botany, Orchidaceae, South America

**Historical background**<sup>1</sup>. One will hardly find any scholar who was such an ardent and unconditional defender of Rudolf Schlechter as the late Karlheinz Senghas (1928–2004), who made the study of Schlechter's work one of the goals of his life. Senghas (2002: 1) answers the question about the most important German orchidologists by using the term “the three Popes” when referring to Heinrich Gustav Reichenbach, or Reichenbach *filius* (1824–1899), from Hamburg (Fig. 1A), Ernst Hugo Heinrich Pfitzer (1846–1906) from Heidelberg (Fig. 1B) and Friedrich Richard Rudolf Schlechter (1872–1925), from Berlin (Fig. 2).

Of these three, Rudolf Schlechter must be credited with having described the largest number of new orchid genera and species, monographic revisions of genera and subtribes, and national and regional orchid floras. The publication of *Die Orchideen* (1915) was, years before the end of his scientific work, the crowning moment of his career (Senghas, 2002: 1).

A man of egoistic self-confidence and driving ambition, Schlechter had an enormous capacity for work and a remarkable memory; it is said that at an early age he had set for himself the goal of describing at least one new orchid every day and indeed he proposed in excess of 5,000.

Schlechter was born on October 16, 1872 in Berlin, the third of six children. His father, Hugo Schlechter, was a lithographer. After finishing school at the Friedrich Wilhelm Gymnasium, he started education in

horticulture, first at the market garden of Mrs. Bluth and then at the botanical garden of the University of Berlin. There he worked as an assistant until the autumn of 1891, when he left Europe on his first botanical expedition to southern Africa. He was only 19 years of age.

After arriving in Cape Town he worked as a gardener and as an inspector of grape vines for phylloxera. He then was employed as an assistant in the private herbarium of Dr. Harry Bolus, where he must have learned quite a bit about the local flora from his employer<sup>2</sup>. Bolus' herbarium was later acquired by Cape Town University. From 1891–1892 Schlechter collected plants in the surroundings of the city. After leaving Bolus in 1892, he explored other regions in the southern and eastern Cape, Transkei, Natal and Transvaal until 1895, when he returned to Europe and published his first paper on the plant family to which he would devote the rest of his life, the orchids<sup>3</sup>.

Schlechter returned to Europe with copious collections of both asclepiads and orchids, on which

<sup>1</sup> Many important facts about Schlechter's life are based on information in the National History Museum, 2013, as well as on K. Senghas (2002: 1–10).

<sup>2</sup> Bolus, together with John M. Wood, Peter Macowan, and Rudolf Marloth, were known as the “Big Four of South-African Botany”.

<sup>3</sup> Schlechter, R. 1895. *Beiträge zur Kenntnis neuer und kritischer Orchideen aus Südafrika (Contributions to the knowledge of new and critical orchids from South Africa)*. Bot. Jahrb. Syst. 20, Beibl. 50: 1–44.



FIGURE 1. A - Heinrich Gustav Reichenbach (1824–1899). Courtesy of the Archives, Naturhistorisches Museums, Wien.  
B - Ernst Hugo Heinrich Pfitzer (1846–1906). Charcoal by Guido Philipp Schmidt.

he worked at the Botany Department of the British Museum in London. There he established a relationship with Alfred B. Rendle (1865–1938) (Fig. 3A). Together they later researched on the Asclepidaceae of tropical Africa<sup>4</sup>.

In 1896 Schlechter returned to southern Africa and was joined by his brother Max, with whom he travelled north to the Vanrhynsdorp district, returning to Cape Town that September. Between November 1896 and April 1897, they collected northwards to the Cedarberg and eastwards to Cape Agulhas. In August 1897 the two brothers set out for Namaqualand and reached the Orange River at Ramansdrift. Schlechter was then in Mozambique from late 1897 to early 1898. Dr. S. Schonland, director of the Albany Museum in Grahamstown (Eastern Cape Province), who received plants from Schlechter, described him as *the most acute and most successful botanical collector who ever visited*

*South Africa* (Schonland, 1897: 5). Schlechter returned to the University of Berlin in April 1898, drained and weakened by dysentery and tropical fevers. This was nevertheless an important period for the young botanist, for he was able to work with such renowned colleagues as Heinrich Gustav Adolf Engler (1844–1930) (who was his tutor while writing his Ph.D. thesis) (Fig. 3B–4), Friedrich Ludwig Emil Diels (1874–1945) (Fig. 4) and Otto Warburg (1859–1938) (Fig. 5A). It was the latter, an economic botanist, who probably saw that Schlechter was hired by the German Colonial Department to lead an expedition to West Africa in search of latex-producing plants (*the Westafrikanische Kautschuk-Expedition*, 1899–1900) (Fig. 5B).

Over the next decades Schlechter was continuously involved in expeditions, visiting Sumatra, Java, Celebes, Borneo, New Guinea and Australia. In 1901–1903, again under contract with the Colonial Department, he explored Malaysia, Indonesia, German New Guinea and the South Sea islands. He proceeded to Sydney and then New Caledonia in 1902,

<sup>4</sup> Schlechter, R. & Rendle, A.B. 1896. New African Asclepiads. *Journal of Botany, British and Foreign* 34: 97–100.




FIGURE 2. Friedrich Wilhelm Rudolf Schlechter (1872–1925). Archives of Rudolf Jenny.




FIGURE 3. A - Alfred Barton Rendle (1865–1938). Photograph by Walter Stoneman. B - Friedrich Gustav Adolf Engler (1844–1930). Study of a portrait by William Page.





FIGURE 4. Left to right: Ignaz Urban (1858–1931), Adolf Engler, Ludwig Diels (1874–1945). Archives of Rudolf Jenny.



A



B

FIGURE 5. A - Otto Warburg (1859–1938). Archives of Rudolf Jenny. B - Rudolf Schlechter in front of his tent in Kadyebi (Togo), 1900. In Fibbeck, 2012, part II: 169. l.

sailing back to Germany in 1903. After completing his doctoral thesis on the phytogeography of New Caledonia, he made another brief trip to West Africa to assess progress with the cultivation of Silkrubber (*Funtumia elastica* Stapf).

In 1906 he embarked on his longest and last expedition, this time back to the Malay archipelago, visiting Hong Kong, the Philippines, Sumatra, Borneo and New Guinea (which served as his base). Although he had been commissioned to establish a rubber research station at the Papuan village of Bulu, it is his botanical collections during this time for which he is best remembered. In 1910 he was back in Berlin, where he began his major work, *Die Orchidaceen von Deutsch-Neu-Guinea*. Published between 1911 and 1914, its 14 volumes numbered over 1,000 pages, in which he described about 1,500 new orchid species.

Schlechter's work had been preceded, after the death of Reichenbach, by Ernst Hugo Heinrich Pfitzer. Pfitzer, who since 1872 was professor and director of the Botanical Garden of Königsberg (Prussia), and

dedicated himself to the classification of the Orchidaceae and published his *Beiträge zur Systematik der Orchideen* (*Contributions to the Systematics of Orchids*) in 1895.

Another contemporary of Schlechter was Friedrich Wilhelm Ludwig Kraenzlin (1847–1934) (Fig. 6). studied chemistry and botany at Berlin and Königsberg, receiving his Ph.D. in 1867. He later worked as an assistant to Wilhelm Hofmeister in Heidelberg and under Johannes von Hanstein at the University of Bonn. From 1872 to 1906 he was a professor and director of the botanical garden at Heidelberg. In the first edition of *Die Natürlichen Pflanzenfamilien*<sup>5</sup> (*The natural families of plants*), a work by Adolf Engler and Carl Prantl, Kraenzlin collaborated on the treatment on orchids.

Kraenzlin's work was, however, severely criticized by many of his colleagues. Rudolf Schlechter was no exception. Writing to Oakes Ames on September 12, 1910, he gave his opinion

<sup>5</sup> Engler, A. & Prantl, K. 1897-1915. *Die natürlichen Pflanzenfamilien*. Engelmann, Leipzig.




FIGURE 6. Friedrich Wilhelm Ludwig Kraenzlin (1847–1934). Archives of Rudolf Jenny.

on Kraenzlin's monograph of *Dendrobium*: “*I am very curious to see what Kränzlin's monograph of Dendrobium will be like; from what I see in the Berlin Herbarium in the way of his determinations there will quite a lot of ridiculousness in it and this work will be the crown of foolishness in a man who really has not given a single usable work to science in spite of his long years of work. Sometimes it almost appears to me as if he is not actually determinating his plants, but raffling them out.*” And Ames was equally critical. On December 4, 1910 he replied to Schlechter on the same subject: “*I have just received Dr. Kränzlin's monograph of Dendrobium. I have not yet put it to the test, but in several places I have detected errors which are unpardonable and in every way avoidable.*”

Between collecting trips Schlechter continued his visits to London, always stopping in at the herbarium at Kew and the British Museum. He was considered an interesting figure, but being not respectful of persons or things, he was apt to tread on other people's feelings and sensibilities. He was dogmatic in his convictions, a characteristic which did not assist in making him popular; but on the basis of his achievements and experience, he was accorded great respect (Reinikka,

1995: 294). Frequent visits were also made to the herbaria in Paris, Leiden, Brussels, and Vienna.

Shortly after his last expedition, Schlechter married Alexandra Sobennikoff, the daughter of a Russian merchant, with whom he raised two daughters. In 1925 he dedicated the Malagasy orchid genus *Sobennikoffia* to his wife.

Rudolf Schlechter became Secretary of the Orchid Committee of the German Horticultural Society in 1914, and in 1915 editor of the journal *Orchis*. In the same year he finished the publication of the last fascicle of the first edition of his *Die Orchideen*<sup>6</sup>, the work that has made him famous to the present day. The First World War interrupted Schlechter's botanical career as he served as officer in the German Army during 1916 and 1917 (Fig. 7). After WWI and until his death in 1925 Schlechter focused on expanding his research collection of orchids.

His production of publications from his orchid research reached its highest point during this period. From a total of 333 publications by Schlechter, 233 were dedicated to Orchidaceae, with the description of some 170 new genera and over 5,500 new orchid species. Among his publications were descriptions of new genera and species, multiple revisions of orchid genera and 20 works about national and regional orchid floras.

Schlechter spent the last 15 years of his career at the Berlin Botanical Museum, where he became a curator in 1921. He died at the relatively young age of 53, in 1925, apparently from the lingering effects of tropical diseases he had contracted during his expeditions. It was, however, fortunate that he did not live to see the destruction of one of his greatest achievements: his collections were destroyed along with the Berlin herbarium by allied bombing on the night of March 1, 1943 (Fig. 8).

Rudolf Schlechter's name lives on in the genera *Schlechteranthus* Schwantes (Aizoaceae), *Schlechteria* Bolus ex Schltr. (Brassicaceae), *Schlechterella* K.Schum (Asclepidaceae), *Schlechterina* Harms (Passifloraceae) and *Rudolfiella* Hoehne (Orchidaceae). Forty-one orchid species carry his name.

<sup>6</sup> Schlechter, R. 1915. *Die Orchideen: ihre Beschreibung, Kultur und Züchtung. Handbuch für Orchideenliebhaber, Züchter und Botaniker.* Berlin, P. Parey.



FIGURE 7. Rudolf Schlechter as infantry-officer, WWI. In Fibbeck, 2014, part V: 59.



FIGURE 8. Berlin Herbarium destroyed during WWII, 1943. Archives of Rudolf Jenny.

**Bibliographical background – Schlechter's interest in tropical America.** Rudolf Schlechter's first contact with the orchids of South America's vast territory (Fig. 9) was undoubtedly his study of the large collections of orchids by Friedrich Carl Lehmann (1850–1903) held by the British Museum in London. Lehmann began to sell herbarium specimens to the British Museum in 1888, and Robert A. Rolfe was engaged in describing them at Kew. When Schlechter arrived in London in 1898 after his first South-African expedition, the British Museum already had a significant number of Lehmann's Colombian orchid specimens, although Lehmann's early collections were buried in Vienna, together with the rest of Reichenbach's Herbarium. Rudolf Schlechter, in his works of 1920 and 1924 on the Colombian orchid flora, made frequent reference to specimens collected by Lehmann.

Schlechter's publications on orchids that refer to South American orchids can be roughly divided into four periods: the years before WWI, especially those after his return from Papua & New Guinea in 1909 (21 publications); the war years (1914–1918,

30 publications); the postwar years, from 1919 to his death in 1925 (44 publications). There were, additionally, posthumous publications of his works by his wife, Alexandra, Rudolf Mansfeld and others (17 publications).

Schlechter's first publication on tropical orchids from the New World was a product of the return to Germany of Robert Knud Friedrich Pilger (1876–1953), who had travelled as a botanist with an expedition to the Matto Grosso, Brazil, led by Dr. Hermann Meyer (1871–1932), in the years 1899 and 1900. Pilger worked at the Botanical Museum in Berlin on the plants collected during his journey, contacting leading specialists in the different plant families to assist him in the determinations. Schlechter was chosen to work on his favorite family, the *Orchidaceae*, in Pilger's *Beitrag zur Flora von Mattogrossos* (Pilger, 1901: 149–150) describing the relatively small number of 7 orchid species, of which only one (*Habenaria pilgeri*) was new to science.

We find the next two publications by Schlechter, describing a few new orchid species from Brazil and Colombia, five years later, in 1906. We then have to



FIGURE 9. Map of South America by Harlan P. Beach, ca. 1900.




FIGURE 10. Oakes Ames (1874–1950). Portrait by his wife, Blanche Ames.

wait until 1910 to hear from him again. This unusually unproductive period has naturally to be ascribed to Schlechter's long expeditions to Africa, South-East Asia, Australia, and Papua & New Guinea, which kept him away from Berlin during the best part of the first decade of the 20th century. There was a brief interlude from 1903 to 1906, the time he spent finishing his studies in Berlin and receiving his Ph.D.

Correspondence between individuals has always been one of the primary sources for those writing on history. In our case, we can count ourselves fortunate for being able to read and study the copious correspondence between Rudolf Schlechter and Oakes Ames (1874–1950) (Fig. 10) over a period of some fifteen years. This treasure is today well kept at the Oakes Ames Herbarium of Harvard University. It is not clear how Schlechter established the first contact with the great Harvard botanist, although it was presumably through common acquaintances at Kew. Ames, when writing about the destruction of the herbarium in

Berlin (1944) says that “*nearly half a century ago my acquaintance with Schlechter began.*” This would have been coincidental with Schlechter's visit to Kew after his first African expedition, so it must have been sometime between 1898 and 1900.

Over 350 pages of letters -mostly typed in the case of Ames; always in his untidy handwriting by Schlechter- give us an impressive insight into each man's particular circumstances and constitute a detailed timeline, especially with regard to Schlechter's publications and his personal, difficult circumstances. Although their relationship grew through the years to one of deep friendship -to a point where the biography of either botanist during this period can only be written with constant mention of the other- the differences in character, as well as in economic and social standing, could hardly be more extreme. Schlechter came from a middle-class family and had to work his way up through untiring personal effort; Ames was born into a family of millionaires, the elite of the high society of New England (Fig. 11). Ames' grandfather has been credited by many historians as being the single most important influence in the building of the Union Pacific portion of the transcontinental railroad. While Schlechter spent the first fifteen years of his mature life in extensive and exhausting expeditions through Africa, Southeast Asia, and Australia, developing a deep understanding of orchids in relation to their natural habitats, Ames hardly ever left the sumptuous comfort of his native Boston and his research on orchids was always based on herbarium specimens of plants which he had seldom seen growing in their natural habitats, or on the few living plants growing in the Harvard Botanic Garden.

Schlechter was an incredibly hard worker who produced an average of over 20 publications per year, including such major works as his *Die Orchideen*; Ames, in his own words, was an intermittent worker who wandered from the job, ‘a slave of inclination’ as he defined himself, for whom there were months at a stretch when he considered botanical work ‘a perfected form of torture’. His literary production -compared with that of Schlechter- was relatively meager. Schlechter was the most important orchidologist of his time, while Ames played a relatively smaller role.




FIGURE 11. A - Homestead of the Ames family, where Oakes Ames was born and lived in the first years of his marriage (North Easton, Massachusetts). B - Building on Neue Culmstrasse N°5a, where Schlechter lived around 1914 (Berlin-Schöneberg). The building was heavily damaged during the war and rebuilt afterwards.




FIGURE 12. Letter from Schlechter to Ames, Feb. 2, 1909: "I wish some American collectors would go to Venezuela and Columbia, there would be a fine harvest to be got. [...]" In Oakes Ames Orchid Herbarium, Harvard University.



FIGURE 13. Friedrich Karl Gustav Fedde (1873–1942).  
Archives of Rudolf Jenny.

However, Ames amassed an orchid herbarium which, before being integrated into the larger collection of Harvard University, contained about 131,000 plant specimens, around 3,000 flowers in glycerin, 4,000 specimens in liquid and hundreds of line drawings that supplemented the specimens. Part of this herbarium were hundreds of duplicates and drawings received from Schlechter, and later Mansfeld, before the tragic bombing of the Berlin herbarium in 1943.

With time, Ames became instrumental in providing his German counterpart with information about tropical American orchids: over fifteen years he exchanged duplicates from his Central and South-American herbarium specimens with Schlechter. One could say that during important periods of their work on orchids, Ames and Schlechter became indispensable to each other.

The first record of Schlechter's correspondence with Ames (August 3, 1908, from camp on Mount Komi, in what is now Papua New Guinea) is a letter in which he wrote: “I dare say I will be able to let

*you have a rather large number of Orchid specimens from here after my return to Europe and hope that you will have to offer some Orchid-material from Tropical-America in return, or perhaps the West-Indies?”* It is the first mention of Schlechter's growing interest in the orchids of the New World tropics. A few months later, back in Germany, Schlechter wrote again (from Berlin, February 2, 1909) “I wish some American collectors would go to Venezuela and Columbia, there would be a fine harvest to be got. Perhaps they are leaving it to me yet [...] If ever you visit Berlin when I am there you will most probably be astonished to find there in my possession an Orchid-Herbarium which as to number of specimens and condition of them especially can well rival with these of big public institutions, as from all my travels I have brought drawings of nearly all species I got hold of. As I got most old world countries pretty well represented now in my herbarium I am very anxious to get especially Tropical-American and am very pleased to exchange with you any material you can spare from Central- and South America as well as the West-Indies. [...] Perhaps after a few years I will make a trip to Tropical America myself to get things better from there. However, this is not quite certain yet” (Fig. 12).

And then again (from Berlin, December 2, 1910): “I am very keen on any material from Central- or South America, as these countries are not well represented in my herbarium. [...] ...you can perhaps get me New-World-Orchids.”

Shortly after this letter Schlechter finally started to work on South-American orchids. In yet another letter, this time from Riga (Latvia), on August 27, 1912, he told Ames: “At present I got some larger collections from South-America, Madagascar and Borneo to go through.”

From 1910 the years immediately preceding WWI were immensely productive: Schlechter published a total of 22 papers in which he described South American orchids. As to Ames, Schlechter's last letter to him before the war was dated May 10, 1914. He would not write again until Aug. 31, 1919.

A fortunate event for Schlechter was the publication by botanist Friedrich Karl Georg Fedde (1873–1942) (Fig. 13) of a long series of booklets under the general title *Repertorium specierum novarum regni vegetabilis* (Fig. 14A).



FIGURE 14. A - Title page of Fedde's *Repertorium Novarum Specierum Regni Vegetabilis*. B - Title page of *Orchis*.

Fedde studied natural sciences, beginning in 1892 and graduating in 1896 in Breslau. After working as a teacher in schools of higher learning in several German cities, he became an associate at the Berlin Botanical Museum in 1901 and a professor there in 1912. Fedde took part in several collecting trips to Southern Europe, Finland, and South Russia. Beginning in 1910, Fedde would publish most of Schlechter's works until the latter's death in 1925. Among the first publications by Fedde were Schlechter's well-known series of articles: *Orchidaceae novae et criticae*. In 21 of these articles Schlechter described, among others, an important number of new South-American orchid species.

The second most important journal that published Schlechter's works was *Orchis* (Fig. 14B) (published from Vol.3, 1909, as part [*Beilage*] of the journal *Gartenflora*), the monthly journal of the German Orchidological Society, from 1906 until its disappearance in 1920, which was edited by Schlechter

himself. A total of 31 of his articles were published in this periodical, among them his long series entitled *Neue und seltene Garten-Orchideen* (*New and rare garden orchids*), in which he described dozens of new orchids from Tropical America.

By 1914 Schlechter had already formed a 'network' of collaborators who supplied him with orchid species for determination. At first, his relations were with important orchid growers and collectors in Germany, such as Karl Wilhelm John in Andernach-on-the Rhine, Otto Beyrodt in Marienfelde, the Gardens of Herrenhausen in Hannover, Julius Wrede in Berlin-Dahlem, Wilhelm Hennis in Hildesheim and Baron Max von Fürstenberg, owner of an orchid collection and President of the recently founded German Society of Orchidology. From Ireland, he received plants from Frederic W. Moore, curator of the Botanic Gardens in Glasnevin. The legacy of Friedrich Carl Lehmann, the German plant collector in Colombia who had died




FIGURE 15. A - Title page of *Notizblatt des Königlichen Botanischen Gartens und Museums zu Berlin*. B - Title page of Volume I of Schlechter's *Orchideenfloren der Kordillerenstaaten*, volume I (Venezuela).

in 1903, was another important source of research material. Contact with Oakes Ames at Harvard again gave him the opportunity to receive more South-American material through the exchange of his African and Asian duplicates.

Among the first collectors on American soil from whom he received plants were Ernst Ule, who collected in Brazil, Guayana, Venezuela and Peru, Christian Theodor Koch (Brazil, Colombia, Venezuela), Eugène Langlassé (Colombia), Henrik Franz Alexander von Eggers (Ecuador), Eugene Köhler (Peru), Carl Pflanz (Bolivia), Otto August Buchtien (Bolivia), Robert Statham Williams (Bolivia), Karl August Gustav Fiebrig (Bolivia, Paraguay), Henri François Pittier (Venezuela, Colombia), Theodor Carl Julius Herzog (Bolivia, Argentina), Louis Mille and Luigi Aloysius Sodiro (Ecuador), Per Karl Haljmar Dusen (Brazil, Argentina, Chile, Paraguay), Georg Hans Emmo Hieronymus, and H. Wendt (Argentina, Brazil). Quite an impressive number of collectors and botanists, as one can see.

Despite having to serve in the military, Schlechter published an additional 28 papers in the period between 1914 and 1919, a remarkable number under the conditions in Germany during those years. Noteworthy from that time were Schlechter's monographic treatments on a number of orchid genera, among them *Anguloa*, *Cycnoches*, *Coryanthes*, *Laelia*, *Acineta*, *Aganisia*, *Cochlioda*, *Houletia*, and *Brassavola*. Of great interest also was his second regional flora (after Mato Grosso in 1901), in which (1919) he determined Per Karl Dusen's orchid collections from the Brazilian province of Paraná. The *Notizblatt des Königlichen<sup>7</sup> Botanischen Gartens und Museums zu Berlin*, edited by A. Engler (Fig. 15A) (in its later years, 1918–1924, after the abdication of Emperor Wilhelm II, simply *Notizblatt des Botanischen Gartens und Museums zu Berlin*) was another important means for Schlechter to see his works published.

<sup>7</sup> Königlich = Royal.

Schlechter complained in several of his writings that because of the war he received very little new material from collectors in America. This explains the relatively small number of new species described by him during that period. Nevertheless, many new names of orchid growers, collectors and botanists appeared in this period among Schlechter's orchid suppliers to expand his already important 'network'. Among them, we count orchid growers Paul Wolter in Magdeburg-Wilhelmsburg, R. Blossfeld in Potsdam and Hartmann in Nieder-Höchstadt; and the plant collectors Karl Immanuel Eberhard Ritter von Goebel (Brazil), Johann Heinrich Rudolf Schenck (Brazil), Emil Hassler (Paraguay, Guyana), and Carl Grossmann (Brazil).

Immediately after the war, Schlechter began to work on one of his most ambitious projects regarding the orchids of Tropical America: his series of publications about the orchid flora of the Andean states (*Die Orchideenfloren der südamerikanischen Kordillerenstatten*).

Communications across the Atlantic slowly resumed after the end of the war, and on August 31, 1919 Schlechter was once again able to correspond with Ames: "At last there is a chance again to communicate with foreign countries and so I will take a chance to try to send you a letter. [...] I expect the enumeration of the Central-American orchids will at present interest you most. But besides there is in print [...] an enumeration of the Orchid-Flora of Venezuela ... [...] The Orchid-flora of Venezuela is an enumeration of all the Orchids until now known from there! A number of new species I have added, and remarks on the features of the Orchid-flora. I have found that such compilations are of the greatest use and especially for the South-American Andes-states they were badly needed. [...] For Colombia, Ecuador, Peru and Bolivia the manuscripts are finished too and are going to be printed in the course of the next months. This work has considerable widened my knowledge of certain types, the more so as I have used the chances to study enormous materials more closely.<sup>8</sup> [...] After the publication of the Orchid-floras of the Andes-states we will have a fair knowledge of the distribution of the different types, the more so as I have been making remarks in the general part on the distribution of each species and the affinities of each flora."

Volume I of Schlechter's *Orchideenfloren der Kordillerenstaaten* (Fig. 15B) was finally published at the end of 1919. A number of new names were added to Schlechter's "network", among them Paul Rudolf Preuss, O.K.S. Passarge and Selwyn, Salomon Briceño, Everard Ferdinand Im Thurn, and F.V. McConnell and J.J. Quelch.

In the same letter of August 31, 1919, Schlechter described his personal difficulties in a country that was experiencing the trauma of the lost war: "*the difficulties are numerous ones too, because now here in Germany the educated people are in comparison with the cost of daily life altogether underpaid and the costs of printing have risen to about four times the costs of before the war. I actually would best of all like to leave Germany and go somewhere else where one would have the chance to properly continue scientific work under more favorable circumstances. But perhaps things will develop yet again more favorably; until now I can't see very brightly into the future.*"

South American orchids became the center of Rudolf Schlechter's attention during the following months. In further letters to Ames he described the progress and difficulties of his project. So, on September 24, 1919: "*For my winter work I had planned to determine the Colombian collections of the U. S. National Herbarium and of the New York Botanical Garden Herbarium. I wanted to do this work in order to get my set of Lehmann orchids ready for inclusion in my Herbarium. If your papers on the Colombian orchids are ready soon, please send them to me at your earliest convenience. They will save me the work of searching the literature for a list of Colombian species. I hope you have included, the numbers of specimens you have examined in these lists of yours and that you worked on the Lehmann collections.*"

October 22, 1919: "*My list of Colombian Orchids is ready for print and I hope to bring the whole volume out before the end of the year. [...] I have described*

<sup>8</sup> Schlechter had studied the collections of Friedrich Lehmann from Colombia and Ecuador. Lehmann communicated with Professor H.G. Reichenbach f., the leading orchid taxonomist of the time, and after Reichenbach died in 1884, worked with Dr. F. Kraenzlin describing new species of orchids from Colombia and Ecuador. He also sent a large set of his collections to Kew, where many were identified by Robert A. Rolfe.




FIGURE 16. Celestin Alfred Cogniaux (1841–1916).  
Unknown author.

over 250 new *Colombia Orchids* and 5 or 6 new genera. Quite a lot of Lehmann's things are included and the plants from Sta. Martha collected by H.H. Smith... [...] the more we progress with the printing of the work the more difficulties we have got to get sufficient funds for the publications together. [...] Could you not perhaps interest some of the botanical circles in your country, that they might supply us with sufficient funds by suscribing for the publication of these lists? [...] These lists are going to be published in five parts under the title "Die Orchideenfloren der südamerikanischen Kordillerenstaaten" I. Venezuela, II, Colombia, III Ecuador, IV Peru, V Bolivia."

An important role in Schlechter's "network" was played by Celestin Alfred Cogniaux (1841–1916) (Fig. 16), the great Belgian botanist and specialist on South American orchids. Cogniaux had worked for years with Adolf Engler (Director of the Berlin Botanical Garden between 1889 and 1921) and Ignaz Urban (1948–1931) (Fig. 4) (Assistant Director of the Berlin Botanical Garden and Museum from 1889 to 1913), being in charge of the Orchidaceae in the

monumental *Flora Brasiliensis* and later the not less important *Symbolae Antillanae seu fundamenta Floraes Indiae Occidentalis*. Engler and Urban also had close working relations with Rudolf Schlechter. Therefore, when Cogniaux had to retire because of his age and health<sup>9</sup>, Schlechter took over as his logical successor, describing the Orchidaceae in volume VII (fascicle IV, August 1913) and volume VIII (fascicle I, February 1920) of the *Symbolae Antillanae*. Thus, on November 11, 1919, Schlechter was able to write to Ames: "I have not made a list of the Lehmann determinations, but Cogniaux before he died has sent me, as he wished that I should continue his work on the South-American orchids, a book in which he had entered all the determinations that he has found of the different collectors in literature and that he made himself."

In the above-mentioned letter of August 31, 1919, Schlechter proposed to Ames that they take part in a new, ambitious project: a new and updated version of John Lindley's famous work, *Folia Orchidaceae*<sup>10</sup>: "In fact, I very much hope that we will do yet a lot of work under combined authorship. I am much reckoning on you for the eventual cooperation on the 'Folia Orchidaceae', because as such I would think it best to bring out a future monograph of the Orchidaceae. This has the advantage that one can choose the genera as one has got material for the work."

Schlechter wrote to Ames several times about this idea until, after months of impatient pressure, on April 23, 1920, Ames finally replied: "I am very much interested in the new 'FOLIA'. I would enjoy working with you, although I am afraid that the difference in our speed would throw the bulk of the labor on your shoulders. I am an intermittent worker; that is I am a slave of inclination, and there are months at a stretch when I find botanical work of any kind a perfected form of torture. You might not enjoy collaboration with a man who wanders from the job. [...] I have in mind a painstaking, thorough job of each genus or section of a genus we attack. [...] Although we would of course

<sup>9</sup> In 1901 Cogniaux had retired from his chair in Natural History at Verviers on a pension, which enabled him to devote the whole of his time to botany. His latest completed work was on the orchids of the West Indies, which came out in volume VI of the *Symbolae Antillanae*.

<sup>10</sup> Lindley, J. 1852–1859. *Folia Orchidacea. An Enumeration of the Known Species of Orchids*.

*work independently on the genera we undertook to do, we ought to agree at the beginning that we would submit our manuscript to the other man before final going to the press [...].*" This however could not stop Schlechter, who replied on May 9, 1920: "*What you write about your own way of working intermittently cannot hinder us. I am myself, this I know, a fairly hard worker and will see to it that the work progresses. It is my ambition, and I hope it will be yours too, that we should be able to finish a monograph of all the Orchidaceae before our lives are finished. [...] For the title of the work I would propose 'Folia Orchidaceae' by Oakes Ames and R. Schlechter.*" And he continued: "... my plans are the following. We could work out the different genera separately, starting of course with the smallest ones, but at the same time bringing out now and then a larger one. The descriptions and the general way of publishing should be similar to the one adopted by Lindley, but each genus gets a systematical number, for which, as they are now fairly known, with slight alteration we could adapt the numbers as they are given in my book 'Die Orchideen'."

Meanwhile, Schlechter continued working and publishing on South American orchids. The remaining years of his short life (1919–1925) were at the same time among his most productive. A large number of his publications during that period made reference to South-American orchids. One of his most outstanding accomplishments was the completion of his series about the orchid floras of the Andean states, his famous *Orchideenfloren der südamerikanischen Kordillerenstaaten*.

The above-mentioned volume I (Venezuela, 1919) was followed in 1920 by volume II, Colombia; in 1921 by volumes III Ecuador and IV, Peru; and finally, in 1922, by volume V, Bolivia.

After finishing volume II, Schlechter ran out of funds for the remaining three volumes. Having received no answer to his petition to Ames of October 1919, Schlechter touched the same subject again on December 17, 1920: "*As I have written to you already, my manuscripts with the compilations of the orchid floras of Ecuador, Peru and Bolivia are ready for print since a long time. Printing costs have however got so high here on account of our bad valuta, that Fedde has no funds to go on with the publication. [...] ...at the present state of our valuta this would roughly cost*

*about 450 Dollars [...] Would it not be possible for you to help me in this matter by recommending me perhaps to some firm or by getting the suscriptions together?"* On January 8<sup>th</sup>, 1921 Ames replied: "Now with regard to Dr. Fedde and the monographs of the orchids of Ecuador, Bolivia, etc. I can advance \$ 450 out of my own pocket and if this suggestion meets with your approval let me know and I will send you the amount. If you approve of the suggestion perhaps you will see to it that I receive my copies on a very high grade of paper. I will give orders to have one hundred dollars sent to you to-morrow. When you receive this you can start printing and the balance will be forwarded when I hear from you that my suggestion is welcome. I am very anxious to help orchidology in every way and it is a great pleasure to hasten the monographs to which you have referred." The arrangement was confirmed after Schlechter had promised that *the money would be well applied* (January, 27, 1921), and so Schlechter was able to write in the epilogue of his *Orchideenfloren* (Bolivia, vol. V, 1922): "*I was fortunate that Prof. Oakes Ames, in Boston, put at my disposal the means which guaranteed the completion of the printing of this work.*" Ames finally sent \$210 to Schlechter to begin printing, the rest came soon afterwards (Fig. 17).

Ames and Schlechter's relationship lasted over the years and it was undoubtedly a fruitful one. While Ames had the economic means to pursue his interests, from which Schlechter drew great benefits, Schlechter was the higher botanical authority in this partnership. As an example of this, the *International Plant Names Index* from Kew Botanic Gardens (status April 2019) cites a total of 7,712 new species and combinations described by Schlechter, while for Oakes Ames it mentions just 1,627. Ames continuously sent orchid specimens to Berlin for determination, and Schlechter profited from Ames, who untiringly made the greatest efforts to procure new orchid specimens: In a letter dated June 25, 1921 Ames wrote: "*I have just sent a collector to South America with the Mulford Biological Exploration Expedition to the Amazon basin<sup>11</sup>. This, I am sure will be good news for you as there will be a set of duplicates for your collection. As the expedition*

<sup>11</sup> Ames refers to Orland Emile White (1885–1972) from the Brooklyn Botanic Garden, who was one of the two botanists of the expedition, assisted by Martin Cárdenas, a Bolivian botanist.




FIGURE 17. A - Carbon-copy of Ames' check to Schlechter, Jan. 10, 1920 (\$210 U.S. Dollar equivalent to 4,483 German marks!).




FIGURE 18. Ames' proposed draft of a title page for the new "Folia Orchidacea".

is to be in the field for fifteen months, most of the time in unexplored territory, there should be some new material for us." At the same time, work on the *Folia Orchidaceae* continued: on September 12, 1921, Ames sent a draft of his proposed title page for the *Folia Orchidaceae: FOLIA ORCHIDACEAE / AUCTORIBUS / OAKES AMES ET RUDOLF SCHLECHTER / BOSTON / MCMXXI* (Fig. 18).

In what would be his last trip outside of Germany, again financed by Ames, Schlechter spent two weeks at the Reichenbach Herbarium in Vienna, studying and making tracings of Reichenbach's orchid types from the Philippines.

In March of 1922 Ames made the decision to travel to Europe and meet Schlechter in person: "I want to let you know that I have decided to sail for England on June 28th, and that I am planning to be in Berlin either in July or August. I feel that we must discuss through some better medium than letters the details of our proposed undertaking, therefore I am coming to you, reluctantly on the one hand, eagerly, on the other. To leave home now means many sacrifices. But I cannot see how we can arrive at a working agreement without sitting face to face for a while. And, furthermore, the pleasure and profit of a meeting with you will repay me a thousandfold for the penalties of travel and the loss of results to be obtained by a summer of work at home."

In August of 1922, Ames arrived in Berlin and had finally the opportunity of meeting Rudolf Schlechter in person. Ames described the moment with these words: "In the Orchid Herbarium of Harvard University there is a watercolor drawing which represents a flower of *Stanhopea Ruckeri*. This drawing is, in my estimation, of unusual interest because the original specimen from which it was made was instrumental in introducing Schlechter to me in a crowded railroad station in Berlin (Fig. 19). At this time I lacked knowledge of what Schlechter looked like, and he was in complete ignorance of what I might look like. [...] As I walked along the platform I saw a man of medium height coming toward me, pushing his way slowly through the out-going crowd. He held a large spray of *Stanhopea Ruckeri* in his outstretched hand. It was not necessary for me to say: 'Dr. Schlechter, I presume?' The glorious spray of *Stanhopea Ruckeri* was a flaunting badge of his identity" (Ames, 1944: 106).



FIGURE 19. *Stanhopea ruckeri*. Watercolor in the Orchid Herbarium of Harvard University. Archives of R. Jenny.

Meanwhile, Schlechter's 'network' continued growing as new names were added to the already long list of purveyors to his herbarium. Worthy of mention are: Albert William Bartlett (British Guiana), F. Schickendanz (Argentina), Wilhelm Gustav Franz Herter, Georg Huebner, Joao Geraldo Kuhlmann (Brazil), Herbert Huntington Smith, Erich (Eric) Bungeroth, H. Hopf, Werner Hopp, Gustav Schmidtchen, K. Sonntag, Richard Schnitter, M.A. Stübel, Wilhelm Kalbreyer (Colombia), E. K. Köhler, A. Köhler, Alexander Weberbauer, and Serafin Filomeno (Peru) and Jose Steinbach (Bolivia).

Back to the *Folia Orchidaceae*. Progress was seemingly slow. Impatiently, Schlechter wrote on November 25, 1922: "What about our 'Catalogue of Orchids', and what about the 'Folia'? I am very anxious to start." But Ames did not have good news for Schlechter. On December 14, 1922 he wrote: "[...] the present time seems very unpropitious for any

*heavy undertaking in the way of printing. [...] a few days ago I mailed to you a little pamphlet which I had privately printed because our magazines are very much hampered by the printing conditions in this country and by a falling off of subscriptions with increases in the cost to subscribers.*" The situation in the United States as well as in Germany did not improve, and the project of a new *Folia Orchidaceae* was not mentioned again in Ames' and Schlechter's correspondence, a correspondence that slowly started to fade away. For the first time there appeared disagreement between the two botanists. In a letter dated December 16, 1923, Ames complained<sup>12</sup>: "I am sorry that your remarks under *Epidendrum ionophlebium* on page 120, indicate that you regard my treatment of *E. Hoffmannii* as breach of trust. Before going to Europe in the summer of 1922, I devoted the greater part of the winter of 1921 to a critical and bibliographical study of *Epidendrum*, and it was at this time, not after my return from Europe, that I had arrived at the conclusions published in several numbers of *Schedulae Orchidiana*e. [...] I have no desire to forestall you or to use your confidences for publication. If that spirit had governed my work I could have rushed into print with Powell's new species, long before you published your paper; because I had a nearly complete set from the Kew Herbarium in my possession at a time when Powell had given me every reason to be hostile."

A growing rivalry on Ames' part can be found in his correspondence with Charles H. Lankester (1879–1969) (Fig. 20), a British subject who had arrived in Costa Rica in 1900 and stayed in this country (with brief interruptions) until his death. Lankester began collecting orchids, of which Ames described over 100 species that were new to science. The same is the case in Ames' correspondence with Charles Wesley Powell (1854–1927), an American orchid collector from Panama's Canal Zone.

A few phrases from Ames' letters to Lankester give a good idea of how, in Ames' opinion, German botany in general and Schlechter in particular were endangering the supremacy of U.S. botany in tropical America: "We must work fast if we hope to keep

<sup>12</sup> Ames refers to Schlechter's publication of 1923, *Additamenta ad Orchideologiam Costaricensem. Repertorium specierum novarum regni vegetabilis*, XIX, Berlin.




FIGURE 20. Charles H. Lankester (1879–1969) in his farm in Costa Rica. Courtesy of Ricardo Lankester.

abreast of the Germans. I was surprised to see how far reaching their efforts have been to secure a monopoly of tropical American species" (Sept. 17, 1922) .... "If you decide to make specimens for me, please begin as soon as possible. Time is very precious" (October 10, 1922). "I wish we could get out another number of *Sched. Orch.* based on your work. We might beat Schlechter and give him food for thought" (May 28, 1923).

As to his correspondence with Powell, Ames wrote on September 14, 1921: "I understand that, you are now sending specimens to Rudolf Schlechter of Berlin. Although Dr. Schlechter and I are colleagues and at this time are working jointly on a monograph of the orchids of the world, it seems to me too bad that American material should be sent abroad. We surely can do the work in this country and I intend to do my best to handle material that is sent in to me for determination. Now that my poor friend Rolfe has gone I feel that it is my duty to do my best to keep up orchidology for English speaking people, not that I think for a minute that science is national, but that I dread to contemplate the future if our types are to be buried in a foreign land." To which Powell replied on October 10: "Before replying to the main questions

*in your letter of the 14th I wish to clear myself of the unsaid, but the implied charge of unpatriotism in sending my specimens to Europe instead of to the U.S. I am a native of Virginia and my forbears have a recorded and traceable history in that State since the year 1635, hence I could not be unpatriotic.*

The misunderstanding was soon forgotten, but Ames used every opportunity to keep Powell aware of the German competition. December 12, 1922: “*I wish we could keep Schlechter out of the American field. Otherwise there is bound to be a great deal of confusion owing to the simultaneous publication of species. I hope you will come to agree with me that it is for the best interests of American science to dissuade correspondents from sending material to Berlin.*” Powell replied on December 20: “*After about a week I will write Dr Schlechter telling him of our new arrangement, and that under it I feel that I am under the obligation to send all future specimens to you. This will give him time to receive my letter of today with the money, and to put the matter in the hands of the printers. Thus insuring that he will not hold it up. Sub-rosa, I do not trust the Germans, not to engage in a little spite work.*” Ames had won the game. Powell enclosed a draft of the letter he intended to send to Schlechter: “*My dear Dr Schlechter: I have entered into a contract with Dr Oakes Ames, of Boston, to make a complete orchideological survey of the Isthmus of Panama -- he financing the undertaking. My men are now out going thither and yon in pursuit of this end. As it is incompatible with this contract that I should send any specimens from this time to any other person or garden than to him; specimens in future, can only be procured from him.*”

But these phrases can give us a wrong picture. In spite of the growing rivalry, Ames respected and admired Schlechter throughout his life. Let us see other expressions, again in Ames’ correspondence with Lankester: “*From the South of France, Col. Godfrey writes that Schlechter is seriously ill... I have not heard from Schlechter for over four months, and I had begun to fear that he was angry or in some way provoked by some act of mine*” (March 23, 1924).

Personal circumstances on both sides gave additional motives for the lack of communication between Ames and Schlechter, especially during the

year of 1924. On April 8, Schlechter explained: “*I had already for some time the intention to write to you. My serious illness and feebleness has been preventing me from doing it before now. [...] It was not only the sickness that gave me the knock-out, but also the whole financial disaster, which made us loose nearly everything that one has had.*” And Ames had reasons of his own, as he made clear on January 20, 1925: “*My co-trustee in the estate created by my father, suddenly and unexpectedly, committed suicide, about the middle of September. This sad event threw on my shoulders the full burden of business that is essential to my family. I had to begin the disagreeable task of spending most of my time in the city and in offices.*”

Finally, on December 3, 1925 came the tragic news. Ames wrote to Lankester: “*I should not have begun this letter with a reference to myself. I should have expressed to you my deep sorrow at the news that came in this noon from Alexandra Schlechter. Schlechter died early in November. I had known of his illness and on the ninth of December I sent aid to Mrs. Schlechter to meet the heavy burden of a hospital bill. But I had been led to believe that there were hopes for recovery. What a place the old world is. There comes a time when death plays round us like heat lightning. And then it begins to thin the ranks of those we called friends. It is a wonder we are able to carry on.*”

During the last years of Schlechter’s life, Ames received duplicates from Schlechter’s orchids (Fig. 21), and carried the cost of having pencil tracings made from a great number of Schlechter’s orchid types. It is due to this fortunate decision that an important part of Schlechter’s material was preserved and saved from the destruction of the Berlin Herbarium in 1943. Hundreds of drawings were prepared under Schlechter’s supervision. His wife, Alexandra, took over after his death, and continued arranging to have new tracings made according to Ames’ indications (Fig. 22–23A–B). In Oakes Ames’ last letter to Alexandra Schlechter, in the Harvard files, dated February 14, 1926, he wrote: “*I can not thank you enough for the tracings of Stelis and Pleurothallis. These are a valuable addition to my herbarium and give me just the information I need to facilitate any work on the Costa Rican orchid flora. I have a long list of other species regarding which I would like*



FIGURE 21. A - Isotype of *Epidendrum juninense* Schltr., presently at the Oakes Ames Orchid Herbarium. Originally collected by A. Weberbauer in Peru. B - Isotype of *Pachyphyllum breviconnatum* Schltr., presently at the Oakes Ames Orchid Herbarium. Originally collected by A. Weberbauer in Peru.

*to have similar information. Would it be too much to ask of you, that you have tracings of them made? Without tracings it will be difficult to ascertain the finer details which are essential for satisfactory work. Please help me if you can. I have underlined the species which are important so that you can select the ones to do first.*" The letter ends with a several-pages-long list containing Ames' desiderata. In her last recorded letter of June 25, 1926, Alexandra answers: "I am very glad to hear the first tracings reached you safely and have found your approval. I hope by now you received the second letter with the rest of the drawings. I am happy to having been able to do something for you."

Other images of Schlechter's herbarium were preserved in a unique type photograph collection housed in the Field Museum of Natural History in Chicago. The collection originated in 1929, when James Francis Macbride, funded by the Rockefeller Foundation, traveled to Europe to photograph

herbarium specimens of nomenclatural types. The intent was to make the photographs available to American botanists unable to finance travels to European herbaria; the widespread adoption of the loan process was not as fully developed as it is today, necessitating travel for consultation.

Over a ten years, Macbride photographed type specimens of tropical American plants at the following major herbaria: Berlin, Copenhagen, Geneva, Hanover, Hamburg, Madrid, Munich, Paris, and Vienna, using Berlin-Dahlem and Geneva as bases of operation. His sojourn in Europe resulted in more than 40,000 photographic negatives. Duplicate collections, types, and type fragments of authentic material were selected and sent to The Field Museum as exchange (Fig. 23C-D, 24). The results were of immediate importance to American systematic botany, but acquired added meaning following the destruction of parts of some European herbaria during World War II (Field Museum 2018).



FIGURE 22. Drawing at the Oakes Ames Herbarium, prepared under Schlechter's supervision, of the type of *Ponthieva orchidioides* Schltr. Originally collected by L. Mille in Ecuador.





FIGURE 24. *Cyclopogon rimbachii* Schltr. Photograph of the type by J.F. Macbride. Field Museum of Natural History, Chicago. Collected by A. Rimbach in Ecuador.

Finally, additional photographs and some pages of Schlechter's original type-written manuscripts with the description of new species have been preserved, i.e. at the Geneva Delessert Herbarium.

After Schlechter's death Rudolf Mansfeld (1901–1960) (Fig. 25) edited a *Figuren-Atlas* (Fig. 26–27). It contained 558 analytical drawings in 142 plates of South American orchids new to science and described by Schlechter in the five volumes of his *Orchideenflore der Kordillerenstaaten*; a further proof of his incredible capacity of work. Mansfeld was for over twenty years curator of the Botanical Garden and Museum of Berlin-Dahlem, where he specialized in orchids and was responsible for the publication of several of Schlechter's



FIGURE 25. Rudolf Mansfeld (1901–1960). Archives of Rudolf Jenny.

unfinished works. In 1937 he suggested a revision of Schlechter's system<sup>13</sup>. Mansfeld's ideas were, however, largely ignored by the users of Schlechter's system.

The deaths of Celestin A. Cogniaux in 1916 and of Robert A. Rolfe in 1921, followed by that of Schlechter in 1925, marked the beginning of the decline in European orchidology. Europe's dominant position was slowly replaced by that of the United States, led by Oakes Ames, and by over a dozen formidable botanists and botanical institutions during the rest of the 20th century.

<sup>13</sup> Mansfeld, R. 1937. Über das System der Orchidaceae-Monandrae. *Notizblatt des Königlichen Bot. Gartens & Museums zu Berlin-Dahlem* 13: 666–676.

Left, FIGURE 23. A - Drawing at the Oakes Ames Herbarium, prepared under Schlechter's supervision, of the type of *Epidendrum bathyschistum* Schltr. Originally collected by Moritz in Venezuela. The label reads: Drawing and Analyses from Herb. Schlechter. Made under supervision of Rudolf Schlechter. B - Drawing at the Oakes Ames Herbarium, prepared under Schlechter's supervision, of the type of *Epidendrum venezuelanum* Schltr. Originally collected by K. W. John. C - *Elleanthus koehlerii* Schltr. D - *Polystachya altilamellata* Schltr. C, D: photographs of the types by J.F. Macbride. Field Museum of Natural History, Chicago. Both collected by E. Koehler in Peru.

**Repertorium specierum novarum  
regni vegetabilis**  
herausgegeben von Professor Dr. phil. Friedrich Fedde.  
Beihefte. Band LVII.

**Figuren-Atlas**  
zu den  
**Orchideenfloren  
der südamerikanischen  
Kordillerenstaaten.**  
(Fedde, Repertorium, Beiheft VI—X)

von  
**R. Schlechter †.**  
Herausgegeben  
von  
**R. Mansfeld.**

Dahlem bei Berlin  
SELBSTVERLAG, FABECKSTR. 49  
1929

FIGURE 26. Title page of Schlechter's *Figuren-Atlas*.

**Rudolf Schlechter's publications on South American Orchidaceae.** The following is a list of the complete publications by Rudolf Schlechter on the Orchidaceae of South America. The list is organized by countries, and divided in two sections: 1) national and regional orchid floras, specific collectors; 2) publications on specific orchid tribes and subtribes, genera or species. Within each country, the publications are in chronological order. In addition,




FIGURE 27. Plate 99 of Schlechter's *Figuren-Atlas*.

Schlechter's collectors and other members of his 'network' are listed. Finally, we show the genera and species new to science described by Schlechter from each of the South American countries. Probably neither list, whether of publications, collectors or plant names, is complete. Although the authors have made all efforts researching in available material, one or the other name, or publication, may have escaped their attention.

### BRAZIL (Fig. 28)

#### National and regional orchid floras, specific collectors

- 1901** Schlechter, R. *Orchidaceae*. In Pilger, R. *Beitrag zur Flora von Mattogross. Botanischer Bericht über die Expedition von Dr. Herrmann Meyer nach Central-Brasilien 1899*. Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie 30: 149–150.
- 1914** Schlechter, R. *Orchidaceae*. In Pilger, R. *Plantae Uleanae novae vel minus cognitae*. Notizblatt des Königlichen Botanischen Gartens und Museums zu Berlin, Vol. 6: 120–126.
- 1919–1920** Schlechter, R. *Orchidaceae novae et criticae, Decas LXX (Additamenta ad Orchideologiam Brasiliensem)*. Repertorium specierum novarum regni vegetabilis, Vol. 17: 267–272.  
Schlechter, R. *Beiträge zur Kenntnis der Orchideenflora von Paraná*. Repertorium specierum novarum regni vegetabilis., Vol. 35: 1–108.




FIGURE 28. Map of Brazil and the Guyanas, 1855. Colton's Atlas of the World Illustrating Physical and Political Geography, Vol 1, New York.

- 1922 Schlechter, R. & Hoehne, F.C. *Contribuições ao Conhecimento das Orchidáceas do Brasil*. Anexos das Memorias do Instituto de Butantan: Seccao de Botanica 1(2): 5–48.
- 1922 Schlechter, R. *Über einige interessante, neue Orchidaceen Brasiliens*. Archivos do Jardim Botanico do Rio de Janeiro, vol. 3: 289–293.

- 1925** Schlechter, R. *Die Orchideenflora von Rio Grande do Sul.* Repertorium specierum novarum regni vegetabilis., Vol. 35: 1–108.  
 Schlechter, R. *Beitraege zur Orchideenkunde des Amazonas-Gebietes, I. Orchidaceae Kuhlmannianae; II. Orchidaceae Huebeneriana.* Repertorium specierum novarum regni vegetabilis., Vol. 42: 67–82; 82–150.
- 1926** Schlechter, R. *Beiträge zur Kenntnis der Orchidaceenflora von Parana. II. Orchidaceae Hatschbachiana.* Repertorium specierum novarum regni vegetabilis, Vol. 23: 32–71.  
 Schlechter, R. & Hoehne, F.C. *Contribuções ao Conhecimento das Orchidáceas do Brasil.* Archivos de Botânica do São Paulo 1: 203–216.
- 1929** Schlechter, R. *Einige neue Orchideen des Itatiaya (Brasilien).* Repertorium specierum novarum regni vegetabilis, Vol. 27: 296–301.
- 1940–1945** Hoehne, F.C. *Flora Brasilica.* Vol. 12(2): 378. Graphicars, Romiti & Lanzara, São Paulo.

### Specific orchid tribes and subtribes, genera or species

- 1906** Schlechter, R. *Ueber einige neue Orchidaceen.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol.1: 4–6.  
 Schlechter, R. *Über eine neue Bifrenaria.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol.1, 1906–1907: 25
- 1910** Schlechter, R. *Orchidaceae novae et criticae, Decas XI.* Repertorium specierum novarum regni vegetabilis., Vol. 8: 453.  
 Schlechter, R. *Orchidaceae novae et criticae, Decas XIV-XV.* Repertorium specierum novarum regni vegetabilis., Vol. 8: 561.
- 1912–1913** Schlechter, R. *Orchidaceae novae et criticae, Decas XXXV.* Repertorium specierum novarum regni vegetabilis., Vol.11: 41–47.
- 1914** Schlechter, R. *Oncidium concolor Hook. und Oncidium ottonis Schltr., zwei nahe verwandte Arten.* Orchis, Mitteilungen des Orchideenausschusses der Deutschen Gartenbau-Gesellschaft, vol. 8: 57–61.  
 Schlechter, R. *Neu und seltene Gardenorchideen VI.* Orchis, Mitteilungen des Orchideenausschusses der Deutschen Gartenbau-Gesellschaft, vol. 8: 131–137.
- 1915** Schlechter, R. *Neue und seltene Garten-Orchideen, VII.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 9: 56–60.
- 1917** Schlechter, R. *Eine neue Laelia-Art.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol.11: 72–74.  
 Schlechter, R. Über eine neue *Stanhopea*-Art. Notizblatt des Botanischen Gartens und Museums zu Berlin - Dahlem, Vol.6(62): 483–484.
- 1917–1919** Schlechter, R. *Orchidaceae novae et criticae, Decas LXV.* Repertorium specierum novarum regni vegetabilis, Vol. 16: 353–358.
- 1918** Schlechter. R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae.* Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, Vol.7 (66): 268–280.  
 Schlechter. R. *Die Gattung Aganisia Ldl. und ihre Verwandten.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 12: 24–42.  
 Schlechter. R *Die Gattung Restrepia H. B. u. Kth.* Repertorium specierum novarum regni vegetabilis., Vol. 15: 255–270.
- 1919** Schlechter, R. *Die Gattung Brassavola R. Br.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 13: 39–46; 56–62; 68–79.  
 Schlechter. R *Orchidaceae novae, in caldariis Horti Dahlemensis cultae. II.* Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, Vol.7 (66): 323–330.
- 1919–1920** Schlechter R. *Studium zur Klärung der Gattung Rodriguezia Ruiz et Pav.* Repertorium specierum novarum regni vegetabilis., Vol. 16: 416–417.  
 Schlechter. R. *Orchidaceae novae et criticae, Decas LXVI-LXVII.* Repertorium specierum novarum regni vegetabilis., Vol. 16: 437–450.

- 1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.  
Schlechter, R. *Orchidaceae novae et criticae, Decas LXVIII*. Repertorium specierum novarum regni vegetabilis., Vol. 17: 12–18.
- 1921** Schlechter, R. *Orchidaceae novae et criticae, Decas LXX*. Repertorium Specierum Novarum Regni Vegetabilis 17: 267–272.
- 1921–1924** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae III*. Notizblatt des Botanischen Gartens und Museums zu Berlin - Dahlem, Vol. 8: 117–126.
- 1925** Schlechter, R. *Orchidaceae novae et criticae, Decas LXXVIII-LXXIX*. Repertorium specierum novarum regni vegetabilis, Vol. 21: 330–343.

#### Schlechter's network in Brazil (orchid collectors, growers and other purveyors)

- AQUINO, Franzisco (?), collected 1921–1922.
- BELLO, O. (?), collected 1907.
- BLOSSFELD, Robert (1882–1945), orchid grower in Potsdam.
- BEYRODT, Otto (1879–1923). Orchid grower in Marienfelde, Germany, around 1900–1923.
- BORNMÜLLER, Alfred (1868–1947), collected 1904–1907.
- BRADE, Alexander Curt (1881–1871), collected 1910–1871.
- BURGER, L. (?), collected 1922.
- CAMPOS PORTO, Paulo (1889–1968), collected 1917–1936.
- CHRISTIAN, F. (?), collected ca. 1920.
- CZERMAK, Josef (?), collected 1897–1899
- DUSEN, Per Karl Haljmar (1855–1856), collected 1895–1916.
- DUTRA, João (1862–1939), collected 1925.
- FÜRSTENBERG, Baron Max (Maximilian) von (1866–1925), owner of an orchid collection ca. 1900–1910.
- GEHRT, August (?), assistant to F.C. Hoehne, collected 1917.
- GOEBEL, Karl Immanuel Eberhard Ritter von (1855–1932), collected 1890–1913.
- GROSSMANN, Carl (?), collected 1903–1908.
- HATSCHBACH SOBRINHO, Albino (1890–1974). collected 1919–1925.
- HENNIS, Wilhelm (1856–1943), orchid grower in Hildesheim.
- HERTER, Wilhelm Gustav Franz (1884–1958), collected 1913–1934.
- HOEHNE, Frederico Carlos (1882–1959), collected 1911–1938.
- HÜBNER, Georg August Eduard, (1862–1935), collected 1920–1929.
- JOHN, Karl Wilhelm (?). Orchid grower in Andernach-on-the Rhine, Germany, around 1910.
- JÜRGENS, Carlos (?), collected 1906–1921.
- KLEY, Urbano (?), collected 1910–1920.
- KOCH, Christian Theodor (1872–1924), collected 1904–1913.
- KUHLMANN, João Geraldo (1882–1948), collected 1912–1943.
- LÜTZELBURG, Phillip von (1880–1948), collected 1913–1934.
- MAGALHÃES GOMES, Carlos Thomas (1855–1944), collected 1894.
- MOURA, Juliano Trajano (1867–?), collected 1888–1890.

- PILGER, Robert Knud Friedrich (1876–1953), collected 1899–1900.
- REINECK, Eduard Martin (1869–1931), collected 1899–1908.
- SCHENCK, Johann Heinrich Rudolf (1860–1927), collected 1886–1887.
- SCHNITTMEYER, Max (?), collected 1916.
- SCHWACKE, Karl August Wilhelm (1848–1904), collected 1889.
- ULE, Ernst Heinrich Georg (1854–1915), collected 1893–1912.
- WENDT, H. (?), collected 1907–1912.
- WETTSTEIN, Richard (1863–1931), collected 1901.
- ZEHNTNER, Leo (?), collected 1912.

**Orchids described by R. Schlechter from Brazil** (Dusen & Schltr. / Schltr. & Campos Porto / Hoehne & Schltr. / Schltr. ex Hoehne/ Schltr. ex Mansf. / Schltr. ex Pabst, in some cases)

The following is a list of the orchids described by R. Schlechter as new to science from Brazil, as enumerated in the aforementioned bibliography (only basionyms):

#### New orchid genera

<i>Centrogenium</i> Schltr.	<i>Otosyris</i> Schltr.
<i>Cladobium</i> Schltr.	<i>Pseudostelis</i> Schltr.
<i>Fractiunguis</i> Schltr.	<i>Pteroglossa</i> Schltr.
<i>Huebneria</i> Schltr.	<i>Rodrigueziopsis</i> Schltr.
<i>Leaoa</i> Schltr. & Campos-Porto	<i>Tracheosiphon</i> Schltr.
<i>Lyroglossa</i> Schltr.	<i>Xerorchis</i> Schltr.
<i>Mesadenus</i> Schltr.	

#### New orchid species

<i>Aganisia brachypoda</i> Schltr.	<i>Capanemia juergensiana</i> Schltr.
<i>Bifrenaria fuerstenbergiana</i> Schltr.	<i>Capanemia paranaensis</i> Schltr.
<i>Bipinnula ctenopetala</i> Schltr.	<i>Capanemia perpusilla</i> Schltr.
<i>Brassavola multiflora</i> Schltr.	<i>Catasetum appendiculatum</i> Schltr.
<i>Brassia angustilabia</i> Schltr.	<i>Catasetum brachybulbon</i> Schltr.
<i>Brassia huebneri</i> Schltr.	<i>Catasetum colossus</i> Schltr.
<i>Brassia iguapoana</i> Schltr.	<i>Catasetum huebneri</i> Schltr.
<i>Brachystele bracteosa</i> Schltr.	<i>Catasetum linguiferum</i> Schltr.
<i>Brachystele spiranthoides</i> Schltr. ex Mansf.	<i>Catasetum mocurunum</i> Schltr.
<i>Bulbophyllum paranaense</i> Schltr.	<i>Catasetum negrense</i> Schltr.
<i>Bulbophyllum perii</i> Schltr.	<i>Catasetum polydactylon</i> Schltr.
<i>Camaridium amazonicum</i> Schltr.	<i>Centrogenium macrophyllum</i> Schltr.
<i>Camaridium vandiforme</i> Schltr.	<i>Cleistes australis</i> Schltr.
<i>Campylocentrum dutraei</i> Schltr.	<i>Cranichis bradei</i> Schltr.
<i>Campylocentrum hatschbachii</i> Schltr.	<i>Cryptophoranthus dusenii</i> Schltr.
<i>Campylocentrum pubirhachis</i> Schltr.	<i>Cryptophoranthus juergensii</i> Schltr.
<i>Campylocentrum zehntneri</i> Schltr.	<i>Cryptophoranthus similis</i> Schltr.
<i>Capanemia angustilabia</i> Schltr.	<i>Cyanaeorchis minor</i> Schltr.
<i>Capanemia hatschbachii</i> Schltr.	<i>Cyclopogon aphyllus</i> Schltr.

- Cyclopogon bradei* Schltr.  
*Cyclopogon dusenii* Schltr.  
*Cyclopogon dutraei* Schltr.  
*Cyclopogon graciliscapa* Schltr.  
*Cyclopogon hatschbachii* Schltr.  
*Cyclopogon iguapensis* Schltr.  
*Cyclopogon langei* Schltr.  
*Cyclopogon multiflorus* Schltr.  
*Cyclopogon paulensis* Schltr.  
*Cyclopogon platyunguis* Schltr.  
*Cyclopogon saxiculus* Schltr.  
*Cyclopogon subalpestris* Schltr.  
*Cyclopogon trifasciatus* Schltr.  
*Cyrtopodium falcilobum* Hoehne & Schltr.  
*Cyrtopodium dusenii* Schltr.  
*Cyrtopodium lissochiloides* Hoehne & Schltr.  
*Cyrtopodium paranaense* Schltr.  
*Diacrium amazonicum* Schltr.  
*Dichaea cogniauxiana* Schltr.  
*Dipteranthus bradei* Schltr.  
*Elleanthus pusillus* Schltr.  
*Encyclia acuta* Schltr.  
*Encyclia flabellifera* Hoehne & Schltr.  
*Encyclia huebneri* Schltr.  
*Encyclia laxa* Schltr.  
*Encyclia oxyphylla* Schltr.  
*Encyclia tarumana* Schltr.  
*Epidendrum alexandri* Schltr.  
*Epidendrum amazonicum* Schltr.  
*Epidendrum burgeri* Schltr.  
*Epidendrum goebelii* Schltr.  
*Epidendrum hatschbachii* Schltr.  
*Epidendrum huebneri* Schltr.  
*Epidendrum iguapensis* Schltr.  
*Epidendrum kuhlmannii* Schltr.  
*Epidendrum magelhaesi* Schltr.  
*Epidendrum minarum* Hoehne & Schltr.  
*Epidendrum pedale* Schltr.  
*Epidendrum pseudodifforme* Hoehne & Schltr.  
*Epidendrum regnellianum* Hoehne & Schltr.  
*Epidendrum versicolor* Hoehne & Schltr.  
*Fractiunguis brasiliensis* Schltr.  
*Galeandra captoceras* Schltr.  
*Galeandra huebneri* Schltr.  
*Galeandra paranaensis* Schltr.  
*Galeottia negrensis* Schltr.  
*Habenaria achroantha* Schltr.  
*Habenaria amazonica* Schltr.  
*Habenaria bahiensis* Schltr.  
*Habenaria belloii* Schltr.  
*Habenaria bradei* Schltr.  
*Habenaria butantanensis* Hoehne & Schltr.  
*Habenaria campos-portoi* Schltr.  
*Habenaria christiani* Schltr.  
*Habenaria crassipes* Schltr.  
*Habenaria culmiformis* Schltr.  
*Habenaria duckeana* Schltr.  
*Habenaria dusenii* Schltr.  
*Habenaria dutraei* Schltr.  
*Habenaria edentula* Schltr.  
*Habenaria flaccifolia* Schltr.  
*Habenaria geehrtii* Hoehne & Schltr.  
*Habenaria georgii* Schltr.  
*Habenaria heleogena* Schltr.  
*Habenaria heterophylla* Schltr.  
*Habenaria hoehnei* Schltr.  
*Habenaria itatiayae* Schltr.  
*Habenaria juergensii* Schltr.  
*Habenaria kleyi* Schltr.  
*Habenaria kuhlmannii* Schltr.  
*Habenaria leaoana* Schltr.  
*Habenaria luetzelburgii* Schltr.  
*Habenaria marupaana* Schltr.  
*Habenaria melanopoda* Hoehne & Schltr.  
*Habenaria minarum* Hoehne & Schltr.  
*Habenaria nana* Schltr.  
*Habenaria ovatiflora* Schltr.  
*Habenaria pilgeri* Schltr.  
*Habenaria pleiophylla* Hoehne & Schltr. (Fig. 29)  
*Habenaria polygonoides* Schltr.  
*Habenaria polyrhiza* Schltr.  
*Habenaria rolfeana* Schltr.  
*Habenaria sampaioana* Schltr.  
*Habenaria sartoroides* Schltr.  
*Habenaria sceptrum* Schltr.  
*Habenaria schnittmeyeri* Schltr.  
*Habenaria staminodiata* Schltr.  
*Habenaria trimeropetala* Schltr.  
*Habenaria verecunda* Schltr.  
*Hexadesmia cearensis* Schltr.  
*Isochilus brasiliensis* Schltr.  
*Koellensteinia hyacinthoides* Schltr.  
*Laelia bahiensis* Schltr.  
*Laelia sincorana* Schltr.




FIGURE 29. *Habenaria pleiophylla* Hoehne & Schltr. In Anexos das Memorias do Instituto de Butantan, Seccao de Botanica, vol. I, fasc. II: table IV.

*Masdevallia huebneri* Schltr.

*Masdevallia paranensis* Schltr.

*Maxillaria amazonica* Schltr.

*Maxillaria bradei* Schltr. ex Hoehne

*Maxillaria hatschbachii* Schltr.

*Maxillaria hedyosma* Schltr.

*Maxillaria hoehnei* Schltr.

*Maxillaria huebneri* Schltr.

*Maxillaria iguapensis* Hoehne & Schltr.

*Maxillaria juergensii* Schltr.

- Maxillaria lactea* Schltr.  
*Maxillaria pachyphylla* Schltr. ex Hoehne  
*Maxillaria petiolaris* Schltr.  
*Maxillaria taracuana* Schltr.  
*Microstylis muelleri* Schltr.  
*Microstylis ovatilabia* Schltr.  
*Microstylis pabstii* Schltr.  
*Microstylis paranaensis* Schltr.  
*Mormodes aurantiacum* Schltr.  
*Neobartlettia kuhlmannii* Schltr.  
*Notylia flexuosa* Schltr.  
*Notylia longispicata* Hoehne & Schltr.  
*Notylia platyglossa* Schltr.  
*Octomeria albiflora* Hoehne & Schltr.  
*Octomeria alexandri* Schltr.  
*Octomeria brachypetala* Schltr.  
*Octomeria bradei* Schltr.  
*Octomeria campos-portoi* Schltr.  
*Octomeria dusenii* Schltr.  
*Octomeria elobata* Schltr. ex Pabst  
*Octomeria fibrifera* Schltr.  
*Octomeria gehrtii* Hoehne & Schltr.  
*Octomeria gracilicaulis* Schltr.  
*Octomeria hatschbachii* Schltr.  
*Octomeria hoehnei* Schltr.  
*Octomeria iguapensis* Schltr.  
*Octomeria irrorata* Schltr.  
*Octomeria juergensii* Schltr.  
*Octomeria lacerata* Hoehne & Schltr.  
*Octomeria rhodoglossa* Schltr.  
*Octomeria riograndensis* Schltr.  
*Octomeria serpens* Schltr.  
*Octomeria similis* Schltr.  
*Octomeria taracuana* Schltr.  
*Octomeria umbonulata* Schltr.  
*Octomeria unguiculata* Schltr.  
*Oncidium aberrans* Schltr.  
*Oncidium albinoi* Schltr.  
*Oncidium beyrodtianum* Schltr.  
*Oncidium blossfeldianum* Schltr.  
*Oncidium cogniauxianum* Schltr.  
*Oncidium hatschbachii* Schltr.  
*Oncidium hoehnianum* Schltr. ex Mansf.  
*Oncidium johnianum* Schltr.  
*Oncidium mixtum* Schltr.  
*Oncidium ottonis* Schltr.  
*Oncidium patulum* Schltr.
- Oncidium psyche* Schltr.  
*Oncidium reisii* Hoehne & Schltr.  
*Oncidium rhynchophorum* Schltr. ex Hoehne  
*Oncidium zikanianum* Hoehne & Schltr.  
*Ornithocephalus brachystachys* Schltr.  
*Ornithocephalus myrtiphylloides* Schltr. ex Hoehne  
*Paradisanthus neglectus* Schltr.  
*Pelexia bradei* Schltr. ex Mansf.  
*Pelexia burgeri* Schltr.  
*Pelexia dolichorhiza* Schltr.  
*Pelexia gracilis* Schltr.  
*Pelexia incurvidens* Schltr.  
*Pelexia itatiayae* Schltr.  
*Pelexia laminata* Schltr.  
*Pelexia luetzelburgii* Schltr.  
*Pelexia mouraei* Schltr.  
*Pelexia polyantha* Schltr. ex Mansf.  
*Pelexia sceptrum* Schltr.  
*Pelexia stictophylla* Schltr.  
*Pelexia tenuior* Schltr.  
*Phymatidium aquinoi* Schltr.  
*Phymatidium herteri* Schltr.  
*Physosiphon bradei* Schltr.  
*Physurus bidentiferus* Schltr.  
*Physurus foliosus* Schltr. ex Porto & Brade  
*Physurus longicalcaratus* Schltr.  
*Physurus macer* Hoehne & Schltr.  
*Platyrhiza juergensii* Schltr.  
*Pleurothallis albipetala* Hoehne & Schltr.  
*Pleurothallis alexandri* Schltr.  
*Pleurothallis aquinoi* Schltr.  
*Pleurothallis auriculigera* Hoehne & Schltr.  
*Pleurothallis barbosae* Schltr.  
*Pleurothallis biglandulosa* Schltr.  
*Pleurothallis bradei* Schltr.  
*Pleurothallis butantanensis* Hoehne & Schltr.  
*Pleurothallis caldensis* Hoehne & Schltr.  
*Pleurothallis caroli* Schltr.  
*Pleurothallis cearensis* Schltr.  
*Pleurothallis ciliolata* Schltr.  
*Pleurothallis corticicola* Schltr. ex Hoehne  
*Pleurothallis curitybensis* Schltr. ex Mans.  
*Pleurothallis curtii* Schltr.  
*Pleurothallis dryadum* Schltr.  
*Pleurothallis edwallii* Dusen & Schltr.  
*Pleurothallis gehrtii* Hoehne & Schltr.  
*Pleurothallis hatschbachii* Schltr.




FIGURE 30. *Xerorchis amazonica* Schlechter. Photograph of a specimen collected by E. Ule in Brazil, analytical drawing by R. Schlechter and Schlechter's original type-written manuscript of the description of the new species. Rockefeller Foundation.

- Pleurothallis hoehnei* Schltr.  
*Pleurothallis huebneri* Schltr.  
*Pleurothallis iguapensis* Schltr.  
*Pleurothallis incurvidens* Schltr.  
*Pleurothallis insularis* Hoehne & Schltr.  
*Pleurothallis ipyrangana* Schltr.  
*Pleurothallis juergensii* Schltr.  
*Pleurothallis lamproglossa* Schltr.  
*Pleurothallis leptanthipoda* Hoehne & Schltr.  
*Pleurothallis leucorhoda* Schltr.  
*Pleurothallis margaritifera* Schltr.  
*Pleurothallis microblephara* Schltr.  
*Pleurothallis microgemma* Schltr. ex Hoehne  
*Pleurothallis microtis* Schltr.  
*Pleurothallis mirabilis* Schltr.  
*Pleurothallis pauloensis* Hoehne & Schltr.  
*Pleurothallis petersiana* Schltr.  
*Pleurothallis rhabdosepala* Schltr.  
*Pleurothallis sororcula* Schltr.  
*Pleurothallis sparsiflora* Schltr.  
*Pleurothallis stictophylla* Schltr.  
*Pleurothallis subpicta* Schltr.  
*Pleurothallis succedaneae* Hoehne & Schltr.  
*Pleurothallis taracuana* Schltr.  
*Pleurothallis transparens* Schltr.  
*Pleurothallis vellozoana* Schltr.  
*Pleurothallis vinosa* Hoehne & Schltr.  
*Pogonia calantha* Schltr.  
*Pogonia fragrans* Schltr.  
*Pogonia humidicola* Schltr.  
*Pogonia magnifica* Schltr.  
*Pogonia paulensis* Schltr.  
*Polystachya amazonica* Schltr.  
*Polystachya bradei* Schltr. ex Mansf.  
*Polystachya edwallii* Hoehne & Schltr.  
*Polystachya juergensii* Schltr.  
*Polystachya huebneri* Schltr.  
*Polystachya micrantha* Schltr.  
*Polystachya stenophylla* Schltr.  
*Promenaea acuminata* Schltr.  
*Promenaea albescens* Schltr.  
*Promenaea catharinensis* Schltr.  
*Promenaea dusenii* Schltr.  
*Promenaea fuerstenbergiana* Schltr.  
*Promenaea malmquistiana* Schltr.  
*Promenaea paranaensis* Schltr.  
*Promenaea paulensis* Schltr.
- Promenaea polysphaera* Schltr.  
*Promenaea riograndensis* Schltr.  
*Promenaea stricta* Schltr.  
*Promenaea truncicola* Schltr.  
*Pseudostelis bradei* Schltr.  
*Rodriguezia huebneri* Schltr.  
*Rodriguezia minor* Schltr.  
*Sarcoglottis albiflos* Schltr. ex Hoehne  
*Sarcoglottis alexandri* Schltr. ex Mansf.  
*Sarcoglottis glaucescens* Schltr.  
*Sarcoglottis juergensii* Schltr.  
*Sarcoglottis tenuis* Schltr.  
*Scaphyglottis amazonica* Schltr.  
*Scaphyglottis huebneri* Schltr.  
*Scaphyglottis ochroleuca* Schltr.  
*Sigmatostalix amazonica* Schltr.  
*Spiranthes sincorensis* Schltr.  
*Stanhopea minor* Schltr.  
*Stelis aquinoana* Schltr.  
*Stelis calotricha* Schltr.  
*Stelis castanea* Hoehne & Schltr.  
*Stelis diaphana* Schltr.  
*Stelis fragrans* Schltr.  
*Stelis hoehnei* Schltr.  
*Stelis huebneri* Schltr.  
*Stelis inaequisepala* Hoehne & Schltr.  
*Stelis itatiayae* Schltr.  
*Stelis juergensii* Schltr.  
*Stelis macrochlamys* Hoehne & Schltr.  
*Stelis microphylla* Hoehne & Schltr.  
*Stelis paoloensis* Hoehne & Schltr.  
*Stelis porschiana* Schltr.  
*Stelis peterostele* Hoehne & Schltr.  
*Stelis robusta* Schltr.  
*Stelis schenckii* Schltr.  
*Stelis thermophilla* Schltr.  
*Stelis wettsteiniana* Schltr.  
*Stenorhynchos bradei* Schltr.  
*Stenorhynchos foliosus* Schltr.  
*Trachelosiphon paranaense* Schltr.  
*Triphora amazonica* Schltr.  
*Triphora duckei* Schltr.  
*Vanilla angustipetala* Schltr.  
*Vanilla bradei* Schltr. ex Mansf.  
*Xerorchis amazonica* Schltr. (Fig. 30)  
*Zygostates aquinoi* Schltr.  
*Zygostates paranaensis* Schltr.

## THE GUYANAS (Fig. 28)

**Specific orchid tribes and subtribes, genera or species**

- 1910–1911** Schlechter, R. *Orchidaceae novae et criticae, Decas XVI–XVII.* Repertorium specierum novarum regni vegetabilis, Vol.10: 21–32.
- 1901** Schlechter, R. *Orchidaceae.* In Pilger, R. *Beitrag zur Flora von Mattorosso. Botanischer Bericht über die Expedition von Dr. Herrmann Meyer nach Central-Brasilien 1899.* Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie 30: 149–150.
- 1914** Schlechter, R. *Orchidaceae.* In Pilger, R. *Plantae Uleanae novae vel minus cognitae.* Notizblatt des Königlichen Botanischen Gartens und Museums zu Berlin, Vol. 6: 120–126.
- 1917–1919** Schlechter, R. *Orchidaceae novae et criticae, Decas LXV.* Repertorium specierum novarum regni vegetabilis., Vol. 16: 353–358.
- 1918** Schlechter, R. *Die Gattung Aganisia Ldl. und ihre Verwandten.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 12: 24–42.
- 1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae.* Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.  
Schlechter, R. *Beiträge zur Kenntnis der Orchidaceenflora von Paraná.* Repertorium specierum Repertorium specierum novarum regni vegetabilis., Vol. 35: 1–108.

**Schlechter's network in Guyana** (orchid collectors, growers and other purveyors)

- BARTLETT, Albert William (1875/76–1943), collected 1905–1906.
- FIEBRIG, Karl August Gustav (1879–1951), collected 1902–1950.
- HASSLER, Emil (1864–1937), collected 1895–1909, 1914, 1920–1937.
- IM THURN, Everard Ferdinand (1852–1932), collected 1884–1906.
- GOEBEL, Karl Immanuel Eberhard Ritter von (1855–1932), collected 1890–1913.
- McCONNELL, Frederick Vavasour (1868–1914), collected 1891–1898.
- ULE, Ernst Heinrich Georg (1854–1915), collected 1893–1912.

**Orchids described by R. Schlechter from the Guyanas**

The following is a list of the orchids described by R. Schlechter as new to science from the Guyanas, as enumerated in the aforementioned bibliography (only basionyms):

**New orchid genera**

*Neobartlettia* Schltr.

*Otostylis* Schtr.

**New orchid species**

*Epidendrum ulei* Schltr.

*Maxillaria rugosa* Schltr.

*Habenaria arecunarum* Schltr.

*Neobartlettia guianensis* Schltr.

*Habenaria ernestii* Schltr.

*Pleurothallis stenocardium* Schltr. (Fig. 31)

*Koellensteinia roraimae* Schltr.




FIGURE 31. Isotype of *Pleurothallis stenocardium* Schlechter, collected by E. Ule in British Guyana with drawing of type by C. Schweinfurth (?).




FIGURE 32. Map of Venezuela, 1900. Unknown author.

### VENEZUELA (Fig. 32)

#### National and regional orchid floras, specific collectors

**1919** Schlechter, R. *Die Orchideenfloren der südamerikanischen Kordillerenstaaten. I. Venezuela. Repertorium specierum novarum regni vegetabilis*, Beihefte, vol. 6: 1–100.

#### Specific orchid tribes and subtribes, genera or species

**1918–1919** Schlechter, R. *Zwei interessante Gattungen der Spiranthinae. Repertorium specierum novarum regni vegetabilis*, vol. 15: 416–417.

**1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.

#### Schlechter's network in Venezuela (orchid collectors, growers and other purveyors)

- BEYRODT, Otto (1879–1923), orchid grower in Marienfelde, Germany, around 1900–1923.
- BRICEÑO GABALDÓN, Salomón (1826–1912), collected from early 1870s on.
- GOEBEL, Karl Immanuel Eberhard Ritter von (1855–1932), collected 1890–1913.
- IM THURN, Everard Ferdinand (1852–1932), German Caura Expedition, collected 1884–1906.




FIGURE 33. Drawing of type of *Comparettia venezuelana* Schltr., made under Schlechter's supervision. Nr. 26785 – Orchid Herbarium of Oakes Ames.

- JOHN, Karl Wilhelm (?), orchid grower in Andernach-on-the Rhine, Germany, around 1910.
- McCONNELL, Frederick Vavasour (1868–1914), collected 1891–1898.
- PASSARGE, Otto Karl Siegfried (1867–1958) and Selwyn, Jasper Henry (1819–1902), collected 1901–1902
- PITTIER, Henri (1857–1950), collected ca. 1905–1950.
- PREUSS, Paul Rudolf (1861–1926), collected 1899–1902.
- ULE, Ernst Heinrich Georg (1854–1915), collected 1893–1912.
- WOLTER, Paul (1862–1942), orchid grower in Magdeburg-Wilhelmsburg.

#### Orchids described by R. Schlechter from Venezuela (Schlechter ex Knuotomeriath in some cases)

The following is a list of the orchids described by R. Schlechter as new to science from Venezuela, as enumerated in the aforementioned bibliography (only basionyms):

#### New orchid genera

*Centrogenium* Schltr.

*Discyphus* Schltr.

#### New orchid species

*Bletia pittieri*

*Cranichis fendleri* Schltr.

*Bletia stenophylla* Schltr.

*Cyrtopodium naiguatae* Schltr.

*Comparettia venezuelana* Schltr. (Fig. 33)

*Diacrium venezuelanum* Schltr.




FIGURE 34. Specimen and drawing of type of *Notylia venezuelana* Schltr., made under Schlechter's supervision. Nr. 26784 – Orchid Herbarium of Oakes Ames.

<i>Elleanthus galipanensis</i> Schltr.	<i>Liparis fendleri</i> Schltr.
<i>Encyclia leucantha</i> Schltr.	<i>Microstylis johniana</i> Schltr.
<i>Encyclia recurvata</i> Schltr.	<i>Notylia venezuelana</i> Schltr. (Fig. 34)
<i>Epidendrum bathyschistum</i> Schltr.	<i>Physurus pittieri</i> Schltr.
<i>Epidendrum ernstii</i> Schltr.	<i>Physurus venezuelanus</i> Schltr. ex P. Knuth
<i>Epidendrum laetum</i> Schltr.	<i>Pleurothallis insconspicuiflora</i> Schltr. ex P. Knuth
<i>Epidendrum pachyanthum</i> Schltr.	<i>Pleurothallis intermedia</i> Schltr.
<i>Epidendrum tricallosum</i> Schltr.	<i>Pleurothallis nephrocardia</i> Schltr.
<i>Epidendrum venezuelanum</i> Schltr.	<i>Pogonia nana</i> Schltr.
<i>Gomphichis gracilis</i> Schltr.	<i>Scaphosepalum trachypus</i> Schltr.
<i>Govenia ernstii</i> Schltr.	<i>Stelis amblyophila</i> Schltr.
<i>Habenaria caracasana</i> Schltr.	<i>Stelis calceolus</i> Schltr.
<i>Habenaria ernstii</i> Schltr.	<i>Stelis covilleana</i> Schltr. ex Kunth
<i>Habenaria gollmeri</i> Schltr.	<i>Stelis pittieri</i> Schltr. ex Kunth
<i>Hapalorchis cheirostyloides</i> Schltr.	

## COLOMBIA (Fig. 35)

**National and regional orchid floras, specific collectors**

- 1920** Schlechter, R. *Die Orchideenfloren der südamerikanischen Kordillerenstaaten. II. Colombia.* Repertorium specierum novarum regni vegetabilis, Beihefte, Vol.7: 1–301.
- 1924** Schlechter, R. *Beiträge zur Orchideenkunde von Colombia.* Repertorium specierum novarum regni vegetabilis, Beihefte, Vol. 27: 1–182.

**Specific orchid tribes and subtribes, genera or species**

- 1906** Schlechter, R. *Über einige neue Orchidaceen.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol.1: 25.
- 1910** Schlechter, R. *Orchidaceae novae et criticae, Decas XIV-XV.* Repertorium specierum novarum regni vegetabilis., Vol. 8, 1910: 561–572.
- 1911** Schlechter, R. *Orchidaceae novae et criticae, Decas XVI-XVII.* Repertorium specierum novarum regni vegetabilis, Vol.10: 21–32.  
Schlechter, R. *Neue und seltene Gartenorchideen.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol.5: 58–62.
- 1912** Schlechter, R. 1912. *Neue und seltene Garten-Orchideen III, IV & V.* Orchis, Mitteilungen des Orchideenausschusses der Deutschen Gartenbau-Gesellschaft, vol. 6: 6–10, 63–69, 112–119.
- 1913** Schlechter, R. *Orchidaceae novae et criticae, Decas XXXIX.* Repertorium specierum novarum regni vegetabilis, Vol.12: 212–246.
- 1914** Schlechter, R. *Die Orchideen ihre Beschreibung, Kultur und Züchtung Handbuch für Orchideenliebhaber, Kultivateure und Botaniker.*
- 1915** Schlechter, R. *Neue und seltene Garten-Orchideen, VIII.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, vol. 9: 49–54.  
Schlechter, R. *Die Orchideen ihre Beschreibung, Kultur und Züchtung Handbuch für Orchideenliebhaber, Kultivateure und Botaniker.* Verlagsbuchhandlung Paul Parey, Berlin.
- 1916** Schlechter, R. *Neue und seltene Garten-Orchideen, X.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, vol. 10: 183–190.
- 1917** Schlechter, R. *Die Gattung Acineta Ldl.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 11: 21–48.



FIGURE 35. Map of Colombia, Ecuador and Peru. Edward Stanford, London, 1927.

- 1918** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae*. Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, Vol. 7 (66): 268–280.
- 1919** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae II*. Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, vol. 7: 323–330.  
Schlechter, R. *Die Gattung Cochlioda Ldl.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 13: 3–10.
- 1919–1920** Schlechter, R. *Ueber einige neue Orchidaceen aus Colombia*. Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, vol. 7: 527–532.
- 1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.
- 1921–1924** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae III*. Notizblatt des Botanischen Gartens und Museums zu Berlin - Dahlem, Vol. 8: 117–126.
- 1918** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae*. Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, Vol. 7 (66): 268–280.
- 1919** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae II*. Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem, vol. 7: 323–330.  
Schlechter, R. *Die Gattung Cochlioda Ldl.* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 13: 3–10.
- 1919–1920** Schlechter, R. *Ueber einige neue Orchidaceen aus Colombia*. Notizblatt des Botanischen Gartens und Museums zu Berlin - Dahlem, vol. 7: 527–532.
- 1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.
- 1921–1924** Schlechter, R. *Orchidaceae novae, in caldariis Horti Dahlemensis cultae III*. Notizblatt des Botanischen Gartens und Museums zu Berlin - Dahlem, Vol. 8: 117–126.

#### Schlechter's network in Colombia (orchid collectors, growers and other purveyors)

- BEYRODT, Otto (1879–1923), orchid grower in Marienfelde, Germany, around 1900–1923.
- BUNGEROTH, E. (?–1937), collected in Bucaramanga.
- FÜRSTENBERG, Baron Max (Maximilian) von (1866–1925), owner of an orchid collection ca. 1900–1910.
- JOHN, Karl Wilhelm (?), orchid grower in Andernach-on-the Rhine, Germany, around 1910.
- HARTMANN (?), orchid grower in Lindenhaus, Niederhöchstadt, Taunus, Germany
- HENNIS, Wilhelm (1856–1943), orchid grower in Hildesheim.
- HERRENHAUSEN, Gardens of, Hannover.
- HOPF, H. (?), collected 1923.
- HOPP, Werner (1887–?), collected 1921 (with Santiago ARÉVALO).
- KALBREYER, Wilhelm (1847–1912), collected 1877-1912.
- LANGASSÉ, Eugène (1865–1900), collected 1898–1900.
- LEHMANN, Friedrich Carl (1850–1903), collected 1867–1903.
- MADERO, M. (?), collector in Antioquía and Cauca 1910.
- PITTIER, Henri (1857–1950), collected ca. 1905–1950.
- SCHMIDTCHEN, Gustav (?), collected ca. 1923.
- SCHNITTER, R. (?), collected 1920–1921.

- SCHULTZE, Arnold (1875–1948), collected 1920–1927.
- SMITH, Herbert Huntington (1851–1919), collected 1891–1898.
- SONNTAG, K. (?), collected 1888.
- STÜBEL, Moritz Alphons (1835–1904), collected 1868–1877.
- WOCKE, Erich (1863–1941), collected 1889.
- WOLTER, Paul (1862–1942), orchid grower in Magdeburg, ca. 1916.

### **Orchids described by R. Schlechter from Colombia**

The following is a list of the orchids described by R. Schlechter as new to science from Colombia, as enumerated in the aforementioned bibliography (only basionyms):

#### **New orchid genera**

<i>Antosiphon</i> Schltr.	<i>Porroglossum</i> Schltr.
<i>Caucaea</i> Schltr.	<i>Roezliella</i> Schltr.
<i>Centrogenium</i> Schltr.	<i>Sphyrapostylis</i> Schltr.
<i>Cirtoglossis</i> Schltr.	<i>Sympyglossum</i> Schltr.
<i>Cyrtidium</i> Schltr.	<i>Warreella</i> Schltr.
<i>Monophyllorchis</i> Schltr.	

#### **New orchid species**

<i>Aa colombiana</i> Schltr.	<i>Campylocentrum colombianum</i> Schltr. (Fig. 36)
<i>Aa denticulata</i> Schltr.	<i>Catasetum blepharochilum</i> Schltr.
<i>Aa maderoii</i> Schltr.	<i>Catasetum caucanum</i> Schltr.
<i>Aa nigrescens</i> Schltr.	<i>Catasetum inornatum</i> Schltr.
<i>Acineta antioquiae</i> Schltr.	<i>Catasetum platyglossum</i> Schltr.
<i>Acineta arcuata</i> Schltr.	<i>Chondrorhyncha amabilis</i> Schltr.
<i>Acineta beyrodtiana</i> Schltr.	<i>Chrysocynis triptera</i> Schltr.
<i>Acineta gymnosteple</i> Schltr.	<i>Cranichis antioquensis</i> Schltr.
<i>Acineta hennisiana</i> Schltr.	<i>Cranichis atrata</i> Schltr.
<i>Acineta wolteriana</i> Schltr.	<i>Cranichis brachyblephara</i> Schltr.
<i>Anguloa goldschmidtiana</i> Schltr.	<i>Cranichis cylindrostachys</i> Schltr.
<i>Anguloa macroglossa</i> Schltr.	<i>Cranichis ovatilabia</i> Schltr.
<i>Antosiphon roseans</i> Schltr.	<i>Cranichis pastoensis</i> Schltr.
<i>Barbosella dolichorhiza</i> Schltr.	<i>Cranichis pleioneura</i> Schltr.
<i>Barbosella longipes</i> Schltr.	<i>Cranichis polyantha</i> Schltr.
<i>Bifrenaria pickiana</i> Schltr.	<i>Cranichis polyblephara</i> Schltr.
<i>Brachitia verruculifera</i> Schltr.	<i>Cranichis pycnantha</i> Schltr.
<i>Brachystele longiflora</i> Schltr.	<i>Cranichis styctophylla</i> Schltr.
<i>Brassia cyrtopetala</i> Schltr.	<i>Comparettia erecta</i> Schltr.
<i>Camaridium caquetanum</i> Schltr.	<i>Comparettia pulchella</i> Schltr.
<i>Camaridium caucanum</i> Schltr.	<i>Cryptocentrum flavum</i> Schltr.
<i>Camaridium equitans</i> Schltr.	<i>Cryptocentrum gracilipes</i> Schltr.
<i>Camaridium lamprochlamys</i> Schltr.	<i>Cryptocentrum hoppii</i> Schltr.
<i>Camaridium quercicolum</i> Schltr.	<i>Cryptocentrum pergracile</i> Schltr.
<i>Camaridium sterrocaulon</i> Schltr.	<i>Cyclopogon maderoi</i> Schltr.



FIGURE 36. *Campylocentrum colombianum* Schlechter. Drawing of type, made under Schlechter's supervision. Nr. 26784 – Orchid Herbarium of Oakes Ames.

*Cyclopogon spiranthoides* Schlechter.  
*Cycnoches brachydactylon* Schlechter.  
*Cyrtochilum rostratum* Schlechter.  
*Cyrtochilum simulans* Schlechter.  
*Cyrtoglottis gracilipes* Schlechter.  
*Dichaea acuminata* Schlechter.  
*Dichaea camaridioides* Schlechter.  
*Dichaea caquetana* Schlechter.  
*Dichaea lehmannii* Schlechter.  
*Dichaea selaginella* Schlechter.  
*Dichaea tenuifolia* Schlechter.  
*Dichaea trachysepala* Schlechter.  
*Dimerandra major* Schlechter.  
*Diothonea arevaloi* Schlechter.  
*Diothonea rhodochila* Schlechter.  
*Elleanthus ampliflorus* Schlechter.  
*Elleanthus bogotensis* Schlechter.  
*Elleanthus congestus* Schlechter.



FIGURE 37. Photograph of type and analysis of flower of *Elleanthus smithii* Schlechter. Oakes Ames Herbarium.

*Elleanthus grandiflorus* Schlechter.  
*Elleanthus hoppii* Schlechter.  
*Elleanthus laetus* Schlechter.  
*Elleanthus leiocaulon* Schlechter.  
*Elleanthus pastoensis* Schlechter.  
*Elleanthus smithii* Schlechter. (Fig. 37)  
*Elleanthus sphaerocephalus* Schlechter.  
*Elleanthus venustus* Schlechter.  
*Elleanthus vinosus* Schlechter.  
*Encyclia maderoi* Schlechter.  
*Epidendrum anitae* Schlechter.  
*Epidendrum arnoldii* Schlechter.  
*Epidendrum antioquense* Schlechter.  
*Epidendrum atrobrunneum* Schlechter.  
*Epidendrum baumannianum* Schlechter.  
*Epidendrum bogotense* Schlechter.  
*Epidendrum brachyschistum* Schlechter.  
*Epidendrum bungerothii* Schlechter.




FIGURE 38. *Epidendrum melinanthum* Schlechter. - Photograph of a specimen collected by E. Langassé in Colombia and analytical drawing by R. Schlechter. Nr. 36086 – Oakes Ames Herbarium - Rockefeller Foundation

- Epidendrum calothyrsus* Schltr.  
*Epidendrum caquetanum* Schltr.  
*Epidendrum caucae* Schltr.  
*Epidendrum cebolleta* Schltr.  
*Epidendrum commelinoides* Schltr.  
*Epidendrum cyclopterum* Schltr.  
*Epidendrum decurviflorum* Schltr.  
*Epidendrum diphylum* Schltr.  
*Epidendrum dolichopus* Schltr.  
*Epidendrum elleanthoides* Schltr.  
*Epidendrum euchroma* Schltr.  
*Epidendrum eugenii* Schltr.  
*Epidendrum fraternum* Schltr.  
*Epidendrum hastilabium* Schltr.  
*Epidendrum hopfianum* Schltr.  
*Epidendrum ionodesme* Schltr.  
*Epidendrum juncifolium* Schltr.  
*Epidendrum laxifoliatum* Schltr.  
*Epidendrum leucarachne* Schltr.  
*Epidendrum longicrure* Schltr.  
*Epidendrum macroceras* Schltr.  
*Epidendrum maderoii* Schltr.  
*Epidendrum melinanthum* Schltr. (Fig. 38)  
*Epidendrum nubigerum* Schltr.  
*Epidendrum oreogenum* Schltr.  
*Epidendrum oxyglossum* Schltr.  
*Epidendrum pachyneurum* Schltr.  
*Epidendrum pachyphyllum* Schltr.  
*Epidendrum pachypodium* Schltr.  
*Epidendrum pastoense* Schltr.  
*Epidendrum peraltum* Schltr.  
*Epidendrum persimile* Schltr.  
*Epidendrum polychistum* Schltr.  
*Epidendrum prasinum* Schltr.  
*Epidendrum protractum* Schltr.  
*Epidendrum quinquecallosum* Schltr.  
*Epidendrum rahdlobulbon* Schltr.  
*Epidendrum rhopalobulbon* Schltr.  
*Epidendrum rugulosum* Schltr.  
*Epidendrum sanguineum* Schltr.  
*Epidendrum sanctae martae* Schltr.  
*Epidendrum schistochilum* Schltr.  
*Epidendrum schnitteri* Schltr.  
*Epidendrum scytocladium* Schltr.  
*Epidendrum smithii* Schltr.  
*Epidendrum sororium* Schltr.  
*Epidendrum sterroanthum* Schltr.
- Epidendrum sterrophyllum* Schltr.  
*Epidendrum strictum* Schltr.  
*Epidendrum subfloribundum* Schltr.  
*Epidendrum suborbiculare* Schltr.  
*Epidendrum sympodiale* Schltr.  
*Epidendrum trifidum* Schltr.  
*Epidendrum trimeroglossum* Schltr.  
*Epidendrum vulcanicum* Schltr.  
*Epidendrum werneri* Schltr.  
*Epidendrum zipaquinarum* Schltr.  
*Eriopsis colombiana* Schltr.  
*Galeandra leptoceras* Schltr.  
*Gomphichis brachystachys* Schltr.  
*Gomphichis caucana* Schltr.  
*Gomphichis hetaeroides* Schltr.  
*Gomphichis lancipetala* Schltr.  
*Gomphichis scaposa* Schltr.  
*Gongora beyrodtiana* Schltr.  
*Gongora hennisiana* Schltr.  
*Govenia platyglossa* Schltr.  
*Govenia stictoglossa* Schltr.  
*Habenaria caucana* Schltr.  
*Habenaria maderoii* Schltr.  
*Habenaria schultzei* Schltr.  
*Habenaria smithii* Schltr.  
*Hapalorchis longirostris* Schltr.  
*Hapalorchis trilobata* Schltr.  
*Hexisea colombiana* Schltr.  
*Houleertia clarae* Schltr.  
*Houleertia unguiculata* Schltr.  
*Huntleya brevis* Schltr.  
*Jacquinia colombiana* Schltr.  
*Kefersteinia tolimensis*  
*Koellensteinia elegantula* Schltr.  
*Laelia johniana* Schltr.  
*Lanium colombianum* Schltr.  
*Lepanthes antioquensis* Schltr.  
*Lepanthes caucana* Schltr.  
*Lepanthes dolichopus* Schltr.  
*Lepanthes lemanni* Schltr.  
*Lepanthes marginata* Schltr.  
*Lepanthes pastoensis* Schltr.  
*Lepanthes peperomioides* Schltr.  
*Lepanthes rhombipetala* Schltr.  
*Lepanthes schnitteri* Schltr.  
*Lepanthes stenoscleros* Schltr.  
*Lepanthes superposita* Schltr.

- Lepanthes trachysepala* Schltr.  
*Lepanthes tricuspis* Schltr.  
*Lindleyella floribunda* Schltr.  
*Lindleyella picta* Schltr.  
*Lindleyella saxicola* Schltr.  
*Liparis caloglossa* Schltr.  
*Liparis colombiana* Schltr.  
*Lockhartia hologlossa* Schltr.  
*Lockhartia unicornis* Schltr.  
*Masdevallia bathychista* Schltr.  
*Masdevallia callifera* Schltr.  
*Masdevallia densiflora* Schltr.  
*Masdevallia echinocarpa* Schltr.  
*Masdevallia exilipes* Schltr.  
*Masdevallia hoppii* Schltr.  
*Masdevallia maculigera* Schltr.  
*Masdevallia oligantha* Schltr.  
*Masdevallia petiolaris* Schltr.  
*Masdevallia pteroglossa* Schltr.  
*Masdevallia tenuipes* Schltr.  
*Masdevallia trichroma* Schltr.  
*Maxillaria adscendens* Schltr.  
*Maxillaria aequiloba* Schltr.  
*Maxillaria angustifolia* Schltr.  
*Maxillaria aurantiaca* Schltr.  
*Maxillaria baumanniana* Schltr.  
*Maxillaria bolleoides* Schltr.  
*Maxillaria brachypoda* Schltr.  
*Maxillaria camaridioides* Schltr.  
*Maxillaria caquetana* Schltr.  
*Maxillaria caucana* Schltr.  
*Maxillaria caulina* Schltr.  
*Maxillaria elata* Schltr.  
*Maxillaria elegans* Schltr.  
*Maxillaria farinifera* Schltr.  
*Maxillaria hennisiana* Schltr.  
*Maxillaria hoppii* Schltr.  
*Maxillaria langlassei* Schltr.  
*Maxillaria maderoii* Schltr.  
*Maxillaria microblephara* Schltr.  
*Maxillaria modesta* Schltr.  
*Maxillaria ochroglossa* Schltr.  
*Maxillaria parvula* Schltr.  
*Maxillaria patens* Schltr.  
*Maxillaria phaeoglossa* Schltr.  
*Maxillaria pleiantha* Schltr.  
*Maxillaria plicata* Schltr.  
*Maxillaria saxicola* Schltr.  
*Maxillaria schnitteri* Schltr.  
*Maxillaria schultzei* Schltr.  
*Maxillaria sulfurea* Schltr.  
*Maxillaria subpandurata* Schltr.  
*Maxillaria subulifolia* Schltr.  
*Maxillaria tristis* Schltr.  
*Maxillaria truncatilabia* Schltr.  
*Maxillaria unguiculata* Schltr.  
*Maxillaria unguilabia* Schltr.  
*Maxillaria verecunda* Schltr.  
*Maxillaria vestita* Schltr.  
*Maxillaria witsenoides* Schltr.  
*Microstylis hoppii* Schltr.  
*Microstylis mucronulata* Schltr.  
*Microstylis polyblephara* Schltr.  
*Monophyllorchis colombiana* Schltr.  
*Mormodes schultzei* Schltr.  
*Notylia oberonia* Schltr.  
*Notylia obtusa* Schltr.  
*Notylia rimbachii* Schltr.  
*Octomeria colombiana* Schltr.  
*Octomeria longerepens* Schltr.  
*Octomeria longifolia* Schltr.  
*Octomeria mocoana* Schltr.  
*Odontoglossum bogotense* Schltr.  
*Odontoglossum crispum* Schltr.  
*Odontoglossum cristatellum* Schltr.  
*Odontoglossum floribundum* Schltr.  
*Odontoglossum hoppii* Schltr.  
*Odontoglossum maderoii* Schltr.  
*Odontoglossum schultzei* Schltr.  
*Oncidium bryoclaudium* Schltr.  
*Oncidium caucanum* Schltr.  
*Oncidium hedyosmum* Schltr.  
*Oncidium hoppii* Schltr.  
*Oncidium maderoii* Schltr.  
*Oncidium oberonia* Schltr.  
*Oncidium platychilum* Schltr.  
*Oncidium trachycaulon* Schltr.  
*Oncidium saticolum* Schltr.  
*Oncidium werneri* Schltr.  
*Ornithidium compactum* Schltr.  
*Ornithidium cyperifolium* Schltr.  
*Ornithidium dichotomum* Schltr.  
*Ornithidium pastoense* Schltr.  
*Ornithidium rhodoleucon* Schltr.

- Ornithidium toriferum* Schltr.  
*Ornithidium vagans* Schltr.  
*Ornithidium virescens* Schltr.  
*Ornithocephalus lehmannii* Schltr.  
*Ornithocephalus micranthus* Schltr.  
*Pachyphyllum bryophytum* Schltr.  
*Pachyphyllum micrangis* Schltr.  
*Pachyphyllum micranthum* Schltr.  
*Pachyphyllum stuebellii* Schltr.  
*Pachyphyllum vaginatum* Schltr.  
*Pelexia caucae* Schltr.  
*Pelexia hamata* Schltr.  
*Physurus caucanus* Schltr.  
*Physurus dolichostachys* Schltr.  
*Physurus erythrodoides* Schltr.  
*Physurus hetaerioides* Schltr.  
*Physurus palaceus* Schltr.  
*Physurus procerus* Schltr.  
*Physurus zeuxinoides* Schltr.  
*Pitiphyllum amesianum* Schltr.  
*Pitiphyllum antioquense* Schltr.  
*Platystele schmidtchenii* Schltr.  
*Pleurothallis arevaloi* Schltr.  
*Pleurothallis belocardia* Schltr.  
*Pleurothallis bogotensis* Schltr.  
*Pleurothallis brachyantha* Schltr.  
*Pleurothallis brevicaulis* Schltr.  
*Pleurothallis caliensis* Schltr.  
*Pleurothallis chachatoynsis* Schltr.  
*Pleurothallis chlamydopus* Schltr.  
*Pleurothallis citrina* Schltr.  
*Pleurothallis cundinamarcae* Schltr.  
*Pleurothallis cymbisepala* Schltr.  
*Pleurothallis falcipetala* Schltr.  
*Pleurothallis hirtipes* Schltr.  
*Pleurothallis hopfiana* Schltr.  
*Pleurothallis hoppii* Schltr.  
*Pleurothallis ineziae* Schltr.  
*Pleurothallis lancifera* Schltr.  
*Pleurothallis langlassei* Schltr.  
*Pleurothallis auta* Schltr.  
*Pleurothallis lehmanniana* Schltr.  
*Pleurothallis leontoglossa* Schltr.  
*Pleurothallis lepanthoides* Schltr.  
*Pleurothallis leptantha* Schltr.  
*Pleurothallis medellinensis* Schltr.  
*Pleurothallis melittantha* Schltr.
- Pleurothallis microptera* Schltr.  
*Pleurothallis mocoana* Schltr.  
*Pleurothallis nasuta* Schltr.  
*Pleurothallis nubigena* Schltr.  
*Pleurothallis nutans* Schltr.  
*Pleurothallis ochroleuca* Schltr.  
*Pleurothallis papillisepala* Schltr.  
*Pleurothallis patula* Schltr.  
*Pleurothallis pendula* Schltr.  
*Pleurothallis peniculus* Schltr.  
*Pleurothallis phaeantha* Schltr.  
*Pleurothallis platycardium* Schltr.  
*Pleurothallis platysepala* Schltr.  
*Pleurothallis pleiostachys* Schltr.  
*Pleurothallis potamophila* Schltr.  
*Pleurothallis pteroglossa* Schltr.  
*Pleurothallis pulvinipes* Schltr.  
*Pleurothallis quadricaudata* Schltr.  
*Pleurothallis raphidopodus* Schltr.  
*Pleurothallis scaphioglossa* Schltr.  
*Pleurothallis schistopetala* Schltr.  
*Pleurothallis schnitteri* Schltr.  
*Pleurothallis serricardia* Schltr.  
*Pleurothallis smithii* Schltr.  
*Pleurothallis sororia* Schltr.  
*Pleurothallis sotareae* Schltr.  
*Pleurothallis spathilabia* Schltr.  
*Pleurothallis stelidioides* Schltr.  
*Pleurothallis trianae* Schltr.  
*Pleurothallis werneri* Schltr.  
*Pogonia acuminata* Schltr.  
*Pogonia elegantula* Schltr.  
*Pogonia maderoi* Schltr.  
*Pogonia venusta* Schltr.  
*Polycycnis acutiloba* Schltr.  
*Polystachya caquetana* Schltr.  
*Polystachya colombiana* Schltr.  
*Ponthieva elata* Schltr.  
*Ponthieva microglossa* Schltr.  
*Ponthieva triloba* Schltr.  
*Porroglossum colombianum* Schltr.  
*Prescottia filiformis* Schltr.  
*Prescottia gracilis* Schltr.  
*Prescottia longifolia* Schltr.  
*Prescottia smithii* Schltr.  
*Pseudocentrum sphaerocorys* Schltr.  
*Pterichis acuminata* Schltr.

- Pterichis tomentosula* Schltr.  
*Restrepia antioquensis* Schltr.  
*Restrepia caucana* Schltr.  
*Restrepia hemsleyana* Schltr.  
*Restrepia leontoglossa* Schltr.  
*Restrepia serrilabia* Schltr.  
*Rodriguezia arevaloi* Schltr.  
*Rodriguezia macrantha* Schltr.  
*Rodriguezia secunda* Schltr.  
*Roezliella cucullifera* Schltr.  
*Roezliella ibis* Schltr.  
*Scaphosepalum platypetalum* Schltr.  
*Scaphyglottis exilis* Schltr.  
*Scaphyglottis genychila* Schltr.  
*Scaphyglottis sanctae-martae* Schltr.  
*Scaphyglottis stricta* Schltr.  
*Scelochilus langlassei* Schltr.  
*Schlimia pandurata* Schltr.  
*Schomburgkia elata* Schltr.  
*Schomburgkia schultzei* Schltr.  
*Schomburgkia splendida* Schltr.  
*Sertifera colombiana* Schltr.  
*Sertifera major* Schltr.  
*Sertifera parviflora* Schltr.  
*Sigmatostalix caquetana* Schltr.  
*Sigmatostalix pandurata* Schltr.  
*Sobralia anceps* Schltr.  
*Sobralia antioquensis* Schltr.  
*Sobralia densifoliata* Schltr.  
*Sobralia exilis* Schltr.  
*Sobralia hoppii* Schltr.  
*Sobralia kalbreyeri* Schltr.  
*Sobralia malmquistiana* Schltr.  
*Sobralia odorata* Schltr.  
*Sobralia schultzei* Schltr.  
*Sobralia splendida* Schltr.  
*Sphyrastylis hoppii* Schltr.  
*Sphyrastylis oberonioides* Schltr.  
*Stanhopea hoppii* Schltr.  
*Stelis antioquensis* Schltr.  
*Stelis apiculata* Schltr.  
*Stelis arevaloi* Schltr.  
*Stelis bigibba* Schltr.  
*Stelis bogotensis* Schltr.  
*Stelis bracteata* Schltr.  
*Stelis caucae* Schltr.  
*Stelis citrina* Schltr.  
*Stelis crassilabia* Schltr.  
*Stelis cuculligera* Schltr.  
*Stelis cundinamarcae* Schltr.  
*Stelis cycloglossa* Schltr.  
*Stelis decipiens* Schltr.  
*Stelis dolichopus* Schltr.  
*Stelis elegantula* Schltr.  
*Stelis eugenii* Schltr.  
*Stelis exilipes* Schltr.  
*Stelis fruticulosus* Schltr.  
*Stelis hennnisiana* Schltr.  
*Stelis hoppii* Schltr.  
*Stelis langlassei* Schltr.  
*Stelis longiracemosa* Schltr.  
*Stelis macropoda* Schltr.  
*Stelis maderoi* Schltr.  
*Stelis magnipetala* Schltr.  
*Stelis mesohybos* Schltr.  
*Stelis minimiflora* Schltr.  
*Stelis mirabilis* Schltr.  
*Stelis mocoana* Schltr.  
*Stelis mucronipetala* Schltr.  
*Stelis myriantha* Schltr.  
*Stelis oligoblephara* Schltr.  
*Stelis oxypetala* Schltr.  
*Stelis pachyphilla* Schltr.  
*Stelis pachystele* Schltr.  
*Stelis pastoensis* Schltr.  
*Stelis petiolaris* Schltr.  
*Stelis pleistantha* Schltr.  
*Stelis prorepens* Schltr.  
*Stelis ringens* Schltr.  
*Stelis scandens* Schltr.  
*Stelis schmidtchenii* Schltr.  
*Stelis schnitteri* Schltr.  
*Stelis simula* Schltr.  
*Stelis tenuis* Schltr.  
*Stelis tolimensis* Schltr.  
*Stelis trianaei* Schltr.  
*Stelis umbriae* Schltr.  
*Stelis verecunda* Schltr.  
*Stelis virgulata* Schltr.  
*Stelis vulcanica* Schltr.  
*Stelis walteri* Schltr.  
*Stelis wernerii* Schltr.  
*Telipogon caucanus* Schltr.  
*Telipogon cycloglossus* Schltr.

<i>Telipogon gracilis</i> Schltr.	<i>Trichocentrum brachyceras</i> Schltr.
<i>Telipogon hoppii</i> Schltr.	<i>Trichocentrum verruciferum</i> Schltr.
<i>Telipogon lagunae</i> Schltr.	<i>Vanilla calyculata</i> Schltr.
<i>Telipogon pastoanus</i> Schltr.	<i>Warreella cyanea</i> Schltr.
<i>Telipogon venustus</i> Schltr.	<i>Xylobium modestum</i> Schltr.
<i>Trachelosiphon colombianus</i> Schltr.	<i>Xylobium stanhopeifolium</i> Schltr.
<i>Trachelosiphon cristatus</i> Schltr.	

## ECUADOR (Fig. 35)

**National and regional orchid floras, specific collectors**

- 1914–1916** Schlechter, R. *Orchidaceae novae et criticae, Decas XLII-XLVI. Additamenta ad Orchideologiam ecuadorensem I.* Repertorium specierum novarum regni vegetabilis, Vol. 14: 114–133.  
**Schlechter, R. *Orchidaceae novae et criticae, Decas XLVII-XLVIII. Additamenta ad Orchideologiam ecuadorensem II.* Repertorium specierum novarum regni vegetabilis, Vol. 14: 385–395.**
- 1917–1919** Schlechter, R.. *Orchidaceae novae et criticae, Decas XLIX. Additamenta ad Orchideologiam ecuadorensem III.* Repertorium specierum novarum regni vegetabilis, Vol. 15: 49–59.
- 1921** Schlechter, R. *Die Orchideenfloren der südamerikanischen Kordillerenstaaten. III. Ecuador.* Repertorium specierum novarum regni vegetabilis, Beihefte, vol. 8: 1–172.

**Specific orchid tribes and subtribes, genera or species**

- 1910–1911** Schlechter, R. *Orchidaceae novae et criticae, Decas XI, XII, XIII, XIV, XV.* Repertorium specierum novarum regni vegetabilis, Vol.8: 453–58, 500–512, 561–574.  
**Schlechter, R. *Orchidaceae novae et criticae, Decas XVI-XVII.* Repertorium specierum novarum regni vegetabilis, Vol. 10: 21–32.**
- 1911–1912** Schlechter, R. *Orchidaceae novae et criticae, Decas XVI-XVII.* Repertorium specierum novarum regni vegetabilis, Vol. 10: 21–32.  
**Schlechter, R. *Orchidaceae novae et criticae, Decas XXVI.* Repertorium specierum novarum regni vegetabilis, Vol. 10: 291–296.**
- 1915** Schlechter, R. *Orchidaceae novae et criticae, Decas XLII-XLVI.* Repertorium specierum novarum regni vegetabilis, Vol. 14: 114–131.
- 1919** Schlechter, R. *Die Gattung Cochlioda Ldl..* Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 13: 3–10.

**Schlechter's network in Ecuador (orchid collectors, growers and other purveyors)**

- EGgers, Henrik Franz Alexander von (1844–1903), collected 1891–1897.
- Hennis, Wilhelm ((1856–1943)), orchid grower in Hildesheim.
- Lehmann, Friedrich Carl (1850–1903), collected 1867–1903.
- Mille, Louis (Aloysius) (?–1940s), collected ca. 1896–1963.
- Rimbach, August (1862–1943), collected 1891–1934.
- Sodiro, Luigi Aloysius (Luis) (1836–1909), collected 1876–1907.

**Orchids described by R. Schlechter from Ecuador**

The following is a list of the orchids described by R. Schlechter as new to science from Ecuador, as enumerated in the aforementioned bibliography (only basionyms):

**New orchid genera**

*Dipterosteke* Schltr.  
*Sodiroella* Schltr.

*Solenocentrum* Schltr.  
*Sympyglossum* Schltr.

**New orchid species**

*Aa macra* Schltr.  
*Aa rhynchocarpa* Schltr.  
*Aa riobambae* Schltr.  
*Aa ustulata* Schltr.  
*Bletia ecuadorensis* Schltr.  
*Camaridium dichotomum* Schltr.  
*Camaridium longum* Schltr.  
*Camaridium sodiroi* Schltr.  
*Campylocentrum ecuadorense* Schltr.  
*Campylocentrum rimbachii* Schltr.  
*Catasetum sodiroi* Schltr.  
*Cranichis cucullata* Schltr.  
*Cranichis ecuadorensis* Schltr.  
*Cranichis elliptica* Schltr.  
*Cranichis sororia* Schltr.  
*Cryptarrhena unguicalata* Schltr.  
*Cryptophoranthus beloglottis* Schltr.  
*Cyclopogon argyrotaenius* Schltr.  
*Cyclopogon cranichioides* Schltr.  
*Cyclopogon gracilis* Schltr.  
*Cyclopogon macer* Schltr.  
*Dichaea ecuadorensis* Schltr.  
*Dichaea sodiroi* Schltr.  
*Diothonea angustifolia* Schltr.  
*Diothonea pulchra* Schltr.  
*Diothonea sodiroi* Schltr.  
*Diothonea viridiflora* Schltr.  
*Dipterosteke microglossa* Schltr.  
*Elleanthus fractiflexus* Schltr.  
*Elleanthus macer* Schltr.  
*Elleanthus petrogeiton* Schltr.  
*Elleanthus roseus* Schltr.  
*Elleanthus sodiroi* Schltr.  
*Elleanthus stenophyllus* Schltr.  
*Elleanthus ventricosus* Schltr.  
*Encyclia angustiloba* Schltr.  
*Encyclia trachypus* Schltr.  
*Epidendrum aloisii* Schltr.  
*Epidendrum atacazoicum* Schltr.  
*Epidendrum bifalce* Schltr.  
*Epidendrum brachystele* Schltr.  
*Epidendrum caloglossum* Schltr.

*Epidendrum calyptrochilum* Schltr.  
*Epidendrum chimborazoensis* Schltr.  
*Epidendrum chortophyllum* Schltr.  
*Epidendrum cuencanum* Schltr.  
*Epidendrum cuniculatum* Schltr.  
*Epidendrum dasytaenium* Schltr.  
*Epidendrum diothonaeoides* Schltr.  
*Epidendrum fruticetorum* Schltr.  
*Epidendrum geminatum* Schltr.  
*Epidendrum guayasense* Schltr.  
*Epidendrum imitans* Schltr.  
*Epidendrum indecoratum* Schltr.  
*Epidendrum inornatum* Schltr.  
*Epidendrum megahybos* Schltr.  
*Epidendrum microglossum* Schltr.  
*Epidendrum millei* Schltr.  
*Epidendrum miniatum* Schltr.  
*Epidendrum mojandae* Schltr.  
*Epidendrum monanthum* Schltr.  
*Epidendrum neglectum* Schltr.  
*Epidendrum neolehmannia* Schltr.  
*Epidendrum ochranthum* Schltr.  
*Epidendrum ornithidii* Schltr.  
*Epidendrum ornithoglossum* Schltr.  
*Epidendrum orthocaule* Schltr.  
*Epidendrum pallatangae* Schltr.  
*Epidendrum pedicellare* Schltr.  
*Epidendrum peperomioides* Schltr.  
*Epidendrum pergracile* Schltr.  
*Epidendrum pichinchae* Schltr.  
*Epidendrum piestopus* Schltr.  
*Epidendrum platychilum* Schltr.  
*Epidendrum podocarpophilum* Schltr.  
*Epidendrum pteroglossis* Schltr.  
*Epidendrum quisayanum* Schltr.  
*Epidendrum ramistratum* Schltr.  
*Epidendrum reichenbachianum* Schltr.  
*Epidendrum renilabium* Schltr.  
*Epidendrum rhacoglossum* Schltr. Schltr.  
*Epidendrum rimbachii* Schltr.  
*Epidendrum riobambae* Schltr.  
*Epidendrum sarcoglossis* Schltr.

- Epidendrum sodiroi* Schltr.  
*Epidendrum spathatum* Schltr.  
*Epidendrum sphaeranthum* Schltr.  
*Epidendrum splendidum* Schltr.  
*Epidendrum rachychlaena* Schltr.  
*Epidendrum tunguraguae* Schltr.  
*Epidendrum zingiberaceum* Schltr.  
*Epistephium lamprochylllum* Schltr.  
*Gomphichis cranichiooides* Schltr.  
*Gomphichis sodiroi* Schltr.  
*Govenia sodiroi* Schltr.  
*Habenaria millei* Schltr.  
*Habenaria sodiroi* Schltr.  
*Kefersteinia lojae* Schltr.  
*Lanium ecuadorense* Schltr.  
*Lepanthes aberrans* Schltr.  
*Lepanthes corazonis* Schltr.  
*Lepanthes effusa* Schltr.  
*Lepanthes elegantula* Schltr.  
*Lepanthes macropoda* Schltr.  
*Lepanthes macroura* Schltr.  
*Lepanthes millei* Schltr.  
*Lepanthes pensilis* Schltr.  
*Lepanthes rhodophylla* Schltr.  
*Liparis commelinoides* Schltr.  
*Liparis millei* Schltr.  
*Liparis nigrescens* Schltr.  
*Masdevallia corazonica* Schltr.  
*Masdevallia parvula* Schltr.  
*Masdevallia sodiroi* Schltr.  
*Masdevallia ventricosa* Schltr.  
*Maxillaria ecuadorensis* Schltr.  
*Maxillaria microdendron* Schltr.  
*Maxillaria microtricha* Schltr.  
*Maxillaria nutantiflora* Schltr.  
*Maxillaria poicilothece* Schltr.  
*Maxillaria sanguineomaculata* Schltr.  
*Maxillaria stictantha* Schltr.  
*Maxillaria stricta* Schltr.  
*Maxillaria xantholeuca* Schltr.  
*Microstylis lloensis* Schltr.  
*Microstylis pichinchae* Schltr.  
*Microstylis sodiroi* Schltr.  
*Nasonia robusta* Schltr.  
*Notylia ecuadorensis* Schltr.  
*Notyliarimbachii* Schltr.  
*Odontoglossum sodiroi* Schltr.  
*Oncidium aloisii* Schltr.  
*Oncidium hapalotyle* Schltr.  
*Oncidium millei* Schltr.  
*Oncidium sodiroi* Schltr.  
*Ornithidium breve* Schltr.  
*Ornithidium chrysocynoides* Schltr.  
*Ornithidium pleurothantioides* Schltr.  
*Ornithidium squarrosum* Schltr.  
*Ornithocephalus bryostachyus* Schltr.  
*Pelexia ecuadorensis* Schltr.  
*Physosiphon inaequisepalus* Schltr.  
*Pleurothallis aloisii* Schltr.  
*Pleurothallis blepharopetala* Schltr.  
*Pleurothallis cardiophylla* Schltr.  
*Pleurothallis conchopetala* Schltr.  
*Pleurothallis corazonica* Schltr.  
*Pleurothallis diploglossa* Schltr.  
*Pleurothallis ecuadorensis* Schltr.  
*Pleurothallis fimbripetala* Schltr.  
*Pleurothallis henrici* Schltr.  
*Pleurothallis ignivomi* Schltr.  
*Pleurothallis lamprochlamys* Schltr.  
*Pleurothallis lasioglossa* Schltr.  
*Pleurothallis lepanthopsis* Schltr.  
*Pleurothallis lloensis* Schltr.  
*Pleurothallis lojae* Schltr.  
*Pleurothallis longerepens* Schltr.  
*Pleurothallis macropus* Schltr. (Fig. 39)  
*Pleurothallis microcharis* Schltr.  
*Pleurothallis millei* Schltr.  
*Pleurothallis myoxanthus* Schltr.  
*Pleurothallis nephroglossa* Schltr.  
*Pleurothallis nutantiflora* Schltr.  
*Pleurothallis opeatorhyncha* Schltr.  
*Pleurothallis otopetalum* Schltr.  
*Pleurothallis pastazae* Schltr.  
*Pleurothallis pichinchae* Schltr.  
*Pleurothallis reichenbachiana* Schltr.  
*Pleurothallis rhizomatosa* Schltr.  
*Pleurothallis sigsigensis* Schltr.  
*Pleurothallis sodiroi* Schltr.  
*Pleurothallis subreniformis* Schltr.  
*Pleurothallis superposita* Schltr.  
*Pleurothallis tenuispica* Schltr.  
*Pleurothallis triura* Schltr.  
*Pleurothallis wolfiana* Schltr.  
*Pogonia lutea* Schltr.



FIGURE 39. *Pleurothallis macropus* Schltr. Nr. 87424 – Oakes Ames Herbarium. .




FIGURE 40. Drawing of the type of *Ponthieva nigricans* Schltr. and Schlechter's original type-written manuscript of the description of the new species. Orchid Herbarium of Oakes Ames.

FIGURE 41. Isotype of *Telipogon lehmannii* Schltr. Nr. 14728 – Orchid Herbarium of Oakes Ames.

<i>Ponthieva appendiculata</i> Schltr.	<i>Stelis cuencana</i> Schltr.
<i>Ponthieva disema</i> Schltr.	<i>Stelis hians</i> Schltr.
<i>Ponthieva ecuadorensis</i> Schltr.	<i>Stelis lloensis</i> Schltr.
<i>Ponthieva nigricans</i> Schltr. (Fig. 40)	<i>Stelis megahybos</i> Schltr.
<i>Ponthieva orchiooides</i> Schltr.	<i>Stelis millei</i> Schltr.
<i>Polystachya ecuadorensis</i> Schltr.	<i>Stelis perlaxa</i> Schltr.
<i>Prescottia longipetiolata</i> Schltr.	<i>Stelis pilostylis</i> Schltr.
<i>Pterichis pauciflora</i> Schltr.	<i>Stelis pterostylis</i> Schltr.
<i>Pterichis seleniglossa</i> Schltr.	<i>Stelis sodiroi</i> Schltr.
<i>Scelochilus pichinchae</i> Schltr.	<i>Stelis superposita</i> Schltr.
<i>Sigmatostalix lunata</i> Schltr.	<i>Stelis vulcanica</i> Schltr.
<i>Sobralia gracilis</i> Schltr.	<i>Stenorhynchos millei</i> Schltr.
<i>Sodiroella ecuadorensis</i> Schltr.	<i>Stenorhynchos sodiroi</i> Schltr.
<i>Spiranthes millei</i> Schltr.	<i>Telipogon ecuadorensis</i> Schltr.
<i>Stelis altigena</i> Schltr.	<i>Telipogon lemannii</i> Schltr. (Fig. 41)
<i>Stelis callicentrum</i> Schltr.	<i>Telipogon pachyhybos</i> Schltr.
<i>Stelis calothecae</i> Schltr.	<i>Trichoceros carinifer</i> Schltr.
<i>Stelis cordibractea</i> Schltr.	<i>Xylobium gracile</i> Schltr.
<i>Stelis coturcoensis</i> Schltr.	

## PERU (Fig. 42)

**National and regional orchid floras, specific collectors**

- 1914** Schlechter, R. *Orchidaceae*. In Pilger, R. *Plantae Uleanae novae vel minus cognitae*. Notizblatt des Königlichen Botanischen Gartens und Museums zu Berlin, Vol. 6: 120–126.
- 1921** Schlechter, R. *Die Orchideenfloren der südamerikanischen Kordillerenstaaten. IV. Peru*. Repertorium specierum novarum regni vegetabilis, Beihefte, vol. 9: 1–182.

**Specific orchid tribes and subtribes, genera or species**

- 1911** Schlechter, R. *Orchidaceae novae et criticae, Decas XVIII*. Repertorium specierum novarum regni vegetabilis, Vol. 9: 161–166.
- 1911–1912** Schlechter, R. *Orchidaceae novae et criticae, Decas XIX-XX*. Repertorium specierum novarum regni vegetabilis, Vol. 10: 385–397.
- 1912** Schlechter, R. 1912. *Neue un seltene Garten-Orchideen V. Orchis*, Mitteilungen des Orchideenausschusses der Deutschen Gartenbau-Gesellschaft, vol. 6: 112–119.
- 1914** Schlechter, R. *Neue und seltene Gardenorchideen VI. Orchis*, Mitteilungen des Orchideenausschusses der Deutschen Gartenbau-Gesellschaft, vol. 8: 131–137.
- 1915** Schlechter, R. *Neue und seltene Garten-Orchideen, VIII. Orchis*, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 9: 49–54.
- Schlechter, R. *Kleine Mitteilungen. Orchis*, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 9: 56–60.
- 1916** Schlechter, R. *Neue und seltene Garten-Orchideen, X. Orchis*, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 10: 183–190.
- 1918** Schlechter, R. *Die Gattung Aganisia Ldl. und ihre Verwandten. Orchis*, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 12: 24–42.
- 1919** Schlechter, R. *Die Gattung Cochlioda Ldl.. Orchis*, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 13: 3–10.




FIGURE 42. Map of Peru and Bolivia, 1855. Colton's Atlas of the World Illustrating Physical and Political Geography, Vol 1, New York.

**1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317<sup>a</sup>–454.

#### Schlechter's network in Peru (orchid collectors, growers and other purveyors)

- BEYRODT, Otto (1879–1923), orchid grower in Marienfelde, Germany, around 1900–1923.
- FORGET, Louis (?–1915), orchid collector for Sander & Sons. Köhler, O. Eugene (?), collected ca. 1900–1906.
- JOHN, Karl Wilhelm (?). Orchid grower in Andernach-on-the Rhine, Germany, around 1910.
- KÖHLER, Egon (father) (1866–?), Anton and Carl (sons), collected 1910–1919.
- MOORE, Frederic William (1857–1949), curator of the Botanic Gardens, Glasnevin, Ireland.
- SERAFÍN, Filomeno (1846–1922), collected ca. 1900–1910.
- ULE, Ernst Heinrich Georg (1854–1915), collected 1893–1912.
- WEBERBAUER, August (1871–1948), collected 1908–1948
- WOLTER, Paul (1862–1942), orchid grower in Magdeburg-Wilhelmsburg.

**Orchids described by R. Schlechter from Peru (sometimes ex Kraenzl.)**

The following is a list of the orchids described by R. Schlechter as new to science from Peru, as enumerated in the aforementioned bibliography (only basionyms):

**New orchid genera**

*Coccineorchis* Schltr.  
*Neokoehleria* Schltr.

*Petalocentrum* Schltr.  
*Sympyglossum* Schltr.

**New orchid species**

*Aa brevis* Schltr.  
*Aa lechleri* Schltr.  
*Aa pumilio* Schltr.  
*Aa weberbaueri* Schltr.  
*Amblostoma holochilon* Schltr.  
*Batemania wolteriana* Schltr.  
*Brachionidium serratum* Schltr.  
*Brachystele lechleri* Schltr.  
*Brassia filomenoi* Schltr.  
*Brassia koehlerorum* Schltr.  
*Campylocentrum loretoense* Schltr.  
*Catasetum cruciatum* Schltr.  
*Cochlioda beyrodtiana* Schltr.  
*Comparettia peruviana* Schltr.  
*Coryanthes bicalcarata* Schltr.  
*Cranichis koehleri* Schltr.  
*Cryptarrhena acrensis* Schltr.  
*Cryptocentrum minus* Schltr.  
*Cyclopogon densiflorus* Schltr.  
*Cyclopogon moyobambae* Schltr.  
*Dipteranthus peruvianus* Schltr.  
*Elleanthus bambusaceus* Schltr.  
*Elleanthus cajamarcae* Schltr.  
*Elleanthus caroli* Schltr.  
*Elleanthus conchochhilus* Schltr.  
*Elleanthus gastroglossis* Schltr.  
*Elleanthus igneus* Schltr.  
*Elleanthus koehlerii* Schltr.  
*Elleanthus laxifoliatus* Schltr.  
*Elleanthus pallidiflavus* Schltr.  
*Elleanthus porphyrocephalus* Schltr.  
*Epidendrum bambusaceum* Schltr.  
*Epidendrum brevicaule* Schltr.  
*Epidendrum cajamarcae* Schltr.  
*Epidendrum cuzcoense* Schltr.  
*Epidendrum filomenoi* Schltr.  
*Epidendrum fruticulosus* Schltr.  
*Epidendrum fuscum* Schltr.  
*Epidendrum gnomus* Schltr.

*Epidendrum haematanthum* Schltr.  
*Epidendrum huanucoense* Schltr.  
*Epidendrum juninense* Schltr.  
*Epidendrum macrodonax* Schltr.  
*Epidendrum melinoacron* Schltr.  
*Epidendrum nephroglossum* Schltr.  
*Epidendrum oliganthum* Schltr.  
*Epidendrum panicoides* Schltr.  
*Epidendrum patulipetalum* Schltr.  
*Epidendrum platyoon* Schltr.  
*Epidendrum pleurobothrys* Schltr.  
*Epidendrum splendens* Schltr.  
*Epidendrum stenophyton* Schltr.  
*Epidendrum tarmense* Schltr.  
*Epidendrum unifoliatum* Schltr.  
*Epidendrum validum* Schltr.  
*Epidendrum vinosum* Schltr.  
*Epistephium amabile* Schltr.  
*Epistephium macrophyllum* Schltr.  
*Fernandezia pulchra* Schltr.  
*Gomphichis koehlerii* Schltr.  
*Gomphichis plantaginea* Schltr.  
*Gongora longipes* Schltr.  
*Gongora nigropunctata* Schltr.  
*Isochilus peruvianus* Schltr.  
*Koellensteinia peruviana* Schltr.  
*Lanium peruvianum* Schltr.  
*Lepanthes juninensis* Schltr.  
*Lepanthes koehlerii* Schltr.  
*Lueddemannia vyvereana* Schltr.  
*Lycaste filomenoi* Schltr.  
*Masdevallia purpurina* Schltr.  
*Masdevallia venusta* Schltr.  
*Masdevallia weberbaueri* Schltr.  
*Maxillaria abelei* Schltr.  
*Maxillaria brachypetala* Schltr.  
*Maxillaria calantha* Schltr.  
*Maxillaria fuerstenbergiana* Schltr.  
*Maxillaria koehlerii* Schltr.




FIGURE 43. Photograph of the type of *Comparettia peruviana* Schlr. Field Museum of Natural History, Chicago.

- Maxillaria macropoda* Schlr.
- Maxillaria playloba* Schlr.
- Maxillaria weberbaueri* Schlr.
- Maxillaria xanthorrhoda* Schlr.
- Neokoehleria equitans* Schlr.
- Neokoehleria peruviana* Schlr.
- Notylia coffeeicola* Schlr.
- Notylia koehleri* Schlr.
- Notylia moyobambae* Schlr.
- Octomeria beyrodtiana* Schlr. ex Mansf.
- Odontoglossum bellum* Schlr.
- Odontoglossum juninense* Schlr.
- Odontoglossum koehleri* Schlr.
- Odontoglossum loesenerianum* Schlr.
- Odontoglossum trilobum* Schlr.
- Odontoglossum weberbauerianum* Schlr.
- Oncidium cajamarcae* Schlr.



FIGURE 44. Photograph of the type of *Lepanthes koehleri* Schlr. and Schlechter's original type-written manuscript of the description of the new species. Nr. 38667 - Orchid Herbarium of Oakes Ames.

- Ornithidium dolichophyllum* Schlr.
- Ornithocephalus longilabris* Schlr.
- Pachyphyllum breviconnatum* Schlr.
- Pachyphyllum lycopodioides* Schlr.
- Pachyphyllum tenue* Schlr.
- Petalocentrum angustifolium* Schlr.
- Petalocentrum pusillum* Schlr.
- Phragmipedium cajamarcae* Schlr.
- Physurus hetaerioides* Schlr.
- Physurus stenocentrum* Schlr.
- Pleurothallis angustilabia* Schlr.
- Pleurothallis brachyblephara* Schlr.
- Pleurothallis cajamarcae* Schlr.
- Pleurothallis chanchamayoensis* Schlr.
- Pleurothallis divaricans* Schlr.
- Pleurothallis genychila* Schlr.
- Pleurothallis graminea* Schlr.

<i>Pleurothallis huanucoensis</i> Schltr.	<i>Stelis bicallosa</i> Schltr.
<i>Pleurothallis juninensis</i> Schltr.	<i>Stelis filomenoi</i> Schltr.
<i>Pleurothallis phyllostachys</i> Schltr.	<i>Stelis inversa</i> Schltr.
<i>Pleurothallis tricaudata</i> Schltr.	<i>Stelis koehleri</i> Schltr.
<i>Pleurothallis trimeroglossa</i> Schltr.	<i>Stelis macra</i> Schltr.
<i>Polystachya altilamellata</i> Schltr.	<i>Stelis megistantha</i> Schltr.
<i>Polystachya poeppigii</i> Schltr.	<i>Stelis melicoides</i> Schltr.
<i>Ponthieva microglossa</i> Schltr.	<i>Stelis nephropetala</i> Schltr.
<i>Ponthieva oligoneura</i> Schltr.	<i>Stelis phaeantha</i> Schltr.
<i>Ponthieva venusta</i> Schltr.	<i>Stelis piestopus</i> Schltr.
<i>Ponthieva weberbaueri</i> Schltr.	<i>Stelis recurvula</i> Schltr.
<i>Pterichis leucoptera</i> Schltr.	<i>Stelis rhizomatosa</i> Schltr.
<i>Pterichis macroptera</i> Schltr.	<i>Stelis rhomboglossa</i> Schltr.
<i>Scaphyglottis antonii</i> Schltr.	<i>Stelis weberbaueri</i> Schltr.
<i>Scaphyglottis loretoensis</i> Schltr.	<i>Stenoptera elata</i> Schltr.
<i>Scelochilus brevis</i> Schltr.	<i>Telipogon gnomus</i> Schltr.
<i>Schomburgkia moyobambae</i> Schltr.	<i>Trigonidium loretoense</i> Schltr.
<i>Sigmatostalix pusilla</i> Schltr.	<i>Trigonidium peruvianum</i> Schltr.
<i>Sobralia alstroemeroides</i> Schltr.	<i>Warrea speciosa</i> Schltr.
<i>Solenidium peruvianum</i> Schltr.	<i>Xylobium filomenoi</i> Schltr.

## BOLIVIA (Fig. 42)

## National and regional orchid floras, specific collectors

- 1916 Schlechter, R. *Herzog's bolivianische Pflanzen III. Orchidaceae*. Mededeelingen van's Rijks Herbarium Leiden, No.29, 1916: 57–80.
- 1922 Schlechter, R. *Die Orchideenfloren der südamerikanischen Kordillerenstaaten. V. Bolivia*. Repertorium specierum novarum regni vegetabilis, Beihefte, vol. 9: 1–80.
- 1929 R. Schlechter. *II. Orchidaceae Buchtieniana* (weitere Beiträge zur Orchideenkunde von Bolivien). Repertorium specierum novarum regni vegetabilis, Vol. 27: 27–85.

## Specific orchid tribes and subtribes, genera or species

- 1911 Schlechter, R. *Orchidaceae novae et criticae, Decas XXIV*. Repertorium specierum novarum regni vegetabilis, Vol.10: 428–439.
- 1912–1913 Schlechter, R. *Orchidaceae novae et criticae, Decas XXI-XXII*. Repertorium specierum novarum regni vegetabilis, Vol. 10: 445–491.  
Schlechter, R. *Orchidaceae novae et criticae, Decas XXXV*. Repertorium specierum novarum regni vegetabilis, Vol.11: 41–47.
- 1913 Schlechter, R. *Orchidaceae novae et criticae, Decas XXXIX-XLII*. Repertorium specierum novarum regni vegetabilis, Vol.11: 481–494.
- 1915 Schlechter, R. *Catasetum wredeanum n. sp.*. Orchis, Monatsschrift der Deutschen Gesellschaft für Orchideenkunde, Vol. 15: 17–20.
- 1920 Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.

## Schlechter's network in Bolivia (orchid collectors, growers and other purveyors)

- BUCHTIEN, Otto (1859–1946), collected ca. 1893–1036.
- FIEBRIG, Karl August Gustav (1879–1951), collected 1902–1950.

- GÜNTHER, Ernst Karl Franz (1870–?), collected 1920s.
- HERZOG, Theodor Carl Julius (1880–1961), collected 1907–1912.
- PFLANZ, Carl (1872–1925), collected 1907–1925.
- STEINBACH, José (1875–1930), collected 1904–1929.
- WILLIAMS, Robert Statham (1859–1945), collected 1901–1902.

### **Orchids described by R. Schlechter from Bolivia**

The following is a list of the orchids described by R. Schlechter as new to science from Bolivia, as enumerated in the aforementioned bibliography (only basionyms):

#### **New orchid genera**

*Beloglottis* Schltr.  
*Buchtienia* Schltr.

*Solenocentrum* Schltr.

#### **New orchid species**

- |  |   |
|--|---|
| <i>Aa chiogena</i> Schltr.               | <i>Epidendrum albiflorum</i> Schltr.      |
| <i>Aa microtidis</i> Schltr.             | <i>Epidendrum alopecurum</i> Schltr.      |
| <i>Aa sphaeroglossa</i> Schltr.          | <i>Epidendrum bolivianum</i> Schltr.      |
| <i>Aa trilobulata</i> Schltr.            | <i>Epidendrum buchtienii</i> Schltr.      |
| <i>Altensteinia fiebrigii</i> Schltr.    | <i>Epidendrum coroicoense</i> Schltr.     |
| <i>Beloglottis boliviensis</i> Schltr.   | <i>Epidendrum cuneatum</i> Schltr.        |
| <i>Bletia mandonii</i> Schltr.           | <i>Epidendrum herzogii</i> Schltr.        |
| <i>Brassavola multiflora</i> Schltr.     | <i>Epidendrum humidicolum</i> Schltr.     |
| <i>Brassia boliviensis</i> Schltr.       | <i>Epidendrum lanioides</i> Schltr.       |
| <i>Buchtienia boliviensis</i> Schltr.    | <i>Epidendrum miguelii</i> Schltr.        |
| <i>Bulbophyllum bolivianum</i> Schltr.   | <i>Epidendrum nigricans</i> Schltr.       |
| <i>Camaridium flavum</i> Schltr.         | <i>Epidendrum obliquum</i> Schltr.        |
| <i>Camaridium vagans</i> Schltr.         | <i>Epidendrum physophorum</i> Schltr.     |
| <i>Campylocentrum apiculatum</i> Schltr. | <i>Epidendrum quinquepartitum</i> Schltr. |
| <i>Catasetum gardneri</i> Schltr.        | <i>Epidendrum syringodes</i> Schltr.      |
| <i>Catasetum pflanzii</i> Schltr.        | <i>Epidendrum theodori</i> Schltr.        |
| <i>Catasetum wredeanum</i> Schltr.       | <i>Epidendrum trichopetalum</i> Schltr.   |
| <i>Comparettia splendens</i> Schltr.     | <i>Galeandra fiebrigii</i> Schltr.        |
| <i>Cranichis mandonii</i> Schltr.        | <i>Habenaria bangii</i> Schltr.           |
| <i>Cyclopogon casanaensis</i> Schltr.    | <i>Habenaria bermejoensis</i> Schltr.     |
| <i>Cyrtopodium buchtienii</i> Schltr.    | <i>Habenaria buchtienii</i> Schltr.       |
| <i>Cyrtopodium pflanzii</i> Schltr.      | <i>Habenaria herzogii</i> Schltr.         |
| <i>Dichaea anguina</i> Schltr. (Fig. 45) | <i>Habenaria leptantha</i> Schltr.        |
| <i>Dichaea buchtienii</i> Schltr.        | <i>Habenaria miguelii</i> Schltr.         |
| <i>Dichaea longa</i> Schltr.             | <i>Habenaria ottonis</i> Schltr.          |
| <i>Dichaea robusta</i> Schltr.           | <i>Habenaria petrogeiton</i> Schltr.      |
| <i>Dichaea stenophylla</i> Schltr.       | <i>Habenaria pseudorepens</i> Schltr.     |
| <i>Elleanthus pallidiflorus</i>          | <i>Habenaria subandina</i> Schltr.        |
| <i>Elleanthus scopula</i> Schltr.        | <i>Habenaria theodori</i> Schltr.         |
| <i>Elleanthus setosus</i> Schltr.        | <i>Habenaria williamsii</i> Schltr.       |
| <i>Encyclia buchtienii</i> Schltr.       | <i>Habenaria yungasensis</i> Schltr.      |
| <i>Encyclia pflanzii</i> Schltr.         | <i>Houlelia boliviiana</i> Schltr.        |
| <i>Encyclia steinbachii</i> Schltr.      | <i>Kefersteinia pulchella</i> Schltr.     |



FIGURE 45. Isotype of *Dichaea anguina* Schltr. and Schlechter's original type-written manuscript of the description of the new species. Nr. 26471 - Orchid Herbarium of Oakes Ames.

- Lepanthes rupicola* Schltr.  
*Lepanthes sillarensis* Schltr.  
*Liparis otophyllum* Schltr.  
*Lycaste neglecta* Schltr.  
*Macradenia buchtienii* Schltr.  
*Masdevallia bangii* Schltr.  
*Masdevallia boliviensis* Schltr.  
*Masdevallia brachyantha* Schltr.  
*Masdevallia bradei* Schltr. ex Hoehne  
*Masdevallia buchtienii* Schltr. (Fig. 46)  
*Masdevallia herzogii* Schltr.  
*Masdevallia setipes* Schltr.  
*Masdevallia tubata* Schltr.  
*Masdevallia xanthura* Schltr.  
*Maxillaria boliviensis* Schltr.  
*Maxillaria buchtienii* Schltr.  
*Maxillaria compressibulba* Schltr.  
*Maxillaria dolichophylla* Schltr.  
*Maxillaria fallax* Schltr.  
*Maxillaria gracilipes* Schltr.  
*Maxillaria leucantha* Schltr.  
*Maxillaria ongicaulis* Schltr.  
*Maxillaria oxysepala* Schltr.  
*Maxillaria poifolia* Schltr.  
*Maxillaria simacoana* Schltr.  
*Maxillaria xylobiflora* Schltr.  
*Microstylis boliviiana* Schltr.  
*Microstylis buchtienii* Schltr.  
*Microstylis mixta* Schltr.  
*Microstylis nasuta* Schltr.  
*Microstylis ottonis* Schltr.  
*Microstylis reichenbachiana* Schltr.  
*Microstylis tridentula* Schltr.  
*Neodryas herzogii* Schltr.  
*Notylia boliviensis* Schltr.  
*Notylia buchtienii* Schltr.  
*Octomeria buchtienii* Schltr.  
*Octomeria tenuis* Schltr.  
*Odonglossum rigidum* Schltr.  
*Oncidium bolivianum* Schltr.  
*Oncidium buchtienii* Schltr.  
*Oncidium herzogii* Schltr.  
*Oncidium williamsii* Schltr.  
*Ornithidium bolivianum* Schltr.  
*Ornithidium rhomboglossum* Schltr.  
*Pachyphyllum falcifolium* Schltr.  
*Pachyphyllum herzogii* Schltr.  
*Pachyphyllum minus* Schltr.  
*Pelexia fiebrigii* Schltr.  
*Physosiphon andinum* Schltr.  
*Physosiphon herzogii* Schltr.  
*Physurus anchoriferus* Schltr.  
*Physurus buchtienii* Schltr.  
*Physurus herzogii* Schltr.  
*Pleurothallis amblyopetala* Schltr.  
*Pleurothallis boliviiana* Schltr.  
*Pleurothallis buchtienii* Schltr.  
*Pleurothallis bulbophylloides* Schltr.  
*Pleurothallis coffeicola* Schltr.  
*Pleurothallis dolichocaulon* Schltr.  
*Pleurothallis frutex* Schltr.  
*Pleurothallis guentheri* Schltr.  
*Pleurothallis herpetophyton* Schltr.  
*Pleurothallis herzogii* Schltr.  
*Pleurothallis ottonis* Schltr.  
*Pleurothallis papuligera* Schltr.  
*Pleurothallis rhopalocarpa* Schltr.  
*Pleurothallis sanjanae* Schltr.  
*Pleurothallis scleropus* Schltr.  
*Pleurothallis simacoana* Schltr.  
*Pleurothallis spathata* Schltr.  
*Pleurothallis tenuiflora* Schltr.  
*Pleurothallis triptera* Schltr.  
*Pleurothallis tripterocarpa* Schltr.  
*Pleurothallis triquetra* Schltr.  
*Pleurothallis umbraticola* Schltr.  
*Pleurothallis yungasensis* Schltr.  
*Polystachya boliviensis* Schltr.  
*Polystachya simacoana* Schltr.  
*Ponthieva elegans* Schltr.  
*Pterichis boliviiana* Schltr.  
*Pterichis saxicola* Schltr.  
*Pterichis silvestris* Schltr.  
*Pterichis yungasensis* Schltr.  
*Sarcoglottis herzogii* Schltr.  
*Scaphoglottis boliviiana* Schltr.  
*Sobralia boliviensis* Schltr.  
*Sobralia buchtienii* Schltr.  
*Sobralia caloglossa* Schltr.  
*Sobralia fructicetorum* Schltr.  
*Sobralia herzogii* Schltr.  
*Spiranthes goodyeroides* Schltr.  
*Stelis atrobrunnea* Schltr.  
*Stelis buchtienii* Schltr.  
*Stelis casanaensis* Schltr.  
*Stelis lexia* Schltr.




FIGURE 46. Isotype of *Masdevallia buchtienii* Schltr. Nr. 26509 - Orchid Herbarium of Oakes Ames.

<i>Stelis herzogii</i> Schltr.	<i>Stelis trianguliflora</i> Schltr.
<i>Stelis heterosepala</i> Schltr.	<i>Stelis vagans</i> Schltr.
<i>Stelis laxa</i> Schltr.	<i>Stelis virens</i> Schltr.
<i>Stelis mandoniana</i> Schltr.	<i>Stelis xanthantha</i> Schltr.
<i>Stelis microtathanta</i> Schltr.	<i>Stelis yungasensis</i> Schltr.
<i>Stelis naviculigera</i> Schltr.	<i>Stenoptera plantaginea</i> Schltr.
<i>Stelis ottonis</i> Schltr.	<i>Trizeuxis andina</i> Schltr.
<i>Stelis phaeomelana</i> Schltr.	<i>Xylobium flavescens</i> Schltr.
<i>Stelis polycarpa</i> Schltr.	<i>Xylobium latifolium</i> Schltr.
<i>Stelis saxicola</i> Schltr.	<i>Zygopetalum boliviannum</i> Schltr.
<i>Stelis simacoensis</i> Schltr.	

## CHILE (Fig. 47)

With the exception of a few articles on the climate of the orchid-rich countries of the sub-continent, Schlechter did not publish anything on the orchids of Chile. The reason, as he states in the prologue to his last volume on the orchid-floras of the Andean countries (V. Bolivia, 1922) was the appearance in 1910 of Karl Reiche's *Orchidaceae Chilenses, ensayo de una monografía de las Orquideas de Chile*<sup>12</sup>, under the assumption that not many novelties could be expected in the short period of time elapsed since its publication.

However, in his Monograph on the Spiranthinae (1920) Schlechter published a new combination: *Brachystele unilateralis* (Por.) Schltr.

<sup>12</sup> Reiche, K. 1910. *Orchidaceae Chilenses, ensayo de una monografía de las Orquideas de Chile*. Anales del Museo Nacional de Chile, vol. 18.

## ARGENTINA (Fig. 47)

## Specific orchid tribes and subtribes, genera or species

**1917–1919** Schlechter, R. *Orchidaceae novae et criticae, Decas LIV*. Repertorium specierum novarum regni vegetabilis, Vol. 15: 210–217.

Schlechter, R. *Orchidaceae novae et criticae, Decas LXV*. Repertorium specierum novarum regni vegetabilis., Vol. 16: 353–358.

**1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae*. Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.

## Schlechter's network in Argentina (orchid collectors, growers and other purveyors)

- HIERONYMUS, Georg Hans Embo (1845–1921), collected 1872–1883.
- WENDT, H. (?), collected 1907–1912.

## Orchids described by R. Schlechter from Argentina

The following is a list of the orchids described by R. Schlechter as new to science from Argentina, as enumerated in the aforementioned bibliography (only basionyms):

## New orchid genera

*Pteroglossa* Schltr.

## New orchid species

*Aa achalensis* Schltr.

*Aa schickendantzii* Schltr.

*Aa lorentzii* Schltr.

*Chloraea reticulata* Schltr.



FIGURE 47. Map of Chile, Argentina, Paraguay & Uruguay by Pablo Ludwig, 1914.

## PARAGUAY (Fig. 47)

**Specific orchid tribes and subtribes, genera or species**

- 1910–1911** Schlechter, R. *Orchidaceae novae et criticae, Decas XVI-XVII.* Repertorium specierum novarum regni vegetabilis, Vol. 10: 21–32.
- 1917–1919** Schlechter, R. *Orchidaceae novae et criticae, Decas LXV.* Repertorium specierum novarum regni vegetabilis., Vol. 16: 353–358.
- 1920** Schlechter, R. *Versuch einer systematischen Neuordnung der Spiranthinae.* Beihefte zum Botanischen Centralblatt. Zweite Abteilung, Systematik, Pflanzengeographie, angewandte Botanik 37(2): 317–454.
- 1925** Schlechter, R. *Orchidaceae novae et criticae, Decas LXXVIII-LXXIX.* Repertorium specierum novarum regni vegetabilis, Vol. 21: 330–343.

**Schlechter's network in Paraguay (orchid collectors, growers and other purveyors)**

- FIEBRIG, Karl August Gustav (1879–1951), collected 1902–1950.
- HASSLER, Emil (1864–1937), collected 1895–1909, 1914, 1920–1937.
- ROJAS VERA, Teodoro (1877–1954), collected 1907–1944.
- WENDT, H. (?), collected 1907–1912.

**Orchids described by R. Schlechter from Paraguay**

The following is a list of the orchids described by R. Schlechter as new to science from Paraguay, as enumerated in the aforementioned bibliography (only basionyms):

**New orchid species**

<i>Habenaria amambayensis</i> Schltr.	<i>Oncidium emiliae</i> Schltr.
<i>Habenaria deistelii</i>	<i>Oncidium minutiflorum</i> Schltr.
<i>Habenaria fiebrigii</i> Schltr.	<i>Oncidium ostenianum</i> Schltr. (Fig. 48)
<i>Habenaria schindleri</i>	<i>Ponthieva hassleri</i> Schltr.

## URUGUAY (Fig. 47)

The only mention to orchids from Uruguay in Schlechter's publications are new combinations in the genus *Brachystele*, which he published in his monograph on the Spiranthinae (1920): *B. arechavaletae* (Kränzl.) Schltr., *B. camporum* (Lindl.) Schltr. and *B. dilatata* (Lindl.) Schltr.

**ADDITIONAL LITERATURE**

- Ames, O. (1944). Destruction of the Schlechter Herbarium by Bombing. *American Orchid Society Bulletin*, 13(4).
- Ames, O. (1979). *Jottings of a Harvard botanist.* Botanical Museum of Harvard University. Cambridge, Massachusetts.
- Cribb, P. (2010). The life and travels of Friedrich Carl Lehmann. *Lankesteriana*, 10(2–3), 9–30.
- Fibeck, W. (2012–2014). Rudolf Schlechter (1872–1925). Leben und Wirken einer Orchideologenlegende. *Orchideenjournal*, 19(1), 119–127 (Part 1); 19(4), 163–170 (Part 2); 20(2), 71–81 (Part 3); 20(4), 161–169 (Part 4); 21(2), 59–68 (Part 5).
- Fibeck, W. (2015). “Es gibt noch viel zu tun.” Zum 90. Todestag von Rudolf Schlechter. *Orchideenjournal* 22(4), 145–147.
- Field Museum of Natural History (2018). Berlin negatives. Retrieved at <https://www.fieldmuseum.org/node/5186>.
- Harvard University (2018a). Correspondence files of the Oakes Ames Orchid Herbarium. 1909–1960. *Correspondence between Oakes Ames, Rudolf Schlechter and Alexandra Schlechter*.
- Harvard University (2018b). Correspondence files of the Oakes Ames Orchid Herbarium. 1921–1924. *Correspondence between Oakes Ames and Charles W. Powell*.




FIGURE 48. Isotype of *Oncidium ostenianum* Schlr. collected by T. Rojas in Paraguay. Nr. 58889 – Orchid Herbarium of Oakes Ames.

- Harvard University (2018c). Correspondence files of the Oakes Ames Orchid Herbarium. 1922–1962. *Correspondence between Oakes Ames and Charles H. Lankester*.
- Kew Botanic Gardens (2019). International Plant Names Index. Retrieved at <https://www.ipni.org/>
- Loesener, T. (1926). Rudolf Schlechters Leben und Wirken. *Notizblatt des Botanischen Gartens und Museums Berlin-Dahlem*, 9(80), 912–958.
- Morales, C. (2006). Cien años de la Sociedad Alemana de Orquideología (1906–2006). *Lankesteriana*, 6(3), 91–94.
- Natural History Museum (2013). Schlechter, Friedrich Richard Rudolf (1872–1925). Retrieved at JStor.
- Ossenbach, C. (2009). Orchids and orchidology in Central America: 500 years of history. *Lankesteriana*, 9(1–2), 1–268.
- Reinikka, M. A. (1995). *A History of the Orchid*. Timber Press, Portland, Oregon.
- Schultz, M. (2013). The Orchid Types of the Herbarium Hamburgense (HBG). *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg*, 47, 5–145.
- Schonland, S. (1897). *Report of the Committee of the Albany Museum*. Grahamstown, South Africa.
- Senghas, K. (2002). *Leben und Wirken von Rudolf Schlechter. In Bibliographie der Orchideen-kunde und Rudolf Schlechter; Biographie / Bibliography of Orchidology and Rudolf Schlechter. Biography*. Sonderabdruck aus Schlechter, Die Orchideen. 3. Auflage, Band I, Literatur- und Registerband. Berlin, Parey Buchverlag. S. v–xi, 1–146.

LANKESTERIANA