Table 1. Useful information for selecting and growing glowering perennials in Florida

Name	Zones	Growth habit	Common height	Flower color/ Season	Light conditions	Soil type	Salt-spray tolerant	Cold hardy*	Method of propagation
African Iris (Dietes spp.)	N, C, S	Clumping	3′	White, yellow/Year- round	Sun, light shade	Wide range, drought tolerant	No	Hardy	Division
			U	se/Comments: Backgro	und, bedding.				
Beach Sunflower (Helianthus debilis)	N, C, S	Groundcover	6-10"	Yellow/ Year-round	Sun	Well drained, wide range, very drought tolerant	Yes	Tender	Cuttings
		Use/Comn	nents: Ground	cover, wildflower garde	en, attracts butte	rflies. Florida nativ	e.		
Begonia, Hardy Begonia (Begonia spp.)	N, C, S	Upright, rounded, or groundcover	Varies	White, pinks, reds/ Winter, spring, some year-round	Light to full shade	Moist, organic	No	Tender	Stem or leaf cuttings, division
Use/Comments: Hosta repl				al to South Florida. Bes treated as annuals, alth					than 'Rex'). Wax
Blackberry Lily (Iris domestica) (syn. Belamcanda chinensis )	N, C, S	Upright	3′	Orange-red/ June- October	Sun	Wide range, drought tolerant	No	Hardy	Division, seed
			Use/Com	ments: Background, ma	ssing. Iris-like fo	liage.			
Blue Daze (Evolvulus glomerata 'Blue Daze')	N, C, S	Spreading	1-2′	Blue/ Year-round	Sun	Wide range	Yes	Tender	Cuttings
Use/Com	ments: Ma	ss plantings, grour	ndcover. Often	suffers from a leaf fund	gal disease in sui	mmer. May not sur	vive a hard free	ze in North FL.	
<b>Blue Sage</b> (Eranthemum pulchellum)	C, S	Upright	3-5′	Deep blue/ Winter	Light to full shade	Well-drained	Yes	Tender	Cuttings
		U	se/Comments	: Background, massing.	Prune back afte	r flowering.			
Bulbine (Bulbine frutescens)	C, S	Clumping	1-2′	Orange, yellow/ Spring, summer	Sun to light shade	Well drained, drought tolerant	Yes	Hardy	Division, seed
		Use	/Comments: 0	Froundcover, container	. 'Hallmark' is a s	terile cultivar.			
Bush Daisy, African Bush Daisy (Euryops pectinatus)	C, S	Erect, bushy	2-3′	Yellow/Spring, summer, fall	Sun to light shade	Well drained, wide range, somewhat drought tolerant	Yes	Semihardy	Cuttings
			Use/Comm	ents: Massing, midbore	der, attracts butt	erflies.			
Cat's Whiskers (Orthosiphon aristatus)	C, S	Upright	2-3′	White, pale lavender/ Year-round	Sun to light shade	Moist, fertile, organic	No	Tender	Cuttings

Name	Zones	Growth habit	Common height	Flower color/ Season	Light conditions	Soil type	Salt-spray tolerant	Cold hardy*	Method of propagation
Chrysanthemum, Garden Mum (Chrysanthemum grandiflora)	N, C	Spreading	1-2′	Many colors/Fall- spring	Sun	Fertile, well drained	No	Hardy	Cuttings, division
		Use/Comr	ments: Beddin	g. Pinch once or twice	until August 15 t	o induce branchin	g.		
Cigar Flower (Cuphea micropetala)	N, C	Upright	3-4'	Yellow, orange/Fall	Sun	Drought tolerant	No	Tender	Cuttings
			Use/Co	mments: Bedding, attr	acts hummingbi	rds.			
<b>Daylily</b> (Hemerocallis spp.)	N, C, S	Clumping	1-3′	Many colors/ March-June	Sun, shifting shade	Wide range, drought tolerant	Yes	Semihardy	Division, seed
			Use/Comn	nents: Background, bor	der plantings, m	assing.			
'Diamond Frost™,'Hip Hop™ & others (Euphorbia graminea)	N, C, S	Spreading	1-3′	White/Nearly year- round	Sun	Wide range, drought tolerant	No	Semihardy	Cuttings
Use/Comments:	Produces o	louds of airy white	flowers nearl	y year-round. A low-ma	aintenance and h	eat-tolerant plant.	Short-lived (3 y	ears) in North Flo	orida.
Firebush (Hamelia patens)	N, C, S	Rounded	4-6'	Red-orange/ Warm months	Sun to light shade	Wide range, very drought tolerant	Yes	Tender	Air layers, cuttings, seed
		Use/Comments:	Back of borde	er, accent plant, attracts	s butterflies/hum	mingbirds. Florida	a native.		
Firecracker Plant, Coral Plant (Russelia equisetiformis)	C, S	Rounded/ weeping	3′	Red, pale yellow, coral/Year-round	Sun to light shade	Well drained, somewhat drought tolerant	Yes	Tender	Division, tip cuttings
Use/Commen	ts: Massing	, accent plant, con	tainer, attract	s butterflies/hummingl	birds. R. sarmento	osa is another nice	garden perenni	al with red flowe	ers.
Firespike (Odontonema cuspidate)	N, C, S	Upright	6′	Red/ Summer-fall	Sun to light shade	Fertile, well- drained	No	Tender	Cuttings, division
	Use/Com	ments: Background	d. Attracts hur	nmingbirds/butterflies	. O. callistachyum	bears purple flow	ers January-Mai	ch.	
Flax Lily (Dianella tasmanica 'Variegata')	N, C, S	Clumping	1-2′	Small blue/ Winter, spring	Sun or shade	Moist, well drained	Unknown	Hardy	Division
Use/Comments: Grown	n for its attr	active, variegated,	iris-like foliag	e. Groundcover, specim	nen, or container	. May reseed.Tends	s to develop scal	e insect problen	ns in shade.
Fleabane, Mexican Daisy (Erigeron karvinskianus)	N, C, S	Spreading	6"	White/ Year-round	Sun	Well drained, drought tolerant	No	Hardy	Cuttings, seed
			Use/Cor	mments: Groundcover,	edging. May rese	eed.			
Gaura (Gaura lindheimeri)	N, C	Clumping	2-4′	White or pink/ Year-round	Sun	Well drained, drought tolerant	No	Tender	Cuttings, seed
				Use/Comments: M	lassing.				
<b>Gerbera Daisy</b> (Gerbera jamesonii)	N, C, S	Clumping	12-18"	Many colors/ Year- round	Sun to light shade	Fertile, well drained	Yes	Tender	Division, seed

Name	Zones	Growth habit	Common height	Flower color/ Season	Light conditions	Soil type	Salt-spray tolerant	Cold hardy*	Method of propagation
		Use/Comme	ents: Bedding,	cut flower. Keep crown	s above ground.	Marginal in South	FL.		
Golden Dewdrop (Duranta erecta)	C, S	Upright	4-6'	Blue, white, purple/ Summer, fall	Sun to light shade	Well drained, drought tolerant	Yes	Tender	Cuttings, seed
Use	/Comment	s: Accent plant, att	racts butterfli	es/hummingbirds. Attra	active cultivars in	clude 'Sapphire Sh	nowers' and 'Cub	an Gold'.	
Golden Shrimp Plant (Pachystachys lutea)	C, S	Upright	3-4'	Yellow/ Warm months	Light to deep shade	Wide range	No	Tender	Cuttings
				Use/Comments: Bac	kground.				
Heliotrope, Scorpion Tail, or Butterfly Heliotrope (Heliotropium angiospermum)	C, S	Rounded	3′	White/ Year-round	Sun to light shade	Drought and flood tolerant	No	Tender	Cuttings, seed
		Use/Comments: N	Midborder, tra	nsition plant, wildflowe	er garden, attract	s butterflies. Floric	la native.		
Jacobinia (Justicia carnea)	C, S	Erect, bushy	2-4'	Rose, white/Warm months	Light to full shade	Fertile, moist	No	Tender	Cuttings
		Use	/Comments: E	Background, massing. F	requently remov	e old blooms.			
<b>Jewels of Opar</b> ( <i>Talinum</i> paniculatum 'Variegata')	C, S	Rounded to upright	3'	Pink/ Summer	Light to deep shade	Rich, moist	Unknown	Tender	Cuttings
		Use/Comments:	Midborder, m	assing. Green form of t	his plant reseeds	and becomes very	weedy.		
Lantana (Lantana spp.)	N, C, S	Groundcover, rounded, upright	Varies	Red, pink, orange, yellow, white/ Warm months	Sun	Well drained, wide range, very drought tolerant	Yes	Tender	Cuttings
Use/Comments: Massing, grou South and Central Florida a									
<b>Leopard Plant</b> (Farfugium japonicum)	N, C, S	Groundcover	2'	Yellow/ Fall, winter	Light shade	Rich, moist	Unknown	Hardy	Division
		Use/Comment	ts: Groundcov	er, container. Most culti	ivars have cream	or yellow leaf mar	kings.		
Lily of the Nile (Agapanthus spp.)	N, C	Clumping	2-3′	Blue, lavender, white/ Summer, early fall	Sun to light shade	Fertile, well drained	Yes	Semihardy	Division, seed
			Use/Co	mments: Massing, mid	border, cut flowe	ers.			
Lion's Ear (Leonotis leonurus)	N,C,S	Upright	4-5'	Orange/fall-spring	Sun	Well drained	Yes	Tender	Cuttings
			Use/Comm	nents: Background. Pru	ne to keep plant	bushy.			
Marble Leaf (Peristrophe hyssopifolia)	C, S	Groundcover	1′	Lavender/ winter	Sun to light shade	Well drained	Unknown	Tender	Cuttings
				Use/Comments: Gro	undcover.				
Mexican Heather (Cuphea hyssopifolia)	N, C, S	Rounded	18"	Purple, white/ Year- round	Sun to light shade	Well drained	No	Tender	Cuttings
		L	Jse/comments	s: Massing, edging, gro	undcover. Prune	frequently.			

Name	Zones	Growth habit	Common height	Flower color/ Season	Light conditions	Soil type	Salt-spray tolerant	Cold hardy*	Method of propagation
Ornamental Sweet Potato (Ipomoea batatas)	N, C, S	Groundcover	6-12"	Flowers not showy	Sun	Well drained, wide range	Unknown	Tender	Cuttings
Use/Comments: Groundcove	er (seasonal	), container. Vigoro		wn for their attractive fo			ariegated, and co	opper-colored cu	Itivars exist. Give
Peacock Ginger (Kaempferia spp.)	N, C, S	Groundcover	6-36"	Lavender, white/ Spring, summer	Light to full shade	Wide range, prefers enriched soil	No	Hardy	Division, seed
		Use/Commer	nts: Groundco	ver, hosta replacement.	Dormant in wint	ter (except in Sout	h FL).		
Pentas (Pentas lanceolata)	N, C, S	Rounded to sprawling shrub	4′	Red, pink, white, lilac/ Year-round	Sun to light shade	Well drained, drought tolerant	No	Tender	Cuttings
		Use	/Comments: I	Background plantings, o	cut flower. Attrac	ts butterflies.			
Persian Shield (Strobilanthes dyerianus)	C, S	Rounded	4′	Pale blue/ Winter	Light to full shade	Wide range	Yes	Tender	Cuttings
	Use/Co	mments: Midbord	ler, massing, a	ccent plant. Winter bloc	oms are unattrac	tive; prune back p	lants at this time	e.	
Pinks (Dianthus spp.)	N, C	Rounded	6-18"	Reds, pinks, white/ Fall-spring	Light shade	Well drained, drought tolerant	No	Hardy	Seed
		Us	se/Comments	: Massing, edging. Short	t-lived; unsightly	in summer.			
Philippine Violet (Barleria cristata)	N, C, S	Upright	4′	Lavender, white/ October-April	Sun to light shade	Wide range	No	Tender	Cuttings
Use/Comments: Background. R	eseeds and	I may become wee	edy in the gard	den. <i>B. oenotheroides</i> (sy	n. B. micans) is a	3-foot, upright pe	rennial with yel	low flowers fall th	rough early winte
<b>Plectranthus</b> ( <i>Plectranthus</i> spp.)	C, S	Rounded, upright, or groundcover	Varies	White, purple, pink/ Summer, fall, or intermittent	Sun to light shade	Rich, organic, moist	No	Semihardy	Cuttings
Use/	Comments	: Front or midbord	ler, groundco	ver, container. Many are	grown solely for	r their attractive va	riegated or silve	er foliage.	
<b>Plumbago</b> (Plumbago auriculata)	N, C, S	Sprawling shrub	3-6′	Blue, white/ Year- round	Sun to light shade	Wide range	Yes	Tender	Cuttings, divisio
			U	se/Comments: Backgro	und, massing.				
Porterweed (Stachytarpheta spp.)	C, S	Upright	Varies	Blues, coral, red, purple/ Warm months	Sun to light shade	Well drained, drought tolerant	Yes	Tender	Cuttings
Use/Comments	: Massing o	r accent plant, attı	racts butterflie	es/hummingbirds. May	reseed. S. urticifo	olia may escape cu	ltivation. S. jamo	aicensis is a FL nat	tive.
Ruellia (Ruellia spp.)	N, C, S	Varies, clumping to upright	2-3′	Blue, violet, red, pink/ May- November	Sun to light shade	Well drained, drought tolerant	Yes	Semihardy	Cuttings, seed

Use/Comments: Background, bedding. 'Purple Showers' Mexican petunia is a sterile cultivar of *R. tweediana* that does not reseed and is not considered invasive. Otherwise, *R. tweediana* is considered invasive in North and Central Florida and is not recommended; use with caution in South FL.

Name	Zones	Growth habit	Common height	Flower color/ Season	Light conditions	Soil type	Salt-spray tolerant	Cold hardy*	Method of propagation
Salvias, Sages (Salvia spp.)	N, C, S	Upright, bushy	2-5′	Blues, red, pink, yellow, white/ Species dependent	Sun	Well drained, drought tolerant	Generally no	Variable by species	Division, cuttings
			Use/Comm	ents: Background, mass	sing. Many specie	es exist.			
Sanchezia (Sanchezia nobilis)	C, S	Upright	3-8′	Yellow/ Summer	Sun, shade	Rich, well drained	Yes	Tender	Cuttings
		L	Jse/Comment:	s: Back of border, massi	ng, accent plant,	, container.			
Shrimp Plant (Justicia brandegeana)	N, C, S	Sprawling	4-6'	Reddish-brown and other colors/ Spring, summer	Sun to light shade	Wide range	No	Tender	Cuttings, division
Use/Comments: Mass	plantings,	background. Attra	cts hummingl	oirds. 'Flava' (yellow), 'Ja	mbalaya' (red), a	nd 'Fruit Cocktail'	(chartreuse and p	oink) are popula	r cultivars.
St. Bernard's Lily (Anthericum liliago)	N, C, S	Upright, clumping	2′	White/ Year-round	Sun, shade	Moist, well drained	Unknown	Hardy	Division, seed
			Use/Commen	ts: Mixed or mass plant	ings, container, s	specimen.			
Trailing Wishbone Flower (Torenia hybrids)	C, S	Groundcover	3-6"	Deep blue, purple, pink, white/ Warm months	Light to full shade	Fertile, moist, well drained	No	Tender	Cuttings, seed
	Us	e/Comments: Back	of border, acc	cent plant, attracts hum	nmingbirds. Very	tolerant of heat a	nd humidity.		
<b>Tropical Jasmines</b> ( <i>Cestrum</i> spp.)	N, C, S	Rounded to upright	Up to 15'	Varies by species/ Fall, winter, spring	Sun to light shade	Wide range	Depends on type	Hardy	Cuttings, seed
	Jse/Comm	ents: Back of borde	er, accent plan	t. Prune to maintain a s	smaller size. Caut	tion: <i>C. diurnum</i> m	ay escape cultiva	tion.	
<b>Verbena</b> ( <i>Verbena</i> spp. and hybrids)	N, C, S	Sprawling	6-8"	Red, pink, white, lavender/March- October	Sun	Fertile, drought tolerant	No	Semihardy	Cuttings, seed
	Use	/Comments: Massi	ng, groundcov	er. 'Sissinghurst', a rose	-pink cultivar, ap	pears to be reliab	ole in South FL.		
Yellow Alder (Turnera ulmifolia)	C, S	Upright	2'	Yellow or cream/ Year-round	Sun	Wide range	No	Tender	Cuttings
			l	Jse/Comments: Attract	s butterflies.				
Walking Iris (Neomarica spp.)	C, S	Upright	2-3'	White, blue, or yellow/Spring, summer, fall	Light to full shade	Wide range	No	Tender	Division

Use/Comments: Neomarica caerulea is white and purple. The cultivar 'Regina' has handsome 4' tall leaves and blue-purple flowers; N. longifolia has yellow petals with brown markings.

<sup>\*</sup>Hardy—Frost and freeze hardy.
Semihardy—Some plant damage from frost or freeze.
Tender—Plant is killed to the ground by frost or freeze, but recovers quickly.