


ACARI

Bibliographia Acarologica



19 (1) · 2019

Mesostigmata

ACARI

Bibliographia Acarologica

Publisher

Senckenberg Gesellschaft für Naturforschung, Senckenberganlage 25, 60325 Frankfurt am Main, Germany
Institute: Senckenberg Museum für Naturkunde Görlitz, Germany

Editor-in-Chief

Axel Christian
Senckenberg Museum für Naturkunde Görlitz, Germany
PF 300 154, 02806 Görlitz, Germany
Email: axel.christian@senckenberg.de

Technical Editor

Kerstin Franke, Senckenberg Museum für Naturkunde Görlitz, Germany

Indexed in

CAB Abstracts, Worldcat, Zoological Record

Cover picture

Ekkehart Mättig, Senckenberg Museum für Naturkunde Görlitz, Germany

Production

Senckenberg Museum für Naturkunde Görlitz, Germany

Print

Gustav Winter Druckerei und Verlagsgesellschaft mbH, Herrnhut, Germany. Printed in environmentally friendly paper.

Distributor

Senckenberg Museum für Naturkunde Görlitz — Library
PF 300 154, 02806 Görlitz, Germany
Email: library-gr@senckenberg.de

Subscription Information

The issue contains an order form.

Website

www.senckenberg.de/acari

© Senckenberg Gesellschaft für Naturforschung · 2019

All rights reserved.

The scientific content of a paper is the sole responsibility of the author(s).

Editum

15.09.2019

ISSN

1618-8977

MESOSTIGMATA No. 30

Axel Christian & Kerstin Franke

Senckenberg Museum für Naturkunde Görlitz, PF 300 154, 02806 Görlitz, Germany
 E-Mail: axel.christian@senckenberg.de; kerstin.franke@senckenberg.de

Editorial end 15 July 2019
 Published 15 September 2019

In the bibliography, the latest works on mesostigmatic mites as far as they have come to our knowledge are published yearly. The present volume includes 362 titles. In these publications, 90 new species and genera are described. The majority of articles concern ecology (45%), taxonomy (23%), faunistics (15%), biology (8 %) and the bee-mite *Varroa* (7%). Please inform us if we have failed to list all your publications in the Bibliographia.

The database on mesostigmatic mites already contains 17,388 papers and 17,632 taxa. Every scientist who sends keywords for literature researches can receive a list of literature or taxa. Please help us keep the database as complete as possible by sending us pdf files, reprints or copies of all your papers on mesostigmatic mites, or, if this is not possible, complete references. The literature from 1995 to 2018 is searchable on the Internet. The Bibliographia Mesostigmatologica of number 1 to 11 and the issues 1 to 18 of ACARI can be downloaded free of charge. **http://www.senckenberg.de/Acari**

We are endeavouring to expand the reference collections on mites and are interested in obtaining determined mite material. It goes without saying that the deposition of type material in the acarological collections of the Senckenberg Museum of Natural History Görlitz is also possible. The availability of our collections is guaranteed, as presently 3 scientists and technical personnel are working with the mite collections. Types and original descriptions are presented on the Internet.

Acarological literature

Literature quotations printed in bold type contain descriptions of new species. Titles marked with “*” were only found as a citation or abstract.

twospotted spider mite (Trombidiformes, Tetranychidae) with the predatory mite *Neoseiulus californicus* (Mesostigmata, Phytoseiidae) in blackberries. - Fla. Entomol. 102,2: 373-381

ALHEWAINI, S.S. / AL-AZZAZY, M.M. (2019):* Evaluation of the side effects of oxamyl and hymexazol on five species of soil-dwelling predatory mites. - Pak. J. Agric. Sci. 56,2: 531-536

Publications 2019

AHMAD-HOSSEINI, M. / KHANJANI, M. / KARAMIAN, R. (2019): Study on predatory mites of *Aceria tristriatus* (Nalepa, 1890) from Hamedan and Lorestan provinces, Western Iran. - Persian J. Acarol. 8,2: 125-145

AZEVEDO, L.H. / LEITE, L.G. / CHACON-OROZCO, J.G. / MOREIRA, M.F.P. / FERREIRA, M.P. / GONCÁLEZ-CANO, L.M. / BORGES, V. / RUEDA-RAMIREZ, D. / DE MORAES, G.J. / PALEVSKY, E. (2019):* Free living nematodes as alternative prey for soil predatory mites: An interdisciplinary case study of conservation biological

AKYAZI, R. / LIBURD, O.E. (2019): Biological control of the

- control. - Biol. Contr. 132: 128-134
- BABAEIAN, E. / GHOBARI, H. / SAMANI, K.M. (2019): **Redescription of *Ololaelaps tasmanicus* (Womersley, 1956) and description of a new species of *Ololaelaps Berlese* (Acari, Laelapidae) from Iran. - *Zootaxa*: 4629 (3): 351-364**
- BABAEIAN, E. / MASÁN, P. / HALLIDAY, B. (2019): **Review of the genus *Holostaspis* Kolenati, 1858 (Acari, Laelapidae). - *Zootaxa* 4590 (3): 301-341**
- BASSINI-SILVA, R. / DE CASTRO JACINAVICIUS, F. / JOPPERT, A.M. / DOWLING, A.P.G. / BARROS-BATTESTI, D.M. (2019):* New host association and locality record for *Pellonyssus gorgasi* Yunker and Radovsky, 1966 (Mesostigmata, Macronyssidae) in the State of São Paulo, Brazil. - Intern. J. Acarol. 45,4: 235-237
- BAZGIR, F. / SHAKARAMI, J. / JAFARI, S. (2019):* Life table and predation rate of *Typhlodromus bagdasarjani* (Acari, Phytoseiidae) fed on *Eotetranychus frosti* (Tetranychidae) on apple leaves. - Intern. J. Acarol. 45,4: 202-208
- BEAULIEU, F. / KNEE, W. / NOWELL, V. / SCHWARZFELD, M. / LINDO, Z. / BEHAN-PELLETIER, V.M. / LUMLEY, L. / YOUNG, M.R. / SMITH, I. / PROCTOR, H.C. / MIRONOV, S.V. / GALLOWAY, T.D. / WALTER, D.E. / LINDQUIST, E.E. (2019): Acari of Canada. - ZooKeys 819: 77-168
- BEAULIEU, F. / QUINTERO-GUTIÉRREZ, E.J. / SANDMANN, D. / KLARNER, B. / WIDYASTUTI, R. / CÓMBITA-HEREDIA, O. / SCHEU, S. (2019): Review of the mite genus *Ololaelaps* (Acari, Laelapidae) and redescription of *O. formidabilis* Berlese. - ZooKeys 853: 1-36
- BEAUREPAIRE, A.L. / ELLIS, J.D. / KRIEGER, K.J. / MORITZ, R.F.A. (2019): Association of *Varroa destructor* females in multiply infested cells of the honeybee *Apis mellifera*. - Insect Sci. 26,1: 128-134
- BŁOSZYK, J. / BUCZKOWSKA, K. / BOBOWICZ, A.M. / BACZKIEWICZ, A. / ADAMSKI, Z. / NAPIEARAŁA, A. (2019): Are polymorphic species of Uropodina (Acari: Mesostigmata) more successful evolutionarily? - A case study of closely related species from the genus *Oodinychus* Berlese, 1917 based on DNA sequences. - Syst. Appl. Acarol. 24,5: 866-881
- BOECKING, O. (2019):* 40 years *Varroa destructor* in Germany: Is currently any solution in sight for the beekeepers? - Berl. Münch. Tierärztl. Wochenschr. 132,1-2: 49-55
- BOWMAN, C.E. (2019): The gut epithelium from feeding to fasting in the predatory soil mite *Pergamasus longicornis* (Mesostigmata, Parasitidae): one tissue, two roles. - Exp. Appl. Acarol. 77,3: 253-357
- BRESCH, C. / CARLESSO, L. / SUAY, R. / VAN OUDENHOVE, L. / TOUZEAU, S. / FATNASSI, H. / OTTENWAELDER, L. / PARIS, B. / PONCET, C. / MAILLERET, L. / MESSELINK, G.J. / PAROLIN, P. (2019): In search of artificial domatia for predatory mites. - Biocontr. Sci. Technol. 29,2: 131-148
- CANASSA, F. / TALL, S. / MORAL, R.A. / DE LARA, I.A.R. / DELALIBERA, I. / MEYLING, N.V. (2019):* Effects of bean seed treatment by the entomopathogenic fungi *Metarhizium robertsii* and *Beauveria bassiana* on plant growth, spider mite populations and behavior of predatory mites. - Biol. Contr. 132: 199-208
- CEKIN, D. / SCHAUSBERGER, P. (2019): Founder effects on trans-generational dynamics of closed inbreeding lineages of the predatory mite *Phytoseiulus persimilis*. - PLOS ONE 14,1: e0215360; 13 pp. DOI: 10.1371/journal.pone.0215360
- CRUZ-MIRALLES, J. / CABEDO-LÓPEZ, M. / PÉREZ-HEDO, M. / FLORS, V. / JAQUES, J.A. (2019): Zoophytophagous mites can trigger plant-genotype specific defensive responses affecting potential prey beyond predation: the case of *Euseius stipulatus* and *Tetranychus urticae* in citrus. - Pest Manag. Sci. 75: 1962-1970
- DE AZEVEDO, E.B. / SARMENTO, R.A. / CASTILHO, R.C. (2019): **A new species of *Multidentorhodacarus* (Mesostigmata, Rhodacaridae) from Brazil, complementary description of *Multidentorhodacarus squamosus* Karg and a key to the world species of the genus. - Syst. Appl. Acarol. 24,2: 324-336**
- DERNE, B.T. / HUTCHINSON, M.N. / WEINSTEIN, P. / GARDNER, M.G. / HALLIDAY, B. (2019): **Parasite in peril? A new species of mite in the genus *Ophiomegistus* Banks (Parasitiformes, Paramegistidae) on an endangered host, the pygmy bluetongue lizard *Tiliqua adelaidensis* (Peters) (Squamata, Scincidae). - Austral Ecol. 44: 420-432**
- DIZLEK, H. / KARAGOZ, M. / FARAJI, F. / CAKMAK, I. (2019): Mites in dried figs of Turkey: diversity, species composition and density. - Syst. Appl. Acarol. 24,6: 992-997

- DÖKER, I. / KAZAK, C. (2019):* Non-target effects of five acaricides on a native population of *Amblyseius swirskii* (Acari, Phytoseiidae). - Intern. J. Acarol. 45,1-2: 69-74
- DÖKER, I. / KAZAK, C. / KARUT, K. (2019): The genus *Graminaseius* Chant & McMurtry (Acari, Phytoseiidae) in Turkey with descriptions of two new species and re-description of *Graminaseius graminis* (Chant). - Syst. Appl. Acarol. 24,5: 731-741
- FANG, X. / WU, Y. / WU, W. (2019): Two new species of Amblyseiinae Muma (Acari: Mesostigmata, Phytoseiidae) from southwest China. - Syst. Appl. Acarol. 24,4: 572-580
- FERRAGUT, F. / BAUMANN, J. (2019): New phytoseiid mites (Mesostigmata, Phytoseiidae) of Mauritius, with the description of two new species. - Syst. Appl. Acarol. 24,5: 825-856
- GARCIA-MARTINEZ, F.O. / URANEJA, A. / FERRAGUT, F. / BEITIA, F.J. / PÉREZ-HEDO, M. (2019): Persimmon orchards harbor an abundant and well-established predatory mite fauna. - Exp. Appl. Acarol. 77,2: 145-159
- GAJIC, B. / MUNOZ, I. / DE LA RÚA, P. / STEVANOVIC, J. / LAKIC, N. / KULISIC, Z. / STANIMIROVIC, Z. (2019): Coexistence of genetically different *Varroa destructor* in *Apis mellifera* colonies. - Exp. Appl. Acarol. 78,3: 315-326
- HAAS, S.M. / CARDINAL, S. / BEAULIEU, F. / FORREST, J.R.K. (2019): Mite-y bees: bumble bees (*Bombus* spp., Hymenoptera: Apidae) host a relatively homogeneous mite (Acari) community, shaped by bee species identity but not by geographic proximity. - Ecol. Entomol. 44: 333-346
- HAJIALIZADEH, Z. / ASADI, M. / AHMADI, K. / BALVASI, A. (2019): *Varroa destructor* (Acari: Varroidea) populations from southern Iran belong to haplotype K of the mitochondrial COI. - Persian J. Acarol. 8,2: 99-105
- HALLIDAY, B. (2019):* The enemy of my parasite is my friend: the possible role of predatory mites as biological control agents of pest beetles in soil. - Intern. J. Acarol. 45,4: 189-196
- HAVASI, M. / KHERADMAND, K. / MOSALLANEJAD, H. / FATHIPOUR, Y. (2019): Sublethal effects of diflovidazin on demographic parameters of the predatory mite, *Neoseiulus californicus* (Acari, Phytoseiidae). - Intern. J. Acarol. 45,4: 238-244
- HESRAN, S.L. / GROOT, T. / KNAPP, M. / BUKOVINSKY, T. / FORESTOER, T. / DICKE, M. (2019): Phenotypic variation in egg survival in the predatory mite *Phytoseiulus persimilis* under dry conditions. - Biol. Contr. 130: 88-94
- HOSSEININIA, A. / KHANJANI, M. / ASADI, M. / SOLTANI, J. (2019): Comparison of five DNA extracting protocols from *Typhlodromus (Anthoseius) bagdasarjani* Wainstein and Arutunjan (Acari, Phytoseiidae). - Syst. Appl. Acarol. 24,7: 1249-1260
- HUANG, Z.Y. / BIAN, G. / XI, Z. / XIE, X. (2019): Genes important for survival or reproduction in *Varroa destructor* identified by RNAi. - Insect Sci. 26,3: 68-75
- JACOBSEN, S.K. / DE MORAES, G.J. / SORENSEN, H. / SIGSGAARD, L. (2019):* Organic cropping practice decreases pest abundance and positively influences predator-prey interactions. - Agric. Ecosyst. Environ. 272: 1-9
- JAMNIKAR-CIGLENECKI, U. / OCEPEK, M.P. / TOPLAK, I. (2019):* Genetic diversity of deformed wing virus from *Apis mellifera carnica* (Hymenoptera, Apidae) and *Varroa* mite (Mesostigmata, Varroidae). - J. Econ. Entomol. 112,1: 11-19
- JENSEN, K. / SORENSEN, J.G. / HOLMSTRUP, M. (2019):* Interactive effects of temperature and time on cold tolerance and spring predation in overwintering soil predatory mites (*Gaeolaelaps aculeifer* Canestrini). - Biol. Contr. 132: 169-176
- JIANG, X. / LV, J. / WANG, E. / XU, X. (2019): Spermatophore producing process and sperm transfer in *Phytoseiulus persimilis*. - Exp. Appl. Acarol. 77,1: 11-25
- JOHARCHI, O. / HALLIDAY, B. / TOLSTIKOV, A.V. / TRACH, V.A. (2019): New records and new species of mites from Cuba, with description of a new genus of Laelapidae (Acari: Mesostigmata). - Zootaxa 4612 (3): 326-350
- JOHARCHI, O. / KHAUSTOV, A.A. / ERMILOV, S.G. (2019): Two new species of *Gaeolaelaps* Evans & Till (Acari, Laelapidae) from Sri Lanka. - Zootaxa 4615 (3): 563-576
- JOHARCHI, O. / KHAUSTOV, A.A. / TOLSTIKOV, A.V. / TRACH, V.A. (2019):* Rediscovery and redescription of two species of *Gaeolaelaps* Evans and Till (Mesostigmata, Laelapidae) from the Far East of Russia. - Intern. J. Acarol. 45,5: 268-279

- JOHARCHI, O. / TOLSTIKOV, A.V. / KHAUSTOV, A.A. / KHAUSTOV, V.A. / SARCHESHMEH, M.A. (2019): Review of some mites (Acari, Laelapidae) associated with ants and bumblebees in Western Siberia, Russia. - *Zootaxa* 4613 (1): 71-92
- JOHARCHI, O. / TRACH, V.A. (2019): A new species of *Cosmolaelaps* Berlese (Acari, Laelapidae) from Ukraine. - *Zootaxa* 4647 (1): 486-494
- KABICEK, J. (2019): Linden trees are favourable host plant for phytoseiid generalists in urban environments. - *Baltic Forestry* 25,1: 32-37
- KAKOKI, S. / KAMIMURO, T. / IKENOUE, Y. / INOKUCHI, M. / TSUDA, K. / SAKAMAKI, Y. (2019): The response of three species of phytoseiid mite (Acari, Phytoseiidae) to synthetic pyrethroid pesticides in the laboratory and the field. - *Exp. Appl. Acarol.* 77,1: 27-41
- KAMCZYC, J. / DYDESKI, M.K. / HORODECKI, P. / JAGODZINSKI, A.M. (2019): Mite communities (Acari, Mesostigmata) in the initially decomposed 'Litter Islands' of 11 tree species in scots pine (*Pinus sylvestris* L.) forest. - *Forests* 10: 403; 16 pp. DOI: 10.3390/f10050403
- KAMRAN, M. / HALLIDAY, B. / BASHIR, M.H. / HONEY, S.F. / AFZAL, M. (2019): Comments on some Typhlodrominae from Pakistan (Acari, Phytoseiidae): re-descriptions, new synonymies, new combinations, and a key to the species. - *Syst. Appl. Acarol.* 24,6: 1048-1062
- KAMRAN, M. / MIRZA, J.H. / ALATAWI, F.J. (2019):* New records and re-descriptions of some phytoseiid species (Acari: Mesostigmata) from Saudi Arabia. - *Intern. J. Acarol.* 45,5: 307-314
- KEAN, A.M. / NIELSEN, M.-C. / DAVIDSON, M.M. / BUTLER, R.C. / VEREIJSEN, J. (2019): Host plant influences establishment and performance of *Amblydromalus limonicus*, a predator for *Bactericera cockerelli*. - *Pest. Manag. Sci.* 75: 787-792
- KIM, D.S. / KIM, S.S. (2019):* Susceptibility of the predatory mite, *Neoseiulus californicus* (Acari, Phytoseiidae), to seven insecticides. - *Entomol. Res.* 49,3: 131-135
- KONTSCHÁN, J. (2019): *Ivorina taiensis* gen. nov., sp. nov., a remarkable new mite genus from West Africa (Acari: Mesostigmata, Urodinychidae). - *Syst. Appl. Acarol.* 24,6: 1063-1070
- KONTSCHÁN, J. (2019): First record of the rotunda-baloghid mites (Acari: Mesostigmata) in Sierra Leone with the description of a new species. - *Acarol. Stud.* 1,1: 20-22
- KONTSCHÁN, J. / HORNOK, S. (2019): New records, a completed list and identification key of mites (Acari) associated with the stable fly, *Stomoxys calcitrans* (L.) (Diptera, Muscidae). - *Acarologia* 59,1: 3-11
- KONWERSKI, S. / GUTOWSKI, J.M. / BŁOSZYK, J. (2019):* Analysis of the phoretic relationships between mites of the genus *Trichouropoda* Berlese (Parasitiformes, Uropodina) and the longhorn beetle *Plagionotus detritus* (Linnaeus) (Coleoptera, Cerambycidae) based on multiannual observations in Białowieża Primeval Forest, Central Europe. - *Intern. J. Acarol.* 45,1-2: 29-40
- KOUTOUVELA, E. / PAPACHRISTOFOROU, A. (2019): The heart of *Varroa destructor*: description, function and inhibition following acaricide application. - *Syst. Appl. Acarol.* 24,4: 638-644
- KRANTZ, G.W. (2019): Presumed species synonymy in the genus *Allogynaspis* Krantz, 2018 (Acari, Macrochelidae). - *Zootaxa* 4613 (1): 200
- LABBÉ, R.M. / GAGNIER, D. / SHIPP, L. (2019):* Comparison of *Transeius montdorensis* (Acari, Phytoseiidae) to other phytoseiid mites for the short-season suppression of western flower thrips, *Frankliniella occidentalis* (Thysanoptera, Thripidae). - *Environ. Entomol.* 48,2: 335-342
- LAM, W. / PAYNTER, Q. / ZHANG, Z.-Q. (2019): Predation, prey preference and reproduction of predatory mites *Amblydromalus limonicus* (Garman), *Amblyseius herbicolus* (Chant) and *Neoseiulus cucumeris* (Oudemans) on immature *Sericothrips staphylinus* Halliday, a biocontrol agent of gorse. - *Syst. Appl. Acarol.* 24,3: 508-519
- LEE, S.J. / KIM, H.K. / KIM, G.-H. (2019): Toxicity and effects of essential oils and their components on *Dermanyssus gallinae* (Acari, Dermanyssidae). - *Exp. Appl. Acarol.* 78,1: 65-78
- LEI, J. / LIU, Q.S. / KADOWAKI, T. (2019): Honey bee parasitic mite contains the sensilla-rich sensory organ on the foreleg tarsus expressing ionotropic receptors with conserved functions. - *Front. Physiol.* 10: 556; 10 pp. 10.3389/fphys.2019.00556

- LIU, J.-F. / ZHANG, Z.-Q. / BEGGS, J.R. (2019): Tri-partite complexity: odour from a psyllid's mutualist ant increased predation by a predatory mite on the psyllid. - *Pest Manag. Sci.* 75: 1317-1327
- LOZANO-FERNANDEZ, J. / TANNER, A.R. / GIACOMELLI, M. / CARTON, R. / VINHTER, J. / EDGEcombe, G.D. / PISANI, D. (2019): Increasing species sampling in chelicerate genomic-scale datasets provides support for monophyly of Acari and Arachnida. - *Nature Comm.* 10: 2295; 8 pp.
- LU, J.L. / ZHANG, B.H. / JIANG, X.H. / WANG, E.D. / XU, X.N. (2019):* Quantitative impact of mating duration on reproduction and offspring sex ratio of *Phytoseiulus persimilis* (Acari, Phytoseiidae). - *J. Intergrative Agric.* 18,4: 884-892
- LU, P. / DAI, N. / ZHANG, G. / ZHANG, M. / XU, D. / LIU, Z. / HUANG, Z. (2019): Structural characteristics of the soil fauna community in beach wetlands of the Poyang Lake region. - *Turk. J. Zool.* 43,4: 379-387
- MAKAROVA, O.L. (2019): North Pacific versus North Atlantic: a case with species of the amphiboreal littoral mite genus *Thalassogamasus* gen. nov. (Parasitiformes, Mesostigmata, Parasitidae). - *Zootaxa* 4647 (1): 457-485**
- MARKKULA, I. / CORNELISSEN, J.H.C. / AERTS, R. (2019): Sixteen years of simulated summer and winter warming have contrasting effects on soil mite communities in a sub-Arctic peat bog. - *Polar Biol.* 42,3: 581-591
- MARQUARDT, T. / KACZMAREK, S. (2019):* Postembryonic development of *Trichouropoda ovalis* (C. L. Koch, 1839) (Parasitiformes: Mesostigmata, Trematuridae) with notes on factors influencing the ontogeny in Uropodina. - *Intern. J. Acarol.* 45,1-2: 48-55
- MARQUARDT, T. / KACZMAREK, S. (2019):* Pre-ovipositional and ovipositional behaviour of *Trichouropoda ovalis* (C.L. Koch) and *Uroobovella marginata* (C.L. Koch) (Parasitiformes: Uropodina, Trematuridae, Urodinychidae) with notes on egg incubation and hatching behaviour. - *J. Nat. Hist.* 53,15-16: 991-1000
- MASÁN, P. / BABAEIAN, E. (2019): A new myrmecophilous mite species of the genus *Cosmolaelaps* Berlese, 1903 (Acari, Mesostigmata, Laelapidae) from Central Europe (Slovakia). - *Zootaxa* 4647 (1): 495-505**
- MEEHAN, M.L. / SONG, Z. / LUMLEY, L.M. / COBB, T.P. / PROCTOR, H. (2019):* Soil mites as bioindicators of disturbance in the boreal forest in northern Alberta, Canada: Testing taxonomic sufficiency at multiple taxonomic levels. - *Ecol. Indicators* 102: 349-365
- MENDONÇA, A.L. / LOFEGO, A.C. / POTT, A. / DAUD, R.D. / DEMITE, P.R. (2019): Phytoseiidae (Parasitiformes: Mesostigmata) from the Pantanal, Mato Grosso do Sul State, Brazil. - *Syst. Appl. Acarol.* 24,4: 587-612
- MIKAWA, Y. / ISHII, H. / NAGAYOSHI, A. / SONODA, S. / MORI, K. / TOYAMA, M. (2019): PCR-based species identification applied in Japanese pear orchards to survey seasonal proportion changes of phytoseiid mite species. - *Appl. Ent. Zool.* 54,1: 133-139
- MONJARÁS-BARRERA, J.I. / CHACÓN-HERNÁNDEZ, J.C. / CERNA-CHÁVEZ, E. / OCHOA-FUENTES, Y.M. / AGUIRRE-URIBE, L.A. / LANDEROS-FLORES, J. (2019): Sublethal effect of Abamectin in the functional response of the predator *Phytoseiulus persimilis* (Athias-Henriot) on *Tetranychus urticae* (Koch) (Acari: Phytoseiidae, Tetranychidae). - *Braz. J. Biol.* 79,2: 273-277
- MONTEIRO, V.B. / FRANCA, G.V. / GONDIM, M.G.C. / LIMA, D.B. / MELO, J.W.S. (2019): *Neoseiulus baraki* (Acari, Phytoseiidae) survival and walking in response to environmental stress. - *Syst. Appl. Acarol.* 24,3: 487-496
- MONTEIRO, V.B. / LIMA, D.B. / MELO, J.W.S. / GUEDES, R.N.C. / GONDIM, M.G.C. (2019):* Acaricide-mediated colonization of mite-infested coconuts by the predatory phytoseiid *Neoseiulus baraki* (Acari, Phytoseiidae). - *J. Econ. Entomol.* 112,1: 213-218
- MORTAZAVI, N. / FATHIPOUR, Y. / TALEBI, A.A. (2019):* The efficiency of *Amblyseius swirskii* in control of *Tetranychus urticae* and *Trialeurodes vaporariorum* is affected by various factors. - *Bull. Entomol. Res.* 109,3: 365-375
- NA, M. / FAN, Q.-H. / ZHANG, Z.-Q. (2019):* Ontogenetic changes in the morphology of *Phytoseius leaki* Schicha, 1977 (Acari, Phytoseiidae). - *Intern. J. Acarol.* 45,1-2: 56-68
- NATAL-DA-LUZ, T. / GEVAERT, T. / PEREIRA, C. / ALVES, D. / ARENA, M. / SOUSA, J.P. (2019): Should oral exposure in *Hypoaspis aculeifer* tests be considered in order to keep them in Tier I test battery for ecological risk assessment of PPPs? - *Environ. Pollution* 244: 871-876
- NEMATI, A. / KHALILI-MOGHADAM, A. / GWIAZDOWICZ, D.J. (2019): A review of the genus *Reticulolaelaps* Costa

- and redescription of *R. elsae* (Joharchi, Babaeian & Jalalizand) comb. nov.. - *Persian J. Acarol.* 8,2: 77-99
- NGUYEN, D.T. / THAN, A.T. / JONCKHEERE, W. / NGUYEN, V.H. / VAN LEEUWEN, T. / DE CLERCQ, P. (2019): Life tables and feeding habits of *Proprioseiopsis lenis* (Acari, Phytoseiidae) and implications for its biological control potential in Southeast Asia. - *Syst. Appl. Acarol.* 24,5: 857-865
- NUNN, F. / BARTLEY, K. / PALAREA-ALBALADEJO, J. / IRMOCENT, G.T. / TURNBULL, F. / WRIGHT, H.W. / NISBET, A.J. (2019):* A novel, high-welfare methodology for evaluating poultry red mite interventions in vivo. - *Veter. Parasitol.* 267: 42-46
- ODAKA, M. / MATSUA, K. / OGINO, K. / KANAZAWA, T. / BABA, R. / SAKATA, Y. / ASADA, K. / KASA, S. / TAKAI, K. / MAEDA, K. (2019): Efficacy of a novel mixture of substances derived from food and food additives for controlling *Dermanyssus gallinae* (Mesostigmata, Dermanyssidae). - *Appl. Ent. Zool.* 54,1: 31-38
- ODDIE, M.A.Y. / NEUMANN, P. / DAHLE, B. (2019):* Cell size and *Varroa destructor* mite infestations in susceptible and naturally-surviving honeybee (*Apis mellifera*) colonies. - *Apidol.* 50,1: 1-10
- ORLOVA, M.V. / TOMISHINA, A.A. / ANISIMOV, N.V. (2019): An unusual finding of a parasitic gamasid mite *Macronyssus heteromorphus* Dusbábek & Radovsky, 1972 (Mesostigmata, Gamasina, Macronyssidae) in the Trans-Urals. - *Acarina* 27,1: 107-111
- PERALTA, O.A. / TELLO, V.E. (2019): Phytoseiid mites (Acari, Phytoseiidae) from the region of Tarapacá, northern Chile, with a description of a new species and a key to species. - Intern. J. Acarol. 45,3: 148-158**
- PÉREZ-LACHAUD, G. / KLOMPEN, H. / POTEAUX, C. / SANTAMARIA, C. / ARMBRECHT, I. / BEUGNON, G. / LACHAUD, J.P. (2019): Context dependent life-history shift in *Macrodonychus sellnicki* mites attacking a native ant host in Colombia. - *Scient. Rep.* 9: 8394; 10 pp. DOI: 10.1038/s41598-019-44791-2
- PÉREZ-MARTÍNEZ, S. / MORAZA, M.L. / SALONA-BORDAS, M.I. (2019): Gamasina mites (Acari: Mesostigmata) associated with animal remains in the mediterranean region of Navarra (Northern Spain). - *Insects* 10: 5; 12 pp. DOI: 10.3390/insects10010005
- POSADA-FLOREZ, F. / SONENSHINE, D.E. / EGEKWU, N.I. / RICE, C. / LUPITSKY, R. / COOK, S.C. (2019):* Insights into the metabolism and behaviour of *Varroa destructor* mites from analysis of their waste excretions. - *Parasitology* 146,4: 527-532
- PUGLIESE, N. / CIRCELLA, E. / MARINO, M. / DE VIRGILIO, C. / COCCILO, G. / LOZITO, P. / CAFIERO, M.A. / CAMARDA, A. (2019): Circulation dynamics of *Salmonella enterica* subsp. *enterica* ser. Gallinarum biovar Gallinarum in a poultry farm infested by *Dermanyssus gallinae*. - *Med. Vet. Ent.* 33: 162-170
- PUSCEDDU, M. / PILUZZA, G. / THEODOROU, P. / BUFFA, F. / RUIU, L. / BULLITTA, S. / FLORIS, I. / SATTÀ, A. (2019): Resin foraging dynamics in *Varroa destructor* - infested hives: a case of medication of kin? - *Insect Sci.* 26,2: 297-310
- RAMSEY, S.D. / OCHOA, R. / BAUCHAN, G. / GULBRONSON, C. / MOWERY, J.D. / COHEN, A. / LIM, D. / JOKLIK, J. / CICERO, J.M. / ELLIS, J.D. / HAWTHORNE, D. / VAN ENGELSDORP, D. (2019): *Varroa destructor* feeds primarily on honey bee fat body tissue and not hemolymph. - *PNAS* 116,5: 1792-1801
- REZAI, M. (2019): Suitability of different plant pollens as supplementary food source and natural prey for predatory mite, *Neoseiulus barkeri* Hughes (Acari, Phytoseiidae). [Orig. Pers.] - *Plant Prot.* 41,4: 77-90
- RHIMI, W. / SALEM, I.B. / CAMARDA, A. / SAIDI, M. / BOULILA, A. / OTRANTO, D. / CAFARCHIA, C. (2019):* Chemical characterization and acaricidal activity of *Drimia maritima* (L) bulbs and *Dittrichia viscosa* leaves against *Dermanyssus gallinae*. - *Veter. Parasitol.* 268: 61-66
- RONDEAU, S. / GIOVENAZZO, P. / FOURNIER, V. (2019):* The use of the predatory mite *Stratiolaelaps scimitus* (Mesostigmata, Laelapidae) to control *Varroa destructor* (Mesostigmata, Varroidae) in honey bee colonies in Early and Late Fall. - *J. Econ. Entomol.* 112,2: 534-542
- RUEDA-RAMIREZ, D. / RIOS-MALAVER, D. / VARELA-RAMIREZ, A. / DE MORAES, G.J. (2019): Biology and predation capacity of *Parasitus bituberosus* (Acari: Mesostigmata, Parasitidae) on *Frankliniella occidentalis* (Thysanoptera, Thripidae), and free-living nematodes as its complementary prey. - *Pest Manag. Sci.* 75: 1819-1830
- SAEED, F. / KAZEMI, S. (2019): First record of *Macrocheles caelatus* Berlese (Mesostigmata, Macrochelidae) from Iran. - *Persian J. Acarol.* 8,1: 73-76

- SAEIDI, S. / MAROUFPOOR, M. / HAJIQANBAR, H. / JOHARCHI, O. (2019): *Gaeolaelaps scarites* sp. nov., a new laelapid mite (Acari: Mesostigmata) associated with *Scarites terricola* (Coleoptera, Carabidae) from Iran. - Intern. J. Acarol. 45,3: 119-124
- SALONA BORDAS, M.I. / PEROTTI, M.A. (2019): First record of *Poecilochirus mrciaki* Masán, 1999 (Acari, Parasitidae) and its phoretic carriers in the Iberian peninsula. - Acarologia 59,2: 242-252
- SAMARAS, K. / PAPPAS, M.L. / FYTAS, E. / BROUFAS, G.D. (2019): Pollen provisioning enhances the performance of *Amblydromalus limonicus* on an unsuitable prey. - Front Ecol. Evol. 7: 122; 8 pp. DOI: 10.3389/fevo.2019.00122
- SANTOS, J.C. / MINEIRO J.L. DE C. / DE MORAES, G.J. (2019): Complementary description of *Podocinella misella* (Berlese, 1913) (Acari, Podocinidae) and a key to world species of the genus. - Acarologia 59,2: 181-187
- SARAVANI RAD, S. / RAMROODI, S. / JOHARCHI, O. / SAHEBZADEH, N. (2019):* A new species of *Laelaspis* Berlese (Acari: Mesostigmata, Laelapidae) from southeast Iran. - Intern. J. Acarol. 45,3: 125-130
- SEEMAN, O.D. (2019): The megisthanid mites (Mesostigmata, Megisthanidae) of Australia. - Zootaxa 4563 (1): 1-40
- SHAHBAZ, M. / KHOOBDEL, M. / KHANJANI, M. / HOSSEININIA, A. / KHEDERI, S.J. (2019): Sublethal effects of acetamiprid on biological aspects and life table of *Amblyseius swirskii* (Acari, Phytoseiidae) fed on *Aleuroclava jasmini* (Hemiptera, Aleyrodidae). - Syst. Appl. Acarol. 24,5: 814-824
- SIKORSKA, D. / GARNIS, J. / DABROWSKI, Z.T. / SIKORSKI P. / GOZDOWSKI, D. / HOPKINS, R.J. (2019): Thus far but no further: predatory mites do not migrate effectively into strawberry plantations. - Exp. Appl. Acarol. 77,3: 359-373
- SILVA, D.E. / DO NASCIMENTO, J.M. / DA SILVA, R.T.L. / JUCHEM, C.F. / RUFFATTO, K. / DA SILVA, G.L. / JOHANN, L. / CORREA, L.L.C. / FERLA, N.J. (2019): Impact of vineyard agrochemicals against *Panonychus ulmi* (Acari, Tetranychidae) and its natural enemy, *Neoseiulus californicus* (Acari, Phytoseiidae) in Brazil. - Crop Prot. 123: 5-11
- SILVA, D.E. / MASCIMENTO, J.M. / DE AZEVEDO MEIRA, A. / JOHANN, L. / CORREA, L.L.C. / RODRIGUES, R. / FERLA, N.J. (2019): Phytoseiid mites under different vineyard managements in the subregions of Lima and Cávado of the Vinho Verde region in Portugal. - Syst. Appl. Acarol. 24,5: 918-928
- SONG, Z.-W. / NGUYEN, D.T. / LI, D.-S. / DE CLERCQ, P. (2019): Continuous rearing of the predatory mite *Neoseiulus californicus* on an artificial diet. - BioControl 64,2: 125-137
- STARA, J. / PEKAR, S. / NESVORNA, M. / ERBAN, T. / VONSOVA, H. / KOPECKY, J. / DOSKOCIL, I. / KAMLER, M. / HUBERT, J. (2019): Detection of tau-fluvalinate resistance in the mite *Varroa destructor* based on the comparison of vial test and PCR-RFLP of *kdr* mutation in sodium channel gene. - Exp. Appl. Acarol. 77,2: 161-171
- STARA, J. / PEKAR, S. / NESVORNA, M. / KAMLER, M. / DOSKOCIL, I. / HUBERT, J. (2019): Spatio-temporal dynamics of *Varroa destructor* resistance to tau-fluvalinate in Czechia, associated with L925V sodium channel point mutation. - Pest Manag. Sci. 75: 1287-1294
- SU, J. / ZHU, A.-D. / HAN, G.-D. / DONG, F. / CHEN, J. / ZHANG, J.-P. (2019): Re-adaptation from alternative prey to target prey increased predation of predator on target mite. - Syst. Appl. Acarol. 24,3: 467-476
- SZUBERT-KRUSZYNSKA, A. / STANCZAK, J. / CIENIUCH, S. / PODSIADLY, E. / POSTAWA, T. / MICHALIK, J. (2019): Bartonella and Rickettsia infections in haematophagous *Spinturnix myoti* mites (Acari: Mesostigmata) and their bat host, *Myotis myotis* (Yangochiroptera, Vespertilionidae), from Poland. - Microbial Ecol. 77,3: 759-768
- TIAN, C.-B. / LI, Y.-Y. / WANG, X. / FAN, W.-H. / WANG, G. / LIANG, J.-Y. / WANG, Z.-Y. / LIU, H. (2019): Effects of UV-B radiation on the survival, egg hatchability and transcript expression of antioxidant enzymes in a high-temperature adapted strain of *Neoseiulus barkeri*. - Exp. Appl. Acarol. 77,4: 527-543
- TIXIER, M.-S. / DENNJ, P. / DOUIN, M. / KREITER, S. / HARALABOS, T. (2019): Mites of the genus *Typhlodromus* (Acari, Phytoseiidae) from Southern France: combined morphological and molecular approaches for species identification. - Zootaxa 4604 (2): 242-280
- TOGASHI, K. / GOTO, M. / RIM, H. / HATTORI, S. / OZAWA, R. / ARIMURA, G.-I. (2019): Mint companion plants attract the predatory mite *Phytoseiulus persimilis*. - Scient. Rep. 9: 1704; 8 pp. Doi:10.1038/s41598-018-38098-x

- TRACH, V.A. / KHAUSTOV, A.A. / LINDQUIST, E.E. (2019): **A new unique species of *Mucroseius* Lindquist, 1962 (Acari: Mesostigmata, Melicharidae) mites associated with sawyer beetles (Cerambycidae: *Monochamus* Dejean, 1821) from the Palaearctic Region.** - J. Nat. Hist. 53,13-14: 761-778
- TRACH, V.A. / MARCHENKO, I.I. / JOHARCHI, O. (2019): Redescription of the female of *Podocinum catenum* Ishikawa, 1970 (Acari, Mesostigmata, Podocinidae) with new records in Western Siberia. - Acarina 27,1: 95-105
- URBANEJA-BERNAT, P. / IBANEZ-GUAL, V. / MONTSERRAT, M. / AGUILAR-FENOLLOSA, E. / JAQUES, J.A. (2019):* Can interactions among predators alter the natural regulation of an herbivore in a climate change scenario? The case of *Tetranychus urticae* and its predators in citrus. - J. Pest Sci. 92,3: 1149-1164
- URHAN, R. / DURAN, E.H. (2019): Zerconid mites (Acari, Zerconidae) in Inner Aegean Region, with a new record for the Turkish fauna. - Zootaxa 4568 (2): 323-336
- URHAN, R. / KARACA, M. (2019): **A new species of the genus *Zercon* (Acari, Mesostigmata, Zerconidae) from Kastamonu, Turkey.** - Acarol. Stud. 1,1: 3-10
- UTZERI, V.J. / SCHIAVO, G. / RIBANI, A. / BERTOLINI, F. / BOVO, S. / FONTANESI, L. (2019):* A next generation sequencing approach for targeted *Varroa* destructor (Acari, Varroidae) mitochondrial DNA analysis based on honey derived environmental DNA. - J. Invertebr. Pathol. 161: 47-53
- VACACELA AJILA, H.E. / COLARES, F. / LEMOS, F. / MARQUES, P.H. / FRANKLIN, E.C. / SANTOS DO VALE, W. / OLIVEIRA, E.E. / VENZON, M. / PALLINI, A. (2019): Supplementary food for *Neoseiulus californicus* boosts biological control of *Tetranychus urticae* on strawberry. - Pest Manag. Sci. 75: 1986-1992
- VALIZADEH, S. / AHADIYAT, A. / BAGHERI, M. / JOHARCHI, O. (2019): Second world record of *Olopachys hallidayi* Özbek, 2014 (Mesostigmata, Pachylaelapidae) from Iran. - Persian J. Acarol. 8,2: 169-174
- VAN DAM, M.H. / TRAUTWEIN, M. / SPICER, G.S. / ESPOSITO, L. (2019): Advancing mite phylogenomics: Designing ultraconserved elements for Acari phylogeny. - Molec. Ecology Resources 19,2: 465-475
- VISSA, S. / HOFSTETTER, R.W. / BONIFÁCIO, L. / KHAUSTOV, A. / KNEE, W. / UHEY, D.A. (2019): Phoretic mite communities associated with bark beetles in the maritime and stone pine forests of Setúbal, Portugal. - Exp. Appl. Acarol. 77,2: 117-131
- WANG, C. / MA, Y. / HUANG, Y. / SU, S. / WANG, L. / SUN, Y. / WAN, Q. / LI, H. / ZHANG, S. / OINES, O. / PIN, B. (2019): Darkness increases the population growth rate of the poultry red mite *Dermanyssus gallinae*. - Parasites Vectors 12: 213, 10 pp. DOI: 10.1186/s13071-019-3456-1
- WANG, S. / LIN, Z. / DIETEMANN, V. / NEUMANN, P. / WU, Y. / HU, F. / ZHENG, H. (2019):* Ectoparasitic mites *Varroa underwoodi* (Acarina, Varroidae) in eastern honeybees, but not in western honeybees. - J. Econ. Entomol. 112,1: 25-32
- WARBURG, S. / INBAR, M. / GAL, S. / SALOMON, M. / PALEVSKY, E. / SADEH, A. (2019): The effects of a windborne pollen-provisioning cover crop on the phytoseiid community in citrus orchards in Israel. - Pest. Manag. Sci. 75: 405-412
- WEN, M.F. / CHI, H. / LIAN, Y.X. / ZHENG, Y.H. / FAN, Q.H. / YOU, M.S. (2019): Population characteristics of *Macrocheles glaber* (Acari, Macrochelidae) and *Stratiolaelaps scimitus* (Acari, Laelapidae) reared on a mushroom fly *Coboldia fuscipes* (Diptera, Scatopsidae). - Insect Sci. 26,2: 322-332
- WITALINSKI, W. (2019): **Five new species of mites in the genus *Leptogamasus* Trägårdh, 1936, and a new subgenus *Medioperigamasus* (Parasitiformes, Parasitidae).** - Zootaxa 4619 (3): 487-517
- WU, L. / CHENG, S. / GUO, L. / MO, W. / XIA, B. / ZOU, Z. (2019):* The complete mitochondrial genome of *Blattisocius keegani* Fox (Acari: Mesostigmata) and the related phylogenetic analyses. - Intern. J. Acarol. 45,1-2: 1-9
- XU, Y. / LI, X. / ZHANG, F.-P. (2019): **Two new records of the family Celaenopsidae (Acari: Mesostigmata) from China, with description of a new species.** - Zootaxa 4604 (2): 326-334
- YANG, J. / LV, J. / LIU, J. / XU, X. / WANG, E. (2019): Prey preference, reproductive performance, and life table of *Amblyseius tsugawai* (Acari, Phytoseiidae) feeding on *Tetranychus urticae* and *Bemisia tabaci*. - Syst. Appl. Acarol. 24,3: 404-413
- YOUNG, M.R. / MORAZA, M.L. / UECKERMANN, E. / HEYLEN, D. / BAARSDEN, L.F. / LIMA-BARBERO, J.F. / GAL, S.

- GAVISH-REGEV, E./ GOTTlieb, Y./ ROY, L./ RECHT, E./ EL ADOUZI, M./ PALEVSKY, E. (2019): Linking morphological and molecular taxonomy for the identification of poultry house, soil, and nest dwelling mites in the Western Palearctic. - *Scient. Rep.* 9: 5784; 8 pp. DOI: 10.1038/s41598-019-41958-9
- ZHANG, Y. / HAN, R. (2019):* Insight into the salivary secretome of *Varroa destructor* and salivary toxicity to *Apis cerana*. - *J. Econ. Entomol.* 112,2: 505-514
- ZHANG, Z.-Q. (2019): Preface to a special volume of acarological papers in memory of Ekaterina Alekseevna Sidorchuk (1981–2019). - *Zootaxa* 4647 (1): 6-13
- ZHAO, Y.Y. / ZHAO, Q. / LIU, K.Y. / WANG, J.G. / LIU, F. (2019): Predation preference and fecundity potential of *Neoseiulus californicus* (Acari, Phytoseiidae) to *Tetranychus turkestanii* and *Tetranychus truncatus* (Acari, Tetranychidae). - *Intern. J. Agric. Biol.* 21,1: 41-46
- ZHU, R. / GUO, J.-J. / YI, T.-C. / XIAO, R. / JIN, D.-C. (2019): Functional and numerical responses of *Neoseiulus californicus* (McGregor) to eggs and nymphs of *Oulenzia bakeri* and *Tetranychus urticae*. - *Syst. Appl. Acarol.* 24,7: 1225-1235
- ZOU, Z. / XI, J. / CHEN, F. / XU, R. / XIN, T. / XIA, B. (2019): The phylogenetic relationships among some common species of Amblyseiniinae (Acari, Phytoseiidae) in China orchard based on the mitochondrial CO1 Gene. - *Pak. J. Zool.* 51,2: 763-772
- Publications 2018**
- ABDELFAH, E.M. / VEZZOLI, G. / BUCZKOWSKI, G. / MAKAGON, M.M. (2018):* Essential oils: effects of application rate and modality on potential for combating northern fowl mite infestations. - *Med. Veter. Entomol.* 32,3: 304-310
- AL-AZZAZY, M.M. / AL-REHIAYANI, S.M. / ABDEL-BAKY, N.F. (2018):* Life tables of the predatory mite *Neoseiulus cucumeris* (Acari, Phytoseiidae) on two pest mites as prey, *Aculops lycopersici* and *Tetranychus urticae*. - *Arch. Phytopath. Plant Prot.* 51,11-12: 637-648
- AL-SHEMMARY, K.A. (2018): The availability of rearing *Neoseiulus cucumeris* (Oud.) and *Neoseiulus barkeri* (Hughes) (Acari, Phytoseiidae) on three insect egg species. - *Egypt. J. Biol. Pest Contr.* 28: 79; 7 pp. DOI: 10.1186/s41938-018-0084-6
- ARGOLO, P.S. / SANTOS, J.C. / OLIVEIRA, A.R. / DE MORAES, G.J. (2018): Two new species of *Lasioseius Berlese* (Acari, Blattisociidae) from Brazil, and a key for separation of the Brazilian species of the genus. - *Syst. Appl. Acarol.* 23,8: 1567-1577
- ASEFPOUR, B. / KHANJANI, M. / MADADI, H. (2018): Life table and predation rate of *Gaeolaelaps aculeifer* Canestrini (Acari, Laelapidae) feeding on fungus gnats, *Lycoriella auripila* Winnertz (Diptera, Sciaridae). [Orig. Pers.] - *J. Appl. Res. Plant Prot.* 7,2: 65-76
- AZEVEDO, L.H. / FERREIRA, M.P. / CASTILHO, R.C. / DUARTE CANCADO, P.H. / DE MORAES, G.J. (2018): Potential of *Macrocheles* species (Acari: Mesostigmata, Macrochelidae) as control agents of harmful flies (Diptera) and biology of *Macrocheles emersoni* Azevedo, Castilho and Berto on *Stomoxys calcitrans* (L.) and *Musca domestica* L. (Diptera: Muscidae) - *Biol. Contr.* 123: 1-8
- BABAEIAN, E. / GWIAZDOWICZ, D.J. / SABOORI, A. (2018): Description of the male *Cilliba erlangensis* (Acari, Uropodina, Cillibidae) with a key to males of the genus *Cilliba*. - *Vestn. Zool.* 52,4: 307-312
- BAHARI, F. / FATHIPOUR, Y. / TALEBI, A.A. / ALIPOUR, Z. (2018): Long-term feeding on greenhouse cucumber affects life table parameters of two-spotted spider mite and its predator *Phytoseiulus persimilis*. - *Syst. Appl. Acarol.* 23,12: 2304-2316
- BARBAR, Z. (2018): New mite records (Acari: Mesostigmata, Trombidiformes) from soil and vegetation of some Syrian citrus agrosystems. - *Acarologia* 58,4: 919-927
- BAZGIR, F. / SHAKARAMI, J. / JAFARI, S. (2018): Life table and predation rate of *Amblyseius swirskii* (Acari, Phytoseiidae) fed on *Eotetranychus frosti* (Tetranychidae) and *Cenopalpus irani* (Tenuipalpidae). - *Syst. Appl. Acarol.* 23,8: 1614-1626
- BEAULIEU, F. / BEARD, J.J. (2018): Acarine biocontrol agents *Neoseiulus californicus* sensu Athias-H. (1977) and *N. barkeri* Hughes (Mesostigmata, Phytoseiidae) redescribed, their synonymies assessed, and the identity of *N. californicus* (McGregor) clarified based on examination of types - *Zootaxa* 4500 (4): 451-507
- BŁOSZYK, J. / ADAMSKI, Z. / NAPIERAŁA, A. (2018): Survey

- of European mites from the suborder Uropodina: II. Morphology, geographical distribution, biology, and ecology of *Trematurella elegans* (Kramer, 1882). - *Acarologia* 58,3: 683-709
- BOHINC, T. / KREITER, S. / TIXIER, M.-S. / VIERBERGEN, G. / TRDAN, S. (2018): Plenilske pršice (Acari: Phytoseiidae), prvič najdene na gojenih rastlinah v Sloveniji v obdobju 2012-2017. - *Acta Agric. Slov.* 111,2: 493-499 DOI: 10.14720/aas.2018.111.2.21
- BOLGER, T. / ARROYO, J. / PIOTROWSKA, K. (2018): A catalogue of the species of Mesostigmata (Arachnida, Acari, Parasitiformes) recorded from Ireland including information on their geographical distribution and habitats. - *Zootaxa* 4519 (1): 1-220
- BOUAGGA, S. / URBANEJA, A. / PÉREZ-HEDO, M. (2018):* Combined use of predatory mirids with *Amblyseius swirskii* (Acari, Phytoseiidae) to enhance pest management in sweet pepper. - *J. Econ. Entomol.* 111,3: 1112-1120
- BOZHGANI, N.S.S. / KHERADMAND, K. / TALEBI, A.A. (2018): The effects of spirotetramat on the demographic parameters of *Neoseiulus californicus* (Phytoseiidae). - *Syst. Appl. Acarol.* 23,10: 1940-1951
- CABEDO-LÓPEZ, M. / CRUZ-MIRALLES, J. / PÉREZ-HEDO, M.A. / HURTADO, M.A. / FLORS, V. / JAQUES, J.A. (2018):* Ambulatory response of *Tetranychus urticae* Koch and two of its main predators in citrus, *Euseius stipulatus* (A.-H.) and *Phytoseiulus persimilis* A.-H., to two citrus rootstocks of citrus with different susceptibility towards *T. urticae*. - *IOBC-WPRS Bull.* 132: 88
- CAKMAK, I. / DA SILVA, F.R. (2018): Maternal care, larviparous and oviparous reproduction of *Hypoaspis larvicolus* (Acari, Laelapidae) feeding on astigmatid mites. - *Exp. Appl. Acarol.* 75,4: 457-465
- CALUGAR, A. (2018): Soil mesostigmatid mites as a potential tool for bioindication concerning ecological status of forest. - *Acarologia* 58, Suppl.: 18-24
- CAMARDA, A. / PULIESE, N. / BEVILACQUA, A. / CIRCELLA, E. / GRADONI, L. / GEORGE, D. / SPARAGANO, O. / GIANGASPERO, A. (2018):* Efficacy of a novel neem oil formulation (RPO3 (TM)) to control the poultry red mite *Dermanyssus gallinae*. - *Med. Veter. Entomol.* 32,3: 290-297
- CARRILLO, D. / HONEY, S.F. / RIOS, L.A. / DUNCAN, R.E. / DE COSS, M. / VISCARRA, N. / ARREDONDO, H. / PENA, J.E. (2018):* Resurgence of phytophagous mites in Papaya: can natural enemies provide a lasting solution to the increasing mite problem in papaya in the Americas? - *IOBC-WPRS Bull.* 134: 64-66
- CARVALHO, T.A.F. / REIS, P.R. / BERNARDI, L.F.O. / MARAFELI, P.P. / MARTINEZ, P.A. (2018): Edaphic mites and their response to the incorporation of organic matter from various species of Fabaceae into the soil beneath coffee trees. - *Acarina* 26,2: 183-195
- CASTRO, E. / NUVOLONI, F. / FERES, R. (2018): Population dynamics of the main phytophagous and predatory mites associated with rubber tree plantations in the State of Bahia, Brazil. - *Syst. Appl. Acarol.* 23,8: 1578-1591
- CAZORLA-PERFETTI, D. / MORALES-MORENO, P. (2018): Registro de dos taxa de ácaros (Acari, Mesostigmata, Astigmata) asociados a Milichiidae (Diptera) y Pteromalidae (Hymenoptera) en Estado Falcón, Venezuela. - *Saber* 30: 399-406
- CHE KAMARUZAMAN, N.A. / MASÁN, P. / VELÁSQUEZ, Y. / GONZÁLEZ-MEDINA, A. / LINDSTRÖM, A. / BRAIG, H.R. / PEROTTI, M.A. (2018): *Macrocheles* species (Acari, Macrochelidae) associated with human corpses in Europe. - *Exp. Appl. Acarol.* 76,4: 453-471
- CHEN, X. / ZHANG, Y.-P. / SUN, L. / ZHEN, Y. / ZHANG, Y.-X. / LIN, J.-Z. (2018): Comparison of the detoxification enzymes activities in the avermectin-resistant and susceptible strains of *Neoseiulus cucumeris* (Oudemans) (Acari, Phytoseiidae). - *Syst. Appl. Acarol.* 23,9: 1885-1888
- CHENG, S.H. / LIN, R.H. / ZHANG, N. / YUAN, S.K. / ZHOU, X.X. / HUANG, J. / REN, X.D. / WANG, S.S. / JIANG, H. / YU, C.H. (2018):* Toxicity of six insecticides to predatory mite *Amblyseius cucumeris* (Oudemans) (Acari, Phytoseiidae) in- and off-field. - *Ecotoxic. Environ. Saf.* 161: 715-720
- CHICK, A.I.R. (2018): A further modification of Dioni's mounting media to allow staining, clearing and mounting of Acari. - *Acarologie* 58,4: 795-800
- DA SILVA, A.F. / PINTO, Z.T. / TEIXEIRA, R.H. / CUNHA, R.A. / CARRICO, C. / CAETANO, R.L. / GAZETA, G.S. / AMORIM, M. (2018): First record of *Ophionyssus natricis* (Gervais) (Acari, Macronyssidae) on *Python reticulatus* (Schneider) (Pythonidae) in Brazil. - *EntomoBrasilis* 11,1: 41-44

- DANRA, D.D. / NUKENINE, E.N. / KOEHLER, H. (2018): Soil Gamasina from savanna and ReviTec site of Ngaoundéré (Adamawa, Cameroon): abundance and species diversity. - *Soil Organisms* 90,3: 187-198
- DE ALFAIA, J.P. / MELO, L.L. / MONTEIRO, N.V. / LIMA, D.B. / MELO, J.W.S. (2018): Functional response of the predaceous mites *Amblyseius largoensis* and *Euseius concordis* when feeding on eggs of the cashew tree giant whitefly *Aleurodicus cocois*. - *Syst. Appl. Acarol.* 23,8: 1559-1566
- DE ALFAIA, J.P. / NEVES, M.E.B. / MELO, L.L. / LIMA, D.B. / DA SILVA DIAS, N. / WAGNER, J. (2018): Biological performance of the predatory mites *Amblyseius largoensis* and *Euseius concordis* fed on eggs of *Aleurodicus cocois*. - *Syst. Appl. Acarol.* 23,11: 2099-2103
- DE ARAUJO, W.S. / DAUD, R.D. (2018): Investigating effects of host-plant diversity on Brazilian mite richness in natural ecosystems. - *Syst. Appl. Acarol.* 23,8: 1598-1613
- DE ROJAS, M. / DONA, J. / JOVANI, R. / DIMOV, I. / ZURITA, A. / CALLEJON, R. / RODRIGUEZ-PLÁ, M. (2018): Evidence of cryptic species in the genus *Tinaminyssus* (Acari, Rhinonyssidae) based on morphometrical and molecular data. - *Exp. Appl. Acarol.* 75,4: 355-368
- DE SOUZA BORN, F. / GOMES DA CAMARA, C.A.G. / DE MELO, J.P.R. / DE MORAES, M.M. (2018): Acaricidal property of the essential oil from *Lippia gracilis* against *Tetranychus urticae* and a natural enemy, *Neoseiulus californicus*, under greenhouse conditions. - *Exp. Appl. Acarol.* 75,4: 491-502
- DE SOUZA, A.L.V. / SOUZA, B. / VENZON, M. (2018):* Compatibility of *Neoseiulus californicus* and *Orius insidiosus* for two-spotted spider mite control in roses. - *IOBC-WPRS Bull.* 134: 102-103
- DI PALMA, A. / LEONE, F. / ALBANESE, F. / BECCATI, M. (2018): A case report of *Dermanyssus gallinae* infestation in three cats. - *Veter. Dermatol.* 29,4: 348-354
- DO AMARAL, R.B. / LOURENCO, E.C. / FAMADAS, K.M. / GARCIA, A.B. / MACHADO, R.Z. / ANDRE, M.R. (2018): Molecular detection of *Bartonella* spp. and *Rickettsia* spp. in bat ectoparasites in Brazil. - *PLOS ONE* 13,6: e0198629 DOI: 10.1371/journal.pone.0198629
- DÖKER, I. / KARUT, K. / KARACA, M.M. / CARGNUS, E. / KAZAK, C. (2018): Internal Transcribed Spacer (ITS) sequences of some *Kampimodromus* (Acari, Phytoseiidae) species: Is *Kampimodromus ragusai* a valid species or a synonym of *Kampimodromus aberrans*? - *Syst. Appl. Acarol.* 23,11: 2237-2243
- DÖKER, I. / KAZAK, C. / KARACA, M.M. / KARUT, K. (2018):* ITS sequences of the predatory mites *Iphiseius degenerans* (Berlese) and *Phytoseius ibrahimi* Döker & Kazak (Acari, Phytoseiidae). - *IOBC-WPRS Bull.* 134: 88-89
- DÖKER, I. / YALCIN, K. / KARUT, K. / KAZAK, C. (2018):* *Phytonemus pallidus* (Acari, Tarsonemidae): a new potential pest in strawberry production and associated phytoseiid predators (Acari: Mesostigmata) in Silifke, Turkey. - *IOBC-WPRS Bull.* 134: 90-91
- DOS SANTOS, L.S.S. / MASCARENHAS, C.S. / DOS SANTOS, P.R.S. / DA ROSA FARIAS, N.A. (2018): Rhinonyssidae (Acari) in the house sparrows, *Passer domesticus* (Linnaeus, 1758) (Passeriformes, Passeridae), from southern Brazil. - *Braz. J. Vet. Parasitol.* 27,4: 597-603
- DRIESEN, E. / TIXIER, M.-S. / KREITER, S. / KEULEMANS, W. / BYLEMANS, D. (2018):* Phytoseiid (Acari: Mesostigmata) mite abundance and diversity in Belgian apple orchards. - *IOBC-WPRS Bull.* 134: 73-75
- DUNLOP, J.A. / WALTER, D.E. / KONTSCHÄN, J. (2018): A putative fossil sejid mite (Parasitiformes: Mesostigmata) in Baltic amber re-identified as an anystine (Acari: Mesostigmata). - *Acarologia* 58,3: 665-672
- ERSIN, F. / DÖKER, I. / TURANLI, F. (2018):* Side effects of five pesticides on different stages of *Amblyseius swirskii* (Acari, Phytoseiidae) under laboratory conditions. - *IOBC-WPRS Bull.* 134: 52-53
- FADAEI, E. / HAKIMITABAR, M. / SEIEDY, M. / MOAIERI, H.S. (2018):* Effects of different diets on biological parameters of the predatory mite *Amblyseius swirskii* (Acari, Phytoseiidae). - *Intern. J. Acarol.* 44,7: 341-346
- FARAH, S. / SHISHEHBOR, P. / NEMATI, A. (2018): Some mesostigmatic mites (Acari: Parasitiformes) of Khuzestan province, southwestern Iran. - *Persian J. Acarol.* 7,4: 323-344
- FARAJI, F. / MACK, P. / STAUDT, S. / KOLKMAN, J. (2018): Two new species records of *Proprioseiopsis* Muma (Acari: Mesostigmata, Phytoseiidae) from Germany. - *Soil Organisms* 90,3: 123-130

- FARJAMFAR, M. / SABOORI, A. / GONZÁLEZ-CABRERA, J. / HERÁNDEZ RODRIGUEZ, C.S. (2018): Genetic variability and pyrethroid susceptibility of the parasitic honey bee mite *Varroa destructor* (Acari, Varroidae) in Iran. - Exp. Appl. Acarol. 76,1: 139-148
- FARJAMFAR, M. / SABOORI, A. / NOZARI, J. / HOSSEININAVEH, V. (2018): Morphometric analysis in different geographical populations of *Varroa destructor* (Acari, Varroidae) associated with *Apis mellifera* colonies in Iran. - Syst. Appl. Acarol. 23,10: 1915-1930
- FERRAGUT, F. (2018): Mites and ticks, from genes to populations: Proceedings of the 8th Symposium of the European Association of Acarologists, Valencia, 2016. - Acarologia 58, Suppl.: 1-2
- FERRAGUT, F. (2018): New records of phytoseiid mites of the subfamilies Typhlodrominae and Phytoseiinae (Acari, Phytoseiidae) from Spain, with description of a new species and re-description of four species of Typhlodromus Scheuten. - Syst. Appl. Acarol. 23,5: 883-910**
- FIROZJAEI, Z.K. / DAMAVANDYAN, M.R. (2018): Control of citrus leafminer using mineral oil in Mazandaran and its effects on predatory phytoseiid mites. [Orig. Pers.] - J. Appl. Res. Plant Prot. 6,4: 107-118
- FREITAS, G. / SANTOS, M.C. / LIRA, V. / GALVAO, A. / OLIVEIRA, E. / FILHO, J.G.S. / TEODORO, A. (2018): Acute and non-lethal effects of coconut oil on predatory mite *Typhlodromus ornatus* (Acari, Phytoseiidae). - Syst. Appl. Acarol. 23,7: 1333-1341
- GAL, S. / PALEVSKY, E. / RECHT, E. / GOTTLIEB, Y. / GAVISH, E. / ROY, L. / MIRAZA, M.L. / UECKERMANN, E. / YOUNG, M. (2018):* An integrative approach to the molecular and morphological identification of mites associated with the red poultry mite. - IOBC-WPRS Bull. 134: 98-99
- GARRIDO, P.M. / PORRINI, M.P. / DAMIANI, N. / RUFFINENGO, S. / MARTINEZ NOEL, G.M.A. / SALERNO, G. / EGUARAS, M.J. (2018): Heat shock proteins in *Varroa destructor* exposed to heat stress and in-hive acaricides. - Exp. Appl. Acarol. 76,4: 421-433
- GERDEMAN, B.S. / GARCIA, R.C. / HERCZAK, A. / KLOMPEN, H. (2018): ***Philippinozercon*, a new genus of Heterozercionidae (Parasitiformes: Mesostigmata), with description of all active instars. - Zootaxa 4540 (1): 7-22**
- GHAZY, N.A. / SUZUKI, T. / AMANO, H. (2018):* Development and reproduction of *Neoseiulus californicus* (Acari, Phytoseiidae) and *Tetranychus urticae* (Acari, Tetranychidae) under simulated natural temperature. - Environ. Entomol. 47,4: 1005-1012
- GÓMEZ-MOYA, C.A. / GONDIM, M.G.C. / DE MORAES, G.J. / DE MORAIS, E.G.F. (2018):* Effect of relative humidity on the biology of the predatory mite *Amblyseius largoensis* (Acari, Phytoseiidae). - Intern. J. Acarol. 44,8: 400-411
- GREGORC, A. / ALBURAKI, M. / SAMPSON, B. / KNIGHT, P.R. / ADAMCZYK, J. (2018): Toxicity of selected acaricides to honey bees (*Apis mellifera*) and *Varroa* (*Varroa destructor* Anderson and Trueman) and their use in controlling *Varroa* within honey bee colonies. - Insects 9: 55, 15 pp. DOI:10.3390/insects9020055
- GRUSS, I. / PASTUSZKO, K. / TWARDOWSKI, J. / HUREJ, M. (2018): Effects of different management practices of organic uphill grasslands on the abundance and diversity of soil mesofauna. - J. Plant Prot. Res. 58,4: 372-380
- GUZMÁN, C. / SAHÚN, R.M. / MONTSERRAT, M. (2018): Differential effects of abiotic conditions on fitness-related parameters of two *Euseius* species inhabiting avocado agroecosystems. - BioControl 63: 585-594
- GWIAZDOWICZ, D.J. / NEMATI, A. (2018): A new species of *Chapalania* (Acari: Mesostigmata, Laelapidae) from Peru. - Syst. Appl. Acarol. 23,10: 1940-1951**
- GWIAZDOWICZ, D.J. / NEMATI, A. / RIAHI, E. (2018): Mesostigmatic mites associated with birds and mammals in Iran. A review. - Biologia 73: 485-491
- HAKIMITABAR, M. / HEJAZI, S.R. / SHABANINEJAD, A. / DAMDABAJA, P.G. / FADAEI, E. (2018): Evaluation of GMDH artificial neural network model for predicting the spatial distribution of the family Laelapidae (Acari, Mesostigmata) in Shahrood region, Semnan province. - Iran. J. Plant Prot. Sci. 49,2: 217-225
- HALLIDAY, B. / KAMRAN, M. / BASHIR, M.H. (2018): Checklist of the mites of Pakistan. - Zootaxa 4464 (1): 1-178
- HINOMOTO, N. / SATO, Y. / KARA, K. / SHIMODA, T. (2018):* Population structure of the phytoseiid mite, *Neoseiulus womersleyi*, in an experimental organic tea field. - IOBC-WPRS Bull. 134: 54-59

- HOUNMALON, G.Y.A. / MANIANIA, N.K. / NIASSY, S. / FELLOUS, S. / KREITER, S. / DELÉTRÉ, E. / FIABOE, K.K.M. / MARTIN, T. (2018): Performance of *Metarhizium anisopliae*-treated foam in combination with *Phytoseiulus longipes* Evans against *Tetranychus evansi* Baker & Pritchard (Acari, Tetranychidae). - *Pest Manag. Sci.* 74: 2835-2841
- HRÚZOVÁ, K. / FENDA, P. (2018): The family Parasitidae (Acari: Mesostigmata) - history, current problems and challenges. - *Acarologia* 58, Suppl.: 25-42
- HUGO-COETZEE, E.A. / LE ROUX, P.C. (2018): Distribution of microarthropods across altitude and aspect in the sub-Antarctic: climate change implications for an isolated oceanic island. - *Acarologia* 58, Suppl.: 43-60
- ISHII, H. / MIKAWA, Y. / MURASE, Y. / SONODA, S. / HINOMOTO, N. / KISHIMOTO, H. / TOYOSHIMA, S. / TOYAMA, M. (2018): Species composition and arthropod pest feeding of phytoseiid mites in a Japanese pear greenhouse. - *Appl. Entomol. Zool.* 53: 463-474
- JAVAN, S. / KARACA, M. / URHAN, R. (2018): *Zercon ostovani* sp. nov. (Acari: Mesostigmata, Zerconidae) from Iran. - *Turk. J. Zool.* 42: 596-600
- JAVIER CALVO, F. / JESÚS, M. / KNAPP, M. (2018):* Provision of pollen allows *Tetranychus urticae* control in clementines with *Euseius stipulatus*. - *IOBC-WPRS Bull.* 134: 9-11
- JOHARCHI, O. / HALLIDAY, B. / KHAUSTOV, A.A. / ERMILOV, S.G. (2018): Some soil-inhabiting mites from Zanzibar (Acari, Laelapidae). - *Zootaxa* 4514 (1): 23-40
- JOHARCHI, O. / JUNG, C. / KEUM, E. (2018): First record of the genus *Myrmozercon* Berlese (Acari: Mesostigmata, Laelapidae) in the Eastern Palearctic region and description of a new species. - *Intern. J. Acarol.* 44,7: 310-314
- KAMCZYC, J. / SKORUPSKI, M. / DYDERSKI, M.K. / GAZDA, A. / HACHULKA, M. / HORODECKI, P. / KALUCKA, I. / MALICKI, M. / PIELECH, R. / SMOCZYK, M. / WIERZCHOLSKA, S. / JAGODZINSKI, A.M. (2018): Response of soil mites (Acari, Mesostigmata) to long-term Norway spruce plantation along a mountain stream. - *Exp. Appl. Acarol.* 76,3: 269-286
- KAVIANPOUR, M. / NEMATI, A. / KARIMPOUR, Y. (2018):* A new species of *Gaeolaelaps* Evans & Till (Mesostigmata, Laelapidae) from northwestern Iran with a key to the species with three-tined apotele. - *Intern. J. Acarol.* 44,4-5: 180-184
- KAVIANPOUR, M. / KARACA, M. / KARIMPOUR, Y. / URHAN, R. (2018): A new species and new distribution records of *Zercon* C. L. Koch from Iran (Acari, Zerconidae). - *Zoology in the Middle East* 64,4: 363-370
- KAVIANPOUR, M. / NEMATI, A. / MOHSENI, M. / KHALILI-MOGHADAM, A. (2018): New ascid mite of the genus *Antennoseius* Berlese (Acari: Mesostigmata) from Iran. - *Persian J. Acarol.* 7,3: 245-254
- KHALILI-MOGHADAM, A. / SABOORI, A. / NEMATI, A. / GOLPAYEGANI, A.Z. (2018): Redescription of *Gaeolaelaps deinos* (Acari: Mesostigmata): an ant-associated laelapid mite. - *Biologia* 73: 977-986
- KHALILI-MOGHADAM, A. / SABOORI, A. / NEMATI, A. / GOLPAYEGANI, A.Z. (2018): A new ant-associated species of *Laelaspis* (Acari: Mesostigmata, Laelapidae) from Iran. - *Persian J. Acarol.* 7,3: 221-234
- KLEIN, A. / ZIMMERMANN, E. / RADESPIEL, U. / SCHAARSCHMIDT, F. / SPRINGER, A. / STRUBE, C. (2018): Ectoparasite communities of small-bodied Malagasy primates: seasonal and socioecological influences on tick, mite and lice infestation of *Microcebus murinus* and *M. ravelobensis* in northwestern Madagascar Annette. - *Parasites & Vectors* 11,459: DOI: 10.1186/s13071-018-3034-y
- KNAPP, M. / VAN HOUTEN, Y. / VAN BAAL, E. / GROOT, T. (2018): Use of predatory mites in commercial biocontrol: current status and future prospects. - *Acarologia* 58, Suppl.: 72-82
- KOLODOCHKA, L.A. (2018): Two new species of the genus *Neoseiulus* (Parasitiformes, Phytoseiidae) with redescription of *N. bicaudus* and *N. micmac* based on holotypes. - *Vestn. Zool.* 52,4: 295-306
- KONTSCHÁN, J. (2018): *Urodepressa guatemalaensis* gen. nov., sp. nov., a new remarkable genus and species from Guatemala (Acari, Uropodina, Urodinychidae). - *Rev. Suisse Zool.* 125,2: 239-243
- KONTSCHÁN, J. (2018): Two new species of *Angulobaloghia* Hirschmann, 1979 (Acari, Rotundabaloghidae) from Brunei. - *Syst. Appl. Acarol.* 23,7: 1366-1374
- KONTSCHÁN, J. (2018): A new *Trichouropodella* species from bamboo bush and notes to the Tri-

- chouropodellidae fam. nov.. - Syst. Appl. Acarol. 24,1: 96-105**
- KONTSCHÁN, J. / FRIEDRICH, S. (2018): First record of *Chelonuropoda* in Peru, with the description of a new species (Acari: Mesostigmata, Oplitidae). - Ecol. Mont. 16: 124-129**
- KOPAČKA, M. / STATHAKIS, T.I. / BROUFAS, G. / PAPADOULIS, G.T. / ZEMEK, R. (2018): Diversity and abundance of Phytoseiidae (Acari: Mesostigmata) on horse chestnut (*Aesculus hippocastanum* L.) in an urban environment: a comparison between Greece and the Czech Republic. - *Acarologia* 58, Suppl.: 83-90
- KRANTZ, G.W. (2018): *Allogynaspis flechtmanni*, a new genus and species of the subfamily Macrochelinae (Acari: Mesostigmata, Macrochelidae) from southeastern Brazil, with comments on cheliceral dentition, reproductive strategies, and postepigynal platelets. - Zootaxa 4455 (1): 150-160**
- KREITER, S. / FONTAINE, O. / PAYET, R.-M. (2018): New records of Phytoseiidae (Acari: Mesostigmata) from Mauritius. - *Acarologie* 58,4: 773-785
- KREITER, S. / ZRIKI, G. / TIXIER, M.-S. / SENTENAC, G. / RUSCH, A. / THIERRY, J. / DELBAC, L. / MADEJSKY, M. / GUISSSET, M. (2018):* Effects of the plot landscape and pollen concentration on phytoseiid mites (Acari, Phytoseiidae) in three French viticultural regions. - *IOBC-WPRS Bull.* 134: 6-8
- KÜTÜK, H. (2018): Performance of the predator *Amblyseius swirskii* (Athias-Henriot) (Acari, Phytoseiidae) on plastic greenhouse pepper sprayed vs unsprayed pine pollen. - *Derim* 35,2: 135-140
- LAESCHI, M. (2018):* Description of the males of *Androlaelaps misionalis* and *Androlaelaps ulyses-pardinasi* (Acari, Parasitiformes, Laelapidae) parasitic of sigmondontine rodents from Northeastern Argentina. - *J. Parasitol.* 104,4: 372-376
- LEE, M.H. / ZHANG, Z.-Q. (2018): Assessing the augmentation of *Amblydromalus limonicus* with the supplementation of pollen, thread, and substrates to combat greenhouse whitefly populations. - *Scient. Rep.* 8,12189; 14 pp. DOI: 10.1038/s41598-018-30018-3
- LEMAN, A. / VAN HOLSTEIN-SAJ, R. / WINKLER, K. / VAN KUIK, F. / HELSEN, H. / MESSELINK, G.J. (2018):* Developing strategies for controlling tarsonemid and eriophyoid mites with phytoseiid predatory mites in flower bulbs, Bromeliaceae, gerbera and blackberry. - *IOBC-WPRS Bull.* 134: 100-101
- LI, L. / JIAO, R. / YU, L. / HE, X.Z. / HE, L. / XU, C. / ZHANG, L. / LIU, J. (2018): Functional response and prey stage preference of *Neoseiulus barkeri* on *Tarsonemus confusus*. - *Syst. Appl. Acarol.* 23,11: 2244-2258
- LIAO, J.-R. / HO, C.-C. / FANG, X.-D. / CHIUN-CHENG, K. (2018): Contribution to the knowledge of the genera *Euseius* Wainstein and *Gyna(e)seius* Wainstein (Acari: Mesostigmata: Amblyseiniinae) from Taiwan. - Syst. Appl. Acarol. 23,11: 2192-2213**
- LIMA, D.B. / REZENDE-PUKER, D. / MENDONÇA, R.S. / TIXER, M.S. / GONDIM, M.G.C. / MELO, J.W.S. / OLIVEIRA, D.C. / NAVIA, D. (2018): Molecular and morphological characterization of the predatory mite *Amblyseius largoensis* (Acari, Phytoseiidae): surprising similarity between an Asian and American populations. - *Exp. Appl. Acarol.* 76,3: 287-310
- LINDQUIST, E.E. / MORAZA, M.L. (2018): Review of the genus *Leioseius* Berlese, 1916 in North America, with description of two new species (Acari: Mesostigmata, Ascidae). - Syst. Appl. Acarol. 23,10: 1986-2021**
- LIU, J.-F. / BEGGS, J.R. / ZHANG, Z.-Q. (2018): Population development of the predatory mite *Amblydromalus limonicus* is modulated by habitat dispersion, diet and density of conspecifics. - *Exp. Appl. Acarol.* 76,1: 109-121
- LOPES, P.C. / KANNO, R.H. / SOURASSOU, N.F. / DE MORAES, G.J. (2018): Effect of temperature and diet on the morphology of *Euseius concordis* (Acari, Phytoseiidae). - *Syst. Appl. Acarol.* 23,7: 1322-1332
- LORENZON, M. / POZZEBON, A. / DUSO, C. (2018): Biological control of spider mites in North-Italian vineyards using pesticide resistant predatory mites. - *Acarologia* 58, Suppl.: 98-118
- MA, L.-M. / BAI, X.-L. (2018): A new record of the genus *Neopodocinum* from China (Acari: Mesostigmata, Macrochelidae). [Orig. Chin.] - *Acta Arachnol. Sin.* 27,2: 119-120
- MA, L.-M. / LIN, J.-Z. (2018): A new record of the genus *Trichouropoda* from China (Acari: Uropodina). [Orig. Chin.] - *Acta Arachnol. Sin.* 27,1: 37-38

- MA, L.-M. / LIN, J.-Z. (2018): A new species of the genus *Lasioseius* (Acari: Mesostigmata, Aceosejidae). [Orig. Chin.] - Acta Arachnol. Sin. 27,2: 121-123
- MA, L.-M. / LIN, J.-Z. (2018): Two new species of the genus *Trichouropoda* and description of deutonymph of *Trichouropoda guizhouensis* (Acari: Uropodina). [Orig. Chin.] - Acta Arachnol. Sin. 27,2: 108-111
- MA, L.-M. / LIN, J.-Z. / DAI, W.-A. (2018): A new species of the genus *Uropoda* and a new record of the genus *Uroobovella* from China (Acari: Uropodina). [Orig. Chin.] - Acta Arachnol. Sin. 27,2: 116-118
- MA, L.-M. / LIN, J.-Z. / DAI, W.-A. (2018): Two new species of the genus *Ameroseius* from Xizang, China (Acari: Mesostigmata, Ameroseiidae). [Orig. Chin.] - Acta Arachnol. Sin. 27,2: 112-115
- MA, L.-M. / LIN, J.-Z. / DAI, W.-A. (2018): A new species of the genus *Evimirus* (Acari: Mesostigmata, Eviphididae). [Orig. Chin.] - Acta Arachnol. Sin. 27,1: 34-36
- MA, L.-M. / LIN, J.-Z. / DAI, W.-A. (2018): A new species of the genus *Hypoaspis* and a new record of the genus *Pseudoparasitus* from China (Acari: Mesostigmata, Laelapidae). [Orig. Chin.] - Acta Arachnol. Sin. 27,1: 22-26
- MA, L.-M. / LIN, J.-Z. / DAI, W.-A. (2018): A new species of the genus *Lasioseius*, with new discovery of male and deutonymph of *Arrhenoseius fenghuangensis* (Acari: Mesostigmata, Aceosejidae). [Orig. Chin.] - Acta Arachnol. Sin. 27,1: 27-30
- MA, L.-M. / LIN, J.-Z. / DAI, W.-A. (2018): A new species of the genus *Asca* from Xizang, China (Acari: Mesostigmata, Ascidae). [Orig. Chin.] - Acta Arachnol. Sin. 27,1: 31-33
- MA, M. / FAN, Q.-H. / LI, S.-C. (2018): *Kuzinellus* (Acari, Phytoseiidae) from China. - Acarologie 58,4: 786-794
- MA, M. / FAN, Q.-H. / ZHANG, Z.-Q. (2018): Morphological ontogeny of *Amblydromalus limonicus* (Acari, Phytoseiidae). - Syst. Appl. Acarol. 23,9: 1741-1765
- MA, M. / FAN, Q.-H. / ZHANG, Z.-Q. (2018): Ontogenetic changes in the morphology of *Eharius chergui* (Acari, Phytoseiidae). - Zootaxa 4540 (1): 23-39
- MA, M. / FAN, Q.-H. / ZHANG, Z.-Q. (2018): An assemblage of predatory mites (Phytoseiidae) associated with a potential biocontrol agent (*Cecidophyes rouhollahi*; Eriophyidae) for weed *Galium spurium* (Rubiaceae). - Syst. Appl. Acarol. 23,10: 2081-2085
- MANTOVANI, S. / ALLAN, N. / PESAPANE, R. / BRIGNOLO, L. / FOLEY, J. (2018): Eradication of a tropical rat mite (*Ornithonyssus bacoti*) infestation from a captive colony of endangered amargosa voles (*Microtus californicus scirpensis*). - J. Zoo Wildlife Med. 49,2: 475-479
- MANU, M. / BANCILA, R.I. / ONETE, M. (2018): Importance of moss habitats for mesostigmatid mites (Acari: Mesostigmata) in Romania. - Turk. J. Zool. 42: 673-683; 1-2
- MANU, M. / POLIZA, D. / ONETE, M. (2018): Comparative analysis of the phoretic mites communities (Acari: Mesostigmata) associated with *Ips typographus* from natural and planted Norway spruce stands - Romania. - Rom. Biotechnol. Lett. 23,5: 13946-13953
- MASÁN, P. (2018): A morphological re-evaluation of *Pachyseius humeralis* Berlese, 1910 (Acari, Mesostigmata, Pachylaelapidae). - ZooKeys 790: 35-44
- MASÁN, P. / MOJAHED, S. / HAJIZADEH, J. / HOSSEINI, R. / AHADIYAT, A. (2018): On remarkable *Pachylaelaps* species with unusual sperm induction system in females (Acari, Mesostigmata, Pachylaelapidae). - Syst. Appl. Acarol. 23,9: 1726-1740
- MASCARENHAS, C.S. / BERNARDON, F.F. / GASTAL, S. / MÜLLER, G. (2018): Checklist of the parasitic nasal mites of birds in Brazil. - Syst. Appl. Acarol. 23,8: 1672-1692
- MEEHAN, M.L. / SONG, Z. / PROCTOR, H. (2018):* Roles of environmental and spatial factors in structuring assemblages of forest-floor Mesostigmata in the boreal region of Northern Alberta, Canada. - Intern. J. Acarol. 44,7: 300-309
- MENDES, J.A. / LIMA, D.B. / SOUSA NETO, E.P. / GONDIM, M.G.C. / MELO, J.W.S. (2018): Functional response of *Amblyseius largoensis* to *Raoiella indica* eggs is mediated by previous feeding experience. - Syst. Appl. Acarol. 23,10: 1907-1914
- MIRZA, J.H. / KAMRAN, M. / ALATAWI, F.J. (2018): Response of the predatory mite *Cydnozeius negevi* (Acari, Phytoseiidae) to webbing of the date palm mite, *Oligonychus afrasiaticus* (Acari, Tetranychidae),

- on date palm fruits and leaves. - Exp. Appl. Acarol. 75,4: 445-455
- MOMEN, F.M. / ABDELKADER, M.M. / FAHIM, S.F. (2018):* Composition, repellent and fumigant toxicity of *Mentha longifolia* essential oil on *Tetranychus urticae* and three predatory mites of the family Phytoseiidae (Acari: Tetranychidae, Phytoseiidae). - Acta Phytopathol. Entomol. Hung. 53,2: 221-232
- MONJARÁS-BARRERA, J.I. / CHACÓN-HERNÁNDEZ, J.C. / CERNA-CHÁVEZ, E. / OCHOA-FUENTES, Y.M. / AGUIRRE-URIBE, L.A. / LANDEROS-FLORES, J. (2018): Sublethal effect of Abamectin in the functional response of the predator *Phytoseiulus persimilis* (Athias-Henriot) on *Tetranychus urticae* (Koch) (Acari: Phytoseiidae, Tetranychidae). - Braz. J. Biol. 79,2: 273-277
- MURVANIDZE, M. / TODRIA, N. / MUMLADZE, L. / KALATZISHVILI, L. (2018): Diversity of soil mite communities in different habitats of Sakhori quarries, Georgia. - Persian J. Acarol. 7,3: 297-305
- NAPIERALA, A. / KSIAZKIEWICZ-PARULSKA, Z. / BŁOSZYK, J. (2018): A red list of mites from the suborder Uropodina (Acari: Parasitiformes) in Poland. - Exp. Appl. Acarol. 75,4: 467-490
- N'DRI, J.K. / POKOU, P.K. / SÉKA, F.A. / D'DA, R.A.G. / LAGERLÖF, J. (2018): Edaphic characteristics and environmental impact of rubber tree plantations on soil mite (Acari) communities. - Acarologia 58,4: 951-962
- NEGM, M.W. / MOHAMED, A.A. / EL-GEHALY, H.M.K. / ABDELAZIZ, S.M. (2018): Mesostigmata mites (Acari: Parasitiformes) associated with birds and their nests from Egypt. - Turk. J. Zool. 42: 722-731
- NEMATI, A. / GWIAZDOWICZ, D.J. / KHALILI-MOGHADAM, A. (2018): New data on the knowledge of *Gaeolaelaps* mites (Acari: Mesostigmata, Laelapidae). - Acarologia 58,3: 710-734
- NEMATI, A. / GWIAZDOWICZ, D.J. / KHALILI-MOGHADAM, A. (2018): On *Androlaelaps elegantulus* (Berlese) and *Gaeolaelaps brevipilis* (Hirschmann, Bernhard, Greim & Götz) with a key to the *Gaeolaelaps* mites of Iran. - Intern. J. Acarol. 44,6: 227-235
- OKSUZ, F. / TIXIER, M.-S. / OZMAN-SULLIVA, S.K. (2018):* Occurrence of phytoseiid species on vegetables in Samsun province, Turkey. - IOBC-WPRS Bull. 134: 82-83
- ORLOVA, M.V. / ORLOV, O.L. (2018): First record of the parasitic gamasid mite *Spinturnix emarginatus* (Kolenati, 1856) in Crimea. - Acarina 26,2: 237-242
- ORLOVA, M.V. / ORLOV, O.L. / KAZAKOV, D.V. / ZHIGALIN, A.V. (2018): Peculiarities of the seasonal biology of ectoparasites of the genus *Spinturnix* von Heyden, 1826 (Mesostigmata: Gamasina, Spinturnicidae) in the boreal zone of the Palearctic Region. - Biol. Bull. 45,4: 359-367
- OTTAVIANO, M.F.G. / ALONSO, M. / CÉDOLA, C. / PASCUA, M. / ROGGIERO, M. / GRECO, N. (2018): Overwintering of the Argentine strain of *Neoseiulus californicus* (Acari, Phytoseiidae). - Exp. Appl. Acarol. 76,3: 311-323
- PALEVSKY, E. / GAL, S. / BUCKI, P. / BROWN MIYARA, S. (2018):* Identification and evaluation of soil borne predatory mites for root knot nematode control in protected organic cropping systems. - IOBC-WPRS Bull. 134: 30-32
- PÉREZ-RODRIGUEZ, J. / CALVO, J. / URBANEJA, A. / TENA, A. (2018): The soil mite *Gaeolaelaps (Hypoaspis) aculeifer* (Canestrini) (Acari, Laelapidae) as a predator of the invasive citrus mealybug *Delottococcus aberiae* (De Lotto) (Hemiptera, Pseudococcidae): Implications for biological control. - Biol. Contr. 127: 64-69
- PÉREZ-SAYAS, C. / AGUILAR-FENOLLOSA, E. / HURTADO, M.A. / JAQUES, J.A. / PINA, T. (2018): When do predatory mites (Phytoseiidae) attack? Understanding their diel and seasonal predation patterns. - Insect Sci. 25: 1056-1064
- PROCTOR, H.C. / WALTER, D.E. (2018): The causes & consequences of being small: an exploration of what it means to be a mite in four acts. - Intern. J. Acarol. 44,8: 347-348
- QUEIROZ, M.C.V. / SATO, M.E. (2018):* Pesticide toxicity in a pyrethroid resistant strain of *Phytoseiulus macropilis* (Acari, Phytoseiidae). - IOBC-WPRS Bull. 134: 50-51
- RAELE, D.A. / GALANTE, D. / PUGLIESE, N. / LA SALANDRA, G. / LOMUTO, M. / ASSUNTA CAFIERO, M. (2018): First report of *Coxiella burnetii* and *Borrelia burgdorferi* sensu lato in poultry red mites, *Dermanyssus gallinae* (Mesostigmata, Acari), related to urban outbreaks of dermatitis in Italy. - New Microbe and New Infect 23: 103-109
- REVYNTHI, A.M. / VERKLEIJ, D. / JANSSEN, A. / EGAS, M.

- (2018):* Artificial selection for aerial dispersal tendency in *Phytoseiulus persimilis* (Acari, Phytoseiidae). - IOBC-WPRS Bull. 134: 14-15
- REZAEI, M. / NEJAD, R.J. (2018): The effect of different factors on mass rearing of predatory mite *Neoseiulus californicus* (McGregor) (Acari, Phytoseiidae). [Orig. Pers.] - J. Appl. Res. Plant Prot. 7,1: 85-97
- RIAHI, E. / FATHIPOUR, Y. / TALEBI, A.A. / MEHRABADI, M. (2018): Interactions among food diets and rearing substrates affect development and population growth rate of *Typhlodromus bagdasarjani*. - Syst. Appl. Acarol. 23,9: 1845-1856
- RONDEAU, S. / GIOVENAZZO, P. / FOURNIER, V. (2018): Risk assessment and predation potential of *Stratiolaelaps scimitus* (Acari, Laelapidae) to control *Varroa destructor* (Acari, Varroidae) in honey bees. - PLOS ONE 13,12: e208812; 18 pp. DOI: 10.1371/journal.pone.0208812
- RUEDA-RAMIREZ, D.M. / RIOS-MALAYER, D.M. / VARELA-RAMIREZ, A. / DE MORAES, G.J. (2018): Colombian population of the mite *Gaeolaelaps aculeifer* as a predator of the thrips *Frankliniella occidentalis* and the possible use of an astigmatid mite as its factitious prey. - Syst. Appl. Acarol. 23,12: 2359-2372
- SAITOH, F. / CHOH, Y. (2018): Role of kin recognition in oviposition preference and cannibalism by the predatory mite *Gynaeseius liturivorus*. - Exp. Appl. Acarol. 76,2: 149-160
- SAMARAS, K.A. / FYTAS, E. / KARAGEORGIU, V. / TOUFEXI, S. / PAPPAS, M.L. / BROUFAS, G.D. (2018):* Intraguild predation among exotic and native phytoseiids as influenced by pollen provisioning. - IOBC-WPRS Bull. 134: 96-97
- SANKARA, R.K. / VISHNUPRIYA, R. / RAMARAJU, K. (2018):* Effect of host plants on the biology of predatory mite, *Neoseiulus longispinosus* (Evans) cultured on two spotted spider mite, *Tetranychus urticae* Koch. - J. Entomol. Res. 42,3: 333-337
- SCHAUSBERGER, P. / SEITER, M. / RASPOTNIG, G. / PENEDER, S. / CHRISTIANSEN, I. (2018):* Moving forward in putting predatory mite learning into practice: prey cue analyses and organizational upward cascades. - IOBC-WPRS Bull. 134: 3-5
- SEEMAN, O.D. / NAHRUNG, H.F. (2018):* In short - or long-term relationships, size does matter: body size patterns in the Mesostigmata (Acari: Parasitiformes). - Intern. J. Acarol. 44,8: 360-366
- SEIEDY, M. / TORK, M. (2018):* Prey preference of predatory mite *Amblyseius swirskii* (Athias-Henriot) (Acari, Phytoseiidae) on untreated and Beauveria bassiana-treated of *Trialeurodes vaporariorum* (Homoptera, Aleyrodidae). [Orig. Pers.] - J. Plant Prot. 31,3: 511-517
- SENICZAK, S. / GRACZYK, R. / SENICZAK, A. / FLANCZYK-KOZIRÓG, K. / KACZMAREK, S. / MARQUARDT, T. (2018): Microhabitat preferences of Oribatida and Mesostigmata (Acari) inhabiting lowland beech forest in Poland and the trophic interactions between these mites. - Eur. J. Soil. Biol. 87: 25-32
- SHAIN, G. / ÖZBEK, H.H. (2018): **Mites of the family Pachylaelapidae in Bayburt Province, Turkey (Acari: Mesostigmata), with a new record and three new species. - Zootaxa 4514 (2): 243-255**
- SHANG, S.-Q. / CHEN, Y.-N. / BAI, Y.-L. (2018): The pathogenicity of entomopathogenic fungus *Acremonium hansfordii* to two-spotted spider mite, *Tetranychus urticae* and predatory mite *Neoseiulus barkeri*. - Syst. Appl. Acarol. 23,11: 2173-2183
- SHIMODA, T. / HINOMOTO, N. (2018):* A novel method for protecting slow-release sachets of predatory mites *Neoseiulus californicus* (McGregor) against environmental stresses and for increasing release of predators in greenhouses. - IOBC-WPRS Bull. 134: 20-22
- SIDORCHUK, E. / VORONTSOV, D.D. (2018): Preparation of small-sized 3D amber samples: state of the technique. - Palaeoentomology 1,1: 80-90
- SOLTANIYAN, A. / KHERADMAND, K. / FATHIPOUR, Y. / SHIRDEL, D. (2018):* Suitability of pollen from different plant species as alternative food sources for *Neoseiulus californicus* (Acari, Phytoseiidae) in comparison with a natural prey. - J. Econ. Entomol. 111,5: 2046-2052
- SOYSAL, M. / AKYAZI, R. (2018): Mite species of the vegetable crops in Ordu Province with first report of *Amblyseius rademacheri* Dosse, 1958 (Mesostigmata, Phytoseiidae) in Turkey. - Türk. Entomol. Derg. 42,4: 265-286
- STOJNIC, B. / MLADENOVIC, K. / MARCIC, D. (2018):* Spider mites and predatory mites (Acari: Tetranychidae,

- Phytoseiidae) on stone fruit trees (*Prunus* spp.) in Serbia. - Intern. J. Acarol. 44,7: 322-329
- STOJNIC, B. / MLADENOVIC, K. / MARCIC, D. (2018):* Species composition of spider mites and predatory mites (Acari: Tetranychidae, Phytoseiidae) on *Rubus* spp. in Serbia. - IOBC-WPRS Bull. 134: 79-81
- SUGAWARA, R. / ULLAH, M.S. / HO, C.-C. / GOTOH, T. (2018):* Impact of temperature-mediated functional responses of *Neoseiulus womersleyi* and *N. longispinosus* (Acari, Phytoseiidae) on *Tetranychus urticae* (Acari, Tetranychidae). - Biol. Contr. 126: 26-35
- SUGIOKA, N. / KAWAKAMI, M. / HIRAI, N. / OSAKABE, M. (2018):* Improved UV-resistance by pollen feeding in phytoseiid mite. - IOBC-WPRS Bull. 134: 28-29
- SUN, W. / SARKAR, S.C. / XU, X. / LEI, Z. / WU, S. / MENG, R. (2018): The entomopathogenic fungus *Beauveria bassiana* used as granules has no impact on the soil-dwelling predatory mite *Stratiolaelaps scimitus*. - Syst. Appl. Acarol. 23,11: 2165-2172
- THAKUR, M.P. / GRIFFIN, J.N. / KUNNE, T. / DUNKER, S. / FANESI, A. / EISENHAEUER, N. (2018): Temperature effects on prey and basal resources exceed that of predators in an experimental community. - Ecol. Evol. 8,24: 12670-12680
- THOMAS, E. / ZOLLER, H. / LIEBISCH, G. / ALVES, L.F.A. / VETTORATO, L. / CHIUMMO, R.M. / SIGOGNAULT-FLOCHLAY, A. (2018): In vitro activity of fluralaner and commonly used acaricides against *Dermanyssus gallinae* isolates from Europe and Brazil. - Parasit. Vect. 11: 361; 10 pp. DOI: 10.1186/s13071-018-2956-8
- TIXIER, M.-S. (2018): Predatory mites (Acari, Phytoseiidae) in agro-ecosystems and conservation biological control: a review and explorative approach for forecasting plant-predatory mite interactions and mite dispersal. - Front. Ecol. Evol. 6: 192; 21 pp. DOI: 10.3389/fevo.2018.00192
- TIXIER, M.-S. (2018):* Why multidisciplinary approaches for controlling mite pests? - IOBC-WPRS Bull. 134: 69-70
- TIXIER, M.-S. / MARTIN, J.-F. (2018):* Metabarcoding for rapidly identifying Phytoseiidae predatory mite species. - IOBC-WPRS Bull. 134: 76-78
- TRACH, V.A. / BOBYLEV, A.N. (2018): Description of the female of the myrmecophilous mite *Antennophorus goesswaldi* Wisniewski et Hirschmann, 1992 (Acari, Mesostigmata, Antennophoridae). - Acarina 26,2: 227-235
- TRACH, V.A. / JOHARCHI, O. (2018): Mites of the family Laelapidae (Acari, Mesostigmata) associated with scarab beetles in Ukraine. - Vestn. Zool. 52,3: 217-228
- TRACH, V.A. / KHAUSTOV, A.A. (2018): New records of bark beetle-associated mites of the genus *Pleuronectocelaeno* Vitzthum (Mesostigmata, Celenopsidae) in Asian Russia with first description of male of *Pleuronectocelaeno japonica* Kinn. - Syst. Appl. Acarol. 23,11: 2259-2268
- TRINCADO, R.D. / MARTIN, J.P.I. / MÉNDEZ ROSA, D.D. / LOPES, P.C. / DE MORAES, G.J. (2018): **Phytoseiid mites (Acari, Phytoseiidae) from Chile, with descriptions of three new species and a redescription of *Chileseius camposi*.** - Zootaxa 4482(2): 322-340
- TÜRKAY, M. / FRITZ, U. / SCHMITT, T. / XYLANDER, W. ET AL. (2018): Chapter 28 Frankfurt, Dresden, Görlitz, Müncheberg: Senckenberg: its zoological collections and their histories. In: BECK, L.A. (Ed.), Zoological collections of Germany, Natural History Collections. - Springer International Publishing AG: 317-371
- ULLAH, M.S. / SUGAWARA, R. / GOTOH, T. (2018):* Temperature-mediated functional responses of *Neoseiulus womersleyi* and *N. longispinosus* (Acari, Phytoseiidae) to *Tetranychus urticae* (Acari, Tetranychidae). - IOBC-WPRS Bull. 134: 18-19
- URBANOWSKI, C.K. / HORODECKI, P. / KAMCZYC, J. / SKORUPSKI, M. / JAGODZINSKI, A.M. (2018): Succession of mite assemblages (Acari, Mesostigmata) during decomposition of tree leaves in forest stands growing on reclaimed post-mining spoil heap and adjacent forest habitats. - Forests 9: 718; 24 pp. DOI: 10.3390/f9110718
- WALTER, D.E. / STIRLING, G.R. (2018): Microarthropods in Australian sugarcane soils: A survey with emphasis on the Mesostigmata as potential regulators of nematode populations. - Acarologia 58,3: 673-682
- WANG, C.-H. / HOSOMI, A. / GOTOH, T. (2018):* Continuously exhausting air (hypobaric treatment) to selectively control spider mites *Tetranychus urticae* and *T. kanzawai* (Acari, Tetranychidae) and its impact on their natural enemy

Neoseiulus californicus (Acari, Phytoseiidae). - IOBC-WPRS Bull. 134: 16-17

WANG, C.W. / MA, Y.Y. / HUANG, Y. / XU, J.H. / CAI, J.Z. / PAN, B.L. (2018):* An efficient rearing system rapidly producing large quantities of poultry red mites, *Dermanyssus gallinae* (Acari, Dermanyssidae), under laboratory conditions. - Veter. Parasitol 258: 38-45

Publications, additions 2017

ABBASPOUR, P. / NAMAGHI, H.S. / FEKRAT, L. (2017): Soil-inhabiting Mesostigmatic mites (Acari) of Mashhad County, Razavi Khorasan Province of Iran. [Orig. Pers.] - J. Plant Prot. 30,4: 744-753

AZEVEDO, L.H. / CASTILHO, R.C. / BERTO, M.M. / DE MORAES, G.J. (2017): Macrochelid mites (Mesostigmata, Macrochelidae) from Sao Paulo state, Brazil, with description of a new species of *Macrocheles*. - Zootaxa 4269 (3): 413-426

BALAN, P. (2017): Zerconid mites (Acari, Mesostigmata, Zerconidae) of the zone of mixed forests of Ukraine. [Orig. Ukrain.] - Bull. T. Shevchenko Nat. Univ. Kyiv, Ser. Biol. 73,1: 17-19

BRASESCO, C. / GENDE, L. / NEGRI, P. / SZAWARSKI, N. / IGLESIAS, A. / EGUARAS, M. / RUFFINENGO, S. / MAGGI, M. (2017): Assessing in vitro acaricidal effect and joint action of a binary mixture between essential oil compounds (Thymol, Phellandrene, Eucalyptol, Cinnamaldehyde, Myrcene, Carvacrol) over ectoparasitic mite *Varroa destructor* (Acari, Varroidae). - J. Apic. Sci. 61,2: 203-215

HRABOVSKA, S.L. / MYKOLAİKO, I.I. (2017): Mites of Phytoseiidae (Acari, Parasitiformes) in urban vegetative plantations. [Orig. Ukr.] - Ukr. J. Ecol. 7,2: 216-222

LI, L. / LIN, Z.-G. / WANG, S. / SU, X.-L. / GONG, H.-R. / LI, H.-L. / HU, F.-L. / ZHENG, H.-Q. (2017): The effects of clove oil on the enzyme activity of *Varroa destructor* Anderson and Trueman (Arachnida: Acari, Varroidae). - Saudi J. Biol. Sci. 24: 996-1000

PENNINGTON, T. / KRAUS, C. / ALAKINA, E. / ENTLING, M.H. / HOFFMANN, C. (2017): Minimal pruning and reduced plant protection promote predatory mites in grapevine. - Insects 8: 86; 9 pp. DOI:10.3390/insects8030086

TELLO MERCADO, V.E. / ZARZAR MAZA, M.E. / SUAREZ PANTOJA, A.M. (2017): Functional response of *Cydnodromus picanus* (Acari, Phytoseiidae) on two-spotted spider mite, *Tetranychus urticae* (Acari, Tetranychidae). - Acta Agron. 66,2: 275-281

TWARDOWSKI, J. / GRUSS, I. / KORDAS, L. (2017): Effects of soil regeneration methods on beneficial mesofauna in a spring triticale field. - J. Centr. Eur. Agric. 18,3: 616-631

YORULMAZ SALMAN, S. / TURAN, I. (2017): Side effects of four acaricides on the predatory mites of *Neoseiulus californicus* McGregor and *Phytoseiulus persimilis* Athias-Henriot (Acari, Phytoseiidae). - J. Nat. Appl. Sci. 21,1: 216-223

ZHANG, X.-F. / YI, T.-C. / GUO, J.-J. / JIN, D.-C. (2017): Two new species of Hoplomegistidae (Acari: Mesostigmata) associated with passalid beetles from China. - Syst. Appl. Acarol. 22,6: 797-814

Publications, additions 2016

ABOLGHASEMI, S. / KAZEMI, S. (2016): A new record of the genus *Dendrolaelaps* Halbert (Acari: Mesostigmata, Digamasellidae) from Iran. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 510

BABAEIAN, E. / SABOORI, A. (2016): First report of the family Cillibidae (Acari: Uropodina) from Asia. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 487

BHUYAN, P.J. / NATH, A.J. (2016): Record of tropical rat mite, *Ornithonyssus bacoti* (Acari: Mesostigmata, Macronyssidae) from domestic and peridomestic rodents (*Rattus rattus*) in Nilgiris, Tamil Nadu, India. - J. Arthropod-Borne Dis. 10,1: 98-101

BOCHANI, A. / TAHMASEBI, Z. / MOHAMMADI, H. (2016): Interactions of black common bean - two spotted spider mite - predatory mite *Phytoseiulus persimilis*. [Orig. Pers.] - J. Appl. Res. Plant Prot. 5,2: 137-148

BOHLOOLZADEH, M. / ZAHEDI-GOLPAYEGANI, A. / SABOORI, A. /

- ALLAHYARI, H. (2016): Group formation tendency in larvae of six phytoseiid mite species. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 694
- CALUGAR, A. / IVAN, O. (2016): Soil microarthropods and their bioindicator value regarding the bio-edaphic conditions in forest ecosystems of Danube Delta. - Studia Univ. "Vasile Goldis", Ser. Stiint. Vietii 26,2: 215-219
- DE ALMEIDA, J.C. / MARTINS, M.A. / GUEDES, P.G. / PERACCHI, A.L. / SERRA-FREIRE, N.M. (2016): New records of mites (Acari, Spinturnicidae) associated with bats (Mammalia, Chiroptera) in two Brazilian biomes: Pantanal and Caatinga. - Braz. J. Vet. Parasitol. 25,1: 18-23
- DUSTBAR-SHARAF, M.M. / SHIRDEL, D. / MIRFAKHRAIE, S. (2016): Introduction to some edaphic mesostigmatic mites (Acari: Mesostigmata) from Arasbaran forests, North of East Azerbaijan Province. [Orig. Pers.] - J. Appl. Res. Plant Prot. 5,2: 227-242
- FARMAHINY FARAHANI, V.R. / AHADIYAT, A. / MASÁN, P. / DEHVARI, M.A. (2016): Phoretic uropodine mites (Acari: Mesostigmata) associated with the red palm weevil, *Rhynchophorus ferrugineus* (Coleoptera, Curculionidae) in Iran. - J. Ent. Acarol. Res. 48,3: 317-322
- GHADIM MOLLALOO, M. / KHERADMAND, K. / SADEGHI, R. / TALEBI, A.A. (2016): Study of life table parameters of the predatory mite *Neoseiulus californicus* (Acari, Phytoseiidae) by applying sublethal concentrations of pyridaben and spiromesifen. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 729
- HAJALIZADEH, Z. / ASADI, M. / AHMADI, K. / BALVASI, A. (2016): Haplotype determination of *Varroa destructor* (Acari, Varroidae) in Southern provinces of Iran. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 514
- ISWELLA, E. / PUDJIANTO / SANTOSO, S. (2016): Predation capacities of *Neoseiulus longispinosus* Evans (Acari, Phytoseiidae) against *Tetranychus urticae* Koch and *Tetranychus kanzawai* Kishida (Acari, Tetranychidae) and its cannibalistic behavior. [Orig. Indon.] - Indon. J. Entomol. 13,3: 165-172
- KHALES, T. / KAZEMI, S. (2016): A new record of the genus *Polyaspis* Berlese (Acari: Mesostigmata, Polyaspididae) from Iran. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 518
- KHALILI-MOGHADAM, A. / NEMATI, A. / SAEIDI, Z. / KABIRI, H. (2016): Fauna of *Pneumolaelaps* Berlese (Mesostigmata, Laelapidae) in some parts of Iran. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 515
- KHALILI-MOGHADAM, A. / SABOORI, A. (2016): Faunistic studies on Ameroseiidae (Acari: Mesostigmata) in some parts of Iran and report of a new species of *Epicriopsis* Berlese. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 511
- MOAYERI, H.S. / PIRAYESHFAR, F. / SAFAVI, S.A. / BOLANDNAZAR, A. (2016): Acaricidal effect of menthol, thymol and their mixtures against *Tetranychus urticae* Koch and the predaceous mite, *Amblyseius swirskii* Athias-Henriot. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 744
- NADERI, S. / MIRFAKHRAIE, S. / SAFARALIZADEH, M. (2016): Fauna of Mesostigmata (Acari: Trombidiformes) in straw caches of some of the villages in Marivan and Urmia. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 505
- NEZHADVERDY, M. / KAVOUSI, A. (2016): Side-effects of Palizin® and Tondexir® as environmentally safe pesticides on the predatory mite, *Phytoseiulus persimilis*. In: TALAEI-HASSANLOUI, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 752
- OMIDI, J. / HADIZADEH, A. / SHARIF, M.M. (2016): Species diversity of phytoseiid mites on different ecosystems

in Sari district. [Orig. Pers.] - J. Agroecol. 7,4: 461-472

PIRAYESHFAR, F. / CHAVOSHI, S.H. / MOAYERI, H.S. / BOLANDNAZAR, A. (2016): Acaricidal effect of formulated peppermint essential oil against two species of Tetranychid mites and predaceous mite *Amblyseius swirskii* (Acari, Phytoseiidae). In: TALAEI-HASSANLOU, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 818

REZAIE, F. / AHADIYAT, A. / JOHARCHI, O. / BAHRAMI, F. (2016): Mesostigmata mites order associated with insects of North Khorasan Province. In: TALAEI-HASSANLOU, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.), Proceedings of the 22th Iranian Plant Protection Congress, Karaj. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 512

RIBEIRO, N. / CAMARA, C. / RAMOS, C. (2016): Toxicity of essential oils of *Piper marginatum* Jacq. against *Tetranychus urticae* Koch and *Neoseiulus californicus* (McGregor). - Chil. J. Agric. Res. 76,1: 71-76

TALAEI-HASSANLOU, R. / RAHIMI, S. / EBRAHIMI, V. (Eds.) (2016): Proceedings of the 22th Iranian Plant Protection Congress, 27-30 August 2016, Karaj, Iran. - College of Agriculture and Natural Research, University of Tehran, Karaj, Iran: 835 pp.

Publications, additions 2015

AMANI, M. / KHAJEHALI, J. / NOORBAKSH, F. / JOHARCHI, O. / SABZALIAN, M.R. (2015): Species diversity of Laelapid soil mites (Acari, Laelapidae) under different land use types in Saman and Shahrekord. - Iran. J. Appl. Ecol. 4,13: 89-99

HANEEF, P.K.S. / SADANANDAN, M.A. (2015):* Description of a new species of predatory mite (Acari, Phytoseiidae: Mesostigmata) from Kerala, India. - J. Threat. Taxa 7,5: 7164-7167

MENTZ, M.B. / DE SILVA, G.L. / SILVA, C.E. (2015): Dermatitis caused by the tropical fowl mite *Ornithonyssus bursa* (Berlese) (Acari, Macronyssidae): a case report in humans. - Rev. Soc. Brasil. Med. Trop. 48,6: 786-788

Publications, additions 2014

BAGHERI KORDESHAMI, A. / KHAJEHALI, J. / NEMATI, A. (2015): Some edaphic mesostigmatic mites from Lordegan, Chaharmahal Bakhtiari province with their world distribution. - J. Crop. Prot. 4,4: 589-604

CÉDOLA, C. / CASTRESANA, J. (2014): First record of *Typhlodromus (Anthoseius) transvaalensis* (Acari, Phytoseiidae) from Argentina. - Rev. Soc. Ent. Argent. 73,1-2: 61-63

KNEE, W. (2014): New species of parasitic nasal mites infesting birds in Manitoba, Canada (Mesostigmata, Rhinonyssidae). - ZooKeys 786: 1-17

KUN, M. / VEGA, R.M. (2014): First record of the nasal mite *Rallinyssus caudistigmus* Strandtmann (Acari, Rhinonyssidae) from Argentina. - Rev. Soc. Ent. Argent. 73,1-2: 97-100

MORALES-RAMOS, J.A. / ROJAS, M.G. (2014): A modular cage system design for continuous medium to large scale In Vivo rearing of predatory mites (Acari, Phytoseiidae). - Psyche 2014: 596768; 8 pp. DOI: 10.1155/2014/596768

Nomina nova

The names of new taxa are listed here as far as we have received the papers. Their validity was not examined here. The authors of new combinations and new synonyms are written in [brackets].

Type-material information as follows:

Chapalania erichi Gwiazdowicz & Nemati, 2018 (Page: 1942¹) – TYPES: HT² + PT² - MHNJP³, PT² - APAS³

1 – first page of the description

2 – holotype (HT), paratypes (PT) or syntypes (ST)

3 – abbreviations of the places of storage of new types, as far as they were cited in the publications

Abbreviations of the places of storage of new types

AETMU - Acarological Collection, Department of Entomology, Faculty of Agriculture, Tarbiat Modares University, Tehran, Iran

ALCU - Acarology Laboratory, Department of Plant Protection, Cukurova University, Adana, Turkey

ALIAU - Acarology Laboratory, Islamic Azad University, Shiraz, Iran

ALUG - Acarology Laboratory, Department of Plant Protection, University of Guilan, Guilan, Iran

ALUU - Acarology Laboratory of Urmia University, Urmia, Iran

ANIC - Australian National Insect Collection, CSIRO Division of Entomology, Canberra, Australia

APAS - Acarological Laboratory, Department of Plant Protection, Agricultural College, Shahrekord University, Shahrekord, Iran

ASFEU - Arts and Sciences Faculty, Biology Department, Erzincan University, Erzincan, Turkey

CNC - Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada

DBPU - Department of Biology of Pamukkale University, Denizli, Turkey

ESALQ/USP - Escola Superior de Agricultura “Luiz de Queiroz”, Universidade de Sao Paulo, Departamento de Entomologia e Acarologia, Piracicaba, Brazil

FAAS - Fujian Academy of Agricultural Sciences, Plant Protection Research Institute, Fuzhou, China

FAFU - Fujian Agricultural and Forestry University, Department of Plant Protection, Fuzhou, China

FCAV/USP - Faculdade de Ciencias Agrárias e Veterinárias, Universidade de Sao Paulo, Departamento de Fitosanidade, Jaboticabal, Brazil

GIABR - Guangdong Institute of Appplied Biological Resources, Guangzhou, China

GUGC - Guizhou University, Institute of Entomology, Guiyang, Guizhou, China

IZSAS - Institute of Zoology, Slovak Academy of Sciences, Bratislava, Slovakia

JAZM - Jalal Afshar Zoological Museum, Acarological Collection, University of Tehran, Karaj, Iran

KWU - Kazimierz Wielki University, Department of Evolutionary Biology, Bydgoszcz, Poland

MHNG - Muséum d’Histoire Naturelle, Genève, Switzerland

MHNJP - Museo de Historia Natural “Javier Prado”, Universidad Nacional Mayor de San Marcos, Lima, Peru

MNCN - Museo Nacional de Ciencias Naturales, Madrid, Spain

MNHNCL - Museo Nacional de Historia Natural de Chile, Santiago, Chile

MUSM - Museo de Historia Natural, Universidad Nacional Mayor de San Marcos, Lima, Peru

MZUNAV - Museum of Zoology, University of NAVarra, Pamplona, Spain

NIBR - National Institute of Biological Resources, Incheon, Republic of Korea

NMNH - National Museum of Natural History, Smithsonian Institution, National Insect and Mite Collection, Beltsville, USA

NMNS - National Museum of Natural Sciences, Taichung, Taiwan

NTU - National Taiwan University, Department of Entomology, Taipei, Taiwan

ONUDZ - I. I. Mechnikov Odessa National University, Department of Zoology, Odessa, Ukraine

OSAC - Oregon State University Arthropod Collection, Corvallis, USA

OSAL - Ohio State University, Museum of Biological Diversity, Acarology Laboratory, Columbus, Ohio, USA

PMANU - Department of Plant Medicinals, Andong National University, Andong, Republic of Korea

QM - Queensland Museum, South Brisbane, Queensland, Australia

SIZK - I. I. Schmalhausen Institute of Zoology, National Academy of Sciences of Ukraine, Kiev, Ukraine

SMNG - Senckenberg Museum für Naturkunde Görlitz, Görlitz, Germany

TSUMZ - Tyumen State University Museum of Zoology, Tyumen, Russia

UESC - Universidade Estadual de Santa Cruz, Laboratório de Entomologia, Ilhéus, Bahia, Brazil

UNAP - Universidad Arturo Prat, Laboratory of Entomology, Facultad de Recursos Naturales Renovables, Iquique, Chile

UPLB - University of Philippines Los Banos, Museum of Natural History, Laguna, Republic of Philippines

UPV - Universidad Politécnica de Valencia, Institut Agroforestal Ecosystems, Valencia, Spain

YIAU - Yazd Branch, Islamic Azad University, Department of Plant Protection, Yazd, Iran

ZISP - Zoological Institute of the Russian Academy of Sciences, Saint Petersburg, Russia

ZMJU - Zoological Museum of the Jagiellonian University, Cracow, Poland

ZMUB - Zoological Museum, University Bergen, Bergen, Norway

ZMUO - Museum of Zoology, I.I. Mechnikov Odessa National University, Odessa, Ukraine

ZSM - Zoologische Staatssammlungen München, München, Germany

New species

Acantholaelaps strategus Joharchi, Halliday, Tolstikov & Trach, 2019 (Page: 331) – TYPES: HT + PT - TSUMZ, PT - ZISP

Allogynaspis flechmanni Krantz, 2018 (Page: 152) – TYPES: HT - NMNH, PT - OSAC, OSAL, CNC, ESALQ/USP, ANIC

Amblyseius basaensis Fang & Wu, 2019 (Page: 573) – TYPES: no information

Ameroseius analiculus Ma, Lin & Dai, 2018 (Page: 112) – TYPES: HT + PT - FAAS

Ameroseius rotundanalisis Ma, Lin & Dai, 2018 (Page: 113) – TYPES: HT + PT - FAAS

Angulobaloghia bruneiensis Kontschán, 2018 (Page: 1367) – TYPES: HT + PT - MHNG

Angulobaloghia pallgergelyi Kontschán, 2018 (Page: 1370) – TYPES: HT + PT - MHNG

Antennoseius gwiazdowiczi Kavianpour & Nemati, 2018 (Page: 246) – TYPES: HT - APAS, PT - JAZM, SMNG

Arrenoseius robertogonzalezi Trincado & Martin, 2018 (Page: 324) – TYPES: HT + PT - ESALQ/USP, PT - MNHNCL

Asca floraspermatheca Ma, Lin & Dai, 2018 (Page: 31) – TYPES: HT + PT - FAAS

Chapalania erichi Gwiazdowicz & Nemati, 2018 (Page: 1942) – TYPES: HT + PT - MHNJP, PT - APAS

Chelonuropoda peruesis Kontschán & Friedrich, 2018

- (Page: 125) – TYPES: HT - MUSM, PT - ZSM
- Cosmolaelaps ekaterinae* Masán & Babaeian, 2019 (Page: 496) – TYPES: HT + PT - IZSAS, PT - JAZM
- Cosmolaelaps siberiensis* Joharchi, 2019 (Page: 77) – TYPES: HT + PT - TSUMZ
- Cosmolaelaps sidorchukae* Joharchi & Trach, 2019 (Page: 487) – TYPES: HT + ZMUO, PT - TSUMZ
- Euseius oolong* Liao & Ho, 2018 (Page: 2193) – TYPES: HT - NTU, PT - GIABR, NMNS
- Evimirus xizangensis* Ma, Lin & Dai, 2018 (Page: 34) – TYPES: HT - FAAS
- Gaeolaelaps lankaensis* Joharchi, Khaustov & Ermilov, 2019 (Page: 564) – TYPES: HT + PT - TSUMZ, PT - ZISP
- Gaeolaelaps setillus* Joharchi, Khaustov & Ermilov, 2019 (Page: 569) – TYPES: HT + PT - TSUMZ, PT - ZISP
- Gaeolaelaps scarites* Joharchi & Saeidi, 2019 (Page: 120) – TYPES: HT + PT - JAZM, PT - YIAU, AETMU
- Gaeolaelaps zanzibarensis* Joharchi, Halliday, Khaustov & Ermilov, 2018 (Page: 25) – TYPES: HT + PT - TSUMZ, PT - ANIC
- Graminaseius neograminis* Döker, Kazak & Karut, 2019 (Page: 736) – TYPES: HT + PT - ALCU
- Graminaseius recebi* Döker, Kazak & Karut, 2019 (Page: 732) – TYPES: HT + PT - ALCU
- Holostaspis ambigua* Babaeian, Masán & Halliday, 2019 (Page: 306) – TYPES: HT + PT - IZSAS, PT - JAZM
- Hypoaspis expaventralis* Ma, Lin & Dai, 2018 (Page: 22) – TYPES: HT + PT - FAAS
- Hypoaspisella bernhardi* Joharchi, Halliday, Khaustov & Ermilov, 2018 (Page: 28) – TYPES: HT + PT - TSUMZ, PT - ANIC
- Ivorina taiensis* Kontschán, 2019 (Page: 1065) – TYPES: HT + PT - MHNG
- Laelaspis angustiseta* Khalili-Moghadam, Saboori, Nemati & Golpayegani, 2018 (Page: 223) – TYPES: HT - JAZM, PT - APAS, SMNG
- Lasioseius gabriellae* Santos & Argolo, 2018 (Page: 1668) – TYPES: HT - ESALQ/USP, PT - UESC
- Lasioseius jorgeamadoi* Santos & Argolo, 2018 (Page: 1572) – TYPES: HT - ESALQ/USP, PT - UESC
- Lasioseius pedaspinosus* Ma & Lin, 2018 (Page: 121) – TYPES: HT - FAAS
- Lasioseius semicircmetapodalis* Ma, Lin & Dai, 2018 (Page: 27) – TYPES: HT + PT - FAAS
- Leioseius halimus* Lindquist & Moraza, 2018 (Page: 1991) – TYPES: HT + PT - CNC, PT - MZUNAV
- Leioseius tuberculatus* Lindquist & Moraza, 2018 (Page: 1998) – TYPES: HT + PT - CNC, PT - MZUNAV
- Leptogamasus (Medioperigamasus) lamelligynus* Witalinski, 2019 (Page: 490) – TYPES: HT + PT - ZMJU
- Leptogamasus (Medioperigamasus) parvus* Witalinski, 2019 (Page: 495) – TYPES: HT + PT - ZMJU
- Leptogamasus (Medioperigamasus) ramosus* Witalinski, 2019 (Page: 499) – TYPES: HT + PT - ZMJU
- Leptogamasus (Medioperigamasus) sarcidanus* Witalinski, 2019 (Page: 504) – TYPES: HT + PT - ZMJU
- Leptogamasus (Medioperigamasus) sasha* Witalinski, 2019 (Page: 510) – TYPES: HT + PT - ZMJU
- Macrocheles embersoni* Azevedo, Castilho & Berto, 2017 (Page: 416) – TYPES: HT + PT - ESALQ/USP
- Megisthanus manonae* Seeman, 2019 (Page: 14) – TYPES: HT + PT - QM, PT - ANIC
- Megisthanus simoneae* Seeman, 2019 (Page: 17) – TYPES: HT + PT - QM, PT - ANIC
- Megisthanus southcotti* Seeman, 2019 (Page: 22) – TYPES: HT + PT - QM, PT - ANIC
- Megisthanus womersleyi* Seeman, 2019 (Page: 27) – TYPES: HT + PT - QM
- Megisthanus zachariei* Seeman, 2019 (Page: 33) – TYPES: HT + PT - QM
- Metaseiulus relictus* Trincado & Martin, 2018 (Page: 332) – TYPES: HT + PT - ESALQ/USP, PT - MNHNCL

- Mucroseius insolitus* Trach, Khaustov & Lindquist, 2019 (Page: 764) – TYPES: HT - ZMUO, PT - ONUDZ, TSUMZ, CNC
- Multidentorhodacarus tocaninensis* Azevedo & Castilho, 2019 (Page: 326) – TYPES: HT + PT - FCAV/USP, PT - ESALQ/USP
- Myrmozercon andongensis* Joharchi, Jung & Keum, 2018 (Page: 310) – TYPES: HT + PT - PMANU, PT - NIBR
- Neoseiulus akimovi* Kolodochka, 2018 (Page: 303) – TYPES: HT + PT - SIZK
- Neoseiulus brachychaetus* Kolodochka, 2018 (Page: 301) – TYPES: HT + PT - SIZK
- Neoseiulus tarapacensis* Peralta & Tello, 2019 (Page: 152) – TYPES: HT + PT - UNAP
- Neoseiulus viticolus* Trincado & Martin, 2018 (Page: 329) – TYPES: HT + PT - ESALQ/USP, PT - MNHNCL
- Olopachys elongatus* Babaeian, 2019 (Page: 357) – TYPES: HT + PT - JAZM
- Olopachys iraniensis* Mojahed, Hajizadeh, Hosseini & Ahadiyat, 2019 (Page: 47) – TYPES: HT + PT - ALUG, PT - JAZM
- Onchodellus montanus* Shain & Özbek, 2018 (Page: 251) – TYPES: HT+ PT - ASFEU
- Onchodellus turcicus* Shain & Özbek, 2018 (Page: 249) – TYPES: HT+ PT - ASFEU
- Ophiomegistus michaeli* Halliday, 2019 (Page: 421) – TYPES: HT + PT - ANIC
- Pachylaelaps (Longipachylaelaps) bayburtensis* Shain & Özbek, 2018 (Page: 245) – TYPES: HT+ PT - ASFEU
- Pachylaelaps prodigiosus* Masán, Mojadeh, Hajizadeh & Hosseini, 2018 (Page: 1727) – TYPES: HT + PT - IZSAS, PT - ALUG
- Pachyseius subhumeralis* Masán, 2018 (Page: 41) – TYPES: HT + PT - IZSAS
- Philippinozercon makilingensis* Gerdeman, Garcia, Herczak & Klompen, 2018 (Page: 11) – TYPES: HT + PT - OSAL, PT - UPLB
- Rotundabaloghia (Circobaloghia) leonensis* Kontschán, 2019 (Page: 20) – TYPES: HT + PT - MHNG
- Schizocyrtillus fuzhouensis* Xu, Li & Zhang, 2019 (Page: 327) – TYPES: HT+ PT - FAFU
- Stenosternum bifurcata* Zhang, Yi, Guo & Jin, 2017 (Page: 805) – TYPES: HT + PT - GUGC
- Stenosternum cordata* Zhang, Yi, Guo & Jin, 2017 (Page: 799) – TYPES: HT + PT - GUGC
- Sternostoma gallowayi* Knee, 2004 (Page: 3) – TYPES: HT + PT - CNC
- Thalassogamasus kurilensis* Makarova, 2019 (Page: 475) – TYPES: HT - ZISP, PT - CNC
- Thalassogamasus sidortschukae* Makarova, 2019 (Page: 460) – TYPES: HT - ZISP, PT - CNC
- Transeius guangheensis* Fang & Wu, 2019 (Page: 576) – TYPES: no information
- Transeius pungi* Ferragut, 2019 (Page: 830) – TYPES: HT + PT - MNCN
- Trichouropoda imitmacrochaeta* Ma & Lin, 2018 (Page: 108) – TYPES: HT - FAAS
- Trichouropoda orszaghisimilis* Ma & Lin, 2018 (Page: 109) – TYPES: HT + PT - FAAS
- Trichouropodella nemenyii* Kontschán, 2019 (Page: 99) – TYPES: HT + PT - MHNG
- Typhlodromus (Anthoseius) recurvitremus* Ferragut, 2019 (Page: 847) – TYPES: HT + PT - MNCN
- Typhlodromus baeticus* Ferragut, 2018 (Page: 900) – TYPES: HT + PT - MNCN, PT - UPV
- Urodepressa guatemalaensis* Kontschán, 2018 (Page: 240) – TYPES: HT + PT - MHNG
- Uropoda peculiariseta* Ma, Lin & Dai, 2018 (Page: 116) – TYPES: HT + PT - FAAS
- Vitznyssus erici* Knee, 2004 (Page: 10) – TYPES: HT + PT - CNC
- Zercon kastamonuensis* Urhan, 2019 (Page: 3) – TYPES: HT + PT - DBPU

Zercon ostovani Javan, Karaca & Urhan, 2018 (Page: 596)
– TYPES: HT + PT - ALIAU

Zercon persicus Kavianpour, Karaca, Karimpour & Urhan,
2018 (Page: 365)– TYPES: HT+PT - APAS, PT - ALUU

Zercon shevtchenkoi Faleńczyk-Koziróg, Shevchyk,
Pylypenko & Kaczmarek, 2018 (Page: 838) – TYPES:
HT + PT - ZMUB, PT - KWU

New genera

Acantholaelaps Joharchi, Halliday, Tolstikov & Trach,
2019 (Page: 329) – Typ. sp.: *Acantholaelaps strategus*
Joharchi, Halliday, Tolstikov & Trach, 2019

Allogynaspis Krantz, 2018 (Page: 151) – Typ. sp.:
Allogynaspis flechtmanni Krantz, 2018

Coprocarpais Hrúzová & Fenda, 2018 (Page: 34) – Typ.
sp.: *Parasitus copridis* Costa, 1963

Ivorina Kontschán, 2019 (Page: 1064) – Typ. sp.: *Ivorina*
taiensis Kontschán, 2019

Philippinozercon Gerdeman, Garcia, Herczak & Klompen,
2018 (Page: 10) – Typ. sp.: *Philippinozercon*
makilingensis Gerdeman, Garcia, Herczak & Klompen,
2018

Thalassogamasus Makarova, 2019 (Page: 458) – Typ. sp.:
Thalassogamasus sidortschukae Makarova, 2019

Urodepressa Kontschán, 2018 (Page: 239) – Typ. sp.:
Urodepressa guatemalaensis Kontschán, 2018

New subgenera

Leptogamasus (*Medioperigamasus*) Witalinski, 2019 (Page:
488) – Typ. sp.: *Leptogamasus* (*Medioperigamasus*)
lamelligynus Witaliński, 2019

New family

Trichouropodellidae Kontschán, 2019 (Page: 97) – Typ.
gen.: *Trichouropodella* Hirschmann & Zirmgiebl-Nicol,
1972

New combinations

Androlaelaps elegantulus (Berlese, 1903) – [Nemati,
Gwiazdowicz & Khalili-Moghadam, 2018: 227]

Arctoseiodes schusteri (Hirschmann, 1966) – [Lindquist
& Moraza, 2018: 1987]

Chanteius pedion (Ahmad, Chaudhri & Akbar, 1992) –
[Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1056]

Chanteius sanitas (Ahmad, Chaudhri & Akbar, 1992) –
[Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1056]

Coprocarpais copridis (Costa, 1963) – [Hrúzová & Fenda,
2018: 36]

Coprocarpais geotrupidis (Makarova, 1996) – [Hrúzová
& Fenda, 2018: 36]

Coprocarpais gregarius (Ito, 1976) – [Hrúzová & Fenda,
2018: 36]

Coprocarpais heliocopridis (Oudemans, 1910) – [Hrúzová
& Fenda, 2018: 36]

Coprocarpais japeti (Oudemans, 1914) – [Hrúzová &
Fenda, 2018: 36]

Coprocarpais lunariphilus (Makarova, 1996) – [Hrúzová
& Fenda, 2018: 36]

Coprocarpais novilunariophilus (Ma & Bai, 2014) –
[Hrúzová & Fenda, 2018: 36]

Coprocarpais quadrichaetus (Ma & Cui, 1999) – [Hrúzová
& Fenda, 2018: 36]

Dyneogamasus bisiculus (Tseng, 1995) – [Hrúzová &
Fenda, 2018: 39]

Dyneogamasus pinatus (Tseng, 1995) – [Hrúzová & Fenda,
2018: 39]

Dyneogamasus scirpiculatus (Tseng, 1995) – [Hrúzová &
Fenda, 2018: 39]

Holostaspis acuminatus (Berlese, 1903) – [Babaeian,
Masán & Halliday, 2019: 305]

Holostaspis flexuosa (Michael, 1891) – [Babaeian, Masán
& Halliday, 2019: 305]

- Holostaspis iranica* (Babaeian & Nemati, 2014) – [Babaeian, Masán & Halliday, 2019: 305] = *Cydnoseius negevi* (Swirski & Amitai, 1961)
- Holostaspis michaeli* (Joharchi, 2013) – [Babaeian, Masán & Halliday, 2019: 305] = *Amblydromella opacatus* Ahmad, Chaudhri & Akbar, 1993 – [Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1055] = *Cydnoseius negevi* (Swirski & Amitai, 1961)
- Holostaspis submontana* (Bai, Gu & Chen, 1994) – [Babaeian, Masán & Halliday, 2019: 305] = *Amblydromella soporis* Ahmad, Chaudhri & Akbar, 1993 – [Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1055] = *Cydnoseius negevi* (Swirski & Amitai, 1961)
- Leioseius aegypticus* (Hirschmann, 1966) – [Lindquist & Moraza, 2018: 1987] = *Amblydromella tyrannus* Ahmad, Chaudhri & Akbar, 1992 – [Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1055] = *Cydnoseius negevi* (Swirski & Amitai, 1961)
- Leioseius brasiliensis* (Hirschmann, 1966) – [Lindquist & Moraza, 2018: 1987]
- Leioseius kargi* (Hirschmann, 1966) – [Lindquist & Moraza, 2018: 1987] = *Amblydromella zoros* Ahmad, Chaudhri & Akbar, 1992 – [Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1055] = *Cydnoseius negevi* (Swirski & Amitai, 1961)
- Leioseius longitrichus* (Hirschmann, 1966) – [Lindquist & Moraza, 2018: 1987] = *Androlaelaps trifurcatoides* Yan & Ma, 1999 – [Nemati, Gwiazdowicz & Khalili-Moghadam, 2018: 713] = *Gaeolaelaps queenslandicus* (Womersley, 1956)
- Phorytocarpais kempersi* (Oudemans, 1903) – [Makarova, 2019: 460] = *Androlaelaps trifurcatus* Wang & Li, 1965 – [Nemati, Gwiazdowicz & Khalili-Moghadam, 2018: 713] = *Gaeolaelaps queenslandicus* (Womersley, 1956)
- Reticulolaelaps elsaе* (Joharchi, Babaeian & Jalalizand, 2016) – [Nemati, Khalili-Moghadam & Gwiazdowicz, 2019: 80] = *Asioheterozercon* Fain, 1989 – [Gerdeman, Garcia, Herczak & Klompen, 2018: 9] = *Allozercon Vitzthum*, 1926
- Reticulolaelaps jilinensis* (Ma, 2004) – [Nemati, Khalili-Moghadam & Gwiazdowicz, 2019: 93] = *Hypoaspis tripodiger* Berlese, 1916 (Page: 167) – [Nemati, Gwiazdowicz & Khalili-Moghadam, 2018: 713] = *Gaeolaelaps queenslandicus* (Womersley, 1956)
- Taiwanoparasitus brachysternalis* (Ma & Lin, 2005) – [Hrúzová & Fenda, 2018: 39] = *Myrmonyssus (Laelaspulus)* Berlese, 1904 – [Babaeian, Masán & Halliday, 2019: 302] = *Holostaspis Kolenati*, 1857
- Taiwanoparasitus longiscidiformis* (Ma & Lin, 2005) – [Hrúzová & Fenda, 2018: 39] = *Ololaelaps paratasmanicus* Ryke, 1962 – [Babaeian, Ghobari & Samani, 2019: 352] = *Ololaelaps tasmanicus* Womersley, 1956
- Thalassogamasus lindrothi* (Sellnick, 1974) – [Makarova, 2019: 480] = *Parasitus (Neogamasus) anderssoni* Sellnick, 1974 – [Makarova, 2019: 480] = *Thalassogamasus lindrothi* (Sellnick, 1974)

New synonyms

- Amblydromella canaster* Shahid, Siddiqui & Chaudhri, 1983 – [Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1055] = *Cydnoseius negevi* (Swirski & Amitai, 1961)
- Amblydromella fivoris* Ahmad, Chaudhri & Akbar, 1993 – [Kamran, Halliday, Bashir, Honey & Afzal, 2019: 1055]

New status

- Hypoaspisella* Bernhard in Karg, 1962 – [Joharchi, Halliday, Khaustov & Ermilov, 2018: 26]

Subscription form

I wish to subscribe to ACARI – Bibliographia Acarologica 3 issues per volume and year		
Institution and library	20 € (incl. 7% VAT = 1,31 €), incl. postage and handling	<input type="checkbox"/>
personal	10 € (incl. 7% VAT = 0,65 €) incl. postage and handling	<input type="checkbox"/>
I cannot cover the costs in convertible currency. I request in publication exchange for my articles about mites <u>one issue per year</u> . (Please indicate the issue chosen by ticking square below.)		
	Mesostigmata	<input type="checkbox"/>
	Oribatida	<input type="checkbox"/>
	Actinedida	<input type="checkbox"/>

Please write your address exactly and legibly!

name _____
address _____

Date

Signature

Please return this form to:

Dr A. Christian
Senckenberg Museum für Naturkunde Görlitz
Am Museum 1
02826 Görlitz
Germany

Fax.: 0049-3581-4760 5101
E-Mail: axel.christian@senckenberg.de

19 (1) · 2019

Christian, A. & K. Franke

Mesostigmata No. 30 1–27

Acarological literature 1

Publications 2019 1

Publications 2018 9

Publications, additions 2017 19

Publications, additions 2016 19

Publications, additions 2015 21

Publications, additions 2014 21

Nomina nova 22

New species 23

New genera 26

New subgenera 26

New family 26

New combinations 26

New synonyms 27

New status 27