

HP Designjet 4520 Printer series

For High

Production



Ideal for color production and unattended printing

Unattended color production at low cost

- Take advantage of unattended color printing with two long media rolls up to 575 ft (175 meters) and reliable 775-ml black, 400-ml color Original HP ink cartridges.
- Double your print capacity and truly maximize productivity with HP Double Swath technology and 160 GB hard disk.
- Experience areater cost efficiency with free HP support, HP supplies that deliver a better value, and finishing options that save time and money.

Provides great possibilities to grow your business

- Experience more possibilities to increase your personal productivity with the HP Instant Printing Utility 2.0, HP Embedded Web Server, and the optional Serif PosterDesigner Pro for HP⁽¹⁾.
- Turn your HP Designjet into a print workflow management system with optional stacker and SCP reprocontrol for HP⁽²⁾.
- Produce excellent lines and images with patented HP inks, printheads enabling 0.1% line accuracy⁽³⁾, and HP Professional Color technologies.
- Expand your business with high performance copy and scan capabilities⁽⁴.
- Choose from a broad portfolio of over 35 Original HP media for high-quality results from CAD drawings and renders to presentations and posters.

100

D/A1

775-ml black

400-ml color

160 GB

hard disk

Trusted integration in your IT environment

- Trusted connectivity and security-with built-in Gigabit Ethernet networking, advanced access control and optional HP Jetdirect support for secure IPsec and IPv6⁽⁵. A Linux PS driver offers additional support for Linux users⁽⁶.
- Manage your HP Designjet, fleet of devices, and your costs with HP Web Jetadmin and the embedded Web server.
- Experience true peace of mind with a printer and printing supplies you know you can trust-from a company with years of experience and expertise.



- (1 Serif PosterDesigner Pro for HP is an optional feature. Not included, sold separately.
- (2 SCP reprocontrol for HP is an optional feature. Not included, sold separately
- (3 +/-0.1% of the specified vector length or +/-0.1 mm (whichever greater) at 73° F (23° C), 50-60% relative humidity, on E/A0 printing material in Best or Normal mode with HP Matte Film
- (4 The HP Designjet 4520 Scanner comes standard on the HP Designjet 4520 HD-MFP. It is an optional (not included, sold separately) accessory on the HP Designjet 4520 and 4520ps printers.
- (5 IPsec and IPv6 support requires the purchase of the HP Jetdirect 630n or HP Jetdirect 635n.
- (6 Available on the HP Designjet 4520ps Printer and HP Designjet 4520 HD-MFP only. Support in English only.

Optional





HP Designjet 4520 Printer series

- 1. Ink cartridge of 225 and 400-ml for CMY, and 400 and 775-ml for K.
- 2. Accommodates 2 media rolls with long roll support up to 575 ft (175 m)
- 3. Front panel with user-friendly animations.
- 4. Color consistency and screen-to-print matching with HP Professional Color technologies.
- 5. Pairs of staggered printheads in the carriage mean the HP Designjet 4520 Printer series has double the print capacity of earlier models⁽⁷.
- 6. HP Embedded Web Server for driverless file submission, queue management, preview, supplies and printer status, and error notification.
- 7. HP Embedded Jetdirect Gigabit Ethernet print server (1000Base-T) + 2 FireWire (IEEE-1394a compliant) ports.
- 8. EIO port for optional Jetdirect cards.
- 9. Embedded processor for simultaneous printing and processing. 160 GB hard disk and 608 MB standard memory-upgradeable to 1120 MB.
- 10. Equipped with a standard bin that holds 25 D (A1) prints. An optional stacker is capable of flattening and stacking up to 200 plots.
- (7 Compared to any HP Designjet 600/700/800/1000 Printer





6.



HP Designjet 4520 Printer series at a glance

HP Designjet 4520 Printer

- Embedded processor and 608 MB memory upgradeable up to 1120 MB. 160 GB hard disk

- HP Designjet 4520ps PrinterAll the features of the 4520 model, plus:Embedded RIP for Adobe PostScript 3, Adobe PDF 1.5

HP Designjet 4520 HD-MFP

Optional accessories

7.

- HP Designjet 512 MB Memory Upgrade
 HP Designjet High Speed USB 2.0 Card
 HP Jetdirect 630n IPv6 Gigabit Print Server
 HP Jetdirect 635n IPv6/IPsec Print Server

Optional service and support

Ideal for unattended printing of high-quality large-format drawings, graphics, maps, presentations, renders, and posters¹.

Full flexibility from the HP Designjet 4520 Printer series



More functionality with the HP Designjet 4520 HD-MFP

With scan speeds of 3 inches per second color and 10 inches per second black-and-white, 2 D (A1)-size prints in less than 1 minute⁽⁸⁾, and excellent image quality (508 dpi optical resolution and up to 9600 dpi enhanced resolution), the HP Designjet 4520 HD-MFP delivers outstanding copy and scan performance. The integrated copy system of this Designjet features real-time printer, media, and queue info in the scanner user interface, copy accounting in the printer, and copy job priority capability.

An easy-to-use touchscreen, easy color calibration, and easy print settings for printing sets make scanning and copying exceptionally user-friendly. It is easy to integrate with a wide variety of industry-leading third-party applications such as scan, raster-to-vector conversion,

This MFP is fully compatible. Easily print scanned documents directly to almost any HP Designjet printer[®]. Built-in scan-to-network capabilities foster productivity with fewer steps. Easily save scanned files in PDF, TIFF, JPEG2000, and DWF file formats.

HP Designjet 4500 Stacker (optional)

The HP Designjet 4500 Stacker collects up to 200 D (AT) or E (AO) size plots and automatically flattens them, keeping them organized until you can gather them. Print unattended runs during business hours—and get more done—or overnight. Free up production staff to work on multiple projects at once. The HP Designjet 4500 Stacker handles large black-and-white or color jobs without intervention. Unattended printing allows users to get

more done. Save time and collect your valuable, high-impact output as it prints with the HP Designjet 4500 Stacker. When you're ready to gather your output, it will be organized and waiting for you. Neatly and cleanly collects all sizes and weights of printable media supported by the HP Designjet 4520 Printer series¹⁰, including over 35 Original HP printing materials from new HP Cockle-free Coated Paper available in 100 g/m² and 170 g/m², to new chlorine-free HP Recycled Bond Paper made of 100% recycled base paper, to versatile HP Everyday Adhesive Matte Polypropylene and HP Durable Banner with DuPont[™] Tyvek[®].

HP Designjet 4520 Printer series

	25 sec/page on D/A1 ⁽⁸ , 1000 ft²/hr (93 m²/hr) ⁽¹⁾ , 100 D/A1 prints per hour ⁽¹²
nr	
Print resolution	Up to 2400 x 1200 optimized dpi
Margins (top x bottom x left x right)	0.2 x 0.2 x 0.2 x 0.2 in (5 x 5 x 5 x 5 mm)
Technology	HP Thermal Inkjet
Ink cartridge colors	Black, cyan, magenta, yellow
Ink types	Dye-based (cyan, magenta, yellow), pigment-based (black)
Ink drop	5 pl (cyan, magenta, yellow), 15 pl (black)
Line accuracy	+/- 0.1% ³
Line Width	Minimum line width (HP-GL/2 addressable): 0.0007 in (0.02 mm) Guaranteed minimum line thickness (ISO/IEC 13660:2001(E))*: 0.0027 in (0.07 mm)
inter media	
Thickness	Up to 15.7 mil (0.4 mm)
Weight	0.11 to 0.72 lb (50 to 328 g/m ²)
Size	Rolls up to 42 in (1067 mm) wide
can ⁽⁴	
Scan speed	Color (200 dpi/400 dpi Turbo): 3 in/sec (76 mm/sec)
'	Black-and-white (200 dpi/400 dpi Turbo): 10 in/sec (254 mm/sec)
Scan/copy resolution	Enhanced mode: 9600 x 9600 dpi, with variable resolution settings from
	50 dpi in increments of 1 dpi
	Best mode: 300 x 300 dpi
	Normal mode: 200 x 200 dpi
	Draft mode: 150 x 150 dpi
Maximum scan width	42 in (1067 mm)
Maximum scan thickness	0.6 in (15 mm)
emory	
Printer	608 MB memory (upgradeable to 1120 MB), 160 GB hard disk
Scanner ⁽⁴	1 GB memory, 40 GB hard disk
edia Handling	
Printers	Two automatic rolls, automatic roll-switching, automatic cutter
Scanner ⁽⁴	Straight-through scan paper path for sheet and cardboard originals
edia Types	
Printers	Bond and coated paper, technical paper, film, photographic paper, proofing paper, self-adhesive, banner and
	sign material
Scanner ⁽⁴	· · · · · · · · · · · · · · · · · · ·
	Non-abrasive paper, vellum, Mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard.
Stacker	(No plywood, stone plates, metal plates or abrasive, dirty, rough, sharp edged, metal clamped, or burned surfaces or transparencies)
JICKEI	Paper (plain, inkiet, coated, heavyweight coated, super heavyweight coated, semi-gloss, translucent bond,
and a straight stars	natural tracing, photo, vellum) ¹³
onnectivity Interfaces (standard): Printers	
	1 Gigabit Ethernet (1000Base-T) port, 2 FireWire (IEEE-1394a compliant) ports, 1 EIO Jetdirect accessory slot
Interfaces (standard): Scanner ⁽⁴	1 Gigabit Ethernet (1000Base-T) port, 1 FireWire (IEEE-1394a compliant) port
Drivers (included)	HP-GL/2, HP-RTL, PostScript ⁶ drivers for Windows; HP PCL 3 GUI, PostScript ⁶ drivers for Mac OS X 10.4/10.5;
int law manages (stars down)	support for Citrix XenApp and Citrix XenServer environments
int languages (standard)	
4520	HPGL/2, HPRTL, TIFF, JPEG, CALS G4
4520ps & 4520 HD-MFP	Adobe PostScript 3, Adobe PDF 1.5, HPGL/2, HP.RTL,TIFF, JPEG, CALS G4
imensions (h x d x w) Printer	7(
Scanner ⁽⁴	76 x 31.5 x 53.2 in (1930 x 800 x 1350 mm)
Stacker	70.8 x 40.2 x 54.3 in (1800 x 1020 x 1380 mm)
	50.63 x 61.77 x 44.69 in (1286 x 1569 x 1135 mm)
Shipping Printer	83.9 x 30.5 x 74.4 in (2130 x 775 x 1890 mm)
al	75.0 04.0 04.0 (1010 400 415
	75.2 x 26.8 x 24.2 in (1910 x 680 x 615 mm) 55.1 x 31.9 x 23.6 in (1400 x 810 x 23.6 mm)
Shipping Scanner ⁽⁴ Shipping Stacker	
Shipping Stacker	
Shipping Stacker leight	
Shipping Stacker (eight Printer	408 lb (185 kg)
Shipping Stacker feight Printer Scanner ⁽⁴	408 lb (185 kg) 204 lb (92.5 kg)
Shipping Stacker Frinter Scanner ⁴⁴ Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg)
Shipping Stacker feight Printer Scanner ¹⁴ Stacker Shipping Printer	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg)
Shipping Stacker eight Printer Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 5991 lb (272.3 kg) 269 lb (122 kg)
Shipping Stacker Frinter Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴ Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg)
Shipping Stacker Frinter Scanner ⁴ Stacker Shipping Printer Shipping Scanner ⁴ Shipping Stacker hat's in the box	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg)
Shipping Stacker eigh Printer Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (92.5 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module,
Shipping Stacker Frinter Scanner ⁴ Stacker Shipping Printer Shipping Scanner ⁴ Shipping Stacker hat's in the box	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 5991 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD,
Shipping Stacker Frinter Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴ Shipping Stacker Frat's in the box HP Designjet 4520/4520ps	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cod
Shipping Stacker Frinter Scanner ⁴ Stacker Shipping Printer Shipping Scanner ⁴ Shipping Stacker hat's in the box	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (33 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PasterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC),
Shipping Stacker Frinter Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴ Shipping Stacker Frat's in the box HP Designjet 4520/4520ps	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide,
Shipping Stacker Frinter Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴ Shipping Stacker Frat's in the box HP Designjet 4520/4520ps	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42-in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide,
Shipping Stacker Frinter Scanner ⁴ Stacker Shipping Printer Shipping Scanner ⁴ Shipping Stacker hat's in the box HP Designjet 4520/4520ps HP Designjet 4520 HD-MFP	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord
Shipping Stacker Finiter Scanner ⁴ Stacker Shipping Printer Shipping Stacker Shipping Stacker Shipping Stacker HP Designjet 4520/4520ps HP Designjet 4520 HD-MFP Color image (100% color coverage) printed in Faut mod Milcoop printig, total printing time. Line draving pr	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif Poster/Designer Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord te in FeB indig the high Paper (Bond), Speed indicated is maximum printer speed.
Shipping Stacker Finiter Scanner ⁴ Stacker Shipping Printer Shipping Stacker Shipping Stacker Shipping Stacker HP Designjet 4520/4520ps HP Designjet 4520 HD-MFP Color image (100% color coverage) printed in Faut mod Milcoop printig, total printing time. Line draving pr	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42-in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord e on HP Bright White Inlyet Paper (Bond). Speed indicated is maximum printer speed.
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (1722 kg) 143.3 lb (65 kg) Printer, 42-in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord e on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fast node on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fast node on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fast node on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Including HP Clear Film and HP Mate Film or other media with long drying times.
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (92.5 kg) 116 lb (33 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheods (x8), printheod cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif Poster/Designer Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord te on HP Bright White high Poper (Bond), Speed indicated is maximum printer speed. Including HP Clear Film and HP Mate Film or other media with long drying times. 41 to 104° F (5 to 40° C)
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (1722 kg) 143.3 lb (65 kg) Printer, 42-in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord e on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fast node on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fast node on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fast node on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Including HP Clear Film and HP Mate Film or other media with long drying times.
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (1722 kg) 143.3 lb (65 kg) Printer, 42-in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentitoned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord te on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fat mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fat mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in Fat mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed. Inted in F15 to 40° C) 59 to 85° F16 to 30° C) 59 to 85° F16 to 30° C) 59 to 85° F16 to 30° C) 50 to 85° KH
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (33 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheods (x8), printheod leaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif Poster/Designer Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord e on HP Bright White high Poper (Bond), Speed indicated is maximum printer speed. Includin simum printer speed. Includin guide in Far Bright White High Poper (Bond), Speed indicated is maximum printer speed. Including HP Clear Film and HP Mate Film or other media with long drying times. 41 to 104" F 15 to 30" C] 41 to 104" F 15 to 30" C] 59 to 86" F (15 to 30" C]
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (35 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead leaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif Poster/Designer Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord e on FP BigH White hidje Paper (Bond), speed indicated is maximum printer speed. including HP Clear Film and HP Mate Film or other media with long drying times. 41 to 104" F15 to 30" C1 41 to 104" F15 to 30" C1 50 s0% RH 25 s0% RH
Shipping Stacker Shipping Stacker Printer Scanner ⁴⁴ Stacker Shipping Printer Shipping Scanner ⁴⁴ Shipping Scanner ⁴⁴ Shipping Stacker hat's in the box HP Designjet 4520/4520ps HP Designjet 4520/HD-MFP Color image (100% color coverage) printed in fast mod Mulicacy printing, test printing time. Line drawings pr Inter Presugned Stacker or support film, t Inter Presugned 20 Stacker or support film, t Stacker Stronge temperature Operating temperature Storage t	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 5991 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (55 kg) Printer, 42 in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord Is on HP Bright White Inkjet Paper (Bord), Speed indicated is maximum printer speed. Inteid in Tar node on HP Bright White Inkjet Paper (Bord), Speed indicated is maximum printer speed. Inteid in Tar node on HP Bright White Inkjet Paper (Bord), Speed indicated is maximum printer speed. Inteid in Tar node on HP Bright White Inkjet Paper (Bord), Speed indicated is maximum printer speed. Inteid in Tar node on HP Bright White Ref Paper (Bord), Speed indicated is maximum printer speed. Inteid in 104 ff (5 to 40° C) 9 to 86' F (15 to 30° C) 2 to 104 ff (5 to 40° C) 9 to 86' R H 2 to 75' R H
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead leaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord co nFB bigt White high Pope (Bond), speed indicated is maximum printer speed. including HP Clear Film and HP Mate Film or other media with long drying times. 41 to 104" F (5 to 40° C) 59 to 80% RH 25 to 75% RH 53 dB(A) 38 dB(A) 70 BIA
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 5991 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (55 kg) Printer, 42 in printer stand and bin, printheads (x8), printhead cleaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord Is on HP Bright White Inkjet Paper (Bord), Speed indicated is maximum printer speed. Interd in and the Mate Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 41 to 104" F (5 to 40" C) 594 bits Film or other media with long drying lines. 53 dB(A) 53 <tr< td=""></tr<>
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead leaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord co nFB bigt White high Pope (Bond), speed indicated is maximum printer speed. including HP Clear Film and HP Mate Film or other media with long drying times. 41 to 104" F (5 to 40° C) 59 to 80% RH 25 to 75% RH 53 dB(A) 38 dB(A) 70 BIA
Shipping Stacker Shipping Stacker Printer Scanner ⁴⁴ Stacker Stopping Printer Shipping Stacker Shipping Stacker Printer Shipping Stacker HP Designjet 4520/4520ps HP Designjet 4520/4520ps HP Designjet 4520 HD-MFP Color image (100% color coverage) printed in fast med Multicapy printing, ted printing time. Line drawings pr her HP Designjet 4520 HD-MFP Color image (100% color coverage) printed in fast med Multicapy printing, ted printing time. Line drawings pr her HP Designjet 4520 HD-MFP Color image (100% color coverage) printed in fast med Multicapy printing, ted printing time. Line drawings pr her HP Designjet 4520 HD-MFP Color image (100% color coverage) printed in fast med Multicapy printing, ted printing time. Line drawings pr Goenting temperature Sound pressre, active Sound pressre, activ	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) 99.1 bs (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) Printer, 42:in printer stand and bin, printheads (x8), printhead leaners (x8), introductory ink cartridges, roll module, user maintenance kit, quick reference guide, setup poster, Serif PosterDesigner Pro poster, documentation and drivers CD, power cord All the features mentioned above, plus HP Designjet 4520 Scanner, scanner stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2), Ethernet cable, power cord eon HP Bright White Inter Paper Bond), speed indicated is maximum printer speed. including HP Clear Film and HP Bright White Inter Paper Bond), speed indicated is maximum printer speed. including HP Clear Film and HP Mate Film or other media with long drying times. 41 hb 104* F15 tb 40* Cl 41 hb 104* F15 tb 40* Cl 52 hb 75% RH 53 dB(A) 33 dB(A) 34 kgA 50 watt, 800 watts ⁴
Shipping Stacker	408 lb (185 kg) 204 lb (92.5 kg) 116 lb (53 kg) 599.1 lb (272.3 kg) 269 lb (122 kg) 143.3 lb (65 kg) 97 143.3 lb (65 kg) 97 143.3 lb (65 kg) 98 99 99 99 99 99 90 90 91 92 91 92 93 94 94 95 95 95 95 96 96 97 96 97 97 97 98 97 98 96 97 98 98 98 98 98 98 98 98 98 98 98

USA and Canada (CSA certified), EU (IVD and EN60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), USA and Canada (Les Cananzes), Mexico (INCE) EU & China RoHS, WEEE, REACH, EuP Compliance for Class ATE products: EU (EMC Directive), USA (FCC Rules), Canada (ICES), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI); Certified as Class A product: Korea (MIC), Taiwan (BSMI) see: www.hp.com/go/energystar

PANTONE Digital Co

K

Adobe" PostScript" 3"

One-year limited hardware warranty

HP 3-Year Next Business Day Onsite HP Installation Service with Network Setup HP 3-Year Same Day Onsite Service (9x5) HP 3-Year Same Day Onsite Service (13x5)

″**°**

UN 397E H4518E UN 394E UN 390E

Mac Internal

4 ٢ Marki M. Busgingi 4200 4201 Prime:
Marki M. Busgingi 4200 4201 Prime:
Marki M. Busgingi 4200 4201 Prime:
Marki M. Busgingi 4201 Ball Feel Spindle
GARRA H. Busgingi 4201 Ball Feel Spindle
GARRA M. Star Descontrol for HF (1 prime)
CHABRA SC Prepresential for HF (1 prime)
CHABRA SC H P00 225ml Magen Infraded and Cleaner
CHABRA H. P00 275ml Black Inf. Carridge
CHABRA H. P00 275ml Black Inf. Carridge
CHABRA H. P00 275ml Black Inf. Carridge
CHABRA H. P00 275ml Black Inf. Carridge, 400-H, Value Pack
CHABRA H. P00 275ml Black Inf. Carridge, 400-H, Value Pack
CHABRA H. P00 Value Infraded Cleaner & Inf. Carridge, 400-H, Value Pack
CHABRA H. P00 Value Infraded Cleaner & Inf. Carridge, 400-H, Value Pack
CHABRA H. P00 Value Infraded Cleaner & Inf. Carridge, 400-H, Value Pack
CHABRA H. P00 Value Infraded Cleaner & Inf. Carridge, 400-H, Value Pack
CHABRA H. P00 Value Infraded Cleaner & Inf. Carridge, 400-H

More HP large-format printing material sizes and weights available at: www.hp.com/go/designjet/supplies

ecohighlights

HP DESIGNJET 4520 PRINTER'

ECO INFORMATION Save paper and avoid printing mistakes with HP Instant Printing Ulility 2.0
 Less ink wasted thanks to efficient installation and maintenance routine. Free, convenient cartridge recycling²
Supports 100% recycled media • ENERGY STAR® Qualified Product 1. Does not apply to 4520 HD-MFP 2. In countries where the HP's Planet Partner Program operates www.hp.com/ecosolutions Please recycle your printing hardware and supplies. Find out how at our website. (m)

© 2004, 2009 HewlettPackard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. PANTONE is the property of Pantone, Inc. Adobe and PostScript 3 are trademarks of Adobe Systems Incorporated. FireWire is a trademark of Apple Computer, Inc., registered in the U.S. and other contrise. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Windows is a U.S. registered trademark of Microsoft Corporation.

www.hp.com/go/designjet4520



Windov 4AA2-4845ENUC, March 2009

Environmental Electromagnetic ENERGY STAR® qualified models

HP Care Pack Services

Warranty