

ROAD

RACING

ALL ROUNDER | AERO

ENDURANCE

GRAVEL

TT & TRIATHLON

CYCLO-CROSS



SPECIALISSIMA - SUPER RECORD EPS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBY4
COLOR	SB - Black Carbon UD/Mermaid Scale,SC - CK16/ Mermaid Scale,SJ - Greenish Blue/Mermaid Scale, Tavolozza
FRAME	Specialissima Disc carbon w/Bianchi CV, 1.5" - 1.5" headset, 27,2mm seatpost, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, internal cable routing for disc brakes, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - upper 1.5", 36°- 45° ACB bearings, w/Carbon custom top cap specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-894/CR-1 compressor
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" integrated head, internal cable routing for disc brake, flat mount caliper, thru axle 12x100mm
SHIFTER	Campagnolo Super Record EPS 2x12sp
REAR DERAILLEUR	Campagnolo Super Record EPS 12sp
FRONT DERAILLEUR	Campagnolo Super Record EPS 12sp braze-on w/FD stiffness increaser
ELECTRIC CABLE	Campagnolo EPS V4 handlebar interface 12sp
BATTERY / MOUNT	Campagnolo EPS V4 12sp Power Unit
CHARGER / PWR CABLE	Campagnolo EPS battery charger kit for EPS V3/V4 12sp Power Unit. EEC, AUS, UK, USA compatible
CRANKSET	Campagnolo Super Record ultra-torque CT TI Carbon 50x34T, Crank Length: 170mm-47/53cm, 172.5mm- 55/59cm, 175mm-61cm

BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm
CHAIN	Campagnolo Super Record 12sp
CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp, 11-29T
BRAKE	Campagnolo Hydraulic Disc Brakes, flat mount calipers
BRAKE LEVER	included w/shifters
DISC ROTOR	Campagnolo 03 AFS, diam. 160mm
RIM/WHEELSET	Fulcrum Wind 400 DB 2WF C19, full carbon disc brake 700X19c, 40mm profile, clincher and tubeless system, thru axle front 12x100mm, rear 12x142mm
TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
STEM	FSA NS ACR, ST-OS-160, 3D Forged/CNC AL6061, 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm- 61cm
HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4J Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm- 59/61cm
GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm

SPECIALISSIMA - DURA ACE DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBY5	CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-24-27-30T
COLOR	SB - Black Carbon UD/Mermaid Scale,SC - CK16/Mermaid Scale,SJ - Greenish Blue/Mermaid Scale, Tavolozza	BRAKE	Shimano BR-R9170 Hydraulic disc brake, flat mount caliper
FRAME	Specialissima Disc carbon w/Bianchi CV, 1.5" - 1.5" headset, 27,2mm seatpost, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, internal cable routing for disc brakes, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	DISC ROTOR	Shimano SM-RT900 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Vision SC40 full carbon disc brake 700X19c, clincher and TLR system, Center Lock, thru axle front 12x100mm, rear 12x142mm, Center Lock
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - upper 1.5", 36°-45° ACB bearings, w/Carbon custom top cap specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-894/CR-1 compressor	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" integrated head, internal cable routing for disc brake, flat mount caliper, thru axle 12x100mm	STEM	Fsa NS ACR, ST-OS-160, 3D Forged/CNC AL6061, 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Dura Ace Di2 ST-R9170 2x11sp	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4f Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-R9150 SS 11sp, shadow design, direct attachment, Max 30T	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-R9150-F, braze-on type	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
ELECTRIC CABLE	Shimano Junction A EW-RS910, handlebar built-in type, e-tube port X2, charging port X1	SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Dura Ace FC-R9100 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit		
CHAIN	Shimano Dura Ace CN-HG901-11		

SPECIALISSIMA - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBY6	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T
COLOR	SB - Black Carbon UD/Mermaid Scale,SC - CK16/Mermaid Scale,SJ - Greenish Blue/Mermaid Scale, Tavolozza	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
FRAME	Specialissima Disc carbon w/Bianchi CV, 1.5" - 1.5" headset, 27,2mm seatpost, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, internal cable routing for disc brakes, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, tubeless ready, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - upper 1.5", 36°-45° ACB bearings, w/Carbon custom top cap specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-894/CR-1 compressor	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" integrated head, internal cable routing for disc brake, flat mount caliper, thru axle 12x100mm	STEM	Fsa NS ACR, ST-OS-160, 3D Forged/CNC AL6061, 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4f Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal Shadow Design, direct attachment, Max 30T	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
ELECTRIC CABLE	Shimano Junction A EW-RS910, handlebar built-in type, e-tube port X2, charging port X1	SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		

SPECIALISSIMA - RED ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBY8	CASSETTE / FREEWHEEL	Sram Red XG-1290 D1 12sp, 10-11-12-13-14-15-16-17-19-21-24-28T
COLOR	SB - Black Carbon UD/Mermaid Scale,SC - CK16/Mermaid Scale,SJ - Greenish Blue/Mermaid Scale, Tavolozza	BRAKE	included w/shifters
FRAME	Specialissima Disc carbon w/Bianchi CV, 1.5" - 1.5" headset, 27,2mm seatpost, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, internal cable routing for disc brakes, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Sram Centerline Road X 160mm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	RIM/WHEELSET	Vision SC40 full carbon disc brake 700X19c, clincher and TLR system, Centerlock, thru axle front 12x100mm - rear 12x142mm
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - upper 1.5", 36°-45° ACB bearings, w/Carbon custom top cap specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-894/CR-1 compressor	STEM	Fsa NS ACR, ST-OS-160, 3D Forged/CNC AL6061, 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" integrated head, internal cable routing for disc brake, flat mount caliper, thru axle 12x100mm	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4f Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SHIFTER	Sram Red eTap AXS D1 2x12sp	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
REAR DERAILLEUR	Sram Red eTap AXS D1 12sp	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
FRONT DERAILLEUR	Sram Red eTap AXS D1, brazed on type	SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm
BATTERY / MOUNT	Sram eTap EP Powerpack, 2 batteries		
CHARGER / PWR CABLE	Included w/battery		
CRANKSET	Sram Red D1 46x33T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Sram PressFit Road 86,5x41mm		
CHAIN	Sram Red D1 12sp		

SPECIALISSIMA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBY7	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T
COLOR	SB - Black Carbon UD/Mermaid Scale,SC - CK16/Mermaid Scale,SJ - Greenish Blue/Mermaid Scale, Tavolozza	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
FRAME	Specialissima Disc carbon w/Bianchi CV, 1.5" - 1.5" headset, 27,2mm seatpost, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, internal cable routing for disc brakes, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, tubeless ready, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - upper 1.5", 36°-45° ACB bearings, w/Carbon custom top cap specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-894/CR-1 compressor	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" integrated head, internal cable routing for disc brake, flat mount caliper, thru axle 12x100mm	STEM	Fsa NS ACR, ST-OS-160, 3D Forged/CNC AL6061, 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, hydraulic discbrake, Shimano Ultegra ST-R8025 2x11sp, smallerlever size for sizes 47/53cm	HANDLEBAR	Fsa Energy SCR Compact, Double Butted and tapered AL7050, 31.8mm, drop 125mm, reach 80mm, 4f Outward Bend, size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43.5mm	SEATPOST	Reparto Corse UD carbon shaft, forged alloy head, 15mm offset, diam. 27.2mm, length 350mm
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Antares R7, nylon carbon reinforced shell w/ WingFlex, S alloy rail, 274x142mm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		

SPECIALISSIMA DISC - FRAME KIT

CODE	XQB04
COLOR	SB: Black Carbon UD/Mermaid Scale,SC: CK16/Mermaid Scale,SJ: Greenish Blue/Mermaid Scale,Tavolozza
FRAME	Specialissima Disc carbon w/Bianchi CV, 1.5" - 1.5" headset, 27,2mm seatpost, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, internal cable routing for disc brakes, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.55R 1.5"/ACR/Bianchi, lower 1.5" - upper 1.5", 36° - 45° ACB bearings, w/Carbon custom top cap specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-894/CR-1 compressor
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" integrated head, internal cable routing for disc brake, flat mount caliper, thru axle 12x100mm
STEM	FSA NS ACR, ST-OS-160, 3D Forged/CNC AL6061, 31.8mm, rise -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4f Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm



SPECIALISSIMA - FRAME KIT

CODE	XPB27
COLOR	SB: Black Carbon UD/Mermaid Scale,SC: CK16/Mermaid Scale
FRAME	Specialissima super light carbon w/Bianchi CV, 1.1/8">1.4" headset, seatpost 27,2mm, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo
SEATPOST CLAMP	Carbon Ti X-Clamp 3, AL7075-T6 machined body and Titanium grade 5 M5 Screw, diam. 31.8mm
HEADSET	Fsa NO.44/CF-R, 1.1/8">1.4" w/alloy bearings, w/carbon cap 8.7mm, for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon w/Bianchi CV, 1.1/8">1.4"



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

SPRINT - FORCE ETAP AXS 12SP



CODE	YQBR8
COLOR	SW - Black/Graphite Full Glossy
FRAME	Sprint Disc carbon monocoque, mechanical/electronic shifting compatible, PressFit 86.5x41mm, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount calliper, thru axle 12x142mm, 32mm tires compatible, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" x 1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon 1.4" x 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm
SHIFTER	Sram Force eTap AXS D1 2x12sp
REAR DERAILLEUR	Sram Force eTap AXS D1 12sp
FRONT DERAILLEUR	Sram Force eTap AXS D1, brazed-on
BATTERY / MOUNT	Sram eTap EP Powerpack, 2 batteries
CHARGER / PWR CABLE	Included w/battery
CRANKSET	Sram Force D1 12sp 46x33T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram PressFit Road 86,5x41mm
CHAIN	Sram Force D1 12sp

CASSETTE / FREEWHEEL	Sram Force XG-1270 D1 12sp, 10-11-12-13-14-15-17-19-21-24-28-33T
BRAKE	Sram Force HydroC
BRAKE LEVER	included w/shifters
DISC ROTOR	Sram centerline Road 160mm
RIM/WHEELSET	Fulcrum Racing 618 disc brake, R600 aluminium asymmetric 622x17c, center lock AFS, thru axle front 12x100mm - rear 12x142mm, XDR body
TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, G2.0 Graphene, black
STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, diam. 27.2mm, Length 350mm
SADDLE	Selle Royal Seta S1, steel rails, 278x144mm

SPRINT - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBR4	BRAKE LEVER	included w/shifters
COLOR	ID - CK16 Glossy, SW - Black/Graphite Full Glossy	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
FRAME	Sprint Disc carbon monocoque, mechanical/electronic shifting compatible, PressFit 86,5x41mm, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount caliper, thru axle 12x142mm, 32mm tires compatible, sizes 47-50-53-55-57-59-61cm	RIM/WHEELSET	Vision Team 30 alloy, C19 disc brake clincher 622x19C, 30mm profile, thru axle front 12x100mm, rear 12x142mm
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, G2.0 Graphene, black
HEADSET	Fsa Orbit C-33, N0.44E, 1.1/8" > 1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
FORK	Bianchi Full Carbon 1.4" > 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, hydraulic discbrake, Shimano Ultegra ST-R8025 2x11sp, smaller lever size for sizes 47/53cm	GRIP / TAPE	Cork w/Bianchi logo
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, diam. 27,2mm, Length 350mm
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB71-41B, PressFit		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		

SPRINT - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBR5	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
COLOR	ID - CK16 full glossy, SW - Black/Graphite full glossy	RIM/WHEELSET	Vision Team 30 alloy, C19 disc brake clincher 622x19C, 30mm profile, thru axle front 12x100mm, rear 12x142mm
FRAME	Sprint Disc carbon monocoque, mechanical/electronic shifting compatible, PressFit 86,5x41mm, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount caliper, thru axle 12x142mm, 32mm tires compatible, sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, G2.0 Graphene, black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
HEADSET	Fsa Orbit C-33, N0.44E, 1.1/8" > 1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
FORK	Bianchi Full Carbon 1.4" > 1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
SHIFTER	Shimano 105 ST-R7020 2x11sp, Hydraulic discbrake, Shimano 105 ST-R7025 2x11sp smaller leversize for sizes 47-50-53cm	SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, diam. 27,2mm, Length 350mm
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed on type, 61-66°, for 46/53T CL 43.5mm		
BOTTOM BRACKET	Shimano SM-BB71-41B, PressFit		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano 105 BR-R7070, hydraulic disc brake, flatmount calipers		
BRAKE LEVER	included w/shifters		

SPRINT - 105 11SP

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBR3
COLOR	ID - CK16 glossy, SW - Black/Graphite glossy
FRAME	Sprint carbon monocoque, PressFit 86.5x41mm, mechanical and electronic shifting compatible, 28mm tires compatible, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8" x 1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon 1.4" x 1.1/8", 28mm tires compatible
SHIFTER	Shimano 105 ST-R7000 2x11sp
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed on type, 61-66°, for 46/53T CL 43.5mm
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB71-41B, PressFit
CHAIN	Kmc X11-1 EPT finish, 11sp
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R561-L, shoes R55CT4, black
BRAKE LEVER	included w/shifters
RIM/WHEELSET	Shimano WH-RS100
TIRE	Vittoria Zaffiro Pro V 700x25, 26TPI, G2.0 Folding, black

STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Bike Ribbon Eolo soft w/carbon look plug w/ Bianchi logo
SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, diam. 27.2mm, length: 300mm-44cm, 350mm-47/61cm
SADDLE	Selle Royal Seta S1, steel rails, 278x144mm



OLTRE XR4 - DURA ACE DI2 11SP


THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB15	CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavolozza	BRAKE	Shimano BR-R9170 Hydraulic disc brake, flat mount caliper
FRAME	Oltre XR4 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	DISC ROTOR	Shimano SM-RT900 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Vision Metron 55 SC, full carbon disc brake rims 700X19c, clincher and TLR system, thru axle front 12x100mm - rear 12x142m
HEADSET	Fsa Orbit custom 5D ACR, 36° - 45° ACB bearings lower 1.5" - top 1.5", w/UD Carbon top cap specific for Metron Disc integrated handlebar, for 52mm/52mm OD head tube	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm	STEM	included with handlebar
SHIFTER	Shimano Dura Ace Di2 ST-R9170 2x11sp	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-R9150 SS 11sp, shadow design, direct attachment, Max 30T	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-R9150-F, braze-on type	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
ELECTRIC CABLE	Shimano Junction A EW-RS910, handlebar built-in type, e-tube port X2, charging port X1	SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Dura Ace FC-R9100 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit		
CHAIN	Shimano Dura Ace CN-HG901-11		

OLTRE XR4 - DURA ACE 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB16	DISC ROTOR	Shimano SM-RT900 Center Lock, diam. 160mm
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavolozza	RIM/WHEELSET	Vision Metron 55 SC, full carbon disc brake rims 700X19c, clincher and TLR system, thru axle front 12x100mm - rear 12x142mm
FRAME	Oltre XR4 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	STEM	included w/handlebar
SEATPOST CLAMP	included in the frame	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HEADSET	Fsa Orbit custom 5D ACR, 36° - 45° ACB bearings lower 1.5" - top 1.5", w/UD Carbon top cap specific for Metron Disc integrated handlebar, for 52mm/52mm OD head tube	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	SADDLE	Fizik Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment		
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 11sp, brazed-on type		
CRANKSET	Shimano Dura Ace FC-R9100 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road		
CHAIN	Shimano Dura Ace CN-HG901-11		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R9170 Hydraulic disc brake, flat mount caliper		
BRAKE LEVER	included w/shifters		

OLTRE XR4 - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB17	BRAKE LEVER	included w/shifters
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavolozza	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
FRAME	Oltre XR4 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	TIRE	Vittoria Rubino Pro G2.0 graphene, 700x25c, 150TPI, Folding, full Black
SEATPOST CLAMP	included in the frame	STEM	included w/handlebar
HEADSET	Fsa Orbit custom 5D ACR, 36° - 45° ACB bearings lower 1.5" - top 1.5", w/UD Carbon top cap specific for Metron Disc integrated handlebar, for 52mm/52mm OD head tube	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal Shadow Design, direct attachment, Max 30T	SADDLE	Fizik Argo Vento R3, nylon carbon reinforced shell w/WingFlex, Kium rails, 260x140mm
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type		
ELECTRIC CABLE	Shimano Junction A EW-RS910, handlebar built-in type, e-tube port X2, charging port X1		
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		

OLTRE XR4 - RED ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB09	RIM/WHEELSET	Vision 55 SC, full carbon 700X19c disc brake rims, clincher and TLR system, thru axle front 12x100mm - rear 12x142mm, XDR freewheel body
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavolozza	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
FRAME	Oltre XR4 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	STEM	included w/handlebar
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
HEADSET	Fsa Orbit custom 5D ACR, 36°- 45° ACB bearings lower 1.5"- top 1.5", w/UD Carbon top cap specific for Metron Disc integrated handlebar, for 52mm/52mm OD head tube	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm	SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/ WingFlex, carbon braided 7x10 rail, 260x140mm
SHIFTER	Sram Red eTap AXS D1 2x12sp		
REAR DERAILLEUR	Sram Red eTap AXS D1 12sp		
FRONT DERAILLEUR	Sram Red eTap AXS D1, brazed on type		
BATTERY / MOUNT	Sram eTap EP Powerpack, 2 batteries		
CHARGER / PWR CABLE	Included w/battery		
CRANKSET	Sram Red D1 46x33T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Sram PressFit Road 86,5x41mm		
CHAIN	Sram Red D1 12sp		
CASSETTE / FREEWHEEL	Sram Red XG-1290 D1 12sp, 10-11-12-13-14-15-16-17-19-21-24-28T		
BRAKE	included w/shifters		
DISC ROTOR	Sram Centerline X Road, 160mm		

OLTRE XR4 - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XPB02
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavolozza
FRAME	Oltre XR4 carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, disc brake internal cable routing, Flat Mount calipers, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit w/UD carbon custom Metron 5D ACR compatible top cap, 45°- 45° ACB bearings lower 1.5"- top 1.5"
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm
STEM	Included with handlebar OPTION STEM: FSA NS ACR, 3D Forged/CNC AL6061, -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm OPTION HANDLEBAR: FSA Energy SCR Compact, AL7050DB, diam. 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm

OLTRE XR4 - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBL9	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavalozza	BRAKE	Shimano Ultegra BR-R8010, direct mount
FRAME	Oltre XR4 carbon w/Bianchi CV, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86,5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	RIM/WHEELSET	Vision Trimax 35 700X19c, clincher
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8" x 1.1/4", 45° - 45° ACB bearings, w/Carbon custom cap specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D	STEM	included w/handlebar
FORK	Bianchi Full Carbon Aero w/Bianchi CV, 1.1/8" x 1.4" integrated head	HANDLEBAR	Vision Metron 5D Integrated Aero bar, UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-44-50cm, 110x420mm-53-55cm, 120x420mm-57-59cm, 130x440mm-61cm
SHIFTER	Shimano Ultegra Di2 ST-R8050 2x11sp	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal Shadow Design, direct attachment, Max 30T	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type	SADDLE	Fi'zi:k Argo Vento R3, nylon carbon reinforced shell w/ WingFlex, K:iium rail, 260x140mm
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1		
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		

OLTRE XR4 - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBL2	RIM/WHEELSET	Vision Trimax 35 700x19c, clincher
COLOR	5K-CK16/Black Full Glossy	TIRE	Vittoria Corsa G2.0 graphene, 700x25c, 320TPI, Folding, full black
FRAME	Oltre XR4 carbon w/Bianchi CV, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86,5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	STEM	Reparto Corse, 3D Forged alloy 6061, rise +/- 7°, 1.1/8", Ext: 70mm-44/47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	HANDLEBAR	Reparto Corse Aero Compact, alloy 2014 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/50cm, 420mm-53/57cm, 440mm-59/61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8" x 1.1/4", 45° - 45° ACB bearings, w/Carbon custom cap specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FORK	Bianchi Full Carbon Aero w/Bianchi CV, 1.1/8" x 1.4" integrated head	SADDLE	Fi'zi:k Argo Vento R3, nylon carbon reinforced shell w/ WingFlex, K:iium rail, 260x140mm
SHIFTER	Shimano Ultegra ST-R8000 2x11sp		
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double		
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		
BRAKE	Shimano Ultegra BR-R8010, direct mount		
BRAKE LEVER	included w/shifters		

OLTRE XR4 - FRAME KIT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XPB03
COLOR	5K-CK16/Black Full Glossy, 2R-Black/Graphite Full Glossy, Tavalozza
FRAME	Oltre XR.4 Carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.1/8" > 1.1/4", direct mount brakes, BB PressFit 86,5x41mm, sizes 44-47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, 1.1/8"-1.4", 45°- 45 ACB bearings, w/Carbon custom top cap for normal stem
FORK	Bianchi Full Carbon Aero w/Bianchi CV, 1.1/8" > 1.4" integrated head
SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm



OLTRE XR3 - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB18	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
COLOR	5K - CK16/Black Full Glossy, 2R - Black/Graphite Full Glossy	BRAKE LEVER	included w/shifters
FRAME	Oltre XR3 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, PressFit BB 86,5x41mm, flat mount calipers, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, tubeless ready, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Rubino Pro G2.0 graphene, 700x28c, 150TPI, Folding, full Black
FORK	Bianchi Full Carbon w/Bianchi CV Aero Disc, 1.5" x 1.1/8", flat Mount calipers, thru axle 12x100mm	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal Shadow Design, direct attachment, Max 30T	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type, w/clamp adapter for FD-R9150-F, SM-AD91L-size (34.9mm)	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	SADDLE	Fi'zi:k Antares R7, microtex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		

OLTRE XR3 - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBK7	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
COLOR	5K - CK16/Black Full Glossy, 2R - Black/Graphite Full Glossy	RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, tubeless ready, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
FRAME	Oltre XR3 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, PressFit BB 86,5x41mm, flat mount calipers, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Rubino Pro G2.0 graphene, 700x28c, 150TPI, Folding, full Black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
FORK	Bianchi Full Carbon w/Bianchi CV Aero Disc, 1.5" x 1.1/8", flat Mount calipers, thru axle 12x100mm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, hydraulic discbrake, Shimano Ultegra ST-R8025 2x11sp, smaller lever size for sizes 47/53cm	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	SADDLE	Fi'zi:k Antares R7, microtex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43.5mm		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		

ARIA - ULTEGRA DI2 11SP



CODE	YQB38
COLOR	PX - Summertime Dream/Black
FRAME	Aria Disc carbon, mechanical/electronic shifting compatible, PressFit 86.5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8"x1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon 1.4"x1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal Shadow Design, direct attachment, Max 30T
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Kmc X11-1 EPT finish, 11sp

CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
BRAKE LEVER	included w/shifters
DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
RIM/WHEELSET	Fulcrum Racing 818 disc brake, aluminium C19 2WF-R Tubeless ready rims 622x19c, 34mm profile, thru axle front 12x100mm- rear 12x142mm, center lock AFS
TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, G2.0Graphene, black
STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
SADDLE	Selle Royal Seta S1, steel rails, 278x144mm

ARIA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB9D
COLOR	5K - CK16/Black Full Glossy,PX - Summertime dream/Black
FRAME	Aria Disc carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon 1.4"×1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, Shimano ST-R8025 smaller lever size only for frame sizes 44-47-50-53cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66", max chainring 46/53T, CL: 43.5mm
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Kmc X11-1 EPT finish, 11sp
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000 11sp, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers

BRAKE LEVER	included w/shifters
DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
RIM/WHEELSET	Fulcrum Racing 818 disc brake, aluminium C19 2WF-R Tubeless ready rims 622x19c, 34mm profile, thru axle front 12x100mm- rear 12x142mm, center lock AFS
TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, G2.0Graphene, black
STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
SADDLE	Selle Royal Seta S1, steel rails, 278x144mm

ARIA - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB8D
COLOR	2R - Black/Graphite Full Glossy,5K - CK16/Black Full Glossy
FRAME	Aria Disc carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon 1.4"×1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm
SHIFTER	Shimano 105 ST-R7020 2x11sp, Hydraulic discbrake, Shimano 105 ST-R7025 2x11sp smaller leversize for sizes 47-50-53cm
REAR DERAILLEUR	Shimano RD-R7000 SS 11sp, top normal, Shadow Design, direct attachment
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed on type, 61-66", for 46/53T CL 43.5mm
CRANKSET	Shimano 105 FC-R7000 50x34T, Hollowtech II, crank length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Kmc X11-1 EPT finish, 11sp
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000 11sp, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake
BRAKE LEVER	included w/shifters

DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
RIM/WHEELSET	Fulcrum Racing 818 disc brake, aluminium C19 2WF-R Tubeless ready rims 622x19c, 34mm profile, thru axle front 12x100mm- rear 12x142mm, center lock AFS
TIRE	Vittoria Zaffiro Pro V 700x28c, 26TPI, G2.0, Folding, black
STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
SADDLE	Selle Royal Seta S1, steel rails, 278x144mm

ARIA - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB47	STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
COLOR	2R - Black/ Graphite Full Glossy, 5K - CK16/ Black Full Glossy	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/Bianchi logo
SEATPOST CLAMP	included in the frame	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8"x1.14", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
FORK	Bianchi Full Carbon Aero 1.4"x1.1/8", integrated head		
SHIFTER	Shimano Ultegra ST-R8000 2x11sp		
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double		
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000 11sp, 11-12-13-14-15-17-19-21-24-27-30T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Vision Team 35 Comp		
TIRE	Vittoria Zaffiro Pro V 700x25, 26TPI, G2.0 Folding, black		



INFINITO CV - FORCE ETAP AXS 12SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBN2
COLOR	2A - CK16/Black Full Glossy, 2R - Black/Graphite Full Glossy
FRAME	Infinito CV Disc, Carbon w/Bianchi CV, Mechanical/Electronic Di2/EPS shifting compatible, 32" tire compatible, BBset PressFit 86,5x41mm, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa NO.42/47CF/ACB/5D, ACB bearings 1.1/8" Top, 1.5" Btm, w/UD Carbon top cap (for 47/56mm Head Tube), stack height 11,8mm
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm, Flat Mount caliper, 32" tire compatible
SHIFTER	Sram Force eTap AXS D1 2x12sp
REAR DERAILLEUR	Sram Force eTap AXS D1 12sp
FRONT DERAILLEUR	Sram Force eTap AXS D1, brazed-on
BATTERY / MOUNT	Sram eTap EP Powerpack, 2 batteries
CHARGER / PWR CABLE	Included w/battery
CRANKSET	Sram Force D1 46x33T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram PressFit Road 86,5x41mm
CHAIN	Sram Force D1 12sp

CASSETTE / FREEWHEEL	Sram Force XG-1270 D1 12sp, 10-11-12-13-14-15-17-19-21-24-28-33T
BRAKE	Sram Froce HydroC
BRAKE LEVER	included w/shifters
DISC ROTOR	Sram centerline Road diam 160mm
RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, tubeless ready, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
TIRE	Vittoria Rubino Pro G2.0 graphene, 700x28c, 150TPI, Folding, full Black
STEM	Reparto Corse 3D Forged alloy 6061, rise +/-7°, 1 1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
HANDLEBAR	Fsa SL-K Compact, UD Weave Carbon, 31.8mm, drop 125mm, reach 80mm, 4f Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
SADDLE	Fizik Argo Tempo R5, nylon carbon reinforced shell w/ WingFlex, S alloy rail, 260x150mm

INFINITO CV - ULTEGRA DI2 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBZ5	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
COLOR	2A - CK16/Black Full Glossy	RIM/WHEELSET	Fulcrum Racing 418 disc brake, R400 aluminium asymmetric rims 622x17c, tubeless ready, 34mm profile, thru axle front 12x100mm - rear 12x142mm, Center Lock AFS
FRAME	Infinito CV Disc, Carbon w/Bianchi CV, Mechanical/Electronic Di2/EPS shifting compatible, 32" tire compatible, BBset PressFit 86,5x41mm, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Rubino Pro G2.0 graphene, 700x28c, 150TPI, Folding, full Black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
SEATPOST CLAMP	included in the frame	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/63cm
HEADSET	Fsa NO.42/47CF/ACB/5D, ACB bearings 1.1/8" Top, 1.5" Btm, w/UD Carbon top cap (for 47/56mm Head Tube), stack height 11,8mm	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm, Flat Mount caliper, 32" tire compatible	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp	SADDLE	Fi'zi:k Argo Tempo R5, Nylon carbon reinforced w/ WingFlex, rail S alloy, 260x150mm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 GS 11sp, top normal shadow design, direct attachment, Max 34T		
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050		
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1		
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000 11sp, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		

INFINITO CV - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB54	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
COLOR	2A - CK16/Black Full Glossy, 2R - Black/Graphite Full Glossy	BRAKE LEVER	included w/shifters
FRAME	Infinito CV Disc, Carbon w/Bianchi CV, Mechanical/Electronic Di2/EPS shifting compatible, 32" tire compatible, BBset PressFit 86,5x41mm, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	RIM/WHEELSET	Vision Trimax 30 disc brake, 700X19c rims, thru axle front 12x100mm - rear 12X142mm
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino Pro G2.0 graphene, 700x28c, 150TPI, Folding, full Black
HEADSET	Fsa NO.42/47CF/ACB/5D, ACB bearings 1.1/8" Top, 1.5" Btm, w/UD Carbon top cap (for 47/56mm Head Tube), stack height 11,8mm	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, thru axle 12x100mm, Flat Mount caliper, 32" tire compatible	GRIP / TAPE	Black soft Microfiber taper w/shockproof EVA-139
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, hydraulic discbrake, Shimano Ultegra ST-R8025 2x11sp, smaller lever size for sizes 47/53cm	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	SADDLE	Fi'zi:k Argo Tempo R5, nylon carbon reinforced shell w/ WingFlex, S alloy rails, 260x150mm
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000 11sp, 11-12-13-14-16-18-20-22-25-28-32T		

INFINITO CV - KIT TELAIO



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	XOB24
COLOR	2A - CK16/Black Full Glossy, 2R - Black/Graphite Full Glossy
FRAME	Infinito CV Disc, Carbon w/Bianchi CV, Mechanical/Electronic Di2/EPS shifting compatible, 32" tire compatible, BBset PressFit 86,5x41mm, thru axle 12x142mm, sizes 47-50-53-55-57-59-61-63cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo
SEATPOST CLAMP	included with the frame
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap
FORK	Bianchi Full Carbon w/Bianchi CV, 1.5" head, Disc, flat mount, thru axle 12x100mm, 32" tire compatible
SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm

INFINITO XE - ULTEGRA 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB6D	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
COLOR	5K - CK16/ Black Full Glossy, 5H - UD Carbon/graphite Full Glossy	RIM/WHEELSET	Fulcrum Racing 918 DB, 2WF-R C19, thru axle front 12x100mm - rear 12x142mm
FRAME	Infinito XE Disc carbon, tapered HT 1.1/8" - 1.5", Mechanical/Electronic Di2 shifting compatible, compatible with 32" tire, PressFit 86,5x41mm BBset, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Zaffiro Pro V 700x28c, 26TPI, G2.0, Folding, black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-7", 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
HEADSET	Fsa NO.42/47CF/ACB/5D, ACB bearings 1.1/8" Top, 1.5" Btm, w/UD Carbon top cap (for 47/56mm Head Tube), stack height 11,8mm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061, diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
FORK	Bianchi Full Carbon Disc, 1.5" head, thru axle 12x100mm, compatible with 32" tires	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
SHIFTER	Shimano Ultegra ST-R8020 2x11sp, hydraulic discbrake, Shimano Ultegra ST-R8025 2x11sp, smaller lever size for sizes 47/53cm	SEATPOST	Reparto Corse alloy 2014 shaft, alloy 6061 head, 25mm seatback, length: 350mm-47/57cm, 380mm-59/61cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	SADDLE	Bianchi, steel rail, w/open, PU cover, 250x148mm
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66", max chainring 46/53T, CL: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB71-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000 11sp, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		

INFINITO XE - 105 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB7D	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
COLOR	5K - CK16/ Black Full Glossy 5H - UD Carbon/graphite Full Glossy	RIM/WHEELSET	Fulcrum Racing 918 DB, 2WF-R C19, thru axle front 12x100mm - rear 12x142mm
FRAME	Infinito XE Disc carbon, tapered HT 1.1/8" - 1.5", Mechanical/Electronic Di2 shifting compatible, compatible with 32" tire, PressFit 86,5x41mm BBset, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Zaffiro Pro V 700x28c, 26TPI, G2.0, Folding, black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/61cm
HEADSET	Fsa NO.42/47CF/ACB/5D, ACB bearings 1.1/8" Top, 1.5" Btm, w/UD Carbon top cap (for 47/56mm Head Tube), stack height 11,8mm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061, diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
FORK	Bianchi Full Carbon Disc, 1.5" head, thru axle 12x100mm, compatible with 32" tires	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
SHIFTER	Shimano 105 ST-R7020 2x11sp, Hydraulic discbrake, Shimano 105 ST-R7025 2x11sp smaller leversize for sizes 47-50-53cm	SEATPOST	Reparto Corse alloy 2014 shaft, alloy 6061 head, 25mm seatback, length: 350mm-47/57cm, 380mm-59/61cm
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normalshadow design, direct attachment	SADDLE	Bianchi, steel rail, w/open, PU cover, 250x148mm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed ontype, 61-66°, for 46/53T CL 43.5mm		
CRANKSET	Shimano 105 FC-R7000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB71-41B, PressFit		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake		
BRAKE LEVER	included w/shifters		



VIA NIRONE 7 - 105 11SP



CODE	YQBW7C
COLOR	ND: CK16/Titanium Silver glossy,N2: Black/Titanium Silver glossy
FRAME	Via Nirone 7 alu, hydroforming tubing, internal cable routing, seatpost diam 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube
FORK	Bianchi full carbon w/Kvid, 1.1/8"
SHIFTER	Shimano 105 ST-R7000 2x11sp
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normalshadow design, direct attachment
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BBR60
CHAIN	Kmc X11-1 EPT finish, 11sp
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R561
BRAKE LEVER	included w/shifters
RIM/WHEELSET	Shimano WH-RS100
TIRE	Vittoria Zaffiro V 700x25, 25-622, 26TPI, rigid, black
STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm

HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm,420mm-55/59cm,440mm-61/63cm
GRIP / TAPE	Cork w/Bianchi logo
SEATPOST	Reparto Corse Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 300mm-44/46cm, 350mm-50/63cm
SADDLE	Selle Royal SR 2075HRN, steel rail, PVC cover, 280x145mm

N2 - Black/Titanium Silver glossy



ARCADEX - GRX 810 DI2 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBX6
COLOR	GX - CK16/Blue note glossy,GY - Gold storm/Blue note glossy
FRAME	Arcadex Carbon, 1.5" headset, seatpost diam. 31.6mm, thru axle 12x142mm, flat mount caliper, Pressfit 41 BB, compatible with 700x42mm or 650x47 tire and mudguard and rear carrier predisposition, sizes: XS-SM-MD-LG-XL
SEATPOST CLAMP	Included in the frame
HEADSET	FSA SMR HS w/1.1/4i custom top cup, 1.1/4"-1.5" 36°/45° ACB bearings
FORK	Bianchi Full Carbon blades, flat mount caliper, thru axle 12x100mm w/electronic front Smart Active Suspension steerer tube, 20mm travel
SHIFTER	Shimano GRX 815 Di2 ST-RX815 1x11sp
REAR DERAILLEUR	Shimano GRX Di2 RD-RX817 11sp, top normal shadow plus design, direct attachment
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb
CRANKSET	Shimano GRX 810 FC-RX810-1 40T, Hollowtech II, Crank Length: 170mm-XS-SM, 172.5mm-MD-LG, 175mm-XL
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Shimano Ultegra CN-HG701-11

CASSETTE / FREEWHEEL	Shimano XT CS-M8000 11sp, 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX810, flat mount calipers
BRAKE LEVER	included w/shifters
DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
RIM/WHEELSET	Fulcrum Rapid Red 500 DB 2WF-R C23 AFS, alloy, 2-Way fit Ready (for clincher and tubeless ready), 24mm profile, thru axle front 12x100mm, rear 12x142mm
TIRE	WTB Riddler Race 700x37c, Dual DNA Compound, 60tpi Casing, Aramid Bead, TCS light/fast rolling
STEM	Fsa ST-OS-188/SMR-0°, Alloy 6061, 1.1/4", rise 0°, Ext: 80mm-XS/SM, 100mm-MD, 120mm-LG/XL
HANDLEBAR	Aluminum 6061, Aero shape, reach 70mm, flare angle 16°, drop 130mmx40/44cm, size: 40cm=XS/SM, 42cm-MG/LG, 44cm-XL
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
SEATPOST	Reparto Corse UD Carbon shaft, forged alloy head, 15mm offset, diam. 31.6mm, length: 300-350mm
SADDLE	Fizik Argo Tempo R5, nylon carbon reinforced shell w/ WingFlex, rail S alloy, 260x150mm

ARCADEX - GRX 810 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBX2
COLOR	GX - CK16/Blue Note Glossy,GY - Gold storm/Blue Note Glossy
FRAME	Arcadex Carbon, 1.5" headset, seatpost diam. 31.6mm, thru axle 12x142mm, flat mount caliper, Pressfit 41 BB, compatible with 700x42mm or 650x47 tire and mudguard and rear carrier predisposition, sizes: XS-SM-MD-LG-XL
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa SMR HS w/custom 1.1/8" top cup and 1.5" lower cup, 36°/45° ACB bearings
FORK	Bianchi Full Carbon Disc, 1.5" head, flat mount caliper, thru axle 12x100mm
SHIFTER	Shimano GRX 810 ST-RX810 1x11sp
REAR DERAILLEUR	Shimano GRX 812 RD-RX812 11sp, top normal shadow plus design
CRANKSET	Shimano GRX 810 FC-RX810-1 40T, Hollowtech II, Crank Length: 170mm-XS/SM, 172.5mm-MD/LG, 175mm-XL
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Kmc X11-1 EPT finish
CASSETTE / FREEWHEEL	Shimano SLX CS-M7000, 11sp 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX810, resin pad, flat mount calipers
BRAKE LEVER	included w/shifters
DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
FRONT HUB	Shimano HB-RS470, Center Lock 32h, Thru Axle 12x100mm
REAR HUB	Shimano FH-RS470, Center Lock, 32h, Thru axle 12x142mm

RIM/WHEELSET	AlexRims GD24 disc 700c 622-21c, 24mm profile, 32hole, tubeless ready
TIRE	WTB Riddler Comp 700x37, 30TPI, Wire Bead
STEM	Fsa ST-OS-188/SMR-0°, Alloy 6061, rise 0°, Ext: 80mm-XS/SM, 100mm-MD, 120mm-LG/XL
HANDLEBAR	Aluminum 6061, reach 70mm, flare angle 16°, drop 120mmx40cm, 130mmx42/44cm, size: 40cm=XS/SM, 42cm=MD/LG, 44cm=XL
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-47cm, 350mm-50/63cm
SADDLE	Selle Royal 2315HRN, steel rail, open, PU cover, 250x148mm

ARCADEX - GRX 600 1X11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQBX3
COLOR	GX- CK16/Blue note glossy,GY- Gold storm/Blue note glossy
FRAME	Arcadex Carbon, 1.5" headset, seatpost diam. 31.6mm, thru axle 12x142mm, flat mount caliper, Pressfit 41 BB, compatible with 700x42mm or 650x47 tire and mudguard and rear carrier predisposition, sizes: XS-SM-MD-LG-XL
SEATPOST CLAMP	Included in the frame
HEADSET	Fsa SMR HS w/custom 1.1/8" top cup and 1.5" lower cup, 36°/45° ACB bearings
FORK	Bianchi Full Carbon Disc, 1.5" head, flat mount caliper, thru axle 12x100mm
SHIFTER	Shimano GRX 600 ST-RX600 1x11sp
REAR DERAILLEUR	Shimano GRX RD-RX812 11sp, top normal shadow plus design, direct attachment
CRANKSET	Shimano GRX 600 FC-RX600 40T, Crank Length: 170mm-XS-SM, 172.5mm-MD-LG, 175mm-XL
BOTTOM BRACKET	Shimano BB-RS500-PB, press fit
CHAIN	Kmc X11-1 EPT finish
CASSETTE / FREEWHEEL	Shimano SLX CS-M7000, 11sp 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX400, hydraulic disc brake, flat mount calipers
BRAKE LEVER	included w/shifters
DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm

FRONT HUB	Shimano HB-RS470, 32h, Center Lock, thru axle 12x100mm
REAR HUB	Shimano FH-RS470, 32h, Center Lock, thru axle 12x142mm
RIM/WHEELSET	AlexRims GD24 disc 700c 622-21, 24mm profile, tubeless ready, 32hole
TIRE	WTB Riddler Comp 700x37, 30TPI Casing, Wire Bead
STEM	Fsa ST-OS-188/SMR-0°, Alloy 6061, rise 0°, Ext: 80mm-XS-SM, 100mm-MD, 120mm-LG/XL
HANDLEBAR	Aluminum 6061, reach 70mm, flare angle 16°, drop 120mmx40cm, 130mmx42/44cm, size: 40cm-XS/SM, 42cm-MD/LG, 44cm-XL
GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-47cm, 350mm-50/63cm
SADDLE	Selle Royal 2315HRN, steel rail, open, cover PU, 250x148mm

IMPULSO ALLROAD - GRX 810 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB8C	FRONT HUB	Formula CL-712 road disc, alloy 32h, 2 sealed bearings, J-bend, Center Lock, thru axle 12x100mm
COLOR	5K - CK16/Black full glossy	REAR HUB	Formula RXC-142S road disc, 4 sealed bearings, Center Lock, J-bend, thru axle 12x142mm
FRAME	Impulso Allroad Alu, 1.1/8" HT, seatpost diam. 31.6mm, thru axle 12x142mm, flat mount, PF41 SHIMANO, compatible with 40mm tire, mudguard and rear carrier ready, sizes 47-50-53-55-57-59-61-63cm	RIM/WHEELSET	AlexRims GD24 disc 700c 622-21, 24mm profile, tubeless ready, 32hole
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	TIRE	Kenda Flintridge 700x35, 60TPI, black
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	STEM	Reparto Corse, Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
FORK	Bianchi Full Carbon 1.1/8", flat mount caliper, thru axle 12x100mm	HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120mmx40cm and 130mmx42/44cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
SHIFTER	Shimano GRX 810 ST-RX810 2x11sp	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
REAR DERAILLEUR	Shimano GRX 810 RD-RX810 11sp, top normal, Shadow Plus Design, direct attachment	SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-47cm, 350mm-50/63cm
FRONT DERAILLEUR	Shimano GRX 810 FD-RX810, down-swing, down pull, braze-on type, 61-66°, Max:46-50T, CL:46mm, clamp adapter, SM-AD91, L-size(34.9mm)	SADDLE	Selle Royal SR 2302HRN, w/hole, steel rail, PU soft touch cover, 280x145mm
CRANKSET	Shimano GRX 810 FC-RX810-2 48x31T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano CN-HG601-11		
CASSETTE / FREEWHEEL	Shimano CS-HG7000 11, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano BR-RX400, hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm		

IMPULSO ALLROAD - GRX 600 11SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YQB1C	FRONT HUB	Formula CL-712 road disc, alloy 32h, 2 sealed bearings, J-bend, Center Lock, thru axle 12x100mm
COLOR	5K - CK16/Black Full Glossy, 3C - Black/Titanium Full Matt	REAR HUB	Formula RXC-142S road disc, 4 sealed bearings, Center Lock, J-bend, thru axle 12x142mm
FRAME	Impulso Allroad Alu, 1.1/8" HT, seatpost diam. 31.6mm, thru axle 12x142mm, flat mount, PF41 SHIMANO, compatible with 40mm tire, mudguard and rear carrier ready, sizes 47-50-53-55-57-59-61-63cm	RIM/WHEELSET	AlexRims GD24 disc 700c 622-21, 24mm profile, tubeless ready, 32hole
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	TIRE	Kenda Flintridge 700x35, 60TPI, black
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	STEM	Reparto Corse, Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
FORK	Bianchi Full Carbon 1.1/8", flat mount caliper, thru axle 12x100mm	HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120mmx40cm and 130mmx42/44cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
SHIFTER	Shimano GRX 600 ST-RX600 2x11sp	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/Bianchi logo
REAR DERAILLEUR	Shimano GRX 810 RD-RX810 11sp, top normal, Shadow Plus Design, direct attachment	SEATPOST	Reparto Corse Alloy 6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-47cm, 350mm-50/63cm
FRONT DERAILLEUR	Shimano GRX 810 FD-RX810, down-swing, down pull, braze-on type, 61-66°, Max:46-50T, CL:46mm, clamp adapter, SM-AD91, L-size(34.9mm)	SADDLE	Selle Royal SR 2302HRN, w/hole, steel rails, PU soft touch cover, 280x145mm
CRANKSET	Shimano GRX 600 FC-RX600 46x30T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Shimano SM-BB71-41B, PressFit		
CHAIN	Shimano CN-HG601-11		
CASSETTE / FREEWHEEL	Shimano CS-HG7000 11, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano BR-RX400, hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm		

VIA NIRONE 7 ALLROAD - GRX 400 10SP



CODE	YQB62
COLOR	5K - CK16/Black Full Glossy, 3C - Black/Titanium Full Matt
FRAME	Via Nirone 7 Allroad alloy hydroforming tubing, internal cable, seatpost diam 31.6mm, Flat Mount disc brake, thru axle 12x142mm, compatible with 40mm tire, rack & fender ready, downtube underside bottlecage ready, sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube
FORK	Bianchi Carbon Disc, 1.1/8", flat Mount caliper, thru axle 12x100mm
SHIFTER	Shimano GRX 400 ST-RX400 2x10sp
REAR DERAILLEUR	Shimano GRX 400 RD-RX400 10sp, top normal, Shadow Plus Design, direct attachment
FRONT DERAILLEUR	Shimano GRX 400 FD-RX400, down-swing, down-pull, braze-on type, 61-66°, Max: 46T, CL:46mm, w/clamp adapter, SM-AD91, L-size(34.9mm)
CRANKSET	Shimano FC-RX600 46x30T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm
BOTTOM BRACKET	included w/crankset
CHAIN	Shimano CN-HG54 10sp
CASSETTE / FREEWHEEL	Shimano CS-HG500-10, 11-13-15-17-19-21-23-26-30-34T
BRAKE	Shimano BR-RX400, hydraulic disc brake, flat mount calipers
BRAKE LEVER	included w/shifters

DISC ROTOR	Shimano SM-RT64, Center Lock, 160mm
FRONT HUB	Formula CL-712 road disc, alloy 32h, 2 sealed bearings, J-bend, Center Lock, thru axle 12x100mm
REAR HUB	Formula RXC-142S road disc, 4 sealed bearings, Center Lock, J-bend, thru axle 12x142mm
RIM/WHEELSET	AlexRims GD24 disc 700c 622-21, 24mm profile, tubeless ready, 32hole
TIRE	Kenda Happy Medium 700x35, 30TPI, black
STEM	Reparto Corse, Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120mmx40cm and 130mmx42/44cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
GRIP / TAPE	Cork w/Bianchi logo
SADDLE	Selle Royal SR 2302HRN, w/hole, steel rails, PU soft touch cover, 280x145mm



AQUILA CV - ULTEGRA 11SP



CODE	YQBF4
COLOR	ID - CK16/Black Glossy, Tavolozza
FRAME	Aquila CV carbon w/Bianchi CV, Mechanical/Electronic shifting compatible, PressFit 86,5x41mm, w/carbon cover, size XS-SM-MD-LG
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 2pcs, celeste color w/Bianchi logo
HEADSET	Fsa No.8-R, 1.1/8" 45/45 SL alloy ACB Alloy bearings
FORK	Bianchi Full Carbon w/Bianchi CV, 1.1/8", with pivot V-brake, blades straight with brake covered
SHIFTER	Shimano Dura Ace SL-BSR1 2x11sp, Bar end type
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 165mm-XS, 170mm-SM, 172,5mm-MD, 175mm-LG
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Shimano Ultegra CN-HG701-11, 11sp
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
BRAKE	Bianchi Aero-860-BI, Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim
BRAKE LEVER	Shimano Dura Ace BL-TT79 for TT/Triathlon
RIM/WHEELSET	Fulcrum Racing 418, C17 R400 Aluminum rims, profile 35mm

TIRE	Vittoria Rubino Pro G2.0 graphene, 700x25c, 150TPI, Folding, full Black
STEM	included in the handlebar
HANDLEBAR	Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm-MD, 130mm-LG, top cap included, Di2/EPS compatible, w/FSA bar ends length 260mm
GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
SEATPOST	Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length: 300mm-XS/SM, 350mm-MD/LG
SADDLE	Fi'zi:k Mistica MG, nylon carbon reinforced, carriage kit, extra grip cover, rail S alloy

AQUILA CV - FRAME KIT



CODE	XOB28
COLOR	ID - CK16/Black Glossy, Tavolozza
FRAME	Aquila CV carbon w/Bianchi CV, Mechanical/Electronic shifting compatible, PressFit 86,5x41mm, w/carbon cover, size XS-SM-MD-LG
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 2pcs, celeste color w/Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No.8-R, 1.1/8" 45/45 SL alloy ACB Alloy bearings
FORK	Bianchi Full Carbon w/Bianchi CV, 1.1/8", with pivot V-brake, blades straight with brake covered
BRAKE	Bianchi Aero-860-BI, Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim
STEM	included in the handlebar
HANDLEBAR	Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm-MD, 130mm-LG, top cap included, Di2/EPS compatible, w/FSA bar ends length 260mm
SEATPOST	Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, lenght 300mm for XS-SM; 350mm for MD-LG

ZOLDER PRO - GRX 600 11SP



CODE	YQB51
COLOR	ZD - CK16/Purple Rainbow
FRAME	Zolder Pro carbon, disc brake flat mount caliper, press fit 86.5x41mm headset 1.5"-1.1/8", thru axle 12x142mm, sizes 48-50-52-54-56-58-cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, diam. 31,8mm anti-crimp, finish black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap
FORK	Bianchi full carbon disc, 1.5"- 1.1/8", flat mount caliper, thru axle 12x100mm
SHIFTER	Shimano GRX 600 ST-RX600 2x11sp
REAR DERAILLEUR	Shimano GRX 810 RD-RX810 11sp, top normal, Shadow Plus Design, direct attachment
FRONT DERAILLEUR	Shimano GRX 810 FD-RX810, down-swing, down pull, braze-on type, 61-66°, max 46-50T, CL:46mm
CRANKSET	Shimano GRX 600 FC-RX600 46x30T, Crank Length: 170mm-48/52cm, 172.5mm-54/58cm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit
CHAIN	Shimano CN-HG601-11, 11sp
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-RX400, hydraulic disc brake, flat mount calipers
BRAKE LEVER	included w/shifters
DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm

RIM/WHEELSET	Vision Team 30 alloy, C19 disc brake clincher 622x19C, 30mm profile, thru axle front 12x100mm, rear 12x142mm
TIRE	Vittoria Terreno Mix TNT G+ 33-622/700x33c, nylon 120TPI, foldable
STEM	Reparto Corse 3D Forged alloy 2014, rise -8°, 1.1/8", Ext: 90mm-48/50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-48/50cm, 420mm-52/58cm, 440mm-58cm
GRIP / TAPE	Cork w/Bianchi logo
SEATPOST	Reparto Corse UD Carbon shaft, forged alloy head, 15mm offset, diam. 27,2mm, length: 350mm
SADDLE	Selle Royal Seta S1, steel rails, 278x144mm

ZOLDER PRO - FRAME KIT



CODE	XQB26
COLOR	ZD - CK16/Purple rainbow - Z2 - Black/Purple rainbow
FRAME	Zolder Pro carbon, disc, flat mount, PressFit BB 86.5x41mm, headset 1.5"- 1.1/8", thru axle 12x142mm, sizes 48-50-52-54-56-58cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, diam. 31,8mm anti-crimp, finish black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap
FORK	Bianchi Full carbon 1.5"-1.1/8", disc, flat mount, thru axle 12x100mm