

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µ/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	8/10/2015 0:00	FALSE	0.465		934.39		31.004		0.247	
TPSWC-1T_AT_155346	8/10/2015 1:00	FALSE	0.476		957.084		30.837		0.246	
TPSWC-1T_AT_155346	8/10/2015 2:00	FALSE	0.468		940.911		30.755		0.247	
TPSWC-1T_AT_155346	8/10/2015 3:00	FALSE	0.455		918.52		30.656		0.247	
TPSWC-1T_AT_155346	8/10/2015 4:00	FALSE	0.459		923.288		30.496		0.246	
TPSWC-1T_AT_155346	8/10/2015 5:00	FALSE	0.439		884.853		30.384		0.246	
TPSWC-1T_AT_155346	8/10/2015 6:00	FALSE	0.449		903.158		30.25		0.247	
TPSWC-1T_AT_155346	8/10/2015 7:00	FALSE	0.439		884.141		30.135		0.247	
TPSWC-1T_AT_155346	8/10/2015 8:00	FALSE	0.44		887.275		30.08		0.246	
TPSWC-1T_AT_155346	8/10/2015 9:00	FALSE	0.443		892.392		30.123		0.246	
TPSWC-1T_AT_155346	8/10/2015 10:00	FALSE	0.448		901.732		30.232		0.244	
TPSWC-1T_AT_155346	8/10/2015 11:00	FALSE	0.435		877.528		30.355		0.243	
TPSWC-1T_AT_155346	8/10/2015 12:00	FALSE	0.43		866.954		30.721		0.242	
TPSWC-1T_AT_155346	8/10/2015 13:00	FALSE	0.433		873.216		30.723		0.239	
TPSWC-1T_AT_155346	8/10/2015 14:00	FALSE	0.423		854.559		30.816		0.238	
TPSWC-1T_AT_155346	8/10/2015 15:00	FALSE	0.398		804.622		30.913		0.24	
TPSWC-1T_AT_155346	8/10/2015 16:00	FALSE	0.413		834.951		31.399		0.24	
TPSWC-1T_AT_155346	8/10/2015 17:00	FALSE	0.417		842.052		31.358		0.241	
TPSWC-1T_AT_155346	8/10/2015 18:00	FALSE	0.404		816.472		31.527		0.242	
TPSWC-1T_AT_155346	8/10/2015 19:00	FALSE	0.425		857.959		31.067		0.252	
TPSWC-1T_AT_155346	8/10/2015 20:00	FALSE	0.418		844.916		31.651		0.26	
TPSWC-1T_AT_155346	8/10/2015 21:00	FALSE	0.359		729.244		31.675		0.262	
TPSWC-1T_AT_155346	8/10/2015 22:00	FALSE	0.39		789.213		31.317		0.26	
TPSWC-1T_AT_155346	8/10/2015 23:00	FALSE	0.408		824.751		31.131		0.316	
TPSWC-1T_AT_155346	8/11/2015 0:00	FALSE	0.398		805.263		30.886		0.272	
TPSWC-1T_AT_155346	8/11/2015 1:00	FALSE	0.438		882.734		30.549		0.272	
TPSWC-1T_AT_155346	8/11/2015 2:00	FALSE	0.429		864.753		30.644		0.272	
TPSWC-1T_AT_155346	8/11/2015 3:00	FALSE	0.457		915.291		30.594		0.272	
TPSWC-1T_AT_155346	8/11/2015 4:00	FALSE	0.453		911.434		30.41		0.274	
TPSWC-1T_AT_155346	8/11/2015 5:00	FALSE	0.485		973.367		30.391		0.274	
TPSWC-1T_AT_155346	8/11/2015 6:00	FALSE	0.495		992.932		30.292		0.275	
TPSWC-1T_AT_155346	8/11/2015 7:00	FALSE	0.463		931.88		30.15		0.275	
TPSWC-1T_AT_155346	8/11/2015 8:00	FALSE	0.447		899.243		30.088		0.276	
TPSWC-1T_AT_155346	8/11/2015 9:00	FALSE	0.44		887.495		30.108		0.277	
TPSWC-1T_AT_155346	8/11/2015 10:00	FALSE	0.449		903.635		30.196		0.277	
TPSWC-1T_AT_155346	8/11/2015 11:00	FALSE	0.449		904.265		30.305		0.276	
TPSWC-1T_AT_155346	8/11/2015 12:00	FALSE	0.435		859.802		30.575		0.276	
TPSWC-1T_AT_155346	8/11/2015 13:00	FALSE	0.439		885.263		30.577		0.276	
TPSWC-1T_AT_155346	8/11/2015 14:00	FALSE	0.449		903.782		30.424		0.278	
TPSWC-1T_AT_155346	8/11/2015 15:00	FALSE	0.453		912.607		30.594		0.279	
TPSWC-1T_AT_155346	8/11/2015 16:00	FALSE	0.463		932.389		31.464		0.282	
TPSWC-1T_AT_155346	8/11/2015 17:00	FALSE	0.45		906.096		31.78		0.282	
TPSWC-1T_AT_155346	8/11/2015 18:00	FALSE	0.453		913.292		31.548		0.283	
TPSWC-1T_AT_155346	8/11/2015 19:00	FALSE	0.45		905.65		31.322		0.272	
TPSWC-1T_AT_155346	8/11/2015 20:00	FALSE	0.425		857.112		31.292		0.266	
TPSWC-1T_AT_155346	8/11/2015 21:00	FALSE	0.413		835.198		31.107		0.261	
TPSWC-1T_AT_155346	8/11/2015 22:00	FALSE	0.427		861.5		31.037		0.259	
TPSWC-1T_AT_155346	8/11/2015 23:00	FALSE	0.413		833.641		30.843		0.325	
TPSWC-1T_AT_155346	8/12/2015 0:00	FALSE	0.455		916.494		30.869		0.279	
TPSWC-1T_AT_155346	8/12/2015 1:00	FALSE	0.449		903.331		30.477		0.281	
TPSWC-1T_AT_155346	8/12/2015 2:00	FALSE	0.443		892.25		30.413		0.283	
TPSWC-1T_AT_155346	8/12/2015 3:00	FALSE	0.443		891.778		30.276		0.284	
TPSWC-1T_AT_155346	8/12/2015 4:00	FALSE	0.439		885.071		30.146		0.285	
TPSWC-1T_AT_155346	8/12/2015 5:00	FALSE	0.418		844.426		29.991		0.286	
TPSWC-1T_AT_155346	8/12/2015 6:00	FALSE	0.432		871.89		29.893		0.287	
TPSWC-1T_AT_155346	8/12/2015 7:00	FALSE	0.426		860.068		29.81		0.288	
TPSWC-1T_AT_155346	8/12/2015 8:00	FALSE	0.422		851.036		29.795		0.288	
TPSWC-1T_AT_155346	8/12/2015 9:00	FALSE	0.42		847.809		29.843		0.288	
TPSWC-1T_AT_155346	8/12/2015 10:00	FALSE	0.412		831.834		29.853		0.289	
TPSWC-1T_AT_155346	8/12/2015 11:00	FALSE	0.414		835.675		30.006		0.29	
TPSWC-1T_AT_155346	8/12/2015 12:00	FALSE	0.409		826.592		30.107		0.29	
TPSWC-1T_AT_155346	8/12/2015 13:00	FALSE	0.408		824.358		30.152		0.29	
TPSWC-1T_AT_155346	8/12/2015 14:00	FALSE	0.412		832.193		30.383		0.292	
TPSWC-1T_AT_155346	8/12/2015 15:00	FALSE	0.405		818.661		30.42		0.293	
TPSWC-1T_AT_155346	8/12/2015 16:00	FALSE	0.402		814.281		31.565		0.296	
TPSWC-1T_AT_155346	8/12/2015 17:00	FALSE	0.41		829.631		32.205		0.294	
TPSWC-1T_AT_155346	8/12/2015 18:00	FALSE	0.398		806.21		32.282		0.293	
TPSWC-1T_AT_155346	8/12/2015 19:00	FALSE	0.4		810.178		32.162		0.293	
TPSWC-1T_AT_155346	8/12/2015 20:00	FALSE	0.409		826.329		31.922		0.294	
TPSWC-1T_AT_155346	8/12/2015 21:00	FALSE	0.425		835.412		31.794		0.295	
TPSWC-1T_AT_155346	8/12/2015 22:00	FALSE	0.403		814.908		31.633		0.295	
TPSWC-1T_AT_155346	8/12/2015 23:00	FALSE	0.391		791.487		31.413		0.295	
TPSWC-1T_AT_155346	8/13/2015 0:00	FALSE	0.394		796.958		31.272		0.295	
TPSWC-1T_AT_155346	8/13/2015 1:00	FALSE	0.388		784.96		31.009		0.296	
TPSWC-1T_AT_155346	8/13/2015 2:00	FALSE	0.37		751.007		30.717		0.296	
TPSWC-1T_AT_155346	8/13/2015 3:00	FALSE	0.373		756.399		30.505		0.297	
TPSWC-1T_AT_155346	8/13/2015 4:00	FALSE	0.369		748.596		30.312		0.298	
TPSWC-1T_AT_155346	8/13/2015 5:00	FALSE	0.358		727.517		30.119		0.296	
TPSWC-1T_AT_155346	8/13/2015 6:00	FALSE	0.349		691.29		29.949		0.297	
TPSWC-1T_AT_155346	8/13/2015 7:00	FALSE	0.326		663.682		29.779		0.297	
TPSWC-1T_AT_155346	8/13/2015 8:00	FALSE	0.333		677.253		29.699		0.298	
TPSWC-1T_AT_155346	8/13/2015 9:00	FALSE	0.324		660.527		29.677		0.297	
TPSWC-1T_AT_155346	8/13/2015 10:00	FALSE	0.327		666.744		29.755		0.298	
TPSWC-1T_AT_155346	8/13/2015 11:00	FALSE	0.33		672.611		29.904		0.297	
TPSWC-1T_AT_155346	8/13/2015 12:00	FALSE	0.323		657.422		29.874		0.301	
TPSWC-1T_AT_155346	8/13/2015 13:00	FALSE	0.329		670.041		30.188		0.301	
TPSWC-1T_AT_155346	8/13/2015 14:00	FALSE	0.339		688.377		30.637		0.301	
TPSWC-1T_AT_155346	8/13/2015 15:00	FALSE	0.348		708.496		31.043		0.301	
TPSWC-1T_AT_155346	8/13/2015 16:00	FALSE	0.356		723.362		31.463		0.303	
TPSWC-1T_AT_155346	8/13/2015 17:00	FALSE	0.347		705.098		31.514		0.303	
TPSWC-1T_AT_155346	8/13/2015 18:00	FALSE	0.343		698.454		31.278		0.302	
TPSWC-1T_AT_155346	8/13/2015 19:00	FALSE	0.347		705.305		31.117		0.302	
TPSWC-1T_AT_155346	8/13/2015 20:00	FALSE	0.344		699.931		30.897		0.303	
TPSWC-1T_AT_155346	8/13/2015 21:00	FALSE	0.344		699.118		30.767		0.303	
TPSWC-1T_AT_155346	8/13/2015 22:00	FALSE	0.329		669.716		30.394		0.332	
TPSWC-1T_AT_155346	8/13/2015 23:00	FALSE	0.333		672.622		30.356		0.333	
TPSWC-1T_AT_155346	8/14/2015 0:00	FALSE	0.33		671.234		30.194		0.333	
TPSWC-1T_AT_155346	8/14/2015 1:00	FALSE	0.322		655.373		29.956		0.333	
TPSWC-1T_AT_155346	8/14/2015 2:00	FALSE	0.324		659.146		29.86		0.332	
TPSWC-1T_AT_155346	8/14/2015 3:00	FALSE	0.321		653.456		29.738		0.333	
TPSWC-1T_AT_155346	8/14/2015 4:00	FALSE	0.319		650.402		29.617		0.331	
TPSWC-1T_AT_155346	8/14/2015 5:00	FALSE	0.318		647.709		29.497		0.332	
TPSWC-1T_AT_155346	8/14/2015 6:00	FALSE	0.32		652.168		29.388		0.33	
TPSWC-1T_AT_155346	8/14/2015 7:00	FALSE	0.323		655.633		29.328		0.331	
TPSWC-1T_AT_155346	8/14/2015 8:00	FALSE	0.325		662.358		29.305		0.331	
TPSWC-1T_AT_155346	8/14/2015 9:00	FALSE	0.317		645.312		29.286		0.335	
TPSWC-1T_AT_155346	8/14/2015 10:00	FALSE	0.316		644.945		29.391		0.334	
TPSWC-1T_AT_155346	8/14/2015 11:00	FALSE	0.32		652.095		29.46		0.333	
TPSWC-1T_AT_155346	8/14/2015 12:00	FALSE	0.323		658.287		29.588		0.333	
TPSWC-1T_AT_155346	8/14/2015 13:00	FALSE	0.314		641.188		29.865		0.33	
TPSWC-1T_AT_155346	8/14/2015 14:00	FALSE	0.299		610.311		29.911		0.337	
TPSWC-1T_AT_155346	8/14/2015 15:00	FALSE	0.309		631.196		30.084		0.331	
TPSWC-1T_AT_155346	8/14/2015 16:00	FALSE	0.299		610.276		30.348		0.327	

TPSWC-1T_AT_155346	8/15/2015 8:00	FALSE	0.302	617.496	29.484	0.322
TPSWC-1T_AT_155346	8/15/2015 9:00	FALSE	0.305	621.862	29.459	0.321
TPSWC-1T_AT_155346	8/15/2015 10:00	FALSE	0.309	631.216	29.433	0.337
TPSWC-1T_AT_155346	8/15/2015 11:00	FALSE	0.314	639.595	29.576	0.336
TPSWC-1T_AT_155346	8/15/2015 12:00	FALSE	0.313	638.146	29.49	0.338
TPSWC-1T_AT_155346	8/15/2015 13:00	FALSE	0.314	639.433	29.55	0.338
TPSWC-1T_AT_155346	8/15/2015 14:00	FALSE	0.313	638.193	29.602	0.341
TPSWC-1T_AT_155346	8/15/2015 15:00	FALSE	0.314	639.77	29.515	0.34
TPSWC-1T_AT_155346	8/15/2015 16:00	FALSE	0.316	643.635	29.494	0.338
TPSWC-1T_AT_155346	8/15/2015 17:00	FALSE	0.314	640.527	29.505	0.339
TPSWC-1T_AT_155346	8/15/2015 18:00	FALSE	0.313	638.141	29.496	0.338
TPSWC-1T_AT_155346	8/15/2015 19:00	FALSE	0.31	632.903	29.432	0.338
TPSWC-1T_AT_155346	8/15/2015 20:00	FALSE	0.308	628.272	29.351	0.337
TPSWC-1T_AT_155346	8/15/2015 21:00	FALSE	0.31	631.471	29.248	0.337
TPSWC-1T_AT_155346	8/15/2015 22:00	FALSE	0.316	643.3	29.187	0.336
TPSWC-1T_AT_155346	8/15/2015 23:00	FALSE	0.315	643.018	29.122	0.337
TPSWC-1T_AT_155346	8/16/2015 0:00	FALSE	0.316	645.066	29.056	0.338
TPSWC-1T_AT_155346	8/16/2015 1:00	FALSE	0.32	651.101	28.989	0.338
TPSWC-1T_AT_155346	8/16/2015 2:00	FALSE	0.319	650.482	28.935	0.338
TPSWC-1T_AT_155346	8/16/2015 3:00	FALSE	0.317	646.83	28.88	0.338
TPSWC-1T_AT_155346	8/16/2015 4:00	FALSE	0.315	641.997	28.822	0.337
TPSWC-1T_AT_155346	8/16/2015 5:00	FALSE	0.312	635.281	28.762	0.338
TPSWC-1T_AT_155346	8/16/2015 6:00	FALSE	0.311	633.689	28.711	0.338
TPSWC-1T_AT_155346	8/16/2015 7:00	FALSE	0.31	631.583	28.665	0.336
TPSWC-1T_AT_155346	8/16/2015 8:00	FALSE	0.309	629.71	28.707	0.339
TPSWC-1T_AT_155346	8/16/2015 9:00	FALSE	0.307	626.205	28.782	0.336
TPSWC-1T_AT_155346	8/16/2015 10:00	FALSE	0.307	627.107	28.929	0.335
TPSWC-1T_AT_155346	8/16/2015 11:00	FALSE	0.305	623.323	29.225	0.333
TPSWC-1T_AT_155346	8/16/2015 12:00	FALSE	0.307	625.813	29.662	0.333
TPSWC-1T_AT_155346	8/16/2015 13:00	FALSE	0.309	630.821	29.888	0.329
TPSWC-1T_AT_155346	8/16/2015 14:00	FALSE	0.303	618.686	29.998	0.329
TPSWC-1T_AT_155346	8/16/2015 15:00	FALSE	0.307	626.62	29.982	0.328
TPSWC-1T_AT_155346	8/16/2015 16:00	FALSE	0.305	622.463	30.13	0.329
TPSWC-1T_AT_155346	8/16/2015 17:00	FALSE	0.305	623.246	30.035	0.325
TPSWC-1T_AT_155346	8/16/2015 18:00	FALSE	0.306	623.951	30.022	0.326
TPSWC-1T_AT_155346	8/16/2015 19:00	FALSE	0.306	625.188	29.922	0.325
TPSWC-1T_AT_155346	8/16/2015 20:00	FALSE	0.307	627.331	29.835	0.323
TPSWC-1T_AT_155346	8/16/2015 21:00	FALSE	0.308	629.329	29.84	0.325
TPSWC-1T_AT_155346	8/16/2015 22:00	FALSE	0.308	629.108	29.775	0.326
TPSWC-1T_AT_155346	8/16/2015 23:00	FALSE	0.314	639.831	29.752	0.325
TPSWC-1T_AT_155346	8/17/2015 0:00	FALSE	0.317	646.278	29.817	0.325

# WaterLevel (ft)

