



*Signs & Safety
Solutions
Catalogue*

t: 1800 427 822 f: 08 9477 1855 e: sales@hartac.com.au w: www.hartac.com.au



Introduction

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Introduction




Innovation and flexibility are key elements to our continuing prominence, in the production and supply of standard or custom made signage, safety signage, industrial safety products, visual warnings and safety management systems, within the industry.

We are proud to say Hartac is a WA owned and operated company, established in 1969, promoting Australian manufactured products.

Call us today, our staff are always ready to assist on any aspect of your signage and safety requirements.

This book and contents are subject to copyright and no part may be reproduced by any process without written permission. All product information was found to be correct at time of printing.

Contents

	Custom Made Signs <i>Custom made signs, Labels, Tags, Engraving</i>	9-12
	Danger Signs <i>Custom Danger Signs, Mine Site, Electrical, Building Site, Admittance, No Smoking, Machine Operation, Hazardous Substances, Flammable, Confined Space</i>	13-23
	Mandatory Signs <i>Custom Mandatory Signs, General Mandatory, Mandatory Stickers, Mandatory Landscape</i>	24-28
	Prohibition Signs <i>Custom Prohibition, General Prohibition, Prohibition Stickers, Admittance, No Smoking, Flammable, Smokers Ceasefire</i>	29-32
	Warning Signs <i>Custom Warning Signs, General Warning, Star Picket Configurations</i>	33-35
	Traffic Control <i>Regulatory, Vehicle and Truck Identification, Warning, Temporary Boxed Edge, Hazard, Posts, A-Frames, Guide Posts, Delineators, Cones, Star Pickets and Covers, Bollards, Water Filled Barriers, Barrier Boards, Quad Stands, Brackets, Frames, Hazard Markers</i>	36-49
	Marine & Offshore Signs <i>Safety Directional, Fire Control, Fire Equipment, Sea Lanterns</i>	50-58
	Fire & Safety <i>Fire Safety Signs, Portable Beacons and Lighting, Portable Signals, Storage Cabinets, Fire Extinguisher, Fire Blankets</i>	59-64
	General & Emergency Signs <i>Parking, Door Signs, Emergency Information, Exit, Notice, Housekeeping, Recycling and Environment, Safety Awareness, Hard Hat Stickers, Safety Record</i>	65-73
	Hazchem Signs & Dangerous Goods <i>Hazchem Signs/Dangerous Goods Signs, Spill Kits, Mobile Dispensing Units, Chemical Storage Cabinets, Spill Control Pallets, Drum Management Systems, Safety Showers, Eye Wash Stations</i>	74-92
	Lockout/Tagout <i>Safety Padlocks, Lockout Hasps, Key Cabinets, Lockout Stations, Procedure Holders, Custom Products, Isolation Lockout Devices, Emergency Key Boxes</i>	93-112
	Visual Warning <i>Expandable Barriers, Antislip Products, Convex Safety Mirrors, Safety Bunting, Vehicle Flags, Safety Chain, Barricade Tapes, Self Adhesive Floor Tapes, Reflective Tapes</i>	113-123
	Labels, Tags & Pipe Identification <i>Letters and Numbers Self Adhesive, Scafftag Safety Management Systems, Accident Prevention tags (Poly and Paper) Identification Tags, Shift Worker Tags, Pipeline Identification</i>	124-135
	Industrial Printing <i>Handimark Printer, GlobalMark Printer, PowerMark Printer, IDPal Printer, TLS 2200 and PC Link Printer, 2461 Printer, Software Systems, and accessories</i>	136-153
	General Safety <i>First Aid Kits, Marking Paint, Stencils, Key Rings, Safety Hooks, Safety Matting, Safety Step</i>	154-161
	Personal Protection Equipment <i>Respiratory Protection, Head Protection, Eye Protection, Hand Protection, Welding Protection, Visual Protection, Skin Protection, Back Protection</i>	162-172

Sign Index

Description	Page	Description	Page	Description	Page
↑ Only	37	Break Glass In Emergency-Marine	52	Crane Working Overhead	18
11,000 Volts	17	Breathing Apparatus - Marine	52	Crest	40
2 Tracks	41	Breathing Apparatus Must Be Worn In This Area	26	Cross Roads	39
22,000 Volts	17	Buried Services In This Vicinity		Curve	39
240 Volts	17	Do Not Dig	35	Cut Back Bitumen, Tars, Liquid	75
415 Volts	17			Cyanide	21
6,600 Volts	17				
		C		D	
A		Causeway	40	Danger Gas No Smoking	43
Acetylene	75	Caustic Alkali Liquid NOS	75	Dangerous Class Of Dangerous Goods	77
Acid	20	Caution You Are Entering A CO2 Protected Area - Marine	58	Dangerous Goods	77
Acid	34	Certified First Aid	72	Dangerous When Wet 4	76
Aircraft	41	Chain All Cylinders Securely	70	Deep Excavation	16
Aisle Must Be Kept Clear	26	Charged Face	15	Deep Excavation	18
All Cylinders Must Be Chained	26	Charged Face No Unauthorised Entry	15	Demolition Work In Progress	18
All Visitors Please Report To Office	70	Charged Stope	16	Designated Firing Point	16
Aluminium Cans Only	71	Charging In Progress	16	Detour ← →	43
Ammonia	20	Charging In Progress	35	Detour Ahead	42
Ammonia Solutions	75	Chemical Storage	20	Diesel Fuel	21
Ammonium Nitrate	75	Chemical Storage Area	34	Dip	40
Apron Must Be Worn In This Area	26	Chemical Storage Area Authorised Personnel Only	20	Disabled Parking	66
Arsenic Compounds Liquid NOS	75	Children Crossing	38	Divided Road	39
Arsenic Compounds Solid NOS	75	Chlorine	20	Divided Road End	39
Asbestos	20	Chlorine	75	Do Not Drink	30
Asbestos Removal In Progress	20	CO2 Extinguisher	60	Do Not Enter	19
Assembly Station Marine	53	CO2 Protected Area - Marine	58	Do Not Use Mobile Telephones	30
Authorised Entry Only	16	Commissioning In Progress	16	Door Alarmed Open Only For Emergency Exit	70
Authorised Fork Lift Operator	72	Compressed Air Used In This Area	35	Double Eye Protection Must Be Worn In This Area	26
Authorised Personnel Only	31	Compressed Oxygen	75	Drilling Breakthrough	15
Authorised Personnel Only	70	Confined Space Entry		Drilling Breakthrough Authorised Entry Only	15
Automatically Controlled May Start At Any Time	20	By Permit Only	23	Drinking Water - Marine	52
		Confined Space Permit Must Be Completed And Authorised Prior To Entry	23	Dust Mask Must Be Worn In This Area	25
B		Construction Site Unauthorised Persons Keep Out	18		
Battery Charging Area No Smoking	19	Corrosive	20	E	
Beware of Vehicles	34	Corrosive 8	77		
Bicycles	41	Corrosive Liquid NOS	75		
Bi-Directional Hazard Marker	44				
Blasting Area Switch Off					
Radio Transmitters	43				
Blasting Stop Await Signal	43				










Sign Index

Description	Page	Description	Page	Description	Page
Eating and Drinking Area - Marine	52	Exit Closed	42	Fire Door Keep Closed	61
Electric Fence	17	Explosive	77	Fire Emergency Phone	60
Electric Shock and Drowning		Explosive 1, 1.4, 1.5, 1.6	76	Fire Equipment ↓	61
Expired Air Resuscitation	69	Explosive Blasting Type E	75	Fire Exit	68
Electric Shock Rescue and Resuscitation	69	Explosive Gas No Smoking	16	Fire Extinguisher	60
Electrical Equipment Authorised Personnel Only	17	Explosive Gas No Smoking	22	Fire Extinguisher	61
Electrolyte Burns	68	Explosive Vapours No Smoking, Sparks Or Naked Flames	22	Fire Extinguisher - Marine	57
Elevated Temperature Liquid NOS	75	Explosives	14	Fire Extinguisher - Marine	58
Emergency Assembly Point	67	Explosives Keep Out	15	Fire Extinguisher ↓	61
Emergency Breathing Apparatus	67	Explosives Keep Out	18	Fire Extinguisher	
Emergency Equipment - Marine	52	Explosives Keep Out	22	Carbon Dioxide - Marine	58
Emergency Exit Keep Clear	68	Explosives No Smoking No Naked Lights	15	Fire Extinguisher Powder-Marine	58
Emergency Exit Only	68	Eye Protection Must Be Worn In This Area	25	Fire Extinguisher V Style	61
Emergency Eye Wash	67	Eye Protection Must Be Worn In This Area	28	Fire Extinguisher V Style - Marine	58
Emergency Eye Wash - Marine	52	Eye Wash Station	67	Fire Extinguisher Water - Marine	58
Emergency Response Team	72			Fire Fighting Equipment Store Inside - Marine	57
Emergency Shower	67	F		Fire Flap - Marine	57
Emergency Shower - Marine	52	Face Shield Must Be Worn In This Area	26	Fire Hose	60
Emergency Shower And Eye Wash	67	Face Shield Must Be Worn In This Area	28	Fire Hose	61
Emergency Stop - Marine	52	Ferry	40	Fire Hose - Marine	57
Emergency Telephone - Marine	52	Fire Alarm	60	Fire Hose Reel	60
End _ km/h Limit	44	Fire Alarm	61	Fire Hose Reel - Marine	57
End 30 km/h Limit	44	Fire Alarm - Marine	57	Fire Hose Reel V Style - Marine	58
End 50 km/h Limit	44	Fire Alarm ↓	61	Fire Hose V Style	61
End Blasting Area	43	Fire Alarm Call Point	60	Fire Hydrant - Marine	57
End Detour	42	Fire Alarm Call Point - Marine	57	Fire Hydrant & Hose Reel	60
End Roadwork	42	Fire Alarm Call Point V Style	61	Fire, Naked Flames and Smoking Prohibited	31
Entry	66	Fire Alarm V Style	61	Fire Phone - Marine	57
Escape Door - Marine	54	Fire Alarm V Style - Marine	58	Fire Point - Marine	57
Escape Hatch - Marine	54	Fire Blanket - Marine	57	Fire Point - Marine	57
Escape Ladder - Marine	52	Fire Blanket - Marine	58	Fire Point V Style - Marine	58
Escape Route - Marine	54	Fire Blanket V Style	61	Fire Pump Start Button - Marine	57
Escape To Sea - Marine	54	Fire Door Do Not Obstruct	61	Fire Telephone - Marine	57
Escape Window - Marine	54	Fire Door Do Not Obstruct Do Not Keep Open	61	Fire, Naked Flame and Smoking Prohibited Within _ Metres	31
Escapeway ← →	67			Firefighting Equipment	60
Evacuation Procedure	67			Firemans Suit - Marine	57
Exit	66			Firing In Progress	15
Exit ← → ↓	68			First Aid	67
Exit ← → ↑ ↓ Marine	54				

Sign Index

Description	Page	Description	Page	Description	Page
First Aid - Marine	52	Gate	40	Helideck - Marine	52
First Aid ← →	68	Gentlemen	66	High Voltage	17
First Aid Equipment	68	Give Way	37	High Voltage	34
First Aid Kit	67	Give Way Sign Ahead	39	High Voltage Authorised Personnel Only	17
First Aid Kit	68	Give Way To Pedestrians	37	High Voltage Overhead	17
First Aid Kit	72	Good Housekeeping Is Essential To Safety	71	Hose Reel V Style	61
First Aid Room	67	Grader Ahead	42	Hospital	41
First Aid Station	67	Gravel Road	40	Hot	21
First Aid Station	72	Gravel Road	43	Hot Surface	34
Flammable	22	Grid	40	Hot Work	16
Flammable Gas	22			Hydrochloric Acid	21
Flammable Gas 2	76			Hydrochloric Acid	75
Flammable Liquid 3	76	H		Hydrogen Peroxide	75
Flammable Liquid NOS	75	Hair Protection Must Be Worn In This Area	26		
Flammable Liquids	22	Hairpin Bend	39	I	
Flammable Material No Smoking	19	Half Face Mask Respirator Must Be Worn	25	In Case Of Fire - Marine	58
Flammable Material No Smoking	22	Hand Protection Must Be Worn In This Area	26	In Case Of Fire Break Glass - Marine	57
Flammable Material Storage Keep Heat & Flames Away	22	Hand Protection Must Be Worn In This Area	28	In Event Of Fire Do Not Use Lifts Use Stairway	60
Flammable Materials	22	Hands Must Be Washed Before Returning To Work	26	Infectious Substance 6	76
Flammable Materials No Smoking	31	Hard Hat Must Be Worn In This Area	28	Is Your Tag In Date?	68
Flammable No Matches or Naked Flames	22	Harmful Stow Away From Foodstuffs 6	76	Isolate Before Opening	17
Flammable No Smoking	22	Hazardous Chemicals	21	Isolate Equipment Before Opening Doors	20
Flammable Solid 4	76	Hazardous Materials	21	Isolate Equipment Before Removing Guard Mass _kg	20
Floodway	40	Hazardous Waste	21		
Foam Extinguisher	60	Hazchem	77	J	
Foam Inlet - Marine	57	Hazchem In Emergency Dial 000, Police or Fire Brigade	77	Jumbo Cable	15
Foot Protection Must Be Worn In This Area	26	Head Protection Must Be Worn In This Area	25		
Foot Protection Must Be Worn In This Area	28	Hearing and Eye Protection Must Be Worn In This Area	25	K	
For Emergency Use Only	68	Hearing and Eye Protection Must Be Worn In This Area	28	Kangaroos	41
Ford	40	Hearing Protection Must Be Worn In This Area	25	Keep Clear Explosive Powered Tools In Use	18
Forklift Operating Area	18			Keep Door Closed At All Times	66
Forklifts In Use	34			Keep Left	37
Fuel, Aviation, Turbine Engine	75			Keep Out	19
				Keep Out Authorised Personnel Only	19
G				Keep Out No Access	19

Sign Index

Description	Page	Description	Page	Description	Page
Keep Right	37	MSDS Located Here	67	No Smoking	19
Keep This Door Closed	70	Muster Point	68	No Smoking	22
Keep This Washroom Clean	70			No Smoking	30
Keep Windows Closed Air Conditioned	71	N		No Smoking	31
Kerosene	75	Narrow Bridge	39	No Smoking Flammable Gases Keep Fire Away	19
		Nitric Acid	75	No Smoking Flammable Liquids Keep Fire Away	19
L		Nitrogen	21	No Smoking In This Area	31
Ladies	66	No Eating or Drinking In This Area	71	No Smoking Matches or Open Flames	31
Lane Allocation	40	No Entry	15	No Smoking No Ignition Sources	19
Lane Status	42	No Entry	18	No Smoking No Naked Flames No Matches	19
Laser Radiation Avoid Eye Or Skin Exposure To Direct Or Scattered Radiation	21	No Entry	31	No Smoking No Naked Lights	20
Lateral Shift Marker	43	No Entry	37	No Smoking No Naked Lights No Cutting No Welding	20
Lead Nitrate	75	No Entry At Firing Times	16	No Smoking Stop Engine	20
Lead Nitrate Solution	75	No Entry At Firing Times	18	No Smoking Switch Off Engine Before Opening Fuel Tank	19
Left Lane Ends	40	No Entry Authorised Personnel Only	16	No Speed Limit	38
Left Lane Must Exit	38	No Entry Authorised Personnel Only	19	No Standing At Any Time	66
Left Lane Must Turn Left	37	No Entry Authorised Personnel Only	31	No Stopping On Freeway	38
Left Only	37	No Entry Authorised Persons Only	30	No Stopping or Turning	37
Left Turn	39	No Entry Blasting In Progress	15	No Thoroughfare	66
Lifeboat   Marine	53	No Entry Charged Face	16	No Tipping	18
Lifejackets Under Seat - Marine	52	No Entry Remote Bogging In Progress	16	No U Turn	37
Line Marking	43	No Entry Unless Authorised	70	No Unauthorised Entry	14
Line Marking Ahead	42	No Exit	37	No Unauthorised Entry Blasting In Progress	15
Liquid Petroleum Gas	21	No Left Turn	37	No Unauthorised Entry Blasting In Progress	18
Live Wires	17	No Lines Do Not Overtake Unless Safe	43	No Ventilation	16
Loose Stones	43	No Naked Flames	31	Non Flammable Non Toxic Gas 2	76
Low Clearance  m	40	No Parking 	66		
Low Level Bridge	40	No Parking 	66	O	
		No Parking	66	Obstruction Marker	44
M		No Parking Any Time	66	Office	66
Machine Starts Automatically	34	No Parking Loading Zone	66	One Lane Closed Two Lanes Open	42
Medical Emergency Team	72	No Pedestrian Access	31	One Way 	37
Merging Traffic	41	No Right Turn	37	One Way  	37
Mind The Step	72	No Sharps	30		
Mind Your Head	72	No Smoking	16		
Miscellaneous Dangerous Goods 	77				
Motor Spirit, Gasoline or Petrol	75				

Sign Index

Description	Page	Description	Page	Description	Page
Only Authorised Persons To Enter This Site	70	Please Enter	66	Recyclable Cardboard	71
Open Hole	14	Please Keep This Area Clean and Tidy	71	Recyclable Glass	71
Open Hole	35	Please Keep This Area Clear	70	Recyclable Paper	71
Open Pit	16	Please Wipe Your Feet	66	Recyclable Plastic	71
Open Pit	18	Poison	21	Recyclable Plastic Only	71
Open Stope	15	Pollution Control Equipment - Marine	52	Reduce Speed	44
Open Stope No Unauthorised Entry	15	Potassium Hydroxide Solution	75	Refuge Chamber	68
Open This Valve In The Event Of Fire - Marine	57	Powder AB(E) Extinguisher	60	Refuge Chamber ← →	67
Open Valve Before Running Out Hose - Marine	57	Powder B(E) Extinguisher	60	Remote Boggging In Progress	16
Opening Bridge	40	Power Line Works In Progress	43	Respirator Must Be Worn In This Area	25
Organic Peroxide 5.2	76	Prepare To Stop	42	Reverse Curve	39
Overhead Crane	34	Private Vehicles Are Not Permitted To Park On Site	70	Reverse Parking Only	66
Overhead Power Lines	17	Procedures And Resuscitation For Electric Shock	69	Reverse Turn	39
Oxidizing Agent 5.1	76	Propane Gas	21	Right Lane Must Turn Right	37
Oxidizing Gas 2	76	Protection Clothing Must Be Worn In This Area	26	Right Only	37
Oxidizing Liquid NOS	75	Protection Clothing Must Be Worn In This Area	28	Risk Of Electric Shock	34
Oxygen No Smoking No Open Flames	21	Protective Equipment - Marine	52	Road Ahead	41
P					
Paper Only	71	Pull	66	Road Closed	42
Part Road Closed	42	Pull - Marine	53	Road Ends	40
Pedestrian Crossing	38	Push	66	Road Narrows	39
Pedestrian Crossing Ahead	41	Push - Marine	53	Road Plant Ahead	42
Pedestrians	41	Push To Open - Marine	53	Road Work	38
Pedestrians ← →	44	Put Rubbish In Bins	70	Roadwork 1km Ahead	42
Pedestrians Watch Your Step	43	Put Tools Back In Their Correct Place	70	Roadwork Ahead	42
Persons With Pacemakers Or Surgical Metal Implants Not Permitted Beyond This Point	17	R		Rough Surface	43
Petroleum Crude Oil	75	Radiation Area	34	Roundabout	37
Petroleum Distillate Diesel	75	Radioactive 7	76	Roundabout Ahead	39
Petroleum Fuel	75	Radioactive I 7	76	S	
Petroleum Gases Liquefied (LPG)	75	Radioactive II 7	77	Safe For Entry - Marine	52
Phosphoric Acid	75	Radioactive III 7	77	Safety Committee	72
Pinch Point Can Cause Severe Personal Injury	34	Rail Crossing	41	Safety Equipment - Marine	52
Please Clean This Area	71	Railway Crossing	41	Safety First	72
Please Clean Up and Keep Tidy	71	Railway Level Crossing Flashing Signal Ahead	41	Safety Goggles Must Be Worn In This Area	25
		Recyclable Aluminium	71	Safety Goggles Must Be Worn In This Area	28
				Safety Harness Must Be Worn	26

Sign Index

Description	Page	Description	Page	Description	Page
Safety Harness Must Be Worn In This Area	28	Steep Climb	40	Two Way	37
Safety Ramp Crossing	41	Steep Descent	40	Two Way Traffic	40
Safety Record	73	Stock Crossing	41	Two-Way Hazard Marker	44
Safety Shower	67	Stock Droving	41		
Safety Shower And Eyewash Station	67	Stop	37	U	
Safety Shower And Eyewash Station	72	Stop Sign Ahead	39	U Turn Permitted	37
Safety Vests Must Be Worn	26	Stretcher - Marine	52	Underground Cables	17
Safety Zone	38	Sulfuric Acid	75	Underground Tank	77
Scaffolding Incomplete	18	Sump	35	Uni-Directional Hazard Marker	44
Shower	66			Use Other Footpath	44
Side Road Junction	39	T		Visitors Parking Only	66
Site Board	73	T Junction	39		
Slide To Open - Marine	53	This Door Is For Emergency Exit Only	68	W	
Slippery	41	This Equipment Starts Automatically	15	Watch For Entering Traffic	41
Slippery	43	This Is Your Lunch Area Keep It Clean	70	Watch Out For Pedestrians	35
Slippery When Wet		This Room Is For Your Convenience Please Keep It Clean	71	Watch Your Step	18
Slow / Stop Posts	47	To Be Used Only In The Case Of Fire - Marine	57	Water Extinguisher	60
Slow _ Kilometres Per Hour	44	Toxic 6	76	Water Over Road	42
Slow 30 Kilometres Per Hour	44	Toxic Gas 2	76	Wear Face Shield and Rubber Gloves When Handling Chemicals	21
Slow 50 Kilometres Per Hour	44	Toxic Hazard	35	Wear Goggles and Rubber Gloves When Handling Chemicals	21
Slow Point	41	Traffic Accident Ahead	42	Welding In Progress	35
Smoke Hood - Marine	52	Traffic Hazard Ahead	42	Wet Chemical Extinguisher	60
Smoking Area - Marine	52	Traffic Island	39	Wet Tar	43
Sodium Cyanide	75	Traffic Lights	39	Width Marker	44
Sodium Cyanide Solution	75	Trailing Cable	15	Winding Road	39
Sodium Hydroxide Solution	75	Tram	40	Wipe Your Feet	70
Sodium Sulphide Hydrated	75	Transit Storage	77	Worker In Confined Space	23
Soft Edges	43	Tripping Hazard	35	Workers Above	14
Speed Hump	40	Trucks Crossing or Entering	41	Workers Ahead	42
Speed Hump Ahead	39	Turn Left At Any Time With Care	37	Workers Below	15
Speed Limit	38	Turn To Open - Marine	53	Wrong Way Go Back	37
Spontaneously Combustible 4	76	Turning Traffic	41		
Sprinkler Control Valve - Marine	57			Y	
Sprinkler Stop Valve - Marine	57			Y Junction	39
Staff Only	66				

Custom Signs

Welcome to Hartac's latest Signs & Safety Solution Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.









Custom Signs

CUSTOM ENGRAVING

Quality engraved signs custom made to your specifications. Choose from a variety of colours, materials, textured backgrounds, pictograms and letter styles, as well as decorative borders to create a highly visible sign. Personalise your signs or labels with a company logo or design. Available in Stainless Steel or Plastic.

	Pimento / White
	Tangerine / White
	Acid Yellow / Black
	Kelly Green / White
	Teal / White
	Sky Blue / White
	Coffee Bean / White
	Winter White / Black
	Aluminium / Black



1. CHOOSE A SIZE
2. CHOOSE A COLOUR COMBINATION AND MATERIAL
3. SELECT YOUR CUSTOM TEXT



Custom Signs

CUSTOM SAFETY SIGNS



PN:	Size	Mat'l
HS5000	1200x900	MTL
HS5001	1200x900	MTL + R
HS5002	900x600	MTL
HS5003	900x600	MTL + R
HS5004	600x450	MTL
HS5005	600x450	MTL + R
HS5006	600x450	POLY
HS5007	450x300	MTL
HS5008	450x300	MTL + R
HS5009	450x300	POLY
HS5010	300x225	S/A
HS5011	100x75	S/A



PN:	Size	Mat'l
HS5026	450x600	MTL
HS5027	450x600	POLY
HS5028	300x450	MTL
HS5029	300x450	POLY
HS5030	225x300	MTL
HS5031	225x300	POLY
HS5032	225x300	S/A



PN:	Size	Mat'l
HS5570	900x600	MTL
HS5571	600x450	MTL
HS5572	600x450	POLY



PN:	Size	Mat'l
HS5573	600x450	MTL
HS5574	600x450	POLY
HS5575	450x300	MTL
HS5578	450x300	POLY



PN:	Size	Mat'l
HS5852	450x600	MTL
HS5853	450x600	POLY
HS5854	300x450	MTL
HS5855	300x450	POLY
HS5856	225x300	MTL
HS5857	225x300	POLY
HS5858	225x300	S/A
HS5859	75x100	S/A



PN:	Size	Mat'l
HS5840	1200x900	MTL
HS5841	1200x900	MTL+R
HS5842	900x600	MTL
HS5843	900x600	MTL+R
HS5844	600x450	MTL
HS5845	600x450	MTL+R
HS5846	600x450	POLY
HS5847	450x300	MTL
HS5848	450x300	MTL+R
HS5849	450x300	POLY
HS5850	300x225	S/A
HS5851	100x75	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Custom Signs

CUSTOM SAFETY SIGNS CONTINUED



PN:	Size	Mat'l
HS5964	900x600	MTL
HS5965	600x450	MTL



PN:	Size	Mat'l
HS5966	600x450	MTL
HS5967	450x300	MTL



PN:	Size	Mat'l
HS5968	450x180	MTL
HS5969	450x180	POLY
HS5970	450x180	S/A



PN:	Size	Mat'l
HS6375	MTL	600x450
HS6376	POLY	600x450
HS6377	MTL	450x300
HS6378	POLY	450x300
HS6379	MTL	300x225
HS6380	POLY	300x225
HS6381	S/A	300x225
HS6382	S/A	150x100



PN:	Size	Mat'l
HS5971	450x600	MTL
HS5972	450x600	POLY
HS5973	300x450	MTL
HS5974	300x450	POLY
HS5975	225x300	MTL
HS5976	225x300	POLY
HS5977	75x100	S/A



PN:	Size	Mat'l
HS6391	MTL	600x450
HS6392	POLY	600x450
HS6393	MTL	450x300
HS6394	POLY	450x300
HS6395	MTL	300x225
HS6396	POLY	300x225
HS6397	S/A	300x225
HS6398	S/A	150x100



PN:	Size	Mat'l
HS6383	MTL	600x450
HS6384	POLY	600x450
HS6385	MTL	450x300
HS6386	POLY	450x300
HS6387	MTL	300x225
HS6388	POLY	300x225
HS6389	S/A	300x225
HS6390	S/A	150x100


CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Danger

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Danger

CUSTOM DANGER

CREATING CUSTOM DANGER SIGNS

You can create your own messages for danger signs according to your needs and requirements. You can also choose from a variety of materials and different sizes.



PN:	Size	Mat'l
HS5000	1200x900	MTL
HS5001	1200x900	MTL+R
HS5002	900x600	MTL
HS5003	900x600	MTL+R
HS5004	600x450	MTL
HS5005	600x450	MTL+R
HS5006	600x450	POLY
HS5007	450x300	MTL
HS5008	450x300	MTL+R
HS5009	450x300	POLY
HS5010	300x225	S/A
HS5011	100x75	S/A



PN:	Size	Mat'l
HS5026	450x600	MTL
HS5027	450x600	POLY
HS5028	300x450	MTL
HS5029	300x450	POLY
HS5030	225x300	MTL
HS5031	225x300	POLY
HS5032	225x300	S/A



Danger

MINE SITE



PN:	Size	Mat'l
HS5444	600x450	MTL+R
HS5445	600x450	POLY
HS5446	450x300	MTL+R
HS5447	450x300	POLY



PN:	Size	Mat'l
HS5448	600x450	MTL+R
HS5450	450x300	MTL+R



PN:	Size	Mat'l
HS5452	600x450	MTL+R
HS5454	450x300	MTL+R



PN:	Size	Mat'l
HS5097	600x450	MTL+R
HS5098	600x450	POLY
HS5099	450x300	MTL+R
HS5100	450x300	POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

MINE SITE CONTINUED



PN:	Size	Mat'l
HS5101	600x450	MTL+R
HS5102	600x450	POLY
HS5103	450x300	MTL+R
HS5104	450x300	POLY



PN:	Size	Mat'l
HS5065	600x450	MTL+R
HS5066	600x450	POLY
HS5067	450x300	MTL+R
HS5068	450x300	POLY



PN:	Size	Mat'l
HS5468	600x450	MTL+R
HS5470	450x300	MTL+R



PN:	Size	Mat'l
HS5109	600x450	MTL+R
HS5111	450x300	MTL+R



PN:	Size	Mat'l
HS5476	600x450	MTL+R
HS5478	450x300	MTL+R



PN:	Size	Mat'l
HS5492	600x450	MTL+R
HS5494	450x300	MTL+R



PN:	Size	Mat'l
HS5496	600x450	MTL+R
HS5498	450x300	MTL+R



PN:	Size	Mat'l
HS5500	600x450	MTL+R
HS5502	450x300	MTL+R



PN:	Size	Mat'l
HS5504	600x450	MTL+R
HS5506	450x300	MTL+R



PN:	Size	Mat'l
HS5508	600x450	MTL+R
HS5510	450x300	MTL+R



PN:	Size	Mat'l
HS5512	600x450	MTL+R
HS5514	450x300	MTL+R



PN:	Size	Mat'l
HS5516	600x450	MTL+R
HS5518	450x300	MTL+R



PN:	Size	Mat'l
HS5520	600x450	MTL+R
HS5523	450x300	MTL+R



PN:	Size	Mat'l
HS5525	600x450	MTL+R
HS5527	450x300	MTL+R



PN:	Size	Mat'l
HS5057	600x450	MTL+R
HS5059	450x300	MTL+R



PN:	Size	Mat'l
HS5533	600x450	MTL
HS5535	450x300	MTL
HS5536	450x300	POLY
HS5537	300x225	MTL
HS5538	300x225	POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

MINE SITE CONTINUED



PN: Size Mat'l
 HS5539 600x450 MTL+R
 HS5541 450x300 MTL+R



PN: Size Mat'l
 HS5113 600x450 MTL+R
 HS5115 450x300 MTL+R



PN: Size Mat'l
 HS5089 600x450 MTL+R
 HS5091 450x300 MTL+R



PN: Size Mat'l
 HS5117 600x450 MTL+R
 HS5119 450x300 MTL+R



PN: Size Mat'l
 HS5559 600x450 MTL+R
 HS5561 450x300 MTL+R



PN: Size Mat'l
 HS5248 600x450 MTL+R
 HS5250 450x300 MTL+R



PN: Size Mat'l
 HS3559 450x300 MTL+R



PN: Size Mat'l
 HS3560 450x300 MTL+R



PN: Size Mat'l
 HS3561 600x450 MTL+R
 HS3562 450x300 MTL+R



PN: Size Mat'l
 HS3563 450x300 MTL+R



PN: Size Mat'l
 HS3565 600x450 MTL+R



PN: Size Mat'l
 HS3569 600x450 MTL+R



PN: Size Mat'l
 HS3570 600x450 MTL+R



PN: Size Mat'l
 HS3564 600x450 MTL+R



PN: Size Mat'l
 HS3566 600x450 MTL+R



PN: Size Mat'l
 HS5053 600x450 MTL+R
 HS5055 450x300 MTL+R

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

ELECTRICAL



PN:	Size	Mat'l
HS5141	600x450	MTL+R
HS5143	450x300	MTL+R
HS5145	300x225	MTL+R
HS5147	100x75	S/A



PN:	Size	Mat'l
HS5148	600x450	MTL+R
HS5482	450x300	MTL+R
HS5152	300x225	MTL+R
HS5154	100x75	S/A



PN:	Size	Mat'l
HS5155	600x450	MTL+R
HS5157	450x300	MTL+R
HS5159	300x225	MTL+R



PN:	Size	Mat'l
HS5162	600x450	MTL
HS5164	450x300	MTL
HS5166	300x225	MTL
HS5168	100x75	S/A



PN:	Size	Mat'l
HS5169	600x450	MTL+R
HS5171	450x300	MTL+R



PN:	Size	Mat'l
HS5176	600x450	MTL+R
HS5178	450x300	MTL+R
HS5180	300x225	MTL+R



PN:	Size	Mat'l
HS5185	450x300	MTL
HS5187	300x225	MTL



PN:	Size	Mat'l
HS5190	600x450	MTL+R
HS5192	450x300	MTL+R



PN:	Size	Mat'l
HS5197	600x450	MTL+R
HS5199	450x300	MTL+R



PN:	Size	Mat'l
HS5210	100x75	S/A



PN:	Size	Mat'l
HS5211	600x450	MTL+R
HS5213	450x300	MTL+R
HS5215	300x225	MTL+R
HS5216	300x225	POLY



PN:	Size	Mat'l
HS5220	450x300	MTL+R
HS5221	450x300	POLY



PN:	Size	Mat'l
HS5225	600x450	MTL+R
HS5227	450x300	MTL+R
HS5231	100x75	S/A



PN:	Size	Mat'l
HS5236	300x225	MTL+R
HS5238	100x75	S/A



PN:	Size	Mat'l
HS5239	125x90	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

BUILDING SITE



PN: Size Mat'l
 HS5057 600x450 MTL+R
 HS5059 450x300 MTL+R



PN: Size Mat'l
 HS5061 600x450 MTL
 HS5063 450x300 MTL



PN: Size Mat'l
 HS5065 600x450 MTL+R
 HS5067 450x300 MTL+R



PN: Size Mat'l
 HS5069 600x450 MTL
 HS5070 600x450 POLY



PN: Size Mat'l
 HS5073 600x450 MTL
 HS5074 600x450 POLY
 HS5075 450x300 MTL
 HS5076 450x300 POLY



PN: Size Mat'l
 HS5077 600x450 MTL
 HS5079 450x300 MTL
 HS5080 450x300 POLY



PN: Size Mat'l
 HS5089 600x450 MTL+R
 HS5091 450x300 MTL+R



PN: Size Mat'l
 HS5093 600x450 MTL
 HS5096 450x300 POLY



PN: Size Mat'l
 HS5105 600x450 MTL
 HS5106 600x450 POLY
 HS5107 450x300 MTL
 HS5108 450x300 POLY



PN: Size Mat'l
 HS5109 600x450 MTL+R
 HS5111 450x300 MTL+R



PN: Size Mat'l
 HS5113 600x450 MTL+R
 HS5115 450x300 MTL+R



PN: Size Mat'l
 HS5117 600x450 MTL+R
 HS5119 450x300 MTL+R



PN: Size Mat'l
 HS5121 600x450 MTL+R
 HS5123 450x300 MTL+R



PN: Size Mat'l
 HS5127 450x300 MTL
 HS5128 450x300 POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

ADMITTANCE



PN: Size Mat'l
 HS5033 600x450 MTL+R
 HS5035 450x300 MTL+R



PN: Size Mat'l
 HS5037 600x450 MTL+R
 HS5039 450x300 MTL+R



PN: Size Mat'l
 HS5045 600x450 MTL
 HS5047 450x300 MTL



PN: Size Mat'l
 HS5049 600x450 MTL+R
 HS5051 450x300 MTL+R



PN: Size Mat'l
 HS5053 600x450 MTL+R
 HS5054 600x450 POLY
 HS5055 450x300 MTL+R
 HS5056 600x450 POLY

NO SMOKING



PN: Size Mat'l
 HS5372 600x450 MTL
 HS5373 600x450 POLY
 HS5374 450x300 MTL
 HS5375 450x300 POLY



PN: Size Mat'l
 HS5378 600x450 MTL
 HS5379 600x450 POLY
 HS5380 450x300 MTL
 HS5381 450x300 POLY



PN: Size Mat'l
 HS5384 600x450 MTL
 HS5385 600x450 POLY



PN: Size Mat'l
 HS5390 600x450 MTL
 HS5395 300x225 POLY



PN: Size Mat'l
 HS5396 600x450 MTL
 HS5398 450x300 MTL



PN: Size Mat'l
 HS5402 600x450 MTL
 HS5404 450x300 MTL



PN: Size Mat'l
 HS5284 600x450 MTL
 HS5286 450x300 MTL
 HS5287 450x300 POLY
 HS5412 300x225 MTL



PN: Size Mat'l
 HS5420 600x450 MTL
 HS5422 450x300 MTL

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Danger

NO SMOKING CONTINUED



PN: Size Mat'l
 HS5426 600x450 MTL
 HS5428 450x300 MTL



PN: Size Mat'l
 HS5432 600x450 MTL
 HS5434 450x300 MTL



PN: Size Mat'l
 HS5438 600x450 MTL
 HS5440 450x300 MTL

MACHINE OPERATION



PN: Size Mat'l
 HS5348 450x300 MTL
 HS5349 450x300 POLY
 HS5350 300x225 MTL
 HS5351 300x225 POLY



PN: Size Mat'l
 HS3567 200x100 MTL
 (specify kgs)



PN: Size Mat'l
 HS3568 200x100 MTL

HAZARDOUS SUBSTANCES



PN: Size Mat'l
 HS5289 450x300 MTL
 HS5290 450x300 POLY



PN: Size Mat'l
 HS5293 450x300 MTL
 HS5294 450x300 POLY



PN: Size Mat'l
 HS5295 450x300 MTL
 HS5296 450x300 POLY



PN: Size Mat'l
 HS5297 450x300 MTL
 HS5298 450x300 POLY



PN: Size Mat'l
 HS5299 450x300 MTL
 HS5300 450x300 POLY



PN: Size Mat'l
 HS5301 450x300 MTL
 HS5302 450x300 POLY



PN: Size Mat'l
 HS5303 450x300 MTL
 HS5304 450x300 POLY



PN: Size Mat'l
 HS5307 450x300 MTL
 HS5308 450x300 POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

HAZARDOUS SUBSTANCES CONTINUED



PN: Size Mat'l
HS5311 450x300 MTL
HS5312 450x300 POLY



PN: Size Mat'l
HS5313 450x300 MTL+R
HS5314 450x300 POLY



PN: Size Mat'l
HS5315 450x300 MTL+R
HS5316 450x300 POLY



PN: Size Mat'l
HS5317 450x300 MTL+R
HS5318 450x300 POLY



PN: Size Mat'l
HS5319 450x300 MTL



PN: Size Mat'l
HS5321 450x300 MTL
HS5322 450x300 POLY



PN: Size Mat'l
HS5325 450x300 MTL
HS5326 450x300 POLY



PN: Size Mat'l
HS5327 450x300 MTL
HS5328 450x300 POLY



PN: Size Mat'l
HS5329 450x300 MTL
HS5330 450x300 POLY



PN: Size Mat'l
HS5331 450x300 MTL
HS5332 450x300 POLY



PN: Size Mat'l
HS5333 450x300 MTL
HS5334 450x300 POLY



PN: Size Mat'l
HS5337 450x300 MTL
HS5338 450x300 POLY



PN: Size Mat'l
HS5342 450x300 MTL
HS5343 450x300 POLY



PN: Size Mat'l
HS5344 450x300 MTL
HS5345 450x300 POLY



PN: Size Mat'l
HS5346 450x300 MTL
HS5347 450x300 POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

FLAMMABLE



PN: Size Mat'l
 HS5057 600x450 MTL+R
 HS5059 450x300 MTL+R



PN: Size Mat'l
 HS5244 600x450 MTL+R
 HS5246 450x300 MTL+R



PN: Size Mat'l
 HS5248 600x450 MTL+R
 HS5250 450x300 MTL+R



PN: Size Mat'l
 HS5252 600x450 MTL+R
 HS5254 450x300 MTL+R



PN: Size Mat'l
 HS5256 600x450 MTL
 HS5258 450x300 MTL



PN: Size Mat'l
 HS5260 600x450 MTL
 HS5262 450x300 MTL



PN: Size Mat'l
 HS5264 600x450 MTL
 HS5266 450x300 MTL



PN: Size Mat'l
 HS5268 600x450 MTL
 HS5270 450x300 MTL



PN: Size Mat'l
 HS5272 600x450 MTL
 HS5274 450x300 MTL



PN: Size Mat'l
 HS5276 600x450 MTL
 HS5278 450x300 MTL
 HS5279 450x300 POLY



PN: Size Mat'l
 HS5280 600x450 MTL
 HS5282 450x300 MTL
 HS5283 450x300 POLY



PN: Size Mat'l
 HS5284 600x450 MTL
 HS5286 450x300 MTL
 HS5287 450x300 POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper


CONFINED SPACE



PN:	Size	Mat'l
HS5129	600X450	MTL
HS5130	600X450	POLY
HS5131	450X300	MTL
HS5132	450X300	POLY



PN:	Size	Mat'l
HS5137	600X450	MTL
HS5139	450X300	MTL



PN:	Size	Mat'l
HS3584	483X305	POLY

PERMIT HOLDER BOARD

PN:	Size	Mat'l
HS5019	450x600	MTL
HS5021	300x450	MTL



CODES: MTL = Metal • S/A = Self Adhesive
 • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Mandatory

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Mandatory Signs

CUSTOM MANDATORY



PN:	Size	Mat'l
HS5567	900x600	MTL
HS5568	600x450	MTL
HS5569	600x450	POLY



PN:	Size	Mat'l
HS5570	900x600	MTL
HS5571	600x450	MTL
HS5572	600x450	POLY

Four (4) pictogram custom sign

You can choose from all the symbols on the following mandatory pages, and you can also choose your text message ending from the four available options below.

1. IN THIS AREA
2. BEYOND THIS POINT
3. ON THIS SITE
4. WITHIN THIS FACILITY

Three (3) pictogram custom sign

You can choose from all the symbols on the following mandatory pages.



PN:	Size	Mat'l
HS5573	600x450	MTL
HS5574	600x450	POLY
HS5575	450x300	MTL
HS5578	450x300	POLY

Two (2) pictogram custom sign

You can choose from all the symbols on the following mandatory pages.



Single (1) pictogram custom sign

You can choose from all the symbols on the following mandatory pages, and you can also customise your text message.

PN:	Size	Mat'l
HS5579	450x600	MTL
HS5580	450x600	POLY
HS5581	300x450	MTL
HS5582	300x450	POLY
HS5583	225x300	MTL
HS5584	225x300	POLY
HS5585	225x300	S/A

MANDATORY



PN:	Size	Mat'l
HS5586	450x600	MTL
HS5587	450x600	POLY
HS5588	300x450	MTL
HS5589	300x450	POLY
HS5590	225x300	POLY
HS5591	180x250	S/A



PN:	Size	Mat'l
HS5592	450x600	MTL
HS5593	450x600	POLY
HS5594	300x450	MTL
HS5595	300x450	POLY
HS5596	225x300	POLY
HS5597	180x250	S/A



PN:	Size	Mat'l
HS5598	450x600	MTL
HS5599	450x600	POLY
HS5600	300x450	MTL
HS5601	300x450	POLY
HS5602	225x300	POLY
HS5603	180x250	S/A



PN:	Size	Mat'l
HS5604	450x600	MTL
HS5605	450x600	POLY
HS5606	300x450	MTL
HS5607	300x450	POLY
HS5608	225x300	POLY
HS5609	180x250	S/A



PN:	Size	Mat'l
HS5610	450x600	MTL
HS5611	450x600	POLY
HS5612	300x450	MTL
HS5613	300x450	POLY
HS5614	225x300	POLY
HS5615	180x250	S/A



PN:	Size	Mat'l
HS5616	450x600	MTL
HS5617	450x600	POLY
HS5618	300x450	MTL
HS5619	300x450	POLY
HS5620	225x300	POLY
HS5621	180x250	S/A



PN:	Size	Mat'l
HS5622	450x600	MTL
HS5623	450x600	POLY
HS5624	300x450	MTL
HS5625	300x450	POLY
HS5626	225x300	POLY
HS5627	180x250	S/A



PN:	Size	Mat'l
HS5628	450x600	MTL
HS5629	450x600	POLY
HS5630	300x450	MTL
HS5631	300x450	POLY
HS5632	225x300	POLY
HS5633	180x250	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Mandatory Signs

MANDATORY CONTINUED



PN:	Size	Mat'l
HS5534	450x600	MTL
HS5535	450x600	POLY
HS5536	300x450	MTL
HS5537	300x450	POLY
HS5538	225x300	POLY
HS5539	180x250	S/A



PN:	Size	Mat'l
HS5540	450x600	MTL
HS5541	450x600	POLY
HS5542	300x450	MTL
HS5543	300x450	POLY
HS5544	225x300	POLY
HS5545	180x250	S/A



PN:	Size	Mat'l
HS5646	450x600	MTL
HS5647	450x600	POLY
HS5648	300x450	MTL
HS5649	300x450	POLY
HS5650	225x300	POLY
HS5651	180x250	S/A



PN:	Size	Mat'l
HS5652	450x600	MTL
HS5653	450x600	POLY
HS5654	300x450	MTL
HS5655	300x450	POLY
HS5656	225x300	POLY
HS5657	180x250	S/A



PN:	Size	Mat'l
HS5658	450x600	MTL
HS5660	300x450	MTL
HS5662	180x250	S/A



PN:	Size	Mat'l
HS5664	450x600	MTL
HS5666	300x450	MTL
HS5668	180x250	S/A



PN:	Size	Mat'l
HS5670	450x600	MTL
HS5672	300x450	MTL
HS5674	180x250	S/A



PN:	Size	Mat'l
HS5682	450x600	MTL
HS5684	300x450	MTL
HS5686	180x250	S/A



PN:	Size	Mat'l
HS5690	300x450	MTL
HS5692	180x250	S/A



PN:	Size	Mat'l
HS5694	450x600	MTL
HS5696	300x450	MTL
HS5698	180x250	S/A



PN:	Size	Mat'l
HS5700	450x600	MTL
HS5702	300x450	MTL
HS5704	180x250	S/A



PN:	Size	Mat'l
HS5710	180x250	S/A



PN:	Size	Mat'l
HS5715	300x450	POLY
HS5716	180x250	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Mandatory Signs


MANDATORY STICKERS



PN: **Size** **Mat'l**
 HS5730 300x300 S/A
 HS5731 150x150 S/A
 HS5732 50x50 S/A



PN: **Size** **Mat'l**
 HS5733 300x300 S/A
 HS5734 150x150 S/A
 HS5735 50x50 S/A



PN: **Size** **Mat'l**
 HS5736 300x300 S/A
 HS5737 150x150 S/A
 HS5738 50x50 S/A



PN: **Size** **Mat'l**
 HS5739 300x300 S/A
 HS5740 150x150 S/A
 HS5741 50x50 S/A



PN: **Size** **Mat'l**
 HS5742 300x300 S/A
 HS5743 150x150 S/A
 HS5744 50x50 S/A



PN: **Size** **Mat'l**
 HS5745 300x300 S/A
 HS5746 150x150 S/A
 HS5747 50x50 S/A



PN: **Size** **Mat'l**
 HS5748 300x300 S/A
 HS5749 150x150 S/A
 HS5750 50x50 S/A



PN: **Size** **Mat'l**
 HS5751 300x300 S/A
 HS5752 150x150 S/A
 HS5753 50x50 S/A



PN: **Size** **Mat'l**
 HS5754 300x300 S/A
 HS5755 150x150 S/A
 HS5756 50x50 S/A




PN: **Size** **Mat'l**
 HS5757 300x300 S/A
 HS5758 150x150 S/A
 HS5759 50x50 S/A




PN: **Size** **Mat'l**
 HS5760 300x300 S/A
 HS5761 150x150 S/A
 HS5762 50x50 S/A



PN: **Size** **Mat'l**
 HS5763 300x300 S/A
 HS5764 150x150 S/A
 HS5765 50x50 S/A



PN: **Size** **Mat'l**
 HS5766 300x300 S/A
 HS5767 150x150 S/A
 HS5768 50x50 S/A



PN: **Size** **Mat'l**
 HS5790 300x300 S/A
 HS5791 150x150 S/A
 HS5792 50x50 S/A



PN: **Size** **Mat'l**
 HS5793 300x300 S/A
 HS5794 150x150 S/A
 HS5795 50x50 S/A



PN: **Size** **Mat'l**
 HS5799 300x300 S/A
 HS5800 150x150 S/A
 HS5801 50x50 S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Mandatory Signs

MANDATORY LANDSCAPE



PN:	Size	Mat'l
HS5813	450x180	MTL
HS5815	450x180	S/A



PN:	Size	Mat'l
HS5816	450x180	MTL
HS5818	450x180	S/A



PN:	Size	Mat'l
HS5819	450x180	MTL
HS5821	450x180	S/A



PN:	Size	Mat'l
HS5822	450x180	MTL
HS5824	450x180	S/A



PN:	Size	Mat'l
HS5825	450x180	MTL
HS5827	450x180	S/A



PN:	Size	Mat'l
HS5828	450x180	MTL
HS5830	450x180	S/A



PN:	Size	Mat'l
HS5831	450x180	MTL
HS5833	450x180	S/A



PN:	Size	Mat'l
HS5834	450x180	MTL
HS5836	450x180	S/A



PN:	Size	Mat'l
HS5837	450x180	MTL
HS5839	450x180	S/A



CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Prohibition

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Prohibition Signs

CUSTOM PROHIBITION



Four (4) pictogram custom sign
You can choose from all the symbols on the following prohibition pages, and you can also customise your text message.

PN:	Size	Mat'l
HS5960	900x600	MTL
HS5961	600x450	MTL
HS5962	600x450	POLY
HS5963	450x300	POLY



Three (3) pictogram custom sign
You can choose from all the symbols on the following prohibition pages, and you can also customise your text message.

PN:	Size	Mat'l
HS5964	900x600	MTL
HS5965	600x450	MTL



Two (2) pictogram custom sign
You can choose from all the symbols on the following prohibition pages, and you can also customise your text message.

PN:	Size	Mat'l
HS5966	600x450	MTL
HS5967	450x300	MTL



Single (1) pictogram custom sign
You can choose from all the symbols on the following prohibition pages, you can also customise your text message.

PN:	Size	Mat'l
HS5968	450x180	MTL
HS5969	450x180	POLY
HS5970	450x180	S/A



PN:	Size	Mat'l
HS5971	450x600	MTL
HS5972	450x600	POLY
HS5973	300x450	MTL
HS5974	300x450	POLY
HS5975	225x300	MTL
HS5976	225x300	POLY
HS5977	75x100	S/A

GENERAL



PN:	Size	Mat'l
HS6106	300x450	MTL
HS6107	300x450	POLY
HS6108	225x300	POLY



PN:	Size	Mat'l
HS6115	180x250	S/A



PN:	Size	Mat'l
HS6118	300x450	MTL



PN:	Size	Mat'l
HS6158	450x180	MTL
HS6159	450x180	POLY
HS6160	450x180	S/A



PN:	Size	Mat'l
HS6161	450x180	MTL
HS6162	450x180	POLY
HS6163	450x180	S/A

PROHIBITION STICKERS



PN:	Size	Mat'l
HS6167	300x300	S/A
HS6168	150x150	S/A
HS6169	50x50	S/A



PN:	Size	Mat'l
HS6170	300x300	S/A
HS6171	150x150	S/A
HS6172	50x50	S/A



PN:	Size	Mat'l
HS6176	300x300	S/A
HS6177	150x150	S/A
HS6178	50x50	S/A



PN:	Size	Mat'l
HS6185	300x300	S/A
HS6186	150x150	S/A
HS6187	50x50	S/A



PN:	Size	Mat'l
HS6188	300x300	S/A
HS6189	150x150	S/A
HS6190	50x50	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective
• POLY = Outdoor Polypropylene • LUM = Photoluminescent • SAP = Self Adhesive Paper

Prohibition Signs

ADMITTANCE



PN:	Size	Mat'l
HS6068	450x600	MTL
HS6069	450x600	POLY
HS6070	300x450	MTL
HS6071	300x450	POLY
HS6072	225x300	POLY



PN:	Size	Mat'l
HS6074	450x600	MTL
HS6076	300x450	MTL
HS6078	225x300	POLY



PN:	Size	Mat'l
HS6080	450x600	MTL
HS6082	300x450	MTL



PN:	Size	Mat'l
HS6102	225x300	POLY

NO SMOKING/FLAMMABLE



PN:	Size	Mat'l
HS5978	450x600	MTL
HS5980	300x450	MTL
HS5982	225x300	POLY
HS5983	180x250	S/A



PN:	Size	Mat'l
HS5990	450x600	MTL
HS5992	300x450	MTL
HS5994	225x300	POLY
HS5995	180x250	S/A



PN:	Size	Mat'l
HS6040	300x450	MTL
HS6042	225x300	POLY



PN:	Size	Mat'l
HS6050	450x600	MTL
HS6052	300x450	MTL




PN:	Size	Mat'l
HS6056	450x600	MTL
HS6058	300x450	MTL



PN:	Size	Mat'l
HS6062	450x600	MTL
HS6067	180x250	S/A



PN:	Size	Mat'l
HS6026	450x600	MTL
HS6028	300x450	MTL



PN:	Size	Mat'l
HS6146	450x180	MTL
HS6147	450x180	POLY
HS6148	450x180	S/A

PN:	Size	Mat'l
HS6140	450x180	MTL
HS6141	450x180	POLY
HS6142	450x180	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Prohibition Signs

SMOKERS CEASEFIRE


SMOKERS CEASEFIRE - SAFE CIGARETTE DISPOSAL

Now there is a safe and tidy way to handle cigarette butts

The new Justrite "Smokers Ceasefire" provides a safe way for people to discard cigarette butts before entering your building. Standing 120 cm high this product offers not only an attractive way of disposing of unsightly cigarette butts but also a safe way. The design of the Justrite "Smokers Ceasefire" only allows for the disposal of cigarette butts.

This product eliminates the need for "containers full of sand" or "drums" that are often used as rubbish bins and can become a fire hazard.

"The safe and attractive answer to cigarette butt disposal to keep your property clean"



- Large head dissipates heat (acts as heat sink)
- Covered opening keeps rain out and discourages litter from being dropped in
- Moulded-in graphics easily identifies opening for cigarette butt disposal
- 40 mm opening permits easy use and promotes good housekeeping
- Snuff spot
- Large internal neck cavity minimises "clogging"
- Low maintenance, high density polyethylene construction with flame retardant additive won't rust, dent, crack or peel, and resists fading
- Innovative Cease-Fire design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Attractive design in four designer colours hides cigarette litter
- Cease-Fire~ technology minimises "chimney effect" found in other units
- Easy-open and easy-close twist on lid securely interlocks to prevent spills
- Large 9 Litre galvanised steel liner bucket removes for easy cleaning
- Broad 420 mm base for stability
- Moulded-in tie-down notches on both sides provide security from theft or severe weather

4 DESIGNER COLOURS TO CHOOSE FROM

Colour	Pewter Grey	Adobe Beige	Terra Cotta	Deco Black
PN	26800	26800B	26800T	26800D



Perfect for Anywhere People Smoke Cigarettes
 MANUFACTURING PLANTS / TRANSPORT TERMINALS
 RESTAURANTS / RETAIL STORES / PETROL STATIONS
 SPORTS & HEALTH STADIUMS / HOSPITALS
 SHOPPING CENTRES / HOTELS / OFFICE CENTRES
 RECREATIONAL PARKS / GOVERNMENT
 COLLEGES & UNIVERSITIES

Warning

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Warning Signs

CUSTOM WARNING

Custom Warning signs

You can create your own custom warning signs from all the symbols on the following warning pages, and you can also customise your text message.



PN:	Size	Mat'l
HS5840	1200x900	MTL
HS5841	1200x900	MTL+R
HS5842	900x600	MTL
HS5843	900x600	MTL+R
HS5844	600x450	MTL
HS5845	600x450	MTL+R
HS5846	600x450	POLY
HS5847	450x300	MTL
HS5848	450x300	MTL+R
HS5849	450x300	POLY
HS5850	300x225	S/A
HS5851	100x75	S/A



PN:	Size	Mat'l
HS5852	450x600	MTL
HS5853	450x600	POLY
HS5854	300x450	MTL
HS5855	300x450	POLY
HS5856	225x300	MTL
HS5857	225x300	POLY
HS5858	225x300	S/A
HS5859	75x100	S/A

WARNING SIGNS



PN:	Size	Mat'l
HS5861	300x450	POLY
HS5862	225x300	POLY



PN:	Size	Mat'l
HS5863	450x600	POLY
HS5864	300x450	POLY



PN:	Size	Mat'l
HS3537	300x450	MTL
HS5870	300x450	POLY
HS5871	225x300	POLY



PN:	Size	Mat'l
HS3535	450x600	MTL
HS5875	450x600	POLY
HS3536	300x450	MTL
HS5876	300x450	POLY
HS5877	225x300	POLY



PN:	Size	Mat'l
HS5878	450x600	POLY
HS5879	300x450	POLY
HS5880	225x300	POLY



PN:	Size	Mat'l
HS5882	300x450	POLY
HS5883	225x300	POLY



PN:	Size	Mat'l
HS5887	450x600	POLY
HS3540	300x450	MTL
HS5888	300x450	POLY
HS5889	225x300	POLY



PN:	Size	Mat'l
HS5890	450x600	POLY
HS3541	300x450	MTL
HS5891	300x450	POLY
HS5892	225x300	POLY



PN:	Size	Mat'l
HS5895	225x300	POLY



PN:	Size	Mat'l
HS5896	450x600	POLY
HS5897	300x450	POLY



PN:	Size	Mat'l
HS5901	225x300	POLY



PN:	Size	Mat'l
HS3542	450x600	MTL
HS5908	450x600	POLY
HS3543	300x450	MTL
HS5909	300x450	POLY
HS5910	225x300	POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective
 • POLY = Outdoor Polypropylene • LUM = Photoluminescent • SAP = Self Adhesive Paper

Warning Signs

WARNING SIGNS CONTINUED



PN: Size Mat'l
HS5912 300x450 POLY



PN: Size Mat'l
HS3544 300x450 MTL
HS5915 300x450 POLY
HS5916 225x300 POLY



PN: Size Mat'l
HS3545 450x600 MTL
HS5917 450x600 POLY
HS3546 300x450 MTL
HS5918 300x450 POLY
HS5919 225x300 POLY



PN: Size Mat'l
HS5920 150x300 MTL
Star Picket Sign
Custom options available



PN: Size Mat'l
HS3572 600x450 MTL+R



PN: Size Mat'l
HS3571 600x450 MTL+R



PN: Size Mat'l
HS3534 600x450 MTL+R



PN: Size Mat'l
HS3538 600x450 MTL+R
HS3539 450x300 MTL+R



PN: Size Mat'l
HS5955 600x450 MTL
HS5956 450x300 POLY



CODES: MTL = Metal • S/A = Self Adhesive
• MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

Traffic Control

Welcome to Hartac's latest Signs & Safety Solution Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Traffic Control

REGULATORY SIGNS



PN: Size Mat'l
 R1-1A 600x600 AL
 R1-1B 750x750 AL
 R1-1C 900x900 AL



PN: Size Mat'l
 R1-2A 750 H AL
 R1-2B 900 H AL
 R1-2C 1200 H AL



PN: Size Mat'l
 R1-3A 750 H AL
 R1-3B 900 H AL
 R1-3C 1200 H AL



PN: Size Mat'l
 R2-2A^(L/R) 450x600 AL
 R2-2B^(L/R) 600x800 AL



PN: Size Mat'l
 R2-1A^(L/R) 900x300 AL
 R2-1B^(L/R) 1350x450 AL



PN: Size Mat'l
 R2-3A^(L/R) 450x600 AL
 R2-3B^(L/R) 600x800 AL



PN: Size Mat'l
 R2-4A 450x750 AL
 R2-4B 600x1000 AL
 R2-4C 750x1250 AL



PN: Size Mat'l
 R2-5A 450x750 AL
 R2-5B 600x1000 AL




PN: Size Mat'l
 R2-6A^(L/R) 450x900 AL
 R2-6B^(L/R) 600x1200 AL



PN: Size Mat'l
 R2-7A 450x600 AL
 R2-7B 600x800 AL




PN: Size Mat'l
 R2-8A 450x600 AL
 R2-8B 600x800 AL



PN: Size Mat'l
 R2-9A^(L/R) 450x750 AL
 R2-9B^(L/R) 600x1000 AL



PN: Size Mat'l
 R2-10 600x600 AL



PN: Size Mat'l
 R2-11A 450x750 AL
 R2-11B 600x1000 AL



PN: Size Mat'l
 R2-12 2300x1470 AL



PN: Size Mat'l
 R2-13 1100x1100 AL



PN: Size Mat'l
 R2-14A^(L/R) 600x800 AL
 R2-14B^(L/R) 900x1200 AL



PN: Size Mat'l
 R2-15A 450x600 AL
 R2-15B 600x800 AL



PN: Size Mat'l
 R2-16 750x600 AL



PN: Size Mat'l
 R2-17A 450x750 AL
 R2-17B 600x1000 AL

CODES: AL= Aluminium

Traffic Control



PN: **Size** **Mat'l**
R2-18 1400x1400 AL



PN: **Size** **Mat'l**
R2-19 800x1200 AL




PN: **Size** **Mat'l**
R3-1A 600 DIA AL
R3-1B 750 DIA AL
R3-1C 900 DIA AL



PN: **Size** **Mat'l**
R3-2A 450 DIA AL
R3-2B 600 DIA AL



PN: **Size** **Mat'l**
R3-3 600x600 AL



PN: **Size** **Mat'l**
R4-1A 450x600 AL
R4-1B 600x800 AL
R4-1C 900x1200 AL



PN: **Size** **Mat'l**
R4-2A 600x800 AL
R4-2B 900x1200 AL



PN: **Size** **Mat'l**
R4-3A 450x300 AL
R4-3B 600x400 AL
R4-3C 900x600 AL

VEHICLE & TRUCK IDENTIFICATION



1 Pair

Rear Markers Plates
PN: **Size** **Mat'l**
HS3594 400x400 Ali+R
HS3595 400x400 Mtl+R
HS3596 400x400 S/A+R



PN: **Size** **Mat'l**
HS3597 300x125 Ali+R
HS3598 300x125 Mtl+R
HS3599 300x125 S/A+R



PN: **Size** **Mat'l**
HS3600 1200x450 Ali+R
HS3601 1200x450 Mtl+R
HS3602 1200x450 S/A+R
HS3603 1200x450 Banner+R
HS3604 1200x450 Mag+R



OverSize Hinged Sign
PN: **Size** **Mat'l**
HS3605 1200x450 Mtl+R



PN: **Size** **Mat'l**
HS3621 90x125 S/A



PN: **Size** **Mat'l**
HS3608 1200x600 Ali+R
HS3609 1200x600 Mtl+R



PN: **Size** **Mat'l**
HS3610 1200x300 Mtl+R
HS3611 1200x300 S/A+R



Rear Marker Plate
PN: **Size** **Mat'l**
HS3617 1200x200 Mtl+R
HS3618 1200x200 S/A+R



Long Vehicle Split Sign
PN: **Size** **Mat'l**
HS3616 500x300 Mtl+R
700x300
(Sold as 1 Set)



PN: **Size** **Mat'l**
HS3622 450x300 S/A+R
HS3623 450x300 S/A
HS3624 300x225 S/A+R
HS3625 300x225 S/A



PN: **Size** **Mat'l**
HS3613 1200x300 Mtl+R
HS3614 1200x300 S/A+R
HS3615 1200x300 Banner+R



Rear Marker Plate (Spilt)
PN: **Size** **Mat'l**
HS3619 600x200 Mtl+R
HS3620 600x200 S/A+R

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

Traffic Control

WARNING SIGNS



PN: **Size** **Mat'l**
 W1-1A^(L/R) 600x600 AL
 W1-1B^(L/R) 750x750 AL
 W1-1C^(L/R) 900x900 AL



PN: **Size** **Mat'l**
 W1-2A^(L/R) 600x600 AL
 W1-2B^(L/R) 750x750 AL
 W1-2C^(L/R) 900x900 AL



PN: **Size** **Mat'l**
 W1-3A^(L/R) 600x600 AL
 W1-3B^(L/R) 750x750 AL
 W1-3C^(L/R) 900x900 AL



PN: **Size** **Mat'l**
 W1-4A^(L/R) 600x600 AL
 W1-4B^(L/R) 750x750 AL
 W1-4C^(L/R) 900x900 AL



PN: **Size** **Mat'l**
 W1-5A^(L/R) 600x600 AL
 W1-5B^(L/R) 750x750 AL
 W1-5C^(L/R) 900x900 AL



PN: **Size** **Mat'l**
 W1-7A^(L/R) 600x600 AL
 W1-7B^(L/R) 750x750 AL
 W1-7C^(L/R) 900x900 AL



PN: **Size** **Mat'l**
 W2-1A 600x600 AL
 W2-1B 750x750 AL
 W2-1C 900x900 AL



PN: **Size** **Mat'l**
 W2-3A 600x600 AL
 W2-3B 750x750 AL
 W2-3C 900x900 AL



PN: **Size** **Mat'l**
 W2-4A 600x600 AL
 W2-4B 750x750 AL
 W2-4C 900x900 AL



PN: **Size** **Mat'l**
 W2-5A 600x600 AL
 W2-5B 750x750 AL
 W2-5C 900x900 AL



PN: **Size** **Mat'l**
 W2-7A 600x600 AL
 W2-7B 750x750 AL
 W2-7C 900x900 AL



PN: **Size** **Mat'l**
 W3-1A 600x600 AL
 W3-1B 750x750 AL
 W3-1C 900x900 AL



PN: **Size** **Mat'l**
 W3-2A 600x600 AL
 W3-2B 750x750 AL
 W3-2C 900x900 AL



PN: **Size** **Mat'l**
 W3-3A 600x600 AL
 W3-3B 750x750 AL
 W3-3C 900x900 AL



PN: **Size** **Mat'l**
 W3-4A 600x600 AL
 W3-4B 750x750 AL
 W3-4C 900x900 AL



PN: **Size** **Mat'l**
 W4-1A 600x600 AL
 W4-1B 750x750 AL
 W4-1C 900x900 AL



PN: **Size** **Mat'l**
 W4-3A 600x600 AL
 W4-3B 750x750 AL
 W4-3C 900x900 AL



PN: **Size** **Mat'l**
 W4-4A 600x600 AL
 W4-4B 750x750 AL
 W4-4C 900x900 AL



PN: **Size** **Mat'l**
 W4-5A 600x600 AL
 W4-5B 750x750 AL
 W4-5C 900x900 AL



PN: **Size** **Mat'l**
 W4-6A 600x600 AL
 W4-6B 750x750 AL
 W4-6C 900x900 AL

CODES: AL= Aluminium

Traffic Control

WARNING SIGNS CONTINUED



PN:	Size	Mat'l
W4-8A	600x600	AL
W4-8B	750x750	AL
W4-8C	900x900	AL



PN:	Size	Mat'l
W4-9B	750x750	AL
W4-9C	900x900	AL
W4-9D	1200x1200	AL



PN:	Size	Mat'l
W4-10B	750x750	AL
W4-10C	900x900	AL



PN:	Size	Mat'l
W4-11A	600x600	AL
W4-11B	750x750	AL
W4-11C	900x900	AL
W4-11D	1200x1200	AL



PN:	Size	Mat'l
W5-1A	600x600	AL
W5-1B	750x750	AL
W5-1C	900x900	AL



PN:	Size	Mat'l
W5-2A	600x600	AL
W5-2B	750x750	AL
W5-2C	900x900	AL



PN:	Size	Mat'l
W5-4A	600x600	AL
W5-4B	750x750	AL
W5-4C	900x900	AL



PN:	Size	Mat'l
W5-6A	600x600	AL
W5-6B	750x750	AL
W5-6C	900x900	AL



PN:	Size	Mat'l
W5-7A	600x600	AL
W5-7B	750x750	AL
W5-7C	900x900	AL



PN:	Size	Mat'l
W5-8A	600x600	AL
W5-8B	750x750	AL
W5-8C	900x900	AL



PN:	Size	Mat'l
W5-9A	600x600	AL
W5-9B	750x750	AL
W5-9C	900x900	AL



PN:	Size	Mat'l
W5-10A	600x600	AL
W5-10B	750x750	AL
W5-10C	900x900	AL



PN:	Size	Mat'l
W5-11A	600x600	AL
W5-11B	750x750	AL
W5-11C	900x900	AL



PN:	Size	Mat'l
W5-12A	600x600	AL
W5-12B	750x750	AL
W5-12C	900x900	AL



PN:	Size	Mat'l
W5-13A	600x600	AL
W5-13B	750x750	AL
W5-13C	900x900	AL



PN:	Size	Mat'l
W5-14A	600x600	AL
W5-14B	750x750	AL
W5-14C	900x900	AL



PN:	Size	Mat'l
W5-16A	600x600	AL
W5-16B	750x750	AL
W5-16C	900x900	AL



PN:	Size	Mat'l
W5-17A	600x600	AL
W5-17B	750x750	AL
W5-17C	900x900	AL



PN:	Size	Mat'l
W5-18A	600x600	AL
W5-18B	750x750	AL
W5-18C	900x900	AL



PN:	Size	Mat'l
W5-19A	600x600	AL
W5-19B	750x750	AL
W5-19C	900x900	AL

CODES: AL= Aluminium

Traffic Control

WARNING SIGNS CONTINUED



PN: **Size** **Mat'l**
W5-20A 600x600 AL
W5-20B 750x750 AL
W5-20C 900x900 AL



PN: **Size** **Mat'l**
W5-22A 600x600 AL
W5-22B 750x750 AL
W5-22C 900x900 AL



PN: **Size** **Mat'l**
W5-24A 600x600 AL
W5-24B 750x750 AL
W5-24C 900x900 AL



PN: **Size** **Mat'l**
W5-25A 600x600 AL
W5-25B 750x750 AL
W5-25C 900x900 AL



PN: **Size** **Mat'l**
W5-26C 900x900 AL
W5-26D 1200x1200 AL



PN: **Size** **Mat'l**
W5-27A 600x600 AL
W5-27B 750x750 AL
W5-27C 900x900 AL



PN: **Size** **Mat'l**
W5-28A 600x600 AL
W5-28B 750x750 AL
W5-28C 900x900 AL



PN: **Size** **Mat'l**
W5-29A 600x600 AL
W5-29B 750x750 AL
W5-29C 900x900 AL



PN: **Size** **Mat'l**
W5-30A 600x600 AL
W5-30B 750x750 AL
W5-30C 900x900 AL



PN: **Size** **Mat'l**
W5-31C 900x900 AL
W5-31D 1200x1200 AL



PN: **Size** **Mat'l**
W5-33A 600x600 AL
W5-33B 750x750 AL



PN: **Size** **Mat'l**
W6-1A 600x600 AL
W6-1B 750x750 AL
W6-1C 900x900 AL



PN: **Size** **Mat'l**
W6-2A 600x600 AL
W6-2B 750x750 AL
W6-2C 900x900 AL



PN: **Size** **Mat'l**
W6-6A 600x600 AL
W6-6B 750x750 AL
W6-6C 900x900 AL



PN: **Size** **Mat'l**
W6-7A 600x600 AL
W6-7B 750x750 AL
W6-7C 900x900 AL



PN: **Size** **Mat'l**
W6-8A 300x300 AL
W6-8B 450x450 AL
FOR BICYCLE PATHS ONLY



PN: **Size** **Mat'l**
W7-1A 1350x178 AL
W7-1B 1800x238 AL



PN: **Size** **Mat'l**
W7-2A 600x275 AL
W7-2B 800x367 AL



PN: **Size** **Mat'l**
W7-3B 750x750 AL
W7-3C 900x900 AL



PN: **Size** **Mat'l**
W7-4B 750x750 AL
W7-4C 900x900 AL

CODES: AL= Aluminium

Traffic Control

TEMPORARY SIGNS - BOXED EDGE FRAME



PN: Size Mat'l
T1-1A 1800x600 CB/ZINC
T1-1B 2400x900 CB/ZINC



PN: Size Mat'l
T1-3-1 900x600 CB/ZINC



PN: Size Mat'l
T1-3-2 1800x600 CB/ZINC



PN: Size Mat'l
T1-A 900x600 CB/ZINC



PN: Size Mat'l
T1-5-1A FL 900x600 CB/ZINC
T1-5-1B FL 1200x900 CB/ZINC
T1-5-1C FL 1800x1200CB/ZINC



PN: Size Mat'l
T1-5-2A R 900x600 CB/ZINC
T1-5-2B R 1200x900 CB/ZINC
T1-5-2C R 1800x1200CB/ZINC



PN: Size Mat'l
T1-6A 1200x600 CB/ZINC
T1-6B 1800x900 CB/ZINC



PN: Size Mat'l
T1-10 1200x900 CB/ZINC



PN: Size Mat'l
T1-11 1200x900 CB/ZINC



PN: Size Mat'l
T1-15A 1500x600 CB/ZINC
T1-15B 1800x600 CB/ZINC



PN: Size Mat'l
T1-16A 1800x600 CB/ZINC
T1-16B 2400x900 CB/ZINC



PN: Size Mat'l
T1-18 1200x900 CB/ZINC




PN: Size Mat'l
T2-4 1800x300 CB/ZINC



PN: Size Mat'l
T2-5 1500x600 CB/ZINC



PN: Size Mat'l
T2-6-1 1200x900 CB/ZINC
GRAPHIC SUPPLIED AS MAGNETICS
ON REQUEST ONLY



PN: Size Mat'l
T2-6-2 1800x900 CB/ZINC
GRAPHIC SUPPLIED AS MAGNETICS
ON REQUEST ONLY



PN: Size Mat'l
T2-13A 900x600 CB/ZINC
T2-13B 1200x900 CB/ZINC



PN: Size Mat'l
T2-16 1800x600 CB/ZINC



PN: Size Mat'l
T2-20 2100x1200 CB/ZINC



PN: Size Mat'l
T2-23 1200x600 CB/ZINC

CODES: AL= Aluminium

Traffic Control

TEMPORARY SIGNS CONTINUED



PN: Size Mat'l
T3-1 900x600 CB/ZINC



PN: Size Mat'l
T3-3A 900x600 CB/ZINC
T3-3B 1500x900 CB/ZINC



PN: Size Mat'l
T3-6 900x600 CB/ZINC



PN: Size Mat'l
T3-7A 900x600 CB/ZINC
T3-7B 1500x750 CB/ZINC



PN: Size Mat'l
T3-9A 900x600 CB/ZINC
T3-9B 1500x900 CB/ZINC



PN: Size Mat'l
T3-12 1500x900 CB/ZINC



PN: Size Mat'l
T3-13A 900x600 CB/ZINC
T3-13B 1500x750 CB/ZINC



PN: Size Mat'l
T4-1A 900x600 CB/ZINC
T4-1B 1200x900 CB/ZINC



PN: Size Mat'l
T4-2 1200x600 CB/ZINC



PN: Size Mat'l
T4-3 1200x450 CB/ZINC



PN: Size Mat'l
T4-4 1200x600 CB/ZINC



PN: Size Mat'l
T4-5 1800x900 CB/ZINC



PN: Size Mat'l
T5-1A L 1200x300 CB/ZINC
T5-1B L 1800x450 CB/ZINC



PN: Size Mat'l
T5-1A R 1200x300 CB/ZINC
T5-1B R 1800x450 CB/ZINC



PN: Size Mat'l
T5-4 1500x450 CB/ZINC
THIS CHEVRON IS DESIGNED FOR USE LEFT OR RIGHT



PN: Size Mat'l
T5-5 600x600 CB/ZINC
THIS CHEVRON IS DESIGNED FOR USE LEFT OR RIGHT



PN: Size Mat'l
T6-1 1800x750 CB/ZINC



PN: Size Mat'l
T8-1 900x600 CB/ZINC

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

Traffic Control

TEMPORARY SIGNS CONTINUED



PN: **Size** **Mat'l**
T8-2 L 1200x300 CB/ZINC



PN: **Size** **Mat'l**
T8-2 R 1200x300 CB/ZINC




PN: **Size** **Mat'l**
T8-3 900x600 CB/ZINC



PN: **Size** **Mat'l**
JTW-2 1500x750 CB/ZINC
MRWA CODE, MR-TAW-1
SINGLE SIDED



FRONT




BACK

PN: **Size** **Mat'l**
JTW-1 (30) 1300x900 CB/ZINC
MRWA CODE, MR-TAW-2/3(30)
DOUBLESIDED




FRONT



BACK

PN: **Size** **Mat'l**
JTW-1 (50) 1300x900 CB/ZINC
MRWA CODE, MR-TAW-2/3(50)
DOUBLESIDED



FRONT




BACK

PN: **Size** **Mat'l**
JTW-1 (?) 1300x900 CB/ZINC
AVAILABLE WITH OTHER SPEED LIMITS. USE
ABOVE AND REPLACE WITH DESIRED SPEED

HAZARD SIGNS



PN: **Size** **Mat'l**
D4-1-1 1600x400 AL/AL.STF



PN: **Size** **Mat'l**
D4-1-2A 450x450 AL
D4-1-2B 600x600 AL




PN: **Size** **Mat'l**
D4-1-3 1800x300 AL/AL.STF



PN: **Size** **Mat'l**
D4-2-1 1800x300 AL/AL.STF



PN: **Size** **Mat'l**
D4-2-2 400x1000 AL



PN: **Size** **Mat'l**
D4-3A L 225x450 AL
D4-3B L 450x900 AL
D4-3A R 225x450 AL
D4-3B R 450x900 AL



PN: **Size** **Mat'l**
D4-4A 4000x400 AL/AL.STF
D4-4B 6000x600 AL/AL.STF
D4-1-1 1800x300 AL/AL.STF



PN: **Size** **Mat'l**
D4-5 1800x450 AL/AL.STF

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

Traffic Control


A Frames



QUADREPED STAND
 900x600mm PN: **HS6823**
 1200x900mm PN: **HS6823/1**
 *Sign Not Included



A FRAME
 450x300mm PN: **HS6824**
 600x450mm PN: **HS6824/2**
 900x600mm PN: **HS6824/3**
 *Sign Not Included



BIPOD LEG FOR TEMPORARY BOXED EDGE FRAME SIGNS
 PN: **HS6825**



BIPOD LEG EXAMPLE

Posts & Brackets



POST
 61mm x 3.2 metres PN: **GP32**
 61mm x 1.5 metres PN: **GP15**
 76mm x 3.2 Metres PN: **GP76**




RECTANGULAR GALVANISED STEEL POSTS
 PN **HS8400**
 80mm x 37mm x 3.2m
 PN **HS8401**
 80mm x 37mm x 1.6m



POST CAP
 Caps to Suit
 61mm Post PN: **GPCAP**



TD1
 PN: **TD1**



ARC BRACKET
 PN: **ARC**

Guide Posts



FLEXIBLE GUIDE POSTS
 PN: **HS6802**

- 1350mm Guide Post with Class 1 Delineators
- Flexible, durable and light weight
- Long life and UV resistant (15+ years)
- Anti-Vandal withdrawal feature



STEEL MARKER POST
 PN: **HS3653**

- 1350mm Guide post with Class 1 Delineators
- Metal Construction
- Long Life
- Powdercoated
- Built to last.



SQUARE PVC MARKER POST
 PN **HS 3512**

- 1500mm x 80mm x 50mm
- Class 1 Delineators
- Hard wearing – place over star pickets
- Available in different colours for large qty's

Frames



BOX FRAMES

Box Frames are designed for the construction of large signs. Constructed from 25mm x 25mm Galvanised Tube.

Sizes Available:

PN: HS3656	2400mm x 1200mm
PN: HS3657	1800mm x 1200mm
PN: HS3658	1200mm x 1200mm
PN: HS3659	1200mm x 900mm

Also Available with welded posts attached.
Can be attached to any of the above frames


PN: HS3660

CUSTOM FRAMES:


We can fabricate any size frame to your exact specifications.

PN: HS3661 Custom Frames


Delineators




RED (PVC)
PN: HS6805



WHITE (PVC)
PN: HS6806



AMBER (PVC)
PN: HS6807



80MM ALUMINIUM REFLECTIVE DELINEATORS

8mm centre hole.

Available Red, Green, Blue, Amber, White.

PN: HS3514 - White


PN: HS3515 - Red

PN: HS3642 - Amber

PN: HS3643 - Blue

PN: HS 3644 Green

Hazard Markers



BREAKDOWN TRIANGLE

PN: HS6801

- Breakdown Triangles (Set of 3)
- Triangles have red reflectors for both day and night
- The base is weighted for stability



ROTLITE

PN: HS6804

Suits HS6819

Traffic Control

Cones



Example of sleeves on cones



WHITE
450mm
PN: HS6811-2
700mm
PN: HS6811-3



RED
450mm
PN: HS6812-2
700mm
PN: HS6812-3



BLUE
450mm
PN: HS6813-2
700mm
PN: HS6813-3



YELLOW
450mm
PN: HS6814-2
700mm
PN: HS6814-3



GREEN
450mm
PN: HS6815-2
700mm
PN: HS6815-3



RED
450mm
PN: HS6816-1
700mm
PN: HS6816-2
• High visible fluorescent colour
• Durable PVC material



YELLOW
450mm
PN: HS6818-1
700mm
PN: HS6818-2
• High visible fluorescent colour
• Durable PVC material



FLUORESCENT LIME GREEN
Only available in 700mm
PN: HS3646
• High visible fluorescent colour
• Durable PVC material



WEIGHT FOR CONES
700x550mm
PN: HS6819-2



LARGE RED CONE
780x550mm PN: HS6819-1



LARGE YELLOW CONE
780x550mm PN: HS6819



STOP/SLOW POST SIGN
PN: HS4900



Cones not included

RETRACTABLE BARRIER BAR
PN: HS6821

- Ideal for temporary application, no fixing required
- Black/Yellow Reflective Bar extends up to 2 metres
- Suits T-Top Delineator (HS6820) and Traffic Cones
- Durable PVC material



HEAVY DUTY CONE WITH 6KG BASE
1000mm
PN: HS6822



T-TOP DELINEATOR
with 6kg base
PN: HS6820

Traffic Control

Amber Lamps



FLASHING AMBER LAMP
PN: HS6828

Star Pickets & Star Picket Covers



STAR PICKET COVER
PN: HS6830



REFLECTIVE STAR PICKET SLEEVE
PN: HS6803



STAR PICKET COVER
PN: HS6829



1800MM METAL STAR PICKET
PN: HS6832



1650MM PLASTIC STAR PICKET
PN: HS6833

Bollards



THE DUGITE BRONZE BOLLARD

PN: HS3573 650mm High
PN: HS3574 800mm High

- Ram Raid Quality Bollard
- Self locks in the 'up' position
- 90mm square, 5.6mm wall thickness
- Stainless Steel Baseplate - Powder coated white (or colour of your choice)



THE DUGITE PADLOCK REMOVABLE BOLLARD

PN: HS3575

- Protect your Property and Buildings
- Heavy Duty Steel
- 90mm square, 900mm high (above ground height), 5.6mm wall thickness



SPEED HUMP

PN: HS3576 Rubber
PN: HS3577 Economy Rubber

- Rubber construction conforms to uneven surfaces
- Full load bearing contact area with road
- 500mm body and end modules in black and yellow
- Solid colour wont chip or wear
- Non-slip surface
- Conforms to AS2890.0-1993




FOLD DOWN PADLOCKABLE BOLLARD

PN: HS3578

- Heavy Duty Parking Model - Padlockable (padlock included with unit)
- 800mm high, 150mm x 50mm steel post
- Lays flat on the ground when access is required
- Standard fixings included - security nuts available on request (additional)
- Easy bolt-on installation
- Powder Coated Safety Yellow with red reflective stripe

TRAFFIC/ROAD BARRIERS




WATER FILLED BARRIERS

PN: OB1800-O PN: OB1800-W

For temporary road closures, road and bridge construction, work sites, pedestrian control, civil construction projects, mine work area protection, refinery & plant area isolation, sporting events & show days, car park delineation, civil emergencies.

- 2000mmLx600mmH
- Weight (empty) 32kg – Weight (full) 330kg
- Orange and White available
- Light weight and easy to handle
- Simple to install with unique hinge pin
- Hinge joint can be turned through 90o
- Semi-retractable hinge pin cannot be lost or stolen
- Will accept safety fencing and display banners
- Flashing warning lights can be attached
- Fully recyclable and repairable
- Easy to stack for transport or storage
- Simple to water fill and drain
- Includes handling instructions



STANCHION
PN: HS3580

- 1200mm High • Barricading road works and hazardous areas
- Hot dipped galvanized metal • Optional reflective strips



BLACK/YELLOW REFLECTIVE BARRIER BOARD
PN: HS3581

- PN: HS3582 - Legs to Suit
- 2500mm x 190mm • Tough and lightweight
 - Durable and weatherproof • Recessed face protects reflective areas
 - High impact UV stabilised PVC

Marine Offshore


Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



MARINE AND OFFSHORE SIGNS



These products comply with systems and equipment for marine and offshore safety. All photoluminescent products comply with the requirement of IMO. All photoluminescent products are manufactured to the highest quality standards.

PHOTOLUMINESCENT SIGN & TAPE MATERIAL SPECIFICATIONS:

Self Adhesive Vinyl:

Flexible laminated PVC composite material incorporating a photoluminescent layer thermally welded to a white reflective layer. Backed with pre-applied adhesive. Thickness: 0.6mm. Indoor durability: in excess of 5 years. Outdoor durability: good, but can reduce in strong sunlight and humidity. Toxicity: non-toxic, non-radioactive and contains no phosphorous or lead. Chemical resistance: resistant to most common cleansing agents. Flammability: inherently fire retardant. Adhesive: cross linked acrylic, pressure sensitive permanent adhesive with silicone release backing paper. Luminance performance: in excess of 15mcd/m² @ 10 mins and 2mcd/m² @ 60 mins when tested in accordance with Din 67510 part 1.


Rigid PVC:

Laminated PVC sheet incorporating a photoluminescent layer backed by a rigid white reflective substrate and protected by a tough, clear gloss PVC film. All laminations are thermally welded to form a cohesive sheet. Thickness: 1.4mm. Indoor durability: in excess of 5 years. Outdoor durability: excellent, but can reduce in strong sunlight. Toxicity: non-toxic, non-radioactive and contains no phosphorous or lead. Chemical resistance: resistant to most common cleansing agents. Flammability: inherently fire retardant. Luminance performance: in excess of 15mcd/m² @ 10 mins and 2mcd/m² @ 60 mins when tested in accordance with Din 67510 part 1.


NON-PHOTOLUMINESCENT SIGN & POSTER MATERIAL SPECIFICATIONS:

Self Adhesive Vinyl:

Flexible gloss white vinyl material. Weight: 110g/m². Thickness: 80 micron. Dimensional stability: 0.5mm max to DIN30646. Outdoor durability: approximately 2 years. Chemical resistance: no effect from oils, greases, aliphatic solvents, heptane and kerosene. Flammability: self extinguishing. Adhesive: emulsion based, UV resistant, permanent adhesive with high initial tack and adhesion. Gloss: 60 to ISO 2831, 20o, MD. Opacity: 90%



SAFETY SIGNS



Safety Signs are required to complement or expand the scope of officially designated signage. Many of the above signs will be required by various Registration and Classification Authorities to cover safety and life saving equipment.

With increasing numbers of new vessel and safety equipment designs appearing, special signage is always required. We are happy to manufacture signage to customer's designs in the event of our standard range not meeting specific requirements. Sign 4130 LJ is an example of this. Based on the IMO symbol, this sign neatly overcomes the problems associated with stowage of lifejackets in high speed ferry cabins.

Installation:

All first aid points and first aid storage should be marked, as should emergency telephones and emergency stop buttons. Chemical carriers and vessels carrying hazardous cargoes should mark emergency showers and eye washes with the appropriate signs.

JJ=150mmx150mm Self Adhesive. EE=50mmx50mm Self Adhesive. GM=300mmx300m

DIRECTIONAL SIGNS



4300 GM



4301 GM



4320 GM



4321 GM



4302 GM



4303 GM



4322 GM



4323 GM



4304 GM



4305 GM



4324 GM



4325 GM



4306 GM



4307 GM



4326 GM



4327 GM



4308 GM



4309 GM



4328 GM



4329 GM



4482 GM



4485 MG



4486 MG



4489 MG



4490 MG



4480 GM



4483 GM



4481 GM

GM=100mmx300m



DIRECTIONAL SIGNS CONTINUED



4400 JP



4401 JP



4402 JP



4403 JP



4404 JP



4405 JP



4406 JP



4407 JP



4408 JP



4409 JP



4410 JP



4411 JP



4412 JP



4413 JP



4343 JP



4344 JP



4340 JP



4341 JP



4342 JP



PR 4460 Z - Individual sign size KK ▲

Signs shown in this area may be combined to make direction signs to suit any application



4414 JM



4415 JM



4420 GG & JJ



4421 GG & JJ



4422 GG & JJ



4423 GG & JJ



4424 JJ



4416 JM



4417 JM



4425 JJ



4100 JJ



4102 JJ



4119 JJ



4120 JJ



PR 4461 Z - Individual sign size JJ ▲

Regulations:

SOLAS Chapter II-2 Regulation 28.1.10, requires all escape route signs to be photoluminescent material, or marked by light, or both. IMO publication IMO-981E indicates that exit signs should comprise of a 'running man' pictogram, an arrow, and the word 'EXIT'.

Installation:

Primary escape routes should be marked with signs comprising the 'running man' pictogram, a directional arrow, and the word 'EXIT'. Secondary escape routes should employ similar signs but with the wording 'EXIT for emergency use only'. Signs should be positioned approximately 1700mm from deck level for normal direction marking, and not more than 300mm from deck level for LLL systems. Where possible, signs at doors or hatches should be positioned above the door so that the sign is still visible when the door is open. Directional signs over doors should be limited to either a sign containing a vertical arrow, indicating the escape route continues through the door, or to the 'running man' pictogram plus the word 'EXIT' indicating that the door is the final exit. Where the door hinges on the right a sign with the man running to the left should be used, conversely with a door hinged on the left the running man should face to the right.





































Frequency of marking is almost impossible to define accurately, as the final decision rests with the surveyor accepting the route marking, however, the following points should be adhered to:

- 1) Every change of direction should be marked with the appropriate sign
- 2) Signs in an alley or corridor should be spaced at intervals no greater than the maximum viewing distance of the sign employed (see first page for details of maximum viewing distances).
- 3) When in public or communal areas an EXIT sign should be within a 360° field of view.

Where more appropriate (e.g. crew accommodation and machinery spaces), escape routes may be marked with the muster/assembly or embarkation station directional signs shown.


















































JP=400mmx150mm. JM=300x150mm. JJ150x150mm. GG=66mmx100mm

IMO FIRE CONTROL SIGNS

						
Halon 1301 bottles in protected area PV 6050 JJ	Powder installation PV 6051 JJ	Powder monitor (gun) PV 6052 JJ	Powder hose and hand gun PV 6053 JJ	Powder release station PV 6054 JJ	Flame detector PV 6055 JJ	Smoke detector PV 6056 JJ
						
Fire main with valves PV 6057 JJ	Hose box with spray/jet PV 6058 JJ	International shore connection PV 6059 JJ	Fire pump PV 6060 JJ	Heat detector PV 6061 JJ	Gas detector PV 6062 JJ	Fire damper in vent duct PV 6063 JJ
						
Remote controlled skylights PV 6064 JJ	Remote controlled fuel/lubricating oil valves PV 6065 JJ	Control station PV 6066 JJ	Locker with fireman's outfit PV 6067 JJ	Locker with additional breathing apparatus PV 6068 JJ	Locker with additional protective clothing PV 6069 JJ	Primary means of escape PV 6070 JJ
						
Secondary means of escape PV 6071 JJ	Closing appliance for exterior ventilation inlet or outlet PV 6072 JJ	Inert gas installation PV 6073 JJ	High expansion foam supply trunk PV 6074 JJ	CO ₂ /nitrogen bulk installation PV 6075 JJ	Emergency generator PV 6076 JJ	Emergency switchboard PV 6077 JJ
						
Remote ventilation shutoff PV 6078 JJ	Powder fire extinguisher PV 6079 JJ	Foam fire extinguisher PV 6080 JJ	Halon 1211 fire extinguisher PV 6081 JJ	CO ₂ fire extinguisher PV 6082 JJ	Powder fire extinguisher PV 6083 JJ	Powder fire extinguisher PV 6084 JJ
						
Wheeled powder fire extinguisher PV 6085 JJ	Wheeled CO ₂ fire extinguisher PV 6086 JJ					

JJ=150mmx150mm

IMO FIRE CONTROL SIGNS CONTINUED

						
Fire control plan PV 6001 JJ	Push-button/switch for fire alarm PV 6002 JJ	Horn, fire alarm PV 6003 JJ	Bell, fire alarm PV 6004 JJ	Manually operated call point PV 6005 JJ	Space protected by automatic fire alarm PV 6006 JJ	Space protected by CO ₂ PV 6007 JJ
						
CO ₂ horn PV 6008 JJ	CO ₂ release station PV 6009 JJ	Halon 1301 battery PV 6010 JJ	Space protected by Halon 1301 PV 6011 JJ	Halon horn PV 6012 JJ	Foam installation PV 6013 JJ	Foam monitor (gun) PV 6014 JJ
						
Foam nozzle PV 6015 JJ	Space protected by foam PV 6016 JJ	Foam valve PV 6017 JJ	Foam release station PV 6018 JJ	Emergency fire pump PV 6019 JJ	Remote controlled fire pumps or emergency switches PV 6020 JJ	Bilge pump PV 6021 JJ
						
Emergency bilge pump PV 6022 JJ	Water monitor (gun) PV 6023 JJ	Water fog applicator PV 6024 JJ	Emergency telephone station PV 6025 JJ	Fire axe PV 6026 JJ	Drenching installation PV 6027 JJ	Space protected by drenching system PV 6028 JJ
						
Section valves drenching PV 6029 JJ	Fire station PV 6030 JJ	'A' class division PV 6031 JJ	'A' class fire door PV 6032 JJ	'A' class fire door self-closing PV 6033 JJ	'A' class fire door self-closing PV 6034 JJ	'A' class fire door self-closing PV 6035 JJ
						
Portable foam applicator PV 6036 JJ	'B' class division PV 6037 JJ	'B' class fire door PV 6038 JJ	'B' class fire door self-closing PV 6039 JJ	'B' class fire door self-closing PV 6040 JJ	'B' class fire door self-closing PV 6041 JJ	Main vertical zone PV 6042 JJ
						
Fire alarm panel PV 6043 JJ	Sprinkler installation PV 6044 JJ	Space protected by sprinkler PV 6045 JJ	Sprinkler horn PV 6046 JJ	Sprinkler section valve PV 6047 JJ	CO ₂ battery PV 6048 JJ	Halon release station PV 6049 JJ

Regulations:

Resolution A654(16) amending Chapter II-2, Regulation 20 requires the use of these symbols on fire control plans and booklets as an international standard. These symbols are often used to identify actual equipment where no standard sign is available.

JJ=150mmx150mm

FIRE EQUIPMENT SIGNS



JJ=150mmx150mm. GM=300x100mm GG=100x100mm

FIRE EQUIPMENT SIGNS CONTINUED



Regulations: SOLAS Chapter II-2, Regulation 28.1.10, requires all fire equipment location markings to be photoluminescent material or marked by lighting.

Installation: Each item of fire fighting equipment should be marked with the appropriate symbol. Where various types of equipment are stored at one location, 'Fire Point' signs may be used. When equipment in an alley or corridor is stowed in a recess or locker, then a panoramic sign, mounted well above head height, should be used to enable the equipment to be identified from a distance (see first page for details on viewing distances). Any space protected by a CO₂ blanketing system must have all entrance doors and hatches marked by the appropriate sign. See signs 5876 KJ and 7545 KJ in the above diagrams. All elevator entrances should be marked with sign 6300 JJ. Fire extinguishers may be further identified as to their use with signs 6410 KG to 6413 KG which comply with European Regulation EN 3.

JJ=150mmx150mm. KJ 150mmx200mm. KG=100x200mm

SEA LANTERNS



SEA LANTERNS

PN: SL60-R PN: SL60-G
PN: SL60-A PN: SL60-B PN: SL60-W


- 2 nautical mile range (3.6km)
- Red, Green, Amber, Blue and White available
- 256 IALA flash patterns, user adjustable without the need for external devices
- User-replaceable battery in sealed battery compartment
- 4 user-adjustable intensity settings
- ON/OFF storage switch
- Includes Bird Spike
- Installs in minutes and operates maintenance-free for up to five years
- Affordable and tough
- Three Year Warranty

Fire & Safety

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



FIRE SAFETY SIGNS



PN: Size Mat'l
 HS6669 200 Dia POLY
 HS6670 200 Dia S/A



PN: Size Mat'l
 HS6671 200 Dia POLY
 HS6672 200 Dia S/A



PN: Size Mat'l
 HS6673 200 Dia POLY
 HS6674 200 Dia S/A



PN: Size Mat'l
 HS6675 200 Dia POLY
 HS6676 200 Dia S/A



PN: Size Mat'l
 HS6677 200 Dia POLY
 HS6678 200 Dia S/A



PN: Size Mat'l
 HS6679 200 Dia POLY
 HS6680 200 Dia S/A



PN: Size Mat'l
 HS6689 300x450 MTL
 HS6690 300x450 POLY
 HS6691 225x300 MTL
 HS6692 225x300 POLY



PN: Size Mat'l
 HS6695 300x450 MTL
 HS6696 300x450 POLY
 HS6697 225x300 MTL
 HS6698 225x300 POLY



PN: Size Mat'l
 HS6701 300x450 MTL
 HS6702 300x450 POLY
 HS6703 225x300 MTL
 HS6704 225x300 POLY



PN: Size Mat'l
 HS6707 300x450 MTL
 HS6708 300x450 POLY
 HS6709 225x300 MTL
 HS6710 225x300 POLY



PN: Size Mat'l
 HS6713 300x450 MTL
 HS6714 300x450 POLY
 HS6715 225x300 MTL
 HS6716 225x300 POLY



PN: Size Mat'l
 HS6719 300x450 MTL
 HS6720 300x450 POLY
 HS6721 225x300 MTL
 HS6722 225x300 POLY



PN: Size Mat'l
 HS6725 300x450 MTL
 HS6726 300x450 POLY
 HS6727 225x300 MTL
 HS6728 225x300 POLY



PN: Size Mat'l
 HS6731 300x450 MTL
 HS6732 300x450 POLY
 HS6733 225x300 MTL
 HS6734 225x300 POLY



PN: Size Mat'l
 HS6737 300x450 MTL
 HS6738 300x450 POLY
 HS6739 225x300 MTL
 HS6740 225x300 POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Fire & Safety

FIRE SAFETY SIGNS CONTINUED



PN:	Size	Mat'l
HS6743	300x450	MTL
HS6744	300x450	POLY
HS6745	225x300	MTL
HS6746	225x300	POLY



PN:	Size	Mat'l
HS6749	300x450	MTL
HS6750	300x450	POLY
HS6751	225x300	MTL
HS6752	225x300	POLY



PN:	Size	Mat'l
HS6755	300x450	MTL
HS6756	300x450	POLY
HS6757	225x300	MTL
HS6758	225x300	POLY



PN:	Size	Mat'l
HS6759	225x225	POLY



PN:	Size	Mat'l
HS6760	225x225	POLY



PN:	Size	Mat'l
HS6761	225x225	POLY



PN:	Size	Mat'l
HS6762	225x225	POLY



PN:	Size	Mat'l
HS6763	225x225	POLY



PN:	Size	Mat'l
HS6764	225x225	POLY



PN:	Size	Mat'l
HS6765	450x300	MTL
HS6769	300x225	S/A



PN:	Size	Mat'l
HS6771	450x300	MTL
HS6775	300x225	S/A



PN:	Size	Mat'l
HS6777	450x300	MTL
HS6781	300x225	S/A



PN:	Size	Mat'l
HS6783	450x300	MTL
HS6784	450x300	POLY
HS6785	300x225	MTL
HS6788	225x180	S/A



PN:	Size	Mat'l
HS6789	450x300	MTL
HS6790	450x300	POLY
HS6791	300x225	MTL
HS6794	225x180	S/A



PN:	Size	Mat'l
HS6795	450x300	MTL
HS6796	450x300	POLY
HS6797	300x225	MTL
HS6800	225x180	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

Portable Beacons



TRI-LITE

PN: LAP0301L-A
PN: LAP0301L-R
PN: LAP0301L-B

- Battery Powered LED Hazard Light
- 2000 hour battery life • Combined Flashing and Reflector • Available in Amber, Red and Blue
- Centre mounted water-proof switch
- Built in rear magnet for attaching to metal surfaces
- Supplied with mounting foot and hook

TL-2000 ROADSIDE WARNING LIGHT

PN: UECTL2000180L-A (LED)
PN: UECTL2000180L-R (LED)
PN: UECTL2000180L-B (LED)
PN: UECTL2000180XN-A (Xenon)
PN: UECTL2000180XN-R (Xenon)
PN: UECTL2000180XN-B (Xenon)
PN: UECTL2000SPL-A (Solar Powered)
PN: UECTL2000SPL-R (Solar Powered)
PN: UECTL2000SPL-B (Solar Powered)



- High Output LED, Xenon or Solar Powered
- Daylight Switch
- Supplied with pole mounting bracket and security/switch key



PORTA LAMP

PN: UECBBX-A
PN: UECBBX-R

- Battery Powered xenon strobe
- Available with amber or red lens • Weatherproof • Magnetic Mounting • Robust Construction

SIGNAL WAND

PN: UECTL501 Red
PN: UECTL502 Green

- LED Signaling Wand
- Push button control



Portable Signals



ECOBLAST

PN: AIZ002

- Environmentally friendly rechargeable cylinder
- Supplied with hand pump or can be refilled from any compressed air source
- High output



ECOBLAST PRO

PN: AIZ010

PN: AIZ900 – Bracket to Suit

- Environmentally friendly rechargeable air tank
- Can be refilled from any compressed air source
- Pressure “fuel” gauge fitted
- Supplied with carry strap
- Robust construction
- High output
- Optional Wall Mount Bracket available

Portable Signals Continued



LALIZAS AIR HORN
PN: LALPA0451P
 - Air Horn and Canister
PN: LALPA0451 - Canister Only

- Pressure canister powered air horn
 - High sound output
- Replacement canisters available



HAND OPERATED SIREN
PN: LK100

- No power supply required
 - High sound output
- Compact and lightweight



STENTOR
PN: Stentor RX – Standard
PN: Stentor EX – AS 2220.1 tones

- Very high sound output (High and Low volumes)
 - Rechargeable batteries up to 3 hour life
 - Supplied with battery charger

Storage Cabinets



FIRE EXTINGUISHER CABINET
PN: JB01

- Storage of 1 x 12kg or 12L fire extinguisher
- Dimensions: 970x470x320
 - Aperture: 760Hx275W
 - Weight 11 kgs
- GRP 3-4mm nominal thickness (Glass Reinforced Plastic)



SINGLE FIRE EXTINGUISHER CABINET
PN: TS101

- Storage of 9kg fire extinguisher
 - Dimensions: 762x282x211
 - Aperture: 730Hx235W
- GRP 3-4mm nominal thickness (Glass Reinforced Plastic)



ESCAPE SET (EEBD) CABINET
PN: TS100

- Emergency Escape and Breathing Device
- Dimensions: 762x282x211
 - Aperture: 730Hx235W
- GRP 3-4mm nominal thickness (Glass Reinforced Plastic)



BREATHING APPARATUS CABINET
PN: TS200BA

- Breathing Device
- Dimensions: 890x590x285
 - Aperture: 845Hx535W
- GRP 3-4mm nominal thickness (Glass Reinforced Plastic)

Fire Hose Reel

PN: 4101/01

- Complete with 36 metres of 19mm hose and nozzle
- Stop valve approved and tested by M.M.B.W.
- Brass water ways, galvanised supply pipe with barrel union supplied
- Easy-fit bracket, ultramid plastic nozzle with twist operation



Fire Extinguishers

- Stainless Steel handle and trigger
- Durable polyester powder coated finish
- Transport style pull out pin
- Shock absorbing base on water, foam and wet chemical extinguishers
- Ready for use pressure indicator
- All approved to AS 1841



PN:	Size	Rating	Application
1010/01	9L Water	3A	Wood, Paper & Fabric Fires
1012/01	7.5L Wet Chemical	3A:4F	Wood, Paper & Fabric Fires, Cooking Oils and Fats
1011/01	9L Foam	3A:30B	Wood, Paper, Fabric, Petrol and Kerosene Fires
3006/01	2kg Carbon Dioxide	2BE	Electrical Fires but can be used for other fires
3001/01	3.5kg Carbon Dioxide	5BE	Electrical Fires but can be used for other fires
3002/01	5kg Carbon Dioxide	10BE	Electrical Fires but can be used for other fires
2040/01	1kg Powder	1A:10B:E	Wood, Paper, Fabric, Flammable Liquid and Electrical Fires
2042/01	1.5kg Powder	2A:30B:E	Wood, Paper, Fabric, Flammable Liquid and Electrical Fires
2043/01	2.3kg Powder	2A:40B:E	Wood, Paper, Fabric, Flammable Liquid and Electrical Fires
2044/01	2.5kg Powder	3A:40B:E	Wood, Paper, Fabric, Flammable Liquid and Electrical Fires
2046/01	4.5kg Powder	4A:80B:E	Wood, Paper, Fabric, Flammable Liquid and Electrical Fires
2048/01	9kg Powder	6A:80B:E	Wood, Paper, Fabric, Flammable Liquid and Electrical Fires

Fire Blankets

- PN: 50801 – 1m x 1m
 PN: 50802 – 1.2m x 1.8m
 PN: 50803 – 1.8m x 1.8m



Knapsack

PN: 100619

- 16L Capacity, high density polythene container
- Adjustable terylene straps with shoulder pads
- Large filter neck for fast easy filling
- Brass double action underarm pump with adjustable nozzle for straight jet or variable fan spray



General & Emergency Signs

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



General & Emergency Signs

PARKING SIGNS



PN: **Size** **Mat'l**
HS4520 300x450 MTL



PN: **Size** **Mat'l**
HS4521 300x450 MTL



PN: **Size** **Mat'l**
HS4522 300x450 MTL



PN: **Size** **Mat'l**
HS4523 300x450 MTL



PN: **Size** **Mat'l**
HS4524 300x450 MTL



PN: **Size** **Mat'l**
HS4525 300x450 MTL



PN: **Size** **Mat'l**
HS4526 300x450 MTL



PN: **Size** **Mat'l**
HS4527 300x450 MTL



PN: **Size** **Mat'l**
HS3530 300x450 MTL

DOOR SIGNS



PN: **Size** **Mat'l**
HS6208 200x80 S/A



PN: **Size** **Mat'l**
HS6210 200x80 S/A



PN: **Size** **Mat'l**
HS6212 200x80 S/A



PN: **Size** **Mat'l**
HS6214 200x80 S/A



PN: **Size** **Mat'l**
HS6216 200x80 S/A



PN: **Size** **Mat'l**
HS6218 200x80 S/A



PN: **Size** **Mat'l**
HS6220 200x80 S/A



PN: **Size** **Mat'l**
HS6223 200x80 S/A



PN: **Size** **Mat'l**
HS6225 200x80 S/A



PN: **Size** **Mat'l**
HS6229 100x150 S/A



PN: **Size** **Mat'l**
HS6231 100x150 S/A



PN: **Size** **Mat'l**
HS6232 300x450 MTL
HS6233 300x450 POLY
HS6234 300x450 S/A



PN: **Size** **Mat'l**
HS6227 200x80 S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs

EMERGENCY INFORMATION SIGNS




PN:	Size	Mat'l
HS6235	450x600	MTL
HS6236	450x600	POLY
HS6237	300x450	MTL
HS6238	300x450	POLY
HS6240	100x150	S/A



PN:	Size	Mat'l
HS6241	450x600	MTL
HS6242	450x600	POLY
HS6243	300x450	MTL
HS6244	300x450	POLY
HS6246	100x150	S/A



PN:	Size	Mat'l
HS6247	450x600	MTL
HS6248	450x600	POLY
HS6249	300x450	MTL
HS6250	300x450	POLY
HS6252	100x150	S/A



PN:	Size	Mat'l
HS6253	450x600	MTL
HS6254	450x600	POLY
HS6255	300x450	MTL
HS6256	300x450	POLY
HS6258	100x150	S/A



PN:	Size	Mat'l
HS6259	450x600	MTL
HS6260	450x600	POLY
HS6261	300x450	MTL
HS6262	300x450	POLY
HS6264	100x150	S/A



PN:	Size	Mat'l
HS6265	450x600	MTL
HS6266	450x600	POLY
HS6267	300x450	MTL
HS6268	300x450	POLY
HS6270	100x150	S/A



PN:	Size	Mat'l
HS6271	450x600	MTL
HS6272	450x600	POLY
HS6273	300x450	MTL
HS6274	300x450	POLY



PN:	Size	Mat'l
HS6279	300x450	MTL
HS6280	300x450	POLY
HS6281	300x225	POLY
HS6282	150x100	S/A



PN:	Size	Mat'l
HS6291	300x450	MTL
HS6292	300x450	POLY




PN:	Size	Mat'l
HS6297	300x450	MTL
HS6298	300x450	POLY



PN:	Size	Mat'l
HS6303	300x450	MTL
HS6304	300x450	POLY



PN:	Size	Mat'l
HS3549	600x450	MTL+R
HS6307	600x450	MTL
HS6308	600x450	POLY
HS6309	300x450	MTL
HS6310	300x450	POLY



PN:	Size	Mat'l
HS6313	450x600	MTL
HS6314	450x600	POLY
HS6315	300x450	MTL
HS6316	300x450	POLY



PN:	Size	Mat'l
HS6327	300x450	MTL
HS6328	300x450	POLY
HS6330	150x100	S/A



PN:	Size	Mat'l
HS6333	300x450	MTL
HS6334	300x450	POLY
HS6336	150x100	S/A



PN:	Size	Mat'l
HS6339	300x450	MTL
HS6340	300x450	POLY
HS6342	150x100	S/A



PN:	Size	Mat'l
HS3553	600x450	MTL+R
HS3554	450x300	MTL+R



PN:	Size	Mat'l
HS3555	600x450	MTL+R
HS3556	450x300	MTL+R



PN:	Size	Mat'l
HS3557	600x450	MTL+R
HS3558	450x300	MTL+R



PN:	Size	Mat'l
HS3550	450x300	MTL+R

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
• LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs



PN: **Size** **Mat'l**
 HS6343 450x180 MTL
 HS6344 450x180 POLY



PN: **Size** **Mat'l**
 HS6347 450x180 MTL
 HS6348 450x180 POLY



PN: **Size** **Mat'l**
 HS6353 450x180 MTL
 HS6354 450x180 POLY



PN: **Size** **Mat'l**
 HS3552 450x300 MTL+R



PN: **Size** **Mat'l**
 HS6345 450x180 MTL
 HS6346 450x180 POLY



PN: **Size** **Mat'l**
 HS6349 450x180 MTL
 HS6350 450x180 POLY



PN: **Size** **Mat'l**
 HS3551 450x300 MTL+R



PN: **Size** **Mat'l**
 HS3548 600x450 MTL+R

EXIT SIGNS



PN: **Size** **Mat'l**
 HS6361 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS6362 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS6363 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS6364 300x225 MTL/LUM



PN: **Size** **Mat'l**
 HS6365 300x225 MTL/LUM



PN: **Size** **Mat'l**
 HS6366 300x225 MTL/LUM



PN: **Size** **Mat'l**
 HS6367 300x225 MTL/LUM



PN: **Size** **Mat'l**
 HS6368 300x225 MTL/LUM



PN: **Size** **Mat'l**
 HS3626 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS3627 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS3628 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS3629 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS3630 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS3631 450x180 MTL/LUM



PN: **Size** **Mat'l**
 HS3632 150x150 MTL/LUM

Changes to Australian Standard AS 2293.1-2005. Australian Standards have recently revised and modified Exit Signs and now specifies the use of the 'moving person' pictogram instead of just the word 'EXIT' on illuminated signs. It is anticipated that this standard will be referenced in the May 2006 edition of the Building Code of Australia, thereby superseding the previous referenced edition from the AS / NZS 2293 series. Please refer to www.standards.org.au if you require more information.

MISCELLANEOUS

YOUR COMPANY LOGO **IS YOUR TAG IN DATE?**
 SITE ELECTRICAL TEST TAG COLOUR CODES OF PORTABLE APPARATUS

JAN-MAR	RED
APR-JUN	GREEN
JULY-SEP	BLUE
OCT-DEC	YELLOW

IF YOU FIND AN OUT OF DATE OR MISSING TAG. PLACE AN **OUT OF SERVICE** TAG ON IT AND DELIVER IT TO YOUR ELECTRICAL DEPARTMENT.

PN: **Size** **Mat'l**
 HS3532 900x600 MTL+R
 HS3533 600x450 MTL+R

ELECTROLYTE BURNS
 Immediately wash affected area with plenty of water, then

SKIN BURNS	EYE BURNS
1. If possible remove or saturate contaminated clothing with water.	1. Immediately wash eye with large amounts of water using emergency eyewash bottle.
2. If patient is distressed take patient to a doctor.	2. All cases of eye burn after rendering first aid take patient immediately to a doctor.

NOTE: Doctor must be advised of type of burn
 (a) Lead/acid battery-dilute sulphuric electrolyte.
 (b) Nickel/cadmium battery-potassium hydroxide alkali electrolyte.


PRECAUTION: 1. Always wear protective clothing when dealing with electrolyte.

PN: **Size** **Mat'l**
 HS6374 450x300 POLY


CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs


EMERGENCY INFORMATION SIGNS



PN: **Size Mat'l**
HS6372 450x600 POLY



PN: **Size Mat'l**
HS6373 450x600 POLY
HS3526 450x600 MTL



PN: **Size Mat'l**
HS3528 450x600 MTL
HS3529 450x600 POLY

CUSTOM SIGNS



PN: **Size Mat'l**
HS6375 600x450 MTL
HS6376 600x450 POLY
HS6377 450x300 MTL
HS6378 450x300 POLY
HS6379 300x225 MTL
HS6380 300x225 POLY
HS6381 300x225 S/A
HS6382 150x100 S/A

NOTICE CUSTOM SIGN

You can choose your own customised text message of your own choice.



PN: **Size Mat'l**
HS6383 600x450 MTL
HS6384 600x450 POLY
HS6385 450x300 MTL
HS6386 450x300 POLY
HS6387 300x225 MTL
HS6388 300x225 POLY
HS6389 300x225 S/A
HS6390 150x100 S/A

SAFETY FIRST CUSTOM SIGN

You can choose your own customised, text message of your own choice.



PN: **Size Mat'l**
HS6391 600x450 MTL
HS6392 600x450 POLY
HS6393 450x300 MTL
HS6394 450x300 POLY
HS6395 300x225 MTL
HS6396 300x225 POLY
HS6397 300x225 S/A
HS6398 150x100 S/A

THINK TIDY CUSTOM SIGN

You can choose your own customised text message of your own choice.

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene • LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs

NOTICE SIGNS



PN:	Size	Mat'l
HS6399	450x300	MTL
HS6400	450x300	POLY
HS6401	300x225	MTL
HS6402	300x225	POLY



PN:	Size	Mat'l
HS6423	450x300	MTL
HS6424	450x300	POLY



PN:	Size	Mat'l
HS6447	450x300	MTL
HS6448	450x300	POLY
HS6449	300x225	MTL
HS6450	300x225	POLY
HS6451	300x225	S/A



PN:	Size	Mat'l
HS6454	450x300	POLY
HS6456	300x225	POLY
HS6457	300x225	S/A



PN:	Size	Mat'l
HS6461	300x225	MTL
HS6462	300x225	POLY
HS6463	300x225	S/A



PN:	Size	Mat'l
HS6466	450x300	POLY
HS6468	300x225	POLY
HS6469	300x225	S/A



PN:	Size	Mat'l
HS6471	450x300	MTL
HS6472	450x300	POLY
HS6473	300x225	MTL



PN:	Size	Mat'l
HS6477	450x300	MTL
HS6478	450x300	POLY
HS6479	300x225	MTL
HS6480	300x225	POLY



PN:	Size	Mat'l
HS6484	450x300	POLY
HS6486	300x225	POLY



PN:	Size	Mat'l
HS6495	450x300	MTL
HS6496	450x300	POLY



PN:	Size	Mat'l
HS6513	450x300	MTL
HS6514	450x300	POLY



PN:	Size	Mat'l
HS6519	450x300	MTL
HS6520	450x300	POLY



PN:	Size	Mat'l
HS6525	450x300	MTL
HS6526	450x300	POLY



PN:	Size	Mat'l
HS6538	450x300	POLY
HS6540	300x225	POLY
HS6541	300x225	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs

HOUSEKEEPING SIGNS



PN: Size Mat'l
 HS6543 450x300 MTL
 HS6544 450x300 POLY



PN: Size Mat'l
 HS6546 450x300 MTL
 HS6547 450x300 POLY



PN: Size Mat'l
 HS6549 450x300 MTL
 HS6550 450x300 POLY



PN: Size Mat'l
 HS6552 450x300 MTL
 HS6553 450x300 POLY



PN: Size Mat'l
 HS6555 450x300 MTL
 HS6556 450x300 POLY



PN: Size Mat'l
 HS6558 450x300 MTL
 HS6559 450x300 POLY

RECYCLING & ENVIRONMENT SIGNS



PN: Size Mat'l
 HS6561 300x300 MTL
 HS6563 300x300 S/A



PN: Size Mat'l
 HS6565 300x300 MTL
 HS6567 300x300 S/A



PN: Size Mat'l
 HS6569 300x300 MTL
 HS6571 300x300 S/A



PN: Size Mat'l
 HS6573 300x300 MTL
 HS6575 300x300 S/A



PN: Size Mat'l
 HS6577 300x300 MTL
 HS6579 300x300 S/A



PN: Size Mat'l
 HS6581 300x300 MTL
 HS6583 300x300 S/A



PN: Size Mat'l
 HS6585 450x300 MTL
 HS6586 450x300 POLY



PN: Size Mat'l
 HS6590 450x300 MTL
 HS6591 450x300 POLY



PN: Size Mat'l
 HS6595 450x300 MTL
 HS6596 450x300 POLY

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs

SAFETY AWARENESS SIGNS



PN:	Size	Mat'l
HS6600	450x300	MTL
HS6602	300x225	MTL
HS6604	150x100	S/A



PN:	Size	Mat'l
HS6605	450x300	MTL
HS6607	300x225	MTL
HS6609	150x100	S/A



PN:	Size	Mat'l
HS6622	300x225	MTL
HS6624	300x225	S/A



PN:	Size	Mat'l
HS6627	300x225	MTL
HS6628	300x225	POLY



PN:	Size	Mat'l
HS6630	450x300	MTL
HS6632	300x225	MTL

HARD HAT STICKERS



PN:	Size	Mat'l
HS6645	50x50	S/A



PN:	Size	Mat'l
HS6649	50x50	S/A



PN:	Size	Mat'l
HS6652	50x50	S/A



PN:	Size	Mat'l
HS6656	50x50	S/A



PN:	Size	Mat'l
HS6657	50x50	S/A



PN:	Size	Mat'l
HS6660	50x50	S/A



PN:	Size	Mat'l
HS6663	50x50	S/A

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper

General & Emergency Signs

MISCELLANEOUS




PN: HS6370 Size: 1200x900 Mat'l: MTL


CONTROL BOARD

ON-SITE

OFF-SITE



EXAMPLE OF SAFETY BOARDS AVAILABLE
MANUFACTURED ON POLYCARBONATE OR STEEL



COMMERCIAL WALLMOUNTED

MAGNETIC WHITEBOARDS ARE MORE THAN JUST A WRITING SURFACE

- Stain resistant • Easy to maintain • 5yr warranty under normal use
- Can be mounted landscape or portrait • Clip on pen tray
- Concealed fixing. Fixings supplied

CODE	W	H	CODE	W	H
VTC0406	450	600	VTC1509	1500	900
VTC0606	600	600	VTC1512	1500	1200
VTC0906	900	600	VTC1809	1800	900
VTC0909	900	900	VTC1812	1800	1200
VTC1206	1200	600	VTC2112	2100	1200
VTC1209	1200	900	VTC2412	2400	1200
VTC1212	1200	1200	VTC3012	3000	1200

CUSTOM DESIGNED WHITE BOARDS AVAILABLE ON REQUEST

Hazchem Signs & Dangerous Goods

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.


We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Hazchem Signs & Dangerous Goods

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper • ENG = Engraved


EMERGENCY INFORMATION PANEL SIGNS



Please select your Emergency Information Sign by specifying:

- (1) Product Identification
- (2) UN Number
- (3) Hazchem Code
- (4) Class Label, and subsidiary risk label as required
- (5) Specialist Advice Provider name & phone number

PN: Size Mat'l
 HS6834 800x600 MTL
 HS6835 800x600 S/A



PN: Size Mat'l
 HS6836 800x400 MTL
 HS6837 800x400 S/A

The following list is some of the standard Emergency Information Panel signs.
All codes in this table are for metal 800x600 and metal 800x400.
 Please specify if you require self adhesive.


800x600	800x400	UN No.	Haz Code	Class	Sub-Class	Product Description
HS6838	HS6839	1001	2[S]E	2.1		Acetylene
HS6840	HS6841	2672	2R	8		Ammonia Solutions
HS6842	HS6843	1942	1[Y]	5.1		Ammonium Nitrate
HS6844	HS6845	1556	2X	6.1		Arsenic Compounds Liquid NOS
HS6846	HS6847	1557	2X	6.1		Arsenic Compounds Solid NOS
HS6848	HS6849	1719	2R	8		Caustic Alkali Liquid NOS
HS6850	HS6851	1017	2XE	2.3	8	Chlorine
HS6852	HS6853	1760	2X	8		Corrosive Liquid NOS
HS6854	HS6855	1999	2W	3		Cut Back Bitumen, Tars, Liquid
HS6856	HS6857	3257	2W	9		Elevated Temperature Liquid NOS
HS6858	HS6859	0241	E	1.1		Explosive Blasting Type E
HS6860	HS6861	1993	3[Y]E	3		Flammable Liquid NOS
HS6862	HS6863	1863	3[Y]E	3		Fuel, Aviation, Turbine Engine
HS6864	HS6865	1789	2R	8		Hydrochloric Acid
HS6866	HS6867	2014	2P	5.1	8	Hydrogen Peroxide
HS6868	HS6869	1223	3[Y]	3		Kerosene
HS6870	HS6871	1469	2Y	5.1	6.1	Lead Nitrate
HS6872	HS6873	3122	2W	6.1	5.1	Lead Nitrate Solution
HS6874	HS6875	1203	3[Y]E	3		Motor Spirit, Gasoline or Petrol
HS6876	HS6877	2031	2PE	8		Nitric Acid
HS6878	HS6879	3139	1[Y]E	5.1		Oxidizing Liquid NOS
HS6880	HS6881	1072	2[S]	2.2	5.1	Compressed Oxygen
HS6882	HS6883	1267	3WE	3		Petroleum Crude Oil
HS6884	HS6885	1268	3[Y]E	3		Petroleum Distillate Diesel
HS6886	HS6887	1270	3[Y]E	3		Petroleum Fuel
HS6888	HS6889	1075	2WE	2.1		Petroleum Gases Liquified (L.P.G.)
HS6890	HS6891	1805	2R	8		Phosphoric Acid
HS6892	HS6893	1814	2R	8		Potassium Hydroxide Solution
HS6894	HS6895	1689	2X	6.1		Sodium Cyanide
HS6896	HS6897	1935	2X	6.1		Sodium Cyanide Solutions
HS6898	HS6899	1824	2R	8		Sodium Hydroxide Solution
HS6900	HS6901	1849	2X	8		Sodium Hydroxide Hydrated
HS6902	HS6903	1830	2P	8		Sulfuric Acid



Please select your Composite Warning Placard by specifying:

- (1) Hazchem Code
- (2) Class Label or Labels as required

•This placard is an example only



PN: Size Mat'l
 HS6904 600x150 MTL
 HS6905 750x150 MTL
 HS6906 900x150 MTL
 HS6907 1200x150 MTL

Hazchem Signs & Dangerous Goods

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper • ENG = Engraved

HAZARDOUS GOODS LABELS & PLACARDS



PN:	Size	Mat'l
HS6908	300x300	MTL
HS6909	300x300	S/A
HS6910	100x100	S/A
HS6911	50x50	SAP
HS6912	25x25	SAP



PN:	Size	Mat'l
HS6913	300x300	MTL
HS6914	300x300	S/A
HS6915	100x100	S/A
HS6916	50x50	SAP
HS6917	25x25	SAP



PN:	Size	Mat'l
HS6918	300x300	MTL
HS6919	300x300	S/A
HS6920	100x100	S/A
HS6921	50x50	SAP
HS6922	25x25	SAP



PN:	Size	Mat'l
HS6923	300x300	MTL
HS6924	300x300	S/A
HS6925	100x100	S/A
HS6926	50x50	SAP
HS6927	25x25	SAP



PN:	Size	Mat'l
HS6928	300x300	MTL
HS6929	300x300	S/A
HS6930	100x100	S/A
HS6931	50x50	SAP
HS6932	25x25	SAP



PN:	Size	Mat'l
HS6938	300x300	MTL
HS6939	300x300	S/A
HS6940	100x100	S/A
HS6941	50x50	SAP
HS6942	25x25	SAP



PN:	Size	Mat'l
HS6943	300x300	MTL
HS6944	300x300	S/A
HS6945	100x100	S/A
HS6946	50x50	SAP
HS6947	25x25	SAP



PN:	Size	Mat'l
HS6948	300x300	MTL
HS6949	300x300	S/A
HS6950	100x100	S/A
HS6951	50x50	SAP
HS6952	25x25	SAP



PN:	Size	Mat'l
HS6953	300x300	MTL
HS6954	300x300	S/A
HS6955	100x100	S/A
HS6956	50x50	SAP
HS6957	25x25	SAP



PN:	Size	Mat'l
HS6958	300x300	MTL
HS6959	300x300	S/A
HS6960	100x100	S/A
HS6961	50x50	SAP
HS6962	25x25	SAP



PN:	Size	Mat'l
HS6963	300x300	MTL
HS6964	300x300	S/A
HS6965	100x100	S/A
HS6966	50x50	SAP
HS6967	25x25	SAP



PN:	Size	Mat'l
HS6968	300x300	MTL
HS6969	300x300	S/A
HS6970	100x100	S/A
HS6971	50x50	SAP
HS6972	25x25	SAP



PN:	Size	Mat'l
HS6973	300x300	MTL
HS6974	300x300	S/A
HS6975	100x100	S/A
HS6976	50x50	SAP
HS6977	25x25	SAP



PN:	Size	Mat'l
HS6978	300x300	MTL
HS6979	300x300	S/A
HS6980	100x100	S/A
HS6981	50x50	SAP
HS6982	25x25	SAP



PN:	Size	Mat'l
HS6983	300x300	MTL
HS6984	300x300	S/A
HS6985	100x100	S/A
HS6986	50x50	SAP
HS6987	25x25	SAP



PN:	Size	Mat'l
HS6988	300x300	MTL
HS6989	300x300	S/A
HS6990	100x100	S/A
HS6991	50x50	SAP
HS6992	25x25	SAP



PN:	Size	Mat'l
HS6993	300x300	MTL
HS6994	300x300	S/A
HS6995	100x100	S/A
HS6996	50x50	SAP
HS6997	25x25	SAP



PN:	Size	Mat'l
HS6998	300x300	MTL
HS6999	300x300	S/A
HS7000	100x100	S/A
HS7001	50x50	SAP
HS7002	25x25	SAP



PN:	Size	Mat'l
HS7003	300x300	MTL
HS7004	300x300	S/A
HS7005	100x100	S/A
HS7006	50x50	SAP
HS7007	25x25	SAP

Hazchem Signs & Dangerous Goods

CODES: MTL = Metal • S/A = Self Adhesive • MTL + R = Metal and Reflective • POLY = Outdoor Polypropylene
 • LUM = Photoluminescent • SAP = Self Adhesive Paper • ENG = Engraved



PN: Size Mat'l
 HS7008 300x300 MTL
 HS7009 300x300 S/A
 HS7010 100x100 S/A
 HS7011 50x50 SAP
 HS7012 25x25 SAP



PN: Size Mat'l
 HS7013 300x300 MTL
 HS7014 300x300 S/A
 HS7015 100x100 S/A
 HS7016 50x50 SAP
 HS7017 25x25 SAP



PN: Size Mat'l
 HS7018 300x300 MTL
 HS7019 300x300 S/A
 HS7020 100x100 S/A
 HS7021 50x50 SAP
 HS7022 25x25 SAP



PN: Size Mat'l
 HS7023 300x300 MTL
 HS7024 300x300 S/A
 HS7025 100x100 S/A
 HS7026 50x50 SAP
 HS7027 25x25 SAP



PN: Size Mat'l
 HS7028 300x300 MTL
 HS7029 300x300 S/A
 HS7030 100x100 S/A
 HS7031 50x50 SAP
 HS7032 25x25 SAP



PN: Size Mat'l
 HS7033 300x300 MTL
 HS7034 300x300 S/A
 HS7035 100x100 S/A
 HS7036 50x50 SAP
 HS7037 25x25 SAP




PN: Size Mat'l
 HS7038 300x300 MTL
 HS7039 300x300 S/A
 HS7040 100x100 S/A
 HS7041 50x50 SAP
 HS7042 25x25 SAP



PN: Size Mat'l
 HS7044 300x300 POLY/MTL

- Metal Flip Over Diamonds with Plastic Surround • Heavy Duty Construction, Weather resistant • Contains 13 Classes
- Includes Please Drive Safely Message



PN: Size Mat'l
 HS7043 300x300 MTL
 (To suit metal diamonds)



PN: Size Mat'l
 HS7045 900x185 MTL
 (To suit HS7051 & HS7052)

Hazchem Signs & Dangerous Goods

CHEMICAL INFORMATION PANEL SIGNS



PN: Size Mat'l
 HS7046 600x200 MTL



PN: Size Mat'l
 HS7047 600x200 MTL



PN: Size Mat'l
 HS7048 600x200 MTL



PN: Size Mat'l
 HS7049 600x300 MTL
 HS7050 600x300 POLY



PN: Size Mat'l
 HS7051 900x185 MTL



PN: Size Mat'l
 HS7052 900x185 MTL

Hazchem Signs & Dangerous Goods

Oil & Fuel Spill Kits - Workshop/Warehouse Range

Designed to recover oil and petroleum based liquids on land or water. Ideal for sealed areas in and around warehouses, loading docks and manufacturing stores. Components contain little or no dust.



HIGH PERFORMANCE SKH240

240 Litre Wheelie bin
Capacity up to 200 litres

- 7 x 2.4m x 100mm poly booms (PBFO2.4)
- 5 x pillows (PPFO)
- 100 x pads (MBBP)
- 1 bag Floorsorb 7 kgs (FS7)
- 2 pair PVC gloves (PVCG)
- 8 x disposal bags (DB)
- 1 x 240 litre bin with wheels

Laminated how to use instructions



STATION SPILL KIT SKHSS

Capacity up to 60 litres

- 2 x 2.4m x 100mm poly booms (PBFO2.4)
- 2 x pillows (PPFO)
- 12 x pads (MBBP)
- 1 bag Floorsorb 3 kgs (FS3)
- 1 pair PVC gloves (PVCG)
- 3 x disposal bags (DB)
- 1 bag (SKB) 90 x 85 cm

Laminated how to use instructions

Oil & Fuel Spill Kits - Outdoor/Unsealed Surfaces Range

Ideal for unsealed areas around mine sites, drilling rigs, truck stops. Components designed for harsh conditions.



HIGH PERFORMANCE OUTDOOR SKH240-P

240 Litre Wheelie bin.
Capacity up to 215 litres

- 7 x 2.4m x 100mm poly booms (PBFO2.4)
- 5 x pillows (PPFO)
- 100 x pads (MBBP)
- 1 bag Global Peat 6 kgs (PMPB)
- 2 pair PVC gloves (PVCG)
- 8 x disposal bags (DB)
- 1 x 240 litre bin with wheels

Laminated how to use instructions



MEDIUM TRUCK SPILL KIT SKHMDT

Capacity up to 40 litres

- 2 x 2.4m x 75mm poly booms (EMB2.4)
- 2 x pillows (EP)
- 1 x 6 Ltr Bag Global Peat (PMPB6)
- 12 x pads (MBBP)
- 2 x disposal bags (DB)
- 1 bag (SKB), 90 x 85 cm

Laminated how to use instructions

Chemical Spill Kits

Designed to recover acids, bases, coolants, solvents, oils, water on land.



120 LITRE WHEELIE BIN SKC120

Capacity up to 120 litres

- 5 x 2.4m x 75mm mini booms (UMB2.4)
- 8 x pillows (UP)
- 100 x pads (CP)
- 1 bag particulate 2.5 kgs (PTC2.5)
- 1 pair PVC gloves (PVCG)
- 4 x disposal bags (DB)
- 1 x 120 litre bin with wheels

Laminated how to use instructions



STATION SPILL KIT SKHSS

Capacity up to 60 litres

- 2 x 2.4m x 100mm poly booms (PBFO2.4)
- 2 x pillows (PPFO)
- 12 x pads (MBBP)
- 1 bag Floorsorb 3 kgs (FS3)
- 1 pair PVC gloves (PVCG)
- 3 x disposal bags (DB)
- 1 bag (SKB) 90 x 85 cm

Laminated how to use instructions

Outdoor Kits

Ideal for unsealed areas around mine sites, drilling rigs, truck stops. Components designed for harsh conditions.



BARREL SPILL KIT SKH60P

Capacity up to 60 litres

- 2 x 2.4m x 75mm poly booms (EMB2.4)
- 2 x pillows (EP)
- 1 x 6 kg Bag Global Peat (PMPB)
- 12 x pads (MBBP)
- 1 x PVC Gloves
- 2 x disposal bags (DB)
- 1 barrel (MT drum 60L)

Laminated how to use instructions



ECONOMY PLUS OUTDOOR SKHGP120

120 Litre Wheelie Bin.
Capacity up to 105 litres

- 1 x 2.4m x 100mm poly booms (PBFO2.4)
- 2 x 1.2m x 100mm poly booms (PBFO1.2)
- 2 bag Global Peat 6 kgs (PMPB)
- 50 x pads 45cm x 45cm (MBBP)
- 1 pair PVC gloves (PVCG)
- 4 x disposal bags (DB)
- 1 x 240 litre bin with wheels

Laminated how to use instructions

Hazchem Signs & Dangerous Goods

Miscellaneous Kits



MAINTENANCE WORKSHOP FLOORSORB KIT SKH120WSFS7

Includes

- 4 bag Floorsorb Absorbent 7 kgs (FS7)
 - 1 x Hand Scoop (HCH42)
 - 1 x 120 litre bin with wheels
- Laminated how to use instructions



JUMBO SPACE CASE 450 OIL & FUEL SPILL KIT SKHSC450

Capacity up to 356 litres

- 5 x 3.6m x 100mm poly booms (PBFO3.6)
- 5 x Pillows (PPFO)
- 150 x Pads (MBBP)
- 2 bag Global Peat 6 kgs (PMPB)
- 1 x Roll 40m x .9m (MBBR40.9)



WALL MOUNTED KIT 80 LITRE SPILL KIT SKH80

Capacity up to 55 litres

- 2 x 2.4m x 75mm poly booms (EMB2.4)
 - 3 x pillows (EP)
 - 50 x pads (MBBP)
 - 1 pair PVC gloves (PVCG)
 - 2 x disposal bags (DB)
- Laminated how to use instructions

Hydrocarbon (Fuel & Oil) Only Absorbents - Envirosorb™

Oil & Fuel polypropylene absorbents have exceptional water repellent characteristics. The meltblown fabric holds together even when fully saturated with oil so it is easy to cleanup spills. Cuts easily with scissors or utility knife. Convenient wall holder available (not shown). For disposal, use high temperature incineration or appropriate landfill.



HYDROCARBON ONLY ROLLS

- MBR410.1** Meltblown 40m x 1.1m Hy Duty
- MBR40.9** Meltblown 40m x .9m Hy Duty
- MBBR401.1** Meltblown 40m x 1.1 Std Duty
- MBBR40.9** Meltblown 40m x .9m Std Duty



HYDROCARBON ONLY PADS & MATS

- MBP** 45cm x 45cm Hy Duty
- MBBP** 45cm x 45cm Std Duty
- MBBPW** Mat 90cm x 90cm Hy Duty

Pads & Mats absorb small spills and are used for final cleanup of larger spills. May be used on water or under leaking pipes and machinery. Can be squeezed and re-used. For disposal use high temperature incineration or send to appropriate landfill.

Absorbent Granules

Floorsorb: Ideal for inside warehouses. Absorbs all liquid but not recommend for aggressive acids. Bags are light & easy to handle.



FLOORSORB GRANULES

- FS3** Floorsorb Bags 3 kgs
- FS7** Floorsorb Bags 7 kgs

Peat: Ideal for outdoor hydrocarbon spills. Good fume suppressor. Absorbent organic product.



SPHAGNUM PEAT MOSS

- PMPB** Global Peat 28L bag - 6 kgs
- Global** Global Peat 100L compressed - 18kgs
- PMPB-18.5** Peat 100L compressed - 18kgs
- PMPB-37** Global Peat 200L compressed - 37kgs

AB15: Ideal for warehouses & outdoors. Absorbs all liquids but not recommend for aggressive acids.



ABSORBENT

- AB15** 15 - 10 kgs
- AB30** 30 - 10 kgs
- AbRG** Absorbent Road Grip 12 kgs

Drain Covers & Collapsible Bunds

Storm Water Drain seals are designed to prevent spills entering drains, grates and manholes.



URETHANE DRAIN PROTECTOR UDP-1

Is light weight, reusable and resistant to most chemicals and substances. Urethane Drain Protector 1.06m x 1.06m



WATER FILLED DRAIN COVER PCBWF

Is filled with water to provide a secure seal even on uneven ground. Drain Cover Water Filled 1m x 1m



COLLAPSIBLE BUNDS SCS1100

Made to any size. Designed for temporary storage of damaged containers leaking liquids, or equipment such as gen-sets. Collapsible bunds are made from heavy duty PVC.



MULTI MAT MMU

1500mm x 730mm Soft edges, can be rolled up, ideal for work under vehicles or temporary storage of small containers.



DRIP TRAY OT

44cm x 31cm Tray with covered mesh, internal absorbent will absorb and contain oil/fuel but not water. Dispose after use.

Hazchem Signs & Dangerous Goods

Mobile Dispensing Equipment



SPILL SCOOTER™

Code: E5205-YE. D: 88x23cm W: 10.12kg
Inexpensive mobiles dispensing

- Dispenses drums safely
- Spout for easy draining
- 100% polyethylene - won't rust



POLY-OVERPACK 95 SALVAGE DRUM

Code: E1237-YE.
Exterior Height: 105cm
Exterior Top Diameter: 81cm
Exterior Base Diameter: 66cm
Interior Height: 94cm
Interior Top Diameter: 69cm
Interior Base Diameter: 63cm
Weight: 21.6kg
Secure twist-down lid

- Ideal for hazardous drum transport & storage
- Moulded for easy grip and pick-up
- Sump capacity: 361 litres



POLLY-DOLLY™

Code: E5300-YE D: 175x82x67cm W: 41.4kg
Easy loading & dispensing

- 304 litre sump capacity
- Secondary containment unit
- Transports, tilts & dispenses up to 205 litre hazardous liquid drums
- Rolled grip



Hazchem Signs & Dangerous Goods

Industrial Safety Can Storage



**SAFETY CAN STORAGE
AU25452**
3 Shelves
Capacity: 250 Litre /
9 x 20 Litre Drums



**SAFETY CAN STORAGE
AU25302**
2 Shelves
Capacity: 160 Litre /
6 x 20 Litre Drums

Compact Safety Can Storage



**COMPACT
STORAGE
AU25714**
2 Shelves
Capacity: 30 Litre



**UNDER BENCH STORAGE
AU25748**
2 Shelves Capacity: 100 Litre

Drum Safety Storage



**DRUM STORAGE
AU25701**
207 Litre Vertical Drum
- 2 Door with rollers



**DRUM STORAGE
AU25662**
207 Litre Horizontal
Drum - 2 Door

Flammable Storage Cabinets

Approval

Weight Kg

H x W x D mm

Drum Cabinets...Yellow Powder Paint Finish

AU25662	207 Litre Horizontal Drum - 2 Door		168.3	1385 x 765 x 1225
AU25701	207 Litre Vertical Drum 2 Door With Rollers		192.8	1760 x 870 x 870
AU25701W	207 Litre Vertical Drum 2 Door for Waste Products		170.0	1760 x 870 x 870

Storage Cabinets...Yellow Powder Paint Finish

AU25302	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465
AU25452	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25602	250 Litre, 3 Shelves, 2 Door, 12 x 20 Litre Drums	FM	177.8	1760 x 870 x 870

Tray Top or Under Bench Cabinet...Yellow Powder Paint Finish

AU25748	100 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
----------------	-------------------------------	----	------	-----------------

Compac Storage Cabinet...Yellow Powder Paint Finish

AU25712	60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465
AU25714	30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465

Hazchem Signs & Dangerous Goods

Corrosive Storage Cabinets



**STORAGE CABINET
AU25712B**
2 Shelves / 3 Polyethylene Trays
Capacity: 60 Litre



**POLYETHYLENE
STORAGE CABINET
24160**
2 Shelves Capacity: 30 Litre



**STORAGE CABINET
AU25302B**
2 Shelves / 3 Polyethylene Trays
Capacity: 160 Litre / 6 x 20 Litre Drums

Corrosives Storage Cabinets	Approval	Weight Kg	H x W x D mm
These Cabinets are manufactured to comply with AS 3780 for the safe storage of Corrosive Substances.			
Blue Powder Paint Finish			
AU25452B 250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	143.8	1760 x 1100 x 465
AU25302B 160 Litre, 2 Shelves 2 Door, 6 x 20 Litre Drums	FM	109.8	1230 x 1100 x 465
AU25748B 100 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
AU25712B 60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465
AU25714B 30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465
Blue Polyethylene Construction			
24040 15 Litre, 1 Door		14.0	500 x 365 x 415
24160 30 Litre, 2 Shelves, 2 Door		59.0	890 x 920 x 565

Organic Peroxide Storage Cabinets	Approval	Weight Kg	H x W x D mm
Cabinets are designed to comply with AS 2714 and have a sump capacity equal to the total of the contents of the Cabinet. Designed so that in the event of an explosion the doors will open outwards. For this reason the maximum capacity of a Cabinet is 100 kg or 100 L.			
Storage Cabinets...Yellow Powder Paint Finish			
AU25452OP 100 Litre, 3 Shelves, 2 Door	FM	142.0	1760 x 1100 x 465
AU25748OP 60 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
AU25712OP 50 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465

Pesticide Storage Cabinets	Approval	Weight Kg	H x W x D mm
Cabinets are manufactured for the safe storage of Pesticides. A Safety Shower and Eye/Wash must be installed where packages are opened.			
Storage Cabinets...Green Powder Paint Finish			
AU25602P 250 Litre, 3 Shelves, 2 Door, 12 x 20 Litre Drums	FM	177.8	1760 x 870 x 870
AU25452P 250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25302P 160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465

Extra Shelves

25901	Shelf to suit 25302 and 25452 Cabinets
25909	Shelf to suit 25602
25995	Shelf to suit 25714 and 25712 Cabinets

PESTICIDE STORAGE CABINETS



Hazchem Signs & Dangerous Goods

Storage Cabinets



DUAL SIDED
ACCESS –
OPEN TYPE



SINGLE
SIDED
ACCESS



SECURITY TYPE



FORKLIFT LPG



Model Type	PN	COMMON CYLINDER STORAGE CAPACITY						EXTERNAL DIMENSIONS		
		D SIZE 0175	E SIZE 0215	G SIZE 0250	G SIZE 0375 ACETYLENE	T SIZE 0130 FORKLIFT LPG	S SIZE 0375 LARGE LPG	Height	Width	Depth
DUAL SIDED ACCESS – OPEN TYPE										
For combination type Add a "C" to code	G04D	8	6	6*	4*	4	4	2000	860	980
	G06D	12	10	8*	6*	6	6	2000	1230	980
	G08D	16	14	12	10	8*	8	2000	1620	980
	G10D	20	16	14	12	12	10	2000	1980	980
	G12D	24	20	18	14	14	12	2000	2370	980
DUAL SIDED ACCESS – SECURITY TYPE										
For combination type Add a "C" to code	G04DS	8	6	6	4	4	4	2000	86	980
	G06DS	12	10	8	6	6	6	2000	1230	980
	G08DS	16	14	12	10	8	8	2000	1260	980
	G10DS	20	16	14	12	12	10	2000	1980	980
	G12DS	24	20	18	14	14	12	2000	2370	980
SINGLE SIDED ACCESS										
With adj. dividing system	G6SS	30(5 div)	20(4 div)	12(3 div)	9(2 div)	9(2 div)	6(2 div)	2000	1350	980
	G12SS	42(6 div)	30(5 div)	20(4 div)	15(4 div)	15(4 div)	12(3 div)	2000	1750	1180
FORKLIFT / LPG STORES										
With adj. dividing system (Dual Height)	GF04				4		1050	750	750	
	GF06				6		1050	1100	750	
	GF12				12		2000	1100	750	

* Denotes room left to store smaller cylinders.

Hazchem Signs & Dangerous Goods

Storage Cabinets



PR32D



PR08D



PR16D



PR16



PR12



SPECIAL FEATURE


PR10



PR06



PR02A



PR02



PR01

PN	STORAGE CAPACITY IN LTRS.	STORAGE CAPACITY IN PLTS.	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS		
			HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
PR01	850	1	1585	1375	1300	1200	1250	1250
PR02	1650	2	1585	2625	1300	1200	2500	1250
PR02A	1650	2	2700	1375	1300	2325	1250	1250
PR04	3280	4	2700	2625	1300	2325	2500	1250
PR06	4920	6	2700	2975	1300	2325	3825	1250
PR08	6560	8	2700	5200	1300	2325	5050	1250
PR08D	6560	8	2700	2650	2550	2325	2500	2480
PR10	8200	10	2700	6575	1300	2325	6425	1250
PR12	9840	12	2700	7800	1300	2325	7650	1250
PR12D	9840	12	2700	3975	2550	2325	3825	2480
PR16	12120	16	2700	10400	1300	2325	10250	1250
PR16D	13120	16	2700	5225	2550	2325	5075	2480
PR16D	13120	16	2700	5225	2550	2325	5075	2480
PR20	16400	20	2700	13050	1300	2325	12900	1250
PR20D	16400	20	2700	6575	2550	2325	6425	2480
PR24D	19680	24	2700	7800	2550	2325	7650	2480
PR32D	26240	32	2700	10400	2550	2325	10250	2480

Hazchem Signs & Dangerous Goods

Safety Storage Cans

10301
3.8 Litre



10501
7.6 Litre



10801
19 Litre



POLYETHYLENE
14140
3.8 Litre



Plunger/Bench/Liquid Disposal/Oily Waste Cans



PLUNGER PUMP CAN
10108 1 Litre. 125mm Dasher. 0.5, 2 & 4 Litre sizes available



BENCH CAN
10295 1 Litre Spring loaded flame arrester, with cover. 0.5 to 11 Litre sizes available



LIQUID DISPOSAL CAN
14722 7.6 Litre Non-metallic. 19 Litre size available



OILY WASTE CAN
09100 23 Litre Foot operated. 23 to 80 Litre sizes available

Safety Drum Fittings. With Flame Arrester Protection

SPILL CONTROL FUNNEL
28210
Polyethylene.



SAFETY FAUCET
08910
20mm Self-closing.



DRUM VENT
08300
50mm Automatic pressure relief.



Spill Containment Pallets



4-DRUM SQUARE PALLET
28254



28234 2-DRUM IN-LINE PALLET
28234



POLY SLIM LINE 6000
E5400-YE-D

Overpacks & Labpacks




OVERPACK SALVAGE DRUM - 360 LTR. 28201
Complies with DOT 49 CFR 173.3(c)
• Convenient twist-on threaded closure
• No separate, troublesome metal band needed!



SINGLE DRUM COLLECTION CENTRE 28268
• Large diameter opening makes drum loading easy
• Multiple uses: storing, pumping, or collecting liquid
• Ideal when space is at a premium

Hazchem Signs & Dangerous Goods

Spill Control Pallets/Work Centre



4 DRUM SQUARE PALLET
PN: 28254

W 125 cm / D 125 cm / H 26 cm /
Sump Capacity: 250 Litre / Load
Bearing Capacity: 2268 kg.
Weight: 46 kg.
Compliance: EPA, UFC



HAZMAT ACCUMULATION CENTRE 8 DRUM
PN: 28905

W 246 cm / D 125 cm / H 14 cm /
Sump Capacity: 250 Litre / Load
Bearing Capacity: 3636 kg. / Weight:
137 kg. / Compliance: EPA, UFC



ACCUMULATION CENTRE RAMP
PN: 28906

W 122 cm / D 84 cm / H 16 cm / Load
Bearing Capacity: 455 kg.
Weight: 18 kg.



3 DRUM IN LINE PALLET
PN: 28703



4 DRUM IN LINE PALLET
PN: 28704



2 DRUM IN LINE PALLET
PN: 28234



Large Quantity
Storage &
Organisation

Liquid
Dispensing
Station

Satellite
Collection Site
for Recyclables

Basic Storage.

Waste
Collection

Small
Quantity
Storage

Liquid
Accumulation

Hazchem Signs & Dangerous Goods

Spill Containment Caddy



A single solution for drum handling safety, mobile dispensing capability, and in-built containment.

- Big 250 litre sump capacity with exclusive, new "open view" makes spill detection and clean up easy!
- New double duty style accepts 205 litre drums; double loop straps hold drum securely in place.
- Gator Tuff polyethylene construction provides exceptional durability and chemical resistance. One piece body eliminates leaks.
- Transport 273 kg. loads safely, minimising back injuries, back kickplate makes drum tipping easy, and big rounded handles accommodate heavy work gloves for comfortable handling.



OUTDOOR SPILL CONTAINMENT CADDY PN: 28908

W 81 cm / D 184 cm / H 69 cm
Sump Capacity: 250 Litre
Load Bearing Capacity: 273 kg.
Weight: 56 kg.
Compliance: EPA, UFC

Drum Management System



Modular system combines efficient drum storage, positive spill control, and safe liquid dispensing.

- New double duty design permits combination storage of 205 litre drums.
- Gator Tuff polyethylene stands up to industrial abuse and will not rust or corrode. Compatible with a broad range of chemicals.
- Base Module with moulded in ribs supports loads up to a total of 1365 kg.
- Generous 250 litre "open view" sump exceeds EPA requirements for spill control. Seamless design eliminates leaks.



DRUM MANAGEMENT PN: 28902

System Base Module W 125 cm / D 150 cm / H 66 cm / Sump Capacity: 250 Litre
Load Bearing Capacity: 1364 kg. / Weight: 64 kg. Compliance: EPA, UFC

DRUM MANAGEMENT PN: 28903

System Stack Module W 125 cm / D 117 cm / H 31 cm Load Bearing Capacity: 680 kg.
Weight: 32 kg.

DISPENSING SHELF PN: 28904

W 50 cm / D 48 cm / H 42 cm Load Bearing Capacity: 60 kg. Weight: 4 kg.

Spill Control Funnels



Large diameter funnels provide a simple, cost effective way to collect liquids and keep drum tops clean.

- Low profile, wide diameter offers big "target" for quick and easy pouring. Allows the use of an optional Drum Fill Gauge.
- All polyethylene construction resists most chemicals.
- Elevated, scalloped design keeps containers from resting in their own liquid and permits passive draining of paint cans, filters, and other containers.
- Moulded inside hook offers a convenient spot to hang the optional Funnel Cover.

SPILL CONTROL FUNNEL PN: 28210

For non flammables
OD 53 cm / H 8 cm Sump Capacity: 10 Litre / Weight: 2 kg.
Compliance: OSHA

SPILL CONTROL FUNNEL PN: 28211

For flammables
OD 53 cm / H 8 cm Sump Capacity: 10 Litre
Weight: 3 kg. / Compliance: OSHA

COVER FOR FUNNEL PN: 28215

OD 48 cm / H 4 cm \ Weight: 5 kg.



Hazchem Signs & Dangerous Goods

Safety Showers

COMFORT COOL SAFETY SHOWERS.



Comfortcool™ (Australian Patent No. 640275)

Winner of the AUSTRALIAN DESIGN AWARD 1992 and selected for the permanent collection of the POWERHOUSE MUSEUM, SYDNEY as 'significant in the recording of Australian material culture'.

Safetyman 'Comfortcool'

Emergency Deluge Showers are designed for hot, exposed locations where, by insolation (heating from solar radiation), the water in ordinary showers can be heated well beyond the limits of safety. The maximum safe water temperature is considered to be 35°C. Not only can scalding be a problem but hot water can open pores to allow greater contaminant ingress and, in some cases, it can accelerate reactions with adverse effect.

The principle is simple. It works like the old canvas water bag. The supply line is jacketed with a percolating hose which allows water, seeping through, to evaporate from the outer surface. The jacket and the water it contains insulate the supply water and, at the same time, latent heat is removed by evaporation, from the whole assembly. It is by these means that the supply water is kept cool and comfortable.

The supply water is held static in the supply tube. A needle valve allows water from the supply tube to enter the jacket from which it percolates to the outside surface and evaporates to atmosphere. This avoids wastage of water when to maintain cool conditions, it is allowed to trickle from the systems. It overcomes the dangerous and avoidable time delay encountered when dry pipe showers are employed.

COMFORT COOL UNITS AVAILABLE:

Model number - DC045C

Free-standing, combination emergency 'Comfortcool' deluge system consisting of an overhead 200mm stainless steel deluge head operated through a 316 stainless steel ball valve, by a stainless pull rod and an eye wash unit giving aerated, cleansing flow from two stainless projectors mounted on a stainless basin. Operation of the eye wash is by means of a push flag handle at the side of the bowl. Both aerators are fitted with "fly-off" protective covers. This unit incorporates the patented 'Comfortcool' principle needed for outdoor applications.

Water connection: male 11/4" B.S.P.

Model number - DC020C

Free-standing combination emergency 'Comfortcool' deluge system consisting of an overhead 200mm stainless steel deluge head operated, through a 316 stainless steel ball valve, by a stainless pull rod and an eye wash unit giving aerated, cleansing flow from two stainless projectors mounted on a stainless basin. Operation of the eye wash is by means of a push flag

handle at the side of the bowl and/or stainless foot lever. Both aerators are fitted with "fly-off" protective covers. This unit incorporates the patented 'Comfortcool' principle needed for outdoor applications.

Water connection: male 11/4" B.S.P.

Model number - DC180C

Free-standing combination emergency 'Comfortcool' deluge system consisting of an overhead 200mm stainless steel deluge head operated, through a 316 stainless steel ball valve, by a stainless pull rod, together with an eye/face wash unit giving aerated, cleansing flow from two, dual stainless projectors mounted on a stainless basin. Operation of the eye/face wash is by means of a push flag handle at the side of the bowl. All aerators are fitted with "fly-off" covers. This unit incorporates the patented 'Comfortcool' principle needed for outdoor applications.

Water connection: male 11/4" B.S.P.

Model number - DC165C


Free-standing combination emergency 'Comfortcool' deluge system consisting of an overhead 200mm stainless steel deluge head operated, through a 316 stainless steel ball valve, by a stainless pull rod, together with an eye/face wash unit giving an aerated, cleansing flow from two, dual stainless projectors mounted on a stainless basin. Operation of the eye/face wash is by means of a push flag handle at the side of the bowl and/or a stainless foot lever. All aerators are fitted with "fly-off" protective covers. This unit incorporates the patented 'Comfortcool' principle needed for outdoor applications.

Water connection: male 11/4" B.S.P.

Model number - DC060C

Free-standing emergency 'Comfortcool' deluge system consisting of an overhead, 200mm stainless steel deluge head supplied through a 316 stainless steel ball valve and actuated by a stainless pull rod. This unit incorporates the patented 'Comfortcool' principle needed for outdoor applications.

Water connection: male 11/4" B.S.P.



Hazchem Signs & Dangerous Goods

Combination Deluge Showers with Eye/Face wash



SE 607
Combination Deluge Shower and Aerated Eye/Face Wash, stainless steel bowl, hand and foot operated.



SE 603
Combination Deluge Shower and Aerated Eye/Face Wash, stainless steel bowl, hand operated.



SE 685
Combination Deluge Shower and Aerated Eye/Face Wash, hand operated.



PEM 607
Combination Deluge Shower and Non-Aerated Eye/Face Wash, stainless steel bowl, hand and foot operated.



PEM 603
Combination Deluge Shower and Non-Aerated Eye/Face Wash, stainless steel bowl hand operated.



PEM 675
Combination Deluge Shower and Non-Aerated Eye/Face Wash, hand operated.

Combination Deluge Showers with Eye Wash



SE 612
Combination Deluge Shower and Aerated Eye Wash, stainless steel bowl, hand and foot operated.




SE 616
Combination Deluge Shower and Aerated Eye Wash, stainless steel bowl, hand operated.



SE 693 HFO
Combination Deluge Shower and Aerated Eye Wash, stainless steel bowl, hand and foot operated.



SE 693
Combination Deluge Shower and Aerated Eye Wash, stainless steel bowl, hand operated.



SE 679
Combination Deluge Shower and Aerated Eye Wash, hand and foot operated.



SE 675
Combination Deluge Shower and Aerated Eye Wash, hand operated.

Custom Showers



SE 105
Step on activation, Aerated Eye Wash and Deluge Shower, stainless steel bowl.



SE 106
Step on activation, Aerated Eye/Face Wash and Deluge Shower, stainless steel bowl.

Hazchem Signs & Dangerous Goods

Multi-Spray



Multiple spray shower heads with individual volume adjustment, walk through, single or dual platform activation.

GSE 670 PO

Multi-spray shower with eye/face wash, 16 spray heads, 3 stainless steel panels. Dual independent platform operation of shower and eye/face wash.

SE 663 PO

Multi-spray shower with eye/face wash, 16 spray heads, 2 stainless steel panels. Platform operation of decontamination shower.

Alarm System



Audible and visual alarm systems that direct personnel to assist in an emergency situation. Features low voltage, local or remote alarm packages in accordance with Australian Standard wiring rules.

GSE 607

Audible and visible alarm system for Combination Deluge Shower and Eye/Face Wash.

GSE 480

(Illustrated below left) Audible and visible alarm system for free standing Eye/Face Wash.

Emergency Deluge Showers

All Speakman Lifesaver® shower heads are non-clogging, self cleaning and can be supplied to fit any application.




SE-220

Ceiling mounted, pull down stainless steel triangular pendant with stay open valve.



SE-227

Wall mounted, pull down stainless steel triangular pendant with stay open valve.



SE-253

PO Free standing, step on platform operated.



SE-253

Free standing, pull down stainless steel triangular pendant activation with stay open valve.



Hazchem Signs & Dangerous Goods

Portable Units

SE 4000
79 Litre capacity, Gravityflo eye/face wash.



SE 509
9 Litre capacity, eye & body wash.



SE 590A
45 Litre capacity, eye & body wash



Tobin Eyewash Units



SAVING EYE-SIGHT IS A MATTER OF SECONDS The eyewash bottle hangs from a wall mounted rack by its cap. To open, simply break off the cap. An unopened bottle can be removed or replaced in the stand at will. An opened bottle cannot be replaced in the stand. There are no moving or mechanical parts to malfunction. Each bottle has a 3 year shelf life and remains sealed and sterile until use.



WALL STAND - 5 BOTTLES 1240

5 x 1 litre eyewash in a wall stand for stationary work places. Supplied with bottles, wall screws etc. D: 39x45x10 cm. Provides 15 minutes washing time.



MOBILE STAND - 2 BOTTLES 1290

2 x 1 litre eyewash in stand for mobile units such as trucks, boats, trains etc. Plastic (PP) stand. Supplied complete with bottles, wall screws. D: 34x20x10cm Provides 6 minutes washing time



WALL STAND 2 BOTTLES 1270

2 x 1 litre eyewash in a wall stand. Suitable when space is a problem or where several eyewash stations are required in the same area. Supplied with bottles, wall screws. D: 39x20x10cm Provides 6 minutes washing time



POCKET FLASK 1210

Holder for 2 x 200ml Pocket Flasks. Can be bolted under a shelf, dashboard or seat. Ready for immediate use.

Lab First-Aid Equipment



SE 920
Aerated drench hose, hand held, with hose hanger. 1.5m hose.



SE 927
Dual aerated spray heads, stay open hands free feature.



SE 572
Swivel over-sink eyewash, bench mounted.

Hazchem Signs & Dangerous Goods

Aerated Eye/Face Wash



Speakman Eyesaver® designed eye/face washes, engineered to provide a fast cleansing, low velocity first aid curtain of aerated water that washes eye and face contours gently.

Aerated water provides a peroxide scrubbing action that removes contaminants from delicate soft membrane areas more efficiently and safely. Harsh streams or jets of water that can embed injurious material into the eyes or skin are avoided.



SE-400

Wall mounted, push hand operated, rectangular stainless steel bowl.



SE-401

Wall mounted, push hand operated, rectangular high visibility plastic bowl.



SE-480

Pedestal mounted, hand and foot operated.

SE-420

Pedestal mounted, push hand operated.




SE-475

Wall mounted, push hand operated.

Aerated Eye Wash

SE-546

Pedestal mounted, hand and foot operated, rectangular stainless steel bowl.



SE-545

Pedestal mounted, hand operated, rectangular stainless steel bowl.



SE-505

Wall mounted, push bar operated, rectangular stainless steel bowl.



SE-582

Wall mounted, push hand operated, round stainless steel bowl.



SE-575

Wall mounted, push hand operated.



Speakman eye washes provide soft dual streams of aerated water to instantly wash away contaminants from soft membrane areas, following eye contours more closely.

Non-Aerated



SE-580

Wall mounted eye wash.



PEM-575

Wall mounted eye/face wash.



PEM-490

Wall mounted eye/face wash, stainless steel bowl.

Lockout/Tagout

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Lockout/Tagout

Steel Body Padlocks

TRADITIONAL AND DURABLE LOCKOUT SERIES

- Reinforced laminated steel construction
- Ideal when locks may be subjected to physical abuse
- Six available bumper colours for segmentation by department, etc.
- Available keyed different, keyed alike or master keyed
- Complete range of 4-pin tumbler cylinder (1,400 key changes) is available



Master Lock Model*	Description	Vertical Shackle Clearance (B)
1-9/16" Wide Laminated Steel Body. Shackle Dimensions:A:9/32" C:5/8"		
3RED	Keyed Different	3/4"
LFRED	Keyed Different,Extra Length Shackle	1-1/2"
3LHRED	Keyed Different,Extra Length Shackle	2"
KARED	Keyed Alike	3/4"
3KALFRED	Keyed Alike,Extra Length Shackle	1-1/2"
3KALHRED	Keyed Alike,Extra Length Shackle	2"
3MKRED	Master Keyed	3/4"
3KAMKRED	Keyed Alike,Master Keyed	3/4"
Six Colour Options:Add Desired Colour Suffix:RED,YLW,GRN,BLU,BLK,WHT.		
Rainbow Colour Assortment Packs		
1220AST	One each of all six #3 colours.Keyed Different	1-1/2"
1220LHAST	One each of all six #3LHcolors.Keyed Different	2"
1220DSPL	Safety Starter Kit.Two No.420 safety lockouts; six No.3 safety lockout padlocks (one each 3/4"Colour); six No.71TAG ID tags; and six No.71SC9 attachment collars	3/4"

Lightweight Safety Lockout

KEY RECORD KEEPING FOR LOCKOUT SYSTEMS.


Whether your facility has 10, 10,000 or 100,000 safety lockout padlocks, it is important to know that there is no unwarranted duplication of the keys. This maintains the OH&S standard of "one employee, one lock, one key". As the number of locks increase, so does the complexity of tracking keys. Hartac is the expert at managing key changes and can keep a complete record of the progressive key codes assigned and manufactured into your padlocks. Request this special service with your next order. You'll receive a unique Commercial User I.D. number.Be sure to include this I.D. number with each subsequent order, so that all additional locks will be manufactured to ensure no duplicate keys in your safety lockout system.

A PERMANENT AND DURABLE METHOD TO CUSTOMISE YOUR SAFETY LOCKOUT PADLOCKS.

- Available on Aluminum and Xenoy padlocks
- A name, logo or key number, you select the important information to engrave on the padlock
- Laser engraving information on the padlock face, sides or back


Master Lock Model*	Description	Vertical Shackle Clearance (B)
1-1/2"Wide,1-3/4" Tall Xenoy®Body.Shackle Dimensions:A:1/4" C"25/32"		
410RED	Keyed Different	1-1/2"
410LTRED	Keyed Different,Extra Length Shackle	3"
410KARED	Keyed Alike	1-1/2"
410KALTRED	Keyed Alike,Extra Length Shackle	3"
410MKRED	Master Keyed	
410KAMKRED	Keyed Alike,Master Keyed	1-1/2"
1-1/2"Wide, 3" Tall Xenoy® Body.Shackle Dimensions:A:1/4" C"25/32"		
411RED	Keyed Different	1-1/2"
411LTRED	Keyed Different,Extra Length Shackle	3"
411KARED	Keyed Alike	1-1/2"
411KALTRED	Keyed Alike,Extra Length Shackle	3"
411MKRED	Master Keyed	
411KAMKRED	Keyed Alike,Master Keyed	1-1/2"
0411-5705	Photo I.D.Labels for 411 (6 pk.)	N/A
Eight Colour Options:Add Desired Colour Suffix:RED,ORJ,YLW,GRN,BLU,BLK,PRP,TEAL		
Rainbow Colour Assortment Packs		
410AST	One each of all eight 410 colours.Keyed Different	
411AST	One each of all eight 411 colours.Keyed Different	1-1/2"

Designed for
Lockout/Tagout



EXTRA SHEETS OF LABELS (STD. PKG: 1 sheet)

Size	PN:	Quantity/Sheet
"Danger - Locked Out - Do Not Remove" Labels Front		
Small	65323/1	26mm x 33mm 50
"Property Of" Labels - Back		



Each Padlock includes one of each of the following labels.

Lockout/Tagout

Safety Lockout Hasps

LOCKOUT BY MULTIPLE WORKERS AT EACH LOCKOUT POINT

- Attach device to energy disconnect switch
- Keeps equipment inoperative while repairs or adjustments are made
- Control cannot be turned on until last worker's padlock is removed from hasp
- Multiple styles available to fit most needs; Spark resistant aluminum, Pry proof steel, Dielectric plastic, Dual jaw aluminum

MODEL 427 – LABELED SNAP-ON HASP

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish). Identify the responsible person, then erase for the next job.

Master Lock Model*	Description	Inside Jaw Diameter	Padlock Capacity
416	Spark Resistant Aluminum 1-1/2" x 4-3/8"	1"	6
417	Spark Resistant Aluminum 2" x 4-7/8"	1-1/2"	6
418	Heavy Duty Steel 2-3/8" x 3-1/4"	1"	4
419	Heavy Duty Steel 2-3/8" x 6-5/8"	1"	8
420	Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	6
421	Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	6
427	Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	5
427 Blue	Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	5
427 Green	Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	5
427 Black	Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	5
427 Red	Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	5
427 Silver	Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	5
429	Dual Jaw Aluminum Hasp 2"x 5-7/8" & 1-1/2" x 8"	1"	6
ALO80	Tabbed Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	6
ALO802	Tabbed Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	6
MS01	Non Conductive Lockout Hasp		6



Stainless Steel Scissor Action Hasp



PN: HS8402

These scissor action hasps are constructed from marine grade (316) stainless steel and are designed to provide a maximum tamper proof locking facility. Ideal for addressing safety issues where shift change procedures demand removal of personal padlocks. Hasps protect personnel maintaining machinery as required by statutory regulations.

Dual Safety Lockout

Especially designed to allow for the removal of personal padlocks this lockout enables a supervisory padlock to remain safely locked in place, ensuring that the machine remains isolated. Foolproof access to the hasp entry and a tamper proof locking facility adds another degree of safety. Manufactured from marine grade (316) stainless steel, the lockout has a 5.7mm hasp shank that will fit most electrical switch gear, cabinets and distribution boards.

PN:	Quantity per Pkg	Description
852439	1	Dual Level Safety Lockout



Lockout/Tagout

Safety Lockout Hasps

DUAL-SIZE LOCKOUT JAWS

PN:	Description
65321	pkg of 1



These hasps are constructed of case-hardened plated steel and are insulated with a red vinyl coating. Each hasp will hold up to six padlocks. Wide and narrow jaws on the same device make this 2 hasps in one.



12 HOLE LOCKOUT
PN: HS7057

Control cannot be turned on until last workers padlock is removed from hasp. Each hasp will allow 12 workers to lock out a single point. Vinyl coated high tensile steel, plated to resist rust.



24 HOLE LOCKOUT
PN: HS7058

Control cannot be turned on until last workers padlock is removed from hasp. Each hasp will allow 24 workers to lock out a single point. Vinyl coated high tensile steel, plated to resist rust.

Shock-Stop™ Hasps



Use these hasps as a visually instructive stop sign to warn employees about group lockout applications. Allows up to six workers to lockout a single energy source. The hasp is constructed of 13 gauge zinc plated steel and can accommodate up to 9mm padlock shackle. There is an area to write on the front & back of the hasp. **PN: 87693**

Shock-Stop™ Lock Box

This visually instructive lock box uses stop sign design to draw attention to employees. It combines a lock box with storage board for hasps (also sold separately) and accepts up to six locks and provides railing for storing locks when not in use. Each box includes six metal hooks inside for hanging keys, tag stubs, etc and comes standard with two SHOCK-STOP™ hasps. Backboard also includes writable/erasable area for signing out hasps. Overall dimensions: 420mm H x 267mm W x 64mm D. Mounting hardware and instructions included. **PN: 87692**



Lockout Hasps

MPL8 CAPTIVE LOCKOUT HASP

Manufactured from 1.5mm steel with a yellow powder coated finish, this captive hasp offers a new concept in locking off. Unlike conventional lockout hasps which locate directly onto the isolator this new captive hasp locks onto the first padlock (usually the controller's padlock) which is already locking the isolator in the "OFF" position. When the captive hasp is in place, all workers place their personal padlocks through the captive hasp which blocks access to the controller's padlock making it impossible for the controller to remove his/her padlock until all the work is completed and all the padlocks removed from the captive hasp. Accepts padlock with a shackle diameter up to 7mm. Ideal for use on long term isolations where shift patterns operate. Also offers a wider range of applications as a captive hasp will fit wherever a padlock will (up to a 40mm body) **PN: MPL8**




Lockout/Tagout

Key Cabinets

SINGLE TAG SERIES

Capacity	Dimensions	Weight	PN:
30 Keys	12"x8"x2 1/2" 305x203x64mm	4lbs 1.8kg	KEKAB-30
60 Keys	17"x13"x3 1/4" 432x330x83mm	10lbs 4.5kg	KEKAB-60
120 Keys	17"x13"x3 1/4" 432x330x83mm	10lbs 4.5kg	KEKAB-120
160 Keys	20"x16"x5" 508x419x127mm	17lbs 7.7kg	KEKAB-160X
expands to 330 keys			
240 Keys	20"x16 1/2" 508x419x127mm	22lbs 10.0kg	KEKAB-240

SingleTag security control system is designed to control and provide security for up to 730 keys. Ideal for home, store or office use, where centralised or departmental key control is desired. They are designed to be mounted on a wall, near a desk or a workstation.



498A

CAPTURED KEY STORAGE DEVICE, FOR EFFECTIVE LOCKOUT OF LARGE EQUIPMENT.

- Effective alternative to requiring each authorised lockout team member to place one of their personal safety locks at every lockout point in the system
- Up to 13 workers can apply their personal safety locks
- Heavy duty steel construction
- Red lockout Colour identifies the safety lockout application
- Trilingual label clearly communicates to all workers

PN:	Height	Length	Width
498A	152mm	235mm	95mm




PADLOCK & KEY CABINET

- PN: **HS7062** 310x185x50mm Small
- PN: **HS7062/1** 545x270x55mm Medium
- PN: **HS7062/2** 545x390x55mm Large

Lockout/Tagout

Group Lock Boxes



STORAGE DEVICES CAPTURE KEYS FOR EFFECTIVE LOCKOUT OF LARGE EQUIPMENT

- Secure each lockout point on a piece of equipment with just one designated lock
- Capture those keys by placing them in the lock box
- Each authorised employee locks one personal safety lock onto the box, removing them only when their work is complete
- Lockout message in English, Spanish and French communicates to all workers

LATCH TIGHT™ LOCK BOX – MODELS

- 503RED and 503YLW • Exclusive Latch Tight™ feature ensures that keys cannot be accessed until the very last lock is removed regardless of padlock shackle diameter or length
- Durable powder-coated red or yellow finish with stainless steel handle
- Integrated storage organises up to 12 keys or hundreds of bulk keys
- Dual application – wall mount or portable • Up to 14 workers can apply their personal safety padlocks or hasps

Master Lock Model*	Description	Dimensions HxLxW
Steel Group Lockboxes		
503RED	Latch Tight™ Group Lock Box - Red	12-3/4" x 3-1/2" x 6-3/8"
503YLW	Latch Tight™ Group Lock Box - Yellow	12-3/4" x 3-1/2" x 6-3/8"

Wall Mounted Procedure Holder

Manufactured from high-impact polystyrene, this procedure holder is designed to hold and protect the very important paperwork associated with GroupLockout/Tagout situations. Ideal for placing in key areas where employees have access to and can keep up to date with current procedures.

PN: HS8403

Acrylic Wall Lock Boxes

Made of acrylic plastic these locks come with Pre-drilled holes for easy wall mounting. The Transparent front cover allows easy viewing of contents, so you know how many contractors are still at work. Pre-attached plastic hooks for hanging keys, tag stubs, etc. Available in 3 sizes

PN:	Dimensions (HxWxD)	Max No of Padlocks	No of Key Hooks
LG003E	152mm x 152mm x 50mm	6	3
LG008E	190mm x 305mm x 70mm	10	8
GLOBOX	400mm x 190mm x 63mm	14	18



Lockout/Tagout

Lockout Stations



- **Integrated one-piece construction**

Eliminate loose parts. No sloppy hooks or fragile eyelets. No glued joints to break.

- **Patent-pending reinforced snap-lock clips**

Designed for easy padlock removal and storage. Simply press the shackle or hasp in place or pull to remove.

- **Molded out of resilient polycarbonate**

Safety Series Lockout Stations have twice the heat resistance and quadruple the impact strength of typical stations.

- **Exclusive lockable cover**

Helps prevent loss of valuable safety lockout padlocks and ensure padlocks will be available for lockout when needed. A combination lock provides simple access control; employees with equipment maintenance responsibilities have the combination, others do not.

- **Patent-pending hinge**

Holds translucent cover in the open position for easy padlock selection.

- **Options to suit any company**

Available with your choice of Xenoy®, aluminium or steel padlocks in 4, 10 and 20-lock formats

Choose the Station Size

The Safety Series Lockout Stations are available with the number of locks that suit your company's needs. Choose either 4, 10 or 20-lock formats.



PN:1482B (shown)
Accessories not included



PN:1484B (shown)
Accessories not included



PN:1483B (shown)
Accessories not included

MODEL TYPE SELECTOR

Base & Cover (Unfilled)	Base Only (Unfilled)	Cover Only	Description	Size
1482B			4 Lock Station with Cover - Unfilled	32x40.6x4.5cm
	1482Base		4 Lock Station Base Only - Unfilled	
		1482Cover	4 Lock Station Cover Only	
1483B			10 Lock Station with Cover - Unfilled	39x56x4.5cm
	1483Base		10 Lock Station Base Only - Unfilled	
		1483Cover	10 Lock Station Cover Only	
1484B			20 Lock Station with Cover - Unfilled	56x56x4.5cm
	1484Base		20 Lock Station Base Only - Unfilled	
		1484Cover	20 Lock Station Cover Only	

Heavy Duty Padlock Racks

Use this heavy gauge metal rack to keep padlocks near the lockout point. Includes labels in English, Spanish/English and French/English. Durable red powder coat finish. S1506 measures 6" wide and accepts from 6 to 8 padlocks. S1518 is 17.5" wide and accepts 18 to 22 padlocks.




PN: S1506



PN: S1518

Lockout/Tagout

Lockout Stations



Hartac's high visibility Lockout Stations make your locks, tags and lockouts easy to find and use. Built for the toughest conditions. Lockout Stations are made of durable material.

TEN LOCK STATION (A)

Part Number: 65679 Station only. Part Number: 65680
Station with components. Components include 10 blue bumper padlocks, 25 "Do Not Operate" tags (Catalogue No. 65502) and 3-25mm Safety Lockouts. Size: 475mm x 300mm.

PERSONAL LOCKOUT STATION (B)

Part Number: 65550 Station only. Part Number: 65553
Station with components. Components include 4 blue bumper padlocks and 25 "Do Not Operate" tags (Catalogue No. 65502). Size: 200mm x 300mm.

FOUR LOCK STATION (C)

Part Number: 65763 Station only. Part Number: 65764
Station with components. Components include 4 blue bumper padlocks, 25 "Do Not Operate" tags (Cat No. 65502) and 3-25mm Safety Lockouts. Size: 200mm x 300mm.

DEPARTMENT LOCKOUT STATION (D)

Part Number: 65551 Station only. Part Number: 65552
Station with components. Components include 20 blue bumper padlocks, 50 "Do Not Operate" tags (Cat. No. 65502) and 6-25mm Safety lockouts. Size: 475mm x 600mm.

65679 (A) Ten Lock Station - Station Only	65680 (A) Ten Lock Station - With Components
65550 (B) Personal Lockout Station - Station Only	65553 (B) Personal Lockout Station - With Components
65763 (C) Four Lock Station - Station Only	65764 (C) Four Lock Station- With Components
65551 (D) Department Lockout - Station Only	65552 (D) Department Lockout- With Components

Lockout Stations cont



WALL MOUNTED STATIONS CONVENIENTLY LOCATE ALL LOCKOUT DEVICES AND PADLOCKS IN AN EASILY ACCESSIBLE LOCATION

- Exclusive Safety Series Valve and Electrical Lockout Devices hang or sit in a tray along with the lockout padlocks
- Features Master Lock lightweight 410 Xenoy® Safety Series padlocks, designed exclusively for OH&S lockout compliance
- Includes Safety Series hasps for lockout by multiple workers at each lockout point
- Includes Safety Series heavy-duty "Do Not Operate" lockout I.D. tags with brass grommets
- Key Registration included to record and track all key codes in your facility. (End-User Registration number must be provided on all future orders). Helps ensure compliance with OH&S directive "One Employee, One Lock, One Key".

Master Lock Model*		Size Description
No. 410 Xency Padlocks	Station Only (Unfilled)	
1485E410	1485	Electrical Lockout Focus. Contains: 6 – 410RED Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 487 & 1 – 488 Plug Covers; 1 – 491B, 5 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
1485V410	1485	Valve Lockout Focus. Contains: 6 – 410RED Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Lockouts; 2 – 468L Ball Valve Lockouts; 2 – 497A Tags (12/pack).
1486VE410	1486	Electrical & Valve Lockout Focus. Contains: 6 – 410RED Padlocks; 2 – 420 Hasps; 1 – 427 Snap-On Hasp; 1 – 8611 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Lockouts; 2 – 496L Ball Valve Lockouts; 1 – 487 & 1 – 488 Plug Covers; 2 – 491B, 6 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack). Space for additional padlocks or lockout devices as desired.


Lockout/Tagout

Lockout Procedure Holder

Make sure lockout procedures are readily available to workers and contractors whenever needed. Sturdy holder measures 750mmH x 600mmW x 100mmD and is pre-drilled for easy mounting. Holds 2 binders. Binders not included.



PN: 836499



PN: HS8404

Lockout Sign



PN: HS3583 Size: 225x225 Mat'l: POLY

MSDS Station File

High Quality vinyl binder protects MSDS's and is safety striped for high visibility. Helps you neatly organise up to 400 typical A4 MSDS's. The binder also includes a free MSDS users guide.

MSDS Users Guide features colourful illustrations on the front and explanations on the back.

PN: 58678



Permit Board Holders

PERMIT HOLDERS DESIGNED TO PROTECT YOUR PERMITS AND PROCEDURES.



PERMIT BOARD
PN: HS7068



PERMIT BOARD
PN: HS7070



PERMIT BOARD
PN: HS7066



PERMIT DOCUMENT HOLDER
PN: HS7069 (A4) HS3511 (A3)

Customised Lockout Products

EXAMPLES OF LOCKOUT STATIONS AND CABINETS. HARTAC MANUFACTURES A FULL RANGE OF CUSTOMISED PRODUCTS TO YOUR SPECIFICATIONS



LOCKOUT STATION



POLYCARB LOCKOUT STATION



PADLOCK CABINET

Lockout/Tagout

Lockout/Tagout Video Training Program

PN:	Description
499V	Complete Training Program w/video and 10 Employee Reference Cards
499PR	10 Lockout/Tagout Procedure Employee Reference Cards

TRAINING PACKAGE FOR EMPLOYEE SAFETY AND OH&S COMPLIANCE

- 10 minute video effectively conveys the importance of Lockout/Tagout in the workplace
- Provides instructions for maintaining Lockout/Tagout during shift changes
- Shows how to apply, remove and maintain lockout devices
- Also suitable for employee-refresher training sessions
- Includes video, 10 Lockout/Tagout Procedure Employee Reference Cards, instructor's guide and employee quiz



Seal Tight™ Ball Valve Lockout

PROVIDES UNIVERSAL FIT FOR VALVE APPLICATIONS AND DIAMETRES

- Another exclusive Master Lock® Safety Series™ lockout device, the SealTight™ device works on virtually all valve sizes and in all applications
- Patent-pending innovative design eliminates the risk of valve reactivation by movement of the handle. With SealTight™, remove and store the handle and conceal the valve stem for secure lockout
- Universal fit – effectively locks out all valves from 3/8" to 4"
- Works in virtually all valve installations – metal and PVC valves, insulated pipes, pipes mounted close to a wall or ceiling, and valves with tight access due to close proximity of other valves or pipes
- Easy to use – simple to apply with an intuitive wrapping strap and locking mechanism
- Lightweight, flexible device is easily carried to the job and then folded for compact storage in safety toolboxes
- Includes write-on erasable labels in English, French and Spanish




THE solution that positively shuts off energy


Fits Insulated Pipes




PN:	Description	Valve Diameters
468L	Seal Tight™ Valve Lockout, "11-1/2" H x 12-3/4" W x 2-1/2" D	3/8" to 4"




1. Close Valve




2. Remove handle




3. Place handle in zippered pouch



4. Apply wrap on valve.



4b. Thread zipper tie through both zipper tabs and place end in pocket in locking mechanism.




4c. Close locking mechanism, slide lock latch closed and apply padlock.

Butterfly Valve Lockout Device


BUTTERFLY VALVE LOCKOUT DEVICE PN:839999

Effectively immobilise your butterfly valves with the universal Butterfly Valve Lockout. They are made of durable, non-conductive polypropylene that is resistant to chemicals, cracking and extreme temperatures (-10°C to 182°C).


STANDARD PACKAGE: 1 device




1. Cover valve handle with long piece.



2. Slide short piece over long piece.



3. Align holes and install lock.



Lockout/Tagout

Lock and Protect your Valves

PN:	Inside Diameter	Inside Height	Outside Diameter	Outside Height	Lock Hole	Valve Handle Size
VS02	2.750" 70mm	1.250" 32mm	3.000" 76mm	1.500" 38mm	0.312" 8mm	1" - 2 1/2"
VS04	5.000" 130mm	1.250" 32mm	5.500" 140mm	1.750" 44mm	0.375" 44mm	2 1/2" - 5"
VS06	6.500" 170mm	1.500" 38mm	7.000" 177mm	2.000" 50mm	0.375" 9.5mm	5" - 6 1/2"
VS09	10.000" 257mm	2.000" 50mm	10.500" 267mm	2.500" 63mm	0.375" 9.5mm	6 1/2" - 10"
VS13	14.000" 355mm	2.500" 63mm	14.500" 368mm	3.000" 73.8mm	0.375" 9.5mm	10" - 14"

THE V-SAFE VALVE

Cover consists of two flattened half moons that completely cover the valve wheel

- Made of strong Polypropylene plastic
- Fully dielectric
- Highly resistant to cracking and abrasion
- Resistant to extreme temperature changes from 50°F (-46°C) to 360°F (183°C)
- Available in Red, Yellow, Green and Blue

PLEASE SPECIFY COLOUR WHEN ORDERING PRODUCT



Adjustable Gate Valve Lockout

Eliminate the need to buy three or more lockouts – the Adjustable Gate Valve Lockout adjusts to fit multiple size gates! Designed to completely enclose handle and prevent tampering. The durable polypropylene construction resists cracking and abrasion, and can with stand temperatures from -45°C to 182°C. Available in Red or Yellow. Labels sold separately.

PN:	Description
850835	Yellow
850834	Red
851649	Label




Lockout/Tagout

Rotating Gate Valve Lockouts

Outward/Inward Rotation allows for Easier Installation & Storage

- Surrounds the valve operating handle to protect against accidental valve opening
- Unique, patent-pending rotating design allows for easier installation in confined space application
- Each size rotates into itself to fit effectively into tool boxes
- Each size nests within the next larger size to save space in storage
- Up to 4 workers can apply their personal safety locks
- Red lockout color identifies the safety lockout application
- Complete with high-visibility permanent safety labels
- Tough, lightweight, dielectric Xenoy® thermoplastic bodies withstand extreme conditions temperature -50° F (-46° C) to +350° F (177° C)



PN:	Description
480	Fits 26mm to 76mm diameter valve handles
481	Fits 51mm to 127mm diameter valve handles
482	Fits 102mm to 165mm diameter valve handles

PN:	Description
483	Fits 152mm to 264mm diameter valve handles
484	Fits 203mm to 330mm diameter valve handles
485	1 set of No.s 480-484

Labelled Lockout Hasps

PN:	Inside Length	Inside Height	Inside Width	Cable Hole	Lock Hole
LP110	3.250" 82mm	1.750" 44.5mm	1.750" 44.5mm	0.500" 12mm	0.312" dia 8mm
LP550	6.750" 170mm	3.000" 76mm	3.000" 76mm	1.000" 25mm	0.375" dia 8mm

PROTECT YOUR EMPLOYEES WITH THE E-SAFE LOCK-A-PLUG

The E-Safe "LOCK-A-PLUG" completely encloses the plug from any accidental reconnection. The electrical cable is inserted through the opening and then closed. The single entry (LP110) or multiple entry (LP550) locking system avoids usage by unauthorised personnel during critical times.



Hubbell Plugout™



PN:	
65695	Small Plugout™
65968	Large Plugout™

Two sizes to fit most heavy industrial plug applications. Small version accepts plugs with maximum 70mm diameter and 120mm length with 25mm cord. Large version accepts plugs with maximum 114mm diameter and 258mm length and 37mm cord.

Lockout/Tagout

Ball Valve Lockouts

MODELS 476-477 - SINGLE BALL VALVE LOCKOUTS

- Fits all major brand ball valves handles & applications
- Easy to apply
- Forms a triangular wedge to the pipe so that the handle cannot be turned open
- Two sizes fit the majority of applications

MODELS 478-479 - UNIVERSAL BALL VALVE LOCKOUT DEVICE


- Designed to lock out virtually any quarter turn ball valve
- Device clamps over the handle: lockout arm ratchets to abut and lock against pipe at any angle
- Accommodates both standard and odd-shaped handles up to 1-1/4" thick and 1-5/8" wide
- Add on the separate lockout arm (No.479) to lock handles in throttled position and to lock out 3-, 4- and 5-way valves



478 with 479 added



476 with 477 added



PN	Description	Valve Diameters
476	Tough Nylon Ball Valve Lockout Device	1/4" to 1"
477	Heavy Steel Ball Valve Lockout Device	1-1/4" to 3"

PN	Description	Valve Handle Max
478	Universal Ball Valve Lockout Device	1/4" thick x 1-5/8" Wide
479	Universal Ball Valve Lockout Device	1/4" thick x 1-5/8" Wide

Pneumatic Lockout Devices



PNEUMATIC QUICK-DISCONNECT LOCKOUT

Isolate pneumatic energy without the expense and the inconvenience of installing in-line lockout valves. The quick disconnect lockout is applied to the male fitting, isolating equipment from all compressed air sources. With a "glove fit", the lockout accommodates the majority of 6mm, 9mm and 12mm male fittings. The centre of the device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device.

A padlock with 6mm or 7mm shackle diameter is required.

PN: 64221



AIR LINE REGULATOR LOCKOUT

- Air line regulator lockout is designed to help you work safely when performing maintenance and repairing pneumatic systems.
- Eliminates the problem of disabling other equipment sharing the same air supply.
- Device enables regulator to be locked in the ON, OFF or THROTTLED position.
- Installation is as easy as removing the snap cap, installing the locking device on the regulator rod and snapping the replacement cap on the regulator.

PN: 465

Lockout/Tagout

Grip Tight™ Circuit Breaker Lockout

GREATEST HOLD STRENGTH COMBINED WITH UNIVERSAL FIT

- Secure and simple mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle. The GripTight Circuit Breaker lockout offers superior holding power.
- Exclusive design accommodates virtually all styles of breaker toggles
- Model 491B is appropriate for tall and wide breaker toggles
- Model 493B for standard height and tie-bar toggles
- Model 506 is a set of both devices
- Narrow profile permits side-by-side breaker lockout
- Compact devices are easy to carry and easy to store
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments

PN	Description
491B	Circuit Breaker Lockout – tall and wide toggles
493B	Circuit Breaker Lockout – standard single and double toggles
506	Set of each device – one 491B and one 493B



Pneumatic Lockout

PREVENTS ACCESS TO COMPRESSED AIR


- Isolates equipment from compressed air sources
- Device is applied to the male fitting, and accommodates most 1/4", 3/8" and 1/2" fittings

PN	Description
465	Pneumatic Lockout (1 each)



All Purpose Cable Lockout

The advantage of using cable lockouts is that they can be used in a wide variety of ways and can secure unusual energy isolating devices that are difficult to lockout using conventional means. Its ergonomic design makes it a breeze to tighten. Using the cable-hold device in one hand, cinch the cable tight with the other! The lightweight body is made of impact-modified glass filled nylon. Built-in loops keep cable neatly coiled when stored and also keeps extra cable from dangling loose and posing a hazard when in use. Available with two types of cables that are interchangeable and can be purchased separately.



NON CONDUCTIVE NYLON CABLES

PN	Description
50945	Nylon Cable - 2.4m
50948	Nylon Cable - 3.6m
50951	Nylon Cable - 4.8m
50954	Nylon Cable - 6.0m

PN	Description
50941	APCLO with 2.4m nylon cable
50943	APCLO with 2.7m sheathed cable
50944	APCLO without cable



SHEATHED METAL CABLES

PN	Description
50947	Nylon Cable - 2.4m
50950	Nylon Cable - 3.6m
50953	Nylon Cable - 4.8m
50956	Nylon Cable - 6.0m

Lockout/Tagout

Mini Cable Lockout Device

This revolutionary new Cable Lockout Device is perfect for use on disconnect switches, small gates and more! The cable is retractable and is stored internally- it works just like a tape measure! The body is constructed of impact-modified glass filled nylon which yields superior resistance to chemicals, corrosion and temperature extremes.


Body Dimensions: 100mm(w) x 31mm(d)
Cable Dimensions: 1.5mm dia. x 2.4 metres(l)

PN:	Description
50940	Mini Cable Lockout Device with Nylon cable
51442	Mini Cable Lockout Device with Steel cable



Labels sold separately.

Multiple Lockout Devices



PN:	Description	Standard Package
PSL-MLD	Multiple Lockout Devices include lockout hasp and cable	1
PSL-MLDC	6ft. (1.8m) vinyl coated galvanised steel cable with loop-hole, 0.19" (4.8mm diameter. Combine several cables to extend cable length	1
PSL-MLDC200	200ft. (61.0m) vinyl coated galvanised cable on roll, no loop-hole, 0.19" 94.8mm diameter	1
PSL-MLDH-X	PSL-MLD Lockout Hasps without cable	10

- Rugged stainless steel/nylon construction offers great durability, strength, added security and corrosion
- Compact and easy to install
- One six foot vinyl coated galvanised steel cable with loop-hole FREE with every lockout

Only one device needed to perform a variety of lockout functions



Lockout Single or Multiple Disconnects



Gate Valve Lockout Device



Immobilise Large or Cumbersome Devices

Adjustable Cable Lockout

INFINITELY ADJUSTABLE FOR A SECURE FIT EVERY TIME

• Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts • Tough, flexible multi-stranded 1/4" dia. steel cable is insulated with a clear vinyl coating • Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature • Tough, lightweight Xenoy[®] thermoplastic body withstands chemicals; performs effectively in extreme conditions (-50°F (-46°C) to +300°F (149°C) • No. 8611 includes a 6' cable. This can be easily replaced with the versatile 15' cable (No. 8615) in the same lockout body

• Complete with high-visibility, re-usable, write-on safety labels (English, French & Spanish). Identify the responsible person, then erase for the next job.


Patented Pull-Tight Cable



PN	Description
8611	Adjustable cable lockout with 6' cable
8615	Separate 15' cable for use with No.8611

[®] Xenoy[®] is a registered trademark of General Electric Corporation.

Battery Isolators



BOSCH DOUBLE POLE ISOLATOR ASSEMBLY
PN:844112

- Standard package 1 device
- Double Pole, Double Throw Isolator For Large Plant And Vehicles
- Sealed Unit Is Resistant To Water, Dust And Grease



MOBILE PLANT ISOLATOR ASSEMBLY
PN:844111

- Fully Enclosed Unit Sealed To IP66 Protection Standard For Harsh Operating Conditions
- Operating Range From -15°C to +120°C



CATERPILLAR ISOLATOR ASSEMBLY
PN:844115

- Standard package 1 device
- Designed To Fit All Caterpillar Earth Moving And Construction Machinery
- Fits Caterpillar Master Disconnect Switch No. 7N718



HELLA SINGLE POLE ISOLATOR ASSEMBLY
PN:844113

- Standard package 1 device
- Single Pole, Single Throw Isolator for Light Vehicles And Boats
- Waterproof And Corrosion Resistant

PN:	DESCRIPTION	APPLICATIONS	SPECIAL FEATURES	VOLTAGE RANGE	CURRENT RATING CONTINUOUS	CURRENT RATING INTERMITTENT
844111	Mobile Plant Isolator Assembly	4WD, Trucks, Buses, Forklifts, Generators, Mobile Welders & Compressors	Fits all mobile plant and vehicles up to 450 BHP. Fits single application starter motors up to & including DELCO 6 pole 50MT or equivalent	12-36 Volts DC	200 Amps	1000 Amps 15 sec ON 2 min OFF
844112	Bosch Double Pole Isolator Assembly	Large fixed or mobile plant requiring double pole, double throw switching format	Sealed locking mechanism protects isolator switch from water, grease and dust. Non removable actuating handle. Fits Bosch double pole or double throw battery isolator switches	12-24 Volts DC	200 Amps @ 24 Volts DC	2000 Amps 24v DC10 sec ON 2 mins OFF
844113	Hella Single Pole Isolator Assembly	4WD, Light Trucks, Mobile Plant, Small Marine Craft	Sealed locking mechanism protects isolator switch from water and dust. Non removable actuating handle. Fits HELLA single pole isolator switches	12-24 Volts DC	150 Amps @ 24 Volts DC	2000 Amps 24v DC10 sec ON 2 mins OFF
844114	Bosch/Hella Locking Bracket	Fits Bosch DPDT or Hella SPST switches already in place	Automatically accommodates mounting plate thicknesses of 2 to 14mm. Constructed from 316 marine grade stainless steel	N/A	N/A	N/A
844115	Caterpillar Locking Bracket	For all Caterpillar earth moving machinery, cranes, forklifts etc fitted with Caterpillar 7N718 master switch	Fits standard Caterpillar 7N718 master battery disconnect switch. Lockable in power OFF position only	N/A	N/A	N/A
844116	Caterpillar Isolator Assembly	Ideal for starter motor lockout applications where maintenance isolation is required	Full load current isolator assembly to supersede control circuit isolation applications on earth moving or construction equipment	12-24 Volts DC	150 Amps @ 24 Volts DC	1000 Amps 24v DC 10 seconds

Lockout/Tagout

Oversized Plug & Hoist Control Cover

EFFECTIVELY LOCKS OUT ODD SIZED AND LARGE ELECTRICAL CONNECTORS AND HOIST CONTROLS

- Patent-pending lockout, the cinch sack offers broad application solutions sized at 7" diameter by 17" tall.
- Insert PVC tubing to block access to hoist control buttons.
- Flexible & durable rip-stop nylon bag fits easily in safety tool boxes.
- Lock out with up to 6 padlocks or hasps.
- Trilingual lock out warning printed on bag.

PN	For Electrical sizes up to
453L	Nylon Oversized Plug & Control Lockout



Electrical Connector Lockout




Hoist Control Lockout

Steering Wheel Covers

PROVIDES VISUAL DETERRENT FOR VEHICLE MAINTENANCE

- Three sizes available for various diameter steering wheels – 16", 20", 24"
- Trilingual warning notifies employees not to start or move a vehicle
- Lock in place with a 421 hasp and safety padlock
- For added security, use Safety Series 8611 lockout cable around steering wheel and foot pedals

PN	Description
4716	16" Diameter Steering Wheel Cover
4720	20" Diameter Steering Wheel Cover
4724	24" Diameter Steering Wheel Cover



Three Sizes Available



4716



4720



4724

Lockout/Tagout

Compliance Centres

S300 Series Compliance Centres (Patent Pending) design keeps your important Safety information organised and clean. Zippered binder keeps papers in while keeping dirt and grime out.

Clear front accepts printed sheets to identify the binder for use in MSDS, Lockout Procedures, or Right-to-Know (all faces and spine sheets in English included). Or design your own custom sheet and include additional information as desired. Editable PDF templates are available for download from www.safetyseries.com.

Heavy duty D ring clips ensure papers stay organized. Binder includes pockets perfect for pens, lockout tags, note cards, etc. Binder comes in 3" width or in 1.5" width. Convenient carry handle hangs the binder from the wall hanger bracket/sign.

Handle can be removed to allow the binder to be placed on a bookshelf. Includes mounting ring for retention chain if you wish to keep binder tethered in place (chain sold separately).

PN: S300



Emergency Key Boxes

EMERGENCY KEY BOX

Break Glass for Key (D106)
Square Key Box (HK511)



Lockout/Tagout

Pneumatic Lockout

Universal pneumatic lockout fits virtually every pneumatic fitting found in a manufacturing facility. Stainless steel body and rivet construction stands up to corrosive environments. Works with all lockout padlocks or lockout hasps. **PN: P200**



Universal Wall Switch Lockout



Paddle Switch



Toggle Switch

LOCKS OUT BOTH TOGGLE AND PADDLE WALL SWITCHES

- Patent-pending design ensures switch is locked on or off
- Hinges open for unobstructed normal operation of switch
- Includes English/Spanish and English/French labels

PN	Description
496B	Universal Wall Switch Lockout

Circuit Breaker Switch Padlock



PROVIDES THE FLEXIBILITY TO EFFECTIVELY LOCK OUT BREAKER SWITCHES

- 3/16" diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- Fits the tight space constraints within circuit breaker shutoff boxes
- Numerous key changes are available to minimise the possibility of unwanted key duplication

PN	Description
7C5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Different.
7KAC5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Alike.

Lockout/Tagout

Eurasian Miniature Lockouts

PN	Description	Pack Size
90853	Tie Bar Lockout (TBLO)	1
90854	Tie Bar Lockout (TBLO)	6
90850	Pin Out Wide Lockout (POW)	1
90851	Pin Out Wide Lockout (POW)	6
90847	Pin In Standard Lockout (PIS)	1
90848	Pin In Standard Lockout (PIS)	6
90844	Pin Out Standard Lockout (POS)	1
90845	Pin Out Standard Lockout (POS)	6


CIRCUIT BREAKER COMPATIBILITY CHART

Breaker Brand	No of Poles	Breaker Model No	Lockout Type	PN:
Allen-Bradley	1, 2, 3	1492-CB1, 2, 3	POS	
ABB	1	S222	POS	
ABB	1	F374	POS	
ABB	1	S251, S261, S263	POS	
ABB	1	S272, S253	POS	
ABB	3	S253	POS	
Buschmat	1	S46	POS	
Clipsal	1	4CB116	POS	
Clipsal	3	4CB320	POS	
E-T-A	2	911220G	POS	
FAZ	4	C16	POS	
FAZ	1	C16	POS	
Hager	3	453717	POS	90844
Hager	2	MW216A	POS	&
Hager	4	MW620A	POS	90845
Legrand	1	01908	POS	
Merlin Gerin	1	C60N	POS	
Merlin Gerin	1	C32N	POS	
Merlin Gerin	2	C60N	POS	
Merlin Gerin	4	C60N	POS	
Merlin Gerin	3	C32N	POS	
Merlin Gerin	3	C45AD	POS	
Proteus	1	C16	POS	
Proteus	1	C6	POS	
Proteus	3	C6	POS	
Wylex	2	WRS40/2	POS	
AEG	2	E82S	PIS	
E-T-A	1	911225	PIS	
Kapp	1	LS68	PIS	
GE Vynckier C16, 16A	1	Series E	PIS	
GE Vynckier	1	Series G	PIS	
GE Vynckier 16A	2	Series E	PIS	90847
GE Vynckier	3	Series E	PIS	&
GE Vynckier	3	Series G	PIS	90848
GE Vynckier	4	Series E	PIS	
Legrand	2	04302	PIS	
Legrand	3	06469	PIS	
Sursum	3	EA53	PIS	
Siemens B32	1	5SX21	POW	
Siemens 17U	1	5SQ11	POW	90850
Siemens C10	1	5SX1	POW	&
Merlin Gerin	3	C80A	POW	90851
Merlin Gerin	2	B100A	POW	
Legrand	2	01935	TBLO	
Legrand	3	01980	TBLO	
Legrand	4	01980	TBLO	
Merlin Gerin	3	C80A	TBLO	
Merlin Gerin	2	B100A	TBLO	
Siemens 17U	2	5SQ12	TBLO	90853
Siemens L20A	3	5SN2-2	TBLO	&
Siemens C32	2	5SX1-2	TBLO	90854
Siemens 17U	3	5SQ13	TBLO	
Siemens C70	3	5SX13	TBLO	
Siemens 17U	4	5SQ16	TBLO	


Improve your company's Lockout Program with these DINN style Circuit Breaker lockout devices. They are easily installed and can be teamed without range of Safety Lockout Padlocks and hasps to ensure the safety of your workers whilst electrical maintenance or repairs are carried out. Available individually or in packs of six for your convenience.




4 DIFFERENT TYPES OF BREAKER LOCKOUT AVAILABLE




POS – Pin Out Standard
PN: 90844 & 90845



PIS – Pin In Standard
PN: 90847 & 90848



POW – Pin Out Wide
PN: 90850 & 90851




TBLO – Tie Bar Lockout
PN: 90853 & 90854

Visual Warning

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Visual Warning

Expandable Barriers

SUPERGUARD

PN: S/G101YB – Yellow/Black

PN: S/G101WR – White/Red

Portable free standing expandable crowd control barrier. Heavy duty Superguard barricades are ideal for road works, industrial spillage, emergency cleaning applications, manufacturing and warehouse facilities, loading docks, emergency services and maintenance contractors. Weighing just 13kg, Superguard is 950mm High, expands to 3.5 metres and isolates areas from both traffic and pedestrians. Constructed from a steel/aluminium combination and powder coated in highly visible warning colours of yellow and black, or danger colours of white and red.



SAFEGUARD

PN: S/G110YB – Yellow/Black

PN: S/G110WR – White/Red

New lightweight commercial style expandable barrier. Stylish and attractive to complement interior décor. Each unit weighing only 5kg, expands to 3 metres and can be locked together to provide a continuous barricade. Available in powder coated white and red, or yellow and black. Fully transportable and easy to store, each unit folds to just 330mm. Ideal for shopping centres, hotels, hospitals, fast food outlets, supermarkets, schools, universities, airports or similar venues.



FLEXIGUARD

PN: S/G120RW – White/Red

Similar to Superguard with the added feature of a middle leg component which is hinged to the expanding barricade section allowing it to bend or flex in the centre. This is extremely useful for barricading irregular shaped hazards. Simply join 2 units to create a square pen, ensuring work or hazard area is clearly visible and contained from traffic. Ideal for the isolation of manholes, elevators, etc. Powder coated red and white with strong stable feet.




SECURAGUARD

PN: S/G130YW – Yellow/White

PN: S/G130BOX – Storage Cabinet

Secura-Guard is a purpose designed expandable barricade to prevent pedestrian traffic from using escalators that have stopped operating. Attach to the top and bottom of the escalator preventing use during repair or maintenance. When placed within the inside of the escalator and unlocked Secura-Guard will automatically open and expand outward, via its internal spring mechanism. If required, the Secura-guard units can be stored in their own compact storage cabinet and mounted to escalators for quick deployment.



ISOGUARD

PN: S/G140YB – Yellow/Black

Designed specifically to isolate dangerous machinery such as pressure brakes, guillotines, conveyors, rollers, in fact any machinery with large moving and dangerous mechanical parts. Tamper resistant electrical locks can be interfaced with any form or operational control. Isoguard cuts power to machinery the instant it is opened. Deployment is quick and easy and its hazard colours of yellow and black ensure high visibility.

(Complete with electric locks and mounts)



Visual Warning

Expandable Barriers



WALL MOUNTING BRACKETS
Suitable for Super-Guard & Iso-Guard models only.
PN: HS7085



HANGING SIGN BRACKETS
Fits all models.
PN: HS7086



T-SIGN BRACKETS
Designed to hold a smaller, more compact sign. Suitable for Super-Guard, Flexi-Guard & Iso-Guard models.
PN: HS7087




LAMP-FLAG BRACKET
Suitable for Super-Guard & Flexi-Guard models only.
PN: HS7088



CASTOR FEET
Suitable for Super-Guard and Safe-Guard models only.
PN: HS7089



EXTENSION FEET
Suitable for Super-Guard models only.
PN: HS7090



FIXED POSITION LOCKING BAR
Locking in 5 different positions: 1 metre; 2 metres; 2.5 metres; 3 metres or fully extended at 3.5 metres. Suitable for Super-Guard & Flexi-Guard models only.
PN: HS7091



TRANSPORTATION TROLLEY
Suitable for all models.
PN: HS7092

Outdoor Mirrors

Convex Traffic Mirrors are widely accepted by municipal councils, railways, mining companies and heavy industry. Traffic Mirrors are a cost-effective solution for improved vehicle and pedestrian safety.


- Designed specifically for road and traffic safety
- Convex shape prevents dazzling glare
- Orange visor calls attention to the mirror
- Extremely durable, weatherproof construction
- Low-cost, no-maintenance solution to improved road safety

SS-SERIES HEAVY DUTY STAINLESS STEEL MIRRORS

An almost unbreakable all-weather mirror engineered to withstand vandalism and adverse industrial conditions. Suitable for road and rail safety, mining applications and isolated locations. Convex face is highly-polished stainless steel with high visibility orange visor. Clamps onto a 76mm outside diameter post (post optional extra).

Order Code	Size	Mounting
SS-300	300mm Round	Wall & Post
SS-600	600mm Round	Post
SS-800	800mm Round	Post
SS-1000	1000mm Round	Post
SS-450	450mm Round	Wall & Post
GP-76	76 OD	Post to suit

WALL MOUNT BRACKET
PN: SS-WPB



Visual Warning

Indoor Mirrors

Indoor Convex Mirrors are inexpensive, lightweight and easy to install. As an aid to safety or as a security device, a convex mirror will protect property and people effectively and economically.

- Impact resistant, long life acrylic face
- Simple fixing in minutes
- Easy adjustment at any time
- No maintenance
- Single outlay, long term benefit

The size of the mirror you need depends mainly upon the distances involved and the need for detail in the reflected image. Estimate the distance from the viewer to the mirror and from the mirror to the area or point to be observed. Add the two, and use this chart as an approximate guide. If in doubt, choose the large size.

Mirror Diameter	Best Distance*
300mm	To 6m
450mm	To 8m
600mm	To 12m
760mm	Over 12m



A-SERIES EASY-FIX ECONOMY MIRRORS

A lightweight indoor mirror for commercial, retail and institutional use. Use on walls, ceiling and pelmets. Fully adjustable to any angle.

Order Code	Size
A-300	300mm Round
A-450	450mm Round
A-600	600mm Round
A-760	760mm Round



D-SERIES CEILING DOMES

An economical, lightweight alternative where general surveillance of a broad area is required, or central observation is preferred. Full domes may be suspended on chains or fastened directly to ceiling and provide a 360° view. Half domes provide a 180° view and corner domes a 90° view.

Order Code	Size	Fixing
D-600	600mm Dome	Ceiling
D-900	900mm Dome	Ceiling
D-360	600x300mm Half Dome	Wall
D-450	900x450mm Half Dome	Wall
D-500	450x225mm Half Dome	Wall
D-180	300mm Corner Dome	Corner
D-270	450mm Corner Dome	Corner

Visual Warning

Anti Slip Products

STAIR/BULL NOSING

PN:	Size:	Grade:	PN:	Size:	Grade:	PN:	Size:	Grade:
02-175	450x40	Commercial	02-375	450x40	Industrial	02-575	450x40	Offshore
02-180	600x40	Commercial	02-380	600x40	Industrial	02-580	600x40	Offshore
02-185	750x40	Commercial	02-385	750x40	Industrial	02-585	750x40	Offshore
02-190	900x40	Commercial	02-390	900x40	Industrial	02-590	900x40	Offshore
02-195	1200x40	Commercial	02-395	1200x40	Industrial	02-595	1200x40	Offshore
02-205	450x80	Commercial	02-405	450x80	Industrial	02-605	450x80	Offshore
02-210	600x80	Commercial	02-410	600x80	Industrial	02-610	600x80	Offshore
02-215	750x80	Commercial	02-415	750x80	Industrial	02-615	750x80	Offshore
02-220	900x80	Commercial	02-420	900x80	Industrial	02-620	900x80	Offshore
02-225	1200x80	Commercial	02-425	1200x80	Industrial	02-625	1200x80	Offshore
02-230	450x130	Commercial	02-430	450x130	Industrial	02-630	450x130	Offshore
02-235	600x130	Commercial	02-435	600x130	Industrial	02-635	600x130	Offshore
02-240	750x130	Commercial	02-440	750x130	Industrial	02-640	750x130	Offshore
02-245	900x130	Commercial	02-445	900x130	Industrial	02-645	900x130	Offshore
02-250	1200x130	Commercial	02-450	1200x130	Industrial	02-650	1200x130	Offshore
02-255	450x180	Commercial	02-455	450x180	Industrial	02-655	450x180	Offshore
02-260	600x180	Commercial	02-460	600x180	Industrial	02-660	600x180	Offshore
02-265	750x180	Commercial	02-465	750x180	Industrial	02-665	750x180	Offshore
02-270	900x180	Commercial	02-470	900x180	Industrial	02-670	900x180	Offshore
02-275	1200x180	Commercial	02-475	1200x180	Industrial	02-675	1200x180	Offshore
02-280	450x220	Commercial	02-480	450x220	Industrial	02-680	450x220	Offshore
02-285	600x220	Commercial	02-485	600x220	Industrial	02-685	600x220	Offshore
02-290	750x220	Commercial	02-490	750x220	Industrial	02-690	750x220	Offshore
02-295	900x220	Commercial	02-495	900x220	Industrial	02-695	900x220	Offshore
02-300	1200x220	Commercial	02-500	1200x220	Industrial	02-700	1200x220	Offshore

Standard Grades:

Commercial, Industrial, Offshore



Anti Slip Products

LADDER RUNG COVERS

PN:	Size:	Profile:	PN:	Size:	Profile:
10-205	200x20	Square	10-405	200x20	Tubular
10-210	300x20	Square	10-410	300x20	Tubular
10-215	450x20	Square	10-415	450x20	Tubular
10-225	200x25	Square	10-425	200x25	Tubular
10-230	300x25	Square	10-430	300x25	Tubular
10-235	450x25	Square	10-435	450x25	Tubular
10-245	200x30	Square	10-445	200x30	Tubular
10-250	300x30	Square	10-450	300x30	Tubular
10-255	450x30	Square	10-455	450x30	Tubular
10-270	200x35	Square	10-470	200x35	Tubular
10-275	300x35	Square	10-475	300x35	Tubular
10-280	450x35	Square	10-480	450x35	Tubular



Standard Grades:
Commercial, Industrial,
Offshore

METAL DECK

PN:	Size:	Grade:	PN:	Size:	Grade:	PN:	Size:	Grade:
04-205	450x200	Commercial	04-405	450x200	Industrial	04-605	450x200	Offshore
04-210	600x200	Commercial	04-410	600x200	Industrial	04-610	600x200	Offshore
04-215	750x200	Commercial	04-415	750x200	Industrial	04-615	750x200	Offshore
04-220	900x200	Commercial	04-420	900x200	Industrial	04-620	900x200	Offshore
04-225	1200x200	Commercial	04-425	1200x200	Industrial	04-625	1200x200	Offshore
04-255	450x600	Commercial	04-455	450x600	Industrial	04-655	450x600	Offshore
04-260	600x600	Commercial	04-460	600x600	Industrial	04-660	600x600	Offshore
04-265	750x600	Commercial	04-465	750x600	Industrial	04-665	750x600	Offshore
04-270	900x600	Commercial	04-470	900x600	Industrial	04-670	900x600	Offshore
04-275	1200x600	Commercial	04-475	1200x600	Industrial	04-675	1200x600	Offshore



Standard Grades:
Commercial, Industrial, Offshore

BOARD WALK

PN:	Size:	Grade:	PN:	Size:	Grade:	PN:	Size:	Grade:
07-205	450x200	Commercial	07-405	450x200	Industrial	07-605	450x200	Offshore
07-210	600x200	Commercial	07-410	600x200	Industrial	07-610	600x200	Offshore
07-215	750x200	Commercial	07-415	750x200	Industrial	07-615	750x200	Offshore
07-220	900x200	Commercial	07-420	900x200	Industrial	07-620	900x200	Offshore
07-225	1200x200	Commercial	07-425	1200x200	Industrial	07-625	1200x200	Offshore
07-255	450x600	Commercial	07-455	450x600	Industrial	07-655	450x600	Offshore
07-260	600x600	Commercial	07-460	600x600	Industrial	07-660	600x600	Offshore
07-265	750x600	Commercial	07-465	750x600	Industrial	07-665	750x600	Offshore
07-270	900x600	Commercial	07-470	900x600	Industrial	07-670	900x600	Offshore
07-275	1200x600	Commercial	07-475	1200x600	Industrial	07-675	1200x600	Offshore



Standard Grades:
Commercial, Industrial, Offshore

VINYL DECK

PN:	Size:	Grade:	PN:	Size:	Grade:	PN:	Size:	Grade:
08-205	450x200	Barefoot	08-405	450x200	Commercial	08-605	450x200	Industrial
08-210	600x200	Barefoot	08-410	600x200	Commercial	08-610	600x200	Industrial
08-215	750x200	Barefoot	08-415	750x200	Commercial	08-615	750x200	Industrial
08-220	900x200	Barefoot	08-420	900x200	Commercial	08-620	900x200	Industrial
08-225	1200x200	Barefoot	08-425	1200x200	Commercial	08-625	1200x200	Industrial
08-255	450x600	Barefoot	08-455	450x600	Commercial	08-655	450x600	Industrial
08-260	600x600	Barefoot	08-460	600x600	Commercial	08-660	600x600	Industrial
08-265	750x600	Barefoot	08-465	750x600	Commercial	08-665	750x600	Industrial
08-270	900x600	Barefoot	08-470	900x600	Commercial	08-670	900x600	Industrial
08-275	1200x600	Barefoot	08-475	1200x600	Commercial	08-675	1200x600	Industrial



Standard Grades:
Commercial, Industrial, Offshore

Visual Warning

Bunting

Also available with custom logos and text



GREEN BUNTING
30M ROLL PN: HS7073

Also available with custom logos and text



YELLOW BUNTING
30M ROLL PN: HS7074



BLUE BUNTING
30M ROLL PN: HS3647




RED BUNTING
30M ROLL PN: HS7075

Econ-O-Cones



- Manufactured from high strength 5mm fluted Polypropylene sheet.
- Available in a large range of standard or custom made legends.
- Stands 900mm tall and is 300mm square at the base.
- Accepts our extra heavy-duty plastic chain and 2.6kg metal weights.

Because Econ-o-cone is die-cut from flat polypropylene sheet, all the crease lines (vertical corners) act like long hinges. This hinge effect gives a very strong but flexible structure, which enables Econ-o-cone to stand up to heavy-duty use. Where lightweight is a problem, just add our snap-in counterweights.



842033

842034

842035

842036

842037

842038

842039

842040

842041


842042

842043

842044

PLASTIC CHAIN

Econ-o-cones have fixing points on all four sides to accept extra heavy-duty plastic chain.



ECON-O-CONE WEIGHTS

Solid in pairs these powder-coated metal weights add 2.6kg to your Econ-o-cone, giving an all up weight of 3.3kg.

842010

Visual Warning

Vehicle Flags



VEHICLE SAFETY FLAG
PN: HS7081

VEHICLE SAFETY FLAGS
 PN: HS7081 – 1500mm
 PN: HS7081-1 – 2500mm
 PN: HS7081-2 – Replacement Flag (non Reflective)
 PN: HS7081-3 – 1500mm (with light)
 PN: HS7081-4 – 2500mm (with light)
 PN: HS7081-5 – Reflective 'x' Flag
 PN: HS7081-6 – Quick Release Base

Chains



RED & WHITE CHAIN
PN: HS3635
6MM X 23M ROLL

YELLOW CHAIN
8MM X 35M ROLL
PN: HS7082

BLACK & YELLOW CHAIN
PN: HS7078

Barricading & Floor Stands

Also available with custom logos and text



PLASTIC A FRAME
PN: HS7076


PLASTIC CONE 890MM
PN: HS7079

BARRIER MESH 1M HIGH BY 50M LONG
PN: HS7080

RED & WHITE TAGS
PN: HS7077

Also available with custom logos and text

Visual Warning



PICTURE FOR ILLUSTRATION PURPOSES ONLY

STANDARD BARRICADE TAPE



PN: HDTR-300
Size 75mmx65m



PN: HTT-100
Size 75mmx65m



PN: HDTR-200
Size 75mmx65m



PN: HWT-002
Size 75mmx65m



PN: HDTRA
Size 75mmx65m



PN: HCT-001
Size 75mmx65m



PN: HWT-004
Size 100mmx60m
TUBULAR

NON-SKID TREAD TAPE ANTI SLIP



PN: 92417
Size 75mmx16.5m



PN: 78189
Size 25mm x 18m
78190 50mm x 18m
78191 100mm x 18m
78193 150mm x 18m
78194 300mm x 18m



PN: 78091
Size 50mmx18m
78092 100mmx18m

REFLECTIVE TAPES - SELF ADHESIVE



PN: HRT-RW45
Size 45mmx45m
HRT-RW90 90mmx45m
HRT-RW150 150mmx45m



PN: HRT-BY45
Size 45MMx45M
HRT-BY90 90MMx45M
HRT-BY150 150MMx45M



PN: HRT-W50
Size 50mmx45m



PN: HRT-R50
Size 50mmx45m



PN: HRT-RY45
Size 45MMx45M
HRT-RY90 90MMx45M
HRT-RY150 150MMx45M

Visual Warning



FLOOR MARKING TAPES - SELF ADHESIVE




PN: HTBY50
Size 48mmx33m



PN: HTRW50
Size 48mmx33m



PN: HTGW50
Size 48mmx33m



PN: HTW50
Size 48mmx33m



PN: HTY50
Size 48mmx33m



PN: HTB50
Size 48MMx33M



PN: HTR50
Size 48mmx33m



PN: HTBL50
Size 48mmx33m




PN: HTG50
Size 48mmx33m

WOVEN BARRICADE TAPE



PN: HS3633
Size 51mmx60m

Visual Warning



PICTURE FOR ILLUSTRATION PURPOSES ONLY

UNDERGROUND NON DETECTABLE TAPE 150mm x 250m




**DANGER - BURIED BELOW
GAS MAIN BELOW**

MMT 001 is non detectable black on yellow



**DANGER - BURIED BELOW
GAS MAIN BELOW**

MMT 002 is non detectable black on green



**DANGER - BURIED BELOW
SEWER MAIN BELOW**

MMT 003 is non detectable black on beige



**DANGER - BURIED BELOW
ELECTRICITY MAIN BELOW**

MMT 004 is non detectable black on orange



**DANGER - BURIED BELOW
FIRE FIGHTING MAIN BELOW**

MMT 005 is non detectable black on red



**DANGER - BURIED BELOW
STORMWATER MAIN BELOW**

MMT 006 is non detectable black on blue



**DANGER - BURIED BELOW
IRRIGATION MAIN BELOW**

MMT 007 is non detectable black on yellow



**CAUTION CAUTION
ELECTRICITY**

MMT 008 is non detectable black on orange



**WARNING
CABLE BELOW**

MMT 009 is non detectable black on white

UNDERGROUND DETECTABLE TAPE 100m x 250m



**DANGER - BURIED BELOW
GAS MAIN BELOW**

MMT 001 is detectable black on yellow



**DANGER - BURIED BELOW
GAS MAIN BELOW**

MMT 002 is detectable black on green



**DANGER - BURIED BELOW
SEWER MAIN BELOW**

MMT 003 is detectable black on beige



**DANGER - BURIED BELOW
ELECTRICITY MAIN BELOW**

MMT 004 is detectable black on orange



**DANGER - BURIED BELOW
FIRE FIGHTING MAIN BELOW**

MMT 005 is detectable black on red



**DANGER - BURIED BELOW
STORMWATER MAIN BELOW**

MMT 006 is detectable black on blue



**DANGER - BURIED BELOW
IRRIGATION MAIN BELOW**

MMT 007 is detectable black on yellow



**CAUTION CAUTION
ELECTRICITY**

MMT 008 is detectable black on orange



**WARNING
CABLE BELOW**

MMT 009 is detectable black on white

Labels, Tags & Pipe Identification

Welcome to Hartac's latest Signs & Safety Solution Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged for our trained representatives to advise you on the correct signs to be installed.



Labels, Tags & Pipe Identification

15 series outdoor numbers & Letters (B-946)

STOCK SIZES



1500 SERIES

Marker Size: 9mm x 6mm
Character Height: 6mm
Markers Per Card: 144



1510 SERIES

Marker Size: 12mm x 9mm
Character Height: 9mm
Markers Per Card: 78



1520 SERIES

Marker Size: 19mm x 14mm
Character Height: 14mm
Markers Per Card: 32



1530 SERIES

Marker Size: 38mm x 22mm
Character Height: 25mm
Markers Per Card: 10



1534 SERIES

Marker Size: 57mm x 22mm
Character Height: 49mm
Markers Per Card: 10



1550 SERIES

Marker Size: 90mm x 38mm
Character Height: 74mm
Markers Per Card: 6



1560 SERIES

Marker Size: 127mm x 44mm
Character Height: 98mm
Markers Per Card: 5

When long term durability in a tough environment is required, use 15 Series Numbers and Letters. These black and yellow markers are made of B-946 premium outdoor grade vinyl with permanent adhesive. Available in 8 stock sizes and combination packs.

- Superior Chemical Resistance.
- UV Resistant.
- High Visibility.
- Designed for Permanent Application.
- Superior Abrasion Resistance
- Use 15 Series markers in severe outdoor applications as well as indoors.
- 15 Series markers resist oil, water, mild solvents and scratches without damage to appearance or legibility.
- Markers adhere tightly to most surfaces and reduce tamper potential.

15 SERIES NUMBER AND LETTER CARDS

MATERIAL: B-946 outdoor grade vinyl with permanent adhesive.

COLOUR: Black on Yellow. STANDARD PACKAGE: 1 card

PN	Markers Per Card	Character Height	Marker Size H x W in mm	Card Size H x W in mm
1500-*	144	6mm	9x6	51 x 229
1510-*	78	9mm	12.5x9	51 x 229
1520-*	32	14mm	19x14	51 x 229
1530-*	10	25mm	38x22	51 x 229
1534-*	10	49mm	57x22	70 x 229
1550-*	6	74mm	90x38	102 x 229
1560-*	5	98mm	127x44	140 x 229
1570-*	1	150mm	229x127	229 x 140

Stock Cards: Numbers 0-9; Upper Case Letters A-Z; Dash.

Arrows available in 1520-*, 1530-*, 1534-*, 1550-* Series.

15 SERIES COMBINATION PACKS- ASSORTED CHARACTERS ON A CARD

Letter Assortment	Number Assortment	Marker Size H x W in mm	Character Height	Markers Per Card
94738	94739	9 x 6	6mm	144
94838	94839	12.5 x 9	9mm	78
97600	97601	19 x	14 14mm	32
97602	97603	38 x 22	25mm	10
97604	97605	57 x 22	49mm	10
97606	97607	90 x 38	74mm	6
97128	97129	127 x 44	98mm	5
97598	97599	229 x 127	150mm	1

1570 SERIES

MATERIAL: B-946 outdoor grade vinyl with permanent adhesive.

COLOUR: Black copy on yellow background.

STANDARD PACKAGE: Letter assortment – 25 cards
s(assorted characters)

Number assortment – 25 cards
(assorted characters)



1570 SERIES
Marker Size: 229mm x 127mm
Character Height: 150mm
Markers Per Card: 1

Labels, Tags & Pipe Identification

34 Series Outdoor Numbers & Letters (B-500)

STOCK SIZES



1500 SERIES

Marker Size: 9mm x 6mm
Character Height: 6mm
Markers Per Card: 144



1510 SERIES

Marker Size: 12mm x 9mm
Character Height: 9mm
Markers Per Card: 78



1520 SERIES

Marker Size: 19mm x 14mm
Character Height: 14mm
Markers Per Card: 32



1530 SERIES

Marker Size: 38mm x 22mm
Character Height: 25mm
Markers Per Card: 10



1534 SERIES

Marker Size: 57mm x 22mm
Character Height: 49mm
Markers Per Card: 10



1550 SERIES

Marker Size: 90mm x 38mm
Character Height: 74mm
Markers Per Card: 6



1560 SERIES

Marker Size: 127mm x 44mm
Character Height: 98mm
Markers Per Card: 5

Readability

Character

Legibility Table

Character Size
(mm)

Distance
(metres)

The Legibility Table can help you determine what size your markers should be for good readability at varying distances.

25mm	up to 12m
37mm	up to 18m
50mm	up to 22m
75mm	up to 31m
100mm	up to 45m
150mm	up to 90m

34 SERIES MARKER FEATURES

- Handy dispenser card.
- Permanent or Temporary: Once applied, markers are there to stay...unless you want to change them. Special high-tack adhesive sticks to nearly any clean, dry surface.

TO ORDER NUMBER/LETTER CARD:

1. Select the size marker required for your application (see character legibility table above).
2. Refer to table (below) to find the part number for the marker size you require, and the number of markers per card.
3. Substitute the number or letter you need in place of the asterisk(*) which follows the part number. Use the abbreviation DSH to order dashes, ARO to order arrows, and BLNK to order blanks.
4. To determine the number of cards to order, divide the total number of characters needed of a given item by the number of markers per card. When ordering, always order CARD quantity and not LABEL quantity.

34 SERIES NUMBER AND LETTER CARDS

MATERIAL: plastic coated cloth tape with pressure sensitive adhesive.

COLOUR: Black on Yellow. STANDARD PACKAGE: 1 Card

PN	Markers Per Card	Character Height	Marker Size H x W in mm	Card Size H x W in mm
3400*	144	6mm	9 x 6	51 x 229
3410*	78	9mm	12.5 x 9	51 x 229
3420*	32	14mm	19 x 14	51 x 229
3430*	10	25mm	38 x 22	51 x 229
3440*	10	49mm	57 x 22	70 x 229
3450*	6	74mm	90 x 38	102 x 229
3460*	5	98mm	127 x 44	140 x 229
3470*	1	150mm	229 x 127	229 x 140

Stock Cards: Numbers 0-9; Upper Case Letters A-Z.

Dash, arrows available in 3420-*,3430-*,3440-*and 3450-* Series only.



1570 SERIES

Marker Size: 229mm x 127mm
Character Height: 150mm
Markers Per Card: 1

**CONTACT
HARTAC ON
1800 427 822
FOR MORE
INFORMATION
WHEN ORDERING
CUSTOM
MADE PRODUCTS**

Labels, Tags & Pipe Identification

Scaffold Systems

SCAFFTAG® SCAFFOLD SAFETY MANAGEMENT SYSTEM

SAFETY MANAGEMENT SYSTEMS



Special inserts are available for different types of scaffolding.

SCAFFTAG® is a complete scaffold management system comprising durable, high visibility, weatherproof holders and inserts.

Mk I fits all standard scaffolding whilst Mk II, with its larger attachment port, is suitable for system scaffold components. Three basic stages form the basis of the SCAFFTAG® system.

- 1 Under construction or failed inspection.
- 2 Construction complete. Green face, fit for use.
- 3 Statutory inspections at regular intervals as per regulations and recorded on insert.

SCAFFTAG® MkII provides the same durable and high visibility system as the original SCAFFTAG® but each tag has an enlarged attachment port, allowing secure fixing to system scaffold components.

CODE	DESCRIPTION
ASTSHSTD02	SCAFFTAG KIT COMPRISING 10 STATUS HOLDERS WITH 20 STATUS INSERTS AND ONE PERMANENT MARKING PEN
HSTHSTD02	SPARE SCAFFTAG STATUS HOLDERS (MIN ORDER 10)
ISCAUSTD01	SPARE SCAFFTAG STATUS INSERTS (MIN ORDER 20)
ISCAPR001	SCAFFTAG INSPECTORS PROHIBITION INSERTS (MIN ORDER 20)
MUNIPEN01	PERMANENT MARKING PENS (MIN ORDER 10)
BRDSTD01	SCAFFILE RECORD SYSTEM 7 DAYS WIDE 10 SCAFFOLDS DEEP

LADDERTAG® is a complete ladder safety management system. Regulations require ladders to be checked for damage, faults and wear before use by an authorised user.

- 1 Before or failed inspection
'DO NOT USE THIS LADDER'.
- 2 Record inspections on green/yellow face 'FIT FOR USE'.
- 3 WARNING Do not remove on reverse.

CODE	DESCRIPTION
AMULLAD02	LADDERTAG KIT COMPRISING 10 LADDERTAG HOLDERS, 10 LADDERTAG INSERTS AND ONE PERMANENT MARKING PEN
IMULLAD01	LADDERTAG INSERTS (PK 20)
MUNIPEN01	PERMANENT MARKING PENS (MIN ORDER 10)
HMULSTD02	LADDERTAG HOLDER

LADDERTAG® LADDER SAFETY TAGGING SYSTEM

SAFETY MANAGEMENT SYSTEMS



Labels, Tags & Pipe Identification

Scaffold Systems



**MULTITAG®
PLANT EQUIPMENT
SAFETY TAGGING SYSTEM**

**SAFETY
MANAGEMENT
SYSTEMS**

MULTITAG® is a complete inspection/maintenance tagging system which can be used effectively on a wide range of equipment, ranging from mobile plant to contractors plant and equipment.

- 1 Before or failed inspection - 'DO NOT USE THIS EQUIPMENT'.
- 2 Record inspections on green/yellow face - 'FIT FOR USE'.
- 3 WARNING Do not remove on reverse.

CODE	DESCRIPTION
AMULSTD01	MULTITAG KIT COMPRISING 10 MULTITAG HOLDERS, 10 MULTITAG INSERTS AND ONE PERMANENT MARKING PEN
HMULSTD02	SPARE MULTITAG STATUS HOLDERS (MIN ORDER 10)
IMULEIR01	SPARE MULTITAG STATUS INSERT (MIN ORDER 20)
SUNITIES	BLACK NYLON ELECTRICAL CABLE TIES TO SUIT MICROTAG OR MULTITAG INSPECTION INSERTS
IMULLAD01	MULTITAG LADDER INSPECTION RECORD, LADDER NOT TO BE USED AFTER

CHEMTAG® identifies and controls hazardous substances as defined by COSHH:1999* (The Control of Substances Hazardous to Health), and those statutory duties imposed upon employers.

- 1 Before or failed inspection - 'DO NOT USE'.
- 2 Complete reference or identity number, details of hazards and precautions, and action to be taken in case of emergency, on insert.
- 3 On reverse, enter supplier's name, emergency telephone number and details of how to dispose. Also detail any medical complications and in the event of an accident, CHEMTAG® should accompany the patient so appropriate medical treatment can be administered.

CODE	DESCRIPTION
ACHEMSTD02	CHEMTAG KIT COMPRISING 10 CHEMTAG HOLDERS 10 CHEMTAGS AND ONE PERMANENT MARKING PEN
HCHEMSTD01	SPARE CHEMTAG STATUS HOLDERS (MIN ORDER 10)
ICHEMSTD01	CHEMTAG INSRTS (MIN ORDER 10)
MUNIPEN01	PERMANENT MARKING PENS (MIN ORDER 10)



**UNITAG®
UNIVERSAL
INSPECTION/
MAINTENANCE SAFETY
TAGGING SYSTEM**

**SAFETY
MANAGEMENT
SYSTEMS**

UNITAG® is designed for the identification and qualification of lifting equipment, industrial plant, valves and calibration equipment, as well as a variety of other applications. The UNITAG® has a unique, permanent locking system which ensures fixing to all equipment. Optional standard inserts are available in a variety of colours.

Also available with metal strop.

- 1 Before or failed inspection - 'DO NOT USE'.
- 2 Complete reference or identity number on selected insert to match holder.
- 3 On satisfactory inspection, insert next test date and place insert in holder.

CODE	DESCRIPTION
AUNISTD04	UNITAG KIT, COMPRISING OF 20 HOLDERS, 20 STROPS (6' LENGTH) AND ONE PERMANENT MARKING PEN
AUNISTD05	UNITAG KIT, COMPRISING OF 20 HOLDERS, 20 STROPS (9' LENGTH) AND ONE PERMANENT MARKING PEN
AUNISTD06	UNITAG KIT, COMPRISING OF 20 HOLDERS, 20 STROPS (12' LENGTH) AND ONE PERMANENT MARKING PEN
IUNISTD02-R	UNITAG INSERTS – RED, 20 PER PACK
IUNISTD02-G	UNITAG INSERTS – GREEN, 20 PER PACK
IUNISTD02-B	UNITAG INSERTS – BLUE, 20 PER PACK
IUNISTD02-Y	UNITAG INSERTS – YELLOW, 20 PER PACK



**CHEMTAG®
CHEMICAL
HAZARD DATA
TAGGING
SYSTEM**

**SAFETY
MANAGEMENT
SYSTEMS**

Labels, Tags & Pipe Identification

Scaffold Systems



**VALVETAG®
VALVE SAFETY
TAGGING SYSTEM**

**SAFETY
MANAGEMENT
SYSTEMS**

VALVETAG® is a complete identification and work control system and should be attached to all valves to control hazardous energy for service and maintenance. Complete the inserts in conjunction with the permit to work issued for that job and insert into the holder to indicate work is in progress or the valve has been spaded to allow work further down the line.

CODE	DESCRIPTION
AMULVAL02	VALVETAG KIT COMPRISING 10 VALVETAG HOLDERS, 10 VALVETAG INSERTS AND ONE PERMANENT MARKING PEN
IMULVAL01	VALVETAG INSERT (PK10)
HMULSTD02	VALVETAG HOLDER

ENTRYTAG® is designed to control vessel entry in conjunction with a permit to work system. Positioned at the entrance to the vessel/tank/silo, it informs all personnel of the minimum requirements for entry, the type of work being undertaken, and all other salient details.

- 1 Before or failed inspection - 'DO NOT ENTER'.
 - 2 Inspection by competent person.
 - Display green/blue face - 'FIT TO ENTER'.
 - 3 Inspect at regular intervals as per regulations and record on reverse of insert.
- Also available: 'Man in Tank' tag.

CODE	DESCRIPTION
AETISTD02	ENTRYTAG COMPRISING 10 ENTRYTAG HOLDERS, 10 ENTRYTAGS AND ONE PERMANENT MARKING PEN
HENTSTD01	SPARE ENTRYTAG STATUS HOLDERS (MIN ORDER 10)
IENTSTD01	SPARE ENTRYTAG INSERTS (MIN ORDER 10)
MUNIPEN01	PERMANENT MARKING PENS (MIN ORDER 10)



**ENTRYTAG®
ENTRY CONTROL
TAGGING SYSTEM**

**SAFETY
MANAGEMENT
SYSTEMS**

Labels, Tags & Pipe Identification

Scaffold Systems

MICROTAG® PORTABLE APPLIANCE SAFETY TAGGING SYSTEM

SAFETY MANAGEMENT SYSTEMS



MICROTAG® is an identification system which is particularly useful for identifying small plant, equipment and lifting gear. Colour coded and date qualified, the system also has the facility to render equipment into a 'prohibition status' should it be found to be faulty between inspection dates.

- 1 Before or failed inspection - 'DO NOT USE'.
 - 2 Select insert and complete reference or identity number.
 - 3 Record test or inspection - 'FIT FOR USE'.
- A range of standard inserts and colours are available.

CODE	DESCRIPTION
MTHK	MICROTAG KIT, COMPRISING 20 MICROTAG HOLDERS, 40 BLACK NYLON CABLE TIES AND ONE PERMANENT PEN
IMICSTD01-R	MICROTAG RED ELECTRICAL INSPECTION INSERT
IMICSTD01-G	MICROTAG GREEN ELECTRICAL INSPECTION INSERT
IMICSTD01-B	MICROTAG BLUE ELECTRICAL INSPECTION INSERT
IMICSTD01-Y	MICROTAG YELLOW ELECTRICAL INSPECTION INSERT
IMICSTD01-M	MICROTAG MULTIPACK 4 COLOURS, 25 OF RED, GREEN, BLUE & YLW

CODE	DESCRIPTION
IMICSTD01-M	MICROTAG MULTIPACK 4 COLOURS, 25 OF RED, GREEN, BLUE & YLW
IMICSTD01-O	MICROTAG ORANGE ADDITIONAL COLOURS N.S.W
IMICSTD01-W	MICROTAG WHITE ADDITIONAL COLOURS N.S.W
IMICSTD01-ML	MICROTAG MULTIPACK 6 COLOURS N.S.W
IMICSTDUK01-R	MICROTAG RED NEXT TEST DATE INSERT
IMICSTDUK01-G	MICROTAG GREEN NEXT TEST DATE INSERT
IMICSTDUK01-B	MICROTAG BLUE NEXT TEST DATE INSERT
IMICSTDUK01-Y	MICROTAG YELLOW NEXT TEST DATE INSERT
IMICSTDUK01-M	MICROTAG MULTIPACK NEXT TEST DATE INSERT
IMICSTDUK01-T	MICROTAG GAS COMPLIANCE PLATE TASMANIA

FORKLIFTAG® FORKLIFT MAINTENANCE TAGGING SYSTEM

SAFETY MANAGEMENT SYSTEMS



FORKLIFTAG® is a daily preventative safety management system for forklift trucks. The holder should be attached to the inside of the truck cab and the daily inspection procedures carried out by the first authorised user of the truck.

- 1 Before or failed inspection - 'DO NOT USE'.
- 2 Follow checklist - 'FIT FOR USE'.
- 3 Record inspections on reverse of insert.

CODE	DESCRIPTION
AEITLIFT03	FORKLIFT INSPECTION KIT COMPRISING 10 FORKLIFT HOLDERS, 10 FORKLIFT INSERTS AND ONE PERMANENT MARKING PEN
HENTF/LIFT03	SPARE FORKLIFT HOLDERS (MIN 10)
IENF/LIFT03	SPARE FORKLIFT INSERTS (MIN ORDER 10)
MUNIPEN01	PERMANENT MARKING PENS (MIN ORDER 10)

Labels, Tags & Pipe Identification

NON TEAR WATERPROOF PAPER & POLYTAGS



PN: HDT-002
HDT-002P
Size: 75x160
75x160
Mat'l: PAPER
POLY



PN: HPDT 100
HPDT 100P
Size: 75x160
75x160
Mat'l: PAPER
POLY



PN: HDT-001A
HDT-001AP
Size: 75x160
75x160
Mat'l: PAPER
POLY




PN: HDT-003
HDT-003P
Size: 75x160
75x160
Mat'l: PAPER
POLY


CUSTOM TAGS CAN BE MANUFACTURED TO INCLUDE YOUR COMPANY LOGO

Labels, Tags & Pipe Identification


NON TEAR WATERPROOF PAPER & POLYTAGS CONTINUED




PN: HISO-004 Size 75x160 Mat'l PAPER
 HISO-004P Size 75x160 Mat'l POLY




PN: HCOM-005 Size 75x160 Mat'l PAPER
 HCOM-005P Size 75x160 Mat'l POLY



PN: HGCST Size 75x160 Mat'l PAPER
 * PERFORATED



PN: HIT Size 75x160 Mat'l PAPER
 HITP Size 75x160 Mat'l POLY



Tag Holder. PN: HS7056




Chain to suit poly tags. PN: HSCH

CUSTOM TAGS CAN BE MANUFACTURED TO INCLUDE YOUR COMPANY LOGO

Labels, Tags & Pipe Identification


NON TEAR WATERPROOF PAPER & POLYTAGS




PN: **Size** **Mat'l**
 HS3592 75x150 POLY




PN: **Size** **Mat'l**
 HS3585 75x150 POLY
 ALSO AVAILABLE WITH LAMINATE




PN: **Size** **Mat'l**
 HS3590 145x75 POLY




PN: **Size** **Mat'l**
 HS3589 145x75 POLY




PN: **Size** **Mat'l**
 HS3588 145x75 POLY



PN: **Size** **Mat'l**
 HS3586 145x75 POLY



PN: **Size** **Mat'l**
 HS3587 145x75 POLY



PN: **Size** **Mat'l**
 HS3591 113x180 POLY

Labels, Tags & Pipe Identification

Labels, Tags & Pipe Identification

Pipemarkers

GENERAL CLASSIFICATION	LEGEND	SAFETY SIGNAL*	CATALOGUE No. (Groups of 10)			GENERAL CLASSIFICATION	LEGEND	SAFETY SIGNAL*	CATALOGUE No. (Groups of 10)				
			TYPE L 460 X 57	TYPE S 460 X 29	TYPE T 89 X 300				TYPE L 460 X 57	TYPE S 460 X 29	TYPE T 89 X 300		
AIR (Blue)	Aeration Air		PE84	PE841		MEDICAL GASES	Medical Breathing Air		White, Black, White	PH012			
	Agitation Air		PE79				Medical Nitrous Oxide		White on Blue	PH032			
	Air Extraction		PE97				Medical Oxygen		Black on White	PH052			
	Air Receiver		PE83				Medical Suction		Black on Primrose	PH102			
	Air Scour		PE81				Surgical Tool Air		White on Aqua	PH142			
	Amenities Supply Ventilation		PE91				Venturi Suction Exhaust		Black on Sand	PH162			
	Channel Air		PE87	PE871			OILS (Brown)	Alcohol		PB92	PB921	PB982	
	Compressed Air		PE62	PE621	PE622			Cold Oil		PB98	PB981		
	Dewatering Air		PE85	PE851	PE852			Daily Oil Tank		PB77			
	Dry Compressed Air		PE94					Diesel Fuel		PB83	PB831	PB832	
	Female Amenities Exhaust		PE95			Engine Oil				PB811			
	General Purpose Air		PE80	PE801		Fuel Oil			PB82		PB822		
	H.P. Air		PE70	PE701		Fuel Oil Recirc.				PB821			
	H.P. Instrument Air				PE902	Governor Oil				PB871	PB821		
	H.P. Unit Air				PE922	Grease			PB78	PB801			
	Instrument Air		PE64	PE641	PE642	Heating Oil			PB79	PB781	PB782		
	L.P. Air		PE72	PR721	PE722	Hot Oil		PB84	PB791				
	L.P. Instrument Air				PE772	Hydraulic Fluid			PB841	PB842			
	Male Amenities Exhaust		PE93			Insulating Oil Clean		PB95					
	Medical Breathing Air		PE68	PE681	**	Insulating Oil Dirty		PB93	PB991	PB922			
	Medical Suction			PE861	**	Inhibited Kerosene		PB86	PB931				
	Medical Vacuum			PE661	**	Jacking Oil		PB89	PB861	PB892			
	Plant Air		PE82	PE821		Lube Oil Drain			PB891				
	Return Air			PE991		Lubricating Oil		PB90	PB851	PB902			
	Service Air		PE88	PE881	PE822	Mineral Turps		PB88	PB901				
	Starting Air		PE74	PE741		Oil Vapour			PB887	PB742			
Station Compressed Air		PE96	PE961	PE962	Operating Oil			PB741					
Vacuum		PE76	PE761	PE762	Relay Oil			PB761	PB752				
Vent		PE78	PE781		Seal Oil		PB97	PB911					
GASES (Biscuit)	Acetylene		PT13	PT131	PT132	COMMUNICATIONS (White)	Data Transfer			PW061	PW062		
	Argon		PT59	PT591	PT592		Public Address			PW101	PW102		
	Carbogen		PT03	PT031	PT032		Telephones			PW081	PW082		
	Carbon Dioxide		PT09	PT091	PT092		ELECTRICAL (Orange)	Consumer's Mains		P014	P0141	P0142	
	Carbon Monoxide				PT552			Electrical		P002	P0021	P0022	
	Dust		PT61					Emergency Lighting				P0182	
	Exhaust		PT37	PT371				Sub-Mains		P012	P0121	P0122	
	Foul Gas		PT63					Traffic Control				P0162	
	Freon				PT012			ALKALIS/ACIDS (Violet)	Acid		PM02	PM021	PM322
	Gaseous Ammonia		PT33	PT331	PT332				Alkali		PM04	PM041	
	Gaseous Chlorine		PT21	PT211	PT212	Caustic				PM06	PM061		
	Gaseous Nitrogen		PT27	PT271	PT272	Caustic Potash Solution				PM42			
	Gaseous Oxygen		PT07	PT071	PT072	Caustic Soda				PM30	PM301		
	Helium			PT251	PT292	Chemical Dosing			PM12	PM121			
	Hydrogen		PT29	PT291	PT412	Chemical Effluent			PM36				
	Inert Gas		PR39	PT391		Concentrated Caustic				PM321			
	Liquid Ammonia		PT41	PT411	PT432	Cyanide Solution			PM48	PM481			
	Liquid Chlorine			PT431	PT472	Detergent			PM44	PM441			
	Liquid Nitrogen			PT471	PT452	Dilute Acid		PM20	PM201				
	Liquid Nitrogen			PT451	PT152	Dilute Caustic		PM22					
	Liquid Oxygen			PT151	PT172	Flocculant			PM281				
	L.P. Gas		PT15	PT151	PT172	Hydrazine		PM18	PM181				
	Medical Nitrous Oxide		PT23	PT231	**	Hydrochloric Acid			PM461				
	Medical Oxygen		PT05	PT051	**	Lime		PM16	PM161				
	Natural Gas		PT17	PT171	PT352	Morpholine		PM38					
	Natural Gas 2.75kPA			PT711		Phosphate		PM14					
Natural Gas 100kPA		PT35	PT351	PT652	Phosphoric Acid		PM08	PM081					
Natural Gas 210kPA		PT73	PT731		Polyelectrolyte			PM341					
Nitrous Oxide			PT651	PT112	Sodium Hydroxide		PM26	PM261					
Propane		PT11	PT111	PT312	Sulphuric Acid		PM10	PM101					
Refrigerant		PT31	PT311	PT532									
R12		PT51	PT511										
R22		PT53	PT531	PT192									
Town Gas		PT19	PT191										
Vent		PT49	PT491	PT492									
Waste Gas		PT67											

*Safety Signals are indicated as a guide only. These are overstickers to be used as appropriate to the circumstances.

PIPE BANDING COLOURED TAPE

Description	Part Number									
	Blue	Biscuit	Brown	White	Orange	Violet	Green	Black	Silver	Red
25mmx46m	HS3000	HS3001	HS3002	HS3003	HS3004	HS3005	HS3005	HS3006	HS3007	HS3008
50mm x 46m	HS3010	HS3011	HS3012	HS3013	HS3014	HS3015	HS3016	HS3017	HS3018	HS3019
100mm x 46m	HS3021	HS3022	HS3023	HS3024	HS3025	HS3026	HS3027	HS3028	HS3029	HS3030

Labels, Tags & Pipe Identification

Pipemarkers

GENERAL CLASSIFICATION	LEGEND	SAFETY SIGNAL*	CATALOGUE NO. (GROUPS OF 10)			GENERAL CLASSIFICATION	LEGEND	SAFETY SIGNAL*	CATALOGUE NO. (GROUPS OF 10)			
			TYPE L 460 X 57	TYPE S 460 X 29	TYPE T 89 X 300				TYPE L 460 X 57	TYPE S 460 X 29	TYPE T 89 X 300	
WATER (Green)	Alternative Water Supply - Not For Drinking		PG93			MISCELLANEOUS (Black)	Beer		PK25			
	Ash Sluice Water		PG81	PG301			Beer Recovery		PK27	PK251		
	Auxiliary Cooling Water		PG74	PG741			Bilge			PK271		
	Backwash		PG84	PG841			Brine			PK411		
	Ballast Water		PG03				Concentrated Black Liquor		PK49			
	Boiler Feed Water		PG58	PG581	PG582		Digested Sludge		PK43			
	Bore Water		PG38	PG381			Dispersant		PK39			
	Brine		PG71	PG711			Drains		PK01	PK011		
	Chilled Drinking Water		PG24	PG241	PG242		Effluent		PK75	PK751	PK752	
	Chilled Water		PG02	PG021			Grease Vent		PK81	PK811		
	Circulating Water		PG45	PG451	PG452		Grease Waste		PK79	PK791		
	Cold Water		PG52	PG521	PG522		Lab Waste				PK372	
	Condensate		PG32	PG321	PG322		Product		PK11	PK111	PK112	
	Condenser Water		PG06	PG061	PG062		Pumped Drainage		PK53			
	Cooling Salt Water		PG59	PG591			Radio Active Waste			PK291		
	Cooling Water		PG60	PG601	PG602		Raw Green Liquor		PK57			
	De-Gassed Water		PG72	PG721			Raw Sludge		PK35	PK351		
	De-Ionized Water		PG31	PG311			Raw Sludge By-Pass		PK57			
	Deminerlized Water		PG48	PG481	PG482		Recirculated Sludge		PK63			
	Distilled Water		PG50	PG501	PG502		Reclaimed Effluent		PK61			
	Domestic Cold Water				PG092		Reclaimed Sewerage		PK59		PK592	
	Domestic Hot Water		PG10	PG101	PG102		Return Activated Sludge		PK65			
	Domestic Water		PG11	PG111	PG112		Scum		PK51			
	Drain Water		PG94	PG941	PG942		Sewage		PK03	PK031		
	Drinking Water			PG431	PG432		Sludge Transfer		PK67			
	Effluent		PG53	PG531	PG532		Slurry		PK33			
	Feed Water		PG90				Soil		PK13	PK131		
	Filtered Water		PG40	PG401	PG402		Soil Vent		PK31	PK311		
	Flusherette		PG47	PG471	PG472		Strong Black Liquor		PK69			
	Flushometer		PG76				Suction Discharge		PK05	PK051	PK052	
	Fresh Water		PG34	PG341	PG342		Supernatant		PK45			
	Gland Seal Water		PG37				Thickened Sludge		PK71			
	Heating Water		PG25	PG251			Trade Waste		PK77	PK771		
	Heating / Cooling Water		PG64	PG641	PG642		Vent		PK21	PK211		
	Heating Hot Water		PG26	PG261			Waste		PK15	PK151	PK152	
	High Pressure Hot Water		PG49	PG491	PG492		Waste Activated Sludge		PS47			
	Hot Alubution Water		PG75				STEAM (Silver)	Auxiliary Steam		PS28	PS281	
	Hot Water		PG54	PG121	PG542			Bled Steam		PS14	PS141	
	High Temperature Hot Water		PG12	PG611				Blowdown		PS24	PS241	PS242
	Jacket Water		PG61	PG511				Cold R/H Steam		PS18	PS181	
	Lab Water				PG772			Drains		PS34		
	Low Temperature Hot Water		PG51	PG081	PG512			Exhaust		PS08	PS081	
	Make Up Water		PG08	PG801	PG082			Gland Steam		PS20	PS201	
	Non-Potable Water		PG80	PG661	PG802			Hot R/H Steam		PS16		
	Operating Water		PG66	PG961	PG662			H.P. Steam		PS04	PS041	
	Overflow		PG96	PG281				L.P. Steam		PS06	PS061	
	Polluted Water		PG28	PG781	PG282			Main Steam		PS30		
	Potable Water		PG78	PG051				Saturated Steam		PS10		
	Process Water		PG05	PG981				Sealing Steam		PS26		
	Purified Water			PG981				Steam		PS02	PS021	PS022
	Rainwater		PG82	PG821				Steam Condensate		PS32	PS321	PS322
	Raw Water		PG63	PG631				Steam Drain		PS22	PS221	
	Salt Water		PG62	PG621				Steam 380kPA		PS42		
	Sample Water		PG70	PG701				Steam 920kPA		PS40		
	Scuppers			PG861			Steam 2900kPA		PS38			
	Softened Water		PG36	PG361	PG362		Steam 6300kPA		PS36			
	Solar Hot Water			PG911			Steam Clean Rinse		PS44			
	Spray Water		PG16				Superheated Steam		PS12	PS121		
Stator Water				PG692	FIRE (Red)	Carbon Dioxide		PR09	PR091			
Storm Water		PG42	PG421			Fire Alarm		PR04	PR041	PR042		
Sump Water		PG44	PG441			Fire Fighting Water		PR21	PR211			
Town Main Water		PG04	PG041	PG042		Fire Foam		PR07	PR071			
Transfer Water		PG68	PG681			Fire Hose Reels			PR231			
Treated Water		PG99	PG991	PG992		Fire Hydrant		PR18	PR181			
Warm Water		PG97	PG971			Fire Service		PR16	PR161	PR162		
Waste Water		PG46	PG461	PG462		Fire Sprinklers		PR20	PR201	PR202		
Water		PG56	PG561			Fire Sprinklers Dry			PR221			
Well Water		PG14	PG141			Halon		PR01	PR011	PR012		
						Hydrant Water		PR08	PR081			
						Inert Gas		PR39				

**For Type T medical markers in accordance with AS2896. See separate listing above.

Type L Markers (460x57)



Type S Markers (460x29)



Type T Markers (89x300)



All custom Pipe Markers are made to Australian standard AS1345 Colour Coding

Industrial Printing

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Do-It-Yourself Signmaking

MAKE IT YOURSELF

Make your own industrial signs, tags and labels - quickly, easily and cost-effectively with Brady's complete line of software, printers and accessories. Brady printers give you the flexibility, versatility and reliability necessary to meet the demands of the most rigorous industrial work environment. And with our extensive selection of high performance tapes with Brady adhesive backing, you can create a Visually Instructive Plant™ in no time at all.



Handimark Printer



Carry the HandiMark wherever you go to create instant labels for limitless applications. It fits in the palm of your hand to produce custom labels in a multitude of indoor and outdoor situations. HandiMark is lightweight and convenient. It packs a lot of power into one compact system and runs on a rechargeable battery or AC Power supply (sold separately). With HandiMark you can customise labels up to 50 mm high.



Part Number	Description
42002	HandiMark™ Portable Labeller



A HandiMark™ kit is composed of a HandiMark™ portable label maker, a hard carrying case, a cleaning kit, a battery with battery charger, an indoor/outdoor grade vinyl tape, a ribbon cartridge, a user's guide as well as the complete built-in symbols & pictogram library card.

HANDIMARK™ CUSTOMISATION FEATURES

<input checked="" type="checkbox"/> Auto Framing	<input checked="" type="checkbox"/> Multiple SIZES of text on one label	<input checked="" type="checkbox"/> Bar Codes
<input checked="" type="checkbox"/> Left Justify Text	<input checked="" type="checkbox"/> Centre Justify Text	<input checked="" type="checkbox"/> Right Justify Text
<input checked="" type="checkbox"/> VERTICAL PRINT	EMERGENCY EVAC. LIGHTS UNIT #2 UNIT #3 UNIT #4	EXPAND text Condense text Bold text Underline text Italics text

113 BUILT-IN SYMBOLS



43

Text Sizes 2mm to 43mm

Handimark Printer Accessories

ACCESSORIES

PN:	Description
42116	HandiMark PC Cable Kit
42005	HandiMark Dust Cover
42009	HandiMark Cleaning Kit
42010	HandiMark Carrying Case
42108	HandiMark Spare Battery Pack
42109	HandiMark Battery Charge
42110	HandiMark AC Power Supply
49199	HandiMark Soft case with shoulder strap



RIBBONS

Single Colour Print Ribbon 50 mm wide - length 23m

PN:	Description
42011	Black Ribbon 50mm x 23m
42012	White Ribbon 50mm x 23m
42013	Red Ribbon 50mm x 23m
42014	Blue Ribbon 50mm x 23m
42015	Green Ribbon 50mm x 23m
42016	Magenta Ribbon 50mm x 23m
42123	Yellow Ribbon 50mm x 23m



TAPES



Indoor/Outdoor vinyl tape B-580

- Adheres to most clean, dry surfaces
- Also conforms well to irregular, curved or rough surfaces
- Stands up to grease, oil and most industrial chemicals
- 5-year average outdoor durability in temperatures from -40°C to +80°C (under certain conditions*)
- Tape can be applied at as low as -18°C
- Length 15m

average outdoor durability in temperatures from -40°C to +80°C (under certain conditions*) • Tape can be applied at as low as -18°C • Length 15m

Colour	PN:	Material	Size
White	42018	B-580	13mm
White	42019	B-580	25mm
Yellow	42021	B-580	50mm
Yellow	42022	B-580	13mm
Yellow	42023	B-580	25mm
Green	42025	B-580	50mm
Green	42026	B-580	13mm
Green	42027	B-580	25mm
Red	42029	B-580	50mm
Red	42030	B-580	13mm
Red	42031	B-580	25mm
Blue	42033	B-580	50mm
Blue	42034	B-580	13mm
Blue	42035	B-580	25mm
Orange	42037	B-580	50mm
Orange	42038	B-580	13mm
Orange	42039	B-580	25mm
Black	42041	B-580	50mm
Black	42042	B-580	13mm
Black	42043	B-580	25mm
Grey	42045	B-580	50mm
Grey	42046	B-580	13mm
Grey	42047	B-580	25mm
Brown	42049	B-580	50mm
Brown	42050	B-580	13mm
Brown	42051	B-580	25mm
Gold	42053	B-580	50mm
Gold	42054	B-580	13mm
Gold	42055	B-580	25mm
Purple	42057	B-580	50mm
Purple	42058	B-580	13mm
Purple	42059	B-580	25mm
Clear	42061	B-580	50mm
Clear	42076	B-580	13mm
Clear	42077	B-580	25mm
Tan	42079	B-580	50mm
Tan	42135	B-580	25mm
Tan	42136	B-580	50mm
Skyblue	97751	B-580	13mm
Skyblue	97750	B-580	25mm
Ochre	97749	B-580	50mm
Ochre	97748	B-580	13mm
Ochre	97747	B-580	25mm
Light Blue	97746	B-580	50mm
Light Blue	42133	B-580	25mm
Light Blue	42134	B-580	50mm


REPOSITIONABLE VINYL TAPE B-581



- Special adhesive allows easy removal and re-application
- 5-year average outdoor durability in temperatures from -40°C to +80°C (under certain conditions*)
- Application Temp: minimum +10°C
- Length 15m

Colour	PN:	Material	Description
White	42100	B-581	Removable Vinyl 13mm
White	42101	B-581	Removable Vinyl 25mm
White	42102	B-581	Removable Vinyl 50mm
Yellow	42103	B-581	Removable Vinyl 13mm
Yellow	42104	B-581	Removable Vinyl 25mm
Yellow	42105	B-581	Removable Vinyl 50mm

REFLECTIVE TAPE B-584



- Ideal for reading labels in low light conditions (with a flashlight)
- 5-year average outdoor durability (under certain conditions*)
- Usage from: -40°C up to +80°C
- Application Temperature: minimum +10°C
- Length 10m

Colour	PN:	Material	Description
White	42062	B-584	Reflective 25mm
White	42063	B-584	Reflective 50mm
Yellow	42064	B-584	Reflective 25mm
Yellow	42065	B-584	Reflective 50mm
Orange	42066	B-584	Reflective 25mm
Orange	42067	B-584	Reflective 50mm

ECONOMY POLYPROPYLENE TAPE B-529



- Ideal low-cost choice
- Usage from: -40°C up to +80°C
- Application Temp: minimum +10°C
- Length 15m

Colour	PN:	Material	Description
White	42068	B-529	Economy PP 13mm
White	42069	B-529	Economy PP 25mm
White	42071	B-529	Economy PP 50mm

TAMPER RESISTANT TAPE B-530



- Destroys into tiny fragments when tampered with, making removal very tedious and difficult
- 3-year average outdoor durability (under certain conditions*)
- Usage from: -40°C up to +80°C
- Application Temp: minimum +10°C
- Length 15m

outdoor durability (under certain conditions*) • Usage from: -40°C up to +80°C • Application Temp: minimum +10°C • Length 15m

Colour	PN:	Material	Description
White	42137	B-530	Tamper resistant tape 13mm
White	42138	B-530	Tamper resistant tape 25mm
White	42139	B-530	Tamper resistant tape 50mm

OVERLAMINATE B-674



- 2-year average outdoor durability*
- Usage from: -40°C up to +150°C
- Application Temp: minimum +10°C
- Length: 50m

Colour	PN:	Material	Description
852229	B-674	Laminate	50mm transparent
852230	B-674	Laminate	85mm transparent
852231	B-674	Laminate	130mm transparent

Globalmark Printer



INDUSTRIAL SIGN & LABEL PRINTING AT YOUR FINGERTIPS

Creating on demand signs & labels in-house has never been easier with the Globalmark™ Monocolour system.

Touch screen technology, a large graphical display and the innovative Windows CE* system have been combined to achieve unequalled ease of use. One of the key advantages of Globalmark is that it can be used either connected to your PC or stand-alone, giving equally high quality output but a greater level of portability and higher operation speed. Unique legends, pipe markers, safety signs, equipment tags, labels, fire and rescue directional and information layouts are all built-in. With the file management utility you can easily import logos and other graphics and print these directly from the Globalmark.

Choose from three GlobalMark models that print in either one colour, multiple spot colours or blended colours. One model can even cut out images and individual letters. You can also download your logo to the GlobalMark.

With BRADY optional MarkWare™ Deluxe Facility Identification Software and your computer, you can import and print full colour images, including photographs, logos, custom templates and more. The MarkWare software contains an extensive library of ready-to-print industrial label, tag and sign templates, easily customised to your specific needs.

Industrial Printing

Globalmark Accessories

COLOUR & CUT SYSTEM PN: 76801

- Prints in one colour, multiple spot colours and blended colours.
- Unit has a built-in cutter for cutting out images and sign letters.
- With optional MarkWare™ label making software, import and print full colour logos, artwork, even photographs.
- The MarkWare™ software also enhances your ability to precision-cut intricately detailed images. • Tape Save feature.

MULTICOLOUR SYSTEM PN: 76800

- Prints the same colour options as the Colour & Cut system, including the optional MarkWare™ software enhancements, without the cutter.

MONOCOLOUR SYSTEM PN: 76798

- Prints the same colour options as the Colour & Cut system, including the optional MarkWare™ software enhancements, without the cutter.



PN:	Description
76801	Globalmark™ Colour & Cut System
76800	Globalmark™ Multicolour System
76798	Globalmark™ Monocolour System

*Windows® CE is a trademark of Microsoft Inc. - USA

GLOBALMARK™ VALUE PLUS START UP PACKAGE

- This Start Up Pack Saves You Money And Gets You Printing Instantly!
- Software Helps You Create Professional Labels Fast- MarkWare™ Facility Identification Software
- Twelve Months Extended GlobalMark™ Warranty*

Each Value Plus Pack includes:

One Roll of White Vinyl Tape – 100mm(w) x 30m(l)- One Roll of Black Ribbon- 12 Months Extended Warranty*

PN:	Description
90835	Value Plus Package

To receive an extended twelve month warranty period, the Value Plus Package must be purchased at the same time as the Globalmark™ Printer and Warranty card registered with Brady. No exceptions to this condition.

WHEN SAFETY AND SECURITY REALLY MATTER, DON'T SETTLE FOR A GENERIC MESSAGE.

There is no substitute for a specific message that delivers critical directions and information with unmistakable clarity, at the precise point of need:

- Improve Safety • Enhance Productivity • Tighten Security • Reduce Costly Errors • Increase Profitability
- Satisfaction Guaranteed

MORE MATERIALS, MORE APPLICATIONS. YOU REALLY CAN DO MORE!

- Security Enhancements – ID Cards for Employees, Contractors, Visitors and Vehicles– Glow-In-The-Dark markings for Exit Routes– Restricted Access

- Front Office Needs • Warehouse Services
- Production and Maintenance– Pipe Markers– Lockout Tagout Instructions– PM Procedures– Electrical Circuit ID • Small Volume OEM and Rating Plate Labels
- Operations and Safety– Compliant to Australia / New Zealand Occupational Health and Safety Standards.– Machine Guard Labels– Operating Procedures• And Much, Much More



Globalmark Accessories



RIBBONS



SINGLE COLOUR RIBBONS

Colour	PN:	Size
Black	76739	105mm x 60m
White	76741	105mm x 60m
Red	76743	105 mm x 60m
Blue	76745	105mm x 60m
Green	76747	105mm x 60m
Magenta	76749	105mm x 60m
Yellow	76751	105mm x 60m
Orange	76752	105mm x 60m
Process Cyan	76759	105 mm x 60m
Process Yellow	76760	105 mm x 60m
Process Magenta	76761	105 mm x 60m

TWO COLOUR PANEL RIBBONS

Colour	PN:	Size
Black Red	76763	200mm panels x 105mm x 60m
Black Blue	76775	200mm panels x 105mm x 60m
Black Yellow	76767	200mm panels x 105mm x 60m
Black Orange	76771	200mm panels x 105mm x 60m
Black Green	76779	200mm panels x 105mm x 60m
Black Red	76762	400mm panels x 105mm x 60m
Black Blue	76774	400mm panels x 105mm x 60m
Black Yellow	76765	400mm panels x 105mm x 60m
Black Orange	76770	400mm panels x 105mm x 60m
Black Green	76782	400mm panels x 105mm x 60m

FOUR COLOUR PANEL RIBBONS

Colour	PN:	Size
Black Red Blue Green	76787	200mm panels x 105mm x 60m
Black Red Blue Yellow	76791	200mm panels x 105mm x 60m
Cyan Magenta Yellow Black	76795	200mm panels x 105mm x 60m
Black Red Blue Green	76786	400mm panels x 105mm x 60m
Black Red Blue Yellow	76790	400mm panels x 105mm x 60m
Cyan Magenta Yellow Black	76794	4400mm panels x 105mm x 60m



COLOUR CODED VALVE TAGS

Colour	PN:	Size
Black	41920	38.1 x 76.2mm
Black	41921	63.5 x 101.6mm
Yellow	41922	38.1 x 76.2mm
Yellow	41923	63.5 x 101.6mm
Red	41924	38.1 x 76.2mm
Red	41925	63.5 x 101.6mm
Blue	41926	38.1 x 76.2mm
Blue	41927	63.5 x 101.6mm
Green	41928	38.1 x 76.2mm
Green	41929	63.5 x 101.6mm

ACCESSORIES

PN:	Size
999835	Carrying Case Globalmark machine
999834	Carrying Case Globalmark supplies
76808	Mouse
76809	Stylus Pens (3 pack)
76810	32 MB memory card
76811	Replacement cutting blade
20596	Grommets (100 pack)
20591	Hole Punch
36611	Weeding tool
36612	Squeegee
76804	Globalmark USB Cable
76805	Globalmark Serial cable
64692	Globalmark Cleaning Pen
266116	Cleaning kit
13506	BLS 2000 Laminating system

Carrying case supplies & machine
Can be purchased separately



Hole punch (for tags)

Globalmark Accessories

INDOOR/OUTDOOR VINYL TAPE B-580

*Best suited to comply with Australian Pipe Marking Legislation



Colour	PN:	Material	Size	Colour	PN:	Material	Size	Colour	PN:	Material	Size
White	76546	B-580	13mm x 30m	Black	76567	B-580	13mm x 30m	Purple	76593	B-580	13mm x 30m
White	76545	B-580	29mm x 30m	Black	76566	B-580	29mm x 30m	Purple	76592	B-580	29mm x 30m
White	76544	B-580	57mm x 30m	Black	76565	B-580	57mm x 30m	Purple	76591	B-580	57mm x 30m
White	76543	B-580	76mm x 30m	Black	76564	B-580	100mm x 30m	Purple	76590	B-580	100mm x 30m
White	76542	B-580	100mm x 30m	Brown	76571	B-580	13mm x 30m	Orange	76597	B-580	13mm x 30m
Yellow	76551	B-580	13mm x 30m	Brown	76570	B-580	29mm x 30m	Orange	76596	B-580	29mm x 30m
Yellow	76550	B-580	29mm x 30m	Brown	76569	B-580	57mm x 30m	Orange	76595	B-580	57mm x 30m
Yellow	76549	B-580	57mm x 30m	Brown	76568	B-580	100mm x 30m	Orange	76594	B-580	100mm x 30m
Yellow	76548	B-580	76mm x 30m	Gold	76575	B-580	13mm x 30m	Pink	76601	B-580	13mm x 30m
Yellow	76547	B-580	100mm x 30m	Gold	76574	B-580	29mm x 30m	Pink	76600	B-580	29mm x 30m
Red	76555	B-580	13mm x 30m	Gold	76573	B-580	57mm x 30m	Pink	76599	B-580	57mm x 30m
Red	76554	B-580	29mm x 30m	Gold	76572	B-580	100mm x 30m	Pink	76598	B-580	100mm x 30m
Red	76553	B-580	57mm x 30m	Ochre*	999469	B-580	13mm x 30m	Tan*	76605	B-580	13mm x 30m
Red	76552	B-580	100mm x 30m	Ochre*	999470	B-580	29mm x 30m	Tan*	76604	B-580	29mm x 30m
Green	76559	B-580	13mm x 30m	Ochre*	999471	B-580	57mm x 30m	Tan*	76603	B-580	57mm x 30m
Green	76558	B-580	29mm x 30m	Ochre*	999472	B-580	100mm x 30m	Tan*	76602	B-580	100mm x 30m
Green	76557	B-580	57mm x 30m	Grey	76579	B-580	13mm x 30m	Light Blue	76609	B-580	13mm x 30m
Green	76556	B-580	100mm x 30m	Grey	76578	B-580	29mm x 30m	Light Blue	76608	B-580	29mm x 30m
Blue	76563	B-580	13mm x 30m	Grey	76577	B-580	57mm x 30m	Light Blue	76607	B-580	57mm x 30m
Blue	76562	B-580	29mm x 30m	Grey	76576	B-580	100mm x 30m	Light Blue	76606	B-580	100mm x 30m
Blue	76561	B-580	57mm x 30m					Sky Blue	999465	B-580	13mm x 30m
Blue	76560	B-580	100mm x 30m					Sky Blue	999466	B-580	29mm x 30m
								Sky Blue	999467	B-580	57mm x 30m
								Sky Blue	99946	8B-580	100mm x 30m


REPOSITIONABLE VINYL TAPE B-581

Colour	PN:	Material	Size
White	76700	B-581	13mm x 30m
White	76699	B-581	29mm x 30m
White	76698	B-581	57mm x 30m
White	76697	B-581	100mm x 30m
Yellow	76704	B-581	13mm x 30m
Yellow	76703	B-581	29mm x 30m
Yellow	76702	B-581	57mm x 30m
Yellow	76701	B-581	100mm x 30m



COLD TEMPERATURE TAPE B-549

Colour	PN:	Material	Size
White	76693	B-549	35mm x 30m
White	76692	B-5496	3.50mm x 30m
White	76691	B-549	108mm x 30m
Yellow	76696	B-549	35mm x 30m
Yellow	76695	B-549	63.50mm x 30m
Yellow	76694	B-549	108mm x 30m




Colour	PN:	Material	Size	Colour	PN:	Material	Size	Colour	PN:	Material	Size
Clear	76613	B-569	13mm x 30m	Blue	76630	B-569	13mm x 30m	Brown	76646	B-569	13mm x 30m
Clear	76612	B-569	29mm x 30m	Blue	76629	B-569	29mm x 30m	Brown	76645	B-569	29mm x 30m
Clear	76611	B-569	57mm x 30m	Blue	76628	B-569	57mm x 30m	Brown	76644	B-569	57mm x 30m
Clear	76610	B-569	100mm x 30m	Blue	76627	B-569	100mm x 30m	Brown	76643	B-569	100mm x 30m
White	76618	B-569	13mm x 30m	Purple	76634	B-569	13mm x 30m	Black	76650	B-569	13mm x 30m
White	76617	B-569	29mm x 30m	Purple	76633	B-569	29mm x 30m	Black	76649	B-569	29mm x 30m
White	76616	B-569	57mm x 30m	Purple	76632	B-569	57mm x 30m	Black	76648	B-569	57mm x 30m
White	76615	B-569	76mm x 30m	Purple	76631	B-569	100mm x 30m	Black	76647	B-569	100mm x 30m
White	76614	B-569	100mm x 30m	Orange	76638	B-569	13mm x 30m	Grey	76654	B-569	13mm x 30m
Yellow	76622	B-569	13mm x 30m	Orange	76637	B-569	29mm x 30m	Grey	76653	B-569	29mm x 30m
Yellow	76621	B-569	29mm x 30m	Orange	76636	B-569	57mm x 30m	Grey	76652	B-569	57mm x 30m
Yellow	76620	B-569	57mm x 30m	Orange	76635	B-569	100mm x 30m	Grey	76651	B-569	100mm x 30m
Yellow	76619	B-569	100mm x 30m	Green	76642	B-569	13mm x 30m				
Red	76626	B-569	13mm x 30m	Green	76641	B-569	29mm x 30m				
Red	76625	B-569	29mm x 30m	Green	76640	B-569	57mm x 30m				
Red	76624	B-569	57mm x 30m	Green	76639	B-569	100mm x 30m				
Red	76623	B-569	100mmx30m								




SPECIALITY TAPES

PN:	Material	Size
76716	B-551 Non Adhesive Supply White	60mm x 15m
76715	B-551 Non Adhesive Supply White	80mm x 15m
76714	B-551 Non Adhesive Supply White	105mm x 15m
76713	B-582 Photoluminescent Tape	29mm x 15m
76712	B-582 Photoluminescent Tape	57mm x 15m
76711	B-582 Photoluminescent Tape	100mm x 15m
<small>(Meets IMOStandards)</small>		
76722	B-565 Metallised Polyester	29mm x 30m
76721	B-565 Metallised Polyester	57mm x 30m
76720	B-565 Metallised Polyester	100mm x 30m
76690	B-515 Clear Static Cling Tape	100mm x 30m
243242	B-515 Premask - Transfer Tape	127mm x 50m




SPECIALITY TAPES

PN:	Material	Size
76707	B-584 Silver Reflective Tape	29mm x 10m
76706	B-584 Silver Reflective Tape	57mm x 10m
76705	B-584 Silver Reflective Tape	100mm x 10m
96062	B-584 Yellow Reflective Tape	29mm x 10m
96061	B-584 Yellow Reflective Tape	57mm x 10m
96060	B-584 Yellow Reflective Tape	100mm x 10m
76687	B-509 White Magnetic Tape	57mm x 7.5m
76686	B-509 White Magnetic Tape	107mm x 7.5m
76689	B-509 Yellow Magnetic Tape	57mm x 7.5m
76688	B-509 Yellow Magnetic Tape	107mm x 7.5m
76685	B-575 Brushed Gold Polyester Tape	100mm x 10m



Printing Systems

PowerMark



GIVE YOUR SIGNS A WHOLE NEW DIMENSION

With a height of 250 mm, give your signs a whole new dimension. Thanks to PowerMark, a customised multicolour creation and printing system, it's easy to create your safety identification signs on adhesive panels.

IT LOOKS EVEN BIGGER WHEN YOU DISPLAY IT IN COLOUR

To optimise your visual impact, 4-colour printing can now be produced in one go. This will give your signs a significantly more striking visual impact. In addition, PowerMark makes it possible to adapt to safety standards with pictograms and colours complying with the current safety sign regulations.

CLEARLY VISIBLE SIGNS MAKE ALL THE DIFFERENCE

Part Number	Description
13500	PowerMark™ Printer

SOFTWARE ACCESSORIES

PN:	Description
13507	Spare Ribbon Cartridge
13643	PowerMark Memory Card
64692	PowerMark Cleaning Pen
13644	PowerMark Replacement Wiper Pad
13509	PowerMark Cable Kit



RIBBONS

PN:	Description	PN:	Description
Single Colour Print Ribbon 156 mm wide - length 60m			
13511	Black Ribbon 156mm	13513	White Ribbon 156mm
13595	Red Ribbon 156mm	13596	Blue Ribbon 156mm
13597	Green Ribbon 156mm	13598	Magenta Ribbon 156mm
13599	Yellow Ribbon 156mm	13600	Orange Ribbon 156mm
Single Colour Print Ribbon 220 mm wide - length 60m			
13510	Black Ribbon 220mm	13512	White Ribbon 220mm
13514	Red Ribbon 220mm	13515	Blue Ribbon 220mm
13516	Green Ribbon 220mm	13517	Magenta Ribbon 220mm
13518	Yellow Ribbon 220mm	13519	Orange Ribbon 220mm

RIBBONS

PN:	Description
Two Colour panel ribbons 156 mm wide - length 60m	
13521	Black-Red ribbon /375mm long panels
13523	Black-Red ribbon /200mm long panels
13525	Black-Blue ribbon /375mm long panels
13527	Black-Yellow ribbon /200mm long panels
13529	Black-Orange ribbon /200mm long panels
Two Colour panel ribbons 220 mm wide - length 60m	
13520	Black-Red ribbon /375mm long panels
13522	Black-Red ribbon /200mm long panels
13524	Black-Blue ribbon /375mm long panels
13526	Black-Yellow ribbon /375mm long panels
13528	Black-Orange ribbon /375mm long panels
Four Colour panel ribbons 156 mm wide - length 60m	
13531	Black-Red-Blue-Yellow ribbon /375mm long panels
13533	Black-Red-Blue-Yellow ribbon /200mm long panels
13535	Black-Red-Blue-Green ribbon /375mm long panels
13537	Black-Red-Blue-Green ribbon /200mm long panels
Four Colour panel ribbons 220 mm wide - length 60m	
13530	Black-Red-Blue-Yellow ribbon /375mm long panels
13532	Black-Red-Blue-Yellow ribbon /200mm long panels
13534	Black-Red-Blue-Green ribbon /375mm long panels
13536	Black-Red-Blue-Green ribbon /200mm long panels



Powermark Accessories

INDOOR/OUTDOOR VINYL TAPE B-580




- Adheres to most clean, dry surfaces
- Also conforms well to irregular, curved or rough surfaces
- Stands up to grease, oil and most industrial chemicals
- 5-year average outdoor durability in temperatures from -40°C and +80°C (under certain conditions*)
- Tape can be applied at as low as -18°C • Length 15m

Colour	PN:	Size
White	13538	100 mm
White	13549	150 mm
White	13551	200 mm
White	13562	250 mm
Yellow	13539	100 mm
Yellow	13550	150 mm
Yellow	13552	200 mm
Yellow	13563	250 mm
Red	13540	100 mm
Red	13601	150 mm
Red	13553	200 mm
Red	13610	250 mm
Light Blue	99489	100 mm
Light Blue	99492	150 mm
Light Blue	99493	200 mm
Light Blue	99494	250 mm
Green	13542	100 mm
Green	13603	150 mm
Green	13555	200 mm
Green	13612	250 mm
Orange	13543	100 mm
Orange	13604	150 mm
Orange	13556	200 mm
Orange	13613	250 mm
Black	13544	100 mm
Black	13605	150 mm
Black	13557	200 mm
Black	13614	250 mm
Gold	13545	100 mm
Gold	13606	150 mm
Gold	13558	200 mm
Gold	13615	250 mm
Grey	13546	100 mm
Grey	13607	150 mm
Grey	13559	200 mm
Grey	13616	250 mm
Brown	13547	100 mm
Brown	13608	150 mm
Brown	13560	200 mm
Brown	13617	250 mm
Purple	13548	100 mm
Purple	13609	150 mm
Purple	13561	200 mm
Purple	13618	250 mm
Clear	99498	100 mm
Clear	99497	150 mm
Clear	99496	200 mm
Clear	99495	250 mm
Blue	13541	100 mm
Blue	13602	150 mm
Blue	13554	200 mm
Blue	13611	250 mm

HI-PERFORMANCE POLYESTER TAPE B-569

- Adheres to smooth surfaces
- Low halide content: ideal for use on stainless steel and nickel piping
- 3-year average outdoor durability in temperatures from -40°C to +80°C (under certain conditions*)
- Tape can be applied as low as -18°C • Length 15 m


Colour	PN:	Size
Clear	13564	100 mm
Clear	13568	150 mm
Clear	13572	175 mm
Clear	13576	250 mm
White	13565	100 mm
White	13569	150 mm
White	13573	175 mm
White	13577	250 mm
Yellow	13566	100 mm
Yellow	13570	150 mm
Yellow	13574	175 mm
Yellow	13578	250 mm
Orange	13567	100 mm
Orange	13571	150 mm
Orange	13575	175 mm
Orange	13579	250 mm



REFLECTIVE TAPE B-584

- Ideal for reading labels in low light conditions with a flashlight
- 5-year average outdoor durability (under certain conditions*)
- Usage from : -40°C up to +80°C
- Application Temperature: minimum +10°C
- Length 10m

Colour	PN:	Size
Silver	13580	100 mm
Silver	13585	175mm
Silver	13590	250mm
Orange	13645	100 m
Orange	13646	75mm
Orange	13647	250mm



PHOTOLUMINESCENT B-324

- Remain clearly visible in a totally dark room for at least one hour!
- Indoor use only
- Usage from : -40°C up to +80°C
- Application Temp: minimum +10°C
- Length 9m


Colour	PN:	Size
Luminescent	013582	100 mm
Luminescent	013587	175mm
Luminescent	013592	250mm



BRUSHED GOLD POLYESTER B-575

- 2-year average outdoor durability (under certain conditions*)
- Usage from : -40°C up to +150°C
- Application Temp: +10°C

Colour	PN:	Size
Gold	013584	100 mm
Gold	013589	175mm
Gold	013594	250mm



Luminescent* Depends on climatic conditions, colours and usage

LAMINATOR

Hartac offers the BLS 2000 laminating system to allow the simple mounting and laminating of output topolypropylene or metal sign blanks. This easy-to-use system:

- Laminates output to a polypropylene or metal panel.
- Laminates output behind a 0.8mm thick clear acrylic panel to add rigidity while protecting the graphics.
- Encapsulates signs in a plastic double-sided laminate.
- Overlaminates signs with a single-sided laminate.



Colour	PN:	Description	Size	Qty
Clear	13506	BLS 2000 Laminating System		1-
Clear	13619	BLS 2000 Cleaning Kit		1
Clear	13400	Acrylic Semi-Rigid Panel	100 mm x 152 mm	10
Clear	1013401	Acrylic Semi-Rigid Panel	203 mm x 203 mm	10
Clear	1013402	Acrylic Semi-Rigid Panel	254 mm x 254 mm	10
Clear	1013403	Acrylic Semi-Rigid Panel	254 mm x 177 mm	10
Clear	1013404	Acrylic Semi-Rigid Panel	254 mm x 355 mm	10
Clear	1013405	Acrylic Semi-Rigid Panel	254 mm x 760 mm	10

Lablizer Accessories

BRADY INDOOR/OUTDOOR VINYL TAPE - B-580

Our most popular tape, adheres well to pipes, walls, equipment, windows... most clean, dry surfaces. It even conforms well to irregular, curved or rough surfaces. For industrial use: stands upto grease, oil and most industrial chemicals. Five-year average outdoor durability in temperatures from -40°C to 82°C. Tape can be applied as low as -18°C. Your best selection of label colour and type colour options including those that meet ASME (ANSI) Standards. 27.4 metres per cartridge.



Size	PN:			Qty
	Black	White	Red	
13mm x 27.4m	64624	64628	64632	2
28.6mm x 27.4m	64625	64629	64633	2
57.1mm x 27.4m	64626	64630	64634	1
100mm x 27.4m	64627	64631	64635	1

Size	PN:														Qty Per Pkg		
	Black	Black	White	White	Red	White	Black	Magenta	Black	Black	White	White	White	White	White	White	White
13mm x 27.4m	64687	64810	64814	64818	64790	64822	64826	64794	64830	64878	64882	64886	6489	064894	2		
28.6mm x 27.4m	64688	64811	64815	64819	64791	64823	64827	64795	64831	64879	64883	64887	64891	64895	2		
57.1mm x 27.4m	64689	64812	64816	64820	64792	64824	64828	64796	64832	64880	64884	64888	64892	64896	1		
100mm x 27.4m	64690	64813	64817	64821	64793	64825	64829	64797	64833	64881	64885	64889	64893	64897	1		

BRADY HI-PERFORMANCE POLYESTER TAPE - B-569

Great for many industrial applications. Tape applies nicely to smooth surfaces. Has the durability of the B-580 indoor/outdoor vinyl tape sold above. Service temperatures from -40°C to 100°C with minimum application temperatures of -18°C. Tape is specially designed with a low halide content which means it's great for use on stainless steel and nickel piping. Tape comes in 11 colour combinations and 4 widths. Generous 38.5m per cartridge.


Size	PN:											Qty Per Pkg	
	Black	Magenta	White	White	White	White	White	Black	Red	Black	Red	Black	Red
13mm x 33m	64326	64304	64330	64334	64338	64308	64342	64346	64350	64354	64358	2	
28mm x 33m	64327	64305	64331	64335	64339	64309	64343	64347	64351	64355	64359	2	
57.1mm x 33m	64328	64306	64332	64336	64340	64310	64344	64348	64352	64356	64360	1	
100mm x 33m	64329	64307	64333	64337	64341	64311	64345	64349	64353	64357	64361	1	

REFLECTIVE TAPE - B-584

Brady B-582 is used for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuations route in accordance with ASTM 2030-99: Recommended Uses of Photoluminescent Safety markings. It is a non-toxic, non-radioactive and explosion safe material which allows for general sanitary disposal. Meets and /or exceeds several International and Maritime Standards. Requires a charge time of five minutes at 1000 Lux. Consistent glow life and unlimited recharability throughout service life of years indoors (not recommended for outdoors). Service temperature of -40°C to 80° C.

Size	PN:		Qty
	Black	Red	
28.1mm x 23m	64739	64403*	2
57.1mm x 23m	64740	64404**	1
100mm x 23m	64741	64405	1

* Tape is 21m per roll ** Tape is 17.6m per roll



BRADYGLO™ LUMINOUS TAPE - B-582

Brady B-582 is used for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuations route in accordance with ASTM 2030-99: Recommended Uses of Photoluminescent Safety markings. It is a non-toxic, non-radioactive and explosion safe material which allows for general sanitary disposal. Meets and /or exceeds several International and Maritime Standards. Requires a charge time of five minutes at 1000 Lux. Consistent glow life and unlimited recharability throughout service life of years indoors (not recommended for outdoors). Service temperature of -40°C to 80° C.

Size	PN:				Qty
	Black	Red	Blue	Green	
28.1mm x 23m	64743	64784	46339	46342	2
57.1mm x 23m	64744	64785	46340	46343	1
100mm x 23m	64745	64786	46341	46344	1



- Glows in a totally dark room for at least 10 hours
- Meets ISO, DIN and ASTM standards.

Printing Systems



Industrial Labelling made easy

The ID PAL Labelling Tool is an easy-to-use portable thermal printer ideal for wire and cable identification. Use Brady's ID PAL™ Labelling Tool for all your labelling tasks and eliminate confusion caused by faded, smeared and poorly written labels.

- Fits great in your hand
- Intuitive keypad with electrical and datacom symbols
- Special wire marking mode with 10 preset lengths
- Job-tough construction
- Serialisation feature for increased efficiency
- Banner mode for general labelling
- Quick drop-in cartridge
- Built-in industrial cutter
- Automatic shut-off
- Operates on 6 AA batteries or optional adapter



CALL FOR PRICING

Part Number	Reference	Description
81001	IDPAL-INTL	IDPAL Labelling Tool + hard case + 2 tapes + 6AA batteries

Brady's high performance materials stay in place on the toughest surfaces, from wires and cables to highly textured plastic, ensuring your wires are always identified

Application	Material/Colour	Max Service Temperature °C	Part No.	Reference 3/8" (9.5mm)	Part No.	Reference 1/2" (12.7mm)	Part No.	Reference 3/4" (19.1mm)	Roll Length (m)	Agency Approvals
	Nylon Cloth B-499 / Black on White	90° 30 days	81013	PAL-375-499	81017	PAL-500-499	81021	PAL-750-499	5.8 m	
	Vinyl B-439 / Black on White	40° 30 days	81012	PAL-375-439	81016	PAL-500-439	81020	PAL-750-439	6.4 m	
	Vinyl B-439 / Black on Yellow	40° 30 days	81023	PAL-375-439-YL	81024	PAL-500-439-YL	81025	PAL-750-439-YL	6.4 m	
	Vinyl B-439 / Black on Red	40° 30 days	81043	PAL-375-439-RD	81047	PAL-500-439-RD	81051	PAL-750-439-RD	6.4 m	
	Vinyl B-439 / Black on Orange	40° 30 days	81040	PAL-375-439-OR	81044	PAL-500-439-OR	81048	PAL-750-439-OR	6.4 m	
	Vinyl B-439 / Black on Green	40° 30 days	81041	PAL-375-439-GR	81045	PAL-500-439-GR	81049	PAL-750-439-GR	6.4 m	
	Vinyl B-439 / Black on Blue	40° 30 days	81042	PAL-375-439-BL	81046	PAL-500-439-BL	81050	PAL-750-439-BL	6.4 m	
	Polyester B-430 / Black on Clear	100° 30 days	81011	PAL-375-430	81015	PAL-500-430	81019	PAL-750-430	6.4 m	
	Polyester B-423 / Black on White	120° 30 days	81010	PAL-375-423	81014	PAL-500-423	81018	PAL-750-423	6.4 m	

Plus... each cartridge comes preloaded with its own application-specific ribbon

Part Number	Reference	Description
81001	IDPAL-INTL	ID PAL Labelling Tool + hard carry case + 2 tapes + 6AA batteries
81026	IDPAL-ACPAC	ID PAL AC Adapter
81003	IDPAL-IG	ID PAL Impact Guards
81004	IDPAL-HC	ID PAL Hardside Carrying Case

Application Key

- Smooth/Flat Surface
- Textured Surface
- Wire/Cable/Curved Surface
- Highly Textured Surface

Printing Systems



The TLS Thermal Labelling Systems both deliver permanent, quick and clear printing, label after label. With thermal transfer printing there is no need to handle your materials delicately, there's no smearing! The systems automatically recognise label sizes and printer settings and have a built-in cutter, eliminating wasted time and materials. Both printers can be used with a wide range of materials, available in over 350 label sizes, including Durasleeve™ die cut labels, self-laminating markers, sleeves and continuous tape. Connect a TLS system to your PC and use the Labelmark™ software to import graphics, create templates, print bar code symbologies and import label lists using ASCII and ODBC data import capabilities.

TLS2200™ THERMAL LABELLING SYSTEM

Its many features make the TLS2200 the ideal tool for electrical, tele & data communication and industrial applications:


- Most versatile & powerful portable labelling system available
- Light weight
- Bar coding capability
- Internal memory to create and save legends in lists
- PC connectivity using the optional Labelmark™ software
- Banner printing (up to 1.3 m)
- Labels up to 50.8 mm width and maximum print width of 46 mm
- Fixed length & step printing
- Electrical and datacom symbols

Part Number	Description
18550	TLS2200 Printer



**TLS THERMAL LABELLING SYSTEMS:
THE ULTIMATE ANSWER TO YOUR
TOUGHEST LABELLING CHALLENGES**

Printing Systems



TLS PCLink™
THERMAL LABELLING SYSTEM

With the TLS PCLink™, Brady offers you the most compact professional desktop labelling system available. The TLS PCLink is the ideal economical choice if you have no need for a portable solution and you prepare your labelling projects at your desk.

- Includes Labelmark™ software
- Can be used with any Windows™ based software
- Own programming language can be integrated with non-windows based equipment
- AC power supply automatically charges battery
- Print length up to 152.4mm

Bulk Labels
The perfect low volume labelling solution (up to 500 labels per day), the Bulk labels come in a reusable dispenser box, protecting the labels from dust and debris and allowing easy storage until the next identification job.


Part Number	Description
18807	TLS PCLink Printer



Industrial bar code labelling



Durasleeve™, wire and cable identification



Electronic component labelling



Data communications equipment labels



Laboratory sample labelling



Racks clearly identified

Printing Systems



TLS2200™
THERMAL LABELING SYSTEM

Part No.	Reference	Description
18550	TLS2200	Printer system includes hard case, R-6210 ribbon, battery pack, battery charger, manual, communications cable, test labels (PTL-19-423), one cleaning card, quick start guide
18555	TLS2200-AC	AC adapter
18551	TLS2200-BC	Battery charger
18554	TLS2200-BP	Battery pack
18552	TLS2200-HC	Hard side carrying case
18562	TLS2200-SC	Soft side users case
18574	TLS2200-CABLE	Communications cable
18556	PCK-5	Cleaning kit (includes 5 cleaning cards)



TLSPC Link™
THERMAL LABELING SYSTEM

Part No.	Reference	Description
18807	TLSPC	Printer system includes LABELMARK™ labelling software, battery pack, AC adapter/battery charger, R-6210 ribbon, sample labels (PTL-19-423), manual, Quick Start Guide, communications cable and Windows drivers.
18808	TLS-ACINTL	AC adapter/Battery charger
18801	TLSPC-BP	Battery pack
18803	TLSPC-CABLE	Communications cable
18556	PCK-5	Cleaning kit (includes 5 cleaning cards)

●	Recommended ribbon for use with respective material
▲	Acceptable ribbon for use with respective material
UL	This material is UL recognised with its respective ribbon
CSA	This material is CSA accepted with its respective ribbon
UL/CSA	This materials is UL recognised and CSA accepted with its respective ribbon
HF	Halogen Free (DIN VDE 0472/part 815)
*	R-6210 ribbon included with printer

RIBBONS

Thermal Labelling System Ribbon

Part No.	Reference	Description	Length
18558	R-4310	Wax-resin black ribbon	22.9 m
18559	R-6010	Resin black ribbon	22.9 m
18560	R-6210	Resin black ribbon	22.9 m
18706	R-4410B	Resin blue ribbon	22.9 m
18704	R-4410R	Resin red ribbon	22.9 m
18705	R-4410W	Resin white ribbon	22.9 m

	Material	Series R-4310	Series R-4410 (colours)	Series R-6010	Series *R-6210	HF
B-109	Polyethylene			●		
B-321	Polyolefin				●	
B-342	Polyolefin	●				
B-351	Vinyl				●	
B-352	Vinyl			● UL		
B-412	Polypropylene	▲			●	
B-422	Polyester		● UL/CSA	● UL/CSA	▲	
B-423	Polyester		● UL/CSA	● UL/CSA	▲	●
B-424	Paper	●				
B-425	Polyolefin	●				●
B-426	Polyimide	●				
B-427	Vinyl	● UL			●	
B-428	Polyester	● UL/CSA				●
B-430	Polyester		● UL/CSA	● UL/CSA	▲	
B-432	Polyester		● UL/CSA	● UL/CSA		
B-435	Polyester		● UL/CSA	● UL/CSA		
B-437	Tedlar®	●			▲	
B-439	Vinyl			●	▲	
B-457	Polyimide		● UL	● UL		
B-459	Polyester		● UL/CSA	● UL/CSA		
B-461	Polyester	●			▲	
B-473	Polyester		● UL/CSA	● UL/CSA	▲	
B-477	Polyimide		● UL	● UL	▲	
B-483	Polyester		● UL/CSA	● UL/CSA	▲	
B-486	Polyester	● UL/CSA				
B-488	Polyester	● UL/CSA			▲ UL/CSA	
B-489	Polyester	● UL/CSA				
B-498	Vinyl Cloth	▲			● UL	
B-499	Nylon Cloth	● UL/CSA			▲	●
B-642	Tedlar®	●			▲	
B-7546	Polyester			● UL/CSA		
B-7551	Polyester	▲			●	
B-7576	Polyester			● UL		
B-7595	Polyethylene Polyurethane Foam	●			●	
B-7596	Vinyl	▲			●	

Tedlar® is a registered trademark of Dupont

Markware Software



SOFTWARE THAT ANTICIPATES YOUR NEEDS AS YOU DESIGN YOUR LABEL

MarkWare™ is the combination of power and versatility. Easy to use, your industrial signage can at last show its true potential for noticeable signs - created in-house, in colour, in minutes.

Compatible with Windows® 95, 98, NT4, 2000 and XP*, MarkWare industrial labelling software is the indispensable tool to use with Brady's thermal transfer systems.

Importing images & logos to print them in colour, connecting to databases, easy control of your own customised template categories arranged according to your company structure, cutting symbols... with MarkWare you add a new dimension to your safety signs when you print in multicolour up to 600mm high on PowerMark™.

A step towards increased efficiency.

CALL HARTAC
1800 427
FOR ALL YOUR
CONSUMABLES

Part Number	Description
20700	One user licence
20705	Extra licence
20706	Site licence per network

CALL FOR PRICING

HUNDREDS OF BUILT-IN SYMBOLS DESIGNED FOR INTERNATIONAL AND AUSTRALIAN STANDARDS

Hazard Warning



Personal Protective Equipment



Prohibition



Sign Headers



MARKWARE™ FUNCTIONS COMPATIBLE WITH SYSTEMS

	BRADY HANDMark <small>Portable Label Maker</small>	GLOBALMARK <small>INDUSTRIAL LABEL MAKER</small>	BRADY POWERMark <small>sign and label maker</small>
Multilingual	✓	✓	✓
Windows environment	✓	✓	✓
Compliant with safety regulations	✓	✓	✓
Compliant Australian symbols and colours	✓	✓	✓
Pipe markers compliant with most local norms	✓	✓	✓
Templates	✓	✓	✓
Create your own template categories	✓	✓	✓
Scalable templates & labels	✓	✓	✓
Multi-applications	✓	✓	✓
Database connectivity	✓	✓	✓
Quick text function	✓	✓	✓
Monochrome print	✓	✓	✓
Tiling	✓	✓	✓
Printing logos	✓	✓	✓
Multicolour print	✓	✓	✓
Multicolour templates	✓	✓	✓
Cutting letters	✓	✓	✓
Print & cut around symbols	✓	✓	✓
Full colour	✓	✓	✓

* Windows® 95, 98, NT4, 2000 and XP are trademarks of Microsoft Inc - USA.


Labelmark Software

LABELMARK™ V3 LABELLING SOFTWARE: EASY, EFFICIENT & COST-EFFECTIVE LABELS

LabelMark V3 has been developed specifically for identification applications in the telecom, electrical, laboratory and general industrial markets. LabelMark V3 is the logical solution for label design, editing and printing to your specific requirements.

Features:

- **Two great programs** in one package. LabelMark for simple text only labels, and LabelMark Plus for versatile free-form label design.
- Multi-label view for true **WYSIWIG** representation of label formats.
- **Text Features:** simple text entry, formatting and editing, Find & Replace feature.
- **Versatile serialisation** creation from simple to advanced.
- **Automatic legend repeat** for quick wiremarker label creation.
- **Date/Time feature** for easy insertion of date and/or time fields into labels.
- **Data Import Wizard** greatly simplifies importing data from spreadsheets and ASCII text files. You can also use existing ODBC and OLE DB data sources
- Accommodates **all Brady stock** and custom formats.
- Easy creation and editing of label **templates**.
- Includes an **image library** of common electrical, datacom and safety symbols.



LabelMark™ LABELLING SOFTWARE

Part Number	Reference	Version
60721	LM3	LabelMark Version 3
60722	LM3-SITE	LabelMark Version 3 Win-Site*

The LabelMark Win-Site version allows an unlimited number of installations at one location (your invoice address).


Primary Applications:

- Wire & cable marking
- Terminal block, patch panel and outlet ID
- Control panel and component marking
- Asset Identification
- 110 block marking
- Patch panel identification
- Conduit and voltage marking
- Cable tray identification
- Vial, tube, slide and well plate labelling

System Requirements:

- Intel Pentium processor (minimum 66 MHz 486DX2)
- Window® 98 with Internet Explorer 5.01 or Windows® 2000 with Service Pack 3
- Windows NT® 4 with Service Pack 6a
- Windows® XP
- 64 MB of RAM (minimum 16 MB)
- Hard Drive with at least 100 MB of free disk space
- CD-ROM Drive
- 16-bit or greater video display card
- 800 x 600 or greater monitor resolution

**Compatible with these BRADY printers
and all Windows based printers**



Brady Printers

BRADYPRINTER™ 2461



2461

Ease-of-use features, fast throughput, minimum label waste and an economical price make the Bradyprinter THT models 2461/3481/6441 the price and performance leader for applications ranging from desktop to industrial settings.

Rugged and reliable, the series printers feature a modular design that makes it simple to add or change options at any time. The printers can be easily upgraded and reconfigured for expanded applications.

Brady 2461/3481/6441 systems print high quality images on materials ranging from paper and polyester to polyimides. Engineered for reliability, this 101.6mm printer can even produce images on labels as small as 3.17 mm high.

- Easy to load ribbons and media supplies
- Minimal label waste
- User-friendly system
- Fast label throughput: 32-bit processor, 16 MB RAM and 1 MB Flash Program Memory make these the fastest printers in their class
- Feature loaded: LCD display, colour coded operator cues, wide access to the printhead...

PN:	Reference	Description
67210	BP-THT-2461	203 dpi printer
67121	BP-THT-2461-R	203 dpi printer with rewinder

MODEL 2461 SPECIFICATIONS


Resolution	203 dpi thermal transfer printer
Print speed	Selectable print speeds at 1" increments from 2.00 (50.80 mm) to 8.00 (203.30mm) per second
Max. media width	118 mm
Min. media width	25.4 mm
Dimensions	12.70" H x 12.62" W x 18.60" D (322.58 x 320.55 x 472.44 mm)

General Safety

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



First Aid Kits



COASTAL MARINE (LARGE)

Packed in a click clack water-resistant container with clear lid this well-stocked kit is designed for use on small recreational boats in open water, but close to shorelines, where assistance may be called if required. Exceeds A.Y.F categories 3-4. Not for ocean-going use.

Coastal Marine

- 1 triangle bandage 110cm x 110cm
- 2 wound closure (pkt 5)
- 1 UV tripleguard cream 15+ 50ml
- 1 waterproof tape
- 5 7.5cm x 10cm non adhesive dressing
- 1 disposable gloves (bag of 4)
- 1 Betadine antiseptic solution 100ml
- 2 Cotton Balls (pkt 5)

PN: HS1227

- 1 safety pins (pkt 10)
- 1 adhesive plastic strips (pkt 25)
- 2 hospital crepe 7.5cm
- 1 scissors/shears – universal 19.5cm
- 2 Paracetamol tablet (pkt 24)
- 1 "Staying Alive" manual
- 17 saline steritube 30ml

MARINE SPECIAL (LARGE)

Designed for large recreational sea vessels this kit comes packed in a brightly coloured water resistant PVC box for easy identification and is completed with the inclusion of a wall bracket.

Coastal Marine Special

- 1 triangle 110cm x 110cm
- 5 probe disposal
- 1 Acriflavine 50ml
- 1 hypo allergic tape
- 1 forceps s/s finepoint
- 1 disposable gloves (bag of 2)
- 2 gauze swabs 10cm x 10cm
- 2 eye pad large
- 2 7.5cm x 10cm non adhesive dressing
- 1 pad combine 9cm x 10cm
- 1 Savlon antiseptic cream 50g

PN: HS1235

- 1 safety pins (pkt 12)
- 1 adhesive plastic shapes (pkt 50)
- 2 conforming bandage 10cm
- 1 scissors s/s blunt/sharp
- 2 Paracetamol tablet (pkt 24)
- 1 "First Aid Quick Reference Guide" manual
- 1 heavy crepe bandage 7.5cm
- 1 calamine lotion 100ml
- 1 cotton wool 50g
- 1 finger stall leatherette
- 1 UV tripleguard cream 15+ 100m



DIVERS (LARGE)

Packed in a heavy-duty tool type box this fully comprehensive kit is recommended for rescue divers and instructors and large leisure craft. Designed to manage injuries in remote locations.

Divers Kit

- 4 triangle bandage 110cm x 110cm
- 5 probe disposal
- 1 conforming bandage 10cm
- 2 conforming bandage 5cm dressing
- 1 forceps artery
- 1 forceps s/s finepoint
- 1 notepad/pencil
- 6 swab mediprep
- 1 disposable gloves (bag of 4)
- 1 Paracetamol tablet (pkt 24)
- 4 eye pad large
- 1 antiseptic soap
- 1 "Staying Alive"
- 1 universal dressing large
- 1 wound dressing no 14
- 1 thermo blanket
- 2 cups disposable
- 1 cotton buds (pkt 3)
- 4 tongue depressors
- 1 splint half arm
- 1 savlon powder 20g
- 1 aqua ear (35ml)
- 5 blades surgical
- 1 stingoes gel 25g

PN: HS5925

- 1 safety pins (pkt 10)
- 1 adhesive plastic strips (pkt 25)
- 2 conforming bandages 7.5cm
- 3 10cm x 10cm non adhesive
- 3 bag medium
- 1 scissors s/s blunt/sharp
- 1 tape micropore
- 2 combine dressing 9cm x 20cm
- 9 gauze swabs 7.5cm x 7.5cm x 3
- 1 towels (bag of 3)
- 6 antiseptic steri tube 30ml
- 1 pocket mask
- manual 1 "First Aid Divers" manual
- 1 wound dressing no 13
- 1 wound dressing no 15
- 1 instant icepac
- 6 saline steri tube 30ml
- 1 knuckle plasters (pkt 10)
- 1 splint full leg
- 1 hot pac reusable
- 1 kwell tablets (10)
- 1 sudafed tablets (30)
- 1 bottle/noozle
- 1 torch with batteries



First Aid Kits



LARGE INDUSTRIAL

A wall mountable metal cabinet with a lock and key this fully-stocked kit comes with a drawer for items required in a serious accident. Recommended for factory/building sites with over 25 employees or other workplaces with more than 50 employees.

Large Industrial

- 6 triangle bandage 110cm x 110cm
- 5 probe disposal
- 2 conforming bandage 10cm
- 6 conforming bandages 7.5cm
- 1 bag medium
- 1 scissors s/s blunt/sharp
- 1 tape hypo-allergic 2.5cm x 9m
- 2 tape micropore
- 2 forceps plastic
- 1 towels (bag of 6)
- 4 antiseptic steri tube 30ml
- 12 7.5cm x 10cm non adhesive dressing
- 1 nail brush
- 4 combine dressing 9cm x 10cm
- 20 gauze swabs 10cm x 10cm x 5
- 6 7.5cm x 20cm non adhesive dressing
- 1 pocket mask
- 1 burns dressing large
- 1 "Quick Reference" guide manual
- 1 dressing flexible 7.5cm x 1m
- 1 crepe bandage 7.5cm
- 1 heavy crepe bandage 7.5cm
- 1 antiseptic liquid 250ml
- 1 report sheet in folder
- 1 finger stall leatherette

PN: HS1224

- 1 safety pins (pkt 10)
- 1 adhesive plastic strips (pkt 50)
- 3 conforming bandage 5cm
- 6 conforming bandage 2.5cm
- 1 bag small
- 1 notepad/pencil
- 1 forceps s/s finepoint
- 2 disposable gloves (bag of 4)
- 2 Paracetamol tablet (pkt 24)
- 8 eye pad large
- 1 Kidney dish plastic
- 1 gallipot 250ml
- 1 antiseptic soap
- 1 combine dressing 9cm x 20cm
- 3 combine dressing 20cm x 20cm
- 2 burns dressing small
- 1 burns dressing large
- 1 "Staying Alive" manual
- 1 universal dressing large
- 1 crepe bandage 5cm
- 1 heavy crepe bandage 10cm
- 6 cups disposable
- 1 dressing flexible 3.8cm x 1m
- 1 finger bandage with applicator

MEDIUM / PORTABLE INDUSTRIAL

Packed in a portable heavy-duty plastic box, or a wall mountable metal cabinet, this well-stocked kit will accommodate the needs of most medium sized offices. Recommended for a medium sized office/workplace for up to 25 people.

Medium Industrial PN:HS1225

Portable Industrial PN:HS1229

- 3 triangle bandage 110cm x 110cm
- 5 probe disposal
- 1 conforming bandage 15cm
- 3 conforming bandage 5cm
- 3 conforming bandage 2.5cm
- 1 universal dressing large
- 1 pocket mask
- 1 forceps s/s finepoint
- 2 disposable gloves (bag of 4)
- 2 Paracetamol tablet (pkt 24)
- 4 eye pad large
- 1 Kidney dish plastic
- 1 gallipot 150ml
- 1 report sheet in folder
- 1 nail brush
- 10 gauze swabs 10cm x 10cm x 5
- 1 safety pins (pkt 10)
- 1 adhesive plastic strips (pkt 50)
- 1 conforming bandage 10cm
- 3 conforming bandages 7.5cm
- 2 bag medium
- 1 scissors s/s blunt/sharp
- 1 "Staying Alive" manual
- 2 tape micropore
- 2 forceps plastic
- 1 towels (bag of 6)
- 6 cups disposable
- 6 7.5 x 10cm non adhesive dressing
- 3 7.5 x 20cm non adhesive dressing
- 1 antiseptic liquid 250ml
- 1 antiseptic soap
- 1 notepad/pencil



First Aid Kits



WORKPLACE

In a wall mountable metal cabinet this well-stocked kit is ideal for the First Aid needs of small offices/ workplaces. Recommended for up to 12 people.

Workplace

- 2 triangle bandage 110cm x 110cm
- 5 probe disposal
- 1 forceps s/s finepoint
- 1 Paracetamol tablet (pkt 24)
- 1 Kidney dish plastic
- 5 eye pad large
- 9 7.5 x 10cm non adhesive dressing
- 1 sharps needle container
- 3 crepe bandage 7.5cm
- 1 "Quick Reference" guide manual
- 3 combine dressing 9cm x 10cm
- 3 disposable gloves (bag of 2)
- 2 gauze 7.5cm x 1.5cm x 3

PN:HS9000

- 1 adhesive plastic strips (pkt 50)
- 1 antiseptic steri tube 30ml
- 1 scissors s/s blunt/sharp
- 5 saline steri tube 30ml
- 1 gallipot 250ml
- 1 instant icepac
- 12 plastic bag (specimen)
- 1 resus shield
- 3 crepe bandage 5cm
- 1 safety pins (bag of 10)
- 3 combine dressing 9cm x 20cm
- 1 tape micropore

EMERGENCY TRAUMA

Packed in a heavy-duty vinyl pouch with an in built ground sheet this kit is recommended for placement in work locations that are remote from a First Aid post.

Emergency

- 4 triangle bandage 110cm x 110cm
- 1 tape elastic 2.5x3m
- 1 scissors s/s blunt/sharp
- 1 scissors lister
- 1 tape hypo-allergic 2.5cmx9.1m
- 8 wound dressing no 13
- 4 wound dressing no 15
- 1 thermo blanket
- 4 eye pad large
- 1 heavy crepe bandage 10cm

PN:HS5814

- 1 safety pins (pkt 12)
- 1 adhesive plastic shapes (pkt 50)
- 4 bag medium
- 1 disposable gloves (bag of 10)
- 2 universal dressing large
- 4 wound dressing no 14
- 1 "Staying Alive" manual
- 4 gauze swabs 7.5cm x 7.5cm x 3
- 1 crepe bandage 5cm
- 6 saline steri tube 30ml



HOME KIT

No one is more precious than your family. This well stocked kit in a convenient heavy-duty plastic box is suitable for treatment of a range of accidents from everyday bumps and bruises to serious injuries.

Home Kit

- 2 triangle bandage 110cmx110cm
- 5 probe disposal
- 1 conforming bandage 10cm
- 2 conforming bandage 5cm
- 1 forceps s/s finepoint
- 1 disposable gloves (bag of 4)
- 4 gauze swabs 7.5cm x 7.5cm x 3
- 2 eye pad large
- 2 saline steri tube 10ml
- 6 swab antiseptic
- 6 swab betadine
- 1 Stingoes gel 25g
- 1 disposable towels (pkt3)
- 1 resus face shield

PN:HS1213

- 1 safety pins (pkt 5)
- 1 adhesives plastic strips (pkt 25)
- 2 conforming bandage 7.5cm
- 1 scissors s/s blunt/sharp
- 1 tape hypo-allergic
- 1 "Emergency Guide to First Aid"
- 2 combine dressing 9cm x 20cm
- 1 combine dressing 20cm x 20cm
- 2 7.5 x 10cm non adhesive dressing
- 6 swab alcohol
- 1 wound closure (pkt 5)
- 1 wound dressing no14
- 1 notepad/pencil
- 2 bag medium

Marking Paint



MINING – SAFE MARK VERTICAL/HORIZONTAL MARKING

Non-flammable ozone safe layout marker specially formulated for underground areas and other fire sensitive situations. Clear distinguishable markings on dark surfaces. Ideal for underground surveying and marking out for mining and engineering requirements.

- 12 Cans per Carton • 350g can
- 360° application

SAFE MARK/VERTICAL

PN	Colour
38043502	Red
38043505	Yellow
38043506	Orange
38043511	White
38043522	Fluoro Red
38043523	Fluoro Blue
38043524	Fluoro Green
38043525	Fluoro Yellow
38043526	Fluoro Orange
38043529	Fluoro Pink

SAFE MARK HORIZONTAL

PN	Colour
38023502	Red
38023505	Yellow
38023506	Orange
38023511	White
38043522	Fluoro Red
38043523	Fluoro Blue
38043524	Fluoro Green
38043525	Fluoro Yellow
38043526	Fluoro Orange
38043529	Fluoro Pink



LINE MARKING MACHINE

Non-flammable ozone safe layout A fast drying, acrylic paint specially formulated to provide long lasting lines.

- 12 Cans per Carton
- 500g can

PN	Colour
41800203	4 Wheel Line Marking Machine
41810053	Replacement Masking Wheels (2 on axle)
41800701	Line Marker Side Liner Accessory
41015001	Black
41015002	Red
41015003	Blue
41015004	Green
41015005	Yellow
41015006	Orange
41015011	White
41015035	Yellow
41015013	Grey
41125011*	White

*Specially designed for grass marking

Stencils

BRASS INTERLOCKING STENCIL SETS



Brass Interlocking Stencil Sets are available as a 'Do It Yourself' Kit. Convenient, heavy duty, interlocking stencils, ideal for those jobs where the wording is

constantly changing. Simply select the letters and numbers and interlock the snug fitting letters together. They will not slip apart when using so you can be assured of a professional finish each time.

ZINC STENCIL SETS

Stencil Sets in Zinc material are solvent resistant.




BRASS INTERLOCKING SETS 0-9		BRASS INTERLOCKING SETS A-Z	
PN	Size	PN	Size
13700025	25mm	13711025	25mm
13700050	50mm	13711050	50mm
13700075	75mm	13711075	75mm
13701100	100mm	13711100	100mm
13701125	125mm	13711125	125mm
13701150	150mm	13711150	150mm

ZINC STENCIL SETS 0-9		ZINC STENCILS SETS A-Z	
PN	Size	PN	Size
13800125	25mm	13810125	25mm
13800150	50mm	13810150	50mm
13800175	75mm	13810175	75mm
13801100	100mm	13811100	100mm
13801125	125mm	13811125	125mm
13801150	150mm	13811150	150mm

General Safety

Tags/Key Rings

ACRYLIC TAGS




ID055 Round	ID58 Large Oblong
Tag Size 41mm	Tag Size 96x65mm
Insert Size 34.5mm	Insert Size 80x58mm
Ring Size 25mm	Ring Size 25mm
ID56 Oblong	ID59 Long Oblong
Tag Size 55x35mm	Tag Size 80x28mm
Insert Size 36x25mm	Insert Size 65x23mm
Ring Size 25mm	Ring Size 25mm
ID57 Square	ID60 Medium Oblong
Tag Size 40x40mm	Tag Size 77x53mm
Insert Size 34x34mm	Insert Size 63x45mm
Ring Size 25mm	Ring Size 25mm

KEY RINGS



ID1040	16mm x 1mm	Zinc Plated
ID1041	19mm x 1.25mm	Zinc Plated
ID1042	25mm x 1.6mm	Zinc Plated
ID1043	30mm x 1.8mm	Zinc Plated
ID1044	38mm x 2mm	Zinc Plated
ID1045	19mm x 1.25mm	Stainless Steel

Safety Hooks



- LEAD STAND**
PN: ELH2
- Robust, stable and highly visible
 - For Air – Water – Electricity
 - Adjustable Height
 - Weight Hook



- LEAD HOOK**
PN: ELH1
- Large 50mm hook capacity
 - Key hole fastening position
 - Non conductive polymers
 - Commercial – Industrial – Domestic
 - For Leads – Cables - Hoses




EXAMPLE OF LEAD HOOK USAGE

Safety Step



SAFETY STEP
PN: HS3503



Entrance Matting

CHEVRON

Size – 1.5 x 9m x 9mm thickness

PN: MV3660-C (Charcoal)

MV3660-B (Burgundy)

MV3660-BS (Blue Slate)


Size – 1.8 x 1.2m

PN: MV4872-C (Charcoal)

MV4872-B (Burgundy)

MV4872-BS (Blue Slate)

- Herringbone-pattern ribs brush dirt from shoes
- To Clean – shake, vacuum or wash with hose
- Dries in only an hour or so
- Heavy duty pure vinyl base for long life
- Mats edged on all sides
- Excellent for prestige entrances



**CONTACT HARTAC
ON 08 9477 1800
FOR MORE
INFORMATION**



BRUSH RIB

Size – 1.5 x 9m x 8mm thickness

PN: MB3660-G (Grey)

MB3660-BS (Blue Slate)

Size – 1.8 x 1.2m

PN: MB4872-G (Grey)

MB4872-BS (Blue Slate)

- Raised profile wipes dirt off shoes
 - To clean just hose down
 - Hard wearing heavy gauge polypropylene
 - Vinyl backing and edging resists cracking
 - Mats edged on four sides to control tripping
- Keeps the mat flat

Anti-Fatigue Matting

SAFEWALK BLACK

Size – 1.5 x 9m x 12mm thickness

PN: MG3660BK

- Economy mat for general use
- Low profile molded in ramps on all four sides for safety
- Individual workstation size
- Large drainage holes gets liquid spills away fast



Anti-Fatigue Matting cont.

CUSHION-FOOT SOLID BLACK

Size: 0.9m x 9m x 17mm thickness

PN: MD3636BK

- Very comfortable anti-fatigue mat
- Suitable for wheeled traffic
- Grease resistant through high nitrile content
- Built in connectors on two sides allows easy assembly of multiple mats to any configuration
- Slip prevention ramp an option in black or yellow
- Also available with drainage holes (same code as above)



COMFORT KING – ROYAL BLUE

Size: 0.9m x 18.3m x 9mm thickness

PN: MEC360

- Very resistant – three times the bounce of vinyl foam means superior anti-fatigue qualities
- Amazing durability keeps it performing three times as long as ribbed vinyl foam. Replace mats less often
- Superior slip resistance
- Insulates against cold – stays softer in lower temperatures



DIAMOND FOAM

Size: 0.9m x 18.3m x 10mm thickness

PN: MED360YW

- Very economical expanded vinyl foam for excellent foot comfort
- Diamond pattern to help prevent slips moulded into top surface
- Yellow edges, full length of roll, molded into the top surface
- Bevelled edges to prevent trips – cut ends can be bevelled



Personal Protection Equipment

Welcome to Hartac's latest Signs & Safety Solutions Catalogue

This catalogue has been designed to assist our customers in selecting the correct signs and equipment to meet the regulatory standards and codes pertaining to their industry. It has always been our policy to manufacture signs that will give maximum life, using materials designed to withstand hostile conditions, and to supply safety products of the highest standard.

We offer a complete service from laser engraving to custom designed mine site name and information signs. Surveys can be arranged with our trained representatives, to advise you on the correct signs to be installed.



Personal Protection Equipment

Half Masks



THE SR 100 HALF MASK

PN:100-03217 M/L PN:100-03218 S/M

This mask is made of silicone and is available in two sizes, S/M and M/L. The mask is equipped with two exhalation valves, which ensures very low exhalation resistance. Valve covers with baffles effectively protect the exhalation membrane against dust and paint mist. The easily adjustable elastic head harness of the mask is designed as a V-shaped loop and has a large, dished crown plate, which contributes toward a comfortable and secure fit. The SR 307 compressed air attachment can be connected. Nominal protector factor: 50



THE SR 90-2 HALF MASK

PN:100-03219 M/L PN:100-03220 S/M

This mask is made of thermoplastic elastomer (TPE) in two sizes, i.e. S/M and M/L. The mask is equipped with two exhalation valves, which ensures very low breathing resistance. Then easily adjustable elastic head harness of the mask is designed as a V-loop and has a large, dished crown plate, which contributes towards a comfortable and secure fit. The SR 307 compressed air attachment can be connected. Nominal protection factor: 50



THE SR 75 HALF MASK

PN:100-03221

This mask is made of thermoplastic elastomer (TPE) in one size and has a head harness similar to that of the SR 90-2. The mask is of a somewhat simpler design than the SR90-2, but also has a good fit and is designed for short spells of work. Nominal protection factor: 50

Full Masks



THE SR 200 FULL FACE

PN:110-04179 PN:110-04213 (with glass visor)

This mask is a full face mask often advisable in circumstances in which the air pollutant concentrations are high. The SR system includes the new SR 200, which offers excellent protection in all situations in which unassisted filtering devices are used.

The same range of filters is used in all Sundstrom masks, which enables the most efficient and most economical solutions to be combined for each individual working situation. Full face mask SR 200.

The Sundstrom SR 200 full face mask is intended for use wherever the same maximum safety and good breathing comfort are required as those for which our half masks have become acknowledged. The SR 200 is used with the same simple filter system and the same compressed air attachment as our half masks. It has two exhalation valves for minimum exhalation resistance, a faceblank of silicone and a quickly adjustable elastic strap head harness. Part of the inhalation air is guided past the visor in order to prevent it from misting. In addition, the mask has very low weight, approx. 450g. Nominal protection factor of 2000.

Personal Protection Equipment

Filters for Half and Full Face Masks



SUNDSTRÖM PRE FILTER 221-1

PN:140-00027

Product name: 221-1

Use: Always used with filters to protect main filter from larger particles coming through.

SUNDSTRÖM FILTER 210/310

PN:130-00026/5

Particle filter P3

Product name: SR 210/310

Use: Used against all types of wet and dry particles, such as dust, smoke, aerosols, spray, asbestos, bacteria, viruses and mould.

SUNDSTRÖM FILTER 217

PN:131-01329

Organic gas filter A1

Product name: 217

Use: Used against vapour from organic substances whose boiling point exceeds +65C

SUNDSTRÖM FILTER 218

PN:136-00023

Organic gas filter A2

Product name: 218

Use: Used against vapour from organic substances whose boiling point exceeds +65C

SUNDSTRÖM FILTER 298

PN:139-01356

Organic gas filter AX

Product name: 298

Use: Used against vapour from organic gases with a boiling point below +65C

SUNDSTRÖM FILTER 294

PN:135-01354

Inorganic/acid gas filter BE2

Product name: 294

Use: Used against vapour from inorganic gases whose boiling point exceeds +65C and for acid gas and vapour

SUNDSTRÖM FILTER 316

PN:131-01351

Ammonia filter K1

Product name: 316

Use: Used against ammonia vapour

SUNDSTRÖM FILTER 295

PN:135-01355

Ammonia filter K2

Product name: 295

Use: Used against ammonia vapour

SUNDSTRÖM FILTER 315

PN:131-01350

Inorganic/organic/acid gas filter ABE1

Product name: 315

Use: Used against vapour from organic gases whose boiling point exceeds +65C, for inorganic gas, and for acid gas and vapour

SUNDSTRÖM FILTER 297

PN:131-00770

Inorganic/organic/acid/ammonia gas filter ABEK1

Product name: 297

Use: Used against vapour from organic gases whose boiling point exceeds +65C, for inorganic gas, acid gas, and for ammonia

SUNDSTRÖM FILTER 299-2

PN:133-00479

Combined ABEK1-Hg-P3 filter

Product name: 299-2

Use: The filter protects against the following types of gases, vapours and particles:

Type	Protection
A	Organic gases and vapours, such as solvents, with boiling points above +65°C.
B	Inorganic gases and vapours, such as chlorine, hydrogen sulphide, hydrogen cyanide.
E	Acid gases and vapours, such as sulphur dioxide, hydrogen fluoride.
K	Ammonia and certain amines, such as ethylene diamine
Hg	Mercury vapour. NOTE: max use 50 hours.
P3	All types of particulates, such as dust, mist, smoke.

Hard Hats



VENTED HARD HATS

PN:HHV6

- Individually packaged
- Available in white, yellow, red, blue, green, orange and fluoro yellow (colours can be assigned to location, job or industry)
- 6 point harness
- Lightweight
- Quantity per carton -20



UNVENTED HARD HATS

PN:HH6

- Individually packaged
- Available in white, yellow, red, blue, green, orange and fluoro yellow (colours can be assigned to location, job or industry)
- 6 point harness
- Lightweight
- Cotton sweatband prevents perspiration
- Quantity per carton - 20

Personal Protection Equipment

Safety Glasses/Goggles (SOLD IN PACKS OF 12)



- TYPHOON CLEAR PN:1300**
- Medium impact, anti-scratch lens
 - One-piece lens with side shields
 - 99.9% UV protection for outdoor wear
 - Ratchet & extendable arms for custom fit



- TYPHOONSMOKE PN:1302**
- Medium impact, anti-scratch lens
 - One-piece lens with side shields
 - 99.9% UV protection for outdoor wear
 - Ratchet & extendable arms for custom fit



- BREEZE CLEAR PN:6700**
- Medium impact, anti-scratch lens
 - Stylish, wrap around design which promotes wear in any work environment
 - 99.9% UV protection for outdoor wear



- BREEZE SILVERMIRROR PN:6704**
- Medium impact, anti-scratch lens
 - Stylish, wrap around design which promotes wear in any work environment
 - 99.9% UV protection for outdoor wear



- PHOENIX CLEAR PN:8600**
- Medium impact, anti-scratch lens
 - Frameless & ultra lightweight to increase comfort for extended wear
 - 99.9% UV protection for outdoor wear



- PHOENIX SMOKE PN:8602**
- Medium impact, anti-scratch lens
 - Frameless and ultra lightweight to increase comfort for extended wear
 - 99.9% UV protection for outdoor wear
 - Comfortable silicone nose piece



- PHOENIX AMBER PN:8605**
- Medium impact, anti-scratch lens
 - Frameless and ultra lightweight to increase comfort for extended wear
 - 99.9% UV protection for outdoor wear
 - Comfortable silicone nose piece



- FUSION CLEAR PN:9200**
- Medium impact, anti-scratch lens
 - One piece wrap around lens offers excellent side-of-face protection
 - 99.9% UV protection for outdoor wear
 - Comfortable silicone nose piece
 - Comes with bonus spec cord



- FUSION SMOKE PN:9202**
- Medium impact, anti-scratch lens
 - One piece wrap around lens offers excellent side-of-face protection
 - 99.9% UV protection for outdoor wear
 - Comfortable silicone nose piece
 - Comes with bonus spec cord



- SCOPE CLEAR GOGGLES PN:3500**
- Medium impact, anti-scratch lens
 - Anti-fog, hardened 2mm lens ideal for use with dust masks in humid conditions
 - 99.9% UV protection for outdoor wear
 - Good chemical splash protection



- SCOPE SMOKE GOGGLES PN:3502**
- Medium impact, anti-scratch lens
 - Anti-fog, hardened 2mm lens ideal for use with dust masks in humid conditions
 - 99.9% UV protection for outdoor wear
 - Good chemical splash protection



- SCOPE 3500 GOGGLES REPLACEMENT LENS PN:3500L**
- Medium impact, anti-scratch lens
 - Anti-fog, hardened 2mm lens for use with dust masks in humid conditions
 - 99.9% UV protection for outdoor wear
 - Sold individually

Personal Protection Equipment

Visors



VADAR Browguard PN: BG with Ratchet Headgear

- One piece design offering 180° head protection made from durable Polyethylene
- Cotton sweat band which provides greater sweat absorption



VADAR CLEAR PN:VC Polycarbonate Visor

- Anti-fog 2mm visor to suit BG & HHBG
- Chemical splash, molten metal, hot solids and high impact resistant



VADAR PN:BGV Assembled Browguard and Visor

- Anti-Fog Visor (VC) and browguard (BG)
- Ready assembled to be on the task immediately



VADAR SMOKE PN:VS Polycarbonate Visor

- Anti-fog 2mm visor to suit BG & HHBG
- Chemical splash, molten metal, hot solids and high impact resistant

Disposable Respirators (SOLD IN BOX ONLY)



NON TOXIC DUSK MASK PN:PC101

- A lightweight mask for comfortable, extended wear
- Aluminium nose-piece can be moulded to individual comfort and seal



RESPIRATOR P1 PN:PC301

- A lightweight mask for comfortable, extended wear
- Aluminium nose-piece can be moulded to individual comfort and seal



RESPIRATOR P1 WITH VALVE PN:PC315

- Exhalation ProValve for extra air flow
- Colour coded nose-piece and packaging for easy identification



RESPIRATOR P2 PN:PC305

- P2 rating for protection against mechanically and thermally generated particles
- Coloured coded nose-piece and packaging for ease of identification



RESPIRATOR P2 WITH VALVE PN:PC321

- P2 rating for protection against mechanically and thermally generated particles



RESPIRATOR P2 WITH VALVE AND ACTIVE CARBON FILTER PN:PC531

- P2 rating for protection against mechanically and thermally



PROMESH RESPIRATOR P2 PN:PC821

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during long periods of wear



PROMESH RESPIRATOR P2 WITH VALVE PN:PC822

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit



PROMESH RESPIRATOR P2 WITH VALVE ACTIVE CARBON FILTER PN:PC823

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit

Personal Protection Equipment

Disposable Gloves



- BLUE VINYL GLOVES DVB**
- LIGHTLY POWDERED, close fitting
 - Blue colour indicates suitability for use in food industries
 - General Purpose
 - Latex free – suitable for use by those allergic to latex
 - Sizes S, M, L, XL



- EXAMINATION NATURAL LATEX GLOVES MDL**
- LIGHTLY POWDERED, close fitting
 - TGA-listed (ARTG107407) for use in medical examination
 - High-quality latex rubber
 - Sensitive touch



- EXAMINATION NITRILE GLOVES MDN**
- LIGHTLY POWDERED, close fitting
 - TGA-listed (ARTG108836) for use in medical examination
 - Industrial grade synthetic nitrile – chemical, abrasion and oil resistant

Cotton Gloves (SOLD PER PACK 12 ONLY)



- KNITTED POLY/COTTON 342DG**
- Latex dipped palm & fingers for extra grip
 - Elasticised, comfortable fit
 - Open knit back for ventilation
 - Sizes: 7,8,9,10,11



- INTERLOCK POLY/COTTON LINER AMBIDEXTRIOUS GLOVE Ladies 342K Mens 342K**
- 7 gauge knit for strength/ventilation
 - Bleached for clean appearance
 - Can be reversed and used both sides



- KNITTED POLY/COTTON GLOVE Ladies 342KPDBL Mens 342KPDBL**
- Bleached with black PVC dot grip on one side for extra grip
 - 7 gauge knit for strength and ventilation
 - Bleached for clean appearance



- COTTON DRILL GLOVE Ladies CDR9 Mens CDB10**
- Tough cotton • Economical
 - Knitted wrist to exclude debris
 - Red wrist signifies ladies size
 - Blue wrist signifies mens size

Leather Gloves - General Use

(SOLD PER PACK 12 ONLY)



- YELLOW GREY LEATHER 940GYM**
- Heavy duty cow split one-piece palm
 - Yellow safety cuff and knucklebar for extra protection
 - Size: One size fits all



- GREEN & GREY STRIPE R88FIG**
- Heavy-duty cow split leather re-inforced palm, thumb and forefinger for extended toughness and durability
 - Safety cuff for wrist protection
 - Knuckle bar for added protection

Rigger Gloves (SOLD PER PACK 12 ONLY)



- RIGGER GLOVE PGL41**
- Pig grain beige rigger glove
 - Soft feel provides dexterity
 - Wing thumb, stitch-free palm
 - Colour coded cuff for easy size ID
 - Sizes: S, M, L, XL



- RIGGER GLOVE BEIGE CGL41B**
- "BOSS" cow grain rigger glove
 - Wing thumb, stitch-free palm
 - Colour coded cuff for size identification
 - Sizes: S, M, L, XL

Glove Clip



- GLOVE CLIP HSGLVG**
- Never misplace your gloves again with this convenient glove clip
 - Sold individually

Personal Protection Equipment

PVC Gloves (SOLD PER PACK 12 ONLY)



RED PVC GLOVE SHORT PN:PVC27

- Single dipped
- Resistant to oil, grease/chemicals
- Available in 27cm for hand protection
- Available in 45cm for hand and forearm protection
- Interlock lined for easy on/off
- Size: One size fits all



RED PVC GLOVE PN:PVC45 LONG

- Single dipped
- Resistant to oil, grease and chemicals
- Available in 27cm for hand protection
- Available in 45cm for hand and forearm protection
- Interlock lined for easy on/off
- Size: One size fits all



RED PVC GLOVE PN:PVC2KU WITH KNITTED WRIST

- Single dipped
- Resistant to oil, grease and chemicals
- Available in 27cm for hand protection
- Available in 45cm for hand and forearm protection
- Interlock lined for easy on/off
- Size: One size fits all



GREEN PVC GLOVE - SHORT PN:PVC27DDT

- Double dipped with sand finish for improved grip and increased resistance to oil, greaser and chemicals
- 27cm for hand protection
- Jersey lined for comfort and sweat absorption
- Size: One size fits all



GREEN PVC GLOVE - LONG PN:PVC45DDT

- Double dipped with sand finish for improved grip and increased resistance to oil, grease and chemicals
- 45cm for hand and forearm protection
- Jersey lined for comfort and sweat absorption
- Size: One size fits all

Nitrile Gloves (SOLD PER PACK 12 ONLY)



SUPER-LITE YELLOW NITRILE GLOVE PN:NBR


- Light weight 3/4 dipped yellow nitrile glove
- Abrasion/chemical resistant
- Knitted wrist to exclude debris
- Open back improves ventilation
- Size: 7, 8, 9, 10



LITE-GRIP GLOVES PN:NNF


- Nitrile foam coated on nylon gives excellent dexterity
- Nylon liner makes this glove lightweight and breathable
- Ideal for production line and small parts handling
- Size: 7,8,9,10

Chemical Resistant Gloves (SOLD PER PACK 12 ONLY)



NITRILE CHEMICAL GLOVE PN:RNF15

- Premium grade Nitrile for maximum abrasion and chemical resistance
- Premium grade soft cotton flock lining for comfort
- Sizes: S, M, L, XL, 2XL, 3XL



NITRILE CHEMICAL GLOVE PN:RNU22

- Premium grade Nitrile for maximum abrasion and chemical resistance
- Textured palm for enhanced grip
- 45 cm length for forearm protection
- Sizes: M, L, XL



BLUE NEOPRENE GLOVE PN:NEOYB

- Dipped blue Neoprene palm over yellow Latex rubber for increased chemical resistance
- Triple dip technology improves resistance to puncture and the effects of fats and oils
- Sizes: M, L, XL,

Personal Protection Equipment

Welding Gloves (SOLD PER PACK 12 ONLY)



BLACK & GOLD PN:BGW16 GLOVE

- Lined and welted
- 406mm (16 inches) long for forearm protection
- Size: One size fits all



HOTSHOT PN:BRW16E KEVLAR GLOVE

- High quality red cow split leather
- Lined and welted
- Size: One size fits all



BLUE & GOLD PN:KBW16E KEVLAR GLOVE

- High quality red cow split leather
- Lined and welted
- Size: One size fits all



GREEN/GOLD PN:LGW16E KEVLAR LEFT HAND PAIR

- High quality red cow split leather
- Lined and welted
- Size: One size fits all

Respirators



POWERED AIR PURIFYING (PAPR)

OptimAir 3000

PN:10061582 – OptimAir 3000 mask version complete with comfort belt

PN:10061906 – OptimAir 3000 half hood version complete with comfort belt

PN:10061907 – OptimAir 3000 full hood version complete with comfort belt

PN:10066899 – OptimAir 3000 Optivisor complete with comfort belt

PN:10058144 – Optivisor welding shield (for above)

FILTER OPTIONS

10049632 – OptimAir 3000 P3 – Box 10 10049637 – OptimAir 3000 A1 Filters – Box 10

10049635 – OptimAir 3000 ABEK Filters – Box 10



- Protects against hazardous particles, gases and vapours
- High performance, compact and flexible
- The most advanced & comprehensively designed system on the market
- Patented, powerful, ultra low profile blower providing user with a constant flow of clean, contaminant free air
- Display shows battery status in 5 levels (LED & acoustic signals) and visible warnings for low battery or airflow
- Stackable filter system, allowing use of combination Particle (P), Organic (A) or Multi Gas (ASEK) specific filters
- Units supplied complete, simply choose the filters specific to your application



BREATHING APPARATUS

BD96AS Pressure Demand Breathing Apparatus

PN: 228969 – Back plate 2nd Mask Attachment, Demand Valve, 3SPS Face Mask

PN: 227545 – Back plate, 2nd Mask Attachment, Demand Valve, Ultra Elite Mask

- Adjustable cylinder retainer strap for cylinders up to 9 litres
- Harness made of non-flammable Nomex
- Optional MSA Quick-Fill system
- Available in single & twin cylinder configuration
- Cylinders sold separately



BREATHING APPARATUS

BD Compact Breathing Apparatus

PN: 227931 – BD Compact 3SPS Mask less Cylinder

PN: 227935 – BD Compact Ultra Elite Mask less Cylinder

- Reliable and economical air supply system
- Working and Rescue breathing apparatus
- Cylinders sold separately

Personal Protection Equipment

RESPIRATORS continued



BREATHING APPARATUS

Airmaxx SL Breathing Apparatus

PN: 7624373 – Airmaxx SL Ultra Elite PS Maxx Mask, AutoMaxx Demand Valve Rubber Hose

- Single line air management system
- The SL supplies the demand valve, gauge, warning signal
- New first stage pressure reducer requiring little maintenance
- Three position adjustable back plate



BREATHING APPARATUS

Airmaxx MM Breathing Apparatus

PN: 762018 – Airmaxx Back plate, Ultra Elite Face Mask, AutoMaxx Demand Valve

- New first stage pressure reducer requiring little maintenance
- Has the traditional medium pressure hose
- Three position adjustable back plate



BREATHING APPARATUS

Cylinders (Sold Separately)

PN:	SIZE	DESCRIPTION
223358	2 litre 300 bar	Fully wrapped carbon fibre cylinder + valve Duration: 22 minutes Approx. full weight 3.4kg
228196	4.3 litre 300 bar	Fully wrapped carbon fibre cylinder + valve Duration: 31 minutes Approx. full weight 6.4kg
228315	6 litre 300 bar	Steel cylinder + valve Duration: 45 minutes Approx. full weight 10.4kg
222378	9 litre 207 bar	Fully wrapped 3S glass cylinder + valve Duration: 46 minutes Approx. full weight 10.4kg
227921	6.8 litre 300 bar	Fully wrapped carbon fibre cylinder + valve Duration: 51 minutes Approx. full weight 6.9kg
229796	9 litre 300 bar	Fully wrapped carbon fibre cylinder + valve Duration: 67 minutes Approx. full weight 8.1kg
765008	9 litre 200 bar	Fully wrapped carbon fibre cylinder + valve Duration: 46 minutes Approx. full weight 6.7kg



AIRLINE APPARATUS

Conflow Airline Respirator

PN: 764964

- Slight positive pressure of air inside face piece preventing contaminants seeping through
- Complete respirator assembly ultravue full face piece
- Breathing hose support belt with quick-disconnect assembly
- Ideal for non-immediately dangerous to life & health environments



AIRLINE APPARATUS

Cavair Light Duty Airline Breathing Apparatus

PN: 3050750

- Light duty compressed airline equipment
- Most versatile constant flow device from MSA
- Adjustable air flow regulator & disposable lens cover

Personal Protection Equipment

Disposable Coveralls (SOLD IN PACKS 50 ONLY)



DISPOSABLE COVERALLS BLUE

- Easy to put on and remove
- Ready access to clothing underneath
- Sizes: S, M, L, XL, 2XL, 3XL

PN:DOB



DISPOSABLE COVERALLS WHITE

- Easy to put on and remove
- Durable and economical
- Sizes: S, M, L, XL, 2XL, 3XL

PN:DOW



PROVEK DISPOSABLE COVERALLS

- Lightweight/soft/excellent strength
- Lint-free
- Good opacity
- Sizes: S, M, L, XL, 2XL, 3XL

PN:DOWP

Welding Gear



WELDERS APRON PN:WA96

- Grey chrome leather
- Buckle and leather strap for quick and easy fitting and removal
- Size: 900mm x 600mm
- Sold individually

WELDERS SLEEVES PN:WS

- Grey chrome leather
- Size: One size fits all
- Sold individually



WELDERS CAP PN:WC

- All chrome leather
- 200mm nape for neck protection
- Size: One size fits all
- Sold individually



HOTSHOT WELDERS JACKET PN:WJ

- High quality red cow split leather
- Kevlar stitched to increase resistance to heat, cuts and abrasion
- Moderate heat protection
- Sizes: L, XL, 2XL, 3XL
- Sold individually



WELDERS LEATHER KNEE PADS PN:WKP

- All chrome leather
- Velcro fastening
- Sizes: One size fits all
- Sold individually

Safety Vests



FLUORO YELLOW SAFETY VEST PN:SVY-NT

- No reflective tape – compliant to Australian Standards Class D
- Sizes: M, L, XL, 2XL, 3XL, 4XL



FLUORO YELLOW X BACK SAFETY VEST PN:SVY-ASX

- With 'X' Back reflective tape to meet Australian Standards Class D/N
- Sizes: M, L, XL, 2XL, 3XL, 4XL



FLUORO YELLOW H BACK SAFETY VEST PN:SVY - AS

- With 'H' Back reflective tape to meet Australian Standards Class D/N
- Sizes: M, L, XL, 2XL, 3XL, 4XL



FLUORO ORANGE H BACK SAFETY VEST PN:SVO- AS

- With 'H' Back reflective tape to meet Australian Standards Class D/N
- Sizes: M, L, XL, 2XL, 3XL, 4XL

Personal Protection Equipment

Sunscreen



SUNSCREEN

PN:SS125

- 125ml Tube
 - SPF 30+ with moisturising Vitamin E
 - 3 hours water resistant
 - Flip top tube
- (SOLD IN PACK 12 ONLY)**



SUNSCREEN

PN:SS250

- 250ml Bottle
 - SPF 30+ with moisturising Vitamin E
 - 3 hours water resistant
 - Flip top bottle
- (SOLD IN PACK 6 ONLY)**



SUNSCREEN

PN:SS500

- 500ml Bottle
 - SPF 30+ with moisturising Vitamin E
 - 3 hours water resistant
 - Pump pack bottle
- (SOLD IN PACK 6 ONLY)**



SUNSCREEN 1 LITRE BOTTLE

PN:SS1

- SPF 30+ with moisturising Vitamin E
 - 3 hours water resistant
 - Pump pack bottle
- (SOLD IN PACK 6 ONLY)**



WALL BRACKET - 500ML

PN:SSB500

- Convenient sturdy wall bracket
- White powdercoated wire frame
- Sold individually



WALL BRACKET - 1 LTR PN:SSB1

- Convenient sturdy wall bracket
- White powdercoated wire frame
- Sold individually

Back Supporting Belts



PROCHOICE BACK SUPPORT BELT

Scientifically designed for comfort and support. Durable and lightweight for comfort when worn for long periods.



BACK SUPPORT BELT PN:BB

- Smooth glide adjustable clips
- Easy adjust elastic outer panels for added lowerback support
- Tapered abdomen support panels
- 35mm wide support elastic braces
- Adjustable belt and braces for comfortable fit
- Sizes: S, M, L, XL, 2XL
- Sold individually

Location Map

Location Map



HARTAC
19 Wheeler St
Belmont, Perth
WA 6104



ESTABLISHED 1968

HARTAC
SALES AND DISTRIBUTION PTY LTD

19 Wheeler Street, Belmont,

Perth, Western Australia 6104

T: 08 9477 1800 F: 08 9477 1855

E: sales@hartac.com.au

W: www.hartac.com.au