



# Cable

## Product Overview

# Table of Contents

## HDMI/DVI

HDMI to HDMI 4K	04
HDMI to Micro HDMI 4K	05
HDMI to Mini HDMI 4K	05
HDMI to HDMI	06
HDMI to DVI-D (18+1)	07
HDMI to DVI-D (24+1)	07
DVI-D to DVI-D (18+1)	08
DVI-D to DVI-D (24+1)	08



## DisplayPort/Mini DisplayPort

DisplayPort to DisplayPort	10
Mini DisplayPort to HDMI Adapter	11
Mini DisplayPort to VGA Adapter	12
Mini DisplayPort to DVI-D Adapter	13



## USB Cables

USB 2.0	15
USB 2.0 Extension	16
USB 2.0 Micro	17
USB 2.0 Mini	18
USB 3.0	19
USB 3.0 Extension	19
USB 3.0 Micro	20



## Patch Cables

Patch Cable Cat.5e	22
Patch Cable Cat.6	23



## SATA

SATA 2 90°	25
SATA 2 180°	25
SATA 3.0 90°	26
SATA 3.0 180°	26



## Internal Cables

Fan Extension 3-Pin	28
Fan Y-Cable 3-Pin	28
Power Cable	29
Power Cable (Adapter Cable)	29
Internal USB 2.0 to USB 3.0 Adapter	30



## USB Charge/Sync Cable

USB Cable with Lightning Connector	32
------------------------------------	----



## Packaging Unit

33 - 40

# HDMI / DVI



# HDMI to HDMI 4K


Type A Plug to Type A Plug

- Supports 4K x 2K 60 Hz
- Inner conductor: copper
- 3D ready
- Gold-plated connectors
- 30 AWG: 1-3 m
- 28 AWG: 5 m
- 26 AWG: 7.5 m
- 24 AWG: 10 m



Length	Color	
	Black	White
1.0 m	4044951018024	4044951018109
2.0 m	4044951018031	4044951018116
3.0 m	4044951018048	—
5.0 m	4044951018055	—
7.5 m	4044951018062	—
10.0 m	4044951018079	—
12.5 m	4044951018086	—
15.0 m	4044951018093	—


Cable cross section:



## HDMI to Micro HDMI 4K


Type A Plug to Type D Plug

- Supports 4K x 2K 60 Hz
- 3D ready
- 32 AWG
- Gold-plated connectors



	Color
Length	Black
1.0 m	4044951017966
1.5 m	4044951017973


Cable cross section:



## HDMI to Mini HDMI 4K


Type A Plug to Type C Plug

- Supports 4K x 2K 60 Hz
- 3D ready
- 32 AWG
- Gold-plated connectors



	Color
Length	black
1.0 m	4044951017997
2.0 m	4044951018000
3.0 m	4044951018017

Cable cross section:



# HDMI to HDMI


Type A Plug to Type A Plug

- Inner conductor: copper
- 3D ready
- 30 AWG 1-5 m
- 28 AWG 7.5-10 m
- 26 AWG 12.5-15 m
- Gold-plated connectors



Length	Color	
	Black	White
1.0 m	4044951015122	4044951015139
2.0 m	4044951008971	4044951015146
3.0 m	4044951008988	—
5.0 m	4044951008995	—
7.5 m	4044951017393	—
10.0 m	4044951009039	—
12.5 m	4044951017409	—
15.0 m	4044951009046	—


Cable cross section:



## HDMI to DVI-D


Type A Plug to Type 18+1 Plug

- DVI-D single link 18+1
- Max. resolution: full HD 1920 x 1080
- 28 AWG



	Color
Length	Black
1.0 m	4044951017324
2.0 m	4044951009053
3.0 m	4044951009060
5.0 m	4044951009077


Cable cross section:



## HDMI to DVI-D


Type A Plug to Type 24+1 Plug

- DVI-D dual link 24+1
- Max. resolution: 1920 x 1080
- 28 AWG



	Color
Length	Black
1.0 m	4044951017331
2.0 m	4044951015214
3.0 m	4044951015221
5.0 m	4044951015238


Cable cross section:



## DVI-D to DVI-D


Type 18+1 Plug to Type 18+1 Plug

- DVI-D single link 18+1
- Max. resolution: full HD 1920 x 1080
- 28 AWG



	Color
Length	Black
2.0 m	4044951009084
3.0 m	4044951009091
5.0 m	4044951009107


Cable cross section:



## DVI-D to DVI-D


Type 24+1 Plug to 24+1 Plug

- DVI-D dual link 24+1
- Max. resolution: 2560 x 1600
- 28 AWG



	Color
Length	Black
2.0 m	4044951009114
3.0 m	4044951009121
5.0 m	4044951009138

Cable cross section:






# DisplayPort / Mini DisplayPort



# DisplayPort to DisplayPort


20-Pin Plug to 20-Pin Plug

- DisplayPort V1.2
- Supports 4K x 2K 60 Hz
- Cable with locking mechanism
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1



	Color
Length	<b>Black</b>
1.0 m	4044951018154
2.0 m	4044951018161
3.0 m	4044951018178

Cable cross section:




# Mini DisplayPort Adapter

Mini DisplayPort to HDMI Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1



	Color
Length	White
15 cm	4044951017362




# Mini DisplayPort Adapter

Mini DisplayPort to VGA Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1




	Color
Length	White
15 cm	4044951017379




# Mini DisplayPort Adapter

Mini DisplayPort to DVI Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1



	Color
Length	White
15 cm	4044951017386



# USB Cables




# USB 2.0

Type A Plug to Type B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



Length	Color	
	Black	Grey
0.50 m	4044951015245	4044951015290
1.0 m	4044951015252	4044951015306
2.0 m	4044951015269	4044951015313
3.0 m	4044951015276	4044951015320
5.0 m	4044951015283	4044951015337



Cable cross section:



Length	Color
	White
0.50 m	4044951015344
1.0 m	4044951015351
2.0 m	4044951015368
3.0 m	4044951015375
5.0 m	4044951015382




# USB 2.0 Extension

Type A Plug to Type A Extension Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



	Color
Length	Black
0.50 m	4044951015399
1.0 m	4044951015405
2.0 m	4044951015412
3.0 m	4044951015429



Cable cross section:



	Color
Length	White
0.50 m	4044951015436
1.0 m	4044951015443
2.0 m	4044951015450
3.0 m	4044951015467






# USB 2.0 Micro

Type A Plug to Micro-B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



	Color
Length	Black
0.50 m	4044951015474
1.0 m	4044951015481
1.5 m	4044951017775
2.0 m	4044951015498
3.0 m	4044951015504



Cable cross section:



	Color
Length	White
0.50 m	4044951015511
1.0 m	4044951015528
1.5 m	4044951017881
2.0 m	4044951015535
3.0 m	4044951015542




# USB 2.0 Mini

Type A Plug to Mini-B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s




Cable cross section:



	Color
Length	Black
0.50 m	4044951015559
1.0 m	4044951015566
1.5 m	4044951017782
2.0 m	4044951015573
3.0 m	4044951015580



Cable cross section:



	Color
Length	White
0.50 m	4044951015597
1.0 m	4044951015603
1.5 m	4044951017898
2.0 m	4044951015610
3.0 m	4044951015627



## USB 3.0


Type A Plug to Type B Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max current: 900 mA
- Double shielded
- 28 AWG

Length	Color	
	Blue	Black
1.0 m	4044951010837	4044951015634
2.0 m	4044951010844	4044951015641
3.0 m	4044951010851	4044951015658
5.0 m	4044951010868	4044951015665



Cable cross section:




## USB 3.0 Extension


Type A Plug to Type A Extension Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max. current: 900 mA
- Double shielded
- 28 AWG

Length	Color	
	Blue	Black
1.0 m	4044951010875	4044951015672
2.0 m	4044951010882	4044951015689
3.0 m	4044951010899	4044951015696




Cable cross section:



# USB 3.0 Micro


Type A Plug to Micro-B Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max. current: 900 mA
- Double shielded
- 28 AWG



Length	Color	
	Blue	Black
1.0 m	4044951010905	4044951015702
1.5 m	—	4044951017874
2.0 m	4044951010912	4044951015719
3.0 m	4044951010929	4044951015726

Cable cross section:




# Patch Cables



# Patch Cable

Cat.5e Plug to Cat.5e Plug


- SFTP
- 26 AWG
- Inner conductor: copper
- Gold-plated connectors
- ISO/IEC 11801, EN50288, TIA/EIA 568-C.2



Length	Color						
	Blue	Yellow	Green	Red	Black	Grey	White
0.25 m	4044951014194	4044951014262	4044951014330	4044951014408	4044951014477	4044951014613	4044951014545
0.50 m	4044951014200	4044951014279	4044951014347	4044951014415	4044951014484	4044951014620	4044951014552
1.0 m	4044951014217	4044951014286	4044951014354	4044951014422	4044951014491	4044951014637	4044951014569
1.5 m	4044951017768	4044951017737	4044951017744	4044951017751	4044951017713	4044951017720	4044951017799
2.0 m	4044951014224	4044951014293	4044951014361	4044951014439	4044951014507	4044951014644	4044951014576
3.0 m	4044951014231	4044951014309	4044951014378	4044951014446	4044951014514	4044951014651	4044951014583
5.0 m	4044951014248	4044951014316	4044951014385	4044951014453	4044951014521	4044951014668	4044951014590
10.0 m	4044951014255	4044951014323	4044951014392	4044951014460	4044951014538	4044951014675	4044951014606




Cable cross section:



# Patch Cable

Cat.6 Plug to Cat.6 Plug


- SFTP
- 26 AWG
- Inner conductor: copper
- Gold-plated connectors
- ISO/IEC 11801, EN50288, TIA/EIA 568-C.2



Length	Color						
	Blue	Yellow	Green	Red	Black	Grey	White
0.25 m	4044951014682	4044951014750	4044951014828	4044951014897	4044951014965	4044951015108	4044951015030
0.50 m	4044951014699	4044951014767	4044951014835	4044951014903	4044951014972	4044951003679	4044951015047
1.0 m	4044951014705	4044951014774	4044951014842	4044951014910	4044951014989	4044951003686	4044951015054
1.5 m	4044951017850	4044951017829	4044951017836	4044951017843	4044951017805	4044951017812	4044951017867
2.0 m	4044951014712	4044951014781	4044951014859	4044951014927	4044951014996	4044951015115	4044951015061
3.0 m	4044951014729	4044951014798	4044951014866	4044951014934	4044951015009	4044951003693	4044951015078
5.0 m	4044951014736	4044951014804	4044951014873	4044951014941	4044951015016	4044951003709	4044951015085
10.0 m	4044951014743	4044951014811	4044951014880	4044951014958	4044951015023	4044951003723	4044951015092
20.0 m	—	—	—	—	—	4044951003747	—
100.0 m	—	—	—	—	—	4044951003761	—



Cable cross section:



SATA






## SATA 2 90°

7-Pin L-Type Plug to 7-Pin 90° L-Type Plug

- Max. data transfer rate: 3 Gbit/s
- Metal latch
- Angled




	Color
Length	Red
50 cm	4044951007875



## SATA 2 180°

7-Pin L-Type Plug to 7-Pin L-Type Plug

- Max. data transfer rate: 3 Gbit/s
- Metal latch




	Color
Length	Red
50 cm	4044951007868



## SATA 3 90°

7-Pin L-Type Plug to 7-Pin 90° L-Type Plug

- Max. data transfer rate: 6 Gbit/s
- Metal latch
- Angled
- Sleeved cable




Length	Color				
	Blue	Green	Red	Black	White
0.3 m	4044951016488	4044951016471	4044951016457	4044951016440	4044951016464
0.45 m	4044951016532	4044951016525	4044951016501	4044951016495	4044951016518
0.6 m	4044951016587	4044951016570	4044951016556	4044951016549	4044951016563
0.75 m	—	—	—	4044951017171	—
1.0 m	—	—	—	4044951017188	—



## SATA 3 180°

SATA 7-Pin L-Type Plug to 7-Pin L-Type Plug

- Max. data transfer rate: 6 Gbit/s
- Metal latch
- Sleeved cable



Length	Color				
	Blue	Green	Red	Black	White
0.3 m	4044951016631	4044951016624	4044951016600	4044951016594	4044951016617
0.45 m	4044951016686	4044951016679	4044951016655	4044951016648	4044951016662
0.6 m	4044951016730	4044951016723	4044951016709	4044951016693	4044951016716
0.75 m	—	—	—	4044951017157	—
1.0 m	—	—	—	4044951017164	—



# Internal Cables



## Fan Extension 3-Pin

Type 3-Pin Plug to Type 3-Pin Extension

- Sleeved cable

	Color
Length	Black
0.3 m	4044951016747



## Fan Y-Cable 3-Pin

Type 2x 3-Pin Plug to Type 3-Pin Jack

- Sleeved cable

	Color
Length	Black
0.2 m	4044951016754



## Power Cable

Type 4-Pin Molex Plug to 4-Pin Molex Jack and 3-Pin Fan Plug

- Sleeved cable

	Color
Length	Black
0.3 m	4044951016761



## Power Cable (Adapter Cable)

Type 4-Pin Molex Plug to 4-Pin Molex Jack and 3-Pin Fan Plug

- Adapter cable 12 V to 5 V
- Sleeved cable

	Color
Length	Black
0.3 m	44044951016778



# Internal USB 2.0 to USB 3.0 Adapter

Internal USB 3.0 to USB 2.0 Adapter

- USB 2.0 9-pin header plug
- Max. data transfer rate: 480 MBit/s
- Sleeved cable

	Color
Length	Black
0.2 m	4044951016785



# USB Charge/Sync Cable



## USB Cable with Lightning Connector

- Ready for Apple lightning devices
- USB 2.0 (compatible to iPad/iPad mini/iPhone)
- Max. data transfer rate USB 2.0: 480 Mbit/s



	Color	
Length	White	Black
1 m	4044951018222	4044951018307





## Packaging Unit

Page	Article	EAN	Color	Length	Packing
4	HDMI to HDMI 4K	4044951018024	black	1 m	140
4	HDMI to HDMI 4K	4044951018109	white	1 m	140
4	HDMI to HDMI 4K	4044951018031	black	2 m	80
4	HDMI to HDMI 4K	4044951018116	white	2 m	80
4	HDMI to HDMI 4K	4044951018048	black	3 m	60
4	HDMI to HDMI 4K	4044951018055	black	5 m	30
4	HDMI to HDMI 4K	4044951018062	black	7.5 m	20
4	HDMI to HDMI 4K	4044951018079	black	10 m	12
4	HDMI to HDMI 4K	4044951018086	black	12.5 m	12
4	HDMI to HDMI 4K	4044951018093	black	15 m	10

5	HDMI to Micro HDMI 4K	4044951017966	black	1 m	150
5	HDMI to Micro HDMI 4K	4044951017973	black	1.5 m	120
5	HDMI to Mini HDMI 4K	4044951017997	black	1 m	140
5	HDMI to Mini HDMI 4K	4044951018000	black	2 m	80
5	HDMI to Mini HDMI 4K	4044951018017	black	3 m	60

6	HDMI to HDMI	4044951015122	black	1 m	140
6	HDMI to HDMI	4044951015139	white	1 m	140
6	HDMI to HDMI	4044951008971	black	2 m	80
6	HDMI to HDMI	4044951015146	white	2 m	80
6	HDMI to HDMI	4044951008988	black	3 m	60
6	HDMI to HDMI	4044951008995	black	5 m	40
6	HDMI to HDMI	4044951017393	black	7.5 m	25
6	HDMI to HDMI	4044951009039	black	10 m	20
6	HDMI to HDMI	4044951017409	black	12.5 m	18
6	HDMI to HDMI	4044951009046	black	15 m	10

7	HDMI to DVI-D (Single Link 18+1)	4044951017324	black	1 m	100
7	HDMI to DVI-D (Single Link 18+1)	4044951009053	black	2 m	60
7	HDMI to DVI-D (Single Link 18+1)	4044951009060	black	3 m	40
7	HDMI to DVI-D (Single Link 18+1)	4044951009077	black	5 m	30
7	HDMI to DVI-D (Single Link 24+1)	4044951017331	black	1 m	100
7	HDMI to DVI-D (Single Link 24+1)	4044951015214	black	2 m	60
7	HDMI to DVI-D (Single Link 24+1)	4044951015221	black	3 m	40
7	HDMI to DVI-D (Single Link 24+1)	4044951015238	black	5 m	30



Page	Article	EAN	Color	Length	Packing
8	DVI-D to DVI-D (Single Link 18+1)	4044951009084	black	2 m	60
8	DVI-D to DVI-D (Single Link 18+1)	4044951009091	black	3 m	40
8	DVI-D to DVI-D (Single Link 18+1)	4044951009107	black	5 m	30
8	DVI-D to DVI-D (Dual Link 24+1)	4044951009114	black	2 m	40
8	DVI-D to DVI-D (Dual Link 24+1)	4044951009121	black	3 m	30
8	DVI-D to DVI-D (Dual Link 24+1)	4044951009138	black	5 m	20
10	DisplayPort to DisplayPort	4044951018154	black	1 m	90
10	DisplayPort to DisplayPort	4044951018161	black	2 m	60
10	DisplayPort to DisplayPort	4044951018178	black	3 m	40
11	Mini Display Port to HDMI	4044951017362	white	15 cm	200
12	Mini Display Port to VGA	4044951017379	white	15 cm	200
13	Mini DisplayPort to DVI-D	4044951017386	white	15 cm	200
15	USB 2.0	4044951015245	black	0.5 m	300
15	USB 2.0	4044951015290	grey	0.5 m	300
15	USB 2.0	4044951015252	black	1 m	200
15	USB 2.0	4044951015306	grey	1 m	200
15	USB 2.0	4044951015269	black	2 m	150
15	USB 2.0	4044951015313	grey	2 m	150
15	USB 2.0	4044951015276	black	3 m	100
15	USB 2.0	4044951015320	grey	3 m	100
15	USB 2.0	4044951015283	black	5 m	80
15	USB 2.0	4044951015337	grey	5 m	80
15	USB 2.0	4044951015344	white	0.5 m	230
15	USB 2.0	4044951015351	white	1 m	180
15	USB 2.0	4044951015368	white	2 m	120
15	USB 2.0	4044951015375	white	3 m	70
15	USB 2.0	4044951015382	white	5 m	100
16	USB 2.0 Extension	4044951015399	black	0.5 m	300
16	USB 2.0 Extension	4044951015405	black	1 m	200
16	USB 2.0 Extension	4044951015412	black	2 m	150
16	USB 2.0 Extension	4044951015429	black	3 m	100
16	USB 2.0 Extension	4044951015436	white	0.5 m	230
16	USB 2.0 Extension	4044951015443	white	1 m	180
16	USB 2.0 Extension	4044951015450	white	2 m	120
16	USB 2.0 Extension	4044951015467	white	3 m	70



Page	Article	EAN	Color	Length	Packing
17	USB 2.0 Micro	4044951015474	black	0,5 m	300
17	USB 2.0 Micro	4044951015481	black	1 m	200
17	USB 2.0 Micro	4044951017775	black	1.5 m	200
17	USB 2.0 Micro	4044951015498	black	2 m	150
17	USB 2.0 Micro	4044951015504	black	3 m	100
17	USB 2.0 Micro	4044951015511	white	0.5 m	230
17	USB 2.0 Micro	4044951015528	white	1 m	280
17	USB 2.0 Micro	4044951017881	white	1.5 m	250
17	USB 2.0 Micro	4044951015535	white	2 m	120
17	USB 2.0 Micro	4044951015542	white	3 m	70

18	USB 2.0 Mini	4044951015559	black	0.5 m	300
18	USB 2.0 Mini	4044951015566	black	1 m	200
18	USB 2.0 Mini	4044951017782	black	1.5 m	200
18	USB 2.0 Mini	4044951015573	black	2 m	150
18	USB 2.0 Mini	4044951015580	black	3 m	100
18	USB 2.0 Mini	4044951015597	white	0.5 m	230
18	USB 2.0 Mini	4044951015603	white	1 m	180
18	USB 2.0 Mini	4044951017898	white	1.5 m	250
18	USB 2.0 Mini	4044951015610	white	2 m	120
18	USB 2.0 Mini	4044951015627	white	3 m	70

19	USB 3.0	4044951010837	blue	1 m	180
19	USB 3.0	4044951015634	black	1 m	180
19	USB 3.0	4044951010844	blue	2 m	120
19	USB 3.0	4044951015641	black	2 m	120
19	USB 3.0	4044951010851	blue	3 m	70
19	USB 3.0	4044951015658	black	3 m	70
19	USB 3.0	4044951010868	blue	5 m	40
19	USB 3.0	4044951015665	black	5 m	40
19	USB 3.0 Extension	4044951010875	blue	1 m	180
19	USB 3.0 Extension	4044951015672	black	1 m	180
19	USB 3.0 Extension	4044951010882	blue	2 m	120
19	USB 3.0 Extension	4044951015689	black	2 m	120
19	USB 3.0 Extension	4044951010899	blue	3 m	70
19	USB 3.0 Extension	4044951015696	black	3 m	70



Page	Article	EAN	Color	Length	Packing
20	USB 3.0 Micro	4044951010905	blue	1 m	180
20	USB 3.0 Micro	4044951015702	black	1 m	180
20	USB 3.0 Micro	4044951017874	black	1.5 m	120
20	USB 3.0 Micro	4044951010912	blue	2 m	120
20	USB 3.0 Micro	4044951015719	black	2 m	120
20	USB 3.0 Micro	4044951010929	blue	3 m	70
20	USB 3.0 Micro	4044951015726	black	3 m	70

22	Patch Cable Cat.5e	4044951014194	blue	0.25 m	300
22	Patch Cable Cat.5e	4044951014262	yellow	0.25 m	300
22	Patch Cable Cat.5e	4044951014330	green	0.25 m	300
22	Patch Cable Cat.5e	4044951014408	red	0.25 m	300
22	Patch Cable Cat.5e	4044951014477	black	0.25 m	300
22	Patch Cable Cat.5e	4044951014613	grey	0.25 m	300
22	Patch Cable Cat.5e	4044951014545	white	0.25 m	400
22	Patch Cable Cat.5e	4044951014200	blue	0.5 m	250
22	Patch Cable Cat.5e	4044951014279	yellow	0.5 m	250
22	Patch Cable Cat.5e	4044951014347	green	0.5 m	250
22	Patch Cable Cat.5e	4044951014415	red	0.5 m	250
22	Patch Cable Cat.5e	4044951014484	black	0.5 m	250
22	Patch Cable Cat.5e	4044951014620	grey	0.5 m	250
22	Patch Cable Cat.5e	4044951014552	white	0.5 m	180
22	Patch Cable Cat.5e	4044951014217	blue	1 m	200
22	Patch Cable Cat.5e	4044951014286	yellow	1 m	200
22	Patch Cable Cat.5e	4044951014354	green	1 m	200
22	Patch Cable Cat.5e	4044951014422	red	1 m	200
22	Patch Cable Cat.5e	4044951014491	black	1 m	200
22	Patch Cable Cat.5e	4044951014637	grey	1 m	200
22	Patch Cable Cat.5e	4044951014569	white	1 m	150
22	Patch Cable Cat.5e	4044951017768	blue	1.5 m	200
22	Patch Cable Cat.5e	4044951017737	yellow	1.5 m	200
22	Patch Cable Cat.5e	4044951017744	green	1.5 m	200
22	Patch Cable Cat.5e	4044951017751	red	1.5 m	200
22	Patch Cable Cat.5e	4044951017713	black	1.5 m	200
22	Patch Cable Cat.5e	4044951017720	grey	1.5 m	200
22	Patch Cable Cat.5e	4044951017799	white	1.5 m	120



Page	Article	EAN	Color	Length	Packing
22	Patch Cable Cat.5e	4044951014224	blue	2 m	150
22	Patch Cable Cat.5e	4044951014293	yellow	2 m	150
22	Patch Cable Cat.5e	4044951014361	green	2 m	150
22	Patch Cable Cat.5e	4044951014439	red	2 m	150
22	Patch Cable Cat.5e	4044951014507	black	2 m	150
22	Patch Cable Cat.5e	4044951014644	grey	2 m	150
22	Patch Cable Cat.5e	4044951014576	white	2 m	80
22	Patch Cable Cat.5e	4044951014231	blue	3 m	100
22	Patch Cable Cat.5e	4044951014309	yellow	3 m	100
22	Patch Cable Cat.5e	4044951014378	green	3 m	100
22	Patch Cable Cat.5e	4044951014446	red	3 m	100
22	Patch Cable Cat.5e	4044951014514	black	3 m	100
22	Patch Cable Cat.5e	4044951014651	grey	3 m	100
22	Patch Cable Cat.5e	4044951014583	white	3 m	60
22	Patch Cable Cat.5e	4044951014248	blue	5 m	50
22	Patch Cable Cat.5e	4044951014316	yellow	5 m	50
22	Patch Cable Cat.5e	4044951014385	green	5 m	50
22	Patch Cable Cat.5e	4044951014453	red	5 m	50
22	Patch Cable Cat.5e	4044951014521	black	5 m	50
22	Patch Cable Cat.5e	4044951014668	grey	5 m	50
22	Patch Cable Cat.5e	4044951014590	white	5 m	40
22	Patch Cable Cat.5e	4044951014255	blue	10 m	50
22	Patch Cable Cat.5e	4044951014323	yellow	10 m	50
22	Patch Cable Cat.5e	4044951014392	green	10 m	50
22	Patch Cable Cat.5e	4044951014460	red	10 m	50
22	Patch Cable Cat.5e	4044951014538	black	10 m	50
22	Patch Cable Cat.5e	4044951014675	grey	10 m	50
22	Patch Cable Cat.5e	4044951014606	white	10 m	25
23	Patch Cable Cat.6	4044951014682	blue	0.25 m	180
23	Patch Cable Cat.6	4044951014750	yellow	0.25 m	150
23	Patch Cable Cat.6	4044951014828	green	0.25 m	250
23	Patch Cable Cat.6	4044951014897	red	0.25 m	180
23	Patch Cable Cat.6	4044951014965	black	0.25 m	180
23	Patch Cable Cat.6	4044951015108	grey	0.25 m	180
23	Patch Cable Cat.6	4044951015030	white	0.25 m	180
23	Patch Cable Cat.6	4044951014699	blue	0.5 m	180
23	Patch Cable Cat.6	4044951014767	yellow	0.5 m	80
23	Patch Cable Cat.6	4044951014835	green	0.5 m	180
23	Patch Cable Cat.6	4044951014903	red	0.5 m	180



Page	Article	EAN	Color	Length	Packing
23	Patch Cable Cat.6	4044951014972	black	0.5 m	180
23	Patch Cable Cat.6	4044951003679	grey	0.5 m	180
23	Patch Cable Cat.6	4044951015047	white	0.5 m	180
23	Patch Cable Cat.6	4044951014705	blue	1 m	150
23	Patch Cable Cat.6	4044951014774	yellow	1 m	60
23	Patch Cable Cat.6	4044951014842	green	1 m	150
23	Patch Cable Cat.6	4044951014910	red	1 m	150
23	Patch Cable Cat.6	4044951014989	black	1 m	150
23	Patch Cable Cat.6	4044951003686	grey	1 m	150
23	Patch Cable Cat.6	4044951015054	white	1 m	150
23	Patch Cable Cat.6	4044951017850	blue	1.5 m	180
23	Patch Cable Cat.6	4044951017829	yellow	1.5 m	120
23	Patch Cable Cat.6	4044951017836	green	1.5 m	120
23	Patch Cable Cat.6	4044951017843	red	1.5 m	120
23	Patch Cable Cat.6	4044951017805	black	1.5 m	120
23	Patch Cable Cat.6	4044951017812	grey	1.5 m	120
23	Patch Cable Cat.6	4044951017867	white	1.5 m	120
23	Patch Cable Cat.6	4044951014712	blue	2 m	80
23	Patch Cable Cat.6	4044951014781	yellow	2 m	40
23	Patch Cable Cat.6	4044951014859	green	2 m	80
23	Patch Cable Cat.6	4044951014927	red	2 m	80
23	Patch Cable Cat.6	4044951014996	black	2 m	80
23	Patch Cable Cat.6	4044951015115	grey	2 m	80
23	Patch Cable Cat.6	4044951015061	white	2 m	80
23	Patch Cable Cat.6	4044951014729	blue	3 m	60
23	Patch Cable Cat.6	4044951014798	yellow	3 m	25
23	Patch Cable Cat.6	4044951014866	green	3 m	60
23	Patch Cable Cat.6	4044951014934	red	3 m	60
23	Patch Cable Cat.6	4044951015009	black	3 m	60
23	Patch Cable Cat.6	4044951003693	grey	3 m	60
23	Patch Cable Cat.6	4044951015078	white	3 m	60
23	Patch Cable Cat.6	4044951014736	blue	5 m	40
23	Patch Cable Cat.6	4044951014804	yellow	5 m	40
23	Patch Cable Cat.6	4044951014873	green	5 m	40
23	Patch Cable Cat.6	4044951014941	red	5 m	40
23	Patch Cable Cat.6	4044951015016	black	5 m	40
23	Patch Cable Cat.6	4044951003709	grey	5 m	40
23	Patch Cable Cat.6	4044951015085	white	5 m	40



Page	Article	EAN	Color	Length	Packing
23	Patch Cable Cat.6	4044951014743	blue	10 m	25
23	Patch Cable Cat.6	4044951014811	yellow	10 m	180
23	Patch Cable Cat.6	4044951014880	green	10 m	25
23	Patch Cable Cat.6	4044951014958	red	10 m	25
23	Patch Cable Cat.6	4044951015023	black	10 m	25
23	Patch Cable Cat.6	4044951003723	grey	10 m	25
23	Patch Cable Cat.6	4044951015092	white	10 m	25
23	Patch Cable Cat.6	4044951003747	grey	20 m	20
23	Patch Cable Cat.6	4044951003761	grey	100 m	6
25	SATA 2 90°	4044951007875	red	50 cm	500
25	SATA 2 180°	4044951007868	red	50 cm	500
26	SATA 3 90°	4044951016488	blue	0.3 m	400
26	SATA 3 90°	4044951016471	green	0.3 m	400
26	SATA 3 90°	4044951016457	red	0.3 m	400
26	SATA 3 90°	4044951016440	black	0.3 m	400
26	SATA 3 90°	4044951016464	white	0.3 m	400
26	SATA 3 90°	4044951016532	blue	0.45 m	400
26	SATA 3 90°	4044951016525	green	0.45 m	400
26	SATA 3 90°	4044951016501	red	0.45 m	400
26	SATA 3 90°	4044951016495	black	0.45 m	400
26	SATA 3 90°	4044951016518	white	0.45 m	400
26	SATA 3 90°	4044951016587	blue	0.6 m	400
26	SATA 3 90°	4044951016570	green	0.6 m	400
26	SATA 3 90°	4044951016556	red	0.6 m	400
26	SATA 3 90°	4044951016549	black	0.6 m	400
26	SATA 3 90°	4044951016563	white	0.6 m	400
26	SATA 3 90°	4044951017171	black	0.75 m	400
26	SATA 3 90°	4044951017188	black	1 m	400
26	SATA 3 180°	4044951016631	blue	0.3 m	400
26	SATA 3 180°	4044951016624	green	0.3 m	400
26	SATA 3 180°	4044951016600	red	0.3 m	400
26	SATA 3 180°	4044951016594	black	0.3 m	400
26	SATA 3 180°	4044951016617	white	0.3 m	400
26	SATA 3 180°	4044951016686	blue	0.45 m	400
26	SATA 3 180°	4044951016679	green	0.45 m	400
26	SATA 3 180°	4044951016655	red	0.45 m	400
26	SATA 3 180°	4044951016648	black	0.45 m	400
26	SATA 3 180°	4044951016662	white	0.45 m	400



Page	Article	EAN	Color	Length	Packing
26	SATA 3 180°	4044951016730	blue	0.6 m	400
26	SATA 3 180°	4044951016723	green	0.6 m	400
26	SATA 3 180°	4044951016709	red	0.6 m	400
26	SATA 3 180°	4044951016693	black	0.6 m	400
26	SATA 3 180°	4044951016716	white	0.6 m	400
26	SATA 3 180°	4044951017157	black	0.75 m	400
26	SATA 3 180°	4044951017164	black	1 m	400
28	Fan Extension 3-Pin	4044951016747	black	0.3 m	800
28	Fan Y-Cable 3-Pin	4044951016754	black	0.2 m	800
29	Power Cable	4044951016761	black	0.3 m	800
29	Power Cable (Adapter Cable)	44044951016778	black	0.3 m	800
30	Internal USB 2.0 to USB 3.0 Adapter	4044951016785	black	0.2 m	500
32	USB Cable with Lightning Connector	4044951018222	white	1 m	1000
32	USB Cable with Lightning Connector	4044951018307	black	1 m	1000







## SHARKOON Technologies GmbH

Siemensstraße 38  
35440 Linden

Phone: +49-6403-96 814 0  
Fax: +49-6403-96 814 99

CEO: Frank Engert  
Register court: Giessen HRB 3483  
USt.-IDNr. according to §27a UStG.: DE 812916336  
WEEE-Reg.No.: DE 13455872

Sales: [sales@sharkoon.com](mailto:sales@sharkoon.com)  
Marketing: [marketing@sharkoon.com](mailto:marketing@sharkoon.com)  
Public Relations: [pr@sharkoon.com](mailto:pr@sharkoon.com)  
Information: [info@sharkoon.com](mailto:info@sharkoon.com)  
Spare Parts: [zubehoer@sharkoon.com](mailto:zubehoer@sharkoon.com)

## SHARKOON Taiwan Co., Ltd.

8F-1, No. 646, Sec. 5, Chongxin Rd.,  
Sanchong Dist., New Taipei City 24158,  
Taiwan R.O.C.

Phone: +886 2 2999 5888  
Fax: +886 2 2999 1188

Contact: [global@sharkoon.com](mailto:global@sharkoon.com)