


**GERMAN  
LIGHTING  
EXPERT**



**OSRAM LED**  
CREATING TOMORROW



# Light is design

OSRAM luminaires - your first choice for lighting

Price List - Effective October' 2015

**Light is OSRAM**



# Light is Quality of Life

Up to  
**100 LEDs**  
at a time can be controlled by matrix LED car headlights

The Norwegian Getaway is fitted with over  
**17 km**  
of flexible LED modules and other luminaires

60,000 lenses are to be found on each  
**spotlight**  
diffuser plate in the Lenbachhaus

100 different  
**stages of brightness**  
can be created by the lighting system in the Lenbachhaus

Xenon car headlights consume  
**50%**  
less electrical energy than halogen lamps—and they are twice as bright

LED-based products generate **29%** of OSRAM's total revenue

OSRAM has more than  
**8,000 patents**  
for LED lighting technology

São Paulo's soccer stadium has an illuminance of up to  
**5,000 lux**

Fishermen on Lake Victoria save up to  
**35%**  
of their operating costs using rechargeable lamps

Cruise ships can save up to 18% of their  
**energy costs**  
with OSRAM lighting technology

25 OSRAM employees worked for  
**2½ years**  
to develop the LED lighting solution for the Lenbachhaus

LEDs have a  
**life**  
of up to 100,000 hours

# Luminaire Program

## Price List 2016

# Indoor

## Downlights

Cleverly designed downlights from OSRAM offer high efficiency, low energy consumption, extremely long life.



## Spotlights

Dynamic, innovative & playful, spotlights from OSRAM bring together unmatched quality, aesthetics and functionality in a unique mix.



## Cove/Shelf Lights

Bright, uniform light that lasts smart lighting for every corner with OSRAM cove/shelf lighting solutions that are efficient, intuitive, maintenance free and long lasting.



## Panellights

Panel lights from OSRAM help create a striking array of traditional and unconventional applications, truly spectacular and innovative effects limited only by your imagination.



## Battens

Batten Luminaires from OSRAM are easy to install, last a long time and are economical in operation, making them ideal for cost-effective background lighting in the commercial, industrial and residential sectors.



## Highbay Luminaires

Innovative unique lighting solutions for highbay spaces that are marked with hi-performance & business efficiency and are easy on maintenance. Work environments that are safe and comfortable with increased visibility.



# Outdoor

## Water-Proof & Bulk Head

In warehouses, engineering facilities or basements, water-proof & bulk head luminaires from OSRAM perform reliably wherever conditions are harsher than normal.



## Floodlights

High performance flood lights focussed on quality & efficiency light up playing fields in the best way possible. Solutions for application development and optimal lighting design for all your requirements.



## Streetlights

Designing new civic identity, OSRAM superior street lights offer ideal outdoor lighting solutions that are environment friendly and high on photometric performance. From modern modular to integrative future fit designs comply with international lighting norms and standards.



## Landscape & Architectural Range

Bridging gap between art forms and science are the OSRAM advance landscape and architectural lighting range, that bring together technological advancements and smart controls.




# Creating the future of light with OSRAM

For more than 100 years, the trademark OSRAM stands for innovative and sustainable developments in the global lighting market. Today, OSRAM is one of the world's largest suppliers of products and solutions for a wide range of customer requirements - from lamps and modules to luminaires and high-efficiency light management systems.

OSRAM focuses all its resources on the subject of light, actively supporting its customers in making the best choices to meet their individual requirements. With more than 40000 employees in around 150 countries, OSRAM develops tailor-made solutions to cover the specific needs of its customers.

OSRAM's energy efficient indoor and outdoor luminaires offer an outstanding performance in every respect. The service life of our LED Luminaires is up to 25 times longer than that of luminaires equipped with conventional incandescent lamps. Our mercury free LED luminaires do not only lower CO<sub>2</sub> emissions, they also help to prevent waste.





# Downlights

Comprehensive, variable, individual.

Downlights are all-rounders and specialists at the same time. They are designed to fulfill complex photometric tasks and to provide unique shapes and forms, which allow for a harmonious and integral interior design. Thanks to different accessories as well as various lamp types, wattages and design approaches, downlights open up virtually unlimited opportunities for lighting design.



## LEDCOMFO

3, 5, 6.5, 9 Watt

EAN	Product description	lm	Packlot	MRP
4052899051553	LEDCOMFO DL 3W 2700K 18X1 EN	180	18x1	1399
4052899142916	LEDCOMFO DL 3W 4000K 18X1 EN	210	18x1	1399
4052899051638	LEDCOMFO DL 3W 6500K 18X1 EN	210	18x1	1399
4052899051577	LEDCOMFO DL 5W 2700K 18X1 EN	300	18x1	1699
4052899142930	LEDCOMFO DL 5W 4000K 18X1 EN	350	18x1	1699
4052899051652	LEDCOMFO DL 5W 6500K 18X1 EN	350	18x1	1699
4052899051591	LEDCOMFO DL 6.5W 2700K 18X1 EN	390	18x1	2299
4052899142954	LEDCOMFO DL 6.5W 4000K 18X1 EN	455	18x1	2299
4052899051676	LEDCOMFO DL 6.5W 6500K 18X1 EN	455	18x1	2299
4052899051614	LEDCOMFO DL 9W 2700K FS1 EN	540	18x1	2999
4052899142978	LEDCOMFO DL 9W 4000K18X1 EN	630	18x1	2999
4052899051690	LEDCOMFO DL 9W 6500K18X1 EN	630	18x1	2999



## LEDCOMFO Glare Control

3, 5, 6.5, 9 Watt

EAN	Product description	lm	Packlot	MRP
4052899051713	LEDCOMFO DL GC 3W 2700K 18X1 EN	150	18x1	1399
4052899051812	LEDCOMFO DL GC 3W 6500K 18X1 EN	180	18x1	1399
4052899051737	LEDCOMFO DL GC 5W 2700K 18X1 EN	250	18x1	1699
4052899051836	LEDCOMFO DL GC 5W 6500K 18X1 EN	300	18x1	1699
4052899051775	LEDCOMFO DL GC 6.5W 2700K 18X1 EN	325	18x1	2299
4052899143036	LEDCOMFO DL GC 6.5W 4000K 18X1 EN	358	18x1	2299
4052899051850	LEDCOMFO DL GC 6.5W 6500K 18X1 EN	390	18x1	2299
4052899051799	LEDCOMFO DL GC 9W 2700K 18X1 EN	450	18x1	2999
4052899051874	LEDCOMFO DL GC 9W 6500K18X1 EN	540	18x1	2999



## Aurio G2

15 Watt

EAN	Product description	lm	Packlot	MRP
4052899223707	KIT AURIO G2 DL 827 L75 8X1	800	8x1	2190
4052899223646	KIT AURIO G2 DL 840 L75 8X1	1000	8x1	2190
4052899223622	KIT AURIO G2 DL 765 L75 8X1	1150	8x1	2190
4052899223929	AURIO G2 LED DL 15W DRIVER 8X1	N.A	8x1	700



**LUXSTAR**

9,14 & 18 Watt

EAN	Product description	lm	Packlot	MRP
4052899240339	KIT LUXSTAR DL 9W 827 FS1 IN	500	6x1	1420
4052899240315	KIT LUXSTAR DL 9W 840 FS1 IN	550	6x1	1420
4052899240292	KIT LUXSTAR DL 9W 765 FS1 IN	600	6x1	1420
4052899195233	KIT LUXSTAR DL 14W 827 6X1 IN	900	6x1	1890
4052899195219	KIT LUXSTAR DL 14W 840 6X1 IN	950	6x1	1890
4052899195196	KIT LUXSTAR DL 14W 765 6X1 IN	1000	6x1	1890
4052899210172	KIT LUXSTAR DL 18W 827 FS1 IN	1100	6x1	2120
4052899210158	KIT LUXSTAR DL 18W 840 FS1 IN	1250	6x1	2120
4052899210097	KIT LUXSTAR DL 18W 765 FS1 IN	1300	6x1	2120



**LEDCOMFO ACE**

13,19 & 23 Watt

EAN	Product description	lm	Packlot	MRP
4052899216075	LEDCOMFO ACE 613 765 FS1	1200	18x1	2470
4052899216037	LEDCOMFO ACE 613 830 FS1	1050	18x1	2470
4052899216051	LEDCOMFO ACE 613 840 FS1	1100	18x1	2470
4052899216136	LEDCOMFO ACE 619 765 FS1	1750	18x1	3280
4052899216099	LEDCOMFO ACE 619 830 FS1	1520	18x1	3280
4052899216112	LEDCOMFO ACE 619 840 FS1	1600	18x1	3280
4052899216198	LEDCOMFO ACE 823 765 FS1	2200	12x1	3590
4052899216150	LEDCOMFO ACE 823 830 FS1	1900	12x1	3590
4052899216174	LEDCOMFO ACE 823 840 FS1	2000	12x1	3590



**LUXPOINT MICRO G2**

10 Watt



PC Dimmable

EAN	Product description	lm	Packlot	MRP
4052899216211	LXPT MICRO G2 WT 827-L30 4X1	720	4x1	3100
4052899216235	LXPT MICRO G2 WT 830-L30 4X1	770	4x1	3100
4052899216259	LXPT MICRO G2 WT 840-L30 4X1	800	4x1	3100
4052899216273	LXPT MICRO G2 WT 865-L30 4X1	865	4x1	3100
4052899216297	LXPT MICRO G2 WT 827-L60 4X1	720	4x1	3100
4052899216310	LXPT MICRO G2 WT 830-L60 4X1	770	4x1	3100
4052899216334	LXPT MICRO G2 WT 840-L60 4X1	800	4x1	3100
4052899216358	LXPT MICRO G2 WT 865-L60 4X1	865	4x1	3100



**LEDCOMFO ACE**

4, 6, 7 & 8 Watt

EAN	Product description	lm	Packlot	MRP
4052899225084	LEDCOMFO DL ACE 4W 6500KFL FS1 AP	180	40x1	650
4052899225046	LEDCOMFO DL ACE 4W 4000KFL FS1 AP	180	40x1	650
4052899225022	LEDCOMFO DL ACE 4W 3000KFL FS1 AP	175	40x1	650
4052899225169	LEDCOMFO DL ACE 6W 6500KFL FS1 AP	303	40x1	820
4052899225121	LEDCOMFO DL ACE 6W 4000KFL FS1 AP	303	40x1	820
4052899225107	LEDCOMFO DL ACE 6W 3000KFL FS1 AP	275	40x1	820
4052899225275	LEDCOMFO DL ACE 7W 6500KFL FS1 AP	385	40x1	1080
4052899225220	LEDCOMFO DL ACE 7W 4000KFL FS1 AP	385	40x1	1080
4052899225206	LEDCOMFO DL ACE 7W 3000KFL FS1 AP	350	40x1	1080
4052899225381	LEDCOMFO DL ACE 8W 6500KFL FS1 AP	495	40x1	1280
4052899225367	LEDCOMFO DL ACE 8W 4000KFL FS1 AP	495	40x1	1280
4052899225343	LEDCOMFO DL ACE 8W 3000KFL FS1 AP	450	40x1	1280





**OPTIVALU DOWNLIGHT**

9, 12, 16, 21 & 30 Watt


EAN	Product description	lm	Packlot	MRP
4052899259232	OPTV DL 4 inch 9W 3000K	750	4x1	2280
4052899259256	OPTV DL 4 inch 9W 4000K	850	4x1	2280
4052899259270	OPTV DL 4 inch 9W 5700K	850	4x1	2280
4052899263826	OPTV DL 4 inch 9W 6500K	850	4x1	2280
4052899259294	OPTV DL 6 inch 12W 3000K	750	4x1	2820
4052899259317	OPTV DL 6 inch 12W 4000K	850	4x1	2820
4052899259331	OPTV DL 6 inch 12W 5700K	850	4x1	2820
4052899263840	OPTV DL 6 inch 12W 6500K	850	4x1	2820
4052899259355	OPTV DL 6 inch 16W 3000K	750	4x1	3300
4052899259379	OPTV DL 6 inch 16W 4000K	850	4x1	3300
4052899259393	OPTV DL 6 inch 16W 5700K	850	4x1	3300
4052899263864	OPTV DL 6 inch 16W 6500K	850	4x1	3300
4052899259416	OPTV DL 8 inch 21W 3000K	750	4x1	3920
4052899259430	OPTV DL 8 inch 21W 4000K	850	4x1	3920
4052899259454	OPTV DL 8 inch 21W 5700K	850	4x1	3920
4052899263888	OPTV DL 8 inch 21W 6500K	850	4x1	3920
4052899259478	OPTV DL 8 inch 30W 3000K	750	4x1	4650
4052899259492	OPTV DL 8 inch 30W 4000K	850	4x1	4650
4052899259515	OPTV DL 8 inch 30W 5700K	850	4x1	4650
4052899263901	OPTV DL 8 inch 30W 6500K	850	4x1	4650



**LEDVANCE DOWNLIGHT S**

5.3 Watt

EAN	Product description	lm	Packlot	MRP
4052899927339	LDV DOWNLIGHT S AL 830 4X1	325	4x1	3350
4052899927346	LDV DOWNLIGHT S WT 830 4X1	325	4x1	3350
4052899927353	LDV DOWNLIGHT S AL 840 4X1	325	4x1	4780
4052899927360	LDV DOWNLIGHT S WT 840 4X1	325	4x1	4780



**LEDVANCE DOWNLIGHT L**

12 Watt

EAN	Product description	lm	Packlot	MRP
4052899093591	LEDVANCE DOWNLIGHT L WT 830	1050	4x1	17900
4052899093614	LEDVANCE DOWNLIGHT L WT 840	1120	4x1	17900

Available in DALI dimmable version also



**LEDVANCE DOWNLIGHT XL**

19 Watt

EAN	Product description	lm	Packlot	MRP
4052899093638	LEDVANCE DOWNLIGHT XL WT 830	1770	4x1	21600
4052899093676	LEDVANCE DOWNLIGHT XL WT 840	1970	4x1	21600


Available in DALI dimmable version also



**LEDCOMFO Ceiling Light**

6,10,18 & 24 Watt

EAN	Product description	lm	Packlot	MRP
4052899189973	LEDCOMFO CEILING 6W 3000K 4X1APAC	400	4x1	1080
4052899190078	LEDCOMFO CEILING 6W 4000K 4X1APAC	450	4x1	1080
4052899190344	LEDCOMFO CEILING 6W 6000K 4X1APAC	450	4x1	1080
4052899190368	LEDCOMFO CEILING 10W 3000K 4X1APAC	630	4x1	1500
4052899190382	LEDCOMFO CEILING 10W 4000K 4X1APAC	700	4x1	1500
4052899190405	LEDCOMFO CEILING 10W 6000K 4X1APAC	700	4x1	1500
4052899190429	LEDCOMFO CEILING 18W 3000K 4X1APAC	990	4x1	2160
4052899190443	LEDCOMFO CEILING 18W 4000K 4X1APAC	1100	4x1	2160
4052899190467	LEDCOMFO CEILING 18W 6000K 4X1APAC	1100	4x1	2160
4052899190481	LEDCOMFO CEILING 24W 3000K 4X1APAC	1250	4x1	2660
4052899190504	LEDCOMFO CEILING 24W 4000K 4X1APAC	1400	4x1	2660
4052899190542	LEDCOMFO CEILING 24W 6000K 4X1APAC	1400	4x1	2660



**KIT AURIO SQUARE**

10 Watt

EAN	Product description	lm	Packlot	MRP
4052899091757	KIT AURIO SQUARE DL10W 827 6X1	750	6x1	1940
4052899091771	KIT AURIO SQUARE DL10W 840 6X1	750	6x1	1940
4052899091795	KIT AURIO SQUARE DL10W 765 6X1	750	6x1	1940
4052899091733	KIT AURIO DRIVER/220-240 SQDL 10W	N.A	8x1	930



**LEDCOMFO SLIM SQ Panel**

5, 8, 10, 12 & 18 Watt

EAN	Product description	lm	Packlot	MRP
4052899260542	LEDCOMFO DL SLIM SQ 3IN830 20X1	320	20x1	1390
4052899260566	LEDCOMFO DL SLIM SQ 3IN840 20X1	340	20x1	1390
4052899260580	LEDCOMFO DL SLIM SQ 3IN860 20X1	360	20x1	1390
4052899260603	LEDCOMFO DL SLIM SQ 4IN830 20X1	540	20x1	1540
4052899260627	LEDCOMFO DL SLIM SQ 4IN840 20X1	570	20x1	1540
4052899260641	LEDCOMFO DL SLIM SQ 4IN860 20X1	610	20x1	1540
4052899260665	LEDCOMFO DL SLIM SQ 5IN830 20X1	690	20x1	1850
4052899260689	LEDCOMFO DL SLIM SQ 5IN840 20X1	730	20x1	1850
4052899260702	LEDCOMFO DL SLIM SQ 5IN860 20X1	780	20x1	1850
4052899260726	LEDCOMFO DL SLIM SQ 6IN830 20X1	880	20x1	2000
4052899260740	LEDCOMFO DL SLIM SQ 6IN840 20X1	920	20x1	2000
4052899260764	LEDCOMFO DL SLIM SQ 6IN860 20X1	970	20x1	2000
4052899260795	LEDCOMFO DL SLIM SQ 8IN830 20X1	1280	20x1	2770
4052899260818	LEDCOMFO DL SLIM SQ 8IN840 20X1	1350	20x1	2770
4052899260832	LEDCOMFO DL SLIM SQ 8IN860 20X1	1450	20x1	2770



**KIT AURIO SQUARE**

15 Watt

EAN	Product description	lm	Packlot	MRP
4052899085398	KIT AURIO SQUARE DL15W 827 6X1	1150	6x1	2190
4052899085411	KIT AURIO SQUARE DL15W 840 6X1	1150	6x1	2190
4052899085435	KIT AURIO SQUARE DL15W 765 6X1	1150	6x1	2190
4052899091719	KIT AURIODRIVER/220-240SQDL15W	N.A	8x1	1000







# Spotlights

Innovative, functional, timeless.

Whether you prefer modern and powerful or classic and compact, innovative spotlights from OSRAM combine high-quality manufacture with timeless design and maximum functionality. Spotlights are the best solution when directional light is needed: they provide precise accent lighting in a wide range of applications, particularly in shops and museums, where products and art objects have to be presented in their best light.



## LED COMFO Spot Light

2,4,6 & 8Watt

EAN	Product description	lm	Packlot	MRP
4052899181571	LEDCOMFO SL 2W 2700K 48X1 EN	100	48x1	650
4052899181618	LEDCOMFO SL 2W 3000K 48X1 EN	100	48x1	650
4052899181656	LEDCOMFO SL 2W 4000K 48X1 EN	110	48x1	650
4052899181694	LEDCOMFO SL 4W 2700K 36X1 EN	210	36x1	880
4052899181731	LEDCOMFO SL 4W 3000K 36X1 EN	210	36x1	880
4052899181809	LEDCOMFO SL 4W 4000K 36X1 EN	230	36x1	880
4052899181847	LEDCOMFO SL 6W 2700K 36X1 EN	330	36x1	960
4052899181861	LEDCOMFO SL 6W 3000K 36X1 EN	330	36x1	960
4052899181908	LEDCOMFO SL 6W 4000K 36X1 EN	350	36x1	960
4052899181946	LEDCOMFO SL 8W 2700K 36X1 EN	480	36x1	1200
4052899181960	LEDCOMFO SL 8W 3000K 36X1 EN	480	36x1	1200
4052899182011	LEDCOMFO SL 8W 4000K 36X1 EN	510	36x1	1200

2w beam angle in 14°, 4w in 24°, 6&8 w in 36°



## TRACKLIGHT L

22 Watt/ 3 track adaptor

EAN	Product description	lm	Packlot	MRP
4008321833662	LDTH TRA L P3 WT W4F-827-L10	1400	4x1	12050
4008321833723	LDTH TRA L P3 WT W4F-830-L10	1400	4x1	16200
4008321833709	LDTH TRA L P3 WT W4F-840-L10	1500	4x1	16200
4008321833716	LDTH TRA L P3 WT W4F-765-L10	1500	4x1	15840

Available in black finish also



## LEDTOUCH Strip ASY

15, 28 Watt

EAN	Product description	lm	Packlot	MRP
4052899075962	LDTH STRIP ASY 02S-W4F-827 15W FS1	1200	4x1	8440
4052899076044	LDTH STRIP ASY 02S-W4F-840 15W FS1	1270	4x1	8440
4052899076129	LDTH STRIP ASY 04S-W4F-827 28W FS1	1350	4x1	12920
4052899076204	LDTH STRIP ASY 04S-W4F-840 28W FS1	2240	4x1	12920
4052899127210	LDTH STRIP ASY 02S-W4F-830 15W FS1	2360	4x1	8440
4052899127326	LDTH STRIP ASY 04S-W4F-830 28W FS1	2520	4x1	12920
4052899171329	LDTH STRIP ASY 02P-W4F-827 15W 4X1	1200	4x1	8270
4052899171404	LDTH STRIP ASY 02P-W4F-830 15W 4X1	1270	4x1	8270
4052899171497	LDTH STRIP ASY 02P-W4F-840 15W 4X1	1350	4x1	8270
4052899171572	LDTH STRIP ASY 04P-W4F-827 28W 4X1	2240	4x1	12730
4052899171657	LDTH STRIP ASY 04P-W4F-830 28W 4X1	2360	4x1	12730
4052899171732	LDTH STRIP ASY 04P-W4F-840 28W 4X1	2520	4x1	12730



## Cove/Shelf Lights

### Plug & Play Solution for Cove Application.

Reduced carbon emissions, lower energy and maintenance costs, simplified on-site installation and providing superior lighting performance, OSRAM Cove/Shelf lights are all rounder in every sense. Improved energy usage & reduced maintenance and relamping expenses, high quality and performance that will light up energy savings too.



#### LEDTOUCH SHELF Advance

3.5, 7, 14 Watt



EAN	Product description	lm	Packlot	MRP
4008321800015	LS18A-W4F-827	240	6x1	1950
4008321800039	LS18A-W4F-840	260	6x1	1950
4008321800077	LS18A-W4F-765	292	6x1	1950
4008321800350	LS36A-W4F-827	480	6x1	3400
4008321800374	LS36A-W4F-840	520	6x1	3400
4008321800398	LS36A-W4F-765	585	6x1	3400
4008321800558	LS72A-W4F-827	960	6x1	6400
4008321800596	LS72A-W4F-840	1040	6x1	6400
4008321800619	LS72A-W4F-765	1170	6x1	6400

Use with analog dimmable driver for dimming

#### LEDTOUCH SHELF Advance Accessory

EAN	Product description	lm	Packlot	MRP
4008321804686	LDTH SHELF JB-4A	N.A	5x1	800
4008321804709	LDTH SHELF JB-6A	N.A	5x1	925
4008321804723	LDTH SHELF LS-ENTER	N.A	10x1	3000
4008321804983	LDTH SHELF LS-INTER	N.A	10x1	3500



#### LEDCOMFO Batten HP Cove

6, 11, 17 & 22 Watt

EAN	Product description	lm	Packlot	MRP
4052899268807	LEDCOMFO BAT HB 0306 830 APAC 40X1	470	40x1	960
4052899268821	LEDCOMFO BAT HB 0306 840 APAC 40X1	500	40x1	960
4052899268845	LEDCOMFO BAT HB 0306 865 APAC 40X1	515	40x1	960
4052899268869	LEDCOMFO BAT HB 0611 830 APAC 40X1	880	40x1	1130
4052899268883	LEDCOMFO BAT HB 0611 840 APAC 40X1	920	40x1	1130
4052899268920	LEDCOMFO BAT HB 0611 865 APAC 40X1	940	40x1	1130
4052899268944	LEDCOMFO BAT HB 0917 830 APAC 40X1	1350	40x1	1400
4052899268968	LEDCOMFO BAT HB 0917 840 APAC 40X1	1430	40x1	1400
4052899268982	LEDCOMFO BAT HB 0917 865 APAC 40X1	1460	40x1	1400
4052899269002	LEDCOMFO BAT HB 1222 830 APAC 40X1	1750	40x1	1540
4052899269026	LEDCOMFO BAT HB 1222 840 APAC 40X1	1900	40x1	1540
4052899269040	LEDCOMFO BAT HB 1222 865 APAC 40X1	2000	40x1	1540



#### LEDCOMFO Batten Accessories

EAN	Product description	lm	Packlot	MRP
4052899931671	LDCMF BAT END CAP BT1	N.A	20x1	97
4052899931626	LDCMF BAT INTER CABLE 25CM BT1	N.A	20x1	240
4052899931633	LDCMF BAT P-IN CABLE 25CM BT1	N.A	20x1	177
4052899931640	LDCMF BAT P-IN CABLE 40CM BT1	N.A	20x1	183
4052899931657	LDCMF BAT P-IN CABLE 55CM BT1	N.A	20x1	170
4052899931664	LDCMF BAT P-IN CABLE 77CM BT1	N.A	20x1	180



### LEDTOUCH Batten Easy

EAN	Product description	lm	Packlot	MRP
4052899290440	LDTH BAT EAS LB04E-W4-830 UG 10X1	1960	10x1	4090
4052899290464	LDTH BAT EAS LB04E-W4-840 UG 10X1	2050	10x1	4090
4052899290488	LDTH BAT EAS LB04E-W4-865 UG 10X1	2080	10x1	4090
4052899290501	LDTH BAT EAS LB02E-W4-830 UG 10X1	1030	10x1	2600
4052899290525	LDTH BAT EAS LB02E-W4-840 UG 10X1	1090	10x1	2600
4052899290549	LDTH BAT EAS LB02E-W4-865 UG 10X1	1100	10x1	2600



### LEDTOUCH Batten Acheive

15, 21, 28 Watt

EAN	Product description	lm	Packlot	MRP
4052899194991	LDTH BAT ACH LB04A-827 UG1 10X1	2400	10x1	9300
4052899194588	LDTH BAT ACH LB04A-830 UG1 10X1	3000	10x1	9300
4052899194601	LDTH BAT ACH LB04A-840 UG1 10X1	2900	10x1	9300
4052899194625	LDTH BAT ACH LB04A-865 UG1 10X1	2900	10x1	9300
4052899194649	LDTH BAT ACH LB04AB-827 UG1 10X1	2400	10x1	9250
4052899194663	LDTH BAT ACH LB04AB-830 UG1 10X1	3000	10x1	9250
4052899194687	LDTH BAT ACH LB04AB-840 UG1 10X1	2900	10x1	9250
4052899194724	LDTH BAT ACH LB04AB-865 UG1 10X1	2900	10x1	9250
4052899194915	LDTH BAT ACH LB02A-827 UG1 10X1	1200	10x1	6050
4052899194939	LDTH BAT ACH LB02A-830 UG1 10X1	1400	10x1	6050
4052899194953	LDTH BAT ACH LB02A-840 UG1 10X1	1450	10x1	6050
4052899194977	LDTH BAT ACH LB02A-865 UG1 10X1	1450	10x1	6050
4052899199330	LDTH BAT ACH LB02AB-W4F-827 10X1	1200	10x1	6000
4052899199354	LDTH BAT ACH LB02AB-W4F-830 10X1	1400	10x1	6000
4052899199477	LDTH BAT ACH LB02AB-W4F-840 10X1	1450	10x1	6000
4052899199491	LDTH BAT ACH LB02AB-W4F-865 10X1	1450	10x1	6000

All the A series LEDTOUCH Batten have power connection position at the side of the batten

All the AB series LEDTOUCH Batten have power connection position at the back of the batten

### LEDTOUCH Batten Accessories

EAN	Product description	lm	Packlot	MRP
4008321869807	LDTH BAT POWER INTERCABLE	N.A	10x10	2100
4008321869821	LDTH BAT POWER INTERCABLE	N.A	10x10	2600
4008321869845	LDTH BAT L PENDANT BRACKET	N.A	10x5	4800
4008321869869	LDTH BAT T PENDANT BRACKET	N.A	10x5	5250
4008321869883	LDTH BAT LIN PENDANT BRACKET	N.A	10x5	4500
4008321869906	LDTH BAT DIM INTERCABLE	N.A	10x10	2000
4008321869920	LDTH BAT DIM INTERCABLE	N.A	10x10	2500
4008321869944	LDTH BAT POWER INTERCONNECTOR	N.A	10x20	4000



# Panellights

Elegant, pleasant, discreet.

Recessed luminaires perform a wide variety of tasks. Integrated into ceilings, they ensure general background lighting and provide pleasant ambient light in offices, meeting rooms, classrooms etc. In addition, they also act as decorative elements. All recessed luminaires from OSRAM are not only extremely functional, but are also easy to install and exceptionally durable. With their attractive designs, they blend easily into any surrounding and their high quality light produces special lighting effects.



## LEDTOUCH Louver

30, 40 Watt

EAN	Product description	lm	Packlot	MRP
4052899030862	LDTH LOU LL0202E-W4F-840 30W	3000	2x1	8700
4052899030947	LDTH LOU LL0202E-W4F-765 30W	3000	2x1	11850
4052899031043	LDTH LOU LL0401E-W4F-840 40W	4000	2x1	13200
4052899031128	LDTH LOU LL0401E-W4F-765 40W	4000	2x1	13200



## LEDCOMFO Louver Office Lighting

36, 45 Watt

EAN	Product description	lm	Packlot	MRP
4052899306417	LEDCOMFO LOU 0606 840 VS2	2800	2x1	8600
4052899306431	LEDCOMFO LOU 0606 865 VS2	2800	2x1	8600
4052899306455	LEDCOMFO LOU 0606HB 840 VS2	3400	2x1	10200
4052899306479	LEDCOMFO LOU 0606HB 865 VS2	3400	2x1	10200

billing in set of 2 only



## OPTIVALUE LED Panel

EAN	Product description	lm	Packlot	MRP
4052899270343	OPTV PANEL 0606 830 5X1	2600	5x1	6,600
4052899270367	OPTV PANEL 0606 840 5X1	2600	5x1	6,600
4052899270381	OPTV PANEL 0606 860 5X1	2800	5x1	6,600
4052899270404	OPTV PANEL 0312 830 5X1	2600	5x1	7,000
4052899270473	OPTV PANEL 0312 840 5X1	2600	5x1	7,000
4052899270497	OPTV PANEL 0312 860 5X1	2800	5x1	7,000



**LUXPOWER**

42 Watt

EAN	Product description	lm	Packlot	MRP
4052899158948	KIT LUXPOWER 42W 6500K VS2	3800	2x1	6900
4052899158962	KIT LUXPOWER 42W 4000K VS2	3570	2x1	6900
4052899178366	KIT LUXPOWER 42W 6500K M VS2	3800	2x1	6900
4052899178380	KIT LUXPOWER 42W 4000K M VS2	3570	2x1	6900
4052899189096	KIT LUXPOWER 42W 6500K DALI VS2	3800	2x1	10900
4052899189119	KIT LUXPOWER 42W 4000K DALI VS2	3570	2x1	10900
4052899159020	LUXPOWER DRIVER 42W	N.A	8x1	1100

LUXPOWER 42W available in DALI dimmable version also



**LUX POWER F, FG, FL**

40 Watt

EAN	Product description	lm	Packlot	MRP
4052899197916	KIT LUXPOWER F 40W 840 VS2 IN	3100	2x1	6700
4052899197893	KIT LUXPOWER F 40W 865 VS2 IN	3100	2x1	6700
4055462076991	KIT LUXPOWER FG 40W 865 VS2 IN	3700	2x1	6900
4052899340824	LUXPOWER FL 40W 865	3100	2x1	6700

billing in set of 2 only



**MONET T5 LOUVER**

T5 2x28 Watt

EAN	Product description	lm	Packlot	MRP
4008321780775	T5 LOUVER SR-228-MO-01 UNP UNV1	as per lamp	2x1	3600
4008321808387	T5 LOUVER RE-228-MO UNP UNV1	as per lamp	2x1	3750



**MONET T5 LOUVER**

T5 4x14 Watt

EAN	Product description	lm	Packlot	MRP
4008321864451	T5 LOUVER RE-414-MO VS2 IN UNP	as per lamp	2x1	4775




**MONET CFL LOUVER**

2x36 DL & 3x36 DL Watt

EAN	Product description	lm	Packlot	MRP
4008321808400	DL P5 LOUVER RE-236-MO UNP UNV1	as per lamp	2x1	4500
4008321866677	DL P5 LOUVER RE-336-MO VS2 IN UNP	as per lamp	2x1	4700





# Battens

Flexible, functional, efficient.

Batten luminaires are convenient to use and also offer a very versatile solution for achieving the illuminance required by relevant standards. They can be mounted on both walls and ceilings. In addition, suspended mounting is also possible with appropriate accessories. The light characteristics of one-lamp or two-lamp batten luminaires are optimized for maximum functionality.



## LED COMFO batten HB

6, 11 & 22W

EAN	Product description	lm	Packlot	MRP
4052899273122	LED COMFO BAT HB 0306 830 IN 40X1	470	40x1	800
4052899273146	LED COMFO BAT HB 0306 865 IN 40X1	515	40x1	800
4052899273160	LED COMFO BAT HB 0611 830 IN 40X1	880	40x1	975
4052899273184	LED COMFO BAT HB 0611 865 IN 40X1	940	40x1	975
4052899273207	LED COMFO BAT HB 1222 830 IN 40X1	1750	40x1	1325
4052899273221	LED COMFO BAT HB 1222 865 IN 40X1	2000	40x1	1325



## LED COMFO Batten LP Cove

4, 7, 10 & 14Watt

EAN	Product description	lm	Packlot	MRP
4052899274112	LED COMFO BAT 0304 830 APAC 40X1	320	20x1	570
4052899274136	LED COMFO BAT 0304 840 APAC 40X1	335	20x1	570
4052899274150	LED COMFO BAT 0304 865 APAC 40X1	350	20x1	570
4052899274174	LED COMFO BAT 0607 830 APAC 40X1	560	20x1	700
4052899274198	LED COMFO BAT 0607 840 APAC 40X1	590	20x1	700
4052899274211	LED COMFO BAT 0607 865 APAC 40X1	600	20x1	700
4052899274235	LED COMFO BAT 0910 830 APAC 40X1	790	20x1	900
4052899274259	LED COMFO BAT 0910 840 APAC 40X1	840	20x1	900
4052899274273	LED COMFO BAT 0910 865 APAC 40X1	860	20x1	940
4052899274297	LED COMFO BAT 1214 830 APAC 40X1	1120	20x1	970
4052899274310	LED COMFO BAT 1214 840 APAC 40X1	1180	20x1	970
4052899274334	LED COMFO BAT 1214 865 APAC 40X1	1200	20x1	970



**SIMPLITZ BATTEN**

10, 20 40 & 43Watt

EAN	Product description	lm	Packlot	MRP
4052899241381	SIMPLITZ BTN ESY0600A 840 FS1	1000	10x1	3200
4052899241428	SIMPLITZ BTN ESY0600A 857 FS1	1000	10x1	3200
4052899264328	SIMPLITZ BTN ESY0600A 865 FS1	1000	10x1	3200
4052899241442	SIMPLITZ BTN ESY1200A 840 FS1	2000	10x1	4525
4052899241466	SIMPLITZ BTN ESY1200A 857 FS1	2000	10x1	4525
4052899264342	SIMPLITZ BTN ESY1200A 865 FS1	2000	10x1	4525
4052899241480	SIMPLITZ BTN ACH0600A 840 FS1	2000	10x1	3870
4052899241503	SIMPLITZ BTN ACH0600A 857 FS1	2000	10x1	3870
4052899264366	SIMPLITZ BTN ACH0600A 865 FS1	2000	10x1	3870
4052899241527	SIMPLITZ BTN ACH1200A 840 FS1	4000	10x1	5460
4052899241541	SIMPLITZ BTN ACH1200A 857 FS1	4000	10x1	5460
4052899264403	SIMPLITZ BTN ACH1200A 865 FS1	4000	10x1	5460
4052899270220	SIMPLITZ BTN ACH1170B 840 FS1	4300	10x1	5600
4052899270244	SIMPLITZ BTN ACH1170B 857 FS1	4300	10x1	5690
4052899270268	SIMPLITZ BTN ACH1170B 865 FS1	4300	10x1	5600



**BATTEN SERIES RADIANCE**

T5 8 - 54 Watt

EAN	Product description	lm	Packlot	MRP
4008321637741	T5 RADIANCE WT 8W HF UNP	As per lamp	25x1	395
4008321852885	T5 RADIANCE G2 WT 14W UNP		10x1	510
4008321852908	T5 RADIANCE G2C WT 1X14 W UNP with cover		10x1	560
4008321852922	T5 RADIANCE G2 WT 1X21 W UNP		10x1	525
4008321852946	T5 RADIANCE G2C WT 1X21 W UNP with cover		10x1	575
4008321852960	T5 RADIANCE G2 WT 1X28 W UNP		10x1	575
4008321852984	T5 RADIANCE G2C WT 1X28 W UNP with cover		10x1	625
4008321613844	T5 BATTEN PRO WT 1X28 HF UNP connect		20x1	750
4008321681461	T5 RADIANCE WT 1X54 UNP		25x1	850
4008321415714	T8 RADIANCE HF WT 18W UNP		25x1	360
4008321853486	T5 RADIANCE G2 WT 36W UNP		10x1	475
4008321745224	T5 RAD COMBI WT 1X21/865 with lamp		15x1	600
4008321771636	T5 RADIANCE WT 1X54/865 with lamp		15x1	1100
4008321772015	T5 RADIANCE WT1X54/865 DF lamp & cover		15x1	1200

with lamp and diffuser



**RADIANCE LAMP + COVER**

T5- 14W & 28W, With Lamp & Cover

EAN	Product description	lm	Packlot	MRP
4008321745200	T5 RAD WITHLAMP+COVER1X14/865	As per lamp	15X1	690
4008321745248	T5 RAD WITHLAMP+COVER1X28/865	As per lamp	15X1	800



**REZENTA BATTEN**

T5 14-28 Watt

EAN	Product description	lm	Packlot	MRP
4008321838629	T5 REZENTA WT 1X28 UNP	As per lamp	10x1	575
4008321838537	T5 REZENTA WT 1X14 UNP	As per lamp	10x1	510



**RELIN T5**

T5 1x28 Watt

EAN	Product description	lm	Packlot	MRP
4008321838551	T5 RELINE WT 1X28 UNP	As per lamp	10x1	625
40083218385	T8RELIN WT 1X36 UNP	As per lamp	10x1	850



**HELIOS T5 & T8**

T5 28 Watt & T8 28 Watt

EAN	Product description	lm	Packlot	MRP
4008321585301	HELIOS T8 WT 1X36HF UNP	As per lamp	15x1	450
4008321822543	HELIOS T8 SLIM 1X36 HF UNP		15x1	450
4008321591173	HELIOS T5 WT 1X28 HF UNP		15x1	450



**INDUSTRIAL BATTEN SERIES**

T5 1x28 & 2x28 Watt & T8 1x36 & 2x36 Watt

EAN	Product description	lm	Packlot	MRP
4008321384454	INDL BATTEN T5 1x28	As per lamp	10x1	1500
4008321384478	INDL BATTEN T5 2x28		10x1	1650
4008321384331	INDL BATTEN T8 1x36		10x1	1200
4008321384430	INDL BATTEN T8 2x36		10x1	1300



# Highbay Luminaires

Versatile, efficient, durable.


Increased business performance and safe working environment, OSRAM highbay luminaires help optimize energy required to light your facilities. Technological advancement and international quality come in together to create unique and efficient lighting solutions for high ceiling lighting requirements that are also easy on maintenance.



## SIMPLITZ HIGHBAY

55, 105, 150 & 240W

EAN	Product description	lm	Packlot	MRP
4052899264519	SIMPLITZ HIGHBAY S857 VS1	4900	1x1	14000
4052899264533	SIMPLITZ HIGHBAY M857 VS1	9600	1x1	21350
4052899264571	SIMPLITZ HIGHBAY L857 VS1	13900	1x1	27800
4052899264595	SIMPLITZ HIGHBAY XL857 VS1	21880	1x1	38190



## SUNNY-T5

28, 54 Watt

EAN	Product description	lm	Packlot	MRP
4008321570260	SUNNY T5 HI-BAY WT 4X28 HF VS1 UNP	As per lamp	1x1	12620
4008321570277	SUNNY T5 HI-BAY WT 6X28 HF VS1 UNP		1x1	17060
4008321570284	SUNNY T5 HI-BAY WT 4X54 HF VS1 UNP		1x1	13400
4008321570291	SUNNY T5 HI-BAY WT 6X54 HF VS1 UNP		1x1	18260
4008321570307	SUNNY T5 HI-BAY WT 4X28G HF VS1 UNP		1x1	13680
4008321570314	SUNNY T5 HI-BAY WT 6X28G HF VS1 UNP		1x1	18380
4008321570321	SUNNY T5 HI-BAY WT 4X54G HF VS1 UNP		1x1	14460
4008321570338	SUNNY T5 HI-BAY WT 6X54G HF VS1 UNP		1x1	19580





# Water-Proof & Bulk Head

Combat, durable & Sturdy.

The OLUX® Water-Proof & Bulk Head luminaire are designed to withstand damp and dusty environments. In OLUX waterproof the highgrade polycarbonate housing provides excellent impact resistance while its ribbed, crystal clear optical cover allows exceptional light transmission. The optical cover is UV-stabilized, which gives better resistance to cracking, hazing or yellowing. Our Water-Proof & Bulk Head are ideal, dependable lighting solution for demanding indoor or outdoor environments.



## OLUX Water-Proof

EAN	Product description	lm	Packlot	MRP
4052899027367	OLUX WATER-PROOF 1X14W 12X1	As per Lamp	12X1	1300
4052899027381	OLUX WATER-PROOF 2X14W 10X1		10X1	1700
4052899027404	OLUX WATER-PROOF 1X28W 12X1		12X1	1800
4052899027428	OLUX WATER-PROOF 2X28W 8X1		8X1	2200
4052899027442	OLUX WATER-PROOF 1X35W 9X1		9X1	2600
4052899027466	OLUX WATER-PROOF 2X35W 8X1		8X1	3100

For T5 FTL lamps



## OLUX Water-Proof

EAN	Product description	lm	Packlot	MRP
4052899027602	OLUX WATER-PROOF 1X18W 12X1	As per Lamp	12X1	1400
4052899027626	OLUX WATER-PROOF 2X18W 10X1		10X1	1700
4052899027640	OLUX WATER-PROOF 1X36W 8X1		8X1	2100
4052899027664	OLUX WATER-PROOF 2X36W 6X1		6X1	2400
4052899027688	OLUX WATER-PROOF 1X58W 8X1		8X1	2700
4052899027701	OLUX WATER-PROOF 2X58W 6X1		6X1	3400

For T8 FTL lamps



## LED Water- Proof

20 Watt

EAN	Product description	lm	Packlot	MRP
4052899242197	OLUX LED WP T ESY1200 830 4X1	1800	4X1	9,800
4052899242210	OLUX LED WP T ESY1200 840 4X1	1900	4X1	9,800
4052899242234	OLUX LED WP T ESY1200 857 FS1	2000	4X1	9,800
4052899242388	OLUX LED WP S ESY1200 830 4X1	1800	4X1	9,000
4052899242418	OLUX LED WP S ESY1200 840 4X1	1900	4X1	9,000
4052899242449	OLUX LED WP S ESY1200 857 FS1	2000	4X1	9,000
4052899242258	OLUX LED WP T ESY0600 830 4X1	1800	4X1	7,500
4052899242272	OLUX LED WP T ESY0600 840 4X1	1900	4X1	7,500
4052899242296	OLUX LED WP T ESY0600 857 4X1	2000	4X1	7,500
4052899242463	OLUX LED WP S ESY0600 830 4X1	1800	4X1	6,700
4052899242487	OLUX LED WP S ESY0600 840 4X1	1900	4X1	6,700
4052899242517	OLUX LED WP S ESY0600 857 4X1	2000	4X1	6,700

4 Ft length; Through-Wire & Standalone



**OLUX LED Water- Proof**

40 Watt

EAN	Product description	lm	Packlot	MRP
4052899242135	OLUX LED WP T ACE1200 830 4X1	3550	4X1	10800
4052899242159	OLUX LED WP T ACE1200 840 4X1	3800	4X1	10800
4052899242173	OLUX LED WP T ACE1200 857 4X1	4050	4X1	10800
4052899242319	OLUX LED WP S ACE1200 830 4X1	3550	4X1	9800
4052899242340	OLUX LED WP S ACE1200 840 4X1	3800	4X1	9800
4052899242364	OLUX LED WP S ACE1200 857 4X1	4050	4X1	9800

4 Ft length; Through-Wire & Standalone



IP 65

**OLUX LED BULK HEAD**

EAN	Product description	lm	Packlot	MRP
4052899156296	OLUX LED BULKHEAD BK10W 930	800	6X1	7700
4052899156357	OLUX LED BULKHEAD BK10W 840	900	6X1	7700
4052899156371	OLUX LED BULKHEAD BK20W 930	1600	6X1	9100
4052899156395	OLUX LED BULKHEAD BK20W 840	1800	6X1	9100

Available in black & grey base colour



## Floodlights

Focused, reliable and dynamic.

PURSOS™ offers a series of durable and environmentally preferable LED billboard forward lighting luminaires. Rated for outdoor use, the PURSOS forward light series offer white LEDs of 4 different lumen outputs, special optic design in slim, rugged aluminum alloy housing made to fit many billboard forward lighting applications.



### PURSOS

EAN	Product description	lm	Packlot	MRP
4008321743442	PURSOS W4F-76 BK 30W L90X60 VS1	2350	1X1	15300
4008321743473	PURSOS W4F-76 BK 60W L90X60 VS1	4700	1X1	22400
4008321736581	PURSOS W4F-76 BK 90W L90X60 VS1	7050	1X1	30800
4008321736598	PURSOS W4F-76 BK 120W L90X60 VS1	9400	1X1	36300
4008321858856	PURSOS® W4F-84 BK 30W L90X60	2350	1X1	19600
4008321858863	PURSOS® W4F-84 BK 60W L90X60	4700	1X1	28500
4008321858870	PURSOS® W4F-84 BK 90W L90X60	7050	1X1	39000
4008321858894	PURSOS® W4F-84 BK 120W L90X60	9400	1X1	45200
4008321858153	PURSOS® W4-76 BK 120W L16	9400	1X1	48700
4008321858139	PURSOS® W4F-84 BK 120W L16	8100	1X1	48700



**PURSOS HP**



**PURSOS M HB**

160 Watt

EAN	Product description	lm	Packlot	MRP
4052899099388	PURSOS M HB 730 AS VS1	11600	1X1	On Request
4052899099401	PURSOS M HB 740 AS VS1	13220	1X1	On Request
4052899099425	PURSOS M HB 757 AS VS1	14550	1X1	On Request

Available in AS/MB/NB options



**PURSOS M HE**

130 Watt

EAN	Product description	lm	Packlot	MRP
4052899099326	PURSOS M HE 730 AS VS1	12220	1X1	On Request
4052899099340	PURSOS M HE 740 AS VS1	14000	1X1	On Request
4052899099364	PURSOS M HE 757 AS VS1	15330	1X1	On Request

Available in AS/MB/NB options



**PURSOS L HB**

260 Watt

EAN	Product description	lm	Packlot	MRP
4052899099104	PURSOS L HB 730 AS VS1	19440	1X1	On Request
4052899099128	PURSOS L HB 740 AS VS1	22110	1X1	On Request
4052899099173	PURSOS L HB 757 AS VS1	24330	1X1	On Request

Available in AS/MB/NB options



**PURSOS L HE**

220 Watt

EAN	Product description	lm	Packlot	MRP
4052899099012	PURSOS L HE 730 AS VS1	20440	1X1	On Request
4052899099029	PURSOS L HE 740 AS VS1	23330	1X1	On Request
4052899099098	PURSOS L HE 757 AS VS1	25550	1X1	On Request

Available in AS/MB/NB options



**OLUX FLOOD**

EAN	Product description	lm	Packlot	MRP
4052899017986	OLUX FLOOD 220V50HZA 70W SA VS1	As per Lamp	1X1	8960
4052899017993	OLUX FLOOD 220V50HZA 70W AA VS1		1X1	8960
4052899018020	OLUX FLOOD 220V50HZA 150W SA VS1		1X1	10300
4052899018037	OLUX FLOOD 220V50HZA 150W AA VS1		1X1	10300
4052899018068	OLUX FLOOD 220V50HZA 250W SA VS1		1X1	14500
4052899018075	OLUX FLOOD 220V50HZA 250W AA VS1		1X1	14500
4052899018082	OLUX FLOOD 220V50HZA 250W SH VS1		1X1	13600
4052899018099	OLUX FLOOD 220V50HZA 250W AH VS1		1X1	13600
4052899018143	OLUX FLOOD 220V50HZA 400W SA VS1		1X1	16800
4052899018150	OLUX FLOOD 220V50HZA 400W AA VS1		1X1	16800
4052899018167	OLUX FLOOD 220V50HZA 400W SH VS1		1X1	14700
4052899018174	OLUX FLOOD 220V50HZA 400W AH VS1	1X1	14700	

Inbuilt control gear, excluding lamp





**OLUX LED Flood Light**

**LED Flood Light**

50 Watt

EAN	Product description	lm	Packlot	MRP
4052899321175	OLUX LED FLOOD S 730 AS VS1	4700	1X1	17500
4052899321236	OLUX LED FLOOD S 740 AS VS1	5000	1X1	17500
4052899321298	OLUX LED FLOOD S 757 AS VS1	5000	1X1	17500

Also Available in MB & NB Beam angles



**OLUX LED Flood Light**

**LED Flood Light**

96 Watt

EAN	Product description	lm	Packlot	MRP
4052899320727	OLUX LED FLOOD M 730 AS VS1	9400	1X1	25500
4052899321052	OLUX LED FLOOD M 740 AS VS1	10000	1X1	25500
4052899321113	OLUX LED FLOOD M 757 AS VS1	10000	1X1	25500

Also Available in MB & NB Beam angles



**OLUX LED Flood Light**

**LED Flood Light**

190 Watt

EAN	Product description	lm	Packlot	MRP
4052899318212	OLUX LED FLOOD L 730 AS VS1	18800	1X1	39000
4052899320871	OLUX LED FLOOD M 740 AS VS1	20000	1X1	39000
4052899320932	OLUX LED FLOOD M 757 AS VS1	20000	1X1	39000

Also Available in MB & NB Beam angles



# Streetlights

Efficient, balanced, robust.

Create a new civic identity with OSRAM superior LED street lightings. OSRAM's advanced street lights offer ideal outdoor lightings while helping to protect the environment by reducing energy consumption and the light's carbon footprint. OSRAM light engineers are the best at what they do and are experts at creating luminaires that are high on photometric performance while low on maintenance and energy consumption, which are crucial factors in designing efficient lightings for today's roads. From modern modular to integrative future fit designs, using LED or HCL lamps, all comply with international lighting norms and standards.



## STRADA

EAN	Product description	lm	Packlot	MRP
4052899128316	STRADA PLUS 70W 6500K L130x50 VS1	6300	1X1	15500
4008321874122	STRADA PLUS 40W 6500K L130x50 4x1	3400	4X1	9000
4008321874108	STRADA PLUS 20W 6500K L130x50 4x1	1600	4X1	4100



**LUXVANCE**



**LUXVANCE**  
500 mA

EAN	Product description	lm	Packlot	MRP
4052899111776	LUXVANCE 225W 500mA 5700K 80° x 140°	27333	1X1	On request
4052899111820	LUXVANCE 120W 500mA 5700K 80° x 140°	15185	1X1	
4052899111882	LUXVANCE 75W 500mA 5700K 80° x 140°	9111	1X1	
4052899111943	LUXVANCE 50W 500mA 5700K 80° x 140°	6074	1X1	
4052899111813	LUXVANCE 225W 500mA 4000K 80° x 140°	25380	1X1	
4052899111936	LUXVANCE 120W 500mA 4000K 80° x 140°	14100	1X1	
4052899112018	LUXVANCE 75W 500mA 4000K 80° x 140°	8460	1X1	
4052899112056	LUXVANCE 50W 500mA 4000K 80° x 140°	5460	1X1	

Available in 75° x 150° and 80° x 140° beam angles



**LUXVANCE**  
700 mA

EAN	Product description	lm	Packlot	MRP
4052899096134	LUXVANCE 250W 700mA 5700K 80° x 140°	28000	1X1	On request
4052899096172	LUXVANCE 180W 700mA 5700K 80° x 140°	20000	1X1	
4052899096233	LUXVANCE 140W 700mA 5700K 80° x 140°	16000	1X1	
4052899096387	LUXVANCE 110W 700mA 5700K 80° x 140°	12000	1X1	
4052899096424	LUXVANCE 70W 700mA 5700K 80° x 140°	8000	1X1	
4052899099005	LUXVANCE 250W 700mA 4000K 80° x 140°	25500	1X1	
4052899099067	LUXVANCE 180W 700mA 4000K 80° x 140°	18200	1X1	
4052899099135	LUXVANCE 140W 700mA 4000K 80° x 140°	14600	1X1	
4052899099180	LUXVANCE 110W 700mA 4000K 80° x 140°	11000	1X1	
4052899099258	LUXVANCE 70W 700mA 4000K 80° x 140°	7300	1X1	

Available in 75° x 150° and 80° x 140° beam angles



**LUXVANCE**  
1050 mA

EAN	Product description	lm	Packlot	MRP
4052899111455	LUXVANCE 270W 1050mA 5700K 80° x 140°	26600	1X1	On request
4052899111493	LUXVANCE 160W 1050mA 5700K 80° x 140°	16000	1X1	
4052899111530	LUXVANCE 110W 1050mA 5700K 80° x 140°	11000	1X1	
4052899111578	LUXVANCE 55W 1050mA 5700K 80° x 140°	5300	1X1	
4052899111615	LUXVANCE 270W 1050mA 4000K 80° x 140°	24300	1X1	
4052899111653	LUXVANCE 160W 1050mA 4000K 80° x 140°	15000	1X1	
4052899111691	LUXVANCE 110W 1050mA 4000K 80° x 140°	9700	1X1	
4052899111738	LUXVANCE 55W 1050mA 4000K 80° x 140°	4860	1X1	


Available in 75° x 150° and 80° x 140° beam angles



**OLUX ROAD**

EAN	Product description	lm	Packlot	MRP
4052899027022	OLUX ROAD 240V50HZ C 150W NH VS1	As Per Lamp	1X1	17700
4052899027039	OLUX ROAD 240V50HZ C 250W NH VS1		1X1	18720
4052899027046	OLUX ROAD 240V50HZ C 400W NH VS1		1X1	19800
4052899026971	OLUX ROAD 220V50HZ A 250W H VS1		1X1	18720
4052899026988	OLUX ROAD 220V50HZ A 400W H VS1		1X1	19800
4052899026940	OLUX ROAD 220V50HZ A 250W N VS1		1X1	18720
4052899026957	OLUX ROAD 220V50HZ A 400W N VS1		1X1	19800

Separate control gear for NAV/ HQL; excluding lamp






# Landscape & Architectural Range

Ambient, appealing, artistic.

Fuel life in your landscapes & designs with OSRAM architectural and landscape lighting solutions. Natural or dramatic, centrestage or background, dynamic or subtle, contemporary or classic, limited only by your imagination these wide array of OSRAM luminaires create playful ambience to suit your mood. Aesthetically appealing, maintenance free and long lasting quality luminaires that deliver quality illumination.

## OLUX LED FOUNTAIN



**FOUNTAIN**  
S/12 Watt & M/24 Watt

EAN	Product description	lm	Packlot	MRP
4052899089594	OLUX LED FOUNTAIN S24V 830N 4X1	600	4X1	13200
4052899089655	OLUX LED FOUNTAIN S24V 740N 4X1	750	4X1	13200
4052899089716	OLUX LED FOUNTAIN S24V 757N 4X1	900	4X1	13200
4052899089778	OLUX LED FOUNTAIN M24V 830N 4X1	1200	4X1	18900
4052899089839	OLUX LED FOUNTAIN M24V 740N 4X1	1500	4X1	18900
4052899089891	OLUX LED FOUNTAIN M24V 757N 4X1	1800	4X1	18900

Available in 10/20/30 degree beam angle; excluding external DC driver

## OLUX LED SPOT



**SPOT**  
S/7 Watt

EAN	Product description	lm	Packlot	MRP
4052899041363	OLUX LED SPOT S 830 N 6X1	430	6X1	6300
4052899041424	OLUX LED SPOT S 740 N 6X1	600	6X1	6300
4052899041486	OLUX LED SPOT S 757 N 6X1	700	6X1	6300

Available in 10/20/30 degree beam angle



**SPOT**  
M/12 Watt

EAN	Product description	lm	Packlot	MRP
4052899041547	OLUX LED SPOT M 830 N 4X1	830	4X1	9700
4052899041608	OLUX LED SPOT M 740 N 4X1	1170	4X1	9700
4052899041660	OLUX LED SPOT M 757 N 4X1	1300	4X1	9700

Available in 10/20/30 degree beam angle



**OLUX LED WALL RECESSED**  
S 4 Watt

EAN	Product description	lm	Packlot	MRP
4052899204294	OLUX LED RECESSED S830	120	20X1	3300
4052899204317	OLUX LED RECESSED S840	120	20X1	3300



**OLUX LED IN GROUND**



**IN GROUND**  
S/7 Watt

EAN	Product description	lm	Packlot	MRP
AA592680055	OLUX LED IN-GROUND S 830 N 6X1	430	6X1	7700
AA593080055	OLUX LED IN-GROUND S 740 N 6X1	600	6X1	7700
AA593760055	OLUX LED IN-GROUND S 757 N 6X1	700	6X1	7700

Available in 10/20/30 degree beam angle



**IN GROUND**  
M/12 Watt

EAN	Product description	lm	Packlot	MRP
AA592860055	OLUX LED IN-GROUND M 830 N 4X1	830	4X1	11900
AA593490055	OLUX LED IN-GROUND M 740 N 4X1	1170	4X1	11900
AA593940055	OLUX LED IN-GROUND M 757 N 4X1	1300	4X1	11900

Available in 10/20/30 degree beam angle

**AQUA LED 2**



**AQUA LED 2**  
S/M

EAN	Product description	lm	Packlot	MRP
4008321988775	Aqua LED2 S 230V 830	60	4X1	5700
4008321988782	Aqua LED2 S 230V 840	60	4X1	5700
4008321988799	Aqua LED2 S 230V B	60	4X1	5900
4008321988836	Aqua LED2 M 230V 830	130	4X1	5900
4008321988843	Aqua LED2 M 230V 840	130	4X1	5900
4008321988850	Aqua LED2 M 230V B	130	4X1	6400
4008321854261	AQUA LED2 S&M PRE-RECESSED TUBE VS9	NA	1X1	300



**AQUA LED 2**  
L/XL

EAN	Product description	lm	Packlot	MRP
4008321988973	AQUA LED2 L 230V 830 SG 10 VS1	450	1X1	16800
4008321988980	AQUA LED2 L 230V 830 SG 36 VS1	450	1X1	16800
4008321988997	AQUA LED2 L 230V 840 SG 10 VS1	450	1X1	16800
4008321989000	AQUA LED2 L 230V 840 SG 36 VS1	450	1X1	16800
4008321989130	AQUA LED2 XL 230V 830 SG 10 VS1	1300	1X1	27400
4008321989147	AQUA LED2 XL 230V 830 SG 36 VS1	1300	1X1	27400
4008321989154	AQUA LED2 XL 230V 840 SG 10 VS1	1300	1X1	27400
4008321989161	AQUA LED2 XL 230V 840 SG 36 VS1	1300	1X1	27400
4008321989222	AQUA LED2XL PRE-RECESSED TUBE VS1	NA	1X1	2000
4008321989215	AQUA LED2L PRE-RECESSED TUBE VS1	NA	1X1	1400


**OLUX LED Linear Wall Washer**



**LED Linear Wall Washer**  
14 Watt

EAN	Product description	lm	Packlot	MRP
4052899096219	LED LINEAR L12X12 14W 827ND 4X1	840	4X1	13200
4052899096578	LED LINEAR L12X12 14W 830ND 4X1	970	4X1	12200
4052899096639	LED LINEAR L12X12 14W 740ND 4X1	1270	4X1	12200
4052899096745	LED LINEAR L12X12 14W 757ND 4X1	1370	4X1	13200

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 1 ft length



**LED Linear Wall Washer**  
27 Watt

EAN	Product description	lm	Packlot	MRP
4052899104037	LED LINEAR L12X12 27W 827ND 4X1	1680	4X1	19600
4052899104075	LED LINEAR L12X12 27W 830ND 4X1	1940	4X1	18700
4052899104112	LED LINEAR L12X12 27W 740ND 4X1	2540	4X1	18700
4052899104198	LED LINEAR L12X12 27W 757ND 4X1	2740	4X1	19600

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 2 ft length



**LED Linear Wall Washer**  
39 Watt

EAN	Product description	lm	Packlot	MRP
4052899103474	LED LINEAR L12X12 39W 827ND 4X1	2520	4X1	27300
4052899103511	LED LINEAR L12X12 39W 830ND 4X1	2910	4X1	25500
4052899103559	LED LINEAR L12X12 39W 740ND 4X1	3810	4X1	25500
4052899103634	LED LINEAR L12X12 39W 757ND 4X1	4110	4X1	27300

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 3 ft length



**LED Linear Wall Washer**  
51 Watt


EAN	Product description	lm	Packlot	MRP
4052899106062	LED LINEAR L12X12 51W 827ND 4X1	3360	4X1	33100
4052899106109	LED LINEAR L12X12 51W 830ND 4X1	3880	4X1	31100
4052899106147	LED LINEAR L12X12 51W 740ND 4X1	5080	4X1	31100
4052899106222	LED LINEAR L12X12 51W 757ND 4X1	5480	4X1	33100

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 4 ft length

**LED Linear Wall Washer Accessories**

EAN	Product description	lm	Packlot	MRP
4052899136175	LED LINEAR SHELTER 320MM 4X1	NA	4X1	1060
4052899136199	LED LINEAR SHELTER 600MM 4X1	NA	4X1	1500
4052899136212	LED LINEAR SHELTER 900MM 4X1	NA	4X1	2310
4052899136236	LED LINEAR SHELTER 1200MM 4X1	NA	4X1	2900
4052899136250	LED LINEAR ENDS POWER WIRE 1M 4X1	NA	4X1	2196
4052899136274	LED LINEAR ENDS POWER WIRE 5M 4X1	NA	4X1	3870
4052899136335	LED LINEAR INPUT POWER WIRE 4X1	NA	4X1	1320

**OLUX LED Linear Wall Washer Midi**



**LED Linear Wall Washer Midi 9 W**  
9 Watt

EAN	Product description	lm	Packlot	MRP
4052899185258	OLUX LED LINEAR MD L12X12 9W827	560	4X1	6100
4052899185333	OLUX LED LINEAR MD L12X12 9W740	660	4X1	6100
4052899185418	OLUX LED LINEAR MD L12X12 9W757	660	4X1	6100

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 1 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Midi 17 W**  
17 Watt

EAN	Product description	lm	Packlot	MRP
4052899186354	OLUX LED LINEAR MDL12X12 17W827	1100	4X1	9000
4052899186545	OLUX LED LINEAR MDL12X12 17W740	1300	4X1	9000
4052899186651	OLUX LED LINEAR MDL12X12 17W757	1300	4X1	9000

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 2 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Midi 26 W**  
26 Watt

EAN	Product description	lm	Packlot	MRP
4052899187979	OLUX LED LINEAR MDL12X12 26W827	1700	4X1	11600
4052899188211	OLUX LED LINEAR MDL12X12 26W740	2000	4X1	11600
4052899188372	OLUX LED LINEAR MDL12X12 26W757	2000	4X1	11600

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 3 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Midi 34 W**  
34 Watt

EAN	Product description	lm	Packlot	MRP
4052899189997	OLUX LED LINEAR MDL12X12 34W827	2200	4X1	14400
4052899190528	OLUX LED LINEAR MDL12X12 34W740	2600	4X1	14400
4052899190689	OLUX LED LINEAR MDL12X12 34W757	2600	4X1	14400

Available in 34°x12°, 12°x12°, 50°x50° beam angles; 4 Ft length; Excluding External DC Driver of 24V DC



**OLUX LED Linear Wall Washer Mini**

**LED Linear Wall Washer Mini 2.5 W**  
2.5 Watt

EAN	Product description	lm	Packlot	MRP
4052899201460	OLUX LED LINEAR MN 2.5W 827	210	4X1	4150
4052899201484	OLUX LED LINEAR MN 2.5W 840	210	4X1	4150
4052899201507	OLUX LED LINEAR MN 2.5W 850	220	4X1	4150

Available in 38°x35° beam angle; 1 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Mini 5 W**  
5 Watt

EAN	Product description	lm	Packlot	MRP
4052899201583	OLUX LED LINEAR MN 5W 827 4X1	420	4X1	5500
4052899201606	OLUX LED LINEAR MN 5W 840 4X1	420	4X1	5500
4052899201620	OLUX LED LINEAR MN 5W 850 4X1	450	4X1	5500

Available in 38°x35° beam angle; 2 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Mini 7.5 W**  
7.5 Watt

EAN	Product description	lm	Packlot	MRP
4052899201729	OLUX LED LINEAR MN 7.5W 827 4X1	630	4X1	6900
4052899201705	OLUX LED LINEAR MN 7.5W 840 4X1	630	4X1	6900
4052899201743	OLUX LED LINEAR MN 7.5W 850 4X1	670	4X1	6900

Available in 38°x35° beam angle; 3 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Mini 10 W**  
10 Watt

EAN	Product description	lm	Packlot	MRP
4052899201828	OLUX LED LINEAR MN 10W 827 4X1	840	4X1	8300
4052899201842	OLUX LED LINEAR MN 10W 840 4X1	840	4X1	8300
4052899201866	OLUX LED LINEAR MN 10W 850 4X1	890	4X1	8300

Available in 38°x35° beam angle; 4 Ft length; Excluding External DC Driver of 24V DC

**LED Linear Wall Washer Midi and Mini Accessories**

EAN	Product description	lm	Packlot	MRP
4052899226371	OLUX LED LINEAR MD/MN POW CAB	NA	4X1	400
4052899226395	OLUX LED LINEAR MD/MN INTCAB1M	NA	4X1	800
4052899226418	OLUX LED LINEAR MD/MN INTCAB5M	NA	4X1	1700

Cables are common for Midi and Mini Version

**Head Office****OSRAM India**

Signature Towers, 11th Floor  
Tower B, South City-I  
Gurgaon 122001  
Haryana, India  
Tel: +91-124-4081581  
+91-124-4150100  
Fax: +91-124-4081577

For any further queries  
please mail at:

info-india@osram.com

**Regional Office****OSRAM India Pvt. Ltd. - North**

Signature Towers, 11th Floor  
Tower B, South City-I  
Gurgaon 122001  
Haryana, India  
Ph.: +91-124-4150100  
E-mail: tirlochan.singh@osram.com

**OSRAM India Pvt. Ltd. - East**

19A/2, Everest, 19th Floor  
46C, J. L. Nehru Road  
Kolkata-700 071  
Ph.: +91-33-40031298  
E-mail: a.bhuwalka@osram.com

**OSRAM India Pvt Ltd. - South**

Prestige Pinnacle  
#113, 1st Floor, 7th Block  
Koramangala Industrial Estate  
Bangalore - 560095  
Tel: +91-80-42415000  
E-mail: s.magesh@osram.com

**OSRAM India Pvt Ltd. - West**

A Wing, 503, 5th floor  
City point commercial complex  
Besides Hotel Kohinoor Continental  
Andheri Kurla road,  
Andheri (East)  
Mumbai – 400069  
Tel: +91-22-67186000  
+91-22-67252150  
E-mail: n.nigwekar@osram.com

## Disclaimer

- Maximum Retail Price (MRP) is inclusive of excise duty
- Prices & Product are subject to change without notice as per company discretion
- Osram India Pvt. Limited reserves the right to make changes in the design and data without any prior notice
- Disputes if any will be subject to Gurgaon jurisdiction only

Light is OSRAM

