

2. GUATTERIA PALLIDA, *Blume?*

Guatteria pallida, Blume, Bijdr. p. 20, & Fl. Jav. Anonac. p. 97, t. 48.

HAB. Baños, near Manilla, Luzon.

A poor specimen, with young fruit, destitute of flowers, which I can only doubtfully refer to Blume's *G. pallida*, with the figure of which it pretty well accords.

4. ANAXAGOREA, *St. Hil.*

1. ANAXAGOREA LUZONENSIS, Sp. Nov.

A. foliis lanceolato-oblongis utrinque angustatis promissime acuminatis concoloribus; staminibus conformibus; ovariis 3 lævibus in stylum gracilem attenuatis; folliculis longe clavato-stipitatis.

HAB. Mountains near Baños, in the Island of Luzon. (Also in Cuming's Philippine collection, No. 831.)

Branches slender, glabrous, as is the whole plant. *Leaves* membranaceous, from 3 to 5 inches in length, *lanceolate-oblong*, or oblong, narrowed into an acute base, *conspicuously acuminate*, green both sides, not at all glaucescent underneath: petioles about 3 lines long. Peduncles opposite the leaves, 2, or in fruit 3, lines in length, one-flowered, furnished with a very small clasping bractlet near the apex. Calyx of 3 ovate and obtuse sepals, united at the base, minutely ciliolate, otherwise glabrous, about one-third the length of the corolla. Petals lanceolate-oblong, the 3 outer ones about half an inch long; the 3 inner a little smaller. Torus not at all enlarged. *Stamens* about 30, *equal and similar*, all perfect and with short filaments: anthers linear, with a short obtuse tip, three or four times the length of the filament. *Pistils* 3, slightly stipitate in the flower-bud, *smooth* throughout; *ovary* ovoid-oblong, *tapering into*