

2. *HOSACKIA GRACILIS*, *Benth.*

HAB. Umpqua Mountains, in the southern part of Oregon and Northern California.

3. *HOSACKIA SUBPINNATA*, *Torr. & Gray.*

HAB. On the Walla-Walla and Upper Columbia, Washington Territory.—Includes *H. Wrangeliana*, Torr. & Gray, the *Lotus Wrangelianus* of Fischer and Meyer. Plant 8 to 18 inches high, more or less branched, strigosely pubescent. Leaflets mostly 4, 6 to 8 lines long, slightly glaucous, or sometimes canescently hirsute. Flowers solitary, nearly sessile, very small, almost concealed among the leaves, purple and white. Bracts unifoliate or wanting. Lobes of the calyx twice as long as the tube. Legume about half an inch long, nearly obtuse, tipped with the short recurved base of the style; about 3-seeded.

4. *HOSACKIA PARVIFLORA*, *Benth.*

HAB. Prairies near Nisqually, Puget Sound, and interior of Washington Territory.—Plant about a span high. Bracts 1-3-foliate.

5. *HOSACKIA PURSHIANA*, *Benth.*

*Hosackia Purshiana*, Benth. in Bot. Reg. sub t. 1257; Hook. & Arn. Bot. Beechey, p. 137; Torr. & Gray, Fl. 1, p. 327; Torr. Bot. Whipl. Rep. p. 79.

*H. floribunda*, *elata*, *pilosa*, & *mollis*, Nutt. in Torr. & Gray, Fl. 1. c.

*Lotus sericeus*, Pursh. Fl. 2, p. 489

*Trigonella Americana*, Nutt. Gen. 2, p. 120.

HAB. Puget Sound, and interior of Washington Territory; also in Oregon and Northern California.—After a comparison of numerous specimens no doubt remains that all the species of *Hosackia* belonging to the section *Psycopsis* must be reduced to one, the various forms