



Functional design and perfect sound in Continental quality.

Reliable radios for any application.



Over 80 years of experience!

Vehicle sound systems from Continental have earned a strong reputation within the world of infotainment – profit from our comprehensive know how.

Continental vehicle audio systems are a crowning achievement of our successful continuous product optimization process. Their rugged, reliable construction makes them ideal for every application, from cruising the highway to the tough off-road environment.

The handling of the Continental radios goes without further explanations by clear design, big buttons and turn keys

with grip. Ease of use was a key priority, alongside high quality. The intuitive interface provides straightforward access to a sophisticated range of functionality and delight by handling a complex world in such an easy way.

Enjoy the best possible sound quality, whether it's with our 12 V designs or our 24 V versions for use in commercial vehicles.

Advantages at a glance

- Vehicle sound systems in automotive quality
- High-end tuners with maximum sensitivity
- Complete connectivity with USB, Bluetooth® and smartphone support
- Rich interfacing functions like dimming, integrated microphone and smartphone control
- Enhanced dust protection



Main functionalities.

RDS Tuner - Worldwide platform



AM and FM frequency and spacing for Europe / USA / LATAM / ASIA / North Africa configuration is accessible through radio menu by final user.

DAB / DAB+ / DMB Tuner - Digital Audio Broadcasting



DAB+ is the new digital radio technology for broadcasting radio stations, used across the world.

Connectivity - USB and Bluetooth®



Allows the playback of a large collection of compressed audio songs on USB key. Truly integrated voice mixing from mobile phones onto the in-car speakers and streaming MP3 files from smartphone.

Backup Memory / Permanent storage of settings



Keeps the memory of all the user settings and preset stations when main power is down.

Logic ON / OFF



Logic ON / Logic OFF (Logic ON to limit the use of the product to one hour when the car ignition is switched off. Logic OFF to prevent the set from turning on when the car ignition is switched off).

Certifications



CE-mark is the European conformity mark, indicating that the products comply with relevant laws and regulations or directives.

E-Mark indicates that the product is compliant with electromagnetic regulation. Vehicles and related products need both E-mark and CE certifications to be legally sold in Europe.

FCC is the US conformity mark, indicating that the products comply with relevant laws and regulations or directives. Vehicles and related products need FCC certification to be legally sold in USA.

12 V - Radio range.

TR7411U-OR



12 V Tuner (RDS) USB

- Radio/USB/MP3/WMA
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner / AF / TA / EON / PTY
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

TR7412UB-OR



12 V Tuner (RDS) USB, Bluetooth®

- Radio/USB/MP3/WMA/Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner / AF / TA / EON / PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

CD7416U-OR



12 V Tuner (RDS) USB, CD / MP3

- Radio/CD/USB/MP3/WMA
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner / AF / TA / EON / PTY
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CD7416UB-OR



12 V Tuner (RDS) USB, CD / MP3, Bluetooth®

- Radio/CD/USB/MP3/WMA/Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner / AF / TA / EON / PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CDD7418UB-OR



12 V Tuner (RDS) USB, CD / MP3, DAB+, Bluetooth®

- Radio/CD/USB/MP3/WMA/Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner / AF / TA / EON / PTY
- DAB/DAB+ / DMB Tuner
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

Main specifications.

	TR7411U-OR	TR7412UB-OR	CD7416U-OR	CD7416UB-OR	CDD7418UB-OR
12 V / 24 V	12 V	12 V	12 V	12 V	12 V
State of the art tuner performance: RDS tuner FM/MW/LW	•	•	•	•	•
Worldwide tuner (Europe/Asia/ Japan/North Africa/USA)	•	•	•	•	•
Digital radio (DAB/DAB+/DMB-A) (DAB antenna included)	-	-	-	-	•
CD player	-	-	•	•	•
Electronic shock protection (ESP)	-	-	•	•	•
USB host	•	•	•	•	•
AUX input	Front	Front	Rear	Rear	Rear
Bluetooth®	-	•	-	•	•
Internal and external microphone for Hands-Free kit (included)	-	•	-	•	•
Telephone mute	•	•	•	•	•
Permanent storage of settings (Backup Memory)	•	•	•	•	•
MP3/WMA	•	•	•	•	•
Logic ON/OFF	•	•	•	•	•
Loudness/Sound presets (Jazz, Classic, Rock, Pop)	•/•	•/•	•/•	•/•	•/•
RDS clock	•	•	•	•	•
Color backlighting	Orange	Orange	Orange	Orange	Orange
Antenna connector	DIN/ISO	DIN/ISO	DIN/ISO	DIN/ISO	DIN/ISO
Max. audio power	4 x 41 W	4 x 41 W	4 x 41 W	4 x 41 W	4 x 41 W
Dimensions (W x H x D) in mm	188 x 58.5 x 114.7	188 x 58.5 x 114.7	188 x 58.5 x 183	188 x 58.5 x 183	188 x 58.5 x 183
Steering wheel remote control ¹⁾	•	•	•	•	•

1) Adapter cable may be required.

Item number	TR7411U-OR	TR7412UB-OR	CD7416U-OR	291000080600	CDD7418UB-OR
European Article Number (EAN)	4103590671240	4103590671264	4103590671288	4103590675002	4103590671301

24 V - Radio range.

TR7422U-OR



24 V Tuner (RDS) USB

- Radio/USB MP3/WMA
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

TR7423UB-OR



24 V Tuner (RDS) USB, Bluetooth®

- Radio/USB/MP3/WMA/Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

CD7426U-OR



24 V Tuner (RDS) USB, CD/MP3

- Radio/CD/USB/MP3/WMA
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CD7426UB-OR



24 V Tuner (RDS) USB, CD/MP3, Bluetooth®

- Radio/CD/USB/MP3/WMA/Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CDD7428UB-OR



24 V Tuner (RDS) USB, CD/MP3, DAB+, Bluetooth®

- Radio/CD/USB/MP3/WMA/Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- DAB/DAB+/DMB Tuner
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

Main specifications.

	TR7422U-OR	TR7423UB-OR	CD7426U-OR	CD7426UB-OR	CDD7428UB-OR
12 V / 24 V	24 V	24 V	24 V	24 V	24 V
State of the art tuner performance: RDS tuner FM/MW/LW	•	•	•	•	•
Worldwide tuner (Europe/Asia/ Japan/North Africa/USA)	•	•	•	•	•
Digital radio (DAB/DAB+/DMB-A) (DAB antenna included)	-	-	-	-	•
CD player	-	-	•	•	•
Electronic shock protection (ESP)	-	-	•	•	•
USB host	•	•	•	•	•
AUX input	Front	Front	Rear	Rear	Rear
Bluetooth®	-	•	-	•	•
Internal and external microphone for Hands-Free kit (included)	-	•	-	•	•
Telephone mute	•	•	•	•	•
Permanent storage of settings (Backup Memory)	•	•	•	•	•
MP3/WMA	•	•	•	•	•
Logic ON/OFF	•	•	•	•	•
Loudness/Sound presets (Jazz, Classic, Rock, Pop)	•/•	•/•	•/•	•/•	•/•
RDS clock	•	•	•	•	•
Color backlighting	Orange	Orange	Orange	Orange	Orange
Antenna connector	DIN/ISO	DIN/ISO	DIN/ISO	DIN/ISO	DIN/ISO
Max. audio power	4 x 15 W	4 x 15 W	4 x 15 W	4 x 15 W	4 x 15 W
Dimensions (W x H x D) in mm	188 x 58.5 x 130	188 x 58.5 x 130	188 x 58.5 x 183	188 x 58.5 x 183	188 x 58.5 x 183
Steering wheel remote control ¹⁾	•	•	•	•	•

1) Adapter cable may be required.

Item number	Radio / USB/MP3/WMA	Radio / USB/MP3/WMA/ Bluetooth®	Radio/CD/ USB/MP3/WMA	Radio/CD/ USB/MP3/WMA/ Bluetooth®	Radio/CD/ USB/MP3/WMA/ DAB/DAB+/ DMB/Bluetooth®
European Article Number (EAN)	TR7422U-OR 4103590671257	TR7423UB-OR 4103590671271	CD7426U-OR 4103590671295	2910000080900 4103590674975	CDD7428UB-OR 4103590671318

Speakers.

Our speakers are designed to deliver a great, consistently dynamic sound both in indoor and outdoor environments. They are all 2-way-speakers, with each speaker delivering a separate frequency range, for perfect sound quality.



Speaker 10 cm
2 ways 50 W



Speaker 13 cm
2 ways 60 W



Speaker 13 cm
2 ways with white grille 60 W

Speakers

Part Number	HP1021	HP1321	HPW1321/16
Peak load (W)	50	60	60
Max load (W)	12	15	15
Sensitivity (dB)	88	89	88
Frequency response (Hz)	120 - 18,000	100 - 18,000	100 - 20,000
Installation depth	47	44,5	44,5
Diameter (mm)	100	130	130
Nominal resistance	4	4	4
Grille colors	Black (zinc plating pretreatment)	Black (zinc plating pretreatment)	White (RAL9016) (zinc plating pretreatment)
Cone material	Injected PP	Injected PP	Injected PP
Basket material	Metal	Metal	Metal
Accessories	Screws	Screws	Screws
Packaging unit	2	2	2

We offer speakers for a wide range of different applications, even marine speakers that strenuously resist water, corrosion and heat. The specifications are adapted to the requirements of the respective application.



Speaker 10 cm
2 ways bulk / 50 W

HP1021/B



Round Grille 10 cm
BULK Black

051-018-000



Square Grille 10 cm
BULK Black

XRC-1-96-101



Marine Speaker 13 cm 2 ways
with white grille ASA 150 W

051-018-011

50	-	-	200
10	-	-	30
86	-	-	87
120 - 18,000	-	-	100 - 20,000
47	-	-	50
100	100	100	130
4	-	-	4
-	Black (zinc plating pretreatment)	Black	White (RAL 9003)
Injected PP	-	-	Injected PP
Metal	-	-	ASA (UV resistant)
Screws	Screws	Screws	Screws and 2 ISO cables
30	100	50	2



Antennas, Adaptors and Cables.

Continental is offering a wide range of antennas with high performance and mounting versatility. The connectors of these antennas are dedicated to our radios to optimize the quality reception.



Antennas, adaptors and cables	AM / FM antenna 37 cm	AM / FM antenna 35 cm	AM / FM antenna 19 cm	Active AM / FM antenna
Part Number	10-121	2910000111300	10-124	10-125E
Color	Black	Black	Black	Black
Rod	Rigid (fiberglass) / 375 mm	Rigid (fiberglass) / 348 mm	Flexible (rubber) / 190 mm	Rigid / 280 mm
Inclination	0° - 70°	0° - 90°	0° - 90°	-
Length cable (m)	2.50	2.30	2.30	1.50
Connector	DIN	DIN	DIN	DIN
Installation	Roof mount	Roof mount	Roof mount	Windscreen
Power supply	-	-	-	+12 V DC
Gain	-	-	-	AM: 15 dB FM: 15 dB
Frequency range	AM / FM frequencies	AM / FM frequencies	AM / FM frequencies	AM / FM frequencies



Active AM / FM / DAB antenna

2910000088600

Black

Rigid / 405 mm

60°

AM / FM: 4.50 m
DAB: 4.50 m

AM / FM: DIN
DAB: SMB female

Roof mount

+12 V DC
(+10.5 V to +15 V)

AM: 10 dB
FM: 11 dB
DAB: 14 dB

AM: 525 - 1,700 kHz
FM: 76 - 110 MHz
DAB: 174-240 MHz



Windscreen Passive DAB antenna

2910000144900

Black

Rigid / 525 mm

-

2.50

SMB

Windscreen

-

B III: 2 dBi
L-Band: 2 dBi

B III: 174-240 MHz
L-Band: 1,452-1,492 MHz



Extension cable

561-060

-

-

-

3.50

DIN

-

-

-

AM / FM frequencies



Adapter antenna FAKRA-DIN

2910000075300

Blue

-

-

-

Input: FAKRA male
Output: DIN male

-

-

-

AM / FM frequencies



Adapter antenna FAKRA-DIN with power

2910000075400

-

-

-

0.45

Input: FAKRA male
Output: DIN male

-

+12 V DC

-

AM / FM frequencies



ISO cables for power supply and speakers

CA0504U-LS

-

-

-

0.1

ISO

-

-

-

-



Continental Automotive GmbH

Sodener Straße 9
65824 Schwalbach am Taunus
Germany
Tel. +49 6196 87-0

Heinrich-Hertz-Straße 45
78052 Villingen-Schwenningen
Germany
Tel. +49 7721 67-0

www.continental-corporation.com

Legal notice

The information provided in this brochure contains only general descriptions or performance characteristics, which do not always apply as described in case of actual use or which may change as a result of further development of the products. This information is merely a technical description of the product. This information is not meant or intended to be a special guarantee for a particular quality or particular durability. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. We reserve the right to make changes in availability as well as technical changes without prior notice.