

LITERATURE CITED

- ALBERTINI, J.B. VON & SCHWEINITZ, L.D. VON, 1805 — *Conspectus fungorum in Lusatia superioris agro Niskiensi crescentium.* — Leipzig.
- ALEXANDER, J.V. & CARMICHAEL, N.M., 1973 — Divergent patterns of ascus development in homothallic and heterothallic isolates of *Calonectria rigidiuscula*. *Bull. — Torrey Bot. Club* 100: 35–40.
- ALFIERI, S.A. & SAMUELS, G.J., 1979 [1980] — *Nectriella pironii* and its *Kutikalakesa*-like anamorph, a parasite of ornamental shrubs. — *Mycologia* 71: 1178–1185.
- AMANO, N., 1980 — Studies on the Japanese Loculoascomycetes II. Taxonomic position of the genus *Shiraia*. — *Bull. Natl. Sci. Mus. Tokyo, Bot.* 6: 55–60.
- AMANO, N., 1983 — On the type specimen of *Shiraia bambusicola*. — *Trans. Mycol. Soc. Japan* 24: 35–38.
- APTROOT, A., 1995 — A monograph of *Didymosphaeria*. — *Stud. Mycol.* 37: 1–160.
- ARX, J.A. VON & MÜLLER, E., 1954 — Die Gattungen der amerosporen Pyrenomyceten. — *Beitr. Kryptogamenfl. Schweiz* 11 (1): 1–434.
- ARX, J.A. VON & MÜLLER, E., 1955 — Über die Gattungen *Selinia* und *Selinella* nov. gen. — *Acta Bot. Neerlandica* 4: 116–125.
- ARX, J.A. VON & MÜLLER, E., 1975 — A re-evaluation of the bitunicate ascomycetes with keys to families and genera. — *Stud. Mycol.* 9: 1–159.
- ATKINSON, G.F., 1905 — Life history of *Hypocrea alutacea*. — *Bot. Gaz.* 40: 401–417.
- BAINIER, G., 1910 — Mycothèque de l'École de Pharmacie — XXXII. — *Bull. Trimestriel Soc. Mycol. Fr.* 26: 385–389.
- BARR, M.E., 1964 — The genus *Pseudomassaria* in North America. — *Mycologia* 56: 841–862.
- BARR, M.E., 1972 — Preliminary studies on the *Dothideales* in temperate North America. — *Contr. Univ. Michigan Herbarium* 9: 523–638.
- BARR, M.E., 1976 — Some setose saprobic pyrenomycetes on old basidiomycetes. — *Rhodora* 78: 53–59.
- BARR, M.E., 1977 — *Magnaporthe*, *Telimenella*, and *Hyponectria* (*Physosporiaceae*). — *Mycologia* 69: 952–966.
- BARR, M.E., 1978 — The *Diaporthales* in North America. — *Mycologia Mem.* 7: 1–232.
- BARR, M.E., 1979 — On the *Massariaceae* in North America. — *Mycotaxon* 9: 17–37.
- BARR, M.E., 1980 — On the family *Tubeufiaceae* (*Pleosporales*). — *Mycotaxon* 12: 137–167.
- BARR, M.E., 1984 — *Herpotrichia* and its segregates. — *Mycotaxon* 20: 1–38.
- BARR, M.E., 1987 — *Prodromus to Class Loculoascomycetes.* — Publ. by the Author, Amherst, MA. 168 pp.
- BARR, M.E., 1990 — *Prodromus to nonlichenized, pyrenomycetous members of class Hymenoascomycetes.* — *Mycotaxon* 39: 43–184.
- BARR, M.E., 1991 — Notes on and additions to North American members of the *Herpotrichiellaceae*. — *Mycotaxon* 41: 419–436.
- BARRASA, J.M., MARTINEZ, A.T. & MORENO, G., 1985 — *Aphysiostroma*, a new nonostiolate hypocrealean fungus. — *Canad. J. Bot.* 63: 2439–2443.
- BATISTA, A.C. & CIFERRI, R., 1957 — Contribuição ao Estudo dos Ascomycetos Pernambucanos. — *Sydowia Beih.* 1: 325–341.
- BEDKER, P.J., BLANCHETTE, R.A. & FRENCH, D.W., 1982 — *Nectria cinnabarina*: the cause of a canker disease of honey locust in Minnesota. — *Pl. Dis.* 66: 1067–1070.
- BEDKER, P.J. & WINGFIELD, M.J., 1983 — A taxonomy of three canker-causing fungi of honey locust in the United States. — *Trans. Brit. Mycol. Soc.* 81: 179–183.
- BEELI, M., 1924 — Notes mycologiques. Champignons nouveaux pour la flore belge, récolte de 1915 à 1923. — *Bull. Soc. Roy. Bot. Belgique* 56: 57–68.
- BELL, A., 1975 — Fungal succession on dung of the brush-tailed opossum in New Zealand. — *New Zealand J. Bot.* 13: 437–462.
- BELL, A., 1983 — *Dung Fungi: An Illustrated Guide to Coprophilous Fungi in New Zealand.* — Victoria University Press, Wellington, New Zealand. 88 pp.
- BENNY, G.L. & KIMBROUGH, J.W., 1980 — A synopsis of the orders and families of *Plectomycetes* with keys to genera. — *Mycotaxon* 12: 1–91.
- BERKELEY, M.J., 1875 — Notices of North American fungi. — *Grevillea* 4: 1–16.
- BERLESE, A.N. & BRESADOLA, G., 1889 — *Micromycetes Tridentini.* — Rovereto, Trento. 103 pp.
- BEZERRA, J.L., 1963 — Studies on *Pseudonectria rousselliana*. — *Acta Bot. Neerl.* 12: 58–63.
- BISSETT, J., 1984 — A revision of the genus *Trichoderma*. I. Section *Longibrachiatum* sect. nov. — *Canad. J. Bot.* 62: 924–931.
- BISSETT, J., 1991a — A revision of the genus *Trichoderma*. II. Infrageneric classification. — *Canad. J. Bot.* 69: 2357–2372.
- BISSETT, J., 1991b — A revision of the genus *Trichoderma*. III. Section *Pachybasium*. — *Canad. J. Bot.* 69: 2372–2417.
- BLACKWELL, M., 1994 — Minute mycological mysteries: the influence of arthropods on the lives of fungi. — *Mycologia* 86: 1–17.
- BLACKWELL, M. & GILBERTSON, R.L., 1981 — *Cordycepioideus octosporus*, a termite suspected pathogen from Jalisco, Mexico. — *Mycologia* 73: 358–362.
- BLACKWELL, M. & GILBERTSON, R.L., 1984 — New information on *Cordycepioideus bisporus* and *Cordycepioideus octosporus*. — *Mycologia* 76: 763–765.
- BLACKWELL, M. & MALLOCH, D., 1989 — *Pyxidiphora* (*Pyxidiphoraceae*): a link between the *Laboulbeniomycetes* and hyphal ascomycetes. — *Mem. New York Bot. Gard.* 49: 23–32.
- BLACKWELL, M. & ROSSI, W., 1986 — Biogeography of fungal ectoparasites of termites. — *Mycotaxon* 25: 581–601.
- BLACKWELL, M. & SPATAFORA, J., 1994 — Molecular data sets and broad taxon sampling in detecting morphological convergence. — Pp. 243–248. In: HAWKSWORTH, D.L. (ed.) *Ascomycete systematics: problems and perspectives in the nineties.* Plenum Press, New York.
- BOEDIJN, K.B., 1934 — The genus *Podostroma* in the Netherlands Indies. — *Bull. Jard. Bot. Buitenzorg, Ser. 3.* 13: 269–275.
- BOEDIJN, K.B., 1938 — A new species of the genus *Podostroma* from Africa. — *Ann. Mycol.* 36: 314–317.
- BOEDIJN, K.B., 1964 — The genus *Thuemenella* with remarks on *Hypocreaceae* and *Nectriaceae*. — *Persoonia* 3: 1–7.
- BOLTON, J., 1791 — An history of fungusses, growing in Halifax. Appendix. — J. Brook, Huddersfield. Pp. 138–182, plates 139–182.
- BOOTH, C., 1959 — Studies of pyrenomycetes. IV. *Nectria* (part 1). — *Mycol. Pap.* 73: 1–115.
- BOOTH, C., 1960 — Studies of pyrenomycetes: V. — *Mycol. Pap.* 74: 1–16.
- BOOTH, C., 1964 — Studies of pyrenomycetes: VII. — *Mycol. Pap.* 95: 1–16.
- BOOTH, C., 1966 — The genus *Cylindrocarpon*. — *Mycol. Pap.* 104: 1–56.

- BOOTH, C., 1971 — The genus *Fusarium*. — Commonwealth Mycological Institute, Kew, Surrey, United Kingdom. 237 pp.
- BOOTH, C., 1973 — *Gibberella pulicaris*. — C.M.I. Descript. Pathog. Fungi Bact. 385: 1–2.
- BOOTH, C., 1981a — *Nectria aurantiicola*. — C.M.I. Descript. 714: 1–2.
- BOOTH, C., 1981b — *Nectria flammea*. — C.M.I. Descript. 715: 1–2.
- BOOTH, C. & HOLLIDAY, P., 1973a — *Sphaerostilbe repens*. — C.M.I. Descript. Pathog. Fungi Bact. 391: 1–2.
- BOOTH, C. & HOLLIDAY, P., 1973b — *Calostilbe striispora*. — C.M.I. Descript. Pathog. Fungi Bact. 392: 1–2.
- BOOTH, C. & PRIOR, C., 1984 — A new *Gibberella* species on *Imperata* (Gramineae). — Trans. Brit. Mycol. Soc. 82: 180–182.
- BOOTH, C. & WATERSTON, J.M., 1964 — *Calonectria rigidiuscula*. — C.M.I. Descript. Pathog. Fungi Bact. 21: 1–2.
- BOTTON, B., LY, P. & KILBERTUS, G., 1979 — Morphologie et ultra-structure de la corémie chez le *Sphaerostilbe repens*. — *Cytologia* 44: 639–649.
- BOUDIER, J., 1907 — Histoire et classification des discomycètes d'Europe. — (reprint A. Asher, Amsterdam, 1968).
- BRANDT, B., 1992 — Zur Ökologie (Klima, Vergesellschaftung) von *Hypocreopsis lichenoides* (Ascomycetes). — *Boletus* 2: 33–39.
- BRAYFORD, D. & SAMUELS, G.J., 1993 — Some didymosporous species of *Nectria* with non-microconidial *Cylindrocarpon* anamorphs. — *Mycologia* 85: 612–637.
- BREFELD, O., 1908 — Untersuchungen aus dem Gesamtgebiete der Mykologie. Vol. 14. Leipzig.
- BREFELD, O., 1912 — Untersuchungen aus dem Gesamtgebiete der Mykologie. Vol. 15. Leipzig.
- BREITENBACH, J. & KRÄNZLIN, F., 1981 — Champignons de la Suisse. Contribution à la connaissance de la flore fongique de Suisse. Tome 1. Les Ascomycètes. — *Mykologia*, Lucerne. 310 pp.
- BRETON, A. & FAUREL, L., 1967 — Étude des affinités du genre *Mycorhynchus* Sacc. et description de plusieurs espèces nouvelles. — *Rev. Mycol. (Paris)* 32: 229–258.
- BRIOSI, G. & FARNETI, R., 1904 — Intorno ad un nuovo tipo di licheni a tallo conidifero che vivono sulla vite finora ritenuti per funghi. — *Atti Ist. Bot. Univ. Pavia, Ser. 2*, 8: 103–119.
- BROADHURST, P.G. & JOHNSTON, P.R., 1994 — *Gibberella tumida* sp. nov. — teleomorph of *Fusarium tumidum* from gorse in New Zealand. — *Mycol. Res.* 98: 729–732.
- BRUMMELEN, J. VAN, 1967 — A world monograph of the genera *Ascobolus* and *Saccobolus* (Ascomycetes, Pezizales). — *Persoonia Suppl.* Vol. 1: 1–260.
- BRUNS, T., WHITE, T. & TAYLOR, J., 1991 — Fungal molecular systematics. — *Annual Rev. Ecol. Syst.* 22: 525–564.
- CANDOUSSAU, F., 1990 — *Hypocreopsis rhododendri* in southern France. — *Mycologist* 4: 170–171.
- CANDOUSSAU, F. & MAGNI, J.-F., 1995 — New French records. — *Mycologist* 9: 12–14.
- CANDY, B. & WEBSTER, J., 1988 — *Hypocreopsis rhododendri*, a rare conspicuous fungus. — *Mycologist* 2: 18–21.
- CANHAM, S. C., 1969 — Taxonomy and morphology of *Hypocrea citrina*. — *Mycologia* 61: 315–331.
- CANNON, P.F., 1991 — A revision of *Phyllachora* and some similar genera on the host family *Leguminosae*. — *Mycol. Pap.* 163: 1–384.
- CANNON, P.F. & HAWKSWORTH, D.L., 1982 — A re-evaluation of *Melanospora* Corda and similar *Pyrenomyces*, with a revision of the British species. — *Bot. J. Linn. Soc.* 84: 115–160.
- CANNON, P.F. & HAWKSWORTH, D.L., 1983 — (701) Proposal to conserve *Nectria* over *Ephedrosphaera* and *Hydropisphaera* (Fungi). — *Taxon* 32: 476–477.
- CANNON, P.F. & HAWKSWORTH, D.L., 1984 — A revision of the genus *Neocosmospora* (Hypocreales). — *Trans. Brit. Mycol. Soc.* 82: 673–688.
- CAREY, S.T. & ROGERSON, C.T., 1977 — Taxonomy and morphology of a new species of *Hypocrea* on *Marasmius*. — *Brittonia* 28: 381–389.
- CAREY, S.T. & ROGERSON, C.T., 1981 — Morphology and cytology of *Hypomyces polyporinus* and its *Sympodiophora* anamorph. — *Bull. Torrey Bot. Club* 108: 12–24.
- CARPENTER, S.E., 1981 — Monograph of *Crocicreas* (Ascomycetes, Helotiales, Leotiaceae). — *Mem. New York Bot. Garden* 33: 1–290.
- CARRIS, L. & GLAWE, D., 1989 — Fungi colonizing cysts of *Heterodera glycines*. — *Univ. Illinois Agric. Exp. Sta. Bull.* 786: 1–93.
- CARROLL, G. & MUNK, A., 1964 — Studies on lignicolous *Sordariaceae*. — *Mycologia* 56: 77–98.
- CASSAR, S. & BLACKWELL, M., 1996 — Convergent origins of ambrosia fungi. — *Mycologia* 88: 596–601.
- CAUCHON, R. & OUELLETTE, G.B., 1964 — Association of *Stromatocrea cerebriiformis* and *Hypocreopsis* species with *Hymenochaete* species. — *Mycologia* 56: 453–455.
- CHRISTENSEN, M., WHITTINGHAM, W.F. & NOVAK, R.O., 1962 — The soil microfungi of wet-mesic forests in Southern Wisconsin. — *Mycologia* 54: 374–388.
- CLEMENTS, F.E., 1909 — The genera of fungi. — H.W. Wilson, Minneapolis. 227 pp.
- CLEMENTS, F.E. & SHEAR, C.L., 1931 — The genera of fungi, 2nd edition. — H. W. Wilson, New York. 496 pp.
- COOKE, M.C., 1884 — Synopsis pyrenomycetum. — *Grevillea* 12: 102–113.
- COOKE, W.B., 1952 — Western Fungi II. (3). Species from eastern Washington and adjacent Idaho. — *Mycologia* 44: 245–261.
- COOKE, W.B. & HAWKSWORTH, D.L., 1970 — A preliminary list of the families proposed for fungi (including the lichens). — *Mycol. Pap.* 121: 1–86.
- CORLETT, M., 1975 — Observations and comments on the *Pleospora centrum* type. — *Nova Hedwigia* 24: 347–360.
- CORLETT, M., 1985 — Taxonomy of *Thuemenella* (*Chromocreopsis*) *cubispora*. — *Mycologia* 77: 272–277.
- COURTECUISE, R., HUHNDORF, S.M., SAMUELS, G.J., HOFF, M., ROSSMAN, A.Y. & CREMERS, G., 1995 — Check-list of fungi from French Guiana. — *Mycotaxon* 57: 1–85.
- CROUS, P. W. & WINGFIELD, M.J., 1994 — A monograph of *Cylindrocladium*, including anamorphs of *Calonectria*. — *Mycotaxon* 51: 341–435.
- CROUS, P.W., VAN ZYL, W.H. & WINGFIELD, M.J., 1997 — New species of *Calonectria* and *Cylindrocladium* isolated from soil in the tropics. — *Mycologia* 89: 653–660.
- CROWHURST, R.N., HAWTHORNE, B.T., RIKKERINK, E.H.A. & TEMPLETON, M.D., 1991 — Differentiation of *Fusarium solani* f. sp. *cucurbitae* races 1 and 2 by random amplification of polymorphic DNA. — *Curr. Genet.* 20: 391–396.
- CRUMLISH, B. & CURRAN, P., 1994 — *Amylocarpus encephaloides* Currey, a marine fungus new to Ireland. — *Mycologist* 8: 83–84.
- CUREY, F., 1858 — Synopsis of the fructification of the compound *Sphaeriae* of the Hookerian Herbarium. — *Trans. Linn. Soc. Lond.* 22: 257–287.
- DENNIS, R.W.G., 1970 — The fungus flora of Venezuela and adjacent countries. — *Kew Bull. Addit. Ser. 3*. Royal Botanic Gardens, Kew.
- DENNIS, R.W.G., 1975 — New or interesting British microfungi, III. — *Kew Bull.* 30: 345–365.

- DENNIS, R.W.G., 1978 — British Ascomycetes. — J. Cramer, Vaduz. 585 pp.
- DENNIS, R.W.G., 1983 — Fungi of *Ammophila arenaria* in Europe. — *Revista Biol. (Lisbon)* 12: 15–48.
- DESMAZIÈRES, J.B.H.J., 1843 — Plantes Cryptogames du Nord de la France. Ed. 1, no. 1251–1300. — Lille, France.
- DIGBY, S. & GOOS, R.D., 1987 — Morphology, development and taxonomy of *Loramycetes*. — *Mycologia* 79: 821–831.
- DINGLEY, J.M., 1951a — The *Hypocreales* of New Zealand. I. — *Trans. & Proc. Roy. Soc. New Zealand* 79: 55–61.
- DINGLEY, J.M., 1951b — The *Hypocreales* of New Zealand. II. The genus *Nectria*. — *Trans. & Proc. Roy. Soc. New Zealand* 79: 177–202.
- DINGLEY, J.M., 1952a — The *Hypocreales* of New Zealand. III. The genus *Hypocrea*. — *Trans. & Proc. Roy. Soc. New Zealand* 79: 323–337.
- DINGLEY, J.M., 1952b — The *Hypocreales* of New Zealand. IV. The genera *Calonectria*, *Gibberella*, and *Thyronectria*. — *Trans. & Proc. Roy. Soc. New Zealand* 79: 403–411.
- DINGLEY, J.M., 1956 — The *Hypocreales* of New Zealand. VII. A revision of records and species in the *Hypocreaceae*. — *Trans. & Proc. Roy. Soc. New Zealand* 83: 643–662.
- DOBBELER, P., 1978 — Moosbewohnende Ascomyceten I. Die pyrenocarpen den Gametophyten besiedelnden Arten. — *Mitt. Bot. Staatssamml. München* 14: 1–360.
- DOBBELER, P., 1979 — Untersuchungen an moosparasitischen *Pezizales* aus der Verwandtschaft von *Octospora*. — *Nova Hedwigia* 31: 817–864.
- DODGE, B.O., 1944a — Boxwood blights and *Hyponectria buxi*. — *Mycologia* 36: 215–222.
- DODGE, B.O., 1944b — A new *Pseudonectria* on *Pachysandra*. — *Mycologia* 36: 532–537.
- DODGE, B.O., 1944c — Canker-blight of *Pachysandra*. — *J. New York Bot. Gard.* 45: 159–163.
- DOGUET, G., 1956 — Morphologie et organogénie du *Neocosmospora vasinfecta* E. F. Smith et du *Neocosmospora africana* von Arx. — *Ann. Sci. Nat. Bot., Sér. 11*, 17: 353–370.
- DOGUET, G., 1957 — Organogénie du *Creopus spinulosus* (Fuck.) Moravec. Organogénie comparée de quelques *Hypocreales* du même type. — *Bull. Trimestriel Soc. Mycol. France* 73: 144–164.
- DOI, Y., 1966 — A revision of *Hypocreales* with cultural observation I. Some Japanese species of *Hypocrea* and *Podostroma*. — *Bull. Natl. Sci. Mus., Tokyo* 9: 345–357.
- DOI, Y., 1967a — A revision of *Hypocreales* with cultural observations II. On *Mycocitrus phyllostachydis* (Syd.) Doi, a perfect state of *Cephalosporium*. — *Bull. Natl. Sci. Mus., Tokyo* 10: 31–36.
- DOI, Y., 1967b — Revision of the *Hypocreales* with cultural observations III. Three species of the genus *Podostroma* with *Trichoderma* or *Trichoderma*-like conidial states. — *Trans. Mycol. Soc. Japan* 8: 54–60.
- DOI, Y., 1968 — Revision of the *Hypocreales* with cultural observations II. *Hypocrea dichromospora*, sp. nov. and its *Trichoderma* state. — *Bull. Natl. Sci. Mus., Tokyo* 11: 185–189.
- DOI, Y., 1969 — Revision of the *Hypocreales* with cultural observations IV. The genus *Hypocrea* and its allies in Japan (1). General part. — *Bull. Natl. Sci. Mus., Tokyo* 12: 693–724.
- DOI, Y., 1972 — Revision of the *Hypocreales* with cultural observations IV. The genus *Hypocrea* and its allies in Japan (2). Enumeration of the species. — *Bull. Natl. Sci. Mus., Tokyo* 15: 649–751.
- DOI, Y., 1973a — Revision of the *Hypocreales* with cultural observations V. *Podostroma giganteum* Imai, *P. cornu-damae* (Pat.) Boedijn and *Hypocrea pseudogelatinosa* sp. nov. — *Rep. Tottori Mycol. Inst. (Japan)* 10: 421–427.
- DOI, Y., 1973b — Revision of the *Hypocreales* with cultural observations VI. Enumeration of the species of *Hypocrea* and *Nectria* collected in the Ryuku Islands (1). — *Mem. Natl. Sci. Mus. Tokyo* 6: 65–75.
- DOI, Y., 1975a — Revision of the *Hypocreales* with cultural observations VII. The genus *Hypocrea* and its allied genera in South America (1). — *Bull. Natl. Sci. Mus., Tokyo, B* 1: 1–32.
- DOI, Y., 1975b — Revision of the *Hypocreales* with cultural observations VIII. *Hypocrea peltata* (Jungh.) Berk. and its allies. — *Bull. Natl. Sci. Mus., Tokyo, B* 1: 121–134.
- DOI, Y., 1976 — *Protocreopsis*, a new genus of the *Hypocreales*. — *Kew Bull.* 31: 551–555.
- DOI, Y., 1977 — The *Hypocreales* (Fungi, Ascomycetes) of the Bonin Islands (1). — *Mem. Natl. Sci. Mus.* 10: 19–30.
- DOI, Y., 1978a — A revision of *Protocreopsis*. — *Bull. Natl. Sci. Mus., Tokyo, B* 4: 113–121.
- DOI, Y., 1978b — Revision of the *Hypocreales* with cultural observations XI. Additional notes of *Hypocrea* and its allies in Japan (1). — *Bull. Natl. Sci. Mus., Tokyo, B* 4: 19–26.
- DOI, Y., 1987 — A new *Podostroma* species from Japan. — *Bull. Natl. Sci. Mus., Tokyo, B* 13: 129–132.
- DOI, Y., DOI, N. & TOYOZAWA, K., 1984 — Notes on *Trichoderma* and its allies 3. Comparison of three strains of *Trichoderma viride* aggr. and their teleomorphs. — *Bull. Natl. Sci. Mus., Tokyo, B* 10: 73–85.
- DOI, Y. & YAMATOYA, K., 1989 — *Hypocrea pallida* and its allies (*Hypocreaceae*). — *Mem. New York Bot. Gard.* 49: 233–242.
- DOLL, R., 1975 — Seltene Pilzfunde für die deutsche Mykoflora. — *Česká Mykol.* 29: 61–63.
- DOMSCH, K.H., GAMS, W. & ANDERSON, T.-H., 1980 — Compendium of Soil Fungi. — Academic Press, London. 2 vols (reprint IHW-Verlag, Eching, 1993).
- DONK, M.A., 1941 — Nomina generica conservanda and confusa for Basidiomycetes (Fungi). *Bull. Bot. Gard. Buitenzorg. Ser.* 3, 17: 155–197.
- ECKBLAD, F.-E. & TORKELSEN, A.-E., 1974 — Contributions to the *Hypocreaceae* and fungicolous *Nectriaceae* of Norway. — *Norwegian J. Bot.* 21: 5–15.
- EL GHOLL, N.E., ALFENAS, A.C., JUNGHANS, D.T., SCHUBERT, T.S., MILLER, J.W. & LEAHY, R.M., 1997 — Description of *Calonectria rumohrae* sp. nov. (anamorph = *Cylindrocladium rumohrae* sp. nov.). — *Mycotaxon* 64: 467–484.
- ELLIS, J.B. & EVERHART, M.B., 1892 — The North American Pyrenomycetes. — Published by the authors, Newfield, New Jersey. 793 pp., 41 pl.
- ELLIS, J.J. & HESSELTINE, C. W., 1962 — A new genus of *Moniliales* having penicilli subtended by sterile arms. — *Bull. Torrey Bot. Club* 89: 21–27.
- ELLIS, M.B., 1971 — Dematiaceous Hyphomycetes. — Commonwealth Mycological Institute, Kew, Surrey. 608 pp.
- ELLIS, M.B. & ELLIS, J.P., 1985 — Microfungi on Land Plants. — Macmillan, New York. 818 pp.
- EMMONS, C.W., CUMMINS, G.B. & COOKE, W.B., 1960 — The 1958 Foray of the Mycological Society of America. — *Mycologia* 52: 808–817.
- ERIKSSON, J., HJORTSTAM, K. & RYVARDEN, L., 1981 — The *Corticaceae* of North Europe. Volume 6. *Phlebia-Sarcodontia*. — *Fungiflora*, Oslo.
- ERIKSSON, O.E., 1964 — *Nectriella laminariae* n. sp. in stipes of a *Laminaria*. — *Svensk Bot. Tidskr.* 58: 233–236.
- ERIKSSON, O.E., 1967 — On gramminicolous pyrenomycetes from Fennoscandia. 2. Phragmosporous and scolecosporous species.

- Ark. Bot. 6: 381–440.
- ERIKSSON, O.E., 1981 — The families of bitunicate ascomycetes. — Opera Bot. 60: 1–220.
- ERIKSSON, O.E. & HAWKSWORTH, D.L., 1986 — Notes on ascomycete systematics. Nos. 1–224. — Syst. Ascomyc. 5: 113–184.
- ERIKSSON, O.E. & HAWKSWORTH, D.L., 1987a — An alphabetical list of the generic names of Ascomycetes – 1987. — Syst. Ascomyc. 6: 1–109.
- ERIKSSON, O.E. & HAWKSWORTH, D.L., 1987b — Notes on ascomycete systematics. Nos. 225–463. — Syst. Ascomyc. 6: 111–165.
- ERIKSSON, O.E. & HAWKSWORTH, D.L., 1988 — Outline of the Ascomycetes – 1988. — Syst. Ascomyc. 7: 119–315.
- ETAYO, J., 1998 — Some hypocrealean lichenicolous fungi from Southwest Europe. — Nova Hedwigia 67: 499–509.
- ETAYO, J. & BREUSS, O., 1996 — Líquenes y hongos liquenícolas de los Pireneos Occidentales y norte de la península Ibérica, IV. — Cryptogamie, Bryol. Lichenol. 17: 213–230.
- ETAYO, J. & DIEDERICH, P., 1996 — Lichenicolous fungi from the western Pyrenees, France and Spain. III. Species on *Lobaria pulmonaria*. — Bull. Soc. Nat. Luxemb. 97: 93–118.
- FARR, D. F., BILLS, G.F., CHAMURIS, G.B. & ROSSMAN, A.Y., 1989 — Fungi on Plants and Plant Products in the United States. — American Phytopathological Society Press, St. Paul, MN. 1252 pp.
- FARR, E. R., LEUSSINK, J.A. & STAFLEU, F.A., 1979a — Index Nominum Genericorum (Plantarum). Volume I: Aa–*Epochium*. — Bohn, Scheltema & Holkema, Utrecht.
- FARR, E. R., LEUSSINK, J.A. & STAFLEU, F.A., 1979b — Index Nominum Genericorum (Plantarum). Volume II: *Eprolithus*–*Peersia*. — Bohn, Scheltema & Holkema, Utrecht.
- FRIES, E.M., 1822 — Systema mycologicum. Vol. 2, part 1. Pp. 1–274. — Lund (Berlin)
- FRIES, E.M., 1823 — Systema mycologicum. Vol. 2, part 2. Pp. 275–620. — Lund (Berlin).
- FRIES, E.M., 1849 — Summa vegetabilium Scandinaviae, Sectio posterior p. 259–572.
- FUCKEL, K.W.G.L., 1869 [1870] — Symbolae mycologicae. — Jahrb. Nassauischen Vereins Naturk. 23–24: 1–459. (Reprint Cramer 1966).
- FUCKEL, K.W.G.L., 1871 [1872] — Symbolae mycologicae. erster Nachtrag. — Jahrb. Nassauischen Vereins Naturk. 25–26: 287–346.
- GAMS, W., 1971 — *Cephalosporium*-artige Schimmelpilze (*Hyphomycetes*). — Gustav Fischer Verlag, Stuttgart. 262 pp.
- GAMS, W. & BISSETT, J., 1998 — Morphology and identification of *Trichoderma*. — Pp. 3–34. In: KUBICEK, P. & HARMAN, G.E. (eds): *Trichoderma & Gliocladium*, Vol. 1: Basic biology, taxonomy and genetics. Taylor & Francis, London.
- GAMS, W., DIEDERICH, P. & PÖLDMAA, K., 1999a — Fungicolous fungi. — In: Müller, G., Bills, G. F. & Foster, M.S., (eds.): Measuring and monitoring biological diversity: Standard methods for fungi. Smithsonian Institution Press, Washington D.C. (in press).
- GAMS, W. & GERLAGH, M., 1968 — Beiträge zur Systematik und Biologie von *Plectosphaerella cucumeris* und der zugehörigen Konidienform. — Persoonia 5: 177–188.
- GAMS, W. & HOLUBOVÁ-JECHOVÁ, V., 1976 — *Chloridium* and some other dematiaceous hyphomycetes growing on decaying wood. — Stud. Mycol. 13: 1–99.
- GAMS, W. & HOOZEMANS, A.C.M., 1970 — *Cladobotryum*-Konidienformen von *Hypomyces*-Arten. — Persoonia 6: 95–110.
- GAMS, W., KLAMER, M., & O'DONNELL, K., 1999b — A new species of *Fusarium* from *Miscanthus* litter. — Mycologia 91: 263–268.
- GAMS, W. & MÜLLER, E., 1980 — Conidiogenesis of *Fusarium nivale* and *Rhynchosporium oryzae* and its taxonomic implications. — Neth. J. Pl. Pathol. 86: 45–53.
- GAMS, W., NIRENBERG, H.I., SEIFERT, K.A., BRAYFORD, D., & THRANE, U., 1997 — Proposal to conserve the name *Fusarium sambucinum* (Hyphomycetes). — Taxon 46: 111–113.
- GAMS, W., O'DONNELL, K., SCHROERS, H.-J. & CHRISTENSEN, M., 1998 — Some more hyphomycetes with solitary conidia borne on phialides and their generic classification. — Canad. J. Bot. 76: 1570–1583.
- GERLACH, W. & NIRENBERG, H., 1982 — The genus *Fusarium* – a pictorial atlas. — Mitt. Biol. Bundesanst. Land- Forstw. Berlin-Dahlem 209: 1–406.
- GLAWE, D.A. & JACOBS, K.A., 1988 — Evolutionary aspects of ascospore and conidium ontogeny in *Scolecocetraria cucurbitula*. — Mycologia 80: 636–645.
- GLENN, A.E., BACON, C.W., PRICE, R. & HANLIN, R.T., 1996 — Molecular phylogeny of *Acremonium* and its taxonomic implications. — Mycologia 88: 369–383.
- GOOS, R.D., 1962 — The occurrence of *Sphaerostilbe repens* in Central American soils. — Amer. J. Bot. 49: 19–23.
- GREUTER, W., BRUMMITT, R.K., FARR, E., KILIAN, N., KIRK, P.M. & SILVA, P.C. (eds.), 1993 — NCU – 3, Names in current use for extant plant genera. — Regn. Veget. 129, 1463 pp., Koeltz, Königstein.
- GREUTER, W., BARRIE, F.R., BURDET, H.M., CHALONER, W.G., DEMOULIN, V., HAWKSWORTH, D.L., JØRGENSEN, P.M., NICOLSON, D.H., SILVA, P.C., TREHANE, P. & McNEILL, J. (eds.), 1994 — International Code of Botanical Nomenclature (Tokyo Code). — Regn. Veget. 131. Koeltz, Königstein.
- GREVILLE, R.K., 1826 — Scottish cryptogamic flora. Vol. 4. — MacLachlan & Stewart, Edinburgh.
- GUADET, J., JULIEN, J., LAFAY, J.F. & BRYGOO, Y., 1989 — Phylogeny of some *Fusarium* species, as determined by large-subunit rRNA sequence comparison. — Mol. Biol. Evol. 6: 227–242.
- HANLIN, R.T., 1961 — Studies in the genus *Nectria*. II. Morphology of *N. gliocladioides*. — Amer. J. Bot. 48: 900–908.
- HANLIN, R.T., 1963a — Morphology of *Neuronectria peziza*. — Amer. J. Bot. 50: 56–66.
- HANLIN, R.T., 1963b — Morphology of *Hypomyces lactifluorum*. — Bot. Gaz. 124: 395–404.
- HANLIN, R. T., 1964 — Morphology of *Hypomyces trichothecioides*. — Amer. J. Bot. 124: 201–208.
- HARA, K., 1913 — Fungi on Japanese bamboo. II. — Bot. Mag. (Tokyo) 27: 245–256.
- HAWKER, L.E., 1955 — Hypogeous fungi. IV and V. — Trans. Brit. Mycol. Soc. 38: 73–77.
- HAWKSWORTH, D.L., 1978 — Notes on British lichenicolous fungi: II. — Notes Roy. Bot. Gard. Edinburgh 36: 181–197.
- HAWKSWORTH, D.L., 1980 — Notes on British lichenicolous fungi: III. — Notes Roy. Bot. Gard. Edinburgh 38: 165–183.
- HAWKSWORTH, D.L., 1982a — Notes on British lichenicolous fungi: IV. — Notes Roy. Bot. Gard. Edinburgh 40: 375–397.
- HAWKSWORTH, D.L., 1982b [1983] — A new species of *Nectriella* with ornamented spores from Iceland, with a key to the lichenicolous species. — Nova Hedwigia 35: 755–762.
- HAWKSWORTH, D.L. & MINTER, D.W., 1980 — New and interesting microfungi from the 1978 Exeter Foray. — Trans. Brit. Mycol. Soc. 74: 567–577.
- HAWKSWORTH, D.L., KIRK, P. M., SUTTON, B.C. & PEGLER, D.N. (eds.), 1995 — AINSWORTH & BISBY'S Dictionary of the Fungi, 8th Edition. — CAB International, Wallingford.
- HAWKSWORTH, D.L. & PIROZYNSKI, K.A., 1977 — The generic names *Paranectria* and *Paranectriella* and their synonyms. — Canad. J. Bot. 55: 2555–2557.

- HAWKSWORTH, D.L. & WEBSTER, J., 1977 — Studies on *Mycothynchus* in Britain. — *Trans. Brit. Mycol. Soc.* 68: 329–340.
- HEIN, B., 1989 — Liste der Arten und infraspezifischen Taxa von *P. Hennings*. — *Botanischer Garten und Botanisches Museum, Berlin-Dahlem*. 374 pp.
- HELFER, W., 1991 — Pilze auf Pilzfruchtkörpern. Untersuchungen zur Ökologie, Systematik und Chemie. — *Libri Bot.* 1: 1–157.
- HENDERSON, D.M. & WATLING, R., 1978 — Fungi. Chapter 15. — In: JERMY, A.C. & CRAGGE, J.A. (eds.). *The Island of Mull: A survey of its flora and environment*. — *British Museum (Natural History)*: London.
- HENNINGS, P., 1897 — Fungi camerunenses II. — *Engler's Bot. Jahrb.* 22: 537–558.
- HERING, O., 1997 — Charakterisierung und Differenzierung bei *Fusarium* Link mittels RAPD und ITS-RFLP. — *Mitt. Biol. BundAnst. Ld-Forstw.* 331: 1–133.
- HEWINGS, A.D. & CRANE, J.L., 1984 — Stilbellaceous fungi. 2. *Calostilbella*. — *Mycotaxon* 20: 245–250.
- HÖHNEL, F. VON, 1902 — Fragmente zur Mykologie (I. Mitteilung, Nr. 1 bis 63). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 111: 987–1056.
- HÖHNEL, F. VON, 1909a — Fragmente zur Mykologie (VII. Mitteilung, Nr. 289 bis 353). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 118: 813–904.
- HÖHNEL, F. VON, 1909b — Fragmente zur Mykologie (VIII. Mitteilung, Nr. 354 bis 406). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 118: 1157–1246.
- HÖHNEL, F. VON, 1911 — Fragmente zur Mykologie (XIII. Mitteilung, Nr. 642 bis 718). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 120: 379–484.
- HÖHNEL, F. VON, 1912 — Fragmente zur Mykologie (XIV. Mitteilung, Nr. 719 bis 792). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 121: 339–424.
- HÖHNEL, F. VON, 1918 — Mycologische Fragmente. — *Ann. Mycol.* 16: 35–174.
- HÖHNEL, F. VON, 1919 — Fragmente zur Mykologie (XXIII. Mitteilung, Nr. 1154 bis 1188). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 128: 535–625.
- HÖHNEL, F. VON, 1920 — Fragmente zur Mykologie (XXIV. Mitteilung, Nr. 1189 bis 1214). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1.* 129: 137–184.
- HOLM, L., 1957 — Études taxonomiques sur les Pléosporacées. — *Symb. Bot. Upsal.* 14(3): 1–188.
- HOLMGREN, P.K., HOLMGREN, N. H. & BARNETT, L.C. (eds.), 1990 — *Index Herbariorum. Part I: The Herbaria of the World. Eighth Edition*. — *New York Botanical Garden, Bronx, New York*. 693 pp.
- HUANG, L.H. & SCHMITT, J.A., 1973 — *Gliocephalotrichum ohioense*, a new species from Ohio soil. — *Mycologia* 65: 948–952.
- HUGHES, G.C., 1969 — Report of *Pseudohalonectria milfordensis* from Washington. — *Syesis* 2: 130.
- HUGHES, S.J., 1951 — Studies on micro-fungi. VIII. *Orbicula* and *Lilliputia*. — *Mycol. Pap.* 42: 1–28.
- HUGHES, S.J., 1976 — Sooty moulds. — *Mycologia* 68: 693–820.
- HYDE, K.D., 1997 — Ascomycetes described on *Freycinetia*. — *Sydowia* 49: 1–20.
- HYWEL-JONES, N.L. & EVANS, H.C., 1993 — Taxonomy and ecology of *Hypocrella discoidea* and its anamorph, *Aschersonia samoënsis*. — *Mycol. Res.* 97: 871–876.
- IMAI, S., 1932 — Studies on the *Hypocreaceae* of Japan I. *Podostro-ma*. — *Trans. Sapporo Nat. Hist. Soc. Trans.* 12: 114–118.
- JONES, E.B.G., 1965 — *Halonectria milfordensis* gen. et sp. nov., a marine pyrenomycete on submerged wood. — *Trans. Brit. Mycol. Soc.* 48: 287–290.
- JONES, E.B.G. & MOSS, S., 1987 — Key and notes on genera of the *Halosphaeriaceae* examined at the ultrastructural level. — *Syst. Ascomyc.* 6: 179–200.
- JØRGENSEN, C.A., 1922 — *Heleococcum aurantiacum* n. gen. et n. spec. — *Bot. Tidsskr.* 37: 417–420.
- JU, Y.-M., ROGERS, J.D. & HUHDORF, S.M., 1996 — *Valsaria* and notes on *Endoxylina*, *Pseudothyridaria*, *Pseudovalsaria*, and *Rousoëlla*. — *Mycotaxon* 58:419–481.
- JUEL, H.O., 1925 — Mykologische Beiträge. IX. — *Ark. Bot.* 19: 1–10.
- KAPOOR S. & MUKERJI, J., 1970 — Fungi of Delhi VIII. Two un-recorded members of the *Hypocreales*. — *J. Indian Bot. Soc.* 48 (3–4): 255–257.
- KARSTEN, P., 1889 — *Symbolae ad mycologiam Fennicam*. — *Hedwigia* 23: 1–20.
- KARSTEN, P., 1892 — *Mycetes aliquot in Mongolia et China boreali a cl. C. N. Potanin lecti*. — *Hedwigia* 31: 294–326.
- KHAN, R.S. & KRUG, J.C., 1989 — A new species of *Selinia*. — *Mycologia* 81: 653–655.
- KIMBROUGH, J.W. & KORF, R. P., 1967 — A synopsis of the genera and species of the tribe *Theleboleae* (= *Pseudoascoboleae*). — *Amer. J. Bot.* 54: 9–23.
- KIRK, P.M., 1981 — New or interesting microfungi. III. A preliminary account of microfungi colonizing *Laurus nobilis* leaf litter. — *Trans. Brit. Mycol. Soc.* 77: 457–473.
- KLAASEN, J.A. & NELSON, P.E., 1996 — Identification of a mating population, *Gibberella nygamai* sp. nov., within the *Fusarium nygamai* anamorph. — *Mycologia* 88: 965–969.
- KLEBAHN, H., 1929 [1930] — Vergilbende junge Treibgurken, ein darauf gefundenes *Cephalosporium* und dessen Schlauchfrüchte. — *Phytopathol. Z.* 1: 31–44.
- KLITTICH, C.J.R., LESLIE, J.F., NELSON, P.E. & MARASAS, W.F.O., 1997 — *Fusarium thapsinum* (*Gibberella thapsina*): a new species in section *Liseola* from sorghum. — *Mycologia* 89: 643–652.
- KOBAYASI, Y. & DOI, Y., 1969 — On *Phaeocreopsis hypoxylodes* (Speg.) Sacc. & Syd. — *Mem. Natl. Sci. Mus. Tokyo* 2: 51–56.
- KOHLMEYER, J., 1986 — Taxonomic studies of the marine *Ascomycotina*. — Pp. 199–210. In: S. T. Moss (ed.): *The biology of marine fungi*. Cambridge University Press, Cambridge, United Kingdom.
- KOHLMEYER, J. & KOHLMEYER, E., 1968 — *Icones Fungorum Maris. Lieferung 6. Tabula 74*, pp. 1–4. — J. Cramer, Weinheim.
- KOHLMEYER, J. & KOHLMEYER, E., 1979 — *Marine mycology. The higher fungi*. — Academic Press, New York.
- KOHLMEYER, J. & VOLKMANN-KOHLMEYER, B., 1993 — Observation on *Hydronectria* and *Kallichroma* gen. nov. — *Mycol. Res.* 97: 753–761.
- KOKALIS-BURELLE, N., PORTER, D. M., RODRÍGUEZ-KÁBANA, R., SMITH, D.H. & SUBRAHMANYAM, P., 1997 — *Compendium of Peanut Diseases, 2nd Edition*. — American Phytopathological Society Press, St. Paul. 94 pp.
- KONDRATYUK, S.Y., 1996 — New species of *Pronectria*, *Vouauxiomyces*, *Wentomyces* and *Zwackhiomyces* from Australasia. — *Muelleria* 9: 93–104.
- KOORDERS, S.H., 1907 — Botanische Untersuchungen über einige in Java vorkommende Pilze, besonders über Blätter bewohnende, parasitisch auftretende Arten. — *Verh. Kon. Ned. Akad. Wetensch., Tweede Sectie* 13(4): 1–264.
- KOWALSKI, D.T., 1965 — The development and cytology of *Didymocrea sadasivanii*. — *Mycologia* 57: 404–416.
- KUNTZE, O., 1898 — *Revisio Generum Plantarum, Vol. 3(3)*. — Leipzig.

- KUTORGA, E. & HAWKSWORTH, D. L., 1997 — A reassessment of the genera referred to the family *Patellariaceae* (Ascomycota). — *Syst. Ascomyc.* 15: 1–110.
- LANDVIK, S., SHAILER, N.F.J. & ERIKSSON, O.E., 1996 — SSU rDNA sequence support for a close relationship between the *Elaphomyces* and the *Eurotiales* and *Onygenales*. — *Mycoscience* 37: 237–241.
- LARSEN, K., 1971 — Danish endocoprophilous fungi, and their sequence of occurrence. — *Bot. Tidsskr.* 66: 1–32.
- LÆSSØE, T., 1989 — Pilfinger (*Hypocreopsis lichenoides*) i Danmark. — *Svampe* 20: 56–58.
- LÆSSØE, T., 1995 — Danske kødkernesvampe 3 – Slægten *Selinia*. — *Svampe* 32: 51–55.
- LÆSSØE, T., 1998 — Danske kødkernesvampe 4 – *Arachnocrea stipitata*. — *Svampe* 38: 25–26.
- LINDAU, G., 1897 — *Hypocreales*. — Pp. 343–372. In: ENGLER, H.A. & PRANTL, K.A.E.: Die natürlichen Pflanzenfamilien. 1(1). Verlag W. Engelmann, Leipzig.
- LINDAU, G., 1900 — Nachträge zu Teil I, 1 bis 31. December 1899. — Pp. 524–544. In: ENGLER, H.A. & PRANTL, K.A.E.: Die natürlichen Pflanzenfamilien. 1(1). Verlag W. Engelmann, Leipzig.
- LLOYD, G.C., 1923 — Novel and noteworthy specimens received from correspondents. — *Mycol. Writ.* 7: 1191–1218.
- LOWEN, R., 1989 — Two new species of *Nectriella* and an *Acremonium* anamorph. — *Mem. New York Bot. Gard.* 49: 243–252.
- LOWEN, R., 1991 — A monograph of the genera *Nectriella* Nitschke and *Pronectria* Clements with reference to *Charonectria*, *Cryptonectriella*, *Hydronectria* and *Pseudonectria*. — Ph.D. Dissertation, City University of New York, New York. 331 pp.
- LOWEN, R., 1995 — *Acremonium* sect. *Lichenoidea* sect. nov. and *Pronectria oligospora* sp. nov. — *Mycotaxon* 53: 81–95.
- LOWEN, R. & DIEDERICH, P., 1990 — *Pronectria xanthoriae* and *P. terrestris*, two new lichenicolous fungi (*Hypocreales*). — *Mycologia* 82: 788–791.
- LOWEN, R. & HAWKSWORTH, D.L., 1986 — *Nectriella santessonii*, a new lichenicolous pyrenomycete with an *Acremonium* anamorph. — *Lichenologist* 18: 321–328.
- LUNDQVIST, N., 1980 — On the genus *Pyxidiophora* sensu lato (*Pyrenomycetes*). — *Bot. Not.* 133: 121–144.
- LUSK, D.E., 1990 — A new pyrenomycete record for the New World. — *Mycotaxon* 37: 273.
- LUTTRELL, E.S., 1944 — The morphology of *Sphaerostilbe aurantiicola* (B. & Br.) Petch. — *Bull. Torrey Bot. Club* 71: 599–619.
- LUTTRELL, E.S., 1951 — Taxonomy of the pyrenomycetes. — *Univ. Missouri Studies, Science Series* 24: 1–120.
- LUTTRELL, E.S., 1955 — The ascostromatic ascomycetes. — *Mycologia* 47: 511–532.
- LUTTRELL, E.S., 1975 — Centrum development in *Didymosphaeria sadasivanii* (*Pleosporales*). — *Amer. J. Bot.* 62: 186–190.
- MAGNES, M. & HAFELLNER, J., 1991 — Ascomyceten auf Gefäßpflanzen an Ufern von Gebirgsseen in den Ostalpen. — *Biblioth. Mycol.* 139: 1–182.
- MAINS, E.B., 1959 — Species of *Hypocrella*. — *Mycopath. & Mycol. Appl.* 11: 311–326.
- MAIRE, R. & CHEMIN, E., 1922 — Un nouveau pyrénomycète marin. — *Compt. Rend. Hebd. Séances Acad. Sci.* 175: 319–321.
- MALÉNÇON, G., 1979 — Nouvelles contributions à la flore mycologique du Maroc – I. — *Bull. Trimestriel Soc. Mycol. France* 95: 89–118.
- MALLOCH, D., 1974a — *Sphaeronaemella helvellae*. — *Fungi Canadenses* No. 53.
- MALLOCH, D., 1974b — *Eleutheromyces subulatus*. — *Fungi Canadenses* No. 55.
- MALLOCH, D. & CAIN, R.F., 1970 — Five new genera in the new family *Pseudeurotiaceae*. — *Canad. J. Bot.* 48: 1815–1825.
- MALLOCH, D. & CAIN, R.F., 1971 — Four new genera of cleistothelial Ascomycetes with hyaline ascospores. — *Canad. J. Bot.* 49: 847–854.
- MALLOCH, D. & CAIN, R.F., 1972 — New species and combinations of cleistothelial Ascomycetes. — *Canad. J. Bot.* 50: 61–72.
- MALME, O., 1937 — *Actiniopsis* Starb., *Stereochlamys* Müll.-Arg. und *Trichothelium* Müll.-Arg. — *Hedwigia* 75: 238–242.
- MARASAS, W.F.O., NELSON, P.E. & TOUSSOUN, T.A., 1984 — Toxicogenic *Fusarium* species. Identity and Mycotoxicology. — Pennsylvania State University Press, University Park. 328 pp.
- MARSON, G., 1987 — Über drei weidenbewohnende Ascomyceten aus Luxemburg: *Encoelia fimbriata* Spooner & Trigaux, *Glyphium elatum* (Greville) Zogg und *Hypocreopsis lichenoides* (Tode ex Fries) Seaver. — *Beitr. Kenntn. Pilze Mitteleur.* 3: 465–484.
- MARTÍNEZ, I. & HAFELLNER, J., 1998 — Lichens and lichenicolous fungi on *Peltigerales* in the Iberian Peninsula and the Canary Islands. — *Mycotaxon* 69: 271–310.
- MATHIESON, M.J., 1952 — Ascospore dimorphism and mating type in *Chromocrea spinulosa* (Fuckel) Petch. — *Ann. Bot., N.S.* 16: 449–466.
- MAY, T. & EICHLER, J., 1993 — A *Hypocreopsis* (Fungi) from Nyora, Victoria. — *Victorian Naturalist* 110: 76–77.
- MERCURI, O.A. & RANALLI, M.E., 1976 — Estudio sistemático y biológico de *Hypocreales* (Ascomycetes) de Argentina. I. *Protocrea latissima* sp. nov. estudios de cultivo. — *Physis* (Buenos Aires) 35: 303–317.
- MEYER, R. & PLASKOWITZ, J., 1989 — Scanning electron microscopy of conidia and conidial matrix of *Trichoderma*. — *Mycologia* 81: 312–317.
- MILLER, J.H., 1961 — A monograph of the world species of *Hyphoxylon*. — University of Georgia, Athens. 158 pp.
- MILLER, J.H., GIDDENS, J.E. & FOSTER, A.A., 1957 — A survey of the fungi of forest and cultivated soils of Georgia. — *Mycologia* 49: 779–808.
- MÖLLER, A., 1901 — Phycomyceten und Ascomyceten. Untersuchungen aus Brasilien. — Gustav Fischer, Jena. 319 pp.
- MONOD, M., 1983 — Monographie taxonomique des *Gnomoniaceae*. — *Beih. Sydowia* 9: 1–315.
- MORAVEC, Z., 1956 — *Arachnocrea*, un genre nouveau de la famille des *Nectriaceae*. — *Bull. Trimestriel Soc. Mycol. France* 72: 160–166.
- MORGAN-JONES, G., MCKEMY, J. M. & KELLEY, W.D., 1991 — Notes on *Hyphomycetes*. LXI. *Stilbella ecuadorensis*, a new synnematous species belonging to section *Didymostilbella*, from balsa. — *Mycotaxon* 40: 151–156.
- MORRIS, E.F., 1963 — The synnematous genera of the Fungi Imperfecti. — *Western Illinois University, Ser. Biol. Sci.* 3: 1–143.
- MÜLLER, E., 1977 — Die systematische Stellung des "Schneeschimfels." — *Rev. Mycol.* 41: 129–134.
- MÜLLER, E. & VON ARX, J.A., 1962 — Die Gattungen der didymosporenen Pyrenomyceten. — *Beitr. Kryptogamenfl. Schweiz* 11(2): 1–922.
- MÜLLER, E. & VON ARX, J.A., 1973 — Pyrenomycetes: *Meliolales*, *Coronophorales*, *Sphaeriales*. — Pp. 87–132. In: AINSWORTH, G.C. et al. (eds.): *The Fungi* IVA.
- MÜLLER, E. & DENNIS, R.W.G., 1965 — Fungi venezuelani: VIII. *Plectascales*, *Sphaeriales*, *Loculoascomycetes*. — *Kew Bull.* 19: 357–386.
- MÜLLER, E., PETRINI, O., FISHER, P.J., SAMUELS, G. J. & ROSSMAN, A.Y., 1987 — Taxonomy and anamorphs of the *Herpotrichiellaceae* with notes on generic synonymy. — *Trans. Brit. Mycol. Soc.* 88: 63–74.

- MÜLLER, E. & SAMUELS, G. J., 1982 — Anamorphs of pyrenomycetous Ascomycetes I. *Rhizophoria* Niessl and *Trichosphaerella* Bommer, Rousseau & Saccardo. — *Sydowia* 35: 143–149
- MUNK, A., 1942 — *Larseniella*, en ny Slægt af Familien Sphaeriaceae. — *Bot. Tidsskr.* 46: 57–59.
- MUNK, A., 1948 — *Pyrenomyces* collected in the peninsula Mojs, Jutland. — *Dansk Bot. Ark.* 12(11): 1–19.
- MUNK, A., 1953 — The system of *Pyrenomyces*. — *Dansk Bot. Ark.* 15 (2): 1–161.
- MUNK, A., 1954 — Notes on some *Hypocreales* recently found in Denmark. — *Bot. Tidsskr.* 51: 220–229.
- MUNK, A., 1957 — Danish *Pyrenomyces*. A preliminary flora. — *Dansk Bot. Ark.* 17 (1): 1–491.
- NAG RAJ, T.R., 1994 — Coelomycetous anamorphs with appendage-bearing conidia. — *Mycologue*, Waterloo, Ontario, Canada. 1101 pp.
- NAG RAJ, T.R. & GOVINDU, H.C., 1969 — Fungi of Mysore – IV. — *Sydowia* 23: 110–117.
- NANNFELDT, J.A., 1932 — Studien über die Morphologie und Systematik der nicht-lichenisierten, inoperculaten Discomyceten. — *Nova Acta Regiae Soc. Sc. Upsaliensis Ser. 4*, 8: 1–368, 20 plates.
- NANNFELDT, J.A., 1972 — *Camarops* Karst. (*Sphaeriales-Boliniaceae*) with special regard to its European species. — *Svensk Bot. Tidsskr.* 66: 335–376.
- NANNFELDT, J.A., 1975 — Stray studies in the *Coronophorales* (*Pyrenomyces*) 1–3. — *Svensk Bot. Tidsskr.* 69: 49–66.
- NELSON, P.E., TOUSSON, T.A. & MARASAS, W.F.O., 1983 — *Fusarium* species: An illustrated manual for identification. — Pennsylvania State University Press, University Park. 193 pp.
- NIEMELÄ, T. & NORDIN, I., 1985 — *Hypocreopsis lichenoides* (*Ascomycetes*) in North Europe. — *Karstenia* 25: 75–80.
- NIRENBERG, H. I., 1995 — Morphological differentiation of *Fusarium sambucinum* Fuckel sensu stricto, *F. torulosum* (Berk. & Curt.) Nirenberg *comb. nov.* and *F. venenatum* Nirenberg *sp. nov.* — *Mycopathologia* 129: 131–141.
- NIRENBERG, H.I. & BRIELMAIER-LIEBETANZ, U., 1996 — *Nectria ipomoeae* Halst., anamorph: *Fusarium striatum* Sherb., an *Passiflora edulis* Sims. — *Nachrichtenbl. Deut. Pflanzenschutzd.* 48: 270–275.
- NIRENBERG, H. I. & O'DONNELL, K., 1998 — New *Fusarium* species and combinations within the *Gibberella fujikuroi* species complex. — *Mycologia* 90: 434–458.
- NOGRASEK, A., 1990 — Ascomyceten auf Gefäßpflanzen der Polsterseggenrasen in den Ostalpen. — *Biblioth. Mycol.* 133: 1–271.
- NORDIN, I., 1969 — Mykologiska Notiser. — *Friesia* 9: 180–192.
- OBERWINKLER, F. & R. BANDONI, R., 1982 — A taxonomic survey of the gasteroid, auricularioid *Heterobasidiomycetes*. — *Canad. J. Bot.* 60: 1726–1750.
- OCHIEL, G.S., EVANS, H.C. & J. EILENBERG, J., 1997 — *Cordycepioides*, a pathogen of termites in Kenya. — *Mycologist* 11: 7–9.
- O'DONNELL, K., 1993 — *Fusarium* and its near relatives. — Pp. 225–233. In: REYNOLDS, D.R. & TAYLOR, J.W. (eds.): *The fungal holomorph: mitotic, meiotic and pleomorphic speciation in fungal systematics*.
- O'DONNELL, K., 1996 — Progress towards a phylogenetic classification of *Fusarium*. — *Sydowia* 48: 57–70.
- O'DONNELL, K., CIGELNIK, E., & NIRENBERG, H. I., 1998 — Molecular systematics and phylogeography of the *Gibberella fujikuroi* species complex of *Fusarium*. — *Mycologia* 90: 465–493.
- OGAWA, H., YOSHIMURA, A. & SUGIYAMA, J., 1997 — Polyphyletic origins of species of the anamorphic genus *Geosmithia* and the relationship of the cleistothecial genera: evidence from 18S, 5S, and 28S rDNA sequence analyses. — *Mycologia* 89: 756–771.
- OKADA, G., TAKEMATSU, A. & TAKAMURA, Y., 1997 — Phylogenetic relationships of the hyphomycete genera *Chaetopsina* and *Kionochaeta* based on 18S rDNA sequences. — *Mycoscience* 38: 409–420.
- PALM, M.E., GAMS, W. & H. NIRENBERG, H.I., 1995 — *Plectosporium*, a new genus for *Fusarium tabacinum*, anamorph of *Plectosphaerella cucumerina*. — *Mycologia* 87: 397–406.
- PARGUEY-LEDUC, A., 1964 — Développement d'une Nectriale: *Gibberella pulicaris* (Fr.) Sacc. — *Compt. Rend. Hebd. Séances Acad. Sci.* 258: 2141–2144.
- PARKINSON, V.O., SIVANESAN, A. & BOOTH, C., 1981 — The perfect state of the rice leaf scald fungus and the taxonomy of both the perfect and imperfect states. — *Trans. Brit. Mycol. Soc.* 76: 59–69.
- PATOUILLARD, N., 1928 — Contribution à l'étude des champignons de Madagascar. — *Mém. Acad. Malgache* 4: 7–49.
- PATTERSON, F.W. & CHARLES, V. K., 1910 — Some fungous diseases of economic importance. I. Miscellaneous diseases. — U.S.D.A. Bur. Pl. Industr. Bull. 171: 7–14.
- PEERALLY, A., 1991 — The classification and phytopathology of *Cylindrocladium* species. — *Mycotaxon* 40: 323–366.
- PENZIG, O. & SACCARDO, P.A., 1897 — Diagnoses fungorum novorum in insula Java collectorum. Series secunda. — *Malpighia* 11: 491–530.
- PENZIG, O. & SACCARDO, P.A., 1904 — Icones fungorum Javanicorum. — E. J. Brill, Leiden, Netherlands.
- PETCH, T., 1912 — Revisions of Ceylon fungi. (Part III.). — *Ann. Roy. Bot. Gard. (Peradeniya)* 5: 265–301.
- PETCH, T., 1920 — *Hypocreaceae* Zeylanicae. — *Ann. Roy. Bot. Gard. (Peradeniya)* 7: 85–138.
- PETCH, T., 1921 — Studies in entomogenous fungi: II. The genera *Hypocrella* and *Aschersonia*. *Ann. Roy. Bot. Gard. (Peradeniya)* 7: 167–178.
- PETCH, T., 1936 — Notes on British *Hypocreales*. II. — *J. Bot.* 74: 185–193.
- PETCH, T., 1937 — Notes on British *Hypocreales*. III. — *J. Bot.* 75: 217–230.
- PETCH, T., 1938 — British *Hypocreales*. — *Trans. Brit. Mycol. Soc.* 21: 243–305.
- PETCH, T., 1939 — Notes on entomogenous fungi. — *Trans. Brit. Mycol. Soc.* 23: 127–148.
- PETCH, T., 1941 — Further notes on British *Hypocreales*. — *Trans. Brit. Mycol. Soc.* 25: 166–178.
- PETRAK, F., 1923 — Mykologische Notizen VI, Nrn. 201–300. — *Ann. Mycol.* 22: 182–335.
- PETRAK, F., 1928 — Mykologische Beiträge zur Flora der kanarischen Inseln. — *Bot. Jahrb. Syst., Beiblatt* 62: 93–160.
- PETRAK, F., 1950a — *Epicrea* n. gen., eine neue Gattung der *Hypocreaceen*. — *Sydowia* 4: 325–328.
- PETRAK, F., 1950b — *Allonectella* n. gen., eine neue Gattung der *Sphaeriales*. — *Sydowia* 4: 345–348. 1950
- PETRAK, F., 1951 — Ergebnisse einer Revision der Grundtypen verschiedener Gattungen der Askomyzeten und Fungi imperfecti. — *Sydowia* 5: 169–198.
- PETRAK, F., 1959 — *Pseudonectriella* n. gen., eine neue Gattung der *Nectriaceen* aus Pakistan. — *Sydowia* 13: 127–130.
- PETRAK, F. & SYDOW, H., 1934 — Kritisch-systemische Originaluntersuchungen über Pyrenomyzeten, Sphaeropsiden und Melanconieen. V. — *Ann. Mycol.* 32: 1–35.
- PETRAK, F. & SYDOW, H., 1935 — Kritisch-systemische Originaluntersuchungen über Pyrenomyzeten, Sphaeropsiden und

- Melanconieen. VI. — *Ann. Mycol.* 33: 157–193.
- PETRAK, F. & SYDOW, H., 1936 — Kritisch-systemische Originaluntersuchungen über Pyrenomyceten. Sphaeropsiden und Melanconieen. VII. — *Ann. Mycol.* 34: 11–52.
- PFISTER, D.H., 1977 — Annotated index to fungi described by N. Patouillard. — Clyde Reed, Baltimore, Maryland. 211 pp.
- PFISTER, D.H., 1982 — A new host of *Sphaeronaemella helvella* — *Pseudorhizina sphaerospora*. — *Mycotaxon* 16: 165–166.
- PHILLIPS, W., 1887 — A manual of the British Discomycetes. — Kegan Paul, French & Co., London.
- PIROZYNSKI, K., 1974 — *Antipodium*, a new genus of Hypophycetes. — *Canad. J. Bot.* 52: 1143–1146.
- PIROZYNSKI, K., 1977 — Notes on hyperparasitic Sphaeriales, Hypocreales and hypocreoid Dothideales. — *Kew Bull.* 31: 595–610.
- PLOWRIGHT, C.G., 1882 — A monograph of the British *Hypomyces*. — *Grevillea* 11: 41–51.
- POELT, J. & HAFELLNER, J., 1975 — Schlauchpforten bei der Flechtengattung *Thelocarpon*. — *Phyton (Austria)* 17: 67–77.
- POHLAD, B.R. & REYNOLDS, D.R., 1974 — *Treubiomyces* rediscovered. — *Mycologia* 66: 521–524.
- PÖLDMAA, K., 1999 — The genus *Hypomyces* and allied fungicolous fungi in Estonia. I. Species growing on aphyllorhalean basidiomycetes. — *Folia Cryptog. Eston.* 34: in press.
- POLISHOOK, J.D., BILLS, G.F. & ROSSMAN, A.Y., 1991 — A new species of *Neocosmospora* with a *Penicillifer* anamorph. — *Mycologia* 83: 797–804.
- PORTER, D. & FARNHAM, W.F., 1986 — *Mycaureola dilseae*, a marine basidiomycete parasite of the red alga, *Dilsea carmosa*. — *Trans. Brit. Mycol. Soc.* 87: 575–582.
- RABENHORST, G.L., 1874 — Fungi europaei exsiccati, Klotzschii herbarii vivi mycologici continuatio. Editio Nova. Series Secunda. Cent. 18. No. 1732.
- RANALLI, M.E. & MERCURI, O.A., 1995 — The conidial state of *Selinia pulchra* (Ascomycotina, Hypocreales). — *Mycotaxon* 53: 109–113.
- RAPER, K.B. & THOM, C., 1949 — A Manual of the Penicillia. — Williams & Wilkins Co., Baltimore, MD. 875 pp.
- REHM, H., 1891 — Die Discomyceten-Gattung *Ahlesia* Fuckel und die Pyrenomyceten-Gattung *Thelocarpon* Nyl. — *Hedwigia* 30: 1–12.
- REHM, H., 1900 — Beiträge zur Pilzflora von Südamerika. VIII. *Discomycetes* (Nachtrag). — *Hedwigia* 39: 209–234.
- REHNER, S.A. & SAMUELS, G.J., 1994 — Taxonomy and phylogeny of *Gliocladium* analyzed by large subunit rDNA sequences. — *Mycol. Res.* 98: 625–634.
- REHNER, S.A. & SAMUELS, G.J., 1995 — Molecular systematics of the Hypocreales: a teleomorph gene phylogeny and the status of their anamorph. — *Canad. J. Bot.* 73 (Suppl. 1): S816–S823.
- RIFAI, M.A., 1969a — A revision of the genus *Trichoderma*. — *Mycol. Pap.* 116: 1–56.
- RIFAI, M.A., 1969b — *Sarawakus* Lloyd, a genus of the pyrenomycete family Hypocreaceae. — *Reinwardtia* 7: 561–578.
- RIFAI, M.A. & WEBSTER, J., 1966a — Culture studies on *Hypocrea* and *Trichoderma* II. *H. aureo-viridis* and *H. rufa* f. *sterilis* f. nov. — *Trans. Brit. Mycol. Soc.* 49: 289–296.
- RIFAI, M.A. & WEBSTER, J., 1966b — Culture studies on *Hypocrea* and *Trichoderma* III. *H. lactea* (*H. citrina*) and *H. pulvinata*. — *Trans. Brit. Mycol. Soc.* 49: 297–310.
- ROGERS, J.A., 1981 — *Sarcoxyton* and *Entonaema* (Xylariaceae). — *Mycologia* 73: 28–61.
- ROGERS, J.D., JU, Y.-M. & SAN MARTIN GONZALEZ, F., 1995. *Discoxyllaria myrmecophila* and its *Hypocreodendron* anamorph. — *Mycologia* 87: 41–45.
- ROGERSON, C.T., 1970 — The hypocrealean fungi (*Ascomycetes*, *Hypocreales*). — *Mycologia* 62: 865–910.
- ROGERSON, C.T., HARRIS R.C. & SAMUELS, G.J., 1990 — Fungi collected by Bassett Maguire and Collaborators in the Guayana Highland, 1944–1983. — *Mem. New York Bot. Gard.* 64: 130–164.
- ROGERSON, C.T. & SAMUELS, G.J., 1985 — Species of *Hypomyces* and *Nectria* occurring on *Discomycetes*. — *Mycologia* 77: 763–783.
- ROGERSON, C.T. & SAMUELS, G.J., 1989 — The boleticolous species of *Hypomyces*. — *Mycologia* 81: 413–432.
- ROGERSON, C.T. & SAMUELS, G. J., 1993 — Polyporicolous species of *Hypomyces*. — *Mycologia* 85: 231–272.
- ROGERSON, C.T. & SAMUELS, G.J., 1994 — Agaricolous species of *Hypomyces*. — *Mycologia* 86: 839–866.
- ROMERO, A.I., 1994 — Estudio florístico y ecológico de micromicetes xilófilos sobre tocones de *Eucalyptus viminalis* en el NE de la Pcia. de Buenos Aires. — Doctoral Dissertation, Universidad de Buenos Aires. 249 pp.
- ROSSMAN, A.Y., 1977 — The genus *Ophionectria* (*Euascomycetes*, *Hypocreales*). — *Mycologia* 69: 355–391.
- ROSSMAN, A.Y., 1979a — *Calonectria* and its type species, *C. daldiniana*, a later synonym of *C. pyrochroa*. — *Mycotaxon* 8: 321–328.
- ROSSMAN, A.Y., 1979b — An account of the type specimens of described *Calonectria* species. — *Mycotaxon* 8: 485–558.
- ROSSMAN, A.Y., 1983 — The phragmosporous species of *Nectria* and related genera. — *Mycol. Pap.* 150: 1–164.
- ROSSMAN, A.Y., 1987 — The *Tubeufiaceae* and similar *Loculoascomycetes*. — *Mycol. Pap.* 157: 1–71.
- ROSSMAN, A.Y., 1989 — A synopsis of the *Nectria cinnabarina* group. — *Mem. New York Bot. Gard.* 49: 253–265.
- ROSSMAN, A.Y., 1993 — Holomorphic hypocrealean fungi: *Nectria* sensu stricto and teleomorphs of *Fusarium*. — Pp. 149–160. In: REYNOLDS, D.R. & TAYLOR, J.W. (Eds.): The fungal holomorph: A consideration of mitotic, meiotic and pleomorphic speciation. CAB International, Wallingford, United Kingdom.
- ROSSMAN, A.Y., 1996 — Morphological and molecular perspectives on systematics of the Hypocreales. — *Mycologia* 88: 1–19.
- ROSSMAN, A.Y., NEWELL, S. & SCHULTHEISS, R.A., 1998 — *Bionectria erubescens* on smooth cordgrass along the coast of eastern North America with comments on a new family, *Bionectriaceae*, Hypocreales. — *Inoculum* 49: 45.
- ROSSMAN, A.Y. & SAMUELS, G. J., 1998 — Proposal to conserve the name *Nectriopsis* against *Chrysoglutin* and *Dasyphthora* (*Hypocreales*). — *Taxon* 47: 723–724.
- ROSSMAN, A.Y., SAMUELS, G.J. & LOWEN, R., 1993 — *Glioccephalotrichum bulbilium*, the anamorph of *Leuconectria clusiae*, type of *Leuconectria* gen. nov., with notes on *Pseudonectria*. — *Mycologia* 85: 685–704.
- SACCARDO, P.A., 1877 — Fungi Veneti novi vel critici vel Mycologiae Venetae addendi. Ser. 6. — *Michelia* 1: 1–133.
- SACCARDO, P.A., 1878 — Enumeratio Pyrenomycetum Hypocreaceorum hucusque cognitorum systemate carpologico dispositorum. — *Michelia* 1: 277–325.
- SACCARDO, P.A., 1880 — Fungorum extra-europaeorum pugillus. — *Michelia* 2: 136–149.
- SACCARDO, P.A., 1883 — Sylloge Fungorum. 2: 1–815. — Padova.
- SACCARDO, P.A., 1891 — Sylloge Fungorum 9: 1–1141. — Padova.
- SACCAS, A.M., 1981 — Étude de la flore cryptogamique des caféiers en Afrique centrale. — *Bull. Inst. Français Café Cacao*. 16: 339–360.
- SALISBURY, B., 1966 — A monograph of the lichen genus *Thelocar-*

- pon Nyl. — *Lichenologist* 3: 175–196.
- SALISBURY, B., 1974 — A monograph of the fungal genus *Ahlesia* Fuck. — *Nova Hedwigia* 25: 693–698.
- SAMSON, R.A., 1974 — *Paecilomyces* and some allied *Hypomyces*. — *Stud. Mycol.* 6: 1–117.
- SAMSON, R.A., EVANS, H.C., & LATGÉ, J.-P., 1988 — *Atlas of Entomopathogenic Fungi*. — Springer-Verlag, Berlin. 187 pp.
- SAMUELS, G.J., 1971 — The taxonomic position of the genus *Nectriopsis* Maire (Fungi, Ascomycetes, Hypocreales). — Unpublished doctoral dissertation, Columbia University, New York. 135 pp.
- SAMUELS, G. J., 1973a — The genus *Macbridella* with notes on *Calostilbe*, *Herpotrichia*, *Phaeonectria*, and *Letendraea*. — *Canad. J. Bot.* 51: 1275–1283.
- SAMUELS, G.J., 1973b — The myxomyceticolous species of *Nectria*. — *Mycologia* 64: 401–420.
- SAMUELS, G. J., 1973c — Perithecial development in *Hypomyces aurantius*. — *Amer. J. Bot.* 60: 268–276.
- SAMUELS, G. J., 1976a — A revision of the fungi formerly classified as *Nectria* subgenus *Hyphonectria*. — *Mem. New York Bot. Gard.* 26: 1–126.
- SAMUELS, G.J., 1976b — Perfect states of *Acremonium*. The genera *Nectria*, *Actiniopsis*, *Ijuhya*, *Neohenningsia*, *Ophiodictyon*, and *Peristomialis*. — *New Zealand J. Bot.* 14: 232–260.
- SAMUELS, G.J., 1977 — *Nectria consors* and its *Volutella* conidial state. — *Mycologia* 69: 255–262.
- SAMUELS, G.J., 1978 — Some species of *Nectria* having *Cylindrocarpon* imperfect states. — *New Zealand J. Bot.* 16: 73–82.
- SAMUELS, G.J., 1988 — Fungicolous, lichenicolous, and myxomyceticolous species of *Hypocreopsis*, *Nectriopsis*, *Nectria*, *Peristomialis*, and *Trichonectria*. — *Mem. New York Bot. Gard.* 48: 1–78.
- SAMUELS, G.J., 1989a — *Nectria* and *Sesquicillium*. — *Mem. New York Bot. Gard.* 49: 266–285.
- SAMUELS, G. J., 1989b — *Nectria* and *Penicillifer*. — *Mycologia* 81: 347–355.
- SAMUELS, G.J., 1996 — *Trichoderma*: a review of biology and systematics of the genus. — *Mycol. Res.* 100: 923–935.
- SAMUELS, G.J. & BARR, M.E., 1998 — Notes on and additions to the *Niessliaceae* (Hypocreales). — *Canad. J. Bot.* 75: 2165–2176.
- SAMUELS, G.J., BARR, M.E. & LOWEN, R., 1993 — Revision of *Schizoparme* (*Diaporthales*, *Melanconidaceae*). — *Mycotaxon* 46: 459–483.
- SAMUELS, G. J. & BRAYFORD, D., 1990 — Variation in *Nectria radicola* and its anamorph, *Cylindrocarpon destructans*. — *Mycol.* 94: 433–442.
- SAMUELS, G. J. & BRAYFORD, D., 1993 — Phragmosporous *Nectria* species with *Cylindrocarpon* anamorphs. — *Sydowia* 45: 55–80.
- SAMUELS, G.J. & BRAYFORD, D., 1994 — Species of *Nectria* (sensu lato) with red perithecia and striate ascospores. — *Sydowia* 46: 75–161.
- SAMUELS, G.J., DOI, Y. & ROGERSON, C.T., 1990 — *Hypocreales*. — In: SAMUELS, G.J. (ed.): *Contributions toward a mycobiota of Indonesia*. — *Mem. New York Bot. Gard.* 59: 6–108.
- SAMUELS, G.J. & DUMONT, K.P., 1982 — The genus *Nectria* (Hypocreaceae) in Panama. — *Caldasia* 13: 379–423.
- SAMUELS, G.J. & HALLETT, I.C., 1983 — *Microdochium stoveri* and *Monographella stoveri*, new combinations for *Fusarium stoveri* and *Micronectriella stoveri*. — *Trans. Brit. Mycol. Soc.* 81: 473–483.
- SAMUELS, G.J., LIECKFELDT, E. & NIRENBERG, H.I., 1999 — *Trichoderma asperellum*, a new species with warted conidia, and re-description of *T. viride*. — *Sydowia* (in press).
- SAMUELS, G.J. & LODGE, D.J., 1996a — Three species of *Hypocrea* with stipitate stromata and *Trichoderma* anamorphs. — *Mycologia* 88: 302–315.
- SAMUELS, G.J. & LODGE, D.J., 1996b — *Rogersonia*, a new genus of the *Hypocreales*. — *Sydowia* 48: 250–254.
- SAMUELS, G.J., NIRENBERG, H.I. & SEIFERT, K.A., 1998a — *Fusarium* as *Gibberella*. — In: B. SUMMERELL (ed.): *The Genus Fusarium*. — American Phytopathological Society, St. Paul, MN. (in press).
- SAMUELS, G.J., PETRINI, O., KUHLS, K., LIECKFELDT, E. & KUBICEK, C. P., 1998b — The *Hypocrea schweinitzii* complex and *Trichoderma* sect. *Longibrachiatum*. — *Stud. Mycol.* 41: 1–54.
- SAMUELS, G.J. & ROGERSON, C.T., 1989 — *Endocreas lasiacidis* and *Sinosphaeria lasiacidis*, new tropical ascomycetes. — *Stud. Mycol.* 31: 145–149.
- SAMUELS, G.J. & ROGERSON, C.T., 1990 — New Ascomycetes from the Guayana Highland. — *Mem. New York Bot. Gard.* 64: 165–183.
- SAMUELS, G.J., ROGERSON, C.T., ROSSMAN, A.Y. & SMITH, J.D., 1984 — Four low temperature tolerant alpine/boreal ascomycetes with fungistatic activity. — *Canad. J. Bot.* 62: 1896–1903.
- SAMUELS, G.J. & ROMERO, A.I., 1991 — *Ascoporia* (Fungi, Loculoascomycetes), a new genus from Pará. — *Bol. Mus. Pará, Emilio Goeldi, Sér. Bot.* 7: 263–268.
- SAMUELS, G.J. & ROSSMAN, A.Y., 1979 — Conidia and classification of the nectrioid fungus. — Pp. 167–182. In: KENDRICK, W.B. (ed.): *The whole fungus: the sexual-asexual synthesis*. National Museums of Canada, Ottawa, Canada.
- SAMUELS, G.J. & ROSSMAN, A.Y., 1992 — *Thuemenella* and *Sarawakus*. — *Mycologia* 84: 26–40.
- SAMUELS, G.J., ROSSMAN, A.Y., LOWEN, R. & ROGERSON, C.T., 1991 — *Nectria* subgenus *Dialonectria*. — *Mycol. Pap.* 164: 1–47.
- SAMUELS, G.J. & SEIFERT, K.A., 1987 — Taxonomic implications of variation among hypocrealean anamorphs. — Pp. 29–56. In: SUGIYAMA, J. (ed.): *Pleomorphic fungi: the diversity and its taxonomic implications*. Elsevier, Amsterdam, Netherlands.
- SAMUELS, G.J. & SINGH, B., 1986 — *Botryosphaeria xanthocephala*, cause of stem canker in pigeon pea. — *Trans. Brit. Mycol. Soc.* 86: 295–299.
- SANTESSON, R., 1952 — Follicolous lichens I. A revision of the taxonomy of the obligately follicolous, lichenized fungi. — *Symb. Bot. Upsal.* 12 (1): 1–590.
- SANTESSON, R., 1984 — 27. *Nectriella leptaleae* (Steiner) R. Sant. comb. nov. — *Fungi Lichenicoli Exsiccati* 13, fasc. 1-2 (no. 1-50): 11.
- SCHUEER, C., 1988 — Ascomyceten auf Cyperaceen und Juncaceen im Ostalpenraum. — *Bibl. Mycol.* 123: 1–274.
- SCHUEER, C., 1989 — Two small ascomycetes on *Carex* new to Britain. — *Mycol. Res.* 93: 115–118.
- SCHMID, I. & SCHMID, H. (eds.), 1990 — *Ascomyceten im Bild*, 1. Lieferung. — IHW-Verlag, Eching.
- SCHMID, I. & SCHMID, H. (eds.), 1991 — *Ascomyceten im Bild*, 2. Lieferung. — IHW-Verlag, Eching.
- SCHROERS, H.-J. & SAMUELS, G.J., 1997 — *Bionectria*: a genus for species of the *Nectria ochroleuca* group. — *Z. Mykol.* 63: 149–154.
- SCHROERS, H.-J., SAMUELS, G.J., SEIFERT, K.A. & GAMS, W., 1999 — Classification of the mycoparasite *Gliocladium roseum* in *Clonostachys* as *C. rosea*, its relationship to *Bionectria ochroleuca*, and notes on other *Gliocladium*-like fungi. — *Mycologia* 91: 365–385.
- SCHULZER VON MÜGGENBURG, S., 1880 — *Mykologisches*. — *Österr. Bot. Z.* 30: 250–252.
- SEEVER, F.J., 1909a — *The Hypocreales of North America* – I. —

- Mycologia 1: 41-76.
- SEEVER, F.J., 1909b — The *Hypocreales* of North America - II. — Mycologia 1: 177-207.
- SEEVER, F.J., 1910a — The *Hypocreales* of North America - III. — Mycologia 2: 48-92.
- SEEVER, F.J., 1910b — Notes on North American *Hypocreales* - III. Two new species with studies of their life histories. — Mycologia 2: 175-182.
- SEEVER, F.J., 1928 — Studies in tropical ascomycetes - IV. Some *Hypocreales* from Trinidad. — Mycologia 20: 52-59.
- SEEVER, F.J. & CHARDON, C.E., 1926 — Scientific survey of Porto Rico and the Virgin Islands. Volume VIII, part 1. Botany of Porto Rico and the Virgin Islands. Mycology. — New York Academy of Sciences, New York. 208 pp.
- SEEVER, F.J. & WATERSTON, J. M., 1940 — Contributions to the mycoflora of Bermuda - I. — Mycologia 32: 388-407.
- SEELER, E.V., 1940 — A monographic study of the genus *Thyronectria*. — J. Arnold Arbor. 21: 429-460.
- SEELER, E.V., 1943 — Several fungicolous fungi. — Farlowia 1: 119-133.
- SEIFERT, K.A., 1985 — A monograph of *Stilbella* and some allied *Hyphomycetes*. — Stud. Mycol. 27: 1-235.
- SEIFERT, K.A., 1990 — Synnematosus *Hyphomycetes*. — Mem. New York Bot. Gard. 59: 109-154.
- SEIFERT, K.A., LOUIS-SEIZE, G. & SAVARD, M.E., 1997 — The phylogenetic relationship of two trichothecene-producing hyphomycetes, *Spicellum roseum* and *Trichothecium roseum*. — Mycologia 89: 250-257.
- SEIFERT, K.A. & SAMUELS, G. J., 1997 — Two new hypocrealean fungi with synnematosus anamorphs. — Mycologia 89: 512-520.
- SINCLAIR, W. A., LYON, H.H. & JOHNSON, W.T., 1987 — Diseases of trees and shrubs. — Cornell University Press, Ithaca, New York.
- SIVANESAN, A. & CRITCHETT, C., 1974 — *Elsinoë ampelina*. — C.M.I. Descr. 439: 1-2.
- SMITH, E.F., 1899 — Wilt disease of cotton, watermelon, and cowpea (*Neocosmospora* gen. nov.). — U.S.D.A. Div. Veg. Pathol. Bull. 17: 1-54.
- SOSA DA CÂMARA, E. DE 1950 — Catalogus fungorum juresi (Serra do Gerês) ad mycofloram Lusitanicam. — Agron. Lusit. 12: 89-122.
- SPATAFORA, J.W. & BLACKWELL, M., 1993 — Molecular systematics of unitunicate perithecial ascomycetes. I. The *Clavicipitales*-*Hypocreales* connection. — Mycologia 85: 912-922.
- SPATAFORA, J.W. & BLACKWELL, M., 1994 — The polyphyletic origins of ophiostomatoid fungi. — Mycol. Res. 98: 1-9.
- SPEGAZZINI, C.L., 1881 — Fungi argentini. Pug. 4. — Anales Soc. Ci. Argent. 12: 208-227.
- SPEGAZZINI, C.L., 1885 — Fungi guaranitici. Pug. 1 (cont.). — Anales Soc. Ci. Argent. 17: 42-48.
- SPEGAZZINI, C.L., 1899 — Fungi argentini novi v. critici (concl.). — Anales Mus. Nac. Hist. Nat. Buenos Aires 6: 289-365.
- SPEGAZZINI, C.L., 1910 — Fungi chilenses. — Rev. Fac. Agron. Vet. La Plata, ep. 2, 6: 1-205.
- SPEGAZZINI, C.L., 1924 — Algunos honguitos portorriqueños. — Bol. Acad. Nac. Ci. 26: 335-368.
- STAFLEU, F.A. & COWAN, R.S., 1983 — Taxonomic Literature. Vol. 4: P-Sak. — Junk, Boston. 1214 pp.
- STARBÄCK, K., 1899. Ascomyceten der ersten Regnellischen Expedition I. — Bih. Kongl. Svenska Vetensk.-Acad. Handl. 25: 1-68.
- STEVENS, F., 1917 — Porto Rican fungi, old and new. — Trans. Ill. Acad. Sci. 10: 162-218.
- STEVENSON, J.A., 1971 — An account of fungi exsiccati containing material from the Americas. — Beih. Nova Hedwigia 36: 1-563.
- STEYAERT, R.L., 1948 — Contribution à l'étude des parasites des végétaux du Congo Belge. — Bull. Soc. Roy. Bot. Belgique Sér. 2, 30: 11-58.
- STRID, Å., 1967 — *Hypocreopsis lichenoides* (Tode ex Fr.) Seaver, a rare ascomycete. — Svensk Bot. Tidskr. 61: 70-87.
- STRIKMANN, E., 1961 — Les asques et le périthèce du *Nectria epiphæria* (Tode) Fr., et le problème de la position systématique des Nectriales. — Publ. Mus. Nat. Hist. Nat., Travaux Lab. Jaysinia à Samoëns (Haute-Savoie) 2: 87-96.
- SUBRAMANIAN, C.V. & BHAT, D. J., 1978a — Conidium ontogeny and ascus development in *Ophionectria trichospora*. — Kavaka 6: 55-63.
- SUBRAMANIAN, C.V. & BHAT, D.J., 1978b — *Putagraivam*, a new genus of the hyphomycetes. — Proc. Indian Acad. Sci. B. 87, No. 5: 99-104.
- SUBRAMANIAN, C.V. & BHAT, D. J., 1978c — *Peethambara*, a new genus of the *Hypocreales*. — Rev. Mycol. 42: 49-55.
- SUBRAMANIAN, C.V. & BHAT, D. J., 1984 — Developmental morphology of ascomycetes XII. *Thyronectria pseudotrichia*. — Cryptog. Mycol. 5: 407-321.
- SUH, S.-O., SPATAFORA, J. W., OCHIEL, G.R.S., EVANS, H.C. & BLACKWELL, M., 1998 — Molecular phylogenetic study of a termite pathogen *Cordycepioides bisporus*. — Mycologia 90: 611-617.
- SUTHERLAND, G.K., 1915 — Additional notes on marine pyrenomycetes. — New Phytol. 14: 183-193.
- SYDOW, H., 1927 — Fungi in itinere costaricensis collecti. — Ann. Mycol. 25: 1-160.
- TAYEL, A.A. & HASTIE, A.C., 1975 — Heterothallism and perithecium formation in *Nectria cosmariospora*. — Trans. Brit. Mycol. Soc. 64: 295-300.
- TODE, H.J., 1790 — Fungi mecklenburgenses selecti. Vol. 2: 1-64. — Lüneburg.
- TUBAKI, K., 1967 — An undescribed species of *Heleococcum* from Japan. — Trans. Mycol. Soc. Japan 8: 5-10.
- TUBAKI, K. & FUJITA, T., 1980 — Three species of *Gliocephalotrichum* from Japan. — Trans. Mycol. Soc. Japan 21: 299-309.
- TULASNE, L.-R. & TULASNE, C., 1860 — De quelques Sphères fongicoles, à propos d'un mémoire de M. Antoine De Bary sur les *Nyctalis*. — Ann. Sci. Nat. Bot., Sér. IV, 13: 1-19.
- TULASNE, L.-R. & TULASNE, C., 1861 — Selecta Fungorum Carpologia. Vol. 1: 1-242. — Paris.
- TULASNE, L.-R. & TULASNE, C., 1865 — Selecta Fungorum Carpologia. Vol. 3: 1-206. — Paris.
- UDAGAWA, S., 1980 — Some new or noteworthy coprophilous pyrenomycetes from South America. — Trans. Mycol. Soc. Japan 21: 283-298.
- UDAGAWA, S., HORIE, Y. & CANNON, P.F., 1989 — Two new species of *Neocosmospora* from Japan, with a key to the currently accepted species. — Sydowia 41: 349-359.
- UDAGAWA, S., UCHIYAMA, S. & KAMIYA, S., 1994 — A new species of *Roumegueriella*. — Mycoscience 35: 409-412.
- UDAGAWA, S., UCHIYAMA, S. & KAMIYA, S., 1995 — Two new species of *Heleococcum* with *Acremonium* anamorphs. — Mycoscience 36: 37-43. 1995.
- UECKER, F.A., 1993 — Development and cytology of *Plectosphaerella cucumerina*. — Mycologia 85: 470-479.
- UECKER, F.A., 1994 — Ontogeny of the ascoma of *Glomerella cingulata*. — Mycologia 86: 82-88.
- UPADHYAY, H.P., 1981 — A Monograph of *Ceratocystis* and *Ceratocystiopsis*. — University of Georgia, Athens. 176 pp.
- VAKILI, N.G., 1985 — Mycoparasitic fungi associated with potential

- stalk rot pathogens of corn. — *Phytopathology* 75: 1201–1207.
- VAKILI, N.G., 1992 — Sexual reproduction in *Sphaeronaemella helvellae*. — *Mycologia* 84: 849–856.
- VAN ETTEN, H.C. & KISTLER, H.C., 1988 — *Nectria haematococca*, mating populations I and VI. — Pp. 189–206. In: G.S. SIDHU (ed.): *Advances in Plant Pathology*. Academic Press, New York.
- VASSILYEVA, L.N., 1998 — Plantae non vasculares, Fungi et Bryopsidae Orientis extremi Rossica. Fungi, Tomus 4: *Pyrenomycetidae* et *Loculoascomycetidae*. — Nauka, Petropoli.
- WAKEFIELD, E.M., 1940 — Nomina Generica Conservanda. Contributions from the Nomenclature Committee of the British Mycological Society. III. — *Trans. Brit. Mycol. Soc.* 24: 282–293.
- WARDLAW, C.W., 1961 — Banana diseases including plantains and baco. — Longmans, Green & Co., London. 648 pp.
- WATANABE, T., 1990 — Three new *Nectria* species from Japan. — *Trans. Mycol. Soc. Japan* 31: 227–236.
- WEBSTER, J., 1964 — Culture studies on *Hypocrea* and *Trichoderma* I. Comparison of perfect and imperfect states of *H. gelatinosa*, *H. rufa* and *Hypocrea* sp. 1. — *Trans. Brit. Mycol. Soc.* 47: 75–96.
- WEESE, J., 1913 — Über den Zusammenhang von *Fusarium nivale*, dem Erreger der Schneeschimmelkrankheit der Getreidearten und Wiesengräser, mit *Nectria graminicola* Berk. et Br. — *Zeitschr. Gärungsphysiol.* 2: 290–302.
- WEESE, J., 1916 — Beiträge zur Kenntnis der Hypocreaceen. — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturw. Kl., Abt. I.* 12: 465–575.
- WEESE, J., 1919 — Beiträge zur Kenntnis der Hypocreaceen (II. Mitteilung). — *Sitzungsber. Kaiserl. Akad. Wiss. Math.-Naturwiss. Cl., Abt. I.* 128: 693–754.
- WEESE, J., 1924 — *Hypocreaceae*. Heft VIII. P. 1–4. — In: VAN OVEREEM, C. & WEESE, J.: *Icones Fungorum Malayensium*. Abbildungen und Beschreibungen der Malayischen Pilze. Martinus-Nijhoff, Wien.
- WEESE, J., 1927 — Über die Gattung *Dialhypocrea* Speg. — *Mitt. Bot. Inst. Techn. Hochschule Wien* 4: 81–86.
- WESTON, W.H., JR., 1929 — Observations on *Loromyces*, an undescribed aquatic ascomycete. — *Mycologia* 21: 55–76.
- WHITE, J.F., JR., 1997 — Perithecial ontogeny in the fungal genus *Epichloë*: an examination of the clavicipitalean centrum. — *Amer. J. Bot.* 84: 170–178.
- WILEY, B.J. & SIMMONS, E.G., 1971 — *Gliocephalotrichum*, new combinations and a new species. — *Mycologia* 63: 575–585.
- WOLLENWEBER, H.W., 1916 — *Fusaria autographice delineata*. — Berlin, published by the author. 1–501.
- WOLLENWEBER, H.W., 1928 — Über Fruchtformen der krebserregernden Nectriaceen. — *Z. Parasitenkunde* 1: 138–173.
- WOLLENWEBER, H.W., 1930 — *Fusaria autographica delineata*. — Berlin, published by the author. 658–1100.
- WOLLENWEBER, H. W. & REINKING, O. A., 1935 — Die Fusarien, ihre Beschreibung, Schadwirkung und Bekämpfung. — Paul Parey, Berlin.
- YAGUCHI, T., SOMEYA, A. & UDAGAWA, S., 1997 — Isolation of *Roumegueriella rufula* as a new record from East Asia. — *Mycoscience* 38: 83–85.
- YAMAMOTO, M. & OKADA, T., 1966 — On *Shiraia bambusicola* P. Henn. — *Trans. Mycol. Soc. Japan* 7: 188–192.
- ZIMMERMANN, A., 1902 — Ueber einige Krankheiten und Parasiten der Vanille. — *Centralbl. Bakteriol. Abt. 2.* 8: 469–481.
- ZUKAL, H., 1893 — Mykologische Mittheilungen. — *Österr. Bot. Z.* 43: 160–314.