

## LITERATURE CITED

- ALLESCHER, A., 1903 — Fungi imperfecti: Gefärbt-sporige Sphaerioiden sowie Nectrioideen, Leptostromaceen, Excipulaceen und Familien der Ordnung Melanconieen. — Rabenhorst, Kryptog.-Fl. 1, 7: 1-1072.
- ARENTHOLZ, W.-R., 1989 — The genus *Pezizella* I: Nomenclature and history. — Mycotaxon 36: 283-303.
- ARX, J. A. VON, 1957 — Revision der zu *Gloeosporium* gestellten Pilze. — Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Tweede Reeks, Sect. 51, 3: 1-153.
- ARX, J. A. VON, 1987 — Plant pathogenic fungi. — Nova Hedwigia, Beih. 84: 1-288.
- BARAL, H. O., 1992 — Vital versus herbarium taxonomy: morphological differences between living and dead cells of ascomycetes, and their taxonomic implications. — Mycotaxon 44: 333-390.
- BARAL, H. O., 1994 — Comments on 'Outline of the ascomycetes — 1993'. — Syst. Ascom. 13: 113-128.
- BAYLISS ELLIOTT, J. S. & CHANCE, H. C., 1920 — The conidia and paraphyses of *Pezicula eucrita*, Karst. — Trans. Brit. Mycol. Soc. 6: 353-354.
- BOEREMA, G. H. & GREMMEN, J., 1959 — Een oppervlakkige bastkanker bij appel en peer veroorzaakt door *Pezicula corticola*. — Tijdschr. Plantenziekten 65: 165-176.
- BOEREMA, G. H. & VERHOEVEN, A. A., 1972 — Checklist for scientific names of common parasitic fungi. Series 1a: Fungi on trees and shrubs. — Neth. J. Pl. Pathol. 78, Suppl. 1: 1-63.
- BUBÁK, F. & KABÁT, J. E., 1912 — Mykologische Beiträge 7. — *Hedwigia* 52: 340-363.
- CANNON, P. F. & HAWKSWORTH, D. L., 1983 — Proposal (702) to conserve *Pezicula* against *Pezicula* (Fungi). — Taxon 32: 477-478.
- CANNON, P. F., HAWKSWORTH, D. L. & SHERWOOD-PIKE, M. A., 1985 — The British Ascomycotina. An annotated checklist. — Commonw. Agric. Bureau, Slough, pp. 1-302.
- CARPENTER, S. E., 1981 — Monograph of *Crocicreas* (Ascomycetes, Helotiales, Leotiaceae). — Mem. New York Bot. Gard. 33: 1-290.
- CARROLL, F. E., MÜLLER, E. & SUTTON, B. C., 1977 — Preliminary studies on the incidence of needle endophytes in some European conifers. — Sydowia 29: 87-103.
- CASH, E. K., 1940 — A second note on Georgia Discomycetes (comm. J. A. Stevenson). — J. Washington Acad. Sci. 30: 303-305.
- CORDLEY, A. B., 1900 — Some observations on apple tree anthracnose. — Bot. Gaz. 30: 48-58.
- DE CANDOLLE, A. P. & DE LAMARCK, J., 1815 — Flore Française. Tome 5 (vol 6).
- DENNIS, R. W. G., 1954 — Some inoperculate discomycetes of tropical America. Kew Bull. 2: 289-348.
- DENNIS, R. W. G., 1964 — Remarks on the genus *Hymenoscyphus* S. F. Gray, with observations on sundry species referred by Sacardo and others to the genera *Helotium*, *Pezizella* or *Phialea*. — Persoonia 3: 29-80.
- DENNIS, R. W. G., 1970 — Fungus Flora of Venezuela and adjacent countries. Kew Bulletin additional series III. — J. Cramer, and Royal Botanical Gardens, Kew.
- DENNIS, R. W. G., 1974 — New or interesting British Microfungi, II. — Kew Bull. 29: 157-179.
- DENNIS, R. W. G., 1978 — British Ascomycetes. — J. Cramer, Vaduz.
- DENNIS, R. W. G., 1986 — Fungi of the Hebrides. — Royal Botanical Gardens, Kew.
- DESMAZIÈRES, J. B. H. J., 1847 — Quatorzième notice sur les plantes cryptogames récemment découvertes en France. — Ann. Sci. Nat., Bot., Sér. 3, 8: 9-16.
- DESMAZIÈRES, J. B. H. J., 1850 — Dix-huitième notice sur les plantes cryptogames récemment découvertes en France. — Ann. Sci. Nat., Bot., Sér. 3, 14: 107-111.
- DI COSMO, F., 1978 — A revision of *Corniculariella*. — Canad. J. Bot. 56: 1665-1690.
- DI COSMO, F., NAG RAJ, T. R. & KENDRICK, W. B., 1984 — A revision of the *Phacidiaeae* and related anamorphs. — Mycotaxon 21: 1-234.
- DOMAŃSKI, S., 1978 — Fungi occurring in forests injured by air pollutants in the Upper Silesia and Cracow industrial regions of Poland. — Acta Soc. Bot. Pol. 47: 285-296.
- DOMAŃSKI, S. & KOWALSKI, T., 1987 — Fungi occurring on forests injured by air pollutants in the Upper Silesia and Cracow industrial regions (Poland): X. Mycoflora of dying young trees of *Alnus incana*. — Eur. J. For. Pathol. 17: 337-348.
- DONK, M. A., 1957 — The generic names proposed for Hymenomycetes 7. 'Thelephoraceae'. — Taxon 6: 106-123.
- DUGAN, F. M., GROVE, G. G. & ROGERS, J. D., 1993 — Comparative studies of *Cryptosporiopsis curvispora* and *C. perennans*. I. Morphology and pathogenic behaviour. — Mycologia 85: 551-564.
- DUMONT, K. P., 1981 — Leotiaceae III. Notes on selected temperate species referred to *Helotium* and *Hymenoscyphus*. — Mycotaxon 13: 59-84.
- DURAND, E. J., 1904 — Three new species of Discomycetes. — J. Mycol. 10: 99-101.
- DURAND, E. J., 1922 — The genus *Catinella*. — Bull. Torrey Bot. Club 49: 15-21.
- ESPINOSA-GARCÍA, F. J. & LANGENHEIM, J. H., 1990 — The endophytic fungal community in leaves of a coastal redwood population: diversity and spatial patterns. — New Phytol. 116: 89-98.
- FARR, M. L., 1973 — An annotated list of Spegazzini's fungus taxa. — Bibl. Mycol. 35, 2: 824-1661.
- FARR, E. R., LEUSSINK, J. A. & STAFLEU, F. A., 1979 — Index nominum genericorum (plantarum) Vol. 3. — W. Junk Publishers, The Hague.
- FARR, D. F., BILLS, G. F., CHAMURIS, G. P. & ROSSMAN, A. Y., 1989 — Fungi on plants and plant products in the United States. — APS Press, St. Paul, Minnesota.
- FISHER, P. J. & PETRINI, O., 1990 — A comparative study of fungal endophytes in xylem and bark of *Alnus* species in England and Switzerland. — Mycol. Res. 94: 313-319.
- FOSCHI, S., 1955 — *Gloeosporium olivae* (Petri) n. comb., agente di antracnosi su rami, foglie e frutti d'olivo. — Ann. Sperim. Agrar. 9, no. 4.
- FRIES, E. M., 1822 — Systema mycologicum Vol. 2 (1), 1-275. — Lund.
- FRIES, E. M., 1828 — Elench. Fung. 2: 1-154. — Greifswald.
- FRIES, E. M., 1849 — Summa Vegetabilium Scandinaviae. Vol. 2, 259-527. — Stockholm, Leipzig.
- FÜCKEL, K. W. G. L., 1870 — Symbolae mycologicae. Beiträge zur Kenntnis der rheinischen Pilze. — Jahrb. Nassauischen Vereins Naturk. 23-24. Wiesbaden.
- FÜCKEL, K. W. G. L., 1871 — Symbolae mycologicae. Nachtrag 1. — Jahrb. Nassauischen Vereins Naturk. 25-26. Wiesbaden.
- FÜCKEL, K. W. G. L., 1873 — Symbolae mycologicae. Nachtrag 2. — Jahrb. Nassauischen Vereins Naturk. 27-28: (47).

- FUNK, A., 1966 — *Ascoconidium tsugae* n. sp. associated with bark diseases of western hemlock in British Columbia. — *Canad. J. Bot.* 44: 219–222.
- FUNK, A., 1975 — *Sageria*, a new genus of Helotiales. — *Canad. J. Bot.* 53: 1196–1199.
- GENÉ, J., GUARRO, J. & FIGUERAS, M. J., 1990 — A new species of *Cryptosporiopsis* causing bud rot of *Corylus*. — *Mycol. Res.* 94: 309–312.
- GREGOR-WILSON, M. J. F., 1931 — A comparative study of growth-forms within the species *Dermatea livida* (B. et Br.), Phillips. — *Ann. Bot.* 45: 73–90.
- GREUTER, W., BARRIE, F. R., BURDET, H. M., CHALONER, W. G., DEMOULIN, V., HAWKSWORTH, D. L., JØRGENSEN, P. M., NICOLSON, D. H., SILVA, P. C., TREHANE, P. & MCNEILL, J. (eds.), 1994 — International Code of Botanical Nomenclature (Tokyo Code). — Koeltz Scientific Books, Königstein, Germany.
- GROVE, G. G., 1990 — Anthracnose and perennial canker. — pp. 36–38. In: JONES, A. L. & ALDWINCKLE, H. S. (eds.): Compendium of apple and pear diseases. — APS Press, St. Paul, Minnesota.
- GROVES, J. W., 1938a — *Dermatea acerina* and *Pezicula acericola*. — *Mycologia* 30: 416–430.
- GROVES, J. W., 1938b — The perfect stage of *Catinula turgida*. — *Mycologia* 30: 46–53.
- GROVES, J. W., 1939 — Some *Pezicula* species and their conidial stages. — *Canad. J. Res., Sect. C*, 17: 125–143.
- GROVES, J. W., 1940a — Three *Pezicula* species occurring on *Alnus*. — *Mycologia* 32: 112–123.
- GROVES, J. W., 1940b — Some *Dermatea* species and their conidial stages. — *Mycologia* 32: 736–751.
- GROVES, J. W., 1941 — *Pezicula carneae* and *Pezicula subcarnea*. — *Mycologia* 33: 510–522.
- GROVES, J. W., 1946 — The North American species of *Dermea*. — *Mycologia* 38: 352–431.
- GROVES, J. W., 1947 — *Pezicula morthieri* on *Rhamnus*. — *Mycologia* 39: 328–333.
- GROVES, J. W., 1952 — The genus *Tympinis*. — *Canad. J. Bot.* 30: 571–651.
- GROVES, J. W., 1954 — The genus *Durandiella*. — *Canad. J. Bot.* 32: 116–144.
- GROVES, J. W., 1965 — The genus *Godronia*. — *Canad. J. Bot.* 43: 1195–1276.
- GUTHRIE, E. J., 1959 — The occurrence of *Pezicula alba* sp. nov. and *P. malicorticis*, the perfect states of *Gloeosporium album* and *G. perennans*, in England. — *Trans. Brit. Mycol. Soc.* 42: 504.
- HAWKSWORTH, D. L. (ed.), 1994 — Ascomycete systematics. Problems and perspectives in the nineties. — Nato ASI series A, 269, Plenum Press, New York.
- HAWKSWORTH, D. L., KIRK, P. M., SUTTON, B. C. & PEGLER, D. N., 1995 — Ainsworth & Bisby's dictionary of the fungi, 8th ed. — CAB International, Wallingford.
- HEIN, B., 1976 — Revision der Gattung *Laetinaevia* Nannf. (Ascomycetes) und Neuordnung der Naevioideae. — *Willdenowia*, Beih. 9: 1–136.
- HEIN, B. & GERHARDT, E., 1981 — Die nomenklatorische Typen zu Kirschsteins Namen von Gattungen, Arten und subspezifischen Taxa im Pilzherbar des Botanischen Museums Berlin-Dahlem. — *Willdenowia* 11: 123–163.
- HÖHNEL, F., 1904 — Mykologische Fragmente 70–75. — *Ann. Mycol.* 2: 271–277.
- HÖHNEL, F., 1906 — Fragmente zur Mykologie 2. — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1*, 115: 649–695.
- HÖHNEL, F., 1909a — Fragmente zur Mykologie 7. — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1*, 118: 813–904.
- HÖHNEL, F., 1909b — Fragmente zur Mykologie 9. — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1*, 118: 1461–1552.
- HÖHNEL, F., 1915 — Beiträge zur Mykologie 9. Über die Gattung *Myxosporium* Link. — *Z. Gärungsphysiol.* 5 (3): 191–215.
- HÖHNEL, F., 1920 — Über die Gattung *Phlyctaena* Desmazières. — *Ber. Deutsch. Bot. Ges.* 38: 102–110.
- HOLMGREN, P. K., HOLMGREN, N. H. & BARNETT, L. C., 1990 — Index herbariorum Part 1: The herbaria of the world. Eighth ed. — New York Bot. Gard., New York.
- HOUSE, H. D., 1923 — Notes on fungi. — *New York State Mus. Bull.* 243–244: 80–95.
- ITO, K., CHIBA, O. & KONDO, H., 1969 — *Neofabraea* cankers of poplars in Japan. — *Bull. Govt. Exp. Station Meguro* 225: 31–40.
- ITURRIAGA, T. & KORF, R. P., 1997 — A preliminary discomycete flora of Macaronesia: part 10a, *Dermateae*. — *Mycotaxon* 61: 223–241.
- JAAP, O., 1910 — Verzeichnis der bei Triglitz in der Prignitz beobachteten Ascomyceten. — *Abh. Bot. Vereins Prov. Brandenburg* 52: 109–150.
- JACKSON, H. S., 1913 — Apple tree anthracnose: a preliminary report. — *Oregon Agric. Exp. Sta. Bienn. Crop Pest Hort. Rep.* 1911–1912: 178–197.
- JOHANSEN, G., 1949 — The Danish species of the discomycete genus *Pezicula*. — *Dansk Bot. Ark.* 13(3): 1–26.
- JOHNSTON, P. R. & FULLERTON, R. A., 1988 — *Cryptosporiopsis citri* sp. nov.: cause of a Citrus leaf spot in the Pacific Islands. — *New Zealand J. Exp. Agric.* 16: 159–163.
- JØRGENSEN, C. A., 1930 — Barkkraeft paa aeble och paere, foaraarsaget af *Neofabraea corticola* (Edgert.) C. A. J. n. sp. et n. comb. — *Tidsskr. Planteavl* 36: 800–811.
- KANEKO, S., 1986 — Materials for the fungus flora of Japan: 39. — *Trans. Mycol. Soc. Japan* 27: 91–94.
- KANOUE, B. B., 1941 — New and unusual species of discomycetes. — *Mycologia* 33: 461–467.
- KARSTEN, P. A., 1869 — Monographia Pezizarum fennicarum. — *Not. Sällsk. Fauna Fl. Fenn. Förh.* 10: 99–206.
- KARSTEN, P. A., 1871 — *Mycologia fennica* 1. Discomycetes. — *Bidr. Känded. Finlands Natur Folk* 19: 1–263.
- KAUFFMAN, C. H., 1929 — A study of the fungus flora of the Lake Superior of Michigan, with some new species. — *Pap. Michigan Acad. Sci.* 9: 169–218.
- KEHR, R. D., 1991 — *Pezicula* canker of *Quercus rubra* L., caused by *Pezicula cinnamomea* (DC.) Sacc. I. Symptoms and pathogenesis. — *Eur. J. For. Pathol.* 21: 218–233.
- KEHR, R. D., 1992 — *Pezicula* canker of *Quercus rubra* L., caused by *Pezicula cinnamomea* (DC.) Sacc. II. Morphology and biology of the causal agent. — *Eur. J. For. Pathol.* 22: 29–40.
- KIENHOLZ, J. R., 1939 — Comparative study of the apple anthracnose and perennial canker fungi. — *J. Agric. Res.* 59: 635–665.
- KIRSCHSTEIN, W., 1938 — Über neue, seltene und kritische Ascomyceten und *Fungi imperfecti*. — *Ann. Mycol.* 36: 367–400.
- KIRSCHSTEIN, W., 1941 — De plerisque novis ascomycetibus et paucis novis fungis imperfectis. — *Hedwigia* 80: 119–137.
- KIRSCHSTEIN, W., 1944 — Über neue, seltene und kritische Kleinpilze. — *Hedwigia* 81: 193–224.
- KOBAYASHI, T., HAYASHI, H., KUBONO, T., TABATA, M. & ITO, S., 1990 — Etiological and pathological studies on the resinous stem canker of Hinoki cypress, *Chamaecyparis obtusa* Sieb. et Zucc.

1. Detection, identification and pathogenicity of the causal fungus. — Bull. Forestry Forest Prod. Res. Inst. Ibaraki 357: 51–93.
- KORF, R. P., 1953a. The new rules of typification as they affect *Sarcoscypha* and *Velutaria*. — Mycologia 45: 296–301.
- KORF, R. P., 1953b. A new name for *Velutaria rufo-olivacea*. — Mycologia 45: 475–476.
- KORF, R. P., 1971. Some new discomycete names. — Phytologia 21: 201–207.
- KORF, R. P., 1973. Discomycetes and Tuberales. — pp. 249–319. In: AINSWORTH, G. C., SPARROW, F. K. & SUSSMAN, A. S. (eds.); The Fungi, An advanced treatise 4A. — Acad. Press, London.
- KORF, R. P., 1978. Revisionary studies in the *Arachnopezizoidae*: a monograph of the *Polydesmiae*. — Mycotaxon 7: 457–492.
- KORF, R. P. & KOHN, L. M., 1976. Notes on *Phibalis*, type genus of the *Encoelioideae* (Discomycetes). — Mem. New York Bot. Gard. 28: 109–118.
- KORF, R. P., PEARSON, R. C., ZHUANG, W-Y. & DUBOS, B., 1986. *Pseudopezicula* (*Helotiales*, *Peziculoideae*), a new discomycete genus for pathogens causing an angular leaf scorch disease of grapes ('Rotbrenner'). — Mycotaxon 26: 457–471.
- KOWALSKI, T., 1982. Fungi occurring on forests injured by air pollutants in the Upper Silesia and Cracow industrial regions (Poland): 8. Mycoflora on *Larix decidua* located in a zone with moderate air pollution damage. — Eur. J. For. Pathol. 12: 262–273.
- KOWALSKI, T. & BARTNIK, C., 1995. *Cryptosporiopsis radicicola* sp. nov. from roots of *Quercus robur*. — Mycol. Res. 99: 663–666.
- KOWALSKI, T., HALMSCHLAGER, E. & SCHRADER, K., 1998. *Cryptosporiopsis melanigena* sp. nov., a root-inhabiting fungus of *Quercus robur* and *Q. petraea*. — Mycol. Res. 102: 347–354.
- KOWALSKI, T. & KEHR, R. D., 1992. Endophytic fungal colonization of branch bases in several forest tree species. — Sydowia 44: 137–168.
- KURKELA, T., 1997. Ascospore discharge by *Neofabraea populi*, a cortical pathogen on *Populus*. — Karstenia 37: 19–26.
- LAL, S. P. & KAPOOR, J. N., 1984. A new species of *Cryptosporiopsis* from India. — Indian Phytopathol. 37: 701–703.
- LIBERT, M. A., 1834. Plantae cryptogamicae, quas in Arduenna collegit. Fasc. 3. — Liège.
- LIZOŇ, P., 1992. The genus *Hymenoscyphus* (*Helotiales*) in Slovakia, Czechoslovakia. — Mycotaxon 45: 1–59.
- MASSEE, G., 1895. British Fungus-Flora. Vol. 4. — London.
- MILLER, E. V., 1932. Some physiological studies of *Gloeosporium perennans* and *Neofabraea malicorticis*. — J. Agric. Res. 45: 65–77.
- MONTAGNE, J. F. C., 1849. Sixième centurie de plantes cellulaires exotiques nouvelles. Cryptogamae Taitenses. — Ann. Sci. Nat., Bot., Sér. 3, 10: 106–136.
- MOLLER, E. M., BAHNWEIG, G., SANDERMANN, H. & GEIGER, H. H., 1992. A simple and efficient protocol for isolation of high molecular weight DNA from filamentous fungi, fruit bodies and infected plant tissues. — Nucl. Acids Res. 20: 6115–6116.
- MOUTON, V., 1897. Troisième notice sur des Ascomycètes nouveaux ou peu connus. — Bull. Soc. Roy. Bot. Belgique 36: 10–21.
- MULLER, E. & DÉFAGO, G., 1968. *Betoniella* (Sacc.) Boud. und *Diabeloniella* Nannf., zwei wenig bekannte Discomycetengattungen. — Sydowia 20: 157–168.
- NAG RAJ, T. R. & KENDRICK, B., 1975. A monograph of *Chalara* and allied genera. — Wilfrid Laurier University Press, Waterloo, Ontario.
- NANNFELDT, J. A., 1929. *Duebenia* Fr., eine verschollene Discomycetengattung. — Bot. Tidskr. 33: 316–322.
- NANNFELDT, J. A., 1932. Studien über die Morphologie und Systematik der nicht-lichenisierten inoperculaten Discomyceten. — Nova Acta R. Soc. Sci. Upsal., Ser. 4, 8 (2): 1–368.
- NANNFELDT, J. A., 1936. Notes on type specimens of British inoperculate discomycetes. — Trans. Brit. Mycol. Soc. 20: 191–206.
- NANNFELDT, J. A., 1939. Notes on type specimens of British inoperculate discomycetes (second part, notes 51–100). — Trans. Brit. Mycol. Soc. 23: 239–252.
- NOBLE, H., MARY, H., LANGLEY, D., SIDEBOTTOM, P. J., LANE, S. J. & FISHER, P. J., 1991. An echinocandin from an endophytic *Cryptosporiopsis* sp. and *Pezicula* sp. in *Pinus sylvestris* and *Fagus*. — Mycol. Res. 95: 1439–1440.
- NYLANDER, W., 1869. Observationes circa Pezizas Fenniae — Not. Sällsk. Fauna Fl. Fenn. Förh. 10: 1–97.
- OTTH, G. H., 1868. Sechster Nachtrag zu dem in No. 15–23 der Mittheilungen enthaltenen Verzeichnisse schweizerischer Pilze von Trog. — Mitth. Naturf. Ges. Bern: 37–88.
- OUELLETTE, G. B. & PIROZNSKI, K. A., 1974. Reassessment of *Tymanopis* based on types of ascospore germination within asci. — Canad. J. Bot. 52: 1889–1911.
- PECK, C. H., 1872. Annual Rep. New York State Mus. 25: 59–123.
- PECK, C. H., 1878. Annual Rep. New York State Mus. 31: 1–60.
- PERSOON, C. H., 1802. Synopsis methodica Fungorum. — Göttingen.
- PERSOON, C. H., 1822. Mycologia Europaea. Sectio prima. — Erlangen.
- PETRAK, F., 1921. Mykologische Beiträge 1. — Hedwigia 62: 282–319.
- PETRAK, F., 1923. Mykologische Notizen 6. — Ann. Mycol. 21: 182–335.
- PETRAK, F., 1924. Mykologische Notizen 7. — Ann. Mycol. 22: 1–182.
- PETRAK, F., 1925. Mykologische Notizen 8. — Ann. Mycol. 23: 1–143.
- PETRAK, F., 1934. Mykologische Beiträge zur Flora von Sibirien 2. — Hedwigia 74: 30–78.
- PETRAK, F., 1944. Neue Kleinpilze aus Westfalen und Hessen-Nassau — Ann. Mycol. 42: 52–57.
- PETRAK, F., 1963. Mykologische Beiträge zur Österreichischen Flora. — Sydowia 16: 155–198.
- PETRAK, F. & SYDOW, H., 1924. Kritisch-systematische Originaluntersuchungen über Pyrenomyceten, Sphaeropsidene und Melanconieen. — Ann. Mycol. 22: 318–386.
- PETRINI, O. & FISHER, P. J., 1988. A comparative study of fungal endophytes in xylem and whole stem of *Pinus sylvestris* and *Fagus sylvatica*. — Trans. Brit. Mycol. Soc. 91: 233–238.
- PETRINI, O., STONE, J. & CARROLL, F. E., 1982. Endophytic fungi in evergreen shrubs in Western Oregon: a preliminary study. — Canad. J. Bot. 60: 789–796.
- PHILLIPS, W., 1887. A manual of the British Discomycetes. — London.
- PHILLIPS, W., 1893. A manual of the British Discomycetes. Second ed. — London.
- PIROZNSKI, K. A. & MORGAN-JONES, G., 1968. Notes on microfungi III. — Trans. Brit. Mycol. Soc. 51: 185–206.
- PFISTER, D. H., 1973a. The psilopezioid fungi III. The genus *Psilopeziza* (*Pezizales*). — Amer. J. Bot. 60: 355–365.
- PFISTER, D. H., 1973b. The psilopezioid fungi IV. The genus *Pachyella* (*Pezizales*). — Canad. J. Bot. 51: 2009–2023.
- PRATT, J. E., 1982. *Fomes annosus* butt-rot of Sitka spruce (*Picea*

- sitchensis): 4. Observations on the distribution of *Cryptosporiopsis abietina* in the stems of rotted trees. *Forestry (Oxford)* 55: 183–188.
- RAITVIR, A. & GALAN, R., 1995 — The genus *Polydesmia* in Spain. — *Mycotaxon* 53: 447–454.
- RAPPAZ, F., 1987 — Taxonomie et nomenclature des Diatrypaceés à asques octosporés. — *Micol. Helv.* 2: 285–648.
- RAYNER, R. W., 1970 — A mycological colour chart. — Commonwealth Mycological Institute, Kew.
- REDLIN, S. C. & CARRIS, L. M. (EDS), 1996 — Endophytic fungi in grasses and woody plants. Systematics, ecology and evolution. — APS Press, St. Paul, Minnesota.
- REHM, H., 1886–1896 — Ascomyceten: Hysteriaceen und Discomyceten. — Rabenhorst Kryptog.-Fl. I, 3: 1–1275.
- REHM, H., 1907 — Rehm: Ascomycetes exs. Fasc. 38. — Ann. Mycol. 5: 78–85.
- REHM, H., 1912 — Zur Kenntnis der Discomyceten Deutschlands, Deutsch-Österreichs und der Schweiz. — Ber. Bayer. Bot. Ges. 13: 102–206.
- REMLER, P., 1979 — Ascomyceten auf Ericaceen in den Ostalpen. — *Bibl. Mycol.* 68: 1–321.
- ROLL-HANSEN, F. & ROLL-HANSEN, H., 1969 — *Neofabraea populi* on *Populus tremula* × *Populus tremuloides* in Norway. Comparison with the conidial state of *Neofabraea malicorticis*. — *Medd. Norske Skogforskssk. nr. 98*, Vol. 27: 215–226.
- ROLLINGER, J. L. & LANGENHEIM, J. H., 1993 — Geographical survey of fungal endophyte community composition in leaves of coastal redwood. — *Mycologia* 85: 149–156.
- ROSTRUP, E., 1883 — Forsatte Undersøgler over Snyltesvampes Angreb paa Skovtræerne. — *Tidsskr. Skovbrug* 6: 286–294.
- ROSTRUP, E., 1901 — Sygdom hos forskellige Træer, forårsaget af *Myxosporium*. — *Tidsskr. Skovvæs.* 13: 92–99.
- RUPPRECHT, H., 1959 — Beiträge zur Kenntnis der Fungi Imperfecti 3. — *Sydiowia* 13: 10–22.
- SACCARDO, P. A., 1873 — Atti Soc. Veneto-Trentino Sci. Nat. Padova 2, 2: 208.
- SACCARDO, P. A., 1880 — *Michelia commentarium mycologicum fungos in primis italicos* 2: 1–176. — Padua.
- SACCARDO, P. A., 1884 — *Conspectus generum Discomycetum hucusque cognitorum*. — *Bot. Centralbl.* 18: 213–247.
- SACCARDO, P. A., 1889 — *Sylloge fungorum omnium hucusque cognitorum*. Vol. 8. — Padua.
- SACCARDO, P. A., 1892 — *Sylloge fungorum omnium hucusque cognitorum*. Vol. 10. — Padua.
- SACCARDO, P. A. & SYDOW, P., 1902 — *Sylloge fungorum omnium hucusque cognitorum*. Vol. 16. — Padua.
- SAMBROOK, J., FRITSCH, E. F. & MANIATIS, T., 1989 — Molecular cloning: A laboratory manual. — Cold Spring Harbor Laboratory Press.
- SANKARAN, K. V., SUTTON, B. C. & BALASUNDARAN, M., 1995 — *Cryptosporiopsis eucalypti* sp. nov., causing leaf spots of eucalypts in Australia, India and U.S.A. — *Micol. Res.* 99: 827–830.
- SCHIEFERDECKER, K., 1954 — Die Schlauchpilze der Flora von Hildesheim. — *Z. Mus. Hildesheim* 7: 1–116.
- SCHULZ, B., SUCKER, J., AUST, H. J., KROHN, K., LUDEWIG, K., JONES, P. G. & DÖRING, D., 1995 — Biologically active secondary metabolites of endophytic *Pezicula* species. — *Micol. Res.* 99: 1007–1015.
- SEAVER, F. J., 1937 — Photographs and descriptions of cup-fungi no. 27. *Pezicula on Cornus*. — *Mycologia* 29: 334–337.
- SEAVER, F. J., 1942 — Photographs and descriptions of cup-fungi no. 37. *Pezicula purpurascens*. — *Mycologia* 34: 412–415.
- SEAVER, F. J., 1951 — The North American Cup-fungi (Inoperculates). — Hafner Publ. Comp., New York.
- SEAVER, F. J. & VELÁSQUEZ, J., 1933 — *Dermea* and *Pezicula*. — *Mycologia* 25: 139–149.
- SHERWOOD, M. A., 1977 — The Ostropalean Fungi. — *Mycotaxon* 5: 1–277.
- SHERWOOD-PIKE, M. A., 1987 — The Ostropalean Fungi 3. The *Odontotremataceae*. — *Mycotaxon* 28: 137–177.
- SIEBER, T. N., SIEBER-CANAVESI, F. & DORWORTH, C. E., 1991 — Endophytic fungi of red alder (*Alnus rubra*) leaves and twigs in British Columbia (Canada). — *Canad. J. Bot.* 69: 407–411.
- SPOONER, B. M., 1987 — Helotioides of Australasia: *Geoglossaceae*, *Orbiliaceae*, *Sclerotiniaceae*, *Hyaloscyphaceae*. — *Bibl. Mycol.* 116: 1–711.
- STONE, J. K., SHERWOOD, M. A. & CARROLL, G. C., 1996 — Canopy microfungi: Function and diversity. — *Northwest Sci.* 70: 37–45.
- SUTTON, B. C., 1977 — Coelomycetes 6. Nomenclature of generic names proposed for coelomycetes. — *Micol. Pap.* 141: 1–253.
- SUTTON, B. C., 1980 — The Coelomycetes. Fungi Imperfecti with pycnidia, acervuli and stromata. — Commonwealth Mycological Institute, Kew.
- SUTTON, B. C. & SANDHU, D., 1969 — Electron microscopy of conidial development and secession in *Cryptosporiopsis* sp., *Phoma fumosa*, *Melanconium bicolor*, and *M. apiocarpum*. — *Canad. J. Bot.* 47: 745–749.
- SYDOW, H. & PETRAK, F., 1922 — Ein Beitrag zur Kenntnis der Pilzflora Nordamerikas insbesondere der nordwestlichen Staaten. — *Ann. Mycol.* 20: 178–218.
- TAYLOR, G. S., 1983 — *Cryptosporiopsis* canker of *Acer rubrum*: some relationships among host, pathogen and vector. — *Plant Dis.* 67: 984–986.
- THAXTER, R., 1922 — Reliquiae Farlowianae distributed from the Farlow herbarium of Harvard University. — *Mycologia* 14: 99–103.
- THOMPSON, G. E., 1939 — A canker disease of poplars caused by a new species of *Neofabraea*. — *Mycologia* 31: 455–465.
- TRIEBEL, D. & BARAL, H. O., 1996 — Notes on the ascus types in *Crocicreas* (*Leotiales*, *Ascomycetes*) with a characterization of selected taxa. — *Sendtnera* 3: 199–218.
- TULASNE, L.-R., 1853 — De organis apud Discomycetes propagatione intervenientibus. — *Bot. Zeitg.* 11: 49–56.
- TULASNE, L.-R. & TULASNE, C., 1865 — Selecta Fungorum Carpologia, Vol 3. — Paris.
- VERKLEY, G. J. M., 1992 — Ultrastructure of the apical apparatus of ascii in *Ombrophila violacea*, *Neobulgaria pura* and *Bulgaria inquinans*. — *Persoonia* 15: 3–22.
- VERKLEY, G. J. M., 1993 — Ultrastructure of the ascus apical apparatus in *Hymenoscyphus* and other genera of the *Hymenoscyphoideae* (*Leotiales*, *Ascomycotina*). — *Persoonia* 15: 303–340.
- VERKLEY, G. J. M., 1995 — The ascus apical apparatus in Leotiales: an evaluation of ultrastructural characters as phylogenetic markers in the families *Sclerotiniaceae*, *Leotiaceae*, and *Geoglossaceae*. — Ph. D. Thesis, Rijksuniversiteit Leiden.
- VERKLEY, G. J. M., 1998 — Ultrastructure of conidiogenesis and conidia in two species of *Septoria sensu lato*. — *Mycologia* 90: 189–198.
- WAGNER, G., 1896 — Beiträge zur Kenntnis der Pflanzenparasiten. — *Z. Pflanzenkrankh. Pflanzenschutz* 6: 76–77.
- WANG, C. J. K., 1990 — Ultrastructure of percurrently proliferating conidiogenous cells and classification. — *Stud. Mycol.* 32: 49–64.

- WEHMEYER, L. E., 1940 — Contributions to a study of the fungus flora of Nova Scotia 5. Discomycetes. — Canad. J. Res., Sect. C, 18: 535—549.
- WEINDLMAYR, J., 1965 — Beiträge zu einer Revision der Gattung *Myxosporium* Link 2. — Sydowia 18: 26—32.
- WHITE, T. J., BRUNS, T., LEE, S. & TAYLOR, J., 1990 — Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. — pp. 315—322. In: INNIS, M. A., GELFLAND, D. H., SNINSKY, J. J. & WHITE, T. J. (eds): PCR protocols. — Acad. Press, San Diego.
- WHITE, W. L., 1941 — A monograph of the genus *Rutstroemia* (Discomycetes). — Lloydia 4: 153—240.
- WOLLENWEBER, H. W., 1939 — Diskomyzetenstudien (*Pezicula* Tul. und *Ocellaria* Tul.). — Arb. Biol. Reichsanst. Land-Forstwirtsch. 22: 521—570.
- ZAZZERINI, A. & VAN DER AA, H. A., 1979 — Morphology and pathogenicity of *Phlyctaena vagabunda*, a parasite of the olive tree. — Phytopathol. Z. 96: 258—262.
- ZHUANG, W.-Y., 1988 — The genus *Parencocelia* (Leotiaceae, Encoelioideae). — Mycotaxon 32: 85—95.
- ZHUANG, W.-Y. & KORF, R. P., 1988 — A new species of *Pezicula* on leaves of *Phyllocladus aspleniifolius* in Tasmania. — Mycotaxon 31: 225—228.
- ZOGG, H., 1944 — Untersuchungen über die Gattung *Hysterographium* Corda, insbesondere über *Hysterographium fraxini* (Pers.) De Not. — Phytopathol. Z. 14: 310—384.