

## LITERATURE CITED

- ALFIERI, S.A. & SAMUELS, G.J., 1979 — *Nectriella pironii* and its *Kuttilakesa*-like anamorph, a parasite of ornamental shrubs. — *Mycologia* **71**: 1179–1185.
- APPEL, O. & WOLLENWEBER, H.W., 1910 — Die Kultur als Grundlage zur besseren Unterscheidung systematisch schwieriger Hyphomyceten. — *Ber. Deutsch. Bot. Ges.* **28**: 435–448.
- APPEL, O. & WOLLENWEBER, H.W., 1913 — Grundlagen einer Monographie der Gattung *Fusarium* (Link). — *Arbeiten Kaiserl. Biol. Anst. Ld.-Forstw.* **8**: 1–207.
- ARNAUD, G., 1952 — Mycologie concrète: Genera. — *Bull. Trimestriel Soc. Mycol. France* **68**: 181–223.
- ARX, J.A. von & GAMS, W., 1967 — Über *Pleurage veruculosa* und die zugehörige *Cladorrhinum*-Konidienform. — *Nova Hedwigia* **13**: 199–208.
- BAINIER, G., 1905 — Mycothèque de l'École de Pharmacie. II. *Acrostalagmus roseus* Bainier. — *Bull. Trimestriel Soc. Mycol. France* **21**: 225–228.
- BAINIER, G., 1907a — *Paecilomyces*, genre nouveau de Mucédinées. — *Bull. Trimestriel Soc. Mycol. France* **23**: 26–27.
- BAINIER, G., 1907b — *Gliocladium roseum* sp. nov. et *Cephalosporium acremonium* (Corda). — *Bull. Trimestriel Soc. Mycol. France* **23**: 111–114.
- BARNETT, H.L. & LILLY, V.G., 1962 — A destructive mycoparasite: *Gliocladium roseum*. — *Mycologia* **54**: 72–77.
- BARR, M.E., 1984 — *Herpotrichia* and its segregates. — *Mycotaxon* **20**: 1–38.
- BARY, A. de, 1854 — Über die Entwicklung und den Zusammenhang von *Aspergillus glaucus* u. *Eurotium*. — *Bot. Zeitung* **12**: 425, 441–465.
- BARY, A. de, 1861 — Die gegenwärtig herrschende Kartoffelkrankheit, ihre Ursache und ihre Verhütung. — Förster'sche Buchhandlung, Leipzig.
- BERKELEY, M.J. & BROOME, C.E., 1851 — Notices of British Fungi. — *Ann. Mag. Nat. Hist., Ser. 2*, **7**: 95–102.
- BEYMA THOE KINGMA, F.H.van, 1928 — Ueber ein Kartoffelfäule verursachendes *Verticillium*, *Verticillium foëxii*. — *Meded. Phytopathol. Lab. 'Willie Commelin Scholten'* **12**: 31–35.
- BEYMA THOE KINGMA, F.H.van, 1931 — Ueber ein neues *Gliocladium*, *Gliocladium nigrovirens*, nov. spec. — *Verh. Kon. Ned. Akad. Wet., Afd. Natuurk., Sect. 2*, **29**: 30–32.
- BISSETT, J., 1983 — Notes on *Tolyptocladium* and related genera. — *Canad. J. Bot.* **61**: 1311–1329.
- BISSETT, J., 1991 — A revision of the genus *Trichoderma*. III. Section *Pachybasium*. — *Canad. J. Bot.* **69**: 2373–2417.
- BONORDEN, H.F., 1851 — *Handbuch der allgemeinen Mykologie*. — Schweizerbart, Stuttgart.
- BONORDEN, H.F., 1870 — *Abhandlungen aus dem Gebiete der Mykologie*. Zweiter Theil. — H.W. Schmidt, Halle.
- BOOTH, C., 1959 — Studies of Pyrenomycetes. IV. *Nectria*. — *Mycol. Pap.* **73**: 1–115.
- BROWN, A.H.S. & SMITH, G., 1957 — The genus *Paecilomyces* Bainier and its perfect stage *Byssochlamys* Westling. — *Trans. Brit. Mycol. Soc.* **40**: 17–89.
- BUBÁK, F., 1914 — Ein Beitrag zur Pilzflora von Tirol und Istrien. — *Ann. Mycol.* **12**: 205–220.
- CANNON, P.F. & HAWKSWORTH, D.L., 1983 — Proposal to conserve or reject, ascomycete names. — *Taxon* **32**: 476–477.
- CANNON, P.F. & KIRK, P.M., 2000 — The philosophy and practicalities of amalgamating anamorph and teleomorph concepts. — *Stud. Mycol.* **45**: 19–25.
- CARRIS, L.M. & GLAWE, D.A., 1989 — Fungi colonizing cysts of *Heterodera glycines*. — *Bull. Illinois Agric. Exp. Sta.* **786**: 1–93.
- CHRISTENSEN, M., RAPER, K.B. & STATES, J.S., 1978 — Two new *Aspergillus nidulans* group members from Wyoming soils. — *Mycologia* **70**: 332–342.
- CLEMENTS, F.E. & SHEAR, C.L., 1931 — The genera of fungi. (Ed. 2). — H.W. Wilson, New York.
- COOKE, M.C., 1884 — Notes on *Hypocreaceae*. — *Grevillea* **12**: 77–83, 100–113.
- COOKE, R.C. & WHIPPS, J.M., 1980 — The evolution of modes of nutrition in fungi parasitic on terrestrial plants. — *Biol. Rev. Cambridge Philos. Soc.* **55**: 341–362.
- CORDA, A.C.J., 1839 — *Prachtflora europäischer Schimmelbildungen*. — Leipzig, Dresden.
- CORDA, A.C.J., 1840 — *Icones fungorum hucusque cognitum*. 4. — Calve, Prague.
- CRACRAFT, J., 1997 — Species concepts in systematics and conservation biology - an ornithological viewpoint. — *In*: Claridge, M.F., Dawah, H.A. & Wilson, A.D. (ed.): *Species - The units of biodiversity*. Pp. 325–339. Chapman & Hall, London.
- CROUS, P.W. & WINGFIELD, M.J., 1993 — A re-evaluation of *Cylindrocladiella*, and a comparison with morphologically similar genera. — *Mycol. Res.* **97**: 433–448.
- CROUS, P.W. & WINGFIELD, M.J., 1994 — A monograph of *Cylindrocladium*, including anamorphs of *Calonectria*. — *Mycotaxon* **51**: 341–435.
- DE QUEIROZ, K., 1996 — A phylogenetic approach to biological nomenclature as an alternative to the Linnaean systems in current use. — *Proceedings of a Mini-Symposium on Biological Nomenclature in the 21st century*. — [www.inform.umd.edu/pbio/nomcl/dequ.html](http://www.inform.umd.edu/pbio/nomcl/dequ.html).
- DINGLEY, J.M., 1951 — The *Hypocreales* of New Zealand II. The genus *Nectria*. — *Trans. Roy. Soc. New Zealand* **79**: 177–202.
- DINGLEY, J.M., 1956 — The *Hypocreales* of New Zealand VII. A revision of records and species in the *Hypocreaceae*. — *Trans. Roy. Soc. New Zealand* **83**: 643–662.
- DINGLEY, J.M., 1957 — Life-history studies of New Zealand species of *Nectria* Fr. — *Trans. Roy. Soc. New Zealand* **84**: 689–693.
- DÖBBELER, P., 1998 — Ascomyceten auf der epiphyllen *Radula flaccida* (*Hepaticae*). — *Nova Hedwigia* **66**: 325–373.
- DOI, Y., 1978 — The *Hypocreales* (Fungi, Ascomycetes) of the Bonin Islands (2). — *Mem. Natl. Sci. Mus. (Tokyo)* **11**: 17–20.
- DOI, Y. & YAMATOYA, K., 1989 — *Hypocrea pallida* and its allies (*Hypocreaceae*). — *Mem. New York Bot. Gard.* **49**: 233–242.

- DOMSCH, K.H., GAMS, W. & ANDERSON, T.-H., 1980 — Compendium of soil fungi. — Academic Press London. Reprint 1993, IHW-Verlag Eching.
- DONK, M.A., 1964 — Nomina conservanda proposita 1964. — *Regnum vegetabile* **34**: 7–43.
- FARR, D.F., BILLS, G.F., CHAMURIS, G.P. & ROSSMAN, A.Y., 1989 — Fungi on plants and plant products in the United States. — APS Press, St. Paul.
- FRIES, E.M., 1822 — *Systema mycologicum*. Vol. 2, part.1. Pp. 1–275. Lund.
- FRIES, E.M., 1825 — *Systema Orbis Vegetabilis*. Lund.
- FRIES, E.M., 1849 — *Summa vegetabilium Scandinaviae*. Holmiae & Lipsiae.
- FUCKEL, L., 1870 — *Symbolae mycologicae*. Beiträge zur Kenntnis der rheinischen Pilze. — *Jahrb. Nassauischen Vereins Naturk.* **23–24**: 1–459. Reprint J. Cramer, Lehre, 1966.
- GAMS, W., 1968 — Die systematische Stellung der Schimmelpilze *Fusidium buxi* und *Verticillium candellabrum*. — *Acta Bot. Neerl.* **17**: 455–460.
- GAMS, W., 1971 — *Cephalosporium*-artige Schimmelpilze (Hyphomycetes). — G. Fischer, Stuttgart.
- GAMS, W., 1975 — The perfect state of *Tilachlidium brachiatum*. — *Persoonia* **8**: 329–331.
- GAMS, W., 1978 — Connected and disconnected chains of phialoconidia and *Sagenomella* gen. nov. segregated from *Acremonium*. — *Persoonia* **10**: 97–112.
- GAMS, W., 1984 — Generic concepts in hyphomycetes with slimy one-celled phialoconidia. — *In*: Subramanian, C.V. (ed.): *Taxonomy of Fungi, Proceedings of the international symposium on Taxonomy of Fungi*. Pp. 465–470. University of Madras, Madras.
- GAMS, W., 1995 — How natural should anamorph genera be? — *Canad. J. Bot.* **73** (Suppl. 1): S747–S753.
- GAMS, W. & BISSETT, J., 1998 — Morphology and identification of *Trichoderma*. — *In*: Kubicek, C.P. & Haman, G.E. (eds.): *Trichoderma & Gliocladium*. Vol. 1. Basic biology, taxonomy and genetics. Pp. 3–34. Taylor & Francis. London.
- GAMS, W., HOOG, G.S. de, SAMSON, R.A. & Evans, H.C., 2000 — The hyphomycete genus *Engyodontium* a link between *Verticillium* and *Aphanocladium*. — *Persoonia* **12**: 135–147.
- GAMS, W. & ZAAYEN, A.van, 1982 — Contribution to the taxonomy and pathogenicity of *Verticillium* species. I. Taxonomy. — *Netherlands J. Pl. Pathol.* **88**: 57–78.
- GERRITS van den Ende, A.H.G. & HOOG, G.S. de, 1999 — Variability and molecular diagnostics of the neurotropic species *Cladophialophora bantiana*. — *Stud. Mycol.* **43**: 151–162.
- GLAWE, D.A., 1989 — Variable proliferation of conidiogenous cells in *Diatrypaceae* and other fungi. — *Sydowia* **41**: 122–135.
- GLENN, A.E., BACON, C.W., PRICE, R. & HANLIN, R.T., 1996 — Molecular phylogeny of *Acremonium* and its taxonomic implications. — *Mycologia* **88**: 369–383.
- GRAY, S.F., 1821 — A natural arrangement of British plants, Vol.1. — Baldwin, Cradock, and Joy, London.
- GREUTER, W., BARRIE, F.R., BURDET, H.M., CHALONER, W.G., DEMOULIN, V., HAWKSWORTH, D.L., JØRGENSEN, P.M., NICOLSON, D.H., SILVA, P.C., TREHANE, P. & MCNEILL, J. (eds.), 2000 — International Code of Botanical Nomenclature (Saint Louis Code), adopted by the Sixteenth International Botanical Congress St Louis, Missouri, July-August 1999. — *Regn. Veget.* **138**. Koeltz, Königstein.
- HARTING, M.P., 1846 — Recherches sur la nature et les causes de la maladie des pommes de terre en 1845. — *Nieuwe Verh. Eerste Kl. Kon. Ned. Inst. Wetensch. Amsterdam* **12**: 203–297.
- HARZ, C.O., 1871 — Einige neue Hyphomyceten Berlins und Wiens nebst Beiträgen zur Systematik derselben. — *Bull. Soc. Imp. Nat. Moscou* **44**: 88–147.
- HASEGAWA, M., KISHINO, H. & YANO, T., 1985 — Dating the human-ape split by a molecular clock of mitochondrial DNA. — *J. Molec. Evol.* **22**: 160–174.
- HAWKSWORTH, D.L., KIRK, P.M., SUTTON, B.C. & PEGLER, D.N. (eds.), 1995 — *Ainsworth and Bisby's Dictionary of the fungi*, 8th Ed. — CAB International, Wallingford.
- HAWKSWORTH, D.L. & PUNITHALINGAM, E., 1975 — New and interesting microfungi from Slapton, South Devonshire: Deuteromycotina II. — *Trans. Brit. Mycol. Soc.* **64**: 89–99.
- HENNEBERT, G.L., 1971 — Pleomorphism in fungi imperfecti. — *In*: Kendrick, B. (ed.): *Taxonomy of fungi imperfecti*. Pp. 202–223. University of Toronto Press, Toronto.
- HIBBETT, D.S. & DONOGHUE, M.J., 1998 — Integrating phylogenetic analysis and classification in fungi. — *Mycologia* **90**: 347–356.
- HÖHNEL, F. von, 1907 — Fragmente zur Mykologie. — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. I* **116**: 84–162.
- HÖHNEL, F. von, 1909 — Fragmente zur Mykologie. — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. I* **118**: 1461–1552.
- HÖHNEL, F. von, 1926 — Zur Kenntnis der Gattung *Periola* Fries. — *Mitt. Bot. Inst. Techn. Hochsch. Wien* **3**: 1–4.
- HOLMGREN, K.H., HOLMGREN, N.H., BARNETT, L.C., 1998 — Part 1: The herbaria of the world. — *Regn. Veget.* **120**: 1–693.
- HOSOYA, T., MATSUOKA, T., SERIZAWA, N. & FURUYA, K., 1995 — Two morphological groups derived from *Clonostachys cylindrospora* and their relationships to trans-4-hydroxy-(L)-proline productivity. — *Mycoscience* **36**: 193–196.
- HUGHES, S.J., 1951 — Studies on micro-fungi. XI. Some hyphomycetes which produce phialides. — *Mycol. Pap.* **45**: 1–36.
- HUGHES, S.J., 1953 — Conidiophores, conidia, and classification. — *Canad. J. Bot.* **31**: 577–659.
- HUGHES, S.J., 1958 — Revisiones hyphomycetum aliquot cum appendice de nominibus rejiciendis. — *Canad. J. Bot.* **36**: 727–836.
- ISAAC, I., 1954 — *Gliocladium roseum* and its synonyms. — *Trans. Brit. Mycol. Soc.* **37**: 193–208.
- ISAAC, I. & DAVIES, R.R., 1955 — A new hyaline species of *Verticillium*: *V. intertextum* sp. nov. — *Trans. Brit. Mycol. Soc.* **38**: 143–156.
- ITO, T., OKANE, I., NAKAGIRI, A. & GAMS, W., 2000 — Two species of *Acremonium* section *Acremonium*: *A. borodinense* sp. nov. and *A. cavaraeanum* rediscovered. — *Mycol. Res.* **104**: 77–80.
- JAGER, G., HOOPEN, A. ten & VELVIS, H., 1979 — Hyperparasites of *Rhizoctonia solani* in Dutch potato fields. — *Netherlands J. Pl. Pathol.* **85**: 253–268.

- JOHN, D.M. & MAGGS, C.A., 1997 — Species problems in eukaryotic algae: a modern perspective. — *In*: Claridge, M.F., Dawah, H.A. & Wilson, M.R. (eds.): *Species — The units of biodiversity*. Pp. 83–107. Chapman & Hall, London.
- JUEL, H.O., 1925 — Mykologische Beiträge. IX. — *Ark. Bot.* **19**: 1–10.
- KIRCHNER, O. & BOLTSCHAUER, H., 1898 — Krankheiten der Kartoffel-Knollen. — *In*: *Atlas der Krankheiten und Beschädigungen unserer landwirtschaftlichen Kulturpflanzen*. 3. Pp. 1–4. Eugen Ulmer, Stuttgart.
- KIRK, P.M. & SUTTON, B.C., 1985 — A reassessment of the anamorph genus *Chaetopsina* (Hyphomycetes). — *Trans. Brit. Mycol. Soc.* **85**: 709–718.
- KORNERUP, A. & WANSCHER, J.H., 1978 — *Methuen handbook of colour*. — Eyre Methuen, London.
- KUNTZE, O., 1898 — *Revisio Generum Plantarum*. Vol. 3. — Leipzig.
- KUSHWAHA, R.K.S., 1980 — *Gliocladium agrawalii*: a new keratinophilic mold. — *Curr. Sci.* **49**: 74–75.
- LINK, H.F., 1809 — *Observationes in ordines plantarum naturales*. Dissertatio I. — *Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk.* **3**: 3–42.
- LINK, H.F., 1816 — *Observationes in ordines plantarum naturales*. 2. — *Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk.* **7**: 25–45.
- LOWEN, R., 1989 — Two new species of *Nectriella* and an *Acremonium* anamorph. — *Mem. New York Bot. Gard.* **49**: 243–252.
- LUGINBÜHL, M. & MÜLLER, E., 1980 — Endophytische Pilze in den oberirdischen Organen von vier gemeinsam an gleichen Standorten wachsenden Pflanzen (*Buxus*, *Hedera*, *Ilex*, *Ruscus*). — *Sydowia* **33**: 185–209.
- LUTTRELL, E.S., 1951 — Taxonomy of the Pyrenomycetes. — *Univ. Missouri Stud.* **24**: 1–120.
- MAIRE, R., 1911 — Remarques sur quelques Hypocréacées. — *Ann. Mycol.* **9**: 315–325.
- MASSE, G., 1893 — *British Fungus-Flora*. Vol. 3. — George Bell & Sons, London, New York.
- MATSUSHIMA, T., 1971 — Microfungi of the Solomon Islands and Papua-New Guinea. — Kobe.
- MATSUSHIMA, T., 1995 — *Matsushima Mycological Memoirs* No. 8, 54 pp. Kobe.
- MAYDEN, R.L., 1997 — A hierarchy of species concepts: the denouement in the saga of the species problem. — *In*: Claridge, M.F., Dawah, H.A. & Wilson, M.R. (ed.): *Species the units of biodiversity*. Pp. 381–424. Chapman & Hall, London.
- MILLER, J.H., 1949 — A revision of the classification of the ascomycetes with special emphasis on the pyrenomycetes. — *Mycologia* **41**: 99–127.
- MINTER, D.W., KIRK, P.M. & SUTTON, B.C., 1982 — Holoblastic phialides. — *Trans. Brit. Mycol. Soc.* **79**: 75–93.
- MIRZA, F., 1968 — Taxonomic investigations on the ascomycetous genus *Cucurbitaria*. — *Nova Hedwigia* **16**: 161–213.
- MÖLLER, A., 1901 — *Phycomyceten und Ascomyceten. — Untersuchungen aus Brasilien*. — Gustav Fischer, Jena.
- MUELLER, J.D. & SINCLAIR, J.B., 1986 — Occurrence and role of *Gliocladium roseum* in field-grown soybeans in Illinois. — *Trans. Brit. Mycol. Soc.* **86**: 677–680.
- MÜLLER, E. & ARX, J.A. von, 1962 — Die Gattungen der didymosporen Pyrenomyceten. — *Beitr. Kryptogamenfl. Schweiz* **11** (2): 1–922.
- NAG RAJ, T.R., 1993 — Coelomycetous anamorphs with appendage-bearing conidia. — *Mycologue Publications*, Waterloo.
- NAG RAJ, T.R., 1995 — What is *Myrothecium prestonii*? — *Mycotaxon* **53**: 295–310.
- O'DONNELL, K. & CIGELNIK, E., 1997 — Two divergent intragenomic rDNA ITS2 types within a monophyletic lineage of the fungus *Fusarium* are nonorthologous. — *Molec. Phylog. Evol.* **7**: 103–116.
- ONIONS, A.H.S. & BARRON, G.L., 1967 — Monophialidic species of *Paecilomyces*. — *Mycol. Pap.* **107**: 1–25.
- PACHENARI, A. & DIX, N.J., 1980 — Production of toxins and wall degrading enzymes by *Gliocladium roseum*. — *Trans. Brit. Mycol. Soc.* **74**: 561–566.
- PETCH, T., 1938 — British *Hypocreales*. — *Trans. Brit. Mycol. Soc.* **21**: 243–305.
- PETCH, T., 1944 — Additional notes on British *Hypocreales*. — *Trans. Brit. Mycol. Soc.* **27**: 148–154.
- PETRINI, O., 1994 — The genus concept in fungi: an ecologist's point of view. — *Mycologia Helvetica* **6**: 103–118.
- PIDOPLICHKO, N.M., 1977 — Griby-parazity kulturnykh rastenij. Opredeletel. Tom 2. Griby nesovershennye. — *Naukova Dumka*, Kiev.
- PINKERTON, M.E., 1936 — A comparative study of conidial formation in *Cephalosporium* and some related Hyphomycetes. — *Ann. Missouri Bot. Gard.* **23**: 1–69.
- PIROZYNSKI, K.A., 1971 — Characters of conidiophores as taxonomic criteria. — *In*: Kendrick, B. (ed.): *Taxonomy of fungi imperfecti*. Pp. 37–49. University of Toronto Press, Toronto and Buffalo.
- PITT, J.I., 1979 — The Genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces*. — Academic Press, London.
- PREUSS, G.T., 1852 — Übersicht untersuchter Pilze, besonders aus der Umgegend von Hoyerswerda. — *Linnaea* **25**: 723–742.
- RADER, W.E., 1948 — *Rhizoctonia carotae* n. sp. and *Gliocladium aureum* n. sp., two new root pathogens of carrots in cold storage. — *Phytopathology* **38**: 440–452.
- RAPER, K.B. & THOM, C., 1949 — *A manual of the Penicillia*. — Williams & Wilkins Co., Baltimore [reprint 1968, Hafner Publ. Co., New York].
- REHNER, S.A. & SAMUELS, G.J., 1994 — Taxonomy and phylogeny of *Gliocladium* analysed from nuclear large subunit ribosomal DNA sequences. — *Mycol. Res.* **98**: 625–634.
- REHNER, S.A. & SAMUELS, G.J., 1995 — Molecular systematics of the *Hypocreales*: a teleomorph gene phylogeny and the status of their anamorphs. — *Canad. J. Bot.* **73** (Suppl. 1): S816–S823.
- REINKE, J. & BERTHOLD, G., 1879 — Die Zersetzung der Kartoffel durch Pilze. — *Unters. Bot. Lab. Univ. Göttingen* **1**: 7–100.
- ROGERSON, C.T., 1970 — The Hypocrealian fungi (Ascomycetes, *Hypocreales*). — *Mycologia* **62**: 865–910.
- ROGERSON, C.T. & SAMUELS, G.J., 1989 — The boleticolous species of *Hypomyces*. — *Mycologia* **81**: 413–432.
- ROGERSON, C.T. & SAMUELS, G.J., 1993 — Polyporiculous species of *Hypomyces*. — *Mycologia* **85**: 231–272.
- ROGERSON, C.T. & SAMUELS, G.J., 1994 — Agaricolous species of *Hypomyces*. — *Mycologia* **86**: 839–866.

- ROGERSON, C.T. & STEPHENSON, S.L., 1993 — Myxomyceticolous fungi. — *Mycologia* **85**: 456–469.
- ROSSMAN, A., 1983 — The phragmosporous species of *Nectria* and related genera. — *Mycol. Pap.* **150**: 1–164.
- ROSSMAN, A.Y., 1989 — A synopsis of the *Nectria cinnabarina*-group. — *Mem. New York Bot. Gard.* **49**: 253–265.
- ROSSMAN, A.Y., 1996 — Morphological and molecular perspectives on systematics of the *Hypocreales*. — *Mycologia* **88**: 1–19.
- ROSSMAN, A., 2000 — Towards monophyletic genera in the holomorphic *Hypocreales*. — *Stud. Mycol.* **45**: 27–34.
- ROSSMAN, A.Y., MCKEMY, J.M., PARDO-SCHULTHEISS, R.A. & SCHROERS, H.-J., 2001 — Molecular studies of the *Bionectriaceae* using large subunit rDNA sequences. — *Mycologia* **93**: 100–110.
- ROSSMAN, A.Y. & SAMUELS, G.J., 1998 — Proposal to conserve the generic name *Nectriopsis* against *Chrysoglutin* and *Dasyphthora* (Fungi, *Hypocreales*). — *Taxon* **47**: 723–724.
- ROSSMAN, A.Y., SAMUELS, G.J. & LOWEN, R., 1993 — *Leuconectria clusiae* gen. nov. and its anamorph *Gliocephalotrichum bulbilium* with notes on *Pseudonectria*. — *Mycologia* **85**: 685–704.
- ROSSMAN, A.Y., SAMUELS, G.J., ROGERSON, C.T. & LOWEN, R., 1999 — Genera of *Bionectriaceae*, *Hypocreaceae* and *Nectriaceae* (*Hypocreales*, Ascomycetes). — *Stud. Mycol.* **42**: 1–260.
- SACCARDO, P.A., 1878 — Enumeratio Pyrenomycetum Hypocreaceorum hucusque cognitorum systemata carologico dispositurum. — *Michelia* **1**: 277–325.
- SACCARDO, P.A., 1882 — Fungi Veneti novi v. critici v. Mycologiae Venetae addendi (adjectis nonnullis extravenetis) Series 13. — *Michelia* **2**: 528–563.
- SACCARDO, P.A., 1883 — Sylloge Fungorum omnium hucusque cognitorum. Vol. II. Pyrenomycologiae universae continuatio et finis. — Padova.
- SACCARDO, P.A., 1886 — Sylloge Fungorum omnium hucusque cognitorum. Vol. IV. — Padova.
- SACCARDO, P.A., 1895 — Sylloge Fungorum omnium hucusque cognitorum. Vol. XI. Supplementum Universale. Pars III. — Padova.
- SACCARDO, P.A., 1906 — Sylloge Fungorum omnium hucusque cognitorum. Vol. XVIII. Supplementum Universale. Pars VII. — Padova.
- SACCARDO, P.A. & SACCARDO, D., 1905 — Sylloge Fungorum omnium hucusque cognitorum. Vol. XVII. Supplementum Universale. Pars VI. — Padova.
- SAMSON, R.A., 1974 — *Paecilomyces* and some allied Hyphomycetes. — *Stud. Mycol.* **6**: 1–119.
- SAMSON, R.A., STOLK, A.C. & HADLOK, R., 1976 — Revision of the subsection *Fasciculata* of *Penicillium* and some allied species. — *Stud. Mycol.* **11**: 1–47.
- SAMUELS, G.J., 1973 — The myxomyceticolous species of *Nectria*. — *Mycologia* **65**: 401–420.
- SAMUELS, G.J., 1976a — A revision of the fungi formerly classified as *Nectria* subgenus *Hyphonectria*. — *Mem. New York Bot. Gard.* **26(3)**: 1–126.
- SAMUELS, G.J., 1976b — Perfect states of *Acremonium*: The genera *Nectria*, *Actiniopsis*, *Ijuhya*, *Neohenningsia*, *Ophiodictyon*, and *Peristomialis*. — *New Zealand J. Bot.* **14**: 231–260.
- SAMUELS, G.J., 1977 — *Nectria consors* and its *Volutella* conidial state. — *Mycologia* **69**: 255–262.
- SAMUELS, G.J., 1978 — Some species of *Nectria* having *Cylindrocarpon* imperfect states. — *New Zealand J. Bot.* **16**: 73–82.
- SAMUELS, G.J., 1979 — Notes on isolation of solitary ascospores – a field guide. — *In*: Kendrick, B. (ed.): *The whole fungus*. Vol. 2. Pp. 636–645. National Museum of Natural Sciences, National Museums of Canada and The Kananaskis Foundation, Canada.
- SAMUELS, G.J., 1985 — Four new species of *Nectria* and their *Chaetopsina* anamorphs. — *Mycotaxon* **22**: 13–22.
- SAMUELS, G.J., 1988a — Fungicolous, lichenicolous, and myxomyceticolous species of *Hypocreopsis*, *Nectriopsis*, *Nectria*, *Peristomialis*, and *Trichonectria*. — *Mem. New York Bot. Gard.* **48**: 1–78.
- SAMUELS, G.J., 1988b — Species of *Nectria* (Ascomycetes, *Hypocreales*) having orange perithecia and colorless, striate ascospores. — *Brittonia* **40**: 306–331.
- SAMUELS, G.J., 1989 — *Nectria* and *Sesquicillium*. — *Mem. New York Bot. Gard.* **49**: 266–285.
- SAMUELS, G.J., DOI, Y. & ROGERSON, C.T., 1990 — *Hypocreales*. — *Mem. New York Bot. Gard.* **59**: 6–108.
- SAMUELS, G.J., PETRINI, O., KUHL, K., LIECKFELDT, E. & Kubicek, C.P., 1998 — The *Hypocrea schweinitzii* complex and *Trichoderma* sect. *Longibrachiatum*. — *Stud. Mycol.* **41**: 1–54.
- SAMUELS, G.J., ROSSMAN, A.Y., LOWEN, R. & ROGERSON, C.T., 1991 — A synopsis of *Nectria* subgen. *Dialonectria*. — *Mycol. Pap.* **164**: 1–48.
- SAMUELS, G.J. & SEIFERT, K.A., 1987 — Taxonomic implications of variation among hypocrealean anamorphs. — *In*: Sugiyama, J. (ed.): *Pleomorphic fungi: The diversity and its taxonomic implications*. Pp. 29–56. Kodansha, Tokyo.
- SAMUELS, G.J. & SEIFERT, K.A., 1981 — Two new species of *Nectria* with *Stilbella* and *Mariannaea* anamorphs. — *Sydowia* **43**: 249–263.
- SCHOCH, C.L., CROUS, P.W., WINGFIELD, M.J. & WINGFIELD, B.D., 2000 — Phylogeny of *Calonectria* and selected hypocrealean genera with cylindrical macroconidia. — *Stud. Mycol.* **45**: 45–62.
- SCHROERS, H.-J., 2000 — Generic delimitation of *Bionectria* (*Bionectriaceae*, *Hypocreales*) based on holomorphic characters and rDNA sequences. — *Stud. Mycol.* **45**: 63–82.
- SCHROERS, H.-J. & SAMUELS, G.J., 1997 — *Bionectria*: a genus for species of the *Nectria ochroleuca* group. — *Z. Mykol.* **63**: 149–154.
- SCHROERS, H.-J., SAMUELS, G. J. & GAMS, W., 1999a — *Stephanonectria*, a new genus of the *Hypocreales* (*Bionectriaceae*), and its sporodochial anamorph. — *Sydowia* **51**: 114–126.
- SCHROERS, H.-J., SAMUELS, G.J., SEIFERT, K.A. & GAMS, W., 1999b — Classification of the mycoparasite *Gliocladium roseum* in *Clonostachys* as *C. rosea*, its relationships to *Bionectria ochroleuca* and notes on other *Gliocladium*-like fungi. — *Mycologia* **90**: 365–385.
- SCHWEINITZ, L.D. de, 1834 — Synopsis fungorum in America boreali media degentium. — *Trans. Amer. Philos. Soc.* **4**: 141–316.
- SEAVER, F.J., 1909a — The *Hypocreales* of North America—I. — *Mycologia* **1**: 41–76.
- SEAVER, F.J., 1909b — The *Hypocreales* of North America—II. — *Mycologia* **1**: 177–207.

- SEIFERT, K.A., 1985 — A monograph of *Stilbella* and some allied Hyphomycetes. — *Stud. Mycol.* **27**: 1–235.
- SEIFERT, K.A., LOUIS-SEIZE, G. & SAVARD, M.E., 1997 — The phylogenetic relationships of two trichothecene-producing hyphomycetes, *Spicellum roseum* and *Trichothecium roseum*. — *Mycologia* **89**: 250–257.
- SEIFERT, K.A. & SAMUELS, G.J., 2000 — How should we look at anamorphs? — *Stud. Mycol.* **45**: 5–18.
- SKERMAN, V.B.D., 1968 — A new type of micromanipulator and microfuge. — *J. Gen. Microbiol.* **54**: 287–297.
- SMALLEY, E.B. & HANSEN, H.N., 1957 — The perfect stage of *Gliocladium roseum*. — *Mycologia* **49**: 529–533.
- SOKAL, R.R. & ROHLF, F.J., 1995 — *Biometry*. (Ed. 3). — W.H. Freeman and Company, New York.
- SOLTIS, D.E., SOLTIS, P.S., NICKRENT, D.L., JOHNSON, L.A., HAHN, W.J., HOOT, S.B., SWEERE, J.A., KUZOFF, R.K., KRON, K.A., CHASE, M.W., SWENSEN, S.M., ZIMMER, E.A., CHAW, S.M., GILLESPIE, L.J., KRESS, W.J. & SYTSMAN, K.J., 1997 — Angiosperm phylogeny inferred from 18S ribosomal DNA sequences. — *Ann. Missouri Bot. Gard.* **84**: 1–49.
- SOSEF, M.S., 1997 — Hierarchical models, reticulate evolution and the inevitability of paraphyletic supraspecific taxa. — *Taxon* **46**: 75–85.
- SPATAFORA, J.W. & BLACKWELL, M., 1993 — Molecular systematics of unitunicate perithecial ascomycetes: The Clavicipitales–Hypocreales connection. — *Mycologia* **85**: 912–922.
- SPEGAZZINI, C., 1919 — Fungi Costaricensis nonnulli. — *Bol. Acad. Nac. Ci. Córdoba* **23**: 541–593.
- STRASBURGER, E., NOLL, F., SCHENCK, H. & SCHIMPER, A.F.W., 1983 — *Lehrbuch der Botanik*. 32nd Ed. — Denffer D. von, Ziegler, H., Ehrendorfer, F. & Bresinsky, A. (eds.). Gustav Fischer Verlag, Stuttgart, New York.
- SUBRAMANIAN, C.V. & BHAT, D.J., 1978 — *Peethambara*, a new genus of the *Hypocreales*. — *Revue Mycol.* **42**: 49–55.
- SUGIYAMA, J., 1998 — Relatedness, phylogeny, and evolution of the fungi. — *Mycoscience* **39**: 487–511.
- SUH, S.-O. & BLACKWELL, B.A., 1999 — Molecular phylogeny of the cleistothecial fungi placed in *Cephalothecaceae* and *Pseudeurotiaceae*. — *Mycologia* **91**: 836–848.
- SUSZKIW, J., 1998 — Tackling ticks that spread lyme disease. — *Agricultural Research March 1998* (U.S. Department of Agriculture, Agricultural Research Service): 22–24.
- SUTTON, B.C., 1980 — The Coelomycetes – Fungi imperfecti with pycnidia acervuli and stromata. — *Commonwealth Mycological Institute, Kew*.
- SUTTON, B.C., 1981 — *Sarcopodium* and its synonyms. — *Trans. Brit. Mycol. Soc.* **76**: 97–102.
- SWOFFORD, D.L., 2000 — PAUP\*. Phylogenetic Analysis Using Parsimony (\* and other Methods). Version 4.0b4a. Sinauer Associates, Sunderland, Massachusetts.
- TAYLOR, J.W., GEISER, D.M., BURT, A. & KOUFOPANOU, V., 1999 — The evolutionary biology and population genetics underlying fungal strain typing. — *Clin. Microbiol. Rev.* **12**: 126–146.
- TEHON, L.-R. & JACOBS, H.L., 1936 — A *Verticillium* root disease of American elm. — *Bulletin of The Davey Tree Expert Company, Kent, Ohio* **6**: 3–32.
- THERON, D.J. & HOLZ, G., 1991 — Dry rot of potatoes caused by *Gliocladium roseum*. — *Pl. Pathol.* **40**: 302–305.
- THOM, C., 1910 — Cultural studies of species of *Penicillium*. — *USDA Bur. Animal Industr. Bull.* **118**: 1–107.
- THOM, C., 1930 — *The Penicillia*. Williams and Wilkins, Baltimore.
- TUBAKI, K., 1963 — Notes on the Japanese Hyphomycetes. I. *Chloridium*, *Clonostachys*, *Isthmospora*, *Pseudobotrytis*, *Stachybotrys* and *Stephanoma*. — *Trans. Mycol. Soc. Japan* **4**: 83–90.
- TULASNE, L.R. & TULASNE, C., 1865 — *Selecta fungorum carpologia*. 3. [English translation by W.B Grove, 1931]. — Clarendon Press, Oxford.
- TULLOCH, M., 1972 — The genus *Myrothecium*. — *Mycol. Pap.* **130**: 1–42.
- TURHAN, G., 1993 — Mycoparasitism of *Alternaria alternata* by an additional eight fungi indicating the existence of further unknown candidates for biological control. — *J. Phytopathol.* **138**: 283–292.
- UDAGAWA, S. & HORIE, Y., 1971 — Taxonomical notes on mycogenous fungi I. — *J. Gen. Appl. Microbiol.* **17**: 141–159.
- VEENBAAS-RIJKS, J.W., 1970 — *Sesquicillium parvulum* nov. sp. — *Acta Bot. Neerl.* **19**: 323–325.
- VITTAL, B.P.R., 1974 — Hyphomycetes on litter from India II. *Sesquicillium setosum* sp. nov. — *Kavaka* **2**: 43–46.
- WEESE, J., 1913 — Über den Zusammenhang von *Fusarium nivale*, dem Erreger der Schneeschimmelkrankheit der Getreidearten und Wiesengräser, mit *Nectria graminicola* Berk. et Br. — *Zeitschr. Gärungsphysiol.* **2**: 290–302.
- WEESE, J., 1916 — Beiträge zur Kenntnis der Hypocreaceen (1. Mitteilung). — *Sitzungsber. Kaiserl. Akad. Wiss., Math.-Naturwiss. Cl., Abt. 1* **125**: 465–575.
- WEESE, J., 1918 — Studien über Nectriaceen. — *Zeitschr. Gärungsphysiol.* **6**: 28–46.
- WEESE, J., 1927 — Über die Gattung *Bionectria* Speg. — *Mitt. Bot. Inst. Techn. Hochsch. Wien* **4**: 116–118.
- WEISING, K., NYBOM, H., WOLFF, K. & MEYER, W., 1995 — DNA fingerprinting in plants and fungi. — CRC Press, Boca Raton.
- WHITE, J.F., Jr., 1997 — Perithecial ontogeny in the fungal genus *Epichloë*: an examination of the clavicipitalean centrum. — *Amer. J. Bot.* **84**: 170–178.
- WOLLENWEBER, H.W., 1924 — Pyrenomyceten-Studien. I. — *Angew. Bot.* **6**: 300–313.
- WOLLENWEBER, H.W., 1926 — Pyrenomyceten-Studien. II. — *Angew. Bot.* **8**: 168–212.
- WOLLENWEBER, H.W., 1929 — Über Fruchtformen der kreberregenden Nectriaceen. — *Z. Parasitenk* **1**: 138–173.
- WOLLENWEBER, H.W. & REINKING, O.A., 1935 — Die Fusarien, ihre Beschreibung, Schädigung und Bekämpfung. — Paul Parey, Berlin.
- WYNN, A.R. & EPTON, H.A.S., 1979 — Parasitism of oospores of *Phytophthora erythroseptica* in soil. — *Trans. Brit. Mycol. Soc.* **73**: 255–260.

## INDEX

Page numbers referring to major entries are printed bold, those to dichotomous keys are underlined, and those to illustrations are asterisked.

- Acremonium alternatum* 18, 19  
*obclavatum* 18  
 series *Terricola* 18  
 acremonium-like 7  
*Acrostalagmus* 3, 6, 10  
*cinnabarinus* 10  
*roseus* 8, 10, 111, 117, 118  
*Albonectria* 40, 58, 153  
*Albosynnema* 10  
*elegans* 152  
 anatomical system of classification 6  
*Antipodium* 6  
*Apocynum cannabinum* 62, 64  
*Arion ater* 21  
 article 59, ICBN 17, 20  
 ascospore 24, 25, 57  
 ascus 24, 57  
*Aspergillus* 18  
*Balansia* 139  
*Bionectria* 5, 6, 44, 57, 17f, 152  
 subgenus *Astromata* 17, 40, 42, 55,  
56, 58, **139**, 195, 198  
 subgenus *Bionectria* 17, 18, 40, 42,  
44, 58, **59**, 103, 109, 154, 176,  
 192, 195, 198  
 groups within 59  
 subgenus *Epiphloea* 17, 18, 39, 40, 43,  
 58, 92, 103, 108, 154, 176, **175**,  
 192, 195, 197, 198, 201  
 subgenus *Myronectria* 17, 40, 41, 42,  
 58, **148**  
 subgenus *Uniparietina* 17, 18, 37, 43,  
 58, 92, 108, 154, 176, **201**, 202  
 subgenus *Zebrinella* 17, 18, 40, 43, 44,  
 58, 108, **153**, 154, 176, 192, 195,  
 198  
*apocyni* 4, 45, 52, **62**, 63\*, 64\*, 65\*,  
 66, 69, 73, 78, 84, 90, 124  
*aurantia* 49, 201, 202, **204\***, 205\*  
*aureofulva* 4, 73, 79, 108, 112\*, 118,  
 122, 124, 133  
*aureofulvella* 46, 55, 78, **119**, 120\*,  
 121\*  
*byssicola* 47, 54, 78, 79, **80**, 81\*, 83\*,  
 84, 87, 90, 100  
*capitata* 46, 54, 78, 84, **87**, 88\*, 89\*,  
 90, 100  
*compactiuscula* 18, 45, 53, 59, 78, 79,  
**104**, 105\*, 107\*, 108, 109, 111,  
 118, 124  
*coronata* 48, 51, 20, 27, 202\*, **203\***,  
 204, 205  
*epichloë* 47, 50, 139, **140\***, 141\*,  
 142\*, 143, 145  
*gibberosa* 49, 51, **198**, 199\*, 200\*  
*grammicospora* 19, 44, 53, 153, **154**,  
 155\*, 156\*, 157, 161, 162, 165,  
 174  
*grammicosporopsis* 45, 53, 157, **158**,  
 159\*, 160\*, 161\*, 162, 165, 166,  
 174  
*impariphialis* 46, 48, 51, 174, **180**,  
 181\*, 184  
*Bionectria kowhaii* 48, 52, 66, **69**, 70\*,  
 71\*, 72\*, 73  
*lasiacidis* 48, 51, 195, **187**, 188\*, 189\*  
*levigata* 47, 53, 117, 157, **169**, 170\*,  
 171\*, 172\*, 174  
*lucifer* 44, 52, 154, 157, **165**, 166, ,  
 167\*, 168\*, 174  
*oblongispora* 46, 52, **66**, 67\*, 68\*, 69,  
 78  
*ochroleuca* 3, 5, 19, 45, 47, 54, 59, **73**,  
 78, 79, 112\*, 113\*, 118, 124, 133,  
 135, 172  
*parva* 47, **143**, 144\*, 145, 139  
*parviphialis* 46, 51, 48, **182**, 183\*,  
 184\*, 187, 198  
*pityrodes* 4, 10, 25, 48, 49, 56, 84,  
 135, 139, **148**, 149\*, 150\*, 151\*,  
 152, 153  
*pseudochroleuca* 45, 54, 78, 79, 118,  
**122**, 123\*, 124, 125\*  
*pseudostriata* 46, 55, 78, 100, 126\*,  
**127**, 128\*, 129, 197  
*ralfsii* 4, 42, 48, 49, 55, 56, 60, **135**,  
 136\*, 138, 139  
*rossmaniae* 49, 52, **177**, 178\*, 179\*,  
 180, 192, 195  
*samuelsii* 46, 47, 50, 59, 79, 111, **129**,  
 130\*, 131\*, 132\*, 133  
*sesquicillii* 9, 45, 47, 51, 124, 176,  
 177, 179, **190**, 191\*, 192\*, 195  
*setosa* 49, **195\***, 196\*, 197, 198  
*solani* 8, 18, 48, 55, 59, 78, 100, **111**,  
 112\*, 114\*, 117, 118, 122, 124  
*sporodochialis* 45, 47, 50, **92**, 93\*,  
 94\*, 95\*, 96  
*subquaternata* 4, 44, 52, 84, 157, 161,  
**162**, 163\*, 164\*, 165, 166, 168,  
 174  
*tonduzii* 3, 45, 52, 59, 60\*, **61\***, 66,  
 69, 90  
*tornata* 48, 49, 51, **184\***, 185\*, 186\*,  
 187, 189  
*verrucispora* 19, 20, 46, 54, **100**,  
 101\*, 102\*, 103, 124  
*zelandiaenovae* 46, 54, 90, **97**, 98\*,  
 99\*, 100, 103  
 botanical genus concept 20  
*Bryonectria* 38, 202  
*Buettneria carthagensis* 61  
*Buxaceae*, 18S rDNA 202  
*Buxus* 20, 27, 172, 201, 202  
*Byssochlamys* 11  
*Calonectria* 6, 25, 40, 198  
*Ceuthospora buxi* 27  
*Chaetopsina* 41, 43  
 character polarity 27  
*Chrysoglutin* 12  
*Ciliomyces* 6  
*Clibanites* 58  
*Clonostachyopsis* 3, 6, 8, 57  
*Clonostachys* 3, 6, 7, 10, 18, **57**, 59, 73,  
 152, 176  
*agrawalii* 21, 54, **90**, 91\*, 92  
*Clonostachys araucaria* 3, 7, 73, 109  
*araucaria* var. *compacta* 73  
*araucaria* var. *confusa* 8, 73  
*araucaria* var. *rosea* 7, 8, 73  
*asymmetrica* **184\***, 185\*  
*aureofulvella* **119**, 121\*  
*buxi* 179, **203**  
*byssicola* **80**, 82, 83\*  
*candelabrum* 21, 51, **192**, 193\*  
*capitata* **87**, 88\*, 89\*  
*chlorina* 51, 53, **174**, 175\*  
*compactiuscula* **104**, 106\*, 107\*, 109  
*cylindrospora* 104, 109  
*divergens* 42, 49, 56, 59, 60, 111, **133**,  
 134\*, 135  
*epichloë* **140\***, 142\*, 146\*  
*gneti* 73  
*grammicospora* **154**, 155\*, 156\*  
*grammicosporopsis* **158**, 160\*, 161\*  
*impariphialis* **180**  
*intermedia* 53, 157, **172**, 173\*, 174  
*kowhaii* **69**, 71\*, 72\*  
*lasiacidis* **187\***, 189\*  
*levigata* **169**, 171\*  
*lucifer* **165**, 167\*, 168\*  
*macrospora* **62**, 64\*, 65\*  
 ?*macrospora* **61**  
*miodochialis* 50, **143**, 145, 146\*, 147\*  
 ?*miodochialis* 143, 144\*  
*oblongispora* **66**, 68\*, 69  
*phyllophila* 51, 189, **193**, 194\*, 195,  
 198  
*pityrodes* **148**, 149\*, 150\*, 151\*  
*populi* 8, 73  
*populi* var. *aesculi* 73  
*pseudochroleuca* 21, **122**, 125\*  
*pseudosetosa* **182**, 183\*, 184\*  
*pseudostriata* **127**, 128\*  
*ralfsii* **135**, 137\*, 138\*  
*rhizophaga* 50, 53, 21, 79, **85**, 86\*, 87  
*rogersoniana* 52, 54, 59, **109**, 110\*,  
 111, 133  
*rosea* 3, 5, 7, 21, 78, 79, 108, 117  
*rosea* f. *catenulata* 50, 60, **76**, 77\*, 79  
*rosea* f. *rosea* 53, **73**, 78, 79, 113\*  
*rossmaniae* **177**, 179\*  
*samuelsii* **129**, 131\*, 132  
*sesquicillii* **190**, 191\*, 192\*  
*setosa* 176, 198, **195**, 197\*, 200  
 cf. *setosa* **198**, 199\*, 200\*  
*solani* 8, 10, **111**, 113\*, 114\*, 116,  
 117, 118, 122, 128  
*solani* complex 79  
*solani* f. *nigrovirens* 50, 60, **115**, 116\*,  
 118  
*solani* f. *solani* **111**, 113\*, 114\*  
*solani*-like 100, 118  
*sporodochialis* 21, **92**, 94\*, 95\*  
*subquaternata* **162**, 163\*, 164\*  
*verrucispora* **100**, 101\*, 102\*  
*zelandiaenovae* **97**, 98\*, 99\*  
 clonostachys-like 7  
 conidia 58

- conidia aggregation 18, 26  
   in chains 18, 26  
   pigmentation 26  
   septation 26  
   shape 26  
 conidiogenous cell 25  
 conidiophore 7, 25, 57, 58  
   acromonium-like 7  
   adpressed 7  
   clonostachys-like 7  
   divergent 7  
   gliocladium-like 7, 57  
   mononematous 57  
   primary 7, 8, 25, 57  
   secondary 7, 8, 57  
   sesquicillium-like 7, 58  
   verticillium-like 7  
   with multiple conidial columns 7  
*Cosmospora* 5, 11, 25, 202  
   *dingleyae* 202  
   *lasiodiplodiae* 23  
   *pseudepisphaeria* 23  
*Creonectria* 5  
   *grammicospora* 154  
*Creonectriaceae* 5  
*Cucurbitaria* 5  
   *apocyni* 62  
   *berberidis* 5  
   *byssicola* 80  
*Cylindrocarpon* 5, 6  
*Cylindrocladiella* 25  
*Cylindrocladium* 6, 9, 11, 25, 198  
*Dasyphthora* 12  
*Dendrodochium* 3, 6, 8, 18, 57, 59  
   *aurantiacum* 8, 111, 117  
   *densipes* 73  
   *macrosporum* 62, 66  
   *roseomucosum* 62, 66  
   *rubellum* var. *macrosporum* 73  
   *strictum* 73  
 dendrodochium-like 7, 8, 58  
 destructive mycoparasitism 18  
*Diaporthales* 4  
*Diatrypaceae* 6  
*Didymostilbe* 41, 56, 152  
   *echinofibrosa* 152  
   *sundara* 152  
*Dimerosporiella* 12, 38, 58  
   *leucorrhodina* 6  
 dual system of classification 6  
*Emericella bicolor* 23  
*Ephedrosphaera* 5  
*Epichloë* 139  
*Eu-Nectria* 4  
*Eurotiales* 11  
*Fusarium* 5  
   *buxi* 9, 203  
   *buxicola* 27  
*Fusisporium buxi* 203  
 GenBank accession numbers 14, 15  
*Gliocphalotrichum* 25  
*Gliocladopsis* 42  
*Gliocladium* 3, 6, 7, 10, 43, 59, 116, 152  
   *agrawalii* 90, 92  
   *aureum* 73, 118  
   *catenulatum* 76, 78  
   *cholodnyi* 73  
   *cylindrosporum* 104  
   *nigrovirens* 115, 117, 118  
   *penicillioides* 3, 10  
   *roseum* 5, 7, 8, 11, 73, 85, 92  
*Gliocladium roseum* var. *viride* 76, 78  
   *sensu stricto* 58, 168  
   *solani* 8, 117  
   *varians* 76  
   *verticillioides* 73  
 gliocladium-like 7, 10  
*Gliocladochium* 3, 6, 9, 57  
   *tomentosum* 9  
*Gracilistilbella* 41  
*Haematonectria haematococca* 6  
*Heleococcum* 19  
*Herpotrichia* 6  
*Hydropisphaera* 5, 17, 19, 38, 39, 58, 153  
   *peziza* 4  
*Hymenopsis* 152  
*Hyphonectria* 4, 6  
*Hypocrea* 4, 25, 152  
   *gelatinosa*-group 42  
   series *Pallidae* 10  
*Hypocreales* 3, 4  
   *Bionectriaceae* 3, 4  
   clavicipitalean fungi 4  
   *Hypocreaceae* 3, 4  
   *Nectriaceae* 3, 4  
   *Niessliaceae* 4  
*Hypomyces* 4, 6, 12, 37, 39  
*Hyponectria buxi* 27  
*Hypoxylon* 4  
*Ijuhya* 17, 38, 58, 108  
 intercalary phialide 26, 27  
 internal transcribed spacer regions 28  
*Isaria clonostachyoides* 73  
*Kallichroma* 19  
 KOH reaction 5, 6, 22  
*Kutilakesa* 11, 41  
*Lasionectria* 4, 6, 38  
*Lepidonectria* 4  
*Leuconectria* 25, 40  
*Marasmius buxi* 27  
*Mariannaea* 8, 11  
*Microascales* 4  
 monoverticillate 25  
*Mycocitrus* 58  
 mycoparasitism destructive 20  
*Myrothecium* 3, 6, 9, 10, 11, 25, 41, 42,  
   56, 59, 152  
   *atrum* 9  
   *inundatum* 9, 10, 152  
   *masonii* 9, 56  
   *prestonii* 9  
   *roridum* 9  
   *verrucaria* 9, 42  
 myrothecium-like 7, 10, 58  
 myxomycete 20  
 myxomyceticolous 19  
*Nectria* 3, 5, 58  
   *ambigua* 62  
   *apocyni* 62  
   *aquifolii* 5  
   *arenula* 5  
   *aureofulva* 73, 100, 133  
   *blumenaviae* 148  
   *byssicola* 80, 82, 84  
   *carneoflavida* 62  
   *cinnabarina* 3, 5  
   *cinnabarina* 3, 5  
   *coccinea* 5  
   *desmazierii* 27  
   *epichloë* 140, 143, 139  
   *episphaeria* 5  
   *farinosa* 80  
*Nectria fuckelii* 201  
   *gliocladoides* 5, 73, 79  
   *grammicospora* 127, 154  
   cf. *grammicospora* 45, 153  
   *grammicospora*-group 153  
   *grammicosporopsis* 158  
   *haematococca* 6  
   *impariphialis* 174, 180  
   *juvencensis* 148  
   *keithii* 16  
   *kowharii* 69, 71  
   *lasiacidis* 187  
   *lasioderma* 152  
   *leucorrhodina* 6  
   *lucifer* 165  
   *mammoidea* 6  
   *manihotis* 80  
   *neogrammicospora* 153  
   *ochroleuca*-group 17  
   *ochroleuca*-group 59, 152  
   *pallidula* 111, 112\*, 118  
   *parviphialis* 182  
   *peziza* 5  
   *pityrodes* 152, 148  
   *pityrodes* var. *saccharina* 148  
   *prorumpens* 80  
   *ralfsii* 135, 152  
   *ralfsii*-group 6  
   *ralfsii*-group 152  
   *rugispora* 62  
   *sesquicillii* 187, 190  
   *sesquiphialis* 184, 187  
   *solani* 111, 116, 117, 118, 172  
   *spirostriata* 6  
   *subfalcata* 6  
   *subquaternata* 84, 162, 165  
   *tonduzii* 61  
   *chlorogloea* 41, 55, 56, 152  
   *mariannaeae* 11  
   *muscivora* 6  
   *neogrammicospora* 44  
   *septomyrothecii* 41, 55, 56, 152  
   *zonata* 19  
*Nectria*-type centrum development 4  
*Nectricladiella* 25, 40  
*Nectriaceae* 5  
*Nectriella* 11, 201, 202  
   subgenus *Notarisiella* 201  
   *anisospora* 202  
   *aurantia* 204  
   *coronata* 176, 201, 203  
   *farinosa* 80  
   *pironii* 11  
   *rousseliana* 201  
*Nectriopsis* 6, 9, 11, 12, 17, 23, 58, 139,  
   152, 176, 201  
   *bactridioides* 152  
   *candicans* 6  
   *epichloë* 140  
   *infusaria* 152  
   *lasioderma* 152  
   *sporangiicola* 12, 58  
   *violacea* 11, 12, 37, 39, 139  
*Neopanax* sp. 71  
*Neotyphodium* 3  
*Ochronectria* 19, 39, 58  
 ontogenetic approach for anamorph classification 6  
*Oospora rosea* 73  
*Ophionectria* 6  
*Ophiostoma novo-ulmi* 87

- Ophiostoma ulmi* 21, 87  
*Orixa japonica* 69  
*Paecilomyces* 8, 11  
*Paecilomyces buxi* 203  
*Peethambara* 6, 10, 19, 39, 152, 153  
   *spirostriata* 55, 152  
   *sundara* 55, 152  
*Penicillium* 6, 10, 11, 18  
   *elegans* 11  
   *expansum* 11  
   *roseum* 3, 7, 8, 11, 73  
*Periola tomentosa* 9  
 perithecia 57  
   in pure culture 58  
   pigmentation 22  
   seta 57, 202  
   wall anatomy 22-24, 57  
   wall, inner region 23, 57  
   wall, middle region 23, 57  
   wall, outer region 23, 57  
   warts 24, 57  
 phialides 25  
*Phytophthora erythroseptica* 20  
 pleomorphy 17  
 polyphyly of anamorphs 17  
*Pronectria* 202  
*Protocreopsis* 37, 58, 153, 202  
   *subfalcata* 6  
*Pseudonectria* 11, 25, 38, 201, 202  
   *coronata* 203  
   *pachysandricola* 201, 204  
   *rousseliana* 23, 27, 201, 204  
   *tornata* 184  
 pseudopore 23, 57  
*Puiggarina costaricensis* 61  
*Ramularia buxi* 203  
 recently dead tree 20, 21  
 recorded characters 28  
*Rhizoctonia solani* 20  
*Rhopalocladium* 10, 11, 58  
   *myxophilum* 11, 43  
*Rhopalostylis sapida* 20, 103  
*Rosellinia buxi* 27  
*Roumegueriella* 19, 58  
   *rufula* 11, 43  
 saprotrophism 20  
*Sarcopodium* 11  
*Sclerotinia minor* 74  
 secondary conidiophores 8, 25  
*Selinia* 58  
*Sesquicillium* 3, 6, 9, 18, 57, 176, 201  
   *asymmetricum* 184  
   *buxi* 176, 201, 203  
   cf. *buxi* 179  
   *candelabrum* 192  
   *impariphiale* 180  
   *microsporium* 9, 12, 19  
   *pseudosetosum* 182  
   *setosum* 9, 195  
 sesquicillium-like 7  
 seta 25  
 small sporodochial 7  
*Solanum tuberosum* 118  
*Sophora microphylla* 71  
 Sordariales 4  
*Sordariomycetes* 4  
*Sphaeria* 4  
   *ochroleuca* 4, 73  
   *pityrodes* 148  
 Sphaerales 5  
*Sphaerostilbella* 10, 39, 202  
   *aureonitens* 3  
*Spicaria* 3, 6, 8, 11, 18, 57  
   *nivea* 8  
   *solani* 8, 111, 116, 117, 118  
*Spicellum roseum* 6  
 sporodochium 57  
   dendrodochium-like 7, 8, 58  
   myrothecium-like 7, 10, 58  
   small-sporodochial 7, 57  
 sporological system 6  
*Stachylidium araucarium* 73  
*Stanjemonium* 19  
*Stephanonectria* 17, 19, 38, 44  
   *keithii* 50  
*Stereum hirsuta* 10  
   *sanguinolenta* 10  
*Stilbocrea* 37, 58  
   *gracilipes* 84  
 stroma 18, 19, 21, 22, 57  
*Talaromyces* 11  
 teleomorph classification 4, 17  
*textura angularis* 23  
   *globulosa* 23  
   *intricata* 23  
*Thermoascus* 11  
*Tolypocladium* 9  
*Torula rosea* 73  
*Tremella purpurea* 5  
 Trichocomaceae 11  
*Trichoderma* 41, 42, 152  
   section *Pachybasium* 25  
*Trichonectria* 6, 38, 58  
*Trichothecium roseum* 6  
*Tubercularia* 3, 5, 6, 10  
   *carpogena* 73  
 $\beta$ -tubulin gene amino acid changes 29  
   exons 28  
   introns 28  
   map 28  
*Typanosporium* sp. 69  
*Ulmus americana* 21, 85, 87  
*Valsonectria* 58  
 vegetative mycelium 58  
 verticillate 25  
*Verticilliodochium* 3, 6, 8, 57  
*Verticillium* 6, 10  
   *buxi* 203  
   *candelabrum* 9, 192  
   *candidulum* 104, 109  
   *compactiusculum* 8, 104, 109  
   *compactiusculum* var. *phyllogenum*  
     104  
   *epimyces* 73  
   *foexii* 73, 118  
   *intertextum* 10, 73, 79  
   *luteo-album* 10  
   *pulverulentum* 73  
   *rhizophagum* 85, 87  
   *stigmatellum* 73  
   *tenerum* 10  
   *tubercularioides* 8, 78  
 verticillium-like 7, 10  
*Volutella* 10, 11, 25, 41  
*Volutella buxi* 27  
 volutella-like anamorphs 201  
 Xylariales 4





## List of available CBS publications (Prices do not include postage and handling costs)

### Books

FUNGI THAT CAUSE SUPERFICIAL MYCOSES (C.S. Tan <i>et al.</i> ). 108 pp., 1994, .....	€ 15,88
CULTURE COLLECTIONS TO IMPROVE THE QUALITY OF LIFE (eds. R.A. Samson <i>et al.</i> ). Proceedings of the eighth International Congress for Culture Collections. 520 pp., 1966. ....	€ 45,38
CBS COURSE OF MYCOLOGY (W. Gams <i>et al.</i> , eds.), fourth edition. 165 pp., 1998. ....	€ 22,69
INTRODUCTION TO FOOD-AND AIRBORNE FUNGI (R.A. Samson <i>et al.</i> ), sixth edition. 389 pp., 2000. ....	€ 35,00
ATLAS OF CLINICAL FUNGI (G.S. de Hoog <i>et al.</i> ), 1160 pp., 2000. ....	€ 95,00
CBS LIST OF CULTURES (Fungi and Yeasts), 35th edition. 690 pp., 2001. ....	€ 20,00

### STUDIES IN MYCOLOGY (ISSN 0166-0616):

The CBS taxonomy series "Studies in Mycology" is issued as individual booklets, each priced according to size. Regular subscribers receive each issue automatically and are charged near the close of each calendar year. Prices for subscribers to the whole series are approximately 20% lower than when issues are bought separately. Prices of back-volumes are specified below. Recognized booksellers are offered a 20% reduction on all charges.

1 G.S. DE HOOG: The genera <i>Beauveria</i> , <i>Isaria</i> , <i>Tritirachium</i> and <i>Acrodontium</i> gen. nov. 41 pp., 1972. ....	€ 4,54
2 A.C. STOLK and R.A. SAMSON: The genus <i>Talaromyces</i> . Studies on <i>Talaromyces</i> and related genera II. 65 pp., 2 plates, 1972. ....	€ 6,81
3 G.H. BOEREMA and M.M.J. DORENBOSCH: The <i>Phoma</i> and <i>Ascochyta</i> species described by Wollenweber and Hochapfel in their study on fruit-rotting. 50 pp., 5 plates, 1973. ....	€ 6,81
4 M.A.A. SCHIPPER: A study on variability in <i>Mucor hiemalis</i> and related species. 40 pp., 1973. ....	€ 4,54
5 H.A. VAN DER AA: Studies in <i>Phyllosticta</i> I. 110 pp., 1973. ....	€ 11,34
6 R.A. SAMSON: <i>Paecilomyces</i> and some allied Hyphomycetes. 119 pp., 2 plates, 1974. ....	€ 13,61
7 G.S. DE HOOG: The genera <i>Blastobotrys</i> , <i>Sporothrix</i> , <i>Calcarisporium</i> and <i>Calcarisporiella</i> gen. nov. 84 pp., 1974. ....	€ 9,08
8 J.A. VON ARX: On <i>Thielavia</i> and some similar genera of Ascomycetes. 32 pp., 1975. ....	€ 4,54
9 J.A. VON ARX and E. MÜLLER: A re-evaluation of the bitunicate Ascomycetes with keys to families and genera. 159 pp., 1975. <b>(out of stock)</b> .	
10 M.A.A. SCHIPPER: On <i>Mucor mucedo</i> , <i>Mucor flavus</i> and related species. 33 pp., 1975. ....	€ 4,54
11 R.A. SAMSON, A.C. STOLK and R. HADLOK: Revision of the subsection <i>Fasciculata</i> of <i>Penicillium</i> and some allied species. 47 pp., 1976. ....	€ 6,81
12 M.A.A. SCHIPPER: On <i>Mucor circinelloides</i> , <i>Mucor racemosus</i> and related species. 40 pp., 1976. ....	€ 6,81
13 W. GAMS and VERA HOLUBOVÁ-JECHOVÁ: <i>Chloridium</i> and some other Dematiaceous Hyphomycetes growing on decaying wood. 99 pp. 1976. ....	€ 13,61
14 J.A. VON ARX, L. RODRIGUES DE MIRANDA, M. TH. SMITH and D. YARROW: The genera of yeasts and the yeast-like fungi. 42 pp., 1977. ....	€ 6,81
15 G.S. DE HOOG and E.J. HERMANIDES-NIJHOF: The black yeasts and allied Hyphomycetes. 222 pp., 1 plate, 1977. ....	€ 22,69
16 J.A. STALPERS: Identification of wood-inhabiting Aphyllphorales in pure culture. 248 pp., 2 plates, 1978. ....	€ 22,69
17 M.A.A. SCHIPPER: 1. On certain species of <i>Mucor</i> with a key to all accepted species. 2. On the genera <i>Rhizomucor</i> and <i>Parasitella</i> . 70 pp., 1978. ....	€ 9,08
18 R.A. SAMSON: A compilation of the Aspergilli described since 1965. 40 pp., 1979. ....	€ 4,54
19 G.S. DE HOOG (editor): The black yeasts, II: <i>Moniliella</i> and allied genera. 90 pp., 1979. ....	€ 11,34
20 C.A.N. VAN OORSCHOT: A revision of <i>Chrysosporium</i> and allied genera. 89 pp., 1980. ....	€ 11,34
21 A.J. VAN DER PLAATS-NITERINK: Monograph of the genus <i>Pythium</i> . 244 pp., 1981. <b>(out of stock)</b> .	
22 G.S. DE HOOG (editor): Character analyses of selected red yeasts. 74 pp., 1982. <b>(out of stock)</b> .	
23 A.C. STOLK and R.A. SAMSON: The ascomycete genus <i>Eupenicillium</i> and related <i>Penicillium</i> anamorphs. 149 pp., 1983. ....	€ 20,42
24 J.A. STALPERS: A revision of the genus <i>Sporotrichum</i> . 105 pp., 1984. ....	€ 11,34
25 M.A.A. SCHIPPER and J.A. STALPERS: A revision of the genus <i>Rhizopus</i> . 34 pp., 1984. ....	€ 4,54
26 G.S. DE HOOG (editor): Taxonomy of the <i>Dactylaria</i> complex, IV-VI. 124 pp., 1985. ....	€ 15,88
27 K.A. SEIFERT: A monograph of <i>Stilbella</i> and some allied Hyphomycetes. 235 pp., 1985. ....	€ 27,23
28 V. RAO and G.S. DE HOOG: New or critical Hyphomycetes from India. 84 pp., 1986. ....	€ 13,61
29 G.S. DE HOOG, M. TH. SMITH and E. GUÉHO: A revision of <i>Geotrichum</i> . 131 pp., 1986. ....	€ 20,42
30 G.S. DE HOOG, M. TH. SMITH and A.C.M. WEIJMAN (eds.): The expanding realm of yeast-like fungi. 1987 (available from Elsevier). ....	—
31 Memorial issue dedicated to J.A. von Arx. 212 pp., 1988. ....	€ 43,11
32 Developments in the taxonomy of anamorphic fungi. Invited papers presented at the Symposium <i>Taxonomy of Fungi imperfecti</i> during the Fourth International Mycological Congress, Regensburg. 104 pp., 1990. <b>(out of stock)</b> .	
33 T. BOEKHOUT: A revision of ballistoconidia-forming yeasts and fungi. 194 pp., 1991. <b>(out of stock)</b> .	
34 A.F.M. REIJNDERS and J.A. STALPERS: The development of the hymenophoral trama in the Aphyllphorales and the Agaricales. 109 pp., 1992. ....	€ 20,42
35 J.A. STALPERS: The aphyllphoraceous fungi I. Keys to the species of the Thelephorales. 168 pp., 1993. <b>(out of stock)</b> .	
36 C.A. SWERTZ: Morphology of germlings of urediniospores and its value for the identification and classification of grass rust fungi. 152 pp., 1994. ....	€ 22,69
37 A. APTROOT: A monograph of <i>Didymosphaeria</i> . 160 pp., 1995. ....	€ 22,69
38 T. BOEKHOUT & R.A. SAMSON (eds.): Heterobasidiomycetes: Systematics and applied aspects. 190 pp., 1995. ....	€ 27,23
39 A. RUBNER: Revision of predacious hyphomycetes in the <i>Dactylella-Monacrosporium</i> complex. 134 pp., 1996. ....	€ 20,42
40 J.A. STALPERS: The aphyllphoraceous fungi II. Keys to the species of the Hericiales. 185 pp., 1996. ....	€ 20,42
41 G.J. SAMUELS, O. PETRINI, K. KUHL, E. LIECKFELDT & C.P. KUBICEK: The <i>Hypocrea schweinitzii</i> complex and <i>Trichoderma</i> sect. <i>Longibrachiatum</i> . 54 pp., 1998. ....	€ 27,23
42 A.Y. ROSSMAN, G.J. SAMUELS, C.T. ROGERSON & R. LOWEN: Genera of <i>Bionectriaceae</i> , <i>Hypocreaceae</i> and <i>Nectriaceae</i> ( <i>Hypocreales</i> , <i>Ascomycetes</i> ). 248 pp., 1999. ....	€ 43,11
43 G.S. DE HOOG (editor): Ecology and evolution of black yeasts and their relatives. 208 pp., 1999. ....	€ 47,65
44 G.J.M. VERKLEY: A monograph of the genus <i>Pezicula</i> and its anamorphs. 180 pp., 1999. ....	€ 38,57
45 K.A. SEIFERT, W. GAMS, P.W. CROUS & G.J. SAMUELS (editors): Molecules, morphology and classification: Towards monophyletic genera in the Ascomycetes. 200 pp., 2000. ....	€ 45,38
46 H.-J. SCHROERS: A monograph of <i>Bionectria</i> (Ascomycota, Hypocreales, Bionectriaceae) and its <i>Clonostachys</i> anamorphs. 214 pp., 2001. ....	€ 50,00