






















SYLVANIA



LED Lamps Range

2021 - 2022 Brochure

Contents

	ToLEDo™ RefLED™ Smart Lamps	8		RefLED™ ES50	64
	ToLEDo™ Light Sense	14		RefLED™ Retro ES111	67
	ToLEDo™ Tubes	17		RefLED™ Retro PAR	69
	ToLEDo™ LifeStyle	29		RefLED™ Reflectors	71
	ToLEDo™ Mirage	32		RefLED™ Retro MR11	73
	ToLEDo™ Radiance	35		ToLEDo™ Performer	77
	ToLEDo™ Retro	39		ToLEDo™ Retro Chroma	82
	ToLEDo™ Stick	50		ToLEDo™ R7s	85
	ToLEDo™ GLS, Globe, Ball, Candle	52		ToLEDo™ G9, G4 and GY6.35	87
	RefLED™ Superia Retro ES50	59		ToLEDo™ MicroLynx	90
	RefLED™ Superia Retro MR16	62		ToLEDo™ Striplight	92

Sylvania embraces new lighting regulations and cuts plastic and carbon footprint to build a more environmentally sustainable future


The new Single Lighting Regulations (SLR) and Energy Label Regulations (ELR) will come into effect on 1st September 2021 which will effectively combine relevant past rules and encompasses all available lighting technologies. The legislation now simply classifies lighting products as 'light sources' (lamps, sealed-for life luminaires and modules) and 'containing products' (luminaires with replaceable light source or control gear), as opposed to 'lamps' and 'luminaires'. Therefore, the

new energy label regulation is applicable only for light sources, and each light source will be given an energy rating between A and G. The product characteristics of each light source will be published on the EPREL (European Product Database for Energy Labelling) database, with an easy access QR code displayed on packaging that links the end-user to this data. In line with the higher performance threshold, certain existing lighting technologies no longer comply and will be banned.


Phase Out Timetable



1st September 2021



1st September 2023




Environment and sustainability are at the core of the new Single Lighting Regulations and Energy Label Regulations. The most visible change is the recalibration of the energy rating scale that is displayed on the packaging. In an important adjustment, regulators have adopted a new scale to allow for a wider scope of efficiency performance. The current A++ classification will now score a mid-table 'E' within a revised A to G range. This will help the strive for even greater efficiency and integrate the

principle of circular economy in product development. Lighting products classified as 'containing products' will no longer require an energy label and are expected to have the features of replaceability and refurbishment, either by the end customer or a qualified electrician, where necessary.

Energy Label Evolution

Valid until 31st August 2021



The new revised energy scale to drive towards higher efficiency. Energy classes A++ to E become A to G.

New: QR code links to EPREL database.

Valid from 1st September 2021



The implementation of SLR and ELR has been welcomed by Sylvania. Strategically the company has coordinated existing projects that target improvements in product efficiency and sustainability with the new legislation, to trigger an important pivot towards a greener future. In response to the new EU regulations and changes to the display of the energy rating scale, a major redesign of the company's product packaging was initiated reflecting feedback from both consumers and trade partners.

Major environmental benefits have been driven by a move to a paper and card packaging solution which uses no plastic. Ingenious design has delivered all the benefits of Sylvania's existing packaging using 100% recyclable materials.

In keeping with the spirit of the new legislation to promote easy access to product information at the point of purchase, Sylvania has taken steps to make its LED lamp packaging more customer friendly. Colour temperature is displayed with an appropriate colour tab and a prominent 'cap' identifier is included to improve compatibility. Also, features like dimming functions are clearly marked on front of pack.

New packaging design

The new Sylvania LED lamp packaging is designed to simplify the decision-making process for the customer, with improved clarity of product information such as Cap type, Colour temperature and Dimmability - thus ensuring the right lamp is chosen for the required task.

- Lamp Cap identification e.g. E14, E27, B22, GU10
- Colour Temperature identification e.g. Homelight 2700K, Cool White 4000K
- Dimmable or Non-Dimmable
- Wattage and Equivalent Wattage Info e.g. 6W = 60W
- Lumen Output e.g. 806lm
- Energy Class - on the front of pack and side/back
- Voltage and Frequency on front of the pack
- Clear product identification; a near lifesize product image and a plastic-free window to see the lamp inside
- Product Dimensions and Line Diagram - on side of the pack



New Sylvania SRP design





LED Smart Lamps Range





The easy to use, versatile LED Smart Lamp solution

Smart Lamps

Have you ever thought about the significant effects of lighting on your mood, energy and concentration levels? Lighting is often considered last when building or renovating a home or business space. Sylvania now helps you make the most of your spaces and create beautiful scenes with the new LED range of Smart Lamps. No need to upgrade your existing installations.

With our easy retro-fit solution you replace your standard lamps with Sylvania Smart Lamps and can then enjoy significant energy savings plus comfortable lighting to suit the time of day or your activity in the room, different levels of brightness and colour effects.

The range comprises of WhiteTone GLS, Candle and GU10 that provide tuneable white in five colour temperature selections (2700K-6500K). In addition, the ColorTone GLS lamp adds RGB colour changing functionality with eight choices, as well as tuneable white.

The collection of Smart Lamps all use a simple, user-friendly Bluetooth remote to control colour temperature changing, brightness/dimming, pairing and On/Off functions.

ToLEDo™ ColorTone GLS



Features

- Versatile, easy to setup and simple to use LED lamp with smart functionality
- Convert any standard lamp socket into a smart and dimmable installation
- Use the Bluetooth SylRemote* to manage colour temperature changing, enter/exit RGB mode, increase or decrease brightness, pairing/unpairing and On/Off function
- High colour fidelity - ensures no difference in colour when multiple lamps are switched on at the same time
- RGB mode for adding some fun ambience to your room – 8x colours plus RGB cycle (default colour temperature – Red)
- Tuneable White selections for scene setting and mood lighting; 5x colour temperatures (2700K, 3000K, 4000K, 5000K, 6500K)
- Default colour temperature 2700K on start-up
- Smoothly adjust the lighting level from 100% to 10%
- No gateway, App or Wi-Fi connectivity required to operate the lamp
- Up to 15x different Sylvania Smart Lamps can be controlled by one SylRemote
- Long lifetime of 25,000 hours
- Suitable for residential applications including kitchens, living rooms and bedrooms, as well as commercial applications such as function rooms, cafes, restaurants and bars

Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable	Packaging Qty
ToLEDo™ ColorTone												
0028901	ToLEDo ColorTone GLS 806lm RGBW E27 SL	220-240	8.5	806	95	2700 - 6500 & RGB	E27	White	60	25000	Yes, using SylRemote	6

*SylRemote sold separately

Images



Dimensions (mm)



ToLEDo™ WhiteTone GLS, Candle and RefLED™ WhiteTone GU10



Features

- Versatile, easy to setup and simple to use LED lamp with smart functionality
- Convert any standard lamp socket into a smart and dimmable installation
- Use the Bluetooth SylRemote* to manage different functions like changing the white colour temperature (warm to cool), increase or decrease brightness, pairing/unpairing and On/Off function
- Tuneable White selections for scene setting and mood lighting; 5x colour temperatures (2700K, 3000K, 4000K, 5000K, 6500K)
- Default colour temperature 2700K on start-up
- Smoothly adjust the lighting level from 100% to 10%
- No gateway, App or Wi-Fi connectivity required to operate the lamp
- Up to 15x different Sylvania Smart Lamps can be controlled by one SylRemote
- Long lifetime of 25,000 hours
- Suitable for residential applications including kitchens, living rooms and bedrooms, as well as commercial applications such as function rooms, cafes, restaurants and bars

Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable	Packaging Qty
ToLEDo™ WhiteTone												
0028902	ToLEDo WhiteTone GLS 806lm TW E27 SL	220-240	8.5	806	95	2700 - 6500	E27	White	60	25000	Yes, using SylRemote	6
0028903	ToLEDo WhiteTone Candle 470lm TW E14 SL	220-240	5	470	94	2700 - 6500	E14	White	40	25000	Yes, using SylRemote	6
RefLED™ WhiteTone												
0028904	RefLED WhiteTone ES50 345lm TW E27 SL	220-240	5	345	69	2700 - 6500	GU10	White	50	25000	Yes, using SylRemote	6
ToLEDo™ Starter Kit												
0028906	ToLEDo Starter Kit	220-240	8.5	806	95	2700 - 6500	E27	White	60	25000	Yes, using SylRemote	6
		3V DC					-	White				6

*SylRemote sold separately
ToLEDo Starter Kit comprising of 1x WhiteTone GLS lamp (0028902) and 1x SylRemote (0028905)

Images



Dimensions (mm)



SylRemote



Features

- Use the Bluetooth SylRemote to unlock all the features of your Sylvania Smart Lamps; colour temperature changing, enter/exit RGB mode*, increase or decrease brightness, pairing/unpairing and remote On/Off function
- Smoothly adjust the lighting level from 100% to 10%
- Control your Smart Lamps from a distance of up to 30 meters
- Easy to setup and simple to use
- Uses the Bluetooth SIG Mesh interface for excellent connection reliability
- Up to 15x different Sylvania Smart Lamps can be controlled by one SylRemote
- Each lamp can be controlled by up to 5x SylRemote
- Compatible only with Sylvania ColorTone and WhiteTone Smart Lamps
- Supplied with 1x CR2032 battery


Product information

Code	Description	Voltage (V)	Base	Finish	Packaging Qty
SylRemote					
0028905	SylRemote (for controlling the lamps)	3V DC	-	White	6


Images



Dimensions (mm)



Use SylRemote to unlock all the features of the Sylvania Smart Lamps







Beautiful spaces start with smart lighting

ToLEDo™ Light-Sense

Safety, security and energy management are made simple with dual light sensors as the light switches on automatically when visibility is poor. No more fumbling for the keys in the dark, we can light up your porch, gate, or driveway.



ToLEDo™ Light-Sense



Safety, security and energy management are made simple with dual light sensors, as the light switches on automatically when visibility is poor.

No more fumbling for the keys in the dark, we can light up your porch, gate or driveway. It makes sense to feel safe.

Features

- Dual light sensors - works in any position
- Automatically turns ON and OFF when light level is below 300 lux
- Unmanned light management system - reduces power bill compared to standard LED lamps
- Perfect for external lighting applications like porches, domestic parking, halls, gate lights and patios
- 806lm output equivalent to 60W incandescent lamp
- 15,000 hours average rated life
- Non-Dimmable
- Good colour rendering - CRI80
- 3 year warranty

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Light-Sense													
0027585	ToLEDo™ Light-Sense GLS 806lm 827 E27 SL	220-240	8.4	806	95	2700	E27	Frosted	60	15,000	N	F	6



*Automatic ON/OFF: $\leq 300\text{lx}$



LED Tubes Range



Leading in performance and design

ToLEDo™ Tubes

A comprehensive range of high performance, top quality and easy to install LED tubes for professional and DIY applications.



Why choose Sylvania LED lamps?

The high level of technology in our lamps means that you can confidently replace old technology with the latest LED retrofit lamps for general lighting purposes. Sylvania thrives to satisfy customers by replacing traditional lamps with LED, maintaining the light level and comfort they are used to, and achieving huge energy savings.

Our performance is best in class, making it easier for customers to make the best choice in the market and take no risks on safety or quality.

Switching to LED lamps offers many advantages:

- They match the shape and size of a fluorescent lamp, ensuring they can retrofit all luminaires
- Easy and safe replacement for fluorescent tubes without any rewiring required
- Available in popular T8 and T5 lengths with a wide range of lumen options
- Up to 50,000 hours average rated lifetime – lasts 3 times longer than standard fluorescent tri-phosphor lamps
- Up to 66% energy saving compared to fluorescent tubes
- Best-in-class lumen efficacy - up to 172 lm/W
- Omni-directional light distribution
- Available in 3000K, 4000K and 6500K colour temperatures
- C to F energy class, offering up to 90% energy savings
- Comes with up to 5 years standard warranty, for complete peace of mind
- High switching cycles - 200,000X
- Ideal for factories, car parks, supermarkets, department stores, schools and offices



Direct replacement



Last 3 times longer than fluorescent tubes




Up to 5 Years Warranty

WARRANTY




Up to 200,000X switching cycles

200 000x



Omni-directional light distribution



No rewiring of luminaires

Range overview

LED T5 Tubes



CCG	ECG	AC
X	✓	X

ToLEDo™ Superia T5 ECG

- Ideal solution to replace conventional T5 lamps
- Works with compatible T5 electronic HF ballast
- 50,000H average rated life
- Available in 1149mm and 1449mm in HO and HE version
- Lumen efficacy: up to 157 lm/W
- 5 year warranty



CCG	ECG	AC
X	X	✓

ToLEDo™ Superia T5 AC

- Mains voltage LED T5 solution
- Works with direct mains AC 220-240V
- 50,000H average rated life
- Available in 1149mm and 1449mm in HO and HE version
- Lumen efficacy: up to 151 lm/W
- 5 year warranty

LED T8 Tubes



CCG	ECG	AC
✓	✓	✓

ToLEDo™ Superia T8 Universal

- LED T8 3-in-1 solution
- Works with compatible T8 electronic HF ballast, magnetic/CCG ballast and also, suitable for direct mains operation (AC 220-240V)
- 50,000H average rated life
- Available in 600mm, 1200mm and 1500mm lengths
- Lumen efficacy: up to 150 lm/W
- 5 year warranty



CCG	ECG	AC
✓	✓	✓

ToLEDo™ T8 Universal

- LED T8 entry-level 3-in-1 solution
- Works with compatible T8 electronic HF ballast, magnetic/CCG ballast and also, suitable for direct mains operation (AC 220-240V)
- 30,000H average rated life
- Available in 1200mm and 1500mm lengths
- Lumen efficacy: up to 117 lm/W
- 3 year warranty



CCG	ECG	AC
✓	X	✓

ToLEDo™ Superia T8 CCG and AC

- Compatible with magnetic/ CCG ballast only
- Suitable for direct mains operation (AC 220-240V)
- 50,000H average rated life
- Available in 1200mm and 1500mm lengths
- Lumen efficacy: up to 172 lm/W
- 5 year warranty



CCG	ECG	AC
✓	X	✓

ToLEDo™ T8 CCG and AC

- Compatible with magnetic/ CCG ballast only
- Suitable for direct mains operation (AC 220-240V)
- 40,000H average rated life
- Available in 600mm, 1200mm and 1500mm lengths
- Lumen efficacy: up to 106 lm/W
- 3 year warranty



CCG	ECG	AC
✓	X	✓

ToLEDo™ T8 CCG and AC

- Compatible with magnetic/ CCG ballast only
- Suitable for direct mains operation (AC 220-240V)
- 25,000H average rated life
- Available in 600mm, 1200mm and 1500mm lengths
- Lumen efficacy: 105 lm/W
- 2 year warranty




Construction of ToLEDo™

T8 / T5 tubes

The ToLEDo range is designed with the same construction as traditional fluorescent lamp, enabling to achieve wide light distribution and beam angle, therefore making it more suitable as a replacement lamp for conventional luminaires.

Advantages:

- Superb uniformity and light transmittance
- Benefit from wide light distribution angle
- Wide beam angle
- No bending
- No ageing and discolouration over time
- No dark spots
- Lightweight
- Reminiscent look of fluorescent tubes



ToLEDo™ Superia T5 ECG



The high-performance LED T5 solution is designed to work with electronic high-frequency ballast, making it a quick, easy and safe replacement for fluorescent tubes without any rewiring required.

Ideal for factories, car parks, supermarkets, department stores, schools and offices.

Features


- 50,000 hours average rated lifetime – lasts 2.5 times longer than standard fluorescent tri-phosphor T5 lamps
- Available in 562mm, 862mm, 1149mm and 1449mm lengths in both HO and HE version
- High switching cycles – 200,000X
- Up to 54% energy saving compared to the standard T5 lamp
- High lumen efficacy - up to 156lm/W
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 50°C
- Colour temperature: 4000K and 6500K
- Glass construction and polycarbonate end-caps
- Not suitable for direct mains (AC 220-240V) or magnetic/ CCG ballast
- Works only with compatible electronic ballasts. Please refer to Sylvania website for full list of compatible ballasts

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Superia T5 ECG Non-Dimmable													
562mm*													
0029261	ToLEDo Superia T5 ECG HE V3 2FT 1000lm 840	40-70	7	1100	143	4000	G5	Frosted	14	50,000	N	E	10
862mm*													
0029262	ToLEDo Superia T5 ECG HE V3 3FT 1500lm 840	50-80	10	1500	150	4000	G5	Frosted	21	50,000	N	D	10
1162mm													
0029263	ToLEDo Superia T5 ECG HE V3 4FT 2400lm 840	100-130	17	2400	141	4000	G5	Frosted	28	50,000	N	E	10
0029264	ToLEDo Superia T5 ECG HE V3 4FT 2400lm 865	100-130	17	2400	141	6500	G5	Frosted	28	50,000	N	E	10
0029265	ToLEDo Superia T5 ECG HO V3 4FT 4000lm 840	40-70	27	4000	148	4000	G5	Frosted	54	50,000	N	D	10
0029266	ToLEDo Superia T5 ECG HO V3 4FT 4000lm 865	40-70	27	4000	148	6500	G5	Frosted	54	50,000	N	D	10
1462mm													
0029267	ToLEDo Superia T5 ECG HE V3 5FT 2800lm 840	105-150	18	2800	156	4000	G5	Frosted	35	50,000	N	D	10
0029268	ToLEDo Superia T5 ECG HE V3 5FT 2800lm 865	105-150	18	2800	156	6500	G5	Frosted	35	50,000	N	D	10
0029269	ToLEDo Superia T5 ECG HO V3 5FT 3900lm 840	80-110	26	3900	150	4000	G5	Frosted	49	50,000	N	D	10
0029270	ToLEDo Superia T5 ECG HO V3 5FT 3900lm 865	80-110	26	3900	150	6500	G5	Frosted	49	50,000	N	D	10
0029271	ToLEDo Superia T5 ECG HO V3 5FT 5600lm 840	60-90	37	5600	151	4000	G5	Frosted	80	50,000	N	D	10
0029272	ToLEDo Superia T5 ECG HO V3 5FT 5600lm 865	60-90	37	5600	151	6500	G5	Frosted	80	50,000	N	D	10

* Made to order

Dimensions (mm)



Max length	A	B	C
2ft	548	555	562
3ft	848	855	862
4ft	1148	1155	1162
5ft	1448	1455	1462

Images



ToLEDo™ Superia T5 AC



LED T5 solution for direct mains AC 220-240V operation.
 Quick, easy and safe replacement for fluorescent T5 tubes.
 Not suitable for operation with electronic/ECG ballast.
 Ideal for factories, car parks, supermarkets, department stores,
 schools and offices.


Features

- 50,000 hours average rated lifetime – lasts 2.5 times longer than standard fluorescent tri-phosphor T5 lamps
- Available in 1149mm and 1449mm lengths in both HO and HE version
- High switching cycles – 200,000X
- Up to 54% energy saving compared to the standard T5 lamp
- High lumen efficacy - up to 151lm/W
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 50°C
- Colour temperature: 4000K
- Glass construction and polycarbonate end-caps
- Suitable for direct mains (AC 220-240V)
- Not suitable for operation with electronic/ECG or magnetic/ CCG ballast

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Superia T5 AC Non-Dimmable													
1200mm													
0029256	ToLEDo Superia T5 AC V2 4FT 2400lm 840	220-240	16	2400	150	4000	G5	Frosted	28	50,000	N	D	10
0029257	ToLEDo Superia T5 AC V2 4FT 3900lm 840	220-240	26	3900	150	4000	G5	Frosted	54	50,000	N	D	10
1500mm													
0029258	ToLEDo Superia T5 AC V2 5FT 2800lm 840	220-240	18.5	2800	151	4000	G5	Frosted	35	50,000	N	D	10
0029259	ToLEDo Superia T5 AC V2 5FT 3900lm 840	220-240	26	3900	150	4000	G5	Frosted	49	50,000	N	D	10
0029260	ToLEDo Superia T5 AC V2 5FT 5600lm 840	220-240	37	5600	151	4000	G5	Frosted	80	50,000	N	D	10

Dimensions (mm)



Max length	A	B	C
4ft	1148	1155	1162
5ft	1448	1455	1462

Images



ToLEDo™ Superia T8 Universal



The high-performance universal LED T8 solution is designed to work with both magnetic and electronic HF ballast, making it a quick, easy and safe replacement for fluorescent tubes without any rewiring required.

ToLEDo T8 Superia Universal is suitable for direct mains operation (AC 220-240V).

Ideal for factories, car parks, supermarkets, department stores, schools and offices.

Features


- 60,000 hours average rated life (L70 F50) – last 2.5 times longer than standard fluorescent T8 tri-phosphor lamp
- Available in 600mm, 1200mm and 1500mm lengths
- High switching cycles – 200,000X
- Up to 59% energy savings compared to the standard fluorescent lamp
- High lumen efficacy – up to 157lm/W
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature : -20°C to 50°C
- Colour temperature: 4000K and 6500K
- Glass construction and polycarbonate end-caps
- Must replace the fluorescent starter with LED dummy starter when used with magnetic/ CCG ballast
- Works only with compatible electronic ballasts. Please refer to Sylvania website for full list of compatible ballasts

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ T8 Universal Non-Dimmable													
600mm													
0029273	ToLEDo Superia T8 UNI V3 2FT 1100lm 840	220-240	7.5	1100	147	4000	G13	Frosted	18	50,000	N	D	10
0029274	ToLEDo Superia T8 UNI V3 2FT 1100lm 865	220-240	7.5	1100	147	6500	G13	Frosted	18	50,000	N	D	10
1200mm													
0029275	ToLEDo Superia T8 UNI V3 4FT 2400lm 840	220-240	16	2400	150	4000	G13	Frosted	36	50,000	N	D	10
0029276	ToLEDo Superia T8 UNI V3 4FT 2400lm 865	220-240	16	2400	150	6500	G13	Frosted	36	50,000	N	D	10
1500mm													
0029277	ToLEDo Superia T8 UNI V3 5FT 3600lm 840	220-240	23	3600	157	4000	G13	Frosted	58	50,000	N	D	10
0029278	ToLEDo Superia T8 UNI V3 5FT 3600lm 865	220-240	23	3600	157	6500	G13	Frosted	58	50,000	N	D	10

*Made to order

Dimensions (mm)



Max length	A	B	C
2FT	589	596	603
4FT	1198	1206	1213
5FT	1499	1506	1514

Images



ToLEDo™ T8 Universal



The entry-level universal LED T8 solution is designed to work with both magnetic and electronic HF ballast, making it a quick, easy and safe replacement for fluorescent tubes without any rewiring required.

ToLEDo T8 Universal is suitable for direct mains operation (AC 220-240V). Ideal for factories, car parks, supermarkets, department stores, schools and office.


Features

- 30,000 hours average rated life (L70 F50) – last 1.5 times longer than standard fluorescent T8 tri-phosphor lamp
- Available in 1200mm and 1500mm lengths
- High switching cycles – 200,000X
- Up to 59% energy savings compared to the standard fluorescent lamp
- High lumen efficacy – up to 117lm/W
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 50°C
- Colour temperature: 4000K and 6500K
- Glass construction and polycarbonate end-caps
- Must replace the fluorescent starter with LED dummy starter when used with magnetic/ CCG ballast
- Works only with compatible electronic ballasts. Please refer to Sylvania website for full list of compatible ballasts

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ T8 Universal Non-Dimmable													
1200mm													
0029279	ToLEDo T8 UNI V2 4FT 2000lm 840 RL	220-240	18	2000	111	4000	G13	Frosted	36	30,000	N	E	1
0029280	ToLEDo T8 UNI V2 4FT 2000lm 865 RL	220-240	18	2000	111	6500	G13	Frosted	36	30,000	N	E	1
1500mm													
0029281	ToLEDo T8 UNI V2 5FT 2800lm 840 RL	220-240	24	2800	117	4000	G13	Frosted	58	30,000	N	E	1
0029282	ToLEDo T8 UNI V2 5FT 2800lm 865 RL	220-240	24	2800	117	6500	G13	Frosted	58	30,000	N	E	1

Dimensions (mm)



Max length	A	B	C
4FT	1198	1206	1213
5FT	1499	1506	1513

Additional Images



ToLEDo™ Superia T8 CCG/AC



The new ToLEDo Superia T8 V8 range offer best-in-class lumen package and reaches up to 4100lm with 172lm/W, helping to dramatically reduce energy consumption and achieve quick payback on investment.

ToLEDo Superia T8 V8 work magnetic ballast and also suitable for direct mains (AC 220-240V) operation.

Ideal for factories, warehouses, car parks, supermarkets, department stores, schools and offices.


Features

- 50,000 hours average rated life (L70 F50) - last 2.5 times longer than standard fluorescent T8 tri-phosphor lamp
- Available in 1200mm and 1500mm lengths
- High switching cycles - 200,000X
- High lumen package - up to 4100lm
- High lumen efficacy - up to 172lm/W
- Better uniformity and light transmittance - no dark spots
- Minimum and maximum operating temperature: -20°C to 55°C
- Colour temperature: 4000K and 6500K
- Same construction and design as traditional fluorescent lamps - glass housing and metal end-caps
- Not suitable for operation with electronic/ECG ballast
- Suitable for direct mains operation (AC 220-240V)
- Must replace the fluorescent starter with LED dummy starter when operated with magnetic/ CCG ballast

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Superia T8 V8 CCG/AC Non-Dimmable													
1200mm													
0029283	ToLEDo Superia T8 V8 4FT 2550lm 840	220-240	15	2550	170	4000	G13	Frosted	36	50,000	N	C	10
0029284	ToLEDo Superia T8 V8 4FT 2760lm 830	220-240	18	2760	153	3000	G13	Frosted	36	50,000	N	D	10
0029285	ToLEDo Superia T8 V8 4FT 3100lm 840	220-240	18	3100	172	4000	G13	Frosted	36	50,000	N	C	10
0029286	ToLEDo Superia T8 V8 4FT 3100lm 865	220-240	18	3100	172	6500	G13	Frosted	36	50,000	N	C	10
1500mm													
0029287	ToLEDo Superia T8 V8 5FT 3700lm 840	220-240	24	3700	154	4000	G13	Frosted	58	50,000	N	D	10
0029288	ToLEDo Superia T8 V8 5FT 3850lm 830	220-240	24	3850	160	3000	G13	Frosted	58	50,000	N	C	10
0029289	ToLEDo Superia T8 V8 5FT 4100lm 840	220-240	24	4100	171	4000	G13	Frosted	58	50,000	N	C	10
0029290	ToLEDo Superia T8 V8 5FT 4100lm 865	220-240	24	4100	171	6500	G13	Frosted	58	50,000	N	C	10

Dimensions (mm)




Max length	A	B	C
1200mm	1199	1206	1214
1500mm	1500	1507	1514

Additional Images



ToLEDo™ T8 CCG/AC



ToLEDo T8 V7 reaches up to 2700lm with 106 lm/W, perfect for customers looking for high-quality and energy efficient LED solution to replace conventional fluorescent T8 lamps. High switching cycles and 40,000 hours lifespan keeps maintenance cost low and gives complete peace of mind to customers.

ToLEDo T8 V7 works magnetic ballast and also suitable for direct mains (AC 220-240V) operation.

Ideal for factories, warehouses, car parks, supermarkets, department stores, schools and offices.


Features

- 40,000 hours average rated life (L70 F50) - last 2 times longer than standard fluorescent T8 tri-phosphor lamp
- Available in 600mm, 1200mm and 1500mm lengths
- High switching cycles - 200,000X
- Good lumen efficacy - 106lm/W
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 55°C
- Colour temperature: 3000K, 4000K and 6500K
- Same construction and design as traditional fluorescent lamps - glass housing and metal end-caps
- Not suitable for operation with electronic/ECG ballast
- Suitable for direct mains operation (AC 220-240V)
- Must replace the fluorescent starter with LED dummy starter when operated with magnetic/CCG ballast

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ T8 V7 CCG/AC Non-Dimmable													
600mm													
0029291	ToLEDo T8 V7 2FT 1000lm 830 RL	220-240	10	1000	100	3000	G13	Frosted	18	40,000	N	F	10
0029292	ToLEDo T8 V7 2FT 1000lm 840 RL	220-240	10	1000	100	4000	G13	Frosted	18	40,000	N	F	10
0029293	ToLEDo T8 V7 2FT 1000lm 865 RL	220-240	10	1000	100	6500	G13	Frosted	18	40,000	N	F	10
1200mm													
0029294	ToLEDo T8 V7 4FT 2000lm 830 RL	220-240	19.5	2000	103	3000	G13	Frosted	36	40,000	N	F	10
0029295	ToLEDo T8 V7 4FT 2000lm 840 RL	220-240	19.5	2000	103	4000	G13	Frosted	36	40,000	N	F	10
0029296	ToLEDo T8 V7 4FT 2000lm 865 RL	220-240	19.5	2000	103	6500	G13	Frosted	36	40,000	N	F	10
1500mm													
0029297	ToLEDo T8 V7 5FT 2700lm 830 RL	220-240	25.5	2700	106	3000	G13	Frosted	58	40,000	N	F	10
0029298	ToLEDo T8 V7 5FT 2700lm 840 RL	220-240	25.5	2700	106	4000	G13	Frosted	58	40,000	N	F	10
0029299	ToLEDo T8 V7 5FT 2700lm 865 RL	220-240	25.5	2700	106	6500	G13	Frosted	58	40,000	N	F	10

Dimensions (mm)



Max length	A	B	C
600mm	590	597	604
1200mm	1199	1206	1213
1500mm	1500	1507	1514

Images



ToLEDo™ T8 CCG/AC



The entry-level ToLEDo T8 V4 range reaches up to 2300lm with 105 lm/W, perfect for customers looking for reliable energy efficient LED solution to replace conventional fluorescent T8 lamps.

ToLEDo T8 V4 works with magnetic ballast and also suitable for direct mains (AC 220-240V) operation.

Ideal for factories, warehouses, car parks, supermarkets, department stores, schools and offices.


Features

- 25,000 hours average rated life (L70 F50) - up to 66% reduction in power consumption compared to standard fluorescent T8 tri-phosphor lamp
- Available in 600mm, 1200mm and 1500mm lengths
- High switching cycles - 50,000X
- Good lumen efficacy - 105lm/W
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 45°C
- Colour temperature: 4000K and 6500K
- Same construction and design as traditional fluorescent lamps - glass housing and metal end-caps
- Not suitable for HF electronic ballast
- Suitable for direct mains operation (AC 220-240V)
- Must replace the fluorescent starter with LED dummy starter when operated with magnetic/CCG ballast

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Suitable Replacement (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ T8 CCG/AC V4 Non-Dimmable													
600mm													
0029300	ToLEDo T8 V4 2FT 900lm 840 25K RL	220-240	9	900	100	4000	G13	Frosted	18	25,000	N	F	10
0029301	ToLEDo T8 V4 2FT 900lm 865 25K RL	220-240	9	900	100	6500	G13	Frosted	18	25,000	N	F	10
1200mm													
0029302	ToLEDo T8 V4 4FT 1800lm 840 25K RL	220-240	17.5	1800	103	4000	G13	Frosted	36	25,000	N	F	10
0029303	ToLEDo T8 V4 4FT 1800lm 865 25K RL	220-240	17.5	1800	103	6500	G13	Frosted	36	25,000	N	F	10
1500mm													
0029304	ToLEDo T8 V4 5FT 2300lm 840 25K RL	220-240	22	2300	105	4000	G13	Frosted	58	25,000	N	F	10
0029305	ToLEDo T8 V4 5FT 2300lm 865 25K RL	220-240	22	2300	105	6500	G13	Frosted	58	25,000	N	F	10

Dimensions (mm)



Max length	A	B	C
600mm	590	597	604
1200mm	1199	1206	1213
1500mm	1500	1507	1514

Images





LED Lampnaire Range



Set the trend

ToLEDo™ LifeStyle

A completely new take on vintage and decorative lighting: combining unconventional, distinctive lamp design with flexible LED filament technology to deliver truly unique products that stand out from the crowd and create the perfect ambience for any occasion.

ToLEDo™ LifeStyle



The unique and unconventional design of ToLEDo™ LifeStyle range exudes class and premium quality and can enhance the ambience of a room, in both ON and OFF mode, setting a new trend in lamp design.

ToLEDo LifeStyle is available in two different shapes - G190 and T180 and a choice of stylish black glass or golden glass finish. The lamps provide up to the 250lm with a cosy 2000K warm colour temperature.

The low power consumption and the 15,000 hours of average rated life make this range an ideal solution for decorative and mood lighting application, especially living rooms, lobbies, restaurants, bars, hotels, heritage buildings etc.

Features

- New state-of-the-art designer lamps for decorative and hospitality applications
- Unconventional design that looks good on both off and on
- Flexible LED filament construction
- Perfectly complements Sylvania E27 SylPendant range available in brass, copper, white and black finish
- Dimming functionality helps to vary lighting scene as lamps can be dimmed from 100% to 10% and reduce energy consumption
- Low power - only 4W
- 2000K colour temperature to create an intimate atmosphere
- Good colour rendering - CRI 80
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Omni-directional light distribution
- More than 100,000X switching cycles
- 3 years warranty

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Packaging Qty
ToLEDo™ LifeStyle G190 Dimmable												
0029981	Toledo Lifestyle G190 BLK 150lm E27 SL	220-240	4	150	38	2000	E27	Black	16	15000	DIM	2
0029982	Toledo Lifestyle G190 GL 250lm E27 SL	220-240	4	250	63	2000	E27	Golden	25	15000	DIM	2
ToLEDo™ LifeStyle T180 Dimmable												
0029983	Toledo Lifestyle T180 BLK 150lm E27 SL	220-240	4	150	38	2000	E27	Black	16	15000	DIM	2
0029984	Toledo Lifestyle T180 GL 250lm E27 SL	220-240	4	250	63	2000	E27	Golden	25	15000	DIM	2

Images



ToLEDo LifeStyle
G190 Black



ToLEDo LifeStyle
G190 Golden



ToLEDo LifeStyle
T180 Black




ToLEDo LifeStyle
T180 Golden

ToLEDo™ LifeStyle




Dimensions (mm)

	G190	T180
H	184	173
W	190	180



ToLEDo
LifeStyle G190



ToLEDo
LifeStyle T180





Beautiful, inside and out

ToLEDo™ Mirage

A highly innovative and sophisticated range of LED lamps to replace incandescent multi-filament lamps in hospitality and residential applications.



ToLEDo™ Mirage

ToLEDo™ Mirage is a new and differentiated offering from Sylvania for the hospitality and residential segment.

With an innovative and patented design, ToLEDo Mirage recreates the same optical effect as incandescent multi-filament lamps. The lamp design exudes class and premium quality and enhances ambience, both in ON/OFF mode, giving a completely new dimension to lamp design and application.

ToLEDo Mirage is available in eight different shapes – ST64, B75, G120, G200, A165, T45, T60 and E115 and with lumen package of up to 125lm.

The low power consumption and the 25,000 hours of average rated life make this range an ideal solution for decorative and mood lighting application, especially living rooms, lobbies, restaurants, bars, hotels, heritage buildings etc.



E115



T60



T45



ST64



B75





Features

- A perfect choice for hospitality, decorative and mood lighting applications
- Unique and innovative lamp design and construction
- Low-lumen output to create the low-lit effect and gives no glare.
- Low power construction: only 2.5W
- Perfect for SylPendant fixtures - a range of unique and elegant E27 lamp pendants, available in copper, brass, black and white finish
- Candlelight 2000K colour temperature creates a warm and cosy ambience
- Good colour rendering – CRI80
- High quality, scratch and temperature resistant golden tinted glass envelope
- 25,000 hours of average rated life. Last 25 times longer than incandescent lamps
- Omni-directional light distribution
- More than 100,000X switching cycles
- 3 year warranty

Product information

Code	Range	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty	Lamp Height (mm)	Lamp Width (mm)
ToLEDo™ Mirage Non-Dimmable															
0029908	ToLEDo Mirage G120 125lm E27 SL	220-240	2.5	105	42	2000	E27	Golden	13	25,000	N	G	4	165	125
0029911	ToLEDo Mirage G200 105lm E27 SL	220-240	2.5	105	42	2000	E27	Golden	12	25,000	N	G	2	238	200
0029914	ToLEDo Mirage A165 105lm E27 SL	220-240	2.5	105	42	2000	E27	Golden	12	25,000	N	G	2	303	168
0029944	ToLEDo Mirage E115 105lm E27 SL	220-240	2.5	105	42	2000	E27	Golden	13	25,000	N	G	4	347	116
0029905	ToLEDo Mirage ST64 125lm E27 SL	220-240	2.5	125	50	2000	E27	Golden	13	25,000	N	G	6	142	64
0029917	ToLEDo Mirage T45 125lm E27 SL	220-240	2.5	125	50	2000	E27	Golden	13	25,000	N	G	6	150	45
0029942	ToLEDo Mirage T60 105lm E27 SL	220-240	2.5	105	42	2000	E27	Golden	12	25,000	N	G	6	300	60
0029902	ToLEDo Mirage B75 125lm E27 SL	220-240	2.5	125	50	2000	E27	Golden	12	25,000	N	G	6	162	75

A165



G200



G125





Make a statement

ToLEDo™ Radiance

Sylvania redefines the way LED lamps look and function with the new and innovative ToLEDo™ Radiance range.

ToLEDo™ Radiance is an inventive new product, merging the boundaries between lamp and luminaire. It offers an imaginative, minimalistic design to change the look and feel of a room, making it look much more stylish and unique than conventional LED retrofit solutions.



ToLEDo™ Radiance



ToLEDo™ Radiance ticks all the boxes with its elegant, fluid design, diffused lighting and good efficiency, making it an ideal choice for residential and hospitality applications, and also for the work place.

The retrofit functionality means it is easy to install and requires no extra installation cost. It is ideal for kitchens, living rooms, bedrooms, hotels, restaurants, bars, meeting rooms, reception areas, cabins and offices.

The dimming functionality helps to vary lighting scene as lamps can be dimmed from 100% to 10% and reduce energy consumption.

ToLEDo™ Radiance is available in white and black finish and in 2700K and 4000K.


Features

- Stylish and innovative design
- Contemporary and discreet - lamp blends in and can modernise the look of the room instantly
- Uniform light distribution with an element of direct/indirect lighting
- Dimmable on approved dimmers
- Low glare - suitable for low height installation
- Construction: white or black housing, textured circular reflector and matt finish inner and outer diffuser ring
- E27 lamp base, easy-to-install
- 25,000 hours average rated life
- More than 50,000X switching cycles
- Environment-friendly – no mercury and lower CO2 emissions
- Good colour rendering - CRI 80
- 3 years warranty

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	CRI	Base	Finish	Life (h)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class
ToLEDo™ Radiance Dimmable													
0029712	ToLEDo Radiance V3 WH DM 1000lm 827 E27 SL	220-240V	10	1000	100	2700	80	E27	Clear	25000	70	Y	F
0029713	ToLEDo Radiance V3 WH DM 1000lm 840 E27 SL	220-240V	10	1000	100	4000	80	E27	Clear	25000	70	Y	F
0029714	ToLEDo Radiance V3 BLK DM 1000lm 827 E27 SL	220-240V	10	1000	100	2700	80	E27	Clear	25000	70	Y	F
0029715	ToLEDo Radiance V3 BLK DM 1000lm 840 E27 SL	220-240V	10	1000	100	4000	80	E27	Clear	25000	70	Y	F

Dimensions (mm)



ToLEDo™ Radiance



Additional Images



White 2700K





White 4000K



Black 2700K



Black 4000K





**LED Retrofit Range
Non-Directional**



Classic Innovation

ToLEDo™ Retro

Sylvania's ToLEDo Retro range has been designed to achieve a similar look and feel as incandescent lamps, with omni-directional light and a linear LED filament construction to provide great looks on and off, delivering excellent lumen efficacy and up to 90% energy savings.





The classic look with the latest technology



Filament Chip Technology (FCT)

Combination of high performance LED chip, linear LED filament construction and premium gas-fill delivers best-in-class LED product with similar look and lighting distribution as incandescent lamp and up to 90% energy savings.

90%



Energy saving
Retro range



Equivalences

ToLEDo Retro	250lm 2.5W	470lm 4.5W	640lm 6W	806lm 7W	1055lm 8W	1531lm 11W
Incandescent	25W	40W	50W	60W	75W	100W
Halogen	18W	28W	35W	42W	53W	70W
CFL	7W	9W	11W	15W	20W	25W

Reduces CO₂ emission


Payback in less than One Year as ToLEDo Retro reduces electricity consumption by up to 90% compared to incandescent or halogen energy savers.

Features


- Omni-directional light distribution
- Similar look and construction as incandescent lamps
- Excellent heat dissipation compared to SMD or COB LED lamps
- Best-in-class lumen efficacy
- Sparkling light effect
- Up to 90% energy savings – Higher than standard LED lamps and compact fluorescent lamps



7W
ToLEDo Retro



42W
Halogen
Classic ECO



60W
Incandescent



ToLEDo™ Retro ST64



Features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- High lumen efficacy - up to 115 lm/W
- Suitable for replacement of up to 60W incandescent lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 88% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- Dimmable with approved dimmers


Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Bulb Finish	Life (h)	Equivalent Wattage (W)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro ST64 Golden Dimmable													
0029306	ToLEDo RT ST64 V5 GL DIM 560lm 825 B22 SL	220-240	6	560	93	2500	B22	Golden	45	15,000	Y	F	6
0029307	ToLEDo RT ST64 V5 GL DIM 560lm 825 E27 SL	220-240	6	560	93	2500	E27	Golden	45	15,000	Y	F	6
ToLEDo™ Retro ST64 Clear Dimmable													
0029308	ToLEDo RT ST64 V5 CL DIM 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Clear	60	15,000	Y	E	6
0029309	ToLEDo RT ST64 V5 CL DIM 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Clear	60	15,000	Y	E	6
ToLEDo™ Retro ST64 Golden Non-Dimmable													
0029310	ToLEDo RT ST64 V5 GL 420lm 825 E27 SL	220-240	4.5	420	93	2500	E27	Golden	37	15,000	N	F	6
ToLEDo™ Retro ST64 Clear Non-Dimmable													
0029311	ToLEDo RT ST64 V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

Dimensions (mm)

Lamps	Dimensions (mm)	E27 B22	
		E27	B22
ST64	H	140	138
	ø	64	64



Images




ST64 Clear



ST64 Golden

ToLEDo™ Retro GLS



Features


- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- High lumen efficacy - up to 138 lm/W
- Suitable for replacement of up to 100W incandescent lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 89% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- Dimmable with approved dimmers

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro GLS Clear Dimmable													
0029312	ToLEDo RT GLS V5 CL DIM 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Clear	60	15,000	Y	E	6
0029313	ToLEDo RT GLS V5 CL DIM 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Clear	60	15,000	Y	E	6
0029314	ToLEDo RT GLS V5 CL DIM 1521lm 827 B22 SL	220-240	11	1521	138	2700	B22	Clear	100	15,000	Y	D	6
0029315	ToLEDo RT GLS V5 CL DIM 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Clear	100	15,000	Y	D	6
ToLEDo™ Retro GLS Satin Dimmable													
0029316	ToLEDo RT GLS V5 ST DIM 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Satin	60	15,000	Y	E	6
0029317	ToLEDo RT GLS V5 ST DIM 1055lm 827 E27 SL	220-240	9	1055	117	2700	E27	Satin	75	15,000	Y	E	6
0029318	ToLEDo RT GLS V5 ST DIM 1055lm 840 E27 SL	220-240	9	1055	117	4000	E27	Satin	75	15,000	Y	E	6
0029319	ToLEDo RT GLS V5 ST DIM 1055lm 865 E27 SL	220-240	9	1055	117	6500	E27	Satin	75	15,000	Y	E	6
0029320	ToLEDo RT GLS V5 ST DIM 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Satin	100	15,000	Y	D	6
0029321	ToLEDo RT GLS V5 ST DIM 1521lm 827 B22 SL	220-240	11	1521	138	2700	B22	Satin	100	15,000	Y	D	6
ToLEDo™ Retro GLS Clear Non-Dimmable													
0029322	ToLEDo RT GLS V5 CL 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	N	F	6
0029323	ToLEDo RT GLS V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6
0029547	ToLEDo RT GLS CL 470lm 827 E27 SL4	220-240	4.5	470	104	2700	E27	Clear	40	12,000	N	F	6
0029324	ToLEDo RT GLS V5 CL 470lm 840 E27 SL	220-240	4.5	470	104	4000	E27	Clear	40	15,000	N	F	6
0029325	ToLEDo RT GLS V5 CL 640lm 827 E27 SL	220-240	6	640	107	2700	E27	Clear	50	15,000	N	F	6
0029326	ToLEDo RT GLS V5 CL 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Clear	60	15,000	N	E	6
0029548	ToLEDo RT GLS CL 806lm 827 B22 SL4	220-240	7	806	115	2700	B22	Clear	60	12,000	N	E	6
0029327	ToLEDo RT GLS V5 CL 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Clear	60	15,000	N	E	6
0029549	ToLEDo RT GLS CL 806lm 827 E27 SL4	220-240	7	806	115	2700	E27	Clear	60	12,000	N	E	6
0029328	ToLEDo RT GLS V5 CL 806lm 827 E27 SL3	220-240	7	806	115	2700	E27	Clear	60	15,000	N	E	6
0029329	ToLEDo RT GLS V5 CL 806lm 840 E27 SL	220-240	7	806	115	4000	E27	Clear	60	15,000	N	E	6
0029330	ToLEDo RT GLS V5 CL 1055lm 827 B22 SL	220-240	8	1055	132	2700	B22	Clear	75	15,000	N	E	6
0029331	ToLEDo RT GLS V5 CL 1055lm 827 E27 SL	220-240	8	1055	132	2700	E27	Clear	75	15,000	N	E	6
0029332	ToLEDo RT GLS V5 CL 1055lm 840 E27 SL	220-240	8	1055	132	4000	E27	Clear	75	15,000	N	E	6
0029333	ToLEDo RT GLS V5 CL 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Clear	100	15,000	N	D	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

ToLEDo™ Retro GLS



Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro GLS Satin Non-Dimmable													
0029334	ToLEDo RT GLS V5 ST 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Satin	40	15,000	N	F	6
0029335	ToLEDo RT GLS V5 ST 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	N	F	6
ToLEDo™ Retro GLS Satin Non-Dimmable													
0029336	ToLEDo RT GLS V5 ST 806lm 827 B22 SL	220-240	7	806	115	2700	B22	Satin	60	15,000	N	E	6
0029337	ToLEDo RT GLS V5 ST 806lm 827 E27 SL	220-240	7	806	115	2700	E27	Satin	60	15,000	N	E	6
0029338	ToLEDo RT GLS V5 ST 1055lm 827 B22 SL	220-240	8	1055	132	2700	B22	Satin	75	15,000	N	E	6
0029339	ToLEDo RT GLS V5 ST 1055lm 827 E27 SL	220-240	8	1055	132	2700	E27	Satin	75	15,000	N	E	6
0029340	ToLEDo RT GLS V5 ST 1521lm 827 B22 SL	220-240	11	1521	138	2700	B22	Satin	100	15,000	N	D	6
0029341	ToLEDo RT GLS V5 ST 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Satin	100	15,000	N	D	6
ToLEDo™ Retro GLS Crown Silver Non-Dimmable													
0029342	ToLEDo RT GLS V5 CS 400lm 827 E27 SL	220-240	4.5	400	89	2700	E27	Crown Silver	35	15,000	N	F	6

Images



Dimensions (mm)

Lamps	Dimensions (mm)	Dimensions (mm)	
		E27	B22
GLS 470lm/806lm/1055lm	H	108	106
	∅	60	60
GLS 1521lm	H	126	124
	∅	70	70



ToLEDo™ Retro Candle/Pygmy/T25



Features

- The versatile ToLEDo Retro Candle range is the ideal replacement for incandescent lamps and perfect for chandeliers and decorative applications
- Creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- Suitable for replacement of up to 60W incandescent candle lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 90% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- T25 is the ideal replacement for incandescent cooker hood lamps
- Dimmable with approved dimmers

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro Candle Clear Dimmable													
0029343	ToLEDo RT Candle V5 CL DIM 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	Y	F	6
0029344	ToLEDo RT Candle V5 CL DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	Y	F	6
0029366	ToLEDo RT Candle V5 CL DIM 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	Y	F	6
ToLEDo™ Retro Candle Satin Dimmable													
0029367	ToLEDo RT Candle V5 ST DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	Y	F	6
0029368	ToLEDo RT Candle V5 ST DIM 470lm 840 E14 SL	220-240	4.5	470	104	4000	E14	Satin	40	15,000	Y	F	6
0029369	ToLEDo RT Candle V5 ST DIM 470lm 865 E14 SL	220-240	4.5	470	104	6500	E14	Satin	40	15,000	Y	F	6
ToLEDo™ Retro Candle Clear Non-Dimmable													
0029370	ToLEDo RT Candle V5 CL 250lm 827 B22 SL	220-240	2.5	250	100	2700	B22	Clear	25	15,000	N	F	6
0029371	ToLEDo RT Candle V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029372	ToLEDo RT Candle V5 CL 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	N	F	6
0029550	ToLEDo RT Candle CL 470lm 827 B22 SL4	220-240	4.5	470	104	2700	B22	Clear	40	12,000	N	F	6
0029373	ToLEDo RT Candle V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
0029551	ToLEDo RT Candle CL 470lm 827 E14 SL4	220-240	4.5	470	104	2700	E14	Clear	40	12,000	N	F	6
0029374	ToLEDo RT Candle V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6
0029375	ToLEDo RT Candle V5 CL 806lm 827 B22 SL	220-240	6	806	134	2700	B22	Clear	60	15,000	N	E	6
0029376	ToLEDo RT Candle V5 CL 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Clear	60	15,000	N	E	6
0029480	ToLEDo RT Candle V5 CL 806lm 827 E27 SL	220-240	6	806	134	2700	E27	Clear	60	15,000	N	E	6
ToLEDo™ Retro Candle Satin Non-Dimmable													
0029481	ToLEDo RT Candle V5 ST 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Satin	40	15,000	N	F	6
0029482	ToLEDo RT Candle V5 ST 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	N	F	6
0029483	ToLEDo RT Candle V5 ST 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	N	F	6
0029484	ToLEDo RT Candle V5 ST 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Satin	60	15,000	N	E	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

ToLEDo™ Retro Candle/Pygmy/T25




Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro Candle Bent-Tip Clear Non-Dimmable													
0029485	ToLEDo RT Candle BT V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
ToLEDo™ Retro Candle Golden Non-Dimmable													
0029488	ToLEDo RT Candle V5 GL 225lm 825 E14 SL	220-240	2.5	225	90	2500	E14	Golden	23	15,000	N	F	6
ToLEDo™ Retro Candle Twister Clear Non-Dimmable													
0029486	ToLEDo RT Candle TW V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029487	ToLEDo RT Candle TW V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
ToLEDo™ Retro T25 Non-Dimmable													
0029541	ToLEDo RT T25 V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029542	ToLEDo RT T25 V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
ToLEDo™ Retro Pygmy Non-Dimmable													
0029540	ToLEDo RT Pygmy V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6

Images



Dimensions (mm)

Lamps	Dimensions (mm)	E14	E27	B22
Candle Clear, Golden and Twister	H	97	93	93
	∅	35	35	35
Bent-Tip	H	123	-	-
	∅	35	-	-
T25	H	90	-	-
	∅	25	-	-
Pygmy	H	61	-	-
	∅	26	-	-





ToLEDo™ Retro Ball/Globe



Features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Omni-directional light distribution
- High lumen efficacy - up to 138 lm/W
- Suitable for replacement of up to 100W incandescent lamps
- 15,000 hours average rated life. Last 15 times longer than incandescent lamps
- Sparkling light effect
- Up to 90% energy saving compared to incandescent lamps
- Dimensionally identical to incandescent lamps - fits all fixtures
- Dimmable with approved dimmers

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro Ball Clear Dimmable													
0029489	ToLEDo RT Ball V5 CL DIM 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	Y	F	6
0029490	ToLEDo RT Ball V5 CL DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	Y	F	6
0029491	ToLEDo RT Ball V5 CL DIM 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	Y	F	6
ToLEDo™ Retro Ball Satin Dimmable													
0029492	ToLEDo RT Ball V5 ST DIM 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	Y	F	6
0029493	ToLEDo RT Ball V5 ST DIM 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	Y	F	6
0029494	ToLEDo RT Ball V5 ST DIM 470lm 840 E14 SL	220-240	4.5	470	104	4000	E14	Satin	40	15,000	Y	F	6
0029495	ToLEDo RT Ball V5 ST DIM 470lm 840 E27 SL	220-240	4.5	470	104	4000	E27	Satin	40	15,000	Y	F	6
0029496	ToLEDo RT Ball V5 ST DIM 470lm 865 E14 SL	220-240	4.5	470	104	6500	E14	Satin	40	15,000	Y	F	6
0029497	ToLEDo RT Ball V5 ST DIM 470lm 865 E27 SL	220-240	4.5	470	104	6500	E27	Satin	40	15,000	Y	F	6
ToLEDo™ Retro Ball Clear Non-Dimmable													
0029498	ToLEDo RT Ball V5 CL 250lm 827 B22 SL	220-240	2.5	250	100	2700	B22	Clear	25	15,000	N	F	6
0029499	ToLEDo RT Ball V5 CL 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Clear	25	15,000	N	F	6
0029500	ToLEDo RT Ball V5 CL 250lm 827 E27 SL	220-240	2.5	250	100	2700	E27	Clear	25	15,000	N	F	6
0029501	ToLEDo RT Ball V5 CL 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Clear	40	15,000	N	F	6
0029502	ToLEDo RT Ball V5 CL 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Clear	40	15,000	N	F	6
0029553	ToLEDo RT Ball CL 470lm 827 E14 SL4	220-240	4.5	470	104	2700	E14	Clear	40	12,000	N	F	6
0029503	ToLEDo RT Ball V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	40	15,000	N	F	6
0029552	ToLEDo RT Ball CL 470lm 827 E27 SL4	220-240	4.5	470	104	2700	E27	Clear	40	12,000	N	F	6
0029532	ToLEDo RT Ball V5 CL 806lm 827 B22 SL	220-240	6	806	134	2700	B22	Clear	60	15,000	N	E	6
0029533	ToLEDo RT Ball V5 CL 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Clear	60	15,000	N	E	6
0029534	ToLEDo RT Ball V5 CL 806lm 827 E27 SL	220-240	6	806	134	2700	E27	Clear	60	15,000	N	E	6
ToLEDo™ Retro Ball Satin Non-Dimmable													
0029535	ToLEDo RT Ball V5 ST 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Satin	40	15,000	N	F	6
0029536	ToLEDo RT Ball V5 ST 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Satin	40	15,000	N	F	6
0029537	ToLEDo RT Ball V5 ST 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Satin	40	15,000	N	F	6
0029538	ToLEDo RT Ball V5 ST 806lm 827 E14 SL	220-240	6	806	134	2700	E14	Satin	60	15,000	N	E	6
0029539	ToLEDo RT Ball V5 ST 806lm 827 E27 SL	220-240	6	806	134	2700	E27	Satin	60	15,000	N	E	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

ToLEDo™ Retro Ball/Globe



Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro G80 Non-Dimmable													
0029543	ToLEDo RT G80 V5 CL 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Clear	45	15,000	N	F	6
0029544	ToLEDo RT G80 V5 CL 640lm 827 E27 SL	220-240	6	640	107	2700	E27	Clear	50	15,000	N	F	6
ToLEDo™ Retro G120 Non-Dimmable Clear													
0029545	ToLEDo RT G120 V5 CL 1055lm 827 E27 SL	220-240	8	1055	132	2700	E27	Clear	75	15,000	N	E	6
0029546	ToLEDo RT G120 V5 CL 1521lm 827 E27 SL	220-240	11	1521	138	2700	E27	Clear	100	15,000	N	D	6

Images



Ball Clear


Ball Satin

Globe G80


Globe G120

Dimensions (mm)

Lamps	Dimensions (mm)	E14	E27	B22
Ball	H	80	78	76
	∅	45	45	45
Globe G80 mm	H	-	122	-
	∅	-	80	-
Globe G120 mm	H	-	178	-
	∅	-	125	-



Ball



Globe



Sleek and compact

ToLEDo™ Stick

A sleek, compact and highly energy efficient LED retrofit range to replace traditional incandescent, halogen and compact fluorescent lamps. Perfect for domestic and hospitality lighting applications.

ToLEDo™ Stick



A sleek, compact and highly energy efficient LED retrofit range to replace traditional incandescent, halogen and compact fluorescent lamps. Omni-directional light distribution, high lumen efficacy of up to 114lm/W and innovative design make it a bright, all-around lighting solution for living rooms, wall lights, ceiling lights, compact and decorative luminaires.

The ToLEDo™ Stick lamps are a simple and sustainable solution, lasting up to 15 years and reducing electricity consumption by up to 80%.


Features

- Quick and easy replacement of 40W, 60W, 75W & 100W incandescent lamp
- 15,000H average rated life – last 15X longer than incandescent/halogen lamps
- Up to 80% energy savings compared to incandescent
- Last 50% longer and consume 45% less energy compared to CFL lamps
- Good lumen efficacy - up to 114lm/W
- Omni-directional light distribution
- Non-dimmable

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Stick Non-Dimmable													
0029558	ToLEDo Stick V4 470lm 827 E27 SL	220-240	5	470	94	2700	E27	Frosted	40	15,000	N	F	10
0029559	ToLEDo Stick V4 500lm 840 E27 SL	220-240	5	500	100	4000	E27	Frosted	40	15,000	N	F	10
0029560	ToLEDo Stick V4 500lm 865 E27 SL	220-240	5	500	100	6500	E27	Frosted	40	15,000	N	F	10
0029561	ToLEDo Stick V4 810lm 827 E27 SL	220-240	8	810	101	2700	E27	Frosted	60	15,000	N	F	10
0029562	ToLEDo Stick V4 850lm 840 E27 SL	220-240	8	850	106	4000	E27	Frosted	60	15,000	N	F	10
0029563	ToLEDo Stick V4 850lm 865 E27 SL	220-240	8	850	106	6500	E27	Frosted	60	15,000	N	F	10
0029564	ToLEDo Stick V4 1055lm 827 E27 SL	220-240	10	1055	106	2700	E27	Frosted	75	15,000	N	F	10
0029565	ToLEDo Stick V4 1100lm 840 E27 SL	220-240	10	1100	110	4000	E27	Frosted	75	15,000	N	F	10
0029566	ToLEDo Stick V4 1100lm 865 E27 SL	220-240	10	1100	110	6500	E27	Frosted	75	15,000	N	F	10
0029567	ToLEDo Stick V4 1521lm 827 E27 SL	220-240	14	1521	109	2700	E27	Frosted	100	15,000	N	F	10
0029568	ToLEDo Stick V4 1600lm 840 E27 SL	220-240	14	1600	114	4000	E27	Frosted	100	15,000	N	F	10
0029569	ToLEDo Stick V4 1600lm 865 E27 SL	220-240	14	1600	114	6500	E27	Frosted	100	15,000	N	F	10

Dimensions (mm)





Efficient decorative lighting at its best!

ToLEDo™ GLS / Globe / Ball / Candle

Sylvania's ToLEDo™ LED decorative lamps are a perfect alternative to the incandescent lamp. Compact, elegant and energy efficient, these exceptional value for money products deliver years of warm, soothing light at the flick of a switch and save up to 88% energy.

A frosted finish ensures a warm, diffused light emission at a very wide angle and equals the ambience created by incandescent lamps.

ToLEDo LED lamps are the ideal choice for decorative applications such as wall lights, table lamps and covered fixtures.

Features

- Compact and elegant design
- Wide range of lumen outputs, from 470lm to 2450lm
- Up to 87% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs

Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ GLS Non-Dimmable													
0029575	ToLEDo GLS V7 470lm 827 B22 SL	220-240	4.9	470	96	2700	B22	Frosted	40	15,000	N	F	6
0029576	ToLEDo GLS V7 470lm 827 E27 SL	220-240	4.9	470	96	2700	E27	Frosted	40	15,000	N	F	6
0029577	ToLEDo GLS V7 470lm 840 E27 SL	220-240	4.9	470	96	4000	E27	Frosted	40	15,000	N	F	6
0029578	ToLEDo GLS V7 470lm 865 E27 SL	220-240	4.9	470	96	6500	E27	Frosted	40	15,000	N	F	6
0029579	ToLEDo GLS V7 806lm 827 B22 SL	220-240	8	806	101	2700	B22	Frosted	60	15,000	N	F	6
0029580	ToLEDo GLS V7 806lm 827 B22 SL3	220-240	8	806	101	2700	B22	Frosted	60	15,000	N	F	6
0029636	ToLEDo GLS 806lm 827 B22 SL4	220-240	8	806	101	2700	B22	Frosted	60	12,000	N	F	6
0029649	ToLEDo GLS 806lm 827 B22 SL10	220-240	8	806	101	2700	B22	Frosted	60	12,000	N	F	6
0029581	ToLEDo GLS V7 806lm 827 E27 SL	220-240	8	806	101	2700	E27	Frosted	60	15,000	N	F	6
0029582	ToLEDo GLS V7 806lm 827 E27 SL3	220-240	8	806	101	2700	E27	Frosted	60	15,000	N	F	6
0029637	ToLEDo GLS 806lm 827 E27 SL4	220-240	8	806	101	2700	E27	Frosted	60	12,000	N	F	6
0029650	ToLEDo GLS 806lm 827 E27 SL10	220-240	8	806	101	2700	E27	Frosted	60	12,000	N	F	6
0029583	ToLEDo GLS V7 806lm 840 B22 SL	220-240	8	806	101	4000	B22	Frosted	60	15,000	N	F	6
0029584	ToLEDo GLS V7 806lm 840 B22 SL3	220-240	8	806	101	4000	B22	Frosted	60	15,000	N	F	6
0029585	ToLEDo GLS V7 806lm 840 E27 SL	220-240	8	806	101	4000	E27	Frosted	60	15,000	N	F	6
0029586	ToLEDo GLS V7 806lm 840 E27 SL3	220-240	8	806	101	4000	E27	Frosted	60	15,000	N	F	6
0029639	ToLEDo GLS 806lm 840 E27 SL4	220-240	8	806	101	4000	E27	Frosted	60	12,000	N	F	6
0029651	ToLEDo GLS 806lm 840 E27 SL10	220-240	8	806	101	4000	E27	Frosted	60	12,000	N	F	6
0029587	ToLEDo GLS V7 806lm 865 E27 SL	220-240	8	806	101	6500	E27	Frosted	60	15,000	N	F	6
0029588	ToLEDo GLS V7 1055lm 827 B22 SL	220-240	9.5	1055	111	2700	B22	Frosted	75	15,000	N	F	6
0029589	ToLEDo GLS V7 1055lm 827 E27 SL	220-240	9.5	1055	111	2700	E27	Frosted	75	15,000	N	F	6
0029590	ToLEDo GLS V7 1055lm 840 E27 SL	220-240	9.5	1055	111	4000	E27	Frosted	75	15,000	N	F	6
0029591	ToLEDo GLS V7 1055lm 865 E27 SL	220-240	9.5	1055	111	6500	E27	Frosted	75	15,000	N	F	6
0029592	ToLEDo GLS V7 1521lm 827 B22 SL	220-240	13	1521	117	2700	B22	Frosted	100	15,000	N	E	6
0029640	ToLEDo GLS 1521lm 827 B22 SL4	220-240	13	1521	117	2700	B22	Frosted	100	12,000	N	E	6
0029593	ToLEDo GLS V7 1521lm 827 E27 SL	220-240	13	1521	117	2700	E27	Frosted	100	15,000	N	E	6
0029641	ToLEDo GLS 1521lm 827 E27 SL4	220-240	13	1521	117	2700	E27	Frosted	100	12,000	N	E	6
0029594	ToLEDo GLS V7 1521lm 840 E27 SL	220-240	13	1521	117	4000	E27	Frosted	100	15,000	N	E	6
0029595	ToLEDo GLS V7 1521lm 865 E27 SL	220-240	13	1521	117	6500	E27	Frosted	100	15,000	N	E	6
0029596	ToLEDo GLS V7 1920lm 827 E27 SL	220-240	16	1920	120	2700	E27	Frosted	120	15,000	N	E	6
0029597	ToLEDo GLS V7 1920lm 840 E27 SL	220-240	16	1920	120	4000	E27	Frosted	120	15,000	N	E	6
0029598	ToLEDo GLS V7 1920lm 865 E27 SL	220-240	16	1920	120	6500	E27	Frosted	120	15,000	N	E	6
0029599	ToLEDo GLS V7 2450lm 827 E27 SL	220-240	17.5	2450	140	2700	E27	Frosted	150	15,000	N	D	6
0029600	ToLEDo GLS V7 2450lm 840 E27 SL	220-240	17.5	2450	140	4000	E27	Frosted	150	15,000	N	D	6
0029601	ToLEDo GLS V7 2450lm 865 E27 SL	220-240	17.5	2450	140	6500	E27	Frosted	150	15,000	N	D	6

Images



Dimensions (mm)

GLS 470lm/806lm	E27	B22
H	107	105
ø	60	60
GLS 1055lm	E27	B22
H	109	107
ø	60	60
GLS 1521lm	E27	B22
H	120	118
ø	60	60
GLS 1921lm/2452lm	E27	
H	143	
ø	67	



Features


- Compact and elegant design
- Up to 86% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up 150W incandescent lamps
- Uniform light distribution
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas, high ceiling rooms
- Lower maintenance costs

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Globe Non-Dimmable													
0026902	ToLEDo G120 2450lm 827 E27 SL	220-240	20	2450	123	2700	E27	Frosted	150	15,000	N	E	6
0026903	ToLEDo G120 2450lm 840 E27 SL	220-240	20	2450	123	4000	E27	Frosted	150	15,000	N	E	6
0026904	ToLEDo G120 2450lm 865 E27 SL	220-240	20	2450	123	6500	E27	Frosted	150	15,000	N	E	6

Dimensions (mm)

G120	E27
H	175
ø	120



Images



ToLEDo G120
20W



Features


- Elegant and compact design
- Up to 88% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up to 60W incandescent lamps
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Ball Non-Dimmable													
0029617	ToLEDo Ball V7 250lm 827 B22 SL	220-240	2.5	250	83	2700	B22	Frosted	25	15,000	N	F	6
0029618	ToLEDo Ball V7 250lm 827 E14 SL	220-240	2.5	250	83	2700	E14	Frosted	25	15,000	N	F	6
0029619	ToLEDo Ball V7 250lm 827 E27 SL	220-240	2.5	250	83	2700	E27	Frosted	25	15,000	N	F	6
0029620	ToLEDo Ball V7 250lm 840 E14 SL	220-240	2.5	250	83	4000	E14	Frosted	25	15,000	N	F	6
0029621	ToLEDo Ball V7 250lm 840 E27 SL	220-240	2.5	250	83	4000	E27	Frosted	25	15,000	N	F	6
0029622	ToLEDo Ball V7 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Frosted	40	15,000	N	F	6
0029646	ToLEDo Ball 470lm 827 B22 SL4	220-240	4.5	470	104	2700	B22	Frosted	40	12,000	N	F	6
0029623	ToLEDo Ball V7 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Frosted	40	15,000	N	F	6
0029647	ToLEDo Ball 470lm 827 E14 SL4	220-240	4.5	470	104	2700	E14	Frosted	40	12,000	N	F	6
0029624	ToLEDo Ball V7 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Frosted	40	15,000	N	F	6
0029648	ToLEDo Ball 470lm 827 E27 SL4	220-240	4.5	470	104	2700	E27	Frosted	40	12,000	N	F	6
0029625	ToLEDo Ball V7 470lm 840 E14 SL	220-240	4.5	470	104	4000	E14	Frosted	40	15,000	N	F	6
0029626	ToLEDo Ball V7 470lm 840 E27 SL	220-240	4.5	470	104	4000	E27	Frosted	40	15,000	N	F	6
0029627	ToLEDo Ball V7 470lm 865 E14 SL	220-240	4.5	470	104	6500	E14	Frosted	40	15,000	N	F	6
0029628	ToLEDo Ball V7 470lm 865 E27 SL	220-240	4.5	470	104	6500	E27	Frosted	40	15,000	N	F	6
0029629	ToLEDo Ball V7 806lm 827 B22 SL	220-240	6.5	806	124	2700	B22	Frosted	60	15,000	N	E	6
0029630	ToLEDo Ball V7 806lm 827 E14 SL	220-240	6.5	806	124	2700	E14	Frosted	60	15,000	N	E	6
0029631	ToLEDo Ball V7 806lm 827 E27 SL	220-240	6.5	806	124	2700	E27	Frosted	60	15,000	N	E	6
0029632	ToLEDo Ball V7 806lm 840 E14 SL	220-240	6.5	806	124	4000	E14	Frosted	60	15,000	N	E	6
0029633	ToLEDo Ball V7 806lm 840 E27 SL	220-240	6.5	806	124	4000	E27	Frosted	60	15,000	N	E	6
0029634	ToLEDo Ball V7 806lm 865 E14 SL	220-240	6.5	806	124	6500	E14	Frosted	60	15,000	N	E	6
0029635	ToLEDo Ball V7 806lm 865 E27 SL	220-240	6.5	806	124	6500	E27	Frosted	60	15,000	N	E	6

Dimensions (mm)

250lm / 470lm / 806lm	E14	E27	B22
L	82	77	75
ø	45	45	45



Images



ToLEDo™ Candle



Features


- Elegant and compact design.
- Up to 88% energy saving compared to incandescent lamps
- Instant light at the flick of a switch
- Suitable for replacement of up to 60W incandescent lamps
- Available in different colour temperatures - 2700K, 4000K and 6500K
- Good colour rendering (CRI 80)
- Bent tip shape resembles a candle's flame - providing a classic look

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Candle Non-Dimmable													
0029602	ToLEDo Candle V7 250lm 827 B22 SL	220-240	2.5	250	100	2700	B22	Frosted	25	15,000	N	F	6
0029603	ToLEDo Candle V7 250lm 827 E14 SL	220-240	2.5	250	100	2700	E14	Frosted	25	15,000	N	F	6
0029604	ToLEDo Candle V7 250lm 840 E14 SL	220-240	2.5	250	100	4000	E14	Frosted	25	15,000	N	F	6
0029605	ToLEDo Candle V7 250lm 865 E14 SL	220-240	2.5	250	100	6500	E14	Frosted	25	15,000	N	F	6
0029606	ToLEDo Candle V7 470lm 827 B22 SL	220-240	4.5	470	104	2700	B22	Frosted	40	15,000	N	F	6
0029643	ToLEDo Candle 470lm 827 B22 SL4	220-240	4.5	470	104	2700	B22	Frosted	40	12,000	N	F	6
0029607	ToLEDo Candle V7 470lm 827 E14 SL	220-240	4.5	470	104	2700	E14	Frosted	40	15,000	N	F	6
0029608	ToLEDo Candle V7 470lm 827 E14 SL3	220-240	4.5	470	104	2700	E14	Frosted	40	15,000	N	F	6
0029644	ToLEDo Candle 470lm 827 E14 SL4	220-240	4.5	470	104	2700	E14	Frosted	40	12,000	N	F	6
0029609	ToLEDo Candle V7 470lm 827 E27 SL	220-240	4.5	470	104	2700	E27	Frosted	40	15,000	N	F	6
0029645	ToLEDo Candle 470lm 827 E27 SL4	220-240	4.5	470	104	2700	E27	Frosted	40	12,000	N	F	6
0029610	ToLEDo Candle V7 470lm 840 E14 SL	220-240	4.5	470	104	4000	E14	Frosted	40	15,000	N	F	6
0029611	ToLEDo Candle V7 470lm 865 E14 SL	220-240	4.5	470	104	6500	E14	Frosted	40	15,000	N	F	6
0029612	ToLEDo Candle V7 806lm 827 B22 SL	220-240	6.5	806	124	2700	B22	Frosted	60	15,000	N	E	6
0029613	ToLEDo Candle V7 806lm 827 E14 SL	220-240	6.5	806	124	2700	E14	Frosted	60	15,000	N	E	6
0029614	ToLEDo Candle V7 806lm 827 E27 SL	220-240	6.5	806	124	2700	E27	Frosted	60	15,000	N	E	6
0029615	ToLEDo Candle V7 806lm 840 E14 SL	220-240	6.5	806	124	4000	E14	Frosted	60	15,000	N	E	6
0029616	ToLEDo Candle V7 806lm 865 E14 SL	220-240	6.5	806	124	6500	E14	Frosted	60	15,000	N	E	6

Dimensions (mm)

Candle				
250lm / 470lm / 806lm	E14	E27	B22	
L	103	105	103	
ø	35	35	35	



Images





LED Retrofit Range Directional



The new facet of LED lamps

RefLED™ Superia Retro ES50 & MR16



Sylvania's premium quality professional LED directional lamp range, with a glass retro look!

The special halogen inspired faceted lens design enables the full front face of the lens to light up without any visible heatsink, replicating the classic look and feel of traditional halogen lamps.

Ideal to replace traditional halogen lamps in residential, hospitality and retail applications.

RefLED™ Superia Retro ES50



Features

- Premium performance professional LED GU10 range with the same look and feel of traditional halogen GU10 lamp
- Recreates backlight effect similar to halogen dichroic lamps
- Full glass design - means no colours clashing between lamp and fixture
- Very long lifetime of 25,000 hours
- COOLFIT functionality – ensures overheat and over temperature protection
- Switching cycles: >100,000
- High colour rendering: CRI80/ CRI90
- Available in four colour temperatures – 2700K, 3000K, 4000K and 6500K – offering customers a choice of light colour to suit their needs
- Available in dimmable and non-dimmable options*
- 5 year warranty




Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ Superia Retro ES50 Dimmable CRI90														
0029137	RefLED Superia Retro ES50 V3 405lm DIM 927 36d SL	220-240	5	405	81	2700	GU10	Glass	55	25,000	720	Y	F	6
0029138	RefLED Superia Retro ES50 V3 405lm DIM 930 36d SL	220-240	5	405	81	3000	GU10	Glass	55	25,000	720	Y	F	6
0029139	RefLED Superia Retro ES50 V3 405lm DIM 940 36d SL	220-240	5	405	81	4000	GU10	Glass	55	25,000	720	Y	F	6
RefLED™ Superia Retro ES50 Dimmable														
0029125	RefLED Superia Retro ES50 V3 345lm DIM 827 36d SL	220-240	4.5	345	77	2700	GU10	Glass	50	25,000	700	Y	F	6
0029126	RefLED Superia Retro ES50 V3 345lm DIM 830 36d SL	220-240	4.5	345	77	3000	GU10	Glass	50	25,000	700	Y	F	6
0029127	RefLED Superia Retro ES50 V3 345lm DIM 830 36d SL5	220-240	4.5	345	77	3000	GU10	Glass	50	25,000	700	Y	F	5
0029128	RefLED Superia Retro ES50 V3 360lm DIM 840 36d SL	220-240	4.5	360	80	4000	GU10	Glass	50	25,000	750	Y	F	6
0029129	RefLED Superia Retro ES50 V3 360lm DIM 840 36d SL5	220-240	4.5	360	80	4000	GU10	Glass	50	25,000	750	Y	F	5
0029130	RefLED Superia Retro ES50 V3 360lm DIM 865 36d SL	220-240	4.5	360	100	2700	GU10	Glass	60	25,000	750	Y	F	6
0029131	RefLED Superia Retro ES50 V3 450lm DIM 827 36d SL	220-240	5	450	90	3000	GU10	Glass	60	25,000	800	Y	F	6
0029132	RefLED Superia Retro ES50 V3 450lm DIM 830 36d SL	220-240	5	450	90	3000	GU10	Glass	60	25,000	800	Y	F	6
0029133	RefLED Superia Retro ES50 V3 450lm DIM 830 36d SL5	220-240	5	450	90	3000	GU10	Glass	60	25,000	800	Y	F	5
0029134	RefLED Superia Retro ES50 V3 475lm DIM 840 36d SL	220-240	5	475	95	4000	GU10	Glass	65	25,000	860	Y	E	6
0029135	RefLED Superia Retro ES50 V3 475lm DIM 840 36d SL5	220-240	5	475	95	4000	GU10	Glass	65	25,000	860	Y	E	5
0029136	RefLED Superia Retro ES50 V3 475lm DIM 865 36d SL	220-240	5	475	95	6500	GU10	Glass	65	25,000	860	Y	E	6
0029140	RefLED Superia Retro ES50 V3 550lm DIM 827 36d SL	220-240	6	550	92	2700	GU10	Glass	75	25,000	1000	Y	F	6
0029141	RefLED Superia Retro ES50 V3 550lm DIM 830 36d SL	220-240	6	550	92	3000	GU10	Glass	75	25,000	1000	Y	F	6
0029142	RefLED Superia Retro ES50 V3 580lm DIM 840 36d SL	220-240	6	580	97	4000	GU10	Glass	80	25,000	1080	Y	E	6
0029143	RefLED Superia Retro ES50 V3 580lm DIM 865 36d SL	220-240	6	580	97	6500	GU10	Glass	80	25,000	1080	Y	E	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

Dimensions (mm)



RefLED™ Superia Retro ES50




Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ Superia Retro ES50 Non-dimmable														
0029101	RefLED Superia Retro ES50 V3 230lm 827 36d SL	220-240	3	230	77	2700	GU10	Glass	35	25,000	500	N	F	6
0029102	RefLED Superia Retro ES50 V3 230lm 830 36d SL	220-240	3	230	77	3000	GU10	Glass	35	25,000	500	N	F	6
0029103	RefLED Superia Retro ES50 V3 230lm 840 36d SL	220-240	3	230	77	4000	GU10	Glass	35	25,000	500	N	F	6
0029104	RefLED Superia Retro ES50 V3 230lm 865 36d SL	220-240	3	230	77	6500	GU10	Glass	35	25,000	500	N	F	6
0029105	RefLED Superia Retro ES50 V3 345lm 827 36d SL	220-240	4	345	86	2700	GU10	Glass	50	25,000	700	N	F	6
0029106	RefLED Superia Retro ES50 V3 345lm 830 36d SL	220-240	4	345	86	3000	GU10	Glass	50	25,000	700	N	F	6
0029107	RefLED Superia Retro ES50 V3 345lm 830 36d SL2	220-240	4	345	86	3000	GU10	Glass	50	25,000	700	N	F	6
0029108	RefLED Superia Retro ES50 V3 345lm 830 36d SL3	220-240	4	345	86	3000	GU10	Glass	50	25,000	700	N	F	6
0029109	RefLED Superia Retro ES50 V3 360lm 840 36d SL	220-240	4	360	90	4000	GU10	Glass	50	25,000	750	N	F	6
0029110	RefLED Superia Retro ES50 V3 360lm 840 36d SL2	220-240	4	360	90	4000	GU10	Glass	50	25,000	750	N	F	6
0029111	RefLED Superia Retro ES50 V3 360lm 840 36d SL3	220-240	4	360	90	4000	GU10	Glass	50	25,000	750	N	F	6
0029112	RefLED Superia Retro ES50 V3 360lm 865 36d SL	220-240	4	360	90	6500	GU10	Glass	50	25,000	750	N	F	6
0029113	RefLED Superia Retro ES50 V3 450lm 827 36d SL	220-240	5	450	90	2700	GU10	Glass	60	25,000	800	N	F	6
0029114	RefLED Superia Retro ES50 V3 450lm 830 36d SL	220-240	5	450	90	3000	GU10	Glass	60	25,000	800	N	F	6
0029115	RefLED Superia Retro ES50 V3 475lm 840 36d SL	220-240	5	475	95	4000	GU10	Glass	65	25,000	860	N	E	6
0029116	RefLED Superia Retro ES50 V3 475lm 865 36d SL	220-240	5	475	95	6500	GU10	Glass	65	25,000	860	N	E	6
0029117	RefLED Superia Retro ES50 V3 550lm 827 36d SL	220-240	6	550	92	2700	GU10	Glass	75	25,000	1000	N	F	6
0029118	RefLED Superia Retro ES50 V3 600lm 830 36d SL	220-240	6	600	100	3000	GU10	Glass	80	25,000	1000	N	E	6
0029119	RefLED Superia Retro ES50 V3 620lm 840 36d SL	220-240	6	620	103	4000	GU10	Glass	85	25,000	1080	N	E	6
0029120	RefLED Superia Retro ES50 V3 620lm 865 36d SL	220-240	6	620	103	6500	GU10	Glass	86	25,000	1080	N	E	6
0029121	RefLED Superia Retro ES50 V3 700lm 827 36d SL	220-240	7.3	700	96	2700	GU10	Glass	95	25,000	1300	N	E	6
0029122	RefLED Superia Retro ES50 V3 700lm 830 36d SL	220-240	7.3	700	96	3000	GU10	Glass	95	25,000	1300	N	E	6
0029123	RefLED Superia Retro ES50 V3 750lm 840 36d SL	220-240	7.3	750	103	4000	GU10	Glass	100	25,000	1300	N	E	6
0029124	RefLED Superia Retro ES50 V3 750lm 865 36d SL	220-240	7.3	750	103	6500	GU10	Glass	100	25,000	1300	N	E	6

Images



Dimensions (mm)



RefLED™ Superia Retro MR16



Features

- Premium performance professional LED MR16 range with the same look and feel of traditional halogen MR16 lamp
- Recreates backlight effect similar to halogen dichroic lamps.
- Full glass design - means no colours clashing between lamp and fixture
- Very long lifetime of up to 25,000 hours
- Power factor: 0.90
- Switching cycles: >100,000
- Colour rendering: CRI80
- Lamp voltage: 12V AC/DC
- Available in three colour temperatures – 2700K, 3000K and 4000K – offering customers a choice of light colour to suit their needs
- Dimmable*
- Works with magnetic and compatible electronic transformers*
- 5 year warranty




Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty	
RefLED™ Superia Retro MR16 Dimmable															
0029214	RefLED Superia Retro V2 MR16 345lm DIM 827 36° SL	12	4.4	345	78	2700	GU5.3	Glass	35	25000	800	Y	F	6	
0029215	RefLED Superia Retro V2 MR16 345lm DIM 830 36° SL	12	4.4	345	78	3000	GU5.3	Glass	35	25000	800	Y	F	6	
0029216	RefLED Superia Retro V2 MR16 380lm DIM 840 36° SL	12	4.4	380	86	4000	GU5.3	Glass	35	25000	900	Y	F	6	
0029217	RefLED Superia Retro V2 MR16 380lm DIM 865 36° SL	12	4.4	380	86	6500	GU5.3	Glass	35	25000	900	Y	F	6	
0029218	RefLED Superia Retro V2 MR16 460lm DIM 827 36° SL	12	5.8	460	79	2700	GU5.3	Glass	40	25000	1000	Y	F	6	
0029219	RefLED Superia Retro V2 MR16 460lm DIM 830 36° SL	12	5.8	460	79	3000	GU5.3	Glass	40	25000	1000	Y	F	6	
0029220	RefLED Superia Retro V2 MR16 480lm DIM 840 36° SL	12	5.8	480	83	4000	GU5.3	Glass	40	25000	1100	Y	F	6	
0029221	RefLED Superia Retro V2 MR16 480lm DIM 865 36° SL	12	5.8	480	83	6500	GU5.3	Glass	40	25000	1100	Y	F	6	
0029222	RefLED Superia Retro V2 MR16 621lm DIM 827 36° SL	12	7.5	621	83	2700	GU5.3	Glass	50	25000	1000	Y	F	6	
0029223	RefLED Superia Retro V2 MR16 621lm DIM 830 36° SL	12	7.5	621	83	3000	GU5.3	Glass	50	25000	1000	Y	F	6	
0029224	RefLED Superia Retro V2 MR16 621lm DIM 840 36° SL	12	7.5	621	83	4000	GU5.3	Glass	50	25000	1000	Y	F	6	
0029225	RefLED Superia Retro V2 MR16 621lm DIM 865 36° SL	12	7.5	621	83	6500	GU5.3	Glass	50	25000	1000	Y	F	6	

*For a full list of approved dimmers and transformers, please visit our website www.sylvania-lighting.com

Dimensions (mm)



RefLED™ Superia Retro MR16



Features

- Premium performance professional LED MR16 range with the same look and feel of traditional halogen MR16 lamp
- Recreates backlight effect similar to halogen dichroic lamps.
- Full glass design - means no colours clashing between lamp and fixture
- Very long lifetime of up to 25,000 hours
- Switching cycles: >100,000
- Colour rendering: CRI80
- Lamp voltage: 12V AC/DC
- Available in four colour temperatures – 2700K, 3000K, 4000K and 6500K – offering customers a choice of light colour to suit their needs
- Non-Dimmable
- Works with magnetic and compatible electronic transformers*
- 5 year warranty




Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ Superia Retro MR16 Non-Dimmable														
0029226	RefLED Superia Retro V2 MR16 345lm 827 36° SL	12	4.3	345	80	2700	GU5.3	Glass	35	25,000	600	N	F	6
0029227	RefLED Superia Retro V2 MR16 345lm 830 36° SL	12	4.3	345	80	3000	GU5.3	Glass	35	25,000	600	N	F	6
0029228	RefLED Superia Retro V2 MR16 380lm 840 36° SL	12	4.3	380	88	4000	GU5.3	Glass	35	25,000	600	N	F	6
0029229	RefLED Superia Retro V2 MR16 380lm 865 36° SL	12	4.3	380	88	6500	GU5.3	Glass	35	25,000	600	N	F	6
0029230	RefLED Superia Retro V2 MR16 460lm 830 36° SL	12	4.6	460	100	3000	GU5.3	Glass	40	25,000	900	N	F	6
0029231	RefLED Superia Retro V2 MR16 480lm 840 36° SL	12	4.6	480	104	4000	GU5.3	Glass	40	25,000	900	N	E	6
0029232	RefLED Superia Retro V2 MR16 480lm 865 36° SL	12	4.6	480	104	6500	GU5.3	Glass	40	25,000	900	N	E	6
0029233	RefLED Superia Retro V2 MR16 600lm 830 36° SL	12	6	600	100	3000	GU5.3	Glass	49	25,000	1000	N	F	6
0029234	RefLED Superia Retro V2 MR16 621lm 840 36° SL	12	6	621	104	4000	GU5.3	Glass	50	25,000	1000	N	E	6
0029235	RefLED Superia Retro V2 MR16 621lm 865 36° SL	12	6	621	104	6500	GU5.3	Glass	50	25,000	1000	N	E	6

*For a full list of approved transformers, please visit our website www.sylvania-lighting.com

Dimensions (mm)





Affordable quality and beauty

RefLED™ ES50 & RefLED™ ES50 XL



Perfect for consumers and contractors looking for LED solutions to replace halogen GU10s in the most efficient and economical way, while maintaining a similar visual appearance and brightness.

RefLED™ ES50 & RefLED™ ES50 XL



Compact, long life and energy efficient, the RefLED ES50 & RefLED ES50 XL lamps are exceptional value for money products that deliver up to 620lm and are suitable for replacing traditional halogen GU10 lamps.

With a design reminiscent of a halogen lamp and a very narrow visible heat sink from the front, the lamps are ideal for a wide range of spotlights and downlights, all backed by a 3 year warranty for complete peace-of-mind.

RefLED ES50 is available in non-dimmable versions in popular Homelight (2700K), Warm White (3000K), Cool White (4000K) and Daylight (6500K) colour temperatures. RefLED ES50 XL is available in the non-dimmable version in Warm White (3000K) colour temperature.

Features

- Up to 90% energy saving
- Same shape and size as halogen GU10 lamps
- Wide choice of lumen packages
- Compact Cluster SMD technology enabling high efficiency with halogen look
- Reduced visible heat sink from the front
- Available in different colour temperatures - 2700K, 3000K, 4000K and 6500K
- Available in 36 degree or ultra-wide 110 degree beam angles
- High efficacy up to 89lm/W
- 15,000 hours average rated life
- 3 year warranty

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ ES50 XL Non-Dimmable														
0028585	RefLED ES50 XL V4 345lm 830 36° SL	220-240	4.2	345	82	3000	GU10	White	50	15,000	770	N	F	6
RefLED™ ES50 Non-Dimmable														
RefLED ES50 V6 230lm 36°														
0029155	RefLED ES50 V6 230lm 830 36° SL	220-240	3.1	230	74	3000	GU10	White	35	15,000	460	N	F	6
0029156	RefLED ES50 V6 230lm 830 36° SL3	220-240	3.1	230	74	3000	GU10	White	35	15,000	460	N	F	6
0029157	RefLED ES50 V6 230lm 840 36° SL	220-240	3.1	230	74	4000	GU10	White	35	15,000	500	N	F	6
0029158	RefLED ES50 V6 230lm 865 36° SL	220-240	3.1	230	74	6500	GU10	White	35	15,000	500	N	F	6
RefLED ES50 V6 345lm 36°														
0029159	RefLED ES50 V6 345lm 827 36° SL	220-240	4.2	345	82	2700	GU10	White	50	15,000	770	N	F	6
0029160	RefLED ES50 V6 345lm 830 36° SL	220-240	4.2	345	82	3000	GU10	White	50	15,000	770	N	F	6
0029162	RefLED ES50 V6 345lm 830 36° SL3	220-240	4.2	345	82	3000	GU10	White	50	15,000	770	N	F	6
0029163	RefLED ES50 V6 345lm 830 36° SL5	220-240	4.2	345	82	3000	GU10	White	50	15,000	770	N	F	6
0029164	RefLED ES50 V6 345lm 830 36° SL10	220-240	4.2	345	82	3000	GU10	White	50	15,000	770	N	F	6
0029165	RefLED ES50 V6 345lm 840 36° SL	220-240	4.2	345	82	4000	GU10	White	50	15,000	770	N	F	6
0029167	RefLED ES50 V6 345lm 840 36° SL3	220-240	4.2	345	82	4000	GU10	White	50	15,000	770	N	F	6
0029168	RefLED ES50 V6 345lm 840 36° SL5	220-240	4.2	345	82	4000	GU10	White	50	15,000	770	N	F	6
0029169	RefLED ES50 V6 345lm 840 36° SL10	220-240	4.2	345	82	4000	GU10	White	50	15,000	770	N	F	6
0029170	RefLED ES50 V6 345lm 865 36° SL	220-240	4.2	345	82	6500	GU10	White	50	15,000	770	N	F	6
0029171	RefLED ES50 V6 345lm 865 36° SL10	220-240	4.2	345	82	6500	GU10	White	50	15,000	770	N	F	6
RefLED ES50 V6 320lm 110°														
0029172	RefLED ES50 V6 320lm 830 110° SL	220-240	4.2	320	76	3000	GU10	White	47	15,000	170	N	F	6
0029173	RefLED ES50 V6 320lm 830 110° SL10	220-240	4.2	320	76	3000	GU10	White	47	15,000	170	N	F	6
0029174	RefLED ES50 V6 320lm 840 110° SL	220-240	4.2	320	76	4000	GU10	White	47	15,000	170	N	F	6
0029175	RefLED ES50 V6 320lm 840 110° SL10	220-240	4.2	320	76	4000	GU10	White	47	15,000	170	N	F	6
0029176	RefLED ES50 V6 320lm 865 110° SL	220-240	4.2	320	76	6500	GU10	White	47	15,000	170	N	F	6
0029177	RefLED ES50 V6 320lm 865 110° SL10	220-240	4.2	320	76	6500	GU10	White	47	15,000	170	N	F	6
RefLED ES50 V6 450lm 36°														
0029178	RefLED ES50 V6 450lm 830 36° SL	220-240	6.2	450	73	3000	GU10	White	64	15,000	960	N	F	6
0029179	RefLED ES50 V6 450lm 840 36° SL	220-240	6.2	450	73	4000	GU10	White	64	15,000	960	N	F	6
0029180	RefLED ES50 V6 450lm 865 36° SL	220-240	6.2	450	73	6500	GU10	White	64	15,000	960	N	F	6

RefLED™ ES50 & RefLED™ ES50 XL



Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED ES50 V6 450lm 110°														
0029181	RefLED ES50 V6 450lm 830 110° SL	220-240	6.2	450	73	3000	GU10	White	64	15,000	250	N	F	6
0029182	RefLED ES50 V6 450lm 840 110° SL	220-240	6.2	450	73	4000	GU10	White	64	15,000	250	N	F	6
RefLED ES50 V6 800lm 36°														
0029183	RefLED ES50 V6 610lm 830 36° SL	220-240	7	610	87	3000	GU10	White	85	15,000	1350	N	F	6
0029184	RefLED ES50 V6 610lm 830 36° SL5	220-240	7	610	87	3000	GU10	White	85	15,000	1350	N	F	6
0029185	RefLED ES50 V6 610lm 840 36° SL	220-240	7	610	87	4000	GU10	White	85	15,000	1350	N	F	6
0029186	RefLED ES50 V6 610lm 840 36° SL5	220-240	7	610	87	4000	GU10	White	85	15,000	1350	N	F	6
0029187	RefLED ES50 V6 620lm 865 36° SL	220-240	7	620	89	6500	GU10	White	86	15,000	1350	N	F	6
RefLED ES50 V6 800lm 110°														
0029188	RefLED ES50 V6 580lm 830 110° SL	220-240	7	580	83	3000	GU10	White	81	15,000	320	N	F	6
0029189	RefLED ES50 V6 600lm 840 110° SL	220-240	7	600	86	4000	GU10	White	83	15,000	320	N	F	6

Images



RefLED ES50 XL




RefLED ES50 36°



RefLED ES50 110°

Dimensions (mm)





High performance dimmable LED lamp

RefLED™ Retro ES111

The new RefLED™ Retro ES111 Dimmable, with its halogen look and the latest LED technology from Sylvania, is the perfect LED retrofit solution for your business, ensuring a quick payback.

The new RefLED Retro ES111 Dimmable is an energy efficient solution with reduced maintenance costs and becomes the ideal replacement for the halogen equivalent.

The lamp is available in 1150lm and beam angle of 25° with a colour temperature of 3000K.

RefLED Retro ES111 Dimmable is ideal for accent lighting and general illumination, especially in stores, hotels, restaurants, bars and pubs.



RefLED™ Retro ES111



Features

- Energy saving replacement for halogen ES111 GU10 lamps
- High lumen output
- Compact design, same diameter as the halogen lamp
- Stippled lens to help reduce glare and recreate the halogen light effect
- 25 degree beam angle
- 87% energy saving
- Dimmable
- 25,000 hours average rated life, lasts 12.5 times longer than halogen alternatives
- High lumen efficacy - 89 lm/W
- CRI 80

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ Retro ES111 Dimmable														
0029192	RefLED RT ES111 1150LM DIM 830 25°SL	220-240	13	1150	89	3000	E14	Glass	150	25,000	3200	Y	F	6


*For a full list of approved transformers, please visit our website www.sylvania-lighting.com

Images



0029192

Dimensions (mm)





High performance in a classic design

RefLED™ Retro PAR



The new RefLED™ Retro PAR range offers a combination of glass retro look, high lumen output and extremely long life. These new generation RefLED Retro PAR lamps are the ideal replacement of traditional PAR lamps and suitable for both general lighting and accent lighting applications.

RefLED™ Retro PAR



Features

- High performance LED PAR lamps with the same look and feel of traditional PAR lamps
- Glass construction - means no colours clashing between lamp and fixture
- Reduced visible heatsink from the front
- Up to 89% energy saving
- Mercury-free solution
- Lower maintenance cost
- Available in PAR16, PAR20, PAR30 and PAR38 shapes
- RefLED PAR38 is IP65 rated and is suitable for both indoor and outdoor application when used with correct luminaire
- Lifetime: up to 25,000 hours
- High lumen efficacy
- Dimmable with approved dimmers*
- 3 year warranty
- Suitable for general lighting and accent lighting in hotels, restaurants, bars, lobbies, corridors and halls

Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	IP Rating	Packaging
RefLED™ Retro PAR16 Non-Dimmable															
0029193	RefLED RT PAR16 V2 345lm 830 E14 36° SL	220-240	4.5	345	77	3000	E14	Glass	50	15,000	700	N	F	IP20	6
0029194	RefLED RT PAR16 V2 345lm 840 E14 36° SL	220-240	4.5	345	77	4000	E14	Glass	50	15,000	700	N	F	IP20	6
0029195	RefLED RT PAR16 V2 345lm 865 E14 36° SL	220-240	4.5	345	77	6500	E14	Glass	50	15,000	700	N	F	IP20	6
RefLED™ Retro PAR20 Dimmable															
0029196	RefLED RT PAR20 V2 DIM 540lm 830 36° SL	220-240	7.2	540	75	3000	E27	Glass	70	25,000	1200	Y	F	IP20	6
0029197	RefLED RT PAR20 V2 DIM 540lm 840 36° SL	220-240	7.2	540	75	4000	E27	Glass	70	25,000	1200	Y	F	IP20	6
RefLED™ Retro PAR30 Dimmable															
0029198	RefLED RT PAR30 V2 DIM 820lm 830 36° SL	220-240	11	820	75	3000	E27	Glass	95	25,000	1900	Y	F	IP20	6
0029199	RefLED RT PAR30 V2 DIM 820lm 840 36° SL	220-240	11	820	75	4000	E27	Glass	95	25,000	1900	Y	F	IP20	6
RefLED™ Retro PAR38 Dimmable															
0029200	RefLED RT PAR38 V2 DIM 1200lm 830 IP65 40° SL	220-240	15	1200	80	3000	E27	Glass	140	25,000	2400	Y	F	IP65	6
0029201	RefLED RT PAR38 V2 DIM 1200lm 840 IP65 40°SL	220-240	15	1200	80	4000	E27	Glass	140	25,000	2400	Y	F	IP65	6

*For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

Images



Dimensions (mm)





A modern and versatile alternative to traditional lamps

RefLED™ Reflector

The RefLED™ Reflector range is an energy-efficient replacement for halogen and incandescent reflector lamps. The RefLED Reflector lamps reduce power consumption by up to 88% and look similar to traditional reflector lamps in a new compact design.



RefLED™ Reflector



Features

- Energy efficient LED alternative for traditional incandescent and halogen reflector lamps
- Modern construction and attractive design
- Up to 88% energy saving
- High lumen efficacy: up to 101 lm/W
- Mercury free solution

- Long average lifetime: 15,000 hours
- Lower maintenance cost compared to traditional lamps
- Non-dimmable
- 3-year warranty
- Easy to install and fit perfectly with existing luminaires
- Perfect for general lighting applications:

residential lighting, downlights, hotels, hotels, restaurants, bars, lobbies, corridors, halls etc


Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ R39 Non-Dimmable													
0029202	RefLED R39 V4 250lm 830 E14 SL	220-240	2.9	250	86	3000	E14	Frosted	25	15,000	N	F	6
0029203	REFLED R39 V4 250lm 840 E14 SL	220-240	2.9	250	86	4000	E14	Frosted	25	15,000	N	F	6
0029204	REFLED R39 V4 250lm 865 E14 SL	220-240	2.9	250	86	6500	E14	Frosted	25	15,000	N	F	6
RefLED™ R50 Non-Dimmable													
0029205	RefLED R50 V4 470lm 830 E14 SL	220-240	4.9	470	96	3000	E14	Frosted	40	15,000	N	F	6
0029206	RefLED R50 V4 470lm 840 E14 SL	220-240	4.9	470	96	4000	E14	Frosted	40	15,000	N	F	6
0029207	RefLED R50 V4 470lm 865 E14 SL	220-240	4.9	470	96	6500	E14	Frosted	40	15,000	N	F	6
RefLED™ R63 Non-Dimmable													
0029208	RefLED R63 V4 630lm 830 E27 SL	220-240	7	630	90	3000	E27	Frosted	50	15,000	N	F	6
0029209	REFLED R63 V4 630lm 840 E27 SL	220-240	7	630	90	4000	E27	Frosted	50	15,000	N	F	6
0029210	RefLED R63 V4 630lm 865 E27 SL	220-240	7	630	90	6500	E27	Frosted	50	15,000	N	F	6
RefLED™ R80 Non-Dimmable													
0029211	RefLED R80 V4 806lm 830 E27 SL	220-240	8	806	101	3000	E27	Frosted	60	15,000	N	F	6
0029212	REFLED R80 V4 806lm 840 E27 SL	220-240	8	806	101	4000	E27	Frosted	60	15,000	N	F	6
0029213	RefLED R80 V4 806lm 865 E27 SL	220-240	8	806	101	6500	E27	Frosted	60	15,000	N	F	6

Images



Dimensions (mm)





Classic looks, modern technology

RefLED™ Retro MR11



Sylvania's new LED MR11 directional lamp range, now with a glass retro look!

The special halogen inspired faceted lens designs allow the full front face of the lens to light up without any visible heatsink, replicating the classic look and feel of traditional halogen lamps.

Ideal to replace traditional halogen lamps in residential, hospitality and retail applications.

RefLED™ Retro MR11



Features


- LED MR11 range with the same look and feel of traditional halogen MR11 lamp
- Up to 88% energy saving
- Full glass design - means no colours clashing between lamp and fixture
- Available in 36 degree beam angle
- 15,000 hours average rated life
- Switching cycles: 50,000
- Colour rendering: CRI80
- Lamp voltage: 12V AC/DC
- Works with magnetic and compatible electronic transformers*
- 3 year warranty

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Candela (cd)	Dimmable (Y/N)	Energy Class	Packaging Qty
RefLED™ Retro MR11 Non-Dimmable														
0029238	RefLED Retro MR11 184lm 830 36° SL	12	2.5	184	74	3000	GU4	Glass	20	15,000	400	N	G	6
0029239	RefLED Retro MR11 345lm 830 36° SL	12	4	345	86	3000	GU4	Glass	35	15,000	600	N	F	6
0029240	RefLED Retro MR11 345lm 840 36° SL	12	4	345	86	4000	GU4	Glass	35	15,000	600	N	F	6

*For a full list of approved transformers, please visit our website www.sylvania-lighting.com

Dimensions (mm)







LED Specials Range




Reliability and Performance

ToLEDo™ Performer

The ToLEDo™ Performer series is a direct retrofit solution to replace high-pressure mercury vapor lamps. It is a quick, safe and easy way to upgrade traditional HID installation to LED while keeping the initial investment low.

ToLEDo™ Performer T-Series



Features

- Direct retrofit replacement for high-pressure mercury vapor lamps (HPMV)
- 50,000 hours average rated lifetime
- Up to 78% energy saving compared to the standard high-pressure mercury vapor lamps
- Mercury-free solution
- Lower maintenance cost
- High lumen efficacy - up to 131lm/W
- Dual operating mode – compatible with HPMV magnetic ballast and also, suitable for AC direct mains 100-240V operation
- High surge voltage protection: 4kV
- Suitable for both open and enclosed luminaires
- Wide light distribution
- High switching cycles – 200,000X
- High colour rendering – CRI80
- Minimum and maximum operating temperature: -30°C to 50°C


Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Performer T60 Non-Dimmable												
0028369	ToLEDo Performer T60 2300lm 840 E27 SL	100-240	18	2300	128	4000	E27	Clear	50,000	N	E	6
0028425	ToLEDo Performer T60 3100lm 830 E27 SL	100-240	27	3100	115	3000	E27	Clear	50,000	N	E	6
0028370	ToLEDo Performer T60 3400lm 840 E27 SL	100-240	27	3400	126	4000	E27	Clear	50,000	N	E	6
ToLEDo™ Performer T85 Non-Dimmable												
0028426	ToLEDo Performer T85 4100lm 830 E27 SL	100-240	36	4100	114	3000	E27	Clear	50,000	N	E	6
0028371	ToLEDo Performer T85 4500lm 840 E27 SL	100-240	36	4500	125	4000	E27	Clear	50,000	N	E	6
0028427	ToLEDo Performer T85 6100lm 830 E40 SL	100-240	54	6100	113	3000	E27	Clear	50,000	N	E	6
0028373	ToLEDo Performer T85 6800lm 840 E40 SL	100-240	54	6800	126	4000	E27	Clear	50,000	N	E	6
ToLEDo™ Performer T130 Non-Dimmable												
0028428	ToLEDo Performer T130 V2 9500lm 830 E40 SL	120-240	80	9500	119	3000	E40	Clear	50,000	N	E	4
0028379	ToLEDo Performer T130 V2 10500lm 840 E40 SL	120-240	80	10500	131	4000	E40	Clear	50,000	N	E	4
0028429	ToLEDo Performer T130 V2 12000lm 830 E40 SL	120-240	100	12000	120	3000	E40	Clear	50,000	N	E	4
0028380	ToLEDo Performer T130 V2 13000lm 840 E40 SL	120-240	100	13000	130	4000	E40	Clear	50,000	N	E	4
0028381	ToLEDo Performer T130 V2 15000lm 840 E40 SL	120-240	120	15000	125	3000	E40	Clear	50,000	N	E	4

Images



*Made to order



Dimensions (mm)

	Diameter (Ø)	Height (H)	Net Weight (Kg)
2300lm	60	150	0.25
3100lm/3400lm	60	175	0.31
4100lm/4500lm	85	204	0.63
6100lm/6800lm	85	245	0.77
9500lm/10,500lm	130	250	1.33
12,000lm/13,000lm	130	265	1.45
15,000lm	130	286	1.58

ToLEDo™ Performer H-Series



Features

- The ToLEDo™ Performer H-Series is designed for replacing HID lamps for high-bay luminaires to maximise energy savings with wide light distribution
- Direct retrofit replacement for high-pressure mercury vapor lamps (HPMV)
- 50,000 hours average rated lifetime
- Up to 71% energy saving compared to the standard high-pressure mercury vapor lamps
- Detachable 3.5mm jack plug microwave sensor allow to adjust hold-time and standby brightness level
- Mercury-free solution
- Lower maintenance cost
- High lumen efficacy - up to 135lm/W
- Dual operating mode – compatible with HPMV magnetic ballast and also, suitable for AC direct mains 220-240V operation
- Up and down light distribution
- High surge voltage protection: 4kV
- Suitable for both open and enclosed luminaires.
- Wide light distribution.
- High switching cycles – 200,000X
- High colour rendering – CRI80
- Minimum and maximum operating temperature: -30°C to 50°C

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Performer H200												
0028377	ToLEDo Performer H200 10500lm 840 E40 SL	220-240	80	10500	131	4000	E40	Clear	50,000	N	E	4
ToLEDo™ Performer H230												
0028378	ToLEDo Performer H230 15500lm 840 E40 SL	220-240	115	15500	135	4000	E40	Clear	50,000	N	E	4

* Preset dimming - only when used with microwave sensor

Images




H200 10,500lm

H230 15,500lm

Dimensions (mm)

	Diameter (Ø)	Height (H)	Net Weight (Kg)
0028377	200	195	1.3
0028378	230	210	1.7



ToLEDo™ Performer Microwave Sensor



Features

- The ToLEDo™ Performer H-Series can be used with or without microwave sensor
- Easy to install and remove
- Detachable 3.5mm jack plug
- Maximum detection diameter - 12 meters
- Maximum detection height - 10 meters
- Hold time means full light output and not in standby mode.
- Hold time settings - 30 secs, 90 secs, 5 mins and 10 mins
- Standby brightness settings - 0% (zero light output), 20%, 40% and 60%
- Only works with ToLEDo™ Performer H-Series


Images




Dimensions (mm)



ToLEDo™ Performer Microwave Sensor Functions



ToLEDo™ Performer Microwave Sensor Range



HPMV Magnetic Ballast (CCG) Compatibility Overview

Code	Description	50W HPMV Ballast	80W HPMV Ballast	125W HPMV Ballast
0028425	ToLEDo Performer T60 3100lm 830 E27 SL	✓	✓	✓
0028426	ToLEDo Performer T85 4100lm 830 E27 SL	✓	✓	✓
0028369	ToLEDo Performer T60 2300lm 840 E27 SL	✓	✓	✓
0028370	ToLEDo Performer T60 3400lm 840 E27 SL	✓	✓	✓
0028371	ToLEDo Performer T85 4500lm 840 E27 SL	✓	✓	✓

Code	Description	250W HPMV Ballast	400W HPMV Ballast
0028427	ToLEDo Performer T85 6100lm 830 E40 SL	✓	✓
0028428	ToLEDo Performer T130 V2 9500lm 830 E40 SL	✓	✓
0028429	ToLEDo Performer T130 V2 12000lm 830 E40 SL	✓	✓
0028373	ToLEDo Performer T85 6800lm 840 E40 SL	✓	✓
0028379	ToLEDo Performer T130 V2 10500lm 840 E40 SL	✓	✓
0028380	ToLEDo Performer T130 V2 13000lm 840 E40 SL	✓	✓
0028381	ToLEDo Performer T130 V2 15000lm 840 E40 SL	✓	✓
0028377	ToLEDo Performer H200 10500lm 840 E40 SL	✓	✓
0028378	ToLEDo Performer H230 15500lm 840 E40 SL	✓	✓





Bright and colourful lamps for indoor and outdoor decoration



ToLEDo™ Retro Chroma

ToLEDo Retro Chroma is a range of LED retrofit lamps with the most intense colours on the market. These sparkling, crystal-clear lamps use filament LED technology to give a high lumen output and are weatherproof for outdoor use.

ToLEDo™ Retro Chroma



Sylvania is a pioneer in gas-cooled LED filament technology and continues this trend with the introduction of the new ToLEDo Retro Chroma coloured lamps for indoor and outdoor decorative applications.

Chroma lamps are different to other coloured LED lamps on the market today. These attractive crystal-clear bulbs use filament LED technology to give a sparkling and intense colour output. They are not coated with a plastic film/painted which can restrict light output and wear off over time. Instead the colour is emitted from the LED filament itself resulting in a much improved light output for long-life colour. These weatherproof lamps can be used inside or outside. Some of the many applications for these lamps include; gardens, theatres, music festivals, hotels and pub garden illumination.

Features

- Each LED filament is coated with a unique coloured fluorescent phosphor creating the most intense and saturated colours on the market
- Clear outer A60 bulb ensuring no light losses due to absorption by painted glass bulbs, ensuring high lumen output
- Full glass construction with no external lacquer coating to peel or scratch off when used outdoors, ensuring long-life colour
- IP54 water/dust/dirt resistant
- Coloured lamp bases to help easily identify the various light colours
- Applications include; gardens, theatres, music festivals, hotels and pub garden illumination
- Independently tested for quality & safety (CE and UKCA)


Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour	Dominant Wavelength (nm)	Base	Finish	Average rated life (h)	Dimmable (Y/N)	IP Rating	Packaging Qty
ToLEDo™ Retro Chroma Non-Dimmable													
0086306	ToLEDo Retro Chroma A60 Orange E27 SL	220-240	4	380	95	Orange	595	E27	Clear	10,000	N	IP54	6
0086307	ToLEDo Retro Chroma A60 Red E27 SL	220-240	4	80	20	Red	620	E27	Clear	10,000	N	IP54	6
0086308	ToLEDo Retro Chroma A60 Blue E27 SL	220-240	4	80	20	Blue	455	E27	Clear	15,000	N	IP54	6
0086309	ToLEDo Retro Chroma A60 Green E27 SL	220-240	4	700	175	Green	540	E27	Clear	6,000	N	IP54	6
0086310	ToLEDo Retro Chroma A60 G/B/R/O E27 4pk SL	220-240	4	various	various	O/R/B/G	various	E27	Clear	various	N	IP54	6

ToLEDo Retro Chroma lamps are ideal for use in Sylvania's YourHome Festoon String Kit and Festoon String. See below.

Code	Description	Plug	Lamps included (Y/N)
YourHome Festoon String Kit			
0086304	YourHome Festoon String Kit EUR	2-pin (EU)	Y
0086324	YourHome Festoon String Kit UK	3-pin (UK)	Y
0086322	YourHome Festoon String EUR	2-pin (EU)	N
0086323	YourHome Festoon String UK	3-pin (UK)	N

Additional Images




ToLEDo™ Retro Chroma



Images (Off and On mode)



Dimensions (mm)





Compact, reliable and energy efficient

ToLEDo™ Retro/ToLEDo™ R7s 78mm and 118mm

Long life and energy efficient retrofit replacement for traditional halogen double-ended linear R7s lamps for domestic and commercial applications.



ToLEDo™ Retro/ToLEDo™ R7s 78mm and 118mm



ToLEDo™ Retro R7s have the same look and feel as traditional halogen R7s lamps. The slim design, glass construction and omni-directional light distribution make them the perfect alternative to halogen R7s lamps.

ToLEDo R7s are a retrofit replacement for traditional halogen double-ended linear R7s lamps. Omni-directional light distribution, high lumen efficacy of up to 138lm/W and robust construction make them an ideal lamp for domestic and commercial applications.

ToLEDo R7s last up to 12.5 times longer than traditional halogen lamps and reduce electricity consumption by 89%.

Features


- Omni-directional light distribution
- High lumen efficacy: up to 138lm/W
- Up to 89% energy saving
- Robust construction
- Available in 78mm and 118mm
- The dimming functionality creates a cosy and warm environment, similar to halogen R7s lamps
- Average rated life:
 - 15,000h (non-dimmable)
 - 25,000h (dimmable)
- Ideal for domestic and commercial applications

Product information


Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Retro R7s 78mm Non-dimmable													
0029682	ToLEDo RT R7s 78mm 470lm 827 SL	220-240	4.2	470	112	2700	R7s	Clear	40	15,000	N	E	6
0029683	ToLEDo RT R7s 78mm 470lm 840 SL	220-240	4.2	470	112	4000	R7s	Clear	40	15,000	N	E	6
ToLEDo™ R7s 78mm Dimmable													
0029686	ToLEDo R7s 78mm DIM 1055lm 827 SL	220-240	8.5	1055	124	2700	R7s	Clear	75	25,000	Y	E	6
ToLEDo™ Retro R7s 118mm Non-dimmable													
0029684	ToLEDo RT R7s 118mm 850lm 827 SL	220-240	7.7	850	110	2700	R7s	Clear	60	15,000	N	E	6
0029685	ToLEDo RT R7s 118mm 850lm 840 SL	220-240	7.7	850	110	4000	R7s	Clear	60	15,000	N	E	6
ToLEDo™ R7s 118mm Non-dimmable													
0029687	ToLEDo R7s 118mm 1521lm 827 SL	220-240	11	1521	138	2700	R7s	Clear	100	15,000	N	E	6
ToLEDo™ R7s 118mm Dimmable													
0029688	ToLEDo R7s 118mm DIM 2000lm 827 SL	220-240	15.5	2000	129	2700	R7s	Clear	125	25,000	Y	E	6


For a full list of approved dimmers, please visit our website www.sylvania-lighting.com

Images



Dimensions (mm)





Bright and compact

ToLEDo™ G9, G4 and GY6.35 capsules



A bright, omni-directional and energy efficient LED retrofit replacement for the popular low voltage and mains voltage halogen capsule lamps. Ideal for chandeliers, interior display lighting, shop windows, task lighting, decorative luminaires, restaurants, hotels etc.

ToLEDo™ G9, G4 and GY6.35 Capsules



Features

- ToLEDo™ G9, G4 and GY6.35 capsules are energy efficient retrofit replacements for traditional AC 220-240V and 12V AC/DC halogen capsules
- ToLEDo Retro G9 has the same look and feel as halogen lamps thanks to glass construction body and wide light distribution
- Compact design
- Bright and sparkling light output
- Omni-directional light distribution
- 12V AC/DC low voltage ToLEDo G4 and GY6.35 capsules are available in non-dimmable version
- 220-240V main voltage ToLEDo G9 capsules are available in dimmable and non-dimmable versions
- High lumen efficacy: up to 125lm/W
- Up to 91% energy saving
- High switching cycles - 50000X
- 15,000 hours average rated life
- Suitable for chandeliers, interior display, shop windows, decorative and general lighting applications
- ToLEDo G4 and GY6.35 works with magnetic and compatible electronic transformers*
- ToLEDo G9 dimmable works compatible dimmers*

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
Mains Voltage LED Capsules (AC 220-240V)													
ToLEDo™ Retro G9 Dimmable Clear													
0029674	ToLEDo G9 350lm DIM 827 SL	220-240	3.2	350	109	2700	G9	Clear	30	15,000	Y	F	6
0029675	ToLEDo G9 350lm DIM 840 SL	220-240	3.2	350	109	4000	G9	Clear	30	15,000	Y	F	6
0029676	ToLEDo G9 350lm DIM 865 SL	220-240	3.2	350	109	6500	G9	Clear	30	15,000	Y	F	6
ToLEDo™ Retro G9 Non-Dimmable Clear													
0029664	ToLEDo RT G9 CL 250lm 827 SL	220-240	2.2	250	114	2700	G9	Clear	25	15,000	N	E	6
0029665	ToLEDo RT G9 CL 250lm 827 SL2	220-240	2.2	250	114	2700	G9	Clear	25	15,000	N	E	6
0029666	ToLEDo RT G9 CL 250lm 840 SL	220-240	2.2	250	114	4000	G9	Clear	25	15,000	N	E	6
0029667	ToLEDo RT G9 CL 250lm 865 SL	220-240	2.2	250	114	6500	G9	Clear	25	15,000	N	E	6
0029668	ToLEDo RT G9 CL 470lm 827 SL	220-240	4.2	470	112	2700	G9	Clear	40	15,000	N	E	6
0029669	ToLEDo RT G9 CL 470lm 827 SL2	220-240	4.2	470	112	2700	G9	Clear	40	15,000	N	E	6
0029670	ToLEDo RT G9 CL 470lm 840 SL	220-240	4.2	470	112	4000	G9	Clear	40	15,000	N	E	6
0029671	ToLEDo RT G9 CL 470lm 865 SL	220-240	4.2	470	112	6500	G9	Clear	40	15,000	N	E	6
0029673	ToLEDo G9 CL 600lm 827 SL	220-240	4.8	600	125	2700	G9	Clear	45	15,000	N	E	6
ToLEDo™ Retro G9 Non-Dimmable Satin													
0029672	ToLEDo RT G9 ST 400lm 827 SL	220-240	4.2	400	95	2700	G9	Satin	35	15,000	N	F	6

*For a full list of approved dimmers and compatible transformers, please visit our website www.sylvania-lighting.com

ToLEDo™ G9, G4 and GY6.35 Capsules




Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
Low Voltage LED Capsules (12V AC/DC)													
ToLEDo™ Retro G4 Non-Dimmable Clear													
0029654	ToLEDo G4 200lm 827 SL	12	1.9	200	105	2700	G4	Clear	20	15,000	N	F	6
0029655	ToLEDo G4 200lm 827 SL4	12	1.9	200	105	2700	G4	Clear	20	15,000	N	F	6
0029656	ToLEDo G4 220lm 840 SL	12	1.9	220	116	4000	G4	Clear	20	15,000	N	F	6
0029657	ToLEDo G4 220lm 865 SL	12	1.9	220	116	6500	G4	Clear	20	15,000	N	F	6
0029658	ToLEDo G4 300lm 827 SL	12	2.4	300	125	2700	G4	Clear	25	15,000	N	E	6
0029659	ToLEDo G4 300lm 840 SL	12	2.4	300	125	4000	G4	Clear	25	15,000	N	E	6
0029660	ToLEDo G4 300lm 865 SL	12	2.4	300	125	6500	G4	Clear	25	15,000	N	E	6
ToLEDo™ Retro GY6.35 Non-Dimmable Clear													
0029661	ToLEDo GY6.35 300lm 827 SL	12	2.4	300	125	2700	GY6.35	Clear	25	15,000	N	E	6
0029662	ToLEDo GY6.35 300lm 840 SL	12	2.4	300	125	4000	GY6.35	Clear	25	15,000	N	E	6
0029663	ToLEDo GY6.35 300lm 865 SL	12	2.4	300	125	6500	GY6.35	Clear	25	15,000	N	E	6

Images



Dimensions (mm)

Lamp Type	Diameter Ø	Height (H)
ToLEDo Retro G9 Non-Dimmable		
ToLEDo RT G9 CL 250lm	14	53
ToLEDo RT G9 CL 470lm	14	56
ToLEDo RT G9 ST 400lm	14	56
ToLEDo G9 Non-Dimmable		
ToLEDo G9 CL 600lm	18	59
ToLEDo G9 Dimmable		
ToLEDo G9 350lm DIM	18	58
ToLEDo G4 Non-Dimmable		
ToLEDo G4 200lm	16	45
ToLEDo G4 300lm	13	44
ToLEDo GY6.35 Non-Dimmable		
ToLEDo GY6.35 300lm	13	57





Energy saving cabinet lighting

ToLEDo™ MicroLynx



The ToLEDo™ MicroLynx LED range is the replacement for compact fluorescent GX53 lamps. Sylvania offers two versions which deliver 470lm and 650lm, both lasting up to 15,000 hours. ToLEDo MicroLynx GX53 has a frosted finish and is available in both warm white 3000K or cool white 4000K colour temperatures. This compact and low-profile range is perfect for cabinets and under-cabinets in kitchens, bedrooms, hallways, staircases, display units and showcases. It comes with a 3 year warranty for complete peace of mind.

ToLEDo™ MicroLynx




Features

- Sleek and compact design
- High-lumen package up to 650lm
- Low energy consumption
- Instant light at the flick of switch
- The perfect lamp for cabinet lighting in kitchens, bedrooms and for displays and showcases
- Good colour rendering – CRI80
- Available in 3000K and 4000K
- No glare thanks to frosted diffuser
- 15,000 hours rated lamp life

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ MicroLynx GX53 Non-Dimmable													
0029694	ToLEDo MicroLynx V2 470lm 830 SL	220-240	5	470	94	3000	GX53	Frosted	40	15000	N	F	6
0029695	ToLEDo MicroLynx V2 470lm 840 SL	220-240	5	470	94	4000	GX53	Frosted	40	15000	N	F	6
0029696	ToLEDo MicroLynx V2 650lm 830 SL	220-240	6.5	650	100	3000	GX53	Frosted	50	15000	N	F	6
0029697	ToLEDo MicroLynx V2 650lm 840 SL	220-240	6.5	650	100	4000	GX53	Frosted	50	15000	N	F	6

Dimensions (mm)





Bright and multifunctional

ToLEDo™ Striplight

The ToLEDo Striplight V3 range supersede the phased out incandescent equivalent and is available in popular S14s (300mm and 500mm) and S19 (309mm) caps. Powered by the latest LED technology, users will benefit from 15,000 hours life and a low consumption. Delivering up to 806lm, the full range is backed up by a warranty of 3 years.

It is the perfect solution for mirror lighting, shaver lighting and under cabinet kitchen lighting.

ToLEDo™ Striplight




Features

- LED Striplight replacement for incandescent lamp
- High lumen output: up to 806lm
- Available in S14S and S19 caps in 2700K homelight
- 15,000 hours average rated life
- Up to 89% energy saving
- Creates a warm ambiance similar to traditional lamps
- Perfect for kitchen, mirror lighting, shaver lighting, bathroom
- 3 year warranty

Product information

Code	Description	Voltage (V)	Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Colour Temp (K)	Base	Finish	Equivalent Wattage (W)	Life (h)	Dimmable (Y/N)	Energy Class	Packaging Qty
ToLEDo™ Striplight Non-Dimmable													
0028105	ToLEDo ST V3 300mm 450lm S14S	220-240	5	450	90	2700	S14s	Frosted	35	15000	N	F	6
0028106	ToLEDo ST V3 500mm 700lm S14S	220-240	8	700	88	2700	S14s	Frosted	50	15000	N	F	6
0028107	ToLEDo ST V3 310mm 806lm S19	220-240	9	806	90	2700	S19	Frosted	60	15000	N	F	6


Dimensions (mm)



0028105



0028106



0028107



Old and New Item Reference List

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
ToLEDo™ Tubes - T5 AC						
0028031	ToLEDo Superia T5 AC 4FT 2400LM 840	Sleeve	5410288280318	0029256	ToLEDo Superia T5 AC V2 4FT 2400LM 840	5410288292564
0028034	ToLEDo Superia T5 AC 4FT 4100LM 840	Sleeve	5410288280349	0029257	ToLEDo Superia T5 AC V2 4FT 3900LM 840	5410288292571
0028037	ToLEDo Superia T5 AC 5FT 2800LM 840	Sleeve	5410288280370	0029258	ToLEDo Superia T5 AC V2 5FT 2800LM 840	5410288292588
0028040	ToLEDo Superia T5 AC 5FT 4000LM 840	Sleeve	5410288280400	0029259	ToLEDo Superia T5 AC V2 5FT 3900LM 840	5410288292595
				0029260	ToLEDo Superia T5 AC V2 5FT 5600LM 840	5410288292601 *
ToLEDo™ Tubes - T5 ECG						
0028043	ToLEDo Superia T5 ECG V2 2FT 1050LM 840	Sleeve	5410288280431	0029261	ToLEDo Superia T5 ECG HE V3 2FT 1100LM 840	5410288292618 *
0029813	ToLEDo Superia T5 ECG V2 4FT 2200LM 830	Sleeve	5410288298139		Discontinued	
0029814	ToLEDo Superia T5 ECG V2 4FT 2400LM 840	Sleeve	5410288298146	0029263	ToLEDo Superia T5 ECG HE V3 4FT 2400LM 840	5410288292632 *
0029815	ToLEDo Superia T5 ECG V2 4FT 2400LM 865	Sleeve	5410288298153	0029264	ToLEDo Superia T5 ECG HE V3 4FT 2400LM 865	5410288292649 *
0029816	ToLEDo Superia T5 ECG V2 4FT 3700LM 830	Sleeve	5410288298160		Discontinued	
0029817	ToLEDo Superia T5 ECG V2 4FT 4100LM 840	Sleeve	5410288298177	0029265	ToLEDo Superia T5 ECG HE V3 4FT 4000LM 840	5410288292656 *
0029818	ToLEDo Superia T5 ECG V2 4FT 4100LM 865	Sleeve	5410288298184	0029266	ToLEDo Superia T5 ECG HE V3 4FT 4000LM 865	5410288292663 *
0029819	ToLEDo Superia T5 ECG V2 5FT 2600LM 830	Sleeve	5410288298191		Discontinued	
0029820	ToLEDo Superia T5 ECG V2 5FT 2800LM 840	Sleeve	5410288298207	0029267	ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840	5410288292670 *
0029821	ToLEDo Superia T5 ECG V2 5FT 2800LM 865	Sleeve	5410288298214	0029268	ToLEDo Superia T5 ECG HE V3 5FT 2800LM 865	5410288292687 *
0029822	ToLEDo Superia T5 ECG V2 5FT 4050LM 830	Sleeve	5410288298221		Discontinued	
0029823	ToLEDo Superia T5 ECG V2 5FT 4200LM 840	Sleeve	5410288298238	0029269	ToLEDo Superia T5 ECG HO V3 5FT 3900LM 840	5410288292694
0029824	ToLEDo Superia T5 ECG V2 5FT 4200LM 865	Sleeve	5410288298245	0029270	ToLEDo Superia T5 ECG HO V3 5FT 3900LM 865	5410288292700 *
0029825	ToLEDo Superia T5 ECG V2 5FT 5150LM 830	Sleeve	5410288298252		Discontinued	
0029826	ToLEDo Superia T5 ECG V2 5FT 5600LM 840	Sleeve	5410288298269	0029271	ToLEDo Superia T5 ECG HO V3 5FT 5600LM 840	5410288292717
0029827	ToLEDo Superia T5 ECG V2 5FT 5600LM 865	Sleeve	5410288298276	0029272	ToLEDo Superia T5 ECG HO V3 5FT 5600LM 865	5410288292724 *
ToLEDo™ Tubes - T8 Universal						
0029804	ToLEDo Superia T8 UNI V2 2FT 1030LM 830	Sleeve	5410288298047		Discontinued	
0029805	ToLEDo Superia T8 UNI V2 2FT 1100LM 840	Sleeve	5410288298054	0029273	ToLEDo Superia T8 UNI V3 2FT 1100LM 840	5410288292731
0029806	ToLEDo Superia T8 UNI V2 2FT 1100LM 865	Sleeve	5410288298061	0029274	ToLEDo Superia T8 UNI V3 2FT 1100LM 865	5410288292748 *
0029807	ToLEDo Superia T8 UNI V2 4FT 2160LM 830	Sleeve	5410288298078		Discontinued	
0029808	ToLEDo Superia T8 UNI V2 4FT 2400LM 840	Sleeve	5410288298085	0029275	ToLEDo Superia T8 UNI V3 4FT 2400LM 840	5410288292755
0029809	ToLEDo Superia T8 UNI V2 4FT 2400LM 865	Sleeve	5410288298092	0029276	ToLEDo Superia T8 UNI V3 4FT 2400LM 865	5410288292762
0029810	ToLEDo Superia T8 UNI V2 5FT 3240LM 830	Sleeve	5410288298108		Discontinued	
0029811	ToLEDo Superia T8 UNI V2 5FT 3600LM 840	Sleeve	5410288298115	0029277	ToLEDo Superia T8 UNI V3 5FT 3600LM 840	5410288292779
0029812	ToLEDo Superia T8 UNI V2 5FT 3600LM 865	Sleeve	5410288298122	0029278	ToLEDo Superia T8 UNI V3 5FT 3600LM 865	5410288292786
0028292	ToLEDo T8 UNI 4FT 1900LM 830	Sleeve	5410288282923		Discontinued	
0028293	ToLEDo T8 UNI 4FT 2100LM 840	Sleeve	5410288282930	0029279	ToLEDo T8 UNI V2 4FT 2000LM 840 RL	5410288292793
0028294	ToLEDo T8 UNI 4FT 2100LM 865	Sleeve	5410288282947	0029280	ToLEDo T8 UNI V2 4FT 2000LM 865 RL	5410288292809 *
0028295	ToLEDo T8 UNI 5FT 2500LM 830	Sleeve	5410288282954		Discontinued	
0028296	ToLEDo T8 UNI 5FT 2800LM 840	Sleeve	5410288282961	0029281	ToLEDo T8 UNI V2 5FT 2800LM 840 RL	5410288292816
0028297	ToLEDo T8 UNI 5FT 2800LM 865	Sleeve	5410288282978	0029282	ToLEDo T8 UNI V2 5FT 2800LM 865 RL	5410288292823 *
ToLEDo™ Tubes - T8 CCG and AC						
0028385	ToLEDo Superia T8 V6 4FT 2300LM 830	Sleeve	5410288283852		Discontinued	
0028386	ToLEDo Superia T8 V6 4FT 2550LM 840	Sleeve	5410288283869	0029283	ToLEDo Superia T8 V8 4FT 2550LM 840	5410288292830
0028387	ToLEDo Superia T8 V6 4FT 2550LM 865	Sleeve	5410288283876		Discontinued	
0028388	ToLEDo Superia T8 V6 4FT 2760LM 830	Sleeve	5410288283883	0029284	ToLEDo Superia T8 V8 4FT 2760LM 830	5410288292847 *
0028389	ToLEDo Superia T8 V6 4FT 3100LM 840	Sleeve	5410288283890	0029285	ToLEDo Superia T8 V8 4FT 3100LM 840	5410288292854
0028390	ToLEDo Superia T8 V6 4FT 3100LM 865	Sleeve	5410288283906	0029286	ToLEDo Superia T8 V8 4FT 3100LM 865	5410288292861
0028391	ToLEDo Superia T8 V6 5FT 3400LM 830	Sleeve	5410288283913		Discontinued	
0028392	ToLEDo Superia T8 V6 5FT 3700LM 840	Sleeve	5410288283920	0029287	ToLEDo Superia T8 V8 5FT 3700LM 840	5410288292878
0028393	ToLEDo Superia T8 V6 5FT 3700LM 865	Sleeve	5410288283937		Discontinued	
0028394	ToLEDo Superia T8 V6 5FT 3850LM 830	Sleeve	5410288283944	0029288	ToLEDo Superia T8 V8 5FT 3850LM 830	5410288292885

* Made to order

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0028395	ToLEDo Superia T8 V6 5FT 4100LM 840	Sleeve	5410288283951	0029289	ToLEDo Superia T8 V8 5FT 4100LM 840	5410288292892
0028396	ToLEDo Superia T8 V6 5FT 4100LM 865	Sleeve	5410288283968	0029290	ToLEDo Superia T8 V8 5FT 4100LM 865	5410288292908
0028283	ToLEDo T8 V6 2FT 1000LM 830 RL	Sleeve	5410288282831	0029291	ToLEDo T8 V7 2FT 1000LM 830 RL	5410288292915
0028284	ToLEDo T8 V6 2FT 1000LM 840 RL	Sleeve	5410288282848	0029292	ToLEDo T8 V7 2FT 1000LM 840 RL	5410288292922
0028285	ToLEDo T8 V6 2FT 1000LM 865 RL	Sleeve	5410288282855	0029293	ToLEDo T8 V7 2FT 1000LM 865 RL	5410288292939
0028286	ToLEDo T8 V6 4FT 2000LM 830 RL	Sleeve	5410288282862	0029294	ToLEDo T8 V7 4FT 2000LM 830 RL	5410288292946
0028287	ToLEDo T8 V6 4FT 2000LM 840 RL	Sleeve	5410288282879	0029295	ToLEDo T8 V7 4FT 2000LM 840 RL	5410288292953
0028288	ToLEDo T8 V6 4FT 2000LM 865 RL	Sleeve	5410288282886	0029296	ToLEDo T8 V7 4FT 2000LM 865 RL	5410288292960
0028289	ToLEDo T8 V6 5FT 2700LM 830 RL	Sleeve	5410288282893	0029297	ToLEDo T8 V7 5FT 2700LM 830 RL	5410288292977
0028290	ToLEDo T8 V6 5FT 2700LM 840 RL	Sleeve	5410288282909	0029298	ToLEDo T8 V7 5FT 2700LM 840 RL	5410288292984
0028291	ToLEDo T8 V6 5FT 2700LM 865 RL	Sleeve	5410288282916	0029299	ToLEDo T8 V7 5FT 2700LM 865 RL	5410288292991
0028229	ToLEDo T8 2FT V3 730lm 830 25K	Sleeve	5410288282299		Discontinued	
0028230	ToLEDo T8 2FT V3 800lm 840 25K	Sleeve	5410288282305	0029300	ToLEDo T8 V4 2FT 900lm 840 25K RL	5410288293004
0028231	ToLEDo T8 2FT V3 800lm 865 25K	Sleeve	5410288282312	0029301	ToLEDo T8 V4 2FT 900lm 865 25K RL	5410288293011
0028232	ToLEDo T8 4FT V3 1470lm 830 25K	Sleeve	5410288282329		Discontinued	
0028233	ToLEDo T8 4FT V3 1600lm 840 25K	Sleeve	5410288282336	0029302	ToLEDo T8 V4 4FT 1800lm 840 25K RL	5410288293028
0028234	ToLEDo T8 4FT V3 1600lm 865 25K	Sleeve	5410288282343	0029303	ToLEDo T8 V4 4FT 1800lm 865 25K RL	5410288293035
0028235	ToLEDo T8 5FT V3 1840lm 830 25K	Sleeve	5410288282350		Discontinued	
0028236	ToLEDo T8 5FT V3 2000lm 840 25K	Sleeve	5410288282367	0029304	ToLEDo T8 V4 5FT 2300lm 840 25K RL	5410288293042
0028237	ToLEDo T8 5FT V3 2000lm 865 25K	Sleeve	5410288282374	0029305	ToLEDo T8 V4 5FT 2300lm 865 25K RL	5410288293059
0027781	ToLEDo T8 V4 3FT 12W 1450LM 840	Sleeve	5410288277813		Discontinued	
0027782	ToLEDo T8 V4 3FT 12W 1450LM 865	Sleeve	5410288277820		Discontinued	
0027784	ToLEDo T8 V4 6FT 30W 3600LM 840	Sleeve	5410288277844		Discontinued	
ToLEDo™ Lampnaire - Decorative range						
0029908	ToLEDo Mirage G120 125LM E27 SL	Sleeve	5410288299082	0029908	ToLEDo Mirage G120 125LM E27 SL	5410288299082
0029911	ToLEDo Mirage G200 105LM E27 SL	Sleeve	5410288299112	0029911	ToLEDo Mirage G200 105LM E27 SL	5410288299112
0029914	ToLEDo Mirage A165 105LM E27 SL	Sleeve	5410288299143	0029914	ToLEDo Mirage A165 105LM E27 SL	5410288299143
0029944	ToLEDo Mirage E115 105LM E27 SL	Sleeve	5410288299440	0029944	ToLEDo Mirage E115 105LM E27 SL	5410288299440
0029905	ToLEDo Mirage ST64 125LM E27 SL	Sleeve	5410288299051	0029905	ToLEDo Mirage ST64 125LM E27 SL	5410288299051
0029917	ToLEDo Mirage T45 125LM E27 SL	Sleeve	5410288299174	0029917	ToLEDo Mirage T45 125LM E27 SL	5410288299174
0029942	ToLEDo Mirage T60 105LM E27 SL	Sleeve	5410288299426	0029942	ToLEDo Mirage T60 105LM E27 SL	5410288299426
0029902	ToLEDo Mirage B75 125LM E27 SL	Sleeve	5410288299020	0029902	ToLEDo Mirage B75 125LM E27 SL	5410288299020
0029981	ToLEDo Lifestyle G190 BLK 150LM E27 SL	Sleeve	5410288299815	0029981	ToLEDo Lifestyle G190 BLK 150LM E27 SL	5410288299815
0029982	ToLEDo Lifestyle G190 GL 250LM E27 SL	Sleeve	5410288299822	0029982	ToLEDo Lifestyle G190 GL 250LM E27 SL	5410288299822
0029983	ToLEDo Lifestyle T180 BLK 150LM E27 SL	Sleeve	5410288299839	0029983	ToLEDo Lifestyle T180 BLK 150LM E27 SL	5410288299839
0029984	ToLEDo Lifestyle T180 GL 250LM E27 SL	Sleeve	5410288299846	0029984	ToLEDo Lifestyle T180 GL 250LM E27 SL	5410288299846
0029016	ToLEDo Radiance V2 WH DIM 1000LM 827 E27 SL	Sleeve	5410288290164	0029712	ToLEDo Radiance V3 WH DM 1000LM 827 E27S	5410288297125
0029017	ToLEDo Radiance V2 WH DIM 1000LM 840 E27 SL	Sleeve	5410288290171	0029713	ToLEDo Radiance V3 WH DM 1000LM 840 E27S	5410288297132
0029018	ToLEDo Radiance V2 BLK DIM 1000LM 827 E27 SL	Sleeve	5410288290188	0029714	ToLEDo Radiance V3 BLK DM 850LM 827 E27S	5410288297149
0029019	ToLEDo Radiance V2 BLK DIM 1000LM 840 E27 SL	Sleeve	5410288290195	0029715	ToLEDo Radiance V3 BLK DM 850LM 840 E27S	5410288297156
ToLEDo™ Retro ST64						
0028461	ToLEDo RT ST64 V3 GL DIM 560LM 825 B22 S	Sleeve	5410288284613	0029306	ToLEDo RT ST64 V5 GL DIM 560LM 825 B22 S	5410288293066 *
0028462	ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 S	Sleeve	5410288284620	0029307	ToLEDo RT ST64 V5 GL DIM 560LM 825 E27 S	5410288293073
0028463	ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 B	B blister	5410288284637			
0028464	ToLEDo RT ST64 V3 CL DIM 806LM 827 B22 S	Sleeve	5410288284644	0029308	ToLEDo RT ST64 V5 CL DIM 806LM 827 B22 S	5410288293080 *
0028465	ToLEDo RT ST64 V3 CL DIM 806LM 827 E27 S	Sleeve	5410288284651	0029309	ToLEDo RT ST64 V5 CL DIM 806LM 827 E27 S	5410288293097
0028466	ToLEDo RT ST64 V3 CL DIM 806LM 827 E27 B	B blister	5410288284668			

* Made to order

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0027177	ToLEDo RT ST64 V4 GL 420LM 825 E27 SL	Sleeve	5410288271774	0029310	ToLEDo RT ST64 V5 GL 420LM 825 E27 SL	5410288293103
0027175	ToLEDo RT ST64 V4 CL 470LM 827 E27 SL	Sleeve	5410288271750	0029311	ToLEDo RT ST64 V5 CL 470LM 827 E27 SL	5410288293110
ToLEDo™ Retro GLS						
0028455	ToLEDo RT GLS V3 CL DIM 806LM 827 B22 SL	Sleeve	5410288284552	0029312	ToLEDo RT GLS V5 CL DIM 806LM 827 B22 SL	5410288293127
0028456	ToLEDo RT GLS V3 CL DIM 806LM 827 E27 SL	Sleeve	5410288284569	0029313	ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL	5410288293134
0028457	ToLEDo RT GLS V3 CL DIM 806LM 827 E27 BL	Blister	5410288284576	0029314	ToLEDo RT GLS V5 CL DIM 1521LM 827 B22 SL	5410288293141
0028458	ToLEDo RT GLS V3 CL DIM 1521LM 827 B22 SL	Sleeve	5410288284583	0029315	ToLEDo RT GLS V5 CL DIM 1521LM 827 E27 SL	5410288293158
0028459	ToLEDo RT GLS V3 CL DIM 1521LM 827 E27 SL	Sleeve	5410288284590			
0028460	ToLEDo RT GLS V3 CL DIM 1521LM 827 E27 BL	Blister	5410288284606			
0028601	ToLEDo RT GLS V3 ST DIM 806LM 827 E27 SL	Sleeve	5410288286013	0029316	ToLEDo RT GLS V5 ST DIM 806LM 827 E27 SL	5410288293165
0028602	ToLEDo RT GLS V3 ST DIM 806LM 827 E27 BL	Blister	5410288286020			
0028603	ToLEDo RT GLS V3 ST DIM 806LM 827 B22 SL	Sleeve	5410288286037		Discontinued	
0028604	ToLEDo RT GLS V3 ST DIM 1055LM 827 E27 SL	Sleeve	5410288286044	0029317	ToLEDo RT GLS V5 ST DIM 1055LM 827 E27 SL	5410288293172
0028613	ToLEDo RT GLS V3 ST DIM 1055LM 827 E27 BL	Blister	5410288286136			
0028605	ToLEDo RT GLS V3 ST DIM 1055LM 840 E27 SL	Sleeve	5410288286051	0029318	ToLEDo RT GLS V5 ST DIM 1055LM 840 E27 SL	5410288293189
0028606	ToLEDo RT GLS V3 ST DIM 1055LM 865 E27 SL	Sleeve	5410288286068	0029319	ToLEDo RT GLS V5 ST DIM 1055LM 865 E27 SL	5410288293196
0028607	ToLEDo RT GLS V3 ST DIM 1521LM 827 E27 SL	Sleeve	5410288286075	0029320	ToLEDo RT GLS V5 ST DIM 1521LM 827 E27 SL	5410288293202
0028614	ToLEDo RT GLS V3 ST DIM 1521LM 827 E27 BL	Blister	5410288286143			
0028608	ToLEDo RT GLS V3 ST DIM 1521LM 827 B22 SL	Sleeve	5410288286082	0029321	ToLEDo RT GLS V5 ST DIM 1521LM 827 B22 SL	5410288293219
0027162	ToLEDo RT GLS V4 CL 470LM 827 B22 SL	Sleeve	5410288271620	0029322	ToLEDo RT GLS V5 CL 470LM 827 B22 SL	5410288293226
0027160	ToLEDo RT GLS V4 CL 470LM 827 E27 SL	Sleeve	5410288271606	0029323	ToLEDo RT GLS V5 CL 470LM 827 E27 SL	5410288293233
0027161	ToLEDo RT GLS V4 CL 470LM 827 E27 BL	Blister	5410288271613			
0027326	ToLEDo RT GLS V4 CL 470LM 840 E27 SL	Sleeve	5410288273266	0029324	ToLEDo RT GLS V5 CL 470LM 840 E27 SL	5410288293240
0027327	ToLEDo RT GLS V4 CL 470LM 840 E27 BL	Blister	5410288273273			
0027163	ToLEDo RT GLS V4 CL 640LM 827 E27 SL	Sleeve	5410288271637	0029325	ToLEDo RT GLS V5 CL 640LM 827 E27 SL	5410288293257
0027164	ToLEDo RT GLS V4 CL 640LM 827 E27 BL	Blister	5410288271644			
0027340	ToLEDo RT GLS V4 CL 806LM 827 B22 SL	Sleeve	5410288273402	0029326	ToLEDo RT GLS V5 CL 806LM 827 B22 SL	5410288293264
0027341	ToLEDo RT GLS V4 CL 806LM 827 E27 SL	Sleeve	5410288273419	0029327	ToLEDo RT GLS V5 CL 806LM 827 E27 SL	5410288293271
0027127	ToLEDo RT GLS V4 CL 806LM 827 E27 BL	Blister	5410288271279			
0027886	ToLEDo RT GLS V4 CL 806LM 827 E27 BL3	Blister	5410288278865	0029328	ToLEDo RT GLS V5 CL 806LM 827 E27 SL3	5410288293288
0027328	ToLEDo RT GLS V4 CL 806LM 840 E27 SL	Sleeve	5410288273280	0029329	ToLEDo RT GLS V5 CL 806LM 840 E27 SL	5410288293295
0027329	ToLEDo RT GLS V4 CL 806LM 840 E27 BL	Blister	5410288273297			
0027135	ToLEDo RT GLS V4 CL 1055LM 827 B22 SL	Sleeve	5410288271354	0029330	ToLEDo RT GLS V5 CL 1055LM 827 B22 SL	5410288293301
0027137	ToLEDo RT GLS V4 CL 1055LM 827 E27 SL	Sleeve	5410288271378	0029331	ToLEDo RT GLS V5 CL 1055LM 827 E27 SL	5410288293318
0027136	ToLEDo RT GLS V4 CL 1055LM 827 E27 BL	Blister	5410288271361			
0027330	ToLEDo RT GLS V4 CL 1055LM 840 E27 SL	Sleeve	5410288273303	0029332	ToLEDo RT GLS V5 CL 1055LM 840 E27 SL	5410288293325
0027331	ToLEDo RT GLS V4 CL 1055LM 840 E27 BL	Blister	5410288273310			
0027143	ToLEDo RT GLS V4 CL 1521LM 827 E27 SL	Sleeve	5410288271439	0029333	ToLEDo RT GLS V5 CL 1521LM 827 E27 SL	5410288293332
0027142	ToLEDo RT GLS V4 CL 1521LM 827 E27 BL	Blister	5410288271422			
0027154	ToLEDo RT GLS V4 ST 470LM 827 B22 SL	Sleeve	5410288271545	0029334	ToLEDo RT GLS V5 ST 470LM 827 B22 SL	5410288293349
0027156	ToLEDo RT GLS V4 ST 470LM 827 E27 SL	Sleeve	5410288271569	0029335	ToLEDo RT GLS V5 ST 470LM 827 E27 SL	5410288293356
0027155	ToLEDo RT GLS V4 ST 470LM 827 E27 BL	Blister	5410288271552			
0027310	ToLEDo RT GLS V4 ST 806LM 827 B22 SL	Sleeve	5410288273105	0029336	ToLEDo RT GLS V5 ST 806LM 827 B22 SL	5410288293363
0028575	ToLEDo RT GLS ST 806LM 827 B22 BL	Blister	5410288285757			
0027312	ToLEDo RT GLS V4 ST 806LM 827 E27 SL	Sleeve	5410288273129	0029337	ToLEDo RT GLS V5 ST 806LM 827 E27 SL	5410288293370
0027130	ToLEDo RT GLS V4 ST 806LM 827 E27 BL	Blister	5410288271309			
0028576	ToLEDo RT GLS ST 806LM 827 E27 BL3	Blister	5410288285764		Discontinued	
0028577	ToLEDo RT GLS ST 806LM 840 E27 BL	Blister	5410288285771		Discontinued	
0029991	ToLEDo RT GLS ST 1055LM 827 B22 SL	Sleeve	5410288299914	0029338	ToLEDo RT GLS V5 ST 1055LM 827 B22 SL	5410288293387
0029992	ToLEDo RT GLS ST 1055LM 827 E27 SL	Sleeve	5410288299921	0029339	ToLEDo RT GLS V5 ST 1055LM 827 E27 SL	5410288293394
0029993	ToLEDo RT GLS ST 1055LM 827 E27 BL	Blister	5410288299938			
0028578	ToLEDo RT GLS ST 1055LM 840 E27 BL	Blister	5410288285788		Discontinued	

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0029994	ToLEDo RT GLS V4 ST 1521LM 827 B22 SL	Sleeve	5410288299945	0029340	ToLEDo RT GLS V5 ST 1521LM 827 B22 SL	5410288293400
0029995	ToLEDo RT GLS V4 ST 1521LM 827 E27 SL	Sleeve	5410288299952	0029341	ToLEDo RT GLS V5 ST 1521LM 827 E27 SL	5410288293417
0029996	ToLEDo RT GLS V4 ST 1521LM 827 E27 BL	B blister	5410288299969			
0027159	ToLEDo RT GLS V4 CS 400LM 827 B22 SL	Sleeve	5410288271590	Discontinued		
0027157	ToLEDo RT GLS V4 CS 400LM 827 E27 SL	Sleeve	5410288271576	0029342	ToLEDo RT GLS V5 CS 400LM 827 E27 SL	5410288293424
0027158	ToLEDo RT GLS V4 CS 400LM 827 E27 BL	B blister	5410288271583			
0028213	ToLEDo RT GLS CL 470LM 827 B22 SL4	Sleeve	5410288282138	Discontinued		
0028212	ToLEDo RT GLS CL 470LM 827 E27 SL4	Sleeve	5410288282121	0029547	ToLEDo RT GLS CL 470LM 827 E27 SL4	5410288295473
0028215	ToLEDo RT GLS CL 806LM 827 B22 SL4	Sleeve	5410288282152	0029548	ToLEDo RT GLS CL 806LM 827 B22 SL4	5410288295480
0028214	ToLEDo RT GLS CL 806LM 827 E27 SL4	Sleeve	5410288282145	0029549	ToLEDo RT GLS CL 806LM 827 E27 SL4	5410288295497
0028580	ToLEDo RT GLS ST 806LM 840 E27 SL4	Sleeve	5410288285801	Discontinued		
0028581	ToLEDo RT GLS ST 806LM 827 E27 SL4	Sleeve	5410288285818	Discontinued		
ToLEDo™ Retro Candle						
0028445	ToLEDo RT Candle V3 CL DIM 470LM 827 B22 S	Sleeve	5410288284453	0029343	ToLEDo RT Candle V5 CL DIM 470LM 827 B22 S	5410288293431
0028446	ToLEDo RT Candle V3 CL DIM 470LM 827 E14 S	Sleeve	5410288284460	0029344	ToLEDo RT Candle V5 CL DIM 470LM 827 E14 S	5410288293448
0028447	ToLEDo RT Candle V3 CL DIM 470LM 827 E14 B	B blister	5410288284477			
0028448	ToLEDo RT Candle V3 CL DIM 470LM 827 E27 S	Sleeve	5410288284484	0029366	ToLEDo RT Candle V5 CL DIM 470LM 827 E27 S	5410288293660
0028449	ToLEDo RT Candle V3 CL DIM 470LM 827 E27 B	B blister	5410288284491			
0028589	ToLEDo RT Candle V3 ST DIM 470LM 827 E14 SL	Sleeve	5410288285894	0029367	ToLEDo RT Candle V5 ST DIM 470LM 827 E14 SL	5410288293677
0028590	ToLEDo RT Candle V3 ST DIM 470LM 840 E14 SL	Sleeve	5410288285900	0029368	ToLEDo RT Candle V5 ST DIM 470LM 840 E14 SL	5410288293684
0028591	ToLEDo RT Candle V3 ST DIM 470LM 865 E14 SL	Sleeve	5410288285917	0029369	ToLEDo RT Candle V5 ST DIM 470LM 865 E14 SL	5410288293691
0028592	ToLEDo RT Candle V3 ST DIM 470LM 865 E14 BL	B blister	5410288285924			
0027182	ToLEDo RT Candle V4 CL 250LM 827 B22 SL	Sleeve	5410288271828	0029370	ToLEDo RT Candle V5 CL 250LM 827 B22 SL	5410288293707
0027180	ToLEDo RT Candle V4 CL 250LM 827 E14 SL	Sleeve	5410288271804	0029371	ToLEDo RT Candle V5 CL 250LM 827 E14 SL	5410288293714
0027181	ToLEDo RT Candle V4 CL 250LM 827 E14 BL	B blister	5410288271811			
0027883	ToLEDo RT Candle V4 CL 250LM 827 E14 BL3	B blister	5410288278834	Discontinued		
0027280	ToLEDo RT Candle V4 CL 470LM 827 B22 SL	Sleeve	5410288272801	0029372	ToLEDo RT Candle V5 CL 470LM 827 B22 SL	5410288293721
0027281	ToLEDo RT Candle V4 CL 470LM 827 E14 BL	B blister	5410288272818	0029373	ToLEDo RT Candle V5 CL 470LM 827 E14 SL	5410288293738
0027282	ToLEDo RT Candle V4 CL 470LM 827 E14 SL	Sleeve	5410288272825			
0028568	ToLEDo RT Candle CL 470LM 840 E14 BL	B blister	5410288285689	Discontinued		
0027884	ToLEDo RT Candle V4 CL 470LM 827 E14 BL3	B blister	5410288278841	Discontinued		
0027283	ToLEDo RT Candle V4 CL 470LM 827 E27 BL	B blister	5410288272832	0029374	ToLEDo RT Candle V5 CL 470LM 827 E27 SL	5410288293745
0027284	ToLEDo RT Candle V4 CL 470LM 827 E27 SL	Sleeve	5410288272849			
0028080	ToLEDo RT Candle V6 CL 806LM 827 B22 SL	Sleeve	5410288280806	0029375	ToLEDo RT Candle V5 CL 806LM 827 B22 SL	5410288293752 *
0028081	ToLEDo RT Candle V6 CL 806LM 827 E14 SL	Sleeve	5410288280813	0029376	ToLEDo RT Candle V5 CL 806LM 827 E14 SL	5410288293769
0028082	ToLEDo RT Candle V6 CL 806LM 827 E14 BL	B blister	5410288280820			
0028083	ToLEDo RT Candle V6 CL 806LM 827 E27 SL	Sleeve	5410288280837	0029480	ToLEDo RT Candle V5 CL 806LM 827 E27 SL	5410288294803
0028084	ToLEDo RT Candle V6 CL 806LM 827 E27 BL	B blister	5410288280844			
0027285	ToLEDo RT Candle V4 ST 470LM 827 B22 SL	Sleeve	5410288272856	0029481	ToLEDo RT Candle V5 ST 470LM 827 B22 SL	5410288294810
0027286	ToLEDo RT Candle V4 ST 470LM 827 E14 BL	B blister	5410288272863	0029482	ToLEDo RT Candle V5 ST 470LM 827 E14 SL	5410288294827
0027287	ToLEDo RT Candle V4 ST 470LM 827 E14 SL	Sleeve	5410288272870			
0027288	ToLEDo RT Candle V4 ST 470LM 827 E27 BL	B blister	5410288272887	0029483	ToLEDo RT Candle V5 ST 470LM 827 E27 SL	5410288294834
0027289	ToLEDo RT Candle V4 ST 470LM 827 E27 SL	Sleeve	5410288272894			
0028569	ToLEDo RT Candle ST 470LM 827 E14 BL3	B blister	5410288285696	Discontinued		
0028570	ToLEDo RT Candle ST 470LM 840 E14 BL	B blister	5410288285702	Discontinued		

* Made to order

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0028085	ToLEDo RT Candle V6 ST 806LM 827 E14 SL	Sleeve	5410288280851			
0028086	ToLEDo RT Candle V6 ST 806LM 827 E14 BL	B blister	5410288280868	0029484	ToLEDo RT Candle V5 ST 806LM 827 E14 SL	5410288294841
0027183	ToLEDo RT Candle BT V4 CL 250LM 827 E14 SL	Sleeve	5410288271835			
0027184	ToLEDo RT Candle BT V4 CL 250LM 827 E14 BL	B blister	5410288271842	0029485	ToLEDo RT Candle BT V5 CL 250LM 827 E14 SL	5410288294858
0027336	ToLEDo RT Candle TW V4 CL 250LM 827 E14 SL	Sleeve	5410288273365			
0027337	ToLEDo RT Candle TW V4 CL 250LM 827 E14 BL	B blister	5410288273372	0029486	ToLEDo RT Candle TW V5 CL 250LM 827 E14 SL	5410288294865
0027338	ToLEDo RT Candle TW V4 CL 470LM 827 E14 SL	Sleeve	5410288273389	0029487	ToLEDo RT Candle TW V5 CL 470LM 827 E14 SL	5410288294872
0027332	ToLEDo RT Candle V4 GL 225LM 825 E14 SL	Sleeve	5410288273327			
0027333	ToLEDo RT Candle V4 GL 225LM 825 E14 BL	B blister	5410288273334	0029488	ToLEDo RT Candle V5 GL 225LM 825 E14 SL	5410288294889
0027334	ToLEDo RT Candle V4 GL 420LM 825 E14 SL	Sleeve	5410288273341		Discontinued	
0028309	ToLEDo RT Candle CL 250LM 827 E14 SL4	Sleeve	5410288283098		Discontinued	
0028221	ToLEDo RT Candle CL 470LM 827 B22 SL4	Sleeve	5410288282213	0029550	ToLEDo RT Candle CL 470LM 827 B22 SL4	5410288295503
0028219	ToLEDo RT Candle CL 470LM 827 E14 SL4	Sleeve	5410288282190	0029551	ToLEDo RT Candle CL 470LM 827 E14 SL4	5410288295510
0028220	ToLEDo RT Candle CL 470LM 827 E27 SL4	Sleeve	5410288282206		Discontinued	
0028579	ToLEDo RT Candle CL 470LM 840 E14 SL4	Sleeve	5410288285795		Discontinued	
ToLEDo™ Retro Ball						
0028450	ToLEDo RT Ball V3 CL DIM 470LM 827 B22 S	Sleeve	5410288284507	0029489	ToLEDo RT Ball V5 CL DIM 470LM 827 B22 S	5410288294896
0028451	ToLEDo RT Ball V3 CL DIM 470LM 827 E14 S	Sleeve	5410288284514			
0028452	ToLEDo RT Ball V3 CL DIM 470LM 827 E14 B	B blister	5410288284521	0029490	ToLEDo RT Ball V5 CL DIM 470LM 827 E14 S	5410288294902
0028453	ToLEDo RT Ball V3 CL DIM 470LM 827 E27 S	Sleeve	5410288284538			
0028454	ToLEDo RT Ball V3 CL DIM 470LM 827 E27 B	B blister	5410288284545	0029491	ToLEDo RT Ball V5 CL DIM 470LM 827 E27 S	5410288294919
0028593	ToLEDo RT Ball V3 ST DIM 470LM 827 E14 SL	Sleeve	5410288285931	0029492	ToLEDo RT Ball V5 ST DIM 470LM 827 E14 SL	5410288294926
0028594	ToLEDo RT Ball V3 ST DIM 470LM 827 E27 SL	Sleeve	5410288285948	0029493	ToLEDo RT Ball V5 ST DIM 470LM 827 E27 SL	5410288294933
0028595	ToLEDo RT Ball V3 ST DIM 470LM 840 E14 SL	Sleeve	5410288285955	0029494	ToLEDo RT Ball V5 ST DIM 470LM 840 E14 SL	5410288294940
0028596	ToLEDo RT Ball V3 ST DIM 470LM 840 E27 SL	Sleeve	5410288285962	0029495	ToLEDo RT Ball V5 ST DIM 470LM 840 E27 SL	5410288294957
0028597	ToLEDo RT Ball V3 ST DIM 470LM 865 E14 SL	Sleeve	5410288285979			
0028598	ToLEDo RT Ball V3 ST DIM 470LM 865 E14 BL	B blister	5410288285986	0029496	ToLEDo RT Ball V5 ST DIM 470LM 865 E14 SL	5410288294964
0028599	ToLEDo RT Ball V3 ST DIM 470LM 865 E27 SL	Sleeve	5410288285993			
0028600	ToLEDo RT Ball V3 ST DIM 470LM 865 E27 BL	B blister	5410288286006	0029497	ToLEDo RT Ball V5 ST DIM 470LM 865 E27 SL	5410288294971
0027236	ToLEDo RT Ball V4 CL 250LM 827 B22 SL	Sleeve	5410288272368	0029498	ToLEDo RT Ball V5 CL 250LM 827 B22 SL	5410288294988
0027238	ToLEDo RT Ball V4 CL 250LM 827 E14 SL	Sleeve	5410288272382			
0027237	ToLEDo RT Ball V4 CL 250LM 827 E14 BL	B blister	5410288272375	0029499	ToLEDo RT Ball V5 CL 250LM 827 E14 SL	5410288294995
0027240	ToLEDo RT Ball V4 CL 250LM 827 E27 SL	Sleeve	5410288272405			
0027239	ToLEDo RT Ball V4 CL 250LM 827 E27 BL	B blister	5410288272399	0029500	ToLEDo RT Ball V5 CL 250LM 827 E27 SL	5410288295008
0027244	ToLEDo RT Ball V4 CL 470LM 827 B22 SL	Sleeve	5410288272443	0029501	ToLEDo RT Ball V5 CL 470LM 827 B22 SL	5410288295015
0027246	ToLEDo RT Ball V4 CL 470LM 827 E14 SL	Sleeve	5410288272467			
0027245	ToLEDo RT Ball V4 CL 470LM 827 E14 BL	B blister	5410288272450	0029502	ToLEDo RT Ball V5 CL 470LM 827 E14 SL	5410288295022
0027885	ToLEDo RT Ball V4 CL 470LM 827 E27 BL3	B blister	5410288278858		Discontinued	
0027248	ToLEDo RT Ball V4 CL 470LM 827 E27 SL	Sleeve	5410288272481			
0027247	ToLEDo RT Ball V4 CL 470LM 827 E27 BL	B blister	5410288272474	0029503	ToLEDo RT Ball V5 CL 470LM 827 E27 SL	5410288295039
0028087	ToLEDo RT Ball V6 CL 806LM 827 B22 SL	Sleeve	5410288280875	0029532	ToLEDo RT Ball V5 CL 806LM 827 B22 SL	5410288295329 *
0028088	ToLEDo RT Ball V6 CL 806LM 827 E14 SL	Sleeve	5410288280882			
0028089	ToLEDo RT Ball V6 CL 806LM 827 E14 BL	B blister	5410288280899	0029533	ToLEDo RT Ball V5 CL 806LM 827 E14 SL	5410288295336
0028090	ToLEDo RT Ball V6 CL 806LM 827 E27 SL	Sleeve	5410288280905			
0028091	ToLEDo RT Ball V6 CL 806LM 827 E27 BL	B blister	5410288280912	0029534	ToLEDo RT Ball V5 CL 806LM 827 E27 SL	5410288295343
0027255	ToLEDo RT Ball V4 ST 470LM 827 B22 SL	Sleeve	5410288272559			
0028571	ToLEDo RT Ball ST 470LM 827 B22 BL	B blister	5410288285719	0029535	ToLEDo RT Ball V5 ST 470LM 827 B22 SL	5410288295350

* Made to order

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0027257	ToLEDo RT Ball V4 ST 470LM 827 E14 SL	Sleeve	5410288272573			
0027256	ToLEDo RT Ball V4 ST 470LM 827 E14 BL	Blister	5410288272566	0029536	ToLEDo RT Ball V5 ST 470LM 827 E14 SL	5410288295367
0027259	ToLEDo RT Ball V4 ST 470LM 827 E27 SL	Sleeve	5410288272597			
0027258	ToLEDo RT Ball V4 ST 470LM 827 E27 BL	Blister	5410288272580	0029537	ToLEDo RT Ball V5 ST 470LM 827 E27 SL	5410288295374
0028572	ToLEDo RT Ball ST 470LM 827 E27 BL3	Blister	5410288285726		Discontinued	
0028092	ToLEDo RT Ball V6 ST 806LM 827 E14 SL	Sleeve	5410288280929			
0028097	ToLEDo RT Ball V6 ST 806LM 827 E14 BL	Blister	5410288280974	0029538	ToLEDo RT Ball V5 ST 806LM 827 E14 SL	5410288295381
0028093	ToLEDo RT Ball V6 ST 806LM 827 E27 SL	Sleeve	5410288280936			
0028094	ToLEDo RT Ball V6 ST 806LM 827 E27 BL	Blister	5410288280943	0029539	ToLEDo RT Ball V5 ST 806LM 827 E27 SL	5410288295398
0028573	ToLEDo RT Ball ST 806LM 827 B22 BL	Blister	5410288285733		Discontinued	
0028218	ToLEDo RT Ball CL 470LM 827 B22 SL4	Sleeve	5410288282183		Discontinued	
0028217	ToLEDo RT Ball CL 470LM 827 E27 SL4	Sleeve	5410288282176	0029552	ToLEDo RT Ball CL 470LM 827 E27 SL4	5410288295527
0028216	ToLEDo RT Ball CL 470LM 827 E14 SL4	Sleeve	5410288282169	0029553	ToLEDo RT Ball CL 470LM 827 E14 SL4	5410288295534
ToLEDo™ Retro Pygmy						
0028502	ToLEDo RT Pygmy V6 CL 250LM 827 E14 SL	Sleeve	5410288285023			
0028503	ToLEDo RT Pygmy V6 CL 250LM 827 E14 BL	Blister	5410288285030	0029540	ToLEDo RT Pygmy V5 CL 250LM 827 E14 SL	5410288295404
ToLEDo™ Retro T25						
0027243	ToLEDo RT T25 V4 CL 250LM 827 E14 SL	Sleeve	5410288272436			
0027242	ToLEDo RT T25 V4 CL250LM 827 E14 BL	Blister	5410288272429	0029541	ToLEDo RT T25 V5 CL 250LM 827 E14 SL	5410288295411
0028095	ToLEDo RT T25 V6 CL 470LM 827 E14 SL	Sleeve	5410288280950			
0028096	ToLEDo RT T25 V6 CL 470LM 827 E14 BL	Blister	5410288280967	0029542	ToLEDo RT T25 V5 CL 470LM 827 E14 SL	5410288295428
ToLEDo™ Retro G80 and G120						
0027171	ToLEDo RT G80 V4 CL 470LM 827 B22 SL	Sleeve	5410288271712		Discontinued	
0027170	ToLEDo RT G80 V4 CL 470LM 827 E27 SL	Sleeve	5410288271705	0029543	ToLEDo RT G80 V5 CL 470LM 827 E27 SL	5410288295435
0027174	ToLEDo RT G80 V4 CL 640LM 827 B22 SL	Sleeve	5410288271743		Discontinued	
0027173	ToLEDo RT G80 V4 CL 640LM 827 E27 SL	Sleeve	5410288271736			
0027172	ToLEDo RT G80 V4 CL 640LM 827 E27 BL	Blister	5410288271729	0029544	ToLEDo RT G80 V5 CL 640LM 827 E27 SL	5410288295442
0027146	ToLEDo RT G120 V4 CL 1055LM 827 B22 SL	Sleeve			Discontinued	
0027147	ToLEDo RT G120 V4 CL 1055LM 827 E27 SL	Sleeve	5410288271477	0029545	ToLEDo RT G120 V5 CL 1055LM 827 E27 SL	5410288295459
0027148	ToLEDo RT G120 V4 CL 1521LM 827 B22 SL	Sleeve			Discontinued	
0027149	ToLEDo RT G120 V4 CL 1521LM 827 E27 SL	Sleeve	5410288271491	0029546	ToLEDo RT G120 V5 CL 1521LM 827 E27 SL	5410288295466
ToLEDo™ Stick						
0029024	ToLEDo Stick V3 470LM 827 E27 SL	Sleeve	5410288290249	0029558	ToLEDo Stick V4 470LM 827 E27 SL	5410288295589
0029025	ToLEDo Stick V3 500LM 840 E27 SL	Sleeve	5410288290256	0029559	ToLEDo Stick V4 500LM 840 E27 SL	5410288295596
0029026	ToLEDo Stick V3 500LM 865 E27 SL	Sleeve	5410288290263	0029560	ToLEDo Stick V4 500LM 865 E27 SL	5410288295602
0029027	ToLEDo Stick V3 810LM 827 E27 SL	Sleeve	5410288290270	0029561	ToLEDo Stick V4 810LM 827 E27 SL	5410288295619
0029028	ToLEDo Stick V3 850LM 840 E27 SL	Sleeve	5410288290287	0029562	ToLEDo Stick V4 850LM 840 E27 SL	5410288295626
0029029	ToLEDo Stick V3 850LM 865 E27 SL	Sleeve	5410288290294	0029563	ToLEDo Stick V4 850LM 865 E27 SL	5410288295633
0029030	ToLEDo Stick V3 1055LM 827 E27 SL	Sleeve	5410288290300	0029564	ToLEDo Stick V4 1055LM 827 E27 SL	5410288295640
0029031	ToLEDo Stick V3 1150LM 840 E27 SL	Sleeve	5410288290317	0029565	ToLEDo Stick V4 1100LM 840 E27 SL	5410288295657
0029032	ToLEDo Stick V3 1150LM 865 E27 SL	Sleeve	5410288290324	0029566	ToLEDo Stick V4 1100LM 865 E27 SL	5410288295664
0029033	ToLEDo Stick V3 1521LM 827 E27 SL	Sleeve	5410288290331	0029567	ToLEDo Stick V4 1521LM 827 E27 SL	5410288295671
0029034	ToLEDo Stick V3 1600LM 840 E27 SL	Sleeve	5410288290348	0029568	ToLEDo Stick V4 1600LM 840 E27 SL	5410288295688
0029035	ToLEDo Stick V3 1600LM 865 E27 SL	Sleeve	5410288290355	0029569	ToLEDo Stick V4 1600LM 865 E27 SL	5410288295695
ToLEDo™ GLS						
0026674	ToLEDo GLS V6 470LM 827 B22 SL	Sleeve	5410288266749	0029575	ToLEDo GLS V7 470LM 827 B22 SL	5410288295756
0026670	ToLEDo GLS V6 470LM 827 E27 SL	Sleeve	5410288266701			
0026671	ToLEDo GLS V6 470LM 827 E27 BL	Blister	5410288266718	0029576	ToLEDo GLS V7 470LM 827 E27 SL	5410288295763

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0026694	ToLEDo GLS V6 470LM 827 E27 BL3	Blister	5410288266947		Discontinued	
0027053	ToLEDo GLS V6 470LM 840 E27 SL	Sleeve	5410288270531	0029577	ToLEDo GLS V7 470LM 840 E27 SL	5410288295770
0026628	ToLEDo GLS V6 470LM 865 E27 SL	Sleeve	5410288266282	0029578	ToLEDo GLS V7 470LM 865 E27 SL	5410288295787
0027867	ToLEDo GLS V6 470LM 865 E27 BL	Blister	5410288278674	0029579	ToLEDo GLS V7 806LM 827 B22 SL	5410288295794
0026675	ToLEDo GLS V6 806LM 827 B22 SL	Sleeve	5410288266756	0029580	ToLEDo GLS V7 806LM 827 B22 SL3	5410288295800
0027879	ToLEDo GLS V6 806LM 827 B22 BL3	Blister	5410288278797	0029581	ToLEDo GLS V7 806LM 827 E27 SL	5410288295817
0026672	ToLEDo GLS V6 806LM 827 E27 SL	Sleeve	5410288266725	0029582	ToLEDo GLS V7 806LM 827 E27 SL3	5410288295824
0026673	ToLEDo GLS V6 806LM 827 E27 BL	Blister	5410288266732		Discontinued	
0026662	ToLEDo GLS V6 806LM 827 E27 BL3	Blister	5410288266626	0029583	ToLEDo GLS V7 806LM 840 B22 SL	5410288295831 *
0027040	ToLEDo GLS V6 806LM 827 E27 BL2	Blister	5410288270401	0029584	ToLEDo GLS V7 806LM 840 B22 SL3	5410288295848
0026693	ToLEDo GLS V6 806LM 840 B22 SL	Sleeve		0029585	ToLEDo GLS V7 806LM 840 E27 SL	5410288295855
0027880	ToLEDo GLS V6 806LM 840 B22 BL3	Blister	5410288278803	0029586	ToLEDo GLS V7 806LM 840 E27 SL3	5410288295862
0026668	ToLEDo GLS V6 806LM 840 E27 SL	Sleeve	5410288266688	0029587	ToLEDo GLS V7 806LM 865 E27 SL	5410288295879
0026669	ToLEDo GLS V6 806LM 840 E27 BL	Blister	5410288266695	0029588	ToLEDo GLS V7 1055LM 827 B22 SL	5410288295886
0027878	ToLEDo GLS V6 806LM 840 E27 BL3	Blister	5410288278780	0029589	ToLEDo GLS V7 1055LM 827 E27 SL	5410288295893
0026629	ToLEDo GLS V6 806LM 865 E27 SL	Sleeve	5410288266299	0029590	ToLEDo GLS V7 1055LM 840 E27 SL	5410288295909
0027868	ToLEDo GLS V6 806LM 865 E27 BL	Blister	5410288278681	0029591	ToLEDo GLS V7 1055LM 865 E27 SL	5410288295916
0026689	ToLEDo GLS V6 1055LM 827 B22 SL	Sleeve	5410288266893	0029592	ToLEDo GLS V7 1521LM 827 B22 SL	5410288295923
0026682	ToLEDo GLS V6 1055LM 827 E27 SL	Sleeve	5410288266824	0029593	ToLEDo GLS V7 1521LM 827 E27 SL	5410288295930
0026686	ToLEDo GLS V6 1055LM 840 E27 SL	Sleeve	5410288266862	0029594	ToLEDo GLS V7 1521LM 840 E27 SL	5410288295947
0026687	ToLEDo GLS V6 1055LM 840 E27 BL	Blister	5410288266879	0029595	ToLEDo GLS V7 1521LM 865 E27 SL	5410288295954
0026632	ToLEDo GLS V6 1055LM 865 E27 SL	Sleeve	5410288266329	0029596	ToLEDo GLS V7 1920LM 827 E27 SL	5410288295961
0027869	ToLEDo GLS V6 1055LM 865 E27 BL	Blister	5410288278698	0029597	ToLEDo GLS V7 1920LM 840 E27 SL	5410288295978
0026650	ToLEDo GLS V6 1521LM 827 B22 SL	Sleeve	5410288266503	0029598	ToLEDo GLS V7 1920LM 865 E27 SL	5410288295985
0027968	ToLEDo GLS V6 1521LM 827 E27 SL	Sleeve	5410288279688	0029599	ToLEDo GLS V7 2450LM 827 E27 SL	5410288295992
0027965	ToLEDo GLS V6 1521LM 827 E27 BL	Blister	5410288279657	0029600	ToLEDo GLS V7 2450LM 840 E27 SL	5410288296005
0027966	ToLEDo GLS V6 1521LM 840 E27 SL	Sleeve	5410288279664	0029601	ToLEDo GLS V7 2450LM 865 E27 SL	5410288296012
0027967	ToLEDo GLS V6 1521LM 840 E27 BL	Blister	5410288279671			
0027969	ToLEDo GLS V6 1521LM 865 E27 SL	Sleeve	5410288279695			
0027904	ToLEDo GLS V5 1921LM 827 E27 SL	Sleeve	5410288279046			
0027905	ToLEDo GLS V5 1921LM 840 E27 SL	Sleeve	5410288279053			
0027906	ToLEDo GLS V5 2000LM 865 E27 SL	Sleeve	5410288279060			
0027901	ToLEDo GLS V5 2452LM 827 E27 SL	Sleeve	5410288279015			
0027902	ToLEDo GLS V5 2452LM 840 E27 SL	Sleeve	5410288279022			
0027903	ToLEDo GLS V5 2550LM 865 E27 SL	Sleeve	5410288279039			
0028203	ToLEDo GLS 806LM 827 B22 SL4	Sleeve	5410288282039	0029636	ToLEDo GLS 806LM 827 B22 SL4	5410288296364
0028202	ToLEDo GLS 806LM 827 E27 SL4	Sleeve	5410288282022	0029637	ToLEDo GLS 806LM 827 E27 SL4	5410288296371
0028224	ToLEDo GLS 806LM 830 E27 SL4	Sleeve	5410288282244		Discontinued	
0028225	ToLEDo GLS 806LM 840 E27 SL4	Sleeve	5410288282251	0029639	ToLEDo GLS 806LM 840 E27 SL4	5410288296395
0028205	ToLEDo GLS 1521LM 827 B22 SL4	Sleeve	5410288282053	0029640	ToLEDo GLS 1521LM 827 B22 SL4	5410288296401
0028204	ToLEDo GLS 1521LM 827 E27 SL4	Sleeve	5410288282046	0029641	ToLEDo GLS 1521LM 827 E27 SL4	5410288296418
0028226	ToLEDo GLS 1521LM 830 E27 SL4	Sleeve	5410288282268		Discontinued	
0028227	ToLEDo GLS 1521LM 840 E27 SL4	Sleeve	5410288282275		Discontinued	
0028583	ToLEDo GLS 806LM 827 B22 SL10	Sleeve	5410288285832	0029649	ToLEDo GLS 806LM 827 B22 SL10	5410288296494
0028582	ToLEDo GLS 806LM 827 E27 SL10	Sleeve	5410288285825	0029650	ToLEDo GLS 806LM 827 E27 SL10	5410288296500
ToLEDo™ Candle						
0028397	ToLEDo Candle V6 250LM 827 B22 SL	Sleeve	5410288283975	0029602	ToLEDo Candle V7 250LM 827 B22 SL	5410288296029
0026920	ToLEDo Candle V6 250LM 827 E14 SL	Sleeve	5410288269207	0029603	ToLEDo Candle V7 250LM 827 E14 SL	5410288296036
0026924	ToLEDo Candle V6 250LM 827 E14 BL	Blister	5410288269245	0029604	ToLEDo Candle V7 250LM 840 E14 SL	5410288296043
0027514	ToLEDo Candle V6 250LM 840 E14 SL	Sleeve	5410288275147			
0026961	ToLEDo Candle V6 250LM 840 E14 BL	Blister	5410288269610			

* Made to order

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0026972	ToLEDo Candle V6 250LM 865 E14 SL	Sleeve	5410288269726			
0027870	ToLEDo Candle V6 250LM 865 E14 BL	Blister	5410288278704	0029605	ToLEDo Candle V7 250LM 865 E14 SL	5410288296050
0028398	ToLEDo Candle V6 470LM 827 B22 SL	Sleeve	5410288283982	0029606	ToLEDo Candle V7 470LM 827 B22 SL	5410288296067
0026931	ToLEDo Candle V6 470LM 827 E14 SL	Sleeve	5410288269313			
0026934	ToLEDo Candle V6 470LM 827 E14 BL	Blister	5410288269344	0029607	ToLEDo Candle V7 470LM 827 E14 SL	5410288296074
0027881	ToLEDo Candle V6 470LM 827 E14 BL3	Blister	5410288278810	0029608	ToLEDo Candle V7 470LM 827 E14 SL3	5410288296081
0026933	ToLEDo Candle V6 470LM 827 E27 SL	Sleeve	5410288269337	0029609	ToLEDo Candle V7 470LM 827 E27 SL	5410288296098
0027515	ToLEDo Candle V6 470LM 840 E14 SL	Sleeve	5410288275154	0029610	ToLEDo Candle V7 470LM 840 E14 SL	5410288296104
0026973	ToLEDo Candle V6 470LM 865 E14 SL	Sleeve	5410288269733			
0027871	ToLEDo Candle V6 470LM 865 E14 BL	Blister	5410288278711	0029611	ToLEDo Candle V7 470LM 865 E14 SL	5410288296111
0028399	ToLEDo Candle V6 806LM 827 B22 SL	Sleeve	5410288283999	0029612	ToLEDo Candle V7 806LM 827 B22 SL	5410288296128
0028334	ToLEDo Candle V6 806LM 827 E14 SL	Sleeve	5410288283340			
0028336	ToLEDo Candle V6 806LM 827 E14 BL	Blister	5410288283364	0029613	ToLEDo Candle V7 806LM 827 E14 SL	5410288296135
0028335	ToLEDo Candle V6 806LM 827 E27 SL	Sleeve	5410288283357	0029614	ToLEDo Candle V7 806LM 827 E27 SL	5410288296142
0028337	ToLEDo Candle V6 806LM 840 E14 SL	Sleeve	5410288283371			
0028338	ToLEDo Candle V6 806LM 840 E14 BL	Blister	5410288283388	0029615	ToLEDo Candle V7 806LM 840 E14 SL	5410288296159
0028339	ToLEDo Candle V6 806LM 865 E14 SL	Sleeve	5410288283395			
0028340	ToLEDo Candle V6 806LM 865 E14 BL	Blister		0029616	ToLEDo Candle V7 806LM 865 E14 SL	5410288296166
0028308	ToLEDo Candle 250LM 827 E14 SL4	Sleeve	5410288283081		Discontinued	
0028211	ToLEDo Candle 470LM 827 B22 SL4	Sleeve	5410288282114	0029643	ToLEDo Candle 470LM 827 B22 SL4	5410288296432
0028209	ToLEDo Candle 470LM 827 E14 SL4	Sleeve	5410288282091	0029644	ToLEDo Candle 470LM 827 E14 SL4	5410288296449
0028210	ToLEDo Candle 470LM 827 E27 SL4	Sleeve	5410288282107	0029645	ToLEDo Candle 470LM 827 E27 SL4	5410288296456
0026939	ToLEDo Bent Tip V6 FR 470LM 827 E14 SL	Sleeve	5410288269399		Discontinued	
0026940	ToLEDo Bent Tip V6 FR 470LM 827 E14 BL	Blister	5410288269405		Discontinued	
ToLEDo™ Ball						
0028403	ToLEDo Ball V6 250LM 827 B22 SL	Sleeve	5410288284033	0029617	ToLEDo Ball V7 250LM 827 B22 SL	5410288296173
0026950	ToLEDo Ball V6 250LM 827 E14 SL	Sleeve	5410288269504			
0026952	ToLEDo Ball V6 250LM 827 E14 BL	Blister	5410288269528	0029618	ToLEDo Ball V7 250LM 827 E14 SL	5410288296180
0026949	ToLEDo Ball V6 250LM 827 E27 SL	Sleeve	5410288269498			
0026951	ToLEDo Ball V6 250LM 827 E27 BL	Blister	5410288269511	0029619	ToLEDo Ball V7 250LM 827 E27 SL	5410288296197
0026962	ToLEDo Ball V6 250LM 840 E14 BL	Blister	5410288269627	0029620	ToLEDo Ball V7 250LM 840 E14 SL	5410288296203
0026963	ToLEDo Ball V6 250LM 840 E27 BL	Blister	5410288269634	0029621	ToLEDo Ball V7 250LM 840 E27 SL	5410288296210
0028404	ToLEDo Ball V6 470LM 827 B22 SL	Sleeve	5410288284040	0029622	ToLEDo Ball V7 470LM 827 B22 SL	5410288296227
0026954	ToLEDo Ball V6 470LM 827 E14 SL	Sleeve	5410288269542			
0026956	ToLEDo Ball V6 470LM 827 E14 BL	Blister	5410288269566	0029623	ToLEDo Ball V7 470LM 827 E14 SL	5410288296234
0027882	ToLEDo Ball V6 470LM 827 E14 BL3	Blister	5410288278827		Discontinued	
0026948	ToLEDo Ball V6 470LM 827 E27 SL	Sleeve	5410288269481	0029624	ToLEDo Ball V7 470LM 827 E27 SL	5410288296241
0027517	ToLEDo Ball V6 470LM 840 E14 SL	Sleeve	5410288275178	0029625	ToLEDo Ball V7 470LM 840 E14 SL	5410288296258
0027518	ToLEDo Ball V6 470LM 840 E27 SL	Sleeve	5410288275185	0029626	ToLEDo Ball V7 470LM 840 E27 SL	5410288296265
0026976	ToLEDo Ball V6 470LM 865 E14 SL	Sleeve	5410288269764			
0027873	ToLEDo Ball V6 470LM 865 E14 BL	Blister	5410288278735	0029627	ToLEDo Ball V7 470LM 865 E14 SL	5410288296272
0026977	ToLEDo Ball V6 470LM 865 E27 SL	Sleeve	5410288269771			
0027874	ToLEDo Ball V6 470LM 865 E27 BL	Blister	5410288278742	0029628	ToLEDo Ball V7 470LM 865 E27 SL	5410288296289
0028406	ToLEDo Ball V6 806LM 827 B22 SL	Sleeve	5410288284064			
0028341	ToLEDo Ball V6 806LM 827 E14 SL	Sleeve	5410288283418	0029629	ToLEDo Ball V7 806LM 827 B22 SL	5410288296296
0028343	ToLEDo Ball V6 806LM 827 E14 BL	Blister	5410288283432			
0028342	ToLEDo Ball V6 806LM 827 E27 SL	Sleeve	5410288283425	0029631	ToLEDo Ball V7 806LM 827 E27 SL	5410288296319
0028344	ToLEDo Ball V6 806LM 840 E14 SL	Sleeve	5410288283449			
0028345	ToLEDo Ball V6 806LM 840 E14 BL	Blister	5410288283456	0029632	ToLEDo Ball V7 806LM 840 E14 SL	5410288296326
0028436	ToLEDo Ball V6 806LM 840 E27 SL	Sleeve	5410288284361			
0028437	ToLEDo Ball V6 806LM 840 E27 BL	Blister		0029633	ToLEDo Ball V7 806LM 840 E27 SL	5410288296333

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0028346	ToLEDo Ball V6 806LM 865 E14 SL	Sleeve	5410288283463	0029634	ToLEDo Ball V7 806LM 865 E14 SL	5410288296340
0028347	ToLEDo Ball V6 806LM 865 E14 BL	Blister				
0028438	ToLEDo Ball V6 806LM 865 E27 SL	Sleeve	5410288284385		0029635	ToLEDo Ball V7 806LM 865 E27 SL
0028208	ToLEDo Ball 470LM 827 B22 SL4	Sleeve	5410288282084	0029646	ToLEDo Ball 470LM 827 B22 SL4	5410288296463
0028206	ToLEDo Ball 470LM 827 E14 SL4	Sleeve	5410288282060	0029647	ToLEDo Ball 470LM 827 E14 SL4	5410288296470
0028207	ToLEDo Ball 470LM 827 E27 SL4	Sleeve	5410288282077	0029648	ToLEDo Ball 470LM 827 E27 SL4	5410288296487
ToLEDo™ G120						
0026902	ToLEDo G120 2450lm 827 E27 SL	Sleeve	5410288269023	0026902	ToLEDo G120 2450lm 827 E27 SL	5410288269023
0026903	ToLEDo G120 2450lm 840 E27 SL	Sleeve	5410288269030	0026903	ToLEDo G120 2450lm 840 E27 SL	5410288269030
0026904	ToLEDo G120 2450lm 865 E27 SL	Sleeve	5410288269047	0026904	ToLEDo G120 2450lm 865 E27 SL	5410288269047
RefLED™ Retro GU10						
0028549	RefLED Superia RT ES50 V2 345LM DIM 827 36d SL	Sleeve	5410288285498	0029125	RefLED Superia RT ES50 V3 345LM DIM 827 36d SL	5410288291253
0028550	RefLED Superia RT ES50 V2 345LM DIM 830 36d SL	Sleeve	5410288285504	0029126	RefLED Superia RT ES50 V3 345LM DIM 830 36d SL	5410288291260
0028553	RefLED Superia RT ES50 V2 345LM DIM 830 36d BL	Blister	5410288285535			
0028609	RefLED Superia RT ES50 V2 345LM DIM 830 36d SL5	Sleeve	5410288286099	0029127	RefLED Superia RT ES50 V3 345LM DIM 830 36d SL5	5410288291277
0028551	RefLED Superia RT ES50 V2 360LM DIM 840 36d SL	Sleeve	5410288285511	0029128	RefLED Superia RT ES50 V3 360LM DIM 840 36d SL	5410288291284
0028554	RefLED Superia RT ES50 V2 360LM DIM 840 36d BL	Blister	5410288285542			
0028610	RefLED Superia RT ES50 V2 360LM DIM 840 36d SL5	Sleeve	5410288286105	0029129	RefLED Superia RT ES50 V3 360LM DIM 840 36d SL5	5410288291291
0028552	RefLED Superia RT ES50 V2 360LM DIM 865 36d SL	Sleeve	5410288285528	0029130	RefLED Superia RT ES50 V3 360LM DIM 865 36d SL	5410288291307
0028555	RefLED Superia RT ES50 V2 450LM DIM 827 36d SL	Sleeve	5410288285559	0029131	RefLED Superia RT ES50 V3 450LM DIM 827 36d SL	5410288291314
0028556	RefLED Superia RT ES50 V2 450LM DIM 830 36d SL	Sleeve	5410288285566	0029132	RefLED Superia RT ES50 V3 450LM DIM 830 36d SL	5410288291321
0028559	RefLED Superia RT ES50 V2 450LM DIM 830 36d BL	Blister	5410288285597			
0028611	RefLED Superia RT ES50 V2 450LM DIM 830 36d SL5	Sleeve	5410288286112	0029133	RefLED Superia RT ES50 V3 450LM DIM 830 36d SL5	5410288291338
0028557	RefLED Superia RT ES50 V2 475LM DIM 840 36d SL	Sleeve	5410288285573	0029134	RefLED Superia RT ES50 V3 475LM DIM 840 36d SL	5410288291345
0028560	RefLED Superia RT ES50 V2 475LM DIM 840 36d BL	Blister	5410288285603			
0028612	RefLED Superia RT ES50 V2 475LM DIM 840 36d SL5	Sleeve	5410288286129	0029135	RefLED Superia RT ES50 V3 475LM DIM 840 36d SL5	5410288291352
0028558	RefLED Superia RT ES50 V2 475LM DIM 865 36d SL	Sleeve	5410288285580	0029136	RefLED Superia RT ES50 V3 475LM DIM 865 36d SL	5410288291369
0028561	RefLED Superia RT ES50 V2 405LM DIM 927 36d SL	Sleeve	5410288285610	0029137	RefLED Superia RT ES50 V3 405LM DIM 927 36d SL	5410288291376
0028562	RefLED Superia RT ES50 V2 405LM DIM 930 36d SL	Sleeve	5410288285627	0029138	RefLED Superia RT ES50 V3 405LM DIM 930 36d SL	5410288291383
0028563	RefLED Superia RT ES50 V2 405LM DIM 940 36d SL	Sleeve	5410288285634	0029139	RefLED Superia RT ES50 V3 405LM DIM 940 36d SL	5410288291390
0028564	RefLED Superia RT ES50 V2 550LM DIM 827 36d SL	Sleeve	5410288285641	0029140	RefLED Superia RT ES50 V3 550LM DIM 827 36d SL	5410288291406
0028565	RefLED Superia RT ES50 V2 550LM DIM 830 36d SL	Sleeve	5410288285658	0029141	RefLED Superia RT ES50 V3 550LM DIM 830 36d SL	5410288291413
0028566	RefLED Superia RT ES50 V2 580LM DIM 840 36d SL	Sleeve	5410288285665	0029142	RefLED Superia RT ES50 V3 580LM DIM 840 36d SL	5410288291420
0028567	RefLED Superia RT ES50 V2 580LM DIM 865 36d SL	Sleeve	5410288285672	0029143	RefLED Superia RT ES50 V3 580LM DIM 865 36d SL	5410288291437
0028588	RefLED Superia RT ES50 V2 580LM DIM 865 36d BL	Blister	5410288285887			
0029477	RefLED Superia RT ES50 V2 230LM 827 36d SL	Sleeve		0029101	RefLED Superia RT ES50 V3 230LM 827 36d SL	5410288291017
0029464	RefLED Superia RT ES50 V2 230LM 830 36d SL	Sleeve	5410288294643	0029102	RefLED Superia RT ES50 V3 230LM 830 36d SL	5410288291024
0029465	RefLED Superia RT ES50 V2 230LM 840 36d SL	Sleeve		0029103	RefLED Superia RT ES50 V3 230LM 840 36d SL	5410288291031
0029466	RefLED Superia RT ES50 V2 230LM 865 36d SL	Sleeve		0029104	RefLED Superia RT ES50 V3 230LM 865 36d SL	5410288291048
0029950	RefLED Superia RT ES50 V2 345LM 827 36d SL	Sleeve	5410288299501	0029105	RefLED Superia RT ES50 V3 345LM 827 36d SL	5410288291055
0029951	RefLED Superia RT ES50 V2 345LM 830 36d SL	Sleeve	5410288299518	0029106	RefLED Superia RT ES50 V3 345LM 830 36d SL	5410288291062
0029467	RefLED Superia RT ES50 V2 345LM 830 36d BL	Blister	5410288294674			
0029469	RefLED Superia RT ES50 V2 345LM 830 36d BL2	Blister	5410288294698	0029107	RefLED Superia RT ES50 V3 345LM 830 36d SL2	5410288291079
0029478	RefLED Superia RT ES50 V2 345LM 830 36°BL3	Blister	5410288294780	0029108	RefLED Superia RT ES50 V3 345LM 830 36d SL3	5410288291086
0029952	RefLED Superia RT ES50 V2 360LM 840 36d SL	Sleeve	5410288299525	0029109	RefLED Superia RT ES50 V3 360LM 840 36d SL	5410288291093
0029468	RefLED Superia RT ES50 V2 360LM 840 36d BL	Blister	5410288294681			
0029470	RefLED Superia RT ES50 V2 360LM 840 36d BL2	Blister	5410288294704	0029110	RefLED Superia RT ES50 V3 360LM 840 36d SL2	5410288291109
0029479	RefLED Superia RT ES50 V2 360LM 840 36°BL3	Blister	5410288294797	0029111	RefLED Superia RT ES50 V3 360LM 840 36d SL3	5410288291116
0029953	RefLED Superia RT ES50 V2 360LM 865 36d SL	Sleeve	5410288299532	0029112	RefLED Superia RT ES50 V3 360LM 865 36d SL	5410288291123
0029954	RefLED Superia RT ES50 V2 450LM 827 36d SL	Sleeve	5410288299549	0029113	RefLED Superia RT ES50 V3 450LM 827 36d SL	5410288291130

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0029955	RefLED Superia RT ES50 V2 450LM 830 36d SL	Sleeve	5410288299556			
0029473	RefLED Superia RT ES50 V2 450LM 830 36d BL	Blisters	5410288294735	0029114	RefLED Superia RT ES50 V3 450LM 830 36d SL	5410288291147
0029956	RefLED Superia RT ES50 V2 475LM 840 36d SL	Sleeve	5410288299563			
0029474	RefLED Superia RT ES50 V2 475LM 840 36d BL	Blisters	5410288294742	0029115	RefLED Superia RT ES50 V3 475LM 840 36d SL	5410288291154
0029957	RefLED Superia RT ES50 V2 475LM 865 36d SL	Sleeve	5410288299570	0029116	RefLED Superia RT ES50 V3 475LM 865 36d SL	5410288291161
0029958	RefLED Superia RT ES50 V2 550LM 827 36d SL	Sleeve	5410288299587	0029117	RefLED Superia RT ES50 V3 550LM 827 36d SL	5410288291178
0029959	RefLED Superia RT ES50 V2 600LM 830 36d SL	Sleeve	5410288299594	0029118	RefLED Superia RT ES50 V3 600LM 830 36d SL	5410288291185
0029960	RefLED Superia RT ES50 V2 620LM 840 36d SL	Sleeve	5410288299600	0029119	RefLED Superia RT ES50 V3 620LM 840 36d SL	5410288291192
0029961	RefLED Superia RT ES50 V2 620LM 865 36d SL	Sleeve	5410288299617	0029120	RefLED Superia RT ES50 V3 620LM 865 36d SL	5410288291208
				0029121	RefLED Superia RT ES50 V3 700LM 827 36d SL	5410288291215
				0029122	RefLED Superia RT ES50 V3 700LM 830 36d SL	5410288291222
				0029123	RefLED Superia RT ES50 V3 750LM 840 36d SL	5410288291239
				0029124	RefLED Superia RT ES50 V3 750LM 865 36d SL	5410288291246
0028223	RefLED RT ES50 345LM 827 36° SL4	Sleeve	5410288282237	0029108	RefLED Superia RT ES50 V3 345LM 830 36d SL3	5410288291086
RefLED™ GU10						
0027427	RefLED ES50 V5 230lm 830 36° SL	Sleeve	5410288274270	0029155	RefLED ES50 V6 230lm 830 36° SL	5410288291550
0027429	RefLED ES50 V6 230lm 830 36° BL	Blisters	5410288274294	0029156	RefLED ES50 V6 230lm 830 36° SL3	5410288291567
0027431	RefLED ES50 V6 230lm 830 36° BL3	Blisters	5410288274317	0029157	RefLED ES50 V6 230lm 840 36° SL	5410288291574
0027428	RefLED ES50 V5 230lm 840 36° SL	Sleeve	5410288274287	0029158	RefLED ES50 V6 230lm 865 36° SL	5410288291581
0027430	RefLED ES50 V6 230lm 840 36° BL	Blisters	5410288274300	0029159	RefLED ES50 V6 345lm 827 36° SL	5410288291598
0027461	RefLED ES50 V5 230lm 865 36° SL	Sleeve	5410288274614	0029160	RefLED ES50 V6 345lm 830 36° SL	5410288291604
0027432	RefLED ES50 V5 345lm 827 36° SL	Sleeve	5410288274324	0029162	RefLED ES50 V6 345lm 830 36° SL3	5410288291628
0027433	RefLED ES50 V5 345lm 830 36° SL	Sleeve	5410288274331	0029163	RefLED ES50 V6 345lm 830 36° SL5	5410288291635
0027436	RefLED ES50 V6 345lm 830 36° BL	Blisters	5410288274362	0029164	RefLED ES50 V6 345lm 830 36° SL10	5410288291642
0027438	RefLED ES50 V6 345lm 830 36° BL3	Blisters	5410288274386	0029165	RefLED ES50 V6 345lm 840 36° SL	5410288291659
0027459	RefLED ES50 V5 345lm 830 36° SL5	Sleeve	5410288274591	0029167	RefLED ES50 V6 345lm 840 36° SL3	5410288291673
0027315	RefLED ES50 V5 345lm 830 36° SL10	Sleeve	5410288273150	0029168	RefLED ES50 V6 345lm 840 36° SL5	5410288291680
0027434	RefLED ES50 V5 345lm 840 36° SL	Sleeve	5410288274348	0029169	RefLED ES50 V6 345lm 840 36° SL10	5410288291697
0027437	RefLED ES50 V6 345lm 840 36° BL	Blisters	5410288274379	0029170	RefLED ES50 V6 345lm 865 36° SL	5410288291703
0027439	RefLED ES50 V6 345lm 840 36° BL3	Blisters	5410288274393	0029171	RefLED ES50 V6 345lm 865 36° SL10	5410288291710 *
0027460	RefLED ES50 V5 345lm 840 36° SL5	Sleeve	5410288274607	0029172	RefLED ES50 V6 320lm 830 110° SL	5410288291727
0027316	RefLED ES50 V5 345lm 840 36° SL10	Sleeve	5410288273167	0029173	RefLED ES50 V6 320lm 830 110° SL10	5410288291734
0027435	RefLED ES50 V5 345lm 865 36° SL	Sleeve	5410288274355	0029174	RefLED ES50 V6 320lm 840 110° SL	5410288291741
0027317	RefLED ES50 V5 345lm 865 36° SL10	Sleeve	5410288273174	0029175	RefLED ES50 V6 320lm 840 110° SL10	5410288291758
0027445	RefLED ES50 V5 320lm 830 110° SL	Sleeve	5410288274454	0029176	RefLED ES50 V6 320lm 865 110° SL	5410288291765
0024783	RefLED ES50 V5 320lm 830 110° SL10	Sleeve	5410288247830	0029177	RefLED ES50 V6 320lm 865 110° SL10	5410288291772
0027472	RefLED ES50 V5 320lm 840 110° SL	Sleeve	5410288274720	0029178	RefLED ES50 V6 450lm 830 36d SL	5410288291789
0024784	RefLED ES50 V5 320lm 840 110° SL10	Sleeve	5410288247847	0029179	RefLED ES50 V6 450lm 840 36d SL	5410288291796
0027473	RefLED ES50 V5 320lm 865 110° SL	Sleeve	5410288274737	0029180	RefLED ES50 V6 450lm 865 36d SL	5410288291802
0024785	RefLED ES50 V5 320lm 865 110° SL10	Sleeve	5410288247854	0029181	RefLED ES50 V6 450lm 830 110d SL	5410288291819
0027447	RefLED ES50 V5 425lm 830 36d SL	Sleeve	5410288274478	0029182	RefLED ES50 V6 450lm 840 110d SL	5410288291826
0027449	RefLED ES50 V6 425lm 830 36° BL	Blisters	5410288274492	0029183	RefLED ES50 V6 610lm 830 36° SL	5410288291833
0027448	RefLED ES50 V5 425lm 840 36d SL	Sleeve	5410288274485	0029184	RefLED ES50 V6 610lm 830 36° SL5	5410288291840
0027450	RefLED ES50 V6 425lm 840 36° BL	Blisters	5410288274508	0029185	RefLED ES50 V6 610lm 840 36° SL	5410288291857
0027466	RefLED ES50 V5 425lm 865 36d SL	Sleeve	5410288274669	0029186	RefLED ES50 V6 610lm 840 36° SL5	5410288291864
0027455	RefLED ES50 V5 425lm 830 110d SL	Sleeve	5410288274553			
0027457	RefLED ES50 V6 400lm 830 110° BL	Blisters	5410288274577			
0027456	RefLED ES50 V5 425lm 840 110d SL	Sleeve	5410288274560			
0027462	RefLED ES50 V5 610lm 830 36° SL	Sleeve	5410288274621			
0027491	RefLED ES50 V5 610lm 830 36° SL5	Sleeve	5410288274911			
0027463	RefLED ES50 V5 610lm 840 36° SL	Sleeve	5410288274638			
0027492	RefLED ES50 V5 610lm 840 36° SL5	Sleeve	5410288274928			

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0027468	RefLED ES50 V5 620lm 865 36° SL	Sleeve	5410288274683	0029187	RefLED ES50 V6 620lm 865 36° SL	5410288291871
0027664	RefLED ES50 V5 580lm 830 110° SL	Sleeve	5410288276649	0029188	RefLED ES50 V6 580lm 830 110° SL	5410288291888
0027665	RefLED ES50 V5 600lm 840 110° SL	Sleeve	5410288276656	0029189	RefLED ES50 V6 600lm 840 110° SL	5410288291895
0028222	REFLED ES50 345LM 827 36° SL4	Sleeve	5410288282220	Discontinued		
0028585	RefLED ES50 XL V4 345lm 830 36° SL	Sleeve	5410288285856	0028585	RefLED ES50 XL V4 345lm 830 36° SL	5410288285856
RefLED™ ES111						
0027636	RefLED ES111 1000LM DIM 830 25°SL	Sleeve	5410288276366	0029192	RefLED RT ES111 1150LM DIM 830 25°SL	5410288291925
RefLED™ Retro PAR						
0028543	REFLED RT PAR16 345LM 830 E14 36° SL	Sleeve	5410288285436	0029193	REFLED RT PAR16 V2 345LM 830 E14 36° SL	5410288291932
0028544	REFLED RT PAR16 345LM 830 E14 36° BL	Blisters	5410288285443			
0028545	REFLED RT PAR16 345LM 840 E14 36° SL	Sleeve	5410288285450	0029194	REFLED RT PAR16 V2 345LM 840 E14 36° SL	5410288291949
0028586	REFLED RT PAR16 345LM 840 E14 36° BL	Blisters	5410288285863			
0028546	REFLED RT PAR16 345LM 865 E14 36° SL	Sleeve	5410288285467	0029195	REFLED RT PAR16 V2 345LM 865 E14 36° SL	5410288291956
0028269	RefLED RT PAR20 DIM 540LM 830 36° SL	Sleeve	5410288282695	0029196	RefLED RT PAR20 V2 DIM 540LM 830 36° SL	5410288291963
0028524	RefLED RT PAR20 DIM 540LM 840 36° SL	Sleeve	5410288285245	0029197	RefLED RT PAR20 V2 DIM 540LM 840 36° SL	5410288291970
0028270	RefLED RT PAR30 DIM 820LM 830 36° SL	Sleeve	5410288282701	0029198	RefLED RT PAR30 V2 DIM 820LM 830 36° SL	5410288291987
0028525	RefLED RT PAR30 DIM 820LM 840 36° SL	Sleeve	5410288285252	0029199	RefLED RT PAR30 V2 DIM 820LM 840 36° SL	5410288291994
0028271	RefLED RT PAR38 DIM 1200LM 830 IP65 40° SL	Sleeve	5410288282718	0029200	RefLED RT PAR38 V2 DIM 1200LM 830 IP65 40° SL	5410288292007
0028526	RefLED RT PAR38 DIM 1200LM 840 IP65 40°SL	Sleeve	5410288285269	0029201	RefLED RT PAR38 V2 DIM 1200LM 840 IP65 40°SL	5410288292014
RefLED™ Reflectors						
0026333	RefLED R39 V3 250LM 830 E14 BL	Blisters	5410288263335	0029202	RefLED R39 V4 250LM 830 E14 SL	5410288292021
0028520	REFLED R39 V3 250LM 840 E14 SL	Sleeve	5410288285207	0029203	REFLED R39 V4 250LM 840 E14 SL	5410288292038 *
0028535	REFLED R39 V3 250LM 865 E14 SL	Sleeve	5410288285351	0029204	REFLED R39 V4 250LM 865 E14 SL	5410288292045 *
0026331	RefLED R50 V3 470LM 830 E14 BL	Blisters	5410288263311	0029205	RefLED R50 V4 470LM 830 E14 SL	5410288292052
0028411	RefLED R50 V3 470LM 830 E14 SL	Sleeve	5410288284118			
0026303	RefLED R50 V3 470LM 840 E14 SL	Sleeve	5410288263038	0029206	RefLED R50 V4 470LM 840 E14 SL	5410288292069
0026335	RefLED R50 V3 470LM 865 E14 SL	Sleeve	5410288263359	0029207	RefLED R50 V4 470LM 865 E14 SL	5410288292076
0026332	RefLED R63 V3 630LM 830 E27 BL	Blisters	5410288263328	0029208	RefLED R63 V4 630LM 830 E27 SL	5410288292083
0028412	RefLED R63 V3 630LM 830 E27 SL	Sleeve	5410288284125			
0028521	REFLED R63 V3 630LM 840 E27 SL	Sleeve	5410288285214	0029209	REFLED R63 V4 630LM 840 E27 SL	5410288292090
0026336	RefLED R63 V3 630LM 865 E27 SL	Sleeve	5410288263366	0029210	RefLED R63 V4 630LM 865 E27 SL	5410288292106
0026334	RefLED R80 V3 806LM 830 E27 BL	Blisters	5410288263342	0029211	RefLED R80 V4 806LM 830 E27 SL	5410288292113
0028413	RefLED R80 V3 806LM 830 E27 SL	Sleeve	5410288284132			
0028522	REFLED R80 V3 806LM 840 E27 SL	Sleeve	5410288285221	0029212	REFLED R80 V4 806LM 840 E27 SL	5410288292120
0026337	RefLED R80 V3 806LM 865 E27 SL	Sleeve	5410288263373	0029213	RefLED R80 V4 806LM 865 E27 SL	5410288292137
RefLED™ Retro MR16						
0029415	RefLED Superia RT MR16 345LM DIM 827 36d SL	Sleeve	5410288294155	0029214	RefLED Superia RT V2 MR16 345LM DIM 827 36° SL	5410288292144
0029416	RefLED Superia RT MR16 345LM DIM 830 36d SL	Sleeve	5410288294162	0029215	RefLED Superia RT V2 MR16 345LM DIM 830 36° SL	5410288292151
0029417	RefLED Superia RT MR16 380LM DIM 840 36d SL	Sleeve	5410288294179	0029216	RefLED Superia RT V2 MR16 380LM DIM 840 36° SL	5410288292168
0029418	RefLED Superia RT MR16 380LM DIM 865 36d SL	Sleeve	5410288294186	0029217	RefLED Superia RT V2 MR16 380LM DIM 865 36° SL	5410288292175
0029419	RefLED Superia RT MR16 450LM DIM 827 36d SL	Sleeve	5410288294193	0029218	RefLED Superia RT V2 MR16 460LM DIM 827 36° SL	5410288292182
0029420	RefLED Superia RT MR16 450LM DIM 830 36d SL	Sleeve	5410288294209	0029219	RefLED Superia RT V2 MR16 460LM DIM 830 36° SL	5410288292199
0029421	RefLED Superia RT MR16 480LM DIM 840 36d SL	Sleeve	5410288294216	0029220	RefLED Superia RT V2 MR16 480LM DIM 840 36° SL	5410288292205
0029422	RefLED Superia RT MR16 480LM DIM 865 36d SL	Sleeve	5410288294223	0029221	RefLED Superia RT V2 MR16 480LM DIM 865 36° SL	5410288292212
0029423	RefLED Superia RT MR16 621LM DIM 827 36d SL	Sleeve	5410288294230	0029222	RefLED Superia RT V2 MR16 621LM DIM 827 36° SL	5410288292229
0029424	RefLED Superia RT MR16 621LM DIM 830 36d SL	Sleeve	5410288294247	0029223	RefLED Superia RT V2 MR16 621LM DIM 830 36° SL	5410288292236
0029425	RefLED Superia RT MR16 621LM DIM 840 36d SL	Sleeve	5410288294254	0029224	RefLED Superia RT V2 MR16 621LM DIM 840 36° SL	5410288292243

* Made to order

Old and New Item Reference List


Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
0029426	RefLED Superia RT MR16 621LM DIM 865 36d SL	Sleeve	5410288294261	0029225	RefLED Superia RT V2 MR16 621LM DIM 865 36° SL	5410288292250
0026611	RefLED MR16 V5 345lm 827 36° SL	Sleeve	5410288266114	0029226	RefLED Superia RT V2 MR16 345lm 827 36° SL	5410288292267
0026612	RefLED MR16 V5 345lm 830 36° SL	Sleeve	5410288266121	0029227	RefLED Superia RT V2 MR16 345lm 830 36° SL	5410288292274
0026614	RefLED MR16 V5 345lm 830 36° BL	Blister	5410288266145	0029228	RefLED Superia RT V2 MR16 380lm 840 36° SL	5410288292281
0026613	RefLED MR16 V5 345lm 840 36° SL	Sleeve	5410288266138	0029229	RefLED Superia RT V2 MR16 380lm 865 36° SL	5410288292298
0026615	RefLED MR16 V5 345lm 840 36° BL	Blister	5410288266152	0029230	RefLED Superia RT V2 MR16 450lm 830 36° SL	5410288292304
0026695	RefLED MR16 V5 345lm 865 36° SL	Sleeve	5410288266954	0029231	RefLED Superia RT V2 MR16 480lm 840 36° SL	5410288292311
0026616	RefLED MR16 V5 425lm 830 36° SL	Sleeve	5410288266169	0029232	RefLED Superia RT V2 MR16 480lm 865 36° SL	5410288292328
0026618	RefLED MR16 V5 425lm 830 36° BL	Blister	5410288266183	0029233	RefLED Superia RT V2 MR16 621lm 830 36° SL	5410288292335
0026617	RefLED MR16 V5 425lm 840 36° SL	Sleeve	5410288266176	0029234	RefLED Superia RT V2 MR16 621lm 840 36° SL	5410288292342
0026619	RefLED MR16 V5 425lm 840 36° BL	Blister	5410288266190	0029235	RefLED Superia RT V2 MR16 621lm 865 36° SL	5410288292373
0026696	RefLED MR16 V5 425lm 865 36° SL	Sleeve	5410288266961			
0026764	RefLED MR16 V5 621lm 830 36° SL	Sleeve	5410288267647			
0026767	RefLED MR16 V5 621lm 830 36° BL	Blister	5410288267678			
0026765	RefLED MR16 V5 621lm 840 36° SL	Sleeve	5410288267654			
0026768	RefLED MR16 V5 621lm 840 36° BL	Blister	5410288267685			
0026766	RefLED MR16 V5 621lm 865 36° SL	Sleeve	5410288267661			
RefLED™ Retro MR11						
0028264	RefLED RT MR11 184LM 3000K 36° SL	Sleeve	5410288282640	0029238	RefLED RT MR11 184LM 830 36° SL	5410288292380
0028265	RefLED RT MR11 184LM 3000K 36° BL	Blister				
0028527	REFLED RT MR11 184LM 840 36° SL	Sleeve	5410288285276		Discontinued	
0028547	REFLED RT MR11 184LM 865 36° SL	Sleeve	5410288285474		Discontinued	
0028266	RefLED RT MR11 345LM 3000K 36° SL	Sleeve	5410288282664	0029239	RefLED RT MR11 345LM 830 36° SL	5410288292397
0028267	RefLED RT MR11 345LM 3000K 36° BL	Blister	5410288282671			
0028528	REFLED RT MR11 345LM 840 36° SL	Sleeve	5410288285283	0029240	RefLED RT MR11 345LM 840 36° SL	5410288292403
0028587	REFLED RT MR11 345LM 840 36° BL	Blister	5410288285870			
0028548	REFLED RT MR11 345LM 865 36° SL	Sleeve	5410288285481		Discontinued	
ToLEDo™ Performer						
0028369	ToLEDo Performer T60 2300LM 840 E27 SL	Sleeve	5410288283692	0028369	ToLEDo Performer T60 2300LM 840 E27 SL	5410288283692
0028425	ToLEDo Performer T60 3100LM 830 E27 SL	Sleeve	5410288284255	0028425	ToLEDo Performer T60 3100LM 830 E27 SL	5410288284255 *
0028370	ToLEDo Performer T60 3400LM 840 E27 SL	Sleeve	5410288283708	0028370	ToLEDo Performer T60 3400LM 840 E27 SL	5410288283708
0028426	ToLEDo Performer T85 4100LM 830 E27 SL	Sleeve	5410288284262	0028426	ToLEDo Performer T85 4100LM 830 E27 SL	5410288284262 *
0028371	ToLEDo Performer T85 4500LM 840 E27 SL	Sleeve	5410288283715	0028371	ToLEDo Performer T85 4500LM 840 E27 SL	5410288283715
0028427	ToLEDo Performer T85 6100LM 830 E40 SL	Sleeve	5410288284279	0028427	ToLEDo Performer T85 6100LM 830 E40 SL	5410288284279 *
0028373	ToLEDo Performer T85 6800LM 840 E40 SL	Sleeve	5410288283739	0028373	ToLEDo Performer T85 6800LM 840 E40 SL	5410288283739
0028428	ToLEDo Performer T130 V2 9500LM 830 E40 SL	Sleeve	5410288284286	0028428	ToLEDo Performer T130 V2 9500LM 830 E40 SL	5410288284286 *
0028379	ToLEDo Performer T130 V2 10500LM 840 E40 SL	Sleeve	5410288283791	0028379	ToLEDo Performer T130 V2 10500LM 840 E40 SL	5410288283791
0028429	ToLEDo Performer T130 V2 12000LM 830 E40 SL	Sleeve	5410288284293	0028429	ToLEDo Performer T130 V2 12000LM 830 E40 SL	5410288284293 *
0028380	ToLEDo Performer T130 V2 13000LM 840 E40 SL	Sleeve	5410288283807	0028380	ToLEDo Performer T130 V2 13000LM 840 E40 SL	5410288283807
0028381	ToLEDo Performer T130 V2 15000LM 840 E40 SL	Sleeve	5410288283814	0028381	ToLEDo Performer T130 V2 15000LM 840 E40 SL	5410288283814
0028377	ToLEDo Performer H200 10500LM 840 E40 SL	Sleeve	5410288283777	0028377	ToLEDo Performer H200 10500LM 840 E40 SL	5410288283777
0028378	ToLEDo Performer H230 15500LM 840 E40 SL	Sleeve	5410288283784	0028378	ToLEDo Performer H230 15500LM 840 E40 SL	5410288283784
ToLEDo™ R7s						
0028488	ToLEDo RT R7s 78MM 470LM 827 BL	Blister	5410288284880	0029682	ToLEDo RT R7s 78MM 470LM 827 SL	5410288296821
0028489	ToLEDo RT R7s 78MM 470LM 840 BL	Blister	5410288284897	0029683	ToLEDo RT R7s 78MM 470LM 840 SL	5410288296838
0028490	ToLEDo RT R7s 118MM 1055LM 827 BL	Blister	5410288284903	0029684	ToLEDo RT R7s 118MM 850LM 827 SL	5410288296845
0028491	ToLEDo RT R7s 118MM 1055LM 840 BL	Blister	5410288284910	0029685	ToLEDo RT R7s 118MM 850LM 840 SL	5410288296852
0026847	ToLEDo R7S 78MM DIM 1055LM 827 BL	Blister	5410288268477	0029686	ToLEDo R7S 78MM DIM 1055LM 827 SL	5410288296869
0026874	ToLEDo R7S 118MM 1521LM 827 BL	Blister	5410288268743	0029687	ToLEDo R7S 118MM 1521LM 827 SL	5410288296876
0026876	ToLEDo R7S 118MM 2000LM DIM 827 BL	Blister	5410288268767	0029688	ToLEDo R7S 118MM 2000LM DIM 827 SL	5410288296883

* Made to order

Old and New Item Reference List

Old Code				New Code		
Item Number	Item Description	Packaging	EAN Code	New Item No	New Description	EAN Code
ToLEDo™ G4						
0026514	ToLEDo G4 200LM 827 SL	Sleeve	5410288265148	0029654	ToLEDo G4 200LM 827 SL	5410288296548
0026519	ToLEDo G4 200LM 827 BL	B blister	5410288265193		Discontinued	
0028407	ToLEDo G4 200LM 827 BL2	B blister	5410288284071	0029655	ToLEDo G4 200LM 827 SL4	5410288296555
0028408	ToLEDo G4 200LM 827 BL4	B blister	5410288284088		ToLEDo G4 220LM 840 SL	5410288296562
0028529	ToLEDo G4 200LM 840 BL	B blister	5410288285290	0029656	ToLEDo G4 220LM 865 SL	5410288296579
0028537	ToLEDo G4 200LM 865 BL	B blister	5410288285375		ToLEDo G4 300LM 827 SL	5410288296586
0028244	ToLEDo G4 300lm 827 SL	Sleeve	5410288282442	0029658	Discontinued	
0028245	ToLEDo G4 300lm 827 BL	B blister	5410288282459		ToLEDo G4 300LM 840 SL	5410288296593
0028501	ToLEDo G4 300lm 827 BL2	B blister		0029659	ToLEDo G4 300LM 865 SL	5410288296609
0028530	ToLEDo G4 300LM 840 BL	B blister	5410288285306		Discontinued	
0028538	ToLEDo G4 300LM 865 BL	B blister	5410288285382	0029660		
ToLEDo™ GY6.35						
0026536	ToLEDo GY6.35 300LM 827 SL	Sleeve	5410288265360	0029661	ToLEDo GY6.35 300LM 827 SL	5410288296616
0026537	ToLEDo GY6.35 300LM 827 BL	B blister	5410288265377		Discontinued	
0028500	ToLEDo GY6.35 300LM 827 BL2	B blister		0029662	ToLEDo GY6.35 300LM 840 SL	5410288296623
0028534	ToLEDo GY6.35 300LM 840 BL	B blister	5410288285344		ToLEDo GY6.35 300LM 865 SL	5410288296630
0028542	ToLEDo GY6.35 300LM 865 BL	B blister	5410288285429	0029663		
ToLEDo™ G9						
0028238	ToLEDo G9 350LM DIM 827 SL	Sleeve	5410288282381	0029674	ToLEDo G9 350LM DIM 827 SL	5410288296746
0028239	ToLEDo G9 350LM DIM 827 BL	B blister	5410288282398		Discontinued	
0028533	ToLEDo G9 350LM DIM 840 BL	B blister	5410288285337	0029675	ToLEDo G9 350LM DIM 840 SL	5410288296753
0028541	ToLEDo G9 350LM DIM 865 BL	B blister	5410288285412		ToLEDo G9 350LM DIM 865 SL	5410288296760
0028476	ToLEDo RT G9 CL 250LM 827 SL	Sleeve	5410288284767	0029664	ToLEDo RT G9 CL 250LM 827 SL	5410288296647
0028477	ToLEDo RT G9 CL 250LM 827 BL	B blister	5410288284774		Discontinued	
0028478	ToLEDo RT G9 CL 250LM 827 BL2	B blister	5410288284781	0029665	ToLEDo RT G9 CL 250LM 827 SL2	5410288296654
0028531	ToLEDo RT G9 CL 250LM 840 BL	B blister	5410288285313		ToLEDo RT G9 CL 250LM 840 SL	5410288296661
0028539	ToLEDo RT G9 CL 250LM 865 BL	B blister	5410288285399	0029667	ToLEDo RT G9 CL 250LM 865 SL	5410288296678
0028479	ToLEDo RT G9 CL 470LM 827 SL	Sleeve	5410288284798		Discontinued	
0028480	ToLEDo RT G9 CL 470LM 827 BL	B blister	5410288284804	0029668	ToLEDo RT G9 CL 470LM 827 SL	5410288296685
0028481	ToLEDo RT G9 CL 470LM 827 BL2	B blister	5410288284811		ToLEDo RT G9 CL 470LM 827 SL2	5410288296692
0028482	ToLEDo RT G9 CL 470LM 840 SL	Sleeve	5410288284828	0029670	ToLEDo RT G9 CL 470LM 840 SL	5410288296708
0028483	ToLEDo RT G9 CL 470LM 840 BL	B blister	5410288284835		Discontinued	
0028540	ToLEDo RT G9 CL 470LM 865 BL	B blister	5410288285405	0029671	ToLEDo RT G9 CL 470LM 865 SL	5410288296715
0028484	ToLEDo RT G9 ST 400LM 827 SL	Sleeve	5410288284842		Discontinued	
0028485	ToLEDo RT G9 ST 400LM 827 BL	B blister	5410288284859	0029672	ToLEDo RT G9 ST 400LM 827 SL	5410288296722
0028486	ToLEDo G9 CL 600LM 827 SL	Sleeve	5410288284866		Discontinued	
0028487	ToLEDo G9 CL 600LM 827 BL	B blister	5410288284873	0029673	ToLEDo G9 CL 600LM 827 SL	5410288296739
					Discontinued	
ToLEDo™ MicroLynx						
0026808	ToLEDo MicroLynx Frosted 470LM 830 SL	Sleeve	5410288268088	0029694	ToLEDo MicroLynx V2 470LM 830 SL	5410288296944
0026809	ToLEDo MicroLynx Frosted 470LM 840 SL	Sleeve	5410288268095		Discontinued	
0026810	ToLEDo MicroLynx Frosted 650LM 830 SL	Sleeve	5410288268101	0029696	ToLEDo MicroLynx V2 470LM 840 SL	5410288296951
0026811	ToLEDo MicroLynx Frosted 650LM 840 SL	Sleeve	5410288268118		ToLEDo MicroLynx V2 650LM 830 SL	5410288296968
				0029697	ToLEDo MicroLynx V2 650LM 840 SL	5410288296975
					Discontinued	
ToLEDo™ Striplight						
0028105	ToLEDo ST V3 300MM 450LM S14S	Sleeve	5410288281056	0028105	ToLEDo ST V3 300MM 450LM S14S	5410288281056
0028106	ToLEDo ST V3 500MM 700LM S14S	Sleeve	5410288281063		Discontinued	
0028107	ToLEDo ST V3 310MM 806LM S19	Sleeve	5410288281070	0028106	ToLEDo ST V3 500MM 700LM S14S	5410288281063
					ToLEDo ST V3 310MM 806LM S19	5410288281070

SYLVANIA



Feilo Sylvania International Group Kft.
Duna Tower, Building C, 5th Floor,
Népfürdő u. 22., Budapest, 1138 Hungary

Feilo Sylvania UK Ltd
Avis Way, Newhaven, East Sussex, BN9 0ED, UK



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft.

Copyright Feilo Sylvania International Group Kft. July 2021

sylvania-lighting.com

A Feilo Sylvania Company