Identifying Human Trafficking in Texas: What Physicians Need to Know

Melinda Lopez, MD

OB/GYN and Affiliate Faculty
Department of Women's Health
UT Dell Medical School
People's Community Clinic
Austin, Texas

Educational Objectives

By completing this educational activity, the participant should be better able to:

- 1. Recognize the elements of patient medical history, physical, and behaviors that suggest potential human trafficking.
- 2. Screen patients for human trafficking.
- 3. Take appropriate action with patients and authorities in cases of suspected human trafficking.

Speaker Disclosure

Dr. Lopez has disclosed she is on the advisory board for Afaxys.

Human Trafficking in Texas: What the Primary Care Provider Need to Know

> Melinda Lopez, MD, MPH, OBGYN Director of Reproductive Health People's Community Clinic Austin, Texas

Disclosure

3

& Financial Disclosure: Served on the public health advisory board in 2021 for Afaxys

1


- Recognize the elements of patient history, physical findings and behaviors that suggest potential human trafficking.
- & Discuss various ways to screen for human trafficking.
- & Take appropriate actions with patients and authorities in cases of suspected human trafficking.

Learning Objectives

4

Human Trafficking:

- The recruitment, harboring, transportation, provision, or obtaining of a person for labor or services
- Through the use of force, fraud, or coercion (not necessary if the victim is a minor)
- · For the purpose of subjection to involuntary servitude, peonage, debt bondage, slavery or forced commercial sex acts



Stats

5

- § \$150 billion per year industry
- & Affects 40.3 million people per year
- Second largest criminal industry after drug trafficking
- & 81% of victims are in forced labor
- 75% of victims are female (majority of sex trafficking victims)
- 25% of victims are children
- kg 14-50,000 individuals trafficked individuals in the US every year (16,000 victims identified through the HT hotline in 2020)
- & Average age of entry into sex trafficking is age 12-16


7 6



Unit Cost
Public health expenditures
Injury from assault
Minor (a)
Major 2016 \$\$ 4,757 68,859 6,609 STIs
Chlamydia-early treatment
Chlamydia-late treatment
HIV/AIDS
Pregnancy with abortion
Pregnancy with birth (c)
Chemical dependency
Criminal justice expenditures (b)
Homicide investigation
Adolescents
Adolescents
Adolescents 116 1,431 29,303 681 14,866 39,810 10,730 2,356 Adolescents: Arrests Adults Arrests
Court hearings
Incarcerations
Probation supervision
Child foster care expenditures (child of victim)
Forgone income tax revenue

9

Annual Value of Labor Exploited from Trafficking Victims Estimated Annual Value Wages Lost \$94,314,906 \$214,549,192 High-Risk Labor Trafficking Segments* Migrant farmworkers Cleaning services Construction 36,970 84,100 35,438 Kitchen workers in restaurants \$155,426,986 60,925 Landscaping and grounds keeping workers 17.024 \$43,430,267 Total \$598,127,942
* The research team acknowledges the limitations of this narrow definition of human trafficking. Phase 2




10








12 19














25 26

The Role of the Health Care Provider: Potential Abolitionist

- & Unique opportunity to screen patients and provide resources
- ₹ 50-87% of victims of labor and sex trafficking came into contact with medical professional (63% in the ER, 30% in Planned Parenthood, and 19.4% in women's health clinic)
- Significant barriers still exist, namely lack of training and lack of awareness of HT



27 28

Risk Factors Cited Here..

- . Age (especially 12-16 y, immature prefrontal cortex, puberty)
- · Runaway and homeless
- History of sexual or physical abuse or neglect
- · Dysfunctional families (substance abuse, criminality, violence)
- Interactions with Child Protective Services of Juvenile Justice System
- Lesbian, gay, bisexual, transgender, queer, or questioning
- · Substance abuse, behavioral or mental health issues
- Learning disabilities
- Living in high crime areas, poverty, transient male populations
- Living in countries with political or social unrest or corruption
- Living in societies with gender bias and discrimination or glorification of pimp culture

Data from Greenbaum J, Crawford-Jakubiak JE; Committee on Child Abuse and Neglect. Child sex trafficking and commercial sexual exploitation; health care needs of victims. Pediatrics 2015;135:566-74.

Red Flags Cited Here..

- 1. Difficulties seeing patient alone or accompanying individual answering questions
- 2. Refusal to use interpreters
- 3. Unexpected material things
- 4. Overly familiar with sex 5. Tattoo reluctant to discuss
- 6. Body language indicating fear, anxiety, or distrust (ie, lack of eye contact, shifting posture)
- 7. Physical injuries (especially in various stages of healing)
- 8. Examination not matching history 9. Scripted or memorized history
- 10. Vague or inconsistent answers
- 11. Unaware of her address or current location, date, or time
- 12. Lack of identification documents
- Signs of malnourishment, substance abuse, or poor dentition
 Multiple sexual partners, unintended pregnancies, or sexually transmitted infections

Data from Alpert EJ, Ahn R, Albright E, Purcell G, Burke TF, Macias-Konstantopoulos WL. Human trafficking: guidebook on identification, assessment, and response in the health care setting. Waltham (MA): Massachusetts Medical Society;

29 30

Physical and Mental Health Problems Include:

- STDs
- Unintended pregnancy
- & Complications after unsafe pregnancy termination
- & Chronic pain syndromes
- & Unexplained weight loss
- № Poor dental hygiene
- & Anxiety
- & Depression
- ₽ PTSD
- & Suicidal ideation

Tattoos/Branding

32 31

What Should We Ask?

- Read Can you leave your work or job situation if you want?
- How do you earn money? Are you able to control your own money?
- & When you are not working, can you come and go as you please?
- Have you been threatened by harm if you try to quit?
- ks Where do you sleep and eat? Do you have to take permission to do these things?
- & Are you locked into a room at any point?

Issues to Address During the Encounter

- & Address acute and chronic medical problems
- Assess dental health
- Refer to sexual assault response team if appropriate
- & Mandatory reporting for minors and elder
- & Assess mental health issues
- & Screen for STDs, pregnancy, and drug use

34

33

Elements of Trauma-informed Care:

- & Adapted to individual's needs
- & Supportive and avoids judgmental statements or actions
- ☑ Integrated and holistic, treating the trafficked person as a "whole person" instead of a list of clinic symptoms
- Empowering, ensuring that the patient's right to information, privacy, bodily integrity and participation in decision-making are respected
- Supportive of healing and recovery through a patient-centered treatment plan



35




Provide Privacy 1. Discuss sensitive topics alone and in safe, private setting (ideally private room with closed doors). If companion refuses to be separated, then this may be an indicator of abuse, neglect, or violence.** Strategies to speak with patient alone: State requirement for private exam or need for patient to be seen alone for radiology, urine test, etc.



Educate


Educate patient in manner that is nonjudgmental and normalizes sharing
of information. Example: "I educate all of my patients about (fill in the
blank] because violence is so common in our society, and violence has a
big impact on our health, safety, and well-being." Use a brochure or
safety card to review information about abuse, neglect, or violence, and


37 38







39 40





41 42





43 44

- https://storage.googleapis.com/vera-webassets/downloads/Publications/out-of-the-shadowsidentification-of-victims-of-humantrafficking/legacy_downloads/human-trafficking-identificationtool-and-user-guidelines.pdf
- www.futureswithoutviolence.org

Screening Tool

Raise awareness of issue in the workplace and community

- Train all members of staff in trauma-informed care and protocol for screening and responding to identified victims of HT

How Should We Respond?

45 46

If Suspicious

Contact social worker OR ask for consent to contact:

Department of Homeland Security:

1-888-347-2423

National Human Trafficking Hotline:

1-888-373-7888

 $IF in central \ Texas--Refugee \ Services \ of \ Texas:$

512-367-3232

If patient is adult and has capacity for health care decisions, patient must consent before referring them to law enforcement or other agencies

Texas Law

47 48

Case 1: Maria


Maria is a 26-year-old pregnant female who presents to your office for her initial prenatal visit at 35 weeks gestational age. She says she has not been able to seek prenatal care earlier because she has been moving with her "husband" between several states. None of the children from her four prior pregnancies are living with her; all are in foster care. A middle-aged male accompanies her to the visit and answers several of the questions about medical history and social history for the patient.


Case 1: Maria, Cont. Polling Question 1

What is an important next step?


- 1. Ask the man accompanying her where she works
- 2. Ask the man to leave the room and continue speaking with Maria
- 3. Carry out the exam as quickly as possible
- 4. Share the information about the HT hotline with Maria and the man

49 50





51 52



Aftercare: Medical Needs

Ongoing mental, emotional, and physical issues related to trafficking

Distrust/shame are major barriers to health care access

All care should be "trauma informed;" "recognizing the impact of traumatic experiences on an individual's life and behavior and on their perceptions of themselves and their bodies"

53 54

Case 2: Christina

Cristina is a 32-year-old Spanish-speaking female coming to your office for an annual well-woman exam. She appears anxious and guarded. Through an interpreter, she says she wants to be screened for sexually transmitted diseases but is uncomfortable with a physical exam. She tells you she has not seen a doctor or health care provider for a long time because she is anxious about the questions and the exam, and about finding out results. After you question her about any negative experience she may have had in the past with a physician or provider, she informs you she was prostituted several years ago but is now "getting her life together."

Case 2: Christina, Cont. Polling Question 2

An example of trauma-informed care would be:

- You tell the patient that she is at high risk of having a sexually transmitted infection due to her lifestyle
- 2 You call DFPS to report the history of trafficking prior to asking Maria
- 3. You explain to the patient the elements of the exam and labs you recommend and ask if she is okay with this
- $_{\rm 4.}$ $\,$ You ask the MA to have the patient undress before you begin to talk with her

55 56

Examples of TIC (trauma informed care) General approach Do no harm. Remember that the goal is not rescue, but improving health and safety. Prioritize the safety of trafficked persons, yourself, and other staff.

Prioritize the Saleity of trainicked persons, yoursell, and other statil.

Provide respectful, equitable, non-discriminatory care.

Approach interactions with the victim or survivor with respect and histographics.

Be empathetic, but not sympathetic, or appearing to pity.

Recognize that the victim is a human being that has been abused, exploited, and traumatized far beyond what most people can imagine

Be nonjudgmental.

Know the basics of the patient's cultural and religious background in condition and the patient and the pat

offenses.

Use same-sex staff when possible.

Use same-sex staff when possible.

Provide a private, warm, quiet, and comfortable place for the interviand exam.

Interview the patient alone.

Adequately select and prepare interpreters and co-workers.

Sit, don't stand or hower. Take your time, don't multitask; avoid writing while the patient is talking.

Avoid asking the same question more than once, which may cause frustration or distrust on the part of the patient.

Communicate effectively with other members of the care team to avoid repeated interviews with the victim, which may result in retraumatization.

Listen to and respect each patient's assessment of their situation and risks to their safety.

57 58

Physical exam

Allow the patient to lead or set the pace of the exam.

Provide assurance that he/she is in control of the exam.

Ask permission each time you touch the patient.

Explain exactly what you are going to do.

If it is going to hurt, say it is going to hurt.

Be gentle, but don't "sugar coat."

Response

Coilaborate with multidisciplinary health care team to formulate plan; include patient advocate and social worker where possible.

Provide information in a way that is understood.

Obtain informed consent before sharing information about patients or beginning procedures to diagnose, treat, or make referrals.

Be prepared with referral information and contact details for trusted individuals and organizations that can provide support.

Never promise more than you can deliver.

Ensure the confidentiality and privacy of trafficked persons and their families.

Respect the rights, choices, and dignity of each person by encouraging independent decision making.

Include the patient in conversations about him/her when present.

Exploring the Nature and Scope of Clinicians' Obligations to Respond to Human Trafficking. AMA Journal of Ethics. Jan 2017

59 60

Case 3: Alejandro

Alejandro presents to the emergency department with his employer with a large laceration to his left hand from a chain saw. His employer insists on being in the patient room during the entire patient encounter on the pretense that Alejandro does not speak English. Alejandro is quiet while the employer answers all questions and avoids eye contact with both his employer and the physician and other health care professionals.

Case 3: Alejandro, Cont. Polling Question 3

What are important ways to respond to this situation:

- 1. Treat the laceration
- 2. Screen for human trafficking
- Ask Alejandro if you can report a suspicion of human trafficking to the authorities
- 4. All of the above

61 62

Opened in Austin, August 2013:



with Community Care

Collaboration between UT School of Social Work, UTSW in Austin Dept of OBGYN, Refugee Services of Texas, and Community Care Current Commentar

Creating an Interdisciplinary Medical Home for Survivors of Human Trafficking

Melinda McNiel, MD, MPH, Theodore Held, MD, MPH, and Noël Busch-Armendariz, PhD, LMSW, MPH

Health care providers play an important role in identifying victims of human trafficing and addressing their unique medical needs. In response to a recently published call to action in Obsterios. & Gyreccollogs, an intertion of the case of the control of the control of the rotation nerven as a model for delivery of cere to survivor of human trafficing that is sentitive to their history of human trafficing that is sentitive to their history of human trafficing that is sentitive to their history of human trafficing that is sentitive to their history of human trafficing that it is sentitive to their history of human trafficing that it is sentitive to the history human trafficing that it is not to creat the clinic. This information is presented with the intention of educating health care providers on the long-term of educating health care providers of the country.

uman trafficking, or modern-day slavery, is a global human rights violation of staggering proportions. It is estimated that 21–27 million individuals are trafIn May 2012, Drs. Ein Trasy and Wendy Komtantopoulos published "A Call for Helgherad Awareeas and Advocacy by Obstetriclan-Gynecologias" in Helman and Carlon and Carlon and Carlon and Carlon and Carlon and Helman and Carlon and Exchange Trafficking is a horuuman trafficking is challenging. Trafficking is a horucarlon and sexual abuse. It leaves the victims vailoxyde of explosition that involves psychological, hysical, and sexual abuse. It leaves the victims vailpronic pain, malnutrition, sexually transmitted thistensic uniform and transmitted propersion, of the control of the special control of the Carlon and transmitfers fearful and distrusting of medical providers as a result of their history of abuse and may be resistant

Guidelines for working with victims of trafficking emphasize the importance of maintaining confidentiality and safety and avoiding retraumatizing the

63 64

Mission of clinic: To provide comprehensive medical care, social services, and health education to survivors of human trafficking in central Texas in a patient-centered manner, guided by an awareness of the impact of prior traumatic experiences.

Clinic model: interdisciplinary, bi-monthly evening clinics staffed by OBGYN and family medicine providers as well as social workers and health educators. Health education topics will be presented including parenting skills, nutrition and cooking, sex ed, self-defense, and stress management. All services provided in Spanish and/or English.

Ways to Get Involved:

- Sign up for HEAL (health, education, advocacy, linkage) https://healthrafficking.org/
- k. Request educational resources to place in clinic/hospital for patients and staff
- Visit <u>www.polarisproject.org</u> to learn about the most recent national trafficking statistics and research
- Raise awareness in your clinic/office and plan to provide appropriate screening and response
- & Advocate for funding and legislation of human trafficking victim services and awareness (local advocacy group, Allies Against Slavery)

65

Remember SELF CARE

"Trafficking can only exist in an atmosphere of public, professional, and academic indifference."

67 68

<u>Notes</u>

-	
·	

