

NEC

UX5000



UX5000 PARTS LIST

August 8, 2008

TABLE OF CONTENTS

IP System Packages	Page 1
Basic System Packages	Page 1
Chassis Equipment (Chassis & Mounting Hardware)	Page 2
Expansion Blades	Page 2
Battery Backup Equipment	Page 3
CPU Blade & Daughter Boards	Page 4
Memory Daughter Board	Page 4
Voice Mail/Modem Daughter Board	Page 4
VoIP Daughter Boards	Page 4
System Port Licenses	Page 5
CygniLink Networking Licenses	Page 5
AspireNet Networking License.	Page 5
Router/Hub Blades	Page 6
External Routers	Page 6
Conference Bridge	Page 7
ACD License	Page 7
Hotel/Motel License & PMS Adapter	Page 7
SMDR License	Page 7
MOH/BGM/External Paging Interface	Page 7
UX-IntraMail	Page 8
UX-Mail	Page 9
UX CallAnalyst	Page 10
inDepth/inView	Page 11
IP Trunk Licenses	Page 12
Trunk Blades	Page 12
IP Terminal Licenses	Page 13
Station Blades	Page 14
Installation Cable	Page 14
Desktop Suite Licenses (UX Softphone / PC Assistant / PC Attendant)	Page 15
CTI (TAPI) Licenses	Page 15
IP Terminals	Page 16
Digital Terminals	Page 17
DSS/DLS Consoles	Page 18
Single Line Telephone Adapter	Page 18
Doorbox Adapter	Page 18
Doorchime Box	Page 18
Terminal Adapters	Page 19
Miscellaneous Station Equipment	Page 20
VSR/Call Logging Unit	Page 20
Designation Sheets	Page 21
Directory Card Units	Page 21
Cordless Headsets	Page 22
Corded Headsets	Page 22
USB Headsets for UX Softphones	Page 22
USB Handset for UX Softphones	Page 22
Conference Max Conference Room Speakerphones	Page 23
Analog Single Line Telephones	Page 23
Cordless DECT Telephones	Page 24
Cordless II & Cordless Lite II 900MHz Telephones	Page 24
Analog Cordless Telephone	Page 24
IP DECT Wireless Equipment	Page 25
Sales, User, & Technical Documentation	Page 26
Sales Demo Kit	Page 26
Spare/Replacement Items	Page 27
Index	Page 32

August 2008 PartsList Revisions:

Many items have been added to this issue of the price list, and several product descriptions have been expanded. See Additions, Changes, and Deletions, below.

An index has been added (pages 32-34), to help you navigate through the price list.

There are some items and categories designated as “BETA,” which means that the associated item(s) are not fully released and may not be available.

Spare and replacement items have been moved to a separate section at the back of the price list.

Additions:

- Hotel-Motel/PMS License (0910445) *Page 7*
- PMS Interface Adapter (750116) *Page 7*
- SMDR License (0910446) *Page 7*
- UX-IntraMail Email Notification License (0910481) *Page 8*
- UX-CallAnalyst CD (0913602) *Page 10, 26*
- 25-Pair Installation Cable (808920) *Page 14, 16*
- Desktop Suite Application CD (0913601) *Page 15, 26*
- Backlit Display Unit for DG-e Terminals (0910116/0910118) *Page 20*
- DSS Wall Mount Adapter *Page 20*
- VSR & 4-Port Digital Call Logging Unit *Page 20*
- Dterm Cordless Headset II *Page 22, 29*
- CT-12 Cordless Headset *Page 22, 29*
- Headsets for UX Softphone (750640 & 730092) *Page 22*
- Handset for UX Softphone (780581) *Page 22*
- Internal Battery Kit repl. components (670509, 670530, 670533) *Page 27*
- Analog Cordless Telephone (730093) *Page 24, 31*
- Sales, User, & Technical documentation *Page 26*
- Spare/replacement parts for Cordless II & Cordless Lite II *Page 31*

Changes:

- Braille Dial Designation Sticker – Part number changed from 690612 to 0912034 *Page 24*
- Terminal Wall Mount Adapter – Part number changed from 680610 to 0910120 *Page 24*
- Handset Cords – Part numbers changed from 690xxx to 091xxxx *Page 33*

Deletions:

- Modem License - No longer required. – Now standard in VM Daughter Board *Page 4*

For addition UX5000 product information, refer to the UX5000 Product Description, available for download from the “Dealer Area” of the UX5000 Website (www.necux5000.com). Access to the dealer area requires a login name and password (which are the same as used for the Aspire Tech Website).

August 8, 2008

UX5000 System Kits			
IP System Packages			
Part No.	Description		
0910017	UX5000 9.5" IP Package Contains: <ul style="list-style-type: none"> ▪ (1) 0910000 9.5" 3-Blade Chassis ▪ (1) 0911001 CCPU Blade – <i>Includes (4) NEC IP Terminal Licenses</i> ▪ (1) 0911030 32-Resource VoIP Daughter Board 		
0910019	UX5000 19" IP Package Contains: <ul style="list-style-type: none"> ▪ (1) 0910004 19" 6-Blade Chassis ▪ (1) 0911001 CCPU Blade – <i>Includes (4) NEC SIP Terminal Licenses</i> ▪ (1) 0911032 64-Resource VoIP Daughter Board 		
Basic System Packages			
Part No.	Description		
0910016	UX5000 9.5" Basic Package Contains: <ul style="list-style-type: none"> ▪ (1) 0910000 9.5" 3-Blade Chassis ▪ (1) 0911001 CCPU Blade – <i>Includes (4) NEC SIP Terminal Licenses</i> ▪ (1) 0911058 8-Port Digital Station / 2-Port Analog Station Blade 		
0910018	UX5000 19" Basic Package Contains: <ul style="list-style-type: none"> ▪ (1) 0910004 19" 6-Blade Chassis ▪ (1) 0911001 CCPU Blade – <i>Includes (4) NEC IP Terminal Licenses</i> ▪ (1) 0911038 16-Port Digital Station Blade 		

UX5000 Chassis				
Part No.	Description	Model		
0910000	9.5" 3-Blade Base Chassis Contains: <ul style="list-style-type: none"> ▪ Power supply ▪ (1) Expansion Blade Slot ▪ (3) Universal Blade Slots ▪ Wall-mount/Desk-mount Brackets ▪ (2) Blank blade slot covers ▪ (1) Expansion slot cover Note: The CCPU Blade must be installed in the first universal slot of the controlling Base Chassis.	IP3NA-3KSU-B1		
0910002	9.5" 3-Blade Expansion Chassis Contains: <ul style="list-style-type: none"> ▪ (1) Expansion Blade Slot ▪ (3) Universal Blade Slots ▪ (3) Blank blade slot covers Attaches to the 9.5" 3-Slot Base KSU. Note: Expansion blades are not required to install this Expansion Chassis.	IP3WW-3KSU-E1		
0910004	19" 6-Blade 2U Chassis Contains: <ul style="list-style-type: none"> ▪ Power supply ▪ (1) Expansion blade slot ▪ (6) Universal blade slots ▪ (5) Blank blade slot covers ▪ (1) Expansion slot cover Power supply and fan are replaceable. Note: The CCPU Blade must be installed in the first universal slot of the Controlling Base Chassis.	IP3NA-6KSU-A1		
Chassis Mounting Hardware				
Part No.	Description	Model		
670019	Floor-Mount Bracket for 3 or 6-Blade Chassis	CHS Base Unit		
670510	Wall-Mount Bracket Set for 19" 6-Blade Chassis	CHS1U/2U Wall Mount Kit		
0910008	Rack-Mount Bracket Set for 9.5" 3-Blade Chassis For mounting in a 19" equipment rack	IP3DRack Mount Bar Set		
670508	Rack-Mount Bracket Set for 19" 6-Blade Chassis For mounting in a 19" equipment rack	CHS2U Rack Mount Kit		
Chassis Expansion Blades				
Part No.	Description	Model		
0911020	Expansion Blade for Base Chassis For 3 or 6-Slot Base Chassis. One required for each Base Chassis that will be equipped with an Expansion Chassis. Installs in dedicated Expansion Blade slot.	IP3WW-EXIFU-B1		
0911022	Expansion Blade for Expansion Chassis For 3 or 6-Slot Expansion Chassis. One required for each Expansion Chassis. Equipped with 4Ft. 8-conductor Interface cable. Installs in dedicated Expansion Blade slot.	IP3WW-EXIFU-E1		

UX5000 Battery Backup Equipment				
Part No.	Description	Model		
0910127	<p>Short Term Battery Box Kit for 9.5" 3-Slot Chassis Installs on <u>each</u> 3-Blade Base Chassis.</p> <p>Consists of:</p> <ul style="list-style-type: none"> ▪ (1) 0910006 Battery Box ▪ (1) 670511 Battery Set: <ul style="list-style-type: none"> - (2) 12V 0.8Ah batteries <p><i>Does not provide surge protection or power conditioning, as UX5000 Chassis still plugs directly into AC outlet.</i></p>	3-SLOT CHASSIS BATT KIT		
670601	<p>Short Term Internal Battery Kit for 19" 6-Blade Chassis Installs inside <u>each</u> 19" 6-Blade Chassis.</p> <p>Consists of:</p> <ul style="list-style-type: none"> ▪ 670509 Battery Mount ▪ 670530 Cable ▪ 670533 Internal Battery Set <ul style="list-style-type: none"> - (2) 12V 0.8Ah batteries. <p><i>Does not provide surge protection or power conditioning, as UX5000 Chassis still plugs directly into AC outlet.</i></p>	CH2SU INT BATT KIT		
0910126	<p>Long Term Battery Box Kit Installs adjacent to the 9.5" 3-Blade Controlling Base Chassis or beneath the 19" 6-Blade Chassis.</p> <p>(1) Long Term Battery Box can be connected to <u>each</u> chassis or up to (4) Chassis. <i>Maximum (1) per chassis.</i></p> <p>Consists of:</p> <ul style="list-style-type: none"> ▪ (1) 0910007 Large Battery Box ▪ (3) 670512 Large Battery Set <ul style="list-style-type: none"> Each set contains (2) 12V 0.8Ah batteries. <p><i>Connects to dedicated battery connector on chassis. Each of the (4) output cables is approximately 6 feet in length.</i></p> <p><i>Does not provide surge protection or power conditioning, as UX5000 Chassis still plugs directly into AC outlet.</i></p>	CH2SU EXT BATT KIT		

CPU Blade				
Part No.	Description	Model		
0911001	<p>CCPU Main Processor Blade Installs in first universal slot of the base chassis. Controls all system functions & operations. Provides system ports 1-64. Provides (4) NEC SIP Terminal licenses. Provides system resources: DTMF Receivers, Caller ID, Etc. Contains:</p> <ul style="list-style-type: none"> ▪ (1) USB connector for updating system S/W, storing system databases, licensing ▪ (1) Fast Ethernet connector ▪ (1) 8-conductor mod jack for relay contacts for music source/external page ▪ (1) DIM connector for diagnostics ▪ (2) Sub-mini audio input/output jacks for music inputs and or external paging output ▪ Sony CR2032 battery <p>Contains connectors for:</p> <ul style="list-style-type: none"> ▪ (1) Memory Expansion Daughter Board ▪ (1) Voice Mail Daughter Board ▪ (1) VoIP Daughter Board 	IP3NA-CCPU-A1		
CPU Daughter Boards				
Part No.	Description	Model		
0911060	<p>Memory Expansion Daughter Board Provides additional system memory. Required for:</p> <ul style="list-style-type: none"> ▪ More than (64) system ports ▪ More than (8) IntraMail/VRS Ports ▪ More than (1) 082U Blade (0911058) in sys. ▪ System networking (CygniLink/AspireNet) ▪ Software updates by remote maintenance <p>Maximum (1) per CPU Blade. Installs on CPU Blade.</p>	IP3WW-MEMDB-A1		
0911026	<p>VM/VRS/Modem Daughter Board Required for IntraMail/VRS or system modem. <i>Modem license is no longer required.</i> Requires CompactFlash for IntraMail/VRS. Provides:</p> <ul style="list-style-type: none"> ▪ Voice mail functions & VM resources) ▪ VRS (Voice Recording Service) functions ▪ Modem for remote maintenance <p>Not required for UX-Mail. Maximum (1) per system. Installs on the CPU Blade. <i>Included in 0910516 & 0910517 IntraMail Pkgs.</i></p>	IP3WW-16VMDB-B1		
<p>VoIP Resource Daughter Boards Required for VoIP applications. Installs on the CPU Blade. Maximum (1) VoIP Daughter Board (any version) per system. <i>Requires licenses for IP terminals and IP Trunks.</i></p>				
Part No.	Description	Model		
0911030	32-Resource VoIP Daughter Board	IP3WW-32VOIPDB-A1		
0911032	64-Resource VoIP Daughter Board	IP3WW-64VOIPDB-A1		
0911034	128-Resource VoIP Daughter Board	IP3WW-128VOIPDB-A1		

System Port Licenses				
Part No.	Description	Model		
0910463	System Port License for ports 65 to 256 Requires Memory Expansion DB (0911060).	LU-SYS-65 to 256 Port-Lic		
0910400	System Port License for ports 257 to 712 Requires Memory Expansion DB (0911060). Requires 0910463 65-256 System Port License.	LU-SYS- 257 to 712 Port-Lic		
Networking Licenses				
<p>CygniLink Licenses Main site and <u>each</u> remote site require a CCPU Blade (0911001), MEMDB Memory Daughter Board (0911060) and the <i>appropriate</i> VoIP Resource Daughter Boards (0911030 / 0911032 / 0911034). Main site requires a license for <u>each</u> remote node. A single site with more than (4) chassis requires (1) Remote Node License. Maximum of (16) sites (Main & 15 Remote Sites) and (712) network-wide ports. Main site must have System Port Licenses that will accommodate the trunks and stations of <i>all</i> networked sites.</p>				
Part No.	Description	Model		
0910401	CygniLink 1 Remote Node License	LU-SYS-CIGNILINK1-LIC		
0910464	CygniLink 2 Remote Node License	LU-SYS-CIGNILINK2-LIC		
0910465	CygniLink 5 Remote Node License	LU-SYS-CIGNILINK5-LIC		
0910466	CygniLink 10 Remote Node License	LU-SYS-CIGNILINK10-LIC		
<p>AspireNet License Main site and <u>each</u> remote site require a CCPU Blade (0911001), MEMDB Memory Daughter Board (0911060) and the <i>appropriate</i> VoIP Resource Daughter Boards (0911030 / 0911032 / 0911034). Centralized voice mail in AspireNet applications requires an external unit, such as the DFx. IntraMail and UX-Mail cannot be used for centralized voice mail in AspireNet applications.</p>				
Part No.	Description	Model		
0910402	AspireNet License Allows Aspire-type networking of UX5000 systems. Also allows UX5000 networking with Aspire systems. One required for <u>each</u> UX5000 system in an AspireNet network. Maximum (50) network nodes.	LU-SYS-ASP-NET-LIC		

Router / Hub Blades				
Part No.	Description	Model		
0911062	InRouter Blade with 8-Port License Provides T1/Ethernet WAN access. Provides (15) VPN tunnels. Installs in universal blade slot.	IP3WW-RTU-B1		
TBD	8-Port Expansion License for InRouter Blade	TBD		
0911066	8-Port Switching HUB Base Blade with POE Installs in universal blade slot.	IP3WW-GSWU-B1		
External Router Equipment				
Part No.	Description	Model		
750481	Ethernet WAN Access Router with 2-Port License Key <u>Cannot</u> be expanded. Equipped w/ rack-mounting brackets.	EM-4500-SOHO		
750482	T1/Ethernet WAN Access Router with 8-Pt License Key Provides (15) VPN Tunnels. Can be expanded to 24 port licenses. Equipped w/ rack-mounting brackets.	EM-4300T-08		
750483	8-Port License Expansion for EM-4300T-08 Router Provides (8) additional port licenses to the EM-4300T-08 router. Maximum of (2) 8-Port License Upgrades can be added to an EM-4300T-08, for a total of (24) port licenses.	4300 8Port License Key		

System Features				
Conference Bridge (BETA)				
Part No.	Description	Model		
0910539	8-Port Conference Bridge Package Consists of: (1) 0911070 PVAU Blade (1) 0910498 Conf. Bridge CompactFlash with 8-Port Conference Bridge License			
0910460	8-Port Conference Bridge License Requires PVAU Blade (0911070). Requires Conference Bridge CompactFlash. Maximum 16 Port Licenses per PVAU blade.	LU-PVA-CONF-PORT8-LIC		
ACD License				
Part No.	Description	Model		
0910406	Automatic Call Distribution License Includes "P Codes" required for inDepth applications.	LU-SYS-ACD-LIC		
Hotel/Motel License and PMS Interface Unit (BETA)				
Part No.	Description	Model		
0910445	Hotel-Motel / PMS License Provides Hotel/Motel and PMS features. PMS feature requires PMS Interface Unit (750116), below.	LU-SYS-HMPMS-LIC		
750116	PMS Interface Unit Provides interface between UX5000 CPU and customer-provided Property Management System. Requires Hotel-Motel / PMS License (0910445), above.	PMS-U10 Adapter		
SMDR License				
Part No.	Description	Model		
0910446	SMDR License Enables Station Message Detail Recording output. Not required when using UX CallAnalyst.	LU-SYS-SMDR-LIC		
MOH/BGM/External Paging Interface				
Part No.	Description	Model		
0891027	2PGDAD Audio Input/Output Adapter Required for <i>additional</i> MOH, BGM, and/or external paging zones.	IP1WW-2PGDAD		

UX-IntraMail

UX-IntraMail Packages

Each provides 4 ports.
 Expandable to 16 ports with licenses.
 IntraMail mailbox capacities:

- (512) Subscriber Mailboxes
- (32) Routing Mailboxes (Announcement/Call Routing/Directory Dialing/Distribution)

VRS features include ACD announcements.
 AMIS Networking is not available.
 Default languages are U.S. English (Numeric & Mnemonic), Spanish, and French. All (3) can be active.
 Maximum one per system.

Part No.	Description		
0910516	4-Port / 16-Hour UX-IntraMail Package Consists of: <ul style="list-style-type: none"> ▪ (1) 0911026 16VM Daughter Board - Installs on CCPU Blade ▪ (1) 0910508 16Hr IntraMail CompactFlash (256M) with 4-Port UX-IntraMail License - Installs on 16VM Daughter Board Requires UX-IntraMail port licenses to expand from 4 ports to 16 ports. <i>Also provides VRS functions.</i>		
0910517	4-Port / 32-Hour UX-IntraMail Package Consists of: <ul style="list-style-type: none"> ▪ (1) 0911026 16VM Daughter Board - Installs on CCPU Blade ▪ (1) 0910515 32Hr IntraMail CompactFlash (512M) with 4-Port UX-IntraMail License - Installs on 16VM Daughter Board Requires UX-IntraMail port licenses to expand from 4 ports to 16 ports. <i>Also provides VRS functions.</i>		

UX-IntraMail Port Licenses

Expands either IntraMail with additional ports.
 IntraMail with more than (8) ports also requires the Memory Expansion Daughter Board (0911060)
 Maximum (16) IntraMail and/or VRS ports.

Part No.	Description	Model		
0910484	UX-IntraMail 2-Port License	LU-VM-INTRAMAIL 2-LIC		
0910485	UX-IntraMail 4-Port License	LU-VM-INTRAMAIL 4-LIC		

UX-IntraMail Feature Licenses

Part No.	Description	Model		
0910481	UX-IntraMail Email Notification Feature (BETA) Requires 0911060 Memory Expansion DB.	LU-VM-EMAIL-LIC		
0910416	UX-IntraMail Additional Language License One license required per additional language. Select from (20) languages. Maximum (20) language licenses per system.	LU-VM-LANGUAGE-LIC		

UX-Mail

UX-Mail Packages

Each provides 4 ports.

Expandable to 16 ports with licenses.

Includes (10) UX-Mail UMS Clients (Desktop Messaging).

AMIS networking capability included.

Note: Either package uses (16) system ports.

Default languages are U.S. English Numeric, U.S. English Mnemonic, Spanish, and French. Any (2) can be active.

2000 UX-Mail mailbox capacity: including Subscriber, Announcement/Call Routing/Directory Dialing/Distribution

Part No.	Description		
0910526	4-Port / 125-Hour UX-Mail Package Consists of: <ul style="list-style-type: none"> ▪ (1) 0911064 APSU Blade (<i>installs in universal blade slot</i>) ▪ (1) 0910501 125-Hour 2G UX-Mail CompactFlash with 4-Port UX-Mail License - Installs on APSU Blade (0911064) Requires UX-Mail port licenses to expand from 4 ports to 16 ports.		
0910535	4-Port / 550-Hour UX-Mail Package Consists of: <ul style="list-style-type: none"> ▪ (1) 0911064 APSU Blade (<i>installs in universal blade slot</i>) ▪ (1) 0910522 550-Hour 8G UX-Mail CompactFlash with 4-Port UX-Mail License - Installs on APSU Blade (0911064) Requires UX-Mail port licenses to expand from 4 ports to 16 ports.		

UX-Mail Port Licenses

Expands either UX-Mail with additional ports.

Maximum (16) UX-Mail ports.

Part No.	Description	Model		
0910418	UX-Mail 2-Port License	LU-UMS-PORT2-LIC		
0910491	UX-Mail 4-Port License	LU-UMS-PORT4-LIC		

UX-Mail Feature Licenses

Part No.	Description	Model		
0910417	UX-Mail Desktop Messaging License -1 Client Maximum (200) clients per system.	LU-UMS-CLIENT1-LIC		
0910482	UX-Mail Desktop Messaging License -10 Clients Maximum (200) clients per system.	LU-UMS-CLIENT10-LIC		
0910419	UX-Mail 1-Language License One license required per additional language.	LU-UMS-LANGUAGE-LIC		

UX CallAnalyst Licenses				
Part No.	Description	Model		
0910536	UX CallAnalyst Lite License. Limited feature license for 256 stations. Provides (9) Summary Reports. <i>Includes UX5000 SMDR License.</i>	LU-CA Lite-LIC		
0910434	UX CallAnalyst Full 20 License. License for 20 Stations. <i>Includes UX5000 SMDR License.</i>	LU-CA 20 Station Pkg-LIC		
0910435	UX CallAnalyst Full 256 License. License for 256 stations. <i>Includes UX5000 SMDR License.</i>	LU-CA 256 Station Pkg-LIC		
0910404	UX CallAnalyst Additional 256 Station License. Used in conjunction with UX CA256 (0910435).	LU-CA Add Sta256-LIC		
0910439	UX CallAnalyst Remote Site Support License. Required for each site to be monitored. Used in conjunction with CA 256 (0910435). <i>Not required for CygniLink Network applications.</i>	LU-CA-Add Remote Site-LIC		
0910436	UX CallAnalyst 5-Client License. Provides concurrent user access for (5) <i>additional</i> PCs on the customer's LAN. Compatible with CA20 and CA256.	LU-CA-NW-Client-LIC		
0910443	UX CallAnalyst Web Reporting 5-Pack License. Allows Internet browser access to reports for an additional (5) named users.	LU-CA-Web Reporting-LIC		
0910403	UX CallAnalyst Upgrade License from CA Lite to CA Full 256 license.	LU-CA-UPG Lite to 256 Sta-LIC		
0910437	UX CallAnalyst Upgrade License from CA Full 20 to CA Full 256.	LU-CA UPG 20TO256-LIC		
0910440	UX CallAnalyst Traffic Analysis License. Enables understanding of trunk utilization.	LU-CA Traffic Analysis-LIC		
0910441	UX CallAnalyst PMS Integration License. Provides interface to property management systems for guest billing services.	LU-CA PMS Integration-LIC		
0910405	UX CallAnalyst Remote Site Serial License. Software that runs on remote site PC. Helps buffer local data during network downtime. Allows connection to a phone system with serial output only, such as i-Series.	LU-CA Remote Site Software-LIC		
0913602	UX CallAnalyst CD Contains UX CallAnalyst software that must be loaded onto associated PCs. <i>Note: This software can also be downloaded at no charge from the UX Tech Website.</i>	UX CALLANALYST CD		

inDepth ACD/MIS Packages				
Part No.	Description	Model		
0892185	inDepth Lite Software Includes USB dongle (USB 1 & 2 compatible). <i>Requires 0910406 UX ACD License.</i> Includes (1) Supervisor. <i>Additional Supervisors cannot be added.</i> <i>Up to (100) inView agents can be added.</i>			
0892184	inDepth Software Includes USB dongle (USB 1 & 2 compatible). <i>Requires 0910406 UX ACD License.</i> Includes (1) Supervisor. <i>Additional Supervisors cannot be added.</i> <i>Up to (100) inView agents can be added.</i>			
0892183	inDepth Plus Software Includes USB dongle (USB 1 & 2 compatible). <i>Requires 0910406 UX ACD License.</i> Includes (1) Supervisor & (1) inView Agent. Maximum combined total of Supervisors & inView Agents is (100).			
0892125	inDepth Supervisor Software activation. Only compatible with inDepth Plus software (0892103 & 0892183).			
0892141	inDepth Lite to inDepth Upgrade			
0892142	inDepth Lite to inDepth Plus Upgrade			
0892143	inDepth to inDepth Plus Upgrade			
inView Software - for inDepth Lite/inDepth/inDepth Plus				
Part No.	Description	Model		
0892126	inView for (5) Agents			
0892127	inView for (10) Agents			
0892128	inView for (15) Agents			
0892129	inView for (20) Agents			
0892130	inView for (25) Agents			
0892131	inView for (30) Agents			
0892132	inView for (40) Agents			
0892133	inView for (50) Agents			
0892134	inView Upgrade to Add (5) Agents			
0892135	inView Upgrade to Add (10) Agents			
0892136	inView Upgrade to Add (15) Agents			
0892137	inView Upgrade to Add (20) Agents			
0892138	inView Upgrade to Add (25) Agents			
0892139	inView Upgrade to Add (30) Agents			
0892140	inView Upgrade to Add (40) Agents			
0892101	inDepth/inDepth Plus Demo CD			

IP Trunk Licenses				
Part No.	Description	Model		
0910408	IP Trunk Port License 1-Port (SIP / H.323)	LU-SYS-IP-TRUNK1-LIC		
0910468	IP Trunk Port License 4-Port (SIP / H.323)	LU-SYS-IP-TRUNK4-LIC		
0910469	IP Trunk Port License 8-Port (SIP / H.323)	LU-SYS-IP-TRUNK8-LIC		
0910470	IP Trunk Port License 16-Port (SIP / H.323)	LU-SYS-IP-TRUNK16-LIC		
Trunk Blades - No License Required				
Part No.	Description	Model		
0911072	4-Port Loop/Ground-Start Trunk Blade Installs in universal blade slot. Accepts (1) 0911074 4COIDB Daughter Board. Maximum (2) per 3-Slot Chassis. Maximum (6) per 6-Slot Chassis. Maximum (23) per 4-Chassis system. Maximum (25) per 7-Chassis system (Using CygniLink networking).	IP3WW-4COIU-LG1		
0911074	4-Port Loop/Ground-Start Trunk Daughter Board Installs on 4COIU Blade or 082U Blade. Maximum (1) per 4COIU Blade (0911072).	IP3WW-4COIDB-LG1		
0911052	T1/PRI Interface Blade Installs in universal blade slot. Maximum (2) per 3-Slot Chassis. Maximum (4) per 6-Slot Chassis. Maximum (16) per 4-Chassis system.	IP3WW-1PRIU-A1		
859451	Kentrox Satellite 932 CSU Suggested for T1/PRI applications.	Kentrox Satellite 932 CSU		
0911048	2-Channel BRI Blade Installs in universal blade slot. Accepts (1) 0911050 2BRIDB Daughter Board. <i>See hardware manual for maximum blades per system.</i>	IP3WW-2BRIU-A1		
0911050	2-Channel BRI Daughter Board Installs on 2BRIU Blade or 082U Blade.	IP3WW-2BRIDB-A1		
0911054	4-Port DID/OPX Blade Installs in universal blade slot. Maximum (2) per 3-Slot Chassis. Maximum (6) per 6-Slot Chassis. Maximum (23) per 4-Chassis system.	IP3NA-4DIOPU-A1		
0911056	4-Port E&M Tie Line Blade Installs in universal blade slot. Maximum (2) per 3-Slot Chassis. Maximum (6) per 6-Slot Chassis. Maximum (23) per 4-Chassis system.	IP3NA-4TLIU-A1		
808920	Installation Cable 25-pair cable for connection between chassis blades and MDF. MDF end is unterminated. Blade end is terminated with (6) 8-conductor mod plugs.			

SIP Terminal Licenses

NEC SIP Terminal Licenses

*Required for NEC IP Terminals (Including NEC UX Softphones)
Notes: the CPU Blade is equipped with (4) NEC SIP Terminal Licenses.*

Part No.	Description	Model		
0910409	NEC SIP Phone Client License 1-Port	LU-SYS-IP-Terminal-1-LIC		
0910471	NEC SIP Phone Client License 4-Port	LU-SYS-IP-Terminal-4-LIC		
0910472	NEC SIP Phone Client License 8-Port	LU-SYS-IP-Terminal-8-LIC		
0910473	NEC SIP Phone Client License 16-Port	LU-SYS-IP-Terminal-16-LIC		
0910474	NEC SIP Phone Client License 32-Port	LU-SYS-IP-Terminal-32-LIC		

3rd Party/NEC SIP Terminal Licenses

*Required for 3rd Party SIP terminals.
Can also be used for NEC SIP Terminals (Including NEC UX Softphones)*

Part No.	Description	Model		
0910410	3rd Party SIP/NEC SIP Phone Client License 1-Port	LU-SYS-IP-Terminal-SIP1-LIC		
0910475	3rd Party SIP/NEC SIP Phone Client License 4-Port	LU-SYS-IP-Terminal-SIP4-LIC		
0910476	3rd Party SIP/NEC SIP Phone Client License 8-Port	LU-SYS-IP-Terminal-SIP8-LIC		
0910477	3rd Party SIP/NEC SIP Phone Client License 16-Port	LU-SYS-IP-Terminal-SIP16-LIC		
0910478	3rd Party SIP/NEC SIP Phone Client License 32-Port	LU-SYS-IP-Terminal-SIP32-LIC		

Digital & Analog Station Blades - No License Required				
Part No.	Description	Model		
0911036	<p>8-Port Digital Station Blade Installs in universal blade slot.</p> <p>Maximum (2) per 9.5" 3-Blade Chassis. Maximum (5) per 19" 6-Blade Chassis. Maximum (20) per 4-Chassis system. Maximum (32) per 7-Chassis system (Using CygniLink networking).</p>	IP3WW-8ESIU-A1		
0911038	<p>16-Port Digital Station Blade Installs in universal blade slot.</p> <p>Maximum (2) per 9.5" 3-Blade Chassis. Maximum (5) per 19" 6-Blade Chassis. Maximum (20) per 4-Chassis system. Maximum (32) per 7-Chassis system (Using CygniLink networking).</p>	IP3WW-16ESIU-A1		
0911040	<p>4-Port Analog Station Blade Installs in universal blade slot. Accepts 4/8SLIDB Daughter Board (0911042/0911046).</p> <p>Maximum (2) per 9.5" 3-Blade Chassis. Maximum (5) per 19" 6-Blade Chassis. Maximum (20) per 4-Chassis system. Maximum (32) per 7-Chassis system (Using CygniLink networking).</p>	IP3WW-4SLIU-A1		
0911042	<p>4-Port Analog Station Daughter Board Installs on 4/8SLIU Blades (0911040/0911044). Maximum (1) per 4/8SLIU Blade.</p>	IP3WW-4SLIDB-A1		
0911044	<p>8-Port Analog Station Blade Installs in universal blade slot. Accepts 4/8SLIDB Daughter Board (0911042/0911046).</p> <p>Maximum (2) per 9.5" 3-Blade Chassis. Maximum (5) per 19" 6-Blade Chassis. Maximum (20) per 4-Chassis system. Maximum (32) per 7-Chassis system (Using CygniLink networking).</p>	IP3WW-8SLIU-A1		
0911046	<p>8-Port Analog Station Daughter Board Installs on 4/8SLIU Blades (0911040/0911044).</p>	IP3WW-8SLIDB-A1		
0911058	<p>8-Port Digital Station / 2-Port Analog Station "Combo" Blade Installs in universal blade slot. Accepts:</p> <ul style="list-style-type: none"> ▪ 4COIDB Daughter Board (0911074) ▪ 2BRIDB Daughter Board (0911050) <p>If system is not equipped with Memory Exp DB (0911060): - Maximum (1) per system</p> <p>If system is equipped with Memory Exp DB (0911060): - Maximum (1) per 6-Blade Chassis (1) per 19" 6-Blade Chassis or (1) per combined 9.5" 3-Blade Chassis/Exp Chassis</p>	IP3WW-082U-A1		
808920	<p>Installation Cable 25-pair cable for connection between chassis blades and MDF. MDF end is unterminated. Blade end is terminated with (6) 8-conductor mod plugs.</p>			

Desktop Suite Licenses (Each also requires a software download)
UX Softphone Licenses (Includes video)

Note: Each Softphone Client License **also requires** an NEC SIP Terminal License.

Part No.	Description	Model		
0910427	UX Softphone Client License 1-Port	LU-Desktop Suite-SoftPhone1-LIC		
0910497	UX Softphone Client License 4-Port	LU-Desktop Suite-SoftPhone4-LIC		
0910499	UX Softphone Client License 16-Port	LU-Desktop Suite-SoftPhone16-LIC		
0910538	UX Softphone Client License 32-Port	LU-Desktop Suite-SoftPhone32-LIC		
0910483	UX Softphone Client License 64-Port	LU-Desktop Suite-SoftPhone64-LIC		

PC Assistant Licenses

Note: Each PC Assistant port also includes: (1) UX Softphone license and (1) NEC SIP Terminal License
 Shared Services features (Full system BLF/DSS, Quick Messaging, Directory & Contacts) require TAPI 2 License (below).

Part No.	Description	Model		
0910428	PC Assistant Client License 1-Port	LU-Desktop Suite-PC Assistant1-LIC		
0910500	PC Assistant Client License 4-Port	LU-Desktop Suite-PC Assistant4-LIC		
0910502	PC Assistant Client License 16-Port	LU-Desktop Suite-PC Assistant16-LIC		
0910486	PC Assistant Client License 32-Port	LU-Desktop Suite-PC Assistant32-LIC		
0910488	PC Assistant Client License 64-Port	LU-Desktop Suite-PC Assistant64-LIC		

PC Attendant Licenses

Note: Each PC Attendant port also includes: (1) UX Softphone license, (1) PC Assistant License, (1) NEC SIP Term License
 Shared Services features (Full system BLF/DSS, Quick Messaging, Directory & Contacts) require TAPI 2 License (below).

Part No.	Description	Model		
0910429	PC Attendant Client License 1-Port	LU-Desktop Suite-PC Attendant1-LIC		
0910503	PC Attendant Client License 4-Port	LU-Desktop Suite-PC Attendant4-LIC		

Enhancement Package Licenses

Provides White Board, File Transfer, File Sharing, and Instant Messaging features when used in conjunction with a UX Softphone, PC Assistant, or PC Attendant.

Part No.	Description	Model		
0910509	Enhance Package Client License 1-Port	LU-Desktop Suite-Enhance Pkg1-LIC		
0910510	Enhance Package Client License 4-Port	LU-Desktop Suite-Enhance Pkg4-LIC		
0910512	Enhance Package Client License 16-Port	LU-Desktop Suite-Enhance Pkg16-LIC		
0910492	Enhance Package Client License 32-Port	LU-Desktop Suite-Enhance Pkg32-LIC		
0910493	Enhance Package Client License 64-Port	LU-Desktop Suite-Enhance Pkg64-LIC		

Desktop Suite Application CD (software can also be downloaded from www.necux5000.com)

0913601	UX5000 Desktop Suite Application CD Provides software for Desktop Suite applications and End-User Pro			
---------	--	--	--	--

CTI Licenses
1st Party CTI Licenses (TAPI 1)

Part No.	Description	Model		
0910412	1st Party CTI ((Ethernet) – 1 Client	LU-SYS-1ST-CTI1-LIC		
0910479	1st Party CTI (Ethernet) – 4 Clients	LU-SYS-1ST-CTI4-LIC		
0910480	1st Party CTI (Ethernet) – 8 Clients	LU-SYS-1ST-CTI8-LIC		

3rd Party CTI License (TAPI 2)

Part No.	Description	Model		
0910455	3rd Party CTI License	LU-SERVER-3rd-CTI- LIC		

IP Terminals

Each IP terminal is equipped with:

Full-duplex speakerphone	Adjustable legs
Built-in wall-mount *	9-Ft Handset Cord
Standard dial pad	<i>Note: No headset jack</i>

Each IP terminal requires POE (802.3af) or an 780135 AC-2R AC Adapter.

No base cord is provided – requires 8-conductor data cord.

Each IP Terminal requires an NEC SIP Terminal License.

Value IP Terminals *Available in black only.*

Part No.	Description	Model		
0910060	IP-2v IP 2-Button Non-Display Terminal (BK) (2) Programmable Function Keys (10) Fixed Feature Keys	IP3NA-2TIH TEL(BK)		
0910062	IP-6v IP 6-Button Display Terminal (BK) (6) Programmable Function Keys (12) Fixed Feature Keys (4) Interactive Soft Keys (1) Navigator Key 3-line Display	IP3NA-6TIXH TEL(BK)		

Enhanced IP Terminals

Each model is equipped with:

(4) Interactive Soft Keys	Backlit dial pad	Backlit 4-line XML display
Navigator Key	Headset jack	Lock Key
Connector for 16-Button DLS	Connector for 60-Button DSS	Connector for (1) optional adapter

Part No.	Description	Model		
0910064	IP-12e IP 12-Button Display Terminal (BK)	IP3NA-12TIXH TEL(BK)		
0910066	IP-12e IP 12-Button Display Terminal (WH) (12) Programmable Function Keys (12) Fixed Feature Keys	IP3NA-12TIXH TEL(WH)		
0910068	IP-24e IP 24-Button Display Terminal (BK)	IP3NA-24TIXH TEL(BK)		
0910070	IP-24e IP 24-Button Display Terminal (WH) (24) Programmable Function Keys (12) Fixed Feature Keys	IP3NA-24TIXH TEL(WH)		
0910076	IP-32e IP DESI-Less Terminal (BK)	IP3NA-8LTIXH TEL (BK)		
0910078	IP-32e IP DESI-Less Terminal (WH) (4) Alternating Function Key Screens - each with (8) Desi-less Function Keys (13) Fixed Feature Keys	IP3NA-8LTIXH TEL (WH)		

Enhanced CTS IP Terminal *Available in black only.*

Part No.	Description	Model		
0910080	IP-CTS IP Color Touch Screen Terminal (BK) Backlit Color XML Display with Touch Panel (11) Fixed Feature Keys (4) Interactive Soft Keys Navigator Key Backlit dial pad Headset jack Lock Key Connector for (1) optional adapter (ADA or BHA). Connectors for <i>both</i> a 60-Btn DSS and 16-Btn DLS.	IP3NA-320TISXH (BK)		

* When an IP-12e, IP-24e, IP-32e, or a IP-CTS Terminal is equipped with an ADA adapter, and needs to be wall-mounted, a wall mount adapter (0910120) is required.

AC Adapter for IP Terminals

Part No.	Description	Model		
780135	AC Adapter for IP Terminals Required for IP terminals that are not powered by POE	AC-2R		

Digital Terminals

Value Digital Terminals *Available in black only*

Each model is equipped with: Half-duplex speakerphone Adjustable legs Built-in wall-mount *
 9-Ft Handset Cord 7-Ft Base Cord Standard dial pad
Note: No headset jack

Part No.	Description	Model		
0910040	DG-2v 2-Btn Non-Display Terminal (BK) (2) Programmable Function Keys (11) Fixed Feature Keys (1) Volume Control Key	IP3NA-2TH TEL(BK)		
0910042	DG-6v 6-Button Display Terminal (BK) (6) Programmable Function Keys (13) Fixed Feature Keys (4) Interactive Soft Keys (1) Volume Control Key 3-line Display	IP3NA-6TXH TEL(BK)		

Enhanced Digital Terminals

Each model is equipped with: (4) Interactive Soft Keys Navigator Key 4-line display
 Backlit dial pad Full-duplex Adjustable legs
 Built-in wall-mount * 9-Ft Handset Cord 7-Ft Base Cord
 Headset jack Connector for (1) optional adapter
 Connector for 16-Button DLS Console

Part No.	Description	Model		
0910044	DG-12e 12-Btn Display Terminal (BK)	IP3NA-12TXH TEL(BK)		
0910046	DG-12e 12-Btn Display Terminal (WH) (12) Programmable Function Keys (12) Fixed Feature Keys	IP3NA-12TXH TEL(WH)		
0910048	DG-24e 24-Btn Display Terminal (BK)	IP3NA-24TXH TEL(BK)		
0910050	DG-24e 24-Btn Display Terminal(WH) (24) Programmable Function Keys (12) Fixed Feature Keys	IP3NA-24TXH TEL(WH)		
0910056	DG-32e DESI-Less Terminal (BK)	IP3NA-8LTXH TEL(BK)		
0910058	DG-32e DESI-Less Terminal (WH) <u>Backlit</u> 4-Line Display (4) Alternating Function Key Screens - each with (8) Desi-less Function Keys (13) Fixed Feature Keys	IP3NA-8LTXH TEL(WH)		

* When a DG-12e, DG-24e, or DG-32e Terminal is equipped with an APR, ADA, or BHA adapter, and needs to be wall-mounted, a wall mount adapter (0910120) is required.

DSS / DLS Consoles				
Part No.	Description	Model		
0910094 0910096	60-Button DSS Console (BK) 60-Button DSS Console (WH) Compatible with: - IP-CTS & IPe telephones - DGe digital telephones When used with an IP terminal: - Attaches and connects directly to the IP terminal - Requires an AC adapter (780135) When used with a digital terminal, attaches to the terminal or a DLS, but connects to a separate digital station port. Contains built-in wall-mount (See note below). Maximum (1) DSS Console per IP terminal (See note). Maximum (32) DSS Consoles per digital terminal. Maximum (32) DSS Consoles per system.	IP3WW-60D DSS(BK) IP3WW-60D DSS(WH)		
0910098 0910100	16-Button DLS Console (BK) 16-Button DLS Console (WH) Compatible with IP-CTS & IPe terminals & <u>all</u> digital terminals Attaches and connects directly to an IP or digital terminal. Does not use a separate digital station port. Maximum (1) DLS per IP or digital terminal.	IP3WW-16DL DLS(BK) IP3WW-16DL DLS(WH)		
<ul style="list-style-type: none"> ▪ When a 60-Button DSS Console needs to be wall-mounted with a terminal that is equipped with an adapter (APR, ADA, or Bluetooth Hub), a DSS Wall Mount Adapter (P/N 680754) is required. ▪ An IP Terminal (IP-12e, IP-24e, IP-32e, CTS) can be equipped with either a 16-Button DLS <u>or</u> a 60-Button DSS. An IP Terminal can be associated with <i>additional</i> 60-Button DSS Consoles (up to the system maximum of 32), but only if the additional DSS Consoles are connected to digital station ports. ▪ A Digital Terminal (DG-12e, DG-24e, DG-32e) can be equipped with both a 16-Button DLS <u>and</u> multiple 60-Button DSS (up to the system maximum of 32). 				
Other Station Equipment				
Part No.	Description	Model		
0891026	Single Line Telephone Adapter Converts (1) digital station port to (1) analog station port. Connects to (1) port of a digital station blade or daughter board.	IP1NA-1SLTAD		
0891027	2PGDAD Doorbox Adapter Provides interface and relay contacts for (2) Doorchime boxes. Connects to (1) port of a digital station blade or daughter board.	IP1WW-2PGDAD		
922450	Doorchime Box Surface-mount Doorchime Box. Requires 2PGDAD Doorbox Adapter (0891027).	Doorchime Box		

Terminal Adapters (For designated IP & Digital Terminals)				
Part No.	Description	Model		
0910082	APR Analog Port Adapter w/ Ringing Provides analog station connection. <i>For DG-12e/24e/32e terminals only.</i> If the associated terminal is wall-mounted, a Wall-Mount Adapter (0910120) is required. <i>Does not require an AC adapter.</i>	IP3WW-APR ADAPTER(BK)		
0910084	ADA Call Recording Adapter Provides connections for audio input & output. Equipped with (2) <u>Stereo</u> mini audio jacks – 1 Input / 1 output For DG-12e/24e/32e & IP-12e/24e/32e/CTS terminals only. If the associated terminal is wall-mounted, a Wall-Mount Adapter (0910120) is required. <i>Does not require an AC adapter.</i>	IP3WW-ADA ADAPTER(BK)		
0910088 0910090	Power Failure Transfer Adapter (BK) Power Failure Transfer Adapter (WH) Transfers an IP terminal to a pre-connected outside trunk when: <ul style="list-style-type: none"> ▪ Commercial power is down ▪ The user manually activates the switch Consists of: <ul style="list-style-type: none"> ▪ PSA Handset Cradle (Replaces the terminal's handset cradle.) ▪ Replacement <u>non-backlit</u> dial (for power failure operation) ▪ Line cord for connection to PF line. For IP-12e/24e/32e/CTS terminals only.	IP3NA-PSA ADAPTER(BK) IP3NA-PSA ADAPTER(WH)		
0910092	BCH Bluetooth Handset Adapter (BK) Provides Bluetooth cordless handset operation. Replaces the terminal's handset & cradle. Bluetooth handset is equipped with: <ul style="list-style-type: none"> ▪ 20-Character/2-Line Display ▪ (8) Programmable Function Keys ▪ (6) Fixed Feature Keys ▪ Navigator Key ▪ Dial Handset charges when in the cradle. Bluetooth range is 50 meters. <i>For DG-12e/24e/32e terminals only.</i> <i>Will also be compatible with IP terminals in a future release.</i> <i>Not available for white terminals.</i>	IP3NA-BCH ADAPTER(BK)		
0910086	BHA Bluetooth Hub Adapter Provides interface for user-provided Bluetooth cordless headset. <i>For DG-12e/24e/32e terminals only.</i> <i>Will also be compatible with IP terminals at a future release.</i>	IP3NA-BHA ADAPTER(BK)		

Miscellaneous Station Equipment (For designated IP & Digital Terminals)				
Part No.	Description	Model		
0910102 0910103	Retrofit Lower Panel Assembly Module (BK) Retrofit Lower Panel Assembly Module (WH) Consists of lower panel key assembly (excluding dial), faceplate & facemat. Adds "MSG" and LND" keys. Contains volume key instead of Navigator Key.	IP3WW-BS RETRO(BK) IP3WW-BS RETRO(WH)		
0910104 0910106	12-Line Key Expansion Module Kit (BK) 12-Line Key Expansion Module Kit (WH) Includes faceplate & designation sheet. Converts DG-12e to DG-24e or converts IP-12e to IP-24e.	IP3WW-12LK-L(BK) IP3WW-12LK-L(WH)		
0910108 0910110	DESI-Less LK/LCD Unit for Digital Terminals (BK) DESI-Less LK/LCD Unit for Digital Terminals (WH) Consists of backlit DESI-Less unit & backlit display unit. Replaces the Function Key Module and the existing display module in a DG-12e/24e terminal, to convert it to DESI-less.	IP3WW-8LKD-LD(BK) IP3WW-8LKD-LD(WH)		
0910112 0910114	DESI-less LK/LCD Unit for IP Terminals (BK) DESI-less LK/LCD Unit for IP Terminals (WH) Consists of backlit DESI-Less unit & backlit display unit. Replaces the Function Key Module and the existing display module in an IP-12e/24e terminal, to convert it to DESI-less.	IP3WW-8LKI-LD(BK) IP3WW-8LKI-LD(WH)		
0910116 0910118	Backlit Display Unit for DG-12e/24e Terminals (BK) Backlit Display Unit for DG-12e/24e Terminals (WH) Replaces the standard Display Module in a DG-12e/24e digital terminal.	IP3WW-LBU-LCD(BK) IP3WW-LBU-LCD(WH)		
0912034	Braille Dial Designation Sticker - For all UX-5000 terminals.	IP3WW-Braille-L Kit		
780135	AC Adapter Required for IP terminals that do not receive power over the Ethernet (POE) & for 60-Button DSS Consoles connected to IP terminals.	AC-2R		
0910120	Terminal Wall Mount Adapter For wall-mounting an IP/DG terminal equipped with an adapter.	IP3WW-WM		
680754	DSS Wall Mount Adapter For wall-mounting a 60-Button DSS Console when its associated terminal is equipped with an adapter, such as ADA.	DSS WM-L		
Voice Security Recorders - For Digital Terminals Only				
Part No.	Description	Model		
780275	Voice Security Recorder with Software Used to record conversations on a UX5000 digital terminal. Connects to PC via USB and to digital terminal via station jack.	DTERM VSR		
780273	4-Port Digital Call Logging Unit With "Back Office Recorder" Software Records conversations from (4) UX5000 digital terminals. Connects to (4) station cables at MDF. Connects to PC, via USB. Max (48) stations / (12) USB per PC.			
780274	VSR Manager Software Software to manage multiple VSR or 4-Pt Call Logging Units.			

Designation Sheets for UX5000 Terminals

Part No.	Description	Model		
0910700	For 2-Btn IP & Digital Terminals	DESI IP3NA-2T (25 Pkg)		
0910701	For 6-Btn IP & Digital Terminals	DESI IP3NA-6T (25 Pkg)		
0910702	For 12-Btn IP & Digital Terminals	DESI IP3NA-12T (25 Pkg)		
0910703	For 24-Btn IP & Digital Terminals	DESI IP3NA-24T (25 Pkg)		
0910704	For lower panels on IP-6v/12e/24e/32e & DG-12e/24e/32e terminals	DESI IP3NA-New UI Dial (25 Pkg)		
0910705	For IP-CTS Terminal	DESI IP3NA-SOPHI DIAL (25 Pkg)		
0910706	For lower panel on IP-2v & DG-2v/6v terminals	DESI-IP3NA-RETRO DIAL(25 Pkg)		
0910707	For 16-Btn LK Unit	DESI IP3NA 16LK (25 Pkg)		
0910708	For 60-Btn DSS Console	DESI IP3WW-60D (25 Pkg)		

Directory Card Units for UX5000 Terminals

Part No.	Description	Model		
0912041	Directory Card Unit for IPv & DGv Terminals (Qty 1) Includes mounting clip, directory card & plastic cover. Installs at the top of the terminal.	VAL Directory Card Unit		
0912040	Directory Card Unit for IPe & DGe Terminals (Qty 1) Includes mounting clip, directory card & plastic cover. Installs at the top of the terminal. <i>Not compatible with CTS Terminal.</i>	EHN Directory Card Unit		

Cordless Headsets for UX5000 Multibutton Terminals				
Dterm Cordless Headset II - Compatible with IP Enhanced and DG Enhanced Terminals				
Part No.	Description	Model		
730091	Dterm Headset Cordless II 900MHx Cordless Headset Consists of: Base Unit, Headset with ear-loops & headbands, and TR-1 Adapter Requires APR Adapter (0910082).	Dterm Headset Cordless II		
750660	TR-1 Cordless Headset Adapter Allows connection of an existing non-NEC CS50 or similar cordless headset to a UX5000 APR Adapter.	TR-1 Adapter		
CT-12 Cordless Headset Telephone - Compatible with IP Enhanced and DG Enhanced Terminals				
Part No.	Description	Model		
730094	CT-12 Cordless Headset Telephone Consists of: Base Unit, Cordless Transceiver, M175 Headset Can be used in conjunction with a UX5000 terminal that is equipped with an APR Adapter. <i>Can also be used as a stand-alone telephone on an analog station port.</i>	CT-12 Cordless Headset Telephone		
Corded Headsets for UX5000 Multibutton Terminals				
Plantronics Polaris Headsets - Compatible with IP Enhanced and DG Enhanced Terminals				
Part No.	Description	Notes		
750643	Polaris SupraPlus/NC-M	Monaural with noise canceling transmitter.		
750645	Polaris SupraPlus/NC-B	Binaural with noise canceling transmitter.		
750644	Polaris SupraPlus/VT-M	Monaural with voice tube transmitter.		
750634	Polaris Encore/VT-M	Monaural with voice tube transmitter.		
750635	Polaris Encore/NC-B	Binaural with noise canceling transmitter.		
750630	Polaris Tristar/VT-M	Monaural with voice tube transmitter.		
750631	Polaris Mirage/VT/M	Monaural with voice tube transmitter.		
Headsets for UX5000 Softphones				
Part No.	Description	Notes		
750640	DSP 400 Corded USB Headset	For UX and Aspire Softphones		
730092	CS-50 Cordless USB Headset	For UX and Aspire Softphones		
Handset for UX5000 Softphones				
Part No.	Description	Model		
780581	UTR-1W-1 (BK) USB Handset Equipped with (4) function keys.	For UX and Aspire Softphones.		

Conference Max Conference Room Speakerphones				
Part No.	Description	Model		
750073	Conference Max Wired full-duplex speakerphone. Requires an analog station port.	NEC CONFERENCE MAX		
750156	Conference Max Expansion Kit Expansion unit with cables. For adding a speakerphone to the 750073 Conference Max. Up to (3) Conference Max Expansion Kits can be added to one Conference Max.	NEC CONFERENCE MAX EXPANSION KIT		
750074	Conference Max Plus Cordless full-duplex speakerphone. Consists of: <ul style="list-style-type: none"> ▪ Base unit with AC Power Cord ▪ Cordless Speakerphone Unit ▪ AC Charging Unit 	NEC CONFERENCE MAX PLUS		
Analog Single Line Telephones				
Part No.	Description	Model		
780034	DTH-1-1 (BK) Single Line Telephone/BK	Features: Redial, flash, MW lamp, mute key, ringer/handset volume control, (4) programmable feature/speed dial keys.		
780020	DTR-1-1 (BK) Single Line Telephone/BK	Features: Redial, flash, MW lamp, data jack, and ringer/handset volume control		
780021	DTR-1-1 (WH) Single Line Telephone/WH	Features: Redial, flash, MW lamp, data jack, and ringer/handset volume control		
780025	DTR-1HM-1 (BK) Enhanced Single Line Telephone/BK	Features: Redial, flash, MW lamp, data jack, and ringer/handset volume control, (8) programmable feature/speed dial keys, hold key, & monitor key.		
780026	DTR-1HM-1 (WH) Enhanced Single Line Telephone/WH	Features: Redial, flash, MW lamp, data jack, and ringer/handset volume control, (8) programmable feature/speed dial keys, hold key, & monitor key.		
780450	DESI Labels – Metallic Silver	For 780034 (Package of 25)		
780400	DESI Labels – Black	For 780020/780021. (Package of 25)		
780401	DESI Labels – Metallic Green	For 780020/780021. (Package of 25)		
780402	DESI Labels – Metallic Silver	For 780020/780021. (Package of 25)		
780403	DESI Labels – Light Green	For 780020/780021. (Package of 25)		
780404	DESI Labels – Black	For 780025/780026. (Package of 25)		
780405	DESI Labels – Metallic Green	For 780025/780026. (Package of 25)		
780406	DESI Labels – Metallic Silver	For 780025/780026. (Package of 25)		
780407	DESI Labels – Light Green	For 780025/780026. (Package of 25)		
780525	Flying Directory Plastic Clip Kit	For 780020/780021/780025/780026. Holds 770626 Directory Cards. (Pkg 10)		
770626	Flying Directory Card Kit	For 780020/780021/780025/780026. Directory Cards for 780525 (Pkg 10)		

Cordless Telephones				
Cordless DECT Telephone				
Part No.	Description	Model		
730095	Cordless DECT Telephone Integrated to UX5000 system. Includes: <ul style="list-style-type: none"> ▪ Base Unit ▪ Cordless Handset ▪ Charging Cradle ▪ Nickel Metal Hydride battery(2.4V-910 mAh) 16-Hr talk time 7-day standby ▪ AC Adapter ▪ User Guide Charging cradle equipped with slot to charge spare battery. Handset contains: <ul style="list-style-type: none"> ▪ Display ▪ Dialpad ▪ (7) Fixed feature keys ▪ (8) Programmable Function Keys Connects to digital station port.	Dterm Cordless DECT		
730639	Cordless DECT Repeater Extends the range of the 730095 Cordless DECT Tel. Supplied with: <ul style="list-style-type: none"> ▪ Software CD to be used by the technician to "pair" a repeater with a specific DECT base. ▪ AC Adapter Repeater must be placed within range of the DECT base. Maximum (6) repeaters per base unit. - (3) in opposite directions	DTL-RPT-1		
730640	Repeater Programming Kit Required to "pair" a repeater with its associated base. Consists of cable, setup guide, and software CD,			
Cordless II and Cordless Lite II Telephones				
730088	Cordless II Telephone Integrated to UX5000 system. 900MHz Spread Spectrum technology. Includes: Base Unit, Cordless Handset with Belt Clip, Charging Cradle, Ni-Cad battery, AC Adapter Charging cradle equipped with a slot to charge spare battery. Handset contains: Display, Dialpad, (6) Fixed feature keys, (4) Programmable Function Keys Connects to digital station port.	DTR-4R-2(BK) Cordless		
730087	Cordless Lite II Telephone Integrated to UX5000 system. 900MHz Narrow Band technology. Includes: Base Unit, Cordless Handset with Belt Clip, Charging Cradle, Ni-Mh battery, AC Adapter Handset contains: Display, Dialpad, (6) Fixed feature keys, (4) Programmable Function Keys Connects to digital station port.	DTH-4R-2(BK) Cordless		
Analog Cordless Telephone				
730093	Analog Cordless Telephone (5.8GHz) Connects to analog station port.	DTR-1R-2		

IP DECT Wireless Equipment				
Part No.	Description	Model		
750104	<p>IP-DECT Wireless Access Point (DAP) For C124 IP DECT Handsets. Supports up to (12) simultaneous calls. Equipped with:</p> <ul style="list-style-type: none"> ▪ Internal antenna ▪ DAP Manager Software <p>Requires power from either of the following:</p> <ul style="list-style-type: none"> ▪ Dataswitch with 802.3af POE ▪ Power Injector (750615, below) ▪ AC Adapter (40V AC or DC with 10Watt output) Not provided by NEC. <p>Refer to tech manual for wiring details. Requires Cat5 or higher cabling. Requires VoIP Resource Daughter Board (0911030/0911032/0911034). Must be located within 300 feet of the associated dataswitch. Refer to installation manual for coverage specifications. Maximum 250 DAPs per system.</p>	NEC SIP DECT AP200S		
750898	NEC DECT Network Security License CD One required per site.	DECT Network Security License CD		
750615	<p>Power Injector Provides power to DECT Wireless Access Point, if associated dataswitch does not provide 802.3af POE. Connects between dataswitch and Wireless Access Point. Not required if dataswitch supports 802.3af POE or dedicated AC adapter is used.</p>	NEC DECT Power Injector		
750614	Outdoor Weather Enclosure For AP200S IP DECT Access Point.	NEC SIP DECT AP200S Out Wea Enc		
750616	<p>IP DECT Site Survey Kit Consists of:</p> <ul style="list-style-type: none"> (1) Suitcase (1) Battery converter (1) Battery charger ACS110 (3) Handset (Modified) (3) Handset desktop charger (3) AC adapter for charger (2) DECT headset (1) Manual 	NEC SIP DECT Site Survey Kit(SSK)		
750611	<p>C124 IP DECT Basic Handset Includes charger and AC adapter. Requires (1) 3rd Party/NEC SIP Client license and uses (1) system port.</p> <p>Maximum IP DECT Handsets per system is (250), but maximum IP DECT simultaneous conversations is based on available VoIP resource ports (Maximum 128).</p>	NEC C124 SIP DECT Handset		
750612	Set of (10) Belt Clips for C124 Handset s (Pkg / 10)	C124 DECT Handset Belt Clip		
750613	<p>Spare/Replacement Charger for C124 Handset - Includes AC adapter.</p>	C124 SIP DECT Handset Repl Charger		

Sales Documentation			
Part No.	Description		
0913000	UX5000 Main 8-Page Brochure	(Package of 25)	
0913001	UX5000 VoIP Brochure	(Package of 25)	
0913002	UX5000 Data Sheet	(Package of 25)	
0913003	UX5000 Voice Mail Brochure	(Package of 25)	
0913004	UX5000 Poster (24" x 36")	(Package of 1)	
0913005	UX5000 Desktop Applications	(Package of 25)	
0913006	UX5000 InRouter Brochure	(Package of 25)	
790301	Conference Max Brochures	(Package of 25)	
750629	Corded Headset Brochure	(Package of 25)	
User Documentation			
Part No.	Description		
0913400	UX5000 Multibutton Feature Handbook	(Package of 5)	
0913401	UX5000 Multibutton User Guide	(Package of 15)	
Technical Documentation			
Part No.	Description		
0913100	UX5000 Hardware Manual		
0913200	UX5000 Software Manual Consists of Feature Manual and Programming Manual		
0913600	System Document CD		
0913602	UX CallAnalyst CD Contains UX CallAnalyst documentation as well as software that must be loaded onto associated PCs. <i>Note: This software can also be downloaded at no charge from the UX Tech Website.</i>		
0913601	UX5000 Desktop Suite Application CD Provides Desktop Suite documentation as well as software that must be loaded onto associated PCs. Includes: <ul style="list-style-type: none"> ▪ Desktop Suite applications ▪ End-User Pro 		
UX5000 Demo Kit			
Part No.	Description		
0910025	UX5000 Demo Bundle Contains: <ul style="list-style-type: none"> • (1) 0910000 9.5" 3-Blade Chassis • (1) 0911001 CCPU Blade • (1) 0911058 082U Combo 8-Digital/2-Analog Station Blade • (1) 0911074 4COIDB 4-Port Trunk Daughter Board • (1) 0911026 16VMDB Voice Mail Daughter Board • (1) 0910508 4Port/16Hour IntraMail CompactFlash • (1) 0910056 DG-32e DESI-Less Terminal (BK) • (1) 0910048 DG-24e 24-Button Display Terminal (BK) • (1) 0910044 DG-12e 12-Button Display Terminal (BK) • (1) 0893500 Soft-sided Demo Case with Wheels • (1) 80890 8-Port Adapter Box • (2) 80891 8-Conductor Cords 		

SPARE / REPLACEMENT ITEMS

UX5000 Chassis Spare/Replacement Items				
Part No.	Description	Model		
670018	Replacement Power Supply for 19" 6-Blade Chassis	MPS7101		
670507	Replacement Fan Unit for 19" 6-Blade Chassis	CHS2U FAN BOX SET		
0910012	Blank Blade Cover Set (1) cover with screws For 9.5" 3-Blade or 19" 6-Blade Chassis. (2) <i>included in 0910000 9.5" 3-Blade Chassis.</i> (5) <i>included in 0910000 19" 6-Blade Chassis.</i>	IP3WW-Blank Slot Cover Set		
UX5000 Battery Backup Spare/Replacement Components				
Part No.	Description	Model		
0910006	Short Term Battery Box Installs in 9.5" 3-Slot Controlling Base Chassis. Requires 670511 Small Battery Set. <i>Included in 0910127 3-Blade Chassis Battery Box Kit.</i>	IP3WW-Small Batt Box		
670511	(2) 12V 0.8Ah Batteries with connector Installs in 0910006 Small Battery Box. <i>Included in 0910127 3-Blade Chassis Battery Box Kit.</i>	CHSGW Small Batt Set		
670509	Battery Mount for Internal Battery Kit <i>Included in 670601 Short Term Internal Battery Kit.</i>			
670530	Battery cable for Internal Battery Kit <i>Included in 670601 Short Term Internal Battery Kit.</i>			
670533	Internal Battery Set <i>Included in 670601 Short Term Internal Battery Kit.</i>			
0910007	Long Term Battery Box Installs beneath the 9.5" 3-Blade Controlling Base Chassis or the 19" 6-Blade Chassis. Requires (3) 670512 large Battery Sets. <i>Included in 0910126 Long Term Battery Box Kit.</i>	IP3WW-Large Batt Box		
670512	Long Term Battery Set (2) 12V 0.8Ah Batteries with connector (3) sets required for installation in 0910007 Large Battery Box. (3) <i>sets Included in 0910126 Long Term Battery Box Kit.</i>	CHS Large Batt Set		
Conference Bridge Spare/Replacement Items <i>(Included in Conference BridgeBundle)</i>				
Part No.	Description	Model		
0911070	Packet Voice Application Blade Provides Conference Bridge features when equipped with Conference Bridge Application CompactFlash (0910532). Installs in universal blade slot. <i>Included in 0910539 Conference Bridge Package.</i>	IP3WW-PVAU-A1		
0910498	Conference Bridge CompactFlash Installs on PVAU blade (0911070). <i>Includes (1) 8-Port Conference Bridge License. Maximum (2) 8-Port Licenses per CompactFlash. Included in 0910539 Conference Bridge Bundle.</i>	AU UX Conf Bridge APP CF		

IntraMail Spare/Replacement Items (Included in IntraMail Bundles)				
Part No.	Description	Model		
0911026	Voice Mail Daughter Board Required for IntraMail/VRS or system modem (Requires license) Requires CompactFlash for IntraMail/VRS. Provides: <ul style="list-style-type: none"> ▪ Voice mail functions, and associated voice mail resources (DTMF receivers, Caller ID) ▪ VRS (Voice Recording Service) functions ▪ Modem for remote maintenance (Requires license) Not required for UX-Mail. Maximum (1) per system. Installs on the CCPU Blade. <i>Included in 0910516 & 0910517 IntraMail Bundles.</i>	IP3WW-16VMDB-B1		
0910414	Modem License Requires 16VM Daughter Board (0911026).	LU-UMS-MODEM-LIC		
0910508	4-Port / 16-Hour IntraMail/VRS CompactFlash Includes (1) 0910485 4-Port IntraMail license. <i>Included in 0910516 IntraMail Bundle.</i>	AU IntraMail-256M APP CF		
0910515	4-Port / 32-Hour IntraMail/VRS CompactFlash Includes (1) 0910485 4-Port IntraMail license. <i>Included in 0910517 IntraMail Bundle.</i>	AU IntraMail-512M APP CF		
UX-Mail Spare/Replacement Items (Included in UX-Mail Bundles)				
Part No.	Description	Model		
0911064	UX-Mail / Application Processor Blade Requires either UX-Mail CompactFlash. Contains: <ul style="list-style-type: none"> ▪ Ethernet Jack ▪ (2) USB Connectors ▪ VGA Connector ▪ Serial Connector (6-Pin Modular Jack) Installs in a universal blade slot. <i>Included in 0910526 & 0910535 UX-Mail Bundles.</i>	IP3WW-APSU-A1		
0910501	4-Port / 125 Hour UX-Mail CompactFlash Expandable to 16 ports with licenses. <i>Requires license to expand beyond 4 ports.</i> Includes (1) 0910491 4-Port UX-Mail license. Installs on the APSU Blade (0911064). <i>Included in 0910526 UX-Mail Bundle.</i>	UX-Mail 2G CompactFlash		
0910522	4-Port / 550 Hour UX-Mail CompactFlash Expandable to 16 ports with licenses. <i>Requires license to expand beyond 4 ports.</i> Includes (1) 0910491 4-Port UX-Mail license. Installs on the APSU Blade (0911064). <i>Included in 0910535 UX-Mail Bundle.</i>	UX-Mail 8G CompactFlash		

Spare/Replacement Plastic Key Covers for UX5000 Terminals				
Part No.	Description	Model		
0912014	Plastic Key Cover Kit for 2-Btn Terminals (Qty 1)	IP3WW-LKPANEL 2BTN SET		
0912015	Plastic Key Cover Kit for 6-Btn Terminals (Qty 1)	IP3WW-LKPANEL 6BTN SET		
0912016	Plastic Key Cover Kit for 12-Btn Terminals (Qty1)	IP3WW-LKPANEL 12BTN SET		
0912017	Plastic Key Cover Kit for 24-Btn Terminals (Qty1)	IP3WW-LKPANEL 24BTN SET		
0912018	Plastic Key Cover Kit for 16-Btn DLS (Qty 1)	IP3WW-LKPANEL 16BTN SET		
0912019	Plastic Key Cover Kit for 60-Btn DSS (Qty 1)	IP3WW-LKPANEL 60BTN SET		
Spare/Replacement Handset Items for UX5000 Terminals				
Part No.	Description	Model		
0912001	Handset, NarrowBand for DG Terminals/Black	IP3WW-Handset Narrow (BK)		
0912002	Handset, NarrowBand for DG Terminals/White	IP3WW-Handset Narrow (WH)		
0912003	Handset, WideBand for IP Terminals/Black	IP3WW-Handset Wide (BK)		
0912004	Handset, WideBand for IP Terminals/White	IP3WW-Handset Wide (WH)		
0912009	Handset Hanger/Black (Qty 1)	IP3WW-Handset Hanger (BK)		
0912010	Handset Hanger/White (Qty 1)	IP3WW-Handset Hanger (WH)		
0912005	Handset Cord – 12Ft. Black (Qty 1)	Handset Cord(12FT)-L (BK)		
0912006	Handset Cord – 12Ft. White (Qty 1)	Handset Cord(12FT)-L (WH)		
0912007	Handset Cord – 25Ft. Black (Qty 1)	Handset Cord(25FT)-L (BK)		
0912008	Handset Cord – 25Ft. White (Qty 1)	Handset Cord(25FT)-L (WH)		
Spare/Replacement Items for Headsets				
Dterm Headset Cordless II				
Part No.	Description	Notes		
750659	Battery for 730091 Dterm Headset Cordless II	Spare/Replacement Battery for 730091		
750658	AC Adapter for 730091 Dterm Headset Cordless II	Spare/Replacement AC Adapter Input: 120VAC. 60Hz Output: 9VDC @ 800ma		
CT-11/12 Headsets				
Part No.	Description	Notes		
730126	Battery for CT-11/CT-12	Spare/Replacement Battery for CT-11 & CT-12 3.6VDC 800mAh		
730125	AC Adapter for CT-11/CT-12	Spare/Replacement AC Adapter for CT-11 / CT-12 9VDC 350ma		
730127	Belt Clip for CT-11/CT-12	Spare/Replacement Belt Clip for CT-11 / CT-12		
Accessories/Replacement Parts for Polaris Headsets				
Part No.	Description	Notes		
750655	Polaris Extension Cable–10 Ft	For all Polaris models.		
750656	Ear Cushions for Supra & Encore	Pkg of 2. <i>Not for SupraPlus models.</i>		
750657	Clothing Clip for Mirage, Tristar, Encore	Qty 1.		
750650	Wind Screen for Supra NC	Qty 1. <i>Not for SupraPlus models.</i>		
750652	Clear Voice Tube for Encore & Tristar	Qty 1.		
750651	Clear Voice Tube for Mirage & Supra	Qty 1.		
750654	Rainbow Voice Tube Pack for Encore & Tristar	Pkg of 6.		
750653	Rainbow Voice Tube Pack for Mirage & Supra	Pkg of 6. <i>Not for SupraPlus.</i>		

Spare/Replacement Items for Conference Max Speakerphones				
Part No.	Description	Notes		
750152	Charger for Conference Max Plus	Spare/Replacement 12VDC charger		
750153	Battery Pack for Conference Max Plus	Spare/Replacement battery pack		
750157	12Ft. RJ45 Cable	Spare/Replacement cable for connection between Conf Max & base unit.		
750158	25Ft. RJ45 Cable	Spare/Replacement cable for connection between Conference Max units.		
Spare/Replacement Items for Analog Single Line Telephones				
Part No.	Description	Notes		
780502	Replacement Handset (BK)	For 780020/780025.		
780501	Replacement Handset (WH)	For 780021/780026.		
780540	Plastic Desi Cover	For 780020/780025. (Pkg of 10)		
780542	Plastic Desi Cover	For 780021/780026. (Pkg of 10)		

Spare/Replacement Items for Cordless II Telephone (730088)				
Part No.	Description	Model		
730602	Over-the-Ear or Over-the-Head Headset for Cordless DECT, Cordless II or Cordless Lite II Telephones	EXP9520 Headset		
730626	Leather Case for Cordless II Handset	EXP9783 Leather Case		
730622	Battery for Cordless II Handset	BT2499 Battery		
730621	Charger Unit for Cordless II Handset	EXP9785 Charger Unit		
730618	AC Adapter for Cordless II & Cordless Lite II Base Units	EXP9704 AC Adapter		
730619	AC Adapter for Cordless II & Cordless Lite II Charger Units	AD970 AC Adapter		
730620	Belt Clip for Cordless II Handset	EXP9702 Belt Clip		
730608	Wall Mount Plate for Cordless II Base Unit	EXP9660 Wall Mount Plate		
Spare/Replacement Items for Cordless Lite II Telephone (730087)				
Part No.	Description	Model		
730602	Over-the-Ear or Over-the-Head Headset for Cordless DECT, Cordless II or Cordless Lite II Telephones	EXP9520 Headset		
730631	Battery for Cordless Lite II Handset Ni-MH, DC3.6V	BT-930 Battery		
730632	Charger Unit without AC Adapter	EXP9385 Charger Unit		
730618	AC Adapter for Cordless II & Cordless Lite II Base Units	EXP9704 AC Adapter		
730619	AC Adapter for Cordless II & Cordless Lite II Charger Units	AD970 AC Adapter		
730633	Wall Mount Unit for Cordless Lite II Charger Unit	EXP9360 Wall Mount Unit		
730634	Belt Clip for Cordless Lite II Handset	EXP9302 Belt Clip		
730608	Wall Mount Plate for Cordless Lite II Base Unit	EXP9660 Wall Mount Plate		
Spare/Replacement Items for DTR-1R-2 Analog Cordless Telephone (730093)				
Part No.	Description	Model		
730617	Over-the-head style w/ NC microphone	DTP-16HC-1 Headset		
730637	Battery for For DTR-1R-1 & DTR-1R-2 Analog Cordless Telephones	BT-446 Battery		
730636	Belt Clip for DTR-1R-2 Cordless Telephone			
730635	AC Adapter for DTR-1R-2 Cordless Tel base unit.			
730638	Replacement Wall Mount Unit for DTR-1R-2 Analog Cordless Telephone			

INDEX

A

AC Adapter	
For IP terminals & DSS Console	16, 20
ACD License	7
ADA Adapter	19
Analog Port Adapter	19
Analog single line cordless telephone	24
Analog single line telephones	23
Replacement items	30
APR Adapter	19
AspireNet Networking License	5

B

Background Music input	4, 7, 18
Battery (for CPU blade)	4
Battery backup equipment	3
Replacement items	27
BGM input	4, 7
Blank Blade Cover Set (replacement)	
For chassis blade slots	27
Bluetooth Handset Adapter	19
Bluetooth Hub Adapter	19
Braille Dial Designation Sticker	20
BRI Blade/Daughter Board	12

C

Cable, Installation	12, 14
CallAnalyst licenses	10
Call Logging Unit	20
Call Recording Adapter	19
Call Recording Software/VSR	20
Chassis	
9.5" Chassis	2
9.5" Expansion Chassis	2
19" Chassis	2
Chassis mounting hardware	2
Chassis replacement items	27
Conference Bridge	
Bundle	7
Port License	7
Replacement items	27
Conference Max speakerphones	23
Replacement items	30
Conference room speakerphones	23
Corded Headsets	22
Cordless Headsets	
CT-12	22
Dterm Cordless Headset II	22
Replacement items	29
USB Cordless Headset	22

C, continued

Cordless telephones	
Cordless Telephone, Analog	24
Cordless DECT Telephones	24
Cordless II Telephone	24
Cordless Lite II Telephone	24
Replacement items	31
CPU Blade	4
CSU	12
CTI licenses	
1st Party	15
3rd Party	15
CTS Terminal	16
CygniLink Networking Licenses	5

D

Daughter boards (for CPU blade)	
Memory Expansion DB	4
VM/VRS Modem DB	4
VoIP Resource DB	4
DECT cordless telephones	24
DECT IP Telephone	25
Demo Kit	26
DESI-Less Modules	20
DESI-Less terminals	16, 17
Designation (DESI) Sheets	21
Desktop Suite licenses	15
DID Blade	12
Digital telephones	17
Digital terminals	17
Directory card Units	21
DLS Consoles	18
Documentation	26
Doorbox (Doorchime Box)	18
Doorbox Adapter	18
DSS Consoles	18
DTMF receivers	4

E

E & M Tie Line Blade	12
Enhancement Package licenses	15
Expansion Blades	2
External paging	4, 7

F

Fan (replacement) for 19" Chassis	27
File Sharing feature	15
File Transfer feature	15
Floor Mount Bracket (for chassis)	2
Flying Directory items	21, 23

INDEX

H

Handset items	
Handsets (replacement)	29, 30
Handset Cords	29
Handset Hangers (replacement)	29
Headsets	
Corded	22
Cordless	22
Replacement items	29
Hotel/Motel	
License	7
PMS Interface Unit	7

I

inDepth products	11
InRouter Blade	6
inView	11
Instant Messaging feature	15
IntraMail	
Bundles	8
Language license	8
Port licenses	8
Replacement items	28
IP DECT telephone	25
IP terminals (telephones)	16
IP Terminal Licenses	4, 13

K

Kentrox CSU	12
Key covers (replacement)	29, 30

L

Licenses	
ACD License	7
AspireNet Networking License	5
CallAnalyst licenses	10
Conference Bridge Port License	7
CTI licenses	15
CygniLink Networking Licenses	5
Enhancement Package licenses	15
Hotel/Motel License	7
IP Trunk licenses	12
IP terminal licenses	13
PC Assistant licenses	15
PC Attendant licenses	15
Router Expansion License	6
Softphone licenses	15
SMDR License	7
System Port Licenses	5

L, continued

Licenses, continued	
TAPI licenses	15
UX-IntraMail licenses	8
UX-Mail licenses	9
Line key units	20
Literature	26

M

Memory Daughter Board	4
Modem (built-in)	4
MOH input	4, 7
Music input	4, 7

O

OPX Blade	12
-----------	----

P

Paging interface	4, 7
PC Assistant licenses	15
PC Attendant licenses	15
Plastic Key Covers	29, 30
Power Failure Transfer Adapter	19
Power Supply (replacement)	
for 19" Chassis	2
PMS Interface Unit	7
PRI Blade	12

R

Rack Mount Brackets (for chassis)	2
Repeater (for Cordless DECT Telephone)	24
Retrofit Keypad Modules	20
Router Blade	6
Router, external	6
Router Expansion License	6

S

Sales documentation	26
Satellite 932 CSU	12
Single line telephones	23
Replacement items	30
Single Line Telephone Adapter	18
SIP terminal licenses	13
SLT Adapter	18
SMDR License	7
Softphone licenses	15

INDEX

S, continued

Station blades/daughter boards	
Analog	14
Digital	14
Digital/Analog Combo	14
System Packages	
IP Packages	1
Basic Packages	1
System Port Licenses	5

T

TAPI licenses	
1st Party	15
3rd Party	15
Technical documentation	26
Tie Line Blade	12
Third Party SIP terminal licenses	13
Trunk blades/daughter boards	12
Trunk licenses (IP)	12

U

USB Handset	22
USB Headsets	22
User documentation	26
UX-CallAnalyst licenses	10
UX-IntraMail	
Bundles	8
Language license	8
Port licenses	8
Replacement items	28
UX-Mail	
Bundles	9
Desktop Messaging licenses	9
Language license	9
Port licenses	9
Replacement items	28

V

Video Softphone licenses	15
VoIP Resource Daughter Boards	4
VoIP Terminal licenses	13
VoIP Trunk licenses	12
VRS	4
Voice mail products	8, 9, 28
Voice Security Recorder	20
VSR Call Recording Software	20
VSR Manager Software	20

W

Wall Mount Adapters	
For terminals & DSS Console	20
Wall Mount Bracket (for chassis)	2
White Board feature	15
Wireless Access Point	
(for IP DECT telephone)	25
Wireless Telephone (IP DECT)	25