

# 19 Tires, Tubes & Wheels




**BASIC TIRE INFORMATION**

**SAFETY WARNING:** THE FOLLOWING INFORMATION MUST BE GIVEN TO PURCHASING PERSONNEL, MOTORCYCLE TECHNICIANS, TIRE FITTERS AND CUSTOMERS.

**TYPICAL TIRE MARKINGS**

- 01** Brand name and registered trademark.
- 02** Type of tread pattern and/or product line.
- 03** Nominal section width, expressed in metric, inch or alpha; see size chart below.
- 04** Ratio between tire section height and nominal section width. This ratio is not indicated when section width is expressed in inches (eg. 3.50-18).
- 05** Code for tire construction (- = Bias, R = Radial, B = Bias Belted).
- 06** Nominal rim diameter size in inches.
- 07** "Motorcycle" in abbreviated form. Differentiates motorcycle tires and rims from those designed for other vehicles. Shown on some models only.
- 08** Speed symbol. Indicates the tire's speed; see speed rating chart below.
- 09** Tubeless (TL) or tubetype (TT), as applicable.
- 10** Expresses the tire's maximum load capacity (pounds) at the pressure indicated (psi); see load index chart below.
- 11** Indicates where the tire was produced.
- 12** Abbreviation of "US Department of Transportation." Serves to indicate that the tire conforms to the regulations issued by the US Department of Transportation. Includes the serial # for the tire, and the last 3 or 4 numbers represent the date. Example 3805 means the tire was produced in the 38th week of 2005.
- 13** The arrows indicate the direction of rotation of the tire according to the fitting position (Front-rear); applicable for directional tires only.
- 14** Number of plies and material.
- 15** Tread Wear Indicator, as applicable



**SPEED RATING CHART**

|     |          |          |          |          |          |          |          |          |          |               |              |          |            |
|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------------|--------------|----------|------------|
|     | <b>J</b> | <b>L</b> | <b>M</b> | <b>P</b> | <b>Q</b> | <b>R</b> | <b>S</b> | <b>T</b> | <b>H</b> | <b>V/(VB)</b> | <b>Z(ZR)</b> | <b>W</b> | <b>(W)</b> |
| MPH | 62       | 74       | 81       | 93       | 100      | 106      | 112      | 118      | 130      | 130>          | 149          | 168      | 168+       |

**LOAD INDEX CHART**

|              |              |              |              |              |                |                |
|--------------|--------------|--------------|--------------|--------------|----------------|----------------|
| 47 = 386 lb. | 53 = 454 lb. | 59 = 536 lb. | 65 = 639 lb. | 71 = 761 lb. | 77 = 908 lb.   | 83 = 1,074 lb. |
| 48 = 397 lb. | 54 = 467 lb. | 60 = 551 lb. | 66 = 661 lb. | 72 = 783 lb. | 78 = 937 lb.   | 84 = 1,102 lb. |
| 49 = 408 lb. | 55 = 481 lb. | 61 = 567 lb. | 67 = 677 lb. | 73 = 805 lb. | 79 = 963 lb.   | 85 = 1,135 lb. |
| 50 = 414 lb. | 56 = 494 lb. | 62 = 584 lb. | 68 = 694 lb. | 74 = 827 lb. | 80 = 992 lb.   | 86 = 1,168 lb. |
| 51 = 430 lb. | 57 = 507 lb. | 63 = 600 lb. | 69 = 716 lb. | 75 = 853 lb. | 81 = 1,019 lb. | 87 = 1,202 lb. |
| 52 = 441 lb. | 58 = 520 lb. | 64 = 617 lb. | 70 = 739 lb. | 76 = 882 lb. | 82 = 1,047 lb. |                |

**SIZE**

Size may be indicated in inches, metric, or by letters (alpha). The chart shows the approximate comparison of the different size indications.

**STREET TIRE SIZE CONVERSION CHART**

|         |           |      |      |           |           |           |      |      |
|---------|-----------|------|------|-----------|-----------|-----------|------|------|
| INCH:   | 2.75/3.00 | 3.25 | 3.50 | 3.75/4.00 | 4.25/4.50 | 5.00/5.10 | 5.50 | 6.00 |
| METRIC: | 80        | 90   | 100  | 110       | 120       | 130       | 140  | 150  |
| ALPHA:  | MH        | MJ   | MM   | MN/MP     | MR        | MT        | MU   | MV   |

**MOTORCYCLE OFF-ROAD TIRE SIZE CONVERSION CHART**

| METRIC | FRONT TIRES |           | METRIC  | REAR TIRES |           |
|--------|-------------|-----------|---------|------------|-----------|
|        | METRIC      | INCH      |         | METRIC     | INCH      |
| 60/100 | 90/80       | 2.50/2.75 | 80/100  | 80/90      | 2.50/3.60 |
| 70/100 | 90/80       | 2.75/3.00 | 90/100  | 110/90     | 3.60/4.10 |
| 80/100 | 100/80      | 3.00/3.25 | 100/100 | 130/80     | 4.00/4.50 |
| -      | -           | -         | 120/100 | 140/80     | 5.00/5.10 |

**SAFETY WARNINGS:**

**MAINTAIN RECOMMENDED TIRE PRESSURE AND FOLLOW OWNER'S MANUAL.**

ALL TIRES SHOULD BE MOUNTED ONLY BY TRAINED PERSONNEL. CONSULT TIRE MANUFACTURER'S PUBLICATION(S) FOR INFORMATION ON TIRE CARE, SAFETY, MAINTENANCE, MOUNTING, MANUFACTURER'S WARRANTY AND OTHER INFORMATION FOUND IN THE MANUFACTURER'S BROCHURE(S) AND ON MANUFACTURER'S WEBSITE(S).

FAILURE TO FOLLOW MANUFACTURER'S RECOMMENDATIONS AND REQUIREMENTS CAN CAUSE TIRE FAILURE RESULTING IN SERIOUS INJURY OR DEATH. MAKE SURE TO SELECT A TIRE THAT MEETS THE LOAD AND SPEED REQUIREMENTS FOR THE APPLICATION IT IS INTENDED FOR.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL

**METZELER TIRES: UPGRADE YOUR RIDE!**

In its 130 year history Metzeler has always satisfied market demands with innovation. Metzeler only makes motorcycle tires, period. This long history is due in part to the constant innovation and technology that can only be found in a Metzeler. From the race track to the streets of Sturgis, Metzeler tires offer technologies in our products that the modern motorcyclist demands. From the Sportec M5 Interact trackday/street hypersport tire to the ME880 V-twin performance tire, Metzeler continues to set the standard for performance, reliability and quality.

**ME880 XXL**

- The ME880 is the fastest and most affordable way to upgrade your American V-twin
- ME880 continues to be the tire choice of the world's top custom builders
- Most ME880 radials feature the patented 0° steel-belt technology
- The latest in silica compounding delivers phenomenal wet grip
- Please see the upgrade chart below for sizing
- ME880's unique tread design prevents the wandering and following of rain grooves
- New 68H 120/70-21 front tire specially designed to provide a higher load rating
- Tubeless (TL)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds of 149+ mph, W-rated for speeds up to 168 mph and (W)-rated for speeds of 168+ mph

**NOTE: It is not recommended that a radial front tire be used with a bias-ply rear tire.**



| SIZE            | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|-----------------|------------------|-----------|-------------|
| <b>FRONT</b>    |                  |           |             |
| 120/90B18 TL    | 65H              | 110-10409 | \$209.95    |
| 130/70B18 TL    | 63H              | 110-13141 | 238.95      |
| 140/70-18       |                  |           |             |
| (reinforced) TL | 73H              | 0305-0097 | 260.95      |
| 100/90-19 TL    | 57H              | 110-10407 | 167.95      |
| 110/90-19 TL    | 62H              | 110-10411 | 178.95      |
| 90/90-21 TL     | 54H              | 0305-0011 | 155.95      |
| 120/70-21 TL    | 62V              | 110-12893 | 208.95      |
| 120/70-21 TL    | 62H              | 0307-0014 | 212.95      |

| SIZE                | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------------|------------------|-----------|-------------|
| <b>FRONT (CONT)</b> |                  |           |             |
| 120/70-21           |                  |           |             |
| (reinforced) TL     | 68H              | 0305-0289 | \$222.95    |
| 140/70-21 TL        | 76V              | 0305-0069 | 262.95      |
| <b>REAR</b>         |                  |           |             |
| 150/80B16 TL        | 71H              | 110-10420 | 208.95      |
| 150/80B16 TL        | 77H              | 0306-0107 | 215.95      |
| 160/80B16 TL        | 75H              | 110-13142 | 291.95      |
| 200/60R16 TL        | 79V              | 110-13075 | 301.95      |
| 240/50R16 TL        | 84V              | 110-10431 | 377.95      |

| SIZE               | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------------|------------------|-----------|-------------|
| <b>REAR (CONT)</b> |                  |           |             |
| 200/55ZR-17 TL     | 78V              | 0302-0376 | \$236.95    |
| 150/70B18          |                  |           |             |
| (reinforced) TL    | 76H              | 0306-0108 | 274.95      |
| 160/60R-18 TL      | 76V              | 0302-0028 | 287.95      |
| 200/50R18 TL       | 76W              | 110-13074 | 322.95      |
| 210/40R18 TL       | 73H              | 0304-0055 | 331.95      |
| 240/40R18 TL       | (79V)            | 110-10430 | 305.95      |
| 260/40R18 TL       | 84V              | 0302-0055 | 409.95      |
| 280/35R18 TL       | (84V)            | 110-14885 | 430.95      |
| 300/35R18 TL       | 87V              | 0302-0070 | 451.95      |

**ME880 MARATHON/ME880 XXL TIRE SIZING GUIDE**

- Stage I front and rear applications normally do not require any modifications
- Stage II front applications may require wheel size changes or slight modifications such as wheel spacing; may also require a fender change
- Stage II rear applications may require wheel size changes, wheel spacing, pulley spacing or installing a narrower rear belt; may also require a fender change
- Stage III rear applications require major changes, such as a wide frame kit, a wide swingarm kit, transmission offset and fender changes



STAGE I



STAGE II



STAGE III

**FRONT**

| STAGE I              | STAGE II                       | RECOMMENDED RIM WIDTH (INCHES) | RIM RANGE |
|----------------------|--------------------------------|--------------------------------|-----------|
| 0305-0011 (90/90-21) | 110-13141 (130/70B-18)         | 3.50                           | 3.00-4.50 |
|                      | 0305-0097 (140/70-18)          | 3.50                           | 3.00-4.50 |
|                      | 110-10407 (100/90-19) (Rocker) | 2.50                           | 2.15-2.75 |
|                      | 110-10411 (110/90-19)          | 2.50                           | 2.15-3.00 |
|                      | 0305-0069 (140/70-21)          | 3.50                           | 3.00-3.75 |

**REAR**

| STAGE I - FITS STOCK RIM           | STAGE II - UPGRADE            | RECOMMENDED RIM WIDTH (INCHES) | RIM RANGE | STAGE III - UPGRADE   | RECOMMENDED RIM WIDTH (INCHES) | RIM RANGE   |
|------------------------------------|-------------------------------|--------------------------------|-----------|-----------------------|--------------------------------|-------------|
| 110-10415 (140/90B16)              | 0306-0108 (150/70B18)         | 4.00                           | 3.50-4.50 | 110-13075 (200/60R16) | 5.50                           | 5.50-6.25   |
| 110-13142 (160/80B16) <sup>1</sup> | 0302-0028 (160/60R18)         | 4.25                           | 4.25-5.00 | 110-10431 (240/50R16) | 7.50                           | 7.00-8.00   |
| 0302-0055 (260/40R18) (Rocker)     | 110-13074 (200/50R18) (V-Rod) | 6.00                           | 5.50-6.50 | 110-13074 (200/50R18) | 6.00                           | 5.50-6.50   |
|                                    |                               |                                |           | 110-10430 (240/40R18) | 8.50                           | 8.00-9.00   |
|                                    |                               |                                |           | 0302-0055 (260/40R18) | 9.00                           | 8.50-9.50   |
|                                    |                               |                                |           | 110-14885 (280/35R18) | 10.00                          | 9.50-10.50  |
|                                    |                               |                                |           | 0302-0070 (300/35R18) | 10.50                          | 10.00-11.00 |
|                                    |                               |                                |           | 0302-0135 (260/35R21) | 9.00                           | 8.50-9.50   |

<sup>1</sup> For 04-08 models with an OEM 150 series rear tire.

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

METZELER 

ME 880 White Sidewall

ME 880 Blackwall



ME 880 Blackwall

ME 880 White Stripe

ME 880 White Sidewall

### ME880 MARATHON - HIGH MILEAGE CRUISER TOURING TIRES FOR GENERAL REPLACEMENT AND MODEL-SPECIFIC APPLICATIONS

- Premium line dedicated to cruiser and heavy touring bikes, featuring high-tech construction not found in other cruiser tires
- Machine-specific carcass construction for exceptional riding comfort and stability at all speeds, even under heavy load
- Built to handle the higher loads and handling characteristics of cruiser and touring bikes
- Front tires feature rounded tread profile for smooth, neutral steering
- Rear tires feature flatter tread profile and larger contact patch for better traction and mileage
- Computer-designed tread pattern with offset groove alignment for uniform wear characteristics, low noise
- Tread pattern has excellent water displacement ability and stability over rain grooves and under hard braking
- Alpha sizes (MH, MT, MU) provide higher load capacity and increased mileage
- Also available in Wide White Wall (WWW) and Narrow White Stripe (NWS)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds up to 168 mph

| SIZE                             | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL |
|----------------------------------|------------------|------------------------|-------------|
| <b>BLACKWALL FRONT</b>           |                  |                        |             |
| MT90B16 TL                       | 72H              | 0305-0071              | \$161.95    |
| 130/80B-17 TL                    | 65H              | 0305-0196 <sup>1</sup> | 193.95      |
| 130/90-16 TL                     | 67H              | 110-10408              | 159.95      |
| 120/70VR-17 TL                   | 58V              | 110-20447              | 213.95      |
| 140/75R-17 TL                    | 67V              | 0301-0225 <sup>2</sup> | 209.95      |
| 100/90-19 TL                     | 57H              | 110-10407              | 167.95      |
| 110/90-19 TL                     | 62H              | 110-10411              | 178.95      |
| 120/70ZR-19 TL                   | (60W)            | 110-14201              | 223.95      |
| MH90-21 TL                       | 54H              | 0305-0072              | 135.95      |
| 90/90-21 TL                      | 54H              | 0305-0011              | 155.95      |
| <b>BLACKWALL REAR</b>            |                  |                        |             |
| MT90B-16 TL                      | 74H              | 0306-0082              | 188.95      |
| 130/90B-16 TL                    | 73H              | 110-10414              | 186.95      |
| MU85B-16 TL                      | 77H              | 0306-0083              | 196.95      |
| 140/90B-16 TL                    | 77H              | 110-10415              | 207.95      |
| 150/80B-16 TL                    | 77H              | 0306-0107              | 215.95      |
| 150/80B-16 TL                    | 71H              | 110-10420              | 208.95      |
| 180/65B-16 TL                    | 81H              | 0306-0198 <sup>1</sup> | 256.95      |
| 160/70B-17 V-Twin<br>(D-spec) TL | 73H              | 0308-0022 <sup>3</sup> | 254.95      |
| 170/60R-17 TL                    | 78V              | 0302-0238              | 265.95      |

| SIZE                         | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL |
|------------------------------|------------------|------------------------|-------------|
| <b>BLACKWALL REAR (CONT)</b> |                  |                        |             |
| 200/55R-17 TL                | 78V              | 0302-0376 <sup>2</sup> | \$236.95    |
| 180/55ZR-18 TL<br>(74W)      |                  | 110-14351              | 297.95      |
| <b>WHITE SIDEWALL FRONT</b>  |                  |                        |             |
| MT90B-16 NWS TL              | 72H              | 0305-0075              | 202.95      |
| MT90B-16 WWW TL              | 72H              | 0305-0073              | 209.95      |
| 130/90B-16 WWW TL            | 67H              | 110-13387 <sup>4</sup> | 209.95      |
| MH90-21 WWW TL               | 54H              | 0305-0074              | 197.95      |
| <b>WHITE SIDEWALL REAR</b>   |                  |                        |             |
| MT90B-16 WWW TL              | 74H              | 0306-0084              | 240.95      |
| 130/90B-16 WWW TL            | 73H              | 110-13389              | 240.95      |
| MU85B-16 NWS TL              | 77H              | 0306-0086              | 237.95      |
| MU85B-16 WWW TL              | 77H              | 0306-0085              | 247.95      |
| 140/90B-16 NWS TL            | 77H              | 0306-0010              | 236.95      |
| 140/90B-16 WWW TL            | 77H              | 110-14258              | 247.95      |
| 150/80B-16 WWW TL            | 71H              | 110-14259 <sup>4</sup> | 258.95      |

<sup>1</sup> For 09-11 Touring models originally fitted with this size tire.

<sup>2</sup> For Fat Boy models originally fitted with this size tire.

<sup>3</sup> For Deuce and Dyna models originally fitted with this size tire.

<sup>4</sup> For 08-on Indian.



• Ask your Drag Specialties sales rep for copies of Metzeler's full-line brochure. Available at no charge with any Drag Specialties order.

| PART #    | DESCRIPTION                          |
|-----------|--------------------------------------|
| 9901-0764 | Metzeler full-line brochure (10-pk.) |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERALMETZELER *Lasertec* **LASERTEC – SPORT  
TOURING BIAS TIRES**

- Proven tread patterns for all-weather riding
- Tread pattern design provides excellent water drainage that reduces hydroplaning, enhancing wet performance for safe riding in all weather conditions
- Compounds ensure higher braking performance on both wet and dry surfaces
- Classic tread pattern is designed to prevent irregular wear and cupping
- Multiple-Radius Contour Design is tuned specifically for the bias-tire touring segment and provides radial-type handling
- High silica content of the compounds helps provide outstanding grip in all weather conditions and reduces rolling resistance to improve mileage
- Tubeless (TL)
- H-rated for speeds up to 130 mph or (V)-rated to 149+ mph



| Lasertec Front |                  |           |             | Lasertec Rear |                  |           |             |
|----------------|------------------|-----------|-------------|---------------|------------------|-----------|-------------|
| SIZE           | LOAD/SPEED INDEX | PART #    | SUG. RETAIL | SIZE          | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
| <b>FRONT</b>   |                  |           |             | <b>REAR</b>   |                  |           |             |
| 3.25-19 TL     | 54H              | 0305-0039 | \$158.95    | 130/90-16 TL  | 67V              | 0306-0030 | \$193.95    |
| 3.25-19 TL     | 54V              | 0305-0043 | 179.95      | 150/80-16 TL  | (71V)            | 0306-0031 | 212.95      |
| 3.50-19 TL     | 57H              | 0305-0040 | 168.95      | 160/70-17 TL  | 73V              | 0308-0006 | 232.95      |
| 3.50-19 TL     | 57V              | 0305-0044 | 190.95      | 4.00-18 TL    | 64V              | 0308-0007 | 194.95      |
| 100/90-19 TL   | 57V              | 0305-0042 | 190.95      | 120/90-18 TL  | 65V              | 0308-0008 | 200.95      |
| 90/90-21 TL    | 54H              | 0305-0041 | 156.95      | 130/80-18 TL  | (66V)            | 0308-0010 | 205.95      |

*Sportec M3***SPORTEC M3 –  
HIGH PERFORMANCE,  
HIGH VALUE TIRES**

- Highest performance for dollar supersport tire on the market
- New compound technology now found in proven M3 tread pattern
- New compound offers increases in dry grip performance on both the road and on the racetrack
- Progressive handling behavior delivered by the Metzeler patented 0° steel belt and the Multiradius technology development
- Tread pattern design and differentiated compound between front and rear ensuring high wet safety feeling and extended mileage
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph



| Sportec M3 Front |                  |           | Sportec M3 Rear |  |  |
|------------------|------------------|-----------|-----------------|--|--|
| SIZE             | LOAD/SPEED INDEX | PART #    | SUG. RETAIL     |  |  |
| <b>FRONT</b>     |                  |           |                 |  |  |
| 120/70ZR-17 TL   | (58W)            | 0301-0055 | \$138.95        |  |  |
| <b>REAR</b>      |                  |           |                 |  |  |
| 180/55ZR-17 TL   | (73W)            | 0302-0096 | 179.95          |  |  |
| 190/50ZR-17 TL   | (73W)            | 0302-0097 | 210.95          |  |  |
| 200/50ZR-17 TL   | (75W)            | 0302-0113 | 237.95          |  |  |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



**SPORTEC M5 INTERACT™ – ULTRA PERFORMANCE TIRES**

- Sportec M5 Interact is the most highly engineered supersport tire destined for demanding riders who face all riding conditions and demand the best performance
- Five tension zones, for exceptional grip at high lean angles and extended mileage
- The tread pattern of the new Sportec M5 Interact is the result of an extensive series of tests to achieve high effectiveness in dry (stability) and wet (drainage) conditions, but also provides an increased life for the tire
- The shape and distribution of the tread grooves contributes to the overall performance of the Sportec M5 Interact™ with very effective water drainage as well as a superb flexibility
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



5 "tension zones"

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0233</b> | <b>\$181.95</b> |

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>REAR</b>    |                  |                  |                 |
| 180/55ZR-17 TL | (73W)            | <b>0302-0386</b> | <b>\$234.95</b> |
| 190/50ZR-17 TL | (73W)            | <b>0302-0387</b> | <b>273.95</b>   |

**ROADTEC Z6 SPORT TOURING TIRES**

- CMT (Contour Modeling Technology) combines different profiles to optimize handling at all lean angles
- Patented 0° steel belt technology provides stiffer carcass for perfect balance of performance for one- and two-up riding; minimized stand-up behavior under mid-corner braking situations
- Unmatched tread life thanks to the combination of carcass, compound and tread design to provide you with a totally balanced performance during the entire life of the tire
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph

**ROADTEC Z6**



Z6 Roadtec Front Z6 Roadtec Rear

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0011</b> | <b>\$165.95</b> |

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>REAR</b>    |                  |                  |                 |
| 180/55VR-17 TL | (73W)            | <b>0302-0012</b> | <b>\$207.95</b> |



**ROADTEC Z8 INTERACT™ – SPORT TOURING TIRES**

- OE on the BMW K 1600 GT and K 1600 GTL
- Everything about the new Roadtec Z8 Interact™ has been designed to put the rider in control. It responds like an extension of the rider's instincts, creating an invigorating blend of precise riding feel and effortless handling
- New high silica compound with nano-particles increases performance and safety in all weather conditions
- All-new profile matched with new patented tread design provides easy handling and reduced push steering for maximum confidence in all maneuvers
- The Roadtec Z8 Interact with **three tension zones** provides best-in-segment mileage and optimal wet performance throughout the tire's life thanks to an innovative tread pattern, a widened and more elliptical footprint, and a host of wear-resistant technologies not normally seen in motorcycle tires
- The updated design of the Roadtec Z8 improves wear regularity which gives riders the benefit of a consistent riding performance across the tire's entire life
- Tubeless (TL)
- W-rated for speeds up to 168 mph or (W)-rated for speeds of 168+ mph



Z8 Roadtec Front Z8 Roadtec Rear



3 "tension zones"

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0292</b> | <b>\$182.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 170/60ZR-17 TL | (72W)            | <b>0302-0491</b> | <b>228.95</b>   |
| 180/55ZR-17 TL | (73W)            | <b>0302-0484</b> | <b>235.95</b>   |
| 190/50ZR-17 TL | (73W)            | <b>0302-0486</b> | <b>254.95</b>   |



• Ask your Drag Specialties sales rep for copies of Metzeler's full-line brochure. Available at no charge with any Drag Specialties order.

| PART #           | DESCRIPTION                          |
|------------------|--------------------------------------|
| <b>9901-0764</b> | Metzeler full-line brochure (10-pk.) |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERAL**DUNLOP TIRES**

For nearly 30 years, Dunlop has provided tires for Harley-Davidson® – and more importantly, for Harley-Davidson owners – that help Harley riders enjoy their bikes to the fullest. Our commitment to Harley-Davidson® riders grows even deeper with the introduction of the American Elite line of aftermarket tires, which incorporates Dunlop's exclusive Made-in-America experience, along with MT Multi-Tread technology to help deliver impressive mileage and handling.

**AMERICAN ELITE**
**AMERICAN ELITE****PREMIUM REPLACEMENT TOURING TIRES**

- The only replacement motorcycle tire for Harley-Davidson bikes that is designed in America, made in America and tested in America
- Dunlop's decades-long engineering experience with H-D bikes is the foundation for the Dunlop American Elite line of replacement tires
- Tread design provides even tread wear and quiet operation in all conditions, both wet and dry
- Rear tire built with Multi-Tread technology with long-wearing center compound and lateral-grip shoulder compounds for enhanced cornering performance, class leading grip and feel
- New sizes for 2012 to fit select Fat Boy models
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.

**American Elite Front****American Elite Rear**

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 130/80B17    | 65H              | <b>0305-0200</b> | <b>\$222.95</b> |
| 140/75R17    | 67V              | <b>0303-0190</b> | <b>228.95</b>   |
| <b>REAR</b>  |                  |                  |                 |
| 180/65B16    | 81H              | <b>0306-0204</b> | <b>309.95</b>   |
| 200/55R17    | 78V              | <b>0304-0200</b> | <b>258.95</b>   |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



**THE DUNLOP HARLEY-DAVIDSON D402 TIRE SERIES**

- Approved Harley-Davidson touring tire
- Built with a three-ply polyester casing with two fiberglass belts, the D402 offers great load-carrying capacity, stability and long life
- Computer-optimized tread pattern with offset center groove improves rider confidence in all conditions and reduces cupping for long, even wear
- Available in front and rear black, single white-bar, and wide white sidewall versions
- H-rated for speed up to 130 mph
- Made in the U.S.A.



D402 Front D402 WWW Front D402 Rear D402 WWW Rear D402 SWS Front D402 SWS Rear

| SIZE         | LOAD/SPEED INDEX | PART #  | SUG. RETAIL |
|--------------|------------------|---------|-------------|
| <b>FRONT</b> |                  |         |             |
| MT90B16 BLK  | 72H              | 3020-91 | \$184.95    |
| MT90B16 SWS  | 72H              | 3021-91 | 216.95      |
| MT90B16 WWW  | 72H              | 3022-91 | 225.95      |
| MH90-21 BLK  | 54H              | 3017-63 | 155.95      |

| SIZE        | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|-------------|------------------|-----------|-------------|
| <b>REAR</b> |                  |           |             |
| MU85B16 WWW | 77H              | 3019-23   | \$268.95    |
| MU85B16 BLK | 77H              | 0308-0001 | 225.95      |
| MU85B16 SWS | 77H              | 0308-0002 | 258.95      |
| MT90B16 BLK | 74H              | 3017-91   | 216.95      |
| MT90B16 SWS | 74H              | 3018-91   | 247.95      |
| MT90B16 WWW | 74H              | 3019-91   | 256.95      |



**THE DUNLOP HARLEY-DAVIDSON D401 TIRE SERIES**

- The approved Harley-Davidson cruiser tire; the only Harley-Davidson cruiser tire that is made in the U.S.A.
- Advanced tread pattern and specifically formulated compound deliver outstanding grip in wet or dry weather and provide long tire life
- Available in 90/90-19 front sizes and 130/90B-16 and 150/80B-16 rear sizes to fit Harley-Davidson Dyna and Sportsters
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph



D401 Front D401 Rear

| SIZE          | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------|------------------|-----------|-------------|
| <b>FRONT</b>  |                  |           |             |
| 90/90-19 BLK  | 52H              | 3016-19   | \$155.95    |
| 100/90-19 BLK | 57H              | 3016-25   | 159.95      |
| <b>REAR</b>   |                  |           |             |
| 130/90B16 BLK | 73H              | 3016-40   | 190.95      |
| 150/80B16 BLK | 71H              | 3016-91   | 216.95      |
| 200/55R17 BLK | 78V              | 0302-0407 | 256.95      |



**THE DUNLOP HARLEY-DAVIDSON K591 TIRE SERIES**

- The approved Harley-Davidson sport tire; the only Harley-Davidson sport tire that is made in the U.S.A.
- Originally designed for racing but now incorporating refinements to meet the demands of street riders, K591 delivers optimum grip in wet or dry weather for confident cornering
- Available in front and rear sizes to fit Harley-Davidson Dyna, Sportster Sport and Deuce models
- V-rated for speeds up to 149 mph



K591 Front K591 Rear

| SIZE           | LOAD/SPEED INDEX | PART #  | SUG. RETAIL |
|----------------|------------------|---------|-------------|
| <b>FRONT</b>   |                  |         |             |
| 100/90-19 BLK  | 51V              | 3023-25 | \$171.95    |
| <b>REAR</b>    |                  |         |             |
| 130/90B 16 BLK | 64V              | 3023-40 | 198.95      |
| 150/80B16 BLK  | 71V              | 3023-91 | 237.95      |
| 160/70B17 BLK  | 73V              | 3023-96 | 252.95      |

**D208/D207ZR/ELITE 3 RADIAL TIRES FOR THE HARLEY-DAVIDSON V-ROD AND STREET ROD**

- Dunlop offers a special version of the D208 designed for the Harley-Davidson V-Rod and Street Rod
- Rear tire 240/40-18 fits special edition V-Rods and Street Rods
- Blackwall
- (W)-rated for speeds of 168+ mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.




D208 Front D207ZR Rear Elite 3 Rear

| SIZE                   | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|------------------------|------------------|-----------|-------------|
| <b>FRONT</b>           |                  |           |             |
| 120/70R-19 BLK D208    | (60W)            | 0303-0063 | \$241.95    |
| <b>REAR</b>            |                  |           |             |
| 180/55R-18 BLK D207ZR  | (74W)            | 3001-31   | 301.95      |
| 240/40R-18 BLK Elite 3 | 79V              | 0302-0110 | 287.95      |

**DUNLOP BROCHURES**

- Supplies basic features and fitment information
- Available at no charge with any Drag Specialties order
- Shipped as a 20-pack

| PART #    | DESCRIPTION               |
|-----------|---------------------------|
| 9901-0335 | Dunlop brochures (20-pk.) |



**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERALSportmax  
Q2 FrontSportmax  
Q2 Rear**SPORTMAX Q2**

- Intuitive Response Profile (IRP) technology in rear tire allows rider great latitude in line choice while cornering and provides amazingly linear steering at all lean angles
- Radical new profile puts down a bigger footprint at extreme lean angles, higher corner speeds with substantially better grip and handling
- Advance multi-tread technology combines benefits of a tough, long-wearing center compound for increased mileage with a special lateral-grip compound on each shoulder for superior cornering traction
- Jointless band construction utilizes a continuously-wound aramid belt for reduced carcass distortion
- (W)-rated for speeds of 168+ mph



| SIZE         | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------|------------------|-----------|-------------|
| <b>FRONT</b> |                  |           |             |
| 120/70ZR-17  | (58W)            | 0301-0238 | \$170.95    |
| <b>REAR</b>  |                  |           |             |
| 170/60ZR-17  | (72W)            | 0302-0395 | 209.95      |

| SIZE               | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------------|------------------|-----------|-------------|
| <b>REAR (CONT)</b> |                  |           |             |
| 180/55ZR-17        | (73W)            | 0302-0396 | \$219.95    |
| 190/50ZR-17        | (73W)            | 0302-0397 | 255.95      |
| 200/50ZR-17        | (75W)            | 0302-0399 | 289.95      |



QUALIFIER Front

QUALIFIER Rear

**QUALIFIER**

- Exceptional performance and great value
- Jointless band (JLB) rear tire construction utilizes a continuously-wound steel belt for reduced carcass distortion
- (W)-rated for speeds of 168+ mph



| SIZE            | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|-----------------|------------------|-----------|-------------|
| <b>FRONT</b>    |                  |           |             |
| 120/70ZR-17 BLK | (58W)            | 0301-0342 | \$145.95    |
| <b>REAR</b>     |                  |           |             |
| 180/55ZR-17 BLK | (73W)            | 0302-0570 | 186.95      |
| 190/50ZR-17 BLK | (73W)            | 0302-0571 | 217.95      |

**ELITE 3****ELITE 3**

- Next generation long-distance tire with improved performance and longer wear
- E3 tread pattern provides class-leading wet-pavement performance and is not affected by rain grooves, steel bridge decks or tar stripes
- Better response and a solid feel through turns for confident cornering
- More custom options with 240/40R-18, 200/50R-18 and 90/90-21 wide tires now available
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph
- Made in the U.S.A.



Elite 3 Radial Front/Rear

Elite 3 Bias Front/Rear

Elite 3 Radial Rear (Wide)

| SIZE               | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------------|------------------|-----------|-------------|
| <b>FRONT</b>       |                  |           |             |
| MT90B16, bias-ply  | 72H              | 0305-0046 | \$192.95    |
| 90/90-21, bias-ply | 54H              | 0305-0055 | 167.95      |
| 120/70R21, radial  | 62V              | 0301-0092 | 223.95      |

| SIZE              | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|-------------------|------------------|-----------|-------------|
| <b>REAR</b>       |                  |           |             |
| MT90B16, bias-ply | 74H              | 0306-0038 | \$217.95    |
| MU90B16, bias-ply | 78H              | 0306-0039 | 221.95      |
| 200/50R18, radial | 76H              | 0302-0406 | 308.95      |
| 240/40R18, radial | 79V              | 0302-0110 | 287.95      |
| 250/40R18, radial | 81V              | 0302-0041 | 293.95      |



491 Elite II Front

491 Elite II Rear

**491 ELITE II  
TOURING TIRES**

- High-mileage touring tire
- High load-carrying capacity
- More continuous grooves for enhanced moisture dispersion without sacrificing tread element stability
- Front-tire tread pattern is similar to rear and resists cupping for uniform wear
- Available in raised white letter sidewall only
- H-rated for speeds up to 130 mph
- Made in the U.S.A.

| SIZE         | LOAD/SPEED INDEX | PART #  | SUG. RETAIL |
|--------------|------------------|---------|-------------|
| <b>FRONT</b> |                  |         |             |
| MT90B16 RWL  | 71H              | 4067-91 | \$226.95    |
| MM90-19 RWL  | 61H              | 4075-73 | 176.95      |
| <b>REAR</b>  |                  |         |             |
| MT90B16 RWL  | 74H              | 4071-91 | 242.95      |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



ROADSMART II Front    ROADSMT II Rear

**ROADSMART II**

- All-new Roadsmart II takes the sport touring tire goals of mileage, sport handling, and wet grip to the next level
- Front and rear tread patterns feature long lateral grooves to provide excellent water drainage on wet surfaces
- Multi-directional sub grooves optimize contact pressure for long mileage, even wear and good water drainage
- Rear tire features Dunlop's MT Multi-Tread construction
- (W)-rated for speeds of 168+ mph

| SIZE         | LOAD/<br>SPEED INDEX | PART #           | SUG.<br>RETAIL  |
|--------------|----------------------|------------------|-----------------|
| <b>FRONT</b> |                      |                  |                 |
| 120/70ZR17   | (58W)                | <b>0301-0572</b> | <b>\$197.95</b> |
| <b>REAR</b>  |                      |                  |                 |
| 170/60ZR17   | (72W)                | <b>0302-0613</b> | <b>259.95</b>   |
| 180/55ZR17   | (73W)                | <b>0302-0614</b> | <b>274.95</b>   |
| 190/50ZR17   | (73W)                | <b>0302-0615</b> | <b>250.95</b>   |



K330 Front    K330 Rear

**K330**

- OEM replacement tires for Buell Blast

| SIZE          | LOAD/<br>SPEED INDEX | PART #         | SUG.<br>RETAIL  |
|---------------|----------------------|----------------|-----------------|
| <b>FRONT</b>  |                      |                |                 |
| 100/80-16 BLK | 50S                  | <b>32QF-62</b> | <b>\$126.95</b> |
| <b>REAR</b>   |                      |                |                 |
| 120/80-16 BLK | 60S                  | <b>32QF-68</b> | <b>\$155.95</b> |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

**D616**

- OEM tire for Buell Ulysses
- Radical sport radial for the mean streets with the looks and performance to run anywhere
- Innovative tread pattern sports an extremely aggressive look and is derived directly from Dunlop's championship road racing wet tires
- Cool-running tread with superior grip also provides cut- and wear-resistance
- (W)-rated for speeds of 168+ mph
- Made in the U.S.A.



D616 Front

D616 Rear

| SIZE            | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|-----------------|------------------|------------------|-----------------|
| <b>FRONT</b>    |                  |                  |                 |
| 120/70ZR-17 BLK | (58W)            | <b>0301-0064</b> | <b>\$174.95</b> |
| <b>REAR</b>     |                  |                  |                 |
| 180/55ZR-17 BLK | (73W)            | <b>0302-0109</b> | <b>220.95</b>   |
| 190/50ZR-17 BLK | (73W)            | <b>0302-0156</b> | <b>224.95</b>   |

**GT501**


- Built on the success of Dunlop's K591 and the perfect upgrade for select D401 and K591 sizes
- Same proven bias-ply construction as the K591, but with a radial-style tread pattern for more contemporary styling and a larger footprint
- Larger contact patch increases cornering confidence, with smooth side-to-side transitions
- Higher tread-to-void ratio produces superior grip in dry conditions, with no loss of grip in wet weather
- Increased pattern depth at the center of the tread for improved wear characteristics and stability
- V-rated for speeds up to 149 mph



GT501 Front

GT501 Rear

| SIZE          | LOAD/SPEED INDEX | PART #          | SUG. RETAIL     |
|---------------|------------------|-----------------|-----------------|
| <b>FRONT</b>  |                  |                 |                 |
| 100/90-19 BLK | 57V              | <b>3004-25X</b> | <b>\$180.95</b> |
| <b>REAR</b>   |                  |                 |                 |
| 130/90B16 BLK | 67V              | <b>3004-40</b>  | <b>208.95</b>   |
| 140/90-16 BLK | 71V              | <b>3004-46</b>  | <b>229.95</b>   |
| 150/80B16 BLK | 71V              | <b>3004-91</b>  | <b>248.95</b>   |
| 120/90-18 BLK | 65V              | <b>3004-36</b>  | <b>211.95</b>   |

**DUNLOP BROCHURES**

- Supplies basic features and fitment information
- Available at no charge with any Drag Specialties order
- Shipped as a 20-pack

| PART #           | DESCRIPTION               |
|------------------|---------------------------|
| <b>9901-0335</b> | Dunlop brochures (20-pk.) |

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERAL

AM41 Front

AM42 Rear



Venom R Rear

### AM41/AM42 VENOM TOURING/CRUISER/CUSTOM

- Unique sequential pattern produces a quiet ride
- Advanced casing technology for low rolling resistance, cooler running and high mileage
- Special sidewall effect features snake-head logo
- Multi-arc tread contour for light, neutral turning and cornering stability
- H-rated for speeds up to 130 mph, or V-rated for speeds up to 149 mph

| SIZE              | LOAD/<br>SPEED INDEX | PART #              | SUG.<br>RETAIL |
|-------------------|----------------------|---------------------|----------------|
| <b>AM41 FRONT</b> |                      |                     |                |
| 120/90-18 BLK     | 71H                  | AV-325 <sup>1</sup> | \$191.95       |
| 130/70B18 BLK     | 69H                  | AV-326 <sup>1</sup> | 215.95         |
| 140/70B18 BLK     | 67V                  | 0301-0024           | 240.95         |
| 110/90-19 BLK     | 62H                  | AV-330              | 163.95         |
| 80/90-21 BLK      | 48H                  | AV-331              | 163.95         |
| 90/90-21 BLK      | 54H                  | AV-318              | 170.95         |

| SIZE                     | LOAD/<br>SPEED INDEX | PART #                 | SUG.<br>RETAIL |
|--------------------------|----------------------|------------------------|----------------|
| <b>AM41 FRONT (CONT)</b> |                      |                        |                |
| 120/70-21 BLK            | 68H                  | 0305-0260 <sup>1</sup> | \$214.95       |
| <b>AM42 REAR</b>         |                      |                        |                |
| 160/80B16 BLK            | 81H                  | AV-346 <sup>1</sup>    | 274.95         |
| 150/70B18 BLK            | 76V                  | 0306-0269              | 261.95         |

<sup>1</sup> Reinforced, bias-belted construction.

### AM42 VENOM-R REAR RADIAL

- Unique sequential tread pattern produces a quiet ride
- Advanced casing technology for low rolling resistance, cooler running and high mileage
- Multi-arc tread contour for light, neutral turn-in and cornering stability
- 330-series tire recommended rim size is 12", 11.5" rim size minimum and 12.25" rim size maximum; tire outside diameter is approximately 635mm (25"), tire outside width is approximately 327mm (12.9")
- V-rated to speeds up to 149 mph

| SIZE          | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL |
|---------------|------------------|------------------------|-------------|
| 330/30R17 BLK | 87V              | 0302-0035              | \$460.95    |
| 180/55R18 BLK | 74V              | 0302-0445 <sup>1</sup> | 310.95      |

<sup>1</sup> 177mm width.

### COBRA AV71/AV72

- Features a snakeskin effect sidewall that complements the Cobra logo and tread design; a truly unique custom look
- Advanced Variable Belt Density (A-VBD) rear construction (see footnote exclusions) uses a densely wrapped belt in the center of the tire for stability, wear and mileage, belt is less dense on the shoulder for a huge, compliant contact patch
- Force Following Grooves (FFG) for reduced tire noise, increased wear resistance, improved mileage, improved stability and better resistance to cupping
- Lifetime Profile Engineering (LPE) for consistent handling and stability for the full life of the tire
- Wide Custom Tread Arc (WCTA) tire profile for improved maneuverability at all speeds
- Enhanced Aqua Flow (EAF) tread pattern gives optimal water dispersal
- Enhanced Stability System (ES) design reduces tire flex for improved grip and stability
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph or (W)-rated for speeds of 168+ mph

Cobra AV71  
FrontCobra AV72  
RearCobra AV71  
WWW FrontCobra AV72  
WWW Rear

#### BIAS PLY

| SIZE                       | LOAD/<br>SPEED INDEX | PART #    | SUG.<br>RETAIL |
|----------------------------|----------------------|-----------|----------------|
| <b>AV71 FRONT</b>          |                      |           |                |
| MT90B16 BLK                | 74H                  | 0305-0267 | \$197.95       |
| MT90B16 WWW                | 74H                  | 0305-0268 | 239.95         |
| 130/80B17 BLK              | 65H                  | 0305-0194 | 213.95         |
| 100/90-19 BLK              | 57H                  | 0305-0270 | 156.95         |
| 100/90-19 WWW              | 57H                  | 0305-0271 | 201.95         |
| MH90-21 BLK                | 56V                  | 0305-0088 | 168.95         |
| MH90-21 WWW                | 56V                  | 0305-0272 | 220.95         |
| 120/70-21 BLK (reinforced) | 68V                  | 0305-0261 | 213.95         |
| <b>AV72 REAR</b>           |                      |           |                |
| MT90B16 BLK                | 74H                  | 0306-0271 | 208.95         |
| MT90B16 WWW                | 74H                  | 0306-0272 | 257.95         |
| 140/90B16 BLK (reinforced) | 77H                  | 0306-0273 | 226.95         |
| 140/90B16 WWW (reinforced) | 77H                  | 0306-0274 | 272.95         |
| 150/80B16 BLK (reinforced) | 77V                  | 0306-0275 | 251.95         |
| 150/80B16 WWW (reinforced) | 77V                  | 0306-0276 | 232.95         |
| 180/65B16 BLK              | 81H                  | 0306-0197 | 284.95         |
| 150/70B18 BLK              | 76V                  | 0306-0269 | 261.95         |

#### RADIAL

| SIZE              | LOAD/<br>SPEED INDEX | PART #                 | SUG.<br>RETAIL |
|-------------------|----------------------|------------------------|----------------|
| <b>AV71 FRONT</b> |                      |                        |                |
| 130/70R18 BLK     | 63H                  | 0301-0097              | \$252.95       |
| 130/70R18 BLK     | 63V                  | 0305-0269              | 257.95         |
| 120/70ZR19 BLK    | (60W)                | 0301-0098              | 265.95         |
| 130/60R23 BLK     | 65V                  | 0301-0099 <sup>1</sup> | 229.95         |
| <b>AV72 REAR</b>  |                      |                        |                |
| 180/60R16 BLK     | 74H                  | 0302-0164              | 309.95         |
| 180/70R16 BLK     | 77H                  | 0302-0165              | 308.95         |
| 240/50R16 BLK     | 84V                  | 0302-0167              | 430.95         |
| 200/55R17 BLK     | 78V                  | 0302-0168              | 320.95         |
| 180/55ZR18 BLK    | (74W)                | 0302-0169              | 315.95         |
| 200/55R18 BLK     | 79V                  | 0302-0170              | 327.95         |
| 240/40R18 BLK     | (79V)                | 0302-0171              | 343.95         |
| 250/40R18 BLK     | (81V)                | 0302-0172              | 347.95         |
| 300/35R18 BLK     | (87V)                | 0302-0173              | 411.95         |

<sup>1</sup> Universal fitment front or rear.

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



- WINDSHIELDS
- TOURING
- LUGGAGE
- SEATS & SISSY BARS
- EXHAUST
- FUEL/AIR SYSTEMS
- ENGINE
- TRANSMISSION & DRIVELINE
- GASKETS & SEALS
- ELECTRICAL
- LIGHTING
- HANDLEBARS, CONTROLS & MIRRORS
- CABLES
- BRAKES
- TANKS & OIL FILTERS
- DASHES & GAUGES
- FRAMES, SUSPENSION & FENDERS
- FOOTRESTS & LICENSE PLATE FRAMES
- TIRES, TUBES & WHEELS
- HARDWARE, CHEMICALS & TOOLS
- COVERS, SECURITY & GENERAL

**AM20/AM21 CRUISER/TOURING**

- All-weather tire made of 4-ply nylon for long wear
- Designed for the cruising or touring rider
- Specially designed tread rubber compound allows for superior wet grip and improved braking and handling
- 230-series rear tire designed for fitment on 6 1/4" to 8" wide rims
- H-rated for speeds up to 130 mph

| SIZE                                     | LOAD/SPEED INDEX | PART # | SUG. RETAIL | SIZE                           | LOAD/SPEED INDEX | PART # | SUG. RETAIL |
|--|------------------|--------|-------------|--------------------------------|------------------|--------|-------------|
| <b>AM20 FRONT</b>                        |                  |        |             | <b>AM21 REAR</b>               |                  |        |             |
| 130/90-16 BLK (reinforced)               | 73H              | AV-086 | \$182.95    | 230/60B15 BLK                  | 86H              | AV046  | \$397.95    |
| 90/90-19 BLK                             | 52H              | AV026  | 152.95      | (130) MT90-16 BLK (reinforced) | 74H              | AV040  | 190.95      |
| 90/90-21 BLK (not recommended for FXSTS) | 54H              | AV029  | 161.95      |                                |                  |        |             |



AM20 Front AM21 Rear

**GANGSTER UNIVERSAL**

- Special application tire with a 2 3/4" wide whitewall for nostalgic appearance
- Can be used on both front and rear wheels
- AM9 Universal tread design for great performance
- Recommended for 16" Harley-Davidson wheels
- Reinforced bias-ply construction
- Tubeless
- H-rated for speeds up to 130 mph



Gangster Universal

| SIZE        | LOAD/SPEED INDEX | PART # | SUG. RETAIL |
|-------------|------------------|--------|-------------|
| MT90-16 WWW | 74H              | AV012  | \$355.95    |

**AM9 UNIVERSAL**

- Designated for front or rear applications
- High mileage and low profile characteristics provide excellent stability through corners as well as rapid acceleration and braking
- Tube type
- H-rated for speeds up to 130 mph



AM9 Universal

| SIZE                    | LOAD/SPEED INDEX | PART # | SUG. RETAIL |
|-------------------------|------------------|--------|-------------|
| 4.10-19 BLK (tube type) | 61H              | AV007  | \$187.95    |



AV004 AV004/005 AV-401

**SAFETY MILEAGE MARK II (AM7)**

- Provides excellent handling and a smooth ride
- Perfect mate to Speedmaster front rib
- Can be used on sidecars
- S-rated for speeds up to 113 mph

| SIZE                       | LOAD/SPEED INDEX | PART # | SUG. RETAIL |
|----------------------------|------------------|--------|-------------|
| 5.00-16 TT BLK (Tube Type) | 69S              | AV004  | \$221.95    |
| 4.00-18 TT BLK (Tube Type) | 64S              | AV005  | 197.95      |
| 3.50-19 TT BLK (Tube Type) | 57S              | AV-400 | 162.95      |
| 4.00-19 TT BLK (Tube Type) | 65S              | AV-401 | 251.95      |

**SPEEDMASTER (AM6)**

- Great for positive steering, featuring a unique contour for long life and even wear
- Continuous sipe and uninterrupted tread ribs for added braking and handling capabilities
- Front is an ideal match for our Safety Mileage rear
- Tube-type
- S-rated for speeds up to 112 mph



Speedmaster Front

| SIZE                       | LOAD/SPEED INDEX | PART #             | SUG. RETAIL |
|----------------------------|------------------|--------------------|-------------|
| 3.25-19 TT BLK (Tube Type) | 54S              | AV001              | \$139.95    |
| 3.50-19 TT BLK (Tube Type) | 57S              | AV002              | 141.95      |
| 3.00-21 TT BLK (Tube Type) | 57S              | AV003 <sup>1</sup> | 141.95      |

<sup>1</sup> Reinforced construction.

- For a complete look at the Avon tire line, order one 25-pack of brochure PART #9901-0480. Available at no charge with any Drag Specialties order.
- For the Avon Tire Data and Fitment guide catalog, order PART #9901-0954. Available at no charge with any order.

| PART #    | DESCRIPTION                                  |
|-----------|--|
| 9901-0480 | Avon Tyre brochure. 25 per pack.             |
| 9901-0954 | Avon Tire and Fitment catalog. One per pack. |



**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL


**AVON**  
TYRES


**100 YEARS**  
AVON MOTORCYCLE TYRES

### ROADRIDER AM26

- Large contact patch for excellent grip at all lean angles
- Interrupted center groove to resist tracking
- Special rubber compound formulated for excellent grip
- Bias-ply construction
- Wide range of sizes and matching tread design front and rear
- V-rated for speeds up to 149 mph



Roadrider AM26

| SIZE                     | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL |
|--------------------------|------------------|------------------------|-------------|
| <b>AM26 FRONT</b>        |                  |                        |             |
| 90/90-19 BLK             | 52V              | 0305-0063              | \$141.95    |
| 90/90-21 BLK             | 54V              | 0305-0060              | 169.95      |
| <b>AM26 REAR</b>         |                  |                        |             |
| MT90-16 BLK (reinforced) | 74V              | 0306-0052              | 183.95      |
| 120/90-18 BLK            | 65V              | 0306-0057              | 178.95      |
| 150/80-16 BLK            | 71V              | 0306-0061              | 219.95      |
| 100/90-19 BLK            | 57V              | 0306-0072 <sup>1</sup> | 143.95      |

<sup>1</sup> Universal fitment, can be used as front or rear tire.

### 3D ULTRA SUPERSPORT RADIALS

- Super performance on the road; also suitable for track day use
- High-performance tread compound
- Precise handling characteristics
- 3D siping with interlocking three-dimensional points to improve stability and grip, limit tread flex, and allow tire to warm up quickly
- New design wind-on belt material used in the rear tire increases the footprint size at all lean angles, improving grip
- Triple Extrusion (TE) tread compounds – durable rubber compound in the center to add mileage, softer compounds on the shoulders to aid grip, and a third compound underneath binds both compounds and facilitates the tire to stay cooler, increasing longevity
- (W)-rated for speeds of 168+ mph



3D Ultra Supersport Front

3D Ultra Supersport Rear

| SIZE          | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------|------------------|-----------|-------------|
| <b>FRONT</b>  |                  |           |             |
| 120/70R17 BLK | (58W)            | 0301-0347 | \$196.95    |
| <b>REAR</b>   |                  |           |             |
| 180/55R17 BLK | (73W)            | 0302-0576 | 270.95      |
| 190/50R17 BLK | (73W)            | 0302-0577 | 283.95      |
| 190/55R17 BLK | (75W)            | 0302-0578 | 295.95      |

### STORM 2 ULTRA SPORT/SPORT-TOURING RADIAL

- Grip, mileage and wet-weather performance
- Tri-Compound Extrusion (TE) technology – medium compound center tread with soft compound shoulders and a base that improves the bond between the tire compounds and tire carcass
- Advance Variable Belt Density (A-VBD) rear tire construction uses a densely wrapped belt in the center of the tire for stability, wear and mileage; belt is less dense on the shoulders for a large, compliant contact patch
- Lifetime Profile Engineering (LPE) for consistent handling and stability for the life of the tire
- Super-Rich Silica (SRS) compound for fast warm-up and superior grip
- Enhanced Aqua Flow (EAF) tread pattern for optimal water dispersal
- Inverted Front Grooves (IFG) resists uneven wear and improves braking stability
- V-rate for speeds up to 149 mph, or (W) rated for speeds of 168+ mph

| SIZE          | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL |
|---------------|------------------|------------------------|-------------|
| <b>FRONT</b>  |                  |                        |             |
| 120/70R17 BLK | (58W)            | 0301-0221              | \$195.95    |
| <b>REAR</b>   |                  |                        |             |
| 160/70R17 BLK | 79V              | 0302-0369 <sup>1</sup> | 243.95      |
| 170/60R17 BLK | (72W)            | 0302-0370              | 256.95      |

<sup>1</sup> Reinforced.

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

### 3D ULTRA SPORT RADIALS

- Outstanding handling characteristics
- Large footprint at extreme lean angles
- Multi compound with super-rich silica compound
- 3D siping with interlocking three-dimensional points to improve stability and grip, limit tread flex, and allow the tire to warm up quickly
- New design wind-on belt material used in rear tire increases the footprint size at all lean angles to improve grip
- Triple Extrusion (TE) tread compounds – durable rubber material in the tire center to aid mileage, and softer compounds on the tire shoulder to aid grip; a third compound underneath binds all compounds to the tire to stay cooler and increase tire longevity
- Ideal for use on high-performance motorcycles; good balance of mileage versus grip
- (W)-rated for speeds of 168+ mph



3D Ultra Sport Front

3D Ultra Sport Rear

| SIZE          | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------|------------------|-----------|-------------|
| <b>FRONT</b>  |                  |           |             |
| 120/70R17 BLK | (58W)            | 0301-0350 | \$184.95    |
| <b>REAR</b>   |                  |           |             |
| 180/55R17 BLK | (73W)            | 0302-0581 | 254.95      |
| 190/50R17 BLK | (73W)            | 0302-0582 | 269.95      |
| 190/55R17 BLK | (75W)            | 0302-0583 | 281.95      |

### SIDECAR TRIPLE-DUTY

- Designed with stability in mind
- Flat tread profile guarantees maximum contact with road surface
- Center rib provides positive steering capabilities
- L-rated for speeds up to 75 mph



Sidecar Triple Duty Universal

| SIZE                        | LOAD/SPEED INDEX | PART # | SUG. RETAIL |
|-----------------------------|------------------|--------|-------------|
| 3.50L-19 TT BLK (Tube Type) | 57L              | AV006  | \$182.95    |



Storm 2 Front Storm 2 Rear

| SIZE               | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------------|------------------|-----------|-------------|
| <b>REAR (CONT)</b> |                  |           |             |
| 180/55R17 BLK      | (73W)            | 0302-0371 | \$260.95    |
| 190/50R17 BLK      | (73W)            | 0302-0372 | 278.95      |
| 200/50R17 BLK      | (75W)            | 0302-0373 | 305.95      |

- For a complete look at the Avon tire line, order one 25-pack of brochure PART #9901-0480. Available at no charge with any Drag Specialties order.
- For the Avon Tire Data and Fitment guide catalog, order PART #9901-0954. Available at no charge with any order.



| PART #    | DESCRIPTION                                  |
|-----------|--|
| 9901-0480 | Avon Tyre brochure. 25 per pack.             |
| 9901-0954 | Avon Tire and Fitment catalog. One per pack. |

**Conti Motion Front/Rear****CONTI MOTION**

- Sport touring all-season radial with high-end performance at a lower price
- Ideal for entry level riders and economic-minded veterans
- Offers safe, reliable feedback on dry or wet roads
- Newly formulated polymers in the compound deliver an impressive cost/mileage ratio
- 0° steel-belt construction for improved stability and a smooth ride
- Tubeless
- (W)-rated for speeds over 168 mph

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL    |
|--------------|------------------|------------------|----------------|
| <b>FRONT</b> |                  |                  |                |
| 120/70ZR-17  | (58W)            | <b>0301-0134</b> | <b>\$83.95</b> |
| <b>REAR</b>  |                  |                  |                |
| 180/55ZR-17  | (73W)            | <b>0302-0235</b> | <b>126.95</b>  |
| 190/50ZR-17  | (73W)            | <b>0302-0236</b> | <b>132.95</b>  |

**CONTI SPORT ATTACK 2**

- Extraordinary light handling with outstanding grip and stability during cornering
- Exceptional control, riding performance, and optimal feedback when riding at the limit
- 0°-steel belt construction front and rear for higher stability and feedback when braking and accelerating out of corners
- Black Chili Compound specially designed for supersport bikes consisting of highly structured racing black carbon for excellent cold grip and quick tire warm-up, grip resins for short braking distances, and silica constituents for superior wet traction
- Continuous Compound Technology ensures high mileage and maximum grip in extreme lean angles up to 51°
- Traction Skin, a revolutionary tactile tread surface with a micro-roughness that optimizes the mechanical adhesion to the road, offering the safest and fastest tire break-in available
- (W)-rated for speeds over 168 mph

**Conti Sport Attack 2 Front/Rear**

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 120/70ZR-17  | (58W)            | <b>0301-0355</b> | <b>\$174.95</b> |
| <b>REAR</b>  |                  |                  |                 |
| 180/55ZR-17  | (73W)            | <b>0302-0591</b> | <b>225.95</b>   |
| 190/50ZR-17  | (73W)            | <b>0302-0592</b> | <b>238.95</b>   |
| 190/55ZR-17  | (75W)            | <b>0302-0593</b> | <b>257.95</b>   |

**CONTI ROAD ATTACK 2**

- Revolutionary new technology that offers a level of grip, confidence, mileage and dynamics never known before in the sport-touring radial market
- Continuous Compound Technology; a single compound is used that through a temperature-controlled curing process delivers the benefits of a multi-compound tire without the abrupt transition between the different compounds that other multi-compound tires are known for
- Center Tread Area, wear resistant = Mileage
- Shoulder Tread Area = Increased grip from center to shoulder
- Continuous Transition from Center to Shoulder = Smooth and predictable performance
- Black Chili compound for quick warm-up, short braking distance on wet and dry roads
- Traction Skin, the revolutionary new micro-toughness of the tread, optimizes the mechanical adhesion and offers the fastest break-in period in the market
- Features DynamicRideTechnology, a patented steel belt construction with a unique contour to improve overall handling and control
- Tubeless
- (W)-rated for speeds over 168 mph

**Conti Road Attack 2 Front/Rear**

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 120/70ZR-17  | (58W)            | <b>0301-0277</b> | <b>\$175.95</b> |
| <b>REAR</b>  |                  |                  |                 |
| 170/60ZR-17  | (72W)            | <b>0302-0463</b> | <b>221.95</b>   |
| 180/55ZR-17  | (73W)            | <b>0302-0464</b> | <b>219.95</b>   |
| 190/50ZR-17  | (73W)            | <b>0302-0465</b> | <b>234.95</b>   |

**CONTI RACE ATTACK CUSTOM**

- High-performance custom with a definitively sporty edge
- 0° steel belt construction for improved stability and a smooth ride
- Offers the absolute maximum amount of slick area allowable to be DOT legal
- Continuous Compound Technology: a single compound is used that through a temperature-controlled curing process delivers the benefits of a multi-compound tire without the abrupt transition between the compounds that other multi-compound tires are known for
- Center Tread Area, wear resistant = Mileage
- Shoulder Tread Area = Increased grip from center to shoulder
- Continuous Transition from Center to Shoulder = Smooth and predictable performance
- Shoulder area is flexible to stick to the road while the zenith area is wear-resistant for better tire mileage
- Tubeless
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149mph, W-rated for speeds up to 168 mph, or (W)-rated for speeds over 168 mph

**Conti Race Attack Custom Front/Rear**

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 120/70ZR-17  | (58W)            | <b>0301-0135</b> | <b>\$215.95</b> |
| 120/70ZR-19  | 60W              | <b>0301-0136</b> | <b>215.95</b>   |
| 120/70-21    | 62V              | <b>0301-0137</b> | <b>198.95</b>   |
| 90/90-21     | 54H              | <b>0301-0138</b> | <b>142.95</b>   |
| <b>REAR</b>  |                  |                  |                 |
| 240/40ZR-18  | (79W)            | <b>0301-0139</b> | <b>323.95</b>   |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERALContinental  
GET THE GRIP™

CM1 Front/CM2 Rear Wide White Stripe

CM1 Front/CM2 Rear Blackwall

**CONTI MILESTONE CM1 FRONT AND MILESTONE PLUS CM2 REAR**

- Wide range of applications for heavy touring and cruiser bikes
- Exclusive activated silica compound delivers exceptional high mileage and wet grip
- Reinforced casing for extra load carrying capacity
- Extra-deep tread patterns give improved grip on wet roads
- Front and rear tread patterns have a unique, performance-enhancing design to complement any bike
- Advanced carcass design technology yields unmatched comfort, handling and stability
- New Milestone Plus rear tire has new compound that significantly extends mileage while maintaining exceptional handling
- H-rated for speeds up to 130 mph

| SIZE             | LOAD/SPEED |              | SUG. RETAIL     | SIZE                 | LOAD/SPEED |                  | SUG. RETAIL     |
|------------------|------------|--------------|-----------------|----------------------|------------|------------------|-----------------|
|                  | INDEX      | PART #       |                 |                      | INDEX      | PART #           |                 |
| <b>CM1 FRONT</b> |            |              |                 | <b>CM2 PLUS REAR</b> |            |                  |                 |
| 130/90H-16 WWS   | 67H        | <b>98013</b> | <b>\$176.95</b> | 150/80H-16 BLK       | 71H        | <b>0306-0292</b> | <b>\$189.95</b> |
| 130/90H-16 BLK   | 67H        | <b>98007</b> | <b>139.95</b>   | 130/90H-16 BLK       | 73H        | <b>0306-0288</b> | <b>166.95</b>   |
| 100/90H-19 BLK   | 57H        | <b>98008</b> | <b>123.95</b>   | 130/90H-16 WWS       | 73H        | <b>0306-0289</b> | <b>200.95</b>   |
| 110/90H-19 BLK   | 62H        | <b>98009</b> | <b>128.95</b>   | 140/90H-16 BLK       | 71H        | <b>0306-0290</b> | <b>169.95</b>   |
| 80/90H-21 BLK    | 48H        | <b>98010</b> | <b>122.95</b>   | 140/90H-16 WWS       | 71H        | <b>0306-0291</b> | <b>202.95</b>   |
|                  |            |              |                 | 150/80H-16 WWS       | 71H        | <b>0306-0293</b> | <b>214.95</b>   |



Conti Twin Front/Rear

**CONTI TWIN**

- Highly sought-after tires for Harley customs and others
- Designed to complement each other
- Long mileage and predictable handling
- Tube/tubeless design
- H-rated for speeds up to 130 mph

| SIZE                   | LOAD/SPEED INDEX | PART #       | SUG. RETAIL     |
|------------------------|------------------|--------------|-----------------|
| <b>RB2 FRONT</b>       |                  |              |                 |
| 3.25H-19 BLK           | 54H              | <b>97190</b> | <b>\$133.95</b> |
| <b>K112 FRONT/REAR</b> |                  |              |                 |
| MT90H-16 BLK           | 71H              | <b>97110</b> | <b>183.95</b>   |



Conti Ultra Rear


**CONTI ULTRA TKV12 REAR**

- TKV12 tread design ensures maximum contact patch, even at extreme lean angles
- H-rated for speeds up to 130 mph or V-rated for speeds up to 149 mph

| SIZE           | LOAD/SPEED INDEX | PART #       | SUG. RETAIL     |
|----------------|------------------|--------------|-----------------|
| 130/90V-16 BLK | 67V              | <b>97960</b> | <b>\$123.95</b> |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



**COMMANDER II®  
CRUISER TIRES**

- Michelin states, "Provides nearly twice the mileage of competitive cruiser tires (based on independent testing)"
- Radically different tread pattern for head-turning looks; premium sidewall treatment complements cruiser styling
- All-new rubber compounds provide remarkable wet grip without compromising durability
- Square bead wires improve casing rigidity, handling and ease of installation
- Amplified Density Technology, a highly dense, more-rigid tire casing, helps deliver excellent feedback and handling
- Commander II tires designed for dramatically extended mileage and feature Aramid tread plies to resist centrifugal growth, reduce weight and provide excellent stability
- Tubeless (TL)
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph

**Square bead wires improve casing rigidity, handling and ease of installation**



**Commander II® Front/Rear**

| SIZE                                 | LOAD/SPEED |                              | SUG. RETAIL     |
|--------------------------------------|------------|------------------------------|-----------------|
|                                      | INDEX      | PART #                       |                 |
| <b>FRONT</b>                         |            |                              |                 |
| 130/90B-16 TL, reinforced (MT90 B16) | 73H        | <b>0305-0278<sup>1</sup></b> | <b>\$172.95</b> |
| 130/80B-16 TL                        | 65H        | <b>0305-0280<sup>1</sup></b> | <b>195.95</b>   |
| 140/75R-17 TL                        | 67V        | <b>0303-0188<sup>2</sup></b> | <b>209.95</b>   |
| 100/90B-19 TL                        | 57H        | <b>0305-0281<sup>1</sup></b> | <b>149.95</b>   |
| 80/90-21 TL (MH90-21)                | 54H        | <b>0305-0282<sup>1</sup></b> | <b>145.95</b>   |

| SIZE                                 | LOAD/SPEED |                              | SUG. RETAIL     |
|--------------------------------------|------------|------------------------------|-----------------|
|                                      | INDEX      | PART #                       |                 |
| <b>REAR</b>                          |            |                              |                 |
| 130/90B-16 TL, reinforced (MT90 B16) | 73H        | <b>0306-0297<sup>1</sup></b> | <b>\$204.95</b> |
| 140/90B-16 TL, reinforced (MU85 B16) | 77H        | <b>0306-0298<sup>1</sup></b> | <b>212.95</b>   |
| 150/80B-16 TL, reinforced            | 77H        | <b>0306-0299<sup>1</sup></b> | <b>203.95</b>   |
| 180/65B-16 TL, reinforced            | 81H        | <b>0306-0300<sup>1</sup></b> | <b>268.95</b>   |
| 160/70B-17 TL                        | 73V        | <b>0306-0301<sup>1</sup></b> | <b>239.95</b>   |
| 200/55R-17 TL                        | 78V        | <b>0304-0197<sup>2</sup></b> | <b>248.95</b>   |

<sup>1</sup> Bias-ply. <sup>2</sup> Radial.

**PILOT® ACTIV**



- Sets a new standard for bias-ply sport touring tires; 20% greater tread life than earlier Michelin bias-ply tires
- Significantly improved wet and dry grip due to increased rubber contact with road and advanced rubber mix
- Optimum performance throughout life of tire
- Available in a wide range of sizes; perfect for older bikes
- Tubeless or tube type
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph



**Pilot® Activ Front/Rear**

| SIZE             | LOAD/SPEED |                  | SUG. RETAIL     |
|------------------|------------|------------------|-----------------|
|                  | INDEX      | PART #           |                 |
| <b>FRONT</b>     |            |                  |                 |
| 100/90H-19 TL/TT | 57H        | <b>0305-0105</b> | <b>\$150.95</b> |
| 100/90V-19 TL/TT | 57V        | <b>0305-0106</b> | <b>155.95</b>   |
| 3.25H-19 TL/TT   | 54H        | <b>0305-0107</b> | <b>137.95</b>   |

| SIZE             | LOAD/SPEED |                  | SUG. RETAIL     |
|------------------|------------|------------------|-----------------|
|                  | INDEX      | PART #           |                 |
| <b>REAR</b>      |            |                  |                 |
| 120/90H-18 TL/TT | 65H        | <b>0306-0113</b> | <b>\$184.95</b> |
| 120/90V-18 TL/TT | 65V        | <b>0306-0112</b> | <b>193.95</b>   |

For a complete look at the Michelin line, please see a Drag Specialties sales rep for a 25-pack of this brochure; available at no charge with any Drag Specialties order.



| PART #           | DESCRIPTION                 |
|------------------|-----------------------------|
| <b>9901-0342</b> | Michelin brochures (25-pk.) |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL





Power Pure™ Front/Rear

**POWER PURE™**

- Tubeless dual-compound radial for track or performance street riding
- Revolutionary Light Tire Technology makes these tires more than 2 pounds lighter than comparable high-performance tires
- 2CT tread formulations for phenomenal grip
- Aggressive, longitudinal tread grooves optimize wet performance
- (W)-rated for speeds of 168+ mph

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 120/70ZR-17  | (58W)            | <b>0301-0241</b> | <b>\$191.95</b> |
| <b>REAR</b>  |                  |                  |                 |
| 180/55ZR-17  | (73W)            | <b>0302-0401</b> | <b>246.95</b>   |
| 190/50ZR-17  | (73W)            | <b>0302-0403</b> | <b>288.95</b>   |
| 190/55ZR-17  | (75W)            | <b>0302-0404</b> | <b>300.95</b>   |



Pilot® Power 2CT Front/Rear

**PILOT® POWER 2CT**

- Tubeless dual-compound radial for track or performance street riding
- Tread surface divided into three separate areas featuring two different rubber compounds
- Softer shoulder rubber provides phenomenal cornering grip
- Lean angles up to 51.2°
- (W)-rated for speeds of 168+ mph

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 120/70ZR-17  | (58W)            | <b>0301-0081</b> | <b>\$175.95</b> |
| <b>REAR</b>  |                  |                  |                 |
| 180/55ZR-17  | (73W)            | <b>0302-0137</b> | <b>225.95</b>   |
| 190/50ZR-17  | (73W)            | <b>0302-0138</b> | <b>263.95</b>   |
| 190/55ZR-17  | (75W)            | <b>0302-0139</b> | <b>274.95</b>   |



Pilot® Power Front/Rear

**PILOT® POWER**

- Tubeless high-performance radial for track or performance street riding
- Unprecedented lean angles: 50.6° on dry pavement, 41.9° on wet pavement
- Progressive handling even in extreme situations: offers superb feedback at the limit and maintains stability under hard acceleration
- (W)-rated for speeds of 168+ mph

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 120/70ZR17   | (58W)            | <b>0301-0023</b> | <b>\$158.95</b> |
| <b>REAR</b>  |                  |                  |                 |
| 170/60ZR17   | (72W)            | <b>0302-0040</b> | <b>194.95</b>   |
| 180/55ZR17   | (73W)            | <b>0302-0032</b> | <b>203.95</b>   |
| 190/50ZR17   | (73W)            | <b>0302-0033</b> | <b>237.95</b>   |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



**PILOT® ROAD 3**

- Dual-compound sport touring tubeless radial
- Revolutionary X Sipe technology delivers all-weather performance without compromising tread life or handling
- 2CT two compound technology in both front and rear tires
- Features a soft rubber compound on the tread shoulders and a wear-resistant compound down the middle; front tire features a wider soft-compound than the Pilot® Road 2
- Made of environmentally sound 100% non-aromatic-oil rubber compounds
- (W)-rated for speeds of 168+ mph

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0285</b> | <b>\$215.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 170/60ZR-17 TL | (72W)            | <b>0302-0472</b> | <b>268.95</b>   |
| 180/55ZR-17 TL | (73W)            | <b>0302-0475</b> | <b>276.95</b>   |
| 190/50ZR-17 TL | (73W)            | <b>0302-0476</b> | <b>299.95</b>   |



**Pilot® Road 3 Front/Rear**



**POWER ONE™**

- Tubeless, dual-compound radial tire for track and performance street riding
- Street-legal with "95% slick" tread pattern
- Newly developed rubber compounds improve warm-up time and grip in cooler temperatures
- (W)-rated for speeds of 168+ mph

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0142</b> | <b>\$243.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 180/55ZR-17 TL | (73W)            | <b>0302-0243</b> | <b>351.95</b>   |
| 190/50ZR-17 TL | (73W)            | <b>0302-0244</b> | <b>353.95</b>   |



**Power One™ Front/Rear**



**PILOT® ROAD 2**

- Dual-compound sport touring tubeless radial
- Innovative front and rear tread designs
- Features a soft rubber compound on the tread shoulders and a wear-resistant compound down the middle
- (W)-rated for speeds of 168+ mph



**Pilot® Road 2 Front/Rear**

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0101</b> | <b>\$194.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 170/60ZR-17 TL | (72W)            | <b>0302-0181</b> | <b>242.95</b>   |

| SIZE               | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------------|------------------|------------------|-----------------|
| <b>REAR (CONT)</b> |                  |                  |                 |
| 180/55ZR-17 TL     | (73W)            | <b>0302-0176</b> | <b>\$249.95</b> |
| 190/50ZR-17 TL     | (73W)            | <b>0302-0177</b> | <b>270.95</b>   |



For a complete look at the Michelin line, please see a Drag Specialties sales rep for a 25-pack of this brochure; available at no charge with any Drag Specialties order.

| PART #           | DESCRIPTION                 |
|------------------|-----------------------------|
| <b>9901-0342</b> | Michelin brochures (25-pk.) |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL

PIRELLI



## PIRELLI TIRES: POWER IS NOTHING WITHOUT CONTROL

- Pirelli is a brand admired worldwide. Known for its passion for motoring – from cars to motorcycles to racing to world touring – Pirelli's image inspires the imagination
- Manufacturing tires at 23 factories located in 11 countries
- Pirelli is the world leader in the field of tires for high performance cars and motorcycles, for both original equipment and replacement
- Pirelli has 19 World Rally Championships and 56 World MX GP Championships
- Pirelli Moto is the exclusive tire supplier for all the teams competing in the World Superbike and Supersport, the Canadian Superbike Championship, the British Superbike Series and Supersport Championships and in automotive the prestigious Formula 1 Championship
- Pirelli's investment as the spec-tire for World Superbike competition has led to numerous innovations that made their way into the Diablo Rosso Corsa and the Diablo Rosso II
- Check out the world of Pirelli Motorcycle tires at [www.getpirelli.com](http://www.getpirelli.com) where membership is always free and you can win cool Pirelli swag



Night Dragon Front/Rear

## NIGHT DRAGON

### NIGHT DRAGON

- Pirelli's Night Dragon answers the modern cruiser rider's demands. Let a rider and his bike reach their full potential without sacrificing mileage
- Check out our new sizes for modern cruisers
- Utilizing Pirelli's DNA of performance, the Night Dragon is the modern tire for modern cruisers
- Record setting land speed records with the cooperation of Klock Werks Kustom Cycles
- The Night Dragon increases not only wet and dry grip but gives you noticeably better handling on backroads and the interstate
- Modern tread pattern combines high-performance attributes and a great new style
- Outstanding grip at all lean angles
- Special compounds offer incredible straight-line acceleration and traction
- New structural designs provide great stability and comfort
- Tube/tubeless (TL); blackwall
- H-rated for speeds up to 130 mph; V-rated for speeds up to 149 mph; (V)-rated for speeds of 149+ mph; W-rated for speeds up to 168 mph; (W)-rated for speeds of 168+ mph



| SIZE                      | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL | SIZE                      | LOAD/SPEED INDEX | PART #                    | SUG. RETAIL |
|---------------------------|------------------|------------------------|-------------|---------------------------|------------------|---------------------------|-------------|
| <b>FRONT</b>              |                  |                        |             | <b>REAR</b>               |                  |                           |             |
| 130/90-16 TL              | 67H              | 0305-0285              | \$160.95    | 130/90B16 TL              | 73H              | 0306-0090 <sup>1</sup>    | \$198.95    |
| MT90B16 TL                | 72H              | 0305-0080              | 164.95      | MT90B16 TL                | 74H              | 0306-0091                 | 190.95      |
| 130/80B17 TL              | 65H              | 0305-0283              | 188.95      | MU85B16 TL                | 77H              | 0306-0092                 | 199.95      |
| 140/75R17 TL              | 67V              | 0301-0143              | 208.95      | 150/80B16 TL              | 77H              | 0306-0093 <sup>1</sup>    | 200.95      |
| 140/80-17 TL              | 69H              | 0305-0286              | 236.95      | 180/70R16 TL              | 77H              | 0304-0198                 | 283.95      |
| 130/70B18 TL              | 63H              | 0305-0288              | 215.95      | 180/65B16 (reinforced) TL | 81H              | 0306-0302                 | 245.95      |
| 140/70B18 TL              | 73H              | 0305-0083 <sup>1</sup> | 259.95      | 160/70-17 TL              | 73V              | 0306-0303                 | 259.95      |
| 100/90-19 TL              | 57H              | 0305-0081              | 162.95      | 170/60R17 (reinforced) TL | 78V              | 0304-0199                 | 270.95      |
| 110/90-19 TL              | 62H              | 0305-0284              | 169.95      | 180/60B17 TL              | 81H              | 0306-0094 <sup>1, 2</sup> | 281.95      |
| 120/70ZR-19 TL            | (60W)            | 0301-0144              | 213.95      | 200/55R17 TL              | 78V              | 0302-0247                 | 236.95      |
| 90/90-21 TL               | 54H              | 0305-0193              | 143.95      | 150/70B18 TL              | 76H              | 0306-0095 <sup>1</sup>    | 257.95      |
| MH90-21 TL                | 54H              | 0305-0082              | 137.95      | 180/55R18 TL              | (74W)            | 0302-0246                 | 287.95      |
| 120/70B21 (reinforced) TL | 68H              | 0305-0287              | 221.95      | 240/40R18 TL              | (79V)            | 0302-0253                 | 319.95      |

<sup>1</sup> Reinforced carcass.

<sup>2</sup> Plus one fitment for Dyna and Deuce.

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



Diablo Rosso II Front/Rear

**DIABLO ROSSO II**

- The ultimate sport tire for absolute road use
- Front tire's design is derived from the Diablo Rosso Corsa to provide improved drainage, better wear regularity and efficient braking
- Bi-Compound rear tire combining long lasting mileage with excellent grip at full lean
- Pirelli Enhanced Patch Technology (EPT) optimizing the contact patch for improved grip
- Functional Groove Design (FGD) to optimize wet behavior
- Slick shoulder area for maximum grip at full lean, providing confidence and top performance
- H-rated for speeds of up to 130 mph, W-rated for speeds of up to 168 mph and (W)-rated for speeds of 168+ mph



| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0303-0178</b> | <b>\$166.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 180/55ZR-17 TL | (73W)            | <b>0304-0183</b> | <b>215.95</b>   |
| 190/50ZR-17 TL | (73W)            | <b>0302-0559</b> | <b>259.95</b>   |



Diablo Rosso Corsa Front/Rear

**DIABLO ROSSO CORSA HIGH-PERFORMANCE TIRES**

- Profiles and structures set the new benchmark, ensure high support while cornering and fast stand up while accelerating out of the turn
- Feature Pirelli's patented EPT (Enhanced Patch Technology), matched with a three-zone compound, optimizes the contact patch for the best grip on the road and on the racetrack
- Pure racetrack performance combined with the comfort and predictability you expect from a high-performance street tire
- Replaces Diablo Corsa III
- (W)-rated for speeds of 168+ mph (270+ kph)

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR-17 TL | (58W)            | <b>0301-0234</b> | <b>\$202.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 180/55ZR-17 TL | (73W)            | <b>0302-0390</b> | <b>260.95</b>   |
| 190/50ZR-17 TL | (73W)            | <b>0302-0391</b> | <b>295.95</b>   |
| 190/55ZR-17 TL | (75W)            | <b>0302-0392</b> | <b>317.95</b>   |

**DIABLO - SUPER VALUE SUPERSPORT TIRES**

- Supersport performance for any level of rider
- Fantastic dry grip and quick warm-up time thanks to a rear tread pattern optimized in the mid-crown and shoulder area
- Optimized Land/Sea ratio provides outstanding grip and traction in wet and dry conditions, plus improved tread wear and performance throughout the tire's life
- Silica-Silan matrix compound and multi-radius are some of the innovative R&D racing attributes engineered into the Diablo
- Tubeless (TL)
- (W)-rated for speeds of 168+ mph



Diablo Supersport Front/Rear

| SIZE           | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|----------------|------------------|------------------|-----------------|
| <b>FRONT</b>   |                  |                  |                 |
| 120/70ZR17 TL  | (58W)            | <b>1430700</b>   | <b>\$143.95</b> |
| <b>REAR</b>    |                  |                  |                 |
| 180/55ZR-17 TL | (73W)            | <b>0302-0495</b> | <b>183.95</b>   |
| 190/50ZR-17 TL | (73W)            | <b>0302-0496</b> | <b>216.95</b>   |
| 200/50ZR-17 TL | (75W)            | <b>1429900</b>   | <b>246.95</b>   |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



For a complete look at the Pirelli line, please see a Drag Specialties sales rep for a copy of this brochure. Available at no charge with any Drag Specialties order. Qty. 10 per pack.

| PART #           | DESCRIPTION                |
|------------------|----------------------------|
| <b>9901-0763</b> | Pirelli full-line brochure |

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES


FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



Angel ST Front/Rear



**ANGEL ST**

**EXTENDED MILEAGE SPORT/SPORT TOURING TIRES**

- Extended Mileage Sport (EMS) tires tailored for the latest Sport/Supersport bikes
- OEM tires on the 2010 Buell XB12XT
- The perfect tires for performance, style and comfort
- Creative and functional tread design that combines high mileage with a modern and attractive look, patented 0° steel belt radial structure and advanced compounding technology provide balanced behavior wet or dry
- Set seven FIM records and garnered the prestigious 24-hour Duration World Record on one set of tires on March 15, 2009, in Nardo, Italy – 3,190.8 miles, average speed of 132.9 mph
- (W)-rated for speeds of 168+ mph

| SIZE          | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------|------------------|-----------|-------------|
| <b>FRONT</b>  |                  |           |             |
| 120/70ZR17 TL | 58W              | 0301-0215 | \$180.95    |
| <b>REAR</b>   |                  |           |             |
| 170/60ZR17 TL | 72W              | 0302-0363 | 221.95      |
| 180/55ZR17 TL | 73W              | 0302-0353 | 231.95      |

| SIZE               | LOAD/SPEED INDEX | PART #                 | SUG. RETAIL |
|--------------------|------------------|------------------------|-------------|
| <b>REAR (CONT)</b> |                  |                        |             |
| 180/55ZR-17 "E" TL | (73W)            | 0302-0354 <sup>1</sup> | \$252.95    |
| 190/50ZR-17 TL     | 73W              | 0302-0355              | 258.95      |

<sup>1</sup> Reinforced for heavier sport touring models.

**ANGEL ST E.M.S. OEM REPLACEMENT TIRE**

| FITS MODEL   | POSITION | SIZE           | OEM CODE | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------|----------|----------------|----------|------------------|-----------|-------------|
| <b>BUELL</b> |          |                |          |                  |           |             |
| XB12XT 10    | Front    | 120/70ZR-17 TL | -        | (58W)            | 0301-0215 | \$180.95    |
|              | Rear     | 180/55ZR-17 TL | E        | (73W)            | 0302-0354 | 252.95      |



**SCORPION TRAIL PERFORMANCE TOURING/ DUAL-SPORT TIRES**

**95% ON 5% OFF**

- Specially designed for the latest generation of high-performance dual-sport motorcycles: BMW GS, Aprilia Capo Nord and Suzuki V-Strom. The Scorpion Trail is OE on the 2010-11 Ducati Multistrada and the new Triumph Tiger 800
- Replacement tires for various Buell models – replaces Scorpion Sync
- Revolutionary tread pattern combines high performance with a very innovative look
- Patented 0° steel belt technology on the front and rear offers maximum stability and excellent handling on every kind of terrain
- Latest generation of materials and compound for improved grip in all weather conditions
- Carcass designed to promote road holding at high speed and maximum comfort in varied terrain
- Replaces Scorpion Sync
- DOT approved; W-rated for speeds up to 168 mph



Scorpion Trail Rear

Scorpion Trail Front

| SIZE         | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------|------------------|-----------|-------------|
| <b>FRONT</b> |                  |           |             |
| 120/70R17 TL | 58W              | 0301-0236 | \$196.95    |

| SIZE         | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|--------------|------------------|-----------|-------------|
| <b>REAR</b>  |                  |           |             |
| 180/55R17 TL | 73W              | 0302-0493 | 250.95      |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



MT66 Front

MT66 Rear

### MT66 ROUTE 66 – VALUE ADDED CRUISER/TOURING TIRES

- Classic design with modern compounds developed for cruiser bikes of all sizes
- Improving a motorcycle's handling characteristics at a value price point
- Designed for wet grip, exceptional handling, riding comfort and durability
- Designed to provide a smooth ride with superior stability
- Exceptional performance at an exceptional value
- TT=tube type; TL=tubeless
- H-rated for speeds up to 130 mph, S-rated for speeds up to 112 mph

| SIZE                 | LOAD/SPEED INDEX | PART #         | SUG. RETAIL     |
|----------------------|------------------|----------------|-----------------|
| <b>FRONT</b>         |                  |                |                 |
| 130/90-16 TL         | 67H              | <b>MT66-01</b> | <b>\$129.95</b> |
| 90/90-19 TL          | 52H              | <b>MT66-04</b> | <b>114.95</b>   |
| 100/90-19 TL         | 57H              | <b>MT66-05</b> | <b>109.95</b>   |
| 110/90-19 TL         | 62H              | <b>MT66-06</b> | <b>123.95</b>   |
| 80/90-21 (tube type) | 48H              | <b>MT66-07</b> | <b>104.95</b>   |

### SPORT DEMON

#### BIAS SPORT/TOURING TIRES

- Specially designed front tire – profile is designed to greatly improve handling; excellent water evacuation thanks to central sine-wave groove
- Multiple-radius rear tire profile provides lighter and more precise handling and stability in all riding conditions – radial-like handling from bias-ply tires
- Tubeless (TL)
- H-rated for speeds up to 130 mph, V-rated for speeds up to 149 mph, (V)-rated for speeds of 149+ mph

| SIZE         | LOAD/SPEED INDEX | PART #         | SUG. RETAIL     |
|--------------|------------------|----------------|-----------------|
| <b>FRONT</b> |                  |                |                 |
| 100/90-19 TL | 57V              | <b>1405200</b> | <b>\$153.95</b> |
| <b>REAR</b>  |                  |                |                 |
| 130/90-16 TL | 67V              | <b>1403600</b> | <b>176.95</b>   |
| 150/80-16 TL | (71V)            | <b>1342300</b> | <b>195.95</b>   |
| 110/90-18 TL | 61H              | <b>1404500</b> | <b>157.95</b>   |
| 120/90-18 TL | 65V              | <b>1404700</b> | <b>165.95</b>   |
| 140/70-18 TL | 67V              | <b>1405000</b> | <b>183.95</b>   |



| SIZE         | LOAD/SPEED INDEX | PART #         | SUG. RETAIL     |
|--------------|------------------|----------------|-----------------|
| <b>REAR</b>  |                  |                |                 |
| 130/90-16 TL | 73H              | <b>MT66-24</b> | <b>\$131.95</b> |
| 140/90-16 TL | 71H              | <b>MT66-25</b> | <b>144.95</b>   |
| 150/80-16 TL | 71H              | <b>MT66-26</b> | <b>161.95</b>   |



Sport Demon Front/Rear



MT75 Front

MT75 Rear

### MT 75 SPORT TIRES

- Modern, aggressive tread pattern for a high level of dry- and wet-weather performance
- Excellent handling, superior grip and traction in corners and good mileage
- Tubeless (TL)
- T-rated for speeds up to 118 mph

#### OEM TIRES FOR ALL BUELL BLAST

| SIZE         | LOAD/SPEED INDEX | PART #         | SUG. RETAIL    | SIZE         | LOAD/SPEED INDEX | PART #         | SUG. RETAIL     |
|--------------|------------------|----------------|----------------|--------------|------------------|----------------|-----------------|
| <b>FRONT</b> |                  |                |                | <b>REAR</b>  |                  |                |                 |
| 100/80-16 TL | 50T              | <b>MT75-03</b> | <b>\$91.95</b> | 120/80-16 TL | 60T              | <b>MT75-04</b> | <b>\$109.95</b> |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



For a complete look at the Piorelli line, please see a Drag Specialties sales rep for a copy of this brochure. Available at no charge with any Drag Specialties order. Qty. 10 per pack.

| PART #           | DESCRIPTION                 |
|------------------|-----------------------------|
| <b>9901-0763</b> | Piorelli full-line brochure |

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERAL**BRIDGESTONE****G721F Front****G852 Rear**

### EXEDRA G721F BIAS-PLY AND EXEDRA G852 RADIAL CRUISER TIRES

- 120/70-21 front and 210/40R18 rear
- Performance radials designed for large cruisers, offer solid performance and mileage
- Silica enriched compound offers a high level of grip on both wet and dry surfaces
- Aramid mono-spiral belt construction (rear) offers high-speed stability and shock absorption
- H-rated for speeds up to 130 mph

| SIZE               | CODE  | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------------|-------|------------------|------------------|-----------------|
| <b>G721F FRONT</b> |       |                  |                  |                 |
| 120/70-21          | G721  | 62H              | <b>0307-0050</b> | <b>\$188.95</b> |
| <b>G852 REAR</b>   |       |                  |                  |                 |
| 210/40R-18         | G852R | 73H              | <b>0304-0173</b> | <b>315.95</b>   |

**G851 Front****G850 Rear**

### EXEDRA G851/G850 V-ROD AND STREET ROD REPLACEMENT RADIALS

- Performance radials designed for large V-Rod and street rod cruisers
- Solid performance and high-mileage tire
- Silica-enriched compound offers exceptional level of grip on both wet and dry surfaces
- Kevlar® mono-spiral belt construction (rear) offers high-speed stability and improved shock absorption
- Z-rated

| SIZE              | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|-------------------|------------------|------------------|-----------------|
| <b>G851 FRONT</b> |                  |                  |                 |
| 120/70ZR-19       | 60W              | <b>0303-0023</b> | <b>\$182.95</b> |
| <b>G850 REAR</b>  |                  |                  |                 |
| 180/55ZR-18       | 74W              | <b>0304-0023</b> | <b>233.95</b>   |

**Exedra Max Front****Exedra Max Rear**

### EXEDRA MAX CRUISER AND TOURING REPLACEMENT TIRES

- Specific rubber compound for cruiser applications provides long mileage
- Unique wide shape of tire profile supports touring-type riding while reducing fatigue
- Belt package construction provides linear handling even for heavy bike and 2-up riding
- Purpose-built rubber compounds and tread patterns enhance water evacuation and both dry and wet grip
- H-rated for speeds up to 130 mph

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 130/90B16    | 67H              | <b>0305-0229</b> | <b>\$186.95</b> |
| 100/90-19    | 57H              | <b>0305-0233</b> | <b>138.95</b>   |
| 110/90-19    | 62H              | <b>0305-0234</b> | <b>150.95</b>   |
| 80/90-21     | 48H              | <b>0305-0235</b> | <b>140.95</b>   |
| 90/90-21     | 54H              | <b>0305-0236</b> | <b>140.95</b>   |
| <b>REAR</b>  |                  |                  |                 |
| 130/90B16    | 73H              | <b>0306-0240</b> | <b>182.95</b>   |
| 150/80B16    | 71H              | <b>0306-0241</b> | <b>237.95</b>   |

### S11 SPITFIRE SERIES SPORT TOURING TIRES

- Tubeless design for any rim
- Blackwall or raised white letter sidewalls
- Four-ply casing uses insert plies, a refined belt technology that keeps the tire round and cool, even at top speeds
- H-rated to 130 mph

**SE11F Front****SE11R Rear****L307 Front**

| SIZE                     | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------------------|------------------|------------------|-----------------|
| <b>SE11F FRONT</b>       |                  |                  |                 |
| 130/90H-16 BLK           | 67H              | <b>B1100</b>     | <b>\$175.95</b> |
| 100/90H-19 BLK           | 57H              | <b>B1150</b>     | <b>148.95</b>   |
| 100/90H-19 RWL           | 57H              | <b>0305-0198</b> | <b>155.95</b>   |
| 110/90H-19 BLK           | 62H              | <b>B1160</b>     | <b>151.95</b>   |
| 80/90H-21 (L307 pattern) | 48H              | <b>BR1135</b>    | <b>135.95</b>   |

| SIZE              | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|-------------------|------------------|------------------|-----------------|
| <b>SE11R REAR</b> |                  |                  |                 |
| 140/90H-16 RWL    | 71H              | <b>0306-0202</b> | <b>\$218.95</b> |
| 130/90H-16 BLK    | 67H              | <b>B2120</b>     | <b>182.95</b>   |
| 130/90H-16 RWL    | 67H              | <b>0306-0201</b> | <b>190.95</b>   |
| 120/90H-18 BLK    | 65H              | <b>B2145</b>     | <b>166.95</b>   |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



BT-003 Front

BT-003 Rear

### BATTLAX-BT-003

- Combination of MotoGP-derived multi-compound technology (3LC) and Ultratraction Compound
- 3LC (dual compound) construction on both the front and rear tire
- Medium compound center for increased durability and soft compound shoulder for increased traction
- Durability and soft compound for increased traction
- Ultratraction compound ("Ultratraction" stands for Ultra + Traction) applied in shoulder of front and rear tire achieves both powerful grip in braking and cornering plus high-intensity traction coming out of corners
- HTSPC-MSB (High Tensile Super Penetrated Cord - Mono Spiral Belt) technology in front and rear tire improves stability, bump absorption and reduces heat generation
- DOT approved hypersport street/track day tire
- W-rated for speeds up to 168 mph

| SIZE          | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------|------------------|-----------|-------------|
| <b>FRONT</b>  |                  |           |             |
| 120/70ZR17M/C | 58W              | 0301-0214 | \$199.95    |
| <b>REAR</b>   |                  |           |             |
| 140/70ZR17M/C | 66W              | 0302-0345 | 212.95      |
| 180/55ZR17M/C | 73W              | 0302-0348 | 275.95      |
| 190/50ZR17M/C | 73W              | 0302-0349 | 299.95      |
| 190/55ZR17M/C | 75W              | 0302-0350 | 309.95      |



BT-023 Front

BT-023GT Front

BT-023 Rear

### BATTLAX BT-023

- Full spec Sport Touring Radial offering consistent performance between touring and sport riding
- New tread pattern and rubber compound deliver long mileage, high-level of wet performance, a comfortable ride and good grip
- 3LC (dual compound) technology for rear tire provides good stability and wear life in center and strong grip and bump absorption in shoulder of tire
- Silica plus RC polymer enhances wet performance and wear life
- GT specs available in 120/70ZR17 and 180/55ZR17 for heavier motorcycles
- GT specs have heavy-duty casings and a revised tread pattern; on front only
- W-rated for speeds up to 168 mph

| SIZE & RATING | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------|------------------|-----------|-------------|
| <b>FRONT</b>  |                  |           |             |
| 120/70ZR17    | 58W              | 0301-0262 | \$188.95    |
| 120/70ZR17    | 58W (GT spec)    | 0301-0263 | 188.95      |
| <b>REAR</b>   |                  |           |             |
| 170/60ZR17    | (72W) (GT spec)  | 0302-0598 | 228.95      |
| 180/55ZR17    | 73W              | 0302-0433 | 246.95      |
| 180/55ZR17    | (73W) (GT spec)  | 0302-0434 | 246.95      |
| 190/50ZR17    | 73W              | 0302-0435 | 266.95      |
| 190/55ZR17    | (75W)            | 0302-0599 | 269.95      |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.



BT-016 Pro Front

BT-016 Pro Rear

### BATTLAX BT-016 PRO HYPERSPORT

**BATTLAX**  
**BT-016 PRO**  
**HYPERSPORT**

- Ultra-high-performance radials designed to maximize the performance of all sport bikes on the road today
- BT016 utilizes a multi-compound formulated with technology from Bridgestone's latest MotoGP technology ("Silica Rich EX", "RC Polymer"), for outstanding grip in all conditions
- Silica Rich contains a combination of two special components to improve dry/wet/life performance
- RC Polymer controls the change of properties of rubber in any temperature and assists the Silica effect
- Front: uses dual-compound to provide grip in all riding modes and the parallel S-shaped grooves provide optimal cornering force
- Rear: uses a double-compound to provide stronger traction and the L-shaped grooves enhance shock absorption
- 3-D-C.T.D.M. (Comprehensive Tire Design Method) is advanced tire design technology that enables dynamic, three-dimensional simulations of tire performance at all lean angles
- Provides hyper flexibility to respond to strict GP regulation
- Includes good bump absorption, grip and stability during high-speed riding
- W-rated for speeds up to 168 mph and (W)-rated for speeds up to 168+ mph

| SIZE                    | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|-------------------------|------------------|-----------|-------------|
| <b>BT-016 PRO FRONT</b> |                  |           |             |
| 120/70ZR-17             | (58W)            | 0301-0336 | \$168.95    |
| <b>BT-016 PRO REAR</b>  |                  |           |             |
| 170/60ZR-17             | 72W              | 0302-0206 | 212.95      |
| 180/55ZR-17             | (73W)            | 0302-0555 | 225.95      |
| 190/50ZR-17             | (73W)            | 0302-0556 | 252.95      |
| 190/55ZR-17             | (75W)            | 0302-0557 | 259.95      |



BT-45V Front

BT-45V Rear

### BATTLAX BT-45

- Sport Touring Bias-Ply tires for mid-sized sport-touring bikes and older sport bikes
- Feature silica-enriched compound for wet and dry grip
- Dual Tread Compound (DTC) in the rear allows for longer mileage and better stability from center, while edges offer grip and performance while cornering
- Larger crown contributes to stability for high speed touring
- Innovative singular sidewall improves shock absorption and neutralizes handling
- H- and V-rated tubeless design; blackwall only

| SIZE                | LOAD/SPEED INDEX | PART #    | SUG. RETAIL |
|---------------------|------------------|-----------|-------------|
| <b>BT-45V FRONT</b> |                  |           |             |
| 100/90V-19          | 57V              | BQ-3745   | \$164.95    |
| 90/90H-21           | 54H              | 0305-0049 | 135.95      |
| <b>BT-45V REAR</b>  |                  |           |             |
| 150/80V-16          | 71V              | BQ-4710   | 222.95      |
| 130/90V-16          | 67V              | BQ-4713   | 191.95      |
| 120/90V-18          | 65V              | BQ-4740   | 184.95      |

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL





WF920 Front

WF920 Rear

**WF920 WILD FLARE**

- Fantastic look with performance to match
- Reliable performance and durability
- Tubeless
- Blackwall
- Also available in heavy-duty version that was developed for use on Harley-Davidson models; added reinforcement to sidewall helps prevent torsional-flexing under heavy loads, which provides extra mileage
- H-rated for speeds up to 130 mph

| SIZE                              | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|-----------------------------------|------------------|------------------|-----------------|
| <b>WF920 FRONT</b>                |                  |                  |                 |
| 130/90-16                         | 67H              | <b>IRC-704</b>   | <b>\$122.95</b> |
| 100/90-19                         | 57H              | <b>IRC-701</b>   | <b>115.95</b>   |
| 80/90-21                          | 48H              | <b>IRC-700</b>   | <b>115.95</b>   |
| <b>WF920 REAR</b>                 |                  |                  |                 |
| 130/90-16                         | 67H              | <b>IRC-720</b>   | <b>140.95</b>   |
| 140/90-16                         | 71H              | <b>IRC-721</b>   | <b>156.95</b>   |
| <b>WF920HD FRONT (HEAVY DUTY)</b> |                  |                  |                 |
| 130/90-16                         | 73H              | <b>0305-0053</b> | <b>132.95</b>   |
| <b>WF920HD REAR (HEAVY DUTY)</b>  |                  |                  |                 |
| 130/90-16                         | 73H              | <b>0306-0050</b> | <b>170.95</b>   |
| 150/80-16                         | 71H              | <b>0306-0074</b> | <b>165.95</b>   |




RS310 Front

RS310 Rear

**RS310 DUROTOUR**

- Designed for long-distance touring
- Low profile provides extra-large contact patch
- Tread compound is formulated for extended mileage
- Available in blackwall (BLK) style
- H-rated for speeds up to 130 mph

| SIZE               | LOAD/SPEED INDEX | PART #         | SUG. RETAIL     |
|--------------------|------------------|----------------|-----------------|
| <b>RS310 FRONT</b> |                  |                |                 |
| 100/90H-19 BLK     | 57H              | <b>IRC-294</b> | <b>\$119.95</b> |
| <b>RS310 REAR</b>  |                  |                |                 |
| 130/90H-16 BLK     | 67H              | <b>IRC-304</b> | <b>153.95</b>   |
| 120/90H-18 BLK     | 65H              | <b>IRC-309</b> | <b>142.95</b>   |



GS-11 Front

GS-11 Rear

**GS-11 ALL-WEATHER TIRES**

- Designed to meet the demands of touring
- Tube-type; provide good traction, cornering and excellent mileage
- Blackwall
- S-rated for speeds up to 112 mph or H-rated for speeds up to 130 mph

| SIZE                     | LOAD/SPEED INDEX | PART #         | SUG. RETAIL    |
|--------------------------|------------------|----------------|----------------|
| <b>GS-11 FRONT</b>       |                  |                |                |
| 3.25H-19 BLK (tube-type) | 54H              | <b>IRC-12</b>  | <b>\$95.95</b> |
| 3.50H-19 BLK (tube-type) | 57H              | <b>IRC-13</b>  | <b>95.95</b>   |
| <b>GS-11 REAR</b>        |                  |                |                |
| 4.60S-16 BLK (tube-type) | 60S              | <b>IRC-110</b> | <b>92.95</b>   |
| 4.00H-18 BLK (tube-type) | 64H              | <b>IRC-10</b>  | <b>111.95</b>  |

**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.


All part numbers in **BLUE** are new for 2012.

# KENDA

## K673 KRUZ

- Designed to meet the needs and looks of the very popular cruiser market
- Tread design, front and rear, with deep wide grooves for all-weather cruising
- 3+2 casing design, front and rear, for improved handling and high-load carrying capacity
- Unique rubber compound for improved mileage and all-weather traction
- Revolutionary inflated tire shapes for improved straight-line stability and cornering performance
- H-rated for speeds up to 130 mph

| SIZE         | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
|--------------|------------------|------------------|-----------------|
| <b>FRONT</b> |                  |                  |                 |
| 130/90-16    | 72H              | <b>K673-01</b>   | <b>\$121.95</b> |
| 150/80-16    | 71H              | <b>0305-0199</b> | <b>152.99</b>   |
| 120/90-18    | 71H              | <b>0306-0044</b> | <b>95.95</b>    |
| 100/90-19    | 57H              | <b>K673-03</b>   | <b>86.95</b>    |
| 110/90-19    | 62H              | <b>0305-0052</b> | <b>88.95</b>    |
| 80/90-21     | 48H              | <b>K673-04</b>   | <b>86.95</b>    |



| K673 Front  |                  | K673 Rear        |                 |
|-------------|------------------|------------------|-----------------|
| SIZE        | LOAD/SPEED INDEX | PART #           | SUG. RETAIL     |
| <b>REAR</b> |                  |                  |                 |
| 130/90-16   | 74H              | <b>K673-02</b>   | <b>\$121.95</b> |
| 140/90-16   | 77H              | <b>0306-0047</b> | <b>160.95</b>   |
| 150/80-16   | 71H              | <b>0306-0048</b> | <b>152.95</b>   |
| 160/80-16   | 75H              | <b>0306-0049</b> | <b>161.95</b>   |



K671 Front

K671 Rear

## K671 CRUISER

- Aggressive tread design provides excellent traction and performance
- Matched front/rear pattern for superior stability and maximum handling
- Deep, offset tread sipes deliver outstanding water dispersion and wet-weather traction
- Tubeless construction for touring and cruiser bikes
- Low-profile sport tire design
- Strong, six-ply-rated carcass
- Wide contact patch for superior traction and increased mileage
- Not designed for high-load carrying vehicles
- H-rated for speeds up to 130 mph

| SIZE         | LOAD/SPEED INDEX | PART #        | SUG. RETAIL    |
|--------------|------------------|---------------|----------------|
| <b>FRONT</b> |                  |               |                |
| 100/90-19    | 57H              | <b>K67105</b> | <b>\$83.95</b> |
| <b>REAR</b>  |                  |               |                |
| 130/90-16    | 67H              | <b>K67127</b> | <b>95.95</b>   |



HF261A Front/Rear

## HF261A EXCURSION

- Tire construction designed for front or rear application
- Long-wearing rubber compound and rain-fighting groove tread design
- Tires have been known to run 10,000 miles or more under ideal conditions
- Tubeless, but will accept inner tubes for tube-type rims
- With inner tubes, speed rating is reduced 15%
- Blackwall
- H-rated for speeds up to 130 mph

| SIZE              | LOAD/SPEED INDEX | PART #          | SUG. RETAIL    |
|-------------------|------------------|-----------------|----------------|
| <b>FRONT/REAR</b> |                  |                 |                |
| 130/90-16 BLK TL  | 67H              | <b>HF261-02</b> | <b>\$89.95</b> |
| 140/90-16 BLK TL  | 71H              | <b>HF261-03</b> | <b>104.95</b>  |
| 100/90-19 BLK TL  | 57H              | <b>HF261-09</b> | <b>79.95</b>   |



K657 Front

K657 Rear

## K657 CHALLENGER

- Six-ply-rated nylon casing with special insert plies that help reduce heat and prolong tire life
- Outstanding directional stability
- Angled grooves are combined with unidirectional tread design to provide excellent wet-weather traction
- Tube/tubeless
- Not designed for high-load carrying vehicles
- H-rated for speeds up to 130 mph

| SIZE         | LOAD/SPEED INDEX | PART #       | SUG. RETAIL    |
|--------------|------------------|--------------|----------------|
| <b>FRONT</b> |                  |              |                |
| 130/90-16    | 67H              | <b>K6581</b> | <b>\$94.95</b> |
| 100/90-19    | 57H              | <b>K6572</b> | <b>78.95</b>   |
| 90/100-21    | 56H              | <b>K6582</b> | <b>94.95</b>   |
| <b>REAR</b>  |                  |              |                |
| 130/90-16    | 67H              | <b>K6571</b> | <b>94.95</b>   |
| 140/90-16    | 71H              | <b>K6579</b> | <b>109.95</b>  |
| 120/90-18    | 65H              | <b>K6575</b> | <b>91.95</b>   |
| 130/90-18    | 69H              | <b>K6576</b> | <b>110.95</b>  |



HF296A Front

HF296A Rear

## HF296A DURO BLVD

- Premium-quality cruiser or touring tire
- Stronger, lighter weight tire with higher thread-cord count in a cross-ply reinforced arrangement
- Heavy-load capacity and deep water-shedding grooves will satisfy the most demanding rider
- Blackwall
- H-rated for speeds up to 130 mph

| SIZE                | LOAD/SPEED INDEX | PART #          | SUG. RETAIL     |
|---------------------|------------------|-----------------|-----------------|
| <b>HF296A FRONT</b> |                  |                 |                 |
| 130/90-16 BLK TL    | 67H              | <b>HF296-01</b> | <b>\$108.95</b> |
| 100/90-19 BLK TL    | 57H              | <b>HF296-03</b> | <b>81.95</b>    |
| 80/90-21 BLK TL     | 56H              | <b>HF296-05</b> | <b>78.95</b>    |
| <b>HF296 REAR</b>   |                  |                 |                 |
| 130/90-16 BLK TL    | 73H              | <b>HF296-54</b> | <b>108.95</b>   |



**SAFETY WARNING:** For information on tire care, safety, maintenance, mounting, manufacturer's warranty and other information consult tire manufacturer's publication(s) and/or website(s) for complete tire information. The tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL



0360-0031



**VALVE STEM KIT**

- Includes metal, rubber and aluminum tire valve stems along with most popular styles of caps and cores
- Replacement parts sold separately

| PART #                   | DESCRIPTION   | SUG. RETAIL |
|--------------------------|---|-------------|
| <b>VALVE STEM KIT</b>    |   |             |
| 0360-0031                | Valve stem kit  | \$257.95    |
| <b>REPLACEMENT PARTS</b> |   |             |
| 0360-0023                | 10mm straight long valve stems (6-pk.)                  | 22.95       |
| 0360-0024                | PVR59A 90° metal valve stem (ea.)                       | 12.95       |
| 0360-0025                | PVR70M 90° rubber valve stem (ea.)                      | 12.95       |
| 0360-0026                | TR412 short valve stems (6-pk.)                         | 6.95        |
| 0360-0027                | TR413 valve stems (6-pk.)                               | 7.95        |
| 0360-0028                | Valve cores (50-pk.)                                    | 24.95       |
| 0360-0029                | Long valve stems (6-pk.)                                | 16.95       |
| 0360-0030                | Straight short 14mm/16mm dia. metal valve stems (6-pk.) | 22.95       |
| 0361-0061                | Chrome valve stem caps (25-pk.)                         | 43.95       |
| 0361-0062                | Black valve stem caps (100-pk.)                         | 3.95        |
| 0361-0063                | Green valve stem caps (100-pk.)                         | 12.95       |
| 3810-0029                | Valve stem core tool                                    | 3.95        |

**KIT INCLUDES:**

- JS430 metal long stem, straight
- PVR59A metal stem, 90° bend
- PVR70M rubber stem, 90° bend
- TR412 rubber stem, straight
- TR413 rubber stem
- 8mm aluminum stem, 90° bend
- 8mm aluminum long stem, straight
- Metal long stem, straight with acorn cap
- 10mm aluminum long stem, straight

**KIT INCLUDES:**

- 10mm aluminum stem, 90° bend
- 14mm TV430 metal short stem, straight
- 16mm TV430 metal short stem, straight
- Chrome valve stem caps
- Green plastic caps (for Nitrogen fill)
- Black repl. caps
- #9000 short valve stem cores
- 4-in-1 valve stem repair tool



**ANGLED VALVE STEM**

- Great for use in many tight applications
- Fits .430" hole

| PART # | DESCRIPTION       | SUG. RETAIL |
|--------|-------------------|-------------|
| MC-945 | Angled valve stem | \$10.95     |



**VALVE CORES**

- Replacement valve cores
- Sold in a 4-pack

| PART #    | DESCRIPTION | SUG. RETAIL |
|-----------|-------------|-------------|
| 0360-0020 | Valve cores | \$1.95      |



**TUBELESS VALVE STEM**

- Features a precision-machined body, valve core and self-sealing hex cap
- For heavy-duty or normal use
- Anchor nut, thrust washer and rubber seal included
- Fits .465" hole
- Sold individually



| PART # | DESCRIPTION         | SUG. RETAIL |
|--------|---------------------|-------------|
| 75-012 | Tubeless valve stem | \$10.95     |



**VALVE STEM ASSEMBLIES**

- Conventional pull-in TR-412 and TR-413 valve stem assemblies
- Choose from black or chrome sleeve
- Fit .453" hole
- Sold in packs of 10

| PART #    | DESCRIPTION   | SUG. RETAIL (EA.) |
|-----------|---------------|-------------------|
| 0360-0003 | .94", black   | \$2.95            |
| 0360-0005 | 1.25", black  | 2.95              |
| 0360-0004 | .94", chrome  | 3.95              |
| 0360-0006 | 1.25", chrome | 3.95              |



**METAL VALVE STEM**

- Metal tubeless tire valve stem fits all cast wheels with .472" hole
- Threaded the full length for various rim thicknesses
- Comes with metal cap and locknut

| PART #   | DESCRIPTION      | SUG. RETAIL |
|----------|------------------|-------------|
| VS-1218R | Metal valve stem | \$11.95     |



**BOLT-IN VALVE STEMS**

- Feature a metal bottom and rubber seal
- Available in chrome for wheels with .30" and .24" holes
- Sold in pairs

| PART #    | DESCRIPTION    | SUG. RETAIL |
|-----------|----------------|-------------|
| 0360-0009 | For .24" holes | \$8.95      |
| 0360-0010 | For .30" holes | 10.95       |



WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL

All part numbers in BLUE are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



**.38 SPECIAL VALVE STEM CAPS**

- Styled to match .38 Special ammo
- Available in chrome or gold finish
- Sold in pairs



| PART #    | DESCRIPTION | SUG. RETAIL |
|-----------|-------------|-------------|
| 0361-0048 | Gold        | \$15.95     |
| 0361-0049 | Chrome      | 10.95       |



**CHROME PISTON VALVE STEM COVERS**

- Measure 5/8" tall x 1/2" o.d.; sold in pairs

| PART #    | DESCRIPTION  | SUG. RETAIL |
|-----------|--------------|-------------|
| DS-181210 | Small covers | \$9.95      |



**VALVE STEM COVERS**

- Chrome valve stem covers complete the look of any bike
- Available in two designs
- Sold in pairs

| PART #    | DESCRIPTION | SUG. RETAIL |
|-----------|-------------|-------------|
| 0361-0046 | Eagle       | \$16.95     |
| 0361-0047 | Ribbed      | 9.95        |



0361-0047



**CHROME-STEEL SPOKE WHEEL WEIGHTS**

- Available in chrome-steel styles for the finishing touch on custom front or rear wheels
- Sold in packs of 10

| PART #    | DESCRIPTION | SUG. RETAIL (EA.) |
|-----------|-------------|-------------------|
| DS-380300 | .25 oz.     | \$2.95            |
| DS-380301 | .50 oz.     | 2.95              |
| DS-380302 | .75 oz.     | 2.95              |
| DS-380303 | 1 oz.       | 2.95              |



DS-380300

**UNIVERSAL ANGLED SPOKE WHEEL WEIGHTS**

- Crimp-on style tin weights
- Natural finish
- Sold in packs of 10

| PART #    | DESCRIPTION | SUG. RETAIL (EA) |
|-----------|-------------|------------------|
| 0365-0047 | 10 gram     | \$1.95           |
| 0365-0048 | 11 gram     | 2.95             |
| 0365-0049 | 12 gram     | 3.50             |



0365-0047



**WHEEL WEIGHTS**

- Adhesive steel wheel weights in 1/4 oz. (7.1 g) segments
- Weights stick securely to spoked or cast wheels
- Measure .500" x .750"

| PART #    | DESCRIPTION      | RETAIL  | SUG. | PART #    | DESCRIPTION      | RETAIL  | SUG. |
|-----------|------------------|---------|------|-----------|------------------|---------|------|
| 0365-0010 | Silver (72-ct.)  | \$10.95 |      | 0365-0013 | Black (360-ct.)  | \$36.95 |      |
| 0365-0011 | Silver (360-ct.) | 36.95   |      | 0365-0032 | Nickel (72-ct.)  | 12.95   |      |
| 0365-0012 | Black (72-ct.)   | 10.95   |      | 0365-0033 | Nickel (360-ct.) | 52.95   |      |



0365-0032



**CUSTOM VALVE STEM CAPS**

- Distinctively anodized valve stem caps
- Available in four different colors to spruce up your wheels
- Sold in pairs
- Made in the U.S.A.

| PART #    | DESCRIPTION    | RETAIL | SUG. | PART #    | DESCRIPTION   | RETAIL | SUG. |
|-----------|----------------|--------|------|-----------|---------------|--------|------|
| DS-181191 | Black anodized | \$3.95 |      | DS-181193 | Blue anodized | \$3.95 |      |
| DS-181192 | Red anodized   | 3.95   |      | DS-181195 | Chrome-plated | 4.95   |      |

**TAPERED VALVE STEM CAPS**

- Caps taper from 1/2" on the top to 3/8" on the bottom
- Polished chrome-plated finish
- Sold in pairs
- Made in the U.S.A.



GARDNER WESTCOTT

| PART #    | DESCRIPTION             | SUG. RETAIL |
|-----------|-------------------------|-------------|
| 0361-0003 | Tapered valve stem caps | \$4.95      |



0361-0050



0361-0051



0361-0052



0361-0053

**VALVE STEM CAPS**

- Anodized valve stem caps
- Available in four different colors
- Sold in a 4-pack

| PART #    | COLOR | SUG. RETAIL | PART #    | COLOR    | SUG. RETAIL |
|-----------|-------|-------------|-----------|----------|-------------|
| 0361-0050 | Red   | \$2.95      | 0361-0052 | Aluminum | \$2.95      |
| 0361-0051 | Blue  | 2.95        | 0361-0053 | Black    | 2.95        |



0365-0030

0365-0031

**QUICKSTICK WHEEL WEIGHTS**

- Pre-segmented stick-on steel wheel weights to match most stock and custom wheels
- Available in two powder-paint colors (silver or black) plus chrome



0365-0045

0365-0046

0365-0029

0365-0044

| PART #  | DESCRIPTION | RETAIL | SUG. | PART #                                       | DESCRIPTION    | RETAIL  | SUG. |
|---|-------------|--------|------|--|----------------|---------|------|
| 36-PC. SET (1/4 OZ. SEGMENTS, .757" X .642")  |             |        |      | 360-PC. SET (5 GRAM SEGMENTS, .756" X .359") |                |         |      |
| 0365-0026                                     | Silver      | \$5.95 |      | 0365-0031                                    | Silver         | \$30.95 |      |
| 0365-0027                                     | Black       | 5.95   |      | 0365-0030                                    | Black          | 30.95   |      |
| 0365-0028                                     | Chrome      | 6.95   |      | 0365-0029                                    | Chrome         | 40.95   |      |
| 36-PC. SET (5 GRAM SEGMENTS, .756" X .359")   |             |        |      | 360-PC. SET (5 GRAM SEGMENTS, .475" X .475") |                |         |      |
| 0365-0043                                     | Silver      | 3.95   |      | 0365-0045                                    | Silver (small) | 35.95   |      |
| 0365-0042                                     | Black       | 3.95   |      | 0365-0044                                    | Black (small)  | 35.95   |      |
| 0365-0041                                     | Chrome      | 4.95   |      | 0365-0046                                    | Chrome (small) | 43.95   |      |
| 360-PC. SET (1/4 OZ. SEGMENTS, .757" X .642") |             |        |      |  |                |         |      |
| 0365-0020                                     | Silver      | 43.95  |      |  |                |         |      |
| 0365-0021                                     | Black       | 43.95  |      |  |                |         |      |
| 0365-0022                                     | Chrome      | 56.95  |      |  |                |         |      |

All part numbers in BLUE are new for 2012.

Roland Sands Design wheels are featured on our 2012 cover bike and Stocker II Softail. See the full RSD line-up that follows.



ROLAND  
SANDS  
DESIGN



### ONE-PIECE ALUMINUM WHEELS

- These forged wheels place the highest material strength in the same direction as the operating load, creating a light and strong wheel
- Contrast Cut™ finish starts with a polished wheel that has been black anodized, then recut to open up the design
- Black Ops™ features gloss black on top of a contrasting textured black for the toughest, best-looking finish yet
- Feature a contour lip design for a graceful arc from spoke to tire
- Custom rear wheels available in 3/4" or 1" axle sizes
- Custom rear wheels have a wider than stock hub and require custom spacing
- Custom rear wheels require the use of rotors and pulleys with a 2.50" i.d. flange
- Made in the U.S.A. by Performance Machine

NOTE: For matching pulleys and rotors see TRANSMISSION & DRIVELINE and BRAKES sections.

ONE-PIECE ALUMINUM WHEELS continued on next page

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information. All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES

TANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES,  
SUSPENSION  
& FENDERSFOOTRESTS  
& LICENSE  
PLATE FRAMESTIRES,  
TUBES &  
WHEELSHARDWARE,  
CHEMICALS  
& TOOLSCOVERS,  
SECURITY  
& GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



ONE-PIECE ALUMINUM WHEELS (CONT)



Diesel Contrast Cut™



Diesel Black Ops™



Domino Contrast Cut™



Judge Contrast Cut™



Judge Black Ops™



Mission Contrast Cut™



Slam Contrast Cut™



Slam Black Ops™



Boss Contrast Cut™



Boss Black Ops™

FOR STOCK APPLICATIONS

| DESCRIPTION   | DIESEL CONTRAST CUT | DIESEL BLACK OPS | DOMINO CONTRAST CUT | JUDGE CONTRAST CUT | JUDGE BLACK OPS | MISSION CONTRAST CUT | SLAM CONTRAST CUT | SLAM BLACK OPS | BOSS CONTRAST CUT | BOSS BLACK OPS |
|---|---------------------|------------------|---------------------|--------------------|-----------------|----------------------|-------------------|----------------|-------------------|----------------|
| <b>FRONT WHEELS</b>                                 |                     |                  |                     |                    |                 |                      |                   |                |                   |                |
| 18" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/ ABS  | 0201-0693           | 0201-1564        | 0201-1059           | 0201-1060          | 0201-1549       | 0201-0871            | 0201-1325         | 0201-1324      | 0201-1341         | 0201-1340      |
| 18" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/o ABS | 0201-0681           | 0201-1562        | 0201-1053           | 0201-1054          | 0201-1547       | 0201-0868            | 0201-1321         | 0201-1320      | 0201-1337         | 0201-1336      |
| 18" x 3.5" for 00-07 FLTR, FLHT, FLHR, FLHX         | 0201-0489           | 0201-1556        | 0201-1075           | 0201-1076          | 0201-1541       | 0201-0856            | 0201-1317         | 0201-1316      | 0201-1333         | 0201-1332      |
| 18" x 3.5" 08-12 FLSTF w/o ABS                      | 0201-0747           | 0201-1566        | 0201-1095           | 0201-1096          | 0201-1551       | 0201-0874            | 0201-1509         | 0201-1512      | 0201-1515         | 0201-1518      |
| 18" x 3.5" 07 FLSTF                                 | 0201-0502           | 0201-1559        | 0201-1087           | 0201-1088          | 0201-1544       | 0201-0864            | 0201-1510         | 0201-1513      | 0201-1516         | 0201-1519      |
| 18" x 3.5" for 00-06 FLST/F                         | 0201-0490           | 0201-1557        | 0201-1079           | 0201-1080          | 0201-1542       | 0201-0857            | 0201-1511         | 0201-1514      | 0201-1517         | 0201-1520      |
| 19" x 2.15" for 08-12 FXD                           | 0201-1529           | 0201-1567        | 0201-1530           | 0201-1531          | 0201-1532       | 0201-1533            | 0201-1534         | 0201-1534      | 0201-1535         | 0201-1536      |
| 21" x 2.15" for 07-10 FXST/B/C                      | 0201-0503           | 0201-1560        | 0201-1089           | 0201-1090          | 0201-1545       | 0201-0865            | 0201-1329         | 0201-1328      | 0201-1345         | 0201-1344      |
| 21" x 2.15" for 00-06 FXST, 00-05 FXDWG             | 0201-0485           | 0201-1554        | 0201-1067           | 0201-1068          | 0201-1539       | 0201-0853            | 0201-1327         | 0201-1326      | 0201-1343         | 0201-1342      |
| 21" x 2.15" for 84-99 FXST, FXDWG                   | 0201-0479           | 0201-1552        | 0201-1061           | 0201-1062          | 0201-1537       | 0201-0851            | 0201-1521         | 0201-1522      | 0201-1523         | 0201-1524      |
| 21" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/ ABS  | 0201-0694           | 0201-1565        | 0201-1055           | 0201-1056          | 0201-1550       | 0201-0872            | 0201-1323         | 0201-1322      | 0201-1339         | 0201-1338      |
| 21" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/o ABS | 0201-0682           | 0201-1563        | 0201-1049           | 0201-1050          | 0201-1548       | 0201-0869            | 0201-1319         | 0201-1318      | 0201-1335         | 0201-1334      |
| 21" x 3.5" for 00-07 FLTR, FLHT, FLHR, FLHX         | 0201-0491           | 0201-1558        | 0201-1071           | 0201-1072          | 0201-1543       | 0201-0858            | 0201-1315         | 0201-1314      | 0201-1331         | 0201-1330      |
| 21" x 3.5" for 07-10 FXST/B/C                       | 0201-0504           | 0201-1561        | 0201-1091           | 0201-1092          | 0201-1546       | 0201-0866            | 0201-1525         | 0201-1526      | 0201-1527         | 0201-1528      |
| 21" x 3.5" for 00-06 FXST, 00-05 FXDWG              | 0201-0486           | 0201-1555        | 0201-1069           | 0201-1070          | 0201-1540       | 0201-0854            | 0201-1569         | 0201-1570      | 0201-1571         | 0201-1572      |
| 21" x 3.5" for 84-99 FXST, FXDWG                    | 0201-0480           | 0201-1553        | 0201-1063           | 0201-1064          | 0201-1538       | 0201-0852            | 0201-1573         | 0201-1574      | 0201-1575         | 0201-1576      |

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information. All part numbers in **BLUE** are new for 2012.





WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL

Element Platinum Cut



Rival Contrast Cut™



Gasser Contrast Cut™



Wrath Contrast Cut™



Element



Rival



Wrath

**ONE-PIECE ALUMINUM WHEELS**

- These forged wheels place the highest material strength in the same direction as the operating load, creating a light and strong wheel
- Feature the contour rim lip for a graceful arc from rim to lip
- Custom rear wheels have a wider-than-stock hub and required custom spacing
- Available in chrome, Contrast Cut™ or Platinum Cut
- Contrast Cut™ finish starts with a polished wheel that has been black anodized, then recut to open up the design; Platinum Cut takes the process one step further by polishing the recut areas to a brilliant shine
- Applications for most FLT and Softail models
- Made in the U.S.A.

**NOTE:** For matching pulleys and rotors see TRANSMISSION & DRIVELINE and BRAKES sections.

**NOTE:** 09-12 FLHT, FLHR, FLHX, FLTR front applications require the use of the OEM spacers.



Hooligan



Torque

| DESCRIPTION   | ELEMENT PLATINUM CUT | GASSER CONTRAST-CUT | RIVAL CONTRAST-CUT | WRATH CONTRAST-CUT | ELEMENT   | RIVAL     | WRATH     | HOOLIGAN  | TORQUE    |
|---|----------------------|---------------------|--------------------|--------------------|-----------|-----------|-----------|-----------|-----------|
| <b>FRONT WHEELS</b>   |                      |                     |                    |                    |           |           |           |           |           |
| 18" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/ ABS                | 0201-1291            | 0201-0847           | 0201-1213          | 0201-1359          | 0201-1292 | 0201-1237 | 0201-0994 | 0201-0992 | 0201-0993 |
| 18" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX, H-D FL TRIKE w/o ABS | 0201-1287            | 0201-0845           | 0201-1211          | 0201-1357          | 0201-1288 | 0201-1235 | 0201-0988 | 0201-0986 | 0201-0987 |
| 18" x 3.5" for 00-07 FLTR, FLHT, FLHR                             | 0201-1283            | 0201-0830           | 0201-1196          | 0201-1361          | 0201-1284 | 0201-1495 | 0201-1018 | 0201-1016 | 0201-1017 |
| 18" x 3.5" for 08-12 FLSTF w/o ABS                                | 0201-1496            | 0201-0850           | 0201-1216          | -                  | 0201-1497 | 0201-1240 | 0201-1048 | 0201-1046 | 0201-1047 |
| 18" x 3.5" for 07 FLSTF   | 0201-1498            | 0201-0841           | 0201-1207          | -                  | 0201-1499 | 0201-1231 | 0201-1036 | 0201-1034 | 0201-1035 |
| 18" x 3.5" for 00-06 FLST/F                                       | 0201-1500            | 0201-0831           | 0201-1197          | -                  | 0201-1501 | 0201-1221 | 0201-1024 | 0201-1022 | 0201-1023 |
| 21" x 2.15" for 07-10 FXST/B/C                                    | 0201-1295            | 0201-0842           | 0201-1208          | -                  | 0201-1296 | 0201-1232 | 0201-1039 | 0201-1037 | 0201-1038 |
| 21" x 2.15" for 00-06 FXST, 00-05 FXDWG                           | 0201-1293            | 0201-0835           | 0201-1201          | -                  | 0201-1294 | 0201-1225 | 0201-1009 | 0201-1007 | 0201-1008 |
| 21" x 2.15" for 84-99 FXST, FXDWG                                 | 0201-1502            | 0201-0834           | 0201-1200          | -                  | 0201-1503 | 0201-1224 | 0201-1000 | 0201-0998 | 0201-0999 |
| 21" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/ ABS                | 0201-1289            | 0201-0848           | 0201-1214          | 0201-1358          | 0201-1238 | 0201-1238 | 0201-0991 | 0201-0989 | 0201-0990 |
| 21" x 3.5" for 08-12 FLTR, FLHT, FLHR, FLHX w/o ABS               | 0201-1285            | 0201-0846           | 0201-1212          | 0201-1356          | 0201-1236 | 0201-1236 | 0201-0985 | 0201-0983 | 0201-0984 |
| 21" x 3.5" for 00-07 FLTR, FLHT, FLHR                             | 0201-1281            | 0201-0827           | 0201-1193          | 0201-1360          | 0201-1282 | 0201-1217 | 0201-1015 | 0201-1013 | 0201-1014 |
| 21" x 3.5" for 84-99 FXST, FXDWG                                  | 0201-1504            | 0201-0837           | 0201-1203          | -                  | 0201-1505 | 0201-1227 | 0201-1003 | 0201-1001 | 0201-1002 |

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information.

All part numbers in **BLUE** are new for 2012.



WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



Drifter



Nitro



Savage



Savage Eclipse



Czar



Czar Eclipse

**ONE-PIECE FORGED ALUMINUM WHEELS**

- Made from the highest-quality forged aluminum to create a strong and durable wheel
- CNC-machined and quality tested to ensure finest product possible
- Drifter, Nitro, Savage and Czar are available in a chrome finish
- Savage and Czar are also available in Eclipse finish which combines black powder-coat and raw metal for a truly evil look
- Made in the U.S.A.



NOTE: 1-piece rotors are not recommended for front 08-12 FLHT applications.

NOTE: Matching belt pulleys and brake rotors available; see the TRANSMISSION & DRIVELINE and BRAKES sections.

NOTE: Mo' tire 180 Klock Werks wheels work with Mo' tire 180 kit.

NOTE: 16 x 3.5" and 18" x 3.5" rear wheels for 84-99 FLT, FLHT, FLHR, and FLHS require the use of RC Components rear brake adapter when using stock rotor.

| PART #                    | DESCRIPTION                     | SUG. RETAIL |
|---------------------------|---------------------------------|-------------|
| <b>REAR BRAKE ADAPTER</b> |                                 |             |
| 1704-0219                 | For 84-99 FLT, FLHT, FLHR, FLHS | \$56.95     |

| DESCRIPTION   | DRIFTER   | NITRO     | SAVAGE    | SAVAGE ECLIPSE | CZAR      | CZAR ECLIPSE | SUG. RETAIL |
|---|-----------|-----------|-----------|----------------|-----------|--------------|-------------|
| <b>FRONT WHEELS</b>   |           |           |           |                |           |              |             |
| 16" x 3.5" For 08-12 FLTR, FLHT, FLHR, FLHX (w/o ABS)             | -         | -         | 0201-0959 | -              | -         | -            | \$1,249.95  |
| 16" x 3.5" For 08-12 FXDF w/o ABS                                 | -         | -         | -         | -              | 0201-0981 | -            | 1,249.95    |
| 16" x 3.5" For 00-06 FLSTC/F (except FLSTS)                       | 0201-1424 | 0201-1442 | 0201-0908 | 0201-1242      | 0201-0541 | 0201-0570    | 1,249.95    |
| 16" x 3.5" For 00-07 FLTR, FLHT, FLT, FLHR, FLHX                  | 0201-1423 | 0201-1441 | 0201-0907 | 0201-1241      | 0201-0540 | 0201-0569    | 1,249.95    |
| 17" x 3.5" For 08-12 FLSTF (w/o ABS)                              | 0201-1438 | 0201-1456 | 0201-1130 | 0201-1265      | 0201-0700 | 0201-0698    | 1,249.95    |
| 17" x 3.5" For 07 FLSTF   | -         | -         | 0201-0909 | 0201-1243      | -         | 0201-0572    | 1,249.95    |
| 18" x 3.5" For 08-12 FLSTF (w/o ABS)                              | -         | -         | -         | -              | 0201-0701 | 0201-0699    | 1,249.95    |
| 18" x 3.5" For 00-06 FLSTC/F (except FLSTS)                       | 0201-1426 | 0201-1444 | 0201-0911 | 0201-1245      | 0201-0547 | 0201-0576    | 1,249.95    |
| 18" x 3.5" For 08-12 FLHT, FLTR, FLHR, FLHX (w/o ABS)             | 0201-1432 | 0201-1450 | 0201-0960 | 0201-1258      | 0201-0544 | 0201-0573    | 1,249.95    |
| 18" x 3.5" For 08-12 FLTR, FLHT, FLHX, FLHR (w/ ABS)              | 0201-1435 | 0201-1453 | 0201-0966 | 0201-1261      | 0201-0705 | 0201-0704    | 1,289.95    |
| 18" x 3.5" For 00-07 FLHT, FLTR, FLHR, FLHX                       | 0201-1425 | 0201-1443 | 0201-0910 | 0201-1244      | 0201-0545 | 0201-0574    | 1,249.95    |
| 19" x 2.15" For 08-11 FXCW/C (w/o ABS)                            | 0201-1436 | 0201-1454 | 0201-0969 | 0201-1262      | 0201-0971 | 0201-0972    | 1,249.95    |
| 19" x 2.15" For 08-12 FXDB w/o ABS                                | 0201-1437 | 0201-1455 | 0201-0974 | 0201-1263      | 0201-0976 | 0201-0977    | 1,249.95    |
| 19" x 2.15" Single disc for 06-07 FXD                             | -         | -         | 0201-0912 | -              | 0201-0548 | 0201-0577    | 1,249.95    |
| 19" x 2.15" Single disc for 00-03 FXD, FXR, 00-04 XL              | -         | -         | -         | -              | 0201-0550 | 0201-0579    | 1,249.95    |
| 21" x 2.15" Single disc for 06-07 FXD                             | -         | -         | -         | 0201-1252      | -         | -            | 1,249.95    |
| 21" x 2.15" For 10-12 FXDWG w/o ABS                               | 0201-1440 | 0201-1458 | 0201-1347 | 0201-1348      | 0201-1350 | 0201-1351    | 1,249.95    |
| 21" x 2.15" For 07-10 FXST  | 0201-1427 | 0201-1445 | 0201-0917 | 0201-1249      | 0201-0553 | 0201-0582    | 1,249.95    |
| 21" x 2.15" For 00-06 FXST/D (except FXSTS), 00-05 FXDWG          | 0201-1428 | 0201-1446 | 0201-0919 | 0201-1250      | 0201-0555 | 0201-0584    | 1,249.95    |
| 21" x 2.15" For 08-12 FLTR, FLHT, FLHR, FLHX w/o ABS              | 0201-1429 | 0201-1447 | 0201-0920 | 0201-1251      | 0201-0556 | 0201-0585    | 1,249.95    |
| 21" x 3.5" For 07-10 FXST   | -         | -         | -         | -              | 0201-0559 | 0201-0588    | 1,249.95    |
| 21" x 3.5" Dual disc for 08-12 FLTR, FLHT, FLHX, FLHR (w/ ABS)    | 0201-1439 | 0201-1457 | 0201-1132 | 0201-1267      | 0201-0709 | 0201-0708    | 1,289.95    |
| 21" x 3.5" Single disc for 08-12 FLHT, FLTR, FLHR, FLHX (w/o ABS) | 0201-1434 | 0201-1452 | 0201-0962 | 0201-1260      | 0201-0567 | 0201-0596    | 1,249.95    |
| 21" x 3.5" Dual disc for 08-12 FLHT, FLTR, FLHR, FLHX (w/o ABS)   | 0201-1433 | 0201-1451 | 0201-0961 | 0201-1259      | 0201-0566 | 0201-0595    | 1,249.95    |
| 21" x 3.5" Single disc for 00-07 FLHT, FLTR, FLHR, FLHX           | 0201-1431 | 0201-1449 | 0201-0954 | 0201-1256      | 0201-0565 | 0201-0594    | 1,249.95    |
| 21" x 3.5" Dual disc for 00-07 FLHT, FLTR, FLHR, FLHX             | 0201-1430 | 0201-1448 | 0201-0952 | 0201-1255      | 0201-0564 | 0201-0593    | 1,249.95    |
| 23" x 3.75" Single disc for 08-12 FLTR, FLHT, FLHR, FLHX w/ ABS   | 0201-1470 | 0201-1465 | 0201-1466 | 0201-1467      | 0201-1468 | 0201-1469    | 1,684.95    |
| 23" x 3.75" Dual disc for 08-12 FLTR, FLHT, FLHR, FLHX w/ ABS     | 0201-1482 | 0201-1477 | 0201-1478 | 0201-1479      | 0201-1480 | 0201-1481    | 1,684.95    |
| 23" x 3.75" Single disc for 08-12 FLTR, FLHT, FLHR, FLHX w/o ABS  | 0201-1464 | 0201-1459 | 0201-1460 | 0201-1461      | 0201-1462 | 0201-1463    | 1,644.95    |
| 23" x 3.75" Dual disc for 08-12 FLTR, FLHT, FLHR, FLHX w/o ABS    | 0201-1476 | 0201-1471 | 0201-1472 | 0201-1473      | 0201-1474 | 0201-1475    | 1,644.95    |
| 23" x 3.75" Single disc for 00-07 FLHT, FLTR, FLHR, FLHX          | 0201-1488 | 0201-1483 | 0201-1484 | 0201-1485      | 0201-1486 | 0201-1487    | 1,644.95    |
| 23" x 3.75" Dual disc for 00-07 FLHT, FLTR, FLHR, FLHX            | 0201-1494 | 0201-1489 | 0201-1490 | 0201-1491      | 0201-1492 | 0201-1493    | 1,644.95    |

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information. All part numbers in **BLUE** are new for 2012.



## ONE-PIECE FORGED ALUMINUM WHEELS (CONT)



Drifter



Nitro



Savage



Savage Eclipse



Czar



Czar Eclipse

| DESCRIPTION  | DRIFTER   | NITRO     | SAVAGE    | SAVAGE ECLIPSE | CZAR      | CZAR ECLIPSE | SUG. RETAIL |
|--|-----------|-----------|-----------|----------------|-----------|--------------|-------------|
| <b>REAR WHEELS</b>   |           |           |           |                |           |              |             |
| 16" x 3.5" For 00-02 FXST/FXSTS, 00-05 FXD, FXDWG, 00-02 FLST, 00-01 FLHT, FLT, FLHR, FLTR | 0202-1607 | 0202-1629 | 0202-0943 | 0202-1424      | 0202-0543 | 0202-0570    | \$1,249.95  |
| 16" x 3.5" For 84-99 FXST, 88-99 FLST, 84-99 FLHT, FLTR, FLH, FLHS                         | 0202-1608 | 0202-1630 | 0202-0944 | 0202-1425      | 0202-0544 | 0202-0571    | 1,249.95    |
| 16" x 3.5" For 03-06 FLST, 03-05 FXST/FXSTS, 03-07 FLSTN/FLSTC                             | 0202-1609 | 0202-1631 | 0202-0945 | 0202-1426      | 0202-0545 | 0202-0572    | 1,249.95    |
| 16" x 3.5" For 08 FLHT, FLHR, FLT, FLTR, FLHX (w/o ABS)                                    | 0202-1617 | 0202-1639 | 0202-0996 | 0202-1438      | 0202-0566 | 0202-0593    | 1,249.95    |
| 16" x 3.5" For 02-07 FLHT, FLHR, FLT, FLTR, FLHX   | 0202-1606 | 0202-1628 | 0202-0942 | 0202-1423      | 0202-0542 | 0202-0569    | 1,249.95    |
| 16" x 5.0" For 08-12 FXDF w/o ABS  | -         | -         | 0202-1022 | -              | 0202-1024 | -            | 1,249.95    |
| 17" x 6.25" For 08-10 FXST   | 0202-1621 | 0202-1643 | 0202-1017 | 0202-1446      | 0202-1019 | 0202-1020    | 1,249.95    |
| 17" x 6.25" For 08-12 FLSTF (w/o ABS)  | 0202-1624 | 0202-1646 | 0202-1247 | 0202-1452      | 0202-0739 | 0202-0738    | 1,249.95    |
| 17" x 6.25" For 07 FXST/FLSTF  | 0202-1610 | 0202-1632 | 0202-0948 | 0202-1427      | 0202-0547 | 0202-0574    | 1,249.95    |
| 17" x 6.25" For 10-12 FXDWG  | 0202-1627 | 0202-1649 | 0202-1568 | 0202-1569      | 0202-1571 | 0202-1572    | 1,249.95    |
| 17" x 6.25" For 09-12 FLHT, FLHR, FLHX, FLTR for OEM pulley (w/o ABS)                      | 0202-1625 | 0202-1647 | 0202-1493 | 0202-1494      | 0202-1485 | 0202-1487    | 1,249.95    |
| 17" x 6.25" For 09-12 FLHT, FLHR, FLHX, FLTR for OEM pulley (w/ ABS)                       | 0202-1626 | 0202-1648 | 0202-1495 | 0202-1496      | 0202-1486 | 0202-1488    | 1,289.95    |
| 18" x 3.5" For 00-02 FXST, 00-05 FXD, FXDWG, 00-02 FLST, 00-01 FLT, FLTR, FLHT, FLHR       | -         | -         | 0202-0950 | 0202-1428      | 0202-0549 | 0202-0576    | 1,249.95    |
| 18" x 3.5" For 08 FLHT, FLHR, FLHX, FLTR (w/ ABS)  | -         | -         | 0202-1004 | 0202-1442      | 0202-0743 | 0202-0741    | 1,289.95    |
| 18" x 3.5" For 08 FLHT, FLHR, FLHX, FLTR (w/o ABS)   | -         | -         | 0202-0997 | 0202-1439      | 0202-0567 | 0202-0594    | 1,249.95    |
| 18" x 3.5" For 02-07 FLHT, FLHR, FLT, FLTR, FLHX   | 0202-1611 | 0202-1633 | 0202-0951 | 0202-1429      | 0202-0550 | 0202-0577    | 1,249.95    |
| 18" x 4.25" For 08 FLHT, FLHR, FLHX, FLTR (w/ ABS)   | -         | -         | 0202-1005 | 0202-1443      | 0202-0744 | 0202-0742    | 1,289.95    |
| 18" x 4.25" For 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)  | 0202-1618 | 0202-1640 | 0202-0998 | 0202-1440      | 0202-0568 | 0202-0595    | 1,249.95    |
| 18" x 4.25" For 02-07 FLHT, FLHR, FLT, FLTR, FLHX  | 0202-1612 | 0202-1634 | 0202-0954 | 0202-1430      | 0202-0553 | 0202-0580    | 1,249.95    |
| 18" x 5.5" For 09-12 FLHT, FLHR, FLTR, FLHX for OEM pulley (w/ ABS)                        | 0202-1622 | 0202-1644 | 0202-1212 | 0202-1449      | 0202-1213 | 0202-1214    | 1,289.95    |
| 18" x 5.5" For 09-12 FLHT, FLHR, FLTR, FLHX for OEM pulley (w/o ABS)                       | 0202-1623 | 0202-1645 | 0202-1232 | 0202-1451      | 0202-1233 | 0202-1234    | 1,249.95    |
| 18" x 5.5" For 08-12 FXD w/o ABS (all except 08-12 FXDWG, 12 FLD)                          | 0202-1620 | 0202-1642 | 0202-1012 | 0202-1445      | 0202-1014 | 0202-1015    | 1,249.95    |
| 18" x 5.5" For 00-07 FXSTD   | 0202-1614 | 0202-1636 | 0202-0958 | 0202-1432      | 0202-0556 | 0202-0583    | 1,249.95    |
| 18" x 5.5" For 07 FXD  | -         | -         | -         | 0202-1437      | -         | 0202-0591    | 1,249.95    |
| 18" x 5.5" For 02-07 V-Rod   | -         | -         | -         | -              | 0202-0557 | -            | 1,249.95    |
| 18" x 5.5" For 84-99 custom application for 3/4" axle                                      | 0202-1613 | 0202-1635 | 0202-0956 | 0202-1431      | 0202-0555 | 0202-0582    | 1,249.95    |
| 18" x 8.5" For 08-11 FXCW/C (w/o ABS)  | 0202-1619 | 0202-1641 | 0202-1007 | 0202-1444      | 0202-1009 | 0202-1010    | 1,545.95    |
| 18" x 8.5" For 07 V-Rod w/ 240mm tire  | -         | -         | -         | 0202-1453      | 0202-0565 | -            | 1,545.95    |
| 18" x 8.5" For 240mm Wide Drive Swingarm, custom LSD/RSD for 1" axle                       | 0202-1615 | 0202-1637 | 0202-0963 | 0202-1434      | 0202-0561 | 0202-0588    | 1,545.95    |
| 18" x 8.5" For 240mm Wide Drive Swingarm, custom LSD/RSD for 3/4" axle                     | 0202-1616 | 0202-1638 | 0202-0964 | 0202-1435      | 0202-0562 | 0202-0589    | 1,545.95    |
| 18" x 10.5" For 280/300mm Wide Drive Swingarm, custom RSD for 1" axle                      | -         | -         | -         | -              | 0202-0563 | 0202-0590    | 1,745.95    |
| <b>FOR KLOCK WERKS BAGGER MO'TIRE 180 CONVERSION KITS</b>                                  |           |           |           |                |           |              |             |
| 18" x 5.5" For Klock Werks 180 conversion with 1" axle                                     | -         | -         | 0202-0999 | 0202-1441      | 0202-0699 | 0202-0698    | 1,249.95    |

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information. All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL




40 Spoke Front



60 Spoke Front



80 Spoke Rear



60 Spoke Front



80 Spoke Rear

### LACED WHEEL ASSEMBLIES

- High-quality American-made wheel assemblies
- Billet chromed custom aluminum hubs
- Chrome-plated steel rims in 40-, 60- or 80-spoke styles
- Polished stainless steel spokes with custom smooth nipples
- Bearings, seals and center spacer are included
- DOT-approved and trued to less than .005" runout
- Applications for most popular models; charts below are arranged by wheel rim size and then by application
- All wheels use a center metal valve stem tube except the 16" x 3.5" wheels, which use a side metal valve stem
- Made in the U.S.A.

| DESCRIPTION  | 40 SPOKE  | SUG. RETAIL | 60 SPOKE  | SUG. RETAIL | 80 SPOKE  | SUG. RETAIL |
|--|-----------|-------------|-----------|-------------|-----------|-------------|
| <b>FRONT WHEELS</b>                                    |           |             |           |             |           |             |
| 16x3.5" for 08-12 FLHT, FLHR, FLTR, FLHX w/o ABS       | 0203-0334 | \$662.95    | 0203-0336 | \$704.95    | 0203-0337 | \$747.95    |
| 16x3.5" for 00-06 FLST/C/F/N                           | 0203-0060 | 662.95      | 0203-0051 | 704.95      | 0203-0043 | 747.95      |
| 16x3.5" for 84-99 FLT, FLHT, FLHR, FLTR                | 0203-0066 | 662.95      | 0203-0067 | 704.95      | 0203-0068 | 747.95      |
| 16x3.5" for 86-99 FLST/C/F/N                           | 0203-0069 | 662.95      | 0203-0070 | 704.95      | 0203-0071 | 747.95      |
| 17x3.5" for 08-12 FLHT/FLHR/FLHX/FLTR w/o ABS          | 0203-0376 | 662.95      | 0203-0378 | 704.95      | 0203-0379 | 747.95      |
| 18x3.5" for 08-12 FLHT/FLHR/FLHX/FLTR w/o ABS          | 0203-0380 | 688.95      | 0203-0382 | 737.95      | 0203-0383 | 786.95      |
| 18x3.5" for 00-07 FLHT, FLHR, FLTR, FLHX               | 0203-0063 | 688.95      | 0203-0054 | 737.95      | 0203-0046 | 786.95      |
| 18x3.5" for 00-06 FXST/C, 00-05 FXDWG                  | 0203-0064 | 688.95      | 0203-0055 | 737.95      | -         | -           |
| 19x2.15" for 08-11 FXCW/C w/o ABS                      | -         | -           | 0203-0388 | 778.95      | 0203-0389 | 845.95      |
| 19x2.15" for 00-03 FXD, FXR and 00-04 XL (single disc) | 0203-0065 | 778.95      | 0203-0056 | 778.95      | 0203-0047 | 845.95      |
| 19x2.15" for 84-99 FXD, FXR and XL (single/dual disc)  | 0203-0081 | 778.95      | 0203-0082 | 786.95      | 0203-0083 | 845.95      |
| 19x2.15" for 08-12 XL                                  | 0203-0400 | 778.95      | 0203-0398 | 778.95      | 0203-0396 | 845.95      |
| 21x2.15" for 08-10 FXST/B/C                            | 0203-0390 | 700.95      | 0203-0392 | 778.95      | 0203-0393 | 845.95      |
| 21x2.15" for 00-06 FXST/C, 00-05 FXDWG                 | 0203-0057 | 700.95      | 0203-0048 | 778.95      | 0203-0040 | 845.95      |

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information.

All part numbers in **BLUE** are new for 2012.



## LACED WHEEL ASSEMBLIES (CONT)

| DESCRIPTION   | 40 SPOKE  | SUG. RETAIL | 60 SPOKE  | SUG. RETAIL | 80 SPOKE  | SUG. RETAIL |
|---|-----------|-------------|-----------|-------------|-----------|-------------|
| <b>FRONT WHEELS (CONT)</b>                            |           |             |           |             |           |             |
| 21x2.15" for 00-06 FXSTS (single disc)                | 0203-0059 | \$700.95    | 0203-0050 | \$778.95    | 0203-0042 | \$845.95    |
| 21x2.15" for 84-99 FXST/C, FXDWG and 84-86 FXWG       | 0203-0084 | 700.95      | 0203-0085 | 778.95      | 0203-0086 | 845.95      |
| 21x2.15" for 88-95 FXSTS                              | 0203-0094 | 700.95      | 0203-0095 | 778.95      | 0203-0096 | 845.95      |
| 21x2.15" for 96-99 FXSTS                              | -         | -           | 0203-0087 | 778.95      | 0203-0088 | 845.95      |
| 21x2.15" for 00-03 FXD and 00-04 XL (single disc)     | 0203-0058 | 700.95      | 0203-0049 | 778.95      | 0203-0041 | 845.95      |
| 21x2.15" for 84-99 FXD, FXR and XL (single/dual disc) | 0203-0089 | 700.95      | 0203-0090 | 778.95      | 0203-0091 | 845.95      |
| 21x2.15" for 80-83 FXWG (dual disc)                   | 0203-0092 | 700.95      | -         | -           | 0203-0093 | 845.95      |
| 21x2.15" for 08-12 XL                                 | 0203-0399 | 700.95      | 0203-0397 | 778.95      | 0203-0395 | 845.95      |
| 21x3.5" for 08-12 FLHT/FLHR/FLHX/FLTR w/ ABS          | 0203-0404 | 772.95      | 0203-0406 | 815.95      | 0203-0407 | 933.95      |
| 21x3.5" for 08-12 FLHT/FLHR/FLHX/FLTR w/o ABS         | 0203-0384 | 704.95      | 0203-0386 | 747.95      | 0203-0387 | 864.95      |

| DESCRIPTION                                       | 40 SPOKE               | SUG. RETAIL | 60 SPOKE               | SUG. RETAIL | 80 SPOKE               | SUG. RETAIL |
|---|------------------------|-------------|------------------------|-------------|------------------------|-------------|
| <b>REAR WHEELS</b>                                |                        |             |                        |             |                        |             |
| 16x3.5" for 00-05 FXST, Dyna, 00-06 FLST/C/F/N    | 0204-0059              | \$662.95    | 0204-0056              | \$704.95    | 0204-0053              | \$747.95    |
| 16x3.5" for 86-99 FXST, FXR, FLST/C/F/N, Dyna     | 0204-0070              | 662.95      | 0204-0071              | 704.95      | 0204-0072              | 747.95      |
| 16x3.5" for 08 FLHT, FLHR, FLTR, FLHX w/o ABS     | 0204-0303              | 662.95      | 0204-0305              | 704.95      | 0204-0306              | 747.95      |
| 16x3.5" for 02-07 FLHT, FLHR, FLTR, FLHX          | 0204-0079              | 662.95      | 0204-0080              | 704.95      | 0204-0081              | 747.95      |
| 16x3.5" for 86-99 FLT, FLHT, FLHR, FLTR           | 0204-0067              | 662.95      | 0204-0068              | 704.95      | 0204-0069              | 747.95      |
| 16x3.5" for 08-12 XL                              | 0204-0358              | 662.95      | 0204-0359              | 704.95      | 0204-0360              | 747.95      |
| 16x3.5" for 05-07 XL                              | 0204-0361              | 662.95      | 0204-0362              | 704.95      | 0204-0363              | 747.95      |
| 16x3.5" for 00-04 XL                              | 0204-0355              | 662.95      | 0204-0356              | 704.95      | 0204-0357              | 747.95      |
| 16x5.5" for 09-12 FLHT/FLHR/FLHX/FLTR w/o ABS     | 0204-0338 <sup>1</sup> | 786.95      | 0204-0340 <sup>1</sup> | 884.95      | 0204-0341 <sup>1</sup> | 943.95      |
| 17x6" for 08-10 FXST/B/C                          | 0204-0348              | 923.95      | 0204-0350              | 962.95      | 0204-0351              | 988.95      |
| 18x3.5" for 00-05 FXST/C, Dyna and 00-06 FLST/C/F | 0204-0061              | 688.95      | 0204-0057              | 737.95      | 0204-0055              | 786.95      |
| 18x3.5" for 08 FLHT, FLHR, FLTR, FLHX w/o ABS     | 0204-0307              | 688.95      | 0204-0309              | 737.95      | 0204-0310              | 786.95      |
| 18x3.5" for 86-99 FXST, FXR, FLST/C/F/N and Dyna  | 0204-0073              | 688.95      | 0204-0074              | 737.95      | 0204-0075              | 786.95      |
| 18x5.5" for 06-07 FXST                            | 0204-0224              | 923.95      | 0204-0225              | 962.95      | 0204-0226              | 988.95      |
| 18x5.5" for 09-12 FLHT/FLHR/FLHX/FLTR w/ ABS      | 0204-0364 <sup>1</sup> | 992.95      | 0204-0366 <sup>1</sup> | 1,031.95    | 0204-0367 <sup>1</sup> | 1,056.95    |
| 18x5.5" for 09-12 FLHT/FLHR/FLHX/FLTR w/o ABS     | 0204-0342 <sup>1</sup> | 923.95      | 0204-0344 <sup>1</sup> | 962.95      | 0204-0345 <sup>1</sup> | 988.95      |
| 18x8.5" for 08-11 FXCW/C w/o ABS                  | -                      | -           | 0204-0346              | 962.95      | 0204-0347              | 1,002.95    |

<sup>1</sup> These wheels require special pulleys PART #1201-0580 and #1201-0581 (cush drive is eliminated).



## CUSTOM WIDE REAR WHEEL ASSEMBLIES

- Feature chrome steel rims with center metal valve stems and chrome aluminum hubs with highly polished stainless steel spokes
- Hub width is measured from rotor to pulley mounting surfaces
- Stock width hub (6.375") refers to the width of an OEM rear hub on a 86-06 Softail
- 4.25" wheels will fit most applications by modifying the axle spacers and changing rotor and pulley spacing
- 5.5" and 8.5" wheels will require above changes as well; frame, swingarm modification and fender change along with a narrower belt may also be required
- Made in the U.S.A.

**NOTE:** It is the installer's responsibility to determine the required changes.

**NOTE:** Year applications listed for custom wheels refer to the style of rotor and pulley to be used with that wheel.

| DESCRIPTION   | 60 SPOKE  | SUG. RETAIL | 80 SPOKE  | SUG. RETAIL |
|---|-----------|-------------|-----------|-------------|
| <b>WITH 6.375" HUB, 3/4" AXLE (OFFSET FOR A 180MM TIRE)</b> |           |             |           |             |
| 18" x 5.5" Timken style bearings, 86-99                     | 0204-0097 | \$962.95    | 0204-0100 | \$988.95    |
| <b>WITH 8.95" HUB, 3/4" AXLE</b>                            |           |             |           |             |
| 18" x 8.5" sealed bearings, 00-07                           | 0204-0177 | 962.95      | 0204-0178 | 1,002.95    |

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information.

All part numbers in **BLUE** are new for 2012.



WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL



0204-0313

### FAT DADDY BLACK 50-SPOKE RADIALLY LACED WHEELS

- Wheels feature radially laced (straight)  $\frac{3}{8}$ " black stainless steel spokes with custom nipples, billet chromed aluminum custom hubs and polished chrome steel rims
- Wheels come sealed so that tubeless tires can be used (except 21" x 2.15" applications); valve stems sold separately
- 4.25" wheels will fit most applications by modifying the axle spacers and changing the rotor and pulley spacing
- Made in the U.S.A.

NOTE: It is the installer's responsibility to determine the required changes.

| PART #                          | DESCRIPTION   | SUG. RETAIL |
|---------------------------------|---|-------------|
| <b>SINGLE DISC FRONT WHEELS</b> |   |             |
| 0203-0348                       | 16" x 3.5" for 00-06 FLST/C/F/N                           | \$915.95    |
| 0203-0350                       | 18" x 3.5" for 00-06 FLST/C/F/N                           | 953.95      |
| 0203-0394                       | 21" x 2.15" for 08-10 FXST/B/C                            | 1,041.95    |
| 0203-0352                       | 21" x 2.15" for 00-06 FXST/C,<br>00-05 FXDWG (not sealed) | 1,041.95    |
| <b>DUAL DISC FRONT WHEELS</b>   |   |             |
| 0203-0353                       | 16" x 3.5" for 08-12 FLHT, FLHR, FLTR, FLHX (w/o ABS)     | 915.95      |
| 0203-0349                       | 16" x 3.5" for 00-07 FLHT, FLHR, FLTR, FLHX               | 915.95      |
| 0203-0354                       | 18" x 3.5" for 08-12 FLHT, FLHR, FLTR, FLHX (w/o ABS)     | 953.95      |
| 0203-0351                       | 18" x 3.5" for 00-07 FLHT, FLHR, FLTR, FLHX               | 953.95      |
| 0203-0402                       | 21" x 3.5" for 08-12 FLHT, FLHR, FLTR, FLHX (w/ ABS)      | 1,149.95    |
| 0203-0355                       | 21" x 3.5" for 08-12 FLHT, FLHR, FLTR, FLHX (w/o ABS)     | 1,080.95    |

| PART #             | DESCRIPTION  | SUG. RETAIL |
|--------------------|--|-------------|
| <b>REAR WHEELS</b> |  |             |
| 0204-0317          | 16" x 3.5" for 00-05 FXST/C, FXDWG, 00-06 FLST/C/F/N | \$915.95    |
| 0204-0315          | 16" x 3.5" for 84-99 FXST/C, FLST/C/F/N, FXDWG       | 915.95      |
| 0204-0312          | 16" x 3.5" for 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)   | 915.95      |
| 0204-0319          | 16" x 3.5" for 02-07 FLHT, FLHR, FLTR, FLHX          | 915.95      |
| 0204-0316          | 16" x 3.5" for 86-99 FLT, FLHT, FLHR, FLTR           | 915.95      |
| 0204-0352          | 17" x 6" for 08-10 FXST/B/C                          | 1,119.95    |
| 0204-0313          | 18" x 3.5" for 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)   | 953.95      |
| 0204-0318          | 18" x 3.5" for 02-07 FLHT, FLHR, FLTR, FLHX          | 953.95      |
| 0204-0314          | 18" x 4.25" for 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)  | 982.95      |
| 0204-0368          | 18" x 5.5" for 09-12 FLHT/FLHR/FLHX/FLTR (w/ ABS)    | 1,188.95    |

### FAT DADDY 50-SPOKE RADIALLY LACED WHEELS

- Wheels feature radially laced (straight)  $\frac{3}{8}$ " polished stainless steel spokes with custom nipples, billet chromed aluminum custom hubs and polished chrome steel rims
- Wheels come sealed so that tubeless tires can be used (except 21" x 2.15" applications); valve stems sold separately
- Hub width on wide rear wheels is measured from rotor to pulley mounting surfaces
- 4.25" wheels will fit most applications by modifying the axle spacers and changing the rotor and pulley spacing
- 5.5", 8.5" and 10" wheels will require the above as well; frame, swingarm modification, and fender change along with a narrower belt may also be required
- Made in the U.S.A.

NOTE: It is the installer's responsibility to determine the required changes.

NOTE: Year applications listed for wide rear wheels refer to the style of pulley and rotor to be used with that wheel.



0204-0354



0203-0246

| PART #                          | DESCRIPTION   | SUG. RETAIL |
|---------------------------------|---|-------------|
| <b>SINGLE DISC FRONT WHEELS</b> |   |             |
| 0203-0249                       | 16" x 3.5" for 00-06 FLST/C/F/N                                     | \$817.95    |
| 0203-0244                       | 16" x 3.5" for 86-99 FLST/C/F/N                                     | 817.95      |
| 0203-0251                       | 18" x 3.5" for 00-06 FLST/C/F/N                                     | 854.95      |
| 0203-0246                       | 18" x 3.5" for 86-99 FLST/C/F/N                                     | 854.95      |
| 0203-0391                       | 21" x 2.15" for 08-10 FXST/B/C                                      | 943.95      |
| 0203-0255                       | 21" x 2.15" for 00-06 FXST/C, 00-05 FXDWG (not sealed)              | 943.95      |
| 0203-0248                       | 21" x 2.15" for 84-99 FXST/C, FXDWG (not sealed)                    | 943.95      |
| <b>DUAL DISC FRONT WHEELS</b>   |   |             |
| 0203-0401                       | 16" x 3.5" for 08-12 FLHT, FLHR, FLTR, FLHX (w/ ABS)                | 886.95      |
| 0203-0335                       | 16" x 3.5" for 08-12 FLHT, FLHR, FLTR, FLHX, H-D FL Trike (w/o ABS) | 817.95      |
| 0203-0250                       | 16" x 3.5" for 00-07 FLHT, FLHR, FLTR, FLHX                         | 817.95      |
| 0203-0245                       | 16" x 3.5" for 86-99 FLT, FLHT, FLHR, FLTR                          | 817.95      |
| 0203-0377                       | 17" x 3.5" for 08-12 FLHT/FLHR/FLHX/FLTR/H-D FL Trike (w/o ABS)     | 817.95      |
| 0203-0403                       | 18" x 3.5" for 08-12 FLHT/FLHR/FLHX/FLTR (w/ ABS)                   | 923.95      |
| 0203-0381                       | 18" x 3.5" for 08-12 FLHT/FLHR/FLHX/FLTR/H-D FL Trike (w/o ABS)     | 854.95      |
| 0203-0252                       | 18" x 3.5" for 00-07 FLHT, FLHR, FLTR, FLHX                         | 854.95      |
| 0203-0405                       | 21" x 3.5" for 08-12 FLHT/FLHR/FLHX/FLTR (w/ ABS)                   | 1,051.95    |
| 0203-0385                       | 21" x 3.5" for 08-12 FLHT/FLHR/FLHX/FLTR/H-D FL Trike (w/o ABS)     | 982.95      |

| PART #   | DESCRIPTION   | SUG. RETAIL |
|--|---|-------------|
| <b>REAR WHEELS</b>                               |   |             |
| 0204-0354  | 15" x 7" for 09-12 H-D FL Trike models                | \$962.95    |
| 0204-0255  | 16" x 3.5" for 00-05 FXST/C, FXDWG, 00-06 FLST/C/F/N  | 817.95      |
| 0204-0250  | 16" x 3.5" for 84-99 FXST/C, FLST/C/F/N, FXDWG        | 817.95      |
| 0204-0304  | 16" x 3.5" for 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)    | 817.95      |
| 0204-0266  | 16" x 3.5" for 02-07 FLHT, FLHR, FLTR, FLHX           | 817.95      |
| 0204-0256  | 16" x 3.5" for 00-01 FLHT, FLHR, FLTR                 | 817.95      |
| 0204-0251  | 16" x 3.5" for 86-99 FLT, FLHT, FLHR, FLTR            | 817.95      |
| 0204-0339  | 16" x 5.5" for 09-12 FLHT/FLHR/FLHX/FLTR (w/o ABS)    | 962.95      |
| 0204-0349  | 17" x 6" for 08-10 FXST/B/C                           | 1,021.95    |
| 0204-0257  | 18" x 3.5" for 00-05 FXST/C, FXDWG, 00-06 FLST/C/F/N  | 854.95      |
| 0204-0308  | 18" x 3.5" for 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)    | 854.95      |
| 0204-0260  | 18" x 3.5" for 02-07 FLHT, FLHR, FLTR, FLHX           | 854.95      |
| 0204-0311  | 18" x 4.25" for 08 FLHT, FLHR, FLTR, FLHX (w/o ABS)   | 884.95      |
| 0204-0261  | 18" x 4.25" for 02-07 FLHT, FLHR, FLTR, FLHX          | 864.95      |
| 0204-0259  | 18" x 4.25" for 00-05 FXST/C, FXDWG, 00-06 FLST/C/F/N | 864.95      |
| 0204-0254  | 18" x 4.25" for 84-99 FXST/C, FXDWG, FLST/C/F/N       | 864.95      |
| 0204-0365 <sup>1</sup>                           | 18" x 5.5" for 09-12 FLHT/FLHR/FLHX/FLTR (w/ ABS)     | 1,090.95    |
| 0204-0343 <sup>1</sup>                           | 18" x 5.5" for 09-12 FLHT/FLHR/FLHX/FLTR (w/o ABS)    | 1,021.95    |
| <b>WIDE REAR WHEELS WITH 9.625" HUB, 1" AXLE</b> |   |             |
| 0204-0189  | 18" x 8.5" sealed bearings, 00-07                     | 1,256.95    |
| 0204-0190  | 18" x 10.5" sealed bearings, 00-07                    | 1,325.95    |

<sup>1</sup> Must use Drag Specialties pulley PART #1201-0580 or 1201-0581 (cush drive is eliminated).

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information.

All part numbers in **BLUE** are new for 2012.

# DRAG Specialties



0203-0408



0203-0418



0203-0413



0203-0410



0203-0411



0203-0412



0204-0370



0204-0369



0204-0371



0204-0372

## REPLACEMENT LACED WHEELS

- 40-spoke wheels feature chrome steel rims, chrome spokes and chrome steel hubs (unless noted)
- Fully assembled and trued with bearings installed and end play set
- Available in most applications
- Uses OEM mounting hardware; designed to use OEM style rotors and sprockets

| DESCRIPTION  | PART #                 | SUG. RETAIL |
|--|------------------------|-------------|
| <b>FRONT WHEELS</b>  |                        |             |
| 16x3" for 86-96 FLST/C/F/N; repl. OEM #43005-86  | 0203-0408              | \$329.95    |
| 16x3" for 84-99 FLT/FLHT/FLHR/FLTR; repl. OEM #43403-87                                  | 0203-0418              | 329.95      |
| 19x2.5" for 84-99 FXR/FXD/FX/XL (single/dual disc); repl. OEM #43312-84                  | 0203-0413 <sup>1</sup> | 345.95      |
| 21x2.15" for 84-95 FXST/C, 93-95 FXDWG and 85-86 FXWG (single disc); repl. OEM #43671-84 | 0203-0410              | 349.95      |
| 21x2.15" for 96-99 FXST/C, FXDWG (single disc); repl. OEM #43671-84A                     | 0203-0411              | 349.95      |
| 21x2.15" for 84-99 FXR/FXD/XL (single/dual disc); repl. OEM #43557-87                    | 0203-0412 <sup>1</sup> | 349.95      |
| <b>REAR WHEELS</b>   |                        |             |
| 16x3" for 84-85 FXST, 85-86 FXWG, FXSB, FXE, 84-85 FXR; repl. OEM #40951-82              | 0204-0370              | 329.95      |
| 16x3" for 86-99 FLT/FLHT/FLHR/FLTR; repl. OEM #41010-86                                  | 0204-0369              | 329.95      |
| 16x3" for 86-96 FXST/FLST, XL; 86-94 FXR, 91-96 FXD repl. OEM #40975-86                  | 0204-0371              | 329.95      |
| 16x3" for 97-99 FXST/FLST, XL, FXD; repl. OEM #40975-86A                                 | 0204-0372              | 329.95      |

<sup>1</sup> Hub is polished and chrome-plated billet aluminum.

**SAFETY WARNING:** When selecting custom wheels, the tires used for your application must have a load index and speed rating equal to or greater than the tires fitted as original equipment. Consult manufacturer's publication(s) and/or website(s) for complete tire information.

All part numbers in **BLUE** are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES, SUSPENSION &amp; FENDERS

FOOTRESTS &amp; LICENSE PLATE FRAMES

TIRES, TUBES &amp; WHEELS

HARDWARE, CHEMICALS &amp; TOOLS

COVERS, SECURITY &amp; GENERAL



WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



**CUSTOM SPUN STEEL CHROME RIMS**

- 40-spoke DOT-approved rims lace to stock, OEM-type hubs
- Use the same spoke sets as the Excel aluminum rims (see spoke chart on page 1295)
- Same rims used in our complete wheel assemblies
- Center metal valve stem design
- Made in the U.S.A.

| PART #    | DESCRIPTION | SUG. RETAIL | PART #    | DESCRIPTION | SUG. RETAIL | PART #    | DESCRIPTION | SUG. RETAIL |
|-----------|-------------|-------------|-----------|-------------|-------------|-----------|-------------|-------------|
| 0210-0019 | 21" x 2.15" | \$215.95    | 0210-0022 | 18" x 3.50" | \$186.95    | 0210-0025 | 19" x 2.15" | \$207.95    |
| 0210-0020 | 16" x 3.50" | 219.95      | 0210-0023 | 18" x 4.25" | 194.95      |           |             |             |
| 0210-0021 | 16" x 6.00" | 221.95      | 0210-0024 | 18" x 5.50" | 221.95      |           |             |             |

**CHROME 40-SPOKE CUSTOM RIM**

- Steel rims have a rolled edge for added strength
- Require spokes designed for custom rims (see Drag Specialties spoke chart on page 1295)
- Available in 21"
- Manufactured in Japan
- DOT approved

| PART #    | DESCRIPTION          | SUG. RETAIL |
|-----------|----------------------|-------------|
| DS-380318 | 21" x 2.15" rim WM 3 | \$99.95     |



**16" CHROME RIM**

- Distinctively chromed 40-hole steel rim
- Dimpled to accept almost all spoke lacing patterns
- Side valve stem type; .610" diameter stem hole
- Measures 3" x 16"; for use with 5.00/5.10 motorcycle tires

| PART #    | DESCRIPTION                         | SUG. RETAIL |
|-----------|-------------------------------------|-------------|
| DS-380000 | 3" x 16" rim; repl. OEM # 43007-40A | \$79.95     |

**ROLLED EDGE FRONT RIMS**

- Top-quality show-chromed steel rims
- Feature rolled edge for superior strength
- Drop-center styling like original
- Have the spoke dimple pattern of the OEM rims

| PART #    | DESCRIPTION                       | SUG. RETAIL |
|-----------|-----------------------------------|-------------|
| DS-380010 | 2.50" x 19"; repl. OEM #43018-73  | \$99.95     |
| DS-380016 | 2.15" x 21"; repl. OEM #43662-80B | 99.95       |


All part numbers in **BLUE** are new for 2012.

- WINDSHIELDS
- TOURING
- LUGGAGE
- SEATS & Sissy BARS
- EXHAUST
- FUEL/AIR SYSTEMS
- ENGINE
- TRANSMISSION & DRIVELINE
- GASKETS & SEALS
- ELECTRICAL
- LIGHTING
- HANDLEBARS, CONTROLS & MIRRORS
- CABLES
- BRAKES
- TANKS & OIL FILTERS
- DASHES & GAUGES
- FRAMES, SUSPENSION & FENDERS
- FOOTRESTS & LICENSE PLATE FRAMES
- TIRES, TUBES & WHEELS
- HARDWARE, CHEMICALS & TOOLS
- COVERS, SECURITY & GENERAL



**CHROME AND STAINLESS STEEL SPOKE SETS**

- Strong, quality spoke sets used in stock and custom applications
- All sets include nipples and spoke wrench for installation
- Not for use with tubeless profile/OEM profile style rims



| FITMENT   | SIZE      | DROP CTR. RIM | SUG. RETAIL | DROP CTR. RIM | LENGTH | SUG. RETAIL | CUSTOM RIM | SUG. RETAIL | CUSTOM RIM | LENGTH   | SUG. RETAIL |
|---|-----------|---------------|-------------|---------------|--------|-------------|------------|-------------|------------|----------|-------------|
| REAR HUB  |           |               |             |               |        |             |            |             |            |          |             |
| For 84-12 FX, FL, XL, Custom  | 15"       | DS-380127     | \$52.95     | -             | 6 1/4" | -           | -          | -           | -          | 8 1/4"   | -           |
|   | 16"       | DS-380101     | 52.95       | DS-380201     | 6 3/4" | \$119.95    | -          | -           | -          | -        | -           |
|   | 17"       | -             | -           | -             | -      | -           | DS-380134  | \$55.95     | -          | 7 5/8"   | -           |
| FRONT HUB (WIDE GLIDE)  |           |               |             |               |        |             |            |             |            |          |             |
| For 84-12 FLT/FLHT, 85-86 FXWG, 86-07 FLST, 84-10 FXST, 93-11 FXDWG, Custom | 16"       | DS-380101     | 52.95       | DS-380201     | 6 3/4" | 119.95      | -          | -           | -          | -        | -           |
|   | 17"       | -             | -           | -             | -      | -           | DS-380134  | 55.95       | -          | 7 5/8"   | -           |
|   | 18"       | DS-380132     | 52.95       | DS-380232     | 7 3/4" | 152.95      | -          | -           | -          | -        | -           |
|   | 19"       | DS-380130     | 52.95       | 0211-0122     | 8 1/4" | 152.95      | DS-380109  | 52.95       | -          | 8 3/4"   | -           |
| 21"   | DS-380140 | 54.95         | 0211-0119   | 9 1/2"        | 165.95 | DS-380120   | 57.95      | DS-380220   | 9 5/8"     | \$162.95 |             |
| ALUMINUM FRONT HUB DISC BRAKE, INSIDE LACE (NARROW GLIDE)                   |           |               |             |               |        |             |            |             |            |          |             |
| For 86-03 XL, 84-12 FX  | 19"       | DS-380139     | 57.95       | DS-380239     | 8 1/4" | 162.95      | DS-380133  | 57.95       | -          | 8 3/4"   | -           |
|   | 21"       | 0211-0121     | 64.95       | 0211-0120     | 9 3/4" | 173.95      | DS-380131  | 57.95       | DS-380231  | 9 3/4"   | 162.95      |




**SPOKE SETS FOR DRAG SPECIALTIES SPUN STEEL AND EXCEL ALUMINUM RIMS**

- These rims require special spokes and nipples for lacing to OEM-style steel or aluminum hubs
- Each 40-spoke set also includes a spoke wrench


NOTE: 18" Excel rim requires extended length spoke nipples, PART #s DS-380106 and DS-380107, sold separately.

NOTE: Spokes listed will also work with Akront aluminum rims.



**POLISHED STAINLESS STEEL SPOKE SETS**

- Made from 303 stainless steel
- Easy to keep clean; won't tarnish, discolor, pit or peel
- Diamond design
- Made in the U.S.A.



NOTE: Not for tubeless profile/OEM profile-style wheels.

| RIM SIZE                    | CHROME    | SUG. RETAIL | STAINLESS | SUG. RETAIL | LENGTH |
|-----------------------------|-----------|-------------|-----------|-------------|--------|
| WIDE GLIDE HUB (FRONT/REAR) |           |             |           |             |        |
| 16" steel hub               | DS-380105 | \$57.95     | -         | -           | 6 1/2" |
| 17" steel hub               | DS-380134 | 55.95       | -         | -           | 7 5/8" |
| 18" steel hub               | DS-380143 | 54.95       | -         | -           | 8"     |
| 21" steel hub               | DS-380120 | 57.95       | DS-380220 | \$162.95    | 9 5/8" |
| NARROW GLIDE HUB (FRONT)    |           |             |           |             |        |
| 19" aluminum hub            | DS-380138 | 57.95       | -         | -           | 8 1/2" |
| 21" aluminum hub            | DS-380139 | 57.95       | DS-380239 | 162.95      | 8 1/4" |


| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| DS-380146 | 16" for rear steel hub                                  | \$199.95    |
| DS-380146 | 16" for front steel/aluminum hub                        | 199.95      |
| DS-380145 | 21" for Wide Glide                                      | 199.95      |
| DS-380147 | 19" for stock/Ness/PM                                   | 199.95      |
| LMSP9005A | 21" for front narrow glide alum. hub w/ drop center rim | 199.95      |



**TWISTED AND DIAMOND-CUT CHROME SPOKE SETS**

- Give spoked wheels a custom look
- Available for custom and drop-center wheels
- Each set includes 40 spokes and nipples

NOTE: Not for tubeless profile/OEM profile-style wheels.



**REPLACEMENT NIPPLES FOR DRAG SPECIALTIES SPOKE SETS**

- Chrome or stainless finish
- Lengths given are overall lengths
- 40 nipples per package

| PART #                | DESCRIPTION                              | LENGTH | SUG. RETAIL |
|-----------------------|--|--------|-------------|
| TWISTED SPOKE SETS    |  |        |             |
| DS-380111             | 16" Wide Glide hub and drop-center rim   | 6 3/4" | \$79.95     |
| DS-380119             | 19" Narrow Glide hub and drop-center rim | 8 1/4" | 91.95       |
| DS-380184             | 21" Wide Glide hub and drop-center rim   | 9 1/2" | 94.95       |
| DS-380115             | 21" Wide Glide hub and custom rim        | 9 5/6" | 91.95       |
| DS-380117             | 21" Narrow Glide hub and custom rim      | 9 5/8" | 91.95       |
| DIAMOND-CUT SPOKE SET |  |        |             |
| DS-380110             | 16" Wide Glide hub and drop-center rim   | 6 3/4" | 66.95       |

| PART #    | DESCRIPTION             | SUG. RETAIL |
|-----------|-------------------------|-------------|
| CHROME    |                         |             |
| DS-380112 | Standard length (.866") | \$17.95     |
| DS-380106 | Extra-long (.965")      | 18.95       |
| STAINLESS |                         |             |
| DS-380113 | Standard length (.866") | 34.95       |
| DS-380107 | Extra-long (.965")      | 41.95       |

All part numbers in BLUE are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



DS-380028

**CHROME FRONT HUB ASSEMBLY**


•All necessary bearings, spacers and seals already installed and adjusted for correct end play

| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| DS-380028 | Single/dual-disc hub for 84-99 XL, FX, FXD, FXR; repl. OEM #43619-84  | \$199.95    |
| 0309-2763 | Single-disc hub for 00-06 FLSTC, FXSTS, 00-07 FLSTS, FLSTSC, FXSTD, FXSTB, 93-05 FXDWG; repl. OEM #43672-00 | 234.95      |
| 0309-9263 | Single-disc hub for 00-06 FXST; repl. OEM #43701-00   | 234.95      |
| 0309-6790 | Dual-disc hub for 00-03 FXDX; repl. OEM #43629-00   | 234.95      |



**CHROME REAR HUB ASSEMBLY**

•Necessary bearings, spacers and seals already installed  
•For OEM or laced wheel conversions



| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| 0309-9264 | For 00-03 XL and XLH, 00-05 FXDL, FXDWG, FXD, FXDX, FXST 00-07, FLST; repl. OEM #40976-00 | \$234.95    |

**FRONT HUB COVERS**

•Covers unsightly bolt holes  
•Used when right front brake rotor is removed when doing a single disc conversion  
•PART #0213-0136 has a 4" diameter with a 1" center hole  
•PART #0213-0262 and 0213-0263 have a 4.15" diameter with a 25mm center hole  
•Made in the U.S.A.



| PART #   | DESCRIPTION | SUG. RETAIL |
|--|-------------|-------------|
| FOR 08-12 FLHT, FLHX, FLHR, FLTR, H-D FL TRIKE |             |             |
| 0213-0262                                      | Chrome      | \$74.95     |
| 0213-0263                                      | Black       | 74.95       |

| PART #                           | DESCRIPTION | SUG. RETAIL |
|----------------------------------|-------------|-------------|
| FOR 00-07 FLHT, FLHX, FLHR, FLTR |             |             |
| 0213-0136                        | Chrome      | \$74.95     |



**WHEEL BEARING AND SEAL KITS**

•Kits contain all necessary bearings and seals required for each individual wheel application  
•Bearings are premium EMQ quality featuring low-drag, double-lip rubber seals that keep water out and improve grease retention  
•Seals are type TC nitrile elastomer designed to keep out water and dirt



A25-1368



A25-1001



25-1394

A25-1366

0215-0288

0215-0638

NOTE: Follow OEM-prescribed procedures for installing and checking wheel bearing end play.

| PART #                    | DESCRIPTION  | REPL. OEM # | SIZE      | SUG. RETAIL |
|---------------------------|--|-------------|-----------|-------------|
| <b>FRONT APPLICATIONS</b> |  |             |           |             |
| 0215-0225                 | For 07-12 Softail models (except FLSTS)                    | 9276        | 25mm i.d. | \$11.95     |
| 0215-0225                 | For 08-12 FXD models                                       | 9276        | 25mm i.d. | 11.95       |
| A25-1368                  | For 00-03 FXD, 00-05 FXDWG, 00-06 FXST/FLST, 00-07 FLSTS/C | 9267        | 3/4" i.d. | 24.95       |
| A25-1001                  | For 84-99 FXD, FX and FXR                                  | 9052        | 3/4" i.d. | 19.95       |
| A25-1002                  | For 84-99 FXWG, FXDWG, FLST and FXST                       | 9052        | 3/4" i.d. | 19.95       |
| A25-1002                  | For 84-99 FLT, FLHT, FLHR, FLHS and FLTR                   | 9052        | 3/4" i.d. | 19.95       |
| 0215-0225                 | For 08-12 FLHT, FLHX, FLHR, FLTR (w/o ABS)                 | 9276        | 25mm i.d. | 11.95       |
| 25-1394 <sup>1</sup>      | For 00-07 FLT, 04-07 FXD, FXDL, 06-07 FXDWG, 02-07 VRSC    | 9247        | 1" i.d.   | 25.95       |
| 0215-0225                 | For 08-12 V-Rod (w/o ABS)                                  | 9276        | 25mm i.d. | 11.95       |
| 0215-0225                 | For 08-12 XL   | 9276        | 25mm i.d. | 11.95       |
| A25-1368                  | For 00-07 XL   | 9267        | 3/4" i.d. | 24.95       |
| A25-1001                  | For 86-99 XL   | 9052        | 3/4" i.d. | 19.95       |
| 0215-0640                 | For 03-06 Firebolt XB9R                                    | E0004.02A8A | -         | 11.95       |
| 0215-0640                 | For 03-09 Lightning XB9S                                   | E0004.02A8A | -         | 11.95       |
| 0215-0640                 | For 08-09 1125CR/R   | E0004.02A8A | -         | 11.95       |
| 0215-0640                 | For 05-08 Firebolt XB12R                                   | E0004.02A8A | -         | 11.95       |
| 0215-0640                 | For 05-09 Lightning XB12S                                  | E0004.02A8A | -         | 11.95       |
| 0215-0640                 | For 06-09 Ulysses XB12X                                    | E0004.02A8A | -         | 11.95       |

| PART #                   | DESCRIPTION                                       | REPL. OEM # | SIZE      | SUG. RETAIL |
|--------------------------|---|-------------|-----------|-------------|
| <b>REAR APPLICATIONS</b> |   |             |           |             |
| 0215-0225                | For 08-12 Softail, FXD models                     | 9276        | 25mm i.d. | \$11.95     |
| A25-1368                 | For 00-05 FXD, FXDWG, 00-07 FXST and FLST         | 9267        | 3/4" i.d. | 24.95       |
| A25-1002                 | For 84-99 FXD, FX and FXR                         | 9052        | 3/4" i.d. | 19.95       |
| A25-1002                 | For 84-99 FXWG, FXDWG, FLST and FXST              | 9052        | 3/4" i.d. | 19.95       |
| A25-1002                 | For 84-99 FLT, FLHT, FLHR, FLHS and FLTR          | 9052        | 3/4" i.d. | 19.95       |
| A25-1368                 | For 00-01 FLHT, FLHR and FLTR                     | 9267        | 3/4" i.d. | 24.95       |
| 0215-0225                | For 08 FLHT, FLHX, FLHR, FLTR (w/o ABS)           | 9276        | 25mm i.d. | 11.95       |
| 0215-0288                | For 09-12 FLHT, FLHX, FLHR, FLTR (w/o ABS)        | 9276        | 25mm i.d. | 20.95       |
| 25-1394 <sup>1</sup>     | For 02-07 FLT, 06-07 FXD, 06-07 FXDWG, 02-07 VRSC | 9247        | 1" i.d.   | 25.95       |
| 0215-0225                | For 08-12 V-Rod (w/o ABS)                         | 9276        | 25mm i.d. | 11.95       |
| 0215-0225                | For 08-12 XL                                      | 9276        | 25mm i.d. | 11.95       |
| 25-1394                  | For 05-07 XL                                      | 9247        | 1" i.d.   | 25.95       |
| A25-1368                 | For 00-04 XL                                      | 9267        | 3/4" i.d. | 24.95       |
| A25-1002                 | For 86-99 XL                                      | 9052        | 3/4" i.d. | 19.95       |
| 0215-0639                | For 00-09 Blast                                   | E6204       | -         | 14.95       |
| 0215-0638                | For 03-06 Firebolt XB9R                           | E0005.02A8A | -         | 28.95       |
| 0215-0638                | For 03-09 Lightning XB9S                          | E0005.02A8A | -         | 28.95       |
| 0215-0638                | For 08-09 1125CR/R                                | E0005.02A8A | -         | 28.95       |
| 0215-0638                | For 05-08 Firebolt XB12R                          | E0005.02A8A | -         | 28.95       |
| 0215-0638                | For 05-09 Lightning XB12S                         | E0005.02A8A | -         | 28.95       |
| 0215-0638                | For Ulysses XB12X 06-09                           | E0005.02A8A | -         | 28.95       |

<sup>1</sup> Not for VRSC models w/ 240mm tire.

**TIMKEN® WHEEL BEARINGS**

•Genuine Timken® direct replacements of OEM components  
•Fit front or rear applications  
•Made in the U.S.A.



DS-540795

| PART #                     | DESCRIPTION   | SUG. RETAIL |
|----------------------------|---|-------------|
| <b>FOR BIG TWIN AND XL</b> |   |             |
| DS-540795                  | Wheel bearing w/ race for 84-99 FX, FXST, FL, FLST, XL; 91-99 Dyna Glide; 84-94 FXR, FXRS, FXRT; 86-99 FLT; repl. OEM #9052 (ea.)         | \$12.95     |
| DS-540796                  | Wheel bearing only for 84-99 FX, FXST, FL, FLST, XL; 91-99 Dyna Glide; 84-94 FXR, FXRS, FXRT; 84-99 FLT (ea.); repl. OEM #s 9033 and 9052 | 9.95        |
| DS-540797                  | Wheel race only for 84-99 FX, FXST, FL, FLST, XL; 91-99 Dyna Glide; 84-94 FXR, FXRS, FXRT; 84-99 FLT (ea.)                                | 5.95        |



**WHEEL BEARING WITH RACE**

•Direct replacement of OEM components  
•Fits front or rear applications  
•Made in the U.S.A.



| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| 0215-0205 | For 84-99 FX, FXST, FL, FLST, XL; 91-99 Dyna Glide; 84-94 FXR, FXRS, FXRT; 84-99 FLT models; repl. OEM #9052, 3/4" i.d. (ea.) | \$10.95     |

All part numbers in BLUE are new for 2012.



**FLUSH MOUNT FRONT AXLE AND BULLET AXLE CAPS**

- Replaces the stock axle and the ugly end nut
- Steel construction with chrome ends
- Optional bullet axle caps add a streamlined, finished look
- Caps have a polished, chrome-plated finish
- Axle caps must be used with flush mount axle
- Include all necessary installation hardware
- Axle sold each; axle caps sold in pairs
- Made in the U.S.A.

0214-0335



0214-0334



| PART #   | DESCRIPTION      | SUG. RETAIL |
|--|------------------|-------------|
| <b>FOR 08-12 FLHT/FLHR/FLTR/FLHX (EXCEPT H-D FL TRIKE)</b> |                  |             |
| 0214-0334  | Flush mount axle | \$105.95    |

| PART #  | DESCRIPTION      | SUG. RETAIL |
|---|------------------|-------------|
| <b>FOR 08-12 FLHT/FLHR/FLTR/FLHX (EXCEPT H-D FL TRIKE) (CONT)</b> |                  |             |
| 0214-0335   | Bullet axle caps | \$124.95    |




**TEARDROP FRONT AXLES**

- Replaces stock axle and ugly end nut
- Quality steel construction
- Include clean-design end cap
- Available with chrome-plated or black finish end caps

0214-0543



0214-0544



| PART #   | DESCRIPTION | SUG. RETAIL |
|--|-------------|-------------|
| <b>FOR 08-12 FLHT/FLHR/FLTR/FLHX (EXCEPT H-D FL TRIKE)</b> |             |             |
| 0214-0543  | Chrome      | \$179.95    |
| 0214-0544  | Black       | 179.95      |

| PART #                                   | DESCRIPTION | SUG. RETAIL |
|--|-------------|-------------|
| <b>FOR 00-07 FLT/FLHT/FLHR/FLHX/FLTR</b> |             |             |
| 0214-0545                                | Chrome      | \$179.95    |
| 0214-0546                                | Black       | 179.95      |



0214-0245


**FLUSH-MOUNT FRONT AXLES**

- Made from stress-proof steel that is two to three times stronger than stock and is black-nitrate coated for superior corrosion resistance
- Polished stainless end caps for added longevity
- Easy installation and available to fit most models
- Made in the U.S.A.



0214-0245

0214-0250



02011071

| PART #    | DESCRIPTION                        | SUG. RETAIL |
|-----------|------------------------------------|-------------|
| 0214-0453 | For 07-12 FLST (25mm)              | \$159.95    |
| 0214-0551 | For 06-07 FXD (1")                 | 159.95      |
| 0214-0245 | For 00-06 FXSTD (3/4")             | 159.95      |
| 0214-0246 | For 91-06 FLSTF/FLSTN/FLSTC (3/4") | 159.95      |
| 0214-0248 | For 00-07 FXR/XL, 00-03 FXD (3/4") | 159.95      |
| 0214-0247 | For 87-99 FXD/FXR/XL (3/4")        | 159.95      |

| PART #                                   | DESCRIPTION   | SUG. RETAIL |
|--|---|-------------|
| <b>FOR 00-07 FLT/FLHT/FLHR/FLHX/FLTR</b> |   |             |
| 0214-0357                                | For 08-12 FLHT, FLHR, FLHX, FLTR, 08-12 FXDF, 08/10-12 FXDWG, 07-10 FXST (25mm) | \$159.95    |
| 0214-0250                                | For 00-07 FLHT, FLT (1")  | 159.95      |
| 0214-0249                                | For 84-99 FLHT/FLT, 84-06 FXST/FXSTB/FXSTC, 93-05 FXDWG, 85-86 FXWG (3/4")      | 159.95      |

**FLUSH-MOUNT AXLE KITS**

- Replaces OEM axle with exposed hex nut/lug ends with these flush-mounted front and rear axles
- End caps are polished stainless steel
- Easy installation



0214-0163

0214-0007

| PART #       | DESCRIPTION                          | SUG. RETAIL |
|--------------|--------------------------------------|-------------|
| <b>FRONT</b> |                                      |             |
| 0214-0162    | For 88-06 FXSTS (3/4")               | \$199.95    |
| 0214-0007    | For 86-06 FLST (except FLSTS) (3/4") | 119.95      |
| 0214-0008    | For 00-06 FXSTD (3/4")               | 119.95      |
| 0214-0005    | For 87-99 FXD/FXR/XL (3/4")          | 119.95      |
| 0214-0004    | For 84-99 FLHT/FLT (3/4")            | 119.95      |

| PART #              | DESCRIPTION  | SUG. RETAIL |
|---------------------|--|-------------|
| <b>FRONT (CONT)</b> |  |             |
| 0214-0003           | For 00-07 FLHT/FLT (1")                              | \$139.95    |
| <b>REAR</b>         |  |             |
| 0214-0163           | For 86-07 FXST/FLST, 84-99 FXR; repl. OEM #41110-79A | 198.95      |
| 0214-0164           | For 91-05 Dyna Glide; repl. OEM #41114-90            | 198.95      |

**Y-AXLES**

- A new twist on the flush-mount front axle
- A great accent to your front fork
- Available with three different styles of axle caps
- Made in the U.S.A.



0214-0359

0214-0362

0214-0365

| PART #  | DESCRIPTION                       | SUG. RETAIL |
|---|-----------------------------------|-------------|
| <b>FOR 00-07 FLT/FLHT/FLHR/FLHX/FLTR (1")</b> |                                   |             |
| 0214-0359                                     | Smooth chrome                     | \$149.95    |
| 0214-0362                                     | Domino chrome                     | 149.95      |
| 0214-0365                                     | Anodized black w/ machined Domino | 149.95      |

| PART #   | DESCRIPTION                       | SUG. RETAIL |
|--|-----------------------------------|-------------|
| <b>FOR 08-12 FLHT/FLHR/FLTR/FLHX (EXCEPT H-D FL TRIKE) (25MM)</b>        |                                   |             |
| 0214-0360  | Smooth chrome                     | \$149.95    |
| 0214-0363  | Domino chrome                     | 149.95      |
| <b>FOR 08-12 FLHT/FLHR/FLTR/FLHX (EXCEPT H-D FL TRIKE) (25MM) (CONT)</b> |                                   |             |
| 0214-0366  | Anodized black w/ machined Domino | \$149.95    |

**3/4" REAR AXLE KITS**

- Kits feature a polished stainless steel axle, flat washer and nut
- Available in 11 lengths for many custom applications
- Length given is the usable length of the axle, excluding the head and threads
- Made in the U.S.A.



0214-0042

| PART #    | DESCRIPTION | SUG. RETAIL | PART #    | DESCRIPTION | SUG. RETAIL | PART #    | DESCRIPTION | SUG. RETAIL | PART #    | DESCRIPTION | SUG. RETAIL |
|-----------|-------------|-------------|-----------|-------------|-------------|-----------|-------------|-------------|-----------|-------------|-------------|
| 0214-0035 | 11"         | \$101.95    | 0214-0038 | 12.5"       | \$101.95    | 0214-0041 | 14"         | \$102.95    | 0214-0044 | 15.5"       | \$102.95    |
| 0214-0036 | 11.5"       | 101.95      | 0214-0039 | 13"         | 101.95      | 0214-0042 | 14.5"       | 102.95      | 0214-0045 | 16"         | 102.95      |
| 0214-0037 | 12"         | 101.95      | 0214-0040 | 13.5"       | 101.95      | 0214-0043 | 15"         | 102.95      |           |             |             |

All part numbers in BLUE are new for 2012.

- WINDSHIELDS
- TOURING
- LUGGAGE
- SEATS & SISSY BARS
- EXHAUST
- FUEL/AIR SYSTEMS
- ENGINE
- TRANSMISSION & DRIVELINE
- GASKETS & SEALS
- ELECTRICAL
- LIGHTING
- HANDLEBARS, CONTROLS & MIRRORS
- CABLES
- BRAKES
- TANKS & OIL FILTERS
- DASHES & GAUGES
- FRAMES, SUSPENSION & FENDERS
- FOOTRESTS & LICENSE PLATE FRAMES
- TIRES, TUBES & WHEELS
- HARDWARE, CHEMICALS & TOOLS
- COVERS, SECURITY & GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES


FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



DS-223033



**CHROME AXLE KITS**

- Bright chrome finish on axle and hardware beautifies your bike
- Machined from chrome-moly steel
- Kits include axle, spacers, nuts and washers

NOTE: FXSTS axle comes with only right-side spacer.

NOTE: Rear axle length given is measured from the inside of the bolt head to the end of the threads.

| PART #       | DESCRIPTION  | SUG. RETAIL |
|--------------|--|-------------|
| <b>FRONT</b> |  |             |
| 0214-0237    | For 11-12 FXS, 07-10 FXST  | \$47.95     |
| DS-223035    | For 00-06 FXST (except FXSTD), 00-05 FXDWG                       | 45.95       |
| 0214-0033    | For 00-07 FLHT/FLHR/FLTR   | 44.95       |
| DS-223033    | For 84-99 FXST/C; 84-99 FLT, FLHT, FLHS; 85-86 FXWG; 93-99 FXDWG | 45.95       |
| DS-223003    | For 00-06 FXSTS  | 45.95       |
| DS-223012    | For 00-05 FLSTC, FLSTF   | 45.95       |
| 0214-0570    | For 86-99 FLST, FLSTF, FLSTN                                     | 59.95       |




0214-0570



0214-0577



0214-0582



DS-223050

DS-223049

DS-223051



DS-223045

DS-223044

**12-POINT AXLE KITS**

- Each part has a 12-point head on both ends for a symmetrical look and performance
- Special 12-point nuts without a flange have been CNC-machined for each application; CNC-machined and hand-polished flange washers replace the factory-stamped washers for a precision look
- Nut end is mirror-polished
- Made from 630 stainless steel with a tensile strength of 170,000 psi (15% stronger than GR8)
- Made in the U.S.A.



0214-0372



0214-0368

| PART #       | DESCRIPTION  | SUG. RETAIL |
|--------------|--|-------------|
| <b>FRONT</b> |  |             |
| 0214-0369    | For 11-12 FXS, 07-10 FXST, FXSTB, FXSTC; 08-12 FXDF, FXDWG; 08-12 FLHT, FLHR, FLHX, FLTR | \$163.95    |
| 0214-0370    | For 07-12 FLSTN; 08-12 FLSTC, FLSTF, FLSTFB  | 163.95      |
| 0214-0372    | For 87-06 FLST, FLSTC, FLSTF; 93-06 FLSTN  | 152.95      |
| 0214-0373    | For 84-06 FXST; 00-06 FXSTB; 87-99 FXSTC; 93-05 FXDWG; 84-99 FLT/Touring models          | 152.95      |
| <b>REAR</b>  |  |             |
| 0214-0367    | For 08-12 FXS/FXST/FLST models   | 210.95      |
| 0214-0368    | For 86-07 Softail models, 84-99 FXR models, 87-01 FLT models                             | 210.95      |

**WHEEL BEARING SHIMS, WASHERS AND SPACERS**

- OEM-style replacement shims, washers and spacers for most applications
- Spacers are available with or without flanges
- Shims sold in a kit or 10-pack; washers in 5-packs; spacers sold each
- Made in the U.S.A.



DS-195410



DS-195409



DS-195403

| PART #                | DESCRIPTION  | SUG. RETAIL | PART #                 | DESCRIPTION                                  | SUG. RETAIL |
|-----------------------|--|-------------|------------------------|--|-------------|
| <b>SPACER SHIMS</b>   |  |             | <b>BEARING SPACERS</b> |  |             |
| 0222-0249             | Shim kit (1 each .002", .004", .008", .016", .023", .028" shims) | \$10.95     | DS-195403              | 4.448" white w/o flange OEM #43606-78        | \$10.95     |
| DS-195414             | .032" OEM #43290-82  | .95 (ea.)   | DS-195404              | 4.434" white w/o flange OEM #43605-78        | 10.95       |
| DS-195413             | .016" OEM #43291-82  | .95 (ea.)   | DS-195406              | 4.306" green-yellow w/o flange OEM #43608-82 | 10.95       |
| DS-195412             | .008" OEM #43292-82  | 1.95 (ea.)  | DS-195407              | 4.122" w/o flange OEM #43612-92              | 10.95       |
| DS-195411             | .004" OEM #43293-82  | .95 (ea.)   | DS-195408              | 2.424" w/o flange OEM #43613-92              | 10.95       |
| DS-195410             | .002" OEM #43294-82  | 1.95 (ea.)  | DS-195416              | 2.162" red/white w/o flange OEM #43634-74    | 10.95       |
| <b>SPACER WASHERS</b> |  |             | DS-195417              | 2.162" red/white w/o flange OEM #43633-74    | 10.95       |
| DS-195409             | Washer OEM #43650-82   | 4.95 (ea.)  | DS-195421              | 2.536" gold w/o flange OEM #43625-78         | 8.95        |



2401-0446

**FRONT AXLE NUT AND WASHER KITS**

- Machined steel washer, hex nut and lock washers
- Chrome-plated



2401-0447

| PART #    | DESCRIPTION  | SUG. RETAIL |
|-----------|--|-------------|
| 2401-0446 | For 84-12 FX/FXD/FXR, 84-12 XL; 5/8"-18 thread; repl. OEM#s 7813, 7038 and 6653                            | \$9.95      |
| 2401-0447 | For 93-12 FXDWG, 84-12 FXST/FLST, 84-12 FLHT/FLHR/FLTR; 1/2"-20 thread; repl. OEM #s 7845, 7068 and 6590HW | 9.95        |



**CHROME REAR AXLE NUT SPRING CLIP**

- The cleanest way to get rid of that ugly cotter pin
- Sold in packages of five
- Made in the U.S.A.

| PART #    | DESCRIPTION                   | SUG. RETAIL |
|-----------|-------------------------------|-------------|
| DS-190149 | Clips (5-pk.); repl. OEM #511 | \$9.95      |




**REAR AXLE NUT AND WASHER KIT**


- Kit consists of two heavy-duty machined steel flat washers, one heavy-duty lock washer and one hex nut
- All pieces are chrome-plated
- Made in the U.S.A.

| PART #    | DESCRIPTION                                  | SUG. RETAIL |
|-----------|--|-------------|
| DS-222969 | For 84-07 Big Twin and 86-04 XL w/ 3/4" axle | \$13.95     |

All part numbers in BLUE are new for 2012.



**WHEEL SPACERS**  
 •Polished and chrome-plated  
 •OEM replacements  
 •Sold each



| PART #                     | DESCRIPTION   | SIZE             | APPLICATION              | OEM #     | SUG. RETAIL |
|----------------------------|---|------------------|--------------------------|-----------|-------------|
| <b>FXST/FLST/FXCW</b>      |   |                  |                          |           |             |
| 0222-0166                  | For 07-12 FXS/FXST/FXCW                             | 25mm x .893" L   | Right front              | 41504-07  | \$9.95      |
| 0222-0169                  | For 07-12 FLSTF                                     | 25mm x .517" L   | Right front              | 41695-07  | 8.95        |
| 0222-0167                  | For 07 FXSTD  | 25mm x .890" L   | Right front              | 41505-07  | 10.95       |
| 0222-0176                  | For 08-11 FLSTSB                                    | 3/4" x .108" L   | Right front              | 59413-08  | 8.95        |
| 0222-0174                  | For 00-07 FLSTS/C                                   | 3/4" x .563" L   | Right front              | 43624-00  | 10.95       |
| 0222-0165                  | For 07-12 FXST/FLST (all)                           | 25mm x 1.116" L  | Left front               | 41502-07  | 9.95        |
| 0222-0163                  | For 08-11 FXCW/C                                    | 25mm x 1.240" L  | Left front               | 41350-08  | 10.95       |
| 0222-0162                  | For 08-12 FXS/FXST/FLST/FXCW                        | 25mm x .737" L   | Right rear               | 41242-08  | 9.95        |
| 0222-0164                  | For 08-12 FXS/FXST/FLST/FXCW                        | 25mm x 2.313" L  | Left rear                | 41359-08  | 10.95       |
| 0222-0171                  | For 00-07 FLSTS/C, 08-11 FLSTSB                     | 3/4" x .480" L   | Left front               | 43360-00  | 14.95       |
| 0222-0175                  | For 00-07 FXST/FLST                                 | 3/4" x .470" L   | Right rear               | 43654-00A | 8.95        |
| 0222-0168                  | For 00-07 FXST/FLST                                 | 3/4" x 1.897" L  | Left rear                | 41595-00B | 10.95       |
| <b>FLHT/FLHR/FLHX/FLTR</b> |   |                  |                          |           |             |
| 0222-0170                  | For 08-12 FLHT/FLHR/FLHX/FLTR (except H-D FL Trike) | 25mm x 1.0125" L | Right/left front w/o ABS | 41901-08  | 9.95        |
| 0222-0173                  | For 00-07 FLHT/FLHR/FLHX/FLTR                       | 1" x .886" L     | Right front              | 43521-00A | 10.95       |
| 0222-0172                  | For 00-07 FLHT/FLHR/FLHX/FLTR                       | 1" x .968" L     | Left front               | 43520-00A | 10.95       |
| 0222-0162                  | For 08-12 FLHT/FLHR/FLHX/FLTR                       | 25mm x .737" L   | Right rear w/o ABS       | 41242-08  | 9.95        |
| 0222-0152                  | for 08-12 FLHT/FLHR/FLHX/FLTR                       | 25mm x 1.393" L  | Left rear (compensator)  | 11843     | 11.95       |
| 0222-0153                  | For 08-12 FLHT/FLHR/FLHX/FLTR                       | 25mm x .257" L   | Left rear (outer)        | 11848     | 8.95        |
| 0222-0160                  | For 02-07 FLHT/FLHR/FLHX/FLTR                       | 1" x .471" L     | Right rear               | 41084-02A | 9.95        |
| 0222-0161                  | For 02-07 FLHT/FLHR/FLHX/FLTR                       | 1" x 1.483" L    | Left rear                | 41240-02  | 10.95       |
| <b>FXD</b>                 |   |                  |                          |           |             |
| 0222-0151                  | For 08-12 FXD/B/C/L                                 | 25mm x .981" L   | Right/left front         | 11804     | 9.95        |
| 0222-0162                  | For 08-12 FXD/FXDWG (all)                           | 25mm x .737" L   | Right rear               | 41242-08  | 9.95        |
| 0222-0159                  | For 06-07 FXD/FXDWG                                 | 1" x 2.098" L    | Left rear                | 40947-06  | 11.95       |
| 0222-0154                  | For 06-07 FXDWG                                     | 1" x 1.022" L    | Right front              | 40926-06  | 9.95        |
| 0222-0156                  | For 06-07 FXD/B/C/L                                 | 1" x .810" L     | Right front              | 40936-06  | 9.95        |
| 0222-0155                  | For 06-07 FXDWG                                     | 1" x .801" L     | Left front               | 40927-06  | 9.95        |
| 0222-0157                  | For 06-07 FXD/B/C/L                                 | 1" x .7125" L    | Left front               | 40940-06  | 9.95        |
| 0222-0158                  | For 06-07 FXD/FXDWG                                 | 1" x .470" L     | Right rear               | 40942-06  | 8.95        |



**CHROME OUTER 3/4" AXLE SPACERS**  
 •Made from cold-rolled steel  
 •Polished, then chrome plated  
 •Machined to 1 1/4" o.d. and 3/4" i.d.  
 •Sold each



| PART #    | DESCRIPTION | SUG. RETAIL | PART #    | DESCRIPTION | SUG. RETAIL |
|-----------|-------------|-------------|-----------|-------------|-------------|
| DS-223038 | .141"       | \$6.95      | DS-243386 | 1.00"       | \$9.95      |
| DS-243380 | .437"       | 7.95        | DS-243387 | 1.125"      | 9.95        |
| DS-243381 | .500"       | 7.95        | DS-243388 | 1.1875"     | 10.95       |
| DS-243382 | .625"       | 7.95        | DS-243389 | 1.250"      | 10.95       |
| DS-243383 | .750"       | 8.95        | DS-223011 | 1.340"      | 9.95        |
| DS-243384 | .812"       | 8.95        | DS-243390 | 1.375"      | 10.95       |
| DS-223037 | .891"       | 8.95        | DS-243391 | 1.875"      | 10.95       |
| DS-243385 | .9375"      | 9.95        |           |             |             |



**FRONT AXLE SPACERS**  
 •CNC-machined billet aluminum construction  
 •Sold as a set  
 •Made in the U.S.A.

| PART #        | DESCRIPTION  | SUG. RETAIL |
|---------------|--|-------------|
| <b>BLACK</b>  |  |             |
| 0222-0138     | For 08-12 FLHT, FLHX, FLHR, FLTR w/o ABS (except H-D FL Trike) | \$44.95     |
| 0222-0142     | For 08-12 FLHT, FLHX, FLHR, FLTR w/ ABS                        | 44.95       |
| 0222-0140     | For 00-07 FLHT, FLHX, FLHR, FLTR                               | 44.95       |
| <b>CHROME</b> |  |             |
| 0222-0139     | For 08-12 FLHT, FLHX, FLHR, FLTR w/o ABS (except H-D FL Trike) | 44.95       |
| 0222-0143     | For 08-12 FLHT, FLHX, FLHR, FLTR w/ ABS                        | 44.95       |
| 0222-0141     | For 00-07 FLHT, FLHX, FLHR, FLTR                               | 44.95       |

**RADIUS DESIGN FRONT AXLE SPACER**  
 •Machined from 303 stainless steel with bright polished finish  
 •Conceals factory-sealed bearing for a clean look  
 •Made in the U.S.A.

| PART #    | DESCRIPTION                       | SUG. RETAIL |
|-----------|-----------------------------------|-------------|
| 0309-3297 | For 00-06 FLST (left side only)   | \$22.95     |
| 0309-3298 | For 00-06 FXST, 00-05 FXDWG (pr.) | 26.95       |



All part numbers in **BLUE** are new for 2012.

- WINDSHIELDS
- TOURING
- LUGGAGE
- SEATS & SISSY BARS
- EXHAUST
- FUEL/AIR SYSTEMS
- ENGINE
- TRANSMISSION & DRIVELINE
- GASKETS & SEALS
- ELECTRICAL
- LIGHTING
- HANDLEBARS, CONTROLS & MIRRORS
- CABLES
- BRAKES
- TANKS & OIL FILTERS
- DASHES & GAUGES
- FRAMES, SUSPENSION & FENDERS
- FOOTRESTS & LICENSE PLATE FRAMES
- TIRES, TUBES & WHEELS
- HARDWARE, CHEMICALS & TOOLS
- COVERS, SECURITY & GENERAL

WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL



**25MM SPACERS**

- Steel construction, polished, then chrome plated
- 1.48" diameter
- Sold each
- Made in the U.S.A.



2404-0368

2404-0370



DS-195401



| PART #       | DESCRIPTION  | OEM #    | LOCATION    | LENGTH | SUG. RETAIL |
|--------------|--|----------|-------------|--------|-------------|
| <b>FRONT</b> |  |          |             |        |             |
| 2404-0368    | For 08-12 FXDF   | 40926-08 | L/F         | 1.15"  | \$10.95     |
| 2404-0369    | For 08-12 FXDF   | 40927-08 | R/F         | .883"  | 10.95       |
| 2404-0372    | For 08-11 FXCW/C   | 41350-08 | L/F         | 1.24"  | 11.95       |
| 2404-0375    | For 08-12 XL   | 43358-08 | R/F         | .317"  | 9.95        |
| 2404-0376    | For 08-12 XL   | 43522-08 | L/F         | .648"  | 10.95       |
| <b>REAR</b>  |  |          |             |        |             |
| 2404-0370    | For 08-12 FXD/FXDWG  | 40947-08 | L/R         | 2.09"  | 14.95       |
| 2404-0371    | For 08-12 FXD/FXDWG, 08-12 FLHT w/o ABS, 08-12 FXS/FXST/FLST | 41242-08 | R/R         | .736"  | 10.95       |
| 2404-0373    | For 08-12 FXS/FXST/FLST                                      | 41359-08 | L/R         | 2.312" | 14.95       |
| 2404-0374    | For 08-12 FXS/FXST/FLST                                      | 41694-08 | Axle adjust | .375"  | 9.95        |

**WHEEL SPACERS**

- Fit into the seal; exact OEM replacements
- Sold each (two required per wheel)
- Made in the U.S.A.



| PART #    | DESCRIPTION         | SUG. RETAIL |
|-----------|---------------------|-------------|
| DS-195401 | .750" L spacer      |             |
|           | repl. OEM #41196-73 | \$12.95     |
| DS-195402 | .744" L spacer      |             |
|           | repl. OEM #41196-83 | 12.95       |

**AXLE SPACER/NUT KITS**

- Kits include polished/chrome-plated finish spacers, nuts and machined washers
- Available in front or rear applications
- Made in the U.S.A.



2401-0410



DS-190033



DS-190031



DS-190020

DS-190022

**FRONT APPLICATIONS**


| PART #            | DESCRIPTION                   | SPACER OEM #        | SUG. RETAIL |
|-------------------|-------------------------------|---------------------|-------------|
| <b>SOFTAIL</b>    |                               |                     |             |
| 2401-0406         | For 07-10 FXST                | -                   | \$37.95     |
| DS-190143         | For 00-06 FXST/B              | 43683-00, 40910-00  | 37.95       |
| DS-190078         | For 97-99 FXST/C/B            | 40910-84B, 43683-97 | 37.95       |
| DS-190076         | For 96 FXST/C/B               | 40910-84B           | 37.95       |
| DS-190031         | For 84-95 FXST/C/B            | 40910-84A/B         | 30.95       |
| 2401-0407         | For 07 FXSTD                  | -                   | 51.95       |
| 2401-0404         | For 07-12 FLSTC               | -                   | 44.95       |
| DS-190142         | For 00-06 FLSTC               | 43683-00            | 30.95       |
| DS-190088         | For 97-99 FLST/C              | 43683-97            | 30.95       |
| 2401-0110         | For 00-06 FXSTD/I             | 43623-00, 43683-00  | 34.95       |
| 2401-0403         | For 07-12 FLSTF               | -                   | 37.95       |
| DS-190141         | For 00-05 FLSTF               | 43617-00, 43683-00  | 37.95       |
| DS-190140         | For 96-99 FLSTF               | 43657-89, 43674-95  | 49.95       |
| DS-190139         | For 90-95 FLSTF               | 43657-89            | 30.95       |
| 2401-0405         | For 00-12 FLSTS/FLSTSB        | -                   | 49.95       |
| DS-190138         | For 00-06 FXSTS               | 43683-00            | 30.95       |
| DS-190092         | For 97-99 FXSTS               | 43683-97            | 30.95       |
| DS-190033         | For 88-96 FXSTS               | 40910-84A           | 30.95       |
| <b>DYNA GLIDE</b> |                               |                     |             |
| 2401-0410         | For 08-12 FXD/L (cast wheels) | -                   | 37.95       |
| 2401-0409         | For 06-07 FXD                 | -                   | 37.95       |

| PART #                   | DESCRIPTION                          | SPACER OEM #        | SUG. RETAIL |
|--------------------------|--------------------------------------|---------------------|-------------|
| <b>DYNA GLIDE (CONT)</b> |                                      |                     |             |
| 2401-0111                | For 04-05 Dyna (all except FXDWG/I)  | 43706-04, 43757-04  | \$37.95     |
| 2401-0408                | For 06-07 FXDWG                      | -                   | 37.95       |
| DS-190143                | For 00-05 FXDWG                      | 43683-00, 40910-00  | 37.95       |
| DS-190078                | For 97-99 FXDWG                      | 40910-84B, 43683-97 | 37.95       |
| DS-190076                | For 95-96 FXDWG                      | 40910-84A, 43674-95 | 37.95       |
| DS-190031                | For 91-94 FXDWG                      | 40910-84A/B         | 30.95       |
| DS-190144                | For 00-03 FXD                        | 43358-00, 43617-00  | 37.95       |
| DS-190070                | For 95-99 FXD                        | 43617-95            | 30.95       |
| <b>FLT/FLHR/FLHT</b>     |                                      |                     |             |
| 2401-0411                | For 08-12 FLHT (except H-D FL Trike) | -                   | 37.95       |
| DS-190145                | For 00-07 FLT/FLHR                   | 43520-00, 43521-00  | 37.95       |
| DS-190072                | For 94-99 FLHR/CI                    | 40910-84A           | 30.95       |
| DS-190031                | For 84-99 FLT/FLHT (except FLHR/CI)  | 40910-84A/B         | 30.95       |
| <b>XL</b>                |                                      |                     |             |
| 2401-0424                | For 08-12 XL                         | -                   | 37.95       |
| DS-190144                | For 00-07 XL                         | 43358-00, 43617-00  | 37.95       |
| DS-190070                | For 95-99 XL                         | 43617-95            | 30.95       |

**REAR APPLICATIONS**

| PART #            | DESCRIPTION                | SPACER OEM #                 | SUG. RETAIL |
|-------------------|----------------------------|------------------------------|-------------|
| <b>SOFTAIL</b>    |                            |                              |             |
| 2401-0412         | For 11-12 FXS, 08-10 FXST  | -                            | \$56.95     |
| DS-190146         | For 00-05 FXST, 00-06 FLST | 41595-00, 43654-00           | 56.95       |
| DS-190020         | For 84-99 FXST/FLST        | 47577-86, 47577-94, 41591-90 | 56.95       |
| <b>DYNA GLIDE</b> |                            |                              |             |
| 2401-0417         | For 08-12 Dyna Glide       | -                            | 40.95       |
| 2401-0416         | For 06-07 Dyna Glide       | -                            | 52.95       |
| DS-190147         | For 00-05 Dyna Glide       | 43654-00, 41591-00           | 37.95       |
| DS-190022         | For 91-99 Dyna Glide       | 41591-90                     | 30.95       |
| <b>FLT</b>        |                            |                              |             |
| 2401-0419         | For 08-12 FLHT             | -                            | 40.95       |

| PART #            | DESCRIPTION   | SPACER OEM #                   | SUG. RETAIL |
|-------------------|---------------|--------------------------------|-------------|
| <b>FLT (CONT)</b> |               |                                |             |
| 2401-0539         | For 02-07 FLT | 41240-02, 41084-02             | \$40.95     |
| 2401-0418         | For 00-01 FLT | -                              | 35.95       |
| <b>XL</b>         |               |                                |             |
| 2401-0415         | For 08-12 XL  | -                              | 52.95       |
| 2401-0414         | For 06-07 XL  | -                              | 37.95       |
| 2401-0112         | For 05-07 XL  | 40930-05, 43654-00A, 41084-02A | 37.95       |
| 2401-0413         | For 04 XL     | -                              | 40.95       |
| DS-190148         | For 00-03 XL  | 40910-00, 43654-00             | 37.95       |
| DS-190090         | For 86-99 XL  | 41594-73                       | 23.95       |



**REAR AXLE E-CLIP RETAINER**

- Replaces OEM #41229-08
- Sold in 10-pack

| PART #    | DESCRIPTION   | SUG. RETAIL  |
|-----------|---|--------------|
| 0214-0621 | For 08-12 Big Twin (except FLHT/FLHR/FLTR/FLHX and H-D FL Trikes) | \$1.95 (ea.) |

All part numbers in **BLUE** are new for 2012.



**FRONT AXLE CAPS**

- ABS construction with a chrome finish
- Attach with silicone (silicone sold separately)
- Designed to fit stock-style, 3/4" front axles with 7/8" head and 1/2" hex nut
- Sold in pairs (dealer pack; 10 pairs)

| PART #           | DESCRIPTION                              | SUG. RETAIL    |
|------------------|--|----------------|
| <b>2402-0128</b> | For most 84-06 Big Twin, 86-06 XL models | <b>\$32.95</b> |

**CHROME AXLE CAPS FOR 3/4" AXLES**

- Each set includes caps for both the axle nut and axle head (where required), setscrews and hex key wrench
- Each cap has an internal hex to allow more thickness for the setscrew's thread, eliminating thread-stripping
- See the chart for fitment applications

NOTE: Will not work on late-model rear axles with cotter key locking devices.

| PART #           | DESCRIPTION           | SUG. RETAIL    |
|------------------|-----------------------|----------------|
| <b>DS-222880</b> | Front axle caps (ea.) | <b>\$10.95</b> |
| <b>DS-222881</b> | Front axle caps (pr.) | <b>13.95</b>   |



**CHROME AXLE CAPS**

- Die-cast aluminum construction
- Held in place by setscrews
- Sold in pairs

0214-0374

0309-0217



| PART #           | DESCRIPTION  | SUG. RETAIL    |
|------------------|--|----------------|
| <b>FRONT</b>     |  |                |
| <b>0309-0217</b> | For 00-07 FLT/FLHT, 04-07 FXD models (except 04-05 FXDWG and 07 FXDSE) w/ 1" front axle; repl. OEM #43051-01 | <b>\$17.95</b> |
| <b>0214-0374</b> | For 08-12 FLHT/FLHR/FLTR/FLHX/H-D FL Trike, 08-12 Softtail (except Springers, Rockers, Deuce) and 08-12 XL   | <b>23.95</b>   |
| <b>REAR</b>      |  |                |
| <b>0214-0449</b> | For 08-12 FXD, 08-12 FXS/FXST/FLST (except FXCW/C)   | <b>21.95</b>   |
| <b>0214-0450</b> | For 00-07 Softtail (except FLSTS, FLSTSC)  | <b>21.95</b>   |



DS-222881



**AXLE CAP APPLICATIONS**

| FITS MODEL                              | FRONT            | REAR             |
|---|------------------|------------------|
| 84-06 FXST, FLST                        | <b>DS-222881</b> | -                |
| 84-88 FXST, FLST                        | <b>DS-222881</b> | <b>DS-222885</b> |
| 91-03 FXD, FXDL, FXDS-Con, FXDB, FXDB-D | <b>DS-222881</b> | -                |

| FITS MODEL  | FRONT            | REAR             |
|-------------|------------------|------------------|
| 93-05 FXDWG | <b>DS-222881</b> | -                |
| 88-94 FXR   | <b>DS-222881</b> | -                |
| 84-87 FXR   | <b>DS-222880</b> | <b>DS-222885</b> |
| 85-86 FXWG  | <b>DS-222881</b> | <b>DS-222885</b> |
| 85 FX       | <b>DS-222880</b> | <b>DS-222885</b> |

| FITS MODEL | FRONT            | REAR             |
|------------|------------------|------------------|
| 88-99 FLT  | <b>DS-222881</b> | -                |
| 84-87 FLT  | <b>DS-222881</b> | <b>DS-222885</b> |
| 88-03 XL   | <b>DS-222881</b> | -                |
| 86-87 XL   | <b>DS-222880</b> | <b>DS-222885</b> |



**AXLE CAPS**

- CNC-machined billet aluminum construction
- Chrome or black finish available
- Sold in pairs
- Made in the U.S.A.



0214-0240



0214-0241

0214-0541

0214-0542

**FRONT APPLICATIONS**

| PART #  | DESCRIPTION            | SUG. RETAIL    |
|---|------------------------|----------------|
| <b>FOR 07-12 FXST/FLST (EXCEPT FXSTS, FLSTSB), 08-12 FLHT/FLHR/FLTR/FLHX, H-D FL TRIKES</b>   |                        |                |
| <b>0214-0239</b>  | Gloss black powdercoat | <b>\$65.95</b> |
| <b>0214-0240</b>  | Chrome                 | <b>65.95</b>   |
| <b>FOR 84-06 FXST/FLST, 91-03 FXD, 93-05 FXDWG, 85-86 FXWG, 86-99 FLT AND 88-03 XL MODELS</b> |                        |                |
| <b>0214-0241</b>  | Gloss black powdercoat | <b>65.95</b>   |
| <b>0214-0242</b>  | Chrome                 | <b>65.95</b>   |
| <b>FOR 00-07 FLHT, FLHR, FLTR AND 04-07 DYNA MODELS</b>                                       |                        |                |
| <b>0214-0243</b>  | Gloss black powdercoat | <b>65.95</b>   |
| <b>0214-0244</b>  | Chrome                 | <b>65.95</b>   |

**REAR APPLICATIONS**

| PART #                               | DESCRIPTION            | SUG. RETAIL    |
|--------------------------------------|------------------------|----------------|
| <b>FOR 02-12 FLHT/FLHR/FLTR/FLHX</b> |                        |                |
| <b>0214-0541</b>                     | Gloss black powdercoat | <b>\$79.95</b> |
| <b>0214-0542</b>                     | Chrome                 | <b>79.95</b>   |



0214-0632



0214-0633



0214-0633



0214-0631



0214-0132



0214-0446




**FRONT AXLE NUT COVERS**

- Choose from multiple styles to complement or contrast with the look of your bike
- All fit close to the fork sliders so there are no unsightly gaps
- Chrome finish
- Sold in pairs

| PART #   | DESCRIPTION               | SUG. RETAIL    |
|--|---------------------------|----------------|
| <b>FOR 84-12 FXS/FXST/FLST (EXCEPT 00-07 DEUCE, 08-11 FXCW/C AND MODELS WITH SPRINGER FRONT END); 80-12 FLT/FLHT/FLHR/FLHX/FLTR AND H-D FL TRIKES, 91-12 FXD (EXCEPT 07-08 FXDSE), 88-12 XL, 02-12 V-ROD (EXCEPT VRSCR, VRSCF), 88-00 FXR AND 80-86 FXWG</b> |                           |                |
| <b>0214-0632</b>   | Peaked                    | <b>\$28.95</b> |
| <b>0214-0633</b>   | Roman                     | <b>38.95</b>   |
| <b>FOR 85-06 SOFTAIL (EXCEPT DEUCE, SPRINGER), 87 FLXR, FXRS-SP, FXRT; 99-00 FXR, 91-03 FXD, 93-05 FXDWG, 84-99 FLT/FLH/FLHT/FLHR/FLTR, 85-86 FXWG, 88-07 XL</b>   |                           |                |
| <b>0214-0631</b>   | Smooth                    | <b>23.95</b>   |
| <b>0214-0132</b>   | Stiletto                  | <b>69.95</b>   |
| <b>0214-0446</b>   | Twisted                   | <b>59.95</b>   |
| <b>0214-0634</b>   | Spinning blades           | <b>95.95</b>   |
| <b>0214-0637</b>   | Zombie w/ spinning blades | <b>95.95</b>   |



0214-0634



0214-0637

| PART #   | DESCRIPTION               | SUG. RETAIL    |
|--|---------------------------|----------------|
| <b>FOR 04-07 FXD (EXCEPT 04-05 FXDWG, 07 FXDSE), 00-07 FLHT/FLHR/FLHX/FLTR</b>   |                           |                |
| <b>0214-0134</b>   | Stiletto                  | <b>\$69.95</b> |
| <b>0214-0447</b>   | Twisted                   | <b>59.95</b>   |
| <b>0214-0635</b>   | Spinning blades           | <b>95.95</b>   |
| <b>0214-0638</b>   | Zombie w/ spinning blades | <b>95.95</b>   |
| <b>FOR 07-12 FXST/FLST (EXCEPT FXSTD, FLSTS/C), 08-12 FLHT/FLHR/FLTR/FLHX AND H-D FL TRIKE, 08-12 FXD, 08-12 XL, 02-12 V-ROD (EXCEPT VRSCR, VRSCF)</b> |                           |                |
| <b>0214-0445</b>   | Smooth                    | <b>25.95</b>   |
| <b>0214-0448</b>   | Twisted                   | <b>59.95</b>   |
| <b>0214-0636</b>   | Spinning blades           | <b>95.95</b>   |
| <b>0214-0639</b>   | Zombie w/ spinning blades | <b>95.95</b>   |

All part numbers in BLUE are new for 2012.

- WINDSHIELDS
- TOURING
- LUGGAGE
- SEATS & SISSY BARS
- EXHAUST
- FUEL/AIR SYSTEMS
- ENGINE
- TRANSMISSION & DRIVELINE
- GASKETS & SEALS
- ELECTRICAL
- LIGHTING
- HANDLEBARS, CONTROLS & MIRRORS
- CABLES
- BRAKES
- TANKS & OIL FILTERS
- DASHES & GAUGES
- FRAMES, SUSPENSION & FENDERS
- FOOTRESTS & LICENSE PLATE FRAMES
- TIRES, TUBES & WHEELS
- HARDWARE, CHEMICALS & TOOLS
- COVERS, SECURITY & GENERAL



WINDSHIELDS

TOURING

LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL




**LOWER FORK LEG/AXLE CAPS**

- CNC machined from 6061 aluminum with a choice of show chrome or black powder coat finishes
- The team at Klock Werks has found a way for riders to easily dress up the lower-right-side fork leg
- Mounting hardware is counter sunk for clean uninterrupted lines
- Made in the U.S.A.



| PART #   | DESCRIPTION | SUG. RETAIL |
|--|-------------|-------------|
| <b>FOR 00-12 FLT/FLHT/FLHR/FLHX/FLTR AND H-D FL TRIKE WITH OEM FRONT FORKS</b> |             |             |
| 0403-0039  | Chrome      | \$79.95     |
| 0403-0040  | Black       | 79.95       |



**LOWER LEG AND AXLE COVERS**

- Not only cover the axle, but also cover the lower portion of the leg to clean up and improve the look of your stock lower legs
- Hides all exposed axle mounting hardware
- Cast aluminum, chrome finish
- Fits stock lower fork legs
- Diamond dimensions are 2 1/2" D x 2 3/4" W x 4" H; smooth dimensions are 2" D x 2 3/4" W x 4" H

| PART #   | DESCRIPTION | SUG. RETAIL |
|--|-------------|-------------|
| <b>FOR 84-12 SOFTAIL AND 84-12 FLT/FLHT MODELS (EXCEPT H-D FL TRIKE)</b> |             |             |
| 0214-0451  | Smooth      | \$82.95     |

| PART #  | DESCRIPTION | SUG. RETAIL |
|---|-------------|-------------|
| <b>FOR 84-12 SOFTAIL AND 84-12 FLT/FLHT MODELS (EXCEPT H-D FL TRIKE) (CONT)</b> |             |             |
| 0214-0452   | Diamond     | \$82.95     |



**DEAD END AXLE CAPS**

- CNC machined from 6061 T-6 billet aluminum
- Fit most 1" axles
- Available in chrome or black anodized reverse-cut finishes
- Made in the U.S.A.

| PART #                                  | DESCRIPTION | SUG. RETAIL |
|---|-------------|-------------|
| <b>FOR 00-07 FLHT, FLHR, FLTR, FLHX</b> |             |             |
| 0214-0641                               | Chrome      | \$71.95     |

| PART #   | DESCRIPTION    | SUG. RETAIL |
|--|----------------|-------------|
| <b>FOR 00-07 FLHT, FLHR, FLTR, FLHX (CONT)</b> |                |             |
| 0214-0640                                      | Black anodized | \$71.95     |



**BULLET FRONT AXLE CAPS**

- Chrome-plated, machined T-6 aluminum
- Contoured to fit tight against fork leg; held in place by setscrews
- Made in the U.S.A.

| PART #    | DESCRIPTION            | SUG. RETAIL |
|-----------|------------------------|-------------|
| 0309-2002 | For 00-06 FXSTD models | \$56.95     |

**PHANTOM COVERS™**



- Blend perfectly with the Softail frame and cover the unsightly axle ends
- Install easily in a few minutes
- Available with or without LED rear accent lights
- Chrome finish unless noted
- Sold as a complete set

NOTE: Will fit FXSTD, FLSTF and FLSTN models only if stock exhaust has been replaced with a staggered dual or 2-into-1 system.

| PART #                                   | DESCRIPTION  | SUG. RETAIL |
|--|--|-------------|
| <b>COVERS W/O REAR LED ACCENT LIGHTS</b> |  |             |
| 1303-0103                                | For 00-07 FXSTD  | \$169.95    |
| 1303-0089                                | For 08-12 FXST/FLST (except FXS/FLSTF/FLSTN)                               | 79.95       |
| DS-222895                                | For all 86-05 FXST, 86-07 FLST models (except FLSTF, FLSTN, FXSTD)         | 79.95       |
| 1303-0136                                | For all 86-05 FXST, 86-07 FLST models (except FLSTF, FLSTN, FXSTD) (black) | 79.95       |



| PART #                            | DESCRIPTION   | SUG. RETAIL |
|-----------------------------------|---|-------------|
| <b>COVERS W/ REAR LED ACCENTS</b> |   |             |
| 1303-0133                         | For 08-12 FXST/FLST (except FXS/FLSTF, FLSTFB, FLSTN, FLSTSB, FXCW/C) | \$109.95    |
| 1303-0110                         | For 06-07 FXST, FXSTB, FXSTC, FXSTS, 07 FLSTF                         | 199.95      |
| 0504-0001                         | For all 86-05 FXST, 86-07 FLST models (except FLSTF, FLSTN, FXSTD)    | 99.95       |



**CHROME AXLE CAPS**

- Precision-machined, chrome-plated, distinctively shaped
- Secured by two stainless steel setscrews
- Sold in pairs
- Made in the U.S.A.

| PART #                 | DESCRIPTION  | SUG. RETAIL |
|------------------------|--|-------------|
| <b>FRONT AXLE CAPS</b> |  |             |
| DS-222888              | For 89-06 FXSTS  | \$73.95     |
| DS-222889              | For 84-06 FXST, FXST/C, FLST, FLST/C, FLSTF; 85-86 FXWG; 84-99 FLT, FLHT, FLHS | 73.95       |
| <b>REAR AXLE CAPS</b>  |  |             |
| DS-222887              | For 86-07 FXST, FLST   | 83.95       |

All part numbers in **BLUE** are new for 2012.



**AXLE ADJUSTERS**

- Replaces the basic 5/16"-18 nut found on the bike from the factory
- CNC-machined and hex milled from 6061 T-6 aluminum
- Knurled for easy adjustment
- 14mm hex on the outside
- Sold in pairs; available in black or clear anodized finishes
- Made in the U.S.A.

| PART #                     | DESCRIPTION    | SUG. RETAIL |
|----------------------------|----------------|-------------|
| <b>FOR 05-12 XL MODELS</b> |                |             |
| 0214-0552                  | Black anodized | \$34.95     |
| 0214-0553                  | Clear anodized | 34.95       |

**REAR WHEEL ADJUSTER KIT**



- Fits the rear wheel of all models listed below
- Made in the U.S.A.

| PART #    | DESCRIPTION  | SUG. RETAIL |
|-----------|--|-------------|
| DS-193710 | For 84-85 FXST, 85 FX, 85-86 FXWG, 86-96 XL; repl. OEM #s 47554-73 and 7725 (lock nut) | \$18.95     |



**STAINLESS STEEL AXLE ADJUSTER PLATES**



- Highly polished adjuster plates to protect your chrome or painted surface
- Sold in pairs

| PART #    | DESCRIPTION                          | SUG. RETAIL |
|-----------|--------------------------------------|-------------|
| DS-222823 | For 84-99 FXST, 86-99 XL, 85-86 FXWG | \$16.95     |



**SOCKET-HEAD AXLE ADJUSTER BOLT KIT**

- Polished socket bolts with nuts for Softtail models
- Made in the U.S.A.



| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| DS-190136 | For 93-99 Softtail models (3/8"-16 x 2 3/4"); repl. OEM #47579-86 | \$13.95     |



**REAR AXLE ADJUSTER BOLTS**

- High-quality adjuster bolts are heat-treated and then plated
- Come complete with chrome lock nuts
- Made in the U.S.A.; sold in pairs

| PART #                     | DESCRIPTION                           | SUG. RETAIL |
|----------------------------|---------------------------------------|-------------|
| <b>2401-0109</b>           |                                       |             |
| <b>FOR 86-92 FXST/FLST</b> |                                       |             |
| DS-195061                  | 3/8"-16 x 2 1/2"; repl. OEM #47579-86 | \$13.95     |
| <b>FOR 93-99 FXST/FLST</b> |                                       |             |
| DS-189945                  | 3/8"-16 x 3"; repl. OEM #47579-93     | 13.95       |
| <b>FOR 00-07 FXST/FLST</b> |                                       |             |
| 2401-0109                  | 3/8"-16 x 3"; repl. OEM #47579-00     | 13.95       |



**AXLE ADJUSTER SPACERS**

- Steel construction with a chrome-plated finish

| PART #    | DESCRIPTION  | SUG. RETAIL |
|-----------|--|-------------|
| 0214-0589 | For 00-07 FXST/FLST; repl. OEM #47577-00 (pr.)     | \$29.95     |
| 0214-0590 | For 08-12 FXS/FXST/FLST; repl. OEM #41694-08 (ea.) | 13.95       |



**REAR AXLE ADJUSTER ASSEMBLIES**

- Chromed axle chain adjusters
- End cap and locknut included
- Sold in pairs



| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| DS-195063 | For 84-85 FXST, 85 FX, 85-86 FXWG, 86-96 XL; repl. OEM #s 41570-77 (adjuster), 47554-73 (end cover) and 7725 (lock nut) | \$19.95     |



**REAR AXLE BLOCK ADJUSTERS**

- Ensure better alignment of the rear axle while preventing swingarm tube collapse due to over-tightening
- Include heavy-duty washer
- Sold in pairs



| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| DS-195104 | For 84-85 FXST; 85 FX; 84-94 FXR; 85-86 FXWG; 86-96 XL; repl. OEM #41570-77 | \$44.95     |



**SWINGARM END CAP ADJUSTERS**

- Fit models with square swingarms
- Feature die-cast construction with highly chromed finish
- Deliver increased rear axle adjustment
- Work with our rear axle block adjusters, PART #DS-195104, and with stock adjusters on 85 FX, 84-85 FXST, 85-86 FXWG, and 86-96 XL; replace OEM #s 47554-73 (end cover) and 7725 (lock nut)
- Sold in pairs



NOTE: Will not fit FLT or FXR models. Assemble with anti-seize compound on threads.

| PART #    | DESCRIPTION                | SUG. RETAIL |
|-----------|----------------------------|-------------|
| DS-195054 | Swingarm end cap adjusters | \$19.95     |



**AXLE ADJUSTER BOLT KITS**

- Stainless steel bolts and nuts with a polished finish
- Sold in pairs
- Made in the U.S.A.

| PART #    | DESCRIPTION   | SUG. RETAIL |
|-----------|---|-------------|
| 2401-0308 | For 08-12 Softtail models (3/8"-16 x 2" full thread)              | \$14.95     |
| 2401-0146 | For 00-07 Softtail models (3/8"-16 x 2 3/4" w/ 1/4" machined end) | 18.95       |
| 2401-0147 | For 86-99 Softtail models (3/8"-16 x 2 3/4" full thread)          | 15.95       |



**AXLE ADJUSTER SPACERS**

- Stainless steel with a polished finish
- Sold in pairs
- Made in the U.S.A.



| PART #    | DESCRIPTION               | SUG. RETAIL |
|-----------|---------------------------|-------------|
| 2401-0193 | For 00-07 Softtail models | \$31.95     |
| 2401-0194 | For 86-99 Softtail models | 31.95       |

**CHROME AXLE ADJUSTER SPACERS**



- 3/8" wide axle adjuster spacers
- Sold in pairs



| PART #    | DESCRIPTION  | SUG. RETAIL |
|-----------|--|-------------|
| DS-195085 | For all 86-99 FXST/FLST models; repl. OEM #s 47577-86 and 47577-94 | \$31.95     |

All part numbers in BLUE are new for 2012.

WINDSHIELDS

TOURING

LUGGAGE

SEATS & Sissy BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES, SUSPENSION & FENDERS

FOOTRESTS & LICENSE PLATE FRAMES

TIRES, TUBES & WHEELS

HARDWARE, CHEMICALS & TOOLS

COVERS, SECURITY & GENERAL