

**NIKON DIGITAL CAMERA**

1 year Warranty



**Nikon COOLPIX L31**

NIK-VNA870GA (Silver)  
NIK-VNA871GA (Black)  
NIK-VNA872GA (Red)  
NIK-VNA873GA (Purple)

**16.1**

ล้านพิกเซล



เซนเซอร์ภาพ : 1/2.3 in. CCD, EXPEED C2  
ออปติคาล 5X, Digital zoom up to 4X  
with NIKKOR Lens  
ทางยาวโฟกัส : 28-130 f/3.2-6.5  
(ทางยาวเทียบรูรับแสง 35 มม.)  
ระบบโฟกัส : AF แบบตรวจจับคอนทราสต์  
ความไวแสง(ISO) : Auto 80-1600 (Auto 80-1600)  
ความเร็วชัตเตอร์ : 1/2000-1 วินาที 4 วินาที  
VDO : HD 720p,30FPS, AVI format  
จอภาพ : LCD 2.7" 230,000 dot  
พร้อมฟังก์ชันปรับความสว่าง 5 ระดับ  
สื่อบันทึกข้อมูล : SD/SDHC/SDXC (Internal 20 MB)  
แหล่งพลังงาน : Alkaline battery AA sizes x2  
(200mAh) \*Optional  
Weight: 160g, Inc.Batt & SDCard.  
Dimension 96.4, x59.4, x28.9 มม.  
Special Effects / Quick Effects  
ระบบลดการสั่นไหวแบบ eVR

SRP: 2,190.-

**Nikon COOLPIX L840**

NIK-VNA770GA (Black)  
NIK-VNA771GA (Red)  
NIK-VNA772GA (Purple)

**16.0**

ล้านพิกเซล



เซนเซอร์ภาพ : 1/2.3 in. CCD, EXPEED C2  
Zoom : ออปติคาล 38X, Digital zoom up to 4X  
with NIKKOR Lens ED  
ทางยาวโฟกัส : 22.5 - 855 f/3-6.5  
(ทางยาวเทียบรูรับแสง 35 มม.)  
ระบบโฟกัส : AF แบบตรวจจับคอนทราสต์  
ความไวแสง(ISO) : Auto 125-6400 (Auto 125-1600)  
ความเร็วชัตเตอร์ : 1/4000-4 วินาที  
VDO : Full HD 1080/60i,30FPS, AVI format  
จอภาพ : LCD 3" 921,000 dot  
พร้อมฟังก์ชันปรับความสว่าง 5 ระดับ พร้อมไฮไลต์  
สื่อบันทึกข้อมูล : SD/SDHC/SDXC (Internal 20 MB)  
แหล่งพลังงาน : Alkaline battery AA sizes x4  
(590mAh) \*Optional  
Weight: 538g, Inc.Batt & SDCard.  
Dimension 113.5, x78.3, x96.0 มม.  
พร้อมแบตเตอรี่ถอดเปลี่ยนได้กับระบบ Wi-Fi และ NFC  
ระบบลดการสั่นไหวแบบ VR Lens hybrid

SRP: 9,490.-

**FREE**  
SD Card 4GB  
+ Bag M

**Nikon COOLPIX S2800**

NIK-VNA570HA (silver)  
NIK-VNA571HA (black)  
NIK-VNA572HA (red)  
NIK-VNA573HA (Pink)  
NIK-VNA574HA (Purple)

**20.1**

ล้านพิกเซล



ซื้อเป็นแพ็คเกจในราคาพิเศษ

SRP: 2,990.-

**FREE**  
SD Card 4GB

- Sensor 1/2.3 in. CCD, EXPEED C2  
- ซูมออปติคาล 5X, Digital zoom up to 4X  
with NIKKOR Lens  
- ทางยาวโฟกัส 26-156 f/3.2-6.5  
(ทางยาวเทียบรูรับแสง 35 มม.)  
- ระบบลดการสั่นไหว E-VR, Contrast-  
detect AF  
- ISO Auto 80-3200 (Auto 80-1600)  
- VDO HD 720p, AVI, 30FPS  
- จอ TFT LCD 2.7" 230,000 dot  
- SD/SDHC/SDXC (Internal Memory  
25 MB) with Hi-Speed USB  
- Lithium EN-EL19 (250mAh)  
- Weight 120g, Inc.Batt & SDCard

**Nikon COOLPIX S2900**

NIK-VNA830GA (Silver)  
NIK-VNA831GA (Black)  
NIK-VNA832GA (Red)  
NIK-VNA833GA (Purple)

**20.1**

ล้านพิกเซล



เซนเซอร์ภาพ : 1/2.3 in. CCD, EXPEED C2  
Zoom : ออปติคาล 8X, Digital zoom up to 4X  
with NIKKOR Lens  
ทางยาวโฟกัส : 25-200 f/3.2-6.5  
(ทางยาวเทียบรูรับแสง 35 มม.)  
ระบบโฟกัส : AF แบบตรวจจับคอนทราสต์  
ความไวแสง(ISO) : Auto 80-1600 (max 3200)  
ความเร็วชัตเตอร์ : 1/2000-1 วินาที 4 วินาที  
VDO : HD 720p,30FPS, AVI format  
จอภาพ : LCD 2.7" 230,000 dot พร้อมฟังก์ชัน  
ปรับความสว่าง 5 ระดับ  
สื่อบันทึกข้อมูล : SD/SDHC/SDXC (Internal 25 MB)  
แหล่งพลังงาน : Li-Ion EN-EL19 (250mAh)  
Weight 119g, Inc.Batt & SDCard.  
Dimension 94.5, x58.6, x19.8mm  
ระบบลดการสั่นไหวแบบ eVR

SRP: 3,290.-

**Nikon COOLPIX S3700**

NIK-VNA820GA (Silver)  
NIK-VNA821GA (Black)  
NIK-VNA824GA (Blue)

**20.1**

ล้านพิกเซล

**NEW**



1/2.3 in. CCD, EXPEED C2  
ออปติคาล 8X, Digital zoom up to 4X  
with NIKKOR Lens  
ทางยาวโฟกัส : 25-200 f/3.2-6.5  
ระบบโฟกัส : AF แบบตรวจจับคอนทราสต์  
ความไวแสง(ISO) : Auto 80-1600 (max 3200)  
ความเร็วชัตเตอร์ : 1/2000-1 วินาที 4 วินาที  
VDO : HD 720p,30FPS, AVI format  
จอภาพ : LCD 2.7" 230,000 dot พร้อมฟังก์ชัน  
ปรับความสว่าง 5 ระดับ  
สื่อบันทึกข้อมูล : SD/SDHC/SDXC (Internal 25 MB)  
แหล่งพลังงาน : Li-Ion EN-EL19 (250mAh)  
Weight 118g, Inc.Batt & SDCard.  
Dimension 95.9, x58.0, x20.1 mm  
ขนาดความยาวถ่ายชัดความยาวมากกว่ากล้องโฟกัส  
ตัวกล้องใช้ Dynamic Fine Zoom  
พร้อมฟังก์ชันไร้สายได้กับระบบ Wi-Fi®  
ในตัวหรือสวิตช์ NFC

SRP: 4,990.-

**FREE**  
SD Card 4GB  
+ Bag M

**Nikon COOLPIX S6900**

NIK-VNA720GA (Black)  
NIK-VNA721GA (White)  
NIK-VNA722GA (Pink)

**16.0**

ล้านพิกเซล



SRP: 9,900.-

**FREE**  
SD Card 4GB  
+ Bag M

Sensor 1/2.3 in., CMOS, EXPEED C2  
ซูมออปติคาล 12X, Digital zoom up to 4X  
with NIKKOR Lens  
ทางยาวโฟกัส 25-300 mm., f/3.3 - 6.7  
(ทางยาวเทียบรูรับแสง 35 มม.)  
ระบบลดการสั่นไหว Lens shift VR  
ISO Auto 125 - 6400, Shutter speed 1/1200-1/8m  
โหมดรูรับแสง สามารถถ่ายภาพแบบเลือก  
จากเซ็นเซอร์โฟกัส 4 จุดแบบ  
รองรับการเชื่อมต่อ Wi-Fi® และ NFC\* (Build-in)  
VDO HD 1080p/60i, MOV, 30FPS  
จอแสดงภาพ LCD 3" 460,000 dot พร้อมฟังก์ชัน  
ปรับรูรับแสงได้ 180 องศา  
รองรับ SD/SDHC/SDXC (Internal 30 MB)  
with Hi-Speed USB  
Lithium EN-EL19 (1900mAh)  
Weight 181g, Inc.Batt & SDCard.  
Dimension 99.4, x58.0, x27.9 mm

**Nikon COOLPIX P610**

NIK-VNA760GA (Black)  
NIK-VNA761GA (Red)

**16.0**

ล้านพิกเซล



เซนเซอร์ภาพ : 1/2.3 in. CCD, EXPEED C2  
Zoom : ออปติคาล 60X,  
ทางยาวโฟกัส : 24-1440 f/3.3, -6.5  
ระบบโฟกัส : AF แบบตรวจจับคอนทราสต์  
ความไวแสง(ISO) : Auto 100-6400 (max 6400)  
ความเร็วชัตเตอร์ : 1/2000-15 วินาที  
VDO : Full HD 1080/60i,30FPS, AVI format  
จอภาพ : TFT LCD 3.0" 921,000 dot  
พร้อมฟังก์ชันปรับความสว่าง 5 ระดับ  
สื่อบันทึกข้อมูล : SD/SDHC/SDXC (Internal 473 MB)  
แหล่งพลังงาน : Li-Ion EN-EL23 (360 mAh)  
Weight 565g, Inc.Batt & SDCard.  
Dimension 125.0 x85.0 x106.5 มม.  
คุณสมบัติพิเศษ(30 มม.) (กันกระแทก(2.1 มม.)  
ฟังก์ชันอัจฉริยะและสภาพอากาศที่หนาว (-10°C/14°F)  
พร้อมฟังก์ชันเชื่อมต่อได้กับระบบ Wi-Fi และ NFC  
เลนส์ซูมพิเศษ 1440 มม.\* ในโหมดถ่ายภาพที่ครี  
มรองรับระบบ GPS/GLONASS/OZSS

SRP: 18,990.-

**Nikon COOLPIX P7800**

NIK-VNA670HA (Black)

**18.1**

ล้านพิกเซล



-Sensor 1/1.7 in. CMOS, EXPEED C2  
-ซูมออปติคาล 7.1X, Digital zoom up to 2X  
with NIKKOR Lens  
-ทางยาวโฟกัส 6.0 - 42.8mm f/2 - 4  
(ทางยาวเทียบรูรับแสง 35 มม.)  
-ระบบลดการสั่นไหว VR Lens, 4ED lens elements  
-ISO Auto 80-3200 (Auto 80-1600)  
-Usability and expandability much like a D-SLR  
-Internal ND filter, COOLPIX Picture Control  
-สามารถถ่ายภาพรูรับแสงมุมกว้างแบบพิเศษได้เมื่อ  
ใช้สลิตรับภาพในตัว  
-VDO HD 1080p,30FPS, AVI format  
-จอแสดงภาพ TFT LCD 3.0" 921,000 dot  
-SD/SDHC/SDXC (Internal Mem15 MB)  
-EN-EL14 Rechargeable Li-Ion Battery(3500mAh)  
-Weight 399g, Inc.Batt & SDCard  
-Dimension 4.7 x 3.1 x 2.0 in.

SRP: 17,990.-

**FREE**  
SD Card 4GB  
+ Bag M

**Nikon COOLPIX AW130**

NIK-VNA840GA (Black)  
NIK-VNA841GA (Blue)  
NIK-VNA842GA (Orange)  
NIK-VNA843GA (Camouflage)  
NIK-VNA844GA (Yellow)

**16.0**

ล้านพิกเซล



เซนเซอร์ภาพ : 1/2.3 in. CCD, EXPEED C2  
Zoom : ออปติคาล 5X, Digital zoom up to 4X  
with NIKKOR Lens  
ทางยาวโฟกัส : 24-120 f/2.8 - 4.9  
ระบบโฟกัส : AF แบบตรวจจับคอนทราสต์  
ความไวแสง(ISO) : Auto 80-1600 (max 3200)  
ความเร็วชัตเตอร์ : 1/2000-1 วินาที 4 วินาที  
VDO : Full HD 1080/60i,30FPS, AVI format  
จอภาพ : LCD 3.0" 921,000 dot  
สื่อบันทึกข้อมูล : SD/SDHC/SDXC (Internal 473 MB)  
แหล่งพลังงาน : Li-Ion EN-EL12 (370mAh)  
Weight 221g, Inc.Batt & SDCard.  
Dimension 110.4, x66.0, x26.8  
คุณสมบัติพิเศษ(30 มม.) (กันกระแทก(2.1 มม.)  
ฟังก์ชันอัจฉริยะและสภาพอากาศที่หนาว (-10°C/14°F)  
พร้อมฟังก์ชันเชื่อมต่อได้กับระบบ Wi-Fi® และ NFC  
ระบบ GPS, GLONASS และ OZSS (ในตัวกล้อง  
พร้อมฟังก์ชันและแอปพลิเคชัน

SRP: 13,490.-

**FREE**  
SD Card 4GB  
+ Bag M

**Nikon COOLPIX A**

KIT-VNA230HA (Black)  
KIT-VNA231HA (Silver)

**16.2**

ล้านพิกเซล

กล้องถ่ายภาพที่สมบูรณ์แบบ  
กับระบบเซนเซอร์รุ่น DX

**FREE**  
SD Card 8GB



- Sensor 23.6 x 15.6 mm., CMOS,  
DX Format, EXPEED C2,  
- ซูมออปติคาล 5X, Digital zoom up to 4X  
with NIKKOR Lens  
- ทางยาวโฟกัส 18.5 มม. f/2.8  
(ทางยาวเทียบรูรับแสง 35 มม.)  
- ระบบลดการสั่นไหว VR Lens, 4 ED lens elements  
- ISO Auto 100 - 6400 (Auto 100 - 3200)  
- ฟิลเตอร์ 7 Bu 5 ช่อง ตัวกล้องออกแบบแบบ  
ออปติคาล DF-CF1  
- Electronic virtual horizon and a convenient  
grid display  
- VDO Full HD 1080p,30FPS, AVI format  
- จอแสดงภาพ LCD 3.0" 921,000 dot  
- พร้อมฟังก์ชันเชื่อมต่อได้กับระบบ D-SLR  
- SD/SDHC/SDXC, EN-EL20 Rechargeable  
Li-Ion Battery (230 mAh)

SRP: 36,900

**NIKON DSLR CAMERA**

**1 year Warranty**



**Nikon D610**

NIK-VBA430AH  
Body-Only



**SRP: 59,900.-**

**Nikon D610 KIT**

NIK-VBK430HH  
Body With LENS-KIT  
Lens W/24-85 VR KIT



**SRP: 75,900.-**

**FREE SDCard 16GB Class10**

- Max resolution : 6.016 x 4.016
- Low resolution : 1.968 x 1.112
- Effective pixels : 24.3 million
- Sensor photo detectors : 12.9 million
- Sensor size : 35.9 x 24.0 mm(Nikon FX format)
- Sensor type : CMOS EXPPEED 3
- Q (quiet)/Qc (quiet continuous)shutter-release mode
- Focus Multi-CAM4800 Focus 39 pts 1/8
- Lens : AF-S NIKKOR G.E. iiii D/AI-P NIKKOR
- Movie : FullHD 1920x1080p/30-fps AF-F Multi-area Mode
- ISO rating : 100 - 6400 in steps of 1/3 or 1/2 EV
- Min shutter : 30 sec
- Max shutter : 1/4000 sec
- LCD Size : 3.2" 921,000 dot Automatic lighting
- Weight (inc. batteries) : 850 g (1lb14.0 oz)EN-EL15
- Memory card: SD, SDHC, SDXC
- Built-in flash commander function enables a variety of creative lighting
- 6-fps continuous shooting

**Nikon D810**

NIK-VBA400AH (Black)  
Body-Only



**SRP: 109,000.-**

**FREE SDCard 16GB Class10**

- Effective pixels : 37 million (FX Format)
- Focus: 51 Point AF Nikon Advanced Multi-CAM 3500FX
- Max resolution : 7360, x4912
- Low resolution : 2400, x1600
- Sensor type : CMOS Exped 4
- Sensor size : 35.9 x 24.0 mm . 2.016pixel RGB
- ISO rating : Auto, 64-12800
- Min shutter : 30 sec
- Max shutter : 1/8000 sec
- Full HD 1080p . 60fps AF-F, 60i/50i MOV, H.264/MPEG-4 Advanced Video Coding
- LCD Size : 3.2" ( 921,000 Dot)
- External Memory : XQD/SDXC/SDHC/SD Max 256Gb.
- Weight (inc.batteries) : 980 g

**Nikon D3300**

NIK-VBA390AH (Black)  
NIK-VBA391AH (Red)  
NIK-VBA392AH (Grey)  
Body-Only



**SRP: 15,990.-**

**Nikon D3300 KIT**

NIK-VBK390XH (Black)  
NIK-VBK391XH (Red)  
NIK-VBK392XH (Grey)  
Body With LENS-KIT 18-55  
Lens AF-S DX 18-55 VR II



**SRP: 20,900.-**

**FREE SD Eye-Fi8GB + Case**

- Effective pixels : 24.2 million(DX Format)
- Focus: 11 Point AF(Dynamic 9) Multi-CAM 4.800DX
- Max resolution : 6,000 x 4,000
- Low resolution : 2,992 x 2,000
- Sensor type : CMOS Exped 4
- Sensor size : 23.5x5.6 mm, 2.016 px RGB
- ISO rating : Auto,100-12800(MAX 25600)
- Min shutter : 30 sec
- Max shutter : 1/4000 sec
- Full HD 1080p , 60fps AF-F, 60i/50i MOV
- LCD Size : 3" ( 921,000 Dot)
- SDXC / SDHC / SD Max 256Gb.
- EN-EL14a Battery

**Nikon D3200**

NIK-VBK330ZG (Black)  
Body With LENS-KIT 18-55 VR II



**SRP : 17,900.-**

**FREE SD Eye-Fi8GB + Case**

- ความละเอียด : 24.2 million (DX Format)
- ระบบโฟกัส : Multi-cam1000 Focus 11 จุด
- เซนเซอร์ภาพ : 23.1 x 15.4 mm CMOS Exped3
- ขนาดภาพ : Low resolution 2,992 x 2,000, Max resolution : 6,000 x 4,000
- ความไวแสง(ISO) : Auto 100 - 6,400 (max 12800)
- 3D Color matrix II
- Shutter Speed : Max shutter 1/4000 sec, Min shutter 30 sec
- VDO : Full HD 1920x1080, 24fps, 30/25/24fps AF-F
- ถ่ายภาพต่อเนื่อง : 5fps, L: สูงสุด 3 fps H: สูงสุด 5 fps
- แฟลช : Build in Flash
- จอภาพ : LCD Size : 3" ( 921,000 Dot)
- สื่อบันทึกข้อมูล : SDXC / SDHC / SD Max 256Gb.
- แหล่งพลังงาน : Li-Ion EN-EL14A Battery
- Weight : 445g Inc.Batt & SDCard

**Nikon D5200**

KIT-VBA350AH (Black)  
Body-Only



**SRP: 19,900.-**

**Nikon D5200 KIT**

KIT-VBK350XH (Black)  
KIT-VBK351XH (Red)  
KIT-VBK352XH (Broze)  
Body With LENS-KIT  
Lens NIKKOR 18-55mm f/3.5-5.6G VR II



**SRP : 24,900.-**

**Nikon D5200 KIT**

KIT-VBK350YH (Black)  
Body With LENS-KIT  
Lens AF-S DXVR 18-105/3.5-5.6G



**SRP : 30,900.-**

**FREE SD Card 4GB + Case**

- Effective pixels : 24.1 million (DX Format)
- Focus: 39 Point AF (Dynamic 9) Multi-CAM 4,800DX
- Max resolution : 6,000 x 4,000
- Low resolution : 2,992 x 2,000
- Sensor type : CMOS Exped 3
- Sensor size : 23.5 x 15.6 mm . 2.016pixel RGB
- ISO rating : Auto, 100 - 6400 (MAX 25600)
- Min shutter : 30 sec
- Max shutter : 1/4000 sec
- Full HD 1080p , 30fps AF-F, 60i/50i
- LCD Size : 3.0" (921,000-dot), Twist screen
- Effect Mode and Retouch Mode
- SDXC / SDHC / SD Max 256Gb.
- Weight (inc. batteries) : 555 g
- EN-EL14 Battery
- Wi-Fi Transfer and Remote control(Optional)

**Nikon D5300**

NIK-VBA370AH (Black)  
Body-Only



**SRP: 24,900.-**

**Nikon D5300 KIT**

NIK-VBK370XH (Black)  
NIK-VBK371XH (Red)  
NIK-VBK372XH (Grey)  
Body With LENS-KIT  
Lens NIKKOR 18-55mm f/3.5-5.6G VR II



**SRP: 29,900.-**

**Nikon D5300 KIT**

NIK-VBK370YH (Black)  
Body With LENS-KIT  
AF-S DX 18-140MM F3.5-5.6 ED VR LENS



**SRP: 34,500.-**

**FREE SD Card 4GB + Case**

- Effective pixels : 24.2 million (DX Format)
- Focus: 39 Point AF (Dynamic 9) Multi-CAM 4,800DX
- Max resolution : 6,000 x 4,000
- Low resolution : 2,992 x 2,000
- Sensor type : CMOS Exped 4
- Sensor size : 23.5 x 15.6 mm . 2.016pixel RGB
- ISO rating : Auto, 100 - 6400 (MAX 25600)
- Min shutter : 30 sec
- Max shutter : 1/4000 sec
- Full HD 1080p , 60fps AF-F, 60i/50i
- Effect Mode and Retouch Mode
- SDXC / SDHC / SD Max 256Gb.
- Weight (inc. batteries) : 555 g
- EN-EL14a Battery
- Built-in Wi-Fi and GPS feature

**Nikon D5500**

NIK-VBK440AG (Black)  
Body-Only



**SRP: 28,300.-**

**Nikon D5500 KIT**

NIK-VBK440XG (Black)  
Body With LENS KIT 18-55 VR II  
Lens AF-S DX 18-55 VR II



**SRP: 31,500.-**

**Nikon D5500 KIT**

NIK-VBK440XG (Black)  
Body With LENS-KIT 18-140  
AF-S DX 18-140MM F3.5-5.6 ED VR LENS



**SRP: 37,900.-**

**FREE SD Card 4GB + Case**

- ความละเอียด : 24.2 million (DX Format)
- ระบบโฟกัส : Focus: 39 Point AF (Dynamic 9) Multi-CAM 4,800DX
- เซนเซอร์ภาพ : 23.5 x 15.6 mm CMOS Exped 4
- ขนาดภาพ : Low resolution 2,992 x 2,000, Max resolution : 6,000 x 4,000
- ความไวแสง(ISO) : Auto, 100 - 6400 (MAX 25600)
- Shutter Speed : Max shutter 1/4000 sec, Min shutter 30 sec
- VDO : Full HD 1080p , 60fps AF-F, 60i/50i, MOV
- ถ่ายภาพต่อเนื่อง : 5fps, L: สูงสุด 3 fps H: สูงสุด 5 fps
- แฟลช : Build in Flash -3 ถึง +1 EV
- โดยรับแสงอัตโนมัติ 1/3 หรือ 1/2 EV
- จอภาพ : LCD Size : 3.2" (1,037,000-dot), Tough Screen ปรับหมุนได้
- สื่อบันทึกข้อมูล : SDXC / SDHC / SD Max 256Gb. (รองรับ UHS-I) 1 Slot
- แหล่งพลังงาน : Li-Ion EN-EL14a Battery Weight : 470g Inc.Batt&SDCard
- Dimension : 124, x97, x70 มม. Built-in Wi-Fi® and GPS feature
- โครงสร้างตัวหมวคทำด้วยคาร์บอนไฟเบอร์เพื่อความแข็งแรงทนทาน

**NIKON DSLR CAMERA**

**1 year Warranty**



**Nikon D7200 digital camera**  
NIK-VBA450AG  
Body-Only



**SRP: 41,900.-**

**Nikon D7200 KIT** **NEW**  
NIK-VBK450ZG  
Body With LENS-KIT 18-140  
AF-S DX 18-140MM F3.5-5.6 ED  
VR LENS



**SRP: 49,900.-**

**FREE SD Card 4GB + Case**

Effective pixels : 24.2 million (DX Format)  
Focus: 51 Point AF Nikon Advanced Multi-CAM 3500 II  
เซนเซอร์ภาพ : 23.5 x 15.6 mm CMOS Expeed 4  
รูปถ่ายรวม : Low resolution 2,992 x 2,000,  
Max resolution : 6,000 x 4,000  
ความละเอียด(ISO) : Auto 100-12800 (MAX 25600)  
Shutter Speed : Max shutter 1/8000 sec, Min shutter 30 sec  
VDO : Full HD 1080p, 60fps AF-F, 60i/50i, MOV  
ถ่ายภาพต่อเนื่อง : 6fps, L สูงสุด 3 fps H; สูงสุด 5 fps  
ใน Flash / Build in Flash, ช่วงแสงเคลือบผิวความใส  
สว่าง 1/250 และ 1/320 วินาที  
จอภาพ : LCD Size : 3.2" (1,229,000-dot)  
อินเตอร์เฟซข้อมูล : SDXC / SDHC / SD Max 256Gb.  
(รองรับ UHS-I) 2 Slot  
แบตเตอรี่พลังงาน : Li-Ion EN-EL15 Battery  
Weight : 765g Inc.Batt & SDCard Dimension :  
135.5 x 106.5 x 76 มม.  
Built-in Wi-Fi and NFC feature พร้อมใช้ถ่ายภาพผ่าน  
Wi-Fi App, Wireless Mobile Utility  
จอโตขนาด 5.1 นิ้วใหม่ มาพร้อมเลนส์ประสิทธิภาพดีเยี่ยม  
เพียงถ่ายในหนึ่งมือ

**Nikon D4S Digital camera**  
NIK-VBA400AH (Black)  
Body-Only



**SRP : 209,000.-**

**FREE SDCard 16GB Class10**

- Effective pixels : 16.2 million (FX Format)  
- Focus: 51 Point AF Nikon Advanced Multi-CAM 3500FX  
- Max resolution : 4928 x 3280  
- Low resolution : 2,992 x 2,000  
- Sensor type : CMOS Expeed 4  
- Sensor size : 36.0 x 23.9 mm, 2.016pixel RGB  
- ISO rating : Auto, 100 - 25600  
- Min shutter : 30 sec  
- Max shutter : 1/8000 sec  
- Full HD 1080p, 60fps AF-F, 60i/50i  
MOV, H.264/MPEG-4 - Advanced Video Coding  
- LCD Size : 3.2" (921,000 dot)  
- External Memory:SD/SDXC /SDHC/SD Max 256Gb.  
- Weight (inc. batteries) : 1,350 g  
- Dimensions 160 x 156.5 x 90.5 มม.  
- EN-EL18a Battery

**Nikon DF digital camera**  
NIK-VBA380AH (Black)  
NIK-VBA381AH (Silver)  
Body-Only



**SRP: 87,900.-**

**Nikon DF KIT**  
NIK-VBK380XH (Black)  
NIK-VBK381XH (Silver)  
Body With LENS-KIT  
AF-S 50MM F/1.8G LENS



**SRP: 95,900.-**

**FREE SDCard 16GB Class10**

- Effective pixels : 16.2 million (FX Format)  
- Focus: 39 Point AF(Dynamic9)  
Multi-CAM 4,800DX  
- Max resolution : 4928 x 3280  
- Low resolution : 1600 x 1064  
- Sensor type : CMOS Expeed 3  
- Sensor size : 36.0x23.9mm, 2.016px RGB  
- ISO rating : Auto,100-12800 (MAX 204800)  
- Min shutter : 30 sec  
- Max shutter : 1/4000 sec  
- Full HD 1080p, 60fps AF-F, 60i/50i  
- TFT LCD Size : 3.2"(921,000-dot)  
Polysilicon  
- SDXC / SDHC / SD Max 256Gb.  
- Weight (inc. batteries) : 765 g  
- EN-EL14a Battery

**Nikon DSLR D750**  
NIK-VBA420AG(Black)  
Body-Only



**SRP : 72,900.-**

**Nikon DSLR D750 Kit**  
NIK-VBK420XG(Black)  
Body with Lens Kit 24-120 4G  
AFS VR24-120/4G



**SRP : 89,990.-**

Max resolution : 6.016 x 4.016  
Low resolution : 1.968 x 1.312  
Effective pixels : 24.3 million  
Sensor size : 35.9 x 24.0 mm (Nikon FX format)  
Sensor type : CMOS Processor : EXPEED 4  
Focus : Auto Focus up to 51 จุด  
Lens : AF-S NIKKOR, G, E และ D, AI-P NIKKOR, DX, AI ชนิดไม่ปิด CPU  
Movie : Full HD 1920x1080p/30fps AF-F Multi-area Mode, MOV  
ISO rating : 100 - 12800 in steps of 1/3 or 1/2 EV  
Min shutter : 30 sec  
Max shutter : 1/4000 sec  
LCD Size : 3.2" 1,229,000 dot ปุ่มเชิงโต้  
Battery : EN-EL15 or AA alkaline  
Weight (inc. batteries) : 840 g (1 lb 13.7 oz)  
Dimension : 140.5 x 113 x 78 mm  
Memory card : SD, SDHC, SDXC (รองรับ UHS-1) วัสดุดีไฟคาร์บ 2 ชั้น  
Build in Wi-Fi สามารถถ่ายภาพความละเอียดได้ทันที  
กล้องรุ่นนี้มาพร้อม FX ที่นับแต่เลือกจะผลิต และนำออกมาจำหน่าย  
ถ่ายภาพต่อเนื่องด้วยความเร็วประมาณ 6.5 ภาพต่อวินาที

**FREE SDCard 16GB Class10**

DIGITAL CAMERA

**NIKON One**

**1 year Warranty**



**NIKON ONE AW1**



**FREE SD Card 8GB**

Sensor Size : CMOS sensor (13.2 x 8.8 mm) CX Format  
Effective pixels : 14.2 Megapixel high speed AF  
Processor : Expeed 3A  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : Continuous shooting 60 frames/second \*  
ISO : 100 – 3200, expandable to 100 – 6400  
Flash : Built-in flash (optional external flash or GPS)  
Water, Dust and shock proof Video : Full HD video at 1920 x 1080  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (921,000 pixels)  
Memory Support : SD/SDHC/SDXC  
Material : Magnesium-alloy body  
Battery : EN-EL20 (400 shots)  
Weight (inc. batteries) : 356 g  
Dimensions: 115mm

**NIKON ONE J1**



**New price**

**FREE SD Card 8GB+Bag**

Sensor Size : CMOS sensor (13.2 x 8.8 mm)  
Effective pixels : 10.1 Megapixel high speed AF  
Processor : Expeed 3  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : Continuous shooting 60 frames/second \*  
ISO : 100 – 3200, expandable to 100 – 6400  
Flash : Built-in flash (GN 5 at ISO 100)  
Video : Full HD video at 1920 x 1080  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (1,461,000 pixels)  
Memory Support : SD/SDHC/SDXC  
Material : aluminum body  
Battery : EN-EL20 (230 shots)  
Weight (inc. batteries) : 277 g  
\*when AF is locked on first exposure

**NIKON ONE J3**



**FREE SD Card 8GB**

Sensor Size : CMOS sensor (13.2 x 8.8 mm)  
Effective pixels : 14.2 Megapixel, Hybrid autofocus  
Processor : Expeed 3A, realizes high image quality  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : Auto, creative, with a choice options  
ISO : expandable to 160 – 6400  
Flash : Built-in flash (GN 5 at ISO 100), Built-in stereo microphone  
Video : Full HD video at 1920 x 1080  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (921,000 pixels)  
Memory Support : SD/SDHC/SDXC  
Material : aluminum body, sized for perfection  
Battery : Li-ion EN-EL20 (230 shots)  
Weight (inc. batteries) : 244 g

**NIKON ONE J4**

**NEW**



**FREE SD Card 8GB**

Sensor Size : CMOS sensor (13.2 x 8.8 mm)  
Effective pixels : 18.4 Megapixel, Hybrid autofocus 171 point  
Processor : Expeed 4A, realizes high image quality  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : Auto, creative, with a choice options  
ISO : expandable to 200 – 12800  
Flash : Built-in flash (GN 5 at ISO 100), Built-in stereo microphone  
Video : Full HD video at 1920 x 1080 MOV  
Controls : Full manual controls, including RAW (NEF) support  
TFT LCD Size : 3" (1,037,000 pixels) Tough screen  
Memory Support : SD/SDHC/SDXC  
Material : aluminum body, sized for perfection  
Battery : Li-ion EN-EL22 (230 shots)  
Weight (inc. batteries) : 232 g Dimension 99.5, x60.0, x28.5 mm

**NIKON ONE S1**



**FREE SD Card 8GB**

Sensor Size : CMOS sensor (13.2 x 8.8 mm)  
Effective pixels : 10.1 Megapixel, Advanced hybrid AF  
Processor : Expeed 3A, realizes high image quality  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : high-speed continuous shooting  
ISO : expandable to 100 – 6400  
Flash : Built-in flash (GN 5 at ISO 100), Built-in stereo microphone  
Video : Full HD video at 1920 x 1080  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (460,000 pixels)  
Memory Support : SD/SDHC/SDXC  
Special effects with live image control before shooting  
Battery : Li-ion EN-EL20 (230 shots)  
Weight (inc. batteries) : 240 g

**NIKON ONE S2**

**NEW**



**FREE SD Card 8GB**

Sensor Size : 13.2 x 8.8 mm  
Effective pixels : 14.2 Megapixel, Advanced hybrid AF 135 point  
Processor : CMOS sensor Expeed 4A  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : high-speed continuous shooting  
ISO : expandable to 200 – 28000  
Flash : Built-in flash (GN 5 at ISO 100), Built-in stereo microphone  
Video : Full HD video at 1920 x 1080 MOV  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (460,000 pixels)  
Memory Support : SD/SDHC/SDXC  
Special effects with live image control before shooting  
Battery : Li-ion EN-EL22 (230 shots)  
Weight (inc. batteries) : 230 g Dimension 101.0 x 60.8 x 29.4 mm

**NIKON ONE V2**



**FREE SD Card 8GB**

Sensor Size : CMOS sensor (13.2 x 8.8 mm)  
Effective pixels : 14.2 Megapixel high speed AF  
Processor : Expeed 3A  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : Continuous shooting 60 frames/second\*  
ISO : 100 – 3200, expandable to 100 – 6400  
Flash : Built-in flash (optional external flash or GPS)  
Viewfinder : Electronic viewfinder (1.44 million dots)  
Video : Full HD video at 1920 x 1080  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (921,000 pixels)  
Memory Support : SD/SDHC/SDXC  
Material : Magnesium-alloy body  
Battery : EN-EL21(400 shots)  
Weight (inc. batteries) : 338 g \*when AF is locked on first exposure

**NIKON ONE V3**

**NEW**



**FREE SD Card 8GB**

Sensor Size : CMOS sensor (13.2 x 8.8 mm)  
Effective pixels : 18.4 Megapixel, Hybrid autofocus 171 point  
Processor : Expeed 4A, realizes high image quality  
Speed Shutter : electronic shutter, 30 – 1/16000 sec  
Shooting : Auto, creative, with a choice options  
ISO : 200 – 12800  
Flash : Built-in flash (GN 5 at ISO 100), Built-in stereo microphone  
Viewfinder : Electronic viewfinder (1.44 million dots)  
Video : Full HD video at 1920 x 1080  
Controls : Full manual controls, including RAW (NEF) support  
LCD Size : 3" (1,037,000 pixels) Tough Screen USH/HUIR  
Memory Support : SD/SDHC/SDXC  
Material : Magnesium-alloy body  
Battery : EN-EL20A  
Weight (inc. batteries) : 324 g

	SRP Inc.VAT
<b>AW1 Black</b>	
Lens 11-27.5mm	25,900
Lens fix 10mm, 11-27.5mm,	30,900
<b>AW1 White</b>	
Lens 11-27.5mm	25,900
<b>AW1 Silver</b>	
Lens 11-27.5mm	25,900
<b>J1 Black</b>	
Lens Fix 10mm ,10-30 mm	11,900
<b>J1 White</b>	
Lens Fix 10mm ,10-30 mm	11,900
<b>J1 Silver</b>	
Lens Fix 10mm ,10-30 mm	11,900
<b>J1 Red</b>	
Lens Fix 10mm ,10-30 mm	11,900
<b>J3 Black</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J3 White</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J3 Red</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J3 Silver</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J3 Brown</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J4 Black</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J4 White</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>J4 Silver</b>	
Lens 10-30 mm	19,900
Lens 10-30mm ,30-110 mm	25,900
<b>S1 Black</b>	
Lens 10-30 mm	7,500
Lens 10-30mm ,30-110 mm	9,990
<b>S1 White</b>	
Lens 10-30 mm	7,500
Lens 10-30mm ,30-110 mm	9,990
<b>S1 Red</b>	
Lens 10-30 mm	7,500
Lens 10-30mm ,30-110 mm	9,990
<b>S1 Pink</b>	
Lens 10-30 mm	7,500
Lens 10-30mm ,30-110 mm	9,990
<b>S2 Black</b>	
Lens 10-30 mm	15,900
Lens 10-30mm ,30-110 mm	21,900
<b>S2 white</b>	
Lens 10-30 mm	15,900
Lens 10-30mm ,30-110 mm	21,900
<b>S2 Red</b>	
Lens 10-30 mm	15,900
Lens 10-30mm ,30-110 mm	21,900
<b>S2 Pink</b>	
Lens 10-30 mm	15,900
Lens 10-30mm ,30-110 mm	21,900
<b>V2 Black</b>	
Lens 10-30 mm,	30,900
Lens 10-30 mm., 30-110 mm.	35,900
<b>V2 White</b>	
Lens 10-30 mm,	30,900
Lens 10-30 mm., 30-110 mm.	35,900
<b>V3 Black</b>	
Lens 10-30 mm,	29,900
Lens 10-30mm PD Zoom Kit EVF+GRIP	41,900

## NIKON Camera &amp; Accessories

Nikon

P/N	Camera & Accessories	SRP	
<b>LENS - DX</b>			
JAA629DA	AF DX10.5/2.8G	23,900	By Order
JAA132DA	AFS DX35/1.8G	7,900	By Order
JAA637DA	AFS DXVR85/3.5G	19,900	By Order
JAA804DA	AFS DX10-24/3.5-4.5G	31,900	By Order
JAA784DA	AFS DX12-24/4G	36,900	By Order
JAA800DA	AFS DXVR16-85/3.5-5.6G	23,900	By Order
JAA788DA	AFS DX17-55/2.8G	46,900	By Order
JAA803DA	AFS DXVR18-55/3.5-5.6G	6,900	By Order
JAA796DA	AFS DX18-135/3.5-5.6G	17,300	By Order
JAA794DA	AFS DXVR18-200/3.5-5.6G	31,900	By Order
JAA813DA	AFS DXVR18-200/3.5-5.6GII	28,800	By Order
JAA812DA	AF-S DX 18-300 f/3.5-5.6G ED VR	39,900	By Order
JAA798DA	AFS DXVR55-200/4-5.6G	8,900	By Order
JAA793DC	AFS DX55-200/4-5.6G	10,700	By Order
JAA793DA	AF-S DX55-200G WH/CH	9,900	By Order
JAA814DA	AFS DXVR55-300/4.5-5.6G	11,900	By Order
JAA638DA	AF-S DX Micro 40 mm f/2.8G	9,500	By Order
JAA819DA	AF-S DX 18-140MM F3.5-5.6 ED VR LENS	19,400	
JAA820DA	AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	6,400	
JAA805DB	AF-S DX NIKKOR 18-105MM F/3.5-5.6G ED VR <b>NEW</b>	12,900	
JAA821DA	AFS DX 18-300 f/3.5-6.3G LENS ED VR <b>NEW</b>	29,900	
JAA819DA	AF-S DX 18-140MM F3.5-5.6 ED VR LENS <b>NEW</b>	19,400	
<b>LENS - FIX FOCAL LENGTH</b>			
JAA130DA	AF 14/2.8D	50,500	By Order
JAA626DA	AF Fisheye16/2.8D	24,900	By Order
JAA126DA	AF 18mm f/2.8D	44,600	By Order
JAA127DA	AF 20/2.8D	18,900	By Order
JAA108AA	AF 20 f/2.8D	18,900	By Order
JAA131DA	AFS 24/1.4G	78,900	By Order
JAA110AC	AF 24 f/2.8D	13,900	By Order
JAA125DA	AF 24/2.8D	13,900	By Order
JAA135DA	AF-S 28/1.8G	24,900	By Order
JAA128DA	AF 28/2.8D	8,900	By Order
JAA134DA	AFS 35/1.4G	63,900	By Order
JAA129DA	AF 35/2D	10,900	By Order
JAA015DA	AF-S 50MM F/1.8G LENS	7,500	By Order
JAA013DA	AF 50/1.8D	4,500	By Order
JAA014DA	AFS 50/1.4G	17,500	By Order
JAA011DB	AF 50/1.4D	10,900	By Order
JAA136DA	AF-S 58/1.4G	55,500	
JAA328DA	AF 85/1.8D	13,900	By Order
JAA328DB	AF 85/1.8D	13,900	By Order
JAA332DA	AF 85/1.4D	34,900	By Order
JAA338DA	AFS 85/1.4G	62,900	By Order
JAA341DA	AF-S 85 f/1.8G	15,900	By Order
JAA327DA	AF DC105/2D	31,900	By Order
JAA329DA	AF DC135/2D	36,900	By Order
JAA330DA	AF 180/2.8D	32,500	By Order
JAA138DA	AF-S NIKKOR 20MM F/1.8G ED	29,900	
<b>LENS - MICRO</b>			
JAA632DA	AFS MC60/2.8G	21,900	By Order
JAA632DB	AFS MC60/2.8G	21,900	By Order
JAA630DB	AFS VRMC105/2.8G	29,900	By Order
JAA624DA	200MM F4 AF MICRO-NIKKOR D IF-	46,900	By Order
JAA625DA	AF MC60/2.8D	14,500	By Order
<b>LENS - ZOOM</b>			
JAA801DA	AFS 14-24/2.8G	61,000	By Order
JAA802DA	AFS 24-70/2.8G	56,900	By Order
JAA806DA	AFS VR16-35/4G	44,900	By Order
JAA811DA	AFS VR24-120/4G	44,900	By Order
JAA816DA	AF-S 24-85/3.5-4.5G VR	19,900	By Order
JAA815DA	AF-S 70-200/4G VR	51,900	
JAA817DA	AFS NIKKOR 80-400MM F/4.5-5.6G ED VR	83,200	
JAA808DA	AFS VR28-300/3.5-5.6G	35,900	By Order
JAA807DA	AFS VR70-200/2.8GII	82,900	By Order
JAA781DA	AFS VR70-200/2.8G	61,900	By Order
JAA781DB	AF-S VR ZOOM-NIKKOR 70-200MM	72,900	By Order
JAA795DA	AFS VR70-300/4.5-5.6G	20,900	By Order
JAA776DC	AF 70-300/4.5.6G- BLACK	5,200	By Order
JAA776DB	AF 70-300mm f/4-5.6G (S)	5,200	By Order
JAA764DA	AF 70-300mm f/4-5.6D ED	14,200	By Order
JAA818DA	AF-S 18-35MM F/3.5-4.5G ED LENS	22,900	By Order
JAA762DA	AF 80-200/2.8D	33,900	By Order
JAA771DA	AF VR80-400/4.5-5.6D	49,500	By Order
JAA770DA	AFS 17-35/2.8D	51,900	By Order
JAA767DA	AF-S 28-70mm f/2.8D IF-ED	57,700	By Order
JAA772DA	AF 18-35/3.5-4.5D	22,200	By Order
JAA774DA	AF 24-85/2.8-4D	20,900	By Order
JAA780DC	AF-S 24-85mm f/3.5-4.5G IF-ED	14,600	By Order
JAA782DA	AFS VR24-120/3.5-5.6G	21,500	By Order
JAA778DD	AF 28-100mm f/3.5-5.6G (B)	4,200	By Order
JAA766DA	AF 28-105mm f/3.5-4.5D IF	14,500	By Order
JAA783DF	AF 28-200mm f/3.5-5.6G IF-ED (B)	12,300	By Order
JAA783DE	AF 28-200mm f/3.5-5.6G IF-ED (S)	12,300	By Order
JAA818DA	AF-S 18-35MM F/3.5-4.5G ED LENS	22,900	
JAA815DA	AF-S 70-200/4G VR	51,900	
JAA817DA	AFS NIKKOR 80-400MM F/4.5-5.6G ED VR	83,200	
JAA818DA	AF-S 18-35MM F/3.4.5G ED LENS <b>NEW</b>	29,900	

**NIKON Camera & Accessories**



DIGITAL CAMERA

P/N	Camera & Accessories	SRP	
<b>LENS - ZOOM</b>			
JAA136DA	AF-S 58/1.4G	55,500	
JAA137DA	AF-S 35/1.8G (R356)	19,900	
JAA016DA	AF-S 50MM F/1.8G LENS (SPECIAL EDITION)	9,990	
JAA342DA	AF-S 300/4 <b>NEW</b>	57,900	
JAA532DA	AF-S NIKKOR 400MM F/2.8E FL ED VR (R156) <b>NEW</b>	429,000	
<b>LENS - TELEPHOTO</b>			
JAA336DA	AFS VR200/2G	172,000	By Order
JAA340DA	AFS VR200/2G II	230,000	By Order
JAA334DA	AFS 300/4D	37,900	By Order
JAA334DB	AF-S 300F4D ED(GRAY)	47,000	By Order
JAA339DA	AFS VR300/2.8GII	209,000	By Order
JAA337DA	AFS VR300/2.8G	177,100	By Order
JAA528DA	AFS VR400/2.8G	295,000	By Order
JAA529DA	AFS VR500/4G	275,000	By Order
JAA530DA	AFS VR600/4G	329,000	By Order
JAA809DA	AFS VR200-400/4GII	269,000	By Order
JAA787DA	AFS 200-400/4G	253,000	By Order
JAA531DA	AF-S 800MM F/5.6G ED VR LENS	564,000	By Order
JAA342DA	AF-S 300/4 <b>NEW</b>	57,900	
JAA532DA	AF-S NIKKOR 400MM F/2.8E FL ED VR (R156) <b>NEW</b>	429,000	
<b>LENS - PC-E</b>			
JAA631DA	PCE 24/3.5D	82,000	By Order
JAA633DA	PCE 45/2.8D	82,000	By Order
JAA634DA	PCE MC85/2.8D	84,300	By Order
JAA628DA	PC MICRO NIKKOR 85MM F2.8D /W	50,900	By Order
<b>TELECONVERTER</b>			
JAA910DA	TC-14EII	16,200	By Order
JAA912DA	TC-17EII	16,200	By Order
JAA911DA	TC-20EII	16,200	By Order
JAA913DA	TC-20E III	21,900	By Order
<b>FLASH Speed Light</b>			
FSA04001	SB-910	17,900	By Order
FSA04201	SB-500 SPEED LIGHT <b>NEW</b>	7,612	By Order
FSA03901	SB-700 SPEEDLIGHT	12,900	By Order
FSW53801	SU-800 WIRELESS SPEEDLIGHT	16,000	By Order
FSA906CA	R1C1	28,900	By Order
FSA906BA	R1	28,900	By Order
FSA90601	SB-R200 SPEEDLIGHT	7,900	By Order
FSA04101	SB-300 SPEEDLIGHT	5,590	
<b>BATTERY</b>			
VAW12003	EN-EL1	2,200	By Order
VAW13303	EN-EL2 RECHARGEABLE LI-ION BATTERY	2,400	By Order
VAW13405	EN-EL3e	2,600	By Order
VAW15403	EN-EL4A	5,900	By Order
VAW15703	EN-EL5	1,400	By Order
VAW18203	EN-EL8	1,400	By Order
VFB10201	RECHARGEABLE BATTERY EN-EL9A	2,100	By Order
VAW19103	EN-EL9	1,900	By Order
VFB10103	EN-EL10	1,000	By Order
VFB10303	EN-EL11	1,000	By Order
VFB10403	RECHARGEABLE BATTERY EN-EL12	1,100	By Order
VFB10403	EN-EL12 (FOR P310, S9300, S6300, S800c, AW100)	1,100	By Order
VFB10702	EN-EL15 (FOR D800, D600, D7000, V1)	2,400	By Order
VFB11201	EN-EL20 (FOR J1/J2)	1,800	By Order
VFB11402	Battery EN-EL14A (FOR Df, D5300, D3300)	1,290	
<b>CHARGER</b>			
VAK146EA	QUICK CHARGER MH-18A (E)	2,300	By Order
VAK120EA	MH-19 (D700/D300s/D300/D200/D90/D80/D70s/D70/D50/D100)	10,500	By Order
VAK134EA	QUICK CHARGER MH-21 (E)	5,100	By Order
VAK165EA	QUICK CHARGER MH-22 (E)	9,100	By Order
VEA001EA	QUICK CHARGER MH-23(E)	1,800	By Order
VEA006EA	BATTERY CHARGER MH-24 (EA)	1,800	By Order
VEA006EB	BATTERY CHARGER MH-24 (UK)	1,800	By Order
VEA008EA	BATTERY CHARGER MH-25 (EA)	2,200	By Order
VAK136EA	QUICK CHARGER MH-61 (E)	1,100	By Order
VEA002EA	BATTERY CHARGER MH-63 (E) SET	1,100	By Order
VAK144EA	MH-71(E) BATTERY CHARGER SET	1,100	By Order
VEA004EA	BATTERY CHARGER MH-65 (E)	1,100	By Order
VEA012EA	BATTERY CHARGER MH-66 (E) (FOR S3300, S2600)	1,400	By Order
VEA013EA	BATTERY CHARGER MH-27 (E) (FOR J1)	1,700	By Order
<b>AC ADAPTER</b>			
VAK121EA	AC ADAPTER EH-5 (E) SET	2,800	By Order
VEB002EA	EH-5A(E) SET	3,400	By Order
VAK133EA	EH-6(E) SET AC ADAPTOR	3,600	By Order
VAK137EA	EH-62A(E) AC ADAPTER SET	1,200	By Order
VAK157EA	AC ADAPTER EH-64(E) SET	1,000	By Order
VAK158EA	AC ADAPTER EH-65A(E) SET	1,400	By Order
VEB016EA	AC ADAPTER EH-5B €	2,800	By Order
VEB017EA	AC ADAPTER EH-6B (E)	3,000	By Order
VEB004EA	AC ADAPTER EH-62F (E) SET	1,200	By Order
VEB013EA	AC ADAPTER EH-62G(E) SET	1,400	By Order
VEB014EA	EH-69P (E) CHARGING AC ADAPTER	1,000	By Order
VEB00801	EP-5A POWER CONNECTOR	1,500	By Order
VEB00901	EP-5B POWER CONNECTOR (FOR D800, D7000, V1)	1,700	By Order
VEB01501	EP-5C POWER CONNECTOR (FOR J1)	1,100	By Order
VEB01801	POWER CONNECTOR EP-5D	1,500	By Order
VEB010EA	EH-68P CHARGING AC ADAPTER	1,000	By Order
<b>BATTERY PACK</b>			
VAK16801	MB-D10 BATTERY PACK FOR D300	9,500	By Order
VFC00101	BATTERY PACK MB-D11	8,500	By Order



## NIKON Camera &amp; Accessories

Nikon

P/N	Camera & Accessories	SRP	
VFC00201	BATTERY PACK MB-D12 (FOR D800,D800E)	13,500	By Order
VAK16301	BATTERY PACK MB-D80	7,500	By Order
VAK15401	BATTERY PACK MB-D200	8,000	By Order
FSW02401	BATTERY PACK SD-9	9,500	By Order
VFC00301	BATTERY PACK MB-D14 (FOR D600)	9,900	By Order
VFC00201	BATTERY PACK MB-D12 (FOR D800E)	13,500	
VFC00301	BATTERY PACK MB-D14 (FOR D600)	9,900	
VFC00401	MULTI-POWER BATTERY PACK MB-D15	8,900	
VFB11702	EN-EL23 (FOR P600)	1,800	
<b>GPS</b>			
VWD100BW	GPS UNIT GP-1	7,800	By Order
VDG00101	GP1-CA10 FOR GP1	1,800	By Order
VAG12301	MC-35	5,300	By Order
VWD102BW	GPS UNIT GP-1A	7,800	
VDG00201	GP1-CA90 FOR GP1	1,800	
VWD10101	GP1-CL1 FOR GP1	400	
<b>MICROPHONE</b>			
VBW30001	STEREO MICROPHONE ME-1	4,990	By Order
<b>MONITOR COVER</b>			
VAW12303	BM-3 LCD MONITOR COVER	450	By Order
VAW12304	BM-4 LCD MONITOR COVER	400	By Order
VAW12305	BM-5	500	By Order
VAW12306	BM-6	500	By Order
VAW12307	BM-7	500	By Order
VAW19901	LCD MONITOR COVER BM-8	500	By Order
VBW20001	BM-9 LCD MONITOR COVER	500	By Order
VBW21001	LCD MONITOR COVER BM-10	500	By Order
VBW23001	LCD MONITOR COVER BM-11	500	By Order
VBW80001	SHOE COVER BS-2	400	By Order
<b>REMOTE CORD</b>			
FRG20401	MC-22 REMOTE CORD W/PIN PLUGS	2,200	By Order
FRG21101	MC-30 REMOTE RELEASE CORD FOR	2,800	By Order
FRG21601	REMOTE CODE MC-36	8,900	By Order
VAW18101	REMOTE CODE MC-DC1	1,000	By Order
VDR00101	REMOTE CORD MC-DC2	1,000	By Order
<b>REMOTE CONTROL</b>			
FRW20101	ML-3 MODULITE REMOTE CONTROL SET W/ CASE	6,500	By Order
FFW002AA	ML-L3 REMOTE CONTROL W/CML-L3	900	By Order
<b>WIRELESS TRANSMITTER</b>			
VAK135AA	WT-1 (for D2H)	24,250	By Order
VAK145AA	WIRELESS TRANSMITTER WT-2	40,600	By Order
VAK155UA	WIRELESS TRANSMITTER WT-3A SET	34,600	By Order
VWA100GC	WIRELESS TRANSMITTER WT-4E SET	35,400	By Order
VWA102AU	WIRELESS MOBILE ADAPTER WU-1A	2,200	By Order
VWA102AU	WIRELESS MOBILE ADAPTER WU-1A	2,200	By Order
VWA102BU	WIRELESS ADAPTER WU-1B (FOR D600, V2)	2,200	By Order
VBJ003AE	WIRELESS REMOTE CONTROLLER WR-T10 (B)	2,800	By Order
VBJ004AE	WIRELESS REMOTE CONTROLLER WR-R10 (B)	3,800	By Order
VWD00701	WR ADAPTER WR-A10	2,200	By Order
VBJ004BE	WIRELESS REMOTE CONTROLLER SET(B) WR-10	6,590	By Order
<b>VIEWFINDER EYEPIECE</b>			
FAF20202	DG-2 EYEPIECE MAGNIFIER	2,100	By Order
FAF50801	DK - 2 (for D2Xs, D2X, D2Hs, D2H, D1X, D1H, D1)	400	By Order
FAF50402	DK-3 RUBBER EYECUP FOR FA, FE2	400	By Order
FAF51001	DK-7 EYEPIECE ADAPTER FOR F4,	400	By Order
FXA10340	DK-17	800	By Order
FAF51401	DK-17A ANTIFOG FINDER EYEPIECE	1,200	By Order
FAF51601	DK-17M	1,700	By Order
FAF51501	DK-19	650	By Order
VXA13086	DK-20	200	By Order
VXA13087	DK-21	200	By Order
VAF00321	DK-21M	1,000	By Order
FAF50501	DK-22	520	By Order
VBW10001	RUBBER EYECUP DK-23	300	By Order
VBW10002	RUBBER EYECUP DK-24	250	By Order
FAF20501	DR-5 RIGHT ANGLE VIEWING	10,600	By Order
FAF20601	DR-6 RIGHT-ANGLE VIEWING	10,300	By Order
<b>LENS HOOD</b>			
JAB70701	HB-7 77MM BAYONET LENS HOOD	1,000	By Order
JAB71901	HB-19 77MM BAYONET LENS HOOD	2,200	By Order
JAB72301	HB-23 77MM BAYONET LENS HOOD	1,800	By Order
JAB73101	HB-31 77MM BAYONET LENS HOOD	2,200	By Order
JAB73201	HB-32 LENS HOOD (FOR DX18-105 VR)	500	
JAB73601	HB-36	1,400	By Order
JAB73701	HB-37 FOR AF-S DX VR 55-200	600	By Order
JAB73801	HB-38	800	By Order
JAB73901	LENS HOOD HB-39	1,500	By Order
JAB74001	HB-40 HOOD FOR ED-24-70/2.8G	2,200	By Order
JAB74501	HB-45 for AF-S DX VR18-55mm f/3.5-5.6G	850	By Order
JAB74651	HB-46 LENS HOOD (FOR DX35 f/1.8G)	800	By Order
JAB74801	HB-48 LENS HOOD for AF-S 70-200 VR II	1,500	By Order
JAB75001	HB-50 LENS HOOD (FOR 28-300VR)	1,400	By Order
JAB75501	HB-55 LENS HOOD (FOR 85 f/1.4G)	1,400	By Order
JAB75701	HB-57 LENS HOOD	900	By Order
JAB76101	HB-61 LENS HOOD for AF-S DX Micro 40	1,200	By Order
JAB76201	HB-62 LENS HOOD (FOR AF-S 85 f/1.8G)	1,400	By Order

**NIKON Camera & Accessories**



DIGITAL CAMERA

P/N	Camera & Accessories	SRP	
JAB76301	HB-63 LENS HOOD (FOR AF-S 24-85 VR)	1,400	By Order
JAB76401	HB-64 LENS HOOD (FOR AF-S 28 f/1.8G)	1,400	By Order-
<b>LENS TELECONVERTER</b>			
VAF00211	TELE CONVERTER TC-E2 (for 5000/4500/4300/995/990/950/885/880)	5,100	By Order
VAF00221	TELE CONVERTER TC-E3ED	10,280	By Order
VAF00261	TELE CONVERTER TC-E15ED (for 8700/5700/5400)	6,600	By Order
VAF00291	TELE CONVERTER TC-E17ED (for 8800)	25,000	By Order
VAF00202	FISHEYE CONVERTER FC-E8 (for 5000/4500/4300/995/990/950/885/880)	10,950	By Order
VAF00201	WIDE CONVERTER WC-E24 (for 4500/4300/995/990/950/885/880)	3,230	By Order
VAF00231	WIDE CONVERTER WC-E63 (for 4500/4300/995/990/950/885/880)	4,880	By Order
VAF00331	WIDE CONVERTER WC-E67	4,700	By Order
VAF00241	WIDE CONVERTER WC-E68 (for 5000/4500)	6,600	By Order
VAF00251	WIDE CONVERTER WC-E80 (for 8700/5700/5400)	6,600	By Order
<b>STEP RING ADAPTER</b>			
VAW11701	STEP UP RING UR-E1 (for 700)	600	By Order
VAW12201	STEP DOWN RING LENS ADAPTER UR-E2 (for 880)	450	By Order
VAW12401	CONVERTER ADAPTER UR-E3 (for 775)	450	By Order
VAW12501	STEP DOWN RING ADAPTER UR-E4 (for 4300/885)	450	By Order
VAW12701	STEP DOWN RING LENS ADAPTER UR-E5 (for 5000)	600	By Order
VAW12801	STEP DOWN RING LENS ADAPTER UR-E6 (for 5000)	600	By Order
VAW13801	STEP DOWN RING LENS ADAPTER UR-E8 (for 8700/5700)	600	By Order
VAW15001	STEP UP RING LENS ADAPTER UR-E9 (for 5400)	600	By Order
VAW15011	STEP UP RING LENS ADAPTER UR-E10 (for 5400)	600	By Order
VAW15301	STEP DOWN RING LENS ADAPTER UR-E12 (for 8700/5700)	750	By Order
VAW17301	STEP DOWN RING LENS ADAPTER UR-E14 (for 8400)	1,000	By Order
VAW17701	STEP DOWN RING LENS ADAPTER UR-E16 (for 8400)	1,200	By Order
VAW17401	STEP DOWN RING LENS ADAPTER UR-E17 (for 8800)	1,300	By Order
VAW17801	STEP DOWN RING LENS ADAPTER UR-E18 (for 8800)	1,300	By Order
VAW20001	ADAPTER RING UR-E20	1,200	By Order
VAW20101	ADAPTER RING UR-E21	1,200	By Order
VAW20801	ADAPTER RING UR-E22	1,200	By Order
<b>FILTER</b>			
FTA07101	52MM SOFT 1	2,700	By Order
FTA07701	52MM FILTER NC	850	By Order
FTA70101	58MM FILTER NC	950	By Order
FTA11301	62MM CIRCULAR	4,040	By Order
FTA11401	62MM FILTER NC	1,190	By Order
FTA11501	62MM CIRCULAR POLARIZING	4,900	By Order
FTA13201	67MM CIRCULAR POLARIZING	4,800	By Order
FTA13101	67MM FILTER NC	1,290	By Order
FTA16501	72MM CIRCULAR	7,300	By Order
FTA16601	72MM FILTER NC	1,990	By Order
FTA16701	72MM CIRCULAR POLARIZING	5,900	By Order
FTA60701	77MM CIRCULAR	8,600	By Order
FTA61001	77MM CIRCULAR POLARIZING	7,000	By Order
FTA60801	77MM FILTER NC	2,190	By Order
<b>USB CABLE</b>			
VAG11401	UC-E4	900	By Order
VAG11701	UC-E6	350	By Order
VAG12501	UC-E10	400	By Order
VDU00401	USB CABLE UC-E14 (FOR D800) USB 3.0	1,200	By Order
VDU00601	USB CABLE UC-E16 (FOR L810, L26, S30)	400	By Order
VDU10001	AV/USB CABLE UC-E12 (M/CHINA)	600	By Order
<b>VIDEO CABLE</b>			
VDA00801	EG-CP14 AV CABLE (FOR D5100, D3200, COOLPIX)	250	By Order
<b>EXTENSION RING</b>			
FPW00902	PK-13 AUTO EXTENSION RING	3,200	By Order
<b>FLASH SYNC CORD</b>			
FSG01801	SC-17	2,700	By Order
FSG01901	SC-18	1,900	By Order
FSG02001	SC-19	2,200	By Order
FSG02601	SC-28 TTL REMOTE CORD	2,200	By Order
FSG02701	SC-29 TTL REMOTE CORD	4,100	By Order
FSG02801	SC-30	5,300	By Order
<b>SOFTWARE</b>			
VSA590HA	CAPTURE NX 2 (HA)	7,200	By Order
VSA591HA	CAPTURE NX 2 (HA) UP	4,200	By Order
VSA78004	NIK COLOR EFEX PRO 2.0 STANDARD EDITION	3,200	By Order
VSA78104	NIK COLOR EFEX PRO 2.0 SELECT EDITION	5,000	By Order
VSA78204	NIK COLOR EFEX PRO 2.0 COMPLETE EDITION	9,500	By Order
VSA562AA	Authentication Software	19,800	By Order
VSA56101	Camera Control Pro	3,400	By Order
VSA56401	Camera Control Pro2	7,500	By Order
<b>FLASH ACCESSORIES</b>			
FSW54301	WG-AS1 WATER GUARD (for D3x, D3s, D3)	800	By Order
FSW54401	WG-AS2 WATER GUARD (for D300s, D300)	800	By Order
FSW54501	WG-AS3 WATER GUARD (for D700)	800	By Order
FSW54101	AS-21 SPEEDLIGHT STAND	350	By Order
FXA10373	SW-13H BOUNCE ADAPTER	800	By Order
<b>CAMERA ACCESSORIES</b>			
FWE51801	AH-4 CAMERA HAND STRAP FOR	3,400	By Order
VAW19601	B TYPE SCREEN FOR D3	1,350	By Order
VAW19701	E TYPE SCREEN FOR D3	1,350	By Order





## NIKON Camera &amp; Accessories

Nikon

P/N	Camera & Accessories	SRP	
FXA10347	BL-3 BATTERY CHAMBER COVER (MB-D10/D700, D300s)	1,500	By Order
VAW19801	BL-4 BATTERY CHAMBER (D3 Series)	1,000	By Order
VFD10003	BL-5 BATTERY CHAMBER COVER (MB-D12/D800)	1,000	By Order
VFD10004	BL-6 BATTERY CHAMBER (D4)	1,200	By Order
JXA10092	BF-3A	400	By Order
FAD00401	BF-1B BODY CAP	300	By Order
<b>LENS CAP</b>			
JXA10091	front cap for AF14	1,200	By Order
JXA10101	AF-S 14-24/2.8G LENS CAP	1,000	By Order
JAD50301	LF-4 REAR LENS CAP	300	By Order
JAD10101	LC-52 Lens Cap	500	By Order
JAD10201	LC-58 Lens Cap	300	By Order
JAD10301	LC-62 Lens Cap	300	By Order
JAD10401	LC-67 Lens Cap	500	By Order
JAD10501	LC-72 Lens Cap	600	By Order
JAD10601	LC-77 Lens Cap	800	By Order
JAD50101	LF-1 (S) Rear Lens Cap	400	By Order
VAD01001	LC-CP24 (FOR P510)	500	By Order
VAD01101	LC-CP25 (FOR L810)	400	By Order
<b>HOT SHOE CAP</b>			
FXA10312	BS-1 SHOE COVER	100	By Order
<b>CAMERA STRAP</b>			
2A000647	WIDE DIGITAL STRAP BLACK	900	By Order
2A000648	WIDE DIGITAL STRAP GRAY	900	By Order
2A000661	DSLR LEATHER STAP (BK)	700	By Order
2A000662	DSLR LEATHER STAP (BR)	700	By Order



## Nikon Binoculars

Nikon

P/N	Camera & Accessories	SRP	
<b>BINOCULARS</b>			
BAA577AA	NIKON BINOCULARS 7x50 IF WP	16,900	
BAA580AA	NIKON BINOCULARS 7x50 IF WP COMPASS	21,900	
BAA616AA	NIKON BINOCULAR MONARCH 10X36	9,500	
BAA630EA	SPRINT IV 8x21 SILVER	1,900	
BAA631EA	SPRINT IV 10X21 CF SILVER	2,200	
BAA650AA	ACTION VII 7X35 CF	2,700	
BAA650AD	NIKON BINOCULARS ACTION 7X35CF GREEN	2,800	
BAA651AA	ACTION VII 8X40 CF	3,000	
BAA656AA	BINOCULARS ACTION VII 7-15X35CF	4,800	
BAA657AA	BINOCULARS ACTION VII 10-22X50 ZOOM	5,500	
BAA658AA	ACTION VII 10X40CF	3,500	
BAA661AA	EX 8X40CF NIKON BINOCULAR ACTION	5,300	
BAA663AA	EX 10X50CF NIKON BINOCULAR ACTION	6,000	
BAA680AA	SPORT LITE 8x25 DCF (METALLIC BLACK)	2,800	
BAA681AA	SPORT LITE 10x25 DCF (METALLIC BLACK)	3,100	
BAA704AA	TRAVELITE EX 8X25	4,500	
BAA710AA	SPORTSTAR EX 8x25 DCF (CHAR.GREY)	3,600	
BAA711AA	SPORTSTAR EX 10x25 DCF (CHAR.GREY)	3,900	
BAA760AC	BINOCULARS MONARCH 8X42 DCF	9,900	
BAA761AC	BINOCULARS MONARCH 10X42 DCF	10,900	
BAA574AA	NIKON BINOCULARS 7X50CF WP	9,500	
BAA575EA	NIKON BINOCULARS 7X50CF WP COMPASS1	11,900	
<b>FIELDSCOPE</b>			
BDA132AA	EDG FIELDSCOPE 85 W/CASE	109,900	
BDA321FA	PROSTAFF 5 FIELDSCOPE 82-A	14,900	
BDA323FA	PROSTAFF 5 FIELDSCOPE 60-A	11,500	
BDB805AA	FEP 20-60 EYEPIECE FOR EDG FIELDSCOPE	42,000	
BDB90075	20-60X/25-75X EYEPIECE MC2 FOR	13,900	
<b>LASER RANGE FINDER</b>			
BKA083AA	LASER RANGE FINDER LASER 550	9,900	
BKA080AA	LASER RANGE FINDER LASER 350G	9,900	
BKA093YA	LASER RANGEFINDER FORESTRY PRO	13,900	
BKA115SA	LASER RANGEFINDER COOLSHOT	9,900	
BKA117SA	LASER RANGEFINDER PROSTAFF 5	9,900	
<b>LOUPE (กล้องส่องทางไกล)</b>			
BEA20001	PRECISION LOUPE 10X	2,900	



**Olympus DIGITAL CAMERA**

**SLR-type mirrorless**

**1 year Warranty**

16.1 megapixels



**E-M5(OM-D)Body**  
OLP-E-M5 Body-BLK  
OLP-E-M5 Body-SLV

**SRP: 27 ,990.-**

16.1 megapixels  
CMOS  
4,608 x 3,456  
(Auto 200-25,600)  
Micro 4/3 Lens Mount  
3" (610,000 dot) Touch control in  
electrostatic capacitance type OLED

**E-M5(OM-D)Pro 12-40mm**  
OLP-E-M5-1240-BLK

**SRP: 52,990.-**

1.44 MP (EVF) features a  
high resolution  
1/4000 sec  
SD/SDHC/SDXC  
High Image quality, Fast AF,  
5-AXIS IMAGE STABILIZATION

**E-M5(OM-D) 12-50mm**  
OLP-E-M5-1250-BLK  
OLP-E-M5-1250-SLV

**SRP: 34,990.-**

16.3 megapixels



**E-M1 Body**  
OLP-E-M1(G)BLK

**SRP : 44,990.-**

Focus: Dual fast focus at 81 points  
Max resolution : 4608 x 3456  
Low resolution : 720 x 960  
Sensor type : 4/3 Live MOS sensor.  
True Pic VII  
Sensor size : 17.3 x 13.0 mm  
ISO rating : 200-25600, 1/3stop  
Min shutter : 60 Sec.

**E-M1(OM-D) 12-40mm**  
OLP-E-M1-1250K-BLK

**SRP : 52,990.-**

Max shutter : 1/8000 Sec.  
Full HD 1080p . 30fps  
LCD Size : Clear view LCD II 3.0"  
(1,037,000-dot).  
SDXC / SDHC / SD Max 256Gb.  
Weight (inc. batteries) : 497 g  
Li-ion BLN-1 Battery (250 Pic)  
Wi-Fi Transfer and Remote control(Optional)

**E-M1(OM-D) 12-50mm**  
OLP-E-M1-1240K-BLK

**SRP : 71,990.-**

**FREE Film กับรอย  
พร้อมรูป:กันจอแตก(จำนวนจำกัด)**

16.1 megapixels



**OM-D E-M10**  
OLP-E-M10-BLK  
OLP-E-M10-SLV

**SRP : 24,990.-**

Focus: Dual fast focus at 81 points.  
High-speed imager AF  
Max resolution : 4608 x 3456  
Low resolution : 640 x 480  
Sensor type : 4/3 Live MOS sensor.  
True Pic VII  
Sensor size : 17.3 x 13.0 mm  
ISO rating : 200-25600, 1/3stop  
Max shutter : 1/4000 Sec.  
Min shutter : 60 Sec.  
VDO: Full HD 1080p . 30fps  
MOV(MPEG-4AVC/H.264) .  
AVI(Motion JPEG)

**OM-D E-M10 14-42mm**  
OLP-E-M10-1442-BLK  
OLP-E-M10-1442-SLV

**SRP : 29,990.-**

LCD Size : หน้าจอขนาด 3.0 นิ้ว  
พิกเซลสูง-ชัด (1,037,000-dot).  
Tough screen  
Wi-Fi and GPS built in  
SDXC / SDHC / SD Max 256Gb.  
Eye-Fi Card compatible  
Weight (inc. batteries) : 396 g  
Dimension : 119.1 x 82.3 x 45.9 mm  
Li-ion BLN-1 Battery (250 Pic)  
บอกค่าครี. พร้อมบอก  
บอกความละเอียดของภาพที่ชัด  
คุณภาพของภาพที่ถ่ายสูงเป็นพิเศษ  
พร้อมระบบป้องกันภาพสั่นไหวในตัวกล้อง

**OM-D E-M10 14-42,140-150mm**  
OLP-E-M10-DZK-BLK  
OLP-E-M10-DZK-SLV

**SRP : 34,990.-**

**Rangefinder-type mirrorless**

**1 year Warranty**

**Olympus PEN E-PL5  
DZK 14-42 mm+40-150mm**

OLP-E-PL5DZK-SLV  
OLP-E-PL5DZK-BLK  
OLP-E-PL5DZK-WHT

-16.1 megapixels  
-CMOS  
-4,608 x 3,456  
-(Auto 200 -1600)  
-Micro 4/3 Lens Mount  
-3" (460,000dot) Flip-out  
(USแบบปิด) touch screen  
- 1/4000 sec  
- SD/SDHC/SDXC  
- MPEG-4,JPEG,RAW+JPEG MP  
(3D still) Built in image shift  
image stabilizer(Plus M.Zuiko  
Lens 40-150mm)

16.1 megapixels



**ฟรี SD card 4Gb.  
SRP: 20,990.-**

**Olympus STYLUS 1**  
OLP-STYLUS1

12.0 megapixels



- 12.0 MP  
- CMOS ขนาด 1/1.7 นิ้ว  
- Optical : 10.7X Digital : 2X  
- มาพร้อมไฟแฟลช 26-300 f/2.8  
- 3" 1040k Tough screen  
- ISO Auto 100 - 12800  
(Auto 60-1600)  
- VDO : Full HD 1080P,30FPS.  
AVI format  
- 35-area multiple AF.O.I Share .  
Built-in EVF  
- BLS-5  
- SD/SDHC/SDXC  
- Weight 402g,Inc.Batt&SDCard

**SRP: 24,990.-**

**Olympus PEN E-PL5 DZK 14-42 mm**

OLP-E-PL51442K-SL  
OLP-E-PL51442K-BK  
OLP-E-PL51442K-WH

-16.1 megapixels  
-CMOS  
-4,608 x 3,456  
-(Auto 200 -1600)  
-Micro 4/3 Lens Mount  
-3" (460,000dot) Flip-out  
(USแบบปิด) inch touch screen  
-1/4000 sec  
-SD/SDHC/SDXC  
-MPEG-4,JPEG,RAW+JPEG MP  
(3D still)  
-Built in image shift  
image stabilizer

16.1 megapixels



**ฟรี SD card 4Gb.  
SRP : 15,990.-**

**Olympus PEN E-P5  
w/h 14-42mm.**

OLP-E-PL5DZK-SLV  
OLP-E-PL5DZK-BLK  
OLP-E-PL5DZK-WHT

**SRP : 26,990.-**

**Olympus PEN E-P5  
w/h 14-42mm.+VF-4**

OLP-E-PL51442K-SL  
OLP-E-PL51442K-BK  
OLP-E-PL51442K-WH

**SRP : 32,990.-**

- CMOS, 4/3 Live MOS Sensor  
- resolution : 4,608 x 3,456  
- Auto 100 - 25,600  
- Micro 4/3 Lens Mount  
- 3.0", 1037k dot, Tilting LCD  
touch panel type OLED  
- Viewfinder : 2.36MP EVF, VF-4  
1/8000 - 60 sec.  
- Built-in Flash  
- Full 1080i HD Movie  
- SD/SDHC/SDXC  
- Built-in Wi-Fi function.  
High-performance built-in flash  
PHOTO STORY, 12 Art Filters and  
6 Art Filter Effects, Dust Reduction  
System

**ฟรี SD card 4Gb.**

**Olympus DIGITAL CAMERA**



**Rangefinder-style mirrorless**

**1 year Warranty**

**Olympus PEN E-PM2 1442K**

OLP-E-PM21442K-SL  
OLP-E-PM21442K-BK  
OLP-E-PM21442K-RD  
OLP-E-PM21442K-WH

- 16.1 megapixels
- CMOS
- 4,608 x 3,456
- (Auto 200 -1600)
- Micro 4/3 Lens Mount
- 3" (460,000 dot)



**16.1**  
megapixels

- touch screen
- 1/4000 sec
- SD/SDHC/SDXC
- MPEG-4, JPEG, RAW+JPEG MP (3D still) Built in image shift image stabilizer

พร้อม SD card 4Gb.

**SRP : 14,990.-**



**16.1**  
megapixels

**Olympus PEN E-PL6 +14-42mm**

OLP-E-PL6-1442-SLV  
OLP-E-PL6-1442-BLK  
OLP-E-PL6-1442-RED  
OLP-E-PL6-1442-WHT

**SRP: 19,990.-**

**Olympus PEN E-PL6, 14-42mm+40-150mm**

OLP-E-PL6-DZK-SLV  
OLP-E-PL6-DZK-BLK  
OLP-E-PL6-DZK-RED  
OLP-E-PL6-DZK-WHT

**SRP: 23,990.-**

- Focus: High-speed imager AF at 36 points
- Max resolution : 4608 x 3456
- Low resolution : 720 x 960
- Sensor type : 4/3 Live MOS sensor. True Pic VII
- Sensor size : 17.3 x 13.0 mm
- ISO rating : 200-25600, 1/3stop
- Min shutter : 60 Sec.
- Max shutter : 1/4000 Sec.
- VDO Full HD 1080p, 30fps
- LCD Size : Clear view LCD II 3.0" (460,000-dot). Tough screen ปรับมุมได้
- Effect Mode and Retough Mode
- SDXC / SDHC / SD Max 256Gb.
- Weight (inc. batteries) : 497 g
- Li-ion BLS-5 Batt(250 Pic),110.5(W)x63.7(H)x38.2(L)
- Short Release Time Lag mode Interval shooting Time Lapse movie
- ISO LOW setting, Level Guide
- No build in Flash, bundle with FL-LM1

พร้อม Flash Aircard 8Gb.

**Tough TG-2 i-HS**

OLP-TG-2-BLK

พร้อม Flash Aircard 8Gb.



**12.0**  
megapixels

- Sensor:BSI CMOS 1/2.3"/ TruePic VI
- Optical Zoom :4x (25-100 mm) / Digital :4x
- LCD : 3" (610,000)LED
- ISO : (Auto 100-6400)
- Focal length : 25-100 mm f/2-4.9
- Feature : Full HD.
- shock2m,waterpof 15m,GPS
- Batt :Li-90B
- Storage : SD/SDHC/SDXC

**SRP : 15,990.-**

**NEW**



**16.1**  
megapixels

**Olympus PEN E-PL7 +14-42mm**

OLP-E-PL7-1442-BLK  
OLP-E-PL7-1442-SLV  
OLP-E-PL7-1442-WHT

**SRP: 23,900.-**

**Olympus PEN E-PL7, 14-42mm+40-150mm**

OLP-E-PL7-DZK-BLK  
OLP-E-PL7-DZK-SLV  
OLP-E-PL7-DZK-WHT

**SRP: 28,990.-**

- Focus: High-speed imager AF at 81 points
- Max resolution : 4608 x 3456
- Low resolution : 720 x 960
- Sensor type : CMOS Four Thirds, TruePic VII
- Sensor size : 17.3 x 13.0 mm
- ISO rating : 200-25600, 1/3stop
- Min shutter : 60 Sec.
- Max shutter : 1/4000 Sec.
- VDO Full HD 1080p, 30fps
- LCD Size : Clear view LCD II 3.0" (1,040,000dot). Tough screen and Shutter
- Effect Mode and Retough Mode
- SDXC / SDHC / SD Max 256Gb.
- Weight (inc. batteries) : 357 g 113(W) x 69(H) x 39(L)
- Li-ion BLS-50 Battery (250 Pic)
- Tough selfie หน้าจอปรับมุมได้ 180 องศาเข้าสู่อินโฟเทค เรสปีดได้
- Build-in Wi-Fi, Art Filters, Selfie mode
- No build in Flash, bundle with FL-LM1

พร้อม Flash Aircard 8Gb.

**Creator XZ-10**

OLP-XZ-2-BLK  
OLP-XZ-2-WHT

พร้อม Flash Aircard 8Gb.



**16.0**  
megapixels

- Optical Zoom: 24x
- LCD:3" (460,000)
- ISO: (Auto 80-1600)
- Focal length:25-600 mm f/3-6.9
- Feature :
- Batt :Li-50B
- Storage : SD/SDHC/SDXC

**SRP : 15,990.-**

**Compact SH-50**

OLP-SH-50-BLK  
OLP-SH-50-SLV

พร้อม Flash Aircard 8Gb.



**16.0**  
megapixels

- Sensor : CMOS
- Optical Zoom: 25X
- Super Resolution Zoom: up to 48X Digital Zoom: 4X
- LCD:3.0" 460k Tough screen
- ISO Auto 100 - 6400 (Auto 80-1600)
- VDO : Full HD 1080P, 30FPS.
- MOV format
- ระบบป้องกันภาพสั่นไหวแบบ 3 แกน
- เทคโนโลยี iHS
- Batt : Li-90B
- Storage : SD/SDHC/SDXC
- Internal : 39.3 MB
- Weight : 269g Inc.Batt & SDCard
- Dimension 112.1x63.5x42.4 mm

**SRP : 9,990.-**

**XZ-2**

OLP-XZ-2-BLK  
OLP-XZ-2-WHT

พร้อม Flash Aircard 8Gb.



**12.0**  
megapixels

- Effective : 12.0 MP CMOS
- Optical Zoom : 4x
- LCD : 3" (920,000)
- ISO : (100-12,800)
- Focal length : 28-112 mm f/3-6.9
- Feature : HDMI output,O.I Share
- Batt :Li-90B
- Storage : SD/SDHC/SDXC: 55MB internal

**SRP : 19,990.-**

**Olympus Accessories**



Article	Model	Description	SRP
<b>M.Zuiko Lens</b>			
OLP-EZ-M7530IIBLK	EZ-M7530 II BLK	M.Zuiko digital 75-300mm Type II f4.8-6.7super telephoto Zoom	22,990
OLP-EW-M7128Black	EW-M7128 Black	M.zuiko digital 17mm f2.8 Wide Prime	12,990
OLP-EW-M7128Sliver	EW-M7128 Sliver	M.zuiko digital 17mm f2.8 Wide Prime	12,990
OLP-EW-M1220	EW-M1220	M.Zuiko Lens 12 mm F2.0	29,990
OLP-EW-M1718(G) SLV	EW-M1718(G) SLV	M.Zuiko Lens 17 mm F1.8	19,990
OLP-ET-M4518	ET-M4518	M.Zuiko Lens 45 mm F1.8	12,990
OLP-EM-M6028(G)BLK	EM-M6028(G)BLK	M.Zuiko Lens 60 mm F2.8	19,990
OLP-ET-M7518(G)SLV	ET-M7518(G)SLV	M.Zuiko Lens 75 mm F1.8	31,990
OLP-EZ-M0918	EZ-M0918	M.Zuiko Lens 9-18 mm F4.0-5.6	25,990
OLP-EZ-M1415	EZ-M1415	M.Zuiko Lens 14-150 mm F4.0-5.6	26,990
OLP-EZ-M4015-R(G)BLK	EZ-M4015-R(G)BLK	M.Zuiko Lens 40-150 mm II R F.3.5-5.6	12,990
OLP-EZ-M4015-R(G)SLV	EZ-M4015-R(G)SLV	M.Zuiko Lens 40-150 mm II R F.3.5-5.6	12,990
<b>Flash</b>			
OLP-FL-50R	FL50R	wireless eletronic flash,Guide no50	17,990
OLP-FL300R	FL300R	Wireless Flash guide no. of 28	5,990
OLP-FL-600R	FL600R	Wireless Flash guide no. of 50	9,990
<b>Battery</b>			
OLP-BLS-1	BLS-1	Battery for E-PL3	2,100
OLP-BLS-5	BLS-5	Battery for E-PL5,E-PM2	2,600
OLP-BLN-1	BLN-1	Battery for OMD	2,690
OLP-HLD-6	HLD-6	Battery kit for OMD including BLN-1	11,990
<b>Filter</b>			
OLP-PRF-D37	PRF-D37	for M.Zuiko Lens 14-42 mm II R	1,700
OLP-PRF-D46PRO	PRF-D46PRO	for M.Zuiko 12 mm /60 mm	1,990
OLP-PRF-D52PRO	PRF-D52PRO	for M.Zuiko 9-18 mm /12-50 mm	1,990
OLP-PRF-D58PRO	PRF-D58PRO	for M.Zuiko 40-150 mm, M.Zuiko 14-150 mm	1,990
<b>Lens Hood</b>			
OLP-LH-40	LH-40	for M.Zuiko 14-42 mm II R	1,450
OLP-LH-55B	LH-55B	for M.Zuiko 9-18 mm / 12-50 mm	1,450
OLP-LH-48	LH-48	for M.Zuiko 12 mm	1,450
OLP-LH-40B	LH-40B	for M.Zuiko 45 mm	1,450
OLP-LH-49	LH-49	for M.Zuiko 60 mm	1,990
OLP-LH-48B (Metal)	LH-48B (Metal)	for M.Zuiko 17 mm	2,490
OLP-LH-61F (Metal)	LH-61F (Metal)	for M.Zuiko 75 mm	2,790
<b>Lens Cap</b>			
OLP-BCL-1580(JUG) BLK	BCL-1580(JUG) BLK	Body CapLens 15 mm F8.0 forAll PENSeries	1,990
OLP-LC-37B	LC-37B	for M.Zuiko 14-42 mm II R / 45 mm	400
OLP-LC-46	LC-46	for M.Zuiko 12 mm / 17 mm	400
OLP-LC48B (Metal)	LC48B (Metal)	for M.Zuiko 12 mm	1,590
OLP-LC-52C	LC-52C	for M.Zuiko 9-18 mm /12-50 mm	400
OLP-LC-58E	LC-58E	for M.Zuiko 14-150mm/40-150mm/75-300mm	400
OLP-LC-61 (Metal)	LC-61 (Metal)	for M.Zuiko 75 mm	1,490
<b>Lens Accessory</b>			
OLP-WCON-P01	WCON-P01	Wide Converter-Fit your M14-42mm	3,200
OLP-3CON-P01SET	3CON-P01 SET	Converter Len Set(3Pcs:Fish Eye/wide/Marco Converter)	7,990
OLP-FCON-P01	FCON-P01	Fish Eye converter-Fit you M.Zuiko Digital 14-42mm	5,200
OLP-MCON-P01	MCON-P01	Marco Converter-Fit your M.14-42mm ,M14-150mm	2,200
<b>Article</b>			
<b>Binocular</b>			
OLP-8x21RCII			2,100
OLP-Deluxe Porro ST 10x50			3,000
OLP-DPS 8-16x40			3,800
<b>voice recorder</b>			
OLP-VN-731PC			2,990
OLP-WS-831			3,490
OLP-WS-832			4,290
OLP-WS-833 <b>NEW</b>			6,290

DIGITAL CAMERA