

Reference List Number 21

Thanks to Bob Coveny (Royal Botanic Gardens, Sydney) who has provided valuable assistance in compiling the following references that have been published since List Number 20. If there are any references or theses which have been overlooked in compiling this list, then please forward such information to the editor for inclusion in the next reference list.

Allen, B. 1999. A revision of the moss genus *Lepyrodon* (Leucodontales, Lepyrodontaceae). *Bryobrothera* **5**: 23-48.

[*L. australis* from Tas., N.Z.; *L. pseudolagurus* from Vic., Tas., N.Z.]

Allen, B. 1999. The genus *Philonotis* (Bartramiaceae, Musci) in Central America. *Haussknechtia* Beiheft **9**: 19-36.

[*Philonotis hastata* with description and line drawings]

Beever, J.E. 1999. The South American Connection – a bryologist's view. *N.Z. Bot. Soc. Newsletter* **57**: 10-12.

Beever, J.E. 1999. Studies of *Fissidens* (Bryophyta: Musci) in New Zealand: a synopsis and key to taxa. *N.Z. Jour. Bot.* **37**: 659-670.

Beever, J.E. and Stone, I.G. 1999. Studies of *Fissidens* (Bryophyta: Musci): new taxa and new records for New Zealand. *N.Z. Jour. Bot.* **37**: 643-657.

Braggins, J.E. and von Konrat, M.J. 1999. The epiphyllous habit in the hepatic genus *Frullania*. *Tropical Bryology* **17**: 103-113.

Brock, B.J. 1999. Lake Eyre South part 2: Reconnaissance – Survey of Cryptogams. Pages 227-238.

Brown, E.A. and Coveny, R.G. 1999. *Chonecolea doellingeri* (Nees)Grolle (Chonecoleaceae; Hepaticae) – a new record for Australia. *Haussknechtia* Beiheft **9**: 57-60.

Cao, T. and Guo, S. 1999. Two neglected species of *Ptychomitrium* (Musci), with new synonyms. *The Bryologist* **102(3)**: 404-408.

[*Ptychomitrium microblastum* (C.Muell.) Par. syn. *Brachytsteleum microblastum* C.Muell. NSW]

Clark, P.J. and Martin, A.R.H. 1999. *Sphagnum* Peatlands of Kosciuszko National Park in relation to Altitude, Time and Disturbance. *Aust. Jour. Bot.* **47(4)**: 519-536

Eldridge, D.J., Semple, W.S. and Koen, T.B. 2000. Dynamics of Cryptogamic Soil Crusts in a derived grassland in south-eastern Australia. *Aust. Ecol.* **25(3)**: 232-240.

Engel, J.J. 1999. Austral Hepaticae 30 – A critical new species of *Triandrophyllum* (Herbertaceae) from New Zealand. *Hausknechtia* Beiheft **9**: 115-119.

Engel, J.J. and Smith Merrill, G.L. 1999. Austral hepaticae 29 – More new taxa and combinations in *Telaranea* (Lepidoziaceae) and a new name for *Frullania caledonica* (Schuster) Schuster (Frullaniaceae) from New Caledonia. *Novon* **9(3)**: 339-344.

Engel, J.J. and Smith Merrill, G.L. 1999. Austral Hepaticae 31 – Two new species of *Plagiochila* (Dum.)Dum. (Plagiochilaceae) from New Zealand. *J. Hattori Bot. Lab.* **87**: 295-300.

Enroth, J. and Ignatov, M.S. 1999. Bryophyte Flora of the Huon Peninsula, Papua New Guinea 61 – *Hygrohypnum* (Amblystegiaceae, Musci). *Acta Bot. Fennica* **165**: 17-21.

Fife, A.J. 2000. A synopsis of the New Zealand species of *Schistidium* (Grimmiaceae; Musci), with observations on a little known species of *Racomitrium*. *N.Z. Jour. Bot.* **38**: 191-204.

Frey, W. Stech, M. and Meissner, K. 1999. Chloroplast DNA – relationship in palaeoaustral *Lopidium concinnum* (Hypopterygiaceae, Musci). An example of steno-evolution in mosses. Studies in austral temperate rainforest bryophytes 2. *Plant Syst. and Evol.* **218(1-2)**: 67-75.

Gradstein, S.R. 1999. A tribute to Riclef Grolle, distinguished hepaticologist. *Hausknechtia* Beiheft **9**: 7-18.

- Greven, H.C. 1999. A synopsis of *Grimmia* in Mexico, including *Grimmia mexicana* sp. nov. *The Bryologist* **102(3)**: 426-436.
- Hedenas, L. 1999. Relationships between tropical Hypnaceae, Sematophyllaceae, and some related or supposedly related families. *Bryobrothera* **5**: 271-281.
- Ignatov, M.S. 1999. Bryophyte Flora of the Huon Peninsula, Papua New Guinea 63 – On the pseudoparaphyllia in Brachytheciaceae and Meteoriaceae (Musci). *Acta Bot. Fennica* **165**: 73-83.
- Ignatov, M.S., Koponen, T. and Norris, D.H. 1999. Bryophyte Flora of the Huon Peninsula, Papua New Guinea 62 – Brachytheciaceae (Musci), excluding *Homalothecium* and *Palamocladium*. *Acta Bot. Fennica* **165**: 23-72.
- Klazenga, N. 1999. A revision of Malesian species of *Dicranoloma* (Dicranaceae, Musci). *J. Hattori Bot. Lab.* **87**: 1-130.
- [Includes *Dicranoloma billardierei* and *D. dicarpum*]
- Milne, J. 2000. Gemmae in *Dicranoloma serratum* (Broth.) Paris. *Jour. Bryol.* **22(1)**: 70-72
- Nishimura, N. 1999. A historical review of Hypnaceae (Bryopsida). *Bryobrothera* **5**: 283-298.
- Munoz, J. and Ochyra, R. 1999. *Grimmia australis*, a new combination. *Jour. Bryol.* **21(4)**: 319.
- [*Grimmia australis* (Dixon & Sainsbury) J.Munoz & Ochyra ...NZ, Aust. syn. *Coscinodon australis* Dixon & Sainsbury, *Grimmia immersa* Ochyra, *Grimmia perpilosa* Ochyra]
- Norris, D.H. and Koponen, T. 1999. Bryophyte flora of the Huon peninsula, Papua New Guinea LXVII – *Amphidium* (Rhabdoweisiaceae, Musci). *Ann. Bot. Fennica* **36(4)**: 265-269.
- [*Amphidium tortuosum* (Hornsch.) Cufod. syn. *Amphidium cyathicarpum* (Mont.) Broth.]
- Norris, D.H., Koponen, T. and Piippo, S. 1999. Bryophyte flora of the Huon Peninsula, Papua New Guinea LXVI – Meesiaceae (Musci), with lists of boreal to temperate disjunct, bipolar and widely spread species in New Guinea. *Ann. Bot. Fennica* **36(4)**: 257-263.

- Ochyra, R. 1998. New names and combinations in *Schistidium* (Musci, Grimmiaceae). *Fragm. Flor. Geobot.* **43(1)**: 103-108.
- Ochyra, R. 1998. The two oldest recognitions of *Campylium polyganum* (Musci, Amblystegiaceae). *Fragm. Flor. Geobot.* **43(2)**: 279-283.
- Ochyra, R. 1998. Nomenclatural notes on mosses 17 – Validation of *Brachythecium* sect *Albicantia* (Brachytheciaceae). *Fragm. Flor. Geobot.* **43(2)**: 289.
- Ochyra, R. 1998. *Bartramia ithyphylla* (Musci, Bartramiaceae), an addition to the moss flora of Tristan du Cunha group. *Fragm. Flor. Geobot.* **43(2)**: 292-294.
- Pfeiffer, T. 2000. Relationships and divergence patterns in *Hypopterygium rotulatum* s.l. (Hypopterygiaceae, Bryopsida) inferred from trnL intron sequences. *Studies in austral temperate rainforest bryophytes 7. Edinburgh Jour. Bot.* **57(2)**: 291-307.
- Pharo, E. 2000. Can we identify surrogates of Bryophyte and Lichen diversity. *Danthonia* **8(4)**: 8-9.
- Pocs, T. and Eggers, J. 1999. New or little known epiphyllous liverworts VIII – Two new *Papillolejeunea* species from Papua New Guinea. *Bryobrothera* **5**: 159-164.
- Pocs, T and Piippo, S. 1999. Bryophyte Flora of the Huon Peninsula, Papua New Guinea 64 – *Aphanolejeunea* (Lejeuneaceae, Hepaticae). *Acta Bot. Fennica* **165**: 85-102.
- Pocs, T. and Streimann, H. 1999. Epiphyllous liverworts from Queensland, Australia. *Bryobrothera* **5**: 165-172.
- Porley, R.D. and Matcham, H.W. 2000. Protonemal gemmae in the moss *Calypstrochaete apiculata* (Hookeriaceae). *Jour. Bryol.* **22(1)**: 61-62.
- Schuster, R.M. 1999. *Verdoornia* and the phylogeny of the Metzgeriales. *J. Hattori Bot. Lab.* **86**: 71-87.

- Schuster, R.M. 1999. On *Neogrollea* E.A. Hodgs. (Lepidoziaceae) and the Phytogeography of the Lepidoziaceae. *Hausknechtia* Beiheft **9**: 333-338.
- Schuster, R.M. 2000. Austral Hepaticae 1. *Nova Hedwigia* Beiheft **118**: 524 pages.
- Seppelt, R.D. 1998. The genus *Riccia* (Marchantiales: Ricciaceae), in South Australia. *Hikobia* **12**: 317-341.
- Seppelt, R.D. 1999. *Riccia albida* Sull. (Marchantiales: Ricciaceae) in Australia. *Hausknechtia* Beiheft **9**: 339-342.
- Seppelt, R.D. 1999. *Trichodon cylindricus* and the genus *Ditrichum* (Ditrichaceae, Bryopsida). *Bryobrothera* **5**: 189-194.
- Sollman, P. 1999. *Dichodontium opacifolium* Dix. in Christ and *Dichodontium brasiliense* Broth. are both identical with *Chrysoblastella chilensis* (Mont.)Reim. *Tropical Bryology* **17**: 17-21.
- Spence, J.R. and Ramsay, H.P. 1999. Proposal to conserve the name *Bryum* (Musci, Bryaceae) with a conserved type. *Taxon* **48(4)**: 827-828.
- Spence, J.R. and Ramsay, H.P. 1999. Three new species of *Rosulabryum* (Bryopsida, Bryaceae) from Australia. *Telopea* **8(3)**: 325-335.
- Stech, M., Frey, W. and Frahm, J.P. 1999. The status and systematic position of *Hypnobartlettia fontana* Ochyra and the Hypnobartlettiaceae based on molecular data. Studies in austral temperate rainforest bryophytes 4. *Lindbergia* **24(3)**: 97-102.
- Stech, M., Pfeiffer, T. and Frey, W. 1999. Molecular systematic relationship of temperate austral Hypopterygiaceae (Bryopsida): implications for taxonomy and biogeography. Studies in austral temperate rainforest bryophytes 3. *Hausknechtia* Beiheft **9**: 359-367.

Thies, A.W. 2000. Moss Collections from Lord Howe Island in the National Herbarium of Victoria (MEL). *Vic. Nat.* **117(1)**: 10-13.

Virtanen, V. 1999. Bryophyte Flora of the Huon Peninsula, Papua New Guinea 60 – *Bartramia*, *Conostomum* and *Leiomela* (Bartramiaceae, Musci). *Acta Bot. Fennica* **165**: 1-15.

Yamada, K. 1999. Taxonomy of the section Amentulosae of the genus *Radula* (Radulaceae, Hepaticae). *Hausknechtia* Beiheft **9**: 391-397.

Zander, R.H. and During, H.J. 1999. *Neophoenix* (Pottiaceae), a new African moss genus found through soil diaspore bank analysis. *Taxon* **48(4)**: 657-662.

[*Uleobryum occultum* (G.Roth.)R.H. Zander.....Aust., Brazil syn. *Uleobryum curtisii* I.G. Stone]