


THUNBERGIA

22



ROLF SANTESSON

FUNGI LICHENICOLI EXSICCATI

Fasc. 9 & 10 (Nos 201 - 250)

Published October 20, 1994

ISSN-0283-2275

Reprocentralen HSC, 1994

DISTRIBUTED BY THE BOTANICAL MUSEUM, UPPSALA UNIVERSITY
1994

THUNBERGIA is the continuation of 'Publications from the Herbarium, University of Uppsala', of which 19 numbers were issued between 1978 and 1986. The name is given in memory of Carl Peter Thunberg (1743–1828), a disciple of Linnaeus and a famous traveller to South Africa and Japan. His collections, about twentyseven thousand sheets, were transferred to our University in 1785, and became the foundation of the Botanical Museum. Thunberg succeeded Linnaeus filius as professor in 1785 and held the professorship to his death.

Thunbergia is issued irregularly and distributed on exchange basis or by order to the address below.

Contributions are refereed by external specialists.

THUNBERGIA 22

Fungi lichenicoli exsiccati

Fascicles 9 & 10

(Nos 201-250)

Rolf Santesson

Editor: Roland Moberg

Botanical Museum (Fytoteket)
Uppsala University
Villavägen 6
S-752 36 Uppsala, Sweden
Fax: +46 18 50 87 02
E-mail: fyform@fyto.uu.se

UPPSALA 1994

Distributor: Botanical Museum, Uppsala University

Fungi lichenicoli exsiccati. Fascicles 9 & 10 (Nos 201–250)

Rolf Santesson

Santesson, R. 1994. *Fungi lichenicoli exsiccati. Fasc. 9 & 10 (Nos. 201–250)*. *Thunbergia* 22: 1–24. Uppsala.
ISSN-0283-2275.

Isotypes of *Sagediopsis fissurisedens* Hafellner and *Sphaerellothecium minutum* Hafellner are distributed. The new combination *Endococcus apiculola* (J. Steiner) R. Sant. is made (p. 23).

An index to the 250 numbers hitherto distributed is presented and lists of the six described taxa, the six new combinations, and the fourteen isotypes are given. A summary of publication dates for the various fascicles is presented.

R. Santesson, Botanical Museum (Fytoteket), Uppsala University,
Villavägen 6, S-752 36 Uppsala, Sweden.

With the 10th fascicle 250 numbers of *Fungi lichenicoli exsiccati* have been distributed. In total 6 new species have been described and isotypes of 14 species have been distributed. New combinations have been proposed for 6 names.

Several colleagues have contributed with valuable material which is herewith gratefully acknowledged. To the fascicles 9 and 10 specimens were received from P.v. d. Boom, V. Calatayud, M.S. Christiansen, G. Degelius, P. Diederich, J. Etayo, T. Foucard, J. Hafellner, H. Köckinger, N. Lundqvist, A. Nordin, A. Ochsenhofer, W. Obermayer, W. Petutschnig, H. Pittori, J. Poelt, E. Schreiner, E. Serusiaux, K. Thomasson, R. Türk, M. Walter, M. Wedin and A. Wilfling.

An index to the species distributed in Fasc. 1-10 (Nos 1-250) is presented.

In the first fascicle, 1984, a list of the herbaria and private collections receiving these exsiccata were given.

R. Santesson: FUNGI LICHENICOLI EXSICCATI

201. Abrothallus welwitschii Tul.

Ann. Sci. Nat. Bot., ser. 3, 17: 115, 1852.

On *Sticta limbata* (thallus).

CANARY ISLANDS. La Palma: Cumbre Nueva, 1 km N of Refugio Forestal. 28°36'50"N 17°49'45"W. Alt. c. 1450 m. In the outskirts of a *Pinus canariensis*-forest, on the trunk of a *Pinus canariensis*.

1.XII.1991

leg. & det. J. Hafellner (n. 23524)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

202. Arthonia destruens Rehm

in Rabenh., Lichenes Europaei Exs. n. 816, 1868.

On *Physcia stellaris* (thallus).

AUSTRIA. Steiermark: Hochschwab-group, Seetal W of Seewiesen, c. 10 km NE of Aflenz. Alt. c. 930 m. On old solitary *Salix* shrubs.

19.I.1985 leg. & det. J. Hafellner (n. 12498) & A. Ochsenhofer

R. Santesson: FUNGI LICHENICOLI EXSICCATI

203. Cercidospora ulothii Körb.

Parerga Lich. Lief. 5: 466, 1865. - Hafellner, Herzogia 7: 362-363, 1987.

On *Lecanora muralis* (thallus).

SWEDEN. Närke: Götlunda par., the island Valen in the lake Hjälmmaren. 59°15'N 15°45'E. Alt. c. 25 m. On old roofing-tiles.

16.V.1993

leg. T. Foucard & A. Nordin
det. R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

204. Cercidospora xanthoriae R. Sant.

The lichen and lichenicolous fungi of Sweden and Norway: 57, 1993. - *Sphaeria xanthoriae* Wedd., Bull. Soc. Bot. France 21: 347, 1874. - Syn. *Cercidospora caudata* Kernst., Verhandl. zool.-bot. Gesellsch. Wien 44: 212, 1894. - *Cercidospora epicarphinea* (Nyl.) Grube & Hafellner, Nova Hedwigia 51: 337, 1990.

On *Caloplaca scoriophila* (thallus and apothecia).

CANARY ISLANDS. Gran Canaria: 10 km N of Los Ingleses, Arteara. 27°51'N 15°34'W. Alt. c. 700-900 m. On a rather dry slope with shrubs.

9.II.1986

R. Santesson (n. 31420a)

Note. The holotype (in PC) of *Sphaeria xanthoricola* Wedd. has been studied and found identical with *C. caudata*. Some statements in the original diagnosis (e.g. "sporis -- unilocularibus") are erroneous. The distributed material (n. 31420a) was published as *C. epicarphinea* by Grube & Hafellner, Nova Hedw. 51: 337, 1990. *C. caudata* was included in *C. epicarphinea* by Triebel, Rambold & Nash, Mycotaxon 42: 270, 1991. The dark mycelium on the host lichen belongs to a still unidentified fungus.

R. Santesson: FUNGI LICHENICOLI EXSICCATI

205. Chaenothecopsis hospitans (Th.Fr.) Tibell

Nova Hedwigia (in press).

On *Lecanora carpinea* (apothecia and thallus).

AUSTRIA. Steiermark: Gesäuse area, Johnsbach, c. 0.5 km E of Gasthof Köbl. MTB 8453/4 Alt. c. 875 m. On *Fraxinus excelsior*.

20.V.1988 leg. & det. J. Hafellner (n. 20287) & E. Schreiner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

206. Chaenothecopsis parasitaster (Bagl. & Carestia) D. Hawksw.

Notes RBG Edinburgh 36: 184, 1978. - *Calicium pusillum* v. *parasitaster* Bagl. & Carestia, Atti Soc. Crittog. Ital. 2: 246, 1880.

On *Cladonia digitata* (thallus).

AUSTRIA. Kärnten: Hohe Tauern National Park, Schober-Group, Gartl valley SW above Döllach, not far from Unteren Gartl Alm. MTB 9043/1. Alt. c. 1650 m. On stumps.

26.X.1988 leg. J. & A. Hafellner & M. Walther

Note: Perhaps conspecific with *Chaenothecopsis pusilla* (Ach.) A.Schmidt

R. Santesson: FUNGI LICHENICOLI EXSICCATI

208. Endococcus parietinarius (Linds.) Clauzade & Roux

Champ. Lichenic. non Lich.: 28, 1976. - *Microthelia parietinaria* Linds. Trans. R. Soc. Edinb. 25: 541, 1869.

On *Xanthoria parietina* (apothecia, thallus).

SWEDEN. Öland. On walls of calcareous rocks.

a. Persnäs par., c. 1 km NNE of Grytehamn (5.5 km NNW of the parish church). 57°07'N 16°54'E. - Adest: *Guignardia olivieri* (Vonaux) Sacc.

9.VII.1964 R. Santesson (n. 16413)

b. Kastlösa par., c. 1 km E of the parish church. 56°28'N 16°27'E.

31.VII.1983 R. Santesson (n. 30882)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

207. Dactylospora lobariella (Nyl.) Hafellner

Nova Hedwigia, Beiheft 62: 118-120, 1979. - *Lecidea lobariella* Nyl. Flora 52: 296, 1869.

On *Lobaria pulmonaria* (thallus).

AUSTRIA. Steiermark: Ennstaler Alpen, Tamischbach, SSW of Grossreifling, on the northern side of Tamischbachturm. Alt. c. 750 m. On the trunk of an *Acer pseudoplatanus*.

6.XI.1992 leg. H. Köckinger (n. 92528)
det. J. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

209. Endococcus propinquus (Körb.) D. Hawksw.

Bot. Notiser 132: 287, 1979. - *Microthelia propinqua* Körb., Syst. Lich. Germ.: 374, 1855.

On *Porpidia flavicunda* (thallus).

SWEDEN. Härjedalen: Tännäs par., Ramundberget, Sörgruvorna (c. 3 km S-SSE of Hotel Ramundberget. 62°40'N 12°24'E. Alt. c. 900 m. In an old copper mine.

4.VIII.1987 R. Santesson (n. 31882)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

210. Lettauia cladoniicola D. Hawksw. & R. Sant.

Bibl. Lich. 38: 137, 1990.

On *Cladonia arbuscula* (thallus).

SWEDEN. Öland: Gårdby par., 3 km WSW of Skarpa Alby. 56°35'N 16°35'E. On limestone pavement (alvar).

27.VIII.1971 leg. N. Lundqvist (n. 7279)
det. R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

211. Llimoniella scabridula (Müll.Arg.) Nav.-Ros. & Hafellner

Herzogia 9: 771-773, 1993. - *Lecidea scabridula* Müll.Arg., Bull. Soc. Murith. 10: 55 (repr. p. 8).

On *Acarospora placodiiformis* (thallus).

SPAIN. Zaragoza: Los Monegros, gypsum hill c. 5 km N of Bujaraloz, c. 70 km E of Zaragoza. Alt. c. 250 m. Terricolous in an open *Juniperetum thuriferae*.

25.V.1983

leg. & det. J. Hafellner (n. 23122)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

214. Paranectria oropensis (Ces.) D. Hawksw. & Piroz.

Can. J. Bot. 55: 2555, 1977. - *Sphaeria oropensis* Ces., Bot. Zeit. 15: 406, 1857.

On *Candelaria concolor* and *Candelariella efflorescens* (thallus).

AUSTRIA. Steiermark: Stubalpe, a mountain between Teigitschbach and Rafflerbach. Alt. c. 1110 m. On a solitary *Ulmus glabra* in a field.

8.X.1989

leg. & det. J. Poelt & H. Pittoni

R. Santesson: FUNGI LICHENICOLI EXSICCATI

212. Melaspilea canariensis D. Hawksw.

Lichenologist 14: 84-86, 1982. - Kalb & Hafellner, Herzogia 9: 72, 1992.

On *Pertusaria* sp. (thallus).

ITALY. Sicily: Isole Pelagie Linosa, road from Punta Calcarella to Monte Vulcano. On basalt.

15.IV.1992

leg. & det. J. Poelt

R. Santesson: FUNGI LICHENICOLI EXSICCATI

213. Monodictys cellulosa S. Hughes

Can. J. Bot. 36: 786, 1958. - Syn. *M. lepraria* (Berk.) M.B. Ellis, More Demat. Hypomyc.: 44, 1976. - Cf. Laundon, Lichenol. 24: 344, 1992.

On *Chrysothrix candelaris* (thallus).

SWEDEN. Uppland: Övergarn par., Biskops-Arnö, on the E part of the island. 59°40'N 17°29'E. On the trunk of a *Tilia* in an open *Quercus* forest.

5.VI.1960

R. Santesson (n. 13708)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

215. Plectocarpon lambinonii Diederich & Etayo

Nord. J. Bot. (in press).

On *Lobaria isidiosa* (thallus).

RUSSIA. Primorskii: Lazovskii Distr., Lazovski Reserve, valley of the river Sukhoi Kluch. 43°02'N 133°46'E. Alt. c. 200 m.

28.IX.1991

R. Santesson (n. 33355)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

216. Plectocarpon sampaianae Diederich & Etayo

Nord. J. Bot. (in press).

On *Fuscopannaria sampaiana* (thallus)

BRITISH ISLES. Scotland: Inverness par., Glen Nevis, northernmost part. On trunks of *Fraxinus* by a road.

23.VI.1967

leg. G. Degelius
det. R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

217. *Plectocarpon scrobiculatae* Diederich & Etayo

Nord. J. Bot. (in press).

On *Lobaria scrobiculata* (thallus).

NORWAY. Sör-Tröndelag: Rissa par., in the valley of the river Sörelv, not far from the river Stavsletelv (=c. 3 km E of Vollavatn). 63°44'N 10°20'E. On *Alnus incana* in an *Alnus* grove.

31.VII.1961

R. Santesson (n. 14336)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

218. *Roselliniella cladoniae* (Anzi) Matzer & Hafellner

Bibl. Lich. 37: 59-65, 1990. - *Sordaria cladoniae* Anzi, Atti Soc. Ital. Sci. Nat. 11: 179, 1868.

On *Cladonia arbuscula* (thallus).

SWEDEN. Uppland: Läby par., Läbyvad, 0.5 km SE of the bridge. 59°50'N 17°33'E. On rocks in a *Picea abies* forest.

4.IV.1948

R. Santesson (n. 4850)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

219. *Sagediopsis fissurisedens* Hafellner

Isotype

Herzogia 9: 757-760, 1993.

On *Aspicilia myrinii* (thallus).

AUSTRIA. Kärnten: Hohe Tauern, Kreuzeck-Gruppe, steep rock on the road between Emberger Alm and Turgger Alm. Alt. c. 1900 m. On a large rock of micaschist.

17.VII.1978

leg. & det. J. Hafellner (n. 21537)
(Holotype in GZU)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

220. *Sclerococcum leuckertii* Diederich & P. Scholz

Bibl. Lich. (in press).

On *Buellia aethalea* (thallus).

SWEDEN. Närke: Götlunda par., the island Valen in the lake Hjälmmaren. 59°15'N 15°45'E. Alt. c. 25 m. On old roofing-tiles.

16.V.1993

leg. T. Foucard & A. Nordin
det. R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

221. *Sphaerellothecium minutum* Hafellner

Isotype

Herzogia 9: 760-762, 1993.

On *Sphaerophorus fragilis* (thallus).

AUSTRIA. Steiermark: Niedere Tauern, Rottenmanner Tauern, Grosser Bösenstein, by E-Grat N above Grünen Lacke. MTB 8552/3. Alt. c. 2300 m.

16.IX.1992

leg. & det. J. & A. Hafellner (n. 30082)
(Holotype in GZU)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

222. *Stigmidium pumilum* (Lettau) Matzer & Hafellner

Bibl. Lich. 37: 115-120, 1990. - *Rosellinia pumila* Lettau, Feddes Repert. 61: 150, 1958.

On *Physcia caesia* (thallus).

CHILE. Magellanes: Torres del Paine Nat. Park, c. 13 km WNW of the Park Administration, along Rio Pingo. 51°07'S 73°09'W. Alt. c. 50 m. On rocks at the shore.

16.I.1989

leg. & det. Mats Wedin (n. 1175d)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

223. Toninia episema (Nyl.) Timdal

Opera Botanica 110: 62-63, 1991. - *Lecidea episema* Nyl. Bot. Notiser 1853: 161. - *Kiliasia episema* (Nyl.) Hafellner, Nova Hedw. Beih. 79: 265, 1984.

On *Aspicilia calcarea* (thallus).

FRANCE. Alpes-Maritimes: La Turbie, NE of Nice, Col de l'Arme. Alt. c. 750 m. On calcareous rock.

9.VII.1971 leg. & det. M. Skytte Christiansen (n. 6586)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

226. Abrothallus bertianus de Not.

Mem. Accad. Sci., Torino, ser. 2, 10: 351, 1849.

On *Melanelia olivacea* (apothecia and thallus).

SWEDEN. Härjedalen: Tännäs par., the valley of the river Ljusnan, Ramundberget, 0.8 km S of Hotel Ramundberget. 62°42'N 12°24'E. Alt. c. 700 m. On twigs of a birch in a subalpine birch forest.

3.VIII.1988

R. Santesson (n. 32454a)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

224. Unguiculariopsis thallophila (P. Karst.) W.Y. Zhuang

Mycotaxon 32: 62, 1988. - *Trochila thallophila* P. Karst., Fung. Fenn. Exs., cent. 9, n. 823, 1869. - *Skyttea thallophila* (P. Karst.) Sherw. & D. Hawksw. in Sherwood, Hawksworth & Coppins, Transact. Brit. Myc. Soc. 75: 489, 1980.

On *Lecanora carpinea* (thallus).

SWEDEN. Västergötland: Trollhättan, Staveredslund, Lillgården. 58°17'N 12°19'E. On *Sorbus aucuparia* in a hedge.

23.VI.1947

R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

225. Zwackhiomyces coepulonus (Norman) Grube & R. Sant.

in Grube & Hafellner, Nova Hedwigia 51: 310-314, 1990. - *Arthopyrenia coepulona* Norman, Bot. Notiser 1868: 192, 1869.

On *Xanthoria elegans* (thallus).

AUSTRIA. Kärnten: Hohe Tauern National Park, Ankogel Mts, the steep E of Hagener Hütte towards the Mt Greilkopf, NW of Mallnitz. MTB 8944/4. Alt. c. 2350-2450 m. On calciferous rocks.

28.VII.1989

leg. J. Hafellner & R. Türk
det. J. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

227. Abrothallus parmeliarum (Sommerf.) Arnold

Flora 57: 102, 1874. - *Lecidea parmeliarum* Sommerf. Suppl. Flor. Lapp.: 176, 1826.

On *Parmelia saxatilis* (thallus).

SPAIN. Navarra: W of Pamplona, Sierra de Urbasa, Pto de Urbasa. On *Fagus*.

20.VII.1991 leg. & det. P. Diederich (n. 9649) & J. Etayo

R. Santesson: FUNGI LICHENICOLI EXSICCATI

228. Arthonia peltigera Th.Fr.

Bot. Notiser 1866: 15.

On *Peltigera rufescens* (thallus).

SWEDEN. Jämtland: Åre par., in the ravine just W of Storlien. 63°19'N 12°06'E. Alt. c. 600 m. In a thin *Picea* forest.

24.VII.1950

R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

229. Biatoropsis usnearum Räsänen

Ann. Bot. Soc. Vanamo 5: 8-10, 1934. - Cf. Diederich & Christiansen, Lichenol. 26: 49-55, 1994.

On *Usnea* sp. (thallus).

ITALY. Trentino-Alto Adige: Bolzano, 54 km WSW of Merano, NP Stilfser Joch, road Prad - Stilfserjoch, SW of Tarfoi. 46°30'N 11°25'E. Alt. c. 1850 m. On *Picea* in a *Picea* wood.

14.VIII.1990

leg. & det. P. v.d. Boom
confirm. P. Diederich

R. Santesson: FUNGI LICHENICOLI EXSICCATI

232. Corticifraga fuckelii (Rehm) D. Hawksw. & R. Sant.

Bibl. Lich. 38: 125, 1990. - *Phragmonaevia fuckelii* Rehm, Rabenh. Kr.-Fl. 1(3): 166, 1888.

On *Peltigera* sp. (thallus).

FRANCE. Pyrénées-Orientales: E of Canigou, the ravine of Cady, S of Casteil. Alt. c. 1100-1150 m. In a mixed forest with mossy boulders.

VII.1990

leg. & det. E. Sérusiaux (n. 10929)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

230. Cercidospora lichenicola (Zopf) Hafellner

Herzogia 7: 360, 1987. - *Leptosphaeria lichenicola* Zopf, Hedwigia 35: 358, 1896.

On *Solorina crocea* (thallus and apothecia).

SWEDEN. Härdedalen: Tännäs par., on the eastern slope of Mt Giertibaune. 62°45'N 12°19'E. Alt. c. 970 m. In a windexposed alpine heath.

30.VI.1990

R. Santesson (n. 32857)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

233. Dactylospora saxatilis (Schaer.) Hafellner

Nova Hedwigia, Beiheft 62: 129-134, 1979. - *Calicium saxatile* Schaefer, Naturwiss. Anz. Allg. Schweiz. Ges. Gesammten Naturwiss. 5: 35, 1821.

On *Pertusaria flavicans* (thallus).

AUSTRIA. Steiermark: Niedre Tauern, Wölzer Tauern, Hohenwart W of Pusterwald, below the top by the path to Pölseckjoch. MTB 8651/3. Alt. c. 2200 m. N exposed rugged calcareous rocks.

19.VIII.1993

leg. J. Hafellner (n. 23652) & A. Wilfling
det. J. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

231. Clypeococcus hypocenomyces D. Hawksw.

Notes RBG Edinb. 38: 167-169, 1980.

On *Hypocenomyce scalaris* (thallus).

LUXEMBOURG. Graulinster, Marscherwald. On *Pinus sylvestris*.

16.XI.1991

leg. & det. P. Diederich (n. 9890)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

234. "Echinothecium cladoniae" Keissl.

(nom invalid.) Rabenhorst's Kryptogamen-Flora, 2, Aufl., 8: 330, 1930.

On *Cladonia stellaris* (thallus).

SWEDEN. Uppland: Torvi par., Svanborg. On rocks in a thin *Pinus sylvestris* forest.

1.V.1960

R. Santesson (n. 13686)

Note: See this exs. n. 10. The name of this fungus is still provisional.

R. Santesson: FUNGI LICHENICOLI EXSICCATI

235. Everniicola flexispora D. Hawksw.

Notes RBG, Edinb. 40 (2): 384-385, 1982.

On *Nephroma arcticum* (thallus).

SWEDEN. Härgedalen: Tännäs par., the valley of river Ljusnan 0.5 km E of Klinken (= c. 5 km WNW of Hotel Ramundberget). Alt. c. 720 m. On a steep slope in a subalpine birch forest.

2.VIII.1986

R. Santesson (n. 31550)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

236. Lichenoconium lecanorae (Jaap) D. Hawksw.

Bull. Brit. Mus. (Nat. Hist.), Bot. ser. 6(3) 270, 1979. - *Coniosporium lecanorae* Jaap, Verh. Bot. Ver. Prov. Brandenburg. 47: 71, 1906. - Syn. *Lichenoconium parasiticum* D. Hawksw.

On *Lecanora symmicta* (apothecia).

SWEDEN. Hälsingland: Bollnäs par., 0.5 km N of Hertsjö, near the lake Voxsjön. 61°18'N 16°21'E. On a decaying wooden fence.

5.VII.1959

R. Santesson (n. 12827)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

237. Lichenoconium usneae (Anzi) D. Hawksw.

Persoonia 9(2): 185, 1977. - *Epicoccum usneae* Anzi, Atti Soc. Ital. Sci. Nat. Milano, 11(4): 181 (25), 1868.

On *Melanelia septentrionalis* (apothecia, thallus).

AUSTRIA. Salzburg: Niedre Tauern Mts, Schladminger Tauern, NE of Prebersee c. 9 km NE of Tamsweg. MTB 8849/1. Alt. c. 1530 m. On *Betula pubescens* in a bog.

20.VI.1989

leg. J. Hafellner & W. Obermayer
det. J. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

238. Lichenodiplis lecanorae (Vouaux) Dyko & D. Hawksw.

in Hawksworth & Dyko, Lichenol. 11: 52, 1979. - *Diplodina lecanorae* Vouaux in Pitard & Harmand, Bull. Soc. Bot. France, Mém. 22: 69, 1912.

On *Lecanora pallida* (apothecia and thallus).

AUSTRIA. Steiermark: Grazer Bergland, in entrance to Kesselfall Klamm S of Semriach, by the stream of Rötsch. MTB 8758/3. Alt. c. 550 m. On *Acer pseudoplatanus*.

19.XI.1989 leg. & det. J. & A. Hafellner (n. 22640)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

239. Paranectria oropensis (Ces.) D. Hawksw. & Piroz.

Can. J. Bot. 55: 2555, 1977. - *Sphaeria oropensis* Ces., Bot. Zeit. 15: 406, 1857.

On *Physconia perisidiosa* (thallus).

SPAIN. Navarra: N of Urdiain (50 km WNW of Pamplona, W of Echarri-Aranaz). On *Quercus*.

20.VII.1991 leg. & det. P. Diederich (n. 9611) & J. Etayo (n. 5909)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

240. Phaeopyxis punctum (A. Massal.) Rambold, Triebel & Coppins

in Rambold & Triebel, Notes RGB Edinb. 46: 384-385, 1990. - *Nesolechia punctum* A. Massal., Sched. Crit. 5: 96, 1856. - *Lecidea punctum* (A. Massal.) Jatta Sylloge Lich. Ital.: 353, 1900.

On *Cladonia* sp. (phyllocladia).

AUSTRIA. Steiermark: on the road from Wildalpen to Klaus, south of Hühnermauer. Alt. c. 780 m. In a mixed forest in a W-exposed valley.

11.XI.1989

leg. J. & A. Hafellner
det. J. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

241. Phaeosporobolus usneae D. Hawksw. & Hafellner

Nova Hedwigia 43: 526, 1986.

On *Protousnea magellanica* (thallus).

ARGENTINA. Rio Negro: Nahuel Huapi National Park, Lago Mascardi. On *Nothofagus*.

26.I.1954

leg. K. Thomasson
det. R. Santesson

R. Santesson: FUNGI LICHENICOLI EXSICCATI

244. Sagediopsis fissurisedens Hafellner

Herzogia 9: 757-760, 1993.

On *Aspicilia myrinii* (thallus).

SWEDEN. Härjedalen: Tännäs par., Mt Gruvvålen, 0.2 km SSW of Glimsjön (c. 1.8 km NE of Hotel Ramundberget). 62°43'N 12°25'E. Alt. c. 920 m. On exposed rocks at the old copper mine.

11.VIII.1984

R. Santesson (n. 31147)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

242. Plectocarpon lichenum (Sommerf.) D. Hawksw.

in Hawksworth and Galloway, Lichenologist 16:86, 1984. - *Dothidea lichenum* Sommerf., Suppl. Flor. Lapp.: 224, 1826, Fr., Elench. Fung. 2: 123, 1828.

On *Lobaria pulmonaria* (thallus).

SPAIN. Navarra: W of Pamplona, Sierra de Urbasa, Pto de Urbasa. On *Fagus*.

20.VII.1991 leg. & det. P. Diederich (n. 9658) & I. Etayo (n. 5955)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

243. Pleospora engeliana (Saut.) G. Winter

Rabenh. Kr.-Fl., 2. Aufl., 1(2): 493, 1885. - *Sagedia engeliana* ("Engleiam") Sauter, Bot. Centralbl. 1846: 406. - *Dacampia engeliana* (Sauter) A. Massal., Geneacaea Lichenum: 22, 1854.

On *Solorina saccata* (thallus).

AUSTRIA. Kärnten: Steiner Alpen, Vellacher Kotschna S of Eisenkappel. MTB 9653/1. Alt. c. 1040 m. Shady crevices of a big boulder of dolomitic limestone.

4.VII.1990

leg. J. Hafellner & W. Petutschnig
det. H. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

245. Scutula stereocaulorum (Anzi) Körb.

Parerga Lich., Lief. 5: 455, 1865. - *Lecidea ? stereocaulorum* Anzi, Comment. Soc. Crittog. Ital. 1(3): 155, 1862.

On *Stereocaulon glareosum* (thallus).

SWEDEN. Torne Lappmark: The Torneträsk area, in front of the Kårsa-glacier. Alt. c. 800 m. On bare soil by a stream.

2.IX.1959

R. Santesson (n. 13518a)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

246. Stigmidium fuscatae (Arnold) R. Sant.

Thunbergia 6: 17 (Fungi lichenic. exs. n. 147), 1986. - *[Pharcidia lichenum* f. *fuscatae* Arnold, Verhandl. Zool.-Bot. Ges. Wien 22: 302, 1872, nom. invalid.: Two forms described, not the species (Art. 43.1).] - *Arthopyrenia fuscatae* Arnold, Flora 57: 139, 1874.

On *Acarospora fuscata* (thallus).

SWEDEN. Uppland: Uppsala-Näs par., Övernäs. 59°48'N 18°36'E. On open granitic rock.

25.VIII.1970

R. Santesson (n. 22502)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

247. *Taeniolella serusiauxii* Diederich

Bull. Soc. Nat. Luxemb. 93: 158-162, 1992.

On a sterile lichen thallus (UV+ yellow).

TANZANIA. Arusha: Mt. Meru, road to the crater, Jekukumia River. 03°14'S 36°48'E. Alt. c. 2100-2200 m. On *Podocarpus gracilior* in a montane forest.

17.I.1970

R. Santesson (n. 21544)

R. Santesson: FUNGI LICHENICOLI EXSICCATI

248. *Tephromela campestricola* (Nyl.) Rambold & Triebel

Bibl. Lich. 48: 169, 1992. - *Lecidea campestricola* Nyl., Flora 67: 389, 1884. - Cf. Rambold, Sendtnera 1: 281-288, 1994.

On *Lecanora ripartii* (thallus and apothecia).

SPAIN. Castellon: Alfondeguita, Pico Femella. Near 40°00'N 0°00'W. Alt. c. 400 m. On sunexposed sandstone, close to a cork-oak forest.

20.I.1990

leg. & det. V. Calatayud

R. Santesson: FUNGI LICHENICOLI EXSICCATI

249. *Vouauxiella lichenicola* (Linds.) Petr. & Sydow

Fedde's Repert. nov. spec., Beih. 42(3): 484, 1927. - *Torula lichenicola* Linds., Transact. Roy. Soc. Edinburgh 25: 515, 1869.

On *Lecanora meridionalis* (apothecia and thallus).

CANARY ISLANDS. La Palma: On the outside of Caldera de Taburiente, in the valley just SSE of La Cumbrecita. 28°41'N 17°51'W. Alt. c. 1200 m. On branches of *Ficus carica*.

27.XI.1991

leg. & det. J. Hafellner

R. Santesson: FUNGI LICHENICOLI EXSICCATI

250. *Zwackhiomyces martinatianus* (Arnold) Triebel & Grube

in Grube & Hafellner, Nova Hedwigia 51: 322, 1990. - *Arthopyrenia martinatiana* Arnold, Flora 54: 147, 1871.

On *Porpidia crustulata* (thallus).

AUSTRIA. Steiermark: Grazer Bergland, the road from Semriach, S. Rechbergdorf. Alt. c. 930 m. On a W-exposed slope. On small stones.

21.I.1990

leg. J. Poelt

Note: *Endococcus propinquus* is also found in some of the specimens distributed.

Index to species distributed in Fasc. 1-10, nos 1-250

Synonyms in italics, S=Sweden, N=Norway, (Provinces abbreviated)

- Abrothallus bertianus* 1 (S: Vsm), 76 (S: Upl), 126 (Greenland), 226 (S: Hrj)
- Abrothallus parmeliarum* 2 (S: Jmt), 77 (Peru), 127 (S: Jmt), 176 (N: NTr), 227 (Spain)
- Abrothallus suecicus* 3 (S: Upl)
- Abrothallus welwitschii* 201 (Canary Isl.)
- Actinopeltis peltigericola* → *Lichenopeltella santessonii*
- Ampullifera foliicola* 51 (Madeira)
- Arthonia destruens* 202 (Austria)
- Arthonia farinacea* 5 (S: Upl), 78 (S: Öl)
- Arthonia fuscopurpurea* 6 (S: Vg), 79 (France)
- Arthonia gelidae* 52 (S: Jmt)
- Arthonia glaucomaria* 53 (S: TL)
- Arthonia linitae* 101 (S: TL), 128 (S: TL)
- Arthonia molendoi* 54 (Austria)
- Arthonia peltigeraea* 151 (N: Trs), 177 (Greenland), 228 (S: Jmt)
- Arthonia peltigerina* 55 (S: TL)
- Arthonia pelvetii* 152 (Canary Isl.)
- Arthonia pseudocypbellariae* 153 (New Zealand)
- Arthonia subconveniens* 154 (Brazil)
- Asterophoma mazaediicola* 155 (France)
- Bachmanniomycetes uncialicola* 102 (S: Vrm)
- Biatoropsis usnearum* 156 (France), 229 (Italy)
- Buellia adjuncta* 7 (N: Trs)
- Buellia physciicola* 103 (Peru)
- Carbonea vitellinaria* 8 (S: Upl), 80 (S: TL), 129 (S: Upl)
- Cecidonia xenophana* 157 (S: Hrj)
- Cercidospora caudata* = *Cercidospora xanthoriae*
- Cercidospora epipolytropa* 158 (S: Hrj)
- Cercidospora lichenicola* 105 (S: Hrj), 130 (S: TL), 230 (S: Hrj)
- Cercidospora stereocaulorum* 159 (S: TL)
- Cercidospora ulothii* 203 (S: Nrk)
- Cercidospora xanthoriae* 104 (Switzerland), 204 (Canary Isl.)
- Chaenothecopsis hospitans* 205 (Austria)
- Chaenothecopsis parasitaster* 206 (Austria)
- Clypeococcum hypocenomyces* 160 (S: Vg), 231 (Luxembourg)
- Cornutispora lichenicola* 161 (S: Vsm)
- Corticifraga fuckelii* 31 (S: Upl), 89 (N: Rog), 142 (S: Vrm), 232 (France)
- Corticifraga peltigerae* 32 (S: TL), 90 (S: Upl)
- Dacampia rufescens* 106 (S: Upl)
- Dactylospora deminuta* 9 (S: Hrj)
- Dactylospora lobariella* 207 (Austria)
- Dactylospora saxatilis* 162 (S: Hrj), 233 (Austria)
- Dactylospora urceolata* → *Dactylospora deminuta*
- Echinothecium cladoniae* 10 (S: Upl), 178 (S: Upl), 234 (S: Upl)
- Endococcus alpestris* = *Endococcus apicicola*
- Endococcus apicicola* 56 (England), 131 (France)

- Endococcus parietinarius* 208 (S: Öl)
- Endococcus perpusillus* 163 (S: Upl)
- Endococcus propinquus* 209 (S: Hrj)
- Endococcus rugulosus* 57 (S: TL)
- Endococcus stigma* 164 (S: Hrj)
- Everniicola flexispora* 165 (S: Vrm), 179 (S: Hrj), 235 (S: Hrj)
- Geltingia associata* 110 (S: Boh)
- Guignardia olivieri* 11 (S: Öl), 81 (S: Sk), 132 (S: Öl)
- Gyrophthora perforans* 166 (Spain)
- Hobsonia christiansenii* 107 (S: Upl)
- Hobsonia santessonii* 108 (S: Vrm), 133 (S: TL)
- Homostegia piggotii* 12 (S: Sm), 82 (S: Vg)
- Illosporium carneum* 13 (S: Upl)
- Karschia inops* 167 (Australia)
- Karschia santessonii* 109 (N: Nrd)
- Karsteniomyces peltigerae* 14 (S: Mpd), 134 (S: Ög)
- Lasiosphaeriopsis stereocaulicola* 58 (S: Hrj)
- Lecidea associata* = *Geltingia associata*
- Lecidea punctum* = *Phaeopyxis punctum*
- Lettavia cladoniicola* 210 (S: Öl)
- Lichenochora obscuroides* 168 (Austria), 180 (Luxembourg)
- Lichenonodium erodens* 111 (Switzerland), 181 (British Isles)
- Lichenonodium lecanorae* 16 (S: Vg), 182 (S: Upl), 236 (S: Hls)
- Lichenonodium pyxidatae* 17 (S: Vg)
- Lichenonodium usneae* 18 (S: Jmt), 136 (S: Hrj), 183 (S: Sk), 237 (Austria)
- Lichenonodium xanthoriae* 19 (S: Upl), 84 (S: Boh)
- Lichenodiopsis lecanorae* 20 (S: Upl), 184 (Denmark), 238 (Austria)
- Lichenopeltella cetrariicola* 22 (S: Jmt)
- Lichenopeltella epiphylla* 112 (Australia)
- Lichenopeltella santessonii* 4 (S: Vsm)
- Lichenopuccinia poeltii* 169 (British Isl.)
- Lichenosticta alcicorniaria* 21 (S: Upl), 185 (S: Mpd)
- Lichenostigma rugosa* 59 (Spain), 137 (Luxembourg), 186 (Canary Isl.)
- Llimoniella scabridula* 211 (Spain)
- Melaspilea canariensis* 212 (Italy)
- Micropeltopsis cetrariicola* = *Lichenopeltella cetrariicola*
- Milospium graphideorum* 60 (S: Öl)
- Minutophoma chrysophthalmae* 170 (S: Srm)
- Monodictys cellulosa* 213 (S: Upl)
- Muellerella hospitans* 23 (S: Gtl), 85 (S: Upl)
- Muellerella lichenicola* 24 (S: Upl) (Not 86: *M. pygmaea* v. *athallina*)
- Muellerella pygmaea* 61 (S: Hrj), 86 (S: Öl), 138 (S: TL), 187 (S: Öl)
- Nanostictis peltigerae* 62 (S: Vg), 188 (S: AL)
- Nectria lecanodes* 25 (S: Vsm), 87 (S: Vsm)
- Nectria rubefaciens* 113 (Luxembourg)
- Nectriella erythrinella* = *Pronectria erythrinella*
- Nectriella leptaleae* = *Pronectria leptaleae*
- Nesolechia oxyspora* 28 (S: Jmt), 140 (Canary Isl.), 189 (Peru)
- Opegrapha glaucomaria* 63 (S: Öl)
- Opegrapha maculans* = *Opegrapha glaucomaria*

- Opegrapha pulvinata* 114 (Austria), 190 (S: Srm)
Paranectria oropensis 214 (Austria), 239 (Spain)
Phacopsis huuskonenii 64 (N: Opl), 141 (S: Dlr)
Phacopsis muelleri = *Skytella mulleri*
Phacopsis vulpina 115 (S: Hrj), 191 (Austria)
Phaeopyxis punctum 15 (S: Jmt), 83 (S: Upl), 135 (S: Hrj), 192 (S: Vrm), 240 (Austria)
Phaeospora parasitica 65 (S: TL)
Phaeosporobolus alpinus 171 (S: Hrj), 193 (S: Upl)
Phaeosporobolus usneae 116 (S: Hrj), 241 (Argentina)
Phoma physciicola 30 (S: Sm)
Phragmnaevia fuckelii = *Corticifraga fuckelii*
Phragmnaevia peltigerae = *Corticifraga peltigerae*
Plectocarpon cladoniae 172 (S: ÅL)
Plectocarpon lambinonii 215 (Russia)
Plectocarpon lichenum 33 (S: Sm), 91 (N: STR), 143 (S: Upl), 242 (Spain)
Plectocarpon sampaianae 216 (British Isles)
Plectocarpon scrobiculatae 217 (N: STR)
Pleospilis ascaridiella = *Spirographa fusisporella*
Pleospora engeliana 243 (Austria)
Polyccum galligenum = *Polyccum pulvinatum*
Polyccum microstictum 67 (USA)
Polyccum peltigerae 68 (S: Upl)
Polyccum pulvinatum 66 (Czech Republ.)
Polyccum squamarioides 69 (S: Jmt), 144 (N: Nrd)
Polyccum trypethelioides 34 (S: TL)
Pronectria erythrinella 26 (S: Upl), 88 (S: Jmt), 139 (S: Hrj)
Pronectria leptaleae 27 (S: Jmt)
Protothelenella croceae 118 (S: TL), 194 (Austria)
Reconditella physconiarum 173 (Austria)
Refractohilum galligenum 35 (S: Upl)
Rhagadostoma lichenicola 36 (S: TL), 92 (S: Hrj), 195 (S: Hrj)
Roselliniella cladoniae 218 (S: Upl)
Rosellinula frustulosae 119 (N: Opl), 145 (Switzerland)
Sagediopsis fissurisedens 219 (Austria), 244 (S: Hrj)
Sclerococcum leuckertii 220 (S: Nrk)
Sclerococcum sphaerale 70 (S: Sk)
Scutula aggregata 37 (S: Upl), 93 (S: Srm)
Scutula krempelhuberi 38 (S: Hrj)
Scutula miliaris 39 (S: Upl), 94 (S: Upl)
Scutula stereocaulorum 40 (S: TL), 95 (S: TL), 146 (S: TL), 245 (S: TL)
Skyttea lettaui = *Unguiculariopsis lettaui*
Skytella mulleri 29 (S: Upl)
Sphaerellothecium minutum 221 (Austria)
Sphaerellothecium propinquellum (Nyl.) Roux & Triebel 44 (S: Vg), 148 (S: Sk)
Sphinctrina turbinata 120 (S: Vg)
Spirographa fusisporella 117 (S: Jmt)
Stigmadium congestum → *Sphaerellothecium propinquellum*
Stigmadium degelii 174 (S: Sm)

- Stigmadium dispersum* → *Stigmadium fuscatae*
Stigmadium fuscatae 71 (S: Upl), 147 (S: Sk), 196 (Austria), 246 (S: Upl)
Stigmadium hageniae 121 (Spain)
Stigmadium icmadophilae 42 (S: Hrj), 96 (S: Hrj)
Stigmadium leucophlebiae Roux & Triebel 73 (S: Jmt)
Stigmadium marinum 72 (Denmark)
Stigmadium microspilum 43 (S: Vg), 97 (S: Sk), 197 (Austria)
Stigmadium peltideae → *Stigmadium leucophlebiae* (73), and *S. solorinarium* (45)
Stigmadium pumilum 222 (Chile)
Stigmadium schaeereri → *Stigmadium congestum*
Stigmadium solorinarium 45 (S: Hrj)
Taeniolella delicata 74 (Denmark)
Taeniolella serusiauxii 175 (Tanzania), 247 (Tanzania)
Tephromela campestricola 248 (Spain)
Thamnogalla crombiei 46 (S: Öl)
Toninia episema 223 (France)
Tremella coppinsii 122 (British Isles)
Tremella lichenicola 123 (Luxembourg)
Trichonectria hirta 124 (Luxembourg)
Unguiculariopsis lettaui 41 (S: Upl)
Unguiculariopsis thalophila 224 (S: Vg)
Vouauxiella lichenicola 47 (S: Upl), 98 (S: Ög), 149 (S: Sk), 249 (Canary Isl.)
Vouauxiomycetes ramalinae 48 (S: Upl), 99 (S: Gtl), 150 (S: Gtl)
Vouauxiomycetes santessonii 49 (S: Upl), 198 (Austria)
Vouauxiomycetes truncatus 75 (British Isles), 199 (Austria)
Wentiomyces peltigericola 125 (S: Hrj)
Xanthoriicola physciae 50 (S: Upl), 100 (S: Gtl), 200 (Italy)
Zwackhiomyces coepulonus 225 (Austria)
Zwackhiomyces martinianus 250 (Austria)

New taxa described

- Arthonia gelidae* R. Sant. 52
Arthonia linitae R. Sant. 101
Karschia inops Triebel & Rambold 167
Lichenopeltella epiphylla R. Sant. 112
Plectocarpon cladoniae R. Sant. 172
Stigmadium icmadophilae R. Sant. 42

New combinations

- Endococcus apiciicola* (J. Steiner) R. Sant. comb. nov.**
Basionym: *Sorothelia apiciicola* J. Steiner, Österr. Bot. Zeitschr. 1904, 9: 447, 1904.
Nectriella leptaleae (J. Steiner) R. Sant. 27 (now *Pronectria* l.)
Nectriella subimperspicua (Speg.) R. Sant. 27 Note (now *Pronectria* s.)
Rosellinula frustulosae (Vouaux) R. Sant. 119
Stigmadium fuscatae (Arnold) R. Sant. 147
Stigmadium hageniae (Rehm) R. Sant. 121

Isotypes

- Arthonia gelidae R. Sant. 52
 Arthonia linitae R. Sant. 101
 Arthonia peltigerae Th. Fr. 151
 Arthonia pseudocypbellariae Wedin 153
 Arthonia subconveniens Nyl. 154
 Hobsonia santessonii Lowen & D. Hawksw. 108
 Karschia inops Triebel & Rambold 167
 Lichenopeltella epiphylla R. Sant. 112
 Plectocarpon cladoniae R. Sant. 172
 Reconditella physconiarum Hafellner & Matzer 173
 Sagediopsis fissurisedens Hafellner 219
 Sphaerellothecium minutum Hafellner 221
 Stigmidium icmadophilae R. Sant. 42
 Vouauxiomycetes santessonii D. Hawksw. 49

Publication dates

- Fasc. 1 & 2 (1-50) Publs Herb. Univ. Uppsala 13, 15 Dec. 1984
 Fasc. 3 & 4 (51-100) Thunbergia 3, 8 Dec. 1986
 Fasc. 5 & 6 (101-150) Thunbergia 6, 15 Dec. 1988
 Fasc. 7 & 8 (151-200) Thunbergia 21, 20 Oct. 1994
 Fasc. 9 & 10 (201-250) Thunbergia 22, 20 Oct. 1994

Publication from the Herbarium, University of Uppsala

Nos 1-19. See back cover of Thunbergia 4

THUNBERGIA

1. L. Tibell - *Caliciales exsiccatae*, Fasc. 6 (Nos 126-150), 1986
2. R. Moberg - *Lichenes sel. exs. Upsal.*, Fasc. 1 (Nos 1-25), 1986
3. R. Santesson - *Fungi lichenicoli exs.*, Fasc. 3-4 (Nos 51-100), 1986
4. O. Constantinescu & R. Moberg - *Computer assistance and some time-saving routines in UPSC culture collection*, 1987
5. R. Moberg - *Lichenes sel. exs. Upsal.*, Fasc. 2 (Nos 26-50), 1987
6. R. Santesson - *Fungi lichenicoli exs.*, Fasc. 5-6 (Nos 101-150), 1988
7. R. Moberg - *Lichenes sel. exs. Upsal.*, Fasc. 3 (Nos 51-75), 1989
8. L. Tibell - *Caliciales exsiccatae*, Fasc. 7 (Nos 151-175), 1989
9. N. Lundqvist - *Fungi fimicoli exs.*, Fasc. 3 (Nos 51-75), 1989
10. L. Holm & J.A. Nannfeldt - *Fungi exsiccati Suecici*, Fasc. 67 (Nos 3301-3350), 1990
11. L. Holm & J.A. Nannfeldt - *Fungi exsiccati Suecici*, Fasc. 68 (Nos 3351-3400), 1990
12. D.O. Wijnands - *Correct author citation for the species described on material collected by Thunberg in Japan*, 1990
13. L. Tibell - *Caliciales exsiccatae*, Fasc. 8 (Nos 176-200), 1990
14. R. Moberg - *Lichenes sel. exs. Upsal.*, Fasc. 4 (Nos 76-100), 1991
15. O. Constantinescu - *An annotated list of Peronospora names*, 1991
16. L. Holm & J.A. Nannfeldt - *Fungi exsiccati Suecici*, Fasc. 69 (Nos 3401-3450), 1992
17. L. Holm & J.A. Nannfeldt - *Fungi exsiccati Suecici*, Fasc. 70 (Nos 3451-3500), 1992
18. L. Tibell - *Caliciales exsiccatae*, Fasc. 9 (Nos 201-225), 1993
19. S. Lundqvist & R. Moberg - *The Pehr Kalm Herbarium in UPS, a Collection of North American Plants*, 1993
20. R. Moberg - *Lichenes sel. exs. Upsal.*, Fasc. 5 & 6 (Nos 101-150), 1994
21. R. Santesson - *Fungi lichenicoli exs.*, Fasc. 7 & 8 (Nos 151-200), 1994