

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum acanthophyllum* (Franch.) H. Chris

Cited name or basionym Aspidium acanthophyllum Franch.

Distribution Taiwan, Tibet SE part, China (Sichuan W part, Yunnan west part and NW part,) elev: 2000-2800 (Himalayas), 3300-4200 (Yunnan)

cytology n=82 [50] see note above

Current Name *Polystichum acrostichoides*(Michx.)Schott, Gen

Cited name or basionym Nephrodium acrostichoides Michx.

Distribution eastern North America, e Mexico

cytology "2n=82" [51]

Current Name *Polystichum aculeatum* (L.) Schott

Cited name or basionym Polypodium aculeatum L.

Distribution including China (Xinjiang only)

cytology "2n=164" [51]

Current Name *Polystichum acutidens* H. Christ

Cited name or basionym *Polystichum acutidens* H. Christ

Distribution Taiwan, China (Zhejiang, Hubei, Guangxi, Sichuan, Taiwan, Yunnan, Guizhou) Tibet S E part [166]; Tonkin [21]; Hunan [295] India, Burma Vietnam, the Moluccas, New Guinea and maybe the Philippines [57]

cytology 4x [57] tetraploid [70] [288]

Current Name *Polystichum acutipinnulum* Ching & K.H. Shing

Cited name or basionym *Polystichum acutipinnulum* Ching & K.H. Shing

Distribution China (Fujian, Henan, Hubei, Hunan, Sichuan, Guizhou, Yunnan 800-3000 m)

cytology 2n=82 [166]

Current Name *Polystichum alaskense* Maxon [db]

Cited name or basionym *Polystichum alaskense* Maxon

Distribution

cytology "2n=164" [51] n=ca .123 db & dpl

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum andersonii* Hopkins [2]

Cited name or basionym *Polystichum andersonii* Hopkins

Distribution British Columbia

cytology "2n=164" [51]

Current Name *Polystichum anomalum* (Hk. & Arn.) J.Sm. [57]

Cited name or basionym *Polypodium anomalum* Hook. & Arn.

Distribution Ceylon, India, Vietnam, Thailand, China (widespread central and south 250-2850 m) Taiwan, Japan(Yaku Is.)

cytology hexaploid [57]

Current Name *Polystichum anomalum* (Hook. & Arn.) J. Smith

Cited name or basionym *Phegopteris eximium* Mett. ex Kuhn

Distribution Ceylon, China (widespread central and south 250-2850 m) Tonkin, Taiwan, Japan(Yaku Is.) Sri Lanka Thailand

cytology "2n=82" [51] [289]

Current Name *Polystichum atkinsonii* Bedd. [0] [10] [21] [57] 1

Cited name or basionym *Polystichum atkinsonii* Bedd.

Distribution n India, Nepal, Bhutan, China (Shaanxi, Hubei, Hunan, Sichuan, Guizhou, Yunnan), Japan; very rare in alpine regions [21]

cytology "2n=82" [51]

Current Name *Polystichum atkinsonii* Bedd. [0] [10] [21] [57] [

Cited name or basionym *Polystichum atkinsonii* Bedd.

Distribution n India, se China, Japan; very rare in alpine regions [21]

cytology "2n=82" [51]

Current Name *Polystichum bakerianum* (Atkins. ex Clarke) Di

Cited name or basionym *Aspidium prescottianum* (Wall. ex. Mett.) T. Moore

Distribution Ind. bor. [0] Afghanistan [44: suppl.43] Tibet, E part, China (Sichuan W part, Yunnan W and NW part - 2400 - 3500 m)

cytology diploid [57]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum bakerianum* Atkins. ex Diels [0]

Cited name or basionym *Polystichum bakerianum* (Atkins. ex Clarke) Di

Distribution Ind. bor. [0] Afghanistan [44: suppl.43] Tibet, E part, China (Sichuan W part, Yunnan W and NW part - 2400 - 3500 m)

cytology diploid [57]

Current Name *Polystichum biaristatum* (Blume) T. Moore [9] [

Cited name or basionym *Aspidium biaristatum* Blume

Distribution Java, Taiwan 1300-1600 m, China (Guangxi etc.). India incl Ceylon, Southeast Asia. Java, Sumatra, Lombok, Sulawesi (Celebes), Philippines [57]

cytology "2n=164" [51] [57]

Current Name *Polystichum braunii* (Spennner) Féé [47]

Cited name or basionym *Aspidium braunii* Spennner

Distribution circumboreal; in China (Heilongjiang, Jilin, Liaoning, Hebei, Shanxi, Shaanxi, Gansu, An hui, Hunan W part, Hubei NW part, Sichuan) 1000-3400 m [166] recorded from Tibet [166] does not occur in the Indian subcontinent or the Sino-Himalaya [57]

cytology "2n=164" [51] [289]

Current Name *Polystichum braunii* (Spennner) Féé var. *purshii*

Cited name or basionym *Polystichum braunii* (Spennner) Féé

Distribution Eastern North America?

cytology "2n=164" [51]

Current Name *Polystichum californicum* (Eaton) Diels

Cited name or basionym *Aspidium californicum* Eaton

Distribution California, Oregon

cytology "2n=164" [51]

Current Name *Polystichum capillipes* (Bak.) Diels [0] [57] [166]

Cited name or basionym *Aspidium capillipes* Baker

Distribution Japan. China(Hubei W part, Sichuan SW part and E part, Guizhou NE, W part, Yunnan NE part, central part, NW part.) Tibet SE part. Bhutan. 1700-3900 m

cytology diploid [57]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum capillipes* (Bak.)Diels [57]

Cited name or basionym *Dryopteris inaense* Tagawa

Distribution Japan (central Honshu only) [21:659] also Taiwan etc [166]

cytology "2n=82" [289]

Current Name *Polystichum christianaee* (Jenm.)Und. & Maxon

Cited name or basionym *Aspidium christianaee* G.S.Jenman

Distribution Jamaica; limestone boulders, rocky slopes, and banks of humid forest ravines, 200-1000m

cytology n=41 [245]

Current Name *Polystichum chunii* Ching [3] [57]

Cited name or basionym *Polystichum chunii* Ching

Distribution China (Guizhou, Guangxi, Hunan;800-1350m) [166]. Nepal, Bhutan, India, Burma, Thailand, Vietnam [57]

cytology 2n=c.82 diploid [70] [57]

Current Name *Polystichum cochleatum* (Klotzsch)Hieron.

Cited name or basionym *Polypodium cochleatum* Klotzsch

Distribution Peru, Venezuela

cytology 2n from isozyme profile in our lab

Current Name *Polystichum craspedosorum* (Maxim.)Diels [0] [

Cited name or basionym *Aspidium craspedosorum* Maxim.

Distribution Japan, China [0] Korea, southern and eastern Manchuria, eastern Siberia [21]

cytology "2n=82" [51] [289]

Current Name *Polystichum craspedosorum* (Maxim.)Diels [34]

Cited name or basionym *Aspidium craspedosorum* Maxim.

Distribution

cytology "2n=82" [51]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum cystostegia* (W.J. Hooker) J.B. Ar

Cited name or basionym Aspidium cystostegium W.J.Hooker

Distribution

cytology "2n=164" [51]

Current Name *Polystichum deltodon* (Baker) Diels [0,49] [21] [

Cited name or basionym Aspidium deltodon Baker

Distribution China (Sichuan, Yunnan, Hubei, Hunan, Guizhou, Guangxi, Anhui, Zhejiang,) [34] Japan, Taiwan [1661] 1000-2600 m

cytology n=82 [289]

Current Name *Polystichum discretum* (D. Don) J.Sm. [3] [9] [

Cited name or basionym Aspidium discretum D. Don

Distribution Tibet, Bhutan, Nepal, India, Myanmar, China (Yunnan) 1700-2900 m, [166] not in Japan.

cytology 41 bivalents [70] [293] diploid sexual [57]

Current Name *Polystichum distans* Fournier

Cited name or basionym Polystichum distans Fournier

Distribution se Mexico

cytology 2n = 41 II [287]

Current Name *Polystichum drepanum*[0]

Cited name or basionym Aspidium drepanum Sw.

Distribution Madeira

cytology 4x [13]

Current Name *Polystichum dubium* (H.Karst.) Diels

Cited name or basionym Phegopteris dubia H.Karst.

Distribution Costa Rica, Colombia, Ecuador

cytology n= 41 II [302]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum dudleyi* Maxon [3]

Cited name or basionym *Polystichum dudleyi* Maxon

Distribution California

cytology "2n=82" [51]

Current Name *Polystichum echinatum* (Gmel.) C.Chr. [0][56]

Cited name or basionym *Polypodium echinatum* J.F.Gmel. in L.

Distribution Jamaica, Cuba, Hispaniola, Puerto Rico, 600-1150m, shaded rocky banks and limestone cliffs [56]

cytology n = 82 [245]

Current Name *Polystichum echinatum* (Gmel.) C.Chr.[0:581,5]

Cited name or basionym *Aspidium mucronatum* Sw.

Distribution Jamaica, moist forest and rocky slopes in humid forests, 800-1700m [56]

cytology n=41 [245]

Current Name *Polystichum erosum* Ching & Shing[5]

Cited name or basionym *Polystichum erosum* Ching & K.H.Shing

Distribution China?

cytology tetraploid [288]

Current Name *Polystichum erythrosorum* A.R. Smith [db]

Cited name or basionym *Polystichum erythrosorum* A.R. Smith

Distribution Oaxaca etc

cytology 2n = 41 II [287]

Current Name *Polystichum falcinellum*(Sw.) C. Presl [0]

Cited name or basionym *Aspidium falcinellum* Sw.

Distribution Madeira

cytology "2n=328" [51]; 8x [13]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum fibrillopaleaceum*(Kodama)Tagaw

Cited name or basionym *Polystichum aculeatum* (L.)Roth

Distribution Japan, endemic [21]

cytology “2n=82” [51] [289]

Current Name *Polystichum formosanum* Ros. [2]; [233]

Cited name or basionym *Polystichum formosanum* Ros.

Distribution Taiwan [2] Ryukyu [21]

cytology 2x,4x [169]; 2x [289]

Current Name *Polystichum fuscopaleaceum* Alston [4]

Cited name or basionym *Polystichum fuscopaleaceum* Alston

Distribution Cameroons

cytology “2n=164” [51]

Current Name *Polystichum grandifrons* C.Chr. [3] [57]

Cited name or basionym *Polystichum grandifrons* C.Chr.

Distribution Taiwan, China (Guangxi, Guizhou, Yunnan 500-2300 m)

cytology diploid sexual [57]

Current Name *Polystichum grandifrons* C.Chr. [57] [166] [235]

Cited name or basionym *Polystichum kiusiuense* Tagawa

Distribution Japan [4] Taiwan [21]

cytology “2n=82” [51] n=82, 2x apogamous [289] see K

Current Name *Polystichum hancockii*(Hance)Diels [0] [9] [21] [

Cited name or basionym *Ptilopteris hancockii* Hance

Distribution Japa. China(Anhui, Zhejiang, Jiangxi, Fujian, Hunan, Guagdong, Guangxi) Taiwan. 60 0-1200 m [166]

cytology “2n=82” [51] [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum hancockii*(Hance)Diels [21]

Cited name or basionym Aspidium yaeyamense Mak.

Distribution Liu Kiu(=Ryukyu Is.)

cytology n=41 [289]

Current Name *Polystichum harpophyllum* (Zenker ex Kunze)S

Cited name or basionym Polypodium harpophyllum Zenker ex Kunze

Distribution India (south), Sri Lanka [57]

cytology 2x [57]

Current Name *Polystichum hartwegii*(Klotzsch)Hieron. [db]

Cited name or basionym Aspidium hartwegii Klotzsch

Distribution Guatemala

cytology 2n = 41 II [287]

Current Name *Polystichum igaense* Tagawa [4] [21] [47]

Cited name or basionym Polystichum igaense Tagawa

Distribution Japan, endemic [21]

cytology “2n=82” [51]

Current Name *Polystichum incongruum* J.P. Roux

Cited name or basionym Polystichum incongruum J.P. Roux

Distribution western and eastern Cape provinces

cytology n= 82 aff. Roux

Current Name *Polystichum kruckebergii* W.Wagner [5]

Cited name or basionym Polystichum kruckebergii W. Wagner

Distribution

cytology “2n=164” [51]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum kurokawae* Tagawa [4] [47]

Cited name or basionym *Polystichum kurokawae* Tagawa

Distribution Japan

cytology “2n=164” [51]

Current Name *Polystichum lachenense*(Hk.)Bedd.[0] [47] [57]

Cited name or basionym *Aspidium lachenense* W.J.Hooker

Distribution Himalayan India [0] Japan, Taiwan, China (Gansu, Xinjiang, Taiwan, Sichuan, Yunnan, Shansi, 3600-5000 m), Tibet [166]; alpine [21]

cytology n=82 [50] “2n=82,164” [51] [169]

Current Name *Polystichum lemmonii* Und.[0]

Cited name or basionym *Polystichum lemmoni* Und.

Distribution California to Alaska

cytology “2n=82” [51]

Current Name *Polystichum lentum* (D. Don) T. Moore [0] [57] [

Cited name or basionym *Aspidium lentum* D. Don

Distribution northern India, Bhutan, Nepal, Tibet, China (Yunnan), Burma, Thailand

cytology “2n=82” [51] 2n=82 [70], [293]

Current Name *Polystichum lonchitis*(L.)Roth [0] [47]

Cited name or basionym *Polypodium lonchitis* L.

Distribution Europe, Asia, America

cytology “2n=82” [51]

Current Name *Polystichum longifrons* Kurata [5]

Cited name or basionym *Polystichum longifrons* Kurata

Distribution Japan

cytology “2n=164” [51] [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum longipaleatum* H. Christ [1] [57] [1]

Cited name or basionym *Polystichum longipaleatum* H. Christ in Lecomte

Distribution Tibet, China (Hunan, Guangxi, Sichuan, Guizhou, Yunnan) 1100-2600 m [166] India [57]
]

cytology diploid sexual [57]

Current Name *Polystichum longipaleatum* H. Christ [51] [57][1]

Cited name or basionym *Aspidium setosum* Wall.

Distribution

cytology "2n=82" [51]

Current Name *Polystichum luctuosum*(Kze.)Moore[0 raised to

Cited name or basionym *Aspidium luctuosum* Kze.

Distribution southern Africa [0] Madagascar [3]

cytology 4x [13]

Current Name *Polystichum macleae* [13]

Cited name or basionym *Aspidium macleaii* Baker in Hk.

Distribution southern Africa

cytology 4x [13]

Current Name *Polystichum makinoi* (Tagawa) Tagawa

Cited name or basionym *Polystichum makinoi* (Tagawa) Tagawa

Distribution

cytology 2n=164 [70]

Current Name *Polystichum makinoi* (Tagawa)Tagawa[4:255] [

Cited name or basionym *Polystichum aculeatum* (L.)Roth

Distribution Japan [0] and China (Hebei, Shaanxi, Gansu S part, Jiangsu, Anhui, Zhejiang, Jiangsi, Fujian, Henan W and S part, Hubei W part, Hunan, Guangxi, Sichuan, Guizhou, Yunnan W and NE part, Tibet 60-2500 m [211] [166] also in India, the Philippines

cytology "2n=164" [51] [289] tetraploid sexual [57]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum manmeiense* (H.Christ) Nakaike [

Cited name or basionym Aspidium manmeiense H.Christ

Distribution Taiwan, China (Yunnan, Guizhou), Tibet 1600-2900 m Philippines [57]

cytology 2n=164 [70]

Current Name *Polystichum mehrae* Fraser-Jenk. & Khullar [2]

Cited name or basionym Polystichum mehrae Fraser-Jenk. & Khullar

Distribution Pakistan, India N and NW part, Nepal, Burma N part, Tibet E part, China (Sichuan W part, Yunnan)

cytology 2n = c.160, 2n=164 [70] tetraploid sexual [57]

Current Name *Polystichum microchlamys*(Christ)Kodama in

Cited name or basionym Polystichum microchlamys

Distribution

cytology n=82, 4x [289]

Current Name *Polystichum microchlamys*(Christ)Kodama in

Cited name or basionym Aspidium microchlamys H. Christ

Distribution Japan (Hokkaido, central-northern Honshu), Kuriles and Kamtchatka [21] also Attu [222]

cytology n=41, 2x; (2n=123), 3x [289]

Current Name *Polystichum microchlamys*(Christ)Matsum. [22]

Cited name or basionym Polystichum braunii (Spenner)Fée

Distribution eastern Asia

cytology “2n=164” [51]

Current Name *Polystichum mohrioides*(Bory)C. Presl

Cited name or basionym Aspidium mohrioides Bory

Distribution Quito-Peru, Amer. aust. temp. & Antarct. Ins. Falklandiae. Ins. Marion. Ins. Amsterdam

cytology “2n=82” [51] *

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum moluccense* (Blume) T. Moore [57]

Cited name or basionym Aspidium moluccense Blume

Distribution Molucca Is. type, but apparently widespread in Malesia, also in the Philippines, Samoa, and south India, scan rcd from Fiji is this species as well [061114]

cytology diploid sexual [57]

Current Name *Polystichum monticola* N.C.Anthony & Schelpe

Cited name or basionym Polystichum monticola N.C.Anthony & Schel

Distribution South Africa, Lesotho

cytology 6x [13]

Current Name *Polystichum moupinense* (Franch.)Bedd. [0] [1]

Cited name or basionym Aspidium moupinense Franch.

Distribution China, Tibet. Bhutan, Nepal, India [57]

cytology tetraploid [288]

Current Name *Polystichum munitum* (Kaulf.) C. Presl [0]

Cited name or basionym Aspidium munitum Kaulf.

Distribution Alaska to California and e

cytology “2n=82” [51]

Current Name *Polystichum muricatum* (L.) Liebm.

Cited name or basionym Polypodium muricatum L.

Distribution s Mexico, GU, HO, NI, CR, PA Colombia, Venezuela, Ecuador, Peru, Jamaica, Hispaniola (Haiti, sw DR); humid secondary broadleaved forests, cloud forests, shaded slopes, 1200-1800m [561]

cytology “2n=82” [51] 2n = 41 II [287]

Current Name *Polystichum neolobatum* Nakai [3] [21] [12] [47]

Cited name or basionym Polystichum neo-lobatum Nakai

Distribution China (Shaanxi, Gansu, Henan, Hubei, Hunan, Zhejiang, Anhui, Jiangxi, Sichuan, Guizhou, Yunnan); Taiwan, Japan, Tibet, Nepal -- 1260-3000 m

cytology “2n=123” [51] triploid apomict [70] [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum nepalense* (Spreng.) C.Chr. [0] [1]

Cited name or basionym Aspidium nepalense Spreng.

Distribution Ind. bor., China (Yunnan, Szechuan)[0] Taiwan [21] high-montane, 2000-3000m in Taiwan [34] Tibet, Bhutan, Philippines [57]

cytology "2n=82" [51] sexual diploid [70] [57]

Current Name *Polystichum obai* Tagawa [3]

Cited name or basionym Polystichum obai Tagawa

Distribution Japan, endemic to Ryukyu [21]

cytology "2n=82" [51] [289]

Current Name *Polystichum obliquum*(D. Don)T. Moore [0] [21]

Cited name or basionym Aspidium obliquum D. Don

Distribution India bor. [0] China (Sichuan W part, Guizhou W part, Yunnan NW, central, and SW part) and Taiwan 1900-2800 m [166] Philippines [57]

cytology "2n=82" [51] [293]

Current Name *Polystichum ohmurae* Kurata [21]

Cited name or basionym Polystichum ohmurae Kurata

Distribution

cytology 41, 2x [289]

Current Name *Polystichum ohmurae* Kurata [4]

Cited name or basionym Polystichum ohmurae Kurata

Distribution Japan, endemic, in mountain regions [21]

cytology "2n=82" [51] [289]

Current Name *Polystichum omeiense* C.Chr.[0] [12] [166]

Cited name or basionym Polystichum omeiense C.Chr.

Distribution China(Sichuan S and SE part Guizhou W part, Yunnan NE SE part 750-1750 m)

cytology diploid sexual [70]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum orbiculatum* (Desv.) Gay [db 0211]

Cited name or basionym *Polystichum sodiroi* H. Christ

Distribution Ecuador

cytology "2n=82" [51]

Current Name *Polystichum orbiculatum*(Desv.)Gay [db]

Cited name or basionym *Polystichum orbiculatum* (Desv.)Remy

Distribution

cytology n=82 in CR aff DSB

Current Name *Polystichum otomasui* Kurata [5]

Cited name or basionym *Polystichum otomasui* Kurata

Distribution Japan (Kyusku/Kyusyu) [5] endemic to Japan [21]

cytology "2n=82" [51] [289]

Current Name *Polystichum ovatopaleaceum* (Kodama) Kurata

Cited name or basionym *Polystichum ovatopaleaceum* (Kodama)Kurata

Distribution

cytology 3x,4x [169]

Current Name *Polystichum ovatopaleaceum*(Kodama)Kurata [

Cited name or basionym *Polystichum aculeatum* (L.)Roth

Distribution Japan, China (Anhui, 600-1200 m)

cytology "2n=164" [51] [289]

Current Name *Polystichum ovatopaleaceum*(Kodama)Tagaw

Cited name or basionym *Polystichum aculeatum* (L.)Roth

Distribution Japan

cytology n=82 [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum parvipinnulum* Tagawa [4] [117] [1]

Cited name or basionym *Polystichum parvipinnulum* Tagawa

Distribution Taiwan, endemic, at 1000-2000m [21] -2400 m [166]

cytology "2n=82" [51]

Current Name *Polystichum piceopaleaceum* Tagawa [4] [21]

Cited name or basionym *Polystichum piceo-paleaceum* Tagawa

Distribution Taiwan [4] Japan(Sakurizima) [21] China (Shaanxi S part, Sichuan, Guizhou N part, Yunnan. Tibet SE part - 1200-3400 m. India S part. etc. [166] Afghanistan, Bhutan, India, Burma, Yemen [57]

cytology 2n=164 [70] [293] diploid and tetraploid sexual

Current Name *Polystichum plaschnickianum*(Kze.)Moore [0] [

Cited name or basionym *Aspidium plaschnickianum* Kze.

Distribution Jamaica (common), Hispaniola (occasional-southern Haiti, central and sw DR); moist rocky banks and ledges in wet forests 1175-1850m

cytology n=41 [245]

Current Name *Polystichum platyphyllum*(Willd.) C. Presl

Cited name or basionym *Aspidium platyphyllum* Willd.

Distribution American tropics; 1000-1600m [56]

cytology 2N=41 II [287]

Current Name *Polystichum polyblepharum* (Roem.)C.Presl [2]

Cited name or basionym *Polystichum polyblepharum* (Roem.)C.Presl

Distribution

cytology n = 82 [289]

Current Name *Polystichum polyblepharum*(Röm. ex Kunze) C

Cited name or basionym *Aspidium polyblepharon* Römer ex Kunze

Distribution Japan (Honsyu, Sikoku, Kyusyu) and Korea [21] China (Jiangsu, Zhejiang, 100-400 m) [166]

cytology "2n=164"; n=82 [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum prescottianum* (Wall. ex Mett.) T.

Cited name or basionym Aspidium prescottianum Wall. nomen nudum

Distribution Nepal, Bhutan, India N part, Tibet 3400-3900 m, Taiwan(Ilan) alpine, etc. [21, 166]

cytology "2n=82" [51]

Current Name *Polystichum proliferum*(R.Br.)Presl [0 as sp.]

Cited name or basionym Aspidium proliferum R. Br.

Distribution Australia, locally naturalized in NZ

cytology "2n=164" [51]

Current Name *Polystichum pseudomakinoi* Tagawa [4] [21] [4]

Cited name or basionym Polystichum pseudo-makinoi Tagawa

Distribution Japan. China (Jiangsu, Anhui, Zhejiang, Jiangxi, Fujian, Henan, Hunan, Guangdong NE part, Guangxi, Sichuan, Guizhou - 200-2000 m).

cytology "2n=164" [51] [289] [166]

Current Name *Polystichum punctiferum* C.Chr. [57] [166] [295]

Cited name or basionym Polystichum virescens Ching & S.K.Wu

Distribution China

cytology 2n=82 (2x) [270]

Current Name *Polystichum pungens*(Klf.)Presl [0]

Cited name or basionym Aspidium pungens Klf.

Distribution Africa austr. Réunion [0]

cytology 8x [13]

Current Name *Polystichum retrosopaleaceum*(Kodama)Taga

Cited name or basionym Polystichum aculeatum

Distribution Korea, Japan [4] cool-temperate regions [21] China (Anhui, Zhejiang, Jiangxi, Hubei 600-1600 m)

cytology "2n=82" [51] [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum richardii* (Hook.) J.Sm. [0] [176] [2]

Cited name or basionym Aspidium richardi W.J.Hooker

Distribution New Zealand, Fiji [0]

cytology "2n=164" [51]

Current Name *Polystichum rigens* Tagawa [4] [21] [47] [166] [

Cited name or basionym Polystichum rigens Tagawa

Distribution Japan [4] China (Hubei, Shanx, Gansu S part) [166] sporadic in warm-temperate [21]

cytology "2n=123" [51] [289]

Current Name *Polystichum scariosum*(Roxb.)C. Morton [5] [4]

Cited name or basionym Polypodium scariosum Roxb.

Distribution Amboyna, Yakushima. or widespread in Assia [57]

cytology diploid sexual [57]

Current Name *Polystichum scopulinum* (D.C.Eaton) Maxon

Cited name or basionym Aspidium aculeatum

Distribution Western US, Gaspé, [Newfoundland-extinct?]

cytology "2n=164" [51]

Current Name *Polystichum semifertile*(Clarke)Ching [4] [57] [1]

Cited name or basionym Aspidium aculeatum (L.)Sw.

Distribution Tibet. China (Sichuan, Yunnan) India, Nepal, Sikkim, Myanmar, Thailand, Vietnam. 100-3000 m [166]

cytology "2n=82" [51] 2n=82 [70] [166]

Current Name *Polystichum setiferum* (Forssk.) T. Moore ex W

Cited name or basionym Polypodium setiferum Forssk.

Distribution Europe incl Azores, Canary Is., Madeira, Atlas Mountains

cytology "2n=82" [51]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum setigerum* Presl [db]

Cited name or basionym *Polystichum setigerum* Presl

Distribution Alaska etc

cytology [6x]

Current Name *Polystichum shikuokaense* Nakaike [25]

Cited name or basionym *Polystichum fibrillopaleaceum*

Distribution

cytology “2n=82” [51]

Current Name *Polystichum shimurae* Sa.Kurata ex Seriz. [27]

Cited name or basionym *Polystichum shimurae* Sa.Kurata ex Seriz.

Distribution Japan, China (Zhejiang)

cytology “2n=164” [51]

Current Name *Polystichum squarrosum*(D.Don)Fée [0 as sp.]

Cited name or basionym *Aspidium squarrosum* D. Don

Distribution India, Bhutan, Nepal, Tibet etc.. 1900-2400 m. China (Yunnan, Sichuan, Gansu) [295]

cytology “2n=82” [51] diploid [70] 2n=164 [293]

Current Name *Polystichum stenophyllum* (Franch.) H.Christ [0]

Cited name or basionym *Polystichum stenophyllum* (Franch.) H. Christ

Distribution Tibet orient. [0] China (Yunnan, Szechuan) [34] Taiwan, Ind. bor. [3] Bhutan, Nepal [57]

cytology “2n=82” [51] [288]

Current Name *Polystichum stimulans* [3] [db] [57] [166]

Cited name or basionym *Polystichum stimulans* (Kunze ex Mett.) Bed

Distribution Ind. bor. , China (Tibet, Sichuan, Yunnan, Guizhou 1700-3000 m) Nepal.

cytology “2n=82,164” [51] diploid sexual [57]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum stimulans*(Kunze ex Mett.) Bedd. [

Cited name or basionym *Polystichum stimulans* Presl nomen nudum

Distribution Ind. bor. , China (Tibet, Sichuan, Yunnan, Guizhou 1700-3000 m) Nepal.

cytology “2n=82,164” [51] diploid sexual [57]

Current Name *Polystichum subinerme* (Kze.) Fraser-Jenkins [

Cited name or basionym *Aspidium subinerme* Kze.

Distribution India austr. only

cytology 4x sexual [57]

Current Name *Polystichum submarginale*(Baker)Ching ex P.S

Cited name or basionym *Polystichum auriculatum* (L.) C. Presl

Distribution China (Sichuan, Guizhou, Yunnan 750-2500 m)

cytology

Current Name *Polystichum tagawanum* Kurata [21]

Cited name or basionym *Polystichum tagawanum*

Distribution

cytology n=82 [289]

Current Name *Polystichum tagawanum* Kurata [4] [21]

Cited name or basionym *Polystichum tagawanum* Kurata

Distribution Japan, endemic [21]

cytology “2n=164” [51] [289]

Current Name *Polystichum thomsonii* (Hook.f. in Hook.)Bedd.

Cited name or basionym *Aspidium thomsonii* Hook.f. in Hook.)

Distribution Afghanistan.Myanmar N part, Sikki N part, Bhutan, Nepal, India NE NW part; Taiwan, China (Sichuan W part, Guizhou, Yunnan NE, central, NW part); Tibet, - alpine regions [
1661

cytology n=82 [50] [57]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum transkeiense* W. Jacobsen [27]

Cited name or basionym *Polystichum transkeiense* W.Jacobsen

Distribution South Africa(Cape Province, Natal, Transvaal)

cytology 4x [13]

Current Name *Polystichum transvaalense* N.C.Anthony [27]

Cited name or basionym *Polystichum transvaalense* N.C.Anthony

Distribution South Africa (Transvaal, Natal)

cytology 4x [13]

Current Name *Polystichum tridens*(Hk.)Fée [0]

Cited name or basionym *Aspidium tridens*

Moore ex W.J.Hooker

Distribution Jamaica, Hispaniola [2:57]

cytology “2n=82” [51]

Current Name *Polystichum tripterion*(Kunze)Presl [21]

Cited name or basionym *Polystichum tripterion*

(Kunze)Presl

Distribution

cytology n=41 [289]

Current Name *Polystichum tripterion*(Kze.)Presl [0][12] [47] [1]

Cited name or basionym *Aspidium tripterion* Kunze

Distribution Japonia. Ins. Tsus Sima [0] eastern Siberia, southern Saghalien[=Sakhalin I.] , Korea and China (20 provinces 400-2300 m) [21] [166]

cytology “2n=82” [51] [166] [289]

Current Name *Polystichum tsus-simense* (Hook.) J.Sm. [0 as

Cited name or basionym *Aspidium tsus-simense* Hook.

Distribution Japan, China (widespread) [0]; Korea, Taiwan [21] warm-temperate regions [21]

cytology “2n=123” [51] triploid apomict [70] [289]

CYTOLOGICAL INFORMATION FOR THE GENUS *POLYSTICHUM* AS OF 2006
prepared by D.S. Barrington, University of Vermont (dbarring@uvm.edu)
Numbers in brackets are publications --- available on request.

Current Name *Polystichum underwoodii* Maxon [1]

Cited name or basionym *Polystichum underwoodii* Maxon

Distribution Jamaica

cytology n=82 [245]

Current Name *Polystichum vestitum* (G. Forst.) C. Presl [0] [1]

Cited name or basionym *Polypodium vestitum* Georgio Forster

Distribution NZ, Ins. Antarct. Amer. antarct. Australia [0]

cytology "2n=164" [51]

Current Name *Polystichum walkerae*(Hook.)Sledge [228]

Cited name or basionym *Polypodium walkerae* Hook.

Distribution Sri Lanka 690-900 m [228]

cytology diploid [57]

Current Name *Polystichum wilsonii* H.Christ [1] [21] [13] [57] [

Cited name or basionym *Polystichum wilsonii* H. Christ

Distribution China [1] Africa, Madagascar, Himalaya, Bhutan, Taiwan [13]

cytology 4x [13] [246]

Current Name *Polystichum xiphophyllum* (Baker) Diels [0] [21]

Cited name or basionym *Aspidium xiphophyllum* Baker

Distribution China (Sichuan, Hubei south part,Guizhou, Yunnan 650-1800 m); Taiwan [21]

cytology triploid apomict [70]

Current Name *Polystichum yunnanense* H. Christ [1] [57] [166]

Cited name or basionym *Polystichum yunnanense* H. Christ

Distribution Nepal, Tibet. [166] China (Sichuan, Yunnan [166] Hubei [57]) Burma [57]

cytology tetraploid [70] [57]