

東南アジア海域に出現するアミ類およびその査定に必要な文献目録

澤本彰三¹⁾・福岡弘紀²⁾

Lists of Mysid Species and References for Their Identification in Southeast Asian Waters

Shozo Sawamoto¹⁾ and Kouki Fukuoka²⁾

緒 言

アミ類は、オキアミ類（オキアミ科として）とともに Schizopoda（裂脚亜目）を構成する科の1つとして置かれていたことがある（例えば Sars, 1885）。今ではアミ目として、等脚目や端脚目などとともに Peracarida（フクロエビ上目）に、オキアミ目はエビやカニを含む十脚目とともに Eucarida（ホンエビ上目）にそれぞれ統合されている。さらに、オキアミ目の新種記載が20世紀初頭までにほとんど終了したこととは異なり、アミ目の新種記載については、これから盛んに行われると予想されていた（Mauchline and Murano, 1977）。実際に、その種数は1980年ころまでには世界からおよそ120属780種が知られ（Mauchline and Murano, 1977；Bowman and Abele, 1982），現在ではおよそ1000種にまで増加している（福岡, 2001）。これは、アミ類の生息域が、海水はもちろんのこと汽水域や淡水域にまで広がることや生息水深の範囲が極めて広いことのほかに、多様な生態をもつこと（Mauchline, 1980）と関係があろう。

ところで、地球上の生物について関心が高まり、その種数を調べるなどの世界的なプロジェクトとして海

洋学研究科学委員会（SCOR）のCensus of Marine Life（CoML）が進行中である。2004年3月には、このプロジェクトの一環として Census of Marine Zooplankton (CMarZ) が動き始め、世界のプランクトン研究者が協力して、地球規模におけるプランクトンの多様性などの生態学的情報を総括する方法論と組織について検討がなされた。さらに、東南アジア海域は生物多様性の研究に重要な水域であることが認識されており、アメリカやオランダなどは東南アジア諸国と共同で調査を行う動きがあるという（西田、私信）。なお、日本動物学会では、1997年から10期50年計画で、地球上の生物を調べ上げる「ガイアリスト21」プロジェクトを始めている。

日本学術振興会のプロジェクト研究課題「東アジア・東南アジアの沿岸域における生物多様性の研究」では、2002年度から東南アジア各国と協力して魚類、海草・海藻、ベントス、プランクトンについて調査研究を進めている。動物プランクトンについては、CMarZに呼応する形となった。こうしたことから、東南アジア海域におけるアミ類を含む動物プランクトンの研究は、これまで以上に進展すると推定される。アミ類は、タイの沿岸においては漁業対象として重要な

1) 東海大学海洋研究所 〒424-8610 静岡市清水折戸3-20-1

(Institute of Oceanic Research and Development, Tokai University, 3-20-1 Shimizu-Orido, Shizuoka 424-8610, Japan)

2) 国立科学博物館動物研究部 日本学術振興会特別研究員 〒169-0073 東京都新宿区百人町3-23-1

(JSPS Research Fellow, Department of Zoology, National Science Museum, Tokyo, 3-23-1 Hyakunincho, Shinjuku-ku, Tokyo 169-0073, Japan)

資源となっていることから、この動物群の調査研究は学術的にも水産的にも重要である。このような調査研究の発展のなかで、アミ類の新種はさらに見つかるであろうし、これと平行して分類の見直しも進むと考えられる。福岡(2001)は、高次分類群の見直しを含む現在の分類上の諸問題について解説している。

日本学術振興会のプロジェクト研究課題には、研究者の育成も含まれており、2003年から動物プランクトンに関する講習会(Training Course on Methods of Zooplankton Ecology and Identification)を各国で開催することになった。この講習会は、2003年にはチュラロンコーン大学で、2004年にはフィリピン大学ロスパニヨス校でそれぞれ実施された。日本からはヤムシ類(寺崎誠博士), カイアシ類(西田周平博士, 岩崎望博士, 大塚攻博士), アミ類(大塚攻博士, 澤本彰三), 被囊類を含むゼラチン質プランクトン(西川淳博士)および幼生類(菊池知彦博士)について専門家が参加して行われた。

今年の講習会のために、昨年作成したアミ目の出現種と文献目録の再検討を行い、出現種67属191種(含む3亜種)と110編の文献について新たな目録を作成

Order Mysidacea

Suborder Lophogastrida

Family Lophogastridae 2属13種

Family Gnathophausiidae 2属7種

Family Eucopiidae 1属4種

Suborder Mysida

Family Petalophthalmidae 3属3種

Family Mysidae 1属5種

Subfamily Boreomysinae 1属

Subfamily Siriellinae 1属

Tribe Metasiriellini 1属

Tribe Siriellini 2属

Subfamily Rhopalophthalminae 1属

Subfamily Gastrosaccinae 7属

Subfamily Mysinae 22属

Tribe Erythropini 36種

Tribe Leptomysini 10属

Tribe Mancomysini 1属

Tribe Mysini 11属

Tribe Heteromysini 2属

Subfamily Mysidellinae 5種

合計 67属191種

した。今年は、出現種についてはできる限り、シノニムも拾うこととした。なお、科およびそれよりも下位の分類レベルごとにまとめた属数と種数は前述のようになる。

Table 1は、東南アジア海域のアミ類出現種とそれを図とともに記載している文献の番号を対応させた表である。ただし、太字は、原記載文献の番号であり、最初に示してある。この表は、種を査定する上で参考すべき文献を見つけるときに有用であろう。Table 2は、これらの文献目録であり、著者名のアルファベット順に並べてある。出現種が増えるにしたがって、文献も増え続けるので、探索は毎年続けることにしている。また、属までの検索表については、現在検討中である。

謝 辞

この目録をまとめることができたのは、国土環境株式会社 村野正昭博士の貴重な助言と、独立行政法人国際農林水産業研究センター 花村幸生博士の協力のおかげである。なお、講習会においてアミ目を担当することになったのは、東京大学海洋研究所 西田周平博士の要請による。ここに記して感謝する。

引 用 文 献

- Bowman, T. E. and L. G. Abele (1982) Classification of the recent Crustacea. p. 1~27. In: L. G. Abele (ed.) The Biology of Crustacea. vol. 1, Systematics, the Fossil Records, and Biogeography. Academic Press, New York. 319 p.
- 福岡弘紀(2001)アミ類の分類と生態.月刊海洋,号外, 27, 125~130.
- Mauchline, J. (1980) The biology of mysids and euphausiids. Pt 1, The biology of mysids. p. 3~369. In: J. H. S. Blaxter, F. S. Russell and M. Yonge (eds.) Advances in Marine Biology, vol. 18. Academic Press, London. 681 p.
- Mauchline, J. and M. Murano (1977) World list of the Mysidacea, Crustacea. J. Tokyo Univ. Fish., 64, 39~88.
- Sars, G. O. (1885) Report on the Schizopoda collected by H.M.S. 'Challenger' during the years 1873-1876. Rep. Sci. Res. Voyage H.M.S. 'Challenger', 1873-76, Zool., 13 (37), 1~228, 38 pls.

Table 1 Mysid species in the Southeast Asian waters and its literature.

Number shows the literature number in table 2, which describing mysid species with figures. Bold number indicates the literature in which original description of each species are made.

No.	Species name	Reference No.	No. of references
Suborder Lophogastrida			
Family Lophogastridae			
1	<i>Lophogaster inermis</i> Casanova, 1996	7	1
2	<i>Lophogaster intermedius</i> Hansen, 1910	25 2 7 13 15 100	6
	(= <i>Lophogaster hawaiiensis</i> Fage, 1940)	13 15 44	3
3	<i>Lophogaster manilae</i> Bacescu, 1985	2 7 44	3
4	<i>Lophogaster musorstromi</i> Bacescu, 1991	3	1
5	<i>Lophogaster pacificus</i> Fage, 1940	13 1 2 3 15 44	6
6	<i>Lophogaster rotundatus</i> Illig, 1930	37 7 88	3
7	<i>Lophogaster schmidti</i> Fage, 1940	13 15 88	3
8	<i>Paralophogaster boucheti</i> Casanova, 1993	6	1
9	<i>Paralophogaster foresti</i> Bacescu, 1981	1	1
10	<i>Paralophogaster glaber</i> Hansen, 1910	25 1 3 7 44	5
11	<i>Paralophogaster intermedius</i> Coiffmann, 1937	9 7	2
12	<i>Paralophogaster macrops</i> Colosi, 1934	10 9	2
13	<i>Paralophogaster philippinensis</i> Bacescu, 1981	1	1
Family Gnathophausiidae			
14	<i>Gnathophausia elegans</i> G. Sars, 1883	85 1 2 3 7 14 86	7
	<i>Gnathophausia elegans fagei</i> Bacescu, 1991	3	1
15	<i>Gnathophausia fagei</i> Casanova, 1996	7	1
16	<i>Gnathophausia gracilis</i> W.-Suhm, 1875	108 3 7 14 86	5
17	<i>Gnathophausia longispina</i> G. Sars, 1883	85 1 3 14 86	5
18	<i>Gnathophausia zoea</i> W.-Suhm, 1875	108 3 14 37 44 86 106	7
	(= <i>Gnathophausia cristata</i> Illig, 1906)	34	1
	(= <i>Gnathophausia willemoesii</i> G. Sars, 1883)	85 86	2
19	<i>Neognathophausia gigas</i> (W.-Suhm, 1875)		0
	(= <i>Gnathophausia gigas</i> W.-Suhm, 1875)	108 44 86	3
20	<i>Neognathophausia ingens</i> (Dohrn, 1870)		0
	(= <i>Gnathophausia calcarata</i> Ortmann, 1906)		0
	(= <i>Gnathophausia ingens</i> (Dohrn, 1870))	3 14 37 44 85 86 107	7
	(= <i>Lophogaster ingens</i> Dohrn, 1870)	12	1
Family Eucopiidae			
21	<i>Eucopia australis</i> Dana, 1852	11 15 44 86 88	5
22	<i>Eucopia panayensis</i> Bacescu, 1991	3	1
23	<i>Eucopia sculpticauda</i> Faxon, 1893	16 15 37	3
	(= <i>Eucopia intermedia</i> Hansen, 1905)		0
24	<i>Eucopia unguiculata</i> (W.-Suhm, 1875)	3 15 25 88	4
	(= <i>Chalaraspis unguiculata</i> W.-Suhm, 1875, partim)	108	1
Suborder Mysida			
Family Petalophthalmidae			
25	<i>Ceratomysis egregia</i> Hansen, 1910	25	1
26	<i>Parapetalophthalmus suluensis</i> Murano and Bravo, 1998	63	1
27	<i>Petalophthalmus liui</i> Wang, 1998	103 44	2

Table 1 (continued)

No.	Species name	Reference No.	No. of references
Family Mysidae - Subfamily Boreomysinae			
28	<i>Boreomysis hansenii Holmquist</i> , 1956	27 32	2
29	<i>Boreomysis kistnae Pillai</i> , 1973	83	1
30	<i>Boreomysis plebeja Hansen</i> , 1910	25 32	2
31	<i>Boreomysis rostrata Illig</i> , 1906	34 37 44 100	4
	(= <i>Boreomysis inermis Hansen</i> , 1910)	25	1
32	<i>Boreomysis sibogae Hansen</i> , 1910	25 81	2
Family Mysidae - Subfamily Siriellinae - Tribe Metasiriellini			
33	<i>Metasiriella kitaroi Murano</i> , 1986	50	1
Family Mysidae - Subfamily Siriellinae - Tribe Siriellini			
34	<i>Hemisiriella parva Hansen</i> , 1910	25 32 44 76 80 81 83	7
35	<i>Hemisiriella pulchra Hansen</i> , 1910	25 32 44 83	4
36	<i>Siriella aequiremis Hansen</i> , 1910	25 32 44 76 81 83	6
37	<i>Siriella affinis Hansen</i> , 1910	25 81	2
38	<i>Siriella anomala Hansen</i> , 1910	25 18 32	3
39	<i>Siriella conformalis Hansen</i> , 1910	25	1
40	<i>Siriella distinguenda Hansen</i> , 1910	25	1
41	<i>Siriella dubia Hansen</i> , 1910	25 32 44 80 81 83 96 98	8
42	<i>Siriella gracilis Dana</i> , 1852	11 32 44 76 81 83 86	7
43	<i>Siriella hansenii W. Tattersall</i> , 1922	96 81	2
44	<i>Siriella inornata Hansen</i> , 1910	25	1
45	<i>Siriella japonica izuensis li</i> , 1964	32 42	2
46	<i>Siriella media Hansen</i> , 1910	25 32 44	3
47	<i>Siriella nodosa Hansen</i> , 1910	25	1
48	<i>Siriella okadai li</i> , 1964	32 44	2
49	<i>Siriella plumicauda Hansen</i> , 1910	25	1
50	<i>Siriella quadrispinosa Hansen</i> , 1910	25 32 44 81	4
51	<i>Siriella sinensis li</i> , 1964	32 44	2
52	<i>Siriella singularis Nouvel</i> , 1957	67	1
53	<i>Siriella thompsoni (H. Milne-Edwards, 1837)</i>	32 44 76 81 83 86	6
	(= <i>Cynthia thompsoni H. Milne-Edwards, 1837</i>)	45	1
54	<i>Siriella trispina li</i> , 1964	32 44	2
55	<i>Siriella vulgaris Hansen</i> , 1910	25 18 44 81	4
56	<i>Siriella vulgaris rostrata W. Tattersall</i> , 1951	100	1
57	<i>Siriella wadai li</i> , 1964	32 44	2
Family Mysidae - Subfamily Rhopalophthalminae			
58	<i>Rhopalophthalmus egregius Hansen</i> , 1910	25	1
59	<i>Rhopalophthalmus kempfi O. Tattersall</i> , 1957	89 81	2
60	<i>Rhopalophthalmus longipes li</i> , 1964	32 81	2
61	<i>Rhopalophthalmus macropsis Pillai</i> , 1964	80 81 83	3
	(= <i>Rhopalophthalmus longipes li</i> , 1964)	32	1
62	<i>Rhopalophthalmus orientalis O. Tattersall</i> , 1957	89 32 44 106	4
63	<i>Rhopalophthalmus phyllodus Murano</i> , 1988	51	1

Table 1 (continued)

No.	Species name	Reference No.	No. of references
Family Mysidae - Subfamily Gastrosaccinae			
64	<i>Anchialina dentata</i> Pillai, 1964 (= <i>Anchialina parva</i> li, 1964)	80 76 81 83 32 104	4 2
65	<i>Anchialina grossa</i> Hansen, 1910	25 81 96 104 110	5
66	<i>Anchialina media</i> li, 1964	32	1
67	<i>Anchialina obtusifrons</i> Hansen, 1912	26	1
68	<i>Anchialina penicillata</i> Zimmer, 1915	110 81 104	3
69	<i>Anchialina typica orientalis</i> Nouvel, 1971	71 18	2
	(= <i>Anchialina typica</i> Hansen, 1910)	25 32 80 81 83 88 104	7
	(= <i>Anchialus typicus</i> Kroyer, 1861)	86	1
70	<i>Anchialina zimmeri</i> W. Tattersall, 1951	100 18 44 104	4
71	<i>Archaeomysis kokuboi</i> li, 1964	32 44 104	3
72	<i>Archaeomysis vulgaris</i> (Nakazawa, 1910)	38	1
	(= <i>Gastrosaccus vulgaris</i> Nakazawa, 1910)	65	1
73	<i>Eurobowmaniella simulans</i> (W. Tattersall, 1915)	53	1
	(= <i>Eurobowmaniella phuketensis</i> Murano, 1995)	52	1
	(= <i>Gastrosaccus simulans</i> W. Tattersall, 1915)	95 81	2
74	<i>Gastrosaccus dunckeri</i> Zimmer, 1915	110 32 44 77 78 80 83 90	8
75	<i>Haplostylus bengalensis</i> (Hansen, 1910)		0
	(= <i>Gastrosaccus bengalensis</i> Hansen, 1910)	25 32 44 83 100	5
	(= <i>Gastrosaccus philippiensis</i> W. Tattersall, 1951)	100	1
76	<i>Haplostylus indicus</i> (Hansen, 1910)		0
	(= <i>Gastrosaccus indicus</i> Hansen, 1910)	25 44 104	3
77	<i>Haplostylus pacificus</i> (Hansen, 1912)		0
	(= <i>Gastrosaccus pacificus</i> Hansen, 1912)	26 81 96	3
78	<i>Haplostylus parvus</i> (Hansen, 1910)		0
	(= <i>Gastrosaccus parvus</i> Hansen, 1910)	25 44 104	3
79	<i>Haplostylus pusillus</i> (Coiffmann, 1936)		0
	(= <i>Gastrosaccus pusillus</i> Coiffmann, 1936)	9 18 83	3
80	<i>Iiella elegans</i> (O. Tattersall, 1960)		0
	(= <i>Gastrosaccus elegans</i> O. Tattersall, 1960)	90	1
81	<i>Iiella formosensis</i> (li, 1964)		0
	(= <i>Gastrosaccus formosensis</i> li, 1964)	32 44 104	3
82	<i>Iiella hibii</i> (li, 1964)		0
	(= <i>Gastrosaccus hibii</i> li, 1964)	32 44 104	3
83	<i>Iiella hispida</i> Jo and Murano, 1992	39	1
84	<i>Iiella ohshimae</i> (li, 1964)		0
	(= <i>Gastrosaccus ohshimae</i> li, 1964)	32 44	2
85	<i>Pseudanchialina inermis</i> (Illig, 1906)	25 37 44 68 81 83 91 104	8
	(= <i>Chlamydopleon inerme</i> Illig, 1906)	34	1
	(= <i>Pseudanchialina sibogae</i> Nouvel, 1944)	66	1
86	<i>Pseudanchialina pusilla</i> (G. Sars, 1883)	25 44 77 80 81 83 90 104	8
	(= <i>Promysis pusilla</i> G. Sars, 1883)	85	1
	(= <i>Anchialus pusillus</i> G. Sars, 1885)	86	1

Table 1 (continued)

No.	Species name	Reference No.	No. of references
Family Mysidae - Subfamily Mysinae - Tribe Erythropini			
87	<i>Arachnomysis leuckartii</i> Chun, 1887 (= <i>Arachnomysis affinis</i> Hansen, 1910)	8 37 48 83 25	4 1
88	<i>Dactylamblyops latisquamosa</i> Illig, 1906	37	1
89	<i>Dactylamblyops fervida</i> Hansen, 1910	25	1
90	<i>Echinomysis chuni</i> Illig, 1905	33 37 58 81	4
91	<i>Erythrops minuta</i> Hansen, 1910	25 32 43 44 81 83 96	7
92	<i>Erythrops nana</i> W. Tattersall, 1922	96 81	2
93	<i>Erythrops phuketensis</i> Fukuoka and Murano, 2002	21	1
94	<i>Erythrops yongei</i> W. Tattersall, 1936	98	1
95	<i>Euchaetomera glyphidophthalmica</i> Illig, 1906	34 37 48 76 80 81	6
96	<i>Euchaetomera oculata</i> Hansen, 1910	25 37 44 81	4
97	<i>Euchaetomera typica</i> G.O. Sars, 1883	85 26 32 37 81 83 86	7
98	<i>Euchaetomeropsis merolepis</i> (Illig, 1908) (= <i>Euchaetomera merolepis</i> Illig, 1908)	37 44 48 35	3 1
	<i>Gibberythrops acanthura</i> (Illig, 1906) (= <i>Parerythrops acanthura</i> Illig, 1906)	37 81 34	2 1
99	<i>Gymnerythrops anomala</i> Hansen, 1910	25	1
100	<i>Holmesiella affinis</i> Li, 1937	31 32 44 47	4
102	<i>Hypererythrops semispinosa</i> Wang, 1998	103 21 44	3
103	<i>Hypererythrops spinifera</i> (Hansen, 1910) (= <i>Ererythrops spinifera</i> Hansen, 1910)	21 32 44 80 81 96 25	6 1
	<i>Hypererythrops validiseta</i> Fukuoka and Murano, 2002	21	1
105	<i>Hypererythrops zimmeri</i> Li, 1937	31 32 44	3
106	<i>Liuimysis longicauda</i> Wang, 1998	103 44	2
107	<i>Marumomysis hakuhoei</i> Murano, 1999	57	1
108	<i>Metamblyops philippinensis</i> (W. Tattersall, 1951) (= <i>Gibberythrops philippinensis</i> W. Tattersall, 1951)		1 1
	<i>Meterythrops picta</i> Holt and W. Tattersall, 1905	28 25 32 48	4
110	<i>Nakazawaia japonica</i> Murano, 1981	49 44 103	3
111	<i>Paramblyops spatulicaudus</i> Murano, 2002	61	1
112	<i>Paramblyops tenuicaudus</i> Murano, 2002	61	1
113	<i>Pleurerythrops inscita</i> Li, 1964	32 21 43 44 91	5
114	<i>Pleurerythrops monospinosa</i> Liu and Wang, 1986	43 44	2
115	<i>Pseuderythrops gracilis</i> Cofmann, 1936	9 44 55 80 83 103	6
116	<i>Pseuderythrops megalops</i> Murano, 1998	55	1
117	<i>Pseudomma semispinosum</i> Wang, 1998	103 44	2
118	<i>Pseudomma spinosum</i> Wang, 1998	103 44	2
119	<i>Shenimysis cordata</i> Wang, 1998	103 44	2
120	<i>Synerythrops intermedia</i> Hansen, 1910	25 44 81 98 99	5
121	<i>Teratamblyops philippinensis</i> Murano, 2001	59	1
122	<i>Teratamblyops suluensis</i> Murano, 2001	59	1

Table 1 (continued)

No.	Species name	Reference No.	No. of references
-----	--------------	---------------	-------------------

Family Mysidae - Subfamily Mysinae - Tribe Leptomysini

123	<i>Afromysis dentisinus Pillai</i> , 1957	77 44 80 81 83	5
124	<i>Dioptromyssis perspicillata Zimmer</i> , 1915	110 79 83	3
125	<i>Dioptromyssis proxima Nouvel</i> , 1964	68	1
126	<i>Doxomysis anomala W. Tattersall</i> , 1922	96 77 80 83	4
127	<i>Doxomysis longiura Pillai</i> , 1963	79 44 83	3
128	<i>Doxomysis nicobaris Panampunnayil</i> , 2002	76	1
	<i>Doxomysis quadrispinosa (Illig, 1906)</i>	37 44 83 110	4
129	(= <i>Doxomysis pelagica Hansen</i> , 1912)	26	1
	(= <i>Mysis quadrispinosa Illig</i> , 1906)	34	1
130	<i>Imysis orientalis (Li, 1937)</i>	70	1
	(= <i>Tenagomysis orientalis li</i> , 1937)	31 32 44	3
131	<i>Mysidopsis indica W. Tattersall</i> , 1922	96 32 43 44 81	5
132	<i>Mysidopsis kempi W. Tattersall</i> , 1922	96 32 44 81	4
133	<i>Neodoxomysis littoralis (W. Tattersall, 1922)</i>	56	1
	(= <i>Doxomysis littoralis Tattersall</i> , 1922)	96 32 81 98	4
134	<i>Paraleptomysis sinensis Liu and Wang</i> , 1983	41 44	2
135	<i>Paraleptomysis xenops (W. Tattersall, 1922)</i>	41 44	2
	(= <i>Leptomysis xenops W. Tattersall, 1922</i>)	96 81	2
136	<i>Prionomysis aspera li</i> , 1937	31 32 44	3
137	<i>Prionomysis stenolepis W. Tattersall</i> , 1922	96 81	2
138	<i>Promysis orientalis Dana</i> , 1852	11 32 44 81 83 91 98	7
	(= <i>Uromysis armata Hansen</i> , 1910)	25	1
139	<i>Pseudoxomysis caudaeensis Nouvel</i> , 1973	72 44	2

Family Mysidae - Subfamily Mysinae - Tribe Mancomysini

140	<i>Palaumysis philippinensis Hanamura and Kase</i> , 2002	24	1
-----	---	----	---

Family Mysidae - Subfamily Mysinae - Tribe Mysini

141	<i>Acanthomysis brucei Fukuoka and Murano</i> , 2002	21	1
142	<i>Acanthomysis crassispinosa Liu and Wang</i> , 1980	40 44	2
143	<i>Acanthomysis indica (W. Tattersall, 1922)</i>	77 81	2
	(= <i>Neomysis indica W. Tattersall, 1922</i>)	96	1
144	<i>Acanthomysis leptura Liu and Wang</i> , 1980	40 44	2
145	<i>Acanthomysis longispina Fukuoka and Murano</i> , 2002	21	1
146	<i>Acanthomysis meridionalis Liu and Wang</i> , 1983	42 44	2
147	<i>Acanthomysis ornata O. Tattersall</i> , 1965	91	1
148	<i>Acanthomysis platycauda (Pillai, 1964)</i>	80 44 81 83	4
	(= <i>not Lycomysis platycauda Pillai, 1961</i>)	78	1
149	<i>Acanthomysis quadrispinosa Nouvel</i> , 1965	69 19 44	3
150	<i>Acanthomysis rotundicauda Liu and Wang</i> , 1980	40 44	2
151	<i>Acanthomysis serrata Liu and Wang</i> , 1980	40	1
152	<i>Acanthomysis tenella Liu and Wang</i> , 1980	42 44	2
153	<i>Acanthomysis thailandica Murano</i> , 1988	51	1
154	<i>Anisomysis (Anisomysis) bifurcata W. Tattersall</i> , 1912	94 21	2

Table 1 (continued)

No.	Species name	Reference No.	No. of references
155	<i>Anisomysis (Anisomysis) brevicauda</i> Wang, 1989	102 44	2
156	<i>Anisomysis (Anisomysis) laticauda</i> Hansen, 1910	25 64	2
157	<i>Anisomysis (Anisomysis) megalops</i> (Illig, 1913) (= <i>Kreagromysis megalops</i> Illig, 1913)	64 37	1 1
158	<i>Anisomysis (Anisomysis) minuta</i> Liu and Wang, 1983	42 44	2
159	<i>Anisomysis (Anisomysis) quadrispinosa</i> Wang, 1989	102 44	2
160	<i>Anisomysis (Anisomysis) spinata</i> Panampannayil, 1993	75 76	2
161	<i>Anisomysis (Anisomysis) thurneysseni</i> Nouvel, 1973	73 17	2
162	<i>Anisomysis (Paranisomysis) ijimai</i> Nakazawa, 1910	65 32 44 64	4
163	<i>Anisomysis (Pseudanisomysis) bipartoculata</i> li, 1964	32 44	2
164	<i>Anisomysis (Pseudanisomysis) hispida</i> Pillai, 1973	83 64 76	3
165	<i>Anisomysis (Pseudanisomysis) tattersallae</i> Pillai, 1973	83	1
166	<i>Hyperacanthomysis longirostris</i> (li, 1936) (= <i>Acanthomysis longirostris</i> li, 1936)	20 30 32	1 2
167	<i>Javanisomysis gutzuii</i> (Bacescu, 1992) (= <i>Anisomysis (Javanisomysis) gutzuii</i> Bacescu, 1992)	64 4	1 1
168	<i>Lycomysis spinicauda</i> Hansen, 1910 (= <i>Lycomysis pusilla</i> Zimmer, 1915)	25 21 43 44 81 96 110	6 1
169	<i>Mesopodopsis orientalis</i> (W. Tattersall, 1908) (= <i>Macropsis orientalis</i> W. Tattersall, 1908)	81 93 110	1 2
170	<i>Nanomysis insularis</i> Nouvel, 1957	67	1
171	<i>Nanomysis philippinensis</i> Murano, 1997	54	1
172	<i>Nanomysis siamensis</i> W. Tattersall, 1921	96 44 100	3
173	<i>Neomysis awatschensis</i> (Brandt, 1851) (= <i>Neomysis nigra</i> Nakazawa, 1910)	32 100 65	2 1
174	<i>Neomysis japonica</i> Nakazawa, 1910	65 32 100	3
175	<i>Nipponomysis patula</i> Fukuoka and Pinkaew, 2003	22	1
176	<i>Nipponomysis quadrispinosa</i> (li, 1964) (= <i>Proneomysis quadrispinosa</i> li, 1964)	44 32 101	1 2
177	<i>Nipponomysis sinensis</i> (Wang, 1981) (= <i>Proneomysis sinensis</i> Wang, 1981)	87 44 101 32	2 2
178	<i>Notacanthomysis hodgarti</i> (W. Tattersall, 1922) (= <i>Neomysis hodgarti</i> W. Tattersall, 1922) (= <i>Acanthomysis hodgarti</i> (W. Tattersall, 1922))	19 96 51	1 1 1
179	<i>Notacanthomysis laticauda</i> (Liu and Wang, 1980) (= <i>Acanthomysis laticauda</i> Liu and Wang, 1980)	19 40 44	1 2
180	<i>Parastilomysis paradoxa</i> li, 1936	30 32 44	3

Family Mysidae - Subfamily Mysinae - Tribe Heteromysini

181	<i>Heteromysis inflaticauda</i> Wang, 1998	103 44	2
182	<i>Heteromysis minuta</i> O. Tattersall, 1967	92	1
183	<i>Heteromysis singaporensis</i> O. Tattersall, 1967	92	1
184	<i>Heteromysis thailandica</i> Fukuoka and Murano, 2002	21	1
185	<i>Pseudomysidetes cochinensis</i> Panampannayil, 1977	74 44	2
186	<i>Pseudomysidetes nudus</i> Fukuoka and Murano, 2002	21	1

Table 1 (continued)

No.	Species name	Reference No.	No. of references
Family Mysidae - Subfamily Mysidellinae			
187	<i>Mysidella incisa</i> Wang, 1998	103 44 62	3
188	<i>Mysidella macrophthalmia</i> Murano, 2002	62	1
189	<i>Mysidella rotundincisa</i> Wang, 1998	103 44	2
190	<i>Mysidella sulcata</i> Murano, 2002	62	1
191	<i>Mysidella tenuicauda</i> Wang, 1998	103 44	2

Table 2 List of important literature for identification of Mysidacea in Southeast Asian waters.

1. Băcescu, M. (1981) Crustacés: Mysidacea . Résultats des Campagnes MUSORSTOM. I. Philippines (18-28 mars 1976). Tom. 1. Mém. ORSTOM, 93, 261-276.
2. Băcescu, M. (1985) Crustacés Mysidacés (MUSORSTOM II). Résultats des Campagnes MUSORSTOM. I et II. Philippines, Tom. 2. Mém. Mus. natn. Hist. nat., sér. A. Zool., 133, 355-366.
3. Băcescu, M. (1991) Crustacea Mysidacea: Récoltes faites au cours des campagnes MUSORSTOM 3 et CORINDON 2 aux Philippines et en Indonésie. Résultats des Campagnes MUSORSTOM. vol. 9. Mém. Mus. natn. Hist. nat., 152, 79-100.
4. Băcescu, M. (1992) *Javanisomysis gutzui*, n. sg., n. sp., Mysidacé grégaire des eaux Indonésiennes. Rev. Roum. Biol., Sér. Biol. Anim., 37, 79-86.
5. Brandt, F. (1851) Krebse. 2, Zool., pt. 1, p. 79-148. In: Middendorf, A. T. v., Reise in den äussersten Norden und Osten Sibiriens während der Jahre 1843 und 1844. St. Petersbourg.
6. Casanova, J.-P. (1993) Crustacea Mysidacea: Les Mysidacés Lophogastrida et Mysida (Petalophthal-midae) de la région néo-calédonienne. Résultats des Campagnes MUSORSTOM, vol. 10. Mém. Mus. natn. Hist. nat., 156, 33-53.
7. Casanova, J.-P. (1996) Crustacea Mysidacea: Les Lophogastridés d'Indonésie, de Nouvelle-Calédonie et des îles Wallis et Futuna. Résultats des Campagnes MUSORSTOM, vol. 15. Mém. Mus. natn. Hist. nat., 168, 125-146.
8. Chun, C. (1887) Die pelagische Tierwelt in grösseren Meerestiefen und ihre Beziehungen zu der Oberflächenfauna. Biblioth. Zool., 1, 1-66, 5 pls.
9. Coifmann, I. (1937) I Misidacei del Mar Rosso. Studio del materiale raccolto dal Prof. L. Sanzo durante la campagna idrografica della R. Nave Ammiraglio Magnaghi (1923-24). Mem. R. Comitato Talass. Ital., 233, 1-52. 25 pls.
10. Colosi, G. (1934) Paralophogaster macrops: nuova specie di misidaceo. Boll. Zool., Napoli, 5, 43-44.
11. Dana, J. D. (1852) United States Exploring Expedition during the years 1838, 1839, 1840, 1841, 1842, under the command of Charles Wilkes, U.S.N., 13, Crustacea, 1, 1-685.
12. Dohrn, A. (1870) Untersuchungen über Bau und Entwicklung der Arthropoden. Zeitsch. Wissen. Zool., 20. 610 p., pl. 36, figs. 12-14.
13. Fage, L. (1940) Diagnoses préliminaires de quelques espèces nouvelles du genre *Lophogaster* (Crus-tacea, Mysidacea). Bull. Mus. natn. Hist. nat., 2^e ser., 12, 323-328.

Table 2 (continued)

14. Fage, L. (1941) Mysidacea Lophogastrida I. The Carlsberg Foundation's Oceanographical Expedition round the world 1928-30 and previous 'Dana'-Expeditions under the leadership of the late Professor Johannes Schmidt. *Dana-Reports*, 4(19), 1-52, 51 figs.
15. Fage, L. (1942) Mysidacea Lophogastrida II. The Carlsberg Foundation's Oceanographical Expedition round the world 1928-30 and previous 'Dana'-Expeditions under the leadership of the late Professor Johannes Schmidt. *Dana-Reports*, 4(23), 1-67, 42 figs.
16. Faxon, W. (1893) Reports on the dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and the Gulf of California; in charge of Alexander Agassiz, carried on by the U.S. Fish Commission Steamer 'Albatross' during 1891. VI. Preliminary descriptions of new species of Crustacea. *Bull. Mus. Comp. Zool.*, 24, 149-220.
17. Fukuoka, K., Y. Hanamura and M. Murano (2002) Supplementary information on the taxonomy and distribution of six species of *Anisomysis* (Crustacea: Mysidacea: Mysidae). *Plankt. Biol. Ecol.*, 49, 38-43.
18. Fukuoka, K. and M. Murano (1997) Mysidacea from coastal waters of Iriomote Island, Ryukyu Islands, southwestern Japan, with descriptions of three new species. *J. Crust. Biol.*, 17, 520-537.
19. Fukuoka, K. and M. Murano (2000 a) Taxonomic position of *Acanthomysis quadrispinosa* and establishment of a new genus, *Notacanthomysis*, for *A. hodgarti* and *A. laticauda* (Crustacea: Mysidacea: Mysidae). *Species Div.*, 5, 23-37.
20. Fukuoka, K. and M. Murano (2000 b) *Hyperacanthomysis*, a new genus for *Acanthomysis longirostris* Ii, 1936, and *A. brevirostris* Wang & Liu, 1997 (Crustacea: Mysidacea: Mysidae). *Plankt. Biol. Ecol.*, 47, 122-128.
21. Fukuoka, K. and M. Murano (2002) Mysidacea (Crustacea) from the South-eastern Andaman Sea with descriptions of six new species. *Phuket Mar. Biol. Cent. Spec. Publ.*, 23, 53-108.
22. Fukuoka, K. and K. Pinkaew (2003) *Nipponomysis patula* sp. nov. (Crustacea: Mysidacea: Mysidae) from the Gulf of Thailand. *Species Div.*, 8, 219-225.
23. Hanamura, Y. (1998) Gastrosaccini mysids from Australia, with a description of a new species of *Haplostylus* and a key to species of the genus (Crustacea: Mysidacea). *Rec. West. Aust. Mus.*, 19 (2), 153-168.
24. Hanamura, Y. and T. Kase (2002) Marine cave mysids of the genus *Palaumysis* (Crustacea: Mysidacea), with a description of a new species from the Philippines. *J. Nat. Hist.*, 36, 253-263.
25. Hansen, H. J. (1910) The Schizopoda of the Siboga Expedition. *Siboga-Expeditie*, 37, 1-77.
26. Hansen, H. J. (1912) Reports on the scientific results of the expedition to the eastern tropical Pacific, in charge of Alexander Agassiz, by the U.S. Fish Commission steamer "Albatross", from October, 1901 to March, 1905. Lieut.-Commander L.M. Garrett, U.S.N. commanding, 27. The Schizopoda. *Mem. Mus. Comp. Zool.*, Harv. Col., 35 (4), 173-296.
27. Holmquist, C. (1956) Betrachtungen über *Boreomysis rostrata* Illig und weitere *Boreomysis*-Arten. *Arkiv Zool.*, ser. 2, 10, 427-447.
28. Holt, E. W. L. and W. M. Tattersall (1905) Schizopodous Crustacea from the north-east Atlantic slope. *Rep. Sea Inland Fish. Ire.*, 1902-1903, pt. 2, app. 4, 99-152, 11 pls.
29. Ii, N. (1936 a) Studies on Japanese Mysidacea I. Descriptions of a new and some already known species

Table 2 (continued)

- belonging to the genera *Neomysis*, *Acanthomysis*, and *Proneomysis*. Jap. J. Zool., 6, 577-619.
30. Ii, N. (1936 b) Studies on Japanese Mysidacea II. Descriptions of three new species belonging to two new genera, *Parastilomysis* and *Paracanthomysis*. Jap. J. Zool., 7, 1-15
31. Ii, N. (1937) Studies on Japanese Mysidacea III. Descriptions of four new species belonging to tribes, *Leptomysini* and *Erythropini*. Jap. J. Zool., 7, 191-209.
32. Ii, N. (1964) Fauna Japonica. Mysidae (Crustacea). Biogeograph. Soc. Jap., Tokyo. 610 p.
33. Illig, G. (1905) *Echinomysis chuni* nov. gen. et nov. sp.. Zool. Anz., 29, 151-153.
34. Illig, G. (1906) Bericht über die neuen Schizopodengattungen und -arten der deutschen Tiefsee-Expedition 1898-1899. Zool. Anz., 30, 194-211.
35. Illig, G. (1908) Ein weiterer Bericht über die Mysideen der Deutschen Tiefsee-Expedition 1898-1899. Zool. Anz., 32, 550-551.
36. Illig, G. (1913) Ein weiterer Bericht über die Schizopoden der Deutschen Tiefsee-Expedition 1898-1899. *Kreagromysis megalops* n. gen. et n. spec. Zool. Anz., 43, 1-6.
37. Illig, G. (1930) Die Schizopoden der Deutschen Tiefsee-Expedition. Wis. Erg. Deut. Tiefsee-Exped. Damp. "Valdivia" 1898-1899, 22, 397-625.
38. Jo, S.-G. and Y. Hanamura (1993) Redescription of mysid *Archaeomysis vulgaris* (Nakazawa, 1910) com. nov. (Crustacea: Mysidacea: Gastrosaccinae). Kore. J. Syst. Zool., 9, 103-113.
39. Jo, S.-G. and M. Murano (1992) Two new species belonging to the subfamily Gastrosaccinae (Mysidacea). Crustaceana, 63 (2), 185-198.
40. Liu, R. and S. Wang (1980) Five new species of the genus *Acanthomysis* (Crustacea Mysidacea) from the South China Sea. Oceanol. Limnol. Sinica, 11, 320-334.
41. Liu, R. and S. Wang (1983 a) On a new genus of Mysidacea, *Paraleptomyysis* gen. nov. from the South China Sea. Oceanol. Limnol. Sinica, 14, 203-210.
42. Liu, R. and S. Wang (1983 b) On three new species of Mysidacea (Crustacea) from the coastal waters of Guangdong, China. Oceanol. Limnol. Sinica, 14, 522-530.
43. Liu, R. and S. Wang (1986) Studies on Mysinae (Crustacea Mysidacea) of the northern South China Sea. Stud. Mar. Sinica, 26, 159-202. (In Chinese with English abstract)
44. Liu, R. and S. Wang (2000) Fauna Sinica. Arthropoda Crustacea Malacostraca Order Mysidacea. Science Pres., Beijing. 318 p. (In Chinese with English abstract)
45. Milne-Edwards, H. (1837) Histoire naturelle des crustacés. 2, 1-531. Lib. Encyclo. Roret, Paris.
46. Murano, M. (1975) Mysidacea from the central and western Pacific II. Genera *Hyperamblyops*, *Teraterythrops* and *Synerythrops* (Tribe Erythropini). Publ. Seto Mar. Biol. Lab., 22, 81-103.
47. Murano, M. (1976) Mysidacea from the central and western Pacific III. Genera *Eoerythrops*, *Holmesella*, *Pteromysis*, *Longithorax* and *Katerythrops* (Tribe Erythropini). Publ. Seto Mar. Biol. Lab., 23, 19-50, 1 pl.
48. Murano, M. (1977) Mysidacea from the central and western Pacific IV. Genera *Euchaetomeria*, *Euchaetomeropsis*, *Arachnomysis*, *Caesaromysis*, *Echinomysides*, *Meterythrops* and *Nipponerythrops* (Tribe Erythropini). Publ. Seto Mar. Biol. Lab., 24, 141-192.
49. Murano, M. (1981) Mysidacea from the central and western Pacific V. Genera *Heteroerythrops*, *Meierythrops*, *Pleurerythrops*, *Gibberythrops*, *Illigiella*, *Dactylamblyops*, *Pseudamblyops*, *Paramblyops*, *Dactylerythrops* and *Nakazawaia* (Tribe Erythropini). Publ. Seto Mar. Biol. Lab., 26, 261-302.

Table 2 (continued)

50. Murano, M. (1986) Description of *Metasiriella kitaroi* n. gen., n. sp. (Mysidacea) with revision of the subfamily Siriellinae. *Crustaceana*, 51, 235-240.
51. Murano, M. (1988) Mysidacea from Thailand with description of two new species. *Crustaceana*, 55, 293-305.
52. Murano, M. (1995) *Eurobowmaniella phuketensis* n. gen. n. sp. (Crustacea: Mysidacea) from the Indian coast of Thailand. *Phuket Mar. Biol. Cent. Res. Bull.*, 60, 21-28.
53. Murano, M. (1996) Note on withdrawal of *Eurobowmaniella phuketensis* and transference of *Gastrosaccus simulans* Tattersall to its genus (Crustacea: Mysidacea). *Phuket Mar. Biol. Cent. Res. Bull.*, 61, 65-66.
54. Murano, M. (1997) *Nanomysis philippinensis*, a new species (Crustacea: Mysidacea) from brackish waters of the Philippines. *Proc. Biol. Soc. Wash.*, 110, 235-241.
55. Murano, M. (1998) Mysid genus *Pseuderythrops* (Crustacea: Mysidacea: Mysidae) from Southeast Asian seas with a description of *Pseuderythrops megalops* n. sp. *Plank. Biol. Ecol.*, 45, 231-238.
56. Murano, M. (1999 a) A new genus, *Neodoxomysis* (Crustacea: Mysidacea: Mysidae: Leptomysini), with description of two new species. *Proc. Biol. Soc. Wash.*, 112, 352-361.
57. Murano, M. (1999 b) *Marumomysis hakuhoe* new genus, new species, from the Sulu Sea (Crustacea: Mysidacea: Mysidae: Erythropini). *Plank. Biol. Ecol.*, 46, 148-152.
58. Murano, M. (1999 c) Mysidacea. p. 1099-1140. In: D. Boltovskoy (ed.) *South Atlantic Zooplankton*. Buckhuys Publ., Leiden, The Netherlands.
59. Murano, M. (2001 a) A new mysid genus, *Teratamblyops*, from deep-sea with description of two new species (Crustacea: Mysidacea: Mysidae: Erythropini). *Bull. Nat. Sci. Mus.*, Tokyo, ser. A, 27, 61-69.
60. Murano, M. (2001 b) The genus *Pseudodoxomysis* (Crustacea: Mysidacea: Mysidae: Leptomysini), with description of a new species from the Timor Sea. *Proc. Biol. Soc. Wash.*, 114, 887-896.
61. Murano, M. (2002 a) Two new species of the genus *Paramblyops* (Crustacea: Mysidacea: Mysidae) from the Sulu Sea. *Bull. Nat. Sci. Mus.*, Tokyo, ser. A, 28, 35-41.
62. Murano, M. (2002 b) The genus *Mysidella* (Crustacea, Mysidacea, Mysidae), with descriptions of five new species. *Bull. Nat. Sci. Mus.*, Tokyo, ser. A, 28, 65-90.
63. Murano, M. and M. R. Bravo (1998) *Parapetalophthalmus suluensis*, a new genus and species (Crustacea: Mysidacea: Petalophthalmidae). *Proc. Biol. Soc. Wash.*, 111, 849-856.
64. Murano, M. and K. Fukuoka (2003) A systematic study on the genus *Anisomysis* (Crustacea : Mysidae), with descriptions of six new species. *Bull. Nat. Sci. Mus.*, Tokyo, ser. A, 29, 65-102.
65. Nakazawa, K. (1910) Notes on Japanese Schizopoda. *Ann. Zool. Japon.*, 7, 247-261.
66. Nouvel, H. (1944) Diagnoses de Mysidaces nouveaux de la Mer Rouge et du Golfe d'Aden. *Bull. Soc. d'Hist. Nat. Toul.*, 79, 255-269.
67. Nouvel, H. (1957) Mysidacés provenant de deux échantillons de «Djembret» de Java. *Zool. Meded.*, 35, 315-331.
68. Nouvel, H. (1964) Mysidacés recoltes par S. Frontier a Nosy-Be. I. Description de deux Leptomysini. *Bull. Soc. Hist. Nat. Toul.*, 99, 107-123.
69. Nouvel, H. (1965) Mysidacés recoltes par S. Frontier a Nosy-Be. II. Description de deux Mysini appartenant aux genres *Diamysis* et *Acanthomysis*. *Bull. Soc. Hist. Nat. Toul.*, 100, 451-464.

Table 2 (continued)

70. Nouvel, H. (1966) Les genres *Tenagomysis* Thomson 1900, *Doxomysis* Hansen, 1912, *Afromysis* Zimmer 1916 et *Iimysis* n. gen. (Crust. Mysidacea, Leptomysini). Bull. Soc. Hist. Nat. Toul., 102, 319-324.
71. Nouvel, H. (1971) Mysidacés recoltes par S. Frontier a Nosy-Be. VI. *Anchialina typica* (Kroyer) avec distinction de deux sous-espèces, et *Anchialina latifrons* n. sp. Bull. Soc. Hist. Nat. Toul., 107, 325-338.
72. Nouvel, H. (1973 a) *Pseudodoxomysis caudaensis* n. gen., n. sp., crustacé mysidacé (Leptomysini) de la Mer de Chine méridionale. Bull. Soc. Hist. Nat. Toul., 109, 131-140.
73. Nouvel, H. (1973 b) Un Mysidace nouveau de la Nouvelle-Caledonie: *Anisomysis thurneysseni* n. sp. Bull. Mus. natn. Hist. nat., sér. 3^e, Zool., 124, 1453-1459.
74. Panampunayil, S. U. (1977) Three new species of Mysidacea from Kerala coast. Proc. Symp. warm water zoopl. Nat. Inst. Oceanogr., Goa. 28-35, 3 figs.
75. Panampunayil, S. U. (1993) Two new species of *Anisomysis* (Crustacea-Mysidacea) from the Lakshadweep archipelago. J. Plank. Res., 15, 1141-1148.
76. Panampunayil, S. U. (2002) The Mysidacea of the Andaman Sea. J. Plank. Res., 24, 371-390.
77. Pillai, N. K. (1957) Pelagic Crustacea of Travancore. II. Schizopoda. Bull. Cent. Res. Inst., Univ. Travan., Trivand., 5, 1-27.
78. Pillai, N. K. (1961) Additions to the Mysidacea of Kerala. Bull. Cent. Res. Inst., Univ. Travan., Trivand., 8, 14-35, pls. 1-6.
79. Pillai, N. K. (1963) On a new mysid from the inshore waters of the Kerala coast. J. mar. boil. Ass. India, 5, 258-262, 20 figs.
80. Pillai, N. K. (1964) Report on the Mysidacea in the collections of the Central Marine Fisheries Research Institute, Mandapam Camp, South India - part 1. J. mar. boil. Ass. India, 6, 1-41.
81. Pillai, N. K. (1965) A review of the work on the shallow water Mysidacea of the Indian waters. Proc. Symp. Crust., 5, 1681-1728.
82. Pillai, N. K. (1968) Redescription of *Petalophthalmus oculatus* (Crustacea?: Mysidacea) based on an adult female collected from near the type locality. Jour. Zool., 155, 283-291.
83. Pillai, N. K. (1973) Mysidacea of the Indian Ocean. Handb. Inter. Zooplank. Collec., 4, 1-125. 24 figs.
84. Pinkaew, K., S. Ohtsuka, S. Putchakarn, K. Chalermwat, Y. Hanamura and K. Fukuoka (2001) Preliminary survey of mysid fauna in the Thailand. p. 256-273. In: Terazaki, M., A. Taira, M. Uematsu, Y. Michida and T. Kaneko (eds.) Proc. 11th JSPS Joint Semi. Mar. Sci. Univ. Tokyo, Tokyo. 373 p.
85. Sars, G. O. (1883) Preliminary notices on the Schizopoda of 'Challenger' Expedition. Forh. Vidensk. -Selsk. Christ., 7, 1-43.
86. Sars, G. O. (1885) Report on the Schizopoda collected by H.M.S. 'Challenger' during the years 1873-1876. Rep. Sci. Res. Voyage H.M.S. 'Challenger', 1873-76, Zool., 13 (37), 1-228, 38 pls.
87. Takahashi, K. and M. Murano (1986) Establishment of a new genus *Nipponomysis* (Crustacea, Mysidacea) with special reference to its relationship to the genus *Proneomysis*, with descriptions of its two new species. J. Tokyo Univ. Fish., 73, 115-144.
88. Tattersall, O. S. (1955) Mysidacea. Discovery Rep., 28, 1-190.
89. Tattersall, O. S. (1957) Report on a small collection of Mysidacea from the Sierra Leone estuary

Table 2 (continued)

- together with a survey of the genus *Rhopalophthalmus* Illig and a description of a new species of *Tenagomysis* from Lagos, Nigeria. Proc. Zool. Soc. Lond., 129, 81-128.
90. Tattersall, O. S. (1960) Report on a small collection of Mysidacea from Singapore waters. Proc. Zool. Soc. Lond., 135, 165-181.
91. Tattersall, O. S. (1965) Report on a small collection of Mysidacea from the northern region of the Malacca Strait. Jour. Zool., 147, 75-98.
92. Tattersall, O. S. (1967) A survey of the genus *Heteromysis* (Crustacea: Mysidacea) with descriptions of five new species from tropical coastal waters of the Pacific and Indian Oceans, with a key for the identification of the known species of the genus. Trans. Zool. Soc. Lond., 31, 157-193.
93. Tattersall, W. M. (1908) XXV. The fauna of brackish ponds at Port Canning, lower Bengal. Two new Mysidae from Brackish water in the Ganges delta. Rec. Ind. Mus., 2, 233-239, 2 pls.
94. Tattersall, W. M. (1912) On the Mysidacea and Euphausiacea collected in the Indian Ocean during 1905. Trans. Linn. Soc. Lond., ser. 2, Zool., 15, 119-136.
95. Tattersall, W. M. (1915) Fauna of the Chilka Lake. The Mysidacea of the lake, with the description of a new species from the coast of Orissa. Mem. Ind. Mus., 5, 149-161.
96. Tattersall, W. M. (1921) Zoological results of a tour in the Far East. pt. 7. Mysidacea, Tanaidacea, and Isopoda. Mem. Asia. Soc. Beng., 6, 403-433, 3 pls.
97. Tattersall, W. M. (1922) Indian Mysidacea. Rec. Ind. Mus., 24, 445-504.
98. Tattersall, W. M. (1936) Mysidacea and Euphausiacea. Scient. Rep. Gt Barrier Reef Exped. 1928-29, 4, 143-176.
99. Tattersall, W. M. (1939) The Euphausiacea and Mysidacea of the John Murray Expedition to the Indian Ocean. Sci. Rep. John Murray Exped. 1933-34, 5, 203-246.
100. Tattersall, W. M. (1951) A review of the Mysidacea of the United States National Museum. Bull. U. S. Nat. Mus., 201, 1-292.
101. Wang, S. (1981) On a new species and a new record of genus *Proneomysis* from the South China Sea. Oceanol. Limnol. Sinica, 12, 142-147. (In Chinese with English abstract)
102. Wang, S. (1989) On two new species of genus *Anisomysis* (Crustacea Mysidacea) from the South China Sea. Stud. Mar. Sinica, 30, 229-237.
103. Wang, S. (1998) On new and rare species of Mysidacea (Crustacea) from the northern South China Sea. Stud. Mar. Sinica, 40, 199-244.
104. Wang, S. and R. Liu (1987) Preliminary study of the subfamily Gastrosaccinae (Crustacea Mysidacea) of the South China Sea. Stud. Mar. Sinica, 28, 205-231. (In Chinese with English abstract)
105. Wang, S. and R. Liu (1994) A faunal study of the Mysidacea (Crustacea) from Nansha Islands and its adjacent waters. Mar. Fauna Flora Biogeogr. Nansha Is. Neigh. Wat., 1, 61-111.
106. Wang, S. and R. Liu (1997) Mysidacea fauna of the East China Sea. Stud. Mar. Sinica, 38, 191-222. (In Chinese with English abstract)
107. Willemoes-Suhm, R. von. (1874) Von der Challenger expedition: Briefe an C. Th. E. v. Siebold, II. Zeitsch. Wiss. Zool., 24, pp. ix-xxiii.
108. Willemoes-Suhm, R. von. (1875) On some Atlantic Crustacea from the "Challenger" expedition. Trans. Linn. Soc. Lond., ser. 2, Zool., 1, 23-59, pls. vi-xiii.
109. Wittmann, K. J. (1986) A revision of the genus *Paraleptomysis* Liu and Wang (Crustacea: Mysidacea).

Table 2 (continued)

-
- Sarsia, 71, 147-160.
110. Zimmer, C. (1915) Schizophoden des Hamburger Naturhistorischen (zoologischen) Museums. Mitt. Nat. (zool.) Mus. Hamb., 32, 159-182.
-