

<i>cinctata</i> Ax, Weidemann & Ehlers, 1978	M	Family Bdellouridae
<i>Notocaryoplana</i>	A M	<i>Pentacoelum</i>
<i>arctica</i> Steinböck, 1935		<i>fucoidem</i> Westblad, 1935
<i>Notocaryoturbella</i>	M	<i>punctatum</i> (Brandtner, 1935) Sluys & Bush, 1988
<i>bigermaria</i> Lanfranchi, 1969		A
<i>Orthoplana</i>	A	Family Cercyridae
<i>borealis</i> (Steinböck, 1931) Steinböck, 1933	A	<i>Sabussowia</i>
<i>filum</i> (Meixner, 1938) Ax, 1956	A	<i>dioica</i> (Claparede, 1863) Böhmig, 1906
<i>soliacea</i> (Meixner, 1938) Ax, 1956	A	<i>Cerbussovia</i>
<i>mediterranea</i> Ax, 1956	M	<i>cerruti</i> Wilhelmi, 1909
<i>Otoplana</i>	M	<i>Cercyra</i>
<i>bosporana</i> Ax, 1959	M	<i>hastata</i> Schmidt, 1862
<i>cincinnata</i> (Calendruccio, 1897) Wilhelmi, 1908	M	<i>teissieri</i> Steinmann, 1930
<i>intermedia</i> Du Plessis, 1889	A M	A
<i>maculata</i> Steinböck, 1931	A	Family Procerodidae
<i>setosa</i> (Du Plessis, 1889) Wilhelmi, 1908	M	<i>Procerodes</i>
<i>truncaspina</i> Lanfranchi, 1969	M	<i>dahli</i> Marcus & Marcus, 1959
<i>Otoplanella</i>	A	<i>dohrnii</i> Wilhelmi, 1909
<i>baltica</i> (Meixner, 1938) Ax, 1956	A	<i>litoralis</i> (Ström, 1768) Hallez, 1893
<i>schultzi</i> (Ax, 1951) Ax, 1956	A	<i>lobata</i> (Schmidt, 1861) Hallez, 1893
<i>Otoplaniida</i>	A	<i>plebeia</i> (Schmidt, 1861) Hallez, 1893
<i>endocystis</i> Meixner, 1938		
<i>Paradoxoplana</i>	A	Family Uteriporidae
<i>solida</i> Ax, 1956	M	<i>Foviella</i>
<i>Paraplana</i>	A	<i>affinis</i> (Örsted, 1843) Bock, 1925
<i>biscayensis</i> Ax, 1956		<i>Uteriporus</i>
<i>Parotoplana</i>	A	<i>vulgaris</i> Bergendal, 1890
<i>bicuspa</i> Sopott-Ehlers, 1976		A
<i>capitata</i> Meixner, 1938	A	
<i>macrostyla</i> Lanfranchi, 1978	M	Aspidogastrea
<i>multispinosa</i> Ax, 1956	M	Compiled by David I. Gibson
<i>papii</i> Ax, 1956	A	The list of aspidogastrean species was derived from the Host-Parasite Data-base and Catalogue maintained by the Parasitic Worms Division, Department of Zoology, The Natural History Museum.
<i>primitiva</i> Ax, 1956	A	
<i>procerostyla</i> Ax, 1956	M	Subclass Aspidogastrea
<i>progermaria</i> Ax, 1956	A	Order Aspidogastrida
<i>renatae</i> Ax, 1956	M	<i>Multicalyx</i>
<i>uncinata</i> Lanfranchi, 1978	M	<i>elegans</i> (Olsson, 1869)
<i>Parotoplanella</i>	M	<i>Lophotaspis</i>
<i>heterorhabditica</i> Lanfranchi, 1969	M	<i>vallei</i> (Stossich, 1899)
<i>progermaria</i> Ax, 1956	M	<i>Cotylogaster</i>
<i>Parotoplanina</i>	A	<i>michaelis</i> Monticelli, 1892
<i>geminoducta</i> Ax, 1956		Order Stichocotylida
<i>Philosyrtis</i>	A	<i>Stichocotyle</i>
<i>armoricae</i> Sopott-Ehlers, 1985	A	<i>nephropis</i> Cunningham, 1884
<i>coomansi</i> Martens & Schockaert, 1981	A	
<i>jennica</i> Ax, 1954	A	
<i>monotooides</i> Giard, 1904	A	
<i>rotundicephala</i> Sopott, 1972	A	
<i>rutilata</i> Sopott-Ehlers, 1976	A	
<i>Postbursoplana</i>	M	Digenea
<i>fibulata</i> Ax, 1956	M	Compiled by David I. Gibson
<i>macromystax</i> Lanfranchi, 1969	M	The list of digenetic species was derived from the Host-Parasite Data-base and Catalogue maintained by the Parasitic Worms Division, Department of Zoology, The Natural History Museum. Some attempt has been made to restrict the list to valid taxa and to use that latest nomenclature. Larval forms, e.g. <i>Cercaria</i> spp., have been omitted.
<i>minima</i> Ax, 1956	A	
<i>pontica</i> Ax, 1959	M	The list was kindly commented upon by Dr M. Køie and Prof. P. Bartoli.
<i>propontica</i> Ax, 1959	A	
<i>tyrrhenica</i> Lanfranchi, 1969	A	
<i>Praebursoplana</i>	A	Class Digenea
<i>reisingeri</i> Ax, 1956	A	<i>Acanthostomum</i>
<i>steinböcki</i> Ax, 1956	A	<i>absconditum</i> (Looss, 1901)
<i>subsalsa</i> Ax, 1956	A	<i>inerme</i> Stossich, 1905
<i>Pseudorthoplana</i>	A M	<i>saoudi</i> Hassan, El-Aziz, Khidr & Abu Samak, 1990
<i>soliacea</i> (Meixner, 1939) Ax, Weidemann & Ehlers, 1978		<i>Acanthotrema</i>
<i>subterranea</i> (Ax, 1951) Ax, 1956	A M	<i>sp.</i>
<i>Triporoplana</i>	A	<i>Accacladocoelium</i>
<i>synsiphonioides</i> Ax, 1956	M	<i>alveolatum</i> Robinson, 1934
<i>Xenotoplana</i>	M	<i>macrocotyle</i> (Diesing, 1858)
<i>acus</i> Ax, Weidemann & Ehlers, 1978	M	<i>nigroflavum</i> (Rudolphi, 1819)
<i>thyrrhenica</i> Ax, Weidemann & Ehlers, 1978	M	
Family Polystyliphoridae	A	
<i>Polystyliphora</i>		
<i>filum</i> Ax, 1958		
Suborder Tricladida		

- petasiporum* Odhner, 1928
Accacoelium
contortum (Rudolphi, 1819)
Adinosoma
robusta (Manter, 1934)
Allopodocotyle
jaffensis (Fischthal, 1980)
margolisi Gibson, 1995
pedicellata (Stossich, 1887)
Allopseudocolocytotrema
alioshkini Pozdnyakov, 1994
Anacetabulitrema
samarae Deblock & Rose, 1964
Ancylocoelium
typicum Nicoll, 1912
Anisocladium
fallax (Rudolphi, 1819)
Anisocoelium
capitellatum (Rudolphi, 1819)
Anisocladium
gracile (Looss, 1901)
Anoiktostoma
coronatum (Wagener, 1852)
Anomalotrema
koiae Gibson & Bray, 1984
Apatemon
gracilis (Rudolphi, 1819)
Aphalloides
coelomicola Dollfus, Chabaud & Golvan, 1957
Aphallus
tubarium (Rudolphi, 1819)
Aphanurus
stossichi (Monticelli, 1891)
Apharyngostrigea
intermedia (Tubangui, 1932)
Aponurus
laguncula Looss, 1907
tschugunovi Issatschikov, 1928
Apophallus
brevis Ransom, 1920
muehlingi (Jagerskiold, 1899)
Aporchis
massiliensis Timon-David, 1955
rugosus Linton, 1928
Aporocotyle
simplex Odhner, 1900
spinosicanalis Williams, 1958
Arnola
microcirrus (Vlasenko, 1931)
Ascocotyle
coleostoma (Looss, 1896)
Asymphylodora
demeli Markowski, 1935
Bacciger
bacciger (Rudolphi, 1819)
grandispinatus Naidenova, 1970
israelensis Fischthal, 1980
minutus Gaevskaja & Naidenova, 1996
Bathycreadium
biscayense Bray, 1973
elongata (Maillard, 1976)
flexicollis Kabata, 1961
Bathymonorchis
polyipni (Reimer, 1985)
Botulus
microporus (Mont., 1889)
Brachyenteron
campbelli Bray & Gibson, 1986
pycnorganum (Rees, 1953)
risssoanum Bray & Campbell, 1995
Brachylaima
fuscatus (Rudolphi, 1819)
Brachylecithum
microtesticulatum Timon-David, 1955
Brachyphallus
- crenatus* (Rudolphi, 1802)
Braunina
cordiformis Wolf, 1903
Bucephalopsis
callicotyle Kohn, 1962
Bucephalus
baeri Maillard, 1976
haiameanus (Lacaze-Duthiers, 1854)
labracis Paggi & Orecchia, 1965
marinus Vlasenko, 1931
mytili Cole, 1935
polymorphus Von Baer, 1827
Bunocotyle
cingulata Odhner, 1928
progenetica Chabaud & Buttner, 1959
Bunoderia
luciopercae (Müller, 1776)
Cainocreadium
labracis (Dujardin, 1845)
Calycodes
anthos (Braun, 1899)
Campula
oblonga Cobbald, 1858
Cardiocephalus
longicollis (Rudolphi, 1819)
Centroderma
spinosissima (Stossich, 1883)
Cercariooides
aharonii Witenburg, 1929
Chimaerohemecus
trondheimensis Van der Land, 1967
Chrisomon
tropicus (Manter, 1940)
Cirkennedyia
porlockensis Gibson & Bray, 1979
Ciureana
cryptocotyloides Issatschikoff, 1923
Coeliotrema
thynni Yamaguti, 1938
Complexobursa
sp.
Condylocotyla
pilodora Pearson & Prévôt, 1985
Copiateses
filiferus (Leuckart in Sars, 1885)
Crepidostomum
metoecus (Braun, 1900)
Crowcrocaecum
skrjabini (Iwanitzky, 1928)
Cryptocotyle
concava (Creplin, 1825)
jejuna (Nicoll, 1907)
lingua (Creplin, 1825)
Cymatocarpus
sp.
Derecrema
scorpaenicola Bartoli & Bray, 1990
sebastodis (Yamaguti, 1934)
Deroenes
adriaicus Nikolaeva, 1966
affine (Rudolphi, 1819)
crassus Manter, 1934
latus Janiszewska, 1953
macrouri Szukla, 1981
minor (Looss, 1901)
ruber Luhe, 1900
varicus (Müller, 1784)
Deroenoides
ovacutus Nicoll, 1913
Deroprtis
hispida (Rudolphi, 1819)
inflata (Molin, 1859)
Deuterobaris
proteus (Brandes, 1891)
Dexiogonimus

- ciureanus* Witenburg, 1929
Diaschistorchis
 pandus (Braun, 1901)
Dicrogaster
 contractus Looss, 1902
 perpusilla Looss, 1902
Didymocystis
 lanceolata Guiart, 1938
 macrorchis Guiart, 1938
 philobranchia Yamaguti, 1970
 reniformis Ariola, 1902
 thynni (Taschenberg, 1879)
 xiphadios (MacCallum & MacCallum, 1916)
Didymodichinus
 faciale (Baylis, 1938)
Didymosulcus
 wedli (Ariola, 1902)
Didymozoon
 auxis Taschenberg, 1879
 pretiosum Ariola, 1902
 serrani Monticelli, 1889
 sphyraenae Taschenberg, 1878
 taenioides Monticelli, 1883
Dihemistephanus
 lydiae (Stossich, 1896)
 sturionis Little, 1930
Dinosoma
 hawaiense Yamaguti, 1970
 thoria Nicolaeva, 1966
 triangulata Campbell & Munroe, 1977
 ventrovesicularis Gibson & Bray, 1986
Dinurus
 breviductus Looss, 1907
 sombri Yamaguti, 1934
 tornatus Rudolphi, 1819
Diphterostomum
 betencourtii (Monticelli, 1893)
 brusinae (Stossich, 1889)
 israelense Fischthal, 1980
 luteum (van Beneden, 1870)
 vividum (Nicoll, 1912)
Diplostomum
 baeri Dubois, 1937
 chromatophorum (Brown, 1931)
 commutatum (Diesing, 1850)
 gasterostei Williams, 1966
 helveticum (Dubois, 1929)
 huronense (La Rue, 1927)
 nordmanni Shigin & Shapirov, 1986
 paraspatheraceum Shigin, 1965
 phoxini (Faust, 1918)
 pseudospathaceum Niewiadomska, 1984
 rutili Razmashkin, 1969
 shigini Zhatkanbaeva, 1978
 spathaceum (Rudolphi, 1819)
 spathaceum (Rudolphi, 1819)
 volvens Nordmann, 1832
Dolichoenterum
 congeri Yamaguti, 1970
 longissimum Ozaki, 1924
Echeneidocoelium
 indicum Simha & Pershad, 1964
Echinochasmus
 mordax (Looss, 1899)
Echinoparyphium
 paracinctum Bychowskaja-Pawlowskaja, 1953
 recurvatum (Linstow, 1873)
Echinostephilla
 patellae (Lebour, 1911)
Echinostoma
 nordiana (Baschirova, 1941)
 parvulum Dietz, 1909
 revolutum (Froehlich, 1802)
Ectenurus
 lepidocybii Yamaguti, 1970
- lepidus* Looss, 1907
trachuri Nicolaeva & Kovaleva, 1966
virgulus Looss, 1910
Elstia
 stossichianum (Monticelli, 1892)
Enodiotrema
 carettae (Blair & Limpus, 1982)
 instar (Looss, 1901)
 megachondrus Looss, 1901
Eucole
 wehri Price, 1930
Fasciola
 skrjabini Delyamure, 1955
Felodistomum
 agnotus (Nicoll, 1909)
 fellis (Olsson, 1868)
Forticulcita
 glabra Overstreet, 1982
Gaevskajatrema
 halosauropsi Bray & Campbell, 1996
 perezi (Mathias, 1926)
 pontica (Koval, 1966)
Galactosomum
 baylisi (Gohar, 1930)
 dolfusi Pearson, 1973
 erinaceum (Poirier, 1886)
 lacteum (Jägerskiöld, 1896)
 phalacrococaris Yamaguti, 1939
 sp. metacerc.
 timondavidi Pearson & Prévot, 1971
Genitocotyle
 mediterranea Bartoli, Gibson & Riutort, 1994
Genolinea
 laticauda Manter, 1925
Gigantobilharzia
 acotylea Odhner, 1910
Glomericirrus
 macrouri (Gaevskaja, 1973)
Gonapodasmius
 branchialis Yamaguti, 1970
 spilonotopteri Yamaguti, 1970
Gonocerca
 macrouri Gaevskaya, 1975
 phycidis Manter, 1925
Gonocercella
 sp.
Gymnophallus
 choledochus Odhner, 1900
 deliciosus (Olsson, 1893)
 gibberosus Loos-Frank, 1971
 rostratus Bartoli, 1982
 somateriae (Levinsen, 1881)
Gynaecotyla
 longiintestinata Leonov, 1958
Hadwenius
 delamarei (Raga & Balbuena, 1988)
 subtilis (Skrjabin, 1959)
 tursionis (Marchi, 1873)
Halvorsenius
 exilis Gibson, MacKenzie & Cottle, 1981
Hapalotrema
 flecterotestis Zhukov, 1971
 loossii Price, 1934
 mistroides (Monticelli, 1896)
Haploporus
 benedenii (Stossich, 1887)
Haplosplanchus
 bivitellosus Zhukov, 1971
 caudatus (Srivastava, 1937)
 pachysomus (Eysenhardt, 1829)
Helicometra
 fasciata (Rudolphi, 1819)
 flava Stossich, 1903
 gobii (Stossich, 1883)
 labri Stossich, 1886

- markewitschi* Pogoreltseva, 1954
mutabilis (Stosich, 1902)
pulchella (Rudolphi, 1819)
sinuata (Rudolphi, 1819)
- Hemipera*
ovocaudata Nicoll, 1913
sharpei Jones, 1933
- Hemiuirus*
appendiculatus (Rudolphi, 1802)
communis Odhner, 1905
levinseri Odhner, 1905
luehei Odhner, 1905
- Heterophyes*
aqualis Looss, 1902
heterophyes (Siebold, 1853)
- Heterotestophyes*
sobolevi Leonov, 1957
- Himasthla*
continua Loos-Frank, 1967
elongata (Mehlis, 1831)
leptosoma (Creplin, 1829)
militaris (Rudolphi, 1802)
secunda (Nicoll, 1906)
- Hirudinella*
ventricosa (Pallas, 1774)
- Holorchis*
legendrei Dollfus, 1946
micracanthum (Stosich, 1888)
pycnoporus Stosich, 1901
- Holostephanus*
dubini Vojtek & Vojtкова, 1968
- Homalometron*
galacicus (Sanmartin, Alvarez, Quinteiro & Paniagua, 1995)
- Hymenocotta*
mugilis Wang & Wang, 1993
- Hyperandrotrema*
cetorhini Maillard & Ktari, 1978
- Hypertrema*
ambovatum Manter, 1960
- Hypoderaeum*
conoideum (Bloch, 1782)
- Hysterolecitha*
nahaensis Yamaguti, 1942
- Hysteromorpha*
triloba (Rudolphi, 1819)
- Ichthyocotylurus*
erraticus (Rudolphi, 1809)
pileatus (Rudolphi, 1802)
platycephalus (Creplin, 1825)
variegatus (Creplin, 1825)
- Kenmackenzia*
gigas (Nardo, 1827)
- Knipowitschia*
tremula (Issatchikow, 1927)
- Koellikeria*
benedenii (Monticelli, 1893)
biaperta (Wedl, 1855)
exocoeti (Parona & Perugia, 1893)
filiicollis (Rudolphi, 1819)
micropterygis (Richardi, 1902)
- Koellikeroides*
orientalis (Yamaguti, 1934)
- Labratrema*
minimus (Stosich, 1887)
- Lacunovermis*
macomae (Lebour, 1908)
- Lampritrema*
meischeri (Zschokke, 1890)
- Lasiotocus*
mulli (Stosich, 1883)
- Learedius*
europaeus Price, 1934
- Lecithaster*
atherinae Orecchia, Paggi & Radujkovic, 1988
- confusus* Odhner, 1905
gibbosus (Rudolphi, 1802)
stellatus Looss, 1906
- Lecithobotrys*
aegyptiacus Hassan, El-Aziz, Khidr Abu & Samak, 1990
putrescens Looss, 1902
- Lecithochirium*
branchialis (Stunkard & Nigrelli, 1934)
furcolabiatum (Jones, 1933)
fusiforme Luhe, 1901
gravidum Looss, 1907
microstomum Chandler, 1935
musculus (Looss, 1907)
physcon Lühe, 1901
rufoviride (Rudolphi, 1819)
- Lecithocladium*
aegyptense Fischthal & Kuntz, 1963
cristatum (Rudolphi, 1819)
excisum (Rudolphi, 1819)
unibulabolabrum Fischthal & Thomas, 1971
- Lecithodesmus*
delphini (Poirier, 1886)
goliath (van Beneden, 1858)
palliatus (Looss, 1885)
- Lecithophyllum*
botryophorum (Olsson, 1868)
magnaprostatica Gaevskaya & Kovaljova in Gaevskaja, 1989
- Lecithostaphylus*
retroflexus Molin, 1859
- Lepidapedon*
arlenae Bray & Gibson, 1995
beveridgei Campbell & Bray, 1993
cambrensis Srivastava, 1966
carcini Mordvinova, 1985
desclerseae Bray & Gibson, 1995
discoveryi Bray & Gibson, 1995
elongatum (Lebour, 1908)
gaevskiae Campbell & Bray, 1993
guevarai Lopez-Roman & Maillard, 1973
mariannae Bray & Gibson, 1995
rachion (Cobbold, 1858)
sommervilleae Bray & Gibson, 1995
zubchenkoi Campbell & Bray, 1993
- Lepidauchen*
stenostoma Nicoll, 1913
- Lepidophyllum*
appyi Bray & Gibson, 1986
steenstrupi Odhner, 1902
- Lepocreadium*
album (Stosich, 1890)
floridanus Sogandares-Bernal & Hutton, 1959
pegorchis (Stosich, 1901)
trullaforme Linton, 1940
- Leucochloridium*
perturbatum Pojmanska, 1969
- Levinsemiella*
brachysoma (Creplin, 1837)
propinquum Jaggerskiold, 1907
- Lintonium*
vibex (Linton, 1905)
- Lomasoma*
gracilis (Manter, 1934)
wardi (Manter, 1934)
- Longiductotrema*
scandolensis Deblock & Bartoli, 1988
- Macvicaria*
alacris (Looss, 1901)
crassigula (Linton, 1910)
dubia (Stosich, 1905)
mailliardi Bartoli, Bray & Gibson, 1989
mormyri (Stosich, 1885)
obovata (Molin, 1859)
soleae (Dujardin, 1845)

<i>Magnibursatus</i>	<i>oculatus</i> (Levinsen, 1881)
<i>caudofilamentosa</i> (Reimer, 1971)	
<i>skrjabini</i> (Vlasenko, 1931)	
<i>Maritrema</i>	
<i>arenaria</i> Hadley & Castle, 1940	
<i>echinocirrata</i> Leonov, 1958	
<i>misenensis</i> (Palombi, 1940)	
<i>oocysta</i> Lebour, 1907	
<i>opisthometra</i> Leonov, 1958	
<i>subdolum</i> Jagerskiold, 1909	
<i>syntomocyclos</i> Deblock & Ky, 1966	
<i>Megalophallus</i>	
<i>carcini</i> Prévôt & Deblock, 1970	
<i>Meiogymnophallus</i>	
<i>fossarum</i> (Bartoli, 1965)	
<i>jamesoni</i> Bowers, 1965	
<i>minutus</i> (Cobbald, 1859)	
<i>rebecqui</i> (Bartoli, 1983)	
<i>strigatus</i> (Lebour, 1908)	
<i>Merlucciotrema</i>	
<i>praeclarum</i> (Manter, 1934)	
<i>Mesometra</i>	
<i>brachycoelia</i> Luhe, 1901	
<i>orbicularis</i> (Rudolphi, 1819)	
<i>Mesorchis</i>	
<i>denticulatus</i> (Rudolphi, 1802)	
<i>pseudoechinatus</i> (Olsson, 1876)	
<i>reynoldi</i> Bhalerao, 1926	
<i>Metadena</i>	
<i>caballeroi</i> Nahhas & Krupin, 1977	
<i>depressa</i> (Stossich, 1883)	
<i>pauli</i> (Vlassenko, 1931)	
<i>Metanematobothrium</i>	
<i>guernei</i> (Moniez, 1891)	
<i>Metorchis</i>	
<i>xanthostomus</i> (Creplin, 1846)	
<i>Microphallus</i>	
<i>abortivus</i> Deblock, 1974	
<i>claviformes</i> (Brandes, 1888)	
<i>fusiformis</i> Reimer, 1963	
<i>hoffmanni</i> Rebecq, 1964	
<i>papillorobustus</i> (Rankin, 1940)	
<i>piriformis</i> (Odhner, 1905)	
<i>pirum</i> (Lebour, 1907)	
<i>primas</i> (Jagerskiold, 1908)	
<i>pygmaeus</i> (Levinsen, 1881)	
<i>similis</i> (Jagerskiold, 1900)	
<i>Microscaphidium</i>	
<i>reticulare</i> (van Beneden, 1859)	
<i>Monascus</i>	
<i>filiformis</i> (Rudolphi, 1819)	
<i>Monodhelmis</i>	
<i>torpedinis</i> Dollfus, 1937	
<i>Monorchis</i>	
<i>monorchis</i> (Stossich, 1890)	
<i>parvus</i> Looss, 1902	
<i>Nematobothrium</i>	
<i>faciale</i> (Baylis, 1938)	
<i>filarina</i> van Beneden, 1858	
<i>filiforme</i> Yamaguti, 1934	
<i>latum</i> Guiart, 1938	
<i>molae</i> (Maclarens, 1904)	
<i>robustum</i> Yamaguti, 1970	
<i>scombri</i> (Taschenberg, 1879)	
<i>Neodiplostomum</i>	
sp.	
<i>Neolepidapedon</i>	
<i>israelense</i> Fischthal, 1980	
<i>smithi</i> Bray & Gibson, 1989	
<i>Neolepocreadium</i>	
<i>caballeroi</i> Thomas, 1960	
<i>Neonotoporus</i>	
<i>trachuri</i> (Yamaguti, 1938)	
<i>Neophasis</i>	
<i>anarrhichiae</i> (Nicoll, 1909)	
<i>Neosteganoderma</i>	
<i>glandulosum</i> Byrd, 1964	
<i>Nephromonorchia</i>	
<i>lari</i> (Timon-David, 1933)	
<i>Nicolla</i>	
<i>gallica</i> (Dollfus, 1941)	
<i>Notocotylus</i>	
<i>attenuatus</i> (Rudolphi, 1809)	
<i>seineti</i> Fuhrmann, 1919	
<i>skrjabini</i> Ablasov, 1953	
<i>Odhneriella</i>	
<i>elongata</i> (Ozaki, 1935)	
<i>Odhnerium</i>	
<i>calyptocotyle</i> (Monticelli, 1893)	
<i>Oesophagocystis</i>	
<i>lydiae</i> Pozdnyakov, 1994	
<i>Ogmogaster</i>	
<i>antarcticus</i> Johnston, 1931	
<i>plicatus</i> (Creplin, 1829)	
<i>Olssonium</i>	
<i>turneri</i> Bray & Gibson, 1980	
<i>Opechona</i>	
<i>bacillaris</i> (Molin, 1859)	
<i>Opecoelina</i>	
<i>scorpaenae</i> Manter, 1934	
<i>Opecoeloides</i>	
<i>furcatus</i> (Bremser in Rudolphi, 1819)	
<i>vitellus</i> (Linton, 1900)	
<i>Opisthadena</i>	
<i>karachii</i> (Srivastava, 1941)	
<i>kyphosi</i> Yamaguti, 1970	
<i>Opisthorchis</i>	
<i>gomtii</i> Mehra, 1941	
<i>Orchidasma</i>	
<i>amphiorchis</i> (Braun, 1899)	
<i>Ornithobilharzia</i>	
<i>canaliculata</i> (Rudolphi, 1819)	
<i>Orophocotyle</i>	
<i>divergens</i> Looss, 1902	
<i>planci</i> (Stossich, 1899)	
<i>Orthosplanchnus</i>	
<i>arcticus</i> Odhner, 1905	
<i>Oschmarinella</i>	
<i>albamarina</i> (Treshchev, 1968)	
<i>mascomai</i> Raga, 1986	
<i>rochebruni</i> (Poirier, 1886)	
<i>Otodistomum</i>	
<i>cestoides</i> (van Beneden, 1871)	
<i>plunketi</i> Fyfe, 1953	
<i>veliporum</i> Dollfus, 1937	
<i>Pachycreadium</i>	
<i>carnosum</i> (Rudolphi, 1819)	
<i>Pachypsopus</i>	
<i>irroratus</i> (Rudolphi, 1819)	
<i>Pachytrema</i>	
<i>calculus</i> Looss, 1907	
<i>paniceum</i> Brinkmann, 1942	
<i>Panopula</i>	
<i>bridgeri</i> Bray & Gibson, 1986	
<i>Paracacacladium</i>	
<i>jamiesoni</i> Bray & Gibson, 1977	
<i>Paracryptogonimus</i>	
<i>aloysiae</i> (Stossich, 1885)	
<i>Paragyliachen</i>	
<i>nagatyi</i> of Rizk, Tanha & El-Rahman, 1996	
<i>Parahemius</i>	
<i>merus</i> (Linton, 1910)	
<i>Paralepidapedon</i>	
<i>williamsi</i> Bray & Gibson, 1988	
<i>Paramonostomum</i>	
<i>alveatum</i> (Mehlis, 1846)	
<i>anatis</i> Garkawi, 1965	
<i>bucephala</i> Yamaguti, 1935	
<i>chabaudi</i> van Strydonck, 1965	

- pseudoalveatum* Price, 1931
Parasaccocoelium
mugili Zhukov, 1971
Parascocotyle
 sp.
Paratimonia
gobii Prévôt & Bartoli, 1967
Parvatrema
affine (Jameson & Nicoll, 1913)
duboi (Dollfus, 1923)
homoeotecnum James, 1964
ovoplemum (Jameson & Nicoll, 1913)
timondavidi Bartoli, 1983
Paryphostomum
radiatum (Dujardin, 1845)
Peracreadium
characis (Stossich, 1886)
commune Olsson
genu Nicoll, 1909
idoneum (Nicoll, 1909)
Petasiger
exaeretus Dietz, 1909
hosptiale (Mendheim, 1940)
phalacrocoracis (Yamaguti, 1939)
Phagicola
longus (Ransom, 1920)
septentrionalis van den Broek, 1963
Philophthalmus
lacrymosus Braun, 1902
lucipetus (Rud., 1819)
nocturnus Looss, 1907
Pholeter
gastrophilus (Kossack, 1910)
Phyllodistomum
acceptum Looss, 1901
crenilabri Dolgikh & Naidenova, 1968
thunni Baudin-Laurencin & Richard, 1973
Plagioporos
congeri Yamaguti, 1970
dogieli Pogoreltseva, 1975
trachuri Pogoreltseva, 1954
tumidulus (Rudolphi, 1819)
tyrrhenicus Paggi & Orecchia, 1976
Plagiorchis
elegans (Rudolphi, 1802)
laricola Skrjabin, 1924
moravicus Sitko, 1993
mutationis Panova, 1927
nanus (Rudolphi, 1802)
Platocystis
alalongae Yamaguti, 1938
 sp.
Pleorchis
polychorhis (Stossich, 1889)
Plerurus
digitatus (Looss, 1899)
Plesiochorus
cymbiformis (Rudolphi, 1819)
Pleurogonius
longiusculus Looss, 1901
trigonocephalus (Rudolphi, 1809)
Podocotyle
alexandrina of Rizk, Tanha & El-Rahman, 1996
angulata (Dujardin, 1845)
atherinae Nicoll, 1914
atomon (Rudolphi, 1802)
olssoni Odhner, 1905
reflexa (Creplin, 1825)
scorpaenae (Rudolphi, 1919)
staffordi Miller, 1941
syngnathi Nicoll, 1913
Polylekithum
trachuri of Rizk, Tanha & El-Rahman, 1996
Poracanthium
furcatum Dollfus, 1948
Posthodiplostomum
brevicaudatum (Nordmann, 1832)
Probolitrema
richardii (Lopez, 1888)
Proctoeces
maculatus (Looss, 1901)
major Yamaguti, 1938
Proctophantastes
abyssorum Odhner, 1900
Proctotrema
bacilliovatum (Odhner, 1911)
Prodistomum
orientalis (Layman, 1930)
polonii (Molin, 1859)
priedei Bray & Merrett, 1998
Profundivermis
intercalarius Bray & Gibson, 1991
Progonus
muelleri (Levinsen, 1881)
Pronoprymna
ventricosum (Rudolphi, 1819)
Proparipyrum
israelense Fischthal, 1980
Prosorhynchoides
arcuatus (Linton, 1900)
gracilescens (Rudolphi, 1819)
Prosorhynchus
aculeatus Odhner, 1905
crucibulum Rudolphi, 1819
squamatus Odhner, 1905
Prosthognomus
ovatus (Rudolphi, 1803)
Prudhoeus
nicholsi Bray & Gibson, 1980
Pseudaeephnidiogenes
africanus (Fischthal & Thomas, 1972)
Pseudamphistomum
truncatum (Rudolphi, 1819)
Pseudobacciger
harengulae (Yamaguti, 1938)
manteri Nahhas & Cable, 1964
Pseudomaritrema
innae Leonov, 1958
Pseudopycnadema
fischthali Saad-Fares & Maillard, 1986
Pseudozoogonoides
subaequiporus (Odhner, 1911)
Psilochasmus
longicirratus Skrjabin, 1913
oxyurus (Creplin, 1825)
skrjabini Gnedina, 1946
Psilostomum
brevicolle (Creplin, 1829)
brevicolle (Creplin, 1829)
Ptychogonimus
megastomus (Rudolphi, 1819)
Pycnadenoides
ghanensis Fischthal & Thomas, 1968
senegalensis Fischthal & Thomas, 1972
umbrinae (Stossich, 1885)
Pyelosomum
renicapite (Leidy, 1856)
Pygidiosis
ardeae Krie, 1990
genata Looss, 1907
Renicola
lari Timon-David, 1933
paraquinata Rajewsky, 1937
roscovita (Stunkard, 1932)
sudarikovi Leonov, 1958
Rhipidocotyle
galeata (Rudolphi, 1819)
genovi Dimitrov, Kostadinova & Gibson, 1996
illense (Ziegler, 1883)
Rhynchopharynx

- paradoxa* Odhner, 1928
Rhytidodes
gelatinosus (Rudolphi, 1819)
Robphildolfusium
fractum (Rudolphi, 1819)
martinezgomezi Lopez- Roman, Gijon-Botella, Kim & Vilca-Choque, 1992
Rossicotrema
lari Leonov, 1957
Saccocoelium
obesum Looss, 1902
tensum Looss, 1902
Saturnius
papernai Overstreet, 1977
Schikhobalotrema
acutum (Linton, 1910)
longivesiculatum Orecchia & Paggi, 1975
Sclerodistomum
italicum (Stossich, 1893)
saoudi of Rizk, Tanha & El-Rahman, 1996
Skrjabinolecithum
spaskii Belous, 1954
Skrjabinopslus
semiaromaticus (Molin, 1858)
Spelotrema
excellens Nicoll, 1907
magnipapillatum Leonov, 1958
simile (Jagerskiold, 1900)
Sphaerostoma
 sp.
Spinoplagioporus
minutus Polyansky, 1952
Steganoherma
retroflexum (Molin, 1859)
Steganodermatooides
agassizi (Campbell, 1975)
maceri Bray & Gibson, 1986
Stenakron
vetustum Stafford, 1904
Stephanostomum
baccatum (Nicoll, 1907)
bicornutum (Stossich, 1883)
caducum (Looss, 1901)
cesticillum (Molin, 1858)
lebourae Caballero, 1952
longisomum Manter, 1940
lophii Quinteiro, Tojo, Nunez, Santamarina & Sammartin, 1993
minutum (Looss, 1901)
pristis (Deslongchamps, 1824)
rhombispinosum (Lebour, 1908)
seriolae Yamaguti, 1970
triglae (Lebour, 1908)
valdeinflatum (Stossich, 1883)
Steringophorus
blackeri Bray, 1973
dorsolineatum (Reimer, 1985)
furciger (Olsson, 1867)
haedrichi Bray & Campbell, 1995
margolisi Bray, 1995
pritchardae (Campbell, 1975)
thulini Bray & Gibson, 1980
Steringotrema
divergens (Rudolphi, 1809)
ovacutum (Lebour, 1908)
pagelli (van Beneden, 1871)
Stictodora
lari Yamaguti, 1939
morosovi Leonov, 1957
savakinensis Looss, 1899
Synaptobothrium
caudiporum (Rudolphi, 1819)
Tanaisia
fedtschenkoi Skrjabin, 1924
Tellervotrema
- armstrongi* Gibson & Bray, 1982
Telorhitis
aculeatus Stunkard, 1915
parvus Braun, 1901
poirieri (Stossich, 1895)
stossichi Goldberger, 1911
Tergestia
acanthocephala (Stossich, 1887)
laticollis (Rudolphi, 1819)
Tetracladium
sternae Kulackowa, 1952
Tetrochetus
raynerii (Nardo, 1833)
sombresoxis Nicolaeva, 1966
Thulinia
microrchis (Yamaguti, 1934)
Timonia
mediterranea Bartoli & Prevot, 1966
Timoniella
imbutiforme (Molin, 1859)
praeteritum (Looss, 1901)
Tormopsisulus
oscultatus (Looss, 1901)
orientalis (Yamaguti, 1934)
Tricharrhen
okenii (Koelliker, 1849)
Trichobilharzia
ocellata (La Valette, 1855)
Tylodelphys
clavata (von Nordmann, 1832)
Tyrrhenia
blennii Paggi & Orecchia, 1975
Unitubulotestis
pelamydis (Taschenburg, 1879)
Wardula
capitellata (Rudolphi, 1819)
sarguicola Bartoli & Gibson, 1989
Zalophotrema
atlanticum Abril, Balbuena & Raga, 1991
Zoogonoides
viviparus (Olsson, 1868)
Zoogonus
rubellus (Olsson, 1868)

Monogenea

Compiled by Rodney A. Bray

The list of monogenean species was derived from the Host-Parasite Data-base and Catalogue maintained by the Parasitic Worms Division, Department of Zoology, The Natural History Museum. Some attempt has been made to restrict the list to valid taxa and to use that latest nomenclature.

The list was kindly commented upon by Prof. L. Euzet and Dr G. Kearn.

Class Monogenea

- Acanthocotyle*
elegans Monticelli, 1890
borealis Brinkmann, 1940
lobianchi Monticelli, 1888
monticellii Scott, 1902
oligoterus (Monticelli, 1899)
Allopseudaxine
 sp.
Amphibdella
flavolineata MacCallum, 1916
paronaperugiae Llewellyn, 1960
torpedinis Chatin, 1874
Amphibdelloides
maccallumi (Johnson & Tiegs, 1922)
vallei Llewellyn, 1960
Ancyrocephalus