

PLANTS

Compiled by Michael Guiry

This list includes all benthic (attached) marine algae belonging to the phyla (divisions) Chlorophycota (Chlorophyta), Phaeophycota (Phaeophyta), Rhodophycota (Rhodophyta) and the genera *Vaucheria* and *Tribonema* (Xanthophycota) that are generally known as seaweeds. It also includes the seagrasses (Magnoliophyta). This list is extracted from a worldwide database of algae and seagrasses being prepared as part of the Species 2000 project. The database is searchable at:

<http://www.algaebase.org>

where it incorporates detailed references, notes, some synonyms, common names, some pictures, and much of the distributional data that forms part of the present list. As this database is "live" it may not include exactly the same data in the list below; it does, however, explain much of the sources for the records included here.

The present list was compiled and checked by Michael Guiry. Its initial foundation was the species listed in the *Species Directory of the Marine Fauna and Flora of the British Isles and Surrounding Seas* (Guiry, 1997), which was then systematically built up from the most recent key works and check-lists for each geographical area as follows:

North Eastern Atlantic: East Greenland (Pedersen, 1976), Iceland (Caram & Jónsson, 1972; Munda, 1979), Spitsbergen (Vinogradova, 1995), Faroes (Irvine, 1982), Norway (Rueness, 1997), Baltic Sea (Nielsen *et al.*, 1995), Netherlands (Stegenga *et al.*, 1997), Belgium and France (Coppejans, 1995; Feldmann, 1954; Feldmann & Magne, 1964), Northern Spain (Veiga, Cremades & Bárbara, 1998, and others), Portugal (Ardé, 1970, and others), Southern Spain (Seoane-Camba, 1965; Conde *et al.*, 1996, and others), Morocco (Dangeard, 1949), Madeira and the Salvage Islands (Levrin, 1974; Audiffred & Weisscher, 1984), and the Azores (Neto, 1994; Tittley & Neto, 1994). Unpublished lists from Helgoland and the Canary Islands provided by Drs Bartsch and Kuhlenkamp and Drs Haroun, Gil-Rodríguez and Díaz de Castro, respectively, were invaluable. This list is not exhaustive but is included to give an indication of the sources.

Mediterranean: The excellent brown (Ribera *et al.*, 1992) and green (Gallardo *et al.*, 1993) check-lists were used as the basis for an initial list; however, no overall summary exists for the red algae. The Mediterranean list was completed from a wide range of sources which are far too numerous to cite here but which are listed in the database version cited above.

The overall arrangement of phyla (divisions) classes, orders and families is largely that of Silva, Basson & Moe (1996) with some modifications resulting from later work. Individual taxonomic decisions are too numerous to detail here but are also listed in the web version of the database. Categories below the level of species (subspecies, varieties and formae) are not included here for reasons of space. Nomenclatural authorities are given in full and, as far as possible, fit in with the full names as listed in Brummitt & Powell (1992). Non-botanists should note that it is not the normal practice to cite the date of publication or date of combination for plants; however, I have, for convenience, included the date

when known. Those familiar with the *International Code of Zoological Nomenclature* should also note that it is the practice under the *Botanical Code* to cite the original author(s) in parentheses and the author(s) making a new combination outside such parentheses. So, there are only two possibilities: there may be the name of an authority or authorities with no parentheses or there will be the names of an authority or authorities in parentheses with another name or names outside it. Botanical authors should note the legitimate use of diacritical marks in certain instances (e.g., *Hydrolithon samoënsis*; *Schottera nicaëensis*) to facilitate correct pronunciation. It should also be noted that whilst "ex" is part of nomenclatural authority citation, "in" is part of bibliographical citations and should not be used except in this context. The following recently altered spellings should also be noted: *Acanthophora nayadiformis* for *A. najadiformis*; *Chondracanthus teedii* for *C. teedii*; and *Halopithys* for *Halopitys*. A number of nomenclaturally illegitimate names are still included (but not indicated) such as *Sargassum vulgare*. The binomial *Scytoniphon lomentaria* is included on the assumption that its proposed conservation will be accepted. A number of doubtful records, such as *Ecklonia buruncinata* from the Canary Islands, are included pending clarification. The genus *Pilinia* is included in the Phaeophycota even though there is doubt as to whether *P. rimosa*, the type, is a green or a brown alga.

The seagrass lists were compiled from a variety of sources and the nomenclature is that of Phillips & Meñez (1988).

I am grateful to all those who helped me in the compilation of this list, in particular to Professor G. Furnari, Dr Fabio Rindi, Ms Eilís Nic Dhonncha, and Ms Sandy Lawson.

References

- Ardé, F. 1970. Contribution à l'étude des algues marines du Portugal. I. La flore. *Portugal Acta Biologica* sér. B, 10: 137-555.
- Audiffred, P. A. J. and Weisscher, F. L. M. 1984. Marine algae of Selvagem Grande (Salvage Islands, Macaronesia). *Boletim do Museu Municipal do Funchal* 36: 5-37.
- Brummitt, R. K. and Powell, C. E., Eds. 1992. *Authors of Plant Names. A list of authors of scientific names of plants, with recommended standard forms of these names including abbreviations*. Key, Royal Botanic Gardens.
- Caram, B. and Jónsson, S. 1972. Nouvel inventaire des algues marines de l'Islande. *Acta Botanica Islandica* 1: 5-31.
- Conde, F., Flores-Moya, A., Soto, J., Altamirano, M. and Sánchez, A. 1996. Check-list of Andalusia (S. Spain) seaweeds. III. Rhodophyceae. *Acta Botanica Malacitana* 21: 7-33.
- Coppejans, E. 1995. *Flore algologique des côtes du Nord de la France et de la Belgique*. Meise, Jardin Botanique National de la Belgique.
- Dangeard, P. 1949. Les algues marines de la côte occidentale du Maroc. *Botaniste* 34: 89-189.
- Feldmann, J. 1954. Inventaire de la flore marine de Roscoff. Algues, champignons, lichens et spermatophytes. *Travaux Station Biologique de Roscoff* Ser. 2, Suppl. 6: 152.
- Feldmann, J. and Magne, M. F. 1964. Additions à l'inventaire de la flore marine de Roscoff algues, champignons, lichens. *Travaux Station Biologique de Roscoff* 15 (New supplement): 1-23 [+ 5].
- Gallardo, T., Gómez Garreta, A., Ribera, M. A., Cormaci, M., Furnari, G., Giaccone, G. and Boudouresque, C. F. 1993. Check-list of Mediterranean Seaweeds, II. Chlorophyceae Wille s.l. *Botanica Marina* 36: 399-421.
- Guiry, M. D. 1997. Benthic red, brown and green algae. *The Species Directory of the Marine Fauna and Flora of the British Isles and Surrounding Seas*.

- British Isles and Surrounding Seas*. C. M. Howson and B. E. Picton. Belfast & Ross-on-Wye, Ulster Museum & Marine Conservation Society: 341-367.
- Irvine, D. E. G. 1982. Seaweeds of the Faroes I: The flora. *Bulletin British Museum Natural History, Botany* 10: 109-131.
- Levrang, T. 1974. The marine algae of the Archipelago of Madeira. *Boletim Museu Municipal do Funchal* 28: 5-111.
- Munda, I. M. 1979. Addition to the check-list of benthic marine algae from Iceland. *Botanica marina* 22: 459-463.
- Neto, A. I. 1994. Checklist of the benthic marine macroalgae of the Azores. *Arquipélago. Ciências Biológicas e Marinhas* 12A: 15-34.
- Nielsen, R., Kristiansen, A., Mathiesen, L. and Mathiesen, H. 1995. Distributional index of the benthic marine macroalgae of the Baltic Sea area. *Acta Botanica Fennica* 155: 1-70.
- Pedersen, P. M. 1976. Marine benthic algae from southernmost Greenland. *Meddelelser om Grönland* 199(3): 1-80.
- Phillips, R. C. and Meñez, E. G. 1988. *Seagrasses*. Washington, D.C., Smithsonian Institution Press.
- Ribera, M. A., Gómez-Garreta, A., Gallardo, T., Cormaci, M., Furnari, G. and Giaccone, G. 1992. Check-list of Mediterranean Seaweeds. I. *Fucophyceae* (Warming 1884). *Botanica marina* 35: 109-130.
- Rueness, J. 1997. Algae. *Distribution of marine, benthic macro-organisms in Norway. A tabulated catalogue, preliminary Edition. Research Report No. 1997-1*. T. Brattegård and T. Holthe. Trondheim, Direktoratet for Naturforvaltninlhg.
- Seoane-Camba, J. 1965. Estudios sobre las algas bentónicas en la costa sur de la Península Ibérica (litoral de Cádiz). *Investigacion Pesquera* 29: 3-216.
- Silva, P. C., Basson, P. W. and Moe, R. L. 1996. Catalogue of the benthic marine algae of the Indian Ocean. *University of California Publications in Botany* 79: 1-1259.
- Stegenga, H., Mol, I., Prud'homme van Reine, W. F. and Lokhorst, G. M. 1997. Checklist of the marine algae of the Netherlands. *Gorteria Supplement* 4: 3-57.
- Tittley, I. and Neto, A. I. 1994. "Expedition Azores 1989": Benthic marine algae (seaweeds) recorded from Faial and Pico. *Arquipélago, Life and Marine Sciences* 12: 1-13.
- Veiga, A. J., Cremades, J. and Bárbara, I. 1998. A catalogue of the marine benthic algae of the Sisargas Islands (N.W. Iberian Peninsula, Spain). *Boletim do Museu Municipal do Funchal Suppl. no. 5*: 481-493.
- Vinogradova, K. L. 1995. The checklist of the marine algae from Spitsbergen. *Botanicheskii Zhurnal SSR* 80: 50-61.

KINGDOM ALGAE

PHYLUM CHLOROPHYCOTA

Class Chlorophyceae

Order Acrosiphoniales

Family Acrosiphonaceae

Acrosiphonia

- | | |
|---|---|
| <i>arcata</i> (Dillwyn) Gain, 1912 | A |
| <i>arctiuscula</i> (Kützing) Jónsson | A |
| <i>flagellata</i> Kjellman | A |
| <i>grandis</i> Kjellmann, 1893 | A |
| <i>incurva</i> Kjellman | A |
| <i>sonderi</i> (Kützing) Kornmann, 1962 | A |
| <i>spinescens</i> (Kützing) Kjellmann, 1883 | A |

Spongomorpha

- | | |
|---|-----|
| <i>aeruginosa</i> (Linnaeus) van den Hoek, 1963 | A M |
| <i>centralis</i> (Lyngbye) Kützing | A |
| <i>vernalis</i> (Kjellman) Jónsson, 1903 | A |

Urospora

- | | |
|---|-----|
| <i>elongata</i> (Rosenvinge) Hagem | A |
| <i>hartzii</i> Rosenvinge | A |
| <i>laeta</i> (Thuret ex Bornet) Børgesen | A M |
| <i>neglecta</i> (Kornmann) Lokhorst & Trask, 1981 | A |
| <i>penicilliformis</i> (Roth) Areschoug, 1874 | A M |
| <i>wormskioldii</i> (Mertens ex Hornemann) Rosenvinge, 1893 | A |

Order Bryopsidales

Family Bryopsidaceae

Bryopsisella

- | | |
|--|-----|
| <i>neglecta</i> (Berthold) H. Rietema, 1975 | A M |
| <i>ostreobiformis</i> Calderón-Sáenz & Schnetter | M |

Bryopsis

- | | |
|---|-----|
| <i>adriatica</i> (J. Agardh) Frauenfeld, 1854 | A M |
| <i>balbisiana</i> J.V. Lamouroux ex Harvey | A M |
| <i>corymbosa</i> J. Agardh, 1842 | A M |
| <i>cupressina</i> J.V. Lamouroux | A M |
| <i>dichotoma</i> De Notaris | M |
| <i>duplex</i> De Notaris | A M |
| <i>feldmannii</i> Gallardo & G. Furnari | M |
| <i>hypnoides</i> J.V. Lamouroux, 1809 | A M |
| <i>implexa</i> De Notaris, 1849 | M |
| <i>lyngbyei</i> Hornemann, 1818 | A |
| <i>muscosa</i> J.V. Lamouroux, 1809 | M |
| <i>penicillum</i> Meneghini | M |
| <i>pennata</i> J.V. Lamouroux, 1809 | A M |
| <i>plumosa</i> (Hudson) C. Agardh, 1823 | A M |
| <i>secunda</i> J. Agardh | M |
| <i>Trichosolen</i> | |
| <i>myura</i> (J. Agardh) W.R. Taylor, 1962 | A M |

Family Derbesiaceae

Derbesia

- | | |
|--|-----|
| <i>boergesenii</i> (Iyengar & Ramanathan) Mayhoub, 1976 | M |
| <i>corallicola</i> Funk | M |
| <i>marina</i> (Lyngbye) Solier, 1846 | A M |
| <i>minima</i> Funk | M |
| <i>tenuissima</i> (Moris & De Notaris) P.L. Crouan & H.M. Crouan, 1867 | A M |

Pedobesia

- | | |
|--|-----|
| <i>lamourouxi</i> (J. Agardh) Feldmann, Loreau, Codomier & Couté, 1975 | A M |
| <i>solieri</i> Feldmann ex Abéard & Knoepffler | A M |

Order Caulerpales

Family Caulerpaceae

Caulerpa

- | | |
|--|-----|
| <i>cupressoides</i> (Vahl) C. Agardh, 1817 | A |
| <i>mexicana</i> Sonder ex Kützing, 1849 | A M |
| <i>ollivieri</i> Dostál | M |
| <i>peltata</i> J.V. Lamouroux, 1809 | A |
| <i>prolifera</i> (Forsskål) J.V. Lamouroux, 1809 | A M |
| <i>racemosa</i> (Forsskål) J. Agardh, 1873 | A M |
| <i>seal pelliformis</i> (R. Brown ex Turner) C. Agardh, 1817 | A M |
| <i>sertularioides</i> (S.G. Gmelin) M. Howe, 1905 | A M |
| <i>suberrata</i> Okamura, 1897 | M |
| <i>taxifolia</i> (M. Vahl) C. Agardh, 1817 | A M |
| <i>webbiana</i> Montagne, 1837 | A |

Family Chaetophoraceae

Blastophysa

- | | |
|------------------------------|-----|
| <i>rhizopus</i> Reinke, 1889 | A M |
|------------------------------|-----|

Chaetosiphon

- | | |
|---------------------------------|---|
| <i>moniliformis</i> Huber, 1892 | M |
|---------------------------------|---|

Family Udoteaceae

Avrainvillea

- | | |
|--|---|
| <i>canariensis</i> A. Gepp & E.S. Gepp | A |
|--|---|

Halimeda

- | | |
|--|-----|
| <i>discoidea</i> Decaisne, 1842 | A |
| <i>opuntia</i> (Linnaeus) J.V. Lamouroux, 1812 | M |
| <i>tuna</i> (J. Ellis & Solander) J.V. Lamouroux, 1816 | A M |

Penicillus

- | | |
|--------------------------------|-----|
| <i>capitatus</i> Lamarck, 1813 | A M |
|--------------------------------|-----|

Pseudochlorodesmis

- | | |
|--|-----|
| <i>furcellata</i> (Zanardini) Børgesen, 1925 | A M |
| <i>tenuis</i> Ercegovic | M |

Rhipilia

- | | |
|---------------------------------------|---|
| <i>tenaculosa</i> A. Gepp & E.S. Gepp | A |
|---------------------------------------|---|

Order Chaetophorales

Family Chaetophoraceae

Arthrochaete

- | | |
|-----------------------------------|---|
| <i>penetrans</i> Rosenvinge, 1898 | A |
|-----------------------------------|---|

Bolbocoleon

- | | |
|-----------------------------------|-----|
| <i>piliferum</i> Pringsheim, 1862 | A M |
|-----------------------------------|-----|

<i>Didymosporangium</i>			
<i>repens</i> Lambert	M	<i>stellata</i> (Wulfen) C. Agardh, 1822	A M
<i>Entocladia</i>		<i>Microdictyon</i>	
<i>endolithica</i> (Ercegovic) R. Nielsen	M	<i>boergesenii</i> Setchell, 1925	A
<i>leptocheete</i> (Huber) Burrows, 1991	A M	<i>calodictyon</i> (Montagne) Duchesne	A
<i>major</i> (Feldmann) R. Nielsen	M	<i>laxereticulatum</i> Setchell	M
<i>majus</i> (Feldmann) R. Nielsen	M	<i>tenius</i> Decaisne ex J.E. Gray, 1866	A M
<i>pennata</i> (Feldmann) R. Nielsen	M	<i>umbilicatum</i> (Velley) Zanardini	M
<i>reticulata</i> (Printz) Levring	A		
<i>Entodictyon</i>		Family Boodleaceae	
<i>schilleri</i> Schiffner, 1931	M	<i>Phyllodictyon</i>	
<i>Periplegmatium</i>	M	<i>anastomosans</i> (Harvey) Kraft & M.J. Wynne	A
<i>ceramii</i> Kützing, 1843	M	<i>pulcherrimum</i> J.E. Gray	A
<i>Pringsheimiella</i>			
<i>conchyliophila</i> Feldmann, 1937	A M	Family Cladophoraceae	
<i>sanctae-luciae</i> R. Nielsen & McLachlan	A	<i>Bryobesia</i>	
<i>scutata</i> (Reinke) Höhnel ex Marchewianka, 1924	A M	<i>johannae</i> Weber-van Bosse	A
<i>Pseudendoconium</i>		<i>Chaetomorpha</i>	
<i>conchiliophila</i> Feldmann	M	<i>adriani</i> Feldmann, 1937	M
<i>marinum</i> (Reinke) Aleem & E. Schulz, 1952	A M	<i>antennina</i> (Bory) Kützing, 1849	A
<i>submarinum</i> Wille, 1901	A M	<i>crassa</i> (C. Agardh) Kützing, 1845	A M
<i>Pseudopringsheimia</i>		<i>fibrosa</i> Kützing	A
<i>confluens</i> (Rosenvinge) Wille, 1909	A M	<i>gracilis</i> Kützing, 1845	A M
<i>Stromatella</i>		<i>implexa</i> (Harvey) Feldmann	A
<i>monostromatica</i> (P.J.L. Dangeard) Kornmann &	A M	<i>ligustica</i> (Kützing) Kützing, 1849	A M
Sahling		<i>linum</i> (O.F. Müller) Kützing, 1845	A M
<i>papillosa</i> (P.J.L. Dangeard) Kornmann & Sahling	A M	<i>litoraea</i> Harvey, 1858	A M
<i>Syncyrene</i>		<i>melagonium</i> (F. Weber & D. Mohr) Kützing, 1845	A
<i>reinkei</i> R. Nielsen & P.M. Pedersen, 1977	A	<i>pachynema</i> (Montagne) Kützing, 1847	A M
<i>Tellamia</i>		<i>zernovii</i> Woronichin	M
<i>contorta</i> Batters, 1895	A M		
<i>Ulvella</i>		Cladophora	
<i>acervus</i> P.J.L. Dangeard	A M	<i>aegagropila</i> (Linnaeus) Trevisan, 1845	A M
<i>lens</i> P.L. Crouan & H.M. Crouan, 1859	A M	<i>albida</i> (Nees) Kützing, 1843	A M
<i>nadsonii</i> (Rochlina) Gallardo <i>et al.</i>	M	<i>battersii</i> van den Hoek	A M
<i>setchellii</i> P.J.L. Dangeard, 1931	A M	<i>booleoides</i> Børgesen	A
<i>stellata</i> P.J.L. Dangeard, 1965	M	<i>catenata</i> (Linnaeus) Kützing, 1843	M
<i>Uronema</i>		<i>coelothrix</i> Kützing	A M
<i>curvata</i> Printz	A	<i>conferta</i> P.L. Crouan & H.M. Crouan, 1865	A
<i>Zygomitrus</i>		<i>crispata</i> (Roth) J. Agardh	A
<i>reticulatus</i> Bornet & Flahault	A	<i>crystallina</i> (Roth) Kützing, 1843	A M
Order Chlorococcales		<i>cymopoliae</i> Børgesen, 1925	A
Family Chlorococcaceae		<i>dalmatica</i> Kützing, 1843	A M
<i>Characium</i>		<i>echinus</i> (Biasoletto) Kützing, 1849	A M
<i>marinum</i> Kjellman, 1883	A	<i>feredai</i> Harvey	A M
<i>Chlorococcum</i>		<i>flexuosa</i> (O.F. Müller) Kützing, 1843	A M
<i>submarinum</i> Alvik, 1934	A	<i>fracta</i> (O.F. Müller ex Vahl) Kützing	A M
<i>Coccomyxa</i>		<i>globulina</i> (Kützing) Kützing	A M
<i>astericola</i> Rosenvinge	A	<i>glomerata</i> (Linnaeus) Kützing	A M
<i>litoralis</i> (Hansgirg) Wille	A	<i>hutchinsiae</i> (Dillwyn) Kützing, 1845	A M
<i>Sykidion</i>		<i>inclusa</i> Børgesen	A
<i>droebakense</i> Wille	A	<i>laetevirens</i> (Dillwyn) Kützing, 1843	A M
<i>dyeri</i> E.P. Wright, 1881	A	<i>lehmannaiana</i> (Lindenberg) Kützing, 1843	A M
Family Endosphaeraceae		<i>liebetrichii</i> Grunow, 1884	A M
<i>Chlorochytrium</i>		<i>liniformis</i> Kützing, 1849	A M
<i>cohnii</i> E.P. Wright, 1877	A M	<i>michaelsenii</i> O.C. Schmidt	A
<i>crassum</i> (Naccari) Rabenhorst	M	<i>nigrescens</i> Zanardini ex Frauenfeld	A M
<i>dermatocolax</i> Reinke, 1889	A	<i>oblitterata</i> J. Söderström	A
<i>facciolae</i> (Borzi) Bristol, 1920	A	<i>parriaudii</i> van den Hoek	A M
<i>schmitzii</i> Rosenvinge, 1893	A	<i>pellucida</i> (Hudson) Kützing, 1843	A M
<i>Gomontia</i>		<i>prolifera</i> (Roth) Kützing, 1843	A M
<i>polyrhiza</i> (Lagerheim) Bornet & Flahault, 1888	A M	<i>pygmaea</i> Reinke, 1888	A
Order Chlorocystidales		<i>retroflexa</i> (Bonnemaison ex P.L. Crouan & H.M. Crouan) van den Hoek, 1963	A M
Family Chlorocystidaceae		<i>ruchingeri</i> (C. Agardh) Kützing, 1845	A M
<i>Halochlorococcum</i>		<i>rupestris</i> (Linnaeus) Kützing, 1843	A M
<i>dilatum</i> Kornmann & Sahling	A	<i>sericea</i> (Hudson) Kützing, 1843	A M
<i>marinum</i> P.J.L. Dangeard	A	<i>sivashensis</i> C. Meyer	M
<i>moorei</i> (N.L. Gardner) Kornmann & Sahling, 1917	A M	<i>socialis</i> Kützing, 1849	A M
<i>operculatum</i> Kornmann & Sahling, 1983	A	<i>theotonii</i> O.C. Schmidt	A
Order Cladophorales		<i>vadorum</i> (Areschoug) Kützing, 1849	A M
Family Anadyomenaceae		<i>vagabunda</i> (Linnaeus) van den Hoek, 1963	A M
<i>Anadyomene</i>		<i>weizenbaurii</i> O.C. Schmidt	A
<i>saldanhae</i> A.B. Joly & E.C. Oliveira, 1969	A	Rhizoclonium	
		<i>africanum</i> Kützing, 1853	A
		<i>kochianum</i> Kützing, 1845	A M
		<i>pachydermum</i> Kjellman	A
		<i>riparium</i> (Roth) Kützing ex Harvey, 1849	A M
		<i>tortuosum</i> (Dillwyn) Kützing, 1845	A M

Family Witrockiellaceae		Family Boodleaceae	
<i>Witrockiella</i>		<i>Boodlea</i>	
<i>paradoxa</i> Wille, 1909	A	<i>struveoides</i> M. Howe, 1918	A
Order Codiales		<i>Struvea</i>	
Family Codiaceae		<i>anastomosans</i> (Harvey) Piccone & Grunow ex Piccone, 1884	A
<i>Codium</i>		<i>ramosa</i> Dickie, 1874	A
<i>adhaerens</i> C. Agardh	A M		
<i>bursa</i> (Linnaeus) C. Agardh, 1822	A M		
<i>carolinanum</i> Searles	A		
<i>cattaniae</i> Vouk	M		
<i>coralloides</i> (Kützing) P.C. Silva	M		
<i>decoratum</i> (Woodward) M. Howe, 1911	A M		
<i>effusum</i> (Rafinesque) Delle Chiaje	A M		
<i>elisabethae</i> O.C. Schmidt	A		
<i>fragile</i> (Suringar) Hariot, 1889	A M		
<i>guineense</i> P.C. Silva	A		
<i>intertextum</i> Collins & Hervey, 1917	A		
<i>lucasii</i> Setchell, 1935	A		
<i>repens</i> P.L. Crouan & H.M. Crouan ex Vickers, 1905	A		
<i>taylorii</i> P.C. Silva, 1960	A M		
<i>tomentosum</i> Stackhouse, 1797	A M		
<i>vermilara</i> (Oliv) Delle Chiaje	A M		
<i>Flabellia</i>			
<i>petiolata</i> (Turra) Nizamuddin	A M		
<i>Ostreobium</i>			
<i>quekettii</i> Bornet & Flahault, 1889	A M		
Order Dasycladales			
Family Dasycladaceae			
<i>Batophora</i>			
<i>occidentalis</i> (Harvey) S. Berger & Kever ex M.J. Wynne	A		
<i>oersledii</i> J. Agardh	A		
<i>Cymoplia</i>			
<i>barbata</i> (Linnaeus) J.V. Lamouroux	A		
<i>Dasycladus</i>			
<i>vermicularis</i> (Scopoli) Krasser, 1898	A M		
Family Polyphysaceae			
<i>Acetabularia</i>			
<i>acetabulum</i> (Linnaeus) P.C. Silva, 1952	A M		
<i>calyculus</i> J.V. Lamouroux, 1824	A M		
<i>parvula</i> Solms-Laubach, 1895	A M		
<i>polyphysoides</i> P.L. Crouan & H.M. Crouan	A		
Order Klebshormidiales			
Family Stichococcaceae			
<i>Stichococcus</i>			
<i>bacillaris</i> Nägeli, 1849	A M		
Order Microsporales			
Family Microsporaceae			
<i>Microspora</i>			
<i>ficulinae</i> P.A. Dangeard	A		
Order Phaeophilales			
Family Phaeophilaceae			
<i>Phaeophila</i>			
<i>dendroides</i> (P.L. Crouan & H.M. Crouan) Batters, 1902	A M		
<i>endophytum</i> (M. Möbius) R. Nielsen	A		
<i>hirsuta</i> (Ercegovic) R. Nielsen	M		
<i>tenuis</i> (Kylin) R. Nielsen	A		
Order Prasiolales			
Family Prasiolaceae			
<i>Prasiola</i>			
<i>calophylla</i> (Carmichael ex Greville) Kützing, 1845	A		
<i>crispa</i> (Lightfoot) Kützing, 1843	A M		
<i>fluvialis</i> (Sommerfelt) Areschoug	A		
<i>furfuracea</i> (Mertens ex Hornemann) Kützing, 1843	A		
<i>stipitata</i> Suhr ex Jessen, 1848	A M		
<i>Rosenvingiella</i>			
<i>constricta</i> (Setchell & N.L. Gardner) P.C. Silva	A		
<i>polyrhiza</i> (Rosenvinge) P.C. Silva, 1957	A M		
Order Siphonocladales			
Family Boodleaceae			
<i>Boodlea</i>			
<i>struveoides</i> M. Howe, 1918			
Family Siphonocladaceae			
<i>Cladophoropsis</i>			
<i>gerloffii</i> Nizamuddin, 1998			M
<i>macromeres</i> W.R. Taylor, 1928			A
<i>membranacea</i> (Hofman Bang ex C. Agardh)			
<i>Børgesen, 1905</i>			
<i>modonensis</i> (Kützing) Reinbold, 1905			M
<i>Siphonocladus</i>			
<i>pusillus</i> (C. Agardh ex Kützing) Hauck			M
<i>tropicus</i> (P.L. Crouan & H.M. Crouan) J. Agardh, 1887			A
Family Valoniaceae			
<i>Dictyosphaeria</i>			
<i>ocellata</i> (M. Howe) J.L. Olsen			A
<i>Ernadesmis</i>			
<i>verticillata</i> (Kützing) Børgesen, 1912			A M
<i>Valonia</i>			
<i>aegagropila</i> C. Agardh, 1823			A M
<i>caespitosa</i> P.L. Crouan & H.M. Crouan			M
<i>macrophysa</i> Kützing, 1843			A M
<i>utricularis</i> (Roth) C. Agardh, 1823			A M
<i>Ventricaria</i>			
<i>ventricosa</i> (J. Agardh) J.L. Olsen & J.A. West, 1988			M
Order Tetrasporales			
Family Palmellopsidaceae			
<i>Palmophyllum</i>			
<i>crassum</i> (Naccari) Rabenhorst			M
Order Ulotrichales			
<i>Aphanochaete</i>			
<i>repens</i> A. Braun			A
Family Borodinellaceae			
<i>Planophila</i>			
<i>microcystis</i> (P.J.L. Dangeard) Kornmann & Sahling			A M
Family Ulotrichaceae			
<i>Eugomontia</i>			
<i>sacculata</i> Kornmann, 1960			A M
<i>Ulothrix</i>			
<i>brunnihaleri</i> Schussnig			M
<i>discifera</i> Kjellman			A
<i>flacca</i> (Dillwyn) Thuret, 1863			A M
<i>flexuosa</i> Schussnig			M
<i>implexa</i> (Kützing) Kützing, 1849			A M
<i>longicauda</i> Schussnig			M
<i>palusalsa</i> Lohhorst, 1978			A
<i>speciosa</i> (Carmichael) Kützing, 1849			A
<i>subflaccida</i> Wille, 1901			A M
<i>terriformis</i> Kützing			A
<i>tenuissima</i> Kützing, 1833			M
<i>zonata</i> (F. Weber & D. Mohr) Kützing, 1833			A M
Order Ulvales			
Family Capsosiphonaceae			
<i>Capsosiphon</i>			
<i>fulvescens</i> (C. Agardh) Setchell & N.L. Gardner, 1920			A M
Family Kornmanniaceae			
<i>Kornmannia</i>			
<i>leptoderma</i> (Kjellman) Bliding, 1969			A
Family Monostromataceae			
<i>Monostroma</i>			
<i>arcticum</i> Wittrock, 1866			A
<i>balticum</i> (Areschoug) Wittrock			A
<i>bullosum</i> (Roth) Thuret			M
<i>grevillei</i> (Thuret) Wittrock, 1866			A M
<i>lubricum</i> Kjellman			A
<i>obscurum</i> (Kützing) J. Agardh			A M

<i>oxyccum</i> (Kützing) Thuret	A	<i>flustrae</i> Reinke, 1889	A M
<i>oxyspermum</i> (Kützing) Doty, 1947	A	<i>halimedae</i> (Hansgirg) Reinke, 1889	M
<i>saccodemeum</i> Kjellman	A	<i>heterotricha</i> (Yarish) R. Nielsen	A M
<i>Protomonostroma</i>		<i>perforans</i> (Huber) R. Nielsen	A M
<i>undulatum</i> (Wittrock) K.L. Vinogradova, 1969	A	<i>phillipsii</i> (Batters) R. Nielsen	A
<i>Ulvaria</i>		<i>pontica</i> Rochlina	M
<i>fusca</i> Ruprecht, 1850	A	<i>testarum</i> (Kylin) R. Nielsen	A
Family Ulvaceae		Ochlochaete	
<i>Blidingia</i>		<i>hystrix</i> Thwaites ex Harvey, 1849	A M
<i>chadefaudii</i> (Feldmann) Bliding, 1963	A M	Protoderma	
<i>marginata</i> (J. Agardh) P.J.L. Dangeard ex Bliding, 1958	A M	<i>concharum</i> Hansgirg	M
<i>minima</i> (Nägeli ex Kützing) Kylin, 1947	A M	<i>Pseudodendroclonium</i>	
<i>ramifera</i> (Bliding) Garbary & Barkhouse	A M	<i>dynamenae</i> R. Nielsen	A
<i>subsalsa</i> (Kjellman) Kornmann & Sablina ex Scagel et al.	A M	<i>fucicola</i> (Rosenvinge) R. Nielsen, 1980	A
Enteromorpha		Order Volvocales	
<i>adriatica</i> Bliding	M	Family Volvocaceae	
<i>aragoensis</i> Bliding, 1960	M	<i>Chaetopeltis</i>	
<i>chaetomorphoides</i> Børgesen, 1911	A	<i>orbicularis</i> Berthold	A
<i>clathrata</i> (Roth) Greville, 1830	A M	PHYLUM HETEROKONTOPHYTA	
<i>compressa</i> (Linnaeus) Nees, 1820	A M	Class Xanthophyceae	
<i>fasciculata</i> P.J.L. Dangeard, 1949	A	Order Vaucherales	
<i>flexuosa</i> (Wulfen) J. Agardh, 1883	A M	Family Triboneemataceae	
<i>gelatinosae</i> Kützing	A	<i>Tribonema</i>	
<i>hendayensis</i> P.J.L. Dangeard & Parriaud	A M	<i>marinum</i> Feldmann	M
<i>intestinalis</i> (Linnaeus) Nees, 1820	A M	Family Vaucheriaceae	
<i>intestinaloides</i> Koeman & van den Hoek, 1982	A	<i>Vaucheria</i>	
<i>jugoslavica</i> Bliding	A M	<i>arcassoniensis</i> P.J.L. Dangeard, 1939	A
<i>kylinii</i> Bliding, 1948	A M	<i>bermudensis</i> W.R. Taylor & Bernatowicz	A
<i>lingulata</i> J. Agardb, 1883	A M	<i>compacta</i> (Collins) Collins ex W.R. Taylor, 1937	A
<i>linza</i> (Linnaeus) J. Agardh, 1883	A M	<i>coronata</i> Nordstedt, 1879	A M
<i>maeotica</i> Proshkina-Lavrenko	M	<i>dichotoma</i> (Linnaeus) Martius, 1817	A M
<i>multiramosa</i> Bliding	A M	<i>erythrospora</i> T.A. Christensen, 1956	A
<i>muscoidea</i> (Clemente) Cremades, 1990	A M	<i>intermedia</i> Nordstedt, 1879	A
<i>procera</i> Ahlner	M	<i>litorea</i> C. Agardh, 1823	A
<i>prolifera</i> (O.F. Müller) J. Agardh, 1883	A M	<i>medusa</i> T.A. Christensen, 1952	A
<i>pseudolinza</i> Koeman & van den Hoek, 1982	A M	<i>minuta</i> Blum & Conover, 1953	A
<i>radiata</i> J. Agardh, 1883	A M	<i>piloboloides</i> Thuret, 1954	A M
<i>ralfsii</i> Harvey, 1850	A M	<i>schleicheri</i> De Wildeman	A
<i>robertii-lamii</i> Parriaud, 1961	A	<i>sescupilaria</i> T.A. Christensen, 1952	A M
<i>simplex</i> (K.L. Vinogradova) Koeman & van den Hoek	A M	<i>subsimplex</i> P.L. Crouan & H.M. Crouan, 1878	A
<i>stipitata</i> P.J.L. Dangeard	A M	<i>synandra</i> Woronin, 1869	A
<i>torta</i> (Mertens) Reinbold, 1893	A M	<i>velutina</i> C. Agardh, 1824	A M
<i>Ppercursaria</i>		<i>vipera</i> Blum, 1960	A
<i>percursa</i> (C. Agardh) Rosenvinge, 1893	A M	PHYLUM PHAEOPHYCOTA	
<i>Ulva</i>		Class Phaeophyceae	
<i>bifrons</i> Ardré, 1967	A M	Order Chordariales	
<i>curvata</i> (Kützing) De Toni, 1889	A M	Family Acrotrichaceae	
<i>fasciata</i> Delile, 1813	A M	<i>Acrotrix</i>	
<i>gigantea</i> (Kützing) Bliding	A M	<i>gracilis</i> Kylin, 1907	A
<i>lactuca</i> Linnaeus, 1753	A M	Family Chordariaceae	
<i>linearis</i> P.J.L. Dangeard, 1957	A M	<i>Adriogloia</i>	
<i>neapolitana</i> Bliding	M	<i>adriatica</i> Ercegovic	M
<i>olivascens</i> P.A. Dangeard	A M	<i>Chordaria</i>	
<i>pseudocurvata</i> Koeman & van den Hoek, 1981	A	<i>flagelliformis</i> (O.F. Müller) C. Agardh, 1817	A
<i>rhacodes</i> (Holmes) Papenfuss, 1960	A	<i>Cladosiphon</i>	
<i>rigida</i> C. Agardh, 1823	A M	<i>contortus</i> (Thuret) Kylin, 1940	A M
<i>rotundata</i> Bliding	A M	<i>cylindricus</i> (Sauvageau) Kylin	M
<i>scandinavica</i> Bliding, 1968	A M	<i>irregularis</i> (Sauvageau) Kylin	M
<i>uvoides</i> Bory	A	<i>mediterraneus</i> Kützing	M
Family Ulvaceae		<i>occidentalis</i> Kylin	A
<i>Acrochaete</i>		<i>zosterae</i> (J. Agardh) Kylin, 1940	A M
<i>cladophorae</i> (Hornby) R. Nielsen, 1995	A	<i>Dalmatogloia</i>	
<i>geniculata</i> (N.L. Gardner) O'Kelly, 1982	A M	<i>bryozoi</i> Ercegovic, 1948	M
<i>heteroclada</i> J.A. Correa & R. Nielsen	A	<i>Eudesme</i>	
<i>inflata</i> (Ercegovic) Gallardo et al.	A M	<i>virescens</i> (Carmichael ex Harvey) J. Agardh, 1882	A M
<i>leptochaete</i> (Huber) R. Nielsen	A M	<i>Gontrania</i>	
<i>operculata</i> J.A. Correa & R. Nielsen	A	<i>lubrica</i> Sauvageau	M
<i>polymorpha</i> (L. Moewus) R. Nielsen	A	<i>Halonema</i>	
<i>repens</i> Pringsheim, 1863	A M	<i>subsimplex</i> Jaasund, 1951	A
<i>viridis</i> (Reinke) R. Nielsen, 1979	A M	<i>Liebmannia</i>	
<i>wittrockii</i> (Wille) R. Nielsen, 1983	A		
<i>Epicladia</i>			
<i>cyclostoma</i> (Aaern) R. Nielsen, 1995	A		

<i>leveillei</i> J. Agardh, 1842	A M	
<i>Mesogloia</i>		
<i>lanosa</i> P.L. Crouan & H.M. Crouan, 1867	A M	
<i>vermiculata</i> (J.E. Smith) S.F. Gray, 1821	A M	
<i>Myriocladia</i>		
<i>ekmani</i> (Areschoug) Kylin, 1907	A	
<i>loveni</i> J. Agardh, 1841	A	
<i>tomentosa</i> P.L. Crouan & H.M. Crouan, 1867	A	
<i>Myriogloea</i>		
<i>sciurus</i> (Harvey) Kuckuck ex Oltmanns, 1922	M	
<i>Papenfussiella</i>		
<i>callitrichia</i> (Rosenvinge) Kylin, 1940	A	
<i>kuromae</i> (Yendo) Inagaki, 1958	A	
<i>Saundersella</i>		
<i>simplex</i> (Saunders) Kylin, 1940	A	
<i>Sauvageaugloia</i>		
<i>griffithsiana</i> (A.W. Griffiths ex Harvey) G. Hamel ex Kylin, 1940	A M	
<i>Sphaerotrichia</i>		
<i>divaricata</i> (C. Agardh) Kylin, 1940	A M	
<i>Strepisithalia</i>		
<i>bifhamiana</i> (Batters) Batters, 1902	A	
<i>curvata</i> Sauvageau, 1896	A	
<i>liagorae</i> Sauvageau, 1896	A M	
<i>liebmanniae</i> Miranda, 1928	A M	
Family Elachistaceae		
<i>Elachista</i>		
<i>chondrii</i> Areschoug, 1875	A	
<i>flaccida</i> (Dillwyn) Fries, 1835	A M	
<i>fucicola</i> (Vellay) Areschoug, 1842	A M	
<i>globulosa</i> (C. Agardh) J. Agardh, 1848	A	
<i>intermedia</i> P.L. Crouan & H.M. Crouan, 1867	A M	
<i>jabukae</i> Ercegovic	M	
<i>neglecta</i> Kuckuck, 1929	M	
<i>scutulata</i> (J.E. Smith) Duby, 1830	A M	
<i>stellaris</i> Areschoug, 1842	A M	
<i>Halothrix</i>		
<i>lumbricalis</i> (Kützing) Reinke, 1888	A M	
<i>Leptonematella</i>		
<i>fasciculata</i> (Reinke) P.C. Silva, 1959	A M	
<i>neapolitana</i> (Schüssnig) Cormaci & G. Furnari	M	
Family Leathesiaceae		
<i>Corynophlaea</i>		
<i>crispa</i> (Harvey) Kuckuck, 1929	A	
<i>cystophorae</i> J. Agardh, 1882	A	
<i>flaccida</i> (C. Agardh) Kützing	M	
<i>hamelii</i> Feldmann, 1937	M	
<i>umbellata</i> (C. Agardh) Kützing	M	
<i>Cylindrocarpus</i>		
<i>microscopicus</i> P.L. Crouan & H.M. Crouan, 1851	A M	
<i>Leathesia</i>		
<i>diformis</i> (Linnaeus) J.E. Areschoug, 1847	A M	
<i>mucosa</i> Feldmann, 1937	M	
<i>verruculiformis</i> Y.P. Lee & I.K. Lee, 1988	A	
<i>Microcoryne</i>		
<i>ocellata</i> Strömfelt, 1888	A	
<i>Myriactula</i>		
<i>arabica</i> (Kützing) Feldmann, 1937	A M	
<i>areschougei</i> (P.L. Crouan & H.M. Crouan) G. Hamel, 1935	A	
<i>chordae</i> (Areschoug) Levring, 1937	A	
<i>clandestina</i> (P.L. Crouan & H.M. Crouan) Feldmann, 1943	A	
<i>elongata</i> (Sauvageau) G. Hamel	M	
<i>sucorum</i> (Rosenvinge) Kylin, 1947	A	
<i>gracilis</i> van der Ben	M	
<i>haydenii</i> (Gatty) Levring, 1973	A	
<i>microscopica</i> (Ercegovic) Ercegovic	M	
<i>rigida</i> (Sauvageau) G. Hamel	M	
<i>rivulariae</i> (Suhr) J. Feldmann, 1937	A M	
<i>stellulata</i> (Harvey) Levring, 1937	A M	
<i>vlastae</i> J. Feldmann, 1954	A	
<i>Petrospongium</i>		
<i>berkeleyi</i> (Greville) Nügeli ex Kützing, 1858	A M	
Family Myrionomataceae		
<i>Microspongium</i>		
<i>gelatinosum</i> Reinke, 1888	A M	
<i>globosum</i> Reinke, 1888	A	
<i>immersum</i> (Levrings) P.M. Pedersen, 1984	A	
<i>Microsporangium</i>		
<i>kuckuckianum</i> Schiffner	M	
<i>Myrionema</i>		
<i>balticum</i> (Reinke) Foslie, 1894	A M	
<i>conchicola</i> (Feldmann) Boudouresque	M	
<i>corunnae</i> Sauvageau, 1897	A	
<i>feldmannii</i> Loiseaux, 1964	A	
<i>furcatum</i> Jaasdund, 1951	A	
<i>liechtensternii</i> Hauck, 1877	A M	
<i>orbiculare</i> J. Agardh, 1848	M	
<i>papillosum</i> Sauvageau, 1897	A	
<i>seriatum</i> (Reinke) Kylin, 1947	A	
<i>strangulans</i> Carmichael ex Greville, 1827	A M	
<i>Protectocarpus</i>		
<i>speciosus</i> (Børgesen) Kuckuck ex Kornmann, 1955	A M	
<i>Ulonema</i>		
<i>rhizophorum</i> Foslie, 1894	A	
Family Ralfsiaceae		
<i>Hapalospongion</i>		
<i>macrocarpum</i> (Feldmann) León Álvarez & González, 1993	A M	
<i>Lithoderma</i>		
<i>fatiscens</i> Areschoug, 1875	A	
<i>Porterinema</i>		
<i>fluviatile</i> (A. Porter) Waern, 1952	A	
<i>Pseudolithoderma</i>		
<i>adriaticum</i> (Hauck) Verlaque	A M	
<i>extensem</i> (P.L. Crouan & H.M. Crouan) S. Lund, 1959	A M	
<i>roscoffense</i> Loiseaux	A M	
<i>rosenvingei</i> (Waern) S. Lund, 1959	A	
<i>subextensem</i> (Waern) S. Lund, 1959	A	
<i>Ralfsia</i>		
<i>bornetii</i> Kuckuck, 1894	A	
<i>disciformis</i> P.L. Crouan & H.M. Crouan, 1867	A M	
<i>expansa</i> (J. Agardh) J. Agardh, 1848	M	
<i>fungiformis</i> (Gunnerus) Setchell & N.L. Gardner, 1924	A	
<i>lucida</i> S. Lund, 1967	A	
<i>ovata</i> Rosenvinge, 1893	A	
<i>pusilla</i> (Strömfelt) Batters, 1892	A	
<i>verrucosa</i> (Areschoug) Areschoug, 1845	A M	
<i>Stragularia</i>		
<i>clavata</i> (Harvey) G. Hamel, 1931	A M	
<i>spongiocarpa</i> (Batters) G. Hamel	A	
Family Spermatophchnaceae		
<i>Halorhiza</i>		
<i>vaga</i> Kützing	A	
<i>Nemacystus</i>		
<i>erythraeus</i> (J. Agardh) Sauvageau, 1897	A	
<i>flexuosus</i> (C. Agardh) Kylin	A M	
<i>hispanicus</i> (Sauvageau) Kylin, 1940	A M	
<i>Spermatochnus</i>		
<i>paradoxus</i> (Roth) Kützing, 1843	A M	
<i>Stilophora</i>		
<i>nodulosa</i> (C. Agardh) P.C. Silva, 1996	A	
<i>tenella</i> (Esper) P.C. Silva, 1996	A M	
<i>Stilosiphis</i>		
<i>lejolisi</i> (Thuret) Kuckuck & Nienburg ex G. Hamel, 1937	A M	
Order Cutleriales		
Family Cutleriaceae		
<i>Cutteria</i>		
<i>adspersa</i> (Mertens ex Roth) De Notaris, 1842	A M	
<i>chilosa</i> (Falkenberg) P.C. Silva, 1957	A M	
<i>multifida</i> (J.E. Smith) Greville, 1830	A M	
<i>Zanardinia</i>		
<i>typus</i> (Nardo) G. Furnari, 1999	A M	

Order Desmarestiales			
Family Arthrocladiaceae			
<i>Arthrocladia</i>			A
<i>villosa</i> (Hudson) Duby, 1830	A M		
Family Desmarestiaceae			
<i>Desmarestia</i>			
<i>aculeata</i> (Linnaeus) J.V. Lamouroux, 1813	A M		
<i>dresnayi</i> J.V. Lamouroux ex Leman, 1819	A M		
<i>ligulata</i> (Lightfoot) J.V. Lamouroux, 1813	A M		
<i>viridis</i> (O.F. Müller) J.V. Lamouroux, 1813	A M		
Order Dictyosiphonales			
Family Asperococcaceae			
<i>Asperococcus</i>			
<i>bullosus</i> J.V. Lamouroux, 1813	A M		
<i>compressus</i> A.W. Griffiths ex W.J. Hooker, 1833	A M		
<i>fistulosus</i> (Hudson) W.J. Hooker, 1833	A M		
<i>scaber</i> Kuckuck, 1899	A M		
Family Buffhamiaceae			
<i>Buffhamia</i>			
<i>speciosa</i> Batters, 1895	A		
Family Coelodesmaceae			
<i>Coelodesme</i>			
<i>bulligera</i> Strömfelt, 1886	A		
Family Delamareaceae			
<i>Delamarea</i>			
<i>attenuata</i> (Kjellman) Rosenvinge, 1893	A		
Family Dictyosiphonaceae			
<i>Acrocytis</i>			
<i>groenlandicus</i> Rosenvinge, 1933	A		
<i>Dictyosiphon</i>			
<i>chordarius</i> Areschoug, 1847	A M		
<i>ekmani</i> Areschoug, 1875	A		
<i>filiformis</i> (Foslie) De Toni, 1895	A		
<i>foeniculaceus</i> (Hudson) Greville, 1830	A		
Family Giraudiaceae			
<i>Giraudia</i>			
<i>sphaelarioides</i> Derbès & Solier, 1851	A M		
Family Myriotrichiaceae			
<i>Desmotrichum</i>			
<i>punctarioides</i> A.D. Zinova & Dimitrova-Konaklieva	M		
<i>Leblondiella</i>			
<i>densa</i> (Batters) G. Hamel, 1939	A		
<i>Litosiphon</i>			
<i>laminariae</i> (Lyngbye) Harvey, 1849	A		
<i>tenuis</i> Levring, 1937	A		
<i>Myriotrichia</i>			
<i>adriatica</i> Hauck	M		
<i>canariensis</i> Kützing	A		
<i>clavaeformis</i> Harvey, 1833	A M		
<i>repens</i> Hauck, 1879	A		
<i>Protasperococcus</i>			
<i>myriotrichiiformis</i> Sauvageau	M		
Family Pogotrichiaceae			
<i>Omphalophyllum</i>			
<i>ulvaceum</i> Rosenvinge, 1893	A		
<i>Pogotrichium</i>			
<i>filiforme</i> Reinke, 1892	A		
<i>setiforme</i> (Rosenvinge) P.M. Pedersen, 1978	A		
Family Punctariaceae			
<i>Chilionema</i>			
<i>foecundum</i> (Strömfelt) R.L. Fletcher, 1987	A		
<i>hispanicum</i> (Sauvageau) R.L. Fletcher, 1987	A M		
<i>ocellatum</i> (Kützing) Kornmann, 1953	A		
<i>Clathrodiscus</i>			
<i>mandouli</i> (Sauvageau) G. Hamel, 1935	A		
<i>Hecatonema</i>			
<i>liagorae</i> (Feldmann) G. Hamel	M		
<i>terminale</i> (Kützing) Kylin, 1937	M		
<i>Punctaria</i>			
<i>crispata</i> (Kützing) Batters, 1900	A		
<i>crouanii</i> (Thuret) Bornet	A		
<i>glacialis</i> Rosenvinge, 1910			A
<i>latifolia</i> Greville, 1830			A M
<i>plantaginea</i> (Roth) Greville, 1830			A M
<i>tenuissima</i> (C. Agardh) Greville, 1830			A M
<i>Trachynema</i>			
<i>mortensenii</i> (Lund) Pedersen, 1985			A
Family Striariaceae			
<i>Coelocladia</i>			
<i>arctica</i> Rosenvinge, 1893			A
<i>Dermatocelis</i>			
<i>laminariae</i> Rosenvinge, 1898			A
<i>Foslia</i>			
<i>curta</i> (Foslie) Reinke, 1891			A
<i>Isthmoplea</i>			
<i>sphaerophora</i> (Carmichael ex Harvey) Kjellman, 1879			A M
<i>Stictyosiphon</i>			
<i>adriaticus</i> Kützing, 1843			A M
<i>arcticus</i> Pedersen & Kristiansen, 1992			A
<i>griffithianus</i> (Le Jolis) Holmes & Batters, 1891			A
<i>laxus</i> (J. Agardh) Athanasiadis, 1996			A
<i>lofotensis</i> (Foslie) Jaasund, 1965			A
<i>soriferus</i> (Reinke) Rosenvinge, 1935			A M
<i>tortilis</i> (Ruprecht) Reinke, 1889			A M
<i>Striaria</i>			
<i>attenuata</i> (C. Agardh) Greville, 1828			A M
Order Dictyotales			
Family Dictyotaceae			
<i>Dictyopteris</i>			
<i>delicatula</i> J.V. Lamouroux, 1809			A
<i>divaricata</i> (Okamura) Okamura, 1932			M
<i>plagiogramma</i> (Montagne) Vickers, 1905			A
<i>polypodioides</i> (De Candolle) J.V. Lamouroux, 1809			A M
<i>tripolitana</i> Nizamuddin, 1981			M
<i>Dictyota</i>			
<i>adnata</i> Zanardini			A
<i>bartayresiana</i> J.V. Lamouroux, 1809			A
<i>cervicornis</i> Kützing, 1859			A
<i>ciliolata</i> Sonder ex Kützing, 1859			A
<i>crenulata</i> J. Agardh, 1848			A
<i>dichotoma</i> (Hudson) J.V. Lamouroux, 1809			A M
<i>divaricata</i> J.V. Lamouroux, 1809			A
<i>fasciola</i> (Roth) J.V. Lamouroux, 1809			A M
<i>humifusa</i> Hörning, Schnetter & Coppejans, 1992			A
<i>implexa</i> J.V. Lamouroux			A
<i>kohlmeyeri</i> (Nizamuddin & Gerloff) Hörning, Schnetter & Coppejans			A
<i>liturata</i> J. Agardh, 1848			A
<i>mediterranea</i> (Schiffner) G. Furnari, 1987			M
<i>menstrualis</i> (Hoyt) Schnetter, Hörning & Weber-Peukert, 1987			A
<i>mertensii</i> (Martius) Kützing, 1859			A
<i>naevosa</i> (Suhr) J. Agardh, 1848			A
<i>pinnatifida</i> Kützing, 1859			A
<i>spiralis</i> Montagne, 1846			A M
<i>volubilis</i> Kützing, 1849			A
<i>Lobophora</i>			
<i>variegata</i> (J.V. Lamouroux) Womersley ex E.C. Oliveira, 1977			A M
<i>Padina</i>			
<i>boergesenii</i> Allender & Kraft, 1983			M
<i>boryana</i> Thivy, 1966			M
<i>gymnospora</i> (Kützing) Sonder, 1871			A
<i>pavonica</i> (Linnaeus) Thivy, 1960			A M
<i>tenuis</i> Bory, 1827			M
<i>Padinopsis</i>			
<i>adriatica</i> Ercegovic			M
<i>Spatoglossum</i>			
<i>schroederi</i> (C. Agardh) Kützing, 1859			A M
<i>soli</i> (Chauvin ex Montagne) Kützing, 1843			A M
<i>variabile</i> Figari & De Notaris, 1853			M
<i>Stylopodium</i>			
<i>schimperi</i> (Buchinger ex Kützing) Verlaque & Boudouresque			M

<i>zonale</i> (J.V. Lamouroux) Papenfuss, 1940	A	<i>holmesii</i> (Batters) Kornmann, 1956	A
<i>Taonia</i>		<i>Laminariocolax</i>	
<i>atomaria</i> (Woodward) J. Agardh, 1848	A M	<i>tomentosoides</i> (Farlow) Kylin, 1947	A
<i>lacheana</i> Cormaci, G. Furnari and Pizzuto, 1994	M	<i>Laminarinema</i>	
<i>Zonaria</i>		<i>elisabethiae</i> Kawai & Tokuyama, 1995	A
<i>inarticulata</i> (J.V. Lamouroux) Papenfuss	A	<i>Mikrosyphar</i>	
<i>subarticulata</i> (J.V. Lamouroux) Papenfuss, 1944	A	<i>polysiphoniae</i> Kuckuck, 1897	A
<i>tournefortii</i> (J.V. Lamouroux) Montagne, 1846	A M	<i>porphyrae</i> Kuckuck, 1897	A
Order Ectocarpales		<i>sphaelariae</i> Levring, 1974	A
Family Ectocarpaceae		<i>zosterae</i> Kuckuck, 1895	A
<i>Acinetospora</i>		<i>Phaeostroma</i>	
<i>crinita</i> (Carmichael ex Harvey) Kornmann, 1953	A M	<i>bertholdii</i> Kuckuck	M
<i>Acrospongium</i>		<i>endophyticum</i> S. Lund, 1959	A
<i>ralfsioides</i> Schiffner	M	<i>parasiticum</i> Børgesen, 1902	A
<i>Asteronema</i>		<i>pustulosum</i> Kuckuck, 1893	A
<i>rhodochortonoides</i> (Børgesen) D.G. Müller & E. Parodi, 1994	A M	<i>Pilinia</i>	
<i>Climacosorus</i>		<i>minor</i> (Hansgrig) Kützing	A M
<i>mediterraneus</i> Sauvageau, 1933	A M	<i>rimosa</i> Kützing, 1843	A M
<i>Dichosporangium</i>		<i>Pleurocladia</i>	
<i>chordariae</i> Wollny	A	<i>lacustris</i> A. Braun, 1855	A
<i>Ectocarpus</i>		<i>lucifuga</i> (Kuckuck) Wilce, 1966	A
<i>borealis</i> (Kjellman) Kjellman, 1890	A	<i>Spongonema</i>	
<i>caspicus</i> Henckel	M	<i>tomentosum</i> (Hudson) Kützing, 1849	A M
<i>fasciculatus</i> Harvey, 1849	A M	<i>Streblonema</i>	
<i>flagelliformis</i> Kützing, 1843	M	<i>breve</i> (Sauvageau) De Toni, 1895	A
<i>fulvescens</i> Schousboe ex Thuret	A	<i>deformans</i> (P.A. Dangeard) G. Hamel, 1931	A
<i>parvulus</i> Kützing, 1849	M	<i>fasciculatum</i> Thuret, 1863	A
<i>parvus</i> (Saunders) Hollenberg, 1971	M	<i>helophorum</i> (Rosenvinge) Batters, 1902	A
<i>rufulus</i> Kützing, 1843	M	<i>inclusum</i> Kylin, 1910	A
<i>siliculosus</i> (Dillwyn) Lyngbye, 1819	A M	<i>infestans</i> (H. Gran) Batters, 1902	A M
<i>similiusculus</i> C. Agardh, 1827	M	<i>integratum</i> P.J.L. Dangeard, 1970	A
<i>tomentosoides</i>	A	<i>intestinum</i> (Reinsch) Batters, 1892	A
<i>variabilis</i> Vickers, 1905	A	<i>oligosporum</i> Strömfelt, 1884	A M
<i>virescens</i> Thuret ex Sauvageau	A M	<i>parasiticum</i> (Sauvageau) Levring, 1937	A M
<i>Feldmannia</i>		<i>stilophorae</i> (P.L. Crouan & H.M. Crouan) Kylin, 1908	AM
<i>battersiidea</i> (Ercegovic) Cormaci & G. Furnari	M	<i>tenuissimum</i> Hauck, 1884	A M
<i>irregularis</i> (Kützing) G. Hamel, 1939	A M	<i>tuberculii</i> Jaasdun, 1965	A
<i>kjellmanii</i> Kylin, 1947	A	<i>turnerellae</i> (Foslie) Printz, 1926	A
<i>lebelii</i> (Areschoug ex P.L. Crouan & H.M. Crouan) G. Hamel, 1939	A M	<i>zanardinii</i> (P.L. Crouan & H.M. Crouan) De Toni, 1895	A
<i>Gononema</i>		<i>Streblonemopsis</i>	
<i>alariae</i> P.M. Pedersen, 1981	A	<i>irritans</i> Valiante, 1883	M
<i>Herponema</i>		<i>Zosterocarpus</i>	
<i>desmarestiae</i> (Gran) Cardinal, 1964	A	<i>oedogonium</i> (Meneghini) Bornet	M
<i>graniferum</i> Kuckuck	M	Family Lithodermataceae	
<i>minutum</i> Levring, 1974	A	<i>Jonsonia</i>	
<i>solitarium</i> (Sauvageau) G. Hamel, 1939	A M	<i>pulvinata</i> S. Lund, 1959	A
<i>valiantei</i> (Bornet ex Sauvageau) G. Hamel, 1939	A M	<i>Petroderma</i>	
<i>velutinum</i> (Greville) J. Agardh, 1890	A M	<i>maculiforme</i> (Wollny) Kuckuck, 1897	A
<i>Hincksia</i>		<i>Sorapion</i>	
<i>dalmatica</i> (Ercegovic) Cormaci & G. Furnari	M	<i>kjellmanii</i> (Wille) Rosenvinge, 1898	A
<i>fenestrata</i> (Berkeley ex Harvey) P.C. Silva, 1987	A	<i>simulans</i> Kuckuck, 1894	A
<i>fuscata</i> (Zanardini) P.C. Silva, 1987	A M	Family Pilayellaceae	
<i>geniculata</i> (Ercegovic) Cormaci & G. Furnari	M	<i>Bachelotia</i>	
<i>granulosa</i> (J.E. Smith) P.C. Silva, 1987	A M	<i>antillarum</i> (Grunow) Gerloff, 1959	A
<i>hauckii</i> (Ercegovic) Cormaci & G. Furnari	M	<i>Pilayella</i>	
<i>hincksiae</i> (Harvey) P.C. Silva, 1987	A M	<i>littoralis</i> (Linnaeus) Kjellman, 1872	A M
<i>mitchelliae</i> (Harvey) P.C. Silva, 1987	A M	<i>varia</i> Kjellman, 1883	A
<i>onslowensis</i> (Amsler & Kapraun) P.C. Silva, 1987	A	Family Sorocarpaceae	
<i>ovata</i> (Kjellman) P.C. Silva, 1987	A M	<i>Botrytella</i>	
<i>rallisiae</i> (Vickers) P.C. Silva, 1987	A	<i>micromora</i> Bory, 1822	A
<i>sandriana</i> (Zanardini) P.C. Silva, 1987	A M	<i>reinboldii</i> (Reinke) Kornmann & Sahling, 1988	A
<i>sandriana</i>	A	Order Fucales	
<i>secunda</i> (Kützing) P.C. Silva, 1987	A M	Family Cystoseiraceae	
<i>Kuckuckia</i>		<i>Bifurcaria</i>	
<i>kylinii</i> Cardinal, 1964	A M	<i>bifurcata</i> R. Ross, 1958	A
<i>spinosa</i> (Kützing) Kornmann, 1958	A M	<i>Cystoseira</i>	
<i>Kuetzingiella</i>		<i>abies-marina</i> (S.G. Gmelin) C. Agardh	A M
<i>battersii</i> (Bornet) Kornmann, 1956	A M	<i>algeriensis</i> Feldmann	M
		<i>amentacea</i> Bory	M
		<i>baccata</i> (S.G. Gmelin) P.C. Silva, 1952	A M
		<i>barbata</i> (Stackhouse) C. Agardh, 1842	A M
		<i>barbatula</i> Kützing	M
		<i>brachycarpa</i> J. Agardh	M

<i>compressa</i> (Esper) Gerloff & Nizamuddin, 1975	A M	<i>pinnatifida</i> (Harvey) Suringar, 1873	A M
<i>concatenata</i> (Linnaeus) C. Agardh	A M		
<i>corniculata</i> (Turner) Zanardini, 1841	M		
<i>crinita</i> Duby	A M	Family Chordaceae	
<i>crinitophylla</i> Ercegovic	M	<i>Chorda</i>	
<i>dubia</i> Valiante	M	<i>filum</i> (Linnaeus) Stackhouse, 1797	A M
<i>elegans</i> Sauvageau	M	<i>Haloisiphon</i>	
<i>foeniculacea</i> (Linnaeus) Greville, 1830	A M	<i>tomentosus</i> (Lyngbye) Jaasund, 1957	A
<i>gibraltarica</i> (Sauvageau) P.J.L. Dangeard, 1949	A		
<i>humilis</i> Schousboe ex Kützing, 1860	A M	Family Laminariaceae	
<i>hyblaea</i> Giaccone	M	<i>Laminaria</i>	
<i>jabukae</i> Ercegovic	M	<i>agardhii</i> Kjellman, 1877	A
<i>mauritanica</i> Sauvageau	A M	<i>digitata</i> (Hudson) J.V. Lamouroux, 1813	A
<i>mediterranea</i> Sauvageau, 1912	A M	<i>hyperborea</i> (Gunnerus) Foslie, 1884	A
<i>montagnei</i> J. Agardh	M	<i>japonica</i> Areschoug, 1851	M
<i>nodiculis</i> (Withering) M. Roberts, 1967	A M	<i>nigripes</i> J. Agardh, 1868	A
<i>pelagoae</i> Ercegovic	M	<i>ochroleuca</i> De La Pylaie, 1824	A M
<i>planiramea</i> Schiffner	M	<i>rodriguezii</i> Bornet	M
<i>platyclada</i> Sauvageau, 1912	A M	<i>saccarina</i> (Linnaeus) J.V. Lamouroux, 1813	A
<i>sauvageana</i> G. Hamel, 1939	M	<i>solidungula</i> J. Agardh, 1868	A
<i>schiffneri</i> G. Hamel, 1939	M		
<i>sedoides</i> (Desfontaines) C. Agardh, 1820	M	Family Phyllophoraceae	
<i>spinosa</i> Sauvageau, 1912	A M	<i>Phyllophora</i>	
<i>squarrosa</i> De Notaris	M	<i>brevipes</i> (C. Agardh) E.C. Henry & South, 1987	M
<i>susanensis</i> Nizamuddin, 1985	M	<i>purascens</i> (C. Agardh) E.C. Henry & South, 1987	A M
<i>tamariscifolia</i> (Hudson) Papenfuss, 1950	A M	Saccorhiza	
<i>usneoides</i> (Linnaeus) M. Roberts, 1968	A M	<i>dermatodea</i> (De La Pylaie) J. Agardh, 1868	A
<i>wildprettii</i> Nizamuddin, 1995	A	<i>polyschides</i> (Lightfoot) Batters, 1902	A M
<i>zosteroides</i> C. Agardh	M		
<i>Halidrys</i>		Order Scytoniphonales	
<i>siliquosa</i> (Linnaeus) Lyngbye, 1819	A	Family Lithodermataceae	
Family Fucaceae		<i>Sympylocarpus</i>	
<i>Ascophyllum</i>		<i>strangulans</i> Rosenvinge, 1893	A M
<i>nodosum</i> (Linnaeus) Le Jolis, 1863			
<i>Fucus</i>		Family Scytoniphonaceae	
<i>ceranoides</i> Linnaeus, 1753	A	<i>Colpomenia</i>	
<i>cottoni</i> M.J. Wynne & Magne, 1991	A	<i>peregrina</i> (Sauvageau) Hamel, 1937	A M
<i>distichus</i> Linnaeus, 1767	A	<i>sinuosa</i> (Mertens ex Roth) Derbès & Solier, 1851	A M
<i>evanescens</i> C. Agardh, 1820	A	Compsoneura	
<i>serratus</i> Linnaeus, 1753	A	<i>gracile</i> Kuckuck, 1899	M
<i>spiralis</i> Linnaeus, 1753	A M	<i>microspodium</i> (Batters) Kornmann, 1953	A
<i>vesiculosus</i> Linnaeus, 1753	A M	<i>minutum</i> (C. Agardh) Kornmann, 1953	A M
<i>virsoidea</i> J. Agardh	M	<i>saxicolum</i> (Kuckuck) Kornmann, 1953	A
<i>Pelvetia</i>		Endorachne	
<i>canaliculata</i> (Linnaeus) Decaisne & Thuret, 1845	A	<i>binghamiae</i> J. Agardh, 1896	A
Family Himanthaliaceae		Hydroclathrus	
<i>Himanthalia</i>		<i>clathratus</i> (Bory ex C. Agardh) M. Howe, 1920	A M
<i>elongata</i> (Linnaeus) S.F. Gray, 1821	A		
Family Sargassaceae		Nemodictya	
<i>Sargassum</i>		<i>tingitanum</i> Schousboe ex Bornet	A M
<i>acinarium</i> (Linnaeus) Setchell, 1933	A M	Petalonia	
<i>cymosum</i> C. Agardh, 1820	A	<i>fascia</i> (O.F. Müller) Kuntze, 1898	A M
<i>desfontainesii</i> (Turner) J. Agardh	A M	<i>filiformis</i> (Batters) Kuntze	A
<i>filipendula</i> C. Agardh, 1824	A	<i>zosterifolia</i> (Reinke) Kuntze, 1898	A M
<i>flavifolium</i> Kützing, 1849	A M	Rosenvingea	
<i>furcatum</i> Kützing, 1843	A	<i>intricata</i> (J. Agardh) Børgesen, 1914	A M
<i>hornschtchii</i> C. Agardh	M	<i>sanctae-crucis</i> Børgesen, 1914	A
<i>muticum</i> (Yendo) Fencholt, 1955	A M	Scytoniphon	
<i>natans</i> (Linnaeus) Gaillon, 1828	A	<i>complanatus</i> (Rosenvinge) Doty, 1947	A
<i>polycystum</i> C. Agardh, 1824	A	<i>dotyi</i> M.J. Wynne, 1969	A M
<i>ramentaceum</i> Zarmouth & Nizamuddin, 1991	M	<i>lomentaria</i> (Lyngbye) Link, 1833	A M
<i>thunbergii</i> (Mertens ex Roth) Kuntze, 1893	A		
<i>trichocarpum</i> J. Agardh	M	Order Sphaeriales	
<i>vulgare</i> C. Agardh, 1820	A M	Family Choristocarpaceae	
Order Laminariales		<i>Discosporangium</i>	
Family Alariaceae		<i>mesarthrocarpum</i> (Meneghini) Hauck, 1885	A M
<i>Alaria</i>			
<i>esculenta</i> (Linnaeus) Greville, 1830	A	Family Sphaerulariaceae	
<i>grandifolia</i> J. Agardh, 1872	A	<i>Choristocarpus</i>	
<i>pylai</i> (Bory) Greville, 1830	A	<i>tenellus</i> (Kützing) Zanardini, 1860	A M
<i>Ecklonia</i>		<i>Cladostephus</i>	
<i>biruncinata</i> (Bory) Papenfuss	A	<i>spongiosus</i> (Hudson) C. Agardh, 1817	A M
<i>muratii</i> Feldmann	A		
<i>Undaria</i>		<i>Sphaeraria</i>	
		<i>arctica</i> Harvey, 1858	A
		<i>brachygona</i> Montagne, 1843	A
		<i>caespitula</i> Lyngbye, 1819	A
		<i>cirrosa</i> (Roth) C. Agardh, 1824	A M
		<i>fusca</i> (Hudson) S.F. Gray, 1821	A M
		<i>mirabilis</i> (Reinke ex Batters) Prud'homme van Reine, 1982	A
		<i>nana</i> Nägeli ex Kützing, 1855	A M

<i>plumigera</i> Holmes, 1883	A	<i>gracile</i> Børgesen, 1915	A M
<i>plumosa</i> Lyngbye, 1819	A	<i>gynandrum</i> (Rosenvinge) G. Hamel, 1927	A
<i>plumula</i> Zanardini, 1865	A M	<i>hallanicum</i> (Kylin) G. Hamel, 1927	A M
<i>racemosa</i> Greville, 1824	A	<i>hauckii</i> Schiffner, 1916	M
<i>radicans</i> (Dillwyn) C. Agardh, 1824	A M	<i>immersum</i> (Rosenvinge) G. Hamel, 1927	A
<i>reticulata</i> Lyngbye, 1818	A	<i>inclusum</i> (Levring) Papenfuss, 1945	A
<i>rigidula</i> Kützing, 1843	A M	<i>incrassatum</i> Ercegovic	M
<i>solitaria</i> Kylin, 1947	A	<i>infestans</i> M. Howe & Hoyt	A
<i>tribuloides</i> Meneghini, 1840	A M	<i>kylini</i> G. Hamel, 1927	A
<i>Sphaecella</i>		<i>lenormandii</i> (Suhr ex Kützing) Nägeli	M
<i>subtilissima</i> Reinke, 1890	A M	<i>leptonema</i> (Rosenvinge) Børgesen, 1915	A M
Family Stylocaulaceae		<i>liagorae</i> Børgesen, 1915	A
<i>Halopteris</i>		<i>lorrain-smithiae</i> (Lyle) L. Newton, 1931	A
<i>silicina</i> (Grateloup) Kützing, 1843	A M	<i>macula</i> (Rosenvinge) G. Hamel, 1927	A
<i>Stylocaulon</i>		<i>mediterraneum</i> (Levring) Boudouresque, 1970	M
<i>scoparium</i> (Linnaeus) Kützing, 1843	A M	<i>microfilum</i> Jao, 1936	A
Order Sporochiales		<i>microscopicum</i> (Nägeli ex Kützing) Nägeli, 1862	A M
Family Sporochnaceae		<i>minutum</i> (Suhr) G. Hamel, 1927	A
<i>Carpomitra</i>		<i>mirabilis</i> (Suhr) Nägeli, 1962	A
<i>costata</i> (Stackhouse) Batters, 1902	A M	<i>molinieri</i> Coppejans & Boudouresque, 1976	M
<i>Nereia</i>		<i>moniliforme</i> (Rosenvinge) Børgesen, 1915	A M
<i>filiformis</i> (J. Agardh) Zanardini	A M	<i>naumannii</i> (Askenasy) Askenasy	A
<i>tropica</i> (W.R. Taylor) W.R. Taylor	A	<i>nemalii</i> (De Notaris ex L. Dufour) Bornet	A M
<i>Sporochnus</i>		<i>nemalionis</i> (De Notaris ex L. Dufour) Bornet, 1904	M
<i>bolleanus</i> Montagne	A	<i>nitophylli</i> (Levring) Papenfuss, 1945	A
<i>gaertneri</i> (S.G. Gmelin) C. Agardh, 1820	A M	<i>occidentale</i> Børgesen, 1915	A
<i>pedunculatus</i> (Hudson) C. Agardh, 1817	A M	<i>pallens</i> (Zanardini) Nägeli, 1862	M
Order Syringodermatales		<i>parvulum</i> (Kylin) Hoyt, 1920	A M
Family Syringodermataceae		<i>pulchellum</i> Børgesen	A
<i>Syringoderma</i>		<i>radiatum</i> Jao, 1936	M
<i>floridana</i> E.C. Henry, 1984	A	<i>reductum</i> (Rosenvinge) G. Hamel, 1927	A M
Order Tilopteridales		<i>robustum</i> Børgesen, 1915	A
Family Tilopteridaceae		<i>rosulatum</i> (Rosenvinge) Papenfuss	A
<i>Haplospora</i>		<i>sanctae-mariae</i> (Darbshire) G. Hamel	A
<i>globosa</i> Kjellman, 1872	A	<i>savianum</i> (Meneghini) Nägeli, 1862	A M
<i>Tilopteris</i>		<i>secundatum</i> (Lyngbye) Nägeli, 1862	A M
<i>mertensi</i> (Turner) Kützing, 1849	A	<i>seiriolanum</i> (Gibson) Rosenvinge, 1924	A
PHYLUM RHODOPHYCOTA			
Class Rhodophyceae		<i>sparsum</i> (Carmichael ex Harvey) Nägeli, 1862	A
Order Acrochaetales		<i>stilophorae</i> (Levring) Kylin, 1944	A
Family Acrochaetiaceae		<i>subpinnatum</i> Bornet	M
<i>Acrochaetium</i>		<i>subseriatum</i> Børgesen	M
<i>alariae</i> (Jónsson) Bornet, 1904	A	<i>subtilissimum</i> (Kützing) G. Hamel, 1927	A M
<i>asparagopsis</i> (Chemin) Papenfuss, 1945	A	<i>trifilum</i> (Buffham) Batters	A M
<i>balticum</i> (Rosenvinge) Aleem & Schulz, 1952	A	<i>unifilum</i> Jao, 1936	A
<i>barbadensis</i> (Vickers) Børgesen, 1915	A	<i>virgatum</i> (Harvey) Bornet, 1904	A M
<i>battersianum</i> G. Hamel, 1927	A		
<i>boergesenii</i> Schiffner, 1931	M	<i>Audouinella</i>	
<i>bonnemaisoniae</i> (Batters) J. Feldmann & G. Feldmann, 1939	A M	<i>boryana</i> Abdel-Rahman & Magne, 1984	A
<i>brebneri</i> (Batters) G. Hamel, 1828	A	<i>conchicola</i> (Lami) South & Tittley, 1986	A
<i>caespitosum</i> (J. Agardh) Nägeli, 1862	A M	<i>Rhodochorton</i>	
<i>canariense</i> Børgesen, 1927	A	<i>atlanticum</i> Miranda, 1936	A
<i>catenulatum</i> M. Howe, 1914	A	<i>concrescens</i> K.M. Drew, 1928	A
<i>cheminii</i> Feldmann, 1954	A	<i>membranaceum</i> (Magnus) Hauck, 1883	A M
<i>chylocladiae</i> (Batters) Batters, 1902	A	<i>purpureum</i> (Lightfoot) Rosenvinge, 1900	A M
<i>codicolum</i> Børgesen, 1927	A M	<i>velutinum</i> (Hauck) G. Hamel, 1927	A M
<i>codiij</i> (P.L. Crouan & H.M. Crouan) G. Hamel, 1927	A M	<i>Schmitziella</i>	
<i>collopodum</i> (Rosenvinge) G. Hamel, 1927	A	<i>endophloea</i> Bornet & Batters, 1892	A M
<i>corymbiferum</i> (Thuret) Batters	A M	<i>Order Ahnfeltiales</i>	
<i>crassisipes</i> (Børgesen) Børgesen	A M	Family Ahnfeltiaceae	
<i>cymopoliae</i> Børgesen, 1927	A	<i>Ahnfeltia</i>	
<i>cystophagum</i> (Rosenvinge) G. Hamel, 1927	A	<i>plicata</i> (Hudson) Fries, 1836	A
<i>daviesii</i> (Dillwyn) Nägeli, 1862	A M	Order Bangiales	
<i>duboscqii</i> Feldmann, 1939	M	Family Bangiaceae	
<i>dumontiae</i> (Rosenvinge) G. Hamel, 1927	A	<i>Bangia</i>	
<i>efflorescens</i> (J. Agardh) Nägeli	A M	<i>atropurpurea</i> (Roth) C. Agardh, 1824	A M
<i>emergens</i> (Rosenvinge) Weber-van Bosse, 1921	A	<i>Porphyra</i>	
<i>endophyticum</i> Batters, 1896	A	<i>abyssicola</i> Kjellman, 1883	A
<i>endozoicum</i> (Darbshire) Batters	A	<i>amethystea</i> Kützing, 1843	A
<i>extensum</i> Ercegovic	M	<i>amplissima</i> (Kjellman) Setchell & Hus, 1900	A
		<i>carolinensis</i> Coll & J. Cox, 1977	A
		<i>dioica</i> Brodie & L.M. Irvine, 1997	A
		<i>drachii</i> J. Feldmann, 1978	A
		<i>heleneae</i> A.D. Zinova, 1948	A
		<i>insolita</i> Kornmann & Sahlung, 1991	A
		<i>leucosticta</i> Thuret, 1863	A M

<i>linearis</i> Greville, 1830	A M	1851	A
<i>miniata</i> (C. Agardh) C. Agardh, 1824	A	<i>granulatum</i> (Ducluzeau) C. Agardh, 1828	A M
<i>ochotensis</i> Nagai, 1941	A	<i>tetragonum</i> (Withering) S.F. Gray, 1821	A M
<i>purpurea</i> (Roth) C. Agardh, 1824	A M	<i>tetricum</i> (Dillwyn) S.F. Gray, 1821	A
<i>tenuissima</i> (Strömfelt) Setchell & Hus, 1900	A	<i>Centroceras</i>	
<i>thulae</i> Munda & P.M. Pedersen, 1978	A	<i>clavulatum</i> (C. Agardh) Montagne, 1846	A M
<i>umbilicalis</i> (Linnaeus) Kützing, 1843	A M	<i>Centroceroocolax</i>	
Order Bonnemaisoniales		<i>ubatubensis</i> A.B. Joly	A
Family Bonnemaisoniaceae		<i>Ceramium</i>	
<i>Asparagopsis</i>		<i>abyssale</i> Petersen, 1924	A
<i>armata</i> Harvey, 1855	A M	<i>arborescens</i> J. Agardh, 1894	A
<i>taxiformis</i> (Delile) Trevisan, 1845	A M	<i>arcticum</i> J. Agardh, 1894	A
<i>Bonnemaisonia</i>		<i>areschougi</i> Kylin, 1907	A M
<i>asparagooides</i> (Woodward) C. Agardh, 1822	A M	<i>atlanticum</i> Petersen, 1911	A
<i>clavata</i> G. Hamel, 1930	A M	<i>bertholdii</i> Funk, 1922	A M
<i>hamifera</i> Hariot, 1891	A M	<i>boergesenii</i> Petersen, 1911	A
Order Ceramiales		<i>botryocarpum</i> A.W. Griffiths ex Harvey, 1848	A
Family Ceramiaceae		<i>callipterum</i> Feldmann-Mazoyer, 1938	A M
<i>Acrothamnion</i>		<i>ciliatum</i> (J. Ellis) Ducluzeau, 1806	A M
<i>preissii</i> (Sonder) E.M. Wollaston, 1967	M	<i>cimbricum</i> H.E. Petersen, 1924	A M
<i>Aglaothamnion</i>		<i>cingulatum</i> Weber-van Bosse, 1923	A M
<i>bipinnatum</i> (P.L. Crouan & H.M. Crouan) Feldmann- Mazoyer, 1941	A M	<i>circinatum</i> (Kützing) J. Agardh, 1851	A M
<i>caudatum</i> (J. Agardh) Feldmann-Mazoyer, 1941	M	<i>codii</i> (H. Richards) Feldmann-Mazoyer, 1938	A M
<i>cordatum</i> (Børgesen) Feldmann-Mazoyer, 1941	A M	<i>comptum</i> Børgesen, 1924	A M
<i>diaphanum</i> L'Hardy-Halos & Maggs, 1991	A	<i>crouanianum</i> J. Agardh	A
<i>fasciculatum</i> (Harvey) Maggs & L'Hardy-Halos, 1993A		<i>danicum</i> Petersen, 1924	A
<i>feldmanniae</i> Halos, 1965	A M	<i>derbesii</i> Solier ex Kützing	A M
<i>gallicum</i> (Nägeli) Halos ex Ardré, 1970	A M	<i>deslongchampii</i> Chauvin ex Duby, 1830	A M
<i>hookeri</i> (Dillwyn) Maggs & Hommersand, 1993	A M	<i>diaphanum</i> (Lightfoot) Roth, 1806	A M
<i>priceanum</i> Maggs, Guiry & Rueness, 1991	A	<i>echionotum</i> J. Agardh, 1844	A M
<i>pseudobryssoides</i> (P.L. Crouan & H.M. Crouan) Halos, 1965	A	<i>flaccidum</i> (Kützing) Ardisson, 1871	A M
<i>roseum</i> (Roth) Maggs & L'Hardy-Halos, 1993	A	<i>fosliei</i> (Petersen) Petersen, 1935	A
<i>sepositum</i> (Gunnerus) Maggs & Hommersand, 1983	A	<i>fruticulosum</i> (Kützing) J. Agardh, 1894	A M
<i>tenuissimum</i> (Bonnemaison) Feldmann-Mazoyer, 1941	A M	<i>furcatum</i> (Petersen) Petersen, 1925	A
<i>tripinnatum</i> (C. Agardh) Feldmann-Mazoyer, 1941	A M	<i>gaditanum</i> (Clemente) Cremades, 1990	A M
<i>westbrookiae</i> Rueness & L'Hardy-Halos, 1991	A	<i>giacconei</i> Cormaci & G. Furnari, 1991	M
<i>Anotrichium</i>		<i>graeum</i> Lazaridou & Boudouresque, 1992	M
<i>barbatum</i> (C. Agardh) Nägeli, 1862	A M	<i>hellenicum</i> Giaccone	M
<i>furcellatum</i> (J. Agardh) Baldock, 1976	A M	<i>incospicuum</i> Zanardini	M
<i>tenue</i> (C. Agardh) Nägeli, 1862	A M	<i>leptocladum</i> Schiffner, 1933	M
<i>Antithamnion</i>		<i>pallidum</i> (Nägeli ex Kützing) Maggs & Hommersand, 1993	A
<i>amphigeneum</i> A.J.K. Millar, 1990	M	<i>pedicellatum</i> (Duby) J. Agardh	A M
<i>antillanum</i> Børgesen, 1917	A M	<i>penicillatum</i> Areschoug, 1849	A
<i>compactum</i> (Grunow) Schiffner	M	<i>petiti</i> Feldmann-Mazoyer	M
<i>cruciatum</i> (C. Agardh) Nägeli, 1847	A M	<i>pleurosporum</i> Schiffner, 1938	M
<i>decipiens</i> (J. Agardh) Athanasiadis, 1996	A M	<i>pseudostrictum</i> Schiffner, 1938	M
<i>densum</i> (Suhr) M. Howe, 1914	A	<i>recissum</i> Kylin	A
<i>diminutum</i> Wollaston, 1968	A	<i>rescissum</i> Kylin, 1907	A
<i>heterocladium</i> Funk	A M	<i>rosenvingei</i> Petersen, 1908	A
<i>pectinatum</i> (Montagne) Brauner ex Athanasiadis & Tittley	A M	<i>rubrum</i> (Hudson) C. Agardh, 1811	A M
<i>piliferum</i> Cormaci et G. Furnari	M	<i>secundatum</i> Lyngbye, 1819	A M
<i>tenuissimum</i> (Hauck) Schiffner, 1916	A M	<i>septentrionale</i> Petersen, 1911	A
<i>villosum</i> (Kützing) Athanasiadis, 1993	A	<i>shuttleworthianum</i> (Kützing) Rabenhorst, 1846	A
<i>Antithamnionella</i>		<i>siliquosum</i> (Kützing) Maggs & Hommersand, 1993	A M
<i>boergesenii</i> (Cormaci & G. Furnari) Athanasiadis, 1996	M	<i>siliquosum</i>	M
<i>elegans</i> (Berthold) J.H. Price & D.M. John, 1986	A M	<i>spinoso-pilosum</i> Kützing	A
<i>floccosa</i> (O.F. Müller) Whittick, 1980	A	<i>strobiliforme</i> G.W. Lawson & D.M. John	M
<i>spiropigraphidis</i> (Schiffner) E.M. Wollaston, 1968	A M	<i>terrimum</i> (G. Martens) Okamura, 1921	A M
<i>ternifolia</i> (J.D. Hooker & Harvey) Lyle, 1922	A M	<i>tenue</i> J. Agardh	A
<i>Balliella</i>		<i>tenuicornis</i> (Kützing) Waern, 1949	A
<i>cladoderma</i> (Zanardini) Athanasiadis, 1987	A M	<i>valvata</i> Schiffner	M
<i>Bornetia</i>		<i>Compsothamnion</i>	
<i>secundiflora</i> (J. Agardh) Thuret, 1855	A M	<i>decompositum</i> (J. Agardh) Maggs & L'Hardy-Halos, 1993	A
<i>Callithamniella</i>		<i>gracillimum</i> De Toni, 1903	A M
<i>tingitana</i> (Schousboe ex Bornet) Feldmann-Mazoyer	A M	<i>thywoides</i> (J.E. Smith) Nägeli, 1862	A M
<i>Callithamnion</i>		<i>Corallophila</i>	
<i>corymbosum</i> (J.E. Smith) Lyngbye, 1819	A M	<i>cinnabarina</i> (Grateloup ex Bory) R.E. Norris, 1993	M
<i>ellipticum</i> Montagne	A	<i>Crouania</i>	
<i>gailloni</i> (P.L. Crouan & H.M. Crouan) J. Agardh,		<i>attenuata</i> (C. Agardh) J. Agardh, 1842	A M
		<i>francescoi</i> Cormaci, G. Furnari & Scammacca, 1978	M
		<i>ischiana</i> (Funk) Boudouresque & M. Perret	M
		<i>Diplothamnion</i>	
		<i>jolyi</i> van den Hoek, 1978	A

<i>Dohniella</i>			
<i>nana</i> Mayhoub, 1975	M	<i>fernandeziana</i> Reiss, 1977	A
<i>neapolitana</i> Funk	M	<i>ferulacea</i> Suhr ex J. Agardh, 1863	A M
<i>Grallatoria</i>		<i>fibrata</i> (Dillwyn) Harvey, 1833	A
<i>reptans</i> M. Howe, 1920	A	<i>fibrillosa</i> (Dillwyn) Sprengel, 1827	A M
<i>Griffithsia</i>		<i>flexella</i> (C. Agardh) J. Agardh	A M
<i>capitata</i> Børgesen, 1930	A	<i>flocculosa</i> (C. Agardh) Kützing	A M
<i>corallinoides</i> (Linnaeus) Trevisan, 1845	A M	<i>foeniculacea</i> (C. Agardh) Sprengel	M
<i>devoniensis</i> Harvey, 1846	A	<i>foetidissima</i> Cocks ex Bornet, 1892	A M
<i>genoveseae</i> Feldmann	M	<i>fucoides</i> (Hudson) Greville, 1824	A M
<i>globulifera</i> (Harvey) J. Agardh	A	<i>funebris</i> De Notaris ex J. Agardh, 1851	A M
<i>opuntioides</i> J. Agardh, 1842	A M	<i>furcellata</i> (C. Agardh) Harvey, 1833	A M
<i>phyllamphora</i> J. Agardh, 1842	A M	<i>gonatophora</i> Kützing	A
<i>radicans</i> Kützing	A	<i>harveyi</i> J. Bailey, 1848	A M
<i>schousboei</i> Montagne, 1853	A M	<i>havanensis</i> Montagne, 1837	A
<i>Gulsonia</i>		<i>hemisphaerica</i> Areschoug, 1875	A
<i>nodulosa</i> (Ercegovic) J. Feldmann & G. Feldmann-		<i>hirta</i> J. Agardh	A
Mazoyer	M	<i>hochstetteriana</i> O.C. Schmidt	A
<i>Gymnophycus</i>		<i>kampsaxii</i> Børgesen, 1939	M
<i>hapsiphorus</i> Huisman & Kraft	A	<i>kieliana</i> Kaminski & Nizamuddin, 1975	A
<i>Gymnothamnion</i>		<i>lanosa</i> (Linnaeus) Tandy, 1931	A M
<i>elegans</i> (Schousboe ex C. Agardh) J. Agardh, 1892	A M	<i>mottei</i> Lauret, 1967	M
<i>pteroton</i> (Schousboe ex Bornet) Athanasiadis, 1996	A	<i>myriococca</i> Montagne	A
<i>Halosia</i>		<i>neglecta</i> Bornet	M
<i>elisae</i> Cormaci & G. Furnari, 1994	M	<i>nigra</i> (Hudson) Batters, 1902	A M
<i>Halurus</i>		<i>nutans</i> Montagne, 1841	A
<i>equisetifolius</i> (Lightfoot) Kützing, 1843	A M	<i>opaca</i> (C. Agardh) Moris & De Notaris, 1839	A M
<i>flosculosus</i> (J. Ellis) Maggs & Hommersand, 1993	A M	<i>ornata</i> J. Agardh, 1842	M
<i>flosculosus</i>	M	<i>orthocarpa</i> Rosenvinge, 1924	A
<i>Lejolisia</i>		<i>paniculata</i> Montagne, 1842	A M
<i>mediterranea</i> Bornet	M	<i>parvula</i> Suhr ex Kützing, 1864	M
<i>Microcladia</i>		<i>perforans</i> Cormaci, G. Furnari, Pizzuto & Serio, 1998	M
<i>glandulosa</i> (Solander ex Turner) Greville, 1830	A M	<i>polyspora</i> (C. Agardh) Montagne, 1841	A M
<i>Microgeliopsis</i>		<i>pulvinata</i> (Roth) Sprengel, 1827	A M
<i>horrida</i> Ercegovic	M	<i>requienii</i> Montagne	M
<i>Monosporus</i>		<i>rhuensis</i> Thuret	A
<i>pedicellatus</i> (J.E. Smith) Solier, 1845	A M	<i>ruchingeri</i> J. Agardh	M
<i>Neosiphonia</i>		<i>sanguinea</i> (C. Agardh) Zanardini	M
<i>sphaerocarpa</i> (Børgesen) M.S. Kim & I.K. Lee	A M	<i>scopulorum</i> Harvey, 1855	A M
<i>Pleonosporium</i>		<i>senticulosa</i> Harvey, 1862	A
<i>borreri</i> (J.E. Smith & Sowerby) Nägeli, 1862	A M	<i>sertularioides</i> (Grateloup) J. Agardh, 1863	A M
<i>caribaeum</i> (Børgesen) R.E. Norris, 1985	A M	<i>setigera</i> Kützing, 1849	M
<i>flexuosum</i> (C. Agardh) Bornet	A	<i>simulans</i> Harvey, 1849	A
<i>Plumaria</i>		<i>spinosa</i> (C. Agardh) J. Agardh	M
<i>plumosa</i> (Hudson) Kuntze, 1891	A	<i>stricta</i> (Dillwyn) Greville, 1824	A M
<i>Polysiphonia</i>		<i>stuposa</i> Zanardini ex Kützing	M
<i>adriatica</i> Schiffner, 1933	M	<i>subtilissima</i> Montagne, 1840	M
<i>affinis</i> Moore	A	<i>subulata</i> (Ducluzeau) P.L. Crouan & H.M. Crouan	A M
<i>allochroa</i> (Roth) Fries, 1845	A	<i>subulifera</i> (C. Agardh) Harvey, 1834	A M
<i>arachnoidea</i> (C. Agardh) Zanardini	M	<i>tenerrima</i> Kützing, 1843	M
<i>arctica</i> J. Agardh, 1863	A	<i>tepida</i> Hollenberg, 1958	A
<i>atlantica</i> Kapraun & J.N. Norris, 1982	A M	<i>tripinnata</i> J. Agardh	A M
<i>atra</i> Zanardini	M	<i>Pseudospora</i>	
<i>azorica</i> O.C. Schmidt	A	<i>adriatica</i> Schiffner, 1931	M
<i>banyulensis</i> Coppejans	M	<i>Pterothamnion</i>	
<i>barbatula</i> Kützing, 1849	M	<i>crispum</i> (Ducluzeau) Nägeli, 1862	A M
<i>beguinottii</i> Schiffner, 1938	M	<i>plumula</i> (J. Ellis) Nägeli, 1855	A M
<i>biformis</i> Zanardini, 1860	M	<i>polyacanthum</i> (Kützing) Nägeli, 1862	A M
<i>breviarticulata</i> (C. Agardh) Zanardini	A M	<i>spinescens</i> (Strömfelt) Athanasiadis, 1996	A
<i>brodiei</i> (Dillwyn) Sprengel, 1827	A M	<i>Ptilocladia</i>	
<i>carettia</i> Hollenberg, 1971	A	<i>horrida</i> Berthold, 1882	M
<i>caspica</i> Kützing	M	<i>Ptilota</i>	
<i>castagneyi</i> Kützing, 1863	M	<i>gunneri</i> P.C. Silva, Maggs & L.M. Irvine, 1993	A
<i>castelliana</i> De Notaris ex L. Dufour	M	<i>serrata</i> Kützing, 1847	A
<i>ceramiaeformis</i> P.L. Crouan & H.M. Crouan, 1867	A M	<i>Ptilothamnion</i>	
<i>cladorhiza</i> Ardisson, 1864	M	<i>codicolum</i> (E.Y. Dawson) I.A. Abbott, 1971	A
<i>codicola</i> Zanardini ex Frauenfeld, 1855	M	<i>pluma</i> (Dillwyn) Thuret, 1863	A M
<i>denudata</i> (Dillwyn) Greville ex Harvey, 1833	A M	<i>sphaericum</i> (P.L. Crouan & H.M. Crouan ex J.	
<i>derbesii</i> Solier ex Kützing, 1849	M	Agardh) Maggs & Hommersand, 1993	A
<i>deusta</i> (Roth) Sprengel	M	<i>Scagelia</i>	
<i>devoniensis</i> Maggs & Hommersand, 1993	A	<i>americana</i> (Harvey) Athanasiadis, 1996	A
<i>dichotoma</i> Kützing	A M	<i>pylaisaei</i> (Montagne) M.J. Wynne, 1985	A
<i>elongata</i> (Hudson) Sprengel, 1827	A M	<i>Scageliopsis</i>	
<i>elongella</i> Harvey, 1833	A M	<i>patens</i> Wollaston	A
<i>erythraea</i> Schousboe ex J. Agardh	A	<i>Scagelothamnion</i>	
		<i>pusillum</i> (Ruprecht) Athanasiadis, 1996	A

<i>Seirospora</i>		Hommersand, 1993	A
<i>apiculata</i> (Meneghini) G. Feldmann-Mazoyer	M	<i>minuta</i> (Kylin) Maggs & Hommersand, 1993	A
<i>giraudyi</i> (Kützing) De Toni, 1903	M	<i>spectabilis</i> J. Ernst & J. Feldmann, 1957	A
<i>humilis</i> Kützing, 1849	M	<i>Erythroglossum</i>	
<i>interrupta</i> (J.E. Smith) F. Schmitz, 1893	A M	<i>baleanicum</i> J. Agardh ex Kylin	M
<i>sphaerospora</i> J. Feldmann, 1942	M	<i>laciniatum</i> (Lightfoot) Maggs & Hommersand, 1993	A M
<i>Spermothamnion</i>		<i>lusitanicum</i> Ardré, 1970	A
<i>flabellatum</i> Bornet, 1876	A M	<i>sandrianum</i> (Kützing) Kylin, 1924	A M
<i>irregularare</i> (J. Agardh) Ardisson, 1883	A M	<i>Gonimocolax</i>	
<i>johannis</i> G. Feldmann	M	<i>roscoffensis</i> J. Feldmann & G. Feldmann, 1961	A
<i>repens</i> (Dillwyn) Rosenvinge, 1924	A M	<i>Gonimophyllum</i>	
<i> speluncarum</i> (Collins & Hervey) M. Howe	A	<i>buffhamii</i> Batters, 1892	A
<i>strictum</i> (C. Agardh) Ardisson, 1883	A M	<i>Haraldia</i>	
<i>Sphondylothamnion</i>		<i>lenormandii</i> (Derbès & Solier) Feldmann, 1939	A M
<i>multiplicifidum</i> (Hudson) Nägeli, 1862	A M	<i>Haraldiophyllum</i>	
<i>Spyridia</i>		<i>bonnemaisonii</i> (Kylin) A.D. Zinova, 1981	A M
<i>filamentosa</i> (Wulfen) Harvey, 1833	A M	<i>Hypoglossum</i>	
<i>hypnoides</i> (Bory) Papenfuss	A M	<i>hypoglossoides</i> (Stackhouse) Collins & Hervey, 1917	A M
<i>Tiffaniella</i>		<i>tenuifolium</i> (Harvey) J. Agardh	A
<i>capitata</i> (Schousboe ex Bornet) Doty & Mefez	A M	<i>Membranoptera</i>	
<i>feldmanniae</i> (P. Huve) Gillis & Coppejans	M	<i>alata</i> (Hudson) Stackhouse, 1809	A
<i>gorgonea</i> (Montagne) Doty & Mefez	A	<i>Myriogramme</i>	
<i>Vickersia</i>		<i>carnnea</i> (J.J. Rodríguez) Kylin	A M
<i>baccata</i> (J. Agardh) Karsakoff, 1896	A M	<i>costata</i> P.J.L. Dangeard, 1949	A
<i>Wrangelia</i>		<i>distromatica</i> Boudouresque, 1971	M
<i>argus</i> (Montagne) Montagne, 1856	A	<i>repens</i> Hollenberg, 1945	M
<i>penicillata</i> (C. Agardh) C. Agardh, 1828	A M	<i>tristromatica</i> (J.J. Rodríguez ex Mazza) Boudouresque	M
Family Dasyaceae		<i>unistromaticum</i> Coppejans	M
<i>Dasya</i>		<i>Nitophyllum</i>	
<i>baillouviana</i> (S.G. Gmelin) Montagne, 1841	A M	<i>albidum</i> Ardisson	M
<i>caraibica</i> Børgesen	A	<i>flabellatum</i> Ercegovic	M
<i>corymbifera</i> J. Agardh, 1841	A M	<i>marmoratum</i> J.J. Rodríguez, 1889	M
<i>crouaniana</i> J. Agardh, 1890	A	<i>micropunctatum</i> Funk, 1955	M
<i>elongata</i> Sonder, 1845	M	<i>punctatum</i> (Stackhouse) Greville, 1830	A M
<i>hutchinsiae</i> Harvey, 1833	A M	<i>rotundum</i> Funk, 1955	M
<i>ocellata</i> (Grateloup) Harvey, 1833	A M	<i>Pantoneura</i>	
<i>punicea</i> (Zanardini) Meneghini ex Zanardini, 1841	A M	<i>angustissima</i> (Turner) Kylin, 1924	A
<i>rigidula</i> (Kützing) Ardisson, 1878	A M	<i>Phycodrys</i>	
<i>villosa</i> Harvey	M	<i>rubens</i> (Linnaeus) Batters, 1902	A
<i>Dasyella</i>		<i>Platysiphonia</i>	
<i>gracilis</i> Falkenberg, 1901	M	<i>caribaea</i> D.L. Ballantine & M.J. Wynne	A
<i>Eupogodon</i>		<i>delicata</i> (Clemente) Cremades, 1990	A
<i>apiculatus</i> (C. Agardh) P.C. Silva	M	<i>miniata</i> (C. Agardh) Børgesen, 1931	A
<i>penicillata</i> (Zanardini) P.C. Silva	M	<i>Polyneura</i>	
<i>planus</i> (C. Agardh) Kützing, 1845	A M	<i>bonnemaisonii</i> (C. Agardh) Maggs & Hommersand, 1993	A
<i>spinellus</i> (C. Agardh) Kützing	A M	<i>Radicilingua</i>	
<i>Halydictyon</i>		<i>adriatica</i> (Kylin) Papenfuss	M
<i>mirabile</i> Zanardini	A M	<i>reptans</i> (Kylin) Papenfuss	M
<i>Heterosiphonia</i>		<i>thyisanorhizans</i> (Holmes) Papenfuss, 1956	A M
<i>crispella</i> (C. Agardh) M.J. Wynne, 1985	A M	<i>Taenioma</i>	
<i>plumosa</i> (J. Ellis) Batters, 1902	A M	<i>nanum</i> (Kützing) Papenfuss, 1952	A M
Family Delesseriaceae		<i>perpusillum</i> (J. Agardh) J. Agardh, 1863	A M
<i>Acrosorium</i>		Family Rhodomelaceae	
<i>reptans</i> (P.L. Crouan & H.M. Crouan) Kylin	A M	<i>Acanthophora</i>	
<i>venulosum</i> (Zanardini) Kylin, 1924	A M	<i>muscoidea</i> (Linnaeus) Bory, 1828	M
<i>Apoglossocolax</i>		<i>nayadiformis</i> (Delile) Papenfuss, 1968	M
<i>pusilla</i> Maggs & Hommersand, 1993	A	<i>Aiolocolax</i>	
<i>Apoglossum</i>		<i>pulchellus</i> Pocock, 1956	A
<i>gregarium</i> (E.Y. Dawson) M.J. Wynne, 1985	M	<i>Alsidium</i>	
<i>ruscifolium</i> (Turner) J. Agardh, 1898	A M	<i>corallinum</i> C. Agardh, 1827	A M
<i>Arachnophyllum</i>		<i>helminthochorton</i> (Latourrette) Kützing	A M
<i>conservaceum</i> (Meneghini) Zanardini	M	<i>Aphanocladia</i>	
<i>Asterocolax</i>		<i>stichidiosa</i> (Funk) Ardré, 1970	A M
<i>erythroglossi</i> J. Feldmann & G. Feldmann, 1951	A	<i>Boergesenella</i>	
<i>Branchioglossum</i>		<i>deludens</i> (Falkenberg) Kylin	M
<i>prostratum</i> C.W. Schneider, 1974	A	<i>fruticulosa</i> (Wulfen) Kylin, 1956	A M
<i>Cottoniella</i>		<i>martensiana</i> (Kützing) Ardré, 1970	A
<i>filamentosa</i> (M. Howe) Børgesen, 1920	A M	<i>thuyoides</i> (Harvey) Kylin, 1956	A M
<i>libyensis</i> Nizamuddin & Godeh	M	<i>Bostrychia</i>	
<i>Cryptopleura</i>		<i>scorpioides</i> (Hudson) Montagne ex Kützing, 1849	A M
<i>ramosa</i> (Hudson) Kylin ex L. Newton, 1931	A M	<i>Brongniartella</i>	
<i>Delesseria</i>		<i>byssoides</i> (Goodenough & Woodward) F. Schmitz, 1893	A M
<i>sanguinea</i> (Hudson) J.V. Lamouroux, 1813	A M	<i>Chondria</i>	
<i>Drachiella</i>			
<i>heterocarpa</i> (Chauvin ex Duby) Maggs &			

<i>arcuata</i> Hollenberg, 1945	A	<i>pelagosae</i> (Schiffner) K.W. Nam	M
<i>boryana</i> (J. Agardh) De Toni	M	<i>pinnatifida</i> (Hudson) Stackhouse, 1809	A M
<i>capillaris</i> (Hudson) M.J. Wynne, 1991	A M	<i>ramosissima</i> (Oeder) Athanasiadis, 1996	A M
<i>coerulescens</i> (J. Agardh) Falkenberg, 1901	A M	<i>verlaquei</i> G. Furnari	M
<i>collinsiana</i> M. Howe	M		
<i>curvilineata</i> Collins & Hervey, 1917	A M	<i>Pterosiphonia</i>	
<i>dasyphylla</i> (Woodward) C. Agardh, 1817	A M	<i>ardeana</i> Maggs & Hommersand, 1993	A M
<i>densa</i> P.J.L. Dangeard, 1951	A	<i>complanata</i> (Clemente) Falkenberg, 1901	A M
<i>mairei</i> Feldmann-Mazoyer, 1949	A M	<i>parasitica</i> (Hudson) Falkenberg, 1901	A M
<i>oppositiclada</i> E.Y. Dawson, 1945	M	<i>pennata</i> (C. Agardh) Sauvageau, 1897	A M
<i>polyrhiza</i> Collins & Hervey, 1917	M	<i>pinnulata</i> (Kützing) Maggs & Hommersand, 1993	A M
<i>pygmaea</i> Garbary & Vandermeulen	M	<i>spinifera</i> (Kützing) Ardré, 1967	M
<i>scintillans</i> G. Feldmann, 1964	A M		
<i>Chondrophycus</i>		<i>Rhodomela</i>	
<i>corallopsis</i> (Montagne) Garbary & Harper	A	<i>confervoides</i> (Hudson) P.C. Silva, 1952	A
<i>paniculatus</i> (C. Agardh) G. Furnari	A M	<i>lycopodioides</i> (Linnaeus) C. Agardh, 1822	A
<i>papillosum</i> (C. Agardh) Garbary & Harper	A M		
<i>patentirameus</i> (Montagne) K.W. Nam	A M	<i>Rodriguezella</i>	
<i>perforatus</i> (Bory) K.W. Nam	A	<i>bornetii</i> (J.J. Rodríguez) F. Schmitz ex J.J. Rodríguez, 1896	M
<i>poiteaui</i> (J.V. Lamouroux) K.W. Nam	A	<i>ligulata</i> Feldmann, 1942	M
<i>Ctenosiphonia</i>		<i>pinnata</i> (Kützing) F. Schmitz ex Falkenberg	M
<i>hypnoidea</i> (Welwitsch ex J. Agardh) Falkenberg, 1897A		<i>strafforelooi</i> F. Schmitz ex J.J. Rodríguez	M
<i>Digenea</i>			
<i>simplex</i> (Wulfen) C. Agardh, 1822	A M	<i>Rytiophloea</i>	
<i>Dipterosiphonia</i>		<i>tinctoria</i> (Clemente) C. Agardh, 1824	A M
<i>dendritica</i> (C. Agardh) F. Schmitz, 1897	A M		
<i>rigens</i> (Schousboe ex C. Agardh) Falkenberg	A M	<i>Stictothamnion</i>	
<i>Erythrocystis</i>		<i>cymatophilum</i> Børgesen	A M
<i>montagnei</i> (Derbès & Solier) P.C. Silva	A M	<i>Streblocladia</i>	
<i>Halophysis</i>		<i>collabens</i> (C. Agardh) Falkenberg, 1901	A M
<i>incura</i> (Hudson) Batters, 1902	A M	<i>Sympyocladia</i>	
<i>Janczewskia</i>		<i>merchantioides</i> (Harvey) Falkenberg, 1897	A
<i>verrucaformis</i> Solms-Laubach, 1877	A M	<i>Womersleyella</i>	
<i>Laurencia</i>		<i>setacea</i> (Hollenberg) R.E. Norris, 1992	A M
<i>brongniartii</i> J. Agardh, 1841	A		
<i>caspica</i> A.D. Zinova & Zaberzhinskav	M	Order Compsopogonales	
<i>chondrioides</i> Børgesen, 1918	A M	Family Compsopogonaceae	
<i>corallopsis</i> (Montagne) M. Howe, 1918	A	<i>Compsopogon</i>	
<i>coronopus</i> J. Agardh	M	<i>aegyptiacus</i> Aleem, 1981	M
<i>decumbens</i> Kützing, 1865	A		
<i>epiphylla</i> Boisset & Lino	M	Order Corallinales	
<i>fastigiata</i> Montagne, 1846	M	Family Corallinaceae	
<i>flexilis</i> Setchell, 1926	A	<i>Amphiroa</i>	
<i>glandulifera</i> (Kützing) Kützing, 1849	A M	<i>beauvoisii</i> J.V. Lamouroux, 1816	A M
<i>intricata</i> J.V. Lamouroux, 1813	A M	<i>cryptarthrodia</i> Zanardini, 1843	A M
<i>majuscula</i> (Harvey) A.H.S. Lucas, 1947	A M	<i>fragilissima</i> (Linnaeus) J.V. Lamouroux, 1816	A M
<i>microcladia</i> Kützing, 1865	A M	<i>rigida</i> J.V. Lamouroux, 1816	A M
<i>minuta</i> Vandermeulen, Garbary & Guiry, 1990	A M	<i>vanbosseae</i> Lemoine	A
<i>obtusa</i> (Hudson) J.V. Lamouroux, 1813	A M		
<i>oophora</i> Kützing, 1865	M	<i>Boreolithon</i>	
<i>pyramidalis</i> Bory ex Kützing, 1849	A M	<i>van-heurckii</i> (Heydrich) A.S. Harvey & Woelkerling, 1995	A M
<i>radicans</i> (Kützing) Kützing, 1849	M		
<i>tenera</i> C.K. Tseng, 1946	A	<i>Choreonema</i>	
<i>viridis</i> Gil-Rodríguez & Haroun	A	<i>thurettii</i> (Bornet) F. Schmitz, 1889	A M
<i>Leptosiphonia</i>		<i>Clathromorphum</i>	
<i>schousboei</i> (Thuret) Kylin, 1956	A	<i>circumspectum</i> (Strömfelt) Foslie, 1898	A
<i>Lophocladia</i>		<i>compactum</i> (Kjellman) Foslie, 1898	A
<i>lallemandii</i> (Montagne) F. Schmitz, 1893	M	<i>Corallina</i>	
<i>trichoclados</i> (Mertens ex C. Agardh) F. Schmitz, 1893	A M	<i>elegans</i> J.V. Lamouroux	A M
<i>Lophosiphonia</i>		<i>elongata</i> J. Ellis & Solander, 1786	A M
<i>cristata</i> Falkenberg, 1901	A M	<i>millegrana</i> Lamarck	A
<i>obscura</i> (C. Agardh) Falkenberg, 1897	A M	<i>officinalis</i> Linnaeus, 1758	A M
<i>reptabunda</i> (Suhr) Kylin, 1956	A M		
<i>Odonthalia</i>		<i>Dermatolithon</i>	
<i>dentata</i> (Linnaeus) Lyngbye, 1819	A	<i>geometricum</i> M. Lemoine	A
<i>Ophidocladus</i>		<i>papillosum</i> (Zanardini) Foslie, 1909	A
<i>simpliciusculus</i> (P.L. Crohan & H.M. Crohan)	A M		
Falkenberg, 1897		<i>Exilicrusta</i>	
<i>Osmundaria</i>		<i>parva</i> Y.M. Chamberlain, 1992	A
<i>volubilis</i> (Linnaeus) R.E. Norris, 1991	A M		
<i>Osmundea</i>		<i>Fosliella</i>	
<i>hybrida</i> (A.P. Candolle) K.W. Nam, 1994	A	<i>paschalis</i> (M. Lemoine) Setchell & N.L. Gardner, 1930	A
<i>maggsiana</i> Serio, Cormaci & G. Furnari, 1999	M	<i>zonalis</i> (P.L. Crohan & H.M. Crohan) Feldmann	A M
<i>osmundula</i> (S.G. Gmelin) K.W. Nam & Maggs, 1994	A		
<i>pelagiensis</i> G. Furnari	M	<i>Goniolithon</i>	
		<i>byssoides</i> (Lamarck) Foslie, 1898	M
		<i>Haliptilon</i>	
		<i>attenuata</i> (Kützing) Garbary & Johansen, 1982	M
		<i>cubense</i> (Montagne ex Kützing) Garbary & H.W. Johansen, 1982	A
		<i>squamatum</i> (Linnaeus) H.W. Johansen, L.M. Irvine & A. Webster, 1973	A M
		<i>subulatum</i> (Ellis & Solander) Johansen, 1970	M
		<i>virgatum</i> (Zanardini) Garbary & H.W. Johansen	A M

<i>Hydrolithon</i>			
<i>boreale</i> (Foslie) Y.M. Chamberlain	A M	<i>sonderi</i> Hauck, 1883	A M
<i>cruciatum</i> (Bressan) Y.M. Chamberlain, 1994	A M	<i>trophiforme</i> Unger, 1858	A
<i>farinosum</i> (J.V. Lamouroux) Penrose & Y.M. Chamberlain, 1993	A M	<i>tusserense</i> Foslie, 1905	A
<i>oligocarpum</i> (Foslie) Foslie	A	<i>ungeri</i> Kjellman, 1883	
<i>onkodes</i> (Heydrich) Penrose & Woelkerling, 1992	A	<i>valens</i> Foslie, 1909	M
<i>samoënsse</i> (Foslie) Keats & Y.M. Chamberlain, 1994	A	<i>Melobesia</i>	
<i>sargassi</i> (Foslie) Y.M. Chamberlain, 1994	A	<i>conferoides</i> Funk	M
<i>Jania</i>		<i>membranacea</i> (Esper) J.V. Lamouroux, 1812	A M
<i>adhaerens</i> J.V. Lamouroux, 1816	A M	<i>Mesophyllum</i>	
<i>capillacea</i> Harvey, 1853	A	<i>alternans</i> (Foslie) Cabioch & Mendoza, 1998	A M
<i>crassa</i> J.V. Lamouroux, 1821	A	<i>arcticum</i> (Kjellman) Athanasiadis, 1996	A
<i>longiarthra</i> E.Y. Dawson, 1953	M	<i>brachycladum</i> (Foslie) W.H. Adey	A
<i>longifurca</i> Zanardini	A M	<i>canariense</i> (Foslie) Lemoine	A
<i>micrarthrodia</i> J.V. Lamouroux, 1816	A	<i>caraiensis</i> (Foslie) M. Lemoine	A
<i>pumila</i> J.V. Lamouroux, 1816	A	<i>ectocarpum</i> (Foslie) W.H. Adey	A
<i>rubens</i> (Linnaeus) J.V. Lamouroux, 1812	A M	<i>lichenoides</i> (J. Ellis) M. Lemoine, 1928	A M
<i>Kvaleya</i>		<i>macroblastum</i> (Foslie) W.H. Adey, 1970	M
<i>epilaeve</i> W.H. Adey & Sperapani, 1971	A	<i>Neogoniolithon</i>	
<i>Leptophytum</i>		<i>accretum</i> (Foslie & M. Howe) Setchell & Mason	A
<i>bisporum</i> (Foslie) W.H. Adey	A	<i>brassica-florida</i> (Harvey) Setchell & Mason, 1943	M
<i>elatum</i> Y.M. Chamberlain, 1990	A	<i>caribaeum</i> (Foslie) W.H. Adey	A
<i>Litholepis</i>		<i>hirtum</i> (M. Lemoine) Afonso Corillo	A
<i>mediterranea</i> Foslie, 1905	A M	<i>illitum</i> (M. Lemoine) Afonso Corillo	A
<i>Lithophyllum</i>		<i>mamillosum</i> (Hauck) Setchell & Mason	M
<i>applicatum</i> M. Lemoine	A	<i>orotavicum</i> (Foslie) M. Lemoine ex Afonso Corillo	A
<i>azorum</i> M. Lemoine	A	<i>Phymatolithon</i>	
<i>bipartitum</i> M. Lemoine	A	<i>bisporum</i> (Foslie) Afonso-Carillo, 1984	A
<i>byssoides</i> (J.V. Lamouroux) Foslie, 1900	M	<i>bornetii</i> (Foslie) Foslie	A M
<i>capense</i> Rozanov	A	<i>brunneum</i> Y.M. Chamberlain, 1994	A
<i>crodelioides</i> Boudouresque	M	<i>calcareum</i> (Pallas) W.H. Adey & D.L. McKibbin, 1970	A M
<i>crouanii</i> Foslie, 1899	A	<i>foecundum</i> (Kjellman) L. Düwel & S. Wegeberg, 1996	A
<i>cystoseirae</i> (Hauck) Heydrich, 1897	A	1996	A
<i>decussatum</i> (Ellis & Solander) Philippi	A M	<i>investiens</i> (Foslie) Foslie, 1905	A
<i>dentatum</i> (Kützing) Foslie, 1900	A M	<i>laevigatum</i> (Foslie) Foslie, 1898	A
<i>duckeri</i> Woelkerling, 1983	A M	<i>lamii</i> (M. Lemoine) Y.M. Chamberlain, 1991	A
<i>fasciculatum</i> (Lamarck) Foslie, 1900	A M	<i>lenormandii</i> (J.E. Areschoug) W.H. Adey, 1966	A M
<i>frondosum</i> (Dufour) G. Furnari, Cormaci & Alongi, 1996	A M	<i>purpureum</i> (P.L. Crouan & H.M. Crouan)	
<i>hibernicum</i> Foslie, 1906	A	Woelkerling & L.M. Irvine, 1986	A M
<i>incrustans</i> Philippi, 1837	A	<i>tenue</i> (Rosenvinge) L. Düwel & S. Wegeberg, 1996	A
<i>irregularis</i> (Foslie) Huvé ex Steentoft	A M	<i>tenuissimum</i> (Foslie) W.H. Adey	A M
<i>lichenoides</i> Philipp, 1837	A	<i>Phaeophyllum</i>	
<i>lobatum</i> M. Lemoine	A M	<i>caudatae</i> (Foslie) P.L. Jones & Woelkerling, 1984	A M
<i>nitorum</i> W.H. Adey & P.J. Adey, 1973	A	<i>confervicolum</i> (Kützing) Y.M. Chamberlain, 1983	A M
<i>orbiculatum</i> (Foslie) Foslie, 1900	A M	<i>coronatum</i> (Rosanoff) Penrose	M
<i>papillosum</i> (Zanardini ex Hauck) Foslie	A M	<i>fragile</i> Kützing, 1843	A M
<i>polycephalum</i> Foslie	A	<i>limitatum</i> (Foslie) Y.M. Chamberlain, 1983	A
<i>racemus</i> (Lamarck) Foslie	A M	<i>lobescens</i> Y.M. Chamberlain, 1983	A
<i>tortuosum</i> (Esper) Foslie, 1900	A M	<i>myriocarpum</i> (P.L. Crouan & H.M. Crouan) Y.M.	
<i>trochanter</i> (Bory) H. Huvé	M	Chamberlain, 1983	A
<i>vickersiae</i> M. Lemoine, 1929	A	<i>subplanum</i> (Rosenvinge) Y.M. Chamberlain ex South & Tittley, 1986	A
<i>Lithoporella</i>		<i>Pseudolithophyllum</i>	
<i>sauvageaui</i> (Foslie) W.H. Adey	A	<i>esperi</i> M. Lemoine	A
<i>Lithothamnion</i>		<i>Spongites</i>	
<i>breviaxe</i> Foslie, 1895	A	<i>fruticulosus</i> Kützing, 1841	A M
<i>coralloides</i> (P.L. Crouan & H.M. Crouan) P.L. Crouan & H.M. Crouan, 1867	A M	<i>Tenarea</i>	
<i>crispatum</i> Hauck	M	<i>adhaerens</i> M. Lemoine	A
<i>ectocarpum</i> Foslie	A	<i>Titanoderma</i>	
<i>esperi</i> Heydrich	A	<i>byssoides</i> (Lamarck) Y.M. Chamberlain & Woelkerling, 1988	M
<i>flavescens</i> Kjellman, 1883	A	<i>corallinae</i> (P.L. Crouan & H.M. Crouan) Woelkerling, Y.M. Chamberlain & P.C. Silva, 1985	A M
<i>fornicatum</i> Foslie, 1891	A	<i>laminariae</i> (P.L. Crouan & H.M. Crouan) Y.M.	
<i>glaciele</i> Kjellman, 1883	A	Chamberlain, 1991	A
<i>grande</i> Foslie, 1905	A	<i>pustulatum</i> (J.V. Lamouroux) Nägeli, 1858	A M
<i>hamelii</i> M. Lemoine, 1931	A	<i>verrucatum</i> (J.V. Lamouroux) Y.M. Chamberlain, 1986	A M
<i>intermedium</i> Kjellman, 1883	A	<i>Family Sporolithaceae</i>	
<i>lemoineae</i> W.H. Adey, 1970	A	<i>Sporolithon</i>	
<i>minervae</i> Basso, 1995	M	<i>africanum</i> (Foslie) Afonso-Carrillo, Chacaba & Sansón, 1984	
<i>murmanicum</i> Elenkin, 1905	A	<i>ptychoides</i> Heydrich, 1897	M
<i>nodulosum</i> Foslie, 1895	A	<i>Order Cryptonemiales</i>	
<i>norvegicum</i> (Areschoug) Kjellman, 1883	A M		
<i>philippii</i> Foslie, 1897	M		
<i>propontidii</i> Foslie			

Family Acrosymphtaceae			
<i>Acrosymphton</i>			
<i>purpuriferum</i> (J. Agardh) Sjöstedt	A M		M
<i>taylorii</i> I.A. Abbott, 1962	M		A
Family Corynomorphaceae			
<i>Corynomorpha</i>			
<i>prismatica</i> (J. Agardh) J. Agardh	A		A M
Family Dumontiaceae			
<i>Dilsea</i>			
<i>carnosa</i> (Schmidel) Kuntze, 1898	A		
<i>integra</i> (Kjellman) Rosenvinge, 1898	A		
<i>Dudresnaya</i>			
<i>canariensis</i> Tabares, Afonso-Carrillo, Sansón & Reyes, 1997	A		A M
<i>crassa</i> M. Howe	A		
<i>verticillata</i> (Withering) Le Jolis, 1863	A M		
<i>Dumontia</i>			
<i>canariensis</i> Montagne	A		
<i>contorta</i> (S.G. Gmelin) Ruprecht, 1850	A		
<i>Pikea</i>			
<i>californica</i> Harvey, 1853	A		
Family Gloiosiphoniaceae			
<i>Cruoriopsis</i>			
<i>danica</i> Rosenvinge, 1918	A		
<i>Gloiosiphonia</i>			
<i>capillaris</i> (Hudson) Carmichael ex Berkeley, 1833	A M		
<i>Plagiospora</i>			
<i>gracilis</i> Kuckuck, 1897	A		
<i>Schimmelmannia</i>			
<i>schousboei</i> (J. Agardh) J. Agardh, 1851	M		
<i>Thuretella</i>			
<i>schousboei</i> (Thuret) F. Schmitz, 1897	A M		
Family Halymeniacae			
<i>Acrodiscus</i>			
<i>vidovichii</i> (Meneghini) Zanardini	M		
<i>Aedes</i>			
<i>marginata</i> (Roussel) F. Schmitz	M		
<i>Cryptonemia</i>			
<i>crenulata</i> (J. Agardh) J. Agardh, 1851	A		
<i>hibernica</i> Guiry & L.M. Irvine, 1974	A		
<i>lomatia</i> (Bertoloni) J. Agardh, 1851	A M		
<i>seminervis</i> (C. Agardh) J. Agardh, 1851	A M		
<i>tunaeformis</i> (A. Bertolini) Zanardini	M		
<i>Dermocorynus</i>			
<i>montagnae</i> P.L. Crouan & H.M. Crouan, 1858	A		
<i>Grateloupia</i>			
<i>cosentinii</i> Kützing	M		
<i>cuneifolia</i> J. Agardh	M		
<i>dichotoma</i> J. Agardh, 1842	A M		
<i>doryphora</i> (Montagne) M. Howe, 1914	A M		
<i>filiicina</i> (J.V. Lamouroux) C. Agardh, 1822	A M		
<i>proteus</i> Kützing, 1843	A M		
<i>Halymenia</i>			
<i>asymmetrica</i> Gargiulo, de Masi & Tripodi, 1986	M		
<i>dichotoma</i> J. Agardh	A M		
<i>elongata</i> C. Agardh, 1822	A M		
<i>imbriata</i> Zanardini	M		
<i>floresia</i> (Clemente) C. Agardh, 1822	A M		
<i>floridana</i> J. Agardh	A		
<i>latifolia</i> P.L. Crouan & H.M. Crouan ex Kützing, 1866	A M		
<i>pluribola</i> Ercegovic	M		
<i>rosea</i> M. Howe & W.R. Taylor	A		
<i>vinacea</i> M. Howe & W.R. Taylor	A		
Family Kallymeniaceae			
<i>Callocolax</i>			
<i>neglectus</i> F. Schmitz ex Batters, 1895	A		
<i>Callophyllis</i>			
<i>cristata</i> (C. Agardh) Kützing, 1849	A		
<i>fastigiata</i> (J. Agardh) J. Agardh, 1855	A		
<i>laciniosa</i> (Hudson) Kützing, 1843	A M		
<i>Kallymenia</i>			
<i>seldmannii</i> Codomier, 1971	A M		
<i>lacerata</i> Feldmann	M		
<i>palens</i> (J. Agardh) Parkinson			M
<i>perforata</i> J. Agardh			A
<i>reniformis</i> (Turner) J. Agardh, 1842			A M
<i>requienii</i> J. Agardh			A M
<i>schizophylla</i> J. Agardh, 1847			A
<i>spathulata</i> (J. Agardh) P.G. Parkinson			M
<i>Meredithia</i>			
<i>microphylla</i> (J. Agardh) J. Agardh, 1892			A M
Family Peyssonneliaceae			
<i>Metapeyssonnelia</i>			
<i>feldmannii</i> Boudouresque, Coppejans & Marcot			M
<i>Peyssonnelia</i>			
<i>armorica</i> (P.L. Crouan & H.M. Crouan) Weber-van Bosse, 1916			A M
<i>atropurpurea</i> P.L. Crouan & H.M. Crouan, 1867			A M
<i>bornetii</i> Boudouresque & Denizot			M
<i>coriacea</i> J. Feldmann, 1941			A M
<i>crispata</i> Boudouresque & Denizot			M
<i>dubyi</i> P.L. Crouan & H.M. Crouan, 1844			A M
<i>harveyana</i> P.L. Crouan & H.M. Crouan ex J. Agardh, 1852			A M
<i>immersa</i> Maggs & L.M. Irvine, 1983			A M
<i>inamoena</i> Pilger, 1911			A M
<i>magna</i> Ercegovic, 1949			M
<i>orientalis</i> (Weber-van Bosse) Cormaci & G. Furnari			M
<i>polymorpha</i> (Zanardini) F. Schmitz, 1879			A M
<i>rosa-marina</i> Boudouresque & Denizot, 1973			A M
<i>rosenvingei</i> Schmitz, 1893			A
<i>rubra</i> (Greville) J. Agardh, 1851			A M
<i>squamaria</i> (S.G. Gmelin) Decaisne, 1841			A M
<i>stoechas</i> Boudouresque & Denizot			M
<i>Polystrata</i>			
<i>compacta</i> (Foslie) Denizot, 1968			M
<i>dura</i> Heydrich, 1905			A
<i>fosliei</i> (Weber-van Bosse) Denizot, 1968			M
Family Rhizophyllidaceae			
<i>Contarinia</i>			
<i>peyssonneliaeformis</i> Zanardini, 1843			M
<i>squamariae</i> (Meneghini) Denizot, 1968			M
Order Erythropeltidales			
Family Erythropeltidaceae			
<i>Erythrocladia</i>			
<i>irregularis</i> Rosenvinge, 1909			A M
<i>polystromatica</i> P.A. Dangeard, 1932			A
<i>violacea</i> P.J.L. Dangeard, 1968			A
<i>Erythrotrichia</i>			
<i>carnea</i> (Dillwyn) J. Agardh, 1883			A M
<i>investiens</i> (Zanardini) Bornet, 1892			A M
<i>reflexa</i> (P.L. Crouan & H.M. Crouan) Thuret ex De Toni, 1897			A M
<i>rosea</i> P.J.L. Dangeard			M
<i>simplex</i> P.J.L. Dangeard, 1968			A
<i>welwitschii</i> (Ruprecht) Batters, 1902			A
<i>Porphyropsis</i>			
<i>coccinea</i> (J. Agardh ex Areschoug) Rosenvinge, 1909			A M
<i>imperfecta</i> Kornmann & Sahling, 1985			A
<i>Porphyrostromium</i>			
<i>boryanum</i> (Montagne) Trevisan, 1848			A M
<i>ciliare</i> (Carmichael ex Harvey) M.J. Wynne, 1986			A M
<i>Sahlingia</i>			
<i>subintegra</i> (Rosenvinge) Kornmann, 1989			A M
Order Gelidiales			
Family Gelidiaceae			
<i>Beckerella</i>			
<i>mediterranea</i> H. Huvé			M
<i>Gelidiella</i>			
<i>acerosa</i> (Forsskål) Feldmann & G. Hamel, 1934			A
<i>antipai</i> Celan, 1938			A M
<i>calcicola</i> Maggs & Guiry, 1987			A
<i>lubrica</i> (Kützing) Feldmann & G. Hamel, 1934			M
<i>machrisiana</i> Dawson, 1957			M
<i>nigrescens</i> (Feldmann) Feldmann & G. Hamel			A M
<i>pannosa</i> (J. Feldmann) J. Feldmann & G. Hamel,			

1934		A M	<i>strafforellii</i> Ardissonne	M
<i>ramellosa</i> (Kützing) Feldmann & G. Hamel, 1934		A M		
<i>sanctarum</i> Feldmann & G. Hamel, 1934		A		
<i>tinerfensis</i> Seoane-Camba, 1977		A		
<i>Gelidium</i>			Family Furcellariaceae	
<i>affine</i> Schiffner		M	<i>Furcellaria</i>	
<i>arbuscula</i> Bory ex Børgesen		A	<i>lumbricalis</i> (Hudson) J.V. Lamouroux, 1813	A M
<i>bipectinatum</i> Furnari, 1999		M	<i>Halarachnion</i>	
<i>canariensis</i> (Grunow) Seoane Camba ex Haroun, Gil-Rodríguez & Díaz de Castro, in		A	<i>ligulatum</i> (Woodward) Kützing, 1843	A M
<i>corneum</i> (Hudson) J.V. Lamouroux, 1813		A M	<i>Neurocaulon</i>	
<i>crinale</i> (Turner) Gaillón, 1828		A M	<i>foliosum</i> (Meneghini) Zanardini	A M
<i>divaricatum</i> G. Martens, 1868		M		
<i>hypnosum</i> Zanardini		M		
<i>intertextum</i> P.J.L. Dangeard, 1949		A	Family Gigartinaceae	
<i>maggiae</i> Rico & Guiry, 1997		A	<i>Chondracanthus</i>	
<i>microdon</i> Kützing, 1849		A M	<i>acicularis</i> (Roth) Fredericq, 1993	A M
<i>micropterum</i> Kützing, 1868		M	<i>teedei</i> (Mertens ex Roth) Kützing, 1843	A M
<i>minusculum</i> (Weber-van Bosse) R.E. Norris, 1992		M	<i>Chondrus</i>	
<i>pulchellum</i> (Turner) Kützing, 1868		A M	<i>crispus</i> Stackhouse, 1797	A
<i>pulvinatum</i> (Kützing) Thuret ex Bornet		A	<i>Gigartina</i>	
<i>pusillum</i> (Stackhouse) Le Jolis, 1863		A M	<i>pistillata</i> (S.G. Gmelin) Stackhouse, 1809	A M
<i>replans</i> (Suhr) Kylin, 1938		A		
<i>secundatum</i> Zanardini		M		
<i>spathulatum</i> (Kützing) Bornet		A M	Family Haemeschariaceae	
<i>spinosum</i> (S.G. Gmelin) P.C. Silva, 1996		A M	<i>Haemeschia</i>	
<i>torulosum</i> Kützing		A	<i>hennedyi</i> (Harvey) K.L. Vinogradova & T. Yacovleva, 1989	A
<i>venetum</i> Schiffner		M		
<i>versicolor</i> (S.G. Gmelin) J.V. Lamouroux		A	Family Hypnaceae	
<i>Pterocladia</i>			<i>Hypnea</i>	
<i>tripolitana</i> De Toni & Levi		M	<i>arbuscula</i> P.J.L. Dangeard	A
<i>Pterocladiella</i>			<i>coccinea</i> (Clemente) Cremades, 1990	A
<i>capillacea</i> (S.G. Gmelin) Santelices & Hommersand, 1997		A M	<i>cornuta</i> (Kützing) J. Agardh, 1851	M
<i>melanoidea</i> (Schousboe ex Bornet) Santelices & Hommersand, 1997		A M	<i>esperi</i> Bory, 1828	M
Order Gigartinales			<i>flagelliformis</i> Greville ex J. Agardh	A
Family Calosiphonaceae			<i>furnariana</i> Cormaci, Alongi and Dinaro, 1993	M
<i>Calosiphonia</i>			<i>musciformis</i> (Wulfen) J.V. Lamouroux, 1813	A M
<i>dalmatica</i> (Kützing) De Toni		M	<i>spinella</i> (C. Agardh) Kützing, 1847	A M
<i>vermicularis</i> (J. Agardh) F. Schmitz, 1889		A M	<i>valentiae</i> (Turner) Montagne, 1841	A M
<i>Schmitzia</i>			<i>Hypnocolax</i>	
<i>hiscockiana</i> Maggs & Guiry, 1985		A	<i>stellaris</i> Børgesen	A
<i>neapolitana</i> (Berthold) Lagerheim ex P.C. Silva, 1959	A M			
Family Caulacanthaceae			Family Nemastomataceae	
<i>Catenella</i>			<i>Itonoa</i>	
<i>caespitosa</i> (Withering) L.M. Irvine, 1976		A M	<i>marginifera</i> (J. Agardh) Masuda & Guiry, 1995	A M
<i>Caulacanthus</i>			<i>Nemastoma</i>	
<i>ustulatus</i> (Mertens ex Turner) Kützing, 1843		A M	<i>canariense</i> (Kützing) J. Agardh	A
<i>Feldmannophycus</i>			<i>confusum</i> Kraft & D.M. John	A
<i>rayssiae</i> (Feldmann & G. Feldmann) Augier & Boudouresque		A M	<i>constrictum</i> Ercegovic, 1949	M
Family Choreocolacaceae			<i>dichotomum</i> J. Agardh, 1842	A M
<i>Choreocolax</i>			<i>gelatinosum</i> M. Howe	A
<i>polysiphoniae</i> Reinsch, 1875		A	<i>Predaea</i>	
<i>Harveyella</i>			<i>feldmannii</i> Børgesen	A
<i>mirabilis</i> (Reinsch) F. Schmitz & Reinke, 1889		A	<i>huismanii</i> Kraft, 1984	A
Family Cruoriaceae			<i>masonii</i> (Setchell & N.L. Gardner) De Toni fil., 1936	A
<i>Cruoria</i>			<i>olivieri</i> Feldmann	A M
<i>cruoriaeformis</i> (P.L. Crouan & H.M. Crouan)		A M	<i>pusilla</i> (Berthold) Feldmann	A M
Denizot, 1968		A	<i>Tsengia</i>	
<i>pellita</i> (Lyngbye) Fries, 1835			<i>bardii</i> (Farlow) K.C. Fan & Y.P. Fan, 1962	A
Family Cystocloniaceae			Family Petrocelldaceae	
<i>Calliblepharis</i>			<i>Mastocarpus</i>	
<i>ciliata</i> (Hudson) Kützing, 1843		A M	<i>stellatus</i> (Stackhouse) Guiry, 1984	A
<i>jubata</i> (Goodenough & Woodward) Kützing, 1843		A M	Family Phyllophoraceae	
<i>Cystoclonium</i>			<i>Ahnfeltiopsis</i>	
<i>purpureum</i> (Hudson) Batters, 1902		A M	<i>devoniensis</i> (Greville) P.C. Silva & DeCew, 1992	A M
<i>Fimbrifolium</i>			<i>pusilla</i> (Montagne) P.C. Silva & De Cew, 1992	M
<i>dichotomum</i> (Lepechin) G. Hansen, 1980		A	<i>Ceratocolax</i>	
<i>Rhodophyllis</i>			<i>hartzii</i> Rosenvinge, 1898	A
<i>divaricata</i> (Stackhouse) Papenfuss, 1950		A M	<i>Coccotylus</i>	
<i>madeirensis</i> Levring, 1974		A	<i>truncatus</i> (Pallas) M.J. Wynne & J.N. Heine, 1992	A M
			<i>Erythrodermis</i>	
			<i>trailii</i> (Holmes ex Batters) Guiry & Garbary, 1990	A
			<i>Gymnogongrus</i>	
			<i>crenulatus</i> (Turner) J. Agardh, 1851	A M
			<i>griffithsiae</i> (Turner) Martius, 1828	A M
			<i>patens</i> (Goodenough & Woodward) J. Agardh, 1851	A M
			<i>tenuis</i> (Turner) J. Agardh	A
			<i>Phyllophora</i>	
			<i>crispa</i> (Hudson) P.S. Dixon, 1964	A M
			<i>fimbriata</i> Ercegovic, 1957	M
			<i>gelidiooides</i> P.L. Crouan & H.M. Crouan ex Karsakoff	A
			<i>heredia</i> (Clemente) J. Agardh	A M

<i>pseudoceranoïdes</i> (S.G. Gmelin) Newroth & A.R.A.			
<i>Taylor, 1971</i>	A M		
<i>sicula</i> (Kützing) Guiry & L.M. Irvine, 1976	A M		
<i>Schottera</i>			
<i>nicaeensis</i> (J.V. Lamouroux ex Duby) Guiry &			
<i>Hollenberg, 1975</i>	A M		
<i>Stenogramme</i>			
<i>interrupta</i> (C. Agardh) Montagne ex Harvey, 1848	A M		
Family Polyidaceae			
<i>Polyides</i>			
<i>rotundus</i> (Hudson) Greville, 1830	A M		
Family Rissoellaceae			
<i>Rissoella</i>			
<i>verruculosa</i> (Bertoloni) J. Agardh, 1848	M		
Family Sarcodiaceae			
<i>Chondrymenia</i>			
<i>lobata</i> (Meneghini) Zanardini	M		
Family Schizymeniaceae			
<i>Platoma</i>			
<i>cyclocarpa</i> (Montagne) F. Schmitz	A M		
<i>incrassata</i> Schousboe ex Bornet	A		
<i>Schizymenia</i>			
<i>dubyi</i> (Chauvin ex Duby) J. Agardh, 1851	A M		
Family Sebdeniaceae			
<i>Sebdenia</i>			
<i>dichotoma</i> Berthold	M		
<i>macaronesica</i> Soler-Onis, Haroun & Prud'homme van			
Reine	A		
<i>monardiana</i> (Montagne) Berthold	M		
<i>rodrigueziana</i> (Feldmann) P.G. Parkinson	M		
Family Solieriaceae			
<i>Agardhiella</i>			
<i>subulata</i> (C. Agardh) Kraft & M.J. Wynne, 1979	A		
<i>Meristotheca</i>			
<i>decumbens</i> Grunow	A		
<i>Rhabdonia</i>			
<i>decumbens</i> Grunow, 1888	A		
<i>Sarcodiotheca</i>			
<i>divaricata</i> W.R. Taylor	A		
<i>Solieria</i>			
<i>chordalis</i> (C. Agardh) J. Agardh, 1842	A M		
<i>dura</i> (Zanardini) F. Schmitz, 1895	M		
<i>Turnerella</i>			
<i>pennyi</i> (Harvey) F. Schmitz, 1893	A		
Family Wurdemanniaceae			
<i>Wurdemannia</i>			
<i>miniatia</i> (Sprengel) Feldmann & G. Hamel, 1934	A M		
Order Goniotrichales			
Family Goniotricaceae			
<i>Chroodactylon</i>			
<i>ornatum</i> (C. Agardh) Basson, 1979	A M		
<i>wolleanum</i> Hansgrig, 1885	A		
<i>Colacodium</i>			
<i>reticulatum</i> (Batters) Feldmann, 1955	A		
<i>Styloclena</i>			
<i>alsidii</i> (Zanardini) K.M. Drew, 1956	A M		
<i>cornu-cervi</i> Reinsch, 1875	A M		
<i>subcoeruleum</i> (P.A. Dangeard) M.J. Wynne, 1985	A		
Order Gracilariales			
Family Gracilariaeae			
<i>Gracilaria</i>			
<i>arcuata</i> Zanardini, 1858	M		
<i>armata</i> (C. Agardh) Greville, 1830	A M		
<i>bursa-pastoris</i> (S.G. Gmelin) P.C. Silva, 1952	A M		
<i>cervicornis</i> (Turner) J. Agardh, 1852	A M		
<i>conferta</i> (Schousboe ex Montagne) Montagne, 1846	A M		
<i>corallicola</i> Zanardini, 1865	M		
<i>dendroides</i> Gargiulo, De Masi & Tripodi, 1985	M		
<i>dura</i> (C. Agardh) J. Agardh, 1842	A M		
<i>foliifera</i> (Forsskål) Børgesen, 1932	A M		
<i>gracilis</i> (Stackhouse) Steentoft, L.M. Irvine &			
Farnham, 1995	A M		
<i>heteroclada</i> (Montagne) Feldmann & G. Feldmann,			
1943			
<i>longa</i> Gargiulo, De Masi & Tripodi, 1987		M	
<i>multipartita</i> (Clemente) Harvey, 1846		A M	
<i>rubra</i> (C. Agardh) J. Agardh		A	
<i>vermiculata</i> P.J.L. Dangeard, 1949		A	
<i>Gracilariosispsis</i>			
<i>longissima</i> (S.G. Gmelin) Steentoft, L.M. Irvine &			
Farnham, 1995		A	
Family Pterocladiobiaceae			
<i>Gelidiocolax</i>			
<i>christianae</i> Feldmann & G. Feldmann, 1963	A M		
<i>deformans</i> Seoane, 1982	A		
<i>margaritoides</i> (Martin & Pocock) Fan & Papenfuss	A		
<i>microsphaericus</i> N.L. Gardner	A		
<i>Holmsella</i>			
<i>pachyderma</i> (Reinsch) Sturck, 1926	A		
Order Hildenbrandiales			
Family Hildenbrandiaceae			
<i>Hildenbrandia</i>			
<i>crouanii</i> J. Agardh, 1852	A M		
<i>occidentalis</i> Setchell, 1917	A		
<i>rivularis</i> (Liebmamn) J. Agardh, 1863	A		
<i>rubra</i> (Sommerfelt) Meneghini, 1841	A M		
Order Nemaliales			
Family Galaxauraceae			
<i>Galaxaura</i>			
<i>cyclindrica</i> (Solander) J.V. Lamouroux	A		
<i>obtusata</i> (J. Ellis & Solander) J.V. Lamouroux, 1816	A		
<i>rugosa</i> (J. Ellis & Solander) J.V. Lamouroux, 1816	A		
<i>Scinaia</i>			
<i>australis</i> (Setchell) Huisman, 1985	A		
<i>caribaea</i> (W.R. Taylor) Huisman	A		
<i>complanata</i> (Collins) A.D. Cotton, 1907	A M		
<i>furcellata</i> (Turner) J. Agardh, 1852	A M		
<i>interrupta</i> (De Candolle) M.J. Wynne, 1989	M		
<i>Tricleocarpa</i>			
<i>cylindrica</i> (J. Ellis & Solander) Huisman &			
Borowitzka, 1990	A		
<i>fragilis</i> (Linnaeus) Huisman & Townsend, 1993	M		
Family Liagoraceae			
<i>Cylindraxis</i>			
<i>rotundatus</i> Kraft		M	
<i>Dermoneema</i>			
<i>abbottiae</i> Afaf-Husain, Nizamuddin & Shameel	M		
<i>virens</i> (J. Agardh) Pedroche & Ávila Ortiz	M		
<i>Garonema</i>			
<i>farinosum</i> (J.V. Lamouroux) K.C. Fan & Y.C. Wang,			
1974	A M		
<i>lubrica</i> Afonso-Carrillo, Sansón & Reyes, 1998	A		
<i>Helminthocladia</i>			
<i>agardhiana</i> P.S. Dixon, 1962	A M		
<i>calvadosii</i> (J.V. Lamouroux ex Duby) Setchell, 1925	A		
<i>Helminthora</i>			
<i>divaricata</i> (C. Agardh) J. Agardh, 1852	A M		
<i>Liagora</i>			
<i>albicans</i> J.V. Lamouroux, 1816	A		
<i>canariensis</i> Børgesen, 1927	A		
<i>ceranoides</i> J.V. Lamouroux, 1816	A M		
<i>distenta</i> (Mertens ex Roth) J.V. Lamouroux, 1816	A M		
<i>divaricata</i> C.K. Tseng, 1941	A		
<i>fragilis</i> Zanardini, 1851	A		
<i>gymnarthon</i> Børgesen	A		
<i>maderensis</i> Kützing	A		
<i>tetrasporifera</i> Børgesen	A M		
<i>valida</i> Harvey, 1853	A		
<i>viscidia</i> (Forsskål) C. Agardh, 1822	A M		
<i>Nemalion</i>			
<i>helminthoides</i> (Velley) Batters, 1902	A M		
<i>Trichogloeopsis</i>			
<i>pedicellata</i> (Howe) I.A. Abbott & Doty, 1960	A		
Family Nacciariaceae			
<i>Atractophora</i>			

<i>hypnoides</i> P.L. Crouan & H.M. Crouan, 1848	A	<i>repens</i> (C. Agardh) Montagne & Bory	A M
<i>Naccaria</i>		<i>Gloiocladia</i>	
<i>corymbosa</i> J. Agardh, 1899	A	<i>atlantica</i> (Searles) R.E. Norris	A
<i>wiggii</i> (Turner) Endlicher, 1836	A M	<i>blomquistii</i> (Searles) R.E. Norris	A
Order Palmariales		<i>furcata</i> (C. Agardh) J. Agardh	M
Family Palmariaceae		<i>Halicrysis</i>	
<i>Devaleraea</i>		<i>depressa</i> (J. Agardh) F. Schmitz, 1889	A
<i>ramentacea</i> (Linnaeus) Guiry, 1982	A	<i>Leptofaucha</i>	
<i>Palmaria</i>	A	<i>brasiliensis</i> A.B. Joly	A
<i>palmata</i> (Linnaeus) Kuntze, 1891		Family Lomentariaceae	
Family Rhodophysemataceae		<i>Gelidiopsis</i>	
<i>Halosaccioncolax</i>		<i>intricata</i> (C. Agardh) Vickers, 1905	A
<i>kjellmanii</i> S. Lund, 1959	A	<i>planicalis</i> (W.R. Taylor) W.R. Taylor, 1960	A
<i>Meiodiscus</i>		<i>variabilis</i> (Greville ex J. Agardh) F. Schmitz, 1895	A
<i>spetsbergensis</i> (Kjellman) Saunders & McLachlan, 1991	A	<i>Lomentaria</i>	
Rhodophysema		<i>articulata</i> (Hudson) Lyngbye, 1819	A M
<i>elegans</i> (P.L. Crouan & H.M. Crouan ex J. Agardh) P.S. Dixon, 1964	A M	<i>baileyan</i> (Harvey) Farlow, 1876	A
<i>feldmannii</i> Cabioch, 1975	A	<i>chyoctadiella</i> Funk, 1955	M
<i>georgii</i> Batters, 1900	A M	<i>claviformis</i> Ercegovic, 1956	M
Family Rhodothamniellaceae		<i>clavellosa</i> (Turner) Gaillon, 1828	A M
<i>Rhodothamniella</i>		<i>compressa</i> (Kützing) Kylin, 1931	M
<i>floridula</i> (Dillwyn) Feldmann, 1978	A	<i>ercegovicia</i> Verlaque, Boudouresque, Meinesz, Giraud & Marcot Coqueugniot	M
Order Plocamiales		<i>firma</i> (J. Agardh) Falkenberg	M
Family Plocamiaceae		<i>jabukae</i> Ercegovic	M
<i>Plocamium</i>		<i>orcadensis</i> (Harvey) Collins ex W.R. Taylor, 1937	A
<i>cartilagineum</i> (Linnaeus) P.S. Dixon, 1967	A M	<i>subdichotoma</i> Ercegovic, 1956	A M
<i>raphelisianum</i> P.J.L. Dangeard, 1949	A M	<i>uncinata</i> Meneghini ex Zanardini	M
Order Porphyridiales		<i>verticillata</i> Funk, 1944	M
Family Phragmonemataceae		Family Rhodymeniaceae	
<i>Goniotrichiopsis</i>		<i>Asteromenia</i>	
<i>sublittoralis</i> G.M. Smith, 1943	A	<i>peltata</i> (W.R. Taylor) Huisman & A.J.K. Millar	A
<i>Kyliniella</i>		<i>Botryocladia</i>	
<i>latvica</i> Skuja, 1926	A	<i>boergesenii</i> Feldmann, 1942	A M
<i>Neevea</i>		<i>botryoides</i> (Wulff) Feldmann, 1941	A M
<i>repens</i> Batters, 1900	A	<i>chiajeana</i> (Meneghini) Kylin	A M
Family Porphyridiaceae		<i>madagascariensis</i> G. Feldmann	M
<i>Chrootheca</i>		<i>microphysa</i> (Hauck) Kylin, 1931	A M
<i>rupestris</i> Hansgirg	M	<i>occidentalis</i> (Børgesen) Kylin	A
<i>Porphyridium</i>		<i>pyriformis</i> (Børgesen) Kylin, 1931	A
<i>aeruginosum</i> Geitler, 1923	A	<i>wynnei</i> D.L. Ballantine	A
<i>purpureum</i> (Bory) Ross, 1965	A M	<i>Chrysomenia</i>	
<i>Rhodella</i>		<i>bullosa</i> Levring, 1974	A
<i>maculata</i> L. Evans, 1970	A	<i>enteromorpha</i> Harvey	A
<i>violacea</i> (Kornmann) Wehrmeyer, 1971	A	<i>ventricosa</i> (J.V. Lamouroux) J. Agardh, 1876	A M
<i>Rhodosorus</i>		<i>Coelothrix</i>	
<i>marinus</i> Geitler, 1930	A	<i>irregularis</i> (Harvey) Børgesen, 1920	A
<i>Rhodospora</i>		<i>Cordylecladia</i>	
<i>sordida</i> Geitler, 1927	M	<i>erecta</i> (Greville) J. Agardh, 1852	A M
Order Rhodochaetales		<i>guiryi</i> Gargiulo, G. Furnari & Cormaci, 1990	M
Family Rhodochaetaceae		<i>Irvinea</i>	
<i>Rhodochaete</i>		<i>ardreana</i> (Brodie & Guiry) Guiry, 1999	A
<i>parvula</i> Thuret	M	<i>Rhodymenia</i>	
Order Rhodymeniales		<i>ardissonei</i> J. Feldmann, 1941	A M
Family Champiaceae		<i>caespitosa</i> P.J.L. Dangeard, 1949	A
<i>Champia</i>		<i>delicatula</i> P.J.L. Dangeard, 1949	A M
<i>parvula</i> (C. Agardh) Harvey, 1853	A M	<i>holmesii</i> Ardisson, 1893	A
<i>salicornoides</i> Harvey, 1853	A	<i>ligulata</i> Zanardini, 1843	M
<i>vieillardii</i> Kützing, 1866	A	<i>pertusa</i> (Postels & Ruprecht) J. Agardh, 1852	A
<i>Chylocladia</i>		<i>pseudopalmaria</i> (J.V. Lamouroux) P.C. Silva, 1952	A M
<i>pelagosae</i> Ercegovic	M	Order Sphaeroccales	
<i>verticillata</i> (Lightfoot) Bliding, 1928	A M	Family Sphaerococcaceae	
<i>Gastroclonium</i>		<i>Sphaerococcus</i>	
<i>clavatum</i> (Roth) Ardisson, 1883	A M	<i>coronopifolius</i> Stackhouse, 1797	A M
<i>ovatum</i> (Hudson) Papenfuss, 1944	A M	<i>rhizophylloides</i> J.J. Rodriguez	M
<i>reflexum</i> (Chauvin) Kützing, 1849	A M	KINGDOM PLANTAE	
Family Faucheaceae		PHYLUM MAGNOLIOPHYTA	
<i>Fauchea</i>		Class Liliopsida	
<i>microspora</i> Bornet	A M	Order Hydrocharitales	
		Family Hydrocharitaceae	
		<i>Halophila</i>	
		<i>decipiens</i> Ostenfeld	A