

An Annotated Checklist of Wisconsin Ground Beetles (Coleoptera: Carabidae)

Peter W. Messer¹

Abstract

A survey of Carabidae in the state of Wisconsin, U.S.A. yielded 87 species new to the state and incorporated 34 species previously reported from the state but that were not included in an earlier catalogue, bringing the total number of species to 489 in an annotated checklist. Collection data are provided in full for the 87 species new to Wisconsin but are limited to county occurrences for 187 rare species previously known in the state. Recent changes in nomenclature pertinent to the Wisconsin fauna are cited.

The Carabidae, commonly known as 'ground beetles', with 34,275 described species worldwide is one of the three most species-rich families of extant beetles (Lorenz 2005). Ground beetles are often chosen for study because they are abundant in most terrestrial habitats, diverse, taxonomically well known, serve as sensitive bioindicators of habitat change, easy to capture, and morphologically pleasing to the collector. North America north of Mexico accounts for 2635 species which were listed with their geographic distributions (states and provinces) in the catalogue by Bousquet and Larochelle (1993). In Table 4 of the latter reference, the state of Wisconsin was associated with 374 ground beetle species. That is more than the surrounding states of Iowa (327) and Minnesota (323), but less than states of Illinois (452) and Michigan (466). The total count for Minnesota was subsequently increased to 433 species (Gandhi et al. 2005). Wisconsin county distributions are known for 15 species of tiger beetles (subfamily Cicindelinae) (Brust 2003) with collection records documented for *Tetracha virginica* (Grimek 2009). Inventories in Wisconsin for the entire Carabidae were limited to southeastern counties (Rauterberg 1885) and Bayfield county (Wickham 1895).

This first state-wide survey of Wisconsin ground beetles conducted from literature searches, inventories of private and institutional collections, and 10 years of field work yielded 489 species from 95 genera in 34 tribes. Of these, 121 species and subspecies were not listed from Wisconsin in the catalogue by Bousquet and Larochelle (1993), the last publication to comprehensively address the ground beetle fauna of North America, including Wisconsin. Each newly added species is flagged with one or more lower case bold letters inside brackets which identify a literature record and/or specimen repositories (Table 1). Among the 121 flagged species are 87 new state records (highlighted in bold face). Also new to Wisconsin are 16 genera and five tribes which appear in bold. Several taxa recorded herein include either newly described species or resurrected species in the literature after 1993. Counties (identified in Fig. 1) are summarized for the 87 species newly recorded from Wisconsin and 187 previously recorded species considered rare. Complete collection data with repositories and comments on geographic range are provided for each of the 87 new species records separately from the checklist. Eight of the new state records represent significant extensions of previously known species ranges. Species names are further marked as follows: superscripted asterisk * denotes introduced; superscripted cross + denotes Holarctic.

¹4315 W. Riverlake Dr., Mequon, WI 53092, U.S.A. (e-mail: pmesser@wi.rr.com).

Table 1. Descriptions of the source codes used to flag the 121 species not given Wisconsin status by Bousquet and Larochelle (1993).

code	Source of specimen
a	Collected and determined (det) by the author P.W. Messer 1999-2009.
b	Byron L. Buchli private collection; det P.W. Messer.
c	Carnegie Museum of Natural History, Pittsburgh, PA.
d	Wisconsin Department of Natural Resources Research Center, Madison, WI.
e	Drew A. Hildebrandt private collection; det confirmed by P.W. Messer.
f	Field Museum of Natural History, Chicago, IL.
g	Herbert J. Grimek private collection; det H. J. Grimek and P. W. Messer.
h	Noonan (1991). Classification, cladistics, and natural history of native North American <i>Harpalus</i> Latreille.
i	Noonan (1996). Classification, cladistics, and natural history of species of the subgenus <i>Anisodactylus</i> Dejean.
j	Sadek (1982). M.Sc. thesis on genus <i>Abacidus</i> .
k	Kleintjes et al. (2002). Records from Eau Claire Co., WI.
l	Dan L. Dettwiler private collection; det P.W. Messer.
m	Milwaukee Public Museum, insect collection, Milwaukee, WI.
n	Haack et al. (1998) make reference to the 1994 and 1997 gap studies of Carabidae in Nicolet National Forest, Wisconsin. A corresponding preliminary checklist of Carabidae determined by Robert L. Davidson is available as an unpublished document. Vouchers are at Carnegie Museum of Natural History, Pittsburgh, PA. Three species on that list have no other published records for Wisconsin, namely, <i>Amara familiaris</i> , <i>Bradyceillus semipubescens</i> , and <i>Harpalus solitarius</i> . Although those species are included in the checklist here, they are not counted as newly reported state records in deference to the authors.
o	University of Wisconsin, Oshkosh, insect collection, Oshkosh, WI; det P.W. Messer.
p	Purrington et al. (2000). Recent state records for Wisconsin and adjacent states.
q	Purrington et al. (1998). Records from Monroe Co., WI.
r	Insect Research Collection, University of Wisconsin, Madison, WI; det confirmed by P. W. Messer.
s	Bousquet (1996). Taxonomic revision of Nearctic, Mexican, and West Indian Oodini.
t	Bousquet and Webster (2004). Review of the Nearctic species of the Holarctic subgenus <i>Argutor</i> .
u	Maddison (2008). Systematics of the North American beetle subgenus <i>Pseudoperyphus</i> .
v	Rauterberg (1885). The reasons for not accepting this as a reliable source are given in the discussion.
w	Wickham (1895). List of Coleoptera from the southern shore of Lake Superior. This species list from Bayfield County, WI is considered reliable except for two species cited in the discussion.
x	Wisconsin specimen donated to author from among J. Gruber, B. Buchli, M. Brust, G. Drecktrah, W. Krinsky, B. Werling, K. Johnson, J. Dorhorst, W. Suter, K. Katovich, D. Dettwiler, H. Grimek, and D. McKinney.
y	Hieke (2000). Revision of certain groups and new species of the genus <i>Amara</i> Bonelli, 1810.
z	Hieke (2003). The group of <i>Amara</i> (<i>Amara</i>) <i>cupreolata</i> Putzeys, 1866.



Figure 1. Map of Wisconsin indicating county boundaries and county names as specified in specimen collection material.

For the purposes of this contribution, rarity, denoted by symbol \mathbb{R} , is attached to a species for which I am aware of no more than six Wisconsin collection events since 1960. More than six counties listed indicates that some collection events occurred before 1960. By this definition, rare species account for 260 of 489 Wisconsin carabid species, or 53%. Conversely, 14 newly reported species were found to be relatively common. Literature records are cited for species from which a Wisconsin specimen was not observed during my study. Several species previously reported from Wisconsin are omitted from the checklist for reasons cited in the discussion. The 19 shaded species names are special cases. They were included as part of the Wisconsin carabid fauna (Bousquet and Larochelle 1993), but I am unaware of either a reliable literature record or a confirmed specimen. The sources for these associations are thought to be obscure publications and/or museum specimen labels that were privately recorded over several years by coauthor Larochelle (Bousquet, pers. com. 2007). It is uncertain whether the identifications were always verified.

My hierachal organization of taxa utilizes the following format, Subfamily – Tribe – Genus – Subgenus (matching species group) – *species*, based on a review of recent taxonomic literature and recommendations in authoritative sources (Bousquet and Larochelle 1993, Ball and Bousquet 2001, Lorenz 2005, Erwin 2007, Erwin and Pearson 2008). Annotations include clarifications and recent changes in nomenclature pertinent to the Wisconsin fauna. Species group names generally follow Lindroth (1961 – 1969) which is still very useful for species descriptions, natural histories, and illustrated taxonomic keys to most of the Wisconsin species. Natural histories of each species were also detailed by Larochelle and Larivière (2003).

Wisconsin Carabidae

Subfamily RHYSODINAE

Tribe RHYSODINI

Omoglymmius Ganglbauer, 1892subgenus *Boreoglymmius* Bell & Bell,
1982*O. americanus* (Laporte, 1836) R Green

Clinidium Kirby, 1830

C. baldufi Bell, 1970 R [x] Grant

Subfamily NEBRIINAE

Tribe NEBRIINI

Nebria Latreille, 1806subgenus *Boreonebria* Jeannel, 1937
(= brevicollis group)*N. lacustris lacustris* Casey, 1913subgenus *Reductonebria* Shilénkov,
1975 (= gregaria group)*N. pallipes* Say, 1823 R

Tribe NOTIOPHILINI

Notiophilus Duméril, 1806*N. aeneus* (Herbst, 1806)*N. aquaticus*⁺ (Linnaeus, 1758) R
Bayfield, Portage*N. semistriatus* Say, 1823 R [dx]

Crawford, Florence, Green

Subfamily LORICERINAE

Tribe LORICERINI

Loricera Latreille, 1802*L. pilicornis pilicornis*⁺ (Fabricius, 1775)

Subfamily CICINDELINAE

Tribe CICINDELINI

Tetracha Hope, 1838 [replaces genus
Megacephala Latreille, 1802 in
western hemisphere by Naviaux
(2007)]*T. virginica* (Linnaeus, 1767) R
La Crosse, Monroe, Outagamie,
Richland, Sauk [after Grimek (2009)]*Cicindela* Linnaeus, 1758subgenus *Cicindela s. str.* (= sexguttata
group)*C. duodecimguttata* Dejean, 1825*C. formosa generosa* Dejean, 1831*C. hirticollis hirticollis* Say, 1817*C. hirticollis rhodensis* Calder, 1916
R [aor] Ashland, Door, Manitowoc,
Ozaukee, Sheboygan*C. limbalis* Klug, 1834*C. longilabris longilabris* Say, 1824*C. patruela patruela* Dejean, 1825
[*C. patruela huberi* Johnson (1989)
are dark green-brown-black
variants occurring only in
south-central Wisconsin]*C. purpurea* Olivier, 1790 [see
discussion]*C. repanda repanda* Dejean, 1825*C. scutellaris lecontei* Haldeman, 1853*C. sexguttata* Fabricius, 1775*C. splendida* Hentz, 1830*C. tranquebarica tranquebarica* Herbst,
1806subgenus *Cicindelidia* Rivalier, 1954
(= punctulata group)*C. punctulata punctulata* Olivier, 1790*Elliptospera* Dokhtouroff, 1883*E. lepida* (Dejean, 1831)*E. macra macra* (LeConte, 1857) RColumbia, Dane, Eau Claire
(uncertain), Jackson, Juneau, La
Crosse, Milwaukee, Monroe, Pierce,
Richland, St. Croix, Wood [counties
in part after Brust (2003)]

Subfamily CARABINAE

Tribe CARABINI

Calosoma Weber, 1801subgenus *Castrida* Motschulsky, 1866
(= sayi group)*C. sayi* Dejean, 1826 Rsubgenus *Calosoma s. str.* (sycophanta
group)*C. frigidum* Kirby, 1837subgenus *Calosoma s. str.* (scrutator
group)*C. scrutator* (Fabricius, 1775)*C. wilcoxi* LeConte, 1848 R La Crosse,
Richland, Winnebagosubgenus *Chrysostigma* Kirby, 1837
(= calidum group)*C. calidum* (Fabricius, 1775)subgenus *Callitropa* Motschulsky, 1866
(= externum group)*C. externum* (Say, 1823) R Columbia,
Dane, La Crosse*Carabus* Linnaeus, 1758subgenus *Carabus s. str.* (= granulatus
group)*C. goryi* Dejean, 1831subgenus *Archicarabus* Seidlitz, 1887
(= nemoralis group)*C. nemoralis*^{*} O.F. Müller, 1764subgenus *Hemicarabus* Géhin, 1876
(= serratus group)*C. serratus* Say, 1823subgenus *Homoeocarabus* Reitter, 1896
(= maeander group)*C. maeander*^{*} Fischer von Waldheim,
1820subgenus *Tachypus* Weber, 1801
(= auratus group)*C. cancellatus*^{*} Illiger, 1798 R [see
discussion]

- subgenus *Tanaocarabus* Reitter, 1896
 (= *sylvosus* group)
C. sylvosus Say, 1823
- Tribe CYCHRINI
Sphaeroderus Dejean, 1826
S. stenostomus lecontei Dejean, 1826
S. nitidicollis brevoorti LeConte, 1848
 ♂ [w] Bayfield
- Scaphinotus* Dejean, 1826
subgenus *Nomaretus* LeConte, 1853
 (= *bilobus* group)
S. bilobus (Say, 1823) ♂ Crawford,
 Dane, Grant, Jackson, Portage, Vilas
- Subfamily ELAPHRINAE
- Tribe ELAPHRINI
Blethisa Bonelli, 1810
***B. hudsonica* Casey, 1924** ♂ [aemx]
 Adams, Ozaukee, Washington,
 Waukesha [see discussion]
B. quadricollis Haldeman, 1847 ♂
 Dodge, Milwaukee
- Elaphrus* Fabricius, 1775
subgenus *Neelaphrus* Hatch, 1951
 (= *clairvillei* group)
E. clairvillei Kirby, 1837 ♂ Dane,
 Grant, Outagamie, Ozaukee, Taylor,
 Washington, Waupaca
E. fuliginosus Say, 1830 ♂ Bayfield,
 Ozaukee
E. olivaceus LeConte, 1863 ♂ Dane,
 Dodge, Sauk, Vilas, Washington,
 Waukesha, Winnebago
subgenus *Elaphrus* s. str. (= *americanus*
 group)
E. americanus americanus Dejean,
 1831 ♂ ["Wisconsin" (Goulet 1983:
 p372)]
E. californicus Mannerheim, 1843
E. ruscarius Say, 1830
- Subfamily OMOPHRONINAE
- Tribe OMOPHRONINI
Omophron Latreille, 1802
O. americanum Dejean, 1831
***O. grossum* Casey, 1909** ♂ [gx]
 La Crosse, Trempealeau
O. robustum G.H. Horn, 1870
O. tessellatum Say, 1823
- Subfamily BRACHININAE
- Tribe BRACHININI
Brachinus Weber, 1801
subgenus *Neobrachinus* Erwin, 1970
 (= *fumans* group)
***B. adustipennis* Erwin, 1969** ♂ [a]
 Grant
- B. americanus* (LeConte, 1844) ♂
 Dane, Grant, Green, Iowa, La Crosse
B. cordicollis Dejean, 1826 ♂ Dane,
 Green, Iron, Winnebago
B. cyanipennis Say, 1823
B. cyanochroaticus Erwin, 1969
***B. fulminatus* Erwin, 1969** ♂ [e]
 Waukesha
- B. fumans* (Fabricius, 1781) ♂ Bayfield,
 Dane, Dodge, Green, La Crosse,
 Milwaukee, Sauk, Trempealeau
B. janthinipennis (Dejean, 1831)
***B. kavanaughi* Erwin, 1969** ♂ [a]
 Grant
- B. medius* T.W. Harris, 1828 ♂
 Adams, Bayfield, Dane, Dodge,
 La Crosse, Wood
- B. ovipennis* LeConte, 1862 ♂ Dane,
 Milwaukee, Winnebago
- B. patruelis* LeConte, 1844** ♂ [a]
 Grant, Vilas
- B. quadripennis* Dejean, 1825 ♂ Dane
- B. tenuicollis* LeConte, 1844
- B. texanus* Chaudoir, 1868 ♂ Iron
 (Erwin 1970: p63)
- Subfamily SCARITINAE
- Tribe SCARITINI
Pasimachus Bonelli, 1813
subgenus *Pasimachus* s. str.
 (= *depressus* group)
P. depressus (Fabricius, 1787) ♂
 Dodge, Monroe
P. elongatus LeConte, 1846
- Scarites* Fabricius, 1775
subgenus *Scarites* s. str.
 (= *subterraneus* group)
S. quadriceps Chaudoir, 1843
S. subterraneus Fabricius, 1775 ♂
 Bayfield, Dane
- Tribe CLIVININI
Dyschirius Bonelli, 1810 [genus]
Dyschiriodes by Fedorenko (1996) is not
 adopted here!
subgenus *Paradyschirius* Fedorenko,
 1996 (= *analis* group)
D. affinis Fall, 1901 ♂
D. haemorrhoidalis (Dejean, 1831)
 [ab] Dane, Jefferson, Ozaukee
D. terminatus LeConte, 1848 ♂ [r]
 Wood
- subgenus *Dyschiriodes* Jeannel, 1941
 (*filiformis* group)
***D. aratus* (LeConte, 1852)** ♂ [r]
 Monroe
- D. montanus* LeConte, 1879 ♂ Dane,
 Monroe, Milwaukee

- D. pumilus** (Dejean, 1825) R [r]
 Monroe
D. sextoni Bousquet, 1987 R [qr_x]
 Monroe, Sheboygan
subgenus Dyschiriodes (politus group)
- D. erythrocerus** LeConte, 1857
 [aber] Dane, Dodge, Ozaukee,
 Vernon, Wood
- D. politus*** (Dejean, 1825) R [ax]
 Milwaukee, Monroe
- D. sphaericollis* (Say, 1823)
- D. truncatus** LeConte, 1857 R
subgenus Dyschiriodes (pilosus group)
- D. pilosus* LeConte, 1857 R Green
- D. setosus* LeConte, 1857 R Dodge,
 Jackson, Kenosha
- D. aeneolus* LeConte, 1850 R [rw]
 Bayfield
subgenus Dyschiriodes (integer group)
- D. globulosus* (Say, 1823)
 [morphologically inseparable
 (Bousquet 1988) from *D. longulus*
 LeConte, 1850]
- D. dejeanii* Putzeys, 1846 [replaces *D. integer* LeConte, 1852 by Bousquet (2007)]
- Clivina* Latreille, 1802
subgenus Semiclivina Kult, 1947
 (= dentipes group)
- C. dentipes** Dejean, 1825 R [br_x]
 Dane, Grant, Richland
subgenus Clivina s. str. (= fossor group)
- C. fossor** (Linnaeus, 1758)
- C. impressefrons* LeConte, 1844
subgenus Leucocara Bousquet, 2009
 [Bousquet (2009)] (= americana group)
- C. americana* Dejean, 1831 R Dane,
 Grant, Ozaukee, Sauk
subgenus Paraclivina Kult, 1947
 (= bipustulata group)
- C. bipustulata* (Fabricius, 1801)
- C. ferrea** LeConte, 1857 R [r]
 Vernon
- C. postica** LeConte, 1848 R [r] Dane
- Schizogenius* Putzeys, 1846
subgenus Schizogenius s. str.
 (= lineolatus group)
- S. ferrugineus* Putzeys, 1846 R Sauk
- S. lineolatus* (Say, 1823) R
 "Wisconsin", Milwaukee (Whitehead 1972: p251)
- S. sulcifrons* Putzeys, 1846 R
 "Wisconsin" (Whitehead 1972: p267)
- Semiardistomis** Kult, 1950
- S. viridis** (Say, 1823) R [lx] Grant
- Subfamily TRECHINAE
- Tribe BROSCINI
- Miscodera* Eschscholtz, 1830
*M. arctica** (Paykull, 1798) R Bayfield
- Tribe TRECHINI
- Blemus** Dejean, 1821
- B. discus*** (Fabricius, 1792) [abr]
 Adams, Columbia, Dane, Forest,
 Iowa, Ozaukee, Portage
- Trechus* Clairville, 1806
subgenus Trechus s. str.
 (= quadristriatus group)
- T. apicalis** Motschulsky, 1845
- T. crassiscapus** Lindroth, 1955 R
 [x] Douglas, Price
- T. quadrastriatus** (Schrank, 1781) R
 Door
- Tribe BEMBIDIINI
- Bembidion* Latreille, 1802
subgenus Bracteon Bedel, 1879
 (= inaequale group)
- B. carinula* Chaudoir, 1868
- B. inaequale* Say, 1823 R Dane,
 Dodge, Douglas, Milwaukee,
 Outagamie, Winnebago
- B. levettei* Casey, 1918 R Ashland,
 Bayfield, Dane, Door, Monroe,
 Oneida, Wood
- subgenus Odontium LeConte, 1848
 (= coxendix group)
- B. aenulum* Hayward, 1901 R
 "Wisconsin" (Lindroth 1963: p246)
- B. confusum* Hayward, 1897
- B. coxendix* Say, 1823 R Brown
- B. robusticollis* Hayward, 1897 R Sauk
subgenus Pseudoperiphyphus Hatch, 1950
 (= chalceum group)
- B. chalceum* Dejean, 1831
- B. antiquum** Dejean, 1831 R [mu]
 "Wisconsin" [2 specimens "Wisconsin
 before 1897" in Milwaukee Public
 Museum; Maddison 2008: Fig. 21
 shows a mapped dot in northern
 Wisconsin that covers portions of
 Iron Co. and Ashland Co.]
- B. honestum* Say, 1823 R "Wisconsin",
 n.d. (presumably 19th century)
- B. integrum** Casey, 1918 R [u] Pepin
 [Maddison, pers. com. 2007;
 reported only as a dot on a Wisconsin
 map (Maddison 2008: Fig. 24)]
- subgenus Ochthedromus LeConte, 1848
 (= americanum group)
- B. americanum* Dejean, 1831
- B. cheyennense** Casey, 1918 R
 [lmrx] Dane, Douglas, Grant,
 Milwaukee, Sauk [see discussion]

- subgenus *Eurytrachelus* Motschulsky,
1850 (= nitidum group)
B. nitidum (Kirby, 1837)
subgenus *Hydrium* LeConte, 1848
 (= levigatum group)
B. levigatum Say, 1823 R Milwaukee
subgenus *Trechonepha* Casey, 1918
 (= simplex group)
***B. simplex* Hayward, 1897 R [a]**
 Milwaukee
subgenus *Trichoplataphus* Netolitzky,
1914 (= planum group)
B. planum (Haldeman, 1843) R Vernon
subgenus *Hirmoplataphus* Netolitzky,
1942 (= nigrum group)
B. concolor (Kirby, 1837) R [w]
 Bayfield
***B. nigrum* Say, 1823 R [mx]** Sauk,
 "Wisconsin"
***B. recticolle* LeConte, 1848 R [m]**
 Milwaukee
B. salebratum (LeConte, 1848) R
 Ashland, Dane, Fond du Lac,
 Milwaukee, "Wisconsin"
subgenus *Peryphanes* Jeannel, 1941
 (= grapii group)
***B. grapii* + Gyllenhal, 1827 R [r]**
 Bayfield
B. lacunarium (Zimmermann, 1869) R
 Grant, Milwaukee, Ozaukee,
*B. stephensi** Crotch, 1866 R Door
B. texanum Chaudoir, 1868
subgenus *Asioperphus* Vysoky, 1986
 (= bimaculatum group)
B. postremum Say, 1830 R Vernon
subgenus *Peryphus* Dejean, 1821
 (tetracolum group)
*B. obscurellum** (Motschulsky, 1845)
*B. petrosum petrosum** Gebler, 1833 R
B. rupicola (Kirby, 1837)
*B. tetricolum** Say, 1823
subgenus *Peryphus* (transversale
group)
B. transversale Dejean, 1831 R
 "Wisconsin"
subgenus *Ocydromus* Clairville, 1806
 (= scopulinum group)
*B. scopulinum** (Kirby, 1837 R
 Bayfield, Brown, Door, Kenosha,
 Kewaunee, Milwaukee
subgenus *Eupetedromus* Netolitzky,
1911 (= incrematum group)
B. graciliforme Hayward, 1897
***B. incrematum* LeConte, 1860 R [r]**
 Bayfield
B. variegatum Say, 1823 [moved from
 subgenus *Notaphus* by Bousquet
 (2006)] R Grant, Iowa
- subgenus *Notaphus* Dejean, 1821
 (dorsale group)
B. aeneicolle (LeConte, 1848) R
B. castor Lindroth, 1963
***B. coloradense* Hayward, 1897 R**
 [r] Wood
B. cordatum (LeConte, 1848) R
 Manitowoc, Milwaukee, Ozaukee,
 "Wisconsin"
B. graphicum Casey, 1918 R Bayfield
 (Casey 1918: p108)
***B. intermedium* (Kirby, 1837) R**
 [elmx] Dodge, Fond du Lac,
 Milwaukee, Washington
***B. nigripes* + (Kirby, 1837) R [r]**
 Florence
B. patruelis Dejean, 1831
B. rapidum (LeConte, 1848)
B. versutum LeConte, 1878 R Bayfield,
 Vernon, Walworth
subgenus *Notaphus* (contractum group)
B. viridicolle (LaFerté-Sénectère, 1841)
 R
subgenus *Notaphus* (oberthueri group)
B. oberthueri Hayward, 1901 R
 Walworth
subgenus *Furcacampa* Netolitzky, 1931
 (affine group)
B. affine Say, 1823
subgenus *Furcacampa* (versicolor
group)
B. impotens Casey, 1918
B. mimus Hayward, 1897
B. versicolor (LeConte, 1848)
subgenus *Bembidion* s. str.
 (= quadrimaculatum group)
B. mutatum Gemminger and Harold,
 1868 R Oneida
B. pedicellatum LeConte, 1857 R
 Ozaukee, Walworth
B. quadrimaculatum oppositum Say,
 1823
subgenus *Semicampa* Netolitzky, 1910
 (= muscicola group)
B. muscicola Hayward, 1897
***B. praticola* Lindroth, 1963 R [lx]**
 Green, Racine
***B. nigrovittis* Bousquet, 2006 R**
 [mr][p: reported as "*B. praticola*"]
 Juneau, Washington
subgenus *Diplocampa* Bedel, 1896
 (= transparens group)
*B. transparens** (Gebler, 1829)
subgenus *Trepanedoris* Netolitzky,
1918 (= anguliferum group)
B. concretum Casey, 1918
***B. fortestriatum* (Motschulsky,**
1845) R [a] Ashland

- B. frontale* (LeConte, 1848)
- B. pseudocautum* Lindroth, 1963** ®
[r] Jackson, Wood
subgenus Amerizus Chaudoir, 1868
(= oblongulum group)
- B. wingatei* Bland, 1864 ® Richland,
"Wisconsin"
- Mioptachys* Bates, 1882
M. flavicauda (Say, 1823)
- Tachyta* Kirby, 1837
subgenus Tachyta s. str. (falli group)
T. angulata Casey, 1918
subgenus Tachyta s. str. (nana group)
T. nana inornata (Say, 1823)
T. nana kirbyi Casey, 1918 ® Bayfield
(Erwin 1975: p65)
- T. parvicornis* Notman, 1922 ®
"Wisconsin" (Erwin 1975: p66)
- Elaphropus* Motschulsky, 1839
subgenus Tachyura Motschulsky, 1862
E. anceps (LeConte, 1848)
E. dolosus (LeConte, 1848) ® Iowa
E. granarius (Dejean, 1831) ® Dane,
Kenosha, Ozaukee, Waukesha
E. incurvus (Say, 1830)
E. saturatus (Casey, 1918) ® Grant,
Ozaukee, Waukesha
E. vivax (LeConte, 1848) ®
***E. xanthopus* (Dejean, 1831)** ® [a]
Sheboygan
- Porotachys*** Netolitzky, 1914
P. bisulcatus* (Nicolai, 1822) ®
[abx] Dane, Ozaukee
- Polyderis*** Motschulsky, 1862
P. laevis (Say, 1823) ® [rx]
Crawford, Iowa, Sauk
- Paratachys*** Casey, 1918
P. proximus (Say, 1823) [abl] Dane,
Grant, Milwaukee, Ozaukee
P. pumilus (Dejean, 1831) ® [x]
Green
- P. scitulus*** (LeConte, 1848) ® [a]
Ozaukee
- Tribe PSYDRINI
- Nomius* Laporte, 1835
N. pygmaeus (Dejean, 1831) ® Bayfield,
Dodge, Juneau, Waupaca, Wood
- Tribe PATROBINI
- Patrobus* Dejean, 1821
subgenus Neopatrobus Darlington,
1938 (= longicornis group)
P. longicornis (Say, 1823)
- Subfamily HARPALINAE
- Tribe LOXANDRINI
- Loxandrus*** LeConte, 1852
L. velociipes Casey, 1918 ® [alr]
Crawford, Grant, Richland
- Tribe PTEROSTICHINI
- Poecilus* Bonelli, 1810
subgenus Poecilus s. str. (= lucublandus
group)
- P. chalcites* (Say, 1823)
P. lucublandus *lucublandus* (Say, 1823)
- Lophoglossus* LeConte, 1852
L. scrutator (LeConte, 1848)
- Gastrellarius*** Casey, 1918
G. honestus (Say, 1823) ® [x]
Washington
- Myas* Dejean, 1828
subgenus Neomyas Allen, 1980
M. cyanescens Dejean, 1828
- Pterostichus* Bonelli, 1810
subgenus Argutor Dejean, 1821
(= commutabilis group)
- P. commutabilis* (Motshulsky, 1866)
P. praetermissus (Chaudoir, 1868)
[resurrected by Bousquet and
Webster (2004)] ® [blt] Buffalo,
Grant, Jefferson
- subgenus Phonias Gozis, 1886
(= patruelis group)
- P. corrusculus*** LeConte, 1873 ® [x]
Price
- P. femoralis* (Kirby, 1837)
P. patruelis (Dejean, 1831)
subgenus Bothriopterus Chaudoir, 1838
(= adstrictus group)
- P. adstrictus** Eschscholtz, 1823 ®
Bayfield, Door, Milwaukee
- P. mutus* (Say, 1823)
P. pensylvanicus LeConte, 1873
- P. trinarius*** (Casey, 1918) ® [I]
Grant
- subgenus Melanius Bonelli, 1810
(= corvinus group)
- P. castor* Goulet & Bousquet, 1983 ®
Vilas
- P. corvinus* (Dejean, 1828)
P. ebeninus (Dejean, 1828) ®
subgenus Pseudomaseus Chaudoir,
1838 (= luctuosus group)
- P. luctuosus*** (Dejean, 1828)
[ablmor] Ashland, Bayfield,
Columbia, Dane, Dodge, Douglas,
Grant, Milwaukee, Oneida, Ozaukee,
Sauk, Washington, Waukesha,
Winnebago
- P. tenuis* (Casey, 1924)
- subgenus Morphnosoma Lutshnik,
1915 (melanarius group in part)
- P. melanarius** (Illiger, 1798)
subgenus Euferonia Casey, 1918
(melanarius group in part)
- P. coracinus* (Newman, 1838)
P. novus Straneo, 1944

- P. stygicus* (Say, 1823)
subgenus *Abacidus* LeConte, 1863
 (= fallax group)
- P. atratus* (Newman, 1838) R [j]**
 Dane
- P. permundus* (Say, 1830)
subgenus *Lamenius* Bousquet, 1999
 (= caudicalis group)
- P. caudicalis* (Say, 1823)
subgenus *Hyphernes* Chaudoir, 1838
 (= amethystinus group)
- P. adoxus* (Say, 1823) R
- P. tristis* (Dejean, 1828)
***Cyclotrachelus* Chaudoir, 1838**
subgenus *Evarthus* LeConte, 1852
 (= sigillatus group)
- C. alternans* (Casey, 1920) R
 "Wisconsin", Bayfield (Freitag 1969: p154) [see discussion]
- C. seximpressus* (LeConte, 1848)
C. sodalis sodalis (LeConte, 1848)
- Tribe ZABRINI
- Pseudamara* Lindroth, 1968
P. arenaria (LeConte, 1848) R
 Florence, Forest
- Amara* Bonelli, 1810
subgenus *Curtonotus* Stephens, 1828
 (= aulica group)
- A. carinata* (LeConte, 1848) [lmorwx]
A. lacustris LeConte, 1855 R [w]
 Bayfield
- A. pennsylvanica* Hayward, 1908 R**
 [lmr] Dodge, Fond du Lac,
 Milwaukee, Waukesha
- subgenus *Bradytus* Stephens, 1828
 (= apricaria group)
- A. apricaria** (Paykull, 1790)**
 [ablmorx] Adams, Bayfield, Brown,
 Dane, La Fayette, Manitowoc,
 Milwaukee, Ozaukee, Portage,
 Washington, Waukesha, Winnebago,
 Wood
- A. avida* (Say, 1823)
- A. exarata* Dejean, 1828 R Adams,
 Portage, Sauk
- A. latior* (Kirby, 1837)
- A. schwarzii* Hayward, 1908 R [w]
 Bayfield
- subgenus *Percosia* Zimmermann, 1832
 (= obesa group)
- A. obesa* (Say, 1823)
- subgenus *Amara s. str.* (quenseli,
 aurata, lunicollis groups)
- A. aenea** (DeGeer, 1774)
- A. chalcea* Dejean, 1828 [with
 subgenus *Xenocelia* in Hieke (2001)]
 R Marquette
- A. coelebs* Hayward, 1908 R Adams,
 Ashland, Bayfield, Columbia,
 Douglas, Kenosha, Ozaukee
- A. convexa* LeConte, 1848
- A. cupreolata* Putzeys, 1866 R
 Ozaukee, Waushara
- A. neoscotica* Casey, 1924 [resurrected
 by Hieke (2003)] **[agorz]**
- A. tenax* Casey, 1918 [resurrected by
 Hieke (2003)] R **[axz]** Adams,
 Columbia, Juneau, Monroe, Portage,
 Sauk
- A. erratica** (Duftschmid, 1812) [with
 subgenus *Celia* C.Zimmermann,
 1882 in Hieke (1995)] R Bayfield,
 Douglas, Forest
- A. familiaris** (Duftschmid, 1812)**
[anor]
- A. impuncticollis* (Say, 1823)
- A. otiosa* Casey, 1918 [resurrected by
 Hieke (2000)] **[rxy]**
- A. laevipennis* Kirby, 1837** [with
 subgenus *Celia* C.Zimmermann,
 1882 in Hieke (1995)] R **[r]**
 Sheboygan
- A. littoralis* Mannerheim, 1843
- A. turbata* Casey, 1918 [resurrected by
 Hieke (2000)] **[alry]**
- A. lunicollis** Schiødte, 1837 **[nprx]**
- A. musculus* (Say, 1823) [with subgenus
Celia C.Zimmermann, 1882 in Hieke (1995)]
- A. ovata** (Fabricius, 1792) R [arx]**
 Columbia, Dane, Milwaukee
- A. patruelis** Dejean, 1831 [with
 subgenus *Celia* C.Zimmermann,
 1882 in Hieke (1995)] R Brown,
 Dane, Dodge, Milwaukee
- A. quenseli** (Schönherr, 1806) [with
 subgenus *Paracelia* Bedel, 1899 in
 Hieke (1995)]
- A. rubrica* Haldeman, 1843 [with
 subgenus *Celia* C.Zimmermann,
 1882 in Hieke (1995)]
- A. sinuosa* (Casey, 1918)** [with
 subgenus *Celia* C.Zimmermann, 1882
 in Hieke (1995)] R **[cr]** "Wisconsin"
- subgenus *Zeeza* Csiki, 1929 (= pallipes
 group)
- A. angustata* (Say, 1823) R Dane, La
 Fayette, Milwaukee, Ozaukee
- A. flebilis* (Casey, 1918) [resurrected by
 Hieke (2000)] R **[elxy]** Fond du Lac,
 Kewaunee, Ozaukee, Milwaukee
- A. angustatoides* Hieke, 2000 (Hieke
 2000) **[agorxy]**
- A. pallipes* Kirby, 1837 R

Tribe OODINI

Oodes Bonelli, 1810

- O. amarooides* Dejean, 1831 R Barron, Jefferson, Juneau, Washburn
- O. fluvialis* LeConte, 1863 [replaces *O. americanus fluvialis* sensu Linroth (1969) by Bousquet (1996)] R Columbia, Grant, La Crosse, Sauk, Winnebago, Wood

Lachnocrepis LeConte, 1853

- L. parallela* (Say, 1830) R Ashland, Dane, Fond du Lac, Grant, Milwaukee, Ozaukee, Sauk

Stenocrepis Chaudoir, 1857

- subgenus Stenous Chaudoir, 1857
(duodecimstriata group)

- S. mexicana* (Chevrolat, 1835) [replaces *S. quatuordecimstriata* (Chaudoir, 1843) by Bousquet (1996)] R [ms] Dodge (Bousquet, pers. com. 2007)
- subgenus Stenous (cuprea group)

- S. cuprea* (Chaudoir, 1843) R Milwaukee

Tribe PANAGAEINI

Panagaeus Latreille, 1804

- subgenus Hologaeus Ogueta, 1966
- P. fasciatus* Say, 1823 R [bmx] Dane

Tribe CHLAENIINI

Chlaenius Bonelli, 1810

- subgenus Eurydactylus LaFerté-Sénécère, 1851 (= tomentosus group)

- C. tomentosus tomentosus* (Say, 1823)

- subgenus Anomoglossus Chaudoir, 1857 (= emarginatus group)

- C. emarginatus* Say, 1823

- C. pusillus* Say, 1823 R [px] Columbia, Iowa, Walworth

- subgenus Chlaenius s. str. (= sericeus group)

- C. aestivus* Say, 1823 R "Wisconsin" (Bell 1960: p120)

- C. cordicollis* Kirby, 1837

- C. erythropus* Germar, 1824 R Dane, Door, La Crosse

- C. platyderus* Chaudoir, 1856

- C. prasinus* Dejean, 1826 R

- "Wisconsin" (Bell 1960: p111)

- C. sericeus sericeus* (Forster, 1771)

- C. solitarius* Say, 1823 R [aglr]

- Grant, La Crosse, Richland,

- Trempealeau

- subgenus Agostenus Motschulsky, 1850 (niger group)

- C. niger* Randall, 1838

- subgenus Agostenus (purpuricollis group)

C. purpuricollis *purpuricollis**Randall*, 1838 R [a] Ozaukeesubgenus Agostenus (*lithophilus* group)*C. lithophilus* *lithophilus* Say, 1823 R

Brown, Dodge, Grant, Milwaukee, Ozaukee

subgenus Chlaeniellus Reitter, 1908(= *nemoralis* group)*C. brevilabris* *brevilabris* LeConte, 1848

R Grant

C. impunctifrons Say, 1823*C. nemoralis* Say, 1823*C. pennsylvanicus* *pennsylvanicus* Say, 1823*C. tricolor* *tricolor* Dejean, 1826

Tribe LICININI

Diplocheila Brullé, 1834subgenus Isorembus Jeannel, 1949

(impressicollis, striatopunctata groups)

D. assimilis (LeConte, 1844)*D. impressicollis* (Dejean, 1831)*D. major* *major* (LeConte, 1848) R Dane, Dodge, Milwaukee*D. obtusa* (LeConte, 1848)*D. striatopunctata* (LeConte, 1844)*D. undulata* Carr, 1920 R [fm] Dane, Kenosha, Waukesha*Dicaelus* Bonelli, 1813subgenus Paradicaelus Ball, 1959
(= furvus group)*D. elongatus* Bonelli, 1813*D. politus* Dejean, 1826 R Milwaukee*D. sculptilis upioides* Ball, 1959 R Burnett, Dane, Grant, La Crosse, Trempealeausubgenus Dicaelus s. str. (= purpuratus group)*D. purpuratus* *purpuratus* Bonelli, 1813 R Grant*Badister* Clairville, 1806subgenus Badister s. str. (= pulchellus group)*B. flavipes laticeps* Blatchley, 1910 R [px] Green*B. neopulchellus* Lindroth, 1954 [see discussion]*B. notatus* Haldeman, 1843*B. obtusus* LeConte, 1878 R [rx]

Adams, Columbia, Walworth

subgenus Baudia Ragusa, 1884
(= reflexus group)*B. grandiceps* Casey, 1920*B. ocellaris* Casey, 1920 R [r]

Richland, Shawano

B. parviceps Ball, 1959 R Ozaukee, Sauk*B. reflexus* LeConte, 1880 R [x]
Dane

- subgenus *Trimorphus* Stephens, 1828
 (= *transversus* group)
B. transversus Casey, 1920
- Tribe HARPALINI
- Notiobia* Perty, 1830
subgenus *Anisotarsus* Chaudoir, 1837
 (= *terminata* group)
N. nitidipennis (LeConte, 1848) R
 Jackson, Portage, Shawano, Waupaca
N. sayi (Blatchley, 1910)
N. terminata (Say, 1823)
- Xestonotus* LeConte, 1853
X. lugubris (Dejean, 1829)
- Anisodactylus* Dejean, 1829
subgenus *Anisodactylus s. str.*
 (= *binotatus* group)
A. agricola (Say, 1823) R Grant, Green
A. carbonarius (Say, 1823) R [adir]
 Dane, Columbia, Grant, Milwaukee,
 Ozaukee
A. harrisii LeConte, 1863
A. kirbyi Lindroth, 1953
A. melanopus (Haldeman, 1843) R
 Vernon (Noonan 1996: p116)
A. nigerrimus (Dejean, 1831) R
 Adams, Walworth
A. nigrita Dejean, 1829
subgenus *Gynandrotarsus* LaFerté-Sénectère, 1841 (= *rusticus* group)
A. merula (Germar, 1824)
***A. ovularis* (Casey, 1914) R [alr]**
 Dane, Green, Iowa, Milwaukee,
 Ozaukee, Vernon
A. rusticus (Say, 1823)
subgenus *Anadapthus* Casey, 1914
 (= *discoideus* group)
A. discoideus Dejean, 1831
A. sanctaecrucis (Fabricius, 1798)
subgenus *Spongopus* LeConte, 1848
 (= *verticalis* group)
A. verticalis (LeConte, 1848)
subgenus *Pseudaplocentrus* Noonan, 1973 (laetus group, caenus group in part)
***A. laetus* Dejean, 1829 R [x]** Dane,
 Jackson
- Geopinus* LeConte, 1848
G. incrassatus (Dejean, 1829)
- Amphasia* Newman, 1838
subgenus *Pseudamphasia* Casey, 1914
 (= *sericea* group)
A. sericea (T.W. Harris, 1828)
subgenus *Amphasia s. str.*
 (= *interstitialis* group)
A. interstitialis (Say, 1823)
- Stenolophus* Dejean, 1821
subgenus *Stenolophus s. str.*
 (= *fuliginosus* group)
- S. carbo* Bousquet, 1993 R [al]**
 Milwaukee, Ozaukee
- S. dissimilis* Dejean, 1829 R [a]**
 Ozaukee
- S. fuliginosus* Dejean, 1829 R
 Bayfield, Brown, Douglas, Milwaukee,
 Ozaukee, Winnebago
- S. ochropeplus* (Say, 1823)
subgenus *Agonoderus* Dejean, 1829
 (= *comma* group)
S. comma (Fabricius, 1775)
S. lecontei (Chaudoir, 1868)
S. lineola (Fabricius, 1775)
subgenus *Agonoleptus* Casey, 1914
 (= *conjunctions* group)
S. conjunctus (Say, 1823)
- S. rotundicollis* (Haldeman, 1843)**
 [alrx] La Fayette, Milwaukee,
 Monroe, Ozaukee, Sauk, Vernon,
 Washington
- Bradycellus* Erichson, 1837
subgenus *Catharellus* Casey, 1914
 (= *lecontei* group)
B. lecontei Csiki, 1932
subgenus *Stenocellus* Casey, 1914
 (= *rupestris* group)
B. congener (LeConte, 1848)
B. neglectus (LeConte, 1848) R
B. nigriceps LeConte, 1868
B. rupestris (Say, 1823)
subgenus *Lipalocellus* Ball & Bousquet, 2001 (= *nigrinus* group)
B. nigrinus (Dejean, 1829) R Douglas,
 Marquette, Oneida
B. semipubesens Lindroth, 1968 R
 [an] Bayfield, Forest, Iron
- subgenus *Triliarthrus* Casey, 1914
 (= *badiopennis* group)
B. atrimedeus (Say, 1823) R Green,
 Ozaukee
B. badiopennis (Haldeman, 1843) R
 Green, La Crosse, Marathon, Sauk,
 Waukesha
B. kirbyi (G.H. Horn, 1883) R
 Milwaukee, Racine, Sauk
B. lugubris (LeConte, 1848) R Ashland,
 Bayfield, Burnett, Dane, Jackson,
 Vilas, Waupaca
- Amerinus* Casey, 1884
A. linearis (LeConte, 1863) R
 "Wisconsin" (LeConte, 1863: p17)
- Dicheirotrichus* Jacquelini du Val, 1857**
subgenus *Trichocellus* Ganglbauer, 1892 (= *cognatus* group)
***D. cognatus** (Gyllenhal, 1827) R [x]** Winnebago
- Acupalpus* Latreille, 1829
subgenus *Philodes* LeConte, 1861
 (= *rectangulus* group)

- A. rectangulus* Chaudoir, 1868 R
 [x] Racine
subgenus *Acupalpus* s. str.
 (= meridianus group)
- A. canadensis* Casey, 1924 R [a]
 Iron
A. carus (LeConte, 1863) R Grant,
 Oneida, Ozaukee, Wood
- A. nanellus* Casey, 1914
- A. pumilus* Lindroth, 1968 [aflmrx]
 Dane, Dodge, Grant, Juneau,
 Kenosha, Marquette, Milwaukee,
 Ozaukee, Racine, Richland, Sauk,
 Washington, Waukesha
- subgenus *Tachistodes* Casey, 1914
 (= pauperculus group)
- A. indistinctus* Dejean, 1831
- A. partiarius* (Say, 1823)
- A. pauperculus* Dejean, 1829
- A. testaceus* Dejean, 1829 R Dane,
 Milwaukee, Ozaukee
- Euryderus* LeConte, 1846
E. grossus (Say, 1830)
- Ophonus* Dejean, 1821
subgenus *Metophonus* Bedel, 1897
O. puncticeps Stephens, 1828 [apr]
- Harpalus* Latreille, 1802
subgenus *Pseudoophonus* Motschulsky,
1844 (= rufipes group)
- H. actiosus* Casey, 1914 R [r] Dane
- H. compar* LeConte, 1848 [hybrid *H.*
erythropus x *compar* as suggested by
 Ball and Anderson (1962) is uncon-
 firmed in Wisconsin]
- H. erythropus* Dejean, 1829 [ablmrx]
 Dane, Dodge, Iowa, Milwaukee,
 Ozaukee, Wood
- H. faunus* Say, 1823
- H. longicollis* LeConte, 1848
- H. paratus* Casey, 1924 R Fond du Lac
- H. pensylvanicus* (DeGeer, 1774)
subgenus *Harpalus* s. str. (affinis group)
- H. affinis** (Schrank, 1781)
subgenus *Euharpalops* Casey, 1924
 (= fraternus group)
- H. fulvilabris* Mannerheim, 1853 R
 Oneida, Douglas
- H. indigens* Casey, 1924 R [lqrz]
 Adams, Burnett, Juneau, Marquette,
 Monroe, Portage, Wood
- H. laevipes** Zetterstedt, 1828 R
 Bayfield, Milwaukee, Portage
- H. laticeps* LeConte, 1850 R Bayfield,
 Oneida, Portage
- H. lewisi* LeConte, 1865 R Burnett,
 Door, Douglas, Jackson, Waushara,
 Wood
- H. providens* Casey, 1914
- H. reversus* Casey, 1924 R Milwaukee
subgenus *Harpalus* s. str. (nigritarsis
group)
- H. megacephalus* LeConte, 1848 R
 [r] Bayfield
- H. nigritarsis** C.R. Sahlberg, 1827
 [nominate morph in Wisconsin
 (Noonan, 1991)] R [hn] Forest
- subgenus *Pharalus* Casey, 1914
 (= indianus group)
- H. indianus* Csiki, 1932 R [mqrx]
 Burnett, Columbia, Crawford, Iowa,
 Monroe, Waupaca, Wood
- subgenus *Megapangus* Casey, 1914
 (= caliginosus group)
- H. caliginosus* (Fabricius, 1775)
- H. katiae* Battoni, 1985 R [apr] Sauk
- subgenus *Plectralidus* Casey, 1914
 (= eraticus group)
- H. eraticus* Say, 1823
- subgenus *Harpalus* s. str. (cautus
group)
- H. innocuus* LeConte, 1863 R [nw]
 Forest
- subgenus *Harpalus* s. str. (obnixus
group)
- H. plenalis* Casey, 1914 R [x]
 Adams, Kewaunee
- subgenus *Harpalus* s. str. (opacipennis
group)
- H. opacipennis* (Haldeman, 1843)
- subgenus *Harpalus* s. str. (herbivagus
group)
- H. herbivagus* Say, 1823
- H. solitarius** Dejean, 1829 R [nx]
 Forest
- H. somnulentus* Dejean, 1829 [two
 morphs (Noonan, 1991) in Wisconsin:
 common *H. pleuriticus* Kirby and
 rare darker *H. fallax* LeConte]
- subgenus *Harpalobius* Reitter, 1900
 (= fuscipalpis group)
- H. fuscipalpis** Sturm, 1818 R Dane,
 Milwaukee, Portage
- Hartonymus* Casey, 1914
H. hoodi Casey, 1914 R Dane, Iowa,
 Kenosha, Monroe, Sauk
- Selenophorus* Dejean, 1829
subgenus *Celiamorphus* Casey, 1914
 (= ellipticus group)
- S. ellipticus* Dejean, 1829 R Richland,
 Marquette, Monroe
- subgenus *Selenophorus* s. str.
 (= palliatus group)
- S. gagatinus* Dejean, 1829 R [pr]
 Juneau
- S. hylacis* (Say, 1823) R [l]
 Milwaukee

- S. opalinus* (LeConte, 1863)
- S. pedicularius* Dejean, 1829** R [x]
- Adams
 - S. planipennis* LeConte, 1848 R [lqx]
 - Dane, Monroe, Juneau, Sauk, Waupaca
- Discoderus* LeConte, 1853
- D. parallelus* (Haldeman, 1843) R La Fayette, Milwaukee, Ozaukee
- Trichotichnus* Morawitz, 1863
- subgenus *Iridessus* Bates, 1883
 - T. autumnalis* (Say, 1823)
 - subgenus *Trichotichnus s. str.*
 - (= *vulpeculus* group) - T. dichrous* (Dejean, 1829) R Dane, Green
 - T. vulpeculus* (Say, 1823)
- Cratacanthus* Dejean, 1829
- C. dubius* (Palisot de Beauvois, 1811) R Adams, Dane, Jefferson, Monroe
- Tribe PENTAGONICINI**
- Pentagonica* Schmidt-Goebel, 1846
- P. picticornis* Bates, 1883** [blrx]
- Columbia, Dane, La Crosse, Milwaukee, Walworth
- Tribe PLATYNININI**
- Calathus* Bonelli, 1810
- subgenus *Neocalathus* Ball & Nègre, 1972 (= *gregarius* group)
 - C. gregarius* (Say, 1823)
 - C. ingratuus* Dejean, 1828
 - C. opaculus* LeConte, 1854 R Columbia, Sauk
- Synuchus* Gyllenhal, 1810
- S. impunctatus* (Say, 1823)
- Olisthopus* Dejean, 1828
- O. micans* LeConte, 1848 R
 - O. parvatus* (Say, 1823)
- Sericoda* Kirby, 1837
- S. obsoleta* (Say, 1823) R Ashland, Bayfield, Dane, Dodge, Jackson, Juneau, Kenosha, Polk, Portage, Wood
 - S. quadripunctata*⁺ (DeGeer, 1774) R Bayfield, Dane, Dodge, Langlade, Milwaukee
- Atranus* LeConte, 1848
- A. pubescens* (Dejean, 1828)** R [x]
- Grant, Sauk
- Tetraleucus* Casey, 1920
- T. picticornis* (Newman, 1844) R Grant, Ozaukee
- Rhadine* LeConte, 1848
- R. caudata* (LeConte, 1863) R "Wisconsin"
- Oxypselaphus* Chaudoir, 1843
- O. pusillus* (LeConte, 1854)

- Agonum* Bonelli, 1810**
- [*Agonum* consists of four subgenera in a world revision by Liebherr and Schmidt (2004) of which their subgenus *Agonothorax* was subsequently replaced by subgenus *Olisares* in a correction by Liebherr et al. (2005).]
- subgenus *Platynomicrus* Casey, 1920
- A. nigriceps*⁺ LeConte, 1848 R Dodge, Washington
- subgenus *Europhilus* Chaudoir, 1859
- (= *sordens* group)
- A. anchomenoides* Randall, 1838
- A. canadense* Goulet, 1969
- A. gratiosum* (Mannerheim, 1853)
- A. lutulentum* (LeConte, 1854)
- A. palustre* Goulet, 1969
- A. picicornoides* Lindroth, 1966** R [I] Milwaukee
- A. retractum* LeConte, 1848
- A. sordens* Kirby, 1837 R Ozaukee, Washington, Winnebago, Wood
- A. superioris* Lindroth, 1966** R [a]
- Douglas
 - A. thoreyi*⁺ Dejean, 1828
- subgenus *Agonum s. str.*
- A. piecolum* (LeConte, 1879) R Ashland
- A. muelleri*⁺ (Herbst, 1784)
- A. placidum* (Say, 1823)
- subgenus *Olisares* Motschulsky, 1865
- (*cupripenne* group)
- A. affine* Kirby, 1837 R Bayfield, Douglas, Iron, Marquette, Milwaukee
- A. cupreum* Dejean, 1831
- A. cupripenne* (Say, 1823)
- A. excavatum* Dejean, 1828 R Dane, Dodge, Washington
- A. fidele* Casey, 1920** R [kpr] Eau Claire, Jackson, Sauk, Taylor
- A. harrisii* LeConte, 1848
- A. melanarium* Dejean, 1828
- A. metallescens* (LeConte, 1854) R Bayfield, Marathon [additional "Bayfield" (Casey 1920: p114)]
- A. moerens* Dejean, 1828 R Grant, Richland, Trempealeau
- A. octopunctatum* (Fabricius, 1798) R Adams, Dane, Fond du Lac
- A. propinquum* (Gemminger & Harold, 1868) R Dane, Douglas, Milwaukee, Shawano, Winnebago
- A. tenuie* (LeConte, 1854)
- A. trigeminum* Lindroth, 1954
- subgenus *Olisares* (collare group)
- A. collare* (Say, 1830) R

- A. mutatum* (Gemminger & Harold, 1868) R Buffalo, Jackson
subgenus *Olisares* (*nutans* group)
- A. aeruginosum* Dejean, 1828
- A. basale* LeConte, 1848 R
- A. nutans* (Say, 1823) R Brown, Dane, Iowa, Milwaukee, Ozaukee, Wood
- A. striatopunctatum* Dejean, 1828 R
subgenus *Olisares* (*punctiforme* group)
- A. crenistratum* (LeConte, 1863) R Dane, Dodge, Grant, Iowa, Juneau, Manitowoc, Milwaukee, Wood
- A. punctiforme* (Say, 1823) R
- A. rufipes* Dejean, 1828 R [amr]** Dane, Milwaukee
subgenus *Olisares* (*errans* group)
- A. errans* (Say, 1823) R Ashland, Dane, Milwaukee, Monroe, Oneida, Vernon
- A. ferreum* Haldeman, 1843 R ["Wisconsin" (Downie and Arnett 1996: p201) but reliability is uncertain]
- subgenus *Olisares* (*extensicolle* group)
- A. decorum* (Say, 1823)
- A. extensicolle* (Say, 1823)
- Platynus* Bonelli, 1810**
subgenus *Platynus* s. str. (= *decentis* group)
- P. decentis* (Say, 1823)
- P. opaculus* LeConte, 1863 R "Wisconsin"
- P. tenuicollis* (LeConte, 1848)
subgenus *Batenus* Motschulsky, 1865
[elevated to genus by Morvan (2000)
(= *hypolithos* group)]
- P. cincticollis* (Say, 1823) [ablmor]**
Dane, Manitowoc, Milwaukee, Ozaukee, Walworth, Waukesha
- P. mannerheimii*⁺ (Dejean, 1828) R Bayfield, Jackson
- Tribe PERIGONINI**
- Perigona* Laporte, 1835**
subgenus *Trechicus* LeConte, 1853
- P. nigriceps*^{*} (Dejean, 1831) R [a]**
Ozaukee
- Tribe ODACANTHINI**
- Colliuris* DeGeer, 1774
subgenus *Cosnania* Dejean, 1821
(= *pensylvanica* group)
- C. pensylvanica* (Linnaeus, 1767)
- Tribe CTENODACTYLINI**
- Leptotrichelus* Latreille, 1829**
- L. dorsalis* (Fabricius, 1801) [abglor]**
Dane, Grant, Iowa, La Crosse, Milwaukee, Ozaukee, Sauk
- Tribe CYCLOSOMINI
- Tetragonoderus* Dejean, 1829**
subgenus *Tetragonoderus* s. str.
(= *intersectus* group)
- T. fasciatus* (Haldeman, 1843)
- Tribe LEBIINI
- Cymindis* Latreille, 1806**
subgenus *Cymindis* s. str. (= *pilosa* group)
- C. americana* Dejean, 1826
- C. borealis* LeConte, 1863 R "Wisconsin"
- C. cribricollis* Dejean, 1831 R Adams, Bayfield, Dodge, Portage, Wood
- C. neglecta* Haldeman, 1843 R Adams, Columbia, Monroe, Portage, Waukesha
- C. pilosa* Say, 1823 R Adams, Jefferson, Portage, Sauk, Wood
- C. planipennis* LeConte, 1863 R [qr]**
Monroe
subgenus *Pinacodera* Schaum, 1857
(= *platicollis* group)
- C. limbata* Dejean, 1831
- C. platicollis* (Say, 1823)
- Dromius* Bonelli, 1810**
subgenus *Dromius* s. str. (= *piceus* group)
- D. piceus* Dejean, 1831
- Axinopalpus* LeConte, 1849**
- A. biplagiatus* (Dejean, 1825) [alrx]**
Adams, Bayfield, Grant, Iron, Portage, Sauk, Sheboygan, Washington
- Apristus* Chaudoir, 1846**
- A. subsulcatus* (Dejean, 1826) R Dane
- Microlestes* Schmidt-Goebel, 1846**
- M. linearis* (LeConte, 1851)
- M. pusio* (LeConte, 1863) R [a]**
Ozaukee
- Syntomus* Hope, 1838**
- S. americanus* (Dejean, 1831)
- Lebia* Latreille, 1802**
subgenus *Loxopeza* Chaudoir, 1871
(= *grandis* group)
- L. atriventris* Say, 1823
- L. grandis* Hentz, 1830
- L. tricolor* Say, 1823
subgenus *Lamprias* Bonelli, 1810
(= *divisa* group)
- L. divisa* LeConte, 1850 R [r] Iowa**
subgenus *Lebia* s. str. (= *vittata* group)
- L. abdominalis* Chaudoir, 1843 R
- L. analis* Dejean, 1825
- L. bivittata* (Fabricius, 1798) R "Wisconsin" (Madge 1967: p197)
- L. fuscata* Dejean, 1825
- L. lobulata* LeConte, 1863 R Dane
- L. moesta* LeConte, 1850 R [lx]**
Dane, Washington

- L. ornata* Say, 1823
L. pleuritica LeConte, 1848 R Grant,
 Vernon
L. pulchella Dejean, 1826 R Dane
L. pumila Dejean, 1831
L. solea Hentz, 1830
***L. viridipennis* Dejean, 1826 R**
 [bgrx] Dane, Dodge, La Crosse,
 Richland, Sauk, Vernon
L. viridis Say, 1823
L. vittata (Fabricius, 1777) R Bayfield,
 Burnett, Dane, Jackson, La Crosse,
 Milwaukee, Sauk
- Plochionus* Dejean, 1825**
subgenus *Menidioides* Chaudoir, 1872
 (= amandus group)
***P. timidus* Haldeman, 1843 R [ab]**
 Dane, Washington
- Calleida* Latreille & Dejean, 1824
subgenus *Calleida* s. str. (= decora
group)
C. punctata LeConte, 1848
C. purpurea (Say, 1823) R Bayfield,
 Burnett, Douglas, Juneau, Monroe
- Tribe GALERITINI
Galerita Fabricius, 1801
subgenus *Progaleritina* Jeannel, 1949
 (= bicolor group)
G. bicolor (Drury, 1773) R Grant, Sauk
G. janus (Fabricius, 1792)
- Tribe HELLUONONI
Helluomorphoides Ball, 1951
H. praestus bicolor (T.W. Harris, 1828)
 R [qr] Jackson, Monroe, Richland,
 Waushara, Wood

Collection data for 87 new Wisconsin state records of ground beetles.

The collection label data from specimens representing new state of Wisconsin records are presented in full. After each species name the label data are grouped by county names (or "Wisconsin") shown in bold print, followed by locality, geographic positioning coordinates, collection date, bionomics, and collector. Numbers and abbreviations in parentheses indicate the number of specimens collected and the corresponding repositories. Repositories are: BBC, Byron L. Buchli private collection; DDC, Dan L. Dettwiler private collection; DHC, Drew A. Hildebrandt private collection; FMNH, Field Museum of Natural History; HGC, Herbert J. Grimek private collection; JDC, John J. Dorshorst private collection (possibly later assimilated into WIRC); MPM, Milwaukee Public Museum; PMC, Peter W. Messer private collection; UWO, University of Wisconsin – Oshkosh; WIRC, University of Wisconsin – Madison (mainly the Insect Research Collection, otherwise in the Daniel K. Young Lab or the Claudio Gratton Lab). Frequently used conventions on data labels are: SNA, state natural area; SWA, state wildlife area; WA, wildlife area.

Brief comments address the published species localities nearest to Wisconsin, that is, usually one or more of the surrounding states: Illinois, Iowa, Michigan, and Minnesota. Eight species were previously known not to occur in any state bordering Wisconsin. They are *Acupalpus canadensis*, *Amara ovata*, *Bembidion reticulatum*, *Brachinus fulminatus*, *Dyschirius aratus*, *Pterostichus atratus*, *Pterostichus corrugatus*, and *Stenolophus dissimilis*.

Clinidium baldufi Bell, 1970

Grant: Cassville Bluffs SNA, 42° 42' 02"N, 90° 56' 22"W, 17-IX-2008, extracted from damp moist rotting log in hardwood forest, J.P. Gruber (1, PMC). Range includes Illinois and Iowa.

Notiophilus semistriatus Say, 1823

Crawford: The 'Hogback' Prairie, 43° 13' 03"N, 90° 52' 36"W, 1-X-2002, crawling on rock in prairie, sunny, J.P. Gruber (1, PMC). **Florence:** Spread Eagle Barrens SNA, 45° 49' 04"N, 88° 10' 22"W, 7-VII-2005, under bark of *Pinus* sp. log, J.P. Gruber (1, PMC). **Green:** Olivier Prairie, T3N-R8E-S36, 17-IX-1986, native prairie pitfall, (1, WDNR). Range includes all surrounding states.

***Cicindela hirticollis rhodensis* Calder, 1916**

Populations apparently fitting this subspecies occur in the northern half of Wisconsin along sandy beaches of the Great Lakes. They are likely an intergrade continuum of *C. h. hirticollis* x *C. h. rhodensis* (Mathew L. Brust, pers. com. 2005).

Ashland: Madeline Island, 46° 50' 20"N, 90° 36' 02"W, 25-V-2009, under drift log on sunny sand beach, P. Messer (1, PMC). **Door:** Newport State Park, 45.238°N, 86.985°W, 5-VI-2005, flying on open sandy beach of Lake Michigan, P. Messer (11, PMC). **Manitowoc:** Two Rivers, Point Beach State Forest, 44.224°N, 87.508°W, 4-VI-2005, flying on open sandy beach of Lake Michigan, P. Messer (4, PMC). **Ozaukee:** Mequon lakefront, 43.231°N, 87.917°W, 10-VI-2007, under log on sunny sand beach, P. Messer (1, PMC). **Sheboygan:** Kohler-Andrae State Park, 43° 40' 25"N, 87° 42' 42"W, 16-VII-2005, sweep net on beach, J.J. Dorhorst (1, JDC). Range includes Minnesota and likely more surrounding states.

Blethisa hudsonica Casey, 1924 This species is cited as new because of redescription by Goulet et al. (2009) which corrects all Wisconsin specimens labeled "*B. multipunctata aurata*" to *Blethisa hudsonica* (see discussion).

Adams: "Bula" farm, 43.8699°N, 89.7071°W, 5-VI-2006, pitfall in weedy/fallow pasture near potato field, H. Gaines (1, PMC). **Ozaukee:** Mequon lakefront, 43.231°N, 87.917°W, 25-V-2008, dead under log on sunny sand beach, P. Messer (1, PMC). **Washington:** 5.5 mi. NW Slinger, T11N-R18E-S27, 18-VI-1980, cattail marshy area near creek, D. Hildebrandt (1, DHC). Jackson Marsh, 2.1 mi E./0.9 mi N. Jackson, 4-VI-1976, Noonan/Borkin (1, MPM). **Waukesha:** 5.1 mi. N. Eagle, 16-V-1981, treading pond margin, Noonan/Murray/Stork (3, MPM, 1, DHC). Range includes Illinois and Michigan.

***Omophron grossum* Casey, 1909**

La Crosse: 14-IX-1973, H. Grimek (2, HGC). **Trempealeau:** 1, 11, 13-VII-1973, H. Grimek (several, HGC, 2, PMC). Range includes Iowa.

***Brachinus adustipennis* Erwin, 1969**

Grant: Wyalusing Recreation Area, 42.9483°N, 91.1439°W, 14-V-2005, daytime under stone of pebbly bank of Mississippi River, P. Messer (7, PMC). Range includes Illinois and Michigan.

***Brachinus fulminatus* Erwin, 1969**

Waukesha: Kettle Moraine State Forest, 2.5 mi W. Eagle, T5N-R17E-S20, 21-VII-1982, oak woods, D. Hildebrandt (1, DHC). Range includes Indiana eastwardly.

***Brachinus kavanaughi* Erwin, 1969**

Grant: Wyalusing Recreation Area, 42.9483°N, 91.1439°W, 14-V-2005, daytime under stone of pebbly bank of Mississippi River, P. Messer (2, PMC). Range includes Illinois.

***Brachinus patruelis* LeConte, 1844**

Grant: Woodman State Wildlife Area, 43.1033°N, 90.8004°W, 13-V-2005, daytime under log floodplain at woods edge, P. Messer (6, PMC). **Vilas:** 6 mi. E. of Eagle River, 45° 54' 09"N, 89° 23' 35"W, 24-V-2009, 8 AM under log in mossy floodplain of Wisconsin River, P. Messer (1, PMC). Range includes Illinois and Michigan.

***Dyschirius haemorrhoidalis* (Dejean, 1831)**

Dane: Marshall, 14-VI-1987, blacklight, B. Buchli, (1 BBC). **Jefferson:** Cambridge, 26-VI-2001, UV light, B. Buchli (1, BBC). **Ozaukee:** 43.210°N, 87.965°W, 9-VII-2000, 13-VII-2000, 8-VII-2001, 21-VII-2001, 31-VII-2001, 25-VI-2002, blacklight back yard suburban lawn and wooded, P. Messer (7, PMC). Range includes all surrounding states.

Dyschirius terminatus LeConte, 1848

Wood: Port Edwards, 11-VIII-1948, light trap, W.W. Barrett (1, WIRC). Range includes Iowa and Michigan.

Dyschirius aratus (LeConte, 1852)

Monroe: Ft. McCoy SNA, 43° 59' 13"N, 90° 40' 44"W, pitfall 19-IV to 2-V-2001, sandy prairie, J.P. Gruber (1, PMC). Range previously known west and south of Nebraska.

Dyschirius pumilus (Dejean, 1825)

Monroe: Ft. McCoy SNA, 43° 59' 13"N, 90° 40' 44"W, pitfall 19-IV to 2-V-2001, sandy prairie, J.P. Gruber (1, WIRC). Range includes Minnesota.

Dyschirius erythrocerus LeConte, 1857

Dane: Cottage Grove, 27-6-2001, blacklight trap, B. Buchli (1, BBC). Deerfield, 10-6-2005, blacklight trap, B. Buchli (1, BBC). Stoughton Park, 42° 55' 10"N, 89° 13' 11"W, 27-V-2007, muddy river bank, P. Messer (1, PMC). Deerfield, 7-VII-2007, blacklight trap, B. Buchli (1, PMC). **Dodge:** 5.8 mi E. Horicon, T11N-R17E-S06, 27-VI-1980, night on moist quarry ground sparse vegetation, D. Hildebrandt (1, DHC). **Ozaukee:** Mequon, 43° 12' 28"N, 87° 58' 06"W, 17-IX-2000, mud flat of river bank, P. Messer (2, PMC). Mequon, 43.210°N, 87.965°W, 13-VII-2000, 30-V-2002, 30-VI-2002, 1-VII-2002, 28-V-2006, blacklight on suburb lawn, P. Messer (6, PMC). **Vernon:** Viroqua, 8-VIII-1996, S.A. Steffan (1, WIRC). **Wood:** Griffith St. Nursery, 24-VII-1947, R.D. Shenefelt (1, WIRC). Range includes all surrounding states.

Dyschirius politus⁺ (Dejean, 1825)

Milwaukee: Doctors Park, 43.173°N, 87.881°W, 25-V-2003, under drift on sandy beach of Lake Michigan, P. Messer (1, PMC). **Monroe:** Ft. McCoy SNA, 1-VII-1996, at UV in oak savanna/sand prairie, J.A. Maxwell (1, PMC). Range includes Michigan.

Civina dentipes Dejean, 1825

Dane: Deerfield, 21-VII-1987 and 22-VI-1989, blacklight, B. Buchli (2, BBC). **Grant:** Wyalusing, T6N-R6E-S16/17, 31-VIII-1963, under stone, D.L. Dettwiler, (1, DDC). **Richland:** 1 mi. W. of Gotham, metadata 43.214°N, 90.300°W or T9N-R2E-S31, 1-VI-1984, light trap in oak/sand savanna, L.A. Ferge (1, WIRC, 1, PMC). Range includes Illinois, Iowa, and Michigan.

Civina ferrea LeConte, 1857

Vernon: Viroqua, 5-VII-1996, S.A. Steffan (1, WIRC). Range includes Illinois and Iowa.

Civina postica LeConte, 1848

Dane: 22-IX-1898, Wm. S. Marshall (1, WIRC). Range includes Illinois and Iowa.

Semiardistomis viridis (Say, 1823)

Grant: Wyalusing, T6N-R6W-S16/17, 31-VIII-1963, D.L. Dettwiler (23, DDC, 4, PMC). Range includes Illinois.

Blemus discus^{*} (Fabricius, 1792)

Adams: 43.9966°N, 89.602°W, 18-VII-2005 and 30-VIII-2005, pitfall potato field, B. Werling (2, WIRC). **Columbia:** 43° 18' 31.48"N, 89° 11' 32.84"W, 10-VIII-2005, pitfall cattle pasture, C. Gratton (1, WIRC). **Dane:** Deerfield, Goose Lake SWA, 21-7-1991, blacklight trap, B. Buchli (1, BBC). Deerfield, 7-VII-2007, blacklight trap, B. Buchli (1, PMC). **Forest:** Nicolet National Forest, 45° 51' 14"N, 88° 51' 54"W, 20-VII-2005, Hg vapor and blacklight hardwood cut-site,

J. J. Dorshorst (1, JDC). **Iowa:** Trout Creek SFA, 43° 4.900'N, 89° 58.501'W, 9-VIII-2006, UV light open field near forest, K. Johnson (1, WIRC). **Ozaukee:** 43.2105°N, 87.9649°W, 9-VII-2000, blacklight 9-11 PM suburban lawn, P. Messer (1, PMC). Mequon, 43.210°N, 87.965°W, 7-VII-2002, blacklight field, P. Messer (1, PMC). **Poratge:** 44.5393°N, 89.4515°W, 30-8-2005, pitfall potato field farmland, B. Werling (1, PMC). Range includes Michigan.

Trechus crassiscapus Lindroth, 1955

Douglas: 16-VIII-1964, dry bog, mixed mosses, W. Suter (1, PMC). **Price:** Riley Lake Bog, 45° 49.101'N, 90° 9.881'W, 24-IX-2005, Berlese, acid bog hummock, K.E. Johnson (1, PMC). Range includes Minnesota.

Bembidion cheyennense Casey, 1918 This species name replaces *Bembidion bifossulatum* (LeConte, 1852) for Wisconsin specimens (see discussion).

Dane: Madison, ?-IX-1899, (1, WIRC). **Douglas:** near Brule River mouth, 23-VII-1979, G. Drecktrah (1, PMC). **Grant:** T2N-R3W-S14-NW, 18-VI-1968, light trap at night, D.L. Dettwiler (2, DDC). **Milwaukee:** Milwaukee, 1959, D.L. Dettwiler (1, DDC). **Sauk:** Spring Green Preserve, 43° 11' 52"N, 90° 03' 33"W, 8-VIII-2005, Hg vapor and blacklight in sand prairie, J.J. Dorshorst (1, PMC). **Wisconsin:** before 1897, F. Rauterberg (7, MPM). Range includes Iowa, Michigan, and Minnesota.

Bembidion simplex Hayward, 1897

Milwaukee: Doctors Park, 43° 10' 18"N, 87° 52' 52"W, 28-V-2000, under shore debris of Lake Michigan, P. Messer (1, PMC). Range includes Michigan.

Bembidion nigrum Say, 1823

Sauk: Honey Creek SNA, 43° 21' 17"N, 89° 58' 57"W, 13-VII-2007, from rock above creek in forest, early morning, J.P. Gruber (1, PMC). **Wisconsin:** before Oct 1897, F. Rauterberg (1, MPM). Range includes all surrounding states.

Bembidion recticolle LeConte, 1848

Milwaukee: before 1897, F. Rauterberg (1, MPM). Data is possibly mislabeled based on old record and extreme range extension to the east. Range includes Wyoming westwardly and southwardly.

Bembidion grapii + Gyllenhal, 1827

Bayfield: 26-VI-1897, Wm. S. Marshall (1, WIRC). Another Wisconsin specimen labeled "Bayfield" observed at Museum of Comparative Zoology by Yves Bousquet in pers. com. 2008. Range includes Michigan and Minnesota.

Bembidion incrematum LeConte, 1860

Bayfield: 26-VI-1897, Wm. S. Marshall (1, WIRC). Range includes Michigan.

Bembidion coloradense Hayward, 1897

Wood: Griffith St. Nursery, 14-VII-1947, R.D. Shenefelt (1, MPM). Range includes Minnesota.

Bembidion intermedium (Kirby, 1837)

Dodge: Beaver Dam, 4-IX-1910, W.E. Snyder (1, MPM). **Fond du Lac:** Auburn, T13N-R19E-S15, 19-VIII-1963, water edge at night, D.L. Dettwiler (1, DDC). **Milwaukee:** River Hills, T8N-R21E-S12, 16-VI-1980, active at night on muddy riverbank, D. Hildebrandt (1, DHC). **Washington:** 3.0 mi E./0.8 mi. N. Jackson Marsh, T10N-R20E-S15, 11-VII-1980, moist area with dense vegetation active on ground at night, D. Hildebrandt (1, PMC). Range includes Michigan and Minnesota.

***Bembidion nigripes* * (Kirby, 1837)**

Florence: T39N-R16E-S21, 27-VI-1958, light trap, J. Kapler (1, WIRC). Range includes Michigan and Minnesota.

***Bembidion praticola* Lindroth, 1963** (See *Bembidion nigrivestis* for clarification of state records).

Green: 42° 45' 15"N, 89° 45' 15"W, 20-VII-2006, pitfall in disturbed grassland/pasture, C. Gratton (1, PMC). **Racine:** Waterford, Fox River, T4N-R19E-S35, 22-IV-1962, riverbank, D.L. Dettwiler (1, DDC). Range includes Illinois and Minnesota.

***Bembidion nigrivestis* Bousquet, 2006**

Juneau: Necedah National Wildlife Refuge, 11-VI-1996, pitfall, K. Pope (2, WIRC). These two specimens were reported as "*Bembidion praticola*" in Purrington et al. (2000) prior to knowledge of new species description by Bousquet (2006). **Washington:** Pike Lake, NE corner, 4-VI-1976, marsh, G. Noonan (1, MPM). Range includes Minnesota.

***Bembidion fortestriatum* (Motschulsky, 1845)**

Ashland: end of Lake rd, Lake Superior, 46° 36' 10"N, 90° 35' 32"W, 24-V-2009, under drift log sunny sandy beach, P. Messer (1, PMC). Range includes Illinois, Michigan, and Minnesota.

***Bembidion pseudocautum* Lindroth, 1963**

Jackson: Red Clover, 3-V-1948, J.T. Medler (1, WIRC). **Wood:** Port Edwards, 17-VIII-1948, 26-VIII-1948, 28-VIII-1948, 2-IX-1948, 7-IX-1948, 15-VIII-1949, light trap, W.W. Barrett (13, WIRC). Range includes Illinois, Michigan, and Minnesota.

***Elaphropus xanthopus* (Dejean, 1831)**

Sheboygan: Lake Michigan, 43.657°N, 87.723°W, 26-VIII-2001, under drift on sandy beach, P. Messer (1, PMC). Range includes Illinois and Michigan.

***Porotachys bisulcatus* * (Nicolai, 1822)**

Dane: Cambridge, 6-VII-1988, blacklight, B. Buchli (1, BBC). Deerfield, 10-VI-2000, blacklight, B. Buchli (1, PMC). **Ozaukee:** Mequon, 43.210°N, 87.965°W, 23-VI-2003, UV in suburban field, P. Messer (1, PMC). Range includes Minnesota.

***Polyderis laevis* (Say, 1823)**

Crawford: Hogback Prairie SNA, 43° 13' 03"N, 90° 52' 36"W, 23-IV-2003, in/near *Aphaenogaster* sp. nest under rock on bluff prairie, 12:30 PM, 60-63° F, clear, J.P. Gruber (1, PMC). Hogback Prairie SNA, 43° 13' 03"N, 90° 52' 36"W, 13-VI-2003, in/near *Aphaenogaster* sp. nest under rock on bluff prairie, 2:40 PM, 79° F, scattered clouds, J.P. Gruber (1, PMC). **Iowa:** Talciesin Goat Prairie, 43° 07' 58"N, 90° 03' 33"W, 21-5-2005, underside of rock on bluff prairie, 12:55 PM, 67° F, mostly cloudy, J.P. Gruber (1, PMC). **Sauk:** Spring Green Preserve, 43° 11' 58"N, 90° 03' 32"W, 28-V-2005, leaf litter dry mesic southern forest, J.P. Gruber (1, WIRC). Range includes Iowa and Michigan.

***Paratachys proximus* (Say, 1823)**

Dane: Cottage Grove, 27-VI-2001, blacklight trap, B. Buchli (1, PMC). Deerfield, 19-VII-1987, 16-VII-2002, 10-VI-2005, 7-VII-2007, blacklight trap, B. Buchli (3, BBC, 1, PMC). **Grant:** Mississippi River, Closing Dam Road, 42.762°N, 91.059°W, 7-VI-2003, daytime under log river bank, P. Messer (1, PMC). **Milwaukee:** Milwaukee, T6N-R22E-S29, 16-VI-1962, under rock, D.L. Dettwiler (1, DDC). Greenfield, T6N-R21E-S35, 24-V-1963, under debris lake-shore, D.L. Dettwiler (1, DDC). Milwaukee, 5-VI-1963, at light, D.L. Dettwiler

(1, DDC). Lake Michigan, 43.173°N, 87.881°W, 19-V-2001, under drift beach sand, P. Messer (1, PMC). **Ozaukee:** Mequon, 43.210°N, 87.965°W, 7-V-2000, 25-VI-2000, 9-VII-2000, 13-VII-2000, 26-VII-2000, 28-VI-2001, 28-V-2002, 30-VI-2002, 7-VII-2002, 15-VII-2002, 1-IX-2002, 23-VI-2003, 3-VII-2003, 8-VI-2004, blacklight backyard lawn or wooded, P. Messer (21, PMC). Lake Michigan, 43.231°N, 87.917°W, 8-V-2002, under drift beach sand, P. Messer (1, PMC). Range includes Illinois.

Paratachys pumilus (Dejean, 1831)

Green: 42° 45' 15"N, 89° 45' 15"W, 22-VI-2006, pitfall in disturbed grassland/pasture, C. Gratton (2, PMC). Range includes Iowa.

Paratachys scitulus (LeConte, 1848)

Ozaukee: 43.2106°N, 87.9649°W, 13-VII-2000, blacklight on suburban lawn, P. Messer (1 PMC). Range includes all surrounding states.

Loxandrus velociipes Casey, 1918

Crawford: four sites 1 mi to 2 mi E. to N.E. of Boscobel, 43.1643°N, 90.7054°W / 43.1709°N, 90.6969°W / 43.1772°N, 90.6872°W / 43.1830°N, 90.6767°W , 12-V-2005, daytime under stone at bluff base, P. Messer (14, PMC). **Grant:** Wyalusing, T6N-R6W-S16, 31-VIII-1963, near water, under rock, D.L. Dettwiler (2, DDC). Wyalusing, T6N-R6W-S5, 11-IV-1966, under rock, D.L. Dettwiler (1, DDC). Wyalusing Recreation Area, Mississippi River, 42.946°N, 91.142°W, 7-VI-2003, under cover in wooded floodplain, P. Messer (1, PMC). Wyalusing State Park, Wisconsin River, 42.995°N, 91.111W°, 13-V-2005, daytime under log, P. Messer (1, PMC). Wyalusing Recreation Area, 42.9483°N, 91.1435°W, 14-V-2005, daytime under stone river floodplain, P. Messer (2, PMC). **Richland:** 1 mi. W. of Gotham, metadata 43.214°N, 90.300°W or T9N-R2E-S31, 1-VI-1984, light trap in sandy oak savanna, L.A. Ferge (several, WIRC, 2, PMC). Range includes Illinois and Minnesota.

Gastrellarius honestus (Say, 1823)

Washington: 4 mi. W. West Bend, 8-V-1977, M. Voss (1, PMC). Range includes Illinois, Michigan, and Minnesota.

Pterostichus corrusculus Le Conte, 1873

Price: Riley Lake, 45° 49.092'N, 90° 09.819'W, 24-IX-2005, shrub bog/poor fen hummock, Berlese, K. Johnson (1, PMC). Range includes Ontario eastwardly.

Pterostichus trinarius (Casey, 1918)

Grant: Wyalusing, T6N-R6W-S16/17, 31-VIII-1963, under rock, D.L. Dettwiler (1, DDC). Range includes Illinois.

Pterostichus luctuosus (Dejean, 1828)

Ashland: end of lake Rd, Lake Superior, 46° 36' 10"N, 90° 35' 32"W, sunny sandy beach under drift log, 24-V-2009, P. Messer (2, PMC). **Bayfield:** Little Sand Bay, Lake Superior, 46° 56' 47"N, 90° 53' 22"W, sunny sandy beach under drift log, 25-V-2009, P. Messer (1, PMC). **Columbia:** Mud Lake WA, T11N-R10E-S14/15, 21-VI-1985, pitfall grassy field, R. Gatti (1, WIRC). Mud Lake WA, 18-III-1995, under rotting log, (Kerry Katovich private collection). **Dane:** Madison, 18-IV-1935, under carrion, H.R. Dodge (2, WIRC). Deerfield, 12-IV-1987, rotting log, B. Buchli (2, WIRC). **Dodge:** Chester, T13N-R15E-S01, 1-IV-1966 under rock, D.L. Dettwiler (1, DDC). **Douglas:** Moccasin Mike Rd Beach, Lake Superior, 46° 41' 13"N, 91° 58' 32"W, sunny sandy beach under drift log, 26-V-2009, P. Messer (1, PMC). **Grant:** Wyalusing, T6N-R6W-S16, 31-VIII-1963, under rock, D.L. Dettwiler (1, DDC). Wyalusing, T6N-R6W-S16, 16-VI-1968, sandy beach at night, D.L. Dettwiler (1, DDC). **Milwaukee:** Doctors Park, 43.17°N, 87.88°W, 23-VII-2003, daytime under stone/log mesic ravine, P. Messer (1, PMC). Greenfield, T6N-R21E-S35,

24-V-1963, under debris lake shore, D.L. Dettwiler (1, DDC). Oak Creek, T5N-R22E-S4, 24-V-1963, under debris, D.L. Dettwiler (1, DDC). Oak Creek, T5N-R22E-S4, 12-VII-1961, in dry creek bed, D.L. Dettwiler (1, DDC). Oak Creek, 3-V-1962, under board grassy area next to woods, D.L. Dettwiler (1, DDC). Oak Creek, T7N-R22E-S09, 3-V-1963, under debris, D.L. Dettwiler (1, DDC). Oak Creek, T5N-R22E-S4, 1-V-1966, under rock, D.L. Dettwiler (1, DDC). **Oneida:** Lake George, T36N-R9E-S14, 23-VIII-1960, D.L. Dettwiler (1, DDC). **Ozaukee:** Milwaukee River, 43.204°N, 87.974°W, 27-V-2002, daytime under debris bank, P. Messer (1, PMC). Mequon, 43.231°N, 87.917°W, 8-V-2002, 14-VI-2003, 28-VI-2003, 9-VII-2003, 20-IV-2008, daytime under drift on beach sand, P. Messer (6, PMC). Virmond Park, 43.211°N, 87.899°W, 23-VII-2005, daytime under drift on beach sand, P. Messer (1, PMC). Cedarburg Bog, 43.404°N, 88.001°W, 13-VI-2005, 31-V-2005, 27-VI-2005, 11-VII-2005, 25-VII-2005, 23-VIII-2005, open or closed peatland pitfall, S. Spoo/WDNR (15, WIRC, 1, PMC). Mequon, 43.238°N, 87.937°W, 21-VIII-2005, under log in mesic forest nature preserve, P. Messer (2, PMC). T11N-R21E-S7, 5-X-2004, under rocks in woods, D.L. Dettwiler (1, DDC). T11N-R21E-S7, 12-X-2004, under log dry bed vernal pond, D.L. Dettwiler (1, DDC). Riveredge, 5-V-2004 and 12-X-2004, under rock in woods, D.L. Dettwiler (2, DDC). **Sauk:** Leopold Reserve Chapman Lake, [metadata T13N-R7E-S34 known to author], 8-VII-1987, L.F. Goodman (1, WIRC). **Washington:** Addison, T11N-R18E-S25, 16-VIII-1963, D.L. Dettwiler (1, DDC). **Waukesha:** Scuppernong Prairie, 1.5 mi. NW Eagle, marsh, G. Noonan (2, MPM). Big Bend, banks of Fox River, 2-IX-1976, Noonan (1, MPM). **Winnebago:** Oshkosh, 4-V-1988, 22-IV-1990, 7-IV-1968, (3, UW). Range includes all surrounding states.

Pterostichus atratus (Newman, 1838)

Dane: Only county given by Sadek, L.S. (1982): p 34 without corresponding repository. No Wisconsin specimen observed by me. Range includes Indiana southwardly and eastwardly.

Amara pennsylvanica Hayward, 1908

Dodge: Beaver Dam, 1940 (MPM). **Fond du Lac:** Auburn Lake, T13N-R19E-S15, 5-V-1963, under basal leaves of *Verbascum thapsus*, D.L. Dettwiler (1, DDC). **Milwaukee:** Milwaukee, 7-IX-1960, at lights, D.L. Dettwiler (1, DDC). Milwaukee, T6N-R22E-S29, 1-IX-1961, D.L. Dettwiler (1, DDC). **Waukesha:** 4.1 mi. E. Dousman, 2-VI-1976, in old gravel pit, (1, MPM). **Wisconsin:** no date (1, WIRC). Range includes all surrounding states.

*Amara apricaria** (Paykull, 1790)

Adams: 43.9079°N, 89.6962°W, pitfall 11-25-VI-2007, H. Gaines (1, PMC). **Bayfield:** Clover, T50N-R7W-S4, 5-IX-1966, among debris sandy beach, D.L. Dettwiler (1, DDC). **Brown:** Green Bay, 10-IX-2000, sidewalk, (UW-Green Bay). East River Trail, 44° 28.016°N, 88° 0.662°W, 1-I-2006, 12 AM at park lights, K. Johnson (1, WIRC). East River Trail, 44° 28.016°N, 88° 0.662°W, 10-V-2006, park building lights, K. Johnson (1, WIRC). **Dane:** Deerfield, 7-VII-1986, blacklight, B. Buchli (1, BBC). Missouri Rd, 18-VII-1986, blacklight, B. Buchli (1, PMC). Cottage Grove, 28-VI-2005, blacklight, B. Buchli (1, BBC). **La Fayette:** Darlington, under log in deciduous woods, J. Steffens (1, Jim Steffens collection). **Manitowoc:** Two rivers, T20N-R25E-S9, 14-VII-1963, D.L. Dettwiler (1, DDC). **Milwaukee:** Milwaukee, 1959, D.L. Dettwiler (7, DDC). Milwaukee, 18-III-1964, in house basement, D.L. Dettwiler (1, DDC). Milwaukee, T6N-R22E-S29, 1-IX-1961, D.L. Dettwiler (1, DDC). Milwaukee, 6-VII-1961, 9-VIII-1961, 23-VIII-1962, 1-VI-1963, at light, D.L. Dettwiler (4, DDC). Shorewood, 43.091°N, 87.873°W, 14-VIII-2002, lake beach debris, P. Messer (1, PMC). Glendale, T7N-R22E-S5, 21-VII-1964, D.L. Dettwiler (1, DDC). Doctors Park, 43.173°N, 87.881°W, 13-VII-2003, daytime, under drift sandy beach, P. Messer (1, PMC). **Ozaukee:** Mequon, 43.210°N,

87.965°W, 15-VII-2002, blacklight yard field, P. Messer (1, PMC). **Portage:** 44.388°N, 89.6946°W, 22-VII-2005, pitfall potato field, B. Werling (1, WIRC). **Washington:** West Bend, T11N-R19E-S34, 19-VII-1963, under basal leaves of *Verbascum thapsus*, D.L. Dettwiler (1, DDC). **Waukesha:** Delafield, T7N-R18E-S06, 4-VII-1968, 13-VII-1968, D.L. Dettwiler (2, DDC). **Winnebago:** Oshkosh, 13-VII-1929, at light, R.N. Buckstaff (1, MPM). Oshkosh, 21-III-1990, (1, UWO). **Wood:** Griffith St. Nursery, 24 and 25-VII-1947, 6-VIII-1949, R.D. Shenefelt (3, WIRC). Range includes all surrounding states.

Amara laevipennis Kirby, 1837

Sheboygan: Kohler Park Dunes SNA, 43° 39' 53"N, 87° 43' 11"W, pitfall 14-26-IV-2001, lakeshore dunes, J.P. Gruber (1, WIRC). Range includes Michigan and Minnesota.

*Amara ovata** (Fabricius, 1792)

Columbia: Mud Lake SWA, T11N-R10E-S14/15, 28-VI-1985, pitfall grassy field, R. Gatti (1, PMC). **Dane:** Madison, 5-V-1959, (WIRC). Deerfield, Goose Lake, 2-V-2006, under wood, B. Buchli (1, PMC). **Milwaukee:** 43.129°N, 87.970°W, 28-V-2001, swept meadow weeds daytime, P. Messer (1, PMC). Kletzsch Park, 43.139°N, 87.924°W, 9-VI-2001, swept weeds, P. Messer (1, PMC). Jackson Park, 42.997°, 87.962°W, 4-IV-2005, under log dry mesic woods, P. Messer (1, PMC). Range includes Ontario eastwardly.

Amara sinuosa (Casey, 1918)

Milwaukee: best estimate before 1930, Klages (1, Carnegie Museum of Natural History, det F. Hieke). **Wisconsin:** no date, Wm. S. Marshall (1, WIRC). Range includes Illinois, Michigan, and Minnesota.

Panagaeus fasciatus Say, 1823

Dane: Madison, ?-V-1939 (1, WIRC). Deerfield, 25-IX-1986, at lights 10 PM, B. Buchli (1, BBC). Madison, 10-IX-2000, Katovich (1, PMC). **Wisconsin:** before 1897, F. Rauterberg (1, MPM). Range includes all surrounding states.

Chlaenius solitarius Say, 1823

Grant: Wyalusing, T2N-R3W-S14, 16-VI-1968, under logs/rocks sandy beach, D.L. Dettwiler (30, DDC). Cassville, Mississippi River, 42.709°N, 90.986°W, 6-VI-2003, daytime under stone boat landing, P. Messer (1, PMC). 3 mi. W. Woodman, 43.0763°N, 90.8440°W, 13-V-2005, daytime under log sandy river beach, P. Messer (1, PMC). Wyalusing State Park, 42.995°N, 91.111°W, 13-V-2005, daytime under log river trail, P. Messer (1, PMC). **La Crosse:** 22-IX-1973, under bark near river, H. Grimek (1, HGC). **Richland:** Lone Rock, 43° 11' 24"N, 90° 14' 24"W, 18-IX-2005, exposed riverbank, K. Johnson (1, WIRC). **Trempealeau:** 4-VIII-1973, H. Grimek (1, HGC). Range includes all surrounding states.

Chlaenius purpuricollis *purpuricollis* Randall, 1838

Ozaukee: Mequon, 43° 12' 37"N, 87° 57' 54"W, 6-IV-2000, pitfall in backyard weed field, P. Messer (1, PMC). Mequon, 43.2106°N, 87.9649°W, 11-VII-2000, backyard pitfall, P. Messer (1, PMC). Mequon, 43.2106°N, 87.9649°W, 7-VIII-2000, pit trap wooded backyard, P. Messer (1, PMC). Range includes Iowa, Illinois, Minnesota.

Diplocheila undulata Carr, 1920

Dane: 17-V-1958, Fellenz (1, WIRC). **Kenosha:** Chiwaukee Prairie, 4-V-1968, mixed mosses marsh, W. Suter (1, FMNH). Carol Beach / Chiwaukee Prairie, 17-V-1972, under boards on sod, W. Suter (1, FMNH). **Waukesha:** Scuppernong Prairie 1.5 mi. NW Eagle, 2-VI-1976, marsh, G.R. Noonan (1, MPM). Range includes Illinois.

***Badister obtusus* LeConte, 1878**

Adams: 44.04007°N, 89.58653°W, 8-VII-2005, pitfall potato field, B. Werling (1, PMC). 44.04007°N, 89.58653°W, 5-VIII-2005, pitfall potato field, B. Werling (1, WIRC). **Columbia:** Grassy Lake WA, T11N-R11E-S15, 13-VI-1985, 21-VI-1985, pitfall grassy field, R. Gatti (1, WIRC, 1, PMC). **Walworth:** Kettle Moraine Oak Opening SWA, 42° 50' 19"N, 88° 36' 29"W, Lindgren funnel trap with ipsdienol 19-IV to 10-IV-2005, *Pinus resinosa* plantation, J.J. Dorshorst (1, PMC). Range includes Michigan and Minnesota.

***Badister ocularis* Casey, 1920**

Richland: 1 mi. W. of Gotham, T9N-R2E-S31, 1-VI-1984, sandy oak savanna-prairie, L.A. Ferge (1, WIRC). **Shawano:** Navarino WA, T25N-R16E-S9, 30-VI-1999, oak woods blacklight, K. Kirk (1, WIRC). Range includes Illinois, Michigan, Minnesota.

***Badister reflexus* LeConte, 1880**

Dane: Deerfield, 7-VII-2007, blacklight trap, B. Buchli (1, PMC). Range includes Illinois and Michigan.

***Anisodactylus ovularis* (Casey, 1914)**

Dane: Madison, "9-8-1915" (1, WIRC), 1 mi E. Deerfield, 1-VI-2008, in quarry, B. Buchli (1, PMC). **Green:** 42° 45' 15"N, 89° 45' 15"W, 22-VI-2006, pitfall disturbed grassland/pasture, C. Gratton (1, WIRC). **Iowa:** Ridgeway, 26-IV-2003, 17-VII-2004, in soil under grass, J. Steffens (2, Jim Steffens collection). **Milwaukee:** Milwaukee, 1959, D.L. Dettwiler (1, DDC). Lake Michigan, 43.173°N, 87.881°W, 19-V-2001, under drift sand beach, P. Messer (2, PMC). **Ozaukee:** 43.2106°N, 87.9649°W, 27-VI-2000, pitfall suburban woods, P. Messer (1, PMC). Lake Michigan, 43.231°N, 87.917°W, 8-V-2002, under drift sand beach, P. Messer (5, PMC). Virmond Park Beach, 43.211°N, 87.899°W, 24-IV-2004, under drift sand beach, P. Messer (2, PMC). **Vernon:** Stark, T13N-R2W-S29, 10-VI-1967, light trap, D.L. Dettwiler (1, DDC). Range includes all surrounding states.

***Anisodactylus laetus* Dejean, 1829**

Dane: Mazomanie, 4-VII-1991, blacklight trap, P. Johnson (1, PMC). **Jackson:** Millston, 8-VIII-1970, light trap, C.F. Koval (1, WIRC). Range includes Illinois, Michigan, and Minnesota.

***Stenolophus carbo* Bousquet, 1993**

Milwaukee: 1959, D.L. Dettwiler (1, DDC). South Milwaukee, T5N-R22E-S1, 27-IV-1963, in beach debris, D.L. Dettwiler (1, DDC). **Ozaukee:** Mequon shoreline, 43.231°N, 87.917°W, 29-VI-2008, daytime under debris sandy beach, P. Messer (1, PMC). Range includes Illinois and Michigan.

***Stenolophus dissimilis* Dejean, 1829**

Ozaukee: Mequon, 43.210°N, 87.969°W, 1-IX-2002, blacklight backyard grass, P. Messer (1, PMC). Mequon, 43.210°N, 87.969°W, 2-VII-2003, UV light suburb field, P. Messer (2, PMC). Range includes Indiana southwardly.

***Stenolophus rotundicollis* (Haldeman, 1843)**

La Fayette: Hardscrabble Prairie SNA, 42° 31.694'N, 90° 25.241'W, flight intercept trap 8-16-VI-2004, dry prairie, J.J. Dorshorst (1, PMC). **Milwaukee:** Oak Creek, T6N-R22E-S29, 23-VI-1962, D.L. Dettwiler (1, DDC). Milwaukee, T6N-R22E-S29, 17-IV-1963, under rock open area, D.L. Dettwiler (1, DDC). **Monroe:** Ft. McCoy SNA, 43° 59' 11"N, 90° 41' 40"W, flight intercept trap 9-17-VI-2007, oak savanna at margin of sandy prairie, J.P. Gruber (1, PMC). **Ozaukee:** Mequon shoreline, 43.231°N, 87.917°W, 26-VI-2004, daytime under debris sandy beach, P. Messer (1, PMC). **Sauk:** 43° 11' 59"N, 90° 03' 41"W, 5-19-V-2001, flight intercept trap sandy oak barrens, J.P. Gruber (1, WIRC).

Vernon: Viroqua HVF, 12-VI-1996, waterpan trap (ethylene glycol), S.A. Stefan (2, WIRC). **Washington:** 43.499°N, 88.193°W, 29-V-2002, swept weed/shrub wooded, P. Messer (1, PMC). Range includes Minnesota and Ontario eastwardly.

***Dicheirotrichus cognatus*⁺ (Gyllenhal, 1827)**

Winnebago: Oshkosh, 26-III-1968, J.W. Rohrer (1, PMC). Range includes Michigan and Minnesota.

***Acupalpus rectangulus* Chaudoir, 1868**

Racine: Renak-Polak Maple Beech Woods SNA, 42° 48' 25"N, 87° 51' 53"W, Lindgren funnel trap with cantharidin 12-V to 2-VI-2005, southern mesic to wet-mesic hardwood forest, J.J. Dorshorst (1, PMC). Range includes Illinois, Iowa, and Michigan.

***Acupalpus canadensis* Casey, 1924**

Iron: Saxon Harbor Lake Superior, 46° 33' 43"N, 90° 26' 24"W, 24-V-2009, under drift log sandy sunny beach, P. Messer (2, PMC). Range includes Ontario eastwardly and South Dakota northwardly.

***Acupalpus pumilus* Lindroth, 1968**

Dane: Lake Mendota lakeshore, 20-X-2003, dry grassy marsh, K. Johnson (1, PMC). 42° 58' 19"N, 89° 19' 32"W, 13-VII-2006, pitfall cattle pasture, C. Gratton (1, PMC). **Dodge:** Beaver Dam, 10-IV-1910, 6-V-1910, 14-III-1911, 21-IV-1911, W.E. Snyder (4, MPM). 43° 35' 4"N, 88° 49' 3"W, 13-VII-2006, pitfall cattle pasture, C. Gratton (1, PMC). **Grant:** Blue River Sand Barrens SNA, 43° 11' 47"N, 90° 32' 08"W, 6-V-2001, leaf litter river bank of sandy oak barrens, J.P. Gruber (1, PMC). Blue River Sand Barrens SNA, 43° 11' 47"N, 90° 32' 08"W, 20-X-2006, Berlese of leaf litter forest floor, J.P. Gruber (1, PMC). **Juneau:** Armenia, T19N-R4E-S2, 29-VIII-1964, among debris sandy shore, D.L. Dettwiler (1, DDC). **Kenosha:** Carol Beach / Chiwaukee Prairie, 2-V-1999, under board near pond, 26-V-1999, floor w/ mouse nest, W. Suter (3, FMNH). E. of Woodworth, Benedict Prairie, 25-V-1998, mossy litter, 1-XI-1998, 9(or)29(?)XI-1998, sod near *Silphion*, W. Suter (4, FMNH). **Marquette:** Shields, T16N-R10E-S6, 5-X-1963, D.L. Dettwiler (5, DDC). 19th Road Peatland, 43° 54.185'N, 89° 13.014'W, 9-IV-2006, Berlese sphagnum hummock fen, K. Johnson (1, WIRC). **Milwaukee:** Milwaukee, T6N-R21E-S32, 18-VI-1963, D.L. Dettwiler, (1, DDC). Oak Creek, T5N-R22E-S04, 16-VII-1966, under log, D.L. Dettwiler (1, DDC). **Ozaukee:** Cedarburg, T10N-R21E-S10, 10-VII-1963, D.L. Dettwiler (1, DDC). 43° 12' 32"N, 87° 58' 58"W, 17-IX-2000, daytime swept weedy field pond area, P. Messer (1, PMC). Mequon shoreline, 43.231°N, 87.917°W, 24-V-2003, 14-VI-2003, 22-VI-2003, under drift sandy beach, P. Messer (4, PMC). Fairy Chasm, 43.198°N, 87.890°W, 30-VI-2004, under drift sandy beach, P. Messer (1, PMC). **Racine:** Renak-Polak Maple-Beech Woods SNA, 42° 48' 25"N, 87° 51' 53"W, Lindgren funnel trap 12-V to 2-VI-2005, southern mesic to wet-mesic hardwood forest, J.J. Dorshorst (1, PMC). **Richland:** Lone Rock, 43° 11' 38"N, 90° 14' 20"W, 17-III-1999, Berlese of forest litter sandy oak barrens, J.P. Gruber (1, PMC). Gotham Jack Pines Barrens, 43° 12.186'N, 90° 16.265'W, Lindgren funnel trap 28-VI-8-VII-2004, *Pinus banksiana* barrens, J.J. Dorshorst (1, PMC). **Sauk:** Spring Green Preserve, 43° 11' 58"N, 90° 3' 32"W, 29-X-2006, Berlese of leaf litter forest floor, J.P. Gruber (1, PMC). **Washington:** Pike Lake St Park, 4-VI-1976, lakeshore marsh, (1, MPM). **Waukesha:** Kettle Moraine State Forest, 21-VI-1979, (1, MPM). Range includes Illinois, Michigan, and Minnesota.

***Harpalus actiosus* Casey, 1914**

Dane: Wingra Lake, 3-X-1915, AC Burrill (1, WIRC). Range includes Illinois and Iowa

***Harpalus erythropus* Dejean, 1829**

Dane: Deerfield, 16-VII-1986, 5-VII-1994, 4-VII-1999, 30-VI-2006, black-light, B. Buchli (4, BBC). Deerfield, 14-VII-1998, blacklight trap in woods, B. Buchli (1, PMC). Deerfield, 7-VII-2007, blacklight trap, B. Buchli (1, PMC).

Mazomanie PHG, 12-VII-1997, K. Katovich (1, PMC). Cottage Grove, 27-VI-2001, blacklight, B. Buchli (1, BBC). **Dodge**: Beaver Dam, 16-VIII-1913, W.E. Snyder (1, MPM). **Iowa**: 42° 55' 27.74"N, 90° 3' 56.55"W, 10-VIII-2006, pitfall cattle pasture, C. Gratton (1, WIRC). **Milwaukee**: Milwaukee, 14-VII-1898, (1, WIRC). Milwaukee, 3-VII-1909, H.C. Severin (1, WIRC). Milwaukee, at lights for most dates 6,31-VIII-1960, 7-IX-1960, 29-VI-1961, 1-VII-1961, 2,8,9,10-VIII-1961, 7-IX-1961, 29-VI-1962, 8-VIII-1962, 7-VIII-1966, D.L. Dettwiler (15, DDC). Sheridan Park Cudahy, 42° 57' 15"N, 87° 50' 46"W, 13-VII-2005, Hg vapor and black light in woods adjacent to Lake Michigan, J.J. Dorshorst (1, PMC). **Ozaukee**: 43.2106°N, 87.9649°W, 7-VII-2000, blacklight suburb woods, P. Messer (1, PMC). Virmond Park Beach, 43.211°N, 87.899°W, 23-VII-2005, daytime under drift sandy beach, P. Messer (1, PMC). **Wood**: 40 specimens (WIRC) collected separately by R.D. Shenefelt or W.W. Barrett in adjacent areas Griffith St. Nursery, Nekoosa, or Port Edwards from 1947 (6, 14, 16, 17, 25, 27, 29, 30-VII; 29-VIII), 1948 (11, 12, 16, 17, 24, 27-VIII), and 1949 (8, 27, 28-VII; 4, 6, 7, 9, 11, 14-VIII). Range includes all surrounding states.

Harpalus megacephalus LeConte, 1848

Bayfield: 25-VI-1897, Wm. S. Marshall (1, WIRC). Range includes Michigan and Minnesota.

Harpalus plenalis Casey, 1914

Adams: 43.9305°N, 89.6800°W, pitfall 11-25-VI-2007, H. Gaines (1, PMC). 43.9199°N, 89.6869°W, pitfall 13-20-VIII-2007, H. Gaines (1, PMC). 43.9245°N, 89.6485°W, pitfall 13-20-VIII-2007, H. Gaines (1, PMC). **Kewaunee**: Casco, 10-V-1970, J. Dhuey (1, PMC). Range includes Illinois, Michigan, and Minnesota.

Selenophotus hylacis (Say, 1823)

Milwaukee: Grant Park, T5N-R22E-S12, 4-VII-1962, under beach debris, D.L. Dettwiler (2, DDC). Range includes Illinois, Michigan, and Minnesota.

Selenophorus pedicularius Dejean, 1829

Adams: 43.9543°N, 89.6808°W, 22-VII-2005, pitfall potato field, B. Werling (1, PMC). 43.9199°N, 89.6869°W, pitfall 23-30-VII-2007, H. Gaines (1, PMC). Range includes Illinois.

Pentagonica picticornis Bates, 1883

Columbia: Rocky Run Oak Savanna SNA, 43° 27' 24"N, 89° 20' 48"W, 17-31-VI-2005, flight intercept trap with cantharidin, J. J. Dorshorst (1, JDC). **Dane**: Deerfield, 17-VII-1990, 21-VII-1991, blacklight, B. Buchli (2, BBC). Deerfield, 1-VII-2002, blacklight, B. Buchli (1, PMC). Cottage Grove, 14-VI-2006, black light trap, B. Buchli (1, BBC). **La Crosse**: West Salem, 44° 3.916°N, 91° 4.537°W, 9-VI-2005, flight intercept trap, R. Murphy (1, WIRC). West Salem, 44° 4.082°N, 91° 4.575°W, 23-VI-2005, flight intercept trap, (1, WIRC). **Milwaukee**: Milwaukee, 8-IX-1961, at lights, D.L. Dettwiler (1, DDC). **Walworth**: Kettle Moraine Oak Opening SNA, 42° 50' 28"N, 88° 36' 16"W, 29-VI-2005, Hg vapor and blacklight oak savanna, J.J. Dorshorst (1, PMC). Range includes Illinois and Michigan.

Atranus pubescens (Dejean, 1828)

Grant: Cassville Bluffs SNA, 42° 42' 02"N, 90° 56' 22"W, 17-IX-2008, sifted from flood debris of stream bank in hardwood forest, J.P. Gruber (6, PMC). **Sauk**: Honey Creek SNA, 43° 21' 17"N, 89° 58' 57"W, 21-VI-2008, sifted from flood debris on creek bank in hardwood forest, J.P. Gruber (1, PMC). Range includes Illinois, Iowa, and Michigan.

Agonum picicornoides Lindroth, 1966

Milwaukee: Milwaukee, T5+6N-R22E, 1959, D.L. Dettwiler (1, DDC). Range includes Michigan.

***Agonum superioris* Lindroth, 1966**

Douglas: Moccasin Mike Rd Beach, Lake Superior, 46° 41' 13"N, 91° 58' 32"W, 26-V-2009, sunny sandy beach under drift log, P. Messer (1, PMC). Range includes Michigan.

***Agonum rufipes* Dejean, 1828**

Dane: Wm. S. Marshall, no date, (1, WIRC). 4-I-1951, (1, MPM). **Milwaukee:** Doctors Park Lake Michigan, 43° 10' 18"N, 87° 52' 52"W, 28-V-2000, under shore debris, P. Messer (1, PMC). **Wisconsin:** before 1897, F. Rauterberg (1, MPM). 15-VII-1896, (1, MPM). Range includes Illinois and Michigan.

***Platynus cincticollis* (Say, 1823)**

Dane: 20-IV-1900 and 20-VI-1910, Wm. S. Marshall (2, WIRC). Deerfield, 20-IV-1987, blacklight, B. Buchli (1, BBC). **Manitowoc:** Point Beach State Forest, 20-VI-1979 (1, UW). **Milwaukee:** Milwaukee, 1959, D.L. Dettwiler (3, DDC). South Milwaukee, T5N-R22E-S1, 12, 15-VII-1960 and 31-VIII-1960, D.L. Dettwiler (3, DDC). Milwaukee, T5N-R22E-S9, 3-V-1963, under debris, D.L. Dettwiler (1, DDC). Doctors Park Beach, 43° 10' 18"N, 87° 52' 52"W, 28-V-2000, under shore debris, P. Messer (2, PMC). Lake Michigan, 43.091°N, 87.873°W, 24-VII-2002, under drift beach sand, P. Messer (1, PMC). **Ozaukee:** Mequon shoreline, 43.231°N, 87.917°W, 30-VIII-2000, 8-V-2002, 12-IV-2003, 19-IV-2003, 26-IV-2003, 28-III-2004, 3-IV-2004, 9-V-2004, 31-V-2004, 6-VII-2007, daytime under drift sandy beach, P. Messer (20, PMC). **Walworth:** Kettle Moraine SNA, 42° 50' 28"N, 88° 36' 16"W, 29-VI-2005, Hg vapor and blacklight trap oak savanna, J.J. Dorshorst (1, JDC). **Waukesha:** Genesse Lake, 1 mi. N. Dousman, 1-X-1976, G. Noonan (1, MPM). Range includes Illinois, Michigan, and Minnesota.

***Perigona nigriceps** (Dejean, 1831)**

Ozaukee: 43.2106°N, 87.9649°W, 27-VII-2000, blacklight evening suburb lawn, P. Messer (1, PMC). 43.2106°N, 87.9649°W, 31-VIII-2000, blacklight 8-10 PM wooded suburban backyard, P. Messer (1, PMC). Mequon, 43.210°N, 87.965°W, 1-IX-2002, blacklight yard field, P. Messer (1, PMC). Mequon, 43.210°N, 87.965°W, 10-VI-2005, UV light evening suburb field, P. Messer (1, PMC). Range includes Illinois.

***Leptotrachelus dorsalis* (Fabricius, 1801)**

Dane: Madison, ?-VI-1919 (1, WIRC). Madison, Univ. of Wis. Arboretum, 21-V-1950, (1, WIRC). Deerfield, 20-VI-1988, 13-VI-2001, 15-VI-2006, blacklight trap, B. Buchli (2, BBC, 1, PMC). Cottage Grove, 28-VI-2005, blacklight trap, B. Buchli (1, BBC). **Grant:** Nelson Dewey SP, 42° 43.889°N, 91° 0.999°W, 18-27-VIII-2004, UV trap in hardwood-conifer forest, J.J. Dorshorst (1, WIRC). **Iowa:** "Dodgerville", 25-VI-1910, at lights, (1, WIRC). 21-IX-1968, lit. bluestem prairie, R. White (1, WIRC). **La Crosse:** 16-VII-1960, H. Grimek (1, HGC). **Milwaukee:** Milwaukee, 23-VIII and 12-IX-1962, at lights, D.L. Dettwiler (2, DDC). **Ozaukee:** Mequon, 43.210°N, 87.965°W, 17-V-2004, UV light suburban field, P. Messer (1, PMC). **Sauk:** Leopold Reserve, 30-V-1988, prairie, L.F. Goodman (1, WIRC). Range includes all surrounding states.

***Axinopalpus biplagiatus* (Dejean, 1825)**

Adams: 43.9543°N, 89.6808°W, 8-VII-2005, potato field, B. Werling (WIRC). **Bayfield:** N. Washburn Lake Superior, 46° 44' 15"N, 90° 52' 44"W, 24-V-2009, under drift narrow sandy beach, P. Messer (1, PMC). **Grant:** Blue River Sand Barrens SNA, 43° 11' 38"N, 90° 32' 14"W, pitfall 25-VI to 5-VII-2000, near mammal burrow sand barrens, J.P. Gruber (2, PMC). **Iron:** Saxon Harbor Co Park Lake Superior, 46° 33' 43"N, 90° 26' 24"W, 24-V-2009, under drift log sunny sandy beach, P. Messer (1, PMC). **Portage:** 44.43334°N, 89.60654°W, 8-VII-2005, pitfall potato field, B. Werling (2, PMC). **Sauk:** Spring Green Preserve, 43° 11' 58"N, 90° 03' 32"W, 24-VII-2004, crawling on live *Quercus* trunk

sandy oak barrens, J.P. Gruber (1, WIRC). **Sheboygan:** 43° 40' 25"N, 87° 42' 42"W, pitfall 29-VII to 16-VIII-2000, lakeshore dunes near forest edge, J.P. Gruber (1, WIRC). **Washington:** Kewaskum, 43.488°N, 88.163°W, 22-VII-2007, on outdoor wooded deck residence, D.L. Dettwiler (1, DDC). Range includes Illinois, Michigan, and Minnesota.

Microlestes pusio (LeConte, 1863)

Ozaukee: Mequon shoreline, 43.231°N, 87.917°W, 28-V-2006, daytime under plant debris sandy lake shore, P. Messer (1, PMC). Range includes Illinois.

Lebia divisa LeConte, 1850

Iowa: T6N-R5E-S17, 13-VII-1996, on *Onosmegium molle* 10 AM partly cloudy, A. Williams (1, WIRC). Range includes Illinois and Minnesota.

Lebia moesta LeConte, 1850

Dane: UW Arboretum, 1-IX-1967, W.L. Krinsky (2, PMC). **Washington:** Kewaskum, 43.4877°N, 88.1626°W, 19-III-2008, underside of board in forest clearing, D.L. Dettwiler (1, DDC). Kewaskum, 43.4877°N, 88.1626°W, 24-V-2008, modified Malaise trap in forest clearing, D.L. Dettwiler (2, DDC). Range includes Illinois, Michigan, and Minnesota.

Lebia viridipennis Dejean, 1826

Dane: Cottage Grove, 28-VI-2005, B. Buchli (1, WIRC). Missouri Rd DNR Woods, 29-VI-2005, B. Buchli (1, WIRC). Deerfield, 8-VI-1986, 18-VI-1987, 13-VI-2001, 1-VII-2006, 7-VII-2007, 11-VII-2008, 15-VII-2008, blacklight trap, B. Buchli (3, BBC, 3, PMC, 1, WIRC). **Dodge:** Waterloo, 21-VI-1988, blacklight, B. Buchli (1, WIRC). **La Crosse:** 15-IX-1973, ?VIII-1974, H. Grimek (2, HGC). **Richland:** 1 mi W. of Gotham, T9N-R2E-S31, 1-VI-1984, sandy oak savanna-prairie, L.A. Ferge (1, WIRC). **Sauk:** Spring Green Preserve SNA, 43° 11' 52"N, 90° 03' 33"W, 8-VIII-2005, Hg vapor and blacklight in sand prairie, J.J. Dorhorst (1, PMC). **Vernon:** Stark, T13N-R2W-S29, 10-VI-1967, light trap, D.L. Dettwiler (1, DDC). Range includes all surrounding states.

Plochionus timidus Haldeman, 1843

Dane: Deerfield, 21-VII-1991, blacklight trap, B. Buchli (1, BBC). Deerfield, 17-VII-2008, blacklight trap, B. Buchli (1, PMC). **Washington:** 43.225°N, 88.078°W, 17-X-2005, on kitchen counter farm house, D. McKinney (1, PMC). Range includes Illinois and Michigan.

Discussion

Bousquet and Larochelle (1993: Table 4), listed 374 species and subspecies of Wisconsin ground beetles. I propose that six of these taxa be removed from their total. *Cicindela cuprascens* LeConte, 1852 is removed because it was likely based on a misidentification of *Elliptoscelis macra* (Mathew L. Brust, pers. com. 2005). *Cicindela purpurea purpurea* and *C. purpurea audubonii* LeConte, 1845 were originally listed. However, *C. purpurea* populations in Wisconsin are represented by various intergrades of *C. p. purpurea* x *C. p. audubonii* rather than the pure forms of *C. p. purpurea* and *C. p. audubonii* (David L. Pearson, pers. com. 2005). Therefore, the updated checklist will count *Cicindela purpurea* once without regard to subspecies. *Cyclotrachelus sigillatus* (Say, 1823) and *Scarites lissopterus* Chaudoir, 1880 are deleted based on dubious old collection records for these two species which are known to be far removed geographically from Wisconsin. *Blethisa hudsonica* Casey, 1924 was resurrected by Goulet et al. (2009) as the common species in North America whereas true *Blethisa multipunctata aurata* Fischer von Waldeim, 1828 is limited to far northwestern North America and therefore it is removed from Wisconsin. *Bembidion cheyennense* Casey, 1918 is currently recognized as a distinct species in eastern North America. It was

previously included with *B. bifossulatum* (LeConte, 1852) (Yves Bousquet, pers. com. 2009). True *B. bifossulatum* is limited to far western North America and therefore it is removed from Wisconsin. For a time, subspecies rank *B. bifossulatum cheyennense* was used (Maddison 1993: 160). The next two species are not deleted but they currently have dubious status in Wisconsin. The introduced species, *Carabus cancellatus*, is not known to be established in Wisconsin and *Cyclotrachelus alternans* has likely been extirpated. I examined only one Wisconsin specimen (before 1900) of the latter species. Regarding *Agonum affine*, the "Wisconsin" specimen referred to in Bousquet and Larochelle (1993) was based on a specimen in the Museum of Comparative Zoology later determined by Bousquet to be *Agonum trigeminum* (pers. com. 2008). However, *A. affine* has now been confirmed, based on the Bayfield county listing (Wickham 1895) and subsequent specimens that I examined from four other counties. The following three "Wisconsin" specimens in the Milwaukee Public Museum likely bear erroneous locality labels. A single specimen of *Amara alpina* (Paykull, 1790) was noted as "Patria falsa" by determiner F. Hieke, 1980. Details of this label are "Beaver Dam, III-14-1898, collr. W.E. Snyder", far from any boreo-alpine habitat expected for this species. One specimen each of *Amara fusca* Dejean, 1828 and *Amara tibialis* (Paykull, 1798) were noted as "Patria falsa; Europa" (F. Hieke, 1980).

Several carabid species (see Table 2) collected by Rauterberg (1885), mostly in southeastern Wisconsin, were inadvertently excluded by Bousquet and Larochelle (1993). Rauterberg (1885) likely contains several misidentifications based on currently known geographical ranges. Consequently, while it is designated as source [v] in Table 1, it is not acknowledged as such in the body of the present list of Wisconsin ground beetles. However, a number of species (marked † in Table 2) have been corroborated by reliable Wisconsin records; those names appear in the checklist. Not accepted as valid Wisconsin species are the following two dubious records (Wickham 1895) in source [w]. *Trechus chalybeus* Dejean, 1831 has a holarctic range but in North America it is limited to the far west. *Badister pulchellus* LeConte, 1848, with range more southerly, was likely a misidentified *B. neopulchellus*.

In summary, this first state-wide survey presents literature and collection data for an additional 121 ground beetles species in Wisconsin beyond the adjusted subtotal of 368 (Bousquet and Larochelle 1993). Among the 121 additional species, a 33% increase, are 87 new state records for Wisconsin. As evident in the new state record section, many of these specimens were taken by blacklight trapping in my backyard wooded field or taken by hand from turning over shore debris (mostly driftwood) locally along Lake Michigan in the semirural city of Mequon, Ozaukee county. Daytime collecting on debris-laden sandy beaches (natural intercept traps against a water barrier) was consistently the most productive method for capturing large numbers of ground beetles, usually yielding a dozen or more species in an hour of simple hand picking. Even at the 10 year mark of this Wisconsin carabid inventory project, a discovery rate of one new state record every few months is still occurring from field work and collection inventories.

Acknowledgments

Gratitude is expressed for the valuable support provided by Daniel Young (Director) and Steve Krauth (Curator) at the University of Wisconsin, Madison Insect Research Collection. Present or former colleagues in the UW-Madison Entomology Department who have kindly loaned or donated Wisconsin material include prolific Jeff Gruber, Kyle Johnson, Andrew Williams, Kerry Katovich, John Dorshorst, Hannah Gaines, and Ben Werling. Acknowledged are the helpful individuals who manage institutional collections, namely, Gene Drecktrah (UW-Oshkosh), Susan Borkin (Milwaukee Public Museum), James Boone

Table 2. List of carabid species collected by Rauterberg (1885) in mostly southeastern Wisconsin that failed to receive Wisconsin status by Bousquet and Larochelle (1993). The current names listed here replace several of Rauterberg's published old names.

Species List				
<i>Agonum affine</i> Kirby †	<i>Bembidion concolor</i> Kirby †	<i>Clivina ferrea</i> LeConte †	<i>Platynus brunneomarginatus</i> (Mannerheim)	
<i>Agonom rufipes</i> Dejean †	<i>Bembidion dorsale</i> Say	<i>Cyclotrachelus sodalis</i> LeConte	<i>Platynus cincticollis</i> (Say) †	
<i>Amara carinata</i> (LeConte) †	<i>Bembidion fugax</i> (LeConte)	<i>Cymindis laticollis</i> Say	<i>Pterostichus castanipes</i> (Ménétrier)	
<i>Amara farcta</i> LeConte	<i>Bembidion nigrum</i> Say †	<i>Harpalus fulgens</i> Csiki	<i>Pterostichus congestus</i> (Ménétrier)	
<i>Amara gibba</i> (LeConte)	<i>Bembidion punctatosstriatum</i> Say	<i>Harpalus spadiceus</i> Dejean	<i>Pterostichus corrugulus</i> LeConte †	
<i>Amara scitula</i> Zimmermann	<i>Bembidion simplex</i> Hayward †	<i>Lebia cyanipennis</i> Dejean	<i>Pterostichus tachrymous</i> (Newman)	
<i>Amara sinuosa</i> (Casey) *	<i>Brachinus conformis</i> Dejean	<i>Lepiotrachelus dorsalis</i> (Fabricius) *	<i>Pterostichus luctuosus</i> (Dejean)	
<i>Anisodactylus carbonarius</i> (Say) *		<i>Micryzys distincta</i> (Haldeman)	<i>Pterostichus pinguedineus</i> (Eschscholtz)	
<i>Anisodactylus similis</i> LeConte		<i>Myas coracinus</i> (Say)	<i>Selenophorus hylaeis</i> (Say) †	
<i>Badister "minor</i> LeConte" unknown	<i>Chlaenius p. purpuricollis</i> Randall †	<i>Notiophilus semistriatus</i> Say †	<i>Selenophorus pedicularius</i> Dejean †	
<i>Badister flavipes</i> LeConte		<i>Chlaenius pusillus</i> Say †	<i>Stenolophus dissimilis</i> Dejean †	
<i>Badister ocularis</i> Casey †		<i>Chlaenius solitarius</i> Say †	<i>Trechus chalybeus</i> Dejean	
<i>Badister pulchellus</i> LeConte		<i>Cicindela oregona</i> LeConte	<i>Pericomimus ephippiatus</i> (Say)	

* Species that have been corroborated by reliable Wisconsin records and are also included in the checklist.

(Field Museum of Natural History), Michael Draney (UW-Green Bay), Scott Sauer and William Smith (WI-DNR). Specimen donations and important data were derived from the private collections of Dan Dettwiler, Byron Buchli, Drew Hildebrandt, Mathew Brust, Herbert Grimek, John Dorshorst, Jim Steffens, and Dan McKinney. Appreciation goes to Ronald Huber and Mathew Brust for sharing their expertise on Wisconsin tiger beetles. The author is grateful to several specialists in Carabidae for their valuable comments: George Ball, Robert Davidson, Terry Erwin, James Liebherr, David Maddison, Kipling Will, André Laroche, William Krinsky, Fritz Hieke, Foster Purrington, Gerald Noonan, and Wolfgang Lorenz. Special thanks goes to carabid authority Yves Bousquet who, over many years of regular active correspondence, provided several collection records and who generously provided updates on the taxonomic literature pertinent to the Wisconsin ground beetles. Extensive comments by two careful reviewers are well appreciated.

Literature cited

- Ball, G. E., and J. N. Anderson.** 1962. The taxonomy and speciation of *Pseudophonus*. The Catholic University of America Press, Washington, D.C. xi + 94 pp.
- Ball, G. E., and Y. Bousquet.** 2001. Carabidae Latreille, 1810, Chapter 6, pp. 33-132. In Arnett, R.H. and M. C. Thomas (eds.) American Beetles, 1. CRC Press, Boca Raton, London, New York, Washington, D.C.
- Bell, R.T.** 1960. A revision of the genus *Chlaenius* Bonelli (Coleoptera: Carabidae) in North America. *Misc. Publ. Entomol. Soc. Am.* 1: 97-166.
- Bousquet, Y.** 1988. *Dyschirius* of America north of Mexico: description of new species with keys to species groups and species (Coleoptera: Carabidae). *Can. Entomol.* 120: 361-387.
- Bousquet, Y.** 1996. Taxonomic revision of Nearctic, Mexican, and West Indian Oodini (Coleoptera: Carabidae). *Can. Entomol.* 128: 443-537.
- Bousquet, Y.** 2006. Descriptions of three new species of *Bembidion* Latreille (Coleoptera: Carabidae) occurring in Canada. *Zootaxa* 1297: 23-35.
- Bousquet, Y.** 2007. Nomenclatural notes on Carabidae (Coleoptera). IV. on *Dyschirius dejeanii* Putzeys, a senior synonym of *D. integer* LeConte. *Coleopt. Bull.* 61: 517-518.
- Bousquet, Y.** 2009. Rediscovery of *Clivina morio* Dejean with the description of *Leucocara*, a new subgenus of *Clivina* Latreille (Coleoptera, Carabidae, Clivinini). *ZooKeys* 25: 37-48.
- Bousquet, Y., and A. Laroche.** 1993. Catalogue of the Geadephaga (Coleoptera: Trachypachidae, Rhysodidae, Carabidae, including Cicindelini) of America North of Mexico. *Mem. Entomol. Soc. Can.* 167: 1-397.
- Bousquet, Y., and Webster, R.** 2004. Review of the Nearctic species of the Holarctic subgenus *Argutor* (Coleoptera: Carabiade). *Can. Entomol.* 136: 645-660.
- Brust, M. L.** 2003. Distribution records for Wisconsin tiger beetles. *Cicindela* 35: 23-31.
- Casey, T. L.** 1918. Memoirs on the Coleoptera. VIII. The New Era Printing Company, Lancaster, PA. 427 pp.
- Casey, T. L.** 1920. Memoirs on the Coleoptera. IX. The New Era Printing Company, Lancaster, PA. 529 pp.
- Downie, N. M., and R. H. Arnett.** 1996. The Beetles of Northeastern North America. Volume 1. The Sandhill Crane Press, Gainesville, FL. xiv + 880 pp.
- Erwin, T. L.** 1970. A reclassification of bombardier beetles and a taxonomic revision of the North and Middle America species (Carabidae: Brachinida). *Quaest. Entomol.* 6: 4-215.

- Erwin, T. L.** 1975. Studies of the subtribe Tachyina (Coleoptera: Carabidae: Bembidiini), Part III: Systematics, phylogeny, and zoogeography of the Genus *Tachyta* Kirby. Smithsonian Contributions to Zoology 208: 1-68.
- Erwin, T. L.** 2007. A Treatise on the Western Hemisphere Caraboidea (Coleoptera) Their Classification, distributions and ways of life. Volume 1: Trachypachidae, Carabidae – Nebriiformes 1. Pensoft Publishers, Sofia-Moscow. 323 pp.
- Erwin, T. L., and D. L. Pearson.** 2008. A Treatise on the Western Hemisphere Caraboidea (Coleoptera) their Classification, Distributions and Ways of Life. Volume 2: Carabidae – Nebriiformes 2 - Cicindelidae. Pensoft Publishers, Sofia-Moscow. 365 pp.
- Fedorenko, D. N.** 1996. Reclassification of world Dyschirini, with a revision of the Pale-arctic fauna (Coleoptera, Carabidae). Pensoft Series Faunistica 4: 1-224.
- Freitag, R.** 1969. A revision of the species of the genus *Evarthrus* LeConte (Coleoptera: Carabidae). Quaest. Entomol. 5: 88-211.
- Gandhi, K. J. K., D. W. Gilmore, G. E. Ball, R. W. Hozenthal, S. A. Katovich, J. J. Koehle, K. J. Larsen, W. J. Mattson, and S. J. Seybold.** 2005. A review of ground beetle species (Coleoptera: Carabidae) of Minnesota, United States: new records and range extensions. Proc. Entomol. Soc. Wash. 107: 917-940.
- Goulet, H.** 1983. The genera of Holarctic Elaphrini and species of *Elaphrus* Fabricius (Coleoptera: Carabidae): classification, phylogeny and zoogeography. Quaest. Entomol. 19: 219-481.
- Goulet, H., G. S. Lafer, and S. Morita.** 2009. A redescription of *Blethisa multipunctata aurata* Fischer von Waldheim, 1828 (Coleoptera: Carabidae: Elaphrinae). Zootaxa 2121: 27-34.
- Grimek, H. J.** 2009. Distribution of *Tetracha virginica* (Linnaeus) in Wisconsin. Cicindela 41: 57-61.
- Haack, R., Petrice, T., Acciavatti, R., and Davidson, R.** 1998. Using carabids to assess impacts of forest management practices. Newsletter of the Michigan Entomological Society 43(2-3): 9.
- Hieke, F.** 1995. Namenverzeichnis der Gattung *Amara* Bonelli, 1810 (Coleoptera: Carabidae). Coleoptera Sonderheft II: 1 - 163.
- Hieke, F.** 2000. Revision einiger gruppen und neue arten der gattung *Amara* Bonelli, 1810. Annales Historico-Naturales Musei Nationalis Hungarici 92: 41-143.
- Hieke, F.** 2001. Das *Amara*-Subgenus *Xenocelia* subg. n. (Coleoptera: Carabidae). Folia Heyrovskyanana, Supplementum 7: 1-153.
- Hieke, F.** 2003. Die gruppe der *Amara* (*Amara*) *cupreolata* Putzeys 1866. Linzer Biologische Beiträge 35: 201-216.
- Johnson, W. N.** 1989. A new subspecies of *Cicindela patruela* from West-Central Wisconsin. Cicindela 21: 27-32.
- Kleintjes, P. K., A. M. Christensen, W. J. Barnes, and L. A. Lyons.** 2002. Ground beetles (Coleoptera: Carabidae) inhabitating stands of reed canary grass *Phalaris arundinacea* on islands in the Lower Chippewa River, Wisconsin. Gt. Lakes Entomol. 35(1):79-83.
- Larochelle, A., and M.-C. Larivière.** 2003. A of Natural History of the Ground Beetles (Coleoptera: Carabidae) of America north of Mexico. Pensoft Publishers, Sofia-Moscow. 582 pp.
- LeConte, J. L.** 1863. New species of North American Coleoptera. Prepared for the Smithsonian Institution. Part I. Smithsonian Miscellaneous Collections 167: 1-86.
- Liebherr, J. K., and J. Schmidt.** 2004. Phylogeny and biogeography of the Laurasian genus *Agonum* Bonelli (Coleoptera, Carabidae, Platynini). Deutsche Entomologische Zeitschrift 51: 151-206.

- Liebherr, J. K., J. Schmidt, and W. Lorenz.** 2005. Nomenclatural correction to Liebherr and Schmidt's "Phylogeny and biogeography of the Laurasian genus *Agonum* Bonelli (Coleoptera, Carabidae, Platynini)." *Deutsche Entomologische Zeitschrift* 52: 291.
- Lindroth, C. H. 1961 – 1969.** The Ground-Beetles (Carabidae, excl. Cicindelinae) of Canada and Alaska. *Opuscula Entomologica, Supplementum* 20 (1961), 24 (1963), 29 (1966), 33 (1968), 34 (1969), and 35 (1969). Lund University, Sweden. XLVIII + 1192 pp.
- Lorenz, W. 2005.** Nomina Carabidarum, a directory of the scientific names of ground beetles. Privately published, W. Lorenz, Tutzing, Germany. 993 pp.
- Maddison, D. R. 1993.** Systematics of the Holarctic beetle subgenus *Bracteon* and related *Bembidion* (Coleoptera: Carabidae). *Bulletin of the Museum of Comparative Zoology* 153: 143-299.
- Maddison, D. R. 2008.** Systematics of the North American beetle subgenus *Pseudoperyphus* (Coleoptera: Carabidae: *Bembidion*) based upon morphological, chromosomal, and molecular data. *Ann. Carnegie Mus.* 77: 147-193.
- Madge, R. B. 1967.** A revision of the genus *Lebia* Latreille in America north of Mexico (Coleoptera: Carabidae). *Quaest. Entomol.* 3: 139-242.
- Morvan, D. M. 2000.** Le genere *Batenus* Motschulsky (Coleoptera, Carabidae, Platynina). *Loened Aziad* 6: 1- 80.
- Naviaux, R. 2007.** *Tetracha* (Coleoptera: Cicindelidae, Megacephalina): révision du genre et descriptions de nouveaux taxons. *Mémoires de la Société Entomologique de France* 7: 1-197.
- Noonan, G. R. 1991.** Classification, Cladistics, and Natural History of Native North American *Harpalus* Latreille (Insecta: Coleoptera: Carabidae: Harpalini), Excluding Subgenera *Glanodes* and *Pseudophonus*. Thomas Say Foundation Monographs 13. viii + 319 pp.
- Noonan, G. R. 1996.** Classification, Cladistics, and Natural History of Species of the Subgenus *Anisodactylus* Dejean (Insecta: Coleoptera: Carabidae: Harpalini: *Anisodactylus*). Contributions in Biology and Geology No. 89, Milwaukee Public Museum. iii + 210 pp.
- Purrington, F. F., and J. Maxwell.** 1998. First United States records of *Dyschirius sextoni* (Coleoptera: Carabiade). *Entomol. News* 109: 189.
- Purrington, F. F., D. K. Young, K. J. Larsen, and J. C.-T. Lee.** 2000. New distribution records of ground beetles from the North Central United States (Coleoptera: Carabiade). *Gt. Lakes Entomol.* 33: 199 - 204.
- Rauterberg, F. 1885.** Coleoptera of Wisconsin. *Proc. Nat. Hist. Soc. Wisc.* 1885: 10-23.
- Sadek, L. S. 1982.** A systematic study of the genus *Abacidus* (Coleoptera: Carabidae: Pterostichini). M.Sc. thesis, University of Arkansas. iv + 48 pp.
- Whitehead, D. R. 1972.** Classification, phylogeny, and zoogeography of *Schizogenius* Putzeys (Coleoptera: Carabidae: Scaritini). *Quaest. Entomol.* 8: 131-348.
- Wickham, H. F. 1895.** List of Coleoptera from the southern shore of Lake Superior. *Proceedings of the Davenport Academy of Natural Sciences* 6: 125-169.