

## CHECKLIST OF FRESHATER MITOSPORIC FUNGI FROM MAHARASHTRA

Pawara C. M.<sup>1</sup>, Pawar N. S.\*<sup>2</sup> and B. D. Borse<sup>3</sup>

<sup>1</sup>S.P.D.M. Arts, Comm. & Sci. College, Shirpur, Dhule, Maharashtra, India.

<sup>2</sup>S.S.V.P.S. Arts, Comm. & Sci. College, Sindhkheda, Dhule, M.S., India.

<sup>3</sup>Eklahare, Kalwan 403501, Nashik, Maharashtra, India.

**Corresponding Author:** Pawar N. S.  
S.S. V. P. Arts, Comm. & Sci. College, Shindkheda, Dhule, Maharashtra (India).

Article Received on 26/01/2022

Article Revised on 16/02/2022

Article Accepted on 06/03/2022

### ABSTRACT

The present paper deals with substratum range of 133 species (Table 1) of freshwater Mitosporic fungi (130 Hyphomycetes and 3 Coelomycetes) reported so far from freshwater habitats of Maharashtra (India). They were found as saprophytes on woody debris and leaf litter submerged in freshwater environment. Most of the fungi encountered in the form of asexual stage (conidia) in foam samples. This checklist of freshwater Mitosporic fungi recorded from Maharashtra is compiled on the basis of present studies and previous published literature. The most frequently collected species of the genera are *Campylospora*, *Canalisporium*, *Dictyosporium*, *Flabelliospora*, *Helicomycetes*, *Trichocladium*, and *Tricladium*. The checklist includes detail of the substrata on which they encountered. This data will be useful in the compilation of freshwater fungal biodiversity of India.

### INTRODUCTION

In total, 321 hyphomycetes have been reported from freshwater habitats in India by Borse et al. (2016, 2017). Goh and Hyde (1996) divided the FWH into four biological groups, i.e. aero-aquatic hyphomycetes, aquatic or Ingoldian hyphomycetes, submerged aquatic-hyphomycetes, and terrestrial-aquatic hyphomycetes. Investigations on Ingoldian hyphomycetes in India were mostly carried out in the twentieth century, with few studies after 2000, as research focused on submerged-aquatic hyphomycetes (Patil and Borse, 2015a). Freshwater Coelomycetes (pycnidial or acervular fungi) found in freshwater are not well documented (Goh and Hyde, 1996). These fungi occur on stream-side plants or on submerged wood litter (Thomas, 1996). Sati and Tiwari (1993) described a new species, namely *Pestalotiopsis submersus* on submerged leaf litter from India.

### MATERIALS AND METHODS

Samples of foam, submerge leaves and woody debris were collected from various localities along rivers as well as water reservoirs (dams, lakes) and analysis was done by the following methods-

#### 1) Wood analysis

Samples of submerged woody debris were collected, placed in polythene bags and transported to the laboratory. Samples contaminated by sediments or fouling organisms were washed with tap water. They were observed for sporulating structures. After initial

observations, samples were incubated in sterile plastic boxes containing layer of sterile sand moistened with sterile freshwater and after two weeks examined for the presence of fungal fruiting bodies. All samples were examined periodically and remoistened when necessary. Semi permanent slides of fungi isolated were made for further observations. Distil water was added as if necessary to prevent the substratum from drying out. Plastic boxes tied with rubber bands and placed in polythene bags to conserve a humid atmosphere. A few Naphthalene balls were placed in suitable container inside of plastic box, to kill any insect present in the wood samples.

#### 2) Leaf litter analysis

Submerged leaves of different kinds were collected randomly from sampling sites and brought to the laboratory in moist polythene bags. They were washed several times in tap water and finally in distilled water. They were cut into small bits and incubated in separate Petri dishes containing distil water at laboratory temperature (25° - 30°C). The water was replaced in Petri dishes once in three days to minimize the growth of bacteria and other organisms. The leaf bits were screened under microscope at 48 hours intervals for 60 days to detect the water-borne fungi appearing on them.

#### 3) Foam analysis

In freshwater habitats, foam is formed by the movement of the water against natural barriers like stones, logs, twigs, especially in lotic habitats, constitutes a natural

trap for the conidia of Mitosporic fungi. Foam samples were collected in clean wide mouthed plastic bottles and kept for 24 hours to enable the foam to dissolve. It was preserved by adding FAA (Formaldehyde + Acetic acid

+ Alcohol) to yield 5% foam solution. Then samples were brought to laboratory and scanned under low power or high power of a microscope using 15 x eyepieces for the presence of conidia of Mitosporic fungi.


**Table 1: Checklist of Freshwater Mitosporic Fungi from Maharashtra.**




| S. N. | Freshater Hyphomycetes  | Substrate / source                                       | Reference                |
|-------|---|--|--------------------------|
| 1     | <i>Actinosporella megalospora</i> (Ingold) Descals & Marvanova, = <i>Actinospora megalospora</i> Ingold   | Conidia in foam samples                                  | Patil, 2003a             |
| 2     | <i>Alatospora acuminata</i> Ingold  | Conidia in foam samples                                  | Patil, 1998a, 2003a      |
| 3     | <i>Anguillospora crassa</i> Ingold  | On submerged leaves                                      | Thakur, 1977             |
| 4     | <i>Anguillospora longissima</i> (Sacc. & P. Syd.) Ingold<br>= <i>Fusarium longissimum</i> (de Wild.,) Sacc. & P. Syd.<br>= <i>Fusarium elongatum</i> de Wild. | On submerged leaves                                      | Thakur, 1977             |
| 5     | <i>Aquaphila albicans</i> Goh, K.D. Hyde & W.H. Ho  | On submerged wood  | Patil et al. 2015 a      |
| 6     | <i>Arborispora palma</i> K. Ando  | Conidia in foam samples                                  | Borse et al. 2015a       |
| 7     | <i>Articulospora tetracleadria</i> Ingold<br>= <i>Articulospora angulata</i> Tubaki   | On damp bamboo   | Patil & Rao, 1972        |
| 8     | <i>Aureobasidium indicum</i> Pande & Ghate  | From paper facto. effluent                               | Pande & Ghate, 1985      |
| 9     | <i>Bactrodesmium aquaticum</i> B.D. Borse et al.  | On submerged wood  | Borse et al. 2019c       |
| 10    | <i>Beltrania rhombica</i> O. Penz.  | Conidia in foam samples                                  | Patil, 2000, 2003b       |
| 11    | <i>Brachiosphaera tropicalis</i> Nawawi   | Conidia in foam as<br><i>Actinospora megalospora</i>     | Patil & Kapadnis, 1979   |
| 12    | <i>Brachydesmiella caudata</i> G.V. Rao & de Hoog   | Conidia in foam samples                                  | Patil et al. 2014a       |
| 13    | <i>Camposporidium cristatum</i> Nawawi & Kuthub.  | Conidia in foam samples                                  | Patil et al. 2012        |
| 14    | <i>Camposporium antennatum</i> Harkn.   | Conidia in foam samples                                  | Patil et al. 2015b       |
| 15    | <i>Camposporium pellucidum</i> (Grove) S. Hughes<br>= <i>Bactrodesmium caulincola</i> var. <i>pellucidum</i> Grove  | Conidia in foam samples                                  | Patil, 1998a, 2003b      |
| 16    | <i>Campylospora chaetocladia</i> Ranzoni  | Conidia in foam samples                                  | Borse & Patil, 2006      |
| 17    | <i>Campylospora filicladia</i> Nawawi   | Conidia in foam samples                                  | Shinde & Pawar, 2008     |
| 18    | <i>Campylospora leptosoma</i> Marvanova & Laichmanova   | Conidia in foam samples                                  | Patil & Borse, 2015b     |
| 19    | <i>Canalisporium caribense</i> (Hol.-Jech. & Mercado.)<br>Nawawi & Kuthub.  | On submerged wood  | Patil et al. 2014b       |
| 20    | <i>Canalisporium exiguum</i> Goh & K.D. Hyde  | On submerged wood  | Borse et al. 2008        |
| 21    | <i>Canalisporium pallidum</i> Goh, W.H. Ho & K.D. Hyde  | On submerged wood  | Patil et al. 2014b       |
| 22    | <i>C. pulchrum</i> (Hol.-Jech. & Mercado) Nawawi &<br>Kuthub.<br>= <i>Berkeasmium pulchrum</i> Hol.-Jech. & Mercado   | On submerged wood  | Borse et al. 2008        |
| 23    | <i>Cancellidium appланatum</i> Tubaki   | On submerged wood  | Patil et al. 2015b       |
| 24    | <i>Ceratosprium indica</i> V. Rao & Deo Rao   | Conidia in foam (as<br><i>Ceratosporella deviata</i> )   | Patil et al. 2015c       |
| 25    | <i>Chaetendophragmia africana</i> (Piron.) B. Sutton &<br>Hodges = <i>C. triangularia</i> Matsush. var. <i>africana</i> Piron.                                | Conidia in foam samples                                  | Ghanwat & Reddy,<br>2011 |
| 26    | <i>Cirrenalia indica</i> G.V. Rao & A.P. Reddy  | On submerged leaves                                      | Patil et al. 2015b       |
| 27    | <i>Clavariana aquatica</i> Nawawi   | Conidia in foam samples                                  | Patil et al. 2015c       |
| 28    | <i>Clavariopsis aquatica</i> De Wild.   | Conidia in foam samples                                  | Patil, 2003a, b          |
| 29    | <i>Clavariopsis azlanii</i> Nawawi  | Conidia in foam samples                                  | Patil & Borse, 2011      |
| 30    | <i>Clavatospora tentacula</i> Sv. Nilsson<br>= <i>Heliscus tentaculus</i> Umphlett  | Conidia in foam ( <i>Heliscus</i><br><i>tentaculus</i> ) | Patil & Kapadnis, 1979   |
| 31    | <i>Condylomyces spumigena</i> Nawawi  | Conidia in foam samples                                  | Borse et al. 2015a       |
| 32    | <i>Delortia palmicola</i> Pat.  | On submerged wood  | Patil et al., 2014b      |
| 33    | <i>Dendrosporium lobatum</i> Plakidas & Edgerton  | Conidia in foam samples                                  | Borse et al. 2015a       |
| 34    | <i>Dendrostilbella indica</i> Pande & Ghate   | From paper facto. effluent                               | Pande & Ghate, 1985      |
| 35    | <i>Dicranidion gracile</i> Matsush.   | Conidia in foam samples                                  | Borse et al. 2015a       |
| 36    | <i>Dictyosporium cocophilum</i> Bat.  | On submerged wood  | Patil et al., 2012       |
| 37    | <i>Dictyosporium digitatum</i> J.L. Chen, C.H. Hwang &<br>Tzean   | On submerged wood  | Patil et al. 2014b       |
| 38    | <i>Dictyosporium elegans</i> Corda  | On submerged wood  | Ghan. & Reddy, 2011      |


|    |   |   |                        |
|----|---|---|------------------------|
| 39 | <i>Dictyosporium gaunti</i> Bhat & B. Sutton  | On submerged wood                           | Patil et al. 2012      |
| 40 | <i>Dictyosporium heptasporum</i> (Garov.) Damon<br>= <i>Cattanea heptaspore</i> Garov.<br>= <i>Speira heptaspore</i> Garov.   | On submerged wood                           | Ghanwat & Reddy, 2011  |
| 41 | <i>Dictyosporium tetraseriale</i> Goh et al.  | On submerged wood                           | Patil et al. 2012      |
| 42 | <i>Diplocladiella appendiculata</i> Nawawi  | Conidia in foam samples                     | Gosavi & Borse, 2017   |
| 43 | <i>Diplocladiella longibrachiata</i> Nawawi & Kuthub.   | Conidia in foam samples                     | Patil et al. 2012      |
| 44 | <i>Diplocladiella scalaroides</i> G. Arnaud ex M.B. Ellis   | Conidia in foam samples                     | Borse & Patil, 2007    |
| 45 | <i>Diplocladiella tricladoides</i> Nawawi   | Conidia in foam samples                     | Patil et al. 2014a     |
| 46 | <i>Dwyaangam dichomata</i> Nawawi   | Conidia in foam samples                     | Borse & Patil, 2007    |
| 47 | <i>Ellisembia adscendens</i> (Berk.) Subram.<br>= <i>Sporidesmium adscendens</i> Berk.<br>= <i>Clasterosporium adscendens</i> (Berk.) Sacc.   | On submerged wood                           | Patil et al. 2015a     |
| 48 | <i>Ellisembia repentioriunda</i> Goh & K.D. Hyde  | On submerged wood                           | Patil et al. 2015a     |
| 49 | <i>Endophragmia microaquatica</i> (Tubaki) Matsush.<br>= <i>Dactylella microaquatica</i> Tubaki, = <i>Monospora</i><br><i>microaquatica</i> (Tubaki) R.H. Petersen                                | On submerged leaves                         | Patil, 1998b           |
| 50 | <i>Exserticlava triseptata</i> (Matsush.) S. Hughes<br>= <i>Cordana triseptata</i> Matsushima   | On submerged wood                           | Sridhar et al. 2010    |
| 51 | <i>Filosporella aquatica</i> Nawawi   | Conidia in foam samples                     | Patil et al. 2014a     |
| 52 | <i>Flabellocladia tetracladia</i> (Nawawi) Nawawi<br>= <i>Flabellospora tetracladia</i> Nawawi  | Conidia in foam samples                     | Shinde & Pawar, 2009   |
| 53 | <i>Flabellospora acuminata</i> Descals & J. Webster   | Conidia in foam samples                     | Pawara et al. 2009     |
| 54 | <i>Flabellospora amphibian</i> (Price & Talbot) Descals<br>= <i>Tetracladium amphibium</i> Price & Talbot   | Conidia in foam samples                     | Pawara et al. 2011     |
| 55 | <i>Flabellospora crassa</i> Alas.   | Conidia in foam samples                     | Pawara et al. 2009     |
| 56 | <i>Flabellospora multiradiata</i> Nawawi  | Conidia in foam samples                     | Patil & Kapadnis, 1979 |
| 57 | <i>Flabellospora octacladia</i> Saikia & A.K. Sarbhoy   | Conidia in foam samples                     | Patil et al. 2014a     |
| 58 | <i>Flabellospora verticillata</i> Alas.   | Conidia in foam samples                     | Patil & Kapadnis, 1979 |
| 59 | <i>Flagellospora curvula</i> Ingold   | On subm. leaves                             | Patil et al., 2014a    |
| 60 | <i>Flagellospora penicillioidea</i> Ingold  | Conidia in foam samples                     | Patil, 1998a, 2003b    |
| 61 | <i>Gyoerffyella tricapillata</i> (Ingold) Marvanova<br>= <i>Ingoldia tricapitata</i> Ingold   | Conidia in foam samples                     | Patil & Kapadnis, 1979 |
| 62 | <i>Helicoma polysporum</i> Morgan<br>= <i>Helicosporium polysporum</i> (Morgan) Sacc.   | On submerged leaf litter                    | Shinde & Pawar, 2009   |
| 63 | <i>Helicomycetes colligatus</i> R.T. Moore  | Conidia in foam samples                     | Patil et al. 2015d     |
| 64 | <i>Helicomycetes lilliputae</i> R.T. Moore  | Isolated from submerged<br>wood and bamboos | Jadhav & Borse, 2015   |
| 65 | <i>Helicomycetes roseus</i> Link, = <i>Helicomycetes albus</i> Preuss,<br>≡ <i>Helicomycetes elegans</i> Morgan,<br>≡ <i>Helicomycetes clarus</i> Morgan<br>≡ <i>Helicomycetes fuscope</i> Linder | On submerged wood                           | Patil et al. 2015c     |
| 66 | <i>Helicomycetes torquatus</i> L.C. Lane & Shearer  | Conidia in foam samples                     | Borse et al. 2015b     |
| 67 | <i>Helicosporium griseum</i> Berk. & M.A. Curtis<br>= <i>H. lumbrioides</i> Sacc., = <i>H. cinereum</i> Peck  | On submerged wood                           | Shinde & Pawar, 2009   |
| 68 | <i>Helicosporium phragmitis</i> Honnel  | On submerged leaves                         | Shinde & Pawar, 2008   |
| 69 | <i>Hydrometraspora symmetrica</i> J. Gonczol & Revay  | Conidia in foam samples                     | Patil et al. 2015d     |
| 70 | <i>Intercalarispora nigra</i> J.L. Crane & Schokn.  | On submerged wood                           | Patil et al. 2015c     |
| 71 | <i>Isthmotrichalicia gombakensis</i> Nawawi   | Conidia in foam samples                     | Borse & Patil, 2006    |
| 72 | <i>Isthmotrichalicia laeensis</i> Matsush.  | Conidia in foam samples                     | Borse & Patil, 2007    |
| 73 | <i>Iyengaria asymmetrica</i> Kuthub. & Nawawi   | Conidia in foam samples                     | Patil et al. 2014a     |
| 74 | <i>Koorschalomella oryzae</i> Chona et al.  | On subm. <i>Fimbristylis</i> sp.            | Talde, 1981            |
| 75 | <i>Laridospora appendiculata</i> (Anastasiou) Nawawi<br>= <i>Dactylella appendiculata</i> Anastasiou  | On submerged leaves                         | Thakur, 1977           |
| 76 | <i>Lateriramulosa uni-inflata</i> Matsush.  | Conidia in foam samples                     | Patil & Kapadnis, 1979 |
| 77 | <i>Lemonnieria aquatica</i> De Wild.  | On submerged leaves                         | Thakur, 1977           |
| 78 | <i>Lunulospora cymbiformis</i> Miura  | Conidia in foam samples                     | Gosavi & Borse 2017    |
| 79 | <i>Magdalaenaea monogramma</i> G. Arnaud  | Conidia in foam samples                     | Patil et al. 2014a     |

|     |   |   |                        |
|-----|---|---|------------------------|
| 80  | <i>Monodictys trichocladiopsis</i> Goh & K.D. Hyde  | On submerged wood                             | Patil et al. 2015b     |
| 81  | <i>Myceliophthora lutea</i> Cost. var. <i>macrospora</i> Pande & Ghate  | Isolated from paper factory effluent          | Pande & Ghate, 1985    |
| 82  | <i>Neta angliae</i> K.D. Hyde & Goh   | On submerged wood                             | Patil et al. 2015c     |
| 83  | <i>Phaeoisaria clematidis</i> (Fuckel) S. Hughes  | On submerged wood                             | Patil et al. 2015c     |
| 84  | <i>Phaeoisaria sparsa</i> B. Sutton   | From water on seed bait                       | Shinde & Pawar, 2009   |
| 85  | <i>Phalangispora bharathensis</i> T.S.K. Prasad & Bhat  | Conidia in foam samples                       | Patil et al. 2014a     |
| 86  | <i>Phalangispora constricta</i> Nawawi & J. Webster   | Conidia in foam samples                       | Patil, 2009            |
| 87  | <i>Phalangispora nawawii</i> Kuthub.  | Conidia in foam samples                       | Patil et al. 2015c     |
| 88  | <i>Pleiochaeta setosa</i> (Kirchn.) S. Hughes<br>= <i>Ceratophorum setosa</i> Kirchn.                         | Conidia in foam samples                       | Borse & Patil, 2015    |
| 89  | <i>Retiarius bovicornutus</i> D.L. Olivier  | Conidia in foam samples                       | Borse & Patil, 2015    |
| 90  | <i>Rhexoacrodiclys erecta</i> (Ellis & Everh.) W.A. Baker & Morgan-Jones                                      | On submerged wood                             | Patil et al. 2015b     |
| 91  | <i>Scolecobasidium variable</i> G.L. Barron & L.V. Busch  | On submerged leaves                           | Shinde & Pawar, 2008   |
| 92  | <i>Scutisporus brunneus</i> K. Ando & Tubaki  | Conidia in foam samples                       | Patil et al. 2014a     |
| 93  | <i>Setosynnema limnetica</i> B.D.Borse et al.   | On submerged leaes of Mango and Eucalyptus sp | Borse et al. 2019b     |
| 94  | <i>Spadicoides cordanoides</i> Goh & K.D. Hyde  | On submerged wood                             | Patil et al. 2015c     |
| 95  | <i>Speiopsis hyalospora</i> Subram. & Lodha   | Conidia in foam samples                       | Patil & Kapadnis, 1979 |
| 96  | <i>Speiopsis pedatospora</i> Tubaki   | Conidia in foam samples                       | Patil & Kapadnis, 1979 |
| 97  | <i>Speiopsis scopiformis</i> Kuthub. & Nawawi   | Conidia in foam samples                       | Borse and Patil, 2015  |
| 98  | <i>Sporoschisma saccadoi</i> E.W. Mason & S. Hughes   | On submerged wood                             | Patil et al. 2014b     |
| 99  | <i>Sporoschisma uniseptatum</i> Bhat & W.B. Kendrick  | On submerged wood                             | Patil et al. 2014b     |
| 100 | <i>Stachylidium bicolor</i> Link  | On submerged wood                             | Shinde & Pawar, 2008   |
| 101 | <i>Subulispora procurvata</i> Tubaki  | Conidia in foam samples                       | Borse & Patil, 2015a   |
| 102 | <i>Tetrachaetum elegans</i> Ingold  | On sub. leaves                                | Patil, 2003a, b        |
| 103 | <i>Tetracladium marchalianum</i> De Wild.<br>= <i>Cerasterias raphidioides</i> var. <i>inequale</i> Reinsch   | Conidia in foam samples                       | Patil & Kapadnis, 1979 |
| 104 | <i>Tetracladium setigerum</i> (Grove) Ingold  | On submerged leaves                           | Thakur, 1977           |
| 105 | <i>Tetraploa aristata</i> Berk. & Broome  | Conidia in foam samples                       | Patil, 2003a           |
| 106 | <i>Triadelphia diversa</i> Tzean & J.L. Chen  | On submerged wood                             | Patil & Borse, 2015c   |
| 107 | <i>Triadelphiain inquinans</i> (Sacc.) S. Hughes & Piroz.<br>= <i>Dicoccum inquinans</i> Sacc.                | On submerged wood                             | Patil & Borse, 2015c   |
| 108 | <i>Triadelphia uniseptata</i> (Berk. & Broome) P.M. Kirk<br>= <i>Dicoccum uniseptatum</i> (Berk. & Br.) Sacc. | On submerged wood                             | Patil & Borse, 2015c   |
| 109 | <i>Trichocladium angelicum</i> Roldon & Honrubia  | On submerged wood                             | Patil, 2012            |
| 110 | <i>Trichocladium englandense</i> K.D. Hyde & Goh  | On submerged wood                             | Patil, 2012            |
| 111 | <i>Trichocladium lignicola</i> I. Schmidt   | On submerged wood                             | Patil, 2012            |
| 112 | <i>Trichocladium taiwanense</i> Matsush.  | On submerged wood                             | Patil, 2012            |
| 113 | <i>Tricladium aciculam</i> Nawawi   | Conidia in foam samples                       | Borse et al. 2015b     |
| 114 | <i>Tricladium angulatum</i> Ingold  | Conidia in foam samples                       | Patil & Kapadnis, 1979 |
| 115 | <i>Tricladium chaetocladium</i> Ingold  | Conidia in foam samples                       | Borse et al. 2015b     |
| 116 | <i>Tricladium minutum</i> (S.H. Iqbal) Marvanova & Descals,<br>= <i>Scorpiosporium minutum</i> S.H. Iqbal     | Conidia in foam samples                       | Borse et al. 2015b     |
| 117 | <i>Tricladium splendens</i> Ingold  | Conidia in foam samples                       | Patil & Kapadnis, 1979 |
| 118 | <i>Tridentaria tylota</i> Drechs.   | Conidia in foam samples                       | Borse et al. 2015c     |
| 119 | <i>Trinacrium robustum</i> Tzean & J.L. Chen  | Conidia in foam samples                       | Borse et al. 2015c     |
| 120 | <i>Trinacrium subtile</i> Fresen.   | Conidia in foam samples                       | Borse & Patil, 2015    |
| 121 | <i>Tripospermum limneticum</i> S.Y. Patil et al.  | Submerged leaf of Mango                       | Patil et al. 2019      |
| 122 | <i>Tripospermum myrti</i> (Lind) S. Hughes  | Conidia in foam samples                       | Borse & Patil, 2015    |
| 123 | <i>Triscelophorus acuminatus</i> Nawawi   | Conidia in foam samples                       | Borse & Patil, 2006    |
| 124 | <i>Triscelophorus konajensis</i> K.R. Sridhar & Kaver.  | On submerged leaves                           | Patil, 2009            |
| 125 | <i>Triscelophorus monosporus</i> Ingold   | Conidia in foam samples                       | Patil & Kapadnis, 1979 |
| 126 | <i>Varicosporium elodeae</i> W. Kegel   | Conidia in foam samples                       | Borse & Patil, 2015    |
| 127 | <i>Varicosporium scoparium</i> A. Roldon & Honrubia   | Conidia in foam samples                       | Patil et al. 2011      |
| 128 | <i>Wiesneriomycetes laurinus</i> (Tassi) P. M. Kirk<br>= <i>Wiesneriomycetes javanicus</i> Koord.             | On submerged leaves                           | Talde, 1983            |

|                                 |   |   |                   |
|---------------------------------|---|---|-------------------|
| 129                             | <i>Xylomyces elegans</i> Goh, W.H. Ho, K.D. Hyde & K.M. Tsui                      | Conidia in foam samples                     | Borse et al. 2014 |
| 130                             | <i>Xylomyces pucillus</i> Goh, W.H. Ho, K.D. Hyde & K.M. Tsui                     | On submerged wood                           | Borse et al. 2014 |
| <b>Freshwater: Coelomycetes</b> |   |   |                   |
| 131                             | <i>Chaetospermum carneum</i> Tassi, = <i>C. elasticae</i> , = <i>C. camelliae</i> | On stem of <i>Clotoraria bungea</i>         | Talde, 1981       |
| 132                             | <i>Chaetospermum chaetosporum</i> (Pat.) A.L. Sm. & Ramsb.                        | On submerged twigs                          | Talde, 1981       |
| 133                             | <i>Chaetospermum indicum</i> Talde  | On submerged stem of <i>Fimbristylis</i> sp | Talde, 1981       |

**Plate I. Hyphomycetes, Conidia**

**Plate 2: Hyphomycetes, Conidia**13) *Clavariana aquatica* 14) *Clavariopsis azlanii* 15) *Clavatospora tentacula*16) *Delortia palmicola* 17) *Dictyosporium tetraseriale* 18) *Diplocladiella tricladoides*19) *Dwayaangam dichomata* 20) *Flabellocladia tatracladia* 21) *Flabellospora multiradiata*22) *Hydrometrospora symmetrica* 23) *Laridospora appendiculata* 24) *Lunulospora cymbiformis*

**Plate III. Hyphomycetes, Conidia.****Comments**

According to Jones et al. (2014), there are 531 species of mitosporic fungi that had been recorded from freshwater habitats all over the world. In India, studies on freshwater mitosporic fungi (375 sp.) were compiled by Borse et al. (2016, 2017). In recent year, however, few new genera and species of freshwater Ascomycetes and Mitosporic fungi have been described from India (Borse et al. 2019 a-c; Borse & Pawar, 2019; Borse K N et al. a,b; Patil et al. 2019; Pawar et al. 2019). The present paper deals with substratum range of 133 species (Table 1) of freshwater Mitosporic fungi (130 Hyphomycetes

and 3 Ceolomcetes) reported so far from freshwater habitats of Maharashtra (India).

**ACKNOWLEDGMENTS**

We wish to acknowledge the generous cooperation of H'ble authorities of management and Principals of our respective colleges for providing the numerous facilities to enable us to continue the research. Thank are due to the authorities of Smithsonian Tropical Research Institute, Washington DC, USA for providing pd files of research articles / papers on freshwater fungi.

## REFERENCES

1. Borse B.D. & Patil S.Y. Aquatic fungi from North Maharashtra -IV. *J. Adv. Sci. & Tech.*, 2006; 9: 91-95.
2. Borse B.D. & Patil R.S. Aquatic fungi from North Maharashtra -I. *Bioinfolet*, 2007; 4: 101-104.
3. Borse B.D. & Patil, V.R. Aquatic fungi from North Maharashtra- XIV. *Ann. Pl. Sci.*, 2015; 4: 1123-1128.
4. Borse, BD & Pawar, NS *Paoayensis aquatica* sp. no. (Ascomycetes) on submerged wood from the River Tapti, Maharashtra, India. *Studies in Fungi (China)*, 2019; 4(1): 43-46.
5. Borse B.D., Patil, V.R. & Patil, S.Y. Aquatic fungi from Buldhana District (M. S.). *Bioinfolet*, 2008; 5: 44-47.
6. Borse, B.D., Jagdale, P.E. & Patil, S.Y. Freshwater Higher Fungi from Pune district (M.S., India) – I: The Mitosporic genus *Xylomyces*. *Bioinfolet*, 2014; 11: 730-734.
7. Borse B.D., Patil, V.R., Borade, D.S., Jagdale, P.E. & Kambale, V.M. Freshwater higher fungi from Maharashtra -I: *Sci. Park Res. J.*, 2015; 3(5): 1-7.
8. Borse B.D., Patil, V.R. & Patil S.Y. Aquatic fungi from North Maharashtra -XVI. Genus *Trichladium* Ingold. *International Weekly Sci. Res. J.*, 2015; 2(47): 1-7.
9. Borse B.D., Patil, V.R., Borade, D.S., Jagdale, P.E. & Kambale, V.M. Freshwater higher fungi from Maharashtra -I: *Sci. Park Res. J.*, 2015; 3(5): 1-7.
10. Borse, BD, Borse, KN, Patil, SY, Pawara, CM, Nemade, LC & Patil, VR "Freshwater Higher Fungi of India", Lulu publishers, North Carolina, USA, 2016; 1-636.
11. Borse, BD, Borse, KN, Patil, SY, Chaudhari, SA, Gosavi, SA, Borade, DS & Patil, VR "Freshwater and Marine Fungi of India", LAP Lambert Aca Pub, Germany, 2017; 1-163.
12. Borse, BD, Patil, SY & Pawar, NS Ascohyalinosporella aquatica gen. et sp nov., a new freshwater ascomycete from submerged wood from Maharashtra, India. *International J R A R*, 2019; 6: 956-961.
13. Borse, BD, Pawar, NS & Patil, SY *Setosynnema limnetica* sp. nov., a new Mitosporic fungus on submerged leaves from the river Tapti, Maharashtra, India. *International J R A R*, 2019; 6: 969-975.
14. Borse, BD, Pawar, NS & Patil, SY *Bactrodesmium aquaticum* sp. nov. (mitosporic fungi) on submerged wood from freshwater, Maharashtra, India. *International J. Adv. Res.*, 2019; 7(3): 1365-1368.
15. Borse, KN, Pawar, NS & Borse, BD *Mycosphaerella limnetica* sp. nov. (ascomycetes) on submerged wood from Maharashtra, India. *International J. Adv. Res.*, 2019; 7(3): 1361-1364.
16. Borse, KN, Pawar, NS and Borse, BD *Cercophora limneticum* sp. nov. (Ascomycetes) on submerged wood from Maharashtra, India. *Bioinfolet*, 2019; 16: 218-222.
17. Ghanwat, S.P. & Reddy, P.G. Notes on Hyphomycetes from fresh water habitats in Ahmednagar district, Maharashtra (India). *Bioinfolet*, 2011; 8: 359-362.
18. Goh, T.K. & Hyde, K.D. Biodiversity of freshwater fungi. *J. Industrial Microbiol.*, 1996; 17: 328-345.
19. Gosavi, SA & Borse, BD Aquatic fungi from western Maharashtra- *Angulospora aquatica*, *Diplocladia appendiculata* and *Lunulospora cymbiformis*. *Sci. Park*, 2017; 5(5): 1-3.
20. Jadhav, R.T. & Borse, K.N. Freshwater fungi from Nagpur distict of Maharashtra, India. *Intern. J. Res. Mad. & Basic Sci.*, 2015; 3: 1-5.
21. Jones, E.B.G., Hyde, K.D. & Pang, K.L. (eds.) Introduction. In: *Freshwater Mycology and Fungal-Like Organisms*, Walter de Gruyer, GmbH, Berlin, Germany, 2014; 1-22.
22. Pande, Alaka & Ghate, Nilima *Bioigyanam*, 1985; 11: 113-114.
23. Patil, A.S. & Rao, V.G. *Articulospora*, a new record from India. *Ind. Phytopath.*, 1972; 25: 455-456.
24. Patil, N.N. Aquatic hyphomycetes of Mahabaleshwar. *Geobios New Reports*, 1998; 17: 90.
25. Patil, N.N. Taxo-Ecological studies on some aquatic Hyphomycetes from India. In: "Frontiers in Botany", Proc. Conf. on Modern trends in teaching and research in Botany, Pub. V.N. Mahavidyalaya, Aurangabad, M.S., India, 1998; 84-89.
26. Patil, N.N. Occurrence of aquatic conidial fungi on *Memecylon umbellatum* Burm. In: "Plant Resource Development", Pub. Dr. B.A.M. University, Aurangabad, M.S., India, 2000; 83-85.
27. Patil, N.N. Aquatic Hyphomycetes from Western Ghats. In: "Recent Adavances in Plant Microbial and Environmental Biotechnology", (ed. N.N. Patil), Proc. of National conf., Pub. C. T. Bora College, Shirur, M.S., India, 2003; 225-232.
28. Patil, N.N. Studies on aquatic Hyphomycetes associated with submerged leaves and foam in Maharashtra. *Geobios*, 2003; 30: 105-108.
29. Patil, S.D. & Kapadnis, B.P. Stream spora of Maharashtra. *M. V. M. Patrika*, 1979; 14: 59-64.
30. Patil, S.Y. Aquatic fungi from North Maharashtra-III. In: "Biodiversity, Sustainable Development and Human Welfare", (eds. Nandan et al.), Pub. SSVPS's, Sci. College, Dhule, (M.S.), 2009; 76-81.
31. Patil, S.Y. Diverssty of *Trichocladium* Harz from North Maharashtra. *Current Botany*, 2012; 3: 08-11.
32. Patil, S.Y. & Borse, B.D. Aquatic fungi from North Maharashtra- VII. *Recent Res. Sci. & Tech.*, 2011; 3: 8-11.
33. Patil, S.Y., Wagh, D.D. & Borse B.D. Hyphomycetes from north Maharashtra. *Cur. Bot.*, 2012; 3: 23-25.
34. Patil, SY, Pawar, NS & Borse, BD *Tripospermum limneticum* sp. nov. (mitosporic fungi) on submerged leaves from freshwater, Gujarat, India. *International J. Adv. Res.*, 2019; 7(4): 556-559.

35. Patil, V.R. & Borse, B.D. Checklist of freshwater Mitosporic fungi of India. *International J. Bioassays*, 2015; 4: 4090-4099.
36. Patil, V.R. & Borse, B.D. Aquatic fungi from Buldhana district (M.S., India)-II. Genus *Camylospora*. *International J. Sci. & Res.*, 2015; 4: 2343-2345.
37. Patil V.R., Patil S.Y., Nemade, L.C., Borse B.D. & Naik, V.S. Aquatic fungi from Buldhana District (M.S.). *Curr. Botany*, 2011; 2: 56-58.
38. Patil, V.R. & Borse, B.D. Aquatic fungi from Buldhana district (M.S., India)-III. Genus *Triadelphia*. *International J. Sci. & Res.*, 2015; 4: 2351-2353.
39. Patil V.R., Pawara, C.M., Patil S.Y., Patil, R.S. & Borse B.D. Aquatic fungi from North Maharashtra – X. Stream spora. *Annals Plant Sci.*, 2014; 3: 832-836.
40. Patil V.R., Patil S.Y. & Borse B.D. Aquatic fungi from North Maharashtra – XI. *Annals Plant Sci.*, 2014; 3: 878-882.
41. Patil, V.R., Borse, B.D. & Patil, S.Y. Aquatic fungi from North Maharashtra- XIII. Submerged-aquatic fungi. *W. Sci. Res. J.*, 2015; 2: 1-7.
42. Patil, V.R., Borse, B.D. & Patil, S.Y. Aquatic fungi from North Maharashtra- XV. Foam spora. *Sci. Park Res. J.*, 2015; 2: 1-5.
43. Patil, V.R., Borse, B.D. & Patil, S.Y. Aquatic fungi from North Maharashtra- XV. Foam spora. *Sci. Park Res. J.*, 2015; 2: 1-5.
44. Pawar NS, Patil SY & Borse BD *Ascomurispora limnetica* gen. et sp. nov., a new freshwater Ascomycete from submerged wood from Maharashtra, India. *Bioinfolet*, 2019; 16: 270-272.
45. Pawara, C.M., Patil, S.Y., Ahire, P.K. & Borse, B.D. Aquatic fungi from North Maharashtra - V. In: "Biodiversity, Sustainable Development and Human Welfare", (eds. Nandan et al.), Pub. SSVP Sanstha's Sci. College, Dhule, (M.S.), 2009; 411-415.
46. Pawara, C.M., Patil, S.Y. & Borse, B.D. Aquatic fungi from N. Maharashtra-II. *Bioinfolet*, 2011; 8: 18-21.
47. Sati, S.C. & Tiwari, N. A new species of *Pestalotiopsis* on submerged leaf litter. *Nova Hedwigia*, 1993; 56: 543-547.
48. Shinde, Vaishali & Pawar, A.B. Some aquatic Hypho. from Satara District. *Bioinfolet*, 2008; 5: 423-424.
49. Shinde, Vaishali & Pawar, A.B. Some aquatic Hyphomycetous from Satara District (M. S.). *Geobios*, 2009; 36: 161-264.
50. Sridhar, K.R. Aquatic fungi in the Western Ghats – Current status and future concern. In: *Ecology of Western Ghats* (eds. Gadgil, M. & Sukumar, R.), Western Ghats Ecology Expert Panel, Indian Institute of Sciences, Bangalore, India, 2010; 1-14.
51. Talde, U.K. Aquatic Deuteromycetous fungi from Purna and Dudhana rivers-I. *Indian J. Mycol. & Pl. Pathol.*, 1981; 11: 288-290.
52. Talde, U.K. Aquatic Deuteromycetous fungi from Purna and Dudhana rivers-II. *Indian J. Mycol. & Pl. Pathol.*, 1983; 13: 198-199.
53. Thakur, S.B. Survival of some aquatic Hyphomycetes under dry conditions. *Mycologia*, 1977; 69: 843-845.
54. Thomas, K. Australian freshwater fungi. In: *Introductory volume to the fungi (Part- 2). Fungi of Australia*. Australian Biological Resources Study, Canberra, Australia, 1996; 1-37.