



CABINETRY

BUILDERS MARKTM FROM WOLF HOME PRODUCTS*

BUILDERS MARK VERO FROM WOLF HOME PRODUCTS

The Budget-Friendly Choice

Whether you're creating a large decorative space or building a small galley kitchen, when you choose Builders Mark Vero cabinets your imagination won't be limited — even if your budget is.

Exceptional Value

Builders Mark Vero cabinets feature quality wood doors and face frames and come with 6-way adjustable, fully concealed, self-closing hinges and an easy-clean interior. Plus, you can choose from a variety of smart storage solutions as well as functional and decorative accessories to make any size project your own.

Buy with Confidence

You can be confident when buying Builders Mark Vero cabinets. In addition to certifications from the Kitchen Cabinet Manufacturers Association (KCMA), Builders Mark Vero comes with a 2-year limited warranty.

SMARTSHIELD TECHNOLOGY

When life gets messy, SmartShield Technology has you covered. SmartShield resists typical kitchen stains, endures household wear and tear and stands up to both heat and moisture. Plus, the continuous wrap around every door delivers 360 degrees of crisp, clean, consistent beauty.

STYLE

High fashion look with smooth, even color consistency and a quality finish that has a warm, sleek feel when compared to other similar products.

CONSISTENCY

No wood grain issues or finish variations, you get a smooth, consistent finish every time.

DURABILITY

Traditional finish quality concerns such as roughness, peeling, cracking and open joints become nonexistent. Plus, effects of light exposure and aging are minimal in comparison to wood finished products.

EASY TO CARE FOR

Resists moisture as well as stains from common household foods and detergents. With its smooth surface and durability, SmartShield is a breeze to clean and makes an excellent choice for homeowners with pets or young children.

STAINED FINISHES


Stain is applied to desired color. Next, sealer is applied to protect the finish and minimize warping and cracking of the hardwood. Sealer is then sanded to develop a bonding surface for the topcoating process. As a final step, a heat activated topcoat is applied to provide a beautiful and durable furniture finish. Finish availability varies by door style.

Natural Beauty of Wood

Wood is a natural product with variations in grain, texture and color. As a result of natural conditions, some species will develop characteristics such as burls, pecks, pin burls, shakes, split knots and mineral streaks to name a few. In some instances, even the color will vary greatly within a single piece of wood or cabinet component. A certain amount of variations is allowed and, in fact, is desirable. Doors with these types of characteristics are not to be considered defective. In addition, all wood will age overtime deepening or mellowing its tone. These characteristics are not to be misinterpreted as defects. Wood is a product of nature- and as such will display natural characteristics and variances that are unique to each and every cut. These characteristics are an integral part of the charm and beauty of real wood.

SPECIFICATIONS

CONSTRUCTION SPECIFICATIONS



	l	Wall, Base and Vanity	3/8" Furniture Board				
1	End Panels	Tall	1/2" Furniture Board				
	Top and Wall		3/8" Furniture Board				
2	Bottom	Tall	½" Furniture Board				
3	Bottom	Base and Vanity	3/e" Furniture Board				
		Wall	3/8" Furniture Board				
4	Base and Vanity Tall		1/4" Furniture Board				
			1/4" Furniture Board				
5	Shelves		³ / ₄ " Furniture Board, adjustable; 33" wide and greater receive stiffening cleat				
6	Face Fram	es	Solid Wood - 1½" Wide x¾" Thick				
7	Exterior, Co	ıbinet	Laminate matched to door's finish choice				
8	Interior, Ca	binet and Drawer Box	Natural woodgrain laminate				
9	Structural S	Support	I-Beam; 3/8" Furniture Board				
10	Hinges		6-way adjustable, fully concealed, self-closing (Self-closing hinges pull the door closed. NOT a soft-close motion)				
		Drawer Box	1/2" Furniture Board, butt joint and stapled				
11	Standard	Drawer Glides	Side mount, epoxy coated, 3/4" extension, roller glid				
	Drawer	Drawer Bottom	3/8" Furniture Board				

^{*}Glides have a 75 lb. load capacity

DOOR STYLES

Pearl SmartShield


(073)

Cinder

SmartShield


(074)

SHEA



- 2" Wide Rails and Stiles
- Flat Panel Door
- Slab Drawer Front
- Standard Overlay
- SmartShield Technology
- MDF Core Door and Drawer Front
- 1/4" MDF Center Panel

SLOANE






Stain (075)

- 2" Wide Rails and Stiles
- Flat Panel Door
- Slab Drawer Front
- Standard Overlay
- Birch
- 5/32" Veneer Center Panel

CABINET DIMENSIONS

CABINET DIMENSIONS



Wall Cabinets – 12" Deep

	Stock SKUs	SKU's	cubes	Shea Sloane
WALL - 12" HIGH - 12" DEEP				
12	 Two doors with self-closing hinges and center mullion Shelves not available Available widths: 30"-39" 	W3012	3.5	249
12		W3612	4.0	281
		W3912	5.0	302
WALL - 15" HIGH - 12" DEEP				
15	 Two doors with self-closing hinges and center mullion Shelves not available Available widths: 30"-36" 	W3015	4.0	257
12		W3315	4.5	269
		W3615	5.0	281
WALL - 18" HIGH - 12" DEEP				
18	 One door with self-closing hinges - hinged left Cabinet can be flipped during installation for right hinge applications Shelves not available Available width: 24" 	W2418	4.0	249
	Two doors with self-closing hinges and center mullion Shelves not available	W3018	5.0	272
18	Available widths: 30"-39"	W3318	5.0	284
12		W3618	5.5	304
		W3918	6.0	315
WALL - 23 1/2" HIGH - 12" DEEP				
231/2	 One door with self-closing hinges - hinged left Cabinet can be flipped during installation for right hinge applications One adjustable shelf Available width: 24" 	W2423.5	5.0	258
	Two doors with self-closing hinges and center mullion One adjustable shelf Available widths: 30"-39"	W3023.5	6.0	305
231/2		W3323.5	6.0	322
12		W3623.5	7.0	344
		W3923.5	8.0	361

Wall Cabinets - 12" Deep


In s	Stock SKUs	SKU's	cubes	Shea
WALL - 30" HIGH - 12" DEEP		3.00	34,503	Sloane
WALL-30 HIGH-12 DELF	One door with self-closing hinges - hinged left	W0930	3.0	214
30	 Cabinet can be flipped during installation for right hinge applications Two adjustable shelves 	W1230	3.5	231
	Available widths: 9"-24"	W1530	4.0	238
		W1830	4.5	254
		W2130	5.5	276
		W2430	6.0	300
30	Two butt doors with self-closing hinges Two adjustable shelves Available width: 27"	W2730	7.0	332
	Two doors with self-closing hinges and center mullion Two adjustable shelves	W3030	7.5	339
30	• Available widths: 30"-45"	W3330	8.5	370
		W3630	9.0	384
12		W3930	9.0	408
		W4230	10.0	440
		W4530	9.0	468
WALL - 36" HIGH - 12" DEEP				
	 One door with self-closing hinges - hinged left Cabinet can be flipped during installation for right hinge applications 	W0936	4.0	247
36	 Two adjustable shelves Available widths: 9"-24" 	W1236	5.0	254
		W1536	5.0	261
12		W1836	5.0	276
		W2136	6.0	300
36	Two butt doors with self-closing hinges Two adjustable shelves Available width: 27"	W2436 W2736	7.0	322 388
	Two doors with self-closing hinges and center mullion Two adjustable shelves	W3036	8.0	420
	Available widths: 30"-42"	W3336	9.0	440
36		W3636	9.0	455
12		W3936	10.0	509
		W4236	11.0	552

In S	Stock SKUs	SKU's	cubes	Shea Sloane
WALL - 42" HIGH - 12" DEEP				
	One door with self-closing hinges - hinged left	W0942	4.0	270
	Cabinet can be flipped during installation for right hinge applications Three adjustable shelves	W1242	4.0	276
42	Available widths: 9"-24"	W1542	6.0	291
		W1842	5.0	306
12		W2142	6.0	327
		W2442	7.0	383
42	 Two butt doors with self-closing hinges Three adjustable shelves Available width: 27" 	W2742	7.0	435
	Two doors with self-closing hinges and center mullion Three adjustable shelves	W3042	9.0	464
	• Available widths: 30"-42"	W3342	9.0	480
42		W3642	10.0	511
12		W3942	10.0	561
		W4242	11.0	607
BOOKCASE CABINET - 30" HIGH	- 12" DEEP			
30	 No door Matching Interior Two adjustable shelves Available widths: 18" and 24" 	BK1830	5.0	329
12		BK2430	7.0	339
MICROWAVE WALL CABINET				
18 15	3/4" thick shelf extends 3 3/4" beyond face frame of cabinet Matching interior Shelf shipped unattached for ease of installation; mounting hardware included Designed for countertop style microwaves MUST be installed between two cabinets or between cabinet and side wall Opening Size: 27" wide x 141/4" high Shelf depth is 15" Available width: 30"	MWC3018	4.5	400
WALL - 23 1/2" HIGH - 15" DEEP				
231/2	Two doors with self-closing hinges and center mullion One adjustable shelf Available width: 30"	W3023.515	7.0	372

Wall Cabinets - 12", 15", and 24" Deep

IN STOCK

	Stock SKUs	SKU's	cubes	Shea Sloane
REFRIGERATOR WALL - 24" DEEP				
18	 Two doors with self-closing hinges and center mullion Shelves not available Available width: 36" 	RW3618	9.0	368
231/2	Two doors with self-closing hinges and center mullion Shelves not available Available width: 36"	RW3623.5	10.0	413
WALL CORNER - DIAGONAL				
24/27 24/27	One door with self-closing hinges - hinged left Cabinet can be flipped during installation for right hinge applications Output Outp	WDC2430	12.0	436
30 36 42	 30" and 36" have two adjustable shelves 42" has three adjustable shelves 24" wide will be 12" deep 27" wide will be 15" deep 	WDC2436	14.0	477
42		WDC2442	14.0	545
12/15		WDC2742	14.0	614
WALL CORNER - BLIND - 12" DE	EP .			
	One door with self-closing hinges - hinged leftCabinet can be flipped during installation for right hinge applications	WC3030	7.0	400
30	 30" and 36" have two adjustable shelves 42" has three adjustable shelves Blind cabinets can be pulled 27/8" 	WC3630	8.0	428
30 36 42	 Center stile is 6" wide on all sizes Blind opening is 7¹/₂" on all sizes 	WC3036	8.0	439
12	 Blind cover panel with 3" filler is included; shipped unattached Available widths: 30" and 36" 	WC3636	9.0	471
	Note: • WC30_cabinet width is 30"; 32 ⁷ / ₈ " can be obtained with a 2 ⁷ / ₈ " gap between cabinet and wall	WC3042	9.0	490
	 WC36_cabinet width is 36"; 32⁷/₈" can be obtained with a 2⁷/₈" gap between cabinet and wall 	WC3642	10.0	522
	Two doors with self-closing hinges and center mullion Two doors	WC4230	9.0	499
30 36 42	 Center stile is 6" wide on all sizes Blind opening is 7¹/₂" on all sizes Blind cover panel with 3" filler is included; shipped unattached Available widths: 42" 	WC4236	11.0	632
12	Note: • WC42_cabinet width is 42"; 447/8" can be obtained with a 27/8" gap between cabinet and wall	WC4242	11.0	639



			,	Α		В		С		
	SKU	Cabinet Width	Door Opening Width	Center Stile	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
	WC30	30"	131/2"				30"	327/8"		
	WC36	36"	191/2"	6"	0"	27/8"	36"	38 ⁷ /8"	11/2"	43/8"
ITH	WC42	42"	101/2", 12"				42"	447/8"		

A = Pull distance from wall B = Cabinet distance from wall

C = Door hardware clearance

Note: Cabinets can be flipped during installation for left or right hinge application.

In a	Stock SKUs	SKU's	cubes	Shea Sloane
BASE - 34 1/2" HIGH - 24" DEEP				Siodile
341/2	 One full height door with self-closing hinges - hinged left Door can be reversed during installation for right hinge applications Shelves not available Available width: 9" 	B09FH	5.5	317
341/2	 One door with self-closing hinges - hinged left Door can be reversed during installation for right hinge applications One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf 	B12	7.0	327
	Back panel drilled for Pull-out Shelves (POS) Available widths: 12"-24"	B15	8.5	337
24		B18	10.0	354
		B21	12.0	373
		B24	13.5	423
341/2	 Two butt doors with self-closing hinges One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Available width: 27" 	B27	15.0	477
	Two doors with self-closing hinges and center mullion One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Back panel drilled for Pull-out Shelves (POS) Available widths 30"-39"	B30	16.5	511
341/2		B33	18.0	560
24		B36	20.0	578
		B39	21.0	596
341/2	 Two doors with self-closing hinges and center mullion Two drawers with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Back panel drilled for Pull-out Shelves (POS) Available widths 42" and 48" 	B42	23.0	619
24		B48	26.0	657


Base Cabinets – 24" Deep

In s	Stock SKUs	SKU's	cubes	Shea
SINK BASE - 34 1/2" HIGH - 24"			03000	Sloane
341/2	 One door with self-closing hinges – hinged left Door can be reversed during installation for right hinge applications One false drawer front Shelves not available Back panel drilled for Pull-out Shelves (POS) Available width: 24" 	SB24	14.0	396
341/2	Two butt doors with self-closing hinges One false drawer front Shelves not available Available width: 27"	SB27	16.0	416
341/2	Two doors with self-closing hinges and center mullion One false drawer front Shelves not available Back panel drilled for Pull-out Shelves (POS) Available widths: 30"-39"	SB30	17.0	439
24		SB33	18.0	459
		SB36	20.0	477
		SB39	22.0	496
341/2	Two doors with self-closing hinges and center mullion Two false drawer fronts Shelves not available Back panel drilled for Pull-out Shelves (POS) Available widths: 42" and 48"		23.0	506
24		SB48	27.0	539

In:	Stock SKUs	SKU's	cubes	Shea Sloane
THREE DRAWER BASE - 34 1/2" H	HIGH - 24" DEEP			
341/2	 Three drawers with side-mounted, epoxy-coated nylon roller glides Second and third drawers are deep Available widths: 12-24" 	DB12	7.0	453
24		DB15	9.0	466
		DB18	10.0	498
		DB21	12.0	532
		DB24	13.5	553
THREE DRAWER BASE - 34 1/2" H	HIGH - 24" DEEP			
341/2	 Three drawers Top drawer with side-mounted, epoxy-coated nylon roller glides Bottom drawers are deep with side-mounted full extension glides Available widths: 30" and 36" 	DB30	17.0	663
24		DB36	20.0	810
BASE WASTEBASKET CABINET - 3	4 1/2" HIGH - 24" DEEP			
341/2	One drawer with side-mounted, epoxy-coated nylon roller glides Top mounted wastebasket with full extension ball bearing glides Door is attached to wastebasket Includes two 35 qt. white plastic waste containers Available width: 18"	BWB18	10.0	655
SINK/RANGE FRONT DIAGONAL 42 42 24 42 25 ¹ / ₂	 One door with self-closing hinges - hinged left Door can be reversed during installation for right hinged applications One false drawer front Toekick assembly included, shipped separately Floor (SCB42DFLR) must be purchased separately Floor space: 42" x 42" 	SCB42FF	3.0	413
SINK/RANGE FRONT DIAGONAL	FLOOR			
423/16	 Designed to be used as an optional cabinet floor with SCB42FF Fits SCB42FF without field trimming 3/8" thick furniture board; natural woodgrain finish on one side Installation screws included 	SCB42DFLR	1.0	99

Base Cabinets - 24" Deep

In S	Stock SKUs	SKU's	cubes	Shea Sloane
BASE CORNER LAZY SUSAN - 34	1/2" HIGH			
341/2	Bifold doors with pie-cut shelves L or R indicates hinge designation; door can not be reversed Two 24" diameter white plastic revolving shelves Shelves revolve independently of doors and each other Shelf load rating 15lbs per square foot (not to exceed 50lbs) Requires panel treatment if end is exposed Floor space: 36" x 36"	LS36L	20.5	739
36		LS36R	20.5	739
BASE CORNER - 34 1/2" HIGH -	24" DEEP			
341/2	 One door with self-closing hinges - hinged left Door can be reversed during installation for right hinge applications One adjustable half-depth shelf Center stile: 6" Blind openings: BC36 = 7¹/₂" Blind cover panel with 3" filler is included; shipped unattached Available width: 36" Note: BC36_cabinet width is 24"; 36" is obtained when installed with a 12" gap between cabinet and wall - can be pulled up to 38% 	BC36FH	17.0	477
341/2	 One door with self-closing hinges - hinged left Door can be reversed during installation for right hinge applications One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Center stile: 6" Blind openings: BC39 = 101/2", BC42 = 131/2" Blind cover panel with 3" filler is included; shipped unattached Available widths: 39" and 42" 	BC39	16.5	517
	Note: • BC39_cabinet width is 30"; 39" is obtained when installed with a 9" gap between cabinet and wall – can be pulled up to 417/6" • BC42_cabinet width is 36"; 42" is obtained when installed with a 6" gap between cabinet and wall – can be pulled up to 447/6"	BC42	18.0	533



				Α		В	С		
SKU	Cabinet Width	Door Opening Width	Center Stile	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
BC36	24"	71/2"		12"	14 ⁷ /8"	36"	387/8"		
BC39	30"	101/2"	6"	9"	117/8"	39"	417/8"	11/2"	43/8"
BC42	36"	131/2"		6"	8 ⁷ / ₈ "	42"	447/8"		

A = Pull distance from wall

B = Cabinet distance from wall C = Door hardware clearance

Note: Cabinet doors can be reversed during installation for left or right hinge application.

Tall Cabinets – 2	4" Deep			
	In Stock SKUs	SKU's	cubes	Shea Sloane
UTILITY CABINET - 18" W	VIDE - 24" DEEP			
	 Two doors with self-closing hinges – hinged left Fixed shelf between top and bottom sections Lower section drilled for shelves (U1824SHELF/U2424SHELF) 	U188424	24.0	778
	and Pull out Shelves (POS) • Upper Shelves: 84" high = No shelves 90" high = One shelf	U248424	32.0	903
84 90 96	96" high = two shelves 96" high cabinet includes toekick platform shipped unattached Toekick cover required on exposed toekick platform sides	U189024	26.0	861
96	 Shea - Tall door is one-piece panel construction Sloane - Tall door is two-piece panel construction Available widths: 18" and 24" 	U249024	34.0	980
	Available walls. To and 24	U189624	37.0	903
24		U249624	39.0	1034
UTILITY CABINET SHELF				
	 For Utility Cabinets: 18" or 24" Wide - 24" Deep Shelf clips required – must be purchased separately 	U1824SHELF	1.0	55
	 Natur-al woodgrain laminate Sold individually 	U2424SHELF	1.5	55
OVEN CABINET - 33" WI	• Two doors with self-closing hinges and center mullion; Face mounted			
96	hinges allows for matching reveals Three drawers with side-mounted, epoxy-coated nylon roller glides Fixed shelf between top and bottom sections Includes two upper shelves Includes toekick platform shipped unattached Toekick cover required on exposed toekick platform sides Accommodates single and double oven by trimming and removing horizontal cross rails Includes 1" thick platform with heavy-duty mounting brackets and screws that install into pre-drilled end panels Order additional support platform kits as needed (OC33SHELF) Available width: 33"	OC339624	47.0	1731
	27"			
27"	FRAME OPENING THE PROPERTY OF THE PROPERTY O			
1 % BAIL TOEKICK OVEN CABINET SHELF	A 3/4 DAAWER OPENINGS			
OVEN CABINET SHELF	 For installing second appliance in Oven Cabinet 1" thick furniture board unfinished on all surfaces Includes four heavy-duty metal mounting brackets and eight screws Sold individually 	OC33SHELF	1.0	84

Vanity Cabinets – 21" Deep

In	Stock SKUs	SKU's	cubes	Shea
VANITY BASE – 21" DEEP			3000	Sloane
	 One door with self-closing hinges - hinged left One drawer with self-mounted, epoxy-coated nylon roller glides Shelves not available 	VB12	7.0	327
341/2	Available widths: 12"-18"	VB15	8.0	337
21		VB18	9.0	354
VANITY SINK BASE - 21" DEEP				
341/2	 One door with self-closing hinges – hinged left Door can be reversed during installation for right hinge applications One false drawer front Shelves not available Back panel drilled for Pull-out Shelves (POS) Available width: 24" 	VSB24	10.0	394
341/2	Two butt doors with self-closing hinges One false drawer front Shelves not available Available width: 27"	VSB27	12.0	416
341/2	 Two doors with self-closing hinges and center mullion One false drawer front Shelves not available Available widths: 30" and 33" 	VSB30	14.5	439
21		VSB33	16.0	459
VANITY SINK BASE WITH DRAWE	RS - 21" DEEP			
341/2	Two doors with self-closing hinges and center mullion Two drawers with side-mounted, epoxy-coated nylon roller glides One false drawer front in center position Shelves not available Space between drawers for sink installation: 18" Available width: 36" Note: Drawer fronts are offset from drawer This limits the sizes of pulls that can be positioned in the middle of drawer front to pulls with 6" centers or 3" narrow centers	VSDB36	17.0	651
341/2	Three doors with self-closing hinges and center mullions Center door is hinged right Two drawers with side-mounted, epoxy-coated nylon roller glides One false drawer front in center position Shelves not available Space between drawers for sink installation: 21" Back panel drilled for Pull-out Shelves (POS) Available widths: 42" and 48"	VSDB42	20.0	728
21	Note: Center door on 42" cabinet is 6" wider than outer doors Center door on 48" cabinet is 3" wider than outer doors	VSDB48	22.0	746

Vanity Cabinets – 21" Deep

In	Stock SKUs	SKU's	cubes	Shea Sloane
VANITY DRAWER BASE - 21" DEE	P			
341/2	Three drawers with side-mounted, epoxy-coated nylon roller glides Second and third drawers are deep Available widths: 12"-21"	VDB12	7.0	459
21		VDB15	8.0	473
		VDB18	9.0	509
		VDB21	10.0	541
UNDERMOUNT DRAWER - 21" DE	 Designed to use between Base, Tall, or Vanity cabinets Frame is constructed of 3/4" plywood Full width top panel is recessed for ease of installation Trimmable to 21" wide; 7½" each side 	VDT36	3.0	258
EINEN CLOSET - 15" WIDE - 21" [Two doors with self-closing hinges - hinged left Fixed shelf between top and bottom sections No adjustable shelves available Shea - Tall door is one-piece panel construction Sloane - Tall door is two-piece panel construction Available width: 15"	LC158421	20.0	925
LINEN CLOSET SHELF	 For LC158421 Linen Cabinets Shelf clips required – must be purchased separately Natural woodgrain laminate Sold individually 	LC1521SHELF	1.0	16

Accessories

In:	Stock SKUs	SKU's	cubes	Shea Sloane
CORBEL				
9 9	 Used for shelf or countertop support Vertical woodgrain SmartShield is painted Mounting hardware included 	CORBEL9	0.1	165
STRAIGHT VALANCE				
48 72 4 1/4	 Square edges Finished on both sides and both long edges SmartShield is painted Available widths: 48" and 72" 	V548ST	1.0	80
		V572ST	1.0	93
FILLER	 ³¼" thick solid wood F330 and F630 may be used for either bases or 30" wall cabinets 	F330	1.0	38
30 42 96	 Finished on face surface only SmartShield is painted If you require an end to be exposed we suggest using a valance 	F342	1.0	55
		F396	1.0	115
3 6		F630	1.0	51
		F642	1.0	97
		F696	1.0	212
PULL-OUT SHELF	a Faa Daga ayad Tall a alain ak			
	 For Base and Tall cabinets Hardware and installation screws included ¾ extension glides 	POS12	1.0	140
	 Pull-out shelf front is solid wood; Sides back and bottom are furniture board Double door cabinets require a Pull-out shelf on each side Available widths: 12"-24" 	POS15	1.0	142
		POS18	1.0	147
		POS21	1.0	149
		POS24	1.0	151

Panels IN STOCK

In Stock SKUs	SKU's	cubes	Stain SmartShield
• P4834 - Finished End Panel (Veneer): 48" x 34½" x 3½" (grain runs with 34½") Finished one side SmartShield is painted	P4834	1.0	289
• P4896 - Finished End Panel (Veneer): 48" x 96" x ³ /16" (grain runs with 96") Finished one side SmartShield is painted	P4896	1.0	521
• WSKIN30 - Finished 30" H Wall Skin Panel (Veneer): 11½" x 30" x ½"	WSKIN30	1.0	60
• WSKIN42 - Finished 42" H Wall Skin Panel (Veneer): 11½" x 42" x ½"	WSKIN42	1.0	81
• BSKIN - Finished Base Skin Panel (Paper Laminate): 23 ¹ / ₄ " x 34 ¹ / ₂ " x ¹ / ₈ "	BSKIN	1.0	66
• REFP24 - Finished Refrigerator Panel: 24" x 96" with 1½" stile	REFP24	1.0	209
• 3/4REFP32 - Finished Refrigerator Panel (Veneer): 32" x ³ / ₄ " x 96", one ³ / ₄ " x 96" (edge banded)	3/4REFP32	1.0	449
• DWP3 - Finished Dishwasher End Panel with 3" stile	DWP3	2.0	92

Wouldings	No als OVIIIs	CKIK	!	Stain
	Stock SKUs	SKU's	cubes	SmartShield
SMALL CROWN MOULDING - 2 1	 8 Feet Long 2½" Crown Available in all colors Hardwood: SmartShield is painted 	SMCROWN214	1.5	108
LARGE CROWN MOULDING - 3 1	/2"			
3 1/2	 Stain: 8 Feet long SmartShield: 12 Feet long 3½" Crown Available in all colors Stain is solid wood SmartShield is paper wrapped 	LGCROWN312	2.3	134
INSIDE CORNER MOULDING				
3/4 3/4	 8 Feet Long Inside corner Available in all colors SmartShield is paper wrapped Stained is solid wood 	MICW	1.5	50
OUTSIDE CORNER MOULDING				
3/4 3/4	 8 Feet Long Outside corner Available in all colors SmartShield is paper wrapped Stained is solid wood 	MOCW	1.5	63
SCRIBE MOULDING				
5/16 3/4	 8 Feet Long Scribe Available in all colors SmartShield is paper wrapped Stained is solid wood 	MSW	1.5	36
QUARTER ROUND MOULDING				
3/4	 8 Feet Long Quarter Round Available in all colors SmartShield is paper wrapped Stained is solid wood 	MQR	1.5	36
TOEKICK MOULDING				
41/2	 8 Feet Long 4½" Toekick Available in all colors MDF is matching laminate on one side (not wrapped) 	TOEKICK	1.0	34

Hardware & Parts / Touch Up Kits

Hardware & Parts

Description	SKU	Price	Quantities
HINGE			
6-Way adjustable hinge, standard overlay - includes mounting screws	HINGE6	24	Each
SHELF CLIP			
Clear plastic locking shelf clip	SHCLIP	2.37	Each
BASE GLIDE			
³ / ₄ Extension side mount kit – includes left and right glides and mounting hardware. Used on 24" deep cabinets	BGLIDE	95	One set
VANITY GLIDE			
3½ Extension side mount kit – includes left and right glides and mounting hardware. Used on 21" deep cabinets	VGLIDE	95	One set
BUMPER PADS			
Bumper pads	BUMPERPAD	22	One sheet of 132

Touch Up

Product Description	Number	Price	Quantities
PINT OF STAIN OR PAINT			
075 STAINPT-Mocha	3531250	44	Pint
TOUCH UP KIT			
073 TUKIT-Pearl	3530795	44	One per carton
074 TUKIT-Cinder	3531022	44	One per carton
075 TUKIT-Mocha	3531249	44	One per carton
CANS OF SPRAY			
073 PAINTSPRAY-Pearl	3530797	46	12 oz.
074 PAINTSPRAY-Cinder	3531024	46	12 oz.
075 STAINSPRAY-Mocha	3531251	46	12 oz.
075 STAINTOPSPRAY	3531299	46	12 oz.

Wall Cabinets – 12" and 15" Deep

Special Available with	Il Order SKUs – n extended lead time	SKU's	cubes	Shea Sloane
WALL - 12" DEEP				
30	Two doors with self-closing hinges and center mullion Two adjustable shelves Available width: 48"	W4830	12.0	495
23 ¹ / ₂	Two doors with self-closing hinges and center mullion One adjustable shelf To create flush ends use 1/4" panels: P4834 or P4896 Available width: 36"	W3623.515	12.0	420
	 One door with self-closing hinges - hinged left Cabinet can be flipped during installation for right hinge applications Three adjustable shelves To create flush ends use ½" panels: P4834 or P4896 	W154215	7.0	364
42	Available widths: 15"-24"	W184215	6.0	382
15		W244215	8.0	438
42	Two doors with self-closing hinges and center mullion Three adjustable shelves To create flush ends use 1/4" panels: P4834 or P4896 Available width: 30"	W304215	10.0	575


SPECIAL ORDER

Wall Cabinet – 15" and 24" Deep

Special Available with	al Order SKUs – n extended lead time	SKU's	cubes	Shea Sloane
REFRIGERATOR WALL - 24" DEEP				
12 24	 Two doors with self-closing hinges and center mullion Shelves not available Available width: 36" and 39" 	RW3612	6.0	345
		RW3912	7.0	299
18 24	Two doors with self-closing hinges and center mullion Shelves not available Available width: 39"	RW3918	10.0	398
231/2	Two doors with self-closing hinges and center mullion Shelves not available Available width: 39"	RW3923.5	11.0	440
DIAGONAL WALL CABINET	 One door with self-closing hinges - hinged left Cabinet can be flipped during installation for right hinge applications Two adjustable shelves 	WDC2736	14.0	553

Base Cabinet – 24" Deep

Special Order SKUs -Shea SKU's cubes Available with extended lead time Sloane BASE CORNER - 34 1/2" HIGH - 24" DEEP • One door with self-closing hinges - hinged left • Door can be reversed during installation for right hinge applications • One drawer with side-mounted, epoxy-coated nylon roller glides • One adjustable half-depth shelf • Center stile 6" $34^{1}/_{2}$ • Blind opening: 161/2" • Blind cover panel with 3" filler is included; shipped unattached • Available width: 45" Note: • BC45 cabinet width is 42"; 45" is obtained when installed with a 3" gap between cabinet and wall - can be pulled up to 471/8" BC45 21.0 568



		,	4	I	3	(>		
SKU	Cabinet Width	Door Opening Width	Center Stile	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
BC45	42"	161/2"	6"	3"	5 ⁷ /8"	45"	47 ⁷ /8"	11/2"	43/8"

A = Pull distance from wall

B = Cabinet distance from wall

C = Door hardware clearance

Note: Cabinet doors can be reversed during installation for left or right hinge application.

SPECIAL ORDER

Special Order SKUs – Available with extended lead time	SKU's	cubes	Shea Sloane
OVEN CABINET - 33" WIDE - 24" DEEP			JIOGITE
Two doors with self-closing hinge hinges allows for matching revecting the self-closing hinge hinges allows for matching revection. Three drawers with side-mounted. Fixed shelf between top and both 84" high includes no upper shell. 90" high includes one upper shell.	I, epoxy-coated nylon roller glides tom sections tes If tole oven by trimming and removing teavy-duty mounting brackets and end panels	3424 41.0	1565
10" RAIL 10" RAIL 23¾ 23¾ A1¼ MINIMUM OPENING 10" RAIL			
	OC334	9024 44.0	1696
For installing second appliance in 1" thick furniture board unfinished in the includes four heavy-duty metal in Sold individually.		SHELF 1.0	84

SPECIAL ORDER

Door Panels / Decorative End Panels

Special Order SKUs – Available with extended lead time	SKU's	cubes	Stain SmartShield
DECORATIVE END PANELS - WALL, BASE AND VANITY (ACTUAL DOORS)			
• DWEP30 - Decorative End Panel for 30" High Wall Cabinet: 10½" x 28" x ¾"	DWEP30	1.0	100
• DWEP36 - Decorative End Panel for 36" High Wall Cabinet: 10½" x 34" x ¾"	DWEP36	1.0	118
• DWEP42 - Decorative End Panel for 42" High Wall Cabinet: 10½" x 40" x ¾."	DWEP42	1.0	135
• DEPVB - Decorative End Panel for Vanity Base: 19½" x 28" x ¾"	DEPVB	1.0	170
• DEPB - Decorative End Panel Base Cabinet: 22 ¹ / ₄ " x 28" x ³ / ₄ "	DEPB	1.0	175

	SKU's	cubes	Shea Sloane
DECORATIVE END PANELS - TALL CABINET (ACTUAL DOORS)			
• DEPTB - Decorative End Panel for bottom section for all Tall cabinet: $22^{1/4}$ " x $60^{1/2}$ " x $3^{1/4}$ "	DEPTB	1.0	331
• DEPT84 - Decorative End Panel for top section for 84" Tall cabinet: 221/4" x 16" x 3/4"	DEPT84	1.0	119
• DEPT90 - Decorative End Panel for top section for 90" Tall cabinet: $22^{11}/_{2}$ " x $21^{11}/_{2}$ " x $3^{11}/_{4}$ "	DEPT90	1.0	155
• DEPT96 - Decorative End Panel for top section for 96" Tall cabinet: 22 ¹ / ₄ " x 28" x ³ / ₄ "	DEPT96	1.0	189

Builders Mark Vero Cabinets are also available in Universal Design Specifications.

These Universal Design cabinets are available only on Truckload Orders.


Please work with your Wolf Sales Consultant or Wolf Customer Care to determine your delivery date.

What is ADA Compliance vs. Universal Design?

ADA compliant cabinets are designed to meet the needs of people with disabilities per the Americans with Disabilities Act. Builders Mark Vero Cabinets offers a reduced height product that may be used in your ADA or UD design. Although product choice does need to be considered, designing for ADA and UD is not just about product, it's mainly about design principles and building codes. For more information about ADA regulations, please visit www.ADA.gov.

ADA compliance is based on the overall height of the workspace, clear floor space, knee clearance and toe clearance combined. All of these elements must be applied together and accurately for your design to be considered ADA complaint. Codes will vary and it is important for you to understand your local codes before starting your design.

Universal Design, also known as Aging in Place Design, is a much broader concept. The goal is to create an environment that is usable, to the greatest extent possible, by people of any age or ability without the need for a special design or adaptation. In order be considered UD, your design must consider the space needed for approach, reach, manipulation and overall use regardless of the user's body size, posture or mobility.



Universal Design Builders Mark Vero cabinets are 321/2" in height and have a 51/2" toekick.

All other product specifications are the same as our standard cabinet.

Universal Design Cabinets – 24" Deep

Truckload Only		SKU's	cubes	Shea Sloane
BASE - 32 1/2" HIGH - 24" DEEP				
32 1/2	 One full height door with self-closing hinges - hinged left Shelves not available Available width: 9" 	B09FHUD	6.0	317
32 1/2	One door with self-closing hinges - hinged left One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Back panel drilled for Pull-out Shelves (POS) Available widths: 12"-24"	B12UD	7.0	327
24 5 1/2		B15UD	9.0	337
		B18UD	10.0	354
		B21UD	12.0	373
		B24UD	13.0	423
32 1/2	Two butt doors with self-closing hinges One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Available width: 27"	B27UD	15.0	477
Two doors with self-closing hinges and center mullion One drawer with side-mounted, epoxy-coated nylon roller of One adjustable half-depth shelf Back panel drilled for Pull-out Shelves (POS) Available widths: 30" and 36"	 One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Back panel drilled for Pull-out Shelves (POS) 	B30UD	17.0	511
		B36UD	20.0	578
32 1/2	Two doors with self-closing hinges and center mullion Two drawers with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Back panel drilled for Pull-out Shelves (POS) Available width: 42"	B42UD	23.0	619

SPECIAL ORDER

Truc	ekload Only	SKU's	cubes	Shea Sloane
SINK BASE - 32 1/2" HIGH - 24"	DEEP			diodric
321/2	 Two doors with self-closing hinges and center mullion One false drawer front No shelf included Back panel drilled for Pull-out Shelves (POS) Available widths: 30" and 36" 	SB30UD	17.0	459
		SB36UD	20.0	577
THREE DRAWER BASE - 32 1/2" H	IIGH - 24" DEEP	_		
321/2	 Three drawers with side-mounted, epoxy-coated nylon roller glides Second and third drawers are deep Available widths: 12"-24" 	DB12UD	7.0	453
32 72		DB15UD	9.0	466
24 5 1/2		DB18UD	10.0	498
		DB21UD	12.0	532
		DB24UD	13.0	553
BASE CORNER LAZY SUSAN - 32	1/2" HIGH			
321/2	 Bifold door revolve with shelves Two 24" diameter, pie-cut revolving white shelves Shelf height cannot be adjusted Shelf load not to exceed 50 lbs Floor space: 36" x 36" 	LS36UD	20.5	839
Permanently installed countertop support rail is 3½" high and ¾" thick solid wood Door frames are shipped pre-assembled Matching solid wood baseboard provided Matching solid wood baseboard provided Matching solid wood baseboard provided for bottom panel support along the kitchen wall Frame attached to bottom panel using quick connect (camlocks) fasteners providing a solid tight joint Some field assembly required; instructions and hardware included Available widths: 30" and 36"	SB30REMUD	20.0	418	
	 Matching solid wood baseboard provided for bottom panel support along the kitchen wall Frame attached to bottom panel using quick connect (camlocks) fasteners providing a solid tight joint Some field assembly required; instructions and hardware included 	SB36REMUD	23.0	448
TOEKICKUD MOULDING	 8 feet long 5⁷/₁₆" high Available in all colors MDF is matching laminate on one side (not wrapped) 	TOEKICKUD	1.0	24

Universal Design Cabinets – 21" Deep

Truc	ekload Only	SKU's	cubes	Shea Sloane
VANITY BASE - 32 1/2" HIGH - 2	1" DEEP			
32 1/2	 One door with self-closing hinges - hinged left One drawer with side-mounted, epoxy-coated nylon roller glides One adjustable half-depth shelf Available widths: 12"-18" 	VB12UD	7.0	377
		VB15UD	8.0	401
21 5 1/2		VB18UD	9.0	431
VANITY SINK BASE - 32 1/2" HIG	H - 21" DEEP			
321/2	 One door with self-closing hinges - hinged left Door can be reversed during installation for right hinge applications One false drawer front Shelves not available Back panel drilled for Pull-out Shelves (POS) Available width: 24" 	VSB24UD	11.0	481
321/2	Two butt doors with self-closing hinges One false drawer front Shelves not available Available width: 27"	VSB27UD	13.0	583
321/2	Two doors with self-closing hinges and center mullion One false drawer front Available width: 30"	VSB30UD	15.0	549
VANITY THREE DRAWER BASE - 32	2 1/2" HIGH - 21" DEEP			
	 Three drawers with side-mounted, epoxy-coated nylon roller glides Available widths: 12-21" 	VDB12UD	7.0	553
321/2		VDB15UD	8.0	570
		VDB18UD	9.0	610
DEMOVABLE EDONE OF BUILDING		VDB21UD	10.0	650
Permanently installed countertop support rail is 3½" high and ¾" thick solid wood Door frames are shipped pre-assembled ¾" thick removable bottom panel with support hardware/leveling legs and a removable clipped-on toeboard provided Matching solid wood baseboard provided for bottom panel support along the bathroom wall Frame attached to bottom panel using quick connect (camlocks) fasteners providing a solid tight joint Some field assembly required; instructions and hardware included Available widths: 30" and 36"	VSB30REMUD	18.0	531	
	fasteners providing a solid tight joint Some field assembly required; instructions and hardware included	VSB36REMUD	20.0	563

TRUCKLOAD

ORDERING GUIDELINES

The products shown in this brochure are available for special order only in full-truck quantities. Truckload orders ship directly from Wolf's manufacturing facility. Please review the requirements below in order to participate in our truckload program.

Quantity

Truckload orders must fall between a minimum of 2,200 cubes (including panels, mouldings and accessories) and a maximum of 3,100 cubes. Any ordered material exceeding the maximum will not be included in the final order. Instock material exceeding the maximum can be ordered out of warehouse using your warehouse multiplier. Any truckload only style and finish combinations cannot be ordered out of warehouse.

Timeframe

Please confirm current lead times with your Wolf Sales Consultant. Lead times may vary due to current production capabilities and product demand. Turnaround time begins once the order confirmation is approved. The delivery date provided on the confirmation is an estimated date available. If you would like a later date, please communicate with Wolf Customer Care to update your order. Once the order confirmation is approved, the delivery date cannot be changed without penalty. Delivery date changes can only be made in the event of inclement weather. Any non-weather related delivery change will result in additional freight charges where applicable. Customer Care will contact you within 48 hours with your delivery date.

Freight

Truckload orders are FOB from our manufacturing facility. Please request a shipping estimate early in the process to ensure you understand all costs associated with your order. If there is a delay between your estimate and order placement, please ask for an updated shipping estimate.

Changes

Once your order confirmation has been approved, the order has been placed into production. No changes can be made after you have approved your order.

Touch Up Kits

Touch up kits are available for purchase and will ship via FedEx. (They cannot ship on the truck with your truckload order.) We will coordinate the timing of your touch up kits to arrive near the delivery time of your truckload.

Unload Time

You will be contacted with a delivery time. Please be prepared to unload the truck immediately upon arrival. There is a two-hour window allowed for unloading. Detention fees will be charged when exceeding the two-hour window. NOTE: When accepting a truck, please have adequate manpower on site to unload in the two (2) hour delivery window. Independent drivers do not assist in unloading. Any time incurred beyond the initial two hours will be charged at \$75.00 per hour.

Builders Mark Vero 2-Year Limited Warranty

Builders Mark Vero Cabinets from Wolf Home Products have been manufactured under the highest standards of quality and workmanship.

2-Year Limited Warranty

Wolf Home Products warrants that its cabinets and related components ("Products") will be free of all defects in materials and workmanship for two (2) years from date of purchase under normal use subject to the exclusions contained herein.

Warrantor's obligation here under is valid only for the standard application in which the Products are used when properly installed in accordance with applicable building codes, conditions, industry acceptable standards and Warrantor's installation instructions. This warranty is not valid for Products used for any purpose other than the purpose for which it was originally intended. Warrantor shall not be responsible for any losses sustained or costs incurred that are reported after the expiration of the two (2) year warranty period.

Warrantor's sole responsibility, and the buyer's sole and exclusive remedy, shall be the refund or replacement, at no additional charge to buyer, or the defective Product. Warrantor shall not be responsible for any consequential damages, lost profits, or any other costs or damages all of which are specifically excluded, including without limitation labor, installation, shipping, transport, disposal, or any costs associated with the Product including without limitation plumbing, walls, flooring, fixtures, gas or electric appliances, or countertops, all of which are specifically excluded.

This warranty does not cover claims arising out of natural characteristics of some wood to split, warp or twist, or natural variations in grain, mineral streaks, knots and color.

This warranty does not cover claims arising out of misuse, physical abuse, alteration, accident, improper care in performing necessary upkeep after installation, acts of God, acts of war, vermin or insect infestation, or other chemical or biological factors.

Failure to follow written instructions, restrictions or warnings supplied with the Product shall make the Warrantor's obligation hereunder null and void and of no further effect.

THIS WARRANTY IS THE EXCLUSIVE WARRANTY OF WOLF HOME PRODUCTS AND IS IN LIEU OF AND WOLF HOME PRODUCTS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

To submit a claim under this warranty, contact your Builders Mark Vero cabinets dealer or send a letter explaining the defect along with photo and a dated sales receipt as proof of purchase to the address below.

Builders Mark Vero Cabinets
Attn: Warranty Claims
20 West Market Street
York, PA 17401
phone 800-234-9653
fax 717-792-4052
wolfcabinetswarranty@wolfhomeproducts.com
wolfhomproducts.com
©2016 Wolf Home Products.
All Rights Reserved.





Wolf Home Products® is an innovator in the building products industry.

Transforming homes for 180 years, Wolf Home Products has been the preferred home building products brand by families across North America who value the importance of their home and time together to build lasting memories in the spaces they enjoy most. With a vast inventory of kitchen and bath, outdoor living and building products, Wolf Home Products delivers orders in a fraction of the time, ensuring unparalleled value when and where customers need it. Wolf stands behind its service, cultivated with years of business experience into a total satisfaction guarantee.





wolfhomeproducts.com | © 2024 Wolf Home Products. All Rights Reserved.

All photos and colors are representative of product. Please review an actual product sample with your dealer before making your final selection. A contract is formed only after receipt of Wolf's written order confirmation. Information contained within is subject to change without notice. Not all products available in every market.